StrataGold Corporation
#701, 475 Howe Street
Vancouver, BC, Canada
V6C 2B3

DUBLIN GULCH, ASSESSMENT REPORT 2006

Title: 2006 Dublin Gulch Exploration Program
LQ00090

Location: Mayo Mining District, Yukon, approximately 75 kilometers North of Mayo and 370 kilometers due north of Whitehorse

Dates of Work: January 1st – December 31st, 2006 (Project Planning, Management and Assessment)
May 7th – October 6th, 2006 (Diamond Drilling and Regional Programs)

Prepared by: K. Whitehead, B.Sc., Project Geologist, StrataGold Corporation (Canada) Ltd.

Supervised by: Jim Sparling, MBA, B.Sc., P.Geol., Exploration Manager
StrataGold Corporation (Canada) Ltd.

TABLE OF CONTENTS

ITEM	PAGE
1. INTRODUCTION AND LOCATION	4
Figure 1: Location Map of Dublin Gulch Claims	5
Figure 2: Dublin Gulch Claims Compilation Map	6
2. GENERAL INFORMATION	7
3. DESCRIPTION OF WORK - DIAMOND DRILLING	7
Table 1: Dublin Gulch List of 2006 Diamond Drill Holes	8
4. METHODS OF ANALYSIS AND DATA PRESENTATION – DIAMOND DRILLING AND HISTORICAL CORE	10
5. DESCRIPTION OF WORK – REGIONAL SOIL GEOCHEMICAL SAMPLING PROGRAM	11
6. DESCRIPTION OF WORK – REGIONAL TRENCH AND GEOCHEMICAL SAMPLING PROGRAM	
Table 2: Dublin Gulch Trench Data	12
7. DESCRIPTION OF WORK – REGIONAL GRAB AND CHIP CHANNEL GEOCHEMICAL SAMPLING PROGRAM	12
8. DESCRIPTION OF WORK – RELOGGING AND CORE GEOCHEMICAL SAMPLING PROGRAM	
Table 3: Historical Drill Holes Logged and Sampled	
9. METHODS OF ANALYSIS AND DATA PRESENTATION	13
10. STATEMENT OF EXPENDITURES	13
Table 4: Dublin Gulch Claims Statement of Expenditures	
11. RECOMMENDATIONS	14
12. STATEMENT OF QUALIFICATIONS	14

Appendix A – Dublin Gulch Claims Compilation Map
Appendix B – Dublin Gulch List of Claims for Assessment
Appendix C – Figure 3: Dublin Gulch Drill Collar Plan Map

Appendix D – Dublin Gulch 2006 Drill Sections

Drawing 1: Dublin Gulch Section 460025 E (Nad 83)
DG06-310C and DG06-311C
Drawing 2: Dublin Gulch Section 460175 E (Nad 83
DG06-312C Looking due East
Drawing 3: Dublin Gulch Section 459800 E (Nad 83)
DG06-313C Looking due East
Drawing 4: Dublin Gulch Section 459650 E (Nad 83)
DG06-314C Looking due East
Drawing 5: Dublin Gulch Section 459500 E (Nad 83)
DG06-315C Looking due East
Drawing 6: Dublin Gulch Section 459125 E (Nad 83)
DG06-316C Looking due East (Steiner Zone)
Drawing 7: Dublin Gulch Section 459375 E (Nad 83)
DG06-317C Looking due East
Drawing 8: Dublin Gulch Section 459225 E (Nad 83)
DG06-318C Looking due East (Steiner Zone)
Drawing 9: Dublin Gulch Section 458975 E (Nad 83)
DG06-319C Looking due East (Steiner Zone)

Appendix E – Dublin Gulch 2006 Diamond Drill Logs
Appendix F – ALS Chemex Assay Certificates – Drilling
Appendix G – Assay Certificates – Drilling QAQC
Includes Assay Certificates from:

- **ACME Analytical**
- **ALS Chemex**

Appendix H – Dublin Gulch Maps with Regional Soil and Rock Sample Locations
4 maps: Aurum Adit, Haggart Creek, Shamrock road outcrop and Regional Soils, Rocks and Grab Samples
Appendix I – Dublin Gulch Map with Shamrock Trenches and Sample Locations
Appendix J – List of Geochemical Rock Samples
Appendix K – ALS Chemex Assay Certificates – Rock Samples
Appendix L – List of Geochemical Trench Samples
Appendix M – ALS Chemex Assay Certificates – Trench Samples
Appendix N – List of Geochemical Soil Samples
Appendix O – ALS Chemex Assay Certificates – Soil Samples

1. INTRODUCTION AND LOCATION

The Dublin Gulch dispositions are located in the Mayo Mining District, Yukon Territory, approximately 75 kilometres North of Mayo and 370 kilometres due north of Whitehorse. The property outlined for assessment comprises 1895 contiguous quartz mining claims covering approximately 84,842 acres of land.

The registered owner of the Len 1-32 and Jan 1-4 fractional claims is Janet Dickson, while the remaining claims are registered to StrataGold Corporation. The Len and Jan claims are subject to an option agreement wherein StrataGold may earn a 100% interest.

This report summarizes the Diamond Drilling activities and Regional Geochemical Sampling and Trenching Programs which were successfully completed in 2006.

A list of the Dublin Gulch Claims for Assessment is included in Appendix B of this report.

Figure 1: Dublin Gulch Claims Location Map



Figure 2: Dublin Gulch Claims Compilation Map (Appendix A)



2. GENERAL INFORMATION

The Dublin Gulch Claims group for 2006 assessment consists of 1895 claims comprising a total of 84,842 acres. Planning of the program began January 1st, 2006. The drill program was managed from May 7th to July 21st, 2006, when a total of 10 diamond drill holes were drilled, cut and sampled for a total of 4277 core samples. Subsequent to the diamond drill program a re-logging and sampling program initiated on specific historical intact tungsten drill core to investigate for possible gold mineralization peripheral to and within the tungsten skarn sampled an additional 920 samples. During the extent of the field season a regional crew collected a total of 2177 soil samples and 162 grab samples. The field season concluded with a trenching program initiated on the Shamrock Zone collecting 394 samples. Following camp's seasonal demobilization on Oct 6th, 2006 assessment of the data continued through to December 31st, 2006, including a screen metallic study.

3. DESCRIPTION OF WORK – DIAMOND DRILLING

During the period May 7th to July 21st, 2006, 10 Diamond Drill holes were drilled on the Dublin Gulch claims. Two diamond drills and a D6 Cat, owned by DJ Drilling Ltd., were contracted by StrataGold Corporation to complete the drill program. The drill program was designed to determine the potential North of the Eagle Zone as well as depth extent of the Eagle Zone's mineralization. Where available, historical roads and drill pads or clearings were used, some new access roads and drill pads were required to accommodate drilling. All drill holes were drilled for HQ size core. The core was drilled primarily in 5 foot lengths however was increased to 10 foot lengths typically at the greater than 200 meter depths where ground conditions permitted. At shift change core was transported down to the Dublin Gulch camp, located near the confluence of Dublin Gulch creek and Haggart Creek. The core was logged and split in camp using two diamond bladed core saws, followed by being sealed in plastic poly ore sample bags along with individual sample tags. An extensive routine of Quality Assurance and Control (QA/QC) procedures were followed during sampling and subsequent assaying. These procedures are outlined in the following section.

Table 1: Dublin Gulch List of 2006 Diamond Drill Holes

Drill Hole	GPS Easting NAD83	GPS Northing NAD83	Converted GPS Easting NAD 27 Real	Converted GPS Northing NAD27 Real	Azi.	Dip	Elevation (meters)	Final Drilled Depth (meters)
DG06-310C	460018	7100184	460117.123	7100005.219	180	-60	1114	499.26
DG06-311C	460018	7099880	460117.120	7099701.212	180	-60	1162	511.45
DG06-312C	460180	7099975	460279.121	7099796.212	180	-60	1155	502.31
DG06-313C	459787	7099881	459886.118	7099702.215	180	-60	1095	504.44
DG06-314C	459641	7099749	459740.116	7099570.215	180	-60	1061	507.49
DG06-315C	459490	7099953	459589.118	7099774.221	180	-60	1022	499.56
DG06-316C	459126	7100323	459225.120	7100144.236	180	-55	931	362.10
DG06-317C	459378	7099852	459477.116	7099673.221	180	-60	1000	334.67
DG06-318C	459230	7100330	459329.120	7100151.233	180	-60	950	210.62
DG06-319C	458959	7100360	459058.121	7100181.244	180	-55	897	349.61

4. METHODS OF ANALYSIS AND DATA PRESENTATION – DIAMOND DRILLING AND HISTORICAL CORE

Drill core was logged on site in the Dublin Gulch camp, with sample tags placed by the logging geologist at the beginning of each sample interval. The core was then split using a diamond bladed core saw, with one half of the core returned to the core box for on site storage. The other half was secured in plastic poly ore sample bags and prepared for shipment to ALS Chemex in North Vancouver. Core on site were cross-stacked, tarp covered and labeled in the core storage area located near the camps core shack. A total of 4144 core samples were submitted from the field, to be analyzed for Gold by Fire Assay, with 27 element ICP. The sample procedures are detailed below.

A map showing the highlighted locations of 2006 drill holes is contained in Appendix C, accompanied by 9 east-looking Gold assay and lithology cross sections contained within Appendix E.

Strict Quality Assurance and Control (QA/QC) protocols were maintained throughout the sampling process. The routine practice for a series of 20 samples is outlined in the following table.

QAQC Sampling Procedures

Sample		Sample	
1	Field Duplicate 1	11	
2	Field Duplicate 2	12	
3		13	
4		14	
5		15	
6		16	Blank
7		17	
8		18	
9	Preparation Duplicate/Check Assay	19	
10	Standard	20	

The Field Duplicate consisted of one quarter sample. In this case, “Sample 1” was split into two halves, and then one of these halves was quartered to create “Field Duplicate 1” & “Field Duplicate 2”, and the other half of “Sample 1” was placed back in the box.

The Preparation Duplicate and Check Assays were prepared during milling in the ALS Chemex lab. The number 8 sample was crushed and sieved to 70 % passing 2mm mesh. From this sample, two 250 gram portions were measured out, with one of these being sent to ACME Analytical for processing as the Check Assay. The 250 gram sample remaining at ALS Chemex was then ring-milled to 85% passing 75 micron or better. From this sample, two 50 gram samples were measured out for testing. The first was tested for both Gold by Fire Assay as well as 27 element ICP by acid digestion, and the second only for Gold by Fire Assay.

Standards were also used by StrataGold to monitor analytical accuracy. A total of 7 different Standards were incorporated into the sampling protocol. Two of the Standards were obtained from the Canadian Certified Reference Materials Project (CANMET), and were measured out with an electric scale into 30.5 gram portions, double bagged in two plastic sample bags, and placed in the sample series to occur approximately once every 100 samples. The other five standards (OREAS Standards) were obtained as pre-measured 60 gram pouches from Analytical Solutions Ltd. One of these was chosen by the core logging geologist to occur in each of the remaining 4 out of 100 standard samples.

The Blank sample used consisted of barren Dolomite purchased in 30 lb bags. Approximately 1.5 to 2 kilograms of dolomite were placed in a plastic bag and submitted once every 20 samples. In 2005, 12

samples, including one standard sample, were sent to each of 3 labs to test the consistency as a blank sample and to verify that no gold was present. The same samples material was used for the 2006 program.

The samples, once received by ALS Chemex, underwent the following procedure:

- The received sample was weighed and dried if necessary
- The sample was then crushed to 70% of the sample passing <2mm
- The sample was split using a riffle splitter
- The sample was then pulverized to 85% passing <75 um, with the crushers and pulverizers being washed at the beginning and end of the sample batch, and at the beginning of the technicians shift
- Followed by 50 gram Fire Assay and AAS with trace Hg via cold vapor/AAS
- Finally 27 element four acid ICP-AES

The analytical results were placed in an Access database as they were received. The original assay certificates received from ALS Chemex for the Drill Core and QAQC samples as well as the certificates from ACME Analytical Ltd. for the Check Assay samples are presented in Appendix G for Drilling and Appendix H for Drilling QA/QC.

5. DESCRIPTION OF WORK – REGIONAL SOIL GEOCHEMICAL SAMPLING PROGRAM

During the field season soil sampling was conducted on various laid out grids named: Peso, North Dublin, South Eagle and Shamrock. Soil samples where collected to follow up on various interpreted geophysical anomalies and or historical anomalous soil and grab samples previously recorded. Samples were collected using either a soil auger or mattocks. Soil was collected at a 12 to 18 inch depth range sampling the B horizon specifically. Sample spacing varied from 25 meter to 50 meter spacings. Samples that were collected and reviewed early in the season were selectively re-sampled for quality control assurance purposes and are listed as re-sampled soils samples which are listed below. All sample locations were flagged with sample numbers for subsequent review. Additionally, all sample locations were recorded using a Garmin GPS unit with coordinates being based in Nad 83, Zone 8. Samples were then shipped to ALS Chemex in North Vancouver and were assayed for gold and 27 element ICP. The regional geochemical sampling program was ATV and helicopter supported over much of the claim block. Collected samples include 2418 soil samples and 534 Rock samples primarily taken of quartz veins and mineralization in outcrop or sub-crop units.

6. DESCRIPTION OF WORK – REGIONAL TRENCH AND GEOCHEMICAL SAMPLING PROGRAM

The trenching program was conducted exclusively on the Shamrock Zone of the Dublin Gulch Property. The program consisted of 11 trenches consisting of a total of 727 meters. Trenches were of typically 1.5 meters wide and 2 meters deep. The trenches were sampled from a GPS recorded start point marked by a named staked post with flagging and sampled on an average of two meter interval widths. Care was taken to channel sample as representatively as possible using trowels and rock hammers. A total of 347 samples were collected and sent to ALS Chemex in Vancouver to be analyzed for gold by Fire Assay, with 27 elements ICP, with some samples receiving additional full screen metallics assaying when deemed necessary after reviewing initial assay results.

Table 2: Dublin Gulch Trench Data

		GPS Coordinates (UTM Zone 8 NAD 83)					
Trench Name	Start / End	Easting	Northing	Error +/- (m)	Elev. (m)	Length (meters)	# of Samples
CT06-01	Start	462403	7102059	-	-	22	16
	End	462418	7102072	-	-		
CT06-02	Start	462405	7102072	-	-	20	11
	End	462392	7102054	-	-		
CT06-03	Start	462391	7102055	-	-	38	25
	End	462354	7102031	-	-		
CT06-04	Start	462405	7102061	-	-	6.3	10
	End	462396	7102082	-	-		
CT06-05	Start	462368	7102088	-	-	34	20
	End	462391	7102056	-	-		
CT06-06	Start	462569	7102100	-	1298	16	10
	End	462557	7102089	-	1296		
CT06-07	Start	462354	7102100	8		16	10
	End	462345	7102084	8	1285		
CT06-08	Start	462580	7102227	2	1278	214	125
	Midpoint	462578	7102074	2	1281		
	End	462535	7102010	2	1283		
CT06-09	Start	462671	7102316	6	1306	78	55
	Midpoint	462680	7102213	6	1305		
	End	462677	7102144	5	1305		
CT06-10	Start	462765	7102295	5	1320	138	28
	Midpoint	462775	7102282	7	1319		
	End	462781	7102140	6	1318		
CT06-11	Start	462447	7102041	6	1289	145	37
	End	462453	7102207	6	1292		
	TOTAL					**727**	**347**

7. DESCRIPTION OF WORK – REGIONAL GRAB AND CHIP CHANNEL SAMPLING PROGRAM

Regional grab samples were collected predominantly at historically noted anomalous locations to provide confirmation of reported Au grades. 534 Rock samples were taken of quartz veins and mineralization in outcrop or sub-crop. Sample locations were flagged, with samples placed in plastic poly-ore bags with sample tags, and shipped to ALS Chemex in Vancouver. No quality control measures were conducted for the grab samples collected.

8. DESCRIPTION OF WORK – RELOGGING AND CORE ASSAY SAMPLING OF HISTORICAL MAR TUNGSTEN ZONE CORE

Selected historical drill core demonstrating favourable lithogy and mineralization and in proximal location to known favourable occurrences was logged, cut and sampled using the same procedures and quality controls as our 2005 and 2006 drill core. Previously, all historical drill core had only minor sections split with assays sampled primarily for tungsten. Gold was rarely analysed for by previous operators. A total of 942.02 meters was sampled from five historical diamond drill holes as listed below.

Table 3: HISTORICAL DRILL HOLES LOGGED AND SAMPLED

Drill Hole	Easting (NAD 83)	Northing (NAD 83)	Azimuth	Dip	Elevation	Depth
80-21BC	463485.50	7100613.10	90	-50	1413.2	164.59
80-23C	462993.50	7100447.10	90	-70	1396.8	216.41
80-47C	462769.80	7100365.70	90	-70	1377.9	197.21
80-55C	462909.30	7100282.20	90	-70	1384.9	50.90
80-58C	462995.50	7100582.30	90	-70	1396.4	211.2

9. METHOD OF ANALYSIS AND DATA PRESENTATION - REGIONAL GEOCHEMICAL SAMPLING PROGRAM

Regional Samples, once collected, were sorted and placed into rice bags. The Rock, Soil and Trench samples were processed the same as the Diamond Drilling core samples.

A map showing both the rock and soil sample locations is included in APPENDIX I. The list of Rock Samples is included in Appendix K with the ALS Assay Certificates included in Appendix L. The list of Soil Samples is included in Appendix O, with the ALS Assay Certificates included in Appendix P. A list of Trench Samples is included in Appendix M, with the ALS Assay Certificates included in Appendix N.

10. STATEMENT OF EXPENDITURES

Table 4: Dublin Gulch Project Statement of Expenditures

5012 · Explor. & Dev. - Subtotal	Jan 1-Sept21	Jan1-Oct1	Jan1-Nov1
5014 · Accommodation & Meals	55,298.53	61,445.96	63,746.25
5016 · Assays Geochem Analysis	159,512.13	169,274.43	192,494.88
5032 · Camp Expense	3,055.32	3,055.32	3,055.32
5040 · Fixed Wing	945.00	945.00	945.00
5042 · Helicopter	21,297.50	53,597.50	53,597.50
5050 · Communications/Telephone	10,879.93	10,879.93	13,263.01
5055 · Bulldoze & Equip Contract	53,001.30	71,476.30	75,875.30
5058 · DD Bulldoze & Equip. Contract	14,625.00	14,625.00	14,625.00
5060 · Drilling	559,591.81	559,591.81	559,591.81
5064 · DD Contractors - Mob/Demob	49,500.00	49,500.00	49,500.00
5067 · Drill Supplies	57,699.68	57,699.68	57,699.68
5080 · Equipment Maintenance	3,534.92	4,608.48	7,712.20
5082 · Equipment Rentals	3,800.00	3,800.00	4,356.10
5085 · Expediting	11,830.00	12,480.00	12,528.06
5100 · Fuel	3,509.40	3,589.23	3,780.14
5114 · Fuel - Propane	1,694.00	1,694.00	1,694.00
5116 · Fuel - Jet B	3,031.26	8,654.22	8,654.22
5118 · Fuel - Diesel	67,719.73	68,977.82	69,472.05
5128 · General Consultant	101,068.76	104,444.51	113,912.01
5132 · Geological Salaries & Wages	352,779.90	393,326.38	422,332.40
5140 · Cook/First Aid Attendant	62,157.01	75,290.64	78,625.23
5150 · Contract Labour	21,580.81	84,223.78	90,360.17
5160 · Salaries & Wages	31,987.05	36,637.60	41,289.36
5175 · Materials & Supplies	29,890.42	30,210.66	33,495.15
5195 · Printing & Reproduction	256.62	667.87	697.51
5212 · Truck Rental	38,201.88	45,986.88	64,280.07
5214 · Delivery/shipping	49,689.45	50,827.68	54,294.45
5232 · Travel Costs	29,786.81	29,950.46	33,002.43
5250 · Workers' Compensation	10,444.55	12,265.40	13,000.41
5260 · Warehouse	8,293.20	9,758.41	12,332.37
5710 · Safety Supplies	2,082.73	2,144.53	5,004.53
Total 5012 · Explor. & Dev. - Subtotal	**1,818,744.70**	**2,031,629.48**	**2,155,216.61**

11. RECOMMENDATIONS

It is recommended that the Dublin Gulch mineral dispositions described within this assessment report be held pending further geological and geochemical review.

Respectfully submitted,

Jim Sparling, MBA, B.Sc., P.Geo.

Exploration Manager – StrataGold Corporation

12.0 CERTIFICATE OF QUALIFICATIONS

1. I **Jim Sparling**, of 839 Old Lillooet Rd, North Vancouver, British Columbia, Canada, hereby state – that I am the Exploration Manager with StrataGold Corporation, with offices at 2550 – 1066 West Hastings Street, Vancouver, British Columbia, V6E 3X2, and that:

2. I hold a BA (Economics Major) from the University of Manitoba, Winnipeg, Manitoba (1978), a B.Sc. (Advanced Geology) from the University of Saskatchewan, Saskatoon, Saskatchewan (1984) and an MBA from Royal Roads University, Victoria, British Columbia (2003).

3. I have 20 years experience with various mining and oil and gas companies in Canada. My primary employment since 1992 has been in the field of mineral exploration.

2004	Exploration Manager, North and Central America, StrataGold Corporation
2003	Project Geologist, StrataGold Corporation
1994 – 2003	Project Geologist and Geophysical Crew Chief Hudson Bay Exploration & Development Co. Ltd.
1992 - 1994	Geophysical Crew Chief/ Technician, Brad Koop Exploration Ltd.
1989 - 1992	Geological Systems and Data Base Analyst, Petro Canada Resources Ltd.
1988 – 1989	Geological Consultant, Schindler Exploration, Indian and Northern Affairs (Minerals West)
1987 – 1988	Field Exploration Geologist, Hudson Bay Exploration & Development Co. Ltd.

1985 - 1987 Wellsite Geologist, Geotemp Consulting Ltd.

1984 - 1985 Field Exploration Geologist, Hudson Bay Exploration & Development Co. Ltd.

4. I am a practicing member in good standing with the Association of Professional Engineers and Geoscientists of Manitoba and Saskatchewan.

5. I have extensive exploration and development project experience with volcanic massive sulphide ore deposit geology and hydrothermal alteration, and experience with gold ore deposit geology. This experience has allowed me to become familiar with the evaluation of both regional and property geology, prospecting, geophysical surveys, diamond core drilling, underground exploration, development and production, and permitting processes in Manitoba, Saskatchewan, Nunavut Territory and the Yukon Territory.

6. This report is based upon data collected during the 2006 Diamond Drilling and Geochemical sampling program in The Yukon Territory, Canada in 2006.

Dated at Vancouver, British Columbia; February 20th, 2007

Respectfully submitted,

Jim Sparling



Jim Sparling, MBA, B.Sc., P.Geo.

Exploration Manager - StrataGold Corporation

APPENDIX A

Dublin Gulch Claims Map for Assessment

E

450000 452500 455000 457500 460000 462500 465000 467500 470000 472500 475000 477500

7107500 7105000 7102500 7100000 7097500 7095000 7092500 7090000

StrataGold Corporation

Date: 21/11/2006	**Dublin Gulch Claims Compilation Map**
Author: J.Scully	
Office: Vancouver	
Appendix A	File Name: SO1735_clms_26601121_DublinGulch_Claims_Lrg.mxd
Scale: 1:35,000	Projection: UTM Zone 8 (NAD 83 for Canada)

1 0 1 2 3

Kilometers

APPENDIX B

Dublin Gulch List of Claims for Assessment

APPENDIX B
StrataGold Dublin Gulch List of Claims for Assessment

Claim Label	Grant #	Current Expiry Date
Dub 727	YC38024	2008-03-01
Dub 729	YC38026	2008-03-01
Dub 730	YC38027	2008-03-01
Dub 731	YC38028	2008-03-01
Dub 733	YC38030	2008-03-01
Dub 735	YC38032	2008-03-01
Dub 737	YC38034	2008-03-01
Dub 762	YC38059	2008-03-01
Dub 779	YC38076	2008-03-01
Dub 781	YC38078	2008-03-01
Dub 805	YC38102	2008-03-01
Dub 817	YC38114	2008-03-01
Dub 821	YC38118	2008-03-01
Dub 824	YC38121	2008-03-01
Dub 825	YC38122	2008-03-01
Dub 826	YC38123	2008-03-01
Dub 827	YC38124	2008-03-01
Dub 828	YC38125	2008-03-01
Dub 829	YC38126	2008-03-01
Dub 830	YC38127	2008-03-01
Dub 831	YC38128	2008-03-01
Dub 832	YC38129	2008-03-01
Dub 833	YC38130	2008-03-01
Dub 834	YC38131	2008-03-01
Dub 835	YC38132	2008-03-01
Dub 836	YC38133	2008-03-01
Dub 837	YC38134	2008-03-01
Dub 838	YC38135	2008-03-01
Dub 839	YC38136	2008-03-01
Dub 840	YC38137	2008-03-01
Dub 841	YC38138	2008-03-01
Dub 842	YC38139	2008-03-01
Dub 920	YC38217	2008-03-01
Dub 921	YC38218	2008-03-01
Dub 922	YC38219	2008-03-01
Dub 923	YC38220	2008-03-01
Dub 1046	YC38343	2008-03-01
Dub 1048	YC38345	2008-03-01
Dub 1049	YC38346	2008-03-01
Dub 1062	YC38359	2008-03-01
Dub 1063	YC38360	2008-03-01
Dub 1090	YC38387	2008-03-01
Dub 1091	YC38388	2008-03-01
Dub 1134	YC38431	2008-03-01
Dub 1135	YC38432	2008-03-01
Dub 1136	YC38433	2008-03-01
Dub 1137	YC38434	2008-03-01
Dub 1138	YC38435	2008-03-01
Dub 1139	YC38436	2008-03-01
Dub 1144	YC38441	2008-03-01
Dub 1145	YC38442	2008-03-01
Dub 1170	YC38467	2008-03-01
Dub 1171	YC38468	2008-03-01
Dub 1210	YC38507	2008-03-01
Dub 1212	YC38509	2008-03-01
Dub 1213	YC38510	2008-03-01
Dub 1214	YC38511	2008-03-01
Dub 1215	YC38512	2008-03-01
Dub 1216	YC38513	2008-03-01
Dub 1217	YC38514	2008-03-01
Dub 1218	YC38515	2008-03-01
Dub 610	YC32607	2008-11-03
Dub 611	YC32608	2008-11-03
Dub 612	YC32609	2008-11-03
Dub 613	YC32610	2008-11-03
Dub 614	YC32611	2008-11-03
Dub 630	YC32627	2008-11-03
Dub 632	YC32629	2008-11-03
Dub 634	YC32631	2008-11-03
Dub 804	YC38101	2008-11-03
Dub 806	YC38103	2008-11-03
Dub 808	YC38105	2008-11-03
Dub 810	YC38107	2008-11-03
Dub 970	YC38267	2008-11-03
Dub 992	YC38289	2008-11-03
Dub 994	YC38291	2008-11-03
Dub 997	YC38294	2008-11-03
Dub 1038	YC38335	2008-11-03
Dub 1040	YC38337	2008-11-03
Dub 1064	YC38361	2008-11-03
Dub 1065	YC38362	2008-11-03
Dub 1066	YC38363	2008-11-03
Dub 1067	YC38364	2008-11-03
Dub 1140	YC38437	2008-11-03
Dub 1141	YC38438	2008-11-03
Dub 1142	YC38439	2008-11-03
Dub 1143	YC38440	2008-11-03
Dub 1147	YC38444	2008-11-03
Dub 1148	YC38445	2008-11-03
Dub 1151	YC38448	2008-11-03
Dub 1153	YC38450	2008-11-03
Dub 1155	YC38452	2008-11-03
Dub 1158	YC38455	2008-11-03
Dub 1160	YC38457	2008-11-03
Dub 1162	YC38459	2008-11-03

APPENDIX B
StrataGold Dublin Gulch List of Claims for Assessment

Dub 1164	YC38461	2008-11-03
Dub 1168	YC38465	2008-11-03
Dub 1219	YC38516	2008-11-03
Dub 1230	YC38527	2008-11-03
Dub 1231	YC38528	2008-11-03
Dub 1232	YC38529	2008-11-03
Dub 1234	YC38531	2008-11-03
Dub 1236	YC38533	2008-11-03
Dub 1238	YC38535	2008-11-03
Dub 1240	YC38537	2008-11-03
Dub 1242	YC38539	2008-11-03
Dub 1246	YC38543	2008-11-03
Dub 1247	YC38544	2008-11-03
Dub 1248	YC38545	2008-11-03
Dub 1249	YC38546	2008-11-03
Dub 1250	YC38547	2008-11-03
Dub 1251	YC38548	2008-11-03
Dub 1252	YC38549	2008-11-03
Dub 1253	YC38550	2008-11-03
Dub 1254	YC38551	2008-11-03
Dub 1255	YC38552	2008-11-03
Dub 1256	YC38553	2008-11-03
Dub 1481	YC38777	2008-11-05
Dub 1501	YC38797	2008-11-05
Dub 1503	YC38799	2008-11-05
Dub 1358	YC38654	2008-11-08
Dub 1359	YC38655	2008-11-08
Dub 1394	YC38690	2008-11-08
Dub 1395	YC38691	2008-11-08
Dub 588	YC32585	2009-03-01
Dub 589	YC32586	2009-03-01
Dub 590	YC32587	2009-03-01
Dub 592	YC32589	2009-03-01
Dub 593	YC32590	2009-03-01
Dub 594	YC32591	2009-03-01
Dub 595	YC32592	2009-03-01
Dub 596	YC32593	2009-03-01
Dub 597	YC32594	2009-03-01
Dub 598	YC32595	2009-03-01
Dub 599	YC32596	2009-03-01
Dub 600	YC32597	2009-03-01
Dub 601	YC32598	2009-03-01
Dub 602	YC32599	2009-03-01
Dub 603	YC32600	2009-03-01
Dub 608	YC32605	2009-03-01
Dub 669	YC32666	2009-03-01
Dub 670	YC32667	2009-03-01
Dub 671	YC32668	2009-03-01
Dub 672	YC32669	2009-03-01
Dub 673	YC32670	2009-03-01
Dub 674	YC32671	2009-03-01
Dub 675	YC32672	2009-03-01
Dub 676	YC32673	2009-03-01
Dub 677	YC32674	2009-03-01
Dub 678	YC32675	2009-03-01
Dub 685	YC32682	2009-03-01
Dub 686	YC32683	2009-03-01
Dub 687	YC32684	2009-03-01
Dub 688	YC32685	2009-03-01
Dub 689	YC32686	2009-03-01
Dub 690	YC32687	2009-03-01
Dub 691	YC32688	2009-03-01
Dub 692	YC32689	2009-03-01
Dub 693	YC32690	2009-03-01
Dub 694	YC32691	2009-03-01
Dub 695	YC32692	2009-03-01
Dub 696	YC32693	2009-03-01
Dub 697	YC32694	2009-03-01
Dub 698	YC32695	2009-03-01
Dub 699	YC32696	2009-03-01
Dub 700	YC32697	2009-03-01
Dub 701	YC32698	2009-03-01
Dub 702	YC32699	2009-03-01
Dub 704	YC38001	2009-03-01
Dub 706	YC38003	2009-03-01
Dub 707	YC38004	2009-03-01
Dub 708	YC38005	2009-03-01
Dub 709	YC38006	2009-03-01
Dub 710	YC38007	2009-03-01
Dub 711	YC38008	2009-03-01
Dub 712	YC38009	2009-03-01
Dub 713	YC38010	2009-03-01
Dub 714	YC38011	2009-03-01
Dub 715	YC38012	2009-03-01
Dub 716	YC38013	2009-03-01
Dub 717	YC38014	2009-03-01
Dub 718	YC38015	2009-03-01
Dub 719	YC38016	2009-03-01
Dub 720	YC38017	2009-03-01
Dub 721	YC38018	2009-03-01
Dub 722	YC38019	2009-03-01
Dub 723	YC38020	2009-03-01
Dub 724	YC38021	2009-03-01
Dub 728	YC38025	2009-03-01
Dub 732	YC38029	2009-03-01
Dub 734	YC38031	2009-03-01

APPENDIX B
StrataGold Dublin Gulch List of Claims for Assessment

Dub 736	YC38033	2009-03-01
Dub 738	YC38035	2009-03-01
Dub 739	YC38036	2009-03-01
Dub 740	YC38037	2009-03-01
Dub 741	YC38038	2009-03-01
Dub 742	YC38039	2009-03-01
Dub 743	YC38040	2009-03-01
Dub 746	YC38043	2009-03-01
Dub 748	YC38045	2009-03-01
Dub 749	YC38046	2009-03-01
Dub 750	YC38047	2009-03-01
Dub 751	YC38048	2009-03-01
Dub 752	YC38049	2009-03-01
Dub 753	YC38050	2009-03-01
Dub 754	YC38051	2009-03-01
Dub 755	YC38052	2009-03-01
Dub 756	YC38053	2009-03-01
Dub 757	YC38054	2009-03-01
Dub 758	YC38055	2009-03-01
Dub 759	YC38056	2009-03-01
Dub 760	YC38057	2009-03-01
Dub 761	YC38058	2009-03-01
Dub 763	YC38060	2009-03-01
Dub 764	YC38061	2009-03-01
Dub 766	YC38063	2009-03-01
Dub 768	YC38065	2009-03-01
Dub 770	YC38067	2009-03-01
Dub 772	YC38069	2009-03-01
Dub 774	YC38071	2009-03-01
Dub 775	YC38072	2009-03-01
Dub 776	YC38073	2009-03-01
Dub 777	YC38074	2009-03-01
Dub 778	YC38075	2009-03-01
Dub 802	YC38099	2009-03-01
Dub 803	YC38100	2009-03-01
Dub 809	YC38106	2009-03-01
Dub 812	YC38109	2009-03-01
Dub 813	YC38110	2009-03-01
Dub 814	YC38111	2009-03-01
Dub 815	YC38112	2009-03-01
Dub 816	YC38113	2009-03-01
Dub 818	YC38115	2009-03-01
Dub 819	YC38116	2009-03-01
Dub 820	YC38117	2009-03-01
Dub 822	YC38119	2009-03-01
Dub 823	YC38120	2009-03-01
Dub 908	YC38205	2009-03-01
Dub 909	YC38206	2009-03-01
Dub 910	YC38207	2009-03-01
Dub 911	YC38208	2009-03-01
Dub 912	YC38209	2009-03-01
Dub 913	YC38210	2009-03-01
Dub 914	YC38211	2009-03-01
Dub 915	YC38212	2009-03-01
Dub 916	YC38213	2009-03-01
Dub 917	YC38214	2009-03-01
Dub 918	YC38215	2009-03-01
Dub 919	YC38216	2009-03-01
Dub 924	YC38221	2009-03-01
Dub 925	YC38222	2009-03-01
Dub 926	YC38223	2009-03-01
Dub 927	YC38224	2009-03-01
Dub 954	YC38251	2009-03-01
Dub 955	YC38252	2009-03-01
Dub 958	YC38255	2009-03-01
Dub 959	YC38256	2009-03-01
Dub 960	YC38257	2009-03-01
Dub 961	YC38258	2009-03-01
Dub 962	YC38259	2009-03-01
Dub 963	YC38260	2009-03-01
Dub 964	YC38261	2009-03-01
Dub 965	YC38262	2009-03-01
Dub 966	YC38263	2009-03-01
Dub 967	YC38264	2009-03-01
Dub 968	YC38265	2009-03-01
Dub 969	YC38266	2009-03-01
Dub 971	YC38268	2009-03-01
Dub 976	YC38273	2009-03-01
Dub 977	YC38274	2009-03-01
Dub 978	YC38275	2009-03-01
Dub 979	YC38276	2009-03-01
Dub 981	YC38278	2009-03-01
Dub 993	YC38290	2009-03-01
Dub 995	YC38292	2009-03-01
Dub 996	YC38293	2009-03-01
Dub 1000	YC38297	2009-03-01
Dub 1001	YC38298	2009-03-01
Dub 1005	YC38302	2009-03-01
Dub 1006	YC38303	2009-03-01
Dub 1007	YC38304	2009-03-01
Dub 1008	YC38305	2009-03-01
Dub 1009	YC38306	2009-03-01
Dub 1010	YC38307	2009-03-01
Dub 1011	YC38308	2009-03-01
Dub 1012	YC38309	2009-03-01
Dub 1013	YC38310	2009-03-01

APPENDIX B
StrataGold Dublin Gulch List of Claims for Assessment

Dub 1014	YC38311	2009-03-01
Dub 1015	YC38312	2009-03-01
Dub 1016	YC38313	2009-03-01
Dub 1017	YC38314	2009-03-01
Dub 1027	YC38324	2009-03-01
Dub 1028	YC38325	2009-03-01
Dub 1029	YC38326	2009-03-01
Dub 1031	YC38328	2009-03-01
Dub 1032	YC38329	2009-03-01
Dub 1033	YC38330	2009-03-01
Dub 1034	YC38331	2009-03-01
Dub 1041	YC38338	2009-03-01
Dub 1042	YC38339	2009-03-01
Dub 1043	YC38340	2009-03-01
Dub 1044	YC38341	2009-03-01
Dub 1045	YC38342	2009-03-01
Dub 1047	YC38344	2009-03-01
Dub 1050	YC38347	2009-03-01
Dub 1051	YC38348	2009-03-01
Dub 1052	YC38349	2009-03-01
Dub 1053	YC38350	2009-03-01
Dub 1054	YC38351	2009-03-01
Dub 1055	YC38352	2009-03-01
Dub 1056	YC38353	2009-03-01
Dub 1057	YC38354	2009-03-01
Dub 1058	YC38355	2009-03-01
Dub 1059	YC38356	2009-03-01
Dub 1060	YC38357	2009-03-01
Dub 1061	YC38358	2009-03-01
Dub 1088	YC38385	2009-03-01
Dub 1089	YC38386	2009-03-01
Dub 1130	YC38427	2009-03-01
Dub 1131	YC38428	2009-03-01
Dub 1132	YC38429	2009-03-01
Dub 1133	YC38430	2009-03-01
Dub 1146	YC38443	2009-03-01
Dub 1149	YC38446	2009-03-01
Dub 1150	YC38447	2009-03-01
Dub 1152	YC38449	2009-03-01
Dub 1154	YC38451	2009-03-01
Dub 1156	YC38453	2009-03-01
Dub 1157	YC38454	2009-03-01
Dub 1159	YC38456	2009-03-01
Dub 1161	YC38458	2009-03-01
Dub 1163	YC38460	2009-03-01
Dub 1165	YC38462	2009-03-01
Dub 1172	YC38469	2009-03-01
Dub 1174	YC38471	2009-03-01
Dub 1176	YC38473	2009-03-01
Dub 1177	YC38474	2009-03-01
Dub 1211	YC38508	2009-03-01
Dub 1220	YC38517	2009-03-01
Dub 1221	YC38518	2009-03-01
Dub 1222	YC38519	2009-03-01
Dub 1223	YC38520	2009-03-01
Dub 1224	YC38521	2009-03-01
Dub 1225	YC38522	2009-03-01
Dub 1226	YC38523	2009-03-01
Dub 1227	YC38524	2009-03-01
Dub 1228	YC38525	2009-03-01
Dub 1229	YC38526	2009-03-01
Dub 1257	YC38554	2009-03-01
Dub 1258	YC38555	2009-03-01
Dub 1259	YC38556	2009-03-01
Dub 1260	YC38557	2009-03-01
Dub 1327	YC38624	2009-03-01
Dub 1340	YC38637	2009-03-01
Dub 1341	YC38638	2009-03-01
Dub 1360	YC38656	2009-03-01
Dub 1361	YC38657	2009-03-01
Dub 1362	YC38658	2009-03-01
Dub 1363	YC38659	2009-03-01
Dub 1396	YC38692	2009-03-01
Dub 1397	YC38693	2009-03-01
Dub 1398	YC38694	2009-03-01
Dub 1399	YC38695	2009-03-01
Dub 1441	YC38737	2009-03-01
Dub 1483	YC38779	2009-03-01
Dub 1500	YC38796	2009-03-01
Dub 1502	YC38798	2009-03-01
Dub 1589	YC39856	2009-03-01
Dub 1590	YC39857	2009-03-01
Dub 1591	YC39858	2009-03-01
Dub 1592	YC39859	2009-03-01
Dub 1593	YC39866	2009-03-01
Dub 1594	YC39867	2009-03-01
Dub 1598	YC39871	2009-03-01
Dub 1576	YC38872	2009-11-01
Dub 489	YC32486	2009-11-03
Dub 490	YC32487	2009-11-03
Dub 546	YC32543	2009-11-03
Dub 615	YC32612	2009-11-03
Dub 633	YC32630	2009-11-03
Dub 635	YC32632	2009-11-03
Dub 636	YC32633	2009-11-03
Dub 637	YC32634	2009-11-03

APPENDIX B
StrataGold Dublin Gulch List of Claims for Assessment

Dub 652	YC32649	2009-11-03
Dub 653	YC32650	2009-11-03
Dub 654	YC32651	2009-11-03
Dub 655	YC32652	2009-11-03
Dub 858	YC38155	2009-11-03
Dub 859	YC38156	2009-11-03
Dub 897	YC38194	2009-11-03
Dub 899	YC38196	2009-11-03
Dub 901	YC38198	2009-11-03
Dub 903	YC38200	2009-11-03
Dub 905	YC38202	2009-11-03
Dub 907	YC38204	2009-11-03
Dub 942	YC38239	2009-11-03
Dub 944	YC38241	2009-11-03
Dub 946	YC38243	2009-11-03
Dub 948	YC38245	2009-11-03
Dub 950	YC38247	2009-11-03
Dub 952	YC38249	2009-11-03
Dub 972	YC38269	2009-11-03
Dub 973	YC38270	2009-11-03
Dub 974	YC38271	2009-11-03
Dub 975	YC38272	2009-11-03
Dub 999	YC38296	2009-11-03
Dub 1018	YC38315	2009-11-03
Dub 1019	YC38316	2009-11-03
Dub 1020	YC38317	2009-11-03
Dub 1036	YC38333	2009-11-03
Dub 1068	YC38365	2009-11-03
Dub 1069	YC38366	2009-11-03
Dub 1070	YC38367	2009-11-03
Dub 1071	YC38368	2009-11-03
Dub 1072	YC38369	2009-11-03
Dub 1073	YC38370	2009-11-03
Dub 1074	YC38371	2009-11-03
Dub 1075	YC38372	2009-11-03
Dub 1076	YC38373	2009-11-03
Dub 1077	YC38374	2009-11-03
Dub 1078	YC38375	2009-11-03
Dub 1079	YC38376	2009-11-03
Dub 1080	YC38377	2009-11-03
Dub 1081	YC38378	2009-11-03
Dub 1082	YC38379	2009-11-03
Dub 1083	YC38380	2009-11-03
Dub 1084	YC38381	2009-11-03
Dub 1085	YC38382	2009-11-03
Dub 1086	YC38383	2009-11-03
Dub 1087	YC38384	2009-11-03
Dub 1166	YC38463	2009-11-03
Dub 1233	YC38530	2009-11-03
Dub 1235	YC38532	2009-11-03
Dub 1237	YC38534	2009-11-03
Dub 1239	YC38536	2009-11-03
Dub 1241	YC38538	2009-11-03
Dub 1243	YC38540	2009-11-03
Dub 1244	YC38541	2009-11-03
Dub 1245	YC38542	2009-11-03
Dub 1264	YC38561	2009-11-03
Dub 1202	YC38499	2009-11-05
Dub 1204	YC38501	2009-11-05
Dub 1566	YC38862	2009-11-05
Dub 1567	YC38863	2009-11-05
Dub 459	YC11533	2010-01-16
Dub 460	YC11534	2010-01-16
Dub 468	YC11542	2010-01-16
Dub 470	YC11544	2010-01-16
Dub 473	YC11547	2010-01-16
Dub 475	YC11549	2010-01-16
Dub 476	YC11550	2010-01-16
Dub 491	YC32488	2010-03-01
Dub 492	YC32489	2010-03-01
Dub 586	YC32583	2010-03-01
Dub 587	YC32584	2010-03-01
Dub 591	YC32588	2010-03-01
Dub 609	YC32606	2010-03-01
Dub 663	YC32660	2010-03-01
Dub 664	YC32661	2010-03-01
Dub 665	YC32662	2010-03-01
Dub 666	YC32663	2010-03-01
Dub 667	YC32664	2010-03-01
Dub 668	YC32665	2010-03-01
Dub 681	YC32678	2010-03-01
Dub 682	YC32679	2010-03-01
Dub 683	YC32680	2010-03-01
Dub 725	YC38022	2010-03-01
Dub 744	YC38041	2010-03-01
Dub 745	YC38042	2010-03-01
Dub 747	YC38044	2010-03-01
Dub 765	YC38062	2010-03-01
Dub 767	YC38064	2010-03-01
Dub 769	YC38066	2010-03-01
Dub 771	YC38068	2010-03-01
Dub 773	YC38070	2010-03-01
Dub 783	YC38080	2010-03-01
Dub 784	YC38081	2010-03-01
Dub 785	YC38082	2010-03-01
Dub 786	YC38083	2010-03-01

APPENDIX B
StrataGold Dublin Gulch List of Claims for Assessment

Dub 787	YC38084	2010-03-01
Dub 788	YC38085	2010-03-01
Dub 789	YC38086	2010-03-01
Dub 790	YC38087	2010-03-01
Dub 791	YC38088	2010-03-01
Dub 792	YC38089	2010-03-01
Dub 793	YC38090	2010-03-01
Dub 794	YC38091	2010-03-01
Dub 795	YC38092	2010-03-01
Dub 796	YC38093	2010-03-01
Dub 797	YC38094	2010-03-01
Dub 798	YC38095	2010-03-01
Dub 807	YC38104	2010-03-01
Dub 811	YC38108	2010-03-01
Dub 843	YC38140	2010-03-01
Dub 844	YC38141	2010-03-01
Dub 846	YC38143	2010-03-01
Dub 848	YC38145	2010-03-01
Dub 850	YC38147	2010-03-01
Dub 852	YC38149	2010-03-01
Dub 854	YC38151	2010-03-01
Dub 856	YC38153	2010-03-01
Dub 857	YC38154	2010-03-01
Dub 864	YC38161	2010-03-01
Dub 866	YC38163	2010-03-01
Dub 868	YC38165	2010-03-01
Dub 869	YC38166	2010-03-01
Dub 871	YC38168	2010-03-01
Dub 873	YC38170	2010-03-01
Dub 875	YC38172	2010-03-01
Dub 877	YC38174	2010-03-01
Dub 880	YC38177	2010-03-01
Dub 882	YC38179	2010-03-01
Dub 928	YC38225	2010-03-01
Dub 929	YC38226	2010-03-01
Dub 930	YC38227	2010-03-01
Dub 939	YC38236	2010-03-01
Dub 940	YC38237	2010-03-01
Dub 941	YC38238	2010-03-01
Dub 956	YC38253	2010-03-01
Dub 957	YC38254	2010-03-01
Dub 980	YC38277	2010-03-01
Dub 982	YC38279	2010-03-01
Dub 983	YC38280	2010-03-01
Dub 985	YC38282	2010-03-01
Dub 987	YC38284	2010-03-01
Dub 989	YC38286	2010-03-01
Dub 990	YC38287	2010-03-01
Dub 991	YC38288	2010-03-01
Dub 998	YC38295	2010-03-01
Dub 1002	YC38299	2010-03-01
Dub 1003	YC38300	2010-03-01
Dub 1004	YC38301	2010-03-01
Dub 1021	YC38318	2010-03-01
Dub 1022	YC38319	2010-03-01
Dub 1023	YC38320	2010-03-01
Dub 1024	YC38321	2010-03-01
Dub 1025	YC38322	2010-03-01
Dub 1026	YC38323	2010-03-01
Dub 1030	YC38327	2010-03-01
Dub 1035	YC38332	2010-03-01
Dub 1037	YC38334	2010-03-01
Dub 1039	YC38336	2010-03-01
Dub 1094	YC38391	2010-03-01
Dub 1095	YC38392	2010-03-01
Dub 1128	YC38425	2010-03-01
Dub 1129	YC38426	2010-03-01
Dub 1167	YC38464	2010-03-01
Dub 1169	YC38466	2010-03-01
Dub 1262	YC38559	2010-03-01
Dub 1306	YC38603	2010-03-01
Dub 1308	YC38605	2010-03-01
Dub 1310	YC38607	2010-03-01
Dub 1314	YC38611	2010-03-01
Dub 1320	YC38617	2010-03-01
Dub 1323	YC38620	2010-03-01
Dub 1325	YC38622	2010-03-01
Dub 1326	YC38623	2010-03-01
Dub 1336	YC38633	2010-03-01
Dub 1337	YC38634	2010-03-01
Dub 1338	YC38635	2010-03-01
Dub 1339	YC38636	2010-03-01
Dub 1568	YC38864	2010-03-01
Dub 1571	YC38867	2010-03-01
Dub 1572	YC38868	2010-03-01
Dub 1587	YC39854	2010-03-01
Dub 1588	YC39855	2010-03-01
Dub 1612	YC42229	2010-03-01
Dub 1613	YC42230	2010-03-01
Dub 1617	YC42234	2010-03-01
Dub 1618	YC42235	2010-03-01
Dub 1619	YC42236	2010-03-01
Dub 1578	YC38874	2010-11-01
Dub 1580	YC38876	2010-11-01
Dub 650	YC32647	2010-11-03
Dub 892	YC38189	2010-11-03

APPENDIX B
StrataGold Dublin Gulch List of Claims for Assessment

Dub 893	YC38190	2010-11-03
Dub 894	YC38191	2010-11-03
Dub 895	YC38192	2010-11-03
Dub 933	YC38230	2010-11-03
Dub 934	YC38231	2010-11-03
Dub 935	YC38232	2010-11-03
Dub 936	YC38233	2010-11-03
Dub 937	YC38234	2010-11-03
Dub 938	YC38235	2010-11-03
Dub 1206	YC38503	2010-11-05
Dub 1208	YC38505	2010-11-05
Dub 1282	YC38579	2010-11-05
Dub 1284	YC38581	2010-11-05
Dub 1285	YC38582	2010-11-05
Dub 1293	YC38590	2010-11-05
Dub 1295	YC38592	2010-11-05
Dub 1312	YC38609	2010-11-05
Dub 1328	YC38625	2010-11-05
Dub 1334	YC38631	2010-11-05
Dub 1335	YC38632	2010-11-05
Dub 1513	YC38809	2010-11-05
Dub 1514	YC38810	2010-11-05
Dub 1515	YC38811	2010-11-05
Dub 1516	YC38812	2010-11-05
Dub 1517	YC38813	2010-11-05
Dub 1518	YC38814	2010-11-05
Dub 1519	YC38815	2010-11-05
Dub 1520	YC38816	2010-11-05
Dub 1521	YC38817	2010-11-05
Dub 1523	YC38819	2010-11-05
Dub 1524	YC38820	2010-11-05
Dub 1526	YC38822	2010-11-05
Dub 1528	YC38824	2010-11-05
Dub 1529	YC38825	2010-11-05
Dub 1535	YC38831	2010-11-05
Dub 1539	YC38835	2010-11-05
Dub 1541	YC38837	2010-11-05
Dub 1542	YC38838	2010-11-05
Dub 1543	YC38839	2010-11-05
Dub 1544	YC38840	2010-11-05
Dub 1545	YC38841	2010-11-05
Dub 1546	YC38842	2010-11-05
Dub 1547	YC38843	2010-11-05
Dub 1548	YC38844	2010-11-05
Dub 1549	YC38845	2010-11-05
Dub 1550	YC38846	2010-11-05
Dub 1551	YC38847	2010-11-05
Dub 1552	YC38848	2010-11-05
Dub 1553	YC38849	2010-11-05
Dub 1554	YC38850	2010-11-05
Dub 1555	YC38851	2010-11-05
Dub 1556	YC38852	2010-11-05
Dub 1557	YC38853	2010-11-05
Dub 1558	YC38854	2010-11-05
Dub 1559	YC38855	2010-11-05
Dub 1560	YC38856	2010-11-05
Dub 1561	YC38857	2010-11-05
Dub 1562	YC38858	2010-11-05
Dub 1563	YC38859	2010-11-05
Dub 1564	YC38860	2010-11-05
Dub 1565	YC38861	2010-11-05
Dub 1573	YC38869	2010-11-05
Dub 136	YC11210	2011-01-16
Dub 137	YC11211	2011-01-16
Dub 192	YC11266	2011-01-16
Dub 227	YC11301	2011-01-16
Dub 228	YC11302	2011-01-16
Dub 229	YC11303	2011-01-16
Dub 449	YC11523	2011-01-16
Dub 461	YC11535	2011-01-16
Dub 462	YC11536	2011-01-16
Dub 464	YC11538	2011-01-16
Dub 466	YC11540	2011-01-16
Dub 467	YC11541	2011-01-16
Dub 469	YC11543	2011-01-16
Dub 471	YC11545	2011-01-16
Dub 472	YC11546	2011-01-16
Dub 474	YC11548	2011-01-16
Dub 479	YC11553	2011-01-16
Dub 485	YC32482	2011-03-01
Dub 487	YC32484	2011-03-01
Dub 488	YC32485	2011-03-01
Dub 494	YC32491	2011-03-01
Dub 496	YC32493	2011-03-01
Dub 545	YC32542	2011-03-01
Dub 547	YC32544	2011-03-01
Dub 548	YC32545	2011-03-01
Dub 582	YC32579	2011-03-01
Dub 583	YC32580	2011-03-01
Dub 584	YC32581	2011-03-01
Dub 585	YC32582	2011-03-01
Dub 604	YC32601	2011-03-01
Dub 605	YC32602	2011-03-01
Dub 606	YC32603	2011-03-01
Dub 607	YC32604	2011-03-01
Dub 616	YC32613	2011-03-01

APPENDIX B
StrataGold Dublin Gulch List of Claims for Assessment

Dub 617	YC32614	2011-03-01
Dub 618	YC32615	2011-03-01
Dub 619	YC32616	2011-03-01
Dub 620	YC32617	2011-03-01
Dub 631	YC32628	2011-03-01
Dub 638	YC32635	2011-03-01
Dub 639	YC32636	2011-03-01
Dub 640	YC32637	2011-03-01
Dub 641	YC32638	2011-03-01
Dub 643	YC32640	2011-03-01
Dub 645	YC32642	2011-03-01
Dub 647	YC32644	2011-03-01
Dub 649	YC32646	2011-03-01
Dub 656	YC32653	2011-03-01
Dub 657	YC32654	2011-03-01
Dub 658	YC32655	2011-03-01
Dub 679	YC32676	2011-03-01
Dub 680	YC32677	2011-03-01
Dub 684	YC32681	2011-03-01
Dub 703	YC32700	2011-03-01
Dub 705	YC38002	2011-03-01
Dub 726	YC38023	2011-03-01
Dub 780	YC38077	2011-03-01
Dub 782	YC38079	2011-03-01
Dub 799	YC38096	2011-03-01
Dub 800	YC38097	2011-03-01
Dub 801	YC38098	2011-03-01
Dub 845	YC38142	2011-03-01
Dub 847	YC38144	2011-03-01
Dub 849	YC38146	2011-03-01
Dub 851	YC38148	2011-03-01
Dub 853	YC38150	2011-03-01
Dub 855	YC38152	2011-03-01
Dub 861	YC38158	2011-03-01
Dub 862	YC38159	2011-03-01
Dub 863	YC38160	2011-03-01
Dub 865	YC38162	2011-03-01
Dub 867	YC38164	2011-03-01
Dub 870	YC38167	2011-03-01
Dub 872	YC38169	2011-03-01
Dub 874	YC38171	2011-03-01
Dub 876	YC38173	2011-03-01
Dub 879	YC38176	2011-03-01
Dub 881	YC38178	2011-03-01
Dub 883	YC38180	2011-03-01
Dub 884	YC38181	2011-03-01
Dub 885	YC38182	2011-03-01
Dub 886	YC38183	2011-03-01
Dub 887	YC38184	2011-03-01
Dub 888	YC38185	2011-03-01
Dub 889	YC38186	2011-03-01
Dub 890	YC38187	2011-03-01
Dub 891	YC38188	2011-03-01
Dub 896	YC38193	2011-03-01
Dub 898	YC38195	2011-03-01
Dub 900	YC38197	2011-03-01
Dub 902	YC38199	2011-03-01
Dub 904	YC38201	2011-03-01
Dub 906	YC38203	2011-03-01
Dub 943	YC38240	2011-03-01
Dub 945	YC38242	2011-03-01
Dub 947	YC38244	2011-03-01
Dub 949	YC38246	2011-03-01
Dub 951	YC38248	2011-03-01
Dub 953	YC38250	2011-03-01
Dub 984	YC38281	2011-03-01
Dub 986	YC38283	2011-03-01
Dub 988	YC38285	2011-03-01
Dub 1092	YC38389	2011-03-01
Dub 1093	YC38390	2011-03-01
Dub 1096	YC38393	2011-03-01
Dub 1097	YC38394	2011-03-01
Dub 1100	YC38397	2011-03-01
Dub 1101	YC38398	2011-03-01
Dub 1102	YC38399	2011-03-01
Dub 1103	YC38400	2011-03-01
Dub 1105	YC38402	2011-03-01
Dub 1173	YC38470	2011-03-01
Dub 1175	YC38472	2011-03-01
Dub 1178	YC38475	2011-03-01
Dub 1179	YC38476	2011-03-01
Dub 1180	YC38477	2011-03-01
Dub 1261	YC38558	2011-03-01
Dub 1263	YC38560	2011-03-01
Dub 1265	YC38562	2011-03-01
Dub 1294	YC38591	2011-03-01
Dub 1296	YC38593	2011-03-01
Dub 1297	YC38594	2011-03-01
Dub 1298	YC38595	2011-03-01
Dub 1299	YC38596	2011-03-01
Dub 1300	YC38597	2011-03-01
Dub 1301	YC38598	2011-03-01
Dub 1302	YC38599	2011-03-01
Dub 1304	YC38601	2011-03-01
Dub 1316	YC38613	2011-03-01
Dub 1318	YC38615	2011-03-01

APPENDIX B
StrataGold Dublin Gulch List of Claims for Assessment

Dub 1322	YC38619	2011-03-01
Dub 1324	YC38621	2011-03-01
Dub 1330	YC38627	2011-03-01
Dub 1331	YC38628	2011-03-01
Dub 1332	YC38629	2011-03-01
Dub 1333	YC38630	2011-03-01
Dub 1343	YC38640	2011-03-01
Dub 1356	YC38652	2011-03-01
Dub 1357	YC38653	2011-03-01
Dub 1376	YC38672	2011-03-01
Dub 1377	YC38673	2011-03-01
Dub 1378	YC38674	2011-03-01
Dub 1379	YC38675	2011-03-01
Dub 1391	YC38687	2011-03-01
Dub 1392	YC38688	2011-03-01
Dub 1393	YC38689	2011-03-01
Dub 1402	YC38698	2011-03-01
Dub 1403	YC38699	2011-03-01
Dub 1462	YC38758	2011-03-01
Dub 1463	YC38759	2011-03-01
Dub 1465	YC38761	2011-03-01
Dub 1467	YC38763	2011-03-01
Dub 1469	YC38765	2011-03-01
Dub 1471	YC38767	2011-03-01
Dub 1473	YC38769	2011-03-01
Dub 1475	YC38771	2011-03-01
Dub 1476	YC38772	2011-03-01
Dub 1477	YC38773	2011-03-01
Dub 1482	YC38778	2011-03-01
Dub 1484	YC38780	2011-03-01
Dub 1485	YC38781	2011-03-01
Dub 1486	YC38782	2011-03-01
Dub 1487	YC38783	2011-03-01
Dub 1488	YC38784	2011-03-01
Dub 1489	YC38785	2011-03-01
Dub 1490	YC38786	2011-03-01
Dub 1491	YC38787	2011-03-01
Dub 1492	YC38788	2011-03-01
Dub 1493	YC38789	2011-03-01
Dub 1494	YC38790	2011-03-01
Dub 1495	YC38791	2011-03-01
Dub 1496	YC38792	2011-03-01
Dub 1522	YC38818	2011-03-01
Dub 1525	YC38821	2011-03-01
Dub 1527	YC38823	2011-03-01
Dub 1569	YC38865	2011-03-01
Dub 1570	YC38866	2011-03-01
Dub 1575	YC38871	2011-03-01
Dub 1577	YC38873	2011-03-01
Dub 1579	YC38875	2011-03-01
Dub 1581	YC38877	2011-03-01
Dub 1584	YC39851	2011-03-01
Dub 1585	YC39852	2011-03-01
Dub 1586	YC39853	2011-03-01
Dub 1603	YC39860	2011-03-01
Dub 1604	YC39861	2011-03-01
Dub 1605	YC39862	2011-03-01
Dub 1606	YC39863	2011-03-01
Dub 1607	YC39864	2011-03-01
Dub 1608	YC39865	2011-03-01
Dub 1595	YC39868	2011-03-01
Dub 1596	YC39869	2011-03-01
Dub 1597	YC39870	2011-03-01
Dub 1599	YC39872	2011-03-01
Dub 1600	YC39873	2011-03-01
Dub 1601	YC39874	2011-03-01
Dub 1602	YC39875	2011-03-01
Dub 1345	YC39876	2011-03-01
Jeff 116	YC39877	2011-03-01
Dub 1609	YC42226	2011-03-01
Dub 1610	YC42227	2011-03-01
Dub 1611	YC42228	2011-03-01
Dub 1614	YC42231	2011-03-01
Dub 1615	YC42232	2011-03-01
Dub 1616	YC42233	2011-03-01
Dub 52	YC11126	2012-01-16
Dub 427	YC11501	2012-01-16
Dub 429	YC11503	2012-01-16
Dub 431	YC11505	2012-01-16
Dub 441	YC11515	2012-01-16
Dub 443	YC11517	2012-01-16
Dub 444	YC11518	2012-01-16
Dub 445	YC11519	2012-01-16
Dub 446	YC11520	2012-01-16
Dub 447	YC11521	2012-01-16
Dub 448	YC11522	2012-01-16
Dub 457	YC11531	2012-01-16
Dub 458	YC11532	2012-01-16
Dub 463	YC11537	2012-01-16
Dub 465	YC11539	2012-01-16
Dub 477	YC11551	2012-01-16
Dub 478	YC11552	2012-03-01
Dub 486	YC32483	2012-03-01
Dub 495	YC32492	2012-03-01
Dub 621	YC32618	2012-03-01
Dub 622	YC32619	2012-03-01

APPENDIX B
StrataGold Dublin Gulch List of Claims for Assessment

Dub 623	YC32620	2012-03-01
Dub 624	YC32621	2012-03-01
Dub 625	YC32622	2012-03-01
Dub 626	YC32623	2012-03-01
Dub 627	YC32624	2012-03-01
Dub 628	YC32625	2012-03-01
Dub 629	YC32626	2012-03-01
Dub 642	YC32639	2012-03-01
Dub 644	YC32641	2012-03-01
Dub 646	YC32643	2012-03-01
Dub 648	YC32645	2012-03-01
Dub 651	YC32648	2012-03-01
Dub 659	YC32656	2012-03-01
Dub 660	YC32657	2012-03-01
Dub 661	YC32658	2012-03-01
Dub 662	YC32659	2012-03-01
Dub 860	YC38157	2012-03-01
Dub 931	YC38228	2012-03-01
Dub 932	YC38229	2012-03-01
Dub 1098	YC38395	2012-03-01
Dub 1099	YC38396	2012-03-01
Dub 1119	YC38416	2012-03-01
Dub 1121	YC38418	2012-03-01
Dub 1123	YC38420	2012-03-01
Dub 1181	YC38478	2012-03-01
Dub 1182	YC38479	2012-03-01
Dub 1183	YC38480	2012-03-01
Dub 1184	YC38481	2012-03-01
Dub 1185	YC38482	2012-03-01
Dub 1267	YC38564	2012-03-01
Dub 1286	YC38583	2012-03-01
Dub 1287	YC38584	2012-03-01
Dub 1288	YC38585	2012-03-01
Dub 1289	YC38586	2012-03-01
Dub 1290	YC38587	2012-03-01
Dub 1291	YC38588	2012-03-01
Dub 1292	YC38589	2012-03-01
Dub 1303	YC38600	2012-03-01
Dub 1307	YC38604	2012-03-01
Dub 1309	YC38606	2012-03-01
Dub 1317	YC38614	2012-03-01
Dub 1319	YC38616	2012-03-01
Dub 1321	YC38618	2012-03-01
Dub 1342	YC38639	2012-03-01
Dub 1344	YC38641	2012-03-01
Dub 1346	YC38642	2012-03-01
Dub 1347	YC38643	2012-03-01
Dub 1352	YC38648	2012-03-01
Dub 1353	YC38649	2012-03-01
Dub 1354	YC38650	2012-03-01
Dub 1355	YC38651	2012-03-01
Dub 1372	YC38668	2012-03-01
Dub 1373	YC38669	2012-03-01
Dub 1374	YC38670	2012-03-01
Dub 1375	YC38671	2012-03-01
Dub 1380	YC38676	2012-03-01
Dub 1381	YC38677	2012-03-01
Dub 1382	YC38678	2012-03-01
Dub 1383	YC38679	2012-03-01
Dub 1384	YC38680	2012-03-01
Dub 1385	YC38681	2012-03-01
Dub 1386	YC38682	2012-03-01
Dub 1387	YC38683	2012-03-01
Dub 1388	YC38684	2012-03-01
Dub 1389	YC38685	2012-03-01
Dub 1390	YC38686	2012-03-01
Dub 1400	YC38696	2012-03-01
Dub 1401	YC38697	2012-03-01
Dub 1420	YC38716	2012-03-01
Dub 1421	YC38717	2012-03-01
Dub 1422	YC38718	2012-03-01
Dub 1423	YC38719	2012-03-01
Dub 1438	YC38734	2012-03-01
Dub 1440	YC38736	2012-03-01
Dub 1442	YC38738	2012-03-01
Dub 1443	YC38739	2012-03-01
Dub 1460	YC38756	2012-03-01
Dub 1461	YC38757	2012-03-01
Dub 1478	YC38774	2012-03-01
Dub 1479	YC38775	2012-03-01
Dub 1480	YC38776	2012-03-01
Dub 1498	YC38794	2012-03-01
Dub 1499	YC38795	2012-03-01
Dub 1574	YC38870	2012-03-01
Dub 6	YC11080	2013-01-16
Dub 7	YC11081	2013-01-16
Dub 8	YC11082	2013-01-16
Dub 37	YC11111	2013-01-16
Dub 39	YC11113	2013-01-16
Dub 74	YC11148	2013-01-16
Dub 75	YC11149	2013-01-16
Dub 76	YC11150	2013-01-16
Dub 425	YC11499	2013-01-16
Dub 442	YC11516	2013-01-16
Dub 4	YC11078	2013-03-01
Dub 5	YC11079	2013-03-01

APPENDIX B
StrataGold Dublin Gulch List of Claims for Assessment

Dub 11	YC11085	2013-03-01
Dub 12	YC11086	2013-03-01
Dub 13	YC11087	2013-03-01
Dub 14	YC11088	2013-03-01
Dub 15	YC11089	2013-03-01
Dub 16	YC11090	2013-03-01
Dub 22	YC11096	2013-03-01
Dub 142	YC11216	2013-03-01
Dub 208	YC11282	2013-03-01
Dub 262	YC11336	2013-03-01
Dub 263	YC11337	2013-03-01
Dub 264	YC11338	2013-03-01
Dub 265	YC11339	2013-03-01
Dub 266	YC11340	2013-03-01
Dub 294	YC11368	2013-03-01
Dub 295	YC11369	2013-03-01
Dub 311	YC11385	2013-03-01
Dub 313	YC11387	2013-03-01
Dub 314	YC11388	2013-03-01
Dub 315	YC11389	2013-03-01
Dub 316	YC11390	2013-03-01
Dub 317	YC11391	2013-03-01
Dub 318	YC11392	2013-03-01
Dub 319	YC11393	2013-03-01
Dub 320	YC11394	2013-03-01
Dub 321	YC11395	2013-03-01
Dub 322	YC11396	2013-03-01
Dub 323	YC11397	2013-03-01
Dub 324	YC11398	2013-03-01
Dub 328	YC11402	2013-03-01
Dub 350	YC11424	2013-03-01
Dub 356	YC11430	2013-03-01
Dub 360	YC11434	2013-03-01
Dub 369	YC11443	2013-03-01
Dub 370	YC11444	2013-03-01
Dub 371	YC11445	2013-03-01
Dub 372	YC11446	2013-03-01
Dub 402	YC11476	2013-03-01
Dub 404	YC11478	2013-03-01
Dub 406	YC11480	2013-03-01
Dub 408	YC11482	2013-03-01
Dub 493	YC32490	2013-03-01
Dub 517	YC32514	2013-03-01
Dub 878	YC38175	2013-03-01
Dub 1104	YC38401	2013-03-01
Dub 1106	YC38403	2013-03-01
Dub 1107	YC38404	2013-03-01
Dub 1108	YC38405	2013-03-01
Dub 1109	YC38406	2013-03-01
Dub 1110	YC38407	2013-03-01
Dub 1111	YC38408	2013-03-01
Dub 1112	YC38409	2013-03-01
Dub 1113	YC38410	2013-03-01
Dub 1114	YC38411	2013-03-01
Dub 1115	YC38412	2013-03-01
Dub 1116	YC38413	2013-03-01
Dub 1117	YC38414	2013-03-01
Dub 1118	YC38415	2013-03-01
Dub 1120	YC38417	2013-03-01
Dub 1122	YC38419	2013-03-01
Dub 1124	YC38421	2013-03-01
Dub 1186	YC38483	2013-03-01
Dub 1187	YC38484	2013-03-01
Dub 1188	YC38485	2013-03-01
Dub 1189	YC38486	2013-03-01
Dub 1190	YC38487	2013-03-01
Dub 1191	YC38488	2013-03-01
Dub 1192	YC38489	2013-03-01
Dub 1193	YC38490	2013-03-01
Dub 1194	YC38491	2013-03-01
Dub 1195	YC38492	2013-03-01
Dub 1196	YC38493	2013-03-01
Dub 1197	YC38494	2013-03-01
Dub 1198	YC38495	2013-03-01
Dub 1199	YC38496	2013-03-01
Dub 1200	YC38497	2013-03-01
Dub 1201	YC38498	2013-03-01
Dub 1203	YC38500	2013-03-01
Dub 1205	YC38502	2013-03-01
Dub 1266	YC38563	2013-03-01
Dub 1268	YC38565	2013-03-01
Dub 1272	YC38569	2013-03-01
Dub 1273	YC38570	2013-03-01
Dub 1274	YC38571	2013-03-01
Dub 1275	YC38572	2013-03-01
Dub 1276	YC38573	2013-03-01
Dub 1277	YC38574	2013-03-01
Dub 1278	YC38575	2013-03-01
Dub 1279	YC38576	2013-03-01
Dub 1280	YC38577	2013-03-01
Dub 1281	YC38578	2013-03-01
Dub 1305	YC38602	2013-03-01
Dub 1311	YC38608	2013-03-01
Dub 1315	YC38612	2013-03-01
Dub 1348	YC38644	2013-03-01
Dub 1349	YC38645	2013-03-01

APPENDIX B
StrataGold Dublin Gulch List of Claims for Assessment

Dub 1350	YC38646	2013-03-01
Dub 1351	YC38647	2013-03-01
Dub 1366	YC38662	2013-03-01
Dub 1367	YC38663	2013-03-01
Dub 1497	YC38793	2013-03-01
Dub 1583	YC39850	2013-03-01
Lynx 1	YC10463	2014-01-16
Lynx 2	YC10464	2014-01-16
Lynx 3	YC10465	2014-01-16
Lynx 4	YC10466	2014-01-16
Lynx 5	YC10467	2014-01-16
Lynx 6	YC10468	2014-01-16
Lynx 7	YC10469	2014-01-16
Lynx 8	YC10470	2014-01-16
Lynx 9	YC10471	2014-01-16
Lynx 21	YC10483	2014-01-16
Lynx 23	YC10485	2014-01-16
Lynx 27	YC10489	2014-01-16
Lynx 42	YC10504	2014-01-16
Lynx 44	YC10506	2014-01-16
Dub 17	YC11091	2014-01-16
Dub 18	YC11092	2014-01-16
Dub 19	YC11093	2014-01-16
Dub 20	YC11094	2014-01-16
Dub 24	YC11098	2014-01-16
Dub 26	YC11100	2014-01-16
Dub 28	YC11102	2014-01-16
Dub 30	YC11104	2014-01-16
Dub 32	YC11106	2014-01-16
Dub 34	YC11108	2014-01-16
Dub 41	YC11115	2014-01-16
Dub 43	YC11117	2014-01-16
Dub 44	YC11118	2014-01-16
Dub 46	YC11120	2014-01-16
Dub 48	YC11122	2014-01-16
Dub 50	YC11124	2014-01-16
Dub 73	YC11147	2014-01-16
Dub 77	YC11151	2014-01-16
Dub 78	YC11152	2014-01-16
Dub 80	YC11154	2014-01-16
Dub 106	YC11180	2014-01-16
R & D 1	YA01393	2014-03-01
R & D 2	YA01394	2014-03-01
R & D 3	YA01395	2014-03-01
R & D 4	YA01396	2014-03-01
R & D 5	YA01397	2014-03-01
R & D 6	YA01398	2014-03-01
R & D 7	YA01399	2014-03-01
R & D 8	YA01400	2014-03-01
R & D 10	YA01402	2014-03-01
R & D 12	YA01404	2014-03-01
R & D 14	YA01406	2014-03-01
R & D 15	YA01407	2014-03-01
R & D 16	YA01408	2014-03-01
Mar 1	YA14896	2014-03-01
Mar 2	YA14897	2014-03-01
Mar 3	YA14898	2014-03-01
Mar 4	YA14899	2014-03-01
Mar 5	YA14900	2014-03-01
Mar 6	YA14901	2014-03-01
Mar 7	YA14902	2014-03-01
Mar 8	YA14903	2014-03-01
Mar 9	YA14904	2014-03-01
Mar 10	YA14905	2014-03-01
Mar 11	YA14906	2014-03-01
Mar 12	YA14907	2014-03-01
Mar 14	YA14909	2014-03-01
Mar 15	YA14910	2014-03-01
Mar 16	YA14911	2014-03-01
Mar 17	YA14912	2014-03-01
Mar 18	YA14913	2014-03-01
Mar 19	YA14914	2014-03-01
Mar 20	YA14915	2014-03-01
Mar 21	YA14916	2014-03-01
Mar 22	YA14917	2014-03-01
Mar 24	YA14919	2014-03-01
DG 43	YA14986	2014-03-01
DG 44	YA14987	2014-03-01
DG 45	YA14988	2014-03-01
DG 46	YA14989	2014-03-01
DG 47	YA14990	2014-03-01
DG 48	YA14991	2014-03-01
DG 49	YA14992	2014-03-01
DG 50	YA14993	2014-03-01
DG 51	YA14994	2014-03-01
DG 52	YA14995	2014-03-01
DG 53	YA14996	2014-03-01
DG 54	YA14997	2014-03-01
DG 55	YA14998	2014-03-01
Bob 1	YA17729	2014-03-01
Bob 2	YA17730	2014-03-01
Bob 3	YA17731	2014-03-01
Bob 4	YA17732	2014-03-01
Bob 5	YA17733	2014-03-01
Bob 6	YA17734	2014-03-01
Bob 7	YA17735	2014-03-01

APPENDIX B
StrataGold Dublin Gulch List of Claims for Assessment

Bob 52	YA17780	2014-03-01
Dave 1	YA17802	2014-03-01
Dave 2	YA17803	2014-03-01
Dave 3	YA17804	2014-03-01
Dave 4	YA17805	2014-03-01
Dave 5	YA17806	2014-03-01
Dave 6	YA17807	2014-03-01
Dave 7	YA17808	2014-03-01
Dave 8	YA17809	2014-03-01
Dave 17	YA17818	2014-03-01
Dave 18	YA17819	2014-03-01
Jeff 17	YA17842	2014-03-01
Jeff 18	YA17843	2014-03-01
Jeff 33	YA17858	2014-03-01
Jeff 34	YA17859	2014-03-01
Smoky 1	YA17930	2014-03-01
Smoky 2	YA17931	2014-03-01
Smoky 3	YA17932	2014-03-01
Smoky 4	YA17933	2014-03-01
Smoky 5	YA17934	2014-03-01
Smoky 6	YA17935	2014-03-01
Smoky 7	YA17936	2014-03-01
Smoky 8	YA17937	2014-03-01
Smoky 9	YA17938	2014-03-01
Smoky 10	YA17939	2014-03-01
Smoky 23	YA17952	2014-03-01
Smoky 25	YA17954	2014-03-01
Smoky 26	YA17955	2014-03-01
Smoky 27	YA17956	2014-03-01
Smoky 28	YA17957	2014-03-01
Smoky 29	YA17958	2014-03-01
Smoky 30	YA17959	2014-03-01
Smoky 37	YA17966	2014-03-01
Smoky 38	YA17967	2014-03-01
Smoky 39	YA17968	2014-03-01
Smoky 40	YA17969	2014-03-01
Smoky 41	YA17970	2014-03-01
Smoky 48	YA17973	2014-03-01
Smoky 49	YA17974	2014-03-01
Smoky 56	YA17977	2014-03-01
Smoky 58	YA17979	2014-03-01
Smoky 66	YA17983	2014-03-01
Smoky 67	YA17984	2014-03-01
Smoky 68	YA17985	2014-03-01
Smoky 69	YA17986	2014-03-01
Smoky 70	YA17987	2014-03-01
Smoky 71	YA17988	2014-03-01
Smoky 78	YA17991	2014-03-01
Smoky 80	YA17993	2014-03-01
Smoky 44	YA30072	2014-03-01
Smoky 45	YA30073	2014-03-01
Smoky 46	YA30074	2014-03-01
Smoky 47	YA30075	2014-03-01
Smoky 51	YA30076	2014-03-01
Smoky 52	YA30077	2014-03-01
Smoky 53	YA30078	2014-03-01
Smoky 54	YA30079	2014-03-01
Smoky 62	YA30080	2014-03-01
Smoky 63	YA30081	2014-03-01
Smoky 64	YA30082	2014-03-01
Smoky 65	YA30083	2014-03-01
Smoky 74	YA30084	2014-03-01
Smoky 75	YA30085	2014-03-01
Smoky 76	YA30086	2014-03-01
Smoky 77	YA30087	2014-03-01
Dave 29	YA42974	2014-03-01
Dave 30	YA42975	2014-03-01
Jeff 113	YA42976	2014-03-01
Jeff 114	YA42977	2014-03-01
Jeff 115	YA42978	2014-03-01
Jeff 118	YA42981	2014-03-01
Jeff 120	YA42983	2014-03-01
Mar 31	YA42984	2014-03-01
Bob 86	YA43014	2014-03-01
Dave 31	YA43015	2014-03-01
DG 82	YA43044	2014-03-01
DG 83	YA43045	2014-03-01
DG 85	YA43046	2014-03-01
DG 100	YA43061	2014-03-01
DG 101	YA43062	2014-03-01
DG 102	YA43063	2014-03-01
DG 103	YA43064	2014-03-01
MAR 33	YA43101	2014-03-01
MAR 34	YA43102	2014-03-01
MAR 35	YA43103	2014-03-01
MAR 36	YA43104	2014-03-01
MAR 37	YA43105	2014-03-01
MAR 38	YA43106	2014-03-01
MAR 39	YA43107	2014-03-01
MAR 40	YA43108	2014-03-01
Smoky 83	YA43120	2014-03-01
Smoky 84	YA43121	2014-03-01
Smoky 85	YA43122	2014-03-01
Smoky 91	YA43128	2014-03-01
Smoky 92	YA43129	2014-03-01
Smoky 93	YA43130	2014-03-01

APPENDIX B
StrataGold Dublin Gulch List of Claims for Assessment

Smoky 94	YA43131	2014-03-01
Smoky 95	YA43132	2014-03-01
Smoky 96	YA43133	2014-03-01
Smoky 97	YA43134	2014-03-01
Smoky 98	YA43135	2014-03-01
Smoky 99	YA43136	2014-03-01
Smoky 100	YA43137	2014-03-01
Smoky 107	YA43144	2014-03-01
Smoky 108	YA43145	2014-03-01
Smoky 109	YA43146	2014-03-01
Mary 1	YA63876	2014-03-01
Mary 2	YA63877	2014-03-01
Mary 3	YA63878	2014-03-01
Mary 4	YA63879	2014-03-01
Mary 5	YA63880	2014-03-01
Mary 6	YA63881	2014-03-01
Mary 7	YA63882	2014-03-01
Mary 8	YA63883	2014-03-01
Fiji 1	YA63884	2014-03-01
Fiji 3	YA63886	2014-03-01
Fiji 5	YA63888	2014-03-01
Fiji 6	YA63889	2014-03-01
Jeff 117	YB03408	2014-03-01
Fiji 2	YB03409	2014-03-01
WEST 167	YB18934	2014-03-01
WEST 168	YB18935	2014-03-01
WEST 169	YB18936	2014-03-01
WEST 170	YB18937	2014-03-01
WEST 171	YB18938	2014-03-01
WEST 172	YB18939	2014-03-01
WEST 174	YB18941	2014-03-01
WEST 182	YB18949	2014-03-01
WEST 184	YB18951	2014-03-01
Roni 1	YB64630	2014-03-01
Roni 2	YB64631	2014-03-01
Roni 3	YB64632	2014-03-01
Roni 4	YB64633	2014-03-01
Roni 5	YB64634	2014-03-01
Roni 6	YB64635	2014-03-01
Roni 7	YB64636	2014-03-01
Roni 8	YB64637	2014-03-01
Roni 9	YB64638	2014-03-01
Roni 10	YB64639	2014-03-01
Roni 11	YB64640	2014-03-01
Roni 12	YB64641	2014-03-01
Roni 13	YB64642	2014-03-01
Roni 14	YB64643	2014-03-01
Dub 1	YC11075	2014-03-01
Dub 2	YC11076	2014-03-01
Dub 3	YC11077	2014-03-01
Dub 9	YC11083	2014-03-01
Dub 10	YC11084	2014-03-01
Dub 36	YC11110	2014-03-01
Dub 38	YC11112	2014-03-01
Dub 40	YC11114	2014-03-01
Dub 138	YC11212	2014-03-01
Dub 139	YC11213	2014-03-01
Dub 140	YC11214	2014-03-01
Dub 141	YC11215	2014-03-01
Dub 153	YC11227	2014-03-01
Dub 154	YC11228	2014-03-01
Dub 155	YC11229	2014-03-01
Dub 156	YC11230	2014-03-01
Dub 157	YC11231	2014-03-01
Dub 158	YC11232	2014-03-01
Dub 159	YC11233	2014-03-01
Dub 171	YC11245	2014-03-01
Dub 172	YC11246	2014-03-01
Dub 173	YC11247	2014-03-01
Dub 174	YC11248	2014-03-01
Dub 175	YC11249	2014-03-01
Dub 176	YC11250	2014-03-01
Dub 177	YC11251	2014-03-01
Dub 178	YC11252	2014-03-01
Dub 179	YC11253	2014-03-01
Dub 180	YC11254	2014-03-01
Dub 190	YC11264	2014-03-01
Dub 193	YC11267	2014-03-01
Dub 194	YC11268	2014-03-01
Dub 195	YC11269	2014-03-01
Dub 196	YC11270	2014-03-01
Dub 197	YC11271	2014-03-01
Dub 199	YC11273	2014-03-01
Dub 200	YC11274	2014-03-01
Dub 201	YC11275	2014-03-01
Dub 202	YC11276	2014-03-01
Dub 203	YC11277	2014-03-01
Dub 204	YC11278	2014-03-01
Dub 205	YC11279	2014-03-01
Dub 206	YC11280	2014-03-01
Dub 207	YC11281	2014-03-01
Dub 217	YC11291	2014-03-01
Dub 219	YC11293	2014-03-01
Dub 223	YC11297	2014-03-01
Dub 225	YC11299	2014-03-01
Dub 230	YC11304	2014-03-01

APPENDIX B
StrataGold Dublin Gulch List of Claims for Assessment

Dub 231	YC11305	2014-03-01
Dub 232	YC11306	2014-03-01
Dub 258	YC11332	2014-03-01
Dub 267	YC11341	2014-03-01
Dub 268	YC11342	2014-03-01
Dub 269	YC11343	2014-03-01
Dub 270	YC11344	2014-03-01
Dub 271	YC11345	2014-03-01
Dub 272	YC11346	2014-03-01
Dub 281	YC11355	2014-03-01
Dub 282	YC11356	2014-03-01
Dub 283	YC11357	2014-03-01
Dub 284	YC11358	2014-03-01
Dub 285	YC11359	2014-03-01
Dub 286	YC11360	2014-03-01
Dub 287	YC11361	2014-03-01
Dub 288	YC11362	2014-03-01
Dub 290	YC11364	2014-03-01
Dub 292	YC11366	2014-03-01
Dub 293	YC11367	2014-03-01
Dub 296	YC11370	2014-03-01
Dub 300	YC11374	2014-03-01
Dub 301	YC11375	2014-03-01
Dub 302	YC11376	2014-03-01
Dub 303	YC11377	2014-03-01
Dub 304	YC11378	2014-03-01
Dub 305	YC11379	2014-03-01
Dub 307	YC11381	2014-03-01
Dub 308	YC11382	2014-03-01
Dub 309	YC11383	2014-03-01
Dub 310	YC11384	2014-03-01
Dub 312	YC11386	2014-03-01
Dub 325	YC11399	2014-03-01
Dub 326	YC11400	2014-03-01
Dub 327	YC11401	2014-03-01
Dub 329	YC11403	2014-03-01
Dub 342	YC11416	2014-03-01
Dub 344	YC11418	2014-03-01
Dub 346	YC11420	2014-03-01
Dub 348	YC11422	2014-03-01
Dub 352	YC11426	2014-03-01
Dub 354	YC11428	2014-03-01
Dub 357	YC11431	2014-03-01
Dub 358	YC11432	2014-03-01
Dub 359	YC11433	2014-03-01
Dub 361	YC11435	2014-03-01
Dub 362	YC11436	2014-03-01
Dub 363	YC11437	2014-03-01
Dub 364	YC11438	2014-03-01
Dub 373	YC11447	2014-03-01
Dub 374	YC11448	2014-03-01
Dub 391	YC11465	2014-03-01
Dub 392	YC11466	2014-03-01
Dub 393	YC11467	2014-03-01
Dub 394	YC11468	2014-03-01
Dub 395	YC11469	2014-03-01
Dub 396	YC11470	2014-03-01
Dub 398	YC11472	2014-03-01
Dub 401	YC11475	2014-03-01
Dub 403	YC11477	2014-03-01
Dub 405	YC11479	2014-03-01
Dub 407	YC11481	2014-03-01
Dub 451	YC11525	2014-03-01
Dub 480	YC11554	2014-03-01
Lynx 57	YC11555	2014-03-01
Dub 481	YC32478	2014-03-01
Dub 482	YC32479	2014-03-01
Dub 483	YC32480	2014-03-01
Dub 484	YC32481	2014-03-01
Dub 497	YC32494	2014-03-01
Dub 498	YC32495	2014-03-01
Dub 499	YC32496	2014-03-01
Dub 500	YC32497	2014-03-01
Dub 501	YC32498	2014-03-01
Dub 502	YC32499	2014-03-01
Dub 503	YC32500	2014-03-01
Dub 504	YC32501	2014-03-01
Dub 505	YC32502	2014-03-01
Dub 506	YC32503	2014-03-01
Dub 507	YC32504	2014-03-01
Dub 508	YC32505	2014-03-01
Dub 509	YC32506	2014-03-01
Dub 510	YC32507	2014-03-01
Dub 511	YC32508	2014-03-01
Dub 512	YC32509	2014-03-01
Dub 513	YC32510	2014-03-01
Dub 514	YC32511	2014-03-01
Dub 515	YC32512	2014-03-01
Dub 516	YC32513	2014-03-01
Dub 518	YC32515	2014-03-01
Dub 519	YC32516	2014-03-01
Dub 520	YC32517	2014-03-01
Dub 521	YC32518	2014-03-01
Dub 522	YC32519	2014-03-01
Dub 523	YC32520	2014-03-01
Dub 524	YC32521	2014-03-01

APPENDIX B
StrataGold Dublin Gulch List of Claims for Assessment

Dub 525	YC32522	2014-03-01
Dub 526	YC32523	2014-03-01
Dub 527	YC32524	2014-03-01
Dub 528	YC32525	2014-03-01
Dub 539	YC32536	2014-03-01
Dub 540	YC32537	2014-03-01
Dub 541	YC32538	2014-03-01
Dub 542	YC32539	2014-03-01
Dub 543	YC32540	2014-03-01
Dub 544	YC32541	2014-03-01
Dub 567	YC32564	2014-03-01
Dub 568	YC32565	2014-03-01
Dub 569	YC32566	2014-03-01
Dub 570	YC32567	2014-03-01
Dub 571	YC32568	2014-03-01
Dub 572	YC32569	2014-03-01
Dub 573	YC32570	2014-03-01
Dub 574	YC32571	2014-03-01
Dub 575	YC32572	2014-03-01
Dub 576	YC32573	2014-03-01
Dub 577	YC32574	2014-03-01
Dub 578	YC32575	2014-03-01
Dub 579	YC32576	2014-03-01
Dub 580	YC32577	2014-03-01
Dub 581	YC32578	2014-03-01
Dub 1125	YC38422	2014-03-01
Dub 1126	YC38423	2014-03-01
Dub 1127	YC38424	2014-03-01
Dub 1207	YC38504	2014-03-01
Dub 1209	YC38506	2014-03-01
Dub 1269	YC38566	2014-03-01
Dub 1270	YC38567	2014-03-01
Dub 1271	YC38568	2014-03-01
Dub 1283	YC38580	2014-03-01
Dub 1313	YC38610	2014-03-01
Dub 1329	YC38626	2014-03-01
Dub 1364	YC38660	2014-03-01
Dub 1365	YC38661	2014-03-01
Dub 1368	YC38664	2014-03-01
Dub 1369	YC38665	2014-03-01
Dub 1370	YC38666	2014-03-01
Dub 1371	YC38667	2014-03-01
Dub 1404	YC38700	2014-03-01
Dub 1405	YC38701	2014-03-01
Dub 1406	YC38702	2014-03-01
Dub 1407	YC38703	2014-03-01
Dub 1408	YC38704	2014-03-01
Dub 1409	YC38705	2014-03-01
Dub 1410	YC38706	2014-03-01
Dub 1411	YC38707	2014-03-01
Dub 1412	YC38708	2014-03-01
Dub 1413	YC38709	2014-03-01
Dub 1414	YC38710	2014-03-01
Dub 1415	YC38711	2014-03-01
Dub 1416	YC38712	2014-03-01
Dub 1417	YC38713	2014-03-01
Dub 1418	YC38714	2014-03-01
Dub 1419	YC38715	2014-03-01
Dub 1424	YC38720	2014-03-01
Dub 1425	YC38721	2014-03-01
Dub 1426	YC38722	2014-03-01
Dub 1427	YC38723	2014-03-01
Dub 1428	YC38724	2014-03-01
Dub 1429	YC38725	2014-03-01
Dub 1430	YC38726	2014-03-01
Dub 1431	YC38727	2014-03-01
Dub 1432	YC38728	2014-03-01
Dub 1433	YC38729	2014-03-01
Dub 1434	YC38730	2014-03-01
Dub 1435	YC38731	2014-03-01
Dub 1436	YC38732	2014-03-01
Dub 1437	YC38733	2014-03-01
Dub 1439	YC38735	2014-03-01
Dub 1444	YC38740	2014-03-01
Dub 1445	YC38741	2014-03-01
Dub 1446	YC38742	2014-03-01
Dub 1447	YC38743	2014-03-01
Dub 1448	YC38744	2014-03-01
Dub 1449	YC38745	2014-03-01
Dub 1450	YC38746	2014-03-01
Dub 1451	YC38747	2014-03-01
Dub 1452	YC38748	2014-03-01
Dub 1453	YC38749	2014-03-01
Dub 1454	YC38750	2014-03-01
Dub 1455	YC38751	2014-03-01
Dub 1456	YC38752	2014-03-01
Dub 1457	YC38753	2014-03-01
Dub 1458	YC38754	2014-03-01
Dub 1459	YC38755	2014-03-01
Dub 1464	YC38760	2014-03-01
Dub 1466	YC38762	2014-03-01
Dub 1468	YC38764	2014-03-01
Dub 1470	YC38766	2014-03-01
Dub 1472	YC38768	2014-03-01
Dub 1474	YC38770	2014-03-01
Dub 1504	YC38800	2014-03-01

APPENDIX B
StrataGold Dublin Gulch List of Claims for Assessment

Dub 1505	YC38801	2014-03-01
Dub 1506	YC38802	2014-03-01
Dub 1507	YC38803	2014-03-01
Dub 1508	YC38804	2014-03-01
Dub 1509	YC38805	2014-03-01
Dub 1510	YC38806	2014-03-01
Dub 1511	YC38807	2014-03-01
Dub 1512	YC38808	2014-03-01
Dub 1530	YC38826	2014-03-01
Dub 1531	YC38827	2014-03-01
Dub 1532	YC38828	2014-03-01
Dub 1533	YC38829	2014-03-01
Dub 1534	YC38830	2014-03-01
Dub 1536	YC38832	2014-03-01
Dub 1537	YC38833	2014-03-01
Dub 1538	YC38834	2014-03-01
Dub 1540	YC38836	2014-03-01
Dub 1582	YC38878	2014-03-01
Dave 26	YA42971	2014-10-01
Lynx 25	YC10487	2015-01-16
Lynx 34	YC10496	2015-01-16
Lynx 35	YC10497	2015-01-16
Lynx 40	YC10502	2015-01-16
Lynx 41	YC10503	2015-01-16
Lynx 43	YC10505	2015-01-16
Lynx 45	YC10507	2015-01-16
Lynx 46	YC10508	2015-01-16
Lynx 48	YC10510	2015-01-16
Lynx 49	YC10511	2015-01-16
Lynx 50	YC10512	2015-01-16
Lynx 51	YC10513	2015-01-16
Lynx 55	YC10517	2015-01-16
R & D No. 9	YA01401	2015-01-31
R & D No. 11	YA01403	2015-01-31
R & D No. 13	YA01405	2015-01-31
Dave 13	YA17814	2015-01-31
Dave 14	YA17815	2015-01-31
Dave 15	YA17816	2015-01-31
Dave 16	YA17817	2015-01-31
Dave 25	YA42970	2015-01-31
Dave 27	YA42972	2015-01-31
Dave 28	YA42973	2015-01-31
Lynx 29	YC10491	2015-03-01
Lynx 30	YC10492	2015-03-01
Lynx 31	YC10493	2015-03-01
Dub 42	YC11116	2015-03-01
Dub 49	YC11123	2015-03-01
Dub 51	YC11125	2015-03-01
Dub 53	YC11127	2015-03-01
Dub 54	YC11128	2015-03-01
Dub 55	YC11129	2015-03-01
Dub 56	YC11130	2015-03-01
Dub 86	YC11160	2015-03-01
Dub 88	YC11162	2015-03-01
Dub 90	YC11164	2015-03-01
Dub 92	YC11166	2015-03-01
Dub 130	YC11204	2015-03-01
Dub 131	YC11205	2015-03-01
Dub 132	YC11206	2015-03-01
Dub 133	YC11207	2015-03-01
Dub 134	YC11208	2015-03-01
Dub 135	YC11209	2015-03-01
Dub 166	YC11240	2015-03-01
Dub 167	YC11241	2015-03-01
Dub 168	YC11242	2015-03-01
Dub 169	YC11243	2015-03-01
Dub 170	YC11244	2015-03-01
Dub 218	YC11292	2015-03-01
Dub 220	YC11294	2015-03-01
Dub 221	YC11295	2015-03-01
Dub 222	YC11296	2015-03-01
Dub 224	YC11298	2015-03-01
Dub 226	YC11300	2015-03-01
Dub 241	YC11315	2015-03-01
Dub 242	YC11316	2015-03-01
Dub 243	YC11317	2015-03-01
Dub 244	YC11318	2015-03-01
Dub 245	YC11319	2015-03-01
Dub 246	YC11320	2015-03-01
Dub 247	YC11321	2015-03-01
Dub 248	YC11322	2015-03-01
Dub 249	YC11323	2015-03-01
Dub 250	YC11324	2015-03-01
Dub 251	YC11325	2015-03-01
Dub 252	YC11326	2015-03-01
Dub 253	YC11327	2015-03-01
Dub 254	YC11328	2015-03-01
Dub 255	YC11329	2015-03-01
Dub 256	YC11330	2015-03-01
Dub 257	YC11331	2015-03-01
Dub 259	YC11333	2015-03-01
Dub 260	YC11334	2015-03-01
Dub 273	YC11347	2015-03-01
Dub 274	YC11348	2015-03-01
Dub 275	YC11349	2015-03-01

APPENDIX B
StrataGold Dublin Gulch List of Claims for Assessment

Dub 276	YC11350	2015-03-01
Dub 277	YC11351	2015-03-01
Dub 278	YC11352	2015-03-01
Dub 279	YC11353	2015-03-01
Dub 280	YC11354	2015-03-01
Dub 289	YC11363	2015-03-01
Dub 291	YC11365	2015-03-01
Dub 297	YC11371	2015-03-01
Dub 298	YC11372	2015-03-01
Dub 299	YC11373	2015-03-01
Dub 330	YC11404	2015-03-01
Dub 331	YC11405	2015-03-01
Dub 332	YC11406	2015-03-01
Dub 333	YC11407	2015-03-01
Dub 334	YC11408	2015-03-01
Dub 335	YC11409	2015-03-01
Dub 336	YC11410	2015-03-01
Dub 337	YC11411	2015-03-01
Dub 338	YC11412	2015-03-01
Dub 340	YC11414	2015-03-01
Dub 365	YC11439	2015-03-01
Dub 366	YC11440	2015-03-01
Dub 367	YC11441	2015-03-01
Dub 368	YC11442	2015-03-01
Dub 397	YC11471	2015-03-01
Dub 399	YC11473	2015-03-01
Dub 400	YC11474	2015-03-01
Dub 411	YC11485	2015-03-01
Dub 413	YC11487	2015-03-01
Dub 415	YC11489	2015-03-01
Dub 417	YC11491	2015-03-01
Dub 419	YC11493	2015-03-01
Dub 421	YC11495	2015-03-01
Dub 428	YC11502	2015-03-01
Dub 430	YC11504	2015-03-01
Dub 432	YC11506	2015-03-01
Dub 433	YC11507	2015-03-01
Dub 434	YC11508	2015-03-01
Dub 435	YC11509	2015-03-01
Dub 436	YC11510	2015-03-01
Dub 450	YC11524	2015-03-01
Dub 452	YC11526	2015-03-01
Dub 453	YC11527	2015-03-01
Dub 455	YC11529	2015-03-01
Len 5	YC02733	2015-05-15
Len 9	YC02735	2015-05-15
Len 25	YC02749	2015-05-15
Len 29	YC02751	2015-05-15
Len 31	YC02752	2015-05-15
Len 32	YC02753	2015-05-15
Lynx 47	YC10509	2016-01-16
Lynx 56	YC10518	2016-01-16
Dub 31	YC11105	2016-03-01
Dub 35	YC11109	2016-03-01
Dub 67	YC11141	2016-03-01
Dub 68	YC11142	2016-03-01
Dub 70	YC11144	2016-03-01
Dub 72	YC11146	2016-03-01
Dub 103	YC11177	2016-03-01
Dub 104	YC11178	2016-03-01
Dub 160	YC11234	2016-03-01
Dub 261	YC11335	2016-03-01
Dub 306	YC11380	2016-03-01
Dub 339	YC11413	2016-03-01
Dub 343	YC11417	2016-03-01
Dub 345	YC11419	2016-03-01
Dub 347	YC11421	2016-03-01
Dub 349	YC11423	2016-03-01
Dub 351	YC11425	2016-03-01
Dub 377	YC11451	2016-03-01
Dub 378	YC11452	2016-03-01
Dub 379	YC11453	2016-03-01
Dub 380	YC11454	2016-03-01
Dub 381	YC11455	2016-03-01
Dub 382	YC11456	2016-03-01
Dub 383	YC11457	2016-03-01
Dub 384	YC11458	2016-03-01
Dub 409	YC11483	2016-03-01
Dub 414	YC11488	2016-03-01
Dub 416	YC11490	2016-03-01
Dub 418	YC11492	2016-03-01
Dub 423	YC11497	2016-03-01
Dub 426	YC11500	2016-03-01
Dub 437	YC11511	2016-03-01
Dub 438	YC11512	2016-03-01
Dub 439	YC11513	2016-03-01
Dub 440	YC11514	2016-03-01
Dub 454	YC11528	2016-03-01
Dub 456	YC11530	2016-03-01
Len 3	YC02732	2016-05-15
Len 27	YC02750	2016-05-15
Lynx 10	YC10472	2017-01-16
Lynx 11	YC10473	2017-01-16
Lynx 12	YC10474	2017-01-16
Lynx 13	YC10475	2017-01-16
Lynx 15	YC10477	2017-01-16

APPENDIX B
StrataGold Dublin Gulch List of Claims for Assessment

Lynx 16	YC10478	2017-01-16
Lynx 17	YC10479	2017-01-16
Lynx 39	YC10501	2017-01-16
Lynx 52	YC10514	2017-01-16
Lynx 53	YC10515	2017-01-16
Lynx 54	YC10516	2017-01-16
Dub 21	YC11095	2017-03-01
Dub 23	YC11097	2017-03-01
Dub 25	YC11099	2017-03-01
Dub 27	YC11101	2017-03-01
Dub 29	YC11103	2017-03-01
Dub 33	YC11107	2017-03-01
Dub 45	YC11119	2017-03-01
Dub 47	YC11121	2017-03-01
Dub 57	YC11131	2017-03-01
Dub 58	YC11132	2017-03-01
Dub 59	YC11133	2017-03-01
Dub 60	YC11134	2017-03-01
Dub 61	YC11135	2017-03-01
Dub 62	YC11136	2017-03-01
Dub 63	YC11137	2017-03-01
Dub 64	YC11138	2017-03-01
Dub 65	YC11139	2017-03-01
Dub 66	YC11140	2017-03-01
Dub 69	YC11143	2017-03-01
Dub 71	YC11145	2017-03-01
Dub 79	YC11153	2017-03-01
Dub 81	YC11155	2017-03-01
Dub 82	YC11156	2017-03-01
Dub 83	YC11157	2017-03-01
Dub 84	YC11158	2017-03-01
Dub 85	YC11159	2017-03-01
Dub 87	YC11161	2017-03-01
Dub 89	YC11163	2017-03-01
Dub 91	YC11165	2017-03-01
Dub 93	YC11167	2017-03-01
Dub 94	YC11168	2017-03-01
Dub 95	YC11169	2017-03-01
Dub 96	YC11170	2017-03-01
Dub 97	YC11171	2017-03-01
Dub 98	YC11172	2017-03-01
Dub 99	YC11173	2017-03-01
Dub 100	YC11174	2017-03-01
Dub 101	YC11175	2017-03-01
Dub 102	YC11176	2017-03-01
Dub 105	YC11179	2017-03-01
Dub 107	YC11181	2017-03-01
Dub 108	YC11182	2017-03-01
Dub 109	YC11183	2017-03-01
Dub 110	YC11184	2017-03-01
Dub 111	YC11185	2017-03-01
Dub 112	YC11186	2017-03-01
Dub 113	YC11187	2017-03-01
Dub 114	YC11188	2017-03-01
Dub 115	YC11189	2017-03-01
Dub 116	YC11190	2017-03-01
Dub 117	YC11191	2017-03-01
Dub 118	YC11192	2017-03-01
Dub 119	YC11193	2017-03-01
Dub 120	YC11194	2017-03-01
Dub 121	YC11195	2017-03-01
Dub 122	YC11196	2017-03-01
Dub 123	YC11197	2017-03-01
Dub 124	YC11198	2017-03-01
Dub 125	YC11199	2017-03-01
Dub 126	YC11200	2017-03-01
Dub 127	YC11201	2017-03-01
Dub 128	YC11202	2017-03-01
Dub 129	YC11203	2017-03-01
Dub 143	YC11217	2017-03-01
Dub 144	YC11218	2017-03-01
Dub 145	YC11219	2017-03-01
Dub 146	YC11220	2017-03-01
Dub 147	YC11221	2017-03-01
Dub 148	YC11222	2017-03-01
Dub 149	YC11223	2017-03-01
Dub 150	YC11224	2017-03-01
Dub 151	YC11225	2017-03-01
Dub 152	YC11226	2017-03-01
Dub 161	YC11235	2017-03-01
Dub 162	YC11236	2017-03-01
Dub 163	YC11237	2017-03-01
Dub 164	YC11238	2017-03-01
Dub 165	YC11239	2017-03-01
Dub 181	YC11255	2017-03-01
Dub 182	YC11256	2017-03-01
Dub 183	YC11257	2017-03-01
Dub 184	YC11258	2017-03-01
Dub 185	YC11259	2017-03-01
Dub 186	YC11260	2017-03-01
Dub 187	YC11261	2017-03-01
Dub 188	YC11262	2017-03-01
Dub 189	YC11263	2017-03-01
Dub 191	YC11265	2017-03-01
Dub 198	YC11272	2017-03-01
Dub 209	YC11283	2017-03-01

APPENDIX B
StrataGold Dublin Gulch List of Claims for Assessment

Dub 210	YC11284	2017-03-01
Dub 211	YC11285	2017-03-01
Dub 212	YC11286	2017-03-01
Dub 213	YC11287	2017-03-01
Dub 214	YC11288	2017-03-01
Dub 215	YC11289	2017-03-01
Dub 216	YC11290	2017-03-01
Dub 233	YC11307	2017-03-01
Dub 234	YC11308	2017-03-01
Dub 235	YC11309	2017-03-01
Dub 236	YC11310	2017-03-01
Dub 237	YC11311	2017-03-01
Dub 238	YC11312	2017-03-01
Dub 239	YC11313	2017-03-01
Dub 240	YC11314	2017-03-01
Dub 341	YC11415	2017-03-01
Dub 353	YC11427	2017-03-01
Dub 355	YC11429	2017-03-01
Dub 375	YC11449	2017-03-01
Dub 376	YC11450	2017-03-01
Dub 385	YC11459	2017-03-01
Dub 386	YC11460	2017-03-01
Dub 387	YC11461	2017-03-01
Dub 388	YC11462	2017-03-01
Dub 389	YC11463	2017-03-01
Dub 390	YC11464	2017-03-01
Dub 410	YC11484	2017-03-01
Dub 412	YC11486	2017-03-01
Dub 420	YC11494	2017-03-01
Dub 422	YC11496	2017-03-01
Dub 424	YC11498	2017-03-01
Len 7	YC02734	2017-05-15
Len 19	YC02744	2017-05-15
Len 20	YC02745	2017-05-15
Len 22	YC02747	2017-05-15
Jan 1	YB65585	2018-01-16
Lynx 14	YC10476	2018-01-16
Lynx 18	YC10480	2018-01-16
Lynx 19	YC10481	2018-01-16
Lynx 20	YC10482	2018-01-16
Lynx 22	YC10484	2018-01-16
Lynx 28	YC10490	2018-01-16
Lynx 32	YC10494	2018-01-16
Len 10	YA30530	2018-05-15
Len 24	YA30544	2018-05-15
Len 21	YC02746	2018-05-15
Len 23	YC02748	2018-05-15
Jan 2	YB65586	2019-01-16
Jan 3	YB65587	2019-01-16
Lynx 24	YC10486	2019-01-16
Lynx 26	YC10488	2019-01-16
Lynx 33	YC10495	2019-01-16
Lynx 36	YC10498	2019-01-16
Lynx 37	YC10499	2019-01-16
Lynx 38	YC10500	2019-01-16
Jan 4	YB65588	2020-01-16
Len 15	YC02740	2020-05-15
Len 16	YC02741	2020-05-15
Len 17	YC02742	2020-05-15
Len 18	YC02743	2020-05-15
Len 4	YA30524	2021-05-15
Len 6	YA30526	2021-05-15
Len 8	YA30528	2021-05-15
Len 26	YA30546	2021-05-15
Len 28	YA30548	2021-05-15
Len 30	YA30550	2021-05-15
Len 1	YC02730	2021-05-15
Len 2	YC02731	2021-05-15
Len 11	YC02736	2021-05-15
Len 12	YC02737	2021-05-15
Len 13	YC02738	2021-05-15
Len 14	YC02739	2021-05-15
Olive	GR1054	Federal Grant

APPENDIX C

Figure 3: Dublin Gulch Drill Collar Plan Map

458750 459000 459250 459500 459750 460000 460250 460500 460750

7100250 7100000 7099750 7099500 7099250

E

DG06-319C
DG06-316C
DG06-318C
DG06-310C
DG06-315C
DG06-312C
DG06-313C
DG06-311C
DG06-317C
DG06-314C

Legend

- 2006 Diamong Drill Holes
- 2005 Road/Trail
- Pre-StrataGold/Trail
- Cretaceous Intrusive
- Elevation Contours
- Stream

StrataGold Corporation

Date: 2007/02/12	**Dublin Gulch Property**
Author: J.Scully	Mayo Mining District, Yukon Territories
Office: Vancouver	NTS Sheets: 106D03, 106D04, 105M13, 105M14, 115P16, 116A01
Figure 3: Appendix C	2006 Season's End Drill Hole Locations
Rev. Date:	
Version: 1.0	Filename: S01735_ddhs_20070212_2006_DrillCollar.mxd
Scale:1:2,500	Projection: UTM Zone 8 (NAD 27 REAL using Sept 05 Underhill Shift)

100 0 100 200 300
Meters

APPENDIX D

Dublin Gulch 2006 Drill Sections



HOLES PLOTTED

TOTAL 2

DG06-310C DG06-311C

ROCK CODES	L/R	PAT	LABEL	DESCRIPTION
LITH	L		GND	granodiorite
			MSED	metasediment
			OVB	overburden
			QTVN	quartz vein
			QMON	quartz monzonite
			DHCS	Drill Hole Casing

ASSAYS	L/R	TEXT
Au_ppm	R	-------

SECTION SPECS:

REF. PT. E, N	460025 m	7099900 m
EXTENTS	784.3 m	589.5 m
SECTION TOP, BOT	1177 m	587.4 m
TOLERANCE +/-	25 m	

SCALE 1 : 1000

(m)

-10 0 10 20 30 40

NAD83 / UTM zone 8N

AZIMUTH = 180°

N

W E

S

StrataGold Corporation

1735 - Dublin Gulch

Drawing 1: Section Line 460025

Drill Hole: DG06-310 & DG06-311



HOLES PLOTTED

TOTAL 1

DG06-312C

ROCK CODES	L/R	PAT	LABEL	DESCRIPTION
LITH	L		GND	granodiorite
			OVB	overburden

ASSAYS	L/R	TEXT
Au_ppm	R	-------

SECTION SPECS:

REF. PT. E, N	460175 m	7099854 m
EXTENTS	287.7 m	536.6 m
SECTION TOP, BOT	1168 m	631.1 m
TOLERANCE +/-	12.5 m	

SCALE 1 : 600

(m)

-5 0 5 10 15 20 25

NAD83 / UTM zone 8N

AZIMUTH = 180°

N W E S

StrataGold Corporation

1735 - Dublin Gulch

Drawing 2: Section Line 460175

Drill Hole: DG06-312



HOLES PLOTTED

TOTAL 1

DG06-313C

ROCK CODES	L/R	PAT	LABEL	DESCRIPTION
LITH	L		GND	granodiorite
			MSED	metasediment
			DHCS	Drill Hole Casing

ASSAYS	L/R	TEXT
Au_ppm	R	-------

SECTION SPECS:

REF. PT., E, N	459800 m	7099750 m
EXTENTS	287.7 m	536.6 m
SECTION TOP, BOT	1154 m	617.1 m
TOLERANCE +/-	25 m	

SCALE 1 : 600

(m)

-5 0 5 10 15 20 25

NAD83 / UTM zone 8N

AZIMUTH = 180°

N W E S

StrataGold Corporation

1735 - Dublin Gulch

Drawing 3: Section Line 459800E

Drill Hole: DG06-313



HOLES PLOTTED

TOTAL 1

DG06-314C

ROCK CODES	L/R	PAT	LABEL	DESCRIPTION
LITH	L		GND	granodiorite
			MSED	metasediment
			OVB	overburden

ASSAYS	L/R	TEXT
Au_ppm	R	-------

SECTION SPECS:

REF. PT. E, N	459650 m	7099628 m
EXTENTS	287.7 m	536.6 m
SECTION TOP, BOT	1104 m	567.1 m
TOLERANCE +/-	12.5 m	

SCALE 1 : 600

(m)

-5 0 5 10 15 20 25

NAD83 / UTM zone 8N

AZIMUTH = 180°

N W E S

StrataGold Corporation

1735 - Dublin Gulch

Drawing 4: Section Line 459650E

Drill Hole: DG06-314



HOLES PLOTTED

TOTAL 1

DG06-315C

ROCK CODES	L/R	PAT	LABEL	DESCRIPTION
LITH	L		GND	granodiorite
			MSED	metasediment
			QZZ	quartzite
			DHNL	Drill Hole Not Logged
			HFLS	hornfels

ASSAYS	L/R	TEXT
Au_ppm	R	-------

SECTION SPECS:

REF. PT. E, N	459500 m	7099819 m
EXTENTS	287.7 m	536.6 m
SECTION TOP, BOT	1037 m	500.2 m
TOLERANCE +/-	12.5 m	

SCALE 1 : 600

(m)

-5 0 5 10 15 20 25

NAD83 / UTM zone 8N

AZIMUTH = 180°

N W E S

StrataGold Corporation

1735 - Dublin Gulch

Drawing 5: Section Line 459500E

Drill Hole: DG06-315

7100300 N
7100250 N
7100200 N
7100150 N

1000 RL
950 RL
900 RL
850 RL
800 RL
750 RL
700 RL
650 RL
600 RL

DG06-316C

0 m
50 m
100
150
200
250
300
350
382.1 m
39.5 m

HOLES PLOTTED

TOTAL 1

DG06-316C

ROCK CODES	L/R	PAT	LABEL	DESCRIPTION
LITH	L		GND	granodiorite
			MSED	metasediment
			DHNL	Drill Hole Not Logged

ASSAYS	L/R	TEXT
Au_ppm	R	-------

SECTION SPECS:

REF. PT. E, N	459125 m	7100222 m
EXTENTS	239.8 m	447.2 m
SECTION TOP, BOT	1020 m	572.6 m
TOLERANCE +/-	50 m	

SCALE 1 : 500

(m)

-5 0 5 10 15 20

NAD83 / UTM zone 8N

AZIMUTH = 180°

N W E S

StrataGold Corporation

1735 - Dublin Gulch

Drawing 6: Section Line 459125E

Drill Hole: DG06-316



HOLES PLOTTED

TOTAL 1

DG06-317C

ROCK CODES	L/R	PAT	LABEL	DESCRIPTION
LITH	L		GND	granodiorite
			MSED	metasediment
			OVB	overburden

ASSAYS	L/R	TEXT
Au_ppm	R	-------

SECTION SPECS:

REF. PT. E, N	459375 m	7099772 m
EXTENTS	191.8 m	357.7 m
SECTION TOP, BOT	1036 m	678 m
TOLERANCE +/-	12.5 m	

SCALE 1 : 400

(m)

-4 0 4 8 12 16

NAD83 / UTM zone 8N

AZIMUTH = 180°

N W E S

StrataGold Corporation

1735 - Dublin Gulch

Drawing 7: Section Line 459375E

Drill Hole: DG06-317



HOLES PLOTTED

TOTAL 1

DG06-318C

ROCK CODES	L/R	PAT	LABEL	DESCRIPTION
LITH	L		GND	granodiorite
			MSED	metasediment
			QZZ	quartzite
			DHNC	Drill Hole No Casing
			DHNL	Drill Hole Not Logged
			DIOR	diorite
			HFLS	hornfels

ASSAYS	L/R	TEXT
Au_ppm	R	-------

SECTION SPECS:

REF. PT. E, N	459225 m	7100276 m
EXTENTS	143.9 m	268.3 m
SECTION TOP, BOT	976.8 m	708.5 m
TOLERANCE +/-	25 m	

SCALE 1 : 300

(m)

-4 0 4 8 12

NAD83 / UTM zone 8N

AZIMUTH = 180°

N W E S

StrataGold Corporation

1735 - Dublin Gulch

Drawing 8: Section Line 459225E

Drill Hole: DG06-318



HOLES PLOTTED

TOTAL 1

DG06-319C

ROCK CODES	L/R	PAT	LABEL	DESCRIPTION
LITH	L		GND	granodiorite
			MSED	metasediment
			OVB	overburden

ASSAYS	L/R	TEXT
Au_ppm	R	-------

SECTION SPECS:

REF. PT. E, N	458975 m	7100261 m
EXTENTS	239.8 m	447.2 m
SECTION TOP, BOT	944.7 m	497.6 m
TOLERANCE +/-	25 m	

SCALE 1 : 500

(m)

-5 0 5 10 15 20

NAD83 / UTM zone 8N

AZIMUTH = 180°

N W E S

StrataGold Corporation

1735 - Dublin Gulch

Drawing 9: Section Line 458975E

Drill Hole: DG06-319

APPENDIX E

Dublin Gulch 2006 Diamond Drill Logs

DRILL HOLE SUMMARY SHEET

HOLE NO.: DG06-310C

PROJECT: Dublin Gulch - 1735

GROUND ELEVATION: 1114m | **EOH:** 499.26m

BEARING: 180 | **DIP:** -60

DATE STARTED: 28-May-06 | **DATE COMPLETED:** 11-Jun-06

COORD SYSTEM: NAD 27: EASTING: 0460148 **NORTHING:** 7099999

COORD SYSTEM: NAD 83: EASTING: 0460016 **NORTHING:** 7100184

NAD 27 (CORRECTED for historic grid): EASTING: NORTHING:

LOGGED BY: M.Stone, K. Ferguson, T. Charles

SECTION LINE(historic grid)

CONTRACTOR: Bee Jay Drilling

SAMPLING DETAILS

Sample Sequence:

Requisition #: | **Date Shipped:**

Lab Record #: | **Date Received:**

Sample Sequence:

Requisition #: | **Date Shipped:**

Lab Record #: | **Date Received:**

DRILLING DETAILS

Hole Diameter: HQ

Overburden: 8.23m

Deviation:

Casing: 8.84m

Core Size: HQ

Cement (# Bags): 0

Plug Depth: N/A

Notes: No plug necessary.

Duplicates:	B366002 B366022 B366042 B366062 B366082 B366102 B366122 B366142 B366162 B366182 C081002 c081022 C081042 C081062 C081082 C081102 C081122 C081142 C081162 C081182 C081202 C081222 C081242 C081262 C081282 C081302 C081322 C081342 C081362 C081382
Preparation Duplicate/ Check Assay:	B366009 B366029 B366049 B366069 B366089 B366109 B366129 B366149 B366169 B366189 C081009 C081029 C081049 C081069 C081089 C081109 C081129 C081149 C081169 C081189 C081209 C081229 C081249 C081269 C081289 C081309 C081329 C081349 C081369
Standards:	B366010 B366030 B366050 B366070 B366090 B366110 B366130 B366150 B366170 B366190 C081010 C081030 C081050 C081070 C081090 C081110 C081130 C081150 C081170 C081190 C081210 C081230 C081250 C081270 C081290 C081310 C081330 C081350 C081370
Blanks:	B366016 B366036 B366056 B366076 B366096 B366116 B366136 B366156 B366176 B366196 C081016 C081036 C081056 C081076 C081096 C081116 C081136 C081156 C081176 C081196 C081216 C081236 C081256 C081276 C081296 C081316 C081336 C081356 C081376

FROM	TO	LITHOLOGY
0.00	8.23	Casing/Overburden
8.23	83.80	MSED
83.80	84.40	GNDD
84.40	167.99	MSED
167.99	172.17	GND
172.17	186.84	MSED
186.84	499.26	GND

FROM	TO	ALTERATION
64.01	82.10	Silicified
127.91	132.64	Silicified
172.17	175.95	Silicified
181.16	186.84	Silicified
8.23	25.60	Oxidized
27.55	37.18	Oxidized
39.00	74.71	Oxidized
85.91	86.20	Oxidized
106.90	113.80	Oxidized
127.91	167.94	Oxidized
203.10	374.29	Oxidized
417.71	455.60	Oxidized
25.60	27.55	Unaltered
37.18	39.00	Unaltered
374.29	417.71	Unaltered
8.23	11.28	Altered - ser, clay, cb
15.90	25.60	Altered - clay, ser, chl, cb
27.55	37.18	Altered - clay, ser, chl, cb, cordierite
39.00	167.94	Altered - ser, clay, chl, cb
175.95	183.79	Altered - ser, cb, clay, chl
183.79	374.29	Altered - ser, cb, chl, clay
417.71	455.60	Altered - ser, cb, clay, chl

FROM	TO	MINERALIZATION (Veins)

DEPTH (m)	AZI (Orig)	DIP (Orig)	AZ (+26 Corr)	AZ (+27 Corr)
42.06	153.1	-59.9	179.1	180.1
118.26	151.3	-60.6	177.3	178.3
194.46	150.6	-61.2	176.6	177.6
270.66	152.5	-61.2	178.5	179.5
346.86	154.2	-60.6	180.2	181.2
422.76	156.4	-60.4	182.4	183.4
499.26	157.3	-60.1	183.3	184.3

ASSAY INTERCEPTS

FROM:	TO:	INT:	Au (g/t)	SAMPLE QUALITY:

COMMENTS: (Ground conditions, fracture zones, water flows, drilling problems)

Casing stuck breifly, one day lost.

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-310C

DATE: May 29, 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																Selvages				Sulphides								Oxidation									
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
1	0 - 8.23m																																				
80	8.23m -	8.23	11.28	QZZ. argilliceous quartzite, fine grained. Dark grey to black Hyland group quartzite, with intermediate stringers of smokey quartz throughout. Foliation measurements: 50º	3	1	0	1	1		3	1	8.0	10.5	85	73	0.0	0	0	0	0.1	0.1		0.1					5.0				B366001	8.23	9.75	0.024		
											1	6	1.5	1.5	27		0.0					2.0		20.0					2.0								
																																B366002	8.23	9.75		DUPLICATE	
																																B366003	9.75	10.75	0.011		
																																B366004	10.75	11.28	1.780		
		11.28	15.90	HFLS. Very fine-grained. Prominent banding throughout, fabric foliation 58º, 65º and 70º. Anhedral to subhedral garnets, elongated into fabric. From 15.25m to 15.58m po-pyroxene skarn (W bearing)	1																										B366005	11.28	12.80	0.414		
																																B366006	12.80	14.02	0.672		
																																B366007	14.02	15.25	0.003		
		15.90	25.60	QZZ. Prominent iron staining from 16.80m to 22.3m, fault gouge (?) limonite/sericite in places. Smokey qtx vein from 20.95m to 21.04m.	4	3	1	4	1		1	4	0.5	0.5	95		0.0												2.0				B366008	15.25	15.90	0.003		
											1	1	0.8	1.5	130		0.0												2.0				B366009	15.25	15.90		CHECK ASSAY	
											1	1	9.0	9.0	90		0.0				0.1			0.1					10.0				B366010				STANDARD 3C	
																																B366011	15.90	17.37	1.040		
																																B366012	17.37	18.40	0.510		
																																B366013	18.40	19.42	0.013		
																																B366014	19.42	20.73	0.003		
																																B366015	20.73	22.25	0.003		
																																B366016				BLANK	
																																B366017	22.25	23.77	0.005		
																																B366018	23.77	25.30	0.003		
		25.60	27.10	BQS. Qtz veins throughout, prominent foliation (meta-beds?) from 108º to 57º, no cross cutting, just rotational progression.							4	1	0.5	2.0	105		0.0												2.0				B366019	25.30	26.15	0.003		
																																B366020	26.15	27.10	0.010		
		27.10	27.55	Quartz vein, contact initiates at 55º to core.							1	1	45.0	45.0	55		0.0												10.0				B366021	27.10	27.55	0.003		
																																B366022	27.10	27.55		DUPLICATE	
		27.55	31.90	QZZ. High degree of oxidation throughout, some banding (resembles HLFS), quartz "eyes" and veins common throughout, prominently foliated. Foliation 58º to 66º.	4			1			3	1	1.0	2.5	40	140	0.0							0.1					5.0				B366023	27.55	29.05	0.003		
																																B366024	29.05	30.50	0.003		
																																B366025	30.50	31.90	0.003		
																																B366026	31.90	33.13	0.017		
		31.90	37.18	QZZ, heavy oxidation. Quartz veins and eyes prevalent throughout. Poor foliation, angle measurement not possible.	4	1	1	1	1	1	6	1	3.0	17.0	70	50					0.1			0.1					1.0				B366027	33.13	34.10	1.325		
																																B366028	34.10	35.60	0.003		
																																B366029	34.10	35.60		CHECK ASSAY	
																																B366030				STANDARD 2B	
																																B366031	35.60	37.18	0.003		
		37.18	37.50	Quartz vein. Possible very tiny visible gold. Trace aspy and py.							1	1	32.0	32.0	72	108					0.1			0.1					10.0				B366032	37.18	37.50	0.010		
		37.50	39.00	QZZ with weathered fractures - white, powdery substance along fractures with greasy feel = talc.																												B366033	37.50	39.00	0.022		
		39.00	42.06	Argillacious QZZ with alternating bands of argillaceous material. Heavily oxidized, heavily weathered and bleached. Foliation very weak to non-existent. Quartz eyes and veins throughout.	3	1		2			5	1	20.0	27.0	60						0.1			0.1					10.0				B366034	39.00	40.40	0.005		
																																B366035	40.40	42.06	0.003		
																																B366036				BLANK	
		42.06	53.57	QZZ. Oxidized with intermittent argillite. Alternating: moderately oxidized to 46.49m; largely unaltered to 48.16m; highly oxidized to 50.05m; low oxidation to 51.21m; moderate oxidation and areas of high clay alteration to 53.57m.	3	1		2			4	1	4.0	10.0	15	60								1.0					5.0				B366037	42.06	43.56	0.003		
											2	6	2.0	2.5	23	40	3.5	s	2	1	5.0			2.0								B366038	43.56	44.00	0.024		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-310C

DATE: May 29, 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages			% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	Ox. State 0-5	Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other		From	To			
																																B366039	44.00	45.11	0.016		
																																B366040	45.11	46.15	0.012		
																																B366041	46.15	46.63	0.024		
																																B366042	46.15	46.63		DUPLICATE	
																																B366043	46.63	46.98	0.012		
																																B366044	46.98	47.44	0.054		
																																B366045	47.44	47.84	0.080		
																																B366046	47.84	48.16	0.410		
																																B366047	48.16	49.68	0.009		
																																B366048	49.68	51.21	0.003		
																																B366049	49.68	51.21		CHECK ASSAY	
																																B366050				STANDARD 4D	
																																B366051	51.21	52.73	0.007		
																																B366052	52.73	53.57	0.006		
		53.57	58.40	QZZ: Bleached and argillaceous. Fabric at 60 degree's, very fine grained. Quartz veins appear parallel to fabric. Moderate breakage on uneven, limonite-covered fractures. At 55.18m to 56.03m, moderate breakage on uneven, limonite-covered fractures. Veinlets with >50% sulphides (py) at low to moderate angles. Some fresh aspy appears disseminated within fabric.	2	1			1		2	1	4.0	6.0	55					1.0			0.1					0.5				B366053	53.57	54.25	0.003		pyrite >50% oxidized, appears in irregular blebs.
																																B366054	54.25	55.78	0.003		
																																B366055	55.78	57.15	0.581		
																																B366056				BLANK	
																																B366057	57.15	58.35	0.491		
		58.35	64.01	QZZ, zone of greater limonite-covered fractures. Core very fractured. Fractures follow fabric at 70° to CA. Core pieces from 3mm to 8cm. Moderate pervasive oxidation. At 63.9m to 64.0m, very high clay content: color is light grayish brown.	4	2					1	1	2.0	2.0	80													4.0				B366058	58.35	59.50	0.042		
																																B366059	59.50	60.87	0.028		
																																B366060	60.87	62.00	0.013		
																																B366061	62.00	62.90	0.008		
																																B366062	62.00	62.90		DUPLICATE	Micaceous alteration - scordite? Found within large qtz vein from 72.54 to 72.89m
																																B366063	62.90	64.01	0.067		
		64.01	74.71	QZZ. Bleached, silicified, weakly foliated, weak to moderate oxidation. Quartz veins at 80°. Regularly broken from 64.5 to 65.4m along fabric. Heavy oxidation and sericitization from 67.45 to 67.8m and 68.45 to 69.49m. Fractured, poor core recovery, weak foliation, strong limonitization on fractures. 69.49 to 74.71m is bleached and shows strong seriticitization. Toward end of section, 3 beige-grey clay seams 2cm wide break up otherwise very coherent core. Trace disseminated, moderately oxidized py in core, not associated with veins.	2	3					4	1	3.5	8.0	65	20				5.0								2.0		0.1		B366064	64.01	65.03	0.018		
																																B366065	65.03	65.72	0.008		
																																B366066	65.72	66.23	0.027		
																																B366067	66.23	67.33	0.005		
																																B366068	67.33	67.86	0.031		
																																B366069	67.33	67.86		CHECK ASSAY	
																																B366070				STANDARD 5E	
																																B366071	67.86	69.49	0.035		
																																B366072	69.49	70.80	0.003		
																																B366073	70.80	72.10	0.006		
																																B366074	72.10	72.54	0.003		
																																B366075	72.54	72.91	0.003		
																																B366076				BLANK	
																																B366077	72.91	74.07	0.003		
																																B366078	74.07	74.71	0.003		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-310C

DATE: May 29, 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																Selvages				Sulphides								Oxidation									
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
		74.71	82.10	QZZ. Bleached, silicified, sericitized. Minor disseminated py throughout. Highly sericitized in some area's. Moderate to low fracture/breakage. Bleaching lessens towards 82.6m. Sulfide veinlets containing py, asp - largely oxidized.		3	1				2	1	3.0	3.5	55		1.0	s	3	0	1.0			0.1					2.0				B366079	74.71	75.70	0.003		sulfides occur along vein edges.
																																B366080	75.70	76.78	0.007		
																																B366081	76.78	77.32	0.008		
																																B366082	76.78	77.32		DUPLICATE	
		82.10	83.80	Argillite. Banded throughout, orientation 50°. Sericitic alteration and chlorite alteration. Occasional disseminated py outside of veins. Chlorite alteration occurs in blebs.		2	2	1			1	1	3.0	3.0	70						0.1												B366083	77.32	78.06	0.003		
																																B366084	78.06	79.24	0.015		
																																B366085	79.24	80.16	0.003		
																																B366086	80.16	80.68	0.051		
																																B366087	80.68	81.69	0.068		
																																B366088	81.69	82.10	0.003		
																																B366089	81.69	82.10		CHECK ASSAY	
																																B366090				STANDARD 1A	
																																B366091	82.10	83.80	0.050		
12	83.80 - 84.04			GNDD. Medium grained, no foliations, some argillite intercalated with GND, 5-10% of area. Disseminated trace py throughout.							1	GND	22.0	22.0							1.0			0.1									B366092	83.80	84.04	0.060		
80	84.04	84.04	85.91	QZZ with GND veins. The QZZ is moderately foliated throughout. Qtz veins not particularly associated with GND veins. GND veins are medium to fine grained and have disseminated py where unaltered.			2	1			5	1	11.0	23.0	50						1.0			0.1									B366093	84.04	84.89	0.010		
											1	GND	8.0	14.0	50						2.0			1.0									B366094	84.89	85.95	0.003		
		85.91	86.20	QTZ vein. No foliation or other material. Minor oxidation and sericitization.	1	1					1	1	29.0	29.0			0.5	s	3	1				0.1									B366095	85.95	86.20	0.003		
		86.20	100.90	BQS. Medium to dark grey bio-qtz schist with minor sections of beige to light grey bleached QZZ (<20cm). Qtz veins up to 25cm in diameter are pervasive throughout unit. Trace sulfides - py and aspy in fractures and qtz veins as well as finely disseminated throughout fabric. Qtz and qtz-carbonate stringers cross-cut foliation. Foliation is at 55°.		1	2				5	1	18.0	30.0	55		2.0	s	3	0	1.0			1.0									B366096				BLANK	
				Calcite stringers crosscut qtz veins and foliation throughout unit.																													B366097	86.20	87.78	0.003		
																																B366098	87.78	88.36	0.003		
		100.90	106.90	QZZ - 100.9 to 106.9 - beige to pale green, bleached, poor to moderate foliation, sericitized, with small stringers of clay/argillite. Sulfides - trace py and aspy in qtz veins only. Qtz veins cross-cut foliation starting @ 102 m. Foliation approx. 60°.		2		2			6	1	6.0	12.0	125						0.1			0.5									B366099	88.36	89.50	0.003		
																																B366100	89.50	90.83	0.003		
		106.90	113.80	QZZ. Pale grey to cream color, bleached. Highly oxidized, moderate to weak foliation, throughout. Strong clay alteration 111.81m to 112.35m. Qtz veins cross cutting foliation. Aspy disseminated throughout and occurring at 107.8m on fracture surface.	3			3			3	1	6.0	9.0	125						0.1			0.1									B366101	90.83	92.35	0.006		
																																B366102	90.83	92.35		DUPLICATE	
		113.80	123.83	BQS with alternating bands of QZZ. Medium to dark grey, moderately foliated and tightly folded with alternating bands of beige/light green QZZ. QZZ has alternating bands of clay, is sericitized and bleached. Qtz veins appear along foliation and cross-cutting. Bismuthinite occurs at 116.0m. Apsy and sheeted veins increase 117.8m. Cross-cutting veins at 148° to core axis, containing aspy, frequency increases with depth. Aspy vein at 117.87m, possible visible gold in qtz vein at 120.2m. Secondary (?) aspy, py and cpy at 119.6cm.		1	1	1			4	1	4.0	13.0	60						0.1			1.0									B366103	92.35	93.31	0.027		
											3	1	0.3	1.0	148		1.5	s	3	1	0.1			10.0									B366104	93.31	93.38	0.019		more frequent with depth
											1	6	0.7	0.7			1.5	s	3	0				70.0									B366105	93.38	94.22	0.019		
																																B366106	94.22	95.40	0.019		
																																B366107	95.40	96.93	0.010		
																																B366108	96.93	98.45	0.003		
																																B366109	96.93	98.45		CHECK ASSAY	
																																B366110				STANDARD 6F	
																																B366111	98.45	99.56	0.014		
																																B366112	99.56	99.97	0.041		
																																B366113	99.97	100.90	0.020		
																																B366114	100.90	102.02	0.003		
																																B366115	102.02	103.40	0.005		
																																B366116				BLANK	

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-310C

DATE: May 29, 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages			% of VEIN & DISSEMINATED MATERIAL								Oxidation				Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
																																B366117	103.40	104.55	0.003		
																																B366118	104.55	106.07	0.003		
																																B366119	106.07	106.90	0.020		
																																B366120	106.90	107.90	0.005		
																																B366121	107.90	109.20	0.009		
																																B366122	107.90	109.20		DUPLICATE	
																																B366123	109.20	110.45	0.007		
																																B366124	110.45	111.05	0.031		
																																B366125	111.05	111.90	0.014		
																																B366126	111.90	113.15	0.010		
																																B366127	113.15	113.80	0.007		
																																B366128	113.80	115.21	0.003		
																																B366129	113.80	115.21		CHECK ASSAY	
																																B366130				STANDARD 4D	
																																B366131	115.21	116.10	0.031		
																																B366132	116.10	117.50	0.006		
																																B366133	117.50	118.44	0.075		
																																B366134	118.44	119.25	0.007		
																																B366135	119.25	119.79	0.023		
																																B366136				BLANK	
																																B366137	119.79	120.33	0.016		
																																B366138	120.33	121.01	0.007		
																																B366139	121.01	122.22	0.008		
																																B366140	122.22	123.75	0.006		
		123.83	127.91	QZZ. Beige to pale green colour, bleached. Low oxidation, moderate to high sericitization. Moderate to weak foliation@ 40°, qtz veins and eyes present. Crosscutting carbonate/qtz veins present, some chloritization. Disseminated aspy throughout, crystal sizes up to 1mm. Qtz veins follow foliation.		3	1				2	1	3.0	5.0	50								0.1												B366141	123.75	125.27	0.003		
											2	3	1.0	1.5	13					0.1			0.1				2.0		0.1		B366142	123.75	125.27		DUPLICATE	
																																B366143	125.27	126.49	0.003		
																																B366144	126.49	128.02	0.003		
		127.91	132.64	BQS. Black/dark brown, medium grey and quartz bands, 50°. Moderately silicified, and areas of clay alteration beginning at 131.53m. Calcite and quartz veins throughout, carbonate veins cross-cut foliation and banding. Quartz veins contain trace py, soft oxidized sulfide (bis?) found in selvages around low angle, carbonate veins. Angle between carbonate veins and banding is 80°.	1	1		2	1		4	1	7.0	11.0	55	50				0.1			0.1				1.0				B366145	128.02	128.55	0.003		
											2	3	2.0	3.5	130		2.5	s/b	3				0.1						5.0		B366146	128.55	129.54	0.005		
																																B366147	129.54	131.06	0.026		
																																B366148	131.06	131.98	0.007		
																																B366149	131.06	131.98		CHECK ASSAY	
																																B366150				STANDARD 6F	
																																B366151	131.98	132.89	0.005		
		132.64	148.11	QZZ. Beige to pale green colour, moderate to weak foliation @ 50°, throughout. Quartz veins and cross-cutting veinlets throughout. Veinlets at 150° to CA and 40° to the core foliation and contain ~1% oxidized sulfides.	1	3	2	1	1		1	1	6.0	6.0	55					0.1							2.0				B366152	132.89	134.42	0.038		
																																B366153	134.42	135.03	0.012		
																																B366154	135.03	136.15	0.009		
																																B366155	136.15	136.55	0.042		
																																B366156	136.55	138.07	0.003		
																																B366157				BLANK	
																																B366158	138.07	139.60	0.003		
																																B366159	139.60	141.12	0.003		
																																B366160	141.12	142.66	0.003		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-310C

DATE: May 29, 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages			% of VEIN & DISSEMINATED MATERIAL										Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																				Sulphides								Oxidation									
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
																															B366161	142.66	143.70	0.005		
																															B366162	142.66	143.70		DUPLICATE	
																															B366163	143.70	145.07	0.003		
																															B366164	145.07	146.38	0.003		
																															B366165	146.38	147.55	0.003		
																															B366166	147.55	148.11	0.003		
		148.11	154.13	QZZ cont'd, but with wider and more frequent qtz veins. 2-3mm subhedral crystals of plagioclase appear between veins, within moderately foliated rock matrix. Pyrite (50% oxidized) appears in up to 2mm blebs within matrix and at margins of qtz veins. 'Veins' are usually only partial, not completely through core diameter. Veinlets of carbonate/plagioclase are randomly oriented, core is commonly rough-fractured on them. Black/graphite grey coloured mud, very fine, occurs on fracture surfaces at 150.77m and 151.36m.	1	3	1	1	2		4	1	12.0	20.0	50	100	1.0	s/cc	4	0.1									1.0				B366167	148.11	148.87	0.003		
																															B366168	148.87	150.09	0.003		
																															B366169	148.87	150.09		CHECK ASSAY	
																															B366170				STANDARD 4D	
																															B366171	150.09	150.64	0.003		
																															B366172	150.64	151.45	0.006		
																															B366173	151.45	152.35	0.003		
																															B366174	152.35	153.77	0.003		
																															B366175	153.77	154.13	0.003		
		154.13	167.94	QZZ with BQS sections. QZZ- Beige/pale green/medium grey colour. Sericitic alteration, small amounts of scordite associated with quartz vein salvage. Weak to moderate foliation throughout. Qtz veins occur at very high frequency and average 4cm thickness. BQS occurs in small chunks @ 156.5m and 164.3m - black to dark brown interlayered with qtz veins and selvage, selvage is sericite with some biotite and scordite, also has trace py. Quartz/carbonate veinlets present, show no preferred orientation. QZZ has minor oxidation and trace aspy and py. High chlorite alteration beginning at 167.5m to contact, qtz vein has significantly more unaltered py closer to contact.	1	3	1	1			6	1	6.0	47.0	50		1.5	s/b	3	0	0.1			0.1						2.0				B366176				BLANK	
											2	3	0.5	1.0	-		0.5	s	2	0	0.1			0.1				1.0				B366177	154.13	155.06	0.003		
																															B366178	155.06	156.57	0.003		
																															B366179	156.57	157.89	0.003		
																															B366180	157.89	159.41	0.003		
																															B366181	159.41	160.84	0.003		
																															B366182	159.41	160.84		DUPLICATE	
																															B366183	160.84	162.12	0.003		
																															B366184	162.12	163.30	0.003		
																															B366185	163.30	164.53	0.003		
																															B366186	164.53	166.00	0.003		
																															B366187	166.00	167.32	0.003		
																															B366188	167.32	167.94	0.003		
																															B366189	167.32	167.94		CHECK ASSAY	
																															B366190				STANDARD 2B	
10	167.94 - 172.17			GND. Medium grained, medium to dark grey colour. Calcite veins throughout, light pink colour with significant width. Sericitic and clay alteration along fractures. Cpy appears as subhedral crystals through out unit ~ 2%.		2	1	1	1		2	5	1.5	2.0	20	15	1.0	s	2	0													B366191	167.94	168.55	0.003		
																															B366192	168.55	169.84	0.003		
																															B366193	169.84	171.25	0.003		
																															B366194	171.25	172.71	0.003		
80	172.17 -	172.17	175.95	BQS. Dark brown to green banding, silicified. Moderate to weak foliation throughout @ 50°. Qtz veins occur at 50° to 85° and are crenulated in area's, single occurrence of a qtz vein cross-cutting foliation - @174.3m, 1.5cm thick, angle to foliation is 85°and angle to core axis is 140°, trace aspy and no selvage. Carbonate/qtz veins crosscut foliation,							5	1	8.0	20.0	50		1.0	s	3	1	0.1			0.1						1.0	10.0			B366195	172.71	173.13	0.003		
											4	5	1.0	2.0	25	15	0.3	s	2	0				0.1				1.0	1.0			B366196				BLANK	
																															B366197	173.13	174.65	0.003		
																															B366198	174.65	175.21	0.003		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-310C

DATE: May 29, 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages			% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	Ox. State 0-5	Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other		From	To			
																																B366199	175.21	175.95	0.003		
		175.95	181.16	Argillite. Biotite/qtz banding throughout, orientation 50°. Sericitic alteration and chlorite alteration. Occasional disseminated py outside of veins. Chlorite alteration occurs in blebs. One large qtz vein at 178.45 to 178.60m, with wide selvages (40cm up-hole, 20cm down-hole), ser/chl/cb altered to crumbly texture up-hole. Below qtz vein, core becomes more competent and silicified.		2	1	2	1		1	1	15.0	15.0	55		30.0	s/cb	4	2				0.1							3.0			B366200	175.95	176.98	0.003		
																		chl	1												C081001	176.98	177.70	0.003		
																															C081002	176.98	177.70		DUPLICATE	
																															C081003	177.70	179.22	0.003		
																															C081004	179.22	180.16	0.003		
																															C081005	180.16	181.16	0.003		Vein count - 2nd page, to here: veins per meter per section.
		181.16	183.79	Silicified MSED; HFLS. Very pronounced banding (foliation) between v. fine-grained deep purple-black minerals (HFLS) and stringers-veins of carbonaceous / quartz layers. Also present are cross-cutting, milky white qtz veins from 1cm to 4cm wide. Repeating carbonate veinlets also cross cut foliation at 30-35° to CA, and 20° from the foliation. Foliation typically at 60° to CA.		4	1	2	3		2	6	8.0	9.0	35	25	2.0	cb/bt	3				15.0						2.0		2.0		C081006	181.16	181.66	41.400		Vein count - 2nd page, from here on: veins per meter per sample
											1	3	1.0	1.0	25												2.0									
											2	1	2.0	3.0	50					0.1									1.0		C081007	181.66	182.27	0.026		
											1	6	0.5	0.5	25								25.0					0.1								
											1	3	1.0	1.0	25		0.5	cb/s	2																	
											3	1	1.5	4.5	55	150	1.0	cb/s	3				0.1		0.1			0.1			C081008	182.27	183.02	0.053		
																															C081009	182.27	183.02		CHECK ASSAY	
																															C081010				STANDARD 2B	
				From 183.10 to 183.20m a qtz vein w/ ~30% aspy, all fresh, massive, concentrated in 1-5mm wide stringers w/in qtz vein. Crosscuts foliation, @35° to CA and 90° to foliation. 2 smaller qtz veins in this section are parallel to foliation (steepens to 70 to CA) are crosscut by veinlets of qtz/carbonate. At this intersection, minor massive aspy and oxidized py is found, in 1-2mm zones, also concentrated at margins of small qtz veins.							1	1	10.0	10.0	35								30.0											C081011	182.27	183.79	3.230		
											2	1	0.5	1.0	70		0.5	q/cb	2									0.1								
		183.79	186.84	Silicified, bleached QZZ, with foliation denoted by carb/qtz stringers throughout, generally at 60 70 degrees to CA. Numerous qtz veins follow foliation, cross-cutting foliation only occasionally.							6	1	2.0	8.0	60	70	2.0	q/cb	3				0.1					0.1			C081012	183.79	184.54	0.422		
				at 184.38m, a low-angle sulphide vein, 40% aspy (fresh), 10% black oxidized py, and 2% py (fresh), cross cuts foliation at 70 degrees. Other small qtz/carb veins at similar angle to sulphide vein cross cut qtz veins; sulphides (py and aspy) are concentrated at intersections, and within qtz/carb veins.							1	6	0.5	0.5	25		0.5	q/cb	2		2.0			40.0		1.0			10.0								
											3	3	0.5	1.5	25					1.0			2.0					0.1	0.1							
											5	1	3.5	11.0	50	140	1.0	q	1		0.1		0.1					0.1			C081013	184.54	185.32	0.006		
											2	3	0.5	1.0	15	20				1.0		0.1			1.0			0.1			C081014	185.32	186.07	0.005		
											4	1	2.0	6.0	80	70	2.0	q/cb	3	1.0					1.0			1.0								
											6	1	2.0	5.5	55	130							0.1					1.0		1.0	C081015	186.07	186.84	0.003		
																															C081016				BLANK	
10	186.84 -	186.84	195.99	GND: med-grained, matrix contains ~10% carbonate, causing core to be soft and breakable. Sericite alteration also prominent. From 187.58 to 188.00m, core is completely incoherent, forming 2-4mm pieces, often lone minerals (qtz eyes, plag pieces, etc). Veinlets of carbonate, usually straight, but in random orientations contain black, oxidized py clay and tracy fresh py. One sulphide veinlet (<1mm wide) at 190.95m contains 50% fresh py and 50% oxidized py. One 4mm long by 2mm wide sulphide stringer at 190.63m contains 60% fresh py and 40% oxidized py.		3		3			1	1	1.0	1.0	25													1.0			0.1				C081017	186.84	187.58	0.003		
											1	3	0.5	0.4	15												5.0								
											4	1	1.0	4.0	40		2.0	q/cb	2								0.1				C081019	188.37	189.89	0.027		
											2	1	2.0	3.0	50	60				0.1			0.1				1.0				C081020	189.89	191.41	0.042		
											2	3	0.8	1.1	30	60				2.0			0.1				2.0				C081021	191.41	192.80	0.032		
											1	6	0.5	1.0	55	40				1.0			0.1				0.1				C081022	191.41	192.80		DUPLICATE	
											2	4	0.8	1.2	50					0.1											C081023	192.80	193.73	0.053		
											3	4	0.5	1.2	20	40				0.1											C081024	193.73	194.46	0.027		
											1	3	0.8	0.8	45					0.1			0.1								C081025	194.46	195.99	0.285		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-310C

DATE: May 29, 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																Selvages				Sulphides								Oxidation									
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
											3	4	0.6	1.1	40					0.1																
		195.99	203.10	GND: med-grained. Mostly fresh, hard core with some sericite alteration. Matrix contains carbonate, but not enough to compromise core copetency. Moderate bleaching from 197.9m to 199.03m and in later vein associated areas, and again at 203.05m to 205.13m. Vein/veinlets of qtz, in random orientations occure throughout, some associated with chlorite alteration. Carbonate veins occure through out, bleaching is associated with them in most places. Two qtz veins occure near 196m, they cross cut each other, at 15° and 145° and 130° intersection angle, the first has 1-2% py and trace aspy, shows selvage of 0.4cm-sericite, the second has only trace, oxidized sulfides and has selvage of 1.5cm- chlorite alteration. A quartz vein extending along core from 198.33m to 198.95m contains 3-5% sulfides (py, aspy), it is at a low angle to core axis and is ~.8cm thick. A major qtz vein occurs at 200.8m, 3cm wide with a 4cm sericitic selvage, trace aspy and py. Diseminated sulfides throughout core matrix.		3	1			2	1	0.5	1.0	15	145	1.5	chl/s	2		1.0			0.1								1.0				C081026	195.99	197.56	0.026		
											2	4	0.6	1.0	45					0.1			0.1												
											2	4	0.7	1.0	15		2.0	s	2	0.1			0.1									C081027	197.56	198.40	0.091		
											1	6	0.8	0.8	5		3.0	k	2	2.0			1.0									C081028	198.40	199.03	0.003		
																																C081029	198.40	199.03		CHECK ASSAY	
																																C081030				STANDARD 7G	
											3	1	1.5	3.5	30	120	0.5	s	1	1.0			0.1									C081031	199.03	199.87	0.009		
											1	4	0.7	0.7	25		3.5	s	2	0.1												C081032	199.87	200.56	0.007		
											2	4	0.5	0.8	40	130	0.5	s	1	0.1												C081033	200.56	201.11	0.065		
											1	1	3.0	3.0	35		4.0	s	2	0.1																	
											3	4	0.5	1.0	40		1.0	s	2	0.1												C081034	201.11	202.08	0.006		
											2	4	0.5	0.9	50		1.5	s	2	0.1												C081035	202.08	203.10	0.014		
											1	6	0.2	0.2	50		1.5	s	2	30.0			5.0														
																																C081036				BLANK	
		203.10	207.26	GND. Medium grained, moderate to high bleaching except for 204.92m to 207.26m which have weak to moderate bleaching. The high alteration area's have carbonate in the matrix, causing core to be soft and breakable in some area's. At 203.1m, high amounts of epidote in selvage area or core. Qtz veins and carbonate veins occur throughout, carbonate veins are much more common, sulfide veins also occur. Pyrrhotite and bismuthinite occur disseminated throughout the matrix and are not associated with veins. Possible visible gold at 209.7m. 1% po, 5%bis, trace py and trace aspy in matrix from 207.26m to 208.18m. Bismuthinite in matrix at 206.65m to 207.26m.	1	4	2		3		2	3	1.0	1.5	40	160					0.1	0.1							2.0				C081037	203.10	204.20	0.028		
											1	1	0.5	0.5	43		0.3	cb	1	0.1			0.1									C081038	204.20	204.74	0.252		
											2	3	1.0	1.7	35	50				2.0			0.1				1.0									
											3	3	1.0	2.3	50					0.1			0.1								C081039	204.74	205.76	0.026		
																																C081040	205.76	206.65	0.081		
											3	3	0.6	1.7	45		1.5	s	2	0.1												C081041	206.65	207.26	0.011		
																																C081042	206.65	207.26		DUPLICATE	
		207.26	223.61	GND. Medium grained, moderate to high bleaching. Carbonate in the matrix, causing core to be soft and breakable where most altered. Qtz/carbonate veins throughout, selvages are sericitic and chloritic with notable epidote in some area's. Carbonate veinlets occure throughout with no preffered orientation. Pyrrhotite and bismuthinite, as well as aspy, occure disseminated throughout the matrix and are not associated with veins. Highest alteration occurs beginning at 215m and is accompanied by large sulfide veins, the large veins occur until 217.1m. At 212.65m - more altered and showing higher sulfides in the matrix, oxidized. At 215.8 to 217.1m - quartz, sulfides and less than half of core is altered GND, this area has unoriented veins showing drenulation and no preferred orientaion. At 219.7m to 218m the rock is highly altered, almost to clay. A massive qtz vein occurs at 220.14m, containing py (5%), aspy (trace) and calcite veinlets throughout, it appears 22cm across.	1	4	2	1	2																								C081043	207.26	208.18	0.014		
											3	1	1.3	2.1	50					1.0			0.1									C081044	208.18	208.95	0.271		
											1	6	0.2	0.2	40		0.3	S	1	100.0							100.0									
											3	3	0.6	1.4	40		1.0	S/B	2	0.1				2.0								C081045	208.95	209.70	0.014		Bis in selvage around vein.
											4	3	1.6	4.0	45		3.0	chl		4.0			0.1				1.0				C081046	209.70	211.23	0.319		epidote in selvage
											1	6	0.2	0.2	35					60.0							100.0									
											3	3	0.6	1.4	40	50	1.5	s/cb	2	0.1			0.1				1.0				C081047	211.23	212.75	0.039		
											1	3	0.5	0.5	30					0.1			0.1								C081048	212.75	214.27	0.259		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-310C

DATE: May 29, 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages			% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																				Sulphides								Oxidation										
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
											1	6	0.5	0.5	20		2.0	chl	3	5.0			0.1					2.0				C081049	212.75	214.27		CHECK ASSAY	
																															C081050				STANDARD 3C	
											4	6	15.0	19.0	45	70	3.0	chl	2	10.0			0.1					3.0				C081051	214.27	215.80	0.712		
											5	6	20.0	60.0			6.0	ser	4	20.0			3.0					10.0				C081052	215.80	217.10	2.780		
											3	6	0.4	1.1	40					2.0			0.1					2.0				C081053	217.10	218.24	0.104		
											1	6	0.2	0.2	45					15.0			0.1					20.0				C081054	218.24	219.70	0.423		
											1	6	20.0	20.8	35					7.0			1.0					5.0				C081055	219.70	220.56	0.668		
																															C081056				BLANK	
											3	1	0.6	1.7	30		1.5	k	2	0.1			0.1									C081057	220.56	221.89	0.026		
											2	3	0.6	1.0	40	20				1.0			0.1					1.0									
											2	3	0.5	1.0	35		0.5	s	2	0.1			0.1									C081058	221.89	222.70	0.011		
											3	1	3.0	4.5	30		2.0	s	3	3.0			0.1					1.0				C081059	222.70	223.61	0.133		
		223.61	244.98	GND. Medium grained, Weak to moderate alteration throughout. Sericite, carbonate alteration prevalent. Qtz veins, carbonate veins common, sulfide veins present as well. Carbonate veinlets throughout, no preferred orientation. Matrix has significant carbonate alteration throughout. Sulfides are disseminated in matrix of weakly altered sections. Sulfides are present in qtz/carb veins. Calcite blebs also present in rock matrix, up to 5cm wide, usually associated with fractures and carbonate veinlets. Alteration of rock largely associated with veinlets and fractures with no visible deposition on them.	1	3	2		2		1	1	1.5	1.5	35		2.0	s	2	0.1			1.0									C081060	223.61	224.94	0.019		
											1	3	3.0	3.0	40					0.1	0.1		0.1					1.0									
											4	1	2.5	8.0	30		3.0	s	3	1	3.0	1.0		1.0								C081061	224.94	225.92	4.380		
											2	3	0.5	0.8	20	15				1.0			0.1					1.0									
																															C081062	224.94	225.92		DUPLICATE	
											1	1	1.0	1.0	40					0.1	0.1		1.0									C081063	225.92	226.89	0.157		
											1	3	0.5	0.5	130					0.1			0.1														
											2	3	0.5	0.9	40	165				0.1												C081064	226.89	227.81	0.137		
											2	1	2.0	4.0	40	80	1.0	s	2	0.1			0.1					1.0				C081065	227.81	229.21	0.241		
																															C081066	229.21	230.00	0.041		
											3	1	2.5	5.5	30					0.1			1.5									C081067	230.00	231.47	0.048		
											2	6	0.2	0.4	30		1.0	chl	1	2.0	5.0		50.0					20.0				C081068	231.47	232.88	0.027		
																															C081069	231.47	232.88		CHECK ASSAY	
																															C081070				STANDARD 6F	
											3	6	0.3	0.5	40		6.0	s	2	1.0	0.1		10.0					10.0				C081071	232.88	234.20	0.363		
											4	6	0.2	0.5	40		8.0	s	3	1.0			10.0					10.0				C081072	234.20	235.41	0.046		
											3	6	0.2	0.5	40		1.5	s	3	1.0	0.1		15.0					20.0				C081073	235.41	236.83	0.010		
											3	6	0.2	0.6	40		2.0	s	3	3.0	2.0		10.0					20.0				C081074	236.83	238.20	0.096		
											1	1	1.8	1.8	35		4.0	s	2	0.1	0.1		1.0					1.0				C081075	238.20	239.30	0.408		
											2	3	0.5	0.9	30																						
																															C081076				BLANK	
											1	1	0.8	0.8	40					0.1			1.0					1.0				C081077	239.30	240.66	0.160		
											2	1	0.6	0.9	40		5.0	s	3	0.1			1.0					1.0				C081078	240.66	241.84	0.204		
											3	3	0.4	0.9	25																						
											3	3	0.2	0.4	20	30				0.1			5.0					8.0				C081079	241.84	243.08	0.045		sulfide veins found in highly altered section
											2	1	1.2	1.7	30					0.1			2.0					1.0				C081080	243.08	244.45	0.304		
											1	6	0.2	0.2	40		0.4	s	2	5.0			10.0					10.0									
											2	3	0.4	0.6	40					0.1			0.1									C081081	244.45	244.98	0.005		
																															C081082	244.45	244.98		DUPLICATE	

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-310C

DATE: May 29, 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages			% of VEIN & DISSEMINATED MATERIAL								Oxidation				Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5) Ox. State	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
		246.48	262.87	GND. Medium grained, Moderate to high alteration throughout. Sericite, carbonate alteration prevalent, appears etched in sections. Qtz veins, carbonate veins common, sulfide veins present as well. Carbonate veinlets throughout, no preferred orientation. Matrix has significant carbonate alteration throughout. Sulfides are rarely disseminated in matrix of altered sections. Sulfides are present in qtz/carb veins. Calcite blebs also present in rock matrix, up to 6cm wide, usually associated with fractures and carbonate veinlets. Alteration of rock largely associated with veinlets and fractures with no visible deposition on them. Qtz eyes occur throughout unit. At 248.1m - highly chloritized blob shows 2% disseminated aspy. At 252.12m a massive sulfide (aspy w/ trace py) occurs, associated with a carbonate vein and veinlets.	1	3	1	2	3		3	3	0.5	1.0	40	150				0.1			0.1			1.0								C081083	244.98	246.48	0.035		qtz rich area's, Qtz eyes, sulfides occur in matrix (1%)
				core lost block at 256.64m, core from 255.7m to 256.64m is very broken. Recovery is 49%																												C081084	246.48	247.31	0.065		carbonate veinlets and qtz blobs
											2	3	1.0	1.3	20																C081085	247.31	248.40	0.008		carbonate in vein is pale green
											4	3	1.0	1.6	30	50	1.0	chl	3	1	1.0			3.0				10.0				C081086	248.40	249.90	0.018		
											2	3	0.4	0.7	30		1.5	s	2		0.1			1.0								C081087	249.90	251.33	0.013		aspy in selvage around veins/veinlets
											3	1	4.0	8.0	30						1.0			3.0				1.0				C081088	251.33	252.07	0.014		large qtz blobs with aspy
											2	3	0.5	0.8	40						0.1			0.1												
																																C081089	251.33	252.07		CHECK ASSAY	
																																C081090				STANDARD 3C	
											1	3	3.0	3.0	30						1.0			15.0	5.0							C081091	252.07	252.40	1.930		at 252.10m vein associated with massive sulfide's aspy w/ trace py
				from 252.4m to 257.8m - new cutters put the wrong samples in the bags (samples broken into 2 and samples in with CHECK ASSAY and STANDARD). For this span all of the rocks have been sampled and sent for assay but the rocks in each sample may not exactly match the sample numbers as listed, we tried to reconstruct it as thoroughly as possible but no guarantee it's exactly correct. KF, MG.							1	3	0.5	0.5	40						0.1			1.0	1.0								C081092	252.40	253.04	0.252		
											2	1	1.5	2.3	35						0.1	0.1		1.0												
											3	3	0.4	1.1	30	40								0.1								C081093	253.04	253.59	0.016		qtz blobs occur associated with aspy
											1	1	0.5	0.5	40		0.2	s	1		0.1	0.1		1.0												
											2	1	1.5	2.2	30		3.0	chl	2		0.2	0.1		3.0				1.0				C081094	253.59	254.24	0.019		
											1	3	0.5	0.5	20		0.3	s	2																	
											2	3	0.3	0.5	30	110	3.0	s	3												C081095	254.24	255.00	0.173		clay alteration of short section
											3	1	0.4	1.0	20		1.0	s/q	2		0.1			6.0					5.0							
																																C081096				BLANK	
											1	1	0.8	0.8	25		1.0	q	1		0.1	0.1		9.0					7.0			C081097	255.00	255.57	0.024		
																																C081098	255.57	256.64	0.013		clay alteration, very broken, veins are indistinguishable
											1	3	1.0	1.0	15																C081099	256.64	257.37	0.117		
											1	6	1.5	1.5	35						0.1	0.1		35.0												
											4	6	1.6	2.4	30		1.0	s	2		1.0			9.0								C081100	257.37	257.80	0.095		
											1	3	0.5	0.5	40																					
											6	6	3.0	6.5	40	30					3.0			15.0				4.0				C081101	257.80	258.35	0.685		
				very sericitized/bleached via fractures and porosity, no visible veins																												C081102	257.80	258.35		DUPLICATE	
											1	1	3.0	3.0	40						0.1			0.1								C081103	258.35	259.13	0.020		
																																C081104	259.13	260.17	0.003		highly sericitized/bleached area
											2	6	1.4	2.5	15	30					0.1			2.0								C081105	260.17	260.85	0.142		carbonate in the vein as well
											2	6	0.3	0.5	30						0.1			1.0								C081106	260.85	261.60	0.088		
											1	3	0.4	0.4	35																	C081107	261.60	262.87	0.006		
											1	6	0.2	0.2	25																					

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-310C

DATE: May 29, 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																Selvages				Sulphides								Oxidation									
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
		262.87	276.66	GND. Moderate to very high alteration. High in sulfide veins. Carbonate and quartz veins present, as well as carbonate veinlets. @ 164.6m aspy on a fault surface (30° to up core). Very altered (etched) area's at 262.82m and 267m, with aspy and py, oxidation.	1	3			3		3	6	0.5	0.9	30	105	1.0	s	2		0.1			12.0					2.0				C081108	262.87	263.75	0.155		
											2	3	0.5	1.2	30																				
																																C081109	262.87	263.75		CHECK ASSAY	
																																C081110				STANDARD 5E	
											3	6	1.0	2.7	60						5.0	3.0		8.0					5.0				C081111	263.75	263.93	0.402		
											4	6	1.0	2.1	30						50.0	4.0		10.0	2.0				4.0									
											4	6	1.7	3.5	30	60					25.0	1.0		5.0					10.0				C081112	263.93	264.75	0.347		
											1	1	2.5	2.5	30		2.0	s	2		0.1			2.0									C081113	264.75	265.75	0.177		
																																C081114	265.75	266.09	0.003		
											2	6	0.8	1.1	30		1.2	q/s	2		0.1	0.1		60.0	1.0				2.0				C081115	266.09	266.49	1.065		
																																C081116				BLANK	
																																C081117	266.49	267.41	0.010		
											3	3	0.3	0.7	30						0.1			0.1									C081118	267.41	269.14	0.051		
																																C081119	269.14	270.34	0.182		
											1	6	13.0	13.0	40		3.0	s	2		0.1	0.1		60.0									C081120	270.34	270.55	13.350		
																																C081121	270.55	271.55	0.007		chl alteration along fractures, up to 5cm selvage at 3. no veins
																																C081122	270.55	271.55		DUPLICATE	
											1	1	0.5	0.5	30																	C081123	271.55	272.66	0.018		
											1	3	0.6	0.6	30		1.0	q	3		0.1	0.1		2.0													
											1	1	0.6	0.6	30						0.1	0.1		2.0									C081124	272.66	273.40	0.036		
											1	3	0.4	0.4	50						2.0								2.0								
											2	1	1.5	2.2	30		1.5	chl	2		0.1	1.0		0.1									C081125	273.40	273.85	0.015		
											5	1	2.5	7.0	20	30	2.0	s	2		0.1			1.0									C081126	273.85	275.23	0.275		
											2	1	0.7	1.2	30	5					0.1			1.0					1.0				C081127	275.23	276.66	0.032		
											2	2	1.0	1.3	30		1.0	s	2		0.1	0.1		0.1													
		276.66	295.66	GND. Medium grained with fracture surfaces but lacking foliation. Very weak to moderate alteration. Few sulfide veins. Carbonate and quartz veins present, as well as carbonate veinlets. Moderate to high sericitic alteration along fractures, usually aspy in selvage area's, rarely developed into small sulfide veins. Trace sulfides disseminated throughout matrix, aspy, lesser bis.	1	3	1	1	3		3	3	0.5	1.2	30																		C081128	276.66	278.28	0.003		
											3	6	0.2	0.5	35	2	s	2						1.0						1.0						
																																C081129	276.66	278.28		CHECK ASSAY	
																																C081130				STANDARD	
				278.97m to 279.13m core is etched, sulfides present in altered area's but are largely oxidized.							2	1	0.5	0.9	30		1.0	s	2					1.0						1.0			C081131	278.28	279.81	0.062		
											3	3	0.5	1.0	40	30								0.1												
											4	3	0.2		40		2.0	s	3					1.0									C081132	279.81	281.33	0.010		aspy in selvage, not vein
											1	1	0.5	0.5	50									0.1												
											3	3	0.3	1.0	30																		C081133	281.33	282.45	0.003		
											1	1	0.7	0.7	140																					cross cuts a carbonate vein w/ a 100 intersection angle.
											1	6	0.4	0.4	30		1.3	s	3				3.0	1.0						1.0			C081134	282.45	282.85	0.020		
											1	1	0.7	0.7	20																		C081135	282.85	284.38	0.013		
											6	2	0.3	0.5	40		0.4	s	2			2.0		1.0													
																																C081136				BLANK	
											1	1																					C081137	284.38	285.79	0.003		
				at 285.15m - sericitically altered xenolith, partially mineralized, py and trace aspy							2	3	1.3	1.5	10	30	3.0	s	4		0.1			0.1					1.0									

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-310C

DATE: May 29, 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS								% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																Selvages			Sulphides								Oxidation									
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
											5	3	0.3	1.4	20	35	5.0	s	3	0.1			1.0					0.1	1.0			C081138	285.79	287.23	0.011		
											1	1	1.1	1.1	30																					
											3	3	0.4	1.0	30		1.0	s	2	0.1			0.1									C081139	287.23	288.43	0.014		
											1	1	1.1	1.1	30					0.1	0.1		1.0									C081140	288.43	289.95	0.136		
											1	3	0.2	0.2	50		2.0	s	3				1.0														aspy in selvage
				289.00m - fine grained, mafic area, pyr in this area.							5	3	0.4	1.1	30	45	2.0	s	3	0.1			2.0									C081141	289.95	291.29	0.023		aspy in selvage
																																C081142	289.95	291.29		DUPLICATE	
											3	3	0.4	1.0	30		3.0	s	2	0.1			1.0									C081143	291.29	292.00	0.018		one vein altered out to clay
											1	1	0.7	0.7	20								0.1									C081144	292.00	293.30	0.005		
											2	3	0.3	0.6	30		1.0	s	2		0.1		1.0														aspy occurs in selvage, pyr occurs in matrix in this area
											3	3	0.4	0.8	30	10							0.1									C081145	293.30	294.13	0.354		
											3	3	0.4	0.9	40	80				0.1			0.1									C081146	294.13	295.66	0.011		sericite alteration along fractures, trace aspy in selvage but no vein formed
		295.66	17322.00	GND. Medium grained with fracture surfaces but lacking foliation. Moderate to high alteration, with bleached sections. Sulfide, carbonate and quartz veins present, as well as numerous carbonate veinlets. Less altered area's show moderate to high sericitic alteration along fractures, usually aspy in selvage area's. Trace sulfides disseminated throughout matrix, aspy, lesser bis. Pink carbonate throughout, occurring in veins and blebs in matrix.	2	4		2	3		3	3	0.3	0.7	20															C081147	295.66	296.18	0.030		295.66m to 295.88m, carbonate in matrix makes the rock crumbly - broken and highly fractured - veins obliterated
											1	1	1.3	1.3	50		6.0	s	3				2.0									C081148	296.18	297.45	0.069		
											1	6	0.5	0.5	45					15.0	2.0							10.0									
																																C081149	296.18	297.45		CHECK ASSAY	
																																C081150				STANDARD	
											1	1	0.4	0.4	30		1.0	s	2	0.1			1.0									C081151	297.45	297.77	0.023		
											1	1	0.8	0.8	30		3.0	s	4	0.1			10.0									C081152	297.77	298.10	0.141		
											2	3	0.3	0.5	30		1.0	s	2				0.1									C081153	298.10	298.97	0.015		
											3	1	0.6	1.2	40		1.5	s	3	0.1	0.1		1.0									C081154	298.97	300.03	0.158		
				Highly altered area - sericitic and clay alteration. Veins oxidized							2	6	1.2	2.0	50					1.0			0.1	10.0			15.0					C081155	300.03	300.72	0.006		
																																C081156				BLANK	
				highly fractured area, carbonate veinlets throughout.							2	3	0.4	0.7	30																	C081157	300.72	301.55	0.016		
											1	1	1.1	1.1	30					1.0			5.0									C081158	301.55	302.67	0.013		carbonate veinlets throughout as well. Matrix has >1% aspy.
											3	6	0.2	0.6	30	170	1.5	s	3	0.1			25.0					50.0				C081159	302.67	304.19	0.003		
											1	2	0.4	0.4	60																100.0					completely altered to clays
											2	3	0.5	0.8	30					0.1			2.0									C081160	304.19	305.71	0.003		blobs of qtz along qtz/carb veins, follow contour of vein, aspy in qtz
											2	6	0.2	0.4						0.1			10.0					10.0				C081161	305.71	306.73	0.003		
																																C081162	305.71	306.73		DUPLICATE	
											1	3	0.7	0.7	40		1.0	s	3	2.0	0.1		2.0					4.0				C081163	306.73	307.70	0.009		vein cross-cuts fracture (145°)
											3	3	0.3	0.8	10		1.5	s	2				0.1									C081164	307.70	308.92	0.003		aspy in selvage
											3	3	0.3	0.8	10																	C081165	308.92	310.29	0.003		
											2	3	0.4	0.7	10	40	0.5	s	2													C081166	310.29	311.72	0.023		
											2	3	0.2	0.4	30					0.1			0.1								100.0					altered to clays
											2	4	0.5	0.7	10																	C081167	311.72	313.10	0.003		
											1	1	0.5	0.5	30																					
											3	3	0.5	1.2	10	170																C081168	313.10	313.89	0.003		pink carbonate veins
																																C081169	313.10	313.89		CHECK ASSAY	

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-310C

DATE: May 29, 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS								% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																Selvages			Sulphides								Oxidation										
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	Ox. State 0-5 (0-5)	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
																															C081170				STANDARD 3C	
											2	6	0.3	0.5	80					1.0			0.1	5.0				50.0				C081171	313.89	314.86	0.003		
											1	6	0.3	0.3	80					1.0			0.1	4.0				50.0				C081172	314.86	315.84	0.015		
											2	3	0.4	0.7	30	10																				pink carbonate veins
											3	3	0.6	1.1	30	80				0.1			0.1					2.0				C081173	315.84	317.13	0.065		
				area etched and altered to clays as well as being bleached							1	6	0.2	0.2	40					0.1			1.0	5.0				3.0				C081174	317.13	318.30	0.029		vein altered to clay
											3	4	0.4	1.3	30					0.1			0.1									C081175	318.30	319.06	0.006		pink carbonate veins
																															C081176				BLANK	
											3	6	0.4	0.7	30	80				1.0			0.1					3.0				C081177	319.06	320.35	0.003		
				carbonate veinlets throughout, no proper veins and low sulfides in matrix																												C081178	320.35	321.20	0.003		
											4	6	0.3	1.0	60	30				1.0			1.0					3.0				C081179	321.20	322.17	0.006		veins largely altered to clays, sericitic in some places
		322.17	362.61	GND. Medium grained with fracture surfaces but lacking foliation. Moderate to very high alteration, with bleached sections and crumbled sections. Sulfide, carbonate and quartz veins present, as well as numerous carbonate veinlets. All area's show high amounts of carbonate veinlets, culminating in enough carbonations material in matrix that rock "crumbles". Trace sulfides disseminated throughout less altered matrix, trace aspy, lesser bis. Pink carbonate throughout, occurring in veins and blebs in matrix.	2	3		3	4		5	4	0.4	2.5	30	60	2.0	s	2														C081180	322.17	323.70	0.003		Carbonate veinlets are pervasive.
											1	6	0.2	0.2	45					5.0			5.0					15.0									
											2	3	0.4	1.0	45																	C081181	323.70	325.22	0.003		
											3	1	1.0	2.1	40					0.1	0.1		3.0					5.0									
																															C081182	323.70	325.22		DUPLICATE	
											2	4	0.7	1.0	80					2.0			0.1					1.0				C081183	325.22	326.75	0.003		
											1	2	0.5	60.0						2.0			1.0	5.0				10.0			90.0	C081184	326.75	327.61	0.003		clay alteration
				Zone is crumbled as small as 2mm pieces from 327.61m, going into fractured and easily breakable at 328.27m. No veins discernable.																												C081185	327.61	328.93	0.003		
				Zone is easily breakable, highly bleached and high carbonate/clay alteration, one small crumbled area and no discernable veins.																												C081186	328.93	329.79	0.003		
											1	4	0.6	0.6	15																	C081187	329.79	330.67	0.003		py present along fracture surfaces (slickenside's) as acicular crystals or "daisy" form in one case
				Highly altered along fracture surface, sericitic alteration.							2	4	0.4	0.7	15								0.1	1.0								C081188	330.67	331.90	0.003		py present along fracture surfaces (slickenside's) as acicular crystals or "daisy" form in one case
																															C081189	330.67	331.90		CHECK ASSAY	
																															C081190				STANDARD 7G	
											1	4	0.3	0.3	15								0.1									C081191	331.90	333.33	0.003		possible qtz vein, too fractured and crumbled to tell. Py and aspy associated with the qtz, trace only
											2	3	0.4	0.7	60	80				1.0			0.1	3.0				1.0				C081192	333.33	334.13	0.003		breccia found in one "vein" at 80°.
											1	6	0.4	0.4	20					1.0			1.0	4.0				5.0				C081193	334.13	334.87	0.345		
				Very broken section with high sericite/clay alteration and very bleached. No discernable veins.																												C081194	334.87	336.19	0.003		
				Rock has higher competency in all but a small area (crumble effect), fractures present but no veins.																												C081195	336.19	337.72	0.020		
																															C081196				BLANK	
				Very broken section with high sericite/clay alteration and very bleached. No discernable veins.																												C081197	337.72	339.24	0.022		
											1	4	0.4	0.4	10																	C081198	339.24	340.77	0.026		
											1	6	0.6	0.6	80																						
											1	4	0.5	0.5	30					0.1			1.0					1.0				C081199	340.77	342.20	0.009		
											2	6	1.2	2.0	20					40.0			1.0					2.0				C081200	342.20	343.36	4.060		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-310C

DATE: May 29, 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages			% of VEIN & DISSEMINATED MATERIAL								Oxidation				Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
											1	6	0.6	0.6	15					1.0			10.0	1.0				10.0			30.0	C081201	343.36	344.50	0.032		
																																C081202	343.36	344.50		DUPLICATE	
											3	6	0.2	0.5	20					1.0	0.1		10.0	1.0				10.0			30.0	C081203	344.50	345.69	0.007		Completely altered sulfides, altered to clays and bismuthinite.
											2	3	0.5	0.9	20																					Carbonate/qtz vein is pale grey-green, pink carbonate blebs also present in the matrix.
											3	3	0.4	0.8	70								1.0									C081204	345.69	346.86	0.003		Carbonate veinlets in matrix (pink), no discernable veins, matrix is very bleached and sericitized.
											1	6	0.3	0.3	25					5.0			1.0	5.0				10.0			30.0						Vein completely altered py and bis.
											1	6	0.2	0.2	30																C081205	346.86	348.39	0.003		Vein completely altered py and bis.
											1	3	0.4	0.4	40																C081206	348.39	349.91	0.003		carbonate and silica altered gouge area?
											1	4	0.4	0.4	5																C081207	349.91	351.06	0.003		
											1	6	0.2	0.2	30					5.0				5.0				10.0			30.0						vein completely oxidized/altered out to clay/bis
											1	4	1.0	1.0	15																C081208	351.06	352.51	0.007		pink calcite, orientation is variable
											2	6	1.2	1.6	30					2.0			5.0	1.0				10.0									vein completely altered/oxidized out to clay/bis
																																C081209	351.06	352.51		CHECK ASSAY	
																																C081210				STANDARD 1A	
				Highly bleached and altered, crumbly and highly fractured. Competency is very low. No veins discernable in section																												C081211	352.51	353.75	0.003		
											1	4	0.4	0.4	20																C081212	353.75	354.65	0.015		carbonate veinlets throughout
				Highly bleached and altered, crumbly and highly fractured. Competency is very low. No veins discernable in section																												C081213	354.65	356.01	0.007		
											1	6	0.3	0.3	35					5.0				5.0				10.0			30.0	C081214	356.01	357.53	0.005		
				Section is highly bleached and altered, grading to more sericitic/chloritic alteration and higher carbonate content (pink carbonate blebs) at 358.7m to sample end.							2	6	0.6	0.8	30					10.0	1.0		1.0	5.0				10.0			30.0	C081215	357.53	359.05	0.079		vein completely altered/oxidized out to clay/bis
																																C081216				BLANK	
				Altered sulfides present in highly altered and etched matrix, but few fresh sulfides.							2	4	0.4	0.7	40																		C081217	359.05	360.59	0.023		
				Nearly 100% clay alteration of section 362.3m to 362.5m.							1	1	1.1	1.1	20																		C081218	360.59	361.12	0.003		
											1	4	0.5	0.5	35					0.1	0.1		5.0														
											1	4	0.4	0.4	50																C081219	361.12	362.61	0.003		
		362.61	374.29	GND. Medium grained with fracture surfaces but lacking foliation. Weak to moderate alteration, moderate to strong bleaching in area's. Sulfide, carbonate and quartz veins present, as well as carbonate veinlets, which are pervasive in some areas.	1	3	1	2	3		1	1	0.6	0.6	30					1.0	0.1		0.1					5.0				C081220	362.61	363.93	0.011		
											2	6	0.2	0.4	85								0.1					50.0									relict sulfide veins, almost completely altered to clays/bis
																																C081221	363.93	365.15	0.009		section has highly bleached area's and contains what appears to be altered sulfide's but arte not part of veins. Py is found in the matrix, trace.
																																C081222	363.93	365.15		DUPLICATE	

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-310C

DATE: May 29, 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages			% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	Ox. State 0-5	Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other		From	To			
											1	1	0.4	0.4	30		0.2	q/s	2												C081223	365.15	366.67	0.035		section has high sericitic alteration throughout, the relict sulfides appear throughout but are not in any measurable linear formation.
											2	1	0.5	0.7	30		0.2	q/s	2		1.0			0.1				2.0				C081224	366.67	368.20	0.012		
											1	2	0.4	0.4	30																					
																																C081225	368.20	369.72	0.006		zone very bleached, only relict sulfides visible
											1	4	0.4	0.4	30																	C081226	369.72	371.25	0.037		carbonate veinlets to 270.20m, after the zone is bleached and altered
											1	1	0.6	0.6	25					0.1	0.1		1.0						2.0			C081227	371.25	372.77	0.053		
																																C081228	372.77	374.29	0.010		none is highly altered with low to moderate bleaching, no veins discernable
																																C081229	372.77	374.29		CHECK ASSAY	
																																C081230				STANDARD 3C	
		374.29	417.71	GND. Medium grained with fracture surfaces but lacking foliation. Weak to moderate alteration, weak to strong bleaching in area's. Sulfide, carbonate and quartz veins present, as well as carbonate veinlets, which are pervasive in some areas. Sulfide veins are common in sections and are substantial throughout unit.							2	6	0.2	0.3	30	80				5.0			5.0	10.0							C081231	374.29	375.44	0.076		
				no veins discernable, section is moderately bleached and altered (sericitic), carbonate veinlets throughout.																												C081232	375.44	376.85	0.024		
				weak to moderate bleaching, pervasive carbonate veins.							1	1	0.6	0.6	30						0.1		0.1									C081233	376.85	378.26	0.093		
				1 slickensides surface, has trace py and bis							2	1	1.0	1.6	30	60				0.1	0.1		0.1					1.0				C081234	378.26	379.11	0.042		
				weak to moderate alteration and weak bleaching in section. No veins discernable. Carbonate veinlets throughout.																												C081235	379.11	379.74	0.053		
																																C081236				BLANK	
				the carbonate veins cross-cut and displace the sulfide vein.							2	6	0.3	0.5	25						0.1		15.0									C081237	379.74	381.04	0.212		
											3	3	0.4	0.9	45						0.1		2.0													
				Section is fractured and broken, not possible to reconstruct a vein from rubble. Sulfides present on fracture surfaces, aspy and py(?), mostly oxidized.																												C081238	381.04	381.80	0.068		
				Section has weak to moderate sericitic alteration and weak bleaching. No veins visible.																												C081239	381.80	382.42	0.020		
				Section shows moderate bleaching and alteration, low angle sulfide veins.							2	6	0.2	0.4	10					10.0	0.1		5.0	10.0				10.0				C081240	382.42	383.44	0.630		
				Section shows moderate bleaching and alteration.							4	1	1.2	3.6	30					0.1			0.1									C081241	383.44	384.80	0.017		
																																C081242	383.44	384.80		DUPLICATE	
				Moderately bleached section, carbonate veins (some pink) throughout.							1	6	0.5	0.5	85					0.1	5.0		0.1					10.0				C081243	384.80	386.25	0.067		
				Moderately bleached and sericitically altered section.							2	6	0.4	0.6	60					4.0	0.1		5.0					10.0				C081244	386.25	387.11	0.092		
				Sulfide veinlets and stringers common in this section, general high angle orientation (75-90).																												C081245	387.11	387.95	0.017		
				Silicified area 288.15m to 288.35m - aspy, po blebs in area, up to 5% each. Sulfide vein altered out to clays almost completely.							1	6	0.3	0.3	70						0.1		10.0					10.0				C081246	387.95	389.20	0.066		
											3	3	0.4	1.0	60																					
				Moderately altered and moderate to high bleaching. No discernable veins in section, carbonate blebs common.																												C081247	389.20	390.03	0.031		
				Moderately bleached and altered section, altered sulphide veins, some along fracture surfaces slickensides.							4	6	0.4	1.3	12	80				2.0	0.1		5.0					10.0				C081248	390.03	390.61	0.260		
																																C081249	390.03	390.61		CHECK ASSAY	
																																C081250				STANDARD 3C	
				Weak alteration and bleaching in section. Carbonate stringers thoughout.							1	1	0.2	0.2	30		2.0	s/q	3	1.0	0.1		1.0					5.0				C081251	390.61	392.04	0.058		
											3	3	0.3	0.8	50																					
											2	6	0.3	0.5	80					2.0			0.1	5.0				10.0				C081252	392.04	392.77	0.018		Sulfides almost completely altered out, some py crystals visible.

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-310C

DATE: May 29, 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages			% of VEIN & DISSEMINATED MATERIAL										Oxidation				Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
				Section shows weak alteration and silicification - qtz vein boundaries are vague. Aspy, po and py are found as blebs in the qtz rich area's.							2	1	0.3	0.5	30		2.0	s/q	3	2.0	0.1		5.0									C081253	392.77	393.90	0.009		
											4	3	0.4	0.4	30	70					0.1		1.0				5.0									
				Section has weak to moderate alteration, sericitic/qtz alteration is evident along fractures but rarely forms veins. Carbonate veinlets and stringers throughout.							2	1	0.6	1.0	60		0.5	S/Q	2	0.1	1.0		2.0						5.0				C081254	393.90	395.05	0.014		
											2	4	0.4	0.7	70																					
				Section has weak to moderate alteration, becoming more bleached towards end, sericitic/qtz alteration is evident along fractures but rarely forms veins. Carbonate veinlets and stringers throughout (pink).							3	6	0.3	0.7	80					1.0			0.1	20.0					10.0				C081255	395.05	396.66	0.011		veins almost completely altered to clays and bis.
											1	4	0.4	0.4	10																					
																																C081256				BLANK	
				Moderate to strong alteration (qtz/ser), few carbonate veinlets/stringers, grading to weak alteration at end of section.							3	1	1.0	2.0	30					2.0			0.1										C081257	396.66	398.02	0.012		
											2	4	0.5	0.9	40	80				0.1			0.1													
				Weak to moderate alteration (qtz/ser), some carbonate veinlets/stringers.							1	1	0.5	0.5	30						1.0		3.0									C081258	398.02	399.50	0.009		
											6	4	0.5	1.7	30	25				0.1			0.1													
				Weakley altered, some carbonate veinlets/stringers in section.							1	1	0.6	0.6	30		0.2	s/q	1	0.1	1.0		1.0									C081259	399.50	400.64	0.003		
											1	4	0.4	0.4	35																					
				Weak to moderate alteration overall, moderate to strong alteration and bleaching along fractures/veinlets (not carbonate). Alteration is qtz/ser and carbonate veinlets are present but not always associated with the alteration.							3	1	0.6	1.5	60	80				0.1	1.0		0.1						5.0				C081260	400.64	401.73	0.006		
											3	4	0.4	1.0	30					0.1																
				Weakly altered except for 401.9m to 402.03m wich is strongly altered and bleached, some altered sulfides in area but too altered to identify.																												C081261	401.73	402.22	0.003		
																																C081262	401.73	402.22		DUPLICATE	
				Weak to moderate alteration overall, moderate to strong alteration and bleaching along fractures/veinlets (not carbonate). Alteration is qtz/ser and carbonate veinlets are present but not always associated with the alteration.							2	1	0.7	1.2	30	80				0.1	1.0		1.0						5.0	1.0			C081263	402.22	402.90	0.003		
											1	4	0.4	0.1	30					0.1											C081264	402.90	403.90	0.006		
				Section weakly to moderately altered, carbonate stringers and veinlets throughout, little alteration is vein or fracture associated.							3	4	0.4	1.0	25																	C081265	403.90	405.28	0.003		
				Strongly altered (sericite) and bleached section, carbonate veins with some veinlets/stringers.							2	4	0.8	1.7	30																	C081266	405.28	406.30	0.003		
				Strongly altered (sericite) and bleached section, carbonate veins with some veinlets/stringers. Sulfides very altered to clay and bis.							2	4	0.5	1.0	30					1.0			2.0						4.0	1.0			C081267	406.30	407.16	0.003		
				Moderately to strongly bleached and altered (ser). Large qtz veins at 407.6m with high aspy content.							3	1	2.2	3.3	30						1.0		5.0	4.0					2.0	5.0			C081268	407.16	407.32	0.012		
																																C081269	407.16	407.32		CHECK ASSAY	
																																C081270				STANDARD 4D	
				Section broken and crumbly throughout, ne veins discernable. Some very altered sulfide stringers visible but orientation is unreadable.																												C081271	407.32	408.80	0.010		
				Section is stronly altered/bleached grading to weak to moderate alteration at end. Stronger bleaching alteration is found in very fractured/broken area. No veins discernable, no sulfides found in section.																												C081272	408.80	409.90	0.012		
				Weak to moderate alteration, fractures have alteration (ser/qtz) but no veins in the high angle orientations. One exposed slickenside surface/sufide vein in same orientation as other sulfide veins.							3	6	0.2	0.6	30						1.0		5.0						5.0				C081273	409.90	411.38	0.020		
				Section is strongly altered and is broken and crumbly, no veins discernable.																												C081274	411.38	412.04	0.007		
				Weak to moderate alteration, carbonate veinlets throughout. Ser alteration with qtz veins.							2	1	1.1	1.5	30		4.0	s/q	4		1.0		0.1									C081275	412.04	412.91	0.010		
											1	1	0.3	0.3	125																					
																																C081276				BLANK	
				Weakly altered section with moderate sericitic alteration along fractures and carbonate veinlet/stringers.							1	4	0.4	0.4	60																	C081277	412.91	414.11	0.003		
											3	1	1.2	2.6	35	30				1.0	1.0		5.0					5.0			C081278	414.11	414.91	0.060		
											1	6	0.4	0.4	30					5.0			5.0	10.0												
											4	3	0.5	1.7	30	80					0.1		0.1					5.0			C081279	414.91	415.85	0.019		
											3	1	1.4	2.6	30					0.1	5.0		5.0					5.0			C081280	415.85	416.97	0.036		
											2	6	0.3	0.5	30					1.0	0.1		3.0	10.0												
											3	1	1.3	2.5	35						5.0		0.1					5.0			C081281	416.97	417.71	0.105		
											1	6	0.5	0.5	30					5.0			3.0	5.0												

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-310C

DATE: May 29, 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages			% of VEIN & DISSEMINATED MATERIAL								Oxidation				Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration (0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
																															C081282	416.97	417.71		DUPLICATE	
		417.71	432.62	GND. Medium grained with fracture surfaces but lacking foliation. Weak to strong alteration, weak to strong bleaching in area's. Sulfide, carbonate and quartz veins present, as well as carbonate veinlets. Sulfide veins are common in sections and are substantial throughout unit. Sulfide's are found disseminated in matrix of weakly altered GND and along many slickenslide surfaces.	1	3	1	1	2		1	1	0.6	0.6	30					2.0			1.0							2.0			C081283	417.71	418.70	1.830		
											2	3	0.4	0.6	35																				
				Moderate to high alteration, py throughout matrix - up to 25% of whole rock.							1	6	0.4	0.4	30					5.0				10.0					2.0			C081284	418.70	419.63	0.478		
											1	1	0.6	0.6	35					5.0			0.1													
				Moderate to high ser/qtz alteration and bleaching throughout section, carbonate veinlets, stringers and blobs throughout, no preffered orientation. Aspy, py throughout, associated with carbonate.																											C081285	419.63	420.77	0.052		
				Moderate to high ser/chl throughout section, py (up to 20%) in matrix.							1	6	1.8	1.8	30					60.0	1.0		1.0								C081286	420.77	421.35	0.280		
				Moderate to high ser/chl throughout section, py (up to 20%) in matrix. At 422m, large py vein with MOLY (10% of vein).							2	6	3.0	3.2	30					60.0	0.1						10.0				C081287	421.35	422.50	0.416		molybdenum
																															C081288	422.50	423.19	0.046		
																															C081289	422.50	423.19		CHECK ASSAY	
																															C081290				STANDARD 5E	
				Wealy altered (qtz), with weak to moderate sericitic alteration around the carbonate vein and associated blob.							1	4	0.5	0.5	30																C081291	423.19	424.18	0.003		
											2	1	0.7	1.4	150					0.1							5.0								
				Weak to moderate sericitic alteration, single massive sulfide vein containing aspy with trace po.							1	6	0.8	0.8	20						2.0		80.0					1.0			C081292	424.18	424.65	0.938		
				Moderate to strong qtz/ser alteration switching to weak alteration toward end. Alteration associated with fractures but no veins are formed.																											C081293	424.65	425.78	0.007		
				Moderate to strong qtz/ser alteration switching to weak alteration toward end. Alteration associated with fractures but no veins are formed. A few carbonate veinlets/stringers are present, do not show preffered orientation.																											C081294	425.78	427.30	0.011		
				Weak ser/qtz alteration, carbonate vein present, very low sulfide content.							1	4	0.7	0.7	45					0.1			0.1								C081295	427.30	428.30	0.009		
																															C081296				BLANK	
				Wealy altered (qtz), with weak to moderate sericitic alteration around the fractures.							1	4	0.4	0.4	10																C081297	428.30	429.16	0.006		
																															C081298	429.16	430.40	0.043		
				Weak to moderate alteration (qtz/cb) throughout with ser alteration around fractures. Some carbonate veinlets/stringers throughout. Carbonate vein formation on fracture surfaces, aspy and scordite, po present in trace amounts.							2	4	0.5	0.5	60	30	1.0	q/cb	3										5.0			C081299	430.40	431.87	0.306		
											2	1	0.6	1.0	15	10	1.0	q/cb	2		0.1		0.1				5.0								
											2	4	0.4	0.7	15	60					1.0		1.0				1.0	3.0			C081300	431.87	432.62	0.228		
		432.62	448.84	GND. Medium grained with fracture surfaces but lacking foliation. Weak to moderate alteration, weak bleaching in area's. Sulfide, carbonate and quartz veins present, as well as sulfide and carbonate veinlets. Sulfide's are found disseminated in matrix of weakly altered GND and along many slickenslide surfaces.	1	3		1	2		2	4	0.5	1.0	30	130	1.2	q/s	3				0.1								C081301	432.62	433.22	0.007		Weak to moderate ser/qtz alteration, carbonate veinlets and stringers near carbonate vein (pink).
																															C081302	432.62	433.22		DUPLICATE	
											1	6	0.4	0.4	30																C081303	433.22	434.60	0.114		
				Moderate sericitization, carbonate veinlets/stringers and blebs throughout. Qtz blobs with po near carbonate veins but not a vein themselves. Sulfide vein cross-cuts and truncates qtz vein (120 intersection angle).							1	1	1.1	1.1	30		1.0	q	1		15.0							1.0	1.0			C081304	434.60	435.60	0.013		
											3	4	0.6	1.1	25	80	1.0	q	2							3.0									
				Moderate sericite alteration and bleaching. Cb/qtz veinlets/stringers throughout. Some vugs appear along vein.							1	1	0.6	0.6	2		0.8	chl	2				1.0					1.0			C081305	435.60	436.70	0.074		along slickensides fracture area
											1	6	0.4	0.4	45						1.0		1.0												
				Moderate sericite alteration and strong bleaching. Cb/qtz veinlets/stringers throughout.							1	4	2.0	2.0	30						2.0		1.0								C081306	436.70	437.83	0.220		
				Weak or no alteration aside from veins and selvages. No alteration along breaks, carbonate and qtz veins. Xenolith at 437.52m.							1	4	0.5	0.5	20						0.1										C081307	437.83	439.50	0.031		
											3	1	0.6	1.4	30		1.0	chl	2		3.0		0.1												
				Weak qtz alteration, becomes broken with qtz/cb veins/veinlets which crosscut qtz vein (85 intersection angle)							1	1	0.5	0.5	30						1.0		0.1						1.0		C081308	439.50	440.80	0.012		
											3	4	0.6	1.2	125											1.0									

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-310C

DATE: May 29, 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages			Sulphides								Oxidation									
																	Max (cm)	Alteration	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
																																	C081309	439.50	440.80		CHECK ASSAY	
																																	C081310				STANDARD 6F	
				Weak ser alteration,							1	1	0.7	0.7	25						1.0		0.1						3.0			C081311	440.80	441.75	0.258		
											3	3	0.4	1.1	30	70				0.1																
											2	1	3.0	3.4	30		1.0	q/s	2		0.1		3.0					1.0	2.0			C081312	441.75	442.90	1.275		
											2	4	0.4	0.7	30																				
				Section has moderate to high sericitic/chl alteration. Massive sulfide veins make up 10% of volume.							3	6	7.0	11.0	30		0.4	s/q	2		60.0		10.0					5.0				C081313	442.90	443.77	0.218		
											1	1	0.8	0.8	30						2.0		5.0					1.0	3.0								
				High sericitic/qtz alteration, at 443.3m alteration to clay for 7cm, bound on bottom by a missive sulfide vein.							1	6	2.0	2.0	30						15.0		5.0									C081314	443.77	444.98	0.042		
											1	3	0.6	0.6	30																				
				Weak to no alteration of matrix, quartz veins cross each other on varying angles.							3	1	0.5	1.3	30	60					1.0		3.0						2.0			C081315	444.98	446.16	0.305		
											2	3	0.3	0.6	30													5.0								
																																	C081316				BLANK	
											3	1	0.7	1.7	30						5.0		1.0						1.0			C081317	446.16	447.45	0.310		
											3	1	2.0	3.2	30	120					5.0		1.0									C081318	447.45	448.10	0.005		
											2	3	0.4	0.8	30																				
											2	3	0.5	0.7	25																	C081319	448.10	448.84	0.019		
		448.84	455.60	GND. Medium grained with fracture surfaces but lacking foliation. Highly bleached and altered throughout section. Sulfide, carbonate and quartz veins present, as well as sulfide and carbonate veinlets. Sulfide's are found disseminated in matrix of weakly altered GND and along many slickenslide surfaces.	1	4	1	1			1	6	0.4	0.4	30								5.0	10.0					1.0			C081320	448.84	449.37	0.292		
				Moderate ser/qtz alteration, veinlets and stringers throughout section, no discernable veins.																												C081321	449.37	450.44	0.129		
																																C081322				DUPLICATE	
											3	3	1.2	1.9	60	30							1.0								C081323	450.44	451.39	0.024		
											2	1	2.0	2.4	30	10						0.1	2.0								C081324	451.39	452.39	0.024		
											1	3	0.7	0.7	10							0.1	0.1												
											2	1	1.1	1.6	25					0.1			3.0					1.0			C081325	452.39	452.90	0.050		
				Section highly sericitized/chl and bleached.							3	1	0.5	1.3	30	50				0.1			0.1					1.0			C081326	452.90	454.00	0.033		
				Vugs in qtz vein, section highly sericitized/chl and bleached. Towards end of section, rock becomes broken and loses competency.							1	1	1.1	1.1	40								2.0					5.0			C081327	454.00	455.00	0.096		
											2	1	1.1	1.5	30	20					3.0		1.0						2.0		C081328	455.00	455.60	0.040		
											1	2	3.0	3.0	20		1.0	s/q	2		1.0									100.0					clay alteration
																																C081329	455.00	455.60		CHECK ASSAY	
																																C081330				STANDARD 7G	
		455.60	499.26	GND. Medium grained with fracture surfaces but lacking foliation. o to moderate bleaching and sericite/qtz alteration throughout section. Sulfide, carbonate and quartz veins present, as well as sulfide and carbonate veinlets. Sulfide's are found disseminated in matrix of weakly altered GND and along many slickenslide surfaces. First section shows weak alteration, some fractures. Carbonate veins only weakly reactive.							1	1	0.5	0.5	0						1.0		0.1						3.0			C081331	455.60	456.43	0.160		
				Weak sericitic alteration along fractures. Carbonate veins only weakly reactive.							4	1	0.8	2.0	30	50					2.0		0.1									C081332	456.43	458.06	0.028		
				Weak to moderate sericitic alteration mostly along fractures, some form carbonate veinlets. Carbonate veins only weakly reactive.							3	1	0.7	1.7	50	30					2.0		0.1						3.0			C081333	458.06	459.20	0.020		
											1	3	0.6	0.6	45																				
				Moderate sericitic alteration throughout, carbonate veinlets/stringers pervasive and show no preffered orientation.							1	1	1.1	1.1	20						1.0		0.1					1.0	2.0			C081334	459.20	460.37	0.160		
											2	3	0.6	1.0	35																				
				Weak to moderate sericitic alteration throughout, carbonate veinlets/stringers present and show no preffered orientation.							1	3	0.4	0.4	10		0.3	S/Q	2				1.0								C081335	460.37	461.41	0.022		aspy in selvage
																																C081336				BLANK	
				Weak to moderate sericitic alteration throughout, carbonate veinlets/stringers pervasive and show no preffered orientation. Py/po on fracture/slickensides surfaces.							2	1	0.8	1.5	15		1.0	s/q	2	0.1	1.0		1.0					1.0	2.0			C081337	461.41	462.41	0.009		
				Weak sericitic alteration throughout, carbonate veinlets/stringers present and show no preffered orientation. Py/po on fracture/slickensides surfaces.							2	1	1.1	1.9	20						1.0		0.1						10.0			C081338	462.41	463.36	0.134		
				Weak sericitic alteration along fractures, carbonate veinlets/stringers present and show no preffered orientation.							1	1	0.8	0.8	20																	C081339	463.36	464.20	0.011		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-310C

DATE: May 29, 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS								% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																Selvages			Sulphides								Oxidation										
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
											4	3	0.8	1.6	150	10	0.3	s/q	1																	
				Weak sericitic alteration along fractures, carbonate veinlets/stringers present and show no preffered orientation. Qtz vein has offshoots of qtz blobs that also have the po/aspy.							1	1	3.0	3.0	5						2.0		0.1						1.0			C081340	464.20	465.30	0.030		
											2	4	0.4	0.7	40																					
				Weak to moderate sericitic alteration throughout, carbonate veinlets/stringers present and show no preffered orientation.							2	1	0.4	0.7	20		0.3	s/q	2			0.1						3.0	1.0			C081341	465.30	466.40	0.337		
																															C081342				DUPLICATE	
				Moderate to strong sericitic alteration throughout, carbonate veinlets/stringers/blobs (pink) pervasive and show no preffered orientation.							1	6	1.0	1.0	35					20.0								30.0			C081343	466.40	467.66	0.434		
				Moderate to strong sericitic alteration throughout, carbonate veinlets/stringers present and show no preffered orientation.							1	6	0.4	0.4	20					20.0	0.1		0.1					20.0			C081344	467.66	468.92	0.256		
											1	1	0.5	0.5	30		0.2	s/q	1		1.0		0.1													
				Moderate to strong sericitic alteration throughout, carbonate veinlets/stringers/blobs present and show no preffered orientation. One brecciated and etched zone at 469.63m to 469.69m.							2	6	0.3	0.5	80						0.1			10.0				50.0			C081345	468.92	469.16	0.022		
				Weak sericitic alteration, carbonate veinlets/stringers are pervasive and show no preffered orientation. Some fracturing.							2	1	1.0	1.6	25						1.0		0.1						1.0			C081346	469.16	471.10	0.080		
				Weak sericitic alteration, carbonate veinlets/stringers are pervasive and show no preffered orientation. Section moderately fractured.							1	3	0.3	0.3	15																	C081347	471.10	472.14	0.015		
				Weak sericitic alteration, carbonate veinlets/stringers are pervasive and show no preffered orientation. Section moderately fractured. Qtz vein truncated by carbonate stringers.							1	1	1.0	1.0	25						2.0		0.1									C081348	472.14	473.43	0.191		
																															C081349	472.14	473.43		CHECK ASSAY	
																															C081350				STANDARD 3C	
				Weak to moderate sericitic alteration throughout, carbonate veinlets/stringers present and show no preffered orientation, some moderate sericitic alteration at fracture surfaces.							3	1	1.2	1.7	20						2.0											C081351	473.43	474.43	0.158		
				Weak to moderate sericitic alteration throughout, carbonate veinlets/stringers present and show no preffered orientation.							1	3	0.3	0.3	35																	C081352	474.43	475.46	0.009		
				Weak sericitic alteration throughout, carbonate veinlets/stringers present and show no preffered orientation.							1	3	0.3	0.3	30								0.1									C081353	475.46	476.14	0.182		
				Weak sericitic alteration throughout, carbonate veinlets/stringers present and show no preffered orientation.							1	1	1.0	1.0	20						3.0		1.0						2.0			C081354	476.14	476.75	0.005		
				Weak sericitic alteration throughout, carbonate veinlets/stringers present and show no preffered orientation.							2	1	0.8	1.4	20						2.0		0.1						1.0			C081355	476.75	477.57	0.006		
																															C081356				BLANK	
				Weak sericitic alteration throughout, few carbonate veinlets/stringers present and show no preffered orientation.							1	4	0.5	0.5	30					1.0			2.0									C081357	477.57	478.14	0.009		
				Weak sericitic alteration throughout, few carbonate veinlets/stringers present and show no preffered orientation.							2	1	1.3	2.3	25						4.0		1.0						2.0			C081358	478.14	478.90	0.046		
				Moderate to strong sericitic alteration, bleaching and etching throughout section. Carbonate veinlets/stringers are small and pervasive, carbonate also appears in blobs.							4	6	0.4	1.1	80					2.0				30.0				90.0				C081359	478.90	480.10	0.077		
				Moderate to strong sericitic alteration and bleaching throughout section. Carbonate veinlets/stringers are small and pervasive, carbonate also appears in blobs.							2	6	1.2	1.5	70	80				0.1	2.0			10.0				60.0				C081360	480.10	480.97	0.012		
				Moderate to strong sericitic alteration and bleaching throughout section. Carbonate veinlets/stringers are small and pervasive, carbonate also appears in blobs associated with veins and contains sulfide.							2	4	0.6	1.0	20						2.0		1.0						10.0			C081361	480.97	481.85	0.011		
																															C081362	480.97	481.85		DUPLICATE	
				Moderate to strong sericitic alteration and strong bleachingthroughout section. Carbonate veinlets/stringers are small and pervasive, carbonate also appears in blobs.							2	6	0.4	0.7	75								5.0	10.0				30.0				C081363	481.85	483.25	0.016		
				Weak sericitic alteration throughout, few carbonate veinlets/stringers present and show no preffered orientation.							3	4	0.4	1.0	30																	C081364	483.25	484.30	0.012		
				Weak to moderate sericitic alteration throughout, carbonate veinlets/stringers present and show no preffered orientation.							1	1	1.0	1.0	20						0.1		0.1									C081365	484.30	485.33	0.035		
											1	4	0.4	0.4	25					0.1													0.003		
				Weak to no sericitic alteration throughout, carbonate veinlets/stringers present and show no preffered orientation.							1	4	0.4	0.4	30																	C081366	485.33	485.98	0.043		
				Weak to no sericitic alteration throughout, carbonate veinlets/stringers present and show no preffered orientation.							1	1	0.5	0.5	30						0.1		0.1									C081367	485.98	487.35	0.191		
				Weak to no sericitic alteration throughout, carbonate veinlets/stringers present and show no preffered orientation. Very fractured, some sand present.							1	1	0.4	0.4	30						1.0		0.1									C081368	487.35	488.53			
																															C081369	487.35	488.53		CHECK ASSAY	
																															C081370				STANDARD 4D	
				Weak to no sericitic alteration throughout, carbonate veinlets/stringers present and show no preffered orientation. Sand in fractures.																												C081371	488.53	489.35	0.008		
				Weak to no sericitic alteration throughout, carbonate veinlets/stringers present and show no preffered orientation. Sand in fractures.																												C081372	489.35	490.30	0.072		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-310C

DATE: May 29, 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages			% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																				Sulphides								Oxidation										
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
				Weak to no sericitic alteration throughout, carbonate veinlets/stringers present and show no preffered orientation. Sand in fractures.							2	4	0.5	0.7	20																		C081373	490.30	491.07	0.003		
				Weak to moderate sericitic alteration throughout, carbonate veinlets/stringers present and show no preffered orientation. Rock loses competancy in small area. Sand in fractures.							2	4	0.6	1.0	20					1.0			0.1					5.0				C081374	491.07	492.26	0.084		
				Weak to no sericitic alteration throughout, carbonate veinlets/stringers present and show no preffered orientation. Sand in fractures.							2	4	0.4	0.7	25					0.1			0.1					10.0				C081375	492.26	493.17	0.003		
																															C081376				BLANK	
				Weak to no sericitic alteration throughout, carbonate veinlets/stringers present and show no preffered orientation. Rock is fractured and shows some etching. Sand in fractures.							2	4	0.3	0.6	20					0.1			0.1					5.0				C081377	493.17	494.19	0.016		
				Weak to no sericitic alteration throughout, carbonate veinlets/stringers present and show no preffered orientation. Sand in fractures.																												C081378	494.19	495.36	0.052		
				Weak to no sericitic alteration throughout, carbonate veinlets/stringers present and show no preffered orientation. Rock is fractured and shows some etching and light bleaching. Sand in fractures.							1	1	0.6	0.6	25						2.0		1.0						1.0			C081379	495.36	496.21	0.055		
				Weak to no sericitic alteration throughout, carbonate veinlets/stringers present and show no preffered orientation. Very fractured, some sand present.							1	4	0.4	0.4	20					1.0								5.0				C081380	496.21	496.95	0.003		
				Weak sericitic alteration throughout with moderate bleaching and etching, carbonate veinlets/stringers present and show no preffered orientation. Very fractured, some sand present.							1	6	0.5	0.5	80					1.0				10.0				80.0				C081381	496.95	497.75	0.013		
																															C081382	496.95	497.75		DUPLICATE	
				Weak sericitic alteration throughout with moderate bleaching and etching, carbonate veinlets/stringers present and show no preffered orientation. Occaisional qtz blobs.																												C081383	497.75	498.66	0.059		
				Weak sericitic alteration throughout with moderate bleaching and etching, carbonate veinlets/stringers present and show no preffered orientation. Occaisional qtz blobs.																												C081384	498.66	499.26	0.006		
																																	EOH			

From-To Sheet DG06-311C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
Sample	from (m)	to (m)	width (m)		
B366001	8.23	9.75	1.52		
B366002	8.23	9.75	1.52	DUPLICATE	
B366003	9.75	10.75	1.00		
B366004	10.75	11.28	0.53		
B366005	11.28	12.80	1.52		
B366006	12.80	14.02	1.22		
B366007	14.02	15.25	1.23		
B366008	15.25	15.90	0.65		
B366009	15.25	15.90	0.65	CHECK ASSAY	
B366010			0.00	STANDARD 3C	0.091
B366011	15.90	17.37	1.47		
B366012	17.37	18.40	1.03		
B366013	18.40	19.42	1.02		
B366014	19.42	20.73	1.31		
B366015	20.73	22.25	1.52		
B366016			0.00	BLANK	
B366017	22.25	23.77	1.52		
B366018	23.77	25.30	1.53		
B366019	25.30	26.15	0.85		
B366020	26.15	27.10	0.95		
B366021	27.10	27.55	0.45		
B366022	27.10	27.55	0.45	DUPLICATE	
B366023	27.55	29.05	1.50		
B366024	29.05	30.50	1.45		
B366025	30.50	31.90	1.40		
B366026	31.90	33.13	1.23		
B366027	33.13	34.10	0.97		
B366028	34.10	35.60	1.50		
B366029	34.10	35.60	1.50	CHECK ASSAY	
B366030			0.00	STANDARD 2B	3.02
B366031	35.60	37.18	1.58		
B366032	37.18	37.50	0.32		
B366033	37.50	39.00	1.50		
B366034	39.00	40.40	1.40		
B366035	40.40	42.06	1.66		
B366036			0.00	BLANK	
B366037	42.06	43.56	1.50		
B366038	43.56	44.00	0.44		
B366039	44.00	45.11	1.11		
B366040	45.11	46.15	1.04		
B366041	46.15	46.63	0.48		
B366042	46.15	46.63	0.48	DUPLICATE	
B366043	46.63	46.98	0.35		
B366044	46.98	47.44	0.46		
B366045	47.44	47.84	0.40		
B366046	47.84	48.16	0.32		
B366047	48.16	49.68	1.52		
B366048	49.68	51.21	1.53		
B366049	49.68	51.21	1.53	CHECK ASSAY	
B366050			0.00	STANDARD 4D	0.00043
B366051	51.21	52.73	1.52		
B366052	52.73	53.57	0.84		
B366053	53.57	54.25	0.68		

From-To Sheet DG06-311C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
B366054	54.25	55.78	1.53		
B366055	55.78	57.15	1.37		
B366056			0.00	BLANK	
B366057	57.15	58.35	1.20		
B366058	58.35	59.50	1.15		
B366059	59.50	60.87	1.37		
B366060	60.87	62.00	1.13		
B366061	62.00	62.90	0.90		
B366062	62.00	62.90	0.90	DUPLICATE	
B366063	62.90	64.01	1.11		
B366064	64.01	65.03	1.02		
B366065	65.03	65.72	0.69		
B366066	65.72	66.23	0.51		
B366067	66.23	67.33	1.10		
B366068	67.33	67.86	0.53		
B366069	67.33	67.86	0.53	CHECK ASSAY	
B366070			0.00	STANDARD 5E	0.00143
B366071	67.86	69.49	1.63		
B366072	69.49	70.80	1.31		
B366073	70.80	72.10	1.30		
B366074	72.10	72.54	0.44		
B366075	72.54	72.91	0.37		
B366076			0.00	BLANK	
B366077	72.91	74.07	1.16		
B366078	74.07	74.71	0.64		
B366079	74.71	75.70	0.99		
B366080	75.70	76.78	1.08		
B366081	76.78	77.32	0.54		
B366082	76.78	77.32	0.54	DUPLICATE	
B366083	77.32	78.06	0.74		
B366084	78.06	79.24	1.18		
B366085	79.24	80.16	0.92		
B366086	80.16	80.68	0.52		
B366087	80.68	81.69	1.01		
B366088	81.69	82.10	0.41		
B366089	81.69	82.10	0.41	CHECK ASSAY	
B366090			0.00	STANDARD 1A	0.88
B366091	82.10	83.80	1.70		
B366092	83.80	84.04	0.24		
B366093	84.04	84.89	0.85		
B366094	84.89	85.95	1.06		
B366095	85.95	86.20	0.25		
B366096			0.00	BLANK	
B366097	86.20	87.78	1.58		
B366098	87.78	88.36	0.58		
B366099	88.36	89.50	1.14		
B366100	89.50	90.83	1.33		
B366101	90.83	92.35	1.52		
B366102	90.83	92.35	1.52	DUPLICATE	
B366103	92.35	93.31	0.96		
B366104	93.31	93.38	0.07		
B366105	93.38	94.22	0.84		
B366106	94.22	95.40	1.18		
B366107	95.40	96.93	1.53		

From-To Sheet DG06-311C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
B366108	96.93	98.45	1.52		
B366109	96.93	98.45	1.52	CHECK ASSAY	
B366110			0.00	STANDARD 6F	2.77
B366111	98.45	99.56	1.11		
B366112	99.56	99.97	0.41		
B366113	99.97	100.90	0.93		
B366114	100.90	102.02	1.12		
B366115	102.02	103.40	1.38		
B366116			0.00	BLANK	
B366117	103.40	104.55	1.15		
B366118	104.55	106.07	1.52		
B366119	106.07	106.90	0.83		
B366120	106.90	107.90	1.00		
B366121	107.90	109.20	1.30		
B366122	107.90	109.20	1.30	DUPLICATE	
B366123	109.20	110.45	1.25		
B366124	110.45	111.05	0.60		
B366125	111.05	111.90	0.85		
B366126	111.90	113.15	1.25		
B366127	113.15	113.80	0.65		
B366128	113.80	115.21	1.41		
B366129	113.80	115.21	1.41	CHECK ASSAY	
B366130			0.00	STANDARD 4D	0.43
B366131	115.21	116.10	0.89		
B366132	116.10	117.50	1.40		
B366133	117.50	118.44	0.94		
B366134	118.44	119.25	0.81		
B366135	119.25	119.79	0.54		
B366136			0.00	BLANK	
B366137	119.79	120.33	0.54		
B366138	120.33	121.01	0.68		
B366139	121.01	122.22	1.21		
B366140	122.22	123.75	1.53		
B366141	123.75	125.27	1.52		
B366142	123.75	125.27	1.52	DUPLICATE	
B366143	125.27	126.49	1.22		
B366144	126.49	128.02	1.53		
B366145	128.02	128.55	0.53		
B366146	128.55	129.54	0.99		
B366147	129.54	131.06	1.52		
B366148	131.06	131.98	0.92		
B366149	131.06	131.98	0.92	CHECK ASSAY	
B366150			0.00	STANDARD 6F	2.77
B366151	131.98	132.89	0.91		
B366152	132.89	134.42	1.53		
B366153	134.42	135.03	0.61		
B366154	135.03	136.15	1.12		
B366155	136.15	136.55	0.40		
B366156	136.55	138.07	1.52		
B366157			0.00	BLANK	
B366158	138.07	139.60	1.53		
B366159	139.60	141.12	1.52		
B366160	141.12	142.66	1.54		
B366161	142.66	143.70	1.04		

From-To Sheet DG06-311C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
B366162	142.66	143.70	1.04	DUPLICATE	
B366163	143.70	145.07	1.37		
B366164	145.07	146.38	1.31		
B366165	146.38	147.55	1.17		
B366166	147.55	148.11	0.56		
B366167	148.11	148.87	0.76		
B366168	148.87	150.09	1.22		
B366169	148.87	150.09	1.22	CHECK ASSAY	
B366170			0.00	STANDARD 4D	0.43
B366171	150.09	150.64	0.55		
B366172	150.64	151.45	0.81		
B366173	151.45	152.35	0.90		
B366174	152.35	153.77	1.42		
B366175	153.77	154.13	0.36		
B366176			0.00	BLANK	
B366177	154.13	155.06	0.93		
B366178	155.06	156.57	1.51		
B366179	156.57	157.89	1.32		
B366180	157.89	159.41	1.52		
B366181	159.41	160.84	1.43		
B366182	159.41	160.84	1.43	DUPLICATE	
B366183	160.84	162.12	1.28		
B366184	162.12	163.30	1.18		
B366185	163.30	164.53	1.23		
B366186	164.53	166.00	1.47		
B366187	166.00	167.32	1.32		
B366188	167.32	167.94	0.62		
B366189	167.32	167.94	0.62	CHECK ASSAY	
B366190			0.00	STANDARD 2B	3.02
B366191	167.94	168.55	0.61		
B366192	168.55	169.84	1.29		
B366193	169.84	171.25	1.41		
B366194	171.25	172.71	1.46		
B366195	172.71	173.13	0.42		
B366196			0.00	BLANK	
B366197	173.13	174.65	1.52		
B366198	174.65	175.21	0.56		
B366199	175.21	175.95	0.74		
B366200	175.95	176.98	1.03		
C081001	176.98	177.70	0.72		
C081002	176.98	177.70	0.72	DUPLICATE	
C081003	177.70	179.22	1.52		
C081004	179.22	180.16	0.94		
C081005	180.16	181.16	1.00		
C081006	181.16	181.66	0.50		
C081007	181.66	182.27	0.61		
C081008	182.27	183.02	0.75		
C081009	182.27	183.02	0.75	CHECK ASSAY	
C081010			0.00	STANDARD 2B	3.02
C081011	183.02	183.79	0.77		
C081012	183.79	184.54	0.75		
C081013	184.54	185.32	0.78		
C081014	185.32	186.07	0.75		
C081015	186.07	186.84	0.77		

From-To Sheet DG06-311C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C081016			0.00	BLANK	
C081017	186.84	187.58	0.74		
C081018	187.58	188.37	0.79		
C081019	188.37	189.89	1.52		
C081020	189.89	191.41	1.52		
C081021	191.41	192.80	1.39		
C081022	191.41	192.80	1.39	DUPLICATE	
C081023	192.80	193.73	0.93		
C081024	193.73	194.46	0.73		
C081025	194.46	195.99	1.53		
C081026	195.99	197.56	1.57		
C081027	197.56	198.40	0.84		
C081028	198.40	199.03	0.63		
C081029	198.40	199.03	0.63	CHECK ASSAY	
C081030			0.00	STANDARD 7G	4.46
C081031	199.03	199.87	0.84		
C081032	199.87	200.56	0.69		
C081033	200.56	201.11	0.55		
C081034	201.11	202.08	0.97		
C081035	202.08	203.10	1.02		
C081036			0.00	BLANK	
C081037	203.10	204.20	1.10		
C081038	204.20	204.74	0.54		
C081039	204.74	205.76	1.02		
C081040	205.76	206.65	0.89		
C081041	206.65	207.26	0.61		
C081042	206.65	207.26	0.61	DUPLICATE	
C081043	207.26	208.18	0.92		
C081044	208.18	208.95	0.77		
C081045	208.95	209.70	0.75		
C081046	209.70	211.23	1.53		
C081047	211.23	212.75	1.52		
C081048	212.75	214.27	1.52		
C081049	212.75	214.27	1.52	CHECK ASSAY	
C081050			0.00	STANDARD 3C	0.091
C081051	214.27	215.80	1.53		
C081052	215.80	217.10	1.30		
C081053	217.10	218.24	1.14		
C081054	218.24	219.70	1.46		
C081055	219.70	220.56	0.86		
C081056			0.00	BLANK	
C081057	220.56	221.89	1.33		
C081058	221.89	222.70	0.81		
C081059	222.70	223.61	0.91		
C081060	223.61	224.94	1.33		
C081061	224.94	225.92	0.98		
C081062	224.94	225.92	0.98	DUPLICATE	
C081063	225.92	226.89	0.97		
C081064	226.89	227.81	0.92		
C081065	227.81	229.21	1.40		
C081066	229.21	230.00	0.79		
C081067	230.00	231.47	1.47		
C081068	231.47	232.88	1.41		
C081069	231.47	232.88	1.41	CHECK ASSAY	

From-To Sheet DG06-311C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C081070			0.00	STANDARD 6F	2.77
C081071	232.88	234.20	1.32		
C081072	234.20	235.41	1.21		
C081073	235.41	236.83	1.42		
C081074	236.83	238.20	1.37		
C081075	238.20	239.30	1.10		
C081076			0.00	BLANK	
C081077	239.30	240.66	1.36		
C081078	240.66	241.84	1.18		
C081079	241.84	243.08	1.24		
C081080	243.08	244.45	1.37		
C081081	244.45	244.98	0.53		
C081082	244.45	244.98	0.53	DUPLICATE	
C081083	244.98	246.48	1.50		
C081084	246.48	247.31	0.83		
C081085	247.31	248.40	1.09		
C081086	248.40	249.90	1.50		
C081087	249.90	251.33	1.43		
C081088	251.33	252.07	0.74		
C081089	251.33	252.07	0.74	CHECK ASSAY	
C081090			0.00	STANDARD 3C	0.091
C081091	252.07	252.40	0.33		
C081092	252.40	253.04	0.64		
C081093	253.04	253.59	0.55		
C081094	253.59	254.24	0.65		
C081095	254.24	255.00	0.76		
C081096			0.00	BLANK	
C081097	255.00	255.57	0.57		
C081098	255.57	256.64	1.07		
C081099	256.64	257.37	0.73		
C081100	257.37	257.80	0.43		
C081101	257.80	258.35	0.55		
C081102	257.80	258.35	0.55	DUPLICATE	
C081103	258.35	259.13	0.78		
C081104	259.13	260.17	1.04		
C081105	260.17	260.85	0.68		
C081106	260.85	261.60	0.75		
C081107	261.60	262.87	1.27		
C081108	262.87	263.75	0.88		
C081109	262.87	263.75	0.88	CHECK ASSAY	
C081110			0.00	STANDARD 5E	1.43
C081111	263.75	263.93	0.18		
C081112	263.93	264.75	0.82		
C081113	264.75	265.75	1.00		
C081114	265.75	266.09	0.34		
C081115	266.09	266.49	0.40		
C081116			0.00	BLANK	
C081117	266.49	267.41	0.92		
C081118	267.41	269.14	1.73		
C081119	269.14	270.34	1.20		
C081120	270.34	270.55	0.21		
C081121	270.55	271.55	1.00		
C081122	270.55	271.55	1.00	DUPLICATE	
C081123	271.55	272.66	1.11		

From-To Sheet DG06-311C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C081124	272.66	273.40	0.74		
C081125	273.40	273.85	0.45		
C081126	273.85	275.23	1.38		
C081127	275.23	276.66	1.43		
C081128	276.66	278.28	1.62		
C081129	276.66	278.28	1.62	CHECK ASSAY	
C081130			0.00	STANDARD 5E	1.43
C081131	278.28	279.81	1.53		
C081132	279.81	281.33	1.52		
C081133	281.33	282.45	1.12		
C081134	282.45	282.85	0.40		
C081135	282.85	284.38	1.53		
C081136			0.00	BLANK	
C081137	284.38	285.79	1.41		
C081138	285.79	287.23	1.44		
C081139	287.23	288.43	1.20		
C081140	288.43	289.95	1.52		
C081141	289.95	291.29	1.34		
C081142	289.95	291.29	1.34	DUPLICATE	
C081143	291.29	292.00	0.71		
C081144	292.00	293.30	1.30		
C081145	293.30	294.13	0.83		
C081146	294.13	295.66	1.53		
C081147	295.66	296.18	0.52		
C081148	296.18	297.45	1.27		
C081149	296.18	297.45	1.27	CHECK ASSAY	
C081150			0.00	STANDARD 6F	2.77
C081151	297.45	297.77	0.32		
C081152	297.77	298.10	0.33		
C081153	298.10	298.97	0.87		
C081154	298.97	300.03	1.06		
C081155	300.03	300.72	0.69		
C081156			0.00	BLANK	
C081157	300.72	301.55	0.83		
C081158	301.55	302.67	1.12		
C081159	302.67	304.19	1.52		
C081160	304.19	305.71	1.52		
C081161	305.71	306.73	1.02		
C081162	305.71	306.73	1.02	DUPLICATE	
C081163	306.73	307.70	0.97		
C081164	307.70	308.92	1.22		
C081165	308.92	310.29	1.37		
C081166	310.29	311.72	1.43		
C081167	311.72	313.10	1.38		
C081168	313.10	313.89	0.79		
C081169	313.10	313.89	0.79	CHECK ASSAY	
C081170			0.00	STANDARD 3C	0.091
C081171	313.89	314.86	0.97		
C081172	314.86	315.84	0.98		
C081173	315.84	317.13	1.29		
C081174	317.13	318.30	1.17		
C081175	318.30	319.06	0.76		
C081176			0.00	BLANK	
C081177	319.06	320.35	1.29		

From-To Sheet DG06-311C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C081178	320.35	321.20	0.85		
C081179	321.20	322.17	0.97		
C081180	322.17	323.70	1.53		
C081181	323.70	325.22	1.52		
C081182	323.70	325.22	1.52	DUPLICATE	
C081183	325.22	326.75	1.53		
C081184	326.75	327.61	0.86		
C081185	327.61	328.93	1.32		
C081186	328.93	329.79	0.86		
C081187	329.79	330.67	0.88		
C081188	330.67	331.90	1.23		
C081189	330.67	331.90	1.23	CHECK ASSAY	
C081190			0.00	STANDARD 7G	4.46
C081191	331.90	333.33	1.43		
C081192	333.33	334.13	0.80		
C081193	334.13	334.87	0.74		
C081194	334.87	336.19	1.32		
C081195	336.19	337.72	1.53		
C081196			0.00	BLANK	
C081197	337.72	339.24	1.52		
C081198	339.24	340.77	1.53		
C081199	340.77	342.20	1.43		
C081200	342.20	343.36	1.16		
C081201	343.36	344.50	1.14		
C081202	343.36	344.50	1.14	DUPLICATE	
C081203	344.50	345.69	1.19		
C081204	345.69	346.86	1.17		
C081205	346.86	348.39	1.53		
C081206	348.39	349.91	1.52		
C081207	349.91	351.06	1.15		
C081208	351.06	352.51	1.45		
C081209	351.06	352.51	1.45	CHECK ASSAY	
C081210			0.00	STANDARD 1A	0.88
C081211	352.51	353.75	1.24		
C081212	353.75	354.65	0.90		
C081213	354.65	356.01	1.36		
C081214	356.01	357.53	1.52		
C081215	357.53	359.05	1.52		
C081216			0.00	BLANK	
C081217	359.05	360.59	1.54		
C081218	360.59	361.12	0.53		
C081219	361.12	362.61	1.49		
C081220	362.61	363.93	1.32		
C081221	363.93	365.15	1.22		
C081222	363.93	365.15	1.22	DUPLICATE	
C081223	365.15	366.67	1.52		
C081224	366.67	368.20	1.53		
C081225	368.20	369.72	1.52		
C081226	369.72	371.25	1.53		
C081227	371.25	372.77	1.52		
C081228	372.77	374.29	1.52		
C081229	372.77	374.29	1.52	CHECK ASSAY	
C081230			0.00	STANDARD 3C	0.091
C081231	374.29	375.44	1.15		

From-To Sheet DG06-311C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C081232	375.44	376.85	1.41		
C081233	376.85	378.26	1.41		
C081234	378.26	379.11	0.85		
C081235	379.11	379.74	0.63		
C081236			0.00	BLANK	
C081237	379.74	381.04	1.30		
C081238	381.04	381.80	0.76		
C081239	381.80	382.42	0.62		
C081240	382.42	383.44	1.02		
C081241	383.44	384.80	1.36		
C081242	383.44	384.80	1.36	DUPLICATE	
C081243	384.80	386.25	1.45		
C081244	386.25	387.11	0.86		
C081245	387.11	387.95	0.84		
C081246	387.95	389.20	1.25		
C081247	389.20	390.03	0.83		
C081248	390.03	390.61	0.58		
C081249	390.03	390.61	0.58	CHECK ASSAY	
C081250			0.00	STANDARD 3C	0.091
C081251	390.61	392.04	1.43		
C081252	392.04	392.77	0.73		
C081253	392.77	393.90	1.13		
C081254	393.90	395.05	1.15		
C081255	395.05	396.66	1.61		
C081256			0.00	BLANK	
C081257	396.66	398.02	1.36		
C081258	398.02	399.50	1.48		
C081259	399.50	400.64	1.14		
C081260	400.64	401.73	1.09		
C081261	401.73	402.22	0.49		
C081262	401.73	402.22	0.49	DUPLICATE	
C081263	402.22	402.90	0.68		
C081264	402.90	403.90	1.00		
C081265	403.90	405.28	1.38		
C081266	405.28	406.30	1.02		
C081267	406.30	407.16	0.86		
C081268	407.16	407.32	0.16		
C081269	407.16	407.32	0.16	CHECK ASSAY	
C081270			0.00	STANDARD 4D	0.43
C081271	407.32	408.80	1.48		
C081272	408.80	409.90	1.10		
C081273	409.90	411.38	1.48		
C081274	411.38	412.04	0.66		
C081275	412.04	412.91	0.87		
C081276			0.00	BLANK	
C081277	412.91	414.11	1.20		
C081278	414.11	414.91	0.80		
C081279	414.91	415.85	0.94		
C081280	415.85	416.97	1.12		
C081281	416.97	417.71	0.74		
C081282	416.97	417.71	0.74	DUPLICATE	
C081283	417.71	418.70	0.99		
C081284	418.70	419.63	0.93		
C081285	419.63	420.77	1.14		

From-To Sheet DG06-311C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C081286	420.77	421.35	0.58		
C081287	421.35	422.50	1.15		
C081288	422.50	423.19	0.69		
C081289	422.50	423.19	0.69	CHECK ASSAY	
C081290			0.00	STANDARD 5E	1.43
C081291	423.19	424.18	0.99		
C081292	424.18	424.65	0.47		
C081293	424.65	425.78	1.13		
C081294	425.78	427.30	1.52		
C081295	427.30	428.30	1.00		
C081296			0.00	BLANK	
C081297	428.30	429.16	0.86		
C081298	429.16	430.40	1.24		
C081299	430.40	431.87	1.47		
C081300	431.87	432.62	0.75		
C081301	432.62	433.22	0.60		
C081302	432.62	433.22	0.60	DUPLICATE	
C081303	433.22	434.60	1.38		
C081304	434.60	435.60	1.00		
C081305	435.60	436.70	1.10		
C081306	436.70	437.83	1.13		
C081307	437.83	439.50	1.67		
C081308	439.50	440.80	1.30		
C081309	439.50	440.80	1.30	CHECK ASSAY	
C081310			0.00	STANDARD 6F	2.77
C081311	440.80	441.75	0.95		
C081312	441.75	442.90	1.15		
C081313	442.90	443.77	0.87		
C081314	443.77	444.98	1.21		
C081315	444.98	446.16	1.18		
C081316			0.00	BLANK	
C081317	446.16	447.45	1.29		
C081318	447.45	448.10	0.65		
C081319	448.10	448.84	0.74		
C081320	448.84	449.37	0.53		
C081321	449.37	450.44	1.07		
C081322			0.00	DUPLICATE	
C081323	450.44	451.39	0.95		
C081324	451.39	452.39	1.00		
C081325	452.39	452.90	0.51		
C081326	452.90	454.00	1.10		
C081327	454.00	455.00	1.00		
C081328	455.00	455.60	0.60		
C081329	455.00	455.60	0.60	CHECK ASSAY	
C081330			0.00	STANDARD 7G	4.46
C081331	455.60	456.43	0.83		
C081332	456.43	458.06	1.63		
C081333	458.06	459.20	1.14		
C081334	459.20	460.37	1.17		
C081335	460.37	461.41	1.04		
C081336			0.00	BLANK	
C081337	461.41	462.41	1.00		
C081338	462.41	463.36	0.95		
C081339	463.36	464.20	0.84		

From-To Sheet DG06-311C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C081340	464.20	465.30	1.10		
C081341	465.30	466.40	1.10		
C081342			0.00	DUPLICATE	
C081343	466.40	467.66	1.26		
C081344	467.66	468.92	1.26		
C081345	468.92	469.16	0.24		
C081346	469.16	471.10	1.94		
C081347	471.10	472.14	1.04		
C081348	472.14	473.43	1.29		
C081349	472.14	473.43	1.29	CHECK ASSAY	
C081350			0.00	STANDARD 3C	0.091
C081351	473.43	474.43	1.00		
C081352	474.43	475.46	1.03		
C081353	475.46	476.14	0.68		
C081354	476.14	476.75	0.61		
C081355	476.75	477.57	0.82		
C081356			0.00	BLANK	
C081357	477.57	478.14	0.57		
C081358	478.14	478.90	0.76		
C081359	478.90	480.10	1.20		
C081360	480.10	480.97	0.87		
C081361	480.97	481.85	0.88		
C081362	480.97	481.85	0.88	DUPLICATE	
C081363	481.85	483.25	1.40		
C081364	483.25	484.30	1.05		
C081365	484.30	485.33	1.03		
C081366	485.33	485.98	0.65		
C081367	485.98	487.35	1.37		
C081368	487.35	488.53	1.18		
C081369	487.35	488.53	1.18	CHECK ASSAY	
C081370			0.00	STANDARD 4D	0.43
C081371	488.53	489.35	0.82		
C081372	489.35	490.30	0.95		
C081373	490.30	491.07	0.77		
C081374	491.07	492.26	1.19		
C081375	492.26	493.17	0.91		
C081376			0.00	BLANK	
C081377	493.17	494.19	1.02		
C081378	494.19	495.36	1.17		
C081379	495.36	496.21	0.85		
C081380	496.21	496.95	0.74		
C081381	496.95	497.75	0.80		
C081382	496.95	497.75	0.80	DUPLICATE	
C081383	497.75	498.66	0.91		
C081384	498.66	499.26	0.60	EOH	

DG06-310C Relfex readings, June 11, 2006

Depth (meters below surface)	Azimuth (degreg's)	Corrected Azimuth (degree's)	Dip (dgree's from horizontal)	Magnetic field	Temperature (celcius)
42.06	153.1	178.6	-59.9	5813	14
118.26	151.3	176.8	-60.6	5810	14.5
194.46	150.6	176.1	-61.2	5804	15.5
270.66	152.5	178	-61.2	5810	16
346.86	154.2	179.7	-60.6	5807	16.6
422.76	156.4	181.9	-60.4	5803	16.7
499.26	157.3	182.8	-60.1	5798	12.9

GEOTECHNICAL SUMMARY SHEET

PROJECT: Dublin Gulch - 1735		
DRILL HOLE NO: DG06-310C		
Date Started: 28-May-06	**Date Completed:** 11-June-06	
Geoteched By: Stacy Doyle, Jason Kindrat, Mike Giasson, Marc Mains		
Contractor: DJ Drilling		
Hole Size: HQ	**Core Size:** HQ	
Total Depth: 499.26m	**Elevation:** 1112m	
Average RQD: 51%	**Average Recovery Rate:** 89%	

	Easting	**Northing**
DDH NAD27	460136	7099996
NAD27	460136	7100000
NAD83	460018	7100184
	Azimuth	**Dip**
Original	180	-60
End of Hole	157.3	-60.1
Additional Comments:	Pictures of Box 37-39, 40-42, and 72-74 have no DRY photos due to rain the day they were taken.	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-310C

Date:_May 28-June 12, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:_Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
Casing	0	8.23	8.23		0		0		-												
	8.23	8.84	0.61	0.61	100	0.11	18	R4	-	FS/SW	2	SS							0	82	Sulphides
MMSD	8.84	9.75	0.91	0.42	46	0	0	R3	-	FS/SW									0	100	
	9.75	11.28	1.53	1.35	88	0.26	17	R3/R4	-	FS	2	PS/JR	1	IR	2	SR	1	IR	0	83	
	11.28	12.8	1.52	1.28	84	0.76	50	R2	-	FS	7	PS/IR	3	UR/PR					0	50	
	12.8	13.11	0.31	0.25	81	0.24	77	R4	-	FS	2	IR/SR							0	23	
	13.11	13.72	0.61	0.48	79	0.29	48	R4	-	SW	2	CR/IR	2	PS			1	CR	0	59	
	13.72	14.02	0.3	0.3	100	0	0	R4	-	FS									0	100	
	14.02	14.33	0.31	0.31	100	0.11	35	R4	-	SW/FS	1	SR	2	CS/SR					0	65	
	14.33	15.85	1.52	1.48	97	1.04	68	R4	-	FS	9	PS/SR	5	SR/CR	1	UR			0	32	
	15.85	17.37	1.52	1.38	91	0.21	14	R3	-	MW/SW	3	SS/PS	4	SS/PR					36	50	
	17.37	19.2	1.83	1.28	70	0	0	R1/R2	-	HW/MW									60	40	More Gouge
	19.2	20.73	1.53	1.26	82	0.12	8	R1/R3	-	HW/SW	1	PR	1	CR					70	22	
	20.73	22.29	1.56	1.28	82	0.27	17	R1/R3	-	MW	3	PR/SR	1	US					65	17	
	22.29	23.77	1.48	1.42	96	0.69	47	R4	-	MW/SW	7	PS/SR	7	PS					0	39	
	23.77	25.3	1.53	1.23	80	0.63	41	R2	-	FS/SW	6	SP							0	59	
	25.3	16.52	-8.78	0.92	100	0.43	100	R4	-	FS	6	S/U							0	65	
	16.52	28.04	11.52	1.17	10	0.45	4	R4	-	FS/FW	4	PR/C							0	62	
	28.04	29.5	1.46	1.35	92	0.72	49	R4	-	FS/SW	6	S/P	6	S/P					0	53	
	29.5	30.18	0.68	0.57	84	0.52	76	R4	-	FS	3	S/C	3	PR/P					0	15	
	30.18	31.39	1.21	1.17	97	0.95	79	R4	-	FS	12	PS/SR	3	PR/PS	6	SR/UR			0	21	
	31.39	32	0.61	0.69	100	0.57	93	R4	-	FS	6	UR/PR			1	UR			0	7	
	32	33.53	1.53	1.43	93	0.46	30	R3	-	SW/FS	2	IR/SR	3	IR/SR	1	IR	1	SR	0	70	
	33.53	35.36	1.83	1.44	79	1	55	R3	-	SW/FS	8	SR/IR	4	SR/IR	2	PS/IR	3	SR/IR	0	45	
	35.36	36.88	1.52	1.3	86	0.73	48	R3	-	SW/FS	4	PR	3	PR	2	PR	2	PR	0	52	
	36.88	37.8	0.92	0.7	76	0.37	40	R3	-	SW	2	SR/IR	1	UR	3	PR			0	60	
	37.8	39.32	1.52	1.44	95	0.26	17	R4	-	FS					3	PS/PR	1	PR	0	83	
	39.32	40.54	1.22	1.42	100	0.8	66	R3	-	SW/FS	5	PR/SR	2	CR			3	PR	0	34	
	40.54	42.06	1.52	1.23	81	0.25	16	R3/R4	-	FS	3	IR/CR			1	CR			6	13	
MSED	42.06	43.59	1.53	1.46	95	1.16	76	R5	-	FS	2	SR	3	CR/PR	3	CR/UR			0	24	
	43.59	45.11	1.52	1.47	97	0.58	38	R3	-	FS	3	UR/PR	1	PR	1	PR	1	UR	0	62	
	45.11	46.63	1.52	1.45	95	1.07	70	R4	-	SW	12	PR							0	30	
	46.63	48.16	1.53	1.5	98	0.98	64	R3	-	FS	11	PR/IR	3	CS/SS					0	36	Qtz veins
	48.16	49.68	1.52	1.04	68	0.14	9	R3	-	MW/FS	1	IR	1	CS					11	80	
	49.68	51.21	1.53	1.46	95	0.94	61	R3	-	SW/FS	6	SR/CR	5	SR/CR	2	IR/PS	2	SR	0	39	Qtz veins
	51.21	52.73	1.52	1.32	87	0	0	R2/R3	-	MW/SW									5	95	
	52.73	54.25	1.52	1.49	98	0.68	45	R3/R4	-	FS	4	SR/PS	3	CR/IR	5	PS/UR	4	SR	0	55	
	54.25	55.78	1.53	1.35	88	0.27	18	R4	-	MW	4	PR							15	67	
	55.78	57.3	1.52	1.37	90	0.83	55	R3	-	SW	10	SR								45	
	57.3	58.83	1.53	1.13	74	0.31	20	R3	-	MW	2	PR	2	SR					10	70	
	58.83	60.35	1.52	0.7	46	0	0	R3	-	MW									30	70	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-310C

Date:_May 28-June 12, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:_Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	60.35	61.87	1.52	1	66	0.1	7	R3	-	SW	2	SR							0	93	
	61.87	63.4	1.53	1.1	72	0	0	R3	-	SW									0	100	
	63.4	64.92	1.52	1.2	79	0.28	18	R3	-	SW	4	PR							0	82	
	64.92	66.45	1.53	1.47	96	0.46	30	R3	-	FS	3	IR	3	IR	2	IR/CR			10	60	Sulphides
	66.45	67.97	1.52	1.38	91	0.53	35	R3	-	FS	3	IS/PR	1	PR	2	PR			0	66	
	67.97	69.49	1.52	1.3	86	0.25	16	R3/R2	-	HW	2	IR	2	IR/CR					34	50	
	69.49	71.02	1.53	1.37	90	0.72	47	R4	-	FS	1	IR	3	PR/IR	6	PR			0	53	
	71.02	72.54	1.52	1.32	87	0.69	45	R3	-	FR	2	PR/CS	4	IS/PS	2	CS			25	3O	
	72.54	74.07	1.53	1.47	96	1.05	69	R3	-	FR	6	PR/UR	4	PR	1	PR	1	PR	0	31	
	74.07	75.59	1.52	1.24	82	0.11	7	R4	-	FR	1	SR			1	PR			0	93	
	75.59	77.11	1.52	1.23	81	0.64	42	R5	-	FR	3	SR	7	PR					0	58	
	77.11	78.64	1.53	1.25	82	0.44	29	R4	-	FS	2	PR	4	IR					0	71	
	78.64	80.16	1.52	1.33	88	0.94	62	R5	-	FR	5	PR	4	SR	1	PR			0	38	
	80.16	81.69	1.53	1.34	88	0.7	46	R5	-	FR	2	PR			3	SR	1	PR	0	55	
	81.69	82.91	1.22	0.87	71	0.43	35	R3	-	FR	7	IR/SR			1	SR			0	65	
	82.91	84.43	1.52	1.22	80	0.97	64	R5	-	FR	8	PR							0	36	
	84.43	85.95	1.52	1.17	77	1.1	72	R3	-	FR	10	PR					1	SR	0	28	
	85.95	87.48	1.53	1.54	100	0.8	52	R3	-	FR	6	SS/CR	2	PR/UR					0	48	
	87.48	87.78	0.3	0.45	100	0.45	100	R2/R3	-	FR	6	SR/PS							0	0	
	87.78	89.31	1.53	1.41	92	0.95	62	R3	-	FR	10	PS/PR							0	38	
	89.31	90.83	1.52	1.28	84	0.85	56	R3	-	FR	12	PR/PS							0	44	Sericitic
	90.83	92.35	1.52	1.47	97	1.31	86	R4	-	FR	6	PS	4	PS/PR					0	14	Sericitic
	92.35	93.88	1.53	1.42	93	1.21	79	R4	-	FR	8	PS/CR	2	PS					0	21	
	93.88	95.4	1.52	1.36	89	0.99	65	R2/R3	-	FR	3	IR/PS			5	PS/CR			0	35	
	95.4	96.93	1.53	1.43	93	1.32	86	R2/R3	-	FR	9	UR/PS			1	SS			0	14	
	96.93	98.45	1.52	1.45	95	0.92	61	R4	-	FR	8	FR/SS	2	PS/SS					3	39	
	98.45	99.97	1.52	1.5	99	1.25	82	R2/R3	-	FR	6	UR/CS							0	18	
	99.97	101.5	1.53	1.47	96	0.79	52	R3/R4	-	FR	7	US/SS	1	IR					0	48	
	101.5	103.02	1.52	1.2	79	0.49	32	R2/R3	-	FR	6	PS/SS	3	PS/SS	1	US			0	68	
	103.02	104.55	1.53	1.41	92	0.43	28	R3	-	FR	7	PS/SS	1	SS					0	72	
	104.55	106.07	1.52	0.85	56	0.1	7	R2	-	FS/FR	1	PS/SS							8	85	
	106.07	107.59	1.52	1.06	70	0.24	16	R2	-	SW/FS	3	US/SR	1	SS					0	84	
	107.59	109.12	1.53	1.2	78	0.2	13	R2	-	SW/FS	3	SR/PS	1	IR					7	80	
	109.12	110.64	1.52	1.24	82	0.25	16	R2	-	SW	4	PS/SS							0	84	
	110.64	112.17	1.53	1.27	83	0.32	21	R1/R3	-	HW/FS	4	PS/SS	2	SS					9	70	
	112.17	113.69	1.52	1.13	74	0.13	9	R1/R2	-	HW/FS	2	US/PR							61	30	
	113.69	115.21	1.52	1.44	95	0.56	37	R2	-	FS/FR	9	US/PS	1	SS					3	60	
	115.21	116.74	1.53	1.46	95	1.01	66	R1/R4	-	FS/FR	11	IR/US	1	PS					2	32	Qtz veins
	116.74	118.26	1.52	1.55	100	1.48	97	R4	-	FR	14	PS/SR							0	3	Qtz veins
	118.26	119.79	1.53	1.43	93	1.41	92	R4	-	FR	9	PS/UR	3	PS					0	8	Qtz veins

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-310C

Date:_May 28-June 12, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:_Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	119.79	121.01	1.22	1.2	98	0.86	70	R1/R4	-	FR	1	SR	5	US/PS	2	SR/PS			5	25	
	121.01	122.22	1.21	0.96	79	0.96	79	R4	-	FR	1	IR	3	PR/SR	2	PR			0	21	
	122.22	123.75	1.53	1.57	100	1.39	91	R4	-	FR	9	CR/PS	1	CS					0	9	
	123.75	125.27	1.52	1.1	72	1.03	68	R4	-	FR	6	CR/IR	5	CR/SS	3	SS/IR			0	32	
	125.27	126.49	1.22	0.99	81	0.81	66	R4	-	FR	8	IR/PR	4	IR/PSL	2	PSL	1	IR	0	34	
	126.49	128.02	1.53	1.4	92	1.1	72	R4	-	FR	6	SR/PSL	12	SR/PSL	3	PSL/SSL			0	28	
	128.02	129.54	1.52	1.44	95	1.32	87	R4	-	FR	3	SR/PS	6	CS/SR					0	5	
	129.54	131.06	1.52	1.21	80	0.47	31	R3	-	FR	2	IR	6	PS	1	IR	1	IR	0	69	
	131.06	131.98	0.92	0.71	77	0.16	17	R2/R3	-	FR					1	SSL	2	PSL/SSL	13	70	
	131.98	132.89	0.91	1.27	100	0.67	74	R3	-	FR	3	IR	2	PR	1	PR	1	PR	0	27	
	132.89	134.42	1.53	1.1	72	0.16	10	R2/R3	-	FS/FR	1	SR	1	IR					15	75	
	134.42	135.03	0.61	0.53	87	0.35	57	R3	-	FS/FR			4	SR					0	43	
	135.03	136.55	1.52	1.38	91	0.68	45	R3	-	FR	1	IR	3	SR/IR	2	SR			0	55	
	136.55	138.07	1.52	1.37	90	0.9	59	R4	-	FR	6	SR/IR	4	SR	2	PR			0	41	
	138.07	139.6	1.53	1.5	98	0.46	30	R4	-	FR	5	PR/SR	3	SR/IR					0	70	
	139.6	141.12	1.52	1.34	88	0.27	18	R4	-	FR			4	SR/IR					0	82	
	141.12	142.65	1.53	1.45	95	0.7	46	R4	-	FR	3	PR/IR	7	SR						54	
	142.65	144.17	1.52	1.48	97	1.44	95	R4	-	FR	9	SR/IR	3	PR					0	5	
	144.17	145.69	1.52	1.51	99	1.48	97	R4	-	FR	6	IR	6	SR					0	3	
	145.69	147.22	1.53	1.53	100	1.48	97	R4	-	FR	13	SR/PR	3	PR	2	UR			0	3	
	147.22	148.74	1.52	1.4	92	0.86	57	R4	-	FR	8	PR/SR	2	UR/PR					0	44	
	148.74	150.27	1.53	1.34	88	0.13	8	R4	-	FR	2	PR							0	92	
	150.27	151.79	1.52	1.2	79	0.47	31	R4	-	FR	5	PR/IR	1	PR					0	69	
	151.79	152.1	0.31	0.36	100	0.3	97	R4	-	FR	2	PR/IR							0	3	
	152.1	153.62	1.52	1.49	98	0.76	50	R4	-	FR	5	IR	7	PR					0	50	
	153.62	154.53	0.91	0.76	84	0.15	16	R4	-	FR	2	PR							0	84	
	154.53	154.84	0.31	0.23	74	0	0	R4	-	FR									0	100	
	154.84	156.36	1.52	1.25	82	0.38	25	R4	-	FR	4	IR	2	PR					0	75	
	156.36	157.89	1.53	1.53	100	1.45	95	R4	-	FR	4	PR	3	PR	1	SR			0	5	
	157.89	159.41	1.52	1.46	96	0.74	49	R4	-	FR	2	PR	10	IR/PR					0	52	
	159.41	160.93	1.52	1.42	93	0.69	45	R3	-	FS	2	PS/IS	2	PS/IR	2	PR	2	PR	0	7	
	160.93	162.46	1.53	1.39	91	1.04	68	R2	-	FS					4	PR			0	32	
	162.46	163.98	1.52	1.32	87	0.5	33	R3	-	FS	1	PR	1	PR	1	UR	1	PR	10	57	
	163.98	165.51	1.53	1.41	92	0.84	55	R4	-	FS	3	PR	3	PR			1	PS	0	45	
	165.51	167.03	1.52	1.45	95	1.08	71	R3	-	FS	4	US/PR	4	US/PR	1	US			0	29	
	167.03	167.94	0.91	0.92	100	0.83	91	R2	-	FS	10	SS/IR							0	9	
	167.94	168.55	0.61	0.61	100	0.51	84	R4	-	FS	1	IR	1	PS					0	16	
	168.55	170.08	1.53	1.58	100	1.41	92	R2	-	FS	6	PR/PS	2	PS					0	8	
	170.08	171.6	1.52	1.43	94	1.43	94	R2	-	FS	6	UR/PS	5	UR/PR					0	6	
	171.6	173.13	1.53	1.53	100	1.46	95	R3	-	FS	12	PR/SS							0	5	
	173.13	174.65	1.52	1.52	100	1.51	99	R3	-	FS	8	IR/PS							0	1	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-310C

Date:_May 28-June 12, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:_Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	174.65	176.17	1.52	1.42	93	0.69	45	R3	-	FS	4	UR/PS							0	55	
	176.17	177.7	1.53	1.5	98	0.91	59	R2	-	FS	8	PS/SS							0	41	
	177.7	179.22	1.52	1.48	97	1.27	84	R4	-	FS	12	PS/IR							0	16	
	179.22	180.75	1.53	1.48	97	0.9	59	R3	-	FS	10	PS/SS							0	41	
	180.75	182.27	1.52	1.33	87	1.02	67	R3	-	FS	7	PS/IS	3	PS/SR					0	33	
	182.27	183.79	1.52	1.52	100	1.23	81	R3/R4	-	FR	10	PS/CS	3	CS/PSL					0	19	Qtz vein
	183.79	185.32	1.53	1.43	93	1.28	84	R1/R2	-	MW/FR	5	CR/PSL	3	CS/PS	6	US/PR	1	PS	6	10	Qtz vein
	185.32	186.84	1.52	1.4	92	1.17	77	R3	-	SW/FR	10	PS/CR	3	CR/PSL					0	8	
GND	186.84	188.37	1.53	1.48	97	0.26	17	R1/R2	-	MW/FR	3	IR	2	PS/IR	2	IR/PR	4	IR/PR	43	40	Hydro alt.
	188.37	189.89	1.52	1.52	100	0.62	41	R2/R3	-	MW/FR	2	IR/UR	3	PR/UR	1	UR			9	50	Hydro alt.
	189.89	191.41	1.52	1.51	99	1.19	78	R3/R4	-	FR	6	SR/IR	1	SR			2	SR	0	22	
	191.41	192.94	1.53	1.46	95	1.01	66	R1/R3	-	HW/FR	8	CR/PSL	2	IR/SR	2	PSL			4	30	
	192.94	194.46	1.52	1.48	97	1.38	91	R4	-	FS/FR	7	PR/SR	1	PS	3	PR/SR	1	PR	0	9	
	194.46	195.99	1.53	1.53	100	1.24	81	R4	-	FR	4	CR/PR	6	CR/PR	3	PS	1	SR	0	19	
	195.99	197.51	1.52	1.49	98	1.31	86	R4	-	FR	8	PR/CR	3	PR/SR					0	14	
	197.51	199.03	1.52	1.45	95	1.29	85	R4	-	FR	2	PSL	6	PS/PR	5	PR/PSL			0	15	
	199.03	200.56	1.53	1.47	96	1.47	96	R4	-	FR	1	SR	6	SR/PSL					0	4	
	200.56	202.08	1.52	1.51	99	1.22	80	R4	-	FR	4	UR/PR	2	CR	6	CR/PSL			0	20	
	202.08	203.61	1.53	1.52	99	1.49	97	R4	-	FR	9	CR/IR	6	IR/SS	1	SR			0	3	
	203.61	205.13	1.52	1.38	91	1.18	78	R4	-	FR	4	IR/PS	6	PR/PSL	1	PSL			0	22	Sericitic
	205.13	206.65	1.52	1.59	100	1.09	72	R3/R4	-	FR	4	IR/SR	5	SR/PSL	2	CR/PR	4	SR/CR	0	28	Sericitic
	206.65	208.18	1.53	1.4	92	1.09	71	R3	-	FR	5	SR/PS	5	PR/PSL	3	SR			0	29	Sericitic
	208.18	209.7	1.52	1.53	100	1.37	90	R3	-	FR	4	PR/SR	8	CR/PSL	2	CS	3	SR/PSL	0	10	
	209.7	211.23	1.53	1.62	100	1.55	100	R3	-	FR	11	CR/SR	8	CS/IR	2	CR/PS	3	SR/IR	0	0	
	211.23	212.75	1.52	1.42	93	1.3	86	R3/R4	-	FR	4	PS/PR	6	UR/PSL	1	UR	3	UR/PSL	0	14	
	212.75	214.27	1.52	1.43	94	1.34	88	R3	-	SW/FR	4	IR/PR	4	US/CS					0	12	
	214.27	215.8	1.53	1.53	100	0.99	65	R2/R3	-	MW/FR	11	CR/IR	3	UR	2	IR			0	35	
	215.8	217.32	1.52	1.4	92	1.14	75	R2/R3	-	SW/FR	13	CR/PSL	6	PR/CR	3	CR/SR	3	CR/SR	0	25	Sulphides
	217.32	218.85	1.53	1.53	100	1.16	76	R1/R3	-	MW/FR	11	IR/PSL	7	IR/PSL	2	PR	4	IR	4	20	
	218.85	220.37	1.52	1.52	100	1.48	97	R2/R3	-	SW/FR	4	PR/SR	9	CR/SR			1	SR	0	3	
	220.37	221.89	1.52	1.5	99	0.85	56	R3	-	FS/FR	1	PR	1	PR	4	PR/IR			0	44	
	221.89	223.42	1.53	1.35	88	1.02	67	R3	-	FS/FR	2	PR	2	PR	4	PR			0	33	
	223.42	224.94	1.52	1.44	95	0.86	57	R3	-	FR	4	SR/PR	3	PS/CR	3	SR/PS	1	PS	0	43	
	224.94	226.47	1.53	1.51	99	1.21	79	R3	-	FR	6	IR/PR	7	IR/PR	6	IR/PR	1	IR	0	21	
	226.47	227.99	1.52	1.42	93	0.67	44	R3	-	FR	3	SR	4	SR	4	SR	2	SR	0	56	
	227.99	229.21	1.22	1.22	100	0.63	52	R3	-	FR	2	PR/SS	5	CR/SS	2	CR			0	48	Qtz vein
	229.21	230.73	1.52	1.56	100	0.84	55	R3	-	FR	3	SS	1	SS	3	SS/PSL	3	PS/SR	0	45	
	230.73	232.26	1.53	1.51	99	1.11	73	R3/R4	-	FR	6	SS/PS	4	SS/PS	5	SS/PS			0	27	
	232.26	233.78	1.52	1.52	100	0.78	51	R3	-	FR	7	US/SR	2	CR/PS	3	PS/CS			0	49	
	233.78	235.31	1.53	1.53	100	1.08	71	R3/R4	-	FR	1	IR	5	PSL	2	PR/SSL	1	PSL	0	29	
	235.31	236.83	1.52	1.3	86	0.87	57	R4	-	FR	3	SS/PR			6	SS/PSL	1	PSL	0	43	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-310C

Date:_May 28-June 12, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:_Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	236.83	238.35	1.52	1.43	94	0.54	36	R3	-	FR	5	PR/SR	1	PR	2	IR/CR			0	64	
	238.35	239.88	1.53	1.48	97	0.5	33	R4/R5	-	FR	1	IR	1	SS	3	SR	2	IR/PR	0	67	
	239.88	241.4	1.52	1.46	96	1.07	70	R3	-	FR			3	IR/PR	5	PR/SS	3	IR/SR	0	30	
	241.4	242.93	1.53	1.34	88	0.61	40	R1/R3	-	MW/FR	2	IR	4	IR/PS	4	SR/SSL	3	SR/ISL	5	55	
	242.93	244.45	1.52	1.39	91	0.73	48	R3	-	FR	2	IR	4	IR/SR	2	SR	2	PR/SR	0	52	
	244.45	245.97	1.52	1.52	100	0.88	58	R3	-	FR	2	IR			4	SR/PR	3	CR/ISL	0	42	
	245.97	247.5	1.53	1.44	94	0.84	55	R1/R3	-	MW/FR	3	IR/PS	2	IR	4	SR/IR	1	IR	1	44	
	247.5	249.02	1.52	1.43	94	1.11	73	R3	-	FR	2	PR	6	IR/SR	2	SR/IR			0	27	
	249.02	250.55	1.53	1.37	90	0.87	57	R3	-	SW			4	IR/SR	4	SR/IR	1	CR	1	42	
	250.55	252.07	1.52	1.53	100	1.2	79	R3/R4	-	SW	10	PR							0	21	
	252.07	253.59	1.52	1.59	100	1.52	100	R4	-	SW	3	IR/SR	6	IR/SR	3	IR/UR	2	IR	0	0	
	253.59	255.12	1.53	1.58	100	1.39	91	R4	-	FR			4	SR/PR	5	PS/SR	4	PSL	0	4	
	255.12	255.42	0.3	0.33	100	0.33	100	R3	-	FR	2	IR					2	PSL	0	0	
	255.42	256.64	1.22	0.6	49	0.43	35	R3	-	SW	2	PR/IR	2	IR	2	PR			1	64	
	256.64	258.17	1.53	1.62	100	1.23	80	R3	-	FR	4	IR/SR	3	SR/IR	5	IR/CR	5	SR/PR	0	20	
	258.17	259.69	1.52	1.52	100	0.7	46	R3	-	FR	7	PR	3	PS					0	54	
	259.69	261.21	1.52	1.37	90	0.64	42	R3	-	FR	5	PS/PR	3	SS					0	58	
	261.21	263.04	1.83	1.42	78	0.53	29	R3	-	FR	7	PS			3	SR/SS			0	71	
	263.04	264.57	1.53	1.72	100	1.35	88	R3	-	FR	10	PR/IR	4	UR/PR					0	12	
	264.57	266.09	1.52	1.4	92	0.93	61	R4	-	FR	6	IR/PR	2	PS	2	PR			0	39	
	266.09	267.61	1.52	1.5	99	1.46	96	R4	-	FR	6	PR/IR	2	PR	4	SR			0	4	
	267.61	269.14	1.53	1.5	98	0.78	51	R4	-	FR	2	PS/PR	3	PS/PR	1	PR			0	49	
	269.14	270.66	1.52	1.6	100	0.64	42	R4	-	FR			2	PS	6	IR/PR			0	58	
	270.66	272.19	1.53	1.47	96	0.86	56	R4	-	FR	2	CR/IR	4	PS/SS	5	PS/SS	3	PS/SS	0	44	
	272.19	273.71	1.52	1.52	100	1.28	84	R4	-	FR	3	IR/PS	4	IR/PS	6	PS/SR	2	PR/UR	0	16	
	273.71	275.23	1.52	1.44	95	1.15	76	R4	-	FR			5	CR/PS	1	PS			0	24	
	275.23	276.76	1.53	1.52	99	1.05	69	R3	-	FR	6	PR/CR	2	PR/CR	3	PS	1	IR	0	31	
	276.76	278.28	1.52	1.42	93	1.12	74	R4	-	FR	6	PS/SR	3	PS	1	PR			0	26	
	278.28	279.81	1.53	1.48	97	0.95	62	R4	-	FR	3	SS/PS	1	IR	1	IS	3	PR	0	38	
	279.81	281.33	1.52	1.46	96	1.4	92	R4	-	FR	5	IR/CR	1	PR	7	CR	1	IR	0	8	
	281.33	282.85	1.52	1.53	100	1.42	93	R4	-	FR	2	PS	2	IR/CR	4	UR/SR	4	PR	0	7	
	282.85	284.38	1.53	1.42	93	1.05	69	R4	-	FR	2	IR/PR	7	SR/CR	3	PR/PSL	3	SR/PSL	0	31	
	284.38	285.9	1.52	1.5	99	1.33	88	R4	-	FR			4	PR/PSL	4	PR/PSL			0	12	
	285.9	287.43	1.53	1.46	95	0.91	59	R4	-	FR	2	PR/SS	1	PR	5	CR/SR	3	CR/SS	0	41	Qtz vein
	287.43	288.95	1.52	1.49	98	0.42	28	R4	-	FR	2	PR	2	PR	2	PR/SR	1	SR	0	72	
	288.95	290.47	1.52	1.35	89	1.03	68	R4	-	FR	6	SR/PR	2	CR			1	SR	0	32	
	290.47	292	1.53	1.57	100	0.92	60	R4	-	FR	3	IR/SR	5	SR/PSL	3	PR/CR			0	40	
	292	292.61	0.61	0.52	85	0.28	46	R4	-	FR	1	CR	2	CR	1	CR	2	CR	0	54	Sericitic
	292.61	294.13	1.52	1.47	97	1.15	76	R4	-	FR	4	PR/PSL	4	CS/SR	1	IR	1	SR	0	24	Sericitic
	294.13	295.66	1.53	1.54	100	1.03	67	R4	-	FR	1	CR	5	CR/PR	1	UR			0	33	
	295.66	297.18	1.52	1.43	94	0.85	56	R2/R4	-	MW/FR	4	CR/PSL	6	CR/PSL	1	CR			4	40	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-310C

Date:_May 28-June 12, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:_Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	297.18	298.7	1.52	1.43	94	1.1	72	R4	-	FR	2	CR/SR	3	SR/PR	4	UR/SR	5	CR/SR	0	28	
	298.7	300.23	1.53	1.43	93	0.57	37	R2/R4	-	SW/FR	2	IR	3	IR/PR	3	IR/PR			3	60	
	300.23	301.14	0.91	0.88	97	0	0	R2/R3	-	MW/FR									45	55	Hydro alt.
	301.14	302.67	1.53	1.48	97	0.93	61	R2/R4	-	SW/FR	1	PR	7	PR/SR	3	SR	4	SR	4	35	
	302.67	304.19	1.52	1.51	99	1.17	77	R3	-	FR	8	CR/SR	4	PR/SR	1	CR	3	CR/SR	0	23	
	304.19	305.71	1.52	1.55	100	1.53	100	R3/R4	-	FR	6	PR	2	PR					0	0	V. Competent
	305.71	307.24	1.53	1.49	97	1.49	97	R4	-	FR	4	PR	5	PR	3	PR			0	3	
	307.24	308.76	1.52	1.54	100	1.45	95	R4	-	FR	7	IR/SR	3	CR/IR	3	PR/IR	2	SR/IR	0	5	
	308.76	310.29	1.53	1.51	99	1.43	93	R3/R4	-	FR	10	IR/PR	2	IR			3	IR	0	7	
	310.29	311.81	1.52	1.51	99	1.18	78	R4	-	FR	8	IR/UR	3	IR/UR	3	PR	1	UR	0	22	
	311.81	313.33	1.52	1.52	100	1.35	89	R4	-	FR	8	PR/CR							0	11	
	313.33	314.86	1.53	1.59	100	1.44	94	R4	-	FR	12	CR/PR	3	CR			2	SR	0	6	
	314.86	316.38	1.52	1.52	100	1.46	96	R4	-	FR	4	PR/SR			3	SR/PR	3	IR	0	4	
	316.38	317.91	1.53	1.45	95	1.4	92	R4	-	FR	6	IR/CR	7	SR/IR	4	IR/CR	4	SR/IR	0	8	
	317.91	319.43	1.52	1.51	99	1.31	86	R4	-	FR	8	IR/PR							0	14	
	319.43	320.65	1.22	1.28	100	1.13	93	R4	-	FR	7	CR/PR	4	CR/PR					0	7	
	320.65	322.17	1.52	1.56	100	1.56	100	R4	-	FR	8	PR	4	PR/PS					0	0	V. Competent
	322.17	323.7	1.53	1.4	92	1.17	76	R4	-	FR	9	SR/PR	2	CR			2	SR	0	24	Sericitic
	323.7	325.22	1.52	1.52	100	1.41	93	R3/R4	-	SW/FR	8	IR/PR	6	IR/CR	3	IR	2	IR/PR	0	7	
	325.22	326.75	1.53	1.54	100	1.09	71	R4	-	FR	6	IR/PR	8	IR/PR					0	29	
	326.75	328.27	1.52	1.37	90	0.6	39	R1/R4	-	HW/FR	6	PR/CR	1	CR	1	PR			41	20	Hydro alt.
	328.27	329.79	1.52	1.52	100	0.55	36	R1/R4	-	HW/FR	8	PR/IR			3	IR/PR	1	IR	8	56	Hydro alt.
	329.79	331.32	1.53	1.51	99	0.34	22	R1/R3	-	HW/FR	4	PR/CR	1	CR					33	45	
	331.32	332.84	1.52	1.52	100	1.23	81	R3	-	FR	5	PS/IR	6	PS/IR	1	PS	1	SR	0	19	
	332.84	334.37	1.53	1.56	100	1.27	83	R2/R3	-	SW/FR	8	PR/SR	3	SR/PR					0	17	
	334.37	336.19	1.82	1.35	74	1.27	70	R2/R3	-	SW/FR	9	IR/CR	6	CR/PR	3	CR			0	30	
	336.19	337.72	1.53	1.33	87	0.69	45	R3	-	FR	3	PR/UR	5	CR/PR	1	UR	1	UR	0	55	
	337.72	339.24	1.52	1.55	100	1.44	95	R3	-	FR	6	PS/IR	8	PR/IR			1	SR	0	5	
	339.24	340.77	1.53	1.53	100	1.33	87	R3/R4	-	FR	10	CR/PR	3	IR/PR					0	13	
	340.77	342.29	1.52	1.52	100	1.52	100	R3/R4	-	FR	5	PR/IR	1	PR	4	IR/PR	1	PR	0	0	Ex.Competent
	342.29	343.81	1.52	1.37	90	0.99	65	R3/R4	-	FR	5	PR/UR	5	CR/PR	3	CR/PR	2	CR/UR	0	35	
	343.81	345.34	1.53	1.49	97	1.4	92	R3/R4	-	FR	8	IR/CR	5	IR/PR	4	IR/PR	2	CR	0	8	
	345.34	346.86	1.52	1.52	100	1.36	89	R3/R4	-	FR	9	CR/PR	5	CR/PR	1	PR			0	11	
	346.86	348.39	1.53	1.46	95	1.13	74	R3/R4	-	FR	9	PR/SR	4	PR/SR					0	26	
	348.39	349.91	1.52	1.56	100	1.56	100	R3/R4	-	FR	6	IR/PR	5	CR/IR	2	IR	1	IR	0	0	
	349.91	351.43	1.52	1.3	86	1.13	74	R1/R4	-	MW/FR	7	PR/CR	2	IR	4	IR/UR	1	CR	6	20	
	351.43	352.96	1.53	1.39	91	1.13	74	R1/R2	-	MW/FR	6	IR/PR	4	PR/IR	3	CR/IR			8	18	Hydro alt.
	352.96	354.48	1.52	1.46	96	0.7	46	R1/R3	-	MW/FR	4	UR/PR	6	IR/UR	2	IR/CR			24	30	Hydro alt.
	354.48	356.01	1.53	1.3	85	0.13	8	R2/R3	-	SW/FR	2	IR							20	72	
	356.01	357.53	1.52	1.5	99	0.65	43	R2/R3	-	SW/FR	6	IR	2	PR					10	48	
	357.53	359.05	1.52	0.97	64	0.7	46	R2/R3	-	FR	4	UR/PR	2	PR					0	54	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-310C

Date:_May 28-June 12, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:_Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	359.05	360.58	1.53	1.43	93	0.95	62	R3	-	FR	6	IR/PR	2	PR					0	38	
	360.58	362.41	1.83	1.47	80	0.63	34	R2/R3	-	FR	5	PR	1	PS					0	66	
	362.41	363.93	1.52	1.34	88	0.92	61	R2/R3	-	FR	10	PS/PR							0	39	
	363.93	365.15	1.22	1.09	89	0.96	79	R4	-	FR	8	PS/PR							0	21	
	365.15	366.67	1.52	1.52	100	1.26	83	R4	-	FR	9	PS/PR	1	PS					0	17	
	366.67	368.2	1.53	1.58	100	1.23	80	R2/R4	-	SW/FR	9	PR/PSL	7	PS/SR			1	CR	2	18	
	368.2	369.72	1.52	1.34	88	0.79	52	R3	-	SW/FR	5	IR/CR	3	IR/PSL	1	IR	6	IR/CR	3	45	
	369.72	371.25	1.53	1.54	100	0.84	55	R3/R4	-	FR	3	PS/PR	2	PR/SR	3	UR/SR			2	43	
	371.25	372.77	1.52	1.45	95	1.09	72	R3/R4	-	SW/FR	7	SR/PS			4	SR/PR			2	26	
	372.77	374.29	1.52	1.11	73	0.93	61	R4	-	FR	8	SR/PR	1	SR					0	39	
	374.29	377.34	3.05	3.02	99	2.72	89	R4	-	FR	15	CR/US	6	CR/SR	7	SR/PR	6	SR/IR	0	11	10FT CORE BARREL BEGINS
	377.34	380.39	3.05	2.94	96	2.81	92	R4	-	FR	17	SR/PR	7	SR/PR	2	SR/PR	2	CR	0	8	V.Competent
	380.39	383.44	3.05	2.57	84	1.4	46	R2/R4	-	FR	9	IR/SSL	8	IR/PSL	6	SR/CR	2	SSL	14	40	Sericitic
	383.44	386.49	3.05	2.82	92	1.57	51	R3	-	FR	5	PR	6	SR/PR	2	PR	3	SR/UR	0	49	
	386.49	389.53	3.04	2.89	95	2.46	81	R3	-	FR	19	PR/US	10	US/PS	1	SR			0	19	
	389.53	392.58	3.05	2.5	82	1.27	42	R3	-	FR	8	UR/PSL	6	UR/SR	3	SR/PR	4	PR/SR	0	58	Sulphides
	392.58	395.63	3.05	3.01	99	2.38	78	R3	-	FR	6	PR/PSL	17	IR/PSL	2	PR/SR	2	IR/PR	0	22	
	395.63	398.68	3.05	2.96	97	2.42	79	R3	-	FR	7	PR/PSL	7	CR/PR	9	PR/PSL	1	PR	0	21	
	398.68	401.73	3.05	2.89	95	2.73	90	R4	-	FR	9	PR/CR	8	CR/PSL	7	PR/PSL	2	UR/SS	0	10	
	401.73	404.77	3.04	2.81	92	1.86	61	R4	-	FR	10	PR/PSL	12	PR/PSL	2	PSL	4	SS/PSL	0	39	
	404.77	407.82	3.05	2.86	94	2.4	79	R3/R4	-	FR	3	SR/CR	6	UR/PR	12	PR/UR	4	SR/PR	0	21	
	407.82	410.87	3.05	2.84	93	1.13	37	R1/R4	-	FR	4	IR/PR	2	PS	7	PS/CR	2	IR/PR	23	40	V. Broken
	410.87	413.92	3.05	2.97	97	2.25	74	R1/R4	-	HW/FR	17	SR/CSL	10	SR/CSL	6	IR/PSL	1	IR	16	10	
	413.92	416.97	3.05	3.02	99	2.7	89	R4	-	FR	11	IR/PSL	5	IR/PSL	4	SR/IR	8	IR/PSL	0	11	
	416.97	420.01	3.04	3	99	2.66	88	R4	-	FR	7	PR/SS	6	CS/SR	5	PR/CS	6	SS/PS	0	12	
	420.01	423.06	3.05	2.94	96	2.71	89	R4	-	FR	7	PR/IR	7	PR/CR	4	IR/PSL	1	PR	0	11	Sulphides
GND	423.06	426.11	3.05	2.98	98	2.98	98	R5	-	FR	8	IR/PR			2	PR			0	0	
	426.11	427.33	1.22	1.98	100	0.63	52	R5	-	FR	4	IR							0	48	
	427.33	429.16	1.83	1.87	100	1.79	98	R5	-	FR	9	UR	1	UR	2	PR	2	UR	0	2	
	429.16	432.21	3.05	2.94	96	3.05	100	R5	-	FR	9	PR			6	PR	1	UR	0	0	
	432.21	435.25	3.04	3	99	2.97	98	R5	-	FR	16	PR/IR	4	IR	2	IR			0	12	
	435.25	438.3	3.05	3.04	100	2.55	84	R2/R3	-	FR	8	PS	2	US	1	PR	1	PS	0	16	
	438.3	441.35	3.05	2.71	89	1.99	65	R2/R3	-	FR	12	SS/PS	2	PS					0	35	
	441.35	444.4	3.05	2.8	92	1.25	41	R2/R3	-	FR	10	PR/IR	2	UR/PR					0	59	
	444.4	447.45	3.05	3.04	100	2.83	93	R3	-	FR	14	PS	4	PS					0	7	
	447.45	450.49	3.04	2.9	95	0.98	32	R3	-	FR	2	PS	4	PS					0	68	
	450.49	453.54	3.05	2.85	93	0.95	31	R2/R3	-	FR	9	PR/IR	1	PR					0	69	
	453.54	456.59	3.05	2.92	96	1.52	50	R3	-	FR	7	PR/IR			11	IR	1	IR	0	50	
	456.59	459.64	3.05	2.96	97	2.05	67	R3	-	FR	7	PR/IR	7	PR	4	PR/UR			0	33	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-310C

Date:_May 28-June 12, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:_Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	459.64	462.69	3.05	3.03	99	2.2	72	R3/R4	-	FR	20	SS/PS			2	PS			0	28	
	462.69	465.73	3.04	2.91	96	1.97	65	R4	-	FR	18	PS/US							0	35	
	465.73	468.78	3.05	2.78	91	1.84	60	R4	-	FR	20	PS	2	PS					0	40	
	468.78	471.83	3.05	2.92	96	1.88	62	R4	-	FR	20	IR/SR							0	38	
	471.83	474.88	3.05	3.08	100	2.12	70	R3/R4	-	FR	9	IR/PS	10	PR/PS	1	PR			0	30	
	474.88	477.93	3.05	3	98	1.87	61	R3/R4	-	FR	7	PS/PR	12	PR/SR	1	SR			0	39	
	477.93	480.97	3.04	3.04	100	2.48	82	R4	-	FR	10	PR/USL	5	PR/USL	5	SR/UR			1	17	
	480.97	484.02	3.05	2.93	96	2.73	90	R3/R4	-	FR	11	SR/PR	8	IR/PR	3	IR/SR	5	SR/PR	0	10	
	484.02	487.07	3.05	2.99	98	2.99	98	R3/R4	-	FR	5	SR/PR	9	SR/PR	12	SR/PR	5	SR/PR	0	2	
	487.07	490.12	3.05	2.92	96	1.87	61	R4	-	FR	2	PR	8	PR/SR	6	SR/PR	3	CR/UR	0	39	
	490.12	493.17	3.05	2.86	94	2	66	R3/R4	-	FR	14	SR/PR	10	SR/CR	15	PR/SR	3	SR	0	34	
	493.17	496.21	3.04	2.8	92	1.51	50	R3/R4	-	FR	4	PR/SR	11	UR/PR	7	CR/PR	3	PR/UR	2	48	
	496.21	499.26	3.05	3.05	100	2.04	67	R3/R4	-	FR	18	CR/IR	9	CR/IR	1	PR	5	IR/SR	2	35	
	499.26	EOH																			
	EOH																				

DRILL HOLE SUMMARY SHEET

HOLE NO.: DG06-311C

PROJECT: Dublin Gulch - 1735

GROUND ELEVATION: 1162m | EOH: 511.45m

BEARING: 180 | DIP: -60°

DATE STARTED: 31-May-06 | DATE COMPLETED: 12-Jun-06

COORD SYSTEM: NAD 27: EASTING: 460136 NORTHING: 7099695

COORD SYSTEM: NAD 83: EASTING: 460018 NORTHING: 7099880

E.O.H.: 511.45m

LOGGED BY: T. Charles, M. Stone

CONTRACTOR: DJ Drilling

DRILLING DETAILS

Hole Diameter: HQ

Overburden: 3.05 m

Deviation:

Casing: 3.05 m

Core Size: HQ

Cement (# Bags): 0

Plug Depth: N/A

Notes: No plug necessary.

SAMPLING DETAILS

Sample Sequence: C078001 - C078294

Requisition #: ALSC-CW06-037-STRGOL-R1 Date Shipped: June 9, 2006

Lab Record #: Date Received:

Sample Sequence: C078295 - C078498

Requisition #: ALSC-CW06-037-STRGOL-R1 Date Shipped: June 16, 2006

Lab Record #: Date Received:

Duplicates:	C078002, C078022, C078042, C078062, C078082, C078102, C078142, C078162, C078182, C078202, C078222, C078242, C078262, C078282, C078302, C078322, C078342, C078362, C078382, C078402, C078422, C078442, C078462, C078482
Preparation Duplicate/ Check Assay:	C078009, C078029, C078049, C078069, C078089, C078109, C078129, C078149, C078169, C078189, C078209, C078229, C078249, C078269, C078289, C078309, C078329, C078349, C078369, C078389, C078409, C078429, C078449, C078469, C078489
Standards:	C078010(1A), C078030 (3C), C078050(4D), C078070(4D), C078090(5E), C078110(6F), C078130(7G), C078150(3C), C078170(4D), C078190(5E), C078210(2B), C078230(6F), C078250(7G), C078270(3C), C078290(4D), C078310(5E), C078330(6F),C078350(7G) C078370(3C), C078390(4D), C078410(1A), C078430(3C), C078450(E5), C078470(6F), C078490(7G)
Blanks:	C078016, C078036, C078056, C078076, C078096, C078116, C078136, C078156, C078176, C078196, C078216, C078236, C078256, C078276, C078296, C078316, C078336, C078356, C078376, C078396, C078416, C078436, C078456, C078476, C078496

FROM	TO	LITHOLOGY
3.05	14.30	MSED
14.30	15.20	QMOZ
15.20	87.00	MSED
87.00	88.52	GND
88.52	93.35	BQS
93.35	399.05	GND
399.05	400.25	QTZ VEIN @ 45° to CA
400.25	511.45	GND

FROM	TO	ALTERATION
62.20	83.75	Silicified
169.20	328.39	Silicified
365.03	399.05	Silicified
400.25	402.97	Silicified
415.44	424.59	Silicified
430.95	494.85	Silicified
3.05	511.45	Oxidized
3.05	93.35	Altered - ser, clay
93.35	163.70	Altered - clay, ser, cb
163.70	339.05	Altered - ser, chl, cb, clay
339.05	402.97	Altered - cb, chl, ser, clay

FROM	TO	MINERALIZATION (Veins)

DEPTH (m)	AZI (Orig)	DIP (Orig)	AZ (+26 Corr)	AZ (+27 Corr)
54.25	154.5	-59.3	180.5	181.5
130.45	153.8	-58.0	179.8	180.8
206.65	154.9	-55.6	180.9	181.9
282.85	157.7	-55.1	183.7	184.7
359.05	159.2	-53.7	185.2	186.2
436.25	160.1	-50.9	186.1	187.1
511.45	162.0	-49.6	188.0	189.0

ASSAY INTERCEPTS

FROM:	TO:	INT:	Au (g/t)	SAMPLE QUALITY:

COMMENTS: (Ground conditions, fracture zones, water flows, drilling problems)

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-311C

DATE: May 29, 2006

FeOx	Ser, Chl, etc	Carbonate
0 = Unoxidized	0 = Unaltered	0 = No Effervescence
5 = Intensely Ox'd	5 = Intensely Altered	5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages	Ox. State
0 = No Alteration	0 = No Oxidized Sulphides
5 = Intense Alt'n	5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

GEOLOGICAL DESCRIPTION					ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL																		Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages			Sulphides								Oxidation															
UNIT CODE	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other											
1	0 - 3.05			Casing - overburden.																													C078001	3.05	4.70	0.003		
80	3.05 - 14.30	3.05	10.50	QZZ - fine grained quartzite. Light brown Hyland group quartzite with scattered stringers of quartz throughout and minor clay bands. Minor Fe stain in fabric with mod to maj Fe stain on fractures. Very poorly foliated…56° @ 5.5 m and 53 deg. @ 8.3 m. No visible sulphides.	3	1	0	1	0		2	1	3.0	6.0	45	35	0.0	0	0	0										4.0				C078002				DUPLICATE	
		10.50	14.30	BQS - light to dark grey, fine grained, with moderate Fe staining through fabric and major Fe staining on fractures. Moderately foliated, 69° at 12.1m. Minor sericitization. Minor aspy.	3	1	0	1	0		2	1	4.0	6.0	40		0.0	0	0	0				0.1						10.0				C078003	4.70	5.77	0.003		
											1	1	3.0	3.0	35						0.1							5.0				C078004	5.77	6.71	0.026		
20	14.30 - 15.20	14.30	15.20	QMOZ. Medium brown weathered monzonite. Moderate Fe staining throughout fabric, major Fe staining on fractures. No foliations. No visible sulfides. No veins.	3	0	0	0	0																							C078005	6.71	7.80	0.005		
											3	1	1.0	2.5	35						0.1			0.1				2.0				C078006	7.80	8.95	0.003		
80	15.20 -	15.20	21.10	BQS. Light to dark grey in colour, fine grained, with one small section of QZZ at 15.5m to 16.0m. Qtz veins scattered throughout unit. Fault gouge/clay at 17.05m to 18.45m, extremely broken. Moderate Fe staining through fabric, major staining on fractures. Trace py and aspy in qtz veins and finely disseminated py and aspy from 16.1m to 16.5m.	4	1	0	0	0		2	1	2.0	3.0	20	125					0.1			0.1						5.0				C078007	8.95	10.06	0.003		
											4	1	0.5	2.0	140						0.2			0.1				10.0				C078008	10.06	11.44	0.005		
																																C078009	10.06	11.44		CHECK ASSAY	
																																C078010				STANDARD 1A	
											5	1	0.5	1.0	35	65	0.2	s	1	2	0.8			0.1				5.0				C078011	11.44	12.50	0.005		
											2	1	0.6	1.0	70						1.0			0.1				10.0				C078012	12.50	13.80	0.047		a large qtz blob also present, small carbonate veinlets and blebs are cross cutting foliation
											2	4	0.1	0.2	50	140					0.2			0.1				10.0				C078013	13.80	15.10	0.014		
											4	1	1.5	4.0	50	145	0.1	cb	2	2	0.1			0.1				10.0				C078014	15.10	16.15	0.006		
											3	1	15.0	17.0	72						2.0			0.1				10.0				C078015	16.15	17.10	0.003		qtx blobs present as well
																																C078016				BLANK	
																																C078017	17.10	18.65	0.003		
											1	1	1.0	1.0	45	150					1.0			0.1				5.0				C078018	18.65	19.83	0.003		
											7	1	7.0	18.0	55	38	0.0	0	0	0	0.1			0.1				5.0				C078019	19.83	21.15	0.035		
		21.10	31.40	QZZ - fine grained quartzite. Light to dark brown Hyland group quartzite with scattered stringers of quartz throughout. Mod Fe stain in fabric with mod to maj Fe stain on fractures. Very poorly foliated, 40°. Py and aspy from 27.5 to 27.6. Cross-cutting quartz veins throughout unit. Darker patches of biotite rich areas.	3	1	0	1	0		9	1	9.0	18.0	50	140	0.0	0	0	0	0.1			0.1						10.0				C078020	21.15	22.20	0.009		minor carb @ 21.75 m
											7	1	5.0	14.0	55	120	0.0	0	0	0	0.1			0.1				10.0				C078021	22.20	23.92	0.003		minor carb from 23.6 to 23.9 m
																																C078022	22.20	23.92		DUPLICATE	
											7	1	6.0	10.0	130		0.0	0	0	0	0.1			0.1				10.0				C078023	23.92	25.30	0.007		
											1	1	0.5	0.5	135		0.0	0	0	0	0.1			0.1				10.0				C078024	25.30	26.30	0.003		
											13	1	14.0	31.0	130		0.0	0	0	0	1.0			0.1				15.0				C078025	26.30	27.41	0.014		
											6	1	13.0	38.0	130		0.0	0	0	0	2.0			0.1				15.0				C078026	27.41	28.95	0.023		
											3	1	0.2	0.6	140		0.0	0	0	0	0.1			0.1				10.0				C078027	28.95	29.87	0.037		
											6	1	1.0	4.0	145		0.0	0	0	0	0.5			0.1				5.0				C078028	29.87	31.40	0.005		
																																C078029	29.87	31.40		CHECK ASSAY	
																																C078030				STANDARD 3C	
		31.40	32.70	QZZ - light grey bleached zone with abundant qtz veins along and xcutting foliation. Unit is poorly foliated. Moderate Fe stain on frac. Minor sericitization. Trace aspy. Foliation: 50 deg. @ 33.1 m.	1	1	0	1	0		3	1	14.0	25.0	50	130	0.0	0	0	0	0.1									2.0				C078031	31.40	32.70	0.016		
		32.70	62.20	QZZ - light to dark grey, qtz flooded with biotite-rich sections. Minor Fe stain with mod to maj Fe stain on fracs, well defined foliation. Qtz veins along and xcutting foliation throughout. Foliation: 40 deg @ 33m and 37 deg @ 37.7. Minor py and aspy in qtz veins, moderate sericitization.	1	2	0	0	0		7	1	2.0	7.0	45	135	0.2	s	1	2	0.1			0.1						2.0				C078032	32.70	33.70	0.008		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-311C

DATE: May 29, 2006

FeOx	Ser, Chl, etc	Carbonate
0 = Unoxidized	0 = Unaltered	0 = No Effervescence
5 = Intensely Ox'd	5 = Intensely Altered	5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages	Ox. State
0 = No Alteration	0 = No Oxidized Sulphides
5 = Intense Alt'n	5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL													Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																Selvages				Sulphides								Oxidation										
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
											5	3	3.0	5.0	35	145	0.0	0	0	0	0.1			0.1					5.0				C078033	33.70	34.75	0.003		
											4	1	16.0	26.0	150		0.1	s	2	2	2.0			0.1					5.0				C078034	34.75	35.59	0.006		
											6	1	10.0	16.0	50	140	0.1	cb	1	2	0.1			0.1					5.0				C078035	35.59	36.95	0.007		
																																	C078036				BLANK	
											14	3	0.5	3.0	130	145	2.0	s	2	1	0.1			0.5					5.0				C078037	36.95	38.25	0.025		
											12	3	2.0	8.0	100	140	0.8	s	2	1	0.1		0.1	0.5					5.0				C078038	38.25	39.62	0.049		carb xcuts qtz
				veinlets and blebs of calcite from 39.62 to 40.70m							9	1	3.0	9.0	55	130	1.0	s	2	1	0.1			0.1									C078039	39.62	40.93	0.016		carb lenses x-cut qtz
											5	1	2.0	7.0	35		0.1	c	2	1	1.0			0.1					10.0				C078040	40.93	42.30	0.019		
											4	4	0.2	0.8	25	60	0.2	s	3	2	1.0			0.1					5.0				C078041	42.30	43.59	0.023		
																																	C078042	42.30	43.59		DUPLICATE	
											4	1	1.0	4.0	35	120	0.3	s	2	1		0.5		0.1									C078043	43.59	45.00	0.008		calcite lenses x-cut qtz veins
											8	4	1.0	2.5	55	135	0.4	s	3	2	0.2								5.0				C078044	45.00	46.10	0.033		calcite vein(lets) x-cut each other
				at 47.2m foliation is at 55 degrees.							5	4	0.4	1.0	135	170	0.3	s	2	2	0.2			0.1					10.0				C078045	46.10	47.60	0.029		
				at 48.2-48.5m, small carbonate veinlets							3	1	5.0	8.0	43	135	0.3	s	1	1	0.1			0.1					2.0				C078046	47.60	49.00	0.069		
											5	1	5.0	9.0	80	125	0.1	cb	2	1	0.2			0.1					2.0				C078047	49.00	50.28	0.003		carb veinlets thruout sample on and xcutting foliation.
											2	1	1.5	2.0	25	10	0.8	cb	3	0	0.2			0.1					2.0				C078048	50.28	51.62	0.008		.7 m long Q vein, 1 cm wide CaCO3 vein
																																	C078049	50.28	51.62		CHECK ASSAY	
																																	C078050				STANDARD 4D	
											2	1	1.5	2.0	80	130	0.0	0	0	0	0.1			0.1					2.0				C078051	51.62	53.10	0.003		
											5	1	2.0	3.5	45		0.0	0	0	0	0.1			0.1					5.0				C078052	53.10	54.25	0.003		
											7	1	1.0	3.5	50		0.0	0	0	0	0.1			0.2					5.0				C078053	54.25	55.69	0.005		
											2	1	1.0	1.5	55	140	0.0	0	0	0	0.1			0.1					5.0				C078054	55.69	56.95	0.005		
											5	1	3.0	5.5	45	140	0.0	0	0	0	0.1			0.1					5.0				C078055	56.95	58.30	0.006		carb veinlet @ 58.8
																																	C078056				BLANK	
											1	1	2.0	2.0	50		0.0	0	0	0	0.1			0.1					15.0				C078057	58.30	59.43	0.056		
											1	1	1.0	1.0	60		0.0	0	0	0	0.5			0.1					10.0				C078058	59.43	60.85	0.019		
											2	1	1.5	2.5	35		0.0	0	0	0	0.1			0.1					15.0				C078059	60.85	62.20	0.018		small carb veinlets and blebs thruout
		62.20	83.75	BQS - med to dk grey, well foliated, minor Fe stain with some areas of mod Fe stain, qtz flooded with veins and blebs, moderately sericitized, minor chl. Foliation meas: @63.8m is at 40 degrees to CA.	1	1	1				3	1	3.0	7.0	55		0.1	cb	1	1	0.1			0.1					15.0				C078060	62.20	63.40	0.035		
				at 63.40m, qtz incorporated into foliation houses suphides (v. minor), while milky qtz veins which cross-cut foliation are devoid of sulphides. Carb-qtz veins intersect foliation at 110 to CA and 20 to foliation. (foliation @40 to CA)							4	1	3.0	7.0	50	150					0.1	0.1											C078061	63.40	64.92	0.006		sulph's appear where carb/qtz veinlets xcut
																																	C078062	63.40	64.92		DUPLICATE	
											5	1	2.0	6.0	45	150	1.0	q/s	3	1				0.1					1.0		1.0		C078063	64.92	66.45	0.005		
				from 66.45 to 67.97m, 3 of 5 qtz veins are parallel to foliation (50-60 degrees to CA), while one branches into xcutting. One is straight, milky qtz. Carb-qtz veins intersect foliation at 60 degrees.							5	1	3.0	9.0	60	150								0.1					0.1		1.0		C078064	66.45	67.97	0.007		
											3	3	0.5	1.5	150		1.0	s	3	1				0.1					3.0									
											7	1	3.0	12.0	45	150	1.0	q/s	1		2.0			0.1					2.0	1.0			C078065	67.97	69.49	0.003		scor is bleb in centre and stringers at margins of veins
				at 72.05m, po and cpy are found fresh and euhedral on a fracture face, not associated with veinage							6	1	4.0	10.0	45	140	0.5	q/s	2	1		0.1	0.1						0.1				C078066	69.49	71.02	0.005		
											1	6	1.0	1.0	55							1.0		1.0						20.0							
											5	1	3.0	6.5	160	55	1.5	q/s	2	1	0.1			0.1					0.1				C078067	71.02	72.54	0.003		
											4	1	2.0	5.5	40	55	1.0	q	3			0.1							1.0		1.0		C078068	72.54	74.07	0.003		
i																		cb	1																			
																																	C078069	72.54	74.07		CHECK ASSAY	Micaceous alteration - scordite? Found within large qtz vein from 72.54 to 72.89m

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-311C

DATE: May 29, 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																					Sulphides								Oxidation											
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other							
																																	C078070				STANDARD 4D	
											6	1	2.0	8.5	120	65	1.0	q	1				0.1	0.1					0.1		0.1		C078071	74.07	75.59	0.006		
											1	GND	11.0	11.0	35		3.0	q	4																			
				from 72.80m to 75.45m (top of GND vein), rock becomes v. silicified and new crystallization of high-temperature minerals (px, andalusite?). Colour is purplish black grey and foliation becomes less visible, but is generally at 40 degrees to CA.							6	1	4.0	10.0	40	150	1.0	q/s	3		0.1			0.1					0.1		0.1		C078072	75.59	77.11	0.006		small calcite stringers thruout
											6	1	2.5	8.0	155	45	3.5	q/s	2		0.1			0.2					0.1	0.1	0.1		C078073	77.11	78.64	0.007		calcite stringers @ 77.5
											6	1	6.0	14.0	60	140	1.5	q/s	2		0.1		0.1	0.1					0.1	0.1	0.1		C078074	78.64	80.16	0.003		hard siliceous unit
											8	1	5.0	12.0	40	135	0.5	q/s	2		0.1		0.1	0.1							2.0		C078075	80.16	81.69	0.003		hard siliceous unit
																																	C078076				BLANK	
											5	1	7.0	13.0	45	155	0.1	cb	1		0.1		0.1	0.1						0.1	3.0		C078077	81.69	83.21	0.006		frac @ 82 to 82.5 - calcite
				Foliation: 58 deg @ 83 m.							2	1	2.0	3.0	60		0.8	q/s	1		0.1			0.1						0.1	0.2		C078078	83.21	83.75	0.003		
		83.75	86.16	QZZ - beige/light grey to rusty brown, fine grained, bleached and oxidized quartzite. Minor sericite, poorly foliated. Foliation: 30 and 35 deg. Minor qtz veins with and xcutting foliation. Tr py and aspy.	3	1		1	0		3	1	2.0	4.0	40	130	0.0	0	0	0									2.0				C078079	83.75	85.05	0.007		
											3	1	1.5	3.0	50		0.0	0	0	0	0.1			0.1					5.0	0.1			C078080	85.05	86.16	0.016		oxidized zone - 85.2 to 86.1
80		86.16	87.00	BQS - med grey, fine grained, siliceous biotite-quartz schist, poorly foliated, minor sericitization with small quartz veins xcutting foliation. Foliation: 40 deg @ 86.4 m. Small calcite stringers @ 135 and 140 deg.	1	1		1	1		2	1	0.5	1.0	40		0.1	q	1		0.1			0.1					0.1		0.2		C078081	86.16	87.00	0.003		
																																	C078082	86.16	87.00		DUPLICATE	
10		87.00	88.52	GND - light to med. Grey, med grained GND, minor bleaching, minor sericitization, tr py and aspy throughout fabric. One small .3 m seam of light grey QZZ, slightly bleached with small calcite veins.	2	1		1			1	1	0.5	0.5	45		0.5	q/s	1		0.1			0.1					0.1				C078083	87.00	88.52	0.003		
80		88.52	93.35	BQS - med to dark grey, fine grained, moderately foliated, weakly sericitized biotite-quartz schist. Foliation: 30 deg @ 91.6 m.	1	1		1	1		4	1	3.5	6.0	35	25	1.0	q/s	2		0.1			0.1					0.1				C078084	88.52	89.95	0.005		
											3	1	3.0	6.0	35		1.5	q/s	2		0.1			0.1					0.1				C078085	89.95	91.29	0.006		
											4	1	4.0	7.5	35		0.1	cb	1		0.1			0.1					0.1				C078086	91.29	92.35	0.006		
											2	1	1.5	2.0	45		0.5	q/s	1		0.1			0.1					0.1				C078087	92.35	93.35	0.003		sulfides occur along vein edges.
10		93.35	97.95	GND - contact @ 93.35. Extremely weathered section to 97.95 m. Contains up to 10% carbonates. Fractured and gravelly @ contact and from 94.7 to 95 and 95.6 to 95.8 and 97.2 to 97.7. Sulphide/carbonate veinlets @ 45 deg to CA.	4	3		4	3		1	1	1.5	1.5	20		0.0	0	0	0	0.1			0.1					0.1				C078088	93.35	94.55	0.035		
																																	C078089	93.35	94.55		CHECK ASSAY	
																																	C078090				STANDARD 5E	
											0																						C078091	94.55	95.40	0.096		
											1	6	0.2	0.2	0		0.0	0	0	0	0.1			0.1					5.0				C078092	95.40	96.93	0.066		
											2	6	0.5	0.8	45	30	0.0	0	0	0	0.1			0.2					2.0				C078093	96.93	97.95	0.030		
		97.95	163.70	GND - weakly to moderately altered. Light to med grey in colour, with bleached zones of po/py/aspy mineralization and aspy/bi mineralization. Unit is fairly competent with some fractured and/or gravelly textured zones. Mineralized veins are 35, 45 and 60 deg to CA, Ca veinlets are 30 deg to CA and qtz veins are 30, 40, 45 and 70 deg to CA. Weakly sericitized and moderately sericitized in bleached/qtz injected/carbonate zones. Finely disseminated po and aspy throughout the majority of the unit.	2	2		2	1		2	6	2.5	3.0	35	60	1.0	q/s	2		0.1			0.3					2.0				C078094	97.95	98.82	0.320		
											1	1	1.0	1.0	30		0.0	0	0	0	0.1			0.1					0.1									
											2	1	2.5	4.0	30		0.0	0	0	0	0.1			0.1					0.1				C078095	98.82	99.97	2.400		
											1	6	1.0	1.0	40		0.8	q/s	3		0.1			0.3					40.0									ox'd bis
																																	C078096				BLANK	
											1	6	0.2	0.2	5		1.5	q/s	2		0.1			0.1	5.0				3.0				C078097	99.97	101.50	1.210		ox'd bis
											1	6	0.2	0.2	0		3.0	q/s	2		2.0			3.0	5.0				2.0				C078098	101.50	103.02	1.055		
											1	1	1.5	1.5	70									0.1					2.0									
											1	1	2.0	2.0	50		0.2	q/s	2		0.1	1.0		0.1					0.1				C078099	103.02	104.55	0.251		
											3	1	1.0	2.0	35	50	0.5	q/s	1		0.1			0.1					0.1				C078100	104.55	106.07	0.043		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-311C

DATE: May 29, 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																Selvages				Sulphides								Oxidation									
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
											1	1	1.0	1.0																		C078101	106.07	107.59	0.933		qtz vein found on small piece of core; no angle
																																C078102	106.07	107.59		DUPLICATE	
											3	1	1.0	2.5	35	40	0.0				0.1	1.0		0.1					0.1				C078103	107.59	109.12	0.070		
											1	6	1.0	1.0	0	30	0.2	q	1			5.0		0.1					1.0		1.0		C078104	109.12	110.64	0.271		
											1	3	2.5	2.5	15		1.0	q	2	1		5.0		1.0					0.1									
											2	1	3.0	5.0	30	20	1.0	q	1					0.1														
											1	1	2.0	2.0	35		0.2	q/s	1			1.0		0.1					0.1		0.2		C078105	110.64	112.17	0.212		
											1	6	1.0	1.0	50		0.0	0	0	0	3.0			0.1					0.1									
											2	1	0.5	1.0	50		0.3	q	1					0.1					0.1				C078106	112.17	113.69	0.573		
											3	6	0.5	1.5	60	35	0.3	q	1		2.0			0.1					0.1									
											4	1	0.5	2.0	30		0.2	q/s	1		2.0			0.1					0.1				C078107	113.69	115.21	0.289		
											4	1	2.5	6.0	40		0.2	q/s	1			1.5		0.1					0.1				C078108	115.21	116.74	0.120		
																																C078109	115.21	116.74		CHECK ASSAY	
																																C078110				STANDARD 6F	
											5	1	0.6	1.7	35	90	1.0	q/s	2			5.0								1.0			C078111	116.74	118.26	0.111		
											4	1	3.5	6.5	35	50	3.0	q/s	4			2.0						0.1		1.0	0.1		C078112	118.26	119.79	0.040		other' sulphide is moly, conc in selvage
											1	1	1.0	1.0	35		1.5	q/s	2					1.0						1.0			C078113	119.79	121.31	0.212		
											1	3	0.3	0.3	25		0.5	q	1			5.0									1.0						
											1	DRT	10.0	10.0	70																						diorite vein, med-grained
											1	1	1.0	1.0	34		0.5	q/s	1					2.0									C078114	121.31	122.83	0.082		fresh, euhedral aspy
											5	1	0.5	2.5	35	60	1.0	q/s	1			2.0						0.1			1.0		C078115	122.83	124.35	3.030		moly
																																C078116				BLANK	
											6	1	2.5	4.0	30	35	2.5	q/s	3			1.0							1.0	0.1			C078117	124.35	125.88	0.101		
											3	1	1.5	3.5	25	60						2.0						0.1		0.1			C078118	125.88	127.41	0.365		
											3	1	2.0	4.0	30	60	1.5	q/s	2		0.1	1.0		1.0					1.0	0.1			C078119	127.41	128.93	0.290		
											3	1	0.7	1.5	30		1.0	q/s	3			4.0		1.0					1.0				C078120	128.93	130.45	0.087		
											2	1	4.0	6.0	25		1.0	q/s	3			1.0		1.5					1.0		0.1		C078121	130.45	131.00	0.176		
				Bleached, quartz flooded, calcite stringers, silicified, two qtz veins, 3% aspy, 0.5% po for this section.																														C078122	130.45	131.00		DUPLICATE	
											1	4	0.2	0.2	20		1.5	q/cb	3	1		0.5		3.0					2.0		0.2							
											1	1	2.0	2.0	45		0.2	q	2			0.1		0.1					0.1	0.1			C078123	131.00	131.98	0.098		
											5	1	4.0	7.5	45	30	1.0	q/cb	3			0.5		0.2					0.1		0.1		C078124	131.98	133.50	0.065		
											5	1	1.5	4.5	45		1.5	q/cb	2			1.0		0.8					0.1		0.1		C078125	133.50	135.03	0.204		
											3	1	3.0	4.5	45		0.8	q/cb	1			0.2		0.1					0.1	0.1			C078126	135.03	136.55	0.143		
											4	1	5.0	6.5	45		0.4	q/cb	2			0.3		0.1					0.1		0.1		C078127	136.55	138.07	0.048		
											3	1	1.0	2.0	45		0.4	q/cb	1		0.1	0.2		0.1					0.1				C078128	138.07	139.60	0.083		
																																C078129	138.07	139.60		CHECK ASSAY	
																																C078130				STANDARD 7G	
											3	1	1.0	2.0	20	30	0.5	q/cb	1			0.3		0.1					0.1		0.1		C078131	139.60	141.12	0.085		
											5	1	0.5	2.5	45	30	0.5	q/cb	1		0.1	0.2		0.1					0.1				C078132	141.12	142.65	0.032		
											1	6	1.0	1.0	35		0.5	q/cb	1		0.1	0.5		0.1					0.1	0.1			C078133	142.65	144.17	0.093		
											2	6	0.3	0.7	50		0.3	q/cb	1		0.1	5.0		0.1					0.1		0.1		C078134	144.17	145.69	0.065		
				tr py and aspy throughout matrix							4	1	1.5	3.0	45		0.7	q/cb	1		0.1	0.3		0.1					0.1		0.1		C078135	145.69	147.22	0.020		
																																C078136				BLANK	
											2	1	1.0	1.5	45		0.2	q/cb	1			0.2		0.1					0.1	0.1	0.1		C078137	147.22	148.00	0.040		
				massive po vein, silicified, qtz-carbonate vein							1	6	3.5	3.5	30		2.0	q/cb	3		0.1	30.0		0.2					0.2	0.1	0.2		C078138	148.00	148.25	2.300		
											1	1	0.5	0.5	45		0.3	q/cb	1			0.5		0.1					0.1		0.1		C078139	148.25	148.74	0.190		
											1	1	5.0	5.0	45		1.5	q/cb	3			0.2		0.1					0.1		0.1		C078140	148.74	150.27	0.047		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-311C

DATE: May 29, 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																					Sulphides								Oxidation												
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
											6	1	4.0	8.0	45	15	0.5	q/cb	1			0.3		0.1					0.1		0.1		C078141	150.27	151.79	0.413		
																																	C078142	150.27	151.79		DUPLICATE	
				magnetite @ 152.75 (?)							6	1	4.5	7.0	45	30	0.5	q/cb	1			0.2		0.1					0.1		0.1		C078143	151.79	153.31	0.052		
											2	1	1.0	1.5	45		0.3	q/cb	1			10.0		0.1					0.1	0.1	0.1		C078144	153.31	154.88	0.024		
											6	1	1.0	4.0	45		0.4	q/cb	1			0.5		0.1					0.1		0.1		C078145	154.88	156.36	0.384		
											3	1	3.5	4.5	25	30	0.7	q/cb	1			0.1		0.1					0.1		0.1		C078146	156.36	157.89	0.121		
											6	1	4.5	10.5	30	35	5.5	q/cb	1			0.1		0.3					1.0		0.1		C078147	157.89	159.41	0.143		
																	5.5	q/s	2																			
											5	3	2.5	8.0	45	35	1.5	q/cb	2			0.2		0.1					0.1		0.1		C078148	159.41	160.93	0.333		
																	1.5	q/s	1																			
																																	C078149	159.41	160.93		CHECK ASSAY	
																																	C078150				STANDARD 3C	
				Bleached zone, silicified, moderate sericitization, calcite lenses							3	6	4.0	10.0	15	30	3.5	q/s	3			15.0		0.3					0.1		0.1		C078151	160.93	161.60	3.600		
				massive aspy vein							2	6	1.0	1.5	40	35	0.8	q/s	3			0.1		35.0					0.1	0.1	0.1		C078152	161.60	162.46	0.419		
											2	3	2.0	3.0	30		1.0	q/s	3			5.0		0.1					0.1	0.1	0.1		C078153	162.46	163.70	0.051		
		163.70	168.10	Bleached, fairly competent, mod to extremely sericitized, mod chloritization, calcite veins throughout unit, qtz veins up to 6 cm. wide with aspy, po and bi mineralization. Fractured zone starts up to 1 m from lower oxidized zone.	3	4	3	1	3		2	3	1.0	2.0	25		1.0	q/s	3			0.1		0.3					5.0	0.1	0.1		C078154	163.70	164.20	0.133		
											2	6	5.0	7.0	40	60	3.5	q/s	3			6.0		1.0					5.0	0.1	0.1		C078155	164.20	164.95	0.212		
																																	C078156				BLANK	
											3	1	1.5	3.5	40	35	1.5	q/s	2			1.0		0.3					5.0	0.1	0.1		C078157	164.95	165.65	0.077		
											2	1	4.0	4.5	40	35	5.0	q/s	3			1.0		0.3					5.0	0.1			C078158	165.65	166.35	0.091		
											2	1	1.5	2.5	30	40	1.5	q/s	2			1.0		0.2					5.0	0.1			C078159	166.35	167.03	0.045		
											3	1	1.0	2.5	45		1.5	q/s	2			0.5		0.1					5.0	0.1			C078160	167.03	167.80	0.661		
											2	1	1.5	2.5	25		2.0	q/s	2			0.1		1.0	0.5				5.0	0.1			C078161	167.80	168.10	0.273		
																																	C078162	167.80	168.10		DUPLICATE	
		168.10	169.20	Fracture zone - extremely oxidized, med. Grained GND with intense sericitization and moderate chloritization.	5	4	3	3	2		1	3	1.5	1.5	50		0.6	q/s	2	4		0.1		0.1					25.0		0.1		C078163	168.10	169.20	0.029		
		169.20	172.75	Bleached, light green to med grey, medium grained GND. Extreme sericitization in sections, minor chloritization, silicified in sections with qtz veins carrying aspy and po mineralization.	3	4	1	1	2		3	1	1.0	2.5	20	45	0.8	q/s	2	1		0.6		0.1					5.0	0.1			C078164	169.20	169.73	0.146		
											3	1	4.0	6.0	45		0.5	q	2			0.1		0.3					5.0	0.1	0.1		C078165	169.73	170.99	0.875		
											4	1	2.0	6.0	45	30	1.0	q	2			1.0		0.3					0.1	0.1			C078166	170.99	171.90	0.144		
											3	1	20.0	22.0	45		6.0	q/s	3			0.5		0.1					5.0	0.1	0.1		C078167	171.90	172.75	0.073		
10		172.75	215.50	GND - weakly to moderately altered. Light to med grey in colour, with bleached zones of po/py/aspy mineralization and aspy/bi mineralization. Unit is very competent with some fractured and/or gravelly textured zones. Major fracture/fault(??) zone from 193.3 to 202.1 m - bleached, moderately sericitized, moderately chloritized, calcite veins throughout, clay, gravel and fault gouge. Mineralized veins are 35, 45 and 60 deg to CA, Ca veinlets are 30 deg to CA and qtz veins are 30, 40, 45 and 70 deg to CA. Weakly sericitized through unit and moderately sericitized in bleached/qtz injected/carbonate zones. Finely disseminated po and aspy throughout the majority of the unit.	1	2	1	1	2		3	1	1.5	3.5	35	30	2.0	q/s	2			1.0		0.2					0.1	0.1	0.2		C078168	172.75	173.76	0.251		
																																C078169	172.75	173.76		CHECK ASSAY	
																																C078170				STANDARD 4D	
				Slickensides, bismuthinite on frac surface							2	1	1.0	2.0	40		0.8	q/s	1			0.3		0.1	0.5				0.1	0.1			C078171	173.76	174.65	0.426		
											5	1	1.5	4.5	45		0.6	q/cb	2			0.2		0.1					0.1	0.1	0.1		C078172	174.65	176.17	0.094		
				Slickensides, bismuthinite on frac surface							2	1	2.0	2.5	45		6.0	q/cb	2			0.2		0.1	0.5				0.1		0.2		C078173	176.17	177.70	0.069		
																	6.0	q/s	1																			
											2	1	1.0	1.5	45		2.0	q/s	1			0.5		0.1	0.1				0.1	0.1	0.2		C078174	177.70	179.22	0.027		
											4	1	2.5	4.5	20	35	3.5	q/s	1		0.1	10.0	0.1	0.2					0.1	0.1	0.2		C078175	179.22	180.75	0.058		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-311C

DATE: May 29, 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																					Sulphides								Oxidation												
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
																																	C078176				BLANK	
											4	1	3.0	8.0	40		1.5	q/s	1			1.0		0.1					0.1	0.1	0.2		C078177	180.75	181.97	0.038		
											4	3	2.5	6.0	30	35	3.0	q/s	2			0.5		0.1					0.1	0.1	0.1		C078178	181.97	183.49	0.065		
											1	1	2.5	2.5	30		2.0	q/cb	2			0.1		0.1					0.1	0.1	0.1		C078179	183.49	185.32	0.020		
											5	1	2.5	8.0	35	40	1.0	q/cb	1			0.3		0.1	0.5				0.1		0.2		C078180	185.32	186.84	0.137		
				Silicified 186.84 to 187.3, mod ser, mod carb							4	6	0.5	2.0	40	45	1.0	q/s	1			20.0		0.2					0.1	0.1	0.1		C078181	186.84	188.37	0.057		
																																	C078182	186.84	188.37		DUPLICATE	
											6	1	5.0	14.0	45		2.0	q/s	2			2.0		0.2					0.1	0.1	0.2		C078183	188.37	189.89	0.172		
				Slickensides, silicified from 190.1 to 190.5 - bismuthinite							2	1	2.0	3.5	35		0.5	q/s	1			0.5		0.1	0.5				5.0		0.5		C078184	189.89	191.41	0.078		
											2	1	0.5	1.0	25		0.2	q/s	1			0.1		0.1					0.1				C078185	191.41	192.94	0.012		
				Calcite veinlets throughout - fracture zone, fault gouge, clay, carbonaceous, bi							0														0.5								C078186	192.94	194.46	0.022		
				Calcite veinlets throughout - fracture zone, fault gouge, clay, carbonaceous, bi							4	3	3.0	7.5	40		1.5	q/s	2			0.1		0.1	0.5				5.0				C078187	194.46	195.99	0.113		
				Calcite veinlets throughout - fracture zone, fault gouge, clay, carbonaceous, bi							1	3	1.0	1.0	30							0.1		0.1	1.0				10.0				C078188	195.99	197.51	0.082		
																																	C078189	195.99	197.51		CHECK ASSAY	
																																	C078190				STANDARD 5E	
				Calcite veinlets throughout - fracture zone, fault gouge, clay, carbonaceous, bi							5	3	8.0	13.0	45		0.7	q/s	2			0.2		0.1	0.2				5.0		0.1		C078191	197.51	199.03	0.052		
				Fracture zone, clay, carbonaceous, bi min							2	1	1.5	2.0	20		1.2	q/s	1			0.3		0.1	0.2				2.0		0.2		C078192	199.03	200.56	0.032		
											2	3	1.5	2.5	25		1.5	q/s	2			0.2		0.1	0.1				5.0	0.1	0.1		C078193	200.56	202.08	0.069		
											1	1	2.5	2.5	35		2.0	q/s	1			0.5		0.1					0.1	0.1	0.2		C078194	202.08	203.61	0.041		
											3	1	0.5	1.5	45	0	0.4	q	1			1.0		0.1					0.1		0.1		C078195	203.61	205.13	0.018		
																																	C078196				BLANK	
				Three 2 mm sulphide veins - fresh GND																													C078197	205.13	206.66	0.060		
											8	1	2.0	6.5	35		1.0	q/s	1			5.0		0.1					0.1	0.1	0.2		C078198	206.66	208.18	0.029		
											7	1	3.0	11.5	25	60	2.0	q/s	2			0.5		0.1					0.1	0.1	0.2		C078199	208.18	209.70	0.086		
				Bleached from 210 to 210.7, bi mi, mod ser, mod chl							5	1	2.0	6.0	25	35	2.0	q/s	2			0.5		0.1	0.2				5.0	0.1	0.1		C078200	209.70	211.23	0.054		
											2	3	1.0	1.5	35	20	0.5	q/s	2			0.3		0.1					2.0	0.1	0.2		C078201	211.23	212.75	0.109		
																																	C078202	211.23	212.75		DUPLICATE	
				Bleached, silicified, slickensides, from 213.5 to 214.27, bismuthinite							7	3	8.0	13.0	40	20	3.0	q/s	3			10.0		1.0	0.5				5.0	0.1	0.2		C078203	212.75	214.27	1.325		
											4	1	1.0	2.5	20	30	1.0	q/s	1			3.0		0.1	0.2				5.0		0.2		C078204	214.27	215.50	0.232		
		215.50	250.55	Bleached, light to med green with lt grey sections, medium grained GND. Extreme sericitization in sections, moderate chloritization, silicified in sections with qtz veins carrying aspy and po mineralization. Large (up to 4 cm wide) py/non-magnetic po and bismuthinite veins in a fault(?) zone from 226.7 to 227.6 m.	3	4	4	2	4		2	6	0.5	1.0	30		1.5	q/s	3			25.0		3.0	0.2				10.0				C078205	215.50	216.35	0.065		
											5	1	2.0	4.0	45	70	1.5	q/s	3			0.5		0.1	0.2				5.0	0.2			C078206	216.35	217.32	0.104		
											2	1	1.0	1.5	20	40	1.0	q/s	2			0.5		0.1	0.1				5.0	0.1			C078207	217.32	218.20	0.043		
																									0.2								C078208	218.20	218.85	0.130		Small calcite veins only
																																	C078209	218.20	218.85		CHECK ASSAY	
																																	C078210				STANDARD 2B	
											1	1	4.5	4.5	35		1.5	q/s	3			3.0		0.1	0.5				10.0	0.1	0.1		C078211	218.85	219.68	0.126		
											2	1	1.5	2.0	30		1.0	q/s	3			0.5		0.2	0.5				10.0	0.1			C078212	219.68	220.37	0.345		
											1	3	1.5	1.5	15		3.0	q/s	3																		
											3	1	3.0	6.0	35		1.5	q/s	3			0.2		0.1	0.5				10.0	0.1			C078213	220.37	221.00	0.129		
																									0.5								C078214	221.00	221.89	0.079		Small calcite veins only
											3	1	1.0	2.5	40		2.0	q/s	2			0.5		0.1	0.5				10.0	0.1	0.1		C078215	221.89	222.65	1.015		
																																	C078216				BLANK	
											1	1	0.5	0.5	40		2.0	q/s	3			0.5		0.1	1.0				20.0				C078217	222.65	223.42	0.136		2 completely altered 0.5 cm sulphide veins
											1	1	0.5	0.5	30		1.0	q/s	1			0.1		0.1	0.1				5.0				C078218	223.42	224.25	0.050		Scattered calcite veins throughout
											1	1	1.0	1.0	35		1.5	q/s	1			0.5		0.2					5.0				C078219	224.25	224.94	0.065		Scattered calcite veins throughout

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-311C

DATE: May 29, 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages			Sulphides								Oxidation										
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
											2	1	2.5	3.0	40		1.5	q/s	1			8.0		0.2					5.0	0.1			C078220	224.94	225.80	0.615		
											1	1	2.5	2.5	40							0.3		0.1					5.0				C078221	225.80	226.47	0.041		
																																	C078222	225.80	226.47		DUPLICATE	
											2	1	4.0	7.0	25		4.0	q/cb	3		5.0	1.0		0.2					10.0	0.1	0.1		C078223	226.47	227.31	0.856		
											2	1	1.0	1.5	60		1.0	q/s	1			0.1		0.1					10.0				C078224	227.31	227.99	0.077		
											1	1	2.0	2.0	45						1.0	0.1		0.3					15.0				C078225	227.99	228.85	0.181		
				Sample completely altered. Qtz blob with massive py 2 cm x 5 cm.																	5.0	0.1		0.3					20.0				C078226	228.85	229.51	0.181		
				Two massive py veins in this sample. 5 cm wide vein with 60% py. Completely altered zone.							2	6	5.0	5.5	40						60.0	0.1		1.0	0.5				20.0				C078227	229.51	230.25	0.525		
				Completely altered. No trace of any mineralization, not even in the fabric. Tr aspy in slickensides.																													C078228	230.25	231.04	0.024		
																																	C078229	230.25	231.04		CHECK ASSAY	
																																	C078230				STANDARD 6F	
				Tr min in horz qtz vein, fabric is void of min							1	1	1.0	1.0	0		1.0	q/s	2		0.1	0.1		0.2					10.0		0.1		C078231	231.04	231.80	0.220		
				Massive py (2 mm) and aspy on frac surface																	0.1			0.1					15.0				C078232	231.80	232.56	0.064		
				Completely altered zone - py and aspy altered veins (<3 mm), altered qtz vein, intense ser and chl, carbonaceous																	2.0			1.0					15.0				C078233	232.56	233.30	0.055		
				Min completely leached out, intense ser and chl																	0.1	0.1		0.1					15.0				C078234	233.30	234.09	4.110		
				One 2.5 cm wide qtz vein from 234.65 to 235 m. Altered aspy vein. Completely altered zone.							1	1	2.5	2.5	5						0.1	0.1		5.0					15.0				C078235	234.09	235.00	0.239		
																																	C078236				BLANK	
				Sulphides appear in veins again, altered py in large qtz vein, 4 altered aspy veins up to 1 cm in diam, no sulphides in fabric yet							3	1	3.0	6.0	40		1.5	q/cb	3		0.5	0.1		6.0					15.0				C078237	235.00	235.61	1.075		
				No sulphides in vein, altered and recognizable py in fabric, 2 altered aspy veins up to 1 cm in diam, alteration not as prominent near end of sample							1	1	0.5	0.5	60		3.0	q/s	3		0.5	0.1		4.0					20.0				C078238	235.61	236.40	0.275		
				Tr py and aspy in qtz vein, GND still intensely altered, but more recognizable. No sulphides in fabric							1	1	0.5	0.5	40		2.0	q/s	3		0.5			1.0					10.0				C078239	236.40	237.13	0.153		
				Intensely altered, one small altered py vein, calcite veins prominent							1	1	0.5	0.5	25						0.1			0.1					15.0				C078240	237.13	238.00	0.098		
				2 small seams altered aspy, intensely altered, carbonaceous							2	1	0.5	1.0	4						0.1			0.1					20.0				C078241	238.00	238.66	0.061		
																																	C078242	238.00	238.66		DUPLICATE	
				Tr py and aspy in vein, tr py and aspy appear in fabric again.							2	1	1.0	1.5	45		2.5	q/s	2			0.1		0.1					5.0				C078243	238.66	240.18	0.087		
				Siliceous zone from 240.7 to 241.2, massive py in veins and fabric, massive altered and fresh aspy in 5 veins from 0.5 to 1 cm wide, moderately altered section							4	1	1.0	3.0	45		1.5	q/cb	3			0.1		5.0					10.0				C078244	240.18	241.71	1.010		
				Moderately altered, fresh GND near end of section, sulphides in matrix							2	1	1.0	1.5	25		4.0	q/s	1			0.1		0.3					5.0				C078245	241.71	243.23	0.214		
				Small calcite veins only in this section. Moderately altered with sulphides and altered sulphides in matrix.																				0.1					5.0				C078246	243.23	244.75	0.667		
				Weak to mod altered with fresh sections. Po and aspy reappear in veins, py on fractures at edge of veins. Calcite thruout, some minor altered aspy in one small vein.							5	1	1.0	4.0	25	35	3.0	q/s	1			0.2		0.2					5.0	0.1			C078247	244.75	246.28	1.920		
																																	C078248	246.28	247.80	0.039		
																																	C078249	246.28	247.80		CHECK ASSAY	
																																	C078250				STANDARD 7G	
																																	C078251	247.80	249.33	0.061		
																																	C078252	249.33	250.55	0.036		
		250.55	328.39	GND - weakly to moderately altered with some minor scattered intensely altered zones. Light to med grey in colour, with bleached zones of po/py/aspy mineralization and aspy/bi mineralization. Unit is very competent with some fractured and/or gravelly textured zones. Fracture zone from 269 to 275 m - fractured, minor sericite, minor chlorite, qtz veins up to 4 cm wide. Mineralized veins are 35, 45 and 60 deg to CA, Ca veinlets are 30 deg to CA and qtz veins are 30, 40, 45 and 70 deg to CA. Weakly sericitized through unit and moderately sericitized in bleached/qtz injected/carbonate zones. Finely disseminated po and aspy throughout the majority of the unit.	2	2	1	1	2		2	1	1.0	1.5	40	25	2.0	q/s	2		0.3	0.1		0.2					5.0				C078253	250.55	251.55	0.087		Intensely altered from 246.28 to 246.85. Intense ser, chl and calcite. Altered py and aspy in veins.
				Moderately altered, slickensides, small calcite veins, po and aspy in matrix							2	1	1.0	1.5	40		2.0	q/s	2		0.5	0.1		0.3					10.0				C078254	251.55	252.37	0.196		
				Moderately altered, slickensides, silicified, small calcite veins, po and aspy in matrix and veins, py in fractures							3	1	0.5	1.5	45		1.5	q/s	3		0.2	0.1		0.1					5.0				C078255	252.37	253.90	0.102		
																																	C078256				BLANK	
				Bleached, mod altered, silicified to 255.35							3	1	1.0	2.0	40	45	0.0	0	0		0.3	0.2		0.3					2.0		0.1		C078257	253.90	255.42	0.123		
				Small 20 cm section is bleached, mainly minor alteration and fresh GND.							2	1	0.5	1.0	60		1.0	q/s	1		0.2	0.1		0.1					2.0		0.1		C078258	255.42	256.95	0.183		
											1	1	1.0	1.0	35		0.3	q/s	1		0.1	0.1		0.1					3.0		0.1		C078259	256.95	258.47	0.059		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-311C

DATE: May 29, 2006

FeOx	Ser, Chl, etc	Carbonate
0 = Unoxidized	0 = Unaltered	0 = No Effervescence
5 = Intensely Ox'd	5 = Intensely Altered	5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages	Ox. State
0 = No Alteration	0 = No Oxidized Sulphides
5 = Intense Alt'n	5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS										% of VEIN & DISSEMINATED MATERIAL													Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages				Sulphides								Oxidation										
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
											1	3	1.0	1.0	5																						
				Bleached - mod altered, slickensides, silicified, calcite veins thruout																	0.1	0.1		0.5					15.0				C078260	258.47	259.99	0.043		
				Bleached - mod altered, slickensides, silicified, calcite veins thruout																	0.1	0.1		0.5					15.0				C078261	259.99	261.52	0.033		
																																C078262	259.99	261.52		DUPLICATE	
				Bleached - mod altered, slickensides, silicified, calcite veins thruout							1	6	0.5	0.5	45		0.6	q/s	3		0.1	0.1		0.2					5.0				C078263	261.52	263.04	0.035		
				Bleached - mod altered, slickensides, silicified, 1 mm py cubes @ 265.8, calcite veins thruout							3	1	1.5	2.5	40	85	1.5	q/s	3		0.5	0.1		0.2					5.0		0.1		C078264	263.04	264.57	0.082		
				Weakly altered fracture zone, calcite veins thruout, slickensides																	0.1	0.1		0.1					2.0				C078265	264.57	266.07	0.229		
				Weakly altered fracture zone, calcite veins thruout, slickensides							3	1	1.5	2.5	50		1.0	q/s	3		0.3	0.2		0.2					1.0	0.1	0.1		C078266	266.07	267.61	0.072		
				Weakly altered fracture zone, calcite veins thruout, slickensides							1	6	0.5	0.5	50						0.1	0.1		0.2					0.5		0.1		C078267	267.61	269.14	0.089		
				Weakly altered fracture zone, calcite veins thruout, slickensides							4	1	2.0	3.5	45	70					0.1	0.1		0.1					0.1		0.1		C078268	269.14	270.66	0.078		
																																C078269	269.14	270.66		CHECK ASSAY	
																																C078270				STANDARD 3C	
				carbonate veinlets throughout, matrix carbonaceous, alteration varies from very weak to moderate alteration with etching in some areas. Slickensides common, showing some visible py and po on surface but usually altered aspy on slickenside surfaces. Also very fractured and broken some areas, in some cases fractures show selvages, moderately sericitic up to 3cm, occasional aspy in the selvage areas.							2	3									2.0											C078271	270.66	272.19	0.140		
											4	3	1.0	3.0	30		1.0	s	2		1.0			1.0						1.0			C078272	272.19	273.71	0.258		
											1	1	4.0	4.0	40		3.0	s/chl	3		1.0			2.0						2.0								
											1	4	0.2	0.2	30																						
											2	1	0.6	1.1	30	10	0.5	s	3		0.1	2.0		1.0									C078273	273.71	275.23	0.095		
											3	6	0.2	0.5	30						1.0			4.0	4.0											deposition of sulfides along fracture (slckenslides present)
				Rock is etched (gouge?) in sections and has sulfides associated with the breccia.							3	1	1.3	1.3	30		1.5	s	2		1.0	0.1		0.1						5.0			C078274	275.23	276.76	0.629		
											1	1	1.4	1.4	40		0.5	s	2		1.0			0.1						1.0			C078275	276.76	278.28	0.123		
											3	6	0.3	0.6	60						1.0			0.1	1.0											section has veinlets of altered sulfides throughout
																																C078276				BLANK	
				Highly etched qtz-eye zone at 278.6m to 278.88m. Very altered, slickenslides present.							2	1	0.5	0.9	40		0.5	s	2		1.0			0.1									C078277	278.28	279.81	0.003		
											2	3	0.3	0.6	30																C078278	279.81	281.33	0.013		
											1	1	0.5	0.5	15		0.3	s	2		0.1			0.1													
											1	4	0.4	0.4	75		0.3	s	2																			
											1	1	0.4	0.4	10		0.4	s	1		0.1	5.0		0.1									C078279	281.33	282.86	0.149		
											2	4	0.6	0.8	70	130					0.1			0.1											large portion of this section is fractured and no veins are discernable.
											3	3	0.4	1.0	30	10					1.0	0.1		0.1						5.0			C078280	282.86	284.38	0.040		
											2	1	0.7	1.2	30	20	0.2	s	2		0.1	4.0		1.0						5.0								
				section highly fractured with carbonate veinlets throughout. Some fracture faces show altered sulfides							1	1	0.5	0.5	30						0.1	2.0		0.1						2.0			C078281	284.38	285.90	0.033		
																																C078282	284.38	285.90		DUPLICATE	
											3	1	0.8	1.7	30	15					0.1	1.0		1.0						5.0			C078283	285.90	287.43	0.019		
											4	3	2.0	3.5	30		1.0	s	2			1.0								5.0			C078284	287.43	288.74	0.249		
											1	1	1.1	1.1	30							2.0		1.0						3.0			C078285	288.74	290.47	0.172		qtz blobs in deformed areas
											1	3	0.4	0.4																							
											3	1	1.5	3.5	30	35	1.0	qs	3		0.1	0.1		0.2							0.1		C078286	290.47	292.00	0.270		
											3	1	1.0	2.0	35	25	1.0	qs	2		0.1	0.1		0.1					15.0				C078287	292.00	293.52	0.456		moderately bleached zone
											5	1	5.0	9.0	35	55	2.5	qs	2		0.5	0.1		0.1					15.0		0.2		C078288	293.52	295.05	0.088		
																																C078289	293.52	295.05		CHECK ASSAY	
																																C078290				STANDARD 4D	

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-311C

DATE: May 29, 2006

FeOx	Ser, Chl, etc	Carbonate
0 = Unoxidized	0 = Unaltered	0 = No Effervescence
5 = Intensely Ox'd	5 = Intensely Altered	5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages	Ox. State
0 = No Alteration	0 = No Oxidized Sulphides
5 = Intense Alt'n	5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS										% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																Selvages				Sulphides								Oxidation										
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
											1	1	1.0	1.0	30						3.0			2.0									C078291	295.05	296.57	0.454		from 295m to end of sample zone is extremely altered
											2	6	3.0	4.0							60.0			15.0					10.0	10.0								
											2	1	3.0	3.0	85						6.0			5.0	3.0								C078292	296.57	298.09	0.339		
											1	6	1.5	1.5	30						70.0								25.0									
				Moderately altered, fresh @ end of sample, sulphides return to matrix, aspy in abundance, slickensides @ 299.3.							1	6	1.0	1.0	35		1.0	q/s	1		0.2	0.1		0.5					5.0		0.2		C078293	298.09	299.62	0.727		
				Weakly to moderately altered section, weakly altered @ end of sample, small 5 cm wide piece of argillite at end of sample. Very minor min.							2	1	2.5	4.0	10	20	1.5	q/s	2		0.1	0.1		0.2					1.0				C078294	299.62	301.14	0.516		
				Moderately altered section, calcite in abundance, py and aspy min., fresh and altered							2	3	4.0	6.0	50		4.0	q/s	2		0.1	0.1		0.1					5.0	0.1	0.1		C078295	301.14	302.67	0.273		
																																C078296				BLANK	
				Mod altered sections, slickensides, remnant aspy veins @ 302.4							2	1	2.0	3.0	10	40					0.1	0.1		0.5					5.0	0.1	0.1		C078297	302.67	304.19	0.036		
				Mod to strongly altered section, slickensides, abundant py and aspy (fresh and altered), some py Xtal formation @ 304.9							6	1	1.5	7.0	15	25	2.5	q/s			0.2	0.2		0.5					5.0	0.1	0.1		C078298	304.19	305.71	0.710		
				Weakly altered section, light grey, minor sericite in sections, no apparent py, some calcite veins							4	1	2.0	5.5	20		1.0	q/s	1			0.2		0.1					2.0		0.1		C078299	305.71	307.24	0.123		
				Weakly altered section, light grey, minor sericite in sections, some calcite veins.							5	1	2.5	7.0	45	30	0.6	q/s	1		0.1	0.2		0.1					0.5	0.1	0.1		C078300	307.24	308.76	0.133		
				Moderately altered section, slickensides from 309.2 to 309.7m, aspy on slickenside surfaces.							1	3	0.5	0.5	25						0.1			0.5					10.0				C078301	308.76	310.29	0.080		
																																C078302	308.76	310.29		DUPLICATE	
				Weakly to moderately altered section, light green to light grey in colour. No veins. Fresh and altered py on frac surfaces, and aspy on slickenside surfaces.																	0.2			0.2									C078303	310.29	311.81	0.037		
				Mod to intensely altered section, intensely sericitic, mod chl, minor carbonates, altered and fresh py and aspy on qtz veins, altered aspy on slickensides thruout.							1	1	2.5	2.5	35		1.5	q/s	1		0.2	0.1		0.5					10.0				C078304	311.81	313.33	0.025		
				Mod to intensely altered section, intensely sericitic, int chl, mod carbonates, altered and fresh py and aspy on qtz veins, altered aspy on slickensides from 313.8 to 314.2. Massive py with cubes and aspy (fresh and altered) from 313.8 to 314.2 m. 5 cm wide qtz vein with py and aspy crystals.							1	1	4.0	4.0	40						6.0	0.1		5.0	0.5				10.0	0.1	0.1		C078305	313.33	314.86	0.219		
				Moderately altered from 314.86 to 315.16 and weakly altered for remainder. One small seam of altered aspy. Finely disseminated po and aspy in fabric and in small qtz veins.							1	1	0.5	0.5	20		0.4	q/s	1		0.1	0.1		0.5				0.1	5.0				C078306	314.86	316.38	0.047		tr mag
				Weakly altered section, light grey in colour. Fresh and altered po and aspy in 6.5 cm wide qtz vein and aspy on slickensides thruout.							4	1	6.5	8.5	30	10	0.6	q	1			0.1		0.1				0.1	2.0				C078307	316.38	317.91	0.170		tr mag
				Moderately altered section, light grey to light green in colour. Weak to mod ser, weak chl. Some altered aspy in slickensides from 318.5 to 318.9 m. Finely disseminated po and aspy in fabric and in small qtz veins.							3	1	1.0	2.0	25	30	2.5	q/s	1			0.1		0.1					2.0		0.1		C078308	317.91	319.43	0.130		
																																C078309	317.91	319.43		CHECK ASSAY	
																																C078310				STANDARD 5E	
				Weakly altered bleached section, light grey in colour. Minor ser, minor chl. Some altered aspy in slickensides from 319.8 to 320.6 m. Finely disseminated po and aspy in fabric and in small qtz veins.							2	1	1.0	2.0	10	40						0.1		0.5					2.0	0.1			C078311	319.43	320.95	0.339		
				Weakly altered bleached section, light grey in colour. Mod ser, mod chl. Some altered aspy and/or bi in slickensides from 321.1 to 321.4 m. Finely disseminated po and aspy in qtz veins and fabric.							3	1	8.5	17.0	45	50						0.1		0.6					2.0	0.1	0.1		C078312	320.95	322.48	1.730		3 more qtz blebs
				Moderately altered bleached section, light grey in colour. Mod ser, mod chl. Some altered aspy and/or bi in slickensides from 322.6 to 323.4 m. Finely disseminated po and aspy in qtz veins and fabric. Butterfly qtz patch @ 322.5 m.							1	1	1.5	1.5	70							0.1		0.2	0.1				2.0	0.1	0.1		C078313	322.48	324.00	0.171		4 cm wide qtz patch shaped like a butterfly
				Moderately altered bleached section, light grey in colour. Mod ser, mod chl. Some altered aspy and/or bi in slickensides thruout. Finely disseminated po and aspy in qtz veins and fabric.							1	1	1.5	1.5	25							0.1		0.2					2.0				C078314	324.00	325.53	0.790		
				Moderately altered bleached section, light grey in colour. Mod ser, mod chl. Some altered aspy and/or bi in slickensides thruout. Finely disseminated po and aspy in qtz veins and fabric.							1	1	0.5	0.5	0							0.1		0.2					2.0				C078315	325.53	327.05	0.092		
																																C078316				BLANK	
				Moderately altered bleached section, light grey in colour. Mod ser, mod chl. Some altered aspy and/or bi in slickensides thruout. Finely disseminated po and aspy in qtz veins and fabric. No veins in this section.																		0.1		0.2					2.0				C078317	327.05	328.39	0.031		
		328.39	339.25	Bleached, light to med green with lt grey sections, medium grained GND. Extreme sericitization in sections, moderate chloritization, silicified in small sections with scattered altered qtz veins carrying little or no mineralization. Tr po and altered po and/or scordite finely disseminated thruout unit. Some fresh and altered aspy in small veinlets thruout. Qtz-carbonate rubble from 333 to 337 m.	3	3	3	3	4															0.1		0.4					15.0	0.1			C078318	328.39	328.90	0.226		Small altered aspy veins < 0.5 cm
				Light to med grey, bleached, mod ser, mod chl, mod carb. Altered aspy, py and bi in slickensides thruout. No veins.																	0.1	0.1		0.5	0.5				15.0	2.0			C078319	328.90	330.10	0.058		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-311C

DATE: May 29, 2006

FeOx	Ser, Chl, etc	Carbonate
0 = Unoxidized	0 = Unaltered	0 = No Effervescence
5 = Intensely Ox'd	5 = Intensely Altered	5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages	Ox. State
0 = No Alteration	0 = No Oxidized Sulphides
5 = Intense Alt'n	5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																					Sulphides								Oxidation												
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other							
				Light to med grey, bleached, mod ser, mod chl, mod carb. Altered aspy, py and bi in slickensides thruout.							1	1	0.5	0.5	5						0.1	0.1		0.3	0.2				15.0				C078320	330.10	331.62	0.311		
				Light to med grey, bleached, mod ser, mod chl, int carb. Altered aspy, py and bi in slickensides thruout. No veins. Clay, gravelly textured.																	0.1	0.1		0.2					20.0				C078321	331.62	333.15	0.039		
																																C078322				DUPLICATE	
				Light to med greyand light green extremely altered zone, bleached, int ser, mod chl, int carb. Some minor altered aspy veins. No other apparent mineralization. Clay, gravelly textured.							2	1	1.0	2.0	80						0.1	0.1		0.3					25.0				C078323	333.15	334.67	0.052		
				Light to med grey and light green with an extremely altered zone from 335 to 335.2. Bleached, mod ser, mod chl, int carb. Some minor altered aspy veins. Some altered po, fresh po and fresh aspy visible thruout. Clay, gravel rubble from 335.3 to end of sample.							1	1	0.5	0.5	60						0.1	0.1		0.2					25.0				C078324	334.67	336.19	0.042		
				Light to med grey with some light green, bleached, mod ser, mod chl, int carb. Altered aspy in slickensides thruout. Some fresh and altered po. No veins. Clay thruout, very soft zone.																		0.1		0.1					25.0				C078325	336.19	337.72	0.033		
				Light to med grey, lightly bleached, min ser, min chl, int carb. Altered aspy in small veins thruout. Some fresh and altered po. No veins. Clay thruout, more competent salt and pepper, larger grained GND at end of sample..																		0.1		0.2					15.0				C078326	337.72	339.25	0.062		
		339.25	365.03	Light to med grey, salt and pepper larger grained GND with min ser, mod chl and mod carb. Xcutting qtz veins from 30 to 50 degrees to CA. Qtz blebs thruout. Altered aspy and/or bi in slickensides thruout. Altered and fresh po and aspy apparent in qtz veins and thruout fabric. Minor altered py in frac.	2	1	1	0	1												0.1	0.1		0.3					5.0				C078327	339.25	340.77	0.047		No q veins, only blebs. Some small altered aspy in slickensides.
				Med to coarse grained salt and pepper GND with min ser, mod chl and mod carb. Qtz veins and blebs scattered thruout. Some minor seams of altered aspy and/or bi on slickenside surfaces. Minor po and aspy in veins and thruout fabric.							2	3	1.5	2.5	45	30	0.4	q/s	1			0.1		0.3					5.0		0.5		C078328	340.77	342.29	0.172		
																																C078329				CHECK ASSAY	
																																C078330				STANDARD 6F	
				Med to coarse grained salt and pepper GND with min ser, mod chl and mod carb. Qtz and qtz-carb veins and blebs scattered thruout. Some minor seams of altered and fresh aspy and/or bi on slickenside surfaces. Minor po and aspy in veins and thruout fabric.							2	3	1.0	2.0	35							0.2		0.3					5.0				C078331	342.29	343.81	0.105		
				Med to coarse grained salt and pepper GND with min ser, mod chl and mod carb. Qtz and qtz-carb veins and blebs scattered thruout. Some minor seams of altered and fresh aspy and/or bi on slickenside surfaces. Minor po and aspy in veins and thruout fabric.							2	3	1.0	1.5	30		0.7	q/cb	1			0.3		0.3					5.0		0.5		C078332	343.81	345.34	0.194		
				Med to coarse grained salt and pepper GND with min ser, mod chl and mod carb. Qtz and qtz-carb veins and blebs scattered thruout. Some minor seams of altered and fresh aspy and/or bi on slickenside surfaces. Minor po and aspy in veins and thruout fabric.							2	3	3.5	4.5	45		4.0	q/s	1			0.3		0.5	0.1				5.0		0.5		C078333	345.34	346.86	0.524		
				Med to coarse grained salt and pepper GND with min ser, mod chl and mod carb. Qtz and qtz-carb veins and blebs scattered thruout. Some minor seams of altered and fresh aspy and/or bi on slickenside surfaces. Minor po and aspy in veins and thruout fabric.							2	1	2.0	3.0	25							0.1		0.3	0.1				5.0				C078334	346.86	348.39	0.019		
				Med to coarse grained salt and pepper GND with min ser, mod chl and mod carb. Qtz and qtz-carb veins and blebs scattered thruout. Some minor seams of altered and fresh aspy and/or bi on slickenside surfaces. Minor po and aspy in veins and thruout fabric.							2	1	1.0	2.0	30							0.1		0.2					5.0				C078335	348.39	349.91	0.065		
																																C078336				BLANK	
				Med to coarse grained salt and pepper GND with min ser, mod chl and mod carb. Qtz and qtz-carb veins and blebs scattered thruout. Some minor seams of altered and fresh aspy and/or bi on slickenside surfaces. Minor po and aspy in veins and thruout fabric.							5	3	2.5	8.0	25	35	0.5	q/s	1			0.2		0.3	0.1				5.0	2.0			C078337	349.91	351.43	0.063		
				Med to coarse grained salt and pepper GND with min ser, mod chl and mod carb. Qtz and qtz-carb veins and blebs scattered thruout. Some minor seams of altered and fresh aspy and/or bi on slickenside surfaces. Minor po and aspy in veins and thruout fabric. Altered py (?) in fracture with rusty brown halo prominent up to 5 cm away.																	0.5	0.1		0.2					3.0				C078338	351.43	352.96	0.169		
				Med to coarse grained salt and pepper GND with min ser, mod chl and mod carb. Qtz and qtz-carb veins and blebs scattered thruout. Some minor seams of altered and fresh aspy and/or bi on slickenside surfaces. Minor po and aspy in veins and thruout fabric. Altered py (?) in fracture with rusty brown halo prominent up to 1.5 cm away.																	0.5	0.1		0.2					3.0				C078339	352.96	354.48	0.121		
				Med to coarse grained salt and pepper GND with min ser, mod chl and mod carb. Qtz and qtz-carb veins and blebs scattered thruout. Some minor seams of altered and fresh aspy and/or bi on slickenside surfaces. Minor po and aspy in veins and thruout fabric. Altered py (?) in fracture with rusty brown halo prominent up to 1.5 cm away.							1	6	0.5	0.5	0		1.5	q/cb	1		0.2	0.1		0.2					3.0				C078340	354.48	356.01	0.037		
				Med to coarse grained salt and pepper GND with min ser, mod chl and mod carb. Qtz and qtz-carb veins and blebs scattered thruout. Some minor seams of altered and fresh aspy and/or bi on slickenside surfaces. Minor po and aspy in veins and thruout fabric.							1	3	2.5	2.5	0						0.1	0.1		0.1					3.0				C078341	356.01	357.53	0.038		
																																C078342				DUPLICATE	
				Med to coarse grained salt and pepper GND with min ser, mod chl and mod carb. Qtz and qtz-carb veins and blebs scattered thruout. Some minor seams of altered and fresh aspy and/or bi on slickenside surfaces. Minor po and aspy in veins and thruout fabric.							1	3	1.0	1.0	30		0.0	0	0	0	0.1	0.1		0.2					3.0				C078343	357.53	359.05	0.032		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-311C

DATE: May 29, 2006

FeOx	Ser, Chl, etc	Carbonate
0 = Unoxidized	0 = Unaltered	0 = No Effervescence
5 = Intensely Ox'd	5 = Intensely Altered	5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages	Ox. State
0 = No Alteration	0 = No Oxidized Sulphides
5 = Intense Alt'n	5 = All Sulph Oxidized

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages			% of VEIN & DISSEMINATED MATERIAL									Oxidation				Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
				Med to coarse grained salt and pepper GND with min ser, mod chl and mod carb. Qtz and qtz-carb veins and blebs scattered thruout. Some minor seams of altered and fresh aspy and/or bi on slickenside surfaces. Minor po and aspy in veins and thruout fabric. Extremely altered near end of sample - 360.15 to 360.58 - qtz fragments in a qtz-kaolin-carb unconsolidated mass.						1	3	2.0	2.0	50		0.0	0	0	0	0.1	0.1		0.5					5.0				C078344	359.05	360.58	0.104		
				Med to coarse grained salt and pepper GND with min ser, mod chl and mod carb. Qtz and qtz-carb veins and blebs scattered thruout. Some minor seams of altered and fresh aspy and/or bi on slickenside surfaces. Minor po and aspy in veins and thruout fabric. Extremely altered for first 15 and last 15 cm. - qtz fragments in a qtz-kaolin-carb unconsolidated mass. Altered py vein (up to 0.8 cm) @ 361.5.																0.2	0.1		0.6					8.0				C078345	360.58	362.10	0.085		
				Med to coarse grained salt and pepper GND with min ser, mod chl and mod carb. Qtz and qtz-carb veins and blebs scattered thruout. Some minor seams of altered and fresh aspy and/or bi on slickenside surfaces. Minor po and aspy in veins and thruout fabric. Extremely altered for first 60 cm. - qtz fragments in a qtz-kaolin-carb unconsolidated mass. Qtz blebs and remnant q present thruout sample.																0.1	0.1		0.2					8.0				C078346	362.10	363.63	0.066		
											1	3	2.0	2.0	70		0.0	0	0	0	1.0	0.1		0.2					5.0				C078347	363.63	365.03	0.078		
10		365.03	399.05	GND - weakly to moderately altered with some minor scattered intensely altered, silicified zones. Med grey in colour, with bleached zones of po/py/aspy mineralization and aspy/bi mineralization. Unit is very competent with some minor fractured and/or gravelly textured zones. Minor sericite and minor chlorite in weakly altered zones and mod ser and mod chl in moderately altered zones. Qtz veins up to 6 cm wide. Qtz veins are 30, 40, 45 and 70 deg to CA, with some scattered py veins up to 1 cm wide. Weakly sericitized through unit and moderately sericitized in bleached/qtz injected/carbonate zones. Finely disseminated po and aspy throughout the majority of the unit.	1	1	1	1	1		2	1	0.5	1.0	45		0.5	q/s	1		0.1	0.1		0.1					0.2				C078348	365.03	366.00	0.019		
																																	C078349				CHECK ASSAY	
																																	C078350				STANDARD 7G	
				Med grey in colour, silicified, min ser, min chl. Qtz and qtz-sulphide veins xcutting CA. Po and aspy finely disseminated throughout.							3	1	0.5	1.5	35	45	0.5	q/s	1			0.1		0.1					0.1				C078351	366.00	366.67	0.018		
				Med grey in colour, silicified, min ser, min chl. Qtz and qtz-sulphide veins xcutting CA. Po and aspy finely disseminated throughout.							10	1	0.5	5.0	40	45	0.8	q/s	1			0.1		0.1					0.1				C078352	366.67	368.20	0.040		
				Med grey in colour, silicified, min ser, min chl. Qtz and qtz-sulphide veins xcutting CA. Po and aspy finely disseminated throughout. 369.1 to 369.4 - silicified, mod ser, mod chl, fresh and altered aspy on slickensides.							7	1	1.0	4.5	30	45	0.5	q/s	1			0.1		0.2					0.2				C078353	368.20	369.72	0.020		
				Med grey in colour, silicified, min ser, min chl. Qtz and qtz-sulphide veins xcutting CA. Po and aspy finely disseminated throughout. 370.9 to 371.6 - silicified, mod ser, mod chl, fresh and altered aspy on slickensides.							7	1	1.0	4.5	40	50	0.5	q/s	1		0.1	0.1		0.2					0.2				C078354	369.72	371.25	0.277		
				Med grey in colour, silicified, min ser, min chl. Qtz and qtz-sulphide veins xcutting CA. Po and aspy finely disseminated throughout.							10	1	2.0	6.0	40	45	0.5	q/s	1		0.1	0.2		0.1					0.1				C078355	371.25	372.77	0.063		
																																	C078356				BLANK	
				Med grey in colour, silicified, min ser, min chl. Qtz and qtz-sulphide veins xcutting CA. Po and aspy finely disseminated throughout.							10	1	1.0	6.5	35	40	0.4	q/s	1			0.1		0.1					0.1				C078357	372.77	374.29	0.059		
				Med grey in colour, silicified, min ser, min chl. Qtz and qtz-sulphide veins xcutting CA. Po and aspy finely disseminated throughout. Massive fresh aspy and/or altered aspy/bismuthinite @ 375.35 m.							1	1	1.0	1.0	25		1.0	q/s	1			0.2		0.5	0.5				0.1				C078358	374.29	375.82	0.052		
				Med grey in colour, silicified, min ser, min chl. Qtz and qtz-sulphide veins xcutting CA. Po and aspy finely disseminated throughout.							6	1	1.0	3.0	30	35	0.4	q/s	1			0.2		0.1					0.1				C078359	375.82	377.34	0.098		
				Med grey in colour, silicified, min ser, min chl. Qtz and qtz-sulphide veins xcutting CA. Po and aspy finely disseminated throughout. Tr Mo @ 378.15.							6	1	2.0	4.5	35	40	0.5	q/s	1			0.3		0.3					0.1				C078360	377.34	378.87	0.142		
				Med grey in colour, silicified, min ser, min chl. Qtz and qtz-sulphide veins xcutting CA. Po and aspy finely disseminated throughout. Massive po and aspy vein @ 379.45 (1 cm wide)							8	1	4.0	12.0	30	40	1.0	q/s	1			0.2		0.2					0.1				C078361	378.87	380.39	0.892		
											1	6	1.0	1.0	60							50.0		10.0					0.1									
																																	C078362				DUPLICATE	
				Med grey in colour, silicified, min ser, min chl. Qtz and qtz-sulphide veins xcutting CA. Po and aspy finely disseminated throughout.							9	1	1.0	5.5	30	50	0.8	q/s	1			0.2		0.2					0.1				C078363	380.39	381.91	0.056		
				Med grey in colour, silicified, min ser, min chl. Qtz and qtz-sulphide veins xcutting CA. Po and aspy finely disseminated throughout. 1 - 3 mm wide calcite vein @ 382.8.							10	1	0.5	5.0	40	25	0.5	q/s	1			0.2		0.2					0.1				C078364	381.91	383.44	0.019		
				Med grey in colour, silicified, min ser, min chl. Qtz and qtz-sulphide veins xcutting CA. Po and aspy finely disseminated throughout. 1 - 3 mm wide calcite vein @ 382.8.							14	1	0.5	6.0	45	30	0.5	q/s	1			0.2		0.1					0.1				C078365	383.44	384.96	0.035		
				Med grey in colour, silicified, min ser, min chl. Qtz and qtz-sulphide veins xcutting CA. Po and aspy finely disseminated throughout. Fracture zone from 385.3 to end of sample - int ser and chl, mod carb, po and aspy in frac thruout this section.							6	1	3.0	6.0	35	50	0.5	q/s	1			0.8		0.6					2.0				C078366	384.96	386.49	0.131		
				Med grey in colour, silicified, min ser, min chl. Qtz and qtz-sulphide veins xcutting CA. Po and aspy finely disseminated throughout. Fracture zone from 386.49 to 387.5 - int ser and chl, mod carb, po and aspy in frac thruout this section. Bi @ 387.1, slickensides.							5	1	1.0	3.5	30	40	0.6	q/s	1			0.5		0.8					5.0				C078367	386.49	388.01	0.106		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-311C

DATE: May 29, 2006

FeOx	Ser, Chl, etc	Carbonate
0 = Unoxidized	0 = Unaltered	0 = No Effervescence
5 = Intensely Ox'd	5 = Intensely Altered	5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages	Ox. State
0 = No Alteration	0 = No Oxidized Sulphides
5 = Intense Alt'n	5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																					Sulphides								Oxidation											
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
				Light green to med grey in colour, silicified, int ser, int chl. Qtz and qtz-carb veins xcutting CA. Po and aspy finely disseminated throughout. Fractured thruout sample - int ser and chl, mod carb, po and aspy in frac thruout this section. Aspy @ 388.5, slickensides.							2	1	2.5	3.0	45	50	0.4	q/s	1			0.1		0.3					5.0				C078368	388.01	389.53	0.041		
																																C078369				CHECK ASSAY	
																																C078370				STANDARD 3C	
				Light green to med grey in colour, silicified, int ser, int chl. Qtz and qtz-carb veins xcutting CA. Po and aspy finely disseminated throughout. 389.8 to 390.8 - int ser and chl, mod carb, po and aspy in frac thruout this section. Po, py and aspy vein @ 390. (1.5 cm wide - approx. 50% of the vein)							6	1	1.0	5.0	40	45	1.6	q/s	2			0.3		0.1					5.0				C078371	389.53	391.06	0.226		
												1	6	1.5	1.5	45					5.0	15.0		4.0														
				Med grey in colour, silicified, min ser, min chl. Qtz and qtz-sulphide veins xcutting CA. Po and aspy finely disseminated throughout.							7	1	1.5	6.5	45	40	0.3	q	1			0.2		0.2					0.2				C078372	391.06	392.58	0.349		
				Med grey in colour, silicified, min ser, min chl. Qtz and qtz-sulphide veins xcutting CA. Po and aspy finely disseminated throughout.							8	1	1.0	7.5	45	40	0.0	0	0	0		0.1		0.1					0.1				C078373	392.58	394.11	0.101		
				Med grey in colour, silicified, min ser, min chl. Qtz and qtz-sulphide veins xcutting CA. Po and aspy finely disseminated throughout. Aspy crystals in slickensides @ 394.15 m. Aspy in slickensides thruout sample.							4	1	1.5	3.5	45	40	1.0	q/s	1			0.1		0.5					0.5				C078374	394.11	395.27	0.104		
				Dark green in colour - bleached and intensely altered GND, maj ser, maj chl, maj carb. Two po veins @ 395.4 disected by a fine grained dark green chl-ser-carb matrix 3 cm wide.							2	6	1.0	1.5	35		0.0	0	0	0		45.0		6.0					10.0				C078375	395.27	395.63	0.475		
																																C078376				BLANK	
				Med grey in colour, silicified, min ser, min chl. Qtz and qtz-sulphide veins xcutting CA. Po and aspy finely disseminated throughout.							5	1	1.0	4.5	40	60	1.2	q	1			0.1		0.1					0.2				C078377	395.63	397.15	0.073		
				Med grey in colour, silicified, min ser, min chl. Qtz and qtz-sulphide veins xcutting CA. Po and aspy finely disseminated throughout. No vein mineralization.							4	1	1.5	3.0	15	20	1.0	q	1			0.1		0.1					0.5				C078378	397.15	398.00	0.197		
				Med grey in colour, silicified, min ser, min chl. Qtz and qtz-sulphide veins xcutting CA. Po and aspy finely disseminated throughout. Po and aspy in veins and fabric.							3	1	2.5	4.0	30	40	0.7	q	1			0.3		0.3					0.2				C078379	398.00	399.05	0.242		
90		399.05	400.25	Light green bleached, sericitized quartz vein (original??) xcut by a later injection of po/aspy mineralized white qtz veins. Vug @ 399.9 m filled with clusters of py.	3	1	0	0	1		12	1	0.8	6.5	45		0.0	0	0	0	0.2	0.1		0.1					5.0				C078380	399.05	400.25	0.120		
		400.25	402.97	GND - Med grey in colour, silicified, min ser, min chl. Qtz and qtz-sulphide veins xcutting CA. Po and aspy finely disseminated throughout. Same unit as above.	1	1	1	1	1		3	1	2.0	3.5	25	30	0.6	q	1			0.1		0.1					0.2				C078381	400.25	401.40	0.079		
																																C078382				DUPLICATE	
				GND - Med grey in colour, silicified, min ser, min chl. Qtz and qtz-sulphide veins xcutting CA. Po and aspy finely disseminated throughout. Tr py and aspy on slickensides.							4	1	1.0	4.0	45	20	0.7	q	1		0.1	0.1		0.1					0.2				C078383	401.40	402.97	0.085		
		402.97	415.44	Light to med grey, salt and pepper larger grained GND with min ser, mod chl and mod carb. Xcutting qtz and/or sulphide veins from 30 to 50 degrees to CA. Po and aspy apparent in qtz veins and thruout fabric. Minor altered py in frac. Calcite veins more apparent in lighter, more bleached sections.	3	1	2	0	2		7	1	1.0	4.5	45	55	0.3	q	1		0.1	0.2		0.2					5.0				C078384	402.97	403.80	0.271		
				Light to med grey, salt and pepper larger grained GND with min ser, mod chl and mod carb. Po and aspy in qtz veins and thruout fabric. Aspy and minor py on frac @ 404.77.							3	1	0.5	1.5	55		0.2	q	1		0.1	0.2		0.5					5.0				C078385	403.80	404.77	0.298		
				Light to med grey salt and pepper larger grained GND with min ser, mod chl and mod carb. Light green, bleached, sericitized, chloritized section from 404.77 to 405.6. Po and aspy in qtz veins and thruout fabric. Aspy and minor py on frac from 404.77 to 405.6.							3	1	1.5	3.0	30		1.5	q/s	3		0.1	0.1		1.0					10.0				C078386	404.77	406.30	0.483		
				Med grey with minor sections of light grey salt and pepper larger grained GND. Min ser, mod chl and mod carb. Po and aspy in qtz veins and thruout fabric.							3	1	1.5	3.5	25	30	1.0	q	2			0.3		0.2					0.2				C078387	406.30	407.82	0.105		
				Med grey med grained GND. Min ser, mod chl and mod carb. Po and aspy in qtz veins and thruout fabric.							5	1	0.5	2.5	45	30	0.0	0	0			0.1		0.1					0.1				C078388	407.82	409.35	0.127		
																																C078389				CHECK ASSAY	
																																C078390				STANDARD 4D	
				Med grey med grained GND. Min ser, mod chl and mod carb. Po and aspy in qtz veins and thruout fabric.							4	1	1.0	2.5	40	35	0.2	q	1			0.1		0.1					0.1				C078391	409.35	410.87	0.077		
				Light to med grey, salt and pepper larger grained GND with min ser, mod chl and mod carb. Po and aspy in qtz veins and thruout fabric. Calcite veins increasing near end of sample.							3	1	0.5	1.5	40		0.5	q/s	1			0.1		0.1					0.1				C078392	410.87	412.39	0.047		
				Light to med grey, salt and pepper larger grained GND with min ser, mod chl and mod carb. Po and aspy in qtz veins and thruout fabric. Calcite veins thruout sample.							6	1	1.5	4.0	45	50	0.5	q/s	1			0.1		0.1					0.2				C078393	412.39	413.92	0.152		
				Light to med grey, salt and pepper larger grained GND with min ser, mod chl and mod carb. Po and aspy in qtz veins and thruout fabric. Calcite veins thruout sample.							4	1	1.5	3.5	45	30	0.5	q	1			0.1		0.2					0.2				C078394	413.92	415.44	0.028		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-311C

DATE: May 29, 2006

FeOx	Ser, Chl, etc	Carbonate
0 = Unoxidized	0 = Unaltered	0 = No Effervescence
5 = Intensely Ox'd	5 = Intensely Altered	5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages	Ox. State
0 = No Alteration	0 = No Oxidized Sulphides
5 = Intense Alt'n	5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																					Sulphides								Oxidation										
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
		415.44	424.59	GND - weakly to moderately altered with some minor scattered intensely altered, silicified zones. Med grey in colour, with bleached zones of po/py/aspy mineralization and/or aspy/bi mineralization. Unit is very competent with some minor fractured and/or gravelly textured zones. Minor sericite and minor chlorite in weakly altered zones and mod ser and mod chl in moderately altered zones. Qtz veins up to 6 cm wide. Qtz veins are 30, 40, 45 and 70 deg to CA, with some scattered py veins up to 1 cm wide. Weakly sericitized through unit and moderately sericitized in bleached/qtz injected/carbonate zones. Finely disseminated po and aspy throughout the majority of the unit.	1	1	1	1	1		4	1	0.5	2.0	35	40	0.5	q/s	1			0.1		0.1							0.1				C078395	415.44	416.97	0.031		
																																C078396				BLANK	
				Med grey med grained GND. Min ser, mod chl and mod carb. Po and aspy in qtz veins and thruout fabric. Slickensides thruout. Small scattered calcite veins.							5	1	0.5	2.5	40		0.5	q/s	1			0.1		0.1						0.1				C078397	416.97	418.49	0.034		
				Med grey med grained GND. Min ser, mod chl and mod carb. Po and aspy in qtz veins and thruout fabric. Slickensides thruout. Small scattered calcite veins.							4	1	0.5	2.0	45		0.2	q	1			1.0		0.2						0.1				C078398	418.49	420.01	0.925		
				Med grey med grained GND. Min ser, mod chl and mod carb. Po and aspy in qtz veins and thruout fabric. Slickensides thruout. Small scattered calcite veins.							3	1	0.5	1.5	40	30	0.5	q	1			0.1		0.2						0.1				C078399	420.01	421.54	0.058		
				Med grey med grained GND. Min ser, mod chl and mod carb. Po and aspy in qtz veins and thruout fabric. Slickensides thruout. Small scattered calcite veins.							5	1	0.5	2.5	30	50	0.3	q	1			0.1		0.1						0.1				C078400	421.54	423.06	0.046		
				Med grey med grained GND. Min ser, mod chl and mod carb. Po and aspy in qtz veins and thruout fabric. Slickensides thruout with fresh and altered aspy. Small scattered calcite veins. Moderate to intensely altered from 423.35 to 424.0 m - light green to dark grey in colour.							5	1	1.5	5.5	45		0.5	q	1		5.0	0.2		7.0					1.0				C078401	423.06	424.59	0.065		
																																C078402				DUPLICATE	
		424.59	430.95	Light to med grey, salt and pepper larger grained GND with min ser, mod chl and mod carb. Xcutting qtz and/or sulphide veins from 30 to 50 degrees to CA. Po and aspy apparent in qtz veins and thruout fabric. Minor altered and fresh py in frac. Calcite veins more apparent in lighter, more bleached sections.	2	1	2	1	2		8	1	1.0	5.5	50	60	0.3	q	1			0.2		0.2						1.0				C078403	424.59	426.11	0.043		
				Light to med grey, salt and pepper larger grained GND with min ser, mod chl and mod carb. Xcutting qtz and/or sulphide veins from 30 to 50 degrees to CA. Po and aspy apparent in qtz veins and thruout fabric. Minor altered and fresh py in frac. Calcite veins more apparent in lighter, more bleached sections. Slickensides thruout.							7	1	2.0	8.0	35	40	0.2	q	1			0.1		0.1						1.0				C078404	426.11	427.48	0.201		
				Light to med grey, salt and pepper larger grained GND with min ser, mod chl and mod carb. Xcutting qtz and/or sulphide veins from 30 to 50 degrees to CA. Po and aspy apparent in qtz veins and thruout fabric. Minor altered and fresh py in frac. Calcite veins more apparent in lighter, more bleached sections. Slickensides thruout.							5	1	1.0	5.0	35	45	0.3	q	1			0.1		0.1						1.0				C078405	427.48	428.15	0.110		
				Mod to intensely altered section, light to dark green in colour, intensely sericitic, mod chl, minor carbonates, altered and fresh py and aspy on slickensides and fractures.																0.5	0.1		0.6					15.0				C078406	428.15	428.45	1.015		
				Light to med grey, salt and pepper larger grained GND with min ser, mod chl and mod carb. Po and aspy apparent in qtz veins and thruout fabric. Intensely altered for most of section.																	0.1		0.1					10.0				C078407	428.45	429.16	0.094		
				Light to med grey, salt and pepper larger grained GND with min ser, mod chl and mod carb. Po and aspy apparent in qtz veins and thruout fabric. Fractured section, calcite veins in abundance.																	0.1		0.1					2.0				C078408	429.16	430.06	0.046		
																																C078409				CHECK ASSAY	
																																C078410				STANDARD 1A	
				Light to med grey, salt and pepper larger grained GND with min ser, mod chl and mod carb. Po and aspy apparent in qtz veins and thruout fabric. Fractured section, calcite veins in abundance.							1	1	1.5	1.5	35		0.0	0	0	0		0.1		0.1					2.0				C078411	430.06	430.95	0.145		
		430.95	457.24	GND - weakly to moderately altered with some minor scattered intensely altered, silicified zones. Med grey in colour, with bleached zones of po/py/aspy mineralization and/or aspy/bi mineralization. Unit is very competent with some minor fractured and/or gravelly textured zones. Minor sericite and minor chlorite in weakly altered zones and mod ser and mod chl in moderately altered zones. Qtz veins up to 6 cm wide. Qtz veins are 30, 40, 45 and 70 deg to CA, with some scattered py veins up to 1 cm wide. Weakly sericitized through unit and moderately sericitized in bleached/qtz injected/carbonate zones. Finely disseminated po and aspy throughout the majority of the unit.	1	1	1	1	1		4	1	1.5	3.5	45	50	0.2	q	1			0.1		0.1						0.2				C078412	430.95	431.90	0.282		
				Light green to dark grey in colour, moderate to intensely altered GND. Minor po and aspy in fabric, minor py in frac, po and aspy in small seams on slickenside surfaces. Fractured. Po and aspy as phenocrysts in an intensely sericitic-chloritic groundmass.							2	1	1.5	2.0	50		0.3	q/s	1		0.1	0.5		1.0					10.0				C078413	431.90	433.40	0.192		
				Med grey in colour, weakly altered GND. Weakly sericitic, mod chl and weak carb. Minor po and aspy in fabric and in qtz veins.							1	1	0.7	0.7	35		0.0	0	0	0		0.1		0.1					0.2				C078414	433.40	434.05	0.049		
											0						0.0					0.5		0.8				10.0				C078415	434.05	435.40	0.269		
																																C078416				BLANK	
				Dark grey in colour, weakly to moderately altered GND. Minor po and aspy in fabric, minor py in frac, po and aspy in small seams on slickenside surfaces. Fractured.							4	1	1.0	4.0	50	60	0.0				0.1	0.5		0.5					2.0				C078417	435.40	436.30	2.720		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-311C

DATE: May 29, 2006

FeOx	Ser, Chl, etc	Carbonate
0 = Unoxidized	0 = Unaltered	0 = No Effervescence
5 = Intensely Ox'd	5 = Intensely Altered	5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages	Ox. State
0 = No Alteration	0 = No Oxidized Sulphides
5 = Intense Alt'n	5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																					Sulphides								Oxidation												
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
				Med grey in colour, weakly altered GND. Weakly sericitic, mod chl and weak carb. Minor po and aspy in fabric and in qtz veins.							5	1	1.5	3.5	45		0.5	q	1			0.1		0.1					0.2				C078418	436.30	437.39	0.040		
				Med grey in colour, weakly altered GND. Weakly sericitic, mod chl and weak carb. Minor po and aspy in fabric and in qtz veins.							4	1	1.0	2.5	45	55	0.5	q	1			0.2		0.2					0.1				C078419	437.39	438.20	0.192		
				Med grey in colour, weakly altered GND. Weakly sericitic, mod chl and weak carb. Minor po and aspy in fabric and in qtz veins.							4	1	0.5	2.0	45	50	0.3	q/s	1			0.1	0.1	0.1					0.1				C078420	438.20	439.30	0.037		
				Light green to dark grey in colour, moderate to intensely altered GND. Minor po and aspy in fabric, minor py in frac, po and aspy in small seams on slickenside surfaces. Fractured. Po and aspy as phenocrysts in an intensely sericitic-chloritic groundmass.							1	1	0.5	0.5	40		0.0					0.2		0.8					10.0				C078421	439.30	440.15	0.110		
																																C078422				DUPLICATE	
				Med grey in colour, weakly altered GND. Weakly sericitic, mod chl and weak carb. Minor po and aspy in fabric and in qtz veins. Slickensides, minor py in frac.							3	1	0.5	1.5	45	30	0.6	q/s	1		0.1	0.1		0.1					0.2				C078423	440.15	441.60	0.039		
				Light green to dark grey in colour, moderate to intensely altered GND. Minor po and aspy in fabric, minor py in frac, po and aspy in small seams on slickenside surfaces. Fractured. Po and aspy as phenocrysts in an intensely sericitic-chloritic groundmass.							4	1	1.0	3.0	30	60	0.0				0.1	0.3		0.8					5.0				C078424	441.60	442.90	0.077		
				Light green to dark grey in colour, moderate to intensely altered GND. Minor po and aspy in fabric, minor py in frac, po and aspy in small seams on slickenside surfaces. Fractured. Po and aspy as phenocrysts in an intensely sericitic-chloritic groundmass.							0						0.0				0.1	0.4		0.8					5.0				C078425	442.90	443.48	0.291		
				Light green to dark grey in colour, moderate to intensely altered GND. Minor po and aspy in fabric, minor py in frac, po and aspy in small seams on slickenside surfaces. Fractured. Po and aspy as phenocrysts in an intensely sericitic-chloritic groundmass.							0						0.0				0.5	0.3		0.5					10.0				C078426	443.48	444.15	0.029		
				Med grey in colour, weakly altered GND. Weakly sericitic, mod chl and weak carb. Minor po and aspy in fabric and in qtz veins. Slickensides, minor py in frac.							2	1	2.0	2.0	30	50	0.0				0.1	0.1		0.1					0.1				C078427	444.15	445.35	0.337		
				Med grey in colour, weakly altered GND. Weakly sericitic, mod chl and weak carb. Minor po and aspy in fabric and in qtz veins. Slickensides, minor py in frac. Tr mag @ 446.38.							3	1	1.0	2.0	30	40	0.4	q/s	1		0.1	0.3		0.1					0.1				C078428	445.35	446.85	0.035		
																																C078429				CHECK ASSAY	
																																C078430				STANDARD 3C	
				Med grey in colour, weakly altered GND. Weakly sericitic, mod chl and weak carb. Minor po and aspy in fabric and in qtz veins. Slickensides, minor py in frac. Minor zone (2 cm) of intensely altered GND @ 447.3.							3	1	3.0	4.0	40	50	0.0				0.1	0.3		0.3					5.0				C078431	446.85	447.60	0.992		
				Med grey in colour, weakly altered GND. Weakly sericitic, mod chl and weak carb. Minor po and aspy in fabric and in qtz veins. Slickensides, minor py in frac.							4	1	0.5	2.0	45	50	0.5	q	1		0.1	0.2		0.1					2.0				C078432	447.60	448.80	0.085		
				Light green to dark grey in colour, moderate to intensely altered GND. Minor po and aspy in fabric. High grade aspy-po-py in qtz vein and thruout groundmass. ***							1	1	2.0	2.0	40		0.0				0.3	5.0		15.0					15.0				C078433	448.80	449.30	1.095		
				Med grey in colour, weakly altered GND. Weakly sericitic, mod chl and weak carb. Minor po and aspy in fabric and in qtz veins. Slickensides, minor py in frac.							7	1	1.5	6.5	40	50	0.2	q	1		0.1	0.2		0.3					0.2				C078434	449.30	450.95	0.336		
				Light green to dark grey in colour, moderate to intensely altered GND. Minor po and aspy in fabric. Py and aspy in frac and in altered groundmass.							0						0.0				0.3	0.1		0.4					10.0				C078435	450.95	451.55	0.390		
																																C078436				BLANK	
				Med grey in colour, weakly altered GND. Weakly sericitic, mod chl and weak carb. Minor po and aspy in fabric and in qtz veins. Slickensides, minor py in frac.							3	3	1.5	2.5	35	60	0.6	q/cb	3		0.1	0.2		0.1					0.1				C078437	451.55	452.70	0.692		
				Med grey in colour, weakly altered GND. Weakly sericitic, mod chl and weak carb. Minor po and aspy in fabric and in qtz veins. Slickensides, minor py in frac.							4	1	1.0	3.0	40	20	0.0					0.1		0.1					0.1				C078438	452.70	453.54	0.443		
				Med grey in colour, weakly altered GND. Weakly sericitic, mod chl and weak carb. Minor po and aspy in fabric and in qtz veins. Slickensides, minor py in frac. Minor 20 cm altered zone containing minor aspy and po.							2	1	1.0	1.5	40		0.5	q/s	1			0.1		0.3					0.2				C078439	453.54	455.02	0.137		
				Med grey in colour, weakly altered GND. Weakly sericitic, mod chl and weak carb. Minor po and aspy in fabric and in qtz veins. Slickensides, minor py in frac. Minor 3 cm altered zone containing minor aspy and po.							5	1	1.0	3.5	35		1.5	q/s	1			0.1		0.3					0.2				C078440	455.02	456.05	1.145		
				Light to med grey in colour, weakly altered GND. Weakly sericitic, mod chl and weak carb. Minor po and aspy in fabric and in qtz veins. Slickensides, minor py in frac. Minor 5 cm altered zone containing minor aspy and po.							3	1	0.5	1.5	40		1.0	q/cb	1			0.1		0.1					0.5				C078441	456.05	457.24	0.573		
																																C078442				DUPLICATE	
		457.24	494.85	Moderately to intensely altered med gr GND, light green to med grey in colour with minor patches of weakly altered GND, light to med grey in colour. Silicified, int ser, int chl. Qtz and qtz carb veins xcutting CA. Po and aspy finely disseminated throughout. Fractured thruout section int ser and chl, mod carb, altered and fresh py and aspy in frac/slickensides thruout this section.	3	4	4	2	4		0						0.0				0.1	0.1		0.2					15.0				C078443	457.24	458.48	0.351		
				Light green in colour, silicified, int ser, int chl. Qtz and qtz-carb veins xcutting CA. Po and aspy finely disseminated throughout. Fractured thruout section - int ser and chl, mod carb, altered and fresh py and aspy in frac/slickensides thruout this section.							2	3	3.5	4.0	40		0.0				0.1	0.1		0.2					15.0				C078444	458.48	459.85	0.359		
				Light green in colour, silicified, int ser, int chl. Qtz and qtz-carb veins xcutting CA. Po and aspy finely disseminated throughout. Fractured thruout section - int ser and chl, mod carb, altered and fresh py and aspy in frac/slickensides thruout this section. Weakly altered for last 50 cm of sample.							2	1	1.0	1.5	50		0.0				0.1	0.1		0.3					15.0				C078445	459.85	461.08	1.730		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-311C

DATE: May 29, 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages			Sulphides								Oxidation										
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
				Light green in colour, silicified, int ser, int chl. Qtz and qtz-carb veins xcutting CA. Po and aspy finely disseminated throughout. Fractured thruout section - int ser and chl, mod carb, altered and fresh py and aspy in frac/slickensides thruout this section.							3	3	1.0	2.0	40	50	1.0	q/s	3		0.1	0.1		0.3					15.0				C078446	461.08	462.30	1.080		
				Light green in colour, silicified, int ser, int chl. Qtz and qtz-carb veins xcutting CA. Po and aspy finely disseminated throughout. Fractured thruout section - int ser and chl, mod carb, altered and fresh py and aspy in frac/slickensides thruout this section. Weakly altered for half of sample.							2	3	1.0	1.5	45	0	0.0				0.1	0.1		0.3					15.0				C078447	462.30	463.70	0.584		
				Light green and med grey in colour, silicified, int ser, int chl. Qtz and qtz-carb veins xcutting CA Po and aspy finely disseminated throughout. Fractured thruout section - int ser and chl, mod carb, altered and fresh py and aspy in frac/slickensides thruout this section. Weakly altered for first half of sample.							0						0.0				0.6	0.1		0.3					15.0				C078448	463.70	464.93	0.429		
																																C078449				CHECK ASSAY	
																																C078450				STANDARD 5E	
				Light green to dk grey in colour, mod to int altered GND. Silicified, int ser, int chl. Qtz and/or qtz carb veins xcutting CA. Altered and fresh py and aspy in frac/slickensides thruout this section.							0						0.0				0.1	0.1		0.4					15.0				C078451	464.93	465.73	1.025		
				Light to med grey in colour, mod altered GND. Silicified, int ser, int chl. Qtz and/or qtz-carb veins xcutting CA. Po and aspy finely disseminated throughout. Fractured thruout section, altered and fresh py and aspy in frac/slickensides thruout this section.							0						0.0				0.2	0.1		0.3					10.0				C078452	465.73	466.75	0.041		
				Light to med grey in colour, mod altered GND. Silicified, int ser, int chl. Qtz and/or qtz-carb veins xcutting CA. Po and aspy finely disseminated throughout. Fractured thruout section, altered and fresh py and aspy in frac/slickensides thruout this section. Calcite veins thruout.							2	3	0.8	1.5	60		1.0	q/s	3		0.1	0.1		0.1					8.0				C078453	466.75	468.00	0.222		
				Light green and med grey in colour, mod to int altered GND. Silicified, int ser, int chl. Qtz and qtz-carb veins xcutting CA. Po and aspy finely disseminated throughout. Fractured thruout section - int ser and chl, mod carb, altered and fresh py and aspy in frac/slickensides thruout this section.							0						0.0				0.1	0.1		0.3					15.0				C078454	468.00	469.40	0.199		
				Med grey in colour, weak to mod altered GND. Silicified, min ser, min chl. Qtz and/or qtz-carb veins xcutting CA. Po and aspy finely disseminated throughout. Altered and fresh py and aspy in frac/slickensides thruout this section.							3	1	1.0	2.0	40		0.8	q/s	1		0.1	0.1		0.2					5.0				C078455	469.40	470.55	0.106		
																																C078456				BLANK	
				Light to med grey in colour, mod altered GND. Silicified, min ser, min chl. Qtz and/or qtz-carb veins xcutting CA. Po and aspy finely disseminated throughout. Fractured thruout section, altered and fresh py and aspy in frac/slickensides thruout this section. Calcite veins thruout.							2	1	1.0	1.5	40	55	0.7	q/s	2		0.1	0.2		0.2					5.0				C078457	470.55	471.83	0.104		
				Med grey in colour, weak to mod altered GND. Silicified, min ser, min chl. Qtz and/or qtz-carb veins xcutting CA. Po and aspy finely disseminated throughout. Altered and fresh py and aspy in frac/slickensides thruout this section.							0						0.0				0.1	0.2		0.2					2.0				C078458	471.83	473.10	0.178		
				Med grey in colour, weak to mod altered GND. Silicified, min ser, min chl. Qtz and/or qtz-carb veins xcutting CA. Po and aspy finely disseminated throughout. Altered and fresh py and aspy in frac/slickensides thruout this section.							3	1	1.0	2.0	35	25	0.2	q	1		0.1	0.2		0.2					2.0				C078459	473.10	474.40	0.154		
				Light to med grey in colour, mod altered GND. Silicified, min ser, min chl. Qtz and/or qtz-carb veins xcutting CA. Po and aspy finely disseminated throughout. Fractured thruout section, altered and fresh py and aspy in frac/slickensides thruout this section. Calcite veins thruout.							1	1	0.5	0.5	25		0.0				0.1	0.2		0.2					5.0				C078460	474.40	475.60	0.500		
				Light to med grey in colour, mod altered GND. Silicified, min ser, min chl. Qtz and/or qtz-carb veins xcutting CA. Po and aspy finely disseminated throughout. Fractured thruout section, altered and fresh py and aspy in frac/slickensides thruout this section. Calcite veins thruout.							1	1	0.5	0.5	60		0.0				0.1	0.2		0.2					5.0				C078461	475.60	477.10	0.924		
																																C078462				DUPLICATE	
				Light to med grey in colour, mod altered GND. Silicified, min ser, min chl. Qtz and/or qtz-carb veins xcutting CA. Po and aspy finely disseminated throughout. Fractured thruout section, altered and fresh py and aspy in frac/slickensides thruout this section. Calcite veins thruout.							1	3	0.5	0.5	15		0.0				0.1	0.2		0.8					5.0				C078463	477.10	478.45	0.560		
				Light to med grey in colour, mod to int altered GND. Silicified, int ser, int chl. Qtz and qtz-carb veins xcutting CA. Po and aspy finely disseminated throughout. Fractured thruout section - int ser and chl, mod carb, altered and fresh py and aspy in frac/slickensides thruout this section.							0						0.0				0.2	0.4		1.0					15.0				C078464	478.45	479.10	0.661		
				Light to med grey in colour, mod to int altered GND. Silicified, int ser, int chl. Qtz and qtz-carb veins xcutting CA. Po and aspy finely disseminated throughout. Fractured thruout section - int ser and chl, mod carb, altered and fresh py and aspy in frac/slickensides thruout this section.							4	3	1.5	3.5	40	60	0.0				7.0	0.5		6.0					15.0				C078465	479.10	479.70	0.687		
				Light to med grey in colour, mod altered GND. Silicified, min ser, min chl. Qtz and/or qtz-carb veins xcutting CA. Po and aspy finely disseminated throughout. Fractured thruout section, altered and fresh py and aspy in frac/slickensides thruout this section. .							4	3	1.0	2.5	50	80	0.7	q/s	3		0.1	0.3		0.3					5.0				C078466	479.70	480.97	0.127		
				Light to med grey in colour, mod altered GND. Silicified, mod ser, mod chl. Qtz and/or qtz-carb veins xcutting CA. Po and aspy finely disseminated throughout. Fractured thruout section, altered and fresh py and aspy in frac/slickensides thruout this section. .							3	3	2.5	4.0	45	50	0.7	q/s	2		0.1	0.4		0.8					10.0				C078467	480.97	481.60	0.075		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-311C

DATE: May 29, 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																					Sulphides								Oxidation											
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
				Light green and med grey in colour, intensely altered GND?? Int ser, int chl, int carb. Qtz-carb blebs throughout. Remnant qtz. No visible sulphides. Altered py and aspy in frac/small veins thruout this section.							0						0.0				0.1	0.1		0.5					15.0				C078468	481.60	482.30	0.057		
																																C078469				CHECK ASSAY	
																																C078470				STANDARD 6F	
				Light to med grey in colour, mod altered GND. Silicified, min ser, min chl, mod carb. Qtz and/or qtz-carb veins xcutting CA. Po and aspy finely disseminated throughout. Altered and fresh py and aspy in frac/slickensides thruout this section.							4	3	1.0	2.5	50	60	0.3	q/s	1		0.1	0.2		0.2					3.0				C078471	482.30	483.75	0.156		
				Light to med grey in colour, weakly to mod altered GND. Silicified, min ser, min chl, mod carb. Qtz and/or qtz-carb veins xcutting CA. Po and aspy finely disseminated throughout. Altered and fresh py and aspy in frac/slickensides thruout this section.							5	3	1.5	5.5	45	40	0.0					0.2		0.2					2.0				C078472	483.75	485.15	0.335		
				Light to med grey in colour, weakly to mod altered GND. Silicified, min ser, min chl, mod carb. Qtz and/or qtz-carb veins xcutting CA. Po and aspy finely disseminated throughout. Altered and fresh py and aspy in frac/slickensides thruout this section. Dark green xenolith @ 485.5 - 6 x 3.5 cm x 1 cm deep with very finely disseminated po and aspy.							1	1	1.0	1.0	0		0.2	q	1			0.2		0.2					1.0				C078473	485.15	486.60	0.110		Flat qtz vein from 485.15 to 485.75
				Light to med grey in colour, weakly to mod altered GND. Silicified, min ser, min chl, mod carb. Qtz and/or qtz-carb veins xcutting CA. Po and aspy finely disseminated throughout. Med green to dark green/black xenolith @ 487.2, 1 cm x 0.5 cm, soft and dark part is micaceous. (chl?). Finely disseminated po/py within.							6	1	1.0	3.5	30	40	0.7	q/cb	2		0.1	0.2		0.2					0.5				C078474	486.60	488.05	0.097		
				Light to med grey in colour, weakly altered GND. Silicified, min ser, min chl, mod carb. Qtz veins xcutting CA. Po and aspy finely disseminated throughout. Dark green xenolith @ 488.2 - 2 x 2 cm with very finely disseminated po and aspy.							1	1	0.5	0.5	20		0.0				0.1	0.2		0.2					0.5				C078475	488.05	488.56	0.073		
																																C078476				BLANK	
				Light to med grey in colour, weakly to mod altered GND. Silicified, min ser, min chl, mod carb. Qtz veins xcutting CA. Po and aspy finely disseminated throughout. 3.5 cm massive aspy vein @ 488.8.							2	1	13.0	14.0	40		0.0				0.1	0.5		5.0					1.0				C078477	488.56	489.15	1.590		
				Light to med grey in colour, weakly to mod altered GND. Silicified, min ser, min chl, mod carb. Qtz veins xcutting CA. Po and aspy finely disseminated throughout. 3.5 cm massive aspy vein @ 488.8.							1	1	1.5	1.5	40		1.0	q/s	1		0.1	0.3		0.8					0.5				C078478	489.15	489.75	0.224		
				Light to med grey in colour, weakly to mod altered GND. Silicified, min ser, min chl, mod carb. Qtz and/or qtz-carb veins xcutting CA. Po and aspy finely disseminated throughout. Slickensides thruout - fresh and altered aspy on surfaces/gouge.							1	5	0.5	0.5	30		0.8	q/s	1		0.1	0.2		0.2					0.1				C078479	489.75	491.00	0.013		
				Light to med grey in colour, weakly to mod altered GND. Silicified, min ser, min chl, mod carb. Qtz and/or qtz-carb veins xcutting CA. Po and aspy finely disseminated throughout. Slickensides thruout - fresh and altered aspy on surfaces/gouge. Tr Mo @ 492.1.							3	1	2.0	3.5	35	45	0.2	q	1		0.1	0.2		0.2					0.1				C078480	491.00	492.40	0.238		
				Light to med grey in colour, weakly to mod altered GND. Silicified, min ser, min chl, mod carb. Qtz and/or qtz-carb veins xcutting CA. Po and aspy finely disseminated throughout. Slickensides thruout - fresh and altered aspy on surfaces/gouge.							0						0.0				0.1	0.2		0.4					0.2				C078481	492.40	493.17	0.306		
																																C078482				DUPLICATE	
				Light to med grey in colour, mod to int altered GND. Silicified, int ser, int chl. Qtz and/or qtz-carb veins xcutting CA. Po and aspy finely disseminated throughout. Fractured thruout section int ser and chl, mod carb, altered and fresh py and aspy in frac/slickensides thruout this section.							1	3	1.0	1.0	40		0.0				0.1	0.4		1.0					10.0				C078483	493.17	493.90	0.238		
				Light to med green in colour, int altered GND. Silicified, int ser, int chl, int carb. Po and aspy disseminated throughout. Fractured thruout section - int ser and chl, mod carb, altered and fresh py and aspy in veins (<4 mm) and slickensides thruout this section.							0						0.0				0.3	0.6		2.0					15.0				C078484	493.90	494.85	0.078		
		494.85	511.45	Light to med grey, weakly to moderately altered salt and pepper larger grained GND with min ser, mod chl and mod carb. Xcutting qtz and/or sulphide veins from 30 to 50 degrees to CA. Very minor quantity of sulphides in qtz veins and thruout fabric. Calcite veins more apparent in lighter, more bleached sections. Slickensides thruout. Dark green xenoliths present from 496 to 501 m.	2	1	1	1	4		2	1	1.0	1.5	45	50	0.0				0.1	0.1		0.1					2.0				C078485	494.85	496.21	0.170		
			EOH	**Drillhole completed 1000 hours June 12/06. Logging completed June 13/06 am. THC**																																		
				Light to med grey, weakly to moderately altered salt and pepper larger grained GND with min ser, mod chl and mod carb. Very minor quantity of sulphides in qtz veins and thruout fabric. Slickensides thruout. Dark green xenoliths present from 496 to 501 m.							6	1	2.5	5.0	35	40	0.8	q/cb	2		0.1	0.1		0.1					1.0				C078486	496.21	498.70	0.047		
				Light to med grey, weakly to moderately altered salt and pepper larger grained GND with min ser, mod chl and mod carb. Very minor quantity of sulphides in qtz veins and thruout fabric. Slickensides thruout. Dark green xenoliths present from 496 to 501 m.							5	1	1.0	4.0	30	40	0.0				0.1	0.1		0.1					0.5				C078487	498.70	499.26	0.081		
				Light to med grey, weakly to moderately altered salt and pepper larger grained GND with min ser, mod chl and mod carb. Very minor quantity of sulphides in qtz veins and thruout fabric. Slickensides thruout. Dark green xenoliths present from 496 to 501 m.							2	1	1.0	2.0	30		1.0	q/cb	2		0.1	0.1		0.1					0.5				C078488	499.26	500.80	0.017		
																																C078489				CHECK ASSAY	
																																C078490				STANDARD 7G	

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-311C

DATE: May 29, 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz

Date: May 29, 2006

LOGGED BY: M. Stone, T. Charles, K. Ferguson

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																					Sulphides								Oxidation										
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
				Light to med grey, weakly to moderately altered salt and pepper larger grained GND with min ser, mod chl and mod carb. Very minor quantity of sulphides in qtz veins and thruout fabric. Slickensides thruout.							7	1	1.0	6.0	45	40	0.0				0.1	0.1		0.1					0.5				C078491	500.80	502.31	0.032		
				Light to med grey, weakly to moderately altered salt and pepper larger grained GND with min ser, mod chl and mod carb. Very minor quantity of sulphides in qtz veins and thruout fabric. Slickensides thruout.							2	1	1.5	2.5	50	55	1.0	q/s	1		0.1	0.1		0.1					0.5				C078492	502.31	503.70	0.040		
				Light to med grey, weakly to moderately altered salt and pepper larger grained GND with min ser, mod chl and mod carb. Very minor quantity of sulphides in qtz veins and thruout fabric. Slickensides thruout.							5	1	1.0	3.0	40	30	0.5	q/s	1		0.1	0.1		0.1					0.2				C078493	503.70	505.36	0.040		
				Light to med grey, weakly to moderately altered salt and pepper larger grained GND with min ser, mod chl and mod carb. Very minor quantity of sulphides in qtz veins and thruout fabric. Slickensides thruout. Increase of calcite veins at end of sample.							4	1	1.0	2.5	40	30	1.2	q/s	1		0.1	0.1		0.1					0.3				C078494	505.36	506.80	0.070		
				Light to med grey, weakly to moderately altered salt and pepper larger grained GND with min ser, mod chl and mod carb. Very minor quantity of sulphides in qtz veins and thruout fabric. Slickensides thruout. One dark green xenolith @ 508.							5	1	1.0	3.5	40	30	1.0	q/s	2		0.1	0.1		0.1					0.2				C078495	506.80	508.41	0.181		
																																C078496				BLANK	
				Light to med grey, weakly to moderately altered salt and pepper larger grained GND with min ser, mod chl and mod carb. Very minor quantity of sulphides in qtz veins and thruout fabric. Slickensides thruout.							5	1	1.0	3.0	40	25	0.5	q/s	1		0.1	0.1		0.1					0.2				C078497	508.41	509.95	0.063		
				Light to med grey, weakly to moderately altered salt and pepper larger grained GND with min ser, mod chl and mod carb. Very minor quantity of sulphides in qtz veins and thruout fabric. Slickensides thruout.							2	1	0.5	1.0	30	40	0.0				0.1	0.1		0.1					0.2				C078498	509.95	511.45	0.103		EOH

From-To Sheet DG06-311C						
Sample Number	Interval		Au (g/T)	Interval	Type of Sample	Std. Assay (ppm)
	From	To				
C078001	3.05	4.70		1.65		
C078002	3.05	4.70		1.65	DUPLICATE	
C078003	4.70	5.77		1.07		
C078004	5.77	6.71		0.94		
C078005	6.71	7.80		1.09		
C078006	7.80	8.95		1.15		
C078007	8.95	10.06		1.11		
C078008	10.06	11.44		1.38		
C078009	10.06	11.44		1.38	CHECK ASSAY	
C078010					STANDARD 1A	0.88
C078011	11.44	12.50		1.06		
C078012	12.50	13.80		1.30		
C078013	13.80	15.10		1.30		
C078014	15.10	16.15		1.05		
C078015	16.15	17.10		0.95		
C078016					BLANK	
C078017	17.10	18.65		1.55		
C078018	18.65	19.83		1.18		
C078019	19.83	21.15		1.32		
C078020	21.15	22.20		1.05		
C078021	22.20	23.92		1.72		
C078022	22.20	23.92		1.72	DUPLICATE	
C078023	23.92	25.30		1.38		
C078024	25.30	26.30		1.00		
C078025	26.30	27.41		1.11		
C078026	27.41	28.95		1.54		
C078027	28.95	29.87		0.92		
C078028	29.87	31.40		1.53		
C078029	29.87	31.40		1.53	CHECK ASSAY	
C078030					STANDARD 3C	0.091
C078031	31.40	32.70		1.30		
C078032	32.70	33.70		1.00		
C078033	33.70	34.75		1.05		
C078034	34.75	35.59		0.84		
C078035	35.59	36.95		1.36		
C078036					BLANK	
C078037	36.95	38.25		1.30		
C078038	38.25	39.62		1.37		
C078039	39.62	40.93		1.31		
C078040	40.93	42.30		1.37		
C078041	42.30	43.59		1.29		
C078042	42.30	43.59		1.29	DUPLICATE	
C078043	43.59	45.00		1.41		
C078044	45.00	46.10		1.10		
C078045	46.10	47.60		1.50		
C078046	47.60	49.00		1.40		
C078047	49.00	50.28		1.28		
C078048	50.28	51.62		1.34		
C078049	50.28	51.62		1.34	CHECK ASSAY	
C078050					STANDARD 4D	0.43
C078051	51.62	53.10		1.48		
C078052	53.10	54.25		1.15		
C078053	54.25	55.69		1.44		

From-To Sheet DG06-311C						
Sample Number	Interval		Au (g/T)	Interval	Type of Sample	Std. Assay (ppm)
	From	To				
C078054	55.69	56.95		1.26		
C078055	56.95	58.30		1.35		
C078056					BLANK	
C078057	58.30	59.43		1.13		
C078058	59.43	60.85		1.42		
C078059	60.85	62.20		1.35		
C078060	62.20	63.40		1.20		
C078061	63.40	64.92		1.52		
C078062	63.40	64.92		1.52	DUPLICATE	
C078063	64.92	66.45		1.53		
C078064	66.45	67.97		1.52		
C078065	67.97	69.49		1.52		
C078066	69.49	71.02		1.53		
C078067	71.02	72.54		1.52		
C078068	72.54	74.07		1.53		
C078069	72.54	74.07		1.53	CHECK ASSAY	
C078070					STANDARD 4D	0.43
C078071	74.07	75.59		1.52		
C078072	75.59	77.11		1.52		
C078073	77.11	78.64		1.53		
C078074	78.64	80.16		1.52		
C078075	80.16	81.69		1.53		
C078076					BLANK	
C078077	81.69	83.21		1.52		
C078078	83.21	83.75		0.54		
C078079	83.75	85.05		1.30		
C078080	85.05	86.16		1.11		
C078081	86.16	87.00		0.84		
C078082	86.16	87.00		0.84	DUPLICATE	
C078083	87.00	88.52		1.52		
C078084	88.52	89.95		1.43		
C078085	89.95	91.29		1.34		
C078086	91.29	92.35		1.06		
C078087	92.35	93.35		1.00		
C078088	93.35	94.55		1.20		
C078089	93.35	94.55		1.20	CHECK ASSAY	
C078090					STANDARD 5E	1.43
C078091	94.55	95.40		0.85		
C078092	95.40	96.93		1.53		
C078093	96.93	97.95		1.02		
C078094	97.95	98.82		0.87		
C078095	98.82	99.97		1.15		
C078096					BLANK	
C078097	99.97	101.50		1.53		
C078098	101.50	103.02		1.52		
C078099	103.02	104.55		1.53		
C078100	104.55	106.07		1.52		
C078101	106.07	107.59		1.52		
C078102	106.07	107.59		1.52	DUPLICATE	
C078103	107.59	109.12		1.53		
C078104	109.12	110.64		1.52		
C078105	110.64	112.17		1.53		

From-To Sheet DG06-311C						
Sample Number	Interval		Au (g/T)	Interval	Type of Sample	Std. Assay (ppm)
	From	To				
C078106	112.17	113.69		1.52		
C078107	113.69	115.21		1.52		
C078108	115.21	116.74		1.53		
C078109	115.21	116.74		1.53	CHECK ASSAY	
C078110					STANDARD 6F	2.77
C078111	116.74	118.26		1.52		
C078112	118.26	119.79		1.53		
C078113	119.79	121.31		1.52		
C078114	121.31	122.83		1.52		
C078115	122.83	124.35		1.52		
C078116					BLANK	
C078117	124.35	125.88		1.53		
C078118	125.88	127.41		1.53		
C078119	127.41	128.93		1.52		
C078120	128.93	130.45		1.52		
C078121	130.45	131.00		0.55		
C078122	130.45	131.00		0.55	DUPLICATE	
C078123	131.00	131.98		0.98		
C078124	131.98	133.50		1.52		
C078125	133.50	135.03		1.53		
C078126	135.03	136.55		1.52		
C078127	136.55	138.07		1.52		
C078128	138.07	139.60		1.53		
C078129	138.07	139.60		1.53	CHECK ASSAY	
C078130					STANDARD 7G	4.46
C078131	139.60	141.12		1.52		
C078132	141.12	142.65		1.53		
C078133	142.65	144.17		1.52		
C078134	144.17	145.69		1.52		
C078135	145.69	147.22		1.53		
C078136					BLANK	
C078137	147.22	148.00		0.78		
C078138	148.00	148.25		0.25		
C078139	148.25	148.74		0.49		
C078140	148.74	150.27		1.53		
C078141	150.27	151.79		1.52		
C078142	150.27	151.79		1.52	DUPLICATE	
C078143	151.79	153.31		1.52		
C078144	153.31	154.88		1.57		
C078145	154.88	156.36		1.48		
C078146	156.36	157.89		1.53		
C078147	157.89	159.41		1.52		
C078148	159.41	160.93		1.52		
C078149	159.41	160.93		1.52	CHECK ASSAY	
C078150					STANDARD 3C	0.091
C078151	160.93	161.60		0.67		
C078152	161.60	162.46		0.86		
C078153	162.46	163.70		1.24		
C078154	163.70	164.20		0.50		
C078155	164.20	164.95		0.75		
C078156					BLANK	
C078157	164.95	165.65		0.70		

From-To Sheet DG06-311C						
Sample Number	Interval		Au (g/T)	Interval	Type of Sample	Std. Assay (ppm)
	From	To				
C078158	165.65	166.35		0.70		
C078159	166.35	167.03		0.68		
C078160	167.03	167.80		0.77		
C078161	167.80	168.10		0.30		
C078162	167.80	168.10		0.30	DUPLICATE	
C078163	168.10	169.20		1.10		
C078164	169.20	169.73		0.53		
C078165	169.73	170.99		1.26		
C078166	170.99	171.90		0.91		
C078167	171.90	172.75		0.85		
C078168	172.75	173.76		1.01		
C078169	172.75	173.76		1.01	CHECK ASSAY	
C078170					STANDARD 4D	0.43
C078171	173.76	174.65		0.89		
C078172	174.65	176.17		1.52		
C078173	176.17	177.70		1.53		
C078174	177.70	179.22		1.52		
C078175	179.22	180.75		1.53		
C078176					BLANK	
C078177	180.75	181.97		1.22		
C078178	181.97	183.49		1.52		
C078179	183.49	185.32		1.83		
C078180	185.32	186.84		1.52		
C078181	186.84	188.37		1.53		
C078182	186.84	188.37		1.53	DUPLICATE	
C078183	188.37	189.89		1.52		
C078184	189.89	191.41		1.52		
C078185	191.41	192.94		1.53		
C078186	192.94	194.46		1.52		
C078187	194.46	195.99		1.53		
C078188	195.99	197.51		1.52		
C078189	195.99	197.51		1.52	CHECK ASSAY	
C078190					STANDARD 5E	1.43
C078191	197.51	199.03		1.52		
C078192	199.03	200.56		1.53		
C078193	200.56	202.08		1.52		
C078194	202.08	203.61		1.53		
C078195	203.61	205.13		1.52		
C078196					BLANK	
C078197	205.13	206.66		1.53		
C078198	206.66	208.18		1.52		
C078199	208.18	209.70		1.52		
C078200	209.70	211.23		1.53		
C078201	211.23	212.75		1.52		
C078202	211.23	212.75		1.52	DUPLICATE	
C078203	212.75	214.27		1.52		
C078204	214.27	215.50		1.23		
C078205	215.50	216.35		0.85		
C078206	216.35	217.32		0.97		
C078207	217.32	218.20		0.88		
C078208	218.20	218.85		0.65		
C078209	218.20	218.85		0.65	CHECK ASSAY	

From-To Sheet DG06-311C						
Sample Number	Interval		Au (g/T)	Interval	Type of Sample	Std. Assay (ppm)
	From	To				
C078210					STANDARD 2B	3.02
C078211	218.85	219.68		0.83		
C078212	219.68	220.37		0.69		
C078213	220.37	221.00		0.63		
C078214	221.00	221.89		0.89		
C078215	221.89	222.65		0.76		
C078216					BLANK	
C078217	222.65	223.42		0.77		
C078218	223.42	224.25		0.83		
C078219	224.25	224.94		0.69		
C078220	224.94	225.80		0.86		
C078221	225.80	226.47		0.67		
C078222	225.80	226.47		0.67	DUPLICATE	
C078223	226.47	227.31		0.84		
C078224	227.31	227.99		0.68		
C078225	227.99	228.85		0.86		
C078226	228.85	229.51		0.66		
C078227	229.51	230.25		0.74		
C078228	230.25	231.04		0.79		
C078229	230.25	231.04		0.79	CHECK ASSAY	
C078230					STANDARD 6F	2.77
C078231	231.04	231.80		0.76		
C078232	231.80	232.56		0.76		
C078233	232.56	233.30		0.74		
C078234	233.30	234.09		0.79		
C078235	234.09	235.00		0.91		
C078236					BLANK	
C078237	235.00	235.61		0.61		
C078238	235.61	236.40		0.79		
C078239	236.40	237.13		0.73		
C078240	237.13	238.00		0.87		
C078241	238.00	238.66		0.66		
C078242	238.00	238.66		0.66	DUPLICATE	
C078243	238.66	240.18		1.52		
C078244	240.18	241.71		1.53		
C078245	241.71	243.23		1.52		
C078246	243.23	244.75		1.52		
C078247	244.75	246.28		1.53		
C078248	246.28	247.80		1.52		
C078249	246.28	247.80		1.52	CHECK ASSAY	
C078250					STANDARD 7G	4.46
C078251	247.80	249.33		1.53		
C078252	249.33	250.55		1.22		
C078253	250.55	251.55		1.00		
C078254	251.55	252.37		0.82		
C078255	252.37	253.90		1.53		
C078256					BLANK	
C078257	253.90	255.42		1.52		
C078258	255.42	256.95		1.53		
C078259	256.95	258.47		1.52		
C078260	258.47	259.99		1.52		
C078261	259.99	261.52		1.53		

From-To Sheet DG06-311C						
Sample Number	Interval		Au (g/T)	Interval	Type of Sample	Std. Assay (ppm)
	From	To				
C078262	259.99	261.52		1.53	DUPLICATE	
C078263	261.52	263.04		1.52		
C078264	263.04	264.57		1.53		
C078265	264.57	266.07		1.50		
C078266	266.07	267.61		1.54		
C078267	267.61	269.14		1.53		
C078268	269.14	270.66		1.52		
C078269	269.14	270.66		1.52	CHECK ASSAY	
C078270					STANDARD 3C	0.091
C078271	270.66	272.19		1.53		
C078272	272.19	273.71		1.52		
C078273	273.71	275.23		1.52		
C078274	275.23	276.76		1.53		
C078275	276.76	278.28		1.52		
C078277	278.28	279.81		1.53		
C078278	279.81	281.33		1.52		
C078279	281.33	282.86		1.53		
C078280	282.86	284.38		1.52		
C078281	284.38	285.90		1.52		
C078282	284.38	285.90		1.52	DUPLICATE	
C078283	285.90	287.43		1.53		
C078284	287.43	288.74		1.31		
C078285	288.74	290.47		1.73		
C078286	290.47	292.00		1.53		
C078287	292.00	293.52		1.52		
C078288	293.52	295.05		1.53		
C078289	293.52	295.05		1.53	CHECK ASSAY	
C078290					STANDARD 4D	0.43
C078291	295.05	296.57		1.52		
C078292	296.57	298.09		1.52		
C078293	298.09	299.62		1.53		
C078294	299.62	301.14		1.52		
C078295	301.14	302.67		1.53		
C078296					BLANK	
C078297	302.67	304.19		1.52		
C078298	304.19	305.71		1.52		
C078299	305.71	307.24		1.53		
C078300	307.24	308.76		1.52		
C078301	308.76	310.29		1.53		
C078302	308.76	310.29		1.53	DUPLICATE	
C078303	310.29	311.81		1.52		
C078304	311.81	313.33		1.52		
C078305	313.33	314.86		1.53		
C078306	314.86	316.38		1.52		
C078307	316.38	317.91		1.53		
C078308	317.91	319.43		1.52		
C078309	317.91	319.43		1.52	CHECK ASSAY	
C078310					STANDARD 5E	1.43
C078311	319.43	320.95		1.52	MISSING	
C082951	319.43	320.95		1.52	Re-sampled	
C078312	320.95	322.48		1.53		
C078313	322.48	324.00		1.52		

From-To Sheet DG06-311C						
Sample Number	Interval		Au (g/T)	Interval	Type of Sample	Std. Assay (ppm)
	From	To				
C078314	324.00	325.53		1.53		
C078315	325.53	327.05		1.52		
C078316					BLANK	
C078317	327.05	328.39		1.34		
C078318	328.39	328.90		0.51		
C078319	328.90	330.10		1.20		
C078320	330.10	331.62		1.52		
C078321	331.62	333.15		1.53		
C078322				0.00	DUPLICATE	
C078323	333.15	334.67		1.52		
C078324	334.67	336.19		1.52		
C078325	336.19	337.72		1.53		
C078326	337.72	339.25		1.53		
C078327	339.25	340.77		1.52		
C078328	340.77	342.29		1.52		
C078329				0.00	CHECK ASSAY	
C078330					STANDARD 6F	2.77
C078331	342.29	343.81		1.52		
C078332	343.81	345.34		1.53		
C078333	345.34	346.86		1.52		
C078334	346.86	348.39		1.53		
C078335	348.39	349.91		1.52		
C078336					BLANK	
C078337	349.91	351.43		1.52		
C078338	351.43	352.96		1.53		
C078339	352.96	354.48		1.52		
C078340	354.48	356.01		1.53		
C078341	356.01	357.53		1.52		
C078342				0.00	DUPLICATE	
C078343	357.53	359.05		1.52		
C078344	359.05	360.58		1.53		
C078345	360.58	362.10		1.52		
C078346	362.10	363.63		1.53		
C078347	363.63	365.03		1.40		
C078348	365.03	366.00		0.97		
C078349	365.03	366.00		0.97	CHECK ASSAY	
C078350					STANDARD 7G	4.46
C078351	366.00	366.67		0.67		
C078352	366.67	368.20		1.53		
C078353	368.20	369.72		1.52		
C078354	369.72	371.25		1.53		
C078355	371.25	372.77		1.52		
C078356					BLANK	
C078357	372.77	374.29		1.52		
C078358	374.29	375.82		1.53		
C078359	375.82	377.34		1.52		
C078360	377.34	378.87		1.53		
C078361	378.87	380.39		1.52		
C078362	378.87	380.39		1.52	DUPLICATE	
C078363	380.39	381.91		1.52		
C078364	381.91	383.44		1.53		
C078365	383.44	384.96		1.52		

From-To Sheet DG06-311C						
Sample Number	Interval		Au (g/T)	Interval	Type of Sample	Std. Assay (ppm)
	From	To				
C078366	384.96	386.49		1.53		
C078367	386.49	388.01		1.52		
C078368	388.01	389.53		1.52		
C078369	388.01	389.53		1.52	CHECK ASSAY	
C078370					STANDARD 3C	0.091
C078371	389.53	391.06		1.53		
C078372	391.06	392.58		1.52		
C078373	392.58	394.11		1.53		
C078374	394.11	395.27		1.16		
C078375	395.27	395.63		0.36		
C078376					BLANK	
C078377	395.63	397.15		1.52		
C078378	397.15	398.00		0.85		
C078379	398.00	399.05		1.05		
C078380	399.05	400.25		1.20		
C078381	400.25	401.40		1.15		
C078382	400.25	401.40		1.15	DUPLICATE	
C078383	401.40	402.97		1.57		
C078384	402.97	403.80		0.83		
C078385	403.80	404.77		0.97		
C078386	404.77	406.30		1.53		
C078387	406.30	407.82		1.52		
C078388	407.82	409.35		1.53		
C078389	407.82	409.35		1.53	CHECK ASSAY	
C078390					STANDARD 4D	0.43
C078391	409.35	410.87		1.52		
C078392	410.87	412.39		1.52		
C078393	412.39	413.92		1.53		
C078394	413.92	415.44		1.52		
C078395	415.44	416.97		1.53		
C078396					BLANK	
C078397	416.97	418.49		1.52		
C078398	418.49	420.01		1.52		
C078399	420.01	421.54		1.53		
C078400	421.54	423.06		1.52		
C078401	423.06	424.59		1.53		
C078402	423.06	424.59		1.53	DUPLICATE	
C078403	424.59	426.11		1.52		
C078404	426.11	427.48		1.37		
C078405	427.48	428.15		0.67		
C078406	428.15	428.45		0.30		
C078407	428.45	429.16		0.71		
C078408	429.16	430.06		0.90		
C078409	429.16	430.06		0.90	CHECK ASSAY	
C078410					STANDARD 1A	0.88
C078411	430.06	430.95		0.89		
C078412	430.95	431.90		0.95		
C078413	431.90	433.40		1.50		
C078414	433.40	434.05		0.65		
C078415	434.05	435.40		1.35		
C078416					BLANK	
C078417	435.40	436.30		0.90		

From-To Sheet DG06-311C						
Sample Number	Interval		Au (g/T)	Interval	Type of Sample	Std. Assay (ppm)
	From	To				
C078418	436.30	437.39		1.09		
C078419	437.39	438.20		0.81		
C078420	438.20	439.30		1.10		
C078421	439.30	440.15		0.85		
C078422	439.30	440.15		0.85	DUPLICATE	
C078423	440.15	441.60		1.45		
C078424	441.60	442.90		1.30		
C078425	442.90	443.48		0.58		
C078426	443.48	444.15		0.67		
C078427	444.15	445.35		1.20		
C078428	445.35	446.85		1.50		
C078429	445.35	446.85		1.50	CHECK ASSAY	
C078430					STANDARD 3C	0.091
C078431	446.85	447.60		0.75		
C078432	447.60	448.80		1.20		
C078433	448.80	449.30		0.50		
C078434	449.30	450.95		1.65		
C078435	450.95	451.55		0.60		
C078436					BLANK	
C078437	451.55	452.70		1.15		
C078438	452.70	453.54		0.84		
C078439	453.54	455.02		1.48		
C078440	455.02	456.05		1.03		
C078441	456.05	457.24		1.19		
C078442	456.05	457.24		1.19	DUPLICATE	
C078443	457.24	458.48		1.24		
C078444	458.48	459.85		1.37		
C078445	459.85	461.08		1.23		
C078446	461.08	462.30		1.22		
C078447	462.30	463.70		1.40		
C078448	463.70	464.93		1.23		
C078449	463.70	464.93		1.23	CHECK ASSAY	
C078450					STANDARD 5E	1.43
C078451	464.93	465.73		0.80		
C078452	465.73	466.75		1.02		
C078453	466.75	468.00		1.25		
C078454	468.00	469.40		1.40		
C078455	469.40	470.55		1.15		
C078456					BLANK	
C078457	470.55	471.83		1.28		
C078458	471.83	473.10		1.27		
C078459	473.10	474.40		1.30		
C078460	474.40	475.60		1.20		
C078461	475.60	477.10		1.50		
C078462	475.60	477.10		1.50	DUPLICATE	
C078463	477.10	478.45		1.35		
C078464	478.45	479.10		0.65		
C078465	479.10	479.70		0.60		
C078466	479.70	480.97		1.27		
C078467	480.97	481.60		0.63		
C078468	481.60	482.30		0.70		
C078469	481.60	482.30		0.70	CHECK ASSAY	

From-To Sheet DG06-311C						
Sample Number	Interval		Au (g/T)	Interval	Type of Sample	Std. Assay (ppm)
	From	To				
C078470					STANDARD 6F	2.77
C078471	482.30	483.75		1.45		
C078472	483.75	485.15		1.40		
C078473	485.15	486.60		1.45		
C078474	486.60	488.05		1.45		
C078475	488.05	488.56		0.51		
C078476					BLANK	
C078477	488.56	489.15		0.59		
C078478	489.15	489.75		0.60		
C078479	489.75	491.00		1.25		
C078480	491.00	492.40		1.40		
C078481	492.40	493.17		0.77		
C078482	492.40	493.17		0.77	DUPLICATE	
C078483	493.17	493.90		0.73		
C078484	493.90	494.85		0.95		
C078485	494.85	496.21		1.36		
C078486	496.21	498.70		2.49		
C078487	498.70	499.26		0.56		
C078488	499.26	500.80		1.54		
C078489	499.26	500.80		1.54	CHECK ASSAY	
C078490					STANDARD 7G	4.46
C078491	500.80	502.31		1.51		
C078492	502.31	503.70		1.39		
C078493	503.70	505.36		1.66		
C078494	505.36	506.80		1.44		
C078495	506.80	508.41		1.61		
C078496					BLANK	
C078497	508.41	509.95		1.54		
C078498	509.95	511.45		1.50		

DG06-311C Relfex readings, June 12, 2006					
Depth (meters below surface)	Azimuth (degrees)	Corrected Azimuth (degrees)	Dip (degrees from horizontal)	Magnetic field	Temperature (celcius)
54.25	154.5	180	-59.3	5769	13.9
130.45	153.8	179.3	-58	5769	13.7
206.65	154.9	180.4	-55.6	5771	14.4
282.85	157.7	183.2	-55.1	5769	14.9
359.05	159.2	184.7	-53.7	5766	16.6
436.25	160.1	185.6	-50.9	5769	17
511.45	162	187.5	-49.6	5765	13.3

GEOTECHNICAL SUMMARY SHEET

PROJECT: Dublin Gulch - 1735	
DRILL HOLE NO: DG06-311C	
Date Started: 31-May-06	**Date Completed:** 12-June-06
Geoteched By: Stacy Doyle, Jason Kindrat, Mike Giasson, Marc Mains	
Contractor: DJ Drilling	
Hole Size: HQ	**Core Size:** HQ
Total Depth: 511.45m	**Elevation:** 1162m
Average RQD: 56%	**Average Recovery Rate:** 92%

	Easting	**Northing**
DDH NAD27	460136	7099696
NAD27	460136	7099695
NAD83	460018	7099880
	Azimuth	**Dip**
Original	180	-60
End of Hole	162	-49.6
Additional Comments:	Pictures of Box 4-6 and 42-44 have no DRY photos due to rain the day they were taken.	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-311C__ Sheet:__1__of__9____

Date: May 31-June 12, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:_Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length										Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE	Fault Breccia / Gouge	Broken Core	
Casing	0.00	1.22	0						-												Casing
Casing/ MSED	1.22	1.83	0.61	0.25	41	0	0	R2	-	SW											
	1.83	3.05	1.22	0.7	57	0.3	25	R2	-	FS	4	CR/PS									
	3.05	3.96	0.91	0.52	57	0.27	30	R3	-	FS	4	SS/US									
	3.96	5.49	1.53	0.9	59	0.56	37	R3	-	FS	7	SS/US			1	SP					
	5.49	6.71	1.22	0.7	57	0	0	R2	-	SW											
	6.71	8.23	1.52	0.95	63	0.25	16	R2	-	SW	4	PS									
	8.23	8.84	0.61	0.5	82	0.19	31	R3	-	FS	1	IR	1	SS							
	8.84	10.06	1.22	1.3	100	0.35	29	R2	-	SW	2	PS/SS	2	SS							
	10.06	10.97	0.91	0.8	88	0.13	14	R2	-	FS	2	PS/SS									
	10.97	12.50	1.53	1.25	82	0.28	18	R2	-	SW	4	PS/SS									
	12.50	13.11	0.61	0.69	100	0.45	74	R2	-	FS	2	SR	1	CR	1	IR			0	26	
	13.11	14.63	1.52	1.09	72	0.5	33	R4	-	SW			4	PS/SR	1	SR	1	PR	0	67	
	14.63	16.15	1.52	1.24	82	0.1	7	R4	-	FS					2	PS			0	93	
	16.15	17.37	1.22	1.38	100	0.64	52	R3	-	FS	3	SR/PR	7	PR					10	38	
	17.37	18.90	1.53	0.86	56	0	0	R1	-	HW											
	18.90	20.50	1.6	1.5	94	0.28	18	R4	-	FS	1	PR	2	PR/IS	1	IS			0	82	
	20.50	22.00	1.5	1.49	99	0.49	33	R4	-	FS			2	IR/PR	5	IS/SR	1	CR	0	67	
	22.00	24.00	2	1.6	80	0.44	22	R3	-	FS			6	SR/PR							
	24.00	25.30	1.3	0.9	69	0.4	31	R3	-	FS			4	PR							
	25.30	26.82	1.52	1.32	87	0.81	53	R3	-	FS	7	IR/PS	1	PR							
	26.82	28.35	1.53	1.38	90	0.68	44	R4	-	FS	2	IR	2	IR/SR							
	28.35	29.87	1.52	1.39	91	1	66	R3	-	FS	4	IR/PR	6	PR							
	29.87	31.40	1.53	1.26	82	0.67	44	R4	-	FS			6	PR/IR							
	31.40	32.92	1.52	1.46	96	0.73	48	R3	-	FS	3	IR/SR	6	PR	1	PR					
	32.92	34.44	1.52	1.25	82	0.87	57	R4	-	FS			4	PS/CS	4	PSL/SS					
	34.44	35.97	1.53	1.27	83	0.83	54	R3	-	SW	2	PR/IR	3	IR/PR	3	PSL/IR					
	35.97	37.49	1.52	1.43	94	0.83	55	R5	-	FS	4	PR/CR	1	US	3	PR					
	37.49	39.01	1.52	1.4	92	1.31	86	R4	-	FS	4	IR/PR	4	PR/CR	4	PR			0	14	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-311C__ Sheet:__2__of__9____

Date: May 31-June 12, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:_Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length										Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE	Fault Breccia / Gouge	Broken Core	
	39.01	40.54	1.53	1.22	80	0.6	39	R4	-	FS	5	IR/PR	1	PR					0	61	
	40.54	42.06	1.52	1.35	89	0.84	55	R3	-	FS	5	IR			4	PR	1	IR	0	45	
	42.06	43.59	1.53	1.33	87	0.5	33	R4	-	FS	1	IR	1	UR	3	PR/IR	1	IR	0	67	
	43.59	45.11	1.52	1.52	100	1.03	68	R4	-	FS	2	PR/IR	2	PR/IR	4	PR/IR	2	PR	0	32	
	45.11	46.63	1.52	1.31	86	0.63	41	R3	-	FS			1	IR	4	PS/IS	1	PS	0	59	
	46.63	48.16	1.53	1.32	86	1.04	68	R5	-	FS	5	PS/CS	2	PR	3	PS/SR			0	32	
	48.16	49.68	1.52	1.42	93	1.2	79	R3	-	FS	2	IR	5	PR	3	PR/SR	1	PS	0	21	
	49.68	51.21	1.53	1.4	92	0.75	49	R3	-	FS	8	SS/PS	2	PS/SR	2	PS/SR			0	51	
	51.21	52.73	1.52	1.38	91	0.7	46	R2	-	FS	7	SR/SS	1	PS					0	54	
	52.73	54.25	1.52	1.23	81	0.41	27	R3	-	FS	4	PS/SS							0	73	
	54.25	55.78	1.53	1.43	93	1.01	66	R2	-	FS	7	PS/PR	1	SS					0	34	
	55.78	57.30	1.52	1.52	100	1.16	76	R3	-	FS	12	PS/SS							0	24	
	57.30	58.83	1.53	1.34	88	0.72	47	R3	-	FS	3	PS	3	PS					0	53	
	58.83	60.35	1.52	1.43	94	0.81	53	R3	-	FS	8	SR	2	PS/SS					0	47	
	60.35	61.87	1.52	1.3	86	0.43	28	R3	-	FS	8	IR/PR	6	IR/PR					0	72	
	61.87	63.40	1.53	1.42	93	0.9	59	R3	-	FS	3	IR/SR	5	IR/PR					0	41	
	63.40	64.92	1.52	1.32	87	0.81	53	R3	-	FS/FR	4	IR	2	IR					0	47	
	64.92	66.45	1.53	1.45	95	0.8	52	R4	-	FR/FS	4	PR/IR	2	PR					0	48	
	66.45	67.97	1.52	1.43	94	1.14	75	R4	-	FR	2	IR	8	PR					0	25	
	67.97	69.49	1.52	1.52	100	1.37	90	R4	-	FR			10	PR/IR					0	10	
	69.49	71.02	1.53	1.1	72	0.79	52	R4	-	FR	1	IR	9	IR/SR					0	48	
	71.02	72.54	1.52	1.43	94	1.09	72	R4	-	FR	2	PR	2	PR	1	PR	3	PR	0	28	
	72.54	74.07	1.53	1.45	95	1.23	80	R4	-	FR	3	PR	2	IR	5	PS			0	20	
	74.07	75.59	1.52	1.5	99	0.95	62	R5	-	FR			2	PR/IR					0	38	
	75.59	77.11	1.52	1.27	84	0.91	60	R3	-	FR	1	IR	1	CS	4	PS/SR			0	40	
	77.11	78.64	1.53	1.56	100	1.05	69	R3	-	FR	2	IR	4	PR/IR	5	IR/PR	1	PS	0	31	
	78.64	80.16	1.52	1.54	100	1.45	95	R4	-	FR	2	UR/IR	6	SR/CR	2	SR	1	UR	0	5	
	80.16	81.69	1.53	1.47	96	1.03	67	R4	-	FR	4	CR/IR	8	CR/PR	2	IR	2	CR	0	33	
	81.69	83.21	1.52	1.44	95	0.66	43	R3	-	FR	2	IR	5	CS/PS					0	57	
	83.21	84.73	1.52	1.43	94	0.97	64	R3	-	FS/FR	4	IR/PS	3	PS	2	CS/PS	3	PR	0	36	
	84.73	86.26	1.53	1.39	91	1.05	69	R4	-	FS/SR	6	SR/IR	6	IR/PR	6	SR/PR	3	SR	0	31	
	86.26	87.78	1.52	1.35	89	0.55	36	R3/R4	-	FR	5	CR/IR	2	IR/PR	1	SR	1	CR	0	64	SOME GND
	87.78	89.31	1.53	1.43	93	1.35	88	R4	-	FR	4	IR/CR	3	PR	5	PR			0	12	
	89.31	90.83	1.52	1.52	100	1.08	71	R4	-	FR	5	CR/PR	6	CR/SR	2	IR/PR	2	SR	0	29	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-311C__ Sheet:__3__of__9____

Date: May 31-June 12, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:_Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length										Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE	Fault Breccia / Gouge	Broken Core	
	90.83	92.35	1.52	1.46	96	1.04	68	R3/R4	-	FR	5	SR/CR	5	SR/CR	2	PR/CR			0	32	
MSED/ GND	92.35	93.88	1.53	1.53	100	0.31	20	R3/R4	-	FR	3	PR/PS			1	UR			0	80	
	93.88	95.40	1.52	1.4	92	0.16	11	R1/R3	-	R	2	PS							29	60	
	95.40	96.93	1.53	1.49	97	0.68	44	R1/R2	-	HW/FR	7	PR/PSL	2	CR/LR	1	CR	1	CR	26	30	
	96.93	98.45	1.52	1.41	93	0.57	38	R1/R3	-	HW/FR	3	IR/PR	2	PS			1	CR	32	30	
	98.45	99.97	1.52	1.4	92	0.34	22	R2	-	MW	3	SR	1	IR	2	PS	3	SR	23	55	
	99.97	101.50	1.53	1.43	93	0.24	16	R2/R3	-	SW/FR	2	SR					2	SR	0	84	
	101.50	103.02	1.52	1.57	100	0.83	55	R3	-	FR	4	SR/PS	2	SR	4	PR/SR	2	SR	0	45	
	103.02	104.55	1.53	1.44	94	0.46	30	R2/R3	-	SW/FR	4	SR/PS	2	SR/IR	2	SR/PR	3	SR/PR	10	60	
	104.55	106.07	1.52	1.56	100	0.33	22	R1/R3	-	R	5	SR/IR					5	SR/IR	28	50	
	106.07	107.59	1.52	1.32	87	0.63	41	R2/R3		SW/FR	2	SR/CS	3	SR/PS	5	SR/PR	5	PS/CS	9	50	
	107.59	109.12	1.53	1.53	100	1	65	R4	-	FR	4	SR/PS	4	SR/PS	5	PR/UR	3	SR	0	35	
	109.12	110.64	1.52	1.39	91	0.58	38	R2/R4	-	SW/FR	5	SR/PS	2	SR			2	SR	2	60	
	110.64	112.17	1.53	1.4	92	0.48	31	R2/R4	-	R	1	PS	4	CR/PR	1	PR			9	60	
	112.17	113.69	1.52	1.47	97	0.4	26	R1/R4	-	R	1	IR	2	CR/IR			1	CR	24	50	sericitc
	113.69	115.21	1.52	1.42	93	0.72	47	R3	-	FR	3	CR/PR	1	CR	1	PR			0	53	
	115.21	116.74	1.53	1.41	92	1.21	79	R4	-	FR	2	IR/PR	1	IR	2	PR			0	21	
	116.74	118.26	1.52	1.43	94	1.34	88	R4	-	FR	4	PR			2	PR			0	12	v. competent
	118.26	119.79	1.53	1.56	100	1.48	97	R4	-	FR	5	PR/IR	2	PR/UR	1	PR	1	PR	0	3	
	119.79	121.31	1.52	1.5	99	1.22	80	R4		FR	6	PR/SR	2	UR/PR	4	UR/PR	5	SR/UR	0	20	
	121.31	122.83	1.52	1.41	93	1.23	81	R4	-	FR	5	PR/IR	2	PR/IR					0	19	
	122.83	124.35	1.52	1.37	90	1.07	70	R4	-	FR	8	UR/PR	1	UR					0	30	
	124.35	125.88	1.53	1.56	100	1.56	100	R4	-	FR	8	PR							0	0	ex competent
	125.88	127.41	1.53	1.28	84	0.38	25	R1/R4	-	HW/FR	3	PR					1	PS	25	50	
	127.41	128.93	1.52	1.44	95	0.92	61	R4	-	FR	3	PS	4	PS/PR	1	PS			0	39	
	128.93	130.45	1.52	1.6	100	1.33	88	R4	-	FR	6	PS/CR	1	CR			1	SR	0	12	
	130.45	131.98	1.53	1.43	93	1.33	87	R4	-	FR	5	SR/PS	1	PR			1	SR	0	13	
	131.98	133.50	1.52	1.41	93	0.67	44	R4	-	FR	4	PS/PR	2	PR					0	56	
	133.50	135.03	1.53	1.53	100	1.41	92	R4	-	FR	8	PR							0	8	v. competent
	135.03	136.55	1.52	1.23	81	0.33	22	R4	-	FR	1	PR	3	PR					0	78	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-311C__ Sheet:__4__of__9____

Date: May 31-June 12, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:_Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length										Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE	Fault Breccia / Gouge	Broken Core	
	136.55	138.07	1.52	1.59	100	1.5	99	R4	-	FR	11	PR/IR	5	PR	2	UR			0	1	
	138.07	139.60	1.53	1.53	100	1.16	76	R4	-	FR	7	PS/IR	3	IR/PR			5	PR	0	24	
	139.60	141.12	1.52	1.5	99	1.5	99	R4	-	FR	6	PR/IR							0	1	ex competent
	141.12	142.65	1.53	1.57	100	1.32	86	R4	-	FR	7	IR/PR					1	PR	0	14	
	142.65	144.17	1.52	1.52	100	1.36	89	R4	-	FR	8	IR/PR			2	PS			0	11	
	144.17	145.69	1.52	1.5	99	1.15	76	R4	-	FR	6	PR/CR	1	PR	1	PR			0	24	
	145.69	147.22	1.53	1.23	80	0.89	58	R4	-	FR	6	PR	2	PR	2	PR			0	42	
	147.22	148.74	1.52	1.52	100	0.97	64	R4	-	FR					2	PR/SR	7	PR	0	36	
	148.74	150.27	1.53	1.5	98	1.15	75	R4	-	FR	8	PR/SR	1	SR			3	UR/PR	0	25	
	150.27	151.79	1.52	1.53	100	1.45	95	R4	-	FR	2	PR	5	PR	3	IR/PR			0	5	
	151.79	153.31	1.52	1.6	100	1.26	83	R4	-	FR	8	PR/UR	2	PR					0	17	
	153.31	154.84	1.53	1.53	100	1.46	95	R4	-	FR	7	PR/IR					1	PR	0	5	
	154.84	156.36	1.52	1.46	96	1.1	72	R4	-	FR	6	IR/PR					2	PR	0	28	
	156.36	157.89	1.53	1.52	99	1.3	85	R4	-	FR			5	PR	1	PR			0	15	
	157.89	159.41	1.52	1.52	100	1.08	71	R4	-	FR	3	PR/UR	5	PR/IR					0	29	
	159.41	160.93	1.52	1.52	100	0.9	59	R4	-	FR	1	PR	2	PR	5	PR			0	41	
	160.93	162.46	1.53	1.33	87	0.69	45	R4	-	FR	2	IR	1	IR			1	UR	0	65	
	162.46	163.98	1.52	1.47	97	0.9	59	R4	-	FR	8	IR	6	SR/IR					0	41	
	163.98	165.51	1.53	1.3	85	0.76	50	R4	-	FR	6	IR	2	IR					0	50	
	165.51	167.03	1.52	1.52	100	1.09	72	R4	-	FR	4	IR/SR	6	IR					0	28	
	167.03	168.55	1.52	1.16	76	0	0	R3/R4	-	SW/FS									5	95	
	168.55	169.47	0.92	0.7	76	0	0	R3/R4	-	SW/FS									5	95	
	169.47	170.99	1.52	1.52	100	0.89	59	R3/R4	-	FS/FR	7	PR/IR			5	UR/IR			0	42	
	170.99	171.60	0.61	0.51	84	0.61	100	R4	-	FR	2	PR	1	PR	3	PR/IR			0	0	
	171.60	173.13	1.53	1.53	100	1.3	85	R4	-	FR			2	IR	8	PR/IR			0	15	
	173.13	174.65	1.52	1.47	97	1.31	86	r4	-	FR	5	SR/USC	4	SR/USL	3	SR/USL	3	SR	0	14	
	174.65	176.17	1.52	1.5	99	1.43	94	R4	-	FR	3	SR/CS	2	PLS	3	UR/PS	4	UR/SR	0	6	
	176.17	177.70	1.53	1.57	100	1.27	83	R4	-	FR	2	IR/PR	4	SR/CS	2	PR/PS	3	SR/CS	0	17	
	177.70	179.22	1.52	1.47	97	1.34	88	R4	-	FR	1	PR	5	IR/PS	3	IR/PS			0	12	
	179.22	180.75	1.53	1.32	86	0.79	52	R4	-	FR	2	SR/SS	4	SR/PS	4	IR/PS	3	PS/SS	0	48	
	180.75	181.97	1.22	0.9	74	0.19	16	R4	-	FR	1	SS	1	SS					0	84	
	181.97	183.49	1.52	1.45	95	0.63	41	R4		FR	8	PS/SS							0	59	
	183.49	185.32	1.83	1.59	87	1.07	58	R3/R4	-	FR	7	PS/SS	3	PS/US					0	42	
	185.32	186.64	1.32	1.47	100	0.86	65	R3/R4	-	FR	8	PS/SS							0	35	
	186.64	188.37	1.73	1.47	85	0.6	35	R4	-	FR	2	PS/PR	2	SS/SR					0	65	
	188.37	189.89	1.52	1.45	95	0.89	59	R3	-	FR	8	PS/PR							0	41	
	189.89	191.41	1.52	1.31	86	0.67	44	R3/R4	-	FR	5	PS	1	PS					0	56	
	191.41	192.94	1.53	1.45	95	0.8	52	R4	-	FR	6	PS/SS							0	48	
	192.94	194.46	1.52	1.24	82	0.3	20	R1/R3	-	FR	2	SS							5	75	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-311C__ Sheet:__5__of__9____

Date: May 31-June 12, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:_Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length										Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE	Fault Breccia / Gouge	Broken Core	
	194.46	195.99	1.53	1	65	0	0	R1/R3	-	FR									5	95	
	195.99	197.51	1.52	1.25	82	0.43	28	R1/R3	-	FR	4	IR	2	IR					5	67	
	197.51	199.03	1.52	1.38	91	0.55	36	R2/R3	-	FR		8	IR/SR						0	60	
	199.03	200.56	1.53	1.22	80	0.13	8	R3/R4	-	FR	1	IR					1	IR	0	92	
	200.56	202.08	1.52	1.31	86	0	0	R3	-	FR									0	100	
	202.08	203.61	1.53	1.53	100	0.57	37	R3	-	FR			5	IR	1	IR			0	57	
	203.61	205.13	1.52	1.52	100	0.8	53	R4	-	FR			2	IR	4	PS			0	47	
	205.13	206.65	1.52	1.52	100	1.45	95	R4	-	FR	8	UR/IR	4	PR					0	5	
	206.65	208.18	1.53	1.6	100	1.6	100	R4	-	FR	8	UR/PR	2	UR					0	0	
	208.18	209.70	1.52	1.48	97	1.14	75	R4	-	FR	3	PR/UR	1	IR	2	PR/IR			0	25	
	209.70	211.23	1.53	1.48	97	0.76	50	R4	-	FR	1	PR	3	UR	3	UR	3	PR/SR	0	50	
	211.23	212.75	1.52	1.52	100	1.4	92	R4	-	FR			8	PR/UR	2	UR			0	8	
	212.75	214.27	1.52	1.46	96	1.2	79	R4	-	FR	6	IR/UR	6	UR					0	21	
	214.27	215.80	1.53	1.53	100	0.98	64	R4	-	FR	1	SR	3	PR/IR	4	IR			0	36	
	215.80	217.32	1.52	1.35	89	0.95	63	R4	-	FR	3	IR	2	IR	3	PR/SR			0	37	
	217.32	218.85	1.53	1.22	80	0.75	49	R4	-	FR	2	IR	1	PR	3	IR	2	PR	0	51	
	218.85	220.37	1.52	1.46	96	1.22	80	R4	-	FR	6	UR/PR	1	IR	3	IR			0	20	
	220.37	221.89	1.52	1.45	95	0.85	56	R4	-	FR	2	IR	2	PR	4	PR			0	44	
	221.89	223.42	1.53	1.28	84	1.14	75	R4	-	FR	8	IR	2	PR					0	25	
	223.42	224.94	1.52	1.44	95	0.72	47	R4	-	FR	6	SR/IR	3	IR	3	PR			0	53	
	224.94	226.47	1.53	1.35	88	1.02	67	R4	-	FR			11	SR/IR	1	UR			0	33	
	226.47	227.99	1.52	1.4	92	0.81	53	R4	-	FR	1	PR	4	PR	2	PR			0	47	
	227.99	229.51	1.52	1.25	82	1.03	68	R2/R4	-	SW/FR	4	IR	4	IR	2	UR/IR			5	27	
	229.51	231.04	1.53	1.33	87	0.63	41	R3/R4	-	FS/FR			7	PR	3	PR			0	59	
	231.04	232.86	1.82	1.52	84	0.68	37	R4	-	FR	3	IR	2	IR	1	IR			0	55	
	232.86	234.09	1.23	1.32	100	0.86	70	R3	-	FR	8	IR	2	IR					0	52	
	234.09	235.61	1.52	1.26	83	0.77	51	R3	-	FR	4	IR	4	IR					0	49	
	235.61	273.13	37.52	1.37	4	0.44	1	R3	-	FR	2	IR	4	IR	3	UR			0	71	
	273.13	238.66	-34.47	1.37	100	0.95	100	R3	-	FR	6	SR/IR	4	UR	2	UR/IR			0	38	
	238.66	240.18	1.52	1.52	100	0.38	25	R3/R4	-	FR	5	IR			5	UR/IR			0	75	
	240.18	241.71	1.53	1.53	100	0.96	63	R4	-	FR	8	IR			6	UR			0	37	
	241.71	243.27	1.56	1.56	100	0.58	37	R4	-	FR	8	SR/IR							0	63	
	243.27	244.75	1.48	1.35	91	0.82	55	R2/R3	-	FR	7	SR/PS	1	PS					0	20	
	244.75	246.28	1.53	1.32	86	0.76	50	R2/R3	-	FR	8	SR/PR							0	50	
	246.28	247.80	1.52	1.4	92	0.8	53	R2/R3	-	FR	8	PS/PR							0	47	
	247.80	249.33	1.53	1.44	94	0.24	16	R2/R3	-	FR	3	PR/SR	3	PS					0	84	
	249.33	250.85	1.52	1.42	93	0.9	59	R4	-	FR	6	SS/RS	2	PS/SS					0	41	
	250.85	252.37	1.52	1.49	98	1.1	72	R3	-	FR	8	SS/PS	4	SS/PS					0	28	
	252.37	253.90	1.53	1.5	98	0.94	61	R3	-	FR	7	PS/PR	1	PS/PR					0	39	
	253.90	255.42	1.52	1.52	100	1.34	88	R4	-	FS	14	PS/SS							0	12	
	255.42	256.95	1.53	1.43	93	1.16	76	R4	-	FS	10	PR/SR							0	24	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-311C__ Sheet:__6__of__9____

Date: May 31-June 12, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:_Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length										Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE	Fault Breccia / Gouge	Broken Core	
	256.95	258.47	1.52	1.5	99	0.77	51	R4	-	FS	7	PR	1	SS					0	49	
	258.47	259.99	1.52	1.25	82	0.46	30	R4	-	FS	3	PR/SR	1	PR					0	70	
	259.99	261.52	1.53	1.26	82	0.5	33	R4		FS	4	PR	2	PS					0	67	
	261.52	263.04	1.52	1.4	92	1.33	87	R4	-	FS	9	SS/PS	3	PS					0	12	
	263.04	264.57	1.53	1.48	97	0.39	25	R3	-	FS	3	PS/SS	3	PS					0	75	
	264.57	266.09	1.52	1.25	82	0.63	41	R3	-	FS	8	PS/PR							0	59	
	266.09	267.61	1.52	1.52	100	0.34	22	R4	-	FR	3	PR/IR	1	PR					0	78	
	267.61	269.14	1.53	1.53	100	0.39	25	R3/R4	-	FR	4	SR/PR	2	UR/CR					0	75	
	269.14	270.66	1.52	1.52	100	0.13	9	R3/R4	-	FR			2	PR					0	92	
	270.66	272.19	1.53	1.42	93	0.27	18	R3/R4	-	FR			4	IR/PR					0	82	
	272.19	273.71	1.52	1.52	100	0.43	28	R3/R4	-	FR			3	IR			1	IR	0	72	
	273.71	275.23	1.52	1.52	100	0.75	49	R3/R4	-	FR	8	PR/IR	1	IR	3	IR			0	53	
	275.23	276.76	1.53	1.4	92	0.97	63	R4	-	FR	2	IR	4	IR					0	36	
	276.76	278.28	1.52	1.31	86	1.2	79	R3	-	FR	6	IR	4	IR					0	21	
	278.28	279.81	1.53	1.53	100	1.03	67	R3	-	FR	15	PR/IR	1	PR					0	37	
	279.81	281.33	1.52	1.45	95	1.3	86	R4	-	FR			9	UR/PR	5	UR/PR			0	14	
	281.33	282.86	1.53	1.53	100	0.63	41	R3	-	SW/FR	3	IR/PR	7	PR					0	59	
	282.86	284.38	1.52	1.34	88	0.96	63	R3	-	FR	1	PR	7	UR	2	UR/SR			0	37	
	284.38	285.90	1.52	1.52	100	0	0	R3/R4	-										0	100	
	285.90	287.43	1.53	1.53	100	0.6	39	R4	-	FR			4	PR/SR	4	PR/IR			0	61	
	287.43	288.95	1.52	1.52	100	0.67	44	R4	-	FR	3	IR	7	IR/PR					0	66	
	288.95	290.47	1.52	1.52	100	0.87	57	R4	-	FR	2	IR	8	IR/UR					0	43	
	290.47	292.00	1.53	1.47	96	0.7	46	R4	-	FR	3	IR	6	PR/IR	1	IR			0	54	
	292.00	293.52	1.52	1.44	95	0.45	30	R4	-	FR	2	UR	4	IR					0	70	
	293.52	295.05	1.53	1.53	100	0.46	30	R4	-	FR			3	PR/IR	1	IR			0	70	
	295.05	296.57	1.52	1.3	86	0.46	30	R4	-	FR			6	IR					0	54	
	296.57	298.09	1.52	1.4	92	1.01	66	R4	-	FR	7	IR/PR			1IR				0	34	
	298.09	299.62	1.53	1.35	88	0.89	58	R4	-	FR	5	PS/PR	1	SS					0	42	
	299.62	301.14	1.52	1.28	84	0.86	57	R4	-	FR	4	PR/PS	2	SS					0	43	
	301.14	302.67	1.53	1.39	91	0.5	33	R3	-	FR	2	PS/SS	4	PS					0	67	
	302.67	304.19	1.52	1.35	89	0.94	62	R2/R3	-	FR	3	PR/SR	4	PS	1	PS			0	38	
	304.19	305.71	1.52	1.5	99	1.43	94	R3	-	FR	4	PS/US	4	PS			2	PS	0	6	
	305.71	307.24	1.53	1.4	92	0.8	52	R4	-	FR	3	IR/SR	3	PR					0	48	
	307.24	308.76	1.52	1.14	75	0.79	52	R4	-	FR	4	SR/IR							0	48	
	308.76	310.29	1.53	1.34	88	0.85	56	R4	-	FR	4	PR	3	SS			1	PS	0	44	
	310.29	311.81	1.52	1.48	97	1.08	71	R3	-	FR	8	PR/SR	2	PR					0	29	
	311.81	313.33	1.52	1.46	96	0.97	64	R3/R4	-	FR	4	PR/IR	6	PR/IR	2	PR			0	36	
	313.33	314.86	1.53	1.49	97	1.36	89	R3/R4	-	FR	4	IR/PR	3	IR/PR	2	PR/PSL			0	11	
	314.86	316.38	1.52	1.46	96	0.97	64	R3/R4	-	FR	3	PR	8	CSL/PSL	2	PS/CR	1	CR	0	36	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-311C__ Sheet:__7__of__9____

Date: May 31-June 12, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:_Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length										Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE	Fault Breccia / Gouge	Broken Core	
	316.38	317.91	1.53	1.45	95	1.22	80	R3/R4	-	FR	8	PSL/SSL	4	CR/PSL	3	PSL	1	SSL	0	20	QTZ VEIN
	317.91	319.43	1.52	1.09	72	0.63	41	R2/R3	-	FR	3	PR/IR	7	PR/SR	1	CSL			0	59	
	319.43	320.95	1.52	1.52	100	1.21	80	R4	-	FR	9	IR			1	PR			0	20	
	320.95	322.48	1.53	1.37	90	0.74	48	R4	-	FR	8	PR/IR			2	PR			0	48	
	322.48	324.00	1.52	1.52	100	1.25	82	R4	-	FR	7	PR/IR			3	IR			0	18	
	324.00	325.53	1.53	1.45	95	1.16	76	R4	-	FR	1	IR	6	PR	1	PR			0	24	
	325.53	327.05	1.52	1.48	97	1.16	76	R4	-	FR	2	IR	6	PR					0	24	
	327.05	328.57	1.52	1.47	97	1.06	70	R4	-	FR	5	IR/PR	2	PR					0	30	
	328.57	330.09	1.52	1.43	94	0.92	61	R4	-	FR	7	IR	3	IR					0	39	
	330.09	331.62	1.53	1.43	93	1.1	72	R3	-	FR	11	IR	3	IR					0	34	
	331.62	333.15	1.53	1.37	90	0.44	29	R2/R3	-	FR	3	IR	3	UR/IR					0	71	
	333.15	334.67	1.52	1.52	100	0.67	44	R2	-	FR/SW	4	IR							0	56	
	334.67	336.19	1.52	1.48	97	0	0	R2	-	SW									0	100	
	336.19	337.72	1.53	1.36	89	0.57	37	R2	-	SW	8	IR/PR							0	63	
	337.72	339.24	1.52	1.52	100	1.52	100	R2/R3	-	SW	10	IR/PR							0	0	
	339.24	340.77	1.53	1.47	96	1.3	85	R3	-	SW/FR	10	IR/PR							0	15	
	340.77	342.29	1.52	1.52	100	1.1	72	R4	-	FR	7	IR/PR	1	PR					0	34	
	342.29	343.81	1.52	1.44	95	1.12	74	R4	-	FR	4	PR/SR	2	SS					0	26	
	343.81	345.34	1.53	1.45	95	1.06	69	R4	-	FR	7	SS/PS	1	SS					0	31	
	345.34	346.86	1.52	1.42	93	1.1	72	R4	-	FR	8	SR/IR	2	US					0	28	
	346.86	348.39	1.53	1.37	90	1.25	82	R4	-	FR	8	UR/PR							0	18	
	348.39	349.91	1.52	1.52	100	0.98	64	R4	-	FR	9	PS/SS	1	PS					0	36	
	349.91	351.43	1.52	1.52	100	1.36	89	R4	-	FR	9	SR/PR	1	PR					0	11	
	351.43	352.96	1.53	1.43	93	1.43	93	R4	-	FR	6	SR/UR							0	7	
	352.96	354.48	1.52	1.52	100	1.33	87	R4	-	FR	6	SS	4	IR					0	12	
	354.48	356.01	1.53	1.49	97	1.39	91	R4	-	FR	7	SR/PR	1	PS					0	9	
	356.01	357.53	1.52	1.52	100	1.43	94	R4	-	FR	6	IR/SR							0	6	
	357.53	359.05	1.52	1.47	97	1	66	R4	-	FR	8	IR/SR							0	34	
	359.05	360.58	1.53	1.34	88	0.74	48	R4	-	FR	7	IR	1	PS					0	12	Hydro Alt.
	360.58	362.10	1.52	1.5	99	1.15	76	R2/R4	-	R	7	CR/PSL	3	SR/PSL	2	CR/PR			6	18	Hydro Alt.
	362.10	363.63	1.53	1.48	97	1.12	73	R2/R3	-	R	4	IR/CR	5	IR/PSL	5	IR			3	24	
	363.63	365.15	1.52	1.43	94	1.08	71	R2/R3	-	SW/FR	7	IR/PR	5	CR/PSL	2	CSL			2	27	
	365.15	366.67	1.52	1.56	100	1.27	84	R3/R4	-	FR	10	PS	1	CR	1	PR			0	16	
	366.67	368.20	1.53	1.47	96	0.87	57	R4	-	FR	3	SR/CSL	9	SR/PSL	3	PR/SS			0	43	
	368.20	369.72	1.52	1.46	96	1.09	72	R3/R4	-	FR	2	ISL/PSL	6	PR/PSL	3	IR/PSL	2	IR/PSL	0	28	sericitc

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-311C__ Sheet:__8__of__9____

Date: May 31-June 12, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:_Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length										Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE	Fault Breccia / Gouge	Broken Core	
	369.72	371.25	1.53	1.62	100	1.28	84	R3	-	FR	3	CR/PSL	6	PSL/CSL	3	PR/CSL			0	16	
	371.25	372.77	1.52	1.49	98	0.27	18	R3/R4	-	FR	3	SSL/USL	3	SSL/USL			1	SSL	2	80	
	372.77	374.29	1.52	1.44	95	0.68	45	R3/R4	-	FR	6	SR/PR	2	IR	1	IR	4	SR/IR	0	55	
	374.29	375.82	1.53	1.3	85	0.55	36	R3/R4	-	FR	2	SR	3	PR/SR	4	PR	1	SR	0	64	V.Broken
	375.82	377.34	1.52	1.54	100	1.1	72	R3/R4	-	FR	1	SR	9	SS/PSL	6	PR/SS	1	SR	0	28	
	377.34	378.87	1.53	1.49	97	1.19	78	R4	-	FR			2	PR	8	PR/SR			0	22	
	378.87	380.39	1.52	1.46	96	1.19	78	R4	-	FR	6	CR/PR	9	CR/PR	7	CR/PR			0	22	QTZ VEIN
	380.39	381.91	1.52	1.48	97	1.17	77	R3/R4	-	FR	8	CR/PSL	4	PR/SS	1	SS			0	23	sericitc
	381.91	383.44	1.53	1.42	93	1.11	73	R4	-	FR	1	PSL	8	PR/CR	3	CR/PSL			0	27	
	383.44	384.96	1.52	1.49	98	0.91	60	R4	-	FR	4	IR/PR	3	IR/PR	3	PR			0	40	
	384.96	386.49	1.53	1.44	94	0.76	50	R3	-	FR	3	PS/IR	3	PS/IR	2	SR/PR	2	CR/SR	2	48	QTZ VEIN
	386.49	388.01	1.52	1.28	84	0.61	40	R2/R4	-	R	6	CR/SR	4	PR/PS	3	SR/PS	2	SR	2	58	
	388.01	389.53	1.52	1.46	96	0	0	R3/R4	-	FR									0	100	Ex. Broken
	389.53	391.06	1.53	1.57	100	0.97	63	R4	-	FR	2	IR	5	IR/PR	7	CR/PR	4	IR/PSL	0	37	
	391.06	392.58	1.52	1.41	93	0.86	57	R4	-	FR	6	SR/PR	3	SR/PR	2	SR	2	SR/PSL	0	43	
	392.58	394.11	1.53	1.44	94	1.19	78	R4	-	FR	10	CS/PS	2	PS					0	22	
	394.11	395.63	1.52	1.45	95	0.48	32	R2/R4	-	HW/FR	3	PR/IR	4	SS/PR	2	CS/SR	3	CS/SS	3	65	
	395.63	397.15	1.52	1.47	97	1.12	74	R3/R4	-	FR	10	CR/PS	6	SR/PS	1	SR	1	SR	0	26	
	397.15	398.68	1.53	1.45	95	0.94	61	R3/R4	-	FR	4	SR/PS	3	SR/PS	5	US/IR	2	IR	0	39	
	398.68	400.20	1.52	1.48	97	1.06	70	R3	-	FR	8	PR/SR	3	SR/PR	4	SR/PR	1	SR	0	30	
	400.20	401.73	1.53	1.45	95	0.94	61	R3/R4	-	FR	6	SR/PSL	7	SR/CS	2	SR	4	SR/CS	0	39	
	401.73	403.25	1.52	1.35	89	0.9	59	R3	-	FR			6	US/PSL	6	US/PSL			0	41	
	403.25	404.77	1.52	1.5	99	0.97	64	R3/R4	-	FR	2	PSL	8	UR/PSL	3	UR/PSL			0	36	
	404.77	406.30	1.53	1.29	84	0.59	39	R3/R4	-	FR	5	PR/PSL	4	PR/PSL	3	PSL			0	61	V. BROKEN
	406.30	407.82	1.52	1.41	93	0.93	61	R3/R4	-	FR	1	PS	10	PR/PSL	1	US			0	39	
	407.82	409.35	1.53	1.47	96	0.88	58	R4	-	FR	8	SR/PSL	3	PR/SR	4	SR/PSL	5	SR	0	42	
	409.35	410.87	1.52	1.42	93	0.23	15	R4	-	FR	2	SR/PR	1	SR					0	85	
	410.87	412.39	1.52	1.56	100	0.7	46	R4	-	FR	8	PR/PSL							0	54	
	412.39	413.92	1.53	1.53	100	0.46	30	R3/R4	-	FR	1	PSL	4	SR/PSL	2	PR/SR			0	70	
	413.92	415.94	2.02	1.42	70	1.08	53	R3/R4	-	FR	3	SR/PR	4	PR/CR	5	SR/PSL	1	SR	0	29	
	415.94	416.97	1.03	1.57	100	1.32	100	R3/R4	-	FR	1	SR	11	CR/PSL	4	CR/PSL	2	SR/PR	0	14	
	416.97	418.49	1.52	1.39	91	1.12	74	R3/R4	-	FR	3	IR/PS	3	IR/PSL	3	PR			0	26	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-311C__ Sheet:__9__of__9____

Date: May 31-June 12, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:_Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length										Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE	Fault Breccia / Gouge	Broken Core	
	418.49	420.01	1.52	1.45	95	0.98	64	R3/R4	-	FR	2	CR/SR	4	CR/SR	2	SR/PR	1	SR	0	36	
	420.01	421.54	1.53	1.42	93	0.85	56	R3/R4	-	FR	3	SR	6	SR/PSL	5	PR/SR			0	44	
	421.54	423.06	1.52	1.3	86	0.76	50	R3	-	FR	10	PS/SS							0	50	
	423.06	424.59	1.53	1.37	90	0.99	65	R3	-	FR	11	PR/PS	1	PR/PS					0	35	
	424.59	426.11	1.52	1.52	100	0.16	11	R3	-	FR	2	PS							0	89	
	426.11	429.16	3.05	3.05	100	1.48	49	R3	-	FR	9	PR/IR	5	PR	2	PR			0	51	begins
	429.16	432.21	3.05	2.45	80	1.03	34	R3/R4	-	FR	5	SR/IR	9	PR/IR	8	PS/SR	5	SR/IR	0	66	
	432.21	434.34	2.13	1.91	90	0.84	39	R3/R4	-	FR	3	IR/PR	7	PS/PR	6	IR/PR			0	61	
	434.34	437.39	3.05	2.98	98	1.96	64	R3/R4	-	FR	7	SR/PR	12	SR/PS	1	SR/PSL	3	SR	2	34	
	437.39	440.44	3.05	2.77	91	2.58	85	R3/R4	-	FR	9	SR/PSL	12	SR/PSL	6	PR/SR	4	SR/IR	0	15	
	440.44	443.48	3.04	3.02	99	1.73	57	R3	-	FR	10	IR/SR	3	PS	1	PS			0	43	
	443.48	445.92	2.44	2.28	93	2.28	93	R4	-	FR	5	SR/IR	1	PS					0	73	
	445.92	448.97	3.05	3.05	100	0.89	29	R3	-	FR	9	PS/SS	1	PS					0	71	
	448.97	450.49	1.52	1.55	100	0.51	34	R3	-	FR	5	PS	1	PS					0	66	
	450.49	453.54	3.05	3.01	99	1.84	60	R3	-	FR	20	US/PS							0	40	
	453.54	456.59	3.05	2.95	97	1.11	36	R3		FR	12	PS/US	5	PS	1	PS			0	64	
	456.59	459.64	3.05	2.99	98	1.06	35	R3	-	FR	5	PS/US	1	IS					0	65	
	459.64	462.68	3.04	2.88	95	0.55	18	R2/R3	-	FR	5	PS	1	SS					0	82	
	462.68	465.73	3.05	3.04	100	1.44	47	R3/R4	-	FR	10	US/PS	11	US/PSL	4	SR/.PR	3	SR/PR	0	53	
	465.73	468.78	3.05	2.75	90	1.35	44	R3/R4	-	FR	6	CR/PSL	9	CR/PR	5	CR/SS	2	SR/PSL	0	56	
	468.78	471.83	3.05	3.06	100	1.87	61	R3/R4	-	FR	14	SR/PS	14	PS/PR	6	PR/CR	5	SR/UR	0	39	
	471.83	474.88	3.05	2.92	96	2.07	68	R3	-	FR	4	PS/IS	11	PS	5	PS			0	32	
	474.88	477.93	3.05	3.05	100	0.92	30	R3	-	FR			6	IS/PS	4	PS/SS			0	70	
	477.93	480.97	3.04	3.04	100	2.14	70	R3	-	FR	4	US/SS	14	IR/PS	4	IR/PS			0	30	
	480.97	484.02	3.05	3.05	100	2.57	84	R3	-	FR	12	IR/PS	7	PS	7	PS			0	16	
	484.02	487.07	3.05	2.91	95	2.12	70	R3	-	FR	5	IR	7	PS/SR	2	PR			0	30	
	487.07	490.12	3.05	2.95	97	2.5	82	R2/R3	-	FR	11	PR/SR	4	PR	1	PS	2	PS	0	18	
	490.12	493.17	3.05	2.85	93	2	66	R3	-	FR	10	PR/IR	3	PS	1	PS			0	34	
	493.17	496.21	3.04	2.84	93	1.8	59	R2/R3	-	FR	18	PS/SS	2	PS/SS					0	41	
	496.21	499.26	3.05	2.94	96	1.71	56	R2/R3	-	FR	14	PR/IR	3	PS	3	PS			0	44	
	499.26	502.31	3.05	2.99	98	1.74	57	R3	-	FR	15	PS/US	3	PS					0	43	
	502.31	505.36	3.05	2.81	92	1.49	49	R3	-	FR	13	PS	5	SS/PS					0	51	
	505.36	508.41	3.05	3.07	100	1.63	53	R3	-	FR	12	PS	1	SS	1	SS			0	47	
	508.41	511.45	3.04	2.98	98	2.02	66	R3	-	FR	14	PS	5	PS	1	US			0	34	
	511.45	EOH																			
	EOH																				

DRILL HOLE SUMMARY SHEET

HOLE NO.: DG06-312C

PROJECT: Dublin Gulch - 1735

GROUND ELEVATION: 1155m | **EOH:** 502.31m

BEARING: 180 | **DIP:** -60°

DATE STARTED: 11-Jun-06 | **DATE COMPLETED:** 22-Jun-06

LOGGED BY: Kimberly Ferguson

CONTRACTOR: DJ Drilling

COORD SYSTEM: NAD 27: EASTING: 460279.12 NORTHING: 7099796.21

COORD SYSTEM: NAD 83: EASTING: 460180 NORTHING: 7099975

NAD 27 (CORRECTED for historic grid): EASTING: 460289.79 NORTHING: 7099792.63

DRILLING DETAILS

Hole Diameter: HQ

Overburden: 2.13m

Deviation:

Casing:

Core Size: HQ

Cement (# Bags): 0

Plug Depth: N/A

Notes: No plug necessary.

SAMPLING DETAILS

Sample Sequence:

Requisition #: | **Date Shipped:**

Lab Record #: | **Date Received:**

Sample Sequence:

Requisition #: | **Date Shipped:**

Lab Record #: | **Date Received:**

Duplicates:	C081402	C081422	C081442	C081462	C081482	C081502	C081522	C081542
	C081562	C081582	C081602	C081622	C081642	C081662	C081682	C081702
	C081722	C081742	C081762	C081782	C081802	C081822	C081842	C081862
	C081882	C081902	C081922	C081942	C081962	C081982		
Preparation Duplicate/ Check Assay:	C081389	C081409	C081429	C081449	C081469	C081489	C081509	C081529
	C081549	C081569	C081589	C081609	C081629	C081649	C081669	C081689
	C081709	C081729	C081749	C081769	C081789	C081809	C081829	C081849
	C081869	C081889	C081909	C081929	C081949	C081969		
Standards:	C081390	C081410	C081430	C081450	C081470	C081490	C081510	C081530
	C081550	C081570	C081590	C081610	C081630	C081650	C081670	C081690
	C081710	C081730	C081750	C081770	C081790	C081810	C081830	C081850
	C081870	C081890	C081910	C081930	C081950	C081970		
Blanks:	C081396	C081416	C081436	C081456	C081476	C081496	C081516	C081536
	C081556	C081576	C081596	C081616	C081636	C081656	C081676	C081696
	C081716	C081736	C081756	C081776	C081796	C081816	C081836	C081856
	C081876	C081896	C081916	C081936	C081956	C081976		

FROM	TO	LITHOLOGY
0	2.13	Overburden
2.13	502.31	GND

FROM	TO	ALTERATION
49.90	180.54	Silicified
248.46	279.96	Silicified
386.49	502.31	Silicified
2.13	63.20	Oxidized
87.78	205.88	Oxidized
257.96	269.05	Oxidized
325.37	373.88	Oxidized
2.13	63.20	Altered - ser, cb, clay
87.78	248.64	Altered - ser, cb, clay, chl
248.64	279.96	Altered - ser, cb
279.96	405.45	Altered - ser, cb, clay
405.45	502.31	Altered - ser, cb

FROM	TO	MINERALIZATION (Veins)

DEPTH (m)	AZI (Orig)	DIP (Orig)	AZ (+26 Corr)	AZ (+27 Corr)
148.7	152.6	-61.5	178.6	179.6
224.9	152.6	-61.6	178.6	179.6
298.1	153.8	-61.4	179.8	180.8
377.3	157.7	-61.5	183.7	184.7
450.5	159.6	-61.0	185.6	186.6
501.3	159.9	-60.4	185.9	186.9

ASSAY INTERCEPTS

FROM:	TO:	INT:	Au (g/t)	SAMPLE QUALITY:

COMMENTS: (Ground conditions, fracture zones, water flows, drilling problems)

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-312C

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide/carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL													Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages			Sulphides								Oxidation										
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
1	0m to 2.13m			Overburden.																																
10	2.13m to	2.13	19.44	GND. Medium grained, dark to light grey color, unit is highly oxidized. Core competency ranges from very high to none, reworked and eroded rubble is found throughout, and areas completely lacking competency happen at 7.53m, 9.94m, 16.10m and 18.00m. Sulfides are scarce in the matrix, but aspy is found disseminated in some areas. Qtz veins and sulfide veins are also found in this unit, qtz veins being much more common. Some carbonate veinlets/stringers present.	3	1		3			1	1	0.6	0.6	20		0.3	q	3			2.0		0.1										C081385	2.13	2.44	0.064		
											1	6	0.2	0.2	25		0.2	s/q	2																	
											3	1	0.5	1.3	45	85																C081386	2.44	3.48	0.047		
											1	1	1.1	1.1	40		0.5	s/q	2			0.1		1.0								C081387	3.48	4.30	0.122		
																																C081388	4.30	5.49	0.083		
																																C081389	4.30	5.49		CHECK ASSAY	
																																C081390				STANDARD 3C	
											1	1	0.8	0.8	40									1.0				10.0	1.0			C081391	5.49	6.89	0.025		
				Section very broken and oxidized, with crumbled and rubbled rock.																												C081392	6.89	8.04	0.050		
											2	1	0.5	0.9	40		1.3	s/q	4	3				1.0					15.0			C081393	8.04	9.36	0.018		
											2	1	0.4	0.7	50		0.2	s/q	2			0.1		1.0				30.0				C081394	9.36	10.06	0.027		
											1	6	0.4	0.4	85																					
											3	1	0.6	1.2	40		0.3	s/q	2			0.1		1.0				70.0	10.0			C081395	10.06	11.15	0.032		
				Section very broken and oxidized, with crumbled and rubbled rock.																												C081396				BLANK	
				Section very broken and oxidized, with crumbled and rubbled rock.																												C081397	11.15	12.29	0.032		
											3	1	0.6	1.3	35		0.5	s	2	4				1.0								C081398	12.29	13.28	0.092		
																																C081399	13.28	14.20	0.019		
																																C081400	14.20	15.78	0.030		
																																C081401	15.78	17.43	0.047		
																																C081402	15.78	17.43		DUP	
																								0.1								C081403	17.43	18.06	0.074		
																																C081404	18.06	19.40	0.088		
10		19.40	31.29	GND. Medium grained, dark to light grey color, unit has low oxidation and scorditization. Core competency is high overall with some reworked and eroded rubble, and areas completely lacking competency due to carbonate vein alteration. Sulfides are scarce in the matrix, but aspy is found disseminated in some areas. Qtz veins and sulfide veins are also found in this unit, qtz veins being much more common. Some carbonate veinlets/stringers present.	1	2		1	2		3	1	0.5	1.0	30		0.2	q	2	1		1.0		0.1								1.0		C081405	19.40	20.58	0.032		
																																C081406	20.58	21.10	0.037		
											1	3	1.2	1.2	30		2.0	s	4			1.0		0.1					0.1			C081407	21.10	21.85	2.310		
											1	1	1.1	1.1	30									1.0					0.1			C081408	21.85	22.25	0.068		
																																C081409	21.85	22.25		CHECK ASSAY	
																																C081410				STANDARD 2B	
											1	1	0.3	0.3	30							1.0										C081411	22.25	23.02	0.050		
											1	3	0.8	0.8	30					0.5				1.0					2.0			C081412	23.02	23.77	0.251		
											1	1	0.2	0.2	30		0.1	q/s	1										5.0			C081413	23.77	25.30	0.022		
											3	4	0.3	0.8	15	25																				
											1	1	0.6	0.6	20							1.0		0.1					2.0			C081414	25.30	25.70	0.100		
				Section has high sericitic alteration and has qtz blobs throughout sericitized area but no discernable veins associated with the high sericitization.							1	1	0.3	0.3	30							1.0		0.1					7.0			C081415	25.70	26.50	0.107		
																																C081416				BLANK	
											1	1	0.5	0.5	30		0.5	s	2			1.5		0.1					5.0			C081417	26.50	27.24	0.062		
											1	1	0.7	0.7	30		0.4	s	2			1.0		0.1					2.0			C081418	27.24	28.57	0.064		
																																C081419	28.57	29.11	0.222		
											1	1	0.7	0.7	30							1.0		0.1					1.0			C081420	29.11	30.04	0.067		
																																C081421	30.04	30.47	0.125		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-312C

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide/carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL													Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages				Sulphides								Oxidation									
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
																																	C081422	30.04	30.47		DUP	
				Section has qtz blobs near qtz vein, they have po.							1	1	0.6	0.6	25							2.0		0.5						2.0				C081423	30.47	31.27	0.038		
10		31.27	49.90	GND. Medium grained, dark to light grey color, unit has low to moderate oxidation along fractures and some scorditization. Core competency is high overall with some area's being very fractured and broken. Sulfides are scarce in the matrix, but py and aspy is found disseminated in some areas. Qtz, carbonate and sulfide veins are also found in this unit, qtz veins being much more common. Carbonate veinlets/stringers present.	1	2		1	2															0.1									C081424	31.27	32.40	0.089		
											3	4	1.6	2.7	30							0.1									C081425	32.40	32.92	0.112		
											3	1			30																	C081426	32.92	33.66	0.262		
				Very bleached area around qtz vein.							1	6	0.2	0.2	20		0.8	q	3																				
				Very bleached area around qtz vein, acid yellow/green carbonate occurs in bleached area as well.							4	1	0.6	1.5	30		0.5	q/s	2			3.0		2.0						3.0				C081427	33.66	34.92	0.166		
											1	1	0.6	0.6	20							3.0		1.0						2.0				C081428	34.92	36.30	0.165		
																																	C081429	34.92	36.30		CHECK ASSAY	
																																	C081430				STANDARD 3C	
											3	1	1.2	2.2	30		0.3	q	3			4.0		1.0						4.0				C081431	36.30	37.20	0.017		
											4	1	1.5	1.5	30		1.5	s/q	3			3.0		1.0						2.0				C081432	37.20	38.10	0.233		
											2	1	0.7	1.2	30	50	1.0	q/s	3			2.0		3.0						1.0				C081433	38.10	38.68	0.101		
											3	1	3.0	4.8	50	70						2.0		2.0						1.5				C081434	38.68	39.36	0.100		
											1	4	0.3	0.3	15																			C081435	39.36	40.27	0.040		
																																	C081436				BLANK	
											2	1	1.1	1.6	30		0.4	q/s	2			1.0		1.0						2.0				C081437	40.27	41.24	0.067		
											1	4	0.3	0.3	40																							
																				0.1	1.0		1.0						0.5				C081438	41.24	41.84	0.033		
											6	1	2.0	7.0	30		2.0	q	4			1.0		4.0						3.0				C081439	41.84	42.69	0.130		
											3	4	0.2	0.6	50																							
											2	1	0.3	0.6	30									2.0						0.5				C081440	42.69	43.59	0.106		
				Aspy is found disseminated throughout matrix, not associated with veins but with sericitic alteration that appears to be fracture controlled.							2	1	0.3	0.5	30	50								2.0						1.0				C081441	43.59	44.32	0.046		
																																	C081442	43.59	44.32		DUP	
											2	1	0.5	0.8	30	50																	C081443	44.32	45.11	0.056		
											1	1	0.3	0.3	30		1.0	q/s	3					1.0									C081444	45.11	46.63	0.055		
											1	1	0.5	0.5	25							3.0		0.1						0.5				C081445	46.63	47.58	0.041		
											5	1	2.0	4.2	30	50	4.0	s/q	4			3.0		1.0						2.0				C081446	47.58	48.60	0.155		
											3	4	0.3	0.7	35		1.0	s/q	3																			
											1	1	1.0	1.0	30		1.5	s/q	4			1.0		1.0						3.0				C081447	48.60	49.15	0.074		
				Po found disseminated in matrix near fractures.							2	4	0.3	0.5	25							1.0												C081448	49.15	49.90	0.015		
																																	C081449	49.15	49.90		CHECK ASSAY	
																																	C081450				STANDARD 4D	
10		49.90	63.20	GND. Medium grained, dark to light grey color, unit has moderate to high sericitization and silicification and low to moderate bleaching. Core competency is high overall with some area's being very fractured, broken and in some losing competency all together due to clay/carbonate alteration and/or veining. Qtz, carbonate and sulfide veins are also found in this unit, qtz veins being much more common. Carbonate veinlets/stringers are common.	1	4		2	2																								C081451	49.90	51.21	0.205		
											3	1	4.0	7.5	30		2.5	cb	5		1.0			2.0						1.0				C081452	51.21	52.73	0.158		
											1	4	1.0	1.0	30																							
											2	4	1.4	2.5	60		10.0	s/cb	4		0.1	0.1		0.5									C081453	52.73	53.89	0.027		
											6	3	0.6	2.2	30	50	3.0	s/cb	4			1.0		2.0									C081454	53.89	55.17	0.333		
											2	4	0.4	0.7	25						0.1												C081455	55.17	55.78	2.940		
											1	1	0.5	0.5	30																							
																																	C081456				BLANK	

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-312C

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide/carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																					Sulphides								Oxidation												
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other							
											3	1	2.5	2.0	30		1.0	s/q	3		0.1			3.0						2.0			C081457	55.78	57.02	0.363		
											2	4	0.6	1.0	50		3.0	s	4																		
											2	1	1.2	2.0	40		0.5	s	4					1.0						2.0			C081458	57.02	58.11	0.163		
											4	1	2.0	5.5	60		2.0	s	4			0.1		1.0						3.0			C081459	58.11	59.02	0.102		
											1	4	0.3	0.3	60		2.5	s	3																		
											1	3	0.5	0.5	70		1.0	s	4			1.0								2.0			C081460	59.02	59.90	0.074		
											2	4	0.4	0.7	30									1.0						1.0			C081461	59.90	61.17	0.022		
																																		C081462	59.90	61.17		DUP	
																														3.0			C081463	61.17	62.14	0.025		
											1	1	0.5	0.5	30							1.0		1.0									C081464	62.14	63.20	0.049		
10		63.20	87.78	GND. Medium grained, medium to light grey color, unit has moderate to high sericitization and silicification and moderate to high bleaching as well as clay alteration in some areas associated with sulfide/carbonate veins/veinlets. Core competency is high overall with some area's being very fractured, broken and in some cases losing competency all together due to clay/carbonate alteration and/or veining. Qtz, carbonate and sulfide veins are also found in this unit, qtz veins being much more common. Carbonate veinlets/stringers are common.							1	1	1.1	1.1	25									1.0											C081465	63.20	63.41	14.750		
											2	6	0.2	0.3	30						2.0			1.0					10.0	10.0			C081466	63.41	65.37	0.645		
											1	6	0.2	0.2	30						1.0			0.1					10.0	10.0			C081467	65.37	66.43	0.428		
				Rubble and breccia in a highly bleach zone with high clay alteration. No veins discernable.																									1.0	1.0			C081468	66.43	67.20	0.067		
																																	C081469	66.43	67.20		CHECK ASSAY	
																																	C081470				STANDARD 5E	
											2	1	0.7	1.0	30																		C081471	67.20	67.97	0.014		
											1	6	0.2	0.2	25									2.0									C081472	67.97	69.02	0.009		
											1	1	1.3	1.3	20		0.5	q/s	3		0.1			2.0					2.0	7.0			C081473	69.02	70.20	0.081		
											1	6	0.2	0.2	50																						
											1	1	0.7	0.7	30							0.1		2.0					1.0	2.0			C081474	70.20	71.40	0.013		
											3	3	0.6	1.0	40																						
											2	4	0.3	0.5	30		4.0	q/s	3		0.1			1.0						4.0			C081475	71.40	72.02	0.007		
																																		C081476				BLANK	
											2	4	0.2	0.4	25		0.1	q	2		0.1			0.1					3.0				C081477	72.02	72.90	0.003		
											2	4	0.3	0.5	35						1.0			1.5					5.0				C081478	72.90	73.69	0.022		
											2	4	0.5	0.7	20		1.0	q	4		0.1			2.0					5.0				C081479	73.69	74.55	0.010		
											3	4	0.5	1.2	30						0.1			3.0					5.0	1.0			C081480	74.55	75.59	0.005		
											1	1	1.0	1.0	30																						
											2	4	0.3	0.5	30																		C081481	75.59	76.50	0.007		
																																		C081482	75.59	76.50		DUP	
											3	4	0.3	0.7	30	40					0.1			1.0					3.0	1.0			C081483	76.50	77.76	0.006		
				Vein material highly clay altered.							2	6	1.0	1.1	45														60.0	30.0			C081484	77.76	78.64	0.293		
											1	1	5.0	5.0	60																						
											1	6	0.4	0.4	60															10.0			C081485	78.64	79.63	0.026		
											4	1	3.5	7.0	30						0.1	0.1		10.0						30.0			C081486	79.63	80.75	10.150		
											3	1	30.0	38.0	30	50						10.0		10.0					40.0	40.0			C081487	80.75	81.86	4.960		
				Section too altered to discerne veins but sulfide material is still present.							1	1	2.8	2.8	30							1.0		2.0					2.0	20.0			C081488	81.86	83.21	0.244		
																																		C081489	81.86	83.21		CHECK ASSAY	
																																		C081490				STANDARD 6F	
											3	1	1.8	2.6	20							0.1								4.0			C081491	83.21	84.73	0.143		
											1	1	1.6	1.6	20							1.0							1.0	2.0			C081492	84.73	86.08	0.074		
																																		C081493	86.08	86.70	0.069		
											1	4	0.4	0.4																			C081494	86.70	87.14	0.012		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-312C

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide/carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages				Sulphides								Oxidation									
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
																																C081495	87.14	87.78	0.003		
																																C081496				BLANK	
10		87.78	112.55	GND. Medium grained, medium to light grey color, unit has moderate to high sericitization and silicification and moderate bleaching as well as limited clay alteration in some areas associated with sulfide/carbonate veins/veinlets. Core competency is moderate to high with some area's being very fractured, broken and competency losses usually associated with clay/carbonate alteration and/or veining. Qtz, carbonate and sulfide veins are also found in this unit, qtz veins being much more common. Carbonate veinlets/stringers are common. Fracture surfaces commonly have py and aspy on them, occasionally po. Po (and lesser py) can be found disseminated throughout matrix in less altered/bleach area's.	1	3		1	3		2	6	0.2	0.4	15						0.1			1.0							1.0	2.0			C081497	87.78	89.00	0.115		
											1	6	0.2	0.2	30						0.1							2.0				C081498	89.00	90.60	0.015		
											1	1	0.7	0.7	30						0.1							3.0				C081499	90.60	91.36	0.044		
											2	6	0.2	0.3	50	70					0.1			0.1				5.0	5.0			C081500	91.36	92.58	0.035		
											1	1	0.5	0.5	10							1.0		0.1				2.0	1.0			C081501	92.58	92.98	0.013		
																																C081502	92.58	92.98		DUP	
											1	1	0.6	0.6	30						0.1								3.0			C081503	92.98	93.80	0.157		
											1	1	0.5	0.5	30									0.1					5.0			C081504	93.80	94.18	0.018		
											1	4	0.2	0.2	15																						
											3	4	1.0	1.6	15	55					1.0			1.0				2.0	2.0			C081505	94.18	95.10	0.013		
											1	6	0.3	0.3	40																						
				Fracture surfaces have py and aspy on them and have a similar orientation (between 30° and 40°). No veins discernable in section.																	1.0			0.1				1.0	2.0			C081506	95.10	96.62	0.021		
											2	4	0.3	0.5	30						0.1			0.1				1.0				C081507	96.62	97.56	0.006		
				Carbonate veinlets/stringers are pervasive and affect rock competency, no discernable veins.																				0.1				1.0	1.0			C081508	97.56	98.58	0.015		
																																C081509	97.56	98.58		CHECK ASSAY	
																																C081510				STANDARD 7G	
				Carbonate veinlets/stringers are pervasive and affect rock competency, blobs of carbonate material also present and have no set orientation and no discernable veins.																	0.1			0.1					1.0			C081511	98.58	99.97	0.023		
											1	4	0.2	0.2	30						0.1							1.0				C081512	99.97	100.60	0.003		
											1	4	0.2	0.2	30													1.0	1.0			C081513	100.60	101.50	0.028		
											1	1	0.4	0.4	20							1.0							2.0			C081514	101.50	102.31	0.093		
											1	1	0.3	0.3	10							2.0						1.0	2.0			C081515	102.31	103.37	0.655		
											2	4	0.4	0.6	30																						
																																C081516				BLANK	
											2	1	0.6	1.1	30						0.1	0.1		2.0				1.0	1.0			C081517	103.37	104.68	0.015		
				Section show strong chlorite alteration associated with qtz veins.							2	3	0.7	1.3	15		3.0	chl/s	3		2.0							1.0	1.0			C081518	104.68	105.34	0.028		
				Carbonate veinlets/stringers are pervasive and affect rock competency. blobs of carbonate material also present and have no set orientation and form no discernable veins.							1	1	0.3	0.3	10		0.2	q	3			1.0							1.0			C081519	105.34	106.19	0.009		
											3	3	0.2	0.5	20		0.5	q/s	2			1.0		1.0				1.0	1.0			C081520	106.19	107.10	0.040		
											2	1	0.8	1.6	20	15	0.6	q	2		0.1	2.0		1.0				0.5	2.0			C081521	107.10	108.51	0.028		
																																C081522	107.10	108.51		DUP	
											1	1	1.7	1.7	15		1.1	q	3		0.1	3.0		2.0				1.0	3.0			C081523	108.51	109.75	0.113		
											1	4	0.2	0.2	10		0.5	q	3					1.0					3.0			C081524	109.75	110.47	0.199		
											3	3	3.0	3.3	20						0.1			1.0				1.0	3.0			C081525	110.47	111.60	0.050		
											1	3	0.7	0.7	40									0.1					3.0			C081526	111.60	112.55	0.006		
											2	4	0.2	0.4	50	10																				

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-312C

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide/carbonate

UNIT CODE	From → To:	GEOLOGICAL DESCRIPTION			ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																					Sulphides								Oxidation												
		From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
10		112.55	130.60	GND. Medium grained, medium to light grey to pale green color, unit has moderate to high sericitization and silicification and moderate bleaching as well as clay alteration in some areas associated with sulfide/carbonate veins/veinlets. Core competency is moderate with some area's being very fractured, broken and competency losses usually associated with clay/carbonate alteration and/or veining. The fracture and breaking of the rock does not demonstrate a preferred orientation. Qtz, carbonate and sulfide veins are also found in this unit. Carbonate veinlets/stringers are common. Fracture surfaces commonly have py and aspy on them, occasionally po. Sulfides are found disseminated in selvages/matrix associated with qtz/qtz-carb veins/veinlets/stringers/blobs.	2	4	1	3	2												0.1			0.1					2.0	3.0			C081527	112.55	113.29	0.005		
											1	1	1.2	1.2	20		4.0	q/chl	4		0.1			1.0					2.0	4.0			C081528	113.29	113.98	0.025		
																																	C081529	113.29	113.98		CHECK ASSAY	
																																	C081530				STANDARD 3C	
											2	1	1.3	2.3	30	20	2.0	q/s	3		0.1			0.1					1.0	2.0			C081531	113.98	115.21	0.011		
											1	6	3.0	3.0	10						0.1			0.5					5.0	2.0			C081532	115.21	116.09	0.079		
											2	4	0.3	0.5	50	80					0.1			0.1					1.0	1.0			C081533	116.09	117.16	0.005		
				Very bleached and altered section, no veins discernable but carbonate veinlets/stringers present.																									1.0	1.0			C081534	117.16	118.80	0.016		
				119.06 to 119.16m appears brecciated and is bounded by altered sulfides on the fracture surfaces at a50° angle.							1	1	0.4	0.4	10						0.1			0.1					1.0	1.5			C081535	118.80	119.68	0.008		
																																	C081536				BLANK	
				Bulk of the sulfides are found in a clay alteration area.							4	4	1.1	2.5	10	30					0.1			0.1					5.0	5.0			C081537	119.68	121.11	0.068		
											1	6	6.0	6.0	80																							
				Section highly fractured and broken, moderate clay alteration.							1	1	0.6	0.6	10		0.5	q	2			0.1							1.0	1.0			C081538	121.11	122.30	0.126		
				Section highly fractured and broken, moderate clay alteration, carbonate veinlets/stringers are pervasive, no veins discernable.																	0.1			0.1					1.0				C081539	122.30	123.33	0.026		
				Section highly fractured and broken, moderate clay alteration, carbonate veinlets/stringers are pervasive, no veins discernable.																	0.1			0.1					1.0				C081540	123.33	124.60	0.162		
											4	3	1.0	3.2	40	55						1.0		0.1					1.0	2.0			C081541	124.60	125.70	0.011		
																																	C081542	124.60	125.70		DUP	
											1	1	2.0	2.0	15									1.0					1.0	2.0			C081543	125.70	126.77	0.028		
				Very bleached and altered section, no veins discernable but carbonate veinlets/stringers present and sulfides are found associated with them and in matrix.																	1.0			1.0					1.0				C081544	126.77	127.33	1.605		
				Section is highly broken and fractured to crumbly, no veins discernable.																				0.1						1.0			C081545	127.33	128.37	0.132		
				Section is highly broken and fractured, no veins discernable. Clay alteration can be seen bounded by fracture surfaces (fault?) at 128.71m.																													C081546	128.37	129.03	0.057		
				Section highly fractured and broken, moderate clay alteration, no veins discernable.																	0.1								1.0	1.0			C081547	129.03	129.83	0.027		
											1	6	0.2	0.2	10						0.1			0.1					3.0	1.0			C081548	129.83	130.60	0.077		
																																	C081549	129.83	130.60		CHECK ASSAY	
																																	C081550				STANDARD 4D	
10		130.60	142.17	GND. Medium grained, medium to light grey to pale green color, unit has moderate to high sericitization, silicification and bleaching. Core competency is moderate with some area's being very fractured and broken. The fracture and breaking of the rock does not demonstrate a preferred orientation. Qtz, carbonate and sulfide veins are also found in this unit. Carbonate veinlets/stringers are common. Fracture surfaces commonly have py and aspy on them, occasionally po. Sulfides are found disseminated in selvages/matrix associated with qtz/qtz-carb veins/veinlets/stringers/blobs.	1	3	1		1		1	1	0.6	0.6	10						1.0			1.0					1.0	2.0			C081551	130.60	131.48	0.027		
											1	1	3.5	3.5	10						1.0			1.0					0.5	2.0			C081552	131.48	132.48	0.071		
											1	1	0.8	0.8	20									1.0						3.0			C081553	132.48	133.40	0.171		
				Section has carbonate in blobs and as veinlets and stringers, the blobs contain py and aspy (both altered and unaltered). The sph is associated with the qtz vein.							1	1	2.2	2.2	10						3.0	0.1		1.0		0.5			1.0	4.0			C081554	133.40	134.80	0.679		
											1	3	2.0	2.0	25						3.0	0.1		1.0		0.5			1.0	2.0			C081555	134.80	135.22	0.149		
											3	6	1.0	1.8	15																							
																																	C081556				BLANK	
											1	1	5.5	5.5	10						2.0			1.0	1.0				0.5	2.0			C081557	135.22	136.84	0.665		
											1	6	0.5	1.1	20						2.0	0.1		3.0					1.0	1.0			C081558	136.84	137.60	0.150		
											2	3	1.5	2.5	30	5	10.0	q/chl	4		0.1			1.0					1.0	1.0			C081559	137.60	138.60	0.032		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-312C

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide/carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																					Sulphides								Oxidation												
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other							
																																	C081560	138.60	139.09	0.006		
											3	1	2.0	3.4	30		3.0	s/q	3		0.1			2.0					0.5	1.0			C081561	139.09	140.20	0.060		
																																	C081562	139.09	140.20		DUP	
											3	3	1.8	4.8	30	20					1.0	0.1		1.0		0.1			1.0	0.5			C081563	140.20	141.34	0.046		
				Carbonate blobs appear in matrix, have py and aspy associated with them.							2	1	2.0	3.0	30		0.2	s	1			1.0		0.1					0.5	2.0			C081564	141.34	142.17	0.271		
		142.17	152.75	GND. Medium grained, medium to light grey color, unit has low sericitization, silicification and bleaching. Core competency is moderate to high with some area's being very fractured and broken. The fracture and breaking of the rock does not demonstrate a preferred orientation. Qtz, carbonate and sulfide veins are also found in this unit. Carbonate veinlets/stringers are common. Fracture surfaces commonly have py and aspy on them, occasionally po.	2	1		1	2		2	1	2.1	2.8	45						0.1			0.1							1.0				C081565	142.17	142.65	0.040		
											3	4	0.4	1.2	20	80																C081566	142.65	143.90	0.020		
											2	3	0.8	1.5	5						1.0			1.0						3.0			C081567	143.90	144.51	0.031		
											1	4	0.3	0.3	15																							
											1	1	2.6	2.6	30						0.1			0.1						1.5			C081568	144.51	145.05	0.015		
																																	C081569	144.51	145.05		CHECK ASSAY	
																																	C081570				STANDARD 5E	
											1	1	3.0	3.0	25							0.1		1.0						1.0			C081571	145.05	145.85	0.032		
											2	4	0.3	0.5	15																							
											1	4	0.3	0.3	15		3.0	q/s	3			0.1		0.1									C081572	145.85	146.79	0.053		
											2	1	0.5	0.9	25						0.1			1.0						2.0			C081573	146.79	147.80	0.059		
											2	1	0.5	1.0	30	15	0.3	q/s	3			0.1		1.5						3.0			C081574	147.80	148.74	0.414		
											1	1	0.4	0.4	5		0.4	q/s	3					1.0						1.0			C081575	148.74	149.07	0.056		
																																	C081576				BLANK	
											2	1	1.5	1.8	15		0.5	q	3		1.0			2.0						3.0			C081577	149.07	149.85	1.420		
											1	6	0.3	0.3	5		1.0	s/q	3					1.0						2.0			C081578	149.85	150.65	0.220		
				Moderate chl alteration along fault/fracture surfaces, some minor po and aspy deposition.							2	1	1.1	1.5	30						0.1	0.1		1.0	0.1				1.0	1.0			C081579	150.65	151.65	0.155		
				Moderate chl alteration along fault/fracture surfaces, some minor po and aspy deposition. No veins discernable.																	0.1			0.1	1.0				1.0				C081580	151.65	152.75	0.034		
		152.75	170.20	GND. Medium grained, medium to light grey to light green color, unit has low to moderate sericitization, silicification and low clay alteration and bleaching in some areas which also appear lightly etched. Core competency is moderate to with some area's being very fractured and broken. The fracture and breaking of the rock does not demonstrate a preferred orientation. Qtz, carbonate and sulfide veins are also found in this unit. Carbonate veinlets/stringers are common. Fracture surfaces commonly have aspy and py on them and po can be found disseminated in the matrix near sulfide veins, aspy also but less so.	1	3	1	1	2		1	1	1.3	1.3	5		1.0	q	3			1.0		0.5							1.0	1.0			C081581	152.75	153.91	0.121		
											1	4	0.3	0.3	25																							
																																	C081582	152.75	153.91		DUP	
											1	3	3.0	3.0	20						1.0			0.5					2.0	1.0			C081583	153.91	155.18	0.091		
											1	6	0.2	0.2	45						0.5			0.5	1.0					1.0			C081584	155.18	156.10	0.021		
				Section is very altered: sericitized, bleached and clay alteration. No veins are discernable.																				0.1					1.0				C081585	156.10	157.23	0.014		
											1	1	1.0	1.0	15							0.1		0.1					2.0	1.0			C081586	157.23	158.15	0.014		
				Section is very altered: bleached and clay alteration are both strong. No veins are discernable but qtz and carbonate blobs are present and associated with sulfides (possible vein remnants).																		0.1		1.0					0.5	2.0			C081587	158.15	159.07	0.146		
											1	1	0.4	0.4	20						1.0			0.1	1.0				1.0				C081588	159.07	160.10	0.079		
											1	6	0.3	0.3	10		1.0	s/q	3																			
																																	C081589	159.07	160.10		CHECK ASSAY	
																																	C081590				STANDARD 6F	
											1	3	1.5	1.5	40																			C081591	160.10	161.50	0.037		
											2	6	0.3	0.6	50																							
				Section has a highly altered/etched (gouge) zone.							2	6	0.2	0.4	30						1.0			0.1	0.5				2.0	1.0			C081592	161.50	162.98	0.072		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-312C

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide/carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other							
											2	6	0.2	0.3	40						0.1			1.0					1.0	2.0			C081593	162.98	163.75	1.420		
											1	6	0.3	0.3	30						0.1			0.1					1.0	1.0			C081594	163.75	164.69	0.084		
											1	4	0.9	0.9	5		1.3	q	3																			
											1	1	0.5	0.5	170		0.5	q/s	3		0.1	0.1		1.0					0.5	1.5			C081595	164.69	165.50	0.047		
																																	C081596				BLANK	
				Sulfides also appear in and associated with qtz blobs.							2	1	1.0	1.8	20							1.0		1.0					0.5	2.0			C081597	165.50	166.23	0.030		
				Section has a highly bleached area with qtz stringers throughout, po and aspy as well.							1	1	0.6	0.6	15							1.0		1.0					0.1	1.0			C081598	166.23	167.10	0.020		
				Section has po disseminated throughout matrix near the sulfide vein, 162.1m to 162.4m.							1	4	0.3	0.3	20		2.0	s	3			3.0		0.1					2.0	1.0			C081599	167.10	168.47	0.124		
											1	6	0.1	0.1	15																							
				Section has po disseminated throughout matrix near the sulfide veins.							2	6	0.2	0.4	15							4.0		0.1					3.0	1.0			C081600	168.47	169.83	0.390		
				Section has po disseminated throughout matrix near the sulfide veins.							1	4	3.0	3.0	30							2.0		0.1					2.0	0.5			C081601	169.83	170.20	0.115		
											1	1	1.4	1.4	10		0.2	q	1																			
																																	C081602	169.83	170.20		DUP	
		170.20	180.54	GND. Medium grained, medium to light grey/green color, unit has low to moderate sericitization, silicification and low clay alteration and bleaching in some areas which also appear lightly etched (faulting?). Core competency is moderate to with most area's being very fractured and broken due to handling on removal from core tube. Qtz, carbonate and sulfide veins are also found in this unit. Carbonate veinlets/stringers are common. Fracture surfaces commonly have aspy and py on them.	1	3		2	1		1	6	1.0	1.0	30						2.0			0.1					2.0	1.0			C081603	170.20	171.46	0.068		
											1	4	2.0	2.0	40																							
																																	C081604	171.46	172.57	0.010		
											3	4	0.4	1.1	45							0.1		0.1					1.0				C081605	172.57	173.37	0.018		
											1	1	2.0	2.0	20		0.5	s	3					0.1						2.0			C081606	173.37	174.46	0.023		
				Section very broken and fractured, core tube breakage as well as a very altered area with sand/clay particles. No veins discernable.																													C081607	174.46	175.66	0.021		
											2	1	2.1	2.5	30	40						1.0		1.0					0.1	2.0			C081608	175.66	176.46	0.054		
																																	C081609				CHECK ASSAY	
																																	C081610				STANDARD 1A	
											4	1	1.2	2.8	30						0.1			1.0					0.1	1.0			C081611	176.46	177.70	0.021		
											3	1	1.0	2.5	25		0.3	q	3					0.5						1.0			C081612	177.70	179.07	0.017		
											1	1	0.4	0.4	10		5.0	q	5			1.0		1.0					0.5	2.0			C081613	179.07	180.54	0.046		
		180.54	192.27	GND. Medium grained, medium to light grey/green color, unit has moderate to high sericitization, clay alteration and bleaching, and is completely altered/etched in a fault zone at 190.69m to 192.22m. Core competency is low to moderate. Qtz, carbonate and sulfide veins are also found in this unit but occurrence is low. Carbonate veinlets/stringers are common. Fracture surfaces commonly have aspy and py on them.	2	2		4	1		1	6	0.2	0.2	40						3.0				6.0							5.0	1.0			C081614	180.54	181.40	0.050		From this sample onward the % vein and disseminated material is referring to the vein it is on the line with.
											5	6	0.5	1.5	30	40	1.0	s/cb	4	1	1.0			2.0	4.0				15.0	1.0			C081615	181.40	182.27	0.014		
																																	C081616				BLANK	
											2	6	0.3	0.5	40						5.0			1.0	9.0				15.0	1.0			C081617	182.27	183.47	0.013		
											1	6	0.3	0.3	30		3.0	q	3			15.0		1.0					10.0	1.0			C081618	183.47	184.84	0.046		
											3	4	0.3	0.9	20							1.0		1.0					10.0	1.0			C081619	184.84	186.23	0.242		
											2	1	0.7	1.4	30							0.1		0.1					1.0	2.0			C081620	186.23	187.16	0.071		
											1	6	0.2	0.2	30		3.0	s	4		0.1			0.1	3.0				10.0	3.0			C081621	187.16	188.20	0.042		
											1	1	0.6	0.6	60						0.1			0.1													
																																	C081622	187.16	188.20		DUP	
											1	6	10.0	10.0	60		5.0	s	3		10.0			1.0	3.0				15.0	4.0			C081623	188.20	188.56	0.634		
											1	1	1.4	1.4	30		1.0	s	3			6.0		2.0					1.0	1.0			C081624	188.56	190.00	0.153		
											2	1	0.7	1.2	10	50	1.0	s	3			5.0		2.0					5.0	5.0			C081625	190.00	190.69	0.031		
				Fault zone - breccia, gouge, highly altered and etched material throughout. Contains oxidized sulfides. Fault boundaries have sharp contacts at 40° on both ends.																													C081626	190.69	191.41	0.078		
				Fault zone - breccia, gouge, highly altered and etched material throughout. Contains oxidized sulfides. Fault boundaries have sharp contacts at 40° on both ends.																													C081627	191.41	192.27	0.086		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-312C

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide/carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																					Sulphides								Oxidation												
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
		192.27	204.73	GND. Medium grained, medium to light green color, unit has moderate to high sericitization, clay alteration and low bleaching. Core competency is moderate to high. Qtz, carbonate and sulfide veins are found in this unit with carbonate veins being the vast majority. Carbonate veinlets/stringers are common. Fracture surfaces commonly have aspy and py on them. Higher sericitic/chloritic alteration associated with carbonate veins/veinlets/stringers. Etched area's present but not common - close to qtz veins/blobs. Aspy found in selvages of carbonate veins, disseminated and minor.	1	3		1	3		3	6	0.7	1.3	50						0.1			0.1	3.0				10.0	5.0			C081628	192.27	192.75	0.121		
																																C081629	192.27	192.75		CHECK ASSAY	
																																C081630				STANDARD 7G	
											2	6	0.3	0.5	60						0.1								15.0	5.0			C081631	192.75	193.99	0.071		
											2	3	3.0	4.7	10							10.0		1.0					3.0	1.0			C081632	193.99	194.87	0.222		
											1	1	0.5	0.5	30							0.1		5.0					1.0	5.0			C081633	194.87	196.32	0.057		
											2	4	0.6	0.6	30																							
											1	1	0.3	0.3	15		0.3	q	2			1.0		2.0					1.0	2.0			C081634	196.32	197.71	0.047		
											3	4	0.3	0.8	30	50																					
											2	4	0.2	0.4	30						1.0												C081635	197.71	199.97	0.003		
																																C081636				BLANK	
											3	4	0.3	0.8	50	80	0.5	s	2		1.0			0.1						1.0			C081637	199.97	200.48	0.005		
				Sample TAG for C081638 was lost so sample number was skipped but meterage remains intact.							4	4	0.5	1.3	50	30	0.5	s	3														C081639	200.48	201.55	0.003		Sample TAG for C081638 was lost so sample number was skipped but meterage remains intact.
											2	4	0.3	0.6	50		1.0	s	3		0.1			0.1						1.0			C081640	201.55	202.60	0.009		
											2	4	0.3	0.5	50		1.0	s/cb	3		0.1									1.0			C081641	202.60	203.86	0.067		
																																C081642	202.60	203.86		DUP	
											1	4	0.3	0.3	40		0.5	s	2											1.0			C081643	203.86	204.73	0.046		
		204.73	205.88	GND. Medium grained, medium grey to light green color, unit has moderate to high sericitization, clay alteration and low bleaching. Core competency is moderate to high. Qtz, carbonate and sulfide veins are found in this unit. Carbonate veinlets/stringers are common. Fracture surfaces commonly have aspy and py on them. Higher sericitic/chloritic alteration associated with carbonate veins/veinlets/stringers. Etched area's present but not common - close to qtz veins/blobs. Aspy found in selvages of carbonate veins, disseminated and minor. Py appears in selvage of carbonate stringers, disseminated and as blobs. Po appears disseminated and in blobs in the matrix.	1	4	1	1	3		2	3	1.0	1.4	25	35	4.0	s	2				0.1							1.0				C081644	204.73	205.88	0.022		
				Py appears in selvage of carbonate stringers, disseminated and as blobs.							1	1	0.4	0.4	40													1.0				C081645	205.88	206.65	0.037		
											1	4	0.3	0.3	20																							
				Po appears disseminated and in blobs in the matrix.							5	3	0.4	1.5	60	10	3.0	s/q	4		1.0			1.0					1.0	2.0			C081646	206.65	207.67	0.026		
											1	4	0.3	0.3	10		0.5	s	2														C081647	207.67	208.54	0.003		
											1	4	0.6	0.6	5						0.1												C081648	208.54	209.70	0.013		
																																C081649	208.54	209.70		CHECK ASSAY	
																																C081650				STANDARD 3C	
											1	4	0.2	0.2	15		1.5	s/q	4														C081651	209.70	210.60	0.063		
				Qtz blob with aspy, scordite, po, surrounded by a bleached and silicified selvage, max 3cm.							1	6	0.4	0.4	50						0.1			0.1	1.0				10.0	3.0			C081652	210.60	211.24	0.064		
											3	1	1.1	2.9	15	10	1.0	q/s	3			5.0		4.0					3.0	3.0			C081653	211.24	212.33	0.044		
				Qtz blob with aspy, scordite, po, surrounded by a bleached and silicified selvage, max 3cm.							1	6	0.3	0.3	15						0.1			0.1					20.0	1.0			C081654	212.33	213.28	0.151		
				Po appears disseminated and in blobs in the qtz altered matrix.							2	1	1.0	1.8	35		1.0	q/s	3			1.0		1.0					1.0	2.0			C081655	213.28	214.54	0.063		
																																C081656				BLANK	
											1	4	1.0	1.0	85																		C081657	214.54	215.80	0.030		
											2	1	2.0	2.3	25		0.5	q/s	2		0.1			1.0					1.0	1.0			C081658	215.80	216.75	0.074		
											2	4	0.4	0.6	20						0.1				0.1				1.0									
				Qtz veins parallel to fracture surfaces.							7	1	1.4	3.4	25	10	2.0	q/s	4		0.1			2.0					1.0	1.0			C081659	216.75	218.24	0.071		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-312C

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide/carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																					Sulphides								Oxidation												
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
				Stepped carbonate veins indicate possible extension faulting perpendicular to core axis. Highly silicified/bleached area at 219.47m to 219.61m, scordite associated with it.							3	4	0.4	1.0	30						0.1			0.1					1.0				C081660	218.24	219.70	0.079		
											3	4	0.2	0.6	20	30					0.1				0.1				1.0				C081661	219.70	220.99	0.037		
											3	1	1.0	1.7	40		0.6	q	4					1.0						4.0								
																																C081662	219.70	220.99		DUP	
											2	1	3.0	3.6	30		0.3	q/s	2			0.1		1.0					2.0			C081663	220.99	222.10	0.025		
		222.10	236.82	GND. Medium grained, color ranges between medium grey, dark blue-green and pale green, unit has moderate to high sericitization, clay alteration and low bleaching. Core competency is moderate to high. Qtz, carbonate and sulfide veins are found in this unit, high occurrence of large sulfide veins - mostly py. Carbonate veinlets/stringers are common. Fracture surfaces commonly have aspy and py on them. Py appears in selvage of carbonate stringers, disseminated and as blobs.		4	2		2		2	1	1.5	2.1	20		2.0	s/q	4			0.1		3.0					1.0	5.0			C081664	222.10	222.98	0.036		
											2	1	2.5	3.0	25						0.1	1.0		1.0					1.0	4.0			C081665	222.98	223.87	0.029		
											2	4	0.8	1.0	30						15.0	1.0		2.0					10.0	1.0			C081666	223.87	225.25	0.198		
											2	3	1.6	2.0	40						10.0	1.0		3.0					2.0				C081667	225.25	226.06	0.106		
											3	4	0.3	0.7	30						2.0	0.1							2.0	0.1								
											1	6	5.0	5.0	20		0.5	q	2		40.0	0.1							5.0				C081668	226.06	227.35	0.503		
																																C081669	226.06	227.35		CHECK ASSAY	
																																C081670				STANDARD 4D	
											2	1	0.7	1.2	20						4.0	0.1		0.1					5.0	1.0			C081671	227.35	228.44	0.211		
											3	4	0.2	0.6	25	30					5.0			0.1					10.0				C081672	228.44	229.70	0.020		
											2	1	0.3	0.5	20		0.2	q	2			0.1		1.0					1.0	2.0								
											1	3	0.4	0.4	30									0.1						2.0			C081673	229.70	230.65	0.023		
											1	4	0.2	0.2	175						2.0			0.1					10.0								
				Section has disseminated py in matrix - the matrix in question is sericitically altered.							5	3	1.6	3.6	40	110						2.0		0.1	1.0				10.0	2.0			C081674	230.65	231.75	0.028		
											3	3	0.5	0.7	20	40					2.0	1.0		1.0					4.0	1.0			C081675	231.75	232.95	0.022		
											2	4	0.3	0.5	30																							
																																C081676				BLANK	
											3	4	0.4	0.8	25						1.0								4.0			C081677	232.95	234.09	0.144		
											1	1	0.8	0.8	30									2.0					2.0	1.0								
											2	1	0.8	1.4	20							0.1		1.0					1.0				C081678	234.09	235.36	0.216		
											2	6	3.0	4.0	20	80					5.0			1.0	1.0				15.0	2.0								
											1	3	3.0	3.0	20						15.0																	Vein area peaks at apex - 17cm, much of it py bearing.
																																C081679	235.36	236.82	0.033		
		236.82	248.64	GND. Medium grained, dark grey to light green color, (appears as "salt and pepper" in non-sericitized area's) moderate to high sericitization associated with carbonate veins and low bleaching. Core competency is moderate to high. Qtz, carbonate and sulfide veins are found in this unit. Carbonate veinlets/stringers are common. Fracture surfaces commonly have aspy and py on them. Aspy found in selvages of carbonate veins, disseminated and minor.		3		2	1		1	1	0.6	0.6	20							2.0		0.1					1.0	2.0			C081680	236.82	237.88	0.014		
				Section is mostly qtz - veins and blobs, low aspy content.							2	1	30.0	31.5	60									2.0					1.0	2.0			C081681	237.88	238.75	0.051		
																																C081682	238.75	239.46	0.138	DUP	
				Sample C081684 and C081684 were mistakenly packaged as one sample and later divided so there may be some overlap in assay results.							1	6	0.3	0.3	40		1.0	q	3						2.0							C081683	238.75	239.46	0.105		Vein also contains 5% Magnetite.
																																C081684	239.46	240.78	0.081		
																																C081685	240.78	241.57	0.022		
				A clay and breccia zone at 241.9m to 242.0m, v. low oxidized sulfide's.							1	1	1.5	1.5	5									0.1					3.0			C081686	241.57	242.62	0.148		
											1	1	0.5	0.5	30									0.1					2.0			C081687	242.62	243.47	0.061		
											1	1	0.6	0.6	30							0.1		0.1					5.0			C081688	243.47	244.71	0.045		
																																C081689	243.47	244.71		CHECK ASSAY	
																																C081690				STANDARD 5E	

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-312C

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide/carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																					Sulphides								Oxidation												
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other							
											1	3	4.0	4.0	30									2.0					5.0			C081691	244.71	245.76	0.029		
											1	6	1.0	1.0	30						10.0	0.1		1.0					30.0									
											2	1	0.6	1.2	30									0.1					1.0	3.0			C081692	245.76	246.48	0.012		
											2	4	0.5	0.7	35						1.0			0.1	0.1				10.0	1.0								
											3	4	0.6	1.0	20						1.0			0.1					8.0	1.0			C081693	246.48	247.80	0.162		
											1	1	0.7	0.7	30						1.0			1.0					1.0	1.0			C081694	247.80	248.46	0.086		
		248.46	269.05	GND. Medium grained, dark grey color with light green sericitic alteration along carbonate veins and fracture surfaces, unit has low sericitization and silicification. Core competency is moderate to high with fractures along a 30° to 40° angle with occasional crosscutting in complementary angles. Qtz, carbonate and sulfide veins are also found in this unit but carbonate veins are the majority. Carbonate veinlets/stringers are common.		2			2		2	4	0.3	0.5	20	80	9.0	s	4		0.1			0.1					2.0				C081695	248.46	249.66	0.113		
																																	C081696				BLANK	
											2	1	1.8	2.8	30									0.1					1.0	3.0			C081697	249.66	251.00	0.034		
											4	4	0.3	0.9	25		3.0	s	3		0.1								1.0	0.5								
											2	4	0.2	0.4			2.0	s	3		0.1								1.0	1.0			C081698	251.00	252.53	0.148		
											1	4	2.0	2.0	20																		C081699	252.53	253.74	0.065		
				At 254.65m to 254.75m a very altered zone, brown in color and very low competency - clay alteration.							1	1	0.4	0.4	25														2.0	1.0			C081700	253.74	255.11	0.112		
											2	1	0.6	0.8	25	45	0.2	q	3			5.0		1.0						3.0			C081701	255.11	255.70	0.102		
																																	C081702	255.11	255.70		DUP	
											5	4	0.3	1.1	140	40																	C081703	255.70	256.66	0.033		
											1	1	0.6	0.6	35		0.3	q	4										1.0	3.0								
											5	1	1.2	3.8	30		1.0	s/q	2					2.0					1.0	4.0			C081704	256.66	257.96	0.019		
											4	4	1.0	1.9	35	45																						
		257.96	269.05	GND. Medium grained, medium grey to light green color, unit has moderate to high sericitization and low bleaching. Core competency is moderate to high. Qtz, carbonate and sulfide veins are found in this unit. Much of the carbonate in this section appears pink. Carbonate stringers and blebs occur throughout section. Sericitization lessens with depth in this section. Section 262.43m to 264.7m was re-drilled to recover lost core.	1	3			1		1	4	1.2	1.2	60						0.1								10.0				C081705	257.96	259.90	0.033		
											1	3	0.6	0.6	60									0.1														
											1	6	0.8	0.8	35						0.1								15.0	5.0			C081706	259.90	260.36	0.067		
				Carbonate blobs found in section.							1	3	0.3	0.3	25									0.1						1.0			C081707	260.36	261.52	0.029		
											1	6	0.2	0.2	5		4.0	s	4		0.1			0.1					15.0	5.0			C081708	261.52	262.43	0.400		
																																	C081709	261.52	262.43		CHECK ASSAY	
																																	C081710				STANDARD 6F	
																																	C081711	262.43	263.36	0.076		
											1	6	0.4	0.4	80														10.0	5.0			C081712	263.36	264.70	0.054		
											1	1	1.2	1.2	35									1.0						5.0			C081713	264.70	265.82	0.124		
																																	C081714	265.82	267.50	0.229		
																																	C081715	267.50	268.51	0.092		
																																	C081716				BLANK	
		269.05	279.96	GND. Medium grained, dark grey color with light green sericitic alteration along carbonate veins and fracture surfaces, unit has low sericitization and silicification. Core competency is moderate to high with few veins throughout unit but carbonate veinlets/stringers are common and in some cases pervasive. A brown alteration zone can be seen associated with a lack of core competency and sericitic alteration is intermittent and associated with fractures. Rare sulfide veinlets/stringers are present and qtz blobs are found with aspy and scordite.		1			1																									C081717	268.51	269.05	0.028		
																																	C081718	269.05	269.85	0.046		
																																	C081719	269.85	271.14	0.102		
											1	4	0.5	0.5	25																		C081720	271.14	271.88	0.142		
											2	1	0.5	0.9	30									0.1						3.0			C081721	271.88	273.67	0.051		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-312C

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide/carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other							
																																	C081722	271.88	273.67		DUP	
											1	1	1.0	1.0	20															15.0			C081723	273.67	274.87	0.061		
																																	C081724	274.87	275.62	0.190		
											1	1	0.8	0.8	15		0.3	q	2											5.0			C081725	275.62	276.45	0.192		
											1	1	2.0	2.0	35									1.0					5.0	3.0			C081726	276.45	277.75	0.153		
											4	1	1.6	4.4	35									1.0					1.0	5.0			C081727	277.75	278.75	0.040		
											1	4	0.3	0.3	30						0.1								2.0										
																																	C081728	278.75	279.96	0.015		
																																	C081729	278.75	279.96		CHECK ASSAY	
																																	C081730				STANDARD 6F	
		279.96	290.30	GND. Medium grained, medium grey color with light green sericitic alteration along carbonate veins and fracture surfaces, unit has high sericitization and low clay alteration. Core competency is moderate to high with few veins throughout unit but carbonate veinlets/stringers are fairly common.		3		1	2		2	1	1.2	2.0	15	60	1.0	q	4						0.1							5.0			C081731	279.96	281.34	0.083		
											1	6	0.9	0.9	40						0.1			0.1					10.0	1.0			C081732	281.34	282.70	0.058		
																																	C081733	282.70	283.93	0.024		
											1	1	0.7	0.7	30									0.1						3.0			C081734	283.93	285.11	0.222		
				Po and aspy found in qtz rich area's in matrix, slickenside surface at 50 to CA and the stria have a rake of 80 to the short axis of the face.																														C081735	285.11	286.31	0.050		
																																	C081736				BLANK	
				Aspy occurs in a solid vein near end of section as well as disseminated in other veins. Po occurs near aspy.							3	1	1.2	2.6	30		0.5	q	2			3.0		10.0						1.0	2.0			C081737	286.31	287.51	0.314		
											3	1	0.8	1.7	30	50	0.3	q	2			2.0		1.0						2.0			C081738	287.51	288.95	0.051		
											1	6	0.3	0.3	40						3.0			2.0					5.0	2.0								
											2	1	1.0	1.6	40						1.0			1.0						2.0			C081739	288.95	289.73	0.200		
											1	1	1.3	1.3	50																		C081740	289.73	290.30	0.098		
		290.30	325.37	GND. Medium to fine grained, light grey to light green color, highly sericitized and bleached throughout. Core competency is low to moderate and the core surface appears etched over most of the section. Large massive sulfide veins common, po, aspy and py, smaller sulfide veins and stringers are found throughout the section as well. Area's with massive sulfide's appear to associated with carbonate and qtz carbonate veins and fracture area's. Massive sulfide veins/area's are commonly truncated by fault surfaces and are commonly too disturbed to take reliable representative measurements from.		4		2	1		1	6	2.5	2.5	40						0.1										15.0	5.0			C081741	290.30	291.60	0.279		
																																	C081742	290.30	291.60		DUP	
				Sulfide stringers found throughout section.							1	3	0.4	0.4	20						1.0								10.0				C081743	291.60	292.00	0.024		
				Section very bleached and has sulfide stringers found throughout but no discernable veins.																													C081744	292.00	293.50	0.066		
											1	6	0.4	0.4	30						0.1								15.0	2.0			C081745	293.50	294.23	0.060		
																																	C081746	294.23	295.05	0.027		
																																	C081747	295.05	296.21	0.052		
											1	6	0.3	0.3	30														10.0	5.0			C081748	296.21	297.10	0.075		
																																	C081749	296.21	297.10		CHECK ASSAY	
																																	C081750				STANDARD 3C	
											1	6	3.5	3.5	25						5.0			2.0					20.0	5.0			C081751	297.10	297.53	0.831		
											2	1	1.2	1.9	20									3.0					2.0	2.0			C081752	297.53	298.09	0.014		
											3	4	1.0	1.8	40							4.0		1.0					5.0	1.0								
											2	3	6.0	10.0	45							15.0							5.0				C081753	298.09	298.70	0.024		
											1	3	2.7	2.7																			C081754	298.70	299.60	0.047		
											3	1	0.5	1.4																								
																																	C081755	299.60	300.28	0.089		
																																	C081756				BLANK	
											3	3	1.6	3.9	30	80						10.0							5.0				C081757	300.28	300.97	0.043		
																																	C081758	300.97	301.41	0.012		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-312C

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide/carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																					Sulphides								Oxidation												
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration (0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
											1	3	1.6	1.6	20						20.0										C081759	301.41	302.32	2.800		
											1	6	5.0	5.0	60					40.0							60.0										
											2	3	1.6	2.8	20	150				5.0							10.0	1.0			C081760	302.32	303.52	0.225		
				Section has pervasive sulfide veinlets and stringers in addition to massive sulfide veins making up one third of the sample volume. Py and aspy.							2	6	9.0	13.0	30	40				30.0			20.0				5.0	3.0			C081761	303.52	304.80	1.850		
																															C081762	303.52	304.80		DUP	
											3	1	1.1	2.5	25	30					0.1		3.0				5.0	2.0			C081763	304.80	305.62	0.057		
				Sulfide stringers present but only one vein.							1	6	0.3	0.3	40					1.0							10.0	2.0			C081764	305.62	306.52	0.152		
				Fibrous black mineral in section, associated with qtz/carb area. Appears fibrous, hardness of 4 or 5.							1	4	0.4	0.4	10						0.1						5.0				C081765	306.52	307.24	0.073		
											3	4	3.0	5.2	25	40					15.0		1.0				10.0				C081766	307.24	308.69	0.691		
																															C081767	308.69	309.89	0.040		
											1	3	15.0	15.0	50						15.0		10.0				10.0	2.0			C081768	309.89	310.29	2.250		
																															C081769	309.89	310.29		CHECK ASSAY	
																															C081770				STANDARD 4D	
											4	3	4.5	7.2	30	35				15.0	1.0		10.0				2.0				C081771	310.29	310.77	0.447		
				Very etched area in section, high clay alteration.							3	3	3.0	4.8	30					5.0			5.0								C081772	310.77	311.33	0.065		
				Highly fractured and rubbled area for first half of section, probably due to core handling, sulfide stringers in rubble but no veins discernable in that area.							1	1	1.2	1.2	30						0.1						2.0				C081773	311.33	312.20	0.265		
											1	1	4.0	4.0	30						1.0							2.0			C081774	312.20	313.33	0.086		
											1	6	3.0	3.0	15					20.0			10.0				5.0	1.0								
											1	3	3.0	3.0	30					10.0			3.0				5.0	3.0			C081775	313.33	314.33	0.265		
											2	6	3.5	5.0	70					0.1							50.0	10.0								
																															C081776				BLANK	
											4	6	0.7	1.9	80	20				0.1			0.1				40.0	10.0			C081777	314.33	314.96	0.045		
											2	6	0.3	0.6	25	70				1.0							30.0	10.0			C081778	314.96	315.45	0.074		
				Sulfide veinlets and stringers found throughout section but no true veins or orientation discernable.																											C081779	315.45	316.38	0.140		
											1	6	0.2	0.2	35					1.0							20.0	5.0			C081780	316.38	317.55	0.080		
				Large massive sulfide section, cut off from vein by slickenslide surfaces, no orientation possible. Py (40%) and aspy (15%) of qtz/carb area (10% of total sample).																											C081781	317.55	318.21	3.270		
																															C081782	317.55	318.21		DUP	
											3	3	2.0	2.9	30					6.0			5.0				5.0	2.0			C081783	318.21	319.43	0.183		
											2	6	0.9	1.6	45					1.0							20.0	10.0			C081784	319.43	320.40	0.136		
											2	3	0.6	0.8	20					5.0			1.0				5.0									
											1	3	2.0	2.0	15					15.0							3.0				C081785	320.40	321.41	0.076		
											1	3	1.6	1.6	15					10.0							10.0				C081786	321.41	322.48	0.017		
											1	3	0.7	0.7	30					0.1			0.1				2.0	1.0			C081787	322.48	323.55	0.014		
											1	6	0.4	0.4	70					1.0							20.0	1.0								
				Sulfide py stringers common in section close to vein. Qtz rich area's in section, aspy, py.							1	4	0.4	0.4	25																C081788	323.55	324.24	0.246		
											2	6	0.4	0.7	50					10.0			2.0				5.0	1.0								
																															C081789	323.55	324.24		CHECK ASSAY	
																															C081790				STANDARD 5E	
				Py disseminated in matrix near end of section.							1	6	4.7	4.7	80					10.0			5.0				70.0	10.0			C081791	324.24	325.37	0.853		
											1	3	2.1	2.1	30					3.0			1.0				5.0	1.0								
		325.37	348.36	GND. Medium grey to green color, moderate to high sericitization with some scorditization and low bleaching. Carbonate veins present and sulfide veins parallel to fractures and 40% oxidized, py high, aspy low.	1	3	1		1		1	1	1.2	1.2	25		0.3	q	1				0.1						5.0			C081792	325.37	326.76	0.011		
				Carbonate veinlets and stringers in section, no veins discernable.																											C081793	326.76	328.48	0.009		
											1	1	0.6	0.6	30					2.0							5.0			C081794	328.48	329.80	0.009		
				Blue green matrix alteration - low-mod ser, partial scor. Some sulfide veinlets and stringers in section.							1	4	0.6	0.6	25																C081795	329.80	331.00	0.005		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-312C

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide/carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages				Sulphides								Oxidation									
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
																																C081796				BLANK	
				Carbonate blobs and stringers in section.							1	6	0.5	0.5	30						0.1			0.1					25.0	5.0			C081797	331.00	332.46	0.114		
											5	6	5.0	8.1	30	40					20.0			10.0					25.0	10.0			C081798	332.46	333.66	0.051		
				Py blobs in matrix, appear to be part of a truncated vein.							2	1	1.7	3.2	25						1.0			1.0					1.0	5.0			C081799	333.66	335.02	0.008		
											1	6	0.4	0.4	50						1.0			0.1					15.0	3.0								
											2	3	1.2	2.0	10						1.0			0.1						5.0			C081800	335.02	336.33	0.009		
											2	6	0.6	1.1	35		6.0	s/cb	3		0.1			0.1					2.0	10.0			C081801	336.33	337.72	0.011		
																																C081802	336.33	337.72		DUP	
											3	4	0.8	1.3	30	50															C081803	337.72	339.10	0.008		
				Blebs of py in matrix along sulfide stringer.							3	1	0.6	1.7	60									0.1						3.0			C081804	339.10	339.85	0.129		
				A single etched zone in section, similar orientation to fracture surfaces, 4cm wide, no sulfide's visible, no veins discernable in section.																													C081805	339.85	341.25	0.019		
											1	6	0.6	0.6	50														15.0	5.0			C081806	341.25	341.82	0.005		
				Dark green sericitic alteration along fractures, similar orientation to carbonate veins.							2	4	0.4	0.8	40																		C081807	341.82	342.71	0.003		
											1	4	0.5	0.5	25																		C081808	342.71	344.01	0.008		
																																C081809	342.71	344.01		CHECK ASSAY	
																																C081810				STANDARD 2B	
				Dark green sericitic alteration along sulfide veins, parallel to previous fractures, aspy in selvage of sulfide veins.							3	7	0.3	0.7	30		4.0	s	3	1	30.0			10.0					10.0				C081811	344.01	345.50	0.329		
											3	4	0.3	0.5	20																							
											2	1	0.6	1.1	30																							
				Section is highly and intermittently altered, alteration ranges from dark green sericitic alteration to bleached area that have an altered spatial relationship due to minor faulting in the section.							2	6	0.5	1.1	30						2.0			40.0									C081812	345.50	345.96	0.548		
				The sulfides near the clay alteration and within the bleached area's are more oxidized than in the sericite only alteration area.							3	7	0.6	1.7	40	20					0.1			0.1					20.0	1.0			C081813	345.96	346.86	0.118		
											2	6	0.4	0.7	30	70										30.0			20.0								
				Section is highly and intermittently altered, alteration ranges from dark green sericitic alteration to bleached area (Dalmatian effect), sulfides present (py mostly, some aspy) in veins and disseminated or in blobs in the matrix, they are largely oxidized.							2	7	0.6	1.2	40	80					7.0			0.1					30.0	5.0			C081814	346.86	347.86	0.155		
											1	4	0.4	0.4	30																							
				Section is highly and intermittently altered, alteration ranges from dark green sericitic alteration to bleached area, sulfides present in vein or in matrix (py mostly, some aspy) are largely oxidized.							1	1	0.9	0.9	20						5.0			1.0					5.0	5.0			C081815	347.86	348.36	0.056		
																																C081816				BLANK	
		348.36	373.88	GND, medium with feldspar phenocrysts around 366m, dark to light grey to dark to light green, alternating zones of sericitic alteration and low alteration GND. Massive sulfide veins throughout associated with sericitic alteration, qtz veins present throughout (occasionally massive) and carbonate veins/veinlets/stringers present, showing orientation usually parallel to fracture surfaces (between 20° and 50°).	1	3		1			1	1	1.8	1.8	20									0.1						2.0			C081817	348.36	349.51	0.009		
											1	3	1.0	1.0	20														2.0		C081818	349.51	350.68	0.008		
											2	7	0.8	1.2	70						0.1								40.0								
																																C081819	350.68	351.28	0.003		
											1	3	1.0	1.0	15		5.0	s	3													C081820	351.28	352.23	0.038		
											1	6	2.5	2.5	30						1.0			0.1					1.0	1.0								
											1	7	0.3	0.3	50						1.0			0.1					10.0	5.0			C081821	352.23	353.50	0.008		
																																C081822	352.23	353.50		DUP	
											1	1	1.0	1.0	20															5.0		C081823	353.50	355.20	0.008		
											1	4	0.8	0.8	30		1.0	q	1																			
				Xenoliths at 355.65m and 355.85m.							1	1	0.4	0.4	25									0.1						1.0			C081824	355.20	356.09	0.031		
											2	1	0.6	1.2	40	20					0.1									2.0			C081825	356.09	357.14	0.003		
											1	6	0.3	0.3	80						0.1								20.0								
											3	4	2.0	2.4	20	50																C081826	357.14	358.30	0.003		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-312C

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide/carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages			% of VEIN & DISSEMINATED MATERIAL													Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other						
				Disseminated aspy and py in matrix associated with sulfide veins.							2	1	2.0	3.6	40						0.1			0.1					1.0				C081827	358.30	359.65	0.201		Aspy and py also abundant in selvage.
											2	6	1.4	2.2	40		5.0	s	3		20.0			25.0					10.0	5.0								
											1	7	0.6	0.6	35														15.0	2.0								
				Py and lesser aspy found disseminated in matrix.							2	1	1.8	3.0	30		15.0	s	4		2.0			0.1									C081828	359.65	360.61	0.102		Py in selvage.
																																C081829				CHECK ASSAY	
																																C081830				STANDARD 6F	
											3	7	1.2	3.0	30		10.0	s	4		2.0								5.0				C081831	360.61	361.77	0.092		
											1	3	1.2	1.2	25																							
											1	6	4.0	4.0	10		11.0	s	4		10.0			10.0					5.0	5.0			C081832	361.77	362.30	0.014		
											3	4	0.4	0.9	30	20																C081833	362.30	363.50	0.553		
											1	4	0.3	0.3	30																	C081834	363.50	364.40	0.015		
											3	1	7.0	9.8	35	20	8.0	s	3		5.0			1.0					10.0	2.0			C081835	364.40	365.40	0.003		
																																C081836				BLANK	
																																C081837	365.40	366.25	0.206		
				High sericitic alteration in section, feldspar phenocrysts, no discernable veining.																												C081838	366.25	367.46	0.032		
											2	7	0.5	0.8	40		2.0	s	2		2.0			2.0					5.0				C081839	367.46	368.79	0.005		Aspy in selvage.
											1	4	0.5	0.5	30																							
											3	4	0.4	1.0	50						0.1								5.0				C081840	368.79	369.81	0.006		
											3	7	1.2	2.1	30		5.0	s	3		4.0			1.0					10.0	5.0			C081841	369.81	371.25	0.003		
																																C081842				DUP	
											3	4	0.6	1.0	30																	C081843	371.25	372.41	0.012		
											3	1	1.2	3.2	25	10					0.1			0.1					1.0				C081844	372.41	373.88	0.003		
											3	4	0.5	1.0	30																							
		373.88	386.49	GND, medium to fine grained, medium to pale green color. High sericitic alteration throughout, moderate to high bleaching and etched in some area's. Occasional massive sulfide veins, situated toward middle of unit, associated with qtz veins . Qtz, sulfide and carbon (pink) present, with carbonate veinlets/stringers in some area and no preferred orientation and become pervasive toward end of unit. Sulfide's found with qtz veins less altered/oxidized than those found with carbonate or in bleached area's. Possible fault zone (brecciated) at 378.99m to 379.62m.		4	1	1	1		1	1	1.0	1.0	20								0.1								5.0	1.0			C081845	373.88	374.33	0.012		
											2	4	0.7	1.2	30														10.0									
											1	6	0.2	0.2	30						30.0								20.0									
											1	6	0.6	0.6	70						10.0			0.1					40.0	5.0			C081846	374.33	376.66	0.012		
											1	1	0.5	0.5	20		1.0	q	3					0.1					2.0									
				Section very bleached, few carbonate stringers or blobs, no discernable veins.																												C081847	376.66	378.11	0.031		
											5	6	1.8	6.1	30	40													60.0	10.0			C081848	378.11	378.99	0.019		
																		ff															C081849	378.11	378.99		CHECK ASSAY	
																																C081850				STANDARD 7G	
				Probable fault area, coloring of area suggests it was veined with sulfides before bleaching.																												C081851	378.99	379.62	0.038		
				Stringers of oxidized sulfides.							1	4	1.1	1.1	20																	C081852	379.62	380.74	0.007		
				Stringers of oxidized sulfides associated with carbonate.							1	4	3.0	3.0	20																	C081853	380.74	381.80	0.046		
											1	6	0.2	0.2	70						1.0				0.1				20.0	5.0								
											1	1	10.0	10.0	40						7.0			5.0					5.0				C081854	381.80	382.42	0.571		
											2	6	7.0	9.0	70	5					25.0			25.0					20.0									
											3	6	0.2	0.6	40						0.1								50.0	5.0			C081855	382.42	383.49	0.039		
																																C081856				BLANK	
											2	7	1.4	2.1	50						0.1								50.0				C081857	383.49	384.27	0.021		
											2	6	0.6	1.0	70	5					5.0			1.0					25.0				C081858	384.27	384.86	0.235		
											3	1	4.0	5.7	30									1.0					2.0	1.0			C081859	384.86	386.09	0.263		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-312C

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide/carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages				Sulphides								Oxidation									
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
				Sulfide blebs present, mostly oxidized py/aspy, very altered (ser, bleached), no discernable veins.																													C081860	386.09	386.49	0.017		
		386.49	405.45	GND, medium grained, dark grey/green to medium grey/green color. Low sericitic alteration throughout, very little bleaching, moderate silicification. Qtz, sulfide and carbonate present, with carbonate veinlets/stringers pervasive and with no fixed orientation - stockwork type formation. Aspy commonly found disseminated in matrix of sericitically altered area's.		4	1		1		1	4	0.4	0.4	35																		C081861	386.49	387.70	0.003		
																																C081862	386.49	387.70		DUP	
											1	1	0.8	0.8	25														2.0			C081863	387.70	388.59	0.019		
											3	6	2.2	3.9	80													10.0	40.0								
											2	3	1.2	2.2	30														2.0			C081864	388.59	389.53	0.011		
											1	4	0.3	0.3	155																C081865	389.53	390.20	0.006		
											1	1	1.0	1.0	20						0.1			0.1					2.0							
				Xenoliths in section.							2	1	4.0	6.3	20									0.1					10.0			C081866	390.20	391.00	0.005		
											2	6	1.2	2.2	80													20.0	30.0								
											2	4	0.7	1.4	50	20															C081867	391.00	392.85	0.012		
				Section has pervasive stockwork carbonate and xenoliths but no visible veins. Aspy occurs in matrix in higher sericitic alteration area's.																													C081868	392.85	393.91	0.019		
																																C081869	392.85	393.91		CHECK ASSSAY	
																																C081870				STANDARD 3C	
											1	6	1.7	1.7	20		0.5	q	1		5.0			1.0				20.0	5.0			C081871	393.91	395.38	0.012		
											1	1	0.6	0.6	30																C081872	395.38	396.75	0.018		
											2	6	0.4	0.6	70																					
				Carbonate vein is folded, probably due to faulting in the area.							1	1	1.0	1.0	50						2.0			2.0					5.0	1.0		C081873	396.75	398.05	0.180		
											1	4	0.3	0.3	30														10.0	2.0							
											1	6	1.8	1.8	85						2.0			2.0		2.0			40.0	1.0		C081874	398.05	399.02	0.010		
											1	1	3.3	3.3	65						0.1			0.1					2.0							
				Section very broken, carbonate veinlets/stringers pervasive and are planes along which core competency is compromised, breakage probably took place in tube. No veins discernable.																													C081875	399.02	400.30	0.018		
																																C081876				BLANK	
											3	1	1.0	2.3	30	40													0.1			C081877	400.30	401.51	0.010		
											1	6	0.2	0.2	30						10.0			1.0				15.0	5.0			C081878	401.51	403.00	0.007		
											2	1	0.6	1.1	25																					
				Section very broken and fractured, minor alteration along some of the surfaces - slickenside surfaces common. No veins discernable.																													C081879	403.00	404.15	0.006		
				Section has moderate bleaching near fractures, fault surfaces.							1	4	0.6	0.6	40						0.1			0.1				5.0				C081880	404.15	405.45	0.008		
		405.45	415.77	GND, medium grained, medium grey to light grey with rare dark grey and green. Low sericitic alteration throughout, moderate bleaching overall, high silicification. Qtz, sulfide and carbonate veins present (can be pale green), qtz veins with ill-defined boundaries are most common. Xenoliths present throughout unit. Aspy and py found disseminated in matrix associated with qtz veins and sericitic alteration. Slickenside surfaces throughout section, usually at approximately 30°.		1		1	4		1	1	0.2	0.2	30		0.5	Q	3		0.1			0.1					10.0			C081881	405.45	406.10	0.003		
																																C081882	405.45	406.10		DUP	
				Section has bleached areas associated with slickenside surfaces. Py can be found disseminated in matrix.							3	1	1.0	1.5	30						0.1			0.1					5.0			C081883	406.10	407.52	0.003		
											1	4	0.2	0.2	30		0.4	q	3		0.1							10.0								
				Occasional feldspar phenocrysts.							3	1	2.4	4.1	20		0.2	b	2													C081884	407.52	408.80	0.007		
				Aspy disseminated in selvage and matrix, low.							3	1	0.7	1.4	30	20	6.0	s	4													C081885	408.80	409.75	0.053		
				Aspy disseminated in selvage and matrix, low.							7	1	1.6	4.7	20						1.0			2.0				2.0	10.0			C081886	409.75	411.15	0.013		
											3	4	0.4	1.1	30						0.1							5.0				C081887	411.15	412.34	0.019		
											2	1	1.2	1.6	20									0.1					2.0							
											2	1	1.5	1.9	30																C081888	412.34	413.01	0.026		
											1	7	0.3	0.3	80		1.0	s	3		0.1			1.0				5.0	10.0							
																																C081889	412.34	413.01		CHECK ASSAY	

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-312C

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide/carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages			Sulphides								Oxidation									
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
																																C081890				STANDARD 4D	
											2	4	0.3	0.6	10		3.0	Q	3												C081891	413.01	414.49	0.003		
											1	4	0.4	0.4	10		4.0	Q	3										1.0				C081892	414.49	415.77	0.005		
		415.77	451.04	GND, medium grained, dark grey with rare dark grey alteration (sericitic). Low sericitic alteration associated with some fractures and carbonate veins, occasional bleaching near fractures and carbonate veins, high silicification throughout. Qtz, sulfide and carbonate (can be pale green) veins present, qtz veins with ill-defined boundaries are more common. Xenoliths present throughout unit. Aspy and py found disseminated in matrix associated with qtz veins and sericitic alteration. Slickenside surfaces throughout section, usually at approximately 30°.		1				4	3	1	1.5	3.3	40	50					2.0			1.0								4.0			C081893	415.77	416.97	0.003		
											1	4	0.3	0.3	15																					
											1	1	1.7	1.7	35									0.1						5.0		C081894	416.97	417.93	0.012		
											2	4	0.3	0.6	30	50	5.0	Q	3										10.0								
											4	1	1.1	2.7	30	20					1.0			1.0					1.0	3.0			C081895	417.93	419.33	0.006		
																																C081896				BLANK	
				Aspy found in matrix, sericitic alteration around fractures.							1	1	0.4	0.4	30															3.0		C081897	419.33	420.60	0.003		
											2	4	0.3	0.5	10	30																					
											1	4	0.3	0.3	20		1.0	q	2													C081898	420.60	421.65	0.003		
											2	1	1.0	1.7	40						0.1			0.1						5.0		C081899	421.65	422.90	0.034		
				Aspy found in selvage not vein.							3	4	0.5	1.2	60	40	7.0	s	3					1.0														
				Many xenoliths in section, some mineralized with po.							3	1	0.6	1.4	30		0.3	s	4					1.0						5.0		C081900	422.90	424.26	0.007		
											1	7	0.4	0.4	40		4.0	s/chl	4		0.1			0.1					20.0	5.0		C081901	424.26	425.68	0.003		
											2	1	0.3	0.6	70																					
																																C081902	424.26	425.68		DUP	
				Carbonate cross-cuts qtz vein, angle of intersection is 150°. Bleaching of associated with the carbonate veins (pale green carbonate).							4	4	0.5	1.4	15	5															C081903	425.68	426.67	0.003		
											1	1	0.4	0.4	35																					
											2	1	0.7	1.0	20		0.4	q/s	2					0.1						5.0		C081904	426.67	428.06	0.008		
											1	4	0.2	0.2	5																					
											2	1	1.0	1.4	30	10					0.1			0.1						10.0		C081905	428.06	429.23	0.003		
											3	1	1.2	2.1	50	20																C081906	429.23	430.00	0.399		
											2	6	2.7	4.0	30						25.0			20.0					5.0								
											1	7	1.0	1.0	25						25.0					30.0			10.0								
											1	1	0.4	0.4	30															5.0		C081907	430.00	430.83	0.096		
											4	1	0.3	1.0	30	50	0.3	q/s	3			5.0		1.0						5.0		C081908	430.83	432.21	0.025		
																																C081909	430.83	432.21		CHECK ASSAY	
																																C081910				STANDARD 5E	
											1	10	0.6	3.5	40	25	1.0	q	3		1.0			0.1						3.0		C081911	432.21	433.53	0.005		
											2	1	0.8	1.3	25		0.3	q	2					0.1						3.0		C081912	433.53	434.67	0.003		
											1	1	0.6	0.6	30																	C081913	434.67	435.77	0.003		
											2	1	0.4	0.8	30						2.0	5.0							1.0			C081914	435.77	436.86	0.014		
				Odd vein at 437.85m - weakly reactive with HCl but very hard and appears to be a carbonate vein with later fluid flow causing silicification.							3	1	0.6	1.3	30						2.0			0.1						7.0		C081915	436.86	438.30	0.055		
																																C081916				BLANK	
											3	1	0.4	1.0	30	20					1.0			0.1						5.0		C081917	438.30	439.73	0.188		
											4	1	0.6	1.5	30									1.0						4.0		C081918	439.73	440.73	0.049		
											2	4	0.2	0.4	50		0.3	s	3																	
											3	1	1.1	2.6	30	80	0.5	s	3			1.0		2.0						5.0		C081919	440.73	441.66	0.005		
											4	1	0.7	1.8	30	50	0.2	s	2					2.0						6.0		C081920	441.66	442.64	0.006		
				Aspy in selvage of vein.							1	7	0.1	0.1	20		14.0	s	4		2.0			4.0	10.0					2.0		C081921	442.64	443.55	0.035		
											4	1	0.5	1.3	30		2.0	q/s	2																	

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-312C

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide/carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other							
																																	C081922	442.64	443.55		DUP	
											5	1	0.5	1.5	20		1.7	q/s	3		1.0			1.0						7.0			C081923	443.55	444.90	0.005		
				Aspy in selvage as well.							4	1	1.5	4.2	30		4.0	s/q	4		1.0			5.0					1.0	1.0			C081924	444.90	445.90	0.016		
											5	1	1.6	4.3	30						0.1			0.1						3.0			C081925	445.90	447.32	0.012		
											1	4	0.1	0.1	50		3.0	S	3																			
											5	1	1.1	4.0	30																		C081926	447.32	448.60	0.019		
											1	4	0.3	0.3	10						1.0	0.1		2.0						10.0								
				Po disseminated in matrix - up to 1%.							4	1	0.8	2.3	30	25	2.0	S/Q	3		0.1			0.2						5.0			C081927	448.60	449.68	0.036		
											3	4	0.7	1.1	20	140	3.0	S	4		0.1			1.0						5.0								
											4	4	0.4	0.8	20	50																	C081928	449.68	451.04	0.046		
											2	1	0.7	1.2	30		0.2	q/s	2											5.0								
																																	C081929	449.68	451.04		CHECK ASSAY	
																																	C081930				STANDARD 6F	
		451.04		GND, medium grained, medium grey to light green color. Moderate to strong sericitic alteration associated with qtz veins, some fractures and carbonate veins, moderate to high silicification throughout. Qtz, sulfide and carbonate veins present, qtz veins with ill-defined boundaries are common. Sheeted qtz veins are very common throughout section. Xenoliths present throughout unit. Aspy most commonly as well as po and py found disseminated in matrix associated with qtz veins and sericitic alteration. Fracture surfaces commonly at 30-40°, with aspy and py on surfaces that didn't have vein formation.		3		1	1		4	1	1.3	2.6	30		0.6	Q/S	3					1.0						7.0			C081931	451.04	452.24	0.040		
				Section broken up, appears to be mostly along fractures (carbonate veinlets and stringers).							2	4	0.4	0.6	30																		C081932	452.24	453.35	0.007		
				Sericitic alteration along fractures, aspy and po in matrix.							2	1	1.6	1.9	30		0.4	Q/S	3			1.0		2.0						2.0			C081933	453.35	454.33	0.009		
											2	4	0.4	0.6	70	10	5.0	s	3		1.0			1.0					5.0								
				Section is highly broken and altered, sericitic and clay alteration, no veins are discernable but sulfide's present are oxidized.																													C081934	454.33	455.37	0.016		
											2	1	0.4	0.8	25		0.5	q	2											2.0		C081935	455.37	456.70	0.141		
											1	4	0.2	0.2	15		3.0	s	2		0.5			0.5					2.0								
																																	C081936				BLANK	
											5	1	0.5	1.8	30	20						3.0						3.0	2.0		C081937	456.70	458.13	0.029		
				Aspy in selvage of carbonate vein.							1	4	0.2	0.2	35		2.0	s	3		1.0			3.0					2.0								
											3	1	0.6	1.6	25		1.0	q	2			2.0		1.0					1.0			C081938	458.13	459.03	0.064		
											1	4	0.3	0.3	25						0.1			0.1					5.0								
											1	1	0.4	0.4	40	30	0.3	S	2													C081939	459.03	460.04	0.080		
											1	7	1.2	50.0							0.1			2.0					50.0								
											4	1	0.5	1.6	40	60								1.0						5.0		C081940	460.04	461.34	0.009		
											1	4	0.2	0.2	10						1.0				0.1				5.0								
																																	C081941	461.34	462.08	0.023		
																																	C081942	461.34	462.08		DUP	
											1	6	4.1	4.1	50									40.0								C081943	462.08	462.55	3.250		
											2	1	0.5	0.8	30									1.0						2.0								
				Section very broken, no veins discernable but partial veins visible (orientation lost) - sulfide (aspy veinlets/stringers).																													C081944	462.55	463.97	0.022		
											3	1	0.6	1.5	40						2.0			10.0						1.0		C081945	463.97	464.42	0.528		
				Sericitic alteration along fractures with no deposition, aspy found in alteration.							4	1	0.5	1.3	30		4.0	s/q	4			3.0		7.0						3.0		C081946	464.42	465.12	0.008		
											6	1	0.6	1.9	30		0.4	q/s	2		1.0			3.0						5.0		C081947	465.12	466.10	1.530		
											1	7	0.3	0.3	35		3.0	s/q	4		3.0			20.0					20.0	5.0							
				Section has excellent example of sheeted veining, all qtz veins are parallel. Large xenolith present, cross0cut by qtz veins, aspy found in matrix.							14	1	1.4	5.1	35		3.0	s/q	4			1.0		10.0					2.0	2.0		C081948	466.10	467.15	0.015		
											1	4	0.2	0.2	10						0.1			2.0					5.0								
																																	C081949	466.10	467.15		CHECK ASSAY	
																																	C081950				STANDARD 7G	

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-312C

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide/carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL								Oxidation				Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
											7	1	0.8	2.7	30		1.8	Q/S	3			0.1		4.0						2.0			C081951	467.15	468.62	0.025		
											7	1	0.6	2.4	25		1.2	Q/S	3			0.1		2.0						3.0			C081952	468.62	469.38	0.008		
											3	1	0.4	1.0	30		1.0	q	2					1.0						5.0			C081953	469.38	470.22	0.026		
											5	1	0.3	1.1	40		1.0	q	3			0.1		2.0						5.0			C081954	470.22	471.41	0.036		
											1	6	1.4	1.4	50							10.0		3.0						30.0								
											10	1	0.6	2.5	40		2.0	q	3					1.0						3.0			C081955	471.41	472.65	0.017		
																																	C081956				BLANK	
											13	1	0.6	3.7	40		1.2	q	3					2.0						5.0			C081957	472.65	474.10	0.018		
											1	6	0.4	0.4	35		2.0	q/k	4					10.0						50.0								
											3	1	0.5	1.2	40		1.3	q	3					1.0						2.0			C081958	474.10	475.43	0.011		
				Section very broken and rubbled, carbonate veinlets/stringers more common and are associated with fracturing, breakage probably occurred in core tube. Veins are no longer distinguishable, qtz remnants indicate probable width of 0.5cm max and aspy and scordite present in veins.																												C081959	475.43	475.95	0.048		
				Section very broken and rubbled, carbonate veinlets/stringers more common and are associated with fracturing, breakage probably occurred in core tube. Veins are no longer distinguishable, qtz remnants indicate probable width of 0.5cm max and aspy and scordite present in veins.																												C081960	475.95	476.50	0.028		
				Section very broken and rubbled, carbonate veinlets/stringers more common and are associated with fracturing, breakage probably occurred in core tube. Veins are no longer distinguishable, qtz remnants indicate probable width of 0.5cm max and aspy and scordite present in veins.																												C081961	476.50	478.08	0.046		
																																	C081962	476.50	478.08		DUP	
											2	1	0.8	1.3	30									2.0						4.0			C081963	478.08	478.88	0.007		
				Section very broken and rubbled, carbonate veinlets/stringers more common and are associated with fracturing, breakage probably occurred in core tube. Veins are no longer distinguishable, qtz remnants indicate probable width of 0.5cm max and aspy and scordite present in veins.																												C081964	478.88	479.42	0.006		
											4	1	2.5	3.4	30		3.0	q	4					2.0						7.0			C081965	479.42	480.70	0.003		
				Py found on fracture surfaces, orientation is variable.							3	1	0.4	1.1	40									0.1						5.0			C081966	480.70	481.57	0.011		
				Section very broken and has undergone moderate to strong sericitic alteration, with trace aspy and py in matrix and along fracture surfaces. No veins discernable.																												C081967	481.57	482.05	0.010		
				Section very broken and has undergone moderate to strong sericitic alteration, with trace aspy and py in matrix and along fracture surfaces. No veins discernable.																												C081968	482.05	483.57	0.063		
																																	C081969	482.05	483.57		CHECK ASSAY	
																																	C081970				STANDARD 3C	
				Section very broken and has undergone moderate to strong sericitic alteration, with trace aspy and py in matrix and along fracture surfaces.							2	1	0.6	1.0	20									1.0						2.0			C081971	483.57	484.81	0.042		
											3	1	3.0	0.6	30						1.0			2.0						5.0			C081972	484.81	486.10	0.021		
											6	1	0.6	2.0	30		2.0	q	3					2.0						5.0			C081973	486.10	487.51	0.074		
											4	6	0.2	0.6	30		5.0	s/q	3					15.0		1.0		2.0	2.0								
											5	1	0.3	1.1	30		2.0	q/s	4														C081974	487.51	489.09	0.006		
											2	6	0.2	0.4	30		4.0	s/q	3					25.0				10.0	4.0								
											1	1	0.3	0.3	30		1.3	q	3			5.0											C081975	489.09	490.35	0.005		
																																	C081976				BLANK	
											1	1	0.2	0.2	20		0.4	q	2														C081977	490.35	491.70	0.010		
											1	6	0.4	0.4	50		8.0	q/s	4		15.0			10.0				20.0	5.0				C081978	491.70	493.02	0.039		
											1	1	0.3	0.3	30									2.0						3.0								
											3	6	0.3	0.6	30		3.0	s/q	3			15.0							10.0				C081979	493.02	494.45	0.012		
											3	6	0.3	0.7	30		1.3	s/q	3			10.0		10.0					15.0				C081980	494.45	495.48	0.018		
											4	1	1.1	2.2	45		1.0	q	4														C081981	495.48	496.61	0.003		
											3	6	1.2	2.2	45		1.4	q/s	3			5.0		10.0					10.0	30.0							
																																	C081982	495.48	496.61		DUP	
											4	1	0.6	1.9	30		0.4	q	3			1.0		2.0					1.0	1.0			C081983	496.61	498.04	0.008		
											4	6	2.0	4.1	30		1.5	q/s	3			2.0		5.0						30.0								

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-312C

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide/carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																					Sulphides								Oxidation												
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
											3	1	0.8	1.2	30		12.0	q	5		1.0			1.0					1.0	5.0			C081984	498.04	499.17	0.008		
											1	1	0.8	0.8	30									0.1									C081985	499.17	500.09	0.003		
											5	1	1.0	2.6	30		1.0	q	3					1.0						2.0			C081986	500.09	501.40	0.010		
											2	1	0.9	1.5	30		2.0	q	3					5.0						2.0			C081987	501.40	502.31	0.005	EOH	

From-To Sheet DG06-312C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C081385	2.13	2.44	0.310		
C081386	2.44	3.48	1.040		
C081387	3.48	4.30	0.820		
C081388	4.30	5.49	1.190		
C081389	4.30	5.49	1.190	CHECK ASSAY	
C081390				STANDARD 3C	0.091
C081391	5.49	6.89	1.400		
C081392	6.89	8.04	1.150		
C081393	8.04	9.36	1.320		
C081394	9.36	10.06	0.700		
C081395	10.06	11.15	1.090		
C081396				BLANK	
C081397	11.15	12.29	1.140		
C081398	12.29	13.28	0.990		
C081399	13.28	14.20	0.920		
C081400	14.20	15.78	1.580		
C081401	15.78	17.43	1.650		
C081402	15.78	17.43	1.650	DUP	
C081403	17.43	18.06	0.630		
C081404	18.06	19.40	1.340		
C081405	19.40	20.58	1.180		
C081406	20.58	21.10	0.520		
C081407	21.10	21.85	0.750		
C081408	21.85	22.25	0.400		
C081409	21.85	22.25	0.400	CHECK ASSAY	
C081410				STANDARD 2B	3.02
C081411	22.25	23.02	0.770		
C081412	23.02	23.77	0.750		
C081413	23.77	25.30	1.530		
C081414	25.30	25.70	0.400		
C081415	25.70	26.50	0.800		
C081416				BLANK	
C081417	26.50	27.24	0.740		
C081418	27.24	28.57	1.330		
C081419	28.57	29.11	0.540		
C081420	29.11	30.04	0.930		
C081421	30.04	30.47	0.430		
C081422	30.04	30.47	0.430	DUP	
C081423	30.47	31.27	0.800		
C081424	31.27	32.40	1.130		
C081425	32.40	32.92	0.520		
C081426	32.92	33.66	0.740		
C081427	33.66	34.92	1.260		
C081428	34.92	36.30	1.380		
C081429	34.92	36.30	1.380	CHECK ASSAY	
C081430				STANDARD 3C	0.091

From-To Sheet DG06-312C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C081431	36.30	37.20	0.900		
C081432	37.20	38.10	0.900		
C081433	38.10	38.68	0.580		
C081434	38.68	39.36	0.680		
C081435	39.36	40.27	0.910		
C081436				BLANK	
C081437	40.27	41.24	0.970		
C081438	41.24	41.84	0.600		
C081439	41.84	42.69	0.850		
C081440	42.69	43.59	0.900		
C081441	43.59	44.32	0.730		
C081442	43.59	44.32	0.730	DUP	
C081443	44.32	45.11	0.790		
C081444	45.11	46.63	1.520		
C081445	46.63	47.58	0.950		
C081446	47.58	48.60	1.020		
C081447	48.60	49.15	0.550		
C081448	49.15	49.90	0.750		
C081449	49.15	49.90	0.750	CHECK ASSAY	
C081450				STANDARD 4D	0.00043
C081451	49.90	51.21	1.310		
C081452	51.21	52.73	1.520		
C081453	52.73	53.89	1.160		
C081454	53.89	55.17	1.280		
C081455	55.17	55.78	0.610		
C081456				BLANK	
C081457	55.78	57.02	1.240		
C081458	57.02	58.11	1.090		
C081459	58.11	59.02	0.910		
C081460	59.02	59.90	0.880		
C081461	59.90	61.17	1.270		
C081462	59.90	61.17	1.270	DUP	
C081463	61.17	62.14	0.970		
C081464	62.14	63.20	1.060		
C081465	63.20	63.41	0.210		
C081466	63.41	65.37	1.960		
C081467	65.37	66.43	1.060		
C081468	66.43	67.20	0.770		
C081469	66.43	67.20	0.770	CHECK ASSAY	
C081470				STANDARD 5E	0.00143
C081471	67.20	67.97	0.770		
C081472	67.97	69.02	1.050		
C081473	69.02	70.20	1.180		
C081474	70.20	71.40	1.200		
C081475	71.40	72.02	0.620		
C081476				BLANK	

From-To Sheet DG06-312C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C081477	72.02	72.90	0.880		
C081478	72.90	73.69	0.790		
C081479	73.69	74.55	0.860		
C081480	74.55	75.59	1.040		
C081481	75.59	76.50	0.910		
C081482	75.59	76.50	0.910	DUP	
C081483	76.50	77.76	1.260		
C081484	77.76	78.64	0.880		
C081485	78.64	79.63	0.990		
C081486	79.63	80.75	1.120		
C081487	80.75	81.86	1.110		
C081488	81.86	83.21	1.350		
C081489	81.86	83.21	1.350	CHECK ASSAY	
C081490				STANDARD 6F	2.77
C081491	83.21	84.73	1.520		
C081492	84.73	86.08	1.350		
C081493	86.08	86.70	0.620		
C081494	86.70	87.14	0.440		
C081495	87.14	87.78	0.640		
C081496				BLANK	
C081497	87.78	89.00	1.220		
C081498	89.00	90.60	1.600		
C081499	90.60	91.36	0.760		
C081500	91.36	92.58	1.220		
C081501	92.58	92.98	0.400		
C081502	92.58	92.98	0.400	DUP	
C081503	92.98	93.80	0.820		
C081504	93.80	94.18	0.380		
C081505	94.18	95.10	0.920		
C081506	95.10	96.62	1.520		
C081507	96.62	97.56	0.940		
C081508	97.56	98.58	1.020		
C081509	97.56	98.58	1.020	CHECK ASSAY	
C081510				STANDARD 7G	4.46
C081511	98.58	99.97	1.390		
C081512	99.97	100.60	0.630		
C081513	100.60	101.50	0.900		
C081514	101.50	102.31	0.810		
C081515	102.31	103.37	1.060		
C081516				BLANK	
C081517	103.37	104.68	1.310		
C081518	104.68	105.34	0.660		
C081519	105.34	106.19	0.850		
C081520	106.19	107.10	0.910		
C081521	107.10	108.51	1.410		
C081522	107.10	108.51	1.410	DUP	

From-To Sheet DG06-312C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C081523	108.51	109.75	1.240		
C081524	109.75	110.47	0.720		
C081525	110.47	111.60	1.130		
C081526	111.60	112.55	0.950		
C081527	112.55	113.29	0.740		
C081528	113.29	113.98	0.690		
C081529	113.29	113.98	0.690	CHECK ASSAY	
C081530				STANDARD 3C	0.091
C081531	113.98	115.21	1.230		
C081532	115.21	116.09	0.880		
C081533	116.09	117.16	1.070		
C081534	117.16	118.80	1.640		
C081535	118.80	119.68	0.880		
C081536				BLANK	
C081537	119.68	121.11	1.430		
C081538	121.11	122.30	1.190		
C081539	122.30	123.33	1.030		
C081540	123.33	124.60	1.270		
C081541	124.60	125.70	1.100		
C081542	124.60	125.70	1.100	DUP	
C081543	125.70	126.77	1.070		
C081544	126.77	127.33	0.560		
C081545	127.33	128.37	1.040		
C081546	128.37	129.03	0.660		
C081547	129.03	129.83	0.800		
C081548	129.83	130.60	0.770		
C081549	129.83	130.60	0.770	CHECK ASSAY	
C081550				STANDARD 4D	0.00043
C081551	130.60	131.48	0.880		
C081552	131.48	132.48	1.000		
C081553	132.48	133.40	0.920		
C081554	133.40	134.80	1.400		
C081555	134.80	135.22	0.420		
C081556				BLANK	
C081557	135.22	136.84	1.620		
C081558	136.84	137.60	0.760		
C081559	137.60	138.60	1.000		
C081560	138.60	139.09	0.490		
C081561	139.09	140.20	1.110		
C081562	139.09	140.20	1.110	DUP	
C081563	140.20	141.34	1.140		
C081564	141.34	142.17	0.830		
C081565	142.17	142.65	0.480		
C081566	142.65	143.90	1.250		
C081567	143.90	144.51	0.610		
C081568	144.51	145.05	0.540		

From-To Sheet DG06-312C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C081569	144.51	145.05	0.540	CHECK ASSAY	
C081570				STANDARD 5E	0.00143
C081571	145.05	145.85	0.800		
C081572	145.85	146.79	0.940		
C081573	146.79	147.80	1.010		
C081574	147.80	148.74	0.940		
C081575	148.74	149.07	0.330		
C081576				BLANK	
C081577	149.07	149.85	0.780		
C081578	149.85	150.65	0.800		
C081579	150.65	151.65	1.000		
C081580	151.65	152.75	1.100		
C081581	152.75	153.91	1.160		
C081582	152.75	153.91	1.160	DUP	
C081583	153.91	155.18	1.270		
C081584	155.18	156.10	0.920		
C081585	156.10	157.23	1.130		
C081586	157.23	158.15	0.920		
C081587	158.15	159.07	0.920		
C081588	159.07	160.10	1.030		
C081589	159.07	160.10	1.030	CHECK ASSAY	
C081590				STANDARD 6F	2.77
C081591	160.10	161.50	1.400		
C081592	161.50	162.98	1.480		
C081593	162.98	163.75	0.770		
C081594	163.75	164.69	0.940		
C081595	164.69	165.50	0.810		
C081596				BLANK	
C081597	165.50	166.23	0.730		
C081598	166.23	167.10	0.870		
C081599	167.10	168.47	1.370		
C081600	168.47	169.83	1.360		
C081601	169.83	170.20	0.370		
C081602	169.83	170.20	0.370	DUP	
C081603	170.20	171.46	1.260		
C081604	171.46	172.57	1.110		
C081605	172.57	173.37	0.800		
C081606	173.37	174.46	1.090		
C081607	174.46	175.66	1.200		
C081608	175.66	176.46	0.800		
C081609	175.66	176.46	0.800	CHECK ASSAY	
C081610				STANDARD 1A	0.88
C081611	176.46	177.70	1.240		
C081612	177.70	179.07	1.370		
C081613	179.07	180.54	1.470		
C081614	180.54	181.40	0.860		

From-To Sheet DG06-312C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C081615	181.40	182.27	0.870		
C081616				BLANK	
C081617	182.27	183.47	1.200		
C081618	183.47	184.84	1.370		
C081619	184.84	186.23	1.390		
C081620	186.23	187.16	0.930		
C081621	187.16	188.20	1.040		
C081622	187.16	188.20	1.040	DUP	
C081623	188.20	188.56	0.360		
C081624	188.56	190.00	1.440		
C081625	190.00	190.69	0.690		
C081626	190.69	191.41	0.720		
C081627	191.41	192.27	0.860		
C081628	192.27	192.75	0.480		
C081629	192.27	192.75	0.480	CHECK ASSAY	
C081630				STANDARD 7G	4.46
C081631	192.75	193.99	1.240		
C081632	193.99	194.87	0.880		
C081633	194.87	196.32	1.450		
C081634	196.32	197.71	1.390		
C081635	197.71	199.97	2.260		
C081636				BLANK	
C081637	199.97	200.48	0.510		
C081639	200.48	201.55	1.070		
C081640	201.55	202.60	1.050		
C081641	202.60	203.86	1.260		
C081642	202.60	203.86	1.260	DUP	
C081643	203.86	204.73	0.870		
C081644	204.73	205.88	1.150		
C081645	205.88	206.65	0.770		
C081646	206.65	207.67	1.020		
C081647	207.67	208.54	0.870		
C081648	208.54	209.70	1.160		
C081649	208.54	209.70	1.160	CHECK ASSAY	
C081650				STANDARD 3C	0.091
C081651	209.70	210.60	0.900		
C081652	210.60	211.24	0.640		
C081653	211.24	212.33	1.090		
C081654	212.33	213.28	0.950		
C081655	213.28	214.54	1.260		
C081656				BLANK	
C081657	214.54	215.80	1.260		
C081658	215.80	216.75	0.950		
C081659	216.75	218.24	1.490		
C081660	218.24	219.70	1.460		
C081661	219.70	220.99	1.290		

From-To Sheet DG06-312C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C081662	219.70	220.99	1.290	DUP	
C081663	220.99	222.10	1.110		
C081664	222.10	222.98	0.880		
C081665	222.98	223.87	0.890		
C081666	223.87	225.25	1.380		
C081667	225.25	226.06	0.810		
C081668	226.06	227.35	1.290		
C081669	226.06	227.35	1.290	CHECK ASSAY	
C081670				STANDARD 4D	0.00043
C081671	227.35	228.44	1.090		
C081672	228.44	229.70	1.260		
C081673	229.70	230.65	0.950		
C081674	230.65	231.75	1.100		
C081675	231.75	232.95	1.200		
C081676				BLANK	
C081677	232.95	234.09	1.140		
C081678	234.09	235.36	1.270		
C081679	235.36	236.82	1.460		
C081680	236.82	237.88	1.060		
C081681	237.88	238.75	0.870		
C081682	238.75	239.46	0.710	DUP	
C081683	238.75	239.46	0.710		
C081684	239.46	240.78	1.320		
C081685	240.78	241.57	0.790		
C081686	241.57	242.62	1.050		
C081687	242.62	243.47	0.850		
C081688	243.47	244.71	1.240		
C081689	243.47	244.71	1.240	CHECK ASSAY	
C081690				STANDARD 5E	0.00143
C081691	244.71	245.76	1.050		
C081692	245.76	246.48	0.720		
C081693	246.48	247.80	1.320		
C081694	247.80	248.46	0.660		
C081695	248.46	249.66	1.200		
C081696				BLANK	
C081697	249.66	251.00	1.340		
C081698	251.00	252.53	1.530		
C081699	252.53	253.74	1.210		
C081700	253.74	255.11	1.370		
C081701	255.11	255.70	0.590		
C081702	255.11	255.70	0.590	DUP	
C081703	255.70	256.66	0.960		
C081704	256.66	257.96	1.300		
C081705	257.96	259.90	1.940		
C081706	259.90	260.36	0.460		
C081707	260.36	261.52	1.160		

From-To Sheet DG06-312C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C081708	261.52	262.43	0.910		
C081709	261.52	262.43	0.910	CHECK ASSAY	
C081710				STANDARD 6F	2.77
C081711	262.43	263.36	0.930		
C081712	263.36	264.70	1.340		
C081713	264.70	265.82	1.120		
C081714	265.82	267.50	1.680		
C081715	267.50	268.51	1.010		
C081716				BLANK	
C081717	268.51	269.05	0.540		
C081718	269.05	269.85	0.800		
C081719	269.85	271.14	1.290		
C081720	271.14	271.88	0.740		
C081721	271.88	273.67	1.790	DUP	
C081722	271.88	273.67	1.790		
C081723	273.67	274.87	1.200		
C081724	274.87	275.62	0.750		
C081725	275.62	276.45	0.830		
C081726	276.45	277.75	1.300		
C081727	277.75	278.75	1.000		
C081728	278.75	279.96	1.210		
C081729	278.75	279.96	1.210	CHECK ASSAY	
C081730				STANDARD 6F	2.77
C081731	279.96	281.34	1.380		
C081732	281.34	282.70	1.360		
C081733	282.70	283.93	1.230		
C081734	283.93	285.11	1.180		
C081735	285.11	286.31	1.200		
C081736				BLANK	
C081737	286.31	287.51	1.200		
C081738	287.51	288.95	1.440		
C081739	288.95	289.73	0.780		
C081740	289.73	290.30	0.570		
C081741	290.30	291.60	1.300		
C081742	290.30	291.60	1.300	DUP	
C081743	291.60	292.00	0.400		
C081744	292.00	293.50	1.500		
C081745	293.50	294.23	0.730		
C081746	294.23	295.05	0.820		
C081747	295.05	296.21	1.160		
C081748	296.21	297.10	0.890		
C081749	296.21	297.10	0.890	CHECK ASSAY	
C081750				STANDARD 3C	0.091
C081751	297.10	297.53	0.430		
C081752	297.53	298.09	0.560		
C081753	298.09	298.70	0.610		

From-To Sheet DG06-312C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C081754	298.70	299.60	0.900		
C081755	299.60	300.28	0.680		
C081756				BLANK	
C081757	300.28	300.97	0.690		
C081758	300.97	301.41	0.440		
C081759	301.41	302.32	0.910		
C081760	302.32	303.52	1.200		
C081761	303.52	304.80	1.280		
C081762	303.52	304.80	1.280	DUP	
C081763	304.80	305.62	0.820		
C081764	305.62	306.52	0.900		
C081765	306.52	307.24	0.720		
C081766	307.24	308.69	1.450		
C081767	308.69	309.89	1.200		
C081768	309.89	310.29	0.400		
C081769	309.89	310.29	0.400	CHECK ASSAY	
C081770				STANDARD 4D	0.00043
C081771	310.29	310.77	0.480		
C081772	310.77	311.33	0.560		
C081773	311.33	312.20	0.870		
C081774	312.20	313.33	1.130		
C081775	313.33	314.33	1.000		
C081776				BLANK	
C081777	314.33	314.96	0.630		
C081778	314.96	315.45	0.490		
C081779	315.45	316.38	0.930		
C081780	316.38	317.55	1.170		
C081781	317.55	318.21	0.660		
C081782	317.55	318.21	0.660	DUP	
C081783	318.21	319.43	1.220		
C081784	319.43	320.40	0.970		
C081785	320.40	321.41	1.010		
C081786	321.41	322.48	1.070		
C081787	322.48	323.55	1.070		
C081788	323.55	324.24	0.690		
C081789	323.55	324.24	0.690	CHECK ASSAY	
C081790				STANDARD 5E	0.00143
C081791	324.24	325.37	1.130		
C081792	325.37	326.76	1.390		
C081793	326.76	328.48	1.720		
C081794	328.48	329.80	1.320		
C081795	329.80	331.00	1.200		
C081796				BLANK	
C081797	331.00	332.46	1.460		
C081798	332.46	333.66	1.200		
C081799	333.66	335.02	1.360		

From-To Sheet DG06-312C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C081800	335.02	336.33	1.310		
C081801	336.33	337.72	1.390		
C081802	336.33	337.72	1.390	DUP	
C081803	337.72	339.10	1.380		
C081804	339.10	339.85	0.750		
C081805	339.85	341.25	1.400		
C081806	341.25	341.82	0.570		
C081807	341.82	342.71	0.890		
C081808	342.71	344.01	1.300		
C081809	342.71	344.01	1.300	CHECK ASSAY	
C081810				STANDARD 2B	3.02
C081811	344.01	345.50	1.490		
C081812	345.50	345.96	0.460		
C081813	345.96	346.86	0.900		
C081814	346.86	347.86	1.000		
C081815	347.86	348.36	0.500		
C081816				BLANK	
C081817	348.36	349.51	1.150		
C081818	349.51	350.68	1.170		
C081819	350.68	351.28	0.600		
C081820	351.28	352.23	0.950		
C081821	352.23	353.50	1.270		
C081822	352.23	353.50	1.270	DUP	
C081823	353.50	355.20	1.700		
C081824	355.20	356.09	0.890		
C081825	356.09	357.14	1.050		
C081826	357.14	358.30	1.160		
C081827	358.30	359.65	1.350		
C081828	359.65	360.61	0.960		
C081829	359.65	360.61	0.960	CHECK ASSAY	
C081830				STANDARD 6F	2.77
C081831	360.61	361.77	1.160		
C081832	361.77	362.30	0.530		
C081833	362.30	363.50	1.200		
C081834	363.50	364.40	0.900		
C081835	364.40	365.40	1.000		
C081836				BLANK	
C081837	365.40	366.25	0.850		
C081838	366.25	367.46	1.210		
C081839	367.46	368.79	1.330		
C081840	368.79	369.81	1.020		
C081841	369.81	371.25	1.440		
C081842	369.81	371.25	1.440	DUP	
C081843	371.25	372.41	1.160		
C081844	372.41	373.88	1.470		
C081845	373.88	374.33	0.450		

From-To Sheet DG06-312C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C081846	374.33	376.66	2.330		
C081847	376.66	378.11	1.450		
C081848	378.11	378.99	0.880		
C081849	378.11	378.99	0.880	CHECK ASSAY	
C081850				STANDARD 7G	4.46
C081851	378.99	379.62	0.630		
C081852	379.62	380.74	1.120		
C081853	380.74	381.80	1.060		
C081854	381.80	382.42	0.620		
C081855	382.42	383.49	1.070		
C081856				BLANK	
C081857	383.49	384.27	0.780		
C081858	384.27	384.86	0.590		
C081859	384.86	386.09	1.230		
C081860	386.09	386.49	0.400		
C081861	386.49	387.70	1.210		
C081862	386.49	387.70	1.210	DUP	
C081863	387.70	388.59	0.890		
C081864	388.59	389.53	0.940		
C081865	389.53	390.20	0.670		
C081866	390.20	391.00	0.800		
C081867	391.00	392.85	1.850		
C081868	392.85	393.91	1.060		
C081869	392.85	393.91	1.060	CHECK ASSSAY	
C081870				STANDARD 3C	0.091
C081871	393.91	395.38	1.470		
C081872	395.38	396.75	1.370		
C081873	396.75	398.05	1.300		
C081874	398.05	399.02	0.970		
C081875	399.02	400.30	1.280		
C081876				BLANK	
C081877	400.30	401.51	1.210		
C081878	401.51	403.00	1.490		
C081879	403.00	404.15	1.150		
C081880	404.15	405.45	1.300		
C081881	405.45	406.10	0.650		
C081882	405.45	406.10	0.650	DUP	
C081883	406.10	407.52	1.420		
C081884	407.52	408.80	1.280		
C081885	408.80	409.75	0.950		
C081886	409.75	411.15	1.400		
C081887	411.15	412.34	1.190		
C081888	412.34	413.01	0.670		
C081889	412.34	413.01	0.670	CHECK ASSAY	
C081890				STANDARD 4D	0.00043
C081891	413.01	414.49	1.480		

From-To Sheet DG06-312C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C081892	414.49	415.77	1.280		
C081893	415.77	416.97	1.200		
C081894	416.97	417.93	0.960		
C081895	417.93	419.33	1.400		
C081896				BLANK	
C081897	419.33	420.60	1.270		
C081898	420.60	421.65	1.050		
C081899	421.65	422.90	1.250		
C081900	422.90	424.26	1.360		
C081901	424.26	425.68	1.420		
C081902	424.26	425.68	1.420	DUP	
C081903	425.68	426.67	0.990		
C081904	426.67	428.06	1.390		
C081905	428.06	429.23	1.170		
C081906	429.23	430.00	0.770		
C081907	430.00	430.83	0.830		
C081908	430.83	432.21	1.380		
C081909	430.83	432.21	1.380	CHECK ASSAY	
C081910				STANDARD 5E	0.00143
C081911	432.21	433.53	1.320		
C081912	433.53	434.67	1.140		
C081913	434.67	435.77	1.100		
C081914	435.77	436.86	1.090		
C081915	436.86	438.30	1.440		
C081916				BLANK	
C081917	438.30	439.73	1.430		
C081918	439.73	440.73	1.000		
C081919	440.73	441.66	0.930		
C081920	441.66	442.64	0.980		
C081921	442.64	443.55	0.910		
C081922	442.64	443.55	0.910	DUP	
C081923	443.55	444.90	1.350		
C081924	444.90	445.90	1.000		
C081925	445.90	447.32	1.420		
C081926	447.32	448.60	1.280		
C081927	448.60	449.68	1.080		
C081928	449.68	451.04	1.360		
C081929	449.68	451.04	1.360	CHECK ASSAY	
C081930				STANDARD 6F	2.77
C081931	451.04	452.24	1.200		
C081932	452.24	453.35	1.110		
C081933	453.35	454.33	0.980		
C081934	454.33	455.37	1.040		
C081935	455.37	456.70	1.330		
C081936				BLANK	
C081937	456.70	458.13	1.430		

From-To Sheet DG06-312C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C081938	458.13	459.03	0.900		
C081939	459.03	460.04	1.010		
C081940	460.04	461.34	1.300		
C081941	461.34	462.08	0.740		
C081942	461.34	462.08	0.740	DUP	
C081943	462.08	462.55	0.470		
C081944	462.55	463.97	1.420		
C081945	463.97	464.42	0.450		
C081946	464.42	465.12	0.700		
C081947	465.12	466.10	0.980		
C081948	466.10	467.15	1.050		
C081949	466.10	467.15	1.050	CHECK ASSAY	
C081950				STANDARD 7G	4.46
C081951	467.15	468.62	1.470		
C081952	468.62	469.38	0.760		
C081953	469.38	470.22	0.840		
C081954	470.22	471.41	1.190		
C081955	471.41	472.65	1.240		
C081956				BLANK	
C081957	472.65	474.10	1.450		
C081958	474.10	475.43	1.330		
C081959	475.43	475.95	0.520		
C081960	475.95	476.50	0.550		
C081961	476.50	478.08	1.580		
C081962	476.50	478.08	1.580	DUP	
C081963	478.08	478.88	0.800		
C081964	478.88	479.42	0.540		
C081965	479.42	480.70	1.280		
C081966	480.70	481.57	0.870		
C081967	481.57	482.05	0.480		
C081968	482.05	483.57	1.520		
C081969	482.05	483.57	1.520	CHECK ASSAY	
C081970				STANDARD 3C	0.091
C081971	483.57	484.81	1.240		
C081972	484.81	486.10	1.290		
C081973	486.10	487.51	1.410		
C081974	487.51	489.09	1.580		
C081975	489.09	490.35	1.260		
C081976				BLANK	
C081977	490.35	491.70	1.350		
C081978	491.70	493.02	1.320		
C081979	493.02	494.45	1.430		
C081980	494.45	495.48	1.030		
C081981	495.48	496.61	1.130		
C081982	495.48	496.61	1.130	DUP	
C081983	496.61	498.04	1.430		

From-To Sheet DG06-312C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C081984	498.04	499.17	1.130		
C081985	499.17	500.09	0.920		
C081986	500.09	501.40	1.310		
C081987	501.40	502.31	0.910	EOH	

DG06-312C Relfex readings, June 11, 2006

Depth (meters below surface)	Azimuth (degreg's)	Corrected Azimuth (degree's)	Dip (dgree's from horizontal)	Magnetic field	Temperature (celcius)
148.74	152.6	178.1	-61.5	5807	18.2
224.94	152.6	178.1	-61.6	5808	16.8
298.09	153.8	179.3	-61.4	5811	12.5
377.34	157.7	183.2	-61.5	5813	14.3
450.49	159.6	185.1	-61	5821	12.9
502.31	159.9	185.4	-60.4	5806	14.4

GEOTECHNICAL SUMMARY SHEET

PROJECT: Dublin Gulch - 1735	
DRILL HOLE NO: DG06-312C	
Date Started: June 12, 2006	**Date Completed: June 21, 2006**
Geoteched By: Stacy Doyle, Jason Kindrat, Mike Giasson, Marc Mains	
Contractor: DJ Drilling	
Hole Size: HQ	**Core Size:** HQ
Total Depth: 502.31m	**Elevation:** 1155m
Average RQD: 57%	**Average Recovery Rate: 94%**

	Easting	**Northing**
DDH NAD27		
NAD27	460299	7099790
NAD83	460176	7099980
	Azimuth	**Dip**
Original	180	-60
End of Hole	185.4	-60.4
Additional Comments:	No Dry pictures for Boxes: 59-60, 64-66, 67-69 due to rain.	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-312C_ Sheet:__1___ of __6__

Date:__June 12-June 22, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length										Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE	Fault Breccia / Gouge	Broken Core	
Casing	0	2.13	2.13		0		0		-												Casing
GND	2.13	2.44	0.31	0.82	100	0.62	100	R4	-	FS	3	PR/SR	1	PR	1	SR			0	0	V. Competent
	2.44	3.96	1.52	1.44	95	1.18	78	R4	-	FS	6	IR/PR	1	IR	1	SR			0	22	
	3.96	5.49	1.53	1.52	99	1.24	81	R4	-	FS	5	PR	1	PR	4	PR			0	19	
	5.49	7.01	1.52	1.11	73	0.47	31	R3/R4	-	SW/FS	2	SR	5	SR	4	SR/PR			0	69	
	7.01	8.53	1.52	1.12	74	0.28	18	R1/R4	-	HW/FS	3	SR	2	SR/PR	2	SR			15	67	
	8.53	10.06	1.53	1.33	87	0.53	35	R1/R4	-	HW/FS	5	IR/SR	5	IR/SR	2	SR/PR	4	CR/SR	5	60	
	10.06	11.58	1.52	1.35	89	0.69	45	R4	-	FS	5	SR/PR	4	SR/PR	1	PR	1	SR	0	55	
	11.58	13.11	1.53	1.35	88	0.78	51	R0/R4	-	HW/FS	5	SR/PR	1	CR	4	PR/CR	1	SR	16	33	
	13.11	14.63	1.52	1.15	76	0.39	26	R3/R4	-	SW/FS	3	IR/SR	5	IR/PR	1	IR	2	SR	0	74	
	14.63	16.15	1.52	0.8	53	0	0	R1/R4	-	HW/FS									40	60	
	16.15	17.68	1.53	0.8	52	0	0	R1/R2	-	HW/FS									10	90	EX. BROKEN
	17.68	19.2	1.52	0.5	33	0	0	R0/R2	-	EW/SW									50	50	
	19.2	20.73	1.53	1.18	77	0.46	30	R1/R3	-	HW/FS	5	PS	1	PS					3	67	
	20.73	22.25	1.52	1.5	99	0.83	55	R3	-	FS/FR	4	PS/SS							0	45	
	22.25	23.77	1.52	1.47	97	0.7	46	R3/R3	-	FS/FR	1	PS	1	PS	2	PS			0	54	
	23.77	25.3	1.53	1.34	88	0.98	64	R3/R4	-	FS/FR	3	IR/PS	2	PS	2	PS			0	36	
	25.3	26.82	1.52	1.4	92	1.39	91	R3/R4	-	FR	6	SS/PS							0	9	V. Competent
	26.82	28.35	1.53	1.54	100	1.07	70	R4	-	FR	6	SR/PR							0	30	
	28.35	29.87	1.52	1.15	76	0.83	55	R3/R4	-	FS/FR	3	PR	1	PS	2	PS			0	45	
	29.87	31.39	1.52	1.33	88	0.6	39	R4	-	FS/FR	2	PR	4	PR					0	61	
	31.39	32.92	1.53	1.4	92	0.8	52	R2/R4	-	MW/FR	7	PS/SS	3	PS/US					3	45	
	32.92	34.44	1.52	1.54	100	1.2	79	R3/R4	-	FR	6	SR/PR							0	21	
	34.44	35.97	1.53	1.54	100	0.97	63	R1/R4	-	HW/FR	4	SR/PR	4	PR					2	35	
	35.97	37.49	1.52	1.38	91	1.02	67	R4	-	FS/FR	5	SS/PS	5	PS					0	33	
	37.49	39.01	1.52	1.38	91	0.94	62	R3/R4	-	FS/FR	1	PS	3	PS					0	38	
	39.01	40.45	1.44	1.43	99	0.64	44	R1/R3	-	HW/FR	2	PS/IR	1	PS			1	PS	2	54	
	40.45	42.06	1.61	1.53	95	0.92	57	R3/R4	-	SW/FR	4	IR/PR	4	PS/US					0	43	
	42.06	43.59	1.53	1.34	88	1.06	69	R1/R3	-	HW/FR	5	IR/SR			1	PS			4	27	
	43.59	45.11	1.52	1.1	72	0.7	46	R3/R4	-	SW/FR	4	PS/SS			2	PS/SS			0	54	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-312C_ Sheet:__2___ of __6__

Date:__June 12-June 22, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length										Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE	Fault Breccia / Gouge	Broken Core	
	45.11	46.63	1.52	1.34	88	1.12	74	R3	-	SW/FR	8	SS/CS							0	26	OCCURRED
	46.63	48.16	1.53	1.45	95	0.77	50	R3/R4	-	FS/FR	7	PS/SS	3	PS			1	PS	0	50	
	48.16	49.68	1.52	1.2	79	0	0	R3	-	FS/FR									1	99	EX. BROKEN
	49.68	51.21	1.53	1.08	71	0	0	R2/R3	-	FS/FR									2	98	
	51.21	52.73	1.52	1.34	88	1.04	68	R3	-	SW/FR	7	IR/PR	1	CS			2	PS	2	30	
	52.73	54.25	1.52	1.5	99	1.26	83	R3/R4	-	FR	4	IR/SR	4	PS			2	PS	0	17	
	54.25	55.78	1.53	1.34	88	0.77	50	R3/R4	-	FR	7	SS/PS	2	PS	2	SS/PS			1	49	
	55.78	57.3	1.52	1.43	94	1.3	86	R3	-	FR	9	SS/PS			1	SR			1	13	
	57.3	58.83	1.53	1.38	90	0.7	46	R3	-	FR	7	PS/US			2	PS			0	54	
	58.83	60.35	1.52	1.48	97	0.53	35	R3	-	FR	5	PS/CS	1	PS					0	65	
	60.35	61.87	1.52	1.3	86	0.76	50	R3	-	FS/FR	5	PS	2				1	PS	0	50	
	61.87	63.4	1.53	1.52	99	0.5	33	R1/R3	-	HW/FR			4	PR	2	IR/PR	2	CR/UR	1	66	
	63.4	64.92	1.52	1.11	73	0.33	22	R1/R3	-	HW/FR	2	PR					2	UR/PR	1	77	
	64.92	66.45	1.53	1.35	88	1.01	66	R2/R3	-	SW/FR	7	IR	1	IR					2	32	
	66.45	67.97	1.52	1.46	96	1.08	71	R2/R3	-	SW/FR	9	IR	1	IR					2	29	
	67.97	69.49	1.52	1.52	100	1.15	76	R3	-	FR	2	IR	7	IR	2	IR/SR	1	IR	0	23	
	69.49	71.02	1.53	1.31	86	0.55	36	R1/R2	-	HW/FW	4	SS/CS							2	62	
	71.02	72.54	1.52	1.44	95	0.88	58	R2/R3	-	MW/FR	6	PS/US	6	SS/PS					2	40	
	72.54	74.07	1.53	1.39	91	1.12	73	R2/R3	-	FR	5	PR/SR	3	PS			2	PS	0	27	
	74.07	75.59	1.52	1.53	100	0.97	64	R3	-	SW/FR	9	PS/SS			1	SS			0	36	
	75.59	77.11	1.52	1.29	85	0.7	46	R3/R4	-	SW/FR	7	SS/PS			1	PS			1	53	
	77.11	78.64	1.53	1.36	89	0.18	12	R1/R3	-	HW/MW	2	PS							50	38	
	78.64	80.16	1.52	1.23	81	0.32	21	R1/R3	-	MW/FR	2	PS	2	PS/SS					25	54	
	80.16	81.69	1.53	1.32	86	0	0	R1/R3	-	HW/FR									5	95	
	81.69	83.21	1.52	1.25	82	0.49	32	R1/R3	-	HW/FR	6	SS/IR							5	64	
	83.21	84.73	1.52	1.38	91	0.6	39	R2/R3	-	SW/FR	6	SR/UR							0	61	
	84.73	86.24	1.51	1.35	89	0.45	30	R1/R3	-	HW/FR	4	SS/PS			2	SS/PS			2	68	
	86.24	87.78	1.54	1.39	90	0.14	9	R1/R3	-	HW/FR			2	SR/UR					2	81	
	87.78	89	1.22	0.95	78	0.46	38	R3	-	FR/SW	2	PS	1	PS			1	PS	0	72	
	89	90.53	1.53	1.5	98	0.55	36	R1/R3	-	SW/FR	6	PS/SS							2	62	
	90.53	92.05	1.52	1.5	99	0.32	21	R3	-	SW/FR	2	IR/SS	1	PS	1	PS			0	79	
	92.05	93.57	1.52	1.5	99	0.53	35	R1/R3	-	HW/FR	4	SS/US							1	64	
	93.57	95.1	1.53	1.45	95	0.44	29	R1/R3	-	MW/FR	6	IR/SS							1	70	
	95.1	96.62	1.52	1.47	97	1.08	71	R3	-	SW/FR	9	IR/SR	5	PS					0	29	
	96.62	98.45	1.83	1.59	87	0.69	38	R3	-	FR	5	PS	1	SS					0	62	6' RUN
	98.45	99.97	1.52	1.51	99	0.12	8	R2/R3	-	SW/FR	2	PR/IR							1	91	
	99.97	101.5	1.53	1.44	94	0.59	39	R3	-	FR	12	PR/IR							0	61	
	101.5	103.02	1.52	1.53	100	0.61	40	R3	-	FR	6	PR/IR							0	60	
	103.02	106.07	3.05	2.99	98	1.94	64	R3	-	FR	17	PR/IR	5	PS					0	36	10' RUNS

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-312C_ Sheet:__3___ of ___6__

Date:__June 12-June 22, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length										Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE	Fault Breccia / Gouge	Broken Core	
	106.07	109.12	3.05	2.95	97	2.31	76	R3	-	FR	22	PR/IR							0	24	
	109.12	112.17	3.05	2.78	91	0.85	28	R3	-	FR/SW	8	PS	4	PS					0	72	
	112.17	115.21	3.04	2.98	98	0.76	25	R1/R3	-	FR/HW	8	PS/US							2	73	
	115.21	118.26	3.05	2.98	98	0	0	R1/R3	-	MW/FR									1	99	
	118.26	121.31	3.05	2.78	91	1	33	R1/R3	-	MW/FR	4	PR/IR	2	SR/PR					1	66	
	121.31	124.36	3.05	3.03	99	0.77	25	R2/R3	-	SW/FR	8	IR	1	SW					0	75	
	124.36	127.41	3.05	2.97	97	0.75	25	R2/R3	-	SW/FR	5	PR	1	IR					0	75	
	127.41	130.45	3.04	2.85	94	0	0	R2/R3	-	SW/FR									0	100	
	130.45	133.5	3.05	2.99	98	1.59	52	R2/R3	-	SW/FR	20	PS/IS	3	CS			1	US	0	48	
	133.5	136.55	3.05	3.04	100	2.8	92	R3	-	FR	14	PR/IR							0	8	
	136.55	139.6	3.05	3.01	99	1.86	61	R2/R3	-	SW/FR	13	US/SS	3	PS					0	39	
	139.6	142.65	3.05	2.91	95	2.26	74	R3	-	FR	18	PR/IR	2	PS	2	PS			0	26	
	142.65	145.69	3.04	2.98	98	1.59	52	R2/R3	-	FR	16	IR/PS	4	PS					0	48	
	145.69	148.74	3.05	3.05	100	1.05	34	R3	-	FR	15	SR/PR					1	PR	0	66	
	148.74	149.66	0.92	0.86	93	0.16	17	R3	-	FR	2	PS							0	83	SHORT RUN
	149.66	150.57	0.91	0.89	98	0.24	26	R3	-	FR	4	PR/SR							0	74	SHORT RUN
	150.57	153.62	3.05	2.8	92	1.4	46	R3	-	FR	15	PS/IS	4	PR	1	PS			0	54	
	153.62	156.26	2.64	2.64	100	2.2	83	R3	-	FR	14	PR/IR	4PS						0	17	
	156.26	159.44	3.18	3.04	96	1.31	41	R3	-	FR	12	PS/SS	4	PS	2	PS			0	41	
	159.44	160.93	1.49	1.53	100	0.27	18	R2/R3	-	FR/SW	4	PR/IR							0	82	
	160.93	163.98	3.05	3.05	100	2.05	67	R2/R3	-	SW/FR	20	PS							0	33	
	163.98	167.03	3.05	3.03	99	0.76	25	R3	-	FR	6	PS							0	75	
	167.03	170	2.97	2.95	99	2.13	72	R3	-	FR	16	PS/SS							0	30	
	170	173.13	3.13	3.05	97	0.77	25	R2/R3	-	SW/FR	1	PS	7	SS/PS					0	75	
	173.13	176.17	3.04	3.05	100	0.33	11	R2/R3	-	SW/FR	4	US/PS							0	89	
	176.17	179.22	3.05	3.05	100	0.34	11	R2/R3	-	SW/FR	6	PS							0	89	
	179.22	182.27	3.05	2.92	96	1.18	39	R2/R3	-	SW/FR	6	PS/SS	2	PS					0	61	
	182.27	185.32	3.05	2.99	98	1.5	49	R2/R3	-	SW/FR	9	PS/SS					3	PS	0	51	
	185.32	188.37	3.05	3.1	100	1.7	56	R2/R3	-	SW/FR	10	PS/SS					2	PS	0	44	
	188.37	191.41	3.04	2.85	94	0.71	23	R2/R3	-	SW/FR	8	PS/SS							0	77	
	191.41	194.46	3.05	3.05	100	1.69	55	R2/R3	-	SW/FR	11	PS/SS	3	PS					0	45	
	194.46	197.51	3.05	3	98	1.6	52	R2/R3	-	SW/FR	18	PS/SS	2	SS/PS			2	PS	0	48	
	197.51	200.56	3.05	2.98	98	1.29	42	R3	-	FR	8	PS/SS	4	PS					0	58	
	200.56	203.61	3.05	3.05	100	1.91	63	R3	-	FR	12	PS	4	PS					0	37	
	203.61	206.65	3.04	2.98	98	2.8	92	R3	-	FR	20	PS/SS	1	PS	1	PS			0	8	
	206.65	209.7	3.05	3.05	100	1.99	65	R4	-	FR	15	PR/SR	2	PS			1	PS	0	35	
	209.7	213.75	4.05	2.92	72	2.19	54	R4	-	FR	23	PR/SR	1	SS	1	PS	1	PS	0	46	
	213.75	215.8	2.05	2.85	100	1.58	77	R3	-	FR	11	PR	2	SS	3	PS	2	PS	0	33	
	215.8	218.85	3.05	2.91	95	2.02	66	R3	-	FR	5	SR/IR	6	PS			1	PS	0	34	
	218.85	221.89	3.04	2.91	96	1	33	R3	-	FR	4	IR	4	SS/PS	2	PS			0	77	
	221.89	224.94	3.05	3.05	100	0.9	30	R3	-	FR	2	PR	4	PS			2	PS	0	70	
	224.94	227.99	3.05	3.03	99	1.79	59	R2/R3	-	FR	6	IR/PR	3	IR	1	PR			0	41	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-312C_ Sheet:__4___ of __6__

Date:__June 12-June 22, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length										Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE	Fault Breccia / Gouge	Broken Core	
	227.99	231.04	3.05	2.77	91	1.14	37	R1/R3	-	MW/FR	7	SR/IR	5	IR					2	61	
	231.04	234.09	3.05	2.89	95	1.32	43	R3	-	FR	8	IR/PR	8	PR	4	PS			0	57	
	234.09	237.13	3.04	2.97	98	0.7	23	R1/R3	-	FR/SW	10	SR/IR							0	77	Boxes:59-
	237.13	240.18	3.05	2.98	98	2.03	67	R1/R3	-	SW/FR	20	PS/US	4	PS					0	33	
	240.18	243.23	3.05	2.99	98	1.48	49	R1/R3	-	SW/FR	13	PS/SS	3	PS/SS	2	PS			0	51	
	243.23	246.28	3.05	2.93	96	1.85	61	R3	-	FR	15	IR/SR	2	PR			1	PR	0	39	
	246.28	249.33	3.05	2.99	98	2.21	72	R3	-	FR	15	IR/UR	3	IR					0	28	
	249.33	252.37	3.04	3.01	99	0.88	29	R3	-	FR	10	PR/IR	4	PS			2	UR	0	63	
	252.37	255.42	3.05	3.01	99	1.3	43	R3	-	FR	5	PR	3	PR	2	PR			0	57	
	255.42	258.47	3.05	3.01	99	1.76	58	R3	-	FR	5	PS	2	SS	3	PS			0	42	
	258.47	261.52	3.05	2.91	95	1.67	55	R3	-	FR	14	PR/IR	4	PR	2	PS			0	45	
	261.52	262.43	0.91	0.91	100	0.8	88	R3	-	FR	8	SR/UR							0	12	CORE
	262.43	265.48	3.05	2.78	91	1.88	62	R3	-	FR	20	CS/PS	2	SS					0	38	
	265.48	267.61	2.13	1.95	92	1.52	71	R3	-	FR	13	IR/PR	1	IR					0	29	
	267.61	270.68	3.07	2.99	97	2.64	86	R3	-	FR	19	SR/PR	1	PS					0	14	
	270.68	273.71	3.03	2.56	84	2.15	71	R3	-	FR	9	US/PS	2	PS	1	PR			0	29	
	273.71	276.45	2.74	3	100	2.71	99	R3	-	FR	16	IR	1	PR	3	UR			0	1	
	276.45	279.5	3.05	3.05	100	2.5	82	R3	-	FR	16	PR/UR			1	PS	1	PS	0	18	
	279.5	282.7	3.2	3.09	97	2.05	64	R3	-	FR	11	IR/UR			1	PR			0	36	
	282.7	285.75	3.05	3.06	100	2.59	85	R4	-	FR	20	PR/PS	3	CR/PR			3	CR/IR	0	15	
	285.75	288.95	3.2	3.03	95	2.62	82	R3	-	FR	14	IR/PR	8	L	1	PR			0	18	
	288.95	292	3.05	2.99	98	1.22	40	R0/R3	-	SW/EW	9	IR/PS	3	SR/IR	1	UR	1	IR	18	42	
	292	295.05	3.05	3.06	100	2.93	96	R2/R3	-	SW	18	IR/CR							1	3	
	295.05	298.09	3.04	2.98	98	2.83	93	R3	-	SW	20	IR/UR	2	PR			2	SR	0	7	
	298.09	301.14	3.05	3.05	100	0.69	23	R4	-	MW	15	SR/PR	5	PS	2	SR			0	12	
	301.14	304.19	3.05	3.05	100	2.98	98	R3	-	SW	16	SR/CR	4	PR	4	SR			0	16	
	304.19	307.24	3.05	2.94	96	2.68	88	R3	-	SW/FR	20	SR/IR							0	12	
	307.24	310.29	3.05	3.04	100	2.57	84	R2/R3	-	SW/FR	21	SR/IR	4	PR	1	PR			0	16	
	310.29	313.33	3.04	3.02	99	2.1	69	R1/R3	-	MW/FR	12	PR/IR	4	PR					0	31	
	313.33	316.38	3.05	2.96	97	2.82	92	R2/R3	-	SW/FR	23	PR/IR							0	8	
	316.38	319.43	3.05	2.89	95	2.54	83	R2/R3	-	SW/FR	19	PR/IR	6	IR/PR	1	PR			0	17	
	319.43	322.48	3.05	2.96	97	1.87	61	R2/R3	-	MW	11	UR	6	PR	3	PR			5	34	
	322.48	325.53	3.05	2.97	97	2.58	85	R2/R3	-	MW/FR	11	PR/UR	7	PS/US	5	PR			0	15	
	325.53	328.57	3.04	2.54	84	2.21	73	R2/R3	-	SW/FR	14	UR/CR	3	PR					0	27	
	328.57	331.62	3.05	2.99	98	2.84	93	R3	-	FS	10	PR/IR	8	UR/PP					0	7	
	331.62	334.67	3.05	3	98	2.57	84	R2/R3	-	FS	10	SR/PR	4	UR			2	PR	0	16	
	334.67	337.72	3.05	2.88	94	2.8	92	R2/R3	-	FS	17	PR/IR	3	PR					0	8	
	337.72	340.77	3.05	2.94	96	2.74	90	R3	-	FS	11	PR	5	CR/PR					0	10	
	340.77	343.81	3.04	3.02	99	2.78	91	R3	-	FR	25	PR/IR	1	PR					0	9	
	343.81	346.86	3.05	2.9	95	2.72	89	R3	-	FR	13	PR/IR	1	UR	2	PR			0	11	
	346.86	349.91	3.05	3.1	100	2.06	68	R2/R3	-	SW/FR	16	SR/IR	2	IR					0	32	
	349.91	352.65	2.74	2.83	100	1.96	72	R3	-	FR	16	PR/IR							0	28	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-312C_ Sheet:__5___ of __6__

Date:__June 12-June 22, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length										Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE	Fault Breccia / Gouge	Broken Core	
	352.65	355.4	2.75	2.27	83	1.88	68	R3	-	FR	9	SR/IR	3	PR	2	PR			0	32	
	355.4	358.14	2.74	3.08	100	2.32	85	R3	-	FR	21	IR/PR	3	PS					0	15	
	358.14	359.05	0.91	0.86	95	0.62	68	R4	-	FR	2	PS/SS			2	PS			0	32	
	359.05	362.1	3.05	2.95	97	2.95	97	R4	-	FR	10	CR/IR	6	PR	2	PR			0	3	
	362.1	365.15	3.05	2.97	97	2.32	76	R4/R5	-	FR	5	PR/SS	5	PS			2	SS/US	0	24	
	365.15	368.2	3.05	3.04	100	3.04	100	R3	-	FR	14	PS			2	PR/IR			0	0	
	368.2	371.25	3.05	3.02	99	2.89	95	R3	-	FR	11	PR/SR	3	PR					0	5	
	371.25	374.29	3.04	3.04	100	2.58	85	R1/R2	-	FR	10	PS/UR			2	PS	1	UR	7	8	
	374.29	377.34	3.05	2.99	98	2.59	85	R3	-	FR	12	PS/IR	4	SS/PR					3	12	
	377.34	380.39	3.05	2.99	98	1.71	56	R1/R3	-	MW/FR	7	IR/SR	2	PR					25	19	
	380.39	383.44	3.05	2.9	95	2.82	92	R2/R3	-	MW/FR	17	CR/IR	5	CR/PR					0	8	
	383.44	386.49	3.05	2.94	96	2.51	82	R1/R3	-	SW/FR	3	PR	4	IR/UR	3	UR	2	PS	1	17	
	386.49	389.53	3.04	3.08	100	3	99	R3	-	FR	14	PR/US	4	US					0	1	
	389.53	392.58	3.05	2.96	97	2.14	70	R3/R4	-	FR	9	PS/SR	1	PR	3	SR			0	30	
	392.58	395.63	3.05	2.9	95	2.01	66	R3	-	FR	10	PR/UR	8	UR/PR	4	PS			0	34	
	395.63	398.68	3.05	3.1	100	2.62	86	R3	-	FR	12	IR/PR	5	SR/PR	3	PR			0	14	
	398.68	401.73	3.05	3.03	99	1.66	54	R1/R3	-	FR/MW	6	PR/IR	5	PS/IS	2	SR	1	PR	5	41	
	401.73	404.27	2.54	2.45	96	1.44	57	R3	-	FR	5	SS/PS	4	S	3	PS			0	43	
	404.27	407.52	3.25	2.93	90	2.13	66	R4	-	FR	2	PR	4	PR	4	PR			0	34	
	407.52	410.57	3.05	3.02	99	2.52	83	R5	-	FR	3	PR/CR	8	PR/SR	2	CR/SR			0	17	
	410.57	413.61	3.04	2.89	95	1.6	53	R3	-	FR	5	PR/CS	5	PR/IR	4	PS/IR			0	47	
	413.61	416.97	3.36	3.17	94	2.37	71	R3	-	FR	7	CR/UR	4	R			1	IR	0	29	
	416.97	420.01	3.04	2.74	90	2.57	85	R3	-	FR	6	CR/PR	6	PR/PS			2	PR	0	15	
	420.01	423.06	3.05	3.06	100	2.53	83	R4	-	FR	12	PS/SS	3	IS			1	IS	0	17	
	423.06	426.11	3.05	2.93	96	1.76	58	R3/R4	-	FR	6	SS/IS	4	SS/PS					0	42	
	426.11	429.16	3.05	3	98	1.92	63	R4	-	FR	6	SS/IS	1	PS	1	PS			0	37	
	429.16	432.21	3.05	3.06	100	2.49	82	R3	-	FR	5	PS/SS	3	PS	4	US			0	18	
	432.21	435.25	3.04	2.84	93	2.33	77	R3	-	FR	7	PS/SR	4	IR	4	PS/US			0	24	
	435.25	438.3	3.05	3.04	100	2.9	95	R4	-	FR	4	SS/PS	4	PS	2	IR	2	PS/IS	0	5	
	438.3	441.35	3.05	2.9	95	2.81	92	R4	-	FR	6	IR/PS	8	PS	1	IR			0	8	
	441.35	444.4	3.05	3	98	2.54	83	R3	-	FR	10	IR/PR	1	PS	1	PS	2	PS	0	17	
	444.4	447.45	3.05	3.05	100	2.7	89	R3	-	FR	12	IR/PR	5	IR/PR					0	11	
	447.45	450.49	3.04	2.93	96	2.31	76	R3	-	FR	8	IR/PR	5	SR/PR			2	PS	0	24	
	450.49	452.93	2.44	2.5	100	0.49	20	R3	-	SW/FR			2	SR/PR					0	80	
	452.93	455.98	3.05	2.58	85	1.22	40	R3	-	FR	4	PS/IR	8	UR/PR			2	UR	4	56	
	455.98	459.03	3.05	2.83	93	2.05	67	R3	-	FR	1	IR	4	SR/PR			3	IS/UR	0	33	
	459.03	462.08	3.05	2.78	91	1.47	48	R4	-	FR	3	PR	11	PS					0	52	
	462.08	465.12	3.04	2.8	92	0.69	23	R3	-	FR	2	SR	1	US			1	PS	0	77	
	465.12	465.73	0.61	0.67	100	0.47	77	R4	-	FR	1	SS	1	PS			2	PS	0	23	
	465.73	468.78	3.05	3.05	100	2.36	77	R3	-	FR	3	PS	2	PS	3	PS			0	23	
	468.78	471.83	3.05	2.95	97	2.65	87	R4	-	FR	6	PR/IR	8	SS/IR					0	13	
	471.83	474.88	3.05	2.55	84	1.75	57	R4	-	FR	5	SS/PS	7	SS/PS					0	43	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-312C_ Sheet:__6___ of __6__

Date:__June 12-June 22, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length										Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE	Fault Breccia / Gouge	Broken Core	
	474.88	477.93	3.05	2.93	96	0	0	R5	-	FR									10	90	
	477.93	480.97	3.04	2.79	92	1.39	46	R3	-	FR	2	PS	8	PR/IR	3	SS/PS	5	PR/IR	0	54	
	480.97	484.02	3.05	2.83	93	0.46	15	R3	-	FR	1	IR	4	PS/IR			1	IR	0	85	
	484.02	487.07	3.05	3.02	99	13	100	R3	-	FR			3	CR/IR	3	IR/US			0	67	
	487.07	489.51	2.44	2.22	91	1.62	66	R3	-	FR	5	CR/PR	4	CS			5	PR	0	34	
	489.51	492.58	3.07	2.86	93	1.43	47	R3	-	FR	3	IR	6	CR/PS	1	PR			0	53	
	492.58	495.6	3.02	2.91	96	1.95	65	R4	-	FR	4	PR/SR	5	IR/PR	3	SR/PR			0	35	
	495.6	496.21	0.61	0.72	100	0.72	100	R4	-	FR	2	CS/PS							0	0	
	496.21	499.26	3.05	3.05	100	2.86	94	R5	-	FR	6	PR	4	CS					0	6	
	499.26	502.31	3.05	3.05	100	2.92	96	R5	-	FR	7	PS/IR	4	PR			5	PR	0	4	
	502.31	EOH																			
	EOH																				

DRILL HOLE SUMMARY SHEET

HOLE NO.: DG06-313C

PROJECT: Dublin Gulch - 1735

GROUND ELEVATION: 1095m | EOH: 504.44m

BEARING: 180 | DIP: -60°

DATE STARTED: 12-Jun-06 | DATE COMPLETED: 24-Jun-06

COORD SYSTEM: NAD 27: EASTING: 459886 NORTHING: 7099702.215

COORD SYSTEM: NAD 83: EASTING: 459787 NORTHING: 7099881

NAD 27 (CORRECTED for historic grid): EASTING: 459896.79 NORTHING: 7099698.64

LOGGED BY: T. Charles, M. Stone

SECTION LINE(historic grid)

CONTRACTOR: DJ Drilling

DRILLING DETAILS

Hole Diameter: HQ

Overburden: 9.14 m

Deviation:

Casing: 9.14 m

Core Size: HQ

Cement (# Bags): 0

Plug Depth: N/A

Notes: No plug necessary.

SAMPLING DETAILS

Sample Sequence: C078499-C078596

Requisition #: ALSC-CW06-037-STRGOL-R1 Date Shipped: June 16, 2006

Lab Record #: Date Received:

Sample Sequence: C078597-C078833

Requisition #: ALSC-CW06-037-STRGOL-R1 Date Shipped: June 23, 2006

Lab Record #: Date Received:

Sample Sequence: C078884-C078939

Requisition #: ALSC-CW06-037-STRGOL-R1 Date Shipped: June 30, 2006

Lab Record #: Date Received:

Duplicates:	C078502, C078522, C078542, C078562, C078582, C078602, C078622, C078642, C078662, C078682, C078702, C078722, C078742, C078762, C078782, C078802, C078822, C078842, C078862, C078882, C078902, C078922,
Preparation Duplicate/ Check Assay:	C078509, C078529, C078549, C078569, C078589, C078609, C078629, C078649, C078669, C078689, C078709, C078729, C078749, C078769, C078789, C078809, C078829, C078849, C078869, C078889, C078909, C078929,
Standards:	C078510(3C), C078530 (4D), C078550(5E), C078570(3C), C078590(4D), C078610(2B), C078630(5E), C078650(6F), C078670(7G), C078690(6F), C078710(5E), C078730(4D), C078750(3C), C078770(4D), C078790(5E), C078810(1A), C078830(6F), C078850(7G), C078870(5E), C078890(4D), C078910(3C), C078930(4D),
Blanks:	C078516, C078536, C078556, C078576, C078596, C078616, C078636, C078656, C078676, C078696, C078716, C078736, C078756, C078776, C078796, C078816, C078836, C078856, C078876, C078896, C078916, C078936,

FROM	TO	LITHOLOGY
9.14	81.30	MSED
81.30	504.44	GND

FROM	TO	TERATION
9.14	19.35	Silicified
171.60	226.47	Silicified
9.14	171.60	Oxidized
226.47	262.22	Oxidized
290.86	307.24	Oxidized
433.73	442.88	Oxidized
462.69	504.44	Oxidized
307.24	336.72	Unaltered
398.68	433.73	Unaltered
9.14	12.30	Altered - ser, clay
14.80	80.30	Altered - clay, ser
80.30	226.47	Altered - cb, ser, clay
226.47	307.24	Altered - ser, cb, chl, clay
336.72	398.68	Altered - ser, cb
433.73	504.44	Altered - ser, cb, chl, clay

FROM	TO	MINERALIZATION (Veins)

DEPTH (m)	AZI (Orig)	DIP (Orig)	AZ (+25.5 Corr)	
75.59	143.4	61.4	168.9	
150.00	146.0	61.3	171.5	
200.56	145.1	60.4	170.6	
274.32	146.2	59.0	171.7	
350.52	147.9	57.2	173.4	
426.72	149.6	55.4	175.1	
501.09	148.9	54.0	174.4	

ASSAY INTERCEPTS

FROM:	TO:	INT:	Au (g/t)	SAMPLE QUALITY:

COMMENTS: (Ground conditions, fracture zones, water flows, drilling problems)

DRILL LOG LEGEND P1 | **DATE: June 2006**

DRILL HOLE # : DG06-313C

FeOx: 0 = Unoxidized; 5 = Intensely Ox'd
Ser, Chl, etc: 0 = Unaltered; 5 = Intensely Altered
Carbonate: 0 = No Effervescence; 5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fq)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages: 0 = No Alteration; 5 = Intense Alt'n
Ox. State: 0 = No Oxidized Sulphides; 5 = All Sulph Oxidized

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide +/- carbonate

Date: June, 2006

LOGGED BY: M. Stone, T. Charles

UNIT CODE	From → To:	From:	To:	GEOLOGICAL DESCRIPTION: Comments:	ROCK (Alteration): Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	VEINS: #/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages: Max (cm)	Alteration	(0-5)	Ox. State 0-5	% of VEIN & DISSEMINATED MATERIAL — Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite		other	Oxidation: oxide	scordite	biotite	other	Sample Number	Interval From	Interval To	Au (g/T)	Type of Sample	Vein Comments?
1	0 - 9.14			Casing - overburden - Qtz, quartzite, hornfelsed MSED and GND rubble.																													C078499	0	6.00	0.036		
																															C078500	6	9.14	0.148		
80	9.14 - 81.3	9.14	12.30	MSED - Hornfelsed MSED - Intensely altered, banded, highly silicified metasediment. Purplish brown in colour, extreme Fe stain on frac, completely fractured, poor core recovery.	5	1	0	1	0		3	1	1.0	2.5	60	70	0.0	0	0	0									90.0				C078501	9.14	10.06	0.008		
																															C078502				FIELD DUPLICATE	
				MSED - Hornfelsed MSED - Intensely altered, banded, highly silicified metasediment. Purplish brown in colour, extreme Fe stain on frac, completely fractured, poor core recovery. No visible sulphides.							3	1	10.0	11.0	60	70	0.0	0	0	0									85.0				C078503	10.06	11.20	0.003		
				MSED - Hornfelsed MSED - Intensely altered, banded, highly silicified metasediment. Purplish brown in colour, extreme Fe stain on frac, completely fractured, poor core recovery. Very finely dissem aspy.							2	1	1.0	1.5	50	70	0.0							0.1			85.0				C078504	11.20	12.30	0.006		
80		12.30	14.80	QZZ - fine grained quartzite. Light to dark brown Hyland group quartzite with scattered stringers of quartz throughout. Mod Fe stain in fabric with mod to maj Fe stain on fractures. Very poorly foliated and completely fractured. No foliation measurement. Cross-cutting quartz veins throughout unit.	5	0	0	0	0		1	1	1.0	1.0	60		0.0												90.0				C078505	12.30	13.11	0.034		
				QZZ - fine grained quartzite. Light to dark brown Hyland group quartzite with scattered stringers of quartz throughout. Mod Fe stain in fabric with mod to maj Fe stain on fractures. Very poorly foliated and completely fractured. No foliation measurement. Cross-cutting quartz veins throughout unit.							0						0.0												90.0				C078506	13.11	14.80	0.003		
80		14.80	19.35	MSED - med to dark grey/black, well banded quartzite with argillaceous horizons. Ie. (Argillite completely replaced by silica). Foliation @ 60 degrees to CA @ 17 m. Visible po and aspy in unoxidized portions. Moderate Fe stain thruout fabric and maj Fe stain on fractures. Unit is highly silicified, extremely hard, but very fractured. Clay @ 15.6 m. Excellent core recovery.	4	1	0	1	0		2	1	2.0	3.0	50	60	0.0				0.1			0.1					60.0				C078507	14.80	16.00	0.052		
				MSED - med to dark grey/black, well banded quartzite with argillaceous horizons. Ie. (Argillite completely replaced by silica). Foliation @ 60 degrees to CA @ 17 m. Visible po and aspy in unoxidized portions. Moderate Fe stain thruout fabric and maj Fe stain on fractures. Unit is highly silicified, extremely hard, but very fractured. Excellent core recovery.							1	1	3.0	3.0	40		0.0				0.1			0.1					50.0				C078508	16.00	17.35	0.050		
																															C078509	16.00	17.35		CHECK ASSAY	
																															C078510				STANDARD - 3C	
				MSED - med to dark grey/black, well banded quartzite with argillaceous horizons. Ie. (Argillite completely replaced by silica). Foliation @ 60 degrees to CA @ 17 m. Very finely disseminated po and aspy in unoxidized portions. Moderate Fe stain thruout fabric and maj Fe stain on fractures. Unit is highly silicified, extremely hard, but very fractured. Excellent core recovery.							2	1	8.0	10.0	50	60	0.0				0.2			0.2					40.0				C078511	17.35	18.56	0.003		
				MSED - med to dark grey/black fading to a rusty brown colour towards the end of the sample. poorly banded quartzite with argillaceous horizons. Ie. (Argillite completely replaced by silica). Foliation @ 35 degrees to CA @ 19 m. No visible sulphides thru fabric, tr py and aspy on qtz vein. Minor Fe stain thruout fabric and mod Fe stain on fractures. Unit is highly bleached, fractured and increasing in clay content at end of sample.							1	1	10.0	10.0	55		0.0				0.1			0.1					30.0				C078512	18.56	19.35	0.003		
		19.35	26.86	MSED - beige to light brown/grey with remnants of previous qtz/argillite unit, poorly foliated. No foliation measurement. Unit is completely bleached and completely altered to clay @ 23 m. Remnant qtz thruout.	3	0	0	5	0		0						0.0				0.1			0.1					40.0				C078513	19.35	20.73	0.025		
				MSED - beige to light brown/grey with remnants of previous qtz/argillite unit, poorly foliated. Unit is completely bleached and completely altered to clay @ 23 m. Remnant qtz thruout. 75% of sample is clay.							0						0.0				0.1			0.1					40.0				C078514	20.73	22.25	0.003		
				MSED - beige to light brown/grey with remnants of previous qtz/argillite unit, poorly foliated. Unit is completely bleached and completely altered to clay @ 23 m. Remnant qtz thruout. Core recovery <1 m of broken rubble.							0						0.0				0.1			0.1					40.0				C078515	22.25	23.77	0.003		
																															C078516				BLANK	
				MSED - beige to light brown/grey with remnants of previous qtz/argillite unit, poorly foliated. Unit is completely bleached and completely altered to clay @ 23 m. Remnant qtz thruout. 95% of sample is clay.							0						0.0				0.1			0.1					40.0				C078517	23.77	25.30	0.091		
				MSED - beige to light brown/grey with remnants of previous qtz/argillite unit, poorly foliated. Unit is completely bleached and completely altered to clay @ 23 m. Remnant qtz thruout. 60% of sample is clay.							0						0.0				0.1			0.1					40.0				C078518	25.30	26.86	0.003		
		26.86	80.30	QZZ - fine grained quartzite. Light to dark brownish/purple quartzite with scattered stringers of quartz throughout. Argillaceous horizons increase in sections with some clay/fault gouge. Min Fe stain thruout with mod Fe stain in argillite horizons and fractures. Very poorly foliated, 45 @ 32.8 with good foliation in argillite horizons. (40 deg @ 37.2) Minor py, aspy and Mo appear finely disseminated thruout.	3	1	0	2	0		1	1	3.0	3.0	40		0.0				0.1			0.2					40.0				C078519	26.86	28.04	0.003		aspy and py in vug @ 27 m.
				Py and aspy in patches.							1	1	0.5	0.5	60		0.0				0.1			0.2					40.0				C078520	28.04	28.65	0.072		
				Finely dissem py and aspy.							0						0.0				0.1			0.2					30.0				C078521	28.65	30.18	0.026		
																															C078522	28.65	30.18		FIELD DUPLICATE	

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-313C

DATE: June 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: June, 2006

LOGGED BY: M. Stone, T. Charles

Lith Code: **-1** = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, 7 = sulphide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																Selvages				Sulphides							Oxidation												
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite		other	oxide	scordite	biotite	other		From	To			
				Py and aspy in patches.							0						0.0				0.3			0.1					25.0				C078523	30.18	31.39	0.017		
				Beige quartzite with xcutting calcite veins and qtz blebs. Patches of py and aspy.							0						0.0				0.2			0.1					20.0				C078524	31.39	32.92	0.003		
				Qtz veins increasing.							3	1	3.0	6.0	50		0.0				0.2			0.1					10.0				C078525	32.92	34.44	0.003		
				Argillite increases, minor py and aspy							8	1	4.5	13.0	50		0.6	q/s	1		0.2			0.1					15.0				C078526	34.44	35.97	0.003		
											3	1	1.5	4.0	50	55	1.0	q/s	1		0.1			0.1					10.0				C078527	35.97	37.49	0.003		
				60% of sample altered to clay. Fault gouge from 38.8 to end of sample.							1	3	8.0	8.0	45		0.0				0.1			0.1					40.0				C078528	37.49	39.01	0.005		
																																	C078529	37.49	39.01		CHECK ASSAY	
																																	C078530				STANDARD - 4D	
				Bleached at 39.2, aspy increases							5	1	13.0	17.0	50	60	0.0				0.1			0.3					20.0				C078531	39.01	40.54	0.042		
				Argillite increases, aspy crystals @ 40.55, aspy on slickensides, foliation 60 deg @ 40.7.							3	1	13.0	16.0	50	70	0.8	q/s	1		0.1			0.3					10.0				C078532	40.54	42.05	0.032		
				Argillite increases, py and aspy finely dissem thruout, Tr Mo @ 42.3.							2	1	7.0	13.0	55	70	0.0				0.1			0.3					5.0				C078533	42.05	43.59	0.003		
				Argillaceous for first 30 cm, clay content increases to 40% for remainder, py and aspy in small patches							3	1	2.0	5.0	55	70	0.0				0.1			0.2					30.0				C078534	43.59	45.11	0.007		
				Fractured beige quartzite, clay content @ 30%, minor py and aspy in veins and fabric.							3	1	4.0	6.0	30	60	0.0				0.1			0.2					30.0				C078535	45.11	46.63	0.029		
																																	C078536				BLANK	
				Fractured beige quartzite, clay content @ 30%, minor py and aspy in veins and fabric.							2	1	1.5	2.0	45	60	0.0				0.1			0.2					30.0				C078537	46.63	48.16	0.012		
				Fractured beige quartzite, clay content @ 60%, minor py and aspy in veins and fabric. Fault gouge @ 48.7 to 49. Fresh and altered py and aspy in frac.							1	1	5.0	5.0	30		0.0				0.1			0.4					35.0				C078538	48.16	49.68	0.019		
				Fractured and oxidized beige quartzite, clay content @ 40%, minor py and aspy in veins and fabric. Fresh and altered py and aspy in frac.							1	1	5.0	5.0	45		0.0				0.1			0.4					45.0				C078539	49.68	51.21	0.023		
				Completely fractured beige quartzite, clay content @ 40%, minor py and aspy in veins and fabric. Fresh and altered py and aspy in frac.							0						0.0				0.1			0.3					25.0				C078540	51.21	52.73	0.008		
				Completely fractured beige quartzite, clay content @ 40%, minor py and aspy in veins and fabric. Fresh and altered py and aspy in frac.							0						0.0				0.1			0.2					25.0				C078541	52.73	54.25	0.014		
																																	C078542	52.73	54.25		FIELD DUPLICATE	
				Completely fractured beige quartzite, clay content @ 40%, minor py and aspy in veins and fabric. Fresh and altered py and aspy in frac.							0						0.0				0.1			0.2					25.0				C078543	54.25	55.78	0.003		
				Completely fractured beige quartzite, clay content @ 25%, minor py and aspy in veins and fabric. Fresh and altered py and aspy in frac.							1	1	1.0	1.0	35		0.0				0.1			0.2					30.0				C078544	55.78	57.30	0.005		
				Fractured beige quartzite, clay content @ 10%, minor py and aspy in veins and fabric. Fresh and altered py and aspy in frac. Fractured to 58 m.							3	1	2.0	3.5	40		0.0				0.1			0.2					10.0				C078545	57.30	58.83	0.003		
				Beige quartzite for first 50%, argillite content increases @ 59.7. Small 3 cm GND dyke @ 59.85 m. Finely dissem po and aspy thru argillitic unit. Foliation 40 deg @ 60 m.							0						0.0				0.1			0.2					5.0				C078546	58.83	60.35	0.003		
				Dark grey silicified argillaceous unit. Very small specks aspy.							0						0.0							0.1					5.0				C078547	60.35	61.87	0.003		
				Med grey bleached argillaceous quartzite grading to the beige unit for last 60 cm. Fresh and altered aspy in small veins. Good foliation, frac from 62.8 to end of sample.							1	1	1.0	1.0	40		0.0							0.4					5.0				C078548	61.87	63.40	0.003		
																																	C078549	61.87	63.40		CHECK ASSAY	
																																	C078550				STANDARD - 5E	
				Fractured and sericitized beige quartzite, minor py and aspy in veins and fabric. Fresh and altered py and aspy in frac. Argillite increases at end of sample.							0						0.0				0.1			0.1					5.0				C078551	63.40	64.92	0.003		
				Fractured light grey arg quartzite, minor ser, minor py and aspy in veins and fabric. Fresh and altered py and aspy in frac. Fracturing increases at end of sample.							0						0.0				0.1			0.1					10.0				C078552	64.92	66.45	0.003		
				Fractured light grey arg quartzite, minor ser, minor py and aspy in veins and fabric. Fresh and altered py and aspy in frac. Qtz blebs and veins from 66.8 to 67.5.							5	1	3.0	10.0	40	35	0.0				0.1			0.4					15.0				C078553	66.45	67.97	0.003		
				Fractured light to dark grey arg quartzite, minor ser, minor py and aspy in veins and fabric. Fresh and altered py and aspy in frac. Grades to bleached unit for last 30 cm. Poor foliation.							4	1	3.0	8.0	65	70	0.0				0.1			0.1					10.0				C078554	67.97	69.49	0.003		
				Fractured and sericitized beige quartzite, minor py and aspy in veins and fabric. Fresh and altered py and aspy in fabric and in frac.							0						0.0				0.1			0.2					15.0				C078555	69.49	71.02	0.010		
																																	C078556				BLANK	
				Fractured and sericitized beige quartzite, minor py and aspy in veins and fabric. Fresh and altered py and aspy in fabric and in frac. Qtz blebs from 71.9 to end of sample.							3	1	4.0	8.0	60	80	0.0				0.1			0.3					15.0				C078557	71.02	72.54	0.007		
				Fractured and sericitized beige quartzite, minor py and aspy in veins and fabric. Fresh and altered py and aspy in fabric and in frac. Ser increases to 2 and chl appears at 1.							2	1	14.5	16.0	40	50	0.0				0.1			0.3					15.0				C078558	72.54	74.07	0.010		
				Fractured beige quartzite, clay content @ 10%, minor py and aspy in veins and fabric. Fresh and altered py and aspy in frac. Fractured thruout, very poorly foliated.							0						0.0				0.1			0.3					15.0				C078559	74.07	75.59	0.006		
				Fractured beige quartzite, clay content @ 50%, minor py and aspy in qtz rubble and in fabric. Fresh and altered py and aspy in frac. Fractured thruout, very poorly foliated. Fault gouge/clay from 76.1 to end of sample.							0						0.0				0.1			0.3					15.0				C078560	75.59	77.11	0.014		
				Fractured beige quartzite, clay content @ 50%, minor py and aspy in qtz blebs and in fabric. Fresh and altered py and aspy in frac. Fractured thruout, very poorly foliated. Fault gouge/clay from 78.5 to end of sample.							0						0.0				0.1			0.3					15.0				C078561	77.11	78.64	0.003		
																																	C078562	77.11	78.64		FIELD DUPLICATE	

DRILL LOG LEGEND P1 | **DATE: June 2006**

DRILL HOLE # : DG06-313C

FeOx: 0 = Unoxidized; 5 = Intensely Ox'd
Ser, Chl, etc: 0 = Unaltered; 5 = Intensely Altered
Carbonate: 0 = No Effervescence; 5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages: 0 = No Alteration; 5 = Intense Alt'n
Ox. State: 0 = No Oxidized Sulphides; 5 = All Sulph Oxidized

Date: June, 2006

LOGGED BY: M. Stone, T. Charles

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fq)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41; **BQAH** = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION: From → To:	From:	To:	Comments:	ROCK (Alteration): Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	VEINS: #/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages: Max (cm)	Alteration	(0-5)	Ox. State 0-5	% of VEIN & DISSEMINATED MATERIAL — Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite		other	Oxidation: oxide	scordite	biotite	other	Sample Number	Interval From	Interval To	Au (g/T)	Type of Sample	Vein Comments?
				Fractured and sericitized beige quartzite, minor py and aspy in veins and fabric. Fresh and altered py and aspy in fabric and in frac. Mod ser, mod chl, min carb. Argillaceous unit begins @ 79.3 m.							4	1	7.0	13.0	50	60	0.0				0.1			0.3					15.0				C078563	78.64	80.16	0.003		
				Fractured and sericitized beige quartzite, minor py and aspy in veins and fabric. Fresh and altered py and aspy in fabric and in frac. Mod ser, mod chl, min carb. Qtz blebs from 80.6 to 81.05. Fault gouge @ 81.1. GND contact @ 81.3 m.							1	1	2.0	2.0	50		0.0				0.1			0.3					15.0				C078564	80.16	81.30	0.012		
10	81.3 - 504.44	81.30	91.77	GND - weakly to moderately chemically altered; physical appearance is very crumbly and broken, with a maximum coherent core length of 22cm, soft. Intense bleaching in spots, mod to int ser, mod chl, intense carb. Qtz and/or qtz-carb veins xcut CA from 20 to 70 degrees. Crumbly carbonate veinlets in abundance. Carb clay content approx. 30%.	1	2	1	3	4		0						0.0				0.1			0.1					20.0				C078565	81.30	81.69	0.053		
											2	3	2.0	3.5	35	70	0.0				0.1			0.1					10.0				C078566	81.69	82.81	0.029		
											2	1	1.0	1.5	20		0.0					0.2											C078567	82.81	83.21	0.102		other vein angle not available - pieces
											1	1	1.5	2.0	20		1.5	q/s	3			0.1											C078568	83.21	84.73	0.154		
																		cb	1																	
																																	C078569	83.21	84.73		CHECK ASSAY	
																																	C078570				STANDARD 3C	
											1	1	2.0	2.0	30		1.0	s	2					0.1					0.1				C078571	84.73	86.26	0.054		
											2	3	3.0	4.0	50	10	3.0	q/cb	2																	
											3	1	1.5	3.5	20	25	1.5	q/chl	1											1.0		1.0	C078572	86.26	87.78	0.143		other' micas appear to be alt'n products, within veins
											2	4	1.0	1.4	10	30	2.0	cb/q	1														C078573	87.78	89.31	0.032		
											1	6	0.3	0.3	15		6.0	cb/s	3		0.1								1.0									trace fresh py (<1mm) within grey carb-rich clay vein
				from 89.31 to 91.77m, core is 90% crumbled to <5mm pieces, GND particles full of carb clay							1	1	2.0	2.0				cb	4										5.0				C078574	89.31	90.83	0.063		no angle avail; grey carb-clay ox'n, crumbles, beside vein
											1	1	0.5	0.5	10		1.0	q	1			0.1							2.0	0.1			C078575	90.83	91.77	0.108		
																																	C078576				BLANK	
		91.77	103.02	Zone of moderate carbonate physical alteration, i.e. crumbly and broken texture. Veinlets of carb-clay more visible in this zone at variable angles - 0 degrees to 90 degrees to CA. Moderate carb in matrix of GND. Longest coherent core pieces are not >30cm long.	1	1		3	2		3	3	1.0	2.0	30		3.0	q/s/cb	3	1		0.5		0.5					1.0				C078577	91.77	92.56	0.080		aspy assc'd with po, euhedral, grown together
											1	1	0.4	0.4	0		0.5	q	2														C078578	92.56	93.88	0.036		smokey qtz vein runs parallel to CA for 40cm
											3	1	1.0	2.5	30	0	2.0	q/cb	3	1				1.0					2.0				C078579	93.88	95.40	0.080		smokey qtz vein continues for 30cm
											3	1	4.0	4.4	30	10	1.0	q/cb	1										1.0				C078580	95.40	96.93	0.520		
											2	4	0.4	0.8	20	70	1.0	cb	4																	
											1	3	2.0	2.0	40		8.0	cb/s/q	3														C078581	96.93	98.45	0.082		
											1	1	0.5	0.5	25		1.5	q/s	2					0.1					1.0	0.1							
																																	C078582	96.93	98.45		FIELD DUPLICATE	
				from 99.3 to 99.97m, regular carbonate (clay) veinlets break core at 10 to 30 degrees to CA							1	1	0.5	0.5	30		0.5	q/cb	2		0.1								2.0				C078583	98.45	99.97	0.445		
											1	4	0.4	0.4	15		1.0	cb	4										1.0								
											3	1	2.3	5.0	30		15.0	cb/s	4					1.0					1.0				C078584	99.97	101.50	0.082		selvage more pronounced up-hole
											3	1	1.5	3.0	30	90	1.0	q	2			1.0							2.0				C078585	101.50	103.02	0.043		vein at 90 deg is smokey grey
10		103.02	119.79	Competent GND core with carb clay only minor, on fracture surfaces and surrounding. Regular fractures at 35-50 degrees to CA. Linear or blobbish qtz sections denote 'old' qtz veins, somewhat assimilated into GND matrix; these 'veins' are not counted on 2nd page; sulphides not associated; milky qtz. Proper veins are smokey.	1	1		1	1		2	1	1.5	2.2	35	50	1.0	q/cb	4					20.0					2.0				C078586	103.02	104.55	0.434		fresh aspy
				fresh aspy occurs (20%) within centres of 2 qtz veins: 0.7cm vein @50 deg to CA at 103.10m, and within a 1.5cm qtz vein @ 103.50m @35 deg to CA.							5	1	1.0	3.0	33	25	1.0	q	3			3.0						1.0			C078587	104.55	106.07	0.052		
											1	6	0.5	0.5	20		0.2	q	2			10.0					10.0		30.0						
											4	1	1.0	2.2	45	35	0.5	q/cb	2	1		3.0					1.0				C078588	106.07	107.51	0.032		
																																	C078589	106.07	107.59		CHECK ASSAY	
																																	C078590				STANDARD 4D	

DRILL LOG LEGEND P1 | **DATE: June 2006**

DRILL HOLE # : DG06-313C

FeOx: 0 = Unoxidized; 5 = Intensely Ox'd
Ser, Chl, etc: 0 = Unaltered; 5 = Intensely Altered
Carbonate: 0 = No Effervescence; 5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fq)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages: 0 = No Alteration; 5 = Intense Alt'n
Ox. State: 0 = No Oxidized Sulphides; 5 = All Sulph Oxidized

Date: June, 2006

LOGGED BY: M. Stone, T. Charles

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL													Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages									Sulphides								Oxidation														
																	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite		other	oxide	scordite	biotite	other		From	To			
											5	1	0.7	2.3	15	20						1.0							1.0		1.0		C078591	107.59	109.12	0.040		
											2	4	0.5	0.9	50	40																						
											3	1	1.0	2.0	15		1.0	q/cb/s	3			1.0		0.1					1.0	2.0			C078592	109.12	110.64	0.089		
											2	1	0.4	0.8	30	50	0.5	cb	1			4.0		1.0					2.0	1.0			C078593	110.64	112.17	0.128		
											2	2	0.5	1.0	30		0.2	k/q	2			4.0											C078594	112.17	113.69	0.057		
											4	1	0.6	2.0	38		0.5	k/q	3			0.1								2.0			C078595	113.69	115.21	1.245		
																																	C078596				BLANK	
											2	1	0.8	1.6	35	30	1.0	q/cb/s	4					4.0								C078597	115.21	116.74	0.392		
											1	6	0.5	0.5	35		10.0	cb/s	4	1				60.0					10.0									
											2	1	0.6	1.2	35		1.0	cb/s/q	3					2.0					2.0		2.0		C078598	116.74	118.26	0.240		
											4	1	1.2	4.0	20		1.5	q/s	3			0.1		3.0						1.0		3.0	C078599	118.26	119.79	0.196		other' is chlorite
											6	1	1.0	4.0	25	35	2.0	cb/s	4	1		0.1		0.1					1.0	0.1			C078600	119.79	121.31	0.221		
		119.79	171.60	Very competent GND, med-to-coarse-grained. Regular qtz veins, dominant sulphide is po, assc'd with scorodite and very minor fresh aspy. Few sulphide veins are predominantly po and ox'd sulphs and biotite.	1	1			1		6	1	1.0	4.5	25	45	3.0	q/s	2			0.1		0.1						1.0	0.1			C078601	121.31	122.83	0.060		
											2	3	0.4	0.7	25	130	3.0	q/s	3																		
																																	C078602	121.31	122.83		FIELD DUPLICATE	
											1	2	0.8	0.8	20		2.0	q/k/s	2											0.1		0.1	C078603	122.83	124.36	0.014		
				straight veinlets of carbonate and linear k-spar/qtz criss-cross core at between 40-60 (120-140) degrees to CA							1	3	0.5	0.5	40		3.0	cb/s/q	3										10.0									
											3	1	0.6	1.3	40	20	0.5	q	3		0.1	1.5		1.0					2.0		1.0		C078604	124.36	125.88	0.165		
											1	6	1.0	1.0	20		10.0	cb/s	4					10.0					90.0									
		125.60	127.20	from 125.60 to 127.2m is a zone of intense alteration (s, cb), core is light yellowish green. Stringers of mostly oxidized sulphides with carb-clay run subparallel to qtz veins. Veinlets of carbonate also crosscut; GND texture is still visible but some movement is apparent.							3	1	0.5	1.5	20	35	20.0	cb/s	4		1.0			5.0					5.0		2.0		C078605	125.88	126.66	0.117		
				at 126.66m, an irregularly-shaped 1cm bleb of 20% ox'd py							4	6	0.1	0.4	25	40					40.0			20.0				0.1	20.0		20.0							
											1	6	0.5	0.5	20		6.0	cb/s/q	4		20.0								20.0				C078606	126.66	127.41	0.137		cb alt'n in selvage is outer-most alt'n
											3	1	0.5	1.0	50	30	1.5	q/s	3					2.0				0.1	10.0				C078607	127.41	128.19	0.039		moly
											4	1	0.5	1.5	20	40	1.0	q/s	2			1.5		2.0					3.0	3.0	1.0		C078608	128.19	128.93	0.130		sulphs centred in veins
											2	3	0.2	0.4	65		1.0	s/cb	3																		
																																	C078609	128.19	128.93		CHECK ASSAY	
																																	C078610				STANDARD 2B	
											4	1	1.3	2.8	40		2.0	q/s	3			1.5		0.1					3.0	0.1			C078611	128.93	130.45	0.068		
											1	1	0.4	0.4	70		0.3	q/k	3			4.0									0.1		C078612	130.45	131.98	0.057		
											1	3	1.0	1.0	20		2.0	cb/s	4										2.0									
											5	1	0.5	2.5	20	10	2.0	q	3			2.0	0.1	0.5						1.0	1.0		C078613	131.98	133.50	0.172		
											2	1	1.0	1.5	15		0.0					3.0		1.0					1.0	2.0			C078614	133.50	135.03	0.058		
											3	1	1.2	2.1	35		1.0	q/s	2			1.0								0.1			C078615	135.03	136.55	0.043		
																																	C078616				BLANK	
											3	1	0.3	0.9	45	60	1.0	q/s	2			2.0		0.1						0.1	0.1		C078617	136.55	138.07	0.045		
											2	1	0.5	0.8	25	53	0.5	q	1			0.1							1.0				C078618	138.07	139.60	0.381		
											6	1	0.5	2.3	20	45	1.0	q/s	3			3.0		0.1						1.0	1.0		C078619	139.60	141.12	0.130		
				at 140.65m, a 0.5cm po vein has 2cm opaque sugary selvages.							1	6	0.5	0.5	40		2.0	q/k	4			20.0							70.0		10.0							
											6	1	1.2	4.0	25		1.0	q/k	3			2.0		0.1					1.0	1.0			C078620	141.12	142.65	0.119		
											4	1	0.5	2.0	50		0.5	q	2			0.1		0.1					1.0	1.0			C078621	142.65	144.17	0.274		
																																	C078622	142.65	144.17		FIELD DUPLICATE	
											2	1	1.2	1.8	30		1.0	q/k	1			1.0		0.1					1.0		1.0		C078623	144.17	145.69	0.118		fresh sulphs along margins and in selvages
				sulph vein at 145.85m (33deg to CA) is site of fracture - moderate slickensides on face are at 15 deg to CA. ~10% fresh aspy, rest is black ox'd sulph clay							1	6	0.3	0.3	33		2.5	q/cb	3					10.0					90.0				C078624	145.69	147.22	0.080		
											1	1	0.2	0.2	15		1.0	q	2			5.0							1.0									
				at 147.60m, high angle qtz vein is cross-cut by younger low-angle qtz vein.							4	1	0.5	1.8	20	60	1.0	q	3			1.0		0.1						0.1	1.0		C078625	147.22	148.74	0.064		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-313C

DATE: June 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fq)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: June, 2006

LOGGED BY: M. Stone, T. Charles

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION: From → To:	From:	To:	Comments:	ROCK (Alteration): Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	VEINS: #/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages: Max (cm)	Alteration	(0-5)	Ox. State 0-5	% of VEIN & DISSEMINATED MATERIAL — Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite		other	Oxidation: oxide	scordite	biotite	other	Sample Number	Interval: From	To	Au (g/T)	Type of Sample	Vein Comments?
											3	1																					C078626	148.74	150.27	0.093		
											2	1	1.0	2.0	40	20	1.0	q	2			0.1							1.0				C078627	150.27	151.79	0.044		
											1	1	0.3	0.3	40							0.1											C078628	151.79	153.31	0.054		
																																	C078629	151.79	153.31		CHECK ASSAY	
																																	C078630				STANDARD 5E	
											3	1	2.5	3.2	30		1.0	q/s	2					0.1						2.0			C078631	153.31	154.84	0.079		
											4	1	1.5	2.2	15	30	0.3	q	2			0.1	1.0	1.0					0.1	0.1	0.1		C078632	154.84	156.36	0.124		
											1	3	0.3	0.3	35														0.1	0.1	0.1							bt, scor + wollastonite (?) within veins and selvage, trace
																																						woll is alt'n product of po
											1	1	1.0	1.0	40		0.5	q	2			0.1							1.0	1.0			C078633	156.36	157.89	0.219		
											3	1	1.1	0.5	30	40	0.5	q	1			0.1	1.0	1.0					0.1	0.1	0.1		C078634	157.89	159.41	0.076		
											4	1	1.0	3.5	20	40	0.5	q	2					0.1						1.0			C078635	159.41	160.93	0.336		
																																	C078636				BLANK	
											3	1	1.0	3.0	25	35	3.0	q/k/s	3			0.1		0.1						2.0			C078637	160.93	162.46	0.053		
											3	1	1.3	3.0	35		1.2	q/s	2			1.0		0.1						0.1	2.0		C078638	162.46	163.98	0.079		
				at 165.0m, a fracture face with 0.1cm qtz selvages has xtl'ized calcite and aspy, forming moderate slickensides. Face is at 20 deg to CA and slickens are at 5 degrees to CA. aspy is ~60% alt'd to black clay							3	1	1.2	3.0	35	25	1.0	q/s	1			5.0		1.0						4.0		1.0		C078639	163.98	165.51	0.151		
				at 166.20 to 168.75m, carb inflitrates matrix of GND, causing increased breakage. Texture appears more silicified and mafics are finer.							2	1	1.0	1.5	40		0.1	q	2			1.0								2.0				C078640	165.51	167.03	0.058		
											2	1	3.0	3.5	35		0.1	q	2		1.0	1.0		0.1						1.5	1.0		C078641	167.03	168.55	0.079		
																																	C078642	167.03	168.55		FIELD DUPLICATE	
											2	1	2.0	3.0	35		8.0	s/cb	3			5.0							10.0			C078643	168.55	170.07	0.144		s alt'n is pervasive through GND texture down-hole from 2cm vein
											5	1	0.3	1.5	25	50	0.5	q	2			4.0		0.1					2.0	2.0	2.0		C078644	170.07	171.60	0.256		
		171.60	226.47	GND with serpentinite xenoliths. Sheeted qtz veins, ~3 per metre; contain minor aspy and po, sulphs mod alt'd. Breakage along carb-rich veinlets is variable throughout. Other than this alt'n, GND is med-grey, med-to coarse-grained. Selvages around veins are small, dominant alt'n is silicification.		1			1		3	1	1.0	2.5	25		0.5	q	2			3.0	0.1	0.1					1.0		1.0		C078645	171.60	173.13	0.026		
				from 171.85 to 172.20m, an ultramafic xenolith - serpentinite - fine to medium grained, greenish black. Two 1cm qtz veins cross this xeno; fresh po and aspy within; very minor selvage.							3	1	0.5	1.5	30		0.5	q	2				0.1	1.0									C078646	173.13	174.65	0.038		
				2cm by 1cm xeno of serpentinite at 173.95m, rounded edges							1	3	0.4	0.4	5														1.0								
											1	6	0.3	0.3	45		1.0	q	4			2.0		0.1					20.0	10.0	20.0							
											2	1	1.0	1.4	15	40	0.5	q	2			6.0							1.0	1.0	2.0	1.0	C078647	174.65	176.17	0.133		woll
				1cm xeno (serp) at 175.75m, round																													C078648	176.17	177.70	0.042		black sulph carb clay veins
											3	1	1.0	3.0	35	15	1.0	q	3			0.1		0.5						0.1			C078649	176.17	177.70		CHECK ASSAY	
																																	C078650				STANDARD 6F	
											3	4	4.0	5.5	15	60	10.0	cb	3										20.0				C078651	177.70	179.22	0.023		
											2	1	0.6	1.2	25		1.0	q/s	1			0.1		1.0					1.0								
											3	1	1.0	1.8	35		1.0	q's	2			0.1		1.0						0.5			C078652	179.22	180.75	0.040		
											2	1	1.2	2.4	20		1.0	q				1.0		1.0						0.1	2.0		C078653	180.75	182.27	0.040		
				at 173.78m, a 2.5cm by 1.3cm xeno of serpentinite, rounded.							5	1	1.0	3.5	30		1.5	q/k	3			0.1							1.0	0.1		0.1	C078654	182.27	183.79	0.083		
											4	1	0.5	2.0	30	150	1.0	q	2			0.1								0.1	1.0		C078655	183.79	185.32	0.034		
																																	C078656				BLANK	
											4	1	1.0	2.4	30		0.5	q	2			1.0		0.1									C078657	185.32	186.84	0.025		
											1	4	2.0	2.0	30		4.0	cb	2										10.0								black clay, ox'd sulphs
				two xenos at 187.05m, serp, long axes at 45 & 60 degrees to CA							1	1	1.0	1.0	25		0.5	q	2					0.1					1.0	0.1			C078658	186.84	188.37	0.022		mostly ox'd sulphs along vein margins

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-313C

DATE: June 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: June, 2006

LOGGED BY: M. Stone, T. Charles

Lith Code: **-1** = No Code; **OVB** = 1; **GND** = 10; **GND (fq)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL													Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages			Sulphides							Oxidation												
																	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite		other	oxide	scordite	biotite	other		From	To			
											1	1	1.2	1.2	30		4.0	q/s/cb	2		1.0	1.0	0.1	1.0					0.1				C078659	188.37	189.89	0.062		fresh sulphs, centred in vein
				at 190.35m, rounded 2x3cm xeno							3	1	1.3	2.4	25		1.5	q/s	2											0.1			C078660	189.89	191.41	0.023		
											1	6	0.5	0.5	50		5.0	q/s	3		20.0			1.0					10.0									
											2	1	0.5	1.0	30		1.0	q	2		0.1	4.0		2.0					1.0	0.1	1.0		C078661	191.41	192.94	0.027		
																																	C078662	191.41	192.94		FIELD DUPLICATE	
				multiple xenos <4cm long							4	1	1.5	5.5	35		4.0	q/s	3					0.5					1.0	1.0			C078663	192.94	194.46	0.043		
				from 195.75 to 196.30m is one xeno. Serpentinite with somewhat inconsistent composition, contacts with GND are irregular							4	1	3.0	6.5	35		4.0	q/s	3			5.0		0.1					2.0				C078664	194.46	195.73	0.106		
											1	1	0.5	0.5	30							5.0		1.0							4.0		C078665	195.73	196.32	0.543		
				from 196.90 to 197.40m is completely altered; black sulph clay with carbonate shows a slip plane at 30 degrees to CA. clay section (with <2mm pieces of GND) is 10cm of core.							3	1	1.0	2.5	20	30						1.0		0.1					0.1				C078666	196.32	197.51	0.051		
				no veins from 197.51-199.03m; regular GND, med-coarse grained.																														C078667	197.51	199.03	0.011		
				carb clay becoming more prominent				2	2		1	4	1.0	1.0	35		1.0	cb	1										1.0				C078668	199.03	200.56	0.020		selvage is actually stringers
																																	C078669	199.03	200.56		CHECK ASSAY	
																																	C078670				STANDARD 7G	
				xeno pale green at 200.66m, 5x4cm							1	1	0.6	0.6	35		0.5	q	1			2.0								0.1			C078671	200.56	202.08	0.013		
											1	1	0.4	0.4	35							0.1								0.1		C078672	202.08	203.61	0.051		
											1	1	0.3	0.3	120	35	0.5	q	2			1.0							2.0				C078673	203.61	205.13	0.044		
											2	1	1.0	2.0	20							0.1							1.0	1.0			C078674	205.13	206.65	0.238		
											1	1	1.0	1.0	35		0.5	q	1			3.0		1.0					1.0	0.1			C078675	206.65	208.18	0.059		
											1	6	0.2	0.2	80		3.0	cb	2										40.0									
																																	C078676				BLANK	
											1	1	1.5	1.5								0.1								1.0		C078677	208.18	209.05	0.020		vein fragment within soft crumbly carb-rich core
				from 209.05 to 209.40m, stringers of grey carb-clay (ox'd sulph-rich) infiltrate core; appears as a weak fault zone. Sampled separately																														C078678	209.05	209.40	0.060		
											3	1	1.0	2.5	35							0.1							2.0				C078679	209.40	211.23	0.014		
											2	1	1.0	2.0	40	60	1.0	q	3			0.1							2.0				C078680	211.23	212.75	0.059		
											1	3	1.0	1.0	37														1.0									
				at 213.60m is a xeno which cuts core @~90 degrees to CA; serpentinite; 3cm to 5cm of core.							2	1	1.0	1.5	35		0.5	q	2			0.1		0.1					1.0	0.1			C078681	212.75	214.27	0.007		
																																	C078682	212.75	214.27		FIELD DUPLICATE	
				slickensides at 215.75m, shown in calcite and ox'd sulphs, on frac face at 18 degrees to CA, slickens at 85° to CA.							2	1	0.5	1.0	40		0.5	q	1			0.1							1.5	0.1			C078683	214.27	215.80	0.040		
											2	1	1.0	2.0	30							0.1								0.1		C078684	215.80	217.32	0.018		
											1	1	2.5	2.5	60		1.0	q/s	3			0.1		1.0						0.1		C078685	217.32	218.85	0.006		
											3	1	1.5	2.5	15	30	1.0	q	2			1.0							1.0	1.0								2 types of qtz veins, may be different alt'n due to different sulphs
											4	1	1.0	3.5	20		1.0	q	3			2.0		0.1						1.0	0.1	C078686	218.37	220.37	0.011		
				at 220.40m, 220.75, and 221.80m, <1cm qtz veins branch into GND at low angles. One qtz vein, at 220.90m, is straight; it truncates a foliated xenolith, schist, which is 10cm by 6cm.							5	1	2.5	6.0	25		0.5	q	4			1.0		0.1						2.0	1.0	C078687	220.37	221.89	0.043		
											2	1	4.0	5.0	20	5	2.0	q/s	3			1.0		0.1						1.0		C078688	221.89	223.42	0.036		
																		cb	1																			
											1	4	0.5	0.5	50														1.0									
																																	C078689	221.89	223.42		CHECK ASSAY	
																																	C078690				STANDARD 6F	
											4	1	2.0	6.5	15		1.0	q	3			2.0		0.1						1.0			C078691	223.42	224.94	0.094		
											1	1	1.5	1.5	20		1.0	q	1			0.1							1.0	0.1			C078692	224.94	226.47	0.042		
											1	6	0.3	0.3	10		4.0	s/cb	3					5.0					70.0									black ox'd sulph carb clay

DRILL LOG LEGEND P1 | **DATE: June 2006**

DRILL HOLE # : DG06-313C

FeOx: 0 = Unoxidized; 5 = Intensely Ox'd
Ser, Chl, etc: 0 = Unaltered; 5 = Intensely Altered
Carbonate: 0 = No Effervescence; 5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fq)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages: 0 = No Alteration; 5 = Intense Alt'n
Ox. State: 0 = No Oxidized Sulphides; 5 = All Sulph Oxidized

Date: June, 2006

LOGGED BY: M. Stone, T. Charles

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL													Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages			Sulphides							Oxidation											
																	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite		other	oxide	scordite	biotite	other		From	To			
		226.47	262.22	GND with more pervasive alt'n above and below sulphide veins. Most of these 'veins' are carb-clay rich, with predominantly ox'd sulph clay within, while few are fresh linear sulphide veins of pyrite with minor po. On solid rock face adjacent to clay veins, slickensides in fresh aspy are seen, at 227.0m, at 80-90° to CA. Veins themselves are always low-angle (<20°)	2	2	1	1	2		3	6	1.0	1.5	15		30.0	s/cb	4	3	15.0	1.0		0.1					40.0				C078693	226.47	227.43	0.068		
											1	1	1.0	1.0	0	20																C078694	227.43	227.99	0.072		
											1	6	0.5	0.5	15		30+	s/cb	3	3	40.0			10.0					10.0				C078695	227.99	229.51	0.019		fresh euhedral py and aspy - no slickens
																																	C078696				BLANK	
											1	1	1.0	1.0	15		10.0	q/s	2	2	5.0			5.0					6.0				C078697	229.51	230.23	0.009		py conc at vein margins, dull silver aspy within vein
											1	6	0.3	0.3	35		18.0	s/cb	4		1.0	5.0							80.0				C078698	230.23	231.04	0.006		
											1	3	2.0	2.0	35														1.0									carb/qtz/sulphs all adjacent
				from 231.04 to 232.56m there are no veins, and core is relatively un-alt'd, except for minor 1cm lines of silicification. This section has 3 evenly-distributed xenoliths, less than 5cm in diameter.							5	3	0.4	0.4	25	35	0.5	q/cb	2		1.0								5.0				C078699	231.04	232.56	0.023		
											3	1	0.5	1.5	25		5.0	cb/s/chl	3			0.1							3.0									
											3	1	1.5	3.5	35		0.1	q	2			0.1		0.1						2.0		0.1	C078700	232.56	234.09	0.016		woll
											1	1	1.0	1.0	35		0.5	q	1														C078701	234.09	235.61	0.030		
																																	C078702	234.09	235.61		FIELD DUPLICATE	
											3	3	6.0	8.5	30		14.0	s/cb	4					0.1					0.5				C078703	235.61	237.13	0.029		
				from 236.5 to 238.5m, multiple veinlets and stringers of carbonate (parallel to qtz veins at 35° to CA) pervade core. Sericitic alt'n is also pervasive in this section, so that overall colour is pale bluish green with flecks of beige carbonate/qtz within.							2	1	1.0	2.0	35							10.0							2.0		1.0		C078704	237.13	238.66	0.032		
											2	1	3.0	3.5	40		35.0	s/cb	4										2.0				C078705	238.66	240.18	0.051		
											1	3	1.2	1.2	40		15.0	s/cb	4												10.0						black, fibrous bt
											1	1	1.0	1.0	35		1.0	q/s	2			0.1									1.0		C078706	240.18	241.71	0.025		
											1	3	0.4	0.4	58		4.0	s/cb	4										5.0									
				from 241.71 to 242.07m (36cm) is a xenolith of serpentinite, speckled with subhedral k-spar grains. Veinlets of grey qtz cross it.							2	1	0.5	1.0	35		0.5	q/k	3			0.1		0.1						2.0	1.0		C078707	241.71	243.23	0.003		
											1	1	0.2	0.2	35		1.0	q/s	2										2.0	2.0								
											2	6	0.3	0.6	25		4.0	s	3		0.1								99.0				C078708	243.23	244.75	0.003		
																																	C078709	243.23	244.75		CHECK ASSAY	
																																	C078710				STANDARD 5E	
											2	1	0.5	1.0	40		1.0	q	2										1.0				C078711	244.75	246.28	0.009		
				xeno: 4cm by 3cm, rounded, at 247.75m; serp							4	7	3.5	4.3	25	30	40.0	s/cb	4	2		4.0	0.1			4.0			20.0				C078712	246.28	247.80	0.030		sph forms between carb/sulph veins, in subhedral xtls
											1	1	1.0	1.0	35		1.0	q	2			1.0		0.1						1.0							
											1	1	1.0	1.0	35		1.0	q	3			1.0								1.0		C078713	247.80	249.33	0.014		
											1	4	1.0	1.0	35		0.2	cb	4										2.0									
											1	1	1.2	1.2	20		0.6	q	3			0.1								1.0	1.0		C078714	249.33	250.85	0.019		
											1	4	0.2	0.2	35		2.0	s/cb	4										0.1									
											3	1	1.0	2.5	35		1.0	q	2			0.1								0.1			C078715	250.85	252.37	0.006		
											1	4	0.2	0.2	35		2.0	s/cb	2													0.1						woll
																																	C078716				BLANK	
											4	1	1.0	3.5	35	20	0.5	q	3			1.0		1.0					1.0	3.0	0.1		C078717	252.37	253.90	0.011		
				carbonate stringers with ox'd sulphs (>5%) have wide selvages, up to 3cm. Xenoliths: @254.2m, 1x2cm; @254.84m, 4x1.5cm (at 60° to CA); @255.12m, 6x4cm; @255.20m, 6x6cm.							1	1	0.7	0.7	30		0.1	q	2			4.0		0.1						1.0			C078718	253.90	255.42	0.003		
											2	4	0.3	0.5	35		2.0	s/cb	3										5.0									
											1	1	1.0	1.0	40						1.0	3.0		0.1					1.0				C078719	255.42	256.95	0.005		
											1	1	2.5	2.5	15							2.0		10.0						2.0	2.0		C078720	256.95	258.47	0.136		vein margins not sharp
											1	3	1.5	1.5	30		10.0	q/s	4							0.1			3.0									
											2	1	0.6	1.2	25	35	1.0	cb/s	4			2.0							1.0	1.0	0.1		C078721	258.47	259.99	0.060		

DRILL LOG LEGEND P1 | **DATE: June 2006**

DRILL HOLE # : DG06-313C

FeOx: 0 = Unoxidized; 5 = Intensely Ox'd
Ser, Chl, etc: 0 = Unaltered; 5 = Intensely Altered
Carbonate: 0 = No Effervescence; 5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fq)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages: 0 = No Alteration; 5 = Intense Alt'n
Ox. State: 0 = No Oxidized Sulphides; 5 = All Sulph Oxidized

Date: June, 2006

LOGGED BY: M. Stone, T. Charles

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION: From → To:	From:	To:	Comments:	ROCK (Alteration): Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	VEINS: #/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages: Max (cm)	Alteration	(0-5)	Ox. State 0-5	% of VEIN & DISSEMINATED MATERIAL — Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	other	Oxidation: oxide	scordite	biotite	other	Sample Number	Interval: From	To	Au (g/T)	Type of Sample	Vein Comments?
											2	7	1.0	1.0	20		40.0	cb/s	4		10.0							5.0								selvages not distinguishable, whole sample is ser/cb at'd
																															C078722	258.47	259.99		FIELD DUPLICATE	
											3	1	1.0	2.6	35	15					0.1	0.1		0.1				3.0	2.0			C078723	259.99	261.52	0.024		tr aspy diss in alt'n (selvages)
											4	3	0.4	2.0	35													0.1									
											2	6	0.3	0.6	35						10.0			1.0								C078724	261.52	262.22	0.041		aspy diss in alt'n
		262.22	281.33	Coherent, solid GND with good to excellent recovery. Unalt'd, except wide sericitized selvages (with subhedral crystalized k-spar and carb) surround carb/qtz veins. These selvages contain small amounts of disseminated aspy.		2	1		1		1	1	2.5	2.5	35													0.1				C078725	262.22	263.04	0.098		
											2	1	11.0	14.0	35							0.1		1.0		2.0				0.1		C078726	263.04	264.57	0.099		
											1	3	3.0	3.0	35		60.0	s/cb	4							0.1		1.0									
											5	1	1.0	4.0	35		1.0	q/cb	1		0.1	10.0		0.1				1.0				C078727	264.57	266.09	0.437		
											5	1	0.3	1.4	35	25	0.4	q	2			5.0		0.1					2.0	2.0		C078728	266.09	267.61	0.047		
																															C078729	266.09	267.61		CHECK ASSAY	
																															C078730				STANDARD 4D	
				xeno serpentinite at 266.50m, 6x3cm, long axis at 75° to CA.							3	1	1.0	3.0	35	20	1.0	q/s	2			3.0		1.0				2.0	1.0	1.0		C078731	267.61	269.14	0.035		
											3	1	0.8	1.6	35	25	0.5	q	2			1.0							0.1	0.1		C078732	269.14	270.66	0.014		
											2	3	3.0	5.0	130	140	3.0	q/s	2									1.0									
											4	1	0.5	1.7	35	85	1.0	q	2		0.1	1.0		0.1		0.1			0.1	0.1		C078733	270.66	272.19	0.063		
				xenos at 271.66 (6x5cm), @271.90m, (1.5x1cm), @272.25m (1x1cm). Fine-grained, deep blackish green; serpentinite							2	7	0.2	0.4	50		1.0	s/cb	3									5.0									
											4	1	1.4	4.2	40							3.0		0.5					0.1			C078734	272.19	273.71	0.080		
											2	7	3.0	5.0	50		20.0	s/cb/k	4		1.0	3.0		0.1		0.1		1.0									py/aspy in selvage
											3	1	1.0	2.0	50		0.5	q	2			0.1						0.1	1.0	1.0	C078735	273.71	275.23	0.077		
											2	3	10.0	10.0	35		25.0	s/cb/k	4		1.0	0.1						1.0									10cm vein is linear variable, between qtz, carb and ox'd sulph
																															C078736				BLANK	
				at 275.55m, a 1mm layer of pure white clay w/ kaolinite + minor carbonate on break in core at 85° to CA.							5	1	1.0	3.5	30	50												3.0	0.1			C078737	275.23	276.76	0.048		
											2	7	0.1	0.2	50		6.0	s/cb/k	3									10.0									
				xeno, 3x4cm, at 277.15m. A linear feature that was probably once a qtz vein with sulphides has alt'd within, such that the po is now dull beige and fibrous and aspy is all changed to scorodite; biotite also present. Qtz is just barely visible 'behind' all these fibrous/micaceous minerals. Also crystallized here are large (~1cm) crystals of k-feldspar, white and opaque.							2	1	6.0	9.0	40		2.0	q/s	2		0.1	1.0		0.1							1.0	C078738	276.76	278.28	0.047		po is alt'd to fibrous and dull lustre, radiating tabular xtls
											2	1	1.5	2.5	5	10	0.5	q	2		2.0	4.0		1.0				0.1	0.1			C078739	278.28	279.81	0.040		
				xenos: @278.55 (2cm), @280.90m (2x1cm). Qtz vein at 280.35m contains many alt'n products (as explained above), and is not straight, but weaves between 0 and 10° to CA.							2	1	1.0	1.4	5	10	1.0	q/s	2			10.0							5.0			C078740	279.81	281.33	0.045		
		281.33	290.86	GND, more alt'd. Sericite pervasive so core colour is pale green, while GND texture is still visible. Carb less strong, but alt'n surrounds carb veins and veinlets. K-feldspar crystals are newly-formed.		3	1	1	2		2	1	1.0	2.0	15									0.1				0.1	2.0			C078741	281.33	282.85	0.018		gradational edges and selvages
				from 281.33 to 282.85m, the most significant source of sulphides is							1	3	2.0	2.0	60													0.1								straight edges
																															C078742	281.33	282.85		FIELD DUPLICATE	
											3	1	2.5	5.0	10	60						0.1							0.1		C078743	282.85	284.38	0.046		sulphs occur where low-angle qtz vein intersects carb veinlt
											1	1	0.5	0.5	20		0.5	k	1			1.0						1.0				C078744	284.38	285.90	0.035		
											1	6	1.0	1.0	10	0					3.0							20.0									
											1	1	0.5	0.5	10		1.0	q	2			1.0						1.0				C078745	285.90	287.43	0.030		
											1	3	1.5	1.5	50		50.0	cb/s	4		0.1	0.1			1.0			2.0									
											1	3	1.0	1.0	30		10.0	s/k/cb	3	1								10.0				C078746	287.43	288.95	0.067		ox'n noted (10%) is stringers of ox'd py, within selvage of cb/qtz vein (i.e. they share selvages)
											3	1	1.0	2.0	30	40	1.0	cb/s/k	3	1	0.1							10.0				C078747	288.95	289.92	0.067		ox'd sulph within qtz vein
											1	6	0.2	0.2	140		10.0	cb/s/k	3									40.0		10.0						

DRILL LOG LEGEND P1 | **DATE: June 2006**

DRILL HOLE # : DG06-313C

FeOx: 0 = Unoxidized; 5 = Intensely Ox'd
Ser, Chl, etc: 0 = Unaltered; 5 = Intensely Altered
Carbonate: 0 = No Effervescence; 5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages: 0 = No Alteration; 5 = Intense Alt'n
Ox. State: 0 = No Oxidized Sulphides; 5 = All Sulph Oxidized

Date: June, 2006

LOGGED BY: M. Stone, T. Charles

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fq)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41; **BQAH** = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION: From → To:	From:	To:	Comments:	ROCK (Alteration): Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	VEINS: #/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages: Max (cm)	Alteration	(0-5)	Ox. State 0-5	% of VEIN & DISSEMINATED MATERIAL — Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite		other	Oxidation: oxide	scordite	biotite	other	Sample Number	Interval From	Interval To	Au (g/T)	Type of Sample	Vein Comments?
											1	1	1.0	1.0	20		10.0	cb/s/k	3		6.0			0.1					2.0				C078748	289.92	290.86	0.034		
											2	3	1.0	2.0	20		10.0	cb/s/k	4		0.1								10.0									
																																	C078749	289.92	290.86		CHECK ASSAY	
																																	C078750				STANDARD 3C	
		290.86	307.24	Alt'n (ser, carb) is not pervasive here, but restricted to surrounding veins (qtz, qtz/carb, sulph), in narrow to wide selvages. Xenolith, very fine-grained serpentinite (appears greenish black and micaceous), 0.5cm by 1cm, with long axis oriented at 45° to CA.	1	1		1	2		1	1	0.5	0.5	30		0.5	q	1					0.1					2.0				C078751	290.86	292.00	0.013		
				from 291.54 to 292.0m and from 292.46 to 293.28m are zones of carb clay gouge, denoting a possible fault zone. Plane of motion appears to be at 40° to CA, shown in stringers of ox'd sulphides and pure carb or linear fragments of qtz.							1	3	3.0	3.0	60		11.0	cb/s	5	3									2.0									selvage is fault gouge
											2	1	1.0	2.0	5		3.0	q/cb	4	2									10.0				C078752	292.00	293.52	0.023		
											1	6	0.3	0.3	40		8.0	cb	5	1									60.0									
											5	1	1.0	4.0	5	25	10.0	q/s	3			2.0							10.0				C078753	293.52	295.05	0.023		
											5	1	1.0	4.0	35		0.5	q	2		0.1	3.0		1.0					1.0	1.0			C078754	295.05	296.57	0.069		
				at 296.07m, cpy appears on fracture face (at 20° to CA) adjacent to qtz/carb vein, fresh, in slickensides at 55° to CA.							1	3	0.6	0.6	25		2.0	q/s	2			0.1	0.1	0.1					1.0									po and aspy appear in the distal regions of selvage, disseminated
											3	1	3.0	5.0	30		1.0	q	1			2.0		0.1					1.0	1.0			C078755	296.57	298.09	0.045		widest vein has straight edges and very few sulphs; 2 smaller veins have gradational boundaries but more sulphs (+their alt'n products)
																																	C078756				BLANK	
											3	1	1.0	2.0	30							1.0							0.1				C078757	298.09	299.64	0.020		
											1	3	0.6	0.6	40														5.0									
											5	1	1.0	4.0	30	50	1.0	q/s	2	1		0.1							1.0	2.0			C078758	299.64	301.19	0.022		
											4	1	1.0	3.0	40		0.5	q	2			0.2							3.0				C078759	301.19	302.72	0.044		
											3	1	1.0	3.0	30		1.5	q/cb	2														C078760	302.72	304.19	0.024		
				xeno at 305.0m, schist, 2x1cm							4	1	1.0	4.0	30		1.0	q	1			0.1							4.0				C078761	304.19	305.72	0.052		
																																	C078762	304.19	305.72		FIELD DUPLICATE	
											3	1	1.3	2.0	25							0.1								0.1			C078763	305.72	307.24	0.038		
		307.24	336.72	More carb-alt'd GND; broken up and soft. Ser alt'n is minor, associated with carb veins at low angle to CA.							4	1	2.0	3.5	20		1.0	q/s	2			1.0							2.0	1.0			C078764	307.24	308.78	0.041		
											4	1	1.5	4.5	5	40	2.0	q/s	2			2.0							2.0	1.0			C078765	308.78	310.29	0.055		
											2	1	1.5	3.0	20		1.0	q	1			0.1							5.0	1.0			C078766	310.29	311.81	0.026		
											3	1	1.0	3.0	20		1.0	q	1			0.1							3.0				C078767	311.81	313.33	0.011		
											5	1	2.0	5.0	20	50	1.0	q/s	2			4.0				0.1			4.0	1.0	0.1		C078768	313.33	314.85	0.028		
																																	C078769	313.33	314.85		CHECK ASSAY	
																																	C078770				STANDARD 4D	
											4	1	0.6	2.4	20	60	0.5	q	2			0.1							4.0	2.0	1.0		C078771	314.85	316.38	0.016		
											3	1	1.5	3.3	20		15.0	s	3			1.0							2.0	2.0			C078772	316.38	317.91	0.060		
											2	3	0.6	1.0	5		1.0	q	2														C078773	317.91	319.43	0.025		
											2	7	0.2	0.4	5														90.0				C078774	319.43	320.96	0.009		
				at 321.05m, a mica-rich xenolith is truncated at qtz vein. Another xeno at 322.35m.							1	1	1.0	1.0	40															0.1		C078775	320.96	322.48	0.008		
											1	7	0.8	0.8	30		2.0	s/cb/q	3										20.0									
																																	C078776				BLANK	
											2	1	0.5	1.0			1.0	q/s	3														C078777	322.48	324.00	0.011		
											2	1	1.0	2.0	35		2.0	q/s	2										1.0	2.0			C078778	324.00	325.53	0.022		
				From 325.83m through 337.0m, there is evidence of small shears: carb clay and a preferred orientation for veinlets and foliation development within GND; these zones contain ox'd and fresh sulphides. Usually these zones are 10-30cm wide, separated by coherent, unalt'd GND. Orientation of shear motion is 30° to CA; slickensides on this plane are at 40° to CA.							3	1	1.5	3.0	35	30						2.0		0.1					10.0				C078779	325.53	327.06	0.048		
											1	7	0.2	0.2	25		2.0	cb	3										60.0									
											1	1	1.5	1.5	30		30.0	s	3		2.0	0.1							1.0				C078780	327.06	327.72	0.030		

DRILL LOG LEGEND P1 | **DATE: June 2006**

DRILL HOLE # : DG06-313C

FeOx: 0 = Unoxidized; 5 = Intensely Ox'd
Ser, Chl, etc: 0 = Unaltered; 5 = Intensely Altered
Carbonate: 0 = No Effervescence; 5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages: 0 = No Alteration; 5 = Intense Alt'n
Ox. State: 0 = No Oxidized Sulphides; 5 = All Sulph Oxidized

Date: June, 2006

LOGGED BY: M. Stone, T. Charles

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fq)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41; **BQAH** = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL													Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages					Sulphides								Oxidation								
																	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite		other	oxide	scordite	biotite	other		From	To			
											1	6	0.3	0.3	25						40.0								5.0								sulph vein shares selvage w/ qtz vein
											4	6	0.4	0.9	30		6.0	cb/s	4	2	5.0								70.0				C078781	327.72	328.57	0.021		
																																	C078782	327.72	328.57		FIELD DUPLICATE	
											2	6	0.6	1.0	35	90	20.0	s/cb	3										10.0				C078783	328.57	329.40	0.011		
											1	3	2.0	2.0	35														5.0									
											4	7	0.2	1.4	25		5.0	cb/s	4		10.0								60.0				C078784	329.40	330.15	0.023		
											2	7	0.2	0.2	25		8.0	cb/s	3			4.0							50.0				C078785	330.15	330.96	0.052		
											3	7	0.5	1.5	70	35	40.0	s	3					0.1					80.0				C078786	330.96	331.62	0.027		
											2	7	0.5	1.0	70		5.0	s	3		5.0								50.0				C078787	331.62	333.13	0.003		
											3	3	0.3	0.8	25	45	3.0	cb	2										10.0				C078788	333.13	333.91	0.044		
																																	C078789	333.13	333.91		CHECK ASSAY	
																																	C078790				STANDARD 5E	
											1	3	0.6	0.6	60		1.0	cb/s	1										5.0				C078791	333.91	335.00	0.003		
											4	7	1.0	3.0	60	50	5.0	cb	4										70.0				C078792	335.00	335.86	0.191		
		336.72	360.58	Hard, coherent GND. Carb alt'n is virtually gone, except very minor within small selvages around <3cm qtz veins.		1			1		3	1	0.6	1.2	30	35	4.0	s/q	2		0.1	0.1		1.0					1.0	1.0			C078793	335.86	336.72	0.006		
											1	1	0.5	0.5	30		1.0	q/s	1			0.1							1.0				C078794	336.72	337.72	0.084		
											1	7	0.5	0.5	60		4.0	cb	3										60.0									
											4	1	0.5	2.0	30	70	1.0	q	2			3.0		0.1						2.0			C078795	337.72	339.25	0.017		
																																	C078796				BLANK	
				from 337m, small xenos of f-grained mafic rock, often with long axis parallel to the qtz veins, approx 1/metre							2	3	0.3	0.5	40		10.0	s/cb	3										2.0	2.0			C078797	339.25	340.77	0.007		
											4	1	1.0	3.0	35		1.0	q	1			1.0		0.1					1.0	5.0			C078798	340.77	342.28	0.056		
											5	1	0.8	3.6	60	25	1.0	q	1			0.1		1.0						3.0			C078799	342.28	343.81	0.019		
											2	1	0.8	1.5	40		1.0	q	1			0.1							3.0				C078800	343.81	345.34	0.036		
											2	3	1.0	1.5	40		2.0	cb/s	2			2.0								5.0									
											5	1	0.6	3.0			1.0	q/s	1			1.0							10.0	4.0			C078801	345.34	346.86	0.005		
																																	C078802	345.34	346.86		FIELD DUPLICATE	
											3	1	0.5	1.5	40	60	1.0	q	2		1.0	2.0		0.1					1.0	3.0			C078803	346.86	348.38	0.178		
											1	3	5.0	5.0	40		40.0	s/cb	4		1.0	4.0							10.0									
											5	1	0.5	2.5	25	70					1.0	2.0		0.1					0.1	5.0			C078804	348.38	349.91	0.015		
											2	1	1.0	2.0	20	60	1.0	q	2			2.0		1.0						4.0			C078805	349.91	351.44	0.096		
				Xenolith: 5x10cm, micaceous, blackish green; irregular edges; at 351.8m… serpentine schist. More xenos throughout unit - usually 1cm in diameter, approx 1/metre							2	1	0.6	1.0	15	40	1.0	q/k	2			4.0							2.0				C078806	351.44	352.96	0.042		
											2	1	2.0	3.0	30	40	1.0	q	2			5.0							2.0				C078807	352.96	354.49	0.094		
											4	1	1.4	3.0	40	25	1.0	q/k	2			2.0		0.1					2.0	2.0			C078808	354.49	356.01	0.131		
																																	C078809	354.49	356.01		CHECK ASSAY	
																																	C078810				STANDARD 1A	
				from 356.1 to 357.28m, xenos are more frequent, up to 3/metre. All <2cm in diameter. This section is bleached but very coherent as well, with solid core pieces up to 1.3m.																														C078811	356.01	357.54	0.030		
											4	1	1.0	3.0	40		2.0	q/k	3	1		6.0							1.0	1.0	1.0		C078812	357.54	359.05	0.037		
											2	1	3.0	4.0	40		2.0	q/k	2			3.0								3.0			C078813	359.05	360.58	0.253		
		360.58	398.68	Solid GND continues. Qtz veins common, ~2-3 per metre. Selvages are silicified to bleached (± carb). Sericitic alt'n increased with greater sulph content.		1					3	1	1.0	2.0	20		1.0	q	1			0.1								3.0	1.0		C078814	360.58	362.10	0.778		
											2	7	0.2	0.4	40		3.0	q/s	3			0.1							60.0									
											3	1	0.5	1.5	40		1.0	q/s	3	1		25.0							40.0				C078815	362.10	363.62	0.032		diss aspy (tr) on frac face, not assc w/ qtz veins
											2	7	0.5	0.7	40		7.0	s/cb	3		75.0								5.0									
																																	C078816				BLANK	
											4	1	1.0	3.0	40	30	1.0	q/k	3			2.0		0.1						1.0			C078817	363.62	365.15	0.151		grey qtz
											4	1	1.0	3.5	40		1.5	q/k	2			1.0		0.1						2.0			C078818	365.15	366.67	0.026		
				xeno @ 367m is 4x2cm, elongate at 85° to CA.							3	1	0.5	1.5	40		1.0	q/s	2			0.1								0.1			C078819	366.67	368.20	0.087		
											4	1	1.0	3.0	40		1.0	q	3			3.0		0.1					1.0	0.1			C078820	368.20	369.72	0.197		

DRILL LOG LEGEND P1 | **DATE: June 2006**

DRILL HOLE # : DG06-313C

FeOx: 0 = Unoxidized; 5 = Intensely Ox'd
Ser, Chl, etc: 0 = Unaltered; 5 = Intensely Altered
Carbonate: 0 = No Effervescence; 5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fq)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41; **BQAH** = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages: 0 = No Alteration; 5 = Intense Alt'n
Ox. State: 0 = No Oxidized Sulphides; 5 = All Sulph Oxidized

Date: June, 2006

LOGGED BY: M. Stone, T. Charles

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION: From → To:	From:	To:	Comments:	ROCK (Alteration): Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	VEINS: #/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages: Max (cm)	Alteration	(0-5)	Ox. State 0-5	% of VEIN & DISSEMINATED MATERIAL — Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	other	Oxidation: oxide	scordite	biotite	other	Sample Number	Interval: From	To	Au (g/T)	Type of Sample	Vein Comments?
											4	3	1.0	2.3	35													1.0				C078821	369.72	371.25	0.188		
																															C078822	369.72	371.25		FIELD DUPLICATE	
											3	3	1.0	2.2	30	40	10.0	s	4	1		0.1							1.0	1.0		C078823	371.25	372.78	0.022		
				xeno at 373.50m, 3x2cm							1	1	1.0	1.0	10													0.1				C078824	372.78	374.29	0.224		
											2	6	0.7	1.0	30		40.0	s/q	3	1	40.0						0.1	4.0								ox'n in selvage is proximal to py vein
											1	7	0.2	0.2	5													20.0				C078825	374.29	375.82	0.049		selvage shared with fresh sulph veins down-hole
											4	1	1.6	4.6	40	20	10.0	s/q/cb	4									0.1									
											2	7	3.0	3.4	40		40.0	s	3	2	15.0			1.0				5.0				C078826	375.82	377.34	0.444		
											1	1	1.0	1.0	40		0.4	q/k	3			0.1				0.1		2.0									
											4	1	1.0	3.5	40		0.2	q	2			1.0						1.0	0.1	0.1		C078827	377.34	378.86	0.141		
											2	7	1.0	1.5	45		10.0	s	4			3.0		10.0				10.0				C078828	380.39	378.86	0.201		
																															C078829	380.39	378.86		CHECK ASSAY	
																															C078830				STANDARD 6F	
											3	1	1.3	3.1	45		1.0	q	2			0.1		0.1					5.0	1.0		C078831	380.39	381.91	0.051		
											4	1	1.2	3.5	30		1.0	q	1			1.0		1.0							2.0	C078832	381.91	383.44	0.238		other alt'n of sulphs is po-to-chl
											1	4	2.0	2.0	35		3.0	s/cb	3									10.0									centre (3cm) of this 'vein' is cb-alt'd GND; 2 clear veinlets mark the boundaries
											4	1	1.0	3.5	45		1.0	q/k	1					0.1		0.1			2.0			C078833	383.44	384.96	0.152		
				sample from 384.96m contains FOLD HINGE area, where a qtz vein is bent within ~40cm of coherent core. Also an 'M' fold is visible in these small qtz veins (essentially devoid of sulphides). Fold axis at 70° to CA, open fold.							3	1	1.0	2.8	45	60												0.1				C078834	384.96	386.49	0.028		
											1	3	0.3	0.3	50		2.0	q/cb/s	1		1.0															
											1	3	0.6	0.6	35		1.0	q/cb/s	3		0.1							5.0				C078835	386.49	388.02	0.091		
																															C078836				BLANK	
											3	4	1.0	2.2	75	60	4.0	cb/s	4									1.0				C078837	388.02	389.53	0.080		1cm carb clay, rest compent with faint GND texture
											2	7	0.3	0.6	25		8.0	cb/s	2		5.0							15.0	5.0			C078838	389.53	391.05	0.138		chl in vein as well
											2	1	1.0	2.0	35		2.0	q	3									5.0	5.0	1.0							
											1	6	2.0	2.0	35		13.0	s/q	4		1.0							10.0				C078839	391.05	392.58	0.127		
				at 393.8m, ox'd sulph+carb appears for 2cm. Qtz eyes and k-spar grains within appear rearranged, slip plane (?)							2	7	2.0	2.2	35		14.0	s/q	3									15.0				C078840	392.58	394.02	0.200		
				Xeno: 14x6cm (length and full width of core), fine-grained greyish black w/ fine green areas. Contains trace po. Irregular boundaries, but generally follows qtz veins							1	1	1.0	1.0	35		1.0	q	1			3.0						0.1				C078841	394.02	395.63	0.060		
																															C078842	394.02	395.63		FIELD DUPLICATE	
				carb veinlet w/ trace py flattened on surface has wide selvages, 4cm each. First real aspy in qtz vein, fresh, euhedral, assc w/ po.							2	1	1.2	2.2	35		1.5	q/s	3			1.0		3.0							C078843	395.63	396.40	0.288		
											2	6	1.0	1.5	30		5.0	s	3		80.0							10.0				C078844	396.40	397.15	0.653		py up to 2mm in diameter
											2	1	1.0	1.5	45	35	1.5	q/s	1													C078845	397.15	398.68	0.188		
											1	3	1.0	1.0	20													1.0									
		398.68	405.80	More carb-alt'd GND. Core is softer and appears to have fabric development, at 40° to CA, from 400.90 to 402m, also denoted by stringers of ox'd sulphs throughout.							3	1	1.0	2.0	20	45	0.5	q	2									0.1	0.1			C078846	398.68	400.02	0.248		
											2	7	0.5	1.0	50													30.0				C078847	400.02	401.73	0.239		
				carb/ox'd section from 400.90 to 401.5m							5	1	1.0	4.0	60	35						1.5						1.0	0.1			C078848	401.73	403.26	0.055		
																															C078849	401.73	403.26		CHECK ASSAY	
																															C078850				STANDARD 7G	
				carb/ox'd sections from 403.26 to 404.0m.							3	7	3.0	8.0	65	35	10.0	cb	3									40.0				C078851	403.26	404.77	0.449		stringers of ox'd sulph pervasive and continuous
		405.80	433.73	Back into unalt'd, coherent GND, except minor sericitic alt'n within selvages of carbonate/ox'd sulphide veinlets usually resulting in straight fracture faces at 10° to CA.							3	1	1.0	2.3	35		1.0	q/s	1			0.1				1.0		1.0	0.1			C078852	404.77	406.30	2.180		
				at 407.75m, a fine-grained mafic xenolith, 5x3.5cm. Serpentine basalt (?)							2	1	1.0	1.5	35		1.0	q	2									1.0				C078853	406.30	407.82	0.066		
											4	3	1.3	3.0	35		25.0	s/cb	3									0.1				C078854	407.82	409.32	0.261		
											1	1	0.4	0.4	35		1.0	q/s	2					9.0											fresh aspy in one large chunk (2cm long by 0.4cm)

DRILL LOG LEGEND P1 | **DATE: June 2006**

DRILL HOLE # : DG06-313C

FeOx: 0 = Unoxidized; 5 = Intensely Ox'd
Ser, Chl, etc: 0 = Unaltered; 5 = Intensely Altered
Carbonate: 0 = No Effervescence; 5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fq)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages: 0 = No Alteration; 5 = Intense Alt'n
Ox. State: 0 = No Oxidized Sulphides; 5 = All Sulph Oxidized

Date: June, 2006

LOGGED BY: M. Stone, T. Charles

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION: From → To:	From:	To:	Comments:	ROCK (Alteration): Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	VEINS: #/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages: Max (cm)	Alteration	(0-5)	Ox. State 0-5	% of VEIN & DISSEMINATED MATERIAL — Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite		other	Oxidation: oxide	scordite	biotite	other	Sample Number	Interval From	Interval To	Au (g/T)	Type of Sample	Vein Comments?
											3	1	2.0	4.0	35	50	1.0	q	3			0.1							4.0				C078855	409.32	410.87	0.310		
											1	6	0.3	0.3	35		1.0	q/s	2					40.0					10.0	4.0	0.1						
											3	3	2.0	3.0	35	50	25.0	s/cb	4		2.0	1.0							1.0								
																																	C078856				BLANK	
				xeno, 4x3cm, med-gr mafic, w/ xtlized ("new") k-spar within.							5	1	1.0	4.0	40	50	1.0	q/cb	3			1.0	0.1						1.0				C078857	410.87	412.39	1.285		
											3	1	1.0	3.0	45		1.0	q/k	2			1.0				1.0				0.1			C078858	412.39	413.92	1.005		
											2	1	1.0	1.5	45		1.0	q	2											0.1			C078859	413.92	415.44	1.380		
											2	3	0.6	0.8	35	0	1.5	s/q	3										4.0									
											3	1	0.8	1.5	50		2.0	s/q/cb	3			1.0						1.0					C078860	415.44	416.97	0.859		moly distal from vein in selvage
											5	1	1.3	4.5	40		2.0	q	1			4.0							1.0				C078861	416.97	418.50	0.655		
											1	6	2.0	2.0	40		10.0	s/cb	4	1	10.0	5.0							20.0									selvage is carb stringers within ser'd GND
																																	C078862	416.97	418.50		FIELD DUPLICATE	
				at 420.20m, a fracture face reveals well-formed aspy, up to 2.5mm across grains, spread over entire face. Fresh, <5% ox'd; ser selvage 1cm.							4	1	1.0	3.0	55	15	3.0	s/cb	3			5.0							3.0				C078863	418.50	420.01	0.333		
											3	1	1.0	2.0	40	20	0.2	q	3		0.1	1.0								4.0	0.1		C078864	420.01	421.52	1.090		
											5	1	1.0	3.6	40	30						2.0				0.1							C078865	421.52	423.08	0.652		
											5	1	0.6	3.0	40		1.0	q	1			5.0								1.0			C078866	423.08	424.61	0.089		
											3	1	1.5	3.0	45		1.0	q	3			4.0							1.0	1.0			C078867	424.61	426.11	0.111		
											4	1	0.6	2.4	45	55	1.0	q/k	2		3.0	1.0							1.0				C078868	426.11	427.64	0.184		
																																	C078869	426.11	427.64		CHECK ASSAY	
																																	C078870				STANDARD 5E	
											2	1	1.5	2.5	35		2.0	q/k	3		0.1	1.0							3.0				C078871	427.64	429.16	0.159		
				Aspy here is fresh but not euhedral, smeared/flattened onto fracture face							1	7	0.4	0.4	35		3.0	q/s/cb	4		1.0			5.0					5.0				C078872	429.16	430.68	0.096		
											4	1	1.0	3.6	35		1.0	q/s	2				1		3				5.0									
											6	1	1.2	6.0	35		2.0	q/s	2				2.0		1.0				3.0				C078873	430.68	432.21	0.216		
											5	1	0.6	3.0	35		2.0	q/s	2				3.0	0.1	3.0					0.1			C078874	432.21	433.73	0.039		
											3	1	1.0	2.0	35		1.0	q	1				2.0							1.0			C078875	433.73	435.25	0.014		
		433.73	442.88	Core becomes more alt'd surrounding carb/qtz/sulph veinlets, up to 20cm selvages, frequent veinlets (~3/m)	1	2	1		1		4	3	0.3	1.0	35		12.0	s/cb	3					0.1					2.0								
																																	C078876				BLANK	
											3	1	1.2	3.0	30	40	1.5	q/s/k	3		0.1	0.1		1.0					1.0	0.1	0.1		C078877	435.25	436.78	0.404		
											1	6	0.5	0.5	40		1.0	q/s	2		1.0	0.1		40.0					4.0									fresh aspy
											3	1	4.0	7.5	35	110	40.0	s/k/cb	4	1		1.0		1.0					2.0				C078878	436.78	438.30	0.049		qtz veins are within selvage of carb/sulph vein
											1	7	2.0	2.0	35	25					8.0	10.0				1.0			1.0									irregular orientation - vein widens and pinches
											1	1	1.4	1.4	30		10.0	s/q	1			0.1							3.0				C078879	438.30	439.83	0.054		
											4	1	1.0	2.6	150	15	6.0	s/q	4										2.0			1.0						chl in vein and near vein margins
											4	1	1.0	3.0	35	45	2.0	q/s	3		0.1	4.0							3.0				C078880	439.83	441.35	0.140		
											4	3	1.2	3.0	35	45	4.0	s	4		3.0	0.1							5.0									
											3	1	1.0	5.0	35		6.0	q/s	3	1	0.1	1.0							2.0				C078881	441.35	442.88	0.804		
																																	C078882	441.35	442.88		FIELD DUPLICATE	
		442.88	462.69	Very little ser alt'n here; core is coarse grained, colour is medium grey. Silicified carbonate (it appears harder and less effervescent). Selvages around qtz veins are wider and more alt'd with increased carb assc w/ vein; upon sil'n, carb xtlized in selvage.		1			1		5	1	1.0	4.0	35		3.0	q/s	2			2.0				0.1			1.0		1.0		C078883	442.88	444.40	0.123		
											6	1	4.0	7.0	35		1.0	q	2			1.0								4.0			C078884	444.40	445.92	0.160		
				Mafic xenolith at 453.35m, 5x2cm.							3	1	0.5	1.5	35		1.0	q/s	1			4.0							2.0		2.0		C078885	445.92	447.45	0.437		
											3	1	1.5	3.0	35		3.0	q/k/s	3			2.0		1.0					1.0	1.0			C078886	447.45	448.98	0.106		
											3	6	1.2	1.7	35		10.0	s/cb	4		2.0	0.1		15.0					3.0				C078887	448.98	450.59	0.780		
											3	1	1.0	2.0	25	60	10.0	s/cb	3			1.0							1.0				C078888	450.59	452.12	0.107		
																																	C078889	450.59	452.12		CHECK ASSAY	

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-313C

DATE: June 2006

FeOx
0 = Unoxidized
5 = Intensely Ox'd

Ser, Chl, etc
0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: June, 2006

LOGGED BY: M. Stone, T. Charles

Lith Code: **-1** = No Code; **OVB** = 1; **GND** = 10; **GND (fq)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL													Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																Selvages				Sulphides							Oxidation											
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite		other	oxide	scordite	biotite	other		From	To			
																																C078890				STANDARD 4D	
				Soft carb, exclusive of qtz, begins at 453.54m, straight veinlets to veins.							3	1	1.0	2.0	35		2.0	q/s	1			1.0								4.0			C078891	452.12	453.54	0.054		
											3	1	1.1	2.0	35		3.0	q/s	2			0.1							1.0			C078892	453.54	455.06	0.112		
											4	1	0.5	2.0	45		2.0	q	3		0.1	2.0		0.1					1.0			C078893	455.06	456.59	0.036		
											5	1	1.0	3.5	40		2.0	q/cb	2			1.0							1.0			C078894	456.59	458.12	0.111		
											4	1	4.0	7.0	40		2.0	q	3			1.0		2.0								C078895	458.12	459.64	0.057		
																																C078896				BLANK	
											3	1	2.0	6.0	40		2.0	q	3			1.0		3.0								C078897	459.64	461.17	0.060		
											3	1	16.0	20.0	70	40	15.0	s/cb	5		0.1								5.0			C078898	461.17	462.69	0.074		
		462.69	504.44	GND w/ pervasive ser alt'n, grading to more carbonaceous from 473m on down hole, to 480.85m. Dry, core is flakey, brittle. Washed and wet, it is deep bluish green to a pistachio green where ser is stronger. Crumbly where carb strong, often assc with ox'd sulph stringers (dark grey-black, w/ ~1% fresh py). Some are wide enough to be considered veins	1	3	1	1	2		3	1	2.0	4.5	45			s	3		4.0			4.0							2.0			C078899	462.69	464.21	0.227		whole sample is alt'd - selvages mix together
											2	6	1.0	2.0	60			s	3		50.0	1.0							5.0								
											2	3	2.0	3.0	55			s	4										2.0			C078900	464.21	465.73	1.175		whole sample is alt'd - selvages mix together
											2	7	3.0	3.3	10	60		s/cb	4		40.0								60.0								
											4	1	1.0	3.0	70	5		s	3										1.0			C078901	465.73	467.25	0.229		
											2	7	3.0	4.0	55			s/cb	4		1.0								40.0								
																																C078902	465.73	467.25		FIELD DUPLICATE	
											5	1	1.0	4.2	40		14.0	cb/s/q	4	1									2.0	1.0	0.1	C078903	467.25	467.97	0.181		
											1	6	0.3	0.3	45						4.0			6.0					50.0								
				at 468.0m, a sulphide vein (predominantly fresh py) has vuggy texture at core surface: i.e. some mineral has weathered or fallen out. 2mm holes.							2	1	1.0	0.5	1	50	1.0	s	3		1.0								0.1			C078904	467.97	468.78	0.243		
											3	6	1.5	3.0	45	35	15.0	s	3		50.0								5.0								2 sulph veins have irreg boundaries, one is very straight (35° one)
											4	1	1.0	2.5	50		2.0	s/cb	4										3.0			C078905	468.78	469.60	0.149		silicified carb in selvage
											2	1	0.7	1.4	50		3.0	s/cb	4		5.0					0.1			1.0			C078906	469.60	470.31	0.027		
											2	6	1.5	3.0	50		5.0	s	4		25.0			2.0		1.0			30.0								
											4	1	1.4	3.6	50		10.0	s/cb	4		0.1								2.0			C078907	470.31	471.83	0.077		
											4	1	1.0	2.5	85	45	6.0	cb/s	4		3.0	2.0				0.1			1.0	1.0		C078908	471.83	473.36	0.038		
				at 472.3m, slickensides are on an uneven fracture face at 15º to CA. Slickens are at 80° to CA.							1	6	1.0	1.0	40			cb/s	3		70.0								20.0								
																																C078909	471.83	473.36		CHECK ASSAY	
																																C078910				STANDARD 3C	selvages noted may be due to carb/qtz stringers and not so much qtz veins which were there prior.
											5	1	0.8	4.0	50	30	3.0	q/s	2										0.1			C078911	473.36	474.88	0.023		
											3	1	1.0	3.0	55														0.1			C078912	474.88	476.40	0.086		
											2	6	2.0	2.2	20.0	50.0	20.0	cb/s	5		2.0								80.0								
											2	3	1.0	1.5	10	170	10.0	cb/s	4	2	5.0	0.1		0.1					80.0								
				from 476.40 to 497m, carb alt'n exceeds ser alt'n; colour of core is greenish beige. GND texture barely visible in places, degraded to qtz eyes, feldspar grains and bt xtls.							1	6	0.3	0.3	20		30.0	cb/s	4	1	1.0								60.0			C078913	476.40	477.93	0.022		
											1	3	1.0	1.0	160			s	3										0.1								ox'd sulphs + vugs in carb/qtz veins
											10	1	0.5	4.5	35	45	1.0	q/cb	2										1.0								
											2	1	1.0	2.0	35									0.1					1.0			C078914	477.93	479.49	0.016		
											2	4	1.0	2.0	10		1.0	cb	4										2.0								
											2	1	1.0	2.0	60														0.1			C078915	479.49	480.97	0.121		
											1	6	1.0	1.0	10	180	20.0	cb/s	5	3									50.0								
																																C078916				BLANK	
											4	1	1.0	4.0	60	40	5.0	q/s	4			0.1							3.0			C078917	480.97	482.50	0.122		

DRILL LOG LEGEND P1 | **DATE: June 2006**

DRILL HOLE # : DG06-313C

FeOx: 0 = Unoxidized; 5 = Intensely Ox'd
Ser, Chl, etc: 0 = Unaltered; 5 = Intensely Altered
Carbonate: 0 = No Effervescence; 5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fq)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41; **BQAH** = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages: 0 = No Alteration; 5 = Intense Alt'n
Ox. State: 0 = No Oxidized Sulphides; 5 = All Sulph Oxidized

Date: June, 2006

LOGGED BY: M. Stone, T. Charles

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulphide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL													Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																Selvages				Sulphides							Oxidation											
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite		other	oxide	scordite	biotite	other		From	To			
											6	1	1.0	4.5	45	60	1.0	q	2			0.1							1.0				C078918	482.50	484.02	0.122		
											1	7	10.0	10.0	30	85	5.0	cb	2	1	3.0								5.0									to crumbly clay-rich 10cm zone
											3	1	0.5	1.5	40		0.5	q/cb	2										0.1				C078919	484.02	485.55	0.013		
											2	3	1.5	2.0	50		10.0	s	3		1.0								3.0									py in string within sil. Carb/qtz vein
											4	1	0.6	4.0	40	150	1.0	q/cb	2										0.1				C078920	485.55	487.07	0.028		
											8	1	1.0	6.5	60		1.0	q	2		0.1								0.1				C078921	487.07	488.60	0.086		
											2	3	2.0	3.0	55		4.0	s	4										4.0									
																																	C078922	487.07	488.60		FIELD DUPLICATE	
											1	3	27.0	27.0	30		1.0	q/cb	3		3.0	1.0							5.0				C078923	488.60	490.12	0.108		
											2	7	2.0	3.0	70		3.0	cb	3	2									5.0									
											1	1	1.2	1.2	20		1.0	cb/s	3														C078924	490.12	491.65	0.056		
											5	1	1.0	4.5	40		1.0	cb	2			3.0							2.0				C078925	491.65	492.90	0.114		
											2	6	8.0	10.0	40			s/cb/q	4	1	5.0								10.0				C078926	492.90	493.17	0.594		
											1	1	1.3	1.3			2.0	s/cb/q	3	2								0.1					C078927	493.17	493.90	0.525		moly in selvage
											3	6	1.0	3.0				q/cb	3		30.0								20.0									
											3	3	1.0	2.5	20		2.0	s/cb	4										1.0				C078928	493.90	494.70	0.119		
																																	C078929					
																																	C078930				STANDARD 4D	
											3	1	1.0	3.0	30		4.0	cb/s	4										1.0		0.1		C078931	494.70	496.21	0.011		ox'd material in selvage
											3	1	1.0	2.5	30		0.4	cb	3										1.0				C078932	496.21	497.74	0.064		
											4	1	1.0	4.0	50	95	1.0	q/cb	2			0.1							1.0				C078933	497.74	498.96	0.950		
											1	6	1.0	1.0	20		10.0	s/cb	3		5.0								40.0									
											3	3	1.5	2.5	30		10.0	s	4										4.0				C078934	498.96	500.18	0.036		ox'd sulph/carb clay veinlet on breakage at 499.65m
											5	3	0.5	4.5	30	60	1.0	q/cb	3										0.1		0.1		C078935	500.18	501.24	0.030		
																																	C078936				BLANK	
											2	1	0.5	1.0	30		2.0	s/cb	3	1									0.1				C078937	501.24	502.31	0.280		
											1	6	2.0	2.0	60		6.0	s/cb	3		12.0								5.0									
											5	1	1.0	4.0	60	45	8.0	s/cb/q	3										0.1				C078938	502.31	503.37	0.027		
											1	6	1.5	1.5	60		8.0	cb/s/q	3		30.0								10.0									irregular boundaries, all carb stringers
											4	1	3.0	6.0	35		4.0	cb/s	3												1.0		C078939	503.37	504.44	0.031		bt in selvage
																																			E.O.H.			

From-To Sheet DG06-313C					
Sample Number	Interval		Width (m)	Au (g/T)	Type of Sample
	From (m)	To (m)			
C078499	0	6.00	6.00		
C078500	6	9.14	3.14		
C078501	9.14	10.06	0.92		
C078502	9.14	10.06	0.92		FIELD DUPLICATE
C078503	10.06	11.20	1.14		
C078504	11.20	12.30	1.10		
C078505	12.30	13.11	0.81		
C078506	13.11	14.80	1.69		
C078507	14.80	16.00	1.20		
C078508	16.00	17.35	1.35		
C078509	16.00	17.35	1.35		CHECK ASSAY
C078510					STANDARD 3C
C078511	17.35	18.56	1.21		
C078512	18.56	19.35	0.79		
C078513	19.35	20.73	1.38		
C078514	20.73	22.25	1.52		
C078515	22.25	23.77	1.52		
C078516					BLANK
C078517	23.77	25.30	1.53		
C078518	25.30	26.86	1.56		
C078519	26.86	28.04	1.18		
C078520	28.04	28.65	0.61		
C078521	28.65	30.18	1.53		
C078522	28.65	30.18	1.53		FIELD DUPLICATE
C078523	30.18	31.39	1.21		
C078524	31.39	32.92	1.53		
C078525	32.92	34.44	1.52		
C078526	34.44	35.97	1.53		
C078527	35.97	37.49	1.52		
C078528	37.49	39.01	1.52		
C078529	37.49	39.01	1.52		CHECK ASSAY
C078530					STANDARD 4D
C078531	39.01	40.54	1.53		
C078532	40.54	42.05	1.51		
C078533	42.05	43.59	1.54		
C078534	43.59	45.11	1.52		
C078535	45.11	46.63	1.52		
C078536					BLANK
C078537	46.63	48.16	1.53		
C078538	48.16	49.68	1.52		
C078539	49.68	51.21	1.53		
C078540	51.21	52.73	1.52		
C078541	52.73	54.25	1.52		
C078542	52.73	54.25	1.52		FIELD DUPLICATE
C078543	54.25	55.78	1.53		
C078544	55.78	57.30	1.52		
C078545	57.30	58.83	1.53		
C078546	58.83	60.35	1.52		
C078547	60.35	61.87	1.52		
C078548	61.87	63.40	1.53		
C078549	61.87	63.40	1.53		CHECK ASSAY
C078550					STANDARD 5E
C078551	63.40	64.92	1.52		
C078552	64.92	66.45	1.53		

From-To Sheet DG06-313C					
Sample Number	Interval		Width (m)	Au (g/T)	Type of Sample
	From (m)	To (m)			
C078553	66.45	67.97	1.52		
C078554	67.97	69.49	1.52		
C078555	69.49	71.02	1.53		
C078556					BLANK
C078557	71.02	72.54	1.52		
C078558	72.54	74.07	1.53		
C078559	74.07	75.59	1.52		
C078560	75.59	77.11	1.52		
C078561	77.11	78.64	1.53		
C078562	77.11	78.64	1.53		FIELD DUPLICATE
C078563	78.64	80.16	1.52		
C078564	80.16	81.30	1.14		
C078565	81.30	81.69	0.39		
C078566	81.69	82.81	1.12		
C078567	82.81	83.21	0.40		
C078568	83.21	84.73	1.52		
C078569	83.21	84.73	1.52		CHECK ASSAY
C078570					STANDARD 3C
C078571	84.73	86.26	1.53		
C078572	86.26	87.78	1.52		
C078573	87.78	89.31	1.53		
C078574	89.31	90.83	1.52		
C078575	90.83	91.77	0.94		
C078576					BLANK
C078577	91.77	92.56	0.79		
C078578	92.56	93.88	1.32		
C078579	93.88	95.40	1.52		
C078580	95.40	96.93	1.53		
C078581	96.93	98.45	1.52		
C078582	96.93	98.45	1.52		FIELD DUPLICATE
C078583	98.45	99.97	1.52		
C078584	99.97	101.50	1.53		
C078585	101.50	103.02	1.52		
C078586	103.02	104.55	1.53		
C078587	104.55	106.07	1.52		
C078588	106.07	107.51	1.44		
C078589	106.07	107.59	1.52		CHECK ASSAY
C078590					STANDARD 4D
C078591	107.59	109.12	1.53		
C078592	109.12	110.64	1.52		
C078593	110.64	112.17	1.53		
C078594	112.17	113.69	1.52		
C078595	113.69	115.21	1.52		
C078596					BLANK
C078597	115.21	116.74	1.53		
C078598	116.74	118.26	1.52		
C078599	118.26	119.79	1.53		
C078600	119.79	121.31	1.52		
C078601	121.31	122.83	1.52		
C078602	121.31	122.83	1.52		FIELD DUPLICATE
C078603	122.83	124.36	1.53		
C078604	124.36	125.88	1.52		
C078605	125.88	126.66	0.78		
C078606	126.66	127.41	0.75		

From-To Sheet DG06-313C					
Sample Number	Interval		Width (m)	Au (g/T)	Type of Sample
	From (m)	To (m)			
C078607	127.41	128.19	0.78		
C078608	128.19	128.93	0.74		
C078609	128.19	128.93	0.74		CHECK ASSAY
C078610					STANDARD 2B
C078611	128.93	130.45	1.52		
C078612	130.45	131.98	1.53		
C078613	131.98	133.50	1.52		
C078614	133.50	135.03	1.53		
C078615	135.03	136.55	1.52		
C078616					BLANK
C078617	136.55	138.07	1.52		
C078618	138.07	139.60	1.53		
C078619	139.60	141.12	1.52		
C078620	141.12	142.65	1.53		
C078621	142.65	144.17	1.52		
C078622	142.65	144.17	1.52		FIELD DUPLICATE
C078623	144.17	145.69	1.52		
C078624	145.69	147.22	1.53		
C078625	147.22	148.74	1.52		
C078626	148.74	150.27	1.53		
C078627	150.27	151.79	1.52		
C078628	151.79	153.31	1.52		
C078629	151.79	153.31	1.52		CHECK ASSAY
C078630					STANDARD 5E
C078631	153.31	154.84	1.53		
C078632	154.84	156.36	1.52		
C078633	156.36	157.89	1.53		
C078634	157.89	159.41	1.52		
C078635	159.41	160.93	1.52		
C078636					BLANK
C078637	160.93	162.46	1.53		
C078638	162.46	163.98	1.52		
C078639	163.98	165.51	1.53		
C078640	165.51	167.03	1.52		
C078641	167.03	168.55	1.52		
C078642	167.03	168.55	1.52		FIELD DUPLICATE
C078643	168.55	170.07	1.52		
C078644	170.07	171.60	1.53		
C078645	171.60	173.13	1.53		
C078646	173.13	174.65	1.52		
C078647	174.65	176.17	1.52		
C078648	176.17	177.70	1.53		
C078649	176.17	177.70	1.53		CHECK ASSAY
C078650					STANDARD 6F
C078651	177.70	179.22	1.52		
C078652	179.22	180.75	1.53		
C078653	180.75	182.27	1.52		
C078654	182.27	183.79	1.52		
C078655	183.79	185.32	1.53		
C078656					BLANK
C078657	185.32	186.84	1.52		
C078658	186.84	188.37	1.53		
C078659	188.37	189.89	1.52		
C078660	189.89	191.41	1.52		

From-To Sheet DG06-313C					
Sample Number	Interval		Width (m)	Au (g/T)	Type of Sample
	From (m)	To (m)			
C078661	191.41	192.94	1.53		
C078662	191.41	192.94	1.53		FIELD DUPLICATE
C078663	192.94	194.46	1.52		
C078664	194.46	195.73	1.27		
C078665	195.73	196.32	0.59		
C078666	196.32	197.51	1.19		
C078667	197.51	199.03	1.52		
C078668	199.03	200.56	1.53		
C078669	199.03	200.56	1.53		CHECK ASSAY
C078670					STANDARD 7G
C078671	200.56	202.08	1.52		
C078672	202.08	203.61	1.53		
C078673	203.61	205.13	1.52		
C078674	205.13	206.65	1.52		
C078675	206.65	208.18	1.53		
C078676					BLANK
C078677	208.18	209.05	0.87		
C078678	209.05	209.40	0.35		
C078679	209.40	211.23	1.83		
C078680	211.23	212.75	1.52		
C078681	212.75	214.27	1.52		
C078682	212.75	214.27	1.52		FIELD DUPLICATE
C078683	214.27	215.80	1.53		
C078684	215.80	217.32	1.52		
C078685	217.32	218.85	1.53		
C078686	218.37	220.37	2.00		
C078687	220.37	221.89	1.52		
C078688	221.89	223.42	1.53		
C078689	221.89	223.42	1.53		CHECK ASSAY
C078690					STANDARD 6F
C078691	223.42	224.94	1.52		
C078692	224.94	226.47	1.53		
C078693	226.47	227.43	0.96		
C078694	227.43	227.99	0.56		
C078695	227.99	229.51	1.52		
C078696					BLANK
C078697	229.51	230.23	0.72		
C078698	230.23	231.04	0.81		
C078699	231.04	232.56	1.52		
C078700	232.56	234.09	1.53		
C078701	234.09	235.61	1.52		
C078702	234.09	235.61	1.52		FIELD DUPLICATE
C078703	235.61	237.13	1.52		
C078704	237.13	238.66	1.53		
C078705	238.66	240.18	1.52		
C078706	240.18	241.71	1.53		
C078707	241.71	243.23	1.52		
C078708	243.23	244.75	1.52		
C078709	243.23	244.75	1.52		CHECK ASSAY
C078710					STANDARD 5E
C078711	244.75	246.28	1.53		
C078712	246.28	247.80	1.52		
C078713	247.80	249.33	1.53		
C078714	249.33	250.85	1.52		

From-To Sheet DG06-313C					
Sample Number	Interval		Width (m)	Au (g/T)	Type of Sample
	From (m)	To (m)			
C078715	250.85	252.37	1.52		
C078716					BLANK
C078717	252.37	253.90	1.53		
C078718	253.90	255.42	1.52		
C078719	255.42	256.95	1.53		
C078720	256.95	258.47	1.52		
C078721	258.47	259.99	1.52		
C078722	258.47	259.99	1.52		FIELD DUPLICATE
C078723	259.99	261.52	1.53		
C078724	261.52	262.22	0.70		
C078725	262.22	263.04	0.82		
C078726	263.04	264.57	1.53		
C078727	264.57	266.09	1.52		
C078728	266.09	267.61	1.52		
C078729	266.09	267.61	1.52		CHECK ASSAY
C078730					STANDARD 4D
C078731	267.61	269.14	1.53		
C078732	269.14	270.66	1.52		
C078733	270.66	272.19	1.53		
C078734	272.19	273.71	1.52		
C078735	273.71	275.23	1.52		
C078736					BLANK
C078737	275.23	276.76	1.53		
C078738	276.76	278.28	1.52		
C078739	278.28	279.81	1.53		
C078740	279.81	281.33	1.52		
C078741	281.33	282.85	1.52		
C078742	281.33	282.85	1.52		FIELD DUPLICATE
C078743	282.85	284.38	1.53		
C078744	284.38	285.90	1.52		
C078745	285.90	287.43	1.53		
C078746	287.43	288.95	1.52		
C078747	288.95	289.92	0.97		
C078748	289.92	290.86	0.94		
C078749	289.92	290.86	0.94		CHECK ASSAY
C078750					STANDARD 3C
C078751	290.86	292.00	1.14		
C078752	292.00	293.52	1.52		
C078753	293.52	295.05	1.53		
C078754	295.05	296.57	1.52		
C078755	296.57	298.09	1.52		
C078756					BLANK
C078757	298.09	299.64	1.55		
C078758	299.64	301.19	1.55		
C078759	301.19	302.72	1.53		
C078760	302.72	304.19	1.47		
C078761	304.19	305.72	1.53		
C078762	304.19	305.72	1.53		FIELD DUPLICATE
C078763	305.72	307.24	1.52		
C078764	307.24	308.78	1.54		
C078765	308.78	310.29	1.51		
C078766	310.29	311.81	1.52		
C078767	311.81	313.33	1.52		
C078768	313.33	314.85	1.52		

From-To Sheet DG06-313C					
Sample Number	Interval		Width (m)	Au (g/T)	Type of Sample
	From (m)	To (m)			
C078769	313.33	314.85	1.52		CHECK ASSAY
C078770					STANDARD 4D
C078771	314.85	316.38	1.53		
C078772	316.38	317.91	1.53		
C078773	317.91	319.43	1.52		
C078774	319.43	320.96	1.53		
C078775	320.96	322.48	1.52		
C078776					BLANK
C078777	322.48	324.00	1.52		
C078778	324.00	325.53	1.53		
C078779	325.53	327.06	1.53		
C078780	327.06	327.72	0.66		
C078781	327.72	328.57	0.85		
C078782	327.72	328.57	0.85		FIELD DUPLICATE
C078783	328.57	329.40	0.83		
C078784	329.40	330.15	0.75		
C078785	330.15	330.96	0.81		
C078786	330.96	331.62	0.66		
C078787	331.62	333.13	1.51		
C078788	333.13	333.91	0.78		
C078789	333.13	333.91	0.78		CHECK ASSAY
C078790					STANDARD 5E
C078791	333.91	335.00	1.09		
C078792	335.00	335.86	0.86		
C078793	335.86	336.72	0.86		
C078794	336.72	337.72	1.00		
C078795	337.72	339.25	1.53		
C078796					BLANK
C078797	339.25	340.77	1.52		
C078798	340.77	342.28	1.51		
C078799	342.28	343.81	1.53		
C078800	343.81	345.34	1.53		
C078801	345.34	346.86	1.52		
C078802					FIELD DUPLICATE
C078803	346.86	348.38	1.52		
C078804	348.38	349.91	1.53		
C078805	349.91	351.44	1.53		
C078806	351.44	352.96	1.52		
C078807	352.96	354.49	1.53		
C078808	354.49	356.01	1.52		
C078809	354.49	356.01	1.52		CHECK ASSAY
C078810					STANDARD 1A
C078811	356.01	357.54	1.53		
C078812	357.54	359.05	1.51		
C078813	359.05	360.58	1.53		
C078814	360.58	362.10	1.52		
C078815	362.10	363.62	1.52		
C078816					BLANK
C078817	363.62	365.15	1.53		
C078818	365.15	366.67	1.52		
C078819	366.67	368.20	1.53		
C078820	368.20	369.72	1.52		
C078821	369.72	371.25	1.53		
C078822	369.72	371.25	1.53		FIELD DUPLICATE

From-To Sheet DG06-313C					
Sample Number	Interval		Width (m)	Au (g/T)	Type of Sample
	From (m)	To (m)			
C078823	371.25	372.78	1.53		
C078824	372.78	374.29	1.51		
C078825	374.29	375.82	1.53		
C078826	375.82	377.34	1.52		
C078827	377.34	378.86	1.52		
C078828	380.39	378.86	-1.53		
C078829	380.39	378.86	-1.53		CHECK ASSAY
C078830					STANDARD 6F
C078831	380.39	381.91	1.52		
C078832	381.91	383.44	1.53		
C078833	383.44	384.96	1.52		
C078834	384.96	386.49	1.53		
C078835	386.49	388.02	1.53		
C078836					BLANK
C078837	388.02	389.53	1.51		
C078838	389.53	391.05	1.52		
C078839	391.05	392.58	1.53		
C078840	392.58	394.02	1.44		
C078841	394.02	395.63	1.61		
C078842	394.02	395.63	1.61		FIELD DUPLICATE
C078843	395.63	396.40	0.77		
C078844	396.40	397.15	0.75		
C078845	397.15	398.68	1.53		
C078846	398.68	400.02	1.34		
C078847	400.02	401.73	1.71		
C078848	401.73	403.26	1.53		
C078849	401.73	403.26	1.53		CHECK ASSAY
C078850					STANDARD 7G
C078851	403.26	404.77	1.51		
C078852	404.77	406.30	1.53		
C078853	406.30	407.82	1.52		
C078854	407.82	409.32	1.50		
C078855	409.32	410.87	1.55		
C078856					BLANK
C078857	410.87	412.39	1.52		
C078858	412.39	413.92	1.53		
C078859	413.92	415.44	1.52		
C078860	415.44	416.97	1.53		
C078861	416.97	418.50	1.53		
C078862	416.97	418.50	1.53		FIELD DUPLICATE
C078863	418.50	420.01	1.51		
C078864	420.01	421.52	1.51		
C078865	421.52	423.08	1.56		
C078866	423.08	424.61	1.53		
C078867	424.61	426.11	1.50		
C078868	426.11	427.64	1.53		
C078869	426.11	427.64	1.53		CHECK ASSAY
C078870					STANDARD 5E
C078871	427.64	429.16	1.52		
C078872	429.16	430.68	1.52		
C078873	430.68	432.21	1.53		
C078874	432.21	433.73	1.52		
C078875	433.73	435.25	1.52		
C078876					BLANK

From-To Sheet DG06-313C					
Sample Number	Interval		Width (m)	Au (g/T)	Type of Sample
	From (m)	To (m)			
C078877	435.25	436.78	1.53		
C078878	436.78	438.30	1.52		
C078879	438.30	439.83	1.53		
C078880	439.83	441.35	1.52		
C078881	441.35	442.88	1.53		
C078882	441.35	442.88	1.53		FIELD DUPLICATE
C078883	442.88	444.40	1.52		
C078884	444.40	445.92	1.52		
C078885	445.92	447.45	1.53		
C078886	447.45	448.98	1.53		
C078887	448.98	450.59	1.61		
C078888	450.59	452.12	1.53		
C078889	450.59	452.12	1.53		CHECK ASSAY
C078890					STANDARD 4D
C078891	452.12	453.54	1.42		
C078892	453.54	455.06	1.52		
C078893	455.06	456.59	1.53		
C078894	456.59	458.12	1.53		
C078895	458.12	459.64	1.52		
C078896					BLANK
C078897	459.64	461.17	1.53		
C078898	461.17	462.69	1.52		
C078899	462.69	464.21	1.52		
C078900	464.21	465.73	1.52		
C078901	465.73	467.25	1.52		
C078902	465.73	467.25	1.52		FIELD DUPLICATE
C078903	467.25	467.97	0.72		
C078904	467.97	468.78	0.81		
C078905	468.78	469.60	0.82		
C078906	469.60	470.31	0.71		
C078907	470.31	471.83	1.52		
C078908	471.83	473.36	1.53		
C078909	471.83	473.36	1.53		CHECK ASSAY
C078910					STANDARD 3C
C078911	473.36	474.88	1.52		
C078912	474.88	476.40	1.52		
C078913	476.40	477.93	1.53		
C078914	477.93	479.49	1.56		
C078915	479.49	480.97	1.48		
C078916					BLANK
C078917	480.97	482.50	1.53		
C078918	482.50	484.02	1.52		
C078919	484.02	485.55	1.53		
C078920	485.55	487.07	1.52		
C078921	487.07	488.60	1.53		
C078922	487.07	488.60	1.53		FIELD DUPLICATE
C078923	488.60	490.12	1.52		
C078924	490.12	491.65	1.53		
C078925	491.65	492.90	1.25		
C078926	492.90	493.17	0.27		
C078927	493.17	493.90	0.73		
C078928	493.90	494.70	0.80		
C078929	493.90	494.70	0.80		CHECK ASSAY
C078930					STANDARD 4D

From-To Sheet DG06-313C					
Sample Number	Interval		Width (m)	Au (g/T)	Type of Sample
	From (m)	To (m)			
C078931	494.70	496.21	1.51		
C078932	496.21	497.74	1.53		
C078933	497.74	498.96	1.22		
C078934	498.96	500.18	1.22		
C078935	500.18	501.24	1.06		
C078936					BLANK
C078937	501.24	502.31	1.07		
C078938	502.31	503.37	1.06		
C078939	503.37	504.44	1.07		E.O.H.

DG06-313C Relfex readings, June 24, 2006

Depth (meters below surface)	Azimuth (degrees)	Corrected Azimuth (degrees)	Dip (degree's from horizontal)	Magnetic field	Temperature (celcius)
75.59	143.4	168.9	61.4	5775	9.1
150	146	171.5	61.3	5767	17
200.56	145.1	170.6	60.4	5780	10
274.32	146.2	171.7	59	5777	10.1
350.52	147.9	173.4	57.2	5776	13.5
426.72	149.6	175.1	55.4	5771	16.8
501.09	148.9	174.4	54	5770	14.2

GEOTECHNICAL SUMMARY SHEET

PROJECT: Dublin Gulch - 1735	
DRILL HOLE NO: DG06-313C	
Date Started: June 13, 2006	**Date Completed:** June 24, 2006
Geoteched By: Stacy Doyle, Jason Kindrat, Mike Giasson, Marc Mains	
Contractor: DJ Drilling	
Hole Size: HQ	**Core Size:** HQ
Total Depth: 504.44m	**Elevation:** 1095m
Average RQD: 51%	**Average Recovery Rate:** 91%

	Easting	**Northing**
DDH NAD27		
NAD27	459906	7099696
NAD83	459787	7099881
	Azimuth	**Dip**
Original	180	-60
End of Hole	174.4	-54
Additional Comments:	No Dry pictures for Boxes: 37-39, 40-42, 49-51, 55-57 due to rain.	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-313C_____ Sheet:__1___ of __7___

Date:_June 13-June 24, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m		%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
Casing/MSED	0	8.53	8.53	0.98	11	0	0	R1/R4	-	HW/SW									2	98	within casing
Casing/GND	8.53	9.14	0.61	0.15	25	0	0	R4	-	FS									0	100	within casing
MSED	9.14	10.06	0.92	1.15	100	0.77	84	R3/R4	-	HW/FS	4	SR/IR	2	IR	2	PR			0	16	
	10.06	11.58	1.52	1.02	67	0.25	16	R4	-	HW/FS	3	PR/PS	1	PR					0	84	
	11.58	13.11	1.53	0.86	56	0.15	10	R3/R4	-	HW/FS			2	IR/SR					0	90	
	13.11	14.63	1.52	0.76	50	0	0	R1/R3	-	HW/FS									5	95	
	14.63	16.15	1.52	1.05	69	0.25	16	R1/R4	-	HW/FS	1	IR	1	IR					10	74	
	16.15	17.68	1.53	1.38	90	1.18	77	R3/R4	-	FS	4	IR	4	PR/IR			4	SR/IR	0	23	
MSED/GND	17.68	19.2	1.52	1.54	100	0.32	21	R1/R4	-	HW/FS	2	IR	1	SR	1	PR			15	64	
MSED	19.2	20.73	1.53	1.41	92	0.57	37	R2/R3	-	HW/MW	3	IR	3	IR					50	13	
	20.73	22.25	1.52	1.36	89	0	0	R1/R3	-	HW									70	30	
	22.25	23.77	1.52	0.72	47	0	0	R1/R3	-	HW/MW									60	40	
	23.77	25.3	1.53	1.2	78	0	0	R1/R3	-	HW/MW									20	80	
	25.3	26.52	1.22	0.9	74	0	0	R1/R3	-	MW									20	80	
	26.52	28.04	1.52	1.22	80	0.36	24	R1/R3	-	HW/FR	4	SS/PS	2	US/PS					5	71	
	28.04	28.65	0.61	0.52	85	0.31	51	R3	-	FR	2	SS	2	IS					0	49	
	28.65	30.18	1.53	1.38	90	0.69	45	R3	-	MW/FR	6	PS/SS	2	PS					3	52	
	30.18	31.39	1.21	1.02	84	0.58	48	R3	-	FR	3	PS	3	PS/US					0	52	
	31.39	32.92	1.53	1.43	93	1.15	75	R3	-	FR	6	SS/PS	1	PS	1	PS			0	25	
	32.92	34.44	1.52	1.45	95	0.82	54	R3	-	FR	7	PS	1	PS	1	SS			0	46	
	34.44	35.97	1.53	1.42	93	0.9	59	R3	-	FR	9	SR/PR	1	PS					0	41	
	35.97	37.4	1.43	1.38	97	1.19	83	R3	-	FR	6	SR	1	PS	2	PR			0	17	
	37.4	39.01	1.61	1.15	71	0.59	37	R1/R3	-	HW/FR	6	PS/SS							37	26	
	39.01	40.54	1.53	1.02	67	0.77	50	R3	-	FR	6	PS					1	PR	0	50	
	40.54	42.05	1.51	1.55	100	1.55	100	R3/R4	-	FR			4	PS	4	PS			0	0	aspy showing
	42.05	43.59	1.54	1.32	86	0.58	38	R4		FR	2	IR	6	SR/UR	2	PR			0	62	
	43.59	45.11	1.52	1.42	93	0.53	35	R3	-	FR	1	IR	5	IR					0	65	
	45.11	46.63	1.52	1.28	84	0	0	R1/R3	-	HW/FR									10	90	
	46.63	48.16	1.53	1.42	93	0.35	23	R1/R3	-	HW/FR	2	IR			2	IR			3	74	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-313C_____ Sheet:__2___ of __7___

Date:_June 13-June 24, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m		%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	48.16	49.68	1.52	1.42	93	0.31	20	R1/R4	-	HW/SW	2	IR	1	IR	1	SR			3	77	
	49.68	51.21	1.53	1.13	74	0.15	10	R4	-	FS					2	SR/PR			5	88	EX. BROKEN
	51.21	52.73	1.52	1.1	72	0	0	R3	-	MW/FR									5	55	
	52.73	54.25	1.52	1.18	78	0.14	9	R3	-	FR	2	IR							0	91	
	54.25	55.78	1.53	1.36	89	0.2	13	R3	-	FR	1	IR	1	PR					0	87	
	55.78	57.3	1.52	1.35	89	0.23	15	R2/R3	-	MW/FR	2	IR							5	80	
	57.3	58.83	1.53	1.43	93	0.66	43	R3	-	FR	6	SR/IR	2	IR					0	57	
	58.83	60.35	1.52	1.46	96	1.26	83	R3/R4	-	FR	1	IR	3	PR/IR	6	PR			0	17	
	60.35	61.87	1.52	1.51	99	1.09	72	R3/R4	-	FR	4	PR/IR	4	PR/IR	4	PR/IR			0	28	
	61.87	63.4	1.53	1.38	90	0.61	40	R1/R3	-	MW/FR					4	SR/IR			5	55	
	63.4	64.92	1.52	1.44	95	0.31	20	R3	-	FR			1	SR	3	PR/IR			0	80	
	64.92	66.45	1.53	1.58	100	0.9	59	R3/R4	-	FR					14	PR/IR			0	41	
	66.45	67.97	1.52	1.37	90	0.58	38	R2/R3	-	FR	1	IR	3	SR	4	IR			0	62	
	67.97	69.49	1.52	1.28	84	0.76	50	R3	-	FR	3	IR	5	IR/PR	2	PR/IR			0	50	
	69.49	71.02	1.53	1.08	71	0.36	24	R3	-	MW/FR			2	IR	2	SR/PR			7	69	
	71.02	72.54	1.52	1.47	97	1.07	70	R1/R3	-	HW/FR	2	IR			6	SR/IR			25	5	
	72.54	74.07	1.53	1.2	78	0.72	47	R2/R3	-	FR	6	PR/IR	4	SR/IR	2	SR/IR			5	48	
	74.07	75.59	1.52	1.38	91	0.38	25	R2/R3	-	MW/FR	1	IR			3	PR/IR			5	70	
	75.59	77.11	1.52	1.52	100	0.58	38	R1/R3	-	HW/FR	3	IR	3	IR					15	47	
	77.11	78.64	1.53	1.52	99	0.65	42	R1/R3	-	HW/FR	1	IR			5	PR			5	53	
	78.64	80.16	1.52	1.36	89	0.46	30	R1/R3	-	HW/FR	2	IR	2	SR/PR	2	IR			2	68	
MSED/GND	80.16	81.69	1.53	1.42	93	0.51	33	R1/R3	-	HW/FR	2	IR	1	IR	3	IR/SR			5	62	GND
GND	81.69	83.21	1.52	1.52	100	0.71	47	R1/R4	-	HW/FR	4	IR	4	IR					30	23	
	83.21	84.73	1.52	1.5	99	0.38	25	R1/R3	-	HW/FR			4	PR/IR					35	40	
	84.73	86.26	1.53	1.47	96	0.21	14	R1/R3	-	HW/FR	1	PR	1	PR					5	81	
	86.26	87.78	1.52	1.4	92	0	0	R1/R3	-	HW/FR									20	80	
	87.78	89.31	1.53	1.45	95	0.23	15	R1/R3	-	HW/FR									10	75	
	89.31	90.83	1.52	1.5	99	0	0	R1/R3	-	HW/FR									90	10	V. BROKEN
	90.83	92.35	1.52	1.5	99	0.14	9	R1/R3	-	HW/FR	2	PS							40	60	
	92.35	93.88	1.53	1.5	98	0.46	30	R1/R3	-	HW/FR	2	PS	1	SS			1	SS	10	60	
	93.88	95.4	1.52	1.5	99	0.49	32	R1/R3	-	HW/FR	5	PS/SS	1	SS					5	63	
	95.4	96.93	1.53	1.45	95	0.22	14	R1/R3	-	HW/FR	1	PS	1	PS					5	81	
	96.93	98.45	1.52	1.52	100	0.26	17	R1/R3	-	MW/FR	1	PS	1	PS					3	80	
	98.45	99.97	1.52	1.31	86	0.49	32	R1/R3	-	MW/FR	3	PS/SS	1	SS					5	63	
	99.97	101.5	1.53	1.53	100	0.37	24	R2/R3	-	MW/FR	4	IR/PR							3	73	
	101.5	103.02	1.52	1.26	83	0.14	9	R2/R3	-	MW/FR	1	IR	1	SS					2	89	
	103.02	104.55	1.53	1.4	92	0.85	56	R3	-	FR	7	PS/SS	3	PS					0	44	
	104.55	106.07	1.52	1.4	92	0.58	38	R3	-	FR	5	US/SS	5	SS/PS					0	62	
	106.07	107.59	1.52	1.5	99	0.57	37	R3	-	FR	5	PS/SS	1	SS					0	62	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-313C_____ Sheet:__3___ of __7___

Date:_June 13-June 24, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m		%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	107.59	109.12	1.53	1.43	93	0.51	33	R2/R3	-	SW/FR	5	PS	1	SS					0	77	
	109.12	110.64	1.52	1.44	95	0.56	37	R3	-	FR	1	PS	1	SS/PS	2	PS	2	PS	0	73	
	110.64	112.17	1.53	1.35	88	0.82	54	R3	-	FR			4	PS	2	PS			0	46	
	112.17	113.69	1.52	1.4	92	0.97	64	R3	-	FR	6	IS/PS	2	PS					0	36	
	113.69	115.21	1.52	1.5	99	0.88	58	R3	-	FR	6	SS/PS							0	42	
	115.21	116.74	1.53	1.43	93	0.83	54	R3	-	FR	10	PS							0	46	
	116.74	118.26	1.52	1.44	95	1.08	71	R3	-	FR	8	PS	2	PS					0	29	
	118.26	119.44	1.18	1.47	100	0.82	69	R3	-	FR	6	PS/SS							0	32	SHORT RUN
	119.44	121.31	1.87	1.45	78	0.29	16	R1/R3	-	MW/FR	2	PS	2	PS					0	81	
	121.31	122.83	1.52	1.39	91	0.35	23	R3	-	FR	1	PS	3	PS/SS					0	77	
	122.83	124.36	1.53	1.55	100	1.55	100	R3	-	FR	2	SS/PS	8	CS	2	PS	2	PS	0	0	
	124.36	125.88	1.52	1.55	100	1.28	84	R3	-	FR	6	PS	4	PS					0	16	
	125.88	127.41	1.53	1.37	90	0.59	39	R3	-	FR	4	PS	3	PS/SS			1	CS/SS	0	61	
	127.41	128.93	1.52	1.36	89	1.2	79	R3	-	FR	4	PS	2	PS					0	21	
	128.93	130.45	1.52	1.49	98	1.38	91	R3	-	FR	4	PS/SS	4	PS/SS					0	9	
	130.45	131.98	1.53	1.52	99	1.01	66	R3	-	FR	2	PS/SS					2	PS	0	34	
	131.98	133.5	1.52	1.52	100	0.36	24	R3	-	FR	3	1	PS						0	77	
	133.5	135.03	1.53	1.42	93	1.38	90	R3	-	FR	11	PR/SR			2	PS	3	PS	0	10	
	135.03	136.55	1.52	1.52	100	0.78	51	R3	-	FR	2	CR/SR	4	PS			2	PS	0	49	
	136.55	138.07	1.52	1.34	88	0.92	61	R3	-	FR	2	US	3	PS	1	PS	2	SS	0	39	
	138.07	139.6	1.53	1.53	100	0.57	37	R3	-	FR	3	PS	1	PS	2	SS			0	63	
	139.6	141.12	1.52	1.35	89	1.32	87	R3	-	FR	8	PS							0	13	
	141.12	142.65	1.53	1.48	97	0.95	62	R3	-	FR	6	SS/PS			2	PS	1	PS	0	38	No Dry Pics for Boxes:37-39,40-42,49-51
	142.65	144.15	1.5	1.44	96	1.01	67	R3	-	FR	6	PS	2	PS	2	PS/SS			0	33	
	144.15	145.69	1.54	1.36	88	0.81	53	R4	-	FR	4	PS/SS	3	PS/SS	1	PR			0	48	
	145.69	147.22	1.53	1.4	92	1.4	92	R4	-	FR	7	PR	2	PS	1	PR	2	US	0	8	
	147.22	148.74	1.52	1.53	100	1.12	74	R4	-	FR	1	PR	1	PS	4	PS/SS			0	26	
	148.74	150.27	1.53	1.42	93	0.8	52	R4	-	FR	3	PR	1	PS	2	PS/SS			0	48	
	150.27	151.79	1.52	1.46	96	0.74	49	R4	-	FR	5	IR/PR	2	PR	1	US			0	51	
	151.79	153.31	1.52	1.4	92	1.4	92	R3/R4	-	FR	8	US/PS			2	PS			0	8	
	153.31	154.84	1.53	1.41	92	0.82	54	R4	-	FR	5	SS/PS	1	PS					0	46	
	154.84	156.36	1.52	1.4	92	0.63	41	R3/R4	-	FR	4	PS/SS							0	59	
	156.36	157.89	1.53	1.55	100	0.69	45	R4	-	FR	2	PS	2	PS/CS	2	PS/SS			0	55	
	157.89	159.41	1.52	1.5	99	0.95	62	R3/R4	-	FR	3	PS/IS	2	PS	1	PS			0	37	
	159.41	160.93	1.52	1.3	86	0.62	41	R3/R4	-	FR	2	PR/IR			1	PS	1	US	0	59	
	160.93	162.46	1.53	1.3	85	0	0	R3	-	FR									0	100	
	162.46	163.98	1.52	1.42	93	0.65	43	R4	-	FR	7	SS/US	1	PS					0	57	
	163.98	165.51	1.53	1.4	92	0.74	48	R3/R4	-	FR	6	IR/SR	2	PS					0	52	
	165.51	167.03	1.52	1.4	92	0.25	16	R3	-	FR			2	PS					0	84	
	167.03	168.55	1.52	1.1	72	0	0	R3	-	FR									0	100	
	168.55	170.08	1.53	1.16	76	0.87	57	R3	-	FR	2	PS	1	SS	1	PS			0	43	
	170.08	171.6	1.52	1.49	98	1.27	84	R3	-	FR	4	SR	2	PR	4	PR	2	PR	0	16	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-313C_____ Sheet:__4___ of __7___

Date:_June 13-June 24, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m		%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	171.6	173.13	1.53	1.46	95	0.24	16	R3	-	FR	1	SR			1	PR			0	84	
	173.13	174.65	1.52	1.53	100	0.24	16	R3	-	FR	2	PR/SR							0	84	
	174.65	176.17	1.52	1.45	95	1	66	R3	-	FR	4	PR/SR	1	PR			3	UR	0	34	
	176.17	177.7	1.53	1.39	91	0.77	50	R3	-	FR	2	IR/PR			2	IR			0	50	
	177.7	179.22	1.52	1.3	86	0.42	28	R3	-	FR	3	PS	1	PS					0	72	
	179.22	180.75	1.53	1.34	88	0.87	57	R3	-	FR	3	SR	1	PS					0	43	
	180.75	182.27	1.52	1.48	97	0.42	28	R3	-	FR	3	PR			1	PS			0	72	
	182.27	183.79	1.52	1.52	100	0.48	32	R2	-	FR	5	PR			1	PS			0	68	
	183.79	185.32	1.53	1.5	98	0	0	R3	-	FR									0	100	
	185.32	186.84	1.52	1.37	90	0.79	52	R3	-	FR	6	PS/SS	2	PS	2	PS	2	PS	0	48	
	186.84	188.37	1.53	1.4	92	0.48	31	R3	-	FR	2	PS	2	PS					0	69	
	188.37	189.89	1.52	1.5	99	0.4	26	R3	-	FR	2	PR	6	SR					0	74	
	189.89	191.41	1.52	1.52	100	0.52	34	R3	-	FR	10	PS/SS							0	62	
	191.41	192.94	1.53	1.45	95	1.34	88	R3	-	FR	4	PS/SS	3	PS	1	PS			0	12	
	192.94	194.46	1.52	1.52	100	0.41	27	R3	-	FR	3	PS							0	73	
	194.46	195.99	1.53	1.36	89	0.96	63	R3	-	FR	9	IR/SR	3	IR					0	37	
	195.99	197.51	1.52	1.3	86	0.17	11	R2/R3	-	SW/FR	2	SR/IR							0	89	V. BROKEN
	197.51	199.03	1.52	1.45	95	0.72	47	R3	-	FR	4	PS/SS	1	SS	1	SS			0	13	NO DRY PICS FOR BOXES:55-57
	199.03	200.56	1.53	1.39	91	0.78	51	R3	-	FR	2	PR	2	PS	2				0	49	
	200.56	202.08	1.52	1.52	100	1.02	67	R3	-	FR	2	CS/SS	2	SS	2	PS	2	PS	0	33	
	202.08	203.61	1.53	1.5	98	0.74	48	R3	-	FR	3	PR	3	SS/PS			2	PS	0	52	
	203.61	205.13	1.52	1.47	97	0.61	40	R3	-	FR	3	PS/SS	4	PS/SS					0	60	
	205.13	206.65	1.52	1.3	86	0.78	51	R3	-	FR			5	PS			1	PS/SS	0	49	
	206.65	208.18	1.53	1.48	97	0.62	41	R3	-	FR	1	PS	3	SS/PS					0	59	
	208.18	209.4	1.22	1.35	100	0.9	74	R1/R3	-	MW/FR	4	PS/IR	1	SS	1	PS			2	24	
	209.4	211.23	1.83	1.48	81	1.14	62	R1/R3	-	SW/FR	8	CS/PS							0	38	
	211.23	212.75	1.52	1.51	99	0.88	58	R3	-	SW/FR	8	PS/IS	2	PS					0	42	
	212.75	214.27	1.52	1.41	93	1.05	69	R3	-	FR	4	SS/IS	2	US	1	PS	1	PS	0	31	
	214.27	215.8	1.53	1.35	88	0.52	34	R3	-	FR	1	SS	2	IR			1	PS	0	66	
	215.8	217.32	1.52	1.5	99	1.05	69	R3	-	FR	4	SS/PR	4	PS/SS	1	PS	1	SS	0	31	
	217.32	218.85	1.53	1.51	99	1.15	75	R3	-	FR	3	PR/IR	2	PS	1	PS			0	25	
	218.85	220.37	1.52	1.51	99	0.97	64	R3	-	FR	1	SR	5	PR/SR					0	36	
	220.37	221.89	1.52	1.47	97	1.32	87	R3	-	FR	5	SS/PS	3	PS					0	13	
	221.89	223.42	1.53	1.5	98	1.11	73	R4	-	FR	1	PS	2	IR	9	IR/PR			0	27	
	223.42	224.94	1.52	1.18	78	0.56	37	R4	-	FR	6	IR/UR	4	PR					0	63	1' CAVE
	224.94	226.47	1.53	1.4	92	0.3	20	R4	-	FR	1	IS			3	IR/PR			0	80	
	226.47	227.99	1.52	1.37	90	1.17	77	R3	-	FR	3	PR/SR	4	PR	2	SR			0	23	
	227.99	229.51	1.52	1.25	82	0.34	22	R3	-	FR/SW	3	UR			1	PR			0	78	
	229.51	231.04	1.53	1.43	93	0.93	61	R4	-	FR	1	PR	7	PR	4	PR			0	39	
	231.04	232.56	1.52	1.56	100	1.11	73	R4	-	FR	1	PR	3	PS	2	IS			0	27	
	232.56	234.09	1.53	1.38	90	0.86	56	R3	-	FR	7	IR/PS	1	SR					0	44	
	234.09	235.61	1.52	1.44	95	1	66	R4	-	FR	1	PR	1	SR	2	SR			0	34	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-313C_____ Sheet:__5___ of __7___

Date:_June 13-June 24, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m		%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	235.61	237.15	1.54	1.51	98	1.26	82	R4	-	FR	1	PR	1	PR	1	PR	1	IR	0	18	
	237.15	238.66	1.51	1.47	97	1.26	83	R3	-	FR	2	IR	2	PSL	1	SR	1	PSL	0	17	
	238.66	240.18	1.52	1.51	99	1.37	90	R2	-	FS	7	SR/CR	2	PS	1	CR			0	10	
	240.18	241.71	1.53	1.53	100	1.25	82	R4	-	FR	13	PR/SR	2	CR	1	PR			0	18	
	241.71	243.23	1.52	1.44	95	1.26	83	R4	-	FR	8	PS/SR			1	PR	1	CR	0	17	
	243.23	244.75	1.52	1.42	93	0.88	58	R3	-	FR	1	PS	2	IR	1	IR			0	42	
	244.75	246.28	1.53	1.36	89	0.17	11	R4	-	MW/FR	1	IR			1	PR			0	79	
	246.28	247.8	1.52	1.48	97	0.45	30	R2	-	FS	4	PR/SR	3	PR	1	IR			0	37	
	247.8	249.33	1.53	1.46	95	0.94	61	R3	-	FR	2	PS	6	IR/PR					0	39	
	249.33	250.85	1.52	1.36	89	0.75	49	R4	-	FR	2	IR			4	SR.IS			0	51	
	250.85	252.37	1.52	1.48	97	1.31	86	R4	-	FR	1	IR	3	PS	2	PR			0	14	
	252.37	253.9	1.53	1.37	90	1.26	82	R4	-	FS	4	UR/PR	1	IR	3	CR/IR			3	15	
	253.9	255.42	1.52	1.47	97	1.14	75	R3	-	FS	2	PR	2	PR/IR	2	SR			0	25	
	255.42	256.95	1.53	1.46	95	1.46	95	R3	-	FR	5	SR/CS	4	SR/PR	1	UR			0	5	
	256.95	258.47	1.52	1.52	100	1.33	87	R3	-	FR	6	SR/PR	9	PR	1	UR			0	12	
	258.47	259.99	1.52	1.37	90	1.01	66	R3	-	FR	2	US/SR	1	IR			1	PS	0	34	
	259.99	261.52	1.53	1.37	90	0.71	46	R3	-	FR	4	SR/IR	3	SR/IR			1	PR	0	54	
	261.52	263.04	1.52	1.73	100	1.73	100	R3	-	FR	11	SR/IR	1	IR	2	UR/IR			0	0	
	263.04	264.57	1.53	1.53	100	1.38	90	R3	-	FR	6	UR/IR	2	PS	2	UR			0	10	
	264.57	266.09	1.52	1.4	92	0.94	62	R4	-	FR	8	PR	2	PR					0	33	
	266.09	267.61	1.52	1.56	100	1.3	86	R4	-	FR	7	PS/SS	2	PS	1	SS			0	15	
	267.61	269.14	1.53	1.34	88	0.98	64	R4	-	FR	5	US/PS	1	PS			2	PS/US	0	36	
	269.14	270.66	1.52	1.33	87	1.33	87	R5	-	FR	2	PS/IS	3	PR/IR	7	PR			0	12	
	270.66	272.19	1.53	1.53	100	1.23	80	R4	-	FR	5	IR/US	5	PS					0	20	
	272.19	273.71	1.52	1.54	100	1.49	98	R4	-	FR	5	CS/US	8	US			1	PS	0	2	
	273.71	275.23	1.52	1.24	82	1.12	74	R3	-	FR	7	SR/PR					1	IS	0	26	
	275.23	276.76	1.53	1.51	99	0.94	61	R3	-	FR	6	PSL/SR			4	UR	2	PR	0	39	
	276.76	278.28	1.52	1.51	99	1.17	77	R3	-	FR	7	SR/PS	3	PS/IS					0	23	
	278.28	279.81	1.53	1.55	100	1.4	92	R4	-	FR	3	PS	7	PR					0	8	
	279.81	281.33	1.52	1.49	98	1.28	84	R3	-	FR	3	IR/CS	9	PR/UR					0	16	
	281.33	282.85	1.52	1.58	100	1.43	94	R4	-	FR	6	PS	6	PS	1	PS			0	7	
	282.85	284.38	1.53	1.43	93	0.34	22	R3	-	FR	1	SR			1	US			0	65	
	284.38	285.9	1.52	1.5	99	0.36	24	R4	-	FR	1	PS					1	PS	0	76	
	285.9	287.43	1.53	1.33	87	1.07	70	R3	-	FR	7	PS/SS	3	PS					0	30	
	287.43	288.95	1.52	1.48	97	0.87	57	R3	-	FR	3	US/PS	1	UR	2	IR			0	43	
	288.95	290.47	1.52	1.46	96	1.29	85	R3	-	FR	6	US/PS							0	15	
	290.47	292	1.53	1.42	93	0.33	22	R1/R3	-	MW/FR	1	IT	2	PR	1	SS			2	75	
	292	293.53	1.53	1.24	81	0.31	20	R1/R3	-	MW/FR	2	PR/IR	2	IR					5	75	
	293.53	295.05	1.52	1.55	100	0.67	44	R3	-	FR	4	PS/SS	1	SS	1	PS	1	PS	0	56	
	295.05	296.52	1.47	1.38	94	0.99	67	R3	-	FR	4	PR/SR	4	PS/US			2	PS	0	35	
	296.52	298.09	1.57	1.53	97	0.93	59	R3/R4	-	FR	5	SS/PS	2	PS	1	PS			0	39	
	298.09	301.14	3.05	2.93	96	2.35	77	R3	-	FR	10	SS/PS	8	PS	2	US			0	23	10' RUNS

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-313C_____ Sheet:__6___ of __7___

Date:_June 13-June 24, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m		%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	301.14	304.19	3.05	2.99	98	0.56	18	R3	-	FR	4	SR/CR	2	PR					0	82	
	304.19	307.24	3.05	3.05	100	1.3	43	R3	-	FR	7	UR/PS	3	PR	2	IR/PR			0	57	
	307.24	310.92	3.68	2.53	69	0.3	8	R3	-	FR	4	PR/SR							0	90	
	310.92	313.33	2.41	2.89	100	0.21	9	R3	-	FR	1	PR			3	PS			0	93	
	313.33	316.38	3.05	2.65	87	0.72	24	R3	-	FR			7	IR/PR	3	PS			0	76	
	316.38	319.43	3.05	2.68	88	1.34	44	R3	-	FR	6	PS/CS	4	PS/CS	4	PR/IR			0	56	
	319.43	322.48	3.05	2.83	93	0.97	32	R3	-	FR	3	UR/CR	2	SS	5	PR			0	68	
	322.48	325.33	2.85	2.71	95	0.68	24	R2/R3	-	SW/FR	6	IR/PR	5	CR/PR	3	PR			0	78	
	325.33	328.57	3.24	2.92	90	1.49	46	R3	-	FR	3	CR	12	UR/PR	3	PR			0	51	
	328.57	331.62	3.05	2.87	94	1.92	63	R3	-	FR	13	IS/IR	12	UR/PS	3	PR			0	37	
	331.62	334.67	3.05	2.71	89	1.45	48	R3	-	FR	2	PS	12	SS/CS					0	52	
	334.67	337.72	3.05	2.67	88	1.7	56	R1/R3	-	MW/FR	4	IR/PS	5	UR/PR	4	IS	1	US	12	32	
	337.72	340.77	3.05	2.58	85	1.62	53	R3/R4	-	FR	1	SR	5	UR/IR			6	UR	0	57	
	340.77	343.81	3.04	2.91	96	1.42	47	R3	-	FR	3	PR/SR	1	PS			2	PR	0	53	
	343.81	346.86	3.05	2.91	95	2.29	75	R3	-	FR	11	SR/PR	4	PS	3	PS	2	PS	0	25	
	346.86	349.91	3.05	2.93	96	2.37	78	R3	-	FR	4	PR/SR	8	SS/PS	2	PS	2	PS	0	23	
	349.91	352.96	3.05	2.95	97	2.19	72	R4	-	FR	7	SS/IS	2	IR	3	IR/PR			0	28	
	352.96	356.01	3.05	2.96	97	2.73	90	R4	-	FR	6	IR/PR	2	PS					0	10	
	356.01	359.05	3.04	3.02	99	2.82	93	R3	-	FR	12	PR/IR	4	CR/UR	4	CS/PR			0	7	
	359.05	362.1	3.05	2.83	93	2.35	77	R4	-	FR	2	IR/PR	6	PS	6	UR/PS			0	23	
	362.1	365.15	3.05	2.87	94	1.83	60	R5	-	FR	1	PR	14	PS/UR			8	UR/PS	0	40	
	365.15	368.2	3.05	2.85	93	2.12	70	R4	-	FR	4	PR	1	PS	1	IS	8	PR	0	30	
	368.2	371.25	3.05	2.99	98	2.51	82	R3	-	FR	5	SR	11	PS/UR	4	PS			0	18	
	371.25	374.29	3.04	2.8	92	1.79	59	R4	-	FR			8	PS/CS	5	US	3	PR/UR	0	41	
	374.29	377.34	3.05	2.78	91	0.83	27	R2	-	FR			3	US/CR	2	SS/CS	1	PS	0	73	
	377.34	380.39	3.05	2.92	96	2.14	70	R3	-	FR	8	IS/PS	2	IS	4	IS/PS	2	PS	0	30	
	380.39	383.44	3.05	2.94	96	2	66	R4	-	FR	2	PR	4	SS/PS	4	PS	4	US/PS	0	34	
	383.44	386.49	3.05	2.99	98	2.3	75	R3	-	FR	3	PS	9	PS					0	25	
	386.49	389.53	3.04	2.98	98	2.68	88	R4	-	FR	4	CR/PR	6	PS/IR	7	PR/CR	3	US/CS	1	11	
	389.53	392.58	3.05	2.7	89	1.6	52	R5	-	FR	2	PR	5	PS/PSL	5	CR/PS			0	48	
	392.58	395.63	3.05	2.79	91	1.92	63	R3	-	FR	5	SR/IR	10	PS/CR	5	IR/CR			0	37	
	395.63	398.69	3.06	2.67	87	2.18	71	R4	-	FR	2	CR/IR	11	SR/UR	7	PS/IR			0	29	
	398.69	401.73	3.04	2.97	98	1.23	40	R2/R3	-	FR			4	PR	3	IS/US	3	IR	1	59	
	401.73	404.77	3.04	3	99	1.84	61	R3/R5	-	FR/SW	4	IR/PS	13	UR/IR	3	US			10	29	
	404.77	407.82	3.05	3.02	99	2.32	76	R3	-	FR	3	IR	7	PS/IR	8	PSL/CR			0	24	
	407.82	410.87	3.05	2.97	97	2.47	81	R3	-	FR	4	PR/SS	12	PR/SS	4	PS/CS			0	19	
	410.87	413.92	3.05	2.96	97	1.45	48	R3	-	FR	4	PS	2	CS/IS					0	52	
	413.92	416.97	3.05	2.77	91	1.99	65	R4	-	FR	4	IS	8	PS/UR	4	PR			0	35	
	416.97	420.01	3.04	2.88	95	2.17	71	R5	-	FR	3	IS	8	UR/IR	3	CR/SR			0	29	
	420.01	423.08	3.07	2.95	96	2.81	92	R4	-	FR	3	PR	7	CR/SS	6	UR/CR	2	PS	0	60	
	423.08	426.11	3.03	3.03	100	2.27	75	R4	-	FR	11	PR/IR	5	PR/IR	2	PS			0	25	
	426.11	429.16	3.05	2.9	95	2.43	80	R3	-	FR			4	CR/UR	1	SR	1	SR	0	20	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-313C_____ Sheet:__7___ of __7___

Date:_June 13-June 24, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m		%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	429.16	432.21	3.05	3.07	100	2.91	95	R3	-	FR	12	IR/PS	1	CS			3	PS	0	5	
	432.21	435.25	3.04	2.82	93	2.49	82	R3	-	FR	6	PR	5	PR/CR	9	US/CR			0	18	
	435.25	438.3	3.05	2.9	95	2.81	92	R4	-	FR	6	PR/IR	2	SS	8	PS/CS			0	8	
	438.3	441.35	3.05	2.6	85	2.4	79	R5	-	FR	5	PR/SR	10	IR/CR	3	PR			0	13	
	441.35	444.4	3.05	3.03	99	2.54	83	R4	-	FR	3	PR/IR	2	PS	8	UR/CR	3	CR	0	17	
	444.4	447.45	3.05	3.06	100	2.87	94	R4	-	FR	4	PR/IR	5	PS/CR	7	CS/IS			0	6	
	447.45	450.59	3.14	3.01	96	1.88	60	R3	-	FR	4	SR/PR	7	CR/PS			3	PS	0	38	
	450.59	453.54	2.95	2.75	93	2.38	81	R3	-	FR	1	PR	5	PR/IR	2	PS	2	US	0	21	
	453.54	456.59	3.05	3.04	100	1.38	45	R3/R2	-	MW/FR	1	CS	1	PR	2	CR	3	PS	0	55	
	456.59	459.64	3.05	2.72	89	0.26	9	R2	-	SW/FR	1	SS			3	PS			0	91	
	459.64	462.69	3.05	2.93	96	0.76	25	R2	-	MW	4	PR							0	75	Bleached gnd
	462.69	465.73	3.04	2.94	97	1.81	60	R3	-	FR	7	PR/CR	4	IR/PS	3	SS/UR			0	40	
	465.73	468.78	3.05	2.71	89	2.23	73	R3	-	FR/SW	13	IR/PS	6	IR/UR	3	IR			0	27	
	468.78	471.83	3.05	2.8	92	1.88	62	R3	-	FR	6	CR/PR	12	CR/IR					0	39	
	471.83	474.88	3.05	2.33	76	1.8	59	R4	-	FR	6	PR/IR	4	CR/UR					0	41	
	474.88	477.93	3.05	2.89	95	1.61	53	R2	-	FR	10	SR/IIR	6	IR/PR	4	PR/CR			0	47	
	477.93	480.97	3.04	2.56	84	0.25	8	R2	-	MW/FR	2	CR/SR			2	PR			20	72	
	480.97	484.02	3.05	2.78	91	2.44	80	R3	-	FR/MW	12	IR/UR	2	IR	4	CR			10	10	
	484.02	487.07	3.05	2.7	89	2.2	72	R4	-	FR	11	IR/PR	5	PR/UR			6	UR/CR	0	28	
	487.07	490.12	3.05	2.79	91	1.46	48	R3/R4	-	FR	8	PR	9	CR/IR			3	CS	0	52	
	490.12	493.17	3.05	2.6	85	1.59	52	R4	-	FR	2	SR/IR	6	CR/UR			2	CR/PR	2	46	
	493.17	496.21	3.04	2.54	84	1.16	38	R4	-	FR			13	PS/CS			3	UR	5	57	
	496.21	497.74	1.53	1.27	83	0	0	R3	-	FR									5	95	
	497.74	500.18	2.44	2.18	89	1.13	46	R4	-	FR			4	IR/PR	3	PS/UR	1	UR	0	54	
	500.18	502.31	2.13	1.76	83	0.74	35	R4	-	FR					3	SS	3	CR	0	65	
	502.31	504.44	2.13	1.78	84	1.73	81	R4	-	FR	6	IS/PR	3	CR/PS	2	SR	1	PS	0	19	
END	OF	HOLE				END	OF	HOLE				END	OF	HOLE				END	OF	HOLE	

DRILL HOLE SUMMARY SHEET

HOLE NO.: DG06-314C

PROJECT: Dublin Gulch - 1735

GROUND ELEVATION: 1061m | **EOH:** 507.48m

BEARING: 180 | **DIP:** -60°

DATE STARTED: 23-Jun-06 | **DATE COMPLETED:** 8-Jul-06

COORD SYSTEM: NAD 27: EASTING: 459759 **NORTHING:** 7099565

COORD SYSTEM: NAD 83: EASTING: 459641 **NORTHING:** 7099749

LOGGED BY: Kimberly Ferguson, Tom Charles, Jesse Kirkby

CONTRACTOR: DJ Drilling

SAMPLING DETAILS

Sample Sequence:

Requisition #: | **Date Shipped:**

Lab Record #: | **Date Received:**

Sample Sequence:

Requisition #: | **Date Shipped:**

Lab Record #: | **Date Received:**

DRILLING DETAILS

Hole Diameter: HQ

Overburden: 11.28m

Deviation:

Casing: 11.58m

Core Size: HQ

Cement (# Bags): 0

Plug Depth: N/A

Notes: No plug necessary.

Duplicates:	C082002 C082022 C082042 C082062 C082082 C082102 C082122 C082142	
	C082162 C082182 C082202 C082222 C082242 C082262 C082282 C082302	
	C082322 C082342 C082362 C082382 C082402 C082422 C082442 C082462	
	C082482	
Preparation Duplicate/ Check Assay:	C081989 C082009 C082029 C082049 C082069 C082089 C082109 C082129	
	C082149 C082169 C082189 C082209 C082229 C082249 C082269 C082289	
	C082309 C082329 C082349 C082369 C082389 C082409 C082429 C082449	
	C082469	
Standards:	C081990 C082010 C082030 C082050 C082070 C082090 C082110 C082130	
	C082150 C082170 C082190 C082210 C082230 C082250 C082270 C082290	
	C082310 C082330 C082350 C082370 C082390 C082410 C082430 C082450	
	C082470	
Blanks:	C081996 C082016 C082036 C082056 C082076 C082096 C082116 C082136	
	C082156 C082176 C082196 C082216 C082236 C082256 C082276 C082296	
	C082316 C082336 C082356 C082376 C082396 C082416 C082436 C082456	
	C082476	

FROM	TO	LITHOLOGY
0.00	11.28	Casing/Overburden
11.28	87.40	MSED
87.40	507.47	GND

FROM	TO	ALTERATION
11.28	87.40	Silicified
263.36	289.36	Silicified
322.48	507.49	Silicified
11.28	208.59	Oxidized
234.60	418.50	Oxidized
30.36	98.35	Altered - clay, ser, cb
98.35	289.36	Altered - ser, cb, chl, cl
289.36	453.44	Altered - ser, cb, cl
433.73	504.44	Altered - ser, cb, chl

DEPTH (m)	AZI (Orig)	DIP (Orig)	AZ (+26 Corr)	AZ (+27 Corr)
78.64	151	-62.1	177.0	178.0
151.79	153.1	-62.5	179.1	180.1
226.47	155.6	-62.4	181.6	182.6
241.71	156.1	-62.7	182.1	183.1
400	153.5	-61	179.5	180.5
407.8	153.3	-60.8	179.3	180.3
499.3	156.6	-59.1	182.6	183.6

ASSAY INTERCEPTS

FROM	TO	MINERALIZATION (Veins)	FROM:	TO:	INT:	Au (g/t)	SAMPLE QUALITY:

COMMENTS: (Ground conditions, fracture zones, water flows, drilling problems)

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-314C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS										% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																Selvages				Sulphides								Oxidation										
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
1	0m to 11.28m			Overburden.																																	
80	11.28 to 87.4 m	11.28	30.36	MSED. Dark to reddy brown color, highly oxidized, minor silicifiction. Very fractured and broken, with a pervasive foliation at 70° orientation. Qtz and carbonate veins throughout, qtz being more common. Carbonate veins are very oxidized - reddy/brown color. Qtz eyes and lenses (oriented along foliation) present throughout. Rocks appear banded where they can be observed over 20cm length.	3						3	1	1.0	1.8	35	20																	C081988	11.28	12.19	0.011		
											1	4	0.2	0.2	15																					
																																C081989	11.28	12.19		CHECK ASSAY	
																																C081990				STANDARD 5E	
																																C081991	12.19	13.11	0.006		
											1	2	2.0	2.0	10		1.0	q	3														C081992	13.11	14.50	0.003		
				Section very broken, no veins discernable.																													C081993	14.50	15.70	0.003		
				Section very broken, no veins discernable.																													C081994	15.70	16.80	0.003		
																																C081995	16.80	17.68	0.006		
																																C081996				BLANK	
																																C081997	17.68	19.20	0.007		
											1	1	2.0	2.0	70																	C081998	19.20	20.30	0.006		
				Section very broken, no veins discernable.							2	1	3.0	3.5	20	70																	C081999	20.30	21.32	0.010		
																																C082000	21.32	22.50	0.009		
											2	1	1.4	2.1	30	60																C082001	22.50	24.08	0.010		
																																C082002	22.50	24.08		DUP	
											3	1	4.0	5.7	70																	C082003	24.08	26.00	0.003		
											2	1	0.6	1.1	20	70																C082004	26.00	27.06	0.003		
											4	1	0.5	1.4	30	70																C082005	27.06	28.59	0.003		
				Section very broken, no veins discernable.																													C082006	28.59	30.36	0.005		
		30.36	87.40	MSED. Dark brown with orange staining, moderate to high oxidization, minor to extreme silicification. Very fractured and broken, with a pervasive foliation at 70° orientation. Qtz and carbonate veins throughout, qtz being more common. Qtz eyes and lenses (oriented along foliation) present throughout. Rocks appear banded (hornfelsed) where pieces are long enough to observe this. Xcut Q veins begin @ 54 m. Bleached sections throughout unit.	4	0	0	1	1		2	1	1.2	1.6	70																	C082007	30.36	31.29	0.003		
											4	1	6.0	8.3	70	40																C082008	31.29	32.39	0.086		
																																C082009	31.29	32.39		CHECK ASSAY	
																																C082010				STANDARD 1A	
				Black, oxidized, hornfelsed section. Completely fractured.							0						0.0				0.1			0.1					75.0				C082011	32.39	33.70	0.007		
				Black, oxidized, hornfelsed section to 34.2, QZZ for remainder. Completely fractured.	3	1					0						0.0				0.1			0.1					65.0				C082012	33.70	34.44	0.005		
				Pale brown/grey QZZ. Frac, oxidized. Foliation @ 40 deg. No visible sulphides. Biotite rich section @ end of sample.							0						0.0												45.0				C082013	34.44	35.97	0.006		
				Section from 35.97 to 36.75, 50% altered to clay. Bleached QZZ for remainder.							0						0.0												65.0				C082014	35.97	37.49	0.006		
				Black, oxidized, hornfelsed section. Completely fractured. No visible sulphides.							0						0.0												60.0				C082015	37.49	38.10	0.003		
																																C082016				BLANK	
				Light brown/beige QZZ with purple/brown argillaceous horizons. Poorly foliated. Qtz injected into foliation. Bleached and extremely oxidized at end of sample.							1	1	3.0	3.0	80		0.0												65.0				C082017	38.10	39.62	0.006		
				Pale brown/grey QZZ. Frac, int oxidized. Poor foliation. Qtz blebs and eyes in abundance. No visible sulphides.							0						0.0												75.0				C082018	39.62	40.54	0.011		
				Pale brown/grey QZZ. Frac, int oxidized. Poor foliation. Qtz blebs and eyes in abundance. No visible sulphides. Biotite rich section from 40.54 to 41.2 m.							0						0.0												80.0				C082019	40.54	42.06	0.007		
				Mainly biotite rich section. Fault gouge from 42.85 to end of sample.							0						0.0												75.0				C082020	42.06	43.59	0.006		
				BQS - ext fractured, ext oxidation, poor foliation, qtz eyes, no visible sulphides.							0						0.0												85.0				C082021	43.59	45.11	0.008		
																																C082022	43.59	45.11		Duplicate	
				Light brown/beige QZZ with purple/brown argillaceous horizons. Poorly foliated. Qtz injected into foliation. Bleached and extremely oxidized. (30% clay)							0						0.0												80.0				C082023	45.11	46.63	0.009		
				Light brown/beige QZZ with purple/brown argillaceous horizons. Poorly foliated. Qtz injected into foliation. Bleached and extremely oxidized. (40% clay)							0						0.0												85.0				C082024	46.63	48.16	0.005		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-314C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages			% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/t)	Type of Sample	Vein Comments?
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other				From	To			
				Light brown/beige QZZ with purple/brown argillaceous horizons. Poorly foliated. Qtz injected into foliation. Bleached and extremely oxidized. (40% clay) Fair core recovery to 49 m, rubble from 49 to 50.29 m. Fault gouge at end of sample.						0						0.0											80.0				C082025	48.16	50.29	0.007		
				BQS - ext fractured, ext oxidation, foliation @ 45 deg, qtz eyes, no visible sulphides.						0						0.0											75.0				C082026	50.29	52.43	0.005		
				Light brown/beige QZZ. Poorly foliated. Qtz injected into foliation. Bleached, extremely oxidized and silicified at end of sample.						0						0.0											60.0				C082027	52.43	53.95	0.021		
				Light brown/beige QZZ. Poorly foliated. Bleached, oxidized and silicified. 2 large q veins @ 54.65 m. Po @ end of sample, mag @ 54.6 m.						2	1	6.0	12.0	65		0.0				0.1							55.0				C082028	53.95	54.86	0.015		
																																C082029	53.95	54.86		Check assay	
																																C082030				Standard - 3C	
				BQS - silicified, oxidized, poor foliation, qtz injected, tr aspy, mag @ 54.95. Bleached and oxidized QZZ @ end of sample.						0						0.0						0.1					45.0				C082031	54.86	55.78	0.005		
				Light brown/beige QZZ. Poorly foliated. Qtz injected into foliation. Bleached and oxidized. Small xcutting qtz veins. Min ser, min carb.						0						0.0											55.0				C082032	55.78	57.30	0.003		
				Light brown/beige QZZ. Poorly foliated. Qtz injected into foliation. Bleached and oxidized. Small xcutting qtz veins. Min ser, min carb.						0						0.0											45.0				C082033	57.30	58.22	0.003		
				Light brown/beige QZZ. Good foliation. (60 deg) Bleached and oxidized. Small xcutting qtz veins. Small biotite-rich section @ 57.7 m. Py and aspy in vein.						1	1	1.0	1.0	65		0.0			0.1			0.1					50.0				C082034	58.22	59.44	0.006		
				Light brown/beige QZZ. Poor foliation. Oxidized. Hornfelsed section from 59.6 to 60.3. Fresh and altered py and aspy in qtz blob @ 60.5.						0						0.0			0.1			0.1					50.0				C082035	59.44	60.96	0.012		
																																C082036				Blank	
				Light brown/beige QZZ. Poor foliation. Bleached and oxidized. Small xcutting qtz veins. Small biotite-rich section @ 61.1 m. Altered py in veins.						2	1	7.5	12.5	50	60	0.0			0.1								50.0				C082037	60.96	62.18	0.006		
				Light brown/beige QZZ. Poor foliation. Bleached and oxidized. Small xcutting qtz veins. Altered py in veins.						2	1	1.0	1.5	20		0.0			0.1								50.0				C082038	62.18	63.40	0.003		
				Light brown/beige QZZ. Poor foliation. Bleached and oxidized. Large qtz vein @ 63.5. Tr py and aspy in vein.						1	1	22.0	22.0	25		0.0			0.1			0.1					45.0				C082039	63.40	64.92	0.006		
				Light brown/beige QZZ. Poorly foliated. Bleached and oxidized. Small xcutting qtz and calcite veins. Mod ser, min carb. Tr py and aspy in vein.						0						0.0			0.1			0.1					45.0				C082040	64.92	66.45	0.003		
				Light brown/beige QZZ. Poorly foliated. Bleached and oxidized. Small xcutting qtz and calcite veins. Min ser, min carb. Tr py and aspy in veins.						2	1	1.5	2.5	45		0.0			0.1			0.1					40.0				C082041	66.45	67.97	0.006		
																																C082042	66.45	67.97		Duplicate	
				Light brown/grey QZZ. Poorly foliated. Bleached and oxidized. Small xcutting qtz and calcite veins. Min ser, min carb. Tr py and aspy in veins.						0						0.0			0.1			0.1					50.0				C082043	67.97	69.49	0.007		
				Light brown/beige QZZ. Poorly foliated (30 deg). Bleached and oxidized. Small xcutting qtz and calcite veins. Min ser, min carb. No visible sulphides.						0						0.0											40.0				C082044	69.49	71.02	0.007		
				Light brown/beige QZZ. Poorly foliated. Bleached and oxidized. Small xcutting qtz and calcite veins. Min ser, min carb. Altered py in small veins.						0						0.0			0.1								40.0				C082045	71.02	72.54	0.012		
				Light brown/beige QZZ. Poorly foliated. Bleached and oxidized. Small xcutting qtz and calcite veins. Min ser, min carb. Altered py and aspy in small veins.						0						0.0			0.1			0.1					45.0				C082046	72.54	74.07	0.017		
				Light brown QZZ. Poorly foliated. Bleached and oxidized. Small xcutting qtz and calcite veins. Min ser, min carb. Fresh and altered py and aspy in small veins.						0						0.0			0.1			0.1					40.0				C082047	74.07	75.59	0.019		
				Entire section hornfelsed, dark purple/black silicified mash. Fresh and altered po appears in patches throughout.						0						0.0				0.2							20.0				C082048	75.59	77.11	0.003		
																																C082049	75.59	77.11		Check assay	
																																C082050				Standard - 4D	
				Light brown/grey QZZ. Poorly foliated. Bleached, oxidized and sericitized. Small xcutting qtz and calcite veins. Mod ser, min carb. Tr py and aspy in veins. Small biotite-rich sections.						0						0.0			0.1			0.1					35.0				C082051	77.11	78.64	0.003		
				Light brown/grey QZZ. Poorly foliated. Highly silicified, bleached, oxidized and sericitized. Small xcutting qtz veins. Mod ser, min carb. Tr py and aspy in fabric. Fractured from 79.6 to end of sample.						0						0.0			0.1			0.1					30.0				C082052	78.64	80.16	0.014		
				Light brown/beige QZZ. Poorly foliated. Bleached and completely oxidized. Mod ser, min carb. Complete sample fractured. No visible sulphides.						0						0.0											80.0				C082053	80.16	81.69	0.006		
				Light brown/grey QZZ. Poorly foliated. Highly silicified, bleached, oxidized and sericitized. Small xcutting qtz and calcite veins. Mod ser, min carb. No visible sulphides. Fractured at 82.6m.						0						0.0											45.0				C082054	81.69	83.21	0.003		
				Light brown/grey QZZ. Poorly foliated. Highly silicified, bleached, oxidized and sericitized. Small xcutting calcite veins. Mod ser, min carb. No visible sulphides.						0						0.0											40.0				C082055	83.21	84.73	0.027		
																																C082056				Blank	
				Light brown/grey QZZ. Poorly foliated. Highly silicified, bleached, oxidized and sericitized. Small xcutting calcite veins. Mod ser, min carb. No visible sulphides. Fractured from 85 to 85.6 m.						3	1	5.5	11.5	60	70	0.0											35.0				C082057	84.73	86.26	0.003		
				Light brown/grey QZZ. Poorly foliated. Highly silicified, bleached, oxidized and sericitized. Small xcutting calcite veins. Mod ser, min carb. No visible sulphides. Intensely bleached @ contact.						0						0.0											35.0				C082058	86.26	87.40	0.003		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-314C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																Selvages			Sulphides								Oxidation										
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
																																	0.048		
10	87.4 to 507.49	87.40	93.88	GND. Medium grained, brown to medium grey in color. Unit has moderate to high sericitization and moderate to high bleaching. Contact clay alteration from 87.4 to 88.3 m and 92.1 to 93.2. Unit is intensely oxidized and fractured throughout.	4	2		3	1		0						0.0											90.0				C082059	87.40	88.48	0.051		
				Totally oxidized, fractured, lightly bleached. Aspy in Q vein.							3	1	0.5	1.5	35		0.0						0.1					75.0				C082060	88.48	89.48	0.051		
				Oxidized, fractured, 10% clay alteration. Aspy in Q vein.							1	1	1.0	1.0	30		0.0						0.1					60.0				C082061	89.48	90.70			
																															C082062	89.48	90.70		Duplicate	
				Light brown to light grey, mod altered, min ser, min carb. Fractured throughout, Q vein @ 40 deg to CA. Tr po and aspy in Q vein.							1	1	1.0	1.0	40		1.0	q/s	1				0.1		0.1			45.0				C082063	90.70	91.80	0.253		
				Med grey for first 30 cm, then brown clay for remainder. Po and aspy in lightly altered section, no visible sulphides in remainder.							0						0.0						0.1		0.1			85.0				C082064	91.80	93.20	0.083		
				Light brown to light grey, int altered, mod ser, mod carb. Fractured throughout, Q vein @ 60 deg to CA. Tr po and aspy in Q vein.							1	1	0.5	0.5	60		0.5	q/s	1				0.1		0.1			75.0				C082065	93.20	93.88	0.236		
		93.88	98.35	GND - weakly to mod altered. Light to med grey in color, with bleached and sericitized zones o po/py/aspy mineralization. Unit is very competent with some fracturing and intense oxidation at end of unit. Min veins are 0, 20 and 30 deg to CA. Weak ser thru unit and mod ser in bleached/ qtz injected/carbonate zones. Finely disseminated po and aspy throughout unit.	2	1		1	1		2	1	1.0	1.5	20	30	1.0	q/s	1				0.3		0.4			30.0				C082066	93.88	94.30	0.041		
				Med grey, weakly altered. Po and aspy min in three small veins. Mod Fe stain on frac.							0						2.0	q/s	1				0.2		0.2			10.0				C082067	94.30	95.40	0.033		
				Med grey, weakly altered. Po and aspy min in two veins. Mod Fe stain on frac.							2	1	1.0	1.5	0	20	0.8	q/s	2				0.2		0.2			10.0				C082068	95.40	96.93	0.213		
																															C082069	95.40	96.93		Check assay	
																															C082070				Standard - 5E	
				Light brown to light grey, mod altered. Po and aspy in one vein. Oxidized, fractured.							1	1	2.0	2.0	50		0.0						0.3		0.3			30.0				C082071	96.93	97.55	3.690		
				Light brown to light grey, mod altered. Po and aspy in one vein. Oxidized, fractured.							1	1	0.8	0.8	40		1.0	q/s	1				0.3		0.2			25.0				C082072	97.55	98.35	0.325		
		98.35	103.02	GND. Medium grained, light brown to light grey in color. Unit has moderate to high sericitization and moderate to high bleaching. Unit is intensely oxidized and fractured throughout. Clay alteration from 98.35 to 99.55 m. Fresh and altered aspy in intensely bleached zone.	3	3	1	3	2		0						0.0						0.1		0.4			75.0				C082073	98.35	99.55	0.316		
				Light brown to light grey, mod altered. Po and aspy in one vein. Oxidized, fractured.							1	1	3.5	3.5	40		0.0						0.2		0.4			45.0				C082074	99.55	100.60	0.044		
				Light brown to light grey, int altered. No visible min. Oxidized and fractured throughout.							0						0.0											75.0				C082075	100.60	102.00	0.027		
																															C082076				Blank	
				Light brown to light grey, mod altered. Po and aspy in one small vein. Oxidized, fractured.							0						0.0						0.2		0.3			45.0				C082077	102.00	103.02	0.046		
		103.02	127.41	GND - weakly to mod altered. Light to med grey in color, with bleached and sericitized zones o po/py/aspy mineralization. Unit is very competent with some fracturing and/or slickensides. Min veins are 20 to 45 deg to CA. Weak ser thru unit and mod to int ser in bleached/ qtz injected/carbonate zones. Finely disseminated po and aspy throughout unit.	1	3	1		2		5	1	3.0	6.5	25	20	0.6	q/s	1				0.1		0.3			5.0				C082078	103.02	104.55	0.127		
				Med grey, weakly altered with fresh po and aspy in Q veins.							7	1	1.0	5.5	25	30	0.6	q/s	1				0.2		0.3			0.1				C082079	104.55	106.07	0.046		
				Med grey, weakly altered with fresh po and aspy in Q veins. Two short sections of intensely bleached and sericitized ore zones.							2	6	1.5	2.5	25	40	1.5	q/s	1				0.2		0.4			2.0				C082080	106.07	107.59	0.140		
				Med grey, moderately altered with fresh po and aspy in three small Q veins.							0						0.3	q	1				0.1		0.1			2.0				C082081	107.59	108.55	0.033		
																															C082082	107.59	108.55		Duplicate	
				Med grey, moderately altered with fresh po and aspy in Q veins.							2	1	0.5	1.0	30	45	0.3	q	1				0.1		0.1			2.0				C082083	108.55	109.60	0.039		
				Med grey, moderately altered with two large sections of intensely bleached and sericitized ore zones. Fresh po and aspy in bleached sections.							0						1.5	q/s	2				0.5		0.5			2.0				C082084	109.60	110.64	0.114		
				Med grey, moderately altered with two small sections of intensely bleached and sericitized ore zones. Fresh po and aspy in bleached sections.							0						1.5	q/s	1				0.3		0.4			1.0				C082085	110.64	111.90	0.182		
				Med grey, moderately altered with one small section of intensely bleached and sericitized ore zone. Fresh po and aspy in bleached sections.							0						1.5	q/s	1				0.2		0.2			1.0				C082086	111.90	113.20	0.033		
				Med grey, weakly altered with fresh po and aspy in Q vein.							1	6	0.5	0.5	25		0.2	q	1				0.2		0.2			0.1				C082087	113.20	114.70	0.053		
				Med grey, weakly altered with fresh po and aspy in Q veins.							2	6	0.5	1.0	20	25	0.2	q	1				0.2		0.2			0.1				C082088	114.70	116.10	0.036		
																															C082089	114.70	116.10		Check assay	
																															C082090				Standard - 6F	
				Med grey, moderately altered with one small section of intensely bleached and sericitized ore zone. Fresh and altered po and aspy in bleached sections and slickensides.							2	1	2.0	3.0	20	25	3.5	q/s	2				0.4		0.5			2.0				C082091	116.10	116.74	0.103		
				Med grey, weakly altered with fresh po and aspy in Q veins.							3	1	1.0	2.0	30	35	0.2	q	1				0.1		0.1			0.1				C082092	116.74	118.26	0.071		
				Med grey, weakly altered. Finely disseminated po and aspy in fabric.							0						0.0						0.1		0.1			0.1				C082093	118.26	119.79	0.067		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-314C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages			% of VEIN & DISSEMINATED MATERIAL								Sulphides							Oxidation				Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
				Med grey, weakly to moderately altered with one small section of intensely bleached and sericitized ore zone. Fresh po and aspy in bleached section and veins.							2	1	1.0	1.5	25		1.0	q/s	2			0.3		0.2					0.1	0.1			C082094	119.79	121.31	0.046		
				Med grey, weakly to moderately altered with one small section of intensely bleached and sericitized ore zone. Fresh po and aspy crystals in bleached section. Section is fractured and oxidized. Tr Mo @ 121.5.							1	1	1.0	1.0	25		1.0	q/s	2			0.3		0.2					15.0				C082095	121.31	122.84	0.056		
																																C082096				Blank	
				Med grey, weakly to moderately altered. Po and aspy in Q veins. Intense Fe stain on frac.							2	6	1.0	1.5	30		0.3	q	1			0.1		0.1					5.0				C082097	122.84	124.35	0.027		
				Med grey, weakly to moderately altered. Po and aspy in Q veins. Mod Fe stain on frac.							3	6	0.5	1.5	30	35	0.3	q	1			0.1		0.1					2.0				C082098	124.35	125.88	0.044		
				Med grey, weakly to moderately altered. Po and aspy in Q patches and small veins. Mod Fe stain on frac, chl phenocrysts(?)							0						0.0					0.2		0.2					2.0				C082099	125.88	127.41	0.058		
		127.41	131.98	GND. Medium grained, light to med grey in color. Unit has moderate to intense sericitization and moderate to intense bleaching. Unit is moderately oxidized and fractured throughout. Clay alteration approx 30% of unit. Fresh and altered aspy in intensely bleached zone and/or slickensides.	3	3	1	2	2		1	1	0.5	0.5	40		0.0					0.1		0.1					15.0				C082100	127.41	128.60	0.018		
				Light grey/green, intensely altered. 40% clay, altered aspy on slickensides.							0						0.0					0.2		0.7					65.0				C082101	128.60	129.44	0.029		
																																C082102	128.60	129.44		Duplicate	
				Light grey/green, moderately altered. 20% clay, altered aspy on slickensides.							1	1	1.5	1.5	35		0.3	q/s	2			0.2		0.6					50.0				C082103	129.44	130.45	0.048		
				Light grey/green, intensely altered. 50% clay, fresh and altered po and aspy in Q vein and altered aspy on slickensides.							1	1	1.0	1.0	40		0.4	q/s	2			0.2		0.7					80.0				C082104	130.45	131.15	0.018		
				Light grey/green, moderately altered. 10% clay, fresh and altered po and aspy in Q veins and altered aspy on slickensides.							3	1	1.5	3.0	25	30	0.5	q/s	2			0.3		0.7					60.0				C082105	131.15	131.98	0.041		
		131.98	208.59	GND - weakly to mod altered, light to med grey in color with scattered bleached and sericitized zones of po/py/aspy mineralization. Unit is very competent with some fracturing and/or slickensides. Min veins are 20 to 45 deg to CA. Weak ser thru unit and mod to int ser in bleached/ qtz injected/carbonate zones. Finely disseminated po and aspy throughout unit.	1	2	1	1	2		3	6	0.5	1.5	25	20	0.5	q	1			0.2		0.3					15.0				C082106	131.98	133.50	0.024		
				Med grey, weak to mod alteration. Fractured, slickensides, weak oxidation. Po and aspy in Q veins.							3	6	0.5	1.5	20	25	0.3	q	1			0.2		0.2					5.0				C082107	133.50	135.03	0.048		
				Med grey, weak to mod alteration. Fractured, slickensides, weak oxidation. Po and aspy in Q veins.							2	1	1.0	1.5	25	30	0.3	q	1			0.2		0.2					2.0				C082108	135.03	136.55	0.038		
																																C082109	135.03	136.55		Check assay	
																																C082110				Standard - 7G	
				Med grey, weak to mod alteration. Fractured, slickensides, weak oxidation. Po and aspy in Q veins.							3	1	1.5	2.5	20	10	0.3	q	1			0.2		0.2					3.0				C082111	136.55	138.07	0.087		
				Med grey, weak to mod alteration. Fractured, slickensides, weak oxidation. Po and aspy in Q veins.							3	1	0.5	1.5	20	30	0.2	q	1			0.2		0.2					2.0				C082112	138.07	139.15	0.034		
				Light grey/green, intensely altered. Fresh and altered aspy on slickensides/veins. Po patches and aspy crystals in fabric.							1	6	1.0	1.0	20		0.0					1.0		1.5					45.0				C082113	139.15	140.00	0.104		
				Med grey, weak to mod alteration. Fractured, slickensides, weak oxidation. Po and aspy in Q veins.							2	6	0.5	1.0	35	50	0.6	q	1			0.2		0.3					10.0				C082114	140.00	141.12	0.064		
				Light grey, mod alteration. Fractured, slickensides, weak oxidation. Po and aspy in Q veins/slickensides.							2	1	1.0	2.0	20		0.4	q	1			0.3		0.5					15.0				C082115	141.12	142.65	0.068		
																																C082116				Blank	
				Light grey, mod alteration. Completely fractured, slickensides, mod oxidation. Po and aspy in Q veins/slickensides. Calcite in abundance.							1	1	1.0	1.0	35		0.0					0.2		0.5					20.0				C082117	142.65	144.17	0.095		
				Light grey, mod alteration. Completely fractured, slickensides, mod oxidation. Po and aspy in Q veins/slickensides. Calcite in abundance.							2	1	1.5	2.5	30		0.0					0.3		0.5					20.0				C082118	144.17	145.69	0.077		
				Light grey, mod alteration. Completely fractured, slickensides, mod oxidation. Po and aspy in Q veins/slickensides. Calcite in abundance.							2	1	1.5	2.0	20		0.7	q	1			0.3		0.7					20.0				C082119	145.69	147.22	0.049		
				Med grey, weak to mod alteration. Fractured, slickensides, weak oxidation. Po and aspy in small Q veins. One small section bleached, sericitized.							0						0.7	q	1			0.2		0.6					2.0				C082120	147.22	148.74	0.246		
				Med grey, weak to mod alteration. Fractured, slickensides, weak oxidation. Po and aspy in small Q veins. One small (15 cm) section bleached, sericitized.							4	1	3.5	5.0	20	30	2.5	q/s	2			0.3		0.3					5.0				C082121	148.74	150.27	0.093		
																																C082122	148.74	150.27		Duplicate	
				Med grey, weak to mod alteration. Fractured, slickensides, weak oxidation. Po and aspy in small Q veins. One small (10 cm) section bleached, sericitized.							3	1	1.0	2.0	30		0.3	q	1			0.3		0.5					10.0				C082123	150.27	151.79	0.087		
				Light grey, mod alteration. Completely fractured, slickensides, mod oxidation. Po and aspy in small Q veins/slickensides. One small section bleached and sericitized. Calcite in abundance.							2	6	0.5	1.0	20	30	0.3	q	1			0.4		0.7					10.0				C082124	151.79	153.31	0.188		
				Med grey, weak to mod alteration. Fractured, slickensides, weak oxidation. Po and aspy in small Q veins. One small (10 cm) section bleached, sericitized.							4	1	2.5	4.0	15	30	1.2	q/s	2			0.4		0.7					5.0				C082125	153.31	154.84	0.027		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-314C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages			% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																				Sulphides								Oxidation											
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other			From	To			
				Med grey, weak to mod alteration. Fractured, slickensides, weak oxidation. Po and aspy in small Q veins. One small (3 cm) section bleached, sericitized.							4	1	1.0	2.5	30	35	0.3	q	1		0.3		0.3					2.0				C082126	154.84	156.36	0.053		
				Med grey, weak to mod alteration. Fractured, slickensides, weak oxidation. Po and aspy in small Q veins. One small (15 cm) section bleached, sericitized.							0						0.3	q	1		0.3		0.5					5.0				C082127	156.36	157.89	0.114		
				Light grey/green, intensely altered. Fresh and altered po and aspy on slickensides. Po patches and aspy crystals in fabric. Calcite in abundance.							0						0.0				0.5		0.5					30.0				C082128	157.89	158.46	0.056		
																															C082129	157.89	158.46		Check assay	
																															C082130				Standard - 3C	
				Med grey, weak to mod alteration. Fractured, slickensides, weak oxidation. Po and aspy in small Q veins.							1	6	1.0	1.0	30		0.3	q	1		0.2		0.2					5.0				C082131	158.46	159.41	0.029		
				Med grey, weak to mod alteration. Fractured, slickensides, mod oxidation. Po and aspy in small Q veins.							3	1	0.5	1.5	35	40	0.0				0.2		0.2					8.0				C082132	159.41	160.93	0.020		
				Med grey, weak to mod alteration. Fractured, mod oxidation. Po and aspy in small Q veins.							1	1	1.5	1.5	30		0.0				0.2		0.2					5.0				C082133	160.93	162.46	0.075		
				Med grey, weak to mod alteration. Fractured, slickensides, weak oxidation. Po and aspy in small Q veins. One small (15 cm) section bleached, sericitized.							3	6	0.5	1.5	35	40	0.8	q/s	2		0.4		0.6					10.0				C082134	162.46	163.98	0.026		
				Med grey, weak alteration. Mod Fe stain on frac. Po and aspy in fabric and Q veins. Diorite dyke from 164.55 to 165.							4	1	3.0	6.0	30	35	0.5	q/s	1		0.2		0.2					2.0				C082135	163.98	165.51	0.025		
																															C082136				Blank	
				Med grey, weak alteration. Mod Fe stain on frac. Po and aspy in fabric and Q veins. One small (5 cm) section weakly bleached with a 3 mm white Q vein.							3	1	0.5	1.5	40		0.2	q	1		0.2		0.2					5.0				C082137	165.51	167.03	0.007		
				Med grey, weak alteration. Mod Fe stain on frac. Po and aspy in fabric and Q veins.							4	1	1.5	3.5	45	25	0.2	q	1		0.2		0.2					4.0				C082138	167.03	168.55	0.032		
				Med grey, weak alteration. Mod Fe stain on frac. Po and aspy in fabric and Q veins.							3	1	1.5	2.5	30	35	0.2	q	1		0.2		0.2					4.0				C082139	168.55	169.10	0.046		
				Intensely oxidized GND rubble with po patches and aspy crystals.							0						0.0				0.5		1.5					85.0				C082140	169.10	169.77	0.020		
				Light grey/brown mod oxidized GND with small bleached po and aspy mineralized sections.							2	1	0.5	1.0	30	40	0.0				0.3		0.6					70.0				C082141	169.77	170.34	0.014		
																															C082142	169.77	170.34		Duplicate	
				Light grey, mod alteration. Fractured, mod oxidation. Po and aspy in small Q veins.							2	1	0.5	1.0	35		0.0				0.2		0.2					20.0				C082143	170.34	171.30	0.017		
				Light grey, mod alteration. Fractured, mod to intense oxidation. Po and aspy in small Q veins.							0						0.0				0.3		0.5					45.0				C082144	171.30	172.81	0.037		
				Light grey/green, intensely altered in spots. Fresh po and aspy in bleached sections and Q veins. Fractured and intensely oxidized in sections.							4	1	1.5	4.0	40	30	0.5	q	1		0.3		0.7					55.0				C082145	172.81	173.93	0.116		
				Light grey to dark brown, intensely altered in spots. Fresh po and aspy in small bleached sections and Q vein. Fractured and intensely oxidized for last half of sample.							1	1	1.0	1.0	40		0.0				0.2		0.5					60.0				C082146	173.93	175.40	0.081		
				Light grey to dark brown, intensely altered throughout. Fresh and altered po and aspy in small bleached sections and Q vein. Fractured and intensely oxidized throughout sample.							1	1	0.5	0.5	30		0.0				0.2		0.5					70.0				C082147	175.40	176.45	0.177		
				Light grey/green to med brown, mod to intensely altered. Fresh and altered po and aspy in bleached sections and Q veins. Fractured and intensely oxidized in sections. Intensely oxidized and bleached clay with qtz fragments @ 176.7 (10 cm).							2	1	16.0	18.0	25	30	4.0	q/s	2		0.4		0.7					45.0				C082148	176.45	177.60	0.109		
																															C082149	176.45	177.60		Check assay	
																															C082150				Standard - 4D	
				Med grey, weak alteration. Mod Fe stain on frac. Po and aspy in fabric and Q vein.							1	1	1.0	1.0	30		2.0	q/s	1		0.3		0.3					5.0				C082151	177.60	178.61	0.406		
				Light grey/green to med brown, mod to intensely altered. Fresh and altered po and aspy in bleached sections and Q veins. Fractured and intensely oxidized in sections.							1	1	1.0	1.0	45		12.5	q/s	3		0.5		0.7					20.0				C082152	178.61	179.70	0.078		
				Light grey, mod alteration. Fractured, mod oxidation. Po and aspy in small Q veins.							4	6	0.5	2.0	40	35	1.5	q/s	1		0.3		0.3					10.0				C082153	179.70	181.00	0.111		
				Light grey, mod alteration. Fractured, mod oxidation. Po and aspy in small Q veins. Majority of sample is weakly bleached.							3	6	0.5	1.5	30		0.4	q/s	2		0.3		0.3					8.0				C082154	181.00	181.78	0.107		
				Light grey, mod alteration. Fractured throughout, mod oxidation. Po and aspy in small Q veins. Majority of sample is weakly bleached.							1	1	0.5	0.5	40		0.0				0.3		0.3					10.0				C082155	181.78	182.80	0.035		
																															C082156				Blank	
				Med grey, weak alteration. Mod Fe stain on frac. Po and aspy in fabric and Q vein.							1	1	0.5	0.5	45		0.0				0.2		0.2					2.0				C082157	182.80	183.49	0.063		
				Light grey, mod alteration. Fractured throughout, mod oxidation. Po and aspy in small Q veins. Majority of sample is weakly bleached.							3	1	1.0	2.0	25	35	0.3	q/s	1		0.5		0.3					10.0				C082158	183.49	185.01	0.142		
				Light grey, mod alteration. Fractured throughout, mod oxidation. Po and aspy in small Q veins. Majority of sample is weakly bleached.							2	1	1.0	1.5	15	25	0.7	q/s	1		0.3		0.3					5.0				C082159	185.01	186.20	0.048		
				Med grey, weak alteration. Min Fe stain on frac. Po and aspy in fabric and Q vein.							1	6	0.5	0.5	35		0.2	q	1		0.2		0.2					1.0				C082160	186.20	187.40	0.034		
				Med grey, weak alteration. Min Fe stain on frac. Po and aspy in fabric and Q vein.							1	1	0.5	0.5	35		0.2	q	1		0.2		0.2					1.0				C082161	187.40	188.12	0.016		
																															C082162	187.40	188.12		Duplicate	
				Med grey, weak alteration. Po and aspy in fabric and Q vein.							1	1	7.0	7.0	15		1.5	q/s	1		0.2		0.5					0.1	0.1			C082163	188.12	188.65	3.210		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-314C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages			% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/t)	Type of Sample	Vein Comments?
																				Sulphides							Oxidation												
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other				From	To			
				Med grey, weak alteration. Po and aspy in fabric.							0						0.0				0.1		0.1					0.1				C082164	188.65	189.32	0.010		
				Light grey, mod to intense alteration. Fractured throughout, mod oxidation. Po and aspy in small Q veins. Fresh and altered aspy in intensely bleached zone.							2	1	1.0	1.5	40		0.2	q/s	1		0.5		0.7					40.0				C082165	189.32	189.89	0.069		
				Med grey, weak to mod alteration. Fractured, mod oxidation. Po and aspy in small Q veins.							5	1	1.0	2.5	40	25	2.5	q/s	2		0.3		0.3					1.0	0.1			C082166	189.89	191.41	0.060		
				Med grey, weak to mod alteration. Fractured, mod oxidation. Po and aspy in small Q veins.							2	1	1.0	1.5	35		0.2	q/s	1		0.1		0.1					3.0				C082167	191.41	192.45	0.049		
				Light grey/green to med brown, mod to intensely altered. Fresh and altered po and aspy in bleached sections and Q veins. Fractured and intensely oxidized in sections.							2	1	0.5	1.0	40	25	3.5	q/s	3		0.5		0.7					45.0				C082168	192.45	193.08	0.070		
																															C082169	192.45	193.08		Check assay	
																															C082170				Standard - 5E	
				Light grey/green to med brown, mod to intensely altered. Fresh and altered po and aspy in bleached sections and Q veins. Fractured and intensely oxidized in sections.							2	1	1.0	1.5	30	65	2.5	q/s	3		0.5		0.7					40.0				C082171	193.08	193.69	0.019		
				Light grey, mod alteration. Mod oxidation. Po and aspy in fabric. Majority of sample is weakly bleached.							0						0.0				0.2		0.2					2.0				C082172	193.69	194.46	0.015		
				Light grey/green, mod alteration. Mod oxidation. Po and aspy in fabric. Majority of sample is weakly bleached. Completely fractured, clay @ 194.46 (15 cm).							1	1	0.5	0.5	60		0.0				0.2		0.2					40.0				C082173	194.46	195.20	0.064		
				Light grey/green, int alteration. Mod oxidation. Po and aspy in fabric and Q vein. Majority of sample is intensely bleached. Completely fractured, calcite in abundance.							1	1	2.0	2.0	30		1.0	q/s	3		0.5		0.5					40.0				C082174	195.20	195.99	0.028		
				Light grey, mod alteration. Min oxidation. Po and aspy in fabric and Q veins. Majority of sample is weakly bleached.							3	6	0.5	1.5	30	20	0.2	q	1		0.4		0.4					2.0				C082175	195.99	197.51	0.026		
																															C082176				Blank	
				Light grey, mod alteration. Mod oxidation. Po and aspy in fabric and Q veins. Majority of sample is weakly bleached. Fractured, calcite veins, fresh and altered po and aspy in slickensides.							5	1	2.0	4.0	25		0.2	q	1		0.5		0.5					5.0				C082177	197.51	199.03	0.131		
				Med grey, weak alteration. Fractured, min oxidation. Slickensides, po and aspy in small Q veins.							2	1	1.5	2.5	20	30	0.0				0.3		0.3					1.0				C082178	199.03	200.56	0.034		
				Med grey, weak to mod alteration. Fractured, mod oxidation. Po and aspy in small Q veins. Fresh and altered aspy in slickensides.							4	1	1.0	3.0	35	10	0.5	q/s	1		0.5		0.5					5.0				C082179	200.56	202.08	0.054		
				Med grey, weak to mod alteration. Fractured, mod oxidation. Po and aspy in small Q veins. Fresh and altered aspy in slickensides.							2	6	0.5	1.0	25		0.2	q	1		0.3		0.3					5.0				C082180	202.08	203.61	0.394		
				Med grey, weak alteration. Fractured, min oxidation. Slickensides, po and aspy in small Q veins.							4	6	1.0	3.5	20	30	0.3	q	1	0.2	0.5		0.4					2.0				C082181	203.61	205.13	0.061		
																															C082182	203.61	205.13		Duplicate	
				Light grey/green, mod alteration. Mod oxidation. Po and aspy in fabric and veins. Majority of sample is weakly bleached. Fractured, Slickensides.							5	1	1.0	5.0	25	30	0.8	q	1	0.2	0.3		0.3					5.0	2.0			C082183	205.13	206.65	0.064		
				Med grey, weak alteration. Fractured, min oxidation. Slickensides, po and aspy in small Q veins.							3	6	1.0	2.0	25	30	0.2	q	1		0.3		0.3					1.0				C082184	206.65	207.85	0.082		
				Med grey, weak alteration. Slickensides, po and aspy in Q veins.							2	6	1.0	2.0	20	30	2.0	q/s	2	0.1	0.4		0.4					1.0				C082185	207.85	208.59	0.053		
		208.59	234.60	GND - fresh and weakly altered with minor sections of mod altered, med grey in color with scattered light grey/green bleached and sericitized zones of po/py/aspy mineralization. Unit is very competent with some minor fracturing and/or slickensides. Min veins are 20 to 45 deg to CA. Mod ser and chl thru unit and mod to int ser in minor bleached/ qtz injected/carbonate zones. Finely disseminated po and aspy throughout unit.	0	1	1	0	1		3	6	0.5	1.5	30	20	0.6	q/s	1		0.3		0.3					0.5				C082186	208.59	209.70	0.066		
				Med grey, weak alteration. Po and aspy in Q veins.							2	6	0.5	1.0	30	40	0.2	q	1		0.3		0.3					0.2				C082187	209.70	211.23	0.041		
											4	6	0.5	2.0	30	40	0.6	q/s	1		0.3		0.3					0.1				C082188	211.23	212.75	0.030		
																															C082189	211.23	212.75		Check assay	
																															C082190				Standard - 6F	
											3	1	0.5	1.5	30		0.4	q/s	1		0.3		0.3					0.2				C082191	212.75	213.34	0.023		
											2	1	4.0	6.0	25	30	1.3	q/s	1		0.5		0.5					0.2	0.2			C082192	213.34	214.20	0.036		
											3	6	1.0	2.0	40	30	0.7	q/s	1		0.3		0.3					0.2				C082193	214.20	215.16	0.022		
				Mod altered zone							3	6	1.0	2.0	20	30	1.2	q/s	1		0.7		0.5		0.1			2.0	2.0			C082194	215.16	215.53	0.084		
				Chl xenoliths							2	6	1.0	1.5	30		0.5	q/s	1		0.4		0.3					0.2				C082195	215.53	216.64	0.085		
																															C082196				Blank	
				Chl xenoliths							1	1	1.0	1.0	35		0.2	q	1		0.3		0.3					0.2				C082197	216.64	217.60	0.074		
											5	1	0.5	2.5	50	30	0.4	q/s	1		0.5		0.3					0.2				C082198	217.60	218.85	0.086		
				Mod altered zone, slickensides							3	1	1.0	2.0	25	30	2.0	q/s	2		0.5		0.7					5.0	2.0			C082199	218.85	219.70	0.132		
				Weakly altered							1	1	0.5	0.5	40		0.5	q/s	1		0.4		0.4					1.0				C082200	219.70	220.59	0.028		
				Chl xenoliths							1	1	0.5	0.5	30		0.2	q	1		0.5		0.2					0.1				C082201	220.59	221.89	0.036		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-314C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																Selvages				Sulphides								Oxidation									
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
																																C082202	220.59	221.89		Duplicate	
				Chl xenoliths							2	1	1.0	1.5	25	40	0.5	q	1			0.4		0.2					0.1				C082203	221.89	223.42	0.096		
				Mod altered zone							2	6	0.5	1.0	20	45	0.7	q/s	1			0.5		0.3					0.2				C082204	223.42	224.05	0.188		
											2	6	0.5	1.0	30	45	0.4	q/s	1			0.5		0.3					0.2	0.2			C082205	224.05	224.94	0.035		
											2	6	0.5	1.0	35	50	0.4	q	1			0.2		0.2					0.2				C082206	224.94	226.47	0.028		
											2	6	0.5	1.0	30		1.0	q/s	1			0.3		0.3					0.5				C082207	226.47	227.99	0.154		
				Mod altered section, min ox, slickensides							2	6	1.0	1.5	30		1.2	q/s	1			0.4		0.4					2.0				C082208	227.99	229.51	0.488		
																																C082209	227.99	229.51		Check assay	
																																C082210				Standard - 2B	
				Mod altered, light grey/green							2	6	0.5	1.0	30		0.4	q/s	1			0.4		0.4					2.0				C082211	229.51	231.04	0.041		
				Mod altered, light grey/green							1	6	0.5	0.5	30		0.2	q/s	1			0.4		0.4					2.0				C082212	231.04	232.56	0.012		
				Weakly altered							4	6	0.5	2.0	20	30	0.6	q/s	1			0.6		0.5					0.2				C082213	232.56	233.70	0.043		
				Weakly altered							0						0.0					0.3		0.3					0.2				C082214	233.70	234.60	0.014		
		234.60	263.36	GND. Medium grained, light grey/green to med grey in color. Unit has moderate to intense sericitization and moderate to intense bleaching. Unit is moderately oxidized and fractured throughout. Clay alteration up to 40% in sections. Fresh and altered aspy in intensely bleached zones and/or slickensides.	3	3	1	3	2		1	1	1.0	1.0	25		2.0	q/s	3		0.1	0.7		0.5					10.0				C082215	234.60	235.61	0.072		
																																C082216				Blank	
				Intense alteration, slickensides, fresh and altered aspy							3	6	1.5	3.0	25	30	2.0	q/s	3		0.2	2.0		2.0					30.0	10.0			C082217	235.61	236.36	0.405		
				Intense alteration, slickensides, fresh and altered aspy							0										0.2	2.0		2.0					30.0				C082218	236.36	237.40	0.016		
				Weak to mod alteration							3	1	2.0	3.5	35	60	1.0	q/s	1			0.3		0.3					5.0	2.0			C082219	237.40	238.66	0.080		
				Mod to intense alteration, slickensides, fresh and altered aspy							3	1	1.5	3.0	30	25						0.5		0.7					60.0				C082220	238.66	240.18	0.022		
				Mod to intense alteration, slickensides, fresh and altered aspy							3	1	0.5	1.5	30	50						0.5		0.7					45.0				C082221	240.18	241.71	0.032		
																																C082222	240.18	241.71		Duplicate	
				Mod to intense alteration, slickensides, fresh and altered aspy							3	1	2.0	3.5	30	25						0.3		0.5					35.0				C082223	241.71	243.23	0.076		
				Mod to intense alteration, slickensides, fresh and altered aspy							2	1	3.0	4.0	30							0.3		0.7					35.0				C082224	243.23	244.00	0.051		
											2	1	3.5	4.5	40	25	1.0	q/s	1			0.5		1.0					30.0				C082225	244.00	244.75	0.367		
				Mod altered, slickensides							4	1	1.5	4.0	20		0.4	q/s	1			0.3		0.7					20.0				C082226	244.75	246.28	0.500		
				Mod altered, slickensides, completely fractured							0						0.0					0.3		0.7					45.0				C082227	246.28	247.10	0.066		
				Int altered, slickensides, completely fractured							0						0.0					0.1		0.5					75.0				C082228	247.10	247.80	0.068		
																																C082229	247.10	247.80		Check assay	
																																C082230				Standard - 7G	
				Int altered, slickensides, completely fractured							0						0.0					0.1		0.5					75.0				C082231	247.80	248.50	0.057		
				Int altered, slickensides, completely fractured							0						0.0					0.1		0.5					70.0				C082232	248.50	249.20	0.335		
				Int altered, slickensides, 30 cm Q vein							1	1	30.0	30.0	40							0.2		0.5					45.0				C082233	249.20	249.80	5.380		
				Int altered, slickensides, completely fractured							0						0.0					0.2		0.5					70.0				C082234	249.80	250.85	0.157		
				Int altered, slickensides, completely fractured							0						0.0					0.5		0.7					75.0				C082235	250.85	251.73	0.273		
																																C082236				Blank	
				Int altered, slickensides, completely fractured							0						0.0					0.1		0.5					75.0				C082237	251.73	252.37	0.077		
				Int altered, slickensides, completely fractured							0						0.0					0.1		0.5					75.0				C082238	252.37	253.20	0.418		
				Int altered, slickensides, completely fractured							0						0.0					0.1		0.5					70.0				C082239	253.20	253.90	0.555		
				Int altered, slickensides, completely fractured							1	6	0.5	0.5	25							0.1		0.5					70.0				C082240	253.90	254.70	0.657		
				Int altered, slickensides, 50% clay							1	1	1.0	1.0	25						1.0	0.3		1.0					80.0				C082241	254.70	255.90	0.073		
																																C082242	254.70	255.90		Duplicate	
				Weakly altered							2	1	1.0	2.0	20	35	1.2	q/s	1			0.3		0.3					1.0				C082243	255.90	256.95	0.014		
				Mod altered, Q bleb							0						0.0					0.3		0.5					35.0				C082244	256.95	258.47	0.084		
				Int altered, slickensides, completely fractured, fresh and altered aspy							1	3	1.0	1.0	30							0.5		0.7					70.0				C082245	258.47	259.30	0.022		
				Mod altered, slickensides, completely fractured, fresh and altered aspy							0											0.3		0.5					60.0				C082246	259.30	259.99	0.032		
				Int altered, slickensides, fractured, fresh and altered aspy							1	1	1.0	1.0	15							0.5		0.7					50.0				C082247	259.99	261.20	0.056		
				Weakly to mod altered, fractured, 10% clay							1	1	0.5	0.5	80							0.3		0.5					40.0				C082248	261.20	262.20	0.009		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-314C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																Selvages			Sulphides							Oxidation											
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
		263.36	289.36	GND. Medium grained, light grey to green in color. Unit is bleached w/ a yellow tinge throughout by silicified carbonate. Mineralized veins occur in darkened altered zones, consisting of fresh py, aspy, and po. Unit is highly fractured with major clay alteration in sections. Chloritic alteration throughout. Veins occur from 5-85 degrees.	1	2	1	1	2																					C082249	261.20	262.20		Check assay	
																														C082250				Standard - 3C	
																														C082251	262.20	263.04	0.015		
				Int altered, 2cm Q vein w/ 5cm CB selvage							1	3	2.0	2.0	30		5.0	q/cb	3				1.0					10.0				C082252	263.04	263.36	0.290		
											1	3	2.5	2.5	10		1.0	q	1									5.0				C082253	263.36	264.57	0.136		
				Mod altered, slickensides, fresh massive py vein							2	1	5.0	7.0	50		2.0	q	2	75.0			5.0					10.0				C082254	264.57	266.09	0.914		
											1	6	5.0	5.0	0		4.0	q/cb	3	50.0			5.0					30.0				C082255	266.09	267.67	0.393		
																														C082256				Blank	
											1	1	2.0	2.0	25		1.0	q	2	2.0			1.0					10.0				C082257	267.67	269.14	0.052		
				Mod altered, fresh 0.5cm py vein							4	6	2.0	5.0	50	20	1.0	chl	2	5.0			20.0					60.0				C082258	269.14	270.66	0.067		
											2	2	4.0	7.0	45		6.0	chl	3	3.0			2.0					40.0				C082259	270.66	272.19	0.090		
											1	1	1.0	1.0	85					1.0			2.0					20.0				C082260	272.19	273.71	0.034		
											2	1	4.0	8.0	40		5.0	q	4	1.0			3.0					15.0				C082261	273.71	274.93	0.116		
																														C082262	273.71	274.93		Duplicate	
											1	5	3.0	3.0	30		0.5	q	1									5.0				C082263	274.93	276.15	0.031		
											3	1	2.0	3.0	20		1.0	q	2									15.0				C082264	276.15	277.62	0.022		
											2	5	2.0	2.5	80	85	15.0	chl	3	1.0	2.0							10.0				C082265	277.62	278.28	0.026		
				Int altered, massive fresh py 2cm vein w/ minor aspy and oxides, brecciated selvage							2	6	3.0	4.0	10	85	8.0	q	5	80.0			5.0					5.0				C082266	278.28	279.81	0.778		
											1	6	4.0	4.0	5		6.0	q	4	25.0			10.0					30.0				C082267	279.81	281.33	0.137		
											2	1	1.0	2.0	20	150																C082268	281.33	282.85	0.015		
																														C082269	281.33	282.85		Check assay	
																														C082270				Standard 3C	
											1	1	1.0	1.0	5								0.5					5.0				C082271	282.85	284.38	0.014		
				Unaltered, bleaching beginning at 285.40m, series of 5 veins cut unaltered and bleached material at angle=25, fresh po and py on veins							5	1	3.0	8.0	25		1.0	q	2	3.0	5.0		2.0					15.0				C082272	284.38	285.90	0.023		
				Altered zone of bleached yellow silicified carbonates, highly fractured, minor oxidized sulphides on fracture							1	3	1.0	1.0	30		1.0	cb	1									10.0				C082273	285.90	287.43	0.009		
											1	1	1.0	1.0	20		2.0	q	1									15.0				C082274	287.43	288.74	0.022		
											1	1	3.0	3.0	45		3.0	q	4	2.0			3.0					35.0				C082275	288.74	289.36	0.063		
																														C082276				Blank	
		289.36	322.48	Unaltered, dark, very competent w/ little fracturing. Slickensides throughout. Minor qtz veining at 30-50 to CA throughout associated with silicified carbonates. Minor carbonate veinlets at 50-80 to CA. Po associated with qtz/cb veining. Highly fractured carbonaceous zone from 316.79 - 317.61. Sericite selvages w/ qtz veining.	2	3	0	2	2		1	1	2.5	2.5	70		1.0	q	2				1.0					25.0				C082277	289.36	290.47	0.020		
											2	1	2.0	3.0	30		1.0	q	2		5.0		2.0					20.0				C082278	290.47	292.00	0.027		
											2	1	2.0	4.0	10	85	2.0	q	3	3.0	5.0							10.0				C082279	292.00	293.52	0.097		
											3	1	3.0	5.0	25		3.0	q	3									10.0				C082280	293.52	295.05	0.016		
											2	1	4.0	6.0	30		2.0	q	2	1.0	5.0		2.0					20.0				C082281	295.05	296.57	0.021		
																														C082282	295.05	296.57		duplicate	
											2	1	2.0	4.0	30		1.0	q	2	1.0			1.0					15.0				C082283	296.57	298.09	0.044		
											1	1	2.5	2.5	10		1.0	q	2	1.0			2.0					20.0				C082284	298.09	299.62	0.036		
											3	2	1.0	3.0	25	160	1.0	q	2	1.0	3.0							10.0				C082285	299.62	301.14	0.030		
											3	2	1.0	3.0	55		1.0	q	1				0.5					10.0				C082286	301.14	302.67	0.011		
											2	3	3.0	5.0	30		1.0	q/cb	2	0.5	1.0							5.0				C082287	302.67	304.19	0.006		
											2	1	3.0	5.0	45		2.0	q/k	2	0.5			0.5					5.0				C082288	304.19	305.71	0.040		
																														C082289	304.19	305.71		chech assay	
																														C082290				standard 4d	
											3	1	2.0	4.0	40		2.0	q	2	0.5			0.5					5.0				C082291	305.71	307.24	0.013		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-314C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																Selvages			Sulphides							Oxidation											
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
											3	3	3.0	4.0	50	140	8.0	q/cb	5	0.5			0.5				5.0				C082292	307.24	308.76	0.014		Int altered qtz/cb/clay 7cm surrounding vein at 308.43m
											2	1	1.0	1.5	85		0.5	q	1								1.0				C082293	308.76	310.29	0.026		
											2	1	1.0	1.5	15	5	0.5	q	1								0.5				C082294	310.29	311.81	0.018		
											2	1	1.5	3.0	20	40.0	0.5	q	1	0.5	2.0		1.0				5.0				C082295	311.81	313.33	0.030		
																															C082296				blank	
											3	1	2.5	3.5	30		1.0	q/s	3	0.5	2.0		0.5				5.0				C082297	313.33	314.86	0.104		
				Brecciated silicified carbonate vein at 316.56 at 25 to CA. No visible mineralization in CB vein.							3	3	4.0	6.5	25		0.5	q/cb	2	0.5	2.0						3.0				C082298	314.86	316.38	0.094		
				Highly fractured carbonaceous zone from 316.79 - 317.61							3	1	1.0	2.5	30		0.5	q/cb	2	0.5	1.0						2.0				C082299	316.38	317.91	0.012		
											3	3	2.0	2.5	15		0.5	q/cb	1		1.0						3.0				C082300	317.91	319.43	0.030		
											3	1	2.5	3.5	20	55	0.5	q/s	2	0.5	1.0						4.0				C082301	319.43	320.95	0.020		
																															C082302	319.43	320.95		duplicate	
				Qtz veins w/ po, sericite selvages							2	1	2.5	4.5	30	10	1.0	q/s	2	0.5	4.0		0.5				10.0				C082303	320.95	322.48	0.078		
		322.48	343.81	Zone has silicified carbonate sections throughout. Veinlets of soft carbonate from 10-60 to CA. Large silicified carbonaceous zone from 323.50-324.84m. Mineralized qtz veins within carbonate zone from 333.15 to 334.05, veins showing fresh po, py, and aspy. Oxidized sulphides within qtz veins from 342.98-343.78m.	2	2	0	2	3		1	1	2.0	2.0	55		1.0	q	2								2.0				C082304	322.48	324.00	0.025		
				Silicified carbonaceous zone from 323.50-324.84m. Heavily oxidized sulphides in vein at 326.03m at 25 to CA w/ minor fresh py.							2	3	2.5	4.5	25	10	4.0	q/s	3	2.0			4.0				30.0				C082305	324.00	325.53	4.300		
											1	3	1.5	1.5	85												1.0				C082306	325.53	327.05	0.023		
				Heavily oxided vein at 327.67 in a highly fractured zone of sericite alteration.							1	3	1.0	1.0	30		1.0	q/s	1				0.5				30.0				C082307	327.05	328.57	0.075		
											1	1	2.5	2.5	75		1.0	q	1				1.0				4.0				C082308	328.57	330.10	0.451		
																															C082309	328.57	330.10		Check assay	
																															C082310				Standard 6F	
											1	1	3.5	3.5	30		5.0	s	3	4.0			1.0				15.0				C082311	330.10	331.62	0.147		
				Section is heavily altered with sericite and carbonates. Veins are carbonaceous w/ fresh and oxidized po. Int altered sericite and carbonate zone occurs from 336.10-335.70m.							4	7	5.0	8.5	25		2.0	q/cb/s	2	3.0	0.5						30.0				C082312	331.62	333.15	0.016		
				Qtz veins showing fresh po, aspy, and py. Veins associated with heavy sericite and carbonate alteration.							3	1	3.0	7.0	35		1.0	s	1	2.0	3.0		3.0				20.0				C082313	333.15	334.67	0.132		
											1	1	0.5	0.5	10		1.0	s	1								0.5				C082314	334.67	336.19	0.111		
				Qtz veining occurring at 336.25 at 5 to the CA, vein/rock becomes heavily fractured w/ oxidized sulphides along fracture planes.							2	1	2.0	3.5	5	10	1.0	q	2	1.0	2.0						4.0				C082315	336.19	337.72	1.010		
																															C082316				Blank	
											2	1	1.5	2.5	80	20	1.5	q	3		1.0		1.0				3.0				C082317	337.72	339.24	0.273		
				Slickensides. Extensive soft carbonate veinlets throughout section at 10-30 to CA.							2	1	3.0	4.0	20	10	0.5	q/s	1	0.5	0.5						15.0				C082318	339.24	340.71	0.314		
				Extensive soft carbonate veinlets from 341.39-341.99m							3	1	4.0	5.5	25	90	1.0	q	2	0.5	2.0		1.0				4.0				C082319	340.71	342.29	0.384		
				Silicified carbonate zone from 342.98-343.78 containing 3 qtz veins at 20 to CA. Veins contain oxidized sulphides.							3	3	1.0	2.0	20		1.0	cb	1	0.1							4.0				C082320	342.29	343.81	0.172		
		343.81	374.54	Unaltered GND with little carbonate alteration. Med to coarse grained. Sericitization around carbonate vein(let)s. Fresh Po in qtz veins. Acicular Sph in qtz vein at 36405m. Fined grained xenolith present at 351.28m. Sheeted qtz veins from 372.70 - 374.50, veins at 30 to CA and contain fresh po and sph. Silicified carbonate veins and stringers throughout associated with strong sericite alteration.	1	1	0	0	2																													
				Unaltered GND w/ qtz veining occurring at 30-40 to CA. Sericite selvages. Fresh po in qtz veins. Bleb of fresh and oxidized po at 345.00m.							6	1	2.0	7.0	30	40	4.0	q/s	4	0.1	3.0						10.0				C082321	343.81	345.34	0.270		
																															C082322	343.81	345.34		Duplicate	
				Competent unaltered GND w/ multiple qtz veins containing fresh po.							4	1	2.5	7.0	30		4.0	q/s	4	4.0	1.0						5.0				C082323	345.34	346.81	0.307		
				Ser alteration around qtz veins containing fresh po.							5	1	2.5	6.0	30	40	4.0	q/s	4	2.0	0.1		0.1				5.0				C082324	346.81	348.39	0.484		
				Slickensides. Fine grained 5cm xenolith at 349.81m. Carbonate veinlets in mod fractured zone from 5-20 to CA.							4	1	2.0	4.0	25		2.0	q/s	3	3.0	0.1						8.0				C082325	348.39	349.91	0.115		
				Mineralized 1.5cm wide xenolith cross cut by qtz vein at 352.18m. Fine grained xenolith 2cm at 351.28m.							5	2	1.0	5.5	30	120	4.0	q	4	0.5	2.0						15.0				C082326	349.91	351.43	0.483		
											4	1	1.0	3.0	30	150	3.0	q/k	3	2.0	4.0						5.0				C082327	351.43	352.96	0.471		
				Carbonate veins containing oxidized sulphides w/ sericite selvages.							4	1	1.0	3.5	20		9.0	q/s	4	0.1							3.0				C082328	352.96	354.48	0.304		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-314C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS										% of VEIN & DISSEMINATED MATERIAL													Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																Selvages				Sulphides								Oxidation										
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
																																	C082329	352.96	354.48		Check assay	
																																	C082330				Standard 7G	
				Cross cutting qtz veins at 30 and 150 to CA at 354.60m. Veins contain fresh and po and minor oxides.							8	1	2.0	7.0	30	150	10.0	q/s	4		1.0	0.5		0.1					5.0				C082331	354.48	356.01	0.755		
											1	6	2.0	2.0	60		8.0	q/s	5		70.0								10.0				C082332	356.01	357.53	0.143		
											1	1	2.0	2.0	85		0.5	q	2										0.5									
											6	1	3.0	7.5	35	75	3.0	q/s	5		0.1			0.1		2.0			8.0				C082333	357.53	359.03	0.098		
				Cross cutting mineralized qtz veins at 359.97m and 360.28m both at 35 and 130 to CA. Veins show fresh py, shp, and oxides.							5	1	2.5	6.0	35	130	10.0	q/s	4		0.1	1.0		0.5		1.0			5.0				C082334	359.03	360.58	0.784		
				Oxidized sulphides within small carbonate vein at 360.68m							1	7	0.5	0.5	45		2.0	q	3		0.5								80.0				C082335	360.58	362.10	0.137		
											6	1	3.5	8.5	45	80	6.0	q/s	3			2.0				0.5			5.0									
																																	C082336				Blank	
				Cross cut qtz veins at 362.40m at 15 and 30 to CA. Veins contain fresh po and oxides.							2	1	3.0	5.0	30	15	2.0	q	2			2.0				0.5			3.0				C082337	362.10	363.32	0.240		
				Acicular sphalerite in qtz veins at 364.05m. Qtz veins are cross cut by a carbonate veinlet at 364.10m at 130 to CA.							4	1	2.5	5.0	35		3.0	q	3			2.0				4.0			5.0				C082338	363.32	364.85	11.700		
											2	3	2.5	4.5	30		13.0	q/s	4			2.0							4.0				C082339	364.85	366.29	0.271		
											1	7	2.5	2.5	35		10.0	q/s	5		1.0	0.5							75.0									
											2	1	2.5	1.5	40		1.5	q	3							5.0			15.0				C082340	366.29	367.17	0.088		
				Qtz vein at 368.03m at 30 to CA cross cut by a heavily mineralized carbonate vein at 130 to CA.							5	1	2.0	5.5	45	130	5.0	q	4			3.0		0.5		2.0			5.0				C082341	367.17	368.20	0.574		
																																	C082342	367.17	368.20		Duplicate	
				Int altered carbonate zones w/ oxidized sulphides and fresh py from 365.45m to 369.08m.							4	7	3.0	6.0	45	30	8.0	q/cb	5		3.0								75.0				C082343	368.20	369.08	0.090		
											1	7	2.5	2.5	30		15.0	q/s	4		20.0								60.0				C082344	369.08	369.91	0.073		
											5	1	2.0	5.0	40	100	2.0	q	2			3.0				0.5			8.0				C082345	369.91	371.43	0.636		
											1	7	1.5	1.5	45		8.0	q/s	4		4.0								20.0									
				3cm chlorite xenolith present at 371.80. Fresh po and sph within qtz veins.							3	1	2.0	5.0	35	60	5.0	q	3			3.0				1.0			2.0				C082346	371.43	372.71	0.603		
				Large 5cm qtz vein at 373.80m at 30 to CA w/ fresh po and acicular sph.							5	1	5.0	9.5	30	40	5.0	q	3			2.0				2.0			4.0				C082347	372.71	374.06	0.618		
				3 sheeted qtz veins within 20cm zone. Fresh po and sph in veins.							3	1	2.0	4.5	40		6.0	q	4			3.0				1.0			5.0				C082348	374.06	374.54	0.511		
																																	C082349	374.06	374.54		Chech Assay	
																																	C082350				Standard 7G	
		374.54	418.50	GND. Medium to coarse grained. Strong silicified carbonate alteration w/ sericite selvages. Moderate bleaching starting at 378.15m. Brecciated gouge from 382.49 - 383.00m and 391.95 , possible fault. Gouge is mineralized throughout w/ oxidized sulphides and minor fresh py and aspy. Highly bleached and carbonate altered starting at 406.05m to 418.50m, section is highly mineralized along qtz/carb veins from 20-50 to CA, showing fresh aspy, py, and po. Section is also strongly shows disseminated sulphides throughout qtz carbonate matrix. Slickensides, oxidized sulphides, and fresh py are present on fracture surfaces from 30-50 to CA.	1	4	0	1	4		2	3	1.0	1.5	45		20.0	cb/s	5		0.5								10.0				C082351	374.54	375.82	0.099		
											7	1	2.5	6.0	35		5.0	q	3		0.5	1.0		2.0		2.0			3.0				C082352	375.82	377.34	3.390		
				Multiple cross cutting qtz veins at 40 and 80 to CA							5	1	2.5	6.0	40	80	8.0	q/s	4		1.0	2.0		0.5					10.0				C082353	377.34	378.87	0.086		
				Carbonate stringers throughout.							3	1	1.0	2.0	40		4.0	q/cb	3		0.5	1.0				1.0			3.0				C082354	378.87	380.39	0.226		
											4	1	1.5	3.0	35		8.0	q	3			2.0				0.5			3.0				C082355	380.39	381.92	0.426		
																																	C082356				blank	
				Moderately fractured, carbonate alteration causing fracturing. Sericite selvage alteration. Fined grained, dark/green, softer carbonate altered zone from 382.49 to 383.00m. Angles not possible on all veins due to fracturing.							4	1	2.0	5.0	70		4.0	q	2			1.0				0.1			1.0				C082357	381.92	383.44	0.905		
											2	3	2.0	3.0	30	45	6.0	q/s	4		0.5	0.5							10.0				C082358	383.44	384.19	0.197		
				Highly fractured along section. Intensely altered fault gouge breccia from 385.00 - 386.00m Breccia is carbonated with oxidized sulphides and qtz.							2	7	1.0	2.0	70		50.0	q/cb	5		2.0								15.0				C082359	384.19	385.46	0.959		
				Mod bleaching due to int carbonate alteration.							3	1	2.5	4.5	30	70	25.0	q/cb	5		0.5	1.0		0.5					10.0				C082360	385.46	386.49	0.500		
											2	1	2.0	3.0	15	30	6.0	q/s	4			0.5		1.0					3.0				C082361	386.49	388.01	0.047		
																																	C082362	386.49	388.01		Duplicate	
				Int carbonate altered. Sericite selvages around cb/qtz veins.							3	3	2.0	4.5	30	15	15.0	q/s	3		0.5	0.5		0.1		0.1			5.0				C082363	388.01	389.53	0.097		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-314C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages			% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																				Sulphides								Oxidation											
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
				Int carbonate alteration leading into mineralized fault gouge at 391.95m. Gouge is brecciated w/ carbonate matrix. Oxidized sulphides throughout breccia w/ minor fresh aspy.							2	3	2.0	3.0	30	45	60.0	cb	5				0.5					10.0				C082364	389.53	391.06	0.048		
											1	3	1.5	1.5	10		10.0	cb/s	5	0.5			1.0					3.0				C082365	391.06	392.58	0.073		
				Mineralized q/cb vein at 393.60m. Fresh aspy and py to 20% and oxides to 30%.							2	6	6.0	7.0	40		12.0	q/s	4	0.5			20.0					40.0				C082366	392.58	394.11	0.797		
				Mineralized cb vein w/ ser selvage. Disseminated sph in matrix throughout carbonate alteration.							2	7	1.5	2.5	35		8.0	q/s	4		0.5		2.0		0.5			20.0				C082367	394.11	395.63	0.124		
				Acicular Sph present in qtz veins.							4	1	2.0	6.5	25		8.0	q/s	3		1.0				2.0			1.0				C082368	395.63	397.15	0.330		
																															C082369	395.63	397.15		Check assay	
																															C082370				Standard 3C	
				Carb/ser alteration w/ oxides in matrix throughout.							2	7	1.0	1.5	10	30	5.0	q/s	4				0.5					15.0				C082371	397.15	398.68	0.088		
				Int carb altered zone from 399.26 - 399.55 w/ mineralization and qtz lenses throughout.							2	1	2.0	2.5	20		4.0	q/s	3		0.5				0.5			0.1				C082372	398.68	400.21	0.361		
				Slickensides. Oxidized sulphides and carb on fracture surfaces. Small 2cm fine grained green xenolith at 401.31m.							1	1	1.5	1.5	30		3.0	q/s	2	0.5			1.0		0.5			3.0				C082373	400.21	401.73	0.383		
				Highly fractured. Angles and selvages difficult to measure. Cross cut qtz/cb veins at 402.23m w/ minor sph and aspy.							3	3	3.0	5.5	25	165	4.0	q/s	3		0.1		0.1		0.5			1.0				C082374	401.73	403.25	0.218		
											1	1	0.5	0.5	40		3.0	q/s	2	0.1			0.1					0.5				C082375	403.25	404.77	0.028		
																															C082376				Blank	
				Bleaching starting at 406.05m and continuing until 418.60m.							2	1	1.5	2.5	30		5.0	q	3		3.0		0.1		1.0			1.0				C082377	404.77	406.30	0.116		
				Section bleached w/ carbonate and sericite alteration. Mineralized zones throughout and concentrated along carb/qtz veins.							2	3	3	1.5	2.5	30		25.0	q/s	4	0.1	0.5		0.5					3.0				C082378	406.30	407.82	0.117		
				Brecciated zone beginning at 409.20 extending to 409.85. Oxidized sulphides w/ minor fresh aspy and qtz throughout breccia.							2	3	1.5	3.0	10	20	15.0	q/s	4	0.5			1.0					3.0				C082379	407.82	409.35	0.364		
				Int carb altered, light green color.							2	7	3.5	4.5	30	10	30.0	cb/s	5	5.0			3.0		1.0			25.0				C082380	409.35	410.87	0.778		
				Slickensides. Oxidized sulphides and fresh sph on fracture surfaces. Int cb/ser alteration.							2	3	1.0	1.5	35		5.0	cb/s	3	0.1			1.0					10.0				C082381	410.87	412.40	0.045		
																															C082382	410.87	412.40		Duplicate	
				Slickensides and mineralization on fracture surfaces at 30-50 to CA. section is soft w/ carbonate alteration.							3	3	3.0	5.0	20	15	8.0	cb/s	4	5.0			3.0					10.0				C082383	412.40	413.92	0.319		
				Int altered carbonates. Mineralized veins throughout at 30-45 to CA. Slickensides and fresh py on fracture surfaces.							5	3	1.5	4.5	30	45	25.0	q/s	5	0.1	0.5		2.0					15.0				C082384	413.92	415.45	0.027		
											2	3	0.5	1.0	25		7.0	cb/s	4				0.1					3.0				C082385	415.45	416.97	0.335		
				Large 4.5cm qtz vein at 40 to CA, mineralized at bottom .5cm of vein showing fresh aspy, py.							1	1	4.5	4.5	40		4.0	q/s	3	0.5			5.0					20.0									
				Highly fractured gouge present at 417.40. Section becomes less carbonate altered towards end.							2	1	1.0	1.5	30		15.0	q/s	4	0.1			0.1					1.0				C082386	416.97	418.50	0.046		
		418.50	428.80	GND. Medium grained. Moderate to strong silicification, carbonate alteration w/ sericite selvages throughout. Po heavily associated with qtz veins, common. Po, aspy and minor py found in section, po associated with qtz veins and in selvages around qtz veining, aspy with qtz-carbonate veins and carbonate veins both in vein and in selvage area (minor). Slickensides, oxidized sulphides, and fresh py are present on fracture surfaces from 30-80 to CA.		2			2		4	1	0.5	2.0	30		1.0	q	2	0.1			0.1					0.5				C082387	418.50	420.01	0.032		Low bleaching w/ slight carb alteration.
				Unaltered GND w/ minor qtz veining. Fresh po present on veins.							2	1	1.0	1.5	25		1.0	q	1		0.5							1.0				C082388	420.01	421.54	0.255		
																															C082389	420.01	421.54		Check Assay	
																															C082390				Standard 4D	
											3	1	1.5	2.5	30		1.5	q	3	0.5			0.1		0.5			1.0				C082391	421.54	423.06	0.050		
				Carbonate stringers at 30-55 to CA.							4	1	1.5	3.5	25	50	4.0	q	3	1.0	0.5				0.5			1.0				C082392	423.06	424.50	0.062		
				Slickensides and fresh py on fracture surfaces at 30-40 to CA. Oxidized sulphides in carbonate veinlets at 20-45 to CA throughout.							3	1	0.5	1.5	35		1.0	q	2	1.0	0.1		0.5					3.0				C082393	424.50	426.11	0.359		
											4	1	0.5	1.3	30	35	4.0	s/q	3	0.1	5.0							1.0				C082394	426.11	427.60	0.807		
											2	3	0.4	0.6	20		0.5	q/cb	3		1.0		10.0						1.0									
											1	6	0.2	0.2	30		0.3	q	2		40.0							2.0									
											3	1	1.2	1.7	30	40	1.5	q	3	1.0	5.0		0.1									C082395	427.60	428.80	0.791		
											3	3	1.0	1.5	20	30	1.0	s/cb	2	0.1	2.0		3.0														
																															C082396				Blank	

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-314C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages			% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	Ox. State 0-5	Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other			From	To			
		428.80	434.00	GND. Medium grained. Moderate to strong silicification, strong carbonate alteration throughout moderate sericitic alteration throughout, strong sericitic alt associated with carbonate veins. Po heavily associated with qtz vein, po and minor py found in section, po associated with qtz veins and in selvages around qtz veining. Trace aspy found in selvages around qtz/carbonate veins. Slickensides, oxidized sulphides, and fresh py are present on fracture surfaces from 10-30 to CA.		2		1	4																							C082397	428.80	429.40	0.075		Section has strong carbonate alteration - veinlets and stringers, pervasive. No veins discernable. Sericitic alteration moderate in section, aspy in matrix (trace).
											1	1	0.6	0.6	40		0.2	q	1		3.0								0.1			C082398	429.40	430.88	0.143		
				Carbonate veinlets and stringers pervasive in area's.							5	1	2.6	4.1	30	60	1.2	q/s	2		5.0		0.1						0.1			C082399	430.88	432.33	0.254		
				Carbonate veinlets and stringers pervasive throughout - compromises core competency.							2	3	3.1	4.0	40					7.0	1.0											C082400	432.33	433.31	3.940		
											3	3	0.4	0.7	80	40					1.0				2.0						C082401	433.31	434.00	0.096		
																															C082402	433.31	434.00		Dup	
		434.00	453.44	GND. Medium to coarse grained. Section shows strongly silicified carbonate alteration w/ sericite selvages and weak sericitic alteration. Moderate bleaching associated with occasional qtz veins. Section is mineralized along qtz/carb veins from 20-50 to CA, showing fresh po and trace aspy. Xenoliths in this section approximately 1: 5m.		1			2		3	3	0.2	0.5	20	40	0.4	q/s	2	1.0										1.0			C082403	434.00	435.36	0.743		
											3	3	0.6	1.1	30	50					5.0									C082404	435.36	436.56	0.542		
											1	1	0.4	0.4	80		0.2	q/s	2				1.0					1.0								
											6	1	1.4	3.9	30		0.3	q/s	3		7.0										C082405	436.56	437.58	1.080		
											1	3	0.3	0.7	30					1.0															
											6	1	3.1	4.5	30		0.4	q	3		8.0		1.0								C082406	437.58	438.72	2.460		
											1	1	0.6	0.6	25		0.3	q	2		3.0		0.1								C082407	438.72	440.12	0.069		
											1	3	0.2	0.2	30					2.0								1.0								
											1	1	1.1	1.1	30		0.4	q	3		10.0										C082408	440.12	441.50	0.213		
											1	4	0.3	0.3	30					1.0								1.0								
																															C082409	440.12	441.50		Check Assay	
																															C082410				Standard 1A	
											1	1	1.2	1.2	25		4.0	q/s	3		2.0		0.1		1.0			0.1			C082411	441.50	442.14	0.244		
											2	1	0.3	0.5	30		0.3	q/s	2		8.0										C082412	442.14	443.46	0.135		
											3	4	0.4	0.8	15	80				1.0								1.0								
											5	4	0.3	0.9	30	50	0.3	cb/s	2	2.0			0.1					0.1			C082413	443.46	444.56	1.620		
				Slickensides surfaces with carbonate and minor py only, no veins discernable, some carbonate veinlets/stringers.																												C082414	444.56	445.81	0.016		
											3	1	1.0	1.8	30		0.4	q	2		5.0										C082415	445.81	446.50	1.130		
																															C082416				Blank	
											3	1	1.0	2.0	30		0.3	q	3		4.0		1.0					0.1			C082417	446.50	447.45	0.171		
											3	1	0.8	1.6	30	40	0.2	q	2		3.0										C082418	447.45	448.76	0.169		
											3	1	1.8	3.8	30		0.7	q	3		4.0							2.0			C082419	448.76	450.01	0.163		
											1	1	1.4	1.4	30		0.3	q	1		5.0		0.1					1.0			C082420	450.01	451.05	0.261		
											1	6	0.2	0.2	20						60.0														
											3	1	1.2	2.9	30		0.7	q	3		2.0							1.0			C082421	451.05	452.41	0.257		
											4	4	0.2	0.6	30	60	0.2	cb/s	2	1.0								2.0								
																															C082422	451.05	452.41		DUP	
											2	1	0.7	1.1	25		0.6	q	3		5.0							2.0			C082423	452.41	453.44	0.782		
		453.44	464.80	GND. Medium grained. Section shows weak to moderate silicification throughout, intense pervasive carbonate alteration at 455.4m to 456.9m with low carbonate alteration elsewhere. Weak bleaching throughout and moderate bleaching associated with occasional qtz veins. Carbonate veins are common in section, py and aspy associated. Xenoliths in this section but rare. Po veins common and qtz veins present but less predominant than previously. Sph also present in some veins but still relatively rare compared to po.		2	1		2		2	1	0.9	1.5	30						8.0												C082424	453.44	454.24	0.221		
											1	6	0.6	0.6	30						30.0										C082425	454.24	455.27	0.547		
				Carbonate veins are light to dark green.							4	4	0.7	1.4	70					2.0																
											5	1	0.4	1.7	30	50	2.0	q	2		8.0							5.0								

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-314C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																Selvages			Sulphides								Oxidation										
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
				Section is has very high carbonate alteration - carbonate appears as a pervasive "stockwork" type, from veinlet to 1cm thickness, no preferred orientation.																												C082426	455.27	456.17	0.661		
											1	6	0.6	0.6	45											40.0						C082427	456.17	457.08	0.105		
											4	1	0.4	0.9	30		0.5	q	2			10.0										C082428	457.08	458.01	0.759		
											3	4	0.3	0.5	30	50					2.0									5.0							
																																C082429	457.08	458.01		Check Assay	
																																C082430				Satndard 5E	
											3	1	0.3	0.6	30	25	0.3	q	2			5.0										C082431	458.01	459.46	0.093		
				Aspy in selvage only.							1	4	0.1	0.1	25		5.0	cb/s	4		2.0			1.0													
											3	1	0.5	1.0	20		1.0	q	3			5.0										C082432	459.46	460.86	0.161		
											2	6	0.3	0.4	40	30	2.0	q	4			30.0														
											3	4	0.3	0.6	20	60					5.0									2.0							
				Section shows weak bleaching and a zone with low clay alteration. Xenoliths visible (2/meter). Carbonate veinlets/stringers present but not pervasive.							2	1	0.5	0.9	30		0.2	q	2			5.0										C082433	460.86	462.15	0.546		
											3	4	0.2	0.6	40	60	4.0	s	2		2.0															
											2	1	0.5	0.7	30		1.0	q	2			5.0										C082434	462.15	462.85	0.170		
											2	3	0.2	0.3	25	45					1.0															
											3	1	0.5	1.2	20							3.0										C082435	462.85	464.11	0.103		
											2	4	0.2	0.3	20	45	2.0	s	3		1.0															
																																C082436				Blank	
											7	1	0.7	2.4	25	40	0.5	s	2			1.0										C082437	464.11	464.80	0.109		
		464.80	476.10	GND. Medium grained. Section shows weak silicification, low to moderate carbonate alteration and low to moderate sericitization throughout. Section is very broken and crumbled past 468m, core competency is low. Carbonate veins are common in section, py associated. Xenoliths are common. Trace po and aspy present in qtz veins, and occasional matrix/selvage, py present on fracture/slickenside surfaces.		3		1	3		4	4	0.3	1.0	40	5					1.0									15.0	2.0			C082438	464.80	465.73	0.053		
											1	1	2.4	2.4	30							2.0														
											4	1	1.1	3.0	30						1.0									20.0	1.0			C082439	465.73	467.26	0.154		
											2	4	0.2	0.3	20	30						2.0														
											1	1	3.0	3.0	20							2.0										C082440	467.26	468.37	0.164		
				Section has pervasive carbonate veinlets/stringers but no discernable veins.							1	1	1.8	1.8	30															5.0		C082441	468.37	469.30	0.274		
																																C082442	468.37	469.30		Duplicate	
											3	3	0.8	2.0	30	35						3.0								2.0		C082443	469.30	469.90	0.276		
											1	1	1.1	1.1	30							4.0								2.0							
											2	4	0.2	0.3	20	60						1.0							20.0	5.0						
				Section is very broken and rubbled (from drilling). Aspy in matrix/selvage of silicified and sericitized area's. Trace to 1% of section.							3	1	0.8	2.1	30							2.0									C082444	469.90	471.44	0.264		
				Section is very broken and rubbled (from drilling). Aspy in matrix/selvage of silicified and sericitized area's. Trace to 1% of section.							2	4	0.2	0.4	20						0.1								10.0	1.0			C082445	471.44	472.40	0.040		
											2	3	0.7	1.3	30	25						1.0								1.0		C082446	472.40	473.48	0.328		
											1	4	0.3	0.3	45						0.1							5.0	2.0							
				Section too broken to discerne veins or orientation.																												C082447	473.48	474.51	0.252		
											4	1	2.0	3.8	30							2.0										C082448	474.51	476.10	0.474		
											4	4	0.4	1.0	20	70					0.1							10.0	3.0							
																																C082449	474.51	476.10		Check Assay	
																																C082450				Standard 6F	
		476.10	483.00	GND. Medium to coarse grained. Section shows weak to moderate silicification, low carbonate alteration and moderate sericitization throughout. Qtz veins are common, with po and aspy in veins, and aspy in selvages/matrix surrounding them. Carbonate veins are not common in section, but some veinlets and stringers are present. Xenoliths present ~ 1/m.		3	1		1		2	3	0.5	1.0	30		2.0	s/q	4			1.0										C082451	476.10	477.60	0.480		
											3	4	0.2	0.5	30	80	3.0	s/q	3		1.0							1.0							
											3	1	0.6	1.3	40	30	1.2	q	2			3.0														
											4	1	0.6	1.6	30	20						2.0										C082452	477.60	478.90	0.210		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-314C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL													Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																Selvages				Sulphides								Oxidation										
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
											4	4	0.3	0.9	30	80	1.0	s	2	0.1							2.0	1.0							
											3	1	0.8	1.5	30						3.0		1.0								C082453	478.90	480.00	0.250		
											4	1	2.0	4.1	40		1.0	q	1		5.0		0.1					2.0			C082454	480.00	481.30	0.705		
				Aspy occurs in selvage. Aspy in sample is 2%.							2	3	0.4	0.7	30		6.0	s	4	1.0			4.0					1.0	3.0							
											5	1	2.2	5.3	50		1.0	q	2		5.0		1.0						1.0		C082455	481.30	482.64	1.035		
				Aspy occurs in selvage. Aspy in sample is 3%.							2	4	0.4	0.7	50		8.0	s	4	1.0			5.0					5.0	1.0							
																															C082456				Blank	
				Aspy occurs in selvage. Aspy in sample is 1%							4	1	2.4	4.9	25		2.0	q/s	2		2.0		1.0						1.0		C082457	482.64	483.00	0.351		
		483.00	493.47	GND. Medium grained. Section shows moderate silicification and low sericitization associated with veins. Carbonate veins present but not common, py associated. Xenoliths are common. Po is the dominant sulfide, found in and around qtz veins, aspy is a trace, found with qtz veins and in selvage. Py can be found in small to trace amounts fracture/slickenside surfaces, associated with carbonate veins.		1					3	1	1.5	3.1	30		0.8	q/s	3		5.0		0.1				1.0		C082458	483.00	484.17	0.508		
											2	4	0.2	0.3	15	80	4.0	s	2	1.0							5.0								
											3	1	0.8	1.6	40	30	0.4	q/s	2		3.0								1.0		C082459	484.17	485.51	0.195		
				Aspy occurs in selvage.							3	1	1.1	2.3	40		0.3	q/s	2		4.0		0.1								C082460	485.51	486.66	0.370		
											2	4	0.3	0.4	30	70	6.0	s/cb	4	0.1			2.0				1.0	1.0							
											5	1	2.0	3.2	30	60	0.3	q/s	2		5.0										C082461	486.66	488.06	0.386		
											1	2	1.6	1.6	30								0.1												
																															C082462	486.66	488.06		Duplicate	
											7	1	1.7	4.1	30		0.4	q	2		4.0							1.0			C082463	488.06	489.35	0.339		
											8	1	0.8	3.1	30	50					2.0										C082464	489.35	490.80	1.370		
											2	4	1.2	1.3	5	30	4.0	s	4	1.0			3.0												
											7	1	0.4	1.5	30		0.3	q	2		3.0										C082465	490.80	492.03	0.186		
											5	1	1.2	3.7	30						5.0										C082466	492.03	493.47	0.383		
		493.47	507.49	GND. Medium grained. Section shows moderate silicification and moderate to high sericitization throughout, intermittent minor chloritization. One section is largely un-altered 504.00m to 505.78m then returns to alteration. Carbonate veins present but not common, py associated. Massive sulfide veins throughout with po and aspy the dominant sulfides, po in and around qtz veins, aspy found with qtz veins and in selvage. Py can be found in small to trace amounts fracture/slickenside surfaces, associated with carbonate veins and occasionally associated with po and aspy in massive sulfide veins. Gouge area at 500.28m to 502.31m (fault?).		4	1	1	1		6	1	1.4	4.1	40	30	0.3	q	2		5.0		1.0				1.0	2.0		C082467	493.47	494.67	1.530		
											2	6	0.3	0.5	50								50.0				5.0								
											8	1	0.9	3.4	30	40					5.0		0.1					2.0		C082468	494.67	496.17	1.235		
																															C082469	494.67	496.17		Check Assay	
																															C082470				Standard 7G	
											2	1	1.3	1.9	50						1.0		5.0				1.0			C082471	496.17	496.91	9.230		
											1	6	10.0	10.0	35					5.0	10.0		60.0				1.0								
											2	1	0.6	0.8	30	60					1.0		1.0							C082472	496.91	497.43	0.229		
											2	1	0.4	0.7	40						2.0		5.0							C082473	497.43	498.70	0.504		
				Aspy in selvage only							2	4	0.2	0.3	40	5	6.0	s/cb	4	2.0			3.0												
											2	6	0.3	0.4	30								60.0				10.0								
				Section is highly mineralized, po and aspy, throughout matrix and in veins/veinlets/stringers that have no set orientation and are pervasive. Section have approx. 5% po overall and 3% aspy.							2	1	0.6	1.1	40						4.0		2.0							C082474	498.70	499.83	0.322		
											1	6	0.3	0.3	40						50.0									C082475	499.83	500.48	0.146		
											2	1	0.4	0.7	35						5.0		3.0				2.0								
																															C082476				Blank	
				Section is highly broken and fractured, qtz veins present but orientation and size are indecipherable. Gouge is clay-ey, and contains aspy throughout, overall section is 3% aspy.																											C082477	500.48	501.67	0.092		
				Section is highly broken and fractured, qtz veins present but orientation and size are indecipherable. Gouge is clay-ey, and contains aspy throughout, overall section is 3% aspy.																											C082478	501.67	502.60	0.243		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-314C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																Selvages				Sulphides								Oxidation											
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
				Aspy occurs in matrix as well, up to 2%.							3	1	1.2	2.1	50	70						4.0		5.0									C082479	502.60	504.00	0.289		
											1	4	0.3	0.3	30						1.0				1.0													
											2	1	0.8	1.4	40							3.0							1.0				C082480	504.00	504.75	0.066		
											1	4	0.3	0.3	15						1.0				1.0				5.0	1.0							
											1	1	0.8	0.8	40							2.0		1.0									C082481	504.75	505.78	0.813		
											1	4	0.2	0.2	30		4.0	cb/s	3		0.1								5.0								
																																	C082482	504.75	505.78		Duplicate	
											3	1	0.8	2.2	50							4.0		5.0					5.0				C082483	505.78	506.90	0.609		
				Aspy fond in selvage only.							3	4	0.3	0.5	30	20	8.0	cb/s	3		0.1	2.0		2.0					5.0										
											2	1	0.6	1.0	70							1.0		1.0						5.0			C082484	506.90	507.49	0.271	EOH	

From-To Sheet DG06-311C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C081988	11.28	12.19	0.910		
C081989	11.28	12.19	0.910	CHECK ASSAY	
C081990				STANDARD 5E	1.43
C081991	12.19	13.11	0.920		
C081992	13.11	14.50	1.390		
C081993	14.50	15.70	1.200		
C081994	15.70	16.80	1.100		
C081995	16.80	17.68	0.880		
C081996				BLANK	
C081997	17.68	19.20	1.520		
C081998	19.20	20.30	1.100		
C081999	20.30	21.32	1.020		
C082000	21.32	22.50	1.180		
C082001	22.50	24.08	1.580		
C082002	22.50	24.08	1.580	DUPLICATE	
C082003	24.08	26.00	1.920		
C082004	26.00	27.06	1.060		
C082005	27.06	28.59	1.530		
C082006	28.59	30.36	1.770		
C082007	30.36	31.29	0.930		
C082008	31.29	32.39	1.100		
C082009	31.29	32.39	1.100	CHECK ASSAY	
C082010				STANDARD 1A	0.88
C082011	32.39	33.70	1.310		
C082012	33.70	34.44	0.740		
C082013	34.44	35.97	1.530		
C082014	35.97	37.49	1.520		
C082015	37.49	38.10	0.610		
C082016				BLANK	
C082017	38.10	39.62	1.520		
C082018	39.62	40.54	0.920		
C082019	40.54	42.06	1.520		
C082020	42.06	43.59	1.530		
C082021	43.59	45.11	1.520		
C082022	43.59	45.11	1.520	DUPLICATE	
C082023	45.11	46.63	1.520		
C082024	46.63	48.16	1.530		
C082025	48.16	50.29	2.130		
C082026	50.29	52.43	2.140		
C082027	52.43	53.95	1.520		
C082028	53.95	54.86	0.910		
C082029	53.95	54.86	0.910	CHECK ASSAY	
C082030				STANDARD 3C	0.091
C082031	54.86	55.78	0.920		
C082032	55.78	57.30	1.520		
C082033	57.30	58.22	0.920		
C082034	58.22	59.44	1.220		

From-To Sheet DG06-311C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C082035	59.44	60.96	1.520		
C082036				BLANK	
C082037	60.96	62.18	1.220		
C082038	62.18	63.40	1.220		
C082039	63.40	64.92	1.520		
C082040	64.92	66.45	1.530		
C082041	66.45	67.97	1.520		
C082042	66.45	67.97	1.520	DUPLICATE	
C082043	67.97	69.49	1.520		
C082044	69.49	71.02	1.530		
C082045	71.02	72.54	1.520		
C082046	72.54	74.07	1.530		
C082047	74.07	75.59	1.520		
C082048	75.59	77.11	1.520		
C082049	75.59	77.11	1.520	CHECK ASSAY	
C082050				STANDARD 4D	0.43
C082051	77.11	78.64	1.530		
C082052	78.64	80.16	1.520		
C082053	80.16	81.69	1.530		
C082054	81.69	83.21	1.520		
C082055	83.21	84.73	1.520		
C082056				BLANK	
C082057	84.73	86.26	1.530		
C082058	86.26	87.40	1.140		
C082059	87.40	88.48	1.080		
C082060	88.48	89.48	1.000		
C082061	89.48	90.70	1.220		
C082062	89.48	90.70	1.220	DUPLICATE	
C082063	90.70	91.80	1.100		
C082064	91.80	93.20	1.400		
C082065	93.20	93.88	0.680		
C082066	93.88	94.30	0.420		
C082067	94.30	95.40	1.100		
C082068	95.40	96.93	1.530		
C082069	95.40	96.93	1.530	CHECK ASSAY	
C082070				STANDARD 5E	1.43
C082071	96.93	97.55	0.620		
C082072	97.55	98.35	0.800		
C082073	98.35	99.55	1.200		
C082074	99.55	100.60	1.050		
C082075	100.60	102.00	1.400		
C082076				BLANK	
C082077	102.00	103.02	1.020		
C082078	103.02	104.55	1.530		
C082079	104.55	106.07	1.520		
C082080	106.07	107.59	1.520		
C082081	107.59	108.55	0.960		

From-To Sheet DG06-311C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C082082	107.59	108.55	0.960	DUPLICATE	
C082083	108.55	109.60	1.050		
C082084	109.60	110.64	1.040		
C082085	110.64	111.90	1.260		
C082086	111.90	113.20	1.300		
C082087	113.20	114.70	1.500		
C082088	114.70	116.10	1.400		
C082089	114.70	116.10	1.400	CHECK ASSAY	
C082090				STANDARD 6F	2.77
C082091	116.10	116.74	0.640		
C082092	116.74	118.26	1.520		
C082093	118.26	119.79	1.530		
C082094	119.79	121.31	1.520		
C082095	121.31	122.84	1.530		
C082096				BLANK	
C082097	122.84	124.35	1.510		
C082098	124.35	125.88	1.530		
C082099	125.88	127.41	1.530		
C082100	127.41	128.60	1.190		
C082101	128.60	129.44	0.840		
C082102	128.60	129.44	0.840	DUPLICATE	
C082103	129.44	130.45	1.010		
C082104	130.45	131.15	0.700		
C082105	131.15	131.98	0.830		
C082106	131.98	133.50	1.520		
C082107	133.50	135.03	1.530		
C082108	135.03	136.55	1.520		
C082109	135.03	136.55	1.520	CHECK ASSAY	
C082110				STANDARD 7G	4.46
C082111	136.55	138.07	1.520		
C082112	138.07	139.15	1.080		
C082113	139.15	140.00	0.850		
C082114	140.00	141.12	1.120		
C082115	141.12	142.65	1.530		
C082116				BLANK	
C082117	142.65	144.17	1.520		
C082118	144.17	145.69	1.520		
C082119	145.69	147.22	1.530		
C082120	147.22	148.74	1.520		
C082121	148.74	150.27	1.530		
C082122	148.74	150.27	1.530	DUPLICATE	
C082123	150.27	151.79	1.520		
C082124	151.79	153.31	1.520		
C082125	153.31	154.84	1.530		
C082126	154.84	156.36	1.520		
C082127	156.36	157.89	1.530		
C082128	157.89	158.46	0.570		

From-To Sheet DG06-311C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C082129	157.89	158.46	0.570	CHECK ASSAY	
C082130				STANDARD 3C	0.091
C082131	158.46	159.41	0.950		
C082132	159.41	160.93	1.520		
C082133	160.93	162.46	1.530		
C082134	162.46	163.98	1.520		
C082135	163.98	165.51	1.530		
C082136				BLANK	
C082137	165.51	167.03	1.520		
C082138	167.03	168.55	1.520		
C082139	168.55	169.10	0.550		
C082140	169.10	169.77	0.670		
C082141	169.77	170.34	0.570		
C082142	169.77	170.34	0.570	DUPLICATE	
C082143	170.34	171.30	0.960		
C082144	171.30	172.81	1.510		
C082145	172.81	173.93	1.120		
C082146	173.93	175.40	1.470		
C082147	175.40	176.45	1.050		
C082148	176.45	177.60	1.150		
C082149	176.45	177.60	1.150	CHECK ASSAY	
C082150				STANDARD 4D	0.43
C082151	177.60	178.61	1.010		
C082152	178.61	179.70	1.090		
C082153	179.70	181.00	1.300		
C082154	181.00	181.78	0.780		
C082155	181.78	182.80	1.020		
C082156				BLANK	
C082157	182.80	183.49	0.690		
C082158	183.49	185.01	1.520		
C082159	185.01	186.20	1.190		
C082160	186.20	187.40	1.200		
C082161	187.40	188.12	0.720		
C082162	187.40	188.12	0.720	DUPLICATE	
C082163	188.12	188.65	0.530		
C082164	188.65	189.32	0.670		
C082165	189.32	189.89	0.570		
C082166	189.89	191.41	1.520		
C082167	191.41	192.45	1.040		
C082168	192.45	193.08	0.630		
C082169	192.45	193.08	0.630	CHECK ASSAY	
C082170				STANDARD 5E	1.43
C082171	193.08	193.69	0.610		
C082172	193.69	194.46	0.770		
C082173	194.46	195.20	0.740		
C082174	195.20	195.99	0.790		
C082175	195.99	197.51	1.520		

From-To Sheet DG06-311C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C082176				BLANK	
C082177	197.51	199.03	1.520		
C082178	199.03	200.56	1.530		
C082179	200.56	202.08	1.520		
C082180	202.08	203.61	1.530		
C082181	203.61	205.13	1.520		
C082182	203.61	205.13	1.520	DUPLICATE	
C082183	205.13	206.65	1.520		
C082184	206.65	207.85	1.200		
C082185	207.85	208.59	0.740		
C082186	208.59	209.70	1.110		
C082187	209.70	211.23	1.530		
C082188	211.23	212.75	1.520		
C082189	211.23	212.75	1.520	CHECK ASSAY	
C082190				STANDARD 6F	2.77
C082191	212.75	213.34	0.590		
C082192	213.34	214.20	0.860		
C082193	214.20	215.16	0.960		
C082194	215.16	215.53	0.370		
C082195	215.53	216.64	1.110		
C082196				BLANK	
C082197	216.64	217.60	0.960		
C082198	217.60	218.85	1.250		
C082199	218.85	219.70	0.850		
C082200	219.70	220.59	0.890		
C082201	220.59	221.89	1.300		
C082202	220.59	221.89	1.300	DUPLICATE	
C082203	221.89	223.42	1.530		
C082204	223.42	224.05	0.630		
C082205	224.05	224.94	0.890		
C082206	224.94	226.47	1.530		
C082207	226.47	227.99	1.520		
C082208	227.99	229.51	1.520		
C082209	227.99	229.51	1.520	CHECK ASSAY	
C082210				STANDARD 2B	3.02
C082211	229.51	231.04	1.530		
C082212	231.04	232.56	1.520		
C082213	232.56	233.70	1.140		
C082214	233.70	234.60	0.900		
C082215	234.60	235.61	1.010		
C082216				BLANK	
C082217	235.61	236.36	0.750		
C082218	236.36	237.40	1.040		
C082219	237.40	238.66	1.260		
C082220	238.66	240.18	1.520		
C082221	240.18	241.71	1.530		
C082222	240.18	241.71	1.530	DUPLICATE	

From-To Sheet DG06-311C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C082223	241.71	243.23	1.520		
C082224	243.23	244.00	0.770		
C082225	244.00	244.75	0.750		
C082226	244.75	246.28	1.530		
C082227	246.28	247.10	0.820		
C082228	247.10	247.80	0.700		
C082229	247.10	247.80	0.700	CHECK ASSAY	
C082230				STANDARD 7G	4.46
C082231	247.80	248.50	0.700		
C082232	248.50	249.20	0.700		
C082233	249.20	249.80	0.600		
C082234	249.80	250.85	1.050		
C082235	250.85	251.73	0.880		
C082236				BLANK	
C082237	251.73	252.37	0.640		
C082238	252.37	253.20	0.830		
C082239	253.20	253.90	0.700		
C082240	253.90	254.70	0.800		
C082241	254.70	255.90	1.200		
C082242	254.70	255.90	1.200	DUPLICATE	
C082243	255.90	256.95	1.050		
C082244	256.95	258.47	1.520		
C082245	258.47	259.30	0.830		
C082246	259.30	259.99	0.690		
C082247	259.99	261.20	1.210		
C082248	261.20	262.20	1.000		
C082249	261.20	262.20	1.000	CHECK ASSAY	
C082250				STANDARD 3C	0.091
C082251	262.20	263.04	0.840		
C082252	263.04	263.36	0.320		
C082253	263.36	264.57	1.210		
C082254	264.57	266.09	1.520		
C082255	266.09	267.67	1.580		
C082256				BLANK	
C082257	267.67	269.14	1.470		
C082258	269.14	270.66	1.520		
C082259	270.66	272.19	1.530		
C082260	272.19	273.71	1.520		
C082261	273.71	274.93	1.220		
C082262	273.71	274.93	1.220	DUPLICATE	
C082263	274.93	276.15	1.220		
C082264	276.15	277.62	1.470		
C082265	277.62	278.28	0.660		
C082266	278.28	279.81	1.530		
C082267	279.81	281.33	1.520		
C082268	281.33	282.85	1.520		
C082269	281.33	282.85	1.520	CHECK ASSAY	

From-To Sheet DG06-311C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C082270				STANDARD 3C	0.091
C082271	282.85	284.38	1.530		
C082272	284.38	285.90	1.520		
C082273	285.90	287.43	1.530		
C082274	287.43	288.74	1.310		
C082275	288.74	289.36	0.620		
C082276				BLANK	
C082277	289.36	290.47	1.110		
C082278	290.47	292.00	1.530		
C082279	292.00	293.52	1.520		
C082280	293.52	295.05	1.530		
C082281	295.05	296.57	1.520		
C082282	295.05	296.57	1.520	DUPLICATE	
C082283	296.57	298.09	1.520		
C082284	298.09	299.62	1.530		
C082285	299.62	301.14	1.520		
C082286	301.14	302.67	1.530		
C082287	302.67	304.19	1.520		
C082288	304.19	305.71	1.520		
C082289	304.19	305.71	1.520	CHECK ASSAY	
C082290				STANDARD 4D	0.43
C082291	305.71	307.24	1.530		
C082292	307.24	308.76	1.520		
C082293	308.76	310.29	1.530		
C082294	310.29	311.81	1.520		
C082295	311.81	313.33	1.520		
C082296				BLANK	
C082297	313.33	314.86	1.530		
C082298	314.86	316.38	1.520		
C082299	316.38	317.91	1.530		
C082300	317.91	319.43	1.520		
C082301	319.43	320.95	1.520		
C082302	319.43	320.95	1.520	DUPLICATE	
C082303	320.95	322.48	1.530		
C082304	322.48	324.00	1.520		
C082305	324.00	325.53	1.530		
C082306	325.53	327.05	1.520		
C082307	327.05	328.57	1.520		
C082308	328.57	330.10	1.530		
C082309	328.57	330.10	1.530	CHECK ASSAY	
C082310				STANDARD 6F	2.77
C082311	330.10	331.62	1.520		
C082312	331.62	333.15	1.530		
C082313	333.15	334.67	1.520		
C082314	334.67	336.19	1.520		
C082315	336.19	337.72	1.530		
C082316				BLANK	

From-To Sheet DG06-311C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C082317	337.72	339.24	1.520		
C082318	339.24	340.71	1.470		
C082319	340.71	342.29	1.580		
C082320	342.29	343.81	1.520		
C082321	343.81	345.34	1.530		
C082322	343.81	345.34	1.530	DUPLICATE	
C082323	345.34	346.81	1.470		
C082324	346.81	348.39	1.580		
C082325	348.39	349.91	1.520		
C082326	349.91	351.43	1.520		
C082327	351.43	352.96	1.530		
C082328	352.96	354.48	1.520		
C082329	352.96	354.48	1.520	CHECK ASSAY	
C082330				STANDARD 7G	4.46
C082331	354.48	356.01	1.530		
C082332	356.01	357.53	1.520		
C082333	357.53	359.03	1.500		
C082334	359.03	360.58	1.550		
C082335	360.58	362.10	1.520		
C082336				BLANK	
C082337	362.10	363.32	1.220		
C082338	363.32	364.85	1.530		
C082339	364.85	366.29	1.440		
C082340	366.29	367.17	0.880		
C082341	367.17	368.20	1.030		
C082342	367.17	368.20	1.030	DUPLICATE	
C082343	368.20	369.08	0.880		
C082344	369.08	369.91	0.830		
C082345	369.91	371.43	1.520		
C082346	371.43	372.71	1.280		
C082347	372.71	374.06	1.350		
C082348	374.06	374.54	0.480		
C082349	374.06	374.54	0.480	CHECK ASSAY	
C082350				STANDARD 7G	4.46
C082351	374.54	375.82	1.280		
C082352	375.82	377.34	1.520		
C082353	377.34	378.87	1.530		
C082354	378.87	380.39	1.520		
C082355	380.39	381.92	1.530		
C082356				BLANK	
C082357	381.92	383.44	1.520		
C082358	383.44	384.19	0.750		
C082359	384.19	385.46	1.270		
C082360	385.46	386.49	1.030		
C082361	386.49	388.01	1.520		
C082362	386.49	388.01	1.520	DUPLICATE	
C082363	388.01	389.53	1.520		

From-To Sheet DG06-311C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C082364	389.53	391.06	1.530		
C082365	391.06	392.58	1.520		
C082366	392.58	394.11	1.530		
C082367	394.11	395.63	1.520		
C082368	395.63	397.15	1.520		
C082369	395.63	397.15	1.520	CHECK ASSAY	
C082370				STANDARD 3C	0.091
C082371	397.15	398.68	1.530		
C082372	398.68	400.21	1.530		
C082373	400.21	401.73	1.520		
C082374	401.73	403.25	1.520		
C082375	403.25	404.77	1.520		
C082376				BLANK	
C082377	404.77	406.30	1.530		
C082378	406.30	407.82	1.520		
C082379	407.82	409.35	1.530		
C082380	409.35	410.87	1.520		
C082381	410.87	412.40	1.530		
C082382	410.87	412.40	1.530	DUPLICATE	
C082383	412.40	413.92	1.520		
C082384	413.92	415.45	1.530		
C082385	415.45	416.97	1.520		
C082386	416.97	418.50	1.530		
C082387	418.50	420.01	1.510		
C082388	420.01	421.54	1.530		
C082389	420.01	421.54	1.530	CHECK ASSAY	
C082390				STANDARD 4D	0.43
C082391	421.54	423.06	1.520		
C082392	423.06	424.50	1.440		
C082393	424.50	426.11	1.610		
C082394	426.11	427.60	1.490		
C082395	427.60	428.80	1.200		
C082396				BLANK	
C082397	428.80	429.40	0.600		
C082398	429.40	430.88	1.480		
C082399	430.88	432.33	1.450		
C082400	432.33	433.31	0.980		
C082401	433.31	434.00	0.690		
C082402	433.31	434.00	0.690	DUPLICATE	
C082403	434.00	435.36	1.360		
C082404	435.36	436.56	1.200		
C082405	436.56	437.58	1.020		
C082406	437.58	438.72	1.140		
C082407	438.72	440.12	1.400		
C082408	440.12	441.50	1.380		
C082409	440.12	441.50	1.380	CHECK ASSAY	
C082410				STANDARD 1A	0.88

From-To Sheet DG06-311C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C082411	441.50	442.14	0.640		
C082412	442.14	443.46	1.320		
C082413	443.46	444.56	1.100		
C082414	444.56	445.81	1.250		
C082415	445.81	446.50	0.690		
C082416				BLANK	
C082417	446.50	447.45	0.950		
C082418	447.45	448.76	1.310		
C082419	448.76	450.01	1.250		
C082420	450.01	451.05	1.040		
C082421	451.05	452.41	1.360		
C082422	451.05	452.41	1.360	DUPLICATE	
C082423	452.41	453.44	1.030		
C082424	453.44	454.24	0.800		
C082425	454.24	455.27	1.030		
C082426	455.27	456.17	0.900		
C082427	456.17	457.08	0.910		
C082428	457.08	458.01	0.930		
C082429	457.08	458.01	0.930	CHECK ASSAY	
C082430				STANDARD 5E	1.43
C082431	458.01	459.46	1.450		
C082432	459.46	460.86	1.400		
C082433	460.86	462.15	1.290		
C082434	462.15	462.85	0.700		
C082435	462.85	464.11	1.260		
C082436				BLANK	
C082437	464.11	464.80	0.690		
C082438	464.80	465.73	0.930		
C082439	465.73	467.26	1.530		
C082440	467.26	468.37	1.110		
C082441	468.37	469.30	0.930		
C082442	468.37	469.30	0.930	DUPLICATE	
C082443	469.30	469.90	0.600		
C082444	469.90	471.44	1.540		
C082445	471.44	472.40	0.960		
C082446	472.40	473.48	1.080		
C082447	473.48	474.51	1.030		
C082448	474.51	476.10	1.590		
C082449	474.51	476.10	1.590	CHECK ASSAY	
C082450				STANDARD 6F	2.77
C082451	476.10	477.60	1.500		
C082452	477.60	478.90	1.300		
C082453	478.90	480.00	1.100		
C082454	480.00	481.30	1.300		
C082455	481.30	482.64	1.340		
C082456				BLANK	
C082457	482.64	483.00	0.360		

From-To Sheet DG06-311C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C082458	483.00	484.17	1.170		
C082459	484.17	485.51	1.340		
C082460	485.51	486.66	1.150		
C082461	486.66	488.06	1.400		
C082462	486.66	488.06	1.400	DUPLICATE	
C082463	488.06	489.35	1.290		
C082464	489.35	490.80	1.450		
C082465	490.80	492.03	1.230		
C082466	492.03	493.47	1.440		
C082467	493.47	494.67	1.200		
C082468	494.67	496.17	1.500		
C082469	494.67	496.17	1.500	CHECK ASSAY	
C082470				STANDARD 7G	4.46
C082471	496.17	496.91	0.740		
C082472	496.91	497.43	0.520		
C082473	497.43	498.70	1.270		
C082474	498.70	499.83	1.130		
C082475	499.83	500.48	0.650		
C082476				BLANK	
C082477	500.48	501.67	1.190		
C082478	501.67	502.60	0.930		
C082479	502.60	504.00	1.400		
C082480	504.00	504.75	0.750		
C082481	504.75	505.78	1.030		
C082482	504.75	505.78	1.030	DUPLICATE	
C082483	505.78	506.90	1.120		
C082484	506.90	507.49	0.590	EOH	

DG06-314C Relfex readings					
Depth (meters)	Azimuth (degrees)	Corrected Azimuth (degrees)	Dip (degrees)	Magnetic Field	Temperature (C)
78.64	151	176.5	-62.1	5819	9.1
151.79	153.1	178.6	-62.5	5800	12.9
226.47	155.6	181.1	-62.4	5782	11.3
241.71	156.1	181.6	-62.7	5812	12.1
400	153.5	179	-61	5816	13.3
407.82	153.3	178.8	-60.8	5826	11.2
499.26	156.6	182.1	-59.1	5802	14.2

GEOTECHNICAL SUMMARY SHEET

PROJECT: Dublin Gulch - 1735		
DRILL HOLE NO: DG06-314C		
Date Started: June 24, 2006	**Date Completed:** July 8, 2006	
Geoteched By: Stacy Doyle, Jason Kindrat, Mike Giasson, Marc Mains		
Contractor: DJ Drilling		
Hole Size: HQ	**Core Size:** HQ	
Total Depth: 507.49m	**Elevation:** 1061m	
Average RQD: 52%	**Average Recovery Rate:** 92%	
	Easting	**Northing**
DDH NAD27		
NAD27	459759m	7099565m
NAD83	459641m	7099749m
	Azimuth	**Dip**
Original	180	-60
End of Hole	182.1	-59.1
Additional Comments:	No Dry pictures for Boxes 1-3, 4-6, 16-18, 19-21, 22-24, 31-33, 34-36, 37-39, 40-42, 43-45, 49-51, 52-54, 64-66, 67-69, 88-90, 91-93, 97-99, 124-126, 127-129 EOH, due to rain interference.	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-314C___ Sheet:__1___ of __8___

Date:_June 24-July 8, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
Casing	0	11.28	11.28		0		0		-												
MSED	11.28	12.19	0.91	0.9	99	0.56	62	R2	-	MW	5	IR	2	IS	3	PS/IR			0	30	
	12.19	13.11	0.92	0.7	76	0.59	64	R3	-	MW	2	IR	3	PR	3	CR			0	36	
	13.11	14.63	1.52	1.44	95	0.9	59	R2	-	MW			8	IS/CS	4	CR			0	41	
	14.63	16.15	1.52	1.26	83	0.25	16	R3	-	MW			4	PR/IR					0	84	
	16.15	17.68	1.53	1.24	81	0.12	8	R2	-	MW	1	PS	1	PS					0	92	
	17.68	19.2	1.52	1.27	84	0.53	35	R2	-	MW	5	PS/IR	3	PR					0	65	
	19.2	20.73	1.53	1.23	80	0.46	30	R3	-	MW	6	IR	2	PS					0	70	
	20.73	22.25	1.52	1.03	68	0.46	30	R3		MW	2	IR	4	SS/PS					0	70	
	22.25	24.08	1.83	1.34	73	0.25	14	R4	-	MW			4	PS					0	86	
	24.08	25.3	1.22	0.46	38	0.12	10	R2	-	FS	1	IR	1	IR					0	90	
	25.3	26.82	1.52	1.32	87	0.39	26	R2	-	FS	3	PS/IR			1	CS			0	24	
	26.82	28.35	1.53	0.73	48	0	0	R2	-	FS									0	100	
	28.35	29.87	1.52	0.85	56	0	0	R2	-	MW/FS									0	100	
	29.87	31.29	1.42	1.29	91	0.19	13	R2/R3	-	PS	2	SR							0	82	
	31.29	32.92	1.63	1.33	82	0.39	24	R2	-	FS	4	PS/SR							0	76	
	32.92	34.44	1.52	1.2	79	0	0	R1/R2	-	MW/FS									15	85	
	34.44	35.97	1.53	1.27	83	0.33	22	R1/R3	-	MW/FS					4	SR/IR			15	63	
	35.97	37.49	1.52	1.33	87	0.45	30	R3	-	MW/FS	5	IR	1	SR					15	55	
	37.49	38.1	0.61	0.3	49	0	0	R1/R2	-	MW/FS									5	46	
	38.1	39.62	1.52	1.36	89	0	0	R2	-	MW/FS									2	98	
	39.62	40.54	0.92	0.86	93	0.56	61	R3	-	FS/FR	8	IR/PR							0	39	
	40.54	42.06	1.52	1.1	72	0.28	18	R3	-	FS	3	IR			1	SR			0	82	
	42.06	43.59	1.53	1.17	76	0.19	12	R1/R3	-	HW/FS	2	PR							35	52	
	43.59	45.11	1.52	1.28	84	0.41	27	R1/R2	-	FS/MW	5	IR	1	SR					15	58	
	45.11	46.63	1.52	1.42	93	0.3	20	R3	-	FS/MW	4	SR/IR	2	SR					2	78	
	46.63	48.16	1.53	1.47	96	0.15	10	R1/R2	-	FS/MW	2	SR							10	80	
	48.16	49.07	0.91	0.58	64	0.22	24	R2	-	FS					2	IR			0	76	
	49.07	50.29	1.22	0.4	33	0	0	R3	-										40	60	
	50.29	52.43	2.14	1.47	69	0.62	29	R4	-	FS/FR			2	PR	4	SR/PR			0	71	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-314C___ Sheet:__2___ of __8___

Date:_June 24-July 8, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	52.43	53.95	1.52	1.52	100	1.37	90	R4	-	FS/FR	5	IR	5	PR	2	SR			0	10	
	53.95	54.86	0.91	0.78	86	0.66	73	R4	-	FS/SR	2	IR			4	PR/SR			0	27	
	54.86	55.78	0.92	0.89	97	0.65	71	R4	-	FR	2	IR	3	PR/IR	1	IR			0	29	
	55.78	57.3	1.52	1.35	89	0.6	39	R4	-	FR	2	IR	4	IR					0	39	
	57.3	58.22	0.92	0.43	47	0.14	15	R4	-	FS/FR	1	IR			1	IR			0	85	
	58.22	59.44	1.22	0.71	58	0.57	47	R4	-	FS			4	IR	2	IR			0	53	
	59.44	60.96	1.52	1.48	97	0.57	37	R4	-	FS			4	IR	4	IR			0	63	
	60.96	62.18	1.22	1.22	100	0.49	40	R3	-	FS					6	PR/IR			0	60	
	62.18	63.4	1.22	1.1	90	1.08	89	R3	-	FS	1	IR	3	IR	6	PR			0	11	
	63.4	64.92	1.52	1.04	68	0.41	27	R3	-	FS	2	IR	3	IR/PR			1	UR	0	73	
	64.92	66.45	1.53	1.49	97	0.53	35	R3	-	FS	3	IR	4	PS/CR			3	CR	0	65	
	66.45	67.97	1.52	1.15	76	0.63	41	R3	-	FS	2	IR/PS	6	IR/CR					0	59	
	67.97	69.49	1.52	1.43	94	1.3	86	R2/R3	-	MW/FS	3	IR	5	IS/CS					0	14	
	69.49	71.02	1.53	1.31	86	0.89	58	R3	-	FS	3	IR	9	PS/CR					0	42	
	71.02	72.54	1.52	1.19	78	0.32	21	R2/R3	-	FS			4	PS/IR					0	79	
	72.54	74.07	1.53	1.51	99	0.34	22	R3	-	FS	1	IR	2	IR			1	CS	0	78	
	74.07	75.59	1.52	1.35	89	0.29	19	R2/R3	-	FS	1	IR	2	CS			1	CR	23	58	
	75.59	77.11	1.52	1.43	94	0.74	49	R3	-	FS/FR			4	PR	2	SS			0	51	
	77.11	78.64	1.53	1.44	94	0.98	64	R3	-	FS	2	IR	4	IR/CR	2	UR			0	36	
	78.64	80.16	1.52	1.52	100	0.54	36	R3	-	FR			4	PS	2	IR			0	64	
	80.16	81.69	1.53	1.5	98	0	0	R2	-	FR									0	100	
	81.69	83.21	1.52	1.44	95	0.62	41	R4	-	FR					4	CR/UR	2	PR	0	59	
	83.21	84.73	1.52	1.52	100	0.59	39	R3	-	FR			6	IR/PS					0	61	
	84.73	86.26	1.53	0.94	61	0.43	28	R3	-	FS	2	IR	1	PS			1	SS	0	72	
GND/ MSED	86.26	87.78	1.52	1.33	88	0.96	63	R1/R4	-	HW/FS	5	IR	2	PS	3	US			17	20	GND Contact
GND	87.78	89.31	1.53	1.32	86	0.12	8	R1/R4	-	MW/FS			1	PS	1	CR			22	71	
	89.31	90.83	1.52	1.05	69	0.12	8	R1/R4	-	MW/FS			1	IR	1	IS			8	84	
	90.83	92.35	1.52	1.4	92	0.43	28	R1/R4	-	HW/FS	2	IR			2	PR			20	52	
	92.35	93.88	1.53	1.43	93	0.6	39	R1/R4	-	HW/FS	1	IR					1	PR	45	16	
	93.88	95.4	1.52	1.53	100	1.25	82	R4	-	FS	4	PR	4	PR			2	UR	0	18	
	95.4	96.93	1.53	1.42	93	1.4	92	R4	-	FS	1	CR	3	PR	2	PR	2	UR	0	8	
	96.93	98.45	1.52	1.53	100	0.89	59	R3/R4	-	FS	5	IR	1	IR	1	PR	3	UR	0	41	
	98.45	99.97	1.52	1.24	82	0	0	R1/R4	-	MW/FS									70	30	
	99.97	101.5	1.53	1.47	96	0	0	R2/R3	-	MW/FS									20	80	
	101.5	103.02	1.52	1.38	91	0	0	R2/R4	-	MW/FS									10	90	
	103.02	104.55	1.53	1.52	99	0.84	55	R4	-	FS			10	PR/SR					0	45	
	104.55	106.07	1.52	1.52	100	1.4	92	R4	-	FR	2	PR	4	PR	2	US			0	8	
	106.07	107.59	1.52	1.51	99	1.17	77	R3/R4	-	FS	2	SR/PR	2	PR	2	US	2	SR/PR	0	23	
	107.59	109.12	1.53	1.45	95	0.23	15	R3/R4	-	FS			3	PR/CR	1	PR			0	85	
	109.12	110.64	1.52	1.52	100	1.32	87	R4	-	FS					10	IR/CR			0	14	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-314C___ Sheet:__3___ of __8___

Date:_June 24-July 8, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	110.64	112.17	1.53	1.47	96	1.38	90	R4	-	FS	1	IR	2	IR	8	IR/CR	1	PR	0	10	
	112.17	113.69	1.52	1.45	95	0.92	61	R4	-	FR	2	PR	2	PR	6	PR			0	39	
	113.69	115.21	1.52	1.49	98	1.4	92	R4	-	FR	4	PR	2	PR					0	8	
	115.21	116.74	1.53	1.5	98	0.95	62	R4	-	FR	4	IR/PR			2	PR			0	37	
	116.74	118.26	1.52	1.52	100	1.03	68	R2/R4	-	MW/FR	1	PR	2	SR			3	IR/PR	5	27	
	118.26	119.79	1.53	1.51	99	1.05	69	R4	-	FS/FR			8	PR					0	31	
	119.79	121.31	1.52	1.52	100	1.06	70	R4	-	FS	10	PS	2	IR	2	US			0	30	
	121.31	122.83	1.52	1.39	91	0.6	39	R4	-	FR	1	IR	1	PS					0	61	
	122.83	124.36	1.53	1.51	99	0.92	60	R4	-	FS	3	PR/IR	4	PS	3	US/PS			0	40	
	124.36	125.88	1.52	1.52	100	1.35	89	R4	-	FS/FR	10	PR/IR			2	PR			0	11	
	125.88	127.41	1.53	1.53	100	0.79	52	R4	-	FS	3	PR			3	PS			0	48	
	127.41	128.93	1.52	1.4	92	0.61	40	R1/R4	-	MW/FR	1	CS	3	IS	2	IS			5	55	
	128.93	130.45	1.52	1.44	95	0	0	R1/R3	-	MW/FS									50	50	
	130.45	131.98	1.53	1.42	93	0	0	R1/R3	-	HW/FS									30	70	
	131.98	133.5	1.52	1.35	89	0.17	11	R3	-	FS					2	PR/CR			3	86	
	133.5	135.03	1.53	1.46	95	0.7	46	R4	-	FS	1	IR			5	IR/PS			0	54	
	135.03	136.55	1.52	1.28	84	1.3	86	R4	-	FS	5	IS			7	IS/US			0	14	
	136.55	138.07	1.52	1.52	100	1.08	71	R4	-	FS	3	IR			7	PS			0	29	
	138.07	139.6	1.53	1.51	99	1.05	69	R4	-	FS	7	PS			3	PS			0	31	
	139.6	141.12	1.52	1.22	80	0.41	27	R4	-	FS					6	PS			0	73	
	141.12	142.65	1.53	1.5	98	0	0	R1/R4	-	MW/FS									12	88	
	142.65	144.17	1.52	1.52	100	0	0	R1/R4	-	MW/FS									3	97	
	144.17	145.69	1.52	1.48	97	0.85	56	R4	-	MW/FS			3	IR/PS	7	PS			0	44	
	145.69	147.22	1.53	1.41	92	0.57	37	R3/R4	-	FS					6	PS			0	63	
	147.22	148.74	1.52	1.52	100	1.18	78	R4	-	FR			6	PR/IR	4	IR			0	22	
	148.74	150.27	1.53	1.35	88	0.82	54	R4	-	FR	1	IS	6	IS/PS	3	PS/UR			0	46	
	150.27	151.79	1.52	1.46	96	0.47	31	R4	-	FR	1	SR	3	PS/IS	1	PS	1	US	0	69	
	151.79	153.31	1.52	1.23	81	0.13	9	R5	-	FR					2	PS			0	91	
	153.31	154.84	1.53	1.22	80	0.46	30	R4	-	FR	3	PR/IR	6	SR/IS			3	UR	0	70	
	154.84	156.36	1.52	1.52	100	1.06	70	R3	-	FR	3	CS/PR	2	PS			1	US	0	30	
	156.36	157.89	1.53	1.44	94	0.88	58	R5	-	FR	1	CR	4	IR/PR			1	CS	0	42	
	157.89	159.41	1.52	1.25	82	0.6	39	R4	-	FR	1	PS	2	IR/CS	3	SR/PS			0	61	
	159.41	160.93	1.52	1.35	89	0.87	57	R4	-	FR	5	CR/PR					1	CS	0	43	
	160.93	162.46	1.53	1.5	98	0.95	62	R4	-	FR	4	PS	3	PS/IS			4	US	0	38	
	162.46	163.98	1.52	1.38	91	1.02	67	R4	-	FR	5	PS/CR	4	CS/PS			1	US	0	33	
	163.98	165.51	1.53	1.47	96	1.38	90	R5	-	FR	4	PS/PR	4	CS					0	10	
	165.51	167.03	1.52	1.41	93	1.09	72	R5	-	FS	2	PS	3	PS			2	PR	0	28	
	167.03	168.55	1.52	1.42	93	1.24	82	R5	-	FS	7	IR	3	SR/IR	2	PS			0	18	
	168.55	169.77	1.22	0.93	76	0.2	16	R1/R5	-	MW/FS	1	PR			1	PS			10	74	
	169.77	171.29	1.52	1.52	100	0.85	56	R5	-	FS					10	IR			0	44	
	171.29	172.82	1.53	1.42	93	0.18	12	R5	-	FS					2	PS/IS			0	88	
	172.82	174.04	1.22	1.27	100	0.84	69	R4	-	FS	1	IR	4	IR	4	SR/IR	1	PS	0	31	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-314C___ Sheet:__4___ of __8___

Date:_June 24-July 8, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	174.04	175.56	1.52	1.17	77	0.1	7	R1/R4	-	MW/FS					2	IR			2	91	
	175.56	177.09	1.53	1.53	100	0.2	13	R1/R4	-	HW/FS	1	PR			1	PS			4	83	
	177.09	178.61	1.52	1.52	100	1.49	98	R5	-	FS	8	PR/UR			2	SS			0	2	
	178.61	180.14	1.53	1.53	100	0.88	58	R5	-	FS	3	PR			2	UR	2	IR	0	42	
	180.14	181.66	1.52	1.52	100	1.09	72	R4	-	FS			4	CS/SS	4	UR			0	28	
	181.66	183.18	1.52	1.46	96	0.72	47	R3	-	FR	2	CR	1	US			3	UR/CR	0	53	
	183.18	185.01	1.83	1.49	81	1.29	70	R3	-	FR	1	CR	3	CR/PR	4	CR/IR	2	PR	0	30	
	185.01	186.84	1.83	1.52	83	1.36	74	R3	-	FR	4	PS/CS			4	UR			0	26	
	186.84	188.37	1.53	1.53	100	1.26	82	R4	-	FR	5	PS/CR	5	IR/PR					0	18	
	188.37	189.89	1.52	1.51	99	0.84	55	R1/R5	-	MW/FR	8	PR/US							8	37	
	189.89	191.41	1.52	1.48	97	1.33	87	R4	-	FR/FS	4	SR/PR	2	US			2	CS	0	13	
	191.41	192.94	1.53	1.49	97	0.66	43	R3	-	FS			1	CS	4	CR	3	IR/UR	0	57	
	192.94	194.46	1.52	1.47	97	0.75	49	R5	-	FR	2	IR	5	PS/IR			1	IS	0	51	
	194.46	195.99	1.53	1.37	90	0.33	22	R1/R5	-	FR/MW	4	IR							7	71	
	195.99	197.51	1.52	1.42	93	0.48	32	R5	-	FS	1	IR			3	IR/US			0	69	
	197.51	199.03	1.52	1.53	100	0.74	49	R5	-	FS	1	PR	2	CS/PS	5	PS/IS			0	52	
	199.03	200.56	1.53	1.53	100	0.9	59	R5	-	FS	5	IS/IR			7	CS/US			0	41	
	200.56	202.08	1.52	1.53	100	0.47	31	R5	-	FS			5	US/PS	1	IS			0	69	
	202.08	203.61	1.53	1.53	100	0.34	22	R5	-	FS	2	IR			2	PS/IR			0	78	
	203.61	205.13	1.52	1.47	97	1.06	70	R1/R5	-	MW/FS					6	US/PS			1	29	
	205.13	206.65	1.52	1.53	100	1.1	72	R5	-	FS	3	IR	1	IR	6	PS			0	18	
	206.65	208.18	1.53	1.51	99	0.52	34	R4	-	FS			4	IR	1	PS			0	66	
	208.18	209.7	1.52	1.47	97	1.47	97	R4	-	FR	2	PR			6	IR/US			0	3	
	209.7	211.23	1.53	1.53	100	1.36	89	R4	-	FR	8	US/PR			4	SS/PS			0	11	
	211.23	212.75	1.52	1.47	97	1.47	97	R5	-	FR	2	PR			2	PS			0	4	
	212.75	214.27	1.52	1.52	100	1.52	100	R5	-	FR	4	PS			6	PS/PR			0	0	
	214.27	215.8	1.53	1.53	100	1.28	84	R5	-	FR	3	PS			5	PS			0	16	
	215.8	217.32	1.52	1.32	87	1.32	87	R4	-	FR	4	PR	2	UR					0	13	
	217.32	218.85	1.53	1.53	100	1.53	100	R4	-	FR	1	SR			3	IR/PR	2	PS	0	0	
	218.85	220.37	1.52	1.52	100	1.25	82	R4	-	FR	4	IR/UR			1	IR	1	PS	0	18	
	220.37	221.89	1.52	1.42	93	1.42	93	R4	-	FR	4	CR/PR							0	7	
	221.89	223.42	1.53	1.53	100	1.22	80	R4	-	FR	5	UR/PR	3	IR/CR					0	20	
	223.42	224.94	1.52	1.52	100	1.25	82	R4	-	FR	1	IR					3	IR	0	18	
	224.94	226.47	1.53	1.45	95	1.28	84	R4	-	FR	3	PR/IR	3	SR/PS	2	IS			0	16	
	226.47	227.99	1.52	1.52	100	1.32	87	R4	-	FR	5	IR/UR			1	PR					
	227.99	229.51	1.52	1.4	92	1.16	76	R4	-	FR	3	IR/PR	1	IR	2	SS/PS					
	229.51	231.04	1.53	1.53	100	1.47	96	R4	-	FR	6	PS/US									
	231.04	232.56	1.52	1.48	97	1.4	92	R4	-	FR	4	PS			2	PS					
	232.56	234.09	1.53	1.43	93	1.27	83	R4	-	FR	4	PR			4	SS/PS					
	234.09	235.61	1.52	1.52	100	0.66	43	R4	-	FS	1	PR	2	IS	3	PS/IS					
	235.61	237.13	1.52	1.52	100	0.73	48	R4	-	FS	1	PR	2	SS	5	PS/IR					
	237.13	238.66	1.53	1.47	96	0.53	35	R4	-	FR					6	IR/PR					

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-314C___ Sheet:__5___ of __8___

Date:_June 24-July 8, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	238.66	240.18	1.52	1.52	100	0.64	42	R4	-	FR	5	IR	2	IR	1	UR			0	58	
	240.18	241.71	1.53	1.38	90	0.32	21	R3	-	FS			4	PS/US					0	79	
	241.71	243.23	1.52	1.48	97	1.01	66	R4	-	FR			4	PR	4	IR/PS			0	34	
	243.23	244.75	1.52	1.48	97	0.92	61	R4	-	FR	4	IR			6	PS			0	39	
	244.75	246.28	1.53	1.53	100	0.7	46	R4	-	FR			7	IR/PR	1	PS			0	54	
	246.28	247.8	1.52	1.22	80	0	0	R3	-	FR									0	100	
	247.8	249.33	1.53	1.37	90	0	0	R3	-	FR									0	100	
	249.33	250.85	1.52	1.42	93	0	0	R3	-	MW/FR									5	95	
	250.85	252.37	1.52	1.38	91	0.68	45	R3	-	FR	4	IR			4	IR			0	55	
	252.37	253.9	1.53	1.12	73	0	0	R3	-	MW/FR									0	90	
	253.9	255.42	1.52	1.48	97	0	0	R1/R3	-	HW/FR									0	49	
	255.42	256.95	1.53	1.42	93	0.92	60	R3	-	FR	5	PR	3	PR					0	40	
	256.95	258.47	1.52	0.86	57	0	0	R3	-	FS/FR									0	100	
	258.47	259.99	1.52	1.27	84	0.65	43	R1/R3	-	MW/FR	3	PR			2	PR	1	PS	0	55	
	259.99	261.52	1.53	1.48	97	1.05	69	R1/R3	-	MW/FR	5	IR	1	PR			2	UR/PS	0	31	
	261.52	263.04	1.52	1.52	100	0.38	25	R3	-	FR	4	PS							0	75	
	263.04	264.57	1.53	1.38	90	0.46	30	R3	-	FR	1	IR	2	IR	1	IR			0	70	
	264.57	266.09	1.52	1.42	93	0.69	45	R5	-	FR	5	IR/SR					1	PS	0	59	
	266.09	267.61	1.52	1.52	100	1.11	73	R3	-	MW/FS	3	CR/SR	4	PS/IS	1	PS			1	26	
	267.61	269.14	1.53	1.39	91	0.65	42	R1/R2	-	MW/FS	2	IR	1	IR	1	CR			15	43	
	269.14	270.66	1.52	1.52	100	1.19	78	R4	-	FR			4	PS/IR			6	CS/US	0	82	
	270.66	272.19	1.53	1.42	93	0	0	R1/R2	-	MW/FS									70	30	
	272.19	273.71	1.52	1.34	88	0.67	44	R4	-	FR	6	PS	2	PS/IR					3	53	
	273.71	274.93	1.22	1.04	85	0.45	37	R1/R5	-	MW/FR					2	IR/PS			1	62	
	274.93	275.23	0.3	0.27	90	0.11	37	R3	-	FR	2	IR							0	63	
	275.23	276.14	0.91	0.91	100	0.58	64	R3/R4	-	FR	6	IR			4	PR/IR			0	56	
	276.14	277.67	1.53	1.5	98	1.03	67	R4	-	FR	5	PR/IR	3	PS	2	IR			0	33	
	277.67	278.28	0.61	0.61	100	0.47	77	R3	-	FR	3	PS/IR			1	IS			0	23	
	278.28	279.81	1.53	1.51	99	0.72	47	R4	-	FR	6	IR	1	IR	1	IR			0	53	
	279.81	281.33	1.52	1.52	100	0.29	19	R3	-	FR					2	PR/IR			0	81	
	281.33	282.85	1.52	1.45	95	0.4	26	R1/R3	-	MW/FS			1	IR	1	IR			3	71	
	282.85	284.38	1.53	1.53	100	0.99	65	R4	-	FS	4	IR	6	PS/IR					0	35	
	284.38	285.9	1.52	1.52	100	1.52	100	R4	-	FR	2	IR/PR	4	IR	2	PS			0	0	
	285.9	287.43	1.53	1.26	82	0	0	R1/R3	-	MW/FS									35	65	
	287.43	288.95	1.52	1.31	86	0.2	13	R1/R3	-	MW/FS			2	IR					5	82	
	288.95	290.47	1.52	1.45	95	0.98	64	R3/R4	-	FR			4	PS/IS	1	IS	3	PS	0	56	
	290.47	292	1.53	1.46	95	1.46	95	R4	-	FR	4	IR/PR	6	PS/CR					0	0	
	292	293.52	1.52	1.52	100	1.52	100	R4	-	FR	2	PR					2	PS	0	0	
	293.52	295.05	1.53	1.53	100	1.53	100	R4	-	FR	5	PR			5	IR			0	0	
	295.05	296.57	1.52	1.52	100	1.43	94	R3	-	FR	3	IR	3	PS	4	PR			0	6	
	296.57	298.06	1.49	1.49	100	1.44	97	R4	-	FR	4	IR	2	PR	6	PS			0	3	
	298.06	299.62	1.56	1.56	100	1.09	70	R4	-	FR			8	PS/IR	4	PS			0	30	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-314C___ Sheet:__6___ of __8___

Date:_June 24-July 8, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	299.62	301.14	1.52	1.52	100	0.95	63	R4	-	FR	2	IR	4	PR/IR	4	IR			0	37	
	301.14	302.67	1.53	1.48	97	1.32	86	R4	-	FR	3	PR	5	PR	4	IR			0	14	
	302.67	304.19	1.52	1.52	100	1.33	88	R4	-	FR	3	PR	5	PR	4	IR			0	12	
	304.19	305.71	1.52	1.47	97	1.27	84	R4	-	FR	1	PR	1	PR	12	PS/PR			0	16	
	305.71	307.24	1.53	1.53	100	1.53	100	R4	-	FR	2	PR/IR	2	CR	6	PR/IR			0	0	
	307.24	308.76	1.52	1.32	87	0.97	64	R1/R4	-	MW/FR	3	IR	2	PS	1	PR			2	34	
	308.76	310.29	1.53	1.53	100	1.53	100	R4	-	FR	3	PR	8	PS	3	IR			0	0	
	310.29	311.81	1.52	1.48	97	0.27	18	R3	-	FR	2	IS			1	IR	1	CS	0	82	
	311.81	313.33	1.52	1.52	100	0.36	24	R5	-	FR	1	CR	2	CR	1	SR			0	76	
	313.33	314.86	1.53	1.46	95	1.08	71	R4	-	FR	4	PR/CR	1	IR	1	PR			0	29	
	314.86	316.38	1.52	1.46	96	0.8	53	R5	-	FR					2	IS	2	IS/UR	0	47	
	316.38	317.91	1.53	1.41	92	0	0	R1/R5	-	HW/FR									58	42	
	317.91	319.43	1.52	1.47	97	1	66	R3	-	FR	4	PR			1	IR	1	SR	0	34	
	319.43	320.95	1.52	1.32	87	0.51	34	R5	-	FR			5	PR	1	CR			0	66	
	320.95	322.48	1.53	1.53	100	1.53	100	R5	-	FR	7	PS	6	CR/PS	1	US			0	0	V. Competent
	322.48	324	1.52	1.43	94	1.05	69	R4	-	FR	8	IR/PR	2	CR	4	SR	2	PS	0	31	
	324	325.53	1.53	1.5	98	0.81	53	R4	-	FR	4	SR/PR	1	SR	2	CR	1	PS	0	47	
	325.53	327.05	1.52	1.51	99	1.36	89	R3	-	FR			8	IR/CR	2	IR/CR			0	11	
	327.05	328.57	1.52	1.52	100	0.49	32	R3	-	FR	1	PS	2	PR	1	UR			0	68	
	328.57	330.1	1.53	1.36	89	0.45	29	R3	-	FS/FR			3	IR/PS			1	IS	0	71	
	330.1	331.62	1.52	1.5	99	1.43	94	R3	-	FR	4	PS			3	IR/CR	7	CR/US	0	6	
	331.62	333.15	1.53	1.35	88	0.79	52	R3	-	FR	4	IR	3	CS			3	CR	0	48	
	333.15	334.67	1.52	1.52	100	1.39	91	R3	-	FR	2	PR	6	UR/CR			2	CR	0	9	
	334.67	336.19	1.52	1.46	96	0.94	62	R3	-	FR	5	SR/US	10	SR/PR			1	PR	0	38	
	336.19	337.72	1.53	1.53	100	0	0	R3	-	FR									0	100	
	337.72	339.24	1.52	1.39	91	0	0	R3	-	FR									0	100	
	339.24	340.77	1.53	1.51	99	1.24	81	R3	-	FR	3	PR/IR	3	UR/SR			4	PS	0	19	
	340.77	342.29	1.52	1.51	99	0.86	57	R4	-	FR	4	PS	1	IR	1	US			0	43	
	342.29	343.81	1.52	1.52	100	0.75	49	R4	-	FR	1	PR	2	SR/IR			1	UR	0	51	
	343.81	345.34	1.53	1.45	95	0.93	61	R4	-	FR	5	PR			1	UR			0	39	
	345.34	346.86	1.52	1.52	100	1.52	100	R5	-	FR	3	IR/PR	5	UR/IR					0	0	V. Competent
	346.86	348.39	1.53	1.43	93	0.97	63	R5	-	FR	1	IR	4	PR	3	PS			0	37	
	348.39	349.91	1.52	1.52	100	0.85	56	R5	-	FR	1	IR	1	PS	5	PR/IR	1	UR	0	44	
	349.91	351.43	1.52	1.48	97	1.22	80	R4	-	FR			2	PR	4	PR/IR	4	SR/PR	0	20	
	351.43	352.96	1.53	1.44	94	0.96	63	R4	-	FR	1	IR	2	PR	7	IR/PS			0	37	
	352.96	354.48	1.52	1.49	98	1.02	67	R4	-	FR	3	IR			5	PR/PS			0	33	
	354.48	356.01	1.53	1.53	100	1	65	R4	-	FR					8	PS/PR			0	35	
	356.01	357.53	1.52	1.52	100	0.45	30	R4	-	FR			2	IR	4	IR			0	70	
	357.53	359.05	1.52	1.52	100	0	0	R3/R4	-	FR									0	100	
	359.05	360.58	1.53	1.37	90	0.55	36	R4	-	FR			1	UR	5	IR			0	64	
	360.58	362.1	1.52	1.47	97	0.98	64	R4	-	FR	3	PR	4	PR	3	PS/PR			0	36	
	362.1	363.32	1.22	1.43	100	1.27	100	R4	-	FR	1	PR	5	PR	4	PS/IR			0	0	Short Run

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-314C___ Sheet:__7___ of __8___

Date:_June 24-July 8, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	363.32	364.85	1.53	1.53	100	1.06	69	R4	-	FR	4	IR/PR			8	PR/UR			0	31	
	364.85	366.67	1.82	1.53	84	0.76	42	R4	-	FR	2	SR	2	IS	2	IR			0	58	6' Run
	366.67	368.2	1.53	1.53	100	1.18	77	R4	-	FR	2	PR/IR	3	PR	3	PR			0	23	
	368.2	369.72	1.52	1.47	97	0.91	60	R4	-	FR	3	PR			5	PS/IR			0	40	
	369.72	371.25	1.53	1.48	97	1.25	82	R4	-	FR	1	IR			7	PS			0	18	
	371.25	372.77	1.52	1.38	91	1.38	91	R4	-	FR	1	IR	1	IR	4	PR/CS			0	9	
	372.77	374.29	1.52	1.52	100	1.52	100	R4	-	FR	4	PR/CR			4	IR			0	0	
	374.29	375.82	1.53	1.53	100	1.08	71	R4	-	FR	6	IR/PR			4	PS			0	29	
	375.82	377.34	1.52	1.51	99	1.11	73	R4	-	FR	2	UR/PR	2	PR	4	IR			0	27	
	377.34	378.87	1.53	1.53	100	1.36	89	R4	-	FR	9	PR/CS	6	PS					0	11	
	378.87	380.39	1.52	1.52	100	1.31	86	R4	-	FR			3	PR/IR	1	PS	6	PS	0	14	
	380.39	381.91	1.52	1.43	94	1.17	77	R3	-	FR	1	SS	3	CS/IS	4	PR/US			0	23	
	381.91	383.44	1.53	1.53	100	0.46	30	R4	-	FR			3	PS/IS			3	CR	0	70	
	383.44	384.96	1.52	1.29	85	0.43	28	R4	-	FR	2	PS/IR	1	SS	1	US			0	72	
	384.96	386.49	1.53	1.39	91	0.91	59	R2	-	MW/FR	2	PR	4	PR	2	CR	1	CR/SS	1	42	
	386.49	388.01	1.52	1.52	100	1.33	88	R4	-	FR	8	PS/IR			2	PS			0	12	
	388.01	389.53	1.52	1.49	98	1.11	73	R5	-	FR	4	SR/PR	2	CR	1	PSL	4	PS/CR	0	27	
	389.53	391.06	1.53	1.23	80	0.28	18	R1/R4	-	HW/FR	1	CS	2	CS			1	CR	8	74	
	391.06	392.58	1.52	1.36	89	0.1	7	R2	-	MW							2	UR	15	78	
	392.58	394.11	1.53	1.33	87	0.89	58	R3	-	FS	4	PS/SR	4	PS/IS	3	CS/PS	3	PS/US	0	42	
	394.11	395.63	1.52	1.42	93	0.39	26	R4	-	FS/FR	1	SS	4	PS			1	CS	4	70	
	395.63	397.15	1.52	1.27	84	1.14	75	R5	-	FR	2	PS	4	PS/CS	2	CS			0	25	
	397.15	398.68	1.53	1.26	82	0.19	12	R3	-	FR							2	IS/PR	0	88	
	398.68	401.73	3.05	2.55	84	1.64	54	R2/R3	-	MW/FR	4	CR/PR	7	SS/UR	3	PS	2	CS/IS	1	45	10' Runs Start
	401.73	404.77	3.04	2.31	76	0.47	15	R1/R3	-	MW/FR	1	IR			1	IR	2	IR	1	84	
	404.77	407.82	3.05	2.69	88	1.47	48	R4/R5	-	FR	1	SR	5	IR/PS	8	IR/PS			0	52	
	407.82	410.87	3.05	3.08	100	1.56	51	R3	-	FR			6	PS/IR	8	IR/PR			0	49	
	410.87	413.92	3.05	2.95	97	1.55	51	R3	-	FR	1	IR			12	IR/PS			0	49	
	413.92	416.97	3.05	2.74	90	1.02	33	R1/R3	-	HW/FR	5	CS/PR	2	IR/PS	6	IR	1	PR	5	62	
	416.97	420.01	3.04	3.06	100	1.02	34	R1/R3	-	HW/FR			2	PS	4	IR	2	IR	15	51	
	420.01	423.06	3.05	2.84	93	2.51	82	R4	-	FR	1	PR	5	IR	11	IR/PS	2	UR	0	18	
	423.06	426.11	3.05	2.92	96	2.56	84	R4	-	FR			11	PS/IR	9	SS/PR			0	16	
	426.11	429.16	3.05	2.98	98	2.25	74	R3	-	FR	8	SS/PS	4	PS	1	SS	1	PS	0	26	
	429.16	432.21	3.05	2.99	98	2.48	81	R3	-	FR	17	PS/SS	4	PS			2	US/PS	0	19	
	432.21	435.25	3.04	2.7	89	1.55	51	R1/R3	-	HW/FR	3	PR/SR	3	PS			2	PS	5	46	
	435.25	438.3	3.05	2.98	98	2.87	94	R3/R4	-	FR	2	IR	2	IR	2	PR	2	US	0	6	
	438.3	441.35	3.05	2.97	97	2.9	95	R4	-	FR	6	IS	2	IS			4	PS	0	5	
	441.35	444.4	3.05	2.99	98	1.16	38	R3/R4	-	FR	2	SS	3	PS			5	SS	0	62	
	444.4	447.45	3.05	2.91	95	1.8	59	R3/R4	-	FR	8	PS	6	PS					0	41	
	447.45	450.49	3.04	3.05	100	2.61	86	R3	-	FR	5	US/PS	11	PS					0	14	
	450.49	453.54	3.05	2.89	95	2.62	86	R3	-	FR	14	SS/US	3	PS	1	PS			0	14	
	453.54	456.59	3.05	2.8	92	2.01	66	R1/R3	-	SW/FR	15	PS/IR	1	PS			2	PS	2	32	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-314C___ Sheet:__8___ of __8___

Date:_June 24-July 8, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	456.59	459.64	3.05	2.93	96	1.82	60	R3/R4	-	FR	7	PS	3	PS			2	IS	0	40	
	459.64	462.69	3.05	2.97	97	1.86	61	R4	-	FR	15	IR/PR	4	PR			1	PS	0	39	
	462.69	465.73	3.04	2.87	94	1.47	48	R3	-	FR			8	IR/SR	6	SR/PR			0	52	
	465.73	468.78	3.05	2.91	95	1.09	36	R3	-	FR	7	PR	8	IR/PR	3	IR			0	64	
	468.78	471.53	2.75	2.61	95	0.44	16	R1/R3	-	MW/FR			5	IR	1	IR			3	81	
	471.53	474.51	2.98	2.97	99	0.29	10	R1/R3	-	MW/FR			3	IR	1	IR			2	88	
	474.51	476.1	1.59	1.64	100	0.54	34	R1/R3	-	MW/FR			8	IR/IS					1	65	
	476.1	479.15	3.05	2.84	93	2.12	70	R3	-	FR	4	PR/IR	9	SR/PR	10	PR/IR			0	30	
	479.15	482.19	3.04	2.97	98	1.77	58	R3	-	FR			7	IR/PR	7	PS/IR			0	42	
	482.19	485.24	3.05	2.85	93	2.06	68	R4	-	FR	4	US/PS	1	IS	3	PS/CS	4	IS/PS	0	32	
	485.24	488.29	3.05	3	98	2.6	85	R5	-	FR	12	PR/IR	4	PS			2	US/PS	0	15	
	488.29	491.34	3.05	3.04	99	2.86	94	R4	-	FR			3	IR/CS	4	PS/IS	3	PR/CS	0	6	
	491.34	494.39	3.05	3.01	99	2.51	82	R5	-	FR			7	PS/CS	5	CR/PS	6	US/PR	0	18	
	494.39	497.43	3.04	3.04	100	2.11	69	R3/R4	-	FR	4	IR	9	PS/IR	7	US/IR			0	31	
	497.43	500.48	3.05	2.65	87	1.04	34	R4	-	FR			2	PS	6	PS/IR			0	66	
	500.48	502.31	1.83	1.33	73	0.13	7	R1/R4	-	HW/FR					1	SS	1	IS	45	48	
	502.31	504.75	2.44	2.23	91	1.41	58	R1/R4	-	MW/FR			7	PS	2	IR	1	PS	2	40	
	504.75	507.49	2.74	2.72	99	2.09	76	R3	-	FR	4	PR/PS	6	IR/PS	10	PS/CS			0	24	EOH
	EOH																				

DRILL HOLE SUMMARY SHEET

HOLE NO.: DG06-315C

PROJECT: Dublin Gulch - 1735

GROUND ELEVATION: 1022m | EOH: 499.56m

BEARING: 180 | DIP: -60°

DATE STARTED: 24-Jun-06 | DATE COMPLETED: 5-Jul-06

COORD SYSTEM: NAD 27: EASTING: 459608 NORTHING: 7099770

COORD SYSTEM: NAD 83: EASTING: 459490 NORTHING: 7099953

LOGGED BY: M. Stone

SECTION LINE: 459490E (NAD 83)

CONTRACTOR: DJ Drilling

DRILLING DETAILS

Hole Diameter: HQ

Overburden: 1.52 m

Deviation:

Casing: 1.52m

Core Size: HQ

Cement (# Bags): 0

Plug Depth: N/A

Notes: No plug necessary.

SAMPLING DETAILS

Sample Sequence: C978940 - C079024

Requisition #: ALSC-CW06-037-STRGOL-R | Date Shipped: June 30, 2006

Lab Record #: | Date Received:

Sample Sequence: C079025 - C079298

Requisition #: ALSC-CW06-037-STRGOL-R | Date Shipped: July 7, 2006

Lab Record #: | Date Received:

Duplicates: C078942, C078962, C078982, C079002, C079022, C079042, C079062, C079082, C079102, C079122, C079142, C079162, C079182, C079202, C079222, C079242, C079262, C079282, C079302, C079322, C079342, C079362

Preparation Duplicate/ Check Assay: C078949, C078969, C078989, C089009, C079029, C079049, C079069, C079089, C079109, C079129, C079149, C079169, C079189, C079209, C079229, C079249, C079269, C079289, C079309, C079329, C079349

Standards: C078950, C078970, C078990, C079010, C079030, C079050, C079070, C079090, C079110, C079130, C079150, C079170, C079190, C079210, C079230, C079250, C079270, C079290, C079310, C079330, C079350

Blanks: C078956, C078976, C078996, C079016, C079036, C079056, C079076, C079096, C079116, C079136, C079156, C079176, C079196, C079216, C079236, C079256, C079276, C079296, C079316, C079336, C079356

FROM	TO	LITHOLOGY
1.52	33.62	MSED
33.62	34.97	GND @ 70° to CA
34.97	60.35	MSED
60.35	72.05	QZZ
72.05	106.07	HFLS
118.26	149.00	QZZ
149.00	163.98	HFLS
163.98	185.78	QZZ
181.75	499.56	GND

FROM	TO	ALTERATION
34.97	149.00	Silicified
163.98	185.78	Silicified
282.85	307.24	Silicified
334.67	354.48	Silicified
1.52	34.97	Oxidized
72.05	229.81	Oxidized
307.24	334.67	Oxidized
396.48	439.82	Oxidized
1.52	34.97	Altered - clay, ser, cb
72.05	229.81	Altered - cb, ser, clay, chl
307.24	334.67	Altered - cb, ser, clay
354.48	470.30	Altered - cb, ser, clay

FROM	TO	MINERALIZATION (Veins)

DEPTH (m)	AZI (Orig)	DIP (Orig)	AZ (+25.5 Corr)	Temp (ºC)
41.45	145.9	57.9	171.4	8.1
132.89	147.9	58.3	173.4	7.4
224.33	151.4	58.2	176.9	8.2
315.77	154.6	57.7	180.1	9.8
407.21	160.1	56.2	185.6	12.1
498.96	162.2	54.2	187.7	14.3

ASSAY INTERCEPTS

FROM:	TO:	INT:	Au (g/t)	SAMPLE QUALITY:

COMMENTS: (Ground conditions, fracture zones, water flows, drilling problems)

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-315C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date:__June-July, 2006

LOGGED BY:__M. Stone

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fq)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite, **cd** = cordierite
Vein Type: **1** = quartz, **2** = quartz/K-spar,, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS										% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages				Sulphides								Oxidation									
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
80	MSED	1.52	33.62	Predominantly BQS, alternating to small zones of HFLS. All is quite oxidized (<10%) and broken up (no core pieces longer than 25cm). 8cm zone of light brown clay with small amounts of gravel and sand within, at 8.53-8.61m. Larger clay-rich zone from 12.05 to 15.16m. Fabric is rearranged into tight folds with an axis at 60° to CA, or is completely erased into clay (light grey-light brown). Zone ends at an 8cm qtz vein, which foliation wraps around.	3			2																								C078940	1.52	2.43	0.003		
											1	1	1.2	1.2	60													2.0	1.0			C078941	2.43	3.95	0.008		
				Occasional qtz blebs, pointed at tips and lined up into foliation, 60° to CA. Only complete veins are counted on second page; no visible sulphides. Blebs of scor 2mm across within vein at 3m.																											C078942	2.43	3.95		FIELD DUPLICATE	
																															C078943	3.95	5.49	0.008		
																															C078944	5.49	7.01	0.008		
																															C078945	7.01	8.53	0.017		
																															C078946	8.53	9.75	0.218		
											3	7	4.0	8.5	55	10															C078947	9.75	11.28	0.007		these 'veins' totally degrade the core into clay (70%) and gravel (30%)
																															C078948	11.28	12.80	0.019		
											2	1	8.0	9.4	170	110													1.0		C078949	11.28	12.80		CHECK ASSAY	
																															C078950				STANDARD 5E	
																															C078951	12.80	14.02	0.014		
																															C078952	14.02	15.42	0.003		
																															C078953	15.42	16.25	0.070		
				From 16m to 19.5m, fabric is 'steeper' in relation to CA - up to 90° in small zones (<10cm), but generally 70° in this section.							1	1	2.0	2.0	45													1.0		1.0		C078954	16.25	17.52	0.373		
											1	1	1.0	1.0	90		1.0	q/s	1										0.1				C078955	17.52	19.20	0.132		
																															C078956				BLANK	
				From 19.48 to 19.78m, light grey clay gouge affects half the core, length-wise. Gravelly, with qtz eyes, etc.							1	1	3.0	3.0	80													0.1				C078957	19.20	20.73	0.042		
				About once per metre, a low angle carb/bt vein(let) cross cuts regular foliation. These continue on into next section as well. Possibly contain some sphalerite, but not clear.							2	1	3.0	6.0	70	55	1.0	q/cb	2	2								1.0	0.1			C078958	20.73	22.25	0.143		
											1	1	1.0	1.0	70		0.5	q/cb	4									0.1				C078959	22.25	23.77	0.014		
				Two bt/sulph(?) veins: @23.77m							3	1	8.0	12.0	70	60	1.0	bt/cd	3												C078960	23.77	25.30	0.008		
											1	4	2.0	2.0	35					1															chunks of BQS within orangey ox'd/ hardened carb
											4	1	2.0	7.5	50													4.0	2.0			C078961	25.30	26.82	0.003		straight to irregular vein edges… irreg are smooth but curvey, interconnecting adjacent veins
																															C078962	25.30	26.82		FIELD DUPLICATE	
											6	1	3.0	18.0	60		1.0	bt	5	1								2.0	1.0			C078963	26.82	27.45	0.003		scor' may be ser, with carb, but appears to be replacing granular zones within close, connected veins
											1	1	5.0	5.0	70													2.0	2.0			C078964	27.45	28.35	0.003		
											1	1	20.0	20.0	50	90								3.0				1.0	0.1			C078965	28.35	29.87	0.003		
											3	1	3.0	6.0	60									1.0					0.1			C078966	29.87	31.39	0.003		
											2	1	3.0	5.0	60					3				1.0				0.1	1.0			C078967	31.39	32.92	0.056		
											4	1	2.0	7.0	60	45													0.1			C078968	32.92	33.62	0.003		veins irregular shape -widen and tighten within fabric
																															C078969	32.92	33.62		CHECK ASSAY	
																															C078970				STANDARD 6F	
10	GND	33.62	34.97	GND - granitic sericitized GND vein/dyke. Truncates MSED foliation at 70 to CA. Stringers of carb/Fe staining crosscut fabric-less GND with wide, ox'd selvages up to 2cm wide.	2	1		1																								C078971	33.62	34.97	0.006		
80	MSED	34.97	60.35	Highly silicified QZZ (grading to HFLS) contains patches of bt-rich, black, very fine-grained material, reaching into MSED fabric (at 60 to CA). These patches surround veinlets of similar material, also mentioned above - bt/sulph (?) - at 15 to CA.																											C078972	34.97	35.97	0.021		
											1	1	1.0	1.0	60													0.1	0.1			C078973	35.97	37.44	0.005		
				From 37.5 to 38.0m, MSED is super-silicified to very hard and a light grey colour, overall. Fabric is still visible (60 to CA). Core is extremely competent in this zone.							2	1	5.0	6.5	60	130						2.0				1.0			3.0	1.0			C078974	37.44	39.01	0.007		Po! Fresh, within vein which parallels fabric
											1	3	1.0	1.0	150		1.0	q/cb	2	1												C078975	39.01	40.54	0.003		
																															C078976				BLANK	

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-315C

0 = Unoxidized
5 = Intensely Ox'd

0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: June-July, 2006

LOGGED BY: M. Stone

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fq)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite, **cd** = cordierite
Vein Type: **1** = quartz, **2** = quartz/K-spar,, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION: From → To:	From:	To:	GEOLOGICAL DESCRIPTION	ROCK (Alteration): Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	VEINS: #/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages: Max (cm)	Alteration	(0-5)	Ox. State 0-5	% of VEIN & DISSEMINATED MATERIAL: Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other	Sample Number	Interval: From	To	Au (g/T)	Type of Sample	Vein Comments?
											1	1	8.0	8.0	70							1.0							2.0	5.0			C078977	40.54	42.06	0.006		
											1	1	6.0	6.0	60							1.0							1.0	1.0			C078978	42.06	43.59	0.003		
				from 44.66 to 44.86m, colour changes to pale aqua-green, while foliation continues with equal strength, at 55 to CA. Colour change attributed to chl, ser. Possibly more complex formation of metamorphic material (to SKN?) but likely can be attributed to hydrothermal fluids. Grainsize is aphanitic - no visible grains.							2	1	3.0	5.0	60	50											1.0	1.0			C078979	43.59	45.11	0.024		
											1	1	1.0	1.0	50							0.1								2.0			C078980	45.11	46.63	0.054		very minor po, disseminated in qtz layers (wide, pervasive ones are counted as veins) is seen, fresh
											1	6	0.2	0.2	150		0.5	ser	2					20.0						10.0								
											1	3	3.0	3.0	40																		C078981	46.63	48.16	0.120		
											1	6	0.3	0.3	150		1.0	q/cb	3					15.0					3.0								
																																	C078982	46.63	48.16		FIELD DUPLICATE	
											5	1	4.0	15.0	60		2.0	q	3					1.0					1.0	2.0			C078983	48.16	49.68	0.031		
				Low angle veinlets of fresh aspy and qtz cross cut foliation and qtz veins. One at 50.05m.							3	1	2.0	3.5	60		1.0	q/cb	3		1.0			1.5						3.0			C078984	49.68	51.21	0.056		fresh aspy and fresh euhedral py (3mm across)
											4	1	2.0	5.5	60	160	1.0	q/cb	3	1									1.0	1.0	2.0		C078985	51.21	52.73	0.019		
				All qtz veins intensely folded on 1-2cm scale; fold axis at 60 to CA; silicified zone.							6	1	2.0	8.0																1.0	2.0			C078986	52.73	54.25	0.005		fold axis 60 to CA
											3		1.0	2.5	160		2.0	q/s	4	1						10.0			1.0		10.0		C078987	54.25	55.78	0.003		vein has no code - sph+bt+qtz+carb, ser alt'n minor in selvage
											5		2.0	4.0	160		2.0	q/s	4	1													C078988	55.78	57.30	0.003		one large one contains sil'd carb + qtz, less sph/bt
											2	1	2.5	5.0	60											1.0			1.0		1.0							
																																	C078989	55.78	57.30		CHECK ASSAY	
																																C078990				STANDARD 7G	
				"Qtz" veins appear to be gaining in other minerals: carb, feldspars, fine-grained. Fabric is defined by qtz-rich (silicified) zones, separated by recrystalized cordierite, which has elongate shape parallel to fabric.							3		0.2	0.6	160		1.0	q	1										2.0		5.0		C078991	57.30	58.83	0.011		
				From 59.80 to 59.9m, zone within folded qtz vein, of pale green, silicified, aphanitic material, indistinguishable foliation or structure.							3	1	1.5	4.5	60											4.0			1.0									
				Convoluted folding in qtz, axis at 60 to CA. 5% fresh aspy within one vein which crosses core 5 times- tight folding							3	1	3.0	7.0	60									5.0			1.0	4.0			C078992	58.83	60.35	0.027		
70	QZZ	60.35	72.05	Silicified HFLS with multi-folded large qtz vein zones alternate on metre-scale with smaller zones QZZ with very faint fabric, pale grey.						Q	2	1	2.0	4.0															1.0				C078993	60.35	61.87	0.105		super folded - axis at 60
				Two qtz veins at 60.35m fade into pale grey, aphanitic QZZ. Recrystalized, silicified carb here. Veins at 150 to CA are still visible within, ~1/m, though carb-rich veinlets are common, also parallel to remnant fabric (no longer very clear)							2	3	1.0	1.6	150	120										2.0					0.1		C078994	61.87	63.40	0.008		
																																C078995	63.40	64.92	0.003		
																																C078996				BLANK	
											2	1	1.0	2.0	60														1.0	2.0			C078997	64.92	66.45	0.003		
											2	1	2.0	4.0	60		1.0	s/cb	2														C078998	66.45	67.47	0.003		
											1		1.0	1.0	160		1.0	cb/q	1							15.0			30.0		5.0							no code vein
											3	1	2.0	5.0	60		1.0	q/cb	1										0.1				C078999	67.47	69.49	0.003		
											4	1	18.0	28.0	60									3.0		1.0			2.0	1.0			C079000	69.49	71.02	0.005		
											6	1	15.0	30.0	60	150	2.0	q/cb	2	1									2.0	2.0			C079001	71.02	72.54	0.003		
81	HFLS	72.05	106.07	Partially silicified GND, with 10-20cm zones of brecciated rock and Fe-rich limonite - becomes schistose where late carb, lim, etc infiltrates strong layering. Clay + coarse sand texture to pebble-size rubble zones.	2	1		1	2																							C079002	71.02	72.54		FIELD DUPLICATE	
											4	1	25.0	35.0	60							2.0							6.0	3.0	1.0		C079003	72.54	74.07	0.006		
											2	1	1.5	2.5	60														1.0				C079004	74.07	75.59	0.015		
											1	3	10.0	10.0	60																		C079005	75.59	77.11	0.005		
											3	1	4.0	9.0	60			s	1																			
				Two gravelly zones: @78m, contains f-grained green 'pebbles', poss from same source strange vein seen once above; and @78.35m, med-grey sand to dark brown/grey ox'n minerals. Few pebble-sized pcs. These zones contain ~5% fresh pyrite, seen within rubble and ox'd material.							1	1	6.0	6.0	60																		C079006	77.11	78.64	0.042		
											2	1	5.0	9.0	160											1.0			2.0				C079007	78.64	80.16	0.041		
											2		1.0	1.8	70		1.0	cb	3	2						8.0			20.0		5.0							reappearance of nameless vein
											3	1	17.0	21.0	85	75								3.0						5.0			C079008	80.16	81.69	0.015		ser+carb also within vein

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-315C

0 = Unoxidized
5 = Intensely Ox'd

0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fq)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite, **cd** = cordierite
Vein Type: **1** = quartz, **2** = quartz/K-spar,, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

Date:__June-July, 2006_____

LOGGED BY:__M. Stone_____

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other		From	To			
				From 80.16m, veinlets to minor veins of bt/sph/ox'd material. As well, integrated into layers are fresh sulphides, disseminated to massive (up to 1cm long).							2	1	5.0	9.0	160											1.0				2.0				C079009	80.16	81.69	0.012	CHECK ASSAY	
																																	C079010				STANDARD 2B	
																																	C079011	81.69	83.21			
				At 80.16m HFLS becomes highly silicified and solid. 1 qtz vein per metre with massive pyrrhotite, up to 3%. Sulphs continue, are seen on fracture faces and within HFLS layers. Aspy and py seen, fresh and oxidized.																														C079012	83.21	84.73	0.030		
																																	C079013	84.73	86.26	0.003		
																																	C079014	86.26	87.78	0.039		
											3	3	1.0	2.5	40							0.1				0.1			1.0	1.0			C079015	87.78	89.31	0.018		
																																	C079016				BLANK	
											2	1	1.5	2.5	30						1.0			3.0					5.0	2.0			C079017	89.31	90.83	0.027		
				From 91.50 to 96.93m, rock becomes highly silicified and Fe-oxidizd. Carb is still minor; QZZ. Colour is orangey white.							2	1	2.0	4.0																				C079018	90.83	92.35	0.021		
																																	C079019	92.35	93.88	0.013		
											3	3	3.0	5.0	45														2.0				C079020	93.88	95.40	0.021		
											2	3	1.0	2.0	70														1.0				C079021	95.40	96.93	0.013		
				From 99.0 to 106.07m, bleaching is strong and orange ox'n virtually gone.																														C079022	95.40	96.93		FIELD DUPLICATE	
				From 99.50 to 100.75m, fault material - claymaterial stained with carbonate and ox'd sulphides, plane of shear at 50 to CA.																														C079023	96.93	98.45	0.011		
				5-10cm zones of shear																														C079024	98.45	99.97	0.003		
											1	1	17.0	17.0	40														0.1				C079025	99.97	101.50	0.011		
																																	C079026	101.50	103.02	0.005		
											2	1	2.0	4.0	40		3.0	q/cb	4														C079027	103.02	104.55	0.006		
																																	C079028	104.55	106.07	0.011		
																																	C079029	104.55	106.07		CHECK ASSAY	
																																	C079030				STANDARD 3C	
81		106.07	118.26	Highly silicified HFLS with ~30% bleached, in ~1-2m zones. Bleached zones are assoc. with carbonate, appear more broken up, randomly, while darker purple zones with strong foliation are more micaceous and slightly schistose in some areas.	1	1	1	1	2																								C079031	106.07	107.59	0.005		
											2	1	1.0	2.0	165		3.0	q	4														C079032	107.59	109.12	0.008		
																																	C079033	109.12	110.64	0.037		
				7cm clay/brecciated zone at 111.23m.																														C079034	110.64	112.17	0.011		
																																	C079035	112.17	113.69	0.010		
																																	C079036				BLANK	
				Silicified carb/schistose HFLS and 1-2cm qtz veins alternating							1	1	4.0	4.0	45		2.0	cb/s	4		1.0			2.0		2.0			5.0				C079037	113.69	115.21	0.007		
																																	C079038	115.21	116.74	0.021		
											2	1	5.0	8.0	45		1.0	s	1		1.0					1.0							C079039	116.74	118.26	0.006		
70	QZZ	118.26	149.00	Hard, coherent, silicified and bleached zone from 118.26 to 120.5m. Below 120.5m, late crumbly carbonate appears to infiltrate most of rock, along fabric, surrounding and streaked through qtz veins as well. Bleaching continues through section with minor HFLS zones, as noted.	1	1		2	3																										C079040	118.26	119.79	0.008		
											2	1	12.0	14.0	55														0.1				C079041	119.79	121.31	0.010		
																																	C079042	119.79	121.31		FIELD DUPLICATE	
				From 121.6 to 122.83m, HFLS to QZZ is infused with late carbonate; physically weathered; reduced to <5cm chunks for 0.7m. A 2cm zone at 55 to CA has distinct boundaries and is very fine-grained, black with green tint (ser±chl) is fine-grained and may be a zone of shear.																														C079043	121.31	122.83	0.017		
											3	1	2.0	6.0	70	55	1.0	cb/s	2					3.0						4.0			C079044	122.83	124.36	0.007		ser and aspy conc at vein margins
											1	1	11.0	11.0	60														1.0				C079045	124.36	125.88	0.070		
											2	1	20.0	22.0	75														0.1				C079046	125.88	127.41	0.019		
											1	1	20.0	20.0	60		3.0	q	2							0.1			0.1	0.1			C079047	127.41	128.93	0.030		
											2	6	0.2	0.4	145						40.0								20.0									
																																	C079048	128.93	130.45	0.009		
																																	C079049	128.93	130.45		CHECK ASSAY	
											2	1	10.0	18.0	60														0.1				C079050				STANDARD 4D	

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-315C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fq)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date:__June-July, 2006

LOGGED BY:__M. Stone

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite, cd = cordierite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION: From → To:	From:	To:	GEOLOGICAL DESCRIPTION	ROCK (Alteration): Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	VEINS: #/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages: Max (cm)	Alteration	(0-5)	Ox. State 0-5	% of VEIN & DISSEMINATED MATERIAL — Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other	Sample Number	Interval: From	To	Au (g/T)	Type of Sample	Vein Comments?
											1	1	6.0	6.0	70																		C079051	130.45	131.98	0.342		
																																C079052	131.98	133.50	0.003		
											3	1	4.0	7.0	70	50													0.1				C079053	133.50	135.03	0.054		
																																	C079054	135.03	136.55	0.027		sulphs and ox'n are outside vein margins, but directly adjacent
											4	1	15.0	20.0	50	150									0.1				3.0	2.0			C079055	136.55	138.07	0.011		
																																	C079056				BLANK	
											4	1	20.0	35.0	50														3.0	2.0			C079057	138.07	139.60	0.003		
											2	1	6.0	10.0	50														0.1				C079058	139.60	141.12	0.009		
				From 141.12 to 142.35m, sample is HFLS, silicified, with numerous 2-4cm qtz veins, folded tightly.							6	1	3.0	13.0	50	70	1.0	q/s	2								1.0				2.0	1.0			C079059	141.12	142.65	0.003		
											1	1	5.0	5.0	60												1.0				0.1	1.0			C079060	142.65	144.17	0.003		
											3	1	5.0	10.0	30														1.0				C079061	144.17	145.69	0.003		
																																	C079062	144.17	145.69		FIELD DUPLICATE	
											2	3	6.0	8.0	155	60	2.0	q/s	4							1.0			1.0				C079063	145.69	147.22	0.003		
																																	C079064	147.22	148.74	0.005		
81	HFLS	149.00	163.98	Crystalization of coarser metamorphic minieral (cordierite), in sil'd HFLS section from 149.0 on.	1	1			1		3	1	5.0	8.0	30															3.0	1.0		C079065	148.74	150.27	0.005		
											1		0.6	0.6	140		3.0	q/cb	4						10.0				10.0		20.0		C079066	150.27	151.79	0.003		nameless' vein
																																	C079067	151.79	153.31	0.003		
																																	C079068	153.31	154.84	0.009		
																																	C079069	153.31	154.84		CHECK ASSAY	
																																	C079070				STANDARD 5E	
				HFLS and pure qtz alternate and mix together. Qtz veins become increasingly thin and folded and sheared; ductile shear sense indicates sinistral movement, usually 1-2cm of movement shown in fine 'zebra' banding of this section							1	1	1.0	1.0	50		4.0	q	3					0.1										C079071	154.84	156.36	0.003		
																																		156.36	157.89	0.011		
											4.0	1.0	2.0	8.0	50						1.0			1.0					1.0	1.0			C079073	157.89	159.41	0.006		
											1	3	0.4	0.4	40	20	3.0	q/bt	4										0.1				C079074	159.41	160.93	0.003		
											2	1	10.0	11.0	30														1.0		0.1		C079075	160.93	162.46	0.003		
																																	C079076				BLANK	
											5	1	20.0	26.0	60	50	2.0	q/cb	5						0.1				0.1				C079077	162.46	163.98	0.036		
											1	6	0.2	0.2	30	60	4.0	q	3						20.0				20.0									
70	QZZ	163.98	185.78	Bleached and super-qtz-rich metasediments; as above, carbonate (also silicified) is associated with qtz vein selvages	1	1	1		3																								C079078	163.98	165.51	0.019		
				trace fresh aspy dissem on uneven frac faces; minor fresh aspy and ox'd clay material (dark grey) on veinlets/stringers																														C079079	165.51	167.03	0.006		
											2	1	14.0	15.0	40	60									0.1				5.0	3.0			C079080	167.03	168.55	0.036		
											2	1	12.0	13.5	40	60					0.1								2.0				C079081	168.55	170.08	0.125		
																																	C079082	168.55	170.08		FIELD DUPLICATE	
											3	1	1.5	3.0	45										1.0				3.0				C079083	170.08	171.80	0.240		
				qtz/carb veinlets at 150 to CA with wide silicified carb selvages																														C079084	171.80	173.13	0.031		
											1	1	0.6	0.6	130															1.0			C079085	173.13	174.65	0.023		
											1	3	0.2	0.2	50										4.0				1.0									
											4	1	23.5	54.0	50															1.0			C079086	174.65	176.17	0.041		
											1	1	5.0	5.0	20											0.1			2.0	1.0			C079087	176.17	177.70	0.047		
																																	C079088	177.70	179.22	0.028		
																																	C079089	177.70	179.22		CHECK ASSAY	
																																	C079090				STANDARD 6F	
				At 181.65m-181.75m is contact zone btwn carb'd QZZ and GND, also with moderate to strong late crumbly carbonate within matrix. Recovery slightly down in sample covering contact.							1	1	12.0	12.0	75							0.1							1.0	1.0			C079091	179.22	180.75	0.013		
10	GND	181.75	188.37	Carb-infused GND; soft and crumbly. Ox'd sulphide+carb veins, noted on 2nd page, are surrounded by carb'd and minor ser'd selvages	2	2		2	4		2	7	1.0	1.1	35						15.0								6.0				C079092	180.75	182.27	0.030		
																																	C079093	182.27	183.79	0.290		
											1	7	0.4	0.4	20		1.0	q/cb/s	2						8.0				0.1				C079094	183.79	185.32	0.306		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-315C

0 = Unoxidized
5 = Intensely Ox'd

0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fq)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: June-July, 2006

LOGGED BY: M. Stone

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite, **cd** = cordierite
Vein Type: **1** = quartz, **2** = quartz/K-spar,, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthuite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other		From	To			
																																	C079095	185.32	186.84	0.101		
																																	C079096				BLANK	
																																	C079097	186.84	188.37	0.025		
10		188.37	229.81	GND section with less carb alt'n, to the point where about 60% of the core is solid and unalt'd. Med-grained, medium grey colour. Veinlets of carb still present (3-4 per metre), but only with 1-2cm carb'd selvages.	1	1		1	2		4	6	0.3	0.9	50		10.0	cb/s	4					15.0					25.0				C079098	188.37	189.89	0.051		
											2	3	2.0	4.0	20		35.0	cb/s	3					5.0					2.0				C079099	189.89	191.41	0.101		
											2	1	20.0	28.0	30		3.0	cb/s	2					3.0					2.0				C079100	191.41	192.94	0.010		
											1	3	2.5	2.5	50									0.1					0.1				C079101	192.94	194.46	0.104		
											1	6	0.4	0.4	25									80.0					10.0										
																																	C079102	192.94	194.46		FIELD DUPLICATE	
											1	3	0.3	0.3	35		2.0	q	3			0.1		2.0						2.0			C079103	194.46	195.99	0.019		
											2	1	1.0	1.7	30	5						3.0		0.1		1.0			1.0				C079104	195.99	197.51	0.061		
											1	1	1.0	1.0	5		1.0	q/s	2			2.0				0.1					0.1		C079105	197.51	199.03	0.026		
																																	C079106	199.03	200.56	0.027		
																																	C079107	200.56	202.08	0.018		
											1	1	1.0	1.0	20		1.0	q	3		0.1			3.0					1.0	0.1			C079108	202.08	203.61	0.057		
											1	6	1.0	1.0	60		5.0	cb/s	3					40.0					2.0									
																																	C079109	202.08	203.61		CHECK ASSAY	
																																	C079110				STANDARD 7G	
											2	3	1.0	1.5	30		2.0	cb	2	1				3.0		0.1			1.0				C079111	203.61	205.13	0.074		
				from 205.13 to 206.65 is entirely alt'd material; aspy/qtz veins surrounded by wide selvages;							4	6	2.0	8.0	70	25	20.0	cb/s	3		15.0			3.0					10.0				C079112	205.13	206.65	0.352		
											2	6	1.0	1.4	40		2.0	q	2					3.0					1.0				C079113	206.65	208.18	0.374		
				from 208.80 to 210.55m is very crumbly as late carb has infiltrated GND matrix; GND texture still visible (qtz eyes, etc), however some alt'n of feldspars to clay minerals appears to have taken place.							1	1	1.2	1.2	40		2.0	s/cb	3		3.0			2.0					2.0				C079114	208.18	209.70	2.040		
				at 210.60, a fracture face at 45 to CA has ox'd and fresh aspy coverage (black + carb clay). Fresh aspy is seen in moderate slickensides at <5 to CA. Interestingly, carbonate crystals on this face are elongate (acicular) at 70 to CA, so orientation difference between slickens and carb is 60 degrees																												C079115	209.70	211.23	0.069		
																																	C079116				BLANK	
											1	6	0.3	0.3	35		3.0	s/cb	4		1.0								8.0				C079117	211.23	212.75	2.530		
											4	3	0.5	1.7	30		2.0	cb/q	3			3.0		0.1														
											1	3	1.0	1.0	30		3.0	cb/q/s	3	1				2.0					5.0				C079118	212.75	214.27	0.198		
											1	1	1.0	1.0	30		1.0	q	1			0.1																
											1	7	26.0	26.0	70	40	5.0	q/cb	3	1	0.1								20.0				C079119	214.27	215.80	0.097		
											1	6	0.3	0.3	30		4.0	q	3		10.0			2.0					5.0									
											2	1	2.0	3.0	25		1.0	q	1			2.0							1.0				C079120	215.80	217.32	0.106		
											2	6	1.0	1.6	25		1.0	q/s	3		4.0	2.0		15.0					10.0									
											3	3	1.0	3.0	15	40	2.0	q/cb	3		1.0	0.1							1.0				C079121	217.32	218.85	0.136		
																																	C079122	217.32	218.85		FIELD DUPLICATE	
											1	3	0.4	0.4	30		1.0	q/cb	2			3.0							1.0				C079123	218.85	220.37	0.020		
											1	1	11.0	11.0	45							0.1											C079124	220.37	221.89	0.055		
				from 220.67 to 222.55 is very crumbly carb-infused GND.							3	1	1.0	3.0	45							1.0		0.1					1.0	0.1			C079125	221.89	223.42	0.049		
				at 223.3m, an 11cm qtz vein with colour slightly green with a 0.5cm layer of salmon pink qtz on down-hole edge. Pink face is at 30 to CA.							3	3	2.0	3.5	50		6.0	q/cb	2										2.0								one qtz/carb vein is very clay-rich and has only carb selvage, other two are solid, silicified veins w/ only qtz selvages
											1	4	1.0	1.0	35		6.0	cb	2										1.0				C079126	223.42	224.94	0.323		
											3	1	1.0	2.0	30		1.0	q	1			4.0							0.1				C079127	224.94	226.47	0.104		
											2	3	1.0	2.0	15	30	1.0	q	3			1.0							1.0				C079128	226.47	227.99	0.231		
											1	7	1.3	1.3	25		6.0	cb	4	2	1.0								2.0									slickensides in py at 75 to CA
																																	C079129	226.47	227.99		CHECK ASSAY	

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-315C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: June-July, 2006

LOGGED BY: M. Stone

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fq)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite, **cd** = cordierite
Vein Type: **1** = quartz, **2** = quartz/K-spar,, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages			Ox. State 0-5	Sulphides								Oxidation						From	To			
																	Max (cm)	Alteration	(0-5)		pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other					
				From 228.80 to 231.37m is a zone of virtual erasure of GND texture.Colour is light greyish beige, and it is composed of carbonate, minor sericite and ox'd sulphides, all in fine-grained clay. Vague fabric development at 50-60 to CA.																												C079130				STANDARD 3C	
				numerous stringers of ox'd sulphs through clay sect							1	1	0.6	0.6							2.0								1.0				C079131	227.99	229.51	0.577		vein on fragment - no selvage or angle
10		229.81	261.52	Abrupt change from clay material to unalt'd GND, med-grained, med-grey. Contact btwn these two at 55 to CA. Small xenoliths in this section, serpentine schists, no rxn rims or alt'n shadows, no sulphides assc.					1		3	1	1.2	2.5	30	150	1.0	q	3					5.0						0.1				C079132	229.51	231.04	0.165		
											3	2	1.0	2.0	30		1.0	k/s	1			0.1		1.0						0.1								
											2	1	1.0	1.5	25		1.5	q/k/s	2			0.1		1.0					0.1				C079133	231.04	232.56	0.114		
											3	1	1.0	3.0	25	5						0.1		0.1					0.1				C079134	232.56	234.09	0.111		
											3	1	1.6	4.1	20	5						1.0		1.0					1.0				C079135	234.09	235.61	0.176		one vein (1.6cm) has more distinct boundaries and fewer sulphides than other two.
																																	C079136				BLANK	
											2	6	1.3	2.0	40		3.0	q/cb	3					60.0					1.0				C079137	235.61	237.13	1.205		
											1	3	0.5	1.0	40		2.0	q/cb	2					2.0					0.1									
											2	3	1.0	1.5	40		1.0	q/cb	2			1.0		2.0					1.0				C079138	237.13	238.66	0.011		
											2	1	2.0	3.0	40		1.0	q/cb	2			1.0		0.1					1.0				C079139	238.66	240.18	0.008		
											2	1	0.3	0.6	50		1.0	q	3			1.0							1.0				C079140	240.18	241.71	0.015		
				From 241.80 to 242.50m is pure qtz with carb stringers throughout, at 50 to CA, as well as 2 0.5cm qtz veins cross cutting this pure qtz.							1	1	55.0	55.0	50		10.0	cb	2							0.1			0.1				C079141	241.71	243.23	0.018		
																																	C079142	241.71	243.23		FIELD DUPLICATE	
											4	6	0.3	1.0	35		2.0	q/s	3					70.0					10.0				C079143	243.23	244.75	0.228		
				From 245.48 to 246.76m is another zone of this qtzite material. Boundaries with GND are somewhat irregular, with 1-2cm zones of carb-alt'd GND near edges, but generally at 50 to CA.							3	1	135.0	136.0	20		1.0	cb	3							0.1							C079144	244.75	246.28	0.319		2 0.5cm qtz veins within large silicified zone, all at 20 to CA
											1	1	1.0	1.0	30							0.1		0.1						1.0			C079145	246.28	247.80	0.017		135cm qtz 'vein' continues to 248.30m in this sample; lower selvage here
											3	1	1.5	3.5	25	40	1.0	q	3			3.0								2.0			C079146	247.80	249.33	0.038		
											1	6	0.3	0.3	35		10.0	cb/s	3		20.0	3.0	5.0	1.0					10.0									aspy is disseminated, while py, cpy and po are localized and massive to euhedral
											1	1	0.7	0.7	35		1.0	q	3			2.0							1.0	1.0			C079147	249.33	250.85	0.056		
											2	6	0.3	0.5	30		5.0	cb/s	3		1.0	2.0	1.0	5.0					20.0									
											3	1	1.0	3.0	35		1.0	q	2			2.0							1.0				C079148	250.85	252.37	0.008		
																																	C079149	250.85	252.37		CHECK ASSAY	
																																	C079150				STANDARD 4D	
											2	3	1.0	1.5	40		1.0	q/cb	2										0.1				C079151	252.37	253.90	0.014		
											2	1	1.3	2.5	15	25						2.0							0.1									
				From 253.90 to 260.65m, carb influence is extinct; GND is solid and core is coherent							4	1	4.0	6.5	20	130	1.0	q	3			4.0											C079152	253.90	255.42	0.111		
											2	3	0.6	1.0	35		1.0	q/s	2			0.1							0.1				C079153	255.42	256.95	0.022		
											1	1	0.5	0.5	50		0.5	q	2			0.1											C079154	256.95	258.47	0.006		
											1	3	0.5	0.5	30		1.0	q/cb	2			0.1								0.1			C079155	258.47	259.99	0.009		silicified carb
																																	C079156				BLANK	
											2	1	0.5	1.0	30							3.0								0.1			C079157	259.99	261.52	0.012		
10		261.52	282.85	More alt'd material here. Zones of unalt'd GND, as noted, but otherwise clay, carbonate and sericite alter the texture of GND to fine-grained (except qtz eyes and random GND chunks), with occasional fabric development in shear zones. SZ's contain 5-20% ox'd sulph clay and 'flattened' micaceous material on fracture faces (dark grey-black).							3	3	1.0	2.5	35		1.0	q/cb	2					0.1								2.0			C079158	261.52	263.04	0.043		
											1	7	0.6	0.6	30		16.0	cb	4										20.0									
											2	3	1.0	1.0	40		0.5	cb/s	3			0.1		1.0					0.1				C079159	263.04	264.57	0.029		
											3	1	1.0	2.0	35	20	1.0	cb	3										2.0				C079160	264.57	266.09	0.179		
											1	7	0.3	0.3	25														15.0									
				Unalt'd GND with 1cm qtz veins (small selvages) from 266.60 to 270.66, followed at sharp contact to clay/sulph material for 13cm.							3	3	0.5	1.5	40	25	1.0	q/cb	2			0.1		1.0					0.1				C079161	266.09	267.61	0.027		
											2	1	1.0	1.4	40		0.3	q	2			1.0															
																																	C079162	266.09	267.61		FIELD DUPLICATE	

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-315C

0 = Unoxidized
5 = Intensely Ox'd

0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fq)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: June-July, 2006

LOGGED BY: M. Stone

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite, **cd** = cordierite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages			Sulphides								Oxidation										
																	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
											2	3	0.3	0.6	30		1.0	q/cb	2			0.1		1.0					0.1				C079163	267.61	269.14	0.033		
											1	1	1.0	1.0	42		0.3	q	2			1.0															
											2	7	0.3	0.6	30		1.5	q/cb/s	1					1.0					40.0				C079164	269.14	270.66	0.511		
				Veins becoming more frequent. Less silicified, softer carb.							2	1	5.5	7.0	40		1.0	cb	3			1.0		0.1					0.1									
											2	4	13.0	14.0	60		1.0	cb	3										8.0				C079165	270.66	272.19	0.012		
											4	4	0.5	1.0	60		11.0	cb	4		2.0								5.0				C079166	272.19	273.71	0.045		
											4	4	1.0	3.5	60		4.0	cb	4										2.0				C079167	273.71	275.23	0.009		
											3	1	1.0	2.5	65		0.4	q	3			2.0							0.1				C079168	275.23	276.76	0.346		
											1	7	3.0	3.0	85		10.0	cb/s	3					0.1					25.0									
											1	6	1.0	1.0	30		1.0	q	3					90.0														fresh aspy
																																	C079169	275.23	276.76		CHECK ASSAY	
																																	C079170				STANDARD 6F	
											2	4	12.0	20.0	5		20.0	cb	4	2									10.0				C079171	276.76	278.28	0.083		
											3	3	1.0	2.0	30		0.5	cb/q	2			0.2							5.0				C079172	278.28	279.81	0.018		
10		282.85	307.24	Increased silicification and fewer veins. Carb still on fracture faces, minimal. Carb present in selvages, mostly silicifed. Aspy veins as noted, ox'n 0-80%.		1			1		1	1	1.0	1.0	30		1.0	q/s	3			0.1		3.0					0.1				C079173	279.81	281.33	0.110		
				Three vein types: (1)qtz, maximum of 1.5cm, @30-40 to CA, w/ po and aspy; (3) carb/qtz, with gradational boundaries, milky white crystals of qtz/carb make up veins, minor sulphides; and (6) aspy + ox'n product							2	6	1.0	1.5	55		15.0	cbs	3		20.0								17.0									
											1	1	0.5	0.5	35															1.0			C079174	281.33	282.85	0.006		
											3	4	0.3	0.7	45		2.0	cb/q	3										2.0									
											3	1	1.0	3.0	35		1.0	q	4			1.0		1.0						1.0			C079175	282.85	284.38	0.250		
											4	3	1.0	3.4	165		1.0	q/cb	2					1.0						0.1								
																																	C079176				BLANK	
											3	1	1.5	3.0	40	30	1.0	q/cb	3			3.0		3.0					1.0				C079177	284.38	285.90	0.458		
											4	3	3.0	5.5	20	75	2.0	q/cb	3			0.1							2.0				C079178	285.90	287.43	0.023		
											4	3	0.3	1.2	40	65	1.0	q/cb	2		1.0			1.0					0.1	0.1			C079179	287.43	288.95	0.012		
											2	6	0.5	1.0	40	45	1.0	q/cb	2					1.0					85.0				C079180	288.95	290.47	0.165		
											2	1	1.0	2.0	30		1.0	q/cb	1			0.1							2.0				C079181	290.47	292.00	0.165		
											1	6	0.5	0.5	25		1.0	q/s	2			5.0							85.0									
																																	C079182	290.47	292.00		FIELD DUPLICATE	
				one of these veins (0.5cm) is at an oblique (but low) angle to others, and has sharp boundaries, is silicified, but pink carb							3	3	1.0	3.0	35	30	1.0	q	1					1.0					1.0				C079183	292.00	293.52	0.265		one of these veins (0.5cm) is at an oblique angle to others, and has sharp boundaries, is silicified, but pink carb
				at 294.8m, a 4cm xenolith of fine-grained mafic material, pale brown crystalization (alt'n?) of bt within							1	6	0.4	0.4	30		5.0	s/cb	3					20.0					4.0									
				Sulphide veins becoming more prominent, fresh aspy and py, massive; moderate selvage size and moderate degree of alt'n surrounding							3	1	1.2	2.1	25		1.0	q/cb	3		1.0			7.0					0.1	0.1			C079184	293.52	295.05	0.164		
											1	3	1.0	1.0	30		1.0	q/cb	2										1.0									
											2	1	0.5	1.0	30		10.0	q/cb	3					5.0					10.0				C079185	295.05	296.57	0.054		silicified carb in selvage; grains 3-4mm in diameter
				at 299.45m, a 1mm layer of 50% fresh aspy, 50% ox'd aspy covers an uneven fracture face.							2	1	1.0	2.0	40		1.0	q	2			2.0							1.0				C079186	296.57	298.09	0.055		
											1	1	1.2	1.2	50		2.0	q/cb	3			0.1							0.1	0.1			C079187	298.09	299.62	0.080		
											4	7	4.0	5.4	50	70	3.0	cb/s	4			0.1							5.0									
											1	1	1.0	1.0	40		1.5	q/cb	3			2.0								0.1			C079188	299.62	301.14	0.219		
											3	3	1.0	3.0	20	45													2.0									
																																	C079189	299.62	301.14		CHECK ASSAY	
																																	C079190				STANDARD 7G	
											2	1	0.5	1.0	50	65	0.2	q	3			1.0											C079191	301.14	302.67	0.016		
											3	3	0.5	1.5	30		2.0	q/cb	3			0.1							0.1	2.0								
											1	6	2.5	2.5	85	40	17.0	cb	2					25.0					10.0				C079192	302.67	304.19	0.563		
											2	1	1.0	2.0	40		1.0	q	2	1				9.0					5.0									
											2	1	2.0	3.0	25	15	1.0	q/cb	2					3.0					1.0				C079193	304.19	305.71	0.561		
											3	6	1.0	2.3	30		10.0	q/cb	4		10.0			35.0					10.0									aspy and py not in same vein; 2 w/ py, 1 w/ aspy

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-315C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: June-July, 2006

LOGGED BY: M. Stone

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fq)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite, cd = cordierite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION: From → To:	From:	To:	GEOLOGICAL DESCRIPTION	ROCK (Alteration): Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	VEINS: #/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages: Max (cm)	Alteration	(0-5)	Ox. State 0-5	% of VEIN & DISSEMINATED MATERIAL — Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other	Sample Number	Interval: From	To	Au (g/T)	Type of Sample	Vein Comments?
				Xenolith, felsic, fine-grained, 4cm at 305.70m,.							4	1	2.0	5.0	30		2.0	q/cb	2		1.0			5.0					4.0				C079194	305.71	307.24	0.100		
											2	6	0.3	6.0	50		4.0	cb/s	3		0.1			2.0					50.0									disseminated aspy
10		307.24	334.67	Alt'n in GND becomes more common than unalt'd. Late carb + silicified carb, plus moderate sericite, especially in ox'd sulph vein selvages ± carbonate. Large selvages where fresh sulphides are mineralized as well - qtz veins and fresh aspy/py veins	1	2		2	3		4	1	1.0	4.0	25	40	2.0	cb/s	3			0.1		3.0									C079195	307.24	308.76	0.322		
																																C079196				BLANK	
											4	1	1.0	4.0	35		3.0	cb/s	3		8.0			0.1					3.0				C079197	308.76	310.29	0.782		
											1	1	1.0	1.0	40		0.5	q	2					0.1					2.0				C079198	310.29	311.81	0.174		
											2	4	3.0	4.0	60		30.0	cb/s	4										5.0									selvage alt'n 70% cb, 30%s
											1	1	1.0	1.0	30		20.0	cb/s	4					1.0					4.0				C079199	311.81	313.33	2.480		
											5	6	1.3	4.5	30		15.0	cb/s	4					60.0					15.0									
											4	1	0.5	2.0	30	140	1.0	q	3		1.0			0.1					4.0				C079200	313.33	314.86	0.297		
											1	6	1.0	1.0	30		1.0	q/s	1					2.0					10.0									
											1	1	1.5	1.5	30																		C079201	314.86	316.38	0.158		
																																C079202	314.86	316.38		FIELD DUPLICATE	
				Felsic, fine-grained xenolith at 4cm							2	3	0.5	0.7	50																		C079203	316.38	317.91	0.680		
											2	1	1.0	2.0	35	45	1.0	q	2			6.0							2.0				C079204	317.91	319.43	0.203		
											3	1	1.0	3.0	35		1.0	q/cb	2		1.0	2.0							1.0				C079205	319.43	320.95	1.160		
											2	1	1.0	2.0	35		1.0	q/cb	2			2.0		1.0					0.1				C079206	320.95	322.48	0.094		
				From 325.50 to 325.38m is carbonate-rich (5) with a few 1cm lenses of grey ox'd sulphides.							4	1	1.0	4.0	35		1.0	q/cb	2			3.0							1.0				C079207	322.48	324.00	0.065		
											3	1	1.0	3.0	40		1.0	q	3			2.0							1.0				C079208	324.00	325.53	0.080		
																																C079209	324.00	325.53		CHECK ASSAY	
																																C079210				STANDARD 1A	
											4	1	1.0	3.5	30	45	1.0	q/s	3			2.0							1.0	1.0			C079211	325.53	327.05	0.130		
				At 328.0m, GND becomes silicified with less late carb crumbles, to 331.40m, is sericite and carbonate alt'd to a bluish green matrix speckled with crystalized and silicified carbonate.							3	1	1.0	2.4	35		1.0	q	1					2.0									C079212	327.05	328.57	0.367		
											2	6	1.0	2.0	30		20.0	cb/s	3		15.0	0.1							5.0				C079213	328.57	330.10	0.246		
											2	3	1.0	1.5	30		1.0	cb/q	2					0.1		2.0			0.1	1.0								sph only assc with 1cm qtz/carb vein beside py/qtz vein
											1	3	0.3	0.3	20		20.0	cb/s	4		2.0					0.1			2.0				C079214	330.10	331.62	0.157		
				At 331.62m, GND becomes extremely alt'd with late, crumbly carb again, brecciating original GND such that overall colour is pale whitish beige and extremely broken up, to 334.67m							1	1	1.0	1.0	35		2.0	s	3										1.0				C079215	331.62	333.15	0.045		
																																C079216				BLANK	
																																C079217	333.15	334.67	0.097		
10		334.67	346.02	Silicified, competent core with mineralization within qtz veins as well as solid, <2cm virtually pure suphide veins of aspy and py. Large sericitic and carbonitic selvages mean this section is >80% alt'd to green/beige colouration. Very hard rock.							2	7	5.0	7.0	40		20.0	s/cb	3		40.0	1.0							10.0				C079218	334.67	335.27	0.122		
											3	3	0.5	1.5	24	50	10.0	cb/s	4										0.1				C079219	335.27	336.19	0.041		
											3	3	0.5	1.5	30		2.0	s/q	4										1.0				C079220	336.19	337.00	0.008		
											1	3	1.5	1.5	5	50	14.0	s/cb	4		2.0					10.0			2.0				C079221	337.00	337.72	0.022		
																																C079222	337.00	337.72		FIELD DUPLICATE	
											3	1	3.0	9.0	40		25.0				3.0			10.0					9.0				C079223	337.72	338.62	0.081		
											4	3	1.0	3.0	10		20.0	s/cb	3		2.0								10.0				C079224	338.62	339.24	0.814		
											1	6	1.0	1.0	10		1.0			4	90.0												C079225	339.24	339.73	46.700		
											3	3	2.0	6.0	40		30.0												2.0				C079226	339.73	340.77	6.470		
											1	7	12.0	12.0	35		30.0	s/cb	4		15.0								5.0				C079227	340.77	342.29	0.054		30% sulph; 30% carb (sil'd); 30% qtz; 10% alt'd GND material
											2	3	0.6	1.0	65	35	30.0	s/cb	4							3.0							C079228	342.29	342.97	0.034		
																																C079229	342.29	342.97		CHECK ASSAY	
																																C079230				STANDARD 3C	
											1	1	2.0	2.0	30		40.0	s/cb	4		8.0								1.0				C079231	342.97	343.81	0.046		
											2	6	0.2	0.4	40						90.0								1.0									stringers of pure fresh py

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-315C

0 = Unoxidized
5 = Intensely Ox'd

0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fq)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date:__June-July, 2006

LOGGED BY:__M. Stone

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite, cd = cordierite
Vein Type: **1** = quartz, **2** = quartz/K-spar,, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS										% of VEIN & DISSEMINATED MATERIAL														Interval				
																	Selvages				Sulphides									Oxidation								
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other	Sample Number	From	To	Au (g/T)	Type of Sample	Vein Comments?
											3	1	2.0	3.5	50		11.0	s/cb	4					3.0					1.0				C079232	343.81	345.34	0.426		
10		346.02	354.48	Silicified GND, unalt'd except for small qtz selvages around qtz veins at low (20) or high (>65) angles to CA. Colour is dark grey and grain size is medium to coarse.	0	0	0	0	0		2	1	2.0	3.0	30	40	45.0	s/cb	4										2.0				C079233	345.34	346.02	0.745		
											1	1	1.5	1.5	40		0.5	q	3					0.1						0.1	0.1		C079234	346.02	346.86	0.032		
											3	1	1.5	2.5	10	35						0.5							0.1				C079235	346.86	348.39	0.027		one large vein at low angle
																																	C079236				BLANK	
											1	1	1.3	2.0	15	40						1.0							0.1		0.1		C079237	348.39	349.91	0.006		one large vein at low angle
											4	1	2.0	7.0	15	150	1.0	q	3			0.1							1.0				C079238	349.91	351.43	0.011		
											5	1	1.0	5.0	20		0.4	q/cb	1			0.2								2.0			C079239	351.43	352.96	0.134		
											5	1	1.0	4.0	30	70						0.1							1.0	1.0			C079240	352.96	354.48	0.067		
											1	3	3.0	3.0	15						0.1								3.0									
10		354.48	396.48	Carbonate begins to pervade GND, weakening it. Variable strength of physical alteration. Zones of '4': from 354.48-356.01m, 365.15-365.55m, 378.90-379.15m.				1	3		3	1	1.5	3.5	15	30	0.5	q	2			0.1		0.1					1.0	3.0			C079241	354.48	355.30	0.031		
											2	1	1.0	2.0	25	40	4.0	q/s	2										1.0				C079242	354.48	355.30		FIELD DUPLICATE	
											1	7	3.0	3.0	35		2.5	cb/s	3		4.0								5.0				C079243	355.30	356.01	0.012		
											1	7	0.3	0.3	35		2.0	s	3					0.1					10.0				C079244	356.01	356.66	0.006		
											1	7	0.3	0.3	35		2.0	s	3					0.1					10.0				C079245	356.66	357.44	0.003		
											1	3	0.3	0.3	35		18.0	s/cb	3					0.1					10.0				C079246	357.44	359.05	0.049		
											3	1	1.3	3.3	45		1.0	q/s	2			0.1							2.0				C079247	359.05	360.58	0.015		
				veinlets of carb only, ~3 per metre. 2cm ser selvages																													C079248	360.58	362.10	0.015		
																																C079249	360.58	362.10		CHECK ASSAY	
																																	C079250				STANDARD 4D	
											2	1	1.4	2.8	35						0.1			0.1						0.1			C079251	362.10	363.63	0.015		
											5	1	1.7	4.0	35	110	1.0	q/s	1			1.0		0.1						1.0			C079252	363.63	365.15	0.032		
				surrounding this silicified vein and selvage is crumbly clay'd GND							1	7	14.0	14.0	35		20.0	s	4		2.0								30.0				C079253	365.15	366.67	0.099		surrounding this silicified vein and selvage is crumbly clay'd GND
											1	1	1.0	1.0	40							6.0							0.1				C079254	366.67	368.20	0.017		
											1	1	1.0	1.0	35							2.0							2.0				C079255	368.20	369.72	0.027		

From-To Sheet DG06-315C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C078940	1.52	2.43	0.91		
C078941	2.43	3.95	1.52		
C078942	2.43	3.95	1.52	FIELD DUPLICATE	
C078943	3.95	5.49	1.54		
C078944	5.49	7.01	1.52		
C078945	7.01	8.53	1.52		
C078946	8.53	9.75	1.22		
C078947	9.75	11.28	1.53		
C078948	11.28	12.80	1.52		
C078949	11.28	12.80	1.52	CHECK ASSAY	
C078950				STANDARD 5E	1.43
C078951	12.80	14.02	1.22		
C078952	14.02	15.42	1.40		
C078953	15.42	16.25	0.83		
C078954	16.25	17.52	1.27		
C078955	17.52	19.20	1.68		
C078956				BLANK	
C078957	19.20	20.73	1.53		
C078958	20.73	22.25	1.52		
C078959	22.25	23.77	1.52		
C078960	23.77	25.30	1.53		
C078961	25.30	26.82	1.52		
C078962	25.30	26.82	1.52	FIELD DUPLICATE	
C078963	26.82	27.45	0.63		
C078964	27.45	28.35	0.90		
C078965	28.35	29.87	1.52		
C078966	29.87	31.39	1.52		
C078967	31.39	32.92	1.53		
C078968	32.92	33.62	0.70		
C078969	32.92	33.62	0.70	CHECK ASSAY	
C078970				STANDARD 6F	2.77
C078971	33.62	34.97	1.35		
C078972	34.97	35.97	1.00		
C078973	35.97	37.44	1.47		
C078974	37.44	39.01	1.57		
C078975	39.01	40.54	1.53		
C078976				BLANK	
C078977	40.54	42.06	1.52		
C078978	42.06	43.59	1.53		
C078979	43.59	45.11	1.52		
C078980	45.11	46.63	1.52		
C078981	46.63	48.16	1.53		
C078982	46.63	48.16	1.53	FIELD DUPLICATE	
C078983	48.16	49.68	1.52		
C078984	49.68	51.21	1.53		

From-To Sheet DG06-315C					
C078985	51.21	52.73	1.52		
C078986	52.73	54.25	1.52		
C078987	54.25	55.78	1.53		
C078988	55.78	57.30	1.52		
C078989	55.78	57.30	1.52	CHECK ASSAY	
C078990				STANDARD 7G	4.46
C078991	57.30	58.83	1.53		
C078992	58.83	60.35	1.52		
C078993	60.35	61.87	1.52		
C078994	61.87	63.40	1.53		
C078995	63.40	64.92	1.52		
C078996				BLANK	
C078997	64.92	66.45	1.53		
C078998	66.45	67.47	1.02		
C078999	67.47	69.49	2.02		
C079000	69.49	71.02	1.53		
C079001	71.02	72.54	1.52		
C079002	71.02	72.54	1.52	FIELD DUPLICATE	
C079003	72.54	74.07	1.53		
C079004	74.07	75.59	1.52		
C079005	75.59	77.11	1.52		
C079006	77.11	78.64	1.53		
C079007	78.64	80.16	1.52		
C079008	80.16	81.69	1.53		
C079009	80.16	81.69	1.53	CHECK ASSAY	
C079010				STANDARD 2B	3.02
C079011	81.69	83.21	1.52		
C079012	83.21	84.73	1.52		
C079013	84.73	86.26	1.53		
C079014	86.26	87.78	1.52		
C079015	87.78	89.31	1.53		
C079016				BLANK	
C079017	89.31	90.83	1.52		
C079018	90.83	92.35	1.52		
C079019	92.35	93.88	1.53		
C079020	93.88	95.40	1.52		
C079021	95.40	96.93	1.53		
C079022	95.40	96.93	1.53	FIELD DUPLICATE	
C079023	96.93	98.45	1.52		
C079024	98.45	99.97	1.52		
C079025	99.97	101.50	1.53		
C079026	101.50	103.02	1.52		
C079027	103.02	104.55	1.53		
C079028	104.55	106.07	1.52		
C079029	104.55	106.07	1.52	CHECK ASSAY	
C079030				STANDARD 3C	0.091
C079031	106.07	107.59	1.52		
C079032	107.59	109.12	1.53		
C079033	109.12	110.64	1.52		
C079034	110.64	112.17	1.53		

From-To Sheet DG06-315C					
C079035	112.17	113.69	1.52		
C079036				BLANK	
C079037	113.69	115.21	1.52		
C079038	115.21	116.74	1.53		
C079039	116.74	118.26	1.52		
C079040	118.26	119.79	1.53		
C079041	119.79	121.31	1.52		
C079042	119.79	121.31	1.52	FIELD DUPLICATE	
C079043	121.31	122.83	1.52		
C079044	122.83	124.36	1.53		
C079045	124.36	125.88	1.52		
C079046	125.88	127.41	1.53		
C079047	127.41	128.93	1.52		
C079048	128.93	130.45	1.52		
C079049	128.93	130.45	1.52	CHECK ASSAY	
C079050				STANDARD 4D	0.43
C079051	130.45	131.98	1.53		
C079052	131.98	133.50	1.52		
C079053	133.50	135.03	1.53		
C079054	135.03	136.55	1.52		
C079055	136.55	138.07	1.52		
C079056				BLANK	
C079057	138.07	139.60	1.53		
C079058	139.60	141.12	1.52		
C079059	141.12	142.65	1.53		
C079060	142.65	144.17	1.52		
C079061	144.17	145.69	1.52		
C079062	144.17	145.69	1.52	FIELD DUPLICATE	
C079063	145.69	147.22	1.53		
C079064	147.22	148.74	1.52		
C079065	148.74	150.27	1.53		
C079066	150.27	151.79	1.52		
C079067	151.79	153.31	1.52		
C079068	153.31	154.84	1.53		
C079069	153.31	154.84	1.53	CHECK ASSAY	
C079070				STANDARD 5E	1.43
C079071	154.84	156.36	1.52		
C079072	156.36	157.89	1.53		
C079073	157.89	159.41	1.52		
C079074	159.41	160.93	1.52		
C079075	160.93	162.46	1.53		
C079076				BLANK	
C079077	162.46	163.98	1.52		
C079078	163.98	165.51	1.53		
C079079	165.51	167.03	1.52		
C079080	167.03	168.55	1.52		
C079081	168.55	170.08	1.53		
C079082	168.55	170.08	1.53	FIELD DUPLICATE	
C079083	170.08	171.80	1.72		
C079084	171.80	173.13	1.33		

From-To Sheet DG06-315C					
C079085	173.13	174.65	1.52		
C079086	174.65	176.17	1.52		
C079087	176.17	177.70	1.53		
C079088	177.70	179.22	1.52		
C079089	177.70	179.22	1.52	CHECK ASSAY	
C079090				STANDARD 6F	2.77
C079091	179.22	180.75	1.53		
C079092	180.75	182.27	1.52		
C079093	182.27	183.79	1.52		
C079094	183.79	185.32	1.53		
C079095	185.32	186.84	1.52		
C079096				BLANK	
C079097	186.84	188.37	1.53		
C079098	188.37	189.89	1.52		
C079099	189.89	191.41	1.52		
C079100	191.41	192.94	1.53		
C079101	192.94	194.46	1.52		
C079102	192.94	194.46	1.52	FIELD DUPLICATE	
C079103	194.46	195.99	1.53		
C079104	195.99	197.51	1.52		
C079105	197.51	199.03	1.52		
C079106	199.03	200.56	1.53		
C079107	200.56	202.08	1.52		
C079108	202.08	203.61	1.53		
C079109	202.08	203.61	1.53	CHECK ASSAY	
C079110				STANDARD 7G	4.46
C079111	203.61	205.13	1.52		
C079112	205.13	206.65	1.52		
C079113	206.65	208.18	1.53		
C079114	208.18	209.70	1.52		
C079115	209.70	211.23	1.53		
C079116				BLANK	
C079117	211.23	212.75	1.52		
C079118	212.75	214.27	1.52		
C079119	214.27	215.80	1.53		
C079120	215.80	217.32	1.52		
C079121	217.32	218.85	1.53		
C079122	217.32	218.85	1.53	FIELD DUPLICATE	
C079123	218.85	220.37	1.52		
C079124	220.37	221.89	1.52		
C079125	221.89	223.42	1.53		
C079126	223.42	224.94	1.52		
C079127	224.94	226.47	1.53		
C079128	226.47	227.99	1.52		
C079129	226.47	227.99	1.52	CHECK ASSAY	
C079130				STANDARD 3C	0.091
C079131	227.99	229.51	1.52		
C079132	229.51	231.04	1.53		
C079133	231.04	232.56	1.52		
C079134	232.56	234.09	1.53		

From-To Sheet DG06-315C					
C079135	234.09	235.61	1.52		
C079136				BLANK	
C079137	235.61	237.13	1.52		
C079138	237.13	238.66	1.53		
C079139	238.66	240.18	1.52		
C079140	240.18	241.71	1.53		
C079141	241.71	243.23	1.52		
C079142	241.71	243.23	1.52	FIELD DUPLICATE	
C079143	243.23	244.75	1.52		
C079144	244.75	246.28	1.53		
C079145	246.28	247.80	1.52		
C079146	247.80	249.33	1.53		
C079147	249.33	250.85	1.52		
C079148	250.85	252.37	1.52		
C079149	250.85	252.37	1.52	CHECK ASSAY	
C079150				STANDARD 4D	0.43
C079151	252.37	253.90	1.53		
C079152	253.90	255.42	1.52		
C079153	255.42	256.95	1.53		
C079154	256.95	258.47	1.52		
C079155	258.47	259.99	1.52		
C079156				BLANK	
C079157	259.99	261.52	1.53		
C079158	261.52	263.04	1.52		
C079159	263.04	264.57	1.53		
C079160	264.57	266.09	1.52		
C079161	266.09	267.61	1.52		
C079162	266.09	267.61	1.52	FIELD DUPLICATE	
C079163	267.61	269.14	1.53		
C079164	269.14	270.66	1.52		
C079165	270.66	272.19	1.53		
C079166	272.19	273.71	1.52		
C079167	273.71	275.23	1.52		
C079168	275.23	276.76	1.53		
C079169	275.23	276.76	1.53	CHECK ASSAY	
C079170				STANDARD 6F	2.77
C079171	276.76	278.28	1.52		
C079172	278.28	279.81	1.53		
C079173	279.81	281.33	1.52		
C079174	281.33	282.85	1.52		
C079175	282.85	284.38	1.53		
C079176				BLANK	
C079177	284.38	285.90	1.52		
C079178	285.90	287.43	1.53		
C079179	287.43	288.95	1.52		
C079180	288.95	290.47	1.52		
C079181	290.47	292.00	1.53		
C079182	290.47	292.00	1.53	FIELD DUPLICATE	
C079183	292.00	293.52	1.52		
C079184	293.52	295.05	1.53		

From-To Sheet DG06-315C					
C079185	295.05	296.57	1.52		
C079186	296.57	298.09	1.52		
C079187	298.09	299.62	1.53		
C079188	299.62	301.14	1.52		
C079189	299.62	301.14	1.52	CHECK ASSAY	
C079190				STANDARD 7G	4.46
C079191	301.14	302.67	1.53		
C079192	302.67	304.19	1.52		
C079193	304.19	305.71	1.52		
C079194	305.71	307.24	1.53		
C079195	307.24	308.76	1.52		
C079196				BLANK	
C079197	308.76	310.29	1.53		
C079198	310.29	311.81	1.52		
C079199	311.81	313.33	1.52		
C079200	313.33	314.86	1.53		
C079201	314.86	316.38	1.52		
C079202	314.86	316.38	1.52	FIELD DUPLICATE	
C079203	316.38	317.91	1.53		
C079204	317.91	319.43	1.52		
C079205	319.43	320.95	1.52		
C079206	320.95	322.48	1.53		
C079207	322.48	324.00	1.52		
C079208	324.00	325.53	1.53		
C079209	324.00	325.53	1.53	CHECK ASSAY	
C079210				STANDARD 1A	0.88
C079211	325.53	327.05	1.52		
C079212	327.05	328.57	1.52		
C079213	328.57	330.10	1.53		
C079214	330.10	331.62	1.52		
C079215	331.62	333.15	1.53		
C079216				BLANK	
C079217	333.15	334.67	1.52		
C079218	334.67	335.27	0.60		
C079219	335.27	336.19	0.92		
C079220	336.19	337.00	0.81		
C079221	337.00	337.72	0.72		
C079222	337.00	337.72	0.72	FIELD DUPLICATE	
C079223	337.72	338.62	0.90		
C079224	338.62	339.24	0.62		
C079225	339.24	339.73	0.49		
C079226	339.73	340.77	1.04		
C079227	340.77	342.29	1.52		
C079228	342.29	342.97	0.68		
C079229	342.29	342.97	0.68	CHECK ASSAY	
C079230				STANDARD 3C	0.091
C079231	342.97	343.81	0.84		
C079232	343.81	345.34	1.53		
C079233	345.34	346.02	0.68		
C079234	346.02	346.86	0.84		

From-To Sheet DG06-315C					
C079235	346.86	348.39	1.53		
C079236				BLANK	
C079237	348.39	349.91	1.52		
C079238	349.91	351.43	1.52		
C079239	351.43	352.96	1.53		
C079240	352.96	354.48	1.52		
C079241	354.48	355.30	0.82		
C079242	354.48	355.30	0.82	FIELD DUPLICATE	
C079243	355.30	356.01	0.71		
C079244	356.01	356.66	0.65		
C079245	356.66	357.44	0.78		
C079246	357.44	359.05	1.61		
C079247	359.05	360.58	1.53		
C079248	360.58	362.10	1.52		
C079249	360.58	362.10	1.52	CHECK ASSAY	
C079250				STANDARD 4D	0.43
C079251	362.10	363.63	1.53		
C079252	363.63	365.15	1.52		
C079253	365.15	366.67	1.52		
C079254	366.67	368.20	1.53		
C079255	368.20	369.72	1.52		
C079256				BLANK	
C079257	369.72	371.25	1.53		
C079258	371.25	372.77	1.52		
C079259	372.77	374.29	1.52		
C079260	374.29	375.82	1.53		
C079261	375.82	377.34	1.52		
C079262	375.82	377.34	1.52	FIELD DUPLICATE	
C079263	377.34	378.87	1.53		
C079264	378.87	380.39	1.52		
C079265	380.39	381.91	1.52		
C079266	381.91	383.44	1.53		
C079267	383.44	384.96	1.52		
C079268	384.96	386.49	1.53		
C079269	384.96	386.49	1.53	CHECK ASSAY	
C079270				STANDARD 5E	1.43
C079271	386.49	388.01	1.52		
C079272	388.01	389.53	1.52		
C079273	389.53	391.06	1.53		
C079274	391.06	392.58	1.52		
C079275	392.58	394.11	1.53		
C079276				BLANK	
C079277	394.11	395.63	1.52		
C079278	395.63	397.15	1.52		
C079279	397.15	398.67	1.52		
C079280	398.67	400.20	1.53		
C079281	400.20	401.73	1.53		
C079282	401.73	403.29	1.56	FIELD DUPLICATE	
C079283	401.73	403.29	1.56		
C079284	403.29	404.16	0.87		

From-To Sheet DG06-315C					
C079285	404.16	404.77	0.61		
C079286	404.77	406.29	1.52		
C079287	406.29	407.82	1.53		
C079288	407.82	409.23	1.41		
C079289	407.82	409.23	1.41	CHECK ASSAY	
C079290				STANDARD 6F	2.77
C079291	409.23	410.87	1.64		
C079292	410.87	412.42	1.55		
C079293	412.42	413.92	1.50		
C079294	413.92	415.45	1.53		
C079295	415.45	416.97	1.52		
C079296				BLANK	
C079297	416.97	418.50	1.53		
C079298	418.50	420.01	1.51		
C079299	420.01	421.53	1.52		
C079300	421.53	423.06	1.53		
C079301	423.06	424.59	1.53		
C079302	423.06	424.59	1.53	FIELD DUPLICATE	
C079303	424.59	426.11	1.52		
C079304	426.11	427.64	1.53		
C079305	427.64	429.16	1.52		
C079306	429.16	430.64	1.48		
C079307	430.64	432.21	1.57		
C079308	432.21	433.74	1.53		
C079309	432.21	433.74	1.53	CHECK ASSAY	
C079310				STANDARD 7G	4.46
C079311	433.74	435.25	1.51		
C079312	435.25	436.77	1.52		
C079313	436.77	438.30	1.53		
C079314	438.30	439.82	1.52		
C079315	439.82	441.35	1.53		
C079316				BLANK	
C079317	441.35	442.88	1.53		
C079318	442.88	444.40	1.52		
C079319	444.40	445.93	1.53		
C079320	445.93	447.45	1.52		
C079321	447.45	448.48	1.03		
C079322	447.45	448.48	1.03	FIELD DUPLICATE	
C079323	448.48	450.49	2.01		
C079324	450.49	452.02	1.53		
C079325	452.02	453.54	1.52		
C079326	453.54	455.07	1.53		
C079327	455.07	456.59	1.52		
C079328	456.59	458.11	1.52		
C079329	456.59	458.11	1.52	CHECK ASSAY	
C079330				STANDARD 6F	2.77
C079331	458.11	459.64	1.53		
C079332	459.64	461.16	1.52		
C079333	461.16	462.69	1.53		
C079334	462.69	464.21	1.52		

From-To Sheet DG06-315C					
C079335	464.21	465.73	1.52		
C079336				BLANK	
C079337	465.73	467.25	1.52		
C079338	467.25	468.78	1.53		
C079339	468.78	470.30	1.52		
C079340	470.30	471.83	1.53		
C079341	471.83	473.35	1.52		
C079342	471.83	473.35	1.52	FIELD DUPLICATE	
C079343	473.35	474.88	1.53		
C079344	474.88	476.41	1.53		
C079345	476.41	477.93	1.52		
C079346	477.93	479.45	1.52		
C079347	479.45	480.97	1.52		
C079348	480.97	482.50	1.53		
C079349	480.97	482.50	1.53	CHECK ASSAY	
C079350				STANDARD 4D	0.43
C079351	482.50	484.02	1.52		
C079352	484.02	485.55	1.53		
C079353	485.55	487.07	1.52		
C079354	487.07	488.60	1.53		
C079355	488.60	490.12	1.52		
C079356				BLANK	
C079357	490.12	491.55	1.43		
C079358	491.55	493.17	1.62		
C079359	493.17	494.70	1.53		
C079360	494.70	496.21	1.51		
C079361	496.21	497.02	0.81		
C079362	496.21	497.02	0.81	FIELD DUPLICATE	
C079363	497.02	497.92	0.90		
C079364	497.92	499.12	1.20		
C079365	499.12	499.56	0.44		
		E.O.H.			

DG06-315C Relfex readings, July 5, 2006					
Depth (meters below surface)	Azimuth (degreg's)	Corrected Azimuth (degree's)	Dip (dgree's from horizontal)	Magnetic field	Temperature (celcius)
41.45	145.9	171.4	57.9	578.5	8.1
132.89	147.9	173.4	58.3	5776	7.4
224.33	151.4	176.9	58.2	5782	8.2
315.77	154.6	180.1	57.7	5780	9.8
407.21	160.1	185.6	56.2	5775	12.1
498.96	162.2	187.7	54.2	5776	14.3

GEOTECHNICAL SUMMARY SHEET

PROJECT: Dublin Gulch - 1735		
DRILL HOLE NO: DG06-315C		
Date Started: June 26, 2006	**Date Completed: July 6, 2006**	
Geoteched By: Stacy Doyle, Jason Kindrat, Mike Giasson, Marc Mains		
Contractor: DJ Drilling		
Hole Size: HQ	**Core Size: HQ**	
Total Depth: 499.56m	**Elevation: 1022m**	
Average RQD: 49%	**Average Recovery Rate: 93%**	
	Easting	**Northing**
DDH NAD27		
NAD27	459608	7099770
NAD83	459490	7099953
	Azimuth	**Dip**
Original	180	-60
End of Hole	187.7	-54.2
Additional Comments:	No dry pictures for boxes 1-6, 19-36, 67-69, 85-96, and 100-105 due to rain. No Wet pictures for boxes 40-42 and 64-60 due to lost pictures.	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-315C___ Sheet:__1___ of __8___

Date:_June 26-July 6, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
Casing	0	1.52	1.52		0		0		-												
MSED	1.52	2.43	0.91	0.55	60	0	0	R3/R4	-	MW/FS									2	98	
	2.43	3.96	1.53	1.25	82	0.34	22	R3	-	FS	4	PR/IR							0	78	
	3.96	5.49	1.53	1.02	67	0.26	17	R3/R4	-	FS	2	IR							0	83	
	5.49	7.01	1.52	1.3	86	0.52	34	R3/R4	-	FS			4	IR	2	IR			0	66	
	7.01	8.53	1.52	1.09	72	0.13	9	R3/R4	-	FS	2	PR/IR							0	81	
	8.53	9.75	1.22	0.58	48	0	0	R1/R3	-	HW/FS									30	70	
	9.75	11.28	1.53	1.26	82	0	0	R1/R3	-	MW/FS									40	60	
	11.28	12.8	1.52	0.85	56	0	0	R1/R3	-	HW/FS									85	15	
	12.8	14.02	1.22	0.15	12	0	0	R0	-	HW									100	0	
	14.02	15.85	1.83	1.28	70	0	0	R1/R3	-	HW/FS									50	50	
	15.85	17.52	1.67	1.5	90	0.44	26	R3	-	FS/FR	5	PR/IR					1	IR	0	74	
	17.52	19.2	1.68	1.44	86	0.43	26	R2/R3	-	FS/FR	3	IR/CR			1	PR			0	74	
	19.2	20.73	1.53	1.35	88	0	0	R1/R3	-	HW/FS									30	70	
	20.73	22.25	1.52	1.36	89	0	0	R3	-	FS									0	100	
	22.25	23.77	1.52	1.44	95	0.64	42	R3	-	FS			4	PR/IR			2	PR/IR	0	58	
	23.77	25.3	1.53	1.5	98	0.64	42	R3	-	FS	2	IR			3	PR	1	PR	0	58	
	25.3	26.82	1.52	1.52	100	1.42	93	R3	-	FS	1	PR			4	IR	5	PR/SR	0	7	
	26.82	28.35	1.53	1.43	93	1.23	80	R3	-	FS/FR			6	PR	2	IR			0	20	
	28.35	29.87	1.52	1.52	100	1.08	71	R3/R4	-	FS/FR			5	PR/IR			1	IR	0	29	
	29.87	31.39	1.52	1.34	88	0.74	49	R3	-	FS			10	IR					0	51	
	31.39	32.92	1.53	1.43	93	0.96	63	R3/R4	-	FS	5	IR			2	IR	1	PR	0	38	
MSED/ GND	32.92	34.44	1.52	1.52	100	1.04	68	R3	-	FS	3	IR	2	PR			3	UR/PR	0	32	CONTACT
	34.44	35.97	1.53	1.48	97	1.16	76	R3/R4	-	FS	2	PR	9	PR/IR			3	UR	0	24	
MSED	35.97	37.49	1.52	1.46	96	1.2	79	R3/R4	-	FS/FR	4	PR	6	PR/IR					0	21	
	37.49	39.01	1.52	1.52	100	1.47	97	R4	-	FR	6	IR/PR			2	PR	2	PR	0	3	
	39.01	40.54	1.53	1.46	95	1.2	78	R4	-	FS	8	PR	4	IR/PR					0	22	
	40.54	42.06	1.52	1.5	99	1.03	68	R4	-	FS	4	PR	1	IR			1	IR	0	32	
	42.06	43.59	1.53	1.44	94	1.1	72	R4	-	FS	4	PR	5	PR	1	IR			0	28	
	43.59	45.11	1.52	1.52	100	1	66	R4	-	FS	2	PR	5	PR	3	PR			0	34	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-315C___ Sheet:__2___ of __8___

Date:_June 26-July 6, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	45.11	46.63	1.52	1.5	99	1.28	84	R4	-	FS	3	IR	2	PR	7	PR/SR			0	16	
	46.63	48.16	1.53	1.46	95	1.45	95	R4	-	FS			7	PR	7	PR			0	5	
	48.16	49.68	1.52	1.53	100	1.45	95	R4	-	FS	1	IR			5	PR	2	PR	0	5	
	49.68	51.21	1.53	1.44	94	1.37	90	R4	-	FR	3	IR	3	IR/CR	2	PR			0	10	
	51.21	52.73	1.52	1.39	91	1.33	88	R4	-	FS	3	IR	3	PR	2	PR			0	12	
	52.73	54.25	1.52	1.53	100	1.16	76	R4	-	FS	2	PR	3	IR	2	PR	3	PR	0	24	
	54.25	55.78	1.53	1.52	99	1.2	78	R4	-	FS/FR	3	IR	3	PR	2	UR			0	22	
	55.78	57.3	1.52	1.53	100	1.53	100	R4	-	FS/FR	5	IR/UR	7	PR/SR					0	0	
	57.3	58.83	1.53	1.36	89	1.23	80	R4	-	FR	3	PR	2	IR			1	IR	0	20	
	58.83	60.35	1.52	1.6	100	1.56	100	R4	-	FR	1	PR	3	PR	2	IR/SR			0	0	
	60.35	61.87	1.52	1.45	95	1.28	84	R4	-	FR	5	IR	2	IR	1	PR	2	PR	0	16	
	61.87	63.4	1.53	1.53	100	1.07	70	R4	-	FR	3	PR	3	PR/IR					0	30	
	63.4	64.92	1.52	1.43	94	1.32	87	R4	-	FR			3	CR	4	PR	1	PR	0	13	
	64.92	66.45	1.53	1.53	100	1.4	92	R4	-	FR	3	IR			7	PR/UR			0	8	
	66.45	67.97	1.52	1.43	94	1.37	90	R4	-	FR			6	PR	2	PR	2	PR	0	10	
	67.97	69.49	1.52	1.52	100	1.33	88	R4	-	FR	2	IR	3	PR/IR	3	IR/PR			0	12	
	69.49	71.02	1.53	1.44	94	1.44	94	R4	-	FR					10	PR/CR			0	6	
	71.02	72.54	1.52	1.53	100	1.53	100	R4	-	FR			7	PR/UR	3	PR/IR			0	0	
	72.54	74.07	1.53	1.4	92	0.6	39	R4	-	FS	1	IR			3	PR/CR			0	61	
	74.07	75.59	1.52	1.48	97	0.5	33	R3	-	FS	1	IR	2	IR/PR	3	PR			0	67	
	75.59	77.11	1.52	1.53	100	1.21	80	R3	-	FR					12	PR/PS			0	20	
	77.11	78.64	1.53	1.36	89	0	0	R1/R3	-	HW/FS									45	55	
	78.64	80.16	1.52	1.52	100	1.18	78	R2/R3	-	MW/FS	5	IR			5	IR/UR			5	17	
	80.16	81.69	1.53	1.53	100	1.2	78	R1/R3	-	MW/FS	7	IR/PR	6	PR/UR			1	UR	4	18	
	81.69	83.21	1.52	1.48	97	0.77	51	R1/R3	-	MW/FS	4	IR	1	IR	1	PR			2	47	
	83.21	84.73	1.52	1.42	93	0.4	26	R1/R3	-	MW/FS					4	IR/PR			3	71	
	84.73	86.26	1.53	1.42	93	0.98	64	R4	-	FS	3	IR			5	PR/IR			0	36	
	86.26	87.78	1.52	1.48	97	0.98	64	R4	-	FS	2	PR			4	PR/IR			0	36	
	87.78	89.31	1.53	1.48	97	0.98	64	R3	-	FS	1	IR	1	PR	4	PR			0	36	
	89.31	90.83	1.52	1.47	97	0.45	30	R3	-	FS			3	IR	1	IR			0	30	
	90.83	92.39	1.56	1.12	72	0.12	8	R1/R4	-	FS/MW					2	IR			2	90	
	92.39	93.88	1.49	1.38	93	0	0	R1/R3	-	FS/MW									2	98	
	93.88	95.4	1.52	1.48	97	0.53	35	R3	-	FS	1	IR			4	PS/IR	1	UR	0	65	
	95.4	96.93	1.53	1.52	99	0	0	R1/R3	-	FS/MW									7	93	
	96.93	98.45	1.52	1.53	100	0.5	33	R1/R3	-	FS/MW			5	PS/IR	1	IS			27	35	
	98.45	99.97	1.52	1.4	92	0	0	R1/R3	-	FS/MW									44	56	
	99.97	101.5	1.53	1.41	92	0.16	10	R1/R2	-	MW/FR	1	IR			1	IR			48	42	
	101.5	103.02	1.52	1.42	93	0.65	43	R4	-	FR	3	IR			1	IR			0	57	
	103.02	104.55	1.53	1.52	99	0.47	31	R3/R4	-	FS/FR	2	IR			2	IR			0	69	
	104.55	106.07	1.52	1.52	100	1.35	89	R1/R4	-	FS	3	IR	1	IR	8	PR/IR			0	11	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-315C___ Sheet:__3___ of __8___

Date:_June 26-July 6, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	106.07	107.59	1.52	1.48	97	0.45	30	R1/R3	-	MW/FS			7	PR/IR	3	IR			1	69	
	107.59	109.12	1.53	1.49	97	1.38	90	R3	-	FS			10	PR/IR					0	15	
	109.12	110.64	1.52	1.43	94	0.75	49	R3	-	FS/FR			2	IR	6	IR			0	51	
	110.64	112.17	1.53	1.53	100	1.18	77	R1/R3	-	MW/FS	1	PR	1	PS	6	PS/IR			5	18	
	112.17	113.69	1.52	1.52	100	0.92	61	R1/R3	-	MW/FS	3	IR/SR	5	IR/PS					2	37	
	113.69	115.21	1.52	1.52	100	0.74	49	R1/R3	-	MW/FS	2	IR	1	PR	3	PS			14	37	
	115.21	116.74	1.53	1.42	93	0.65	42	R1/R3	-	MW/FS					6	PR			2	5	
	116.74	118.3	1.56	1.52	97	1.52	97	R3	-	FS	1	IR	3	PR	6	PR			0	0	
	118.3	119.79	1.49	1.53	100	1.14	77	R3	-	FS	1	IR	2	PR	9	PR/IR			0	25	
	119.79	121.31	1.52	1.28	84	0.44	29	R3	-	FR			5	SS/CS	1	US			0	71	
	121.31	122.83	1.52	1.09	72	0	0	R3	-	FR									0	10	
	122.83	124.36	1.53	1.37	90	0.34	22	R3	-	FR	3	PS	1	CS					0	78	
	124.36	125.88	1.52	1.33	88	0.81	53	R3	-	FR			8	SR/PS					0	47	GREEN QTZ
	125.88	127.41	1.53	1.43	93	0.48	31	R1/R4	-	MW/FR	1	SS	4	CS/IS	1	CS			8	61	
	127.41	128.93	1.52	1.29	85	0.69	45	R1/R3	-	MW/FR			7	PS/US			1	UR	1	57	
	128.93	130.45	1.52	1.34	88	0.72	47	R2/R3	-	FR	3	IR/CR	3	PR/IR	2	SS/IR			0	53	
	130.45	131.98	1.53	1.29	84	0.46	30	R2	-	FR	1	IR	2	PS	3	SR			0	76	
	131.98	133.5	1.52	1.38	91	0.31	20	R1/R3	-	MW/FR			2	PS/SS					5	75	
	133.5	133.03	-0.47	1.4	100	0.31	100	R3	-	FR			1	SR			3	CR/SR	0	80	
	133.03	136.55	3.52	1.31	37	0.36	10	R3	-	FR	1	PR	5	IR/PS					0	76	
	136.55	138.07	1.52	1.34	88	0.6	39	R1/R3	-	MW/FR			7	SS/PS	1	SS			4	57	
	138.07	139.6	1.53	1.34	88	0.66	43	R4	-	FR	1	IR	3	PS	2	IR/PS			0	57	
	139.6	141.12	1.52	1.35	89	0.53	35	R3	-	FR	1	SR			2	IR/CR	3	PR/CS	0	65	
	141.12	142.65	1.53	1.53	100	1.41	92	R3	-	FR	1	SS			5	CR/IR			0	8	
	142.65	144.17	1.52	1.33	88	0.76	50	R4	-	FR			1	IS	4	PS			0	50	
	144.17	145.69	1.52	1.52	100	0.87	57	R3	-	FR			9	PR/IR	1	PS			0	43	
	145.69	147.22	1.53	1.38	90	0.94	61	R3	-	FR	2	IR	6	PR/IR					0	39	
	147.22	148.74	1.52	1.21	80	0	0	R3	-	FS									0	100	
	148.74	150.27	1.53	1.53	100	0.61	40	R3	-	FS			2	PR/IR	2	PR			0	51	
	150.27	151.79	1.52	1.52	100	1.04	68	R3	-	FR			1	PR			3	PR	0	33	
	151.79	153.31	1.52	1.52	100	1.52	100	R4	-	FR	1	IR	3	SS/CS	1	IS	1	CS	0	0	
	153.31	154.84	1.53	1.45	95	1.43	93	R3	-	FR	4	IR/PS	3	PR			2	CS	0	7	
	154.84	156.36	1.52	1.49	98	1.32	87	R4	-	FR	1	IR	2	IR	3	CS/IR	2	UR	0	13	
	156.36	157.89	1.53	1.53	100	1.46	95	R5	-	FR	2	IR	2	CR/IR	2	PR			0	5	
	157.89	159.41	1.52	1.45	95	1.36	89	R4	-	FR	2	IR	7	SR/IR			1	CR	0	11	
	159.41	160.93	1.52	1.24	82	0.83	55	R5	-	FR	2	IR	6	CR/PR					0	47	
	160.93	162.46	1.53	1.46	95	1.46	95	R4	-	FR	5	IR	5	PR/IR	6	PR			0	0	
	162.46	163.98	1.52	1.37	90	0.98	64	R3	-	FR	4	PR/IR	4	PR/IR	4	PS/IR	2	CR	0	56	
	163.98	165.5	1.52	1.12	74	0.53	35	R3	-	FR	1	SR	3	PR/IR					0	65	
	165.5	167.03	1.53	1.49	97	1.49	97	R3	-	FR	7	IR/PR	5	SS/PR	4	PR/CR			0	2	
	167.03	168.55	1.52	1.38	91	1.3	86	R4	-	FR	3	PR/IR	7	PS/IR			4	PS/IR	0	14	
	168.55	170.08	1.53	1.4	92	1.26	82	R3	-	FR	6	PS/IR	2	IR					0	18	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-315C___ Sheet:__4___ of __8___

Date:_June 26-July 6, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	170.08	171.6	1.52	1.53	100	1.16	76	R3	-	FR					10	IR/PS			0	24	
	171.6	173.13	1.53	1.38	90	1.03	67	R4	-	FR					7	IR/SS	1	PS	0	33	
	173.13	174.65	1.52	1.47	97	0.82	54	R4	-	FR					7	PS	3	PR	0	46	
	174.65	176.17	1.52	1.52	100	0.65	43	R4	-	FR	5	IR	4	US/UR			1	PR	0	58	
	176.17	177.7	1.53	1.37	90	1.17	76	R3	-	FR	4	IR/PS	5	IR	3PS				0	24	
	177.7	179.22	1.52	1.52	100	0.76	50	R3	-	FR			8	IR					0	50	
	179.22	180.75	1.53	1.09	71	0	0	R3	-	FR									0	100	
	180.75	182.27	1.52	1.27	84	0	0	R1/R3	-	MW/FR									18	82	
	182.27	183.79	1.52	1.27	84	0	0	R3	-	FR									0	100	
	183.79	185.32	1.53	1.52	99	0	0	R3	-	FR									0	100	
	185.32	186.84	1.52	1.44	95	0.64	42	R3	-	FR	4	IR	4	IR					0	58	
	186.84	188.37	1.53	1.53	100	0.64	42	R3	-	FR	5	PS	3	UR/PS					0	58	
	188.37	189.89	1.52	1.3	86	0.86	57	R3	-	FR	4	IR/PR					2	CS	0	43	
	189.89	191.41	1.52	1.52	100	0.57	37	R3	-	FR	4	PR/CS					2	CS	0	62	
	191.41	192.94	1.53	1.06	69	0.18	12	R1/R4	-	MW/FR					1	PR	1	PS	38	50	
	192.94	194.46	1.52	1.28	84	0.15	10	R1/R3	-	MW/FR			1	PR			1	UR	18	72	
	194.46	195.99	1.53	1.31	86	0.85	56	R3	-	FR	4	UR/PS	2	CS					0	44	
	195.99	197.51	1.52	1.39	91	0.45	30	R4	-	FR			2	PS			2	US	0	70	
	197.51	199.03	1.52	1.32	87	0.34	22	R3	-	FR			2	PS			2	IS	0	78	
	199.03	200.56	1.53	1.49	97	0	0	R4	-	FR									0	100	
	200.56	202.08	1.52	1.41	93	0.65	43	R3	-	FR	5	PS	1	IS					0	57	
	202.08	203.61	1.53	1.52	99	0.62	41	R4	-	FR	3	PS/SS	2	PS			1	CR	0	59	
	203.61	205.13	1.52	1.35	89	0.38	25	R2/R3	-	FR	2	PS	1	SR			1	PS	0	75	
	205.13	206.65	1.52	1.48	97	1.34	88	R3	-	FR	9	PS/CS	1	IR					0	12	
	206.65	208.18	1.53	1.42	93	0.11	7	R3	-	FR	1	PR			1	IR			0	93	
	208.18	209.7	1.52	1.28	84	0.45	30	R3	-	FR			2	IR	3	IR			0	70	
	209.7	211.23	1.53	1.43	93	0.38	25	R2/R3	-	FR	3	IR	1	PS					5	70	
	211.23	212.75	1.52	1.52	100	0.51	34	R2/R4	-	MW/FR	1	IR	1	IR	2	UR/PR			3	63	
	212.75	214.27	1.52	1.39	91	0.91	60	R3	-	FR	4	PS	2	IR			2	IS/PS	0	40	
	214.27	215.8	1.53	1.53	100	0.97	63	R3	-	FR	5	PR/PS	4	PS	1	IR	2	CS	0	37	
	215.8	217.32	1.52	1.37	90	0.88	58	R5	-	FR	6	PR/IS	3	PS			3	US	0	42	
	217.32	218.85	1.53	1.32	86	0.25	16	R3	-	FR			4	CS/IS					0	84	
	218.85	220.37	1.52	1.31	86	0.38	25	R4	-	FR	7	PS	1	IR					0	75	
	220.37	221.89	1.52	1.29	85	0.23	15	R1/R2	-	MW/FR	2	IR	1	IR			1	CS	28	56	
	221.89	223.42	1.53	1.38	90	0.78	51	R3	-	FR					10	IR//PR			0	49	
	223.42	224.95	1.53	1.53	100	0	0	R3	-	FR									3	97	
	224.95	226.47	1.52	1.37	90	0	0	R3	-	FR									0	100	
	226.47	227.99	1.52	1.43	94	0.1	7	R3	-	FR			2	SR					0	94	
	227.99	229.51	1.52	1.43	94	0	0	R1/R3	-										5	95	
	229.51	231.09	1.58	1.47	93	0.86	54	R3/R4	-	FR			4	PS/PR					0	44	
	231.09	232.56	1.47	1.47	100	0.48	33	R3	-	FR	2	PS	1	PS	1	PS			0	68	
	232.56	234.09	1.53	1.53	100	0.58	38	R3	-	FR	1	IR	1	PR	4	PR			0	62	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-315C___ Sheet:__5___ of __8___

Date:_June 26-July 6, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	234.09	235.61	1.52	1.52	100	0.92	61	R3	-	FR			7	PS	1	IR			0	29	
	235.61	237.13	1.52	1.47	97	0.12	8	R3	-	FR					2	PS/IR			0	92	
	237.13	238.66	1.53	1.53	100	0.82	54	R3	-	FR					3	PS/IR	1	SS	0	48	
	238.66	240.18	1.52	1.52	100	0.57	37	R3	-	FR	2	PS/IR	2	PS					0	76	
	240.18	241.71	1.53	1.42	93	0.88	58	R3	-	FR	1	IR			5	PS/SS			0	43	
	241.71	243.23	1.52	1.18	78	0.28	18	R3/R4	-	FR			1	IR	1	IR			0	82	
	243.23	244.75	1.52	1.47	97	0.53	35	R2/R4	-	FR	4	IR/IS							0	65	
	244.75	246.28	1.53	1.53	100	0.76	50	R1/R4	-	MW/FR	6	PS	4	PS					5	45	
	246.28	247.8	1.52	1.46	96	1.26	83	R4	-	FR	10	PR/IR	4	PS/IR					0	17	
	247.8	249.33	1.53	1.53	100	0.66	43	R4	-	FR	8	PS	4	PS					0	57	
	249.33	250.85	1.52	1.52	100	1.43	94	R4	-	FR	5	PS			3	PS/PR			0	6	
	250.85	252.37	1.52	1.52	100	1.4	92	R4	-	FR	6	PS/IR	2	CS/PS	2	PS			0	8	
	252.37	253.9	1.53	1.53	100	0.36	24	R4	-	FR	6	PS/CS							0	76	
	253.9	255.42	1.52	1.52	100	0.93	61	R4	-	FR	8	PS							0	39	
	255.42	256.95	1.53	1.44	94	0.86	56	R4	-	FR	6	PS	2	PS					0	44	
	256.95	258.47	1.52	1.52	100	1.5	99	R4	-	FR	7	PS/IR			3	IR			0	1	
	258.47	259.99	1.52	1.34	88	0.8	53	R4	-	FR			4	PS	2	PS			0	40	
	259.99	261.52	1.53	1.53	100	0.93	61	R4	-	FR	2	IR	3	IR	5	IR			0	39	
	261.52	263.04	1.52	1.52	100	0.35	23	R4	-	FR					6	PS/IR			0	76	
	263.04	264.57	1.53	1.35	88	0.57	37	R4	-	FR	3	US/PS	1	IS	1	CR	1	PS	0	62	
	264.57	266.09	1.52	1.43	94	0.24	16	R2/R3	-	MW	2	IR	2	CR/UR					64	20	
	266.09	267.61	1.52	1.42	93	0.48	32	R2/R4	-	MW/FR	1	SR	1	IR	6	SR/CR			28	40	
	267.61	269.14	1.53	1.28	84	0.83	54	R4	-	FR	2	PS	2	IR/PS	1	UR	1	SR	0	46	
	269.14	270.66	1.52	1.37	90	0.94	62	R3	-	FR	1	PS	1	IR			4	SS/PR	0	38	
	270.66	272.19	1.53	1.3	85	0.43	28	R3	-	MW/FR	3	IR/SR					1	CR	7	65	
	272.19	273.71	1.52	1.43	94	0	0	R2/R3	-	MW/FS									0	100	
	273.71	275.23	1.52	1.45	95	0.15	10	R3	-	FS	1	CR					1	UR	0	90	
	275.23	276.76	1.53	1.25	82	0.61	40	R2/R3	-	FS/MW	2	PS							10	50	
	276.76	278.28	1.52	1.29	85	0	0	R2	-	MW									75	25	
	278.28	279.81	1.53	1.5	98	0.47	31	R2/R4	-	MW/FS	2	IR/PS	2	IR					10	42	
	279.81	281.33	1.52	1.36	89	0.4	26	R4	-	FS.FR	1	PS	2	IS/PS	3	IR/CR			0	74	
	281.33	282.75	1.42	1.46	100	0.47	33	R3	-	FR	2	PS/SS	2	PS					0	69	
	282.75	284.38	1.63	1.53	94	1.5	92	R3	-	FR	8	PR/CR	6	IR/PR					0	2	
	284.38	285.9	1.52	1.43	94	1.05	69	R4	-	FR	4	CS/SS	6	PS/US					0	31	
	285.9	287.43	1.53	1.43	93	1.07	70	R3	-	FR	4	PR/CR	5	PR/CS			3	CR/SR	0	30	
	287.43	288.95	1.52	1.52	100	1.3	86	R4	-	FR	2	CS	3	UR			3	SS/CS	0	14	
	288.95	290.47	1.52	1.52	100	0.75	49	R4	-	FR	1	PR			2	CR	3	CS/IS	0	51	
	290.47	292	1.53	1.41	92	0.71	46	R4	-	FR	3	PS	3	CS/PS	1	IR	1	CR	0	54	
	292	293.52	1.52	1.14	75	0.83	55	R3	-	FR	1	PS			2	PS	3	IS/CS	0	54	
	293.52	295.05	1.53	1.5	98	1.13	74	R4	-	FR	5	CR/PR	5	PR	1	CS	3	UR	0	26	
	295.05	296.57	1.52	1.37	90	0.68	45	R3	-	FR	4	PR	2	SS	2	PR			0	55	
	296.57	298.09	1.52	1.15	76	0.51	34	R3	-	FR	2	PR					2	IR	0	66	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-315C___ Sheet:__6___ of __8___

Date:_June 26-July 6, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	298.09	299.62	1.53	1.453	95	1.15	75	R3	-	FR	7	PS	5	IR/CS					0	24	
	299.62	301.14	1.52	1.36	89	0	0	R3	-	FR									0	100	
	301.14	302.67	1.53	1.43	93	0.74	48	R3/R4	-	FR			3	PS/IR	2	PR	1	SR	0	52	
	302.67	304.19	1.52	1.38	91	1.12	74	R4	-	FR	2	PR	8	IR/PR			2	SR	0	26	
	304.19	305.71	1.52	1.51	99	1.39	91	R4	-	FR			6	PS/IR	6	PR			0	9	
	305.71	307.24	1.53	1.53	100	0.82	54	R4	-	FR			4	PR	6	PS/PR			0	46	
	307.24	308.76	1.52	1.47	97	0.23	15	R3/R4	-	FR			1	SR	1	PS			0	77	
	308.76	310.29	1.53	1.48	97	1.13	74	R3/R4	-	FR	1	IR	4	IR	5	UR/PR			0	26	
	310.29	311.81	1.52	1.52	100	0.15	10	R1/R4	-	MW/FR			2	IR					20	70	
	311.81	313.33	1.52	1.38	91	0.76	50	R3	-	FR			1	IR	7	PS/IS			0	54	
	313.33	314.86	1.53	1.53	100	0	0	R3	-	FR									0	100	
	314.86	316.38	1.52	1.52	100	0	0	R1/R3	-	MW/FR									25	75	
	316.38	317.91	1.53	1.38	90	0	0	R1/R3	-	MW/FR									10	90	
	317.91	319.43	1.52	1.42	93	0.42	28	R1/R3	-	MW/FR					3	IR	1	PS	20	52	
	319.43	320.95	1.52	1.48	97	0	0	R1/R4	-	FR									0	100	
	320.95	322.48	1.53	1.53	100	0.76	50	R3/R4	-	FR					10	PS			0	50	
	322.48	324	1.52	1.52	100	1.12	74	R1/R4	-	MW/FR					11	PS/IR	1	US	1	25	
	324	325.53	1.53	1.53	100	0.19	12	R3/R4	-	FR			1	IR	1	IR			0	88	
	325.53	327.05	1.52	1.31	86	0	0	R3	-	FR									0	100	
	327.05	328.57	1.52	1.52	100	0.39	26	R4/R5	-	FR	2	PS	1	PS	3	PS/US			0	75	
	328.57	330.1	1.53	1.53	100	0.64	42	R4/R5	-	FR	1	IR	6	PS/IR	3	PS			0	58	
	330.1	331.62	1.52	1.52	100	0.47	31	R3	-	FR			2	IR	2	PS			0	69	
	331.62	333.15	1.53	1.47	96	0.23	15	R1/R3	-	MW/FR	2	SR/IR							0	85	
	333.15	334.67	1.52	1.52	100	0	0	R1/R2	-	HW									95	5	
	334.67	336.19	1.52	1.46	96	1.37	90	R2/R4	-	MW/FR	1	CR	7	UR/CR			2	UR	1	9	
	336.19	337.72	1.53	1.49	97	1.28	84	R4	-	FR	3	CR	1	UR					0	16	
	337.72	339.24	1.52	1.49	98	1.12	74	R4	-	FR	4	PS/US	2	US					0	26	
	339.24	340.77	1.53	1.53	100	1.25	82	R4	-	FR	5	SS/UR	4	UR	1	PS			0	18	
	340.77	342.29	1.52	1.5	99	1.29	85	R4	-	FR	3	PR	3	PS	2	CSL/US	2	IR/CR	0	15	
	342.29	343.81	1.52	1.52	100	1.5	99	R3	-	FR			3	UR	4	IR	5	CR	0	1	
	343.81	345.34	1.53	1.47	96	1.39	91	R5	-	FR			2	PS/SS			4	UR/CR	0	11	
	345.34	346.86	1.52	1.46	96	1.2	79	R5	-	FR	4	PR	2	UR/PS			4	CR	0	21	
	346.86	348.39	1.53	1.53	100	1.53	100	R5	-	FR	5	PR			3	CS/SR			0	0	
	348.39	349.91	1.52	1.52	100	1.32	87	R4	-	FR	8	PR							0	13	
	349.91	351.43	1.52	1.42	93	1.29	85	R3	-	FR	5	SR/PS	3	US			2	CS	0	15	
	351.43	352.96	1.53	1.5	98	0.98	64	R3	-	FR	5	PS	3	PS			4	IR/PR	0	36	
	352.96	354.48	1.52	1.47	97	0.5	33	R3	-	FR	2	PR	3	PR			2	CR	0	67	
	354.48	356.01	1.53	1.53	100	0	0	R3	-	FR									0	100	
	356.01	357.53	1.52	1.42	93	1	66	R3	-	FR	3	IR	5	IR	6	PS			0	34	
	357.53	359.05	1.52	1.47	97	0.56	37	R1/R3	-	MW/FR			5	PS	5	PS/IR			3	60	
	359.05	360.58	1.53	1.53	100	0.26	17	R3	-	FR			1	PS	1	PS			0	83	
	360.58	362.1	1.52	1.45	95	0.31	20	R3	-	FR			1	SS	1	SS			0	80	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-315C___ Sheet:__7___ of __8___

Date:_June 26-July 6, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	362.1	363.63	1.53	1.37	90	0.93	61	R3	-	FR			1	UR	7	PS			0	10	
	363.63	365.15	1.52	1.52	100	0.24	16	R1/R3	-	MW/FR	2	PS/PR	2	PR					2	74	
	365.15	366.67	1.52	1.44	95	0.81	53	R1/R4	-	MW/FR			4	IR					15	32	
	366.67	368.2	1.53	1.53	100	0.44	29	R3	-	FR			4	PS	2	PS/IR			0	71	
	368.2	369.72	1.52	1.37	90	0.89	59	R3	-	FR					10	PS			0	41	
	369.72	371.25	1.53	1.53	100	1.07	70	R3	-	FR			2	PS	8	PR/IR			0	30	
	371.25	372.77	1.52	1.44	95	0.74	49	R3	-	FR	3	PR	2	PR			5	IR/PR	0	51	
	372.77	374.29	1.52	1.52	100	0.96	63	R4	-	FR	1	PS	1	IR	3	PR	3	PR	0	37	
	374.29	375.82	1.53	1.5	98	1.27	83	R3	-	FR	1	PS	2	CS			9	CS/PS	0	17	
	375.82	377.34	1.52	1.52	100	0.93	61	R4	-	FR	3	CS	7	IR/PS			4	CS	0	39	
	377.34	378.87	1.53	1.5	98	0.45	29	R1/R3	-	MW/FR	1	IR	1	US			3	CR	1	70	
	378.87	380.39	1.52	1.52	100	0.73	48	R4	-	FR	5	PS	1	IR	1	CR	1	CS	0	52	
	380.39	381.91	1.52	1.39	91	0.7	46	R4	-	FR	5	PS	5	PS					0	54	
	381.91	383.44	1.53	1.53	100	1.16	76	R3	-	FR	3	IR/PR			5	CS			0	24	
	383.44	384.96	1.52	1.46	96	0.94	62	R3/R4	-	FR	6	PR/CR	6	PR/CR	1	SR	1	SR	0	38	
	384.96	386.49	1.53	1.34	88	1	65	R3	-	FR	3	PR	7	PR/CR	5	PR/CR	1	SR	0	34	
	386.49	388.01	1.52	1.49	98	0.72	47	R3	-	FR	5	PR/SR	3	PR/UR	3	PR			0	53	
	388.01	389.53	1.52	1.52	100	0.58	38	R3	-	FR	3	SR/PR	2	PR	2	PR	3	SR	0	62	
	389.53	391.06	1.53	1.38	90	0.82	54	R2/R3	-	FR	7	PR	4	PR	2	SR			0	46	
	391.06	392.58	1.52	1.6	100	1.04	68	R2/R3	-	FR	10	PR/PS	3	PR					0	32	
	392.58	394.11	1.53	1.48	97	0.26	17	R3	-	FR	2	PS	3	PR/UR					0	83	
	394.11	395.63	1.52	1.58	100	0.7	46	R3	-	FR	5	PS/SS	4	PR/SR	2	PS	2	SR	0	54	
	395.63	397.15	1.52	1.38	91	0.77	51	R2/R3	-	FR	6	SR/UR	6	SR/PR					2	47	
	397.15	398.67	1.52	1.51	99	0.88	58	R2/R3	-	FR	4	CR/PR			2	SR/PR			0	42	
	398.67	400.2	1.53	1.49	97	0.46	30	R2/R3	-	FR	10	PR	6	SR/PR	2	SR/PR	2	SR	0	70	
	400.2	401.73	1.53	1.57	100	1.14	75	R3/R4	-	FR	7	IR/PR	8	SR/PR	3	SR/PR	2	SR	0	25	LAST 5' RUN
	401.73	404.77	3.04	3.04	100	2.05	67	R3/R4	-	FR	10	SR/PR	15	SR/PR	6	SR/PR	4	SR/IR	0	33	1ST 10' RUN
	404.77	407.82	3.05	3.04	100	2.84	93	R3/R4	-	FR	9	IR/SR	6	IR/PR	3	PR	2	CR	0	7	
	407.82	410.87	3.05	2.88	94	1.85	61	R3/R4	-	FR	12	IR/PR	8	CR/PR	5	PR/SR	2	IR	0	39	
	410.87	413.92	3.05	2.95	97	1.58	52	R2/R4	-	FR	13	PR/SR	17	PR/SR	4	SR	5	PR/SR	0	48	
	413.92	416.97	3.05	3	98	1.75	57	R2/R4	-	MW/FR	8	PR/CS	12	PS/SR	8	SR/IR	7	SR	2	41	
	416.97	420.01	3.04	2.96	97	2.24	74	R3/R4	-	FR	10	PR/SR	19	PS/SR	7	PS/SR	6	SR	0	26	
	420.01	423.06	3.05	2.93	96	2.48	81	R3/R4	-	FR	18	PS/PR	11	PS/SR	6	PS/SR	2	SR	0	19	
	423.06	426.11	3.05	2.95	97	2.01	66	R3/R4	-	FR	12	PR/SR	16	PR/SR	7	PR/SR	3	SR	0	34	
	426.11	429.16	3.05	3.04	99	2.08	68	R3/R4	-	FR	12	PS/CS	17	PS/SR	4	SR/PR	2	IR	0	32	
	429.16	432.21	3.05	2.74	90	0.79	26	R3	-	FR	2	SS	4	SS/PS	2	PS			0	74	
	432.21	435.25	3.04	2.99	98	1.13	37	R3	-	FR	7	PS/CS	1	PS	2	PS			0	63	
	435.25	438.3	3.05	2.91	95	1.43	47	R2/R3	-	MW/FS	13	PS/PR			2	PS	1	PS	0	53	
	438.3	441.35	3.05	2.63	86	1.3	43	R2/R3	-	SW/FR	9	PS	3	PS					0	57	
	441.35	444.4	3.05	2.67	88	1.19	39	R2/R3	-	SW/FR	7	PR/IR	8	PR/IR			1	CR	0	61	
	444.4	447.45	3.05	3.05	100	1.39	46	R2/R3	-	MW/FR	14	IR/SR	6	CR/PR	4	SR/CR	2	SR	2	52	Qtz vns
	447.45	450.49	3.04	3	99	0.93	31	R1/R3	-	HW/FR	10	PR/PSL	2	IR/CSL	2	L	1	IR	14	65	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-315C___ Sheet:__8___ of __8___

Date:_June 26-July 6, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	450.49	453.54	3.05	2.9	95	1.02	33	R2/R3	-	MW/FR	9	SR/PS	7	CS/PS	2	SR			2	65	
	453.54	456.59	3.05	3.06	100	1.12	37	R2/R3	-	MW/FR	12	PR/PSL	6	L			1	PR	1	62	
	456.59	459.64	3.05	3.08	100	1.73	57	R2/R3	-	MW/FR	10	PS/IR	11	PR/CR	2	SR			3	40	
	459.64	462.69	3.05	2.85	93	0.81	27	R1/R3	-	HW/FR	7	SR/PR	6	UR/PS	3	UR/PSL			8	65	
	462.69	465.73	3.04	2.81	92	1.58	52	R3/R4	-	MW/FR	18	IR/PR	10	IR/PR	3	IR/SR			2	46	
	465.73	468.78	3.05	2.81	92	1.33	44	R3/R4	-	FR	11	PR/SR	8	CR/PR	5	SR/PR	2	SR	1	55	
	468.78	471.83	3.05	2.78	91	1	33	R1/R4	-	MW/FR	13	IR/PSL	5	IR/CSL	3	SR/IR	2	SR	10	57	Qtz vns
	471.83	474.88	3.05	3.03	99	1.33	44	R4	-	FR	14	PR/SR	8	PR/SR	3	PR/SR			0	56	Qtz vns
	474.88	477.93	3.05	3.03	99	2.24	73	R3/R4	-	FR	12	PR/CR	15	PR/UR	6	SR/IR	3	SR	0	27	
	477.93	480.97	3.04	2.94	97	2.1	69	R4	-	FR	15	PR/SR	9	PR/SR	3	SR	4	SR	0	31	
	480.97	484.02	3.05	2.92	96	1.9	62	R1/R4	-	MW/FR	8	PR/SR	8	SR/PR	3	SR/PR	2	SR	5	33	
	484.02	487.07	3.05	2.92	96	2.23	73	R4	-	FR	20	IR/PS	6	SR/UR	5	SR/CR	4	SR	0	27	
	487.07	490.12	3.05	3.05	100	2.15	70	R4	-	FR	15	PR/SR	14	SR/PR	4	SR	2	SR	0	30	
	490.12	493.17	3.05	2.93	96	2.13	70	R3/R4	-	FR	15	PS/IR	5	PS					0	30	
	493.17	496.21	3.04	2.99	98	1.41	46	R3	-	FR	13	PS/US	3	PS					0	54	
	496.21	499.26	3.05	2.93	96	2.16	71	R3/R4	-	FR	9	PS	3	PS	2	PS	4	PS/US	0	29	
	499.26	499.56	0.3	0.34	100	0.14	47	R4	-	FR	1	IR	1	IR						53	EOH
	EOH																				

DRILL HOLE SUMMARY SHEET

HOLE NO.: DG06-316C

PROJECT: Dublin Gulch - 1735

GROUND ELEVATION: 931m | EOH: 362.10M

BEARING: 180 | DIP: -55°

DATE STARTED: 6-Jul-06 | DATE COMPLETED: 11-Jul-06

COORD SYSTEM: NAD 27: EASTING: 459245 NORTHING: 7100141

COORD SYSTEM: NAD 83: EASTING: 459126 NORTHING: 7100323

LOGGED BY: M. Stone

SECTION LINE: 459126E

CONTRACTOR: DJ Drilling

SAMPLING DETAILS

Sample Sequence: C079366 to C079716

Requisition #: ALSC-CW06-037-STRGOL-R1 Date Shipped: July 14, 2006

Lab Record #: Date Received:

DRILLING DETAILS

Hole Diameter: HQ

Overburden: 3.05m

Deviation:

Casing: 3.05m

Core Size: HQ

Cement (# Bags): 0

Plug Depth: N/A

Notes: No plug necessary.

Duplicates:	C079382, C079402, C079422, C079442, C079462, C079482, C079502, C079522, C079542, C079562, C079582, C079602, C079622, C079642, C079662, C079682, C079702,
Preparation Duplicate/ Check Assay:	C079369, C079389, C079409, C079429, C079449, C079469, C079489, C079509, C079529, C079549, C079569, C079589, C079609, C079629, C079649, C079669, C079689, C079709,
Standards:	C079370(6F), C079390(7G), C079410(2B), C079430(6F), C079450(5E), C079470(4D), C079490(3C), C079510(4D), C079530(7G), C079550(6F), C079570(7G), C079590(6F), C079610(1A), C079630(4D), C079650(3C), C079670(4D), C079690(5E), C079710 (6F)
Blanks:	C079396, C079416, C079436, C079456, C079476, C079496, C079516, C079536, C079556, C079576, C079596, C079616, C079636, C079656, C079676, C079696, C079716

FROM	TO	LITHOLOGY
3.05	51.90	MSED
51.90	336.79	GND (gradational contact in crumbly core with reduced recovery)
336.79	354.54	MSED (contact abrupt at 70 to CA)
354.54	361.63	GND (contact abrupt at 60 to CA)
361.63	362.10	MSED (contact abrupt at 65 to CA)

DEPTH (m)	AZI (Orig)	DIP (Orig)	AZ (+25.5 Corr)
100.00	141.7	55.7	167.7
255.42	141.3	55.4	166.8
356.01	143.9	54.8	169.4

FROM	TO	ALTERATION
195.30	211.31	Silicified
227.99	362.10	Silicified
82.69	84.73	Silicified
97.36	105.40	Silicified
3.05	27.30	Oxidized
82.59	84.73	Oxidized
97.36	105.40	Oxidized
167.03	195.30	Oxidized
227.99	336.79	Oxidized
27.30	59.50	Unaltered
211.31	227.99	Unaltered
59.50	84.73	Altered - ser, cb, clay
97.36	211.31	Altered - cb, ser, clay
227.99	354.54	Altered - cb, ser, clay

ASSAY INTERCEPTS

FROM:	TO:	INT:	Au (g/t)	SAMPLE QUALITY:

FROM	TO	MINERALIZATION (Veins)

COMMENTS: (Ground conditions, fracture zones, water flows, drilling problems)

DRILL LOG LEGEND P1 | **DATE: July, 2006**

DRILL HOLE # : DG06-316C

0 = Unoxidized, 5 = Intensely Ox'd
0 = Unaltered, 5 = Intensely Altered
Carbonate: 0 = No Effervescence, 5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages: 0 = No Alteration, 5 = Intense Alt'n
Ox. State: 0 = No Oxidized Sulphides, 5 = All Sulph Oxidized

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

Date: July, 2006

LOGGED BY: M. Stone

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS										% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																Selvages				Sulphides								Oxidation										
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
-1		0.00	3.05	No recovery																																	
80	3.05 - 51.90	3.05	5.14	(inside casing): This small zone contains subrounded cobbles of MSED - argillite.	3																												C079366	3.05	5.18	0.012		
																																C079367	5.18	6.32	0.012		
		5.14	27.30	Casing to 7.62m (25'). Meta-sediment with argillaceous composition. Un-oxidized and competent sections (<10cm) appear as possible skarn material - colour is pale greyish blue between partially-ox'd layering.	3																												C079368	6.32	7.44	0.020		
				At 6.20m, a 2cm zone of clay, med-brown																													C079369	6.32	7.44		CHECK ASSAY	
				At 6.45m, clay-rich and heavily ox'd, brecciated ARG, to 7.00m (loss of recovery).																													C079370				STANDARD 6F	
				At 8.25m a vein (1cm) of foreign rock type (possibly carb'd GND) at 80 to CA, branching. <1cm veins of similar material continue below, <1 per metre.																													C079371	7.44	8.53	0.024		
																																C079372	8.53	10.06	0.161		
																																C079373	10.06	11.58	0.008		
																																C079374	11.58	13.10	0.003		
																																C079375	13.10	14.63	0.007		
																																C079376				BLANK	
																																C079377	14.63	16.14	0.005		
																																C079378	16.14	17.65	0.003		
																																C079379	17.65	19.21	0.005		
																																C079380	19.21	20.73	0.005		
																																C079381	20.73	22.25	0.003		
																																C079382	20.73	22.25		FIELD DUPLICATE	
																																C079383	22.25	23.71	0.005		
																																C079384	23.71	25.30	0.010		
																																C079385	25.30	26.82	0.011		
		27.30	51.90	Bleached ARG; gradational to QZZ at 45m																													C079386	26.82	28.35	0.075		
																																C079387	28.35	29.87	0.091		
											1	1	1.0	1.0	60													1.0				C079388	29.87	31.44	0.025		
																																C079389				CHECK ASSAY	
																																C079390				STANDARD 7G	
				Vnlts of py at 34.6 and 39.4																													C079391	31.44	32.97	0.070		
																																C079392	32.97	34.49	0.008		
																																C079393	34.49	35.97	3.020		
																																C079394	35.97	37.50	0.052		
																																C079395	37.50	39.01	0.016		
																																C079396				BLANK	
																																C079397	39.01	40.54	0.038		
																																C079398	40.54	42.00	0.009		
																																C079399	42.00	43.58	0.005		
				QZZ with foliation at 85 to CA. Mineralization in crystals and stringers parallel to and within fabric. No Fe-ox'n here.							1	1	3.0	3.0	85					0.1								4.0				C079400	43.58	45.11	0.005		
											2	1	1.5	1.5	90													2.0				C079401	45.11	46.64	0.038		one vein has no distinct orientation; fabric folded randomly (at low angle to CA)
																																C079402	45.11	46.64		FIELD DUPLICATE	
											3	1	2.0	3.5	90													2.0				C079403	46.64	48.16	0.010		
																																C079404	48.16	49.69	0.034		
											2	1	2.0	4.0	85													1.0				C079405	49.69	51.21	0.038		
				From 51.65 to 51.90m is gradational contact into GND; generally follows QZZ foliation (85 to CA). Recovery down, crumbly zone																													C079406	51.21	51.90	0.012		
10	51.90 - 336.79	51.90	59.50	from 51.90 to 52.60m, core is a 'sandy' texture, still coherent, but beige carbonate weakens GND with no preferred orientation. Aspy veinlet (0.2cm) has dark grey-black selvages 1cm into carb'd GND.							1																						C079407	51.90	52.50	0.088		
																																C079408	52.50	53.40	0.117		
																																C079409	52.50	53.40		CHECK ASSAY	

DRILL LOG LEGEND P1 | **DATE: July, 2006**

DRILL HOLE # : DG06-316C

0 = Unoxidized, 5 = Intensely Ox'd
0 = Unaltered, 5 = Intensely Altered
Carbonate: 0 = No Effervescence, 5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages: 0 = No Alteration, 5 = Intense Alt'n
Ox. State: 0 = No Oxidized Sulphides, 5 = All Sulph Oxidized

Date: July, 2006

LOGGED BY: M. Stone

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS										% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages				Sulphides								Oxidation											
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
																																	C079410				STANDARD 2B	
				Bleached GND plus MSED xenoliths; from 54.40 to 59.50m.																													C079411	53.40	54.25	0.003		
				1cm ox'd sulph vein at 30 to CA at 56.1m																													C079412	54.25	55.77	0.013		
																																C079413	55.77	57.30	0.141		
											2	1	40.0	41.0	20														1.0				C079414	57.30	58.83	0.271		large vein angle is not available
		59.50	73.43	GND, med-grained and med-grey, partially silicified. A few qtz / qtz-sulph / qtz-carb veins at low angle; breakage frequently at 40 to CA.		1					1	6	1.0	1.0	30								2.0						90.0									
											1	7	1.0	1.0	20							2.0							5.0				C079415	58.83	60.35	3.770		
																																	C079416				BLANK	
																																	C079417	60.35	61.87	0.013		
																																	C079418	61.87	63.40	0.020		
																																	C079419	63.40	64.93	0.118		
											3	6	0.2	0.6	20		2.0	cb	2					10.0					5.0				C079420	64.93	66.45	0.040		
											1	6	0.2	0.2	20		2.0	q	3					30.0					5.0				C079421	66.45	67.98	0.009		
																																	C079422	66.45	67.98		FIELD DUPLICATE	
																																	C079423	67.98	69.49	0.003		
											1	3	1.0	1.0	10		1.0	cb	4										7.0				C079424	69.49	70.06	0.005		
											1	1	0.4	0.4	40																		C079425	70.06	71.34	0.440		
											3	3	1.0	2.0	15						2.0	0.1				1.0			5.0				C079426	71.34	72.54	0.497		
											1	3	1.0	1.0							4.0	1.0		0.1					1.0				C079427	72.54	73.43	0.028		branching and folded - no angle
		73.43	82.59	GND takes on a crumbly texture. No silicification. Possibly fault; clay to brecciated GND (<1cm) from 75.20 to 75.59m. Dark grey to beige clay.		1			1																								C079428	73.43	74.89	0.042		
																																	C079429	73.43	74.89		CHECK ASSAY	
																																	C079430				STANDARD 6F	
																																	C079431	74.89	75.59	0.328		
											1	3	1.5	1.5	10														0.1				C079432	75.59	77.12	0.003		
											2	3	0.5	1.0	30		5.0	s/cb	3										0.1		0.1		C079433	77.12	78.64	0.006		
											1	1	1.5	1.5	40																		C079434	78.64	80.17	0.053		
											1	3	1.0	1.0	30														3.0									
				At 80.70m, vnlts of carb/scor/ser, <2mm wide - no fresh sulphides, at 40 to CA, straight							1	1	1.0	1.0	30		1.0	s	2					0.1						1.0				C079435	80.17	81.69	0.012		
				Xeno of MSED @82.25m; 1x2cm, 2mm rxn rim in GND.																													C079436				BLANK	
		82.59	84.73	Completely crumbled GND;angular to rounded pieces left are <6cm long. Size minimum is fine sand (carb/clay minerals).Linear sections of pebbles show ox'd aspy + trace fresh aspy in stringers <1mm wide.	2			2	3																								C079437	81.69	83.22	0.010		
																																	C079438	83.22	84.73	0.125		
		84.73	97.36	At 84.73m, GND becomes less carb and clay rich, though has zones <0.5m of similar material to above. Black clay minerals also weaken this zone, in sub-zones 0.3-1m long							3	1	3.0	4.0	20		3.0	cb	4	1				0.1									C079439	84.73	86.23	0.003		clay min selvages; soft
											2	3	1.0	2.0	30														1.0				C079440	86.23	87.78	0.043		
											2	3	1.0	2.0	30														1.0				C079441	87.78	89.31	0.003		
																																	C079442	87.78	89.31		FIELD DUPLICATE	
																																	C079443	89.31	90.83	0.005		
											1	6	1.0	1.0	20									10.0									C079444	90.83	92.35	0.391		
																																	C079445	92.35	93.88	0.104		
																																	C079446	93.88	94.59	0.022		
											4	1	2.0	4.0	50	30	1.0	s	2		4.0	1.0	3.0	3.0					0.1				C079447	94.59	95.35	2.810		fresh euhedral aspy up to 2mm in diameter
											3	1	2.0	3.5	40	25	4.0	s	2		3.0	1.0	3.0						0.5				C079448	95.35	96.20	0.498		partially ox'd po
																																	C079449	95.35	96.20		CHECK ASSAY	
																																	C079450				STANDARD 5E	
											2	1	1.3	2.5	20		2.0	cb/s	2										0.1				C079451	96.20	97.36	0.156		
											2	7	1.0	2.0	20		2.0	cb	3										10.0									

DRILL LOG LEGEND P1 | **DATE: July, 2006**

DRILL HOLE # : DG06-316C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

Date: July, 2006

LOGGED BY: M. Stone

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS										% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages				Sulphides							Oxidation													
																	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
		97.36	105.40	Soft and crumbly GND. Fine to medium grained, carb clay infiltrates entire matrix. Some very dark grey sections, very soft, <1% disseminated aspy within these sections. Two veinlets of carb stand out, not straight.	2			3	2		1	3	3.0	3.0	35		30.0	cb/s	4	2								5.0				C079452	97.36	98.47	0.058		dark grey clay along vein margins; carb/qtz is ivory-white and pure, with only trace ox'd material within. Width somewhat variable: 1-3cm
				From 97.65 to 97.90m is greyish-green clay material. Little preservation of GND texture - clay-alt'd feldspars + few qtz eyes.							3	7	1.0	3.0	15		2.0	s/cb	3									10.0									
																														C079453	98.47	99.97	0.005		
																														C079454	99.97	101.50	0.003		
				One very broken up qtz vein preserved; sericitic selvage still visible within white clay material - greenish tint							1	1	1.0	1.0			6.0	s	2	1								0.1				C079455	101.50	103.02	0.003		
																														C079456				BLANK	
																														C079457	103.02	104.55	0.003		
		105.40	133.50	Partially silicified GND; far less carb/clay alt'n, but silicified carb stringers to veins still crosscut. Nice aspy veins from 107.65 to 110.0m (5). Very few veins other than these; GND appears a mafic-rich: dark grey, fine-to-medium grained.					1																						C079458	104.55	106.07	0.003		
																														C079459	106.07	107.60	0.012		
											2	6	1.0	2.0	30		1.0	q/s	1					60.0				2.0				C079460	107.60	109.12	0.208		
											1	6	3.0	3.0	30		5.0	q/s	1					15.0				1.0		0.1		C079461	109.12	110.65	0.732		
																														C079462				FIELD DUPLICATE	
											3	3	0.5	1.5	30											3.0				C079463	110.65	112.17	1.045		
											1	6	0.2	0.2	0		1.0	q	2		9.0						10.0			C079464	112.17	113.70	0.112		
																														C079465	113.70	115.21	0.052		
											4	1	0.5	2.0	25	55	1.0	q	2					2.0							C079466	115.21	116.73	0.003		
											1	6	3.0	3.0	10		20.0	s	3					60.0							C079467	116.73	117.76	0.008		
				At 118.66m, a12cm gradation into black, crumbly material, reduced to sand texture from 118.78 to 120.66m. Abrupt change at bottom of section, back to partially silicified GND with sulph-rich veinlets.																											C079468	117.76	118.78	0.003		
																														C079469	117.76	118.78		CHECK ASSAY	
																														C079470				STANDARD 4D	
																														C079471	118.78	120.66	0.040		
																														C079472	120.66	121.31	1.445		
																														C079473	121.31	122.84	7.060		
											1	1	0.5	0.5	30															C079474	122.84	124.36	0.218		
											1	1	2.0	2.0	30											1.0				C079475	124.36	125.88	0.013		
																														C079476				BLANK	
																														C079477	125.88	127.41	0.003		
																														C079478	127.41	128.92	0.008		
																														C079479	128.92	130.45	0.003		
																														C079480	130.45	131.98	0.003		
				From 131.98 to 132.84m is more crumbly material, alt'd with carb and ser with greenish beige to greenish black clay material (alt'd GND).							1	3	2.0	2.0	55		40.0	s/cb	5	2				0.1								C079481	131.98	133.50	0.060		
																														C079482	131.98	133.50		FIELD DUPLICATE	
		133.50	167.03	GND with qtz/carb veins at moderate angles to CA (30-70) as well as sulph veins (aspy) at low angles (<20) to CA. Selvages are sericitic and wide but core retains its competence throughout section.		2			1		4	3	1.5	6.0	30	50	9.0	s	3									1.0				C079483	133.50	135.03	0.110		
											7	3	1.2	4.5	60	40		s/cb	4								1.0				C079484	135.03	136.55	0.313		
											1	6	1.0	1.0	40			s/cb	4					15.0											
											1	3	1.0	1.0	15		2.0	q/s	2		6.0			0.1				5.0				C079485	136.55	138.08	2.220		
											3	3	0.3	0.8	60	155											0.1				C079486	138.08	139.60	0.016		
											1	6	1.0	1.0	45		3.0			3				60.0				5.0				C079487	139.60	141.13	0.694		
											4	7	0.2	0.8	10	40	4.0	cb	3		1.0							10.0				C079488	141.13	142.65	0.165		
																														C079489	141.13	142.65		CHECK ASSAY	
																														C079490				STANDARD 3C	
											1	1	1.0	1.0	15		1.0	s/cb	3									5.0				C079491	142.65	144.17	0.068		grey qtz

DRILL LOG LEGEND P1 | **DATE: July, 2006**

DRILL HOLE # : DG06-316C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: July, 2006

LOGGED BY: M. Stone

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION: From → To:	From:	To:	GEOLOGICAL DESCRIPTION	ROCK (Alteration): Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	VEINS: #/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages: Max (cm)	Alteration	(0-5)	Ox. State 0-5	% of VEIN & DISSEMINATED MATERIAL — Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other	Sample Number	Interval: From	To	Au (g/T)	Type of Sample	Vein Comments?
				1cm xenolith at 144.30m, fine-grained mafic, rounded.							7	3	1.5	4.0	40	50	10.0	s/cb	4					8.0						0.1				C079492	144.17	145.69	0.112		veins past 145.30m are silicified (pink hue) while above 145.30m, rock is weakened at carb veins
				At 145.69m, core becomes more alt'd than un-alt'd, to 148m, still mod. silicified.							6	3	3.0	4.5	45		2.0	cb	3											0.1				C079493	145.69	147.22	0.138		
											1	1	2.0	2.0	15		6.0	cb	3											2.0				C079494	147.22	148.74	0.082		
											3	3	0.6	1.3	25	10	2.0	cb	3		5.0								1.0									py only in one largest vein, not smaller ones
																																	C079495	148.74	150.27	0.077		
											2	3	0.3	0.6	10	5	1.0	cb	2														C079496				BLANK	
				Silicified GND with carb/qtz veins, minor aspy (mostly ox'd).							4	3	0.5	1.5	20	10	2.0	q/cb/s	3		2.0			5.0					10.0				C079497	150.27	151.79	0.317		
											2	3	2.0	3.0	50	20		s/cb	4										0.1				C079498	151.79	152.56	0.052		core completely alt'd
				Alteration affects whole core diameter and all the space between veins. Colour pale green to greyish green. Veins become aspy-rich. Carb in carb/qtz veins is silicified, appears pale pink, opaque. Selvages noted are what was visible, alteration within alteration, since ser/carb is ubiquitous.							2	7	2.0	2.5	60	30		s/cb	4								80.0									
				Centred at 152.40 is an openly folded qtz/carb vein, across ~25cm, angles from 30 to 150.							1	3	3.0	3.0	30	150		s/cb	4								4.0				C079499	152.56	153.94	0.129		
											1	6	2.0	2.0	140		5.0			2				20.0					40.0				C079500	153.94	154.84	1.120		selvage denoted by ox'd material/bt surrounding vein
											5	3	0.5	2.0	50		3.0	cb/s	4										0.1									
											6	4	0.3	1.5	20	60	2.0	cb	3					0.1					1.0				C079501	154.84	156.37	0.045		
																																	C079502	154.84	156.37		FIELD DUPLICATE	
				At 156.37m, stringers and sheeted veinlets of carb/sulphides crosscut core; <1mm wide, ~6 per metre, to 162m.							3	3	0.4	1.2	20	10	1.0	q/cb	2		1.0			8.0					1.0				C079503	156.37	157.03	0.180		
											4	6	0.5	2.0	20	160	2.0	q/cb	2					15.0					2.0				C079504	157.03	157.89	0.157		aspy forms in masses across vein
											1	6	1.5	1.5	20		1.0	q/cb	2					75.0					1.0				C079505	157.89	159.41	0.196		aspy vein moved by later carb vein <1cm
											5	3	0.4	1.0	20	45	0.5	q/cb	3		2.0			10.0					2.0				C079506	159.41	160.22	0.335		
											3	1	1.0	3.0	40			cb	3					10.0									C079507	160.22	160.93	0.307		
											5	6	2.0	3.3	10	45		cb/s	4					70.0					10.0									massive aspy alongside qtz and qtz/carb veins
											5	3	0.2	0.9	25	40	1.0	s	2					0.1					5.0				C079508	160.93	161.81	0.066		
																																	C079509	160.93	161.81		CHECK ASSAY	
																																	C079510				STANDARD 4D	
											3	4	0.2	0.6	50	20																	C079511	161.81	162.74	0.030		
											4	4	0.2	0.8	10	40													1.0				C079512	162.74	163.98	0.023		
											3	4	0.6	1.0	10	40																	C079513	163.98	165.50	0.024		
																																	C079514	165.50	167.03	0.024		carb veinlets cross core, random orientations and in stepped stringers
		167.03	195.30	At 167.36m GND becomes bleached; clay minerals replacing feldspars; scratchable with nail. Some clay with ox'd sulphides in dark grey stringers to veins.	1	1		2	1		1	3	0.5	0.5	30			cb/q	4												C079515	167.03	168.55	0.015		
																																	C079516				BLANK	
											2	4	0.4	0.7	10	25		cb/q	4														C079517	168.55	169.35	0.036		
				Branching stringers of ox'd sulphides pervade - ones >2mm are noted on second page. At 172.5 to 173.67m, probably 10 stringrs (<1mm) per metre - one at ~0 to CA has branches out into pale beige matrix.							2	4	1.0	2.0	30			cb/q	4			0.1					5.0				C079518	169.35	170.08	0.210		
											2	6	0.2	0.4	25	40		cb/q	4		2.0								80.0				C079519	170.08	171.61	0.038		
																																	C079520	171.61	173.13	0.043		dissem fresh aspy <1mm diameter
											3	7	3.0	4.5	50	140		cb/q	4					1.0					50.0				C079521	173.13	173.67	0.428		
																																	C079522	173.13	173.67		FIELD DUPLICATE	
																																	C079523	173.67	174.92	0.065		
																																	C079524	174.92	176.17	0.046		
											2	6	1.0	2.0	30			cb/s	4		2.0			20.0					20.0				C079525	176.17	177.36	0.183		
											2	7	1.3	1.6	35	20		cb/s	4										12.0				C079526	177.36	178.53	0.060		
											2	4	0.7	1.0	25			s/cb	4										0.1				C079527	178.53	179.69	0.031		5 ox'd sulph stringers, at 30 to CA
											3	3	0.6	1.3	10	25		s/cb	4										2.0				C079528	179.69	180.60	0.054		

DRILL LOG LEGEND P1 | **DATE: July, 2006**

DRILL HOLE # : DG06-316C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

Date: July, 2006

LOGGED BY: M. Stone

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																Selvages				Sulphides								Oxidation										
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
																																C079529	179.69	180.60		CHECK ASSAY	
																																C079530				STANDARD 5E	
											4	7	0.5	2.0	20	35		s/cb	4									3.0				C079531	180.60	181.86	0.085		
																																C079532	181.86	183.14	0.011		
																																C079533	183.14	184.10	0.015		
				At 185.60m, core starts to lose its competency, crumbly clay material in 1cm zones at 185.6 and 186.2m. Maximum clay content (includes 50% ox'd sulphide) for 25cm from 186.95 to 187.19m. Possible shear zone, fabric development (vein angle) at 40 to CA.							2	4	1.0	1.5	35			cb	4									3.0				C079534	184.10	185.32	0.016		
											4	3	1.0	3.5	40			cb	4									2.0				C079535	185.32	186.22	0.021		
																																C079536				BLANK	
																																C079537	186.22	187.19	0.028		
				"'Fabric" (shear plane?) continues at 40 to CA, denoted by stringers of chunky carbonate (sil'd), to 188.0m.																												C079538	187.19	188.37	0.041		
											2	3	0.7	1.2	40			cb	4	2								5.0				C079539	188.37	189.30	0.068		
				Bleached and sericitized GND w/ small carb/qtz/sulph veins							1	3	2.0	2.0	15			cb/s	4	1								14.0				C079540	189.30	190.58	0.126		
											1	3	2.0	2.0				cb/s	4	1	0.1							4.0				C079541	190.58	191.41	0.287		
																																C079542	190.58	191.41		FIELD DUPLICATE	
											4	3	0.5	2.0	45	20		s/cb	4		0.1							3.0				C079543	191.41	192.64	0.083		
											3	6	0.6	1.8	20	55		s/cb	4		5.0							10.0				C079544	192.64	193.31	0.118		
											1	6	0.5	0.5	15			s/cb	4		10.0							5.0				C079545	193.31	194.46	0.153		
											2	4	0.3	0.6	15		20.0	cb/s	2									0.1				C079546	194.46	195.30	0.181		
		195.30	211.31	Silicified GND, alt'd around carb/qtz veins and stringers with sericite and minor carb. Selvages visible and therefore unalt'd GND between them also visible.		2			1		2	3	0.6	0.8	15	60	6.0	s/cb	2					0.1				3.0				C079547	195.30	196.41	0.164		
											2	3	0.5	0.7	15	60	6.0	s/cb	2					0.1				3.0				C079548	196.41	197.51	0.175		
																																C079549	196.41	197.51		CHECK ASSAY	
																																C079550				STANDARD 6F	
											2	3	1.0	1.2	30	60	10.0	s	3									0.1				C079551	197.51	198.88	0.153		
				Low angle aspy/qtz vein intersects core at 199.0m; low angle averages to 0 degees to CA, runs straight through (meandering slightly) to 203.45m - a total length of 4.45m, within 3 samples							1	6	1.1	1.1	5		3.0	s	3					30.0				5.0				C079552	198.88	200.24	0.738		trace aspy dissem in selvages
				Because of low angle and 3cm selvage, unalt'd GND shows in rounded patches on outer core when vein meanders away from this edge.							1	6	1.1	1.1	0		3.0	s	3					30.0				5.0				C079553	200.24	201.50	2.570		same vein as C079552
											1	6	1.1	1.1	5		3.0	s	3					30.0				5.0				C079554	201.50	202.69	1.425		same vein as C079552
				Increasing stringers of carb with depth. From one (0.5cm) between 195 and 199 (4m), to 7 per metre from 202.0-204.0m.							1	6	1.1	1.1	5		3.0	s	3					30.0				5.0				C079555	202.69	203.61	3.290		
																																C079556				BLANK	
											3	1	1.0	2.0	30	150	1.0	s	2					5.0								C079557	203.61	205.13	0.503		
											1	1	0.5	0.5	15		4.0	s	2									2.0				C079558	205.13	206.08	0.124		
											1	6	1.0	1.0	155		3.0	s/cb	2		60.0											C079559	206.08	206.85	0.104		stringers of py radiate at same angle
											2	3	0.6	1.0	30	60	10.0	s/cb	1									2.0									
											2	3	0.5	1.0	30		4.0	s/cb	3									1.0				C079560	206.85	208.38	0.088		
				From 208.38 to 209.40m is crumbly white, randomly broken GND.																												C079561	208.38	209.70	0.069		
																																C079562	208.38	209.70		FIELD DUPLICATE	
				Unalt'd GND appears to have sericite crystallized, overprinting original texture with translucent green crystals 2-3mm in diameter.							3	3	1.0	1.4	25	35	3.0	s/cb	3									4.0				C079563	209.70	210.64	0.042		
											1	3	0.5	0.5	35		5.0	s	3													C079564	210.64	211.31	0.033		
		211.31	227.99	Alteration pervasive through section; carb (partially silicified) plus moderate to intense sericitization affects core. Massive sulphide veins as noted, predominantly pyrite. Not silicified; core is crumbly in some zones, up to 40cm long, as noted.							2	3	0.4	0.7	15	55	2.0	s	3									1.0				C079565	211.31	212.75	0.169		
				from 213.98 to 214.04m is clay gouge material, white to grey.							1	6	0.6	0.6	160		2.0	s/cb	2					15.0				15.0									
																																C079566	212.75	214.28	0.041		
											2	1	1.0	2.0	25			q/cb/s	4		5.0			1.0				2.0				C079567	214.28	215.04	0.067		
											1	3	2.0	2.0	150		4.0	q/cb	3		0.1							1.0									
											4	3	1.0	2.6	155		1.0	cb/q	2		10.0			0.1				3.0				C079568	215.04	215.80	0.233		155 equals 25 here; only noted above 90 to show relative positions

DRILL LOG LEGEND P1 | **DATE: July, 2006**

DRILL HOLE # : DG06-316C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: July, 2006

LOGGED BY: M. Stone

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages				Sulphides							Oxidation											
																	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
											1	6	0.2	0.2	40						50.0								10.0									
																																	C079569	215.04	215.80		CHECK ASSAY	
																																	C079570				STANDARD 7G	
											2	3	1.0	1.4	150		5.0	cb	3		1.0												C079571	215.80	216.61	3.630		
				At 216.30m, a 6-cm vein of fresh pyrite (assoc wih qtz) intersects core at 30 to CA.							1	6	6.0	6.0	45	20	8.0	q	2		50.0					5.0			10.0									branch-off of pure qtz at 20; main sulphide body at 45; sph at margins of massive py
											1	1	1.0	1.0	30		6.0	cb	2										5.0				C079572	216.61	217.75	0.077		
											1	7	0.2	0.2	0	5	2.0	cb/s	4										30.0									
											1	7	0.2	0.2	0	5	2.0	cb/s	4										30.0				C079573	217.75	218.85	0.416		same vein as C079572
				At 219.0m, another massive pyrite vein with ox'd sulph selvages intersects core at a difficult-to-determine low angle to CA. Massive fresh pyrite within 1cm of ox'd pyrite (black). Some qtz assoc; GND texture virtually disappears within silicified selvages							1	3	0.4	0.4	10		2.0	cb/s	2										0.1				C079574	218.85	219.87	9.560		
											1	6	20.0	20.0	20		4.0			3	60.0								10.0									
				From 220.4 to 220.65m is crumbly white to grey material; only qtz eyes and bt left of GND texture.							1	3	0.5	0.5	30														0.1				C079575	219.87	221.02	0.427		
				From 221.50-221.99m is crumbly with ox'd sulph clay + white clay material.							1	7	0.5	0.5	10														40.0									
																																	C079576				BLANK	
											3	3	1.0	3.0	35	155	1.0	s	3	2	0.1								5.0				C079577	221.02	221.89	0.150		
				From 220.2 to 227.06, crooked and branching sulphide stringers to veinlets cross cut core; about 15 per metre, with trace fresh aspy surrounding and within, mostly oxidized to dark grey; minor carb assoc with them as well.							3	1	2.0	3.5	35	10	2.0	s	3	2	0.1								5.0				C079578	221.89	222.90	0.176		carb assoc. w/ vein at 10 to CA
											2	1	2.0	3.5	40		3.0	s	3	1				3.0					0.1				C079579	222.90	223.95	0.146		
											2	3	1.0	2.0	40			cb	2														C079580	223.95	224.94	0.065		
											4	3	1.0	3.0	40			cb	2										1.0				C079581	224.94	225.99	0.054		all bent and twisted, narrow and widen, moved along numerous ox'd sulphd veinlets
				From 226.55 to 227.35m is a small silicified zone surrounding a carb/qtz/sulph vein at low angle to CA.																													C079582	224.94	225.99		FIELD DUPLICATE	
											4	7	2.0	4.0	20	40	15.0	s	3	2	3.0					2.0			3.0				C079583	225.99	227.06	0.296		
		227.99	260.78	Silicified GND with complete alteration, grading between greater carbonate and less sericite to greater sericite and less carbonate. Medium-grained GND texture still visible, with moderate feldspar replacement and crystallization of sericite.	1	3			3		1	3	0.5	0.5	5		0.3	s	2	1									4.0				C079584	227.06	227.99	0.029		
				Selvages in this section show off sericitic or carbonitic alteration, depending on surrounding rock alteration. i.e. sericitic selvages appear moreso in carbonaceous background and vice versa.							2	3	1.0	1.5	30		1.0	s	3										3.0				C079585	227.99	229.51	0.131		
											1	6	2.0	2.0	40		3.0	s	3	1				5.0					10.0									
											1	1	0.3	0.3	10		0.2	cb	3				2.0	4.0					3.0				C079586	229.51	231.04	0.032		
											4	3	0.5	1.2	40	25	3.0	cb	1										2.0				C079587	231.04	232.57	0.033		
											1	3	0.3	0.3	25		2.0	s	1										5.0				C079588	232.57	234.09	0.056		
											1	1	6.0	6.0	65														0.1									grey qtz
																																	C079589	232.57	234.09		CHECK ASSAY	
																																	C079590				STANDARD 6F	
											2	6	3.0	3.5	20	35								30.0					5.0				C079591	234.09	235.62	2.570		minor sil'd carb also assoc
											3	3	2.0	3.0	30	45	3.0	s	4					0.1					0.1									
											2	6	3.0	6.0	25									30.0					5.0				C079592	235.62	237.13	1.010		minor sil'd carb also assoc
											1	6	5.0	5.0	60		4.0	cb	4		30.0			0.1		2.0			12.0				C079593	237.13	238.66	0.144		
											2	7	4.0	4.5	30						2.0			60.0					5.0				C079594	238.66	240.18	0.218		
											4	7	0.5	2.0	20	35	4.0	s	3		5.0			30.0					3.0				C079595	240.18	241.70	0.103		py and aspy in different veins
																																	C079596				BLANK	
											3	7	1.0	1.4	40	20	1.0	s	2		0.1			30.0					10.0				C079597	241.70	243.23	0.209		
											2	7	1.0	1.0	20		1.0	s	2		0.1			30.0					10.0				C079598	243.23	244.26	0.177		vein continues from previous sample
											1	6	2.0	2.0	15		22.0	s	4	1				15.0					25.0				C079599	244.26	245.24	0.734		
											2	3	0.5	1.0	30		1.0	s	2					0.1					1.0				C079600	245.24	246.28	0.033		

DRILL LOG LEGEND P1 | **DATE: July, 2006**

DRILL HOLE # : DG06-316C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: July, 2006

LOGGED BY: M. Stone

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages			Ox. State 0-5	% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)		Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other				From	To			
				To 247.15m, carbonitic alteration is greater than sericitic, so rock colour is yellowish beige, with GND texture still visible. At 247.15m, rock becomes more sericitic than carbonitic, and corresponding colour is a variable green, from greyish (less alt'd) to yellowish green.						2	3	0.5	1.0	30		1.0	s	2					0.1					1.0				C079601	246.28	247.81	0.015		
																																	C079602	246.28	247.81		FIELD DUPLICATE	
											1	3	0.5	0.5	30		1.0	cb	1					0.1				1.0				C079603	247.81	249.33	0.015		
											2	3	1.0	1.5	30		1.0	s	2					0.1				1.0				C079604	249.33	250.44	0.020		
																																	C079605	250.44	251.72	0.010		
											2	6	1.0	2.0	20						5.0			10.0			0.1		1.0				C079606	251.72	252.60	0.339		
											1	3	0.6	0.6	15														0.1										
											2	1	4.0	5.0	20		1.0	cb	1		2.0			13.0					25.0				C079607	252.60	253.98	1.745		minor sil'd carb assoc; py within margins and in selvages of veins
											2	3	2.0	3.0	20	30	1.0	s	2		2.0			2.0					10.0				C079608	253.98	255.42	0.101		
																																	C079609	253.98	255.42		CHECK ASSAY	
																																	C079610				STANDARD 1A	
											1	3	0.2	0.2	20		0.5	q/cb	3														C079611	255.42	256.95	0.032		
											2	3	0.2	0.4	25														5.0				C079612	256.95	258.47	0.019		
				At 258.47m, one pink qtz/carb vein seen folded - appears as ovals (14cm) on core surface - over length of 41cm							3	3	0.2	0.6	25		5.0	s	3										5.0				C079613	258.47	260.00	0.024		
											2	3	0.2	0.3	25														0.1				C079614	260.00	260.78	0.013		
		260.78	313.80	Carbonitic alteration is pervasive, silicified. Mafic minerals virtually gone (except bt), so this could be called a carbonitic granite.	1	1	1	1	4		1	3	0.2	0.2	40														0.1				C079615	260.78	262.22	0.015		also present, two 1mm stringers (random orientations, bent) of ox'd sulph - aspy seen dissem in surrounding matrix
				At 261.18m, a 3x2cm xenolith of MSED, long axis at 90 to CA.																													C079616				BLANK	
				At 262.75m, one 0.3cm vein at 150 to CA contains ~90% fresh py, while 3 veins at 30 are 95% ox'd sulph (v fine grained with irregular boundaries)							4	7	2.0	7.0	30	150							0.1	0.1				2.0	50.0				C079617	262.22	262.88	0.021		"other" sulphide may be pentlandite or bronze chalcopyrite, forms in wider zones of sulph vein
											4	3	1.5	4.0	25		4.0	s	3	1							5.0					C079618	262.88	263.70	0.043		
											1	7	0.2	0.2	150						90.0																	
											2	2	1.0	1.6	30	40	2.0	s	2										0.1				C079619	263.70	265.05	0.019		
											1	3	0.3	0.3	15		2.0	s	2		0.1								8.0				C079620	265.05	266.35	0.019		
											3	3	0.3	0.7	20		1.0	cb	2		1.0								1.0				C079621	266.35	267.61	0.024		
																																	C079622	266.35	267.61		FIELD DUPLICATE	
																																	C079623	267.61	268.71	0.056		Four 1mm stringers (stepped and branching) of ox'd sulph - aspy seen dissem in surrounding matrix
																																	C079624	268.71	269.62	0.014		Three 1mm stringers (stepped and branching, eventually pinching out) of ox'd sulph + 2% fresh py
				At 269.9m, a 4cm qtz/py vein also contains silicified carb - white, opaque, 15%.							1	6	4.0	4.0	10		3.0	s	2	1	2.0								20.0				C079625	269.62	270.66	1.070		py appears bronze-coloured (due to black ox'n surrounding?)
											2	3	0.2	0.4	65	50	1.0	s/cb	2		0.1				0.1			2.0				C079626	270.66	272.18	0.119		Three 1mm stringers (at 15 to CA and branching to 155, eventually pinching out) of ox'd sulph + 5% fresh py
											4	3	0.4	1.2	30	40	3.0	s	2		1.0			2.0			0.1	0.1				C079627	272.18	273.71	0.033		
											3	7	0.3	0.7	50	20					20.0			0.1				20.0				C079628	273.71	275.24	0.056		veinlets branching at top of sample, second half they are straght with only minimal spreading of fresh py outside vein margins
																																	C079629	273.71	275.24		CHECK ASSAY	
																																	C079630				STANDARD 4D	
																																	C079631	275.24	276.76	0.018		no sulph stringers
											2	3	0.4	0.8	35														4.0				C079632	276.76	278.28	0.011		

DRILL LOG LEGEND P1 | **DATE: July, 2006**

DRILL HOLE # : DG06-316C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages 0 = No Alteration 5 = Intense Alt'n
Ox. State 0 = No Oxidized Sulphides 5 = All Sulph Oxidized

Date: July, 2006

LOGGED BY: M. Stone

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION: From → To:	From:	To:	GEOLOGICAL DESCRIPTION	ROCK (Alteration): Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	VEINS: #/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages: Max (cm)	Alteration	(0-5)	Ox. State 0-5	% of VEIN & DISSEMINATED MATERIAL: Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other	Sample Number	Interval: From	To	Au (g/T)	Type of Sample	Vein Comments?
											1	7	0.3	0.3	30		1.0	s	3	1	80.0								1.0				C079633	278.28	279.81	0.033		
											3	7	0.3	0.7	30		2.0	s	2	2	20.0			5.0					5.0				C079634	279.81	280.53	0.179		
											2	7	7.0	12.0	30		14.0	s	2	2	30.0			35.0					25.0				C079635	280.53	281.41	2.550		stringer branches from large veins included in selvage
																																	C079636				BLANK	
											2	7	0.4	0.6	30		1.0	s	2	2	5.0			1.0					15.0				C079637	281.41	282.85	0.142		
											4	7	0.3	1.0	60	40	1.0	s	2		1.0			5.0					15.0				C079638	282.85	284.32	0.051		
				From 284.55 to 285.50m, fresh and ox'd pyrite forms in wide stringers; where they are attached, it is considered a single vein; many solitary stringers not included in vein count							5	7	6.0	15.0	30	60	5.0	s	4	2	15.0			5.0					25.0				C079639	284.32	285.20	1.540		silicified carb assoc as well
											3	3	0.7	1.5	30		1.5	s	3	1				10.0					0.1				C079640	285.20	286.17	0.097		
											2	6	2.0	2.2	20		4.0	cb/s	4	1				65.0					1.0				C079641	286.17	286.93	2.130		
																																		C079642	286.17	286.93		FIELD DUPLICATE	
											2	6	1.4	1.8	25	20	2.0	cb/s	2	1				65.0					1.0				C079643	286.93	287.80	0.496		
											4	3	1.0	3.0	40	15	3.0	q/cb	3		10.0			1.0					2.0	0.1			C079644	287.80	288.95	0.461		finer-grained cb in selvage than in matrix
											2	1	1.2	2.0	30	40	4.0	q/cb	3		4.0			8.0									C079645	288.95	289.49	0.921		
				At 290.85m, a qtz vein at 30 to CA truncates 3 sulphide veinlets, and at intersection, massive aspy (1cm) accumulates. Veinlets are at 155 to CA.							2	1	0.6	1.2	30	10	0.5	q/cb	2	1	4.0			3.0									C079646	289.49	291.00	0.068		
											1	3	8.0	8.0	20		5.0	s	3	2	4.0			10.0									C079647	291.00	292.00	0.457		vein contains zones of py, qtz, carb, and aspy
				From 292.0m to 293.0m is 100% carb'd rock, with bright green chlorite crystalizing along clay-rich fracture faces at 80 to CA, as well as overprinting a weathered carb/qtz veinlet at 15 to CA.							2	3	0.3	0.3	15		1.0	cb/chl	2		2.0								1.0				C079648	292.00	293.01	0.040		
																																	C079649	292.00	293.01		CHECK ASSAY	
																																	C079650				STANDARD 3C	
																																	C079651	293.01	294.12	0.015		
											1	3	1.0	1.0	30		2.0	q/cb	2	1				1.0					4.0				C079652	294.12	295.05	0.087		
											2	7	0.4	0.6	5	20								40.0					3.0									
											3	7	2.0	3.0	25		1.0	cb/q	4					40.0					2.0				C079653	295.05	295.68	0.427		
											2	6	2.0	3.0	25		1.0	q/cb	3					30.0					1.0				C079654	295.68	296.63	1.315		
											2	7	0.5	1.0	25		1.0	s	2					5.0					10.0									
											2	7	1.0	2.0	25		2.0	cb	3	1	5.0								10.0				C079655	296.63	298.09	0.056		
																																	C079656				BLANK	
											2	4	0.5	0.7	25		1.0	cb	3	1	1.0			1.0					5.0				C079657	298.09	299.57	0.007		
											3	7	0.5	1.2	30	20								60.0					20.0				C079658	299.57	301.14	0.060		
											1	7	0.3	0.3	25		1.0			2	0.1			20.0					50.0				C079659	301.14	301.64	0.793		
				Zone rich in sulphide veins and sulphides within existing veins; From 301.64 to 302.51m, there are 2: one is a crumbly/clay-rich vein, ox'd sulphs, while the other is a milky qtz vein, w/ lots of aspy							2	6	3.0	4.0	40					1				25.0					5.0				C079660	301.64	302.51	1.800		
											2	1	1.5	3.0	40	30	3.0	s	2	1				20.0					1.0				C079661	302.51	303.68	0.202		
																																	C079662	302.51	303.68		FIELD DUPLICATE	
											2	1	1.5	3.0	40		3.0	s	1	2	4.0			12.0					5.0				C079663	303.68	304.55	0.187		ox'd sulphs either in irregular margins of veins, or as parallel-to-vein bands surrounding them (<1mm)
				Stringers to veinlets of fresh py/aspy begin at 302.6m: at 25 (most), and 155 to CA, 2 per metre, to 311.0m							4	1	1.0	2.0	25	50					2.0			4.0					5.0				C079664	304.55	305.97	0.126		
											1	3	0.5	0.5	55														15.0				C079665	305.97	307.24	0.145		
											3	7	0.3	8.0	35														10.0				C079666	307.24	308.15	0.081		
											2	1	1.0	2.0	40		2.0	s	3										5.0				C079667	308.15	309.10	0.129		
											2	3	1.0	1.2			1.0	cb	1		2.0								4.0	4.0								
											2	3	1.0	1.2	10	20	1.0	cb	1		2.0			2.0					2.0				C079668	309.10	310.29	0.210		
																																	C079669	309.10	310.29		CHECK ASSAY	
																																	C079670				STANDARD 4D	
											2	3	1.0	2.0	40		2.0	s	2					1.0					1.0				C079671	310.29	311.51	0.195		
											4	3	7.0	10.5	40	30	30.0	s	3					5.0					10.0				C079672	311.51	312.60	1.615		

DRILL LOG LEGEND P1 | **DATE: July, 2006**

DRILL HOLE # : DG06-316C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: July, 2006

LOGGED BY: M. Stone

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL															Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other				From	To			
											2	3	7.0	17.0	25		30.0	s	3					8.0							10.0				C079673	312.60	313.80	1.675		one vein open-folded; crosses core twice (total vein width 7+5+5cm)
		313.80	336.79	Silicified and carb'd GND - overall colour pale yellow. Sulphide (aspy + ox'd aspy) veins as well as qtz/sil'd carb veins, ~2 per metre; Selvages generally sericite rich	1	2	1		3		3	3	1.0	3.0	30	20	2.0	s	2	2									10.0				C079674	313.80	315.20	0.051		
											2	3	1.0	15.0	40		2.0	s	1	2				1.0					8.0				C079675	315.20	316.38	0.061		
																																		C079676				BLANK	
											2	3	1.0	1.3	40	20	1.5	s	2					0.1					4.0				C079677	316.38	317.90	0.010		
				Stringers and stepped veinlets pervade the section, but fresh sulphides are rare.							1	6	0.3	3.0	15		1.0	s	2	1				50.0					5.0				C079678	317.90	319.43	0.024		
											3	3	3.0	5.0	40	70	2.0	cb/s	2	1	5.0								10.0				C079679	319.43	320.96	0.049		ox'n in selvages is sulphide stringers coming off main vein
				At 322.4m, a 'ring' of qtz (w/ minor sil'd carb) appears on core surface - 4cm in diameter, long axis at 20 to CA							3	7	0.6	1.8	40	20	2.0	cb/s	3	1	1.0			1.0					20.0				C079680	320.96	322.48	0.032		
											4	3	1.0	2.6	20		4.0	s	4										4.0				C079681	322.48	324.01	0.023		
											1	6	0.3	0.3	140														100.0									branching, convolute
																																	C079682	322.48	324.01		FIELD DUPLICATE	
											2	3	0.5	1.0	25		3.0	s	1		2.0								5.0				C079683	324.01	325.53	0.068		
											1	6	4.0	4.0	30		16.0	s	3	2	9.0								6.0									
											2	1	2.0	2.5	30	40	4.0	s	2	1				5.0					2.0				C079684	325.53	327.06	0.057		
											1	3	2.0	2.0	30		10.0	s	3					2.0					8.0				C079685	327.06	328.57	0.055		
				From 327.6 to 331.2m, three larger carb/qtz veins house up to 10% fresh py or aspy; sulphides overprint only qtz, carb is silicified, opaque, yellowish white. These large veins are at 30-40 to CA, while pure (ox'd) sulph veins run 20-165 to CA.							4	3	3.0	3.7	40	25	6.0	s	4	1				10.0					4.0				C079686	328.57	329.80	0.086		
				Corresponding to (ox'd) sulph vein/veinlets, from 329.34 to 331.20m, core is more sericitized than carb'd. At 331.20m, GND returns to its more carbonitic alt'n							5	6	4.0	6.5	20		5.0	s	4	2	1.0								70.0				C079687	329.80	330.82	0.881		
											2	6	0.5	1.0	20	60					4.0								70.0				C079688	330.82	331.62	0.026		
																																	C079689	330.82	331.62		CHECK ASSAY	
																																	C079690				STANDARD 5E	
											1	7	0.5	0.5	35														60.0				C079691	331.62	333.15	0.032		
											3	6	3.0	4.5	35	55	3.0	s	1		5.0								10.0				C079692	333.15	334.67	0.037		
											2	6	1.0	2.0	20		1.0			2	20.0								18.0				C079693	334.67	335.87	0.082		
				MSED appears for 14cm at 336.5m, followed by 4cm of indistinguishable 'chunky' qtz, and then ~10-15cm of GND, fine-medium grained, unalt'd, but physically broken up. MSED 'vein' is very fine grained, intersects core at 75 to CA.							1	1	3.0	3.0	80						0.1								2.0				C079694	335.87	336.79	0.073		
80	336.79 - 354.54	336.79	354.54	Abrupt contact from carb'd GND to felsic MSED, on coherent core, at 70 to CA; to 339.99m MSED is chl-rich and sericitized. Lots of chunky qtz (noted as veins), silicified QZZ.		3	1		2		1	4	0.2	0.2	30		1.0	cb	1																C079695	336.79	337.72	0.007		
																																	C079696				BLANK	
											6	1	3.0	12.0	75			q	4		0.1								0.1				C079697	337.72	339.25	0.014		surrounding rock all sil'd
											6	1	2.0	12.0	70			q	3										0.1				C079698	339.25	340.77	0.003		
											1	7	0.2	0.2	20		0.5			4						1.0			20.0									
											4	1	4.0	8.0	70														4.0				C079699	340.77	342.29	0.005		
											3	1	2.0	6.0	35			q	4														C079700	342.29	343.20	0.003		
											1	6	0.2	0.2	15											2.0			20.0									
											1	1	2.0	2.0	70														1.0				C079701	343.20	344.72	0.003		
																																	C079702	343.20	344.72		FIELD DUPLICATE	
											8	2	3.0	12.5	75		5.0	q	2										0.1				C079703	344.72	346.66	0.005		
				From 345.1 to 345.25m, a sulphide vein (part fresh, part ox'd) crosscuts fabric as well as qtz veins (parallel to fabric).							1	6	0.3	0.3	20	0					15.0								25.0									
				From 346.8 to 348.3m, layering in MSED is folded, into open to moderate folds, 5-cm scale, some 'm's seen (hinges), and 'z's (left limb of anticline).							4	1	6.0	16.0	60		0.5	cb	3					2.0		0.1			3.0				C079704	346.66	348.19	0.007		xtl'ized cb along vein margins of 2 of 3 veins; aspy in only 1 vein (@ 248.05m.
											4	1	17.0	26.0	60									0.1					1.0				C079705	348.19	349.91	0.007		
											4	1	2.0	5.0	60		10.0	q/cb	3										0.1	0.1			C079706	349.91	351.44	0.011		
											1	7	0.2	0.2	20		0.5			2						1.0			20.0									
											2	1	1.0	2.0	50														0.1				C079707	351.44	352.96	0.011		
											3	1	2.0	5.0	50		2.0	cb	3		1.0								1.0				C079708	352.96	354.48	0.023		

DRILL LOG LEGEND P1 | **DATE: July, 2006**

DRILL HOLE # : DG06-316C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Date: July, 2006

LOGGED BY: M. Stone

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS										% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages				Sulphides								Oxidation												
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
																																	C079709	352.96	354.48		CHECK ASSAY	
																																	C079710				STANDARD 6F	
10	354.54 - 361.63	354.54	361.63	GND: heavily altered with sericite and minor carbonate, silicified. Contact w/ QZZ abrupt at 60 to CA. Large qtz vein at 355.0m to 355.2m (16cm w/ qtz-rich selvages).							1	1	8.0	8.0	40		42.0	s	4	1									0.1				C079711	354.48	356.01	0.260		
											1	6	0.5	0.5	5		2.0	cb	4	1				1.0					30.0									
											1	4	0.5	0.5	30		1.0	cb	3														C079712	356.01	357.53	0.090		
											1	6	0.5	0.5	5		2.0	cb	4	1				1.0					30.0									
											1	4	0.5	0.5	30		1.0	s/cb	3	1									4.0				C079713	357.53	359.05	0.018		
				From 358.30 to 361.43m, alteration between carb and ser is clearly defined, as ser infiltrates into carb dendritically surrounding (as selvage) <1mm fractures. Fractures have ox'd sulphides flattened onto them, with up to 5% disseminated aspy grains.																											C079714	359.05	360.58	0.018		
80	361.63 - 362.10	361.63	362.10	MSED reappears for last 37cm of hole, abrupt, at 65 to CA; 2 large qtz veins, no mineralization GND in 1-3cm veins into first 10cm, ser'd.							2	1	4.0	7.0	60														0.1	0.1			C079715	360.58	362.10	0.019		
																																	C079716				BLANK	
																																			E.O.H.			

From-To Sheet DG06-316C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C079366	3.05	5.18	2.13		
C079367	5.18	6.32	1.14		
C079368	6.32	7.44	1.12		
C079369	6.32	7.44	1.12	CHECK ASSAY	
C079370				STANDARD 6F	2.77
C079371	7.44	8.53	1.09		
C079372	8.53	10.06	1.53		
C079373	10.06	11.58	1.52		
C079374	11.58	13.10	1.52		
C079375	13.10	14.63	1.53		
C079376				BLANK	
C079377	14.63	16.14	1.51		
C079378	16.14	17.65	1.51		
C079379	17.65	19.21	1.56		
C079380	19.21	20.73	1.52		
C079381	20.73	22.25	1.52		
C079382	20.73	22.25	1.52	FIELD DUPLICATE	
C079383	22.25	23.71	1.46		
C079384	23.71	25.30	1.59		
C079385	25.30	26.82	1.52		
C079386	26.82	28.35	1.53		
C079387	28.35	29.87	1.52		
C079388	29.87	31.44	1.57		
C079389	29.87	31.44	1.57	CHECK ASSAY	
C079390				STANDARD 7G	4.46
C079391	31.44	32.97	1.53		
C079392	32.97	34.49	1.52		
C079393	34.49	35.97	1.48		
C079394	35.97	37.50	1.53		
C079395	37.50	39.01	1.51		
C079396				BLANK	
C079397	39.01	40.54	1.53		
C079398	40.54	42.00	1.46		
C079399	42.00	43.58	1.58		
C079400	43.58	45.11	1.53		
C079401	45.11	46.64	1.53		
C079402	45.11	46.64	1.53	FIELD DUPLICATE	
C079403	46.64	48.16	1.52		
C079404	48.16	49.69	1.53		
C079405	49.69	51.21	1.52		
C079406	51.21	51.90	0.69		
C079407	51.90	52.50	0.60		
C079408	52.50	53.40	0.90		
C079409	52.50	53.40	0.90	CHECK ASSAY	
C079410				STANDARD 2B	3.02
C079411	53.40	54.25	0.85		

From-To Sheet DG06-316C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C079412	54.25	55.77	1.52		
C079413	55.77	57.30	1.53		
C079414	57.30	58.83	1.53		
C079415	58.83	60.35	1.52		
C079416				BLANK	
C079417	60.35	61.87	1.52		
C079418	61.87	63.40	1.53		
C079419	63.40	64.93	1.53		
C079420	64.93	66.45	1.52		
C079421	66.45	67.98	1.53		
C079422	66.45	67.98	1.53	FIELD DUPLICATE	
C079423	67.98	69.49	1.51		
C079424	69.49	70.06	0.57		
C079425	70.06	71.34	1.28		
C079426	71.34	72.54	1.20		
C079427	72.54	73.43	0.89		
C079428	73.43	74.89	1.46		
C079429	73.43	74.89	1.46	CHECK ASSAY	
C079430				STANDARD 6F	2.77
C079431	74.89	75.59	0.70		
C079432	75.59	77.12	1.53		
C079433	77.12	78.64	1.52		
C079434	78.64	80.17	1.53		
C079435	80.17	81.69	1.52		
C079436				BLANK	
C079437	81.69	83.22	1.53		
C079438	83.22	84.73	1.51		
C079439	84.73	86.23	1.50		
C079440	86.23	87.78	1.55		
C079441	87.78	89.31	1.53		
C079442	87.78	89.31	1.53	FIELD DUPLICATE	
C079443	89.31	90.83	1.52		
C079444	90.83	92.35	1.52		
C079445	92.35	93.88	1.53		
C079446	93.88	94.59	0.71		
C079447	94.59	95.35	0.76		
C079448	95.35	96.20	0.85		
C079449	95.35	96.20	0.85	CHECK ASSAY	
C079450				STANDARD 5E	1.43
C079451	96.20	97.36	1.16		
C079452	97.36	98.47	1.11		
C079453	98.47	99.97	1.50		
C079454	99.97	101.50	1.53		
C079455	101.50	103.02	1.52		
C079456				BLANK	
C079457	103.02	104.55	1.53		

From-To Sheet DG06-316C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C079458	104.55	106.07	1.52		
C079459	106.07	107.60	1.53		
C079460	107.60	109.12	1.52		
C079461	109.12	110.65	1.53		
C079462	109.12	110.65	1.53	FIELD DUPLICATE	
C079463	110.65	112.17	1.52		
C079464	112.17	113.70	1.53		
C079465	113.70	115.21	1.51		
C079466	115.21	116.73	1.52		
C079467	116.73	117.76	1.03		
C079468	117.76	118.78	1.02		
C079469	117.76	118.78	1.02	CHECK ASSAY	
C079470				STANDARD 4D	0.43
C079471	118.78	120.66	1.88		
C079472	120.66	121.31	0.65		
C079473	121.31	122.84	1.53		
C079474	122.84	124.36	1.52		
C079475	124.36	125.88	1.52		
C079476				BLANK	
C079477	125.88	127.41	1.53		
C079478	127.41	128.92	1.51		
C079479	128.92	130.45	1.53		
C079480	130.45	131.98	1.53		
C079481	131.98	133.50	1.52		
C079482	131.98	133.50	1.52	FIELD DUPLICATE	
C079483	133.50	135.03	1.53		
C079484	135.03	136.55	1.52		
C079485	136.55	138.08	1.53		
C079486	138.08	139.60	1.52		
C079487	139.60	141.13	1.53		
C079488	141.13	142.65	1.52		
C079489	141.13	142.65	1.52	CHECK ASSAY	
C079490				STANDARD 3C	0.091
C079491	142.65	144.17	1.52		
C079492	144.17	145.69	1.52		
C079493	145.69	147.22	1.53		
C079494	147.22	148.74	1.52		
C079495	148.74	150.27	1.53		
C079496				BLANK	
C079497	150.27	151.79	1.52		
C079498	151.79	152.56	0.77		
C079499	152.56	153.94	1.38		
C079500	153.94	154.84	0.90		
C079501	154.84	156.37	1.53		
C079502	154.84	156.37	1.53	FIELD DUPLICATE	
C079503	156.37	157.03	0.66		

From-To Sheet DG06-316C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C079504	157.03	157.89	0.86		
C079505	157.89	159.41	1.52		
C079506	159.41	160.22	0.81		
C079507	160.22	160.93	0.71		
C079508	160.93	161.81	0.88		
C079509	160.93	161.81	0.88	CHECK ASSAY	
C079510				STANDARD 4D	0.43
C079511	161.81	162.74	0.93		
C079512	162.74	163.98	1.24		
C079513	163.98	165.50	1.52		
C079514	165.50	167.03	1.53		
C079515	167.03	168.55	1.52		
C079516				BLANK	
C079517	168.55	169.35	0.80		
C079518	169.35	170.08	0.73		
C079519	170.08	171.61	1.53		
C079520	171.61	173.13	1.52		
C079521	173.13	173.67	0.54		
C079522	173.13	173.67	0.54	FIELD DUPLICATE	
C079523	173.67	174.92	1.25		
C079524	174.92	176.17	1.25		
C079525	176.17	177.36	1.19		
C079526	177.36	178.53	1.17		
C079527	178.53	179.69	1.16		
C079528	179.69	180.60	0.91		
C079529	179.69	180.60	0.91	CHECK ASSAY	
C079530				STANDARD 5E	1.43
C079531	180.60	181.86	1.26		
C079532	181.86	183.14	1.28		
C079533	183.14	184.10	0.96		
C079534	184.10	185.32	1.22		
C079535	185.32	186.22	0.90		
C079536				BLANK	
C079537	186.22	187.19	0.97		
C079538	187.19	188.37	1.18		
C079539	188.37	189.30	0.93		
C079540	189.30	190.58	1.28		
C079541	190.58	191.41	0.83		
C079542	190.58	191.41	0.83	FIELD DUPLICATE	
C079543	191.41	192.64	1.23		
C079544	192.64	193.31	0.67		
C079545	193.31	194.46	1.15		
C079546	194.46	195.30	0.84		
C079547	195.30	196.41	1.11		
C079548	196.41	197.51	1.10		
C079549	196.41	197.51	1.10	CHECK ASSAY	

From-To Sheet DG06-316C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C079550				STANDARD 6F	2.77
C079551	197.51	198.88	1.37		
C079552	198.88	200.24	1.36		
C079553	200.24	201.50	1.26		
C079554	201.50	202.69	1.19		
C079555	202.69	203.61	0.92		
C079556				BLANK	
C079557	203.61	205.13	1.52		
C079558	205.13	206.08	0.95		
C079559	206.08	206.85	0.77		
C079560	206.85	208.38	1.53		
C079561	208.38	209.70	1.32		
C079562	208.38	209.70	1.32	FIELD DUPLICATE	
C079563	209.70	210.64	0.94		
C079564	210.64	211.31	0.67		
C079565	211.31	212.75	1.44		
C079566	212.75	214.28	1.53		
C079567	214.28	215.04	0.76		
C079568	215.04	215.80	0.76		
C079569	215.04	215.80	0.76	CHECK ASSAY	
C079570				STANDARD 7G	4.46
C079571	215.80	216.61	0.81		
C079572	216.61	217.75	1.14		
C079573	217.75	218.85	1.10		
C079574	218.85	219.87	1.02		
C079575	219.87	221.02	1.15		
C079576				BLANK	
C079577	221.02	221.89	0.87		
C079578	221.89	222.90	1.01		
C079579	222.90	223.95	1.05		
C079580	223.95	224.94	0.99		
C079581	224.94	225.99	1.05		
C079582	224.94	225.99	1.05	FIELD DUPLICATE	
C079583	225.99	227.06	1.07		
C079584	227.06	227.99	0.93		
C079585	227.99	229.51	1.52		
C079586	229.51	231.04	1.53		
C079587	231.04	232.57	1.53		
C079588	232.57	234.09	1.52		
C079589	232.57	234.09	1.52	CHECK ASSAY	
C079590				STANDARD 6F	2.77
C079591	234.09	235.62	1.53		
C079592	235.62	237.13	1.51		
C079593	237.13	238.66	1.53		
C079594	238.66	240.18	1.52		
C079595	240.18	241.70	1.52		

From-To Sheet DG06-316C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C079596				BLANK	
C079597	241.70	243.23	1.53		
C079598	243.23	244.26	1.03		
C079599	244.26	245.24	0.98		
C079600	245.24	246.28	1.04		
C079601	246.28	247.81	1.53		
C079602	246.28	247.81	1.53	FIELD DUPLICATE	
C079603	247.81	249.33	1.52		
C079604	249.33	250.44	1.11		
C079605	250.44	251.72	1.28		
C079606	251.72	252.60	0.88		
C079607	252.60	253.98	1.38		
C079608	253.98	255.42	1.44		
C079609	253.98	255.42	1.44	CHECK ASSAY	
C079610				STANDARD 1A	0.88
C079611	255.42	256.95	1.53		
C079612	256.95	258.47	1.52		
C079613	258.47	260.00	1.53		
C079614	260.00	260.78	0.78		
C079615	260.78	262.22	1.44		
C079616				BLANK	
C079617	262.22	262.88	0.66		
C079618	262.88	263.70	0.82		
C079619	263.70	265.05	1.35		
C079620	265.05	266.35	1.30		
C079621	266.35	267.61	1.26		
C079622	266.35	267.61	1.26	FIELD DUPLICATE	
C079623	267.61	268.71	1.10		
C079624	268.71	269.62	0.91		
C079625	269.62	270.66	1.04		
C079626	270.66	272.18	1.52		
C079627	272.18	273.71	1.53		
C079628	273.71	275.24	1.53		
C079629	273.71	275.24	1.53	CHECK ASSAY	
C079630				STANDARD 4D	0.43
C079631	275.24	276.76	1.52		
C079632	276.76	278.28	1.52		
C079633	278.28	279.81	1.53		
C079634	279.81	280.53	0.72		
C079635	280.53	281.41	0.88		
C079636				BLANK	
C079637	281.41	282.85	1.44		
C079638	282.85	284.32	1.47		
C079639	284.32	285.20	0.88		
C079640	285.20	286.17	0.97		
C079641	286.17	286.93	0.76		

From-To Sheet DG06-316C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C079642	286.17	286.93	0.76	FIELD DUPLICATE	
C079643	286.93	287.80	0.87		
C079644	287.80	288.95	1.15		
C079645	288.95	289.49	0.54		
C079646	289.49	291.00	1.51		
C079647	291.00	292.00	1.00		
C079648	292.00	293.01	1.01		
C079649	292.00	293.01	1.01	CHECK ASSAY	
C079650				STANDARD 3C	0.091
C079651	293.01	294.12	1.11		
C079652	294.12	295.05	0.93		
C079653	295.05	295.68	0.63		
C079654	295.68	296.63	0.95		
C079655	296.63	298.09	1.46		
C079656				BLANK	
C079657	298.09	299.57	1.48		
C079658	299.57	301.14	1.57		
C079659	301.14	301.64	0.50		
C079660	301.64	302.51	0.87		
C079661	302.51	303.68	1.17		
C079662	302.51	303.68	1.17	FIELD DUPLICATE	
C079663	303.68	304.55	0.87		
C079664	304.55	305.97	1.42		
C079665	305.97	307.24	1.27		
C079666	307.24	308.15	0.91		
C079667	308.15	309.10	0.95		
C079668	309.10	310.29	1.19		
C079669	309.10	310.29	1.19	CHECK ASSAY	
C079670				STANDARD 4D	0.43
C079671	310.29	311.51	1.22		
C079672	311.51	312.60	1.09		
C079673	312.60	313.80	1.20		
C079674	313.80	315.20	1.40		
C079675	315.20	316.38	1.18		
C079676				BLANK	
C079677	316.38	317.90	1.52		
C079678	317.90	319.43	1.53		
C079679	319.43	320.96	1.53		
C079680	320.96	322.48	1.52		
C079681	322.48	324.01	1.53		
C079682	322.48	324.01	1.53	FIELD DUPLICATE	
C079683	324.01	325.53	1.52		
C079684	325.53	327.06	1.53		
C079685	327.06	328.57	1.51		
C079686	328.57	329.80	1.23		
C079687	329.80	330.82	1.02		

From-To Sheet DG06-316C					
Sample Number	Interval		Width	Sample type	Au (g/T)
	From	To			
C079688	330.82	331.62	0.80		
C079689	330.82	331.62	0.80	CHECK ASSAY	
C079690				STANDARD 5E	1.43
C079691	331.62	333.15	1.53		
C079692	333.15	334.67	1.52		
C079693	334.67	335.87	1.20		
C079694	335.87	336.79	0.92		
C079695	336.79	337.72	0.93		
C079696				BLANK	
C079697	337.72	339.25	1.53		
C079698	339.25	340.77	1.52		
C079699	340.77	342.29	1.52		
C079700	342.29	343.20	0.91		
C079701	343.20	344.72	1.52		
C079702	343.20	344.72	1.52	FIELD DUPLICATE	
C079703	344.72	346.66	1.94		
C079704	346.66	348.19	1.53		
C079705	348.19	349.91	1.72		
C079706	349.91	351.44	1.53		
C079707	351.44	352.96	1.52		
C079708	352.96	354.48	1.52		
C079709	352.96	354.48	1.52	CHECK ASSAY	
C079710				STANDARD 6F	2.77
C079711	354.48	356.01	1.53		
C079712	356.01	357.53	1.52		
C079713	357.53	359.05	1.52		
C079714	359.05	360.58	1.53		
C079715	360.58	362.10	1.52		
C079716				BLANK	
		E.O.H.			

DG06-316C Relfex readings, July 10, 2006					
Depth (metres below surface)	Azimuth (degreg's)	Corrected Azimuth (degree's)	Dip (dgree's from horizontal)	Magnetic field	Temperature (celcius)
100	141.7	167.2	55.7	5761	14.6
255.42	141.3	166.8	55.4	5578	10.1
356.01	143.9	169.4	54.8	5575	10.4

GEOTECHNICAL SUMMARY SHEET

PROJECT: Dublin Gulch - 1735		
DRILL HOLE NO: DG06-316C		
Date Started: July 6, 2006	**Date Completed:** July 11, 2006	
Geoteched By: Stacy Doyle, Jason Kindrat, Mike Giasson, Marc Mains		
Contractor: DJ Drilling		
Hole Size: HQ	**Core Size:** HQ	
Total Depth: 362.10m	**Elevation:** 931m	
Average RQD: 55.37%	**Average Recovery Rate:** 91.69%	
	Easting	**Northing**
DDH NAD27		
NAD27	459245	7100141
NAD83	459126	7100323
	Azimuth	**Dip**
Original	180	-60
End of Hole	169.4	-54.8
Additional Comments:	No Dry pictures for Boxes 22-24, 25-27, 28-30, 34-36, 37-39, 40-42, 43-45, 46-48, and 49-51 due to rain. No Dry picture for Boxes 73-75 due to poor photo quality.	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO.__DG06-316C___ Sheet:__1__ of __4__

Date:_July 6-July 11, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:___Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
MSED	3.05	5.18	2.13	0.44	21	0	0	R4	-	FS			6	IS					0	100	
	5.18	7.62	2.44	1.47	60	0.37	15	R4	-	FS			4	PR/IR					0	85	
	7.62	8.53	0.91	0.67	74	0.28	31	R1/R4	-	FS/HW									5	64	
	8.53	11.58	3.05	2.37	78	0	0	R1/R4	-	FS/HW									2	98	
	11.58	14.63	3.05	2.24	73	0	0	R1/R4	-	FS/HW									7	93	
	14.63	17.68	3.05	2.36	77	0.38	12	R1/R4	-	FS/HW	1	IR	1	PS					4	84	
	17.68	20.73	3.05	2.57	84	0.39	13	R1/R4	-	FS/HW			2	CR/PR					7	80	
	20.73	22.25	1.52	0.87	57	0	0	R1/R3	-	FS/MW			1	IR	1	IR			1	99	
	22.25	23.71	1.46	1.13	77	0.13	9	R3	-	FS									0	92	
	23.71	26.82	3.11	1.98	64	0	0	R1/R4	-	HW/FS									10	90	
	26.82	29.87	3.05	2.2	72	0	0	R1/R4	-	HW/FS									7	93	
	29.87	30.18	0.31	0.12	39	0	0	R4	-	FS									0	100	
	30.18	32.92	2.74	2.2	80	0.26	9	R3	-	FS	4	SR/PR							0	91	
	32.92	35.97	3.05	2.9	95	0.94	31	R1/R3	-	MW/FS	9	SR/PR			1	UR			1	68	
	35.97	39.01	3.04	3.04	100	0.54	18	R1/R3	-	MW/FS	4	IR	2	IR	2	IR			1	81	
	39.01	42.06	3.05	3.05	100	0.48	16	R1/R3	-	MW/FS	6	PR							1	83	
	42.06	45.11	3.05	2.55	84	0.5	16	R3	-	FS	3	PS/SS	1	IS			2	IS	0	84	
	45.11	48.16	3.05	2.65	87	1.04	34	R3	-	FS	9	IR	3	IR					0	66	
	48.16	51.21	3.05	2.4	79	1.32	43	R1/R3	-	MW/FS	5	US/IS							3	54	
	51.21	54.25	3.04	2.88	95	0.27	9	R1/R3	-	MW/FS	2	IS	1	SS	1	SS			0	91	.
	54.25	57.3	3.05	2.9	95	0.78	26	R1/R3	-	MW/FS	7	IR/SR	1	SR					0	74	
	57.3	60.35	3.05	2.6	85	0.46	15	R2/R3	-	MW/FS	2	IR					2	PS	0	85	
	60.35	63.4	3.05	2.87	94	1.88	62	R3	-	FR	8	IR/UR	4	IR			4	SR/PR	0	38	
	63.4	66.45	3.05	3.05	100	2.14	70	R3	-	FR	8	PS	9	SS/US			2	PS	0	30	
	66.45	69.49	3.04	3.04	100	2.26	74	R3	-	FR	8	PR/IR	3	IR	1	PS	1	PS	0	26	
	69.49	72.54	3.05	2.86	94	1.79	59	R1/R3	-	HW/FR	16	SR/PR			2	UR			5	36	
	72.54	75.59	3.05	3.05	100	1.02	33	R1/R3	-	HW/FS	5	IR	3	PR/UR					3	64	
	75.59	78.64	3.05	2.88	94	1.08	35	R1/R2	-	HW	3	IR	3	IR					4	61	
	78.64	81.69	3.05	2.88	94	1.87	61	R3	-	MW/FR	10	IR/UR	4	SS	1	PS	1	PS	0	39	
	81.69	84.73	3.04	2.98	98	0.26	9	R1/R3	-	MW/FR	2	PS	2	SS					75	16	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO.__DG06-316C___ Sheet:__2__ of __4__

Date:_July 6-July 11, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:___Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	84.73	87.78	3.05	2.84	93	0.5	16	R1/R3	-	HW/FR	2	PS	2	PS					5	79	
	87.78	90.83	3.05	2.61	86	0.5	16	R1/R3	-	MW/FR			3	CR/IS	1	CS			14	70	
	90.83	93.88	3.05	2.56	84	0.35	11	R2/R3	-	MW/FR			1	SS	1	PS	2	US	5	84	
	93.88	96.93	3.05	2.78	91	1.47	48	R1/R3	-	HW/FR	4	IR/PR	5	SR/CS			3	US/CS	1	51	
	96.93	99.97	3.04	2.83	93	0.35	12	R1/R4	-	HW/FR	1	SR			1	SR			78	11	
	99.97	103.02	3.05	2.79	91	0	0	R2	-	W										100	
	103.02	106.07	3.05	2.56	84	1.2	39	R3	-	FR	9	PS/IS	1	SS					0	61	
	106.07	109.12	3.05	2.95	97	1.98	65	R3	-	FR	11	IR/PR	3	PR	3	PR	1	PS	0	35	
	109.12	112.17	3.05	2.96	97	1.18	39	R3	-	MW/FR	6	IR/PR					8	PR/CR	2	59	
	112.17	115.21	3.04	3.04	100	1.92	63	R4	-	FR	8	PR	4	IR			2	PS	0	37	
	115.21	118.26	3.05	3.05	100	1.7	56	R4	-	FR	6	IR	1	US			1	PS	0	44	
	118.26	121.31	3.05	2.78	91	0.82	27	R1/R4	-	HW/FR	9	SS/PS	3	IS					40	33	
	121.31	124.36	3.05	2.99	98	2.14	70	R4	-	FR	14	PR/IR	2	PS	4	PS	2	SS	0	30	
	124.36	127.41	3.05	2.89	95	2.65	87	R4	-	FR	5	PR/IR	7	PS/IR	2	PS			0	13	
	127.41	130.45	3.04	2.93	96	2.24	74	R4	-	FR	2	IR/PR	11	PS/SR	2	IR	1	PS	0	27	
	130.45	133.5	3.05	3.02	99	1.64	54	R2/R4	-	MW/FR	3	PS			10	IR/SS	1	PS	32	11	
	133.5	136.55	3.05	2.72	89	1.92	63	R4	-	FR	1	PR	10	PR/SR	6	PS/IR	1	PR	0	37	
	136.55	139.6	3.05	2.77	91	1.92	63	R5	-	FR	4	PR	4	PS/UR			3	PR	0	37	
	139.6	142.65	3.05	2.69	88	0.65	21	R4	-	FR	4	US/PS	6	UR/SS	2	PS			0	79	
	142.65	145.69	3.04	2.95	97	2.53	83	R3	-	FR	7	CR/PR	9	SR/CR			6	CS/PS	0	17	
	145.69	148.74	3.05	3.05	100	2.64	87	R3	-	FR	15	PS/IR			3	CS/PR			0	13	
	148.74	151.79	3.05	3.05	100	2.04	67	R3	-	FR	11	PR/IR	5	CR/PR			2	PS	0	33	
	151.79	154.84	3.05	3.05	100	3.05	100	R4	-	FR	11	PR/CR			5	UR/CR			0	0	
	154.84	157.89	3.05	3.03	99	2.12	70	R2/R3	-	FR	12	SR/PR	1	SR			0		0	30	
	157.89	160.93	3.04	3.04	100	2.89	95	R4	-	FR	11	PR/UR	3	SS	4	SS			0	5	
	160.93	163.98	3.05	2.94	96	2.62	86	R5	-	FR	5	PS/CS	12	UR/PR			3	PS	0	14	
	163.98	167.03	3.05	3	98	2.02	66	R3	-	FR	12	CR/PR	4	UR/PS	2	SR			0	34	
	167.03	170.08	3.05	2.68	88	1.38	45	R1/R3	-	HW/FR	6	SS/PR	4	SR/PR	2	IR	2	CR	23	32	
	170.08	173.13	3.05	1.93	63	2.38	78	R3	-	FR	5	PR/US	4	PS	2	US/SR	1	SS	0	22	
	173.13	176.17	3.04	2.95	97	2.35	77	R4	-	FR	4	IR	7	PR	2	US/CR	1	SS	0	23	
	176.17	179.22	3.05	2.86	94	2.26	74	R4	-	FR	1	SS	7	UR/PS	8	US/CS			0	26	
	179.22	182.27	3.05	2.93	96	2.52	83	R4	-	FR	5	IR/PS	8	PS/UR			3	CR/PS	0	17	
	182.27	185.32	3.05	2.96	97	2.52	83	R3	-	FR	9	CR/SR	5	CR/SR	3	US	4	PS	0	17	
	185.32	188.37	3.05	3.04	100	1.55	51	R0/R3	-	HW/FR	10	PR/SR	8	CR/PR	2	SR	2	SR	20	29	
	188.37	191.41	3.04	2.99	98	2.43	80	R3/R4	-	FR	15	PR/IR	5	CR/PR	3	SR/PR	4	SR	0	20	
	191.41	194.46	3.05	3.06	100	2.53	83	R4	-	FR	6	IR/SR	12	IR/SR	6	PR/SR	6	PR/SR	0	17	QTZ VIEN
	194.46	197.51	3.05	3.05	100	2.5	82	R4	-	FR	6	PS/IR			2	PS			0	18	
	197.51	200.56	3.05	2.78	91	2.43	80	R4	-	FR	6	PS/SR			10	IR			0	20	
	200.56	202.59	2.03	1.86	92	1.64	81	R4	-	FR			3	SR/IR	5	IR			0	19	
	202.59	203.61	1.02	1.08	100	0.68	67	R4	-	FR			4	IR	2	SR/IR			0	33	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO. DG06-316C Sheet: 3 of 4

Date: July 6-July 11, 2006 Hole Size: Easting: Elev:

Logged by: Tech Crew Core Size: Northing: Azimuth:

Total Depth: Dip:

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	203.61	206.85	3.24	2.96	91	1.61	50	R1/R4	-	MW/FR			4	IR	6	IR			5	45	
	206.85	209.7	2.85	2.87	100	0.92	32	R1/R4	-	FR	2	IR			6	PS/IR			8	60	
	209.7	212.75	3.05	2.79	91	2.57	84	R3	-	FR	8	IR/CR	8	PS	4	CR	2	IS	0	16	
	212.75	215.8	3.05	3.05	100	1.71	56	R1/R3	-	MW/FR	5	IR	10	IR	4	PR/IR			2	47	
	215.8	218.85	3.05	2.86	94	2.07	68	R3	-	FR	8	IR	4	PR/IR					0	32	SULFIDES
	218.85	221.89	3.04	3.02	99	1.42	47	R1/R3	-	MW/FR	4	IR	2	IR					15	43	
	221.89	224.94	3.05	3.03	99	1.83	60	R1/R3	-	MW/FR	10	IR	2	IR	4	PR/IR			8	32	SULFIDES
	224.94	227.99	3.05	2.88	94	1.93	63	R1/R3	-	MW/FR	4	SR/IR	8	PR/IR	2	UR			14	23	
	227.99	231.04	3.05	2.97	97	2.64	87	R3	-	FR	3	PR	3	PS/IR			6	PS/SS	0	13	
	231.04	234.09	3.05	3.05	100	2.37	78	R3	-	FR	8	PR/IR	2	PS	2	PS			0	22	
	234.09	237.13	3.04	3.01	99	2.75	90	R3	-	FR	12	PR/IR			2	IR/UR	1	SR	0	10	
	237.13	240.18	3.05	2.95	97	2.21	72	R2/R3	-	FR	10	PR/IR	4	PR/IR	4	PR/SR			0	28	
	240.18	243.23	3.05	3.03	99	2.86	94	R3	-	FR	5	IR	5	IR	6	PS/IR			0	63	
	243.23	246.28	3.05	2.99	98	2.89	95	R3	-	FR	5	IR/PR	5	PR	2	IR			0	5	
	246.28	249.33	3.05	3.02	99	2.48	81	R3	-	FR	4	PS	6	CC/PS	3	CS	7	US/CR	0	19	
	249.33	252.37	3.04	2.85	94	2.42	80	R4	-	FR	8	PS/SS	4	PS	2	US	2	PS/US	0	20	
	252.37	255.42	3.05	2.72	89	2.52	83	R5	-	FR	13	SR/PS	10	UR/CR	5	IR/CR			0	17	
	255.42	258.47	3.05	2.98	98	2.15	70	R4	-	FR	10	PS	10	CR/PS			4	UR/CR	0	30	
	258.47	261.32	2.85	2.99	100	2.95	100	R5	-	FR	6	PS	2	UR	3	PR	3	CR	0	7	
	261.32	264.57	3.25	3.05	94	2.89	89	R5	-	FR	6	PR/IR	6	CR/UR	4	UR			0	5	SULFIDES
	264.57	267.61	3.04	3.02	99	2.74	90	R5	-	FR	7	IR/US	7	PR/IR	3	IR/CR	3	PR/SR	0	10	SULFIDES
	267.61	270.66	3.05	2.75	90	1.54	50	R5	-	FR	6	PR/SR	5	SS/CR	2	SR	2	CR/UR	0	50	
	270.66	273.71	3.05	2.89	95	2.14	70	R3/R4	-	FR	9	IR/PR	8	CR/SR	7	CR/IR	2	IR	0	30	
	273.71	276.76	3.05	2.98	98	1.96	64	R4	-	FR	7	SR/PR	12	SR/IR	7	SR/PR	2	SR	0	36	
	276.76	279.81	3.05	2.91	95	1.09	36	R1/R4	-	HW/FR	12	PR/CR	12	SR/PR	2	SR	2	SR	4	60	
	279.81	282.85	3.04	2.96	97	2.63	87	R3/R4	-	FR	12	SR/IR	10	SR/PR	4	SR	2	SR	0	13	
	282.85	285.9	3.05	3.05	100	2.56	84	R3/R4	-	FR	9	PR/IR	9	PR/SR	4	UR/SR	2	SR	0	16	
	285.9	288.95	3.05	3.05	100	2.67	88	R4	-	FR	12	PR/SR	8	PR/SR	2	SR	5	PR/SR	0	12	
	288.95	292	3.05	2.8	92	1.84	60	R3/R4	-	FR	11	PR	12	PR/CR	3	CR	2	SR	1	39	
	292	295.05	3.05	2.81	92	1.69	55	R1/R3	-	HW/FR	11	PR/SR	4	PR/SR	4	SR	2	SR	2	43	
	295.05	298.09	3.04	2.95	97	2.11	69	R3/R4	-	FR	15	PR/IR	10	CR/PR	5	PR/UR			1	30	
	298.09	301.14	3.05	2.95	97	2.26	74	R1/R4	-	HW/FR	17	PR/IR	8	PR/CR	4	PR/CR			8	18	
	301.14	304.19	3.05	2.9	95	2.6	85	R2/R4	-	FR	12	PR/IR	8	PR/SR	1	IR	1	IR	1	14	QTZ VIEN
	304.19	307.24	3.05	2.95	97	2.86	94	R4	-	FR	7	PS/CR	9	CR/UR	2	UR	1	UR	0	6	
	307.24	308.15	0.91	0.63	69	0	0	R4	-	FR									0	100	
	308.15	310.29	2.14	1.81	85	0.95	44	R3	-	FR	3	IR	2	IR	3	IR			0	56	
	310.29	313.33	3.04	3.04	100	2.6	86	R3	-	FR			3	IR	11	PR/IR			0	14	
	313.33	316.38	3.05	3.04	100	2.98	98	R3	-	FR	12	IR/CR	2	PR	2	PR			0	2	V.Competent
	316.38	319.43	3.05	2.87	94	2.79	91	R4	-	FR	13	IR/PR	5	PR					0	9	
	319.43	322.48	3.05	3.06	100	2.97	97	R4	-	FR	14	IR/PR					2	UR	0	3	
	322.48	325.53	3.05	3.04	100	2.52	83	R4	-	FR	9	PR/SR			2	PR	1	PR	0	17	
	325.53	328.57	3.04	3.02	99	2.53	83	R3/R4	-	FR	10	PR	8	PR					0	17	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO. DG06-316C Sheet: 4 of 4

Date: July 6-July 11, 2006 Hole Size: Easting: Elev:

Logged by: Tech Crew Core Size: Northing: Azimuth:

Total Depth: Dip:

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	328.57	331.62	3.05	2.96	97	2.06	68	R4	-	FR	8	PR	2	IR	4	PR	2	PR	0	32	
	331.62	334.67	3.05	3.04	99	1.47	48	R4	-	FR	17	PR/IR					1	PR	0	52	
	334.67	337.72	3.05	2.81	92	1.76	58	R1/R4	-	FR	18	IR/PR							1	41	
	337.72	340.77	3.05	2.92	96	1.73	57	R3	-	FR	16	IR/SR	5	SR	3	PR			0	43	
	340.77	343.2	2.43	2.84	100	1.53	63	R2/R3	-	FS/FR	19	IR/SR	2	PS	1	PS			1	36	
	343.2	346.66	3.46	2.78	80	1.27	37	R3	-	FR	12	PS/CS	2	US			2	PS	0	63	
	346.66	349.91	3.25	2.8	86	1.49	46	R3	-	FR	13	PR/UR	2	IR			1	PS	1	53	
	349.91	352.96	3.05	2.98	98	1.92	63	R3	-	FR	15	IS/US	2	PS			3	SS/IS	0	37	
	352.96	356.01	3.05	2.98	98	2.34	77	R3	-	FR	11	IR/PR	4	PR	3	PR	3	US	0	23	
	356.01	359.05	3.04	2.8	92	0.96	32	R3	-	FR	4	SS/PS	2	IS	2	IS			0	68	
GND/ MSED	359.05	362.1	3.05	3	98	1.59	52	R3	-	FR	12	SS/PS	1	PS	1	US			1	47	EOH
	EOH																				

DRILL HOLE SUMMARY SHEET

HOLE NO.: DG06-317C

PROJECT: Dublin Gulch - 1735

GROUND ELEVATION: 1000m | **EOH:** 334.67m

BEARING: 180° | **DIP:** -60°

DATE STARTED: 8-Jul-06 | **DATE COMPLETED:** 14-Jul-06

COORD SYSTEM: NAD 27: EASTING: NORTHING:

COORD SYSTEM: NAD 83: EASTING: 459378 NORTHING: 7099852

LOGGED BY: Kimberly Ferguson

CONTRACTOR: DJ Drilling

DRILLING DETAILS

Hole Diameter: HQ

Overburden: 10.67m

Deviation:

Casing: 10.67m

Core Size: HQ

Cement (# Bags): 0

Plug Depth: N/A

Notes:

SAMPLING DETAILS

Sample Sequence:

Requisition #: | **Date Shipped:**

Lab Record #: | **Date Received:**

Sample Sequence:

Requisition #: | **Date Shipped:**

Lab Record #: | **Date Received:**

Duplicates:	C082502	C082522	C082542	C082562	C082582	C082602	C082622	C082642
	C082662	C082682	C082702	C082722	C082742	C082762	C082782	C082802
Preparation Duplicate/ Check Assay:	C082489	C082509	C082529	C082549	C082569	C082589	C082609	C082629
	C082649	C082669	C082689	C082709	C082729	C082749	C082769	C082789
Standards:	C082490	C082510	C082530	C082550	C082570	C082590	C082610	C082630
	C082650	C082670	C082690	C082710	C082730	C082750	C082770	C082790
Blanks:	C082496	C082516	C082536	C082556	C082576	C082596	C082616	C082636
	C082656	C082676	C082696	C082716	C082736	C082756	C082776	C082796

FROM	TO	LITHOLOGY
0.00	10.67	Casing
10.67	103.75	MSED
103.75	104.98	GNDD
104.98	297.50	MSED
297.50	334.67	GND

DEPTH (m)	AZI (Orig)	DIP (Orig)	AZ (+26 Corr)	AZ (+27 Corr)
101.5	152.7	-61.9	178.7	179.7
200.0	153.3	-62.2	179.3	180.3
319.0	154.7	-60.9	180.7	181.7

FROM	TO	ALTERATION
10.67	282.30	Silicified
10.67	88.15	Oxidized
103.75	130.52	Oxidized
312.30	328.88	Oxidized
10.67	88.15	Altered - clay, cb, chl
103.30	130.52	Altered - cb, ser, chl
312.30	328.88	Altered - cb, clay, chl

ASSAY INTERCEPTS

FROM:	TO:	INT:	Au (g/t)	SAMPLE QUALITY:

FROM	TO	MINERALIZATION (Veins)

COMMENTS: (Ground conditions, fracture zones, water flows, drilling problems)

July 16th, 2006. Drill #1's motpr has completely broken down so there will be a break in drilling this hole until either a replacement motor can be obtained or Drill #2 finishes 319C and can move to 317C.

A replacement motor was installed, then the hydraulic pump went down, in total 3 days of drilling lost, July 16, 17, 18, 2006.

The hole was terminated on July 19, 2006, in a fault zone when it became to difficult to drill, rods stuck repeatedly.

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-317C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																					Sulphides								Oxidation												
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
0	0m to 10.67m			Overburden																																			
80	10.67m to	10.67		MSED. Dark brown with orange staining, appears purple in some area's, moderate to high oxidization, none to extreme silicification, gouge common, clay alteration area's common. Very fractured and broken, with a pervasive foliation at 70° orientation. Qtz and carbonate veins throughout, qtz being more common. Qtz eyes and lenses (oriented along foliation) present throughout. Rocks appear banded (hornfelsed) where pieces are long enough to observe this. Bleached sections throughout the unit.	3			3	2																						C082485	10.67	11.58	0.022		Orange stained, oxidized, highly fractured, 30cm of gouge. No veins discernable.
				Orange stained, oxidized, highly fractured, 30cm of gouge. No veins discernable. Some weak bleaching and banding.																												C082486	11.58	13.11	0.003		
				Orange stained, oxidized, highly fractured, 30cm of gouge. Some weak bleaching and banding.							1	1	1.8	1.8	10																		C082487	13.11	14.63	0.006		
											2	1	3.0	5.4	70									1.0										C082488	14.63	15.49	0.022		
																																	C082489	14.63	15.49		CHECK ASSAY	
																																	C082490				STANDARD 3C	
				Black, oxidized, hornfelsed section with qtz veins/eyes along foliation.							4	1	0.6	1.5	70	150																	C082491	15.49	16.91	0.003		
											5	1	2.3	6.3	70															2.0				C082492	16.91	17.68	0.003		
											5	1	3.0	7.4	70														3.0				C082493	17.68	18.93	0.006		
											1	4	0.2	0.2	70																								
											5	1	2.7	7.7	70	10													15.0				C082494	18.93	20.34	0.010		
											3	1	2.1	3.7	70														2.0				C082495	20.34	21.46	0.218		
																																	C082496				BLANK	
				Section contains limonitic clay or gouge with etched qtz eyes, probable faulting in area.							2	1	1.3	2.5	70																		C082497	21.46	22.25	0.250		
											7	1	3.2	11.8	70	40													5.0				C082498	22.25	23.77	0.003		
				Section contains limonitic clay or gouge with etched pebbles and qtz eyes, probable faulting in area.							2	1	0.7	1.4	70																		C082499	23.77	25.30	0.005		
				Section contains limonitic clay or gouge with etched qtz eyes, probable faulting in area. No veins discernable, angle of fault contact appears to be 20. Section has mild etching throughout.																												C082500	25.30	26.82	0.006		
				Section contains limonitic clay or gouge with etched pebbles and qtz eyes, probable faulting in area.																												C082501	26.82	28.35	0.006		
																																	C082502	26.82	28.35		DUPLICATE	
				Banding is evident but no veins are discernable.							2	4	0.2	0.4	70															10.0			C082503	28.35	29.84	0.005		
				Section contains limonitic clay or gouge with etched qtz eyes, probable faulting in area. No veins discernable, angle of fault contact appears to be 20.																												C082504	29.84	31.39	0.015		
				Section contains limonitic clay or gouge with etched qtz eyes, probable faulting in area. No veins discernable, angle of fault contact appears to be 20.																												C082505	31.39	32.31	0.008		
											1	2	2.0	2.0	20																		C082506	32.31	34.31	0.017		
				Section is banded and has carbonate veinlets/stringers.							2	1	2.4	3.2	70																		C082507	34.31	35.97	0.009		
				Section is banded and has carbonate veinlets/stringers, mostly altered to clays and has qtz eyes and lenses that show scordite but no discernable veins.																												C082508	35.97	37.49	0.003		
																																	C082509	35.97	37.49		CHECK ASSAY	
																																	C082510				STANDARD 4D	
				Section is banded and has carbonate veinlets/stringers, partially altered to clays and has qtz eyes and lenses but no discernable veins.																												C082511	37.49	39.32	0.071		
											1	1	3.0	3.0	30														2.0				C082512	39.32	40.23	0.112		
				Section is banded with few sericitic bands and has carbonate veinlets/stringers, partially altered to clays and has qtz eyes and lenses.							2	1	2.4	4.3	70																		C082513	40.23	41.76	0.038		
											1	1	0.8	0.8	70																		C082514	41.76	43.28	0.025		
				Silicified and bleached section, no veins discernable.																												C082515	43.28	44.81	0.012		
																																	C082516				BLANK	
				Black hornfels in middle of bleached/silcified area. Gouge present at end of section - clay alteration.							2	1	1.5	2.4	70															5.0	2.0			C082517	44.81	46.33	0.008		
				Silicified and bleached section.							3	1	1.2	2.3	70																		C082518	46.33	47.85	0.020		
				Silicified and bleached section, no veins discernable. Gouge present throughout.																												C082519	47.85	49.38	0.067		
				Gouge section with some etched hornfels and gouge only in section. No veins discernable. Section rock loses competancy quickly - most crumbly and lacks any competancy.																												C082520	49.38	50.90	0.012		
				Gouge section. No veins discernable. Section rock is mostly crumbly and lacks any competancy.																												C082521	50.90	52.43	0.003		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-317C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS										% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages				Sulphides									Oxidation										
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
																																	C082522	50.90	52.43		DUPLICATE	
				Gouge section. No veins discernable. Section rock is mostly crumbly and lacks any competancy.																													C082523	52.43	53.95	0.003		
											2	1	2.3	3.5	30														2.0				C082524	53.95	54.86	0.003		
				Gouge section. No veins discernable. Section rock is mostly crumbly and lacks any competancy.																													C082525	54.86	55.78	0.003		
				Gouge section. No veins discernable. Section rock is mostly crumbly and lacks any competancy.																													C082526	55.78	57.30	0.058		
				Gouge section. No veins discernable. Section rock is mostly crumbly and lacks any competancy.																													C082527	57.30	58.83	0.003		
				Gouge section. No veins discernable. Section rock is mostly crumbly and lacks any competancy.																													C082528	58.83	60.35	0.037		
																																C082529	58.83	60.35		CHECK ASSAY	
																																C082530				STANDARD 5E	
				Gouge section. No veins discernable. Section rock is mostly crumbly and lacks any competancy.																													C082531	60.35	61.87	0.015		
				Gouge section. No veins discernable. Section rock is mostly crumbly and lacks any competancy.																													C082532	61.87	63.40	0.015		
											2	1	3.4	6.0	80														3.0				C082533	63.40	64.42	0.003		
				Section is very broken with no veins visible in larger pieces.																													C082534	64.42	65.23	0.027		
											1	1	0.4	0.4	20																		C082535	65.23	66.45	0.003		
																																	C082536				BLANK	
											2	1	2.2	2.7	70																		C082537	66.45	67.97	0.148		
											1	4	0.3	0.3	5														5.0										
		67.97	88.15	MSED. Dark brown, low oxidation, none to extreme silicification. Some fractured and broken area's, generally high core competancy with a pervasive foliation at 70° orientation. Qtz and carbonate veins throughout, qtz being more common. Qtz eyes and lenses (oriented along foliation) present throughout. Rocks appear banded with qtz and there is very little bleached in this unit. Carbonate veins cross cut foliation, 20 from CA and 90 between carb veins and foliation. Some aspy, scordite and py present in unit asociated with qtz and carbonate veins. Aspy and py fonud in qtz veins and eyes as well.	1		1		2		5	1	1.8	4.3	70																		C082538	67.97	69.49	0.029		
											2	4	0.3	0.5	20															1.0								
											8	1	12.0	19.2	70															1.0			C082539	69.49	71.02	0.009		
											4	1	3.2	8.9	70									2.0						4.0			C082540	71.02	72.54	0.016		
											2	4	0.3	0.5	20						1.0								1.0										
											4	1	0.8	2.8	70									1.0						2.0			C082541	72.54	74.07	0.019		
											1	4	0.2	0.2	20						2.0								1.0	1.0									
																																C082542	72.54	74.07		DUPLICATE	
											3	1	2.3	4.3	70									1.0						2.0			C082543	74.07	75.59	0.247		
											5	4	0.3	1.0	20	25					10.0								5.0	5.0									
											2	4	0.2	0.4	20						1.0								3.0				C082544	75.59	77.11	0.007		
											3	4	0.4	0.9	20						1.0			2.0					1.0	1.0			C082545	77.11	78.64	0.066		
											2	1	0.8	1.5	70									2.0						5.0								
											5	1	11.0	20.1	70									1.0						5.0			C082546	78.64	80.16	0.003		
											3	1	7.2	12.1	70	80								2.0						2.0			C082547	80.16	80.83	0.003		
											5	1	19.0	31.2	20	70					1.0			4.0						6.0			C082548	80.83	82.00	0.003		
																																C082549	80.83	82.00		CHECK ASSAY	
																																C082550				STANDARD 6F	Ticket found outside after samples had been sent in, no sample tag in bag. July 18, 2006.
											4	1	5.8	11.5	70						0.1			2.0						3.0			C082551	82.00	83.40	0.003		
											2	4	0.2	0.3	20						0.1								10.0				C082552	83.40	84.73	0.005		
											2	1	4,2	7.7	20									3.0						2.0			C082553	84.73	85.77	0.019		
											1	1	0.8	0.8	70															4.0			C082554	85.77	86.91	0.003		
				Py found associated with carbonate stringers, trace only.							4	1	2.4	4.8	70									1.0						2.0			C082555	86.91	88.15	0.003		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-317C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages			Sulphides								Oxidation										
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
																																C082556				BLANK	
		88.15	103.75	MSED. Pale green to pale grey with dark brown banded area's. Low oxidation, moderate to high silicification and sericitizatio, high bleaching in all but the dark banded area's. High core competancy throughout with a pervasive foliation at 70° orientation. Qtz and carbonate veins throughout, qtz being more common. Qtz eyes and lenses (oriented along foliation) present in dark banded area's and occaisionally in light green or beige area's. Carbonate veins cross cut foliation, 20 from CA and 90 between carb veins and foliation. Some aspy, scordite asociated with qtz and carbonate veins. Aspy and scordite fonud in qtz veins and eyes as well.		3	1		1		5	1	3.0	7.3	70	20								1.0								3.0			C082557	88.15	89.31	0.003		
											1	4	0.2	0.2	15													2.0	1.0			C082558	89.31	90.71	0.005		
				Section also has a 25cm area consisting of qtz eyes but does not form veins.							1	1	0.8	0.8	70																	C082559	90.71	91.80	0.580		
				Section has aspy and py associated with a qtz rich and has py and aspy associated with the qtz but most is not veins but qtz eyes. Aspy ~ 1% and py<1% of sample.							1	1	0.6	0.6	70															2.0			C082560	91.80	92.75	0.011		
				Bleached banded area with no discernable veins or visible sulfides.																												C082561	92.75	93.34	0.003		
																																C082562	92.75	93.34		DUPLICATE	
											3	1	3.0	6.3	70									3.0					5.0			C082563	93.34	94.40	0.008		
											3	1	5.2	11.3	70									1.0					3.0			C082564	94.40	95.40	0.043		
				Banded area - black arg with qtz veins/eyes/stringers. Aspy and scordite found associated with or in qtz, 1% of sample aspy/scordite.																												C082565	95.40	96.60	0.009		
				Banded area - black arg with qtz veins/eyes/stringers. Aspy and scordite found associated with or in qtz, 1% of sample aspy/scordite.																												C082566	96.60	97.60	0.006		
											1	1	0.8	0.8	70									0.1					1.0			C082567	97.60	98.45	0.008		
											2	4	0.2	0.3	20													2.0									
											3	1	6.0	11.2	70	80								0.1					3.0			C082568	98.45	99.97	0.008		
																																C082569	98.45	99.97		CHECK ASSAY	
																																C082570				STANDARD 7G	
											1	1	2.3	2.3	70														0.1			C082571	99.97	101.00	0.008		
																																C082572	101.00	102.00	0.003		
											1	1	2.0	2.0	70									2.0					3.0			C082573	102.00	102.65	0.005		
											2	1	5.0	7.3	70														5.0			C082574	102.65	103.75	0.042		
12	103.75m to 104.98	103.75	104.98	GNDD. Med ium grey, moderate silicification and weak to moderate sericitization along qtz veins, veinlets/stringers. Oxidized py can be found in qtz veins and trace aspy in matrix.	1	2					3	1	0.4	1.0	20	30													2.0				C082575	103.75	104.98	0.003		
																																C082576				BLANK	
80	104.98m to 297.5m	104.98	130.52	MSED. Dark brown banded area's. Low oxidation overall, moderate to high silicification and sericitization, low bleaching to 107m. High core competancy throughout with a pervasive foliation at 70° orientation. Qtz and carbonate veins throughout, qtz being more common. Qtz eyes and lenses (oriented along foliation) present in dark banded area's and large qtz veins (10cm+) occure. Carbonate veins cross cut foliation, 20 from CA and 90 between carb veins and foliation. Some aspy, scordite asociated with qtz and carbonate veins. Aspy and scordite found in qtz veins and eyes as well. Limonite staining along carbonate veins - more fractured araea's.	1	1			1		2	1	3.2	6.2	70								1.0					2.0			C082577	104.98	106.48	0.003		
											2	4	0.2	0.4	20	40	0.4	b	3	1																	
											2	1	1.3	2.0	20									0.1					1.0			C082578	106.48	107.92	0.008		
											2	1	2.7	5.1	20									0.1					1.0			C082579	107.92	109.12	0.003		
											6	1	2.6	10.3	20	70								1.0					8.0			C082580	109.12	110.43	0.003		
																																C082581	110.43	111.18	0.005		
				Section is mostly massive qtz (80%) with some MSED layered b/w qtz veins/globules. Aspy is at 1% and scordite is at 5% for the sample. Orientation is indeterminant.																												C082582	110.43	111.18		DUPLICATE	
											1	1	0.5	0.5	70																	C082583	111.18	112.51	0.003		
											1	1	0.7	0.7	70									0.1					1.0			C082584	112.51	113.69	0.010		
											1	1	0.7	0.7	70									0.1					2.0			C082585	113.69	115.21	0.016		
											2	4	0.3	0.5	20						0.1							3.0									
											5	1	4.8	10.3	70	20								0.1					1.0			C082586	115.21	116.61	0.016		
											3	1	2.5	5.3	70	20													2.0			C082587	116.61	118.02	0.003		
											4	4	0.2	0.7	20	80													5.0								
											3	1	3.0	8.1	70																	C082588	118.02	119.37	0.003		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-317C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages			Sulphides								Oxidation											
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
																																C082589	118.02	119.37		CHECK ASSAY	
																																C082590				STANDARD 3C	
				Section very broken along carbonate/limonite stained veins.							1	1	2.2	2.2	30																		C082591	119.37	120.90	0.006		
											1	4	0.4	0.4	60																		C082592	120.90	122.43	0.003		
											1	4	0.2	0.2	20		3.4	q/cb	4										2.0				C082593	122.43	123.60	0.003		
											2	1	5.1	8.5	80	60													4.0	1.0								
											2	4	0.3	0.4	20																		C082594	123.60	124.96	0.003		
											3	4	0.2	0.5	20														2.0	1.0			C082595	124.96	126.32	0.007		
																																C082596				BLANK	
				Also have GND veins in section - 2 small ones (09 and 1.1cm) at 127.32m.							3	1	2.6	5.7	70															3.0			C082597	126.32	127.71	0.003		
																																C082598	127.71	129.08	0.003		
											1	1	3.2	3.2	70															1.0			C082599	129.08	130.52	0.003		
											4	4	0.2	0.6	20	30					0.1								3.0									
		130.52	158.77	MSED. Dark brown to pale beige/green color. Low oxidation overall, moderate to high silicification and sericitization, intermittant bleached area's. High core competancy throughout with a pervasive foliation at 70° orientation. Qtz and carbonate veins throughout, carbonate veining/veinlets/stringers common. Qtz eyes and lenses (oriented along foliation) present. Carbonate veins cross cut foliation, 20 from CA and 90 between carb veins and foliation. Some aspy, scordite asociated with qtz and carbonate veins. Aspy and scordite found in qtz veins and eyes as well. Coridierite gives a bluish cast to unbleached, low qtz area's.		2	1		2		1	1	2.0	2.0	70																			C082600	130.52	131.67	0.003		
				Section is very broken along carbonate veins/veinlets/stringers and has 15cm of gouge. Section shows low to moderate bleaching and has no measurable veins due to breakage.																													C082601	131.67	133.00	0.003		
																																C082602	131.67	133.00		DUPLICATE	
											5	4	0.3	0.9	20	60													2.0				C082603	133.00	134.32	0.003		
											1	1	0.4	0.4	70															1.0							
											2	1	0.8	1.5	20	70																	C082604	134.32	135.47	0.003		
											1	1	0.4	0.4	20						2.0								15.0				C082605	135.47	136.50	0.003		
											3	4	0.3	0.6	20	40																	C082606	136.50	137.21	0.003		
				Section is mostly massive qtz (80%) with some MSED layered b/w qtz veins/globules. Orientation is indeterminant and the area around the qtz is strongly bleached.																													C082607	137.21	138.45	0.005		
											3	1	2.6	5.3	70	80													2.0				C082608	138.45	139.60	0.003		
											2	4	0.2	0.3	20																							
																																C082609	138.45	139.60		CHECK ASSAY	
																																C082610				STANDARD 2B	
											2	1	4.1	4.7	70	20					2.0								15.0				C082611	139.60	141.12	0.003		
											3	4	0.2	0.4	20																							
											4	4	0.4	1.0	20																		C082612	141.12	142.65	0.003		
											1	1	3.9	3.9	70															1.0							
											3	4	0.4	0.7	20		1.0	q/cb	3														C082613	142.65	144.17	0.003		
											3	4	0.3	0.5	20																		C082614	144.17	145.69	0.003		
											2	6	0.2	0.4	150		2.0	q	4		2.0								80.0									
											2	4	0.2	0.3	20																		C082615	145.69	147.22	0.010		
																																C082616				BLANK	
											2	1	2.0	2.4	10		3.2	q/s	3		2.0			2.0					5.0	2.0			C082617	147.22	148.74	0.003		
											2	4	0.2	0.3	20																		C082618	148.74	150.26	0.003		
											1	1	2.8	2.8	80																							
											1	1	9.6	9.6	20										1.0					5.0			C082619	150.26	151.79	0.003		
											2	4	0.2	0.3	20																							
											1	1	2.1	2.1	70															1.0			C082620	151.79	153.31	0.003		
											3	1	2.8	7.6	40																		C082621	153.31	154.84	0.009		
																																C082622	153.31	154.84		DUPLICATE	

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-317C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	From → To:	From:	To:	GEOLOGICAL DESCRIPTION	ROCK (Alteration)						VEINS										% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages				Sulphides								Oxidation									
					Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
				Section is weakly to moderately bleached, with the typical banding. A single GND vein occures at 155.8m, 4cm wide with sericitic alteration and bleaching. No other veins visible. Fault gouge at 156.05m, contact ~40°.							3	1	3.0	6.6	90	70																	C082623	154.84	156.36	0.049		
				Section is moderately bleached with carbonate veinlets/stringers throughout, is very fractured and broken, no veins discernable.																													C082624	156.36	157.89	0.006		
											1	6	0.1	0.1	40									60.0									C082625	157.89	158.77	0.003		
		158.77	186.80	MSED. Dark brown/black with pale beige (bleached) sections. Moderate to high silicification and sericitization, some bleached area's. Moderate to high core competancy throughout with a pervasive foliation at 70° orientation. Qtz and carbonate veins throughout, carbonate veining/veinlets/stringers common are common and when pervasive reduce core competancy. Qtz eyes and lenses (oriented along foliation) present. Carbonate veins cross cut foliation, 20 from CA and 90 between carb veins and foliation. Some aspy, scordite asociated with qtz and carbonate veins. Aspy and scordite found in qtz veins and eyes as well. Py found in bleached area's and along fracture/fault surfaces. Trace po found with qtz blobs in highly silicified argillite. Coridierite gives a bluish cast to unbleached, low qtz area's. Scordite is common as lenses in matrix and associted with qtz veins. Pink qtz associated with green carbonate.		2	1		2		3	3	0.3	0.7	50	30	2.3	s/cb	4			1.0													C082626	158.77	160.12	0.020		
				The qtz/cb vein is cut and offset by the smaller qtz vein (minor fault) about 4cm.							1	3	0.2	0.2	10		1.3	s/cb	3					0.1						1.0			C082627	160.12	161.28	0.005		
											2	1	0.5	0.7	40		1.2	q/s	4																	
											6	1	14.5	29.2	70	20					2.0			1.0									C082628	161.28	162.46	0.007		
											1	3	0.2	0.2	20																					
																																C082629	161.28	162.46		CHECK ASSAY	
																																C082630				STANDARD 4D	
				At 262.66m a GND vein, 5cm, 80°.							2	1	1.6	2.4	70						1.0	1.0								10.0			C082631	162.46	163.98	0.003		
											2	3	3.2	3.6	70	20	2.3	q/cb	3		1.0			1.0									C082632	163.98	165.51	0.003		
											2	3	1.8	3.2	60	80																	C082633	165.51	166.74	0.003		
											3	1	1.2	2.6	20	60	2.4	q	4					1.0													
											1	4	0.2	0.2	20		3.0	cb/q	3														C082634	166.74	167.96	0.003		
											4	1	9.2	14.8	70	80								2.0													
											1	3	2.1	2.1	40															2.0								
				Highly bleached argillite section, py found throughout in blebs and disseminated in the matrix and along fracture surfaces. No discernable veins. Py for section ~2%.																													C082635	167.96	169.45	0.007		
																																C082636				BLANK	
											2	1	10.0	11.1	70						1.0			2.0						10.0			C082637	169.45	170.45	0.003		
											2	1	4.0	6.5	70	5								3.0						15.0			C082638	170.45	171.52	0.007		
				Section broken and crumbly (carbonate alt), veins not discernable. Banding visible in some areas and qtz content high. Scordite at ~ 2% for sample.																													C082639	171.52	172.74	0.023		
				Section broken and crumbly (carbonate alt), veins not discernable. High qtz content, scordite at ~2% for sample, no veins discernable.																													C082640	172.74	173.77	0.003		
				Carbonate veinlets/stringers throughout. Qtz blobs throughout, no veins discernable. Trace aspy in qtz.																													C082641	173.77	175.01	0.003		
																																C082642	173.77	175.01		DUPLICATE	
											1	1	8.7	8.7	20									0.1						1.0			C082643	175.01	176.50	0.726		
				Carbonate veinlets/stringers/altertion throughout section, pervasive and destroy core competancy in some area's.																													C082644	176.50	178.00	0.019		
				Lightly bleached and chloritized section - carbonate veinlets/stringers throughout section.																													C082645	178.00	179.22	0.009		
											3	4	0.3	0.6	20						5.0								1.0				C082646	179.22	180.75	0.019		
																																C082647	180.75	182.27	0.007		
				Po found with qtz blobs and stringers, 1% for sample.							1	3	2.7	2.7	50						5.0												C082648	182.27	183.79	0.006		
											2	4	0.3	0.4	20						2.0																	
																																C082649	182.27	183.79		CHECK ASSAY	
																																C082650				STANDARD	
											1	3	1.6	1.6	20						2.0								1.0				C082651	183.79	185.32	0.005		
											3	4	0.3	0.6	20	80					5.0								1.0									
											1	6	0.1	0.1	60						15.0								20.0									

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-317C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS										% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages				Sulphides								Oxidation									From	To			
																	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other						
											1	1	2.0	2.0	70									0.1						1.0			C082652	185.32	186.80	0.003		
		186.80		MSED. Dark brown/black with qtz banding and blue-ish area's in the matrix. Low to moderate silicification, low to moderate carbonate alteration in some area's, low chlorite alteration in some area's. Moderate core competancy throughout with a pervasive foliation at 70° orientation. Qtz and carbonate veins throughout, carbonate veining/veinlets/stringers are common and when pervasive reduce core competancy dramatically. Qtz eyes and lenses (oriented along foliation) present. Carbonate veins cross cut foliation, 20 from CA and 90 between carb veins and foliation. Some aspy, scordite asociated with qtz and carbonate veins Aspy and scordite found in qtz veins and eyes as well. Py found in bleached area's and along fracture/fault surfaces. Trace po found with qtz blobs in highly silicified argillite. Coridierite gives a bluish cast to unbleached, low qtz area's. Chlorite is common as lenses in matrix and associted with qtz veins, scordite seen associated with qtz.			2		2		2	1	2.0	2.4	70	50					5.0														C082653	186.80	188.33	0.003		
											1	6	0.2	0.2	40																							
											1	7	0.2	0.2	20						40.0																		
				High carbonate alt with pervasive veinlets and stringers, core competancy low and no veins discernable.							3	1	11.0	21.3	70									1.0						5.0			C082654	188.33	189.85	0.003		
											2	1	8.6	15.1	70									1.0						5.0			C082655	189.85	191.41	0.003		
											1	6	0.2	0.2	40		2.0	q/cb	2		5.0								15.0									
																																	C082656				BLANK	
											2	1	3.4	5.0	70															2.0			C082657	191.41	192.40	0.003		
				High carbonate alt with pervasive veinlets and stringers, core competancy low and no veins discernable.																														C082658	192.40	193.90	0.003		
				High carbonate alt with pervasive veinlets and stringers, core competancy low and no veins discernable.																														C082659	193.90	195.03	0.003		
				Fracured and broken, no veins present.																														C082660	195.03	196.16	0.003		
											1	1	15.2	15.2	70									2.0						5.0			C082661	196.16	197.21	0.003		
																																	C082662	196.16	197.21		DUPLICATE	
				Po blebs and stringers throughout sample in matrix, no association with veins of qtz but usually occure with cordierite. Po ~ 3% od sample.							1	3	2.3	2.3	70							3.0								5.0								
											1	1	6.4	6.4	70															1.0	2.0							
											1	7	0.8	0.8	70						2.0	1.0								35.0	1.0			C082664	198.40	199.99	0.003		
											2	2	0.8	1.4	135																							
				Trace po assocciated with qtz.							2	1	3.2	4.8	70																	3.0			C082665	199.99	201.36	0.003		
											3	4	0.2	0.6	20																							
				Trace po assocciated with qtz.							4	4	0.3	0.8	20	60					3.0									1.0				C082666	201.36	202.53	0.003		
				High carbonate alt with pervasive veinlets and stringers, core competancy low and no carbonate veins discernable but py~ 2% for sample.							1	1	8.1	8.1	20							3.0								5.0				C082667	202.53	203.44	0.005		
				High carbonate alt with pervasive veinlets and stringers, core competancy low and no veins discernable but py~ 2% and aspy trace for sample.																														C082668	203.44	204.83	0.012		
																																	C082669	203.44	204.83		CHECK ASSAY	
																																	C082670				STANDARD 6F	
											1	1	3.6	3.6	70									0.1						2.0			C082671	204.83	206.10	0.003		
											2	4	0.3	0.5	20						5.0								1.0									
											2	1	0.4	0.7	30						0.1			1.0					1.0	1.0			C082672	206.10	207.51	0.003		
											2	4	0.2	0.4	20	60					2.0								1.0									
											1	4	0.2	0.2	20						3.0												C082673	207.51	208.85	0.005		
											3	1	13.1	20.2	70									1.0						2.0								
											1	3	0.5	0.5	55																							
											2	3	4.6	7.3	70	20																	C082674	208.85	210.20	0.003		
											1	4	0.2	0.2	20						1.0																	
											1	4	0.2	0.2	25																		C082675	210.20	211.54	0.003		
																																	C082676				BLANK	
				Chlorite blobs/lenses found with qtz veins.							2	1	6.7	7.4	20	70						1.0												C082677	211.54	212.83	0.003		
											3	4	0.6	0.9	70						2.0												C082678	212.83	214.05	0.003		
											1	1	15.4	15.4	70															2.0								

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-317C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																					Sulphides								Oxidation											
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
											2	3	1.6	2.4	20																							
											2	1	1.2	2.2	70									1.0					2.0				C082679	214.05	215.51	0.003		
											1	4	0.3	0.3	20																							
											2	1	4.3	6.4	70							5.0								1.0			C082680	215.51	217.25	0.003		
											2	4	0.2	0.4	20						0.1																	
											2	1	8.9	12.4	70	90						3.0								1.0			C082681	217.25	218.36	0.006		
											1	4	0.4	0.4	70						2.0																	
																																	C082682	217.75	218.36		DUPLICATE	
											2	1	12.6	16.0	70							3.0		2.0						1.0			C082683	218.36	219.40	0.003		
		216.40	244.04	MSED. Dark brown/black with qtz banding and green and lesser bluish area's in matrix. Low to moderate silicification, low to moderate carbonate alteration in some area's, low to moderate chlorite alteration in some area's and rare sericitic alteration. Low to moderate core competancy throughout with a pervasive foliation at 70° orientation. Qtz and carbonate veins throughout, carbonate veining/veinlets/stringers are common and when pervasive reduce core competancy dramatically. Qtz eyes and lenses (oriented along foliation) present, but less common than in higher core. Carbonate veins cross cut foliation, 20 from CA and 90 between carb veins and foliation. Aspy and scordite found in qtz veins and eyes as well. Py found in bleached area's and along fracture/fault surfaces. Trace po found with qtz blobs in highly silicified argillite. Coridierite gives a bluish cast to unbleached, low qtz area's and is becoming rarer. Chlorite is common as lenses in matrix and associted with qtz veins, scordite seen associated with qtz.		1	2		3	2	4	0.2	0.3	20	60					1.0			0.1											C082684	219.40	221.89	0.007		
											4	4	0.6	1.1	20	50	0.6	chl/q	3		1.0												C082685	221.89	223.11	0.006		
											3	4	0.3	0.6	20	60					0.1								2.0				C082686	223.11	224.42	0.003		
											2	4	0.3	0.5	20						1.0												C082687	224.42	224.94	0.003		
																																	C082688	224.94	226.10	0.003		
																																	C082689				CHECK ASSAY	
																																	C082690				STANDARD 7G	
				Banded, po in matrix - ~1% of sample.							3	4	5.0	5.3	70	20					5.0			1.0										C082691	226.10	227.70	0.003		
											2	4	0.3	0.5	20	60					1.0								2.0				C082692	227.70	229.10	0.003		
											3	4	0.3	0.7	20	40																	C082693	229.10	230.48	0.003		
											1	1	3.2	3.2	70																							
											2	1	2.1	3.6	70							2.0											C082694	230.48	231.81	0.003		
											2	4	0.6	0.9	70	20					1.0								2.0									
											1	1	1.2	1.2	60							3.0											C082695	231.81	232.94	0.003		
											1	4	4.6	4.6	20						1.0	1.0																
																																	C082696				BLANK	
											2	1	2.3	4.5	70							1.0		1.0									C082697	232.94	233.81	0.006		
											3	4	0.4	0.8	20		4.0	chl/cb	4		2.0								2.0									
											1	4	0.3	0.3	10		2.6	chl/cb	4		4.0			1.0					1.0				C082698	233.81	235.82	0.006		
											1	4	0.2	0.2	70																		C082699	235.82	236.40	0.003		
											1	3	1.7	1.7	20		0.3	q	2														C082700	236.40	237.80	0.005		
											3	4	0.3	0.7	20	60	0.5	cb/chl	3														C082701	237.80	239.87	0.003		
											2	1	3.8	6.4	70									3.0													
																																	C082702				DUPLICATE	
				Aspy found in qtz blobs and stringers, 2% od qtz material, < 1% of sample. Po in matrix, <1% of sample.							3	4	0.2	0.5	20						1.0												C082703	239.87	240.25	0.020		
											6	4	0.4	1.4	20	80	2.3	chl/cb	4		2.0												C082704	240.25	241.55	0.065		
											1	3	2.1	2.1	20		0.3	chl	3		1.0												C082705	241.55	242.82	0.003		
				No veins in section, bleached to very light grey QZT.																													C082706	242.82	244.04	0.003		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-317C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION: From → To:	From:	To:	GEOLOGICAL DESCRIPTION	ROCK (Alteration): Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	VEINS: #/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages: Max (cm)	Alteration	(0-5)	Ox. State 0-5	% of VEIN & DISSEMINATED MATERIAL: Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other	Sample Number	Interval: From	To	Au (g/T)	Type of Sample	Vein Comments?
		244.04	254.22	MSED. Dark brown/black with qtz banding pervasive carbonate veinlets/stringers throughout. Low silicification, moderate to high carbonate alteration, low chlorite alteration in some area's. Low to moderate core competancy throughout with a pervasive foliation at 70° orientation. Qtz and carbonate veins throughout. Qtz eyes and lenses (oriented along foliation) present, but less common than in higher core. Carbonate veins cross cut foliation, 20 from CA and 90 between carb veins and foliation. Aspy and scordite found in qtz veins and eyes as well. Py found in bleached area's and along fracture/fault surfaces. Trace po found with qtz blobs in highly silicified argillite.		1	2	1	3		1	1	1.8	1.8	70									0.1							2.0			C082707	244.04	245.57	0.003		
				Core is highly carbonate and clay altered, competency is very low, no veins visible.																													C082708	245.57	247.06	0.003		
																																	C082709	245.57	247.06		CHECK ASSAY	
																																	C082710				STANDARD 3C	
				Core is highly carbonate and clay altered, competency is very low.							2	4	0.2	0.3	20		0.5	chl/cb	3														C082711	247.06	248.34	0.012		
											2	4	0.2	0.4	20						1.0											C082712	248.34	249.57	0.012		
											2	1	4.3	7.8	20							7.0		3.0						3.0								
				Core is highly carbonate and clay altered, competency is very low, no veins visible.							1	1	2.3	2.3	10							5.0		3.0						1.0			C082713	249.57	250.45	0.071		
											1	3	1.8	1.8	10							2.0		1.0													
											2	4																					C082714	250.45	251.76	0.007		
											5	1	4.6	9.8	70	20						3.0		1.0												
											4	4	0.4	1.1	20	60					1.0											C082715	251.76	252.91	0.007		
																																C082716				BLANK	
											3	4	0.6	1.1	20	70					1.0											C082717	252.91	254.22	0.003		
		254.22	282.30	MSED. QZZ. Pale beige to pale green. Highly bleached throughout section with small area's moderately bleached, still showing banding. Moderate to high silicification, low carbonate alteration, low chlorite alteration in some area's. Moderate core competancy throughout with a pervasive foliation at 70° orientation. Rare qtz blobs, trace aspy.		1	1																									C082718	254.22	255.36	0.003		No veins, qtz blobs with trace aspy.
																																C082719	255.36	256.73	0.008		
											4	1	0.2	0.2	30						0.1											C082720	256.73	258.10	0.003		
											3	1	1.1	2.7	20									0.1												
											2	1	0.9	1.6	20	10								2.0					1.0			C082721	258.10	259.28	0.005		
																																C082722	258.10	259.28		DUPLICATE	
											2	4	0.3	0.5	70																C082723	259.28	260.40	0.003		
											2	1	1.3	2.4	70	20								1.0					2.0	1.0						
											2	1	3.6	5.2	70	20								0.1					1.0			C082724	260.40	261.50	0.005		
											3	1	0.8	2.3	70	50														2.0		C082725	261.50	263.03	0.003		
											1	1	4.1	4.1	70									1.0					1.0			C082726	263.03	264.60	0.007		
				Section bleached, fractured, broken, no veins visible.																													C082727	264.60	266.06	0.010		
											2	1	0.6	1.1	70																C082728	266.06	267.90	0.009		
																																C082729	266.06	267.90		CHECK ASSAY	
																																C082730				STANDARD 4D	
				Fault gouge at 267.45m, 50 degree contact angle.							2	1	1.9	3.6	70									0.5					2.0	1.0		C082731	267.90	268.90	0.010		
				Section bleached, fractured, broken, no veins visible.																													C082732	268.90	269.67	0.011		
				Section bleached, fractured, broken, no veins visible.																													C082733	269.67	270.60	0.006		
				Section bleached, fractured, broken, no veins visible.																													C082734	270.60	271.50	0.011		
				Section bleached, fractured, broken, no veins visible.																													C082735	271.50	272.75	0.029		
																																C082736				BLANK	
				Section bleached, fractured, broken, no veins visible.																													C082737	272.75	274.06	0.021		
											1	1	0.6	0.6	70									0.1								C082738	274.06	274.98	0.003		
											2	1	0.7	1.3	70									1.0						1.0		C082739	274.98	276.28	0.003		
											1	1	15.0	15.0	70									2.0						5.0		C082740	276.28	277.36	0.007		
											2	4	0.2	0.3	20						3.0								1.0								
											1	1	38.0	38.0	70									2.0						5.0		C082741	277.36	277.86	0.035		
																																C082742	277.36	277.86		DUPLICATE	

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-317C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS										% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages				Sulphides									Oxidation									
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
				Section broken and crumbled, no veins.																													C082743	277.86	278.80	0.006		
											1	1	0.6	0.6	10																	C082744	278.80	279.81	0.003		
											1	1	0.5	0.5	10																	C082745	279.81	280.98	0.006		
				No veins in section.																													C082746	280.98	282.30	0.008		
		282.30		MSED. Light/medium grey to medium green color with qtz banding. Low silicification, moderate to high carbonate alteration, low to moderate sericitic alteration into low to moderate chlorite alteration. Low to moderate (increasing with depth) core competancy throughout with a pervasive foliation at 70° orientation where core competancy is preserved. Qtz and carbonate veins throughout. Qtz eyes and lenses (oriented along foliation) present. Carbonate veins cross cut foliation, 20 from CA and 90 between carb veins and foliation. Aspy and scordite found in qtz veins and eyes as well. Py found in bleached area's and along fracture/fault surfaces. Trace po found with qtz blobs in highly silicified argillite.		2	3	1	2		1	1	0.7	0.7	70																		C082747	282.30	283.69	0.003		
																																C082748	283.69	284.98	0.003		
																																C082749	283.69	284.98		CHECK ASSAY	
																																C082750				STANDARD 6F	
											3	4	0.3	0.6	20	60					1.0								2.0				C082751	284.98	285.98	0.003		
				Gouge at 285.7m, angle 35 degree's.																													C082752	285.98	287.02	0.003		
											4	4	0.3	0.8	20						2.0												C082753	287.02	288.44	0.003		
											3	1	2.6	6.4	60	70																C082754	288.44	289.80	0.003		
											1	4	0.3	0.3	20						0.1																	
											2	1	14.0	25.0	20						4.0			1.0					2.0	5.0			C082755	289.80	291.22	0.003		
											1	4	0.4	0.4	20						2.0																	
																																C082756				BLANK	
											4	1	9.0	10.6	70	160								1.0					1.0			C082757	291.22	292.32	0.006		
											1	1	4.2	4.2	70						2.0			0.1								C082758	292.32	293.12	0.015		
											2	4	0.2	0.4	20						2.0																	
				Gouge at 294.5m to 294.74m.																													C082759	293.12	294.74	0.012		
											3	1	1.3	3.3	20						1.0			2.0								C082760	294.74	296.17	0.003		
											2	1	12.4	15.6	20						1.0			1.0					2.0			C082761	296.17	297.50	0.003		
																																C082762	296.17	297.50		DUPLICATE	
10	297.5m to	297.50		GND. Medium grey to salt and pepper color, medium-fine to medium grained. Section shows moderate to high carbonitization, low sericitization. Highly fractured throughout, larely along carbonate stringers and veins. Carbonate veins present but not common, containind po and aspy. Py found on fracture/slickenside surfaces. Po occuring along small fracture's with no associated vein, <2% per sample. Gouge area at 298.28m to 298.35m (fault). Section is lightly bleached in some area's. The fracture surface orientation ranges mostly between 55 and 80 with few outside the range. The contact between MSED and GND is abrupt and unbroken with an angle of 50 and increased alteration of both lithologies closer to contact.		1		4		1	1	2.3	2.3	40						2.0		5.0					2.0					C082763	297.50	298.20	0.407		
				Gouge, moderate clay are sericitic alteration in sample, no veins visible.																													C082764	298.20	299.00	0.077		
				Fracture's common in sample, angle's between 50 and 70, mostly 70, with trace py on fracture/slickenseide surfaces.							2	4	0.2	0.3	70						1.0												C082765	299.00	299.51	0.028		
											3	1	0.6	1.5	20									0.1						1.0		C082766	299.51	300.84	0.060		
											3	4	0.4	0.8	10	70					1.0																	
											2	1	1.4	2.3	30							1.0		0.1					3.0				C082767	300.84	302.31	0.061		
											5	4	0.4	1.3	20	70					2.0																	
											3	4	0.4	0.7	70	30					1.0												C082768	302.31	303.07	0.068		
											1	1	1.1	1.1	30							2.0															
																																C082769	302.31	303.07		CHECK ASSAY	
																																C082770				STANDARD 3C	
											2	1	3.1	5.2	10						3.0	4.0		2.0					2.0			C082771	303.07	303.89	0.149		
											2	1	0.4	0.7	40							1.0											C082772	303.89	304.82	0.034		
											2	1	0.9	1.6	10	25								5.0					1.0	2.0		C082773	304.82	305.70	0.105		
				Po along fractures, no vein associated, trace in sample.							1	1	1.4	1.4	15							1.0		7.0					1.0	2.0			C082774	305.70	306.82	0.099		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-317C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS										% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages				Sulphides								Oxidation											
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
				Po found in alteration area's of slicksides surfaces, 1% of sample. Py found on slickensides surfaces, <1% of sample.							2	1	0.4	0.7	20							3.0								1.0				C082775	306.82	307.89	0.159		
																																C082776				BLANK	
											3	4	0.2	0.5	40	70																C082777	307.89	308.57	0.222		
				Trace aspy in matrix, near fractures within the wallrock alteration.							1	1	1.2	1.2	5							5.0											C082778	308.57	309.03	1.485		
											2	4	0.2	0.3	50																							
											2	4	0.2	0.4	60	80																C082779	309.03	309.74	0.040		
											1	1	0.5	0.5	5							6.0		2.0					1.0				C082780	309.74	311.07	0.105		
											5	1	1.2	6.0	5							4.0		1.0					3.0				C082781	311.07	312.30	0.057		
											1	4	0.2	0.2	40																							
																																C082782	311.07	312.30		DUPLICATE	
		312.30	328.88	GND, Gouge. Light grey, gouge and breccia with some competant and heavily bleched rock. Aspy, py and po can still be seen, aspy and po are disseminated in the crunbled parts and py is disseminated as well and in a single sufide stringer/bleb. The area's not completely brecciated are bleached and etched and have undergone intense clay alteration.	1		1	4	2																					C082783	312.30	313.33	0.154		
				Aspy can be seen disseminated in partially preserved rock pieces.							1	6	0.2	0.2	40					0.1			0.1					80.0				C082784	313.33	314.50	0.135		
				Weakly to moderately competant rock in section, very bleached and etched with trace disseminated po and other oxidized sulfides. Py stringer/bleb near beginning of sample.																												C082785	314.50	315.77	0.061		
				Core still holding toghether but competancy is very low, highly clay altered.																												C082786	315.77	317.05	0.041		
				Core still holding toghether un some places but competancy is very low and much of the sample is crumbled and highly clay altered.																												C082787	317.05	318.47	0.039		
				Core still holding toghether un some places but competancy is very low and much of the sample is crumbled and highly clay altered.																												C082788	318.47	319.88	0.101		
																																C082789	318.47	319.88		CHECK ASSAY	
																																C082790				STANDARD 4D	
				Sample is completely crumbled with some larger pieces.																												C082791	319.88	321.20	0.055		
				Sample is completely crumbled, no pieces bigger than 1cm across.																												C082792	321.20	322.47	0.013		
				Sample is altered almost completely to clays, with some competancy and rock at end of sample.																												C082793	322.47	323.74	0.280		
				Sample is altered almost completely to clays, with some breccia visible throughout sample.																												C082794	323.74	325.17	0.810		
				Sample is altered almost completely to clays, with some breccia visible throughout sample.																												C082795	325.17	326.48	0.044		
																																C082796				BLANK	
				Sample is altered almost completely to clays, with some breccia visible throughout sample.																												C082797	326.48	327.79	0.213		
				Sample is altered almost completely to clays, with some breccia visible throughout sample.																												C082798	327.79	328.88	0.199		
		328.88	334.67	GND. Light to medium grey, medium grained. Carbonate and clay alteration moderate to high throughout, with pervasive carbonate stringers/veinlets in most of the core. Carbonate veins along fracture surfaces are common and typically run 20 to 40. Qtz veins are less common @ 5 to 15 and are cross-cut by carbonate veins with an intervein angle of 140. Aspy and po are found in the qtz veins with some disseminatino and blebbing in matrix associated with the veins, trace py can be found on some of the fracture surfaces.		2		2	3		2	1	0.5	1.0	5	10					3.0		4.0					5.0				C082799	328.88	329.99	0.161		
											2	4	0.3	0.5	10					5.0											C082800	329.99	330.99	0.013		
											4	4	0.3	0.8	10	15				2.0											C082801	330.99	331.91	0.033		
											2	1	0.5	0.9	15	30					1.0		4.0					3.0									
																																C082802	330.99	331.91		DUPLICATE	
				No discernable veins but aspy occures disseminated in matrix, < 1% of sample.																												C082803	331.91	332.71	0.023		
				No discernable veins but aspy occures disseminated in matrix, < 1% of sample.																												C082804	332.71	333.64	0.034		
											2	1	1.5	2.4	10	15					2.0		5.0					2.0	1.0			C082805	333.64	334.67	0.123	EOH	

From-To Sheet DG06-317C					
Sample Number	Interval (m)		Width	Sample Type	Au (g/t)
	From	To			
C082485	10.67	11.58	0.910		
C082486	11.58	13.11	1.530		
C082487	13.11	14.63	1.520		
C082488	14.63	15.49	0.860		
C082489	14.63	15.49	0.860	CHECK ASSAY	
C082490				STANDARD 3C	0.091
C082491	15.49	16.91	1.420		
C082492	16.91	17.68	0.770		
C082493	17.68	18.93	1.250		
C082494	18.93	20.34	1.410		
C082495	20.34	21.46	1.120		
C082496				BLANK	
C082497	21.46	22.25	0.790		
C082498	22.25	23.77	1.520		
C082499	23.77	25.30	1.530		
C082500	25.30	26.82	1.520		
C082501	26.82	28.35	1.530		
C082502	26.82	28.35	1.530	DUPLICATE	
C082503	28.35	29.84	1.490		
C082504	29.84	31.39	1.550		
C082505	31.39	32.31	0.920		
C082506	32.31	34.31	2.000		
C082507	34.31	35.97	1.660		
C082508	35.97	37.49	1.520		
C082509	35.97	37.49	1.520	CHECK ASSAY	
C082510				STANDARD 4D	0.43
C082511	37.49	39.32	1.830		
C082512	39.32	40.23	0.910		
C082513	40.23	41.76	1.530		
C082514	41.76	43.28	1.520		
C082515	43.28	44.81	1.530		
C082516				BLANK	
C082517	44.81	46.33	1.520		
C082518	46.33	47.85	1.520		
C082519	47.85	49.38	1.530		
C082520	49.38	50.90	1.520		
C082521	50.90	52.43	1.530		
C082522	50.90	52.43	1.530	DUPLICATE	
C082523	52.43	53.95	1.520		
C082524	53.95	54.86	0.910		
C082525	54.86	55.78	0.920		
C082526	55.78	57.30	1.520		
C082527	57.30	58.83	1.530		
C082528	58.83	60.35	1.520		
C082529	58.83	60.35	1.520	CHECK ASSAY	
C082530				STANDARD 5E	1.43
C082531	60.35	61.87	1.520		
C082532	61.87	63.40	1.530		
C082533	63.40	64.42	1.020		
C082534	64.42	65.23	0.810		
C082535	65.23	66.45	1.220		
C082536				BLANK	
C082537	66.45	67.97	1.520		
C082538	67.97	69.49	1.520		

From-To Sheet DG06-317C					
Sample Number	Interval (m)		Width	Sample Type	Au (g/t)
	From	To			
C082539	69.49	71.02	1.530		
C082540	71.02	72.54	1.520		
C082541	72.54	74.07	1.530		
C082542	72.54	74.07	1.530	DUPLICATE	
C082543	74.07	75.59	1.520		
C082544	75.59	77.11	1.520		
C082545	77.11	78.64	1.530		
C082546	78.64	80.16	1.520		
C082547	80.16	80.83	0.670		
C082548	80.83	82.00	1.170		
C082549	80.83	82.00	1.170	CHECK ASSAY	
C082550				STANDARD 6F	2.77
C082551	82.00	83.40	1.400		
C082552	83.40	84.73	1.330		
C082553	84.73	85.77	1.040		
C082554	85.77	86.91	1.140		
C082555	86.91	88.15	1.240		
C082556				BLANK	
C082557	88.15	89.31	1.160		
C082558	89.31	90.71	1.400		
C082559	90.71	91.80	1.090		
C082560	91.80	92.75	0.950		
C082561	92.75	93.34	0.590		
C082562	92.75	93.34	0.590	DUPLICATE	
C082563	93.34	94.40	1.060		
C082564	94.40	95.40	1.000		
C082565	95.40	96.60	1.200		
C082566	96.60	97.60	1.000		
C082567	97.60	98.45	0.850		
C082568	98.45	99.97	1.520		
C082569	98.45	99.97	1.520	CHECK ASSAY	
C082570				STANDARD 7G	4.46
C082571	99.97	101.00	1.030		
C082572	101.00	102.00	1.000		
C082573	102.00	102.65	0.650		
C082574	102.65	103.75	1.100		
C082575	103.75	104.98	1.230		
C082576				BLANK	
C082577	104.98	106.48	1.500		
C082578	106.48	107.92	1.440		
C082579	107.92	109.12	1.200		
C082580	109.12	110.43	1.310		
C082581	110.43	111.18	0.750		
C082582	110.43	111.18	0.750	DUPLICATE	
C082583	111.18	112.51	1.330		
C082584	112.51	113.69	1.180		
C082585	113.69	115.21	1.520		
C082586	115.21	116.61	1.400		
C082587	116.61	118.02	1.410		
C082588	118.02	119.37	1.350		
C082589	118.02	119.37	1.350	CHECK ASSAY	
C082590				STANDARD 3C	0.091
C082591	119.37	120.90	1.530		
C082592	120.90	122.43	1.530		

From-To Sheet DG06-317C					
Sample Number	Interval (m)		Width	Sample Type	Au (g/t)
	From	To			
C082593	122.43	123.60	1.170		
C082594	123.60	124.96	1.360		
C082595	124.96	126.32	1.360		
C082596				BLANK	
C082597	126.32	127.71	1.390		
C082598	127.71	129.08	1.370		
C082599	129.08	130.52	1.440		
C082600	130.52	131.67	1.150		
C082601	131.67	133.00	1.330		
C082602	131.67	133.00	1.330	DUPLICATE	
C082603	133.00	134.32	1.320		
C082604	134.32	135.47	1.150		
C082605	135.47	136.50	1.030		
C082606	136.50	137.21	0.710		
C082607	137.21	138.45	1.240		
C082608	138.45	139.60	1.150		
C082609	138.45	139.60	1.150	CHECK ASSAY	
C082610				STANDARD 2B	3.02
C082611	139.60	141.12	1.520		
C082612	141.12	142.65	1.530		
C082613	142.65	144.17	1.520		
C082614	144.17	145.69	1.520		
C082615	145.69	147.22	1.530		
C082616				BLANK	
C082617	147.22	148.74	1.520		
C082618	148.74	150.26	1.520		
C082619	150.26	151.79	1.530		
C082620	151.79	153.31	1.520		
C082621	153.31	154.84	1.530		
C082622	153.31	154.84	1.530	DUPLICATE	
C082623	154.84	156.36	1.520		
C082624	156.36	157.89	1.530		
C082625	157.89	158.77	0.880		
C082626	158.77	160.12	1.350		
C082627	160.12	161.28	1.160		
C082628	161.28	162.46	1.180		
C082629	161.28	162.46	1.180	CHECK ASSAY	
C082630				STANDARD 4D	0.43
C082631	162.46	163.98	1.520		
C082632	163.98	165.51	1.530		
C082633	165.51	166.74	1.230		
C082634	166.74	167.96	1.220		
C082635	167.96	169.45	1.490		
C082636				BLANK	
C082637	169.45	170.45	1.000		
C082638	170.45	171.52	1.070		
C082639	171.52	172.74	1.220		
C082640	172.74	173.77	1.030		
C082641	173.77	175.01	1.240		
C082642	173.77	175.01	1.240	DUPLICATE	
C082643	175.01	176.50	1.490		
C082644	176.50	178.00	1.500		
C082645	178.00	179.22	1.220		
C082646	179.22	180.75	1.530		

From-To Sheet DG06-317C					
Sample Number	Interval (m)		Width	Sample Type	Au (g/t)
	From	To			
C082647	180.75	182.27	1.520		
C082648	182.27	183.79	1.520		
C082649	182.27	183.79	1.520	CHECK ASSAY	
C082650				STANDARD 5E	1.43
C082651	183.79	185.32	1.530		
C082652	185.32	186.80	1.480		
C082653	186.80	188.33	1.530		
C082654	188.33	189.85	1.520		
C082655	189.85	191.41	1.560		
C082656				BLANK	
C082657	191.41	192.40	0.990		
C082658	192.40	193.90	1.500		
C082659	193.90	195.03	1.130		
C082660	195.03	196.16	1.130		
C082661	196.16	197.21	1.050		
C082662	196.16	197.21	1.050	DUPLICATE	
C082663	197.21	198.40	1.190		
C082664	198.40	199.99	1.590		
C082665	199.99	201.36	1.370		
C082666	201.36	202.53	1.170		
C082667	202.53	203.44	0.910		
C082668	203.44	204.83	1.390		
C082669	203.44	204.83	1.390	CHECK ASSAY	
C082670				STANDARD 6F	2.77
C082671	204.83	206.10	1.270		
C082672	206.10	207.51	1.410		
C082673	207.51	208.85	1.340		
C082674	208.85	210.20	1.350		
C082675	210.20	211.54	1.340		
C082676				BLANK	
C082677	211.54	212.83	1.290		
C082678	212.83	214.05	1.220		
C082679	214.05	215.51	1.460		
C082680	215.51	217.25	1.740		
C082681	217.25	218.36	1.110		
C082682	217.75	218.36	0.610	DUPLICATE	
C082683	218.36	219.40	1.040		
C082684	219.40	221.89	2.490		
C082685	221.89	223.11	1.220		
C082686	223.11	224.42	1.310		
C082687	224.42	224.94	0.520		
C082688	224.94	226.10	1.160		
C082689	224.94	226.10	1.160	CHECK ASSAY	
C082690				STANDARD 7G	4.46
C082691	226.10	227.70	1.600		
C082692	227.70	229.10	1.400		
C082693	229.10	230.48	1.380		
C082694	230.48	231.81	1.330		
C082695	231.81	232.94	1.130		
C082696				BLANK	
C082697	232.94	233.81	0.870		
C082698	233.81	235.82	2.010		
C082699	235.82	236.40	0.580		
C082700	236.40	237.80	1.400		

From-To Sheet DG06-317C					
Sample Number	Interval (m)		Width	Sample Type	Au (g/t)
	From	To			
C082701	237.80	239.87	2.070		
C082702	237.80	239.87	2.070	DUPLICATE	
C082703	239.87	240.25	0.380		
C082704	240.25	241.55	1.300		
C082705	241.55	242.82	1.270		
C082706	242.82	244.04	1.220		
C082707	244.04	245.57	1.530		
C082708	245.57	247.06	1.490		
C082709	245.57	247.06	1.490	CHECK ASSAY	
C082710				STANDARD 3C	0.091
C082711	247.06	248.34	1.280		
C082712	248.34	249.57	1.230		
C082713	249.57	250.45	0.880		
C082714	250.45	251.76	1.310		
C082715	251.76	252.91	1.150		
C082716				BLANK	
C082717	252.91	254.22	1.310		
C082718	254.22	255.36	1.140		
C082719	255.36	256.73	1.370		
C082720	256.73	258.10	1.370		
C082721	258.10	259.28	1.180		
C082722	258.10	259.28	1.180	DUPLICATE	
C082723	259.28	260.40	1.120		
C082724	260.40	261.50	1.100		
C082725	261.50	263.03	1.530		
C082726	263.03	264.60	1.570		
C082727	264.60	266.06	1.460		
C082728	266.06	267.90	1.840		
C082729	266.06	267.90	1.840	CHECK ASSAY	
C082730				STANDARD 4D	0.43
C082731	267.90	268.90	1.000		
C082732	268.90	269.67	0.770		
C082733	269.67	270.60	0.930		
C082734	270.60	271.50	0.900		
C082735	271.50	272.75	1.250		
C082736				BLANK	
C082737	272.75	274.06	1.310		
C082738	274.06	274.98	0.920		
C082739	274.98	276.28	1.300		
C082740	276.28	277.36	1.080		
C082741	277.36	277.86	0.500		
C082742	277.36	277.86	0.500	DUPLICATE	
C082743	277.86	278.80	0.940		
C082744	278.80	279.81	1.010		
C082745	279.81	280.98	1.170		
C082746	280.98	282.30	1.320		
C082747	282.30	283.69	1.390		
C082748	283.69	284.98	1.290		
C082749	283.69	284.98	1.290	CHECK ASSAY	
C082750				STANDARD 6F	2.77
C082751	284.98	285.98	1.000		
C082752	285.98	287.02	1.040		
C082753	287.02	288.44	1.420		
C082754	288.44	289.80	1.360		

From-To Sheet DG06-317C					
Sample Number	Interval (m)		Width	Sample Type	Au (g/t)
	From	To			
C082755	289.80	291.22	1.420		
C082756				BLANK	
C082757	291.22	292.32	1.100		
C082758	292.32	293.12	0.800		
C082759	293.12	294.74	1.620		
C082760	294.74	296.17	1.430		
C082761	296.17	297.50	1.330		
C082762	296.17	297.50	1.330	DUPLICATE	
C082763	297.50	298.20	0.700		
C082764	298.20	299.00	0.800		
C082765	299.00	299.51	0.510		
C082766	299.51	300.84	1.330		
C082767	300.84	302.31	1.471		
C082768	302.31	303.07	0.759		
C082769	302.31	303.07	0.759	CHECK ASSAY	
C082770				STANDARD 3C	0.091
C082771	303.07	303.89	0.820		
C082772	303.89	304.82	0.930		
C082773	304.82	305.70	0.880		
C082774	305.70	306.82	1.120		
C082775	306.82	307.89	1.070		
C082776				BLANK	
C082777	307.89	308.57	0.680		
C082778	308.57	309.03	0.460		
C082779	309.03	309.74	0.710		
C082780	309.74	311.07	1.330		
C082781	311.07	312.30	1.230		
C082782	311.07	312.30	1.230	DUPLICATE	
C082783	312.30	313.33	1.030		
C082784	313.33	314.50	1.170		
C082785	314.50	315.77	1.270		
C082786	315.77	317.05	1.280		
C082787	317.05	318.47	1.420		
C082788	318.47	319.88	1.410		
C082789	318.47	319.88	1.410	CHECK ASSAY	
C082790				STANDARD 4D	0.43
C082791	319.88	321.20	1.320		
C082792	321.20	322.47	1.270		
C082793	322.47	323.74	1.270		
C082794	323.74	325.17	1.430		
C082795	325.17	326.48	1.310		
C082796				BLANK	
C082797	326.48	327.79	1.310		
C082798	327.79	328.88	1.090		
C082799	328.88	329.99	1.110		
C082800	329.99	330.99	1.000		
C082801	330.99	331.91	0.920		
C082802	330.99	331.91	0.920	DUPLICATE	
C082803	331.91	332.71	0.800		
C082804	332.71	333.64	0.930		
C082805	333.64	334.67	1.030	EOH	

DG06-317C Relfex readings, July 19, 2006					
Depth(meters below surface)	Azimuth (degree's)	Corrected Azimuth (degree's)	Dip (degee's)	Magnetic field	Temperature (celcius)
101.5	152.7	178.2	-61.9	5779	10.4
200	153.3	178.8	-62.2	5801	16.6
319	154.7	180.2	-60.9	5806	9

GEOTECHNICAL SUMMARY SHEET

PROJECT: Dublin Gulch - 1735	
DRILL HOLE NO: DG06-317C	
Date Started: July 9, 2006	**Date Completed:** July 19, 2006
Geoteched By: Stacy Doyle, Jason Kindrat, Mike Giasson, Marc Mains	
Contractor: DJ Drilling	
Hole Size: HQ	**Core Size:** HQ
Total Depth: 334.67m	**Elevation:** 1002m
Average RQD: 41.3%	**Average Recovery Rate:** 88.1%

	Easting	**Northing**
DDH NAD27		
NAD27	459492	7099673
NAD83	459372	7099862
	Azimuth	**Dip**
Original	180	-60
End of Hole	178.8	-62.2
Additional Comments:	No DRY pictures for Boxes 1-3, 4-6, 7-9, 25-27, 58-60, and 61-63 due to rain and/or lack of dry time.	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-317C___ Sheet:__1___ of __5___

Date:__July 9-19, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length										Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29		Fault Breccia / Gouge	Broken Core	
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
Casing	0	10.67	10.67		0		0		-												Casing
MSED	10.67	11.58	0.91	1.2	100	0	0	R1/R3	-	HW/FS									40	60	
	11.58	13.11	1.53	1.4	92	0.26	17	R1/R3	-	HW/FS	4	SS/PR							10	73	
	13.11	14.63	1.52	1.16	76	0.26	17	R0/R3	-	EW/FS	3	PS/SS	1	IS					20	63	
	14.63	16.15	1.52	1.52	100	0.48	32	R1/R3	-	HW/FS	4	IR/PR	2	UR/SR					10	58	
	16.15	17.68	1.53	1.4	92	0.96	63	R1/R3	-	MW/FS	8	IR/SR	5	IR	1	UR			2	35	
	17.68	18.29	0.61	0.56	92	0	0	R1/R3	-	HW/FS									2	98	Short Run
	18.29	19.2	0.91	0.8	88	0.46	51	R3	-	FS	5	PS/SS	1	SS					0	49	
	19.2	20.73	1.53	1.48	97	1.01	66	R2/R3	-	FS	5	IR/SR	2	PS			1	SS	0	34	
	20.73	22.25	1.52	1.37	90	0.35	23	R1/R3	-	HW/FS	3	IS					1	PS	15	62	
	22.25	23.77	1.52	1.45	95	0.87	57	R3	-	MW/FS	8	IS/SS							0	43	
	23.77	25.3	1.53	1.23	80	0.2	13	R1/R3	-	HW/FS	1	IS			1	IR			30	57	
	25.3	26.82	1.52	1.44	95	0.15	10	R1/R3	-	HW	2	IR							45	45	
	26.82	28.35	1.53	0.67	44	0	0	R1/R3	-	HW/FS									30	70	
	28.35	29.87	1.52	1.4	92	0.13	9	R1/R3	-	HW/FS	2	PS/SS							20	71	
	29.87	30.78	0.91	0.69	76	0	0	R1/R2	-	HW									60	40	
	30.78	31.39	0.61	0.44	72	0	0	R1/R2	-	HW									5	95	
	31.39	32.31	0.92	1.4	100	0	0	R2/R3	-	HW/FS									0	100	Ex.Broken
	32.31	34.44	2.13	2.13	100	0.2	9	R1/R3	-	MW/FS	2	SS/PR							2	89	
	34.44	35.97	1.53	1.42	93	0.11	7	R2/R3	-	MW/FS	1	IS					1	PS	0	93	
	35.97	37.49	1.52	1.5	99	0.17	11	R1/R3	-	HW/FS	2	SS/IR							10	79	
	37.49	39.32	1.83	1.3	71	0	0	R1/R3	-	HW/FS									5	95	
	39.32	40.23	0.91	1.11	100	0	0	R1/R3	-	HW/FS									60	40	
	40.23	41.76	1.53	1.5	98	0.83	54	R1/R3	-	MW/FS	5	SS/PS	3	SS	2	PS			2	44	
	41.76	43.28	1.52	1.42	93	0.51	34	R3	-	FS	7	SR/IR	1	PS					0	66	
	43.28	44.81	1.53	1.52	99	0.37	24	R1/R2	-	MW/FS	6	PR/SR							3	73	
	44.81	46.33	1.52	1.42	93	0	0	R2/R3	-	MW/FS									0	100	Ex.Broken
	46.33	47.85	1.52	1.5	99	0	0	R2/R3	-	MW/FS									30	70	
	47.85	49.38	1.53	1.5	98	0	0	R2/R3	-	MW/FS									30	70	
	49.38	50.9	1.52	1.35	89	0	0	R1/R3	-	MW/FS									50	50	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-317C___ Sheet:__2___ of __5___

Date:__July 9-19, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length										Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29		Fault Breccia / Gouge	Broken Core	
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	50.9	52.43	1.53	1.05	69	0	0	R1/R2	-	HW									90	10	
	52.43	53.95	1.52	1.3	86	0	0	R1/R2	-	HW									90	10	
	53.95	54.86	0.91	0.82	90	0	0	R1/R3	-	MW/FS									20	80	
	54.86	55.78	0.92	0.7	76	0	0	R1/R2	-	HW									40	60	
	55.78	57.3	1.52	0.2	13	0	0	R1/R2	-	HW									50	50	
	57.3	58.83	1.53	0.85	56	0	0	R1	-	HW									99	1	
	58.83	60.35	1.52	0.88	58	0	0	R1/R2	-	HW									90	10	
	60.35	61.87	1.52	1.2	79	0	0	R1/R2	-	HW									80	20	
	61.87	63.4	1.53	0.55	36	0	0	R1/R2	-	HW									90	10	
	63.4	64.62	1.22	1.2	98	0.17	14	R1/R3	-	HW/FS	2	SS							60	26	
	64.62	65.23	0.61	0.5	82	0	0	R3	-	FS									0	100	
	65.23	66.45	1.22	0.8	66	0.25	20	R2/R3	-	FS	4	SR							0	80	
	66.45	67.97	1.52	1.1	72	0.38	25	R3	-	FS	5	SR	1	PS					0	75	
	67.97	69.49	1.52	0.95	63	0.41	27	R3	-	FS	3	PS	2	CR	1	CS			0	73	
	69.49	71.02	1.53	1.35	88	0.91	59	R3	-	FS	2	PS	2	PR/IR	2	CR/US			0	41	
	71.02	72.54	1.52	1.53	100	0.75	49	R3	-	FS			4	IR	1	IR	1	IR	0	51	
	72.54	74.07	1.53	1.53	100	1.22	80	R3	-	FS			3	SR	9	SR/IR			0	20	
	74.07	75.59	1.52	1.52	100	1.4	92	R3	-	FS	7	IR	1	IR					0	8	
	75.59	77.11	1.52	1.44	95	0.53	35	R3/R4	-	FS	3	IR	1	PR					0	65	
	77.11	78.64	1.53	1.53	100	0.27	18	R3	-	FS	2	IR							0	82	
	78.64	80.16	1.52	1.36	89	0.6	39	R3	-	FS			8	IR					0	61	
	80.16	81.69	1.53	1.53	100	0.9	59	R3	-	FS	3	IR	7	IR					0	41	
	81.69	83.21	1.52	1.45	95	0.96	63	R3	-	FS			10	IR					0	37	
	83.21	84.73	1.52	1.49	98	1.36	89	R3/R4	-	FS	10	SR/PR	7	CR/PR			1	SR	0	11	
	84.73	86.26	1.53	1.53	100	1.53	100	R4	-	FS	7	PS	6	CR	2	UR			0	0	V.Competent
	86.26	87.78	1.52	1.38	91	1.38	91	R3	-	FS	7	CR	5	CR/UR					0	9	
	87.78	89.31	1.53	1.45	95	1.09	71	R3	-	FS			8	IR/PS					0	29	
	89.31	90.83	1.52	1.45	95	0.82	54	R3	-	FS/FR			5	SR/PR	1	IR			0	46	
	90.83	91.74	0.91	0.91	100	0.6	66	R3	-	FS	2	PR	3	IR	1	IR			0	34	Lost Core
	91.74	92.35	0.61	0.69	100	0.39	64	R3	-	FS	5	IR			1	IR			0	36	
	92.35	93.88	1.53	1.53	100	0.49	32	R3	-	FS	1	IR	2	IR	5	IR			0	68	
	93.88	95.4	1.52	1.52	100	0.41	27	R3	-	FS			2	PR/IR	2	IR			0	73	
	95.4	96.93	1.53	1.53	100	1.53	100	R3	-	FS	4	UR/PR	6	UR/IR					0	0	V.Competent
	96.93	98.45	1.52	1.48	97	0.66	43	R3	-	FS			6	PR/IR					0	57	
	98.45	99.97	1.52	1.48	97	0.93	61	R3	-	FS			4	IR	4	PR/IR			0	39	
	99.97	101.5	1.53	1.28	84	0.86	56	R3	-	FS			6	PS/IR			2	PS	3	41	
	101.5	103.02	1.52	1.46	96	1.32	87	R3	-	FS/FR	2	PR	10	IR/PS					0	13	
	103.02	104.55	1.53	1.53	100	0.99	65	R4	-	FS	1	IR	6	SR	2	CS	1	IR	0	35	
	104.55	106.07	1.52	1.43	94	1.09	72	R4	-	FS			7	PS	1	IR			0	28	
	106.07	107.59	1.52	1.47	97	1.04	68	R4	-	FR	6	CR	6	UR/PR	1	CR	1	CR	0	32	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-317C___ Sheet:__3___ of __5___

Date:__July 9-19, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length										Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29		Fault Breccia / Gouge	Broken Core	
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	107.59	109.12	1.53	1.37	90	1.24	81	R4	-	FR	4	US/PR	3	CR					0	19	
	109.12	110.64	1.52	1.53	100	1.37	90	R4	-	FR	3	PR	1	CR	1	US			0	10	
	110.64	112.17	1.53	1.53	100	0.84	55	R4	-	FR	2	PR							0	45	
	112.17	113.69	1.52	1.52	100	0.49	32	R4	-	FR			5	PS	3	IR/SR			0	68	
	113.69	115.21	1.52	1.35	89	1.09	72	R4	-	FR	7	IS/CR	4	UR/PS	1	PR	2	PR	0	28	
	115.21	116.74	1.53	1.4	92	1	65	R5	-	FR	4	SS/IR			4	IR			0	35	
	116.74	118.26	1.52	1.31	86	0.47	31	R3	-	FR/FS	1	IR	1	SS	1	IR	1	CR	0	69	
	118.26	119.79	1.53	1.4	92	1.07	70	R3	-	FR/FS	8	IR							0	30	
	119.79	121.31	1.52	1.5	99	0.26	17	R1/R4	-	FR/FS	1	IR	1	PS					1	82	
	121.31	122.22	0.91	0.83	91	0.31	34	R4	-	FR/FS	3	IR					1	PS	0	66	
	122.22	122.83	0.61	0.44	72	0.24	39	R3	-	FR	2	PR							0	61	
	122.83	124.36	1.53	1.35	88	0.81	53	R3	-	FR	9	PR/IR	3	PR					0	47	
	124.36	125.88	1.52	1.45	95	1.16	76	R3	-	FR	5	PR/IR	3	PR					0	24	
	125.88	127.41	1.53	1.51	99	1.51	99	R3	-	FS	6	IR/PS	4	PR	4	PS/SS			0	1	
	127.41	128.93	1.52	1.48	97	1.39	91	R3	-	FS	5	IR/PR	5	SR/PR	2	SR/PR			0	9	
	128.93	130.45	1.52	1.48	97	1.23	81	R3	-	FR	3	IR	2	PR/SR	5	SR/PR			0	19	
	130.45	131.98	1.53	1.33	87	1.01	66	R3	-	FR			5	IR/PS	1	SR			0	34	
	131.98	133.5	1.52	1.25	82	0.38	25	R1/R3	-	FR/HW			6	SR/PS					8	19	
	133.5	135.03	1.53	1.53	100	0.62	41	R3	-	FR			8	PS/IR					0	59	
	135.03	136.55	1.52	1.51	99	1.37	90	R3	-	FR			6	SR/PR	6	PR/SR			0	10	
	136.55	138.07	1.52	1.39	91	0.5	33	R3	-	FR			5	IR/PR			1	SR	0	67	
	138.07	139.6	1.53	1.53	100	0.79	52	R3	-	FR			6	PR/CR			2	CS/IR	0	48	
	139.6	141.12	1.52	1.52	100	1.5	99	R4	-	FR			4	IR	6	PS/IR			0	1	
	141.12	142.65	1.53	1.48	97	1.1	72	R4	-	FR	2	PR			6	PS/CR			0	8	
	142.65	144.17	1.52	1.52	100	1.33	88	R3	-	FR	2	IR	3	UR/PR	5	IR/PR			0	12	
	144.17	145.69	1.52	1.52	100	1.43	94	R4	-	FR			2	IR	6	IR			0	6	
	145.69	147.22	1.53	1.53	100	1.47	96	R4	-	FR/FS	2	PR	6	PR	2	IR			0	4	
	147.22	148.74	1.52	1.47	97	1.44	95	R3	-	FR			5	PR/IR	3	PR			0	5	
	148.74	150.27	1.53	1.4	92	1.23	80	R3	-	FR			5	IR/PR	1	PR	2	IR	0	20	
	150.27	151.79	1.52	1.52	100	1.41	93	R3	-	FR	2	SR	4	PR	2	SS			0	7	
	151.79	153.31	1.52	1.52	100	0.98	64	R3	-	FR			10	PR/IR	1	IR	1	IR	0	36	
	153.31	154.84	1.53	1.54	100	1.46	95	R4	-	FR	7	PR	6	PR/IR					0	5	
	154.84	156.36	1.52	1.28	84	0.83	55	R1/R3	-	HW/FR	8	PR/IR	1	PR	2	IR	2	IR	5	40	
	156.36	157.89	1.53	1.14	75	0.11	7	R1/R4	-	HW/FR	1	PR	1	SR	1	SR			10	83	
	157.89	159.41	1.52	1.5	99	1.25	82	R4	-	FR	6	PR	4	PR/UR					0	18	
	159.41	160.93	1.52	1.55	100	1.55	100	R4/R5	-	FR	8	PR/IR							0	0	V.Competent
	160.93	162.46	1.53	1.46	95	1.18	77	R4	-	FR	6	PR/SR	4	PR/SR	3	SR/PR	1	SR	0	23	
	162.46	163.98	1.52	1.5	99	1.36	89	R4	-	FR	7	PR/UR	1	SR	1	SR			0	11	
	163.98	165.51	1.53	1.55	100	1.32	86	R4	-	FR	4	PR	4	PR/SR	1	PR			0	14	
	165.51	167.03	1.52	1.53	100	1.23	81	R3/R4	-	FR	1	SR	3	PR			1	SR	0	19	
	167.03	168.55	1.52	1.53	100	1.13	74	R3/R4	-	FR	5	PR/SR	2	PR/SR			2	SR	0	26	
	168.55	170.08	1.53	1.42	93	0.53	35	R3/R4	-	FR	5	IR/PR	3	UR/IR					0	65	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-317C___ Sheet:__4___ of __5___

Date:__July 9-19, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length										Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29		Fault Breccia / Gouge	Broken Core	
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	170.08	171.6	1.52	1.23	81	1.01	66	R4	-	FR			3	CR/PR	3	CR			0	34	Qtz vns
	171.6	173.13	1.53	1.3	85	0.45	29	R1/R4	-	HW/FR	4	SR/PR	4	SR/PR	1	SR	1	SR	5	66	
	173.13	174.65	1.52	1.33	88	0.74	49	R1/R4	-	HW/FR	7	PR/SR	3	PR			2	SR	2	49	
	174.65	176.17	1.52	1.52	100	1.08	71	R1/R4	-	HW/FR	11	SR/PR	3	SR/IR	3	SR/IR	3	SR/IR	2	27	
	176.17	177.7	1.53	1.5	98	0.78	51	R2/R4	-	HW/FR	4	SR/PR	8	SR/PR	2	SR	1	SR	4	45	
	177.7	179.22	1.52	1.37	90	0.71	47	R3/R4	-	FR	2	PR/SR	6	PR/SR	2	SR	4	SR/IR	0	53	
	179.22	180.75	1.53	1.53	100	1.15	75	R4	-	FR	10	SR/PR	4	PR/SR	1	PR	3	PR/SR	0	25	
	180.75	182.27	1.52	1.41	93	0.91	60	R3/R4	-	FR	9	PR/UR	2	PR					0	40	
	182.27	183.79	1.52	1.25	82	0.31	20	R2/R4	-	FR	5	PR/IR	3	PR/IR	1	IR	2	IR	0	80	
	183.79	185.32	1.53	1.34	88	1.06	69	R4	-	FR	1	SR	7	SR/PR	4	SR/IR	1	IR	0	31	
	185.32	186.84	1.52	1.47	97	0.56	37	R4/R5	-	FR	5	PR/IR	5	PR/SR	1	PR	1	SR	0	63	Qtz vns
	186.84	188.37	1.53	1.31	86	0.4	26	R3/R4	-	FR	1	IR	3	SR/IR	3	PR/SR	1	SR	0	74	
	188.37	191.41	3.04	2.92	96	2.51	83	R3/R4	-	FR	12	PR/IR	4	SR/PR	2	SR			0	17	10' Runs
	191.41	194.16	2.75	1.81	66	0.99	36	R1/R4	-	HW/FR	5	PR/SR	7	PR/SR	1	SR	1	CR	6	58	
	194.16	197.21	3.05	2.87	94	1.43	47	R3/R4	-	FR	13	UR/PR	5	SR/PR	2	IR			0	53	
	197.21	197.51	0.3	0.25	83	0.19	63	R4	-	FR	1	IR	1	SR			1	SR	0	37	
	197.51	200.56	3.05	2.83	93	1.83	60	R3	-	FR	4	IR	5	PR	4	PR	3	PR	0	40	
	200.56	203	2.44	2.05	84	0.81	33	R3	-	FR	4	PR			2	PR			0	67	
	203	203.61	0.61	0.7	100	0	0	R3	-	FR									0	100	
	203.61	206.15	2.54	2.95	100	0.96	38	R1/R3	-	MW/FR	5	PS	1	PS					5	57	
	206.15	209.7	3.55	3.03	85	2.57	72	R3	-	FR	12	PR/IR			4	PS			0	28	
	209.7	212.75	3.05	2.94	96	2.44	80	R4	-	FR	7	PS	5	IS/US	2	PS	2	PS	0	20	
	212.75	215.8	3.05	3.02	99	1.7	56	R4	-	FR	15	PR/UR	3	PS					0	44	
	215.8	218.85	3.05	2.97	97	2.36	77	R4	-	FR	14	PR/IR			1	PS	1	PS	0	23	
	218.85	221.89	3.04	1.9	63	0.78	26	R4	-	FR	7	PR	1	PS					0	74	
	221.89	224.94	3.05	3.05	100	1.33	44	R3/R4	-	FR	2	PS	10	PS/IR	2	IR			0	56	
	224.94	226.71	1.77	1.55	88	0.54	31	R4	-	FR			2	PS/CR	2	PS/IR			0	69	
	226.71	227.99	1.28	1.13	88	0.27	21	R4	-	FR			2	PR	2	IR/PR			0	79	
	227.99	231.04	3.05	2.63	86	0.9	30	R4	-	FR	4	PS/IR	4	PR/PS	6	PR/IR			0	70	
	231.04	233.17	2.13	1.88	88	0.79	37	R1/R3	-	HW/FR	3	PS/CS	8	IS/PS					10	53	
	233.17	234.09	0.92	0.91	99	0.4	43	R2/R4	-	FR	2	IS/CR	2	PS					0	57	
	234.09	237.13	3.04	0.91	30	0.4	13	R2/R4	-	HW/FR	10	PS/IS	6	PS					6	47	
	237.13	240.18	3.05	2.82	92	2.19	72	R3/R4	-	FR	10	PS/SS	6	PS/IS	3	PS/IS	1	PS	0	28	
	240.18	242.32	2.14	2.17	100	1.44	67	R3/R4	-	FR	1	PS	9	PS/IS					0	33	
	242.32	243.23	0.91	0.92	100	0.73	80	R3/R4	-	FR	3	CS/PS	3	IS	2	PS			0	20	
	243.23	246.28	3.05	2.94	96	1.44	47	R1/R3	-	HW/FR	10	IR/PR	2	PR	2	PS			8	45	
	246.28	247.8	1.52	1.78	100	0.2	13	R1/R3	-	HW/FR	1	IR	1	PS					8	79	
	247.8	249.33	1.53	1.49	97	0.27	18	R2/R3	-	MW/FR	4	IR							2	80	
	249.33	251.76	2.43	2.5	100	0.89	37	R1/R3	-	MW/FR	8	IR	1	PR			1	PR	7	56	
	251.76	254.81	3.05	3.08	100	1.03	34	R3	-	FR	8	UR/IR	2	PR					0	62	
	254.81	257.8	2.99	2.85	95	2.25	75	R3	-	FR	21	SS/PR	3	PR			2	PS	0	25	
	257.8	260.91	3.11	3.2	100	0.59	19	R3	-	FR	5	IR			1	SS			1	80	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-317C___ Sheet:__5___ of __5___

Date:__July 9-19, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	260.91	263.35	2.44	2.77	100	0	0	R2/R3	-	MW/FR									1	99	
	263.35	264.5	1.15	1.15	100	0	0	R3	-	FR									0	100	
	264.5	265.79	1.29	1.55	100	0	0	R3	-	FR									0	100	
	265.79	267.31	1.52	1.6	100	0	0	R1/R3	-	MW/FR									8	92	
	267.31	270.36	3.05	2.26	74	0.34	11	R1/R3	-	HW/FR	3	PR/SR	1	SR	1	SR	1	SR	15	74	
	270.36	270.97	0.61	0.63	100	0.15	25	R1/R3	-	HW/FR	1	IR	1	CR					15	60	
	270.97	273.71	2.74	0.92	34	0	0	R1/R3	-	HW/FR									5	95	
	273.71	276.76	3.05	2.49	82	0.68	22	R2/R3	-	SW/FR	4	PR/IR	7	IR/SR	4	SR	2	SR	0	78	Qtz vns
	276.76	279.81	3.05	2.46	81	0.45	15	R1/R3	-	HW/FR	5	PR/IR	5	PR/SR			2	SR	25	60	
	279.81	282.85	3.04	2.86	94	2.15	71	R2/R3	-	FR	12	SR/PR	9	PR/IR	6	SR	4	SR	0	29	
	282.85	285.9	3.05	2.81	92	1.73	57	R3	-	FR	16	PR/IR	12	PR/SR	1	SR	5	SR	0	43	
	285.9	288.95	3.05	2.78	91	0.93	30	R1/R3	-	HW/FR	1	SR	12	PR/SR	3	SR/UR	2	SR	3	67	
	288.95	291.69	2.74	2.29	84	1.88	69	R3	-	FR	15	PR/SR	7	PR/SR	5	CR/SR	4	CR/SR	0	31	Qtz vns
	291.69	294.74	3.05	1.78	58	0.85	28	R1/R3	-	HW/FR	7	PS/IR	1	SR	1	SR			2	70	Qtz vns
MSED/ GND	294.74	297.79	3.05	2.77	91	2.24	73	R3	-	FR	20	PR/SR	7	IR/PR	2	SR/UR	1	IR	0	9	Qtz vns
GND	297.79	300.84	3.05	3.1	100	1.77	58	R1/R3	-	HW/FR	16	PR/SR	6	PR/SR	3	PR/SR	2	PR/UR	8	34	
	300.84	303.89	3.05	2.81	92	0.11	4	R2/R3	-	FR	2	PR							2	94	V.Broken
	303.89	306.93	3.04	2.8	92	1.29	42	R2/R4	-	MW/FR	2	PS	5	CS/US	3	FR	2	PS/CS	0	58	
	306.93	309.96	3.03	2.62	86	0	0	R2/R3	-	HW/FR									0	100	
	309.96	310.29	0.33	0.12	36	0	0	R4	-	FR									0	100	
	310.29	313.33	3.04	3.04	100	0	0	R0/R2	-	MW/FR									75	25	
	313.33	316.38	3.05	2.85	93	0	0	R1/R2	-	HW/MW									100	0	V.Gougy
	316.38	319.43	3.05	3.05	100	0	0	R1/R2	-	HW/MW									100	0	V.Gougy
	319.43	322.48	3.05	1.66	54	0	0	R1/R2	-	HW									95	5	
	322.48	325.53	3.05	2.25	74	0	0	R1	-	HW									100		
	325.53	327.05	1.52	1	66	0	0	R1	-	HW									98	2	
	327.05	328.88	1.83	1.44	79	0.14	8	R1/R3	-	HW/FR	1	IR	1	PR					80	12	
	328.88	332.62	3.74	2.88	77	0.52	14	R1/R3	-	HW/FR	6	PR							25	56	
	332.62	334.67	2.05	2.98	100	0.47	23	R1/R3	-	HW/FR	6	IR/PS							35	50	
	EOH																				E.O.H.

DRILL HOLE SUMMARY SHEET

HOLE NO.: D06-318C

PROJECT: Dublin Gulch - 1735

GROUND ELEVATION: 950m | **EOH:** 210.62m

BEARING: 180 | **DIP:** -55°

DATE STARTED: 11-Jul-06 | **DATE COMPLETED:** 12-Jul-06 (night)

COORD SYSTEM: NAD 27: EASTING: 459347 NORTHING: 7100144

COORD SYSTEM: NAD 83: EASTING: 459230 NORTHING: 7100330

LOGGED BY: M. Stone

SECTION LINE(historic grid)

CONTRACTOR: DJ Drilling

DRILLING DETAILS

Hole Diameter: HQ

Overburden: 20.42m

Deviation:

Casing: 20.42m

Core Size: HQ

Cement (# Bags): 0

Plug Depth: N/A

Notes: No plug necessary.

SAMPLING DETAILS

Sample Sequence:

Requisition #: | **Date Shipped:**

Lab Record #: | **Date Received:**

Sample Sequence:

Requisition #: | **Date Shipped:**

Lab Record #: | **Date Received:**

Duplicates:	C079722	C079742	C079762	C079782	C079802	C079822	C079842	C079862
	C079882							
Preparation Duplicate/ Check Assay:	C079729	C079749	C079769	C079789	C079809	C079829	C079849	C079869
	C079889							
Standards:	C079730	C079750	C079770	C079790	C079810	C079830	C079850	C079870
	C079890							
Blanks:	C079736	C079756	C079776	C079796	C079816	C079836	C079856	C079876
	C079896							

FROM	TO	LITHOLOGY
20.40	23.77	Overburden
23.77	26.82	MSED
26.82	31.55	GND
31.55	61.44	HFLS/QZZ
61.44	63.73	DIOR
63.73	66.27	HFLS/QZZ - contact to above DIOR at 50° to CA
66.27	67.38	DIOR - contact to above MSED @ 45° to CA
67.38	92.10	QZZ
92.10	93.88	GND
93.88	107.59	QZZ
107.59	116.39	HFLS
116.39	120.10	QZZ
120.10	142.85	MSED
142.85	159.31	QZZ
159.31	163.38	MSED
163.38	165.28	QZZ
165.28	165.39	GND - contacts above QZZ with QTZ vein @ 60°
165.39	166.41	QZZ
166.41	166.93	GND - contacts above QZZ @ 25° to CA
166.93	167.51	QZZ
167.51	171.26	GND
171.26	176.85	QZZ
176.85	181.34	BQS
181.34	210.62	QZZ

DEPTH (m)	AZI (Orig)	DIP (Orig)	AZ (+25.5 Corr)
71.50	145.1	-55.9	170.6
200.00	153.3	-62.2	178.8

ASSAY INTERCEPTS

FROM:	TO:	INT:	Au (g/t)	SAMPLE QUALITY:

FROM	TO	ALTERATION
31.55	61.44	Silicified
20.42	46.74	Oxidized
159.31	163.38	Clay alt.
20.42	23.77	Altered - ser
142.85	163.38	Altered - clay, cb
167.51	171.26	Altered - ser, cl
46.74	142.85	Unaltered
163.38	167.51	Unaltered
171.26	210.62	Unaltered

COMMENTS: (Ground conditions, fracture zones, water flows, drilling problems)

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-318C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

LOGGED BY:__M. Stone,

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages			Sulphides								Oxidation										
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5) Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
-1	20.42 - 23.77	20.42	23.77	Mixed bag of subangluar to subrounded pebbles; MSED, GND (heavily ox'd), ser'd intrusives (GND-GNT). Broken into 2 samples; recovery poor.	4	1																									C079717	20.42	22.10	0.003		
																															C079718	22.10	23.77	0.003		
80	23.77 - 26.82	23.77	26.82	Qtz-rich MSED w/ limonite along <1cm layers, limonite covers much of mafics/sulphides	4																									C079719	23.77	25.30	0.013		
																															C079720	25.30	26.82	0.053		
10	26.82 - 31.55	26.82	31.55	Gradation from qtz-rich MSED into GND (heavily limonized w/ intrusive texture, beginning at 28.15).	3																									C079721	26.82	28.35	0.255		
																															C079722	26.82	28.35		DUPLICATE	
																															C079723	28.35	29.87	0.080		
				Abrupt contact w/ HFLS, described below							2	1	1.0	2.0	80													0.1				C079724	29.87	31.40	0.097		
81	31.55 -	31.55	37.49	HFLS is also qtz-rich, but w/ more colour - silicified sericite-mafic ultra-fine-grained but layered material. Heavily limonite-stained on some layers, moderate throughout. Also limonite through fractures w/ offshoots at 155 and 25 to CA. Main lim-covered fractures at 80 to CA, along meta-beds.	3																									C079725	31.40	32.92	0.159		
																															C079726	32.92	34.44	0.031		
																															C079727	34.44	35.97	0.015		
											1	1	4.0	4.0	80													0.1				C079728	35.97	37.44	0.026		
																															C079729	35.97	37.44		CHECK ASSAY	
																															C079730				STANDARD 3C	
81		37.49	46.74	Moderate lim staining on silicified HFLS. Fractures w/ lim decrease in number, are smaller, and at near 0 to CA.	2																									C079731	37.44	39.01	0.006		
											1	7	1.0	1.0	25		1.0	cb	2						2.0			2.0		10.0		C079732	39.01	40.54	0.005		
				From 41.70 to 43.46m, rock takes on a cryptocrystalline texture, very qtz-rich. Veins visible, folded and rounded, milky white. Pale green rock surrounds.							2	1	4.0	6.0	60			s	3									0.1				C079733	40.54	42.06	0.013		one vein w/ fabric, one unknown angle; thickness is best guess, due to folding
											1	1	1.0	1.0	30			s	3												C079734	42.06	43.58	0.009		
																															C079735	43.58	45.11	0.019		
																															C079736				BLANK	
																															C079737	45.11	46.64	0.009		
81		46.74	61.44	Finely layered qtz-rich HFLS; 80% silicified. Clay-rich zones appear in the section, <2cm wide; these 'fault' zones contain brecciated HFLS, to <0.5cm, and white, carb-poor clay: @50.05m, @51.21, and @51.62m.							1	1	8.0	8.0	85												0.1				C079738	46.64	48.16	0.029		milky qtz veins within fabric
																															C079739	48.16	49.69	0.011		
											4	1	1.5	2.5	85													0.1				C079740	49.69	51.21	0.005		
											3	1	2.0	3.5	70	80																C079741	51.21	52.74	0.007		
																															C079742	51.21	52.74		DUPLICATE	
				From 52.53 to 53.30m, and from 54.25 to 54.65m, cryptocrystalline/silicified material surrounds rounded blobby milky qtz veins. Fine laminations virtually erased in these sections. At 52.75m, colour grades to a med-grey colour, overall, some deep greenish zones, up to 30cm long.							4	1	6.0	18.0	70			s	4			2.0						1.0				C079743	52.74	54.25	0.003		
											4	1	3.0	8.0	60							1.0						2.0				C079744	54.25	55.77	0.006		
																															C079745	55.77	57.30	0.186		
																															C079746	57.30	58.82	0.104		
																															C079747	58.82	60.35	0.492		
																															C079748	60.35	61.44	0.006		
																															C079749	60.35	61.44		CHECK ASSAY	
				From 61.31 to 64.44m is light grey gouge to fault breccia; one layer of talc+sericite (green w/ greasy feel) in centre.																												C079750				STANDARD 4D	
25		61.44	63.73	DIOR - med grained, ~10% qtz, finer grey to black mafics, greenish grey matrix. Another zone of fault gouge from 62.25 to 62.44m: texture sandy, colour med grey.																										C079751	61.44	63.59	0.003		
				Xenoliths (2) of HFLS at irregular angles, boundaries sharp..																										C079752	63.59	63.73	0.003		
81		63.73	66.27	HFLS-QZZ - contact w/ upper DIOR appears sharp, but DIOR is considerably softer here so contact appears somewhat ragged; guess at angle: 40 to CA.																										C079753	63.73	65.34	0.003		
				12cm of fault gouge precedes DIOR contact. Clasts of HFLS and DIOR within - HFLS better preserved (harder). Contact btwn gouge and DIOR is at 40 to CA, some alt'n within DIOR, 1-3cm ser'n.																										C079754	65.34	66.27	0.003		
25		66.27	67.38	DIOR followed by 'vein' of HFLS at end of zone: 67.23m to 67.32m. Contact back to HFLS at 45 to CA.																										C079755	66.27	67.38	0.003		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-318C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

LOGGED BY:__M. Stone,

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION: From → To:	From:	To:	GEOLOGICAL DESCRIPTION	ROCK (Alteration): Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	VEINS: #/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages: Max (cm)	Alteration	(0-5)	Ox. State 0-5	% of VEIN & DISSEMINATED MATERIAL — Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other	Sample Number	Interval: From	To	Au (g/T)	Type of Sample	Vein Comments?
																																	C079756				BLANK	
70		67.38	92.10	QZZ, transitional w/ HFLS to 69.49m, becoming paler in colour and more silica-rich. Fabric at 65 to CA. Large qtz veins, sulphs rare. Flt Gouge zones as follows: for 2cm at 68.06m, for 1cm at 68.86m - white to med grey w/ fragmented pieces MSED within, Zones at 60 to 65 to CA.							2	1	4.0	7.0	65		0.5	s	2								1.0	2.0				C079757	67.38	68.22	0.009		other = magnetite - Fe-ox'n surrounding for 1-2mm surrounding; black, opaque, dull lustre, very magnetic
											2	1	2.0	4.0	65														0.1				C079758	68.22	69.55	0.012		
																																	C079759	69.55	71.05	0.008		
				Patches of sulphide material elongate in the direction of fabric but appear within virtually cryptocrystalline, qtz-rich material, usually 2cm long, 1cm wide - bronzey black material, non-magnetic, ~1-2 per metre.																													C079760	71.05	72.54	0.007		
											3	1	1.2	2.2	80											0.1			0.1				C079761	72.54	74.07	0.020		
																																	C079762	72.54	74.07		DUPLICATE	
																																	C079763	74.07	75.54	0.010		possibly bis; bluish black to bronze, metallic
				From 75.54 to 84.1m qtz veins appear assimilated into lamellar fabric: qtz-rich zones up to 40cm wide.							1	3	0.2	0.2	160		2.0	cb	1												1.0				C079764	75.54	77.12	0.003		"selvage" is sil'd carb frags within 2cm of vein
																																	C079765	77.12	78.64	0.003		
											3	1	0.5	1.5	20														0.1				C079766	78.64	80.17	0.003		smokey qtz fingers within 10cm (from 79.70 to 70.80m)
																																	C079767	80.17	81.69	0.003		
				A few gouge/brecciated zones here: for 8cm @ 81.45m, for 1.5cm @85.85m, and for 0.5cm @ 86.40m. White to light grey w/ 1-5mm angular chunks of QZZ, flattened to 70 to CA, contacts w/ competent core also 70.																													C079768	81.69	83.22	0.003		
																																	C079769	81.69	83.22		CHECK ASSAY	
																																	C079770				STANDARD 5E	
				At 84.1m, a large smokey qtz vein w/ sil'd carb/QZZ (10%), 39cm of core @ 70 to CA. Minor sulphs - bis (?) - and ox'n products of sulphs - scor, woll, bt, black massive within.							1	1	39.0	39.0	70			q	3						2.0			0.1	1.0		1.0	C079771	83.22	84.73	0.003		possibly bis; bluish black to bronze, metallic, non-magnetic, massive, 2x1cm, max.
																																	C079772	84.73	85.85	0.003		
											3	1	2.0	4.0	70	60													0.1				C079773	85.85	86.87	0.009		
											5	1	4.0	14.0	70			q	4										1.0				C079774	86.87	87.78	0.010		
											1	1	1.0	1.0	70															2.0			C079775	87.78	88.54	0.005		
																																	C079776				BLANK	
				Fresh sulphides (py) seen on very fine-grained mafic layers, and on fracture faces not associated with veins (perhaps veinlets) at 88.2m, and at 88.7m.							1	1	2.0	2.0																1.0			C079777	88.54	89.30	0.005		qtz broken into angular pebbles
																																	C079778	89.30	90.83	0.016		
											2	1	4.0	6.0	60	45													0.1				C079779	90.83	92.10	0.010		
10		92.10	93.88	GND Somewhat soft. To 93.07m, very clay-rich, colour is pale beige, dull. Qtz eyes and bt only visible GND texture elements. Some zones of grey to light brown staining.																													C079780	92.10	93.07	0.003		
																																	C079781	93.07	93.88	0.003		
				From 93.07 to 93.88m, GND is darker purplish-grey, with veinlets crossing at ~30 to CA, carb w/ 1cm selvages (qtz/carb). Med-grained.																													C079782	93.07	93.88		DUPLICATE	
70		93.88	107.59	From 93.88 to 93.99m (11cm) is clay gouge material, including both GND and QZZ in up to 1.5cm-wide pieces.																													C079783	93.88	95.41	0.011		
				QZZ.							3	1	2.0	3.5	60	10	2.0	q/cb	3							1.0			1.0				C079784	95.41	96.93	0.005		
				trace disseminated aspy on rock fract faces																													C079785	96.93	98.46	0.007		
																																	C079786	98.46	99.97	0.005		
				Qtz veins are grouped together (could be one tightly-folded vein, or that veins in other areas have been assimilated into QZZ fabric).							5	6	4.0	14.0	70	60								0.1		0.1			2.0			C079787	99.97	101.51	0.007		sph+ox'd material within vein, in disseminated masses; aspy along fracs in rock + within qtz veins
																																	C079788	101.51	103.02	0.020		
																																	C079789	101.51	103.02		CHECK ASSAY	
																																	C079790				STANDARD 6F	
																																	C079791	103.02	104.55	0.010		
				From 104.75 to 104.77m (3cm), and from 104.85 to 104.91m (6cm), is gouge, pale grey, w/ qtz frags within.							1	3	1.0	1.0	25		2.0	cb	2							4.0			3.0			C079792	104.55	105.23	0.036		carb stringers make up selvage
				At 105m, a veinlet at 10 to CA contains ~5% fresh aspy. These veinlets are rare, <1 per metre throughout QZZ section							3	1	3.0	8.0	60	30								0.1			1.0				C079793	105.23	106.07	0.024		orangey brown rust over sulph

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-318C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

LOGGED BY:__M. Stone,

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION: From → To:	From:	To:		ROCK (Alteration): Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	VEINS: #/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages: Max (cm)	Alteration	Ox. State 0-5	% of VEIN & DISSEMINATED MATERIAL — Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other	Sample Number	Interval: From	To	Au (g/T)	Type of Sample	Vein Comments?
																																C079794	106.07	106.60	0.206		
											1	6	1.0	1.0	30								40.0					2.0								
											1	1	3.0	3.0	60		0.4	cb	4	0.1								4.0				C079795	106.60	107.59	0.015		brown-black sulph, non magnetic, metallic lustre, massive
											3	1	3.0	6.0	65			cb	2						0.1			0.1	0.1							
																																C079796				BLANK	
81		107.59	116.39	HFLS, still qtz-rich, but with more visible fine layering in deep greys to purples.							3	1	8.0	11.5	70		4.0	q	3							1.0			1.0	2.0			C079797	107.59	109.12	0.005		
											3	1	5.0	9.0	50		1.0	q	5	2.0								0.1	2.0			C079798	109.12	110.65	0.003		
				At 110.65m is schistose and broken, w/ an influx of white clay material - 10cm, possible loss of recovery; back to competent and silicified HFLS at 110.75m. At 110.90m, layering appears to be a fold hinge, w/ fold axis at 0 to CA, cm-scale tight folds.							3	1	3.0	6.0	60	80								0.1			0.1	0.1			C079799	110.65	112.17	0.003		
											4	1	6.0	14.0	70	55	1.0	q	3						1.0			1.0	2.0			C079800	112.17	113.70	0.007		
				From 114.14 to 114.39m, cryptocrystalline qtz - QZZ zone for 25cm.							5	1	5.0	12.5	60		1.0	q	3	2.0					1.0			1.0	1.0			C079801	113.70	115.21	0.007		py occurs across width of vein, but does not continue into HFLS matrix, 0.6cm
																																C079802	113.70	115.21		DUPLICATE	
											1	3	2.0	2.0	60													0.1				C079803	115.21	116.39	0.003		
70		116.39	120.10	From 116.39 to 116.67m, clay infiltrates layering of QZZ (boundary btwn HFLS is sharp, along fabric, at 60 to CA). After this, QZZ is very broken up, into <10cm pieces, QZZ with a sugary texture, pale greyish white.																												C079804	116.39	117.33	0.012		
				Gouge zone 4cm wide at 117.5m, carb preferencially weathered out - pock marked.																												C079805	117.33	118.26	0.016		
											3	1	2.0	3.5	60					3.0								1.0	1.0			C079806	118.26	119.00	0.010		nice fresh massive (fine-grained) py.
											1	3	3.0	3.0	15													0.1								orangey ox'n of Fe/carb - limonite
											3	1	4.0	6.0	60																C079807	119.00	120.10	0.008		milky qtz veins w/ no sulphs; sulphs appear in stringers (on fracs) nearby
80		120.10	142.85	"Mixed bag' of meta-sediments, in 2-3m zones: HFLS (purplish black and hard), QZZ (beige, silicified), BQS (Crumblier, with or without fault-gouge zones, carb influx, not sililcified), and zones with increased carb and silcified (marble).							3	3	1.0	2.0	60										1.0			0.1				C079808	120.10	121.31	0.005		
				from 120.10 to 121.31m is exceedingly dark coloured HFLS																												C079809	120.10	121.31		CHECK ASSAY	
																																C079810				STANDARD 2B	
																																C079811	121.31	122.03	0.027		
				from 122.03 to 123.54 (excepting fault gouge area) is pale beige qzz/marble. Within are numerous sulphide stringers, along fabric (at 60) as well as to 160, 1-3cm long.																												C079812	122.03	123.54	0.003		
				Flt gouge from 123.24 to 123.32m, white beige clay rich, brecciated QZZ within.							5	3	2.0	9.0	60								0.1				0.1				C079813	123.54	124.36	0.003		
																																C079814	124.36	125.37	0.003		
											1	1	0.6	0.6	60																C079815	125.37	126.35	0.003		
																																C079816				BLANK	
											5	1	1.0	4.0	60										0.1			1.0				C079817	126.35	127.77	0.008		
				HFLS material w/ milky white qtz veins along fabric. Exception at 128.5m, 1cm qtz vein at 25 to CA.							2	1	1.0	2.0	70	25														C079818	127.77	128.82	0.010		
																																C079819	128.82	129.30	0.012		
																																C079820	129.30	130.45	0.003		folded and convolute
				From 130.45 to 131.11m, zone of marble.							1	3	2.0	5.0	20	60												5.0				C079821	130.45	131.11	0.011		
																																C079822			0.003		
																																C079823	131.11	132.39	0.003		
											1	3	0.2	0.2	120		1.0	q	2												C079824	132.39	133.50	0.003		
											2	1	1.5	2.5	60	40												2.0				C079825	133.50	134.79	0.003		
				Qtz rich from 134.79m to 136.08m.							5	1	5.0	14.0	70													0.1				C079826	134.79	136.08	0.005		
				Carb'd to schistose from 136.2 to 136.78m																												C079827	136.08	136.78	0.003		
				Dissem py on ~10% of fract faces; dissem aspy throughout QZZ, from 137.3 to 140.4m							2	1	14.0	16.0	55	60				2.0								2.0				C079828	136.78	137.71	0.019		
																																C079829	136.78	137.71		CHECK ASSAY	
																																C079830				STANDARD 7G	
				Sulphide stringers (5) between 138.0 and 138.63m, bent into curls, but generally btwn 30 and 60 to CA. One at 0 to CA.							4	1	0.5	2.0	45	60												1.0				C079831	137.71	138.99	0.051		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-318C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

LOGGED BY:__M. Stone,

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION: From → To:	From:	To:	GEOLOGICAL DESCRIPTION	ROCK (Alteration): Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	VEINS: #/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages: Max (cm)	Alteration	Ox. State 0-5	% of VEIN & DISSEMINATED MATERIAL — Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other	Sample Number	Interval: From	To	Au (g/T)	Type of Sample	Vein Comments?
				Sulph stringers (6) btwn 139.15 and 139.45m. Up to 1mm wide, ~10% fresh py, rest is ox'd.							1	1	0.5	0.5	15					0.1								2.0				C079832	138.99	140.20	0.032		
											2	1	1.0	1.5	50													0.1				C079833	140.20	141.51	0.038		qtz veins within 5cm of each other
											1	1	3.0	3.0	60													0.1				C079834	141.51	142.65	0.089		
											1	6	0.3	0.3	25		0.5	q	1	5.0			3.0					8.0									
				Five sulph stringers btwn 142.85 and 143.05m, clay+ox'd py. One at 143.20m, 1mm wide, at 25 to CA.																												C079835	142.65	144.17	0.087		
70		142.85	159.31	QZZ from 142.85 to m, colour white to light grey.				1	1																							C079836				BLANK	
																														C079837	144.17	145.69	0.011		
											3	1	1.5	3.5	60					0.1								1.0				C079838	145.69	147.21	0.023		
											3	1	4.0	5.5	60					0.1								1.0				C079839	147.21	148.74	0.077		
											5	1	6.0	10.0	60					0.1								1.0				C079840	148.74	150.26	0.005		
											6	1	3.0	10.0	60					0.1								1.0				C079841	150.26	151.79	0.095		
																																C079842	150.26	151.79		DUPLICATE	
				From 150.89 to 159.30m is QZZ, very hard, even in brecciated and broken form, which is common.																												C079843	151.79	153.31	0.006		
				Around 152m, for 26cm, bluish black MSED w/ coarser layering (~2cm) with qtz and sil'd carb. Small but different.																												C079844	153.31	154.84	0.027		
				From 153.31 to 154.84 is somewhat clay-fractured QZZ, pieces less than 4cm, angular. Brecciated.							2	1	6.0	8.0	60								1.0					0.1				C079845	154.84	156.36	0.005		2 patches <0.5cm of aspy/ ox'd aspy
											2	1	20.0	23.0	65			s	5									0.1				C079846	156.36	157.89	0.056		
				!0% fresh py stringers reappear btwn 158.05 and 158.82m																												C079847	157.89	159.31	0.011		
80		159.31	163.38	Clay-rich zone such that QZZ/ARG/HFLS crumbles along layers - some brecciated to gouge zones, up to 10cm long.				4																								C079848	159.31	160.06	0.003		
																																C079849	159.31	160.06		CHECK ASSAY	
																																C079850				STANDARD 6F	
																																C079851	160.06	160.93	0.043		
																																C079852	160.93	161.88	0.008		
				Last 26cm (from 163.22 to 163.38m) is 80% grey clay w/ 20% angular brecciated <1cm pieces of ARG.							2	1	1.0	1.5	55													1.0				C079853	161.88	163.38	0.011		ox'd material at vein margins 1-2mm
70		163.38	165.28	Abrupt contact w/ silicified ARG for 15cm, grading into QZZ over 10cm.							3	1	7.0	18.0	60						2.0							2.0				C079854	163.38	164.70	0.006		
10		165.28	165.39	GND, chloritic. One 1cm qtz vein at bottom denotes sharp contact to more QZZ.							2	1	1.0	2.0	60								1.0					1.0				C079855	164.70	165.39	0.003		aspy is massive in the vein w/in QZZ (@165.01m); aspy appears as stringers in the vein w/in GND (@165.39)
70		165.39	166.41	QZZ, w/ marbled texture																												C079856				BLANK	
10		166.41	166.93	GND - contacts w/ QZZ are abrupt, truncating fabric at ~50º. GND med-grained, purplish black. Contact at 25 to CA.							2	1	1.0	2.0	60						3.0		0.1					0.1	1.0			C079857	165.39	166.41	0.003		
70		166.93	167.51	QZZ, w/ marbled texture. 1cm zones show sinistral movement (shown in fine layers); fabric at 60 to CA)							2	1	4.0	6.0	80	20	2.0	s	3				0.1					1.0	1.0	2.0		C079858	166.41	166.93	0.015		
											3	3	0.4	1.0	30	5										0.1				C079859	166.93	167.51	0.024		
10		167.51	171.26	GND - med to dark grey, unalt'd, med-grained. One qtz/carb vein at 168.45m (1cm @ 15 to CA). Two qtz veins at 60 btwn 169.32 and 169.50m, one with small ser selvage.		1		1			1	3	1.0	1.0	10																C079860	167.51	168.76	0.068		
											2	1	3.0	4.0	60	35	1.5	s	3				5.0			1.0				C079861	168.76	170.08	0.069		
											3	3	1.0	3.0	45		5.0	cb/s	3							4.0									
																															C079862	168.76	170.08		DUPLICATE	
				From 170.0m is alt'd GND-DIOR, colour deep green w/ carb growing in size (beige-brown xtls) within med-grained matrix. Contact w/ MSED is preceded by 30cm of carb-ser alt'd GND (colour greenish beige). Contact itself is plainly visible, with a 2-3mm boundary in deep purple, Final 2cm of GND is very pale green/translucent qtz rich. Contact in coherent core - somewhat irregular but generally at 40 to CA.							1	6	0.3	0.3	30		2.0	q	4	2.0		1.0									C079863	170.08	171.61	0.054		
70		171.26	176.85	QZZ w/ small zones of transitional material to marble and small zones grading into GND texture							3	1	1.0	3.0	60								0.1					2.0				C079864	171.61	173.13	0.005		
				One zone of gouge/ brecciated material, for 3cm, at 172.31m colour is opaque white to pale grey							3	3	1.0	2.0	30					4.0								7.0									
				From 171.11 to 172.99m is a zone of GND texture; first 20cm is qtz-rich and pale sericitic green, grading into unal'td GND for last 5-8cm.							4	1	3.0	8.0	50					0.1	1.0							1.0				C079865	173.13	174.52	0.003		these veins are actually wide vein fragments w/in a ser'd marble

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-318C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

LOGGED BY:__M. Stone,

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION: From → To:	From:	To:	GEOLOGICAL DESCRIPTION	ROCK (Alteration): Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	VEINS: #/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages: Max (cm)	Alteration	(0-5)	Ox. State 0-5	% of VEIN & DISSEMINATED MATERIAL: Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other	Sample Number	Interval: From	To	Au (g/T)	Type of Sample	Vein Comments?
				Abruptly back to QZZ at 172.92m, fabric bends around GND.							1	3	0.6	0.6	40														5.0									qtz/carb vein crosses fabric, irregular width, widens and narrows btwn 0.3 and 0.6cm.
				General fabric orientation is 40 to CA.							4	1	1.0	4.0	25	40													2.0				C079866	174.52	175.67	0.003		these veins are actually vein fragments w/in a ser'd marble
											3	1	12.0	16.5	45							1.0		0.1					2.0				C079867	175.67	176.85	0.003		
85		176.85	181.34	BQS - qtz rich but darker grey to purple with strong fabric at 35 to CA (angle decreased here from QZZ fabric)							2	1	1.0	2.0	50	30	1.0	q	2	1				1.0						1.0				C079868	176.85	178.22	0.003		
											1	3	1.0	1.0	30		2.0	cb	2										3.0		10.0							
																																	C079869	176.85	178.22		CHECK ASSAY	
																																	C079870				STANDARD 5E	
				From 178.56 to 178.83m is a qtz rich zone, with minor disseminated aspy, where a qtz vein probably once was but has since been assimilated into BQS fabric, this is rare however, most of section is dark colour, schistose.																													C079871	178.22	179.22	0.003		
				From 180.15 to 180.83m is another qtz rich area, with stringers of py and trace po (5)																													C079872	179.22	180.61	0.003		
70		181.34	210.62	QZZ; pure qtz veins w/ some mineralization (aspy, py, and po) usually follow fabric between 30 and 60 degrees to CA. Marble texture to 'pure' qtz areas.							3	1	4.0	7.0	50		3.0	q	3		1.0								5.0				C079873	180.61	181.34	0.003		
																																	C079874	181.34	182.27	0.006		these veins are actually vein fragments w/in a ser'd marble
											5	1	3.0	9.5	50	30					1.0								1.0				C079875	182.27	183.61	0.003		
																																	C079876				BLANK	
											4	1	1.0	4.0	50	30		q	4										1.0				C079877	183.61	184.52	0.014		
											4	1	2.0	5.0	50														3.0				C079878	184.52	185.32	0.113		these veins are actually vein fragments w/in a ser'd marble
											1	6	1.0	1.0	150		3.0	q	3										90.0				C079879	185.32	186.85	0.021		
											3	1	14.0	20.0	60														4.0	1.0			C079880	186.85	188.37	0.036		
											2	3	1.0	1.4	150	55													5.0									
											4	1	2.0	5.0	60										0.1				0.1	3.0			C079881	188.37	189.90	0.005		one qtz vein has 1x3cm scor bleb adjacent
																																	C079882	188.37	189.90		DUPLICATE	
											4	1	1.0	4.0	65	150		q	5										0.1				C079883	189.90	191.41	0.025		qtz veins difficult to see in near-100% qtz QZZ
				From 192.0 to 193.0m, ~ 15 veins of GND material pervade core along fabric (@60 to CA), all are <1cm wide.							2	1	0.5	1.0	60														0.1				C079884	191.41	192.93	0.103		
											3	1	1.0	3.0	60		3.0	q	3					0.1						0.1			C079885	192.93	194.46	0.066		
											3	1	2.0	6.0	60		4.0	q	4					0.1					1.0	0.1			C079886	194.46	195.98	0.003		
				GND covers half of core, jagged and irregular contact w/ QZZ.							1	1	1.0	1.0	60														1.0				C079887	195.98	197.51	0.003		
											4	1	1.0	4.0	60	155													0.1				C079888	197.51	199.03	0.006		v minor sil'd carb assoc w/ qtz veins
																																	C079889	197.51	199.03		CHECK ASSAY	
																																	C079890				STANDARD 4D	
				GND appears: for 15cm from 199.44 to 199.61m, and for 16cm from 199.81 to 199.97m. Pale beige w/ green tint; feldspars all clay alt'd.																													C079891	199.03	200.56	0.003		
											4	1	3.0	5.0	60														3.0				C079892	200.56	202.09	0.012		ox'd sulphs are in stringers within qtz veins
											1	3	1.0	1.0	60														0.1									
											2	1	2.0	3.0	65																		C079893	202.09	203.61	0.005		
											1	6	1.0	1.0	150											5.0			50.0				C079894	203.61	205.14	0.003		ox'd material assc w/ sph?
											5	1	1.0	5.0	70														1.0				C079895	205.14	206.65	0.003		
																																	C079896				BLANK	
											5	1	4.0	11.5	60											1.0			1.0				C079897	206.65	208.19	0.003		
				From 208.19 is homogeneous QZZ (marble), all white, fabric barely visible in sil'd carb. E.O.H. @ 210.62m.							2	1	3.0	4.0	55														0.1				C079898	208.19	209.70	0.008		
											1	3	2.0	2.0	30														0.1									
											3	6	0.4	1.0	20						20.0								30.0									
											1	3	1.0	1.0	30														0.1				C079899	209.70	210.62	0.005		
											1	6	0.3	0.3	20						10.0								40.0									

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-318C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

LOGGED BY: M. Stone,

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages			Sulphides								Oxidation									
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
																																	E.O.H.				

From-To Sheet DG06-318C					
Sample Number	Interval		Width	Sample Type	Au (g/t)
	From	To			
C079717	20.42	22.10	1.680		
C079718	22.10	23.77	1.670		
C079719	23.77	25.30	1.530		
C079720	25.30	26.82	1.520		
C079721	26.82	28.35	1.530		
C079722	26.82	28.35	1.530	DUPLICATE	
C079723	28.35	29.87	1.520		
C079724	29.87	31.40	1.530		
C079725	31.40	32.92	1.520		
C079726	32.92	34.44	1.520		
C079727	34.44	35.97	1.530		
C079728	35.97	37.44	1.470		
C079729	35.97	37.44	1.470	CHECK ASSAY	
C079730				STANDARD 3C	0.091
C079731	37.44	39.01	1.570		
C079732	39.01	40.54	1.530		
C079733	40.54	42.06	1.520		
C079734	42.06	43.58	1.520		
C079735	43.58	45.11	1.530		
C079736				BLANK	
C079737	45.11	46.64	1.530		
C079738	46.64	48.16	1.520		
C079739	48.16	49.69	1.530		
C079740	49.69	51.21	1.520		
C079741	51.21	52.74	1.530		
C079742	51.21	52.74	1.530	DUPLICATE	
C079743	52.74	54.25	1.510		
C079744	54.25	55.77	1.520		
C079745	55.77	57.30	1.530		
C079746	57.30	58.82	1.520		
C079747	58.82	60.35	1.530		
C079748	60.35	61.44	1.090		
C079749	60.35	61.44	1.090	CHECK ASSAY	
C079750				STANDARD 4D	0.43
C079751	61.44	63.59	2.150		
C079752	63.59	63.73	0.140		
C079753	63.73	65.34	1.610		
C079754	65.34	66.27	0.930		
C079755	66.27	67.38	1.110		
C079756				BLANK	
C079757	67.38	68.22	0.840		
C079758	68.22	69.55	1.330		
C079759	69.55	71.05	1.500		
C079760	71.05	72.54	1.490		
C079761	72.54	74.07	1.530		
C079762	72.54	74.07	1.530	DUPLICATE	
C079763	74.07	75.54	1.470		
C079764	75.54	77.12	1.580		
C079765	77.12	78.64	1.520		
C079766	78.64	80.17	1.530		
C079767	80.17	81.69	1.520		
C079768	81.69	83.22	1.530		
C079769	81.69	83.22	1.530	CHECK ASSAY	
C079770				STANDARD 5E	1.43
C079771	83.22	84.73	1.510		

From-To Sheet DG06-318C					
Sample Number	Interval		Width	Sample Type	Au (g/t)
	From	To			
C079772	84.73	85.85	1.120		
C079773	85.85	86.87	1.020		
C079774	86.87	87.78	0.910		
C079775	87.78	88.54	0.760		
C079776				BLANK	
C079777	88.54	89.30	0.760		
C079778	89.30	90.83	1.530		
C079779	90.83	92.10	1.270		
C079780	92.10	93.07	0.970		
C079781	93.07	93.88	0.810		
C079782	93.07	93.88	0.810	DUPLICATE	
C079783	93.88	95.41	1.530		
C079784	95.41	96.93	1.520		
C079785	96.93	98.46	1.530		
C079786	98.46	99.97	1.510		
C079787	99.97	101.51	1.540		
C079788	101.51	103.02	1.510		
C079789	101.51	103.02	1.510	CHECK ASSAY	
C079790				STANDARD 6F	2.77
C079791	103.02	104.55	1.530		
C079792	104.55	105.23	0.680		
C079793	105.23	106.07	0.840		
C079794	106.07	106.60	0.530		
C079795	106.60	107.59	0.990		
C079796				BLANK	
C079797	107.59	109.12	1.530		
C079798	109.12	110.65	1.530		
C079799	110.65	112.17	1.520		
C079800	112.17	113.70	1.530		
C079801	113.70	115.21	1.510		
C079802	113.70	115.21	1.510	DUPLICATE	
C079803	115.21	116.39	1.180		
C079804	116.39	117.33	0.940		
C079805	117.33	118.26	0.930		
C079806	118.26	119.00	0.740		
C079807	119.00	120.10	1.100		
C079808	120.10	121.31	1.210		
C079809	120.10	121.31	1.210	CHECK ASSAY	
C079810				STANDARD 2B	3.02
C079811	121.31	122.03	0.720		
C079812	122.03	123.54	1.510		
C079813	123.54	124.36	0.820		
C079814	124.36	125.37	1.010		
C079815	125.37	126.35	0.980		
C079816				BLANK	
C079817	126.35	127.77	1.420		
C079818	127.77	128.82	1.050		
C079819	128.82	129.30	0.480		
C079820	129.30	130.45	1.150		
C079821	130.45	131.11	0.660		
C079822	130.45	131.11	0.660		
C079823	131.11	132.39	1.280		
C079824	132.39	133.50	1.110		
C079825	133.50	134.79	1.290		
C079826	134.79	136.08	1.290		

From-To Sheet DG06-318C					
Sample Number	Interval		Width	Sample Type	Au (g/t)
	From	To			
C079827	136.08	136.78	0.700		
C079828	136.78	137.71	0.930		
C079829	136.78	137.71	0.930	CHECK ASSAY	
C079830				STANDARD 7G	4.46
C079831	137.71	138.99	1.280		
C079832	138.99	140.20	1.210		
C079833	140.20	141.51	1.310		
C079834	141.51	142.65	1.140		
C079835	142.65	144.17	1.520		
C079836				BLANK	
C079837	144.17	145.69	1.520		
C079838	145.69	147.21	1.520		
C079839	147.21	148.74	1.530		
C079840	148.74	150.26	1.520		
C079841	150.26	151.79	1.530		
C079842	150.26	151.79	1.530	DUPLICATE	
C079843	151.79	153.31	1.520		
C079844	153.31	154.84	1.530		
C079845	154.84	156.36	1.520		
C079846	156.36	157.89	1.530		
C079847	157.89	159.31	1.420		
C079848	159.31	160.06	0.750		
C079849	159.31	160.06	0.750	CHECK ASSAY	
C079850				STANDARD 6F	2.77
C079851	160.06	160.93	0.870		
C079852	160.93	161.88	0.950		
C079853	161.88	163.38	1.500		
C079854	163.38	164.70	1.320		
C079855	164.70	165.39	0.690		
C079856				BLANK	
C079857	165.39	166.41	1.020		
C079858	166.41	166.93	0.520		
C079859	166.93	167.51	0.580		
C079860	167.51	168.76	1.250		
C079861	168.76	170.08	1.320		
C079862	168.76	170.08	1.320	DUPLICATE	
C079863	170.08	171.61	1.530		
C079864	171.61	173.13	1.520		
C079865	173.13	174.52	1.390		
C079866	174.52	175.67	1.150		
C079867	175.67	176.85	1.180		
C079868	176.85	178.22	1.370		
C079869	176.85	178.22	1.370	CHECK ASSAY	
C079870				STANDARD 5E	1.43
C079871	178.22	179.22	1.000		
C079872	179.22	180.61	1.390		
C079873	180.61	181.34	0.730		
C079874	181.34	182.27	0.930		
C079875	182.27	183.61	1.340		
C079876				BLANK	
C079877	183.61	184.52	0.910		
C079878	184.52	185.32	0.800		
C079879	185.32	186.85	1.530		
C079880	186.85	188.37	1.520		
C079881	188.37	189.90	1.530		

From-To Sheet DG06-318C					
Sample Number	Interval		Width	Sample Type	Au (g/t)
	From	To			
C079882	188.37	189.90	1.530	DUPLICATE	
C079883	189.90	191.41	1.510		
C079884	191.41	192.93	1.520		
C079885	192.93	194.46	1.530		
C079886	194.46	195.98	1.520		
C079887	195.98	197.51	1.530		
C079888	197.51	199.03	1.520		
C079889	197.51	199.03	1.520	CHECK ASSAY	
C079890				STANDARD 4D	0.43
C079891	199.03	200.56	1.530		
C079892	200.56	202.09	1.530		
C079893	202.09	203.61	1.520		
C079894	203.61	205.14	1.530		
C079895	205.14	206.65	1.510		
C079896				BLANK	
C079897	206.65	208.19	1.540		
C079898	208.19	209.70	1.510		
C079899	209.70	210.62	0.920	E.O.H.	

DG06-318C Relfex readings					
Depth (meters)	Azimuth (degree's)	Corrected Azimuth (degree's)	Dip (degree's)	Magnetic field	Temperature (celcius)
71.5	145.1	170.6	-55.9	5759	10.1
200	153.3	178.8	-62.2	5801	16.6

GEOTECHNICAL SUMMARY SHEET

PROJECT: Dublin Gulch - 1735		
DRILL HOLE NO: DG06-318C		
Date Started: July 11, 2006	**Date Completed:** July 14, 2006	
Geoteched By: Stacy Doyle, Jason Kindrat, Mike Giasson, Marc Mains		
Contractor: DJ Drilling		
Hole Size: HQ	**Core Size:** HQ	
Total Depth: 210.62m	**Elevation:** 950m	
Average RQD: 39.6%	**Average Recovery Rate:** 85.1%	
	Easting	**Northing**
DDH NAD27		
NAD27	459347	7100144
NAD83	459230	7100330
	Azimuth	**Dip**
Original	180	-60
End of Hole	178.8	-62.2
Additional Comments:	N/A	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-318C__ Sheet:__1___ of __2___

Date:_July 11-July 14, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:_Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length										Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE	Fault Breccia / Gouge	Broken Core	
Casing	0	20.42	20.42						-												Casing
MSED	20.42	23.77	3.35	0.33	10	0	0	R3	-	FS									0	100	Ex. Broken
	23.77	26.82	3.05	1.88	62	0	0	R3	-	FS									0	100	Ex. Broken
	26.82	29.87	3.05	2.05	67	0	0	R1/R3	-	HW/FS									30	70	
	29.87	32.92	3.05	1.86	61	0	0	R1/R3	-	HW/FS									15	85	
	32.92	35.97	3.05	1.83	60	0.15	5	R1/R3	-	HW/FS	2	IR/SR							20	75	
	35.97	39.01	3.04	2.53	83	0.11	4	R1/R3	-	HW/FS	2	SR							6	90	
	39.01	42.06	3.05	2.77	91	1.13	37	R1/R3	-	HW/FS	13	PR/SR	5	CR/SR					2	61	
	42.06	45.11	3.05	1.62	53	0.47	15	R3	-	FS	5	CR/PR	1	PS					0	85	
	45.11	48.16	3.05	2.94	96	0.53	17	R3	-	FS/FR	4	IR/PR	2	SS					0	83	
	48.16	51.21	3.05	2.66	87	1.02	33	R3	-	FR	12	PS/US							0	67	
	51.21	54.25	3.04	2.91	96	1.05	35	R3	-	FR	5	PR/SR	4	CR/UR			1	US	8	57	
	54.25	57.3	3.05	2.36	77	0.92	30	R2/R4	-	MW/FR	6	IR/CS	3	SS/CS			1	PS	4	66	
	57.3	60.35	3.05	2.49	82	0.19	6	R3	-	FR	1	IR			1	UR			0	94	
	60.35	63.4	3.05	2.37	78	0.12	4	R1/R4	-	HW/FR			1	CS			1	PS	47	49	
	63.4	66.45	3.05	2.25	74	0.56	18	R1/R3	-	HW/FR	2	CR	3	PR/SS	1	CR			25	57	
	66.45	69.49	3.04	2.75	90	1.44	47	R1/R3	-	HW/FR	1	IR	6	PS/CR	2	UR	1	PS	8	45	
	69.49	72.54	3.05	3.05	100	1.92	63	R1/R3	-	MW/FR	20	PS/IS	2	PS					1	36	
	72.54	75.59	3.05	2.88	94	1.42	47	R1/R3	-	MW/FR	5	CR/IR	5	CR					1	52	
	75.59	78.64	3.05	2.8	92	0.66	22	R3	-	FR	6	SR/PR	2	PR			2	CR	0	78	
	78.64	81.69	3.05	2.7	89	1.13	37	R3	-	FR	9	IR/PS	6	CS/UR			1	SR	0	63	
	81.69	84.73	3.04	2.44	80	0.13	4	R3	-	FR	1	SS	1	UR					0	96	Ex. Broken
	84.73	86.87	2.14	1.57	73	0.11	5	R3	-	FR	2	US							0	95	Ex. Broken
	86.87	87.78	0.91	0.84	92	0.43	47	R3	-	FR	1	IR	3	CR					0	53	
	87.78	90.83	3.05	2.18	71	0.11	4	R3	-	FR	2	PS							0	96	
	90.83	93.88	3.05	3.05	100	0.8	26	R3	-	FR	6	SR/PS	2	PS					0	74	
	93.88	96.93	3.05	2.54	83	0.59	19	R3	-	FR	4	PS/IR	3	IR	1	IR			3	78	
	96.93	99.97	3.04	2.92	96	0.93	31	R3	-	FR	4	PS/IR	12	PS/IR	1	IR	1	SS	0	4	
	99.97	103.02	3.05	2.88	94	1.1	36	R3	-	FR			9	PS/IR					0	64	
	103.02	106.07	3.05	2.55	84	1.44	47	R3	-	FR/MW	12	PS/IR	1	PS	3	CS/PS			6	47	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-318C__ Sheet:__2___ of __2___

Date:_July 11-July 14, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:_Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	106.07	109.12	3.05	2.9	95	1.27	42	R3	-	FR	12	PS/IR	4	PS/IR					0	58	
	109.12	112.17	3.05	2.83	93	2.14	70	R3	-	FR	16	PS/IR	4	SS/PS			2	PS	3	67	
	112.17	115.21	3.04	2.94	97	2.37	78	R3	-	FR	4	CR/PS	16	PS/IR					0	22	
	115.21	118.26	3.05	2.34	77	0.74	24	R1/R3	-	HW/FR	3	PR/SR	11	PS/PR					4	72	
	118.26	121.31	3.05	2.64	87	1.88	62	R2/R3	-	FR	6	IR/PR	14	PR/IR					0	38	
	121.31	124.36	3.05	2.73	90	1.22	40	R1/R3	-	HW/FR			10	IR/PR	2	IR			4	56	
	124.36	127.41	3.05	2.9	95	2.3	75	R3	-	FR	9	PS	7	PS/IR	4	PS/US	1	IR	0	25	
	127.41	130.45	3.04	3.05	100	2.44	80	R1/R3	-	HW/FR	13	PR/IR	4	PS/IR	2	IS			5	15	
	130.45	133.5	3.05	2.8	92	2.2	72	R3	-	FR	9	PS/SS	8	PS/IR			1	IS	0	28	
	133.5	136.55	3.05	2.78	91	1.9	62	R2/R3	-	FR	6	PS/IR	8	PS/UR	1	UR			0	38	
	136.55	138.99	2.44	3.02	100	1.07	44	R2/R3	-	FR	5	IR	5	UR	1	IR			0	56	
	138.99	142.65	3.66	2.62	72	0.45	12	R2/R3	-	FR	3	PS/IR			1	IR			0	88	
	142.65	145.69	3.04	2.74	90	0.78	26	R3	-	FR			8	PS/IS					0	74	
	145.69	148.74	3.05	2.66	87	0.55	18	R3	-	FR	1	PS	9	PS					0	82	
	148.74	151.79	3.05	2.22	73	0.28	9	R1/R3	-	HW/FR					4	IR/IS			2	89	
	151.79	154.84	3.05	1.52	50	0	0	R1/R2	-	HW/FR									15	85	
	154.84	156.36	1.52	0.88	58	0	0	R1/R3	-	HW/FR									1	99	QTZ VIENS
	156.36	157.89	1.53	1.14	75	0.12	8	R1/R3	-	HW/FR	1	US	1	IR					4	84	QTZ VIENS
	157.89	160.93	3.04	2.19	72	0.62	20	R1/R2	-	HW/FR			8	IR					15	65	
	160.93	163.98	3.05	2.62	86	0.56	18	R1/R3	-	HW/FR	2	SR	4	SR/IR					60	22	V.GOUGY
	163.98	167.03	3.05	2.96	97	2.65	87	R3	-	FR	4	UR/PR	12	PR	3	IR/UR			0	13	
GND	167.03	170.08	3.05	2.65	87	1.72	56	R2/R3	-	FR	8	PS	4	PR	5	PR/IR			0	44	CONTACT
MSED	170.08	173.13	3.05	2.89	95	2.26	74	R1/R3	-	HW/FR	8	PR/IR	8	PR/IR	3	PS/IR			5	21	
	173.13	176.17	3.04	3.04	100	2.75	90	R3/R4	-	FR	10	PR/SR	3	PR	2	PR			0	10	
	176.17	179.22	3.05	2.88	94	2.08	68	R2/R4	-	FR	6	PR/IR	11	PR/SR	5	SR/PR	1	CR	0	32	
	179.22	182.27	3.05	2.95	97	2.71	89	R3/R4	-	FR	14	PR/IR	7	PR/CR	3	SR/PR			0	11	
	182.27	185.32	3.05	3.03	99	2.48	81	R3	-	FR	9	PR/CR	12	PR/SR	4	SR/CR	2	SR	0	19	
	185.32	188.37	3.05	2.95	97	2.42	79	R4	-	FR	12	PR/IR	5	SR/PR	3	SR/PR	1	SR	0	21	
	188.37	191.41	3.04	2.74	90	2.25	74	R3/R4	-	FR	10	PR/SR	5	PR/IR			2	SR	0	26	
	191.41	194.46	3.05	3.02	99	1.8	59	R3/R4	-	FR	19	PR/IR	3	SS/IR	2	PS			0	41	
	194.46	197.52	3.06	3.02	99	2.07	68	R3/R4	-	FR	14	PS/SR	1	PS	2	PS	1	PS	0	32	
	197.52	200.56	3.04	2.77	91	2.23	73	R3	-	FR	14	PS/US	1	PS			1	SS	0	27	
	200.56	203.61	3.05	2.99	98	2.573	84	R3	-	FR	15	IR/PR			2	IS	2	PS	0	16	
	203.61	206.65	3.04	2.94	97	1.66	55	R3	-	FR	4	IS/PS			3	PS	3	US	0	46	
	206.65	209.7	3.05	2.92	96	2.37	78	R4	-	FR	6	PR/IR	4	PS	8	UR/IR	3	PS/IR	0	22	
	209.7	210.62	0.92	0.9	98	0.55	60	R3	-	FR			2	IS/US	3	US/SS	1	PS	0	40	EOH
	EOH								-												
									-												
									-												
									-												

DRILL HOLE SUMMARY SHEET

HOLE NO.: DG06-319C

PROJECT: Dublin Gulch - 1735

GROUND ELEVATION: 897m | **EOH:** 349.61m

BEARING: 180° | **DIP:** -55°

DATE STARTED: 14-Jul-06 | **DATE COMPLETED:** 20-Jul-06

COORD SYSTEM: NAD 27: EASTING: 459076 NORTHING: 7100176

COORD SYSTEM: NAD 83: EASTING: 458959 NORTHING: 7100360

LOGGED BY: Kimberly Ferguson

CONTRACTOR: DJ Drilling

DRILLING DETAILS

Hole Diameter: HQ

Overburden: 10.67m

Deviation:

Casing: 10.67m

Core Size: HQ

Cement (# Bags): 0

Plug Depth: N/A

Notes: EOH 349.61m

FROM	TO	LITHOLOGY
0.00	6.10	Overburden/Casing
6.10	6.22	GND
6.22	183.07	MSED
183.07	349.61	GND

FROM	TO	ALTERATION
6.22	150.90	Silicified
6.10	183.07	Oxidized
311.32	349.61	Oxidized
6.10	119.60	Altered - cb, clay
119.60	256.42	cb, chl, ser, cl
256.42	349.61	Altered - ser, cb, chl

FROM	TO	MINERALIZATION (Veins)

SAMPLING DETAILS

Sample Sequence:

Requisition #: | **Date Shipped:**

Lab Record #: | **Date Received:**

Sample Sequence:

Requisition #: | **Date Shipped:**

Lab Record #: | **Date Received:**

Duplicates:	C080502	C080522	C080542	C080562	C080582	C080602	C080622	C080642
	C080662	C080682	C080702	C080722	C080742	C080762	C080782	C080802
	C080822	C080842	C080862					
Preparation Duplicate/ Check Assay:	C080509	C080529	C080549	C080569	C080589	C080609	C080629	C080649
	C080669	C080689	C080709	C080729	C080749	C080769	C080789	C080809
	C080829	C080849	C080869					
Standards:	C080510	C080530	C080550	C080570	C080590	C080610	C080630	C080650
	C080670	C080690	C080710	C080730	C080750	C080770	C080790	C080810
	C080830	C080850	C080870					
Blanks:	C080516	C080536	C080556	C080576	C080596	C080616	C080636	C080656
	C080676	C080696	C080716	C080736	C080756	C080776	C080796	C080816
	C080836	C080856	C080876					

DEPTH (m)	AZI (Orig)	DIP (Orig)	AZ (+26 Corr)	AZ (+27 Corr)
48.2	147.5	-56.4	173.5	174.5
148.7	144.5	-55.0	170.5	171.5
249.3	143.4	-55.5	169.4	170.4
349.6	141.7	-54.8	167.7	168.7

ASSAY INTERCEPTS

FROM:	TO:	INT:	Au (g/t)	SAMPLE QUALITY:

COMMENTS: (Ground conditions, fracture zones, water flows, drilling problems)

Hole is making water.

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-319C

0 = Unoxidized
5 = Intensely Ox'd

0 = Unaltered
5 = Intense Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar,, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	From → To:	From:	To:	GEOLOGICAL DESCRIPTION	ROCK (Alteration)						VEINS										% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages				Sulphides								Oxidation									
					Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
0	0m to 6.10m	0.00	6.10	Overburden																																
10	6.10m to 622m	6.10	6.22	GND. Medium grained, medium/light grey. Limonite staining and low bleaching. No veins visible, section too small.	2				1																								C080501	6.10	7.60	0.021		
																																C080502				Duplicate	
80	6.22m to	6.22	28.25	MSED. Argillite, light beige to rust orange color, fine grained. Limonite staining, low to moderate silicification and moderate to high bleaching throughout. Large qtz veins and gouge area's occur throughout. Banding almost completely obliterated by bleaching, still shows a pervasive foliation at 70° throughout. Fracturing cross-cuts foliation at a 15° to 25° angle to core axis and a 90° angle between them. Trace aspy associated with qtz veins and trace po found along small fractures with no veining associated.	3			3	1																								C080503	7.60	9.00	0.006		Gouge section at 8.6m, orientation indeterminate.
				Section very broken, angular pieces, rounded pieces from double drilling. No Veins discernable.																												C080504	9.00	10.47	0.007		
				Section very broken, angular pieces, rounded pieces from double drilling. No Veins discernable.																												C080505	10.47	12.00	0.005		
				Section very broken, angular pieces, rounded pieces from double drilling. Large, broken qtz vein, orientation not preserved, trace aspy, approximately 10cm.																												C080506	12.00	13.41	0.003		
				Section very broken, angular pieces, rounded pieces from double drilling. No Veins discernable.																												C080507	13.41	14.96	0.007		
				Gouge section at 15.8m, orientation indeterminate. Section very broken, angular pieces, rounded pieces from double drilling. No Veins discernable.																												C080508	14.96	16.40	0.009		
																																C080509	14.96	16.40		Check Assay	
																																C080510				Standard 3C	
				Section very broken, angular pieces, rounded pieces from double drilling. No Veins discernable. Fracture surface at 15°.																												C080511	16.40	17.07	0.011		
				Section consists of broken, rounded pieces of limonitized argillite and qtz, very poor recovery and double drilling.																												C080512	17.07	19.70	0.003		Section has extremely poor core recovery, very little material for sampling.
				Fracture surface at 15°.							1	1	15.0	15.0	80									3.0					5.0				C080513	19.70	20.42	0.016		
				Section consists of broken, angular and rounded pieces of limonitized argillite and qtz, very poor recovery and double drilling. Qtz contains aspy - 3% of qtz present.																												C080514	20.42	21.95	0.003		
				Section consists of broken, rounded pieces of limonitized argillite and qtz, very poor recovery and double drilling.																												C080515	21.95	23.47	0.003		
																																C080516				Blank	
				Gouge at 24.59m, 2cm, at 70°, cuts off qtz vein.							1	1	9.6	9.6	70									4.0						2.0			C080517	23.47	24.69	0.005		
				Section consists of broken and fractured pieces of limonitized argillite and qtz.																												C080518	24.69	26.21	0.015		
				Section consists of broken and fractured pieces of limonitized argillite and qtz.																												C080519	26.21	27.60	0.025		
				Section consists of broken and fractured pieces of limonitized argillite and qtz. Gouge at 28.16m, 4cm across at 30°.																												C080520	27.60	28.25	0.003		
		28.25	48.35	MSED. Argillite, light grey/beige to rust orange color, fine grained. Limonite staining, low to moderate silicification and low to high bleaching throughout. Large qtz veins and gouge area's occur throughout. Banding is preserved in some area's but is almost completely obliterated elsewhere by bleaching, pervasive foliation at 70° throughout. Fracturing cross-cuts foliation at a 15° to 25° angle to core axis and a 90° angle between them. Trace aspy associated with qtz veins and trace po found along small fractures with no veining associated.	2			2	2																								C080521	28.25	29.00	0.003		
				Gouge at 29.2m, 30 angle, 2cm thick.																												C080522	28.25	29.00		Duplicate	
											1	1	2.1	2.1	10									3.0					5.0				C080523	29.00	30.00	0.006		
																																C080524	30.00	31.20	0.020		
																																C080525	31.20	32.61	0.007		
				Section starts with an unbleached zone, 8cm. No veins visible, color is pink/tan.																												C080526	32.61	33.50	0.003		
																																C080527	33.50	34.70	0.007		
																																C080528	34.70	35.66	0.006		
																																C080529	34.70	35.66		Check Assay	
																																C080530				Standard 4D	
																																C080531	35.66	37.12	0.008		
											2	4	0.2	0.3	20									1.0					10.0				C080532	37.12	37.65	0.006		
											3	4	0.2	0.5	20	40								5.0					15.0				C080533	37.65	38.75	0.018		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-319C

0 = Unoxidized
5 = Intensely Ox'd

0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar,, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	From → To:	From:	To:	GEOLOGICAL DESCRIPTION	ROCK (Alteration)						VEINS						Selvages			% of VEIN & DISSEMINATED MATERIAL											Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																				Sulphides								Oxidation									
					Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
											2	4	0.2	0.3	20								3.0							10.0				C080534	38.75	40.02	0.011		
				No veins visible, color is pink/tan.																												C080535	40.02	41.50	0.003		
																																C080536				Blank	
											2	4	0.4	0.6	20								10.0							10.0				C080537	41.50	42.06	0.023		
				Highly clay altered, gouge zone (no breccia), 2 fracture surfaces at 40°.																												C080538	42.06	43.06	0.047		
				Aspy disseminated in matrix, <1% of sample.							2	4	0.2	0.3	20						1.0								5.0				C080539	43.06	43.80	0.028		
				Broken, fractured and brecciated section, moderate clay alteration and limonite staining.																												C080540	43.80	45.11	0.010		
				Section is breccia and gouge, completely altered to clay in area's.																												C080541	45.11	46.00	0.046		
																																C080542	45.11	46.00		Duplicate	
				Fault at 46.6m, 3cm. Banding visible, limonite staining not completely pervasive.																												C080543	46.00	47.15	0.013		
				Gouge/breccia at 42.4m, 42.25m, 42.5m each 1-3cm wide at 80°.																												C080544	47.15	48.35	0.005		
		48.35	74.70	MSED. Argillite, light grey to white, fine grained. Low to moderate silicification and high bleaching throughout. Banding is faintly preserved and very bleached, pervasive foliation at 70° throughout. Fracturing cross-cuts foliation at a 15° to 25° angle to core axis and a 90° angle between them. Aspy associated with qtz veins and in oxidized sulphide veins, py found along fracture surfaces. Po found as trace associated with qtz veins and occasionally disseminated in matrix.	1			3	1		1	4	0.2	0.2	20								0.1								5.0				C080545	48.35	49.54	0.007		
				Fracture surfaces - 3 @ 20°, trace aspy and 1% py with oxidized material on surfaces. No veins in section.																												C080546	49.54	50.58	0.006		
				Gouge at 50.9m for 3cm, contact is 80°. Two fracture surfaces with no vein associated, trace py on surfaces. Mostly oxidized po blebs (2 or 3 visible) in matrix along fine fractures.																												C080547	50.58	51.90	0.003		
				No veins visible, stringers/remnants of veins showing trace aspy/py present.																												C080548	51.90	53.13	0.012		
																																C080549	51.90	53.13		Check Assay	
																																C080550				Staqndard 6F	
											1	1	5.0	5.0	70						3.0	1.0						10.0				C080551	53.13	54.38	0.024		
											1	7	0.2	0.2	20						15.0							10.0									
				No veins visible, slight pink color to the rock, carbonate veinlets/stringers in some area's.																												C080552	54.38	55.79	0.044		
				Gouge occurs at 56.27m, 2cm wide, at 80°, just before the qtz vein.							1	1	10.2	10.2	85						1.0	3.0		2.0						5.0			C080553	55.79	57.21	0.012		
				No veins visible, lightly etched toward end of sample.																												C080554	57.21	58.40	0.100		
				Breccia/gouge at 58.8m, 59.07m, 59.27m and 59.51m, @ 80° and 1-2cm wide each. No veins visible.																												C080555	58.40	59.72	0.006		
																																C080556				Blank	
																																C080557	59.72	60.24	0.019		
											3	6	4.2	5.9	20						15.0	5.0		10.0				10.0				C080558	60.24	61.10	1.475		
											1	1	1.7	1.7	75									0.1				3.0									
											3	6	0.6	1.0	50	20					60.0							20.0				C080559	61.10	62.63	0.504		
				Breccia at 64.2m @ 80° and 4cm wide. No veins visible. Py appears in blebs in the matrix near fracture area's and stringers.																												C080560	62.63	63.40	0.016		
				No veins visible. Py appears in blebs in the matrix near fracture area's and stringers.																												C080561	63.40	64.08	0.012		
																																C080562	63.40	64.08		Duplicate	
				2 fracture surfaces with no vein formed, trace py on surfaces @ 20 °. No veins visible. Py appears in blebs in the matrix near fracture area's and stringers.																												C080563	64.08	65.35	0.007		
																																C080564	65.35	66.45	0.020		
											2	1	1.0	1.7	40	15					7.0							3.0				C080565	66.45	67.15	0.005		
											1	1	4.3	4.3	85													5.0				C080566	67.15	68.66	0.007		
				No veins visible, very broken, angular.																												C080567	68.66	70.19	0.007		
				No veins visible, very broken, angular. Trace po in sample, blebs in matrix, no veins/fractures associated.																												C080568	70.19	71.70	0.017		
																																C080569	70.19	71.70		Check Assay	
																																C080570				Standard 7G	
				Very broken, angular, no visible veins.																												C080571	71.70	73.20	0.024		
				Very broken, angular, no visible veins. Gouge/breccia at 74.4m to 74.7m, contact angle @ 20°.																												C080572	73.20	74.70	0.076		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-319C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar,, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	From → To:	From:	To:	GEOLOGICAL DESCRIPTION	ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL								Oxidation				Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
					Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration (0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
		74.70	119.60	MSED. Argillite to quartzite, light grey to white, fine grained, visible banding. Moderate silicification and high bleaching throughout. Banding is fairly well preserved and very bleached, pervasive foliation at 70° throughout, with qtz eyes/lenses throughout, along foliation. Fracturing cross-cuts foliation at a 15° to 25° angle to core axis and a 90° angle between them. Aspy associated with qtz veins and in oxidized sulphide veins as well as disseminated in matrix and along fractures, py found along fracture surfaces and in qtz veins, eyes and lenses. Po found as trace associated with qtz veins and occasionally disseminated in matrix.	1			2	1																						C080573	74.70	75.59	0.006		
				A largely unbleached zone at 76.23m to 76.35m with a possible fault contact at 76.23m grading beck into bleached area.							2	1	11.1	12.1	25	80				4.0			2.0					5.0				C080574	75.59	76.66	0.009		
				Fracture at 20° with trace py on surface. Py disseminated along small fractures near main fracture.																											C080575	76.66	78.12	0.008		
																															C080576				Blank	
											1	1	1.6	1.6	20								1.0				3.0				C080577	78.12	79.54	0.005		
											2	1	10.6	14.2	85								1.0				4.0				C080578	79.54	81.01	0.009		
				Section is highly etched and breakable, mostly qtz with sulphide's that are largely oxidized. Py and aspy are both visible along smaller fracture's and veinlets as well as in and blebs. Aspy ~ 5%, Po ~ 8% of sample.																								5.0	C080579	81.01	81.94	0.102		
				Section is etched and breakable, some qtz with sulphide's that are largely oxidized. Py and aspy are both visible along smaller fracture's and veinlets as well as in and blebs. Aspy ~ 2%, Po ~ 5% of sample.																									C080580	81.94	82.74	0.018		
				Section has low to moderate bleaching, the dark argillic area's have py throughout in blebs and stringers, some associated with carbonate stringers. Py also occurs on fracture surfaces. Py~ 5% of sample.																									C080581	82.74	83.82	0.047		
																															C080582	82.74	83.82		Duplicate	
											2	1	10.2	11.0	80					1.0			2.0				7.0				C080583	83.82	84.90	0.005		
				Gouge/breccia @ 85.15m to 85.23m, 80°.							2	1	3.8	4.4	80					4.0			2.0				2.0				C080584	84.90	86.33	0.007		
											1	3	0.5	0.5	20												5.0									
											3	1	2.0	4.4	80					3.0			2.0				2.0				C080585	86.33	87.78	0.016		
				Qtz eyes and lenses contain py and po.							1	1	0.5	0.5	85					2.0	2.0						5.0				C080586	87.78	89.33	0.009		
				89.83m to 90.07m. Qtz rich section, a large amorphous blob intermixed with surrounding metasediments. Py and aspy, 2-3%.							1	1	0.7	0.7	75								2.0				1.0				C080587	89.33	90.83	0.007		
											1	4	0.2	0.2	80																					
				Aspy and py occur in the matrix as blebs associated with remnants of banding.																											C080588	90.83	92.07	0.010		
																															C080589	90.83	92.07		Check Assay	
																															C080590				Standard 3C	
				Some area's very broken and fractured, obliterating at least one qtz vein containing >5% aspy. Py very common, disseminated and in blebs as well as on fracture surfaces, py ~ 4% of sample.							2	1	1.1	2.0	80					3.0			5.0				2.0				C080591	92.07	93.30	0.018		
											2	1	2.1	3.8	85					1.0			2.0				2.0				C080592	93.30	94.57	0.014		
											1	7	0.3	0.3	25		0.7	q/cb	4	20.0							10.0									
											1	1	1.5	1.5	80																C080593	94.57	95.90	0.015		
											1	4	0.3	0.3	20		0.5	q/cb	3	2.0							3.0									
				Sulphide stringers common throughout sample, aspy and carbonate material.							1	1	1.1	1.1	40								1.0				2.0				C080594	95.90	97.30	0.015		
											1	4	1.3	1.3	40								4.0				2.0									
											2	1	3.7	4.4	85					1.0			3.0				1.0				C080595	97.30	98.44	0.007		
																															C080596				Blank	
											1	1	0.5	0.5	85					2.0										C080597	98.44	99.97	0.003		
											1	3	0.3	0.3	35												5.0				C080598	99.97	101.42	0.007		
											1	1	0.4	0.7	80	70											1.0									
											3	1	2.9	3.8	85								1.0				2.0				C080599	101.42	102.76	0.067		
											2	1	0.2	0.4	80					1.0							1.0				C080600	102.76	103.87	0.007		
				Py disseminated throughout matrix, <1% for sample.							1	4	0.2	0.2	30					1.0							2.0									
				Section broken and fractured around oxidized py vein, orientation indistinguishable, thickness 0.5cm.																											C080601	103.87	105.10	0.014		
																															C080602	103.87	105.10		Duplicate	

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-319C

0 = Unoxidized
5 = Intensely Ox'd

0 = Unaltered
5 = Intense Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar,, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	From → To:	From:	To:	GEOLOGICAL DESCRIPTION	ROCK (Alteration)						VEINS										% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages				Sulphides								Oxidation									
					Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
				Aspy on fracture surface, 1%.																												C080603	105.10	106.49	0.061		
				Gouge and breccia 106.84m to 106.9m, @ 80°.							2	6	0.2	0.3	20									30.0					10.0				C080604	106.49	107.84	0.039		
											1	7	0.9	0.9	30						15.0			5.0					30.0				C080605	107.84	108.40	0.021		
				Py and lesser aspy disseminated in matrix of sample near carbonate veinlets/stringers.							2	4	0.2	0.4	20	40					1.0			3.0					5.0				C080606	108.40	109.63	0.006		
											2	1	1.2	2.0	80						2.0			1.0					1.0				C080607	109.63	110.95	0.005		
				Py along surfaces of carbonate veinlets/stringers and minor fractures, common throughout sample.							2	4	0.2	0.4	20	30					1.0			3.0					5.0									
				Py along surfaces of carbonate veinlets/stringers and minor fractures, common throughout sample.																												C080608	110.95	112.17	0.003		
																															C080609	110.95	112.17		Check Assay	
																															C080610				Standard 2B	
				Gouge/breccia zone 112.85m to 113.14m, 80° contact, oxidized sulphides.							2	7	0.2	0.3	15	25					50.0								30.0				C080611	112.17	113.41	0.011		
											5	1	1.6	4.7	80	90					1.0			1.0					2.0				C080612	113.41	114.65	0.003		
				Gouge/breccia zone 115.45m to 155.49m, 80° contact, oxidized sulphides.																												C080613	114.65	115.71	0.003		
											2	1	3.0	4.2	85									2.0					4.0				C080614	115.71	116.94	0.009		
											7	1	0.8	3.0	60									0.1					1.0				C080615	116.94	118.26	0.006		
																															C080616				Blank	
											2	1	1.1	1.7	70														2.0				C080617	118.26	119.60	0.003		
		119.60	143.80	MSED. Argillite to quartzite, dark brown, visible banding intercalated with very bleached, white to beige lightly banded. The dark brown section are moderately silicified and has little or no bleaching and low chloritization. Banding is well preserved and has a pervasive foliation at 70° throughout, with qtz eyes/lenses along foliation throughout section. In the bleached section fractures cross-cut foliation at a 15° to 25° angle to core axis and a 90° angle between them and aspy associated with qtz veins and in oxidized sulphide veins as well as disseminated in matrix and along fractures, py found along fracture surfaces and in qtz veins, eyes and lenses. No sulphides found in unbleached sections.	2		1	2	2		2	1	2.4	3.7	70																		C080618	119.60	120.40	0.015		
											3	4	0.4	0.7	70						0.1										C080619	120.40	121.31	0.003		
											3	1	3.2	4.3	70																C080620	121.31	122.50	0.005		
											2	1	0.6	1.1	30																					
											2	1	0.8	1.4	30																C080621	122.50	123.36	0.003		
																															C080622	122.50	123.36		Duplicate	
											1	1	1.1	1.1	80									0.1					3.0				C080623	123.36	124.17	0.003		
											2	1	0.8	1.2	80																C080624	124.17	125.41	0.006		
											3	1	2.3	3.4	80									0.1					2.0				C080625	125.41	126.43	0.005		
											3	1	3.1	5.8	70									0.1					2.0				C080626	126.43	127.83	0.005		
											1	4	0.4	0.4	20																C080627	127.83	129.20	0.026		
											3	7	0.1	0.3	5							20.0							60.0							
				Gouge at 130m to 130.19m, 70° at contact.							1	1	2.6	2.6	80									1.0					5.0				C080628	129.20	130.45	0.006		
																															C080629	129.20	130.45		Check Assay	
																															C080630				Standard 3C	
				Band of chlorite rich material (from alteration), follows banding, 1cm thick.																												C080631	130.45	130.93	0.003		
				QZZ section, some remnant sulphide stringers (py and oxidized material), no veins.																												C080632	130.93	132.24	0.006		
				QZZ section, some remnant sulphide stringers (py and oxidized material).							2	1	0.7	1.1	75						1.0								2.0				C080633	132.24	133.50	0.012		
				QZZ section, some remnant sulphide stringers (py and oxidized material), no veins.																												C080634	133.50	134.74	0.007		
				QZZ section, some remnant sulphide blebs (py and oxidized material), no veins.																												C080635	134.74	135.97	0.009		
																															C080636				Blank	
				QZZ section, some remnant sulphide stringers (py and oxidized material).							1	1	1.4	1.4	70														3.0				C080637	135.97	137.13	0.003		
											2	1	5.7	7.8	80														2.0				C080638	137.13	138.00	0.005		
				Qtz blob with py, sulphide stringers (py and oxides), no veins.																												C080639	138.00	138.90	0.011		
											2	4	0.2	0.4	25						3.0										C080640	138.90	140.12	0.007		
																															C080641	140.12	141.49	0.006		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-319C

0 = Unoxidized
5 = Intensely Ox'd

0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar,, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	From → To:	From:	To:	GEOLOGICAL DESCRIPTION	ROCK (Alteration)						VEINS										% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages				Sulphides								Oxidation									
					Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
																																	C080642	140.12	141.49		Duplicate	
											1	7	0.2	0.2	20						5.0								60.0				C080643	141.49	142.83	0.003		
											3	1	1.7	2.9	80														4.0				C080644	142.83	143.80	0.003		
		143.80	150.90	MSED. Argillite to quartzite, dark brown/green to beige, visible banding intercalated with very bleached, white to beige lightly banded. The dark brown sections are moderately silicified and has little or no bleaching and moderate to high chloritization. Banding is well preserved and has a pervasive foliation at 70° throughout, with qtz eyes/lenses along foliation throughout section. In the bleached section fractures cross-cut foliation at a 15° to 25° angle to core axis and a 90° angle between them and aspy associated with qtz veins and in oxidized sulphide veins as well as disseminated in matrix and along fractures, py found along fracture surfaces and in qtz veins, eyes and lenses. In the unbleached, chloritized sections py occurs with carbonate.	1	1	3	1	2																								C080645	143.80	144.52	0.010		Remnant sulfide stringers and blebs (py an ox'd mat'l) in bleached area.
											3	4	0.3	0.6	20						5.0								5.0				C080646	144.52	145.34	0.006		
											1	1	1.6	1.6	70														2.0				C080647	145.34	146.46	0.010		
											3	4	3.2	6.2	20						2.0																	
											1	7	3.0	3.0	50						15.0								10.0									
											4	1	2.1	7.6	85														5.0				C080648	146.46	147.43	0.003		
																																	C080649	146.46	147.43		Check Assay	
																																	C080650				Standard 4D	
				Gouge at 148.11 to 148.16m, 80° contact.																													C080651	147.43	148.49	0.006		
				Moderately chloritized section, disseminated py in some area's, as well as in veins.							2	4	0.2	0.3	5	15					5.0												C080652	148.49	149.12	0.029		
											1	1	2.1	2.1	80														3.0				C080653	149.12	150.05	0.010		
				GND finger, 150.61 to 150.65m, has qtz veins/alteration halo in either side, 1cm each.							1	1	0.8	0.8	80														1.0				C080654	150.05	150.90	0.068		
		150.90	183.07	GNDD's and MSED. Light grey to beige color, medium grained GND and fine grained MSED (mostly QZZ with some argillite). Moderate to high bleaching, low oxidation, low sericitization, moderate silicification. Qtz, carbonate and sulphide veins present, massive sulphide veins occur in both the MSED's and GNDD's. Carbonate stringers/veinlets occur throughout section, preferred orientation of 30°.	1	1		2	3		2	7	0.2	0.3	30						25.0			10.0					40.0				C080655	150.90	151.98	0.044		
											3	4	0.2	0.4	30														5.0									
																																	C080656				Blank	
											1	7	0.3	0.3	30						20.0			5.0					10.0				C080657	151.98	153.01	0.029		
											1	1	2.3	2.3	70																		C080658	153.01	154.21	0.433		
											1	4	0.4	0.4	80																							
				Mixed lithology section, very bleached, carbonate stringers/veinlets, no veins.																													C080659	154.21	155.11	0.012		
				Mixed lithology section, very bleached, carbonate stringers/veinlets, no veins. Gouge section 156.01m to 156.5m, contact at 50°.																													C080660	155.11	156.50	0.051		
											2	1	1.4	2.6	60	40					3.0			1.0					2.0				C080661	156.50	158.03	0.009		
																																	C080662	156.50	158.03		Duplicate	
				QZZ section, no veins but py stringers and blebs throughout, up to 2% of sample.																													C080663	158.03	158.90	0.021		
											3	4	0.2	0.5	60														2.0				C080664	158.90	160.09	0.017		
				GNDD, partially bleached, no veins in section.																													C080665	160.09	161.58	0.017		
				Mixed lithology section, no veins visible.																													C080666	161.58	162.86	0.012		
				Gouge at 163.50m to 163.52m, contact at 50°.																													C080667	162.86	163.83	0.021		
				Bleached MSED, section bleach and etched, core competency very low, no veins visible.																													C080668	163.83	164.53	0.019		
																																	C080669	163.83	164.53		Check Assay	
																																	C080670				Standard 6F	
				MSED section, bleached and moderately silicified, no veins visible.																													C080671	164.53	165.25	0.014		
				Mixed lithology, low angle GND fingers with MSED. 2 large sulphide veins, mostly galena.							2	7	6.9	2.2	30						5.0			5.0				60.0					C080672	165.25	165.86	0.874		Galena, very fine grained.
				Mixed lithology section, no veins visible.																													C080673	165.86	167.39	0.017		
				Gouge/breccia at 168.70 to 168.73m, contact @ 65°, py in gouge, <2%.							1	4	0.8	0.8	10																		C080674	167.39	168.98	0.018		
				QZZ. Section very fractured and broken, moderately etched. No veins.																													C080675	168.98	170.62	0.003		
																																	C080676				Blank	

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-319C

0 = Unoxidized
5 = Intensely Ox'd

0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	From → To:	GEOLOGICAL DESCRIPTION From:	To:		ROCK (Alteration) Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	VEINS #/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages Max (cm)	Alteration (0-5)	Ox. State 0-5	% of VEIN & DISSEMINATED MATERIAL Sulphides pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation oxide	scordite	biotite	other	Sample Number	Interval From	Interval To	Au (g/T)	Type of Sample	Vein Comments?
				QZZ. Section very fractured and broken, moderately etched. No veins.																											C080677	170.62	171.80	0.012		
				QZZ. Section fractured and broken, contains oxidized sulphide's as blebs and stringers.																											C080678	171.80	173.13	0.026		
				QZZ. Section fractured and broken, contains oxidized sulphide's as blebs and stringers. Py occurs on fracture surfaces, fairly fresh.							1	6	0.3	0.3	80					25.0								30.0				C080679	173.13	174.20	0.008		
											3	6	0.4	0.6	60	80				60.0								20.0				C080680	174.20	175.01	0.019		
				QZZ. Section very fractured and broken, moderately etched. No veins.																											C080681	175.01	176.17	0.006		
																															C080682	175.01	176.17		Duplicate	
				QZZ. Section very fractured and broken, rubbled due to double drilling, moderately etched. No veins.																											C080683	176.17	177.70	0.005		
				QZZ. Section very fractured and broken, rubbled due to double drilling, moderately etched. No veins.																											C080684	177.70	179.22	0.116		
				QZZ. Section very fractured and broken, rubbled due to double drilling, moderately etched. No veins. Some competent argillite, 10cm only.																											C080685	179.22	180.75	0.007		
				Crumbled and broken stuff, no veins visible.																											C080686	180.75	182.27	0.021		
				Crumbled and broken, into gouge at 182.93m to end of sample. Aspy visible in gouge area, disseminated, ~2% of sample.																											C080687	182.27	183.07	0.019		
10	183.07m to	183.07	227.85	GND. Medium grained, medium/dark grey to dark grey/green with some light green bleached sections. Low to moderate bleaching associated with carbonate veins, low to moderate silicification throughout, no to moderate chlorite alteration, no to moderate carbonate alteration Carbonate veins are dominant, few qtz veins present. Massive sulfide veins occur but are rare. Aspy, py and po occur, py in massive sulfide veins, with carbonate veins and on many fracture surfaces, aspy occurs in massive sulfide veins, carbonate veins and disseminated in matrix near carbonate veins that are surrounded by bleaching. Po is rare and occurs as blobs in matrix, not associated with any veining.			2		2																								C080688	183.07	184.10	0.091		Digested GND and gouge, no veins visible. Contact completely obscured by gouge/clay alteration.
																														C080689	183.07	184.10		Check Assay	
																														C080690				Standard 3C	
											3	4	0.4	0.9	30					0.1											C080691	184.10	184.97	0.064		
				Carbonate stringers and alteration throughout, core competency is low and stringers/veinlets are pervasive and have no preferred orientation.							4	4	0.6	2.1	30																C080692	184.97	186.23	0.027		
				Carbonate stringers throughout.							4	7	0.4	1.0	30	10				20.0			10.0					10.0				C080693	186.23	187.24	0.032		
											3	4	0.3	0.8	30																					
				Qtz vein truncates carbonate sulfide vein, inter-vein angle is 15°.							1	7	0.5	0.5	30								25.0								C080694	187.24	188.37	0.381		
											2	1	3.4	3.9	15								10.0											
				Carbonate veins occasionally take on a stepped appearance.							4	4	0.4	1.0	30	15															C080695	188.37	189.86	0.010		
																														C080696				Blank	
				Some low level bleaching associated with veins.							6	4	2.1	4.4	30	80															C080697	189.86	190.66	0.017		
				Aspy found in matrix around a vein, the area has undergone enough carbonate alteration that it has lost competency and crumbles when moved. Aspy <1% for sample.							7	4	1.2	3.4	30																C080698	190.66	191.83	0.008		
				Aspy found in matrix around a vein, the area has undergone enough carbonate alteration that it has lost competency and crumbles when moved. Aspy <1% for sample. Carbonate stringers and veinlets are common and have no preferred orientation.							4	4	0.6	1.4	30	10															C080699	191.83	192.75	0.035		
											1	6	3.9	3.9	50								30.0				30.0				C080700	192.75	193.30	0.937		
											3	3	0.2	0.6	30					5.0											C080701	193.30	194.50	0.019		
											3	4	0.4	1.0	30	10																				
																														C080702	193.30	194.50		Duplicate	
				Section is lightly bleached and chloritized, aspy appears in matrix, up 2% of sample.							3	7	0.3	0.8	30					20.0			5.0				2.0				C080703	194.50	195.07	0.245		
											5	4	0.2	0.8	30	15															C080704	195.07	196.55	0.197		
											1	7	0.3	0.3	30		3.0	cb/chl	4	20.0																
											3	4	0.2	0.4	30	80				0.1											C080705	196.55	197.76	0.115		
				Py and aspy occur as blobs and blebs in matrix associated with a high qtz/biotite area. Py~% of sample, aspy <1% of sample.							2	4	0.2	0.4	30	50				0.1											C080706	197.76	198.55	0.817		
				Py also occur on 4 other fracture surfaces with no carbonate vein associated.							2	4	0.4	0.6	30	20				5.0											C080707	198.55	199.91	0.138		
											5	4	0.4	1.4	30	80				2.0											C080708	199.91	201.17	0.077		
																														C080709	199.91	201.17		Check Assay	
																														C080710				Standard 4D	
											4	4	0.5	1.2	30	70				10.0											C080711	201.17	201.96	0.153		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-319C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar,, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION: From → To:	From:	To:	GEOLOGICAL DESCRIPTION	ROCK (Alteration): Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	VEINS: #/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages: Max (cm)	Alteration	(0-5)	Ox. State 0-5	% of VEIN & DISSEMINATED MATERIAL — Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other	Sample Number	Interval: From	To	Au (g/T)	Type of Sample	Vein Comments?
											1	7	0.1	0.1	10									40.0													
											3	7	14.1	14.5	60	10	17.0	cb/chl	4		10.0			50.0									C080712	201.96	203.10	2.500		
											4	4	0.3	0.9	30																	C080713	203.10	204.40	0.089		
											4	4	0.2	0.6	30	10																C080714	204.40	205.65	0.055		
											3	4	0.3	0.7	20	30																C080715	205.65	206.95	0.040		
																																C080716				Blank	
				Py also occurs on 2 fracture faces with no vein associated, <1% of sample.							2	4	0.4	0.6	30						5.0												C080717	206.95	208.09	0.030		
				Large xenolith at 208.19m, 8cmx6cm.							1	4	0.2	0.2	20																		C080718	208.09	209.49	0.018		
				Py occurs along fracture face, trace.							3	4	0.3	0.6	80	30					2.0												C080719	209.49	210.65	0.012		
				Gouge area and slickenside surface at 210.80cm to 210.97cm, py on slickenside surface and in gouge, >2% of sample, at 60°.							3	4	0.3	0.8	10	120					3.0												C080720	210.65	211.41	0.211		
											1	7	0.2	0.2	60						20.0												C080721	211.41	212.06	0.037		
																																C080722	211.41	212.06		Duplicate	
											2	4	0.2	0.3	15	40					5.0												C080723	212.06	213.26	0.018		
				Po occurs as a blob (1.2cmx1cm), py occurs along 2 fracture surfaces without associated veining (trace).							2	4	0.3	0.5	80	30					5.0												C080724	213.26	214.10	0.022		
				Py also appears disseminated in matrix, associated with veining but no visible selvage.							4	4	0.4	1.2	20	40					7.0												C080725	214.10	215.10	0.043		
				No visible veining but py occurs on 6 fracture surfaces and comprises ~ 2% of sample.																													C080726	215.10	216.46	0.042		
											2	7	1.0	1.6	70	30					20.0												C080727	216.46	217.35	0.034		
											6	4	0.6	2.1	30	70					3.0												C080728	217.35	218.85	0.029		
																																C080729	217.35	218.85		Check Assay	
																																C080730				Standard 6F	
				Py also occurs on fracture faces and disseminated near veins, ~ 1% of sample.							4	4	3.1	5.2	10	30					7.0												C080731	218.85	220.15	0.053		
											3	4	2.2	4.3	60	10					3.0												C080732	220.15	221.24	0.031		
											2	4	0.2	0.4	80	60					2.0												C080733	221.24	221.70	0.027		
											3	4	2.8	5.7	5	30					0.1												C080734	221.70	222.30	0.028		
											1	4	0.2	0.2	20																	C080735	222.30	223.28	0.033		
																																C080736				Blank	
				Py occurs on 4 fracture surfaces, ~1% of sample.							3	4	0.2	0.4	20						2.0												C080737	223.28	224.70	0.045		
				3 xenoliths in section, py occurs on 3 fracture surfaces, <1% of sample.							1	7	0.2	0.2	60						20.0												C080738	224.70	225.98	0.045		
				Py occurs on 3 fracture surfaces, <1% of sample.																													C080739	225.98	226.91	0.047		
				Py occurs on 3 fracture surfaces, <1% of sample.							1	4	0.2	0.2	30																		C080740	226.91	227.85	0.044		
		227.85	246.98	GND. Medium grey to light/pale green, medium to fine grained. Weak to moderate silicification, weak to strong sericitization, usually associated ith carbonate veins, weak carbonate alteration in some area's. Carbonate veins dominant, uausally py and aspy bearing, qtz/carbonate veins much less common, usuallly aspy bearing. Qtz veins rare. Aspy occures in carbonate veins and qtz/carbonate veins and disseminated in sericite altered matrix around veins, py occures in carbonate veins qtz/carbonate veins, along fracture surfaces both with and without carbonate as well on these surfaces. Po is rare and occures as blebs in matrix near veins with low sericitization. One small section of QZZ occures at 233.99m to 234.11m, so sulfides asssociated, contacts are continuos, highly competant. Some area's show vugs where veins used to be and some carbonate (calcite) veins are coarse grained and appear to have formed in an existing cavity.		3	1	1	2		1	6	1.1	1.1	10		6.0	s	3		15.0			20.0							10.0				C080741	227.85	228.96	0.171		Trace aspy disseminated in matrix around sulfide vein.
											1	4	0.2	0.2	20						2.0																	
																																C080742	227.85	228.96		Duplicate	
				Section becomes very broken, large angular pieces, py occurs on many of the fracture surfaces, ~2% of sample. Py also occurs in trace amounts disseminated in matrix.							2	4	0.5	0.6	20		5.0	s	3		8.0			2.0					5.0				C080743	228.96	230.28	0.078		
				Section becomes very broken, large angular pieces, py occurs on many of the fracture surfaces, trace in sample.																													C080744	230.28	231.66	0.017		
											4	4	2.1	2.4	20	10	4.0	s	2		5.0			2.0					10.0				C080745	231.66	233.01	0.007		
				Aspy and py appear disseminated in matrix/selvage around largest carbonate vein, both trace for sample.							4	4	0.5	1.1	20	10	3.0	s	4		5.0			5.0									C080746	233.01	233.99	0.023		
				QZZ section at beginning of sample, no sulfides associated with it, cuts off carbonate vein.							1	4	0.2	0.2	25		2.3	s	4		2.0			4.0									C080747	233.99	234.95	0.015		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-319C

0 = Unoxidized
5 = Intensely Ox'd

0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar,, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION: From → To:	From:	To:	GEOLOGICAL DESCRIPTION	ROCK (Alteration): Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	VEINS: #/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages: Max (cm)	Alteration	(0-5)	Ox. State 0-5	% of VEIN & DISSEMINATED MATERIAL: Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other	Sample Number	Interval: From	To	Au (g/T)	Type of Sample	Vein Comments?
				Section has many carbonate veinlets stringers throughout, section has moderate to strong sericitic alteration and shows py disseminated and in blebs throughout matrix, as well as trace aspy disseminated throughout section.							1	3	0.6	0.6	40						8.0			5.0					5.0				C080748	234.95	235.91	0.056		
											1	7	0.2	0.2	20						40.0																
											2	4	0.2	0.3	10	20																				
																																	C080749	234.95	235.91		Check Assay	
																																	C080750				Standard 7G	
											1	4	0.1	0.1	20																		C080751	235.91	237.01	0.022		
											3	4	0.6	0.9	15		1.8	s	3		0.1			1.0									C080752	237.01	237.81	0.031		
				Trace aspy occurs in selvage surrounding carbonate vein. A BQS/QZZ section occurs at 238.50m to 238.60m, has 1% aspy disseminated throughout with some blebs and 1% py occurring in blebs.							3	4	0.2	0.5	20		2.6	s	4		1.0			3.0									C080753	237.81	238.80	0.049		
											2	4	0.3	0.4	40	20																	C080754	238.80	239.58	0.037		
				Aspy also occurs in matrix/selvage, <1% of sample.							1	3	1.8	1.8	15		22.0	s	4		2.0			3.0									C080755	239.58	240.46	0.044		
																																	C080756				Blank	
											6	4	0.4	1.0	20	80					0.1												C080757	240.46	241.81	0.033		
											6	4	0.6	1.6	20	60					3.0												C080758	241.81	242.81	0.034		
				Py occurs along fracture faces, <1% of sample.							1	7	0.8	0.8	20		8.0	s	4		15.0			2.0					2.0				C080759	242.81	243.95	0.066		
											3	4	0.2	0.5	20	50					2.0																
				No veins but py appears on 6 fracture surfaces of varying orientation, up to 2% of sample.																													C080760	243.95	244.40	0.033		
				Trace py also occurs on 2 fracture surfaces.							1	7	1.7	1.7	30		5.0	s	4		5.0			30.0									C080761	244.40	244.85	3.650		
																																C080762	244.40	244.85		Duplicate	
											3	4	0.5	0.8	80	20	3.0	s	2		5.0												C080763	244.85	245.18	0.119		
				A blob of po occurs in matrix near carbonate veins.							2	4	1.4	2.5	50		34.0	s	4		1.0			5.0					10.0				C080764	245.18	246.02	0.058		
				Py occurs along many fracture surfaces, up to 2% of sample.							2	4	0.5	0.9	20						2.0			0.1									C080765	246.02	246.98	0.139		
		227.85	256.42	GND. Medium grained, medium/dark grey to dark green color. Weak chloritic alteration, weak to moderate carbonate alteration. Section ranges from larger pieces, broken and angular to almost completely digested area with pieces of rock as small as 1mm in a highly clay/carbonate area. This section is py rich along fracture surfaces and has aspy in the most digested area's. The veins are completely broken and obliterated by the breakage and alteration and are not describable.			2	2	3																						C080766	246.98	247.60	0.062		
				Larger broken pieces, py on fracture faces.																													C080767	247.60	248.21	0.186		
				Larger broken pieces, py on fracture faces.																													C080768	248.21	249.15	0.101		
																																	C080769	248.21	249.15		Check Assay	
																																	C080770				Standard 3C	
				Larger broken pieces, py on fracture faces.																													C080771	249.15	250.26	0.125		
				Larger broken pieces, py on fracture faces.																													C080772	250.26	251.10	0.090		
				Larger broken pieces, py on fracture faces.																													C080773	251.10	252.37	0.040		
				Larger broken pieces, py on fracture faces.																													C080774	252.37	253.20	0.034		
				Section is well digested and show both py and greater aspy throughout.																													C080775	253.20	254.51	0.060		
				Larger broken pieces, py on fracture faces.																													C080776				Blank	
				Larger broken pieces, py on fracture faces.																													C080777	254.51	255.42	0.060		
				Larger broken pieces, py on fracture faces.																													C080778	255.42	256.42	0.048		
		256.42	294.89	GND. Medium to fine grained, medium to light grey to light green. Sericitic alteration with veins, usually extensive (over 10cm selvage), weak silicification throughout, low to moerate bleching associated with veins. Carbonate veins dominate, sulfide veins present as well, some qtz/carbonate veins but no qtz veins present. Aspy found in massive sulfide veins, carbonate and qtz/carbonate veins and disseminated in matrix/selvage around veins with moerate sericitization, also found on a limited number of fracture surfaces, up to 1mm, euhedral crystals. Py found on fracture surfaces, in massive sulfide veins, with carbonate veins, and as blebs in matrix/selvage (rare). Po found as blobs/blebs in matrix and selvage area's, not always associated with veins but near a qtz blob or qtz rich area. Fracture surfaces usually show a dark green cholrite alteration product. Fractures show prefferential orientation of 20°-40°, with some variation outside these limits.		3			2		4	4	0.4	0.9	20	60					5.0							1.0				C080779	256.42	257.86	0.060		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-319C

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar,, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL													Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																					Sulphides								Oxidation										
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
				Blobs of po occur in matrix, not associated with and veins or fractures.							1	1	0.2	0.2	40									10.0									C080793	269.00	270.53	0.018		
				Aspy occurs on fracture surfaces, up to 1mm, euhedral crystals.							4	7	0.8	2.2	30	60	6.0	cb	4		30.0			20.0					10.0				C080794	270.53	271.94	0.147		
											2	4	0.6	0.8	60	40	2.0	cb	3													C080795	271.94	273.28	0.045		
											4	7	0.2	0.5	60	20					10.0			30.0					10.0									
																																C080796				Blank	
											2	4	0.4	0.7	30		4.0	cb	3		2.0			5.0					5.0				C080797	273.28	274.38	0.064		
				Large carbonate displays 2 large vugs, and large (up to 2cm) euhedral crystals.							1	7	4.5	4.5	30		2.8	s	2		5.0			50.0					10.0				C080798	274.38	275.15	4.210		
											2	4	8.4	8.7	80	40	5.0	s	3		2.0			1.0													
											2	7	3.2	5.3	70	40					20.0		15.0	50.0					5.0				C080799	275.15	276.58	3.010		
											1	3	0.5	0.5	40														15.0									
											1	4	0.7	0.7	40						2.0								10.0									
																																C080800	276.58	277.81	0.081		
											1	4	0.2	0.2	25		1.4	cb/q	3													C080801	277.81	279.25	0.084		
																																C080802	277.81	279.25		Duplicate	
																																C080803	279.25	280.50	0.102		
				Trace aspy in selvage around vein.							1	4	0.3	0.3	30									0.1									C080804	280.50	281.99	0.147		
				Po blebs found in matrix/selvage around large vein.							3	4	3.2	3.6	60	20					10.0	3.0											C080805	281.99	283.06	0.120		
											1	4	0.3	0.3	20						1.0								2.0				C080806	283.06	283.75	0.058		
											3	7	5.8	8.9	60	35					8.0			35.0					10.0				C080807	283.75	284.79	0.245		
											1	4	0.3	0.3	35						2.0								5.0									
											2	4	0.3	0.5	35		1.0	cb/s	2		2.0								3.0				C080808	284.79	286.01	0.079		
											1	1	0.1	0.1	40		2.0	q	4																	
																																C080809	284.79	286.01		Check Assay	
																																C080810				Standard 1A	
											4	4	2.2	2.9	80	50	15.0	s/cb	3		5.0			2.0					10.0				C080811	286.01	287.35	0.074		
											1	6	1.9	1.9	30		3.0	q/s	3					45.0									C080812	287.35	288.51	0.792		
											1	7	1.7	1.7	60		10.0	cb/s	4		10.0			15.0					25.0									
											2	4	0.3	0.5	20																							
				Carbonate veinlets and stringers also present.							5	4	0.5	1.5	20	80																	C080813	288.51	289.78	0.146		
				Carbonate veinlets and stringers also present.							3	4	0.3	0.7	20	60																	C080814	289.78	290.97	0.059		
				Carbonate veinlets and stringers also present.							4	4	0.2	0.7	20	60																	C080815	290.97	292.33	0.051		
																																C080816				Blank	

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-319C

0 = Unoxidized
5 = Intensely Ox'd

0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar,, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	From → To:	From:	To:	GEOLOGICAL DESCRIPTION	ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages			Sulphides								Oxidation									
					Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
											1	7	0.4	0.4	60					50.0								20.0				C080817	292.33	293.73	0.044		
											3	4	1.4	1.7	20	15												10.0									
											2	7	1.1	1.3	30		8.0	cb/s	3		25.0			10.0				10.0				C080818	293.73	294.89	0.081		
											3	4	0.5	0.9	20	60	15.0	cb/s	4					5.0				5.0									
		294.89	311.32	GND. Medium grained, medium grey with a greenish cast near some veins showing alteration. Moderate silicification, weak sericitization associated with rare carbonate veins. Py occurs with carbonate, but rare, po occurs rarely in matrix as blebs/blobs. Xenoliths present. Sulfides rare throughout section. Fractures at a preferred orientation of 20º and fracture surface show chlorite alteration product. Carbonate veins are less common and qtz veins are not present at all.		1	1		1		2	4	0.3	0.5	20	60					2.0							15.0				C080819	294.89	296.25	0.023		
											3	4	0.2	0.5	20	40																C080820	296.25	297.59	0.011		
											3	4	0.3	0.7	20						1.0							5.0				C080821	297.59	298.90	0.017		
																																	C080822	297.59	298.90		Duplicate	
				Trace aspy appears on a carbonate patch on a fracture surface.							3	4	0.2	0.5	20																	C080823	298.90	300.23	0.022		
																																C080824	300.23	301.55	0.026		
																																C080825	301.55	302.82	0.081		
				No veins present in section, slickenside surface, stria are oriented -10° to long axis of fractuer face.																													C080826	302.82	304.14	0.039		
											3	4	0.2	0.5	10	20												5.0				C080827	304.14	305.59	0.009		
				A large blob of qtz (5cm by 2cm) has 5-10% po in it along fracture surfaces within the blob.							1	4	0.7	0.7	20																	C080828	305.59	306.95	0.007		
				Small bleached lines where there are "healed" fractures. No veins present.																													C080829	305.59	306.95		Check Assay	
																																	C080830				Standard 5E	
																																	C080831	306.95	308.46	0.009		
											3	4	0.3	0.7	20													5.0				C080832	308.46	309.77	0.006		
											2	4	0.3	0.4	20	60																C080833	309.77	311.32	0.012		
		311.32		GND. Medium to fine grained, medium to light grey to dark to light green. Moderate to high sericitic alteration with veins, usually extensive (over 10cm selvage), moderate to strong silicification throughout, moderate bleaching associated with veins. Carbonate veins dominate sulfide veins present as well, some qtz/carbonate veins and some qtz veins present. Aspy found in massive sulfide veins, carbonate, qtz and qtz/carbonate veins and disseminated in matrix/selvage around veins with moerate sericitization, some crystals are large and euhedral. Py found on fracture surfaces, in massive sulfide veins, with carbonate veins, and as blebs in matrix/selvage (rare). Po found with py in qtz/carbonate and carbonate veins as well as blobs/blebs in matrix and selvage area's, not always associated with veins but near a qtz blob or qtz rich area. Fracture surfaces usually show a dark green cholrite alteration product. Fractures show prefferential orientation of 20°-40°, with some variation outside these limits.	1	3	1		1		1	6	15.9	15.9	30		3.2	s	4		15.0		10.0	40.0							5.0				C080834	311.32	312.73	6.170		Aspy appears disseminated in matrix/selvage as well.
											1	7	4.2	4.2	50						25.0			20.0													
											1	3	0.5	0.5	25																							
											2	4	1.5	1.8	30	80					8.0																	
											5	4	0.3	1.1	55	20					2.0							5.0				C080835	312.73	314.06	0.013		
																																	C080836				Blank	
				No veins in section, aspy appears in matrix/selvage near fractures with no vein formation. Trace only.																													C080837	314.06	314.86	0.008		
											2	6	0.2	0.4	20		1.1	q	2		50.0											C080838	314.86	315.88	0.137		
											1	7	0.5	0.5	30		3.0	cb/s	2		10.0			10.0				5.0									
				Blob of bis occurs in matrix, .1cmx.4cm. Py occurs on a 15º fracture face, up to 3% of sample.							1	6	2.0	2.0	30									30.0								C080839	315.88	316.82	0.731		
											1	7	0.3	0.3	15									20.0													
											2	7	4.7	5.6	20		5.0	s	3		15.0				4.0							C080840	316.82	318.20	0.428		
											1	6	0.2	0.2	30		2.0	q	3		40.0															Vein selvage has scordite radiating out from vein area up to 0.7cm. Dark green/blue and acicular.

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-319C

0 = Unoxidized
5 = Intensely Ox'd

0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar,, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	From → To:	From:	To:	GEOLOGICAL DESCRIPTION	ROCK (Alteration)						VEINS						Selvages			% of VEIN & DISSEMINATED MATERIAL											Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																				Sulphides								Oxidation									
					Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
											1	4	0.9	0.9	25														5.0						
											4	7	0.5	1.4	30		5.0	s	3		15.0	5.0		20.0	1.0							C080841	318.20	319.21	1.055		
											1	6	0.5	0.5	30		7.0	s	3					30.0											
																																C080842	318.20	319.21		Duplicate	
				Section has no discernable veins but there are qtz and carbonate stringers throughout containing aspy, py and blobs of bis near the stringers in the matrix/sericitic altered area. Py ~1%, aspy~ 1%, bis~2% of sample.							1	6	0.3	0.3	10		4.0	s	2		25.0											C080843	319.21	319.58	0.049		
				Section has no discernable veins but has carbonate stringers throughout containing trace aspy and py, area around stringers (90% of sample) is highly bleached and oxidized.																												C080844	319.58	320.31	0.037		
				No veins in section, light sericitic alteration with fracture.																												C080845	320.31	321.36	0.031		
											2	4	0.2	0.4	20						2.0											C080846	321.36	322.50	0.274		
											2	7	0.3	0.5	40	30	1.0	s	2		20.0			60.0												
											4	4	0.2	0.6	20	50					0.1											C080847	322.50	323.54	0.071		
											4	7	0.3	0.7	40						50.0			15.0												
																																C080848	323.54	324.57	0.037		
																																C080849	323.54	324.57		Check Assay	
																																C080850				Standard 6F	
				In largest vein calcite has large (<5mm) euhedral crystals and large (<2mm) euhedral aspy embedded in the calcite.							4	4	0.6	1.3	10	60	3.2	cb	3		1.0			3.0								C080851	324.57	325.22	0.043		
											3	7	1.2	1.6	20	60	1.3	cb	3		20.0			10.0								C080852	325.22	326.60	1.170		
											2	4	0.2	0.3	50																C080853	326.60	327.60	0.296		
				Po blob in matrix, not associated with any vein or fracture but area is more qtz rich than surroundings.							1	3	0.2	0.2	30						1.0											C080854	327.60	328.96	0.079		
											3	4	0.2	0.4	20	10															C080855	328.96	330.37	0.104		
											2	1	0.2	0.4	60	40					5.0			5.0												
																																C080856				Blank	
											1	1	0.2	0.2	50						1.0			4.0							C080857	330.37	331.83	0.028		
											1	4	0.3	0.3	30																				
											4	4	0.3	0.7	20	40					5.0								15.0		C080858	331.83	332.96	0.126		
											2	6	2.1	3.6	60									30.0							C080859	332.96	333.53	0.671		
											1	7	0.8	0.8	40						15.0			10.0				5.0								
											4	6	1.5	3.3	60	30								60.0							C080860	333.53	334.67	3.420		
											1	7	0.2	0.2	40						25.0														
											1	1	0.8	0.8	40																					
											1	4	0.4	0.4	20																					
											1	6	2.5	2.5	40						10.0			15.0							C080861	334.67	335.51	1.175		
																																C080862	334.67	335.51		Duplicate	
											1	4	0.2	0.2	20																C080863	335.51	336.80	0.019		
				Xenoliths occur in this section, sized from 3cm to 13cm long																												C080864	336.80	338.13	0.338		
				Trace aspy appears in selvage.							1	7	0.4	0.4	30		2.0	s	2		30.0			10.0								C080865	338.13	339.32	0.044		
											1	6	0.8	0.8	30						15.0			25.0												
											2	4	0.2	0.4	20																					
											1	6	0.5	0.5	60		1.6	q	3		5.0			15.0							C080866	339.32	340.31	0.533		
											1	7	0.3	0.3	60						15.0														
											1	4	0.2	0.3	20	40																				
											5	7	0.9	2.5	30	80								40.0							C080867	340.31	341.53	2.530		
											4	7	2.7	4.9	30						15.0	5.0		50.0							C080868	341.53	342.41	1.385		
																																C080869				Check Assay	
																																C080870				Standard 7G	
				Section shows distinct sheeted veining all at ~ 30° throughout, sericitic alteration associated with veining - veins are carbonate and qtz-carbonate some sulfide veins.							6	6	2.7	6.8	30						15.0		5.0	40.0								C080871	342.41	343.72	1.455		

DRILL LOG LEGEND P1

DRILL HOLE # : DG06-319C

0 = Unoxidized
5 = Intensely Ox'd

0 = Unaltered
5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar,, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION: From → To:	From:	To:	GEOLOGICAL DESCRIPTION	ROCK (Alteration): Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	VEINS: #/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages: Max (cm)	Alteration	(0-5)	Ox. State 0-5	% of VEIN & DISSEMINATED MATERIAL: Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other	Sample Number	Interval: From	To	Au (g/T)	Type of Sample	Vein Comments?
											2	4	0.3	0.5	30																						
											2	1	0.2	0.3	30																						
				Section has no discernable veins but there are qtz and carbonate stringers in a limited area containing aspy, py and cpy (<3% total of sample), stringers are surrounded by sericitic alteration (moderate) and aspy occurs in the matrix.																												C080872	343.72	344.16	0.886		
											2	4	0.3	0.5	20																			C080873	344.16	345.18	0.061		
											2	4	0.3	0.4	20																			C080874	345.18	346.22	0.019		
											2	7	3.7	3.8	30		8.6	s	4		2.0			70.0									C080875	346.22	347.05	3.300		
											3	4	0.2	0.4	20																			C080876				Blank	
				Section is moderately bleached.																															C080877	347.05	348.36	0.025		
				Section is moderately bleached. Py stringers in matrix near veins, trace only.							2	4	0.2	0.3	20																				C080878	348.36	349.61	0.112	EOH	

From-To Sheet DG06-319C					
Sample Number	Interval		Width (m)	Type of Sample	Au (g/t)
	From	To			
C080501	6.10	7.60	1.500		
C080502				DUPLICATE	
C080503	7.60	9.00	1.400		
C080504	9.00	10.47	1.470		
C080505	10.47	12.00	1.530		
C080506	12.00	13.41	1.410		
C080507	13.41	14.96	1.550		
C080508	14.96	16.40	1.440		
C080509	14.96	16.40	1.440	CHECK ASSAY	
C080510				STANDARD 3C	0.091
C080511	16.40	17.07	0.670		
C080512	17.07	19.70	2.630		
C080513	19.70	20.42	0.720		
C080514	20.42	21.95	1.530		
C080515	21.95	23.47	1.520		
C080516				BLANK	
C080517	23.47	24.69	1.220		
C080518	24.69	26.21	1.520		
C080519	26.21	27.60	1.390		
C080520	27.60	28.25	0.650		
C080521	28.25	29.00	0.750		
C080522	28.25	29.00	0.750	DUPLICATE	
C080523	29.00	30.00	1.000		
C080524	30.00	31.20	1.200		
C080525	31.20	32.61	1.410		
C080526	32.61	33.50	0.890		
C080527	33.50	34.70	1.200		
C080528	34.70	35.66	0.960		
C080529	34.70	35.66	0.960	CHECK ASSAY	
C080530				STANDARD 4D	0.43
C080531	35.66	37.12	1.460		
C080532	37.12	37.65	0.530		
C080533	37.65	38.75	1.100		
C080534	38.75	40.02	1.270		
C080535	40.02	41.50	1.480		
C080536				BLANK	
C080537	41.50	42.06	0.560		
C080538	42.06	43.06	1.000		
C080539	43.06	43.80	0.740		
C080540	43.80	45.11	1.310		
C080541	45.11	46.00	0.890		
C080542	45.11	46.00	0.890	DUPLICATE	
C080543	46.00	47.15	1.150		
C080544	47.15	48.35	1.200		
C080545	48.35	49.54	1.190		
C080546	49.54	50.58	1.040		
C080547	50.58	51.90	1.320		
C080548	51.90	53.13	1.230		
C080549	51.90	53.13	1.230	CHECK ASSAY	
C080550				STANDARD 6F	2.77
C080551	53.13	54.38	1.250		
C080552	54.38	55.79	1.410		
C080553	55.79	57.21	1.420		

From-To Sheet DG06-319C					
Sample Number	Interval		Width (m)	Type of Sample	Au (g/t)
	From	To			
C080554	57.21	58.40	1.190		
C080555	58.40	59.72	1.320		
C080556				BLANK	
C080557	59.72	60.24	0.520		
C080558	60.24	61.10	0.860		
C080559	61.10	62.63	1.530		
C080560	62.63	63.40	0.770		
C080561	63.40	64.08	0.680		
C080562	63.40	64.08	0.680	DUPLICATE	
C080563	64.08	65.35	1.270		
C080564	65.35	66.45	1.100		
C080565	66.45	67.15	0.700		
C080566	67.15	68.66	1.510		
C080567	68.66	70.19	1.530		
C080568	70.19	71.70	1.510		
C080569	70.19	71.70	1.510	CHECK ASSAY	
C080570				STANDARD 7G	4.46
C080571	71.70	73.20	1.500		
C080572	73.20	74.70	1.500		
C080573	74.70	75.59	0.890		
C080574	75.59	76.66	1.070		
C080575	76.66	78.12	1.460		
C080576				BLANK	
C080577	78.12	79.54	1.420		
C080578	79.54	81.01	1.470		
C080579	81.01	81.94	0.930		
C080580	81.94	82.74	0.800		
C080581	82.74	83.82	1.080		
C080582	82.74	83.82	1.080	DUPLICATE	
C080583	83.82	84.90	1.080		
C080584	84.90	86.33	1.430		
C080585	86.33	87.78	1.450		
C080586	87.78	89.33	1.550		
C080587	89.33	90.83	1.500		
C080588	90.83	92.07	1.240		
C080589	90.83	92.07	1.240	CHECK ASSAY	
C080590				STANDARD 3C	0.091
C080591	92.07	93.30	1.230		
C080592	93.30	94.57	1.270		
C080593	94.57	95.90	1.330		
C080594	95.90	97.30	1.400		
C080595	97.30	98.44	1.140		
C080596				BLANK	
C080597	98.44	99.97	1.530		
C080598	99.97	101.42	1.450		
C080599	101.42	102.76	1.340		
C080600	102.76	103.87	1.110		
C080601	103.87	105.10	1.230		
C080602	103.87	105.10	1.230	DUPLICATE	
C080603	105.10	106.49	1.390		
C080604	106.49	107.84	1.350		
C080605	107.84	108.40	0.560		
C080606	108.40	109.63	1.230		

From-To Sheet DG06-319C					
Sample Number	Interval		Width (m)	Type of Sample	Au (g/t)
	From	To			
C080607	109.63	110.95	1.320		
C080608	110.95	112.17	1.220		
C080609	110.95	112.17	1.220	CHECK ASSAY	
C080610				STANDARD 2B	3.02
C080611	112.17	113.41	1.240		
C080612	113.41	114.65	1.240		
C080613	114.65	115.71	1.060		
C080614	115.71	116.94	1.230		
C080615	116.94	118.26	1.320		
C080616				BLANK	
C080617	118.26	119.60	1.340		
C080618	119.60	120.40	0.800		
C080619	120.40	121.31	0.911		
C080620	121.31	122.50	1.189		
C080621	122.50	123.36	0.860		
C080622	122.50	123.36	0.860	DUPLICATE	
C080623	123.36	124.17	0.810		
C080624	124.17	125.41	1.240		
C080625	125.41	126.43	1.020		
C080626	126.43	127.83	1.400		
C080627	127.83	129.20	1.370		
C080628	129.20	130.45	1.250		
C080629	129.20	130.45	1.250	CHECK ASSAY	
C080630				STANDARD 3C	0.091
C080631	130.45	130.93	0.480		
C080632	130.93	132.24	1.310		
C080633	132.24	133.50	1.260		
C080634	133.50	134.74	1.240		
C080635	134.74	135.97	1.230		
C080636				BLANK	
C080637	135.97	137.13	1.160		
C080638	137.13	138.00	0.870		
C080639	138.00	138.90	0.900		
C080640	138.90	140.12	1.220		
C080641	140.12	141.49	1.370		
C080642	140.12	141.49	1.370	DUPLICATE	
C080643	141.49	142.83	1.340		
C080644	142.83	143.80	0.970		
C080645	143.80	144.52	0.720		
C080646	144.52	145.34	0.820		
C080647	145.34	146.46	1.120		
C080648	146.46	147.43	0.970		
C080649	146.46	147.43	0.970	CHECK ASSAY	
C080650				STANDARD 4D	0.43
C080651	147.43	148.49	1.060		
C080652	148.49	149.12	0.630		
C080653	149.12	150.05	0.930		
C080654	150.05	150.90	0.850		
C080655	150.90	151.98	1.080		
C080656				BLANK	
C080657	151.98	153.01	1.030		
C080658	153.01	154.21	1.200		
C080659	154.21	155.11	0.900		

From-To Sheet DG06-319C					
Sample Number	Interval		Width (m)	Type of Sample	Au (g/t)
	From	To			
C080660	155.11	156.50	1.390		
C080661	156.50	158.03	1.530		
C080662	156.50	158.03	1.530	DUPLICATE	
C080663	158.03	158.90	0.870		
C080664	158.90	160.09	1.190		
C080665	160.09	161.58	1.490		
C080666	161.58	162.86	1.280		
C080667	162.86	163.83	0.970		
C080668	163.83	164.53	0.700		
C080669	163.83	164.53	0.700	CHECK ASSAY	
C080670				STANDARD 6F	2.77
C080671	164.53	165.25	0.720		
C080672	165.25	165.86	0.610		
C080673	165.86	167.39	1.530		
C080674	167.39	168.98	1.590		
C080675	168.98	170.62	1.640		
C080676				BLANK	
C080677	170.62	171.80	1.180		
C080678	171.80	173.13	1.330		
C080679	173.13	174.20	1.070		
C080680	174.20	175.01	0.810		
C080681	175.01	176.17	1.160		
C080682	175.01	176.17	1.160	DUPLICATE	
C080683	176.17	177.70	1.530		
C080684	177.70	179.22	1.520		
C080685	179.22	180.75	1.530		
C080686	180.75	182.27	1.520		
C080687	182.27	183.07	0.800		
C080688	183.07	184.10	1.030		
C080689	183.07	184.10	1.030	CHECK ASSAY	
C080690				STANDARD 3C	
C080691	184.10	184.97	0.870		
C080692	184.97	186.23	1.260		
C080693	186.23	187.24	1.010		
C080694	187.24	188.37	1.130		
C080695	188.37	189.86	1.490		
C080696				BLANK	
C080697	189.86	190.66	0.800		
C080698	190.66	191.83	1.170		
C080699	191.83	192.75	0.920		
C080700	192.75	193.30	0.550		
C080701	193.30	194.50	1.200		
C080702	193.30	194.50	1.200	DUPLICATE	
C080703	194.50	195.07	0.570		
C080704	195.07	196.55	1.480		
C080705	196.55	197.76	1.210		
C080706	197.76	198.55	0.790		
C080707	198.55	199.91	1.360		
C080708	199.91	201.17	1.260		
C080709	199.91	201.17	1.260	CHECK ASSAY	
C080710				STANDARD 3C	0.091
C080711	201.17	201.96	0.790		
C080712	201.96	203.10	1.140		

From-To Sheet DG06-319C					
Sample Number	Interval		Width (m)	Type of Sample	Au (g/t)
	From	To			
C080713	203.10	204.40	1.300		
C080714	204.40	205.65	1.250		
C080715	205.65	206.95	1.300		
C080716				BLANK	
C080717	206.95	208.09	1.140		
C080718	208.09	209.49	1.400		
C080719	209.49	210.65	1.160		
C080720	210.65	211.41	0.760		
C080721	211.41	212.06	0.650		
C080722	211.41	212.06	0.650	DUPLICATE	
C080723	212.06	213.26	1.200		
C080724	213.26	214.10	0.840		
C080725	214.10	215.10	1.000		
C080726	215.10	216.46	1.360		
C080727	216.46	217.35	0.890		
C080728	217.35	218.85	1.500		
C080729	217.35	218.85	1.500	CHECK ASSAY	
C080730				STANDARD 6F	2.77
C080731	218.85	220.15	1.300		
C080732	220.15	221.24	1.090		
C080733	221.24	221.70	0.460		
C080734	221.70	222.30	0.600		
C080735	222.30	223.28	0.980		
C080736				BLANK	
C080737	223.28	224.70	1.420		
C080738	224.70	225.98	1.280		
C080739	225.98	226.91	0.930		
C080740	226.91	227.85	0.940		
C080741	227.85	228.96	1.110		
C080742	227.85	228.96	1.110	DUPLICATE	
C080743	228.96	230.28	1.320		
C080744	230.28	231.66	1.380		
C080745	231.66	233.01	1.350		
C080746	233.01	233.99	0.980		
C080747	233.99	234.95	0.960		
C080748	234.95	235.91	0.960		
C080749	234.95	235.91	0.960	CHECK ASSAY	
C080750				STANDARD 7G	4.46
C080751	235.91	237.01	1.100		
C080752	237.01	237.81	0.800		
C080753	237.81	238.80	0.990		
C080754	238.80	239.58	0.780		
C080755	239.58	240.46	0.880		
C080756				BLANK	
C080757	240.46	241.81	1.350		
C080758	241.81	242.81	1.000		
C080759	242.81	243.95	1.140		
C080760	243.95	244.40	0.450		
C080761	244.40	244.85	0.450		
C080762	244.40	244.85	0.450	DUPLICATE	
C080763	244.85	245.18	0.330		
C080764	245.18	246.02	0.840		
C080765	246.02	246.98	0.960		

From-To Sheet DG06-319C					
Sample Number	Interval		Width (m)	Type of Sample	Au (g/t)
	From	To			
C080766	246.98	247.60	0.620		
C080767	247.60	248.21	0.610		
C080768	248.21	249.15	0.940		
C080769	248.21	249.15	0.940	CHECK ASSAY	
C080770				STANDARD 3C	0.091
C080771	249.15	250.26	1.110		
C080772	250.26	251.10	0.840		
C080773	251.10	252.37	1.270		
C080774	252.37	253.20	0.830		
C080775	253.20	254.51	1.310		
C080776				BLANK	
C080777	254.51	255.42	0.910		
C080778	255.42	256.42	1.000		
C080779	256.42	257.86	1.440		
C080780	257.86	259.39	1.530		
C080781	259.39	259.50	0.110		
C080782	259.39	259.50	0.110	DUPLICATE	
C080783	259.50	260.91	1.410		
C080784	260.91	261.60	0.690		
C080785	261.60	262.75	1.150		
C080786	262.75	263.96	1.210		
C080787	263.96	265.10	1.140		
C080788	265.10	266.10	1.000		
C080789	265.10	266.10	1.000	CHECK ASSAY	
C080790				STANDARD 6F	2.77
C080791	266.10	267.61	1.510		
C080792	267.61	269.00	1.390		
C080793	269.00	270.53	1.530		
C080794	270.53	271.94	1.410		
C080795	271.94	273.28	1.340		
C080796				BLANK	
C080797	273.28	274.38	1.100		
C080798	274.38	275.15	0.770		
C080799	275.15	276.58	1.430		
C080800	276.58	277.81	1.230		
C080801	277.81	279.25	1.440		
C080802	277.81	279.25	1.440	DUPLICATE	
C080803	279.25	280.50	1.250		
C080804	280.50	281.99	1.490		
C080805	281.99	283.06	1.070		
C080806	283.06	283.75	0.690		
C080807	283.75	284.79	1.040		
C080808	284.79	286.01	1.220		
C080809	284.79	286.01	1.220	CHECK ASSAY	
C080810				STANDARD 1A	0.88
C080811	286.01	287.35	1.340		
C080812	287.35	288.51	1.160		
C080813	288.51	289.78	1.270		
C080814	289.78	290.97	1.190		
C080815	290.97	292.33	1.360		
C080816				BLANK	
C080817	292.33	293.73	1.400		
C080818	293.73	294.89	1.160		

From-To Sheet DG06-319C					
Sample Number	Interval		Width (m)	Type of Sample	Au (g/t)
	From	To			
C080819	294.89	296.25	1.360		
C080820	296.25	297.59	1.340		
C080821	297.59	298.90	1.310		
C080822	297.59	298.90	1.310	DUPLICATE	
C080823	298.90	300.23	1.330		
C080824	300.23	301.55	1.320		
C080825	301.55	302.82	1.270		
C080826	302.82	304.14	1.320		
C080827	304.14	305.59	1.450		
C080828	305.59	306.95	1.360		
C080829	305.59	306.95	1.360	CHECK ASSAY	
C080830				STANDARD 5E	1.43
C080831	306.95	308.46	1.510		
C080832	308.46	309.77	1.310		
C080833	309.77	311.32	1.550		
C080834	311.32	312.73	1.410		
C080835	312.73	314.06	1.330		
C080836				BLANK	
C080837	314.06	314.86	0.800		
C080838	314.86	315.88	1.020		
C080839	315.88	316.82	0.940		
C080840	316.82	318.20	1.380		
C080841	318.20	319.21	1.010		
C080842	318.20	319.21	1.010	DUPLICATE	
C080843	319.21	319.58	0.370		
C080844	319.58	320.31	0.730		
C080845	320.31	321.36	1.050		
C080846	321.36	322.50	1.140		
C080847	322.50	323.54	1.040		
C080848	323.54	324.57	1.030		
C080849	323.54	324.57	1.030	CHECK ASSAY	
C080850				STANDARD 6F	2.77
C080851	324.57	325.22	0.650		
C080852	325.22	326.60	1.380		
C080853	326.60	327.60	1.000		
C080854	327.60	328.96	1.360		
C080855	328.96	330.37	1.410		
C080856				BLANK	
C080857	330.37	331.83	1.460		
C080858	331.83	332.96	1.130		
C080859	332.96	333.53	0.570		
C080860	333.53	334.67	1.140		
C080861	334.67	335.51	0.840		
C080862	334.67	335.51	0.840	DUPLICATE	
C080863	335.51	336.80	1.290		
C080864	336.80	338.13	1.330		
C080865	338.13	339.32	1.190		
C080866	339.32	340.31	0.990		
C080867	340.31	341.53	1.220		
C080868	341.53	342.41	0.880		
C080869	341.53	342.41	0.880	CHECK ASSAY	
C080870				STANDARD 7G	4.46
C080871	342.41	343.72	1.310		

From-To Sheet DG06-319C					
Sample Number	Interval		Width (m)	Type of Sample	Au (g/t)
	From	To			
C080872	343.72	344.16	0.440		
C080873	344.16	345.18	1.020		
C080874	345.18	346.22	1.040		
C080875	346.22	347.05	0.830		
C080876				BLANK	
C080877	347.05	348.36	1.310		
C080878	348.36	349.61	1.250	EOH	

DG06-319C Relfex readings

Depth (meters)	Azimuth (degreg's)	Corrected Azimuth (degree's)	Dip (dgree's)	Magnetic field	Temperature (celcius)
48.16	147.5	173	-56.4	5772	5
148.74	144.5	170	-55	5778	8.2
249.33	143.4	168.9	-55.5	5779	11
349.61	141.7	167.2	-54.8	5766	13.3

GEOTECHNICAL SUMMARY SHEET

PROJECT: Dublin Gulch - 1735		
DRILL HOLE NO: DG06-319C		
Date Started: July 14, 2006	**Date Completed:** July 20, 2006	
Geoteched By: Stacy Doyle, Jason Kindrat, Mike Giasson, Marc Mains		
Contractor: DJ Drilling		
Hole Size: HQ	**Core Size:** HQ	
Total Depth: 349.61m	**Elevation:** 897m	
Average RQD: 42.3%	**Average Recovery Rate:** 83%	

	Easting	**Northing**
DDH NAD27		
NAD27	459076	7100176
NAD83	458962	7100359
	Azimuth	**Dip**
Original	180	-60
End of Hole	167.2	-54.8
Additional Comments:	N/A	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-319C__ Sheet:__1___ of __4___

Date:__July 14-20, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length										Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29		Fault Breccia / Gouge	Broken Core	
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
CASING	0	6.1	6.1		0		0		-												CASING
MSED	6.1	10.97	4.87	1.08	22	0	0	R3	-	FS									0	100	
	10.97	13.41	2.44	1.12	46	0	0	R3	-	FS									0	100	
	13.41	14.02	0.61	0.19	31	0	0	R3	-	FS									0	100	
	14.02	17.07	3.05	0.97	32	0	0	R3	-	FS									0	100	
	17.07	20.42	3.35	0.66	20	0	0	R3	-	FS									0	100	
	20.42	21.64	1.22	0.22	18	0	0	R3	-	FS									0	100	
	21.64	23.47	1.83	0.2	11	0	0	R3	-	FS									0	100	
	23.47	24.69	1.22	0.78	64	0	0	R3	-	FS									0	100	
	24.69	26.21	1.52	0.51	34	0	0	R3	-	FS									0	100	
	26.21	29.26	3.05	1.82	60	0	0	R3	-	FS									0	100	
	29.26	29.87	0.61	0.37	61	0	0	R3	-	FS									0	100	
	29.87	32.61	2.74	1.75	64	0.2	7	R3	-	FS	2	US/PR			2	SR			0	94	
	32.61	35.66	3.05	1.32	43	0	0	R3	-	FS									0	100	
	35.66	36.88	1.22	0.35	29	0	0	R3	-	FS									0	100	
	36.88	39.01	2.13	1.57	74	0.32	15	R3	-	FS	2	SS/PS	2	US/IS	1	IR	1	SS	0	85	
	39.01	42.06	3.05	1.33	44	0.17	6	R1/R3	-	MW/FS					1	SS	1	IS	2	92	
	42.06	45.11	3.05	1.96	64	0.1	3	R1/R4	-	HW/FS					2	UR			40	57	
	45.11	48.16	3.05	2.32	76	0	0	R1/R3	-	HW/FS									65	35	
	48.16	51.21	3.05	2.39	78	9	100	R1/R3	-	HW/FR	4	CS/PR							7	84	
	51.21	54.25	3.04	2.44	80	0.27	9	R3	-	FR	4	US/PS							0	91	
	54.25	57.3	3.05	2.79	91	0.64	21	R3	-	FR	3	SS/PR	2	UR	1	CR			0	79	
	57.3	60.35	3.05	2.41	79	0.99	32	R3	-	FR	14	PR/CR							0	68	
	60.35	63.4	3.05	2.43	80	0.64	21	R2/R3	-	MW/FR	4	PS/SR	1	UR	1	UR			1	78	
	63.4	66.45	3.05	1.78	58	0.46	15	R2/R3	-	MW/FR	2	PS/SR			3	IR/IS	1	CS	3	82	
	66.45	69.49	3.04	2	66	0.27	9	R3	-	FR	2	SS			1	IR	1	IR	0	91	
	69.49	72.54	3.05	2.36	77	0	0	R1/R3	-	HW/FR									37	63	
	72.54	75.59	3.05	2.56	84	0.11	4	R1/R3	-	HW/FR	2	PS							20	76	
	75.59	78.64	3.05	2.69	88	1.22	40	R1/R3	-	FR	16	PS/IR	1	PS	1	US			5	55	
	78.64	81.08	2.44	2.37	97	1.18	48	R3	-	FR	11	PR/IR	1	US					0	53	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-319C__ Sheet:__2___ of __4___

Date:__July 14-20, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	81.08	81.69	0.61	0.54	89	0	0	R1/R3	-	MW/FR									5	95	
	81.69	83.82	2.13	1.74	82	0.3	14	R1/R3	-	FR	4	PS/US							2	84	
	83.82	84.73	0.91	0.96	100	0.66	73	R3	-	FR	7	PS/CS					1	SS	0	27	
	84.73	87.78	3.05	2.92	96	1.93	63	R1/R3	-	FR	24	PS/PR							2	35	
	87.78	90.83	3.05	2.8	92	1.88	62	R3	-	FR	21	PR/PS	1	SS					0	38	
	90.83	93.88	3.05	3.14	100	0.94	31	R3	-	FR		8	PR/PS						0	69	
	93.88	96.93	3.05	3	98	0.85	28	R3	-	FR	7	PS/SS	1	PS					0	72	
	96.93	99.97	3.04	2.85	94	0.9	30	R3	-	FR	10	PS	2	IS					2	68	
	99.97	103.02	3.05	3.04	100	1.04	34	R3	-	FR		12	PS	4	PS/IS				0	66	
	103.02	106.07	3.05	2.82	92	0.41	13	R3	-	FR			3	SS/PS	1	PS			0	87	
	106.07	109.12	3.05	3.05	100	0.88	29	R3	-	FR	4	PS	4	SS/PS	1	PS	1	PS	0	71	
	109.12	112.17	3.05	2.87	94	1.08	35	R3	-	FR	5	PS	9	IS/PS	2	IS			0	65	
	112.17	115.21	3.04	2.27	75	0.56	18	R1/R3	-	HW/FR	1	PS	7	SS/PS					6	76	
	115.21	118.26	3.05	2.54	83	0.19	6	R3	-	FR			1	PS	1	IS			0	94	
	118.26	121.31	3.05	2.47	81	1.26	41	R1/R4	-	MW/FR	2	PR	9	PS/IR			1	UR	2	57	
	121.31	124.36	3.05	2.81	92	1.97	65	R3	-	FR	3	IR/PR	9	PS/IS	6	UR/PS			0	35	
	124.36	127.41	3.05	3.05	100	1.67	55	R3	-	FR	5	PS	10	PR/PS			1	PS	0	45	
	127.41	130.45	3.04	2.53	83	1.51	50	R1/R3	-	HW/FR	3	PS	7	PR/SR	1	PR			3	47	
	130.45	133.5	3.05	2.71	89	1.44	47	R3	-	FR			10	IR/IS	2	IR			0	53	
	133.5	136.55	3.05	3.05	100	1.08	35	R3	-	FR	1	US	7	PR/PS	4	IS			0	65	
	136.55	139.6	3.05	3.05	100	1.72	56	R3	-	FR	3	PR/PS	7	US/PS	4	IR/PS			0	44	
	139.6	142.65	3.05	2.95	97	2.3	75	R3/R4	-	FR	20	IR/PR					4	PS	0	25	
	142.65	145.69	3.04	2.96	97	2.26	74	R4	-	FR	12	PS	3	IS			1	IR	0	26	
	145.69	148.74	3.05	2.94	96	2.1	69	R1/R3	-	MW/FR	15	IR/PR			1	IR			3	28	
MSED/ GND	148.74	151.79	3.05	3.01	99	2.69	88	R3	-	FR	14	IR/UR	2	SS					0	12	
GND	151.79	154.84	3.05	3.02	99	1.42	47	R3	-	FR	7	IR/PS	1	IR	2	PS			0	53	
GND/ MSED	154.84	157.89	3.05	2.85	93	0.6	20	R1/R3	-	HW/FR	3	PR					1	PS	8	72	
MSED/ GND	157.89	160.32	2.43	2.7	100	1.16	48	R3	-	FR	11	IS/PS	1	SR					0	52	
GND/ MSED	160.32	163.37	3.05	2.88	94	0.94	31	R0/R3	-	EW/FR	10	PS/SS							2	67	
	163.37	166.42	3.05	2.32	76	0.53	17	R1/R3	-	HW/FR	7	PR/IR	5	PR/SR	2	IR/SR			1	82	
	166.42	168.86	2.44	1.53	63	0.69	28	R2/R3	-	MW/FR	6	PR/IR	3	PR/IR	4	SR/CR			1	71	
	168.86	170.08	1.22	0.22	18	0.11	9	R0/R3	-	HW/FR	1	UR			1	SR			35	56	
	170.08	171.6	1.52	0.88	58	0	0	R1/R3	-	HW/FR									2	98	
	171.6	173.13	1.53	0.91	59	0	0	R3	-	FR									0	100	V.Broken
	173.13	176.17	3.04	2.44	80	0.85	28	R1/R3	-	HW/FR	11	PR/SR	1	IR	2	PR/CR	1	SR	2	70	
	176.17	177.07	0.9	0.44	49	0	0	R2/R3	-	FR									0	100	V.Broken
	177.07	179.22	2.15	0.62	29	0	0	R3	-	FR									0	100	V.Broken
	179.22	182.27	3.05	1.32	43	0	0	R1/R3	-	HW/FR									50	50	
MSED/ GND	182.27	184.1	1.83	1.52	83	0.13	7	R1/R3	-	HW/FR	1	IR	1	IR	1	PS			70	23	
GND	184.1	185.32	1.22	1.29	100	0.85	70	R2/R3	-	MW/FR	2	PR	4	PR/CR					2	28	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-319C__ Sheet:__3___ of __4___

Date:__July 14-20, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length										Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE	Fault Breccia / Gouge	Broken Core	
	185.32	188.37	3.05	2.96	97	1.96	64	R1/R4	-	HW/FR	8	PR/UR	5	PR					25	11	
	188.37	191.41	3.04	2.97	98	2.45	81	R1/R4	-	MW/FR	6	PR/UR	16	PR/SR	4	SR/UR			2	17	
MSED/ GND	191.41	194.46	3.05	2.89	95	2.01	66	R2/R4	-	MW/FR	7	IR/PR	10	SR/PS	3	PS/CR	1	CR	2	32	
GND	194.46	197.51	3.05	2.95	97	2.47	81	R3/R4	-	FR	13	PR/SR	8	PR/SR	2	PR	6	SR/PS	0	19	
	197.51	200.56	3.05	3.04	100	2.67	88	R3	-	FR	18	SS/PS	4	PS					0	12	
	200.56	203.61	3.05	3.08	100	2.77	91	R3	-	FR	11	PR/IR	3	PS			2	US	0	9	
	203.61	206.65	3.04	3.06	100	2.14	70	R3	-	FR	14	PR/IR	4	PR	2	PS			0	30	
	206.65	209.7	3.05	3.02	99	1.87	61	R3	-	FR	11	PR/PS	3	PS			2	US	0	39	
	209.7	211.23	1.53	1.44	94	0.94	61	R3	-	FR	6	PR/IR							0	39	
	211.23	212.75	1.52	1.45	95	0.9	59	R3	-	FR	8	IR							0	41	
	212.75	215.8	3.05	3.06	100	2.08	68	R3	-	FR	8	PR/IR			2	PR	4	IR	0	32	
	215.8	218.85	3.05	3.02	99	1.21	40	R3	-	FR	13	IR/SR	1	IR					0	60	
	218.85	221.89	3.04	3.04	100	1.13	37	R3	-	FR	9	PR/IR			2	PS	1	PS	0	63	
	221.89	224.94	3.05	2.98	98	0.87	29	R3	-	FR	8	IR			1	PR	1	PS	0	71	
	224.94	227.34	2.4	2.38	99	0.82	34	R3	-	FR	1	IR	1	PS	3	IR	1	UR	0	66	
	227.34	227.99	0.65	0.61	94	0.31	48	R3	-	FR					2	IR			0	49	
	227.99	231.04	3.05	2.57	84	1.1	36	R3	-	FR	3	PR	1	IR	5	PS/IR			0	64	
	231.04	234.09	3.05	2.76	90	0.7	23	R3/R4	-	FR	2	IS	3	IS	1	IR			0	77	
	234.09	237.13	3.04	2.9	95	1.75	58	R3	-	FR			7	PR/IR	5	IR	2	IR	0	42	
	237.13	240.18	3.05	2.87	94	2.33	76	R4	-	FR	1	PR	6	PR/IR	4	IR	3	PR/IR	0	24	
	240.18	243.23	3.05	2.97	97	1.05	34	R3	-	FR	3	PR	2	CR/PR	5	PR			0	66	
	243.23	246.28	3.05	3.03	99	1.64	54	R3	-	FR	1	PR	12	PR/IR	3	PR			0	46	
	246.28	247.8	1.52	1.1	72	0	0	R3	-	FR									0	100	Ex.Broken
	247.8	249.33	1.53	1.4	92	0	0	R3	-	FR									0	100	Ex.Broken
	249.33	252.37	3.04	2.14	70	0.16	5	R1/R2	-	HW/FR					2	IR			3	82	
	252.37	254.51	2.14	1.54	72	0	0	R0/R2	-	EW/FR									75	25	
	254.51	255.42	0.91	0.9	99	0	0	R1/R2	-	HW/FR									10	90	
	255.42	257.86	2.44	2.04	84	0.48	20	R3	-	FR			2	PR	4	IR			0	80	
	257.86	260.91	3.05	2.97	97	0.45	15	R1/R3	-	HW/FR			3	PR/IR	3	PR/IR			5	80	
	260.91	261.52	0.61	0.58	95	0	0	R2/R3	-	FS/FR									0	100	
	261.52	264.57	3.05	2.74	90	1.98	65	R3/R4	-	FR	6	IR/PR	12	PR/CR	6	IR/PR	1	CR	0	35	
	264.57	267.61	3.04	2.96	97	1.77	58	R3/R4	-	FR	12	PR/SR	11	PR/SR	2	SR	3	PR/SR	0	42	
	267.61	270.66	3.05	3.05	100	2.23	73	R3/R4	-	FR	7	PR	11	PR/CR	9	SR/PR			0	27	
	270.66	273.71	3.05	3.01	99	2.81	92	R3/R4	-	FR	8	PR/IR	11	PR/SR	9	SR/PR	3	SR	0	8	
	273.71	276.76	3.05	2.91	95	2	66	R3/R4	-	FR	13	PR/SR	5	PR/SR	6	PSL/SR	2	SR/USL	0	34	
	276.76	279.81	3.05	3.08	100	2.71	89	R4	-	FR	12	PR/SR	12	PR/SR	8	PR/SR			0	11	
	279.81	282.85	3.04	2.97	98	2.54	84	R4/R5	-	FR	15	PR/SR	5	PR/SR	3	PR/SR	2	SR	0	16	
	282.85	285.9	3.05	2.99	98	2.33	76	R4/R5	-	FR	7	PR/SR	8	PR/SR	3	SR	3	SR	0	24	
	285.9	287.73	1.83	1.58	86	1.47	80	R3/R4	-	FR	13	PS/SS			2	PS	1	PS	0	20	
	287.73	288.95	1.22	1.35	100	0.99	81	R3	-	FR	3	IS	1	SS	2	US			0	19	
	288.95	291.08	2.13	2.04	96	1.6	75	R3/R4	-	FR	2	SS	3	SS/PS	3	PS	4	PS	0	25	
	291.08	293.83	2.75	2.73	99	2.39	87	R4	-	FR	5	PR/IR			12	PS/SR	2	SR	0	13	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DG06-319C__ Sheet:__4___ of __4___

Date:__July 14-20, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length										Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE	Fault Breccia / Gouge	Broken Core	
	293.83	295.05	1.22	1.3	100	1.07	88	R4	-	FR	4	SR/PS			2	PS	1	SR	0	12	
	295.05	298.09	3.04	2.89	95	2.08	68	R3/R4	-	FR			5	SR	16	PS/SR	1	SR	0	32	
	298.09	300.53	2.44	2.35	96	1.64	67	R3/R4	-	FR	3	IR/PR	2	PS	7	PR/CR	1	IR	0	33	
	300.53	303.58	3.05	2.96	97	1.91	63	R4/R5	-	FR	3	IR	2	PR/SR	7	PS/CS	2	CS	0	37	
	303.58	306.63	3.05	3.05	100	2.44	80	R4	-	FR	12	PR/SR	4	SR	9	PS/SR	2	SR	0	20	
	306.63	308.46	1.83	1.74	95	1.25	68	R4	-	FR	7	IR/SR	1	SR	7	PR/SR	2	US	0	32	
	308.46	309.07	0.61	0.56	92	0.33	54	R4	-	FR	2	SR/CR			4	SS/PS	1	CS	0	46	
	309.07	312.12	3.05	2.73	90	1.43	47	R3/R4	-	FR	10	PR/CR	2	SR	4	SR/PS			0	53	Sulphides
	312.12	315.16	3.04	3.02	99	2.21	73	R4	-	FR	5	PS/CR	5	SR/PS	7	PS/SR			0	27	
	315.16	318.21	3.05	2.79	91	2.53	83	R4/R5	-	FR	4	SR/PR	5	SR/PR	8	CR/PR	4	CR/SR	0	17	
	318.21	319.43	1.22	1.65	100	1.26	100	R4	-	FR	3	IR			2	IR	1	IR	0	0	
	319.43	322.17	2.74	2.74	100	2.26	82	R4	-	FR	11	PR/IR	3	PS			2	PS	0	18	
	322.17	325.22	3.05	3	98	2.54	83	R4	-	FR	2	SR/PR	9	PS	3	PS	2	PS	0	17	
	325.22	328.27	3.05	3.1	100	2.62	86	R3/R4	-	FR	9	PR/SS			3	PS	2	IS	0	16	
	328.27	331.01	2.74	2.48	91	2.37	86	R4	-	FR	11	PR/IR	2	PS	3	PS			0	16	
	331.01	331.82	0.81	0.63	78	0.45	56	R4	-	FR	1	PS	1	PS					0	44	
	331.82	334.67	2.85	2.93	100	2.51	88	R4	-	FR	8	PS/IR	2	PS	1	PS	1	PS	0	12	
	334.67	336.8	2.13	2.06	97	1.65	77	R4	-	FR	7	IR/PS	2	PS			5	PS	0	23	
	336.8	338.94	2.14	2.18	100	2	93	R4	-	FR	4	PR/SR	4	PR/CR	7	PR/SR	1	PR	0	7	
	338.94	340.77	1.83	1.72	94	1.63	89	R4	-	FR	1	PS	7	PR/CR	2	SR/PR	2	PR	0	11	
	340.77	343.81	3.04	3.11	100	2.44	80	R4	-	FR	7	PR/IR	6	CR/PS	7	PR/CR	1	IR	0	20	
	343.81	346.86	3.05	3.05	100	2.12	70	R4/R5	-	FR	2	PR	8	PR/SR	8	PS/SR	4	SR/IR	0	30	
	346.86	349.61	2.75	2.44	89	2.18	79	R4	-	FR	5	SR/PR	12	PS/CR	5	PR	1	SR	0	21	
	EOH																				EOH

DRILL HOLE SUMMARY SHEET

HOLE NO.: DDH80-21B

PROJECT: Dublin Gulch - 1735

GROUND ELEVATION: 1413m

BEARING: 90 | DIP: -50°

DATE STARTED: 29-Jun-80 | DATE COMPLETED: 2-Jul-80

HIST COORD SYSTEM: NAD 27: E: 463485.5 N: 7100613.1

REAL COORD SYSTEM: NAD 27: E: 463496.17 N: 7100609.521

COORD SYSTEM: NAD 83: E: 463397.024 N: 7100788.333

LOGGED BY: K. Ferguson

SECTION LINE(historic grid)

CONTRACTOR: BEMA Industries Ltd. for Canada Tungsten Mining Corp. Ltd.

DRILLING DETAILS

Hole Diameter: BQ

Overburden: 1.5 m

Deviation:

Casing: 1.5 m

Core Size: BQ

Cement (# Bags): 0

Plug Depth: N/A

Notes: No plug necessary.

SAMPLING DETAILS

Sample Sequence:

Requisition #: | Date Shipped:

Lab Record #: | Date Received:

Sample Sequence:

Requisition #: | Date Shipped:

Lab Record #: | Date Received:

Duplicates:	C079902	C079922	C079942	C079962	C079982	C080002	C080022	C080042
Preparation Duplicate/ Check Assay:	C079909	C079929	C079949	C079969	C079989	C080009	C080029	C080049
Standards:	C079910	C079930	C079950	C079970	C079990	C080010	C080030	C080050
Blanks:	C079916	C079936	C079956	C079976	C079996	C080016	C080036	C080056

FROM	TO	LITHOLOGY

FROM	TO	ALTERATION

FROM	TO	MINERALIZATION (Veins)

DEPTH (m)	AZI (Orig)	DIP (Orig)	AZ (Corr)	
0.00	not taken	-50.0	90	
91.40	39.0	-51.0	82	
150.90	36.5	-53.5	79	

ASSAY INTERCEPTS

FROM:	TO:	INT:	Au (g/t)	SAMPLE QUALITY:

COMMENTS: (Ground conditions, fracture zones, water flows, drilling problems)

The NAD 27 historical coordinates were shifted based upon the Sept 2005 Underhill survey +10.670 mE and -3.579mN to get the NAD 27 Real coordinates. Those coordinates were then converted with NTv2 to get the NAD83 coordinates.

DRILL LOG LEGEND P1

DRILL HOLE # : DDH80-21B

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: **-1** = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS										% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages				Sulphides									Oxidation										
	From (m) → To (m):	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scorodite	biotite	other		From	To			
-1	0 to 1.5	0.00	1.50	Overburden.																																		
80	1.5 to 61.56	1.50	61.56	MSED, Argillite interlayered with Biotite-Qtz schist, medium to fine grained, with GND fingers throughout section. MSED's are light to medium green argillite and banded dark brown to beige with limonite staining . Low silicification, low to moderate oxidation throughout section and low moderate chlorite alteration in argillic area's. Low intermittent bleaching. Foliation visible throughout, @ 10°, qtz eyes/lenses occur oriented along foliation throughout section. Qtz veins/veinlets occur throughout at 30°, but are relatively rare. GND has moderate to strong bleaching and moderate limonite staining. Qtz veins occur at 30. Fractures occur throughout section at 10° to 20°. Trace po occurs in blebs in matrix, not associated with veins or fractures.	3		2				2	1	0.2	0.3	30																			C079901	1.50	3.00			First 12cm of sample are qzz.
																																			C079902	1.50	3.00		DUPLICATE	
				Section has no chlorite alteration and limonite staining.							1	1	0.2	0.2	30																	C079903	3.00	4.50			
											3	1	0.3	0.5	30	20																C079904	4.50	6.00			
											5	1	0.4	1.0	30	20																C079905	6.00	7.40			
				GNDD sample.							2	1	0.5	0.6	30					0.1								5.0					C079906	7.40	8.70			
				GNDD sample.							1	1	0.4	0.4	30					0.1								5.0					C079907	8.70	9.30			
				MSED sample, scordite blob in sample, no veins.																													C079908	9.30	10.73			
																																	C079909	9.30	10.73		CHECK ASSAY	
																																	C079910				STANDARD 1A	
				MSED. Some bleached area's, a pistachio colored staining is common throughout section, no veins.																													C079911	10.73	12.20			
				MSED. Some bleached area's, a pistachio colored staining is common throughout section, no veins.																													C079912	12.20	13.70			
											3	1	2.7	3.0	30	50																C079913	13.70	15.20			
				Dark green argillite in section as well as banded area's. Traces aspy found in matrix of dark green banded area's.																													C079914	15.20	16.25			
				GND. Very bleached, light pink to beige color. Bottom contact with MSED is 40.							1	1	0.6	0.6	20								0.1									C079915	16.25	17.66			
											3	3	0.5	1.3	20																								
																																	C079916				BLANK	
				MSED. BQS and banded argillite, QZZ toward bottom of sample.							1	1	0.2	0.2	30																	C079917	17.66	19.15			
				One small finger of GND, 3cm.																													C079918	19.15	20.61			
				GND. Moderate to strong bleaching, no veins.																													C079919	20.61	21.17			
				MSED. Banded throughout, though banding is obscured by alteration to BQS, to ward bottom o sample rock has a blue cast from cordierite.																													C079920	21.17	22.48			
																																	C079921	22.48	23.95			
				MSED.																													C079922	22.48	23.95		DUPLICATE	
				MSED. 3 fractures, @ 20, no selvage. Vuggy area (2cm) occurs, hollowed out, no subsequent deposition.																													C079923	23.95	25.40			
				MSED.							1	1	0.2	0.2	30																	C079924	25.40	26.90			
				MSED.																													C079925	26.90	28.40			
				MSED.							1	1	0.8	0.8	80																	C079926	28.40	29.60			
				MSED. Trace py occurs in diopside scarn, dark green (diopside/chlorite?) lens. Grades back into BQS in last 3cm of sample.							2	1	0.2	0.4	40	80																C079927	29.60	31.10			
				MSED.							2	1	1.1	1.4	5	40																C079928	31.10	32.63			
																																	C079929	31.10	32.63		CHECK ASSAY	
																																	C079930				STANDARD 6F	
				MSED.							1	1	0.2	0.2	40																	C079931	32.63	34.20			
				MSED. No veins, vugs found in one area (2cm).																													C079932	34.20	35.66			
				MSED and GND. 10cm finger of bleached and silicified GND. Limonite staining throughout, rar pistachio green alteration, chlorite?							1	1	0.3	0.3	5																	C079933	35.66	37.06			
				MSED. Gouge at 38.2m to 38.29m, is very white, almost crystalline, very dry. No veins in sample.																													C079934	37.06	38.50			
				MSED. QZZ occurs at 3 different places in sample at varying thicknesses, 4cm to 8cm, sample very broken and fractured otherwise.																													C079935	38.50	40.01			
																																	C079936				BLANK	
				MSED. Sample mostly QZZ with some BQS in banded area's, no veins.																													C079937	40.01	41.54			
				MSED. Sample mostly QZZ with some BQS in banded area's and gouge area's at 41.7m to 41.87m, 42.16m to 42.2m and a small gouge section at 42.75m, no veins in sample. Gouge in first section white, almost crystalline and dry.																													C079938	41.54	43.00			
				GND. Strongly bleached and moderately silicified, no veins.																													C079939	43.00	44.29			
				MSED. Banded with QZZ sections, bleached. No veins																													C079940	44.29	45.80			
				MSED. BQS banded with QZZ sections. No veins																													C079941	45.80	47.30			
																																	C079942	45.80	47.30		DUPLICATE	
				MSED. Banded with limonite staining and poor recovery, no veins.																													C079943	47.30	48.80			
				MSED. Banding, weak to moderate bleaching throughout, weak chlorite alteration in some areas. No veins.																													C079944	48.80	50.20			
				MSED. BQS banded with QZZ sections. No veins																													C079945	50.20	51.70			
				MSED. BQS banded with QZZ sections. No veins																													C079946	51.70	53.20			
				MSED. Banding, weak to moderate bleaching throughout, weak chlorite alteration in some areas. No veins.																													C079947	53.20	54.70			
				MSED. Banding, weak to moderate bleaching throughout, weak chlorite alteration in some areas. No veins.																													C079948	54.70	56.20			
																																	C079949	54.70	56.20		CHECK ASSAY	
																																	C079950				STANDARD 1A	
				MSED. BQS banded with QZZ sections, weak bleaching throughout.							2	4	0.2	0.3	40																	C079951	56.20	57.70			

DRILL LOG LEGEND P1

DRILL HOLE # : DDH80-21B

Carbonate
0 = Unoxidized 0 = Unaltered 0 = No Effervescence
5 = Intensely Ox'd 5 = Intensely Altered 5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages **Ox. State**
0 = No Alteration 0 = No Oxidized Sulphides
5 = Intense Alt'n 5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS										% of VEIN & DISSEMINATED MATERIAL													Sample Number	Interval		Au (g/T)		
																	Selvages				Sulphides									Oxidation										
	From (m) → To (m):	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scorodite	biotite	other		From	To		Type of Sample	Vein Comments?
											2	1	0.2	0.4	40	60																					
				MSED. Banding, weak to moderate bleaching throughout, weak chlorite alteration in some areas. No veins.																												C079952	57.70	59.20			
				MSED. BQS banded with QZZ sections, weak bleaching throughout.																												C079953	59.20	60.70			
				MSED and GND. Mostly MSED with 15cm of GND near end of sample.							2	1	0.2	0.3	40																	C079954	60.70	61.56			
10	61.56 to 83.93	61.56	83.93	GND. Medium grained, medium grey to white with some yellow/green altered areas. Highly silicified and bleached in GND, weak chlorite alteration in some areas. Intercalated MSED, near beginning of section but dies out quickly. Qtz veins rare, carbonate veins oxidized, weak limonit straining along carbonate and fractures. fractures occur throughout at 20.			2		1																							C079955	61.56	62.56			No veins in section.
																														C079956				BLANK	
				Core lost from box, very little in sample.																												C079957	62.56	64.70			
				GND and MSED. Half and half MSED and GND, GND is bleached and both are silicified, MSED is banded BQS.							1	1	1.3	1.3	45																	C079958	64.70	66.33			
											1	4	0.2	0.2	20																					
				MSED and GND. MSED is banded BQS/qtz and GND is very bleached.							1	4	0.2	0.2	60																	C079959	66.33	66.90			
				GND. Bleached, acid-yellow tinted alteration, chlorite?							2	1	0.2	0.3	20																	C079960	66.90	68.42			
				No veins in section, GND at beginning of section is much finer grained than seen anywhere else thus far, only lasts for 45cm.																												C079961	68.42	69.87			
																														C079962	68.42	69.87		DUPLICATE	
				No veins in section.																												C079963	69.87	70.97			
											1	1	0.7	0.7	20					0.1											C079964	70.97	72.50			
				Highly limonite stained along fractures.							1	4	0.2	0.2	40																	C079965	72.50	73.98			
				No veins, very consistent rock.																												C079966	73.98	74.29			
				No veins, very consistent rock.																												C079967	74.29	74.91			Lost core between 74.91 and 76.16m.
				Very bleached with yellow (chlorite?) alteration.							2	4	0.2	0.3	20																	C079968	76.16	76.72			
																														C079969	76.16	76.72		CHECK ASSAY	
																														C079970				STANDARD 2B	
				No veins, very consistent rock.																												C079971	76.72	77.96			
				Very bleached and silicified, significant limonite staining.							1	1	1.1	1.1	20																	C079972	77.96	79.49			
											1	1	1.3	1.3	10																	C079973	79.49	80.39			
											1	4	0.3	0.3	20																					
				Very bleached GND with some MSED layers, GND very bleached and silicified, MSED is silicified, banded BQS. No veins.																												C079974	80.39	81.78			
				Fine grained GND, weak bleaching and limonite staining near fractures.							1	4	0.3	0.3	20																	C079975	81.78	82.60			
																														C079976				BLANK	
				Broken and fractured for most of section, limonite staining moderate, some fine and some medium grained sections, medium grained sections are les bleached. No veins.																												C079977	82.60	83.93			
80	83.93 to 148.96	83.93	148.96	MSED, Argillite interlayered with Biotite-Qtz schist, medium to fine grained. Light to medium green argillite and banded dark brown to beige with limonite staining . Low silicification, low to moderate oxidation throughout section and low to moderate chlorite alteration in argillic area's. Low intermittent bleaching. Foliation visible throughout, @ 10°, qtz eyes/lenses occur oriented along foliation throughout section. Qtz veins/veinlets occur throughout at 30°, but are relatively rare.			3		2		2	1	0.4	0.6	20																			C079978	83.93	85.46			
				GND finger, no veins.																												C079979	85.46	85.70			
											1	1	3.3	3.3	40																	C079980	85.70	86.60			
											2	4	0.3	0.5	10																	C079981	86.60	88.10			
																														C079982	86.60	88.10		DUPLICATE	
				A 2cm finger of bleached GND. Core missing from box, 85cm lost.							1	1	2.1	2.1	30																	C079983	88.10	89.60			
											1	1	0.7	0.7	30																	C079984	89.60	90.95			
				No veins in section.																												C079985	90.95	92.47			
											1	1	2.2	2.2	80																	C079986	92.47	94.00			
											2	1	0.2	0.3	30	20																C079987	94.00	95.47			
				Qtz blob in matrix, displacing bedding/fracture planes.							2	4	0.2	0.4	20																	C079988	95.47	96.50			
																														C079989	95.47	96.50		CHECK ASSAY	
																														C079990				STANDARD 2B	
											1	1	4.0	4.0	5					3.0								15.0			C079991	96.50	97.30			Lost core from 97.3 to 98.66m
											2	1	1.4	2.2	80																	C079992	98.66	99.98			
																														C079993	99.98	100.49			
				A GND section occurs at beginning of section, runs for 38cm, back into MSED (banded BQS/sub-diopside skarn).							1	1	0.8	0.8	80																	C079994	100.49	101.71			
											1	4	0.3	0.3	20																	C079995	101.71	103.19			
																														C079996				BLANK	
											2	1	1.3	2.3	80	20																C079997	103.19	104.72			
											1	4	0.9	0.9	15																					
																														C079998	104.72	105.13			
											1	4	0.4	0.4	15		6.0	s	3													C079999	105.13	106.10			
				Black BQS with vuggy qtz area (5cm) in middle.																												C080000	106.10	107.43			Lost core between 106.1 and 108.87m.
											2	1	0.5	0.9	20	80																C080001	108.87	109.87			
																														C080002	108.87	109.87		DUPLICATE	

DRILL LOG LEGEND P1

DRILL HOLE # : DDH80-21B

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages **Ox. State**
0 = No Alteration 0 = No Oxidized Sulphides
5 = Intense Alt'n 5 = All Sulph Oxidized

Lith Code: **-1** = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION: From (m) → To (m):	From:	To:	GEOLOGICAL DESCRIPTION	ROCK (Alteration): Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	VEINS: #/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages: Max (cm)	Alteration	(0-5)	Ox. State 0-5	% of VEIN & DISSEMINATED MATERIAL: Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scorodite	biotite	other	Sample Number	Interval: From	To	Au (g/T)	Type of Sample	Vein Comments?
				Qtz vns occurs in 20cm bleached GND fingers.							1	1	0.2	0.2	5																		C080003	109.87	110.46			Lost core between 110.46 and 111.06
				Argillites							2	1	0.2	0.3	30																		C080004	111.06	112.59			
											1	4	0.2	0.2	20										0.1								C080005	112.59	114.11			
				Large qtz blobs present w/ no preferred orientation.							1	1	0.3	0.3	40																		C080006	114.11	115.32			
											1	4	0.2	0.2	10																							
											4	1	3.3	7.0	85																		C080007	115.32	116.66			
											1	4	0.2	0.2	20																							
				Carbonate vns are dark grn in color (chloritic alteration).							3	1	2.2	5.0	90																		C080008	116.66	118.14			
											2	4	0.3	0.5	30																							
																																	C080009				CHECK ASSAY	
																																	C080010				STANDARD 1A	
				Qtz turns pink.							7	1	4.2	15.6	85	5	2.0	cb/s	4														C080011	118.14	119.39			
				GND bleached.																													C080012	119.39	119.79			
				Cordierite in matrix-bluish cast.							5	1	4.5	6.8	80	5	1.0	cb/s	3														C080013	119.79	120.90			
											2	1	2.0	3.4	80																		C080014	120.90	122.26			
				Aspy found in centre large qtz vn.							5	1	5.4	7.9	80										0.1								C080015	122.26	123.74			
																																	C080016				BLANK	
											3	1	5.4	9.5	80																		C080017	123.74	124.58			
											1	3	9.2	9.2	80																		C080018	124.58	125.00			
											3	1	2.2	5.0	80																		C080019	125.00	126.50			
											1	1	1.8	1.8	75																		C080020	126.50	128.03			
											2	1	3.0	4.2	80																		C080021	128.03	129.40			
																																	C080022	128.03	129.40		DUPLICATE	
											1	1	1.8	1.8	80																		C080023	129.40	130.32			
																																	C080024	130.32	131.48			
				Large qtz blobs found in section, ~ 20% of sample.							2	1	1.8	3.4	80																		C080025	131.48	132.44			
				No veins but large qtz blobs found in section, ~ 15% of sample.																													C080026	132.44	133.94			
											1	1	4.0	4.0	90																		C080027	133.94	135.46			
				Gouge in section, 10cm with rubbled pieces on either end.																													C080028	135.46	135.90			
																																	C080029	135.46	135.90		CHECK ASSAY	
																																	C080030				STANDARD 2B	
				GND finger, no veins, light to moderate bleaching.																													C080031	135.90	136.90			
				Last 30cm of sample is sand and rubbled pieces, very dry, probably gouge.							1	1	2.2	2.2	80																		C080032	136.90	138.33			
				BQS and Qtz in sample, no veins.																													C080033	138.33	139.60			
				Some bleaching, mostly BQS with large qtz blobs, no veins.																													C080034	139.60	141.02			
				BQS with some chloritic alteration, no veins.																													C080035	141.02	142.40			
																																	C080036				BLANK	
				BQS with some chloritic alteration and qtz eyes/lenses, no veins.																													C080037	142.40	143.81			
											2	1	2.6	4.1	85																		C080038	143.81	145.37			
				Silicified BQS, banding has been degraded, no veins.																													C080039	145.68	146.16			Lost core between 145.37m and 145.68m.
				Large blobs of qtz in BQS section, ~50% of sample. No veins.																													C080040	146.16	147.04			
				No veins, trace aspy in matrix.																													C080041	147.04	147.88			
																																	C080042	147.04	147.88		DUPLICATE	
				BQS with some chloritic alteration and qtz eyes/lenses, no veins.																													C080043	147.88	148.96			
10	148.96 to 164.40	148.96	164.40	GND. Medium grained, light grey. Moderate to strong bleaching, moderate to high silicification, and low sericitic alteration associated with qtz veins. Qtz veins common, carbonate veins very rare. Aspy appears as trace only, associated with qtz veins. Qtz veins are larger, usually 1cm+ thick and have a preferred orientation of 5° to 15°. Carbonate veining preferred orientation is 20°.		1	1				3	1	0.6	0.9	30										0.1								C080044	148.96	150.11			
											3	1	0.3	0.6	30										0.1						C080045	150.11	151.47			
											1	4	0.2	0.2	20																							
				Qtz is pink.							1	1	2.3	2.3	5		2.6	cb/chl	3						0.1								C080046	151.47	153.00			
											1	1	1.1	1.1	5		4.0	q/b	3														C080047	153.00	153.72			
											1	4	0.2	0.2	20																		C080048	153.72	154.47			
																																	C080049	153.72	154.47		CHECK ASSAY	Core lost between 154.47m to 155.28m.
																																	C080050				STANDARD 1A	
											2	1	0.3	0.5	15		6.0	q	4												C080051	155.28	156.20			
											1	3	2.6	2.6	65																C080052	156.20	157.55			
											2	4	0.2	0.4	20																							
											1	3	3.2	3.2	70		0.8	q	3												C080053	157.55	158.86			Lost core between 158.86m and 160.00m.
																																	C080054	160.00	160.90			
																																	C080055	160.90	161.70			
																																	C080056				BLANK	
											3	1	2.1	3.6	5	20	0.6	q	3												C080057	161.70	163.10			
											2	4	0.2	0.3	20																							

DRILL LOG LEGEND P1

DRILL HOLE # : DDH80-21B

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: **-1** = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																Selvages				Sulphides								Oxidation										
	From (m) → To (m):	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scorodite	biotite	other		From	To			
											2	1	0.7	0.9	80	30	0.7	q	2												C080058	163.10	164.60		EOH	

From-To Sheet for DDH80-21B					
Sample Number	Interval		Width (m)	Type of Sample	Au (g/T)
	From	To			
C079901	1.50	3.00	1.50		
C079902				DUPLICATE	
C079903	3.00	4.50	1.50		
C079904	4.50	6.00	1.50		
C079905	6.00	7.40	1.40		
C079906	7.40	8.70	1.30		
C079907	8.70	9.30	0.60		
C079908	9.30	10.73	1.43		
C079909	9.30	10.73	1.43	CHECK ASSAY	
C079910				STANDARD 1A	
C079911	10.73	12.20	1.47		
C079912	12.20	13.70	1.50		
C079913	13.70	15.20	1.50		
C079914	15.20	16.25	1.05		
C079915	16.25	17.66	1.41		
C079916				BLANK	
C079917	17.66	19.15	1.49		
C079918	19.15	20.61	1.46		
C079919	20.61	21.17	0.56		
C079920	21.17	22.48	1.31		
C079921	22.48	23.95	1.47		
C079922	22.48	23.95	1.47	DUPLICATE	
C079923	23.95	25.40	1.45		
C079924	25.40	26.90	1.50		
C079925	26.90	28.40	1.50		
C079926	28.40	29.60	1.20		
C079927	29.60	31.10	1.50		
C079928	31.10	32.63	1.53		
C079929	31.10	32.63	1.53	CHECK ASSAY	
C079930				STANDARD 6F	
C079931	32.63	34.20	1.57		
C079932	34.20	35.66	1.46		
C079933	35.66	37.06	1.40		
C079934	37.06	38.50	1.44		
C079935	38.50	40.01	1.51		
C079936				BLANK	
C079937	40.01	41.54	1.53		
C079938	41.54	43.00	1.46		
C079939	43.00	44.29	1.29		
C079940	44.29	45.80	1.51		
C079941	45.80	47.30	1.50		
C079942	45.80	47.30	1.50	DUPLICATE	
C079943	47.30	48.80	1.50		
C079944	48.80	50.20	1.40		
C079945	50.20	51.70	1.50		
C079946	51.70	53.20	1.50		
C079947	53.20	54.70	1.50		
C079948	54.70	56.20	1.50		
C079949	54.70	56.20	1.50	CHECK ASSAY	
C079950				STANDARD 1A	
C079951	56.20	57.70	1.50		
C079952	57.70	59.20	1.50		
C079953	59.20	60.70	1.50		
C079954	60.70	61.56	0.86		

From-To Sheet for DDH80-21B					
Sample Number	Interval		Width (m)	Type of Sample	Au (g/T)
	From	To			
C079955	61.56	62.56	1.00		
C079956				BLANK	
C079957	62.56	64.70	2.14		
C079958	64.70	66.33	1.63		
C079959	66.33	66.90	0.57		
C079960	66.90	68.42	1.52		
C079961	68.42	69.87	1.45		
C079962	68.42	69.87	1.45	DUPLICATE	
C079963	69.87	70.97	1.10		
C079964	70.97	72.50	1.53		
C079965	72.50	73.98	1.48		
C079966	73.98	74.29	0.31		
C079967	74.29	74.91	0.62		
C079968	76.16	76.72	0.56		
C079969	76.16	76.72	0.56	CHECK ASSAY	
C079970				STANDARD 2B	
C079971	76.72	77.96	1.24		
C079972	77.96	79.49	1.53		
C079973	79.49	80.39	0.90		
C079974	80.39	81.78	1.39		
C079975	81.78	82.60	0.82		
C079976				BLANK	
C079977	82.60	83.93	1.33		
C079978	83.93	85.46	1.53		
C079979	85.46	85.70	0.24		
C079980	85.70	86.60	0.90		
C079981	86.60	88.10	1.50		
C079982	86.60	88.10	1.50	DUPLICATE	
C079983	88.10	89.60	1.50		
C079984	89.60	90.95	1.35		
C079985	90.95	92.47	1.52		
C079986	92.47	94.00	1.53		
C079987	94.00	95.47	1.47		
C079988	95.47	96.50	1.03		
C079989	95.47	96.50	1.03	CHECK ASSAY	
C079990				STANDARD 2B	
C079991	96.50	97.30	0.80		
C079992	98.66	99.98	1.32		
C079993	99.98	100.49	0.51		
C079994	100.49	101.71	1.22		
C079995	101.71	103.19	1.48		
C079996				BLANK	
C079997	103.19	104.72	1.53		
C079998	104.72	105.13	0.41		
C079999	105.13	106.10	0.97		
C080000	106.10	107.43	1.33		
C080001	108.87	109.87	1.00		
C080002	108.87	109.87	1.00	DUPLICATE	
C080003	109.87	110.46	0.59		
C080004	111.06	112.59	1.53		
C080005	112.59	114.11	1.52		
C080006	114.11	115.32	1.21		
C080007	115.32	116.66	1.34		
C080008	116.66	118.14	1.48		

From-To Sheet for DDH80-21B					
Sample Number	Interval		Width (m)	Type of Sample	Au (g/T)
	From	To			
C080009	116.66	118.14	1.48	CHECK ASSAY	
C080010				STANDARD 1A	
C080011	118.14	119.39	1.25		
C080012	119.39	119.79	0.40		
C080013	119.79	120.90	1.11		
C080014	120.90	122.26	1.36		
C080015	122.26	123.74	1.48		
C080016				BLANK	
C080017	123.74	124.58	0.84		
C080018	124.58	125.00	0.42		
C080019	125.00	126.50	1.50		
C080020	126.50	128.03	1.53		
C080021	128.03	129.40	1.37		
C080022	128.03	129.40	1.37	DUPLICATE	
C080023	129.40	130.32	0.92		
C080024	130.32	131.48	1.16		
C080025	131.48	132.44	0.96		
C080026	132.44	133.94	1.50		
C080027	133.94	135.46	1.52		
C080028	135.46	135.90	0.44		
C080029	135.46	135.90	0.44	CHECK ASSAY	
C080030				STANDARD 2B	
C080031	135.90	136.90	1.00		
C080032	136.90	138.33	1.43		
C080033	138.33	139.60	1.27		
C080034	139.60	141.02	1.42		
C080035	141.02	142.40	1.38		
C080036				BLANK	
C080037	142.40	143.81	1.41		
C080038	143.81	145.37	1.56		
C080039	145.68	146.16	0.48		
C080040	146.16	147.04	0.88		
C080041	147.04	147.88	0.84		
C080042	147.04	147.88	0.84	DUPLICATE	
C080043	147.88	148.96	1.08		
C080044	148.96	150.11	1.15		
C080045	150.11	151.47	1.36		
C080046	151.47	153.00	1.53		
C080047	153.00	153.72	0.72		
C080048	153.72	154.47	0.75		
C080049	153.72	154.47	0.75	CHECK ASSAY	
C080050				STANDARD 1A	
C080051	155.28	156.20	0.92		
C080052	156.20	157.55	1.35		
C080053	157.55	158.86	1.31		
C080054	160.00	160.90	0.90		
C080055	160.90	161.70	0.80		
C080056				BLANK	
C080057	161.70	163.10	1.40		
C080058	163.10	164.60	1.50	EOH	

GEOTECHNICAL SUMMARY SHEET

PROJECT: Dublin Gulch - 1735		
DRILL HOLE NO: DDH 80/21B		
Date Started: July 26, 2006	**Date Completed:** July 26, 2006	
Geoteched By: Stacy Doyle, Jason Kindrat, Mike Giasson, Marc Mains		
Contractor: Bema Industries Ltd. (#80-06)		
Hole Size: BQ	**Core Size:** BQ	
Total Depth: 164.60m	**Elevation:** 1413m	
Average RQD: 42.4%	**Average Recovery Rate:** 93.7%	

	Easting	**Northing**
HIST NAD27	463485.5	7100613.1
REAL NAD27 (shifted)	463496.17	7100609.521
NAD83	463397.024	7100788.333
	Azimuth	**Dip**
Original	90	-50
End of Hole (150.9 m)	79	-53.5
Additional Comments:	No dry picutures for boxes 1-3 and 4-6 due to rain. The NAD 27 coordinates are historical in nature and were shifted based upon the Sept 2005 Underhill survey +10.670 mE and -3.579mN.	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DDH80-21B___ Sheet:__1__ of __1__

Date:___July 26, 2006_____ Hole Size:___BQ_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
MSED/ GND	1.50	8.57	7.07	6.82	96	0.10	1	R3	-	FS/FR	2	IR							0	99	
	8.57	15.37	6.8	6.73	99	0.65	10	R3	-	FS/FR	9	PR/IR	1	PR					0	90	
	15.37	22.48	7.11	6.87	97	0.85	12	R3/R4	-	SW/FR	11	PR/IR	1	PR					0	88	
	22.48	29.70	7.22	6.64	92	0.91	13	R3	-	SW/FR	15	PR/PS			1	SS			0	86	
	29.70	36.69	6.99	6.71	96	0.96	14	R3	-	FS/FR	9	PR/IR			1	PS			0	87	
	36.69	43.60	6.91	6.82	99	0.42	6	R3	-	HW/FR	6	IR							15	79	
	43.60	50.20	6.6	6.53	99	1.70	26	R0/R3	-	MW/FR	18	PR	2	SR					0	74	
MSED	50.20	57.00	6.8	6.70	99	3.24	48	R3	-	SW/FR	45	PS/PR	3	IR			2	PS	0	52	Missing Core
MSED/ GND	57.00	64.76	7.76	6.16	79	4.92	63	R3	-	FR	44	PR/PS	3	PR			1	PS	0	37	
	64.76	72.30	7.54	7.33	97	4.88	65	R3	-	FR	39	PR/IR	2	PS	4	PS	1	PS	0	35	
	72.30	79.49	7.19	6.24	87	4.83	67	R3	-	FR	36	PR/IR					2	PS	0	33	Missing Core
MSED	79.49	86.60	7.11	7.04	99	4.32	61	R3	-	MW/FR	39	PR/IR	4	PS	1	PS			0	39	
MSED	86.60	94.00	7.4	6.54	88	4.14	56	R3	-	FR	44	PR/IR	2	PS					0	44	Missing Core
MSED/ GND	94.00	101.25	7.25	7.12	98	2.87	40	R1/R3	-	MW/FR	27	PR					3	PS	3	57	
	101.25	108.87	7.62	7.54	99	4.53	59	R3	-	FR	54	PR	3	IR			3	PS	0	41	
	108.87	116.43	7.56	7.43	98	4.89	65	R3	-	FR	47	PR			3	PR			0	35	
	116.43	123.74	7.31	6.24	85	5.41	74	R3	-	FR	36	PR/IR	6	PR					0	26	Missing Core
	123.74	130.21	6.47	6.03	93	1.64	25	R3	-	FR	24	PS/PR							0	75	
	130.21	138.33	8.12	8.00	99	4.80	59	R1/R3	-	HW/FR	33	PS/PR	1	PR			2	PR	5	36	
MSED	138.33	145.71	7.38	7.09	96	4.69	64	R3	-	FR	45	PR/IR	2	PR	1	IR			0	36	
MSED/ GND	145.71	153.00	7.29	7.29	100	1.46	20	R3	-	FR	29	PR/IR					3	PR	0	80	
GND	153.00	160.00	7	4.28	61	3.28	47	R3	-	FR	8	PR	16	PR/IR	8	PR/IR			0	23	Missing Core
	160.00	164.40	4.4	4.39	100	3.46	79	R3	-	FR	6	PR	6	PR	6	PR/IR	2	IR	0	25	EOH
	EOH																				

DRILL HOLE SUMMARY SHEET

HOLE NO.: DDH80-23

PROJECT: Dublin Gulch - 1735

GROUND ELEVATION: 1397m

BEARING: 90 | **DIP: -70°**

DATE STARTED: 4-Jul-80 | **DATE COMPLETED:** 7-Jul-80

HIST COORD SYSTEM: NAD 27: E: 462993.5 N: 7100447.1

REAL COORD SYSTEM: NAD 27: E: 463004.17 N: 7100443.521

COORD SYSTEM: NAD 83: E: 462905.029 N: 7100622.33

LOGGED BY: K. Ferguson

SECTION LINE(historic grid)

CONTRACTOR: BEMA Industries Ltd. for Canada Tungsten Mining Corp. Ltd.

DRILLING DETAILS

Hole Diameter: BQ

Overburden: 2.4 m

Deviation:

Casing: 2.4 m

Core Size: BQ

Cement (# Bags): 0

Plug Depth: N/A

Notes: No plug necessary.

SAMPLING DETAILS

Sample Sequence:

Requisition #: **Date Shipped:**

Lab Record #: **Date Received:**

Sample Sequence:

Requisition #: **Date Shipped:**

Lab Record #: **Date Received:**

Duplicates:	C083002	C083022	C083042	C083062	C083082	C083102	C083122	C083142
	C083162	C083182	C083202					
Preparation Duplicate/ Check Assay:	C083009	C083029	C083049	C083069	C083089	C083109	C083129	C083149
	C083169	C083189						
Standards:	C083010	C083030	C083050	C083070	C083090	C083110	C083130	C083150
	C083170	C083190						
Blanks:	C083016	C083036	C083056	C083076	C083096	C083116	C083136	C083156
	C083176	C083196						

DEPTH (m)	AZI (Orig)	DIP (Orig)	AZ (Corr)	
0.00	not taken	-70.0	90	
122.00	18.0	-72.0	84	

FROM	TO	LITHOLOGY

FROM	TO	ALTERATION

FROM	TO	MINERALIZATION (Veins)

ASSAY INTERCEPTS

FROM:	TO:	INT:	Au (g/t)	SAMPLE QUALITY:

COMMENTS: (Ground conditions, fracture zones, water flows, drilling problems)

The NAD 27 historical coordinates were shifted based upon the Sept 2005 Underhill survey +10.670 mE and -3.579mN to get the NAD 27 Real coordinates. Those coordinates were then converted with NTv2 to get the NAD83 coordinates.

DRILL LOG LEGEND P1

DRILL HOLE # : DDH80-23

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages			Sulphides								Oxidation										
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
0	0 to 2.4																																			
80	2.4 to 2.8	2.40	2.80	MSED. Skarn/sub-skarn, fine grained, medium grey/green. Moderately oxidized and weathered. Single qtz vein in section. No sulfide's visible.							2	1	0.4	0.7	25		0.3	q	2															C083001	2.40	3.85		Mix of skarn and BQS for minimum sample size.	
																																C083002	2.40	3.85		DUPLICATE	
85	2.8 to 45.45	2.80	45.45	BQS. Medium grained, light to dark grey colour. Some area's highly silicified, overall low to moderate silicification, some weak to moderate carbonate alteration associated with fractures and carbonate veins. Moderate to high oxidation/limonite staining along fracture surfaces and carbonate veins. Pervasive foliation/banding at 80° to 90° throughout. Qtz veins/veinlets cross cut foliation/banding, are at 25° to core access. Fractures occur throughout at 20° to 40° to core access. Aplitic dykelets and fingers occasional throughout section, ranging from 0.3cm to 15cm across.	2		1		2		1	3	0.2	0.2	30																		C083003	3.85	4.61			
										1	1	0.8	0.8	25		1.3	q	3													C083004	4.61	6.10			
											2	4	0.2	0.3	30	20	0.6	cb/q	3																	
											2	4	0.2	0.3	30		0.8	cb/q	3													C083005	6.10	7.55			
											2	4	0.3	0.5	20	30	1.0	cb/q	2													C083006	7.55	8.82			
											1	4	0.2	0.2	30		0.4	cb/q	2													C083007	8.82	10.21			
											1	1	0.2	0.2	25		0.3	q	2													C083008	10.21	11.38			
																																C083009	10.21	11.38		CHECK ASSAY	
																																C083010				STANDARD 2B	
											1	1	0.2	0.2	25																	C083011	11.38	12.42			
											1	4	0.2	0.2	20																	C083012	12.42	13.93			
				Large grained layer, 3cm across, of qtz and fspars.							1	4	0.3	0.3	30		0.6	cb	3													C083013	13.93	15.12			
											2	4	0.3	0.4	30		0.4	cb	2													C083014	15.12	16.45			
				Large grained vein cross cutting foliation/banding and cross cut by a qtz vein. Vein may be aplitic, is 0.4cm across.							3	1	0.5	0.8	30		1.0	q	3													C083015	16.45	17.67			
											1	4	0.2	0.2	10		0.5	cb/q	2																	
																																C083016				BLANK	
				GND finger in section, 11cm across.																												C083017	17.67	19.15			
																																C083018	19.15	20.57			
				GND vein, 0.3cm, 20° to core axis.																												C083019	20.57	21.98			
											1	1	0.4	0.4	10		1.0	q/cb	3													C083020	21.98	23.41			
																																C083021	23.41	24.75			
																																C083022	23.41	24.75		DUPLICATE	
																																C083023	24.75	25.95			
																																C083024	25.95	27.31			
											1	1	0.3	0.3	25																	C083025	27.31	28.74			
											1	4	0.2	0.2	30																						
											1	3	0.4	0.4	25																	C083026	28.74	30.23			
				Large qtz bands in section, containing cpy that is less that 1% of sample.																												C083027	30.23	30.92			
				Green staining and limonite staining in sample. GND finger in sample, 8cm across.																												C083028	30.92	32.02			
																																C083029	30.92	32.02		CHECK ASSAY	
																																C083030				STANDARD 3C	
				Large qtz bands in section, containing po, py and aspy. Sulfides approx. 1% of sample.																												C083031	32.02	33.00			
																																C083032	33.00	33.41			
											2	1	1.3	2.0	25		1.3	q/cb	4													C083033	33.41	34.48			
																																C083034	34.48	36.01			
				GND in section, injection follows fracture, orientation is indeterminate, approx. 15cm long 4cm wide. Small fingers elsewhere in section, both less than 1cm wide.																												C083035	36.01	37.54			
																																C083036				BLANK	
											2	1	1.3	2.3	25		2.0	q/cb	3													C083037	37.54	39.01			
																																C083038	39.01	40.52			
											2	1	0.6	0.8	25		0.6	q	2													C083039	40.52	42.05			
											1	4	0.2	0.2	30		1.2	cb/q	2													C083040	42.05	43.27			

DRILL LOG LEGEND P1

DRILL HOLE # : DDH80-23

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages			Sulphides								Oxidation									
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
																																C083041	43.27	44.11			
																																C083042	43.37	44.11		DUPLICATE	
				Section highly bleached, and broken.																												C083043	44.11	45.45			
80	45.45 to 52.78	45.45	52.78	MSED. Sub-skarn, fine to medium grained, light grey to dark green. Low silicification throughout, low oxidation along fracture surfaces. Pervasive foliation/banding throughout, at 80° to 90° to core axis.	1		3		1																						C083044	45.45	46.60			
																																C083045	46.60	47.85			
				Py associated with qtz in section, trace only.																												C083046	47.85	49.27			
																																C083047	49.27	50.75			
											1	4	0.2	0.2	15																	C083048	50.57	52.23			
																																C083049	50.57	52.23		CHECK ASSAY	
																																C083050				STANDARD 4D	
											1	4	0.3	0.3	20																	C083051	52.23	52.78			
85	52.78 to 85.48	52.78	85.48	MSED. Medium grained, light to dark grey. Moderate to strong silicification throughout, low carbonate alteration associated with fractures and carbonate veins/veinlets. Low oxidation associated with fractures and carbonate veins/veinlets, some limonite staining near deteriorated area at 69m, material is very oxidized. Pervasive foliation/banding in section at 80° to 90° to core axis. Qtz, qtz/carb and carbonate veins in section. Qtz veins are at low angles to core axis, showing qtz selvage with most veins, carbonate veins at 20° to 40° to core axis.	2		1		1		1	1	0.5	0.5	10		3.0	q	3														C083052	52.78	54.31			
											1	4	0.2	0.2	30																	C083053	54.31	55.01			
											1	4	0.2	0.2	30																	C083054	55.01	56.26			
											1	3	0.2	0.2	20																	C083055	56.26	57.76			
				Aplite finger (12cm across) and fine grained GND finger (29cm) in sample.							1	1	0.6	0.6	10		2.6	q	3															C083056				BLANK	
											1	1	0.7	0.7	3		2.5	q	4													C083057	57.76	59.23			
											4	1	0.3	0.7	5	25	1.8	q	3													C083058	59.23	60.60			
																																C083059	60.60	62.04			
											1	4	0.2	0.2	30																	C083060	62.04	63.55			
											1	1	0.6	0.6	20																	C083061	63.55	64.98			
											2	1	0.5	0.8	25		0.4	q	3													C083062	63.55	64.98		DUPLICATE	
											2	4	0.2	0.3	20																	C083063	64.98	66.20			
				3 GND fingers in section, 1-2cm each, no set orientation but trends with foliation.							1	3	0.3	0.3	25																			C083064	66.20	67.73			
																																C083065	67.73	68.12			
																																C083066	68.12	69.51			
											2	4	0.3	0.4	30																	C083067	69.51	70.75			
											1	4	0.3	0.3	25																	C083068	70.75	72.23			
																																C083069	70.75	72.23		CHECK ASSAY	
																																C083070				STANDARD 5E	
				Sample high in qtz, large sections, up to																												C083071	72.23	73.41			
											1	4	0.2	0.2	40																	C083072	73.41	74.83			
																																C083073	74.83	76.33			
																																C083074	76.33	77.71			
																																C083075	77.71	79.12			
																																C083076				BLANK	
				Sample partially broken and fractured, oxidized on fracture surfaces.							2	1	1.2	1.5	5	20																C083077	79.12	80.59			
											1	1	0.2	0.2	15																	C083078	80.59	81.84			
																																C083079	81.84	82.80			
											2	3	0.2	0.3	25		0.4	q/cb	3													C083080	82.80	83.95			
																																C083081	83.95	85.48			
																																C083082	83.95	85.48		DUPLICATE	

DRILL LOG LEGEND P1

DRILL HOLE # : DDH80-23

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																Selvages				Sulphides								Oxidation									
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
80	85.48 to 92.88	85.48	92.88	MSED, massive diopside skarn. Medium to fine grained, dark green colour. Low silicification in section. Qtz veins in section at low angle to core axis, qtz veins rare. Carbonate veins and fractures between 20 to 40 to core axis showing oxidation along both. Old logs indicate presence of garnets in section but they are not visible, possibly due to lost core or to being sampled preferentially. Pervasive foliation/banding still partially visible, at 80° to 90° to core axis.	2		1		1		2	4	0.4	0.6	20																			C083083	85.48	86.38			
																																C083084	86.38	87.73			
											1	1	1.0	1.0	10																	C083085	87.73	88.98			
											1	4	0.2	0.2	30		0.3	cb	2																		
											1	1	1.3	1.3	15																	C083086	88.98	90.36			
				Sample is mostly massive.																												C083087	90.36	91.63			
											2	4	0.2	0.3	10																	C083088	91.63	92.88			
																																C083089	91.63	92.88		CHECK ASSAY	
																																C083090				STANDARD 6F	
10	92.88 to 100.70	92.88		GND. Biotite-granodiorite. Medium to coarse grained, medium grey. Mafic rich throughout, weak to moderate silicification, strong carbonate alteration with fractures/carbonate veins. Qtz veins at low angle to core axis, carbonate veins and fractures between 20° to 30° to core axis. Area's with very high carbonate alteration have disintegrated and is in pieces 2mm or less.	3				3		3	4	0.2	0.4	20		2.0	cb	3	3														C083091	92.88	94.05			
											2	4	1.2	2.1	25		3.5	cb	4	3												C083092	94.05	95.43			
											3	4	1.1	2.3	20	35	4.0	cb	4	3												C083093	95.43	96.88			
											2	1	2.3	4.2	10	15	3.2	q	3													C083094	96.88	98.36			
											2	4	0.3	0.5	20		3.6	cb	3	3																	
																																C083095	98.36	99.56			
																																C083096				BLANK	
											1	3	2.2	2.2	3		3.1	cb/q	4	3												C083097	99.56	100.70			
85	100.70 to 131.65	100.70	131.65	BQS. Medium grained, light to dark grey.	3		1		2																							C083098	100.70	101.87			
																																C083099	101.87	103.32			
																																C083100	103.32	104.24			
				Oxidation evident along fracture surfaces many fracture surfaces.																												C083101	104.24	105.79			
																																C083102	104.24	105.79		DUPLICATE	
				Massive fine grained biotite in section.							2	4	0.2	0.3	30																	C083103	105.79	107.30			
											1	3	0.2	0.2	20																	C083104	107.30	108.65			
																																C083105	108.65	110.15			
				Section very broken up, angular pieces, no veins discernable.																												C083106	110.15	111.33			
											1	3	0.2	0.2	15																	C083107	111.33	112.81			
																																C083108	112.81	113.87			
																																C083109	112.81	113.87		CHECK ASSAY	
																																C083110				STANDARD 3C	
																																C083111	113.87	115.21			
				Sample has strong carbonate alteration, high amount of fractures.							2	4	0.2	0.4	25	30																C083112	115.21	116.64			
											2	4	0.3	0.4	30		0.5	cb	3	3												C083113	116.64	118.15			
											1	1	0.3	0.3	25																	C083114	118.15	119.53			
											1	1	2.3	2.3	65																	C083115	119.53	120.95			
																																C083116				BLANK	
											2	1	0.4	0.7	20	25	0.3	0.3	4													C083117	120.95	121.61			
											1	4	0.2	0.2	25																	C083118	121.61	122.39			
											1	1	0.3	0.3	20																	C083119	122.39	123.79			
											2	4	0.2	0.3	20	40																C083120	123.79	125.14			
											1	1	0.3	0.3	10																	C083121	125.14	126.62			
											2	4	0.2	0.3	30																						
																																C083122	124.14	126.62		DUPLICATE	
																																C083123	126.62	127.56			
											3	4	0.2	0.4	30	25																C083124	127.56	128.89			

DRILL LOG LEGEND P1

DRILL HOLE # : DDH80-23

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS										% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages				Sulphides								Oxidation									
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
											1	1	0.2	0.2	60																					
											1	1	0.3	0.3	15																		C083125	128.89	130.30			
																																	C083126	130.30	131.65			
80	131.65 to	131.65		MSED. Skarn/sub-skarn with intermittent sections of BQS. Medium to coarse grained, dark to light green to medium to light grey. BQS is strongly silicified where present, carbonate alteration with fractures and carbonate veins/veinlets, qtz veins rare. Weak to moderate oxidation of carbonate altered area's and fracture surfaces and selvages. Carbonate veins/veinlets at 20 to 40 to core axis, qtz veins at low angles to core axis. No visible sulfides in section, garnets appear in skarnified area between 159.6m to 160m.	1				1		2	1	0.2	0.3	5																		C083127	131.65	132.10			Skarn.
				BQS.							2	4	0.2	0.3	40																		C083128	132.10	133.40			
																																	C083129	132.10	133.40		CHECK ASSAY	
																																	C083130				STANDARD 4D	
				BQS.							1	4	0.2	0.2	10																		C083131	133.40	134.91			
				BQS.																													C083132	134.91	136.32			
				Skarn/sub-skarn.							2	4	0.2	0.3	30																		C083133	136.32	137.85			
				Skarn/BQS.							1	4	0.2	0.2	30																		C083134	137.85	139.35			
				BQS.							1	1	0.3	0.3	5																		C083135	139.35	140.88			
											1	4	0.2	0.2	35																							
																																	C083136				BLANK	
				Skarn.																													C083137	140.88	142.25			
				Sub-skarn.																													C083138	142.25	143.68			
				Sub-skarn.																													C083139	143.68	145.19			
				Skarn, massive in area's.																													C083140	145.19	146.54			
				Sub-skarn.							1	4	0.4	0.4	20																		C083141	146.54	148.05			
																																	C083142	146.54	148.05		DUPLICATE	
				Sub-skarn.																													C083143	148.05	149.55			
				Sub-skarn.							1	1	0.2	0.2	15																		C083144	149.55	151.01			
				Sub-skarn.																													C083145	151.01	152.46			
				BQS																														C083146	152.46	153.22			
				Sub-skarn.																													C083147	153.22	154.60			
				Skarn.																													C083148	154.60	156.11			
																																	C083149	154.60	156.11		CHECK ASSAY	
																																	C083150				STANDARD 5E	
				Sub-skarn.																													C083151	156.11	157.54			
				Sub-skarn.																													C083152	157.54	159.01			
				Skarn/BQS.																													C083153	159.01	160.54			
				Skarn.																													C083154	160.54	162.01			
				Sub-skarn.							1	1	0.2	0.2	5																		C083155	162.01	163.53			
																																	C083156				BLANK	
				Sub-skarn.							1	1	0.2	0.2	10																		C083157	163.53	164.62			
				Skarn. Large grained calcite in area's.																													C083158	164.62	166.15			
				Skarn/sub-skarn.																													C083159	166.15	167.52			
				Skarn/sub-skarn. Very large grained calcite in area's.																													C083160	167.52	168.97			
				Sub-skarn.																													C083161	168.97	170.37			
																																	C083162	168.97	170.37		DUPLICATE	
				BQS/sub-skarn.																													C083163	170.37	171.86			
				Skarn. Large grained calcite in area's.																													C083164	171.86	173.39			
				Skarn/sub-skarn.																													C083165	173.39	174.27			
				Sub-skarn/BQS. Large grained apatite.																													C083166	174.27	175.68			
				Sub-skarn/skarn.							2	1	0.3	0.5	10	2																	C083167	175.68	177.21			
				Sub-skarn/BQS.							2	3	0.3	0.6	10	5																	C083168	177.21	178.74			
																																	C083169	177.21	178.74		CHECK ASSAY	

DRILL LOG LEGEND P1

DRILL HOLE # : DDH80-23

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS										% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages				Sulphides								Oxidation									
	From → To:	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
																																	C083170				STANDARD 6F	
				Sub-skarn.																													C083171	178.74	180.27			
				Sub-skarn/BQS.							1	4	0.2	0.2	35																		C083172	180.27	181.66			
				BQS/sub-skarn.																													C083173	181.66	183.17			
				Sub-skarn/skarn.							1	1	0.3	0.3	2		1.2	q	3														C083174	183.17	184.16			
				Sub-skarn/skarn.							2	1	0.3	0.5	10																		C083175	184.16	185.63			
																																	C083176				BLANK	
				Skarn-massive diopside.							2	1	0.6	1.1	10		1.6	q/cb	3														C083177	185.63	187.16			
				Skarn.																													C083178	187.16	188.69			
				Skarn.																													C083179	188.69	190.18			
																																	C083180	190.18	191.69			
																																	C083181	191.69	193.22			
																																	C083182	191.69	193.22		DUPLICATE	
																																	C083183	193.22	194.51			
																																	C083184	194.51	195.46			
																																	C083185	195.46	196.80			
																																	C083186	196.80	198.17			
10	198.17 to 216.41	198.17	216.41	GND. Medium to coarse grained, medium to light grey colour. Moderate silicifiction throughout, carbonate alteration associated with fractures and carbonate veins/veinlets. Qtz veins common, at low angle to core axis, carbonate veins rare with angle to core axis between 30 and 45. Qtz veins have a slightly pink tint to them. Aplite area in section, between 214.88m and 216.01m, light beige/white, some chlorite speckling, medium grained.	2				1		2	1	0.4	0.7	15	10	0.8	q	3																C083187	198.17	199.64			
											2	4	0.3	0.6	30		2.1	cb/q	2																		
											2	1	2.1	2.5	15	5															C083188	199.64	201.17			
																															C083189	199.88	201.17		CHECK ASSAY	
																															C083190				STANDARD 3c	
																															C083191	201.17	202.60			
											3	1	1.3	2.4	15	20	3.2	q	2												C083192	202.60	204.01			
											3	1	0.7	1.3	5	15	2.6	q	3												C083193	204.01	205.32			
											1	4	0.2	0.2	30		0.8	cb	2																	
											2	1	5.4	5.7	20		6.0	q/cb	3												C083194	205.32	206.51			
											2	1	0.6	1.0	5		1.2	q	2												C083195	206.51	207.95			
																															C083196				BLANK	
											1	1	4.8	4.8	15		4.0	q/cb	3												C083197	207.95	209.36			
											1	4	0.2	0.2	40		2.1	cb/q	2												C083198	209.36	210.63			
											1	3	1.3	1.3	20		1.3	q/cb	2												C083199	210.63	212.07			
											1	1	0.6	0.6	10		2.0	q/cb	2																	
											2	1	0.5	0.8	15	5	1.8	q/cb	2												C083200	212.07	213.35			
																															C083201	213.35	214.88			
																															C083202	213.35	214.88		DUPLICATE	
				Aplite sample within GND section.							2	1	0.3	0.5	5	10															C083203	214.88	216.01			
																															C083204	216.01	216.41		EOH	

From-To Sheet for DDH80-23					
Sample Number	Interval		Width (m)	Type of Sample	Au (g/T)
	From	To			
C083001	2.40	3.85	1.450	Mix of skarn and BQS for minimum sample size.	
C083002	2.40	3.85	1.450	DUPLICATE	
C083003	3.85	4.61	0.760		
C083004	4.61	6.10	1.490		
C083005	6.10	7.55	1.450		
C083006	7.55	8.82	1.270		
C083007	8.82	10.21	1.390		
C083008	10.21	11.38	1.170		
C083009	10.21	11.38	1.170	CHECK ASSAY	
C083010				STANDARD 2B	3.02
C083011	11.38	12.42	1.040		
C083012	12.42	13.93	1.510		
C083013	13.93	15.12	1.190		
C083014	15.12	16.45	1.330		
C083015	16.45	17.67	1.220		
C083016				BLANK	
C083017	17.67	19.15	1.480		
C083018	19.15	20.57	1.420		
C083019	20.57	21.98	1.410		
C083020	21.98	23.41	1.430		
C083021	23.41	24.75	1.340		
C083022	23.41	24.75	1.340	DUPLICATE	
C083023	24.75	25.95	1.200		
C083024	25.95	27.31	1.360		
C083025	27.31	28.74	1.430		
C083026	28.74	30.23	1.490		
C083027	30.23	30.92	0.690		
C083028	30.92	32.02	1.100		
C083029	30.92	32.02	1.100	CHECK ASSAY	
C083030				STANDARD 3C	0.091
C083031	32.02	33.00	0.980		
C083032	33.00	33.41	0.410		
C083033	33.41	34.48	1.070		
C083034	34.48	36.01	1.530		
C083035	36.01	37.54	1.530		
C083036				BLANK	
C083037	37.54	39.01	1.470		
C083038	39.01	40.52	1.510		
C083039	40.52	42.05	1.530		
C083040	42.05	43.27	1.220		
C083041	43.27	44.11	0.840		
C083042	43.37	44.11	0.740	DUPLICATE	
C083043	44.11	45.45	1.340		
C083044	45.45	46.60	1.150		
C083045	46.60	47.85	1.250		
C083046	47.85	49.27	1.420		
C083047	49.27	50.75	1.480		
C083048	50.75	52.23	1.480		
C083049	50.75	52.23	1.480	CHECK ASSAY	

From-To Sheet for DDH80-23					
Sample Number	Interval		Width (m)	Type of Sample	Au (g/T)
	From	To			
C083050				STANDARD 4D	0.43
C083051	52.23	52.78	0.550		
C083052	52.78	54.31	1.530		
C083053	54.31	55.01	0.700		
C083054	55.01	56.26	1.250		
C083055	56.26	57.76	1.500		
C083056				BLANK	
C083057	57.76	59.23	1.470		
C083058	59.23	60.60	1.370		
C083059	60.60	62.04	1.440		
C083060	62.04	63.55	1.510		
C083061	63.55	64.98	1.430		
C083062	63.55	64.98	1.430	DUPLICATE	
C083063	64.98	66.20	1.220		
C083064	66.20	67.73	1.530		
C083065	67.73	68.12	0.390		
C083066	68.12	69.51	1.390		
C083067	69.51	70.75	1.240		
C083068	70.75	72.23	1.480		
C083069	70.75	72.23	1.480	CHECK ASSAY	
C083070				STANDARD 5E	1.43
C083071	72.23	73.41	1.180		
C083072	73.41	74.83	1.420		
C083073	74.83	76.33	1.500		
C083074	76.33	77.71	1.380		
C083075	77.71	79.12	1.410		
C083076				BLANK	
C083077	79.12	80.59	1.470		
C083078	80.59	81.84	1.250		
C083079	81.84	82.80	0.960		
C083080	82.80	83.95	1.150		
C083081	83.95	85.48	1.530		
C083082	83.95	85.48	1.530	DUPLICATE	
C083083	85.48	86.38	0.900		
C083084	86.38	87.73	1.350		
C083085	87.73	88.98	1.250		
C083086	88.98	90.36	1.380		
C083087	90.36	91.63	1.270		
C083088	91.63	92.88	1.250		
C083089	91.63	92.88	1.250	CHECK ASSAY	
C083090				STANDARD 6F	2.77
C083091	92.88	94.05	1.170		
C083092	94.05	95.43	1.380		
C083093	95.43	96.88	1.450		
C083094	96.88	98.36	1.480		
C083095	98.36	99.56	1.200		
C083096				BLANK	
C083097	99.56	100.70	1.140		
C083098	100.70	101.87	1.170		
C083099	101.87	103.32	1.450		

From-To Sheet for DDH80-23					
Sample Number	Interval		Width (m)	Type of Sample	Au (g/T)
	From	To			
C083100	103.32	104.24	0.920		
C083101	104.24	105.79	1.550		
C083102	104.24	105.79	1.550	DUPLICATE	
C083103	105.79	107.30	1.510		
C083104	107.30	108.65	1.350		
C083105	108.65	110.15	1.500		
C083106	110.15	111.33	1.180		
C083107	111.33	112.81	1.480		
C083108	112.81	113.87	1.060		
C083109	112.81	113.87	1.060	CHECK ASSAY	
C083110				STANDARD 3C	0.091
C083111	113.87	115.21	1.340		
C083112	115.21	116.64	1.430		
C083113	116.64	118.15	1.510		
C083114	118.15	119.53	1.380		
C083115	119.53	120.95	1.420		
C083116				BLANK	
C083117	120.95	121.61	0.660		
C083118	121.61	122.39	0.780		
C083119	122.39	123.79	1.400		
C083120	123.79	125.14	1.350		
C083121	125.14	126.62	1.480		
C083122	124.14	126.62	2.480	DUPLICATE	
C083123	126.62	127.56	0.940		
C083124	127.56	128.89	1.330		
C083125	128.89	130.30	1.410		
C083126	130.30	131.65	1.350		
C083127	131.65	132.10	0.450		
C083128	132.10	133.40	1.300		
C083129	132.10	133.40	1.300	CHECK ASSAY	
C083130				STANDARD 4D	0.43
C083131	133.40	134.91	1.510		
C083132	134.91	136.32	1.410		
C083133	136.32	137.85	1.530		
C083134	137.85	139.35	1.500		
C083135	139.35	140.88	1.530		
C083136				BLANK	
C083137	140.88	142.25	1.370		
C083138	142.25	143.68	1.430		
C083139	143.68	145.19	1.510		
C083140	145.19	146.54	1.350		
C083141	146.54	148.05	1.510		
C083142	146.54	148.05	1.510	DUPLICATE	
C083143	148.05	149.55	1.500		
C083144	149.55	151.01	1.460		
C083145	151.01	152.46	1.450		
C083146	152.46	153.22	0.760		
C083147	153.22	154.60	1.380		
C083148	154.60	156.11	1.510		
C083149	154.60	156.11	1.510	CHECK ASSAY	

From-To Sheet for DDH80-23					
Sample Number	Interval		Width (m)	Type of Sample	Au (g/T)
	From	To			
C083150				STANDARD 5E	1.43
C083151	156.11	157.54	1.430		
C083152	157.54	159.01	1.470		
C083153	159.01	160.54	1.530		
C083154	160.54	162.01	1.470		
C083155	162.01	163.53	1.520		
C083156				BLANK	
C083157	163.53	164.62	1.090		
C083158	164.62	166.15	1.530		
C083159	166.15	167.52	1.370		
C083160	167.52	168.97	1.450		
C083161	168.97	170.37	1.400		
C083162	168.97	170.37	1.400	DUPLICATE	
C083163	170.37	171.86	1.490		
C083164	171.86	173.39	1.530		
C083165	173.39	174.27	0.880		
C083166	174.27	175.68	1.410		
C083167	175.68	177.21	1.530		
C083168	177.21	178.74	1.530		
C083169	177.21	178.74	1.530	CHECK ASSAY	
C083170				STANDARD 6F	2.77
C083171	178.74	180.27	1.530		
C083172	180.27	181.66	1.390		
C083173	181.66	183.17	1.510		
C083174	183.17	184.16	0.990		
C083175	184.16	185.63	1.470		
C083176				BLANK	
C083177	185.63	187.16	1.530		
C083178	187.16	188.69	1.530		
C083179	188.69	190.18	1.490		
C083180	190.18	191.69	1.510		
C083181	191.69	193.22	1.530		
C083182	191.69	193.22	1.530	DUPLICATE	
C083183	193.22	194.51	1.290		
C083184	194.51	195.46	0.950		
C083185	195.46	196.80	1.340		
C083186	196.80	198.17	1.370		
C083187	198.17	199.64	1.470		
C083188	199.64	201.17	1.530		
C083189	199.88	201.17	1.290	CHECK ASSAY	
C083190				STANDARD 3c	0.091
C083191	201.17	202.60	1.430		
C083192	202.60	204.01	1.410		
C083193	204.01	205.32	1.310		
C083194	205.32	206.51	1.190		
C083195	206.51	207.95	1.440		
C083196				BLANK	
C083197	207.95	209.36	1.410		
C083198	209.36	210.63	1.270		
C083199	210.63	212.07	1.440		

From-To Sheet for DDH80-23					
Sample Number	Interval		Width (m)	Type of Sample	Au (g/T)
	From	To			
C083200	212.07	213.35	1.280		
C083201	213.35	214.88	1.530		
C083202	213.35	214.88	1.530	DUPLICATE	
C083203	214.88	216.01	1.130		
C083204	216.01	216.41	0.400	EOH	

GEOTECHNICAL SUMMARY SHEET

PROJECT: Dublin Gulch - 1735		
DRILL HOLE NO: DDH80-23		
Date Started: July 30, 2006	**Date Completed:** July 31, 2006	
Geoteched By: Stacy Doyle, Jason Kindrat, Marc Mains		
Contractor: Bema Industries Ltd. (#80-06)		
Hole Size: NQ	**Core Size:** NQ	
Total Depth: 216.41m	**Elevation:** 1396.8m	
Average RQD: 31.1%	**Average Recovery Rate:** 93.6%	

	Easting	**Northing**
HIST NAD27	462993	7100447
REAL NAD27 (Shifted)	463004.17	7100443.521
NAD83	462905.029	7100622.33
	Azimuth	**Dip**
Original	90	-70
End of Hole (122m)	84	-72
Additional Comments:	Boxes 16-18, and 24-34 are all cut core. The NAD 27 coordinates are historical in nature and were shifted based upon the Sept 2005 Underhill survey +10.670 mE and -3.579mN.	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DDH80-23____ Sheet:__1__ of __2__

Date:_July 30-31, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:__Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
Casing	0	2.4	2.4		0		0		-												Casing
MSED	2.4	7.55	5.15	4.08	79	0.5	10	R4	-	FS/FR	6	PS/IS							0	90	
	7.55	12.42	4.87	4.64	95	2.01	41	R3	-	FS/FR	8	SR/PR	7	IR/PR			1	UR	0	59	
	12.42	17.67	5.25	4.87	93	1.23	23	R3/R4	-	FS/FR	13	PS/SS	9	CS/PS	4	CS/PS			0	77	
	17.67	23.41	5.74	5.61	98	1.06	18	R3	-	FS/FR	6	SS/PS	4	IS/CS					0	82	
	23.41	28.74	5.33	5.06	95	0.81	15	R3/R4	-	FS/FR	7	PS/IR	1	CS	2	US/IR			0	85	
	28.74	34.48	5.74	5.74	100	3.34	58	R3	-	FR	29	PS/CS	8	IS/SS	4	SS/PS	3	PS/CS	0	42	GND intrusion
	34.48	40.52	6.04	5.79	96	2.4	40	R3/R4	-	FS/FR	35	PS/IR	3	PR/IR	3	PR/CR			0	60	GND intrusion
MSED/ GND	40.52	46.32	5.8	5.42	93	3.22	56	R3	-	FS/FR	31	PR/IR	19	CS/PR	3	PR/SR			0	44	
MSED	46.32	52.23	5.91	4.9	83	3.77	64	R3	-	FS/FR	41	PS/PR	1	CR					0	36	Missing Core
	52.23	57.76	5.53	5.26	95	4.75	86	R3/R4	-	FS/FR	29	PS/PR	4	CR/PR	4	PR/SR	2	SR	0	14	GND intrusion
	57.76	63.55	5.79	5.71	99	3.87	67	R3	-	FS/FR	37	PS/PR	1	PR			3	PR	0	33	
	63.55	69.27	5.72	5.43	95	3.46	60	R3	-	FS	37	PS/PR	2	CR/PR	2	CR/PR			0	40	
	69.27	74.83	5.56	5.43	98	3.89	70	R3	-	FR	4	PS	3	SR/CR	10	CR/SR	5	SR/CR	0	30	
	74.83	80.59	5.76	5.68	99	3.4	59	R3	-	FS/FR	20	PS/CS	7	CS/PS	2	CS/PR	9	PR/CR	0	41	
	80.59	86.38	5.79	5.7	98	2.58	45	R3	-	FS/FR	18	PR/PS					2	PR	0	55	
	86.38	92.58	6.2	5.74	93	0	0	R3/R4	-	FR									0	100	Cut Core
MSED/ GND	92.58	98.36	5.78	5.16	89	0	0	R1/R3	-	HW/FR									5	95	Cut Core
	98.36	101.24	2.88	2.44	85	0.1	3	R3/R4	-	FS/FR	2	PS							0	97	Cut Core
MSED	101.24	110.15	8.91	8.21	92	1.14	13	R3	-	FS/FR	19	PS/PR					2	PR	0	87	
	110.15	116.64	6.49	6.41	99	2.34	36	R3	-	FS/FR	38	PS/PR	2	PR					0	64	
	116.64	122.39	5.75	5.69	99	3.51	61	R3/R4	-	FS/FR	38	PS/PR			2	PS	2	IR	0	39	
	122.39	127.56	5.17	4.73	91	3.58	69	R3	-	FS/FR	27	PS/PR	4	SR/PS	8	CR/PR	3	SR/PS	0	31	
	127.56	133	5.44	4.64	85	2.06	38	R3/R4	-	FS/FR	22	PS/PR	3	CR/PS			1	SR	0	62	
	133	138.13	5.13	4.68	91	0	0	R3/R4	-	FS/FR									0	100	Cut Core
	138.13	144.11	5.98	5.52	92	0	0	R4	-	FS/FR									0	100	Cut Core
	144.11	149.54	5.43	4.93	91	0	0	R4	-	FS/FR									0	100	Cut Core
	149.54	155.46	5.92	5.71	96	0	0	R4	-	FS/FR									0	100	Cut Core
	155.46	161.2	5.74	5.1	89	0	0	R4	-	FS/FR									0	100	Cut Core
	161.2	167.19	5.99	5.57	93	0	0	R3/R4	-	FR									0	100	Cut Core

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DDH80-23___ Sheet:__2___ of __2__

Date:_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	167.19	172.53	5.34	5.14	96	0	0	R3/R4	-	FR									0	100	Cut Core
	172.53	178.57	6.04	5.83	97	0	0	R4	-	FR									0	100	Cut Core
	178.57	184.16	5.59	5.1	91	0	0	R4	-	FS/FR									0	100	Cut Core
	184.16	190.18	6.02	5.49	91	0	0	R3/R4	-	FR									0	100	Cut Core
	190.18	195.18	5	4.79	96	0	0	R4	-	FS/FR									0	100	Cut Core
MSED/ GND	195.18	201.64	6.46	6.14	95	1.83	28	R3/R4	-	FS/FR	10	PR/IR	2	IR					0	72	1/2 Cut Core
GND	201.64	207.17	5.53	5.42	98	4.53	82	R3	-	MW/FR	27	PR/IR	2	PR	3	PR	1	PR	0	18	
	207.17	213	5.83	5.83	100	4.5	77	R3	-	FS/FR	23	PS/PR	4	PR					0	23	
	213	216.41	3.41	3.12	91	2.14	63	R3	-	FR	7	PR/CR	2	PR			3	SS/CR	0	37	EOH
	EOH																				

DRILL HOLE SUMMARY SHEET

HOLE NO.: DDH80-47

PROJECT: Dublin Gulch - 1735

GROUND ELEVATION: 1378m

BEARING: 90 | DIP: -70°

DATE STARTED: 16-Aug-80 | DATE COMPLETED: 20-Aug-80

HIST COORD SYSTEM: NAD 27: E: 462769.8 N: 7100365.7

REAL COORD SYSTEM: NAD 27: E: 462780.47 N: 7100362.121

COORD SYSTEM: NAD 83: E: 462681.33 N: 7100540.93

LOGGED BY: K. Ferguson

SECTION LINE(historic grid)

CONTRACTOR: BEMA Industries Ltd. for Canada Tungsten Mining Corp. Ltd.

DRILLING DETAILS

Hole Diameter: NQ

Overburden: 1.7 m

Deviation:

Casing: 1.7 m

Cement (# Bags): 0

Plug Depth: N/A

Notes: No plug necessary.

SAMPLING DETAILS

Sample Sequence:

Requisition #: Date Shipped:

Lab Record #: Date Received:

Sample Sequence:

Requisition #: Date Shipped:

Lab Record #: Date Received:

Duplicates:	C080302	C080322	C080342	C080362	C080382	C080402	C080422	C080442
	C080462							
Preparation Duplicate/ Check Assay:	C080309	C080319	C080329	C080339	C080349	C080359	C080369	C080379
Standards:	C080310	C080330	C080350	C080370	C080390	C080410	C080430	C080450
Blanks:	C080296	C080316	C080336	C080356	C080376	C080396	C080416	C080436
	C080456							

FROM	TO	LITHOLOGY

FROM	TO	ALTERATION

FROM	TO	MINERALIZATION (Veins)

Clinometer tests.

DEPTH (m)	AZI (Orig)	DIP (Orig)	AZ (Corr)	
0.00	not taken	-70.0	90	
71.30	-13.0	-77.0	7	
101.80	18.0	-72.0	190	
193.00	19.0	-71.0		

ASSAY INTERCEPTS

FROM:	TO:	INT:	Au (g/t)	SAMPLE QUALITY:

COMMENTS: (Ground conditions, fracture zones, water flows, drilling problems)

The NAD 27 historical coordinates were shifted based upon the Sept 2005 Underhill survey +10.670 mE and -3.579mN to get the NAD 27 Real coordinates. Those coordinates were then converted with NTv2 to get the NAD83 coordinates.

DRILL LOG LEGEND P1

DRILL HOLE # : DDH80-47

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL													Sample Number	Interval		Au (g/T)		
																	Selvages			Sulphides								Oxidation										
	From (m) → To (m):	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To		Type of Sample	Vein Comments?
0	0 to 1.7	0.00	1.70	Overburden.																																
-1	1.70 to 12.50	1.70	12.50	Lost core, boxes too damaged and wedged in to retrieve from old storage area.																																	
80	12.50 to 20.50	12.50	20.50	MSED. BQS, skarn and sub-skarn in section. Medium grained, light grey to medium to pale green. Low to moderate silicification throughout, some carbonate alteration associated with veins and fractures. Foliation/banding throughout section is at 80-90 to core axis, some fracturing with preferred orientation of 20-30 to core axis. Rare carbonate and qtz veins in section, no visible sulfide's.			3		1																						C080292	12.50	14.00			
				Aplitic dyke, very pale/white, medium to coarse grained. No veins in section.																												C080293	14.00	14.86			
				BQS to sub skarn. No veins in sample.																												C080294	14.86	16.04			
				Sub-skarn to skarn. No veins in sample.																												C080295	16.04	17.08			
																																C080296				BLANK	
				Sub-skarn to skarn. No veins in sample.																												C080297	17.08	18.55			
				Skarn. Qtz veins are pink.							2	1	0.8	1.5	5	10																C080298	18.55	19.67			
				Skarn to BQS. Qtz veins are pink.							2	1	0.4	0.7	5																	C080299	19.67	20.50			
10	20.50 to 24.17	20.50	24.17	GND. Biotite granodiorite, medium to coarse grained, light grey colour. Low silicification in section, no veins present. No sulfides in section.																												C080300	20.50	22.03			
																																C080301	22.03	23.27			
				No veins in section.																												C080302	22.03	23.27		DUPLICATE	
																																C080303	23.27	24.17			
85	24.17 to 86.50	24.17	86.50	BQS. Medium grained, medium to light grey to green colour. Low to moderate silicification, low to moderate carbonate alteration. Banding/foliation is at 80-90 to core axis. Fractures at low angle to core axis. Carbonate veins at have a preferred orientation of 20-30, qtz veins are rare and are usually at a low angle to core axis. Trace py and po found associated with qtz eyes/lenses. Trace/bleb of bismuthinite found in same sample.			1		2																						C080304	24.17	25.60			
											1	1	0.3	0.3	10																C080305	25.60	26.43			
																																C080306	26.43	27.37			
											1	1	0.2	0.2	15		1.5	cb/q	3												C080307	27.37	28.37			
											2	4	0.3	0.5	20																C080308	28.37	29.26			
																																C080309	28.37	29.26		CHECK ASSAY	
																																C080310				STANDARD 1A	
				GND fingers in sample.							1	4	0.2	0.2	30																C080311	29.26	30.31			
											2	4	0.3	0.5	20	40															C080312	30.31	31.40			
											3	4	0.2	0.5	30	20	0.4	cb	2												C080313	31.40	32.85			
											1	4	0.3	0.3	30																C080314	32.85	34.36			
											2	4	0.3	0.4	20	30	0.5	cnb	3												C080315	34.36	35.61			
																																C080316				BLANK	
											1	1	0.3	0.3	30																C080317	35.61	36.83			
											1	4	0.3	0.3	20																C080318	36.83	38.20			
				Sample his moderate to high carbonate alteration, is highly broken and fractured, no veins visible.																												C080319	38.20	39.73			
											2	1	1.3	2.3	5		0.6	cb/q	2												C080320	39.73	41.00			
											2	1	1.4	2.5	5																C080321	41.00	42.29			
																																C080322	41.00	42.29		DUPLICATE	
																																C080323	42.29	43.00			
				Large qtz eyes/lenses in sample, up to 20% of material. Trace po in section.																												C080324	43.00	44.26			
				Trace po found in sample, associated with qtz lens.																												C080325	44.26	45.51			
				Trace py, po and bis occur associated with qtz in sample.							1	4	0.2	0.2	30																C080326	45.51	46.63			
				High qtz in sample.																												C080327	46.63	47.51			
				Sample very broken and fractured, moderate carbonate alteration throughout.																												C080328	47.51	48.73			
																																C080329	47.51	48.73		CHECK ASSAY	
																																C080330				STANDARD 2B	
																																C080331	48.73	50.00			
																																C080332	50.00	50.60			

DRILL LOG LEGEND P1

DRILL HOLE # : DDH80-47

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From (m) → To (m):	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other			From	To			
											2	4	0.3	0.5	30														5.0				C080333	50.60	51.90			
																																	C080334	51.90	53.40			
											1	4	0.3	0.3	25														10.0				C080335	53.40	54.43			
																																	C080336				BLANK	
											2	1	0.7	0.9	10	5	1.5	chl	3														C080337	54.43	55.73			
											3	1	0.2	0.4	10	15	0.4	q	3														C080338	55.73	57.25			
											1	4	0.2	0.2	30														5.0				C080339	57.25	58.78			
											1	1	0.2	0.2	15																		C080340	58.78	60.28			
											2	1	0.5	0.7	15																		C080341	60.28	61.65			
											1	4	0.2	0.2	20																							
																																	C080342	60.28	61.65		DUPLICATE	
											1	4	0.3	0.3	30														5.0				C080343	61.65	62.67			
											1	1	0.2	0.2	10																		C080344	62.67	63.60			
											2	1	2.8	3.0	70	10																	C080345	63.60	65.07			
											1	4	0.3	0.3	30																							
											1	1	0.4	0.4	15		0.5	cb/q	3										20.0				C080346	65.07	66.52			
											3	4	0.4	0.8	30	20	1.0	cb/q	3										10.0				C080347	66.52	67.80			
											1	1	0.3	0.3	20																		C080348	67.80	69.10			
																																	C080349	67.80	69.10		CHECK ASSAY	
																																	C080350				STANDARD 7G	
				Biotite granodiorite eyelet.																														C080351	69.10	69.40			
											1	4	0.3	0.3	30														5.0				C080352	69.40	70.69			
											1	1	0.4	0.4	50																		C080353	70.69	72.18			
																																	C080354	72.18	73.43			
											1	4	0.2	0.2	30														10.0				C080355	73.43	74.90			
																																	C080356				BLANK	
											3	4	0.3	0.7	30		0.5	cb	3										10.0				C080357	74.90	76.27			
											2	1	0.3	0.4	15		0.5	q	2														C080358	76.27	77.78			
											2	4	0.2	0.3	30																		C080359	77.78	79.18			
											2	1	0.4	0.7	70																		C080360	79.18	80.70			
											1	3	0.2	0.2	30																							
																																	C080361	80.70	82.16			
																																	C080362	80.70	82.16		DUPLICATE	
				Sample contains some sub-skarn.							1	4	0.2	0.2	30																		C080363	82.16	83.57			
																																	C080364	83.57	85.05			
											1	4	0.3	0.3	30																		C080365	85.05	86.50			
10	86.50 to 93.83	86.50	93.83	GND. Medium grained, medium to dark grey colour. High biotite in section. Weak to moderate silicification, low carbonate alteration mostly associated with veins. Some chlorite alteration, associated with veins. Carbonate and qtz veins present, carbonate veins preferred orientation is between 20 and 30, qtz veins generally are low angle. Rare sullfide's found with in qtz veins (py and aspy).			2		2		4	1	1.8	4.8	5	10	3.0	chl/q	3			2.0		0.1												C080366	86.50	87.98			
											2	1	0.6	1.0	10	5	0.5	chl/q	3					0.1									C080367	87.98	89.49			
											2	1	0.4	0.8	10		0.3	chl/q	2														C080368	89.49	91.00			
																																	C080369	89.49	91.00		CHECK ASSAY	
																																	C080370				STANDARD 1A	
											1	3	0.3	0.3	5		5.0	cb/chl	4														C080371	91.00	92.33			
											1	1	0.8	0.8	10		3.0	cb/q	4														C080372	93.33	93.83			
				Carbonate vein contains ~15% coarse grained dropsied (?).							1	4	2.8	2.8	10		3.0	cb/q	4																				

DRILL LOG LEGEND P1

DRILL HOLE # : DDH80-47

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL												Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																	Selvages			Sulphides							Oxidation										
	From (m) → To (m):	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
85	94.53 to 173.15	94.53	173.15	BQS. Medium grained, medium to light grey to green colour. Low to moderate silicification, low to moderate carbonate alteration. Banding/foliation is at 80-90 to core axis. Fractures at low angle to core axis. Carbonate veins at have a preferred orientation of 20-30, qtz veins are rare and are usually at a low angle to core axis. Trace py and po found associated with qtz eyes/lenses. Trace/bleb of bismuthinite found in same sample.	1		3		2		3	4	0.3	0.6	20	30	0.3	cb/chl	2															C080373	94.53	96.00			
				Large carbonate vein contains ~15% coarse grained dropsied (?).							2	4	2.3	2.5	20	10																C080374	96.00	97.47			
				Carbonate vein contains ~15% coarse grained dropsied (?).							1	4	0.5	0.5	10																	C080375	97.47	98.21			
																																C080376				BLANK	
																																C080377	98.21	99.55			
											1	1	0.5	0.5	15		1.0	q	3													C080378	99.55	101.05			
											2	4	0.2	0.3	30	20																				
																																C080379	101.05	102.37			
				Py bleb found in matrix associated with fracture but no qtz.							1	4	0.2	0.2	30																	C080380	102.37	103.80			
											1	1	0.4	0.4	15		1.0	q/cb	3													C080381	103.80	105.31			
																																C080382	103.80	105.31		DUPLICATE	
											1	1	0.4	0.4	10		2.5	q/cb	4													C080383	105.31	106.69			
											2	1	0.4	0.6	5	0																C080384	106.69	108.10			
											1	4	1.3	1.3	30																					
											1	1	0.4	0.4	10		2.0	q	2													C080385	108.10	109.60			
											3	4	0.2	0.4	20	30												10.0								
											3	4	0.3	0.6	20	25												10.0				C080386	109.60	111.07			
											2	1	0.6	1.0	10	15	1.2	q	3									5.0				C080387	111.07	112.56			
											3	1	0.4	0.8	10	5	1.0	q/cb	3									10.0				C080388	112.56	113.85			
																																C080389	112.56	113.85		CHECK ASSAY	
																																C080390				STANDARD 2B	
				Finger of GND in section, no veins and no sulfide's present.																												C080391	113.85	115.20			
				Sample has high qtz, pink colour.							1	3	0.7	0.7	10																	C080392	115.20	116.70			
				Sample has high qtz, pink colour.							1	1	4.2	4.2	10																	C080393	116.70	118.14			
											2	1	3.8	4.7	10	15																C080394	118.14	119.70			
																																C080395	119.70	121.20			
																																C080396				BLANK	
																																C080397	121.20	122.63			
											3	1	0.3	0.6	10	5	1.0	q/cb	3													C080398	122.63	124.14			
											3	1	0.3	0.5	5																	C080399	124.14	125.54			
											2	1	0.5	0.7	5	0	2.0	q/cb	2													C080400	125.54	126.60			
											1	4	0.2	0.2	30																					
											1	5	0.3	0.3	10																					
											3	1	0.5	1.1	10	5	0.3	q/cb	3													C080401	126.60	128.13			
																																C080402	126.60	128.13		DUPLICATE	
											2	1	0.4	0.7	5		0.8	q/chl	2													C080403	128.13	129.66			
																																C080404	129.66	131.19			
																																C080405	131.19	132.70			
											2	5	0.3	0.4	20																	C080406	132.70	134.14			
											1	5	0.3	0.3	15																	C080407	134.14	135.61			
																																C080408	135.61	137.00			
																																C080409	135.61	137.00		CHECK ASSAY	
																																C080410				STANDARD 1A	
											4	1	1.7	4.3	5	10								0.1							C080411	137.00	138.50			
				Sample is mostly large grained qtz (60%+).							1	1	0.5	0.5	10																	C080412	138.50	140.00			
											1	1	2.2	2.2	5		3.0	chl/q	4													C080413	140.00	141.47			
											1	1	0.2	0.2	10		0.5	q/chl	2													C080414	141.47	143.00			

DRILL LOG LEGEND P1

DRILL HOLE # : DDH80-47

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																					Sulphides								Oxidation												
	From (m) → To (m):	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
											1	1	0.4	0.4	5		1.0	q/chl	2														C080415	143.00	144.50			
																																	C080416				BLANK	
											2	4	0.4	0.7	20	30	3.0	chl/cb	2														C080417	144.50	145.90			
											1	1	2.3	2.3	5																		C080418	145.90	147.30			
											1	4	0.4	0.4	20																								
																																	C080419	147.30	148.70			
																																	C080420	148.70	150.10			
				Banding becomes indistinct.																													C080421	150.10	151.50			
																																	C080422	150.10	151.50		DUPLICATE	
				Banding is indistinct.																													C080423	151.50	152.85			
				Finger of GND in sample, contains qtz vein completely, follows angle.							1	1	11.0	11.0	40		1.2	q	3															C080424	152.85	154.15			
																																	C080425	154.15	155.60			
											2	4	0.2	0.3	30		0.3	cb/chl	2														C080426	155.60	157.10			
											2	1	3.0	4.3	80	15	2.1	q	2														C080427	157.10	158.60			
				High qtz in section, until last 30cm which are very broken.																													C080428	158.60	160.10			
																																	C080429	158.60	160.10		CHECK ASSAY	
																																	C080430				STANDARD 7G	
																																	C080431	160.10	161.60			
				Very altered area associated with qtz/k-feld veins or blobs.							2	1	0.5	0.8	5	10																		C080432	161.60	162.70			
																																	C080433	162.70	163.72			
											1	1	0.2	0.2	5		1.0	q	3														C080434	163.72	165.86			
																																	C080435	165.86	166.28			
																																	C080436				BLANK	
				20cm biotite-GND finger in sample.																													C080437	166.28	167.30			
				10cm biotite-GND finger in sample.																													C080438	167.30	168.80			
											1	1	0.4	0.4	10																		C080439	168.80	170.25			
				Biotite-granodiorite sample.							2	1	0.4	0.7	5	10																		C080440	170.25	171.75			
				BQS. Sample very broken and fractured with some strong clay alteration.																													C080441	171.75	173.15			
																																	C080442	171.75	173.15		DUPLICATE	
10	173.15 to 196.30	173.15	196.30	GND. Medium grained, medium to dark grey colour. High biotite in section. Weak to moderate silicification, low carbonate alteration mostly associated with veins. Some chlorite alteration, associated with veins and weak bleaching associated with carbonate veins. Carbonate and qtz veins present, carbonate veins preferred orientation is between 20 and 30, qtz veins generally are low angle. Rare sullfide's found with in qtz veins (aspy). Qtz veins are usually pink, large veins show large euhadral crystal growth of qtz, carb and fspar crystals.			3		2		2	1	0.3	0.6	10																		C080443	173.15	173.80			
																																	C080444	173.80	174.30			
																																	C080445	174.30	175.78			
											2	1	0.7	1.2	15	10																	C080446	175.78	177.30			
											1	1	0.3	0.3	20																		C080447	177.30	178.80			
				Qtz/carb section in sample (13cm), large euhedral crystals of both, chlorite alteration surrounding area.							1	1	0.4	0.4	15																		C080448	178.80	180.30			
											1	4	0.2	0.2	20																								
																																	C080449	178.80	180.30		CHECK ASSAY	
																																	C080450				STANDARD 1A	
											3	4	0.3	0.6	15	30	5.0	q/cb	4														C080451	180.30	181.80			
											3	1	0.6	1.1	40	5																	C080452	181.80	183.30			
											4	4	0.2	0.7	40	70	3.0	cb	3																				
											4	1	4.8	8.7	5	10	3.0	q/chl	3					0.1									C080453	183.30	184.70			
											2	1	0.8	1.4	5																		C080454	184.70	186.10			
											3	4	0.2	0.4	30		2.0	cb	3																				
											2	1	0.6	0.8	5		3.0	q/chl	2														C080455	186.10	187.63			

DRILL LOG LEGEND P1

DRILL HOLE # : DDH80-47

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages			% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																				Sulphides								Oxidation												
	From (m) → To (m):	From:	To:	Comments:	Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
																																C080456				BLANK	
											1	1	1.8	1.8	15		3.0	q/chl	2													C080457	187.63	188.80			
											1	1	1.6	1.6	3		2.3	q/cb	4													C080458	188.80	190.00			
											2	1	1.9	3.6	5		2.6	q/cb	3													C080459	190.00	191.44			
																																C080460	191.44	192.33			
											2	1	1.1	1.8	5	10	5.0	q/cb	3													C080461	192.33	193.80			
																																C080462	192.33	193.80		DUPLICATE	
											2	1	0.4	0.6	5	10	3.0	q	3													C080463	193.80	195.26			
											2	1	2.8	3.0	10		6.0	q	4													C080464	195.26	196.75		EOH	Lost core between 196.75m and 197.21m

From-To Sheet for DDH80-47					
Sample Number	Interval		Width (m)	Type of Sample	Au (g/T)
	From	To			
C080292	12.50	14.00	1.500		
C080293	14.00	14.86	0.860		
C080294	14.86	16.04	1.180		
C080295	16.04	17.08	1.040		
C080296				BLANK	
C080297	17.08	18.55	1.470		
C080298	18.55	19.67	1.120		
C080299	19.67	20.50	0.830		
C080300	20.50	22.03	1.530		
C080301	22.03	23.27	1.240		
C080302	22.03	23.27	1.240	DUPLICATE	
C080303	23.27	24.17	0.900		
C080304	24.17	25.60	1.430		
C080305	25.60	26.43	0.830		
C080306	26.43	27.37	0.940		
C080307	27.37	28.37	1.000		
C080308	28.37	29.26	0.890		
C080309	28.37	29.26	0.890	CHECK ASSAY	
C080310				STANDARD 1A	0.88
C080311	29.26	30.31	1.050		
C080312	30.31	31.40	1.090		
C080313	31.40	32.85	1.450		
C080314	32.85	34.36	1.510		
C080315	34.36	35.61	1.250		
C080316				BLANK	
C080317	35.61	36.83	1.220		
C080318	36.83	38.20	1.370		
C080319	38.20	39.73	1.530		
C080320	39.73	41.00	1.270		
C080321	41.00	42.29	1.290		
C080322	41.00	42.29	1.290	DUPLICATE	
C080323	42.29	43.00	0.710		
C080324	43.00	44.26	1.260		
C080325	44.26	45.51	1.250		
C080326	45.51	46.63	1.120		
C080327	46.63	47.51	0.880		
C080328	47.51	48.73	1.220		
C080329	47.51	48.73	1.220	CHECK ASSAY	
C080330				STANDARD 2B	3.02
C080331	48.73	50.00	1.270		
C080332	50.00	50.60	0.600		
C080333	50.60	51.90	1.300		
C080334	51.90	53.40	1.500		
C080335	53.40	54.43	1.030		
C080336				BLANK	
C080337	54.43	55.73	1.300		
C080338	55.73	57.25	1.520		
C080339	57.25	58.78	1.530		
C080340	58.78	60.28	1.500		
C080341	60.28	61.65	1.370		
C080342	60.28	61.65	1.370	DUPLICATE	
C080343	61.65	62.67	1.020		
C080344	62.67	63.60	0.930		

From-To Sheet for DDH80-47					
Sample Number	Interval		Width (m)	Type of Sample	Au (g/T)
	From	To			
C080345	63.60	65.07	1.470		
C080346	65.07	66.52	1.450		
C080347	66.52	67.80	1.280		
C080348	67.80	69.10	1.300		
C080349	67.80	69.10	1.300	CHECK ASSAY	
C080350				STANDARD 7G	4.46
C080351	69.10	69.40	0.300		
C080352	69.40	70.69	1.290		
C080353	70.69	72.18	1.490		
C080354	72.18	73.43	1.250		
C080355	73.43	74.90	1.470		
C080356				BLANK	
C080357	74.90	76.27	1.370		
C080358	76.27	77.78	1.510		
C080359	77.78	79.18	1.400		
C080360	79.18	80.70	1.520		
C080361	80.70	82.16	1.460		
C080362	80.70	82.16	1.460	DUPLICATE	
C080363	82.16	83.57	1.410		
C080364	83.57	85.05	1.480		
C080365	85.05	86.50	1.450		
C080366	86.50	87.98	1.480		
C080367	87.98	89.49	1.510		
C080368	89.49	91.00	1.510		
C080369	89.49	91.00	1.510	CHECK ASSAY	
C080370				STANDARD 1A	0.88
C080371	91.00	92.33	1.330		
C080372	93.33	93.83	0.500		
C080373	94.53	96.00	1.470		
C080374	96.00	97.47	1.470		
C080375	97.47	98.21	0.740		
C080376				BLANK	
C080377	98.21	99.55	1.340		
C080378	99.55	101.05	1.500		
C080379	101.05	102.37	1.320		
C080380	102.37	103.80	1.430		
C080381	103.80	105.31	1.510		
C080382	103.80	105.31	1.510	DUPLICATE	
C080383	105.31	106.69	1.380		
C080384	106.69	108.10	1.410		
C080385	108.10	109.60	1.500		
C080386	109.60	111.07	1.470		
C080387	111.07	112.56	1.490		
C080388	112.56	113.85	1.290		
C080389	112.56	113.85	1.290	CHECK ASSAY	
C080390				STANDARD 2B	3.02
C080391	113.85	115.20	1.350		
C080392	115.20	116.70	1.500		
C080393	116.70	118.14	1.440		
C080394	118.14	119.70	1.560		
C080395	119.70	121.20	1.500		
C080396				BLANK	
C080397	121.20	122.63	1.430		

From-To Sheet for DDH80-47					
Sample Number	Interval		Width (m)	Type of Sample	Au (g/T)
	From	To			
C080398	122.63	124.14	1.510		
C080399	124.14	125.54	1.400		
C080400	125.54	126.60	1.060		
C080401	126.60	128.13	1.530		
C080402	126.60	128.13	1.530	DUPLICATE	
C080403	128.13	129.66	1.530		
C080404	129.66	131.19	1.530		
C080405	131.19	132.70	1.510		
C080406	132.70	134.14	1.440		
C080407	134.14	135.61	1.470		
C080408	135.61	137.00	1.390		
C080409	135.61	137.00	1.390	CHECK ASSAY	
C080410				STANDARD 1A	0.88
C080411	137.00	138.50	1.500		
C080412	138.50	140.00	1.500		
C080413	140.00	141.47	1.470		
C080414	141.47	143.00	1.530		
C080415	143.00	144.50	1.500		
C080416				BLANK	
C080417	144.50	145.90	1.400		
C080418	145.90	147.30	1.400		
C080419	147.30	148.70	1.400		
C080420	148.70	150.10	1.400		
C080421	150.10	151.50	1.400		
C080422	150.10	151.50	1.400	DUPLICATE	
C080423	151.50	152.85	1.350		
C080424	152.85	154.15	1.300		
C080425	154.15	155.60	1.450		
C080426	155.60	157.10	1.500		
C080427	157.10	158.60	1.500		
C080428	158.60	160.10	1.500		
C080429	158.60	160.10	1.500	CHECK ASSAY	
C080430				STANDARD 7G	4.46
C080431	160.10	161.60	1.500		
C080432	161.60	162.70	1.100		
C080433	162.70	163.72	1.020		
C080434	163.72	165.86	2.140		
C080435	165.86	166.28	0.420		
C080436				BLANK	
C080437	166.28	167.30	1.020		
C080438	167.30	168.80	1.500		
C080439	168.80	170.25	1.450		
C080440	170.25	171.75	1.500		
C080441	171.75	173.15	1.400		
C080442	171.75	173.15	1.400	DUPLICATE	
C080443	173.15	173.80	0.650		
C080444	173.80	174.30	0.500		
C080445	174.30	175.78	1.480		
C080446	175.78	177.30	1.520		
C080447	177.30	178.80	1.500		
C080448	178.80	180.30	1.500		
C080449	178.80	180.30	1.500	CHECK ASSAY	
C080450				STANDARD 1A	0.88

From-To Sheet for DDH80-47					
Sample Number	Interval		Width (m)	Type of Sample	Au (g/T)
	From	To			
C080451	180.30	181.80	1.500		
C080452	181.80	183.30	1.500		
C080453	183.30	184.70	1.400		
C080454	184.70	186.10	1.400		
C080455	186.10	187.63	1.530		
C080456				BLANK	
C080457	187.63	188.80	1.170		
C080458	188.80	190.00	1.200		
C080459	190.00	191.44	1.440		
C080460	191.44	192.33	0.890		
C080461	192.33	193.80	1.470		
C080462	192.33	193.80	1.470	DUPLICATE	
C080463	193.80	195.26	1.460		
C080464	195.26	196.75	1.490	EOH	

GEOTECHNICAL SUMMARY SHEET

PROJECT: Dublin Gulch - 1735	
DRILL HOLE NO: DDH80-47	
Date Started: August 3, 2006	**Date Completed:** August 4, 2006
Geoteched By: Stacy Doyle, Jason Kindrat, Marc Mains	
Contractor: Bema Industries Ltd. (#80-06)	
Hole Size: NQ	**Core Size:** NQ
Total Depth: 197.21m	**Elevation:** 1377.9m
Average RQD: 60.9%	**Average Recovery Rate:** 97.1%

	Easting	**Northing**
DDH NAD27	462769.8	7100365.7
NAD27	462780.47	7100362.121
NAD83	462681.33	7100540.93
	Azimuth	**Dip**
Original	90	-70
End of Hole (101.8m)	190	-72
Additional Comments:	Boxes 1 & 2 are missing due to being pinched within old core rack. The NAD 27 coordinates are historical in nature and were shifted based upon the Sept 2005 Underhill survey +10.670 mE and -3.579mN.	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DDH80-47____ Sheet:__1__ of __2__

Date:__August 3-4, 2006_____ Hole Size:__NQ_____ Easting:_____ Elev:_____

Logged by:_Tech Crew_____ Core Size:__NQ_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
MSED	12.5	18.1	5.6	5.35	96	0.27	5	R3/R4	-	FS/FR	3	PR					1	PS	0	95	Box 3; 1/2 Cut Core
GND/ MSED	18.1	23.8	5.7	4.95	87	2.96	52	R3	-	FR	12	IR	3	PS/PR	2	PS/PR			0	48	1/2 Cut Core
	23.8	29.1	5.3	5	94	3.62	68	R3	-	FS/FR	27	UR/PS	1	CR	2	IR			0	32	
	29.1	35.2	6.1	5.81	95	2.38	39	R3	-	FS/FR	39	SS/PS	4	PR/SS	2	US	2	CR	0	61	
MSED	35.2	41	5.8	5.44	94	1.84	32	R3	-	MW/FR	31	SS/CS	2	PS					3	65	
	41	46.8	5.8	5.7	98	3.18	55	R3	-	FS/FR	38	PS/PR	1	PS	1	PS			0	45	
	46.8	51.9	5.1	4.58	90	1.4	27	R3	-	FR	28	CR/PS							2	71	
	51.9	58.1	6.2	6.13	99	3.94	64	R3	-	FR	25	PS/CS	13	CR/PR	4	CR/PR			5	31	
	58.1	63.6	5.5	5.36	97	3.11	57	R3	-	FR	29	PS/SS	9	CR/PR	5	CS/PR			0	43	
	63.6	69.2	5.6	5.49	98	3.94	70	R3	-	MW/FR	43	PS/PR	1	IR	1	IR			0	30	
	69.2	74.9	5.7	5.59	98	4.69	82	R3	-	FR	46	PS/PR	1	IR			1	PR	0	18	
	74.9	80.7	5.8	5.69	98	4.62	80	R3	-	FR	36	PR/IR			3	PR	1	PR	0	70	
	80.7	86.5	5.8	5.67	98	0.74	13	R4	-	FR	5	UR	1	US			5	UR/SR	0	87	1/2 Cut Core
GND	86.5	92.33	5.83	5.77	99	4.97	85	R3/R4	-	FR	20	PS/PR	2	CR	2	PS	3	US/PR	0	15	
GND/ MSED	92.33	98.21	5.88	5.53	94	1.93	33	R3	-	FR	12	PS/IR	12	PS/IS	12	UR/PR			0	67	1/2 Cut Core
MSED	98.21	103.8	5.59	5.43	97	4.46	80	R3	-	FR	37	CR/PS			1	PR			0	20	
	103.8	109.6	5.8	5.8	100	4.93	85	R3	-	FR	43	IR/PR			3	PS	3	PR	0	15	
MSED/ GND	109.6	115.2	5.6	5.6	100	4.93	88	R3	-	FR	29	IR/PS	6	UR/CR			5	IS	0	15	
MSED	115.2	121.2	6	5.92	99	4.14	69	R3	-	FR	43	PS/PR					1	IR	0	31	
	121.2	126.6	5.4	5.31	98	2.78	51	R1/R3	-	HW/FR	34	PS/PR	2	IR			2	PS	2	47	
	126.6	132.7	6.1	6.02	99	4.63	76	R3	-	FR	37	PS/PR					1	PR	0	24	Some cut
	132.7	138.5	5.8	5.69	98	3.13	54	R3	-	FR	18	PS/PR							0	46	1/2 Cut Core
	138.5	144.5	6	5.91	99	2.35	39	R3	-	FR	28	PS/PR							0	61	Some cut
	144.5	150.1	5.6	5.44	97	5.31	95	R3	-	FR	35	PS/PR	1	SS					2	3	
	150.1	155.1	5	4.86	97	4.1	82	R3	-	FR	22	PS/PR					5	PS	0	18	
	155.1	161.6	6.5	6.5	100	3.14	48	R1/R3	-	FR	35	IR			1	IR	2	IS	6	46	
	161.6	167.3	5.7	5.7	100	3.09	54	R3	-	FR	24	PS/PR							0	46	
MSED/ GND	167.3	173.8	6.5	6.5	100	0.51	8	R1/R3	-	MW/FR	3	PR/SR			3	US/PS			10	82	Mostly Cut
GND	173.8	178.8	5	4.86	97	4.27	85	R3/R4	-	FS/FR	10	IR/SR	10	PR/CR	1	PS	3	UR	0	15	
	178.8	184.7	5.9	5.74	97	3.34	57	R3/R4	-	FS/FR	29	PS/IR	14	PS/SS	4	UR	3	PR	0	43	Sheeted vning

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DDH80-47____ Sheet:__2__ of __2__

Date:__August 3-4, 2006_____ Hole Size:__NQ_____ Easting:_____ Elev:_____

Logged by:_Tech Crew_____ Core Size:__NQ_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length										Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29		Fault Breccia / Gouge	Broken Core	
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
	184.7	190	5.3	5.14	97	5.09	96	R3	-	FR	20	UR/PR			10	UR/CR	4	PR/CR	0	4	V.Competent
	190	195.26	5.26	5.02	95	4.29	82	R3	-	FR	9	SR/PR	6	SR/CS	12	PR/UR			0	18	
	195.26	197.21	1.95	1.95	100	1.95	100	R3	-	FR	3	UR/PR			3	PR			0	0	EOH
	EOH																				

DRILL HOLE SUMMARY SHEET

HOLE NO.: DDH80-55

PROJECT: Dublin Gulch - 1735

GROUND ELEVATION: 1385

BEARING: 90 | DIP: -70°

DATE STARTED: 31-Aug-80 | DATE COMPLETED: 6-Sep-80

HIST COORD SYSTEM: NAD 27: E: 462909.3 N: 7100282.2

REAL COORD SYSTEM: NAD 27: E: 462919.97 N: 7100278.621

COORD SYSTEM: NAD 83: E: 462820.831 N: 7100457.434

LOGGED BY: K. Ferguson and Jesse Kirkby

SECTION LINE(historic grid)

CONTRACTOR: BEMA Industries Ltd. for Canada Tungsten Mining Corp. Ltd.

DRILLING DETAILS

Hole Diameter: NQ

Overburden: 3.1 m

Deviation:

Casing: 3.1 m

Core Size: NQ

Cement (# Bags): 0

Plug Depth: N/A

Notes: No plug necessary.

SAMPLING DETAILS

Sample Sequence:

Requisition #: | Date Shipped:

Lab Record #: | Date Received:

Sample Sequence:

Requisition #: | Date Shipped:

Lab Record #: | Date Received:

Duplicates:	C080482	C080902	C080922	C080942	C080962	C080982	C082862	
Preparation Duplicate/ Check Assay:	C080469	C080489	C080909	C080929	C080949	C080969	C080989	
Standards:	C080470	C080490	C080910	C080930	C080950	C080970	C080990	
Blanks:	C080476	C080496	C080916	C080936	C080956	C080976	C080996	C082856

Clinometer tests.

DEPTH (m)	AZI (Orig)	DIP (Orig)	AZ (Corr)	
0.00	not taken	-70.0	90	
168.50	18.5	-71.5	87	

FROM	TO	LITHOLOGY

FROM	TO	ALTERATION

FROM	TO	MINERALIZATION (Veins)

ASSAY INTERCEPTS

FROM:	TO:	INT:	Au (g/t)	SAMPLE QUALITY:

COMMENTS: (Ground conditions, fracture zones, water flows, drilling problems)

The NAD 27 historical coordinates were shifted based upon the Sept 2005 Underhill survey +10.670 mE and -3.579mN to get the NAD 27 Real coordinates. Those coordinates were then converted with NTv2 to get the NAD83 coordinates.

DRILL LOG LEGEND P1

DRILL HOLE # : DDH80-55

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS										% of VEIN & DISSEMINATED MATERIAL														Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																Selvages				Sulphides								Oxidation												
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
0	0m to 3.1m	0.00	3.10	Overburden.																																		
85	3.10m to 19.89m	3.10	19.89	BQS. Medium grained, medium grey to green colour. Weak to moderate oxidation and silicification and weak chloritization throughout. Some fracturing throughout, near top of hole largely along foliation, other is low angle and present throughout. Foliation has an angle to core axis between 80 and 90. Carbonate veins are present, but rare, with a low angle preferred orientation, parallel to fractures. Qtz veins are present but very rare with no preferred orientation.	3		1		2																								C080465	3.10	4.60			
																																	C080466	4.60	6.15			
											1	4	0.2	0.2	20																			C080467	6.15	7.62			
											3	4	0.2	0.5	30	20																		C080468	7.62	9.09			
																																		C080469				CHECK ASSAY	
																																		C080470				STANDARD 1A	
											1	4	0.2	0.2	30																			C080471	9.09	10.62			
				Sample material is broken into angular pieces with fracture surfaces showing moderate to high oxidation throughout.																																C080472	10.62	12.15			
																																		C080473	12.15	13.68			
																																		C080474	13.68	15.06			
											1	1	0.3	0.3	40																			C080475	15.06	16.26			
																																		C080476				BLANK	
											2	4	0.3	0.4	20	30																		C080477	16.26	17.59			
											1	4	0.2	0.2	30																			C080478	17.59	18.88			
																																		C080479	18.88	19.89			
10	19.89m to 30.74m	19.89	30.74	GND. Medium to fine grained, high biotite content. Medium grey colour. Chlorite alteration associated with qtz veins, oxidation associated with carbonate veins and fractures. Qtz and carbonate veins present throughout, no preferred orientation discernable. Qtz or fspar rich area's near contacts.																														C080480	19.89	21.17			
											1	5	0.3	0.3	20																			C080481	21.17	22.70			
																																		C080482				DUPLICATE	
				Deformed qtz veins in section, orientation not discernable, 1.2cm across.																															C080483	22.70	24.30			
											3	4	0.3	0.6	30		0.8	cb/chl	3															C080484	24.30	25.82			
											2	4	0.4	0.6	20		3.0	cb/chl	3															C080485	25.82	27.17			
											5	4	0.4	1.0	30	45	4.0	cb/chl	2															C080486	27.17	28.37			
				Section is one large and broken qtz vein/dyke (?).																															C080487	28.37	28.91			
											1	5	0.3	0.3	20		1.4	q	3															C080488	28.91	29.61			
																																		C080489				CHECK ASSAY	
																																		C080490				STANDARD 2B	
											4	4	0.6	1.3	30	40	8.0	q/cb	4															C080491	29.61	30.74			
											1	3	0.3	0.3	20																			C080492	30.74	31.80			
85	30.74m to 41.20m	30.74	41.20	BQS - dark grey, medium grained, banded & foliated. Foliations and banding 80-90 to CA. Few veins throughout section at low angles, some qtz stringers. 10cm GND finger at 38.05 and a 4cm finger at 38.64. GND is bleached yellow/white along fractures. Trace Sphalerite in qtz vein at 40.90m.									1	3	0.3	0.3	20		3.0	q/cb	3															C080493	31.80	33.33			
											2	1	0.3	0.5	25	20	2.0	q/cb	3															C080494	33.33	34.86			
																																		C080495	34.86	36.39			
																																		C080496				BLANK	
											1	4	0.2	0.2	45		1.0	q/cb	2															C080497	36.39	37.30			
				GND fingers from 38.05-38.15m and 38.60-38.64m. GND is bleached yellow/white along fractures.							1	4	0.4	0.4	60		2.0	cb/chl	3															C080498	37.30	38.83			
											2	3	0.2	0.4	20	25	1.0	q/cb	2															C080499	38.83	40.36			
				Trace sphalerite in qtz vein.							1	1	1.0	1.0	20		0.5	q/cb	3						0.5									C080500	40.36	41.20			
80	41.20m to 51.50m	41.20	51.50	MSED. Skarn and subskarn. Light grey to light green, laminated and massive. Foliations from 60-90 to CA. BQS interbedded throughout unit. Low veining, most veins <.5cm and at low angles. Trace py and Sphl present on fracture surfaces along qtz veins.							1	4	0.2	0.2	25																					C080901	41.20	42.56			
																																		C080902				DUPLICATE	
																																		C080903	42.56	44.07			
											1	4	0.2	0.2	30		0.5	q/cb	1															C080904	44.07	45.62			

DRILL LOG LEGEND P1

DRILL HOLE # : DDH80-55

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS									% of VEIN & DISSEMINATED MATERIAL													Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																Selvages				Sulphides								Oxidation										
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
				Trace Py and Sphl in low angle 1.5cm qtz vein. Slickensides on fracture surface at 47.10m, oxidized sulphides and possible fresh Py on fracture surface.				Tr			1	3	1.5	1.5	10		0.5	cb	2		0.1					0.1							C080905	45.62	47.15			
				Oxidized sulphides and fresh py on fracture surface of qtz vein at 47.15m. Slickensides on fracture surface.							1	1	1.0	1.0	30		3.0	q/cb	4		0.1												C080906	47.15	48.77			
											1	4	0.2	0.2	20		0.5	cb	3													C080907	48.77	49.77			
											2	3	0.2	0.4	30		0.5	q/cb	2													C080908	49.77	50.80			
																																C080909				CHECK ASSAY	
																																C080910				STANDARD 2B	
																																C080911	50.80	51.50			
85	51.50m to 56.09m	51.50	56.09	BQS. Light to dark grey, medium to fine grained, banded and foliated at 70-85 to CA. Highly deformed w/ small folds. Trace disseminated py along fractures throughout. Slickensides on fresh py. Few qtz/cb veins, all <.4cm wide.							1	3	0.2	0.2	20		0.5	q/cb	3														C080912	51.50	53.03			
											2	4	0.4	0.7	20	25	2.0	q/cb	3													C080913	53.03	54.56			
				Trace disseminated py throughout section.							1	4	0.3	0.3	20		1.0	q/cb	2													C080914	54.56	56.09			
80	56.09m to 58.60m	56.09	58.60	MSED. Diopside skarn. Light green, laminated and massive, interbedded with BQS. Foliations at 80-85 to CA. Few qtz or cb veining. Trace fresh py on cb vein at 56.10m.							1	4	2.0	2.0	10		1.0	cb	4		0.1			0.1									C080915	56.09	57.62			
																																C080916				BLANK	
											1	4	0.2	0.2	25		0.5	cb	2													C080917	57.62	58.60			
10	58.60m to 60.50m	58.60	60.50	GND sill. Light grey - green, medium to coarse grained, bleached yellow in small zones. Few cb veinlets throughout at low angles to CA. No visible sulphides in veinlets.							3	3	0.2	0.6	40		0.5	q	2														C080918	58.60	60.03			
											1	3	0.3	0.3	35		4.0	q/cb	4													C080919	60.03	60.50			
80	60.50m to 66.62m	60.50	66.62	Skarn - light grey to light green, massive and laminated with BQS interbeds. Scheelite present (historic logs). Minor folding throughout. Foliations at 74-85 to CA. Trace py and sphl along veinlet fracture faces.							1	4	0.4	0.4	10		1.0	q/cb	3		0.1					0.1							C080920	60.50	62.03			
											1	3	0.2	0.2	15		0.5	q/cb	2													C080921	62.03	63.56			
																																C080922				DUPLICATE	
											1	4	0.8	0.8	20		1.0	q/cb	2													C080923	63.56	65.09			
											3	4	0.3	0.7	20		1.0	cb	3													C080924	65.09	66.62			
85	66.62m to 127.07m	66.62	127.07	BQS. Light to dark grey, medium grained. Qtz and cb stringers at low angles throughout zone. Small tight folds throughout. Light grey, fine-med grained aplitic dikelets intersect BQS at 73.95 74.02m, 76.50-76.69m, 81.15-81.8m, 91.79-91.83m, and 91.95-92.53m all at 35 to CA. Skarn, light green, foliated 80-85 to CA, interbedded w/ BQS from 110.23 - 114.55m and 120.80-124.24m. Disseminated po from 94.26 - 95.79m and 102.68 to 104.21m.							2	3	1.0	1.4	30	20	3.0	cb	4							0.1							C080925	66.62	68.15			
											2	4	0.3	0.5	15		1.0	cb	2													C080926	68.15	69.68			
											2	3	0.8	1.2	30	20	4.0	cb	4													C080927	69.68	71.21			
				Low angle silicified cb veinlets throughout.							2	3	0.2	0.2	20		1.0	q/cb	2													C080928	71.21	72.74			
																																C080929				CHECK ASSAY	
																																C080930				STANDARD 7G	
				Aplitic dikelet from 73.95-74.02m, dikelet is in broken section, intersection with BQS at 35 to CA from historical logs. No veining, only minor low angle qtz stringers.																												C080931	72.74	74.27			
				Small tight folds throughout section.							2	1	0.4	0.8	35		1.0	q	1													C080932	74.27	75.90			
				Aplitic dikelet from 76.50-76.69m, cuts BQS at 35 to CA. Very low angle, 5-15 to CA, qtz stringers radiate from dikelet. Stringers have 0.5-3.0cm cb selvages. Qtz vein crosscuts Aplitic dikelet at 76.65m at 10 to CA. No visible sulphides.							1	1	0.6	0.6	10		1.0	cb	3													C080933	75.90	77.43			
				Cross cutting low angle veinlets w/ cb selvages.							3	4	0.3	0.8	5	170	5.0	cb	4													C080934	77.43	78.96			
				Trace sphl on veinlets.							3	4	1.0	2.0	30	20	3.0	q/cb	4							0.5						C080935	78.96	80.49			
																																C080936				BLANK	
				Aplitic dikelet from 81.15-81.8m, high angle qtz veinlets throughout dikelet. Sheeted cb veinlets at 30 to CA at 82.02m in BQS.							3	4	0.3	0.7	30		4.0	cb	3													C080937	80.49	82.02			
				Trace sphl in veinlets. Altered qtz/cb zone from 82.14-82.28m, zone is light green colour, med grained, fresh py along fracture at 45 to CA.							2	3	0.4	0.8	35		2.0	q/cb	3							0.1						C080938	82.02	83.55			
				Trace sphl in large 6cm qtz vein at 84.70m. Crosscutting veinlets at 84.15m.							4	1	6.0	6.8	40	120	2.0	q/cb	3							0.1						C080939	83.55	85.08			
											2	1	5.0	5.4	35	40	3.0	cb	3							0.1						C080940	85.08	86.61			
											1	4	0.3	0.3	20		2.0	cb	3													C080941	86.61	88.14			
																																C080942				DUPLICATE	
																																C080943	88.14	89.67			
				Fresh py on 4cm qtz vein at 90.55m. Qtz/cb stringers throughout section.							1	1	4.0	4.0	50		5.0	q	4		2.0												C080944	89.67	91.20			

DRILL LOG LEGEND P1

DRILL HOLE # : DDH80-55

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages				% of VEIN & DISSEMINATED MATERIAL															Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																					Sulphides								Oxidation												
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
				Aplitic fingers at 91.79-91.83m and 91.95-92.53m. 4cm qtz vein cuts aplite finger at 20 to CA at 92.08m, trace py and sphl in qtz vein.							2	1	4.0	4.0	20		10.0	q	4		0.1					0.1							C080945	91.20	92.73			
				Limonite staining on cb stringers.							2	4	0.4	0.6	20		1.0	cb	2														C080946	92.73	94.26			
				Fresh po on qtz veins and disseminated po within qtz/cb bands.							2	1	4.0	7.0	60		2.0	q/cb	3			2.0											C080947	94.26	95.79			
											1	4	0.5	0.5	25		6.0	cb	4							0.1							C080948	95.79	97.32			
																																C080949				CHECK ASSAY	
																																C080950				STANDARD 1A	
				Disseminated Po on qtz band at 97.32m.							1	4	0.2	0.2	10		2.0	cb	3			0.5											C080951	97.32	98.85			
				Trace sphl on fracture surface of cb vein. Massive skarn from 99.05-99.25m, skarn is light green in colour, slightly banded at 85 to CA.							1	4	0.5	0.5	15		6.0	cb	3								0.5						C080952	98.85	100.18			
											1	4	0.2	0.2	30		2.0	cb	2														C080953	100.18	101.43			
				Fresh py in qtz eye at 102.38m. Light green subskarn interbedded at 102.10m.							1	4	0.2	0.2	20		2.0	cb	2		1.0												C080954	101.43	102.68			
				Minor fresh py and trace sphl in qtz/cb vein at 103.97m. Disseminated py throughout section along qtz rich band 75-85 to CA.							1	3	0.5	0.5	30		0.5	cb	3		2.0												C080955	102.68	104.21			
																																C080956				BLANK	
				Disseminated py along qtz veins.							1	4	0.5	0.5	30		4.0	q/cb	4		1.0												C080957	104.21	105.73			
				Fresh py along fracture surface at 10 to CA at 105.83m. Core fractured from 106.05-106.20.							2	4	0.2	0.2	25		0.5	cb	2		1.0												C080958	105.73	107.23			
				Fractured core from 108.20-109.10m.							1	3	1.0	1.0	65		6.0	q/cb	3							0.1							C080959	107.23	108.73			
				Small tight biotite-rich folds.							1	4	0.2	0.2	15		1.0	cb	3														C080960	108.73	110.23			
				Skarn, light green, foliated 80-85 to CA, interbedded w/ BQS from 110.23 - 114.55m.							1	3	0.5	0.5	10		1.0	cb	4							0.1							C080961	110.23	111.72			
																																C080962				DUPLICATE	
				Laminated pale green skarn from 12.75-14.25m, few veins.							1	4	0.2	0.2	15		0.5	cb	3							0.1							C080963	111.72	113.25			
				Laminated pale green skarn from 12.75-14.25m, few veins. Extensive small tight folds within BQS.							1	3	0.5	0.5	20		3.0	cb	4							0.1							C080964	113.25	114.78			
				Small tight folds. Limonite staining on fracture surfaces.							2	4	0.3	0.5	20	35	2.0	cb	3														C080965	114.78	116.31			
											1	3	0.8	0.8	10		2.0	q/cb	3														C080966	116.31	118.00			
				Limonite staining on fracture surfaces.							2	4	0.4	0.8	20		2.0	cb	4														C080967	118.00	119.53			
				Crosscutting veins at 30 and 150 to CA at 120.55m. Laminated pale green skarn from 120.80-121.40m.							3	3	1.0	1.6	30	150	6.0	cb	4		0.1					0.1							C080968	119.53	121.06			
																																C080969				CHECK ASSAY	
																																C080970				STANDARD 2B	
				Laminated pale green skarn from 120.80-121.40m. Core is loose powder from 122.00-122.10m.							3	4	0.6	1.5	30		3.0	cb	3							0.1							C080971	121.06	122.29			
											3	4	0.6	1.0	20	30	4.0	cb	4							1.0							C080972	122.29	123.17			
				Massive pale green skarn from 123.80-124.24m (disseminated scheelite from historical logs).							1	4	0.2	0.2	25		1.0	cb	2														C080973	123.17	124.47			
											2	4	0.3	0.6	20		2.0	cb	3														C080974	124.47	125.77			
											1	4	1.0	1.0	15		4.0	cb	4							1.0							C080975	125.77	127.07			
																																C080976				BLANK	
80	127.07m to 129.85m	127.07	129.85	Diopside skarn - light to dark green, medium grained, med grained scheelite present (historical logs), laminated skarn and minor BQS beds interbedded throughout section.							1	4	0.4	0.4	20		2.0	cb	2														C080977	127.07	128.45			
											1	3	0.4	0.4	25		1.0	q/cb	3														C080978	128.45	129.85			
85	129.85m to 152.06m	129.85	152.06	BQS / Skarn - Interbedded BQS and laminated to massive skarn. Massive diopside skarn interbedded with BQS and laminated skarn at 75-85 to CA from 142.30-148.08m, large scheelite crystals up to 20cm visible. Few veins present, minor low angle veinlets throughout. Small tight folds throughout BQS. BQS laminated at 75-85 to CA.							6	3	1.0	2.0	30	20	4.0	q/cb	4			5.0				1.0							C080979	129.85	131.25			
				BQS - extensive veinlets at 25-30 to CA through carbonate altered zone from 130.65-131.85m. Fresh py and sphl on veins. 5% fresh py on fracture surface at 129.90m.							6	3	1.0	2.0	30	20	4.0	q/cb	4			5.0				1.0							C080979	129.85	131.25			
											2	3	1.0	1.4	25		5.0	cb	4							0.1							C080980	131.25	132.65			
				No veins present, few veinlets.																												C080981	132.65	134.00			
																																C080982				DUPLICATE	
				Core fractured from 135.10-136.10m							1	4	0.3	0.3	20		2.0	cb	3														C080983	134.00	135.50			
				Core fractured from 135.10-136.10m. Low angle cb stringers throughout.							1	4	0.2	0.2	10		3.0	cb	4														C080984	135.50	137.00			
				Limonite staining on fracture surfaces.							2	4	0.3	0.5	20	40	1.0	cb	3														C080985	137.00	138.50			
				Massive light green skarn from 139.10 - 139.73m. No veining within massive skarn. Fine and disseminated scheelite within skarn (historical logs). Aplitic finger from 138.75-138.88m.							1	4	0.2	0.2	20		1.0	cb	2														C080986	138.50	139.75			

DRILL LOG LEGEND P1

DRILL HOLE # : DDH80-55

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS										% of VEIN & DISSEMINATED MATERIAL													Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
																Selvages				Sulphides							Oxidation											
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
				Pale green skarn from 139.73-140.12m. Aplitic fingers cross cut BQS at 20-50 to CA at 140.13 to 140.79m, fingers range from 2-5 cm thick. No veining.							0																					C080987	139.75	141.13			
				Massive green diopside Skarn from 142.30-143.28. Large scheelite crystals up to 2cm.							0																					C080988	141.13	142.53			
																																C080989				CHECK ASSAY	
																																C080990				STANDARD 7G	
				Massive green diopside Skarn from 142.30-143.28. Large scheelite crystals up to 2cm.							1	4	0.4	0.4	10		3.0	cb	4															C080991	142.53	143.93			
				Interbedded massive diopside skarn, BQS. No veining.							0																					C080992	143.93	145.08			
				Interbedded massive diopside skarn, BQS. Few low angle qtz/cb stringers.							1	4	0.3	0.3	10		2.0	cb	3															C080993	145.08	146.58			
				Massive skarn and diopside skarn. Large scheelite crystals (historical log). No veining.							0																					C080994	146.58	148.08			
				Zone of carbonate alteration and limonite staining from 148.90-149.08m. No veining.							0																					C080995	148.08	149.58			
																																C080996				BLANK	
				Core is split and highly fractured with poor recovery. No veining visible. Limonite staining throughout.							0																					C080997	149.58	150.81			
				Massive to laminated skarn. No veining.							0																					C080998	150.81	152.06			
10	152.06m to 175.66m	152.06	175.66	GND - Granodiorite dike/intrusion. Light grey to light green, medium grained, mafic-poor, highly altered, bleached to yellow throughout, limonite stained along fracture surfaces, core is crumbled from 166.92-168.65m, possible fault gouge, minor qtz/cb veining, minor qtz/cb veinlets cross cut unit, unit becomes more mafic-rich towards end from 172.10 - 175.66 (end).							2	3	5.0	5.5	30		6.0	q/s	4															C080999	152.06	153.59			
				Trace sphl on qtz vein, sericite alteration along selvages.							2	1	3.0	3.5	25		8.0	q/s	4							0.1								C081000	153.59	155.12			
				Altered zone from 155.65-156.50m, zone is very mafic-poor, bleached slightly yellow, limonite stained along fracture surface.							1	4	0.5	0.5	15		3.0	cb	3															C082851	155.12	156.65			
				Extensively altered, mafic-poor, bleached to yellow/green, limonite staining along fracture surfaces, few low angle veinlets, no veining.							0																					C082852	156.65	158.18			
				Section is highly altered, mafic-poor, bleached yellow, limonite stained. Core is highly fractured.							1	3	0.8	0.8	50		1.0	cb	2															C082853	158.18	159.71			
				Section is highly altered, mafic-poor, bleached yellow, limonite stained. Core is highly fractured.							1	4	1.0	1.0	10		0.5	q/cb	2															C082854	159.71	161.00			
											2	1	0.5	0.8	40	20	4.0	q/cb	4															C082855	161.00	162.53			
																																C082856				BLANK	
				Fresh sphl on qtz vein at 163.56m.							1	1	1.0	1.0	40		6.0	q/cb	4							1.0								C082857	162.53	164.06			
				Core is crumbled from 164.56-164.92m.							1	3	0.5	0.5	20		3.0	q/cb	3															C082858	164.06	165.59			
				Core is crumbled from 166.92-168.65m, possible fault gouge.							0																					C082859	165.59	167.12			
				Core is crumbled from 166.92-168.65m, possible fault gouge.							0																					C082860	167.12	168.65			
											1	1	0.8	0.8	25		4.0	cb	3															C082861	168.65	170.18			
																																C082862				DUPLICATE	
											1	3	0.8	0.8	20		2.0	q/cb	2															C082863	170.18	171.71			
											1	3	0.5	0.5	30		3.0	cb	3															C082864	171.71	173.24			
											2	4	0.4	0.8	20	30	2.0	cb	3															C082865	173.24	174.44			
											1	4	0.2	0.2	15		2.0	cb/s	2															C082866	174.44	175.66			
				END OF HOLE																																		

From-To Sheet for Hole DDH80-55					
Sample Number	Interval (m)		Width (m)	Type of Sample	Au (g/T)
	From	To			
C080465	3.10	4.60	1.50		
C080466	4.60	6.15	1.55		
C080467	6.15	7.62	1.47		
C080468	7.62	9.09	1.47		
C080469				CHECK ASSAY	
C080470				STANDARD 1A	0.88
C080471	9.09	10.62	1.53		
C080472	10.62	12.15	1.53		
C080473	12.15	13.68	1.53		
C080474	13.68	15.06	1.38		
C080475	15.06	16.26	1.20		
C080476				BLANK	
C080477	16.26	17.59	1.33		
C080478	17.59	18.88	1.29		
C080479	18.88	19.89	1.01		
C080480	19.89	21.17	1.28		
C080481	21.17	22.70	1.53		
C080482				DUPLICATE	
C080483	22.70	24.30	1.60		
C080484	24.30	25.82	1.52		
C080485	25.82	27.17	1.35		
C080486	27.17	28.37	1.20		
C080487	28.37	28.91	0.54		
C080488	28.91	29.61	0.70		
C080489				CHECK ASSAY	
C080490				STANDARD 2B	3.02
C080491	29.61	30.74	1.13		
C080492	30.74	31.80	1.06		
C080493	31.80	33.33	1.53		
C080494	33.33	34.86	1.53		
C080495	34.86	36.39	1.53		
C080496				BLANK	
C080497	36.39	37.30	0.91		
C080498	37.30	38.83	1.53		
C080499	38.83	40.36	1.53		
C080500	40.36	41.20	0.84		
C080901	41.20	42.56	1.36		
C080902				DUPLICATE	
C080903	42.56	44.07	1.51		
C080904	44.07	45.62	1.55		
C080905	45.62	47.15	1.53		
C080906	47.15	48.77	1.62		
C080907	48.77	49.77	1.00		
C080908	49.77	50.80	1.03		
C080909				CHECK ASSAY	
C080910				STANDARD 2B	3.02
C080911	50.80	51.50	0.70		
C080912	51.50	53.03	1.53		
C080913	53.03	54.56	1.53		
C080914	54.56	56.09	1.53		
C080915	56.09	57.62	1.53		
C080916				BLANK	

C080917	57.62	58.60	0.98		
C080918	58.60	60.03	1.43		
C080919	60.03	60.50	0.47		
C080920	60.50	62.03	1.53		
C080921	62.03	63.56	1.53		
C080922				DUPLICATE	
C080923	63.56	65.09	1.53		
C080924	65.09	66.62	1.53		
C080925	66.62	68.15	1.53		
C080926	68.15	69.68	1.53		
C080927	69.68	71.21	1.53		
C080928	71.21	72.74	1.53		
C080929				CHECK ASSAY	
C080930				STANDARD 7G	4.46
C080931	72.74	74.27	1.53		
C080932	74.27	75.90	1.63		
C080933	75.90	77.43	1.53		
C080934	77.43	78.96	1.53		
C080935	78.96	80.49	1.53		
C080936				BLANK	
C080937	80.49	82.02	1.53		
C080938	82.02	83.55	1.53		
C080939	83.55	85.08	1.53		
C080940	85.08	86.61	1.53		
C080941	86.61	88.14	1.53		
C080942				DUPLICATE	
C080943	88.14	89.67	1.53		
C080944	89.67	91.20	1.53		
C080945	91.20	92.73	1.53		
C080946	92.73	94.26	1.53		
C080947	94.26	95.79	1.53		
C080948	95.79	97.32	1.53		
C080949				CHECK ASSAY	
C080950				STANDARD 1A	0.88
C080951	97.32	98.85	1.53		
C080952	98.85	100.18	1.33		
C080953	100.18	101.43	1.25		
C080954	101.43	102.68	1.25		
C080955	102.68	104.21	1.53		
C080956				BLANK	
C080957	104.21	105.73	1.52		
C080958	105.73	107.23	1.50		
C080959	107.23	108.73	1.50		
C080960	108.73	110.23	1.50		
C080961	110.23	111.72	1.49		
C080962				DUPLICATE	
C080963	111.72	113.25	1.53		
C080964	113.25	114.78	1.53		
C080965	114.78	116.31	1.53		
C080966	116.31	118.00	1.69		
C080967	118.00	119.53	1.53		
C080968	119.53	121.06	1.53		
C080969				CHECK ASSAY	
C080970				STANDARD 2B	3.02
C080971	121.06	122.29	1.23		
C080972	122.29	123.17	0.88		
C080973	123.17	124.47	1.30		
C080974	124.47	125.77	1.30		
C080975	125.77	127.07	1.30		

C080976				BLANK	
C080977	127.07	128.45	1.38		
C080978	128.45	129.85	1.40		
C080979	129.85	131.25	1.40		
C080979	129.85	131.25	1.40		
C080980	131.25	132.65	1.40		
C080981	132.65	134.00	1.35		
C080982				DUPLICATE	
C080983	134.00	135.50	1.50		
C080984	135.50	137.00	1.50		
C080985	137.00	138.50	1.50		
C080986	138.50	139.75	1.25		
C080987	139.75	141.13	1.38		
C080988	141.13	142.53	1.40		
C080989				CHECK ASSAY	
C080990				STANDARD 7G	4.46
C080991	142.53	143.93	1.40		
C080992	143.93	145.08	1.15		
C080993	145.08	146.58	1.50		
C080994	146.58	148.08	1.50		
C080995	148.08	149.58	1.50		
C080996				BLANK	
C080997	149.58	150.81	1.23		
C080998	150.81	152.06	1.25		
C080999	152.06	153.59	1.53		
C081000	153.59	155.12	1.53		
C082851	155.12	156.65	1.53		
C082852	156.65	158.18	1.53		
C082853	158.18	159.71	1.53		
C082854	159.71	161.00	1.29		
C082855	161.00	162.53	1.53		
C082856				BLANK	
C082857	162.53	164.06	1.53		
C082858	164.06	165.59	1.53		
C082859	165.59	167.12	1.53		
C082860	167.12	168.65	1.53		
C082861	168.65	170.18	1.53		
C082862				DUPLICATE	
C082863	170.18	171.71	1.53		
C082864	171.71	173.24	1.53		
C082865	173.24	174.44	1.20		
C082866	174.44	175.66	1.22		
			EOH		

GEOTECHNICAL SUMMARY SHEET

PROJECT: Dublin Gulch - 1735		
DRILL HOLE NO: DDH80-55		
Date Started: July 31, 2006	**Date Completed:** August 1, 2006	
Geoteched By: Stacy Doyle, Jason Kindrat, Marc Mains		
Contractor: Bema Industries Ltd. (#80-06)		
Hole Size: NQ	**Core Size:** NQ	
Total Depth: 175.66m	**Elevation:** 1384.9m	
Average RQD: 37.2%	**Average Recovery Rate:** 96.6%	

	Easting	**Northing**
HIST NAD27	462909.3	700282.2
REAL NAD27 (shifted)	462919.97	7100278.621
NAD83	462820.831	7100457.434
	Azimuth	**Dip**
Original	90	-70
End of Hole (168.5m)	87	-71.5
Additional Comments:	Boxes 8-11, 22, and 25-26 all have cut core. The NAD 27 coordinates are historical in nature and were shifted based upon the Sept 2005 Underhill survey +10.670 mE and -3.579mN.	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DDH80-55____ Sheet:__1__ of __2__

Date:_July 31-August 1, 2006_____ Hole Size:__NQ_____ Easting:_____ Elev:_____

Logged by:_Tech Crew_____ Core Size:__NQ_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length										Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29		Fault Breccia / Gouge	Broken Core	
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
Casing	0	3.1	3.1		0		0		-												Casing
MSED	3.1	9.33	6.23	6.12	98	0.65	10	R3	-	FS/FR	12	PS/IR							0	90	
	9.33	15.06	5.73	5.56	97	0.52	9	R3	-	FS/FR	6	PS							0	91	
MSED/ GND	15.06	20.4	5.34	5.09	95	1.53	29	R3	-	FS/FR	16	PS/IR					2	PS	0	71	
GND	20.4	26.9	6.5	6.09	94	3.79	58	R3	-	FR	18	US/PR	4	PS			6	PR/IR	0	42	
GND/ MSED	26.9	31.8	4.9	4.82	98	3.02	62	R3/R4	-	MW/FR	17	PR/IR	4	IR			3	PR	0	38	
MSED	31.8	37.3	5.5	5.34	97	2.02	37	R3	-	FS/FR	23	PS/IS	2	PS	1	IS			0	63	
	37.3	42.56	5.26	5.03	96	2.17	41	R3	-	FR	26	PS	1	PS	1	SS			0	59	
	42.56	48.77	6.21	5.77	93	0	0	R4	-	FR									0	100	Cut Core
	48.77	54.18	5.41	4.78	88	0	0	R4	-	FR									0	100	Cut Core
MSED/ GND	54.18	59.74	5.56	5.46	98	0	0	R3/R4	-	FR									0	100	Cut Core
	59.74	65.8	6.06	5.88	97	0	0	R3	-	FR									0	100	Cut Core
MSED	65.8	71.2	5.4	5.23	97	2.96	55	R3	-	MW/FR	25	PS/US	2	IS			1	US	0	45	
	71.2	77.22	6.02	5.95	99	4.74	79	R3	-	FR	39	PS/SR	4	SS			4	IR/CS	0	21	
	77.22	82.95	5.73	5.73	100	5.2	91	R3	-	FR	24	IR/CR	7	SR/CR	3	US/SR	4	IS/PS	0	9	
	82.95	88.77	5.82	5.82	100	4.67	80	R3	-	FR	45	PS/CS					3	PR/PS	0	20	
	88.77	94.43	5.66	5.24	93	3.71	66	R3	-	MW/FR	27	PS/IS	5	PS					1	33	
MSED/ GND	94.43	100.18	5.75	4.95	86	4.01	70	R3	-	FR	33	PS/PR	3	IR			2	IR	0	30	
MSED	100.18	105.73	5.55	5.55	100	4.42	80	R3	-	FR	34	PS/IS					5	PR	0	20	
	105.73	111.72	5.99	5.84	97	2.7	45	R3	-	FS/FR	25	PS/PR	2	PS	1	SR			0	55	
	111.72	118	6.28	6.14	98	2.79	44	R3	-	FS/FR	27	PR/IR	2	PR			1	PR	0	56	1/2 Cut Core
	118	123.17	5.17	5.06	98	4.03	78	R0/R3	-	FS/FR	40	PS/IS	2	SS			2	PS	2	20	
	123.17	128.45	5.28	5.28	100	0	0	R3	-	FR									0	100	Cut Core
	128.45	134	5.55	5.55	100	3.44	62	R3	-	MW/FR	23	PS/PR	4	IR			1	SS	0	38	Sulphides
	134	139.73	5.73	5.62	98	2.03	35	R3	-	FS/FR	22	PS/PR	1	PS	1	PS			1	64	
	139.73	145.68	5.95	5.87	99	0	0	R0/R3	-	FS/FR									4	96	Cut Core
	145.68	150.81	5.13	4.93	96	0	0	R3	-	FS/FR									0	100	Cut Core
	150.81	156.74	5.93	5.65	95	1.77	30	R3	-	FS/FR	14	PR/IR					2	IR	0	70	
	156.74	161	4.26	4.18	98	1.05	25	R3	-	FS/FR	6	IR			2	PS	1	IS	3	72	
MSED/ GND	161	166.28	5.28	5.03	95	1.99	38	R1/R3	-	HW/FR	19	IR/PR					3	IR	4	58	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DDH80-55____ Sheet:__2__ of __2__

Date:_July 31-August 1, 2006_____ Hole Size:__NQ_____ Easting:_____ Elev:_____

Logged by:_Tech Crew_____ Core Size:__NQ_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length										Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE	Fault Breccia / Gouge	Broken Core	
	166.28	171.6	5.32	5.12	96	0.4	8	R0/R3	-	HW/FR	3	IR					1	PR	40	52	
GND	171.6	175.66	4.06	4.01	99	0.91	22	R1/R3	-	HW/FR	17	PR/IR			2	PR	1	PR	8	70	EOH
	EOH																				

DRILL HOLE SUMMARY SHEET

HOLE NO.: DDH80-58

PROJECT: Dublin Gulch - 1735

GROUND ELEVATION: 1396

BEARING: 90 | DIP: -70°

DATE STARTED: 6-Sep-80 | DATE COMPLETED: 11-Sep-80

HIST COORD SYSTEM: NAD 27: E: 462995.5 N: 7100582.3

REAL COORD SYSTEM: NAD 27: E: 463006.17 N: 7100578.721

COORD SYSTEM: NAD 83: E: 462907.027 N: 7100757.527

LOGGED BY: K. Ferguson

SECTION LINE(historic grid)

CONTRACTOR: BEMA Industries Ltd. for Canada Tungsten Mining Corp. Ltd.

DRILLING DETAILS

Hole Diameter: NQ

Overburden: 1.8 m

Deviation:

Casing: 1.8 m

Core Size: BQ

Cement (# Bags): 0

Plug Depth: N/A

Notes: No plug necessary.

SAMPLING DETAILS

Sample Sequence:

Requisition #: | Date Shipped:

Lab Record #: | Date Received:

Sample Sequence:

Requisition #: | Date Shipped:

Lab Record #: | Date Received:

Duplicates:	C080302	C080322	C080342	C080362	C080382	C080402	C080422	C080442
	C080462							
Preparation Duplicate/ Check Assay:	C080309	C080319	C080329	C080339	C080349	C080359	C080369	C080379
Standards:	C080310	C080330	C080350	C080370	C080390	C080410	C080430	C080450
Blanks:	C080296	C080316	C080336	C080356	C080376	C080396	C080416	C080436
	C080456							

Clinometer tests.

DEPTH (m)	AZI (Orig)	DIP (Orig)	AZ (Corr)	
0.00	not taken	-70.0	90	

FROM	TO	LITHOLOGY

FROM	TO	ALTERATION

FROM	TO	MINERALIZATION (Veins)

ASSAY INTERCEPTS

FROM:	TO:	INT:	Au (g/t)	SAMPLE QUALITY:

COMMENTS: (Ground conditions, fracture zones, water flows, drilling problems)

The NAD 27 historical coordinates were shifted based upon the Sept 2005 Underhill survey +10.670 mE and -3.579mN to get the NAD 27 Real coordinates. Those coordinates were then converted with NTv2 to get the NAD83 coordinates.

DRILL LOG LEGEND P1

DRILL HOLE # : DDH80-58

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages 0 = No Alteration 5 = Intense Alt'n
Ox. State 0 = No Oxidized Sulphides 5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41; **BQAH** = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION: From → To:	From:	To:	GEOLOGICAL DESCRIPTION	ROCK (Alteration): Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	VEINS: #/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages: Max (cm)	Alteration	(0-5)	Ox. State 0-5	% of VEIN & DISSEMINATED MATERIAL: Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other	Sample Number	Interval: From	To	Au (g/T)	Type of Sample	Vein Comments?
-1	0m to 1.8m	0.00	1.80	Overburden.																																	
85	1.8m to 27.8m	1.80	28.00	BQS. Medium grained, medium to light grey with limonite staining to 22.2m. Moderate clay alteration corresponding with the limonite staining and low silicification throughout. Veins are rare, some carbonate veins present, preferred orientation of ~20-30° and rare qtz veins with no preferred orientation. No sulfides visible in section. Banding in section occurs at 85° to core axis and fractures in section have a preferred orientation between 10° and 30°, carbonate veins seem to follow the fractures. Gouge and intense clay alteration at 5-5.2m, 9.20-9.26m,	2			2			1	4	0.2	0.2	20																100.0				C080059	1.80	3.20			
				Sample very broken and fractured.							2	4	0.2	0.3	30														100.0				C080060	3.20	4.80			
				Sample very broken and fractured. Gounge/clay alteration at 5-5.2m.																													C080061	4.80	5.49			
																																	C080062	4.80	5.49		Duplicate	
				Sample very broken and fractured.							1	4	0.2	0.2	20														80.0				C080063	5.49	6.47			
											3	4	0.3	0.6	20	30													80.0				C080064	6.47	8.04			
				Sample very broken and fractured. Gouge/breccia area at end of sample, 9.2-9.26m.							2	4	0.2	0.4	20	30													60.0				C080065	8.04	9.26			
				Sample very broken and fractured.							1	4	0.2	0.2	20														60.0				C080066	9.26	10.50			
											4	4	0.2	0.5	20	30													30.0				C080067	10.50	11.40			
											4	4	0.3	0.9	30	5													20.0				C080068	11.40	12.81			
																																	C080069	11.40	12.81		Check Assay	
																																	C080070				Standard 1A	
											2	4	0.2	0.3	20														50.0				C080071	12.81	13.70			
				Section has strong clay alteration and limonite staining, no veins.																													C080072	13.70	15.05			
				Section has strong clay alteration and limonite staining.							4	4	0.4	1.0	20	40													70.0				C080073	15.05	16.10			
				Section has strong clay alteration and limonite staining. Gouge/breccia section at 16.41-16.67m.							1	4	0.3	0.3	20														80.0				C080074	16.10	16.80			
				Section is very broken and has moderate to strong limonite staining and clay alteration, no veins.																													C080075	16.80	17.20			
																																	C080076				Blank	
											1	1	0.3	0.3	10														5.0				C080077	17.20	17.70			
											1	4	0.2	0.2	30														60.0									
				Section shows high fracture content, but is not too broken.							2	4	0.3	0.5	20	30													50.0				C080078	17.70	18.67			
											2	1	0.3	0.6	5														30.0				C080079	18.67	19.93			
											3	4	0.3	0.6	20	30													60.0				C080080	19.93	21.23			
											1	1	0.4	0.4	20														15.0				C080081	21.23	22.20			
											2	4	0.2	0.3	20	30													60.0									
																																	C080082	21.23	22.20		Duplicate	
											1	4	0.2	0.2	20														40.0				C080083	22.20	23.70			
											2	4	0.3	0.4	20														50.0				C080084	23.70	24.93			
				GND finger, very bleached.																													C080085	24.93	25.37			
				Section shows a pistachio green staining.							1	4	0.2	0.2	30														70.0				C080086	25.37	26.80			
											1	1	0.2	0.2	20														60.0				C080087	26.80	28.00			
80	28.00m to 33.60m	28.00	33.60	MSED. Diopside skarn, medium to light grey to dark to light green, medium grained. Weak silicificatation, banding/foliation is at 80°-90° to the core axis. Fracturing occurrence is low throughout section, but have an angle to core axis of 20°-30°. Qtz and carbonate veins are rare in section but have a similar preferred orientation to the fracturing, usually between 20°-30°. No visible sulfides in section. Qtz eyes and lenses are occur sporadically throughout. Small finger of qtz-diorite at 30.25m to 30.30m.					2																							C080088	28.00	29.19			
																																C080089	28.00	29.19		Check Assay	
																																C080090				Standard 2B	
				Small finger of qtz-diorite at 30.25m to 30.30m.							1	4	0.2	0.2	20														60.0				C080091	29.19	30.36			
											1	4	0.3	0.3	30														60.0				C080092	30.36	31.49			
											2	4	0.2	0.3	30														60.0				C080093	31.49	32.57			
											1	4	0.2	0.2	20														50.0				C080094	32.57	33.60			
											1	1	0.5	0.5	20																							
85	33.60m to	33.60	101.94	BQS. Medium grained, medium to light grey to muddy green colour. Low po moderate silicification throughout, low carbonate alteration near veins. Carbonate veins are common with preferred orientation of ~20-30° and less common qtz veins have generally low angle orientation. Rare trace sulfides in section, some trace aspy and some py on fracture surfaces, single occurrence of holy on fracture surface. Banding in section occurs at 85° to core axis and low amounts fractures in section have a preferred orientation between 10° and 30°, carbonate veins seem to follow the fractures. Historical logs indicate presence of massive sulfides (aspy, py) but these are not currently part of the core, may have been sampled out or removed later.																												C080095	33.60	34.77			
																																C080096				Blank	
											1	1	0.3	0.3	20																		C080097	34.77	36.22			
				GND fingers in section, both small, 3cm and 5cm.							1	4	0.4	0.4	30														60.0				C080098	36.22	37.28			
				Section shows bleaching and limonite staining associated with vein.							1	3	0.8	8.0	25		3.0	cb/q	4										30.0				C080099	37.28	38.75			
				2 GND fingers in section, 5cm and 8cm.							1	1	0.6	0.6	5																		C080100	38.75	39.70			
				GND section, no veins. Medium to fine grained, medium grey.																													C080101	39.70	40.25			
																																C080102	39.70	40.25		Duplicate	
				Qtz eyes and lenses common.							2	1	1.7	2.0	15		2.3	q	3														C080103	40.25	41.35			
											1	4	0.2	0.2	30														30.0									

DRILL LOG LEGEND P1

DRILL HOLE # : DDH80-58

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite
Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION				ROCK (Alteration)						VEINS						Selvages			% of VEIN & DISSEMINATED MATERIAL												Oxidation				Sample Number	Interval		Au (g/T)	Type of Sample	Vein Comments?
	From → To:	From:	To:		Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	#/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Max (cm)	Alteration	(0-5)	Ox. State 0-5	pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	oxide	scordite	biotite	other		From	To			
				Qtz eyes and lenses common.							1	4	0.2	0.2	30														80.0				C080104	41.35	42.55			
				Foliations finer, no qtz eyes/lenses.							1	4	0.2	0.2	20																		C080105	42.55	43.66			
											1	1	0.4	0.4	10		6.0	q	4													C080106	43.66	44.65			
											1	4	0.4	0.4	15													80.0									
											2	1	0.3	0.5	10		1.0	q	3					0.1								C080107	44.65	45.81			
				5 aplitic diorite fingers, 1-2cm each, in section, follow the foliation/banding,							1	4	0.2	0.2	20														90.0				C080108	45.81	47.26			
																																C080109	45.81	47.26		Check Assay	
																																C080110				Standard 6F	
											1	1	1.1	1.1	10		2.0	q	3									5.0				C080111	47.26	48.75			
				Foliation is much finer, no qtz eyes/lenses.							1	1	0.2	0.2	5																		C080112	48.75	50.25			
																																C080113	50.25	51.50			
				GND finger, 7cm, in section.							1	3	0.3	0.3	10																		C080114	51.50	52.40			
																																C080115	52.40	53.33			
																																C080116				Blank	
				GND finger, 12cm at end of section, no veins.							2	4	0.2	3.0	20														80.0				C080117	53.33	54.82			
											2	4	0.2	0.3	20													60.0				C080118	54.82	56.30			
				Section mostly QZZ with some BQS banding.							1	1	1.2	1.2	10		3.0	q	3									5.0				C080119	56.30	57.70			
											3	4	0.3	0.6	20													60.0									
				Selvage is also partially oxidized.							3	4	0.4	0.9	20		5.0	cb	4									40.0				C080120	57.70	59.17			
											2	4	0.2	0.3	20													30.0				C080121	59.17	60.50			
				Section begins and ends with GND, 18cm and 12cm respectively. Vein occurs in GND only.							1	1	0.3	0.3	5		0.3	q	2													C080122	59.17	60.50		Duplicate	
																																C080123	60.50	61.11			
											2	4	0.2	0.3	30													30.0				C080124	61.11	62.31			
											2	4	0.2	0.4	20													20.0				C080125	62.31	63.00			
											3	4	0.2	0.4	30													60.0				C080126	63.00	64.11			
				No veins in section.																												C080127	64.11	65.58			
											2	4	0.2	0.3	20													50.0				C080128	65.58	66.39			
																																C080129	65.58	66.39		Check Assay	
																																C080130				Standard 7G	
											1	4	0.2	0.2	20													30.0				C080131	66.39	67.18			
				No veins in section.																												C080132	67.18	68.38			
											2	4	0.3	0.5	30													10.0				C080133	68.38	69.72			
											1	4	0.2	0.2	20													30.0				C080134	69.72	71.18			
				No veins, cordierite.																												C080135	71.18	72.48			
																																C080136				Blank	
											2	4	0.4	0.6	30						0.1							40.0				C080137	72.48	73.97			
											1	1	0.5	0.5	20		0.3	q	3									5.0				C080138	73.97	75.45			
											1	4	0.2	0.2	30													30.0									
																																C080139	75.45	76.11			
				Po in qtz lenses/eyes, ~1% of sample, scordite associated as well.							1	4	0.2	0.2	30													50.0				C080140	76.11	77.11			
											1	1	0.4	0.4	20		1.4	q	3									5.0				C080141	77.11	78.20			
											1	4	0.2	0.2	30													40.0									
																																C080142	77.11	78.20		Duplicate	
											1	1	0.6	0.6	20		1.0	q	2												C080143	78.20	79.43			
				No veins in section, GND finger near beginning, 4cm.																												C080144	79.43	80.94			
				GND finger at end of sample, 8cm with qtz lenses in matrix.																												C080145	80.94	81.89			
											1	1	0.6	0.6	20		1.3	q	3												C080146	81.89	82.18			
											1	1	0.3	0.3	5		1.1	q	2												C080147	82.18	83.82			
				2 GND sections, 17cm and 9cm wide. The qtz veins cross cuts GND sections and banded BQS.							1	1	1.3	1.3	5		2.1	q	3												C080148	83.82	85.01			
																																C080149	83.82	85.01		Check Assay	
																																C080150				Standard 1A	
											1	1	2.1	2.1	15		1.4	q	3					0.1					0.1		C080151	85.01	86.47			
											1	1	0.2	0.2	20		0.3	q	3												C080152	86.47	87.88			
											2	1	0.4	0.7	30		0.3	q	3												C080153	87.88	89.30			
				Section very fractured and broken.							5	4	0.2	0.7	30																	C080154	89.30	90.00			
											2	1	0.3	0.5	20		0.2	q	2												C080155	90.00	91.20			
																																C080156				Blank	
											1	1	0.3	0.3	20		1.1	q	4												C080157	91.20	92.71			
				Large qtz blobs in section.							1	1	4.2	4.2	40																	C080158	92.71	93.50			
				Section moderately oxidized.							3	4	0.2	0.4	30													5.0				C080159	93.50	94.70			
				Large qtz sections in sample, 3-5cm.							1	4	0.2	0.2	20		0.2	cb/q	2													C080160	94.70	95.08			
											1	1	1.1	1.1	50																C080161	95.08	96.00			
																																C080162	95.08	96.00		Duplicate	

DRILL LOG LEGEND P1

DRILL HOLE # : DDH80-58

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: **-1** = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41; **BQAH** = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar, **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION: From → To:	From:	To:	GEOLOGICAL DESCRIPTION	ROCK (Alteration): Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	VEINS: #/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages: Max (cm)	Alteration	(0-5)	Ox. State 0-5	% of VEIN & DISSEMINATED MATERIAL: Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other	Sample Number	Interval: From	To	Au (g/T)	Type of Sample	Vein Comments?
				Section banding is blurred and less distinguishable, muddy green colour.							1	1	2.1	2.1	20																		C080163	96.00	97.05			
											1	4	0.3	0.3	35																						
				3 qtz blobs in section, up to 5cm across.							2	4	0.3	0.4	5	15																	C080164	97.05	98.36			
											1	1	1.7	1.7	5																	C080165	98.36	99.87			
				Molybdenum occurs in the same carbonate fracture vein as py at 30°.							2	4	0.3	0.5	5	30	1.0	cb/q	3		1.0							0.5									Molybdenum occurs with carbonate vein as well as py.
				No veins in section, high qtz content.																												C080166	99.87	101.25			
				Aplitic finger near end of section (1.7cm) with broken MSED pieces inside. No veins.																												C080167	101.25	101.94			
40	101.94m to 102.74m	101.94	102.74	Sample is aplitic dyke.							2	4	0.2	0.3	30																	C080168	101.94	102.74			
																																C080169	101.94	102.74		Check Assay	
																																C080170				Standard 1A	
80	102.74m to 107.00m	102.74	107.00	MSED, Diopside Skarn/subskarn. Medium grained, dark to light brown to dark to pale green colour. Weak to moderate silicification. Preferred orientation of foliation/banding is between 75 and 90. No qtz veins in section but occasional qtz lenses follow foliation. Rare carbonate veins. Only trace po found.			3		1																						C080171	102.74	103.52			
				Po found with very course grained diopside crystals (dark green). Less than 1% of sample.																												C080172	103.52	104.96			
				Po found with very course grained diopside crystals (dark green). Less than 1% of sample.							1	4	0.2	0.2	20																	C080173	104.96	106.26			
																																C080174	106.26	107.00			
85	107.00m to 120.33m	107.00	120.33	BQS. Medium grained, medium to light grey to muddy green colour. Low po moderate silicification throughout, low carbonate alteration near veins. Carbonate veins are common with preferred orientation of ~20-30° and less common qtz veins have generally low angle orientation. Rare trace sulfides in section, some trace aspy and some py on fracture surfaces, single occurrence of holy on fracture surface. Banding in section occurs at 85° to core axis and low amounts fractures in section have a preferred orientation between 10° and 30°, carbonate veins seem to follow the fractures. Historical logs indicate presence of massive sulfides (aspy, py) but these are not currently part of the core, may have been sampled out or removed later.			2		2																						C080175	107.00	108.22			
																																C080176				Blank	
				Aplitic dykelet, qtz vein within dykelet. Medium grained, light grey to white colour.							1	1	0.8	0.8	10										0.1								C080177	108.22	108.97			
				BQS. 2 small aplite fingers, (1cm or less), no veins.																												C080178	108.97	110.15			
																																C080179	110.15	110.80			
				Section is a muddy green, the foliation is becoming less distinct. No veins. Gouge section at end of sample, 40cm.																												C080180	110.80	111.68			
				Sample is a lighter green/grey, with qtz eyes/lenses, and foliation ha become indistinct. No veins in sample.																												C080181	111.68	112.96			
																																C080182	111.68	112.96		Duplicate	
											4	4	0.4	1.0	20	30	0.6	cb	3		0.1								10.0				C080183	112.96	114.41			
											1	4	0.2	0.2	20		0.2	cb/q	2														C080184	114.41	115.38			
				Partial aplitic intrusion and qtz section with the BQS.							2	4	0.3	0.6	20		1.5	cb	3														C080185	115.38	116.62			
											1	2	0.7	0.7	20		1.0	q	2										10.0				C080186	116.62	117.48			
											1	1	2.5	2.5	85																		C080187	117.48	118.83			
											3	4	0.4	0.8	20	30	4.0	cb	2														C080188	118.83	120.33			
																																C080189	118.83	120.33		Check Assay	
																																C080190				Standard 2B	
80	120.33m to 122.80m	120.33	122.80	MSED, Diopside Skarn/subskarn. Medium to coarse grained, dark to light brown to dark to pale green colour. Weak to moderate silicification. Preferred orientation of foliation/banding is between 75 and 90. No qtz veins in section but occasional qtz lenses follow foliation. Rare carbonate veins. Only trace po found. Calcite formations of large, euhedral crystals common throughout section.			3		1																						C080191	120.33	121.26			
				Po found in diopside mineral lens, trace in sample.																												C080192	121.26	121.98			
											1	4	0.2	0.2	20		0.3	cb/q	1														C080193	121.98	122.80			
10	122.80m to 138.50m	122.80	138.50	GND. Medium grained, medium to light grey. Low to moderate silicification with low to high bleaching associated with fractures, carbonate and qtz veins. Chlorite alteration associated with fractures. Fractures have a preferred orientation between 20 and 30, carbonate veins have a preferred orientation between 20 and 30 with rare deviations. Qtz veins are generally very low angle with some deviations. Rare aspy found with qtz veins.							1	1	0.8	0.8	5										0.1								C080194	122.80	124.13			
											2	4	0.3	0.6	25		0.3	cb	2																		
											2	1	0.8	1.0	20		0.3	q	2														C080195	124.13	125.02			
											2	4	0.3	0.5	20		0.3	k	1														C080196				Blank	
											1	1	0.7	0.7	30		4.0	q/chl	2														C080197	125.02	126.12			
											2	4	0.2	0.3	20																						
				Fractures with no deposited material have selvages with qtz/chl alteration.							1	4	0.2	0.2	20																		C080198	126.12	127.20			
				Fracture with no deposited material has selvage with qtz/cb alteration.							3	4	0.3	0.8	25																		C080199	127.20	128.40			
											5	4	0.3	0.9	20	15																	C080200	128.40	129.81			
											3	4	0.2	0.5	20	30	0.6	q/chl	2														C080201	129.81	131.25			
																																C080202	129.81	131.25		Duplicate	
											2	1	1.2	1.9	30	60	1.2	q/chl	2														C080203	131.25	132.66			
											3	4	0.3	0.7	25	70	2.3	cb/q	3										5.0									
											4	4	0.4	1.0	30														10.0				C080204	132.66	134.05			
				No veins but qtz and feldspar blobs present. Oxidize material associated.																												C080205	134.05	135.55			
											1	1	0.4	0.4	15		2.0	q/chl	3											2.0			C080206	135.55	136.98			

DRILL LOG LEGEND P1

DRILL HOLE # : DDH80-58

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar , **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION: From → To:	From:	To:	GEOLOGICAL DESCRIPTION	ROCK (Alteration): Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	VEINS: #/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages: Max (cm)	Alteration	(0-5)	Ox. State 0-5	% of VEIN & DISSEMINATED MATERIAL: Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other	Sample Number	Interval: From	To	Au (g/T)	Type of Sample	Vein Comments?
											1	4	0.4	0.4	40																		C080207	136.98	138.50			
85	138.50m to 151.03	138.50	151.03	BQS. Medium grained, medium to light grey to muddy green colour. Low to moderate silicification throughout, low carbonate alteration near veins. Carbonate veins are common with preferred orientation of ~20-30° and less common qtz veins have generally low angle orientation. Rare trace sulfides in section, trace aspy associated with qtz veins. Banding in section occurs at 85° to core axis and low amounts fractures in section have a preferred orientation between 10° and 30°, carbonate veins seem to follow the fractures.	1		2		2		2	4	0.3	0.5	70	10	2.5	q	3																C080208	138.50	139.16			
																																C080209	138.50	139.16		Check Assay	
																																C080210				Standard 2B	
				Sample very fractured and broken, veins present but size and orientation are indistinguishable. High proportion of qtz (pink), aspy appears with qtz - trace only.																													C080211	139..16	139.85			
																																C080212	139.85	141.16			
											2	1	0.4	0.7	40																		C080213	141.16	142.67			
											1	4	0.2	0.2	20																		C080214	142.67	144.12			
											1	4	0.2	0.2	30		0.3	cb/q	2														C080215	144.12	145.54			
																																	C080216				Blank	
																																	C080217	145.54	146.85			
											1	1	0.8	0.8	30		0.4	q	3						0.1								C080218	146.85	147.93			
											3	4	0.2	0.5	20	40	1.0	cb	1														C080219	147.93	149.15			
											1	1	0.2	0.2	20		0.2	q	3																		
											1	1	0.2	0.2	30																		C080220	149.15	150.43			
											1	4	0.2	0.2	5		1.5	q/cb	4														C080221	150.43	151.03			
																																	C080222	150.43	151.03		Duplicate	
10	151.03m to 155.70m	151.03	155.70	GND. Medium grained, medium to light grey. Low to moderate silicification with low to high bleaching associated with fractures, carbonate and qtz veins. Chlorite alteration associated with fractures. Fractures have a preferred orientation between 20 and 30, carbonate veins have a preferred orientation between 20 and 30 with rare deviations. Qtz veins are generally very low angle with some deviations. Rare aspy found with qtz veins.																													C080223	151.03	151.95			
											3	1	3.6	5.6	20	30	5.0	q/cb	4						0.1								C080224	151.95	152.60			
											1	4	0.2	0.2	20		0.2	cb/chl	2														C080225	152.60	154.10			
											3	4	0.3	0.7	20		4.0	q/chl	3														C080226	154.10	155.27			
											2	4	0.2	0.3	20	30	3.0	cb/chl	3														C080227	155.27	156.40			
85	155.70m to 174.44m	155.70	174.44	BQS. Medium grained, medium to light grey to muddy green colour. Low to moderate silicification throughout, low carbonate alteration near veins. Carbonate veins are common with preferred orientation of ~20-30° and less common qtz veins have generally low angle orientation. Rare trace sulfides in section, trace aspy associated with qtz veins. Banding in section occurs at 85° to core axis and low amounts fractures in section have a preferred orientation between 10° and 30°, carbonate veins seem to follow the fractures.								1	1	0.2	0.2	5		3.0	q/chl	3																C080228	156.40	157.65			
																																C080229	156.40	157.65		Check Assay	
																																C080230				Standard 1A	
				A 12cm wide aplite finger occurs in sample, no veins.																													C080231	157.65	158.86			
				No veins in sample, high qtz content in banding qtz eyes/lenses.																													C080232	158.86	159.85			
											1	4	0.3	0.3	20																		C080233	159.85	160.75			
				Qtx vein is confined to an aplitic finger, 15cm wide.							1	1	0.6	0.6	20																		C080234	160.75	161.75			
											3	4	0.3	0.5	20	40																						
				Sample has high qtz and no veins.																													C080235	161.75	162.84			
																																C080236				Blank	
				Banding is blurred and indistinct.							1	1	0.3	0.3	10		0.4	q	4														C080237	162.84	163.93			
											2	4	0.3	0.5	20																10.0			C080238	163.93	164.38			
				Sub-skarn sample, no veins in section.																													C080239	164.38	165.08			
				Aplitic dykelet sample, no veins in section.																													C080240	165.08	166.70			
											1	1	0.8	0.8	10										0.1								C080241	166.70	167.96			
																																	C080242	166.70	167.96		Duplicate	
											1	1	1.3	1.3	5																		C080243	167.96	168.98			
											2	4	0.2	0.4	20	30																						
											1	1	0.3	0.3	10																		C080244	168.98	169.86			
				Banding is blurred and indistinct, no veins in sample.																													C080245	169.86	170.95			
				Aplitic dykelet, no veins in sample.																													C080246	170.95	171.30			
				Sample very fractured and broken, core lost, no visible veins.																													C080247	171.30	172.20			
											2	2	0.6	1.0	30																		C080248	172.20	173.25			
																																	C080249	172.20	173.25		Check Assay	
																																	C080250				Standard 2B	
				No veins in sample.																													C080251	173.25	173.60			
80	174.44m to 178.24m	174.44	178.24	MSED, Diopside Skarn/subskarn. Medium to coarse grained, dark to light brown to dark to pale green colour. Weak to moderate silicification. Preferred orientation of foliation/banding is between 75 and 90. No qtz veins in section but occasional qtz lenses follow foliation. Rare carbonate veins.																													C080252	173.60	174.44			
				No veins in sample, trace po with diopside lenses.																													C080253	174.44	175.61			

DRILL LOG LEGEND P1

DRILL HOLE # : DDH80-58

0 = Unoxidized 0 = Unaltered
5 = Intensely Ox'd 5 = Intensely Altered

Carbonate
0 = No Effervescence
5 = Strong Effervescence

DRILL LOG LEGEND P2

Selvages
0 = No Alteration
5 = Intense Alt'n

Ox. State
0 = No Oxidized Sulphides
5 = All Sulph Oxidized

Lith Code: -1 = No Code; **OVB** = 1; **GND** = 10; **GND (fg)** = 11; **GNDD** (dyke) = 12; **QMON** = 20; **DIOR** = 25; **MGD** = 30; **APL** = 40; **FLCD** = 41
BQAH = 60; **BAH** = 61; **CHN** = 65; **QZZ** = 70; **MSED** = 80; **HFLS** = 81; **PHYL** = 82; **BQS** = 85; **QTZ** = 90; **FZ** = 92; **SZ** = 93

Selvage Alteration: **chl** = chlorite, **k** = K-spar, **s** = sericite, **q** = quartz/silica, **cb** = carbonate, **b** = biotite, **cc** = calcite

Vein Type: **1** = quartz, **2** = quartz/K-spar., **3** = quartz/carbonate, **4** = carbonate, **5** = quartz/chlorite, **6** = sulphide +/- quartz, **7** = sulfide +/- carbonate

UNIT CODE	GEOLOGICAL DESCRIPTION: From → To:	From:	To:	GEOLOGICAL DESCRIPTION	ROCK (Alteration): Oxide (ox)	Sericite (ser)	Chlorite (chl)	Clay (arg)	Carb (carb)	Other	VEINS: #/meter	Type	Max. (cm)	Total (cm)	Prim Ang V1	2nd Ang V2	Selvages: Max (cm)	Alteration	(0-5)	Ox. State 0-5	% of VEIN & DISSEMINATED MATERIAL: Sulphides: pyrite	pyrrhotite	chalcopyrite	arsenopyrite	bismuthite	sphalerite	visible gold	other	Oxidation: oxide	scordite	biotite	other	Sample Number	Interval: From	To	Au (g/T)	Type of Sample	Vein Comments?
				Banding is blurred and indistinct.							1	4	0.2	0.2	20																		C080254	175.61	176.97			
				Banding is blurred and indistinct.							2	4	0.3	0.5	20																		C080255	176.97	177.25			
																																	C080256				Blank	
											2	4	0.2	0.3	20	30																	C080257	177.25	178.24			
85	178.24m to 193.15m	178.24	193.15	BQS. Medium grained, medium to light grey to muddy green colour. Low to moderate silicification throughout, low carbonate alteration near veins. Carbonate veins are common with preferred orientation of ~20-30° and less common qtz veins have generally low angle orientation. Rare trace sulfides in section, trace aspy associated with qtz veins. Banding in section occurs at 85° to core axis and low amounts fractures in section have a preferred orientation between 10° and 30°, carbonate veins seem to follow the fractures.							3	4	0.2	0.4	20	70																	C080258	178.24	179.20			
											3	4	0.3	0.6	20	40																	C080259	179.20	180.30			
											1	4	0.3	0.3	20																		C080260	180.30	181.06			
											3	1	0.2	0.6	10	20						2.0											C080261	181.06	181.44			
																																		C080262	181.06	181.44		Duplicate	
											1	4	0.2	0.2	70		0.5	cb	3															C080263	181.44	182.86			
											1	4	0.3	0.3	20																		C080264	182.86	184.50			
																																		C080265	184.50	185.95			
																																		C080266	185.95	187.44			
				Section is dark brown/black, very little qtz. No veins in section.																															C080267	187.44	188.75			
											1	1	0.3	0.3	10																		C080268	188.75	190.10			
																																		C080269	188.75	190.10		Check Assay	
																																		C080270				Standard 2B	
											1	4	0.2	0.2	30		0.3	cb	2														C080271	190.10	191.69			
											2	4	0.3	0.5	20	30																	C080272	191.69	193.15			
80	193.15m to 197.24m	193.15	197.24	MSED, Diopside Skarn/subskarn. Medium to coarse grained, dark to light brown to dark to pale green colour. Weak to moderate silicification. Preferred orientation of foliation/banding is between 75 and 90. No qtz veins in section but occasional qtz lenses follow foliation. Rare carbonate veins.			3		2		1	4	0.2	0.2	35																		C080273	193.15	194.42			
											2	4	0.3	0.5	20																		C080274	194.42	195.60			
											2	4	0.2	0.3	20	30																	C080275	195.60	196.50			
																																		C080276				Blank	
											1	4	0.2	0.2	20																		C080277	196.50	197.94			
10	197.94m to 209.70m	197.94	209.70	GND. Medium grained, medium to light grey. Low to moderate silicification with low to high bleaching associated with fractures, carbonate and qtz veins. Chlorite alteration associated with fractures. Fractures have a preferred orientation between 20 and 30, carbonate veins have a preferred orientation between 20 and 30 with rare deviations. Qtz veins are generally very low angle with some deviations. Rare aspy found with qtz veins. Aplitic dye occurs at 204.41m to 206.57m, is medium to coarse grained with sugary texture, some carbonate veins and qtz veins.	1		1		1		2	2	0.2	0.3	30															10.0				C080278	197.94	199.42			
											2	1	0.8	1.1	30									0.1				2.0				C080279	199.42	200.66			
											1	1	0.2	0.2	2																	C080280	200.66	201.85			
											1	4	0.2	0.2																							
											2	4	0.3	0.5	30	50																	C080281	201.85	203.18			
																																		C080282	201.85	203.18		Duplicate	
											2	1	0.2	0.4	5	90																	C080283	203.18	204.41			
				Aplitic dykelet.							1	1	0.3	0.3	40																			C080284	204.41	205.26			
				Aplitic dykelet.							1	1	2.1	2.1	10											0.1								C080285	205.26	205.80			
											2	3	3.2	4.1	15																							
				Aplitic dykelet.							4	4	0.2	0.7	20	30																	C080286	205.80	206.57			
											2	1	0.2	0.4	15		6.0	cb/q	2														C080287	206.57	207.50			
											2	4	0.2	0.3	30																		C080288	207.50	208.70			
																																		C080289	207.50	208.70		Check Assay	
																																		C080290				Standard 7G	
											1	1	0.7	0.7	15																		C080291	208.70	209.70		EOH	Lost core at end of hole, missing 209.70m to 211.20m.

From-To Sheet for DDH80-58					
Sample Number	Interval		Width (m)	Type of Sample	Au (g/T)
	From	To			
C080059	1.80	3.20			
C080060	3.20	4.80			
C080061	4.80	5.49			
C080062	4.80	5.49		DUPLICATE	
C080063	5.49	6.47			
C080064	6.47	8.04			
C080065	8.04	9.26			
C080066	9.26	10.50			
C080067	10.50	11.40			
C080068	11.40	12.81			
C080069	11.40	12.81		CHECK ASSAY	
C080070				STANDARD 1A	0.88
C080071	12.81	13.70			
C080072	13.70	15.05			
C080073	15.05	16.10			
C080074	16.10	16.80			
C080075	16.80	17.20			
C080076				BLANK	
C080077	17.20	17.70			
C080078	17.70	18.67			
C080079	18.67	19.93			
C080080	19.93	21.23			
C080081	21.23	22.20			
C080082	21.23	22.20		DUPLICATE	
C080083	22.20	23.70			
C080084	23.70	24.93			
C080085	24.93	25.37			
C080086	25.37	26.80			
C080087	26.80	28.00			
C080088	28.00	29.19			
C080089	28.00	29.19		CHECK ASSAY	
C080090				STANDARD 2B	3.02
C080091	29.19	30.36			
C080092	30.36	31.49			
C080093	31.49	32.57			
C080094	32.57	33.60			
C080095	33.60	34.77			
C080096				BLANK	
C080097	34.77	36.22			
C080098	36.22	37.28			
C080099	37.28	38.75			
C080100	38.75	39.70			
C080101	39.70	40.25			
C080102	39.70	40.25		DUPLICATE	
C080103	40.25	41.35			
C080104	41.35	42.55			
C080105	42.55	43.66			
C080106	43.66	44.65			
C080107	44.65	45.81			
C080108	45.81	47.26			
C080109	45.81	47.26		CHECK ASSAY	

C080110				STANDARD 6F	2.77
C080111	47.26	48.75			
C080112	48.75	50.25			
C080113	50.25	51.50			
C080114	51.50	52.40			
C080115	52.40	53.33			
C080116				BLANK	
C080117	53.33	54.82			
C080118	54.82	56.30			
C080119	56.30	57.70			
C080120	57.70	59.17			
C080121	59.17	60.50			
C080122	59.17	60.50		DUPLICATE	
C080123	60.50	61.11			
C080124	61.11	62.31			
C080125	62.31	63.00			
C080126	63.00	64.11			
C080127	64.11	65.58			
C080128	65.58	66.39			
C080129	65.58	66.39		CHECK ASSAY	
C080130				STANDARD 7G	4.46
C080131	66.39	67.18			
C080132	67.18	68.38			
C080133	68.38	69.72			
C080134	69.72	71.18			
C080135	71.18	72.48			
C080136				BLANK	
C080137	72.48	73.97			
C080138	73.97	75.45			
C080139	75.45	76.11			
C080140	76.11	77.11			
C080141	77.11	78.20			
C080142	77.11	78.20		DUPLICATE	
C080143	78.20	79.43			
C080144	79.43	80.94			
C080145	80.94	81.89			
C080146	81.89	82.18			
C080147	82.18	83.82			
C080148	83.82	85.01			
C080149	83.82	85.01		CHECK ASSAY	
C080150				STANDARD 1A	0.88
C080151	85.01	86.47			
C080152	86.47	87.88			
C080153	87.88	89.30			
C080154	89.30	90.00			
C080155	90.00	91.20			
C080156				BLANK	
C080157	91.20	92.71			
C080158	92.71	93.50			
C080159	93.50	94.70			
C080160	94.70	95.08			
C080161	95.08	96.00			
C080162	95.08	96.00		DUPLICATE	
C080163	96.00	97.05			
C080164	97.05	98.36			
C080165	98.36	99.87			
C080166	99.87	101.25			
C080167	101.25	101.94			
C080168	101.94	102.74			

C080169	101.94	102.74		CHECK ASSAY	
C080170				STANDARD 1A	0.88
C080171	102.74	103.52			
C080172	103.52	104.96			
C080173	104.96	106.26			
C080174	106.26	107.00			
C080175	107.00	108.22			
C080176				BLANK	
C080177	108.22	108.97			
C080178	108.97	110.15			
C080179	110.15	110.80			
C080180	110.80	111.68			
C080181	111.68	112.96			
C080182	111.68	112.96		DUPLICATE	
C080183	112.96	114.41			
C080184	114.41	115.38			
C080185	115.38	116.62			
C080186	116.62	117.48			
C080187	117.48	118.83			
C080188	118.83	120.33			
C080189	118.83	120.33		CHECK ASSAY	
C080190				STANDARD 2B	3.02
C080191	120.33	121.26			
C080192	121.26	121.98			
C080193	121.98	122.80			
C080194	122.80	124.13			
C080195	124.13	125.02			
C080196				BLANK	
C080197	125.02	126.12			
C080198	126.12	127.20			
C080199	127.20	128.40			
C080200	128.40	129.81			
C080201	129.81	131.25			
C080202	129.81	131.25		DUPLICATE	
C080203	131.25	132.66			
C080204	132.66	134.05			
C080205	134.05	135.55			
C080206	135.55	136.98			
C080207	136.98	138.50			
C080208	138.50	139.16			
C080209	138.50	139.16		CHECK ASSAY	
C080210				STANDARD 2B	3.02
C080211	139..16	139.85			
C080212	139.85	141.16			
C080213	141.16	142.67			
C080214	142.67	144.12			
C080215	144.12	145.54			
C080216				BLANK	
C080217	145.54	146.85			
C080218	146.85	147.93			
C080219	147.93	149.15			
C080220	149.15	150.43			
C080221	150.43	151.03			
C080222	150.43	151.03		DUPLICATE	
C080223	151.03	151.95			
C080224	151.95	152.60			
C080225	152.60	154.10			
C080226	154.10	155.27			
C080227	155.27	156.40			

C080228	156.40	157.65			
C080229	156.40	157.65		CHECK ASSAY	
C080230				STANDARD 1A	0.88
C080231	157.65	158.86			
C080232	158.86	159.85			
C080233	159.85	160.75			
C080234	160.75	161.75			
C080235	161.75	162.84			
C080236				BLANK	
C080237	162.84	163.93			
C080238	163.93	164.38			
C080239	164.38	165.08			
C080240	165.08	166.70			
C080241	166.70	167.96			
C080242	166.70	167.96		DUPLICATE	
C080243	167.96	168.98			
C080244	168.98	169.86			
C080245	169.86	170.95			
C080246	170.95	171.30			
C080247	171.30	172.20			
C080248	172.20	173.25			
C080249	172.20	173.25		CHECK ASSAY	
C080250				STANDARD 2B	3.02
C080251	173.25	173.60			
C080252	173.60	174.44			
C080253	174.44	175.61			
C080254	175.61	176.97			
C080255	176.97	177.25			
C080256				BLANK	
C080257	177.25	178.24			
C080258	178.24	179.20			
C080259	179.20	180.30			
C080260	180.30	181.06			
C080261	181.06	181.44			
C080262	181.06	181.44		DUPLICATE	
C080263	181.44	182.86			
C080264	182.86	184.50			
C080265	184.50	185.95			
C080266	185.95	187.44			
C080267	187.44	188.75			
C080268	188.75	190.10			
C080269	188.75	190.10		CHECK ASSAY	
C080270				STANDARD 2B	3.02
C080271	190.10	191.69			
C080272	191.69	193.15			
C080273	193.15	194.42			
C080274	194.42	195.60			
C080275	195.60	196.50			
C080276				BLANK	
C080277	196.50	197.94			
C080278	197.94	199.42			
C080279	199.42	200.66			
C080280	200.66	201.85			
C080281	201.85	203.18			
C080282	201.85	203.18		DUPLICATE	
C080283	203.18	204.41			
C080284	204.41	205.26			
C080285	205.26	205.80			
C080286	205.80	206.57			

C080287	206.57	207.50			
C080288	207.50	208.70			
C080289	207.50	208.70		CHECK ASSAY	
C080290				STANDARD 7G	4.46
C080291	208.70	209.70		EOH	

GEOTECHNICAL SUMMARY SHEET

PROJECT: Dublin Gulch - 1735		
DRILL HOLE NO: DDH80-58		
Date Started: July 27, 2006	**Date Completed:** July 29, 2006	
Geoteched By: Stacy Doyle, Jason Kindrat, Mike Giasson, Marc Mains		
Contractor: Bema Industries Ltd. (#80-06)		
Hole Size: NQ	**Core Size:** NQ	
Total Depth: 211.23m	**Elevation:** 1396m	
Average RQD: 46.6%	**Average Recovery Rate:** 94.2%	

	Easting	**Northing**
HIST NAD27	462995.5	7100582.3
REAL NAD27 (shifted)	463006.17	7100578.721
NAD83	462907.027	7100757.527
	Azimuth	**Dip**
Original	90	-70
End of Hole		
Additional Comments:	The NAD 27 coordinates are historical in nature and were shifted based upon the Sept 2005 Underhill survey +10.670 mE and -3.579mN.	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DDH80-58____ Sheet:__1__ of __2__

Date:__July 27-29, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:___Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length								Fault Breccia / Gouge	Broken Core	Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE			
Casing	0	1.8	1.8		0		0		-												
	1.8	8.58	6.78	5.06	75	0	0	R1/R2	-	HW/FS									12	88	
	8.58	13.85	5.27	5.05	96	0.1	2	R1/R3	-	HW/FS	2	PR							2	96	
	13.85	18.41	4.56	3.98	87	0.11	2	R1/R3	-	HW/FS	2	PR							15	83	
	18.41	23.7	5.29	4.84	91	1.07	20	R3	-	FS	20	PR	2	CR			2	SR	0	80	
	23.7	29.19	5.49	4.57	83	1.48	27	R3	-	FS	24	PS/PR			1	SR			0	73	
	29.19	34.77	5.58	5.26	94	0	0	R3	-	FR/FS									0	100	
GND/ MSED	34.77	40.41	5.64	5.26	93	4.01	71	R3/R4	-	FR/FS	41	CR/PS	8	PR/IR			2	SR/PR	0	29	
MSED	40.41	45.75	5.34	4.88	91	3.79	71	R3/R4	-	FR/FS	35	PR	5	CR/PR	2	PR			0	29	
MSED	45.75	51.5	5.75	5.39	94	4.35	76	R3/R4	-	FR/FS	46	PS/PR	2	PR	2	PR	4	PR/SR	0	24	
GND/ MSED	51.5	57.7	6.2	5.84	94	4.3	69	R4	-	FR/FS	48	CR/PR	4	CS/PR			4	SR	0	31	
	57.7	62.87	5.17	5.01	97	4.89	95	R4	-	FS/FR	42	PR/SR	5	PR/SR	5	PR/SR	6	SR	0	5	
	62.87	68.38	5.51	5.03	91	3.3	60	R3/R4	-	FS/FR	32	PR/SR	2	PS	2	PR	1	SR	0	40	
	68.38	73.97	5.59	5.59	100	4.8	86	R4	-	FS/FR	32	PS/PR	6	PS/PR	4	PR/SR			0	14	
	73.97	79.43	5.46	5.06	93	4.23	77	R4	-	FS/FR	32	PS/PR	5	PR/CR	4	SR/CR			0	23	GND Intrusion
	79.43	85.01	5.58	5.07	91	4.28	77	R4	-	FS/FR	31	PS/PR	2	CS/PR	1	PR	2	SR/PR	0	23	
	85.01	90.4	5.39	5.14	95	4.34	81	R3/R4	-	FS/FR	28	PS/IS			3	PS	1	PS	0	19	
	90.4	95.08	4.68	4.53	97	3.46	74	R3/R4	-	FS/FR	26	PS/PR					2	IS	0	26	
	95.08	101.56	6.48	6.38	98	5.11	79	R3/R4	-	FS/FR	33	PS/PR					4	PR/SR	0	21	
MSED/ GND	101.56	107.4	5.84	5.41	93	0.14	2	R3	-	FR	1	IS	1	IS					0	98	CUT CORE
MSED	107.4	112.96	5.56	5.4	97	2.3	41	R0/R3	-	EW/FR	19	PS/PR			1	PR			5	54	
	112.96	118.26	5.3	5.08	96	2.69	51	R3	-	FS/FR	16	PS/PR	3	PR	3	IR/PR			0	49	
MSED/ GND	118.26	124.05	5.79	5.79	100	0.92	16	R3	-	FS/FR	6	PS/PR			2	SR/PS			0	84	
GND	124.05	129.81	5.76	5.76	100	4.55	79	R3	-	FS/FR	16	PS/PR			6	PS/IS			0	21	
	129.81	135.55	5.74	5.51	96	3.84	67	R3	-	FS/FR	11	PR	7	PR/IR	3	PR			0	33	
GND/ MSED	135.55	143.48	7.93	7.13	90	4.24	53	R3	-	FS/FR	16	PR	5	SS/SR	2	PS			0	47	
MSED	143.48	147.16	3.68	3.48	95	0	0	R3	-	FS/FR									0	100	
MSED/ GND	147.16	152.6	5.44	5.29	97	4.13	76	R3	-	FS/FR	25	PR	4	PS/IR	9	PS/IR			0	24	CUT CORE
	152.6	158.62	6.02	5.82	97	4.31	72	R3	-	FS/FR	21	PR/PS	6	IR/PR	2	PS/IR	1	IS	0	28	
MSED	158.62	163.93	5.31	4.98	94	3.18	60	R3	-	FS/FR	22	IR/PS	6	IR/PS	2	PS			0	40	

STRATAGOLD CORPORATION - GEOTECHNICAL CORE LOG - HOLE NO._DDH80-58____ Sheet:__2__ of __2__

Date:__July 27-29, 2006_____ Hole Size:_____ Easting:_____ Elev:_____

Logged by:___Tech Crew_____ Core Size:_____ Northing:_____ Azimuth:_____

Total Depth:_____ Dip:_____

Rock Type	Depth (m)		Length	Recovery		RQD		Hardness	Degree of Breakage	Degree of Weathering	Fracture Orientation and Count per Run Length										Additional Comments
											70 - 90		50 - 69		30 - 49		0 - 29				
	From	To	m	m	%	m	%				Count	TYPE	Count	TYPE	Count	TYPE	Count	TYPE	Fault Breccia / Gouge	Broken Core	
MSED/ GND	163.93	169.38	5.45	5.2	95	0	0	R3/R4	-	FS/FR									0	100	CUT CORE
MSED/ GND	169.38	174.93	5.55	5.05	91	3.72	67	R3/R4	-	FS/FR	40	PS/UR	2	IS	4	US	2	CS	0	33	
MSED	174.93	179.65	4.72	4.72	100	0.33	7	R3	-	FR			2	UR			2	UR	0	93	
MSED	179.65	186.15	6.5	6.5	100	2.53	39	R3	-	FS/FR	11	PS/US	3	CR/IR	2	US	4	PR/UR	0	61	
MSED	186.15	192.05	5.9	5.6	95	0	0	R4	-	FR									0	100	CUT CORE
MSED	192.05	197.57	5.52	5.32	96	0	0	R3	-	FR									0	100	CUT CORE
MSED/ GND	197.57	203.3	5.73	5.73	100	3.67	64	R3	-	FR	20	PR/IR	4	PR/UR	4	US/CS			0	36	
MSED/ GND	203.3	207.5	4.2	3.78	90	3.33	79	R3	-	FR	5	CR			6	IS/PS	17	UR/CR	0	21	
GND	207.5	211.23	3.73	3.6	97	1.14	31	R3	-	FS/FR	2	IR			2	PR/PS	6	IR/CR	0	69	EOH
	EOH																				

APPENDIX F

ALS Chemex Assay Certificates

- Drilling -

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-SEP-2006
Account: STRGOL

CERTIFICATE EL06069703

Project: Dublin Gulch1735

P.O. No.:

This report is for 266 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 18-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Zn-AA62	Ore grade Zn - four acid / AAS	AAS

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him/her and based on an evaluation of all engineering data which is available concerning any proposed project.

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method	WEI-21	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
C082145		6.30	0.116		<0.5	7.44	359	1600	3.0	6	2.57	<0.5	9	30	60	2.47
C082146		4.09	0.081		<0.5	7.61	110	1580	2.9	2	2.18	<0.5	8	33	56	2.09
C082147		4.07	0.177		<0.5	7.40	162	1600	2.7	14	1.88	<0.5	9	25	60	2.16
C082148		3.74	0.109		<0.5	5.02	83	800	1.8	5	1.57	<0.5	6	22	40	1.76
C082149		<0.02	0.114		<0.5	5.00	94	810	1.8	5	1.55	<0.5	6	22	41	1.73
C082150		0.10	0.402		1.8	8.22	7	1060	1.2	<2	1.37	<0.5	9	12	7450	3.09
C082151		3.93	0.406		<0.5	7.11	63	1630	2.9	28	2.20	<0.5	8	28	72	2.27
C082152		4.53	0.078		<0.5	7.74	280	1510	3.0	6	2.36	<0.5	8	25	46	2.35
C082153		4.13	0.111		<0.5	7.62	431	1660	3.0	6	2.48	<0.5	8	29	46	2.52
C082154		2.77	0.107		<0.5	7.20	56	1570	3.0	5	2.31	<0.5	7	29	51	2.33
C082155		2.76	0.035		<0.5	7.56	142	1600	3.0	3	2.20	<0.5	8	24	26	2.28
C082156		2.63	0.009		<0.5	0.14	14	40	<0.5	<2	21.2	<0.5	<1	3	2	0.11
C082157		2.29	0.063		<0.5	7.48	76	1600	3.2	7	2.55	<0.5	8	26	52	2.44
C082158		6.95	0.142		<0.5	7.21	45	1460	3.1	5	2.26	<0.5	6	27	63	2.22
C082159		3.93	0.048		<0.5	7.55	28	1500	3.4	3	2.51	<0.5	8	27	50	2.31
C082160		3.77	0.034		<0.5	7.50	120	1580	3.3	3	2.51	<0.5	9	32	27	2.47
C082161		1.98	0.016		<0.5	7.13	61	1480	3.1	3	2.39	<0.5	8	27	22	2.29
C082162		1.39	0.010		<0.5	7.61	20	1440	3.2	3	2.39	<0.5	8	31	20	2.45
C082163		1.43	3.21		<0.5	5.27	48	1130	1.6	54	1.58	<0.5	3	22	21	1.58
C082164		2.52	0.010		<0.5	7.16	51	1500	3.2	3	2.43	<0.5	7	30	23	2.38
C082165		2.36	0.069		<0.5	7.64	51	1500	3.2	4	1.80	<0.5	8	27	50	2.11
C082166		5.43	0.060		<0.5	7.84	39	1590	3.1	4	2.40	<0.5	7	27	43	2.40
C082167		3.72	0.049		<0.5	7.39	30	1590	3.3	4	2.33	<0.5	9	30	64	2.44
C082168		2.30	0.070		<0.5	7.49	39	1350	3.4	4	2.76	<0.5	9	27	46	2.27
C082169		<0.02	0.058		<0.5	7.65	35	1310	3.4	4	2.73	<0.5	10	27	45	2.30
C082170		0.10	1.475		<0.5	6.96	1220	700	6.1	3	0.01	<0.5	5	209	40	3.71
C082171		2.16	0.019		<0.5	6.98	11	1330	3.1	<2	2.25	<0.5	6	39	31	2.02
C082172		2.35	0.015		<0.5	7.19	24	1140	3.1	<2	1.60	<0.5	6	20	32	1.66
C082173		2.78	0.064		<0.5	7.24	29	1330	2.8	5	3.17	<0.5	7	48	47	2.16
C082174		2.97	0.028		<0.5	7.16	38	1410	2.7	2	2.61	<0.5	7	34	38	2.19
C082175		5.89	0.026		<0.5	7.59	65	1470	3.2	4	2.36	<0.5	7	27	36	2.15
C082176		1.62	0.095		<0.5	0.19	7	120	<0.5	<2	20.9	<0.5	<1	6	7	0.14
C082177		6.26	0.131		<0.5	7.59	59	1600	3.0	5	2.18	<0.5	8	30	69	2.36
C082178		6.11	0.034		<0.5	7.60	35	1560	3.3	4	2.38	<0.5	8	30	54	2.45
C082179		5.95	0.054		<0.5	7.15	34	1460	3.1	4	2.25	<0.5	8	31	61	2.18
C082180		5.62	0.394		<0.5	7.36	55	1610	3.0	6	2.27	<0.5	7	30	38	2.38
C082181		2.86	0.061		<0.5	7.43	78	1530	2.9	<2	3.21	<0.5	6	28	35	2.24
C082182		2.39	0.031		<0.5	7.73	94	1630	3.1	<2	2.63	<0.5	9	29	38	2.40
C082183		5.99	0.064		<0.5	7.85	88	1580	3.0	<2	2.34	<0.5	6	28	40	2.29
C082184		4.67	0.082		<0.5	7.76	17	1600	3.0	3	2.42	<0.5	7	29	45	2.40

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C082145		3.97	0.79	310	1	1.42	17	690	27	0.35	8	477	0.29	40	110	41
C082146		3.70	0.69	189	1	1.57	18	620	28	0.21	<5	473	0.28	36	20	32
C082147		4.12	0.53	181	8	1.39	21	630	19	0.19	5	426	0.29	35	40	30
C082148		2.31	0.57	172	5	0.86	15	460	11	0.19	7	211	0.19	23	60	21
C082149		2.25	0.57	170	5	0.86	14	450	15	0.20	8	211	0.19	24	70	21
C082150		3.63	1.11	463	2	3.30	11	1920	11	0.23	<5	654	0.33	167	<10	60
C082151		3.80	0.75	168	6	1.51	18	640	25	0.28	<5	449	0.29	37	160	26
C082152		3.69	0.75	197	2	1.66	19	620	21	0.23	<5	460	0.28	35	30	27
C082153		3.63	0.83	221	1	1.72	20	710	24	0.24	<5	497	0.33	40	80	34
C082154		3.81	0.80	180	1	1.63	20	650	17	0.26	5	455	0.31	37	90	25
C082155		3.76	0.80	221	<1	1.62	17	590	28	0.18	<5	435	0.28	34	20	39
C082156		0.03	11.60	136	<1	0.01	5	440	<2	0.02	<5	120	0.01	1	<10	8
C082157		3.57	0.83	227	4	1.74	20	700	21	0.27	<5	496	0.32	39	10	31
C082158		3.64	0.75	160	1	1.69	18	610	21	0.30	<5	451	0.27	33	30	21
C082159		3.54	0.79	197	1	1.77	19	650	21	0.25	<5	477	0.29	35	70	29
C082160		3.60	0.83	290	1	1.70	22	650	22	0.24	<5	484	0.32	38	10	47
C082161		3.60	0.75	264	1	1.80	16	630	24	0.17	<5	494	0.29	37	20	43
C082162		3.44	0.80	283	<1	1.77	21	640	27	0.17	<5	498	0.31	49	10	51
C082163		3.21	0.48	140	5	0.89	14	440	123	0.13	37	275	0.19	25	360	18
C082164		3.44	0.76	277	<1	1.78	22	650	24	0.18	<5	494	0.30	36	<10	45
C082165		3.90	0.67	153	1	1.67	23	630	24	0.21	<5	475	0.29	34	20	26
C082166		3.80	0.83	217	1	1.72	21	660	20	0.21	<5	526	0.30	37	80	34
C082167		3.53	0.78	188	1	1.74	24	670	21	0.25	<5	509	0.32	38	10	29
C082168		3.44	0.70	294	3	1.62	19	640	48	0.22	11	426	0.29	37	30	90
C082169		3.34	0.70	293	1	1.58	19	680	55	0.21	16	425	0.28	36	30	86
C082170		2.61	0.34	89	2	0.11	17	340	25	0.02	114	93	0.26	88	10	47
C082171		3.49	0.65	212	1	1.60	18	580	26	0.14	<5	428	0.26	31	20	40
C082172		3.96	0.54	148	<1	1.57	12	480	28	0.12	7	353	0.22	26	10	30
C082173		3.45	0.75	222	2	1.61	18	630	20	0.16	7	462	0.28	34	20	32
C082174		3.61	0.72	222	1	1.71	17	630	23	0.17	<5	460	0.28	34	20	34
C082175		3.90	0.74	187	1	1.68	19	610	23	0.20	<5	464	0.28	34	80	32
C082176		0.05	11.55	135	2	0.02	3	420	7	0.02	<5	117	0.01	3	<10	16
C082177		3.83	0.79	182	2	1.70	19	680	26	0.32	<5	497	0.30	36	20	28
C082178		3.63	0.82	205	1	1.73	21	650	24	0.25	<5	494	0.31	36	30	31
C082179		3.82	0.71	178	2	1.56	19	600	21	0.26	<5	423	0.30	35	60	27
C082180		3.45	0.78	232	2	1.75	20	660	28	0.17	<5	491	0.31	38	10	43
C082181		3.70	0.78	284	1	1.75	21	580	29	0.17	<5	538	0.30	37	50	46
C082182		3.56	0.83	268	2	1.83	20	650	31	0.20	<5	542	0.32	38	40	50
C082183		3.50	0.78	212	3	1.73	20	630	23	0.22	<5	501	0.31	37	20	35
C082184		3.46	0.84	199	4	1.76	23	650	25	0.20	<5	531	0.31	39	10	33

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method / Analyte / Units / LOR	Zn-AA62 / Zn / % / 0.01
C082145		
C082146		
C082147		
C082148		
C082149		
C082150		
C082151		
C082152		
C082153		
C082154		
C082155		
C082156		
C082157		
C082158		
C082159		
C082160		
C082161		
C082162		
C082163		
C082164		
C082165		
C082166		
C082167		
C082168		
C082169		
C082170		
C082171		
C082172		
C082173		
C082174		
C082175		
C082176		
C082177		
C082178		
C082179		
C082180		
C082181		
C082182		
C082183		
C082184		

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method	WEI-21	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
C082185		2.75	0.053		<0.5	7.53	27	1600	2.8	5	2.37	<0.5	7	28	42	2.43
C082186		4.41	0.066		<0.5	7.92	24	1610	3.0	4	2.55	<0.5	8	39	42	2.49
C082187		5.76	0.041		<0.5	7.87	8	1660	3.0	<2	2.44	<0.5	7	32	48	2.47
C082188		5.05	0.030		<0.5	7.95	24	1590	3.3	<2	2.45	<0.5	6	27	29	2.42
C082189		<0.02	0.022		<0.5	7.99	29	1580	3.2	<2	2.44	<0.5	5	27	28	2.41
C082190		0.11	2.72		<0.5	7.51	2110	720	11.9	4	0.02	<0.5	2	140	104	3.42
C082191		2.24	0.023		<0.5	7.53	30	1420	3.4	3	2.25	<0.5	8	28	36	2.32
C082192		2.58	0.036		<0.5	6.19	23	1190	2.6	5	1.89	<0.5	8	24	33	1.85
C082193		3.22	0.022		<0.5	7.71	30	1550	3.1	3	2.36	<0.5	7	29	31	2.33
C082194		1.87	0.084		<0.5	7.67	76	1690	3.0	4	2.28	<0.5	10	28	37	2.35
C082195		4.09	0.085		<0.5	7.95	115	1620	3.1	10	2.55	<0.5	8	30	47	2.61
C082196		1.91	<0.005		<0.5	0.10	<5	10	<0.5	<2	19.55	<0.5	<1	2	1	0.09
C082197		3.13	0.074		<0.5	7.44	19	1600	3.0	2	2.38	<0.5	7	29	43	2.39
C082198		4.32	0.086		<0.5	7.39	21	1520	2.8	6	2.41	<0.5	8	29	33	2.37
C082199		2.98	0.132		<0.5	7.52	60	1660	1.9	6	2.04	<0.5	7	26	75	2.02
C082200		3.42	0.028		<0.5	7.37	17	1530	3.2	5	2.40	<0.5	7	30	46	2.40
C082201		2.06	0.036		<0.5	7.92	17	1620	3.1	2	2.54	<0.5	9	28	66	2.55
C082202		1.97	0.024		<0.5	7.73	13	1530	3.0	2	2.53	<0.5	8	30	26	2.50
C082203		6.11	0.096		<0.5	8.02	45	1570	3.4	3	2.43	<0.5	8	30	52	2.50
C082204		2.27	0.188		<0.5	7.64	33	1590	3.3	8	2.40	<0.5	8	29	44	2.40
C082205		3.98	0.035		<0.5	7.78	35	1640	3.3	2	2.54	<0.5	9	33	34	2.56
C082206		5.42	0.028		<0.5	7.70	27	1600	3.3	4	2.41	<0.5	8	29	38	2.41
C082207		6.26	0.154		<0.5	7.42	37	1500	3.3	5	2.31	<0.5	9	30	30	2.21
C082208		5.12	0.488		<0.5	7.24	23	1340	3.2	15	2.07	<0.5	6	24	25	2.13
C082209		<0.02	0.789		<0.5	7.54	27	1430	3.5	10	2.23	<0.5	7	26	24	2.29
C082210		0.08	2.91		<0.5	6.76	10	1990	3.3	<2	4.63	<0.5	23	143	99	4.85
C082211		5.40	0.041		<0.5	7.46	24	1430	3.0	2	2.09	<0.5	7	27	28	2.20
C082212		5.37	0.012		<0.5	7.50	18	1360	3.0	2	2.15	<0.5	9	393	97	6.33
C082213		4.27	0.043		<0.5	7.54	24	1460	3.2	4	2.18	<0.5	8	28	54	2.40
C082214		2.83	0.014		<0.5	7.78	75	1510	3.3	<2	2.28	<0.5	7	26	28	2.28
C082215		3.89	0.072		<0.5	7.55	35	1230	2.9	2	2.29	<0.5	10	32	56	2.74
C082216		1.25	<0.005		<0.5	0.15	6	20	<0.5	<2	19.80	<0.5	<1	4	2	0.12
C082217		3.29	0.405		14.9	7.37	53	840	2.9	<2	4.61	60.6	7	22	187	2.85
C082218		3.26	0.016		1.1	7.50	36	1180	2.8	<2	2.50	2.1	6	25	40	2.36
C082219		4.14	0.080		<0.5	7.48	50	1370	2.9	<2	2.02	<0.5	6	29	46	2.16
C082220		6.18	0.022		<0.5	7.46	26	1360	3.4	<2	2.31	<0.5	11	33	35	2.35
C082221		3.11	0.032		<0.5	8.01	13	1450	3.6	<2	2.52	<0.5	8	31	22	2.36
C082222		3.30	0.017		<0.5	7.89	<5	1430	3.5	<2	2.56	<0.5	7	28	25	2.32
C082223		6.07	0.076		<0.5	7.95	54	1500	3.1	2	2.32	<0.5	6	26	45	2.37
C082224		3.21	0.051		<0.5	7.35	19	1330	2.9	<2	2.28	<0.5	6	30	33	2.30

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C082185		3.55	0.82	242	1	1.73	23	630	31	0.20	<5	512	0.31	38	10	51
C082186		3.51	0.85	274	2	1.82	22	630	34	0.19	<5	522	0.32	39	10	57
C082187		3.83	0.85	215	2	1.78	21	640	29	0.25	<5	518	0.32	38	10	41
C082188		3.69	0.84	286	<1	1.86	22	600	31	0.13	<5	504	0.32	38	10	60
C082189		3.62	0.85	286	1	1.85	19	630	36	0.14	<5	506	0.31	37	<10	58
C082190		3.10	0.37	70	2	0.09	8	310	32	0.02	146	145	0.16	99	10	18
C082191		3.69	0.77	276	6	1.73	19	620	31	0.15	5	452	0.28	33	10	55
C082192		3.26	0.59	209	5	1.23	16	480	23	0.13	<5	351	0.22	28	140	42
C082193		3.82	0.78	289	1	1.68	18	630	36	0.14	<5	466	0.30	36	40	63
C082194		4.20	0.77	214	17	1.57	20	680	28	0.26	<5	470	0.31	36	180	37
C082195		3.60	0.90	274	1	1.75	22	700	33	0.21	6	515	0.32	38	10	50
C082196		0.03	11.10	186	1	0.01	<1	520	<2	<0.01	<5	103	<0.01	1	<10	6
C082197		3.42	0.86	209	1	1.63	23	640	27	0.18	<5	488	0.30	37	20	38
C082198		3.59	0.82	261	2	1.64	15	630	24	0.14	<5	479	0.30	36	50	53
C082199		5.97	0.73	144	5	1.05	18	640	18	0.27	5	393	0.25	34	350	18
C082200		3.36	0.82	187	<1	1.75	18	650	25	0.20	<5	489	0.30	36	20	30
C082201		3.46	0.86	302	1	1.81	22	690	31	0.11	<5	521	0.32	39	10	59
C082202		3.48	0.86	306	2	1.81	23	660	33	0.11	<5	502	0.32	38	20	59
C082203		3.76	0.85	240	1	1.81	21	650	29	0.20	<5	518	0.32	38	30	47
C082204		3.79	0.84	243	2	1.74	17	680	23	0.19	<5	500	0.31	37	20	43
C082205		3.57	0.89	300	4	1.80	17	680	29	0.15	<5	536	0.32	40	20	61
C082206		3.60	0.83	274	1	1.80	18	690	33	0.15	<5	514	0.32	38	10	57
C082207		3.63	0.76	259	5	1.69	19	620	39	0.13	<5	474	0.29	34	10	56
C082208		3.39	0.71	277	<1	1.68	18	550	31	0.09	5	456	0.26	31	<10	62
C082209		3.72	0.76	298	1	1.80	16	600	32	0.09	6	481	0.28	33	<10	67
C082210		3.26	2.79	1005	12	2.24	59	2310	25	0.29	<5	1600	0.38	160	10	95
C082211		3.61	0.76	277	3	1.76	18	560	31	0.12	<5	487	0.27	32	30	60
C082212		3.29	0.74	663	98	1.70	44	570	29	0.06	6	470	0.26	35	10	70
C082213		3.82	0.78	280	3	1.71	13	590	29	0.22	<5	474	0.28	33	20	60
C082214		3.75	0.79	304	1	1.73	15	600	32	0.14	<5	491	0.29	33	<10	64
C082215		3.31	0.76	396	3	1.22	19	630	55	0.43	17	371	0.27	36	30	75
C082216		0.04	10.90	131	<1	0.02	4	400	2	0.01	<5	110	0.01	2	<10	7
C082217		3.12	0.54	1230	1	0.30	18	520	4120	2.02	282	224	0.22	29	<10	9630
C082218		3.69	0.64	559	1	0.84	20	560	241	0.43	31	279	0.26	35	20	362
C082219		4.23	0.81	242	2	1.47	16	570	34	0.20	5	438	0.26	36	20	48
C082220		3.92	0.86	303	2	1.69	18	590	33	0.14	<5	465	0.30	42	10	49
C082221		3.60	0.88	308	1	1.80	13	580	36	0.11	<5	505	0.29	39	10	55
C082222		3.60	0.85	305	4	1.76	17	610	38	0.11	<5	492	0.29	38	10	52
C082223		3.53	0.85	232	6	1.72	19	600	31	0.22	7	511	0.29	37	10	34
C082224		3.51	0.77	286	6	1.80	13	550	33	0.14	8	495	0.27	39	20	44

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method / Analyte / Units / LOR	Zn-AA62 / Zn / % / 0.01
C082185 C082186 C082187 C082188 C082189		
C082190 C082191 C082192 C082193 C082194		
C082195 C082196 C082197 C082198 C082199		
C082200 C082201 C082202 C082203 C082204		
C082205 C082206 C082207 C082208 C082209		
C082210 C082211 C082212 C082213 C082214		
C082215 C082216 C082217 C082218 C082219		
C082220 C082221 C082222 C082223 C082224		

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
C082225		3.11	0.367		<0.5	8.05	<5	1330	2.4	5	2.32	<0.5	6	38	34	2.37
C082226		5.85	0.500		<0.5	7.87	20	1450	3.0	6	2.40	<0.5	7	31	34	2.45
C082227		2.76	0.066		<0.5	7.54	58	1380	2.8	2	2.15	<0.5	6	25	53	2.09
C082228		2.65	0.068		<0.5	7.54	5	1390	3.1	<2	2.62	<0.5	6	29	63	2.30
C082229		<0.02	0.128		<0.5	7.70	33	1480	3.1	<2	2.75	<0.5	8	29	63	2.39
C082230		0.11	4.74		8.9	8.09	<5	500	0.9	<2	2.90	1.0	18	21	120	4.23
C082231		2.53	0.057		<0.5	8.02	76	1540	3.3	<2	2.27	<0.5	5	29	46	2.51
C082232		2.74	0.335		<0.5	8.27	45	1700	3.4	4	2.04	<0.5	7	32	71	2.78
C082233		2.42	5.38		1.6	3.90	66	770	1.4	126	1.45	<0.5	4	17	64	1.66
C082234		3.57	0.157		<0.5	7.25	49	1430	3.0	<2	2.30	<0.5	9	28	54	2.63
C082235		3.68	0.273		<0.5	7.22	37	1390	3.0	2	2.14	<0.5	11	28	59	2.45
C082236		2.29	<0.005		<0.5	0.14	<5	20	<0.5	<2	20.5	<0.5	<1	2	2	0.11
C082237		1.86	0.077		<0.5	7.86	29	1430	3.0	<2	2.30	<0.5	4	28	67	2.37
C082238		3.31	0.418		<0.5	7.49	28	1470	2.8	11	2.41	<0.5	6	28	38	2.30
C082239		2.15	0.555		<0.5	7.69	34	1480	3.0	6	3.05	<0.5	8	44	43	3.04
C082240		3.24	0.657		<0.5	7.13	37	1470	2.6	2	2.41	<0.5	6	36	63	2.49
C082241		2.24	0.073		3.0	7.30	68	1030	2.6	<2	2.71	<0.5	5	36	113	3.15
C082242		2.83	0.199		8.0	7.18	224	870	2.6	10	2.56	11.5	6	33	241	3.94
C082243		3.73	0.014		<0.5	7.25	41	1500	2.7	<2	2.33	<0.5	7	31	20	2.48
C082244		3.05	0.084		<0.5	7.63	8	1370	3.1	4	2.44	<0.5	6	32	19	2.35
C082245		2.61	0.022		0.7	7.08	21	1150	2.7	<2	3.49	<0.5	8	35	24	2.61
C082246		2.45	0.032		<0.5	7.63	16	1690	2.8	2	3.06	<0.5	9	37	29	2.68
C082247		4.98	0.056		0.5	7.60	28	1650	2.9	3	2.82	<0.5	9	38	48	2.88
C082248		4.03	0.009		<0.5	7.79	15	1700	3.0	<2	2.79	<0.5	10	46	15	3.04
C082249		<0.02	0.011		<0.5	7.82	11	1660	3.0	2	2.74	<0.5	10	45	15	2.96
C082250		0.11	0.096		<0.5	7.14	118	600	2.7	<2	0.54	<0.5	59	1185	404	8.66
C082251		3.27	0.015		<0.5	7.70	10	1450	2.8	2	2.93	<0.5	9	46	23	2.90
C082252		2.03	0.290		2.8	7.22	13	1250	2.4	10	3.69	2.5	9	44	76	2.92
C082253		3.72	0.136		1.8	7.00	38	700	2.7	<2	3.68	2.7	7	37	51	3.32
C082254		7.17	0.914		19.1	6.03	9700	220	2.3	6	2.43	104.0	22	22	610	6.94
C082255		6.17	0.393		14.7	7.42	4810	520	2.9	<2	2.06	60.6	12	26	298	4.27
C082256		2.51	<0.005		<0.5	0.14	26	10	<0.5	<2	20.8	<0.5	<1	4	2	0.11
C082257		5.70	0.052		2.8	7.58	655	620	2.9	<2	2.51	11.2	5	30	58	3.04
C082258		6.49	0.067		4.2	7.57	122	670	2.9	<2	1.89	6.0	5	27	102	3.34
C082259		5.76	0.090		2.4	7.43	123	1020	2.7	<2	2.69	5.7	6	33	87	3.51
C082260		5.82	0.034		<0.5	7.77	24	1330	2.9	<2	2.35	2.2	11	32	32	2.46
C082261		2.04	0.116		<0.5	7.35	29	1470	2.7	<2	3.33	<0.5	10	33	37	2.75
C082262		1.49	0.080		<0.5	7.80	25	1550	3.0	<2	3.84	<0.5	12	34	25	2.77
C082263		5.36	0.031		<0.5	7.77	<5	1460	2.8	<2	2.81	<0.5	9	43	26	2.73
C082264		5.89	0.022		<0.5	7.89	23	1480	2.7	<2	3.02	<0.5	9	44	26	2.85

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C082225		4.58	0.85	307	3	1.45	15	580	44	0.21	7	453	0.25	44	10	92
C082226		3.72	0.88	270	4	1.83	18	630	30	0.19	<5	542	0.30	42	<10	43
C082227		3.59	0.80	227	2	1.71	16	600	34	0.23	6	457	0.27	36	20	23
C082228		3.63	0.98	218	5	1.63	20	560	22	0.26	6	508	0.29	38	10	29
C082229		3.74	1.02	226	4	1.71	18	610	24	0.27	6	528	0.30	41	20	26
C082230		2.30	1.40	964	12	1.73	16	900	27	0.71	<5	437	0.39	150	10	104
C082231		3.32	0.88	236	1	1.82	17	650	66	0.31	15	532	0.31	40	10	31
C082232		3.57	0.90	232	2	1.82	24	730	116	0.38	21	540	0.34	44	20	126
C082233		2.03	0.57	159	4	0.66	12	320	133	0.31	15	234	0.13	19	10	65
C082234		3.44	1.03	256	1	1.77	20	600	24	0.23	6	512	0.30	39	40	31
C082235		3.68	0.97	237	1	1.88	17	640	30	0.17	<5	536	0.30	39	50	29
C082236		0.03	11.70	129	<1	0.02	5	420	2	0.01	<5	121	0.01	3	<10	7
C082237		3.51	0.94	208	1	1.85	18	620	22	0.25	6	528	0.30	40	40	28
C082238		3.41	1.04	238	1	1.74	19	600	25	0.15	5	539	0.27	37	30	34
C082239		3.14	1.39	361	4	1.85	22	740	22	0.21	8	579	0.34	55	20	45
C082240		3.92	0.90	251	<1	1.65	16	620	24	0.22	7	462	0.28	43	20	24
C082241		3.19	0.87	526	1	0.81	12	600	361	0.53	21	289	0.28	44	20	230
C082242		3.15	0.91	529	<1	0.83	17	590	1250	1.57	43	291	0.27	42	30	1810
C082243		3.03	0.93	338	2	1.66	18	620	32	0.12	6	499	0.28	40	<10	47
C082244		3.52	0.76	360	2	1.53	16	590	31	0.10	12	455	0.27	40	10	42
C082245		3.05	0.87	524	1	1.21	17	660	35	0.14	23	389	0.30	43	20	55
C082246		3.21	0.83	459	6	1.48	16	680	23	0.14	18	508	0.30	46	10	45
C082247		3.71	0.87	440	4	1.40	17	730	27	0.32	30	464	0.31	47	20	60
C082248		3.34	1.12	467	2	1.65	15	740	14	0.11	11	585	0.33	57	10	54
C082249		3.24	1.09	457	2	1.62	16	720	19	0.10	11	572	0.32	56	10	52
C082250		2.15	0.59	398	9	0.12	486	370	149	0.02	15	54	0.26	93	30	622
C082251		3.31	1.08	499	2	1.46	11	680	49	0.12	14	508	0.29	56	80	61
C082252		3.98	1.05	762	1	0.91	16	670	195	0.35	53	418	0.27	54	30	435
C082253		3.07	1.31	1220	2	0.35	8	640	491	0.28	72	286	0.25	45	10	538
C082254		2.66	0.97	3880	2	0.03	16	490	3500	3.65	734	118	0.17	30	<10	>10000
C082255		3.20	0.78	1915	2	0.03	9	600	2860	2.38	361	85	0.23	36	20	9150
C082256		0.03	11.75	144	<1	0.01	7	490	7	0.01	8	116	0.01	3	10	27
C082257		3.30	0.92	1475	1	0.03	16	650	691	0.77	89	117	0.24	37	20	1850
C082258		3.32	0.77	1510	2	0.03	13	550	541	0.97	93	103	0.20	33	20	978
C082259		3.25	0.96	997	4	0.50	13	660	291	1.01	97	266	0.26	38	10	988
C082260		3.46	0.81	511	3	1.11	20	640	67	0.45	18	388	0.29	40	<10	390
C082261		3.32	1.01	445	9	1.52	15	660	30	0.19	7	595	0.29	39	10	51
C082262		3.24	1.20	527	4	1.61	18	660	30	0.17	7	615	0.31	43	20	50
C082263		3.24	1.03	393	4	1.64	6	680	28	0.15	7	519	0.31	50	<10	55
C082264		3.22	1.22	436	4	1.65	9	680	29	0.13	9	593	0.30	50	<10	53

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method / Analyte / Units / LOR	Zn-AA62 / Zn / % / 0.01
C082225		
C082226		
C082227		
C082228		
C082229		
C082230		
C082231		
C082232		
C082233		
C082234		
C082235		
C082236		
C082237		
C082238		
C082239		
C082240		
C082241		
C082242		
C082243		
C082244		
C082245		
C082246		
C082247		
C082248		
C082249		
C082250		
C082251		
C082252		
C082253		
C082254		1.67
C082255		
C082256		
C082257		
C082258		
C082259		
C082260		
C082261		
C082262		
C082263		
C082264		

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method	WEI-21	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
C082265		2.47	0.026		2.1	7.75	44	830	2.9	<2	2.22	1.3	8	40	32	3.42
C082266		6.08	0.778		20.5	6.72	2100	170	2.6	22	2.48	10.0	8	31	196	7.79
C082267		6.04	0.137		3.2	7.28	646	700	3.1	<2	2.34	6.8	5	37	102	3.48
C082268		5.85	0.015		<0.5	7.72	22	1400	3.0	<2	3.08	<0.5	8	40	26	2.70
C082269		<0.02	0.013		<0.5	7.68	32	1400	3.1	<2	3.09	<0.5	10	40	27	2.80
C082270		0.11	0.088		<0.5	6.98	106	570	2.5	<2	0.51	<0.5	55	1140	388	8.42
C082271		6.45	0.014		<0.5	7.67	38	1400	3.1	<2	2.85	<0.5	9	40	31	2.72
C082272		6.14	0.023		<0.5	8.02	25	1450	3.0	<2	2.43	<0.5	9	46	17	2.77
C082273		4.98	0.009		<0.5	7.09	34	700	2.5	<2	2.95	<0.5	10	45	30	2.91
C082274		5.62	0.022		<0.5	6.99	232	1050	2.8	<2	2.96	<0.5	11	41	28	2.66
C082275		2.22	0.063		2.4	6.71	19	820	2.9	<2	3.25	2.9	8	38	37	3.05
C082276		2.92	<0.005		<0.5	0.16	22	20	<0.5	<2	21.8	<0.5	<1	3	1	0.12
C082277		4.52	0.020		<0.5	8.04	<5	1380	3.1	<2	2.75	<0.5	8	55	38	3.18
C082278		5.71	0.027		<0.5	7.79	24	1280	2.9	<2	2.80	<0.5	9	49	31	2.90
C082279		5.73	0.097		<0.5	7.80	11	1290	3.0	<2	2.73	<0.5	10	47	67	2.93
C082280		6.08	0.016		<0.5	7.92	50	1380	3.1	<2	2.71	<0.5	9	45	12	3.01
C082281		2.75	0.021		<0.5	8.14	183	1350	3.1	<2	2.93	<0.5	10	46	19	2.98
C082282		3.07	0.013		<0.5	7.81	138	1280	3.0	<2	2.79	<0.5	10	50	19	2.90
C082283		5.35	0.044		<0.5	7.83	39	1350	2.9	<2	2.55	<0.5	10	45	39	2.78
C082284		5.46	0.036		0.5	8.16	38	1430	3.2	<2	2.93	1.3	8	35	20	3.02
C082285		5.52	0.030		<0.5	7.79	23	1570	3.0	<2	2.82	<0.5	9	34	27	2.74
C082286		5.94	0.011		<0.5	8.12	22	1630	3.2	<2	2.70	<0.5	10	37	13	2.85
C082287		5.72	0.006		<0.5	8.00	16	1560	2.9	<2	2.98	<0.5	8	44	13	2.94
C082288		5.61	0.040		<0.5	7.88	22	1410	2.7	<2	2.92	<0.5	9	52	18	3.00
C082289		<0.02	0.022		<0.5	7.51	13	1400	2.7	<2	3.04	<0.5	8	54	17	2.93
C082290		0.10	0.426		1.8	9.51	6	1060	1.1	<2	1.53	<0.5	7	13	7050	3.29
C082291		6.17	0.013		<0.5	7.75	122	1460	3.1	<2	3.27	<0.5	9	61	17	3.12
C082292		5.02	0.014		<0.5	7.61	24	1360	2.9	<2	3.01	<0.5	8	51	21	2.95
C082293		6.14	0.026		<0.5	7.84	21	1460	2.8	<2	3.09	<0.5	9	55	17	3.07
C082294		5.85	0.018		<0.5	7.57	24	1360	3.0	<2	2.65	<0.5	8	54	32	2.76
C082295		7.23	0.030		<0.5	7.51	18	1300	3.0	<2	2.52	<0.5	8	53	32	2.76
C082296		1.23	<0.005		<0.5	0.14	<5	10	<0.5	<2	21.0	<0.5	<1	2	2	0.11
C082297		6.17	0.104		<0.5	7.73	30	1310	3.0	2	2.99	<0.5	8	52	43	2.91
C082298		6.61	0.094		<0.5	7.76	23	1320	3.0	<2	3.05	<0.5	10	51	41	2.82
C082299		5.99	0.012		<0.5	7.98	23	1400	3.0	<2	3.02	<0.5	8	55	27	2.84
C082300		5.51	0.030		<0.5	7.77	10	1390	2.9	<2	2.62	<0.5	8	54	26	2.69
C082301		2.79	0.020		<0.5	7.63	15	1320	3.0	<2	2.84	<0.5	8	54	37	2.78
C082302		3.69	0.038		<0.5	7.79	5	1330	2.9	<2	2.41	<0.5	12	52	44	2.65
C082303		6.18	0.078		<0.5	7.98	24	1530	3.0	<2	2.89	<0.5	8	50	30	3.01
C082304		5.41	0.025		<0.5	7.66	24	1100	2.6	<2	2.29	<0.5	5	34	14	2.22

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C082265		3.31	0.92	1200	<1	0.23	12	630	479	0.53	31	175	0.25	47	20	344
C082266		2.82	0.99	2340	1	0.03	18	580	6040	6.28	1725	105	0.21	41	30	1900
C082267		3.09	1.08	1995	<1	0.15	7	620	3320	1.11	1355	126	0.24	45	30	1240
C082268		3.06	1.21	570	1	1.67	13	650	45	0.12	18	570	0.29	45	<10	55
C082269		3.12	1.22	579	1	1.70	15	660	34	0.11	13	584	0.30	46	<10	55
C082270		2.05	0.58	373	8	0.12	444	340	158	0.02	20	52	0.21	87	20	613
C082271		3.13	1.07	446	2	1.71	17	640	35	0.12	5	558	0.29	44	10	57
C082272		3.28	0.99	397	5	1.72	14	700	37	0.10	9	525	0.31	53	<10	76
C082273		2.67	1.41	576	8	1.31	17	660	30	0.17	12	271	0.29	47	20	45
C082274		3.06	1.23	507	4	1.33	13	610	32	0.14	15	442	0.27	46	10	41
C082275		2.88	1.38	1055	2	0.65	14	540	322	0.40	25	315	0.25	45	20	599
C082276		0.03	12.25	141	<1	0.01	4	430	12	<0.01	<5	121	0.01	3	<10	9
C082277		3.74	1.40	451	<1	1.78	20	680	25	0.18	6	547	0.35	67	<10	49
C082278		3.69	1.39	403	<1	1.70	17	660	19	0.18	<5	510	0.32	54	<10	42
C082279		3.71	1.33	372	1	1.72	18	670	27	0.29	5	529	0.32	54	10	36
C082280		3.25	1.33	458	<1	1.83	21	720	24	0.11	<5	544	0.32	55	<10	51
C082281		3.63	1.29	454	1	1.80	18	820	31	0.17	7	526	0.32	54	20	54
C082282		3.53	1.24	439	1	1.70	15	820	29	0.15	8	520	0.32	54	20	55
C082283		3.37	1.10	383	2	1.66	17	670	28	0.19	<5	532	0.32	52	10	50
C082284		3.02	1.20	584	1	1.36	17	730	84	0.18	11	470	0.31	44	10	401
C082285		3.18	1.01	367	2	1.70	13	700	19	0.15	6	564	0.32	42	20	56
C082286		3.20	1.05	395	1	1.79	12	760	34	0.10	<5	569	0.33	47	<10	72
C082287		3.18	1.22	437	3	1.81	14	690	30	0.09	6	595	0.32	51	<10	59
C082288		3.05	1.23	452	<1	1.73	9	680	30	0.09	<5	580	0.31	58	<10	52
C082289		3.15	1.24	454	1	1.81	12	690	22	0.09	<5	565	0.31	57	<10	49
C082290		3.56	1.16	476	2	3.37	12	1980	11	0.23	<5	710	0.33	164	<10	53
C082291		3.20	1.41	492	1	1.83	12	730	23	0.10	<5	577	0.34	63	10	51
C082292		3.20	1.26	465	2	1.84	8	700	25	0.12	<5	566	0.30	55	20	45
C082293		3.09	1.35	466	1	1.90	9	720	27	0.10	<5	602	0.32	60	<10	47
C082294		3.48	1.15	354	2	1.79	11	680	19	0.15	<5	579	0.31	56	10	40
C082295		3.45	1.16	360	3	1.73	10	670	17	0.15	<5	543	0.29	54	10	40
C082296		0.03	11.65	127	<1	0.01	1	410	<2	0.02	<5	113	0.01	1	<10	7
C082297		3.33	1.32	422	2	1.75	11	660	29	0.21	<5	536	0.30	57	<10	46
C082298		3.42	1.21	383	3	1.79	13	660	29	0.19	<5	559	0.30	57	30	36
C082299		3.19	1.15	373	2	1.87	12	710	21	0.14	<5	621	0.31	58	10	40
C082300		3.39	1.04	341	1	1.79	12	690	25	0.13	<5	578	0.31	58	<10	40
C082301		3.47	1.15	380	2	1.83	14	630	23	0.15	<5	575	0.30	56	10	40
C082302		3.58	0.99	331	2	1.79	11	670	27	0.18	<5	568	0.30	57	10	40
C082303		3.80	1.25	387	2	1.82	11	720	28	0.17	<5	583	0.33	58	<10	40
C082304		3.93	0.87	313	2	1.87	9	620	26	0.07	<5	456	0.23	37	<10	33

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method / Analyte / Units / LOR	Zn-AA62 / Zn / % / 0.01
C082265		
C082266		
C082267		
C082268		
C082269		
C082270		
C082271		
C082272		
C082273		
C082274		
C082275		
C082276		
C082277		
C082278		
C082279		
C082280		
C082281		
C082282		
C082283		
C082284		
C082285		
C082286		
C082287		
C082288		
C082289		
C082290		
C082291		
C082292		
C082293		
C082294		
C082295		
C082296		
C082297		
C082298		
C082299		
C082300		
C082301		
C082302		
C082303		
C082304		

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
C082305		5.93	4.30		<0.5	7.41	21	1070	2.6	78	2.10	<0.5	7	26	61	2.05
C082306		5.93	0.023		<0.5	7.92	12	1630	3.3	<2	2.67	<0.5	7	33	21	2.70
C082307		6.98	0.075		<0.5	7.51	12	1500	2.9	<2	2.46	<0.5	6	33	20	2.61
C082308		6.22	0.451		<0.5	8.01	50	1600	3.1	<2	2.58	<0.5	9	38	41	2.83
C082309		<0.02	0.265		<0.5	7.73	55	1560	3.0	2	2.56	<0.5	10	37	38	2.77
C082310		0.11	2.77		<0.5	7.60	2160	730	12.8	<2	0.01	<0.5	1	148	103	3.42
C082311		5.77	0.147		0.7	7.74	33	1110	3.0	<2	2.99	<0.5	5	33	60	2.72
C082312		5.53	0.016		<0.5	7.73	63	1310	3.0	<2	3.64	<0.5	6	34	22	2.84
C082313		5.92	0.132		<0.5	7.57	44	1040	3.0	<2	2.24	0.9	4	28	43	2.50
C082314		6.13	0.111		<0.5	7.67	35	1050	2.7	<2	2.11	<0.5	7	27	41	2.08
C082315		6.07	1.010		<0.5	7.82	130	1650	2.7	9	2.13	<0.5	11	31	64	2.60
C082316		2.17	<0.005		<0.5	0.14	5	10	<0.5	<2	21.1	<0.5	<1	2	3	0.12
C082317		6.28	0.273		<0.5	7.96	41	1490	2.9	<2	2.52	<0.5	7	31	46	2.56
C082318		6.15	0.314		<0.5	8.27	11	1640	3.1	<2	2.63	<0.5	7	34	43	2.74
C082319		5.96	0.384		<0.5	7.73	14	1460	2.8	8	2.62	<0.5	7	32	40	2.68
C082320		6.16	0.172		<0.5	7.50	112	1290	2.4	<2	2.05	<0.5	5	23	29	1.95
C082321		2.94	0.270		<0.5	8.04	94	1570	3.0	4	2.62	<0.5	12	32	53	2.86
C082322		3.11	1.150		<0.5	7.65	108	1450	2.7	14	2.36	<0.5	12	30	54	2.70
C082323		5.85	0.307		<0.5	8.04	63	1590	3.0	4	2.56	<0.5	10	35	53	2.80
C082324		5.63	0.484		<0.5	7.98	35	1470	2.9	3	2.59	<0.5	8	40	69	2.85
C082325		6.13	0.115		<0.5	7.64	15	1390	2.9	<2	3.05	<0.5	9	50	50	2.89
C082326		6.81	0.483		<0.5	7.56	14	1340	3.0	2	2.75	<0.5	8	56	31	2.85
C082327		5.59	0.471		<0.5	7.60	18	1390	3.0	4	2.92	<0.5	8	54	41	2.95
C082328		6.46	0.304		<0.5	7.60	24	1390	2.8	<2	2.80	<0.5	10	59	35	2.98
C082329		<0.02	0.247		<0.5	7.40	17	1380	2.8	<2	2.77	<0.5	10	59	36	2.91
C082330		0.11	3.88		8.7	7.79	11	470	0.9	<2	2.81	0.7	15	22	119	4.11
C082331		6.08	0.755		<0.5	7.19	17	1380	2.7	2	2.77	<0.5	10	64	43	3.00
C082332		6.13	0.143		<0.5	7.35	11	1200	2.8	<2	2.56	<0.5	8	50	44	3.10
C082333		5.46	0.098		1.1	7.27	18	960	2.8	<2	3.18	0.9	7	46	44	3.03
C082334		5.56	0.784		2.3	7.01	23	1220	2.8	6	2.68	<0.5	8	50	63	2.72
C082335		6.00	0.137		<0.5	7.40	19	1350	3.0	<2	2.62	<0.5	9	51	50	2.80
C082336		1.55	<0.005		<0.5	0.17	<5	20	<0.5	<2	21.1	<0.5	<1	4	4	0.13
C082337		5.97	0.240		<0.5	7.74	20	1430	2.9	2	2.84	<0.5	8	50	35	2.92
C082338		6.25	>10.0	11.70	<0.5	7.63	33	1440	2.7	99	2.78	<0.5	7	54	42	2.98
C082339		5.28	0.271		<0.5	7.48	89	1180	2.7	<2	2.76	<0.5	7	40	56	2.57
C082340		2.98	0.088		<0.5	7.40	25	1380	2.9	<2	2.65	<0.5	9	61	59	2.83
C082341		2.00	0.574		<0.5	7.58	14	1400	2.8	<2	2.81	<0.5	8	53	57	2.77
C082342		1.96	1.000		<0.5	7.79	20	1460	2.9	4	2.85	<0.5	6	54	57	2.92
C082343		3.20	0.090		<0.5	7.16	22	1250	2.9	<2	2.10	<0.5	9	48	43	3.13
C082344		3.11	0.073		0.8	7.75	12	1090	2.9	<2	3.08	1.6	5	38	64	2.95

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C082305		4.02	0.67	252	5	1.58	12	570	40	0.26	9	375	0.23	33	10	36
C082306		3.52	0.95	370	1	1.89	14	690	33	0.11	<5	615	0.33	45	<10	61
C082307		3.24	0.94	353	2	1.73	14	650	35	0.09	7	516	0.30	41	10	65
C082308		3.66	1.04	342	2	1.74	19	720	30	0.17	6	539	0.32	45	10	49
C082309		3.47	1.01	338	1	1.69	18	690	31	0.15	<5	524	0.31	44	<10	46
C082310		3.22	0.37	69	4	0.09	8	320	29	0.02	146	146	0.24	103	10	17
C082311		3.57	0.79	443	1	0.77	17	700	93	0.40	13	302	0.29	43	20	159
C082312		3.56	0.91	687	2	1.15	13	700	84	0.27	8	421	0.31	44	10	179
C082313		3.53	0.69	405	3	1.03	14	580	156	0.46	13	303	0.24	35	10	246
C082314		3.90	0.63	264	3	1.13	13	530	49	0.20	7	296	0.24	34	10	65
C082315		4.55	1.00	218	7	1.47	15	680	23	0.19	7	478	0.31	43	10	22
C082316		0.03	11.60	130	<1	0.01	<1	400	<2	0.01	<5	114	0.01	1	<10	7
C082317		3.82	0.90	267	2	1.77	17	650	27	0.21	<5	525	0.30	40	10	40
C082318		3.67	0.96	247	4	1.83	15	720	24	0.20	<5	571	0.33	43	10	31
C082319		3.55	0.96	262	3	1.72	16	670	23	0.18	<5	536	0.31	42	30	32
C082320		4.29	0.67	194	4	1.57	11	580	30	0.15	<5	427	0.21	29	20	36
C082321		3.64	0.99	227	3	1.73	16	690	21	0.32	<5	532	0.32	44	10	23
C082322		3.50	0.91	194	3	1.56	17	660	22	0.33	<5	493	0.29	40	130	26
C082323		3.72	1.04	199	1	1.75	17	710	19	0.28	<5	557	0.31	45	30	21
C082324		3.98	1.13	243	2	1.65	16	690	20	0.34	<5	520	0.30	50	20	27
C082325		3.37	1.31	330	1	1.74	12	670	20	0.17	<5	525	0.31	54	10	31
C082326		3.41	1.29	355	2	1.71	9	650	19	0.13	<5	527	0.29	57	<10	36
C082327		3.46	1.31	367	4	1.72	14	690	32	0.18	<5	536	0.30	56	10	44
C082328		3.40	1.25	394	3	1.57	9	650	33	0.19	<5	493	0.30	58	10	49
C082329		3.44	1.24	392	3	1.57	11	670	32	0.20	<5	481	0.30	58	10	49
C082330		2.20	1.32	943	12	1.63	15	920	20	0.67	<5	411	0.36	142	<10	92
C082331		3.33	1.31	386	4	1.60	10	680	27	0.18	<5	480	0.30	60	40	42
C082332		3.27	1.18	456	1	1.15	9	660	91	0.32	15	368	0.28	53	20	124
C082333		3.39	1.02	1035	1	0.69	11	660	194	0.27	27	262	0.27	53	40	270
C082334		3.62	1.10	372	3	1.27	10	620	119	0.33	11	408	0.27	51	60	105
C082335		3.59	1.22	334	3	1.72	12	640	21	0.23	<5	510	0.29	55	10	34
C082336		0.05	11.75	140	1	0.02	<1	450	2	0.02	<5	128	0.01	2	<10	7
C082337		3.42	1.28	367	2	1.82	13	700	20	0.17	<5	555	0.31	55	<10	34
C082338		3.61	1.33	324	3	1.80	14	750	28	0.22	<5	535	0.31	57	10	29
C082339		3.75	1.01	308	2	1.40	12	620	63	0.28	11	366	0.27	46	40	71
C082340		3.63	1.31	280	10	1.71	11	680	18	0.25	<5	529	0.30	58	20	25
C082341		3.65	1.31	314	3	1.72	11	630	20	0.29	<5	546	0.28	55	10	27
C082342		3.63	1.41	327	2	1.75	8	710	15	0.26	<5	561	0.30	59	10	27
C082343		3.50	1.24	342	3	1.28	11	590	53	0.35	8	345	0.25	49	10	72
C082344		3.24	0.89	485	1	1.04	8	590	200	0.62	6	341	0.25	43	10	355

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method Analyte Units LOR	Zn-AA62 Zn % 0.01
C082305 C082306 C082307 C082308 C082309		
C082310 C082311 C082312 C082313 C082314		
C082315 C082316 C082317 C082318 C082319		
C082320 C082321 C082322 C082323 C082324		
C082325 C082326 C082327 C082328 C082329		
C082330 C082331 C082332 C082333 C082334		
C082335 C082336 C082337 C082338 C082339		
C082340 C082341 C082342 C082343 C082344		

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method	WEI-21	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
C082345		5.92	0.636		<0.5	7.47	91	1410	2.6	<2	2.40	<0.5	9	37	42	2.58
C082346		5.12	0.603		<0.5	7.68	30	1490	3.1	4	2.69	<0.5	6	39	44	2.73
C082347		5.51	0.618		<0.5	7.76	174	1600	2.9	3	2.55	<0.5	12	42	50	2.90
C082348		1.71	0.511		<0.5	7.45	57	1490	2.6	3	2.39	<0.5	10	39	59	2.70
C082349		<0.02	0.562		<0.5	7.66	69	1560	2.7	2	2.49	<0.5	9	44	63	2.90
C082350		0.10	3.87		8.1	7.58	<5	460	0.9	<2	2.79	0.6	15	22	121	4.06
C082351		5.14	0.099		<0.5	7.58	83	1540	2.7	<2	2.66	<0.5	8	43	46	2.83
C082352		6.08	3.39		<0.5	7.58	125	1550	2.9	25	2.58	<0.5	11	45	52	2.95
C082353		6.33	0.086		<0.5	7.03	68	1440	2.8	<2	2.36	<0.5	8	39	49	2.50
C082354		6.44	0.226		<0.5	7.58	53	1430	3.0	<2	2.77	<0.5	9	41	38	2.75
C082355		5.82	0.426		<0.5	7.69	38	1480	2.9	5	2.36	<0.5	8	36	53	2.57
C082356		1.91	<0.005		<0.5	0.13	<5	20	<0.5	<2	20.5	<0.5	<1	4	2	0.10
C082357		6.18	0.905		1.0	7.13	666	1250	2.6	9	2.02	<0.5	13	31	60	2.73
C082358		2.82	0.197		<0.5	7.58	15	1350	2.8	2	2.74	<0.5	9	53	76	3.17
C082359		4.91	0.959		0.8	6.51	55	1020	2.6	4	3.02	<0.5	7	45	51	2.61
C082360		3.41	0.500		<0.5	7.01	103	1590	2.3	<2	2.53	<0.5	8	32	37	2.30
C082361		2.57	0.047		<0.5	7.54	26	1530	3.2	<2	2.47	<0.5	6	37	49	2.40
C082362		2.50	0.090		<0.5	7.33	23	1500	3.2	<2	2.35	<0.5	8	36	49	2.37
C082363		5.54	0.097		<0.5	7.32	77	1530	2.9	<2	2.45	<0.5	8	39	33	2.48
C082364		5.78	0.048		<0.5	6.92	35	1320	2.9	<2	2.71	<0.5	8	39	26	2.39
C082365		5.41	0.073		<0.5	7.09	32	1490	2.5	5	2.99	<0.5	7	37	44	2.25
C082366		5.48	0.797		<0.5	7.02	6270	1490	2.5	3	2.08	<0.5	24	33	47	2.91
C082367		5.17	0.124		<0.5	7.28	30	1460	2.8	<2	2.45	<0.5	7	38	59	2.29
C082368		5.02	0.330		<0.5	7.45	68	1590	3.1	<2	2.37	<0.5	14	37	56	2.38
C082369		<0.02	0.317		<0.5	7.64	44	1640	3.2	<2	2.46	<0.5	11	37	57	2.42
C082370		0.11	0.091		<0.5	7.02	111	580	2.7	<2	0.54	<0.5	58	1230	398	8.57
C082371		5.91	0.088		<0.5	7.88	33	1320	3.3	<2	3.30	<0.5	7	50	54	2.64
C082372		5.57	0.361		<0.5	7.53	21	1330	2.6	<2	2.98	<0.5	7	51	19	2.87
C082373		4.75	0.383		<0.5	7.78	17	1590	2.8	2	2.92	<0.5	8	59	23	3.11
C082374		3.51	0.218		<0.5	7.28	20	1420	2.6	<2	2.84	<0.5	6	50	31	2.71
C082375		5.34	0.028		<0.5	7.35	22	1480	2.7	<2	2.46	<0.5	6	53	30	2.77
C082376		Empty Bag														
C082377		5.82	0.116		<0.5	7.83	44	1460	2.7	<2	2.82	<0.5	8	53	35	2.85
C082378		5.65	0.117		2.7	7.87	65	610	3.1	<2	3.10	<0.5	7	50	47	3.66
C082379		5.26	0.364		1.7	7.02	47	1040	2.6	5	1.32	7.8	6	45	47	3.28
C082380		6.13	0.778		4.0	7.59	2050	920	2.6	3	2.61	6.3	10	35	49	3.67
C082381		3.03	0.045		<0.5	7.21	36	1270	2.5	<2	2.59	<0.5	7	29	53	2.30
C082382		2.74	0.163		0.8	7.45	30	1250	2.5	<2	2.28	<0.5	6	28	57	2.15
C082383		6.50	0.319		3.3	6.87	953	760	2.5	<2	2.46	6.9	4	31	56	2.45
C082384		5.79	0.027		0.5	7.55	35	1540	2.8	<2	2.84	1.0	5	36	42	2.52

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
C082345		3.77	0.96	326	3	1.55	13	630	45	0.28	<5	436	0.28	43	100	68
C082346		3.38	1.05	284	7	1.77	9	680	18	0.22	<5	553	0.31	45	10	33
C082347		3.69	1.12	251	2	1.72	16	720	18	0.26	<5	551	0.32	49	220	29
C082348		3.79	1.08	224	7	1.57	14	720	14	0.32	<5	520	0.30	46	50	21
C082349		4.00	1.13	241	7	1.59	22	760	22	0.37	<5	533	0.32	49	40	24
C082350		2.20	1.30	935	11	1.60	7	930	28	0.66	<5	398	0.37	143	<10	93
C082351		3.67	1.11	302	2	1.51	14	700	24	0.26	5	469	0.31	49	10	34
C082352		3.63	1.11	255	4	1.77	16	730	23	0.28	<5	547	0.33	53	20	25
C082353		3.44	0.93	247	3	1.72	12	650	24	0.24	<5	510	0.29	42	10	27
C082354		3.61	1.08	272	4	1.79	12	700	21	0.20	<5	557	0.32	50	10	29
C082355		3.97	0.99	200	4	1.78	11	670	18	0.27	<5	543	0.30	42	80	19
C082356		0.03	11.30	134	<1	0.01	<1	400	<2	0.01	<5	116	0.01	1	<10	6
C082357		3.58	0.84	261	3	1.16	15	600	58	0.48	6	344	0.24	36	60	41
C082358		3.78	1.20	377	3	1.39	13	690	35	0.39	<5	472	0.30	54	110	44
C082359		3.14	1.05	431	3	1.15	12	570	74	0.31	9	364	0.25	45	50	100
C082360		4.13	0.86	219	3	1.49	17	600	20	0.25	<5	471	0.26	37	20	19
C082361		3.70	0.94	201	3	1.83	14	660	16	0.23	<5	578	0.30	43	20	25
C082362		3.62	0.93	194	3	1.76	15	660	14	0.25	<5	567	0.30	43	10	22
C082363		3.79	0.97	193	2	1.57	15	670	26	0.18	6	481	0.30	43	20	22
C082364		3.28	0.97	295	2	1.33	12	620	36	0.14	<5	452	0.28	45	10	39
C082365		3.67	0.94	268	3	1.28	10	630	42	0.20	9	456	0.27	42	20	22
C082366		3.87	0.85	188	2	1.27	16	600	37	0.60	25	378	0.25	37	10	52
C082367		3.67	0.83	229	3	1.47	14	670	16	0.27	8	421	0.29	42	20	21
C082368		4.02	0.92	167	5	1.63	18	690	19	0.29	<5	511	0.32	43	50	18
C082369		4.08	0.94	172	4	1.63	22	690	18	0.30	<5	516	0.33	44	50	17
C082370		2.22	0.59	386	9	0.12	487	370	154	0.02	12	51	0.22	91	30	620
C082371		3.62	0.93	353	2	1.36	13	760	22	0.32	7	402	0.32	52	20	25
C082372		3.12	1.13	348	3	1.48	10	710	21	0.15	<5	463	0.30	56	10	35
C082373		3.43	1.25	348	1	1.78	12	740	13	0.12	<5	592	0.33	60	10	32
C082374		3.44	1.12	322	3	1.54	13	680	24	0.18	8	523	0.31	55	20	37
C082375		3.21	1.07	296	2	1.67	14	700	14	0.15	10	531	0.31	55	10	31
C082376																
C082377		3.55	1.21	566	2	1.46	8	730	54	0.19	11	481	0.31	57	20	53
C082378		3.23	1.25	1670	8	0.22	11	700	824	0.64	137	185	0.30	55	200	192
C082379		3.37	1.47	1040	2	0.46	14	660	614	0.47	199	190	0.26	51	20	1410
C082380		3.37	0.92	1525	2	0.78	15	630	729	1.38	132	231	0.25	43	20	1150
C082381		3.98	0.79	680	1	0.58	14	600	50	0.22	32	236	0.26	36	20	75
C082382		4.09	0.73	536	1	0.53	14	640	67	0.25	39	217	0.26	37	20	85
C082383		3.30	0.77	875	2	0.16	14	580	879	0.47	19	173	0.23	36	40	1180
C082384		4.05	0.88	679	3	0.86	16	650	200	0.25	16	332	0.28	43	30	250

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method Analyte Units LOR	Zn-AA62 Zn % 0.01
C082345 C082346 C082347 C082348 C082349		
C082350 C082351 C082352 C082353 C082354		
C082355 C082356 C082357 C082358 C082359		
C082360 C082361 C082362 C082363 C082364		
C082365 C082366 C082367 C082368 C082369		
C082370 C082371 C082372 C082373 C082374		
C082375 C082376 C082377 C082378 C082379		
C082380 C082381 C082382 C082383 C082384		

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
C082385		5.03	0.335		<0.5	7.10	2290	1370	2.4	<2	2.28	<0.5	7	31	43	2.50
C082386		5.36	0.046		0.6	7.37	667	1550	3.0	2	2.36	<0.5	6	34	34	2.55
C082387		6.57	0.032		<0.5	7.56	18	1450	2.9	<2	2.68	<0.5	8	51	34	2.76
C082388		5.86	0.255		<0.5	7.75	36	1490	2.9	<2	2.79	<0.5	8	52	31	2.89
C082389		<0.02	0.131		<0.5	7.48	54	1420	2.9	<2	2.68	<0.5	8	54	31	2.79
C082390		0.11	0.435		1.9	9.18	6	1060	1.2	<2	1.49	<0.5	5	14	7200	3.25
C082391		5.49	0.050		<0.5	7.77	35	1440	2.8	<2	2.54	<0.5	6	43	34	2.61
C082392		5.93	0.062		<0.5	7.54	84	1520	2.8	<2	2.63	<0.5	7	50	50	2.71
C082393		6.15	0.359		<0.5	7.35	296	1390	2.9	2	2.61	<0.5	10	51	53	2.75
C082394		5.49	0.807		<0.5	7.47	2470	1420	2.7	3	2.47	<0.5	22	50	47	2.82
C082395		5.88	0.791		<0.5	7.30	82	1350	2.9	<2	2.72	<0.5	8	51	42	2.77
C082396		0.91	0.006		<0.5	0.15	<5	10	<0.5	<2	20.3	<0.5	<1	3	2	0.11
C082397		2.40	0.075		<0.5	7.28	29	1350	2.9	<2	2.81	<0.5	6	49	31	2.82
C082398		5.81	0.143		<0.5	8.07	14	1480	3.1	<2	2.93	<0.5	10	53	58	3.00
C082399		5.12	0.254		<0.5	7.73	16	1360	2.9	<2	2.62	<0.5	10	45	62	2.62
C082400		3.91	3.94		0.5	7.03	845	1260	2.7	64	3.07	<0.5	12	42	53	2.60
C082401		1.54	0.096		<0.5	8.27	10	1540	3.2	<2	2.69	<0.5	12	53	60	3.07
C082402		1.81	0.066		<0.5	7.95	<5	1470	3.1	<2	3.01	<0.5	10	51	68	3.03
C082403		5.67	0.743		<0.5	8.11	22	1520	3.1	7	2.74	<0.5	11	50	60	2.96
C082404		4.08	0.542		<0.5	8.03	27	1510	3.0	10	2.84	<0.5	12	48	57	2.99
C082405		4.77	1.080		<0.5	7.99	22	1510	3.1	18	2.64	<0.5	11	47	66	2.83
C082406		4.02	2.46		<0.5	8.24	11	1480	3.0	9	2.74	<0.5	12	50	67	2.97
C082407		5.90	0.069		<0.5	8.29	10	1590	3.3	<2	2.86	<0.5	12	50	52	2.96
C082408		5.15	0.213		<0.5	8.28	<5	1510	3.4	4	2.88	<0.5	12	54	60	2.94
C082409		<0.02	0.215		<0.5	8.25	13	1490	3.4	4	2.87	<0.5	11	54	61	3.03
C082410		0.09	0.879		2.4	8.41	11	480	0.8	<2	1.99	1.1	23	101	2160	5.38

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C082385		3.72	0.76	384	4	1.12	13	560	93	0.31	10	337	0.25	36	70	97
C082386		3.71	0.82	302	2	1.51	14	650	79	0.23	7	422	0.28	41	40	64
C082387		3.60	1.30	355	1	1.66	15	660	22	0.18	6	528	0.29	53	20	36
C082388		3.49	1.33	361	3	1.80	12	690	12	0.20	<5	555	0.31	56	10	32
C082389		3.36	1.29	350	3	1.72	14	650	20	0.21	<5	525	0.30	54	10	31
C082390		3.61	1.15	477	3	3.38	8	1990	7	0.23	<5	691	0.33	168	<10	55
C082391		3.46	1.15	300	2	1.75	11	640	19	0.24	<5	529	0.28	48	10	27
C082392		3.58	1.17	274	2	1.75	10	660	19	0.28	<5	534	0.31	51	40	25
C082393		3.58	1.20	273	4	1.67	14	660	16	0.30	<5	503	0.31	56	10	28
C082394		3.55	1.15	267	3	1.59	9	610	17	0.40	<5	503	0.27	53	30	26
C082395		3.44	1.19	331	2	1.61	10	660	20	0.24	<5	503	0.29	56	20	35
C082396		0.03	11.10	130	<1	0.01	1	400	<2	0.01	<5	112	0.01	1	<10	7
C082397		3.21	1.24	371	1	1.79	10	650	20	0.16	<5	480	0.29	56	10	37
C082398		3.55	1.27	346	1	1.85	14	720	16	0.27	<5	625	0.32	60	20	31
C082399		3.52	1.05	268	2	1.65	13	670	18	0.26	<5	524	0.29	53	10	26
C082400		3.52	1.09	289	4	1.20	12	610	49	0.35	8	407	0.26	49	10	30
C082401		3.73	1.42	340	2	1.81	9	750	19	0.22	6	551	0.33	61	<10	30
C082402		3.64	1.40	349	1	1.80	13	740	14	0.25	7	574	0.32	59	<10	29
C082403		3.79	1.34	297	2	1.75	13	740	15	0.29	<5	615	0.33	57	30	28
C082404		3.74	1.35	293	3	1.68	18	740	17	0.27	<5	609	0.32	58	20	27
C082405		4.00	1.25	250	3	1.60	15	710	16	0.30	<5	583	0.32	54	60	24
C082406		3.91	1.34	296	2	1.63	13	730	16	0.29	<5	583	0.31	57	10	26
C082407		4.09	1.33	299	9	1.70	15	750	19	0.25	<5	610	0.33	58	10	28
C082408		3.97	1.36	306	5	1.76	15	720	16	0.26	<5	619	0.33	60	20	28
C082409		3.91	1.34	312	4	1.76	15	730	19	0.27	<5	618	0.33	59	20	30
C082410		1.78	1.40	462	3	3.25	48	710	22	0.67	<5	236	0.32	95	<10	209

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method / Analyte / Units / LOR	Zn-AA62 / Zn / % / 0.01
C082385		
C082386		
C082387		
C082388		
C082389		
C082390		
C082391		
C082392		
C082393		
C082394		
C082395		
C082396		
C082397		
C082398		
C082399		
C082400		
C082401		
C082402		
C082403		
C082404		
C082405		
C082406		
C082407		
C082408		
C082409		
C082410		

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-AUG-2006
Account: STRGOL

CERTIFICATE EL06069707

Project: Dublin Gulch1735

P.O. No.:

This report is for 274 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 17-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	27 element four acid ICP-AES	ICP-AES

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him/her and based on an evaluation of all engineering data which is available concerning any proposed project.

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
C079025		4.21	0.011			<0.5	5.36	89	300	1.4	<2	0.18	<0.5	6	36	27
C079026		5.50	0.005			<0.5	2.43	9	70	0.5	<2	0.08	<0.5	2	16	6
C079027		5.10	0.006			<0.5	4.03	40	230	0.9	<2	0.13	<0.5	4	26	10
C079028		5.91	0.011			<0.5	7.06	123	630	1.8	<2	0.39	<0.5	9	49	15
C079029		<0.02	0.008			<0.5	7.00	110	630	1.8	<2	0.38	<0.5	8	46	15
C079030		0.11	0.097			<0.5	6.83	123	560	2.5	<2	0.53	<0.5	55	1110	398
C079031		4.35	0.005			<0.5	8.69	115	1080	2.1	<2	1.25	<0.5	11	60	22
C079032		5.43	0.008			<0.5	6.50	78	710	1.5	<2	1.08	<0.5	9	46	11
C079033		5.17	0.037			<0.5	5.75	758	580	1.4	<2	1.75	<0.5	5	37	8
C079034		5.79	0.011			<0.5	4.92	204	480	1.1	<2	1.04	<0.5	6	37	11
C079035		4.47	0.010			<0.5	6.31	109	570	1.4	<2	1.05	<0.5	7	44	15
C079036		2.02	0.005			<0.5	0.13	<5	10	<0.5	<2	22.1	<0.5	<1	1	3
C079037		5.44	0.007			<0.5	10.30	26	980	2.4	<2	1.12	<0.5	12	76	26
C079038		5.93	0.021			<0.5	11.55	45	1090	2.5	<2	0.85	<0.5	17	81	26
C079039		6.28	0.006			<0.5	10.30	98	1020	2.4	<2	0.86	<0.5	11	72	12
C079040		5.08	0.008			<0.5	3.78	116	400	0.8	<2	0.77	<0.5	4	27	7
C079041		2.25	0.010			<0.5	8.43	82	830	2.0	<2	0.71	<0.5	13	65	15
C079042		2.62	<0.005			<0.5	8.17	53	780	1.9	<2	0.81	<0.5	12	61	18
C079043		4.88	0.017			<0.5	9.37	57	970	2.1	<2	0.30	<0.5	8	51	13
C079044		5.54	0.007			<0.5	9.41	175	1040	2.2	<2	0.21	<0.5	16	62	14
C079045		5.45	0.070			<0.5	6.21	2010	710	1.3	<2	0.11	<0.5	9	44	12
C079046		4.76	0.019			<0.5	3.63	208	350	0.6	<2	0.08	<0.5	5	31	6
C079047		4.64	0.030			<0.5	2.69	979	240	<0.5	<2	0.05	<0.5	5	23	8
C079048		5.19	0.009			<0.5	3.99	323	420	0.7	<2	0.07	<0.5	5	32	9
C079049		<0.02	0.009			<0.5	3.95	354	420	0.7	<2	0.07	<0.5	6	30	10
C079050		0.11	NSS			1.6	8.94	<5	1060	1.1	<2	1.47	<0.5	8	11	7460
C079051		4.82	0.342			<0.5	2.66	2810	220	0.5	<2	0.05	<0.5	3	24	12
C079052		5.73	<0.005			<0.5	8.93	45	870	1.9	<2	0.22	<0.5	11	64	20
C079053		4.79	0.054			<0.5	10.20	1320	840	2.6	<2	0.18	<0.5	13	73	31
C079054		5.23	0.027			<0.5	3.92	497	340	0.8	<2	0.07	<0.5	5	30	6
C079055		6.07	0.011			<0.5	4.84	460	550	1.0	<2	0.12	<0.5	6	34	7
C079056		1.18	0.005			<0.5	0.15	17	20	<0.5	<2	22.3	<0.5	<1	3	1
C079057		5.63	<0.005			<0.5	2.95	123	320	0.6	<2	0.11	<0.5	2	22	4
C079058		3.94	0.009			<0.5	3.80	120	430	0.8	<2	0.07	<0.5	3	26	9
C079059		6.12	<0.005			<0.5	3.26	13	400	0.6	<2	0.12	<0.5	3	27	2
C079060		5.11	<0.005			<0.5	3.57	<5	350	0.8	<2	0.49	<0.5	4	30	2
C079061		2.36	<0.005			<0.5	3.51	15	390	0.8	<2	0.43	<0.5	5	32	5
C079062		2.61	<0.005			<0.5	4.35	21	480	1.0	<2	0.52	<0.5	6	34	6
C079063		5.05	<0.005			<0.5	6.60	41	850	1.5	<2	0.44	<0.5	8	51	8
C079064		4.21	0.005			<0.5	4.99	90	470	1.1	<2	0.24	<0.5	4	31	9

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
C079025		2.15	1.13	0.26	224	<1	0.05	17	330	17	0.42	16	49	0.20	43	10
C079026		0.63	0.37	0.08	74	<1	0.01	1	80	<2	0.01	19	19	0.08	13	<10
C079027		1.00	0.83	0.14	114	<1	0.03	10	160	4	0.05	13	35	0.14	29	10
C079028		2.70	1.98	0.37	214	<1	0.08	30	430	5	0.07	10	40	0.28	61	10
C079029		2.63	1.94	0.37	205	<1	0.07	24	420	5	0.07	9	39	0.28	60	<10
C079030		8.65	2.18	0.59	372	7	0.12	479	370	140	0.02	10	50	0.24	88	30
C079031		3.35	3.66	0.68	243	<1	0.28	25	830	3	0.13	7	82	0.33	76	<10
C079032		2.70	2.77	0.60	226	<1	0.70	20	160	3	0.06	5	86	0.26	56	<10
C079033		2.40	2.16	0.51	257	<1	0.78	16	120	<2	0.07	6	104	0.22	44	10
C079034		1.97	1.70	0.41	187	<1	0.29	21	170	<2	0.05	<5	59	0.20	40	<10
C079035		2.27	2.69	0.58	182	<1	0.14	14	250	10	0.09	5	75	0.23	49	<10
C079036		0.12	0.03	12.05	132	1	0.01	4	420	4	<0.01	49	118	0.01	1	<10
C079037		4.02	5.05	0.99	233	<1	0.56	38	400	6	0.15	36	110	0.44	93	<10
C079038		4.34	5.00	1.05	241	<1	0.58	42	1020	8	0.17	<5	117	0.49	103	10
C079039		3.19	4.48	0.82	177	<1	0.80	32	460	<2	0.11	<5	146	0.41	88	<10
C079040		0.94	1.61	0.17	105	<1	0.53	6	140	<2	0.05	5	76	0.11	23	<10
C079041		2.81	3.46	0.64	169	<1	0.33	25	300	<2	0.11	92	88	0.36	73	<10
C079042		2.92	3.37	0.66	176	<1	0.38	27	400	<2	0.12	7	88	0.37	70	10
C079043		2.48	4.73	0.57	129	<1	0.65	27	630	10	0.06	<5	111	0.31	67	<10
C079044		2.20	4.19	0.46	133	<1	0.38	28	410	<2	0.08	6	80	0.39	84	10
C079045		2.22	2.68	0.30	184	<1	0.09	17	140	<2	0.25	6	45	0.23	50	10
C079046		1.52	1.27	0.14	193	<1	0.05	13	210	<2	0.05	<5	25	0.15	27	10
C079047		1.59	0.79	0.11	189	<1	0.03	10	90	<2	0.27	6	13	0.12	18	10
C079048		1.98	1.48	0.15	303	<1	0.05	8	110	5	0.10	6	26	0.17	30	20
C079049		1.93	1.44	0.15	295	<1	0.05	14	120	3	0.11	<5	27	0.17	30	20
C079050		3.34	3.80	1.18	473	<1	3.32	7	1990	<2	0.24	<5	678	0.34	175	<10
C079051		1.44	0.97	0.09	150	<1	0.03	9	110	<2	0.22	<5	16	0.11	17	10
C079052		3.26	3.86	0.55	282	<1	0.16	28	500	2	0.14	<5	84	0.35	74	10
C079053		3.84	3.88	0.46	469	<1	0.12	35	330	9	0.48	11	54	0.37	87	20
C079054		1.43	1.44	0.15	215	<1	0.03	15	130	2	0.06	6	21	0.18	30	10
C079055		2.01	1.89	0.28	201	<1	0.27	16	140	4	0.06	<5	46	0.20	38	10
C079056		0.15	0.04	12.30	141	<1	0.01	4	490	<2	0.01	42	113	0.01	<1	<10
C079057		1.36	1.04	0.16	165	<1	0.05	8	100	5	0.03	<5	26	0.13	20	10
C079058		1.04	1.37	0.10	137	1	0.06	7	110	<2	0.05	15	34	0.15	27	40
C079059		1.72	1.37	0.25	171	<1	0.43	8	120	4	0.02	<5	43	0.14	23	<10
C079060		1.71	1.46	0.31	215	<1	0.27	11	140	9	0.02	<5	55	0.16	26	10
C079061		1.56	1.65	0.29	185	<1	0.43	9	150	9	0.03	<5	55	0.15	28	<10
C079062		1.86	1.98	0.36	225	<1	0.51	13	130	10	0.03	6	67	0.18	33	<10
C079063		2.32	3.10	0.51	222	<1	0.43	20	470	11	0.04	<5	78	0.25	53	10
C079064		1.27	2.53	0.26	179	<1	0.51	15	160	16	0.04	<5	64	0.16	32	<10

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method	ME-ICP61
	Analyte	Zn
	Units	ppm
	LOR	2
C079025		30
C079026		6
C079027		9
C079028		26
C079029		26
C079030		604
C079031		29
C079032		22
C079033		19
C079034		13
C079035		27
C079036		8
C079037		47
C079038		53
C079039		28
C079040		4
C079041		27
C079042		27
C079043		21
C079044		20
C079045		13
C079046		7
C079047		5
C079048		11
C079049		10
C079050		61
C079051		4
C079052		34
C079053		55
C079054		13
C079055		18
C079056		7
C079057		7
C079058		13
C079059		18
C079060		21
C079061		19
C079062		22
C079063		21
C079064		12

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
C079065		4.69	0.005			<0.5	6.71	70	740	1.9	<2	0.49	<0.5	9	51	7
C079066		6.37	<0.005			<0.5	4.98	9	440	1.2	<2	0.67	<0.5	6	41	7
C079067		5.92	<0.005			<0.5	4.57	33	440	1.1	<2	0.63	<0.5	6	38	8
C079068		6.11	0.009			<0.5	6.01	276	720	1.6	<2	0.60	<0.5	8	43	6
C079069		<0.02	0.007			<0.5	5.57	310	690	1.5	<2	0.56	<0.5	8	47	6
C079070		0.11	1.425			<0.5	6.63	1180	650	5.9	<2	0.01	<0.5	5	204	35
C079071		6.25	<0.005			<0.5	6.54	32	780	1.5	<2	0.51	<0.5	9	52	4
C079072		6.31	0.011			<0.5	7.59	306	900	2.0	<2	1.05	<0.5	20	50	13
C079073		5.86	0.006			<0.5	3.69	107	340	0.8	<2	1.04	<0.5	24	26	11
C079074		5.18	<0.005			<0.5	3.83	18	450	0.9	<2	0.58	<0.5	4	34	2
C079075		5.85	<0.005			<0.5	3.72	41	470	0.8	<2	0.52	<0.5	4	31	6
C079076		1.04	<0.005			<0.5	0.13	<5	10	<0.5	<2	18.80	<0.5	1	2	1
C079077		6.10	0.036			<0.5	3.24	904	400	0.8	<2	0.72	<0.5	5	27	11
C079078		4.25	0.019			<0.5	2.94	588	340	0.6	<2	0.91	<0.5	3	22	4
C079079		5.43	0.006			<0.5	3.59	76	270	0.9	<2	0.80	<0.5	4	29	2
C079080		5.16	0.036			<0.5	3.73	301	220	1.0	<2	1.03	1.1	4	31	4
C079081		2.55	0.125			<0.5	3.28	3340	180	0.9	<2	0.74	<0.5	8	26	3
C079082		3.08	0.021			<0.5	3.17	345	180	0.9	<2	0.69	<0.5	3	28	4
C079083		5.76	0.240			<0.5	3.08	4100	440	0.7	<2	0.45	<0.5	4	24	2
C079084		5.61	0.031			<0.5	3.35	455	420	0.9	<2	0.82	<0.5	4	29	9
C079085		6.36	0.023			<0.5	3.20	342	360	0.8	<2	0.57	<0.5	3	28	4
C079086		6.03	0.041			<0.5	2.66	165	200	0.8	<2	0.71	0.6	3	27	6
C079087		5.73	0.047			<0.5	5.87	889	760	1.7	<2	0.80	<0.5	7	40	10
C079088		6.85	0.028			0.5	3.57	492	200	1.0	<2	0.60	1.8	3	27	8
C079089		<0.02	0.025			0.5	3.31	429	190	0.9	<2	0.56	1.5	3	27	7
C079090		0.10	2.87			<0.5	7.14	2040	710	14.5	<2	0.01	<0.5	1	150	97
C079091		3.44	0.013			<0.5	3.55	162	230	1.1	<2	0.68	<0.5	4	27	19
C079092		5.57	0.030			0.5	7.97	414	810	3.0	<2	1.07	2.7	10	52	36
C079093		5.16	0.290			<0.5	7.92	1970	1240	3.0	4	2.13	<0.5	12	25	40
C079094		5.86	0.306			<0.5	7.08	1865	1380	3.4	<2	2.26	<0.5	9	29	16
C079095		6.02	0.101			<0.5	7.16	506	1330	3.8	<2	2.87	<0.5	10	29	22
C079096		1.78	<0.005			<0.5	0.12	6	10	<0.5	<2	19.15	<0.5	<1	2	1
C079097		5.85	0.025			<0.5	7.38	22	1330	3.5	<2	2.15	<0.5	6	26	38
C079098		6.18	0.051			<0.5	6.92	534	980	3.5	2	2.86	<0.5	6	22	47
C079099		6.56	0.101			<0.5	6.94	913	1080	3.3	<2	2.36	<0.5	6	23	43
C079100		5.03	0.010			<0.5	7.07	23	1100	3.5	<2	2.60	<0.5	4	19	16
C079101		2.88	0.104			<0.5	7.13	1385	1210	3.7	2	2.07	<0.5	7	23	21
C079102		2.68	0.051			<0.5	6.94	6100	1170	3.5	<2	1.95	<0.5	8	24	24
C079103		5.51	0.019			<0.5	7.59	24	1450	3.5	<2	2.46	<0.5	6	32	47
C079104		5.95	0.061			<0.5	7.37	97	1300	3.4	<2	2.49	<0.5	6	29	30

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
C079065		2.07	3.15	0.55	138	<1	0.87	19	160	11	0.05	<5	104	0.30	61	10
C079066		2.11	1.96	0.49	194	<1	0.91	17	190	6	0.05	5	90	0.23	44	10
C079067		1.93	1.86	0.44	160	<1	0.85	14	120	8	0.06	7	89	0.21	37	<10
C079068		1.82	2.74	0.45	138	<1	0.83	14	140	10	0.07	5	97	0.22	49	<10
C079069		1.86	2.57	0.43	140	<1	0.79	15	130	11	0.07	5	90	0.21	45	<10
C079070		3.58	2.50	0.34	85	1	0.11	17	300	25	0.01	110	87	0.27	84	10
C079071		2.54	2.89	0.62	187	<1	0.76	22	200	11	0.03	6	78	0.28	55	<10
C079072		2.88	3.50	0.76	194	<1	0.94	30	1190	9	0.11	5	131	0.61	122	40
C079073		1.46	1.34	0.29	153	<1	0.90	23	1410	3	0.07	<5	98	0.45	73	<10
C079074		1.73	1.68	0.36	161	<1	0.92	10	120	5	0.02	<5	89	0.17	30	<10
C079075		1.60	1.72	0.33	184	<1	0.89	11	140	17	0.03	<5	88	0.15	26	<10
C079076		0.10	0.03	10.90	136	<1	0.01	<1	390	<2	0.01	<5	105	0.01	1	<10
C079077		1.48	1.44	0.31	211	<1	0.58	11	100	8	0.12	<5	109	0.12	22	20
C079078		1.31	1.20	0.36	288	<1	0.06	9	110	17	0.06	<5	72	0.12	19	10
C079079		1.54	1.16	0.38	250	<1	0.04	10	110	13	0.06	<5	84	0.16	26	10
C079080		1.29	1.53	0.36	381	<1	0.02	8	100	36	0.11	<5	59	0.16	28	10
C079081		1.51	1.25	0.29	267	<1	0.03	8	90	7	0.50	8	49	0.14	22	10
C079082		1.27	1.25	0.27	268	<1	0.03	9	90	12	0.39	8	44	0.13	22	10
C079083		1.33	1.64	0.21	137	<1	0.38	7	80	18	0.21	7	58	0.11	19	10
C079084		1.17	1.55	0.26	154	<1	0.61	9	110	16	0.08	7	98	0.13	24	10
C079085		1.36	1.53	0.27	181	<1	0.51	9	100	17	0.07	7	69	0.14	23	10
C079086		1.22	1.13	0.27	309	1	0.10	9	220	45	0.25	<5	54	0.12	21	10
C079087		2.29	2.78	0.54	259	2	0.41	18	280	32	0.14	13	122	0.22	46	10
C079088		1.36	1.48	0.31	649	2	0.02	10	80	157	0.15	8	47	0.10	22	10
C079089		1.27	1.38	0.28	598	2	0.02	9	80	144	0.14	6	43	0.10	21	10
C079090		3.32	3.03	0.37	68	1	0.08	8	330	28	0.02	150	137	0.28	101	20
C079091		1.30	1.50	0.27	267	1	0.02	11	140	17	0.22	7	60	0.11	23	10
C079092		2.75	3.78	0.64	1005	<1	0.09	26	300	200	0.30	15	133	0.33	65	20
C079093		2.54	4.20	0.91	465	<1	0.22	12	630	65	0.38	16	242	0.26	35	20
C079094		2.50	3.92	0.82	404	<1	1.04	12	630	38	0.15	13	384	0.28	36	10
C079095		2.36	3.97	0.70	410	<1	1.37	9	630	55	0.14	5	482	0.28	36	10
C079096		0.10	0.03	11.20	124	<1	0.01	<1	400	<2	0.01	<5	105	0.01	1	<10
C079097		2.27	3.67	0.83	263	1	1.37	9	620	28	0.14	5	470	0.27	34	10
C079098		2.11	3.44	0.57	345	2	1.10	8	550	59	0.29	6	375	0.23	31	10
C079099		2.38	3.45	0.97	277	1	1.14	6	520	30	0.31	8	392	0.23	30	10
C079100		2.09	3.52	0.97	249	1	1.39	6	500	26	0.39	<5	495	0.22	26	10
C079101		2.05	3.56	0.78	208	<1	1.53	6	570	24	0.14	7	490	0.25	31	10
C079102		2.27	3.40	0.75	198	<1	1.46	8	570	28	0.37	8	468	0.25	30	10
C079103		2.52	3.74	0.87	245	<1	1.77	9	690	19	0.26	5	574	0.30	45	10
C079104		2.34	3.46	0.85	289	<1	1.65	8	600	28	0.21	5	552	0.27	39	10

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
C079065		19
C079066		23
C079067		20
C079068		16
C079069		16
C079070		45
C079071		28
C079072		23
C079073		9
C079074		16
C079075		19
C079076		7
C079077		16
C079078		19
C079079		19
C079080		253
C079081		15
C079082		20
C079083		9
C079084		11
C079085		13
C079086		143
C079087		27
C079088		355
C079089		331
C079090		18
C079091		12
C079092		557
C079093		99
C079094		56
C079095		103
C079096		8
C079097		40
C079098		102
C079099		37
C079100		30
C079101		29
C079102		33
C079103		31
C079104		42

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
C079105		5.42	0.026			<0.5	7.50	17	1320	2.9	<2	2.46	<0.5	7	33	20
C079106		4.98	0.027			<0.5	7.18	13	1370	3.0	<2	2.56	<0.5	8	34	34
C079107		5.96	0.018			<0.5	7.95	<5	1520	3.1	<2	2.92	<0.5	7	33	39
C079108		6.60	0.057			<0.5	7.70	972	1490	3.4	<2	2.71	<0.5	8	30	42
C079109		<0.02	0.052			<0.5	7.72	1015	1520	3.4	<2	2.73	<0.5	8	32	41
C079110		0.09	4.53			8.2	7.84	10	480	0.9	<2	2.81	1.1	17	20	119
C079111		5.33	0.074			<0.5	7.58	521	1530	3.4	<2	2.59	<0.5	10	30	63
C079112		6.55	0.352			0.8	6.91	7350	1070	2.9	2	2.48	2.6	9	29	118
C079113		5.53	0.374			<0.5	7.75	3020	1640	3.0	2	2.27	<0.5	12	30	94
C079114		4.19	2.04			<0.5	7.14	1035	1320	2.8	19	2.46	0.5	9	28	134
C079115		6.05	0.069			<0.5	6.93	341	1540	3.3	<2	2.58	<0.5	9	31	85
C079116		1.60	<0.005			<0.5	0.16	<5	20	<0.5	<2	20.5	<0.5	1	1	2
C079117		5.79	2.53			<0.5	7.63	394	1670	3.2	8	2.74	<0.5	8	31	65
C079118		5.58	0.198			<0.5	7.81	16	1630	3.3	4	2.62	<0.5	9	29	104
C079119		6.00	0.097			<0.5	7.56	250	1400	3.4	<2	2.53	<0.5	8	28	98
C079120		5.82	0.106			<0.5	7.58	974	1440	3.2	<2	2.23	<0.5	10	31	81
C079121		3.03	0.136			<0.5	7.31	76	1510	3.3	<2	2.51	<0.5	8	27	44
C079122		2.48	0.022			<0.5	7.28	60	1500	3.7	<2	2.54	<0.5	10	33	44
C079123		3.93	0.020			<0.5	7.58	13	1460	3.6	<2	2.29	<0.5	7	28	44
C079124		3.83	0.055			<0.5	7.24	825	1280	3.1	<2	2.07	<0.5	6	25	27
C079125		4.81	0.049			<0.5	6.80	15	1340	3.2	<2	2.13	<0.5	6	26	41
C079126		5.16	0.323			<0.5	7.36	13	1330	3.3	<2	2.03	<0.5	8	24	54
C079127		4.95	0.104			<0.5	7.50	35	1480	3.1	<2	2.00	<0.5	8	26	47
C079128		5.24	0.231			<0.5	7.00	102	1250	2.7	4	1.79	<0.5	9	21	45
C079129		<0.02	0.184			<0.5	7.04	103	1250	2.8	2	1.81	<0.5	9	21	44
C079130		0.10	0.110			<0.5	6.86	110	580	2.6	<2	0.53	<0.5	59	1160	377
C079131		5.00	0.577			<0.5	7.33	94	1380	3.0	8	2.14	<0.5	8	27	46
C079132		6.62	0.165			1.9	6.97	733	1460	3.4	<2	2.40	<0.5	11	30	58
C079133		5.68	0.114			<0.5	7.83	643	1620	3.8	<2	2.98	<0.5	10	51	24
C079134		6.29	0.111			<0.5	7.36	25	1410	3.6	<2	2.43	<0.5	8	29	31
C079135		6.35	0.176			<0.5	7.36	40	1400	3.4	<2	2.44	<0.5	7	28	11
C079136		1.74	<0.005			<0.5	0.16	<5	20	<0.5	<2	20.4	<0.5	<1	1	1
C079137		6.55	1.205			2.0	7.24	7430	1580	3.4	19	2.26	<0.5	13	28	26
C079138		6.17	0.011			<0.5	7.03	123	1440	3.4	<2	2.80	<0.5	8	29	32
C079139		6.51	0.008			<0.5	7.08	14	1380	3.2	<2	2.26	<0.5	7	30	35
C079140		5.86	0.015			<0.5	7.21	11	1270	3.1	<2	1.73	<0.5	8	26	23
C079141		2.33	0.018			<0.5	6.87	16	920	3.9	<2	1.95	<0.5	5	18	16
C079142		2.37	0.008			<0.5	6.75	9	830	3.9	<2	2.04	<0.5	4	18	13
C079143		5.00	0.228			<0.5	7.56	1430	1380	3.6	4	2.36	<0.5	8	32	59
C079144		6.02	0.319			<0.5	7.13	18	1050	3.5	15	1.78	<0.5	5	23	24

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
C079105		2.43	3.16	0.87	292	<1	1.69	11	630	24	0.13	<5	536	0.27	41	<10
C079106		2.55	3.34	1.10	311	1	1.57	10	680	23	0.15	<5	589	0.30	43	20
C079107		2.68	3.41	0.95	305	<1	1.78	11	690	20	0.23	<5	600	0.31	44	<10
C079108		2.47	3.31	0.87	256	<1	1.70	19	660	21	0.33	<5	549	0.30	41	10
C079109		2.54	3.39	0.87	261	<1	1.75	13	670	20	0.35	<5	559	0.31	42	10
C079110		4.16	2.20	1.35	963	11	1.67	9	910	23	0.67	<5	411	0.37	143	<10
C079111		2.44	3.50	0.96	229	1	1.62	16	650	22	0.36	6	556	0.31	41	10
C079112		3.75	3.40	0.97	491	<1	0.54	14	620	798	1.64	183	299	0.25	36	20
C079113		2.63	3.91	0.84	175	<1	1.40	15	660	23	0.51	10	482	0.29	39	10
C079114		3.39	3.39	1.12	221	<1	1.07	15	620	87	1.09	26	484	0.26	36	10
C079115		2.52	3.85	0.74	196	<1	1.35	17	620	21	0.37	9	466	0.30	40	20
C079116		0.12	0.04	11.65	134	<1	0.02	<1	430	<2	0.01	6	110	0.01	2	<10
C079117		2.62	3.70	0.94	245	<1	1.57	17	660	56	0.34	16	544	0.30	40	10
C079118		2.74	3.82	0.79	216	<1	1.57	15	660	39	0.54	10	511	0.30	39	20
C079119		2.68	3.66	0.80	240	<1	1.34	18	630	49	0.71	13	424	0.28	39	10
C079120		2.52	4.04	0.84	175	<1	1.54	15	610	23	0.45	9	448	0.28	39	20
C079121		2.39	3.59	0.84	240	<1	1.71	14	610	23	0.20	7	485	0.28	38	10
C079122		2.62	3.81	0.86	262	<1	1.73	17	650	22	0.27	<5	492	0.31	43	20
C079123		2.43	3.53	0.78	231	<1	1.77	17	620	27	0.25	<5	496	0.29	38	20
C079124		2.25	3.65	0.77	256	<1	1.66	14	540	32	0.17	5	456	0.26	32	10
C079125		2.14	3.45	0.63	242	<1	1.62	16	550	32	0.23	<5	443	0.26	32	10
C079126		2.39	3.63	0.78	227	<1	1.65	16	560	28	0.23	6	459	0.27	33	10
C079127		2.30	3.45	0.67	196	<1	1.71	16	610	24	0.31	5	484	0.28	34	10
C079128		2.00	3.63	0.69	168	<1	1.46	14	500	29	0.25	6	425	0.22	28	10
C079129		1.96	3.73	0.70	168	<1	1.49	16	520	28	0.25	7	434	0.23	29	10
C079130		8.51	2.11	0.59	384	7	0.13	469	360	149	0.02	10	51	0.25	88	30
C079131		2.60	3.48	0.97	296	<1	1.28	15	630	37	0.18	17	439	0.27	36	10
C079132		2.52	3.32	0.86	311	1	1.56	15	590	35	0.23	12	491	0.28	37	10
C079133		2.87	3.44	0.91	380	1	1.89	22	710	35	0.19	<5	563	0.32	44	10
C079134		2.34	3.58	0.77	276	<1	1.81	15	570	36	0.16	<5	501	0.27	35	10
C079135		2.42	3.27	0.78	328	<1	1.82	13	600	37	0.07	<5	501	0.28	36	10
C079136		0.12	0.05	11.55	140	<1	0.02	<1	410	3	0.01	<5	113	0.01	2	<10
C079137		3.00	3.73	0.81	282	<1	1.60	18	640	32	0.49	15	462	0.29	37	10
C079138		2.50	3.30	0.73	293	<1	1.66	17	630	32	0.19	5	500	0.28	36	10
C079139		2.52	3.43	0.96	280	<1	1.58	14	570	31	0.17	<5	435	0.27	37	10
C079140		2.22	3.26	0.89	271	<1	1.53	14	540	36	0.12	5	364	0.25	34	10
C079141		1.66	3.87	0.59	210	<1	1.72	8	340	37	0.09	<5	382	0.16	21	10
C079142		1.49	3.92	0.52	206	<1	1.67	6	280	39	0.08	<5	359	0.14	18	10
C079143		2.41	3.60	0.80	231	<1	1.66	13	590	36	0.30	7	459	0.27	37	10
C079144		1.96	3.76	0.66	221	<1	1.68	11	440	35	0.16	<5	368	0.21	26	10

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method	ME-ICP61
	Analyte	Zn
	Units	ppm
	LOR	2
C079105		40
C079106		43
C079107		37
C079108		34
C079109		34
C079110		101
C079111		25
C079112		510
C079113		20
C079114		121
C079115		22
C079116		8
C079117		36
C079118		32
C079119		60
C079120		25
C079121		31
C079122		33
C079123		40
C079124		48
C079125		45
C079126		29
C079127		27
C079128		24
C079129		25
C079130		627
C079131		33
C079132		65
C079133		68
C079134		39
C079135		59
C079136		8
C079137		51
C079138		40
C079139		44
C079140		54
C079141		27
C079142		23
C079143		34
C079144		37

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
C079145		6.37	0.017			<0.5	6.72	21	820	3.6	<2	1.71	<0.5	4	20	12
C079146		6.34	0.038			<0.5	7.15	329	1300	3.2	<2	2.38	0.5	6	31	156
C079147		6.91	0.056			<0.5	7.67	380	1380	3.4	<2	2.82	<0.5	8	36	31
C079148		6.04	0.008			<0.5	7.41	13	1400	3.1	<2	2.51	<0.5	7	31	24
C079149		<0.02	0.007			<0.5	7.44	16	1400	3.2	<2	2.52	<0.5	7	31	25
C079150		0.11	0.460			2.3	9.01	<5	1110	1.2	<2	1.50	<0.5	8	11	7050
C079151		5.86	0.014			<0.5	7.08	15	1390	3.1	<2	2.31	<0.5	7	28	40
C079152		6.00	0.111			<0.5	7.18	51	1380	2.7	<2	2.30	<0.5	7	28	48
C079153		5.67	0.022			<0.5	7.48	<5	1400	3.0	<2	2.35	<0.5	7	31	22
C079154		6.49	0.006			<0.5	7.47	15	1480	3.0	<2	2.51	<0.5	7	31	16
C079155		5.57	0.009			<0.5	7.38	10	1460	3.1	<2	2.53	<0.5	7	30	13
C079156		1.99	<0.005			<0.5	0.14	<5	20	<0.5	<2	20.4	<0.5	<1	1	1
C079157		6.47	0.012			<0.5	7.04	16	1440	3.0	<2	2.48	<0.5	6	33	53
C079158		5.08	0.043			<0.5	6.90	1040	1260	2.7	<2	2.65	<0.5	8	42	31
C079159		6.07	0.029			<0.5	6.94	55	1420	2.9	<2	2.24	<0.5	6	31	40
C079160		5.32	0.179			<0.5	6.76	598	1350	2.8	<2	3.13	<0.5	7	24	56
C079161		2.99	0.027			<0.5	6.97	98	1490	3.2	<2	2.70	<0.5	7	30	64
C079162		2.93	0.047			<0.5	7.21	172	1510	3.2	<2	2.78	<0.5	7	33	68
C079163		5.87	0.033			<0.5	7.08	455	1550	3.2	<2	2.52	<0.5	8	37	34
C079164		5.67	0.511			<0.5	7.27	781	1580	2.9	7	2.13	<0.5	10	38	148
C079165		4.49	0.012			<0.5	7.08	17	1400	3.0	<2	2.29	<0.5	6	33	32
C079166		5.19	0.045			<0.5	7.25	22	1370	3.0	2	2.05	<0.5	7	30	38
C079167		5.62	0.009	0.009		<0.5	7.78	5	1510	3.2	<2	1.49	<0.5	7	31	33
C079168		4.76	0.346	0.236		<0.5	7.38	1865	1610	3.3	2	1.66	<0.5	8	32	70
C079169		<0.02	0.693	0.635		<0.5	7.33	1710	1560	3.0	<2	1.59	<0.5	8	29	68
C079170		0.10	2.91			<0.5	7.44	2000	720	12.7	<2	0.01	<0.5	1	143	97
C079171		4.02	0.083			0.9	7.25	138	1170	2.9	<2	1.97	0.7	7	29	66
C079172		6.05	0.018			<0.5	7.22	96	1490	2.9	<2	2.05	<0.5	7	30	61
C079173		5.13	0.110			1.2	7.43	8	1340	3.0	<2	2.63	3.0	6	29	63
C079174		5.76	0.006			<0.5	7.01	8	1460	2.8	<2	2.47	<0.5	7	30	56
C079175		6.74	0.250			<0.5	7.61	454	1620	3.0	4	2.40	<0.5	9	30	49
C079176		1.75	<0.005			<0.5	0.17	5	20	<0.5	<2	19.70	<0.5	1	4	3
C079177		6.01	0.458			<0.5	7.41	1610	1540	3.0	<2	2.41	<0.5	8	31	25
C079178		7.06	0.023			<0.5	7.43	165	1490	3.1	<2	2.45	<0.5	9	33	12
C079179		5.86	0.012			<0.5	7.55	12	1380	3.1	<2	2.55	<0.5	7	38	14
C079180		7.29	0.165			<0.5	7.50	2540	1430	3.1	<2	2.54	<0.5	7	38	29
C079181		2.87	0.165			<0.5	7.86	2520	1460	3.1	<2	2.67	<0.5	9	39	37
C079182		3.34	0.182			<0.5	7.73	2270	1450	3.2	<2	2.54	<0.5	9	39	40
C079183		5.85	0.265			<0.5	7.41	711	1450	2.9	5	2.31	<0.5	7	34	28
C079184		6.32	0.164			<0.5	7.63	3660	1530	3.2	<2	2.52	<0.5	11	39	42

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
C079145		1.43	3.94	0.43	190	<1	1.75	8	290	40	0.10	<5	329	0.15	18	10
C079146		2.41	3.39	0.77	300	<1	1.73	13	580	36	0.19	<5	445	0.27	36	10
C079147		2.52	3.77	0.86	300	1	1.83	15	620	33	0.22	5	517	0.29	41	10
C079148		2.49	3.42	0.81	299	<1	1.83	16	620	27	0.19	<5	518	0.30	38	<10
C079149		2.43	3.48	0.80	296	<1	1.82	17	610	31	0.19	<5	521	0.30	37	<10
C079150		3.32	3.57	1.22	496	1	3.54	9	2020	10	0.24	<5	697	0.34	169	<10
C079151		2.25	3.50	0.68	233	<1	1.82	15	570	25	0.21	<5	461	0.28	32	10
C079152		2.33	3.55	0.69	228	3	1.68	14	580	25	0.28	<5	466	0.27	33	30
C079153		2.37	3.62	0.79	260	<1	1.83	17	600	24	0.13	<5	495	0.29	36	<10
C079154		2.46	3.42	0.84	293	<1	1.90	17	630	25	0.13	<5	535	0.30	37	<10
C079155		2.35	3.27	0.74	249	<1	1.89	17	630	24	0.10	<5	517	0.29	35	<10
C079156		0.11	0.04	11.60	133	<1	0.02	<1	390	2	0.01	<5	112	0.01	2	<10
C079157		2.21	3.29	0.70	229	<1	1.87	17	600	25	0.25	<5	502	0.29	35	<10
C079158		2.87	3.25	1.05	314	<1	1.73	17	930	25	0.30	<5	512	0.30	49	20
C079159		2.25	3.27	0.75	213	<1	1.74	16	610	22	0.21	<5	527	0.28	33	10
C079160		2.30	3.32	1.07	245	<1	1.47	18	580	21	0.32	5	572	0.26	31	10
C079161		2.35	3.52	0.89	210	<1	1.80	17	640	22	0.26	5	563	0.30	36	10
C079162		2.39	3.45	0.92	220	<1	1.77	19	650	21	0.29	<5	567	0.30	36	10
C079163		2.54	3.36	0.86	260	<1	1.80	18	700	21	0.30	<5	527	0.31	41	<10
C079164		2.55	3.78	0.80	218	<1	1.64	18	660	17	0.46	5	525	0.30	42	20
C079165		2.35	3.13	0.82	233	<1	1.71	14	620	20	0.17	<5	516	0.29	37	10
C079166		2.30	3.38	0.75	238	<1	1.78	14	590	21	0.14	<5	498	0.28	36	10
C079167		2.20	3.28	0.56	201	<1	2.04	20	670	23	0.12	<5	540	0.30	36	10
C079168		2.36	3.95	0.63	198	<1	1.86	20	620	616	0.45	5	508	0.30	36	20
C079169		2.35	3.78	0.61	192	1	1.79	17	590	26	0.44	5	493	0.27	35	10
C079170		3.32	3.08	0.38	66	2	0.09	9	320	27	0.02	150	138	0.21	97	10
C079171		2.38	3.49	0.79	552	1	1.16	17	580	165	0.26	12	370	0.27	34	10
C079172		2.29	3.56	0.74	306	<1	1.69	17	600	23	0.27	9	504	0.28	34	10
C079173		2.78	3.56	0.87	646	1	1.39	18	590	890	0.73	45	439	0.27	35	10
C079174		2.25	3.43	0.69	241	<1	1.79	18	610	21	0.22	8	512	0.28	36	10
C079175		2.34	3.60	0.76	193	<1	1.81	18	620	23	0.25	<5	538	0.28	35	<10
C079176		0.12	0.04	11.50	125	<1	0.03	<1	410	2	0.01	<5	113	0.01	2	<10
C079177		2.43	3.39	0.86	243	<1	1.71	20	610	20	0.19	<5	522	0.29	36	10
C079178		2.42	3.37	0.82	303	1	1.82	18	620	26	0.07	7	501	0.29	38	10
C079179		2.57	3.36	0.93	370	<1	1.82	15	620	35	0.07	<5	530	0.27	43	<10
C079180		2.57	3.66	0.85	303	1	1.76	13	620	34	0.26	7	515	0.27	41	10
C079181		2.84	3.44	0.95	285	1	1.78	16	660	24	0.30	<5	555	0.29	43	10
C079182		2.62	3.68	0.90	262	1	1.78	17	640	22	0.27	<5	552	0.29	43	<10
C079183		2.44	3.42	0.89	252	<1	1.66	17	620	26	0.17	<5	508	0.28	39	10
C079184		2.71	3.78	0.92	253	1	1.76	19	660	23	0.39	<5	529	0.31	42	20

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Zn ppm 2
C079145		28
C079146		137
C079147		39
C079148		46
C079149		45
C079150		62
C079151		31
C079152		28
C079153		34
C079154		37
C079155		31
C079156		8
C079157		30
C079158		48
C079159		26
C079160		22
C079161		22
C079162		23
C079163		31
C079164		26
C079165		29
C079166		49
C079167		34
C079168		45
C079169		23
C079170		16
C079171		139
C079172		21
C079173		518
C079174		23
C079175		22
C079176		8
C079177		29
C079178		47
C079179		59
C079180		49
C079181		35
C079182		33
C079183		30
C079184		28

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
C079185		5.30	0.054			<0.5	7.27	312	1570	3.0	<2	2.32	<0.5	8	34	44
C079186		4.68	0.055			<0.5	7.58	111	1620	3.1	<2	2.51	<0.5	7	34	58
C079187		5.80	0.080	0.050		<0.5	7.36	298	1520	2.8	<2	2.66	<0.5	8	36	26
C079188		6.10	0.219	0.472		<0.5	7.06	749	1530	2.8	2	2.46	<0.5	8	30	49
C079189		<0.02	0.340	0.285		<0.5	7.35	1040	1590	2.8	2	2.48	<0.5	8	31	48
C079190		0.11	4.52			9.0	7.53	15	470	0.9	<2	2.73	1.4	17	22	121
C079191		5.88	0.016			<0.5	7.66	28	1640	3.0	<2	2.51	<0.5	7	35	37
C079192		5.48	0.563			<0.5	7.67	2180	1830	2.9	2	2.43	<0.5	10	34	48
C079193		6.28	0.561			<0.5	7.05	2610	1620	2.6	10	2.23	<0.5	6	31	46
C079194		6.16	0.100			<0.5	6.85	2190	1580	2.8	2	2.22	<0.5	10	35	63
C079195		5.69	0.322			<0.5	7.09	1050	1300	2.8	3	1.94	1.4	9	31	49
C079196		1.43	<0.005			<0.5	0.14	<5	30	<0.5	<2	19.60	<0.5	<1	3	2
C079197		6.17	0.782			<0.5	7.10	352	1280	2.6	<2	2.28	<0.5	6	37	54
C079198		3.88	0.174			<0.5	6.91	452	1310	2.4	<2	2.26	<0.5	8	32	56
C079199		5.27	2.48			2.6	6.89	>10000	1010	2.5	2	2.11	4.4	32	33	56
C079200		5.49	0.297			<0.5	7.11	2050	1670	2.8	<2	2.42	<0.5	9	33	61
C079201		2.03	0.158			<0.5	6.82	684	1260	2.5	<2	2.13	<0.5	7	31	38
C079202		2.18	0.021			<0.5	7.04	88	1380	2.6	<2	2.53	<0.5	8	30	39
C079203		3.71	0.680			<0.5	6.96	444	1480	2.5	2	2.22	<0.5	8	32	80
C079204		5.65	0.203			<0.5	7.16	1170	1550	2.7	<2	2.21	<0.5	9	33	49
C079205		5.20	1.160			<0.5	7.43	1760	1540	2.9	<2	2.24	<0.5	7	32	46
C079206		5.58	0.094			<0.5	7.31	616	1520	2.8	<2	2.18	<0.5	10	30	32
C079207		4.37	0.065	0.035		<0.5	7.34	22	1580	2.9	<2	2.39	<0.5	6	31	39
C079208		4.46	0.080	0.078		<0.5	7.51	63	1590	2.8	8	2.45	<0.5	6	30	62
C079209		<0.02	0.148	0.082		<0.5	7.18	162	1570	2.7	2	2.45	<0.5	6	31	60
C079210		0.09	0.858			1.9	7.37	5	440	0.7	<2	1.86	0.5	22	103	2040
C079211		4.55	0.130			<0.5	6.95	145	1510	2.9	<2	2.16	<0.5	5	33	22
C079212		6.15	0.367			<0.5	7.24	417	1430	3.1	<2	2.22	<0.5	5	36	15
C079213		5.67	0.246			0.5	7.37	73	1340	2.9	<2	2.16	<0.5	6	30	52
C079214		6.56	0.157			1.2	7.30	5	1220	2.9	3	1.52	1.1	5	36	56
C079215		4.84	0.045			<0.5	7.77	409	1350	2.7	<2	1.34	<0.5	7	39	44
C079216		1.68	0.017			<0.5	0.16	<5	10	<0.5	<2	20.6	<0.5	<1	2	1
C079217		5.45	0.097			1.2	7.33	917	980	2.7	<2	2.35	2.3	6	38	42
C079218		2.35	0.122			8.0	6.15	139	510	2.4	<2	1.61	26.0	1	29	50
C079219		3.70	0.041			3.8	7.72	60	730	2.8	<2	2.11	8.4	5	31	52
C079220		3.85	0.008			<0.5	7.63	21	1580	3.0	<2	2.45	<0.5	7	39	33
C079221		1.41	0.022			0.7	7.28	26	1060	2.9	<2	3.16	2.6	4	31	26
C079222		1.34	0.030			1.4	7.79	31	1010	3.2	<2	2.81	3.6	5	29	39
C079223		3.26	0.081			<0.5	6.92	36	1200	2.8	<2	2.69	<0.5	7	44	21
C079224		3.22	0.814			<0.5	7.23	155	1220	2.8	<2	2.34	<0.5	7	50	32

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
C079185		2.31	3.72	0.75	211	2	1.58	18	630	21	0.20	6	459	0.29	40	10
C079186		2.43	3.91	0.82	225	1	1.71	20	710	21	0.18	<5	516	0.31	39	10
C079187		2.46	3.59	0.80	285	2	1.66	19	640	23	0.13	5	483	0.30	39	10
C079188		2.26	3.67	0.92	230	1	1.56	19	620	20	0.24	5	510	0.29	37	20
C079189		2.42	3.63	0.95	237	3	1.58	19	630	20	0.26	<5	518	0.29	37	20
C079190		4.04	2.25	1.33	913	13	1.61	12	880	24	0.66	<5	398	0.36	146	<10
C079191		2.44	3.59	0.81	264	2	1.77	19	680	22	0.26	<5	557	0.31	41	10
C079192		2.56	3.88	0.77	253	2	1.52	20	670	26	0.36	<5	505	0.31	42	10
C079193		2.34	3.80	0.75	198	2	1.42	17	610	27	0.36	7	442	0.27	36	20
C079194		2.44	3.77	0.69	233	2	1.47	18	620	21	0.39	5	466	0.29	38	30
C079195		2.54	3.36	0.77	389	1	1.03	17	600	133	0.43	9	348	0.27	36	10
C079196		0.10	0.03	11.60	128	<1	0.01	<1	390	2	0.01	<5	107	0.01	2	<10
C079197		2.50	3.35	0.76	491	1	0.95	17	630	64	0.35	16	342	0.27	37	10
C079198		2.24	3.40	0.72	415	1	1.18	18	630	23	0.17	26	361	0.28	38	20
C079199		3.17	3.11	0.67	707	<1	0.83	15	610	390	1.07	42	263	0.26	37	20
C079200		2.60	3.48	0.78	347	1	1.70	20	660	23	0.35	11	540	0.30	39	10
C079201		2.30	2.77	0.81	293	2	1.61	16	660	19	0.19	5	420	0.28	37	20
C079202		2.28	2.95	0.93	345	2	1.58	16	640	20	0.14	7	499	0.28	36	20
C079203		2.46	3.64	0.79	223	2	1.41	20	640	18	0.46	<5	504	0.29	35	30
C079204		2.39	3.74	0.77	226	1	1.54	21	630	19	0.33	<5	520	0.29	37	20
C079205		2.56	3.50	0.83	242	1	1.60	16	690	25	0.33	<5	531	0.31	39	10
C079206		2.48	3.25	0.76	243	<1	1.64	20	650	24	0.17	<5	525	0.30	39	10
C079207		2.47	3.49	0.82	254	1	1.64	18	640	24	0.18	<5	531	0.30	39	150
C079208		2.45	4.02	0.77	220	4	1.47	19	620	27	0.23	<5	496	0.30	38	10
C079209		2.38	3.88	0.76	219	4	1.45	19	640	26	0.23	<5	487	0.29	38	<10
C079210		5.07	1.72	1.32	434	4	3.04	47	670	25	0.61	<5	206	0.30	90	<10
C079211		2.44	3.19	0.79	272	<1	1.58	19	640	28	0.13	<5	483	0.29	39	<10
C079212		2.46	3.60	0.77	281	<1	1.61	17	590	28	0.10	<5	467	0.28	40	<10
C079213		3.31	3.35	0.74	397	1	1.17	16	600	173	0.99	10	380	0.28	38	<10
C079214		3.08	3.23	0.71	535	<1	0.76	18	640	178	0.44	15	299	0.28	39	10
C079215		2.83	3.46	0.75	510	5	0.80	16	680	63	0.30	16	349	0.30	46	20
C079216		0.11	0.03	11.55	138	<1	0.01	3	390	2	0.01	<5	112	0.01	<1	<10
C079217		4.07	3.29	1.19	1755	<1	0.46	13	600	372	0.44	54	275	0.26	41	10
C079218		8.90	2.74	1.04	8030	<1	0.03	8	510	2420	2.41	26	82	0.22	33	10
C079219		4.58	3.55	0.90	2760	<1	0.07	15	700	899	1.49	41	150	0.30	42	10
C079220		2.80	3.80	0.91	460	1	0.89	22	740	42	0.16	19	387	0.32	45	<10
C079221		3.35	3.37	1.04	1350	<1	0.34	14	660	268	0.38	15	281	0.27	40	10
C079222		3.03	3.65	0.96	1250	<1	0.30	19	680	349	0.20	17	243	0.29	42	20
C079223		2.79	3.56	1.08	597	<1	1.20	21	630	44	0.13	18	453	0.29	49	10
C079224		2.75	3.90	1.03	493	<1	1.12	20	600	43	0.18	14	426	0.28	53	10

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method	ME-ICP61
	Analyte	Zn
	Units	ppm
	LOR	2
C079185		27
C079186		30
C079187		33
C079188		26
C079189		26
C079190		96
C079191		31
C079192		31
C079193		29
C079194		24
C079195		254
C079196		9
C079197		87
C079198		31
C079199		745
C079200		34
C079201		29
C079202		28
C079203		23
C079204		24
C079205		29
C079206		29
C079207		28
C079208		23
C079209		23
C079210		206
C079211		40
C079212		44
C079213		103
C079214		289
C079215		80
C079216		6
C079217		468
C079218		4390
C079219		1440
C079220		61
C079221		496
C079222		649
C079223		65
C079224		52

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
C079225		2.77	>10.0		46.7	19.9	7.37	>10000	830	2.9	<2	1.66	<0.5	14	48	605
C079226		3.73	6.47			1.4	6.27	>10000	790	2.5	<2	1.81	<0.5	11	42	127
C079227		5.97	0.054			<0.5	7.65	57	1110	2.9	<2	2.38	<0.5	5	37	35
C079228		2.92	0.034			3.7	7.19	33	650	3.1	<2	2.29	6.9	1	27	57
C079229		<0.02	0.025			4.9	7.58	29	710	3.3	<2	2.34	7.7	1	31	65
C079230		0.11	0.096			<0.5	6.69	113	550	2.5	<2	0.51	<0.5	55	1150	385
C079231		3.62	0.046			3.0	7.94	53	700	3.2	<2	1.32	10.7	3	34	57
C079232		5.84	0.426			<0.5	7.26	404	1270	3.0	<2	2.21	<0.5	5	32	24
C079233		2.70	0.745			0.5	7.17	502	810	2.9	<2	1.62	<0.5	4	32	46
C079234		3.17	0.032			<0.5	7.30	19	1470	3.3	<2	2.42	<0.5	6	35	21
C079235		6.48	0.027			<0.5	7.42	38	1420	3.5	<2	2.36	<0.5	6	33	23
C079236		1.73	<0.005			<0.5	0.13	9	10	<0.5	<2	20.6	<0.5	<1	3	1
C079237		7.13	0.006			<0.5	7.27	16	1440	3.5	<2	2.43	<0.5	6	36	21
C079238		5.77	0.011			<0.5	7.23	20	1330	3.3	<2	2.23	<0.5	5	33	31
C079239		6.41	0.134			<0.5	7.54	741	1470	3.2	<2	2.35	<0.5	7	32	31
C079240		6.22	0.067			<0.5	6.82	8	1360	3.1	<2	2.35	<0.5	6	36	41
C079241		1.71	0.031			<0.5	7.51	12	1530	3.1	<2	2.48	<0.5	7	33	61
C079242		1.98	0.023			<0.5	7.47	16	1560	3.4	<2	2.54	<0.5	8	33	46
C079243		3.25	0.012			<0.5	7.59	12	1570	3.2	<2	2.33	<0.5	7	32	27
C079244		3.09	0.006			<0.5	7.51	12	1510	3.3	<2	2.38	<0.5	8	34	17
C079245		3.22	<0.005			<0.5	7.55	12	1370	3.3	<2	2.66	<0.5	7	37	11
C079246		6.65	0.049			<0.5	7.66	25	1420	3.0	<2	2.63	<0.5	8	40	31
C079247		6.83	0.015			<0.5	7.47	12	1380	3.0	<2	2.71	<0.5	8	45	21
C079248		6.09	0.015			<0.5	7.52	14	1290	2.9	<2	2.61	<0.5	9	42	28
C079249		<0.02	0.021			<0.5	7.36	17	1300	2.7	<2	2.92	<0.5	9	47	36
C079250		0.11	0.434			2.6	8.98	<5	1080	1.2	<2	1.43	<0.5	8	12	7230
C079251		6.36	0.015			<0.5	7.92	179	1410	2.8	<2	3.22	<0.5	9	49	47
C079252		6.38	0.032			<0.5	7.88	14	1570	3.1	<2	2.46	<0.5	8	39	61
C079253		5.73	0.099			0.5	7.95	8	1370	2.9	<2	2.60	0.9	9	40	39
C079254		6.93	0.017			<0.5	7.82	18	1460	2.8	<2	3.12	<0.5	8	37	31
C079255		6.32	0.027			<0.5	7.77	13	1470	3.0	<2	2.76	<0.5	8	41	30
C079256		1.47	<0.005			<0.5	0.14	<5	20	<0.5	<2	19.65	<0.5	<1	2	2
C079257		6.17	0.075			<0.5	8.05	10	1600	3.2	5	2.78	<0.5	9	40	34
C079258		5.71	0.081			<0.5	6.81	11	1330	2.8	4	2.27	<0.5	7	34	22
C079259		7.36	0.028			<0.5	7.78	10	1540	2.9	<2	2.46	<0.5	7	37	21
C079260		6.07	<0.005			<0.5	7.50	20	1470	2.8	<2	2.43	<0.5	8	37	12
C079261		3.59	0.041			<0.5	7.65	23	1530	3.2	<2	2.46	<0.5	10	38	23
C079262		3.98	0.031			<0.5	7.93	21	1570	3.3	<2	2.73	<0.5	9	38	20
C079263		6.00	0.274			<0.5	7.85	8	1620	3.2	9	2.91	<0.5	8	37	40
C079264		5.92	0.021			<0.5	8.08	5	1490	3.2	<2	3.15	<0.5	9	47	32

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
C079225		5.45	3.65	0.95	422	1	0.26	21	590	41	2.71	56	186	0.23	51	20
C079226		3.74	2.81	0.96	529	1	0.56	13	510	45	0.95	18	238	0.23	43	20
C079227		2.74	3.55	0.88	679	<1	0.81	13	660	78	0.37	18	325	0.31	44	10
C079228		3.20	3.32	0.87	1870	<1	0.06	15	640	516	0.62	24	102	0.26	36	20
C079229		3.53	3.48	0.91	1865	1	0.08	14	660	634	0.73	31	111	0.28	39	20
C079230		8.15	2.12	0.56	372	8	0.11	470	320	150	0.02	13	49	0.28	86	20
C079231		4.52	3.59	0.87	2750	<1	0.11	18	650	808	1.34	19	94	0.27	44	20
C079232		2.64	3.52	0.82	700	1	0.94	19	650	102	0.14	14	330	0.28	39	<10
C079233		3.53	3.35	0.84	485	1	0.19	15	610	41	0.53	11	142	0.25	37	10
C079234		2.56	3.32	0.87	377	<1	1.66	21	650	30	0.09	<5	493	0.31	40	20
C079235		2.50	3.50	0.85	348	1	1.71	18	620	31	0.13	<5	478	0.29	37	<10
C079236		0.11	0.03	11.45	140	<1	0.02	3	400	2	0.01	<5	111	0.01	<1	<10
C079237		2.50	3.41	0.88	389	<1	1.76	17	630	34	0.09	<5	472	0.29	38	<10
C079238		2.38	3.57	0.77	319	1	1.73	14	580	36	0.15	<5	448	0.27	35	<10
C079239		2.46	3.68	0.81	347	2	1.71	16	590	33	0.17	<5	495	0.27	36	10
C079240		2.41	3.67	0.77	348	4	1.58	15	590	29	0.19	<5	444	0.28	36	20
C079241		2.50	3.66	0.98	363	2	1.58	18	640	24	0.14	<5	473	0.29	40	20
C079242		2.56	3.85	0.97	385	3	1.63	18	620	23	0.11	5	478	0.31	41	20
C079243		2.54	3.40	1.00	386	2	1.65	17	640	29	0.07	6	477	0.29	40	10
C079244		2.57	3.41	0.92	381	1	1.74	17	630	31	0.09	<5	492	0.29	40	10
C079245		2.56	3.31	0.97	443	1	1.68	15	620	30	0.10	<5	480	0.28	44	10
C079246		2.73	3.55	1.13	496	1	1.37	14	650	36	0.14	<5	432	0.28	48	10
C079247		2.61	3.34	1.10	412	2	1.73	14	630	25	0.10	<5	500	0.29	51	10
C079248		2.58	3.45	1.03	409	2	1.74	11	590	23	0.10	<5	479	0.28	50	10
C079249		2.71	3.40	1.13	475	2	1.68	12	640	26	0.11	<5	479	0.28	52	20
C079250		3.17	3.78	1.21	467	2	3.47	7	1930	10	0.24	5	685	0.33	172	<10
C079251		2.82	3.63	1.19	486	1	1.59	13	690	22	0.19	5	504	0.30	56	30
C079252		2.75	3.83	1.05	369	3	1.75	17	670	28	0.18	<5	520	0.32	46	20
C079253		2.75	3.61	1.06	562	1	1.24	16	670	90	0.27	5	393	0.29	47	10
C079254		2.66	3.20	1.07	405	1	1.78	13	640	25	0.16	<5	534	0.28	44	10
C079255		2.72	3.40	1.02	371	1	1.73	13	680	23	0.14	<5	541	0.30	47	10
C079256		0.10	0.03	11.45	127	<1	0.02	<1	410	2	0.01	<5	106	0.01	2	<10
C079257		2.87	3.53	1.06	354	1	1.83	15	690	23	0.14	<5	569	0.33	48	10
C079258		2.36	3.05	0.86	301	1	1.53	17	580	18	0.09	<5	471	0.28	41	<10
C079259		2.66	3.47	0.93	343	1	1.79	18	660	24	0.08	<5	523	0.31	44	<10
C079260		2.51	3.47	0.93	352	1	1.74	18	640	22	0.11	<5	508	0.31	43	<10
C079261		2.63	3.52	0.97	342	1	1.80	18	660	22	0.10	6	506	0.32	46	10
C079262		2.68	3.58	1.01	367	1	1.92	19	710	21	0.10	<5	537	0.33	46	10
C079263		2.75	3.60	1.00	326	1	1.80	17	700	23	0.14	<5	534	0.33	47	10
C079264		2.82	3.70	1.11	387	2	1.86	15	690	22	0.15	<5	562	0.32	54	10

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Zn ppm 2
C079225		46
C079226		41
C079227		112
C079228		1240
C079229		1420
C079230		589
C079231		1950
C079232		135
C079233		55
C079234		67
C079235		59
C079236		13
C079237		70
C079238		54
C079239		55
C079240		48
C079241		41
C079242		48
C079243		56
C079244		63
C079245		61
C079246		78
C079247		46
C079248		51
C079249		52
C079250		58
C079251		42
C079252		54
C079253		203
C079254		48
C079255		50
C079256		7
C079257		51
C079258		42
C079259		52
C079260		53
C079261		45
C079262		46
C079263		40
C079264		42

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
C079265		5.56	0.009			<0.5	8.18	25	1550	3.3	<2	3.02	<0.5	10	47	14
C079266		6.25	0.043			<0.5	8.35	16	1720	3.0	<2	3.23	<0.5	10	45	33
C079267		6.50	0.236	0.106		<0.5	7.80	9	1550	3.0	11	2.94	<0.5	9	46	23
C079268		5.55	0.081	0.064		<0.5	7.75	19	1540	3.1	3	2.90	<0.5	9	40	38
C079269		<0.02	0.147	0.148		<0.5	7.89	10	1610	3.1	3	3.20	<0.5	9	48	41
C079270		0.11	1.405			<0.5	7.28	1260	720	6.2	<2	0.01	<0.5	5	211	40
C079271		6.36	0.040			<0.5	7.56	16	1510	3.0	<2	2.79	<0.5	8	44	49
C079272		6.22	0.024			<0.5	7.46	13	1530	2.9	<2	2.81	<0.5	7	40	49
C079273		6.40	0.238			<0.5	7.58	18	1540	3.0	4	2.74	<0.5	8	37	44
C079274		6.26	0.270			<0.5	7.90	13	1600	3.0	14	2.99	<0.5	9	36	59
C079275		6.08	0.015			<0.5	7.59	14	1620	3.0	<2	2.36	<0.5	7	34	24
C079276		1.53	0.007			<0.5	0.15	<5	20	<0.5	<2	21.3	<0.5	1	2	2
C079277		5.91	0.018	0.023		<0.5	7.23	<5	1440	2.7	<2	2.43	<0.5	8	36	33
C079278		5.62	0.556	0.528		<0.5	6.64	1920	1430	2.5	<2	2.14	<0.5	13	39	39
C079279		6.37	0.011	0.013		<0.5	7.28	43	1600	3.0	<2	2.72	<0.5	9	52	12
C079280		6.26	0.008			<0.5	6.92	28	1460	2.9	<2	2.26	<0.5	9	38	17
C079281		2.58	<0.005			<0.5	7.11	29	1490	3.0	<2	2.24	<0.5	8	35	8
C079282		2.71	0.009			<0.5	7.27	29	1500	3.0	<2	2.46	<0.5	8	36	10
C079283		5.74	0.009			<0.5	7.10	19	1490	3.0	<2	2.36	<0.5	8	35	17
C079284		3.63	0.022			<0.5	7.21	22	1480	2.8	<2	2.31	<0.5	7	33	27
C079285		2.87	0.026			<0.5	7.40	29	1590	2.6	<2	2.08	<0.5	8	32	22
C079286		6.51	0.020			<0.5	6.92	18	1590	2.7	<2	1.95	<0.5	8	35	37
C079287		5.51	0.291			<0.5	7.46	530	1790	2.7	14	2.20	<0.5	9	38	57
C079288		6.22	0.147			1.0	7.13	1520	1240	2.8	11	2.52	<0.5	8	37	34
C079289		<0.02	0.190			1.0	7.42	1840	1230	3.0	8	2.57	<0.5	10	42	31
C079290		0.11	2.66			<0.5	7.62	2090	750	13.9	<2	0.02	<0.5	1	157	100
C079291		5.80	0.030			<0.5	7.48	22	1360	3.2	<2	2.34	<0.5	7	36	28
C079292		5.97	0.014			<0.5	7.55	22	1460	3.1	<2	2.62	<0.5	7	39	12
C079293		5.71	<0.005			<0.5	7.49	9	1530	3.0	<2	2.59	<0.5	9	36	20
C079294		5.94	0.157			<0.5	7.86	10	1500	3.4	2	2.95	<0.5	8	39	42
C079295		5.94	0.028			<0.5	7.58	12	1590	3.0	<2	2.47	<0.5	9	39	40
C079296		1.28	<0.005			<0.5	0.17	<5	20	<0.5	<2	20.0	<0.5	1	4	3
C079297		5.49	0.020			<0.5	7.78	19	1560	3.3	<2	3.10	<0.5	10	44	30
C079298		6.55	0.023			<0.5	7.53	24	1530	2.9	<2	2.67	<0.5	9	38	37

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
C079265		2.92	3.67	1.13	432	1	1.93	14	720	21	0.13	<5	566	0.33	54	10
C079266		2.89	3.69	1.12	385	1	1.95	17	750	19	0.19	<5	602	0.34	52	10
C079267		2.88	3.48	1.09	377	2	1.88	15	720	18	0.14	<5	560	0.33	54	10
C079268		2.67	3.56	0.99	331	2	1.83	15	670	17	0.19	<5	565	0.32	49	10
C079269		2.91	3.61	1.06	372	3	1.79	18	730	18	0.22	<5	568	0.33	52	10
C079270		3.87	2.81	0.37	90	3	0.11	20	320	27	0.02	119	94	0.28	93	20
C079271		2.73	3.53	1.02	351	5	1.76	17	690	27	0.26	<5	538	0.31	49	10
C079272		2.74	3.45	0.98	344	1	1.76	15	660	21	0.23	<5	533	0.31	48	10
C079273		2.64	3.60	0.91	339	3	1.76	19	670	25	0.23	<5	510	0.31	43	<10
C079274		2.89	3.78	0.98	363	2	1.89	17	690	24	0.26	<5	545	0.32	46	20
C079275		2.63	3.46	1.06	356	1	2.02	18	660	22	0.12	<5	540	0.32	44	<10
C079276		0.12	0.04	12.30	143	<1	0.01	<1	430	3	0.01	<5	116	0.01	2	<10
C079277		2.44	3.14	1.05	322	1	1.82	15	610	20	0.20	<5	475	0.27	39	10
C079278		2.61	3.15	0.95	280	2	1.53	17	590	17	0.41	<5	409	0.26	37	10
C079279		2.78	3.52	1.22	430	1	1.83	18	660	22	0.14	<5	502	0.32	49	10
C079280		2.45	3.69	0.96	352	1	1.81	16	620	24	0.15	<5	476	0.29	41	10
C079281		2.36	3.34	0.99	346	2	1.91	16	630	20	0.14	<5	500	0.29	41	10
C079282		2.44	3.73	1.00	357	3	1.90	15	630	22	0.18	<5	514	0.30	42	<10
C079283		2.45	3.39	0.89	360	1	1.88	16	630	24	0.17	<5	505	0.29	40	<10
C079284		2.48	3.44	0.94	344	2	1.71	15	630	19	0.22	<5	497	0.29	40	10
C079285		2.48	3.49	1.05	350	4	1.74	15	660	22	0.24	6	507	0.29	40	10
C079286		2.44	3.81	0.99	358	3	1.96	17	630	19	0.21	<5	485	0.30	41	370
C079287		2.67	4.12	0.96	349	27	1.60	13	630	26	0.46	<5	428	0.28	44	130
C079288		2.55	3.51	0.88	414	2	1.23	13	550	135	0.24	9	347	0.24	41	30
C079289		2.76	3.63	0.98	434	2	1.23	13	590	134	0.26	12	346	0.28	44	40
C079290		3.46	3.20	0.39	70	2	0.09	10	330	32	0.02	159	141	0.27	103	20
C079291		2.43	3.54	0.86	346	1	1.52	14	580	28	0.14	<5	426	0.28	39	10
C079292		2.42	3.42	0.92	354	1	1.77	17	610	24	0.14	<5	476	0.28	43	10
C079293		2.55	3.33	0.91	372	1	1.76	18	650	22	0.12	<5	512	0.30	42	20
C079294		2.74	3.38	0.96	427	1	1.76	17	680	23	0.18	<5	518	0.31	45	40
C079295		2.70	3.70	0.97	373	1	1.79	16	670	25	0.18	<5	502	0.30	43	20
C079296		0.12	0.04	11.70	126	<1	0.02	<1	430	<2	0.01	<5	110	0.01	2	<10
C079297		2.72	3.70	0.92	391	<1	1.81	18	700	23	0.19	<5	504	0.33	48	20
C079298		2.48	3.51	0.93	330	2	1.74	18	640	22	0.18	<5	491	0.30	43	10

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method	ME-ICP61
	Analyte	Zn
	Units	ppm
	LOR	2
C079265		54
C079266		40
C079267		42
C079268		36
C079269		37
C079270		46
C079271		45
C079272		37
C079273		41
C079274		47
C079275		43
C079276		8
C079277		33
C079278		49
C079279		56
C079280		48
C079281		43
C079282		44
C079283		53
C079284		37
C079285		36
C079286		34
C079287		41
C079288		113
C079289		111
C079290		17
C079291		53
C079292		46
C079293		59
C079294		65
C079295		56
C079296		9
C079297		48
C079298		37

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

D: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 11-JUN-2006
Account: STRGOL

CERTIFICATE VA06050291

Project: Dublin Gulch 1735

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 5-JUN-2006.

The following have access to data associated with this certificate:

JIM SPARLING	KRISTIAN WHITEHEAD	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 11-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06050291

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B366001		1.66	0.024	<0.5	10.60	248	820	2.5	<2	3.39	<0.5	16	91	44	4.94	3.29
B366002		1.78	0.087	<0.5	10.90	269	850	2.6	<2	2.54	<0.5	18	88	47	4.92	3.31
B366003		3.22	0.011	<0.5	11.25	247	980	2.9	<2	1.27	<0.5	15	96	39	5.12	3.72
B366004		1.22	1.780	<0.5	11.75	>10000	1070	4.0	7	0.65	<0.5	18	97	23	5.57	4.80
B366005		5.26	0.414	<0.5	9.31	680	710	2.4	10	6.46	<0.5	24	71	154	5.73	2.67
B366006		4.42	0.672	<0.5	10.20	2540	730	2.5	20	9.02	<0.5	15	64	43	5.22	2.49
B366007		4.54	<0.005	<0.5	9.40	34	770	2.1	<2	8.16	<0.5	16	68	27	4.22	2.77
B366008		2.88	<0.005	0.6	9.12	57	470	4.3	47	8.32	<0.5	67	53	591	9.16	1.91
B366009		0.02	1.275	0.6	8.86	37	460	4.3	42	8.36	<0.5	61	54	564	8.82	1.85
B366010		0.10	0.093	<0.5	7.06	104	550	2.5	<2	0.52	<0.5	55	1130	371	8.20	2.24
B366011		5.04	1.040	<0.5	10.05	320	640	2.6	29	6.23	<0.5	14	76	65	5.08	2.52
B366012		2.06	0.510	<0.5	9.66	409	630	3.6	<2	0.78	0.5	25	68	23	3.11	2.39
B366013		3.54	<0.005	<0.5	9.80	96	750	2.1	<2	0.17	<0.5	11	65	27	2.33	2.58
B366014		3.70	0.013	<0.5	7.58	191	540	1.6	<2	0.17	0.9	9	52	22	2.70	2.13
B366015		4.46	<0.005	<0.5	8.48	56	740	1.6	<2	0.10	<0.5	9	57	20	1.81	2.85
B366016		1.82	<0.005	<0.5	0.14	<5	10	<0.5	<2	20.5	<0.5	<1	2	1	0.10	0.03
B366017		5.66	0.005	<0.5	9.54	64	890	2.1	<2	0.20	0.7	19	70	27	3.29	3.19
B366018		5.38	<0.005	<0.5	7.98	87	680	1.6	<2	0.11	<0.5	10	55	21	3.42	2.39
B366019		2.38	<0.005	<0.5	10.70	13	940	2.4	<2	0.12	<0.5	17	74	32	4.25	3.78
B366020		3.50	0.010	<0.5	9.07	62	760	2.1	<2	0.26	<0.5	14	62	29	3.81	3.70
B366021		0.80	<0.005	<0.5	3.04	214	220	0.7	<2	0.13	1.7	4	36	7	1.36	1.18
B366022		0.92	<0.005	<0.5	2.94	200	190	0.7	<2	0.06	1.6	4	28	14	1.45	1.18
B366023		5.44	<0.005	<0.5	8.86	77	850	2.2	<2	0.17	1.0	12	66	34	3.86	3.03
B366024		5.84	<0.005	<0.5	8.49	27	780	1.7	<2	0.44	3.7	9	55	20	3.44	2.89
B366025		5.08	<0.005	0.5	7.94	29	590	1.9	<2	0.43	1.0	13	56	21	3.51	2.75
B366026		4.18	0.017	1.6	6.75	49	450	1.6	<2	1.03	3.9	4	39	8	2.06	2.72
B366027		2.20	1.325	1.9	8.53	84	810	1.8	30	1.40	6.0	7	50	2	1.99	3.67
B366028		5.34	<0.005	0.5	6.81	63	490	1.4	<2	0.96	1.7	9	50	15	2.96	2.46
B366029		0.04	<0.005	0.5	6.90	52	500	1.4	<2	0.97	1.6	9	52	15	2.93	2.52
B366030		0.10	2.94	0.8	7.38	10	2030	3.1	<2	4.63	<0.5	23	130	98	5.03	3.51
B366031		5.40	<0.005	<0.5	6.31	86	530	1.3	2	0.77	3.0	7	50	8	2.90	2.18
B366032		0.80	0.010	<0.5	3.01	25	140	0.5	<2	0.47	<0.5	2	26	10	1.08	0.92
B366033		5.60	0.022	2.3	10.85	130	1010	2.3	<2	0.86	7.2	13	74	17	4.01	4.60
B366034		5.92	0.005	0.7	6.49	112	560	1.3	2	0.11	4.1	7	46	21	2.96	2.42
B366035		4.84	<0.005	<0.5	9.00	66	640	1.8	<2	0.37	5.3	15	65	28	4.56	2.52
B366036		2.32	<0.005	<0.5	0.15	<5	10	<0.5	<2	20.2	<0.5	<1	2	1	0.11	0.03
B366037		5.22	<0.005	<0.5	10.00	29	940	2.1	<2	0.66	<0.5	13	87	21	4.57	3.55
B366038		1.84	0.024	<0.5	8.49	44	520	2.1	<2	1.32	<0.5	7	60	13	2.95	3.15
B366039		3.80	0.016	<0.5	9.15	23	920	2.2	<2	0.48	<0.5	10	76	27	4.00	3.68
B366040		3.62	0.012	<0.5	9.25	41	910	2.2	<2	0.80	<0.5	11	72	36	4.09	3.55

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 11-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06050291

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B366001		1.01	697	<1	0.82	49	920	30	0.04	<5	311	0.47	104	30	138
B366002		1.04	589	<1	0.95	47	1010	31	0.05	<5	286	0.46	99	10	142
B366003		1.20	415	<1	1.16	50	720	17	0.19	<5	287	0.52	121	<10	125
B366004		0.88	197	<1	1.03	45	670	9	1.26	14	288	0.51	120	10	76
B366005		1.11	731	<1	0.78	44	470	15	1.25	<5	398	0.41	90	50	96
B366006		1.10	863	<1	0.62	42	450	13	0.34	<5	436	0.41	88	40	114
B366007		1.10	656	<1	0.95	41	610	8	0.14	<5	365	0.44	97	<10	137
B366008		1.34	683	1	0.65	57	910	9	4.87	<5	379	0.36	86	1940	95
B366009		1.29	686	1	0.62	56	850	7	4.54	<5	379	0.36	88	1730	94
B366010		0.57	366	7	0.12	475	340	142	0.03	11	52	0.25	90	40	605
B366011		1.03	621	<1	0.74	41	620	7	0.14	<5	370	0.44	97	70	242
B366012		0.68	327	<1	0.25	39	480	5	0.01	<5	95	0.39	89	250	590
B366013		0.18	181	3	0.10	30	410	3	0.01	<5	56	0.40	79	20	345
B366014		0.17	221	<1	0.08	26	190	5	<0.01	<5	42	0.31	62	20	693
B366015		0.20	144	<1	0.13	17	190	5	<0.01	<5	59	0.34	71	30	388
B366016		11.85	127	<1	0.01	3	430	<2	<0.01	<5	114	0.01	3	<10	6
B366017		0.53	236	<1	0.25	41	320	<2	0.08	6	48	0.42	90	10	530
B366018		0.21	220	<1	0.10	29	280	3	0.04	<5	38	0.31	77	30	631
B366019		0.70	359	<1	0.22	41	310	5	0.13	5	56	0.43	95	<10	363
B366020		0.69	407	<1	0.57	35	370	8	0.15	<5	75	0.36	79	<10	513
B366021		0.11	273	<1	0.05	13	420	6	0.01	<5	20	0.12	27	<10	504
B366022		0.10	295	<1	0.05	11	150	15	0.01	<5	20	0.12	28	<10	543
B366023		0.44	269	<1	0.33	37	430	4	0.16	<5	56	0.37	90	<10	739
B366024		0.61	596	<1	0.47	33	1460	10	0.09	<5	57	0.34	75	<10	1085
B366025		0.60	549	<1	0.16	29	370	4	0.12	10	49	0.33	70	10	1045
B366026		0.52	762	<1	0.14	12	170	135	0.05	<5	57	0.19	50	10	491
B366027		0.66	1180	<1	0.13	15	1020	311	0.01	11	110	0.23	82	620	1055
B366028		0.50	523	<1	0.06	21	370	43	0.10	7	55	0.26	64	10	645
B366029		0.51	513	<1	0.06	23	340	40	0.11	10	58	0.26	65	10	646
B366030		2.95	1035	11	2.38	65	2270	22	0.30	5	1710	0.35	164	<10	93
B366031		0.44	506	<1	0.07	23	390	64	0.11	<5	53	0.24	57	<10	1460
B366032		0.21	146	<1	0.03	9	140	5	0.11	<5	31	0.10	17	<10	373
B366033		0.99	1390	4	0.17	42	570	545	0.20	6	70	0.39	103	10	1770
B366034		0.31	461	1	0.07	22	390	138	0.13	<5	37	0.24	54	10	1125
B366035		0.47	619	1	0.09	35	1120	54	0.13	5	56	0.51	110	10	1475
B366036		11.60	143	<1	0.01	5	400	<2	<0.01	<5	112	0.01	3	<10	10
B366037		0.87	430	2	0.37	36	460	2	0.09	6	89	0.39	101	<10	266
B366038		0.90	361	1	0.22	20	390	17	0.09	<5	116	0.26	70	10	232
B366039		0.83	430	<1	0.10	29	240	8	0.33	5	60	0.33	79	10	189
B366040		0.85	390	<1	0.08	31	210	9	0.59	5	118	0.35	89	10	62

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 11-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06050291

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B366041		0.72	0.024	0.5	7.08	65	760	1.6	<2	0.53	<0.5	10	66	52	3.32	2.81
B366042		0.52	0.036	<0.5	7.93	44	890	2.0	<2	0.44	<0.5	12	73	47	3.40	3.05
B366043		1.30	0.012	<0.5	5.62	11	490	1.2	<2	1.18	<0.5	6	62	39	3.03	2.33
B366044		1.28	0.054	<0.5	5.26	34	420	1.2	<2	0.50	<0.5	11	47	39	3.64	2.06
B366045		1.46	0.080	0.8	10.40	46	980	2.7	5	0.22	<0.5	16	90	162	7.46	4.49
B366046		1.24	0.410	1.2	8.00	766	720	2.0	6	0.38	<0.5	13	69	96	4.71	3.49
B366047		2.74	0.009	<0.5	9.05	463	990	1.9	<2	0.30	<0.5	16	84	27	3.61	3.67
B366048		5.32	<0.005	<0.5	9.70	60	960	2.3	<2	0.32	<0.5	15	67	32	3.69	3.76
B366049		0.04	<0.005	<0.5	9.76	62	950	2.3	<2	0.32	<0.5	17	72	32	3.75	3.69
B366050		0.10	0.345	2.7	9.43	9	1060	1.2	<2	1.45	<0.5	7	12	7050	3.19	3.78
B366051		2.52	0.007	<0.5	4.74	436	390	1.0	<2	0.07	<0.5	7	46	24	1.49	1.83
B366052		2.56	0.006	<0.5	3.71	341	260	0.8	2	0.05	<0.5	3	37	13	1.12	1.40
B366053		2.32	<0.005	<0.5	6.12	18	630	1.3	<2	0.07	<0.5	7	46	17	1.59	2.01
B366054		4.04	<0.005	<0.5	9.19	36	1090	2.2	<2	0.08	<0.5	11	62	22	2.39	3.78
B366055		4.64	0.581	<0.5	2.88	25	260	0.5	13	0.03	<0.5	2	45	21	0.91	1.21
B366056		1.54	<0.005	<0.5	0.15	5	10	<0.5	<2	20.5	<0.5	<1	4	1	0.10	0.03
B366057		4.56	0.491	<0.5	3.12	60	230	0.6	14	0.07	<0.5	3	39	23	1.09	1.11
B366058		3.02	0.042	0.5	3.10	97	300	0.7	<2	0.06	<0.5	<1	28	13	0.88	1.25
B366059		2.88	0.028	<0.5	3.05	34	250	0.7	<2	0.03	<0.5	2	38	15	1.08	1.25
B366060		3.46	0.013	<0.5	3.28	30	190	0.6	<2	0.04	<0.5	2	41	17	1.01	1.09
B366061		1.94	0.008	<0.5	2.52	38	160	0.5	<2	0.03	<0.5	2	28	14	1.37	0.96
B366062		1.76	0.010	<0.5	2.56	37	170	0.5	<2	0.03	<0.5	2	25	14	1.01	0.97
B366063		3.18	0.067	0.6	3.92	41	290	0.8	<2	0.03	<0.5	6	42	14	1.45	1.53
B366064		3.20	0.018	<0.5	2.86	22	180	0.5	<2	0.03	<0.5	2	30	11	0.98	1.13
B366065		1.82	0.008	<0.5	4.66	27	340	1.0	<2	0.12	<0.5	4	48	14	1.73	1.81
B366066		2.60	0.027	1.1	2.98	53	240	0.8	<2	0.05	3.9	2	31	20	1.10	1.21
B366067		3.02	0.005	1.0	2.85	40	270	0.8	<2	0.03	3.4	2	42	28	0.94	1.21
B366068		1.02	0.031	<0.5	2.99	64	240	0.7	2	0.03	<0.5	4	30	43	1.27	1.13
B366069		0.04	0.033	<0.5	2.95	62	240	0.7	<2	0.03	<0.5	3	30	43	1.64	1.08
B366070		0.12	1.475	<0.5	6.76	1145	620	5.5	<2	0.01	<0.5	4	188	35	3.40	2.69
B366071		4.10	0.035	1.7	6.06	74	510	1.3	<2	0.08	2.5	9	57	41	2.32	2.16
B366072		4.36	<0.005	<0.5	4.65	22	400	0.7	<2	0.07	0.8	4	33	19	1.20	1.51
B366073		4.54	0.006	<0.5	8.45	78	880	1.7	<2	0.26	1.1	14	73	40	2.81	3.11
B366074		1.88	<0.005	<0.5	8.89	10	1120	1.9	3	0.10	<0.5	16	66	63	2.33	3.58
B366075		1.42	<0.005	<0.5	3.78	7	420	1.0	<2	0.06	<0.5	6	52	28	2.13	1.30
B366076		1.62	<0.005	<0.5	0.14	<5	10	<0.5	<2	20.00	<0.5	<1	4	<1	0.09	0.03
B366077		4.60	<0.005	<0.5	3.37	21	290	0.7	<2	0.10	<0.5	4	48	17	1.77	1.06
B366078		1.78	<0.005	<0.5	4.94	8	450	0.9	2	0.08	<0.5	7	41	19	1.86	1.40
B366079		3.82	<0.005	<0.5	3.25	18	210	0.5	<2	0.06	<0.5	3	41	14	1.37	0.88
B366080		4.18	0.007	<0.5	3.85	24	200	0.7	<2	0.07	<0.5	6	34	23	1.64	1.24

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 11-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06050291

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B366041		0.54	314	11	0.10	26	270	41	0.99	<5	64	0.27	72	10	89
B366042		0.57	310	<1	0.09	28	180	27	0.88	<5	63	0.32	82	10	55
B366043		0.72	501	<1	0.08	17	130	22	0.64	<5	68	0.23	61	<10	57
B366044		0.59	283	<1	0.05	27	100	<2	0.80	6	44	0.22	59	10	40
B366045		0.96	248	<1	0.11	68	640	19	3.80	14	38	0.45	143	20	32
B366046		0.78	325	<1	0.08	43	420	71	2.00	15	36	0.32	93	10	107
B366047		0.46	264	<1	0.49	48	540	4	0.19	<5	76	0.36	98	<10	435
B366048		0.73	361	2	0.43	38	190	<2	0.24	<5	76	0.37	87	<10	97
B366049		0.74	370	1	0.44	38	210	3	0.24	<5	77	0.37	86	<10	100
B366050		1.16	471	1	3.42	11	1890	9	0.23	<5	703	0.35	172	<10	51
B366051		0.12	114	<1	0.05	17	110	<2	0.10	<5	23	0.14	34	10	87
B366052		0.10	90	<1	0.03	7	120	<2	0.12	<5	8	0.09	25	<10	23
B366053		0.18	196	<1	0.07	17	130	<2	0.33	<5	30	0.19	47	10	25
B366054		0.31	251	1	0.10	28	190	6	0.44	5	37	0.29	76	20	50
B366055		0.07	42	<1	0.02	5	40	<2	0.31	<5	9	0.09	19	30	3
B366056		11.70	133	<1	0.01	8	420	<2	0.01	<5	114	<0.01	3	<10	4
B366057		0.09	50	<1	0.02	5	70	6	0.14	6	18	0.09	21	10	37
B366058		0.09	38	<1	0.02	5	70	53	0.16	7	13	0.07	17	10	26
B366059		0.07	49	<1	0.02	5	60	26	0.12	<5	10	0.12	22	10	53
B366060		0.08	52	<1	0.02	10	100	4	0.17	<5	9	0.11	22	10	54
B366061		0.07	68	<1	0.02	6	60	9	0.21	<5	7	0.07	16	10	39
B366062		0.07	48	<1	0.02	6	70	8	0.21	<5	8	0.08	16	10	44
B366063		0.11	103	3	0.03	12	80	4	0.24	5	8	0.12	27	20	44
B366064		0.08	85	10	0.02	8	80	8	0.33	<5	5	0.07	16	<10	24
B366065		0.15	208	<1	0.03	14	410	6	0.23	<5	10	0.16	36	20	36
B366066		0.11	145	4	0.02	10	120	233	0.26	<5	6	0.10	20	10	493
B366067		0.09	69	<1	0.02	9	80	165	0.19	<5	10	0.10	20	<10	178
B366068		0.08	59	<1	0.02	16	110	50	0.22	7	15	0.11	22	20	102
B366069		0.08	79	<1	0.02	15	120	47	0.22	7	15	0.10	21	20	100
B366070		0.32	78	1	0.10	19	290	21	0.01	101	88	0.24	85	10	38
B366071		0.21	266	1	0.05	21	240	290	0.28	8	24	0.24	53	20	210
B366072		0.11	140	1	0.05	15	200	<2	0.44	<5	32	0.10	30	10	25
B366073		0.31	293	1	0.09	36	950	9	0.47	<5	40	0.24	75	10	52
B366074		0.24	189	1	0.14	45	220	6	1.06	8	51	0.22	73	<10	25
B366075		0.22	158	1	0.05	18	100	<2	0.74	6	17	0.07	25	<10	19
B366076		11.45	128	<1	0.01	6	380	3	0.01	<5	108	<0.01	1	<10	6
B366077		0.15	182	<1	0.23	15	90	2	0.28	<5	22	0.12	23	<10	45
B366078		0.17	244	1	0.04	17	120	7	0.07	<5	23	0.21	38	30	18
B366079		0.12	140	1	0.03	13	110	2	0.38	<5	21	0.12	21	10	8
B366080		0.16	192	1	0.02	14	90	5	0.25	<5	12	0.14	26	10	7

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 11-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06050291

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B366081		1.58	0.008	<0.5	3.84	15	230	0.7	2	0.06	<0.5	3	37	23	1.71	1.31
B366082		0.94	0.008	<0.5	3.82	20	220	0.8	<2	0.06	<0.5	8	30	27	1.54	1.36
B366083		1.34	<0.005	<0.5	3.58	11	190	0.6	<2	0.07	<0.5	5	36	24	1.62	0.84
B366084		4.72	0.015	<0.5	5.10	255	520	1.2	3	0.47	<0.5	8	44	19	1.36	2.06
B366085		4.28	<0.005	<0.5	7.14	10	750	1.8	2	0.23	<0.5	10	62	18	2.45	2.53
B366086		3.38	0.051	<0.5	3.61	160	260	0.7	7	0.09	<0.5	7	39	36	1.54	1.25
B366087		2.20	0.068	<0.5	4.67	217	490	1.1	6	0.07	<0.5	6	49	25	1.54	1.84
B366088		2.72	<0.005	<0.5	8.08	22	1030	2.8	2	1.29	<0.5	12	63	21	2.61	3.29
B366089		0.04	<0.005	<0.5	7.65	17	990	2.7	2	1.23	<0.5	11	62	22	2.76	3.20
B366090		0.10	0.900	2.8	8.21	8	460	0.7	2	1.95	<0.5	22	101	2000	5.35	1.78
B366091		3.02	0.050	<0.5	2.40	5	280	0.6	<2	1.39	<0.5	4	53	24	1.55	0.62
B366092		1.02	0.060	<0.5	6.73	13	1150	2.0	3	2.81	<0.5	10	53	26	3.30	2.02
B366093		3.78	0.010	<0.5	7.46	20	860	2.0	2	1.10	<0.5	10	65	17	2.62	3.09
B366094		3.66	<0.005	<0.5	7.83	10	830	1.6	2	1.27	<0.5	12	56	16	3.79	2.33
B366095		1.00	<0.005	<0.5	1.29	13	110	<0.5	<2	0.46	<0.5	3	47	10	1.12	0.43
B366096		1.50	<0.005	<0.5	0.11	<5	10	<0.5	<2	19.80	<0.5	<1	2	<1	0.09	0.03
B366097		5.50	<0.005	<0.5	6.50	29	570	1.5	<2	1.64	<0.5	10	62	13	2.18	2.55
B366098		5.02	<0.005	<0.5	5.90	21	570	1.3	<2	0.89	<0.5	10	55	21	3.26	2.04
B366099		3.50	<0.005	<0.5	8.34	12	860	2.1	2	0.58	<0.5	16	72	34	3.44	2.96
B366100		4.32	<0.005	<0.5	7.36	38	780	1.8	<2	0.71	<0.5	14	69	22	3.47	2.95

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 11-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06050291

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B366081		0.14	181	1	0.02	12	90	3	0.31	<5	11	0.09	23	<10	7
B366082		0.16	190	1	0.02	15	100	4	0.29	<5	10	0.10	25	<10	8
B366083		0.14	138	3	0.03	12	110	7	0.40	<5	22	0.08	21	<10	4
B366084		0.20	196	1	0.12	19	1150	2	0.27	<5	54	0.15	40	<10	12
B366085		0.25	264	1	0.09	26	790	7	0.33	<5	44	0.25	60	10	23
B366086		0.11	160	2	0.04	18	290	6	0.66	7	37	0.11	27	10	4
B366087		0.12	120	1	0.07	14	240	4	0.71	7	54	0.12	36	10	9
B366088		0.52	288	<1	0.40	28	810	8	0.32	<5	112	0.30	73	<10	18
B366089		0.50	294	<1	0.39	27	730	4	0.32	<5	106	0.29	72	<10	19
B366090		1.36	462	3	3.11	51	670	19	0.62	<5	216	0.30	92	<10	204
B366091		0.26	322	1	0.37	10	130	2	0.21	<5	104	0.17	22	110	10
B366092		1.30	472	2	0.60	13	630	6	0.20	<5	400	0.36	71	60	38
B366093		0.62	217	1	0.61	23	230	6	0.20	<5	116	0.35	68	10	24
B366094		0.79	429	1	0.39	26	340	9	0.28	<5	110	0.33	65	<10	51
B366095		0.20	127	1	0.01	13	50	<2	0.13	<5	16	0.06	10	<10	7
B366096		11.30	141	<1	0.01	7	420	<2	0.01	<5	106	<0.01	1	<10	5
B366097		0.62	239	2	0.18	22	260	8	0.21	6	80	0.28	59	10	16
B366098		0.61	280	1	0.47	24	150	4	0.23	<5	79	0.29	53	<10	29
B366099		0.73	235	1	0.19	31	480	8	0.31	5	60	0.37	79	<10	43
B366100		0.77	293	2	0.47	31	210	5	0.20	<5	85	0.36	71	<10	30

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da..e: 10-JUN-2006
Account: STRGOL

CERTIFICATE VA06050292

Project: Dublin Gulch1735

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 5-JUN-2006.

The following have access to data associated with this certificate:

JIM SPARLING	KRISTIAN WHITEHEAD	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06050292

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B366101		2.92	0.006	<0.5	5.11	227	570	1.2	<2	0.89	<0.5	8	53	16	2.53	1.86
B366102		3.54	0.006	<0.5	5.72	220	640	1.4	<2	0.94	<0.5	10	56	20	2.85	2.08
B366103		3.08	0.027	<0.5	8.38	541	1020	2.2	9	0.68	<0.5	15	73	32	3.54	3.64
B366104		2.54	0.019	<0.5	7.91	401	940	2.2	5	0.81	<0.5	12	71	25	3.32	3.54
B366105		1.12	0.019	<0.5	4.35	213	380	1.2	6	0.73	<0.5	7	35	22	1.60	1.80
B366106		4.40	0.019	<0.5	7.11	73	700	1.8	<2	0.98	<0.5	11	52	38	3.02	2.75
B366107		5.82	0.010	<0.5	5.64	181	480	1.4	2	0.90	<0.5	11	59	30	2.70	2.06
B366108		6.36	<0.005	<0.5	6.82	63	680	1.8	<2	1.23	<0.5	13	59	23	2.96	2.56
B366109		0.04	<0.005	<0.5	7.81	112	770	2.0	2	1.40	<0.5	15	80	24	3.25	2.83
B366110		0.10	2.86	<0.5	7.72	2070	730	12.5	2	0.02	<0.5	1	152	97	3.44	3.26
B366111		4.32	0.014	<0.5	6.02	105	580	1.5	<2	1.44	<0.5	12	68	26	2.95	2.09
B366112		1.64	0.041	<0.5	4.84	444	630	1.2	4	1.72	<0.5	11	66	34	2.58	1.64
B366113		2.88	0.020	<0.5	2.63	208	260	0.6	<2	1.12	<0.5	5	45	20	1.67	0.77
B366114		3.78	<0.005	<0.5	5.46	97	470	1.2	2	0.75	<0.5	9	46	22	1.70	2.48
B366115		5.00	0.005	<0.5	5.31	14	450	1.3	<2	0.25	<0.5	9	60	20	2.18	1.41
B366116		1.92	<0.005	<0.5	0.12	5	10	<0.5	<2	20.4	<0.5	<1	6	<1	0.08	0.03
B366117		4.50	<0.005	<0.5	7.26	23	680	1.7	<2	0.32	<0.5	14	74	26	3.08	2.41
B366118		4.04	<0.005	<0.5	8.85	73	890	2.0	4	0.20	<0.5	16	79	40	3.27	3.21
B366119		2.44	0.020	<0.5	3.31	1075	150	0.6	<2	0.06	<0.5	5	39	16	1.60	0.69
B366120		2.44	0.005	<0.5	3.33	394	150	0.6	<2	0.04	<0.5	4	37	11	1.42	0.60
B366121		2.18	0.009	<0.5	4.20	291	260	0.9	<2	0.04	<0.5	4	38	22	1.93	0.97
B366122		1.82	0.007	<0.5	3.55	171	190	0.7	<2	0.04	<0.5	4	41	23	1.59	0.81
B366123		3.34	0.007	<0.5	5.50	361	390	1.6	<2	0.06	<0.5	7	55	18	1.96	1.44
B366124		2.02	0.031	<0.5	4.15	2680	270	0.9	2	0.07	<0.5	7	52	19	1.98	1.08
B366125		2.96	0.014	<0.5	4.54	620	300	0.9	<2	0.07	<0.5	6	39	15	1.62	1.13
B366126		2.30	0.010	<0.5	7.81	215	710	2.0	<2	0.34	<0.5	22	64	57	4.74	2.03
B366127		2.04	0.007	<0.5	4.68	624	310	1.2	<2	0.51	<0.5	7	48	15	2.38	1.26
B366128		5.88	<0.005	<0.5	7.74	114	750	2.0	4	0.55	<0.5	11	69	19	3.03	2.59
B366129		0.04	0.005	<0.5	7.60	124	750	2.0	<2	0.54	<0.5	12	58	18	3.02	2.57
B366130		0.12	0.466	2.8	9.85	<5	1120	1.3	5	1.53	<0.5	8	17	7300	3.43	3.86
B366131		3.02	0.031	<0.5	6.19	506	550	1.6	3	0.60	<0.5	14	48	45	3.13	2.46
B366132		5.02	0.006	<0.5	5.16	456	420	1.0	2	0.39	<0.5	8	53	14	2.93	1.80
B366133		3.78	0.075	<0.5	7.89	7030	880	2.2	2	0.34	<0.5	12	69	18	3.89	3.18
B366134		2.50	0.007	<0.5	6.19	141	630	1.7	2	0.36	<0.5	8	50	36	2.65	2.33
B366135		2.04	0.023	<0.5	2.78	2430	300	0.7	<2	0.40	<0.5	5	35	23	1.82	1.12
B366136		1.88	<0.005	<0.5	0.13	10	10	<0.5	<2	20.2	<0.5	<1	1	<1	0.09	0.03
B366137		1.98	0.016	<0.5	11.60	28	1440	4.0	6	0.31	<0.5	16	85	47	4.14	4.00
B366138		2.44	0.007	<0.5	5.51	507	560	1.4	<2	0.72	<0.5	10	44	27	2.47	1.68
B366139		4.10	0.008	<0.5	8.90	168	960	2.9	4	0.54	<0.5	16	75	24	3.65	3.37
B366140		6.30	0.006	<0.5	8.08	68	830	2.4	2	0.50	<0.5	13	72	13	3.62	2.96

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06050292

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B366101		0.54	337	1	0.50	21	210	4	0.21	<5	97	0.29	47	<10	31
B366102		0.59	364	1	0.57	22	270	6	0.23	<5	102	0.31	50	<10	29
B366103		0.91	228	1	0.56	38	220	5	0.53	<5	92	0.34	78	<10	43
B366104		0.83	198	1	0.44	30	310	6	0.48	<5	94	0.30	76	<10	25
B366105		0.62	99	2	0.43	21	100	2	0.31	<5	81	0.09	32	<10	8
B366106		0.70	216	3	0.43	29	230	6	0.49	6	121	0.23	59	10	20
B366107		0.63	231	1	0.48	28	170	17	0.38	<5	97	0.25	52	<10	31
B366108		0.62	321	4	0.19	26	230	4	0.22	6	84	0.31	62	10	28
B366109		0.69	350	5	0.22	32	260	5	0.25	<5	92	0.35	71	10	32
B366110		0.37	72	3	0.08	11	330	30	0.02	150	142	0.24	104	10	14
B366111		0.56	302	1	0.49	25	280	4	0.28	<5	95	0.28	56	10	26
B366112		0.47	361	1	0.50	26	160	9	0.32	<5	158	0.27	48	60	28
B366113		0.24	228	9	0.48	10	90	3	0.29	<5	71	0.13	21	<10	9
B366114		0.32	173	3	0.51	15	180	17	0.21	<5	75	0.18	33	<10	11
B366115		0.30	219	1	0.06	23	110	4	0.21	<5	27	0.25	50	10	29
B366116		11.55	131	<1	0.01	6	360	<2	0.01	<5	104	<0.01	1	<10	6
B366117		0.49	271	1	0.09	33	900	8	0.36	5	34	0.36	74	20	41
B366118		0.37	381	2	0.09	40	400	8	0.60	7	64	0.33	85	10	43
B366119		0.14	200	<1	0.02	14	110	4	0.30	<5	32	0.13	24	10	11
B366120		0.08	138	<1	0.02	10	130	5	0.10	<5	31	0.12	21	10	15
B366121		0.15	207	<1	0.03	11	110	4	0.13	<5	34	0.10	28	10	15
B366122		0.13	198	<1	0.02	11	90	2	0.13	<5	26	0.09	23	<10	16
B366123		0.23	225	<1	0.04	20	130	8	0.12	<5	24	0.25	49	10	19
B366124		0.17	185	1	0.03	18	200	2	0.32	<5	22	0.15	33	10	11
B366125		0.19	222	<1	0.04	15	180	4	0.09	<5	23	0.19	33	10	14
B366126		0.50	1000	1	0.08	43	450	4	0.13	<5	90	0.31	64	10	67
B366127		0.51	296	1	0.04	22	220	6	0.27	<5	120	0.16	34	10	26
B366128		0.81	376	1	0.08	28	320	12	0.15	<5	89	0.28	60	<10	37
B366129		0.79	365	1	0.08	27	290	9	0.14	<5	86	0.28	61	<10	41
B366130		1.21	522	3	3.38	12	2020	14	0.24	<5	714	0.35	180	<10	56
B366131		0.72	369	1	0.07	31	270	30	0.50	5	89	0.20	43	<10	39
B366132		0.67	342	<1	0.56	18	110	5	0.13	<5	64	0.21	39	<10	32
B366133		0.85	289	1	0.47	32	180	13	0.45	<5	76	0.33	65	<10	41
B366134		0.58	295	1	0.45	25	540	12	0.22	<5	70	0.20	43	<10	23
B366135		0.31	342	1	0.30	12	200	5	0.26	<5	61	0.09	17	<10	13
B366136		11.60	140	<1	0.01	3	390	<2	0.01	<5	106	<0.01	1	<10	6
B366137		0.78	510	1	0.18	54	360	8	0.22	<5	73	0.46	116	10	50
B366138		0.53	381	1	0.17	20	740	11	0.17	<5	68	0.20	37	10	17
B366139		0.85	321	1	0.40	39	390	10	0.22	<5	87	0.32	76	<10	33
B366140		0.82	319	<1	0.46	32	230	3	0.12	<5	83	0.36	69	<10	28

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06050292

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B366141		1.88	<0.005	<0.5	2.82	37	240	0.5	<2	0.28	<0.5	4	38	4	1.26	0.74
B366142		2.68	<0.005	<0.5	2.56	21	210	0.5	<2	0.28	<0.5	3	35	4	1.25	0.63
B366143		3.30	<0.005	<0.5	2.07	32	180	<0.5	2	0.24	<0.5	2	40	2	1.01	0.55
B366144		4.60	<0.005	<0.5	4.27	304	460	1.1	<2	0.48	<0.5	5	41	8	1.66	1.56
B366145		2.60	<0.005	<0.5	7.11	17	640	1.9	2	0.82	<0.5	10	56	13	3.35	2.51
B366146		3.02	0.005	<0.5	8.75	38	820	2.4	3	2.31	<0.5	14	60	26	4.05	2.75
B366147		5.44	0.026	<0.5	7.73	71	1060	2.6	<2	4.83	<0.5	16	55	42	3.28	2.55
B366148		5.24	0.007	<0.5	4.88	35	620	1.3	<2	3.59	<0.5	7	32	24	2.64	1.53
B366149		0.04	0.006	<0.5	5.04	32	630	1.4	2	3.67	<0.5	9	35	26	2.76	1.65
B366150		0.12	2.99	<0.5	7.65	2050	720	13.0	<2	0.02	<0.5	<1	150	93	3.43	3.16
B366151		3.14	0.005	<0.5	2.56	65	230	0.7	2	0.13	<0.5	4	30	20	1.80	0.81
B366152		5.12	0.038	<0.5	2.62	402	200	0.5	13	0.06	<0.5	4	27	20	1.34	0.82
B366153		2.72	0.012	1.2	2.72	15	290	0.6	<2	0.05	0.7	2	32	9	1.22	1.03
B366154		4.58	0.009	2.2	2.62	18	230	0.6	<2	0.05	2.0	3	28	6	1.36	1.13
B366155		1.92	0.042	3.4	2.46	18	280	0.6	<2	0.05	32.6	2	28	15	2.10	0.98
B366156		1.92	<0.005	<0.5	0.13	<5	10	<0.5	<2	18.80	<0.5	<1	2	<1	0.08	0.03
B366157		5.84	<0.005	<0.5	2.64	8	220	0.5	<2	0.09	<0.5	2	33	4	1.38	0.98
B366158		5.80	<0.005	<0.5	4.01	7	440	1.0	<2	0.10	<0.5	4	37	7	1.86	1.39
B366159		5.70	<0.005	<0.5	3.06	7	190	0.7	2	0.07	<0.5	4	33	3	1.49	0.98
B366160		4.90	<0.005	<0.5	3.14	6	210	0.7	2	0.28	<0.5	5	33	7	1.52	1.00
B366161		2.56	0.005	<0.5	2.58	6	130	0.5	<2	0.05	<0.5	3	29	5	1.28	0.61
B366162		2.38	<0.005	<0.5	2.56	7	120	0.5	<2	0.05	<0.5	2	23	3	1.30	0.58
B366163		4.44	<0.005	<0.5	2.82	<5	150	0.5	<2	0.04	<0.5	5	29	3	1.16	0.56
B366164		4.70	<0.005	<0.5	2.51	<5	130	0.5	<2	0.15	<0.5	3	26	3	1.16	0.64
B366165		4.16	<0.005	<0.5	2.82	10	210	0.7	<2	0.43	<0.5	6	33	4	1.37	1.21
B366166		1.38	<0.005	<0.5	3.85	11	290	0.9	<2	0.50	<0.5	5	34	2	1.64	1.57
B366167		2.98	<0.005	<0.5	3.75	11	390	0.9	<2	0.73	<0.5	5	36	2	1.83	1.64
B366168		4.20	<0.005	0.7	2.95	7	230	0.7	<2	0.55	<0.5	3	26	8	1.66	1.21
B366169		0.04	<0.005	0.8	3.04	8	240	0.8	<2	0.55	<0.5	4	30	13	1.72	1.30
B366170		0.10	0.440	2.7	8.67	<5	1020	1.2	3	1.36	<0.5	8	8	6830	3.10	3.57
B366171		1.72	<0.005	1.3	3.59	19	380	0.9	<2	0.20	7.1	4	32	12	2.73	1.56
B366172		2.54	0.006	0.7	3.65	14	340	0.9	<2	0.47	1.3	5	32	7	1.74	1.41
B366173		3.86	<0.005	<0.5	2.64	<5	210	0.5	<2	0.23	<0.5	4	25	3	1.16	0.74
B366174		4.98	<0.005	<0.5	2.33	6	230	0.5	<2	0.34	<0.5	4	24	9	1.31	0.70
B366175		1.04	<0.005	<0.5	3.21	9	360	0.9	<2	0.20	<0.5	5	29	17	1.60	0.95
B366176		1.68	<0.005	<0.5	0.15	<5	10	<0.5	<2	19.05	<0.5	<1	1	<1	0.09	0.03
B366177		3.06	<0.005	<0.5	4.09	6	490	1.1	<2	0.31	<0.5	6	40	7	2.05	1.36
B366178		5.08	<0.005	<0.5	3.69	36	430	0.9	<2	0.38	<0.5	5	43	14	1.80	1.31
B366179		5.56	<0.005	<0.5	7.29	<5	890	1.9	3	0.79	<0.5	11	70	21	3.45	2.93
B366180		4.86	<0.005	<0.5	4.85	8	490	1.2	2	0.33	<0.5	7	48	15	2.74	1.79

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06050292

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B366141		0.22	223	1	0.54	11	70	3	0.04	<5	36	0.10	16	<10	10
B366142		0.21	220	<1	0.53	9	80	5	0.03	<5	34	0.09	14	<10	8
B366143		0.16	186	8	0.43	7	50	6	0.01	<5	33	0.07	11	<10	6
B366144		0.33	245	3	0.38	18	480	3	0.05	<5	59	0.14	29	<10	12
B366145		0.85	366	1	0.57	28	220	7	0.05	<5	91	0.26	56	<10	39
B366146		1.25	708	3	0.83	41	580	9	0.19	<5	192	0.34	87	<10	48
B366147		2.64	1745	11	0.87	41	630	9	0.34	<5	363	0.32	150	<10	58
B366148		1.86	1190	2	0.45	27	550	6	0.15	<5	176	0.20	101	<10	46
B366149		1.90	1210	2	0.46	24	550	6	0.18	<5	182	0.21	106	<10	48
B366150		0.37	73	2	0.08	13	320	27	0.02	150	141	0.23	102	10	13
B366151		0.21	382	1	0.02	20	130	5	0.18	<5	23	0.10	19	20	16
B366152		0.14	217	1	0.02	9	80	12	0.19	<5	21	0.11	18	10	10
B366153		0.12	275	1	0.03	8	90	211	0.13	<5	12	0.12	18	<10	270
B366154		0.12	584	<1	0.02	9	90	669	0.18	6	8	0.12	19	<10	487
B366155		0.17	1220	<1	0.01	8	70	1455	0.47	7	7	0.10	15	<10	6090
B366156		10.75	132	<1	0.01	3	350	2	0.01	<5	102	<0.01	1	<10	12
B366157		0.16	227	<1	0.02	7	70	30	0.10	<5	12	0.11	18	<10	65
B366158		0.23	277	<1	0.04	13	220	9	0.04	5	19	0.17	32	10	27
B366159		0.17	262	<1	0.02	9	80	9	0.03	<5	21	0.13	22	<10	23
B366160		0.23	279	1	0.02	11	80	32	0.09	5	39	0.14	23	<10	39
B366161		0.14	192	1	0.02	9	90	12	0.03	<5	50	0.12	18	10	19
B366162		0.14	196	1	0.02	7	90	14	0.04	<5	51	0.12	18	<10	23
B366163		0.12	179	<1	0.02	12	80	10	0.01	<5	56	0.14	20	10	21
B366164		0.15	210	<1	0.02	8	80	8	0.01	<5	52	0.12	16	10	18
B366165		0.23	273	<1	0.02	9	70	12	0.06	5	38	0.13	22	<10	27
B366166		0.30	255	1	0.03	13	90	13	0.07	<5	48	0.14	29	<10	25
B366167		0.37	395	<1	0.03	12	80	28	0.06	<5	60	0.15	29	<10	42
B366168		0.29	602	1	0.02	9	100	51	0.04	<5	48	0.12	21	<10	167
B366169		0.29	650	<1	0.02	12	90	73	0.04	<5	47	0.14	24	<10	228
B366170		1.10	475	3	3.12	10	1840	11	0.22	<5	649	0.33	170	<10	53
B366171		0.30	2550	1	0.03	12	90	547	0.13	<5	18	0.15	28	<10	1350
B366172		0.29	414	1	0.03	12	90	143	0.29	<5	50	0.15	27	<10	388
B366173		0.16	190	<1	0.04	8	50	8	0.02	<5	24	0.10	15	10	11
B366174		0.19	247	1	0.02	9	70	12	0.05	<5	32	0.09	14	10	22
B366175		0.21	146	1	0.06	12	190	10	0.13	<5	30	0.12	22	<10	15
B366176		10.80	130	<1	0.01	4	400	<2	0.01	<5	102	0.01	1	<10	7
B366177		0.36	230	<1	0.33	15	100	6	0.04	<5	51	0.18	32	<10	27
B366178		0.34	234	<1	0.46	13	130	7	0.09	<5	62	0.17	29	<10	23
B366179		0.77	488	1	0.47	30	420	14	0.11	<5	118	0.33	64	<10	65
B366180		0.45	330	<1	0.09	18	120	13	0.06	<5	48	0.22	39	10	41

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06050292

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B366181		2.48	<0.005	<0.5	3.70	7	360	0.8	<2	0.40	<0.5	6	38	8	2.09	1.11
B366182		2.70	<0.005	<0.5	3.55	5	310	0.8	<2	0.44	<0.5	6	35	8	1.94	1.10
B366183		4.94	<0.005	<0.5	4.82	12	460	1.2	<2	0.29	<0.5	8	50	13	2.38	1.52
B366184		4.00	<0.005	<0.5	8.96	56	820	1.9	<2	0.40	<0.5	12	65	16	3.73	3.82
B366185		3.80	<0.005	<0.5	7.75	19	660	2.0	<2	0.85	<0.5	13	57	24	4.05	2.33
B366186		4.56	<0.005	<0.5	4.99	21	450	1.2	<2	0.60	<0.5	12	44	14	2.72	1.54
B366187		4.84	<0.005	<0.5	4.15	7	420	1.1	<2	0.44	<0.5	7	48	8	1.98	1.34
B366188		3.30	<0.005	<0.5	4.14	<5	400	1.1	<2	0.46	<0.5	8	39	11	2.15	1.29
B366189		0.04	<0.005	<0.5	4.05	<5	400	1.1	<2	0.44	<0.5	9	41	11	2.08	1.32
B366190		0.10	2.90	0.7	6.96	7	1980	2.9	<2	4.47	<0.5	19	130	86	4.94	3.10
B366191		1.46	<0.005	<0.5	7.30	<5	1350	2.7	<2	1.62	<0.5	6	34	5	2.35	2.87
B366192		4.90	<0.005	<0.5	8.46	6	1670	3.2	<2	2.11	<0.5	9	32	59	2.89	3.22
B366193		4.30	<0.005	<0.5	8.33	5	1590	3.0	<2	1.84	<0.5	8	32	41	2.64	3.00
B366194		3.26	<0.005	<0.5	7.36	6	1240	2.8	<2	1.64	<0.5	5	35	8	2.34	3.06
B366195		4.14	<0.005	<0.5	4.87	7	490	1.3	<2	0.94	<0.5	6	44	11	2.69	2.05
B366196		1.92	<0.005	<0.5	0.14	<5	10	<0.5	<2	20.5	<0.5	1	2	1	0.09	0.03
B366197		5.58	<0.005	<0.5	6.06	10	610	1.6	<2	0.39	<0.5	9	51	17	2.75	2.10
B366198		2.28	<0.005	<0.5	5.62	10	490	1.2	<2	0.33	<0.5	8	44	12	2.85	1.78
B366199		3.28	<0.005	<0.5	6.91	13	640	1.9	<2	0.79	<0.5	10	55	26	2.94	2.22
B366200		3.12	<0.005	<0.5	9.24	31	840	1.8	<2	1.33	<0.5	20	68	33	4.01	3.20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06050292

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B366181		0.37	317	<1	0.05	14	70	7	0.02	<5	39	0.18	28	<10	31
B366182		0.36	300	<1	0.05	12	80	15	0.02	<5	39	0.17	26	<10	28
B366183		0.41	371	<1	0.12	15	120	8	0.04	<5	48	0.23	38	10	39
B366184		0.78	421	1	0.42	31	210	19	0.07	<5	130	0.36	72	10	42
B366185		0.87	645	<1	0.13	29	380	11	0.19	<5	90	0.32	63	10	57
B366186		0.62	456	<1	0.29	18	340	7	0.03	<5	83	0.25	41	<10	39
B366187		0.45	284	<1	0.51	13	200	12	0.02	<5	68	0.21	35	<10	29
B366188		0.44	270	<1	0.61	14	110	9	0.05	<5	64	0.21	33	<10	32
B366189		0.43	258	<1	0.60	15	100	11	0.05	<5	62	0.21	34	<10	34
B366190		2.83	1055	10	2.22	62	2240	24	0.28	<5	1560	0.37	146	<10	83
B366191		0.77	324	<1	1.24	15	510	17	0.02	<5	356	0.29	35	<10	51
B366192		0.96	360	<1	1.44	19	690	19	0.16	<5	463	0.33	38	<10	57
B366193		0.94	340	<1	1.27	18	670	20	0.11	<5	407	0.31	36	<10	43
B366194		0.76	305	<1	1.20	13	510	22	0.03	<5	356	0.28	33	<10	45
B366195		0.65	412	<1	0.66	18	740	15	0.05	<5	106	0.20	36	<10	34
B366196		11.75	130	<1	0.01	4	370	<2	0.01	<5	110	<0.01	2	<10	8
B366197		0.55	257	<1	0.54	21	220	16	0.08	<5	83	0.28	50	<10	40
B366198		0.58	343	<1	0.49	24	180	4	0.05	<5	78	0.25	43	<10	38
B366199		0.80	407	<1	0.20	26	220	7	0.15	<5	92	0.32	63	<10	47
B366200		1.70	729	<1	0.68	43	500	11	0.08	<5	194	0.41	102	<10	74

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da... 13-JUN-2006
Account: STRGOL

CERTIFICATE VA06050293

Project: Dublin Gulch1735

P.O. No.:

This report is for 54 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 5-JUN-2006.

The following have access to data associated with this certificate:

JIM SPARLING	KRISTIAN WHITEHEAD	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Zn-AA62	Ore grade Zn - four acid / AAS	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06050293

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
C081001		1.54	<0.005		<0.5	7.75	106	860	1.7	<2	3.00	<0.5	18	64	45	4.14
C081002		1.98	<0.005		<0.5	7.71	107	930	1.9	<2	3.20	<0.5	16	68	40	4.53
C081003		5.88	<0.005		<0.5	7.21	118	510	1.8	<2	5.57	<0.5	14	54	38	3.35
C081004		4.16	<0.005		<0.5	7.64	138	940	2.0	<2	4.30	<0.5	18	61	52	4.03
C081005		4.08	<0.005		<0.5	8.12	65	690	2.3	<2	1.44	<0.5	19	72	44	5.06
C081006		2.58	>10.0	41.4	1.2	5.83	>10000	210	1.9	5	2.72	<0.5	122	47	18	7.77
C081007		1.92	0.026		<0.5	7.41	619	820	2.0	<2	2.45	<0.5	19	61	18	3.83
C081008		3.12	0.053		<0.5	8.77	104	920	2.7	<2	0.77	<0.5	22	75	16	4.74
C081009		0.04	0.045		<0.5	9.01	86	950	2.8	<2	0.74	<0.5	22	79	16	4.69
C081010		0.10	2.86		0.7	6.94	16	2080	3.2	<2	4.86	<0.5	24	146	98	5.16
C081011		3.28	3.23		<0.5	7.92	>10000	850	2.6	16	0.65	<0.5	18	63	14	5.71
C081012		3.16	0.422		<0.5	9.42	6350	1010	3.1	<2	0.77	<0.5	19	76	15	3.92
C081013		2.58	0.006		<0.5	6.33	110	780	1.7	<2	1.35	<0.5	9	50	14	2.91
C081014		2.46	0.005		<0.5	5.96	43	770	1.4	<2	1.33	<0.5	7	43	14	1.77
C081015		2.04	<0.005		<0.5	7.53	24	870	2.5	<2	0.68	<0.5	14	58	28	3.00
C081016		1.78	<0.005		<0.5	0.14	<5	10	<0.5	<2	21.0	<0.5	1	2	3	0.10
C081017		2.08	<0.005		<0.5	7.56	15	1450	2.1	<2	1.79	<0.5	7	26	10	2.52
C081018		2.46	0.058		<0.5	8.31	19	1880	2.6	3	1.30	<0.5	10	30	19	2.10
C081019		6.18	0.027		<0.5	7.87	53	1790	3.0	<2	2.03	<0.5	7	31	26	2.92
C081020		5.00	0.042		<0.5	7.65	102	1640	2.9	<2	2.29	<0.5	6	28	27	2.22
C081021		3.44	0.032		<0.5	7.29	47	1280	2.9	<2	2.52	<0.5	6	27	22	2.59
C081022		2.98	0.058		<0.5	7.39	36	1170	3.0	<2	2.79	<0.5	6	25	18	2.29
C081023		3.18	0.053		<0.5	7.74	37	1700	3.2	<2	2.61	<0.5	7	29	25	2.88
C081024		3.30	0.027		<0.5	8.31	77	1790	3.2	<2	2.70	<0.5	7	29	42	2.69
C081025		6.04	0.285		<0.5	7.81	87	1640	2.8	7	2.65	<0.5	8	29	36	2.52
C081026		6.94	0.026		<0.5	7.77	27	1730	3.2	<2	2.59	<0.5	8	32	27	3.10
C081027		3.94	0.091		<0.5	7.54	31	1550	3.0	<2	2.52	<0.5	7	28	27	2.39
C081028		1.92	<0.005		<0.5	7.52	15	1160	3.6	<2	2.00	<0.5	6	23	31	2.60
C081029		0.04	<0.005		<0.5	7.35	19	1140	3.5	<2	1.97	<0.5	5	21	30	1.97
C081030		0.10	4.35		9.2	7.93	<5	490	0.9	<2	2.92	0.7	16	21	124	4.31
C081031		4.02	0.009		<0.5	7.41	26	1590	3.4	<2	2.50	<0.5	6	29	21	2.82
C081032		2.54	0.007		<0.5	7.57	33	1580	3.5	<2	2.30	<0.5	7	31	19	2.41
C081033		2.46	0.065		<0.5	7.46	48	1580	2.9	<2	2.35	<0.5	6	29	22	2.76
C081034		3.76	0.006		<0.5	7.50	61	1640	3.0	<2	2.64	<0.5	6	32	29	2.42
C081035		4.44	0.014		<0.5	7.76	35	1680	3.6	<2	2.42	<0.5	6	31	32	2.62
C081036		1.76	<0.005		<0.5	0.14	8	20	<0.5	<2	21.6	<0.5	<1	4	3	0.10
C081037		3.40	0.028		0.6	6.68	70	940	3.5	<2	3.27	0.7	6	27	29	2.46
C081038		2.24	0.252		2.7	6.51	83	700	3.6	9	4.08	4.7	7	25	59	2.25
C081039		3.78	0.026		<0.5	6.98	41	1390	3.7	<2	2.21	<0.5	7	30	10	2.38
C081040		3.10	0.081		<0.5	6.73	8	1470	3.6	<2	2.38	<0.5	6	32	33	2.23

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06050293

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C081001		3.41	2.60	1050	2	0.51	40	520	12	0.13	5	215	0.37	122	<10	82
C081002		3.31	2.77	1130	<1	0.52	41	550	13	0.14	<5	224	0.39	138	<10	91
C081003		2.94	2.18	1250	4	0.32	33	600	10	0.20	5	286	0.31	116	<10	83
C081004		2.91	3.10	1320	7	0.79	38	540	8	0.29	6	267	0.34	142	<10	83
C081005		2.76	1.99	531	<1	1.16	41	550	5	0.23	<5	169	0.43	84	<10	85
C081006		2.69	1.90	736	20	0.49	34	430	6	2.97	26	245	0.26	68	10	36
C081007		2.98	1.82	693	<1	0.79	38	510	8	0.09	<5	284	0.34	70	10	45
C081008		3.54	1.30	542	<1	0.79	46	520	6	0.06	8	187	0.40	86	10	75
C081009		3.70	1.31	519	<1	0.81	47	540	12	0.06	6	182	0.43	92	10	83
C081010		3.44	2.94	1055	11	2.29	62	2380	28	0.31	<5	1650	0.38	166	<10	94
C081011		3.44	0.99	182	<1	0.26	34	460	4	1.24	16	119	0.30	70	20	37
C081012		3.80	0.83	353	<1	0.35	37	400	15	0.40	11	156	0.41	83	10	51
C081013		2.70	0.79	324	<1	0.33	20	160	9	0.05	5	166	0.27	52	10	29
C081014		2.74	0.60	299	<1	0.61	14	180	23	0.05	7	161	0.21	44	10	21
C081015		2.64	0.61	305	<1	0.22	30	190	8	0.11	6	99	0.33	63	<10	48
C081016		0.03	11.75	132	<1	0.01	<1	380	<2	0.01	<5	113	0.01	1	<10	8
C081017		3.71	0.78	400	<1	0.68	18	550	29	0.04	7	284	0.26	31	10	41
C081018		3.62	0.71	264	<1	0.95	24	730	30	0.08	8	398	0.35	40	10	83
C081019		3.61	0.76	279	<1	1.10	21	710	21	0.09	5	422	0.32	38	10	40
C081020		4.08	0.77	243	1	0.85	22	670	23	0.15	7	324	0.32	36	10	35
C081021		3.80	0.71	350	<1	0.56	20	610	42	0.31	14	241	0.28	33	10	57
C081022		3.70	0.78	380	<1	0.52	17	630	49	0.36	11	241	0.28	32	10	82
C081023		3.73	0.76	290	<1	1.37	21	650	27	0.16	8	463	0.31	34	<10	41
C081024		3.73	0.82	259	<1	1.60	22	690	25	0.23	6	520	0.32	36	<10	39
C081025		3.66	0.85	238	<1	1.50	19	680	23	0.19	7	473	0.31	36	10	37
C081026		3.74	0.85	328	<1	1.59	22	630	27	0.13	7	512	0.31	36	40	54
C081027		3.72	0.78	293	<1	1.54	17	600	30	0.18	5	462	0.30	35	10	60
C081028		3.94	0.57	278	<1	1.61	13	450	38	0.12	5	388	0.22	25	<10	46
C081029		3.95	0.56	233	<1	1.59	13	430	37	0.12	<5	383	0.22	24	<10	46
C081030		2.30	1.36	989	12	1.64	10	920	23	0.70	6	418	0.38	148	<10	97
C081031		3.55	0.73	347	1	1.58	18	580	29	0.10	5	473	0.28	31	<10	60
C081032		3.56	0.78	286	<1	1.63	18	600	27	0.09	7	479	0.29	33	<10	53
C081033		3.47	0.77	305	1	1.48	17	630	24	0.11	<5	456	0.29	33	<10	42
C081034		3.53	0.77	323	<1	1.61	19	650	29	0.12	7	495	0.31	36	<10	55
C081035		3.76	0.77	309	<1	1.75	6	610	20	0.19	9	586	0.29	33	<10	29
C081036		0.04	11.95	127	<1	0.01	<1	410	4	0.01	<5	113	0.01	1	<10	7
C081037		3.59	0.69	596	<1	0.50	9	560	82	0.24	8	248	0.24	33	20	140
C081038		3.11	0.79	545	<1	0.11	9	480	555	0.64	11	232	0.20	28	20	872
C081039		3.47	0.68	340	<1	1.14	12	530	54	0.12	<5	419	0.26	35	20	61
C081040		3.53	0.75	260	<1	1.52	13	590	22	0.13	<5	478	0.27	35	10	23

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06050293

Sample Description	Method Analyte Units LOR	Zn-AA62 Zn % 0.01
C081001 C081002 C081003 C081004 C081005		
C081006 C081007 C081008 C081009 C081010		
C081011 C081012 C081013 C081014 C081015		
C081016 C081017 C081018 C081019 C081020		
C081021 C081022 C081023 C081024 C081025		
C081026 C081027 C081028 C081029 C081030		
C081031 C081032 C081033 C081034 C081035		
C081036 C081037 C081038 C081039 C081040		

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06050293

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
C081041		1.12	0.011		<0.5	6.78	15	1610	3.6	<2	2.11	<0.5	6	29	25	2.49
C081042		1.08	0.015		<0.5	7.21	6	1690	3.8	<2	2.34	<0.5	10	43	33	2.50
C081043		3.28	0.014		<0.5	6.92	35	1480	3.2	<2	2.32	<0.5	7	35	45	2.82
C081044		3.44	0.271		<0.5	6.64	32	1110	3.0	3	3.30	<0.5	8	35	61	2.18
C081045		2.58	0.014		<0.5	7.24	8	1480	3.1	<2	3.15	<0.5	8	36	39	3.04
C081046		5.90	0.319		<0.5	7.91	15	1420	3.3	5	3.14	0.5	8	51	87	2.89
C081047		5.80	0.039		<0.5	7.88	9	1740	3.4	<2	2.71	<0.5	10	52	53	3.22
C081048		4.90	0.259		0.6	7.49	13	1140	2.9	<2	4.61	<0.5	8	42	37	2.71
C081049		0.04	0.208		<0.5	7.29	12	1160	2.8	<2	4.20	<0.5	8	41	39	2.84
C081050		0.10	0.089		<0.5	6.67	108	590	2.7	<2	0.56	<0.5	57	1185	399	8.81
C081051		6.06	0.712		2.9	6.82	3000	790	3.2	14	2.83	5.7	12	34	48	3.17
C081052		6.70	2.78		18.9	2.39	>10000	110	1.4	11	2.08	61.1	43	22	132	12.40
C081053		4.90	0.104		1.5	7.01	1650	710	3.4	<2	1.80	1.4	16	30	24	2.73
C081054		6.38	0.423		3.8	7.02	863	640	3.7	3	2.97	1.2	9	31	37	2.92

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06050293

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C081041		3.10	0.74	258	<1	1.38	11	610	20	0.13	<5	464	0.27	36	10	22
C081042		3.29	0.82	264	1	1.46	14	640	20	0.16	<5	505	0.30	41	310	26
C081043		3.63	0.86	312	1	1.33	13	630	19	0.18	<5	413	0.29	41	<10	25
C081044		3.53	0.74	292	<1	1.31	11	620	17	0.23	<5	368	0.29	41	10	22
C081045		3.49	1.08	387	<1	1.19	10	660	22	0.08	6	416	0.29	44	10	22
C081046		3.77	1.05	450	2	1.33	17	660	124	0.28	<5	433	0.29	47	10	118
C081047		3.54	1.01	382	2	1.44	21	710	26	0.21	<5	517	0.32	47	<10	31
C081048		3.51	0.96	702	2	0.96	19	660	19	0.15	5	431	0.27	41	10	28
C081049		3.44	0.93	661	2	0.93	17	600	23	0.15	8	415	0.27	40	10	25
C081050		2.17	0.60	391	6	0.12	499	370	153	0.02	10	49	0.26	94	30	632
C081051		3.10	0.85	1035	1	0.34	16	600	759	0.57	21	228	0.26	39	20	1080
C081052		0.95	0.30	899	<1	0.01	8	180	3180	9.62	123	110	0.06	10	<10	>10000
C081053		3.35	0.75	942	1	0.63	9	650	185	0.31	9	225	0.28	37	20	280
C081054		3.39	0.83	1485	<1	0.47	8	650	141	0.24	12	262	0.29	39	40	303

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

**: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3**

**Finalized Date: 13-JUN-2006
Account: STRGOL**

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06050293

Sample Description	Method / Analyte / Units / LOR	Zn-AA62 / Zn / % / 0.01
C081041		
C081042		
C081043		
C081044		
C081045		
C081046		
C081047		
C081048		
C081049		
C081050		
C081051		
C081052		1.10
C081053		
C081054		

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-JUL-2006
Account: STRGOL

CERTIFICATE VA06055450

Project: Dublin Gulch1735

P.O. No.:

This report is for 294 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 19-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
C078001		2.32	<0.005			<0.5	3.68	37	480	0.8	<2	0.13	<0.5	3	35	7
C078002		2.20	<0.005			<0.5	3.78	35	440	0.9	<2	0.19	<0.5	4	38	6
C078003		3.40	<0.005			<0.5	2.41	20	320	0.5	<2	0.05	<0.5	5	28	6
C078004		2.98	0.026			<0.5	3.47	32	440	0.7	<2	0.06	<0.5	4	34	5
C078005		4.92	0.005			<0.5	3.24	48	390	0.8	<2	0.14	<0.5	4	31	6
C078006		3.68	<0.005			<0.5	2.47	79	320	0.5	<2	0.07	<0.5	2	30	4
C078007		4.58	<0.005			<0.5	3.84	43	480	0.9	<2	0.13	<0.5	6	35	7
C078008		4.10	0.005			<0.5	2.60	86	270	0.7	<2	0.19	<0.5	3	35	5
C078009		<0.02	0.006			<0.5	2.57	87	260	0.7	<2	0.20	<0.5	3	29	5
C078010		0.10	0.874			2.8	7.68	12	440	0.7	<2	1.89	0.6	21	101	2010
C078011		4.12	0.005			<0.5	4.75	44	500	1.1	<2	0.60	<0.5	5	47	9
C078012		4.70	0.047			<0.5	4.61	44	500	1.2	<2	0.77	<0.5	5	42	10
C078013		3.46	0.014			<0.5	6.94	76	670	3.7	<2	0.55	<0.5	4	26	8
C078014		3.44	0.006			<0.5	3.87	93	390	1.4	<2	0.63	<0.5	4	35	6
C078015		5.02	<0.005			<0.5	7.64	51	780	1.8	<2	0.70	<0.5	9	61	17
C078016		1.84	<0.005			<0.5	0.14	9	10	<0.5	<2	20.7	<0.5	<1	4	2
C078017		4.18	<0.005			0.7	10.95	96	1130	2.4	<2	0.63	<0.5	13	91	32
C078018		4.22	<0.005			<0.5	7.05	44	680	1.5	<2	0.57	<0.5	8	51	13
C078019		4.32	0.035			<0.5	8.69	27	850	1.9	<2	0.44	<0.5	12	68	21
C078020		4.50	0.009			<0.5	2.61	194	270	0.6	<2	0.24	<0.5	4	30	6
C078021		2.26	<0.005			<0.5	3.06	120	310	0.8	<2	0.26	<0.5	3	30	6
C078022		2.92	0.006			<0.5	2.69	228	260	0.6	<2	0.23	<0.5	5	31	8
C078023		4.30	0.007			<0.5	2.85	112	290	0.7	<2	0.21	<0.5	4	28	7
C078024		3.94	<0.005			<0.5	2.98	77	330	0.6	<2	0.21	<0.5	5	31	12
C078025		3.74	0.014			<0.5	2.35	148	290	0.6	<2	0.35	<0.5	4	33	10
C078026		4.22	0.023			<0.5	3.75	202	470	0.8	<2	0.39	<0.5	4	43	10
C078027		1.00	0.037			<0.5	3.10	266	370	0.7	<2	0.24	<0.5	4	30	12
C078028		3.98	0.005			<0.5	3.51	131	420	0.8	<2	1.01	<0.5	3	34	11
C078029		<0.02	<0.005			<0.5	3.45	124	410	0.8	<2	0.97	<0.5	3	33	11
C078030		0.12	0.095			0.6	6.87	116	550	2.6	<2	0.51	<0.5	56	1185	379
C078031		5.00	0.016			<0.5	2.90	212	340	0.7	<2	0.25	<0.5	3	38	6
C078032		2.94	0.008			<0.5	3.09	132	350	0.7	<2	0.41	<0.5	6	36	7
C078033		3.06	<0.005			<0.5	3.35	21	330	0.8	<2	0.40	<0.5	4	49	4
C078034		2.20	0.006			<0.5	3.56	80	420	0.9	<2	0.68	<0.5	4	36	6
C078035		4.36	0.007			<0.5	3.28	108	380	0.7	2	0.53	<0.5	2	45	8
C078036		1.94	<0.005			<0.5	0.11	14	10	<0.5	<2	20.6	<0.5	<1	3	2
C078037		6.46	0.025			<0.5	3.24	653	360	0.7	<2	0.62	<0.5	4	49	7
C078038		5.20	0.049			<0.5	3.17	296	340	0.9	3	0.74	<0.5	4	37	9
C078039		4.94	0.016			<0.5	3.14	152	340	0.7	<2	0.69	<0.5	4	44	8
C078040		4.76	0.019			<0.5	3.02	83	310	0.6	<2	0.87	<0.5	5	43	8

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
C078001		1.22	1.69	0.13	91	<1	0.46	9	110	4	<0.01	<5	47	0.14	25	10
C078002		1.15	1.53	0.12	91	<1	0.50	9	110	<2	<0.01	<5	46	0.15	28	10
C078003		0.85	1.08	0.04	71	<1	0.07	8	90	2	<0.01	<5	17	0.07	13	10
C078004		0.81	1.48	0.08	67	1	0.10	6	80	<2	<0.01	<5	21	0.11	24	20
C078005		1.21	1.31	0.08	131	1	0.40	10	90	3	<0.01	<5	30	0.12	21	10
C078006		0.98	1.04	0.05	119	<1	0.11	7	70	<2	<0.01	<5	21	0.09	15	60
C078007		1.08	1.46	0.08	105	<1	0.38	10	90	6	<0.01	<5	33	0.15	26	40
C078008		1.19	0.98	0.10	119	<1	0.58	8	80	<2	<0.01	<5	39	0.10	18	30
C078009		1.15	0.95	0.10	114	<1	0.60	9	70	<2	<0.01	<5	38	0.10	17	20
C078010		5.07	1.67	1.28	420	2	2.96	50	670	14	0.62	5	202	0.30	87	<10
C078011		1.85	1.92	0.27	150	<1	0.92	16	740	<2	0.01	<5	63	0.20	36	10
C078012		1.46	2.02	0.26	121	<1	0.75	12	1310	4	0.01	<5	76	0.18	33	50
C078013		1.50	3.52	0.25	95	<1	1.57	10	200	29	0.01	<5	152	0.19	23	20
C078014		1.37	1.66	0.15	116	<1	0.98	11	110	3	0.01	<5	83	0.15	22	10
C078015		2.67	3.41	0.54	175	<1	0.68	22	180	4	0.03	<5	82	0.33	60	<10
C078016		0.11	0.03	11.45	141	<1	0.01	2	420	5	0.01	<5	109	0.01	3	10
C078017		4.01	4.91	0.91	325	<1	0.30	42	360	10	0.01	<5	78	0.48	98	10
C078018		2.55	3.03	0.49	248	<1	0.50	19	390	11	0.01	<5	68	0.27	52	10
C078019		3.68	3.94	0.78	311	<1	1.21	33	250	12	0.05	<5	96	0.38	70	<10
C078020		1.18	1.10	0.11	112	1	0.32	7	100	3	0.01	<5	36	0.11	17	310
C078021		1.28	1.13	0.10	142	<1	0.30	11	90	5	0.01	<5	29	0.11	19	30
C078022		1.44	0.97	0.10	177	1	0.41	10	70	<2	0.01	<5	35	0.11	18	30
C078023		1.28	1.09	0.09	137	<1	0.27	6	80	3	0.01	<5	28	0.11	18	30
C078024		1.38	1.08	0.09	167	1	0.22	11	80	5	0.01	<5	27	0.11	18	40
C078025		1.52	1.21	0.15	168	<1	0.23	8	70	6	0.02	<5	38	0.08	15	20
C078026		1.61	1.82	0.21	137	1	0.63	12	90	2	0.05	<5	56	0.14	26	10
C078027		1.37	1.39	0.11	101	<1	0.20	8	110	2	0.06	<5	33	0.10	19	30
C078028		1.68	1.78	0.30	240	<1	0.31	10	90	<2	0.07	<5	98	0.12	24	40
C078029		1.84	1.68	0.29	233	<1	0.30	9	80	5	0.06	<5	93	0.11	24	40
C078030		8.15	2.11	0.54	360	7	0.12	465	370	132	0.02	13	49	0.21	85	30
C078031		1.10	1.23	0.14	123	<1	0.32	7	130	<2	0.03	<5	45	0.12	20	340
C078032		1.29	1.21	0.16	117	<1	0.75	6	90	<2	0.03	<5	52	0.14	23	30
C078033		1.83	1.28	0.23	137	<1	0.84	11	80	3	0.02	<5	46	0.16	25	110
C078034		1.93	1.58	0.25	148	1	0.79	8	90	<2	0.03	<5	71	0.13	23	10
C078035		1.56	1.41	0.20	132	<1	0.69	12	100	5	0.06	<5	60	0.13	23	10
C078036		0.09	0.02	11.40	125	<1	0.01	2	350	<2	0.01	<5	108	<0.01	2	<10
C078037		1.59	1.24	0.22	163	1	0.92	10	80	2	0.07	<5	71	0.13	21	30
C078038		1.41	1.32	0.24	135	<1	0.79	14	90	<2	0.06	<5	79	0.13	21	270
C078039		1.51	1.25	0.19	141	<1	0.72	7	100	5	0.04	<5	62	0.14	21	20
C078040		1.36	1.14	0.21	193	<1	0.76	11	90	3	0.03	<5	76	0.12	21	380

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
C078001		9
C078002		9
C078003		4
C078004		4
C078005		8
C078006		5
C078007		10
C078008		7
C078009		7
C078010		205
C078011		16
C078012		14
C078013		21
C078014		11
C078015		28
C078016		7
C078017		54
C078018		36
C078019		60
C078020		7
C078021		8
C078022		11
C078023		8
C078024		14
C078025		16
C078026		13
C078027		7
C078028		8
C078029		9
C078030		597
C078031		6
C078032		8
C078033		14
C078034		10
C078035		11
C078036		7
C078037		12
C078038		9
C078039		10
C078040		9

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
C078041		2.32	0.023			<0.5	2.93	106	300	0.8	<2	0.90	<0.5	9	36	13
C078042		1.94	0.037			<0.5	2.86	223	320	0.9	2	1.19	<0.5	11	39	20
C078043		4.38	0.008			<0.5	2.82	152	280	0.6	<2	0.80	<0.5	3	43	7
C078044		4.50	0.033			<0.5	3.56	298	340	1.0	<2	1.77	<0.5	3	34	11
C078045		5.10	0.029			<0.5	2.77	158	260	0.7	<2	1.11	<0.5	2	33	14
C078046		5.58	0.069			<0.5	4.12	428	430	1.7	<2	1.41	<0.5	5	51	22
C078047		4.60	<0.005			<0.5	6.52	42	840	1.5	<2	0.77	<0.5	14	55	17
C078048		5.36	0.008			0.6	11.55	38	1710	3.5	<2	1.21	<0.5	17	79	30
C078049		<0.02	<0.005			<0.5	12.10	41	1750	3.6	<2	1.16	<0.5	18	82	30
C078050		0.12	0.447			3.0	10.60	12	1130	1.3	<2	1.64	<0.5	7	10	7760
C078051		4.96	<0.005			<0.5	4.46	19	520	0.9	<2	0.25	<0.5	5	45	21
C078052		4.34	<0.005			<0.5	2.56	22	230	0.6	<2	0.20	<0.5	5	39	15
C078053		5.38	0.005			<0.5	3.05	92	280	0.7	<2	0.31	<0.5	6	36	8
C078054		6.00	0.005			<0.5	3.86	17	340	0.7	<2	0.49	<0.5	6	52	9
C078055		4.74	0.006			<0.5	3.31	102	290	0.6	<2	0.32	<0.5	6	39	13
C078056		2.10	<0.005			<0.5	0.12	12	10	<0.5	<2	21.1	<0.5	<1	2	3
C078057		3.90	0.056			<0.5	1.73	601	160	0.6	4	0.33	<0.5	6	39	17
C078058		4.50	0.019			<0.5	2.51	139	310	0.7	<2	1.13	<0.5	5	44	14
C078059		4.80	0.018			<0.5	2.81	63	320	0.8	<2	1.05	<0.5	8	52	16
C078060		4.96	0.035			1.3	7.46	62	730	1.8	<2	1.87	<0.5	15	72	51
C078061		2.38	0.006			<0.5	9.40	83	880	2.4	<2	1.81	<0.5	15	93	29
C078062		2.26	0.005			<0.5	8.76	110	840	2.1	<2	1.50	<0.5	14	79	29
C078063		6.08	0.005			<0.5	10.70	61	990	2.5	<2	1.19	<0.5	16	81	26
C078064		5.22	0.007			<0.5	6.41	69	590	1.5	<2	1.19	<0.5	10	57	21
C078065		6.62	<0.005			<0.5	8.64	27	800	2.0	<2	0.68	<0.5	14	77	35
C078066		5.64	0.005			<0.5	7.48	42	650	1.9	<2	0.89	<0.5	16	69	29
C078067		6.58	<0.005			<0.5	7.67	31	740	1.9	<2	0.66	<0.5	12	64	19
C078068		5.54	<0.005			<0.5	7.42	30	690	1.7	<2	0.61	<0.5	12	67	21
C078069		0.04	<0.005			<0.5	7.29	29	680	1.7	<2	0.61	<0.5	11	65	21
C078070		0.12	0.446			2.7	10.05	17	1070	1.2	<2	1.55	<0.5	8	11	7480
C078071		6.16	0.006			<0.5	5.77	37	580	1.3	2	0.95	<0.5	9	51	27
C078072		4.88	0.006			<0.5	4.20	144	400	1.0	<2	0.76	<0.5	6	40	13
C078073		6.30	0.007			<0.5	4.26	44	390	1.0	<2	0.75	<0.5	6	34	13
C078074		6.44	<0.005			<0.5	6.63	33	740	1.7	<2	0.53	<0.5	9	55	16
C078075		5.94	<0.005			<0.5	7.89	39	910	1.9	<2	0.72	<0.5	11	64	29
C078076		1.62	<0.005			<0.5	0.15	8	10	<0.5	<2	22.7	<0.5	<1	2	2
C078077		6.14	0.006			<0.5	5.01	85	510	1.1	<2	0.95	<0.5	6	42	17
C078078		1.88	<0.005			<0.5	4.18	7	490	1.0	<2	0.67	<0.5	5	31	7
C078079		4.16	0.007			<0.5	3.65	54	450	1.1	<2	0.53	<0.5	3	32	5
C078080		4.20	0.016			<0.5	2.79	130	310	0.8	3	0.29	<0.5	3	25	6

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
C078041		1.52	1.07	0.16	170	<1	0.72	12	90	<2	0.05	<5	75	0.13	20	310
C078042		1.39	1.13	0.16	196	1	0.61	12	100	<2	0.07	<5	82	0.13	20	360
C078043		1.57	0.96	0.18	164	<1	0.74	7	90	<2	0.03	<5	64	0.13	17	20
C078044		1.49	1.16	0.22	243	<1	0.65	10	120	2	0.06	<5	112	0.16	22	60
C078045		1.55	0.91	0.19	189	<1	0.66	6	90	<2	0.07	<5	83	0.13	17	130
C078046		2.14	1.51	0.42	241	<1	0.64	19	130	3	0.14	<5	111	0.20	31	350
C078047		2.77	2.90	0.53	214	<1	0.82	28	170	16	0.04	12	83	0.26	50	20
C078048		3.99	6.00	0.99	350	22	0.63	45	1000	13	0.17	11	130	0.43	100	20
C078049		4.05	6.03	1.00	336	21	0.62	44	970	16	0.16	14	130	0.44	104	20
C078050		3.50	3.86	1.22	508	2	3.54	12	2100	6	0.25	<5	751	0.37	176	<10
C078051		2.12	1.99	0.28	193	<1	0.73	12	120	19	0.06	<5	51	0.17	30	<10
C078052		1.82	0.90	0.13	222	1	0.34	10	70	13	0.04	<5	29	0.12	17	20
C078053		2.02	0.98	0.18	179	<1	0.67	10	90	10	0.02	<5	51	0.15	23	20
C078054		2.21	1.29	0.31	181	1	1.02	14	90	4	0.03	<5	59	0.18	28	<10
C078055		2.09	1.18	0.22	144	1	0.78	11	100	<2	0.06	<5	43	0.17	26	20
C078056		0.10	0.03	11.95	130	<1	0.01	2	390	<2	0.01	<5	119	0.01	2	<10
C078057		1.76	0.55	0.14	229	<1	0.13	9	100	3	0.09	<5	53	0.14	16	140
C078058		1.69	0.94	0.24	333	<1	0.31	14	100	<2	0.07	<5	124	0.18	23	50
C078059		1.66	1.16	0.15	273	<1	0.29	12	130	3	0.07	<5	83	0.21	26	70
C078060		3.96	2.53	0.62	565	<1	0.77	32	210	6	0.22	7	132	0.47	69	40
C078061		4.56	3.60	1.00	638	<1	0.84	42	260	4	0.17	<5	162	0.53	91	40
C078062		4.54	3.36	0.93	626	<1	0.74	35	220	7	0.18	<5	148	0.48	81	40
C078063		4.62	4.42	1.05	469	<1	1.15	42	350	3	0.17	<5	145	0.54	95	10
C078064		3.15	2.49	0.68	348	<1	0.69	27	170	4	0.15	<5	126	0.37	58	10
C078065		3.58	3.71	0.84	371	<1	0.92	35	600	15	0.27	<5	131	0.42	81	10
C078066		3.95	2.84	0.89	541	<1	0.91	31	210	10	0.16	<5	120	0.40	71	10
C078067		2.99	3.42	0.73	306	<1	0.91	28	300	9	0.10	<5	112	0.34	67	10
C078068		3.19	3.06	0.71	304	<1	1.03	28	230	10	0.12	<5	98	0.36	65	10
C078069		3.15	3.00	0.71	300	<1	1.00	25	210	8	0.12	<5	96	0.35	64	10
C078070		3.33	3.72	1.17	482	1	3.36	10	1940	<2	0.24	<5	712	0.36	172	10
C078071		2.36	2.37	0.54	344	<1	0.67	19	320	5	0.16	<5	124	0.28	46	10
C078072		2.13	1.79	0.43	260	<1	0.49	13	120	7	0.07	<5	88	0.22	35	70
C078073		2.22	1.79	0.44	283	1	0.63	17	500	13	0.08	<5	80	0.19	35	10
C078074		2.60	3.27	0.61	211	2	0.90	24	300	16	0.07	<5	106	0.32	62	10
C078075		3.29	3.74	0.76	249	2	0.84	26	320	18	0.18	<5	130	0.36	71	<10
C078076		0.12	0.03	12.40	147	<1	0.01	<1	430	3	0.01	<5	120	0.01	<1	<10
C078077		2.45	1.95	0.54	313	1	0.80	16	150	25	0.08	<5	110	0.21	39	10
C078078		1.78	1.93	0.36	204	<1	0.94	13	90	16	0.03	<5	83	0.17	30	20
C078079		1.28	1.67	0.21	155	3	0.76	6	90	12	0.05	<5	67	0.14	26	20
C078080		0.78	1.15	0.12	85	1	0.40	7	110	8	0.09	<5	43	0.11	18	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Zn ppm 2
C078041		9
C078042		8
C078043		10
C078044		10
C078045		8
C078046		15
C078047		29
C078048		44
C078049		43
C078050		60
C078051		20
C078052		14
C078053		18
C078054		20
C078055		15
C078056		8
C078057		10
C078058		13
C078059		12
C078060		59
C078061		72
C078062		72
C078063		59
C078064		35
C078065		65
C078066		76
C078067		42
C078068		45
C078069		45
C078070		54
C078071		31
C078072		31
C078073		31
C078074		34
C078075		37
C078076		9
C078077		32
C078078		21
C078079		11
C078080		6

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
C078081		1.48	<0.005			<0.5	4.13	21	430	1.4	<2	0.62	<0.5	5	31	10
C078082		1.58	<0.005			<0.5	3.66	26	340	1.1	<2	0.59	<0.5	3	31	6
C078083		4.96	<0.005			<0.5	7.30	56	970	3.9	2	1.86	<0.5	4	22	4
C078084		4.86	0.005			<0.5	10.35	33	1280	3.1	<2	0.79	<0.5	15	78	14
C078085		5.36	0.006			<0.5	10.30	29	1240	2.9	<2	0.96	<0.5	12	73	12
C078086		3.66	0.006			<0.5	9.61	23	1150	2.5	<2	0.57	<0.5	17	76	35
C078087		3.98	<0.005			<0.5	9.23	14	1150	2.9	<2	0.93	<0.5	14	73	24
C078088		4.46	0.035			<0.5	7.46	127	1300	3.4	<2	1.60	<0.5	5	19	12
C078089		0.04	0.026			<0.5	7.68	150	1260	3.5	<2	1.61	<0.5	6	20	12
C078090		0.12	1.480			<0.5	7.05	1275	720	6.3	<2	0.01	<0.5	5	199	40
C078091		2.86	0.096			<0.5	7.55	486	1520	3.3	3	2.03	<0.5	9	23	18
C078092		4.94	0.066			0.5	7.62	97	1270	2.9	<2	2.97	0.7	10	26	31
C078093		3.70	0.030			<0.5	7.69	204	1530	3.3	<2	2.88	<0.5	10	26	21
C078094		3.94	0.320			<0.5	7.76	356	1730	3.3	5	2.23	<0.5	8	29	25
C078095		4.60	2.40			7.5	7.07	3000	1180	2.9	29	3.04	9.0	12	25	105
C078096		1.64	<0.005			<0.5	0.15	8	20	<0.5	<2	21.3	<0.5	<1	4	3
C078097		6.18	1.210			2.6	7.90	4100	1720	2.4	39	2.31	0.6	34	28	129
C078098		5.70	1.055			1.4	7.82	5860	1650	2.7	31	2.88	<0.5	20	28	78
C078099		5.60	0.251			<0.5	7.83	1255	1560	3.3	11	2.29	<0.5	10	27	44
C078100		6.36	0.043			<0.5	7.63	172	1610	3.2	2	2.24	<0.5	8	25	19
C078101		2.92	0.933			<0.5	7.30	117	1490	3.1	10	2.35	<0.5	8	25	27
C078102		2.78	0.483			<0.5	7.79	190	1600	3.3	9	2.18	<0.5	9	26	31
C078103		6.34	0.070			<0.5	7.84	89	1610	3.2	3	2.48	<0.5	7	32	21
C078104		5.64	0.271			<0.5	7.26	198	1470	2.9	11	2.55	<0.5	11	30	39
C078105		5.50	0.212			<0.5	7.08	438	1560	2.9	7	1.96	<0.5	11	26	36
C078106		5.98	0.573			<0.5	7.36	543	1610	2.9	19	2.38	<0.5	8	31	28
C078107		5.84	0.289			<0.5	7.55	567	1530	3.1	5	2.22	<0.5	8	32	29
C078108		5.44	0.120			<0.5	7.57	256	1630	3.0	6	2.23	<0.5	7	31	28
C078109		0.04	0.101			<0.5	7.78	247	1610	3.1	2	2.40	<0.5	7	30	28
C078110		0.12	2.94			<0.5	7.59	2070	730	12.2	<2	0.01	<0.5	2	144	101
C078111		5.50	0.111			<0.5	7.62	147	1600	3.0	3	2.41	<0.5	6	30	25
C078112		6.16	0.040			<0.5	7.82	49	1650	3.0	<2	2.50	<0.5	9	33	21
C078113		5.72	0.212			<0.5	7.92	196	1580	3.2	7	2.58	<0.5	10	29	32
C078114		5.18	0.082			<0.5	7.86	282	1600	3.4	<2	2.55	<0.5	9	30	23
C078115		5.16	3.03			<0.5	7.87	168	1700	3.0	6	2.65	<0.5	10	32	40
C078116		1.78	<0.005			<0.5	0.15	<5	10	<0.5	<2	20.7	<0.5	1	10	2
C078117		6.00	0.101			<0.5	7.48	192	1610	2.9	4	2.50	<0.5	9	33	47
C078118		6.46	0.365			<0.5	7.32	147	1560	3.0	8	2.38	<0.5	7	33	46
C078119		5.60	0.290			<0.5	7.81	235	1540	3.0	31	2.44	<0.5	10	34	34
C078120		6.40	0.087			<0.5	7.77	379	1600	3.1	3	2.53	<0.5	10	32	31

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
C078081		1.48	1.57	0.28	135	1	0.95	12	100	11	0.04	<5	86	0.18	31	<10
C078082		1.21	1.25	0.23	119	1	0.96	8	100	9	0.03	<5	77	0.17	26	10
C078083		1.51	3.72	0.52	121	2	1.79	14	450	32	0.02	<5	353	0.24	25	10
C078084		3.33	6.08	0.88	192	2	1.25	42	720	19	0.10	<5	163	0.51	110	10
C078085		3.30	5.15	0.83	214	2	1.01	33	380	16	0.08	<5	168	0.44	98	<10
C078086		4.31	4.53	0.99	317	2	1.51	40	260	23	0.17	<5	117	0.46	95	<10
C078087		3.76	3.97	0.82	298	2	1.01	35	950	19	0.14	<5	137	0.44	92	10
C078088		1.94	4.09	0.61	114	4	1.49	17	460	27	0.08	<5	374	0.25	27	10
C078089		1.84	4.43	0.56	112	4	1.55	13	430	30	0.08	<5	381	0.24	25	10
C078090		3.81	2.78	0.35	92	3	0.12	20	310	33	0.02	116	96	0.27	91	10
C078091		2.19	3.47	0.71	192	1	1.08	20	630	18	0.13	15	385	0.30	34	40
C078092		1.95	3.29	0.49	377	1	0.20	19	620	100	0.24	66	261	0.29	35	20
C078093		2.72	3.31	0.84	321	1	0.83	20	660	53	0.12	28	390	0.31	36	10
C078094		2.66	3.77	0.75	243	2	1.33	19	680	34	0.27	14	426	0.32	37	10
C078095		2.68	3.40	0.54	444	2	0.53	19	590	2580	1.15	1215	293	0.26	32	20
C078096		0.12	0.03	11.90	152	<1	0.01	<1	420	6	0.01	6	121	0.01	<1	<10
C078097		2.79	5.67	0.58	226	3	0.96	21	650	111	1.10	55	409	0.29	36	30
C078098		2.98	4.88	0.64	232	3	1.28	21	630	62	0.85	31	451	0.28	36	20
C078099		2.59	4.38	0.76	185	3	1.49	22	610	22	0.31	<5	446	0.30	35	30
C078100		2.49	3.54	0.85	223	1	1.40	22	680	21	0.11	<5	463	0.32	37	<10
C078101		2.33	3.67	0.73	178	2	1.38	19	600	23	0.15	5	446	0.29	33	10
C078102		2.48	3.76	0.79	174	2	1.51	20	790	21	0.18	<5	469	0.31	35	<10
C078103		2.54	3.60	0.77	208	2	1.75	21	660	22	0.13	<5	509	0.32	37	10
C078104		2.20	3.88	0.67	195	2	1.46	20	580	19	0.21	<5	453	0.29	33	10
C078105		2.40	3.25	0.72	183	2	1.41	19	610	20	0.17	<5	432	0.30	34	40
C078106		2.43	3.51	0.77	159	2	1.37	21	650	20	0.15	5	445	0.32	37	10
C078107		2.41	3.77	0.73	180	2	1.62	20	610	25	0.17	<5	478	0.31	35	10
C078108		2.35	3.81	0.75	201	2	1.63	21	610	25	0.19	<5	475	0.29	33	30
C078109		2.46	3.78	0.77	207	2	1.65	20	650	23	0.16	<5	454	0.30	36	20
C078110		3.48	3.18	0.38	69	3	0.09	9	330	31	0.02	152	139	0.17	102	10
C078111		2.50	3.51	0.81	198	2	1.70	20	660	20	0.16	<5	476	0.29	36	20
C078112		2.55	3.47	0.80	199	1	1.68	23	670	14	0.12	<5	477	0.31	37	20
C078113		2.65	3.59	0.84	226	1	1.76	24	690	17	0.17	<5	490	0.32	40	10
C078114		2.58	3.67	0.80	208	1	1.80	24	660	24	0.14	<5	492	0.31	37	<10
C078115		2.70	3.56	0.86	198	2	1.77	24	710	12	0.20	<5	523	0.33	40	30
C078116		0.14	0.03	11.55	133	<1	0.02	2	450	<2	0.02	5	110	0.01	2	<10
C078117		2.62	3.53	0.80	162	1	1.66	21	680	21	0.23	<5	501	0.31	37	30
C078118		2.57	3.49	0.79	166	1	1.50	21	670	20	0.22	<5	436	0.30	37	20
C078119		2.49	3.60	0.74	179	2	1.64	23	630	15	0.20	<5	455	0.29	35	30
C078120		2.59	3.59	0.78	206	1	1.73	24	670	21	0.18	10	469	0.30	37	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Zn ppm 2
C078081		18
C078082		14
C078083		54
C078084		52
C078085		42
C078086		72
C078087		59
C078088		21
C078089		20
C078090		49
C078091		25
C078092		150
C078093		34
C078094		43
C078095		1870
C078096		10
C078097		103
C078098		36
C078099		24
C078100		32
C078101		25
C078102		26
C078103		29
C078104		26
C078105		30
C078106		26
C078107		31
C078108		40
C078109		36
C078110		14
C078111		26
C078112		26
C078113		36
C078114		29
C078115		27
C078116		8
C078117		20
C078118		20
C078119		25
C078120		29

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method	WEI-21	Au-AA24	Au-AA24	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au Check	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
C078121		0.94	0.176			<0.5	6.58	474	1310	2.3	3	1.84	<0.5	8	22	21
C078122		1.02	0.102			<0.5	6.68	206	1490	1.9	<2	2.40	<0.5	4	21	13
C078123		3.34	0.098			<0.5	7.72	385	1530	3.1	2	2.42	<0.5	13	32	28
C078124		5.86	0.065			<0.5	7.71	50	1610	3.2	7	2.45	<0.5	9	31	27
C078125		5.52	0.204			<0.5	8.21	98	1710	3.2	<2	2.61	<0.5	11	32	40
C078126		4.80	0.143			<0.5	7.43	52	1380	3.1	17	2.04	<0.5	8	31	37
C078127		6.14	0.048			<0.5	7.82	115	1550	3.0	2	2.48	<0.5	9	34	44
C078128		5.70	0.083			<0.5	7.84	365	1550	3.2	3	2.32	<0.5	13	34	42
C078129		0.04	0.118			<0.5	8.04	363	1600	3.3	5	2.43	<0.5	12	33	43
C078130		0.10	4.72			9.0	7.96	8	490	0.9	<2	2.91	1.8	19	22	128
C078131		6.08	0.085			<0.5	7.86	219	1520	3.3	2	2.46	<0.5	11	36	41
C078132		6.16	0.032			<0.5	8.21	50	1690	3.2	<2	2.61	<0.5	10	36	44
C078133		6.16	0.093			<0.5	7.74	33	1580	3.3	12	2.42	<0.5	9	33	41
C078134		5.36	0.065			<0.5	7.63	67	1530	3.0	2	2.29	<0.5	10	34	50
C078135		4.78	0.020			<0.5	8.08	49	1560	3.4	<2	2.85	<0.5	11	32	36
C078136		1.80	<0.005			<0.5	0.12	<5	10	<0.5	<2	20.8	<0.5	2	1	2
C078137		2.70	0.040			<0.5	7.34	45	1360	3.0	<2	3.23	<0.5	8	28	33
C078138		0.64	2.30			<0.5	6.76	83	390	1.6	326	3.39	<0.5	38	22	1140
C078139		2.14	0.190			<0.5	7.68	138	1480	3.1	15	2.34	<0.5	10	30	56
C078140		5.38	0.047			<0.5	7.70	98	1510	3.2	<2	2.38	<0.5	10	32	31
C078141		2.26	0.413			<0.5	7.38	125	1580	3.0	27	2.31	<0.5	9	34	41
C078142		2.94	0.783			<0.5	7.93	76	1670	3.2	16	2.50	<0.5	8	32	34
C078143		6.40	0.052			<0.5	7.52	115	1620	2.8	<2	2.34	<0.5	8	31	36
C078144		6.66	0.024			<0.5	7.67	44	1570	2.9	3	2.29	<0.5	9	32	31
C078145		6.22	0.384			<0.5	7.49	679	1560	3.2	12	2.20	<0.5	10	28	37
C078146		6.20	0.121			<0.5	7.29	129	1530	3.0	18	2.25	<0.5	6	30	35
C078147		7.20	0.143	0.112		<0.5	7.24	227	1540	2.9	6	2.25	<0.5	8	32	58
C078148		6.64	0.333	0.192	0.961	<0.5	7.64	86	1560	3.4	21	2.13	<0.5	9	31	43
C078149		0.04	0.605	0.553		<0.5	7.40	69	1570	3.3	69	2.11	<0.5	9	31	54
C078150		0.10	0.102			<0.5	7.19	118	590	2.7	<2	0.54	<0.5	62	1170	400
C078151		3.02	3.60			<0.5	5.71	436	1370	1.6	65	1.32	<0.5	15	26	81
C078152		2.84	0.419			<0.5	7.53	6030	1660	3.2	5	1.51	<0.5	31	27	45
C078153		4.62	0.051			<0.5	7.54	213	1490	3.2	2	2.30	<0.5	12	29	46
C078154		3.68	0.133			<0.5	7.59	260	1390	2.9	7	1.88	<0.5	10	27	35
C078155		2.88	0.212			<0.5	6.50	286	740	2.4	20	3.40	<0.5	11	21	40
C078156		1.88	<0.005			<0.5	0.12	6	10	<0.5	<2	21.8	<0.5	<1	2	2
C078157		3.28	0.077			<0.5	7.75	78	1380	3.0	9	2.39	<0.5	9	28	50
C078158		2.72	0.091			<0.5	7.79	115	1490	2.8	13	2.33	<0.5	10	27	59
C078159		3.60	0.045			<0.5	7.59	58	1230	2.6	<2	2.60	<0.5	12	28	36
C078160		2.30	0.661			<0.5	7.61	266	1390	2.6	12	2.09	<0.5	13	27	60

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
C078121		1.63	4.33	0.37	192	3	1.01	16	440	44	0.18	8	270	0.18	23	2800
C078122		1.52	4.89	0.33	248	4	0.91	12	430	26	0.16	17	271	0.16	19	3860
C078123		2.52	3.45	0.76	166	2	1.70	23	650	19	0.17	<5	480	0.29	35	20
C078124		2.60	3.74	0.77	206	2	1.69	21	660	21	0.15	<5	476	0.30	37	40
C078125		2.73	3.78	0.84	170	1	1.82	25	700	16	0.20	<5	525	0.32	38	30
C078126		2.31	3.69	0.66	171	2	1.58	19	580	16	0.19	<5	414	0.26	31	20
C078127		2.55	3.48	0.79	151	2	1.69	25	650	16	0.24	<5	485	0.30	37	40
C078128		2.52	3.84	0.76	167	2	1.64	24	640	18	0.23	<5	460	0.30	36	10
C078129		2.54	3.98	0.78	167	2	1.72	27	660	21	0.22	<5	478	0.31	37	10
C078130		4.32	2.35	1.37	995	13	1.71	12	950	27	0.68	6	402	0.37	150	<10
C078131		2.53	3.84	0.79	179	1	1.70	24	640	19	0.25	<5	471	0.30	37	40
C078132		2.70	3.57	0.88	187	1	1.76	25	710	21	0.23	6	494	0.32	39	20
C078133		2.57	3.75	0.79	166	1	1.76	26	660	21	0.22	<5	478	0.30	36	60
C078134		2.49	3.58	0.78	148	1	1.63	21	630	19	0.24	<5	451	0.29	34	30
C078135		2.57	3.75	0.82	168	2	1.70	25	640	18	0.20	<5	480	0.31	37	10
C078136		0.10	0.03	11.55	125	<1	0.01	4	430	5	0.01	<5	106	0.01	2	<10
C078137		2.30	3.48	0.77	155	2	1.45	22	590	19	0.17	<5	437	0.27	31	<10
C078138		7.73	4.69	0.63	159	17	0.83	42	510	15	3.15	<5	360	0.18	23	20
C078139		2.53	3.71	0.79	134	1	1.64	22	630	13	0.28	<5	445	0.28	35	20
C078140		2.56	3.57	0.78	199	1	1.61	21	620	19	0.17	<5	442	0.28	34	50
C078141		2.51	3.54	0.82	182	2	1.59	26	660	19	0.20	<5	445	0.30	35	50
C078142		2.62	3.57	0.87	191	2	1.67	22	690	17	0.18	<5	475	0.31	38	20
C078143		2.58	3.42	0.87	155	3	1.59	23	680	14	0.17	<5	456	0.30	36	30
C078144		2.50	3.53	0.83	180	2	1.60	23	630	15	0.14	<5	448	0.29	35	20
C078145		2.52	3.87	0.81	207	2	1.60	21	620	19	0.20	5	433	0.29	35	80
C078146		2.50	3.48	0.79	204	2	1.57	21	650	19	0.23	5	439	0.29	35	30
C078147		2.55	3.39	0.79	141	2	1.57	22	630	15	0.28	<5	430	0.29	36	50
C078148		2.42	4.01	0.76	158	1	1.62	21	630	17	0.24	5	432	0.29	35	30
C078149		2.45	4.03	0.75	156	1	1.59	21	630	20	0.26	<5	420	0.29	35	20
C078150		8.68	2.25	0.59	384	8	0.12	488	370	153	0.02	10	50	0.24	90	30
C078151		2.18	4.72	0.51	83	12	0.74	21	450	12	0.59	7	275	0.20	25	110
C078152		3.03	3.96	0.74	144	2	1.39	24	610	25	0.55	7	390	0.28	33	20
C078153		2.57	3.47	0.69	174	1	1.40	22	630	21	0.23	6	397	0.29	34	10
C078154		2.28	3.86	0.53	164	1	1.12	23	640	22	0.22	12	306	0.29	35	20
C078155		1.79	3.04	0.40	228	1	0.75	16	470	23	0.31	10	223	0.19	24	20
C078156		0.11	0.03	12.15	144	<1	0.01	1	460	3	0.01	<5	112	0.01	2	<10
C078157		2.65	3.38	0.62	204	2	1.36	23	690	16	0.23	25	352	0.30	38	20
C078158		2.51	3.99	0.46	246	1	1.12	23	650	64	0.35	29	301	0.28	34	10
C078159		2.49	3.87	0.45	253	1	1.15	21	670	22	0.21	21	283	0.29	36	20
C078160		2.62	3.97	0.42	226	3	1.01	25	670	16	0.24	14	257	0.28	36	30

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
C078121		50
C078122		46
C078123		20
C078124		30
C078125		18
C078126		24
C078127		15
C078128		25
C078129		24
C078130		97
C078131		20
C078132		24
C078133		20
C078134		16
C078135		16
C078136		7
C078137		11
C078138		13
C078139		12
C078140		26
C078141		22
C078142		23
C078143		16
C078144		21
C078145		32
C078146		26
C078147		15
C078148		21
C078149		23
C078150		612
C078151		9
C078152		43
C078153		21
C078154		23
C078155		15
C078156		8
C078157		21
C078158		25
C078159		27
C078160		30

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method	WEI-21	Au-AA24	Au-AA24	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au Check	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
C078161		0.54	0.273			<0.5	7.42	558	1030	3.1	11	2.51	0.9	7	27	24
C078162		1.52	0.595			<0.5	6.77	779	980	2.6	41	2.93	2.4	10	27	54
C078163		0.18	0.029			<0.5	7.42	93	1510	2.9	<2	2.44	<0.5	9	27	32
C078164		1.56	0.146			<0.5	7.42	70	1100	3.1	10	2.75	<0.5	9	28	32
C078165		4.26	0.875			<0.5	7.45	120	1470	3.0	84	2.23	<0.5	7	28	44
C078166		2.92	0.144			<0.5	7.58	165	1570	2.8	18	2.44	<0.5	8	28	62
C078167		3.38	0.073	0.084		<0.5	6.64	83	1170	2.6	<2	2.24	<0.5	10	32	35
C078168		2.90	0.251	0.624	0.227	<0.5	7.50	93	1520	3.0	11	2.30	<0.5	8	33	47
C078169		0.04	0.465	0.517		<0.5	7.34	81	1490	2.9	12	2.30	<0.5	9	32	49
C078170		0.10	0.423			2.3	9.26	<5	1100	1.2	<2	1.52	0.5	9	11	7410
C078171		3.54	0.426			<0.5	7.37	38	1470	2.9	17	2.25	<0.5	8	28	45
C078172		5.32	0.094			<0.5	7.79	124	1590	3.1	3	2.40	<0.5	11	33	44
C078173		5.82	0.069			<0.5	7.59	29	1560	3.0	2	2.48	<0.5	7	29	47
C078174		6.46	0.027			<0.5	7.75	99	1610	3.2	<2	2.46	<0.5	9	35	33
C078175		5.64	0.058			<0.5	7.44	36	1620	3.0	4	2.30	<0.5	13	33	72
C078176		1.80	<0.005			<0.5	0.13	<5	10	<0.5	<2	20.9	<0.5	1	2	3
C078177		4.34	0.038			<0.5	7.58	47	1580	3.0	<2	2.16	<0.5	9	32	32
C078178		6.18	0.065			<0.5	7.43	83	1280	3.2	6	2.10	<0.5	8	29	37
C078179		5.62	0.020			<0.5	7.42	110	1370	3.2	<2	2.16	<0.5	7	29	26
C078180		4.92	0.137			<0.5	7.23	287	1410	2.6	9	2.61	<0.5	10	30	54
C078181		2.78	0.057			<0.5	7.57	17	1420	3.3	<2	1.92	<0.5	6	21	46
C078182		2.56	0.070			<0.5	7.43	34	1350	3.2	<2	1.93	<0.5	5	23	41
C078183		5.42	0.172			<0.5	7.46	35	1610	2.9	15	2.41	<0.5	8	25	62
C078184		5.06	0.078			<0.5	8.24	43	1530	2.9	5	2.47	<0.5	8	27	32
C078185		5.72	0.012			<0.5	8.53	44	1800	3.3	<2	2.63	<0.5	8	28	16
C078186		5.68	0.022			<0.5	7.56	44	1600	3.1	<2	1.89	<0.5	6	28	25
C078187		4.84	0.113			<0.5	7.78	41	1600	3.2	6	2.20	<0.5	7	24	23
C078188		4.36	0.082			0.8	7.89	79	1470	3.5	<2	2.15	<0.5	7	24	30
C078189		0.04	0.063			0.9	7.78	110	1440	3.5	<2	2.25	0.6	8	25	35
C078190		0.10	1.515			<0.5	7.07	1260	710	6.1	<2	0.01	<0.5	4	201	38
C078191		5.02	0.052			<0.5	7.99	678	1620	3.1	<2	2.42	<0.5	10	25	42
C078192		5.16	0.032			<0.5	7.96	47	1620	3.2	<2	2.20	<0.5	7	25	45
C078193		5.00	0.069			<0.5	7.79	34	1550	3.1	5	2.21	<0.5	8	25	21
C078194		5.38	0.041			<0.5	8.04	75	1610	3.2	<2	2.78	<0.5	8	28	38
C078195		5.56	0.018			<0.5	7.80	176	1650	3.2	<2	2.44	<0.5	8	30	36
C078196		1.98	<0.005			<0.5	0.14	<5	20	<0.5	<2	20.4	<0.5	1	1	1
C078197		6.06	0.060			<0.5	8.21	266	1810	3.3	2	2.71	<0.5	9	31	30
C078198		6.18	0.029			<0.5	7.72	51	1590	3.0	<2	2.40	<0.5	7	32	47
C078199		6.10	0.086			<0.5	7.14	41	1550	2.8	2	2.13	<0.5	7	29	34
C078200		5.44	0.054			<0.5	7.28	56	1610	2.9	<2	2.35	<0.5	8	26	50

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

): STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
C078161		1.87	3.63	0.54	327	2	0.24	12	660	89	0.15	33	160	0.28	36	20
C078162		2.27	3.29	0.49	352	2	0.44	19	590	250	0.29	92	210	0.25	33	70
C078163		2.81	3.51	0.67	235	2	1.13	24	650	28	0.11	21	348	0.28	37	20
C078164		2.55	3.46	0.75	429	2	0.93	20	610	77	0.27	25	301	0.26	34	20
C078165		2.42	3.89	0.66	170	4	1.53	19	640	13	0.23	18	422	0.27	34	50
C078166		2.55	3.27	0.77	140	3	1.64	20	690	10	0.34	8	458	0.26	32	20
C078167		2.21	2.97	0.63	181	3	1.13	19	550	22	0.20	5	334	0.24	30	30
C078168		2.40	4.08	0.71	168	5	1.56	23	640	28	0.24	5	420	0.28	36	70
C078169		2.42	3.97	0.69	169	6	1.48	20	620	28	0.25	8	408	0.28	35	100
C078170		3.35	3.73	1.18	491	3	3.44	11	2040	14	0.24	<5	666	0.33	177	<10
C078171		2.32	3.81	0.71	148	3	1.59	21	610	15	0.24	<5	409	0.27	34	40
C078172		2.58	3.63	0.82	173	1	1.70	22	680	10	0.24	<5	462	0.30	37	20
C078173		2.50	3.84	0.81	176	1	1.69	23	650	12	0.24	<5	467	0.29	35	30
C078174		2.66	3.64	0.83	205	1	1.80	22	660	16	0.19	<5	481	0.30	37	<10
C078175		2.78	3.50	0.84	182	4	1.64	24	660	13	0.36	<5	457	0.30	36	1060
C078176		0.10	0.03	11.40	138	<1	0.01	2	440	5	0.01	<5	104	0.01	3	<10
C078177		2.59	3.58	0.82	168	2	1.58	24	690	21	0.19	<5	433	0.30	37	20
C078178		2.25	3.83	0.66	158	3	1.61	19	540	19	0.17	<5	399	0.23	28	130
C078179		2.32	3.51	0.74	163	1	1.66	18	600	18	0.15	5	405	0.26	33	10
C078180		2.51	3.41	0.81	171	1	1.54	20	640	14	0.25	7	412	0.28	35	40
C078181		2.16	4.25	0.72	126	2	1.55	14	510	21	0.21	<5	425	0.25	29	30
C078182		2.03	4.16	0.66	131	1	1.53	15	480	15	0.19	<5	412	0.24	27	40
C078183		2.59	3.36	0.77	159	1	1.50	20	610	15	0.39	<5	435	0.28	33	30
C078184		2.62	3.39	0.83	203	1	1.73	19	690	16	0.20	7	444	0.31	36	20
C078185		2.85	3.66	0.94	293	1	1.83	19	680	23	0.13	<5	542	0.33	39	20
C078186		2.56	3.43	0.92	226	<1	1.42	18	630	19	0.16	<5	455	0.30	34	20
C078187		2.56	3.66	0.91	257	1	1.34	19	630	21	0.12	<5	464	0.30	35	30
C078188		2.42	3.71	0.77	284	<1	1.23	18	620	48	0.27	16	398	0.29	34	20
C078189		2.46	3.58	0.78	296	<1	1.17	19	620	57	0.28	19	391	0.30	34	20
C078190		3.82	2.70	0.36	91	1	0.12	18	320	27	0.02	117	93	0.26	89	10
C078191		2.71	3.58	0.86	244	<1	1.65	18	600	21	0.31	10	497	0.29	33	40
C078192		2.59	3.72	0.85	212	1	1.70	18	630	14	0.25	<5	467	0.30	35	80
C078193		2.60	3.59	0.85	263	<1	1.61	19	600	26	0.15	6	480	0.30	35	20
C078194		2.68	3.53	0.88	283	<1	1.68	20	650	24	0.23	9	509	0.31	36	10
C078195		2.70	3.45	0.89	249	1	1.79	20	640	15	0.25	<5	505	0.33	38	10
C078196		0.11	0.04	11.60	138	<1	0.01	<1	430	4	0.01	<5	108	0.01	<1	<10
C078197		2.88	3.59	1.00	289	1	1.86	22	710	15	0.28	<5	530	0.35	41	10
C078198		2.56	3.74	0.94	210	1	1.68	20	640	16	0.29	<5	481	0.31	37	20
C078199		2.35	3.51	0.79	216	2	1.56	18	600	17	0.22	<5	437	0.28	33	70
C078200		2.30	3.66	0.75	171	1	1.41	17	600	10	0.28	6	409	0.29	34	30

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Zn ppm 2
C078161		158
C078162		430
C078163		31
C078164		78
C078165		21
C078166		11
C078167		40
C078168		21
C078169		20
C078170		60
C078171		17
C078172		16
C078173		16
C078174		20
C078175		18
C078176		7
C078177		22
C078178		19
C078179		20
C078180		15
C078181		15
C078182		14
C078183		18
C078184		26
C078185		36
C078186		31
C078187		41
C078188		136
C078189		174
C078190		46
C078191		42
C078192		29
C078193		44
C078194		30
C078195		30
C078196		8
C078197		32
C078198		25
C078199		30
C078200		22

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
C078201		2.64	0.109			<0.5	8.06	38	1710	3.1	2	2.46	<0.5	9	28	30
C078202		2.58	0.055			<0.5	8.02	65	1700	3.1	<2	2.40	<0.5	9	27	30
C078203		5.62	1.325			<0.5	7.50	131	1590	2.7	79	2.45	0.9	12	28	64
C078204		4.76	0.232			<0.5	8.27	99	1820	3.0	29	2.40	<0.5	8	27	57
C078205		2.90	0.065			<0.5	7.96	18	1450	2.8	<2	2.91	<0.5	6	23	34
C078206		2.80	0.104			<0.5	7.30	82	1420	2.7	6	2.85	<0.5	9	24	53
C078207		2.56	0.043			<0.5	7.44	39	1570	2.9	<2	2.09	<0.5	8	22	47
C078208		2.80	0.130			<0.5	7.47	82	1290	2.9	2	2.30	<0.5	8	22	61
C078209		0.04	0.121			<0.5	7.19	57	1260	2.8	<2	2.21	<0.5	7	24	60
C078210		0.08	3.07			0.5	6.81	<5	2070	3.1	<2	4.69	<0.5	24	133	94
C078211		2.74	0.126			<0.5	7.69	120	1600	2.9	6	2.03	<0.5	10	26	65
C078212		2.02	0.345			<0.5	7.34	124	1520	2.9	4	2.28	<0.5	8	25	65
C078213		2.40	0.129			<0.5	7.24	55	1340	2.7	2	2.59	<0.5	7	22	42
C078214		2.88	0.079			<0.5	7.85	76	1700	3.2	2	2.16	<0.5	8	24	58
C078215		2.38	1.015			<0.5	7.48	169	1560	3.0	41	2.09	<0.5	8	25	54
C078216		2.14	<0.005			<0.5	0.13	<5	10	<0.5	<2	21.2	<0.5	<1	1	1
C078217		2.44	0.136			<0.5	7.83	49	1400	3.1	3	2.77	<0.5	9	24	78
C078218		2.70	0.050			<0.5	7.78	35	1680	3.2	<2	2.71	<0.5	7	30	51
C078219		2.62	0.065			<0.5	7.34	63	1540	3.1	<2	2.22	<0.5	8	26	35
C078220		3.06	0.615			<0.5	7.66	67	1750	2.8	8	2.69	<0.5	8	25	68
C078221		1.22	0.041			<0.5	7.81	82	1650	3.1	<2	2.01	<0.5	6	26	64
C078222		1.76	0.073			<0.5	7.64	82	1720	3.2	<2	2.02	<0.5	7	26	65
C078223		3.24	0.856			<0.5	6.96	162	1260	2.5	9	2.77	<0.5	7	25	56
C078224		2.44	0.077			<0.5	7.93	16	1870	2.9	<2	2.29	<0.5	5	23	49
C078225		2.64	0.181			<0.5	7.80	28	1650	3.0	4	2.63	<0.5	6	25	49
C078226		1.60	0.181			1.0	7.37	1435	1030	3.2	2	1.68	12.7	11	25	86
C078227		2.32	0.525			<0.5	7.39	>10000	870	3.0	16	3.13	1.4	19	24	59
C078228		2.88	0.024			<0.5	8.37	33	1670	3.3	<2	2.76	<0.5	12	29	56
C078229		0.04	0.024			<0.5	7.71	27	1470	3.0	<2	2.50	<0.5	9	28	50
C078230		0.10	2.49			<0.5	7.62	2140	740	13.2	<2	0.01	<0.5	<1	153	106
C078231		3.22	0.220			<0.5	8.00	156	1630	2.8	<2	2.18	<0.5	6	28	48
C078232		3.60	0.064			<0.5	7.54	139	1660	3.0	<2	2.04	<0.5	8	28	102
C078233		2.72	0.055			<0.5	7.91	67	1850	3.2	<2	1.07	<0.5	7	27	34
C078234		3.96	4.11			<0.5	7.52	125	1700	3.2	4	1.62	<0.5	7	29	50
C078235		3.06	0.239			<0.5	6.41	1945	1490	2.2	<2	2.09	0.5	9	22	34
C078236		1.90	<0.005			<0.5	0.15	<5	20	<0.5	<2	20.8	<0.5	<1	3	2
C078237		1.92	1.075			<0.5	7.37	3100	1650	2.6	5	2.12	0.7	32	24	43
C078238		2.94	0.275			0.6	7.30	1185	1390	2.8	<2	3.39	<0.5	8	26	72
C078239		2.68	0.153			<0.5	7.63	38	1700	2.9	3	2.72	<0.5	10	31	91
C078240		2.68	0.098			<0.5	7.41	34	1520	2.8	<2	2.91	<0.5	8	29	50

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
C078201		2.68	3.59	0.92	226	1	1.67	19	680	20	0.19	6	500	0.32	37	30
C078202		2.56	3.63	0.90	216	2	1.68	19	680	15	0.18	<5	496	0.32	38	20
C078203		2.72	3.43	0.80	204	2	1.38	20	650	88	0.40	44	425	0.30	36	50
C078204		2.59	3.89	0.86	158	1	1.62	22	680	43	0.28	15	494	0.31	37	70
C078205		2.39	3.94	0.79	224	1	1.51	15	640	21	0.23	22	423	0.29	35	50
C078206		2.46	3.39	0.77	315	<1	1.21	20	620	122	0.41	25	370	0.28	33	20
C078207		2.17	3.76	0.71	148	<1	1.67	18	570	12	0.21	8	420	0.27	32	30
C078208		2.22	3.51	0.67	154	<1	1.73	18	610	12	0.28	6	393	0.28	35	50
C078209		2.20	3.37	0.65	149	<1	1.67	21	640	16	0.30	15	377	0.28	33	70
C078210		5.05	3.26	2.91	1055	12	2.26	63	2260	27	0.30	6	1595	0.38	160	10
C078211		2.45	3.90	0.75	133	<1	1.58	17	610	18	0.30	5	416	0.29	35	30
C078212		2.33	3.55	0.69	143	2	1.47	18	580	13	0.32	8	416	0.28	31	50
C078213		1.98	3.71	0.64	160	<1	1.41	17	560	19	0.24	7	384	0.26	31	60
C078214		2.42	4.02	0.79	142	<1	1.53	16	620	12	0.27	6	438	0.29	34	40
C078215		2.39	3.90	0.79	164	1	1.40	18	590	14	0.28	7	422	0.28	33	40
C078216		0.10	0.03	11.85	134	<1	0.01	<1	390	2	0.01	<5	111	<0.01	1	<10
C078217		2.34	3.80	0.78	166	<1	1.33	21	640	16	0.33	11	390	0.29	36	40
C078218		2.52	3.80	0.90	190	1	1.60	19	660	19	0.26	<5	469	0.32	38	20
C078219		2.40	3.62	0.82	184	<1	1.49	17	600	17	0.20	<5	433	0.30	34	10
C078220		2.53	4.59	0.74	200	<1	1.46	21	620	33	0.41	10	433	0.28	31	20
C078221		2.51	3.87	0.80	154	<1	1.63	20	630	20	0.35	<5	434	0.30	35	20
C078222		2.50	3.92	0.84	154	<1	1.57	18	640	14	0.33	7	434	0.30	34	20
C078223		2.48	3.59	0.68	185	1	1.34	19	570	48	0.37	17	367	0.26	30	20
C078224		2.48	3.74	0.76	160	<1	1.70	17	640	20	0.26	18	454	0.30	33	20
C078225		2.40	3.75	0.67	227	<1	1.30	17	610	24	0.28	16	396	0.29	33	20
C078226		2.82	3.33	0.80	276	<1	0.56	13	640	461	1.14	48	191	0.28	35	40
C078227		3.63	3.34	0.49	422	2	0.40	17	570	255	1.55	130	195	0.24	30	40
C078228		2.43	4.02	0.58	189	<1	1.64	23	740	21	0.19	30	422	0.35	41	10
C078229		2.30	3.60	0.54	176	<1	1.50	20	660	13	0.17	20	388	0.32	38	10
C078230		3.51	3.21	0.38	69	1	0.09	8	340	31	0.02	153	140	0.27	103	20
C078231		2.38	3.87	0.59	178	1	1.33	18	620	21	0.24	13	392	0.30	35	30
C078232		2.39	3.82	0.53	171	<1	1.37	20	640	20	0.41	26	392	0.31	36	20
C078233		3.79	3.70	0.76	140	<1	1.07	19	650	18	0.23	9	352	0.31	37	10
C078234		2.63	3.57	0.59	149	<1	1.26	20	600	28	0.28	17	358	0.29	35	20
C078235		1.87	3.54	0.28	285	1	1.17	15	500	18	0.34	5	279	0.22	26	30
C078236		0.12	0.04	11.55	138	<1	0.02	<1	440	<2	0.01	<5	110	0.01	2	<10
C078237		2.25	3.72	0.34	331	2	1.00	18	600	81	0.62	24	265	0.27	31	40
C078238		2.40	3.77	0.61	476	1	0.69	16	590	65	0.39	30	277	0.28	33	30
C078239		2.70	4.23	0.62	314	<1	1.31	20	660	21	0.41	24	378	0.30	36	30
C078240		2.18	4.23	0.41	388	3	1.16	19	620	29	0.29	16	319	0.29	34	30

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Zn ppm 2
C078201		25
C078202		25
C078203		180
C078204		20
C078205		33
C078206		76
C078207		16
C078208		18
C078209		19
C078210		95
C078211		19
C078212		15
C078213		16
C078214		17
C078215		20
C078216		7
C078217		14
C078218		17
C078219		21
C078220		28
C078221		16
C078222		15
C078223		34
C078224		18
C078225		34
C078226		2200
C078227		228
C078228		16
C078229		14
C078230		14
C078231		32
C078232		33
C078233		27
C078234		24
C078235		38
C078236		9
C078237		104
C078238		116
C078239		14
C078240		23

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method	WEI-21	Au-AA24	Au-AA24	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au Check	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
C078241		0.76	0.061			<0.5	7.75	84	1530	3.0	<2	1.83	<0.5	8	32	43
C078242		0.86	0.069			<0.5	7.38	42	1440	2.9	<2	2.05	<0.5	10	27	43
C078243		6.12	0.087			<0.5	7.31	43	1520	2.9	2	2.41	<0.5	8	29	38
C078244		4.70	1.010			<0.5	7.38	269	1730	2.4	20	2.67	0.6	13	27	62
C078245		4.80	0.214			<0.5	7.26	62	1550	2.9	3	2.50	<0.5	8	29	45
C078246		5.16	0.667			<0.5	7.31	61	1430	2.8	7	2.75	<0.5	6	28	40
C078247		5.80	1.920			0.7	7.50	126	1610	2.6	42	2.38	<0.5	11	28	42
C078248		5.90	0.039			<0.5	7.98	31	1660	3.0	<2	2.79	<0.5	6	30	28
C078249		0.04	0.041			<0.5	7.35	37	1520	2.8	<2	2.58	<0.5	5	29	27
C078250		0.10	4.58			8.7	7.50	18	460	0.9	<2	2.73	1.4	15	21	120
C078251		6.60	0.061			<0.5	7.34	98	1700	2.9	12	2.41	<0.5	6	30	40
C078252		4.90	0.036			<0.5	7.21	45	1680	3.0	<2	2.24	<0.5	6	28	37
C078253		3.30	0.087			<0.5	7.77	58	1670	3.1	3	2.55	<0.5	7	31	52
C078254		3.44	0.196			<0.5	7.63	53	1590	2.9	2	2.38	<0.5	7	33	48
C078255		5.44	0.102			<0.5	7.54	24	1540	3.0	<2	2.39	<0.5	6	31	38
C078256		2.08	<0.005			<0.5	0.14	<5	10	<0.5	<2	21.4	0.5	<1	2	2
C078257		6.54	0.123			<0.5	7.34	18	1640	3.0	<2	2.63	<0.5	6	34	40
C078258		6.66	0.183			<0.5	7.55	23	1740	3.1	2	2.72	<0.5	6	33	36
C078259		7.00	0.059			<0.5	7.72	40	1530	3.1	<2	2.52	<0.5	8	33	35
C078260		5.78	0.043			<0.5	7.64	29	1610	2.9	<2	2.34	<0.5	8	32	35
C078261		2.72	0.033			<0.5	7.30	39	1550	2.9	<2	2.78	<0.5	9	30	31
C078262		3.26	0.029			<0.5	7.39	37	1550	2.9	<2	2.46	<0.5	8	31	29
C078263		4.92	0.035			<0.5	7.91	53	1670	3.1	<2	1.88	<0.5	9	31	33
C078264		6.18	0.082			<0.5	7.77	30	1830	3.0	<2	2.17	<0.5	7	33	44
C078265		6.00	0.229			<0.5	7.83	29	1750	3.1	3	2.32	<0.5	10	32	40
C078266		5.90	0.072			<0.5	7.78	59	1710	3.0	<2	2.31	<0.5	9	34	47
C078267		6.08	0.089			<0.5	8.06	17	1750	3.2	<2	2.32	<0.5	8	34	45
C078268		5.44	0.078			<0.5	7.85	40	1700	3.0	<2	2.30	<0.5	8	29	39
C078269		0.04	0.251			<0.5	7.70	35	1730	3.0	2	2.31	<0.5	7	32	41
C078270		0.10	0.090			<0.5	7.20	113	590	2.7	<2	0.54	<0.5	58	1215	406
C078271		5.22	0.140			<0.5	7.63	35	1670	2.9	<2	2.14	<0.5	8	32	36
C078272		5.68	0.258			<0.5	7.37	32	1620	2.9	<2	2.27	<0.5	7	33	47
C078273		5.06	0.095			<0.5	7.91	26	1800	3.0	<2	2.48	<0.5	10	31	67
C078274		4.64	0.629			0.6	8.05	37	1490	3.0	14	3.25	<0.5	8	33	66
C078275		4.90	0.123			1.1	7.82	46	1260	3.1	<2	2.79	1.2	6	29	67
C078276		1.84	<0.005			<0.5	0.13	<5	10	<0.5	<2	22.3	<0.5	<1	3	2
C078277		6.62	0.013			<0.5	7.83	25	1680	3.1	<2	2.44	<0.5	7	33	20
C078278		5.20	0.149			<0.5	7.62	39	1470	3.0	<2	2.67	<0.5	6	31	34
C078279		5.34	0.040			<0.5	7.63	26	1510	3.0	<2	2.53	0.5	9	31	31
C078280		4.90	0.033			<0.5	7.65	81	1590	2.9	<2	2.32	<0.5	6	37	31

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
C078241		2.67	3.95	0.42	187	2	1.15	21	630	20	0.20	17	325	0.30	35	20
C078242		2.22	3.94	0.30	215	1	1.13	18	570	25	0.26	23	303	0.27	32	20
C078243		2.29	3.87	0.55	271	1	1.31	21	610	21	0.24	26	345	0.29	34	20
C078244		2.62	4.38	0.58	271	2	1.08	19	590	80	0.58	51	353	0.26	32	110
C078245		2.40	3.73	0.60	246	<1	1.33	20	600	18	0.29	14	346	0.30	35	10
C078246		2.41	3.78	0.63	229	<1	1.21	20	590	21	0.24	18	331	0.28	33	20
C078247		2.73	3.53	0.83	300	2	1.11	19	630	246	0.26	78	348	0.28	33	40
C078248		2.76	3.61	0.89	306	1	1.31	20	650	16	0.15	9	420	0.31	35	40
C078249		2.59	3.41	0.82	284	1	1.21	18	620	14	0.15	8	388	0.30	34	40
C078250		4.06	2.18	1.30	933	11	1.61	8	870	22	0.67	<5	375	0.37	139	<10
C078251		2.56	3.64	0.84	266	2	1.30	18	610	20	0.21	7	437	0.30	34	40
C078252		2.52	3.64	0.85	254	<1	1.19	20	580	17	0.18	7	420	0.29	34	50
C078253		2.70	3.84	0.79	240	1	1.58	21	650	16	0.26	11	434	0.31	38	40
C078254		2.74	3.68	0.76	264	1	1.46	21	630	16	0.28	10	407	0.31	37	40
C078255		2.62	3.76	0.75	264	<1	1.49	19	600	14	0.21	7	399	0.30	36	20
C078256		0.10	0.03	11.80	129	<1	0.01	<1	440	4	0.01	<5	110	0.01	2	10
C078257		2.67	3.90	0.78	287	1	1.52	19	650	19	0.21	20	408	0.32	38	20
C078258		2.67	3.80	0.77	256	<1	1.64	21	630	18	0.21	13	425	0.31	37	20
C078259		2.51	3.99	0.71	256	<1	1.52	21	600	16	0.19	6	390	0.31	38	30
C078260		2.65	3.96	0.65	236	<1	1.36	19	630	21	0.19	15	319	0.30	36	20
C078261		2.30	3.92	0.69	295	3	1.51	22	670	14	0.15	19	361	0.32	38	20
C078262		2.31	3.86	0.65	256	1	1.53	20	650	16	0.14	18	348	0.32	39	20
C078263		2.77	4.01	0.73	213	1	1.42	21	680	24	0.18	23	340	0.32	39	20
C078264		2.69	3.87	0.82	218	1	1.66	21	650	21	0.20	15	425	0.31	37	30
C078265		2.69	4.04	0.88	247	1	1.61	19	630	23	0.18	14	437	0.31	37	10
C078266		2.70	3.88	0.84	247	<1	1.64	21	640	18	0.22	6	444	0.31	37	50
C078267		2.62	3.88	0.87	223	1	1.75	20	650	23	0.21	<5	459	0.32	39	30
C078268		2.24	4.23	0.91	199	1	1.72	21	670	20	0.17	6	494	0.32	39	30
C078269		2.30	4.23	0.93	207	1	1.74	22	660	17	0.18	8	489	0.33	40	30
C078270		8.74	2.23	0.60	389	8	0.13	477	360	150	0.02	9	50	0.25	91	40
C078271		2.48	3.92	0.86	232	1	1.62	21	630	23	0.19	<5	432	0.30	37	40
C078272		2.53	3.81	0.83	206	1	1.64	20	610	15	0.24	<5	442	0.30	37	60
C078273		2.52	4.04	0.88	197	<1	1.66	19	650	17	0.26	11	449	0.31	38	20
C078274		2.81	3.98	0.84	332	2	1.28	21	650	120	0.52	25	365	0.30	40	40
C078275		2.92	3.46	0.80	322	2	1.28	17	640	97	0.95	12	271	0.28	36	40
C078276		0.11	0.03	12.10	144	<1	0.01	<1	420	4	0.01	<5	108	0.01	2	<10
C078277		2.62	3.51	0.86	282	1	1.74	20	660	17	0.13	<5	458	0.32	38	20
C078278		2.57	3.55	0.84	268	1	1.47	19	600	36	0.33	5	369	0.29	35	40
C078279		2.55	3.61	0.76	353	1	1.35	21	640	68	0.26	<5	383	0.31	36	20
C078280		2.64	3.66	0.82	260	1	1.71	20	630	20	0.18	6	446	0.31	37	40

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method	ME-ICP61
	Analyte	Zn
	Units	ppm
	LOR	2
C078241		22
C078242		32
C078243		23
C078244		61
C078245		20
C078246		21
C078247		30
C078248		26
C078249		25
C078250		92
C078251		29
C078252		26
C078253		23
C078254		28
C078255		30
C078256		8
C078257		31
C078258		29
C078259		28
C078260		27
C078261		28
C078262		26
C078263		28
C078264		21
C078265		28
C078266		28
C078267		23
C078268		27
C078269		26
C078270		617
C078271		24
C078272		18
C078273		13
C078274		70
C078275		245
C078276		8
C078277		29
C078278		45
C078279		116
C078280		28

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
C078281		2.56	0.016			<0.5	7.55	34	1610	2.9	<2	2.27	<0.5	7	31	22
C078282		2.96	0.019			<0.5	8.04	24	1630	3.0	<2	2.43	<0.5	6	33	25
C078283		4.94	0.249			<0.5	7.84	21	1620	3.2	6	2.37	<0.5	8	33	25
C078284		5.08	0.172			1.3	7.86	123	1490	2.9	2	2.20	<0.5	7	33	35
C078285		5.22	0.270			<0.5	7.93	17	1720	3.0	<2	2.57	<0.5	6	32	32
C078286		4.94	0.456			<0.5	7.83	34	1750	2.9	6	2.22	<0.5	9	34	34
C078287		5.18	0.088			<0.5	7.66	45	1630	2.8	<2	1.52	<0.5	10	31	46
C078288		5.32	0.497			0.8	7.35	574	1310	2.6	8	1.47	0.6	8	27	40
C078289		0.04	0.413			0.6	7.40	686	1310	2.6	3	1.52	0.7	9	29	45
C078290		0.10	0.454			2.1	8.14	7	980	1.2	<2	1.36	<0.5	7	11	7520
C078291		4.26	0.339			4.9	7.34	205	630	2.7	6	1.92	4.4	7	27	101
C078292		5.90	0.727			12.2	6.72	8040	530	2.9	9	1.98	7.8	15	23	132
C078293		5.50	0.516			1.3	7.84	257	1380	2.8	4	2.60	0.8	7	31	68
C078294		4.76	0.273			0.5	7.28	28	1630	2.8	3	2.44	<0.5	7	40	76

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

D: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
C078281		2.61	3.35	0.84	287	<1	1.68	22	630	22	0.12	<5	432	0.31	36	20
C078282		2.67	3.55	0.84	298	1	1.71	20	650	20	0.13	<5	439	0.32	37	10
C078283		2.62	3.71	0.85	267	1	1.77	21	660	25	0.12	<5	462	0.32	37	160
C078284		3.05	3.55	0.77	319	7	1.38	20	640	86	0.91	15	388	0.29	37	30
C078285		2.61	3.69	0.91	312	<1	1.54	19	650	22	0.16	<5	452	0.32	40	40
C078286		2.68	3.97	0.80	280	<1	1.51	19	680	34	0.17	11	411	0.33	40	30
C078287		2.18	4.08	0.60	177	<1	1.30	23	660	20	0.22	12	306	0.31	38	20
C078288		2.80	3.65	0.64	327	1	0.75	18	560	68	0.33	32	238	0.22	32	20
C078289		2.85	3.71	0.65	341	2	0.72	18	600	67	0.40	29	235	0.26	34	40
C078290		2.94	3.70	1.04	432	2	2.97	7	1700	9	0.21	<5	570	0.35	176	10
C078291		3.09	3.29	0.68	1120	2	0.05	11	580	413	1.09	104	90	0.24	34	60
C078292		4.50	2.99	0.63	1270	3	0.05	12	530	1085	2.62	193	120	0.21	31	170
C078293		2.67	4.25	0.82	562	<1	0.82	18	650	125	0.29	35	330	0.30	39	150
C078294		2.53	3.93	0.79	271	<1	1.28	20	630	43	0.32	16	421	0.30	40	50

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method	ME-ICP61
	Analyte	Zn
	Units	ppm
	LOR	2
C078281		34
C078282		29
C078283		33
C078284		96
C078285		31
C078286		37
C078287		28
C078288		80
C078289		89
C078290		58
C078291		787
C078292		1230
C078293		168
C078294		51

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-JUN-2006
Account: STRGOL

CERTIFICATE VA06055451

Project: Dublin Gulch1735

P.O. No.:

This report is for 80 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 19-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055451

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C078295		5.20	0.183	1.1	7.18	34	1160	2.8	<2	2.90	<0.5	9	31	58	2.39	3.76
C078296		1.84	<0.005	<0.5	0.14	5	10	<0.5	<2	20.9	<0.5	<1	4	2	0.15	0.03
C078297		5.06	0.036	1.0	7.19	21	1220	2.7	<2	2.68	<0.5	10	30	69	2.44	3.73
C078298		6.04	0.710	2.4	6.32	26	870	2.4	10	3.00	3.9	5	29	84	2.54	3.24
C078299		5.78	0.123	<0.5	6.91	13	1440	2.6	<2	2.48	<0.5	9	33	75	2.29	3.82
C078300		4.56	0.133	0.5	6.85	24	1500	2.6	<2	2.18	<0.5	12	39	99	2.51	3.89
C078301		2.66	0.080	1.8	7.73	74	730	2.9	<2	2.68	1.1	8	28	63	2.69	3.43
C078302		2.98	0.178	1.6	7.77	86	760	2.9	<2	2.71	1.4	10	28	52	2.58	3.36
C078303		8.36	0.037	0.6	7.34	38	1280	2.8	<2	2.36	<0.5	7	29	39	2.43	3.53
C078304		5.16	0.025	1.2	7.32	65	680	2.9	<2	2.39	2.5	7	26	44	2.28	3.38
C078305		6.38	0.219	2.7	7.41	1670	530	2.4	<2	2.49	3.5	8	25	56	2.45	3.19
C078306		3.02	0.047	<0.5	7.72	28	1480	2.7	<2	2.22	<0.5	8	35	43	2.49	3.69
C078307		5.26	0.170	<0.5	7.50	139	1520	2.8	<2	2.33	<0.5	8	33	49	2.55	3.32
C078308		6.30	0.130	<0.5	7.48	63	1460	2.5	<2	2.44	<0.5	8	29	40	2.49	3.57
C078309		0.04	0.111	<0.5	7.46	67	1430	2.5	<2	2.35	<0.5	8	29	37	2.41	3.49
C078310		0.10	1.450	<0.5	6.75	1250	640	5.8	<2	0.02	<0.5	6	208	37	3.52	2.54
C078311		Not Recvd														
C078312		4.86	1.730	<0.5	6.42	64	1220	2.2	14	2.57	<0.5	9	26	27	2.19	3.11
C078313		7.58	0.171	<0.5	7.63	43	1460	2.9	<2	2.42	<0.5	8	29	30	2.45	3.54
C078314		6.50	0.790	<0.5	7.49	46	1400	2.9	<2	2.26	<0.5	9	26	26	2.37	3.44
C078315		5.10	0.092	<0.5	7.62	27	1500	2.8	<2	2.52	<0.5	10	26	21	2.42	3.19
C078316		1.88	<0.005	<0.5	0.13	8	10	<0.5	<2	20.9	<0.5	<1	2	2	0.10	0.03
C078317		7.66	0.031	<0.5	7.32	55	1480	2.6	<2	2.32	<0.5	9	30	20	2.50	3.49
C078318		2.54	0.226	<0.5	7.32	92	1400	3.0	<2	2.90	<0.5	10	25	24	2.26	3.36
C078319		3.46	0.058	<0.5	7.29	25	1380	2.5	<2	2.85	<0.5	9	26	19	2.41	3.28
C078320		4.08	0.311	<0.5	7.51	42	1400	2.5	<2	2.83	<0.5	12	28	24	2.44	3.54
C078321		1.44	0.039	<0.5	6.92	31	1360	2.3	<2	2.89	<0.5	9	25	19	2.23	3.46
C078322		1.16	0.048	<0.5	6.93	38	1400	2.4	<2	2.79	<0.5	9	27	19	2.20	4.19
C078323		6.52	0.052	<0.5	7.40	52	1090	2.8	<2	2.48	<0.5	8	30	23	2.32	3.27
C078324		5.30	0.042	<0.5	7.47	71	1520	2.9	<2	1.98	<0.5	9	32	19	2.72	3.46
C078325		5.22	0.033	<0.5	7.33	35	1270	2.6	<2	2.91	<0.5	18	33	25	2.58	3.13
C078326		4.54	0.062	<0.5	7.31	50	1300	2.9	<2	3.79	<0.5	15	30	25	2.49	3.25
C078327		4.76	0.047	<0.5	7.51	39	1430	3.0	<2	2.33	<0.5	9	33	20	2.64	3.38
C078328		5.24	0.172	<0.5	7.42	49	1350	2.9	<2	2.43	<0.5	9	31	21	2.43	3.46
C078329		0.04	0.207	<0.5	7.31	61	1320	2.9	<2	2.34	<0.5	8	31	24	2.40	3.47
C078330		0.10	2.84	<0.5	7.43	2110	680	13.1	<2	0.01	<0.5	3	149	100	3.24	3.09
C078331		5.10	0.105	3.4	6.90	33	1260	2.7	<2	2.66	<0.5	9	31	20	2.34	3.24
C078332		4.82	0.194	<0.5	7.46	83	1480	3.0	<2	2.46	<0.5	11	32	39	2.60	3.86
C078333		5.00	0.524	<0.5	7.29	36	1300	3.0	<2	2.50	<0.5	8	29	42	2.43	3.54
C078334		4.78	0.019	<0.5	7.53	25	1460	2.8	<2	2.50	<0.5	7	35	27	2.73	3.31

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055451

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C078295		0.81	564	1	0.57	17	640	71	0.19	35	306	0.29	36	30	160
C078296		11.45	137	<1	0.01	<1	420	7	0.01	<5	118	0.01	2	<10	11
C078297		0.80	619	1	0.81	20	640	62	0.24	40	353	0.29	37	30	115
C078298		0.77	888	2	0.37	14	530	502	0.34	111	244	0.24	30	100	696
C078299		0.75	283	2	1.27	20	620	21	0.31	14	464	0.29	35	230	21
C078300		0.72	315	2	1.13	17	610	39	0.41	20	429	0.30	36	60	51
C078301		0.76	812	1	0.15	20	620	180	0.52	43	204	0.29	37	30	240
C078302		0.75	822	2	0.18	21	610	158	0.33	28	208	0.28	35	20	243
C078303		0.70	488	1	0.84	21	640	59	0.16	16	352	0.31	37	40	90
C078304		0.60	901	1	0.11	19	610	162	0.27	13	166	0.27	33	20	452
C078305		0.66	1050	1	0.04	12	630	178	0.59	28	135	0.26	34	810	653
C078306		0.75	347	1	1.22	20	660	19	0.19	14	420	0.32	37	60	24
C078307		0.81	237	11	1.59	21	650	21	0.23	<5	504	0.31	37	160	28
C078308		0.82	301	1	1.48	18	630	27	0.15	11	460	0.29	35	80	41
C078309		0.82	292	1	1.44	19	600	28	0.14	<5	453	0.29	34	80	40
C078310		0.34	87	3	0.11	19	300	28	0.01	112	93	0.24	86	10	45
C078311															
C078312		0.75	271	3	1.14	16	530	22	0.12	<5	455	0.25	30	50	31
C078313		0.85	247	1	1.42	20	620	23	0.14	<5	511	0.29	34	60	34
C078314		0.83	261	1	1.47	18	620	25	0.11	<5	491	0.29	34	50	40
C078315		0.86	274	1	1.49	18	640	23	0.07	<5	539	0.31	36	30	39
C078316		11.35	130	<1	0.02	<1	430	3	<0.01	<5	114	0.01	2	<10	8
C078317		0.76	282	1	1.39	20	630	26	0.06	8	453	0.30	36	30	41
C078318		0.76	343	2	1.25	17	600	24	0.07	9	478	0.28	34	40	43
C078319		0.71	340	2	1.50	16	610	25	0.04	6	487	0.29	33	30	46
C078320		0.69	310	2	1.38	21	620	29	0.04	7	466	0.30	35	40	52
C078321		0.62	330	1	1.41	19	580	28	0.04	8	471	0.28	33	30	58
C078322		0.60	307	3	1.35	20	570	29	0.04	<5	456	0.30	34	30	57
C078323		0.57	359	2	0.82	22	670	69	0.15	9	311	0.30	36	20	140
C078324		0.73	221	1	1.22	24	660	25	0.11	8	390	0.32	37	30	47
C078325		0.62	356	4	0.97	22	650	30	0.06	10	406	0.31	37	40	74
C078326		0.67	368	2	0.94	20	620	27	0.08	14	534	0.29	36	40	49
C078327		0.81	287	3	1.43	17	640	27	0.05	<5	442	0.30	40	40	45
C078328		0.77	293	1	1.58	17	620	30	0.06	<5	453	0.28	36	40	47
C078329		0.74	287	1	1.59	19	590	37	0.06	<5	450	0.28	35	40	52
C078330		0.37	69	3	0.09	9	340	31	0.02	150	144	0.24	100	20	18
C078331		0.70	322	2	1.58	17	560	30	0.05	<5	464	0.28	35	30	55
C078332		0.77	279	1	1.60	17	630	24	0.15	<5	442	0.30	37	40	37
C078333		0.73	234	7	1.41	16	600	25	0.17	<5	391	0.29	36	30	34
C078334		0.78	278	<1	1.62	20	650	25	0.11	<5	463	0.31	38	50	37

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055451

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C078335		4.84	0.065	<0.5	7.56	23	1480	3.3	<2	2.54	<0.5	7	34	31	2.65	3.49
C078336		2.20	<0.005	<0.5	0.14	<5	20	<0.5	<2	20.4	<0.5	<1	3	2	0.10	0.03
C078337		5.46	0.063	<0.5	7.60	38	1550	2.9	<2	2.36	<0.5	9	27	30	2.56	3.74
C078338		5.16	0.169	<0.5	7.79	21	1590	2.8	<2	2.31	<0.5	8	29	35	2.70	3.76
C078339		5.74	0.121	<0.5	7.60	45	1510	2.8	<2	2.45	<0.5	6	27	24	2.57	3.54
C078340		5.28	0.037	<0.5	7.80	122	1600	2.8	<2	2.72	<0.5	9	30	30	2.61	4.17
C078341		2.46	0.038	<0.5	8.50	44	1450	4.4	<2	2.63	<0.5	9	26	24	2.44	3.89
C078342		2.58	0.029	<0.5	7.93	42	1430	3.5	<2	2.50	<0.5	9	27	26	2.45	3.55
C078343		4.92	0.032	<0.5	7.89	37	1440	3.1	<2	2.51	<0.5	8	29	21	2.49	3.36
C078344		5.00	0.104	<0.5	7.73	226	1280	3.0	<2	2.60	1.2	9	28	21	2.49	3.49
C078345		5.18	0.085	0.7	7.96	66	1320	2.9	<2	2.74	5.5	9	27	22	2.64	3.43
C078346		5.08	0.066	<0.5	7.89	49	1400	3.2	<2	2.89	<0.5	9	29	22	2.50	3.92
C078347		7.76	0.078	<0.5	7.82	384	1440	2.8	<2	2.65	<0.5	10	29	25	2.70	3.66
C078348		3.48	0.019	<0.5	8.15	31	1540	3.1	<2	2.47	<0.5	9	30	27	2.44	3.86
C078349		0.04	0.016	<0.5	8.29	35	1550	3.1	<2	2.52	<0.5	8	28	26	2.46	3.77
C078350		0.10	4.47	8.5	8.07	9	470	0.9	<2	2.91	1.1	18	22	119	4.10	2.17
C078351		2.30	0.018	<0.5	7.92	43	1540	3.1	<2	2.44	<0.5	10	30	33	2.48	3.80
C078352		5.64	0.040	<0.5	8.03	49	1560	3.1	<2	2.45	<0.5	11	32	32	2.41	3.87
C078353		2.50	0.020	<0.5	7.85	79	1600	3.0	<2	2.39	<0.5	10	31	36	2.51	3.63
C078354		6.70	0.277	<0.5	8.26	640	1640	2.9	<2	2.28	<0.5	14	34	52	2.71	4.00
C078355		6.02	0.063	<0.5	8.10	69	1570	3.1	<2	2.15	<0.5	9	31	23	2.42	4.06
C078356		1.76	<0.005	<0.5	0.18	5	20	<0.5	<2	21.4	<0.5	2	4	2	0.11	0.05
C078357		5.90	0.059	<0.5	7.81	194	1510	3.0	<2	2.31	<0.5	12	30	21	2.37	3.81
C078358		5.20	0.052	<0.5	7.94	646	1520	3.2	<2	2.32	<0.5	7	27	13	2.43	3.61
C078359		5.64	0.098	<0.5	8.33	56	1600	3.3	<2	2.57	<0.5	10	30	20	2.61	3.86
C078360		5.80	0.142	<0.5	7.79	1330	1640	2.6	<2	2.39	<0.5	22	29	28	2.44	4.44
C078361		2.64	0.892	<0.5	7.60	62	1360	2.9	11	2.11	<0.5	7	26	24	2.16	4.13
C078362		3.00	1.700	<0.5	7.58	295	1420	2.8	14	2.16	<0.5	16	26	20	2.20	4.19
C078363		6.00	0.056	<0.5	8.13	112	1650	3.0	<2	2.51	<0.5	9	30	24	2.50	4.17
C078364		5.66	0.019	<0.5	7.77	85	1580	3.0	<2	2.43	<0.5	11	30	18	2.38	3.82
C078365		5.40	0.035	<0.5	7.68	74	1560	3.0	<2	2.22	<0.5	9	30	17	2.42	3.80
C078366		5.38	0.131	<0.5	7.63	300	1520	3.1	<2	2.34	<0.5	10	30	31	2.33	3.83
C078367		4.32	0.106	<0.5	7.90	216	1400	2.8	<2	2.53	1.4	11	29	32	2.61	3.88
C078368		4.42	0.041	<0.5	7.44	49	1530	2.5	<2	1.91	<0.5	8	26	29	2.10	4.05
C078369		0.04	0.041	<0.5	7.59	46	1570	2.5	<2	1.90	<0.5	7	29	29	2.15	3.95
C078370		0.10	0.092	0.5	7.01	113	560	2.7	<2	0.55	<0.5	63	1230	396	8.31	2.18
C078371		5.76	0.226	0.5	7.47	330	1450	2.5	<2	2.20	3.1	9	28	36	2.55	4.10
C078372		6.14	0.349	1.0	7.36	98	1510	2.6	<2	2.19	<0.5	8	30	30	2.14	3.80
C078373		5.90	0.101	<0.5	7.60	24	1600	2.8	<2	2.39	<0.5	9	37	40	2.26	4.15
C078374		3.58	0.104	<0.5	7.33	297	1520	2.4	3	2.08	<0.5	10	35	36	2.50	3.94

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055451

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C078335		0.85	257	1	1.68	17	660	22	0.11	<5	496	0.32	39	40	28
C078336		11.45	129	<1	0.01	4	400	<2	0.01	<5	110	0.01	3	<10	8
C078337		0.85	273	1	1.62	21	610	24	0.10	6	505	0.31	37	40	48
C078338		0.92	274	1	1.55	21	660	24	0.17	5	515	0.33	39	50	44
C078339		0.90	293	1	1.58	17	630	26	0.06	5	504	0.31	37	40	47
C078340		0.89	271	2	1.59	24	630	28	0.11	5	519	0.31	36	40	38
C078341		0.84	270	1	1.87	19	580	32	0.07	5	561	0.30	33	30	41
C078342		0.83	265	1	1.71	19	560	31	0.09	<5	540	0.29	34	30	40
C078343		0.88	328	1	1.67	20	600	29	0.07	11	554	0.31	36	30	54
C078344		0.88	446	2	1.14	20	590	138	0.15	14	495	0.30	34	30	290
C078345		0.84	702	1	1.11	21	610	928	0.27	362	465	0.30	35	30	1040
C078346		0.89	478	2	1.07	22	600	76	0.18	12	464	0.32	38	30	134
C078347		0.79	348	2	1.32	24	580	27	0.18	9	411	0.29	34	20	39
C078348		0.80	240	1	1.74	21	620	28	0.16	<5	554	0.31	35	20	34
C078349		0.82	239	1	1.74	22	620	32	0.16	<5	555	0.31	35	20	35
C078350		1.33	983	13	1.60	11	880	29	0.66	<5	425	0.37	143	<10	96
C078351		0.83	221	1	1.70	22	570	24	0.19	<5	525	0.31	36	20	26
C078352		0.84	238	2	1.70	22	620	24	0.17	<5	525	0.32	38	20	31
C078353		0.82	227	2	1.65	23	600	28	0.19	<5	516	0.31	36	20	37
C078354		0.82	268	2	1.44	23	630	44	0.27	<5	426	0.31	37	30	50
C078355		0.81	227	2	1.67	22	590	28	0.13	<5	533	0.30	35	10	37
C078356		11.80	130	<1	0.02	<1	400	4	<0.01	<5	122	0.01	2	<10	8
C078357		0.79	238	2	1.64	20	570	29	0.14	<5	519	0.30	36	20	38
C078358		0.83	258	1	1.68	20	600	28	0.11	<5	529	0.31	36	10	45
C078359		0.85	278	3	1.79	21	610	31	0.14	<5	548	0.33	37	20	49
C078360		0.78	225	5	1.52	22	600	27	0.26	<5	498	0.30	35	30	35
C078361		0.66	229	2	1.62	18	500	31	0.12	<5	462	0.25	30	30	38
C078362		0.68	222	1	1.60	22	480	32	0.20	<5	467	0.26	29	30	36
C078363		0.82	239	1	1.70	22	620	26	0.15	<5	531	0.32	36	20	35
C078364		0.81	256	4	1.69	20	610	29	0.10	7	513	0.31	35	60	47
C078365		0.81	233	2	1.70	19	560	29	0.09	<5	502	0.31	36	30	40
C078366		0.76	238	6	1.58	20	570	31	0.15	<5	481	0.29	34	20	41
C078367		0.77	329	3	1.22	21	600	126	0.33	8	416	0.30	35	40	330
C078368		0.78	194	2	1.40	20	540	24	0.11	13	425	0.29	34	50	28
C078369		0.79	195	3	1.43	19	540	23	0.12	8	432	0.29	35	40	25
C078370		0.58	395	9	0.12	499	330	154	0.02	13	53	0.24	92	30	635
C078371		0.71	304	2	0.98	19	550	89	0.58	9	365	0.28	34	50	467
C078372		0.76	177	5	1.48	17	590	23	0.19	<5	480	0.28	35	90	21
C078373		0.85	186	2	1.51	17	580	24	0.25	<5	509	0.30	37	100	20
C078374		0.94	210	4	1.34	15	600	31	0.19	7	426	0.28	41	30	25

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUN-2006
Account: STRGOL

CERTIFICATE VA06055452

Project: Dublin Gulch1735

P.O. No.:

This report is for 213 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 19-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055452

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
C081055		2.78	0.668		4.5	6.12	>10000	410	3.2	2	2.50	10.1	30	21	39	4.13
C081056		1.82	<0.005		<0.5	0.17	42	10	<0.5	<2	20.9	<0.5	1	2	6	0.12
C081057		4.22	0.026		0.9	8.29	192	1510	3.4	<2	2.18	<0.5	6	32	33	2.40
C081058		2.56	0.011		<0.5	8.34	85	1650	3.7	<2	1.86	<0.5	8	30	13	2.53
C081059		2.66	0.133		<0.5	7.66	727	1200	3.2	<2	3.05	<0.5	7	25	35	2.28
C081060		5.20	0.019		<0.5	8.25	150	1540	3.8	<2	2.30	<0.5	8	34	35	2.55
C081061		1.58	4.38		3.0	7.40	1115	1300	3.2	35	2.97	<0.5	14	36	34	2.53
C081062		1.72	1.250		0.7	7.55	894	1330	3.4	4	3.79	<0.5	13	34	38	2.59
C081063		4.24	0.157		<0.5	8.31	622	1520	3.9	2	2.45	<0.5	12	32	38	2.64
C081064		3.36	0.137		<0.5	8.65	24	1610	4.1	20	2.50	<0.5	8	34	58	2.82
C081065		5.84	0.241		<0.5	8.72	14	1570	3.4	<2	2.69	<0.5	8	32	62	2.71
C081066		2.54	0.041		0.5	8.57	18	1440	3.4	<2	2.58	<0.5	6	29	89	2.55
C081067		5.12	0.048		<0.5	8.62	1425	1460	3.6	<2	2.53	<0.5	10	29	69	2.45
C081068		4.32	0.027		<0.5	8.74	26	1460	3.9	<2	2.31	<0.5	7	28	80	2.40
C081069		0.04	0.022		<0.5	8.26	18	1400	3.9	<2	2.25	<0.5	7	29	76	2.45
C081070		0.12	2.81		<0.5	8.14	2230	790	12.5	<2	0.02	<0.5	<1	150	104	3.66
C081071		4.68	0.363		<0.5	8.09	25	1250	3.8	6	2.09	<0.5	8	25	84	2.12
C081072		4.92	0.046		<0.5	8.14	45	1510	3.6	<2	2.24	<0.5	6	23	67	2.08
C081073		4.02	0.010		<0.5	7.91	49	1350	4.1	<2	2.02	<0.5	7	23	22	2.07
C081074		4.20	0.096		<0.5	8.26	44	1470	3.5	<2	2.42	<0.5	7	31	24	2.51
C081075		4.28	0.408		0.6	8.37	115	1580	3.2	7	2.54	<0.5	11	45	54	2.97
C081076		1.44	<0.005		<0.5	0.19	<5	20	<0.5	<2	21.4	<0.5	<1	1	3	0.12
C081077		4.20	0.160		0.5	7.78	45	1250	2.9	5	2.64	<0.5	9	40	73	2.80
C081078		3.68	0.204		<0.5	8.41	49	1490	3.2	<2	2.49	<0.5	7	40	37	2.93
C081079		3.96	0.045		<0.5	8.27	43	900	3.4	<2	2.91	<0.5	10	40	40	2.76
C081080		4.36	0.304		<0.5	8.26	21	1490	3.2	17	2.28	<0.5	7	36	41	2.65
C081081		0.94	0.005		<0.5	8.50	28	1570	3.1	<2	2.56	<0.5	6	33	19	2.79
C081082		0.86	0.066		<0.5	8.27	21	1510	3.4	<2	2.48	<0.5	9	35	44	2.97
C081083		4.86	0.035		<0.5	8.07	17	1510	3.3	<2	2.37	<0.5	8	36	23	2.62
C081084		3.08	0.065		<0.5	7.84	19	1500	3.1	<2	2.10	<0.5	8	34	29	2.72
C081085		3.34	0.008		<0.5	8.00	25	1500	3.3	<2	2.25	<0.5	7	37	21	2.63
C081086		3.68	0.018		<0.5	8.01	56	1470	3.3	<2	2.73	<0.5	8	36	17	2.76
C081087		1.98	0.013		<0.5	7.98	49	1540	3.4	<2	1.90	<0.5	8	33	18	2.34
C081088		4.06	0.014		<0.5	7.14	156	1180	3.3	<2	3.42	<0.5	7	30	14	2.50
C081089		0.04	0.013		<0.5	7.23	132	1190	3.4	<2	3.32	<0.5	7	33	15	2.51
C081090		0.10	0.089		<0.5	6.93	107	580	2.6	<2	0.52	<0.5	54	1130	380	8.38
C081091		1.32	1.930		1.0	7.34	>10000	430	2.5	7	2.31	<0.5	26	24	30	7.61
C081092		1.70	0.252		<0.5	7.81	173	1390	2.9	<2	1.94	<0.5	5	36	35	2.16
C081093		2.24	0.016		<0.5	7.22	62	1230	3.1	<2	2.10	<0.5	7	31	36	2.37
C081094		1.74	0.019		<0.5	6.71	345	1170	3.0	<2	2.81	<0.5	7	32	23	1.87

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055452

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C081055		2.47	0.62	868	<1	0.10	11	450	930	1.92	42	168	0.18	25	10	1845
C081056		0.04	11.75	142	<1	0.01	1	440	5	0.02	<5	116	0.01	1	<10	33
C081057		4.28	0.92	630	<1	1.06	8	700	75	0.16	6	418	0.28	38	30	67
C081058		4.11	0.97	422	<1	1.25	9	730	48	0.08	<5	477	0.31	40	10	35
C081059		4.01	0.71	870	<1	0.75	11	640	109	0.26	9	350	0.24	34	10	127
C081060		3.88	1.03	377	<1	1.38	8	720	22	0.14	7	516	0.31	43	10	31
C081061		3.57	0.84	448	16	0.90	8	660	254	0.42	16	415	0.28	40	30	61
C081062		3.64	0.82	514	2	0.98	8	650	128	0.44	9	480	0.28	40	30	36
C081063		3.81	1.02	260	<1	1.61	8	720	22	0.22	<5	578	0.30	43	10	27
C081064		3.79	1.10	303	1	1.63	12	740	20	0.27	<5	601	0.32	46	10	29
C081065		3.98	1.01	366	2	1.29	10	730	33	0.24	11	488	0.30	41	10	30
C081066		4.05	0.86	236	1	1.39	10	710	32	0.40	7	432	0.30	39	20	22
C081067		4.14	0.84	180	1	1.49	13	660	63	0.37	9	497	0.29	37	20	69
C081068		4.20	0.89	145	2	1.68	8	650	22	0.44	<5	558	0.26	34	200	14
C081069		4.06	0.86	151	3	1.64	6	640	25	0.42	<5	538	0.28	33	180	14
C081070		3.32	0.40	75	2	0.10	11	340	33	0.02	161	148	0.18	106	10	18
C081071		4.04	0.73	117	1	1.56	7	610	20	0.36	7	475	0.25	32	20	14
C081072		4.24	0.77	141	<1	1.53	9	620	22	0.33	5	471	0.26	33	10	16
C081073		3.86	0.76	219	<1	1.57	10	590	20	0.12	6	502	0.26	32	10	30
C081074		3.69	0.99	252	1	1.59	10	710	22	0.11	6	531	0.29	43	20	31
C081075		3.81	1.18	296	<1	1.55	12	750	22	0.30	<5	562	0.33	55	10	35
C081076		0.05	12.00	145	<1	0.02	<1	420	<2	<0.01	<5	112	0.01	2	<10	9
C081077		3.54	1.06	260	<1	1.34	14	680	17	0.31	<5	427	0.28	49	20	30
C081078		3.66	1.10	322	<1	1.37	13	730	25	0.21	6	455	0.33	53	10	36
C081079		3.41	1.08	430	1	1.21	12	800	38	0.24	5	347	0.35	51	20	50
C081080		3.98	0.95	306	<1	1.39	12	680	31	0.21	6	459	0.28	45	30	37
C081081		3.30	1.12	331	1	1.79	12	690	22	0.12	<5	613	0.28	44	10	32
C081082		3.64	1.06	313	<1	1.67	10	680	21	0.22	<5	574	0.30	46	20	32
C081083		3.68	1.07	318	1	1.64	10	650	19	0.11	<5	599	0.29	47	10	38
C081084		3.42	1.14	270	<1	1.36	10	640	46	0.12	<5	485	0.27	45	20	80
C081085		3.31	1.06	350	<1	1.53	13	670	39	0.06	<5	527	0.29	45	10	58
C081086		3.67	1.06	356	<1	1.44	13	640	36	0.10	<5	501	0.29	46	10	66
C081087		3.86	0.89	290	1	1.45	14	640	23	0.10	<5	457	0.29	43	10	35
C081088		3.19	0.85	368	1	1.22	11	550	26	0.14	<5	475	0.23	36	10	52
C081089		3.28	0.86	367	1	1.25	12	530	25	0.13	5	481	0.24	36	10	79
C081090		2.18	0.57	378	8	0.12	465	340	153	0.02	11	50	0.21	87	30	609
C081091		3.76	0.65	245	50	0.77	10	520	81	3.30	43	314	0.20	31	20	45
C081092		4.02	0.57	201	1	1.33	12	630	24	0.15	7	337	0.27	42	20	93
C081093		3.62	0.61	243	<1	1.18	10	570	21	0.14	8	362	0.25	38	10	23
C081094		3.67	0.48	284	<1	1.46	11	560	16	0.12	<5	370	0.25	38	20	25

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055452

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
C081095		2.28	0.173		<0.5	7.17	2290	1440	3.2	<2	2.07	<0.5	8	32	19	2.56
C081096		1.44	<0.005		<0.5	0.11	<5	10	<0.5	<2	20.5	<0.5	<1	2	3	0.09
C081097		2.76	0.024		<0.5	7.26	329	1420	3.2	<2	2.30	<0.5	5	31	9	2.41
C081098		2.50	0.013		<0.5	7.53	407	1490	3.4	<2	2.20	<0.5	7	38	23	2.40
C081099		3.28	0.117		<0.5	6.92	5540	1450	3.0	<2	3.00	<0.5	11	35	28	3.01
C081100		2.24	0.095		<0.5	7.50	2860	1530	3.0	<2	2.57	<0.5	9	37	22	2.52
C081101		1.16	0.685		<0.5	7.24	8480	1980	2.4	<2	1.90	<0.5	12	32	13	2.62
C081102		1.16	0.793		0.6	7.52	>10000	1380	2.3	<2	1.80	<0.5	18	32	16	3.12
C081103		2.40	0.020		<0.5	7.91	98	1400	3.2	<2	2.55	<0.5	9	35	46	2.78
C081104		3.58	<0.005		<0.5	7.64	49	1580	3.0	<2	2.54	<0.5	7	37	38	2.57
C081105		2.02	0.142		0.5	7.22	48	1090	2.6	8	5.15	<0.5	8	30	40	2.59
C081106		3.16	0.088		<0.5	7.87	591	1800	2.9	7	2.07	<0.5	6	31	23	2.29
C081107		2.56	0.006		<0.5	8.01	127	1690	2.9	<2	2.25	<0.5	7	32	19	2.60
C081108		3.02	0.155		1.1	7.61	1445	1520	3.2	2	2.81	1.4	9	42	20	3.14
C081109		0.04	0.139		1.1	7.78	1260	1550	3.1	2	2.84	1.1	8	41	18	2.95
C081110		0.12	1.435		<0.5	6.90	1220	680	5.7	<2	0.02	<0.5	5	202	37	3.64
C081111		1.64	0.402		0.6	8.54	869	1300	4.1	<2	2.32	1.5	8	40	29	2.71
C081112		2.14	0.347		2.2	8.04	1470	1310	3.6	8	1.89	2.0	8	39	40	3.04
C081113		2.96	0.177		<0.5	7.32	2780	1330	2.8	<2	1.67	<0.5	9	35	11	2.61
C081114		1.38	<0.005		<0.5	8.24	34	1520	3.5	<2	1.80	<0.5	7	39	10	2.57
C081115		1.10	1.065		<0.5	7.20	4450	1510	3.0	<2	1.68	<0.5	11	37	10	2.89
C081116		1.46	<0.005		<0.5	0.16	14	20	<0.5	<2	20.0	<0.5	1	2	1	0.13
C081117		4.74	0.010		<0.5	8.26	31	1450	3.5	<2	2.52	<0.5	7	45	6	2.79
C081118		5.18	0.051		<0.5	8.12	919	1590	3.1	<2	2.51	<0.5	8	47	7	2.91
C081119		4.46	0.182		<0.5	7.98	156	1550	3.1	3	2.43	<0.5	8	40	13	2.53
C081120		3.54	>10.0	13.35	<0.5	5.53	>10000	50	2.0	25	1.65	<0.5	6	31	4	9.99
C081121		2.10	0.007		<0.5	7.82	282	1610	3.2	<2	2.44	<0.5	9	42	8	2.71
C081122		2.10	0.005		<0.5	7.87	230	1640	3.2	<2	2.27	<0.5	9	41	9	2.88
C081123		3.14	0.018		<0.5	7.95	327	1420	3.5	<2	2.31	<0.5	8	40	10	2.57
C081124		2.20	0.036		<0.5	7.64	384	1420	3.3	2	2.08	<0.5	7	38	15	2.73
C081125		1.80	0.015		<0.5	7.90	98	1390	3.4	<2	2.38	<0.5	8	41	21	2.59
C081126		4.64	0.275		0.6	7.92	710	1160	3.3	2	3.01	<0.5	7	39	19	3.00
C081127		4.64	0.032		<0.5	7.49	46	1460	3.2	3	2.17	<0.5	9	46	17	2.59
C081128		5.08	<0.005		<0.5	7.25	11	1510	3.2	<2	2.32	<0.5	7	45	5	2.62
C081129		0.04	<0.005		<0.5	7.69	7	1560	3.4	<2	2.43	<0.5	9	45	5	2.74
C081130		0.10	1.420		<0.5	6.89	1235	680	5.6	<2	0.02	<0.5	6	215	39	3.67
C081131		5.16	0.062		<0.5	7.37	130	1460	3.3	<2	2.28	<0.5	8	42	15	2.58
C081132		5.90	0.010		<0.5	7.84	122	1500	3.5	<2	2.34	<0.5	8	40	15	2.65
C081133		4.42	<0.005		<0.5	7.68	18	1540	3.3	<2	2.43	<0.5	8	42	8	2.63
C081134		1.50	0.020		<0.5	7.91	26	1610	3.4	<2	2.46	<0.5	7	41	31	2.78

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055452

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C081095		3.60	0.80	233	<1	1.36	10	590	15	0.19	<5	461	0.26	38	10	21
C081096		0.02	11.70	127	<1	0.01	1	390	<2	0.01	<5	112	<0.01	3	<10	6
C081097		3.71	0.81	262	<1	1.41	11	580	16	0.06	<5	478	0.25	38	10	25
C081098		3.68	0.86	254	<1	1.52	11	630	14	0.11	<5	500	0.28	40	10	25
C081099		3.37	1.14	293	<1	1.16	13	630	18	0.40	7	563	0.27	42	10	23
C081100		3.62	0.75	256	<1	1.37	15	630	21	0.32	<5	462	0.27	41	10	25
C081101		4.83	0.81	281	<1	0.76	13	590	33	0.60	9	377	0.21	37	20	49
C081102		4.92	0.77	276	1	0.52	16	610	60	1.11	11	326	0.21	36	30	61
C081103		3.55	0.88	285	<1	1.30	16	680	22	0.18	<5	415	0.31	44	10	29
C081104		3.61	0.93	272	<1	1.31	18	670	20	0.13	10	458	0.30	41	20	30
C081105		3.30	0.79	444	1	1.31	15	580	32	0.24	11	487	0.27	36	20	32
C081106		4.18	0.75	245	1	1.35	21	620	34	0.24	5	425	0.28	37	20	30
C081107		3.86	0.84	285	1	1.52	21	630	22	0.15	7	457	0.29	38	10	33
C081108		3.38	1.16	446	1	1.37	17	630	97	0.22	7	515	0.31	52	10	339
C081109		3.25	1.15	438	<1	1.41	14	650	95	0.20	5	531	0.29	50	20	310
C081110		2.71	0.34	88	2	0.11	18	320	26	0.02	114	89	0.22	86	10	45
C081111		4.01	0.99	478	<1	0.39	15	640	100	0.37	7	276	0.24	49	20	349
C081112		3.69	0.96	496	1	0.81	17	610	176	0.81	10	297	0.24	45	30	486
C081113		3.99	0.87	393	2	1.32	17	510	31	0.22	5	352	0.22	39	20	46
C081114		3.62	0.92	395	1	1.51	17	630	36	0.05	<5	453	0.28	44	10	55
C081115		3.97	1.00	421	<1	1.31	17	560	29	0.28	<5	360	0.26	43	20	40
C081116		0.04	11.25	133	<1	0.02	<1	430	4	0.01	<5	108	0.01	1	<10	8
C081117		3.48	1.06	440	<1	1.75	13	620	33	0.04	<5	554	0.28	49	<10	53
C081118		3.56	1.09	439	<1	1.68	19	640	34	0.10	<5	565	0.29	49	10	56
C081119		3.73	0.94	362	1	1.70	15	620	35	0.08	<5	561	0.27	42	10	48
C081120		2.57	0.62	251	<1	0.98	12	410	32	5.06	57	320	0.18	29	<10	31
C081121		3.30	1.07	390	<1	1.68	18	670	36	0.06	<5	551	0.29	48	<10	53
C081122		3.35	1.07	395	<1	1.66	17	650	36	0.05	<5	550	0.30	47	<10	54
C081123		3.67	0.95	377	1	1.70	15	580	33	0.08	<5	518	0.27	44	<10	52
C081124		3.44	0.97	298	<1	1.60	13	590	30	0.10	6	442	0.26	44	<10	38
C081125		3.57	0.84	376	<1	1.45	19	600	26	0.22	<5	427	0.28	44	<10	37
C081126		3.46	0.91	779	<1	1.01	13	600	153	0.32	5	382	0.25	43	10	83
C081127		3.35	0.95	355	1	1.63	15	590	35	0.08	<5	448	0.28	46	10	54
C081128		3.16	0.96	380	1	1.73	17	620	19	0.03	<5	547	0.29	45	10	50
C081129		3.25	1.01	393	1	1.74	18	640	20	0.03	<5	562	0.30	45	<10	49
C081130		2.65	0.34	86	3	0.11	18	310	28	0.01	108	89	0.22	84	10	45
C081131		3.35	0.97	383	1	1.73	15	580	33	0.07	<5	520	0.27	42	<10	53
C081132		3.53	1.02	394	1	1.83	15	600	34	0.08	<5	546	0.29	44	<10	55
C081133		3.34	1.00	391	1	1.80	16	610	22	0.04	<5	524	0.29	44	<10	51
C081134		3.42	1.06	368	1	1.83	17	650	19	0.21	<5	546	0.31	47	<10	44

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055452

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
C081135		5.56	0.013		<0.5	7.36	14	1490	3.1	<2	2.31	<0.5	7	37	18	2.52
C081136		1.56	<0.005		<0.5	0.15	<5	20	<0.5	<2	19.30	<0.5	<1	3	2	0.11
C081137		4.82	<0.005		<0.5	7.38	8	1550	3.2	<2	2.33	<0.5	8	41	12	2.53
C081138		4.90	0.011		<0.5	7.83	6	1500	3.6	<2	2.42	<0.5	8	40	12	2.71
C081139		4.66	0.014		<0.5	7.82	16	1410	3.5	<2	2.30	<0.5	7	38	18	2.51
C081140		4.84	0.136		<0.5	7.86	38	1420	3.2	3	2.36	<0.5	8	42	15	2.58
C081141		2.34	0.023		<0.5	7.66	32	1430	3.1	<2	2.29	<0.5	9	39	24	2.48
C081142		2.40	0.035		<0.5	7.63	36	1400	3.1	<2	2.27	<0.5	8	37	17	2.52
C081143		2.58	0.018		<0.5	7.51	<5	1430	3.0	<2	2.52	<0.5	9	40	16	2.60
C081144		4.46	0.005		<0.5	7.71	20	1500	3.2	<2	2.46	<0.5	7	39	23	2.57
C081145		2.74	0.354		<0.5	7.53	24	1460	3.1	2	2.53	<0.5	9	38	27	2.61
C081146		5.66	0.011		<0.5	7.44	36	1500	3.3	2	2.38	<0.5	8	41	38	2.69
C081147		2.12	0.030		<0.5	7.41	55	1450	3.1	<2	2.30	<0.5	8	37	46	2.54
C081148		4.84	0.069		0.6	7.57	686	1170	3.0	2	2.16	<0.5	12	40	60	2.73
C081149		0.04	0.075		0.7	7.53	670	1230	3.1	2	2.20	<0.5	12	42	62	2.84
C081150		0.10	2.83		<0.5	7.53	2080	710	12.4	<2	0.02	<0.5	1	144	101	3.38
C081151		1.72	0.023		<0.5	7.51	33	1250	3.0	<2	2.15	<0.5	9	38	43	2.76
C081152		1.00	0.141		<0.5	7.49	23	1450	2.8	3	2.02	<0.5	9	38	38	2.72
C081153		2.94	0.015		<0.5	7.75	31	1480	3.1	<2	2.48	<0.5	8	41	28	2.74
C081154		3.66	0.158		<0.5	7.79	21	1540	3.1	<2	2.42	<0.5	8	40	18	2.72
C081155		2.30	0.006		<0.5	7.44	41	1180	2.8	<2	1.72	<0.5	10	34	10	2.68
C081156		1.82	<0.005		<0.5	0.15	<5	20	<0.5	<2	19.05	<0.5	1	2	2	0.10
C081157		3.28	0.016		<0.5	6.26	<5	970	2.9	<2	2.59	<0.5	7	25	11	2.28
C081158		4.26	0.013		<0.5	6.89	12	1050	2.9	<2	2.06	<0.5	7	31	19	2.53
C081159		5.72	<0.005		<0.5	6.59	14	1140	2.6	<2	2.62	<0.5	7	32	13	2.32
C081160		5.48	<0.005		<0.5	7.06	27	1180	2.4	2	2.09	<0.5	7	28	14	2.42
C081161		1.46	<0.005		<0.5	6.93	21	1200	2.9	<2	2.23	<0.5	7	26	9	2.13
C081162		1.80	<0.005		<0.5	7.35	31	1230	3.0	<2	2.25	<0.5	8	27	13	2.40
C081163		3.72	0.009		<0.5	6.99	19	1410	3.1	<2	2.69	<0.5	7	29	29	2.32
C081164		4.74	<0.005		<0.5	7.59	27	1470	3.3	<2	2.45	<0.5	7	31	13	2.61
C081165		5.18	<0.005		<0.5	7.13	16	1210	2.8	2	3.03	<0.5	8	28	9	2.45
C081166		5.06	0.023		<0.5	7.05	<5	1270	3.0	<2	2.75	<0.5	7	29	12	2.73
C081167		5.10	<0.005		<0.5	7.06	7	1340	3.1	<2	2.88	<0.5	7	31	12	2.41
C081168		3.10	<0.005		<0.5	7.45	6	1370	3.1	<2	3.49	<0.5	6	27	20	2.54
C081169		0.04	<0.005		<0.5	6.66	<5	1290	2.9	<2	3.27	<0.5	8	28	18	2.39
C081170		0.10	0.086		<0.5	7.19	104	590	2.6	<2	0.54	<0.5	57	1150	395	8.68
C081171		3.82	<0.005		<0.5	7.29	<5	1400	3.0	<2	3.41	<0.5	6	29	17	2.33
C081172		3.90	0.015		<0.5	6.47	7	1440	2.9	<2	3.09	<0.5	7	28	16	2.48
C081173		4.86	0.065		<0.5	7.23	<5	1600	2.8	<2	2.25	<0.5	7	29	23	2.56
C081174		4.54	0.029		<0.5	7.21	22	1300	2.8	<2	2.18	<0.5	7	28	24	2.57

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055452

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C081135		3.33	0.94	324	1	1.73	15	600	21	0.09	<5	491	0.29	42	10	41
C081136		0.04	11.25	127	<1	0.02	5	410	<2	0.01	<5	105	0.01	3	<10	8
C081137		3.46	0.93	342	1	1.64	16	620	21	0.08	<5	458	0.28	45	<10	43
C081138		3.59	0.93	413	<1	1.52	14	600	33	0.08	<5	428	0.28	45	10	57
C081139		3.49	0.95	355	1	1.79	15	580	30	0.08	<5	486	0.28	42	<10	49
C081140		3.51	0.98	346	1	1.79	17	580	26	0.08	<5	493	0.29	44	<10	44
C081141		3.44	0.94	321	1	1.71	15	570	35	0.09	<5	492	0.27	42	10	57
C081142		3.43	0.93	319	1	1.73	13	570	27	0.09	<5	485	0.27	40	10	51
C081143		3.42	0.96	357	1	1.69	15	570	25	0.08	<5	510	0.27	43	10	38
C081144		3.29	0.92	308	1	1.77	15	630	21	0.18	<5	531	0.30	42	<10	33
C081145		3.32	0.98	319	1	1.69	15	600	19	0.15	<5	533	0.29	43	<10	31
C081146		3.32	0.96	310	1	1.77	16	630	22	0.23	<5	544	0.31	46	10	33
C081147		3.32	0.89	276	1	1.62	16	590	19	0.21	<5	498	0.29	42	10	28
C081148		3.52	0.81	673	1	1.05	15	590	68	0.34	8	357	0.26	44	20	67
C081149		3.62	0.82	675	1	1.10	16	610	72	0.36	7	364	0.28	44	20	67
C081150		3.10	0.37	68	3	0.09	10	330	30	0.02	151	140	0.21	98	10	16
C081151		3.41	0.74	590	1	1.26	13	590	35	0.19	9	347	0.28	43	10	50
C081152		3.70	0.75	319	1	1.37	13	570	20	0.19	8	436	0.26	45	40	26
C081153		3.32	0.94	343	<1	1.69	14	620	23	0.15	<5	526	0.30	46	10	37
C081154		3.36	0.87	349	1	1.65	13	620	22	0.10	<5	552	0.29	45	10	35
C081155		2.90	0.93	479	3	0.75	14	590	26	0.08	<5	395	0.29	43	20	51
C081156		0.03	11.10	123	<1	0.02	4	370	<2	0.01	<5	108	0.01	2	<10	7
C081157		2.57	1.03	297	2	1.32	15	550	15	0.17	<5	481	0.26	32	20	25
C081158		3.04	0.92	270	3	1.37	18	580	18	0.16	5	389	0.28	36	20	28
C081159		3.03	0.99	292	1	1.02	17	560	26	0.13	6	442	0.27	36	10	38
C081160		2.89	0.78	307	1	0.95	17	570	26	0.09	<5	413	0.27	34	20	39
C081161		2.89	0.72	276	<1	1.32	16	570	24	0.04	<5	480	0.28	33	10	45
C081162		3.00	0.74	293	1	1.38	17	560	25	0.06	<5	493	0.28	33	10	48
C081163		3.22	0.63	288	1	1.43	18	590	25	0.19	<5	473	0.30	37	20	40
C081164		3.04	0.70	302	1	1.72	19	620	21	0.09	<5	526	0.31	37	10	39
C081165		3.04	1.05	353	<1	1.41	16	600	23	0.06	<5	582	0.29	36	10	39
C081166		3.10	1.00	353	1	1.58	14	630	23	0.06	<5	585	0.30	39	10	34
C081167		3.05	0.97	318	1	1.65	17	610	23	0.07	<5	637	0.30	38	10	36
C081168		3.10	1.15	329	<1	1.61	19	620	22	0.13	<5	668	0.30	36	10	32
C081169		2.94	1.06	315	1	1.54	17	590	20	0.13	<5	622	0.29	35	10	32
C081170		2.21	0.60	386	9	0.13	469	350	155	0.02	15	54	0.22	90	30	623
C081171		3.16	1.15	332	1	1.57	17	600	18	0.05	<5	689	0.29	35	10	30
C081172		3.06	0.99	310	1	1.58	16	580	19	0.08	<5	701	0.28	34	10	25
C081173		3.53	0.75	311	<1	1.94	19	610	23	0.06	<5	631	0.30	36	20	33
C081174		3.26	0.86	308	1	1.42	16	620	48	0.14	<5	511	0.29	36	10	40

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055452

Sample Description	Method	WEI-21	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
C081175		2.96	0.006		<0.5	7.57	26	1270	2.9	<2	2.46	<0.5	8	28	18	2.53
C081176		1.36	<0.005		<0.5	0.16	<5	20	<0.5	<2	19.65	<0.5	<1	2	2	0.13
C081177		4.50	<0.005		<0.5	7.43	8	1160	2.9	<2	3.16	<0.5	8	30	19	2.69
C081178		2.50	<0.005		<0.5	7.52	<5	1360	3.2	<2	2.63	<0.5	7	30	26	2.86
C081179		4.26	0.006		<0.5	6.60	9	1180	2.9	<2	2.49	<0.5	7	28	19	2.53
C081180		4.66	<0.005		<0.5	7.36	16	1250	2.8	<2	3.30	<0.5	7	26	7	2.61
C081181		2.10	<0.005		<0.5	7.28	18	1320	2.9	<2	2.44	<0.5	8	28	18	2.36
C081182		2.68	<0.005		<0.5	6.81	17	1270	2.8	<2	2.26	<0.5	8	28	19	2.26
C081183		5.26	<0.005		<0.5	7.65	14	1350	3.2	<2	2.37	<0.5	8	32	9	2.55
C081184		2.98	<0.005		<0.5	7.19	12	1410	2.9	<2	2.18	<0.5	8	28	25	2.62
C081185		3.06	<0.005		<0.5	7.74	<5	1390	3.1	<2	2.40	<0.5	8	30	12	2.72
C081186		3.30	<0.005		<0.5	7.46	<5	1270	3.2	<2	2.09	<0.5	10	31	14	2.40
C081187		2.56	<0.005		<0.5	7.69	<5	1270	3.0	<2	2.65	<0.5	9	28	11	2.33
C081188		4.50	<0.005		<0.5	6.90	10	1250	3.0	<2	2.26	<0.5	10	29	9	2.42
C081189		0.04	<0.005		<0.5	7.72	<5	1310	3.1	<2	2.38	<0.5	7	33	9	2.69
C081190		0.10	4.53		8.1	7.63	7	460	0.8	<2	2.55	1.4	17	20	118	3.96
C081191		4.00	<0.005		<0.5	7.38	7	1290	3.1	<2	2.12	<0.5	8	28	3	2.39
C081192		3.22	<0.005		<0.5	7.44	10	1370	2.6	<2	2.12	<0.5	10	27	10	2.41
C081193		2.52	0.345		<0.5	6.78	13	1250	2.5	8	2.87	<0.5	9	27	25	2.27
C081194		3.02	<0.005		<0.5	6.69	6	1180	2.3	<2	3.30	<0.5	7	25	10	2.39
C081195		4.76	0.020		<0.5	7.71	13	1410	3.0	<2	2.27	<0.5	8	27	22	2.25
C081196		2.00	<0.005		<0.5	0.16	<5	20	<0.5	<2	18.95	<0.5	<1	5	2	0.11
C081197		5.68	0.022		<0.5	7.35	29	1300	2.9	<2	2.36	<0.5	8	27	24	2.26
C081198		5.30	0.026		<0.5	6.80	7	1310	2.7	<2	2.83	<0.5	6	30	10	2.48
C081199		4.36	0.009		<0.5	7.58	10	1270	3.1	<2	2.57	<0.5	8	35	15	2.63
C081200		4.64	4.06		16.0	6.17	34	110	3.0	37	2.30	5.9	8	26	241	7.73
C081201		1.88	0.032		<0.5	7.25	6	1000	3.1	<2	2.32	<0.5	8	34	13	2.58
C081202		1.50	0.011		<0.5	7.26	<5	990	3.2	<2	2.64	<0.5	8	34	10	2.66
C081203		4.10	0.007		<0.5	6.54	<5	1040	3.0	<2	2.73	<0.5	7	34	14	2.44
C081204		4.18	<0.005		<0.5	7.34	<5	1330	3.2	<2	2.35	<0.5	7	43	3	2.79
C081205		4.78	<0.005		<0.5	6.62	<5	1230	3.4	<2	2.58	<0.5	8	42	5	2.49
C081206		5.24	<0.005		<0.5	7.04	<5	1190	3.0	<2	2.84	<0.5	7	34	10	2.48
C081207		4.12	<0.005		<0.5	6.74	<5	780	3.0	<2	3.60	<0.5	8	33	10	2.52
C081208		4.28	0.007		<0.5	6.05	<5	1210	2.3	<2	2.89	<0.5	8	31	14	2.45
C081209		0.04	0.005		<0.5	6.70	6	1240	2.6	<2	2.78	<0.5	9	32	16	2.47
C081210		0.08	0.863		2.0	8.01	5	460	0.7	<2	1.96	0.9	22	98	2050	5.29
C081211		3.34	<0.005		<0.5	7.41	<5	1280	2.9	<2	2.35	<0.5	8	32	14	2.61
C081212		2.92	0.015		<0.5	7.31	7	1250	3.2	<2	3.11	<0.5	9	29	15	2.46
C081213		3.98	0.007		<0.5	7.29	22	1310	3.1	<2	2.38	<0.5	7	28	16	2.56
C081214		4.40	0.005		<0.5	6.77	34	1200	2.5	<2	2.72	<0.5	7	31	12	2.46

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055452

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C081175		3.18	0.94	327	1	1.46	21	610	29	0.13	<5	516	0.29	36	<10	37
C081176		0.04	11.55	130	<1	0.02	3	370	<2	0.02	<5	109	0.01	3	<10	8
C081177		2.91	1.09	341	1	1.44	17	630	20	0.07	<5	598	0.30	39	10	36
C081178		3.03	0.93	299	1	1.69	17	650	22	0.09	<5	603	0.32	39	10	30
C081179		2.94	0.79	286	2	1.63	16	600	22	0.08	<5	576	0.29	37	10	31
C081180		2.96	1.12	355	1	1.55	17	610	22	0.05	<5	606	0.29	36	10	37
C081181		3.08	0.87	287	1	1.51	16	690	22	0.06	<5	550	0.30	38	10	37
C081182		2.94	0.80	272	1	1.46	17	610	20	0.07	<5	513	0.30	36	10	34
C081183		3.04	0.78	310	1	1.70	19	660	20	0.09	<5	583	0.32	39	10	41
C081184		3.26	0.91	313	2	1.59	17	610	21	0.05	<5	580	0.30	37	10	34
C081185		3.04	0.79	302	1	1.57	21	650	24	0.05	<5	613	0.32	38	20	41
C081186		3.10	0.69	283	1	1.65	19	640	26	0.05	<5	594	0.32	40	20	57
C081187		3.28	0.73	309	1	1.71	16	620	25	0.06	<5	621	0.30	36	10	40
C081188		2.94	0.72	324	1	1.58	18	600	24	0.05	<5	527	0.30	38	10	47
C081189		3.03	0.78	344	1	1.61	17	620	28	0.05	<5	561	0.30	38	10	49
C081190		2.13	1.27	895	12	1.57	12	850	25	0.62	<5	387	0.36	137	<10	93
C081191		2.87	0.70	315	1	1.63	17	610	22	0.03	<5	597	0.29	36	10	52
C081192		3.14	0.78	301	1	1.79	19	640	22	0.05	<5	504	0.32	38	20	47
C081193		3.31	1.04	296	1	1.57	16	580	21	0.17	<5	498	0.28	35	10	31
C081194		3.00	1.14	322	1	0.95	18	560	18	0.05	<5	558	0.28	34	10	43
C081195		3.37	0.75	252	1	1.66	19	610	21	0.10	<5	606	0.28	34	10	31
C081196		0.04	11.10	125	<1	0.02	2	380	3	0.01	<5	106	0.01	3	<10	7
C081197		3.12	0.78	261	1	1.50	19	600	23	0.05	<5	566	0.29	35	10	35
C081198		3.00	0.99	331	1	1.34	18	600	25	0.04	<5	554	0.28	35	10	45
C081199		2.94	0.90	386	1	1.32	19	650	40	0.07	<5	474	0.32	42	10	81
C081200		2.19	0.79	406	1	0.29	20	480	1430	5.35	12	129	0.19	33	10	991
C081201		3.11	0.85	382	1	1.16	16	590	39	0.10	<5	327	0.28	43	10	143
C081202		3.08	0.94	427	1	1.16	12	590	36	0.12	<5	347	0.27	42	10	121
C081203		3.10	1.00	411	1	1.46	11	520	33	0.10	<5	546	0.25	41	10	66
C081204		3.38	1.05	461	1	1.78	10	600	33	0.02	<5	710	0.28	47	20	68
C081205		3.14	0.67	416	1	1.74	10	590	31	0.04	<5	566	0.27	48	10	69
C081206		3.03	1.02	411	1	1.41	12	580	31	0.05	<5	595	0.27	41	20	61
C081207		2.78	1.46	491	1	1.10	13	520	32	0.05	<5	443	0.25	43	<10	57
C081208		3.01	1.12	399	1	0.94	14	530	27	0.05	<5	507	0.25	37	10	54
C081209		3.28	1.14	395	1	0.98	18	580	28	0.06	<5	511	0.28	40	10	60
C081210		1.75	1.36	438	2	3.18	51	650	23	0.61	<5	212	0.31	91	<10	207
C081211		3.23	0.90	383	1	1.19	17	600	34	0.06	<5	505	0.30	41	10	65
C081212		2.92	1.04	380	<1	1.36	21	590	31	0.04	<5	612	0.29	36	10	65
C081213		3.22	0.90	368	1	1.51	17	600	31	0.07	<5	534	0.30	36	20	61
C081214		3.02	1.07	347	1	1.09	14	590	28	0.06	<5	484	0.28	39	10	70

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055452

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
C081215		3.42	0.079		<0.5	6.72	5	1280	2.6	2	2.54	<0.5	8	26	21	2.39
C081216		1.60	<0.005		<0.5	0.15	<5	20	<0.5	<2	19.55	<0.5	<1	3	2	0.10
C081217		5.00	0.023		<0.5	6.82	<5	1290	3.1	<2	2.25	<0.5	8	27	26	2.32
C081218		1.80	<0.005		<0.5	6.88	8	1130	3.2	<2	2.08	<0.5	7	28	17	2.14
C081219		3.30	<0.005		<0.5	7.13	<5	1170	3.2	<2	2.46	<0.5	7	27	20	2.23
C081220		6.04	0.011		<0.5	7.93	12	1440	3.1	<2	2.24	<0.5	8	40	13	2.77
C081221		2.08	0.009		<0.5	7.45	<5	1450	3.0	<2	2.48	<0.5	7	30	34	2.34
C081222		2.36	0.036		<0.5	8.00	<5	1500	3.1	<2	2.39	<0.5	9	35	45	2.59
C081223		6.98	0.035		<0.5	7.40	9	1130	3.3	<2	2.39	<0.5	8	39	21	2.46
C081224		7.26	0.012		<0.5	7.06	<5	1260	3.1	<2	2.41	<0.5	7	35	13	2.45
C081225		7.70	0.006		<0.5	7.32	11	1120	3.1	<2	2.43	<0.5	8	39	16	2.89
C081226		6.64	0.037		<0.5	6.76	6	970	2.9	<2	2.54	<0.5	7	45	21	3.01
C081227		8.28	0.053		<0.5	6.34	<5	1090	2.7	2	2.57	<0.5	8	42	43	2.66
C081228		6.30	0.010		<0.5	6.94	8	1060	3.1	<2	2.67	<0.5	7	44	20	2.76
C081229		0.04	0.011		<0.5	7.12	<5	1080	3.0	<2	2.70	<0.5	7	43	21	2.75
C081230		0.10	0.088		<0.5	7.07	105	580	2.6	<2	0.53	<0.5	57	1140	391	8.53
C081231		5.14	0.076		<0.5	7.09	6	1190	2.6	3	2.88	<0.5	10	43	93	3.04
C081232		6.50	0.024		<0.5	6.83	7	1100	2.7	<2	2.76	<0.5	8	42	31	2.66
C081233		6.20	0.093		<0.5	7.25	7	1030	3.1	3	2.79	<0.5	7	40	6	2.55
C081234		3.70	0.042		<0.5	6.85	<5	1040	2.9	<2	2.50	<0.5	9	44	24	2.55
C081235		2.64	0.053		<0.5	6.57	129	1080	3.0	<2	3.25	<0.5	7	38	15	2.60
C081236		1.64	<0.005		<0.5	0.11	<5	10	<0.5	<2	19.45	<0.5	<1	2	1	0.12
C081237		4.80	0.212		<0.5	6.59	1765	1030	2.8	2	2.78	<0.5	11	47	9	2.99
C081238		2.28	0.068		<0.5	7.10	463	1150	3.1	<2	2.21	<0.5	9	45	18	2.50
C081239		2.60	0.020		<0.5	7.65	10	1230	3.2	<2	2.21	<0.5	8	43	8	2.80
C081240		4.76	0.630		0.8	6.72	766	1230	2.9	10	2.54	<0.5	7	44	7	2.74
C081241		2.94	0.017		<0.5	7.29	11	1260	3.2	<2	2.30	<0.5	8	40	17	2.64
C081242		3.08	0.020		<0.5	7.09	<5	1210	3.2	<2	2.28	<0.5	8	41	16	2.72
C081243		6.02	0.067		0.7	7.30	51	1020	3.0	<2	2.05	<0.5	7	40	25	3.10
C081244		3.58	0.092		<0.5	6.98	224	1380	2.6	<2	1.82	<0.5	7	33	14	2.82
C081245		3.50	0.017		<0.5	7.74	9	1490	2.7	<2	0.77	<0.5	9	30	13	2.54
C081246		5.04	0.066		<0.5	7.29	7	1450	2.7	<2	2.62	<0.5	11	36	87	2.69
C081247		3.02	0.031		<0.5	6.63	13	1370	2.8	<2	3.10	<0.5	7	30	16	2.48
C081248		3.56	0.260		<0.5	7.28	11	1960	2.1	6	2.76	<0.5	14	33	168	2.82
C081249		0.04	0.234		<0.5	7.39	<5	1970	2.1	4	2.80	<0.5	14	34	168	2.70
C081250		0.10	0.088		<0.5	6.86	108	560	2.5	<2	0.51	<0.5	57	1150	376	8.39
C081251		4.78	0.058		<0.5	7.00	5	1570	2.7	<2	2.42	<0.5	8	32	42	2.64
C081252		2.60	0.018		<0.5	7.28	8	1350	3.2	<2	2.42	<0.5	8	36	17	2.51
C081253		4.70	0.009		<0.5	7.11	5	1280	3.3	<2	2.52	<0.5	7	34	22	2.42
C081254		5.16	0.014		<0.5	7.46	<5	1340	3.2	<2	2.19	<0.5	8	34	18	2.65

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055452

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C081215		2.97	0.87	327	1	1.10	16	570	25	0.06	<5	448	0.28	34	<10	50
C081216		0.04	11.45	129	<1	0.02	3	410	<2	0.01	<5	105	0.01	3	<10	19
C081217		3.14	0.85	314	1	1.29	20	560	29	0.08	5	455	0.28	34	10	67
C081218		2.84	0.64	273	1	1.39	18	540	32	0.05	<5	435	0.28	34	10	65
C081219		2.79	0.71	308	1	1.55	14	560	39	0.05	<5	537	0.28	34	<10	76
C081220		3.27	0.79	360	1	1.83	15	660	24	0.08	<5	520	0.32	47	10	59
C081221		3.38	0.64	299	1	1.87	18	610	24	0.11	<5	544	0.30	39	10	36
C081222		3.49	0.67	297	1	1.86	24	630	21	0.22	6	562	0.30	42	10	37
C081223		3.31	0.89	324	1	1.68	13	660	24	0.05	<5	553	0.32	49	10	42
C081224		3.07	0.86	319	1	1.67	15	580	22	0.06	<5	527	0.29	39	10	42
C081225		3.10	0.99	429	2	1.81	10	660	21	0.04	<5	547	0.32	50	10	50
C081226		2.76	0.92	431	1	1.50	10	600	21	0.04	<5	433	0.29	48	20	48
C081227		3.15	0.92	390	1	1.49	12	590	18	0.05	<5	449	0.28	47	20	40
C081228		3.04	1.01	398	1	1.60	10	600	21	0.04	<5	476	0.29	49	20	46
C081229		2.95	1.02	401	1	1.61	12	600	20	0.04	<5	493	0.28	47	20	44
C081230		2.17	0.59	378	8	0.13	466	340	150	0.02	15	53	0.25	89	30	615
C081231		3.90	1.16	430	1	1.47	13	600	22	0.17	<5	492	0.29	49	20	45
C081232		3.44	1.08	401	1	1.61	13	590	22	0.06	<5	470	0.29	47	10	42
C081233		3.03	1.03	387	1	1.63	11	590	27	0.02	<5	494	0.29	46	10	50
C081234		3.12	0.92	379	1	1.52	12	580	24	0.03	<5	469	0.29	47	10	46
C081235		2.94	1.10	382	1	1.48	14	610	16	0.04	<5	492	0.31	46	10	40
C081236		0.03	11.65	126	<1	0.01	2	380	<2	0.01	<5	104	<0.01	1	<10	7
C081237		2.91	1.02	454	1	1.36	14	630	22	0.13	<5	442	0.31	50	10	54
C081238		3.13	0.74	363	1	1.52	15	620	22	0.09	<5	468	0.31	48	10	52
C081239		3.20	0.85	399	<1	1.64	14	650	22	0.04	<5	482	0.33	49	10	65
C081240		3.22	0.95	509	<1	1.58	12	610	40	0.09	<5	527	0.29	46	20	53
C081241		3.24	0.88	565	4	1.57	14	600	21	0.05	<5	500	0.30	42	30	51
C081242		3.14	0.88	551	<1	1.60	14	620	18	0.04	<5	504	0.30	43	10	51
C081243		3.30	0.98	1055	<1	1.09	16	620	190	0.43	9	379	0.29	45	10	86
C081244		3.31	0.93	474	<1	2.05	18	600	20	0.10	<5	486	0.30	40	10	56
C081245		3.45	0.69	324	<1	1.88	20	650	24	0.05	<5	393	0.33	40	10	68
C081246		4.31	0.83	363	<1	1.88	17	650	22	0.15	<5	520	0.32	40	10	48
C081247		3.27	0.86	375	<1	1.89	15	570	20	0.05	<5	509	0.29	37	<10	52
C081248		5.40	0.56	323	<1	1.42	20	650	18	0.86	7	482	0.33	35	10	28
C081249		5.49	0.57	320	<1	1.45	19	660	23	0.83	9	489	0.34	37	10	29
C081250		2.20	0.59	384	7	0.12	475	340	146	0.02	12	49	0.22	90	30	598
C081251		4.06	0.84	349	<1	1.92	17	660	26	0.12	5	507	0.32	39	10	56
C081252		3.42	0.78	346	<1	1.81	17	600	25	0.05	<5	484	0.30	39	10	66
C081253		3.53	0.76	315	<1	1.68	16	550	22	0.07	<5	481	0.28	34	<10	49
C081254		3.51	0.68	309	<1	1.84	19	600	22	0.05	<5	474	0.30	39	<10	53

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055452

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
C081255		6.12	0.011		<0.5	6.78	<5	1220	2.8	<2	2.35	<0.5	7	30	21	2.48
C081256		1.88	<0.005		<0.5	0.15	<5	20	<0.5	<2	19.65	<0.5	<1	3	<1	0.11
C081257		6.78	0.012		<0.5	7.64	9	1410	3.2	<2	2.50	<0.5	7	37	17	2.66
C081258		6.32	0.009		<0.5	7.51	13	1450	3.1	<2	2.60	<0.5	9	37	9	2.71
C081259		4.80	<0.005		<0.5	7.13	<5	1410	3.0	<2	2.44	<0.5	7	38	7	2.67
C081260		5.06	0.006		<0.5	7.70	8	1490	3.0	<2	2.21	<0.5	8	37	16	2.58
C081261		0.98	<0.005		<0.5	7.26	6	1420	3.0	<2	2.18	<0.5	7	34	12	2.54
C081262		1.50	<0.005		<0.5	7.91	8	1540	3.1	<2	2.19	<0.5	7	36	10	2.66
C081263		3.10	<0.005		<0.5	7.52	6	1490	3.0	<2	2.37	<0.5	7	35	13	2.61
C081264		4.46	0.006		<0.5	6.87	7	1360	2.8	<2	2.14	<0.5	7	31	17	2.33
C081265		6.00	<0.005		<0.5	6.83	6	1450	2.9	<2	2.33	<0.5	6	33	14	2.48
C081266		4.36	<0.005		<0.5	6.94	<5	1150	2.9	<2	1.82	<0.5	7	29	8	2.37
C081267		3.28	<0.005		<0.5	7.10	5	1270	3.1	<2	1.66	<0.5	6	31	12	2.43

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055452

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
C081255		3.42	0.87	323	<1	1.97	18	560	21	0.05	<5	480	0.29	35	<10	39
C081256		0.04	11.80	133	<1	0.02	4	360	<2	0.01	<5	108	<0.01	2	<10	7
C081257		3.38	0.77	355	1	1.84	17	620	20	0.05	<5	544	0.32	43	<10	54
C081258		3.38	0.90	377	<1	1.77	18	640	24	0.05	<5	540	0.32	42	<10	61
C081259		3.22	0.92	389	1	1.70	16	620	28	0.04	<5	534	0.31	43	20	64
C081260		3.57	0.81	352	1	1.73	17	610	26	0.06	<5	547	0.31	40	10	67
C081261		3.24	0.79	358	<1	1.68	16	600	27	0.06	<5	541	0.31	42	<10	71
C081262		3.47	0.85	375	<1	1.79	15	630	27	0.04	<5	589	0.31	42	<10	71
C081263		3.31	0.86	372	<1	1.74	18	610	27	0.06	<5	554	0.32	39	<10	74
C081264		3.49	0.67	337	<1	1.84	20	590	25	0.07	<5	483	0.29	34	10	65
C081265		3.04	0.63	349	1	1.71	17	600	21	0.06	<5	503	0.31	39	10	69
C081266		3.37	0.76	336	<1	1.60	16	520	23	0.04	<5	443	0.25	34	<10	58
C081267		3.10	0.72	330	<1	1.39	18	590	21	0.11	<5	365	0.29	36	<10	65

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

D: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 1-JUL-2006
Account: STRGOL

CERTIFICATE VA06055453

Project: Dublin Gulch1735

P.O. No.:

This report is for 20 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 19-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 1-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055453

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C081268		2.60	0.012	<0.5	7.53	23	1200	2.8	<2	2.94	<0.5	10	26	25	3.19	3.05
C081269		0.04	0.010	<0.5	7.17	11	1130	2.8	<2	2.66	<0.5	9	29	23	3.05	3.11
C081270		Empty Bag														
C081271		3.28	0.010	<0.5	7.74	11	1560	3.2	<2	1.32	<0.5	10	34	17	2.21	3.39
C081272		3.34	0.012	<0.5	8.46	<5	1760	3.5	<2	1.61	<0.5	9	35	26	2.50	3.40
C081273		4.40	0.020	<0.5	7.98	10	1670	3.2	<2	2.15	<0.5	8	35	23	2.44	3.37
C081274		2.04	0.007	<0.5	8.06	17	1690	3.4	<2	2.25	<0.5	9	36	15	2.81	3.38
C081275		3.90	0.010	<0.5	8.28	12	1690	3.1	<2	2.35	<0.5	7	35	16	2.57	3.49
C081276		1.94	<0.005	<0.5	0.16	<5	20	<0.5	<2	21.4	<0.5	1	2	3	0.11	0.04
C081277		4.42	<0.005	<0.5	8.97	10	1760	3.2	<2	2.75	<0.5	7	34	17	2.86	3.56
C081278		3.22	0.060	<0.5	7.80	1085	1850	3.1	<2	2.27	<0.5	8	35	22	2.65	3.57
C081279		3.86	0.019	<0.5	8.28	22	1610	3.1	<2	2.48	<0.5	8	36	33	2.69	3.58
C081280		4.16	0.036	<0.5	7.92	21	1610	2.8	<2	2.50	<0.5	9	36	46	2.68	3.97
C081281		1.10	0.105	<0.5	8.07	59	1760	3.0	2	2.42	<0.5	7	35	31	2.76	3.68
C081282		1.40	0.136	<0.5	8.04	42	1820	3.0	<2	2.15	<0.5	9	38	28	2.69	3.81
C081283		3.64	1.830	<0.5	7.69	20	1630	2.8	<2	2.32	<0.5	6	35	15	2.58	3.43
C081284		3.34	0.478	5.4	7.39	811	650	2.6	4	1.98	8.6	9	29	70	4.77	3.20
C081285		4.02	0.052	<0.5	7.59	41	1360	2.9	<2	2.17	<0.5	6	33	19	2.72	3.52
C081286		2.22	0.280	12.0	8.10	591	290	2.7	<2	1.57	22.0	3	27	59	5.96	3.35
C081287		4.46	0.416	15.4	7.22	658	320	2.5	<2	1.28	61.2	3	27	141	6.36	3.08

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 1-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055453

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C081268		1.19	654	<1	1.03	17	550	46	0.25	<5	338	0.25	32	<10	77
C081269		1.09	602	<1	0.97	18	540	37	0.24	<5	319	0.26	32	<10	76
C081270															
C081271		0.51	298	<1	1.58	16	580	33	0.05	<5	482	0.27	36	<10	71
C081272		0.52	315	<1	1.79	20	650	35	0.07	<5	594	0.31	38	10	72
C081273		0.57	318	<1	1.88	20	640	30	0.08	<5	567	0.31	37	10	55
C081274		0.67	371	2	1.67	19	640	26	0.08	<5	552	0.32	39	10	64
C081275		0.73	331	<1	1.79	17	650	32	0.09	<5	568	0.30	37	10	67
C081276		11.70	141	<1	0.02	<1	410	8	<0.01	<5	117	0.01	2	<10	10
C081277		0.87	369	<1	1.87	19	700	35	0.12	<5	622	0.31	39	10	59
C081278		0.69	306	1	1.49	17	640	26	0.20	<5	467	0.31	40	30	53
C081279		0.78	357	<1	1.67	17	660	44	0.11	<5	513	0.31	40	10	76
C081280		0.73	365	1	1.39	18	630	75	0.23	8	453	0.29	38	20	50
C081281		0.82	346	<1	1.41	20	650	23	0.16	8	465	0.32	41	20	48
C081282		0.80	324	<1	1.38	16	650	29	0.15	10	446	0.32	42	<10	50
C081283		0.75	332	<1	1.41	18	630	28	0.07	<5	477	0.30	39	<10	45
C081284		0.86	1735	<1	0.06	15	600	841	2.80	72	122	0.22	34	30	1575
C081285		0.75	808	1	0.80	21	630	45	0.09	19	331	0.29	37	10	64
C081286		0.76	1655	<1	0.04	14	600	2310	4.80	235	88	0.24	36	20	3710
C081287		0.73	2950	<1	0.07	18	540	3750	4.48	595	97	0.22	33	<10	9770

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUN-2006
Account: STRGOL

CERTIFICATE VA06055952

Project: Dublin Gulch1735

P.O. No.:

This report is for 54 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 21-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055952

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C081738		6.68	0.051	<0.5	7.09	31	1360	3.2	<2	2.63	<0.5	7	26	24	2.32	3.35
C081739		3.34	0.200	<0.5	7.36	27	1510	3.1	2	2.36	<0.5	7	27	27	2.32	3.55
C081740		2.50	0.098	<0.5	7.24	28	1410	2.4	<2	2.18	<0.5	7	28	28	2.28	3.36
C081741		2.82	0.279	2.0	7.11	128	870	2.9	<2	2.23	8.2	11	24	38	2.50	2.85
C081742		2.58	0.094	1.7	7.17	95	810	3.0	<2	2.64	5.7	8	23	32	2.81	2.90
C081743		1.96	0.024	0.6	7.68	154	400	2.7	<2	2.10	1.3	8	22	13	2.26	2.92
C081744		5.54	0.066	1.8	7.79	274	610	3.0	<2	2.67	2.8	8	23	20	2.80	3.11
C081745		3.06	0.060	<0.5	7.72	31	1450	2.6	<2	3.01	<0.5	7	25	12	2.65	3.66
C081746		3.88	0.027	0.8	7.01	69	1110	2.6	<2	2.63	<0.5	7	20	15	2.23	3.40
C081747		4.68	0.052	0.6	6.91	67	1040	2.6	<2	2.35	1.1	7	20	17	2.11	3.40
C081748		3.98	0.075	1.4	7.77	88	610	3.0	<2	2.17	2.3	7	25	27	2.64	3.28
C081749		<0.02	0.095	1.7	7.94	101	620	3.0	<2	2.20	2.2	6	25	26	2.77	3.28
C081750		0.10	0.092	0.5	7.06	111	580	2.6	<2	0.53	<0.5	57	1195	384	8.40	2.24
C081751		2.00	0.831	1.5	7.35	458	600	2.9	<2	2.60	2.9	4	22	19	3.95	2.97
C081752		3.04	0.014	1.9	7.73	102	770	3.2	<2	3.18	3.5	6	23	22	2.34	3.44
C081753		2.74	0.024	0.7	7.41	81	860	2.6	<2	2.79	<0.5	7	26	17	2.53	3.21
C081754		4.96	0.047	1.5	7.58	185	560	2.8	<2	4.07	3.1	7	22	19	2.84	3.14
C081755		2.18	0.089	0.7	7.21	64	870	2.8	<2	2.74	0.8	6	23	15	2.36	3.57
C081756		1.66	<0.005	<0.5	0.18	<5	20	<0.5	<2	19.25	<0.5	<1	2	2	0.13	0.04
C081757		3.04	0.043	0.7	7.41	52	1110	2.5	<2	3.35	0.7	7	23	17	2.68	3.38
C081758		2.32	0.012	1.1	7.19	70	500	2.8	<2	3.23	3.2	7	24	21	2.69	2.97
C081759		4.58	2.80	3.4	7.69	>10000	1130	2.5	6	2.68	3.3	12	25	29	4.20	3.44
C081760		2.44	0.225	2.2	6.80	164	1220	2.5	4	3.26	3.9	8	21	54	2.85	3.67
C081761		4.18	1.850	3.7	7.23	>10000	500	2.8	65	1.68	1.9	10	19	174	5.64	2.91
C081762		4.26	2.94	4.9	7.33	>10000	530	2.7	95	1.77	1.4	9	20	219	5.45	3.08
C081763		3.80	0.057	<0.5	7.08	571	1480	2.6	<2	1.91	<0.5	6	27	33	2.86	3.44
C081764		4.08	0.152	<0.5	7.53	2330	1640	2.5	4	1.32	<0.5	6	26	34	3.13	3.74
C081765		2.74	0.073	<0.5	7.23	706	1290	2.5	<2	1.46	<0.5	4	23	23	2.91	3.46
C081766		5.48	0.691	2.7	6.88	2750	840	2.7	5	2.05	0.7	9	23	138	3.68	2.87
C081767		6.82	0.040	<0.5	7.31	133	1700	2.7	<2	2.30	<0.5	7	28	16	2.44	3.80
C081768		2.02	2.25	35.1	6.10	>10000	450	2.4	14	1.67	26.3	16	20	468	9.56	2.72
C081769		<0.02	2.05	34.4	6.06	>10000	440	2.4	14	1.66	27.5	16	22	474	9.41	2.69
C081770		0.10	0.440	2.5	9.04	10	1040	1.1	<2	1.44	<0.5	6	9	6710	3.14	3.52
C081771		2.14	0.447	9.2	7.21	5290	720	3.0	<2	2.78	13.1	7	22	112	3.71	2.95
C081772		2.54	0.065	0.7	7.60	159	780	2.8	<2	2.33	2.7	6	28	15	2.73	3.26
C081773		4.38	0.265	3.9	7.36	4850	620	2.8	<2	2.86	19.3	7	25	77	3.55	3.05
C081774		5.14	0.086	2.0	7.03	1295	680	2.8	<2	2.32	4.1	8	31	51	3.16	2.94
C081775		4.84	0.265	2.2	6.61	2790	820	2.4	<2	2.59	11.3	8	25	36	3.32	2.79
C081776		1.70	<0.005	<0.5	0.13	<5	10	<0.5	<2	20.9	<0.5	<1	2	1	0.10	0.03
C081777		2.04	0.045	1.9	7.75	463	590	3.0	<2	2.83	5.6	7	26	31	2.90	3.09

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055952

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C081738		0.65	362	1	1.65	17	550	61	0.10	5	489	0.28	32	20	86
C081739		0.60	341	2	1.69	16	580	37	0.16	<5	504	0.29	35	30	67
C081740		0.49	393	<1	1.03	19	610	32	0.06	8	414	0.31	37	30	63
C081741		0.83	611	1	0.20	19	620	524	0.38	132	422	0.28	33	20	1590
C081742		1.02	666	1	0.14	18	560	376	0.34	74	369	0.27	33	20	1120
C081743		0.72	762	<1	0.05	17	510	113	0.24	44	197	0.26	32	20	349
C081744		0.73	965	1	0.05	16	590	203	0.61	66	228	0.28	35	20	552
C081745		0.77	570	1	0.16	19	630	35	0.08	20	376	0.31	37	20	82
C081746		0.59	612	1	0.56	16	440	78	0.11	14	332	0.23	29	10	164
C081747		0.52	605	2	0.59	17	480	82	0.09	12	302	0.24	29	10	280
C081748		0.61	1080	2	0.12	19	610	172	0.25	15	207	0.30	36	20	444
C081749		0.63	1095	1	0.12	20	630	192	0.27	18	208	0.30	36	20	446
C081750		0.59	380	8	0.12	472	350	150	0.02	14	52	0.26	90	30	608
C081751		0.72	1555	1	0.05	16	550	403	0.93	46	216	0.25	32	20	541
C081752		0.64	1655	1	0.04	20	610	393	0.17	35	199	0.30	36	20	649
C081753		0.57	1080	<1	0.45	20	630	81	0.29	18	262	0.31	38	10	127
C081754		0.68	1890	3	0.05	19	630	210	0.49	20	267	0.30	37	10	620
C081755		0.53	1200	1	0.09	20	640	113	0.22	16	227	0.31	37	10	214
C081756		11.50	134	<1	0.02	4	380	<2	0.01	<5	112	0.01	4	<10	8
C081757		0.71	1270	1	0.44	22	600	125	0.19	16	329	0.29	36	10	209
C081758		1.03	1235	<1	0.08	22	610	320	0.19	16	296	0.30	36	10	649
C081759		0.75	834	1	0.42	20	600	374	1.33	61	321	0.29	35	20	659
C081760		0.56	732	2	0.66	16	470	205	0.82	15	389	0.26	32	30	788
C081761		0.74	418	1	0.46	18	520	217	2.66	40	202	0.22	29	30	440
C081762		0.75	415	1	0.62	17	530	181	2.44	36	255	0.23	29	20	245
C081763		0.79	312	1	1.06	19	560	19	0.32	12	373	0.28	35	30	39
C081764		0.74	272	1	1.15	22	570	27	0.54	16	327	0.27	34	30	42
C081765		0.63	313	1	1.05	17	470	40	0.33	10	241	0.23	29	20	54
C081766		0.88	426	2	0.51	21	510	133	1.25	18	239	0.23	30	30	188
C081767		0.89	459	2	1.12	20	600	49	0.16	7	475	0.29	35	20	77
C081768		0.54	682	2	0.22	20	460	822	8.43	202	162	0.20	27	20	4750
C081769		0.54	681	2	0.22	21	470	815	8.25	200	159	0.19	27	10	4890
C081770		1.15	468	2	3.24	10	1850	18	0.23	5	667	0.33	162	<10	59
C081771		0.78	1310	1	0.04	18	560	1040	1.87	72	179	0.25	31	20	2380
C081772		0.85	1325	2	0.06	21	610	282	0.20	17	213	0.29	35	20	558
C081773		0.79	1435	7	0.05	19	560	674	1.30	67	192	0.25	32	30	3570
C081774		0.71	1035	4	0.12	27	600	295	0.73	41	168	0.25	32	20	817
C081775		0.77	1195	8	0.32	20	550	629	0.90	102	235	0.24	31	20	1900
C081776		11.35	130	<1	0.01	1	430	5	0.01	<5	110	<0.01	2	<10	10
C081777		0.83	1305	4	0.04	20	650	415	0.34	40	201	0.27	34	20	1015

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055952

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C081778		2.78	0.074	1.4	7.31	1540	1080	3.3	<2	2.85	2.5	7	29	45	2.65	3.49
C081779		4.00	0.140	4.0	7.35	1635	1440	3.1	<2	2.52	5.4	9	27	51	3.23	3.74
C081780		5.06	0.080	<0.5	6.57	1020	1610	2.5	<2	2.44	<0.5	6	28	24	2.52	3.71
C081781		1.34	3.27	15.1	5.62	>10000	190	2.1	71	1.91	1.6	11	20	398	9.24	2.74
C081782		1.54	0.058	<0.5	7.08	937	1490	2.7	<2	2.09	<0.5	9	27	22	2.62	3.89
C081783		5.52	0.183	1.1	6.97	680	910	2.7	<2	3.22	0.9	4	26	33	3.12	3.20
C081784		4.08	0.136	0.8	7.31	2650	1330	2.7	<2	2.54	1.1	7	28	28	3.04	3.64
C081785		4.56	0.076	0.6	7.86	676	1520	3.0	<2	2.81	<0.5	8	31	38	2.89	3.81
C081786		4.86	0.017	<0.5	7.40	294	1470	2.8	<2	3.02	0.6	8	30	20	2.73	3.59
C081787		4.56	0.014	<0.5	7.10	307	1300	2.6	<2	2.93	0.7	7	27	16	2.28	3.80
C081788		3.10	0.246	2.0	7.33	1010	1200	2.6	4	2.68	0.9	6	39	41	3.68	3.21
C081789		<0.02	0.195	2.2	7.31	1140	1160	2.7	5	2.62	1.2	8	38	41	3.54	3.22
C081790		0.12	1.440	<0.5	6.57	1160	650	5.7	<2	0.01	<0.5	5	202	36	3.58	2.58
C081791		4.56	0.853	7.2	6.75	>10000	430	2.4	30	1.95	2.9	8	34	213	5.32	2.89

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06055952

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C081778		0.68	761	3	0.26	21	640	192	0.33	26	258	0.28	35	30	507
C081779		0.67	527	3	0.63	21	600	289	1.08	32	312	0.27	33	20	957
C081780		0.62	552	3	0.60	19	580	70	0.19	23	315	0.27	32	20	143
C081781		0.80	507	3	0.27	22	460	873	7.36	107	263	0.19	25	20	309
C081782		0.83	518	3	0.46	22	620	64	0.22	22	314	0.29	36	20	124
C081783		0.71	716	3	0.30	21	560	106	0.45	16	289	0.26	32	20	204
C081784		0.65	608	3	0.52	22	620	120	0.45	30	306	0.28	34	30	244
C081785		0.75	515	3	0.88	23	720	54	0.35	28	389	0.33	40	30	78
C081786		0.75	532	2	1.10	22	660	53	0.15	24	444	0.31	36	20	129
C081787		0.56	541	3	0.48	23	640	89	0.15	14	325	0.30	35	20	177
C081788		0.81	700	3	0.53	17	660	172	0.56	23	298	0.27	41	30	210
C081789		0.80	674	3	0.53	20	640	183	0.59	19	297	0.28	42	20	235
C081790		0.32	85	3	0.10	18	320	19	0.02	109	86	0.24	83	10	44
C081791		0.75	546	3	0.78	17	580	335	2.01	65	269	0.23	37	30	570

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-JUL-2006
Account: STRGOL

CERTIFICATE VA06058214

Project: Dublin Gulch1735

P.O. No.:

This report is for 39 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 26-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06058214

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C081288		2.68	0.046	8.4	7.65	56	1410	2.8	<2	2.06	29.6	7	36	47	2.90	3.45
C081289		0.04	0.041	7.1	7.90	45	1460	3.0	<2	2.12	24.0	7	37	41	2.82	3.60
C081290		0.10	1.485	<0.5	6.89	1205	670	5.8	<2	0.01	<0.5	5	207	39	3.78	2.57
C081291		3.96	<0.005	<0.5	7.44	16	1560	3.2	<2	2.52	<0.5	8	34	8	2.60	3.27
C081292		1.80	0.938	0.5	7.11	>10000	1440	3.1	56	2.25	<0.5	9	38	25	3.95	2.97
C081322		2.36	0.064	<0.5	7.04	29	1250	2.8	<2	1.79	<0.5	8	37	37	2.34	3.29
C081323		3.18	0.024	<0.5	6.62	20	1120	2.6	<2	2.18	<0.5	8	43	27	2.55	3.23
C081324		3.38	0.024	<0.5	6.57	18	1000	2.4	<2	3.04	<0.5	7	45	34	2.58	3.25
C081325		1.92	0.050	1.9	7.32	557	1030	2.6	<2	1.52	<0.5	8	39	43	2.56	3.31
C081332		5.68	0.028	<0.5	7.49	10	1350	2.7	<2	2.43	<0.5	7	40	45	2.65	3.76
C081333		4.48	0.020	<0.5	7.19	5	1320	2.9	<2	2.55	<0.5	8	42	45	2.60	3.41
C081334		3.90	0.160	<0.5	6.88	5	1290	2.6	<2	2.06	<0.5	9	38	65	2.46	3.56
C081339		5.12	0.011	<0.5	7.36	9	1410	2.9	<2	2.70	<0.5	8	42	52	2.53	3.58
C081337		3.38	0.009	<0.5	6.98	<5	1440	2.7	<2	2.43	<0.5	7	36	52	2.55	3.65
C081340		3.34	0.030	0.7	6.75	7	1280	2.7	<2	2.60	<0.5	8	39	62	2.45	3.53
C081362		1.44	0.006	<0.5	7.23	5	1300	3.1	<2	3.55	<0.5	7	28	7	2.73	3.10
C081363		4.82	0.016	<0.5	6.66	16	1370	2.7	<2	2.34	<0.5	8	32	8	2.43	3.20
C081364		3.36	0.012	<0.5	7.85	9	1520	3.2	<2	2.88	<0.5	10	36	21	2.88	3.36
C081365		4.48	0.035	<0.5	7.51	5	1470	2.9	<2	2.44	<0.5	8	38	16	2.67	3.29
C081366		2.68	<0.005	<0.5	7.84	12	1610	3.0	<2	2.49	<0.5	9	35	8	2.66	3.44
C081367		5.16	0.043	<0.5	8.11	9	1620	3.1	<2	2.68	<0.5	8	43	9	2.87	3.39
C081453		4.20	0.027	<0.5	7.37	122	1700	2.9	2	2.64	<0.5	8	32	29	2.79	3.69
C081454		4.90	0.333	<0.5	7.45	58	1700	2.9	5	2.18	<0.5	7	35	33	2.39	4.07
C081455		2.02	2.94	<0.5	7.68	101	1820	2.9	8	3.24	<0.5	8	30	30	3.17	4.14
C081456		2.08	<0.005	<0.5	0.14	<5	20	<0.5	<2	20.4	<0.5	<1	2	2	0.11	0.03
C081457		4.96	0.363	<0.5	7.29	186	1620	2.8	9	2.83	<0.5	8	30	36	2.58	3.54
C081458		3.62	0.163	<0.5	7.46	121	1620	2.9	2	2.29	<0.5	8	29	49	2.35	3.91
C081472		4.20	0.009	<0.5	7.55	77	1450	3.0	<2	2.64	<0.5	9	30	20	2.63	3.34
C081473		4.16	0.081	<0.5	7.08	39	1460	2.9	<2	2.24	<0.5	7	31	12	2.27	3.37
C081474		4.18	0.013	<0.5	7.32	68	1410	2.9	<2	2.57	<0.5	9	28	14	2.42	3.20
C081475		2.76	0.007	<0.5	7.30	34	1540	2.8	<2	2.47	<0.5	8	31	19	2.47	3.27
C081476		2.14	<0.005	<0.5	0.12	6	20	<0.5	<2	19.70	<0.5	1	3	2	0.10	0.03
C081477		2.86	<0.005	<0.5	7.75	44	1600	2.9	<2	2.46	<0.5	7	32	14	2.58	3.29
C081537		5.48	0.068	0.8	7.09	1785	1150	2.8	<2	3.22	0.6	8	28	23	2.78	3.38
C081538		4.82	0.126	<0.5	7.09	53	1440	2.8	<2	2.43	<0.5	15	27	24	2.34	3.51
C081539		5.64	0.026	<0.5	6.80	54	1410	2.7	<2	2.50	<0.5	7	28	16	2.49	3.11
C081540		2.38	0.162	<0.5	7.01	74	1450	2.7	<2	2.14	<0.5	13	25	23	2.53	3.26
C081541		1.76	0.011	<0.5	7.38	61	1590	2.9	<2	2.60	<0.5	10	30	18	2.59	3.14
C081542		1.88	0.012	<0.5	7.18	75	1530	2.9	<2	2.78	<0.5	9	28	18	2.62	3.07

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06058214

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C081288		0.77	514	2	1.39	18	580	4120	0.77	49	427	0.27	37	<10	5320
C081289		0.78	517	1	1.44	18	600	3380	0.60	41	439	0.28	38	<10	4520
C081290		0.35	90	3	0.11	20	300	34	0.02	111	88	0.24	84	10	49
C081291		0.83	433	1	1.64	18	600	36	0.07	<5	473	0.29	38	<10	70
C081292		0.76	305	2	1.48	18	560	43	1.08	31	401	0.25	35	10	49
C081322		0.67	310	1	1.41	15	540	23	0.14	<5	411	0.25	39	20	35
C081323		0.85	406	2	1.31	15	560	23	0.11	8	397	0.24	45	20	35
C081324		1.12	552	<1	1.21	12	540	20	0.15	10	359	0.23	44	10	25
C081325		0.76	475	2	0.94	14	550	26	0.56	15	256	0.25	43	20	31
C081332		0.78	305	1	1.57	13	580	26	0.24	<5	506	0.27	41	40	30
C081333		0.91	302	1	1.62	14	580	23	0.22	<5	541	0.28	41	40	31
C081334		0.86	250	1	1.32	14	570	20	0.19	<5	486	0.26	39	20	24
C081339		0.84	274	1	1.61	15	590	20	0.20	<5	519	0.27	38	10	27
C081337		0.75	272	1	1.52	15	600	22	0.17	5	464	0.28	41	10	27
C081340		0.80	271	3	1.42	13	570	22	0.20	<5	474	0.27	39	20	26
C081362		0.92	432	1	1.80	17	590	33	0.05	<5	531	0.27	37	10	64
C081363		0.72	351	1	1.79	17	580	25	0.07	<5	472	0.27	37	10	57
C081364		0.90	415	1	1.77	25	650	39	0.09	<5	504	0.32	42	10	82
C081365		0.84	370	1	1.68	18	620	38	0.06	<5	478	0.30	39	10	77
C081366		0.85	345	1	1.75	17	630	28	0.06	<5	536	0.31	41	10	56
C081367		0.93	358	1	1.77	19	680	23	0.10	<5	553	0.33	44	10	57
C081453		0.77	466	<1	0.95	23	670	35	0.17	12	355	0.30	39	20	53
C081454		0.69	252	2	1.18	21	610	31	0.19	11	370	0.28	35	70	33
C081455		0.93	341	<1	0.82	22	690	25	0.18	6	382	0.31	39	30	32
C081456		11.80	143	<1	0.01	<1	410	<2	0.01	<5	109	<0.01	1	10	7
C081457		0.71	270	1	1.16	22	610	24	0.25	9	415	0.29	36	20	27
C081458		0.67	219	1	1.29	23	620	17	0.30	<5	402	0.28	35	60	26
C081472		0.65	358	2	1.29	20	650	26	0.22	7	374	0.28	35	20	38
C081473		0.66	280	1	1.26	23	600	34	0.12	<5	394	0.27	32	10	47
C081474		0.69	339	1	1.21	21	610	43	0.08	<5	394	0.28	34	10	85
C081475		0.70	319	1	1.19	22	620	25	0.15	8	411	0.29	35	10	53
C081476		11.50	138	<1	0.01	<1	420	2	<0.01	<5	106	0.01	1	<10	7
C081477		0.73	311	1	1.60	23	640	27	0.08	<5	506	0.30	37	10	62
C081537		0.97	516	1	0.43	21	600	150	0.49	16	266	0.26	33	30	185
C081538		0.92	287	1	1.36	25	550	21	0.07	<5	562	0.27	33	20	29
C081539		0.93	265	3	1.28	21	590	20	0.07	<5	533	0.29	36	20	33
C081540		0.71	263	2	1.20	20	600	20	0.06	5	446	0.29	34	20	33
C081541		0.87	269	1	1.51	20	610	21	0.10	<5	543	0.30	35	20	30
C081542		0.93	281	1	1.45	22	630	20	0.11	<5	557	0.29	34	20	30

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-JUL-2006
Account: STRGOL

CERTIFICATE VA06058215

Project: Dublin Gulch1735

P.O. No.:

This report is for 32 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 26-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06058215

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C078375		1.30	0.475	2.4	7.34	86	300	2.3	19	2.50	0.9	7	36	198	7.21	2.62
C078376		1.84	<0.005	<0.5	0.13	<5	20	<0.5	<2	19.55	<0.5	<1	2	3	0.13	0.03
C078377		5.32	0.073	<0.5	7.59	36	1610	2.7	<2	2.42	<0.5	9	44	32	2.67	3.88
C078378		3.12	0.197	<0.5	6.79	110	1360	2.6	<2	2.41	<0.5	13	42	23	2.47	3.51
C078387		5.42	0.105	<0.5	7.29	325	1340	2.6	<2	2.69	<0.5	9	59	36	2.91	3.53
C078388		6.22	0.127	<0.5	7.67	40	1470	2.8	<2	2.88	<0.5	10	54	31	3.03	3.74
C078389		0.04	0.123	<0.5	7.92	49	1530	2.8	<2	3.01	<0.5	11	58	31	3.15	3.80
C078390		0.10	0.371	2.6	9.82	<5	1080	1.2	<2	1.53	<0.5	8	11	7570	3.43	3.68
C078428		5.20	0.035	<0.5	7.67	36	1460	2.7	<2	2.84	<0.5	9	57	26	3.06	3.57
C078429		0.04	0.026	<0.5	7.50	38	1450	2.7	<2	2.79	<0.5	10	56	23	3.06	3.59
C078430		0.10	0.086	<0.5	7.11	103	580	2.7	<2	0.53	<0.5	57	1155	407	8.77	2.18
C078431		3.62	0.992	<0.5	7.51	163	1410	2.6	5	2.83	<0.5	9	53	50	3.49	3.45
C078432		3.82	0.085	<0.5	7.27	38	1490	2.5	<2	2.61	<0.5	8	54	19	2.88	3.89
C078433		2.20	1.095	0.8	6.52	>10000	520	2.1	7	1.83	<0.5	25	41	18	6.59	2.52
C078434		6.26	0.336	<0.5	7.26	56	1380	2.6	<2	2.94	<0.5	8	51	16	2.83	3.67
C078435		2.00	0.390	<0.5	7.50	105	1280	2.0	<2	3.09	<0.5	9	41	19	2.74	3.93
C078454		2.20	0.199	<0.5	7.34	48	1270	2.4	<2	2.80	<0.5	9	48	16	2.89	3.08
C078455		4.94	0.106	<0.5	7.92	49	1580	2.7	<2	2.83	<0.5	9	57	15	3.21	3.50
C078456		1.54	<0.005	<0.5	0.14	<5	10	<0.5	<2	20.2	<0.5	1	3	3	0.14	0.03
C078474		5.70	0.097	<0.5	7.40	67	1590	2.5	<2	2.32	<0.5	8	38	16	2.75	3.81
C078475		2.48	0.073	<0.5	7.71	95	1650	2.8	<2	2.29	<0.5	8	38	23	2.73	3.66
C078476		1.18	<0.005	<0.5	0.18	<5	20	<0.5	<2	20.6	<0.5	1	3	4	0.17	0.04
C078494		5.70	0.070	<0.5	7.39	40	1500	2.7	<2	2.64	<0.5	9	54	18	3.01	3.35
C078495		7.46	0.181	0.5	7.89	32	1590	2.9	<2	2.63	<0.5	8	43	21	3.16	3.50
C078496		1.70	<0.005	<0.5	0.15	<5	10	<0.5	<2	20.4	<0.5	<1	4	3	0.13	0.03
C078560		7.82	0.014	<0.5	4.75	69	340	1.4	<2	0.53	<0.5	8	42	17	3.00	1.63
C078561		3.12	<0.005	<0.5	3.34	44	280	0.9	<2	0.92	<0.5	4	45	18	2.37	1.25
C078562		3.56	<0.005	<0.5	4.13	30	300	1.2	<2	0.99	<0.5	5	43	17	2.66	1.41
C078563		7.62	<0.005	<0.5	6.57	22	670	1.6	<2	0.93	<0.5	9	55	31	3.51	2.60
C078594		6.42	0.057	<0.5	7.09	87	1460	3.0	<2	2.10	<0.5	9	36	31	2.62	3.63
C078595		6.18	1.245	<0.5	7.97	100	1600	2.9	2	2.40	<0.5	9	32	34	2.80	3.57
C078596		1.42	<0.005	<0.5	0.14	<5	20	<0.5	<2	20.3	<0.5	1	3	2	0.11	0.03

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06058215

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C078375		0.78	314	2	0.63	29	610	205	4.12	15	146	0.24	39	40	199
C078376		11.30	128	<1	0.01	1	390	3	0.01	<5	107	0.01	1	10	7
C078377		1.04	237	2	1.53	18	640	23	0.16	7	495	0.29	42	40	23
C078378		0.99	236	10	1.39	13	590	20	0.14	<5	458	0.26	44	20	22
C078387		1.24	340	2	1.61	15	600	18	0.19	7	481	0.28	53	20	29
C078388		1.32	339	1	1.60	16	650	15	0.16	<5	525	0.30	56	20	31
C078389		1.37	356	2	1.66	16	690	17	0.17	<5	535	0.31	58	20	31
C078390		1.20	507	2	3.28	10	1910	14	0.23	5	697	0.33	174	<10	64
C078428		1.29	373	1	1.64	17	670	19	0.10	<5	556	0.30	57	20	35
C078429		1.30	368	1	1.61	14	670	18	0.10	<5	547	0.31	58	20	35
C078430		0.60	401	9	0.12	495	350	154	0.02	12	52	0.26	90	30	632
C078431		1.30	371	1	1.54	20	640	19	0.48	6	521	0.29	56	20	33
C078432		1.17	334	2	1.50	17	620	22	0.09	<5	501	0.28	52	30	33
C078433		1.02	350	3	0.74	17	530	61	2.14	49	211	0.21	43	30	72
C078434		1.12	376	2	1.50	15	610	24	0.08	<5	509	0.29	53	30	39
C078435		1.12	342	1	1.29	20	610	25	0.12	7	360	0.26	52	30	31
C078454		1.30	380	10	1.59	14	650	27	0.06	6	441	0.27	55	30	39
C078455		1.36	435	2	1.68	13	670	24	0.09	<5	587	0.31	59	20	44
C078456		11.65	138	<1	0.01	<1	400	5	0.01	<5	111	0.01	1	<10	10
C078474		1.02	292	6	1.52	18	620	19	0.11	6	528	0.29	45	150	31
C078475		1.00	276	2	1.62	20	660	19	0.07	16	545	0.32	45	50	30
C078476		11.90	144	<1	0.02	1	410	5	0.01	<5	114	0.01	2	<10	10
C078494		1.18	393	3	1.51	18	640	31	0.08	5	512	0.30	56	100	49
C078495		1.16	396	1	1.65	19	690	52	0.13	7	538	0.32	51	30	56
C078496		11.95	150	<1	0.01	<1	410	5	0.01	<5	109	0.01	1	<10	10
C078560		0.45	357	<1	0.13	19	360	20	0.05	15	70	0.21	42	30	36
C078561		0.36	281	2	0.31	18	70	39	0.03	6	70	0.15	27	20	36
C078562		0.42	284	1	0.34	14	100	14	0.02	13	77	0.18	33	30	22
C078563		0.62	353	1	0.52	31	290	14	0.10	5	94	0.24	54	20	43
C078594		0.75	215	<1	1.40	22	570	20	0.15	<5	456	0.32	38	10	37
C078595		0.81	261	2	1.53	25	620	20	0.20	<5	505	0.29	37	20	34
C078596		11.90	148	<1	0.01	<1	420	5	0.01	<5	115	0.01	1	10	8

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-JUL-2006
Account: STRGOL

CERTIFICATE VA06059153

Project: Dublin Gulch1735

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 26-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059153

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
C078379		3.42	0.242		<0.5	6.89	58	1360	3.0	<2	2.50	<0.5	9	48	49	2.62
C078380		3.84	0.120		<0.5	6.21	82	750	1.3	<2	0.40	<0.5	4	14	13	0.83
C078381		2.26	0.079		<0.5	7.32	20	1310	2.6	<2	2.46	<0.5	4	37	25	2.45
C078382		1.92	0.453		<0.5	7.05	20	1250	3.0	<2	2.19	<0.5	6	47	28	2.31
C078383		5.54	0.085		<0.5	7.49	53	1350	2.9	<2	3.07	<0.5	7	50	36	2.54
C078384		2.80	0.271		<0.5	7.54	26	1370	2.8	3	3.28	<0.5	10	53	39	2.57
C078385		3.82	0.298		<0.5	7.21	114	1320	2.9	<2	2.81	<0.5	11	49	38	2.64
C078386		4.78	0.483		<0.5	7.14	1240	1230	2.6	2	2.74	<0.5	9	53	59	2.80
C078387		Not Recvd														
C078388		Not Recvd														
C078389		Not Recvd														
C078390		Not Recvd														
C078391		5.74	0.077		<0.5	7.82	26	1530	2.8	<2	3.19	<0.5	8	50	24	2.85
C078392		6.08	0.047		<0.5	7.66	27	1530	3.0	<2	3.08	<0.5	9	52	22	2.94
C078393		5.96	0.152		<0.5	7.27	29	1420	2.7	<2	2.99	<0.5	8	48	26	2.73
C078394		5.58	0.028		<0.5	7.20	61	1400	2.6	<2	2.43	<0.5	12	45	25	2.66
C078395		5.52	0.031		<0.5	7.76	42	1460	2.8	<2	2.82	<0.5	8	47	28	2.79
C078396		1.46	<0.005		<0.5	0.13	<5	20	<0.5	<2	20.1	<0.5	<1	1	2	0.10
C078397		6.30	0.034		<0.5	8.00	34	1550	3.1	<2	2.74	<0.5	7	48	36	2.61
C078398		6.26	0.925		<0.5	8.01	99	1640	3.0	<2	2.42	<0.5	8	37	43	2.71
C078399		5.80	0.058		<0.5	7.84	425	1610	3.0	2	2.81	<0.5	7	37	34	2.51
C078400		5.54	0.046		<0.5	7.30	38	1500	2.9	<2	2.64	<0.5	8	43	24	2.55
C078401		2.24	0.065		<0.5	7.02	134	1330	2.8	<2	2.36	0.8	9	35	32	2.22
C078402		2.60	0.067		1.9	7.43	109	1450	2.9	<2	2.62	17.2	7	32	68	2.66
C078403		5.34	0.043		<0.5	7.69	49	1730	2.9	<2	2.55	<0.5	6	38	31	2.53
C078404		5.56	0.201		<0.5	7.76	187	1610	2.9	<2	2.56	<0.5	9	34	24	2.41
C078405		2.48	0.110		<0.5	7.41	59	1640	2.7	<2	2.68	<0.5	7	40	22	2.48
C078406		1.08	1.015		1.7	8.31	197	830	2.9	<2	4.13	3.0	7	34	34	3.32
C078407		2.48	0.094		<0.5	7.23	307	1410	2.4	<2	3.16	<0.5	10	38	25	2.65
C078408		2.72	0.046		<0.5	7.74	49	1660	2.8	<2	2.51	<0.5	10	36	28	2.47
C078409		<0.02	0.055		<0.5	7.76	37	1630	2.9	<2	2.51	<0.5	9	33	29	2.43
C078410		0.08	0.883		2.1	7.79	10	450	0.7	<2	1.93	0.9	22	98	2100	5.17
C078411		2.18	0.145		<0.5	7.45	46	1630	2.9	<2	3.02	<0.5	7	36	30	2.48
C078412		3.42	0.282		<0.5	7.97	60	1720	3.0	<2	2.70	<0.5	9	44	28	2.92
C078413		4.56	0.192		<0.5	7.84	123	1100	2.1	4	2.78	0.6	5	32	27	3.08
C078414		2.24	0.049		<0.5	7.68	34	1710	2.8	<2	2.63	<0.5	9	43	24	2.85
C078415		4.44	0.269		<0.5	7.41	382	1360	2.4	<2	2.79	<0.5	10	36	22	2.86
C078416		1.64	<0.005		<0.5	0.16	<5	20	<0.5	<2	20.8	<0.5	<1	1	5	0.13
C078417		3.96	2.72		1.2	7.68	3310	1750	2.5	90	2.17	<0.5	10	40	50	3.20
C078418		3.92	0.040		<0.5	7.65	146	1550	2.8	<2	2.86	<0.5	7	45	30	2.83

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059153

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C078379		3.52	0.93	227	<1	1.56	14	620	20	0.25	<5	484	0.30	49	10	31
C078380		5.55	0.15	51	1	1.20	5	390	31	0.12	<5	233	0.05	7	10	5
C078381		3.33	0.85	230	1	1.56	10	640	18	0.13	<5	494	0.26	42	20	19
C078382		3.84	0.81	212	8	1.54	14	620	17	0.10	<5	471	0.30	48	20	23
C078383		3.80	1.03	303	1	1.61	11	640	15	0.17	<5	541	0.30	53	20	26
C078384		3.91	1.03	324	1	1.65	13	650	20	0.19	<5	547	0.30	52	20	27
C078385		3.60	1.08	300	<1	1.64	12	610	17	0.20	<5	510	0.30	54	10	27
C078386		3.79	1.12	448	1	1.25	12	600	68	0.63	11	411	0.28	51	40	97
C078387																
C078388																
C078389																
C078390																
C078391		3.90	1.31	331	1	1.81	12	690	17	0.12	<5	595	0.33	57	50	29
C078392		3.72	1.36	345	1	1.84	15	700	20	0.10	<5	583	0.34	59	30	31
C078393		3.62	1.29	330	<1	1.68	12	640	18	0.12	6	540	0.30	52	40	29
C078394		3.60	1.25	304	1	1.64	12	630	18	0.10	5	488	0.29	51	30	29
C078395		3.96	1.22	302	1	1.76	11	650	17	0.16	<5	549	0.31	52	60	28
C078396		0.04	11.50	128	<1	0.01	<1	370	<2	0.01	<5	116	0.01	2	<10	5
C078397		3.98	1.05	239	3	1.82	21	680	19	0.21	<5	572	0.34	49	50	25
C078398		4.02	0.98	207	2	1.76	16	670	22	0.28	<5	557	0.32	45	40	23
C078399		3.98	0.93	227	1	1.76	19	700	21	0.24	<5	566	0.32	43	10	21
C078400		4.05	1.00	248	<1	1.68	15	640	19	0.14	<5	525	0.32	48	20	24
C078401		3.87	0.81	293	2	1.16	18	600	146	0.14	6	391	0.29	38	50	204
C078402		3.95	0.88	290	4	1.36	17	640	459	0.64	<5	454	0.31	41	30	2880
C078403		4.06	1.02	235	1	1.77	20	690	21	0.16	5	571	0.33	42	10	24
C078404		3.92	1.01	255	4	1.73	16	650	19	0.12	<5	586	0.32	44	20	24
C078405		4.11	1.01	255	2	1.66	13	640	20	0.13	<5	544	0.31	45	40	23
C078406		3.29	0.86	715	<1	0.42	13	700	794	0.90	13	295	0.28	46	30	568
C078407		3.42	1.07	371	1	1.64	18	630	23	0.13	13	477	0.31	46	40	31
C078408		3.75	0.96	263	2	1.92	16	700	19	0.13	<5	562	0.33	42	20	26
C078409		3.84	0.95	262	2	1.91	20	690	20	0.13	5	562	0.33	42	20	25
C078410		1.78	1.36	429	1	3.16	48	670	22	0.65	<5	219	0.31	90	<10	214
C078411		3.81	0.97	277	5	1.78	15	690	19	0.14	<5	561	0.34	43	20	24
C078412		3.84	1.22	314	9	1.79	16	750	20	0.17	<5	559	0.34	52	20	34
C078413		2.75	1.16	503	1	0.96	11	690	55	0.28	7	316	0.24	41	20	116
C078414		3.82	1.13	356	<1	1.71	18	690	23	0.18	<5	553	0.32	51	10	34
C078415		3.66	1.07	400	1	1.43	10	600	29	0.20	7	415	0.27	45	30	41
C078416		0.04	11.95	128	<1	0.02	<1	380	<2	0.01	<5	120	0.01	3	<10	6
C078417		4.00	1.17	267	1	1.53	12	660	84	0.56	24	479	0.28	49	40	31
C078418		3.89	1.23	327	5	1.78	14	680	21	0.19	<5	590	0.32	52	180	28

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059153

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
C078419		2.86	0.192		<0.5	7.49	38	1490	2.7	<2	2.76	<0.5	9	52	28	2.79
C078420		4.32	0.037		<0.5	7.25	33	1480	2.6	<2	2.69	<0.5	8	58	29	2.77
C078421		1.36	0.110		<0.5	6.81	31	1150	2.6	<2	2.93	<0.5	7	47	27	2.78
C078422		1.54	0.043		<0.5	6.72	32	1340	2.5	<2	2.29	<0.5	8	48	27	2.73
C078423		5.12	0.039		<0.5	6.87	29	1420	2.5	<2	2.82	<0.5	7	48	27	2.74
C078424		4.70	0.077		<0.5	6.96	30	1390	2.3	<2	2.62	<0.5	7	50	22	2.75
C078425		2.48	0.291		1.3	7.13	24	1170	2.6	<2	3.12	<0.5	7	45	18	3.36
C078426		1.60	0.029		<0.5	7.04	54	1050	2.5	<2	1.80	<0.5	7	53	28	4.04
C078427		5.02	0.337		<0.5	7.33	36	1540	2.8	<2	2.69	<0.5	9	49	20	2.81
C078428		Not Recvd														
C078429		Not Recvd														
C078430		Not Recvd														
C078431		Not Recvd														
C078432		Not Recvd														
C078433		Not Recvd														
C078434		Not Recvd														
C078435		Not Recvd														
C078436		1.48	<0.005		<0.5	0.14	<5	20	<0.5	<2	18.80	<0.5	<1	3	5	0.13
C078437		4.58	0.692		<0.5	7.10	23	1570	2.6	3	3.10	<0.5	9	48	20	2.81
C078438		3.66	0.443		<0.5	7.25	28	1560	2.6	<2	3.02	<0.5	9	51	28	2.84
C078439		5.04	0.137		<0.5	7.28	27	1530	2.5	<2	2.95	<0.5	9	52	13	3.01
C078440		5.36	1.145		<0.5	6.98	317	1550	2.5	5	2.75	<0.5	14	49	26	2.71
C078441		2.56	0.573		<0.5	7.16	54	1390	2.4	2	3.02	<0.5	9	46	19	2.80
C078442		2.58	0.292		<0.5	6.98	44	1410	2.4	<2	2.72	<0.5	9	45	19	2.81
C078443		4.32	0.351		<0.5	7.38	33	1300	2.2	<2	3.07	<0.5	7	47	16	3.34
C078444		5.40	0.359		<0.5	7.27	40	890	2.5	<2	3.04	<0.5	10	52	23	2.71
C078445		3.50	1.730		<0.5	7.35	40	1230	2.6	9	2.81	<0.5	8	44	23	2.73
C078446		4.72	1.080		<0.5	7.02	36	1060	2.5	5	2.38	<0.5	9	42	28	2.62
C078447		4.60	0.584		<0.5	7.37	29	1430	2.5	4	2.81	<0.5	9	47	25	2.77
C078448		8.04	0.429	0.249	<0.5	7.54	39	1290	2.5	<2	3.38	<0.5	9	54	22	2.96
C078449		<0.02	0.215	0.187	<0.5	7.32	41	1240	2.4	2	3.27	<0.5	9	52	16	2.78
C078450		0.12	1.415		<0.5	6.79	1200	690	5.8	<2	0.02	<0.5	5	207	42	3.74
C078451		2.64	1.025		<0.5	7.09	38	880	2.3	8	3.42	<0.5	8	49	13	2.69
C078452		3.70	0.041		<0.5	7.34	37	1820	2.4	<2	2.51	<0.5	9	54	13	3.03
C078453		4.48	0.222		<0.5	7.26	34	1510	2.5	<2	2.91	<0.5	9	52	15	3.00
C078454		Not Recvd														
C078455		Not Recvd														
C078456		Not Recvd														
C078457		4.88	0.104		<0.5	7.27	33	1490	2.5	<2	2.84	<0.5	8	50	14	2.77
C078458		5.34	0.178		<0.5	7.35	38	1400	2.8	<2	2.75	<0.5	8	51	16	2.85

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059153

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C078419		3.76	1.19	335	2	1.65	11	670	26	0.13	<5	560	0.30	54	60	37
C078420		3.80	1.23	331	1	1.50	14	640	20	0.17	<5	528	0.29	53	140	31
C078421		3.36	1.07	492	3	1.13	11	600	45	0.15	6	374	0.26	51	50	63
C078422		3.58	1.06	399	1	1.24	12	600	34	0.14	<5	380	0.27	51	40	60
C078423		3.58	1.04	375	2	1.44	12	630	18	0.16	7	475	0.27	50	40	33
C078424		3.73	0.94	367	1	1.28	15	620	28	0.14	5	400	0.27	51	50	47
C078425		3.26	1.11	618	1	1.18	11	600	162	0.35	7	367	0.26	50	20	68
C078426		2.98	1.22	422	1	1.07	13	650	58	0.35	8	285	0.27	51	30	105
C078427		3.63	1.22	351	2	1.59	12	670	19	0.09	<5	549	0.31	55	30	37
C078428																
C078429																
C078430																
C078431																
C078432																
C078433																
C078434																
C078435																
C078436		0.04	10.25	128	<1	0.02	<1	380	<2	0.01	<5	104	0.01	2	<10	7
C078437		3.67	1.20	334	1	1.51	13	670	16	0.06	5	538	0.30	54	20	31
C078438		3.83	1.15	320	1	1.58	15	680	19	0.14	<5	576	0.31	53	20	30
C078439		3.53	1.28	402	1	1.66	14	700	16	0.05	5	560	0.31	57	20	39
C078440		3.85	1.11	301	2	1.45	16	650	20	0.21	<5	510	0.29	52	30	29
C078441		3.74	1.06	400	2	1.27	14	650	24	0.14	5	426	0.28	51	20	49
C078442		3.63	1.07	357	1	1.27	13	660	36	0.12	<5	415	0.28	52	20	69
C078443		3.39	0.93	442	1	1.26	13	680	25	0.14	8	313	0.29	53	30	41
C078444		3.01	0.86	345	2	1.32	14	700	14	0.14	7	285	0.31	57	30	38
C078445		3.20	0.97	331	1	1.28	14	660	29	0.16	8	383	0.30	51	30	33
C078446		3.10	0.92	279	2	1.46	15	660	17	0.16	11	305	0.30	48	20	27
C078447		3.43	0.96	348	2	1.42	15	670	14	0.12	10	402	0.29	52	80	35
C078448		3.32	1.25	416	1	1.51	13	700	13	0.12	6	442	0.30	58	30	30
C078449		3.17	1.22	400	1	1.44	11	690	13	0.11	<5	425	0.29	56	30	28
C078450		2.65	0.34	89	2	0.11	19	310	27	0.02	114	92	0.25	87	10	46
C078451		2.87	1.17	446	1	1.37	12	690	24	0.08	8	352	0.29	56	30	32
C078452		3.45	1.34	336	<1	1.59	14	710	16	0.08	7	501	0.29	58	20	40
C078453		3.27	1.32	370	1	1.55	12	680	17	0.10	<5	510	0.29	57	10	37
C078454																
C078455																
C078456																
C078457		3.57	1.23	368	2	1.63	13	660	16	0.07	<5	553	0.29	55	10	38
C078458		3.48	1.15	399	1	1.66	12	620	23	0.11	<5	565	0.29	52	<10	40

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059153

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
C078459		6.02	0.154		<0.5	6.92	35	1400	2.7	<2	2.69	<0.5	9	47	16	2.67
C078460		5.14	0.500		<0.5	7.37	27	1410	2.7	<2	2.91	<0.5	8	55	22	2.84
C078461		3.74	0.924		<0.5	7.21	36	1330	2.5	8	2.68	<0.5	8	45	23	2.61
C078462		3.14	0.838		<0.5	7.12	31	1300	2.6	5	2.42	<0.5	8	48	17	2.56
C078463		5.06	0.560		<0.5	7.11	34	1500	2.5	5	2.73	<0.5	8	47	19	2.80
C078464		1.88	0.661		9.3	6.87	3020	920	2.4	28	2.67	5.5	10	33	140	4.37
C078465		3.40	0.687		7.4	6.99	4050	1010	2.3	21	2.28	2.4	10	33	96	4.04
C078466		5.52	0.127		<0.5	7.10	42	1550	2.7	<2	2.35	<0.5	8	32	21	2.57
C078467		2.84	0.075		<0.5	7.12	73	1300	2.5	<2	2.62	<0.5	9	30	20	2.39
C078468		2.96	0.057		<0.5	6.64	76	650	2.6	<2	4.13	<0.5	8	27	11	2.65
C078469		<0.02	0.066		<0.5	6.57	88	630	2.6	<2	4.09	<0.5	7	28	10	2.66
C078470		0.10	2.19		<0.5	7.22	2120	710	13.0	<2	0.01	<0.5	1	134	100	3.39
C078471		5.62	0.156		<0.5	7.77	43	1510	2.7	<2	2.68	<0.5	9	47	6	2.99
C078472		5.86	0.335		<0.5	7.01	90	1500	2.5	9	2.44	<0.5	8	38	16	2.62
C078473		6.24	0.110		<0.5	6.68	59	1440	2.4	<2	2.27	<0.5	7	32	18	2.42
C078474		Not Recvd														
C078475		Not Recvd														
C078476		Not Recvd														
C078477		1.96	1.590		<0.5	6.02	4810	1360	1.9	8	2.25	<0.5	45	29	28	2.81
C078478		2.28	0.224		<0.5	6.75	62	1480	2.6	<2	3.24	<0.5	9	43	21	2.28

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059153

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C078459		3.54	1.13	323	1	1.60	13	620	16	0.08	5	550	0.28	51	10	31
C078460		3.60	1.22	373	2	1.67	14	660	18	0.08	<5	543	0.29	55	10	36
C078461		3.52	1.11	354	2	1.63	12	590	21	0.08	<5	495	0.25	47	20	31
C078462		3.67	1.06	330	1	1.58	12	580	17	0.09	<5	478	0.26	48	50	34
C078463		3.53	1.19	443	2	1.52	12	650	28	0.08	7	511	0.28	51	60	45
C078464		3.09	0.81	646	1	0.58	15	600	729	1.78	76	301	0.24	40	40	1005
C078465		3.17	0.76	623	1	0.66	16	610	461	1.40	75	281	0.23	40	80	452
C078466		3.69	0.94	302	2	1.41	14	630	22	0.10	12	464	0.31	43	110	36
C078467		3.37	0.83	261	2	1.39	16	640	18	0.13	11	423	0.30	42	70	31
C078468		2.39	1.06	409	2	1.14	14	550	24	0.08	8	412	0.25	38	60	29
C078469		2.40	1.05	409	2	1.12	13	550	22	0.08	8	413	0.25	39	60	30
C078470		3.16	0.37	67	2	0.08	9	320	29	0.02	152	139	0.26	104	10	17
C078471		3.48	1.33	405	1	1.77	12	690	20	0.05	5	600	0.31	56	40	41
C078472		3.64	1.03	284	14	1.46	13	620	14	0.07	7	507	0.28	45	560	26
C078473		3.45	0.96	267	13	1.47	13	590	17	0.11	6	504	0.28	43	80	27
C078474																
C078475																
C078476																
C078477		3.11	0.82	205	3	1.25	26	530	13	0.43	15	389	0.23	36	220	21
C078478		3.59	0.92	241	2	1.55	17	630	16	0.09	<5	528	0.29	42	30	22

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

CERTIFICATE VA06059154

Project: Dublin Gulch1735

P.O. No.:

This report is for 115 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 26-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059154

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C078479		5.42	0.013	<0.5	7.69	38	1660	2.8	<2	2.78	<0.5	9	37	16	2.94	3.28
C078480		5.24	0.238	<0.5	7.25	35	1610	2.6	4	2.69	<0.5	8	42	11	2.87	3.22
C078481		1.12	0.306	<0.5	7.46	37	1610	2.7	5	2.97	<0.5	9	41	12	3.08	3.40
C078482		1.38	0.322	<0.5	7.51	34	1570	2.8	9	2.93	<0.5	8	46	12	3.18	3.25
C078483		2.34	0.238	<0.5	7.34	55	1230	2.3	3	3.31	<0.5	8	43	20	2.94	3.22
C078484		3.56	0.078	<0.5	7.87	38	1070	2.6	3	3.14	<0.5	8	52	17	3.10	3.35
C078485		4.80	0.170	<0.5	7.52	26	1430	2.5	3	2.61	<0.5	9	52	24	3.24	3.49
C078486		6.02	0.047	<0.5	7.12	19	1400	2.5	2	2.36	<0.5	8	51	18	2.86	3.36
C078487		5.88	0.081	<0.5	7.30	40	1330	2.5	4	2.69	<0.5	9	56	21	3.19	2.99
C078488		5.92	0.017	<0.5	7.42	20	1440	2.7	<2	2.73	<0.5	7	53	14	3.07	3.14
C078489		<0.02	0.027	<0.5	7.53	21	1430	2.8	2	2.74	<0.5	7	50	14	3.11	3.19
C078490		0.10	4.58	8.1	8.06	12	490	0.9	<2	2.96	1.1	18	19	121	4.35	2.21
C078491		7.62	0.032	<0.5	7.47	64	1490	2.5	<2	2.63	<0.5	8	49	15	3.03	3.31
C078492		5.88	0.040	<0.5	7.55	46	1500	2.6	<2	2.37	<0.5	8	49	18	3.05	3.34
C078493		7.26	0.040	<0.5	7.48	48	1520	2.6	2	2.76	<0.5	9	52	21	3.08	3.58
C078494		Not Recvd														
C078495		Not Recvd														
C078496		Not Recvd														
C078497		6.40	0.063	<0.5	7.91	34	1640	2.8	2	3.34	<0.5	7	35	22	2.98	3.42
C078498		6.40	0.103	<0.5	7.72	25	1660	2.7	5	2.86	<0.5	9	46	19	3.05	3.45
C078499		2.64	0.036	<0.5	5.13	395	1000	1.4	4	0.87	<0.5	6	40	12	2.21	1.85
C078500		2.04	0.148	<0.5	6.48	154	860	2.3	18	1.60	<0.5	6	38	27	2.45	2.54
C078501		2.56	0.008	<0.5	6.77	254	610	1.7	<2	0.98	<0.5	11	64	16	3.07	2.18
C078502		2.90	0.021	<0.5	7.33	248	670	1.9	2	0.86	<0.5	10	61	15	3.24	2.37
C078503		4.08	<0.005	<0.5	3.85	190	300	1.0	3	0.91	<0.5	5	36	12	1.92	1.52
C078504		2.90	0.006	<0.5	10.05	71	1070	2.3	<2	0.43	<0.5	13	66	34	1.64	4.79
C078505		1.68	0.034	<0.5	5.25	107	580	1.4	3	0.39	<0.5	7	38	188	1.34	2.08
C078506		2.36	<0.005	<0.5	3.20	53	340	0.8	<2	0.58	<0.5	4	28	15	1.31	1.32
C078507		4.64	0.052	<0.5	10.85	41	900	2.4	3	1.02	<0.5	15	76	34	4.44	4.17
C078508		6.08	0.050	<0.5	8.05	97	730	2.2	<2	0.88	<0.5	14	72	19	3.53	3.99
C078509		<0.02	0.028	<0.5	8.92	83	820	2.1	<2	0.95	<0.5	12	69	19	3.84	3.94
C078510		0.10	0.089	<0.5	6.68	99	560	2.5	3	0.52	<0.5	55	1175	369	8.31	2.04
C078511		4.88	<0.005	<0.5	6.46	74	540	1.3	<2	0.90	<0.5	6	29	8	2.20	3.52
C078512		3.86	<0.005	<0.5	8.41	125	740	2.4	<2	0.46	<0.5	14	63	23	3.40	3.10
C078513		5.64	0.025	0.8	10.35	93	720	2.6	3	0.61	6.1	13	71	31	4.72	3.49
C078514		4.74	<0.005	<0.5	11.00	55	750	2.6	2	0.72	<0.5	13	76	27	4.93	4.47
C078515		3.56	<0.005	<0.5	8.17	41	770	1.9	<2	0.38	<0.5	10	60	57	2.65	2.77
C078516		1.88	<0.005	<0.5	0.15	<5	10	<0.5	<2	19.55	<0.5	1	1	2	0.11	0.03
C078517		5.70	0.091	<0.5	10.35	19	890	3.0	<2	0.70	<0.5	10	48	16	2.57	3.37
C078518		6.14	<0.005	<0.5	11.05	16	920	3.0	3	0.46	<0.5	19	73	29	4.08	3.16

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059154

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C078479		1.11	345	<1	1.74	18	690	17	0.08	<5	619	0.33	48	40	33
C078480		1.13	374	1	1.63	18	690	17	0.05	6	580	0.31	49	70	35
C078481		1.30	433	<1	1.61	13	690	21	0.06	<5	591	0.31	56	70	43
C078482		1.31	452	1	1.65	16	720	21	0.07	<5	592	0.31	55	20	45
C078483		1.07	444	2	1.13	14	670	55	0.25	7	385	0.28	52	70	69
C078484		1.13	481	1	0.76	17	720	44	0.16	7	332	0.31	56	40	84
C078485		1.30	448	1	1.52	15	660	25	0.14	8	502	0.30	67	20	47
C078486		1.10	408	1	1.51	17	610	27	0.09	6	503	0.28	59	50	51
C078487		1.28	477	2	1.55	17	700	29	0.12	9	504	0.29	70	10	57
C078488		1.20	441	1	1.66	16	680	25	0.05	9	529	0.30	58	10	46
C078489		1.21	438	1	1.68	15	690	25	0.05	8	532	0.30	57	10	47
C078490		1.36	1015	12	1.67	12	930	25	0.67	<5	437	0.36	149	<10	97
C078491		1.16	418	1	1.59	16	650	22	0.08	9	516	0.28	56	20	42
C078492		1.17	392	4	1.57	14	690	22	0.07	11	467	0.29	60	30	43
C078493		1.18	402	2	1.59	19	670	22	0.11	7	551	0.30	61	50	41
C078494															
C078495															
C078496															
C078497		1.07	445	<1	1.81	17	720	22	0.07	12	614	0.31	45	20	39
C078498		1.18	454	1	1.65	18	700	23	0.10	7	594	0.32	54	60	47
C078499		0.48	248	<1	0.71	17	260	7	0.03	<5	130	0.20	44	60	34
C078500		0.74	298	1	1.07	21	330	10	0.06	<5	240	0.23	44	20	30
C078501		0.74	284	<1	0.85	26	240	6	0.05	<5	128	0.34	69	20	45
C078502		0.69	260	<1	0.83	28	260	5	0.06	<5	139	0.33	64	140	50
C078503		0.31	190	<1	0.52	11	180	4	0.03	<5	83	0.16	28	50	18
C078504		0.35	108	<1	0.82	25	400	11	0.09	<5	133	0.22	78	<10	17
C078505		0.19	105	<1	0.57	15	270	14	0.04	6	74	0.16	37	10	25
C078506		0.11	166	1	0.19	13	90	6	<0.01	<5	40	0.13	22	10	38
C078507		0.88	344	<1	0.57	41	1030	12	0.09	7	128	0.43	92	10	61
C078508		0.72	323	<1	0.67	38	670	7	0.09	<5	120	0.35	82	<10	49
C078509		0.81	349	<1	0.74	34	750	9	0.11	7	135	0.35	81	<10	48
C078510		0.56	379	7	0.11	461	330	146	0.02	15	50	0.21	87	30	584
C078511		0.36	224	<1	0.86	15	410	21	0.04	<5	99	0.16	34	<10	22
C078512		0.62	412	<1	0.18	34	290	8	0.18	13	72	0.34	75	10	41
C078513		0.71	1975	<1	0.12	39	1900	427	0.35	47	53	0.40	91	10	1200
C078514		1.06	755	<1	0.13	42	340	30	0.32	26	81	0.38	93	10	92
C078515		0.45	354	<1	0.11	26	590	22	0.09	9	65	0.32	71	30	142
C078516		10.70	128	<1	0.01	<1	410	<2	0.01	<5	106	0.01	2	<10	8
C078517		0.51	260	<1	0.09	27	370	29	0.16	13	83	0.32	59	20	46
C078518		0.67	302	<1	0.13	46	310	8	0.15	13	68	0.42	96	20	56

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059154

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C078519		5.60	<0.005	<0.5	8.86	48	700	2.3	<2	1.26	<0.5	13	65	27	4.44	3.17
C078520		2.44	0.072	<0.5	6.41	974	610	1.6	3	1.01	<0.5	11	46	14	2.87	2.37
C078521		3.90	0.026	<0.5	4.61	388	490	1.3	<2	1.13	<0.5	9	33	10	1.79	1.78
C078522		2.94	0.043	<0.5	4.42	492	460	1.3	<2	1.11	<0.5	7	30	9	1.52	1.88
C078523		4.34	0.017	<0.5	5.94	145	470	1.4	2	1.54	<0.5	5	38	14	2.00	2.13
C078524		6.38	<0.005	<0.5	2.71	53	350	0.7	<2	1.49	<0.5	2	23	12	1.16	1.16
C078525		6.54	<0.005	<0.5	2.94	81	280	0.7	<2	0.64	<0.5	3	25	4	1.26	1.20
C078526		6.72	<0.005	<0.5	5.92	41	560	1.3	<2	0.63	<0.5	7	38	9	2.60	2.35
C078527		6.62	<0.005	<0.5	10.50	27	1060	2.4	2	0.52	<0.5	14	74	18	3.83	4.75
C078528		6.90	0.005	<0.5	10.30	48	800	2.7	3	0.75	<0.5	14	68	31	4.47	4.26
C078529		<0.02	0.010	<0.5	10.20	52	780	2.7	<2	0.77	<0.5	15	69	32	4.44	4.21
C078530		0.10	0.420	2.1	9.17	5	1040	1.1	<2	1.51	<0.5	7	8	6760	3.25	3.43
C078531		4.46	0.042	<0.5	6.63	1130	630	1.5	2	0.78	<0.5	10	53	23	2.93	2.58
C078532		6.70	0.032	<0.5	5.91	558	540	1.3	2	0.60	<0.5	8	48	19	2.82	2.19
C078533		5.78	<0.005	<0.5	7.23	52	640	1.6	<2	0.79	<0.5	11	61	23	3.62	2.74
C078534		7.72	0.007	<0.5	3.82	82	390	0.9	<2	0.68	<0.5	5	26	14	1.94	1.32
C078535		6.74	0.029	<0.5	4.73	145	470	1.2	<2	0.73	<0.5	4	33	10	1.48	2.02
C078536		1.42	<0.005	<0.5	0.14	<5	10	<0.5	<2	20.3	<0.5	<1	<1	3	0.13	0.03
C078537		7.16	0.012	<0.5	2.87	34	250	0.8	<2	0.15	0.8	3	26	8	1.17	1.27
C078538		6.38	0.019	0.6	4.10	78	300	1.5	2	0.16	3.0	5	28	14	2.35	1.59
C078539		6.84	0.023	0.7	4.16	71	320	1.2	<2	0.31	2.6	4	34	12	1.71	1.74
C078540		6.24	0.008	<0.5	4.70	224	410	1.1	<2	0.59	<0.5	5	31	8	1.85	1.93
C078541		3.42	0.014	<0.5	4.96	67	610	1.2	2	0.12	<0.5	6	34	8	1.23	2.13
C078542		2.52	0.014	<0.5	5.26	78	650	1.3	3	0.14	<0.5	6	34	9	1.42	2.46
C078543		7.10	<0.005	<0.5	3.76	39	420	1.0	<2	0.26	<0.5	5	28	7	1.59	1.50
C078544		6.26	0.005	<0.5	3.22	64	420	0.9	2	0.41	<0.5	4	21	5	1.37	1.30
C078545		6.66	<0.005	<0.5	3.06	36	340	0.7	<2	1.26	<0.5	5	25	5	1.64	1.25
C078546		6.70	<0.005	<0.5	4.09	48	510	1.0	<2	0.83	<0.5	6	33	6	1.91	1.83
C078547		6.72	<0.005	<0.5	2.87	16	380	0.5	<2	0.55	<0.5	4	28	5	1.60	1.20
C078548		6.80	<0.005	<0.5	3.21	7	390	0.8	<2	0.23	<0.5	6	26	6	1.80	1.36
C078549		<0.02	<0.005	<0.5	3.26	17	390	0.8	<2	0.23	<0.5	5	27	6	1.62	1.33
C078550		0.10	1.355	<0.5	6.90	1240	680	5.7	2	0.01	<0.5	5	201	37	3.78	2.54
C078551		6.36	<0.005	<0.5	3.01	39	370	0.7	<2	0.27	<0.5	4	31	4	1.52	1.23
C078552		7.42	<0.005	<0.5	3.53	17	440	0.8	<2	0.41	<0.5	6	27	8	1.71	1.54
C078553		6.66	<0.005	<0.5	2.76	43	310	0.7	<2	0.14	<0.5	4	24	11	1.35	1.11
C078554		6.60	<0.005	<0.5	4.17	92	460	1.0	3	0.32	<0.5	6	39	14	2.08	1.96
C078555		5.22	0.010	<0.5	2.64	186	250	0.6	2	0.80	<0.5	3	30	10	1.27	1.12
C078556		1.48	<0.005	<0.5	0.15	<5	10	<0.5	<2	21.1	<0.5	<1	5	3	0.20	0.03
C078557		8.62	0.007	<0.5	5.52	45	550	1.8	<2	0.66	<0.5	9	52	14	2.17	2.30
C078558		5.10	0.010	<0.5	2.99	158	220	0.9	<2	0.94	<0.5	7	30	15	1.82	1.18

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059154

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C078519		1.02	420	<1	0.35	32	270	7	0.20	15	166	0.37	73	30	36
C078520		0.66	228	<1	0.60	26	230	3	0.15	7	114	0.27	58	610	24
C078521		0.31	184	1	0.62	11	890	2	0.09	<5	99	0.46	93	150	10
C078522		0.30	174	<1	0.64	12	560	<2	0.08	<5	96	0.31	74	260	12
C078523		0.49	232	1	0.63	12	380	<2	0.09	6	120	0.30	60	50	11
C078524		0.15	307	<1	0.32	5	80	2	0.14	<5	100	0.11	19	10	7
C078525		0.18	148	<1	0.52	7	80	<2	0.02	<5	55	0.13	21	10	8
C078526		0.49	227	<1	0.67	20	220	3	0.06	<5	90	0.22	47	10	25
C078527		0.90	253	1	1.00	39	270	8	0.09	8	134	0.39	90	10	47
C078528		1.01	345	1	0.68	40	960	12	0.16	15	113	0.37	83	20	60
C078529		0.99	341	1	0.66	40	1020	10	0.17	15	113	0.37	83	20	62
C078530		1.13	483	1	3.18	8	1870	7	0.22	<5	679	0.32	166	<10	53
C078531		0.62	190	<1	0.80	25	330	5	0.16	<5	104	0.28	59	10	30
C078532		0.53	240	<1	0.81	20	160	4	0.10	<5	92	0.27	55	10	30
C078533		0.74	341	<1	0.86	30	210	5	0.12	<5	90	0.35	72	10	45
C078534		0.29	240	<1	0.28	12	700	3	0.10	<5	58	0.15	30	10	17
C078535		0.31	305	<1	0.06	12	170	19	0.07	5	55	0.13	40	10	24
C078536		11.20	134	<1	0.01	<1	400	2	0.01	<5	108	0.01	2	<10	8
C078537		0.12	284	<1	0.02	8	110	73	0.11	7	13	0.11	21	<10	163
C078538		0.26	974	<1	0.03	13	190	273	0.22	11	24	0.18	34	10	605
C078539		0.22	876	<1	0.03	11	250	245	0.19	9	21	0.16	32	10	506
C078540		0.31	263	<1	0.05	13	300	6	0.08	5	60	0.18	36	10	13
C078541		0.15	124	<1	0.14	12	110	4	0.03	<5	53	0.18	39	10	11
C078542		0.18	232	<1	0.14	14	120	5	0.03	<5	58	0.20	43	20	11
C078543		0.21	192	<1	0.15	10	110	<2	0.02	<5	51	0.18	31	20	13
C078544		0.21	188	<1	0.08	9	90	<2	0.02	6	57	0.14	24	10	5
C078545		0.21	247	<1	0.16	8	80	<2	0.02	5	70	0.14	23	20	6
C078546		0.30	233	<1	0.47	15	100	4	0.03	<5	89	0.21	38	20	12
C078547		0.22	228	<1	0.61	8	90	5	0.03	<5	70	0.14	22	<10	15
C078548		0.25	192	<1	0.27	11	100	5	0.02	<5	49	0.16	27	10	23
C078549		0.25	180	<1	0.27	11	100	6	0.02	<5	50	0.15	27	10	22
C078550		0.34	90	1	0.10	17	310	25	0.01	109	91	0.23	87	10	43
C078551		0.22	166	<1	0.48	9	130	9	0.02	<5	58	0.15	24	<10	18
C078552		0.22	180	<1	0.53	11	390	5	0.02	5	64	0.15	28	10	12
C078553		0.19	122	<1	0.23	9	90	5	0.05	<5	43	0.11	20	10	11
C078554		0.33	150	2	0.69	15	90	9	0.06	<5	65	0.21	35	10	19
C078555		0.29	159	<1	0.16	6	80	3	0.07	<5	73	0.10	18	10	7
C078556		11.65	140	<1	0.01	1	400	<2	0.01	<5	118	0.01	2	<10	8
C078557		0.35	215	<1	0.09	19	160	<2	0.18	8	72	0.25	51	20	18
C078558		0.35	217	<1	0.13	8	300	<2	0.10	<5	70	0.18	33	20	8

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059154

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C078559		8.12	0.006	<0.5	4.63	42	300	1.4	<2	0.84	<0.5	7	41	11	2.12	1.64
C078560		Not Recvd														
C078561		Not Recvd														
C078562		Not Recvd														
C078563		Not Recvd														
C078564		5.00	0.012	<0.5	4.30	86	520	1.2	2	0.88	<0.5	8	39	21	2.33	1.92
C078565		2.22	0.053	<0.5	8.25	107	1400	1.7	2	2.10	<0.5	5	28	36	2.67	3.63
C078566		5.74	0.029	<0.5	7.50	81	1540	2.5	<2	2.53	<0.5	8	28	21	2.61	3.38
C078567		2.24	0.102	<0.5	6.93	780	1570	2.3	5	1.86	<0.5	7	26	28	2.29	3.56
C078568		6.98	0.154	<0.5	7.54	277	1740	2.7	<2	2.79	<0.5	8	34	19	2.50	3.78
C078569		<0.02	0.107	<0.5	7.41	277	1730	2.7	<2	2.77	<0.5	8	30	18	2.38	3.77
C078570		0.10	0.089	<0.5	6.85	108	600	2.4	<2	0.54	<0.5	55	1145	370	8.69	2.08
C078571		7.60	0.054	<0.5	7.42	19	1340	2.6	<2	2.18	<0.5	7	33	24	2.56	3.28
C078572		7.94	0.143	<0.5	7.10	57	1410	2.4	<2	2.31	<0.5	6	26	28	2.34	3.33
C078573		6.12	0.032	<0.5	7.44	51	1550	2.8	<2	2.84	<0.5	9	27	29	2.71	3.18
C078574		6.86	0.063	7.1	6.95	41	1380	2.4	<2	1.86	<0.5	6	28	28	2.42	3.11
C078575		5.32	0.108	<0.5	7.14	175	1560	2.6	<2	2.54	<0.5	8	28	27	2.54	3.10
C078576		1.48	<0.005	<0.5	0.13	5	10	<0.5	<2	19.60	<0.5	1	9	1	0.14	0.03
C078577		3.90	0.080	<0.5	6.69	163	1550	3.0	<2	2.37	<0.5	8	28	27	2.11	3.66
C078578		6.84	0.036	<0.5	6.97	75	1410	2.8	<2	2.34	<0.5	7	26	23	2.34	3.34
C078579		6.48	0.080	<0.5	6.73	90	1460	2.6	<2	2.22	<0.5	6	28	20	2.26	3.52
C078580		7.78	0.520	<0.5	7.25	250	1510	2.7	<2	2.09	<0.5	12	32	31	2.53	3.47
C078581		3.74	0.082	<0.5	7.39	87	1610	2.8	<2	2.08	<0.5	9	32	19	2.61	3.35
C078582		4.00	0.123	<0.5	7.44	93	1560	2.9	<2	2.31	<0.5	7	33	19	2.59	3.36
C078583		6.64	0.445	<0.5	7.26	63	1550	2.9	<2	2.33	<0.5	8	34	22	2.64	3.52
C078584		6.88	0.082	<0.5	7.00	282	1090	2.8	<2	2.45	<0.5	9	23	22	2.00	3.53
C078585		7.18	0.043	<0.5	6.92	75	1340	2.7	<2	1.82	<0.5	6	26	24	2.20	3.58
C078586		5.40	0.434	<0.5	6.95	999	1480	2.6	5	2.19	<0.5	8	27	20	2.50	3.24
C078587		5.58	0.052	<0.5	7.19	18	1440	2.8	2	2.08	<0.5	9	26	35	2.33	3.48
C078588		5.44	0.032	<0.5	7.07	22	1510	2.5	<2	2.19	<0.5	7	26	27	2.47	3.35
C078589		<0.02	0.032	<0.5	7.36	28	1550	2.6	<2	2.30	<0.5	8	28	29	2.54	3.46
C078590		0.10	0.406	2.5	7.76	<5	980	1.0	<2	1.30	<0.5	7	10	6630	2.95	3.27
C078591		5.78	0.040	<0.5	6.82	33	1270	2.8	<2	1.98	<0.5	6	24	28	2.11	3.50
C078592		6.38	0.089	<0.5	6.96	67	1460	2.7	<2	1.95	<0.5	7	25	34	2.32	3.60
C078593		4.80	0.128	<0.5	7.27	21	1490	2.8	<2	2.10	<0.5	8	28	25	2.40	3.54

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059154

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C078559		0.40	293	<1	0.19	14	160	4	0.06	6	80	0.20	38	20	17
C078560															
C078561															
C078562															
C078563															
C078564		0.40	207	2	0.43	20	170	6	0.09	<5	87	0.17	34	10	23
C078565		0.72	290	2	0.43	19	650	18	0.19	<5	277	0.30	35	20	26
C078566		0.77	241	1	1.02	19	590	14	0.15	<5	389	0.30	35	10	24
C078567		0.74	172	1	0.99	20	600	17	0.22	<5	359	0.27	31	30	18
C078568		0.83	252	<1	1.14	23	670	19	0.13	<5	407	0.30	38	20	33
C078569		0.82	235	<1	1.14	19	650	20	0.13	<5	402	0.30	38	20	31
C078570		0.60	395	8	0.12	451	360	160	0.02	18	50	0.23	84	30	585
C078571		0.85	240	<1	0.81	21	580	26	0.10	<5	306	0.27	35	20	41
C078572		0.81	188	1	0.83	18	570	21	0.15	<5	328	0.25	31	20	23
C078573		0.99	249	<1	0.99	20	680	18	0.15	<5	396	0.31	36	10	32
C078574		0.86	277	2	0.83	17	630	30	0.09	6	311	0.27	35	40	50
C078575		0.96	188	<1	1.01	22	650	17	0.14	<5	368	0.29	35	40	21
C078576		10.95	140	<1	<0.01	<1	370	5	0.02	<5	103	0.01	1	<10	6
C078577		0.70	146	<1	1.33	18	580	17	0.17	<5	389	0.28	33	10	21
C078578		0.81	214	<1	1.21	19	580	32	0.12	<5	370	0.27	32	10	38
C078579		0.73	229	<1	1.24	20	570	25	0.11	<5	383	0.26	31	30	37
C078580		0.89	209	1	1.17	23	610	24	0.14	6	387	0.29	36	10	31
C078581		0.90	244	<1	1.30	20	650	22	0.11	5	409	0.30	41	10	39
C078582		0.84	259	1	1.30	26	630	27	0.13	6	408	0.30	39	10	41
C078583		0.90	243	<1	1.14	20	630	20	0.13	<5	395	0.32	38	20	33
C078584		0.50	275	<1	0.75	18	540	132	0.29	48	238	0.23	28	10	116
C078585		0.73	186	<1	1.18	16	530	21	0.13	6	351	0.26	30	20	26
C078586		0.78	228	<1	1.44	19	610	17	0.20	<5	440	0.29	34	20	34
C078587		0.73	177	<1	1.42	17	570	18	0.20	5	430	0.26	31	20	25
C078588		0.79	192	<1	1.48	19	590	14	0.17	<5	455	0.29	34	10	25
C078589		0.81	199	<1	1.54	20	630	22	0.16	<5	475	0.30	34	10	27
C078590		1.06	444	1	3.04	9	1790	13	0.22	5	597	0.31	154	<10	58
C078591		0.67	199	2	1.35	16	500	21	0.13	<5	385	0.24	27	10	30
C078592		0.74	188	1	1.40	17	580	20	0.18	6	415	0.27	31	330	26
C078593		0.76	192	<1	1.57	20	610	21	0.16	<5	468	0.29	33	10	27

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

CERTIFICATE VA06059622

Project: Dublin Gulch1735

P.O. No.:

This report is for 150 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 28-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Zn-AA62	Ore grade Zn - four acid / AAS	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059622

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C081293		4.18	0.007	<0.5	7.29	22	1550	3.5	<2	2.73	<0.5	6	44	12	2.71	3.35
C081294		5.00	0.011	<0.5	6.92	13	1440	3.4	<2	2.47	<0.5	7	41	19	2.53	3.41
C081295		3.78	0.009	<0.5	7.17	14	1490	2.8	<2	2.52	<0.5	6	33	13	2.56	3.40
C081296		1.58	<0.005	<0.5	0.13	<5	20	<0.5	<2	20.00	<0.5	<1	7	2	0.11	0.04
C081297		3.88	0.006	<0.5	7.14	16	1480	2.7	<2	2.46	<0.5	7	37	9	2.59	3.34
C081298		4.74	0.043	<0.5	7.17	17	1560	2.8	<2	2.68	<0.5	7	40	6	2.64	3.30
C081299		5.38	0.306	<0.5	7.23	22	1540	2.8	6	2.47	<0.5	10	35	48	2.66	3.60
C081300		3.24	0.228	<0.5	7.14	29	1510	2.6	2	2.34	<0.5	12	33	91	2.74	3.83
C081301		1.06	0.007	<0.5	6.97	44	1380	2.9	<2	3.14	<0.5	8	36	5	2.61	3.35
C081302		1.20	0.006	<0.5	7.12	31	1410	2.7	<2	2.85	<0.5	8	37	4	2.57	3.13
C081303		5.08	0.114	<0.5	6.89	28	1520	2.4	<2	2.70	<0.5	7	34	39	2.71	3.33
C081304		3.64	0.013	<0.5	6.83	21	1260	2.5	<2	3.02	<0.5	7	32	9	2.65	3.09
C081305		3.98	0.074	<0.5	6.79	24	1400	2.4	<2	2.27	<0.5	7	33	19	2.42	3.22
C081306		4.16	0.220	<0.5	7.45	21	1680	2.9	3	2.73	<0.5	7	44	26	2.91	3.44
C081307		5.14	0.031	<0.5	7.29	28	1610	2.9	<2	2.56	<0.5	8	39	9	2.72	3.28
C081308		4.76	0.012	<0.5	7.48	17	1630	2.9	<2	2.61	<0.5	9	43	25	2.76	3.40
C081309		<0.02	0.017	<0.5	7.01	17	1550	2.8	<2	2.57	<0.5	7	36	22	2.67	3.19
C081310		Empty Bag														
C081311		3.12	0.258	<0.5	7.09	28	1500	2.7	3	2.25	<0.5	8	41	28	2.74	3.23
C081312		5.34	1.275	13.2	5.71	1620	160	2.1	18	2.50	90.2	14	35	110	7.12	2.46
C081313		3.34	0.218	4.3	6.61	82	840	2.4	8	3.60	1.9	8	42	67	3.08	2.88
C081314		4.56	0.042	<0.5	7.23	23	1290	2.6	<2	2.61	<0.5	7	47	17	2.78	3.57
C081315		4.50	0.305	<0.5	6.95	13	1400	2.4	6	2.49	<0.5	6	42	21	2.78	3.28
C081316		2.14	<0.005	<0.5	0.10	9	10	<0.5	<2	20.0	<0.5	<1	5	2	0.11	0.03
C081317		4.68	0.310	<0.5	7.17	15	1440	2.8	6	2.53	<0.5	7	46	28	2.78	3.65
C081318		2.04	0.005	<0.5	7.38	20	1420	3.0	<2	2.61	<0.5	7	51	22	2.92	3.44
C081319		3.10	0.019	<0.5	7.40	99	1500	3.0	<2	2.72	<0.5	6	37	25	2.59	3.62
C081320		1.84	0.292	<0.5	6.21	6340	1450	2.6	<2	1.78	<0.5	7	34	43	2.56	3.79
C081321		2.00	0.129	<0.5	6.10	26	1180	2.6	<2	1.89	<0.5	7	34	34	2.25	3.26
C081322		Not Recvd														
C081323		Not Recvd														
C081324		Not Recvd														
C081325		Not Recvd														
C081326		3.30	0.033	0.6	6.61	58	780	2.5	<2	2.38	<0.5	9	36	31	2.59	3.01
C081327		4.12	0.096	<0.5	6.44	111	880	2.3	<2	1.89	<0.5	6	32	18	2.53	3.28
C081328		3.02	0.040	<0.5	6.53	16	1220	2.3	<2	1.66	<0.5	8	42	43	2.29	3.77
C081329		<0.02	0.029	<0.5	6.99	18	1290	2.3	<2	1.66	<0.5	6	38	46	2.38	3.91
C081330		Empty Bag														
C081331		3.12	0.160	<0.5	7.10	20	1320	2.8	<2	2.39	<0.5	7	35	35	2.59	3.60
C081332		Not Recvd														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059622

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.01
C081293		0.89	396	<1	1.81	17	650	32	0.09	<5	514	0.29	40	<10	67	
C081294		0.84	354	<1	1.64	18	580	32	0.09	<5	465	0.30	40	<10	70	
C081295		0.84	361	1	1.76	16	590	32	0.08	<5	506	0.28	37	<10	66	
C081296		11.20	117	<1	0.02	1	390	<2	0.01	<5	108	0.01	3	<10	8	
C081297		0.85	348	<1	1.77	18	610	28	0.09	<5	494	0.28	37	<10	51	
C081298		0.92	343	<1	1.77	18	640	27	0.04	<5	515	0.30	39	20	45	
C081299		0.84	298	2	1.75	19	620	25	0.24	<5	506	0.29	37	120	39	
C081300		0.78	265	<1	1.60	17	610	24	0.38	<5	500	0.27	36	20	35	
C081301		0.94	384	<1	1.69	18	620	24	0.07	<5	502	0.30	40	10	56	
C081302		0.89	357	<1	1.71	17	630	28	0.07	<5	499	0.28	37	10	48	
C081303		0.86	331	<1	1.57	18	610	22	0.19	<5	440	0.27	37	10	41	
C081304		1.09	395	1	1.56	17	610	22	0.08	<5	440	0.27	37	10	44	
C081305		0.66	311	<1	1.58	16	620	22	0.11	6	436	0.27	36	10	41	
C081306		0.93	361	<1	1.68	20	680	23	0.15	<5	545	0.32	45	20	52	
C081307		0.85	369	1	1.76	19	670	23	0.07	<5	546	0.31	42	10	50	
C081308		0.84	375	<1	1.73	19	690	24	0.16	<5	551	0.32	42	10	45	
C081309		0.79	370	<1	1.71	18	670	25	0.15	5	536	0.30	39	10	42	
C081310																
C081311		0.82	406	1	1.58	18	680	26	0.13	8	525	0.31	45	100	46	
C081312		0.98	1635	2	0.14	14	500	5010	7.04	1940	126	0.19	39	<10	>10000	1.72
C081313		1.46	1125	<1	0.70	11	570	313	0.85	92	320	0.23	44	10	429	
C081314		1.07	383	<1	1.67	11	580	29	0.09	<5	491	0.25	47	10	49	
C081315		1.11	362	<1	1.62	11	590	26	0.10	<5	505	0.24	44	10	36	
C081316		11.30	125	<1	0.01	2	380	<2	0.01	<5	104	0.01	2	<10	8	
C081317		1.09	360	<1	1.63	13	610	25	0.12	<5	505	0.27	48	10	42	
C081318		1.07	386	1	1.74	14	650	25	0.13	<5	541	0.29	52	10	48	
C081319		0.87	341	<1	1.73	16	610	27	0.20	<5	531	0.28	41	10	41	
C081320		0.70	262	<1	1.33	16	530	23	0.43	8	373	0.27	36	20	39	
C081321		0.68	311	1	1.43	13	510	22	0.12	<5	395	0.24	39	10	36	
C081322																
C081323																
C081324																
C081325																
C081326		1.07	616	<1	1.11	15	590	22	0.27	9	207	0.26	41	20	45	
C081327		0.96	530	<1	0.74	12	540	44	0.39	9	212	0.23	36	20	68	
C081328		0.70	265	<1	1.25	12	510	23	0.21	<5	384	0.23	39	50	31	
C081329		0.71	274	<1	1.36	11	530	22	0.21	6	409	0.23	38	60	32	
C081330																
C081331		0.79	284	<1	1.65	13	560	24	0.20	<5	498	0.26	40	20	31	
C081332																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059622

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C081333		Not Recvd														
C081334		Not Recvd														
C081335		4.34	0.022	<0.5	6.75	15	1290	2.7	<2	2.95	<0.5	7	35	43	2.60	3.37
C081336		1.56	<0.005	<0.5	0.10	5	20	<0.5	<2	19.30	<0.5	<1	3	2	0.12	0.03
C081338		3.38	0.134	<0.5	7.07	10	1420	2.7	<2	2.55	<0.5	8	37	47	2.64	3.73
C081337		Not Recvd														
C081339		Not Recvd														
C081340		Not Recvd														
C081341		1.84	0.337	<0.5	7.14	13	1500	2.8	7	2.62	<0.5	8	35	50	2.72	3.75
C081342		1.90	0.165	<0.5	7.22	14	1490	2.8	<2	2.52	<0.5	6	36	49	2.67	3.77
C081343		5.06	0.434	<0.5	6.69	763	1560	2.4	8	2.25	<0.5	9	34	62	2.45	4.35
C081344		4.20	0.256	<0.5	6.98	34	1460	2.8	3	2.12	<0.5	8	38	60	2.69	3.68
C081345		4.38	0.022	<0.5	6.44	17	1210	2.5	<2	2.55	<0.5	7	31	38	2.52	3.24
C081346		3.66	0.080	<0.5	7.27	8	1410	2.8	<2	2.51	<0.5	7	38	38	2.78	3.51
C081347		3.98	0.015	<0.5	6.86	6	1410	2.8	<2	2.70	<0.5	7	32	39	2.55	3.45
C081348		4.84	0.191	<0.5	6.90	9	1350	2.6	3	2.57	<0.5	6	31	30	2.62	3.03
C081349		<0.02	0.334	<0.5	6.39	10	1320	2.7	2	2.54	<0.5	6	33	34	2.57	3.22
C081350		0.10	0.118	<0.5	6.75	103	570	2.5	<2	0.54	<0.5	54	1120	382	8.61	2.10
C081351		4.86	0.158	<0.5	7.12	10	1510	2.8	<2	2.51	<0.5	8	36	42	2.75	3.65
C081352		2.86	0.009	<0.5	7.37	21	1480	2.9	<2	2.74	<0.5	8	37	14	2.92	3.51
C081353		3.54	0.182	<0.5	7.36	22	1470	3.3	<2	2.75	<0.5	9	43	24	2.92	4.10
C081354		1.52	0.005	<0.5	7.38	16	1450	2.9	<2	2.57	<0.5	7	37	10	2.84	3.53
C081355		3.24	0.006	<0.5	7.36	13	1410	2.9	<2	2.77	<0.5	8	36	16	2.83	3.48
C081356		1.48	0.011	<0.5	0.11	9	10	<0.5	<2	20.3	<0.5	1	3	2	0.12	0.03
C081357		2.18	0.009	<0.5	6.98	14	1310	2.7	<2	3.06	<0.5	7	33	12	2.76	3.01
C081358		2.96	0.046	<0.5	6.58	13	1220	2.5	<2	3.69	<0.5	7	33	53	2.64	3.72
C081359		4.64	0.077	<0.5	6.18	13	1310	2.1	<2	2.89	<0.5	8	28	36	2.46	3.16
C081360		3.16	0.012	<0.5	6.74	14	1270	2.7	<2	3.17	<0.5	5	29	7	2.62	2.88
C081361		1.54	0.011	<0.5	6.21	11	1280	2.7	<2	2.42	<0.5	7	27	8	2.27	3.03
C081362		Not Recvd														
C081363		Not Recvd														
C081364		Not Recvd														
C081365		Not Recvd														
C081366		Not Recvd														
C081367		Not Recvd														
C081368		4.48	0.191	<0.5	6.75	11	1480	2.8	<2	2.54	<0.5	7	36	17	2.53	3.29
C081369		<0.02	0.306	<0.5	6.76	6	1470	2.8	<2	2.54	<0.5	7	35	16	2.52	3.27
C081370		0.12	0.458	2.1	7.95	<5	980	1.1	<2	1.35	<0.5	6	11	6830	3.04	3.36
C081371		3.58	0.008	<0.5	7.00	7	1470	2.7	<2	2.18	<0.5	7	31	11	2.66	3.24
C081372		4.12	0.072	<0.5	6.93	26	1410	2.8	<2	3.88	<0.5	8	31	9	2.73	3.09

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059622

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.01
C081333																
C081334																
C081335		1.04	284	1	1.55	12	590	21	0.15	<5	515	0.27	38	10	27	
C081336		10.80	124	<1	0.01	1	360	2	0.01	<5	103	0.01	2	<10	7	
C081338		0.85	242	<1	1.62	13	610	20	0.19	<5	520	0.28	39	<10	24	
C081337																
C081339																
C081340																
C081341		0.81	266	<1	1.61	14	630	22	0.20	<5	506	0.28	40	10	27	
C081342		0.80	259	<1	1.68	15	620	20	0.19	<5	521	0.28	41	20	27	
C081343		1.00	247	2	1.28	13	600	21	0.31	<5	381	0.26	39	10	25	
C081344		0.91	238	<1	1.47	14	640	21	0.34	<5	426	0.28	42	10	26	
C081345		1.01	294	1	1.46	14	570	22	0.16	10	405	0.26	38	10	36	
C081346		0.83	300	3	1.83	15	670	22	0.30	<5	513	0.30	40	60	32	
C081347		0.83	288	3	1.71	17	600	19	0.22	<5	524	0.28	38	40	32	
C081348		0.92	288	1	1.73	15	610	24	0.16	<5	535	0.26	35	10	30	
C081349		0.90	289	1	1.70	15	590	22	0.16	<5	517	0.28	37	20	32	
C081350		0.59	373	8	0.13	453	350	150	0.02	12	52	0.19	86	20	583	
C081351		0.86	302	<1	1.76	16	670	24	0.23	<5	587	0.31	40	30	33	
C081352		0.96	389	1	1.90	14	740	23	0.18	<5	594	0.33	42	20	44	
C081353		1.01	372	<1	1.84	16	700	23	0.17	<5	545	0.35	47	30	47	
C081354		0.95	371	<1	1.84	15	640	23	0.17	<5	535	0.31	46	20	44	
C081355		0.92	373	<1	1.89	15	700	25	0.19	<5	576	0.31	42	20	43	
C081356		11.30	136	<1	0.02	1	390	<2	0.01	<5	111	0.01	2	<10	7	
C081357		1.16	414	<1	1.90	13	720	20	0.13	<5	620	0.31	39	10	45	
C081358		1.03	393	4	1.49	10	710	17	0.43	<5	568	0.31	37	180	33	
C081359		0.63	317	<1	1.82	14	570	20	0.09	<5	447	0.25	34	10	33	
C081360		0.77	379	1	1.69	17	590	27	0.06	<5	464	0.26	35	10	49	
C081361		0.67	322	<1	1.90	15	580	29	0.04	<5	474	0.27	37	<10	60	
C081362																
C081363																
C081364																
C081365																
C081366																
C081367																
C081368		0.79	308	<1	1.73	18	620	22	0.11	<5	498	0.30	41	<10	45	
C081369		0.79	304	1	1.72	20	640	22	0.11	<5	495	0.30	41	10	44	
C081370		1.10	442	2	3.17	9	1830	12	0.23	<5	611	0.30	158	<10	54	
C081371		0.86	318	1	1.99	19	650	21	0.07	<5	496	0.30	39	10	43	
C081372		1.09	399	<1	1.80	18	630	20	0.07	<5	538	0.28	37	10	44	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059622

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C081373		3.00	<0.005	<0.5	7.24	20	1550	2.9	<2	2.84	3.5	7	33	6	2.75	3.14
C081374		4.52	0.084	<0.5	6.75	13	1470	2.6	<2	2.58	<0.5	7	33	10	2.62	3.21
C081375		3.26	<0.005	<0.5	7.29	12	1650	2.9	<2	2.38	<0.5	7	36	9	2.74	3.29
C081376		1.44	0.020	<0.5	0.11	9	20	<0.5	<2	20.1	<0.5	<1	3	2	0.12	0.03
C081377		4.02	0.016	<0.5	7.38	14	1580	3.0	<2	2.79	<0.5	8	35	6	2.76	3.25
C081378		3.56	0.052	<0.5	7.18	9	1510	2.8	<2	2.92	<0.5	7	34	6	2.64	3.31
C081379		3.12	0.055	<0.5	7.25	9	1510	3.0	<2	2.68	<0.5	8	35	19	2.83	3.25
C081380		2.76	<0.005	<0.5	7.72	13	1740	3.1	<2	2.71	<0.5	8	40	5	2.95	3.39
C081381		1.36	0.013	<0.5	7.08	14	1470	2.9	<2	3.16	1.9	12	32	10	2.78	3.03
C081382		1.46	0.062	<0.5	6.80	10	1520	3.0	<2	2.68	<0.5	11	35	10	2.77	3.16
C081383		3.06	0.059	<0.5	6.78	13	1370	2.6	<2	2.41	<0.5	10	29	11	2.71	3.17
C081384		2.04	0.006	<0.5	6.93	18	1340	2.9	<2	2.29	<0.5	8	31	14	2.64	3.21
C081385		4.20	0.064	<0.5	7.60	65	1650	3.0	<2	2.52	<0.5	7	27	14	2.71	3.46
C081386		4.04	0.047	<0.5	7.67	73	1520	3.3	<2	2.28	<0.5	6	26	14	2.48	3.80
C081387		2.98	0.122	<0.5	6.81	107	1180	3.4	<2	1.96	<0.5	5	24	13	1.90	3.89
C081388		5.02	0.083	<0.5	7.39	38	1420	3.4	4	2.21	<0.5	6	25	43	2.27	3.59
C081389		<0.02	0.093	<0.5	7.33	50	1400	3.4	3	2.16	<0.5	6	28	42	2.28	3.64
C081390		0.12	0.104	<0.5	6.68	111	570	2.6	<2	0.54	<0.5	58	1130	392	8.55	2.15
C081391		4.46	0.025	<0.5	7.47	56	1500	3.3	<2	2.23	<0.5	6	28	14	2.49	3.58
C081392		3.34	0.050	<0.5	7.23	100	1660	2.9	2	2.09	<0.5	5	29	12	2.42	3.65
C081393		3.72	0.018	<0.5	6.92	84	1580	2.8	<2	2.27	<0.5	7	29	10	2.50	3.41
C081394		2.62	0.027	<0.5	7.46	248	1500	3.6	<2	2.15	<0.5	7	28	24	2.40	3.71
C081395		4.04	0.032	<0.5	7.38	241	1530	3.3	<2	2.31	<0.5	7	27	32	2.56	3.62
C081396		1.64	<0.005	<0.5	0.11	7	20	<0.5	<2	20.1	<0.5	<1	4	2	0.11	0.03
C081397		4.14	0.032	<0.5	7.33	118	1480	3.2	<2	2.19	2.7	6	27	24	2.46	3.61
C081398		2.98	0.092	<0.5	7.53	59	1490	3.1	2	2.01	<0.5	6	22	18	2.49	3.56
C081399		3.40	0.019	<0.5	7.55	60	1540	3.0	<2	2.34	<0.5	8	28	15	2.61	3.45
C081400		3.02	0.030	<0.5	7.37	57	1580	3.1	<2	2.33	<0.5	9	29	10	2.61	3.44
C081401		1.58	0.047	<0.5	6.82	130	1540	3.2	<2	2.41	<0.5	9	29	24	2.60	3.40
C081402		1.72	0.032	<0.5	6.72	91	1550	3.0	<2	2.57	<0.5	8	26	17	2.55	3.39
C081403		1.66	0.074	<0.5	7.09	170	1470	2.9	2	2.01	<0.5	6	24	36	2.30	3.71
C081404		1.36	0.088	<0.5	6.82	530	1410	2.9	2	1.67	<0.5	7	24	29	2.46	3.44
C081405		4.12	0.032	<0.5	6.93	75	1320	3.0	<2	2.04	<0.5	5	21	25	2.27	3.45
C081406		2.20	0.037	<0.5	7.56	202	1670	3.1	<2	2.71	<0.5	6	30	36	2.85	3.22
C081407		2.60	2.31	<0.5	7.50	43	1690	3.0	24	2.47	<0.5	6	28	36	2.60	3.64
C081408		2.36	0.068	<0.5	7.24	52	1470	2.9	<2	2.41	<0.5	8	26	28	2.52	3.62
C081409		<0.02	0.189	<0.5	7.75	41	1610	3.0	<2	2.52	<0.5	8	32	32	2.62	3.78
C081410		0.10	3.10	<0.5	6.60	9	1970	3.2	<2	4.52	<0.5	22	138	95	4.86	3.23
C081411		3.34	0.050	<0.5	7.34	50	1570	3.0	<2	2.40	<0.5	7	34	31	2.56	3.46
C081412		3.18	0.251	<0.5	7.51	70	1610	2.6	<2	2.54	<0.5	6	33	26	2.53	3.04

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059622

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.01
C081373		0.92	345	1	1.76	20	680	43	0.15	<5	535	0.30	41	10	54	
C081374		0.85	330	1	1.83	18	620	26	0.08	<5	524	0.29	39	10	48	
C081375		0.87	307	1	1.80	19	680	22	0.12	<5	557	0.31	42	10	48	
C081376		11.20	125	<1	0.02	<1	380	2	0.01	<5	108	0.01	2	<10	7	
C081377		0.92	345	<1	1.83	21	710	22	0.16	<5	530	0.33	43	<10	52	
C081378		0.88	348	1	1.76	19	660	26	0.09	<5	516	0.30	41	<10	52	
C081379		0.88	342	2	1.75	21	700	25	0.15	<5	503	0.32	44	10	54	
C081380		0.99	379	<1	2.00	20	750	27	0.10	<5	564	0.33	46	10	61	
C081381		0.93	397	<1	1.75	20	680	42	0.15	<5	496	0.31	42	10	57	
C081382		0.91	374	1	1.77	19	670	27	0.13	<5	480	0.32	43	10	56	
C081383		0.86	336	<1	1.57	18	640	24	0.29	<5	399	0.29	39	<10	53	
C081384		0.85	353	<1	1.69	19	630	34	0.06	<5	431	0.28	38	<10	69	
C081385		0.82	271	<1	1.69	23	660	21	0.08	<5	498	0.30	35	<10	42	
C081386		0.74	248	<1	1.69	19	610	26	0.07	<5	450	0.27	32	<10	39	
C081387		0.52	162	10	1.49	16	450	21	0.08	<5	349	0.20	24	10	25	
C081388		0.71	145	1	1.69	19	580	19	0.19	<5	443	0.26	31	<10	20	
C081389		0.70	143	1	1.66	19	580	19	0.19	<5	438	0.26	31	<10	20	
C081390		0.59	370	7	0.12	470	350	148	0.02	7	50	0.21	88	30	609	
C081391		0.73	216	<1	1.70	20	610	24	0.03	<5	441	0.29	34	<10	39	
C081392		0.73	203	<1	1.55	20	660	17	0.03	<5	424	0.30	36	10	31	
C081393		0.75	231	<1	1.53	21	660	20	0.02	<5	433	0.31	38	10	40	
C081394		0.75	203	1	1.64	21	610	20	0.09	<5	418	0.29	34	10	30	
C081395		0.76	212	3	1.64	20	620	16	0.19	<5	451	0.29	35	<10	29	
C081396		11.30	121	<1	0.02	1	380	<2	<0.01	<5	108	0.01	2	<10	7	
C081397		0.75	195	<1	1.52	19	620	50	0.24	<5	408	0.27	33	10	30	
C081398		0.81	188	<1	1.54	19	590	22	0.08	<5	405	0.26	31	<10	28	
C081399		0.78	246	<1	1.65	21	660	17	0.08	<5	455	0.30	35	10	38	
C081400		0.79	250	<1	1.56	24	650	19	0.06	<5	435	0.31	37	<10	44	
C081401		0.73	249	1	1.38	23	670	19	0.08	<5	399	0.31	38	20	39	
C081402		0.71	252	<1	1.36	23	640	19	0.06	<5	406	0.29	35	10	37	
C081403		0.63	180	1	1.34	20	590	25	0.13	5	349	0.26	31	10	39	
C081404		0.68	217	1	1.18	19	560	22	0.06	<5	321	0.26	31	10	68	
C081405		0.65	150	1	1.57	19	540	18	0.15	<5	405	0.23	28	10	20	
C081406		0.88	214	<1	1.74	23	700	18	0.21	<5	517	0.32	40	<10	25	
C081407		0.78	177	1	1.62	20	650	19	0.21	<5	473	0.28	35	30	22	
C081408		0.76	187	3	1.53	19	620	19	0.15	<5	447	0.28	33	10	24	
C081409		0.80	200	1	1.64	19	640	29	0.15	<5	485	0.31	35	10	30	
C081410		2.80	984	11	2.22	62	2230	27	0.29	6	1600	0.38	153	<10	92	
C081411		0.78	201	<1	1.58	20	620	18	0.18	<5	487	0.31	35	10	22	
C081412		0.82	213	<1	1.61	19	630	13	0.17	<5	471	0.27	33	20	24	

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059622

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C081413		5.64	0.022	<0.5	7.51	44	1550	3.2	<2	2.39	<0.5	7	36	32	2.54	3.55
C081414		1.84	0.100	<0.5	7.13	42	1400	3.0	2	2.21	<0.5	6	35	31	2.34	3.57
C081415		2.72	0.107	<0.5	7.11	52	1500	3.2	2	2.41	<0.5	7	36	27	2.47	3.30
C081416		1.64	<0.005	<0.5	0.14	<5	20	<0.5	<2	19.95	<0.5	<1	6	2	0.12	0.03
C081417		3.02	0.062	<0.5	7.34	45	1420	3.4	<2	2.08	<0.5	5	29	20	2.05	4.53
C081418		5.64	0.064	<0.5	6.87	75	1550	3.0	<2	2.32	<0.5	7	34	23	2.47	3.30
C081419		1.04	0.222	<0.5	7.51	81	1600	3.2	<2	2.17	<0.5	8	32	22	2.43	3.80
C081420		3.32	0.067	<0.5	7.93	99	1670	3.3	<2	2.53	<0.5	7	37	47	2.69	3.92
C081421		1.12	0.125	<0.5	6.58	32	1320	3.0	<2	1.96	<0.5	7	32	39	2.10	4.02
C081422		1.24	0.146	<0.5	7.27	48	1440	2.9	<2	2.06	<0.5	8	33	42	2.30	4.11
C081423		2.52	0.038	<0.5	7.80	67	1630	3.1	<2	2.46	<0.5	8	32	30	2.56	3.55
C081424		3.46	0.089	<0.5	7.43	215	1590	3.0	<2	3.43	<0.5	11	32	33	2.87	3.42
C081425		2.12	0.112	<0.5	7.08	107	1510	3.1	<2	2.28	<0.5	6	31	32	2.42	3.43
C081426		3.60	0.262	<0.5	7.59	106	1820	2.6	<2	2.21	<0.5	7	27	40	2.54	4.33
C081427		3.72	0.166	<0.5	7.02	47	1210	3.4	<2	1.84	<0.5	5	25	35	2.04	4.16
C081428		5.16	0.165	<0.5	7.46	51	1580	3.2	<2	2.63	<0.5	8	38	40	2.77	3.55
C081429		<0.02	0.055	<0.5	7.88	69	1630	3.2	<2	2.70	<0.5	8	42	38	2.92	3.63
C081430		0.10	0.095	<0.5	6.89	118	580	2.6	<2	0.53	<0.5	57	1145	400	8.46	2.20
C081431		2.74	0.017	<0.5	7.63	90	1640	3.0	<2	2.39	<0.5	7	35	31	2.60	3.60
C081432		3.00	0.233	<0.5	8.04	191	1910	2.8	<2	2.48	<0.5	10	32	28	2.32	4.51
C081433		2.26	0.101	<0.5	8.00	148	1660	3.2	<2	2.53	<0.5	7	32	35	2.64	3.67
C081434		3.00	0.100	<0.5	7.30	52	1160	3.9	<2	1.78	<0.5	5	30	29	2.10	4.02
C081435		3.36	0.040	<0.5	7.20	65	1510	3.8	<2	1.95	<0.5	7	28	57	2.11	3.78
C081436		1.54	<0.005	<0.5	0.15	<5	20	<0.5	<2	20.5	<0.5	1	5	2	0.12	0.04
C081437		3.16	0.067	<0.5	7.23	85	1600	3.1	3	2.40	<0.5	7	32	43	2.51	3.50
C081438		2.48	0.033	<0.5	8.27	56	1880	3.0	<2	2.88	<0.5	8	38	47	3.00	3.46
C081439		2.74	0.130	<0.5	6.64	53	1730	2.4	<2	2.16	<0.5	7	35	27	2.35	3.60
C081440		2.84	0.106	<0.5	7.61	99	1680	2.8	<2	2.41	<0.5	8	36	39	2.64	3.52
C081441		1.54	0.046	<0.5	7.58	109	1560	2.9	<2	2.57	<0.5	10	32	33	2.57	3.63
C081442		1.38	0.047	<0.5	7.62	83	1580	2.9	<2	2.61	<0.5	12	33	36	2.64	3.58

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059622

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.01
C081413		0.84	196	<1	1.67	20	620	16	0.17	<5	493	0.32	38	10	23	
C081414		0.76	150	<1	1.56	20	570	14	0.16	<5	459	0.29	33	40	17	
C081415		0.82	232	<1	1.66	21	610	17	0.15	<5	471	0.32	36	10	29	
C081416		11.40	126	<1	0.02	<1	400	<2	0.01	<5	114	0.01	3	<10	5	
C081417		0.66	146	<1	1.62	14	500	16	0.11	<5	436	0.27	30	10	18	
C081418		0.81	236	<1	1.64	20	610	17	0.13	<5	477	0.32	36	10	30	
C081419		0.80	164	<1	1.62	20	630	14	0.10	<5	462	0.32	36	30	35	
C081420		0.87	182	<1	1.80	21	690	17	0.25	<5	533	0.34	39	10	20	
C081421		0.65	124	1	1.44	17	530	16	0.20	<5	422	0.28	32	40	13	
C081422		0.70	125	1	1.52	20	550	14	0.26	<5	457	0.28	31	60	12	
C081423		0.77	203	<1	1.69	20	640	16	0.14	<5	506	0.32	36	10	23	
C081424		1.27	259	<1	1.34	21	660	14	0.18	<5	560	0.32	36	40	20	
C081425		0.77	193	<1	1.66	19	610	18	0.16	<5	496	0.31	35	10	25	
C081426		0.79	162	1	1.40	20	650	16	0.25	<5	453	0.30	35	50	17	
C081427		0.58	162	2	1.54	12	440	26	0.19	<5	390	0.22	25	60	22	
C081428		0.92	294	<1	1.76	19	660	23	0.19	<5	529	0.33	41	50	43	
C081429		0.95	306	<1	1.80	20	680	22	0.19	<5	553	0.34	43	50	44	
C081430		0.59	377	7	0.12	476	350	151	0.02	9	52	0.25	89	30	625	
C081431		0.83	201	<1	1.73	21	640	18	0.15	<5	503	0.33	37	<10	24	
C081432		0.70	194	<1	1.58	19	690	21	0.17	<5	478	0.32	37	30	33	
C081433		0.86	205	<1	1.74	18	680	19	0.20	<5	550	0.33	38	10	25	
C081434		0.61	132	<1	1.67	17	450	23	0.16	<5	388	0.25	30	10	17	
C081435		0.81	105	<1	1.50	24	630	11	0.24	<5	432	0.34	38	140	11	
C081436		11.60	131	<1	0.02	<1	410	<2	0.01	<5	118	0.01	3	<10	5	
C081437		0.81	181	<1	1.73	19	630	15	0.24	<5	500	0.33	38	20	24	
C081438		0.99	245	<1	1.79	24	740	15	0.26	<5	614	0.37	43	30	27	
C081439		0.77	204	6	1.38	19	650	13	0.14	<5	455	0.31	36	170	26	
C081440		0.83	208	1	1.54	21	660	16	0.24	<5	491	0.33	38	30	27	
C081441		0.78	225	<1	1.53	19	630	20	0.17	<5	455	0.31	35	20	25	
C081442		0.81	220	<1	1.56	19	640	17	0.18	<5	469	0.31	36	20	24	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

CERTIFICATE VA06059623

Project: Dublin Gulch1735

P.O. No.:

This report is for 136 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 28-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059623

Sample Description	Method	WEI-21	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
C081443		1.90	0.056		<0.5	7.07	130	1280	2.7	<2	2.39	<0.5	9	27	33	1.94
C081444		5.02	0.055		<0.5	7.72	170	1670	3.0	2	2.73	<0.5	9	36	40	2.87
C081445		3.20	0.041		<0.5	7.59	87	1340	3.2	2	2.21	<0.5	8	24	26	2.20
C081446		4.28	0.155		<0.5	7.41	228	1550	2.8	2	2.27	<0.5	9	32	26	2.34
C081447		2.20	0.074		<0.5	7.73	138	1580	3.0	2	2.27	<0.5	10	27	33	2.24
C081448		2.38	0.015		<0.5	7.52	55	1620	3.1	<2	2.53	<0.5	8	37	23	2.56
C081449		<0.02	0.018		<0.5	7.91	49	1680	3.2	2	2.61	<0.5	9	28	23	2.57
C081450		0.10	0.426		2.3	9.01	5	1040	1.2	2	1.51	<0.5	9	12	7270	3.25
C081451		2.98	0.205		<0.5	7.42	113	1590	3.3	8	2.17	<0.5	9	33	29	2.30
C081452		4.88	0.158		0.5	7.16	216	1070	2.7	<2	3.62	<0.5	7	24	18	2.26
C081453		Not Recvd														
C081454		Not Recvd														
C081455		Not Recvd														
C081456		Not Recvd														
C081457		Not Recvd														
C081458		Not Recvd														
C081459		2.96	0.102		<0.5	6.92	124	1430	2.6	<2	2.07	<0.5	9	29	34	2.23
C081460		3.50	0.074		<0.5	7.06	348	1430	2.8	<2	2.79	<0.5	9	28	30	2.24
C081461		2.78	0.022		<0.5	7.16	39	1450	2.7	<2	2.56	<0.5	9	29	18	2.28
C081462		2.22	0.024		<0.5	7.27	34	1450	2.8	<2	2.81	<0.5	8	29	20	2.32
C081463		3.24	0.025		<0.5	6.96	117	1440	2.8	<2	2.27	<0.5	8	39	22	2.04
C081464		3.40	0.049		<0.5	7.03	257	1500	2.7	<2	2.09	<0.5	8	32	30	2.22
C081465		2.40	>10.0	14.75	1.2	5.75	6290	1280	2.1	102	1.41	<0.5	39	23	28	2.21
C081466		3.46	0.645		<0.5	6.75	246	1520	2.7	6	1.43	<0.5	9	27	26	2.21
C081467		3.78	0.428		<0.5	7.16	423	1620	2.4	<2	1.23	<0.5	15	26	20	2.10
C081468		2.72	0.067		<0.5	6.76	89	1270	2.9	<2	2.44	<0.5	7	27	24	2.45
C081469		<0.02	0.074		<0.5	6.69	83	1270	2.9	<2	2.42	<0.5	7	24	21	2.34
C081470		0.10	1.405		<0.5	6.85	1245	690	6.1	<2	0.01	<0.5	6	213	40	3.72
C081471		3.38	0.014		<0.5	7.15	77	1430	2.8	<2	2.42	<0.5	7	27	12	2.24
C081472		Not Recvd														
C081473		Not Recvd														
C081474		Not Recvd														
C081475		Not Recvd														
C081476		Not Recvd														
C081477		Not Recvd														
C081478		3.60	0.022		<0.5	7.48	69	1640	2.6	<2	2.76	<0.5	8	32	22	2.79
C081479		2.96	0.010		<0.5	7.49	40	1630	2.6	<2	2.90	<0.5	8	30	18	2.50
C081480		4.02	0.005		<0.5	6.90	34	1440	2.5	<2	2.94	<0.5	8	31	13	2.43
C081481		1.82	0.007		<0.5	7.51	48	1340	2.7	<2	2.75	<0.5	8	29	12	2.38
C081482		2.36	0.007		<0.5	7.57	44	1370	2.7	<2	2.72	<0.5	8	34	11	2.50

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059623

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
C081443		3.46	0.47	191	3	1.44	22	580	29	0.30	<5	329	0.28	33	20	41
C081444		3.44	0.90	276	2	1.69	26	710	25	0.22	<5	515	0.33	40	10	48
C081445		3.99	0.67	209	2	1.64	19	510	28	0.17	<5	438	0.25	31	10	37
C081446		3.89	0.72	230	2	1.51	22	590	24	0.16	<5	461	0.29	34	30	35
C081447		4.21	0.70	227	1	1.58	20	610	25	0.18	<5	469	0.30	34	30	38
C081448		3.52	0.80	296	1	1.61	24	630	23	0.12	<5	486	0.31	37	20	45
C081449		3.69	0.84	291	1	1.68	22	670	26	0.13	<5	505	0.32	39	30	46
C081450		3.75	1.14	470	2	3.27	11	1830	16	0.24	<5	665	0.34	170	<10	62
C081451		3.68	0.75	301	2	1.46	24	650	27	0.07	<5	440	0.32	38	20	81
C081452		3.37	0.71	921	1	0.10	19	600	74	0.13	9	232	0.26	33	40	125
C081453																
C081454																
C081455																
C081456																
C081457																
C081458																
C081459		3.32	0.70	212	3	1.36	21	580	15	0.17	<5	386	0.27	39	20	21
C081460		3.38	0.62	238	1	1.35	20	630	20	0.22	<5	414	0.28	36	50	34
C081461		3.23	0.65	270	2	1.39	22	640	16	0.10	<5	419	0.30	37	10	37
C081462		3.27	0.66	284	1	1.39	24	650	17	0.10	<5	429	0.29	37	10	36
C081463		3.44	0.59	223	1	1.33	20	620	14	0.11	<5	395	0.29	39	10	33
C081464		3.28	0.63	236	3	1.38	24	640	13	0.17	6	398	0.28	36	30	32
C081465		2.88	0.55	147	11	0.92	21	520	101	0.40	11	316	0.21	28	60	26
C081466		3.78	0.71	189	5	1.01	20	550	23	0.19	<5	341	0.25	33	30	44
C081467		3.79	0.75	173	1	0.87	20	630	36	0.12	5	353	0.28	36	30	69
C081468		3.31	1.09	289	1	0.91	20	610	29	0.11	6	401	0.27	34	20	32
C081469		3.27	1.07	273	2	0.91	19	600	29	0.11	6	397	0.27	34	30	29
C081470		2.71	0.36	89	2	0.11	20	320	26	0.01	113	95	0.26	93	10	47
C081471		3.20	0.68	277	2	1.28	21	630	25	0.12	<5	405	0.27	35	50	41
C081472																
C081473																
C081474																
C081475																
C081476																
C081477																
C081478		3.21	0.72	321	1	1.54	26	670	28	0.10	8	504	0.31	39	10	62
C081479		3.13	0.68	313	1	1.63	22	690	24	0.08	<5	524	0.31	38	<10	55
C081480		3.15	0.62	302	1	1.42	21	660	25	0.06	5	443	0.30	37	10	65
C081481		3.16	0.56	282	1	1.55	24	710	23	0.07	<5	396	0.32	40	20	58
C081482		3.10	0.59	288	1	1.49	23	690	24	0.07	<5	406	0.32	40	10	57

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059623

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
C081483		4.18	0.006		<0.5	6.94	50	1150	2.6	<2	2.43	<0.5	7	27	11	2.21
C081484		2.90	0.293		<0.5	6.75	1360	1100	2.6	2	2.67	<0.5	16	25	23	2.74
C081485		3.08	0.026		<0.5	7.45	98	1570	2.3	<2	1.17	<0.5	8	28	24	2.34
C081486		3.50	>10.0	10.15	5.6	4.54	>10000	310	1.8	52	1.98	0.5	782	22	15	6.18
C081487		4.32	4.96		3.4	3.98	>10000	360	1.8	15	1.93	2.9	797	21	12	6.39
C081488		4.54	0.244		1.1	7.06	580	1020	2.6	<2	2.50	1.4	13	30	24	2.57
C081489		<0.02	0.233		1.1	6.65	227	950	2.6	<2	2.45	1.2	8	29	24	2.45
C081490		0.10	2.70		<0.5	7.05	1975	700	13.3	<2	0.01	<0.5	1	145	98	3.24
C081491		4.56	0.143		<0.5	6.78	682	1140	2.4	<2	3.02	<0.5	11	25	24	2.22
C081492		4.74	0.074		0.5	7.40	70	1530	2.7	2	2.48	<0.5	8	27	17	2.24
C081493		1.58	0.069		<0.5	6.55	74	1490	2.2	<2	1.60	<0.5	6	27	16	1.94
C081494		3.72	0.012		<0.5	7.54	66	1650	2.8	<2	2.24	<0.5	7	31	16	2.36
C081495		1.46	<0.005		<0.5	8.11	29	1700	3.4	<2	3.50	<0.5	12	69	21	3.04
C081496		1.80	<0.005		<0.5	0.13	<5	10	<0.5	<2	21.7	<0.5	1	6	2	0.11
C081497		3.72	0.115		<0.5	7.47	94	1610	2.8	<2	2.48	<0.5	11	30	24	2.20
C081498		3.62	0.015		<0.5	7.18	56	1540	2.6	<2	2.63	<0.5	11	29	18	2.11
C081499		4.60	0.044		<0.5	7.10	19	1540	2.6	<2	2.33	<0.5	8	27	15	2.07
C081500		4.74	0.035		<0.5	6.74	70	1330	2.7	<2	2.38	<0.5	8	33	23	2.13
C081501		1.28	0.013		<0.5	7.28	54	1580	2.8	<2	2.91	<0.5	16	26	19	2.34
C081502		1.18	0.010		<0.5	7.36	49	1710	2.7	<2	3.19	<0.5	12	26	14	2.27
C081503		2.24	0.157		<0.5	7.32	180	1500	2.7	2	3.12	<0.5	11	25	25	2.51
C081504		2.10	0.018		<0.5	7.72	58	1660	2.7	<2	2.45	<0.5	7	26	14	2.29
C081505		2.94	0.013		<0.5	7.65	88	1640	2.7	<2	2.65	<0.5	8	27	15	2.30
C081506		5.68	0.021		<0.5	7.01	93	1460	2.6	<2	2.60	<0.5	7	27	24	2.17
C081507		3.48	0.006		<0.5	8.23	69	1740	2.9	<2	2.97	<0.5	8	32	13	2.71
C081508		2.96	0.015		<0.5	7.46	101	1710	2.7	<2	3.24	<0.5	10	26	23	2.54
C081509		<0.02	0.031		<0.5	7.27	78	1750	2.7	<2	3.12	<0.5	8	26	20	2.45
C081510		0.10	4.30		8.6	7.87	<5	490	0.9	<2	2.98	1.2	18	22	127	4.19
C081511		4.88	0.023		<0.5	7.52	82	1740	2.8	<2	3.45	<0.5	10	28	31	2.47
C081512		2.04	<0.005		<0.5	7.19	58	1540	2.8	<2	2.25	<0.5	10	26	13	2.15
C081513		3.16	0.028		<0.5	7.97	41	1640	2.9	<2	2.55	<0.5	9	29	19	2.52
C081514		3.10	0.093		<0.5	7.75	50	1740	2.9	<2	2.44	<0.5	9	27	21	2.56
C081515		3.30	0.655		<0.5	7.17	75	1540	2.8	4	3.20	<0.5	9	28	23	2.29
C081516		1.76	0.007		<0.5	0.12	<5	20	<0.5	<2	20.8	<0.5	1	3	2	0.09
C081517		5.50	0.015		<0.5	7.54	57	1600	2.8	<2	2.67	<0.5	7	28	20	2.39
C081518		2.38	0.028		<0.5	7.45	123	1520	2.9	<2	3.16	<0.5	12	25	25	2.77
C081519		3.14	0.009		<0.5	7.00	96	1580	2.7	<2	3.14	<0.5	9	27	22	2.57
C081520		3.28	0.040		<0.5	7.77	55	1810	2.9	<2	2.80	<0.5	9	28	17	2.46
C081521		2.54	0.028		<0.5	7.92	58	1840	3.0	<2	2.79	<0.5	8	29	23	2.73
C081522		2.06	0.248		<0.5	7.60	97	1730	2.9	<2	2.60	<0.5	8	28	26	2.53

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059623

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C081483		2.84	0.65	256	<1	1.20	20	670	20	0.06	6	310	0.30	37	10	51
C081484		3.03	1.40	371	3	0.85	19	590	29	0.20	7	355	0.27	33	20	50
C081485		3.26	0.70	213	1	1.11	18	670	21	0.12	8	352	0.31	38	30	50
C081486		1.78	0.70	264	8	0.38	73	420	356	2.93	84	161	0.15	21	30	140
C081487		1.59	0.83	368	5	0.06	81	320	359	2.99	103	148	0.13	18	40	541
C081488		3.23	1.15	525	2	0.61	22	610	149	0.31	<5	262	0.26	33	30	279
C081489		3.24	1.11	514	2	0.57	21	570	137	0.28	<5	251	0.26	33	30	276
C081490		2.96	0.37	66	3	0.08	9	330	26	0.02	150	140	0.23	99	10	16
C081491		3.16	0.70	347	4	0.88	21	600	42	0.21	<5	301	0.24	33	30	124
C081492		3.26	0.78	295	1	1.34	21	630	69	0.09	<5	440	0.27	35	10	52
C081493		3.52	0.82	245	3	1.14	18	590	70	0.17	6	348	0.24	33	20	49
C081494		3.38	0.79	300	1	1.43	22	670	29	0.06	<5	468	0.31	38	20	59
C081495		3.29	1.02	450	1	1.79	34	790	33	0.05	<5	605	0.37	59	10	90
C081496		0.03	12.10	145	<1	0.01	<1	420	<2	<0.01	<5	114	0.01	3	<10	8
C081497		3.72	0.62	303	1	1.40	19	650	60	0.19	<5	437	0.28	37	20	69
C081498		3.57	0.66	279	1	1.24	19	620	29	0.11	5	384	0.28	36	20	60
C081499		3.52	0.58	278	1	1.38	20	600	31	0.07	6	406	0.28	34	20	65
C081500		3.08	0.64	264	2	1.33	19	610	23	0.12	<5	408	0.29	36	10	52
C081501		2.99	0.78	307	1	1.50	21	690	23	0.07	<5	526	0.31	38	20	58
C081502		3.07	0.76	329	1	1.60	18	700	25	0.06	<5	557	0.31	38	20	57
C081503		3.32	0.79	290	1	1.41	20	610	30	0.20	<5	498	0.26	32	10	43
C081504		3.44	0.74	248	2	1.56	20	650	30	0.13	<5	496	0.28	35	10	53
C081505		3.36	0.73	274	2	1.50	22	690	23	0.09	<5	487	0.30	38	10	45
C081506		3.20	0.65	260	2	1.47	21	630	27	0.18	<5	463	0.28	35	20	57
C081507		3.48	0.82	329	1	1.77	23	750	20	0.06	<5	584	0.33	41	20	42
C081508		3.09	1.01	309	4	1.48	22	700	19	0.08	<5	594	0.32	39	30	36
C081509		3.05	0.93	297	3	1.49	21	660	19	0.07	<5	579	0.30	36	30	34
C081510		2.27	1.40	968	12	1.66	13	930	25	0.67	<5	424	0.37	151	10	102
C081511		3.32	1.04	297	2	1.53	22	730	17	0.12	5	627	0.32	38	20	42
C081512		3.26	0.76	242	1	1.56	24	640	23	0.05	<5	521	0.30	36	20	56
C081513		3.41	0.77	306	<1	1.69	23	690	28	0.05	5	540	0.30	37	20	63
C081514		3.40	0.76	292	1	1.57	23	700	31	0.07	<5	540	0.32	39	30	62
C081515		3.09	1.07	290	<1	1.48	22	660	20	0.08	<5	614	0.31	38	20	38
C081516		0.03	11.50	126	<1	0.01	<1	400	<2	<0.01	<5	115	<0.01	3	<10	7
C081517		3.24	0.98	266	<1	1.53	21	680	19	0.08	5	557	0.31	38	20	38
C081518		3.19	1.14	276	1	1.50	23	650	17	0.45	6	636	0.30	37	20	32
C081519		3.05	0.73	296	1	1.65	20	660	19	0.10	5	536	0.30	37	20	31
C081520		3.40	0.78	270	1	1.76	24	690	19	0.07	<5	568	0.33	40	20	45
C081521		3.55	0.81	247	2	1.81	23	700	21	0.12	<5	569	0.32	38	20	30
C081522		3.58	0.77	226	1	1.74	24	650	21	0.13	<5	543	0.31	39	20	31

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059623

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
C081523		4.44	0.113		<0.5	7.35	75	1650	2.7	<2	2.58	<0.5	8	26	23	2.48
C081524		2.80	0.199		<0.5	6.64	54	1540	2.4	<2	2.73	<0.5	6	28	17	2.00
C081525		4.38	0.050		<0.5	7.52	86	1700	2.9	<2	2.67	<0.5	9	28	20	2.45
C081526		3.10	0.006		<0.5	7.42	69	1650	3.1	<2	2.51	<0.5	9	28	14	2.34
C081527		3.54	0.005		<0.5	7.45	47	1650	3.0	<2	2.40	<0.5	7	26	14	2.47
C081528		2.54	0.025		<0.5	7.82	34	1720	2.7	<2	2.41	<0.5	7	27	19	2.39
C081529		<0.02	0.016		<0.5	6.82	41	1570	2.5	<2	2.21	<0.5	7	29	17	2.30
C081530		0.10	0.095		<0.5	6.68	112	570	2.6	<2	0.55	<0.5	58	1165	397	8.26
C081531		4.48	0.011		<0.5	7.49	45	1600	3.0	<2	2.36	<0.5	8	28	17	2.22
C081532		4.30	0.079		1.8	7.54	2410	1440	2.8	<2	2.45	5.0	8	26	34	2.70
C081533		3.54	0.005		<0.5	7.34	63	1470	2.9	<2	2.26	<0.5	8	27	16	2.30
C081534		3.50	0.016		0.5	7.42	74	1410	2.8	<2	1.97	1.1	6	29	18	2.61
C081535		4.62	0.008		<0.5	7.72	98	1430	2.6	<2	2.57	1.6	7	26	22	2.75
C081536		1.40	<0.005		<0.5	0.16	<5	20	<0.5	<2	21.8	<0.5	1	4	2	0.12
C081537		Not Recvd														
C081538		Not Recvd														
C081539		Not Recvd														
C081540		Not Recvd														
C081541		Not Recvd														
C081542		Not Recvd														
C081543		3.42	0.028		<0.5	7.16	88	1570	2.7	<2	2.84	<0.5	7	23	21	2.42
C081544		2.72	1.605		<0.5	7.41	79	1760	2.6	6	2.42	<0.5	10	24	29	2.66
C081545		2.74	0.132		<0.5	7.88	118	1680	3.0	3	1.31	<0.5	9	26	39	2.49
C081546		3.16	0.057		<0.5	7.30	121	1650	2.8	<2	1.77	<0.5	7	26	41	2.77
C081547		3.02	0.027		<0.5	7.55	73	1700	2.8	<2	1.90	<0.5	8	23	28	2.34
C081548		3.90	0.077		0.7	7.59	53	1630	2.9	<2	1.21	<0.5	7	26	17	2.81
C081549		<0.02	0.069		0.7	7.73	76	1730	3.0	<2	1.22	<0.5	8	26	16	2.78
C081550		0.12	0.458		2.2	8.89	9	1030	1.2	<2	1.44	<0.5	9	12	7140	3.09
C081551		3.02	0.027		<0.5	7.94	67	1780	3.0	<2	1.95	<0.5	9	28	51	2.70
C081552		4.52	0.071		<0.5	7.74	56	1590	2.8	<2	2.60	<0.5	8	24	30	2.58
C081553		2.54	0.171		0.5	7.60	43	1720	2.8	<2	2.23	0.8	8	25	19	2.50
C081554		5.36	0.679		2.4	7.51	243	940	3.0	<2	3.28	9.1	6	23	44	2.95
C081555		5.46	0.149		5.1	7.57	2590	810	2.8	3	2.58	10.5	8	20	72	3.17
C081556		1.88	<0.005		<0.5	0.15	11	10	<0.5	<2	20.8	<0.5	1	2	3	0.13
C081557		2.10	0.665		4.2	6.13	6570	680	2.2	<2	2.23	2.2	7	21	65	2.91
C081558		3.92	0.150		2.4	8.01	3340	1500	2.6	<2	1.97	2.5	4	24	41	2.85
C081559		4.16	0.032		<0.5	7.43	571	1320	2.2	<2	2.16	1.1	5	21	17	2.35
C081560		1.66	0.006		<0.5	7.78	86	1680	2.7	<2	2.30	<0.5	7	25	23	2.54
C081561		2.14	0.060		<0.5	7.57	70	1400	2.7	<2	2.50	0.7	9	23	19	2.69
C081562		1.58	0.066		0.8	7.29	57	1330	2.7	<2	2.87	1.8	7	23	22	2.65

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059623

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C081523		3.38	0.71	253	21	1.46	21	640	22	0.10	5	501	0.28	36	20	35
C081524		4.02	1.01	216	19	1.29	19	610	16	0.07	<5	597	0.26	34	30	20
C081525		3.36	0.88	249	4	1.72	23	690	17	0.11	<5	586	0.30	38	20	32
C081526		3.20	0.73	260	1	1.67	21	670	20	0.07	<5	532	0.30	36	10	41
C081527		3.43	0.72	316	<1	1.48	20	630	27	0.06	6	493	0.30	36	10	57
C081528		4.59	0.68	287	<1	1.29	22	660	37	0.10	5	471	0.31	44	10	55
C081529		4.21	0.60	275	<1	1.19	21	600	34	0.09	6	425	0.29	41	10	51
C081530		2.15	0.59	375	8	0.12	472	350	149	0.02	10	52	0.22	91	30	619
C081531		3.79	0.64	319	1	1.35	19	640	27	0.06	<5	464	0.29	37	20	62
C081532		3.50	0.85	378	2	1.01	23	650	547	0.57	14	450	0.27	34	20	961
C081533		3.19	0.69	266	1	1.51	23	660	37	0.06	<5	485	0.30	35	10	57
C081534		3.44	0.95	365	1	0.95	21	660	210	0.38	<5	338	0.27	36	20	228
C081535		3.52	0.81	478	1	0.97	18	710	123	0.50	6	273	0.27	41	40	353
C081536		0.04	11.95	135	<1	0.02	2	520	<2	0.01	<5	119	0.01	3	<10	8
C081537																
C081538																
C081539																
C081540																
C081541																
C081542																
C081543		3.42	0.66	290	2	1.25	19	600	29	0.10	6	485	0.28	34	20	69
C081544		3.83	0.59	255	2	1.14	19	590	25	0.32	7	434	0.28	34	30	28
C081545		3.64	0.62	184	2	1.48	23	660	19	0.17	<5	449	0.33	38	30	27
C081546		3.65	0.77	279	1	1.29	21	630	17	0.15	<5	451	0.31	37	30	26
C081547		3.66	0.75	246	1	1.21	20	600	23	0.08	<5	473	0.29	33	20	31
C081548		3.51	0.71	245	1	1.14	20	640	126	0.13	<5	362	0.30	36	10	87
C081549		3.70	0.70	242	1	1.16	21	640	123	0.13	<5	372	0.30	36	10	88
C081550		3.93	1.09	455	2	3.05	12	1760	11	0.22	<5	631	0.34	171	<10	59
C081551		3.72	0.79	239	5	1.57	20	660	20	0.13	<5	516	0.32	39	10	32
C081552		4.01	0.81	302	2	1.33	21	600	52	0.21	5	492	0.28	35	20	78
C081553		4.26	0.65	333	3	0.98	20	610	136	0.11	14	369	0.30	37	30	196
C081554		3.58	0.62	884	2	0.22	17	560	645	0.81	9	223	0.24	32	20	1505
C081555		3.66	0.75	808	1	0.05	16	540	1080	1.37	18	165	0.22	30	20	1745
C081556		0.03	11.50	150	<1	0.01	<1	410	6	0.01	<5	110	0.01	3	<10	11
C081557		2.90	0.57	528	2	0.03	13	460	477	1.25	22	134	0.18	29	40	392
C081558		4.73	0.61	414	1	0.19	16	610	404	0.75	17	188	0.25	34	50	463
C081559		3.95	0.62	367	2	0.58	10	580	160	0.13	<5	268	0.24	31	40	233
C081560		3.77	0.76	292	<1	1.46	19	610	26	0.12	5	447	0.30	36	10	49
C081561		3.63	0.83	422	1	1.07	19	600	110	0.23	5	387	0.28	34	20	204
C081562		3.62	0.88	456	1	0.93	18	560	333	0.24	8	405	0.27	33	20	343

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059623

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
C081563		4.56	0.046		1.7	7.70	125	850	3.0	<2	3.11	2.8	8	23	22	2.56
C081564		3.06	0.271		<0.5	7.17	55	1310	2.7	2	2.92	<0.5	6	20	32	2.41
C081565		1.38	0.040		<0.5	7.55	31	1460	2.9	2	1.90	<0.5	9	21	13	2.30
C081566		4.86	0.020		<0.5	7.21	73	1510	3.3	<2	2.23	<0.5	8	26	39	2.30
C081567		2.54	0.031		<0.5	7.85	66	1610	3.0	<2	2.37	<0.5	11	27	21	2.53
C081568		3.12	0.015		<0.5	8.04	59	1640	3.3	<2	2.32	<0.5	7	28	17	2.53
C081569		<0.02	0.013		<0.5	7.96	62	1640	3.2	<2	2.30	<0.5	8	32	17	2.58
C081570		0.10	1.470		<0.5	6.90	1205	700	6.0	<2	0.01	<0.5	6	192	38	3.79
C081571		2.04	0.032		<0.5	7.49	30	1490	3.2	<2	2.35	<0.5	7	24	31	2.34
C081572		3.68	0.053		<0.5	7.58	43	1500	2.8	<2	2.99	<0.5	7	28	21	2.31
C081573		3.62	0.059		<0.5	7.94	79	1700	2.8	<2	2.44	<0.5	8	25	40	2.49
C081574		3.56	0.414		<0.5	7.85	69	1790	2.7	<2	2.66	<0.5	9	33	22	2.66
C081575		1.26	0.056		<0.5	7.92	55	1830	2.7	<2	2.56	<0.5	9	28	40	2.66
C081576		1.86	<0.005		<0.5	0.15	7	20	<0.5	<2	20.3	<0.5	<1	2	2	0.12
C081577		2.76	1.420		<0.5	7.11	60	1700	2.3	9	2.51	<0.5	8	29	20	2.29
C081578		2.20	0.220		<0.5	7.63	55	1760	2.4	<2	2.73	<0.5	9	30	28	2.48

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059623

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C081563		3.51	0.64	745	1	0.46	17	550	215	0.55	9	276	0.26	31	10	585
C081564		3.90	0.74	406	1	0.88	17	500	76	0.17	9	382	0.23	28	20	77
C081565		4.10	0.73	258	1	1.47	16	530	31	0.04	6	411	0.27	31	20	44
C081566		4.06	0.81	216	2	1.33	20	580	18	0.15	<5	431	0.32	38	30	30
C081567		4.17	0.81	279	2	1.48	21	600	26	0.12	<5	468	0.30	35	20	49
C081568		3.81	0.89	256	1	1.65	21	610	21	0.11	<5	493	0.31	37	10	36
C081569		3.82	0.88	268	1	1.62	23	630	23	0.11	<5	488	0.31	37	20	38
C081570		2.88	0.34	90	3	0.11	18	310	26	0.01	118	89	0.26	89	10	47
C081571		4.36	0.98	177	1	1.40	17	530	21	0.16	<5	491	0.26	31	20	18
C081572		4.31	0.86	249	2	1.36	18	570	26	0.12	<5	480	0.27	33	20	30
C081573		4.19	0.84	227	1	1.51	22	610	25	0.20	<5	493	0.30	35	30	35
C081574		3.91	0.95	268	2	1.54	25	710	25	0.10	<5	512	0.35	42	30	44
C081575		3.97	0.88	240	1	1.61	24	690	23	0.20	<5	517	0.33	39	30	40
C081576		0.04	11.20	131	<1	0.02	<1	450	<2	0.01	<5	108	0.01	3	<10	7
C081577		4.00	0.83	212	2	1.31	16	620	17	0.10	<5	464	0.29	34	40	31
C081578		4.25	0.93	234	1	1.47	23	670	20	0.11	6	491	0.31	39	40	35

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

**: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3**

Finalized Da...: 24-AUG-2006
Account: STRGOL

CERTIFICATE VA06061852

Project: Dublin Gulch1735

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 4-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Zn-AA62	Ore grade Zn - four acid / AAS	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06061852

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
C081792		5.26	0.011		<0.5	7.42	56	1520	2.7	<2	2.70	<0.5	8	34	17	2.47
C081793		5.24	0.009		<0.5	7.02	37	1310	2.7	<2	2.64	<0.5	9	66	16	3.67
C081794		4.80	0.009		<0.5	7.16	54	1330	2.6	<2	2.93	<0.5	9	46	15	2.67
C081795		4.32	0.005		<0.5	7.08	28	1320	2.6	<2	3.34	<0.5	8	43	10	2.70
C081796		1.86	<0.005		<0.5	0.11	<5	20	<0.5	<2	19.10	<0.5	<1	1	1	0.10
C081797		5.32	0.114		1.6	6.99	2210	1100	2.7	<2	2.90	0.5	10	36	46	3.20
C081798		5.16	0.051		1.2	7.48	238	1370	2.7	<2	2.31	0.9	8	32	49	2.74
C081799		5.20	0.008		<0.5	7.45	29	1570	2.6	<2	2.78	<0.5	8	32	23	2.35
C081800		5.14	0.009		<0.5	7.83	42	1450	2.9	<2	2.19	<0.5	7	34	11	2.56
C081801		2.52	0.011		<0.5	7.88	51	1570	2.9	<2	2.36	<0.5	9	31	11	2.58
C081802		1.98	0.017		0.5	7.87	110	1550	2.9	<2	2.61	<0.5	8	36	14	2.69
C081803		5.22	0.008		<0.5	7.93	34	1560	2.9	<2	2.50	<0.5	9	31	16	2.52
C081804		2.66	0.129		<0.5	7.78	1245	1610	2.5	<2	2.56	<0.5	11	30	23	2.86
C081805		5.20	0.019		<0.5	7.87	68	1520	2.9	<2	2.43	<0.5	8	33	13	2.66
C081806		3.02	0.005		<0.5	7.65	24	1340	2.8	<2	2.46	<0.5	8	42	8	2.63
C081807		2.60	<0.005		<0.5	7.70	23	1430	2.6	<2	3.00	<0.5	8	49	5	2.82
C081808		5.34	0.008		<0.5	7.59	27	1500	2.7	<2	3.02	<0.5	10	58	8	3.03
C081809		<0.02	0.006		<0.5	8.01	19	1590	2.7	<2	3.02	<0.5	9	51	8	3.06
C081810		0.10	3.10		0.5	6.91	<5	2010	3.1	<2	4.71	<0.5	23	129	94	4.86
C081811		5.84	0.329		<0.5	7.86	2610	1810	2.5	<2	2.60	<0.5	10	54	32	3.56
C081812		1.72	0.548		1.0	8.01	>10000	1440	2.7	<2	2.38	0.5	12	53	14	4.13
C081813		3.60	0.118		4.7	6.19	589	660	2.7	<2	5.35	151.0	5	34	180	3.79
C081814		4.02	0.155		3.3	7.43	103	870	2.9	<2	3.53	17.0	6	40	97	4.09
C081815		2.10	0.056		0.6	7.75	67	1200	2.6	<2	2.87	0.9	7	39	30	3.08
C081816		1.66	<0.005		<0.5	0.15	6	10	<0.5	<2	20.1	<0.5	<1	3	2	0.12
C081817		4.22	0.009		<0.5	7.55	37	1570	2.5	<2	2.63	<0.5	9	32	20	2.40
C081818		5.38	0.008		<0.5	7.64	33	1560	2.7	<2	2.77	<0.5	6	34	16	2.55
C081819		2.38	<0.005		<0.5	7.92	25	1430	2.8	<2	3.06	<0.5	10	49	7	3.04
C081820		3.58	0.038		<0.5	8.00	29	1430	2.8	<2	3.08	<0.5	9	48	65	2.96
C081821		2.84	0.008		0.9	7.61	47	1500	2.5	<2	2.89	<0.5	13	48	9	3.02
C081822		2.30	0.011		1.5	7.65	65	1500	2.6	<2	3.22	<0.5	24	48	18	3.02
C081823		5.14	0.008		<0.5	7.42	41	1500	2.5	<2	2.94	<0.5	11	44	18	2.74
C081824		3.88	0.031		<0.5	7.80	25	1500	2.9	<2	3.03	<0.5	10	47	14	2.80
C081825		5.08	<0.005		<0.5	7.87	39	1470	2.8	<2	3.14	<0.5	10	45	16	2.88
C081826		4.32	<0.005		<0.5	7.57	15	1470	2.7	<2	3.59	<0.5	10	41	29	2.55
C081827		4.80	0.201	0.193	1.1	7.78	6800	1590	2.1	116	2.32	<0.5	8	46	34	3.43
C081828		3.62	0.102	0.052	0.6	7.25	76	1030	2.4	<2	3.08	<0.5	8	45	47	3.23
C081829		<0.02	0.059	0.064	0.6	7.36	73	1030	2.4	<2	3.11	<0.5	6	44	47	3.28
C081830		0.12	2.81	NSS	<0.5	7.72	2080	730	13.5	<2	0.02	<0.5	<1	142	102	3.37
C081831		4.02	0.092	0.092	1.5	7.30	1200	1140	2.7	<2	3.46	1.3	10	47	26	2.69

Comments: Additional Au-AA24 result for sample C081828 is 0.061ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06061852

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
C081792		3.53	0.78	334	2	1.52	20	620	18	0.09	9	539	0.29	40	10	37
C081793		3.24	0.91	459	4	1.49	28	560	14	0.07	<5	503	0.28	51	10	35
C081794		3.34	1.04	369	1	1.60	13	600	20	0.09	<5	489	0.28	51	10	43
C081795		3.13	1.47	430	1	1.57	13	620	14	0.06	<5	614	0.29	49	20	41
C081796		0.03	10.95	144	<1	0.02	2	440	<2	0.01	<5	104	<0.01	2	<10	6
C081797		3.04	1.07	453	1	1.20	16	600	423	0.46	12	326	0.27	44	10	132
C081798		3.46	0.92	360	1	1.28	15	590	87	0.47	7	418	0.27	38	20	253
C081799		3.77	0.97	291	1	1.63	17	600	17	0.08	8	526	0.29	36	10	27
C081800		3.30	0.86	300	2	1.64	19	630	20	0.11	8	461	0.30	38	10	47
C081801		3.33	0.91	341	1	1.87	22	640	17	0.06	9	530	0.31	39	10	44
C081802		3.34	0.91	354	1	1.81	21	650	48	0.07	10	504	0.30	40	10	42
C081803		3.46	0.93	330	1	1.83	19	650	19	0.09	5	538	0.31	38	10	42
C081804		3.90	0.95	294	3	1.43	20	620	25	0.38	10	412	0.27	35	20	34
C081805		3.33	0.97	343	1	1.71	18	640	24	0.15	7	498	0.30	40	20	45
C081806		3.13	1.12	407	1	1.71	16	630	21	0.06	<5	501	0.29	49	20	47
C081807		3.09	1.26	482	2	1.62	15	670	22	0.04	<5	520	0.30	55	10	48
C081808		3.11	1.35	509	1	1.64	15	700	20	0.08	<5	489	0.32	61	10	57
C081809		3.18	1.37	513	2	1.76	15	690	23	0.07	5	521	0.31	57	20	56
C081810		3.27	2.85	1020	13	2.27	63	2250	25	0.29	<5	1620	0.35	155	10	94
C081811		3.45	1.33	513	2	1.39	16	720	22	0.45	9	404	0.29	58	10	47
C081812		3.45	1.30	803	4	0.79	17	710	62	0.79	31	287	0.31	59	20	184
C081813		2.38	2.27	1595	2	0.26	10	530	2500	1.73	514	283	0.21	41	30	>10000
C081814		2.91	1.31	1435	1	0.27	13	600	735	1.00	34	218	0.23	48	30	3030
C081815		3.33	1.04	656	2	0.67	16	620	98	0.38	11	292	0.27	46	20	221
C081816		0.03	11.20	143	<1	0.01	3	390	4	0.01	<5	110	<0.01	4	<10	11
C081817		3.52	0.94	371	2	1.57	20	590	21	0.10	5	502	0.29	37	40	33
C081818		3.44	1.00	340	3	1.60	18	630	20	0.06	9	516	0.28	40	20	36
C081819		3.04	1.28	486	2	1.80	17	680	21	0.05	<5	570	0.32	55	<10	52
C081820		3.21	1.21	490	2	1.56	16	670	31	0.15	7	496	0.32	57	10	108
C081821		3.13	1.30	504	2	1.71	14	700	19	0.06	<5	508	0.31	55	10	54
C081822		3.12	1.30	533	2	1.66	13	690	17	0.08	5	504	0.31	55	20	54
C081823		3.30	1.22	432	1	1.61	14	650	16	0.11	5	506	0.30	53	20	40
C081824		3.31	1.18	418	3	1.83	14	670	17	0.08	<5	594	0.32	56	<10	41
C081825		3.37	1.13	430	6	1.77	15	680	18	0.08	8	585	0.31	52	10	39
C081826		3.31	1.28	379	1	1.63	20	620	29	0.07	11	557	0.28	46	20	55
C081827		3.96	1.01	360	2	1.08	17	670	64	0.54	29	350	0.25	51	70	49
C081828		3.26	0.91	577	1	0.74	15	630	52	0.54	11	289	0.25	48	20	112
C081829		3.27	0.92	589	2	0.74	15	630	59	0.55	9	287	0.25	47	20	113
C081830		3.10	0.37	68	2	0.09	10	340	26	0.02	155	140	0.27	99	20	17
C081831		3.41	0.94	715	3	0.89	14	610	251	0.23	14	352	0.26	48	20	254

Comments: Additional Au-AA24 result for sample C081828 is 0.061ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06061852

Sample Description	Method / Analyte / Units / LOR	Zn-AA62 / Zn / % / 0.01
C081792 C081793 C081794 C081795 C081796		
C081797 C081798 C081799 C081800 C081801		
C081802 C081803 C081804 C081805 C081806		
C081807 C081808 C081809 C081810 C081811		
C081812 C081813 C081814 C081815 C081816		2.74
C081817 C081818 C081819 C081820 C081821		
C081822 C081823 C081824 C081825 C081826		
C081827 C081828 C081829 C081830 C081831		

Comments: Additional Au-AA24 result for sample C081828 is 0.061ppm. NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06061852

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
C081832		3.78	0.014		0.8	7.81	216	1360	2.8	<2	3.22	<0.5	9	45	27	2.77
C081833		3.24	0.553		1.1	6.12	9170	1700	1.5	2	2.52	<0.5	5	38	16	2.95
C081834		3.88	0.015		<0.5	7.78	102	1730	2.7	<2	2.84	<0.5	9	40	20	2.56
C081835		4.02	<0.005		<0.5	8.28	36	1730	2.9	<2	2.77	<0.5	9	42	17	2.76
C081836		2.04	<0.005		<0.5	0.15	<5	20	<0.5	<2	20.1	<0.5	1	9	1	0.13
C081837		3.14	0.206		2.1	5.49	3250	540	2.0	<2	2.98	4.4	8	30	28	3.55
C081838		4.90	0.032		<0.5	8.19	49	1200	2.7	<2	2.75	0.6	8	39	40	2.67
C081839		4.62	0.005		<0.5	8.17	29	1590	2.7	<2	2.82	<0.5	11	50	39	2.98
C081840		4.28	0.006		<0.5	7.78	34	1570	2.8	<2	3.14	<0.5	9	46	26	2.71
C081841		2.92	<0.005		<0.5	7.88	49	1570	2.9	<2	3.03	<0.5	9	53	13	2.87
C081842		2.74	0.006		<0.5	7.63	30	1550	2.9	<2	2.96	<0.5	10	50	14	2.88
C081843		4.58	0.012		<0.5	7.06	24	1250	2.5	<2	3.81	<0.5	8	41	30	2.76
C081844		4.88	<0.005		<0.5	7.70	20	1520	2.7	<2	2.95	<0.5	8	42	29	2.45
C081845		4.84	0.012		<0.5	7.33	18	1430	2.6	<2	3.17	<0.5	8	39	36	2.59
C081846		5.74	0.012		<0.5	7.51	24	1300	2.9	<2	3.35	<0.5	8	46	30	2.51
C081847		5.34	0.031		<0.5	7.72	17	1360	3.1	<2	2.93	<0.5	8	49	19	2.61
C081848		3.44	0.019		0.6	7.06	99	1270	2.1	<2	3.72	<0.5	8	40	29	2.65
C081849		<0.02	0.017		0.7	7.25	98	1310	2.2	<2	3.73	0.8	9	37	33	2.64
C081850		0.10	4.46		9.5	8.32	12	490	0.9	<2	2.92	1.5	18	20	124	4.16
C081851		1.76	0.038		<0.5	6.67	410	1220	2.0	<2	3.05	<0.5	12	46	25	2.88
C081852		3.94	0.007		<0.5	7.52	41	1390	1.7	<2	1.82	<0.5	15	61	10	2.64
C081853		3.76	0.046		2.1	7.09	361	820	2.7	<2	3.39	1.3	12	45	21	3.75
C081854		2.58	0.571		6.1	4.93	>10000	160	2.0	13	3.53	2.7	32	32	95	6.34
C081855		3.74	0.039		<0.5	7.23	352	1290	2.3	<2	2.26	<0.5	11	50	24	2.73
C081856		2.02	<0.005		<0.5	0.12	<5	20	<0.5	<2	20.7	<0.5	<1	2	2	0.10
C081857		3.44	0.021		<0.5	7.08	151	1110	2.6	<2	3.25	<0.5	10	48	14	2.95
C081858		2.00	0.235		1.6	7.82	173	980	3.2	<2	2.03	2.0	9	61	57	4.12
C081859		4.42	0.263		0.5	7.59	43	1430	2.7	<2	3.69	1.2	9	53	16	2.82
C081860		1.46	0.017		<0.5	6.75	37	1300	2.3	<2	3.16	0.5	8	58	14	2.97
C081861		1.46	<0.005		<0.5	8.02	37	1600	2.7	<2	2.93	<0.5	13	70	16	3.34
C081862		1.60	0.005		<0.5	7.73	29	1510	2.5	<2	2.61	<0.5	12	62	15	3.21
C081863		4.44	0.019		<0.5	8.01	31	1380	2.5	<2	3.15	<0.5	9	62	13	3.36
C081864		3.52	0.011		<0.5	8.00	42	1490	2.4	<2	2.77	<0.5	11	63	17	3.28
C081865		2.56	0.006		<0.5	7.55	36	1450	2.4	<2	3.09	<0.5	10	56	20	3.02
C081866		3.00	0.005		<0.5	7.33	27	1380	2.3	<2	2.90	<0.5	9	63	11	3.07
C081867		5.94	0.012		<0.5	8.17	22	1590	2.5	<2	3.16	<0.5	11	67	17	3.38
C081868		5.40	0.019		<0.5	7.22	21	1290	2.4	<2	2.74	0.6	12	63	22	3.10
C081869		<0.02	0.015		<0.5	7.63	30	1350	2.5	<2	2.75	<0.5	11	60	20	3.11
C081870		0.10	0.101		<0.5	6.96	114	560	2.5	<2	0.53	<0.5	56	1080	387	8.34
C081871		6.04	0.012		<0.5	8.30	36	1380	2.5	<2	3.02	<0.5	10	64	18	3.45

Comments: Additional Au-AA24 result for sample C081828 is 0.061ppm. NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06061852

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C081832		3.49	1.03	742	3	1.16	16	680	151	0.23	30	439	0.30	51	30	109
C081833		3.79	0.97	396	2	0.75	13	500	34	0.63	18	306	0.18	40	50	32
C081834		3.71	1.02	350	4	1.54	17	680	17	0.12	5	501	0.30	47	10	29
C081835		3.66	1.01	344	3	1.69	21	700	28	0.09	8	550	0.31	48	10	47
C081836		0.03	11.60	152	<1	0.02	7	520	<2	0.02	<5	114	<0.01	3	<10	7
C081837		2.20	1.26	872	3	0.17	14	470	795	0.91	138	179	0.18	33	30	799
C081838		3.58	1.03	646	6	1.07	22	710	84	0.19	16	364	0.32	47	10	133
C081839		3.86	1.00	469	2	1.50	22	780	29	0.33	13	465	0.35	56	20	98
C081840		3.63	0.97	409	2	1.57	19	700	27	0.17	12	493	0.32	52	10	42
C081841		3.28	1.06	402	2	1.89	16	720	19	0.13	7	618	0.33	57	<10	42
C081842		3.23	1.05	403	2	1.82	18	730	15	0.15	7	594	0.33	56	<10	55
C081843		3.13	1.15	446	3	1.61	16	630	18	0.17	7	492	0.29	50	10	53
C081844		3.80	0.86	308	11	1.68	16	660	16	0.17	<5	581	0.30	48	10	32
C081845		3.48	1.04	363	5	1.56	18	620	20	0.16	13	469	0.26	47	10	41
C081846		3.47	0.76	352	4	1.69	18	630	18	0.11	12	518	0.28	53	10	39
C081847		3.50	0.92	381	2	1.77	18	690	17	0.06	11	580	0.31	60	<10	36
C081848		3.14	1.59	588	3	0.34	18	610	83	0.19	19	338	0.27	46	10	129
C081849		3.26	1.60	586	3	0.36	20	630	68	0.19	17	352	0.28	48	10	131
C081850		2.26	1.35	943	13	1.64	15	940	20	0.69	<5	411	0.38	144	<10	100
C081851		3.07	1.49	520	3	0.36	17	560	39	0.18	10	342	0.25	50	10	76
C081852		3.31	0.97	502	3	0.22	20	800	21	0.08	<5	285	0.32	74	10	55
C081853		2.78	1.81	807	3	0.20	19	640	236	0.42	16	215	0.25	64	20	283
C081854		1.99	1.56	733	3	0.06	22	470	958	4.44	121	173	0.15	44	30	522
C081855		3.16	1.21	461	4	0.78	20	670	39	0.24	13	383	0.28	67	20	108
C081856		0.03	11.55	128	<1	0.01	3	420	4	0.01	<5	112	<0.01	2	<10	7
C081857		2.72	1.54	569	2	0.97	17	680	36	0.17	9	458	0.28	65	20	98
C081858		2.95	1.40	653	3	0.78	25	740	180	0.88	21	188	0.29	70	30	388
C081859		3.19	0.92	525	5	1.20	19	720	85	0.17	7	440	0.32	72	50	224
C081860		2.83	0.95	551	35	1.07	23	690	111	0.20	7	385	0.30	69	30	145
C081861		3.27	1.34	557	2	1.47	24	820	15	0.11	6	523	0.37	83	10	65
C081862		3.11	1.28	528	2	1.42	24	770	21	0.10	<5	525	0.33	77	10	57
C081863		2.88	1.43	499	2	1.60	22	790	34	0.08	7	606	0.33	79	10	60
C081864		3.10	1.44	475	3	1.66	21	780	24	0.11	<5	621	0.33	79	30	50
C081865		3.35	1.39	452	3	1.55	24	720	20	0.09	7	559	0.32	76	40	49
C081866		2.85	1.42	434	8	1.58	22	740	18	0.06	<5	603	0.32	77	210	48
C081867		3.15	1.61	524	3	1.83	25	820	24	0.08	<5	698	0.35	82	<10	60
C081868		2.90	1.43	549	1	1.45	21	760	66	0.15	5	521	0.31	72	10	217
C081869		3.08	1.43	545	1	1.56	22	770	60	0.14	7	552	0.31	73	10	180
C081870		2.09	0.56	370	8	0.12	479	330	148	0.02	10	51	0.22	86	30	602
C081871		2.92	1.55	634	2	1.63	21	790	36	0.20	6	516	0.32	73	10	105

Comments: Additional Au-AA24 result for sample C081828 is 0.061ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

D: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06061852

Sample Description	Method Analyte Units LOR	Zn-AA62 Zn % 0.01
C081832		
C081833		
C081834		
C081835		
C081836		
C081837		
C081838		
C081839		
C081840		
C081841		
C081842		
C081843		
C081844		
C081845		
C081846		
C081847		
C081848		
C081849		
C081850		
C081851		
C081852		
C081853		
C081854		
C081855		
C081856		
C081857		
C081858		
C081859		
C081860		
C081861		
C081862		
C081863		
C081864		
C081865		
C081866		
C081867		
C081868		
C081869		
C081870		
C081871		

Comments: Additional Au-AA24 result for sample C081828 is 0.061ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06061852

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
C081872		4.52	0.018		<0.5	8.11	26	1580	2.6	<2	2.47	<0.5	12	58	22	3.24
C081873		5.44	0.180		1.4	8.46	53	630	2.9	<2	3.48	2.2	13	61	24	3.47
C081874		4.22	0.010		<0.5	7.80	10	1430	2.5	<2	2.80	<0.5	9	58	22	3.24
C081875		5.40	0.018		<0.5	7.74	24	1390	2.5	<2	3.00	<0.5	11	60	22	3.11
C081876		1.98	<0.005		<0.5	0.16	<5	20	<0.5	<2	21.2	<0.5	<1	1	1	0.13
C081877		5.18	0.010		<0.5	7.72	21	1330	2.6	<2	3.00	<0.5	11	67	17	3.19
C081878		6.12	0.007		<0.5	8.51	26	1460	2.7	<2	3.39	<0.5	11	65	18	3.27
C081879		4.12	0.006		<0.5	8.73	17	1680	2.8	<2	2.97	<0.5	11	66	16	3.52
C081880		3.92	0.008		<0.5	7.93	22	1520	2.7	<2	2.41	<0.5	10	56	11	3.19
C081881		0.88	<0.005		<0.5	8.38	21	1340	3.3	<2	2.16	<0.5	6	33	15	2.63
C081882		1.26	<0.005		<0.5	8.08	15	1290	3.2	<2	2.06	<0.5	7	31	23	2.54
C081883		4.98	<0.005		<0.5	8.40	16	1600	3.0	<2	2.39	<0.5	9	48	20	2.97
C081884		4.72	0.007		<0.5	8.50	18	1730	2.8	<2	2.61	<0.5	9	35	14	2.82
C081885		4.50	0.053		<0.5	8.49	126	1610	2.9	<2	2.49	<0.5	9	36	19	2.76
C081886		5.26	0.013		<0.5	8.56	49	1960	2.4	<2	2.42	<0.5	6	37	17	2.67
C081887		5.30	0.019		<0.5	7.68	37	1580	2.5	<2	2.22	<0.5	7	38	26	2.50
C081888		4.74	0.026		<0.5	8.18	48	1560	2.9	<2	2.28	<0.5	8	36	18	2.60
C081889		<0.02	0.007		<0.5	8.25	49	1580	3.0	<2	2.28	<0.5	7	35	18	2.60
C081890		0.12	0.446		2.4	8.98	<5	1010	1.0	<2	1.46	<0.5	8	12	6900	3.16
C081891		3.52	<0.005		<0.5	8.55	28	1760	3.0	<2	3.19	<0.5	9	36	39	2.79

Comments: Additional Au-AA24 result for sample C081828 is 0.061ppm. NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06061852

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C081872		3.20	1.49	568	5	1.71	20	740	38	0.12	8	552	0.32	68	10	71
C081873		2.99	1.13	1280	1	0.53	26	800	380	0.24	44	192	0.35	84	20	480
C081874		3.12	1.42	629	7	1.50	23	790	27	0.14	9	467	0.32	95	30	57
C081875		3.22	1.44	564	2	1.57	20	730	30	0.12	6	491	0.32	71	10	66
C081876		0.04	11.85	143	<1	0.02	6	450	<2	0.01	<5	123	0.01	1	<10	7
C081877		3.00	1.47	507	2	1.65	20	760	25	0.11	<5	484	0.32	72	20	60
C081878		3.31	1.50	557	12	1.75	22	840	20	0.11	<5	495	0.35	80	30	50
C081879		3.57	1.74	572	10	1.91	22	840	19	0.10	<5	597	0.35	79	30	58
C081880		3.54	1.73	531	4	1.86	21	750	22	0.06	<5	432	0.33	65	40	58
C081881		3.75	0.97	370	<1	1.79	18	570	36	0.09	<5	494	0.25	38	<10	52
C081882		3.70	0.92	336	1	1.73	18	540	37	0.13	<5	480	0.25	37	<10	46
C081883		3.59	1.27	437	1	1.84	22	710	33	0.10	<5	575	0.32	55	<10	69
C081884		3.60	1.14	367	1	1.80	20	710	28	0.09	<5	612	0.32	46	20	48
C081885		3.67	0.99	347	5	1.80	21	670	26	0.12	<5	544	0.30	43	20	46
C081886		4.77	1.12	267	3	1.62	20	720	18	0.08	<5	558	0.31	44	130	29
C081887		3.80	1.07	307	2	1.80	19	680	20	0.11	<5	512	0.29	43	40	33
C081888		3.68	1.03	321	1	1.86	20	670	20	0.11	<5	552	0.29	42	20	37
C081889		3.80	1.04	322	1	1.88	21	660	23	0.11	<5	555	0.30	43	30	39
C081890		3.36	1.10	461	1	3.23	9	1880	13	0.22	<5	671	0.31	158	<10	58
C081891		3.40	1.21	364	1	2.06	22	770	22	0.14	<5	614	0.34	49	<10	40

Comments: Additional Au-AA24 result for sample C081828 is 0.061ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06061852

Sample Description	Method	Zn-AA62
	Analyte	Zn
	Units	%
	LOR	0.01
C081872		
C081873		
C081874		
C081875		
C081876		
C081877		
C081878		
C081879		
C081880		
C081881		
C081882		
C081883		
C081884		
C081885		
C081886		
C081887		
C081888		
C081889		
C081890		
C081891		

Comments: Additional Au-AA24 result for sample C081828 is 0.061ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-AUG-2006
Account: STRGOL

CERTIFICATE VA06061853

Project: Dublin Gulch1735

P.O. No.:

This report is for 96 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 4-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06061853

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C081892		4.98	0.005	<0.5	7.44	25	1640	2.9	<2	2.24	<0.5	7	38	16	2.70	3.61
C081893		4.44	<0.005	<0.5	7.93	19	1690	2.9	3	2.67	<0.5	6	42	19	2.93	3.65
C081894		3.34	0.012	<0.5	7.93	24	1650	2.8	<2	2.85	<0.5	6	41	14	2.64	3.57
C081895		4.92	0.006	<0.5	8.12	22	1640	2.8	<2	2.67	<0.5	8	46	18	3.06	3.57
C081896		1.94	<0.005	<0.5	0.14	<5	20	<0.5	<2	21.1	<0.5	<1	2	1	0.11	0.03
C081897		5.20	<0.005	<0.5	7.62	22	1580	2.8	2	2.46	<0.5	9	42	18	2.82	3.48
C081898		4.20	<0.005	<0.5	7.91	20	1610	3.0	<2	2.89	<0.5	9	52	15	3.21	3.14
C081899		5.78	0.034	<0.5	8.21	15	1650	2.6	3	3.14	<0.5	11	57	18	3.47	3.23
C081900		5.28	0.007	<0.5	7.72	17	1500	2.7	2	2.83	<0.5	8	63	16	3.22	3.34
C081901		2.56	<0.005	<0.5	8.04	20	1450	2.8	<2	3.04	<0.5	10	70	15	3.48	3.31
C081902		3.28	0.005	<0.5	7.57	18	1380	2.8	<2	2.80	<0.5	9	68	12	3.25	3.29
C081903		3.90	<0.005	<0.5	7.49	20	1450	2.7	4	2.55	<0.5	10	65	11	3.29	3.21
C081904		5.96	0.008	<0.5	8.11	28	1470	2.9	2	2.95	<0.5	10	68	9	3.53	3.08
C081905		4.66	<0.005	<0.5	7.69	23	1450	2.6	<2	2.69	<0.5	10	65	22	3.45	3.20
C081906		5.00	0.399	1.5	7.54	5200	1050	2.5	6	3.17	12.8	10	59	37	4.15	3.40
C081907		2.84	0.096	<0.5	7.43	20	1240	2.8	4	2.69	<0.5	7	52	20	2.91	3.35
C081908		5.28	0.025	<0.5	7.83	21	1430	2.7	2	2.87	<0.5	7	47	14	3.09	3.16
C081909		<0.02	0.016	<0.5	7.83	19	1460	2.8	4	2.87	<0.5	8	54	10	3.07	3.27
C081910		0.10	1.415	<0.5	6.67	1170	650	5.5	4	0.02	0.5	5	195	36	3.60	2.60
C081911		4.88	0.005	<0.5	7.57	17	1380	2.8	5	2.87	<0.5	8	50	15	3.05	3.21
C081912		3.64	<0.005	<0.5	8.08	13	1620	2.7	3	3.12	<0.5	9	50	11	3.29	3.22
C081913		3.82	<0.005	<0.5	7.91	15	1430	3.1	5	2.91	<0.5	9	49	11	3.17	3.19
C081914		5.04	0.014	<0.5	8.06	19	1560	2.9	<2	3.18	<0.5	10	49	12	3.25	3.21
C081915		4.64	0.055	<0.5	7.79	7	1530	2.5	2	3.04	<0.5	8	52	9	3.23	3.16
C081916		2.12	<0.005	<0.5	0.14	<5	10	<0.5	<2	20.2	<0.5	<1	1	1	0.11	0.03
C081917		3.82	0.188	<0.5	7.67	9	1420	2.7	3	2.97	<0.5	9	47	13	2.96	3.21
C081918		5.28	0.049	<0.5	7.63	14	1240	3.3	<2	2.48	<0.5	8	40	11	2.86	3.60
C081919		2.88	0.005	<0.5	7.57	22	1400	2.6	<2	2.81	<0.5	8	53	9	3.02	3.46
C081920		3.62	0.006	<0.5	7.93	17	1560	2.7	<2	2.76	<0.5	8	42	18	3.01	3.60
C081921		1.66	0.035	<0.5	7.73	459	1510	2.6	3	2.56	<0.5	7	39	25	2.84	3.57
C081922		1.80	0.018	<0.5	7.75	88	1570	2.7	<2	2.72	<0.5	7	40	21	2.97	3.53
C081923		4.70	0.005	<0.5	7.69	20	1550	2.7	<2	3.12	<0.5	9	51	9	3.10	3.31
C081924		5.76	0.016	<0.5	7.72	241	1440	2.6	<2	3.13	<0.5	6	48	13	3.30	3.26
C081925		3.10	0.012	<0.5	7.78	31	1520	2.6	<2	2.95	<0.5	8	46	9	3.16	3.33
C081926		4.78	0.019	<0.5	7.99	33	1510	2.7	2	3.02	<0.5	8	46	14	3.19	3.55
C081927		4.14	0.036	<0.5	7.48	20	1400	2.4	4	3.00	<0.5	7	41	21	2.89	3.53
C081928		4.78	0.046	<0.5	7.20	102	1420	2.5	<2	3.83	<0.5	9	55	25	2.91	3.60
C081929		<0.02	0.077	<0.5	7.11	149	1420	2.5	<2	2.88	<0.5	9	54	26	2.86	3.56
C081930		0.10	2.75	<0.5	7.25	2040	690	11.8	<2	0.02	<0.5	<1	145	99	3.32	3.11
C081931		4.64	0.040	<0.5	7.41	22	1440	2.9	<2	2.94	<0.5	9	52	15	3.24	3.14

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

): STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06061853

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C081892		1.10	337	4	1.89	16	700	22	0.09	<5	562	0.34	46	10	44
C081893		1.22	364	1	1.80	20	750	19	0.12	<5	569	0.36	52	10	43
C081894		1.26	368	10	1.70	19	740	23	0.10	<5	557	0.35	54	90	44
C081895		1.30	392	4	1.77	20	700	22	0.12	<5	570	0.34	54	10	48
C081896		11.90	129	<1	0.01	6	400	<2	0.01	<5	110	0.01	4	<10	8
C081897		1.22	371	1	1.84	17	680	22	0.10	<5	524	0.34	50	<10	46
C081898		1.41	463	1	1.75	20	770	24	0.10	<5	555	0.37	63	10	61
C081899		1.61	521	1	1.80	20	820	24	0.10	<5	593	0.38	74	10	66
C081900		1.52	476	1	1.66	18	760	22	0.10	<5	516	0.36	80	20	56
C081901		1.64	563	1	1.59	21	840	22	0.09	<5	467	0.38	90	<10	73
C081902		1.47	518	2	1.53	21	790	21	0.07	<5	445	0.37	86	<10	66
C081903		1.60	522	1	1.89	22	810	22	0.07	<5	499	0.35	82	<10	56
C081904		1.63	549	2	1.80	22	830	19	0.07	<5	515	0.37	87	10	62
C081905		1.58	514	1	1.67	22	770	23	0.16	<5	459	0.36	85	<10	63
C081906		1.14	937	3	0.82	16	730	196	1.39	20	266	0.29	74	30	2080
C081907		1.29	473	1	1.50	16	670	25	0.13	<5	431	0.29	68	<10	53
C081908		1.28	476	1	1.69	15	680	25	0.06	<5	552	0.32	56	<10	60
C081909		1.31	482	<1	1.75	14	700	22	0.06	<5	563	0.33	57	<10	58
C081910		0.33	83	2	0.11	21	300	23	0.01	106	90	0.21	85	<10	45
C081911		1.28	486	1	1.64	15	640	26	0.08	<5	521	0.31	55	10	57
C081912		1.44	514	1	1.79	16	730	29	0.07	<5	584	0.35	62	10	64
C081913		1.36	501	<1	1.71	12	720	21	0.08	<5	540	0.33	59	10	57
C081914		1.42	496	2	1.76	17	760	23	0.09	<5	584	0.36	62	10	56
C081915		1.34	497	1	1.67	14	750	23	0.06	<5	592	0.35	60	<10	62
C081916		11.50	136	<1	0.01	5	410	<2	0.01	<5	109	0.01	3	<10	8
C081917		1.30	460	1	1.64	15	690	24	0.07	<5	545	0.32	56	20	57
C081918		1.16	435	<1	1.62	14	580	24	0.07	<5	472	0.28	48	10	49
C081919		1.40	456	2	1.63	13	650	25	0.06	<5	517	0.31	58	<10	50
C081920		1.20	395	4	1.66	14	680	23	0.13	<5	550	0.33	50	20	48
C081921		1.10	337	1	1.56	15	700	24	0.24	<5	472	0.30	46	20	37
C081922		1.11	379	<1	1.53	11	660	18	0.18	<5	477	0.31	48	20	42
C081923		1.38	452	1	1.64	15	720	23	0.07	<5	552	0.34	60	70	51
C081924		1.38	521	2	1.47	15	710	47	0.19	<5	486	0.32	57	90	74
C081925		1.36	412	6	1.59	13	680	24	0.06	<5	534	0.31	57	50	48
C081926		1.30	416	11	1.62	13	670	28	0.09	<5	537	0.30	53	50	45
C081927		1.12	397	3	1.50	13	600	21	0.13	<5	514	0.28	48	20	41
C081928		1.13	409	3	1.44	15	660	20	0.16	<5	511	0.30	54	40	42
C081929		1.14	411	2	1.41	13	680	18	0.17	<5	487	0.30	55	50	41
C081930		0.36	68	<1	0.09	10	310	26	0.02	144	139	0.22	98	10	13
C081931		1.27	477	<1	1.63	17	700	19	0.09	5	518	0.32	58	30	50

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06061853

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C081932		3.52	0.007	<0.5	7.74	41	1460	3.0	<2	2.91	<0.5	10	57	17	3.34	3.17
C081933		5.70	0.009	<0.5	7.05	33	1290	2.7	<2	2.22	<0.5	8	47	16	2.63	3.37
C081934		2.84	0.016	<0.5	6.93	42	1290	3.1	<2	2.21	<0.5	9	48	9	2.95	3.38
C081935		5.04	0.141	<0.5	7.19	29	1220	3.2	<2	2.46	<0.5	6	41	15	2.77	3.54
C081936		1.86	<0.005	<0.5	0.13	<5	20	<0.5	<2	19.05	<0.5	<1	2	2	0.10	0.03
C081937		5.04	0.029	<0.5	7.29	<5	1120	3.0	<2	2.28	<0.5	7	41	14	2.59	3.63
C081938		3.38	0.064	<0.5	7.30	661	1370	3.3	<2	1.94	<0.5	4	31	16	2.14	4.00
C081939		3.86	0.080	<0.5	7.38	739	1150	3.0	<2	2.09	1.7	4	30	15	2.32	3.94
C081940		5.40	0.009	<0.5	7.44	76	1280	3.3	<2	1.89	<0.5	5	31	18	2.11	3.86
C081941		1.84	0.023	<0.5	7.56	51	1340	3.6	<2	1.33	<0.5	7	34	26	2.68	4.09
C081942		1.22	0.015	<0.5	7.57	78	1350	3.7	<2	1.69	<0.5	6	32	19	2.54	3.95
C081943		1.82	3.25	1.6	6.66	>10000	1120	2.8	23	1.08	<0.5	7	27	14	3.06	3.41
C081944		3.60	0.022	<0.5	7.29	602	1290	3.5	<2	1.31	<0.5	5	27	11	2.04	3.95
C081945		3.74	0.528	<0.5	6.95	1120	1250	3.3	<2	1.54	<0.5	4	23	9	2.09	3.75
C081946		2.32	0.008	<0.5	7.12	253	1250	3.1	<2	1.75	<0.5	3	23	10	1.79	3.78
C081947		4.70	1.530	<0.5	7.02	5750	1290	3.1	6	1.47	<0.5	4	23	9	2.28	3.85
C081948		4.18	0.015	<0.5	7.02	125	1350	2.8	<2	1.61	<0.5	3	28	6	1.77	4.05
C081949		<0.02	0.015	<0.5	6.86	109	1310	2.8	<2	1.58	<0.5	4	30	6	1.89	4.03
C081950		0.10	4.39	8.0	7.76	11	460	0.8	<2	2.69	1.2	16	22	116	4.12	2.16
C081951		5.64	0.025	<0.5	6.96	50	1230	3.2	<2	1.72	<0.5	4	28	6	1.88	3.72
C081952		3.06	0.008	<0.5	6.93	50	930	3.5	<2	1.46	<0.5	3	26	14	1.68	4.09
C081953		3.02	0.026	<0.5	7.34	24	1120	3.3	<2	1.82	<0.5	4	26	18	1.91	3.91
C081954		4.34	0.036	<0.5	7.50	44	1510	2.9	<2	1.82	<0.5	4	28	11	2.08	4.82
C081955		4.48	0.017	<0.5	7.23	30	1200	3.2	<2	1.72	<0.5	4	24	15	1.79	4.08
C081956		1.30	<0.005	<0.5	0.11	<5	10	<0.5	<2	18.85	<0.5	<1	3	2	0.09	0.03
C081957		5.10	0.018	<0.5	7.45	34	1310	3.1	<2	1.79	<0.5	4	28	15	1.94	4.06
C081958		2.76	0.011	<0.5	7.66	30	1260	3.2	<2	1.24	<0.5	4	30	12	2.23	3.70
C081959		3.86	0.048	<0.5	6.94	139	1180	3.2	<2	1.57	<0.5	3	26	8	1.80	3.83
C081960		3.90	0.028	<0.5	7.40	81	1250	3.4	<2	1.51	<0.5	3	29	10	1.99	3.77
C081961		2.12	0.046	<0.5	6.88	44	1050	2.9	<2	1.36	<0.5	4	23	9	1.62	3.88
C081962		2.24	0.021	<0.5	7.16	43	1130	3.2	<2	1.44	<0.5	4	24	9	1.83	4.36
C081963		3.44	0.007	<0.5	7.31	27	1130	3.2	<2	1.70	<0.5	3	23	5	1.87	3.79
C081964		2.58	0.006	<0.5	7.23	20	1130	3.6	<2	1.52	<0.5	3	25	5	1.82	3.62
C081965		4.84	<0.005	<0.5	7.66	15	1520	3.6	<2	1.82	<0.5	4	26	5	1.96	3.65
C081966		3.44	0.011	<0.5	7.59	74	1240	3.3	<2	1.40	<0.5	4	22	13	1.94	3.88
C081967		4.00	0.010	<0.5	7.72	33	1450	3.2	<2	1.78	<0.5	2	29	11	1.80	3.87
C081968		5.16	0.063	<0.5	7.91	2060	1920	2.8	<2	1.12	<0.5	3	23	5	1.83	4.16
C081969		<0.02	0.091	<0.5	7.83	3080	2010	2.9	<2	1.21	<0.5	4	27	5	1.84	4.35
C081970		0.10	0.097	<0.5	6.70	95	590	2.5	<2	0.51	<0.5	54	1140	368	8.17	2.07
C081971		4.32	0.042	<0.5	7.78	1160	1640	2.5	<2	1.14	<0.5	2	21	7	1.91	3.98

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06061853

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C081932		1.25	478	<1	1.56	16	720	17	0.10	<5	535	0.34	61	10	49
C081933		0.98	346	3	1.40	13	610	16	0.09	<5	434	0.28	50	10	37
C081934		1.06	386	<1	1.53	12	610	21	0.17	8	411	0.29	51	10	43
C081935		0.94	376	<1	1.55	12	570	19	0.11	<5	475	0.26	46	<10	36
C081936		10.85	126	<1	0.01	4	360	<2	0.01	<5	107	0.01	2	<10	10
C081937		0.93	394	<1	1.60	10	520	26	0.08	<5	460	0.24	40	10	44
C081938		0.71	222	1	1.73	10	490	17	0.12	8	518	0.23	30	20	20
C081939		0.64	444	<1	1.23	9	520	225	0.28	89	414	0.23	31	20	337
C081940		0.66	226	2	1.74	9	510	20	0.12	6	528	0.24	30	<10	23
C081941		0.66	187	2	1.41	9	540	20	0.16	<5	473	0.26	33	20	26
C081942		0.68	203	2	1.45	10	550	16	0.12	<5	493	0.26	34	10	20
C081943		0.56	182	2	1.30	8	410	43	0.67	22	358	0.18	25	10	19
C081944		0.55	164	<1	1.72	7	440	20	0.08	<5	447	0.21	26	10	20
C081945		0.53	186	2	1.64	7	430	24	0.11	<5	497	0.21	24	10	19
C081946		0.48	188	<1	1.71	8	430	20	0.09	<5	504	0.20	22	10	18
C081947		0.50	173	<1	1.68	7	390	27	0.32	8	486	0.18	21	20	19
C081948		0.50	160	2	1.60	8	420	21	0.05	<5	494	0.19	23	40	14
C081949		0.51	172	3	1.56	8	400	19	0.05	<5	487	0.19	23	40	14
C081950		1.29	948	10	1.58	11	880	23	0.66	<5	411	0.35	136	<10	87
C081951		0.57	203	<1	1.76	8	430	24	0.05	<5	523	0.20	23	50	22
C081952		0.45	183	<1	1.68	6	320	28	0.08	<5	413	0.16	18	50	20
C081953		0.60	233	<1	1.85	9	420	35	0.07	<5	529	0.21	25	<10	39
C081954		0.69	193	2	1.66	11	460	22	0.08	<5	536	0.23	30	60	18
C081955		0.60	174	<1	1.75	9	450	20	0.10	<5	530	0.20	24	30	27
C081956		11.00	135	<1	0.01	2	360	<2	0.01	<5	105	<0.01	1	<10	8
C081957		0.67	183	<1	1.74	10	470	20	0.09	<5	554	0.22	26	40	17
C081958		0.60	189	<1	1.68	9	470	31	0.08	<5	484	0.23	28	50	33
C081959		0.52	175	<1	1.62	7	410	24	0.05	<5	500	0.20	24	10	22
C081960		0.58	172	<1	1.77	8	430	20	0.06	<5	539	0.21	24	10	18
C081961		0.46	150	<1	1.57	7	370	24	0.05	<5	472	0.17	19	10	17
C081962		0.49	164	6	1.59	7	380	22	0.06	<5	488	0.19	21	10	18
C081963		0.54	231	<1	1.80	8	420	32	0.03	<5	531	0.20	23	10	32
C081964		0.51	213	<1	1.73	3	390	30	0.03	<5	464	0.19	20	<10	33
C081965		0.64	230	1	1.93	6	460	27	0.04	<5	592	0.23	25	50	38
C081966		0.55	184	<1	1.80	6	440	32	0.08	<5	508	0.19	20	20	44
C081967		0.55	211	1	1.75	5	480	26	0.13	<5	490	0.21	23	20	46
C081968		0.42	142	<1	2.19	5	470	25	0.23	<5	473	0.19	24	20	26
C081969		0.43	142	<1	2.11	7	520	24	0.29	<5	464	0.21	26	20	15
C081970		0.56	369	7	0.12	464	370	134	0.02	5	50	0.22	82	30	590
C081971		0.54	168	<1	1.82	7	470	25	0.12	<5	413	0.17	21	30	35

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06061853

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C081972		4.96	0.021	0.5	8.07	200	1480	3.3	<2	1.81	<0.5	4	28	49	1.88	3.97
C081973		5.50	0.074	<0.5	7.67	1435	1600	2.6	<2	1.62	<0.5	2	23	9	1.47	4.90
C081974		5.86	0.006	<0.5	7.45	204	1180	3.5	<2	1.63	<0.5	4	34	9	1.61	3.88
C081975		5.06	0.005	<0.5	7.17	37	1040	3.5	<2	1.44	<0.5	4	31	12	1.54	3.66
C081976		2.14	<0.005	<0.5	0.14	9	10	<0.5	<2	18.60	<0.5	3	11	4	0.10	0.03
C081977		5.46	0.010	<0.5	7.40	21	1210	3.4	<2	1.84	<0.5	5	36	15	1.71	3.64
C081978		4.60	0.039	<0.5	7.27	30	1130	3.2	<2	1.81	<0.5	4	34	17	1.63	3.39
C081979		5.26	0.012	<0.5	7.70	33	1270	3.0	<2	2.07	<0.5	6	39	12	1.92	3.46
C081980		5.20	0.018	<0.5	7.98	45	1360	3.7	<2	2.24	<0.5	7	48	28	1.99	3.77
C081981		2.24	<0.005	<0.5	7.96	25	1410	3.3	<2	2.12	<0.5	6	41	11	2.03	3.84
C081982		2.06	0.006	<0.5	7.94	44	1420	3.0	<2	2.01	<0.5	6	35	12	2.02	4.07
C081983		5.24	0.008	<0.5	7.85	36	1340	3.3	<2	2.15	<0.5	5	40	13	2.04	3.67
C081984		4.10	0.008	<0.5	7.91	73	1230	4.1	<2	1.80	<0.5	4	38	11	1.83	4.49
C081985		3.44	<0.005	<0.5	7.98	19	1210	3.6	<2	2.02	<0.5	6	42	11	1.95	3.80
C081986		4.88	0.010	<0.5	8.27	30	1360	3.3	<2	2.15	<0.5	5	41	11	2.02	3.56
C081987		3.44	0.005	<0.5	8.03	47	1430	3.5	<2	2.15	<0.5	5	42	10	2.01	3.52

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06061853

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C081972		0.62	192	4	1.91	6	520	26	0.13	5	577	0.22	24	20	28
C081973		0.43	176	5	1.40	7	390	27	0.16	<5	480	0.17	19	40	21
C081974		0.53	199	<1	1.81	8	410	33	0.06	<5	503	0.20	22	30	45
C081975		0.49	168	<1	1.71	9	390	30	0.07	<5	446	0.18	20	10	36
C081976		10.75	124	<1	0.01	1	380	9	0.01	<5	108	0.01	2	<10	14
C081977		0.58	183	1	1.78	8	440	22	0.11	5	539	0.22	25	10	30
C081978		0.52	230	<1	1.77	7	420	41	0.16	<5	474	0.20	23	60	77
C081979		0.69	263	2	1.87	10	480	34	0.08	<5	593	0.22	27	30	41
C081980		0.74	225	<1	1.90	11	540	25	0.20	<5	601	0.26	32	<10	28
C081981		0.78	268	1	1.86	12	530	37	0.09	5	608	0.25	32	30	44
C081982		0.77	260	5	1.80	10	560	27	0.10	<5	595	0.24	30	150	37
C081983		0.75	258	13	1.90	11	520	30	0.11	<5	596	0.25	31	40	35
C081984		0.60	238	2	1.75	8	420	39	0.08	<5	453	0.20	25	10	41
C081985		0.69	267	<1	1.93	10	460	38	0.09	<5	555	0.23	29	<10	48
C081986		0.75	246	<1	2.02	10	520	29	0.10	<5	624	0.24	29	<10	43
C081987		0.74	242	1	1.95	9	510	26	0.11	<5	613	0.24	30	80	32

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da..e: 25-JUL-2006
Account: STRGOL

CERTIFICATE VA06062025

Project: Dublin Gulch1735

P.O. No.:

This report is for 159 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 29-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06062025

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C081579		3.56	0.155	<0.5	7.91	49	1820	2.6	<2	2.58	<0.5	7	30	36	2.78	3.81
C081580		4.10	0.034	<0.5	7.57	33	1730	2.8	<2	2.58	<0.5	10	32	28	2.88	3.39
C081581		2.48	0.121	0.6	6.40	25	750	2.5	<2	4.66	0.8	6	23	16	2.58	2.76
C081582		1.46	0.081	0.5	7.35	32	890	2.8	<2	4.48	0.9	7	23	16	2.54	3.13
C081583		4.86	0.091	<0.5	7.29	42	940	2.9	<2	3.11	<0.5	7	27	19	2.34	3.14
C081584		3.74	0.021	<0.5	8.14	36	1640	3.0	<2	2.71	<0.5	8	27	21	2.76	3.58
C081585		3.94	0.014	<0.5	8.13	23	1760	2.9	2	3.12	<0.5	8	26	20	2.83	3.59
C081586		3.54	0.014	<0.5	7.68	23	1560	3.1	<2	2.80	<0.5	7	25	21	2.53	3.72
C081587		3.56	0.146	<0.5	7.85	19	1590	2.8	9	2.43	<0.5	8	21	32	2.31	4.17
C081588		4.08	0.079	<0.5	8.04	31	1540	3.3	2	3.01	<0.5	7	22	28	2.62	3.88
C081589		<0.02	0.068	<0.5	8.04	36	1580	3.4	3	2.98	<0.5	8	24	32	2.59	4.03
C081590		0.12	2.72	<0.5	7.85	2120	740	13.7	<2	0.02	<0.5	2	146	104	3.46	3.22
C081591		5.04	0.037	<0.5	8.21	37	1610	3.1	2	2.27	<0.5	8	27	23	2.77	3.75
C081592		5.50	0.072	2.0	8.27	62	1310	3.1	7	2.42	1.8	9	26	36	2.98	3.64
C081593		2.54	1.420	<0.5	7.74	55	1590	2.8	90	2.24	<0.5	10	27	24	2.64	3.99
C081594		4.18	0.084	<0.5	7.98	35	1500	3.0	3	2.68	<0.5	9	26	27	2.68	3.95
C081595		2.98	0.047	<0.5	7.85	26	1570	3.1	<2	2.39	<0.5	8	26	46	2.59	3.81
C081596		1.78	<0.005	<0.5	0.15	<5	20	<0.5	<2	22.2	<0.5	1	2	2	0.11	0.04
C081597		2.54	0.030	<0.5	7.76	34	1460	3.0	<2	2.90	<0.5	9	23	38	2.56	3.27
C081598		2.88	0.020	<0.5	7.93	27	1460	3.0	<2	2.15	<0.5	6	23	28	2.44	3.71
C081599		5.08	0.124	<0.5	8.21	35	1620	3.1	8	2.23	<0.5	11	27	79	2.91	3.99
C081600		4.46	0.390	<0.5	8.37	8	1820	3.4	36	3.03	<0.5	15	28	224	3.14	6.14
C081601		0.94	0.115	<0.5	8.27	18	1590	3.4	8	3.00	<0.5	14	25	89	2.80	4.50
C081602		1.10	0.090	<0.5	7.83	28	1470	3.2	6	2.87	<0.5	8	24	71	2.46	4.27
C081603		4.60	0.068	<0.5	7.45	26	1450	2.9	4	2.79	<0.5	8	23	62	2.62	4.17
C081604		3.54	0.010	<0.5	7.76	31	1350	3.1	<2	2.45	<0.5	8	26	12	2.62	3.17
C081605		2.78	0.018	<0.5	8.12	25	1470	3.3	2	2.41	<0.5	8	24	21	2.65	3.30
C081606		3.48	0.023	<0.5	7.62	33	1420	3.0	2	3.28	<0.5	7	26	19	2.73	3.32
C081607		4.46	0.021	<0.5	8.00	27	1520	3.0	<2	1.63	<0.5	8	23	20	2.66	3.39
C081608		2.82	0.054	<0.5	7.97	51	1590	3.0	3	2.80	<0.5	9	28	36	2.74	3.65
C081609		<0.02	0.044	<0.5	7.91	47	1550	2.8	2	2.83	<0.5	8	26	37	2.64	3.55
C081610		0.10	0.901	2.2	8.15	6	460	0.7	<2	2.02	1.3	23	99	2070	5.22	1.77
C081611		4.96	0.021	<0.5	8.38	48	1660	3.0	2	2.44	<0.5	9	28	30	2.76	3.75
C081612		4.52	0.017	<0.5	7.73	33	1480	2.9	2	2.69	<0.5	8	26	25	2.69	3.36
C081613		5.90	0.046	<0.5	7.62	35	1570	2.7	16	2.81	<0.5	10	26	32	2.47	3.93
C081614		2.80	0.050	<0.5	7.40	48	1370	2.7	12	2.80	<0.5	8	24	26	2.69	3.17
C081615		3.36	0.014	<0.5	8.25	31	1390	3.3	<2	3.65	<0.5	9	23	23	2.75	3.31
C081616		1.72	<0.005	<0.5	0.13	<5	20	<0.5	<2	22.0	<0.5	<1	1	2	0.10	0.03
C081617		4.70	0.013	<0.5	7.51	23	1260	2.9	2	3.04	<0.5	7	26	26	2.43	3.17
C081618		5.18	0.046	<0.5	7.26	31	1400	3.1	2	3.06	<0.5	9	28	29	2.54	3.70

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06062025

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C081579		0.91	270	2	1.55	22	680	20	0.14	7	514	0.32	37	20	37
C081580		0.89	340	<1	1.40	24	690	26	0.13	5	458	0.34	40	20	66
C081581		0.63	610	2	0.27	16	560	62	0.51	6	346	0.23	32	30	170
C081582		0.69	540	2	0.35	19	590	69	0.40	10	347	0.26	37	30	150
C081583		0.94	389	1	1.05	21	560	47	0.22	13	419	0.26	33	20	68
C081584		0.84	345	1	1.60	21	700	27	0.12	16	461	0.33	39	10	63
C081585		0.89	417	1	1.47	20	650	34	0.06	7	510	0.31	37	20	65
C081586		1.02	354	4	1.36	21	600	29	0.06	5	524	0.27	32	20	47
C081587		0.76	282	1	1.34	20	530	30	0.09	7	450	0.25	30	20	34
C081588		0.81	301	3	1.50	20	650	31	0.18	13	490	0.28	33	20	33
C081589		0.80	293	2	1.52	17	640	29	0.19	8	491	0.28	34	30	32
C081590		0.39	70	3	0.10	11	340	32	0.02	157	142	0.28	104	20	17
C081591		0.85	347	2	1.47	21	620	34	0.08	10	453	0.31	36	20	50
C081592		0.85	491	1	0.90	22	650	141	0.29	11	387	0.30	35	30	289
C081593		0.75	335	2	1.69	20	650	33	0.04	11	460	0.32	37	20	67
C081594		0.80	284	1	1.66	20	620	28	0.11	<5	509	0.30	36	30	49
C081595		0.73	194	1	1.69	22	630	22	0.16	<5	498	0.30	35	30	22
C081596		12.05	138	<1	0.01	<1	470	<2	0.01	<5	116	0.01	3	<10	7
C081597		1.15	218	1	1.51	21	650	19	0.15	8	641	0.30	35	30	23
C081598		0.80	204	1	1.57	17	600	20	0.11	<5	529	0.26	31	30	24
C081599		0.77	216	1	1.43	24	660	24	0.26	5	507	0.32	38	40	31
C081600		0.83	209	2	1.43	18	730	21	0.58	<5	686	0.33	38	80	16
C081601		0.73	206	1	1.65	19	670	19	0.25	9	589	0.31	35	40	16
C081602		0.72	184	2	1.59	16	640	19	0.21	<5	586	0.27	31	40	14
C081603		0.89	232	2	1.38	24	620	16	0.27	8	592	0.27	32	30	19
C081604		0.87	289	3	1.55	20	640	29	0.06	5	574	0.30	34	20	51
C081605		0.78	262	2	1.65	22	690	23	0.10	<5	539	0.31	36	20	42
C081606		0.79	340	1	1.61	20	630	34	0.08	9	548	0.31	37	30	73
C081607		0.67	274	1	1.70	21	650	32	0.07	<5	484	0.29	35	20	60
C081608		0.78	254	4	1.71	24	710	21	0.14	6	535	0.33	39	30	35
C081609		0.76	249	4	1.67	21	710	24	0.13	6	534	0.31	37	30	34
C081610		1.39	440	2	3.22	48	720	24	0.63	<5	210	0.31	92	<10	211
C081611		0.81	251	3	1.79	21	700	24	0.10	6	564	0.34	39	30	39
C081612		0.88	292	2	1.71	22	680	30	0.07	<5	599	0.30	35	20	50
C081613		0.93	266	7	1.65	21	640	28	0.08	9	641	0.29	34	20	46
C081614		0.83	319	4	1.46	17	640	28	0.09	20	545	0.28	35	20	54
C081615		0.81	373	4	1.10	20	700	34	0.10	20	555	0.30	35	30	68
C081616		12.00	136	<1	0.01	<1	490	3	<0.01	<5	112	0.01	3	<10	7
C081617		0.61	318	2	1.55	22	560	31	0.07	15	461	0.28	34	30	56
C081618		0.97	302	1	1.44	22	560	30	0.07	14	634	0.29	35	40	52

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06062025

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C081619		4.40	0.242	<0.5	7.71	22	1460	3.0	5	2.23	<0.5	8	27	33	2.39	3.87
C081620		3.30	0.071	<0.5	7.42	24	1440	2.9	9	2.69	<0.5	12	41	40	2.61	3.61
C081621		1.86	0.042	<0.5	7.44	19	1550	2.9	2	2.39	<0.5	7	26	42	2.33	3.72
C081622		1.90	0.095	<0.5	7.54	19	1520	3.0	2	2.51	<0.5	8	23	37	2.41	3.91
C081623		1.16	0.634	3.9	6.96	4270	260	2.8	8	4.27	1.4	27	20	115	6.91	2.74
C081624		2.80	0.153	1.1	7.85	59	1220	2.8	5	3.24	<0.5	10	24	43	2.84	3.31
C081625		4.74	0.031	<0.5	7.79	38	1600	2.8	2	2.54	<0.5	11	29	38	2.91	3.73
C081626		2.60	0.078	1.4	7.65	57	1190	3.2	3	3.04	1.1	7	24	39	2.93	3.45
C081627		2.48	0.086	1.4	7.28	74	1140	3.0	3	2.53	1.0	8	26	39	2.73	2.94
C081628		2.00	0.121	0.5	7.90	78	1560	3.5	6	1.76	0.5	9	25	33	2.42	3.82
C081629		<0.02	0.133	<0.5	7.89	62	1580	3.4	3	1.79	0.6	9	26	35	2.54	3.81
C081630		0.10	2.78	<0.5	7.95	2060	740	13.0	2	0.02	<0.5	1	144	102	3.45	3.06
C081631		4.54	0.071	<0.5	7.20	37	1530	2.7	6	2.32	<0.5	7	24	24	2.42	3.62
C081632		3.14	0.222	<0.5	8.28	52	1680	2.9	12	2.01	<0.5	11	30	34	2.65	3.71
C081633		5.02	0.057	<0.5	8.27	37	1560	3.1	3	2.89	<0.5	8	27	23	2.95	3.30
C081634		5.10	0.047	<0.5	8.18	38	1600	3.2	4	2.61	<0.5	9	30	19	2.82	3.36
C081635		5.14	<0.005	<0.5	8.18	26	1600	3.1	2	2.35	<0.5	8	28	9	2.78	3.24
C081636		1.18	<0.005	<0.5	0.16	<5	20	<0.5	<2	21.4	<0.5	<1	6	2	0.12	0.04
C081637		4.76	0.005	<0.5	7.97	27	1560	3.1	<2	2.45	<0.5	8	30	12	2.83	3.30
C081638		Not Recvd														
C081639		3.66	<0.005	<0.5	8.34	26	1580	3.2	<2	2.45	<0.5	11	30	17	2.78	3.38
C081640		4.42	0.009	<0.5	8.15	26	1610	3.3	<2	2.69	<0.5	9	31	17	2.80	3.23
C081641		2.60	0.067	<0.5	8.35	22	1550	3.2	5	2.55	<0.5	10	29	26	2.69	3.46
C081642		3.04	0.027	<0.5	7.96	30	1540	3.4	2	2.44	<0.5	10	29	22	2.60	3.49
C081643		1.90	0.046	<0.5	8.31	57	1560	3.3	<2	2.49	<0.5	11	30	25	2.75	3.35
C081644		4.04	0.022	<0.5	7.78	25	1410	3.0	3	2.84	<0.5	9	27	19	2.68	3.28
C081645		2.80	0.037	<0.5	7.58	33	1280	3.1	4	2.99	<0.5	9	29	26	2.65	3.33
C081646		4.10	0.026	<0.5	7.76	27	1340	3.0	2	2.48	<0.5	8	27	15	2.69	3.35
C081647		2.98	<0.005	<0.5	7.84	26	1560	3.1	<2	2.42	<0.5	9	29	9	2.58	3.34
C081648		4.64	0.013	<0.5	7.93	18	1580	3.2	3	3.33	<0.5	9	29	10	2.92	3.30
C081649		<0.02	0.012	<0.5	7.51	26	1490	3.1	3	3.11	<0.5	10	27	10	2.72	3.17
C081650		0.12	0.103	<0.5	6.82	105	550	2.6	3	0.52	<0.5	57	1100	379	7.98	2.04
C081651		2.84	0.063	<0.5	8.28	20	1700	3.1	7	2.18	<0.5	9	31	17	2.72	3.48
C081652		2.88	0.064	<0.5	8.12	39	1430	3.4	4	2.82	<0.5	10	28	64	2.33	4.19
C081653		3.96	0.044	<0.5	7.60	16	1260	2.8	2	3.00	<0.5	10	24	48	2.28	4.12
C081654		4.58	0.151	1.3	6.84	52	950	3.0	6	3.81	<0.5	11	27	36	3.02	3.19
C081655		4.54	0.063	0.5	7.97	37	1470	3.4	3	1.87	<0.5	9	30	47	2.70	3.58
C081656		1.46	<0.005	<0.5	0.13	<5	20	<0.5	<2	20.6	<0.5	<1	2	2	0.10	0.04
C081657		4.32	0.030	<0.5	7.57	20	1540	3.4	<2	2.08	<0.5	11	32	44	2.58	3.42
C081658		3.42	0.074	0.7	7.12	37	1200	3.2	3	2.72	0.7	8	28	48	2.76	3.27

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06062025

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C081619		0.65	259	3	1.40	17	570	24	0.06	14	477	0.28	34	30	41
C081620		0.90	277	1	1.34	21	580	32	0.06	17	581	0.29	41	50	44
C081621		0.88	264	1	1.24	21	580	21	0.12	5	555	0.27	34	40	24
C081622		0.87	282	1	1.13	18	570	24	0.16	8	537	0.27	33	40	27
C081623		1.27	651	1	0.09	22	530	297	4.11	32	383	0.18	29	50	200
C081624		0.73	602	1	0.88	20	580	60	0.26	17	406	0.28	35	30	78
C081625		0.81	445	1	1.20	24	620	40	0.13	12	453	0.30	36	30	57
C081626		0.73	569	2	0.38	17	580	130	0.38	13	324	0.27	34	30	154
C081627		0.87	455	1	0.60	22	630	120	0.36	10	375	0.25	40	40	164
C081628		0.69	315	2	0.87	20	600	55	0.16	7	411	0.29	36	40	91
C081629		0.69	327	1	0.90	18	570	52	0.16	14	414	0.29	36	40	86
C081630		0.39	70	2	0.09	12	320	33	0.02	159	149	0.24	103	20	18
C081631		0.56	385	1	1.13	19	520	24	0.11	9	441	0.26	32	30	35
C081632		0.66	302	3	1.29	24	640	23	0.20	10	459	0.30	36	30	38
C081633		0.81	338	<1	1.62	21	660	27	0.15	13	542	0.30	36	20	48
C081634		0.72	314	<1	1.72	21	630	26	0.12	<5	532	0.31	37	20	46
C081635		0.73	319	1	1.75	21	650	24	0.07	<5	509	0.31	37	20	51
C081636		11.80	134	<1	0.02	<1	400	4	<0.01	<5	115	0.01	3	<10	8
C081637		0.72	315	1	1.74	22	660	23	0.07	5	490	0.31	37	20	46
C081638															
C081639		0.74	323	1	1.75	24	650	25	0.07	<5	516	0.31	37	20	55
C081640		0.79	298	1	1.79	21	660	19	0.10	10	528	0.32	39	10	37
C081641		0.74	260	<1	1.76	22	640	21	0.16	5	512	0.30	37	30	33
C081642		0.73	263	1	1.67	22	600	19	0.12	5	486	0.31	38	20	38
C081643		0.76	260	2	1.74	24	640	21	0.16	8	502	0.30	37	10	34
C081644		0.63	311	1	1.60	20	610	23	0.14	7	460	0.29	36	20	37
C081645		0.79	302	2	1.32	20	620	18	0.23	7	437	0.29	35	20	30
C081646		0.61	339	2	1.23	22	620	26	0.15	10	378	0.29	35	20	50
C081647		0.64	297	1	1.46	20	640	21	0.08	12	457	0.30	37	20	50
C081648		0.90	362	1	1.59	22	630	24	0.07	10	601	0.30	37	20	52
C081649		0.83	337	1	1.53	22	570	23	0.06	<5	564	0.29	35	20	48
C081650		0.56	361	9	0.12	467	330	142	0.02	17	50	0.23	88	30	587
C081651		0.71	277	1	1.67	23	630	21	0.08	7	492	0.31	38	20	43
C081652		0.56	366	1	1.18	21	590	40	0.36	15	434	0.31	37	30	45
C081653		0.61	368	2	1.01	19	470	29	0.28	9	402	0.23	28	30	23
C081654		1.27	860	2	0.55	20	570	112	0.43	20	377	0.26	33	20	108
C081655		0.61	346	2	1.07	20	680	49	0.35	12	337	0.29	35	10	46
C081656		11.15	126	<1	0.01	<1	380	3	0.01	6	103	0.01	3	10	7
C081657		0.64	208	1	1.53	24	660	17	0.19	10	437	0.30	36	30	19
C081658		0.94	601	4	0.88	17	620	95	0.16	18	335	0.27	33	50	157

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06062025

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C081659		5.72	0.071	1.0	7.08	60	1260	2.8	5	2.30	0.6	8	27	45	2.36	3.63
C081660		5.66	0.079	<0.5	7.42	32	1620	2.9	<2	2.27	<0.5	6	30	32	2.44	4.09
C081661		2.50	0.037	<0.5	8.00	44	1680	3.6	<2	2.09	<0.5	10	33	49	2.81	3.57
C081662		2.52	0.034	<0.5	7.68	49	1650	3.5	<2	1.93	<0.5	10	29	49	2.65	3.58
C081663		3.86	0.025	<0.5	7.34	26	1540	3.2	3	2.17	<0.5	7	30	49	2.43	3.57
C081664		3.16	0.036	<0.5	7.36	45	1540	3.1	3	2.63	<0.5	8	29	49	2.44	3.93
C081665		4.20	0.029	<0.5	7.35	64	1320	3.0	<2	2.21	<0.5	8	31	51	2.60	3.70
C081666		3.36	0.198	4.2	7.02	131	700	3.0	7	3.16	2.9	7	23	128	4.64	3.28
C081667		3.70	0.106	3.3	7.42	86	680	3.0	5	2.88	1.2	6	24	91	2.98	3.35
C081668		5.04	0.503	5.6	7.12	161	610	2.9	14	2.71	7.4	6	23	106	4.33	2.91
C081669		<0.02	0.531	5.8	6.91	164	590	2.8	12	2.66	7.8	8	23	109	4.10	2.84
C081670		0.10	0.460	2.5	9.21	7	1050	1.2	<2	1.50	<0.5	8	13	7170	3.17	3.59
C081671		3.98	0.211	1.8	7.06	44	970	2.7	7	2.39	3.5	4	24	51	2.83	3.15
C081672		4.82	0.020	<0.5	7.80	33	1620	3.5	<2	1.62	<0.5	8	30	19	2.99	3.31
C081673		4.52	0.023	<0.5	7.46	49	1390	3.1	2	2.43	<0.5	7	30	25	2.69	3.77
C081674		3.66	0.028	1.2	7.60	71	830	3.5	<2	3.44	4.0	6	29	32	3.28	3.70
C081675		4.82	0.022	0.5	7.97	32	1380	3.1	<2	2.64	0.9	6	31	26	2.90	3.94
C081676		2.14	<0.005	<0.5	0.10	<5	20	<0.5	<2	20.6	<0.5	<1	2	2	0.10	0.03
C081677		5.08	0.144	2.1	7.72	28	1010	3.2	9	2.44	2.1	6	28	29	2.80	3.51
C081678		5.08	0.216	3.3	6.47	128	840	2.7	7	4.68	2.1	7	21	31	4.06	2.85
C081679		6.48	0.033	<0.5	7.20	44	1430	2.7	2	2.69	<0.5	8	26	33	2.67	3.86
C081680		3.90	0.014	<0.5	7.43	40	1510	3.0	2	2.22	<0.5	8	28	32	2.53	3.26
C081681		1.68	0.051	<0.5	6.43	24	1100	2.8	<2	1.89	<0.5	4	18	36	1.78	4.19
C081682		1.32	0.138	<0.5	6.53	27	1160	2.6	3	1.87	<0.5	6	19	36	1.76	4.67
C081683		4.40	0.105	<0.5	7.01	385	1420	3.3	<2	2.61	2.5	10	28	39	2.50	3.50
C081684		3.90	0.081	<0.5	7.78	39	1530	3.2	4	2.67	<0.5	7	29	20	2.74	3.35
C081685		3.16	0.022	<0.5	7.06	36	1530	3.2	<2	2.73	<0.5	12	33	27	2.63	3.68
C081686		4.12	0.148	<0.5	6.76	24	1370	2.5	8	1.67	<0.5	6	25	25	2.30	3.63
C081687		4.32	0.061	<0.5	7.20	71	1280	3.3	2	4.00	<0.5	7	31	32	2.93	3.26
C081688		4.56	0.045	<0.5	7.10	48	1380	2.8	<2	2.46	<0.5	9	27	23	2.58	3.56
C081689		<0.02	0.023	<0.5	7.38	38	1450	2.8	<2	2.56	<0.5	8	26	23	2.70	3.61
C081690		0.12	NSS	<0.5	6.88	1185	650	5.6	<2	0.01	<0.5	5	213	40	3.55	2.53
C081691		4.76	0.029	0.6	7.11	40	450	2.9	<2	2.96	3.9	9	26	28	2.43	2.90
C081692		3.26	0.012	0.5	6.89	35	570	2.7	4	3.53	0.5	8	28	16	2.43	2.38
C081693		5.38	0.162	0.5	7.13	30	820	2.8	8	2.80	<0.5	8	34	24	2.48	2.85
C081694		2.90	0.086	0.5	7.39	51	960	2.9	8	2.71	<0.5	9	31	30	2.65	3.03
C081695		3.84	0.113	<0.5	7.61	16	1460	3.2	8	2.03	<0.5	9	29	27	2.33	3.73
C081696		1.60	0.010	<0.5	0.12	<5	20	<0.5	<2	19.50	<0.5	1	3	2	0.11	0.03
C081697		5.30	0.034	<0.5	7.79	16	1530	3.1	<2	3.00	<0.5	9	38	21	3.15	3.37
C081698		5.44	0.148	<0.5	7.68	21	1580	3.2	<2	2.25	<0.5	9	31	11	2.72	3.21

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06062025

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C081659		0.68	541	3	0.85	19	610	106	0.17	13	301	0.25	31	40	148
C081660		0.60	303	2	1.37	18	610	33	0.15	16	403	0.27	33	20	40
C081661		0.66	243	2	1.57	24	690	28	0.27	10	438	0.32	38	20	54
C081662		0.63	218	2	1.50	21	670	24	0.25	7	416	0.30	37	20	36
C081663		0.66	171	1	1.54	18	630	19	0.25	<5	444	0.28	33	20	18
C081664		0.72	281	1	1.02	21	640	32	0.25	13	352	0.27	33	10	28
C081665		0.71	395	1	0.74	19	630	52	0.23	16	287	0.28	35	20	52
C081666		0.91	1340	1	0.16	19	570	472	2.42	52	183	0.23	30	20	486
C081667		0.87	1020	1	0.05	17	610	310	1.17	53	140	0.23	31	20	222
C081668		0.87	1355	2	0.04	24	540	814	2.03	69	143	0.23	29	20	1305
C081669		0.84	1305	1	0.04	21	530	794	1.95	65	139	0.22	29	10	1360
C081670		1.16	471	3	3.35	8	1910	16	0.23	<5	652	0.34	171	10	58
C081671		0.74	923	2	0.53	19	550	282	0.27	23	234	0.24	29	20	604
C081672		0.65	260	1	1.46	24	650	30	0.08	<5	407	0.31	37	10	52
C081673		0.64	455	1	0.79	21	630	45	0.23	11	309	0.30	35	10	73
C081674		0.93	1335	2	0.11	21	580	209	0.72	24	176	0.30	40	30	744
C081675		0.75	622	2	0.66	21	640	105	0.42	9	301	0.31	39	20	159
C081676		11.55	157	<1	0.01	<1	510	4	<0.01	6	102	0.01	3	<10	7
C081677		0.66	841	2	0.36	21	610	212	0.34	21	186	0.29	36	20	351
C081678		1.01	2950	1	0.46	30	520	480	0.73	27	297	0.22	29	30	361
C081679		0.69	291	3	1.51	18	550	28	0.10	13	478	0.26	31	30	37
C081680		0.76	233	2	1.67	20	600	19	0.13	<5	454	0.29	35	30	26
C081681		0.55	165	8	1.28	15	360	18	0.13	7	367	0.18	21	30	12
C081682		0.55	157	11	1.18	12	330	22	0.14	9	361	0.18	21	20	11
C081683		0.87	260	1	1.35	19	610	321	0.24	13	430	0.30	36	30	477
C081684		0.86	351	1	1.52	20	650	43	0.10	13	443	0.33	40	20	58
C081685		1.01	301	12	1.48	24	600	23	0.08	10	472	0.36	42	30	47
C081686		0.68	327	4	1.23	20	500	30	0.04	14	350	0.27	32	30	57
C081687		1.66	412	3	1.07	25	610	38	0.08	25	517	0.28	37	40	41
C081688		0.78	446	2	1.33	20	560	29	0.05	20	396	0.29	35	30	48
C081689		0.81	466	2	1.39	21	610	29	0.06	20	416	0.30	35	30	48
C081690		0.33	85	2	0.11	21	320	35	0.02	111	91	0.22	88	10	48
C081691		0.62	1135	1	0.18	16	540	224	0.19	26	192	0.25	32	30	711
C081692		0.55	739	4	1.47	21	580	47	0.17	18	276	0.27	32	40	49
C081693		0.80	457	1	1.31	20	620	40	0.15	13	300	0.27	35	20	61
C081694		0.58	440	1	1.37	20	590	30	0.17	18	291	0.28	35	30	45
C081695		0.61	261	1	1.44	22	550	32	0.11	9	393	0.29	35	20	56
C081696		10.75	150	<1	0.01	<1	510	4	<0.01	<5	101	<0.01	3	<10	6
C081697		0.99	424	1	1.52	21	680	31	0.07	<5	505	0.32	48	20	71
C081698		0.78	322	1	1.63	19	640	29	0.04	<5	478	0.31	38	20	63

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06062025

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C081699		4.84	0.065	<0.5	7.92	19	1580	3.1	<2	2.51	<0.5	11	31	11	2.68	3.31
C081700		5.38	0.112	<0.5	7.43	11	1400	2.9	2	2.36	<0.5	9	32	23	2.53	3.26
C081701		1.12	0.102	<0.5	7.60	36	1480	2.9	<2	2.75	<0.5	11	27	34	2.66	3.41
C081702		1.10	0.067	<0.5	7.39	23	1440	2.8	4	2.40	<0.5	9	29	39	2.59	3.28
C081703		5.26	0.033	<0.5	8.01	22	1600	3.1	<2	2.80	<0.5	8	33	13	2.77	3.37
C081704		4.68	0.019	<0.5	7.76	20	1520	2.8	<2	2.66	0.6	11	33	22	2.65	3.20
C081705		4.58	0.033	<0.5	7.21	12	1400	2.8	<2	2.92	<0.5	9	28	15	2.52	2.80
C081706		2.96	0.067	<0.5	6.99	20	1400	2.8	3	1.88	0.8	9	26	18	2.69	3.07
C081707		4.18	0.029	<0.5	7.05	23	1380	2.5	2	1.84	<0.5	8	26	16	2.59	3.14
C081708		3.62	0.400	<0.5	7.73	32	1720	2.3	11	2.97	<0.5	11	30	81	2.88	5.19
C081709		<0.02	0.313	<0.5	7.42	28	1640	2.3	12	2.88	<0.5	12	28	83	2.68	4.91
C081710		0.10	0.106	0.5	6.99	102	570	2.6	4	0.54	<0.5	60	1175	380	8.34	2.05
C081711		2.78	0.076	<0.5	7.61	19	1540	2.8	5	2.94	<0.5	9	30	21	2.68	3.24
C081712		5.24	0.054	<0.5	7.37	27	1510	2.8	3	3.14	<0.5	8	29	19	2.62	3.16
C081713		4.36	0.124	<0.5	7.66	24	1640	2.8	3	3.18	<0.5	9	29	18	2.66	3.27
C081714		4.90	0.229	<0.5	7.31	32	1520	2.6	7	2.35	<0.5	7	27	13	2.39	3.42
C081715		4.58	0.092	<0.5	7.41	24	1460	2.8	7	2.92	<0.5	8	31	16	2.65	3.20
C081716		1.72	<0.005	<0.5	0.12	<5	10	<0.5	<2	19.95	<0.5	2	2	2	0.09	0.03
C081717		2.14	0.028	<0.5	7.79	26	1680	2.8	<2	2.24	<0.5	8	30	15	2.52	3.44
C081718		3.06	0.046	<0.5	7.58	180	1560	2.9	6	2.62	<0.5	8	35	20	2.94	3.42
C081719		4.66	0.102	<0.5	7.99	21	1680	2.9	6	2.68	<0.5	8	30	27	2.71	3.53
C081720		2.26	0.142	<0.5	7.18	28	1490	2.6	4	3.66	<0.5	7	26	16	2.72	3.17
C081721		2.30	0.051	<0.5	8.17	27	1700	2.9	<2	2.39	<0.5	9	30	18	2.74	3.45
C081722		2.50	0.056	<0.5	7.83	36	1640	2.8	2	2.36	0.5	9	29	16	2.66	3.45
C081723		5.34	0.061	<0.5	7.46	21	1580	2.7	<2	2.79	<0.5	8	29	14	2.66	3.28
C081724		3.22	0.190	3.5	7.54	22	1120	3.2	6	2.65	1.8	8	27	39	2.84	3.11
C081725		4.58	0.192	0.8	8.04	32	1440	3.0	<2	2.75	<0.5	9	29	26	2.92	3.17
C081726		4.80	0.153	<0.5	7.07	45	1480	2.7	<2	2.38	<0.5	8	24	14	2.62	3.34
C081727		3.34	0.040	<0.5	7.48	44	1580	2.9	<2	2.28	<0.5	7	23	15	2.68	3.56
C081728		4.32	0.015	<0.5	7.44	36	1450	3.2	<2	2.40	<0.5	7	21	13	2.48	3.70
C081729		<0.02	0.011	<0.5	7.39	24	1430	3.2	<2	2.35	<0.5	7	22	12	2.49	3.75
C081730		0.12	2.75	<0.5	7.58	2170	750	13.1	<2	0.02	<0.5	<1	140	100	3.55	3.21
C081731		5.24	0.083	<0.5	7.20	43	1410	3.0	<2	2.91	<0.5	9	36	17	2.72	3.70
C081732		4.90	0.058	<0.5	7.14	100	1460	2.8	<2	2.43	<0.5	8	21	14	2.60	3.40
C081733		4.60	0.024	<0.5	6.76	20	1450	2.7	<2	2.27	<0.5	7	20	14	2.32	3.57
C081734		4.22	0.222	<0.5	7.32	410	1390	2.8	<2	2.78	<0.5	10	25	29	2.71	3.47
C081735		3.52	0.050	<0.5	8.38	23	1400	3.5	<2	2.44	<0.5	8	34	28	2.67	3.79
C081736		1.92	<0.005	<0.5	0.12	<5	10	<0.5	<2	23.8	<0.5	<1	13	2	0.10	0.03
C081737		4.68	0.314	<0.5	8.03	992	1510	3.4	3	2.49	<0.5	9	40	18	2.78	3.52

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06062025

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C081699		0.79	324	1	1.74	21	620	27	0.04	<5	520	0.31	38	10	58
C081700		0.73	307	1	1.66	21	560	31	0.07	<5	473	0.29	35	20	65
C081701		0.77	329	1	1.60	20	630	27	0.10	<5	502	0.28	34	20	57
C081702		0.73	299	1	1.63	19	580	26	0.12	5	485	0.28	34	20	58
C081703		0.78	348	1	1.80	20	660	32	0.05	5	534	0.30	37	20	63
C081704		0.71	344	1	1.65	20	640	28	0.05	<5	524	0.32	38	40	75
C081705		0.93	378	1	1.51	17	650	33	0.06	8	534	0.29	35	30	75
C081706		0.88	375	2	1.02	20	600	50	0.08	11	390	0.29	35	30	141
C081707		0.77	331	5	1.38	19	580	28	0.06	9	437	0.29	34	30	57
C081708		0.58	305	2	1.35	23	650	22	0.55	9	516	0.31	37	60	37
C081709		0.57	287	3	1.33	23	620	24	0.50	<5	503	0.29	35	60	36
C081710		0.57	375	9	0.12	476	350	147	0.02	13	50	0.21	90	30	602
C081711		0.69	333	1	1.71	23	620	32	0.05	<5	533	0.30	36	50	60
C081712		0.73	387	1	1.53	22	670	50	0.11	5	518	0.30	37	30	75
C081713		0.81	367	3	1.58	20	620	33	0.07	<5	548	0.31	37	30	65
C081714		0.62	312	1	1.50	20	570	30	0.05	5	449	0.29	35	30	59
C081715		0.75	381	1	1.59	22	620	33	0.04	<5	489	0.30	37	30	74
C081716		10.90	128	<1	0.01	<1	350	2	<0.01	<5	105	<0.01	3	<10	7
C081717		0.73	311	1	1.49	25	650	32	0.07	<5	450	0.33	40	30	72
C081718		0.82	368	1	1.61	22	680	40	0.11	<5	468	0.32	40	30	65
C081719		0.80	332	1	1.75	24	680	28	0.07	<5	526	0.32	38	40	59
C081720		0.87	363	1	1.57	17	610	31	0.06	5	545	0.28	34	30	54
C081721		0.85	327	1	1.82	24	680	27	0.06	<5	540	0.33	40	40	62
C081722		0.84	317	2	1.68	22	650	28	0.06	<5	511	0.33	40	30	59
C081723		0.80	366	1	1.55	21	590	29	0.08	<5	487	0.30	37	30	66
C081724		0.71	514	1	0.84	22	630	357	0.23	12	293	0.29	37	30	307
C081725		0.82	453	2	1.44	23	650	89	0.15	<5	463	0.30	39	30	97
C081726		0.77	395	1	1.37	19	610	40	0.08	6	434	0.31	37	20	70
C081727		0.75	384	<1	1.51	20	630	55	0.11	6	449	0.31	37	30	73
C081728		0.71	314	1	1.78	16	580	29	0.04	<5	508	0.29	35	30	59
C081729		0.70	318	1	1.78	19	570	28	0.04	<5	505	0.30	34	30	60
C081730		0.39	71	2	0.09	7	330	29	0.02	157	146	0.26	106	10	17
C081731		0.68	387	<1	1.39	18	610	32	0.09	5	450	0.31	43	30	54
C081732		0.63	346	<1	1.49	18	590	32	0.08	<5	477	0.29	34	20	66
C081733		0.53	297	4	1.38	16	550	20	0.06	6	426	0.27	33	20	45
C081734		1.09	337	1	1.32	18	610	67	0.16	7	557	0.30	37	30	116
C081735		0.66	321	1	1.80	20	610	41	0.06	<5	508	0.30	34	30	60
C081736		12.90	142	<1	0.01	1	420	<2	<0.01	6	120	<0.01	3	<10	8
C081737		0.64	325	3	1.94	21	630	33	0.11	<5	507	0.31	36	40	58

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUL-2006
Account: STRGOL

CERTIFICATE VA06062028

Project: Dublin Gulch1735

P.O. No.:

This report is for 237 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 4-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06062028

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C078597		5.34	0.392	<0.5	7.27	6410	1640	2.8	<2	2.14	<0.5	32	25	21	2.72	3.77
C078598		5.56	0.240	<0.5	7.81	958	1730	2.9	<2	2.46	<0.5	13	28	22	2.75	3.61
C078599		6.28	0.196	<0.5	7.87	1595	1730	3.0	<2	2.28	<0.5	9	26	16	2.78	3.67
C078600		4.72	0.221	<0.5	7.31	869	1450	2.6	<2	1.49	<0.5	9	24	28	2.38	3.99
C078601		2.86	0.060	<0.5	7.76	43	1630	2.9	<2	2.40	<0.5	8	24	24	2.54	3.86
C078602		2.52	0.202	<0.5	7.45	82	1720	2.9	<2	2.38	<0.5	9	29	27	2.78	3.69
C078603		5.92	0.014	<0.5	7.14	18	1260	3.5	<2	2.09	<0.5	7	24	14	2.19	3.69
C078604		6.12	0.165	<0.5	7.81	367	1540	2.9	<2	2.32	<0.5	8	26	32	2.66	3.54
C078605		2.72	0.117	0.6	6.99	1105	780	2.5	<2	2.85	0.5	5	18	44	2.57	3.13
C078606		2.74	0.137	<0.5	7.84	5420	1260	2.8	<2	3.12	<0.5	10	28	23	3.00	3.50
C078607		2.78	0.039	<0.5	7.22	770	1500	2.9	<2	2.31	<0.5	6	24	14	2.41	3.94
C078608		2.28	0.130	<0.5	7.87	1535	1660	2.9	4	2.78	<0.5	7	28	20	2.84	3.63
C078609		<0.02	0.150	<0.5	7.56	2060	1620	2.8	7	2.68	<0.5	6	24	20	2.70	3.54
C078610		0.10	3.36	<0.5	6.96	8	2060	3.2	<2	4.85	<0.5	23	134	96	5.19	3.37
C078611		5.54	0.068	<0.5	7.50	34	1570	2.8	<2	2.53	<0.5	6	24	23	2.53	3.37
C078612		5.60	0.057	<0.5	7.78	28	1470	3.2	<2	2.22	<0.5	6	28	19	2.52	3.75
C078613		5.80	0.172	<0.5	7.78	58	1590	2.6	3	2.14	<0.5	7	23	25	2.31	4.03
C078614		5.60	0.058	<0.5	7.88	41	1610	2.9	<2	2.57	<0.5	7	28	20	2.75	3.50
C078615		5.54	0.043	<0.5	7.74	60	1550	2.9	<2	2.40	<0.5	7	31	24	2.59	3.66
C078616		1.36	<0.005	<0.5	0.21	<5	30	<0.5	<2	21.1	<0.5	<1	7	2	0.14	0.07
C078617		5.26	0.045	<0.5	7.64	57	1510	3.0	<2	2.44	<0.5	7	31	20	2.61	3.50
C078618		6.16	0.381	<0.5	7.73	1010	1570	3.0	3	2.63	<0.5	30	37	91	2.80	3.56
C078619		5.36	0.130	<0.5	7.68	70	1610	2.9	<2	2.44	<0.5	8	33	31	2.66	3.62
C078620		6.34	0.119	<0.5	7.86	172	1660	2.8	<2	2.31	<0.5	8	33	29	2.69	3.77
C078621		2.58	0.274	<0.5	8.13	455	1710	3.0	<2	2.58	<0.5	8	33	48	2.89	3.63
C078622		3.60	0.271	<0.5	8.33	1210	1750	3.0	<2	2.61	<0.5	9	32	16	2.90	3.66
C078623		7.28	0.118	<0.5	7.46	40	1510	3.0	<2	2.45	<0.5	7	34	41	2.62	3.50
C078624		6.18	0.080	<0.5	7.36	1470	1590	3.0	3	2.45	<0.5	7	36	22	2.68	3.40
C078625		6.62	0.064	<0.5	7.76	83	1590	3.1	2	2.40	<0.5	8	43	45	2.66	3.62
C078626		6.34	0.093	<0.5	7.87	40	1570	3.1	<2	2.43	<0.5	7	36	38	2.56	3.87
C078627		6.60	0.044	<0.5	7.45	39	1530	2.8	<2	2.41	<0.5	8	40	37	2.58	3.93
C078628		6.70	0.054	<0.5	7.80	62	1540	3.2	2	2.52	<0.5	8	40	26	2.63	3.67
C078629		<0.02	0.043	<0.5	8.05	67	1590	3.2	<2	2.57	<0.5	7	42	28	2.77	3.63
C078630		0.10	1.330	<0.5	6.85	1280	690	5.7	<2	0.01	<0.5	4	206	38	3.82	2.71
C078631		6.90	0.079	<0.5	7.63	144	1590	3.0	<2	2.36	<0.5	7	36	17	2.60	3.68
C078632		5.94	0.124	<0.5	7.75	50	1550	3.0	<2	2.52	<0.5	8	36	22	2.70	3.58
C078633		6.62	0.219	<0.5	7.13	38	1500	3.3	2	2.31	<0.5	9	31	22	2.58	3.36
C078634		5.98	0.076	<0.5	7.33	29	1520	3.3	<2	2.32	<0.5	8	35	26	2.57	3.50
C078635		5.54	0.336	<0.5	6.75	26	1450	3.1	5	2.23	<0.5	8	29	36	2.44	3.32
C078636		1.52	<0.005	<0.5	0.13	<5	20	<0.5	<2	20.9	<0.5	<1	3	3	0.10	0.04

Comments: Additional check assays for sample C078649 report 0.729ppm gold, 1.820ppm gold, and 2.21ppm gold.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

): STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06062028

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C078597		0.71	223	<1	1.47	20	620	20	0.42	5	464	0.31	37	30	35
C078598		0.84	290	1	1.63	21	680	26	0.12	<5	532	0.35	41	10	56
C078599		0.78	273	2	1.57	21	680	27	0.14	<5	498	0.34	41	10	64
C078600		0.64	255	1	0.96	22	580	24	0.28	8	326	0.28	34	30	35
C078601		0.74	232	1	1.50	19	630	27	0.17	10	472	0.30	37	20	33
C078602		0.78	251	1	1.52	23	670	23	0.18	6	483	0.33	39	20	36
C078603		0.62	230	<1	1.54	14	510	26	0.09	<5	413	0.26	30	<10	43
C078604		0.76	261	1	1.38	22	630	32	0.22	11	463	0.31	37	10	61
C078605		0.83	458	<1	0.04	12	530	80	0.77	33	146	0.23	31	20	155
C078606		0.78	409	1	0.61	22	690	41	0.62	24	331	0.32	39	30	81
C078607		0.68	219	1	1.48	16	540	23	0.16	6	467	0.26	32	<10	27
C078608		0.82	256	2	1.57	22	650	22	0.24	5	519	0.31	38	10	31
C078609		0.79	239	1	1.51	19	630	20	0.25	7	496	0.31	37	<10	31
C078610		2.92	1035	12	2.28	64	2350	30	0.30	<5	1630	0.39	165	<10	96
C078611		0.77	243	2	1.50	19	640	23	0.20	7	485	0.30	36	20	35
C078612		0.75	215	1	1.62	18	590	21	0.14	<5	476	0.29	34	10	31
C078613		0.73	206	<1	1.36	18	620	24	0.19	<5	442	0.29	34	50	35
C078614		0.85	258	2	1.65	21	640	19	0.15	<5	505	0.31	37	20	34
C078615		0.80	232	1	1.63	19	640	20	0.15	<5	486	0.31	38	10	35
C078616		11.80	130	<1	0.03	<1	440	<2	0.01	<5	119	0.01	3	<10	8
C078617		0.81	237	2	1.66	18	610	23	0.14	<5	490	0.31	36	10	31
C078618		0.86	267	2	1.53	21	630	21	0.23	<5	486	0.32	38	<10	37
C078619		0.87	233	1	1.64	19	640	16	0.19	<5	502	0.32	38	10	30
C078620		0.84	240	2	1.61	20	640	20	0.21	5	482	0.30	36	40	33
C078621		0.90	266	2	1.79	21	690	20	0.19	<5	528	0.33	40	10	32
C078622		0.93	266	1	1.78	20	690	20	0.19	<5	532	0.33	40	20	33
C078623		0.84	233	2	1.65	22	620	20	0.19	<5	484	0.31	37	10	29
C078624		0.84	271	2	1.69	19	640	18	0.22	<5	486	0.32	39	10	36
C078625		0.86	215	2	1.65	22	620	18	0.23	<5	494	0.32	38	20	29
C078626		0.84	171	1	1.64	21	640	19	0.24	<5	496	0.31	37	10	21
C078627		0.82	227	4	1.60	24	630	19	0.19	<5	477	0.32	38	50	30
C078628		0.86	246	1	1.80	21	630	19	0.18	<5	514	0.32	39	<10	30
C078629		0.89	263	2	1.81	23	640	21	0.19	<5	523	0.32	38	<10	30
C078630		0.35	89	2	0.11	18	310	26	0.01	115	91	0.26	92	10	46
C078631		0.81	227	3	1.68	20	610	19	0.15	<5	481	0.30	36	30	26
C078632		0.86	230	1	1.67	23	650	18	0.14	<5	502	0.31	38	10	25
C078633		0.81	227	1	1.71	19	600	21	0.15	<5	451	0.31	38	<10	30
C078634		0.82	216	<1	1.76	23	560	19	0.14	<5	464	0.30	38	10	30
C078635		0.79	168	4	1.59	18	540	19	0.21	<5	427	0.29	34	10	22
C078636		11.65	129	<1	0.02	<1	430	<2	0.01	<5	104	0.01	2	<10	7

Comments: Additional check assays for sample C078649 report 0.729ppm gold, 1.820ppm gold, and 2.21ppm gold.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06062028

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C078637		5.66	0.053	<0.5	6.88	54	1360	3.2	<2	2.16	<0.5	8	29	34	2.38	3.54
C078638		6.38	0.079	<0.5	7.29	56	1460	3.3	5	2.40	<0.5	6	36	30	2.61	3.48
C078639		7.18	0.151	<0.5	7.45	191	1620	3.4	6	2.42	<0.5	8	32	36	2.68	3.76
C078640		6.24	0.058	<0.5	7.53	94	1540	3.4	<2	2.40	<0.5	8	32	36	2.68	3.59
C078641		3.48	0.079	<0.5	7.39	36	1510	3.6	<2	2.02	<0.5	8	33	31	2.74	3.44
C078642		2.74	0.056	<0.5	6.93	67	1460	3.2	<2	1.91	<0.5	7	30	36	2.57	3.31
C078643		5.84	0.144	<0.5	7.86	3580	1420	3.0	<2	3.43	<0.5	21	31	22	2.95	3.51
C078644		6.60	0.256	<0.5	7.33	69	1580	3.7	11	2.46	<0.5	11	39	34	2.66	3.95
C078645		6.60	0.026	<0.5	7.23	34	1520	3.2	<2	2.73	<0.5	9	49	23	3.07	3.30
C078646		6.08	0.038	<0.5	7.84	82	1600	3.4	<2	2.53	<0.5	8	34	20	2.75	3.60
C078647		6.48	0.133	<0.5	7.33	40	1520	3.3	<2	2.49	<0.5	8	36	20	2.67	3.40
C078648		6.12	0.042	<0.5	7.02	30	1400	3.2	<2	2.28	<0.5	7	30	29	2.41	3.55
C078649		0.04	0.525	<0.5	7.37	26	1440	3.2	<2	2.34	<0.5	7	35	24	2.57	3.53
C078650		0.10	2.84	<0.5	8.34	2170	810	14.5	2	0.04	<0.5	<1	146	106	3.80	3.29
C078651		6.22	0.023	<0.5	7.41	45	1440	3.2	<2	2.30	<0.5	9	28	24	2.54	3.44
C078652		6.28	0.040	<0.5	7.49	29	1460	3.4	4	2.29	<0.5	8	34	26	2.62	3.52
C078653		5.92	0.040	<0.5	7.37	77	1540	3.3	5	2.37	<0.5	9	32	34	2.65	3.74
C078654		6.22	0.083	<0.5	7.30	29	1420	3.2	3	2.30	<0.5	7	34	33	2.50	3.84
C078655		6.48	0.034	<0.5	7.21	27	1440	3.2	<2	2.29	<0.5	7	29	29	2.38	3.79
C078656		1.48	<0.005	<0.5	0.14	5	20	<0.5	<2	20.8	<0.5	1	2	3	0.11	0.04
C078657		6.12	0.025	<0.5	7.81	27	1470	3.3	2	3.12	<0.5	8	29	33	2.54	3.66
C078658		6.20	0.022	<0.5	7.66	39	1510	3.4	2	2.62	<0.5	8	35	22	2.64	3.44
C078659		6.52	0.062	<0.5	7.03	50	1410	3.8	<2	2.42	<0.5	12	34	31	2.60	3.88
C078660		7.28	0.023	<0.5	7.14	123	1320	3.2	<2	2.40	<0.5	9	27	24	2.51	3.25
C078661		3.18	0.027	<0.5	8.43	126	1740	3.5	<2	2.80	<0.5	8	31	16	2.99	3.56
C078662		3.02	0.013	<0.5	7.87	28	1580	3.5	2	2.51	<0.5	8	32	13	2.73	3.50
C078663		6.10	0.043	<0.5	7.37	30	1490	3.2	4	2.32	<0.5	7	32	24	2.46	3.79
C078664		4.90	0.106	<0.5	6.57	34	1380	2.9	19	2.01	<0.5	8	33	44	2.62	3.32
C078665		2.24	0.543	<0.5	8.10	97	1600	3.3	36	2.83	<0.5	14	76	82	3.87	3.77
C078666		4.80	0.051	<0.5	7.48	72	1520	3.1	4	1.34	<0.5	9	34	49	2.76	3.60
C078667		6.30	0.011	<0.5	7.71	37	1640	3.6	<2	2.56	<0.5	8	32	22	2.78	3.54
C078668		6.40	0.020	<0.5	7.87	20	1610	3.3	8	2.69	<0.5	9	32	26	2.78	3.43
C078669		0.04	0.022	<0.5	6.97	26	1480	2.8	3	2.46	<0.5	6	27	25	2.51	3.18
C078670		0.10	4.48	7.8	7.56	<5	460	0.8	<2	2.80	1.3	16	20	118	4.13	2.21
C078671		6.68	0.013	<0.5	7.55	28	1570	2.9	<2	2.68	<0.5	6	34	18	2.69	3.21
C078672		6.14	0.051	<0.5	7.40	117	1490	3.0	3	2.71	<0.5	8	37	33	2.73	3.40
C078673		6.18	0.044	<0.5	7.07	49	1410	2.9	<2	2.23	<0.5	7	31	33	2.48	3.46
C078674		6.14	0.238	<0.5	7.00	52	1430	2.8	14	1.90	<0.5	10	26	64	2.40	3.79
C078675		6.42	0.059	<0.5	6.68	51	1380	2.6	<2	1.85	<0.5	8	28	47	2.23	4.21
C078676		1.80	<0.005	<0.5	0.14	<5	20	<0.5	<2	18.40	<0.5	<1	1	3	0.12	0.05

Comments: Additional check assays for sample C078649 report 0.729ppm gold, 1.820ppm gold, and 2.21ppm gold.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06062028

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C078637		0.79	194	2	1.49	16	540	21	0.21	<5	399	0.27	33	20	25
C078638		0.81	222	2	1.66	20	580	22	0.18	<5	446	0.30	37	30	26
C078639		0.81	203	1	1.74	21	630	19	0.22	7	472	0.32	39	10	25
C078640		0.82	193	<1	1.69	19	620	21	0.20	<5	455	0.32	39	10	24
C078641		0.78	209	1	1.62	23	610	22	0.15	<5	425	0.31	38	30	27
C078642		0.74	193	<1	1.51	19	590	17	0.17	<5	401	0.30	36	20	26
C078643		0.75	321	1	1.61	22	550	28	0.34	<5	473	0.27	33	40	28
C078644		0.80	222	1	1.76	24	630	23	0.18	8	477	0.36	44	10	33
C078645		1.06	367	2	1.72	26	650	21	0.14	6	480	0.34	48	20	47
C078646		0.85	247	1	1.84	22	630	26	0.11	<5	494	0.33	40	10	31
C078647		0.79	267	1	1.77	23	560	26	0.10	<5	482	0.33	42	10	37
C078648		0.71	223	<1	1.68	18	550	24	0.12	<5	448	0.29	35	10	33
C078649		0.74	241	<1	1.68	24	540	22	0.12	<5	456	0.30	36	10	33
C078650		0.42	77	2	0.12	10	340	34	0.03	175	156	0.25	108	10	18
C078651		0.75	239	<1	1.58	21	600	25	0.12	8	449	0.30	36	30	38
C078652		0.76	240	2	1.63	23	560	29	0.15	<5	448	0.30	36	30	40
C078653		0.80	206	2	1.66	19	630	21	0.23	<5	459	0.32	38	60	26
C078654		0.74	205	1	1.68	23	550	25	0.18	<5	447	0.30	35	30	26
C078655		0.75	204	2	1.65	20	560	21	0.15	<5	452	0.30	37	30	28
C078656		11.70	139	<1	0.02	<1	420	<2	0.01	<5	110	0.01	2	<10	7
C078657		0.84	247	<1	1.77	16	600	26	0.14	<5	509	0.30	36	30	30
C078658		0.91	271	<1	1.78	22	610	23	0.14	<5	484	0.31	38	10	35
C078659		0.79	261	1	1.68	25	560	20	0.19	<5	443	0.36	43	20	42
C078660		0.75	256	<1	1.65	18	580	23	0.25	8	393	0.30	37	20	43
C078661		0.93	308	<1	2.11	21	690	28	0.12	<5	555	0.33	40	10	38
C078662		0.86	297	1	1.92	24	630	25	0.09	<5	507	0.32	38	<10	41
C078663		0.78	222	1	1.70	19	590	20	0.15	<5	441	0.30	38	30	30
C078664		0.74	212	4	1.45	25	520	17	0.28	<5	399	0.28	36	70	34
C078665		1.34	299	2	1.65	32	690	21	0.42	<5	503	0.34	57	30	43
C078666		0.86	184	1	1.46	24	590	22	0.18	<5	401	0.31	39	20	32
C078667		0.83	296	<1	1.85	21	630	22	0.12	6	500	0.33	41	10	45
C078668		0.86	276	1	1.75	23	620	24	0.13	<5	508	0.33	39	10	37
C078669		0.77	243	<1	1.59	19	590	15	0.12	<5	478	0.29	33	10	36
C078670		1.30	915	11	1.59	10	860	23	0.65	<5	401	0.35	134	<10	95
C078671		0.84	297	1	1.80	23	660	19	0.11	<5	527	0.31	36	10	48
C078672		0.87	282	<1	1.67	46	630	17	0.17	<5	505	0.31	39	10	41
C078673		0.77	236	1	1.57	22	580	21	0.17	<5	459	0.29	34	10	36
C078674		0.76	174	<1	1.40	18	580	17	0.25	<5	403	0.28	33	20	28
C078675		0.72	186	1	1.29	19	550	18	0.19	<5	383	0.27	33	20	27
C078676		10.45	138	<1	0.02	1	520	<2	0.01	<5	103	0.01	2	<10	7

Comments: Additional check assays for sample C078649 report 0.729ppm gold, 1.820ppm gold, and 2.21ppm gold.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06062028

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C078677		3.88	0.020	<0.5	7.03	102	1470	2.9	<2	2.29	<0.5	9	27	24	2.46	3.37
C078678		2.36	0.060	<0.5	7.13	37	1540	3.8	8	2.19	<0.5	8	23	41	2.34	3.49
C078679		6.06	0.014	<0.5	7.17	25	1440	2.9	<2	2.37	<0.5	7	27	19	2.53	3.40
C078680		6.96	0.059	<0.5	6.93	31	1470	2.8	4	2.51	<0.5	7	27	20	2.50	3.22
C078681		2.90	0.007	<0.5	7.58	38	1590	3.0	<2	2.72	<0.5	8	34	22	2.80	3.38
C078682		3.74	0.038	<0.5	7.17	24	1470	2.8	<2	2.67	<0.5	8	32	26	2.76	3.42
C078683		5.56	0.040	<0.5	7.49	31	1560	3.2	<2	2.41	<0.5	8	33	32	2.68	3.58
C078684		5.72	0.018	<0.5	7.39	17	1550	2.8	<2	2.63	<0.5	7	30	30	2.66	3.41
C078685		6.42	0.006	<0.5	7.79	33	1650	2.7	<2	2.64	<0.5	8	31	23	2.67	3.70
C078686		5.46	0.011	<0.5	7.07	46	1480	2.9	<2	2.41	<0.5	7	31	26	2.45	3.68
C078687		4.98	0.043	<0.5	7.58	45	1340	3.3	<2	2.29	<0.5	6	30	33	2.47	3.83
C078688		5.70	0.036	<0.5	7.02	72	1470	3.0	<2	2.67	<0.5	6	29	34	2.52	3.76
C078689		0.04	0.037	<0.5	7.35	73	1460	2.7	3	2.65	<0.5	5	28	30	2.54	3.19
C078690		0.10	2.69	<0.5	7.29	2010	710	12.7	<2	0.02	<0.5	<1	137	100	3.42	3.16
C078691		4.62	0.094	<0.5	7.12	49	1480	2.7	6	2.02	<0.5	6	27	36	2.40	4.03
C078692		5.28	0.042	0.5	6.62	887	1330	2.7	13	2.07	<0.5	6	24	24	2.40	3.46
C078693		3.38	0.068	3.1	7.32	113	900	2.8	4	1.84	4.3	5	23	69	2.89	3.49
C078694		2.22	0.072	3.8	7.84	130	810	2.9	6	2.50	4.9	5	27	85	3.28	3.83
C078695		6.24	0.019	<0.5	8.27	46	1610	3.1	<2	2.67	<0.5	7	28	19	2.95	3.83
C078696		1.60	<0.005	<0.5	0.14	8	20	<0.5	<2	20.3	<0.5	<1	2	3	0.13	0.04
C078697		2.64	0.009	<0.5	7.41	19	1440	3.0	<2	2.48	<0.5	6	26	16	2.54	3.50
C078698		3.28	0.006	<0.5	7.55	52	1220	2.9	<2	3.51	1.0	6	25	16	2.99	3.54
C078699		6.32	0.023	<0.5	7.28	28	1490	2.8	<2	2.48	<0.5	6	29	22	2.63	3.41
C078700		7.00	0.016	<0.5	7.11	48	1500	2.7	<2	2.46	<0.5	6	29	39	2.51	3.73
C078701		2.76	0.030	<0.5	7.05	114	1520	2.8	<2	2.35	<0.5	6	28	33	2.48	3.59
C078702		2.00	0.033	<0.5	7.22	216	1590	2.7	<2	2.30	<0.5	7	30	41	2.79	3.52
C078703		6.12	0.029	<0.5	6.86	164	1310	2.5	<2	2.48	0.5	7	27	34	2.28	3.85
C078704		6.14	0.032	<0.5	7.16	63	1440	2.8	<2	2.41	<0.5	6	26	29	2.56	3.43
C078705		6.12	0.051	2.4	7.47	102	1300	2.9	3	2.78	3.5	7	30	42	2.25	4.11
C078706		5.88	0.025	<0.5	6.69	62	1410	3.0	<2	2.29	<0.5	7	32	32	2.51	3.30
C078707		6.16	<0.005	<0.5	7.66	27	1550	3.4	<2	2.72	<0.5	9	42	18	3.09	3.43
C078708		4.96	<0.005	<0.5	7.74	27	1560	3.3	2	2.16	0.8	9	28	19	2.85	3.73
C078709		0.04	0.008	<0.5	6.75	26	1380	3.1	<2	1.94	0.9	8	30	19	2.61	3.47
C078710		0.12	1.390	<0.5	6.71	1225	650	6.2	<2	0.02	<0.5	4	208	39	3.63	2.63
C078711		4.74	0.009	<0.5	7.99	61	1530	3.2	<2	2.67	0.7	9	32	21	3.02	3.63
C078712		5.38	0.030	1.3	7.14	72	1060	2.8	3	3.43	17.3	9	29	39	3.06	3.34
C078713		6.32	0.014	<0.5	7.14	33	1480	3.2	<2	2.29	<0.5	6	30	32	2.58	3.46
C078714		6.00	0.019	<0.5	7.53	46	1530	3.5	<2	2.25	<0.5	9	32	36	2.60	3.86
C078715		6.04	0.006	<0.5	7.26	21	1340	3.3	<2	2.18	<0.5	7	32	14	2.45	3.48
C078716		1.82	<0.005	<0.5	0.11	5	20	<0.5	<2	19.25	<0.5	2	1	2	0.09	0.04

Comments: Additional check assays for sample C078649 report 0.729ppm gold, 1.820ppm gold, and 2.21ppm gold.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06062028

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C078677		0.80	251	1	1.42	22	610	18	0.09	<5	421	0.30	36	20	37
C078678		0.83	216	1	0.85	21	590	22	0.09	9	408	0.29	33	30	45
C078679		0.84	309	2	1.49	19	590	26	0.04	6	455	0.29	34	20	60
C078680		0.80	314	1	1.58	18	590	25	0.07	<5	473	0.29	34	10	64
C078681		0.85	341	1	1.80	25	640	26	0.08	<5	526	0.32	39	<10	68
C078682		0.88	327	1	1.67	22	620	24	0.12	<5	491	0.31	38	50	65
C078683		0.82	254	1	1.72	23	630	24	0.13	<5	499	0.31	36	10	43
C078684		0.82	296	<1	1.70	21	640	26	0.11	<5	523	0.32	37	10	67
C078685		0.88	326	1	1.73	23	670	28	0.09	<5	541	0.32	37	10	74
C078686		0.77	233	1	1.68	19	590	19	0.14	<5	478	0.29	34	30	34
C078687		0.72	247	1	1.78	20	550	25	0.17	<5	451	0.28	33	20	36
C078688		0.77	240	1	1.76	20	590	16	0.19	<5	498	0.30	35	50	30
C078689		0.79	246	1	1.72	20	590	16	0.18	<5	499	0.26	30	50	26
C078690		0.37	67	1	0.09	10	320	24	0.02	147	142	0.25	96	10	17
C078691		0.71	203	2	1.45	23	570	21	0.19	9	431	0.27	31	40	32
C078692		0.66	269	4	1.31	20	540	53	0.16	10	360	0.25	30	10	49
C078693		0.61	529	1	0.33	19	580	441	0.82	12	143	0.26	32	10	809
C078694		0.75	863	1	0.05	21	630	533	1.04	11	119	0.25	32	20	901
C078695		0.85	395	<1	1.57	30	670	32	0.16	11	451	0.30	36	10	57
C078696		11.60	155	<1	0.01	<1	460	3	0.01	<5	112	0.01	2	<10	8
C078697		0.79	316	<1	1.69	18	590	27	0.10	<5	467	0.28	32	10	56
C078698		0.87	1080	1	1.04	20	580	104	0.20	6	361	0.28	33	10	280
C078699		0.81	352	1	1.75	18	610	29	0.08	<5	488	0.31	36	10	77
C078700		0.75	320	1	1.46	23	620	27	0.15	12	441	0.30	35	20	54
C078701		0.82	268	1	1.60	19	620	21	0.21	<5	486	0.31	36	40	41
C078702		0.85	296	<1	1.59	23	640	21	0.25	<5	483	0.31	36	50	45
C078703		0.70	470	3	0.89	19	580	64	0.24	9	321	0.29	35	650	150
C078704		0.76	337	1	1.60	23	600	26	0.10	8	451	0.30	34	10	73
C078705		0.70	691	<1	0.50	21	550	345	0.22	20	255	0.29	36	60	681
C078706		0.73	336	<1	1.63	21	560	31	0.10	9	418	0.30	37	10	74
C078707		1.09	460	1	1.81	19	630	33	0.05	9	487	0.34	48	10	91
C078708		0.74	356	<1	1.40	20	610	75	0.13	9	398	0.31	38	10	170
C078709		0.65	334	<1	1.24	20	520	66	0.12	6	349	0.29	35	10	164
C078710		0.34	85	1	0.11	18	300	26	0.02	113	87	0.25	89	10	45
C078711		0.76	550	<1	1.13	23	670	86	0.22	13	370	0.33	41	10	134
C078712		0.72	1580	<1	0.63	20	560	1350	0.73	578	265	0.29	37	10	3190
C078713		0.76	319	<1	1.72	20	570	32	0.11	5	446	0.30	36	40	68
C078714		0.79	316	1	1.69	22	550	35	0.12	<5	456	0.33	39	10	77
C078715		0.71	334	<1	1.76	19	510	37	0.04	6	429	0.27	33	10	71
C078716		11.20	134	<1	0.02	<1	450	4	<0.01	<5	103	0.01	2	<10	7

Comments: Additional check assays for sample C078649 report 0.729ppm gold, 1.820ppm gold, and 2.21ppm gold.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

): STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06062028

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C078717		5.56	0.011	<0.5	7.53	44	1480	3.5	<2	2.48	<0.5	8	33	33	2.60	3.60
C078718		6.18	<0.005	<0.5	7.10	25	1480	3.1	<2	2.54	<0.5	7	30	28	2.53	3.21
C078719		5.54	0.005	<0.5	7.47	50	1560	3.4	<2	2.49	<0.5	8	33	17	2.58	3.49
C078720		5.74	0.136	0.7	7.50	617	1490	3.4	7	2.55	<0.5	11	28	47	2.67	3.77
C078721		2.20	0.060	2.3	6.91	64	880	3.1	4	2.45	5.4	7	29	62	2.52	3.41
C078722		2.12	0.217	3.3	6.53	54	860	3.2	27	2.32	2.2	7	25	49	2.32	3.22
C078723		5.16	0.024	1.3	7.82	82	780	3.4	3	2.87	0.6	6	26	48	2.75	3.67
C078724		3.48	0.041	0.6	7.83	161	540	3.2	3	2.04	<0.5	8	25	41	2.65	3.32
C078725		3.08	0.098	<0.5	6.88	27	1410	3.4	10	2.17	<0.5	6	28	51	2.33	3.48
C078726		5.92	0.099	<0.5	7.45	42	1100	3.3	11	2.17	<0.5	7	28	28	2.27	3.45
C078727		5.54	0.437	<0.5	7.36	49	1470	3.4	12	2.40	<0.5	8	32	48	2.49	3.51
C078728		6.22	0.047	<0.5	7.71	56	1520	3.4	<2	2.45	<0.5	8	33	41	2.60	3.63
C078729		0.04	0.044	<0.5	7.01	76	1380	3.2	2	2.29	<0.5	7	31	31	2.37	3.44
C078730		0.12	0.426	2.4	9.20	<5	1060	1.2	<2	1.45	<0.5	6	12	7240	3.23	3.64
C078731		5.54	0.035	<0.5	7.34	53	1480	3.1	<2	2.26	<0.5	6	30	60	2.45	3.43
C078732		5.02	0.014	<0.5	7.42	57	1440	3.3	<2	2.37	<0.5	7	31	37	2.41	3.63
C078733		6.12	0.063	<0.5	7.12	70	1620	3.4	7	2.56	<0.5	8	39	58	2.65	3.68
C078734		6.10	0.080	<0.5	7.22	104	1300	3.1	6	2.62	<0.5	7	31	53	2.42	3.34
C078735		5.40	0.077	0.6	6.97	64	1280	3.3	4	2.32	<0.5	5	33	46	2.30	3.47
C078736		1.68	<0.005	<0.5	0.16	<5	20	<0.5	<2	18.25	<0.5	<1	2	6	0.14	0.06
C078737		6.58	0.048	0.5	6.70	59	1040	3.0	4	2.02	<0.5	6	27	36	2.10	3.24
C078738		6.34	0.047	<0.5	7.42	75	1460	3.1	4	2.24	<0.5	7	32	50	2.50	3.82
C078739		6.46	0.040	<0.5	6.96	139	1400	2.9	4	2.16	<0.5	7	30	25	2.29	3.44
C078740		6.62	0.045	<0.5	7.65	86	1560	3.5	2	2.49	<0.5	6	33	25	2.60	3.65
C078741		3.04	0.018	<0.5	7.87	100	1510	3.1	<2	2.34	<0.5	8	30	14	2.41	3.48
C078742		2.88	0.017	<0.5	7.74	83	1480	3.0	<2	2.22	<0.5	8	28	14	2.45	3.33
C078743		6.24	0.046	<0.5	7.41	309	1450	2.8	<2	2.60	<0.5	8	29	27	2.42	3.48
C078744		5.62	0.035	0.6	8.38	99	1410	3.0	2	2.56	<0.5	6	28	33	2.89	3.45
C078745		5.32	0.030	<0.5	7.52	286	1260	2.7	<2	2.24	<0.5	7	26	22	2.34	3.40
C078746		5.52	0.067	<0.5	8.19	28	1460	3.0	<2	3.20	<0.5	8	28	21	2.80	3.56
C078747		3.76	0.067	0.6	7.31	53	1520	2.7	2	2.08	<0.5	9	28	24	2.47	3.55
C078748		3.14	0.034	1.9	8.56	107	720	2.8	<2	2.85	<0.5	8	28	41	2.85	3.10
C078749		0.04	0.036	1.8	7.97	122	710	2.9	4	2.62	<0.5	10	32	37	2.61	3.21
C078750		0.10	0.095	<0.5	6.86	109	570	2.6	<2	0.53	<0.5	57	1190	383	8.29	2.08
C078751		4.20	0.013	<0.5	8.36	51	1770	3.0	<2	2.53	<0.5	10	30	29	3.05	3.40
C078752		2.80	0.023	<0.5	7.80	42	1620	2.9	<2	2.44	<0.5	12	29	31	2.66	3.69
C078753		6.08	0.023	<0.5	7.91	44	1490	2.9	<2	2.54	<0.5	6	27	35	2.58	3.54
C078754		5.38	0.069	<0.5	8.09	38	1600	2.9	4	2.72	<0.5	8	29	50	2.70	3.82
C078755		6.16	0.045	<0.5	7.65	44	1450	3.1	2	2.24	<0.5	7	29	30	2.57	3.50
C078756		1.42	<0.005	<0.5	0.17	<5	20	<0.5	<2	19.55	<0.5	<1	1	1	0.12	0.05

Comments: Additional check assays for sample C078649 report 0.729ppm gold, 1.820ppm gold, and 2.21ppm gold.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06062028

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C078717		0.81	330	<1	1.79	21	570	33	0.11	5	459	0.31	37	30	67
C078718		0.85	371	<1	1.62	18	580	38	0.09	7	441	0.30	37	10	73
C078719		0.78	339	<1	1.73	22	590	31	0.09	6	456	0.31	37	<10	57
C078720		0.79	326	1	1.62	21	560	96	0.27	9	439	0.30	37	40	42
C078721		0.71	488	1	0.42	22	500	288	0.46	16	205	0.25	31	40	904
C078722		0.71	506	1	0.47	21	430	373	0.20	33	196	0.22	29	30	381
C078723		0.81	729	1	0.07	18	570	173	0.68	31	182	0.27	35	30	110
C078724		0.71	417	<1	0.25	20	570	53	1.19	23	172	0.28	35	10	40
C078725		0.70	204	2	1.62	19	530	23	0.27	5	413	0.28	34	20	24
C078726		0.67	242	<1	1.72	17	530	29	0.13	16	365	0.27	32	20	31
C078727		0.80	233	<1	1.76	20	580	23	0.23	<5	456	0.30	36	<10	30
C078728		0.86	247	<1	1.81	20	570	27	0.21	7	476	0.31	37	20	31
C078729		0.80	237	<1	1.71	19	540	20	0.19	<5	446	0.30	36	20	30
C078730		1.18	472	2	3.44	9	1660	12	0.22	7	669	0.34	171	<10	54
C078731		0.82	235	<1	1.74	20	520	24	0.25	<5	464	0.30	36	50	32
C078732		0.76	265	<1	1.73	19	560	22	0.18	6	456	0.30	36	20	37
C078733		0.85	256	<1	1.82	25	580	19	0.31	<5	472	0.33	42	30	33
C078734		0.78	252	<1	1.71	19	580	19	0.23	12	425	0.31	37	30	30
C078735		0.69	242	<1	1.62	18	500	106	0.24	22	378	0.27	33	10	65
C078736		10.65	146	<1	0.02	<1	460	3	0.03	<5	100	0.01	2	<10	7
C078737		0.63	237	<1	1.61	18	460	82	0.18	23	311	0.25	30	20	44
C078738		0.79	251	<1	1.60	18	550	22	0.28	9	418	0.30	37	80	33
C078739		0.73	248	2	1.57	18	490	23	0.20	<5	422	0.27	32	80	35
C078740		0.81	298	2	1.83	21	560	24	0.22	8	471	0.32	39	30	45
C078741		0.75	296	<1	1.62	21	670	25	0.16	10	413	0.32	38	20	59
C078742		0.72	281	<1	1.50	20	620	21	0.18	9	394	0.31	37	20	51
C078743		0.71	293	3	1.57	21	570	18	0.28	10	433	0.27	33	20	31
C078744		0.82	376	1	1.45	20	670	88	0.25	18	394	0.29	35	10	76
C078745		0.71	335	<1	1.22	21	530	30	0.20	6	337	0.25	30	20	47
C078746		0.88	597	<1	1.19	21	660	51	0.10	11	415	0.32	39	20	81
C078747		0.69	470	<1	1.05	22	600	69	0.14	15	324	0.29	34	10	106
C078748		0.89	721	<1	0.68	20	680	80	0.48	23	244	0.30	38	20	94
C078749		0.82	659	1	0.69	23	640	75	0.42	26	240	0.32	38	20	96
C078750		0.58	373	7	0.12	481	340	147	0.02	10	50	0.25	89	30	607
C078751		0.97	419	<1	1.57	24	700	45	0.14	11	499	0.33	39	20	79
C078752		1.00	424	1	1.24	22	640	29	0.12	12	456	0.31	41	30	70
C078753		0.81	290	1	1.76	19	640	23	0.23	5	485	0.31	36	40	42
C078754		0.88	298	1	1.76	18	660	20	0.24	<5	539	0.31	37	40	37
C078755		0.78	297	1	1.79	21	600	28	0.18	<5	501	0.29	34	40	50
C078756		11.00	129	<1	0.02	1	390	<2	0.01	<5	112	0.01	2	<10	8

Comments: Additional check assays for sample C078649 report 0.729ppm gold, 1.820ppm gold, and 2.21ppm gold.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06062028

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C078757		6.36	0.020	<0.5	7.71	57	1350	3.0	<2	2.37	<0.5	6	26	23	2.39	3.68
C078758		6.12	0.022	<0.5	8.38	39	1560	3.1	<2	2.42	<0.5	7	30	32	2.80	3.77
C078759		6.04	0.044	<0.5	7.76	43	1480	2.8	3	2.42	<0.5	8	29	43	2.43	3.64
C078760		5.66	0.024	<0.5	7.67	20	1330	2.9	<2	2.55	<0.5	6	25	50	2.22	3.80
C078761		2.84	0.052	<0.5	7.60	22	1380	3.0	<2	2.33	<0.5	7	29	50	2.49	3.66
C078762		3.12	0.047	<0.5	8.55	26	1530	3.1	2	2.48	<0.5	7	29	44	2.79	3.65
C078763		6.06	0.038	<0.5	8.13	37	1550	3.2	<2	2.51	<0.5	9	32	27	2.74	3.63
C078764		2.62	0.041	<0.5	9.43	32	1590	3.4	<2	2.50	<0.5	9	30	50	2.74	3.88
C078765		4.54	0.055	<0.5	7.87	23	1460	2.8	6	2.55	<0.5	8	28	49	2.43	4.34
C078766		5.70	0.026	<0.5	7.36	49	1470	2.9	2	2.36	<0.5	8	27	41	2.55	3.42
C078767		5.46	0.011	<0.5	7.51	32	1520	3.0	<2	2.52	<0.5	6	29	35	2.65	3.08
C078768		5.86	0.028	<0.5	7.21	17	1490	2.8	2	2.33	<0.5	7	29	67	2.52	3.99
C078769		<0.02	0.028	<0.5	6.89	12	1410	2.7	<2	2.17	<0.5	6	32	61	2.34	3.74
C078770		0.10	0.441	2.2	9.13	<5	1050	1.2	<2	1.47	<0.5	8	11	7200	3.16	3.54
C078771		6.08	0.016	<0.5	7.85	22	1570	3.0	<2	2.62	<0.5	8	28	54	2.80	3.65
C078772		6.04	0.060	0.6	7.58	32	1430	2.8	3	2.68	<0.5	8	30	40	2.57	3.43
C078773		6.00	0.025	<0.5	8.26	38	1560	3.0	2	2.57	<0.5	8	25	28	2.68	3.71
C078774		5.52	0.009	<0.5	8.07	27	1660	3.0	<2	2.81	<0.5	9	30	28	2.84	3.35
C078775		4.64	0.008	<0.5	7.84	24	1530	3.1	<2	2.27	<0.5	8	28	28	2.62	3.64
C078776		2.84	<0.005	<0.5	0.14	<5	20	<0.5	<2	18.35	<0.5	1	1	1	0.12	0.05
C078777		4.78	0.011	<0.5	8.52	30	1720	3.2	<2	2.84	<0.5	9	27	28	2.87	3.54
C078778		4.82	0.022	<0.5	7.77	24	1540	2.9	7	2.48	<0.5	9	27	41	2.57	3.45
C078779		3.74	0.048	<0.5	7.88	14	1570	3.0	<2	2.24	<0.5	9	24	46	2.61	3.66
C078780		2.10	0.030	<0.5	7.86	34	1490	3.1	<2	2.84	<0.5	8	33	63	2.67	3.70
C078781		2.62	0.021	<0.5	7.67	20	1470	3.0	<2	2.37	<0.5	9	24	42	2.56	3.42
C078782		1.14	0.053	<0.5	7.92	31	1430	3.1	<2	2.89	<0.5	12	26	36	2.62	3.42
C078783		3.22	0.011	<0.5	7.35	37	1320	3.1	<2	2.12	<0.5	8	25	28	2.36	3.35
C078784		2.72	0.023	<0.5	8.42	34	1180	3.0	<2	3.25	<0.5	8	27	31	2.60	3.50
C078785		3.44	0.052	1.0	7.88	29	1220	2.9	3	2.60	<0.5	8	24	26	2.57	3.34
C078786		3.40	0.027	<0.5	8.90	29	850	3.7	<2	2.13	<0.5	8	29	24	2.92	3.19
C078787		5.94	<0.005	<0.5	7.75	18	1510	2.9	<2	2.86	<0.5	8	44	16	3.09	3.40
C078788		2.50	0.044	<0.5	7.21	18	1420	2.6	<2	2.75	<0.5	10	49	21	2.91	3.31
C078789		<0.02	0.026	<0.5	7.26	12	1420	2.6	<2	2.72	<0.5	8	44	19	2.90	3.27
C078790		0.10	0.913	<0.5	6.91	1225	660	5.7	3	0.01	<0.5	5	214	40	3.77	2.73
C078791		3.86	<0.005	<0.5	7.58	70	1470	2.6	<2	3.09	<0.5	8	50	12	3.08	3.23
C078792		2.10	0.191	<0.5	7.61	318	1490	2.9	29	2.68	<0.5	9	52	24	3.10	3.33
C078793		3.12	0.006	<0.5	8.23	<5	1480	3.1	<2	3.03	<0.5	7	43	22	3.07	3.40
C078794		3.80	0.084	<0.5	7.10	18	1440	3.0	10	2.41	<0.5	8	42	24	2.77	3.76
C078795		5.64	0.017	<0.5	7.26	28	1430	2.7	<2	2.64	<0.5	9	41	40	2.80	3.55
C078796		1.92	<0.005	<0.5	0.15	<5	20	<0.5	<2	19.50	<0.5	2	3	2	0.14	0.04

Comments: Additional check assays for sample C078649 report 0.729ppm gold, 1.820ppm gold, and 2.21ppm gold.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06062028

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C078757		0.75	286	1	1.77	19	560	24	0.20	<5	473	0.27	32	40	40
C078758		0.87	290	<1	1.91	22	650	22	0.20	<5	534	0.31	36	20	39
C078759		0.80	268	<1	1.74	22	630	21	0.23	<5	465	0.29	35	20	32
C078760		0.65	261	<1	1.53	18	590	32	0.25	10	398	0.28	33	10	34
C078761		0.75	232	1	1.77	23	590	19	0.23	<5	490	0.29	35	10	29
C078762		0.84	262	<1	1.93	20	660	23	0.21	<5	541	0.31	36	10	35
C078763		0.81	313	1	1.77	23	640	21	0.14	<5	519	0.31	37	10	48
C078764		0.84	281	<1	1.73	20	640	21	0.21	<5	565	0.31	37	10	45
C078765		0.77	300	2	1.68	20	600	26	0.20	<5	507	0.29	35	70	42
C078766		0.81	277	<1	1.66	20	630	22	0.17	<5	488	0.31	37	20	40
C078767		0.84	295	1	1.67	24	640	19	0.14	<5	506	0.31	36	20	38
C078768		0.77	249	<1	1.56	19	610	22	0.24	<5	487	0.30	37	30	32
C078769		0.72	238	1	1.48	19	560	17	0.22	<5	460	0.28	34	20	30
C078770		1.15	465	2	3.29	9	1880	8	0.23	<5	684	0.33	166	<10	56
C078771		0.81	334	<1	1.78	20	660	26	0.19	<5	527	0.32	37	20	57
C078772		0.73	378	<1	1.48	22	610	67	0.20	9	443	0.30	35	20	71
C078773		0.87	358	1	1.76	20	630	27	0.07	6	565	0.31	37	20	56
C078774		0.91	386	<1	1.53	24	700	27	0.08	7	511	0.33	39	20	67
C078775		0.77	312	<1	1.71	20	630	27	0.13	<5	506	0.32	41	10	58
C078776		10.70	147	<1	0.02	1	450	<2	0.01	<5	98	0.01	2	<10	7
C078777		0.95	354	<1	1.86	21	700	25	0.13	<5	574	0.33	40	10	55
C078778		0.86	307	2	1.60	20	600	23	0.12	6	519	0.30	36	20	47
C078779		0.84	286	<1	1.76	20	640	23	0.13	<5	503	0.32	38	20	50
C078780		0.78	298	1	1.64	23	630	23	0.21	5	476	0.30	37	10	38
C078781		0.87	307	<1	1.74	19	620	26	0.15	7	524	0.30	36	10	50
C078782		0.85	318	<1	1.54	20	610	28	0.23	<5	512	0.29	36	20	49
C078783		0.75	350	<1	1.32	22	610	50	0.12	13	416	0.31	37	10	100
C078784		0.69	407	<1	1.01	23	680	39	0.15	21	321	0.31	38	20	85
C078785		0.76	427	<1	1.05	19	630	98	0.25	19	346	0.31	38	20	162
C078786		0.92	397	1	0.92	25	730	54	0.25	17	231	0.34	42	30	101
C078787		1.24	510	1	1.84	18	690	34	0.07	9	569	0.33	49	10	61
C078788		1.11	437	<1	1.83	19	660	31	0.06	<5	568	0.33	50	<10	71
C078789		1.07	422	1	1.86	15	640	31	0.06	9	574	0.32	48	10	65
C078790		0.34	90	2	0.11	19	310	27	0.02	108	91	0.24	84	10	46
C078791		1.17	491	1	1.95	19	660	32	0.04	9	583	0.32	47	<10	56
C078792		1.35	436	1	1.54	15	680	30	0.07	<5	519	0.33	52	10	51
C078793		0.94	457	2	1.92	21	670	47	0.11	<5	547	0.30	40	10	74
C078794		0.97	388	1	1.74	19	620	34	0.08	<5	510	0.33	46	10	68
C078795		0.99	367	2	1.75	19	640	30	0.13	<5	523	0.32	45	30	52
C078796		10.90	192	1	0.02	2	510	7	0.03	5	106	0.01	1	<10	7

Comments: Additional check assays for sample C078649 report 0.729ppm gold, 1.820ppm gold, and 2.21ppm gold.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06062028

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C078797		5.96	0.007	<0.5	8.00	19	1450	2.8	<2	2.88	<0.5	8	47	40	3.01	3.47
C078798		4.54	0.056	<0.5	7.60	14	1420	2.8	<2	3.05	<0.5	8	43	42	2.77	3.52
C078799		6.78	0.019	<0.5	7.56	16	1450	2.8	<2	2.91	<0.5	9	45	25	2.97	3.54
C078800		5.70	0.036	<0.5	7.72	19	1450	3.0	2	2.43	<0.5	9	45	48	2.63	3.64
C078801		2.80	0.005	<0.5	7.30	13	1040	3.1	<2	2.38	<0.5	7	38	28	2.15	3.92
C078802		2.66	0.016	<0.5	7.15	14	1000	3.0	<2	2.85	<0.5	8	40	39	2.09	3.82
C078803		5.66	0.178	0.6	7.28	11	920	2.7	10	2.72	2.2	7	42	38	2.27	3.43
C078804		6.32	0.015	<0.5	7.16	25	1340	2.7	<2	2.62	<0.5	8	41	31	2.69	3.53
C078805		5.12	0.096	<0.5	7.60	56	1490	2.9	<2	2.77	<0.5	10	36	57	2.77	3.70
C078806		5.96	0.042	<0.5	7.65	31	1500	3.0	4	2.83	<0.5	12	37	90	3.02	3.60
C078807		5.18	0.094	<0.5	8.03	41	1470	3.3	3	2.52	<0.5	10	30	40	2.56	3.55
C078808		5.84	0.131	<0.5	7.83	20	1430	3.0	3	2.59	<0.5	8	41	45	2.76	3.41
C078809		<0.02	0.068	<0.5	8.27	18	1530	3.2	4	2.83	<0.5	9	38	37	2.90	3.63
C078810		0.08	0.850	2.0	8.26	16	470	0.7	<2	2.03	<0.5	25	102	2180	5.37	1.80
C078811		5.80	0.030	<0.5	8.38	22	1510	3.4	<2	2.69	<0.5	9	37	26	2.90	3.31
C078812		5.86	0.037	<0.5	7.89	11	1460	3.1	2	2.60	<0.5	9	43	37	2.72	3.55
C078813		6.46	0.253	<0.5	7.25	19	1490	2.8	9	2.74	<0.5	9	41	41	2.81	3.46
C078814		5.44	0.778	<0.5	7.37	31	1560	2.7	29	2.68	<0.5	8	44	46	2.85	3.38
C078815		5.96	0.032	<0.5	7.01	18	1450	2.7	<2	2.20	1.0	6	35	56	2.80	3.33
C078816		1.92	<0.005	<0.5	0.15	13	20	<0.5	<2	18.85	<0.5	<1	5	3	0.13	0.04
C078817		5.52	0.151	<0.5	7.54	14	1630	2.9	7	2.51	<0.5	8	35	55	2.97	3.37
C078818		6.16	0.026	<0.5	7.39	24	1470	3.1	<2	2.59	<0.5	9	38	39	2.62	3.57
C078819		5.38	0.087	<0.5	7.51	12	1380	2.9	4	3.33	<0.5	11	51	27	3.10	3.29
C078820		5.74	0.197	<0.5	7.70	13	1450	3.0	6	3.08	<0.5	11	56	24	3.23	3.38
C078821		3.22	0.188	<0.5	7.56	16	1380	3.0	13	3.96	<0.5	11	53	34	3.05	3.42
C078822		2.98	0.146	<0.5	7.51	11	1420	3.1	5	3.30	<0.5	11	58	24	3.08	3.51
C078823		5.92	0.022	<0.5	7.31	13	1290	2.9	<2	2.87	<0.5	10	53	28	2.93	3.58
C078824		7.10	0.224	4.4	7.51	477	290	3.2	8	2.49	4.3	12	49	132	5.52	3.27
C078825		5.74	0.049	2.3	7.50	268	910	3.2	<2	2.58	8.1	8	45	58	3.76	3.35
C078826		5.52	0.444	3.5	7.35	169	870	3.0	4	2.51	5.3	8	42	54	3.39	3.22
C078827		6.24	0.141	<0.5	7.62	1320	1670	3.5	5	2.72	<0.5	9	45	25	3.12	3.42
C078828		4.66	0.201	0.7	7.71	488	1630	3.2	10	2.60	<0.5	9	42	34	3.01	3.62
C078829		<0.02	0.286	0.7	8.08	533	1640	3.3	12	2.68	<0.5	8	42	42	3.14	3.69
C078830		0.10	2.65	<0.5	7.27	2100	740	12.8	<2	0.01	<0.5	1	141	101	3.47	3.06
C078831		5.42	0.051	<0.5	7.39	37	1280	3.4	2	2.26	<0.5	9	32	21	2.47	3.71
C078832		6.48	0.238	<0.5	7.62	448	1340	3.4	3	2.46	<0.5	15	38	31	2.99	3.54
C078833		5.68	0.152	<0.5	7.77	21	1460	3.1	2	2.47	<0.5	8	35	17	2.57	3.61

Comments: Additional check assays for sample C078649 report 0.729ppm gold, 1.820ppm gold, and 2.21ppm gold.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 28-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06062028

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C078797		1.02	382	2	1.72	21	680	31	0.16	<5	505	0.33	47	10	53
C078798		0.99	399	1	1.68	16	640	33	0.14	5	540	0.32	48	10	59
C078799		1.01	420	1	1.80	19	670	34	0.09	<5	535	0.34	48	<10	58
C078800		0.86	275	2	1.79	19	640	29	0.13	5	507	0.31	39	10	35
C078801		0.70	316	1	1.66	14	460	36	0.11	7	407	0.23	30	<10	43
C078802		0.71	359	1	1.59	14	470	37	0.11	8	407	0.22	29	10	42
C078803		0.61	518	1	1.01	14	480	417	0.33	138	284	0.23	32	10	516
C078804		0.96	396	1	1.67	16	580	36	0.11	<5	486	0.29	42	10	57
C078805		0.93	330	4	1.75	20	660	28	0.26	<5	532	0.33	42	<10	44
C078806		0.96	328	1	1.76	23	670	23	0.37	<5	536	0.33	45	20	47
C078807		0.93	298	<1	1.80	16	630	23	0.20	<5	531	0.31	42	<10	43
C078808		1.06	353	<1	1.71	17	660	25	0.18	<5	530	0.31	46	10	51
C078809		1.12	376	1	1.87	18	690	27	0.18	<5	575	0.33	49	10	53
C078810		1.42	447	3	3.28	50	690	16	0.67	<5	227	0.32	96	<10	220
C078811		1.13	426	<1	1.87	17	690	32	0.11	<5	570	0.32	47	<10	67
C078812		1.09	374	1	1.75	16	660	32	0.16	<5	523	0.31	47	20	56
C078813		1.05	370	2	1.69	15	680	26	0.19	<5	529	0.32	46	<10	52
C078814		1.12	371	1	1.68	16	690	36	0.25	5	534	0.32	48	10	55
C078815		0.78	312	1	1.50	17	640	29	0.41	<5	399	0.29	40	20	251
C078816		10.70	129	<1	0.01	4	500	2	0.01	<5	100	0.01	3	<10	8
C078817		1.02	277	1	1.66	17	700	25	0.31	<5	498	0.31	42	20	37
C078818		0.96	284	2	1.68	16	650	21	0.17	<5	510	0.31	43	10	42
C078819		1.26	486	2	1.72	16	710	31	0.07	<5	560	0.33	59	<10	63
C078820		1.32	459	1	1.84	18	750	27	0.09	6	571	0.35	60	<10	59
C078821		1.26	548	1	1.73	18	710	21	0.09	7	598	0.34	60	10	48
C078822		1.28	435	1	1.81	19	730	23	0.07	<5	575	0.36	62	10	51
C078823		1.28	443	1	1.63	15	670	23	0.10	<5	489	0.32	55	<10	55
C078824		1.02	740	1	1.04	21	660	846	3.33	183	337	0.29	52	10	869
C078825		0.96	1470	<1	0.46	15	670	588	0.84	31	212	0.29	50	10	1530
C078826		0.89	1595	1	0.51	14	650	897	0.72	224	212	0.28	47	20	1060
C078827		1.17	473	1	1.79	18	720	38	0.17	9	539	0.33	51	<10	82
C078828		1.10	426	1	1.64	15	690	79	0.23	11	487	0.31	49	10	73
C078829		1.12	439	2	1.67	14	710	80	0.23	10	510	0.30	49	10	74
C078830		0.37	70	2	0.09	9	340	28	0.02	157	143	0.26	103	20	18
C078831		0.94	396	<1	1.80	13	580	35	0.10	<5	480	0.28	40	10	62
C078832		1.01	462	2	1.64	16	660	110	0.14	<5	464	0.31	45	10	134
C078833		1.01	363	1	1.87	14	630	33	0.07	<5	559	0.30	42	10	57

Comments: Additional check assays for sample C078649 report 0.729ppm gold, 1.820ppm gold, and 2.21ppm gold.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 24-AUG-2006
Account: STRGOL

CERTIFICATE VA06064088

Project: Dublin Gulch1735

P.O. No.:

This report is for 106 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 6-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06064088

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
C078834		5.84	0.028		<0.5	7.82	568	1380	2.8	<2	2.59	<0.5	10	44	12	2.76
C078835		6.00	0.091		<0.5	7.51	252	1440	2.9	<2	2.37	<0.5	11	41	26	2.78
C078836		3.10	<0.005		<0.5	0.15	<5	20	<0.5	<2	18.85	<0.5	<1	3	4	0.13
C078837		6.02	0.080		<0.5	7.78	21	1420	2.9	<2	2.61	<0.5	5	39	19	2.85
C078838		5.88	0.138		<0.5	7.80	58	1370	2.9	<2	2.70	<0.5	14	46	36	3.16
C078839		5.14	0.127		<0.5	7.40	2240	1300	2.7	<2	2.98	0.5	16	46	21	3.65
C078840		6.12	0.200		<0.5	7.38	87	1390	2.7	<2	3.30	<0.5	10	50	11	3.01
C078841		2.70	0.060		<0.5	7.57	180	1430	2.6	<2	3.05	<0.5	12	61	22	3.40
C078842		2.64	0.038		<0.5	7.47	484	1380	2.7	<2	3.13	<0.5	12	71	28	3.34
C078843		3.06	0.288		<0.5	7.54	261	1300	3.0	<2	2.42	<0.5	10	49	26	3.27
C078844		3.18	0.653		0.7	7.48	3020	1020	2.9	2	2.73	0.6	11	52	50	4.28
C078845		6.06	0.188		<0.5	7.58	28	1400	2.9	<2	2.69	<0.5	10	56	32	3.07
C078846		6.42	0.248		<0.5	7.52	22	1290	3.2	2	2.84	<0.5	11	51	34	2.78
C078847		5.80	0.239		<0.5	7.81	2260	1350	2.9	6	2.59	<0.5	12	40	48	3.02
C078848		6.20	0.055		<0.5	7.71	10	1430	2.9	<2	2.96	<0.5	10	45	76	2.81
C078849		<0.02	0.048		<0.5	7.55	15	1400	2.8	<2	2.90	<0.5	7	44	73	2.70
C078850		0.10	4.54		8.6	7.86	19	480	0.9	<2	2.87	1.5	17	21	124	4.28
C078851		5.56	0.449		<0.5	7.58	19	1390	3.0	7	2.95	<0.5	9	49	64	3.22
C078852		5.86	2.18		<0.5	7.46	34	1320	2.6	30	2.86	<0.5	9	45	69	2.66
C078853		6.68	0.066		<0.5	7.39	<5	1370	2.8	2	2.82	<0.5	9	51	79	3.08
C078854		5.22	0.261		0.6	7.45	31	1090	2.8	2	3.15	0.6	7	49	64	2.81
C078855		6.50	0.310		<0.5	7.55	252	1300	2.8	2	3.12	<0.5	10	56	63	3.25
C078856		2.32	<0.005		<0.5	0.13	6	20	<0.5	<2	21.6	<0.5	1	6	3	0.11
C078857		6.62	1.285		<0.5	7.76	<5	1430	3.0	12	3.16	<0.5	10	57	65	3.21
C078858		5.70	1.005		<0.5	7.72	111	1420	2.9	13	3.05	<0.5	11	53	61	2.93
C078859		5.24	1.380		<0.5	7.38	40	1420	2.6	11	2.91	<0.5	9	50	59	2.91
C078860		5.74	0.859		2.1	7.29	189	1000	2.8	14	3.11	2.1	10	55	67	3.18
C078861		2.66	0.655		0.6	7.54	4490	1260	2.7	4	2.61	<0.5	12	49	52	3.45
C078862		2.10	0.576		0.8	7.39	7390	1240	2.6	5	2.63	<0.5	13	48	51	3.27
C078863		6.24	0.333		<0.5	7.68	319	1460	2.9	5	3.20	<0.5	10	51	46	3.25
C078864		5.86	1.090		<0.5	8.01	1645	1500	3.0	6	3.22	<0.5	11	58	52	3.21
C078865		6.80	0.652		<0.5	7.85	48	1420	3.0	<2	3.11	<0.5	10	51	50	3.17
C078866		6.82	0.089		<0.5	7.46	15	1380	2.9	<2	3.17	<0.5	10	51	54	2.86
C078867		5.90	0.111	0.103	<0.5	7.43	49	1370	2.7	<2	3.10	<0.5	8	49	37	3.03
C078868		7.10	0.184	0.066	<0.5	7.59	69	1480	2.9	<2	3.13	<0.5	10	59	53	3.06
C078869		<0.02	0.061	0.058	<0.5	7.13	55	1440	2.6	<2	2.94	<0.5	8	50	52	3.06
C078870		0.10	1.400		<0.5	6.94	1195	670	5.8	<2	0.01	<0.5	7	209	39	3.67
C078871		5.46	0.159		<0.5	7.74	50	1440	2.7	<2	2.94	<0.5	12	47	47	2.89
C078872		6.86	0.096		<0.5	7.77	940	1430	2.8	<2	2.91	<0.5	12	53	55	3.08
C078873		5.92	0.216		<0.5	7.45	115	1370	2.6	<2	2.74	<0.5	11	50	62	2.94

Comments: Additional Au-AA24 result for sample C078889 is 0.152 ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06064088

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C078834		3.30	1.08	367	1	1.84	13	630	28	0.06	<5	543	0.30	46	<10	44
C078835		3.41	1.04	312	<1	1.78	14	610	26	0.09	<5	548	0.31	44	20	36
C078836		0.04	10.55	187	<1	0.01	1	400	3	0.01	<5	103	0.01	3	<10	7
C078837		3.22	1.02	355	<1	1.70	14	640	26	0.08	7	512	0.30	45	<10	45
C078838		3.24	1.09	385	2	1.57	15	700	31	0.31	7	452	0.33	51	30	54
C078839		2.98	1.07	562	<1	1.36	14	670	101	0.22	14	452	0.31	52	10	127
C078840		3.02	1.20	505	<1	1.54	15	680	27	0.06	5	514	0.31	54	10	49
C078841		2.95	1.41	456	1	1.66	14	690	24	0.13	5	551	0.31	57	10	42
C078842		2.96	1.46	469	<1	1.66	16	670	21	0.16	7	540	0.32	59	10	45
C078843		3.29	1.12	395	1	1.36	14	630	74	0.14	7	425	0.30	53	10	76
C078844		3.11	1.02	437	1	1.05	12	640	58	1.72	12	365	0.28	53	80	57
C078845		3.46	1.15	351	1	1.70	15	550	29	0.13	5	530	0.32	55	<10	40
C078846		3.49	1.12	366	<1	1.74	11	620	28	0.11	<5	517	0.30	52	10	40
C078847		3.51	1.18	328	2	1.85	14	630	24	0.26	12	533	0.28	47	20	30
C078848		3.53	1.20	322	1	1.77	13	680	21	0.19	7	559	0.32	51	10	30
C078849		3.49	1.18	312	1	1.73	13	680	21	0.17	9	546	0.31	51	10	29
C078850		2.23	1.31	972	12	1.66	13	910	30	0.70	<5	412	0.39	147	<10	101
C078851		3.63	1.39	369	1	1.64	13	680	23	0.15	12	581	0.32	56	20	33
C078852		3.42	1.27	314	5	1.59	9	630	25	0.21	6	527	0.28	49	80	26
C078853		3.40	1.28	343	2	1.75	14	670	23	0.30	5	544	0.31	54	80	30
C078854		3.46	1.23	566	1	1.04	12	660	90	0.34	45	416	0.30	54	20	147
C078855		3.83	1.24	478	1	1.22	12	670	58	0.31	23	443	0.32	58	30	71
C078856		0.03	11.80	136	<1	0.01	<1	410	7	0.01	5	116	0.01	3	<10	8
C078857		4.02	1.32	372	1	1.68	16	680	25	0.24	9	540	0.34	60	80	35
C078858		3.59	1.29	321	<1	1.68	11	690	29	0.22	9	536	0.33	58	20	34
C078859		3.85	1.17	327	1	1.50	12	690	26	0.23	<5	496	0.30	53	70	33
C078860		3.21	0.91	733	<1	0.68	10	650	182	0.40	10	264	0.28	55	10	371
C078861		3.41	1.01	461	<1	1.21	9	650	33	0.63	14	415	0.29	54	20	43
C078862		3.27	0.96	411	<1	1.15	10	630	49	0.62	19	403	0.28	51	20	50
C078863		3.48	1.25	361	1	1.67	13	680	23	0.20	8	559	0.33	57	40	34
C078864		3.91	1.31	355	1	1.65	12	710	23	0.29	9	578	0.35	61	100	37
C078865		3.50	1.16	349	1	1.73	13	700	25	0.17	<5	560	0.33	59	20	38
C078866		3.52	1.17	335	1	1.72	12	700	23	0.19	<5	543	0.32	56	40	33
C078867		3.44	1.12	328	1	1.63	12	650	24	0.16	5	538	0.31	55	20	34
C078868		3.88	1.26	333	1	1.67	14	700	19	0.26	<5	542	0.33	59	70	35
C078869		3.52	1.20	328	1	1.64	13	700	21	0.25	<5	516	0.31	55	50	31
C078870		2.62	0.33	87	2	0.11	17	310	22	0.01	108	91	0.24	86	20	46
C078871		3.43	1.19	328	1	1.61	13	690	16	0.16	5	543	0.31	53	30	31
C078872		3.47	1.22	339	2	1.59	17	700	17	0.25	5	534	0.31	56	20	31
C078873		3.39	1.22	318	4	1.53	16	670	14	0.28	<5	521	0.30	54	30	29

Comments: Additional Au-AA24 result for sample C078889 is 0.152 ppm. NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06064088

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
C078874		6.64	0.039		<0.5	7.49	21	1320	2.7	<2	2.74	<0.5	11	52	57	2.80
C078875		6.08	0.014		1.2	7.30	53	1140	2.7	<2	2.48	<0.5	8	45	55	3.48
C078876		1.96	<0.005		<0.5	0.19	<5	20	<0.5	<2	19.70	<0.5	4	4	3	0.16
C078877		5.90	0.404		<0.5	7.43	2220	1440	2.6	3	2.64	<0.5	11	47	40	3.26
C078878		6.16	0.049		0.6	7.19	26	1240	2.5	<2	2.59	<0.5	9	36	47	3.30
C078879		5.84	0.054		<0.5	7.71	54	1390	2.8	<2	2.46	<0.5	10	33	48	3.05
C078880		6.54	0.140		0.6	7.63	312	1360	2.6	<2	2.00	1.4	7	31	70	3.00
C078881		3.00	0.804		<0.5	7.86	171	1560	2.9	4	2.38	<0.5	8	32	55	2.78
C078882		3.72	1.515		0.9	8.03	659	1630	2.9	13	2.34	<0.5	14	33	54	2.75
C078883		7.10	0.123		<0.5	7.79	46	1490	3.0	<2	2.66	<0.5	11	31	47	2.53
C078884		5.74	0.160		<0.5	7.89	22	1520	3.0	<2	2.41	<0.5	8	34	59	2.61
C078885		6.18	0.437		<0.5	7.70	1030	1440	2.8	4	2.39	<0.5	18	30	33	2.53
C078886		5.76	0.106		<0.5	7.39	178	1500	2.7	<2	2.38	<0.5	10	33	43	2.57
C078887		5.64	0.780	0.815	6.1	7.65	4130	1310	2.7	137	2.44	0.5	11	33	105	2.96
C078888		6.66	0.107	0.073	0.6	7.72	306	1480	3.0	<2	2.70	<0.5	9	35	95	2.68
C078889		<0.02	0.059	0.121	<0.5	7.78	345	1490	2.8	<2	2.72	<0.5	10	34	89	2.60
C078890		0.10	0.453		2.2	9.82	7	1100	1.2	<2	1.57	<0.5	9	12	7320	3.39
C078891		6.34	0.054		<0.5	7.62	51	1580	2.8	5	2.47	<0.5	10	39	81	2.59
C078892		5.76	0.112		<0.5	7.91	22	1550	2.8	2	2.65	<0.5	11	33	86	2.47
C078893		6.32	0.036		<0.5	7.70	178	1580	2.8	<2	2.29	<0.5	10	33	66	2.49
C078894		4.46	0.111		<0.5	7.66	46	1520	2.8	<2	2.25	<0.5	11	30	38	2.47
C078895		4.86	0.057		<0.5	7.81	249	1560	3.0	<2	2.24	<0.5	10	31	38	2.45
C078896		1.56	<0.005		<0.5	0.14	7	10	<0.5	<2	20.4	<0.5	3	1	2	0.13
C078897		3.04	0.060		<0.5	7.58	113	1410	3.2	<2	2.31	<0.5	9	32	22	2.45
C078898		7.04	0.074		<0.5	6.75	32	1380	2.3	<2	2.35	<0.5	6	26	46	2.52
C078899		6.84	0.227		2.6	7.48	3670	920	2.5	<2	1.70	0.7	10	28	113	3.92
C078900		5.88	1.175		0.5	7.53	929	1270	2.8	6	2.07	<0.5	11	31	62	3.10
C078901		3.22	0.229		0.9	7.50	55	1210	2.6	<2	2.76	1.1	14	46	44	3.53
C078902		2.84	0.075		<0.5	6.99	18	1250	2.3	<2	2.79	<0.5	12	44	47	3.07
C078903		3.04	0.181		<0.5	6.81	1225	1260	2.3	<2	3.13	<0.5	12	40	39	2.86
C078904		7.40	0.243		8.1	6.94	371	770	2.5	5	2.04	7.5	10	33	114	4.93
C078905		4.22	0.149		2.2	7.39	489	910	2.7	<2	1.85	3.5	9	29	75	3.83
C078906		2.06	0.027		0.7	7.91	26	1210	2.5	<2	1.73	0.9	10	34	53	3.32
C078907		5.78	0.077		<0.5	7.42	26	1410	2.5	<2	2.60	<0.5	13	38	32	2.42
C078908		6.20	0.038		<0.5	7.66	115	1360	2.7	<2	3.01	0.5	11	33	51	3.28
C078909		<0.02	0.026		<0.5	7.43	104	1400	2.5	<2	2.82	0.5	9	30	51	3.06
C078910		0.10	0.094		<0.5	7.24	109	590	2.8	<2	0.55	<0.5	61	1190	409	8.69
C078911		6.20	0.023		0.5	7.62	63	1460	2.6	<2	1.91	0.6	10	31	33	2.61
C078912		6.36	0.086		1.0	6.99	86	1080	2.5	<2	2.24	1.7	9	33	18	3.06
C078913		7.08	0.022		<0.5	7.38	112	1210	2.4	<2	2.34	<0.5	11	44	14	2.32

Comments: Additional Au-AA24 result for sample C078889 is 0.152 ppm. NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06064088

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
C078874		3.52	1.13	338	1	1.55	15	650	17	0.28	<5	492	0.30	52	90	34
C078875		3.41	0.98	525	<1	1.02	17	620	101	0.53	16	328	0.28	47	50	103
C078876		0.04	10.80	134	<1	0.04	1	420	<2	0.01	<5	108	0.01	3	10	9
C078877		3.30	1.15	393	2	1.48	16	670	34	0.31	8	470	0.29	53	20	45
C078878		2.91	0.99	561	4	1.16	11	600	93	0.29	6	388	0.27	42	90	68
C078879		3.54	0.85	438	2	1.30	19	670	43	0.20	7	380	0.28	40	30	47
C078880		3.47	0.79	380	1	1.07	20	630	61	0.70	13	329	0.26	38	20	293
C078881		3.66	0.88	294	5	1.48	16	650	28	0.26	16	443	0.29	41	160	32
C078882		3.74	0.88	264	2	1.53	18	660	47	0.32	13	463	0.29	41	30	30
C078883		3.55	0.88	278	<1	1.68	16	650	24	0.23	8	519	0.31	40	20	34
C078884		3.63	0.93	239	1	1.65	22	650	21	0.28	10	516	0.29	39	50	26
C078885		3.35	0.87	248	1	1.71	20	620	22	0.23	<5	505	0.30	38	20	28
C078886		3.44	0.83	235	3	1.53	19	650	16	0.25	9	461	0.31	42	60	28
C078887		3.51	0.78	375	<1	1.05	22	640	342	0.46	23	328	0.28	40	30	82
C078888		3.99	0.83	331	3	1.43	21	680	50	0.39	<5	470	0.32	42	40	74
C078889		3.71	0.83	325	1	1.45	20	700	45	0.40	7	470	0.30	41	30	72
C078890		3.68	1.14	491	2	3.36	11	1970	7	0.24	<5	704	0.35	175	10	60
C078891		4.19	0.89	267	1	1.50	18	700	22	0.34	<5	482	0.33	44	20	33
C078892		3.82	0.82	275	2	1.51	20	680	37	0.34	8	487	0.32	42	30	46
C078893		3.68	0.84	235	1	1.61	19	650	22	0.28	10	503	0.30	39	30	26
C078894		3.71	0.96	303	<1	1.60	16	620	21	0.14	5	503	0.30	40	40	36
C078895		3.61	0.92	272	1	1.55	18	650	23	0.17	6	493	0.30	41	20	39
C078896		0.04	11.20	130	<1	0.01	2	410	<2	0.03	<5	105	0.01	3	10	8
C078897		3.55	0.97	344	1	1.56	15	620	29	0.10	<5	483	0.31	43	20	55
C078898		3.29	0.89	324	1	1.14	16	560	15	0.19	9	400	0.25	36	30	28
C078899		3.12	0.67	376	1	0.69	16	600	204	1.46	30	216	0.24	37	30	159
C078900		3.52	0.81	320	<1	1.22	20	640	49	0.62	15	346	0.29	40	30	69
C078901		3.19	0.85	559	1	1.04	16	640	113	0.74	18	382	0.28	53	30	227
C078902		3.22	0.79	535	1	1.07	14	610	48	0.17	7	395	0.27	52	40	84
C078903		3.21	0.74	498	4	1.03	15	600	51	0.23	15	423	0.27	47	110	38
C078904		2.85	0.77	731	1	0.70	17	540	1345	1.53	15	227	0.23	40	40	1230
C078905		3.09	0.87	867	1	0.30	14	610	410	1.17	14	177	0.25	38	60	624
C078906		3.45	0.83	676	1	0.73	15	640	152	0.68	8	262	0.30	44	30	209
C078907		3.56	0.63	363	2	1.22	15	560	28	0.11	15	445	0.26	40	70	52
C078908		3.34	0.72	491	2	0.88	18	640	109	0.72	12	395	0.29	42	60	108
C078909		3.32	0.66	464	2	0.90	17	610	91	0.63	13	393	0.27	38	50	89
C078910		2.24	0.58	392	8	0.12	489	360	151	0.02	12	50	0.28	92	30	652
C078911		3.52	0.69	403	1	1.02	19	610	100	0.45	8	348	0.28	39	30	117
C078912		2.98	1.05	880	<1	0.51	12	590	1055	0.33	326	280	0.27	42	30	324
C078913		3.38	0.95	467	2	1.02	13	610	28	0.10	19	356	0.28	51	30	45

Comments: Additional Au-AA24 result for sample C078889 is 0.152 ppm. NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06064088

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
C078914		6.42	0.016		<0.5	7.37	111	970	2.6	<2	3.20	<0.5	11	54	13	2.75
C078915		6.66	0.121		2.5	7.44	702	800	2.6	<2	2.73	6.8	10	30	35	3.47
C078916		2.28	<0.005		<0.5	0.14	<5	20	<0.5	<2	20.1	<0.5	2	2	2	0.14
C078917		6.16	0.122		0.8	7.70	92	670	2.6	<2	2.65	4.4	7	33	22	3.21
C078918		6.72	0.122		1.3	7.88	77	670	2.8	<2	3.07	6.9	10	39	21	2.87
C078919		7.40	0.013		<0.5	6.61	44	660	1.9	<2	2.13	0.6	9	47	11	2.81
C078920		8.88	0.028		<0.5	7.80	50	1060	2.5	<2	2.88	0.6	9	44	10	2.80
C078921		3.26	0.086		1.1	7.64	280	630	2.6	<2	1.90	4.1	11	36	34	2.58
C078922		2.98	0.100		1.0	8.37	134	790	2.6	<2	2.09	3.1	10	35	18	2.71
C078923		6.34	0.108		1.2	6.85	247	570	2.4	<2	3.77	6.6	8	26	24	3.84
C078924		5.80	0.056		<0.5	8.13	103	820	2.8	<2	2.73	<0.5	11	71	8	3.36
C078925		3.80	0.114		<0.5	6.84	422	510	2.1	<2	3.12	31.4	9	35	8	2.69
C078926		2.44	0.594		1.2	5.78	1065	150	1.9	<2	3.02	17.9	8	30	13	6.61
C078927		2.08	0.525		<0.5	4.54	1415	300	1.5	<2	3.66	4.1	11	22	6	9.22
C078928		3.90	0.119		1.8	6.72	196	530	2.2	<2	3.27	24.1	10	36	32	3.73
C078929		<0.02	0.184		1.4	7.48	245	570	2.6	<2	3.12	22.4	10	39	30	3.41
C078930		0.10	0.437		2.2	9.47	<5	1070	1.1	<2	1.51	<0.5	9	11	6860	3.29
C078931		6.02	0.011		<0.5	7.62	64	1440	2.8	<2	1.83	<0.5	9	50	14	3.03
C078932		5.66	0.064		<0.5	7.64	51	840	2.7	<2	3.54	<0.5	10	48	13	2.90
C078933		5.14	0.950		2.3	7.53	2480	890	2.2	<2	2.02	13.3	22	44	40	4.51
C078934		4.60	0.036		1.1	7.20	83	970	2.4	<2	2.80	3.2	9	45	15	2.81
C078935		3.30	0.030		<0.5	7.93	54	1450	2.8	<2	2.72	2.1	8	50	15	3.08
C078936		2.00	<0.005		<0.5	0.27	<5	20	<0.5	<2	19.90	<0.5	3	3	3	0.22
C078937		5.10	0.280		1.0	7.61	70	1240	2.8	<2	2.37	2.4	10	45	61	4.03
C078938		5.16	0.027		<0.5	7.20	49	690	2.2	<2	3.39	<0.5	9	39	9	2.81
C078939		2.48	0.031		<0.5	7.56	95	1760	2.4	<2	2.64	<0.5	10	42	12	2.84

Comments: Additional Au-AA24 result for sample C078889 is 0.152 ppm. NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06064088

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C078914		3.00	1.21	494	1	1.01	14	640	21	0.10	14	429	0.31	59	40	41
C078915		3.10	1.10	1200	1	0.48	15	610	818	0.72	19	247	0.27	41	30	1185
C078916		0.03	11.15	144	<1	0.01	2	380	5	<0.01	<5	107	0.01	2	10	9
C078917		2.98	1.02	1015	3	0.12	15	620	318	0.28	20	227	0.27	43	50	798
C078918		3.41	1.06	1635	2	0.05	15	650	477	0.31	12	219	0.30	51	40	1315
C078919		2.63	0.80	839	<1	0.50	15	400	81	0.08	7	198	0.27	52	20	144
C078920		3.59	1.06	722	1	0.87	16	640	63	0.08	16	365	0.29	51	50	130
C078921		3.09	0.78	1145	2	0.15	18	640	434	0.23	39	155	0.29	45	30	736
C078922		3.21	0.85	1195	1	0.28	15	700	266	0.29	13	188	0.30	45	40	539
C078923		2.78	1.22	3360	<1	0.04	16	560	547	0.77	15	158	0.25	38	40	1220
C078924		3.16	1.07	1075	<1	0.40	18	700	97	0.12	18	307	0.32	59	60	137
C078925		2.81	0.97	2540	<1	0.03	5	560	112	0.55	17	177	0.25	47	30	4650
C078926		2.47	0.99	3530	2	0.02	12	480	406	4.00	24	177	0.20	40	40	2710
C078927		1.91	1.35	6030	<1	0.02	12	400	159	4.16	30	269	0.15	31	40	724
C078928		2.77	1.00	2210	<1	0.10	14	600	818	0.81	37	247	0.25	46	30	4270
C078929		3.15	0.99	2010	<1	0.09	12	650	697	0.79	35	243	0.28	51	40	4010
C078930		3.40	1.12	481	2	3.26	10	1880	14	0.23	<5	684	0.33	164	10	60
C078931		3.27	0.88	522	<1	0.92	16	650	31	0.14	13	368	0.31	53	30	56
C078932		3.24	1.27	704	5	0.84	18	660	53	0.11	16	446	0.33	59	40	62
C078933		3.44	1.11	976	1	0.19	15	650	798	0.46	21	195	0.28	53	40	2360
C078934		3.19	1.01	1185	1	0.20	12	650	357	0.33	13	239	0.29	54	40	557
C078935		3.56	1.06	551	1	0.93	13	690	112	0.11	11	443	0.31	57	110	364
C078936		0.06	11.10	168	1	0.03	1	460	<2	0.01	9	113	0.01	4	10	13
C078937		3.17	1.06	986	<1	0.77	14	660	217	0.48	26	388	0.31	55	30	457
C078938		2.54	1.23	699	3	0.90	12	630	52	0.11	15	406	0.27	49	40	75
C078939		3.38	1.03	349	3	1.36	13	660	25	0.11	<5	544	0.29	48	130	43

Comments: Additional Au-AA24 result for sample C078889 is 0.152 ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 22-AUG-2006
Account: STRGOL

CERTIFICATE VA06064089

Project: Dublin Gulch1735

P.O. No.:

This report is for 157 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 6-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06064089

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C081988		5.82	0.011	<0.5	8.14	59	880	2.2	<2	0.82	<0.5	13	63	21	2.63	3.48
C081989		<0.02	0.018	<0.5	7.79	44	850	2.1	<2	0.74	<0.5	11	62	18	2.42	3.29
C081990		0.10	0.450	2.6	8.87	<5	1070	1.2	<2	1.46	<0.5	6	12	7310	3.22	3.72
C081991		3.16	0.006	<0.5	5.76	21	600	1.5	<2	0.54	<0.5	9	53	18	2.44	2.53
C081992		5.44	<0.005	<0.5	5.89	12	510	1.7	<2	0.79	<0.5	8	36	8	1.36	2.38
C081993		2.90	<0.005	<0.5	6.52	26	710	1.5	<2	0.45	<0.5	12	49	12	2.34	2.59
C081994		3.18	<0.005	<0.5	4.17	23	390	1.1	<2	0.49	<0.5	8	45	8	1.25	1.42
C081995		3.74	0.006	<0.5	5.18	166	590	1.3	<2	0.44	<0.5	10	47	16	1.50	2.04
C081996		2.12	<0.005	<0.5	0.12	<5	10	<0.5	<2	19.85	<0.5	3	4	2	0.10	0.03
C081997		4.38	0.007	<0.5	3.20	69	290	0.8	<2	0.88	<0.5	8	27	9	1.21	1.08
C081998		3.98	0.006	<0.5	2.73	50	270	0.6	<2	0.39	<0.5	12	32	9	0.92	1.12
C081999		4.14	0.010	<0.5	5.33	52	530	1.4	<2	1.03	<0.5	8	43	7	1.37	2.19
C082000		2.82	0.009	<0.5	9.46	54	930	2.3	<2	0.57	<0.5	11	78	12	2.83	3.80
C082001		2.68	0.010	<0.5	9.60	51	840	2.4	<2	0.37	<0.5	15	82	26	4.31	3.50
C082002		2.56	<0.005	<0.5	9.10	35	830	2.1	<2	0.28	<0.5	16	82	22	4.17	3.60
C082003		3.30	<0.005	<0.5	6.88	59	590	1.8	<2	0.56	<0.5	7	52	12	2.43	2.41
C082004		4.42	<0.005	<0.5	3.99	25	400	1.0	<2	0.83	<0.5	5	41	6	1.26	1.34
C082005		2.08	<0.005	<0.5	4.35	34	400	0.8	<2	0.34	<0.5	5	47	28	1.81	1.69
C082006		2.94	0.005	<0.5	9.18	56	840	2.0	<2	0.37	<0.5	10	65	15	3.61	3.90
C082007		4.44	<0.005	<0.5	11.00	39	1040	2.6	<2	0.21	<0.5	17	78	23	4.18	5.05
C082008		4.42	0.086	<0.5	11.65	44	920	3.7	<2	1.10	<0.5	17	79	19	4.03	4.58
C082009		<0.02	0.096	<0.5	11.40	50	900	3.9	<2	1.04	<0.5	15	80	19	3.97	4.51
C082010		0.10	0.760	2.0	7.91	<5	450	0.7	<2	1.92	1.1	24	99	1980	5.17	1.65
C082011		3.06	0.007	<0.5	11.50	101	1000	3.0	<2	0.35	<0.5	14	88	31	4.55	4.64
C082012		2.18	0.005	<0.5	9.26	52	810	2.0	<2	0.45	<0.5	18	78	35	3.30	3.63
C082013		5.14	0.006	<0.5	5.96	73	520	1.5	<2	0.93	<0.5	9	45	12	2.15	2.50
C082014		1.70	0.006	<0.5	8.62	49	640	1.9	<2	1.20	<0.5	8	56	13	2.90	3.47
C082015		1.84	<0.005	<0.5	9.41	12	790	2.1	<2	0.48	<0.5	15	80	34	4.58	3.16
C082016		2.06	0.009	<0.5	0.11	<5	10	<0.5	<2	20.1	<0.5	1	2	2	0.10	0.02
C082017		5.60	0.006	<0.5	5.83	97	490	1.4	<2	0.95	<0.5	11	46	14	2.52	2.13
C082018		3.68	0.011	<0.5	5.76	142	480	1.8	<2	1.50	<0.5	12	51	11	1.83	2.34
C082019		5.20	0.007	<0.5	8.11	115	750	2.1	<2	0.78	<0.5	12	61	22	2.92	3.26
C082020		5.22	0.006	<0.5	6.59	70	620	1.5	<2	1.07	<0.5	11	55	28	2.68	2.33
C082021		3.14	0.008	<0.5	8.44	732	820	2.5	<2	1.96	<0.5	15	68	56	4.11	2.90
C082022		3.80	0.061	<0.5	8.16	229	850	2.2	<2	1.80	<0.5	15	65	64	3.95	2.89
C082023		8.86	0.009	<0.5	4.62	62	480	1.2	<2	1.49	<0.5	4	37	12	1.80	1.83
C082024		7.04	0.005	<0.5	4.85	29	490	1.1	<2	0.31	<0.5	8	42	15	2.40	1.64
C082025		4.76	0.007	<0.5	4.03	48	360	0.9	<2	0.49	<0.5	8	30	14	1.83	1.42
C082026		6.20	0.005	<0.5	7.43	63	820	1.8	<2	1.15	<0.5	11	58	16	2.88	3.40
C082027		6.40	0.021	<0.5	2.52	101	300	0.5	<2	0.69	<0.5	3	28	16	1.21	1.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06064089

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C081988		0.46	201	<1	0.88	29	580	28	0.01	8	93	0.37	76	20	36
C081989		0.45	180	<1	0.85	27	530	24	<0.01	7	88	0.35	73	10	33
C081990		1.17	485	3	3.42	9	1960	10	0.25	<5	690	0.35	168	<10	55
C081991		0.39	180	1	0.70	26	210	7	0.01	6	65	0.26	49	10	26
C081992		0.27	119	<1	1.07	14	220	8	<0.01	<5	100	0.17	32	10	19
C081993		0.47	167	<1	0.96	21	210	5	<0.01	<5	75	0.28	53	10	32
C081994		0.21	120	1	0.89	12	130	4	<0.01	<5	68	0.19	31	10	13
C081995		0.25	122	<1	0.88	13	120	4	0.02	<5	61	0.18	39	10	11
C081996		10.80	127	<1	0.01	4	380	3	<0.01	<5	102	<0.01	2	10	7
C081997		0.12	170	1	0.38	9	110	3	<0.01	<5	38	0.12	23	20	6
C081998		0.09	94	<1	0.50	9	80	<2	<0.01	7	32	0.10	17	20	6
C081999		0.21	130	1	0.80	10	1360	7	<0.01	<5	85	0.21	43	20	9
C082000		0.61	160	<1	1.14	25	340	11	0.01	6	132	0.41	90	20	31
C082001		0.91	263	1	1.02	37	450	5	<0.01	5	97	0.44	89	10	52
C082002		0.86	252	1	0.99	38	250	5	<0.01	7	96	0.44	88	10	51
C082003		0.49	183	<1	0.88	22	150	<2	<0.01	6	95	0.27	51	10	26
C082004		0.20	172	1	0.76	11	180	2	<0.01	<5	89	0.18	34	40	10
C082005		0.32	150	<1	0.94	16	140	9	<0.01	<5	65	0.22	36	<10	17
C082006		0.80	241	<1	1.04	29	360	13	<0.01	<5	109	0.37	76	<10	43
C082007		0.98	258	<1	1.15	44	320	9	0.01	8	116	0.48	93	10	61
C082008		0.98	262	<1	1.40	42	2210	12	0.02	5	190	0.45	91	<10	56
C082009		0.96	255	<1	1.46	41	1930	9	0.01	6	190	0.45	90	10	54
C082010		1.30	435	2	3.11	49	660	19	0.63	<5	215	0.30	88	<10	206
C082011		1.08	344	<1	1.03	46	260	11	<0.01	<5	111	0.51	102	<10	73
C082012		0.70	225	1	0.75	33	250	8	0.01	<5	121	0.41	86	10	44
C082013		0.46	199	<1	0.78	18	140	4	<0.01	<5	82	0.26	49	10	25
C082014		0.64	274	<1	0.66	27	540	10	<0.01	<5	120	0.31	61	10	36
C082015		0.90	331	<1	0.75	40	360	11	<0.01	5	79	0.44	93	10	71
C082016		10.90	137	<1	0.01	1	370	2	<0.01	<5	110	0.01	1	10	7
C082017		0.42	293	1	0.59	24	240	12	0.01	5	77	0.26	51	20	43
C082018		0.24	238	<1	0.48	22	180	4	0.05	11	84	0.26	49	30	22
C082019		0.64	198	<1	1.01	26	350	12	0.01	8	93	0.36	68	10	34
C082020		0.53	254	<1	0.82	25	380	7	0.06	<5	86	0.28	57	10	26
C082021		0.74	434	1	0.87	37	420	3	0.07	5	158	0.40	82	310	49
C082022		0.73	426	1	0.90	34	310	2	0.01	11	159	0.38	76	100	44
C082023		0.27	260	1	0.55	15	150	4	<0.01	<5	107	0.20	35	40	14
C082024		0.31	239	1	0.61	19	130	4	0.01	<5	47	0.21	37	10	28
C082025		0.16	259	<1	0.30	15	120	8	0.09	10	43	0.15	30	10	40
C082026		0.56	345	1	0.93	29	580	9	0.07	5	111	0.42	80	20	39
C082027		0.13	162	1	0.46	9	80	7	0.07	<5	51	0.09	15	<10	6

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06064089

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C082028		3.34	0.015	<0.5	3.51	85	470	0.8	<2	0.57	<0.5	4	37	25	1.37	1.73
C082029		<0.02	0.011	<0.5	3.35	69	450	0.8	2	0.51	<0.5	3	36	23	1.24	1.62
C082030		0.10	0.097	<0.5	6.61	95	560	2.4	4	0.50	<0.5	54	1090	352	7.99	1.96
C082031		3.20	0.005	<0.5	6.23	54	900	1.4	<2	0.63	<0.5	7	43	24	1.92	2.93
C082032		6.64	<0.005	<0.5	2.78	47	370	0.5	<2	0.70	<0.5	4	29	12	1.24	1.10
C082033		1.80	<0.005	<0.5	2.33	49	280	<0.5	<2	0.46	<0.5	4	22	15	1.31	0.86
C082034		3.60	0.006	<0.5	4.21	37	580	0.9	<2	0.64	<0.5	5	40	16	1.56	1.91
C082035		6.44	0.012	<0.5	6.61	101	950	1.9	<2	0.87	<0.5	10	53	20	2.13	3.55
C082036		1.54	<0.005	<0.5	0.11	<5	20	<0.5	<2	21.3	<0.5	<1	4	1	0.10	0.03
C082037		6.08	0.006	<0.5	3.14	65	410	0.7	<2	0.58	<0.5	6	31	11	1.23	1.66
C082038		5.08	<0.005	<0.5	2.75	65	300	0.6	<2	0.52	<0.5	3	28	7	1.37	1.11
C082039		5.42	0.006	<0.5	2.45	41	250	<0.5	<2	0.49	<0.5	3	24	11	1.22	0.97
C082040		6.38	<0.005	<0.5	3.20	40	380	0.6	<2	0.69	<0.5	4	31	11	1.34	1.39
C082041		2.28	0.006	<0.5	3.85	48	450	0.8	<2	0.91	<0.5	6	28	8	1.34	1.57
C082042		2.94	<0.005	<0.5	3.72	46	470	0.8	<2	0.85	<0.5	7	35	9	1.41	1.58
C082043		6.38	0.007	<0.5	3.71	30	450	0.8	<2	1.02	<0.5	5	31	11	1.85	1.53
C082044		4.94	0.007	<0.5	3.21	49	380	0.7	<2	0.84	<0.5	2	29	6	1.17	1.39
C082045		5.82	0.012	<0.5	3.67	86	480	0.7	<2	0.40	<0.5	3	27	4	0.89	1.65
C082046		6.40	0.017	<0.5	2.67	96	320	0.6	<2	0.32	<0.5	3	29	8	0.96	1.10
C082047		7.08	0.019	<0.5	6.39	98	470	1.8	<2	1.18	<0.5	8	46	13	1.96	2.48
C082048		7.04	<0.005	<0.5	9.02	40	1380	2.3	<2	1.01	<0.5	14	68	20	2.64	4.00
C082049		<0.02	0.008	<0.5	9.08	38	1380	2.3	<2	1.04	<0.5	15	68	22	2.60	4.11
C082050		0.10	0.426	2.4	8.84	<5	1070	1.2	2	1.47	<0.5	8	12	7320	3.18	3.67
C082051		7.04	<0.005	<0.5	4.64	30	620	1.0	<2	0.90	<0.5	5	36	14	1.47	2.24
C082052		6.64	0.014	<0.5	3.77	92	510	0.8	<2	0.56	<0.5	5	36	10	1.46	1.81
C082053		7.82	0.006	<0.5	2.93	85	410	0.7	<2	0.47	<0.5	3	24	9	1.26	1.38
C082054		7.12	<0.005	<0.5	3.42	16	430	0.6	<2	0.43	<0.5	4	34	19	1.27	1.47
C082055		6.76	0.027	<0.5	2.55	66	290	0.5	<2	0.29	<0.5	3	36	24	1.37	1.12
C082056		1.26	<0.005	<0.5	0.13	<5	20	<0.5	<2	20.6	<0.5	1	3	2	0.11	0.03
C082057		4.70	<0.005	<0.5	2.34	30	260	0.5	<2	0.24	<0.5	2	34	13	1.26	0.84
C082058		5.08	<0.005	<0.5	2.97	32	360	0.6	<2	0.27	<0.5	2	31	9	1.26	1.25
C082059		3.34	0.048	<0.5	7.38	221	1360	2.6	2	0.94	<0.5	6	32	32	2.15	3.06
C082060		5.24	0.051	<0.5	7.39	87	1540	3.1	2	1.27	<0.5	8	27	37	2.52	3.16
C082061		2.54	0.051	<0.5	7.45	89	1470	3.2	<2	1.61	<0.5	7	28	24	2.27	3.43
C082062		3.24	0.060	<0.5	7.37	161	1390	3.2	2	1.53	<0.5	9	28	25	2.20	3.36
C082063		4.80	0.253	<0.5	7.42	158	1390	3.3	<2	2.02	<0.5	7	28	17	2.04	3.40
C082064		6.28	0.083	<0.5	7.04	75	1140	3.2	4	2.29	<0.5	6	23	31	2.20	3.66
C082065		4.48	0.236	<0.5	7.58	34	1280	3.5	13	1.85	<0.5	5	21	21	1.94	3.87
C082066		2.62	0.041	<0.5	7.78	56	1520	3.0	2	2.19	<0.5	8	28	38	2.19	3.70
C082067		5.20	0.033	<0.5	7.68	25	1680	2.8	<2	2.52	<0.5	8	27	38	2.49	3.12

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06064089

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C082028		0.18	127	1	0.42	16	120	4	0.13	<5	53	0.10	22	10	7
C082029		0.17	115	1	0.40	14	120	4	0.12	<5	50	0.10	21	<10	6
C082030		0.54	370	9	0.12	436	340	142	0.02	12	49	0.21	82	20	578
C082031		0.41	184	2	0.72	22	160	5	0.15	<5	70	0.19	42	<10	16
C082032		0.15	212	1	0.35	10	90	7	0.01	<5	48	0.09	15	<10	12
C082033		0.10	166	1	0.21	9	70	10	<0.01	<5	34	0.09	13	<10	17
C082034		0.23	207	1	0.36	18	130	6	0.01	<5	59	0.15	30	10	14
C082035		0.44	197	2	0.69	26	230	7	0.03	<5	90	0.24	51	10	21
C082036		11.85	142	<1	0.01	<1	430	3	<0.01	<5	114	<0.01	1	<10	7
C082037		0.18	129	2	0.52	11	700	31	0.01	<5	48	0.13	22	10	10
C082038		0.17	145	2	0.42	9	90	7	0.01	<5	47	0.07	15	<10	8
C082039		0.17	142	2	0.28	10	100	14	0.01	5	40	0.08	14	10	11
C082040		0.14	156	<1	0.46	8	100	5	0.02	<5	54	0.12	20	10	8
C082041		0.21	177	<1	0.56	9	120	12	0.01	<5	71	0.16	27	10	11
C082042		0.20	184	<1	0.54	13	100	10	0.01	<5	68	0.17	28	10	10
C082043		0.25	242	2	0.34	13	90	5	0.02	<5	63	0.16	28	10	19
C082044		0.11	153	1	0.39	8	100	9	0.02	6	59	0.13	21	20	7
C082045		0.10	93	1	0.43	7	110	11	0.01	5	41	0.11	20	20	5
C082046		0.13	98	<1	0.19	6	100	2	0.03	<5	37	0.11	17	30	5
C082047		0.28	268	<1	0.24	13	120	4	0.08	9	72	0.23	47	20	12
C082048		0.66	296	<1	0.79	30	220	5	0.14	<5	128	0.42	79	10	26
C082049		0.66	296	<1	0.77	32	230	5	0.15	<5	133	0.42	79	10	26
C082050		1.11	484	2	3.44	8	1930	8	0.24	<5	673	0.34	168	<10	59
C082051		0.21	192	1	0.58	12	120	5	0.03	<5	87	0.19	32	20	9
C082052		0.17	218	3	0.38	11	110	4	0.06	<5	59	0.17	28	10	12
C082053		0.13	158	1	0.30	6	90	2	0.01	<5	48	0.13	20	10	8
C082054		0.18	170	1	0.61	10	110	4	0.08	<5	48	0.16	25	10	8
C082055		0.14	177	<1	0.59	8	90	5	0.10	<5	53	0.10	16	90	10
C082056		11.35	135	<1	0.02	<1	400	2	<0.01	<5	113	0.01	2	<10	8
C082057		0.13	162	<1	0.44	7	110	4	0.03	<5	44	0.10	15	<10	8
C082058		0.15	167	1	0.73	7	100	10	0.04	<5	55	0.14	20	10	11
C082059		0.46	177	2	1.02	20	660	17	0.08	<5	262	0.30	36	10	29
C082060		0.61	146	1	1.41	20	620	15	0.06	<5	391	0.28	34	<10	27
C082061		0.56	153	1	1.47	15	590	20	0.07	<5	384	0.27	35	10	25
C082062		0.56	149	1	1.36	18	550	20	0.09	<5	378	0.26	34	10	24
C082063		0.60	214	2	1.46	18	520	28	0.08	7	415	0.24	35	20	36
C082064		0.77	259	1	1.04	14	440	28	0.09	<5	327	0.20	26	20	34
C082065		0.52	173	8	1.30	11	510	28	0.07	<5	361	0.22	26	20	28
C082066		0.67	198	10	1.55	19	630	23	0.19	<5	459	0.29	35	340	34
C082067		0.81	218	2	1.61	20	670	18	0.22	<5	510	0.32	38	10	29

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06064089

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C082068		7.14	0.213	<0.5	7.74	71	1710	3.0	6	2.52	<0.5	8	31	45	2.63	3.31
C082069		<0.02	0.179	<0.5	7.99	82	1720	3.0	9	2.56	<0.5	10	31	44	2.66	3.37
C082070		0.10	1.355	<0.5	7.13	1245	680	6.1	<2	0.01	<0.5	5	206	37	3.73	2.61
C082071		4.00	3.69	<0.5	7.57	1485	1410	3.1	35	2.50	<0.5	31	26	25	2.35	3.35
C082072		3.30	0.325	<0.5	7.59	375	1560	2.9	25	2.21	<0.5	12	28	40	2.42	3.34
C082073		6.08	0.316	<0.5	7.85	196	1430	2.9	10	2.64	<0.5	7	26	28	2.32	3.48
C082074		5.54	0.044	<0.5	7.36	65	1510	2.6	3	2.04	<0.5	8	28	21	2.43	3.18
C082075		5.86	0.027	<0.5	7.77	68	1510	3.0	<2	1.92	<0.5	8	26	20	2.32	3.49
C082076		1.46	<0.005	<0.5	0.14	7	10	<0.5	<2	19.05	<0.5	1	1	1	0.11	0.02
C082077		5.32	0.046	<0.5	8.01	193	1520	3.2	3	1.92	<0.5	7	28	26	2.31	3.69
C082078		6.98	0.127	<0.5	7.74	298	1350	3.4	3	2.19	<0.5	7	26	19	2.10	3.94
C082079		6.76	0.046	<0.5	7.61	97	1440	3.1	<2	2.14	<0.5	6	26	30	2.19	3.46
C082080		6.68	0.140	<0.5	7.69	1485	1540	3.0	6	2.32	<0.5	15	29	28	2.40	3.58
C082081		1.78	0.033	<0.5	7.41	127	1480	2.9	3	2.96	<0.5	7	27	31	2.32	3.22
C082082		2.04	0.054	<0.5	7.65	245	1480	2.9	2	3.47	<0.5	8	27	31	2.44	3.09
C082083		5.58	0.039	<0.5	7.97	245	1500	3.2	2	2.26	<0.5	8	28	30	2.34	3.54
C082084		4.06	0.114	<0.5	7.71	359	1270	2.1	25	1.73	<0.5	4	17	32	1.48	5.06
C082085		5.04	0.182	<0.5	7.88	1105	1560	2.6	7	2.24	<0.5	18	27	67	2.28	5.41
C082086		5.58	0.033	<0.5	8.08	217	1540	3.0	<2	2.25	<0.5	9	26	27	2.44	3.64
C082087		5.98	0.053	<0.5	8.03	189	1730	3.0	<2	2.68	<0.5	9	31	27	2.67	3.25
C082088		5.18	0.036	<0.5	8.09	101	1590	3.1	2	2.40	<0.5	7	30	32	2.55	3.41
C082089		<0.02	0.030	<0.5	8.23	88	1600	3.1	2	2.41	<0.5	7	29	33	2.50	3.48
C082090		0.10	2.68	0.7	7.88	2120	760	13.6	<2	0.01	<0.5	1	146	99	3.56	3.10
C082091		2.98	0.103	<0.5	6.75	72	1020	3.0	<2	2.12	<0.5	5	21	36	1.94	3.26
C082092		6.38	0.071	<0.5	7.76	42	1520	2.9	2	2.35	<0.5	8	27	37	2.42	3.35
C082093		5.54	0.067	<0.5	8.49	245	1660	2.9	<2	2.69	<0.5	8	31	36	2.74	3.41
C082094		6.00	0.046	<0.5	8.23	142	1620	3.0	3	2.62	<0.5	8	27	34	2.59	3.35
C082095		4.92	0.056	<0.5	8.10	59	1580	2.9	<2	2.43	<0.5	8	29	43	2.51	3.95
C082096		1.42	<0.005	<0.5	0.13	<5	10	<0.5	<2	19.55	<0.5	1	2	2	0.09	0.02
C082097		5.50	0.027	<0.5	8.17	53	1660	3.1	<2	2.60	<0.5	8	31	24	2.64	3.36
C082098		6.10	0.044	<0.5	7.79	109	1690	3.1	<2	2.62	<0.5	8	32	27	2.52	3.49
C082099		6.24	0.058	<0.5	7.35	387	1390	3.2	<2	2.09	<0.5	10	28	22	2.26	3.60
C082100		4.70	0.018	<0.5	7.50	88	1640	2.8	<2	2.45	<0.5	6	28	14	2.48	3.03
C082101		2.82	0.029	<0.5	7.47	130	1350	3.5	<2	2.28	<0.5	7	25	28	2.39	3.24
C082102		2.30	0.025	<0.5	7.59	248	1400	3.7	<2	2.52	<0.5	7	25	36	2.33	3.43
C082103		5.56	0.048	<0.5	7.37	218	1550	2.9	<2	2.69	<0.5	7	30	18	2.45	3.41
C082104		2.68	0.018	<0.5	6.72	87	1130	2.9	<2	3.53	<0.5	5	26	17	2.14	3.11
C082105		5.10	0.041	<0.5	7.57	175	1520	2.8	2	2.53	<0.5	8	27	23	2.40	3.57
C082106		7.20	0.024	<0.5	7.66	146	1570	2.9	2	2.48	<0.5	8	37	18	2.44	3.23
C082107		7.26	0.048	<0.5	7.70	306	1630	3.0	2	2.43	<0.5	6	33	35	2.40	3.67

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06064089

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C082068		0.74	215	1	1.55	23	650	19	0.25	<5	497	0.33	40	20	31
C082069		0.77	221	1	1.64	23	690	18	0.24	<5	520	0.34	40	10	31
C082070		0.34	88	2	0.11	19	310	24	0.01	105	93	0.24	88	10	46
C082071		0.68	269	2	1.43	25	550	29	0.20	6	425	0.28	32	10	46
C082072		0.71	230	1	1.56	22	640	20	0.25	<5	460	0.30	35	10	38
C082073		0.82	238	1	1.32	21	600	25	0.15	<5	461	0.28	33	10	35
C082074		0.88	225	2	1.42	20	590	18	0.14	<5	450	0.29	34	20	30
C082075		0.88	206	1	1.53	20	630	22	0.09	<5	471	0.29	34	20	31
C082076		10.90	120	<1	0.01	2	370	4	0.01	<5	106	0.01	2	<10	7
C082077		0.79	173	1	1.63	19	620	26	0.12	5	478	0.30	35	20	27
C082078		0.66	168	2	1.59	16	520	23	0.13	<5	451	0.26	30	530	25
C082079		0.72	171	2	1.61	19	570	21	0.16	<5	475	0.27	31	100	27
C082080		0.73	204	1	1.56	19	620	24	0.31	6	461	0.30	36	20	28
C082081		1.02	222	1	1.52	20	610	16	0.18	<5	539	0.31	35	20	30
C082082		1.24	258	1	1.51	18	640	21	0.18	<5	583	0.31	36	10	31
C082083		0.75	195	1	1.63	20	620	28	0.16	<5	478	0.30	34	10	36
C082084		0.35	132	2	1.05	10	440	26	0.15	<5	339	0.15	19	1010	15
C082085		0.72	130	3	1.31	20	620	16	0.40	<5	453	0.28	36	90	14
C082086		0.77	216	1	1.68	17	640	24	0.20	<5	501	0.28	33	10	32
C082087		0.92	257	1	1.79	23	710	23	0.20	<5	549	0.34	41	20	33
C082088		0.84	203	1	1.71	22	660	21	0.20	<5	510	0.31	38	10	27
C082089		0.84	201	1	1.68	23	660	19	0.20	<5	518	0.32	38	10	29
C082090		0.38	72	3	0.09	10	310	34	0.02	159	148	0.23	104	10	17
C082091		0.59	197	1	1.17	16	430	43	0.33	10	309	0.21	24	20	42
C082092		0.78	202	2	1.66	19	630	25	0.19	5	498	0.30	35	20	30
C082093		0.88	200	2	1.76	24	670	21	0.23	<5	549	0.32	39	20	23
C082094		0.86	195	1	1.71	21	660	20	0.23	<5	531	0.32	37	20	23
C082095		0.79	186	5	1.57	19	660	23	0.25	<5	496	0.30	36	340	22
C082096		11.30	127	<1	0.01	<1	400	2	0.01	<5	111	0.01	2	<10	7
C082097		0.85	215	1	1.72	23	690	17	0.16	<5	537	0.33	39	40	28
C082098		0.84	212	2	1.81	23	690	18	0.19	<5	521	0.33	39	10	30
C082099		0.67	178	1	1.70	20	560	21	0.18	<5	411	0.26	31	60	25
C082100		0.78	274	1	1.71	21	680	18	0.15	<5	489	0.31	37	20	41
C082101		0.69	196	<1	1.64	17	600	16	0.19	<5	394	0.27	32	20	25
C082102		0.72	184	<1	1.72	21	620	13	0.24	<5	419	0.29	34	20	17
C082103		0.73	260	2	1.59	19	650	19	0.16	<5	456	0.31	37	20	38
C082104		0.69	234	1	1.43	15	500	17	0.12	<5	442	0.22	27	10	20
C082105		0.73	223	1	1.62	20	650	18	0.15	<5	461	0.29	34	30	26
C082106		0.80	224	1	1.75	20	650	17	0.13	<5	515	0.30	36	30	31
C082107		0.74	189	1	1.81	18	660	20	0.23	<5	517	0.31	37	20	25

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06064089

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C082108		5.68	0.038	<0.5	7.85	149	1550	2.9	3	2.46	<0.5	7	36	23	2.40	3.42
C082109		<0.02	0.040	<0.5	7.79	158	1590	3.2	<2	2.50	<0.5	8	35	25	2.49	3.80
C082110		0.10	4.40	9.2	8.34	8	510	0.9	<2	2.97	1.6	17	23	121	4.37	2.21
C082111		9.12	0.087	<0.5	7.69	61	1530	3.0	10	2.74	0.7	8	31	58	2.57	3.54
C082112		2.22	0.034	<0.5	7.69	47	1520	3.4	<2	2.27	<0.5	8	30	24	2.34	3.56
C082113		3.08	0.104	<0.5	7.98	57	1580	3.0	6	2.53	<0.5	8	31	45	2.92	3.39
C082114		4.26	0.064	<0.5	7.95	76	1720	3.0	3	2.12	<0.5	9	30	44	2.45	3.76
C082115		7.36	0.068	<0.5	7.62	232	1440	3.0	4	2.55	<0.5	6	27	32	2.40	3.50
C082116		1.84	0.019	<0.5	0.13	<5	20	<0.5	<2	20.7	<0.5	1	4	2	0.13	0.03
C082117		7.50	0.095	<0.5	7.42	178	1530	3.0	2	2.43	<0.5	6	32	28	2.30	3.42
C082118		6.86	0.077	<0.5	7.19	91	1280	3.2	<2	2.06	<0.5	7	27	28	2.13	3.65
C082119		6.40	0.049	<0.5	8.02	183	1680	3.2	2	2.47	<0.5	8	32	52	2.48	3.98
C082120		5.88	0.246	<0.5	8.03	193	1770	3.0	2	2.37	<0.5	7	32	45	2.46	3.97
C082121		3.44	0.093	<0.5	7.53	91	1630	2.9	2	2.29	<0.5	10	29	71	2.40	3.76
C082122		2.98	0.146	<0.5	7.29	76	1560	2.8	2	2.14	<0.5	9	30	73	2.27	3.98
C082123		6.98	0.087	<0.5	7.67	88	1540	3.2	6	2.23	<0.5	8	27	59	2.38	3.78
C082124		7.04	0.188	<0.5	7.66	91	1600	3.1	6	2.42	<0.5	8	29	48	2.47	4.25
C082125		6.04	0.027	<0.5	7.76	70	1540	3.0	<2	2.37	<0.5	8	32	27	2.51	3.43
C082126		6.94	0.053	<0.5	7.41	186	1540	3.1	2	2.45	<0.5	8	31	41	2.43	3.48
C082127		6.30	0.114	<0.5	7.96	124	1650	3.2	4	2.39	<0.5	9	33	57	2.51	4.27
C082128		3.02	0.056	<0.5	7.35	46	1450	2.9	4	3.59	<0.5	8	26	54	2.21	3.56
C082129		<0.02	0.059	<0.5	7.14	51	1400	2.9	2	3.53	<0.5	6	26	51	2.14	3.32
C082130		0.10	0.091	<0.5	6.88	111	590	2.7	<2	0.54	<0.5	61	1190	393	8.44	2.17
C082131		3.72	0.029	<0.5	7.78	38	1630	3.2	2	2.21	<0.5	9	32	49	2.54	3.41
C082132		7.16	0.020	<0.5	7.71	100	1560	3.1	<2	2.21	<0.5	7	28	21	2.41	3.39
C082133		7.48	0.075	<0.5	8.75	338	1770	3.5	<2	2.80	<0.5	9	32	28	2.86	3.63
C082134		7.40	0.026	<0.5	7.89	36	1570	3.0	<2	2.25	<0.5	6	29	35	2.33	3.46
C082135		6.26	0.025	<0.5	7.65	20	1330	3.0	<2	2.66	<0.5	9	60	34	2.86	3.49
C082136		1.98	<0.005	<0.5	0.13	18	10	<0.5	<2	17.65	<0.5	2	1	<1	0.13	0.03
C082137		7.34	0.007	<0.5	8.02	13	1520	3.1	<2	2.39	<0.5	7	30	25	2.50	3.41
C082138		6.72	0.032	<0.5	7.81	18	1440	3.1	<2	2.28	<0.5	8	29	30	2.41	3.61
C082139		2.10	0.046	<0.5	7.87	25	1530	3.3	4	2.15	<0.5	7	27	50	2.50	3.71
C082140		2.76	0.020	<0.5	7.83	121	1410	3.1	<2	1.84	<0.5	5	28	23	2.42	3.32
C082141		1.30	0.014	<0.5	7.90	74	1420	3.1	<2	2.15	<0.5	7	26	27	2.15	3.59
C082142		1.10	0.019	<0.5	7.56	93	1350	2.9	<2	2.13	<0.5	7	25	33	2.09	3.57
C082143		4.14	0.017	<0.5	7.99	141	1550	3.2	<2	2.25	<0.5	7	28	32	2.42	3.67
C082144		5.90	0.037	<0.5	8.05	61	1480	3.2	<2	2.23	<0.5	6	28	44	2.42	3.67

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06064089

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
C082108		0.78	189	1	1.74	19	640	20	0.18	<5	502	0.28	35	20	23
C082109		0.78	196	1	1.72	20	640	17	0.20	<5	495	0.32	38	30	25
C082110		1.40	1025	13	1.78	11	970	25	0.73	<5	437	0.37	146	10	103
C082111		0.84	283	2	1.41	19	670	217	0.47	89	451	0.30	36	20	179
C082112		0.69	224	3	1.76	20	620	20	0.15	<5	473	0.30	35	20	35
C082113		0.77	244	1	1.64	21	660	22	0.44	5	485	0.30	37	10	27
C082114		0.72	210	1	1.67	20	670	21	0.21	5	492	0.32	38	110	29
C082115		0.83	205	1	1.62	16	620	18	0.23	<5	499	0.28	33	50	23
C082116		11.70	144	<1	0.01	<1	390	<2	0.01	<5	110	0.01	2	<10	8
C082117		0.75	237	1	1.64	19	640	18	0.21	<5	491	0.29	34	50	35
C082118		0.60	219	1	1.57	19	530	25	0.17	<5	417	0.25	28	20	37
C082119		0.72	225	6	1.72	21	680	19	0.28	<5	507	0.32	38	60	35
C082120		0.74	204	1	1.75	21	690	20	0.27	<5	526	0.32	38	20	27
C082121		0.73	156	3	1.54	18	630	18	0.34	<5	466	0.29	34	30	18
C082122		0.70	147	3	1.44	19	610	18	0.34	<5	452	0.28	33	40	17
C082123		0.70	183	1	1.62	17	620	20	0.32	<5	453	0.28	33	20	25
C082124		0.75	218	1	1.55	17	630	20	0.30	<5	477	0.30	36	90	28
C082125		0.77	261	1	1.67	18	630	24	0.18	<5	480	0.28	33	30	45
C082126		0.73	241	1	1.73	20	640	20	0.22	<5	490	0.30	35	30	34
C082127		0.82	220	2	1.68	20	660	18	0.29	<5	512	0.32	39	100	29
C082128		0.97	301	1	1.61	19	620	20	0.21	<5	509	0.29	35	40	35
C082129		0.94	293	<1	1.59	17	620	22	0.19	5	490	0.28	33	40	37
C082130		0.57	389	9	0.12	494	350	154	0.02	10	49	0.22	90	30	657
C082131		0.78	242	1	1.74	21	650	22	0.24	<5	523	0.31	36	40	58
C082132		0.75	270	1	1.72	18	650	24	0.17	<5	497	0.30	36	10	49
C082133		0.91	308	4	1.98	21	760	21	0.22	<5	570	0.35	43	20	43
C082134		0.70	224	1	1.74	19	650	22	0.18	5	506	0.31	36	20	27
C082135		1.19	376	2	1.63	25	640	20	0.16	<5	504	0.33	50	40	55
C082136		10.70	164	<1	0.01	1	460	5	0.01	<5	109	0.01	<1	<10	4
C082137		0.81	332	<1	1.82	19	640	19	0.10	<5	541	0.32	36	<10	63
C082138		0.77	323	<1	1.71	19	590	34	0.11	<5	499	0.31	35	10	66
C082139		0.75	244	1	1.72	19	610	24	0.21	<5	515	0.30	35	10	39
C082140		0.69	268	<1	1.67	17	620	28	0.07	8	464	0.30	35	10	56
C082141		0.60	289	<1	1.67	17	670	23	0.13	7	456	0.31	36	20	54
C082142		0.53	289	<1	1.55	20	620	22	0.21	5	431	0.30	35	80	51
C082143		0.76	283	<1	1.69	19	640	21	0.21	<5	508	0.32	37	10	37
C082144		0.71	274	1	1.68	19	650	27	0.23	<5	492	0.32	37	20	36

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 20-AUG-2006
Account: STRGOL

CERTIFICATE VA06064328

Project: Dublin Gulch1735

P.O. No.:

This report is for 85 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 7-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 20-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06064328

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C078940		1.86	<0.005	<0.5	10.55	30	1050	2.0	<2	0.26	<0.5	15	83	23	4.42	3.59
C078941		2.62	0.008	<0.5	8.68	20	730	1.9	<2	0.84	<0.5	16	66	31	3.99	2.14
C078942		1.98	0.007	<0.5	8.50	25	770	1.9	<2	0.79	<0.5	15	67	35	4.07	2.15
C078943		3.98	0.008	<0.5	10.60	28	1230	2.3	<2	0.19	<0.5	16	73	16	5.85	3.80
C078944		5.40	0.008	<0.5	11.25	33	1370	2.4	<2	0.15	<0.5	18	79	23	5.61	4.19
C078945		4.96	0.017	<0.5	9.99	70	1260	2.3	<2	0.26	<0.5	15	79	21	4.63	3.88
C078946		1.26	0.218	<0.5	9.98	43	1260	2.4	<2	0.38	<0.5	14	79	19	4.32	3.82
C078947		3.52	0.007	<0.5	9.96	31	990	2.2	<2	0.36	<0.5	17	75	28	4.71	3.27
C078948		1.92	0.019	<0.5	7.63	59	710	1.6	<2	1.29	<0.5	9	54	36	4.02	2.19
C078949		<0.02	0.014	<0.5	7.25	34	700	1.5	<2	1.18	<0.5	7	51	31	3.76	2.09
C078950		0.10	1.435	<0.5	6.95	1200	680	6.1	<2	0.01	<0.5	5	203	39	3.70	2.60
C078951		0.26	0.014	<0.5	8.72	66	600	3.9	<2	1.15	<0.5	13	59	31	3.53	2.78
C078952		2.74	<0.005	<0.5	7.87	50	810	2.0	<2	0.95	<0.5	16	52	45	4.54	2.89
C078953		2.16	0.070	<0.5	8.52	870	1040	2.0	<2	0.58	<0.5	15	53	23	4.26	3.41
C078954		4.00	0.373	<0.5	9.66	450	1820	2.4	<2	0.68	0.7	15	61	43	3.90	4.30
C078955		5.82	0.132	<0.5	9.75	298	1890	2.4	<2	0.61	<0.5	16	66	39	4.32	3.94
C078956		1.22	<0.005	<0.5	0.18	<5	20	<0.5	<2	19.10	<0.5	<1	3	6	0.13	0.03
C078957		7.12	0.042	<0.5	9.19	249	1520	2.4	<2	0.62	<0.5	16	63	29	4.23	3.08
C078958		4.46	0.143	<0.5	8.14	81	760	2.1	<2	0.52	<0.5	11	60	25	3.61	2.34
C078959		5.62	0.014	<0.5	9.10	102	660	2.1	<2	0.34	<0.5	12	62	23	3.74	3.40
C078960		6.58	0.008	<0.5	9.00	237	730	2.0	<2	0.41	<0.5	12	66	39	4.20	3.12
C078961		2.02	<0.005	<0.5	5.37	30	430	1.1	<2	0.44	<0.5	10	42	14	2.95	1.50
C078962		3.18	<0.005	<0.5	5.21	9	410	1.1	<2	0.41	<0.5	8	56	15	2.99	1.46
C078963		2.48	<0.005	<0.5	3.31	45	200	0.5	<2	0.47	<0.5	3	31	17	2.21	0.91
C078964		4.10	<0.005	<0.5	10.55	12	910	2.7	<2	0.55	<0.5	16	77	39	4.82	2.97
C078965		6.84	<0.005	<0.5	8.68	12	760	2.2	<2	0.56	<0.5	13	71	27	4.20	2.68
C078966		5.42	<0.005	<0.5	8.69	31	710	2.1	<2	0.40	<0.5	12	66	26	4.02	2.63
C078967		6.38	0.056	<0.5	7.56	351	570	1.9	<2	0.55	<0.5	11	55	40	3.80	2.22
C078968		3.34	<0.005	<0.5	9.00	29	650	2.2	<2	0.37	<0.5	16	69	48	4.57	2.61
C078969		<0.02	<0.005	<0.5	9.20	44	690	2.3	<2	0.41	<0.5	17	72	54	4.74	2.84
C078970		0.10	2.76	<0.5	8.16	2100	790	13.7	<2	0.01	<0.5	<1	146	104	3.71	3.11
C078971		5.10	0.006	<0.5	7.72	8	770	3.7	<2	0.86	<0.5	1	7	3	1.21	3.95
C078972		3.98	0.021	<0.5	9.19	79	790	2.7	<2	0.54	<0.5	17	68	27	4.17	3.13
C078973		6.62	0.005	<0.5	8.60	78	1110	2.0	<2	0.74	<0.5	13	62	29	3.97	2.95
C078974		7.30	0.007	<0.5	7.50	218	830	1.6	<2	1.02	<0.5	12	58	31	3.55	2.38
C078975		7.36	<0.005	<0.5	6.12	66	570	1.2	<2	1.22	<0.5	8	55	18	2.88	1.84
C078976		1.90	<0.005	<0.5	0.13	12	20	<0.5	<2	19.60	<0.5	2	2	1	0.12	0.03
C078977		6.76	0.006	<0.5	8.85	82	980	2.0	<2	1.20	<0.5	15	70	28	4.11	2.85
C078978		6.90	<0.005	<0.5	9.61	29	1090	2.5	<2	0.92	<0.5	13	80	37	4.50	3.14
C078979		8.24	0.024	<0.5	9.09	353	990	2.1	<2	2.01	<0.5	12	62	40	4.22	3.05

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 20-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06064328

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C078940		0.93	318	<1	0.52	39	740	24	0.03	5	122	0.46	93	<10	85
C078941		0.82	662	<1	0.95	33	280	25	0.06	11	164	0.39	74	<10	84
C078942		0.83	669	1	0.80	36	340	25	0.06	9	143	0.38	75	<10	86
C078943		0.98	198	<1	0.70	52	580	9	0.03	5	108	0.42	105	10	68
C078944		0.92	172	<1	0.70	53	530	12	0.02	5	99	0.45	111	<10	71
C078945		0.87	264	1	0.53	39	430	9	0.01	<5	105	0.44	90	<10	78
C078946		0.85	232	<1	0.59	39	510	8	<0.01	<5	105	0.40	93	<10	64
C078947		0.99	399	1	0.48	44	720	12	0.12	<5	90	0.41	91	10	88
C078948		0.85	726	1	0.48	29	280	12	0.08	13	81	0.29	64	10	63
C078949		0.79	674	1	0.46	28	230	12	0.06	13	76	0.28	61	20	58
C078950		0.34	90	3	0.10	20	310	29	0.01	114	90	0.26	90	10	47
C078951		1.57	520	1	0.07	36	560	8	0.04	12	55	0.39	85	20	70
C078952		1.14	1215	<1	0.13	34	460	15	0.12	9	55	0.31	66	10	67
C078953		1.14	383	<1	0.28	39	420	5	0.09	<5	62	0.30	65	<10	56
C078954		1.02	446	<1	0.39	42	570	38	0.21	11	114	0.33	86	<10	146
C078955		1.13	865	1	0.30	46	540	15	0.14	5	100	0.37	89	10	68
C078956		10.65	140	<1	0.01	2	450	8	0.01	<5	106	0.01	2	<10	9
C078957		1.01	949	1	0.32	45	490	9	0.12	13	75	0.36	88	<10	60
C078958		0.91	536	1	0.27	31	350	9	0.17	5	56	0.33	71	<10	51
C078959		0.95	462	1	0.59	34	470	16	0.15	<5	93	0.38	76	10	56
C078960		0.97	600	1	0.48	34	380	20	0.25	5	77	0.38	76	10	62
C078961		0.59	643	<1	0.59	21	180	10	0.05	9	60	0.23	44	<10	42
C078962		0.57	599	<1	0.51	22	190	10	0.06	<5	56	0.23	43	<10	41
C078963		0.42	462	<1	0.66	11	120	16	0.07	<5	53	0.13	21	<10	32
C078964		1.04	650	1	0.58	43	890	29	0.14	<5	171	0.47	92	<10	98
C078965		0.94	661	1	0.43	36	640	18	0.12	7	124	0.42	76	<10	73
C078966		0.91	614	1	0.38	32	200	22	0.18	6	89	0.40	74	<10	57
C078967		0.82	565	<1	0.42	30	140	14	0.13	<5	98	0.34	62	<10	68
C078968		0.96	634	<1	0.48	37	220	20	0.24	5	132	0.40	74	<10	93
C078969		1.02	663	1	0.52	40	240	23	0.27	<5	142	0.43	80	<10	97
C078970		0.40	76	2	0.09	11	340	35	0.02	166	155	0.26	106	10	18
C078971		0.28	194	1	1.53	2	240	51	0.03	8	169	0.13	7	<10	55
C078972		1.04	800	<1	0.50	34	350	15	0.09	5	110	0.37	81	10	61
C078973		0.81	583	1	0.45	36	390	8	0.15	<5	123	0.35	77	<10	59
C078974		0.71	436	<1	0.62	29	300	11	0.15	<5	140	0.32	64	<10	56
C078975		0.66	329	1	1.06	26	260	13	0.12	<5	126	0.28	53	<10	55
C078976		11.55	133	<1	0.01	<1	390	<2	0.02	<5	98	0.01	1	10	8
C078977		0.96	328	<1	0.72	37	600	3	0.19	<5	151	0.39	84	10	62
C078978		1.02	315	<1	0.63	39	490	<2	0.23	<5	150	0.43	94	<10	67
C078979		1.03	418	<1	0.96	28	480	<2	0.38	<5	168	0.39	87	10	61

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 20-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06064328

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C078980		7.26	0.054	<0.5	8.35	1050	860	2.2	<2	1.67	<0.5	19	66	107	4.06	3.48
C078981		2.34	0.120	<0.5	7.70	2080	630	2.2	6	4.32	<0.5	20	59	107	3.42	2.15
C078982		3.18	0.141	<0.5	7.23	3200	620	2.0	2	3.74	<0.5	25	57	92	3.20	2.33
C078983		5.58	0.031	<0.5	8.16	454	920	2.3	<2	1.02	<0.5	20	60	28	2.26	3.80
C078984		5.08	0.056	<0.5	7.02	700	690	1.9	<2	1.16	<0.5	13	61	17	2.39	2.82
C078985		4.66	0.019	<0.5	7.18	78	680	1.8	<2	2.39	<0.5	11	63	44	2.87	2.76
C078986		5.68	0.005	<0.5	5.70	121	500	1.3	<2	1.01	<0.5	7	51	20	2.58	2.09
C078987		5.66	<0.005	<0.5	7.67	53	640	1.9	<2	0.88	0.5	10	56	20	3.06	2.94
C078988		6.40	<0.005	<0.5	8.88	52	890	2.1	<2	0.77	<0.5	13	72	19	3.50	4.06
C078989		<0.02	<0.005	<0.5	9.59	53	960	2.2	<2	0.84	<0.5	15	76	20	3.71	4.22
C078990		0.10	4.25	9.6	8.12	16	490	0.9	<2	2.85	1.7	18	21	134	4.39	2.30
C078991		5.88	0.011	<0.5	8.16	42	820	1.8	<2	0.64	<0.5	11	63	23	3.43	3.41
C078992		7.40	0.027	<0.5	5.70	490	560	1.3	<2	0.61	<0.5	7	52	17	2.51	2.19
C078993		6.66	0.105	<0.5	4.49	192	420	0.9	2	0.62	<0.5	7	37	18	2.16	1.64
C078994		6.62	0.008	<0.5	2.34	77	170	<0.5	2	0.67	<0.5	3	33	19	1.39	0.68
C078995		5.78	<0.005	<0.5	2.30	96	170	<0.5	<2	0.75	<0.5	3	27	10	1.37	0.71
C078996		2.18	<0.005	<0.5	0.14	12	10	<0.5	<2	18.80	0.5	4	3	2	0.11	0.02
C078997		5.88	<0.005	<0.5	5.65	33	510	1.2	<2	0.69	<0.5	8	44	11	2.88	1.99
C078998		6.04	<0.005	<0.5	5.26	29	440	1.1	<2	1.00	<0.5	7	45	14	2.24	1.88
C078999		6.76	<0.005	<0.5	4.12	111	470	1.0	<2	0.89	<0.5	5	38	8	1.15	1.82
C079000		5.50	0.005	<0.5	4.30	111	510	1.0	<2	0.99	<0.5	8	51	22	1.75	1.87
C079001		2.78	<0.005	<0.5	3.58	74	370	0.7	<2	0.90	<0.5	5	32	11	1.39	1.41
C079002		2.76	<0.005	<0.5	3.87	119	400	0.8	2	0.89	<0.5	6	44	10	1.71	1.41
C079003		4.30	0.006	<0.5	2.36	163	180	0.5	<2	1.42	<0.5	3	25	10	1.47	0.85
C079004		5.86	0.015	<0.5	4.14	661	330	0.8	<2	0.87	<0.5	7	43	13	2.25	1.48
C079005		5.32	0.005	<0.5	5.53	651	520	1.4	<2	0.77	<0.5	8	41	21	2.41	2.07
C079006		3.14	0.042	<0.5	7.89	1145	670	1.8	<2	1.09	<0.5	10	58	20	3.32	3.14
C079007		4.40	0.041	<0.5	10.60	764	1080	2.6	<2	0.45	<0.5	16	77	41	4.48	4.85
C079008		7.04	0.015	<0.5	10.10	551	830	2.6	<2	0.80	0.5	15	78	36	4.20	4.21
C079009		<0.02	0.012	<0.5	9.50	556	820	2.6	2	0.76	<0.5	14	80	35	3.90	4.26
C079010		0.10	3.08	<0.5	7.02	<5	2060	3.2	<2	4.73	<0.5	22	132	98	5.12	3.24
C079011		5.78	0.111	<0.5	10.35	176	810	3.0	<2	0.55	<0.5	13	78	35	4.43	4.66
C079012		4.84	0.030	<0.5	6.92	793	530	1.6	2	0.77	<0.5	12	62	23	2.76	2.25
C079013		6.30	<0.005	<0.5	3.70	16	300	0.5	<2	1.04	<0.5	7	37	14	2.06	0.72
C079014		6.82	0.039	<0.5	6.40	276	130	<0.5	<2	4.85	0.5	47	222	147	7.07	0.68
C079015		6.20	0.018	<0.5	10.80	82	1350	2.6	<2	1.55	<0.5	25	116	50	5.02	4.26
C079016		1.08	<0.005	<0.5	0.13	<5	10	<0.5	<2	19.65	<0.5	2	1	3	0.11	0.03
C079017		3.20	0.027	<0.5	9.74	606	1310	2.6	<2	1.92	<0.5	17	71	41	3.97	3.95
C079018		4.14	0.021	<0.5	9.08	324	1040	1.9	<2	1.28	1.0	13	56	28	3.64	3.43
C079019		5.28	0.013	1.6	3.16	121	410	0.7	<2	0.32	8.2	3	27	19	2.58	1.22

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 20-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06064328

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C078980		1.07	306	<1	1.14	33	350	5	0.89	<5	144	0.40	89	20	32
C078981		1.05	456	<1	0.93	28	330	8	0.99	<5	310	0.33	68	30	30
C078982		1.03	432	<1	0.87	35	280	<2	0.92	7	285	0.30	62	70	26
C078983		0.67	201	<1	0.90	26	430	<2	0.15	<5	122	0.34	80	10	27
C078984		0.53	263	<1	0.65	27	320	<2	0.29	<5	133	0.27	66	10	29
C078985		0.68	358	<1	0.60	27	590	11	0.27	<5	186	0.29	64	10	35
C078986		0.57	268	<1	0.78	18	220	7	0.12	<5	93	0.24	46	<10	28
C078987		0.75	327	<1	0.89	24	220	12	0.11	<5	103	0.32	62	<10	45
C078988		0.90	276	<1	0.95	35	1400	17	0.12	<5	115	0.41	82	<10	53
C078989		0.96	296	1	0.99	36	1520	15	0.13	<5	122	0.43	86	10	59
C078990		1.40	971	13	1.77	12	910	25	0.71	10	437	0.39	148	<10	98
C078991		0.83	286	1	0.76	32	710	15	0.17	<5	102	0.36	70	<10	40
C078992		0.55	273	<1	0.60	21	300	10	0.13	7	82	0.24	45	10	27
C078993		0.41	206	<1	0.79	16	150	7	0.11	<5	74	0.18	35	<10	26
C078994		0.20	202	1	0.64	7	120	8	0.08	<5	55	0.10	13	<10	8
C078995		0.22	252	1	0.55	7	80	6	0.07	<5	55	0.10	14	10	12
C078996		10.90	131	<1	0.01	<1	380	3	<0.01	<5	104	0.01	2	<10	7
C078997		0.59	321	<1	0.77	21	150	13	0.07	<5	86	0.22	43	<10	41
C078998		0.50	306	<1	0.85	18	340	11	0.11	<5	101	0.20	40	10	26
C078999		0.22	136	<1	0.60	12	510	6	0.05	<5	96	0.13	27	<10	8
C079000		0.32	198	<1	0.46	14	230	6	0.17	<5	117	0.18	34	10	12
C079001		0.25	153	1	0.64	12	300	5	0.06	<5	84	0.14	25	<10	9
C079002		0.27	180	1	0.64	11	120	4	0.06	<5	79	0.16	28	<10	9
C079003		0.22	346	1	0.22	8	90	6	0.06	<5	60	0.12	18	10	15
C079004		0.45	290	1	0.37	18	190	5	0.11	<5	65	0.18	33	<10	22
C079005		0.51	265	1	0.64	17	440	8	0.16	<5	84	0.22	41	<10	26
C079006		0.78	363	1	0.56	32	280	13	0.17	<5	120	0.29	61	<10	43
C079007		1.08	296	1	0.69	46	340	6	0.37	<5	121	0.44	95	10	59
C079008		1.05	326	1	0.90	42	650	12	0.31	<5	153	0.41	87	<10	46
C079009		1.02	306	1	0.89	40	630	13	0.31	<5	148	0.42	88	<10	47
C079010		2.92	1000	13	2.35	63	2250	33	0.30	<5	1650	0.37	159	10	90
C079011		1.16	376	1	1.19	46	620	13	0.29	<5	169	0.45	91	<10	48
C079012		0.69	309	<1	0.99	24	230	10	0.14	<5	132	0.29	53	10	39
C079013		0.49	339	<1	1.28	13	170	7	0.08	<5	93	0.18	28	10	32
C079014		4.05	1190	<1	1.36	212	1390	10	1.45	<5	304	0.64	157	<10	120
C079015		1.74	466	<1	0.61	84	540	12	0.31	<5	134	0.53	125	<10	94
C079016		10.70	123	<1	0.01	1	390	5	0.01	<5	99	0.01	2	<10	9
C079017		0.85	389	<1	0.48	43	430	9	0.27	<5	158	0.43	90	10	73
C079018		0.70	995	<1	0.28	32	310	79	0.25	<5	90	0.35	73	30	226
C079019		0.24	1980	<1	0.02	10	120	583	0.30	<5	22	0.14	24	10	1310

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 20-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06064328

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C079020		5.66	0.021	0.8	5.46	145	500	1.4	<2	0.73	2.9	11	46	35	2.59	2.05
C079021		2.36	0.013	<0.5	8.98	199	1350	2.1	<2	1.37	<0.5	14	66	12	3.86	3.70
C079022		2.82	0.009	<0.5	9.38	253	1500	2.2	<2	1.15	<0.5	16	71	21	4.08	4.16
C079023		5.90	0.011	<0.5	9.51	386	1030	2.4	<2	0.95	<0.5	19	69	39	3.98	2.71
C079024		5.08	<0.005	<0.5	9.08	54	680	2.7	<2	0.26	<0.5	19	67	34	3.60	2.48

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 20-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06064328

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C079020		0.41	1465	<1	0.04	21	220	222	0.36	<5	40	0.23	47	10	509
C079021		0.78	365	<1	0.58	31	540	14	0.08	<5	105	0.36	80	<10	56
C079022		0.83	350	<1	0.44	40	570	9	0.14	<5	93	0.40	86	10	57
C079023		0.68	448	<1	0.21	45	510	9	0.22	<5	67	0.41	93	30	80
C079024		0.46	403	<1	0.10	40	460	12	0.16	<5	55	0.40	82	60	81

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized [illegible]: 1-SEP-2006
Account: STRGOL

CERTIFICATE VA06072460

Project: Dublin Gulch1735

P.O. No.:

This report is for 67 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 25-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 1-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06072460

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C079299		6.16	0.095	<0.5	7.27	6	1450	2.7	2	2.41	<0.5	8	38	42	2.42	3.42
C079300		6.08	0.132	<0.5	7.58	23	1500	2.8	4	2.85	<0.5	8	41	25	2.68	3.50
C079301		2.02	0.059	<0.5	7.36	14	1420	2.8	<2	2.43	<0.5	8	39	53	2.56	3.56
C079302		2.80	0.025	<0.5	7.58	9	1450	2.8	<2	2.47	<0.5	7	39	41	2.64	3.65
C079303		6.12	0.017	<0.5	7.65	8	1520	3.1	<2	2.51	<0.5	9	36	28	2.63	3.48
C079304		6.16	0.008	<0.5	7.93	19	1540	3.2	3	2.58	<0.5	8	36	15	2.74	3.50
C079305		6.26	0.020	<0.5	6.93	<5	1370	2.7	4	2.22	<0.5	7	34	44	2.46	3.40
C079306		6.56	0.024	<0.5	7.67	12	1420	2.9	5	2.95	<0.5	9	43	27	2.91	3.44
C079307		5.60	0.010	<0.5	7.59	7	1270	2.8	<2	2.61	<0.5	7	41	27	2.51	3.61
C079308		6.30	0.049	<0.5	7.33	18	1280	2.8	5	2.48	7.3	7	38	61	2.61	3.52
C079309		<0.02	0.052	<0.5	7.42	26	1290	2.8	3	2.48	6.6	8	35	56	2.56	3.49
C079310		0.10	4.54	9.2	8.01	7	490	0.9	<2	2.81	1.4	17	22	124	4.22	2.17
C079311		5.74	0.025	<0.5	7.13	13	1320	2.8	4	2.37	<0.5	7	34	39	2.53	3.47
C079312		5.42	0.010	<0.5	7.27	51	1460	2.7	3	2.49	<0.5	8	31	13	2.49	3.20
C079313		5.88	0.034	<0.5	7.34	37	1260	2.8	2	2.75	0.5	7	29	20	2.48	3.07
C079314		5.52	0.431	<0.5	7.74	755	1670	3.0	7	2.38	<0.5	9	33	30	2.56	3.80
C079315		5.84	0.076	1.0	7.56	22	1490	3.0	4	2.68	<0.5	6	32	41	2.80	3.56
C079316		1.34	<0.005	<0.5	0.15	<5	20	<0.5	<2	20.8	0.6	2	3	4	0.12	0.04
C079317		5.00	0.018	0.8	7.80	38	1330	3.2	4	3.19	0.9	7	34	27	2.70	3.53
C079318		6.10	0.023	<0.5	7.52	22	1520	3.1	2	2.45	<0.5	7	38	41	2.54	3.70
C079319		6.32	0.807	0.7	7.69	472	1300	2.8	10	2.67	<0.5	9	41	23	2.82	3.34
C079320		5.98	0.018	<0.5	7.73	113	1470	2.9	4	2.76	<0.5	10	44	21	2.75	3.53
C079321		3.94	0.441	<0.5	7.42	21	1310	2.8	21	2.82	<0.5	10	38	37	2.56	3.44
C079322		3.12	0.029	<0.5	7.34	13	1280	2.9	2	2.67	<0.5	11	37	44	2.50	3.40
C079323		5.10	0.075	<0.5	7.56	<5	1520	2.9	9	2.38	<0.5	8	31	72	2.51	3.64
C079324		5.34	0.780	1.8	7.28	>10000	1260	2.9	10	2.27	0.5	16	32	43	3.96	3.17
C079325		6.16	0.017	<0.5	7.62	11	1630	3.1	3	2.31	<0.5	9	33	51	2.48	3.42
C079326		6.02	0.010	<0.5	7.33	22	1510	2.9	2	2.50	<0.5	6	30	21	2.30	3.28
C079327		6.08	0.073	<0.5	7.39	6	1550	3.0	6	2.25	<0.5	10	32	35	2.42	3.28
C079328		6.32	0.268	<0.5	7.55	13	1580	3.1	6	2.54	<0.5	8	34	24	2.44	3.42
C079329		0.04	0.157	<0.5	7.62	10	1620	3.1	11	2.58	<0.5	7	31	30	2.50	3.51
C079330		0.10	2.82	<0.5	7.31	2110	730	13.0	3	0.01	<0.5	<1	144	101	3.39	3.03
C079331		5.48	0.013	<0.5	7.30	8	1480	2.9	<2	2.92	<0.5	9	31	23	2.33	3.54
C079332		5.16	0.007	<0.5	7.30	16	1380	3.1	<2	2.78	<0.5	9	46	8	2.70	3.38
C079333		6.10	0.008	<0.5	7.32	7	1360	2.7	<2	2.61	<0.5	8	48	14	2.79	3.28
C079334		5.02	0.014	<0.5	7.40	<5	1380	2.9	<2	2.86	<0.5	9	46	20	2.83	3.39
C079335		5.86	0.008	<0.5	7.46	13	1410	2.7	<2	2.83	<0.5	9	48	23	2.76	3.33
C079336		1.56	<0.005	<0.5	0.12	<5	10	<0.5	<2	19.05	<0.5	1	3	9	0.11	0.03
C079337		5.60	0.005	<0.5	7.30	8	1390	2.7	<2	3.09	<0.5	8	47	22	2.68	3.59
C079338		5.38	0.005	<0.5	7.38	31	1410	2.8	<2	2.74	<0.5	9	47	8	2.80	3.50

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 1-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06072460

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C079299		0.88	313	1	1.64	13	630	17	0.21	<5	510	0.31	44	10	36
C079300		0.95	411	1	1.78	14	670	18	0.18	<5	528	0.33	46	20	55
C079301		0.97	344	2	1.69	14	630	19	0.29	<5	502	0.31	45	<10	39
C079302		0.97	362	1	1.69	16	640	17	0.25	<5	517	0.31	46	<10	41
C079303		1.00	372	<1	1.81	14	640	21	0.17	<5	534	0.32	44	30	48
C079304		0.97	388	3	1.82	17	690	21	0.15	<5	549	0.31	44	80	51
C079305		0.86	355	3	1.47	12	550	18	0.19	6	458	0.26	37	70	46
C079306		1.16	458	6	1.76	13	750	21	0.21	<5	546	0.33	49	320	54
C079307		0.95	379	4	1.68	13	630	16	0.26	<5	481	0.28	44	30	39
C079308		0.79	425	3	1.51	13	600	127	0.52	7	452	0.26	38	240	1140
C079309		0.79	422	4	1.51	15	610	126	0.50	11	460	0.26	38	260	1070
C079310		1.34	999	14	1.62	15	950	20	0.71	<5	434	0.37	146	<10	98
C079311		0.77	402	3	1.40	7	600	17	0.32	7	459	0.26	40	50	36
C079312		1.01	382	2	1.15	22	620	20	0.15	10	427	0.28	41	20	45
C079313		0.64	536	2	1.34	17	640	92	0.27	18	378	0.28	38	30	130
C079314		0.80	379	3	1.48	17	660	34	0.23	13	489	0.29	42	40	39
C079315		0.78	553	2	1.33	16	650	238	0.49	12	457	0.29	40	20	96
C079316		11.55	140	<1	0.02	1	480	<2	0.01	7	120	0.01	3	10	8
C079317		0.87	864	6	1.10	18	700	486	0.26	45	415	0.31	44	30	211
C079318		0.95	423	3	1.59	22	690	27	0.21	12	480	0.31	47	20	47
C079319		1.07	470	6	1.35	15	680	44	0.29	11	415	0.29	50	20	51
C079320		1.11	427	3	1.67	14	710	17	0.28	10	499	0.30	54	20	40
C079321		1.02	425	6	1.36	12	630	21	0.25	8	425	0.27	48	20	41
C079322		0.97	410	3	1.35	15	600	29	0.25	10	422	0.27	47	20	45
C079323		0.89	359	1	1.27	18	670	34	0.28	14	436	0.30	42	60	39
C079324		0.81	384	2	1.08	15	640	159	1.20	32	390	0.28	39	30	111
C079325		0.89	274	3	1.64	16	670	18	0.22	5	517	0.30	41	20	28
C079326		0.86	332	2	1.51	18	640	26	0.15	10	467	0.29	39	30	47
C079327		0.84	305	3	1.63	17	660	20	0.21	6	492	0.30	39	30	32
C079328		0.90	334	2	1.62	18	670	18	0.16	<5	503	0.31	41	30	33
C079329		0.91	337	3	1.63	17	670	17	0.17	5	507	0.31	42	30	34
C079330		0.37	69	3	0.09	12	340	27	0.02	155	147	0.26	102	20	17
C079331		0.86	343	2	1.60	17	670	22	0.14	8	467	0.31	39	30	43
C079332		0.98	402	1	1.74	12	640	17	0.11	8	479	0.30	48	20	48
C079333		1.07	422	<1	1.69	10	640	17	0.16	10	465	0.29	51	10	43
C079334		1.07	408	1	1.75	12	660	16	0.22	<5	511	0.30	49	10	43
C079335		1.09	417	2	1.73	10	650	19	0.24	6	504	0.29	51	10	43
C079336		10.50	125	<1	0.01	2	370	9	0.01	<5	105	0.01	2	<10	17
C079337		1.11	450	1	1.80	11	640	21	0.22	5	521	0.29	49	10	45
C079338		1.09	502	1	1.68	12	660	27	0.19	9	466	0.29	50	30	63

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 1-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06072460

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C079339		5.98	0.039	1.0	6.65	442	1010	2.5	<2	2.57	1.3	8	45	33	2.61	3.31
C079340		5.58	0.266	2.9	5.42	53	640	1.8	3	2.47	2.8	6	30	82	4.18	2.52
C079341		2.36	0.016	<0.5	6.50	14	1310	2.4	<2	2.20	<0.5	8	29	35	2.37	3.40
C079342		2.58	0.020	<0.5	6.43	19	1260	2.3	2	1.96	<0.5	8	29	39	2.28	3.24
C079343		6.66	0.022	<0.5	7.23	28	1500	3.0	3	2.79	<0.5	10	44	49	2.80	3.64
C079344		5.94	0.006	<0.5	7.19	43	1550	2.8	<2	2.46	<0.5	9	34	18	2.66	3.45
C079345		6.50	0.008	<0.5	7.37	31	1520	2.9	3	2.48	<0.5	9	33	16	2.54	3.47
C079346		7.02	0.006	<0.5	6.82	18	1340	2.6	2	2.68	<0.5	9	40	35	2.67	3.20
C079347		5.38	0.006	<0.5	7.32	28	1460	2.8	3	2.78	<0.5	9	37	19	2.63	3.54
C079348		6.46	0.105	0.8	6.97	10	1220	2.8	4	2.23	<0.5	7	33	45	3.00	3.51
C079349		<0.02	0.162	0.7	6.61	19	1190	2.8	4	2.28	<0.5	7	33	48	2.97	3.58
C079350		0.12	0.399	2.1	8.21	<5	940	1.1	<2	1.34	<0.5	8	12	6750	2.95	3.46
C079351		4.82	1.310	<0.5	6.73	4300	1370	2.7	41	2.32	<0.5	23	39	42	2.80	3.41
C079352		6.30	0.013	<0.5	6.72	18	1340	3.0	<2	2.76	<0.5	10	54	36	2.79	3.72
C079353		5.80	0.017	<0.5	7.07	7	1300	2.9	<2	3.02	<0.5	8	49	30	2.68	3.74
C079354		6.68	0.014	<0.5	7.03	18	1260	2.7	3	2.85	<0.5	8	53	29	2.62	3.85
C079355		6.14	0.028	<0.5	7.12	11	1290	2.8	4	2.57	<0.5	9	49	39	2.73	3.83
C079356		0.18	<0.005	<0.5	0.18	<5	20	<0.5	<2	19.65	<0.5	1	3	3	0.18	0.04
C079357		6.32	1.480	<0.5	6.60	20	1330	2.9	82	2.42	<0.5	8	39	48	2.55	3.52
C079358		6.58	0.014	<0.5	6.49	13	1120	2.6	<2	3.00	<0.5	7	38	46	2.58	3.14
C079359		6.16	<0.005	<0.5	6.91	18	1370	2.8	<2	2.26	<0.5	8	31	8	2.42	3.45
C079360		6.52	<0.005	<0.5	7.92	24	1650	3.0	3	2.51	<0.5	8	32	7	2.82	3.76
C079361		1.70	0.271	<0.5	7.22	9880	1640	2.9	11	2.11	<0.5	8	34	16	3.34	3.55
C079362		1.62	0.155	<0.5	7.58	7830	1760	2.9	10	2.16	<0.5	8	35	16	3.34	3.68
C079363		4.98	0.010	<0.5	7.16	110	1490	2.9	<2	2.59	<0.5	8	35	22	2.63	3.33
C079364		3.74	0.020	<0.5	7.01	123	1530	3.1	2	2.72	<0.5	8	36	22	2.66	3.63
C079365		2.10	0.005	<0.5	7.07	120	1540	3.1	2	2.54	<0.5	8	34	11	2.58	3.67

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 1-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06072460

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C079339		0.93	637	1	0.98	8	580	223	0.37	14	311	0.26	46	30	304
C079340		0.76	964	2	0.40	11	460	299	1.73	18	168	0.20	32	60	508
C079341		0.80	410	4	1.37	14	580	21	0.17	13	380	0.27	34	70	37
C079342		0.77	380	6	1.27	12	550	20	0.16	9	355	0.25	32	40	36
C079343		0.95	377	2	1.71	20	660	16	0.22	<5	501	0.32	42	920	50
C079344		0.88	346	2	1.83	19	680	19	0.12	<5	523	0.32	40	50	46
C079345		0.94	355	11	1.84	18	680	24	0.09	<5	532	0.32	40	20	46
C079346		1.05	413	2	1.68	12	630	17	0.14	<5	481	0.29	45	20	43
C079347		0.99	391	1	1.76	14	650	20	0.15	<5	510	0.31	45	10	46
C079348		0.87	353	4	1.27	16	640	97	0.47	<5	367	0.29	38	20	83
C079349		0.83	361	4	1.27	17	620	91	0.51	<5	356	0.29	38	30	92
C079350		1.04	427	2	3.11	7	1770	6	0.21	<5	627	0.31	150	<10	51
C079351		0.96	317	1	1.72	17	610	22	0.40	5	470	0.28	41	10	34
C079352		1.23	439	3	1.82	11	640	20	0.26	<5	475	0.29	54	10	39
C079353		1.05	430	1	1.90	11	620	20	0.22	<5	498	0.28	51	10	40
C079354		1.10	422	2	1.67	10	600	18	0.23	<5	460	0.27	50	30	38
C079355		1.14	386	1	1.65	11	600	16	0.30	<5	458	0.27	49	20	39
C079356		10.75	112	<1	0.03	1	410	<2	0.03	<5	108	0.01	2	<10	8
C079357		0.93	271	2	1.53	14	580	20	0.24	7	436	0.27	41	10	31
C079358		0.90	390	4	1.25	13	560	16	0.21	5	401	0.25	39	70	32
C079359		0.79	306	1	1.64	16	590	22	0.07	<5	426	0.28	36	10	52
C079360		0.94	362	1	1.92	16	690	21	0.08	<5	525	0.32	41	20	51
C079361		0.87	284	1	1.66	17	650	23	0.63	12	448	0.30	40	10	39
C079362		0.90	303	1	1.72	17	680	21	0.54	13	466	0.31	40	10	39
C079363		0.88	327	2	1.70	18	640	18	0.22	<5	485	0.29	38	10	38
C079364		0.91	341	1	1.72	17	680	20	0.24	<5	480	0.32	42	<10	40
C079365		0.87	323	<1	1.75	17	670	20	0.20	<5	486	0.31	39	10	41

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-SEP-2006
Account: STRGOL

CERTIFICATE VA06072461

Project: Dublin Gulch1735

P.O. No.:

This report is for 182 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 27-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06072461

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C079366		1.86	0.012	<0.5	9.14	116	940	2.4	<2	1.58	0.7	11	75	113	3.67	2.95
C079367		3.68	0.012	0.5	10.15	164	1050	2.9	<2	0.11	0.5	17	86	59	4.41	3.29
C079368		2.70	0.020	<0.5	10.10	231	970	2.6	<2	0.16	1.0	17	83	71	4.61	3.14
C079369		<0.02	0.017	<0.5	10.30	196	990	2.6	<2	0.16	0.8	17	84	66	4.50	3.22
C079370		0.12	2.89	<0.5	7.75	2230	760	13.1	<2	0.01	<0.5	1	164	105	3.54	3.07
C079371		2.88	0.024	<0.5	9.28	120	890	2.3	<2	0.13	<0.5	16	77	74	4.50	2.80
C079372		4.82	0.161	<0.5	10.70	221	1170	2.5	<2	0.24	<0.5	15	95	82	4.38	3.89
C079373		4.34	0.008	<0.5	9.72	64	1050	2.7	<2	0.11	<0.5	17	83	45	4.36	2.90
C079374		5.50	<0.005	<0.5	10.35	72	1090	2.9	<2	0.27	<0.5	19	89	41	4.97	3.10
C079375		4.10	0.007	<0.5	7.83	83	630	2.1	<2	0.14	1.3	16	64	35	3.53	2.34
C079376		1.20	<0.005	<0.5	0.15	<5	20	<0.5	<2	21.2	<0.5	<1	4	2	0.12	0.04
C079377		9.74	0.005	<0.5	7.68	60	620	2.1	<2	0.26	0.6	12	63	29	3.68	2.33
C079378		0.32	<0.005	<0.5	9.24	235	820	2.3	<2	0.19	4.4	18	72	21	3.80	2.92
C079379		3.96	0.005	<0.5	8.17	69	690	2.3	<2	0.33	<0.5	13	67	41	4.06	2.36
C079380		5.02	0.005	<0.5	8.75	198	800	2.4	<2	0.22	0.5	16	69	38	3.98	2.70
C079381		2.32	<0.005	<0.5	9.22	277	860	2.1	<2	0.14	4.8	15	73	32	3.61	2.85
C079382		2.62	<0.005	<0.5	9.13	278	800	2.1	<2	0.15	3.8	16	70	42	4.02	2.67
C079383		4.54	0.005	<0.5	6.38	175	540	1.3	<2	0.10	0.9	11	45	34	2.95	1.90
C079384		4.68	0.010	<0.5	6.38	228	550	1.3	<2	0.22	<0.5	11	46	37	2.51	2.12
C079385		3.38	0.011	<0.5	5.46	347	440	1.4	<2	0.29	0.5	7	49	30	2.17	1.87
C079386		4.74	0.075	<0.5	5.29	1280	360	1.2	<2	0.25	1.2	9	35	29	2.31	1.46
C079387		5.24	0.091	0.6	6.18	262	530	1.6	<2	0.37	4.2	8	47	69	2.94	2.41
C079388		4.48	0.025	0.8	6.27	461	530	1.3	<2	0.50	7.4	9	44	56	3.30	2.35
C079389		<0.02	0.033	1.0	6.20	565	510	1.3	<2	0.55	7.4	10	47	49	3.30	2.27
C079390		0.10	4.51	8.9	7.71	24	490	0.9	<2	2.96	0.8	17	23	127	4.22	2.13
C079391		4.30	0.070	1.2	6.86	370	530	1.6	<2	0.79	3.7	14	54	88	3.79	2.36
C079392		6.46	0.008	<0.5	7.31	223	600	1.6	<2	0.81	<0.5	12	51	38	3.54	2.40
C079393		4.18	3.02	17.0	7.41	880	600	2.0	190	0.84	3.0	7	58	843	3.44	2.89
C079394		5.26	0.052	0.6	3.74	653	180	1.1	<2	1.50	0.7	6	33	160	3.40	0.95
C079395		5.08	0.016	<0.5	6.26	97	440	1.4	<2	1.06	<0.5	10	43	48	3.40	1.67
C079396		0.98	<0.005	<0.5	0.15	<5	20	<0.5	<2	21.8	<0.5	<1	3	3	0.13	0.04
C079397		5.64	0.038	<0.5	4.88	272	280	1.2	<2	1.03	<0.5	7	31	43	1.82	1.55
C079398		5.52	0.009	<0.5	5.09	76	370	1.2	<2	0.68	<0.5	8	32	30	2.79	1.42
C079399		5.12	0.005	<0.5	4.74	13	300	1.1	<2	0.80	<0.5	6	32	19	2.60	1.20
C079400		4.64	0.005	<0.5	5.87	23	410	1.3	<2	0.74	<0.5	11	37	36	2.87	1.79
C079401		2.34	0.038	<0.5	6.46	11	510	1.6	<2	0.75	<0.5	11	49	33	3.50	1.92
C079402		2.42	0.006	<0.5	7.45	14	660	1.7	<2	0.68	<0.5	13	54	38	3.68	2.35
C079403		5.34	0.010	<0.5	6.33	18	460	1.5	<2	1.08	<0.5	11	43	45	3.23	1.91
C079404		5.26	0.034	<0.5	7.42	51	590	1.8	<2	0.92	<0.5	12	58	60	3.68	2.34
C079405		4.70	0.038	<0.5	7.69	110	700	2.0	<2	0.67	<0.5	13	63	128	3.85	2.64

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06072461

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C079366		0.38	607	<1	0.32	33	370	30	0.05	19	182	0.37	97	10	317
C079367		0.45	384	<1	0.19	44	360	33	0.20	30	124	0.40	114	<10	324
C079368		0.47	398	1	0.19	48	400	23	0.16	20	81	0.38	121	<10	311
C079369		0.48	385	1	0.19	45	420	21	0.16	19	83	0.39	121	<10	286
C079370		0.38	74	2	0.08	10	350	35	0.02	162	148	0.23	106	20	17
C079371		0.46	299	<1	0.17	42	370	20	0.48	14	153	0.36	97	<10	138
C079372		0.65	319	1	0.25	45	410	20	0.50	10	197	0.41	128	10	127
C079373		0.48	332	1	0.20	43	400	13	0.20	10	113	0.40	106	<10	228
C079374		0.75	493	<1	0.23	50	420	17	0.14	18	102	0.41	109	<10	302
C079375		0.37	328	<1	0.37	39	330	23	0.06	29	71	0.31	79	<10	505
C079376		11.40	135	<1	0.01	1	420	<2	0.01	<5	109	0.01	2	10	7
C079377		0.57	460	<1	0.38	36	330	52	0.20	30	67	0.32	79	<10	326
C079378		0.38	403	<1	0.53	47	390	22	0.03	44	68	0.36	91	<10	799
C079379		0.74	377	<1	0.55	30	380	27	0.43	30	81	0.33	88	<10	267
C079380		0.52	445	<1	0.19	41	410	22	0.30	24	49	0.35	90	<10	361
C079381		0.34	371	<1	0.18	34	440	23	0.29	31	58	0.38	93	<10	587
C079382		0.32	407	<1	0.16	42	450	25	0.38	32	62	0.37	92	<10	635
C079383		0.37	195	<1	0.09	27	320	32	0.48	22	39	0.24	55	<10	397
C079384		0.37	250	<1	0.08	24	320	16	0.64	22	37	0.22	54	<10	235
C079385		0.30	273	1	0.06	21	330	27	0.36	36	24	0.19	52	10	286
C079386		0.31	241	1	0.05	21	270	25	0.50	64	47	0.18	42	<10	333
C079387		0.51	792	1	0.07	27	300	163	0.77	74	114	0.23	63	<10	741
C079388		0.60	1580	1	0.07	26	360	271	0.59	56	47	0.23	58	<10	1230
C079389		0.62	1530	2	0.07	23	350	236	0.57	47	55	0.23	57	<10	1200
C079390		1.33	984	12	1.58	13	970	28	0.70	5	409	0.38	148	<10	100
C079391		0.75	831	1	0.07	38	530	160	1.39	64	91	0.28	69	<10	782
C079392		0.84	424	<1	0.10	27	390	24	0.54	27	88	0.29	62	<10	160
C079393		0.77	686	<1	0.07	32	510	833	1.19	230	43	0.30	79	10	638
C079394		0.79	748	1	0.03	20	460	63	0.84	27	170	0.20	36	10	422
C079395		0.76	643	<1	0.07	24	390	11	0.33	20	93	0.27	56	10	499
C079396		11.45	130	<1	0.02	5	470	<2	0.01	<5	120	0.01	2	<10	9
C079397		0.56	345	<1	0.05	13	290	14	0.21	11	79	0.17	36	10	267
C079398		0.62	355	<1	0.07	15	230	<2	0.43	16	63	0.19	38	<10	314
C079399		0.58	384	<1	0.06	16	250	3	0.50	21	110	0.17	32	<10	294
C079400		0.58	430	<1	0.07	23	340	7	0.83	18	116	0.19	45	<10	399
C079401		0.71	508	<1	0.10	28	330	5	0.67	24	72	0.25	57	<10	432
C079402		0.72	522	<1	0.13	30	360	5	0.80	24	61	0.30	73	<10	440
C079403		0.78	434	<1	0.10	23	290	2	0.88	28	78	0.22	56	<10	322
C079404		0.95	409	<1	0.12	32	340	4	0.66	21	136	0.31	76	10	252
C079405		0.97	280	<1	0.15	34	360	66	0.72	23	241	0.31	82	<10	184

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06072461

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C079406		1.86	0.012	<0.5	9.00	156	810	1.9	<2	0.83	<0.5	18	64	78	3.78	2.92
C079407		2.06	0.088	<0.5	8.25	1280	1420	2.5	<2	1.40	<0.5	16	56	53	3.80	2.08
C079408		2.84	0.117	<0.5	7.83	146	1590	2.7	<2	2.95	<0.5	11	52	171	3.68	3.07
C079409		<0.02	0.149	<0.5	7.78	208	1590	2.8	<2	2.91	<0.5	11	50	163	3.60	3.12
C079410		0.10	2.87	<0.5	6.68	8	1990	3.1	<2	4.55	<0.5	23	136	95	4.88	3.24
C079411		2.74	<0.005	<0.5	7.70	9	1580	2.6	<2	3.34	<0.5	12	52	14	3.82	2.67
C079412		5.02	0.013	<0.5	9.36	143	1390	2.2	<2	0.88	<0.5	12	68	57	3.12	2.38
C079413		6.30	0.141	<0.5	8.78	703	970	2.3	<2	1.02	<0.5	12	67	160	3.98	2.29
C079414		6.16	0.271	<0.5	7.08	873	260	1.8	<2	1.40	<0.5	16	71	58	3.97	1.42
C079415		4.70	3.77	<0.5	8.14	1200	1160	2.2	<2	1.95	<0.5	22	86	375	4.26	2.09
C079416		1.50	<0.005	<0.5	0.14	5	10	<0.5	<2	20.8	<0.5	<1	2	1	0.11	0.03
C079417		5.62	0.013	<0.5	8.19	34	1450	2.6	<2	3.42	<0.5	11	66	14	4.00	2.74
C079418		6.20	0.020	<0.5	7.96	37	1440	2.7	<2	3.36	<0.5	10	64	29	3.76	2.92
C079419		6.86	0.118	<0.5	7.58	800	1400	2.4	<2	3.13	<0.5	10	63	58	3.90	2.73
C079420		6.84	0.040	<0.5	7.49	402	1410	2.3	<2	3.11	<0.5	9	62	43	3.85	2.72
C079421		3.46	0.009	<0.5	7.32	61	1480	2.3	<2	3.19	<0.5	11	58	11	3.62	2.84
C079422		3.08	0.006	<0.5	7.66	33	1530	2.4	<2	3.31	<0.5	9	62	22	3.78	2.92
C079423		6.16	<0.005	<0.5	7.61	<5	1350	2.4	<2	3.41	<0.5	11	58	6	3.60	2.83
C079424		3.06	0.005	<0.5	7.46	38	1230	2.4	<2	3.26	<0.5	13	58	9	3.71	2.93
C079425		4.80	0.440	<0.5	7.63	66	1520	2.3	<2	3.32	<0.5	12	59	197	3.69	2.92
C079426		4.78	0.497	3.6	7.42	212	1020	2.3	<2	3.80	1.3	11	59	194	3.94	2.68
C079427		4.50	0.028	5.8	7.49	109	940	2.2	<2	3.06	2.0	8	64	34	4.41	2.63
C079428		5.50	0.042	<0.5	7.62	257	1420	2.4	<2	2.43	<0.5	10	59	65	4.06	2.77
C079429		<0.02	0.088	<0.5	7.47	271	1380	2.4	<2	2.38	<0.5	10	59	56	3.95	2.64
C079430		0.12	2.83	<0.5	7.21	2060	720	13.0	<2	0.01	<0.5	<1	149	99	3.43	3.04
C079431		3.58	0.328	<0.5	7.13	412	1320	2.1	<2	3.80	<0.5	12	55	101	3.74	2.64
C079432		6.70	<0.005	<0.5	7.51	11	1510	1.9	<2	4.42	<0.5	15	80	2	3.67	2.72
C079433		5.60	0.006	<0.5	8.02	110	1590	1.9	<2	4.74	<0.5	17	74	8	3.68	2.61
C079434		6.26	0.053	<0.5	8.13	752	1380	2.5	<2	3.59	<0.5	16	57	30	3.81	2.46
C079435		6.26	0.012	<0.5	8.08	22	1320	2.7	<2	3.63	<0.5	13	54	18	3.73	2.65
C079436		1.42	<0.005	<0.5	0.18	<5	20	<0.5	<2	20.9	<0.5	1	1	2	0.13	0.04
C079437		4.08	0.010	<0.5	7.99	57	1360	2.8	<2	3.32	<0.5	12	58	12	3.69	2.86
C079438		6.58	0.125	<0.5	7.45	2150	1170	2.3	<2	3.90	<0.5	14	49	39	3.86	2.41
C079439		5.50	<0.005	<0.5	6.18	11	1010	1.9	<2	3.04	<0.5	11	43	7	3.00	1.98
C079440		5.36	0.043	<0.5	7.86	819	1300	2.4	<2	3.48	<0.5	15	53	25	3.68	2.59
C079441		2.90	<0.005	<0.5	8.43	16	1500	2.7	<2	3.73	<0.5	14	59	7	3.88	2.91
C079442		2.84	0.012	<0.5	7.80	<5	1390	2.5	<2	3.52	<0.5	12	56	6	3.57	2.66
C079443		5.66	0.005	<0.5	8.42	54	1510	2.6	<2	3.80	<0.5	14	62	12	4.03	2.95
C079444		5.32	0.391	0.6	7.96	7550	1240	2.3	<2	3.12	<0.5	21	58	180	4.58	2.72
C079445		3.68	0.104	0.5	8.23	1310	1490	2.4	<2	3.08	<0.5	13	57	58	4.07	2.83

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06072461

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C079406		0.86	471	3	0.16	36	470	4	1.13	25	106	0.31	100	<10	482
C079407		1.09	544	<1	0.41	12	950	12	0.36	24	248	0.44	84	<10	245
C079408		1.58	570	<1	1.45	8	910	20	0.22	16	576	0.42	79	<10	138
C079409		1.51	543	<1	1.48	12	880	20	0.22	18	584	0.41	78	<10	134
C079410		2.84	1010	10	2.27	55	2300	20	0.30	7	1620	0.37	153	10	91
C079411		1.65	663	<1	1.52	13	910	19	0.21	17	602	0.42	81	<10	122
C079412		0.83	459	<1	0.15	18	840	25	0.29	20	122	0.45	104	<10	124
C079413		0.93	558	<1	0.06	27	710	27	0.34	19	70	0.42	95	<10	169
C079414		0.94	623	<1	0.02	16	990	11	0.26	14	47	0.36	83	<10	98
C079415		1.86	552	<1	0.69	30	1300	9	0.44	28	341	0.48	108	<10	160
C079416		11.85	137	<1	0.01	<1	490	<2	0.01	<5	116	0.01	1	10	7
C079417		1.92	703	<1	1.63	9	910	27	0.17	12	592	0.43	85	10	133
C079418		1.79	654	<1	1.81	8	840	23	0.17	8	598	0.39	74	10	84
C079419		1.80	562	<1	1.63	10	820	20	0.36	8	562	0.38	74	<10	63
C079420		1.77	557	<1	1.61	11	810	17	0.34	5	568	0.38	73	<10	58
C079421		1.75	585	<1	1.59	8	800	23	0.10	<5	555	0.38	73	10	63
C079422		1.83	607	<1	1.68	9	840	12	0.12	<5	582	0.39	75	<10	63
C079423		1.59	594	<1	1.36	9	780	24	0.08	8	483	0.39	73	<10	74
C079424		1.59	656	<1	1.17	7	810	22	0.11	10	415	0.39	73	10	183
C079425		1.67	646	<1	1.56	8	800	24	0.10	<5	541	0.38	73	<10	77
C079426		1.58	752	<1	0.98	9	820	669	0.30	21	371	0.37	72	10	279
C079427		1.65	841	<1	0.63	13	800	1140	0.26	23	241	0.35	71	10	376
C079428		1.57	417	<1	1.23	9	800	25	0.48	<5	439	0.40	74	10	58
C079429		1.54	409	<1	1.20	11	800	22	0.44	<5	429	0.38	73	<10	55
C079430		0.37	69	<1	0.09	8	330	24	0.02	152	143	0.24	98	20	16
C079431		1.57	600	<1	0.87	9	740	18	0.42	7	361	0.35	67	<10	50
C079432		1.96	736	<1	0.84	18	1000	17	0.03	15	429	0.44	104	10	77
C079433		1.74	771	<1	0.98	20	1000	23	0.07	11	444	0.42	106	<10	93
C079434		1.55	604	<1	1.34	11	880	27	0.21	5	498	0.40	79	<10	86
C079435		1.63	633	<1	1.58	10	790	26	0.17	<5	568	0.36	72	<10	69
C079436		11.55	138	<1	0.02	<1	480	<2	0.01	<5	115	0.01	1	<10	8
C079437		1.67	624	<1	1.66	10	840	29	0.11	<5	556	0.39	77	<10	74
C079438		1.92	660	<1	1.01	8	750	26	0.20	<5	423	0.34	67	10	64
C079439		1.35	494	<1	0.99	8	610	21	0.03	<5	392	0.28	56	<10	59
C079440		1.66	572	<1	1.17	12	780	27	0.18	<5	465	0.37	73	10	75
C079441		1.60	622	<1	1.54	10	890	32	0.04	<5	571	0.40	81	<10	80
C079442		1.47	579	<1	1.51	9	810	28	0.03	<5	551	0.36	73	<10	72
C079443		1.79	666	<1	1.74	9	910	28	0.09	<5	637	0.41	81	<10	76
C079444		1.67	397	<1	1.53	9	840	18	0.91	<5	521	0.36	74	10	36
C079445		1.65	440	<1	1.60	9	860	23	0.34	6	559	0.38	77	<10	50

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06072461

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C079446		2.72	0.022	<0.5	8.00	434	1410	2.4	<2	3.09	<0.5	10	57	76	3.97	2.78
C079447		3.36	2.81	1.0	7.74	4360	1070	2.1	5	2.44	<0.5	23	61	671	4.68	2.28
C079448		3.66	0.498	0.5	7.75	2540	970	2.2	<2	1.83	<0.5	17	59	550	4.27	2.10
C079449		<0.02	0.572	0.5	7.52	2350	930	2.1	<2	1.79	<0.5	16	59	531	4.13	2.00
C079450		0.10	1.425	<0.5	7.17	1300	720	6.2	<2	0.04	<0.5	6	204	47	3.96	2.68
C079451		4.18	0.156	<0.5	7.21	1470	990	1.9	<2	3.60	<0.5	14	54	77	3.82	2.27
C079452		4.54	0.058	<0.5	7.66	262	880	1.8	<2	6.40	<0.5	14	56	52	4.21	2.19
C079453		4.12	0.005	<0.5	6.65	47	1340	1.4	<2	10.05	<0.5	24	64	20	3.85	2.09
C079454		4.64	<0.005	<0.5	8.65	23	1640	2.1	<2	3.87	<0.5	20	104	7	4.40	2.75
C079455		5.36	<0.005	<0.5	7.84	20	1330	1.9	<2	5.70	<0.5	15	73	6	3.87	2.28
C079456		1.08	<0.005	<0.5	0.16	<5	20	<0.5	<2	20.7	<0.5	<1	2	2	0.13	0.04
C079457		5.26	<0.005	<0.5	8.35	33	1570	2.2	<2	4.52	<0.5	20	89	13	4.58	2.49
C079458		5.86	<0.005	<0.5	8.15	78	1540	2.2	<2	4.53	<0.5	19	84	16	4.44	2.48
C079459		6.22	0.012	<0.5	8.47	219	1700	2.2	<2	4.25	<0.5	18	88	68	4.78	2.72
C079460		5.62	0.208	<0.5	8.58	6050	1600	2.4	<2	3.70	<0.5	19	96	53	5.35	3.07
C079461		3.34	0.732	<0.5	7.94	>10000	1270	2.0	<2	2.93	<0.5	36	92	104	5.78	2.89
C079462		3.02	0.494	<0.5	8.40	8200	1500	2.2	<2	3.59	<0.5	29	96	40	5.49	2.82
C079463		5.70	1.045	<0.5	8.67	566	1660	2.2	<2	4.18	<0.5	16	77	36	4.42	2.96
C079464		6.10	0.112	<0.5	8.19	679	1350	2.5	<2	3.35	<0.5	18	61	77	4.28	2.65
C079465		6.02	0.052	<0.5	7.88	472	1400	2.4	<2	3.58	<0.5	12	58	25	3.80	2.78
C079466		6.54	<0.005	<0.5	8.39	52	1480	2.5	<2	3.68	<0.5	13	63	6	3.89	2.78
C079467		4.52	0.008	<0.5	8.38	80	1440	2.4	<2	3.87	<0.5	12	60	6	3.85	2.64
C079468		4.08	<0.005	<0.5	8.01	39	1400	2.7	<2	3.38	<0.5	18	60	9	3.64	2.59
C079469		<0.02	0.015	<0.5	8.02	39	1440	2.8	<2	3.42	<0.5	17	63	11	3.79	2.69
C079470		0.10	0.453	2.5	9.01	<5	1060	1.2	<2	1.49	<0.5	8	12	7260	3.25	3.54
C079471		3.70	0.040	<0.5	8.60	135	1290	2.6	<2	1.39	<0.5	13	67	13	3.77	2.28
C079472		3.94	1.445	<0.5	7.91	3180	1160	2.7	2	2.83	<0.5	11	63	139	4.17	2.72
C079473		6.42	7.06	<0.5	7.87	>10000	550	2.5	56	2.19	<0.5	77	58	118	7.07	2.41
C079474		5.66	0.218	<0.5	8.03	1040	1290	2.7	10	3.14	<0.5	12	61	27	3.86	2.74
C079475		6.22	0.013	<0.5	8.47	167	1500	2.6	<2	3.74	<0.5	13	60	10	3.90	2.93
C079476		1.04	<0.005	<0.5	0.17	7	20	<0.5	<2	21.3	<0.5	<1	1	2	0.13	0.04
C079477		5.88	<0.005	<0.5	7.82	71	1420	2.7	<2	3.54	<0.5	12	57	8	3.61	2.92
C079478		5.72	0.008	<0.5	7.87	90	1470	2.5	<2	3.24	<0.5	12	59	9	3.73	2.76
C079479		5.92	<0.005	<0.5	8.23	74	1580	2.7	<2	3.63	<0.5	15	62	3	3.87	3.06
C079480		5.84	<0.005	<0.5	8.16	30	1550	2.6	<2	3.72	<0.5	13	72	3	3.85	2.78
C079481		2.88	0.060	<0.5	8.18	848	1550	2.6	<2	3.47	<0.5	13	61	33	3.77	2.54
C079482		2.96	0.065	<0.5	8.44	793	1630	2.5	<2	3.36	<0.5	13	60	31	3.60	2.69
C079483		6.00	0.110	<0.5	8.12	398	910	2.4	<2	3.82	<0.5	11	57	60	4.26	2.61
C079484		5.66	0.313	<0.5	7.56	5960	540	2.0	6	3.70	<0.5	13	70	91	4.93	2.16
C079485		5.90	2.22	1.3	8.60	3170	1450	2.0	19	4.06	<0.5	14	95	123	5.45	2.48

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06072461

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C079446		1.62	389	<1	1.81	8	850	17	0.15	<5	538	0.38	77	<10	47
C079447		1.59	240	<1	1.75	11	780	23	1.21	10	460	0.34	71	<10	38
C079448		1.52	207	<1	1.76	5	800	7	1.21	<5	399	0.35	73	10	26
C079449		1.47	202	<1	1.67	8	770	9	1.09	<5	383	0.33	71	10	25
C079450		0.37	96	2	0.13	17	340	31	0.02	116	96	0.27	91	10	48
C079451		1.55	503	<1	0.79	10	750	16	0.49	<5	275	0.34	68	<10	51
C079452		2.04	752	<1	0.25	10	900	17	0.21	<5	240	0.38	81	<10	63
C079453		2.40	1025	<1	0.23	14	900	17	0.16	<5	273	0.36	95	10	81
C079454		1.99	606	<1	0.88	19	1190	23	0.06	<5	482	0.49	128	<10	91
C079455		2.16	751	<1	0.93	12	1050	18	0.04	5	486	0.41	105	10	85
C079456		11.50	136	<1	0.02	<1	430	2	0.01	<5	114	0.01	1	<10	9
C079457		2.44	723	<1	1.38	18	1150	22	0.13	<5	660	0.46	120	<10	101
C079458		2.36	717	<1	1.42	17	1120	17	0.19	<5	691	0.46	114	<10	96
C079459		2.59	696	<1	1.31	17	1160	14	0.25	<5	627	0.47	120	<10	77
C079460		2.62	595	<1	1.41	16	1190	12	0.58	<5	619	0.47	124	10	61
C079461		2.46	406	<1	1.34	21	1090	7	1.27	7	502	0.43	111	<10	39
C079462		2.61	563	<1	1.43	20	1130	12	0.89	5	614	0.46	118	<10	52
C079463		2.23	690	<1	1.50	15	1070	19	0.33	5	609	0.44	104	<10	117
C079464		1.77	436	<1	1.63	11	830	17	0.72	<5	578	0.38	76	<10	48
C079465		1.74	564	<1	1.64	8	850	22	0.24	7	563	0.38	76	<10	74
C079466		1.81	732	<1	1.80	13	880	29	0.04	<5	635	0.40	80	<10	112
C079467		1.76	670	<1	1.79	9	880	25	0.04	<5	646	0.39	77	<10	67
C079468		1.53	603	<1	1.53	14	870	23	0.04	9	555	0.39	79	<10	76
C079469		1.57	627	<1	1.61	12	900	25	0.04	14	566	0.40	81	<10	78
C079470		1.16	478	2	3.36	8	1950	10	0.23	<5	682	0.33	168	<10	57
C079471		1.18	545	<1	0.35	11	950	28	0.09	19	211	0.42	84	<10	84
C079472		1.69	421	1	1.65	8	870	17	0.43	7	525	0.37	77	<10	55
C079473		1.61	248	<1	1.60	19	790	14	2.40	23	394	0.32	71	<10	36
C079474		1.68	482	<1	1.59	13	830	21	0.23	6	535	0.37	75	<10	58
C079475		1.78	667	<1	1.71	9	870	28	0.08	<5	625	0.39	79	<10	60
C079476		11.65	139	<1	0.02	<1	440	2	0.02	<5	116	0.01	1	<10	8
C079477		1.68	618	<1	1.73	9	800	23	0.06	<5	603	0.37	75	<10	56
C079478		1.68	575	<1	1.62	9	810	20	0.07	<5	571	0.38	75	<10	52
C079479		1.73	725	<1	1.82	8	870	31	0.06	5	607	0.40	81	<10	66
C079480		1.80	728	<1	1.74	9	840	26	0.05	<5	565	0.38	81	<10	61
C079481		1.21	480	<1	0.93	11	880	13	0.53	24	367	0.39	79	<10	50
C079482		1.20	477	<1	0.94	13	890	14	0.43	20	367	0.38	78	<10	50
C079483		1.80	476	<1	1.15	7	880	13	0.65	9	570	0.38	76	<10	36
C079484		1.96	377	<1	0.94	14	870	9	1.04	5	485	0.37	78	<10	28
C079485		2.52	614	<1	1.26	18	1150	14	0.65	7	497	0.49	118	<10	65

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06072461

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C079486		5.64	0.016	<0.5	8.67	117	1430	2.2	<2	4.96	<0.5	16	71	14	4.79	2.30
C079487		5.10	0.694	<0.5	7.68	8730	1460	2.3	22	3.29	<0.5	14	47	20	4.30	2.82
C079488		5.84	0.165	<0.5	7.80	2240	1460	2.3	5	2.91	<0.5	13	50	29	3.65	2.91
C079489		<0.02	0.155	<0.5	7.70	2320	1440	2.3	5	2.99	<0.5	13	47	29	3.63	2.94
C079490		0.10	0.094	0.5	6.73	113	560	2.6	<2	0.53	<0.5	58	1150	384	8.39	2.03
C079491		6.44	0.068	<0.5	7.55	1400	1270	2.2	<2	2.81	<0.5	12	48	23	3.07	2.81
C079492		5.84	0.112	<0.5	7.52	1130	1070	2.1	3	3.62	<0.5	12	47	24	3.36	2.65
C079493		5.44	0.138	<0.5	7.71	1070	1030	2.2	5	3.38	<0.5	14	45	26	3.55	2.81
C079494		6.22	0.082	<0.5	7.38	1100	750	2.0	<2	4.12	<0.5	12	43	28	3.45	2.49
C079495		5.68	0.077	<0.5	7.72	713	1600	2.5	<2	3.32	<0.5	13	49	18	3.61	2.82
C079496		0.88	<0.005	<0.5	0.18	6	20	<0.5	<2	21.7	<0.5	<1	2	2	0.18	0.04
C079497		6.08	0.317	<0.5	7.51	2500	1180	2.5	<2	3.31	<0.5	10	49	43	3.67	2.91
C079498		2.98	0.052	<0.5	6.73	510	270	1.8	<2	5.22	<0.5	11	39	17	3.33	2.40
C079499		5.66	0.129	<0.5	6.88	1540	580	1.8	<2	4.64	<0.5	9	38	23	3.33	2.52
C079500		3.66	1.120	<0.5	7.26	7730	920	1.9	116	2.90	<0.5	11	44	96	4.35	2.71
C079501		2.30	0.045	<0.5	7.48	219	1320	2.6	<2	2.87	<0.5	13	47	24	3.69	2.81
C079502		3.16	0.015	<0.5	7.46	289	1350	2.5	<2	2.92	<0.5	13	46	23	3.64	2.78
C079503		2.58	0.180	<0.5	6.98	3530	1050	2.1	<2	3.72	<0.5	9	38	79	4.26	2.89
C079504		3.64	0.157	<0.5	7.64	4490	1240	2.4	<2	2.85	<0.5	11	46	66	3.98	3.12
C079505		5.70	0.196	<0.5	7.95	6420	1180	2.3	<2	2.39	<0.5	11	48	71	4.28	2.75
C079506		3.48	0.335	<0.5	7.88	2050	720	2.0	2	2.60	<0.5	10	48	324	4.43	2.43
C079507		2.72	0.307	0.5	6.28	>10000	320	1.6	11	2.66	<0.5	19	37	140	6.64	1.99
C079508		3.28	0.066	<0.5	7.86	848	1090	2.0	<2	2.82	<0.5	13	50	28	3.65	2.61
C079509		0.04	0.069	<0.5	8.00	838	1110	2.0	<2	2.77	<0.5	13	50	26	3.61	2.54
C079510		0.12	0.441	2.7	9.61	5	1090	1.2	<2	1.38	<0.5	9	12	7530	3.17	3.51
C079511		3.54	0.030	<0.5	8.20	278	1420	2.3	<2	3.04	<0.5	14	50	63	3.26	2.62
C079512		4.92	0.023	<0.5	8.34	124	1620	2.6	<2	3.05	<0.5	12	47	18	3.45	2.74
C079513		6.14	0.024	<0.5	8.45	142	1630	2.6	<2	3.36	<0.5	13	55	17	3.75	2.80
C079514		5.46	0.024	<0.5	8.57	182	1750	2.6	<2	3.25	<0.5	14	55	21	3.67	2.85
C079515		5.46	0.015	<0.5	8.43	97	730	2.4	<2	3.73	<0.5	14	50	25	3.76	2.53
C079516		1.10	<0.005	<0.5	0.16	26	30	<0.5	<2	21.3	<0.5	<1	4	3	0.17	0.04
C079517		2.62	0.036	<0.5	8.00	80	410	2.2	<2	3.85	<0.5	15	47	20	3.83	2.30
C079518		2.58	0.210	<0.5	7.80	3800	430	2.2	2	3.17	<0.5	14	44	42	3.75	2.64
C079519		5.78	0.038	<0.5	8.98	260	580	2.5	<2	3.49	<0.5	13	54	49	4.13	2.69
C079520		5.38	0.043	<0.5	8.10	605	620	2.2	<2	3.06	<0.5	11	48	38	3.87	2.65
C079521		1.10	0.428	<0.5	7.13	4780	440	2.1	20	4.25	<0.5	15	42	63	4.25	2.21
C079522		1.20	0.264	<0.5	7.87	3060	490	2.2	<2	3.95	<0.5	15	46	48	4.18	2.36
C079523		4.30	0.065	<0.5	8.14	831	1180	2.4	<2	2.65	<0.5	13	50	13	3.42	2.53
C079524		4.92	0.046	<0.5	7.89	561	1250	2.4	<2	2.78	<0.5	11	49	11	3.36	2.59
C079525		4.58	0.183	<0.5	8.20	5380	1170	2.3	6	3.37	<0.5	13	50	33	3.96	2.82

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06072461

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C079486		2.21	781	<1	1.27	14	1110	16	0.19	<5	593	0.52	119	<10	69
C079487		1.42	472	<1	1.46	7	800	18	1.27	23	486	0.37	74	<10	38
C079488		1.42	442	<1	1.37	7	800	14	1.01	<5	448	0.38	75	<10	36
C079489		1.42	444	<1	1.38	7	800	12	1.04	<5	449	0.37	74	<10	36
C079490		0.57	374	7	0.12	465	350	144	0.03	11	51	0.22	86	30	595
C079491		1.30	389	<1	1.38	9	790	13	0.86	<5	413	0.38	75	<10	34
C079492		1.58	458	<1	0.93	8	790	13	0.73	<5	373	0.37	73	<10	37
C079493		1.47	451	<1	0.89	8	770	14	0.93	<5	360	0.38	74	<10	40
C079494		1.60	467	<1	0.81	8	760	10	0.94	<5	407	0.35	69	<10	34
C079495		1.37	509	<1	1.58	9	800	16	0.86	<5	516	0.40	78	<10	40
C079496		11.90	134	<1	0.02	<1	410	<2	0.02	<5	116	0.01	1	<10	8
C079497		1.49	439	1	1.07	7	810	11	1.21	5	451	0.39	77	<10	37
C079498		2.03	493	<1	0.22	4	670	10	0.40	5	419	0.33	64	<10	31
C079499		1.94	394	<1	0.06	6	690	10	0.56	8	400	0.31	63	<10	26
C079500		1.44	367	<1	0.28	7	740	20	1.38	20	228	0.32	69	<10	46
C079501		1.39	472	1	1.16	9	780	15	0.76	<5	411	0.37	73	<10	35
C079502		1.41	471	<1	1.09	7	770	14	0.79	<5	401	0.37	73	<10	35
C079503		1.84	515	<1	0.69	6	660	11	0.80	5	300	0.31	63	10	27
C079504		1.43	394	<1	1.01	8	770	10	0.99	<5	353	0.36	74	10	32
C079505		1.46	374	1	0.92	10	730	20	1.09	11	334	0.37	70	<10	33
C079506		1.49	312	1	0.57	8	750	13	1.28	<5	335	0.35	70	<10	25
C079507		1.29	211	2	0.37	8	570	10	3.46	39	328	0.23	53	<10	14
C079508		1.45	414	<1	0.54	11	780	20	0.84	5	369	0.38	73	<10	35
C079509		1.45	408	<1	0.55	11	760	20	0.83	<5	366	0.38	73	<10	35
C079510		1.15	480	3	3.43	10	1930	23	0.25	<5	710	0.34	166	<10	59
C079511		1.32	475	2	1.36	11	790	16	0.84	<5	479	0.39	75	10	40
C079512		1.37	523	<1	1.66	11	780	15	0.79	<5	555	0.39	73	<10	43
C079513		1.38	569	2	1.72	13	820	20	0.87	<5	558	0.41	79	<10	43
C079514		1.37	593	1	1.76	12	830	20	0.75	<5	566	0.43	81	10	48
C079515		1.72	594	1	0.69	11	770	29	0.22	6	473	0.39	74	10	55
C079516		11.95	145	<1	0.02	3	380	3	<0.01	<5	125	0.01	1	<10	9
C079517		1.85	621	<1	0.11	15	760	21	0.09	9	383	0.37	71	<10	84
C079518		1.55	484	1	0.04	11	690	21	0.81	8	404	0.32	69	<10	84
C079519		1.64	585	2	0.35	11	830	28	0.64	<5	469	0.42	80	10	55
C079520		1.51	580	1	0.35	10	780	20	0.61	6	425	0.38	73	<10	71
C079521		1.87	537	<1	0.13	12	650	18	1.34	18	558	0.32	64	<10	60
C079522		1.80	563	1	0.19	12	730	24	1.08	10	527	0.36	68	10	55
C079523		1.35	488	2	0.86	9	770	18	0.67	7	367	0.39	74	<10	42
C079524		1.35	479	2	1.40	14	750	19	0.67	<5	505	0.36	70	<10	39
C079525		1.53	494	2	1.29	12	780	21	1.01	6	563	0.37	72	<10	39

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06072461

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C079526		4.96	0.060	<0.5	8.45	594	1060	2.3	2	3.19	<0.5	12	51	25	3.62	2.85
C079527		4.84	0.031	<0.5	7.87	160	530	2.2	<2	3.30	<0.5	14	48	25	3.70	2.24
C079528		4.32	0.054	<0.5	7.42	721	450	2.0	<2	3.35	<0.5	12	45	73	3.55	2.17
C079529		0.10	0.073	<0.5	7.59	1280	440	2.1	<2	3.48	<0.5	11	45	84	3.69	2.24
C079530		0.18	1.495	<0.5	7.30	1260	710	6.0	<2	0.02	<0.5	6	215	41	3.75	2.54
C079531		5.06	0.085	<0.5	8.07	879	540	2.2	<2	3.17	<0.5	14	50	31	3.71	2.38
C079532		4.62	0.011	<0.5	7.95	112	450	2.1	<2	3.09	<0.5	13	47	18	3.49	2.39
C079533		3.76	0.015	<0.5	8.28	118	530	2.2	<2	3.29	<0.5	11	49	17	3.85	2.51
C079534		4.76	0.016	<0.5	8.20	124	580	2.1	<2	3.76	<0.5	12	50	17	3.97	2.39
C079535		3.24	0.021	<0.5	7.82	120	530	2.0	<2	3.61	<0.5	13	47	16	3.80	2.20
C079536		0.92	<0.005	<0.5	0.26	21	20	<0.5	<2	20.2	<0.5	1	2	3	0.20	0.06
C079537		3.14	0.028	<0.5	7.55	287	540	2.1	<2	4.07	<0.5	15	46	14	3.83	2.17
C079538		5.16	0.041	<0.5	7.72	330	510	2.1	<2	3.85	<0.5	12	48	18	3.91	2.39
C079539		3.64	0.068	<0.5	8.01	741	500	2.0	<2	3.17	<0.5	12	52	14	3.91	2.33
C079540		5.42	0.126	<0.5	7.97	1190	550	2.0	<2	3.48	<0.5	11	50	17	3.86	2.26
C079541		1.30	0.287	<0.5	6.49	1650	360	1.8	<2	2.94	<0.5	15	42	47	3.73	2.33
C079542		1.72	0.126	<0.5	6.33	1120	360	1.8	<2	3.44	<0.5	11	41	23	3.41	2.24
C079543		4.96	0.083	<0.5	7.01	860	520	2.0	<2	3.28	<0.5	10	47	14	3.59	2.44
C079544		3.34	0.118	<0.5	6.51	764	640	1.9	<2	3.42	<0.5	11	45	30	3.77	2.39
C079545		4.04	0.153	<0.5	6.86	1705	600	2.0	<2	2.76	<0.5	10	50	61	4.04	2.41
C079546		3.24	0.181	<0.5	7.17	1685	1030	2.4	<2	2.91	<0.5	12	52	12	3.58	2.68
C079547		4.94	0.164	<0.5	7.23	1660	1620	2.4	<2	3.14	<0.5	11	53	11	3.56	2.96

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06072461

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C079526		1.53	499	1	0.76	11	790	22	0.87	9	468	0.40	76	10	40
C079527		1.60	545	1	0.87	9	740	17	0.76	9	480	0.37	71	10	38
C079528		1.58	481	1	0.56	8	710	24	0.69	7	429	0.34	67	<10	35
C079529		1.64	484	2	0.57	11	710	16	0.73	6	444	0.35	68	10	34
C079530		0.35	91	2	0.11	20	320	28	0.02	117	97	0.25	87	10	48
C079531		1.54	524	1	0.81	11	760	19	0.78	10	452	0.37	72	<10	37
C079532		1.54	553	1	0.82	8	750	32	0.13	6	388	0.38	72	10	52
C079533		1.63	612	1	0.69	10	780	20	0.15	6	415	0.39	74	10	51
C079534		1.85	638	2	0.44	14	790	29	0.15	<5	464	0.39	74	10	53
C079535		1.85	600	1	0.26	12	770	23	0.23	<5	424	0.38	72	<10	48
C079536		11.25	146	<1	0.02	2	450	11	<0.01	<5	120	0.01	3	<10	9
C079537		1.94	614	1	0.06	11	760	24	0.32	<5	496	0.37	70	10	40
C079538		1.79	547	1	0.10	11	770	21	0.66	<5	475	0.38	72	10	39
C079539		1.64	532	1	0.57	10	790	23	0.78	<5	436	0.38	75	<10	36
C079540		1.66	523	<1	0.95	13	750	15	0.91	7	510	0.37	73	<10	35
C079541		1.39	369	<1	0.66	7	650	7	1.59	<5	355	0.35	67	20	31
C079542		1.55	407	<1	0.62	8	590	3	1.00	9	419	0.33	62	10	29
C079543		1.57	467	<1	0.72	7	750	8	0.80	6	438	0.38	73	10	31
C079544		1.74	488	<1	0.97	5	720	10	0.99	<5	535	0.36	70	10	33
C079545		1.53	431	<1	1.10	7	730	9	1.34	<5	433	0.38	73	<10	31
C079546		1.45	486	<1	1.63	11	810	8	0.93	<5	508	0.41	79	10	34
C079547		1.43	499	<1	1.62	12	780	4	0.93	<5	503	0.40	76	<10	33

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-SEP-2006
Account: STRGOL

CERTIFICATE VA06073289

Project: Dublin Gulch1735

P.O. No.:

This report is for 74 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 27-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06073289

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C082411		2.38	0.244	<0.5	7.11	29	1420	2.8	2	3.47	<0.5	12	55	63	2.98	3.91
C082412		5.08	0.135	<0.5	6.91	9	1290	2.8	<2	3.13	<0.5	10	63	57	3.07	3.27
C082413		4.42	1.620	<0.5	7.53	15	1430	3.1	20	2.67	<0.5	9	46	55	2.71	3.79
C082414		4.72	0.016	<0.5	7.75	15	1350	3.0	<2	2.75	<0.5	8	50	58	3.00	3.22
C082415		2.72	1.130	<0.5	7.91	51	1400	3.0	17	2.58	<0.5	13	49	81	2.96	3.60
C082416		0.92	<0.005	<0.5	0.16	6	20	<0.5	<2	19.90	<0.5	<1	3	2	0.12	0.04
C082417		3.78	0.171	<0.5	7.96	<5	1390	2.9	<2	2.80	<0.5	9	51	52	3.01	3.41
C082418		5.58	0.169	<0.5	7.67	15	1600	3.2	<2	2.51	<0.5	10	42	72	2.75	3.84
C082419		5.58	0.163	<0.5	7.58	<5	1560	3.0	<2	2.32	<0.5	6	38	59	2.41	3.79
C082420		3.76	0.261	<0.5	7.41	15	1530	2.8	<2	1.92	<0.5	7	34	50	2.35	4.29
C082421		2.40	0.257	<0.5	7.97	23	1520	3.2	3	2.12	<0.5	9	34	62	2.56	3.55
C082422		2.86	0.429	<0.5	7.94	28	1590	3.3	5	2.09	<0.5	9	39	63	2.72	3.80
C082423		4.14	0.782	<0.5	7.65	17	1560	3.3	7	2.15	<0.5	8	39	52	2.57	3.78
C082424		3.38	0.221	<0.5	7.81	23	1560	3.2	<2	2.05	<0.5	9	41	63	2.98	3.72
C082425		4.28	0.547	<0.5	7.46	23	1490	2.8	<2	2.21	<0.5	8	40	67	2.69	3.84
C082426		2.82	0.661	0.6	7.43	64	1490	2.6	17	4.39	<0.5	7	36	49	2.58	3.82
C082427		2.72	0.105	<0.5	7.87	42	1460	2.9	<2	2.97	<0.5	8	45	64	2.73	3.60
C082428		4.30	0.759	<0.5	8.00	28	1520	3.2	19	2.51	<0.5	9	47	110	2.99	3.50
C082429		<0.02	0.769	<0.5	7.84	7	1540	3.2	20	2.51	<0.5	6	46	109	2.81	3.49
C082430		0.12	1.370	<0.5	6.97	1230	670	5.8	<2	0.02	<0.5	5	210	40	3.75	2.52
C082431		5.52	0.093	<0.5	7.90	44	1470	2.8	<2	2.42	<0.5	7	59	44	3.33	3.40
C082432		5.82	0.161	<0.5	7.79	20	1440	2.8	2	2.45	<0.5	10	59	69	3.19	3.60
C082433		5.34	0.546	<0.5	7.47	27	1380	2.8	8	2.38	<0.5	10	62	38	3.34	3.02
C082434		3.12	0.170	<0.5	7.80	28	1540	2.8	<2	2.45	<0.5	10	69	98	3.31	3.72
C082435		4.76	0.103	<0.5	7.95	<5	1520	3.0	<2	2.73	<0.5	12	70	87	3.64	3.96
C082436		1.52	<0.005	<0.5	0.13	<5	20	<0.5	<2	20.8	<0.5	<1	3	2	0.11	0.03
C082437		2.94	0.109	<0.5	7.80	31	1530	2.8	<2	2.67	<0.5	10	72	76	3.40	4.14
C082438		3.76	0.053	<0.5	7.60	28	1410	3.0	<2	2.94	<0.5	10	63	76	2.89	3.64
C082439		5.28	0.154	<0.5	7.65	41	1390	2.8	<2	2.47	<0.5	9	60	88	3.35	3.59
C082440		4.72	0.164	<0.5	7.67	20	1380	2.8	3	2.80	<0.5	9	54	84	3.04	3.65
C082441		1.46	0.274	<0.5	7.82	5	1440	2.6	10	2.47	<0.5	11	62	85	3.24	3.97
C082442		1.26	0.312	<0.5	7.99	9	1470	2.8	11	2.90	<0.5	12	65	90	3.03	4.15
C082443		3.72	0.276	1.5	6.99	39	1140	2.3	6	3.35	<0.5	8	58	64	3.48	3.15
C082444		4.98	0.264	<0.5	7.21	18	1370	2.7	9	1.85	<0.5	7	63	62	2.90	3.47
C082445		3.56	0.040	<0.5	7.83	32	1320	3.3	<2	2.00	<0.5	9	67	59	3.60	3.34
C082446		2.96	0.328	<0.5	8.04	18	1580	3.0	14	2.23	<0.5	9	64	67	3.16	3.85
C082447		4.90	0.252	<0.5	7.66	42	1370	3.0	4	1.94	<0.5	9	68	73	3.45	3.28
C082448		6.18	0.474	<0.5	7.38	21	1360	2.7	15	1.88	<0.5	12	66	91	3.16	3.65
C082449		<0.02	0.444	<0.5	7.64	17	1360	2.9	21	2.05	<0.5	16	63	92	3.38	3.89
C082450		0.10	2.76	<0.5	7.76	2130	740	13.3	<2	0.02	<0.5	1	144	104	3.52	3.23

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

:STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06073289

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C082411		1.30	280	2	1.73	15	720	14	0.25	<5	505	0.32	54	220	24
C082412		1.31	694	1	1.77	17	690	14	0.25	<5	526	0.33	56	20	29
C082413		1.09	253	1	1.71	17	700	22	0.20	6	537	0.31	50	20	24
C082414		1.17	293	1	1.76	20	730	15	0.25	5	544	0.29	51	10	25
C082415		1.17	262	<1	1.70	19	750	16	0.34	<5	548	0.31	52	50	24
C082416		11.20	141	<1	0.01	4	510	5	<0.01	<5	118	0.01	3	20	7
C082417		1.29	302	3	1.79	15	740	26	0.24	7	573	0.30	55	30	26
C082418		1.06	241	3	1.72	22	700	32	0.30	<5	561	0.32	46	20	23
C082419		0.94	189	2	1.66	23	680	20	0.27	<5	524	0.30	43	70	18
C082420		0.86	163	2	1.49	14	600	21	0.25	<5	488	0.27	38	120	15
C082421		1.04	179	1	1.73	21	730	17	0.28	<5	551	0.30	42	80	18
C082422		1.05	186	1	1.79	23	710	12	0.28	<5	566	0.31	44	170	19
C082423		1.04	192	2	1.72	19	660	19	0.24	<5	558	0.32	44	20	21
C082424		1.09	201	3	1.73	25	740	25	0.36	<5	569	0.31	43	160	20
C082425		1.02	208	13	1.70	20	660	19	0.31	6	515	0.30	45	20	19
C082426		1.24	352	1	1.41	8	620	97	0.30	10	612	0.27	43	20	28
C082427		1.12	325	2	1.70	15	720	31	0.31	<5	603	0.29	53	10	30
C082428		0.93	245	3	1.91	19	710	28	0.40	7	612	0.32	51	20	25
C082429		0.93	235	1	1.92	20	760	24	0.40	<5	605	0.32	51	30	26
C082430		0.33	86	2	0.11	23	310	31	0.01	107	94	0.25	85	10	44
C082431		1.17	343	1	1.79	22	690	17	0.23	<5	522	0.31	70	20	37
C082432		1.20	320	1	1.74	13	730	28	0.36	<5	527	0.30	60	30	35
C082433		1.14	381	1	1.70	19	740	22	0.18	10	500	0.31	71	10	42
C082434		1.38	327	3	1.66	26	900	19	0.44	<5	537	0.34	84	20	32
C082435		1.47	358	2	1.74	25	880	20	0.34	<5	542	0.35	82	20	31
C082436		11.55	133	<1	0.01	4	510	<2	<0.01	<5	119	0.01	2	10	7
C082437		1.47	367	1	1.50	19	950	21	0.34	<5	487	0.34	82	30	30
C082438		1.34	331	1	1.63	19	770	18	0.21	<5	555	0.32	72	10	31
C082439		1.28	320	1	1.60	20	770	19	0.28	<5	487	0.31	68	10	28
C082440		1.32	350	1	1.52	22	690	14	0.17	8	516	0.30	61	20	29
C082441		1.20	365	1	1.47	17	680	16	0.31	7	536	0.30	59	30	27
C082442		1.22	385	<1	1.53	15	730	22	0.34	7	567	0.32	64	20	30
C082443		1.06	416	5	1.22	17	640	67	0.39	12	425	0.26	55	10	47
C082444		1.00	267	2	1.52	15	710	33	0.29	<5	447	0.29	61	10	33
C082445		1.16	360	1	1.70	14	740	27	0.27	5	479	0.31	64	10	52
C082446		1.19	312	1	1.70	21	800	25	0.21	11	503	0.33	70	20	33
C082447		1.13	296	2	1.63	27	800	24	0.23	13	445	0.32	76	10	51
C082448		1.16	246	2	1.56	24	740	23	0.39	10	441	0.32	77	20	28
C082449		1.22	263	3	1.53	20	710	16	0.43	5	446	0.33	80	20	28
C082450		0.38	71	3	0.09	12	340	36	0.02	159	144	0.22	102	20	17

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06073289

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C082451		5.86	0.480	<0.5	7.79	13	1420	2.8	20	2.52	<0.5	10	54	89	2.84	4.80
C082452		5.40	0.210	<0.5	7.34	<5	1340	2.9	9	2.89	<0.5	9	54	74	2.84	3.96
C082453		4.86	0.250	<0.5	7.50	10	1340	3.0	11	2.71	<0.5	13	56	88	2.98	3.97
C082454		5.38	0.705	1.0	7.40	8	1370	2.7	31	2.30	<0.5	10	43	95	3.00	3.67
C082455		4.30	1.035	1.2	7.34	17	1210	2.7	50	2.75	<0.5	10	42	108	2.70	3.52
C082456		1.46	<0.005	<0.5	0.14	6	20	<0.5	<2	19.95	0.5	4	2	6	0.11	0.03
C082457		2.40	0.351	<0.5	7.08	15	1450	2.5	25	2.04	<0.5	10	33	85	2.28	3.80
C082458		4.08	0.508	<0.5	7.32	<5	1420	2.6	19	2.64	<0.5	10	44	75	2.94	3.51
C082459		4.20	0.195	<0.5	7.69	<5	1480	2.8	11	2.72	<0.5	10	49	72	2.99	3.73
C082460		4.74	0.370	1.2	7.38	16	1270	2.6	19	2.55	<0.5	11	51	82	3.30	3.46
C082461		2.70	0.386	<0.5	7.70	13	1400	2.9	16	2.87	<0.5	12	50	70	3.05	3.72
C082462		3.18	0.405	<0.5	7.36	24	1370	2.8	20	2.76	<0.5	11	50	73	3.04	3.56
C082463		5.12	0.339	<0.5	7.58	11	1440	3.0	15	2.82	<0.5	10	47	77	2.95	3.81
C082464		5.76	1.370	<0.5	7.60	246	1550	2.9	53	2.47	<0.5	13	41	94	2.85	4.16
C082465		5.68	0.186	<0.5	7.49	<5	1370	3.0	15	2.81	<0.5	11	47	81	2.93	3.63
C082466		5.64	0.383	<0.5	7.35	11	1360	2.8	15	2.68	<0.5	11	53	76	3.00	3.46
C082467		4.84	1.530	1.2	7.35	1395	1530	2.5	60	2.34	<0.5	13	49	77	3.20	4.45
C082468		6.14	1.235	<0.5	7.19	15	1450	2.9	37	2.21	<0.5	10	42	67	2.79	3.94
C082469		<0.02	1.115	<0.5	7.05	25	1460	3.0	38	2.20	<0.5	10	39	67	2.56	4.10
C082470		0.10	4.35	8.5	7.53	8	460	0.8	<2	2.74	1.4	18	21	119	4.12	2.13
C082471		3.16	9.23	1.0	6.22	>10000	420	2.4	3880	2.01	<0.5	17	31	140	8.09	3.05
C082472		2.70	0.229	<0.5	7.74	41	1500	3.1	19	2.67	<0.5	10	44	74	2.90	4.18
C082473		5.44	0.504	<0.5	7.50	934	1540	2.9	19	2.29	<0.5	10	46	61	3.39	3.82
C082474		3.80	0.322	4.6	6.89	37	630	2.5	20	1.20	7.8	5	32	129	5.65	3.23
C082475		2.20	0.146	1.9	7.57	161	650	2.7	8	1.50	1.7	3	64	85	5.13	3.52
C082476		1.34	<0.005	<0.5	0.14	<5	20	<0.5	<2	20.4	<0.5	<1	1	2	0.12	0.03
C082477		4.10	0.092	5.4	7.43	215	650	2.2	14	1.98	34.7	3	44	136	5.45	3.26
C082478		2.86	0.243	3.5	7.84	5250	1040	2.5	18	1.37	5.6	11	53	114	5.50	3.52
C082479		5.50	0.289	1.6	7.99	536	1140	2.8	15	2.58	<0.5	11	56	85	3.74	3.75
C082480		3.12	0.066	<0.5	8.19	<5	1450	3.3	<2	2.78	<0.5	11	55	75	2.98	3.77
C082481		1.58	0.813	2.0	7.80	16	1420	3.1	30	2.52	<0.5	12	54	85	3.31	3.86
C082482		1.94	1.015	1.3	7.64	6	1420	3.2	31	2.51	<0.5	13	55	92	3.06	3.92
C082483		4.28	0.609	1.9	7.88	13	1340	3.1	20	2.47	<0.5	12	55	103	4.13	4.09
C082484		3.00	0.271	<0.5	7.90	12	1680	3.1	2	2.53	<0.5	11	52	95	3.04	3.98

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06073289

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C082451		1.19	302	2	1.42	17	850	13	0.33	7	490	0.30	62	60	25
C082452		1.19	315	2	1.60	13	660	18	0.27	<5	517	0.29	60	20	25
C082453		1.29	305	2	1.57	11	690	16	0.33	6	509	0.31	59	30	29
C082454		1.00	271	2	1.29	12	660	54	0.33	16	393	0.29	49	50	40
C082455		0.85	272	2	1.22	14	630	58	0.38	13	389	0.26	46	40	43
C082456		11.20	125	<1	0.01	<1	410	<2	0.01	5	109	0.01	3	<10	7
C082457		0.87	173	3	1.32	11	600	15	0.29	11	426	0.25	38	70	16
C082458		1.23	290	2	1.60	12	670	14	0.29	<5	515	0.30	51	80	26
C082459		1.34	315	3	1.61	15	710	18	0.27	7	553	0.31	57	70	28
C082460		1.22	317	5	1.44	13	650	49	0.37	7	466	0.30	54	60	38
C082461		1.32	327	2	1.70	14	670	15	0.28	<5	562	0.32	56	50	31
C082462		1.27	319	2	1.67	12	660	16	0.29	<5	549	0.31	53	40	30
C082463		1.28	290	3	1.68	15	740	17	0.31	<5	567	0.33	54	150	27
C082464		1.03	198	3	1.61	16	660	16	0.45	<5	538	0.32	44	90	19
C082465		1.29	277	2	1.65	15	670	14	0.33	<5	549	0.31	53	90	26
C082466		1.24	265	2	1.61	14	660	14	0.35	<5	532	0.30	52	30	25
C082467		1.18	221	6	1.31	13	650	41	0.52	13	455	0.30	52	120	33
C082468		1.00	173	5	1.43	16	610	17	0.36	<5	494	0.30	43	70	17
C082469		0.99	158	5	1.43	14	610	18	0.35	<5	486	0.31	43	70	17
C082470		1.29	916	13	1.60	12	860	23	0.66	<5	400	0.37	139	<10	97
C082471		0.84	196	1	1.16	14	510	82	3.96	112	383	0.24	34	20	16
C082472		1.13	255	2	1.51	12	680	18	0.37	12	528	0.31	51	20	26
C082473		1.07	254	2	1.47	14	640	17	0.46	13	472	0.30	49	20	24
C082474		0.70	648	2	0.22	16	600	206	2.64	27	114	0.24	38	50	1410
C082475		0.83	886	1	0.05	28	650	98	1.24	24	102	0.17	40	30	332
C082476		11.00	130	1	0.02	<1	400	<2	<0.01	<5	112	0.01	2	<10	8
C082477		0.98	2140	5	0.04	8	640	998	1.42	128	112	0.21	49	30	6320
C082478		0.99	949	<1	0.41	7	710	344	1.45	82	214	0.25	54	30	1170
C082479		0.87	547	1	0.79	11	690	59	1.02	29	319	0.28	54	40	93
C082480		1.35	310	<1	1.65	11	720	20	0.35	9	552	0.31	56	30	31
C082481		1.20	296	<1	1.41	15	680	49	0.40	12	498	0.29	54	210	29
C082482		1.20	271	<1	1.41	12	670	39	0.44	13	496	0.30	54	230	30
C082483		1.16	479	<1	1.06	15	740	124	0.58	23	357	0.30	56	130	127
C082484		0.95	434	3	1.34	18	740	64	0.45	27	419	0.33	50	60	93

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-SEP-2006
Account: STRGOL

CERTIFICATE VA06073370

Project: Dublin Gulch1735

P.O. No.:

This report is for 187 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 27-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06073370

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C082485		4.56	0.022	<0.5	4.88	237	490	1.2	<2	0.38	<0.5	8	39	23	2.15	1.70
C082486		5.36	<0.005	<0.5	4.81	128	530	1.1	<2	0.47	<0.5	9	35	15	1.91	1.72
C082487		4.64	0.006	<0.5	3.22	170	300	0.7	<2	1.05	<0.5	4	25	10	1.56	1.18
C082488		3.64	0.022	<0.5	6.83	191	660	1.6	<2	1.46	<0.5	9	47	17	3.09	2.62
C082489		0.04	0.026	<0.5	7.18	201	650	1.7	<2	1.56	<0.5	8	52	21	2.99	2.68
C082490		0.10	0.089	<0.5	7.59	117	610	2.8	2	0.53	<0.5	59	1250	407	8.55	2.25
C082491		5.32	<0.005	<0.5	10.75	41	1240	2.6	5	0.41	<0.5	15	84	34	4.80	4.22
C082492		3.86	<0.005	<0.5	10.80	56	1380	2.6	<2	0.20	<0.5	18	79	33	4.69	4.18
C082493		4.94	0.006	<0.5	11.00	76	1540	2.6	<2	0.50	<0.5	12	81	23	3.50	4.48
C082494		5.88	0.010	<0.5	4.70	84	420	1.2	<2	1.37	<0.5	9	39	14	1.80	1.57
C082495		5.18	0.218	<0.5	4.09	161	380	1.0	<2	1.05	<0.5	5	31	13	1.41	1.43
C082496		1.48	<0.005	<0.5	0.16	<5	20	<0.5	<2	21.4	<0.5	1	4	4	0.12	0.04
C082497		3.14	0.250	<0.5	7.66	220	700	2.0	<2	1.53	<0.5	9	55	10	2.86	2.82
C082498		6.64	<0.005	<0.5	10.85	120	1320	2.2	<2	0.30	<0.5	17	82	34	4.32	4.04
C082499		5.00	0.005	<0.5	9.23	77	1020	2.1	<2	0.99	<0.5	15	67	28	3.78	3.56
C082500		7.14	0.006	<0.5	8.68	95	810	2.2	<2	3.24	<0.5	12	60	19	3.04	3.08
C082501		1.56	0.006	<0.5	6.42	291	580	1.8	<2	3.42	<0.5	8	50	24	3.82	2.20
C082502		1.46	0.006	<0.5	5.57	294	490	1.7	2	3.67	<0.5	7	35	19	3.35	1.86
C082503		9.26	0.005	<0.5	9.78	104	1110	2.5	<2	1.80	<0.5	14	75	81	3.64	4.35
C082504		5.38	0.015	<0.5	10.45	119	1260	2.5	<2	0.91	<0.5	13	77	134	3.72	4.79
C082505		6.24	0.008	<0.5	9.40	222	1100	2.5	<2	1.18	<0.5	13	72	62	3.80	3.75
C082506		5.78	0.017	<0.5	8.24	519	950	2.1	<2	1.03	<0.5	13	60	29	3.66	3.18
C082507		6.62	0.009	<0.5	9.11	125	820	2.2	<2	2.12	<0.5	12	65	59	3.63	3.14
C082508		6.50	<0.005	<0.5	10.95	78	1330	3.0	<2	0.94	<0.5	19	82	34	5.01	4.74
C082509		0.04	<0.005	<0.5	10.75	76	1330	2.9	<2	0.91	<0.5	17	82	32	5.04	4.63
C082510		0.12	0.442	2.7	9.33	7	1070	1.2	<2	1.40	<0.5	6	13	7610	3.25	3.66
C082511		5.28	0.071	<0.5	9.57	2130	1350	2.3	2	1.50	<0.5	23	74	46	4.47	4.50
C082512		4.02	0.112	<0.5	4.23	587	370	1.0	<2	1.35	<0.5	4	31	10	1.75	1.43
C082513		6.78	0.038	<0.5	6.34	837	750	1.4	<2	1.17	<0.5	8	48	23	2.68	2.44
C082514		6.34	0.025	<0.5	6.78	647	730	1.7	<2	1.17	<0.5	11	54	29	2.72	2.78
C082515		6.18	0.012	<0.5	4.07	580	370	0.8	<2	1.04	<0.5	4	29	5	1.61	1.48
C082516		1.66	<0.005	<0.5	0.49	<5	40	<0.5	<2	20.5	<0.5	<1	4	4	0.23	0.16
C082517		6.50	0.008	<0.5	3.75	163	380	0.8	<2	0.57	<0.5	3	22	5	1.30	1.38
C082518		6.36	0.020	<0.5	7.36	529	770	1.6	<2	0.58	<0.5	8	51	14	2.41	2.75
C082519		6.28	0.067	<0.5	4.60	266	380	1.1	2	1.50	<0.5	5	28	8	1.74	1.64
C082520		4.66	0.012	<0.5	9.47	591	810	2.7	<2	1.60	<0.5	16	75	46	3.15	3.78
C082521		1.40	<0.005	<0.5	8.90	59	790	2.2	<2	1.24	<0.5	15	65	29	3.68	3.18
C082522		1.34	<0.005	<0.5	9.92	69	940	2.6	<2	0.81	<0.5	14	76	30	3.62	3.65
C082523		2.60	<0.005	<0.5	9.87	102	770	2.8	<2	2.30	<0.5	13	76	21	3.85	3.42
C082524		3.06	<0.005	<0.5	7.71	108	720	2.0	<2	0.80	<0.5	11	55	28	3.23	2.58

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06073370

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C082485		0.40	194	<1	0.53	19	270	15	0.01	<5	94	0.20	38	<10	40
C082486		0.26	165	<1	0.27	17	180	6	<0.01	<5	29	0.19	39	20	28
C082487		0.12	296	<1	0.16	10	110	3	0.01	<5	23	0.12	23	10	11
C082488		0.38	440	<1	0.12	27	250	10	0.02	6	32	0.23	56	10	25
C082489		0.37	449	<1	0.13	25	260	9	0.02	7	34	0.23	56	10	28
C082490		0.60	391	8	0.12	490	360	151	0.02	12	54	0.24	94	40	655
C082491		0.93	494	<1	0.25	45	590	12	0.01	5	49	0.48	103	10	88
C082492		0.91	510	<1	0.42	40	540	8	0.01	6	78	0.47	101	10	88
C082493		0.73	319	1	0.50	31	470	19	0.01	5	119	0.45	101	10	53
C082494		0.30	256	1	0.43	13	500	7	0.01	5	77	0.18	35	10	21
C082495		0.24	202	<1	0.40	17	110	2	0.01	5	66	0.16	30	10	16
C082496		12.30	140	<1	0.01	<1	470	6	0.01	12	125	0.01	3	10	6
C082497		0.51	368	<1	0.35	25	160	11	0.01	<5	90	0.31	63	10	37
C082498		0.90	327	<1	0.30	44	490	15	0.03	<5	94	0.46	100	<10	75
C082499		0.74	610	1	0.20	35	260	17	0.01	<5	71	0.37	82	10	65
C082500		0.79	495	<1	0.23	21	280	16	0.05	<5	136	0.33	72	10	46
C082501		0.95	599	<1	0.09	21	260	9	0.42	<5	147	0.21	51	10	27
C082502		0.97	614	<1	0.08	14	470	5	0.10	<5	137	0.22	44	10	25
C082503		0.59	386	<1	0.20	40	720	4	0.14	<5	82	0.46	101	10	46
C082504		0.78	279	<1	0.24	39	1310	7	0.53	<5	76	0.41	102	10	25
C082505		0.66	347	<1	0.23	42	800	5	0.25	8	69	0.38	89	10	37
C082506		0.72	365	<1	0.34	30	450	8	0.08	6	82	0.36	76	<10	55
C082507		0.67	425	1	0.35	31	360	6	0.29	10	103	0.37	75	10	42
C082508		0.92	367	<1	0.42	50	660	6	0.06	<5	97	0.51	111	10	69
C082509		0.91	371	<1	0.41	49	660	6	0.06	<5	94	0.49	107	10	68
C082510		1.19	487	3	3.36	<1	1950	8	0.25	<5	676	0.33	173	<10	61
C082511		0.82	401	<1	0.37	51	530	8	0.22	<5	103	0.42	100	10	62
C082512		0.29	212	<1	0.76	15	230	4	0.06	<5	75	0.13	30	<10	10
C082513		0.50	252	<1	0.58	24	430	5	0.12	<5	101	0.26	55	20	31
C082514		0.49	292	<1	0.39	24	410	6	0.13	<5	86	0.30	58	10	30
C082515		0.16	240	<1	0.49	8	110	3	0.04	<5	55	0.16	29	<10	11
C082516		11.60	143	<1	0.02	3	430	2	0.03	<5	117	0.02	5	<10	8
C082517		0.15	146	<1	0.27	7	120	4	0.02	<5	31	0.16	28	<10	11
C082518		0.41	189	<1	0.18	26	500	4	0.03	<5	57	0.30	63	10	30
C082519		0.52	237	<1	0.18	10	200	5	0.04	<5	82	0.14	32	<10	10
C082520		0.64	344	<1	0.12	38	580	7	0.29	6	94	0.40	92	20	39
C082521		0.63	419	<1	0.12	40	1310	6	0.06	<5	82	0.39	81	10	54
C082522		0.64	351	<1	0.13	39	1390	7	0.04	<5	77	0.42	93	20	55
C082523		1.12	476	<1	0.15	38	350	7	0.02	<5	147	0.44	94	20	45
C082524		0.66	322	<1	0.13	32	240	7	0.04	<5	90	0.30	75	10	48

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06073370

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C082525		1.64	<0.005	<0.5	8.01	114	730	2.0	<2	0.90	<0.5	12	57	24	3.26	2.98
C082526		0.62	0.058	<0.5	5.16	84	480	1.3	<2	1.12	<0.5	6	40	43	2.69	1.76
C082527		1.90	<0.005	<0.5	8.01	106	690	2.0	<2	0.93	<0.5	11	58	27	2.98	2.60
C082528		3.60	0.037	<0.5	5.15	171	360	1.7	2	5.92	<0.5	9	33	14	3.55	1.57
C082529		0.04	0.043	<0.5	4.92	164	340	1.6	<2	6.40	<0.5	8	29	11	3.77	1.48
C082530		0.10	1.640	<0.5	7.13	1205	680	6.1	2	0.03	<0.5	4	199	40	3.61	2.66
C082531		4.00	0.015	<0.5	5.37	609	410	1.2	<2	2.73	<0.5	10	44	22	2.74	1.74
C082532		2.20	0.015	<0.5	8.64	314	870	1.8	<2	2.02	<0.5	12	71	22	3.02	3.77
C082533		4.68	<0.005	<0.5	3.70	106	240	0.9	<2	1.85	<0.5	6	35	12	2.16	1.06
C082534		3.08	0.027	<0.5	2.76	427	200	0.5	<2	0.61	<0.5	6	28	6	1.65	0.80
C082535		4.30	<0.005	<0.5	4.13	92	300	0.8	<2	0.47	<0.5	6	38	8	1.88	1.09
C082536		1.94	<0.005	<0.5	0.14	<5	20	<0.5	<2	21.1	<0.5	<1	4	2	0.12	0.03
C082537		5.10	0.148	<0.5	7.76	236	570	2.0	<2	1.47	<0.5	12	52	25	3.16	2.69
C082538		6.36	0.029	<0.5	7.65	203	560	1.9	<2	0.91	<0.5	12	55	24	3.03	2.80
C082539		6.54	0.009	<0.5	7.98	183	750	1.7	<2	1.13	<0.5	19	62	32	3.26	2.58
C082540		7.36	0.016	<0.5	8.11	264	660	1.8	<2	1.22	<0.5	14	65	30	3.74	2.31
C082541		3.30	0.019	<0.5	10.40	89	1640	2.5	<2	0.68	<0.5	16	78	14	4.68	4.71
C082542		2.96	0.014	<0.5	10.60	61	1780	2.4	<2	0.54	<0.5	16	82	13	4.66	4.86
C082543		6.76	0.247	<0.5	9.08	109	1290	2.1	<2	0.79	<0.5	14	64	29	3.50	3.75
C082544		5.42	0.007	<0.5	7.77	94	730	1.9	<2	0.70	<0.5	17	61	34	3.64	2.98
C082545		6.32	0.066	<0.5	8.14	179	680	2.1	<2	0.70	<0.5	10	60	11	2.71	2.85
C082546		5.36	<0.005	<0.5	9.11	225	740	2.3	<2	0.61	<0.5	15	68	20	3.73	3.19
C082547		2.80	<0.005	<0.5	8.32	36	740	2.2	<2	0.56	<0.5	16	61	23	3.98	2.81
C082548		4.90	<0.005	<0.5	8.09	8	840	2.1	<2	0.70	<0.5	14	61	38	3.82	3.07
C082549		0.04	<0.005	<0.5	9.62	16	1000	2.4	<2	0.86	<0.5	19	68	40	4.35	3.55
C082550		0.12	2.88	<0.5	7.67	2040	720	12.5	<2	0.01	<0.5	2	146	99	3.42	3.03
C082551		6.10	<0.005	<0.5	8.69	40	1090	2.1	<2	0.62	<0.5	13	70	26	3.66	3.25
C082552		5.34	0.005	<0.5	4.97	65	510	0.9	<2	1.67	<0.5	8	45	24	2.55	1.32
C082553		4.54	0.019	<0.5	8.73	53	720	2.3	<2	1.03	<0.5	11	63	26	3.09	3.14
C082554		4.42	<0.005	<0.5	11.55	67	1030	3.3	<2	0.57	<0.5	16	90	34	3.92	4.65
C082555		4.66	<0.005	<0.5	9.24	91	910	2.5	<2	0.68	<0.5	16	71	31	3.70	3.04
C082556		1.46	<0.005	<0.5	0.15	<5	10	<0.5	<2	21.0	<0.5	1	3	6	0.11	0.04
C082557		4.98	<0.005	<0.5	3.72	18	360	0.8	<2	0.57	<0.5	5	26	12	1.29	1.17
C082558		5.44	0.005	<0.5	3.55	43	160	0.8	<2	0.69	<0.5	5	25	8	1.26	1.42
C082559		4.62	0.580	1.3	3.35	61	290	0.8	<2	0.46	9.4	3	23	14	1.85	1.34
C082560		3.76	0.011	<0.5	5.61	91	350	1.3	<2	0.86	<0.5	5	38	14	1.88	2.10
C082561		1.82	<0.005	<0.5	6.34	23	580	1.6	<2	0.49	<0.5	11	51	19	2.43	2.09
C082562		1.82	<0.005	<0.5	6.17	24	550	1.4	<2	0.57	<0.5	11	47	18	2.50	1.97
C082563		4.52	0.008	<0.5	3.84	9	350	0.7	<2	0.45	<0.5	6	35	9	1.44	1.18
C082564		3.70	0.043	<0.5	3.68	244	390	0.6	<2	0.52	<0.5	5	26	8	1.21	1.17

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06073370

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C082525		0.75	360	<1	0.10	26	230	8	0.02	<5	75	0.35	72	10	51
C082526		0.55	327	<1	0.06	20	320	7	0.31	7	79	0.21	41	10	31
C082527		0.69	323	<1	0.10	24	200	5	0.02	6	84	0.35	69	10	47
C082528		1.25	878	1	0.27	27	230	<2	0.29	<5	234	0.19	41	<10	30
C082529		1.31	921	<1	0.29	22	230	<2	0.51	7	249	0.18	40	10	28
C082530		0.34	89	2	0.11	20	310	21	0.02	114	97	0.28	89	10	44
C082531		0.64	458	1	0.13	22	330	4	0.07	6	104	0.21	41	10	31
C082532		0.82	387	<1	0.16	30	200	9	0.03	<5	108	0.42	83	10	40
C082533		0.21	524	1	0.22	14	110	5	0.03	<5	89	0.15	28	10	25
C082534		0.20	300	<1	0.54	7	80	2	0.05	<5	48	0.11	21	<10	15
C082535		0.25	311	<1	0.69	14	90	5	0.03	6	45	0.16	34	<10	38
C082536		11.80	130	<1	0.01	6	430	<2	0.02	<5	115	0.01	2	<10	8
C082537		0.66	555	<1	0.48	28	240	12	0.15	8	113	0.28	62	10	73
C082538		0.68	377	<1	0.71	26	250	11	0.10	<5	100	0.30	60	<10	43
C082539		0.77	437	1	0.65	31	270	11	0.18	<5	99	0.34	67	<10	50
C082540		0.86	559	1	0.77	31	270	12	0.30	<5	142	0.38	69	<10	71
C082541		0.93	299	<1	0.83	40	570	4	0.06	<5	119	0.44	92	<10	62
C082542		0.95	276	1	0.76	42	720	7	0.06	<5	115	0.46	95	10	61
C082543		0.90	339	<1	0.90	33	400	9	0.19	<5	135	0.34	73	<10	53
C082544		1.11	388	1	0.76	36	310	12	0.15	<5	103	0.35	68	<10	66
C082545		0.83	240	<1	1.28	29	230	4	0.06	<5	139	0.30	65	<10	30
C082546		0.95	337	<1	0.97	38	510	19	0.10	<5	131	0.36	77	<10	60
C082547		0.87	441	1	0.58	36	370	10	0.09	<5	98	0.32	71	<10	68
C082548		0.88	420	<1	0.43	36	330	6	0.15	<5	104	0.34	80	<10	82
C082549		1.04	480	<1	0.50	40	400	10	0.17	<5	128	0.39	92	<10	93
C082550		0.37	72	2	0.09	11	330	28	0.02	156	142	0.21	96	10	16
C082551		0.82	328	<1	0.66	36	260	9	0.10	<5	124	0.42	84	<10	76
C082552		0.51	410	<1	1.03	15	180	6	0.21	<5	125	0.21	39	<10	35
C082553		0.79	269	1	1.16	33	420	8	0.20	<5	195	0.31	70	<10	39
C082554		1.04	240	<1	1.12	49	580	19	0.18	5	190	0.43	104	<10	62
C082555		0.85	318	<1	1.09	41	560	9	0.17	<5	158	0.36	81	<10	51
C082556		11.70	136	<1	0.01	3	410	8	0.01	<5	117	0.01	2	<10	15
C082557		0.20	200	<1	0.75	9	180	7	0.09	<5	57	0.11	19	<10	14
C082558		0.24	302	<1	0.03	5	130	16	0.36	8	30	0.11	17	<10	37
C082559		0.23	1260	<1	0.02	6	200	903	0.20	101	17	0.10	16	<10	1570
C082560		0.39	676	<1	0.08	13	180	23	0.39	6	50	0.17	34	<10	82
C082561		0.47	359	<1	0.48	21	250	12	0.13	7	62	0.24	50	<10	59
C082562		0.48	394	<1	0.54	22	210	10	0.13	7	71	0.23	48	<10	51
C082563		0.21	250	<1	0.90	10	180	7	0.06	<5	56	0.13	23	<10	23
C082564		0.18	197	<1	0.96	8	180	7	0.07	<5	55	0.11	18	<10	20

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06073370

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C082565		5.32	0.009	<0.5	6.25	102	670	1.2	<2	0.77	<0.5	10	52	19	2.92	2.15
C082566		4.00	0.006	<0.5	8.87	19	970	1.9	<2	0.77	<0.5	12	71	36	4.34	3.37
C082567		4.62	0.008	<0.5	3.22	15	390	0.6	<2	0.58	<0.5	2	22	7	1.13	1.01
C082568		6.90	0.008	<0.5	3.33	73	340	0.7	<2	0.51	<0.5	2	29	9	1.10	0.98
C082569		0.04	0.013	<0.5	3.36	82	340	0.7	<2	0.52	<0.5	1	26	10	1.20	0.97
C082570		0.10	4.44	8.9	8.53	7	500	0.9	<2	2.98	<0.5	17	23	132	4.49	2.37
C082571		3.74	0.008	<0.5	3.26	32	360	0.6	<2	0.35	<0.5	2	21	8	1.01	1.06
C082572		3.84	<0.005	<0.5	3.61	19	400	0.7	<2	0.81	<0.5	2	28	4	1.35	1.11
C082573		2.68	0.005	<0.5	4.46	32	550	0.9	<2	0.83	<0.5	3	28	5	1.58	1.77
C082574		4.66	0.042	<0.5	8.24	82	880	2.4	<2	0.85	<0.5	12	63	15	3.32	3.78
C082575		5.14	<0.005	<0.5	7.81	44	680	4.8	<2	1.34	<0.5	2	13	2	1.10	4.40
C082576		1.34	<0.005	<0.5	0.14	<5	20	<0.5	<2	20.4	<0.5	<1	2	2	0.11	0.03
C082577		6.06	<0.005	<0.5	8.79	36	900	2.1	<2	0.85	<0.5	11	73	25	3.33	3.54
C082578		5.46	0.008	<0.5	6.46	76	620	1.8	<2	1.56	<0.5	6	56	7	1.50	2.73
C082579		4.34	<0.005	<0.5	7.68	21	680	1.7	<2	0.63	<0.5	9	62	20	3.22	2.82
C082580		4.76	<0.005	<0.5	7.00	24	630	1.6	<2	0.65	<0.5	8	56	19	3.23	2.91
C082581		4.76	0.005	<0.5	3.03	74	240	0.8	<2	0.67	<0.5	5	34	22	2.33	1.03
C082582		1.12	0.005	<0.5	3.43	34	260	0.9	<2	0.50	<0.5	5	33	21	2.26	1.20
C082583		5.60	<0.005	<0.5	11.55	14	970	2.4	<2	0.28	<0.5	14	88	40	4.72	4.12
C082584		3.52	0.010	<0.5	7.10	83	650	1.5	<2	0.32	<0.5	9	56	16	2.96	2.91
C082585		4.68	0.016	<0.5	4.20	45	410	0.9	<2	0.76	<0.5	5	39	11	2.14	1.64
C082586		5.04	0.016	<0.5	9.73	45	1070	2.3	<2	0.47	<0.5	14	80	26	3.86	4.07
C082587		5.26	<0.005	<0.5	5.92	27	570	1.3	<2	0.71	<0.5	9	45	17	2.65	2.38
C082588		5.16	<0.005	<0.5	6.72	22	730	1.4	<2	0.36	<0.5	9	62	18	3.03	2.75
C082589		0.04	<0.005	<0.5	6.63	24	720	1.4	<2	0.35	<0.5	12	55	18	2.98	2.71
C082590		0.12	NSS	<0.5	6.48	107	520	2.6	<2	0.48	<0.5	56	1140	383	7.96	2.08
C082591		5.24	0.006	<0.5	4.75	66	460	1.0	<2	0.44	<0.5	8	33	9	2.08	1.77
C082592		5.68	<0.005	<0.5	4.22	30	430	0.8	<2	0.51	<0.5	4	38	10	1.91	1.39
C082593		4.52	<0.005	<0.5	4.60	44	440	1.0	<2	0.72	<0.5	5	38	11	2.12	1.63
C082594		4.30	<0.005	<0.5	6.71	13	710	1.5	<2	0.61	<0.5	8	51	18	3.14	2.40
C082595		4.94	0.007	<0.5	8.15	7	970	2.0	<2	0.45	<0.5	11	58	21	3.73	2.86
C082596		1.98	<0.005	<0.5	0.17	7	20	<0.5	<2	20.5	<0.5	1	1	5	0.12	0.04
C082597		5.14	<0.005	<0.5	8.24	9	920	1.9	<2	0.52	<0.5	9	65	26	3.96	3.00
C082598		5.26	<0.005	<0.5	9.05	19	950	2.3	<2	0.44	<0.5	11	63	23	4.07	3.46
C082599		5.70	<0.005	<0.5	9.46	79	810	2.2	<2	0.66	<0.5	12	69	32	4.63	3.41
C082600		4.20	<0.005	<0.5	11.50	63	960	2.9	<2	0.30	<0.5	15	79	35	4.50	4.40
C082601		2.62	<0.005	<0.5	9.34	33	860	2.3	<2	0.19	<0.5	13	66	22	3.75	3.17
C082602		2.00	<0.005	<0.5	10.20	40	860	2.6	<2	0.26	<0.5	13	72	25	4.17	3.44
C082603		5.40	<0.005	<0.5	8.63	76	760	2.2	<2	0.50	<0.5	12	63	26	3.65	3.27
C082604		4.30	<0.005	<0.5	4.18	16	350	0.9	<2	0.67	<0.5	5	36	7	1.78	1.39

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06073370

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C082565		0.60	372	1	1.05	22	190	5	0.19	<5	92	0.26	50	<10	38
C082566		0.93	607	<1	1.05	32	570	4	0.25	5	116	0.38	79	<10	69
C082567		0.12	177	<1	0.92	7	100	8	0.06	<5	66	0.10	14	<10	7
C082568		0.15	161	1	0.98	6	100	8	0.09	<5	66	0.10	15	<10	5
C082569		0.15	170	<1	0.99	6	100	3	0.09	<5	67	0.10	15	<10	6
C082570		1.42	1025	12	1.74	11	920	19	0.72	5	441	0.39	151	<10	103
C082571		0.13	136	<1	0.76	6	120	8	0.08	<5	58	0.10	15	<10	8
C082572		0.20	316	<1	0.99	5	90	5	0.03	<5	97	0.12	18	<10	14
C082573		0.27	252	<1	1.13	8	230	5	0.04	<5	101	0.16	25	<10	12
C082574		0.83	270	3	1.21	36	210	8	0.08	<5	122	0.34	75	<10	46
C082575		0.22	103	<1	2.06	5	230	47	0.01	6	234	0.13	8	<10	46
C082576		11.75	127	<1	0.01	<1	380	5	0.01	<5	110	0.01	1	<10	7
C082577		0.82	345	<1	1.13	32	500	3	0.16	<5	109	0.38	80	<10	45
C082578		0.39	237	<1	0.90	16	210	8	0.07	<5	138	0.22	50	10	12
C082579		0.70	291	<1	0.69	22	290	23	0.09	<5	87	0.32	63	<10	56
C082580		0.76	479	<1	0.48	19	300	11	0.14	<5	110	0.31	57	<10	52
C082581		0.48	309	<1	0.14	12	950	5	0.16	<5	49	0.11	25	<10	26
C082582		0.50	276	<1	0.13	13	520	7	0.19	<5	42	0.13	28	<10	24
C082583		1.08	425	<1	0.54	41	570	13	0.19	<5	125	0.50	99	<10	89
C082584		0.69	326	<1	0.57	21	270	9	0.09	<5	86	0.31	58	<10	50
C082585		0.51	543	<1	0.45	15	160	9	0.09	<5	95	0.18	30	<10	26
C082586		0.98	258	<1	0.80	34	260	17	0.13	6	133	0.44	86	<10	68
C082587		0.59	388	<1	0.63	18	160	13	0.10	5	81	0.25	47	<10	41
C082588		0.67	298	<1	0.58	24	280	12	0.08	9	70	0.32	57	<10	53
C082589		0.66	292	<1	0.57	25	300	15	0.08	<5	69	0.31	56	<10	52
C082590		0.55	355	6	0.12	435	320	129	0.02	12	47	0.22	85	30	586
C082591		0.45	310	<1	0.66	14	130	<2	0.11	<5	63	0.20	38	10	25
C082592		0.39	312	<1	0.67	12	110	4	0.04	8	72	0.18	32	10	24
C082593		0.42	306	<1	0.74	15	140	11	0.06	7	78	0.20	37	<10	20
C082594		0.66	370	<1	0.70	24	130	8	0.06	6	89	0.32	57	<10	59
C082595		0.78	381	<1	0.60	29	170	4	0.08	9	91	0.38	73	10	68
C082596		11.55	146	<1	0.02	<1	380	5	0.01	10	115	0.01	3	<10	7
C082597		0.92	423	<1	0.50	28	650	8	0.11	7	93	0.38	74	10	85
C082598		0.93	465	<1	0.45	30	250	5	0.11	8	96	0.42	79	<10	82
C082599		1.06	663	<1	0.64	38	600	3	0.15	13	112	0.42	84	10	86
C082600		0.98	407	<1	0.84	49	530	<2	0.12	19	149	0.48	104	10	88
C082601		0.80	429	<1	0.32	36	250	<2	0.07	11	75	0.39	81	10	77
C082602		0.89	494	<1	0.32	33	290	<2	0.10	15	77	0.41	91	20	85
C082603		0.83	391	<1	0.65	37	230	13	0.09	19	130	0.35	76	10	74
C082604		0.38	329	<1	0.80	12	240	2	0.03	10	85	0.16	30	<10	26

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06073370

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C082605		4.26	<0.005	<0.5	5.68	45	490	1.2	<2	0.74	<0.5	7	47	8	2.68	2.20
C082606		3.00	<0.005	<0.5	6.44	33	590	1.3	<2	0.38	<0.5	7	47	7	2.90	2.48
C082607		4.20	0.005	<0.5	5.50	38	360	1.3	<2	0.67	<0.5	6	42	12	2.30	1.98
C082608		4.34	<0.005	<0.5	6.59	28	590	1.6	<2	0.44	<0.5	6	51	16	2.72	2.45
C082609		0.04	<0.005	<0.5	6.29	27	550	1.5	<2	0.44	<0.5	8	51	16	2.74	2.29
C082610		0.10	3.00	<0.5	6.54	<5	1890	3.2	<2	4.49	<0.5	22	140	93	4.85	3.17
C082611		5.00	<0.005	<0.5	5.91	18	520	1.3	<2	0.70	<0.5	7	50	19	2.82	2.03
C082612		6.26	<0.005	<0.5	6.24	29	540	1.4	<2	0.63	<0.5	8	54	13	2.80	2.20
C082613		5.22	<0.005	<0.5	7.91	7	720	2.0	<2	0.53	<0.5	13	65	29	3.68	2.79
C082614		5.20	<0.005	<0.5	6.30	14	540	1.4	<2	0.61	<0.5	7	53	12	2.67	2.18
C082615		5.68	0.010	<0.5	6.77	91	550	1.6	<2	0.76	<0.5	8	53	23	2.80	2.68
C082616		2.54	<0.005	<0.5	0.13	<5	10	<0.5	<2	20.9	<0.5	<1	3	3	0.11	0.03
C082617		5.84	<0.005	<0.5	9.29	49	740	2.4	<2	0.60	<0.5	14	72	25	3.79	3.31
C082618		5.38	<0.005	<0.5	10.55	89	910	2.5	<2	0.71	<0.5	15	79	34	4.61	4.04
C082619		5.74	<0.005	<0.5	7.75	185	690	1.9	<2	0.64	<0.5	11	60	19	3.23	2.90
C082620		5.80	<0.005	<0.5	7.02	31	670	1.6	<2	0.45	<0.5	11	56	25	3.30	2.44
C082621		2.54	0.009	<0.5	3.65	40	330	0.7	<2	0.53	<0.5	4	34	10	1.70	1.19
C082622		2.64	<0.005	<0.5	3.75	49	340	0.8	<2	0.58	<0.5	5	30	8	1.67	1.19
C082623		5.20	0.049	0.8	5.94	442	480	1.6	<2	0.45	0.6	13	44	21	2.72	2.00
C082624		5.30	0.006	<0.5	2.94	121	120	0.8	<2	0.76	<0.5	3	26	10	1.38	1.04
C082625		3.62	<0.005	<0.5	6.20	117	470	1.5	<2	0.32	<0.5	9	48	19	2.75	1.82
C082626		5.40	0.020	<0.5	10.40	109	620	2.7	<2	1.04	<0.5	15	75	45	4.41	3.70
C082627		4.58	0.005	<0.5	7.12	126	460	2.4	<2	1.02	<0.5	7	52	15	3.13	2.29
C082628		4.32	0.007	<0.5	4.54	81	270	1.3	<2	0.82	<0.5	6	39	13	2.11	1.29
C082629		0.04	0.022	<0.5	4.57	61	280	1.3	<2	0.86	<0.5	5	44	13	2.11	1.31
C082630		0.10	0.431	2.0	9.66	<5	1080	1.2	<2	1.51	<0.5	7	13	7510	3.30	3.63
C082631		5.98	<0.005	<0.5	9.74	28	600	2.3	<2	0.60	<0.5	13	74	33	4.18	3.15
C082632		5.88	<0.005	<0.5	9.70	15	610	2.5	<2	0.78	<0.5	13	73	31	4.03	3.28
C082633		6.26	<0.005	<0.5	9.78	45	710	2.3	<2	0.68	<0.5	12	68	21	3.87	3.18
C082634		4.20	<0.005	<0.5	6.59	89	500	1.5	<2	0.82	<0.5	9	48	14	2.91	2.16
C082635		5.70	0.007	0.6	4.31	157	260	1.2	<2	0.42	0.6	4	44	9	2.25	1.45
C082636		2.42	<0.005	<0.5	0.16	<5	10	<0.5	<2	21.1	<0.5	<1	3	3	0.12	0.03
C082637		4.20	<0.005	<0.5	8.21	35	610	1.8	<2	0.49	<0.5	12	75	15	3.81	3.15
C082638		3.08	0.007	<0.5	10.25	46	780	2.9	<2	0.49	<0.5	15	86	12	4.02	3.49
C082639		4.74	0.023	<0.5	9.51	72	740	2.8	<2	1.00	<0.5	11	77	22	3.80	2.93
C082640		3.62	<0.005	<0.5	8.25	62	550	2.1	<2	1.01	<0.5	15	67	13	3.53	2.57
C082641		2.90	<0.005	<0.5	6.27	115	410	1.4	<2	1.38	<0.5	7	55	14	3.14	1.63
C082642		2.74	<0.005	<0.5	5.48	106	320	1.2	<2	1.42	<0.5	5	42	12	2.72	1.41
C082643		5.80	0.726	<0.5	6.84	237	560	1.4	16	1.64	<0.5	12	62	35	3.18	2.18
C082644		5.56	0.019	<0.5	8.26	106	870	2.1	<2	3.51	<0.5	11	62	26	3.71	2.98

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06073370

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C082605		0.61	380	<1	0.93	19	570	8	0.05	8	105	0.24	47	10	46
C082606		0.66	313	<1	0.84	20	320	7	0.03	11	91	0.28	55	10	49
C082607		0.54	558	<1	0.41	17	290	58	0.05	8	72	0.21	42	<10	113
C082608		0.61	288	<1	0.76	21	140	15	0.09	5	110	0.26	51	<10	61
C082609		0.60	295	<1	0.67	16	150	17	0.08	7	101	0.25	49	<10	58
C082610		2.74	991	12	2.19	60	2240	24	0.29	<5	1560	0.36	153	10	91
C082611		0.61	446	<1	0.72	16	160	15	0.11	<5	107	0.25	47	<10	58
C082612		0.62	401	<1	0.79	20	340	7	0.06	<5	123	0.26	49	<10	46
C082613		0.81	419	<1	0.62	28	480	13	0.15	<5	136	0.36	70	<10	82
C082614		0.63	354	<1	0.88	17	170	10	0.07	<5	113	0.27	50	<10	46
C082615		0.75	353	1	0.92	21	320	13	0.14	<5	126	0.25	51	<10	40
C082616		11.45	124	<1	0.01	<1	390	<2	0.01	<5	117	0.01	2	10	7
C082617		0.98	370	<1	1.18	36	390	16	0.13	<5	172	0.41	80	<10	64
C082618		1.19	562	<1	0.74	44	380	22	0.18	5	151	0.46	92	<10	88
C082619		0.82	387	<1	0.87	28	220	14	0.11	<5	135	0.32	64	<10	53
C082620		0.74	354	<1	0.64	32	140	10	0.12	<5	106	0.30	59	<10	61
C082621		0.33	271	<1	0.78	12	100	13	0.06	<5	74	0.14	25	<10	22
C082622		0.34	268	<1	0.77	14	100	10	0.05	5	80	0.14	26	<10	20
C082623		0.49	829	<1	0.37	23	150	109	0.48	13	71	0.23	46	<10	216
C082624		0.33	404	2	0.05	8	100	18	0.09	5	66	0.10	18	10	26
C082625		0.61	261	<1	0.39	22	260	10	0.12	10	74	0.27	51	10	42
C082626		1.16	478	<1	1.34	44	450	15	0.28	6	240	0.42	84	<10	82
C082627		0.81	382	<1	1.20	26	240	14	0.10	<5	174	0.27	53	<10	52
C082628		0.53	275	1	0.82	14	150	8	0.08	<5	120	0.18	35	10	27
C082629		0.54	279	<1	0.82	16	150	9	0.09	<5	121	0.18	36	10	27
C082630		1.19	485	2	3.41	12	2070	20	0.25	<5	730	0.34	173	<10	62
C082631		1.00	404	<1	1.20	33	520	14	0.12	9	199	0.44	84	<10	83
C082632		0.98	392	<1	1.09	36	970	21	0.18	<5	171	0.38	82	<10	80
C082633		0.95	361	<1	1.01	33	540	17	0.10	<5	172	0.40	82	<10	71
C082634		0.69	503	<1	0.67	23	690	16	0.07	6	109	0.25	54	10	49
C082635		0.34	1070	1	0.16	17	120	115	0.31	9	45	0.18	35	10	237
C082636		11.50	127	1	0.02	2	400	<2	0.01	<5	117	0.01	1	10	7
C082637		0.94	409	<1	0.84	38	280	22	0.08	5	139	0.35	72	10	64
C082638		1.12	289	3	0.88	40	380	15	0.06	9	170	0.43	94	<10	68
C082639		1.02	344	<1	1.04	38	1560	19	0.09	5	162	0.37	78	10	70
C082640		0.94	300	<1	1.11	34	210	8	0.05	9	139	0.36	73	10	52
C082641		0.67	337	<1	0.98	26	400	6	0.07	10	105	0.28	54	20	50
C082642		0.56	326	<1	0.88	17	420	13	0.05	13	98	0.24	45	10	43
C082643		0.72	288	2	0.99	31	240	17	0.22	<5	145	0.32	63	20	47
C082644		0.95	505	<1	1.17	39	310	14	0.07	5	207	0.40	78	10	66

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06073370

Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
Sample Description LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C082645	5.14	0.009	<0.5	4.12	11	420	0.8	<2	1.79	<0.5	6	38	16	2.10	1.23
C082646	5.68	0.019	<0.5	6.05	57	530	1.2	<2	1.90	<0.5	9	51	27	2.95	1.74
C082647	6.02	0.007	<0.5	11.00	192	1100	2.2	<2	0.66	<0.5	17	79	43	5.01	4.09
C082648	5.84	0.006	<0.5	10.00	53	980	2.2	<2	0.49	<0.5	16	74	49	4.02	3.89
C082649	0.04	0.006	<0.5	9.93	47	970	2.3	<2	0.47	<0.5	16	80	53	4.05	3.97
C082650	0.12	NSS	<0.5	7.07	1260	680	5.9	<2	0.01	<0.5	5	214	40	3.73	2.59
C082651	5.56	0.005	<0.5	7.46	34	680	1.8	<2	0.69	<0.5	11	64	28	3.05	3.27
C082652	6.80	<0.005	<0.5	8.19	29	790	1.8	<2	0.60	<0.5	11	69	21	3.51	3.24
C082653	4.38	<0.005	<0.5	3.87	18	340	0.8	<2	0.60	<0.5	5	40	9	1.92	1.20
C082654	5.36	<0.005	<0.5	4.23	31	400	0.9	<2	0.68	<0.5	4	50	13	1.99	1.62
C082655	6.46	<0.005	<0.5	7.00	22	720	1.5	<2	0.69	<0.5	10	59	29	3.29	2.79
C082656	3.06	<0.005	<0.5	0.13	<5	10	<0.5	<2	20.0	<0.5	<1	2	2	0.11	0.03
C082657	3.86	<0.005	<0.5	8.37	15	830	2.0	<2	0.76	<0.5	10	66	15	3.85	2.98
C082658	3.56	<0.005	<0.5	5.18	50	410	1.1	<2	0.75	<0.5	5	44	17	2.45	1.90
C082659	4.82	<0.005	<0.5	11.25	42	1090	3.1	<2	0.36	<0.5	13	90	31	4.16	4.01
C082660	3.84	<0.005	<0.5	10.50	30	900	2.9	<2	0.65	<0.5	13	74	38	4.65	3.68
C082661	2.50	<0.005	<0.5	8.87	5	720	2.4	<2	0.25	<0.5	15	77	42	4.34	2.58
C082662	2.24	<0.005	<0.5	9.01	7	720	2.3	<2	0.22	<0.5	15	75	36	4.64	2.75
C082663	5.12	<0.005	<0.5	10.50	20	730	2.6	<2	0.48	<0.5	17	89	43	5.52	3.39
C082664	6.18	<0.005	<0.5	11.75	93	890	2.8	<2	0.38	<0.5	18	100	38	5.87	4.18
C082665	5.78	<0.005	<0.5	10.40	53	920	2.8	<2	0.37	<0.5	15	88	33	4.63	3.67
C082666	5.86	<0.005	<0.5	10.05	<5	1180	2.3	<2	0.49	<0.5	17	78	51	5.08	3.54
C082667	3.78	0.005	<0.5	7.78	56	890	1.9	<2	2.35	<0.5	10	69	34	3.85	2.97
C082668	3.88	0.012	<0.5	6.81	234	660	1.7	<2	1.88	<0.5	9	56	37	3.32	2.28
C082669	0.04	0.009	<0.5	6.50	248	600	1.6	<2	1.86	<0.5	10	52	40	3.36	2.09
C082670	0.10	2.68	<0.5	7.28	2070	720	13.9	<2	0.01	<0.5	<1	150	100	3.41	3.06
C082671	6.50	<0.005	<0.5	9.30	28	760	2.2	<2	0.59	<0.5	15	81	32	4.51	2.94

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06073370

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C082645		0.39	458	<1	0.62	16	140	9	0.08	<5	112	0.19	33	10	30
C082646		0.70	464	<1	1.01	28	230	15	0.19	<5	141	0.30	55	10	47
C082647		1.03	348	<1	0.73	49	740	10	0.18	7	121	0.46	98	30	88
C082648		0.93	268	1	0.81	38	440	12	0.35	6	118	0.42	86	<10	52
C082649		0.92	274	<1	0.81	41	450	15	0.35	6	118	0.43	88	10	53
C082650		0.35	89	2	0.11	19	340	30	0.02	120	95	0.27	89	20	45
C082651		0.73	430	1	0.72	30	240	16	0.15	<5	110	0.34	66	<10	46
C082652		0.84	301	<1	0.94	32	320	13	0.09	<5	100	0.38	74	10	51
C082653		0.38	232	<1	0.88	14	110	9	0.05	<5	62	0.18	28	<10	16
C082654		0.38	218	<1	0.74	15	200	4	0.08	<5	77	0.19	31	10	16
C082655		0.81	341	<1	0.76	28	220	3	0.19	<5	108	0.32	58	<10	37
C082656		11.45	131	<1	0.02	2	420	<2	0.01	<5	116	0.01	<1	10	6
C082657		0.94	458	<1	0.77	22	440	4	0.14	5	175	0.46	82	<10	63
C082658		0.57	324	<1	0.74	20	240	8	0.09	<5	108	0.20	38	10	29
C082659		1.12	297	<1	0.89	43	420	16	0.21	<5	183	0.50	111	10	85
C082660		1.17	483	<1	0.80	42	640	4	0.26	<5	174	0.41	91	<10	93
C082661		0.90	430	<1	0.56	40	440	14	0.25	<5	205	0.42	79	<10	87
C082662		0.96	460	<1	0.59	43	260	12	0.22	5	216	0.42	80	<10	93
C082663		1.23	651	<1	0.77	48	2070	9	0.26	6	232	0.51	103	<10	121
C082664		1.37	652	<1	1.04	54	1230	19	0.22	<5	197	0.57	116	<10	129
C082665		1.12	430	<1	0.99	47	430	7	0.23	<5	186	0.49	101	10	87
C082666		1.10	582	<1	0.67	47	370	5	0.45	<5	169	0.46	99	<10	88
C082667		0.86	765	<1	0.91	32	1010	14	1.28	<5	233	0.38	73	<10	41
C082668		0.97	659	<1	0.81	29	240	5	0.28	<5	179	0.37	64	10	43
C082669		0.97	674	<1	0.77	27	250	4	0.28	<5	169	0.34	60	<10	43
C082670		0.37	68	1	0.09	10	320	27	0.02	150	145	0.27	99	20	15
C082671		1.12	588	<1	0.95	42	450	12	0.21	<5	188	0.44	83	<10	87

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 22-AUG-2006
Account: STRGOL

CERTIFICATE VA06074019

Project: Dublin Gulch1735

P.O. No.:

This report is for 169 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 27-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Zn-AA62	Ore grade Zn - four acid / AAS	AAS
Pb-AA62	Ore grade Pb - four acid / AAS	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06074019

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C079548		4.40	0.175	<0.5	7.78	2570	1630	2.3	2	3.29	<0.5	12	54	19	3.83	3.01
C079549		0.04	0.179	<0.5	8.03	2620	1640	2.3	<2	3.31	<0.5	13	51	19	3.76	3.03
C079550		0.10	2.78	<0.5	7.55	2060	730	13.2	<2	0.02	<0.5	1	142	103	3.38	3.21
C079551		5.58	0.153	<0.5	7.67	3350	1590	2.3	<2	3.29	<0.5	13	53	19	3.71	3.05
C079552		5.20	0.738	<0.5	7.02	>10000	350	1.9	12	2.36	<0.5	13	43	125	5.29	2.63
C079553		5.40	2.57	<0.5	6.68	>10000	380	1.9	30	2.93	<0.5	20	45	138	5.71	2.43
C079554		3.88	1.425	<0.5	5.90	>10000	630	1.7	21	2.74	<0.5	15	41	72	5.20	2.20
C079555		3.92	3.29	<0.5	7.04	>10000	450	2.2	39	2.24	<0.5	16	49	73	5.39	2.77
C079556		1.08	<0.005	<0.5	0.16	70	30	<0.5	<2	22.1	<0.5	<1	2	3	0.12	0.03
C079557		4.62	0.503	<0.5	7.61	9060	1290	2.5	10	2.62	<0.5	12	42	61	3.95	2.88
C079558		3.66	0.124	<0.5	7.93	2240	1540	2.5	<2	2.96	<0.5	16	50	54	3.94	3.18
C079559		2.96	0.104	<0.5	7.63	830	1110	2.3	2	2.93	<0.5	11	52	44	3.88	2.92
C079560		4.96	0.088	<0.5	7.91	830	1580	2.6	<2	2.96	<0.5	14	51	27	4.01	3.13
C079561		2.60	0.069	<0.5	7.53	1045	1140	2.1	4	2.86	<0.5	14	52	50	3.81	3.02
C079562		2.84	0.071	<0.5	7.80	1125	1190	2.3	<2	2.78	<0.5	14	53	61	3.86	3.18
C079563		3.72	0.042	<0.5	7.52	681	1650	2.4	<2	3.25	<0.5	11	54	32	3.94	3.00
C079564		2.40	0.033	<0.5	7.58	487	1820	2.8	<2	2.28	<0.5	12	52	30	4.20	3.09
C079565		4.72	0.169	<0.5	7.71	2210	920	2.0	3	2.55	<0.5	11	54	50	4.25	2.81
C079566		5.78	0.041	<0.5	8.01	483	600	1.9	<2	2.04	<0.5	14	54	62	4.04	2.20
C079567		3.12	0.067	0.8	7.31	3120	350	1.8	12	2.90	<0.5	9	48	100	3.84	2.96
C079568		2.96	0.233	2.3	7.24	3070	440	2.1	7	3.21	4.3	9	44	124	4.71	3.31
C079569		0.04	0.261	2.6	6.94	3230	410	2.0	7	2.94	4.8	9	45	129	4.49	3.11
C079570		0.10	NSS	8.7	7.16	19	450	0.8	<2	2.76	1.5	17	20	120	3.87	2.17
C079571		3.54	3.63	31.3	5.65	>10000	160	1.6	61	1.63	85.5	6	35	656	8.62	2.42
C079572		4.12	0.077	1.1	8.20	709	480	2.1	<2	3.28	<0.5	13	55	51	4.02	3.23
C079573		3.74	0.416	2.4	7.37	7220	490	2.1	4	2.96	10.1	19	46	115	4.38	2.77
C079574		4.78	9.56	56.1	4.15	>10000	80	1.2	129	1.75	201	7	28	1035	13.40	1.67
C079575		4.42	0.427	5.1	7.69	5860	450	2.0	23	2.75	13.8	11	44	89	4.19	2.89
C079576		0.96	<0.005	<0.5	0.16	24	10	<0.5	<2	18.90	<0.5	2	1	3	0.10	0.02
C079577		2.98	0.150	0.6	6.51	2750	310	1.5	3	4.49	<0.5	12	30	94	4.64	2.36
C079578		4.34	0.176	1.7	7.79	>10000	410	2.1	4	2.75	<0.5	24	46	193	4.57	3.25
C079579		3.96	0.146	1.3	7.32	4860	410	1.9	6	2.53	<0.5	17	40	76	3.89	2.90
C079580		3.56	0.065	0.6	7.65	550	460	1.9	<2	2.88	<0.5	10	40	32	3.64	2.77
C079581		1.66	0.054	1.0	7.43	378	520	2.0	2	3.26	0.7	12	39	23	3.74	2.64
C079582		1.94	0.072	0.8	7.50	404	500	2.0	<2	3.31	0.6	11	41	24	3.86	2.79
C079583		4.10	0.296	3.4	6.27	2430	380	1.7	4	2.25	14.7	11	33	52	4.97	2.59
C079584		3.32	0.029	2.4	8.03	1910	470	2.0	3	1.88	<0.5	17	45	27	3.43	3.24
C079585		5.66	0.131	1.4	6.85	5440	400	1.9	<2	2.66	8.8	23	36	46	4.39	2.81
C079586		6.24	0.032	<0.5	8.15	847	360	2.1	2	2.34	<0.5	14	49	34	4.78	1.87
C079587		3.26	0.033	<0.5	8.74	791	260	1.8	4	2.41	<0.5	14	48	38	4.36	1.21

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06074019

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.01
C079548		1.52	524	<1	1.65	13	790	14	1.14	13	506	0.38	79	<10	37	
C079549		1.55	513	<1	1.65	10	820	14	1.14	10	520	0.38	79	<10	36	
C079550		0.40	71	1	0.09	12	340	29	0.02	162	145	0.23	100	20	17	
C079551		1.48	512	1	1.48	13	790	15	1.02	12	501	0.37	77	<10	33	
C079552		1.47	306	1	1.12	7	670	8	2.58	13	386	0.30	66	<10	19	
C079553		1.57	297	<1	1.12	9	640	7	2.52	22	387	0.29	63	<10	18	
C079554		1.46	258	<1	1.02	9	560	7	2.24	19	332	0.25	56	10	15	
C079555		1.36	229	<1	1.25	12	700	7	2.21	22	315	0.31	69	10	18	
C079556		12.30	130	<1	0.01	<1	400	2	0.01	<5	114	0.01	3	<10	8	
C079557		1.20	260	<1	0.92	12	660	11	1.36	21	314	0.30	61	<10	23	
C079558		1.35	402	<1	1.07	11	840	12	1.51	21	428	0.39	81	<10	33	
C079559		1.33	455	1	0.91	14	780	13	1.29	15	402	0.36	75	10	31	
C079560		1.52	538	<1	0.84	12	820	14	1.17	21	384	0.39	80	<10	36	
C079561		1.38	485	1	0.37	13	780	14	1.16	19	312	0.37	77	10	36	
C079562		1.35	470	<1	0.33	11	820	14	1.22	21	300	0.40	81	10	39	
C079563		1.47	500	<1	1.42	13	770	13	1.21	19	516	0.37	78	10	36	
C079564		1.34	426	<1	0.92	12	810	14	1.14	21	371	0.40	82	<10	43	
C079565		1.32	495	<1	0.12	13	820	12	1.51	18	299	0.39	80	10	30	
C079566		1.05	485	<1	0.04	12	890	10	1.50	21	230	0.41	85	20	33	
C079567		1.46	388	<1	0.02	12	750	31	0.82	39	322	0.33	70	20	53	
C079568		1.69	530	<1	0.03	7	700	441	1.69	80	365	0.32	70	10	638	
C079569		1.56	497	<1	0.02	10	650	406	1.57	80	338	0.31	67	10	649	
C079570		1.32	921	11	1.62	12	870	24	0.64	6	387	0.34	136	<10	93	
C079571		1.03	571	<1	0.02	7	510	2580	6.14	511	182	0.22	53	<10	>10000	1.14
C079572		1.60	563	<1	0.03	13	820	42	0.71	46	654	0.39	82	20	96	
C079573		1.44	510	<1	0.03	11	800	414	1.66	104	816	0.34	70	10	1290	
C079574		1.12	1800	1	0.02	11	400	>10000	>10.0	5010	294	0.18	39	<10	>10000	2.57
C079575		1.39	555	1	0.03	10	740	333	0.97	135	590	0.36	76	10	1735	
C079576		10.85	122	<1	0.01	2	380	13	0.01	6	111	0.01	1	<10	24	
C079577		2.05	571	1	0.03	6	630	23	0.72	65	785	0.28	59	20	21	
C079578		1.51	332	1	0.03	8	710	62	1.03	122	461	0.36	80	20	50	
C079579		1.30	459	1	0.03	10	680	82	1.05	68	532	0.34	71	20	97	
C079580		1.36	533	1	0.03	8	700	24	1.26	27	586	0.34	71	20	41	
C079581		1.44	730	1	0.03	9	700	33	1.22	23	636	0.34	70	10	153	
C079582		1.47	711	<1	0.03	9	700	45	1.40	30	636	0.36	73	10	136	
C079583		1.34	2580	1	0.02	7	580	1065	1.16	55	274	0.28	62	10	2480	
C079584		1.09	719	<1	0.02	9	790	59	0.80	44	221	0.39	83	20	132	
C079585		1.40	1700	<1	0.02	6	690	452	1.01	48	286	0.31	68	10	1370	
C079586		1.20	581	<1	0.02	7	850	8	2.29	22	271	0.40	85	20	32	
C079587		1.21	599	<1	0.02	8	920	<2	1.77	19	194	0.41	86	30	33	

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06074019

Sample Description	Method / Analyte / Units / LOR	Pb-AA62 / Pb / % / 0.01
C079548 C079549 C079550 C079551 C079552		
C079553 C079554 C079555 C079556 C079557		
C079558 C079559 C079560 C079561 C079562		
C079563 C079564 C079565 C079566 C079567		
C079568 C079569 C079570 C079571 C079572		
C079573 C079574 C079575 C079576 C079577		1.73
C079578 C079579 C079580 C079581 C079582		
C079583 C079584 C079585 C079586 C079587		

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06074019

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C079588		5.12	0.056	<0.5	8.45	875	440	1.8	4	1.71	<0.5	16	50	52	3.96	1.59
C079589		0.04	0.059	<0.5	8.09	916	420	1.8	2	1.67	<0.5	16	51	52	3.84	1.56
C079590		0.12	1.545	0.9	8.11	2210	800	14.3	<2	0.01	<0.5	2	143	108	3.63	3.35
C079591		5.68	2.57	0.9	7.21	>10000	380	2.1	50	2.58	<0.5	43	42	57	5.31	2.63
C079592		6.58	1.010	<0.5	6.70	>10000	380	1.7	26	2.41	<0.5	36	39	42	5.17	2.22
C079593		5.84	0.144	<0.5	8.04	2110	380	2.1	3	1.73	<0.5	14	42	149	5.38	2.22
C079594		6.06	0.218	<0.5	7.85	5490	400	1.9	5	1.99	<0.5	16	43	70	4.36	2.85
C079595		6.18	0.103	0.6	8.34	2750	430	2.1	<2	2.81	<0.5	14	47	76	4.60	2.91
C079596		1.02	<0.005	<0.5	0.12	25	10	<0.5	<2	19.55	<0.5	2	<1	3	0.10	0.02
C079597		6.22	0.209	<0.5	8.01	4590	490	1.9	<2	2.37	<0.5	13	43	34	4.06	2.11
C079598		4.12	0.177	0.9	7.90	2540	480	2.1	<2	2.20	<0.5	12	44	29	3.09	2.89
C079599		4.04	0.734	5.8	6.59	>10000	390	2.0	5	1.63	20.0	23	36	80	4.75	2.69
C079600		3.86	0.033	<0.5	7.93	1290	500	2.0	<2	2.74	<0.5	15	44	42	3.86	2.63
C079601		2.78	0.015	<0.5	8.17	526	1270	2.3	<2	2.40	<0.5	14	45	33	3.89	3.14
C079602		3.22	0.014	<0.5	7.49	499	1170	2.1	<2	2.22	<0.5	13	46	31	3.68	2.76
C079603		5.80	0.015	<0.5	7.91	210	1140	2.7	<2	2.77	<0.5	11	52	34	4.04	2.67
C079604		4.08	0.020	<0.5	8.10	166	670	2.5	<2	2.53	<0.5	14	49	52	4.24	2.71
C079605		4.60	0.010	<0.5	7.44	97	1340	2.4	2	2.93	<0.5	9	49	26	3.68	2.73
C079606		3.24	0.339	<0.5	7.82	3760	910	2.4	3	3.09	<0.5	9	44	54	4.00	2.67
C079607		5.42	1.745	1.7	7.03	>10000	610	2.0	24	2.73	<0.5	11	44	83	4.76	2.35
C079608		5.54	0.101	0.6	7.41	1055	640	1.8	4	2.39	0.6	6	43	73	3.91	2.33
C079609		0.04	0.109	0.9	6.98	907	620	1.7	3	2.22	0.5	8	46	70	3.70	2.20
C079610		0.10	1.060	2.4	7.89	17	450	0.7	<2	2.01	1.3	23	107	2110	5.09	1.90
C079611		5.30	0.032	<0.5	8.10	268	830	2.0	<2	2.35	<0.5	13	60	62	4.42	2.73
C079612		6.64	0.019	<0.5	8.06	217	820	2.2	<2	3.48	<0.5	12	61	34	4.29	2.65
C079613		5.58	0.024	<0.5	8.01	265	1290	2.2	<2	2.40	<0.5	10	60	60	4.08	2.96
C079614		2.84	0.013	<0.5	8.16	233	1500	2.9	<2	2.26	<0.5	12	60	54	3.97	3.26
C079615		5.28	0.015	<0.5	7.96	91	590	1.9	<2	3.64	<0.5	11	55	31	3.80	2.58
C079616		1.30	<0.005	<0.5	0.13	8	10	<0.5	<2	21.3	<0.5	<1	5	2	0.11	0.03
C079617		2.72	0.021	0.5	7.47	175	370	2.1	<2	2.84	<0.5	10	53	75	4.03	2.46
C079618		3.64	0.043	2.2	7.33	701	430	1.9	<2	3.80	7.2	11	51	81	3.91	3.07
C079619		5.06	0.019	<0.5	7.23	44	430	1.9	<2	3.04	<0.5	11	58	29	3.49	2.89
C079620		4.80	0.019	<0.5	7.76	108	460	1.9	<2	2.42	<0.5	11	58	29	4.36	2.70
C079621		2.30	0.024	<0.5	7.99	109	370	1.8	<2	2.03	<0.5	12	63	35	3.53	2.18
C079622		2.52	0.020	<0.5	7.97	85	350	1.8	<2	1.92	<0.5	12	62	39	3.38	2.06
C079623		4.98	0.056	<0.5	8.31	2440	310	2.2	<2	3.00	<0.5	16	61	61	5.15	2.27
C079624		3.54	0.014	0.5	8.02	153	460	2.1	<2	2.47	<0.5	12	58	53	3.71	3.35
C079625		3.38	1.070	4.3	5.34	7930	320	1.4	2	4.40	4.1	16	34	97	6.34	2.19
C079626		5.44	0.119	1.0	8.21	1230	430	1.9	<2	2.97	<0.5	10	53	101	4.47	3.39
C079627		5.98	0.033	2.0	7.51	792	370	1.8	<2	3.66	<0.5	7	46	78	4.18	3.24

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06074019

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.01
C079588		0.93	428	<1	0.03	13	870	10	1.73	18	105	0.41	88	20	42	
C079589		0.90	415	<1	0.03	12	840	10	1.65	19	102	0.41	87	20	43	
C079590		0.42	75	<1	0.09	12	370	21	0.03	168	147	0.29	109	20	18	
C079591		1.29	312	1	0.02	10	680	31	1.96	36	273	0.32	72	10	47	
C079592		1.20	342	1	0.02	8	610	11	1.95	47	264	0.28	62	10	16	
C079593		0.98	408	1	0.02	11	820	12	2.88	26	287	0.35	77	20	27	
C079594		1.10	363	1	0.02	7	740	16	1.81	29	365	0.34	76	10	26	
C079595		1.52	582	1	0.03	10	800	31	1.21	37	367	0.37	81	10	46	
C079596		11.25	129	<1	0.01	1	400	4	0.01	<5	113	0.01	<1	<10	7	
C079597		1.20	502	1	0.03	9	760	13	1.48	17	295	0.36	74	20	33	
C079598		1.03	470	1	0.03	9	750	33	1.28	31	232	0.37	78	10	26	
C079599		0.93	951	1	0.02	7	620	1295	2.07	54	187	0.28	62	10	3220	
C079600		1.36	524	1	0.03	10	730	15	1.21	12	314	0.35	74	10	31	
C079601		1.23	473	1	0.41	11	810	13	1.38	23	335	0.39	81	10	36	
C079602		1.12	449	1	0.33	9	720	15	1.27	20	295	0.37	74	10	34	
C079603		1.39	476	1	1.32	15	750	22	1.25	22	514	0.38	78	10	36	
C079604		1.33	467	1	0.22	10	800	15	1.61	21	325	0.39	80	<10	36	
C079605		1.33	458	2	1.55	12	740	18	1.19	8	512	0.36	75	<10	31	
C079606		1.45	373	1	1.12	9	720	10	1.23	11	451	0.36	74	10	24	
C079607		1.36	496	2	0.23	13	660	72	1.58	23	345	0.31	65	10	99	
C079608		1.20	529	<1	0.04	9	700	93	1.30	17	277	0.33	68	10	117	
C079609		1.12	500	1	0.04	10	640	78	1.20	22	254	0.32	67	10	114	
C079610		1.41	436	2	3.32	49	690	18	0.62	<5	218	0.29	90	10	208	
C079611		1.22	589	<1	0.06	13	860	12	1.47	18	305	0.41	85	10	25	
C079612		1.68	634	<1	0.06	13	810	14	1.13	13	425	0.38	78	10	51	
C079613		1.40	456	1	0.09	14	800	11	1.23	43	302	0.37	78	10	36	
C079614		1.20	394	<1	0.62	12	840	12	1.30	32	349	0.41	85	10	37	
C079615		1.55	559	<1	0.05	12	810	15	0.93	16	355	0.38	79	10	35	
C079616		11.55	123	<1	0.01	<1	370	3	0.01	5	106	0.01	2	<10	8	
C079617		1.41	507	1	0.03	11	700	20	0.85	22	344	0.35	74	10	42	
C079618		1.72	761	<1	0.03	8	750	340	0.86	49	410	0.34	73	10	1070	
C079619		1.35	509	<1	0.03	12	750	14	0.77	18	338	0.36	74	20	31	
C079620		1.27	642	<1	0.03	11	750	10	1.08	18	241	0.36	78	20	33	
C079621		1.03	538	<1	0.02	12	840	11	0.96	15	257	0.38	80	10	42	
C079622		0.97	492	<1	0.02	10	890	12	1.07	20	287	0.39	81	20	44	
C079623		1.51	728	1	0.03	11	920	8	1.49	19	384	0.38	83	20	27	
C079624		1.34	539	<1	0.03	10	840	14	0.49	23	340	0.40	83	10	23	
C079625		1.70	917	<1	0.02	16	520	330	4.07	132	484	0.22	50	10	622	
C079626		1.41	596	<1	0.03	10	810	55	1.31	26	452	0.39	83	10	105	
C079627		1.69	548	<1	0.03	11	720	23	0.95	26	514	0.33	72	10	72	

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06074019

Sample Description	Method / Analyte / Units / LOR	Pb-AA62 / Pb / % / 0.01
C079588 C079589 C079590 C079591 C079592		
C079593 C079594 C079595 C079596 C079597		
C079598 C079599 C079600 C079601 C079602		
C079603 C079604 C079605 C079606 C079607		
C079608 C079609 C079610 C079611 C079612		
C079613 C079614 C079615 C079616 C079617		
C079618 C079619 C079620 C079621 C079622		
C079623 C079624 C079625 C079626 C079627		

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06074019

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C079628		5.98	0.056	0.7	7.82	66	400	1.8	3	2.79	<0.5	12	47	33	4.15	2.87
C079629		0.04	0.058	<0.5	7.54	64	380	1.7	2	2.71	<0.5	10	49	32	3.98	2.73
C079630		0.10	0.471	2.6	9.77	<5	1070	1.2	4	1.59	<0.5	8	11	7020	3.38	3.84
C079631		6.12	0.018	<0.5	7.86	72	290	1.7	2	2.48	<0.5	12	48	23	4.17	2.16
C079632		5.68	0.011	<0.5	8.39	81	340	1.8	<2	2.47	<0.5	12	60	22	4.34	2.57
C079633		5.34	0.033	<0.5	7.89	414	320	1.8	<2	2.27	<0.5	13	53	32	3.81	2.54
C079634		3.06	0.179	1.7	8.01	395	420	1.9	3	2.71	<0.5	14	52	284	3.85	3.28
C079635		3.84	2.55	11.5	4.79	>10000	130	1.3	17	2.34	15.3	25	28	68	13.05	2.00
C079636		0.94	0.006	<0.5	0.17	109	20	<0.5	<2	23.0	<0.5	1	6	4	0.14	0.05
C079637		5.88	0.142	1.8	7.48	856	340	2.0	<2	1.92	<0.5	10	49	43	3.96	3.07
C079638		5.60	0.051	0.7	7.45	234	460	1.9	<2	2.41	<0.5	10	53	43	3.16	3.07
C079639		4.08	1.540	3.7	5.35	7560	310	1.4	<2	2.07	22.0	10	34	89	5.94	2.35
C079640		4.18	0.097	0.8	7.59	3310	450	2.1	<2	2.62	<0.5	11	50	127	3.62	3.07
C079641		1.90	2.13	<0.5	7.38	>10000	460	2.1	26	2.33	<0.5	44	49	63	4.56	3.00
C079642		1.40	1.705	0.5	7.13	>10000	400	1.9	10	2.46	<0.5	34	43	68	4.60	2.76
C079643		3.34	0.496	<0.5	7.52	7220	390	2.0	18	2.47	<0.5	9	47	62	4.18	2.71
C079644		4.36	0.461	<0.5	7.52	1185	400	1.9	4	2.64	<0.5	11	45	117	3.65	2.79
C079645		2.54	0.921	<0.5	7.23	6360	370	1.9	11	2.01	<0.5	16	40	77	3.79	2.71
C079646		5.36	0.068	0.5	7.71	775	280	1.9	3	1.51	<0.5	7	45	285	3.61	2.11
C079647		4.04	0.457	0.5	7.01	9690	400	1.9	6	1.65	<0.5	22	40	280	4.43	2.51
C079648		4.04	0.040	<0.5	7.86	1165	900	1.7	2	1.35	<0.5	5	45	192	3.91	2.77
C079649		0.04	0.043	<0.5	7.98	1200	910	1.7	<2	1.33	<0.5	6	47	188	4.03	2.79
C079650		0.10	0.102	<0.5	6.88	108	580	2.6	<2	0.51	<0.5	55	1160	373	8.32	2.07
C079651		4.68	0.015	<0.5	7.88	304	460	1.6	<2	1.43	<0.5	8	45	68	3.53	1.76
C079652		2.90	0.087	0.9	7.68	2730	200	1.9	2	0.75	<0.5	7	47	476	4.07	1.50
C079653		1.96	0.427	<0.5	8.31	4340	200	1.7	4	1.18	<0.5	18	63	93	4.37	1.37
C079654		3.64	1.315	<0.5	7.79	>10000	180	1.8	10	1.47	<0.5	83	45	70	4.59	1.22
C079655		5.56	0.056	<0.5	8.04	3420	550	1.6	<2	1.47	<0.5	10	50	41	3.92	1.77
C079656		0.90	<0.005	<0.5	0.16	13	20	<0.5	<2	21.3	<0.5	<1	2	3	0.12	0.03
C079657		4.82	0.007	<0.5	8.49	31	1050	1.6	<2	0.88	<0.5	10	51	34	3.01	2.54
C079658		5.24	0.060	<0.5	8.84	415	1360	1.7	<2	0.56	<0.5	11	53	84	2.79	2.81
C079659		2.24	0.793	0.6	7.98	968	700	1.7	4	1.96	<0.5	10	48	450	4.05	2.48
C079660		2.76	1.800	1.2	7.24	>10000	480	1.8	38	2.35	<0.5	15	45	282	4.17	2.42
C079661		2.08	0.202	<0.5	8.00	3440	950	1.8	8	1.93	<0.5	12	50	140	3.94	2.43
C079662		2.22	0.620	0.5	7.41	>10000	870	1.6	21	2.24	<0.5	13	47	178	4.60	2.35
C079663		3.04	0.187	0.9	7.49	4410	1150	1.9	9	1.77	<0.5	15	50	509	4.06	2.63
C079664		5.60	0.126	<0.5	7.92	3250	480	2.0	3	3.10	<0.5	11	50	87	3.92	2.52
C079665		4.48	0.145	0.8	7.73	1620	580	2.0	<2	2.83	1.1	11	48	62	4.07	2.67
C079666		2.56	0.081	1.6	7.43	3020	630	2.2	2	2.99	3.2	10	45	51	3.75	2.86
C079667		3.66	0.129	1.7	7.21	1005	580	2.0	<2	3.06	2.6	10	43	168	3.49	2.79

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06074019

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.01
C079628		1.32	551	<1	0.03	10	740	6	1.35	17	344	0.38	74	20	23	
C079629		1.27	536	<1	0.03	12	710	8	1.29	17	336	0.36	71	20	23	
C079630		1.21	496	1	3.39	9	1940	9	0.24	<5	705	0.34	174	<10	59	
C079631		1.24	637	<1	0.03	11	770	8	1.13	10	250	0.38	77	20	30	
C079632		1.26	824	<1	0.03	13	810	15	1.11	14	229	0.39	82	10	44	
C079633		1.08	884	<1	0.03	9	810	67	1.19	16	191	0.38	79	10	113	
C079634		1.38	907	1	0.03	11	760	35	0.95	26	312	0.36	77	20	56	
C079635		1.18	3710	<1	0.02	6	400	2270	7.32	180	277	0.15	40	<10	2090	
C079636		12.65	142	<1	0.01	<1	390	6	0.02	<5	121	0.01	3	<10	10	
C079637		0.88	705	<1	0.02	10	640	32	2.76	35	219	0.29	66	10	58	
C079638		1.13	516	<1	0.03	11	690	12	1.06	16	302	0.30	64	20	26	
C079639		0.94	1720	<1	0.02	8	460	727	4.22	77	233	0.19	44	<10	3320	
C079640		1.24	704	<1	0.03	11	700	12	1.29	23	307	0.29	64	10	28	
C079641		1.25	282	<1	0.05	10	680	21	1.83	24	288	0.28	64	10	21	
C079642		1.28	271	<1	0.06	10	670	8	1.80	20	289	0.24	58	10	12	
C079643		1.31	244	<1	0.07	10	710	4	1.48	12	260	0.30	65	10	20	
C079644		1.34	304	<1	0.03	10	680	6	1.08	12	249	0.30	64	10	17	
C079645		1.09	292	<1	0.03	11	650	6	1.19	16	155	0.29	62	20	13	
C079646		0.93	252	<1	0.02	10	680	8	1.24	19	152	0.35	67	20	27	
C079647		1.11	231	<1	0.03	9	600	12	1.31	18	180	0.27	59	10	26	
C079648		0.92	312	<1	0.06	8	710	8	1.05	11	115	0.34	72	20	16	
C079649		0.92	322	<1	0.06	9	710	8	1.06	12	115	0.36	74	20	16	
C079650		0.56	371	6	0.12	459	330	146	0.02	12	49	0.24	86	30	589	
C079651		0.91	470	<1	0.03	8	690	12	0.51	9	141	0.37	72	50	30	
C079652		0.89	398	<1	0.02	8	770	16	0.79	11	174	0.34	73	20	41	
C079653		0.86	370	<1	0.02	14	770	10	1.50	16	150	0.42	77	40	20	
C079654		0.97	323	<1	0.02	11	760	14	1.66	16	215	0.34	72	30	18	
C079655		0.87	436	<1	0.04	10	770	12	1.23	14	157	0.40	79	30	27	
C079656		11.80	130	<1	0.01	1	400	2	0.01	<5	120	0.01	2	<10	9	
C079657		0.50	401	<1	0.08	9	800	12	0.96	10	111	0.41	79	10	30	
C079658		0.45	375	<1	0.09	11	810	17	0.79	14	132	0.44	82	10	37	
C079659		1.06	617	<1	0.05	10	760	17	0.93	15	231	0.39	77	10	41	
C079660		1.19	400	<1	0.03	7	670	10	1.19	18	318	0.35	70	10	22	
C079661		1.05	412	<1	0.06	10	740	10	1.18	16	217	0.40	80	10	28	
C079662		1.18	380	<1	0.05	10	680	9	1.59	23	236	0.37	75	20	29	
C079663		1.02	410	<1	0.07	8	700	15	1.49	16	210	0.38	77	10	38	
C079664		1.46	472	<1	0.03	9	710	8	1.06	16	400	0.40	77	10	28	
C079665		1.32	744	<1	0.03	11	690	140	1.05	20	370	0.39	76	10	236	
C079666		1.35	707	<1	0.03	9	670	246	0.89	49	409	0.36	74	10	490	
C079667		1.45	606	<1	0.03	7	630	180	0.52	28	479	0.34	70	10	372	

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06074019

Sample Description	Method Analyte Units LOR	Pb-AA62 Pb % 0.01
C079628 C079629 C079630 C079631 C079632		
C079633 C079634 C079635 C079636 C079637		
C079638 C079639 C079640 C079641 C079642		
C079643 C079644 C079645 C079646 C079647		
C079648 C079649 C079650 C079651 C079652		
C079653 C079654 C079655 C079656 C079657		
C079658 C079659 C079660 C079661 C079662		
C079663 C079664 C079665 C079666 C079667		

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06074019

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C079668		3.52	0.210	9.5	7.75	784	600	2.1	3	2.46	13.0	10	44	456	4.93	2.86
C079669		<0.02	0.200	9.3	7.58	820	590	2.1	5	2.44	11.3	10	43	435	4.85	2.81
C079670		0.10	0.473	2.5	9.25	<5	1070	1.2	<2	1.47	<0.5	8	13	7000	3.21	3.53
C079671		4.98	0.195	9.0	6.50	2730	550	1.9	6	2.78	15.3	9	36	189	4.66	2.63
C079672		4.48	1.615	9.7	5.82	>10000	480	1.7	15	2.18	29.0	27	33	103	6.11	2.35
C079673		4.34	1.675	7.6	5.27	>10000	420	1.6	9	1.74	22.2	27	31	70	7.29	2.03
C079674		5.44	0.051	0.7	7.63	1240	540	2.0	2	3.19	0.5	9	53	63	3.89	2.65
C079675		4.16	0.061	1.2	7.07	630	580	2.0	<2	3.14	1.8	9	42	369	3.53	2.51
C079676		1.24	<0.005	<0.5	0.15	12	20	<0.5	<2	20.9	<0.5	<1	2	3	0.12	0.03
C079677		5.80	0.010	<0.5	7.70	40	580	2.1	<2	2.67	<0.5	10	46	28	3.47	2.59
C079678		5.82	0.024	<0.5	7.60	363	590	2.0	2	2.65	<0.5	12	48	24	3.81	2.47
C079679		5.74	0.049	<0.5	7.45	122	550	2.0	<2	2.68	<0.5	9	42	22	3.66	2.43
C079680		5.86	0.032	<0.5	7.82	646	630	2.0	<2	2.91	<0.5	10	51	30	3.63	2.79
C079681		2.72	0.023	0.9	7.58	50	450	1.8	<2	3.00	1.5	10	43	12	3.60	2.30
C079682		2.86	0.029	0.9	7.70	57	480	1.9	<2	2.83	5.0	10	53	19	4.09	2.50
C079683		5.90	0.068	1.2	7.54	1770	470	1.8	<2	2.43	3.7	11	48	38	3.91	2.20
C079684		5.62	0.057	<0.5	7.57	374	590	1.7	<2	2.11	1.2	11	52	19	3.76	2.07
C079685		5.84	0.055	<0.5	7.16	512	480	1.7	<2	2.20	<0.5	12	49	15	3.62	1.93
C079686		4.66	0.086	1.7	7.51	1150	570	2.1	<2	2.47	4.3	10	49	35	4.41	2.44
C079687		4.00	0.881	4.4	6.94	1880	410	2.0	<2	2.50	21.3	9	42	50	4.36	2.67
C079688		2.94	0.026	0.6	8.22	1050	670	2.3	<2	2.19	<0.5	9	55	38	3.79	2.86
C079689		<0.02	0.027	0.5	8.24	1140	680	2.4	<2	2.19	<0.5	11	52	39	3.61	2.92
C079690		0.10	1.435	<0.5	7.30	1200	740	5.4	<2	0.01	<0.5	4	209	39	3.87	2.61
C079691		5.14	0.032	<0.5	8.60	494	940	1.9	<2	0.37	<0.5	13	64	19	4.73	2.47
C079692		5.32	0.037	0.8	8.13	399	610	2.1	<2	0.25	<0.5	13	57	44	3.29	2.77
C079693		4.26	0.082	0.8	8.17	723	540	2.2	<2	0.23	<0.5	12	60	34	3.54	2.97
C079694		3.22	0.073	1.2	7.99	264	510	2.2	<2	0.34	<0.5	14	89	607	4.47	2.49
C079695		3.50	0.007	<0.5	10.25	68	920	5.2	<2	0.14	<0.5	28	149	51	5.96	3.67
C079696		0.94	<0.005	<0.5	0.16	6	10	<0.5	<2	18.90	<0.5	<1	3	5	0.11	0.03
C079697		5.48	0.014	0.7	6.54	67	500	2.1	<2	0.11	<0.5	17	97	44	4.01	2.41
C079698		5.42	<0.005	<0.5	8.24	51	1080	3.3	<2	0.16	<0.5	20	97	43	5.18	2.62
C079699		5.48	0.005	<0.5	7.16	8	890	2.3	<2	0.23	<0.5	20	91	75	5.22	1.96
C079700		5.60	<0.005	<0.5	7.74	24	800	2.5	<2	0.09	<0.5	15	81	26	4.14	2.54
C079701		2.34	<0.005	<0.5	8.42	33	800	2.1	<2	0.11	<0.5	18	99	28	4.54	2.29
C079702		2.38	0.010	<0.5	6.82	37	640	1.7	<2	0.09	<0.5	14	80	27	3.98	1.96
C079703		5.40	0.005	<0.5	8.34	45	1070	2.4	<2	0.16	<0.5	20	95	52	4.94	2.45
C079704		5.64	0.007	<0.5	7.54	42	740	1.8	<2	0.14	<0.5	11	76	29	3.57	1.89
C079705		4.84	0.007	<0.5	5.48	56	490	1.7	<2	0.11	<0.5	12	69	34	3.37	1.70
C079706		5.58	0.011	<0.5	4.99	32	470	1.4	<2	0.13	<0.5	8	55	24	3.15	1.58
C079707		5.14	0.011	<0.5	6.32	129	580	1.6	<2	0.12	<0.5	10	56	21	3.24	2.21

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06074019

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Zn-AA62 Zn % 0.01
C079668		1.33	1600	<1	0.03	11	710	1395	0.68	93	247	0.36	75	20	1870	
C079669		1.31	1540	<1	0.03	9	680	1245	0.65	84	246	0.36	74	10	1610	
C079670		1.14	471	<1	3.27	10	1810	14	0.23	<5	676	0.34	168	<10	56	
C079671		1.42	1390	<1	0.03	8	590	1510	0.70	116	316	0.31	64	10	2220	
C079672		1.23	1975	<1	0.02	10	500	2410	1.67	55	253	0.26	56	<10	4120	
C079673		1.14	3050	<1	0.02	12	450	2270	1.78	48	217	0.24	53	10	3150	
C079674		1.50	664	<1	0.04	12	700	42	0.37	20	417	0.38	75	20	107	
C079675		1.46	699	<1	0.03	10	660	120	0.46	18	471	0.36	69	20	296	
C079676		11.80	122	<1	0.01	3	380	<2	0.02	<5	116	0.01	2	<10	9	
C079677		1.31	645	<1	0.03	9	690	13	0.21	7	338	0.39	74	20	41	
C079678		1.30	646	<1	0.03	12	670	19	0.30	7	334	0.37	72	10	44	
C079679		1.30	607	<1	0.03	9	660	29	0.53	10	350	0.36	70	10	61	
C079680		1.36	665	<1	0.03	12	680	54	0.40	11	343	0.39	76	10	83	
C079681		1.34	981	<1	0.03	10	700	142	0.71	10	308	0.38	74	10	282	
C079682		1.37	1185	2	0.03	12	740	292	0.70	14	327	0.35	74	<10	851	
C079683		1.23	1110	<1	0.03	10	710	335	0.78	18	292	0.36	75	10	651	
C079684		1.08	673	1	0.04	12	700	113	0.41	11	202	0.37	74	10	184	
C079685		1.02	651	1	0.03	11	700	17	0.46	10	184	0.36	76	20	40	
C079686		1.20	1485	1	0.04	12	710	454	0.83	15	304	0.35	74	20	711	
C079687		1.19	2350	1	0.02	11	630	1155	1.70	26	307	0.31	65	10	3290	
C079688		1.10	727	1	0.03	15	760	23	0.67	19	296	0.37	79	10	35	
C079689		1.11	703	1	0.03	11	780	22	0.69	17	298	0.38	81	<10	36	
C079690		0.35	93	3	0.11	20	310	30	0.02	113	94	0.16	88	10	47	
C079691		0.52	730	2	0.06	16	840	15	0.87	23	104	0.42	86	10	30	
C079692		0.43	373	1	0.03	12	790	21	0.99	28	49	0.40	84	10	46	
C079693		0.43	373	2	0.03	15	760	39	1.32	31	36	0.40	83	10	62	
C079694		0.69	556	1	0.03	22	1040	13	0.78	15	45	0.43	110	20	56	
C079695		1.44	906	4	0.12	67	130	20	0.31	38	69	0.50	149	10	88	
C079696		11.00	132	<1	0.01	<1	390	8	0.01	<5	112	0.01	2	<10	8	
C079697		0.67	629	3	0.07	58	200	22	0.40	29	51	0.32	88	<10	48	
C079698		1.17	830	2	0.06	49	360	5	0.21	22	57	0.29	102	10	68	
C079699		0.95	872	3	0.05	54	460	10	0.31	28	40	0.38	114	20	75	
C079700		0.96	500	<1	0.10	42	210	9	0.24	11	43	0.31	75	<10	45	
C079701		0.84	561	2	0.09	48	220	10	0.38	9	40	0.26	83	10	73	
C079702		0.72	481	1	0.08	42	160	12	0.37	12	36	0.30	69	<10	83	
C079703		0.85	655	<1	0.09	49	440	6	0.69	18	48	0.38	87	10	74	
C079704		0.53	351	2	0.07	37	280	12	0.47	15	48	0.34	72	<10	52	
C079705		0.50	304	1	0.05	32	130	5	0.38	12	32	0.22	61	10	31	
C079706		0.46	405	1	0.04	25	200	3	0.25	14	46	0.18	44	10	22	
C079707		0.49	473	<1	0.05	29	220	16	0.25	11	52	0.22	54	<10	46	

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06074019

Sample Description	Method / Analyte / Units / LOR	Pb-AA62 / Pb / % / 0.01
C079668		
C079669		
C079670		
C079671		
C079672		
C079673		
C079674		
C079675		
C079676		
C079677		
C079678		
C079679		
C079680		
C079681		
C079682		
C079683		
C079684		
C079685		
C079686		
C079687		
C079688		
C079689		
C079690		
C079691		
C079692		
C079693		
C079694		
C079695		
C079696		
C079697		
C079698		
C079699		
C079700		
C079701		
C079702		
C079703		
C079704		
C079705		
C079706		
C079707		

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06074019

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C079708		5.38	0.023	0.7	3.95	375	270	0.9	<2	0.08	<0.5	4	38	20	1.83	1.36
C079709		<0.02	0.022	0.6	3.95	357	270	1.0	<2	0.08	<0.5	5	37	19	1.78	1.42
C079710		0.10	2.77	<0.5	7.42	1910	700	10.9	<2	0.01	<0.5	<1	136	97	3.29	2.93
C079711		5.32	0.260	1.8	7.31	3910	610	2.3	<2	0.12	0.6	9	33	15	2.24	2.76
C079712		5.28	0.090	4.8	7.75	776	660	2.8	<2	0.13	11.0	5	19	17	1.80	3.07
C079713		4.76	0.018	1.1	7.87	880	540	2.6	<2	0.16	<0.5	5	21	16	2.17	2.47
C079714		5.16	0.018	<0.5	7.62	276	330	2.1	2	0.15	<0.5	4	26	18	2.10	1.93
C079715		5.24	0.019	<0.5	8.07	441	820	2.5	<2	0.15	<0.5	6	32	19	2.05	2.56
C079716		1.60	<0.005	<0.5	0.15	16	10	<0.5	<2	18.10	<0.5	<1	2	2	0.10	0.03

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06074019

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.01
C079708		0.20	211	1	0.02	17	200	22	0.28	7	47	0.13	28	<10	40	
C079709		0.19	196	1	0.02	16	190	26	0.27	9	48	0.14	28	<10	44	
C079710		0.35	68	3	0.08	10	300	30	0.02	138	138	0.13	96	10	17	
C079711		0.25	240	2	0.03	18	360	132	0.47	24	77	0.17	30	10	95	
C079712		0.23	118	1	0.03	11	410	881	0.98	37	29	0.16	24	<10	1595	
C079713		0.25	295	1	0.03	10	410	40	0.43	19	37	0.17	23	<10	34	
C079714		0.24	200	1	0.03	7	430	29	0.60	11	69	0.17	25	10	30	
C079715		0.32	170	1	0.05	17	430	29	0.48	13	51	0.20	33	<10	38	
C079716		10.50	126	1	0.01	1	350	5	0.01	7	104	0.01	2	<10	7	

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06074019

Sample Description	Method Analyte Units LOR	Pb-AA62 Pb % 0.01
C079708		
C079709		
C079710		
C079711		
C079712		
C079713		
C079714		
C079715		
C079716		

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 9-SEP-2006
Account: STRGOL

CERTIFICATE VA06080152

Project: Dublin Gulch 1735

P.O. No.:

This report is for 109 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 4-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Zn-AA62	Ore grade Zn - four acid / AAS	AAS
Pb-AA62	Ore grade Pb - four acid / AAS	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 9-SEP-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06080152

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C080672		2.50	0.874	39.8	2.28	514	170	0.8	2	0.18	142.0	2	19	364	12.70	0.95
C080673		4.76	0.017	1.8	4.05	31	150	1.1	<2	0.06	1.7	4	21	24	0.88	1.59
C080674		3.26	0.018	1.6	3.60	54	230	1.1	<2	0.09	1.3	11	34	61	2.29	1.40
C080675		2.44	<0.005	<0.5	2.18	13	140	0.5	<2	0.06	<0.5	2	28	13	0.66	0.77
C080676		1.42	<0.005	<0.5	0.13	<5	20	<0.5	<2	21.6	<0.5	<1	4	2	0.11	0.03
C080677		1.90	0.012	<0.5	2.07	16	110	0.5	2	0.10	<0.5	3	24	21	1.01	0.73
C080678		3.56	0.026	<0.5	2.17	20	100	0.5	<2	0.07	<0.5	4	34	18	1.83	0.76
C080679		4.84	0.008	<0.5	1.80	<5	80	<0.5	<2	0.04	<0.5	2	34	8	0.85	0.67
C080680		3.34	0.019	<0.5	1.76	13	90	<0.5	<2	0.05	<0.5	3	28	32	1.51	0.66
C080681		1.28	0.006	<0.5	3.07	17	120	0.7	<2	0.07	<0.5	4	30	30	1.77	0.82
C080682		1.30	0.006	<0.5	3.30	10	130	0.8	<2	0.07	<0.5	5	31	28	1.88	0.88
C080683		1.18	0.005	<0.5	1.78	35	110	<0.5	<2	0.07	<0.5	2	23	14	0.62	0.60
C080684		1.64	0.116	2.8	1.02	16	30	<0.5	<2	0.05	11.1	2	21	23	3.57	0.26
C080685		2.16	0.007	<0.5	5.72	<5	360	1.3	<2	0.17	<0.5	13	56	24	2.21	1.26
C080686		3.26	0.021	<0.5	8.60	24	640	2.3	<2	0.50	<0.5	22	67	54	8.68	2.08
C080687		2.66	0.019	<0.5	5.52	100	600	2.1	<2	0.75	<0.5	16	40	80	5.92	1.34
C080688		2.24	0.091	<0.5	8.62	449	1360	3.5	<2	1.86	<0.5	17	64	81	5.15	2.57
C080689		<0.02	0.082	<0.5	8.75	355	1380	3.5	<2	1.90	<0.5	14	62	69	5.10	2.63
C080690		0.10	0.095	<0.5	7.29	122	610	2.8	<2	0.58	<0.5	60	1220	396	9.19	2.28
C080691		3.48	0.064	<0.5	8.84	266	1420	2.7	<2	4.32	<0.5	14	67	65	4.72	2.71
C080692		5.38	0.027	<0.5	7.63	928	1350	2.0	5	5.40	<0.5	14	85	38	4.41	2.30
C080693		4.44	0.032	<0.5	8.21	340	1470	2.1	3	4.42	<0.5	15	90	55	4.17	2.28
C080694		4.74	0.381	<0.5	8.00	>10000	1000	1.9	18	3.27	<0.5	17	72	100	5.13	2.11
C080695		4.64	0.010	<0.5	8.66	68	1480	2.1	<2	4.77	<0.5	18	87	17	4.61	2.46
C080696		1.44	<0.005	<0.5	0.15	8	20	<0.5	<2	21.2	<0.5	1	3	2	0.12	0.04
C080697		4.50	0.017	<0.5	8.25	77	1430	1.9	5	5.05	<0.5	17	69	20	4.22	2.19
C080698		4.68	0.008	<0.5	8.16	94	1390	1.9	<2	4.61	<0.5	14	56	19	4.19	1.82
C080699		3.52	0.035	<0.5	7.97	701	1360	1.9	2	4.40	<0.5	12	62	37	4.43	2.06
C080700		1.62	0.937	<0.5	8.13	9770	1070	1.8	6	5.39	<0.5	18	57	37	4.60	2.08
C080701		2.40	0.019	<0.5	8.17	566	1440	2.2	2	4.28	<0.5	17	72	41	4.58	2.49
C080702		2.70	0.051	<0.5	8.56	951	1440	2.2	2	4.13	<0.5	16	72	64	4.92	2.66
C080703		1.86	0.245	<0.5	8.21	2620	1020	2.0	2	2.04	<0.5	13	57	140	5.15	2.86
C080704		5.62	0.197	<0.5	7.86	2400	1490	2.4	7	3.59	<0.5	14	52	21	3.67	3.03
C080705		5.02	0.115	<0.5	8.01	1480	1460	2.4	6	3.17	<0.5	11	48	19	3.47	3.05
C080706		2.74	0.817	<0.5	7.77	1735	1440	2.4	25	2.84	<0.5	19	58	41	3.63	2.95
C080707		5.80	0.138	<0.5	7.89	605	1460	2.4	9	3.13	<0.5	12	52	29	3.63	3.00
C080708		4.64	0.077	<0.5	7.71	792	1480	2.2	6	3.22	<0.5	12	50	34	3.72	2.93
C080709		<0.02	0.069	<0.5	8.02	737	1530	2.4	7	3.35	<0.5	11	52	34	3.74	3.04
C080710		0.10	2.77	<0.5	7.71	2160	750	14.4	<2	0.02	<0.5	2	155	105	3.53	3.29
C080711		3.30	0.153	<0.5	7.75	3330	1420	2.1	3	3.22	<0.5	13	49	42	3.88	3.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 9-SEP-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06080152

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.01
C080672		0.80	12750	<1	0.01	9	140	>10000	3.49	>10000	20	0.08	17	<10	>10000	2.15
C080673		0.13	317	<1	0.01	11	140	240	0.18	86	11	0.10	13	<10	266	
C080674		0.15	546	<1	0.01	13	150	175	0.56	46	26	0.14	28	10	193	
C080675		0.06	92	<1	0.01	9	130	23	0.16	18	44	0.13	18	<10	26	
C080676		12.10	133	<1	0.01	2	490	10	<0.01	5	118	0.01	1	<10	9	
C080677		0.09	161	<1	0.01	9	140	15	0.33	13	35	0.11	14	<10	20	
C080678		0.09	232	2	0.01	12	110	10	0.75	18	26	0.10	18	<10	19	
C080679		0.06	139	<1	0.01	6	100	5	0.22	7	17	0.09	14	<10	13	
C080680		0.06	163	<1	0.01	8	110	6	0.68	9	18	0.09	14	<10	12	
C080681		0.10	309	<1	0.01	13	180	11	0.67	13	114	0.14	27	<10	28	
C080682		0.11	344	<1	0.01	12	210	13	0.54	8	139	0.16	30	<10	31	
C080683		0.05	106	<1	0.01	8	150	15	0.05	13	36	0.11	12	<10	40	
C080684		0.16	2650	4	0.01	6	90	5800	0.45	2260	29	0.03	10	<10	1660	
C080685		0.27	500	1	0.04	34	520	24	0.32	15	47	0.37	84	30	88	
C080686		1.04	2750	1	0.04	58	880	32	0.32	21	71	0.56	131	30	128	
C080687		2.63	2270	2	0.03	60	690	11	0.72	24	117	0.33	82	20	130	
C080688		2.23	735	<1	0.29	35	990	19	0.76	15	239	0.49	92	20	64	
C080689		2.24	744	<1	0.35	34	1000	17	0.76	16	264	0.47	91	20	62	
C080690		0.61	397	7	0.12	499	370	166	0.03	16	52	0.26	93	30	629	
C080691		1.87	808	1	1.31	15	1020	19	0.94	10	584	0.48	94	10	53	
C080692		1.79	1185	<1	0.80	17	1070	16	0.42	12	469	0.44	104	10	62	
C080693		2.04	631	<1	1.21	20	1230	10	0.71	<5	559	0.49	117	<10	54	
C080694		2.02	321	<1	1.30	16	1110	6	1.16	9	449	0.45	104	10	28	
C080695		2.43	772	<1	1.34	19	1340	14	0.19	<5	702	0.51	120	10	65	
C080696		11.90	132	<1	0.02	1	430	15	0.01	<5	119	0.01	3	<10	8	
C080697		2.01	732	<1	1.29	15	1240	11	0.22	6	709	0.49	111	<10	61	
C080698		1.76	705	<1	1.21	13	1090	9	0.13	<5	636	0.46	102	20	60	
C080699		1.92	597	<1	1.13	12	1000	10	0.39	<5	518	0.46	107	10	49	
C080700		1.78	554	<1	1.25	13	990	17	0.79	8	578	0.45	103	10	54	
C080701		2.24	752	<1	1.60	15	1010	17	0.17	5	605	0.50	113	<10	67	
C080702		2.34	728	<1	1.60	16	1050	17	0.26	<5	609	0.50	115	<10	66	
C080703		1.88	245	<1	2.18	11	980	7	1.93	<5	390	0.45	95	10	24	
C080704		1.53	486	<1	1.64	10	830	17	0.87	<5	586	0.41	81	<10	46	
C080705		1.52	457	<1	1.74	11	800	18	0.83	5	612	0.39	77	<10	44	
C080706		1.35	386	1	1.57	15	730	15	1.38	<5	554	0.37	94	<10	40	
C080707		1.55	423	<1	1.59	10	810	15	1.20	<5	559	0.38	79	<10	40	
C080708		1.54	412	<1	1.60	10	810	16	1.10	6	534	0.38	78	10	39	
C080709		1.56	422	<1	1.64	10	820	15	1.05	<5	552	0.39	80	<10	40	
C080710		0.39	72	1	0.09	10	350	33	0.02	158	147	0.29	108	20	19	
C080711		1.49	399	<1	1.18	7	800	13	1.26	8	426	0.38	77	<10	37	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 9-SEP-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06080152

Sample Description	Method / Analyte / Units / LOR	Pb-AA62 / Pb / % / 0.01
C080672 C080673 C080674 C080675 C080676		5.25
C080677 C080678 C080679 C080680 C080681		
C080682 C080683 C080684 C080685 C080686		
C080687 C080688 C080689 C080690 C080691		
C080692 C080693 C080694 C080695 C080696		
C080697 C080698 C080699 C080700 C080701		
C080702 C080703 C080704 C080705 C080706		
C080707 C080708 C080709 C080710 C080711		

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 9-SEP-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06080152

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C080712		3.88	2.50	8.5	6.56	>10000	400	1.7	62	3.55	1.3	9	42	137	5.58	2.33
C080713		4.70	0.089	<0.5	7.77	270	1620	2.3	5	3.16	<0.5	13	49	21	3.70	3.07
C080714		5.20	0.055	<0.5	7.65	146	1520	2.3	3	3.36	<0.5	12	51	17	3.67	3.02
C080715		4.86	0.040	<0.5	8.33	164	1520	2.4	2	3.88	<0.5	13	51	14	3.82	3.11
C080716		1.28	<0.005	<0.5	0.14	9	20	<0.5	<2	22.4	<0.5	<1	2	1	0.12	0.04
C080717		4.10	0.030	<0.5	8.06	156	1510	2.4	4	3.64	<0.5	11	52	14	3.75	3.08
C080718		5.44	0.018	<0.5	7.85	152	1430	2.3	<2	3.56	<0.5	10	52	14	3.76	2.91
C080719		4.94	0.012	<0.5	7.53	182	1450	2.3	2	3.43	<0.5	12	50	23	3.62	2.97
C080720		3.26	0.211	<0.5	7.61	638	1490	2.3	15	2.83	<0.5	14	48	27	3.78	3.03
C080721		1.08	0.037	<0.5	7.63	122	1480	2.3	3	2.69	<0.5	11	50	18	3.46	3.12
C080722		1.20	0.035	<0.5	7.56	128	1470	2.4	2	2.63	<0.5	12	50	19	3.57	3.14
C080723		3.46	0.018	<0.5	7.60	134	1450	2.3	2	3.14	<0.5	13	47	16	3.40	3.09
C080724		3.30	0.022	<0.5	8.04	115	1510	2.4	3	3.54	<0.5	12	50	16	3.95	3.08
C080725		4.92	0.043	<0.5	7.73	178	1470	2.3	3	3.36	<0.5	12	50	22	3.65	2.98
C080726		5.24	0.042	<0.5	7.78	180	1490	2.4	4	3.16	<0.5	14	50	17	3.81	3.02
C080727		4.22	0.034	<0.5	7.75	155	1440	2.4	3	3.58	<0.5	12	48	15	3.59	2.97
C080728		4.94	0.029	<0.5	8.02	103	1470	2.4	<2	3.22	<0.5	11	48	16	3.87	2.92
C080729		<0.02	0.025	<0.5	7.85	87	1450	2.4	<2	3.02	<0.5	11	45	14	3.63	2.88
C080730		0.10	4.45	9.2	7.91	10	490	0.8	<2	2.85	1.2	17	20	118	4.34	2.08
C080731		4.46	0.053	<0.5	8.57	99	1550	2.5	<2	4.14	<0.5	12	47	18	3.93	3.00
C080732		2.78	0.031	<0.5	7.68	47	1400	2.2	<2	6.39	<0.5	11	41	16	3.51	2.77
C080733		3.62	0.027	<0.5	7.73	46	1370	2.1	<2	3.48	<0.5	12	49	17	3.79	2.57
C080734		1.64	0.028	<0.5	5.28	82	800	1.4	<2	15.00	<0.5	7	44	12	2.52	1.85
C080735		3.60	0.033	<0.5	8.01	94	1500	2.4	<2	3.10	<0.5	12	48	19	3.70	2.97
C080736		1.20	<0.005	<0.5	0.14	<5	20	<0.5	<2	20.5	<0.5	<1	1	2	0.12	0.03
C080737		5.04	0.045	<0.5	7.34	37	1400	2.2	<2	2.96	<0.5	10	50	15	3.49	2.77
C080738		4.16	0.045	<0.5	8.28	40	1570	2.4	<2	3.13	<0.5	12	51	18	3.96	2.93
C080739		4.74	0.047	<0.5	8.22	101	1610	2.4	<2	3.18	<0.5	11	49	26	3.87	2.94
C080740		2.68	0.044	<0.5	8.37	188	1560	2.5	<2	3.08	<0.5	10	52	71	4.12	2.84
C080741		2.34	0.171	<0.5	8.10	7760	970	2.2	<2	4.08	<0.5	12	47	73	4.50	2.45
C080742		2.56	0.237	<0.5	7.96	4840	1060	2.3	<2	4.45	<0.5	10	46	59	4.15	2.54
C080743		5.18	0.078	<0.5	7.83	868	1280	2.3	<2	3.18	<0.5	9	47	102	4.02	2.71
C080744		4.26	0.017	<0.5	7.55	84	1490	2.5	<2	2.94	<0.5	12	49	11	3.70	2.77
C080745		4.44	0.007	<0.5	8.04	86	1550	2.4	<2	3.49	<0.5	11	47	17	3.78	2.91
C080746		4.66	0.023	<0.5	7.58	146	1510	2.4	<2	3.09	<0.5	11	48	16	3.69	2.82
C080747		3.34	0.015	<0.5	7.09	85	1520	2.3	<2	3.05	<0.5	10	40	17	3.27	2.78
C080748		3.20	0.056	<0.5	7.22	119	660	2.1	2	3.98	<0.5	10	41	18	2.84	2.57
C080749		<0.02	0.061	<0.5	7.84	122	710	2.2	<2	3.94	<0.5	11	47	18	3.01	2.79
C080750		0.10	4.32	8.9	7.78	8	490	0.9	<2	2.82	1.0	17	20	119	4.27	2.12
C080751		4.38	0.022	<0.5	7.79	89	1210	2.2	<2	2.99	<0.5	11	49	13	3.52	2.83

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06080152

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.01
C080712		1.47	555	<1	0.07	8	650	563	2.55	226	305	0.31	62	10	277	
C080713		1.45	442	<1	1.57	10	820	17	1.01	<5	566	0.40	80	<10	40	
C080714		1.51	454	<1	1.70	10	790	18	0.98	<5	562	0.40	78	<10	41	
C080715		1.63	478	<1	1.77	10	860	17	0.96	<5	578	0.42	82	<10	43	
C080716		12.40	140	<1	0.02	<1	400	3	0.01	<5	120	0.01	3	<10	8	
C080717		1.66	476	<1	1.73	9	830	17	0.91	<5	586	0.42	81	<10	43	
C080718		1.64	471	<1	1.65	10	810	16	0.90	<5	557	0.39	79	<10	42	
C080719		1.57	455	<1	1.60	9	800	14	0.85	<5	553	0.39	79	<10	42	
C080720		1.63	411	<1	1.26	10	820	16	0.90	<5	481	0.39	78	<10	40	
C080721		1.64	405	<1	1.33	9	810	19	0.68	<5	494	0.40	80	<10	43	
C080722		1.65	408	<1	1.34	9	800	16	0.73	<5	489	0.41	82	<10	42	
C080723		1.75	436	<1	1.17	9	830	17	0.58	<5	474	0.40	81	<10	43	
C080724		1.74	512	1	1.60	8	870	16	0.91	<5	547	0.41	81	<10	44	
C080725		1.73	459	<1	1.57	9	830	17	0.92	5	501	0.40	80	<10	41	
C080726		1.77	481	<1	1.71	9	810	15	0.99	<5	555	0.41	81	<10	42	
C080727		1.77	493	<1	1.57	9	820	15	0.82	<5	540	0.40	81	<10	41	
C080728		1.83	473	<1	1.22	9	860	19	0.65	<5	498	0.40	79	<10	44	
C080729		1.79	444	<1	1.23	9	830	18	0.62	<5	490	0.40	78	<10	44	
C080730		1.36	983	12	1.67	10	950	28	0.69	<5	414	0.35	139	<10	99	
C080731		1.87	552	<1	1.48	7	900	21	0.73	<5	573	0.41	80	<10	43	
C080732		1.72	682	<1	1.15	8	780	18	0.58	<5	551	0.37	73	10	41	
C080733		1.68	527	<1	1.73	10	830	16	0.67	<5	534	0.39	80	<10	45	
C080734		1.21	1245	<1	0.78	7	530	12	0.49	<5	627	0.24	52	<10	28	
C080735		1.70	440	<1	1.60	10	830	18	0.72	<5	550	0.40	78	<10	43	
C080736		11.55	125	<1	0.01	<1	440	2	0.01	<5	116	0.01	3	<10	8	
C080737		1.67	433	<1	1.60	8	770	16	0.71	<5	535	0.38	74	<10	40	
C080738		1.95	489	<1	1.71	9	850	20	0.84	<5	593	0.41	80	<10	43	
C080739		1.74	455	<1	1.66	9	830	17	0.87	<5	573	0.40	77	<10	38	
C080740		1.75	387	<1	1.71	11	870	36	1.01	<5	548	0.40	78	<10	42	
C080741		1.63	402	<1	1.47	10	810	17	1.25	10	433	0.36	73	<10	30	
C080742		1.59	420	<1	1.50	8	800	13	1.13	5	489	0.35	73	<10	29	
C080743		1.54	414	<1	1.70	8	790	13	1.10	<5	466	0.34	73	10	33	
C080744		1.67	603	<1	1.60	9	780	22	0.20	<5	519	0.38	73	<10	55	
C080745		1.59	644	<1	1.62	9	810	20	0.21	7	521	0.40	77	<10	53	
C080746		1.49	533	<1	1.56	9	770	19	0.51	<5	512	0.37	71	<10	45	
C080747		1.19	447	<1	1.24	8	660	15	0.56	5	437	0.33	62	<10	39	
C080748		1.21	507	<1	0.78	8	740	17	0.36	10	343	0.33	68	<10	40	
C080749		1.26	512	<1	0.83	8	780	18	0.32	9	345	0.37	75	<10	44	
C080750		1.33	970	11	1.64	11	940	26	0.69	6	406	0.36	141	<10	100	
C080751		1.34	485	<1	1.31	7	810	18	0.39	<5	437	0.38	75	<10	46	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 9-SEP-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06080152

Sample Description	Method Analyte Units LOR	Pb-AA62 Pb % 0.01
C080712		
C080713		
C080714		
C080715		
C080716		
C080717		
C080718		
C080719		
C080720		
C080721		
C080722		
C080723		
C080724		
C080725		
C080726		
C080727		
C080728		
C080729		
C080730		
C080731		
C080732		
C080733		
C080734		
C080735		
C080736		
C080737		
C080738		
C080739		
C080740		
C080741		
C080742		
C080743		
C080744		
C080745		
C080746		
C080747		
C080748		
C080749		
C080750		
C080751		

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 9-SEP-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06080152

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C080752		3.24	0.031	<0.5	7.56	128	1410	2.3	<2	3.32	<0.5	12	50	15	3.79	2.78
C080753		3.76	0.049	<0.5	8.13	344	1600	2.4	<2	3.43	<0.5	12	53	24	3.88	2.79
C080754		2.98	0.037	<0.5	7.54	172	1480	2.2	<2	3.17	<0.5	11	49	80	3.73	2.73
C080755		3.46	0.044	<0.5	7.81	275	1180	2.2	<2	3.56	<0.5	11	46	43	3.64	2.78
C080756		0.86	<0.005	<0.5	0.12	<5	10	<0.5	<2	19.45	<0.5	1	1	2	0.11	0.03
C080757		5.18	0.033	<0.5	7.72	178	1720	2.3	<2	3.14	<0.5	12	58	15	3.99	2.78
C080758		4.54	0.034	<0.5	7.65	287	1530	2.3	<2	3.34	<0.5	12	50	16	3.93	2.86
C080759		3.96	0.066	<0.5	7.50	412	1280	2.1	<2	3.16	<0.5	12	47	18	3.70	2.78
C080760		1.46	0.033	<0.5	7.77	474	1580	2.3	<2	3.17	<0.5	12	51	20	3.93	2.80
C080761		0.88	3.65	<0.5	7.29	>10000	1130	2.0	62	3.01	<0.5	12	45	28	5.45	2.71
C080762		0.74	3.81	<0.5	6.74	>10000	440	1.9	53	2.71	<0.5	14	42	41	7.28	2.74
C080763		2.80	0.119	<0.5	7.35	1430	1550	2.1	5	3.10	<0.5	11	51	24	3.77	2.85
C080764		3.22	0.058	<0.5	8.00	1200	1010	2.2	<2	4.47	<0.5	12	46	32	3.49	2.91
C080765		3.64	0.139	<0.5	7.84	1355	1740	2.2	<2	3.13	<0.5	13	52	57	3.86	2.82
C080766		1.72	0.062	<0.5	8.04	754	1940	2.3	<2	2.76	<0.5	14	52	22	3.96	3.02
C080767		1.12	0.186	<0.5	8.30	630	1880	2.4	<2	2.84	<0.5	13	51	23	4.08	3.08
C080768		3.26	0.101	<0.5	8.04	846	1690	2.4	<2	2.94	<0.5	15	51	46	3.78	3.03
C080769		<0.02	0.103	<0.5	7.90	836	1670	2.3	<2	2.85	<0.5	14	48	34	3.60	2.96
C080770		0.10	0.094	<0.5	6.80	108	580	2.5	<2	0.53	<0.5	58	1160	383	8.61	2.06
C080771		3.30	0.125	<0.5	7.49	640	1510	2.1	<2	2.89	<0.5	11	46	39	3.49	2.71
C080772		4.02	0.090	<0.5	7.89	737	1560	2.2	<2	2.97	<0.5	11	45	42	3.83	2.81
C080773		3.46	0.040	<0.5	7.76	1410	1550	2.4	<2	3.00	<0.5	13	50	23	3.64	2.90
C080774		3.16	0.034	<0.5	8.15	834	1420	2.3	<2	2.61	<0.5	10	50	78	3.65	2.99
C080775		4.08	0.060	<0.5	7.79	704	1560	2.0	<2	2.81	<0.5	11	45	26	3.47	2.96
C080776		1.16	<0.005	<0.5	0.15	6	20	<0.5	<2	20.8	<0.5	<1	2	2	0.12	0.04
C080777		4.86	0.060	<0.5	8.30	928	1720	2.4	<2	2.59	<0.5	12	52	27	3.94	3.04
C080778		5.28	0.048	<0.5	7.99	1575	1560	2.3	<2	2.77	<0.5	14	49	35	3.96	2.90
C080779		5.08	0.060	<0.5	8.06	1425	1520	2.3	<2	3.04	<0.5	14	52	55	4.34	2.90
C080780		5.20	0.036	<0.5	7.73	1530	1550	2.3	<2	3.02	<0.5	13	49	34	3.94	2.88

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 9-SEP-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06080152

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.01
C080752		1.58	581	<1	1.57	10	810	18	0.44	<5	541	0.39	76	<10	45	
C080753		1.59	555	<1	1.64	11	770	18	0.56	<5	576	0.41	80	<10	45	
C080754		1.55	506	<1	1.55	8	780	17	0.56	<5	513	0.38	74	<10	44	
C080755		1.54	505	<1	1.31	9	850	16	0.47	5	531	0.41	76	10	40	
C080756		10.90	127	<1	0.01	<1	410	2	0.01	<5	105	0.01	2	<10	7	
C080757		1.60	496	<1	1.57	8	820	16	0.62	<5	559	0.41	76	10	43	
C080758		1.47	466	<1	1.30	10	790	17	0.67	<5	528	0.39	75	10	40	
C080759		1.48	418	<1	1.13	8	780	17	0.79	6	487	0.37	73	10	37	
C080760		1.68	434	<1	1.52	9	840	15	0.84	<5	568	0.39	78	<10	37	
C080761		1.39	318	<1	0.97	8	740	13	2.09	19	443	0.34	68	<10	30	
C080762		1.21	247	<1	0.61	8	680	11	3.66	43	343	0.31	65	<10	27	
C080763		1.34	336	<1	1.02	9	760	14	1.09	<5	478	0.36	70	<10	33	
C080764		1.37	436	<1	0.53	10	810	24	0.93	6	468	0.37	73	10	41	
C080765		1.63	351	<1	1.40	9	830	16	0.90	<5	492	0.38	76	<10	29	
C080766		1.78	394	<1	1.46	12	860	15	0.92	<5	529	0.40	79	<10	39	
C080767		1.86	406	<1	1.58	10	870	16	0.99	<5	565	0.41	80	<10	39	
C080768		1.80	400	<1	1.49	9	850	16	0.91	6	525	0.41	79	<10	40	
C080769		1.72	380	<1	1.45	10	860	16	0.83	<5	511	0.39	78	10	38	
C080770		0.57	386	7	0.12	470	360	149	0.02	15	49	0.25	86	30	631	
C080771		1.72	349	<1	1.42	7	800	12	0.69	<5	490	0.37	72	<10	28	
C080772		1.85	366	<1	1.30	7	820	12	0.91	<5	509	0.38	75	<10	31	
C080773		1.79	407	<1	1.39	9	840	15	0.81	<5	520	0.40	79	<10	38	
C080774		1.55	256	<1	1.08	7	880	11	0.83	<5	423	0.41	81	<10	28	
C080775		1.91	403	<1	0.73	9	820	13	0.55	5	507	0.39	75	<10	37	
C080776		11.75	142	<1	0.01	<1	440	5	0.01	<5	112	0.01	2	<10	8	
C080777		1.89	407	<1	1.46	8	880	18	0.87	<5	570	0.42	82	<10	40	
C080778		1.83	376	<1	1.34	9	870	13	1.03	<5	518	0.40	79	<10	35	
C080779		1.76	369	<1	1.49	8	870	12	1.15	6	538	0.40	80	<10	31	
C080780		1.71	382	<1	1.47	9	830	13	0.99	<5	547	0.40	79	<10	34	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 9-SEP-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06080152

Sample Description	Method / Analyte / Units / LOR	Pb-AA62 / Pb / % / 0.01
C080752 C080753 C080754 C080755 C080756		
C080757 C080758 C080759 C080760 C080761		
C080762 C080763 C080764 C080765 C080766		
C080767 C080768 C080769 C080770 C080771		
C080772 C080773 C080774 C080775 C080776		
C080777 C080778 C080779 C080780		

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-SEP-2006
Account: STRGOL

CERTIFICATE VA06080153

Project: Dublin Gulch 1735

P.O. No.:

This report is for 98 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 4-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06080153

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C080781		1.42	0.034	<0.5	7.91	1720	1760	2.2	<2	2.82	<0.5	14	50	33	3.93	2.94
C080782		1.64	0.028	<0.5	7.92	1630	1790	2.2	<2	2.49	<0.5	13	51	31	3.94	2.95
C080783		3.84	0.091	<0.5	7.84	2040	520	2.0	<2	4.64	<0.5	15	46	97	3.58	2.47
C080784		2.94	0.075	<0.5	8.18	2250	1260	2.6	<2	2.40	<0.5	16	54	103	4.47	2.83
C080785		4.66	0.521	<0.5	7.80	>10000	940	2.4	2	2.92	<0.5	37	51	100	4.85	2.44
C080786		3.36	0.051	<0.5	7.83	3230	1640	2.3	<2	3.24	<0.5	15	51	84	3.86	3.29
C080787		7.14	0.078	<0.5	7.98	3140	1290	2.3	<2	3.20	1.5	14	51	157	3.99	2.99
C080788		3.44	0.180	<0.5	7.89	2060	1600	2.3	<2	2.91	<0.5	14	53	51	4.06	3.01
C080789		<0.02	0.196	<0.5	7.68	2660	1570	2.3	<2	2.85	<0.5	15	53	56	4.05	3.00
C080790		0.10	2.73	<0.5	7.39	2110	730	13.1	<2	0.01	<0.5	<1	146	99	3.48	2.98
C080791		5.48	0.022	<0.5	8.28	783	1600	2.4	<2	3.28	<0.5	17	54	55	4.23	3.13
C080792		5.70	0.035	<0.5	7.56	611	1480	2.3	<2	2.87	<0.5	15	53	78	4.09	2.83
C080793		5.90	0.018	<0.5	7.80	494	1680	2.2	<2	3.02	<0.5	15	55	48	3.99	2.88
C080794		5.90	0.147	<0.5	7.72	2170	1250	2.4	<2	2.53	<0.5	13	49	274	4.35	2.60
C080795		5.40	0.045	<0.5	7.75	1395	1620	2.3	<2	2.76	<0.5	13	53	63	3.93	2.99
C080796		1.34	<0.005	<0.5	0.12	7	20	<0.5	<2	20.3	<0.5	1	1	2	0.11	0.03
C080797		4.34	0.064	<0.5	7.72	1325	1500	2.3	<2	3.02	<0.5	16	55	74	4.22	2.71
C080798		2.96	4.21	3.5	6.94	>10000	810	2.0	81	4.60	<0.5	17	45	245	5.38	2.40
C080799		5.82	3.01	5.9	7.09	>10000	1140	2.1	26	3.15	<0.5	17	46	1060	4.74	2.56
C080800		5.12	0.081	<0.5	7.95	189	1510	2.3	<2	3.19	<0.5	14	49	22	3.86	2.92
C080801		2.56	0.084	<0.5	8.11	200	1510	2.4	<2	3.24	<0.5	15	52	21	3.89	2.93
C080802		2.40	0.088	<0.5	7.96	163	1480	2.3	<2	3.15	<0.5	13	50	20	3.82	2.92
C080803		5.60	0.102	<0.5	8.49	215	1540	2.4	<2	3.62	<0.5	16	59	19	4.20	3.06
C080804		5.94	0.147	<0.5	7.01	94	1320	2.0	<2	3.00	<0.5	11	43	17	3.26	2.61
C080805		3.98	0.120	<0.5	8.44	323	1520	2.4	<2	4.00	<0.5	13	52	35	3.93	3.13
C080806		2.98	0.058	<0.5	8.09	143	1630	2.3	<2	3.57	<0.5	13	52	27	4.02	3.05
C080807		4.38	0.245	10.1	7.59	7990	740	2.3	<2	2.88	13.0	18	47	147	4.33	3.33
C080808		4.56	0.079	<0.5	7.32	155	1560	2.3	<2	3.18	<0.5	14	52	27	3.49	2.87
C080809		<0.02	0.078	<0.5	8.16	138	1710	2.4	<2	3.69	<0.5	13	54	28	3.87	2.98
C080810		0.08	0.875	2.6	7.56	9	450	0.7	<2	1.95	0.6	22	97	1950	4.98	1.69
C080811		4.76	0.074	<0.5	8.22	199	1260	2.3	<2	3.86	<0.5	13	49	41	3.93	2.93
C080812		4.94	0.792	<0.5	7.75	>10000	1180	2.2	4	3.88	<0.5	28	48	39	4.51	2.78
C080813		5.18	0.146	<0.5	8.24	592	1650	2.3	<2	3.31	<0.5	13	49	115	3.93	3.28
C080814		4.46	0.059	<0.5	8.91	113	1620	2.6	<2	3.48	<0.5	14	53	23	4.11	3.30
C080815		4.90	0.051	<0.5	8.37	96	1630	2.4	<2	3.20	<0.5	12	48	19	3.86	3.19
C080816		1.26	0.017	<0.5	0.13	<5	20	<0.5	<2	20.5	<0.5	1	2	3	0.12	0.03
C080817		5.52	0.044	<0.5	7.91	138	1240	2.3	<2	3.81	<0.5	13	49	25	3.62	2.84
C080818		5.42	0.081	1.4	8.24	449	1410	2.4	<2	3.69	<0.5	13	51	82	3.95	3.12
C080819		5.26	0.023	0.8	8.21	142	1430	2.4	<2	3.71	<0.5	11	49	45	3.87	3.10
C080820		5.28	0.011	<0.5	8.44	121	1580	2.5	<2	3.59	<0.5	11	56	35	3.90	3.16

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06080153

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C080781		1.71	388	<1	1.40	8	860	13	0.88	5	529	0.40	79	<10	38
C080782		1.70	361	<1	1.44	9	870	16	0.87	<5	535	0.40	79	10	39
C080783		0.95	347	<1	0.37	9	800	12	1.30	8	215	0.37	73	<10	21
C080784		1.40	193	<1	0.98	10	860	12	1.08	7	303	0.40	82	<10	24
C080785		1.41	229	<1	1.42	7	810	29	1.30	13	360	0.33	74	40	24
C080786		1.60	376	<1	1.44	10	820	12	0.95	<5	507	0.39	78	10	28
C080787		1.46	555	<1	1.14	8	860	133	1.02	14	439	0.39	76	10	316
C080788		1.82	403	<1	1.85	9	890	13	1.02	6	548	0.40	80	<10	31
C080789		1.77	388	<1	1.79	8	840	13	1.01	<5	526	0.39	78	<10	30
C080790		0.37	70	1	0.08	10	340	34	0.02	155	138	0.26	100	20	18
C080791		1.85	431	<1	1.82	10	900	13	1.00	<5	584	0.42	84	<10	32
C080792		1.67	366	<1	1.63	9	830	12	1.08	<5	502	0.39	79	<10	30
C080793		1.76	401	<1	1.75	9	850	12	0.94	<5	581	0.40	79	<10	32
C080794		1.70	253	<1	1.90	8	830	9	1.03	<5	467	0.37	77	10	24
C080795		1.69	333	<1	1.79	8	830	15	0.96	<5	527	0.39	77	<10	24
C080796		11.40	140	<1	0.01	<1	400	2	0.01	<5	109	0.01	2	<10	7
C080797		1.56	346	<1	1.52	9	830	11	1.14	6	479	0.39	79	<10	26
C080798		1.01	362	<1	0.61	10	710	163	2.52	79	267	0.33	67	10	25
C080799		1.30	284	<1	0.92	8	740	210	1.75	101	381	0.34	67	10	44
C080800		1.79	468	1	1.74	10	830	14	0.96	<5	591	0.40	78	10	34
C080801		1.86	477	1	1.85	9	850	12	0.97	<5	591	0.40	80	<10	36
C080802		1.83	467	1	1.80	9	820	12	0.96	<5	582	0.40	80	10	35
C080803		1.95	520	1	1.84	10	880	12	1.10	<5	612	0.43	88	10	39
C080804		1.48	392	1	1.47	11	690	12	0.75	<5	487	0.35	70	<10	31
C080805		1.59	522	1	1.56	11	850	13	0.98	<5	551	0.42	82	10	39
C080806		1.53	494	1	1.64	9	820	14	0.96	9	546	0.39	79	10	38
C080807		1.12	930	1	0.38	10	770	1055	1.61	50	250	0.38	77	10	2020
C080808		1.51	427	1	1.59	10	740	14	0.90	<5	539	0.39	80	10	40
C080809		1.68	478	1	1.72	10	820	12	0.97	<5	595	0.41	81	10	39
C080810		1.30	430	3	3.02	49	650	21	0.63	<5	208	0.29	87	10	205
C080811		1.50	493	1	1.37	10	840	13	0.83	9	517	0.40	80	10	34
C080812		1.45	459	1	1.46	10	790	11	1.43	12	503	0.39	74	10	29
C080813		1.70	436	1	1.61	9	830	10	0.93	<5	542	0.41	79	10	34
C080814		1.78	472	1	1.79	11	890	13	0.94	<5	585	0.44	87	10	39
C080815		1.80	461	1	1.78	9	830	16	0.82	<5	611	0.40	80	10	37
C080816		11.45	136	<1	0.01	3	410	<2	0.01	<5	112	0.01	2	<10	7
C080817		1.47	446	<1	1.42	10	790	12	0.73	8	482	0.40	77	10	34
C080818		1.50	441	<1	1.36	10	830	221	0.93	5	494	0.41	80	<10	111
C080819		1.52	436	1	1.42	9	830	173	0.97	6	491	0.40	80	10	53
C080820		1.75	435	1	1.66	10	840	11	0.91	<5	561	0.41	81	10	33

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06080153

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C080821		2.54	0.017	<0.5	8.23	200	1590	2.4	<2	3.26	<0.5	14	50	48	3.89	3.08
C080822		2.58	0.012	<0.5	8.04	201	1530	2.3	<2	3.15	<0.5	13	48	47	3.69	3.03
C080823		6.00	0.022	<0.5	8.15	149	1510	2.4	<2	3.38	<0.5	13	50	27	3.82	2.95
C080824		4.60	0.026	<0.5	8.25	102	1570	2.5	<2	3.48	<0.5	12	55	15	3.90	3.07
C080825		6.28	0.081	<0.5	8.04	158	1450	2.4	<2	3.47	<0.5	13	57	14	3.79	2.97
C080826		4.36	0.039	<0.5	8.10	340	1470	2.4	<2	3.42	<0.5	14	51	19	3.70	2.91
C080827		6.14	0.009	<0.5	8.10	98	1470	2.3	<2	3.40	<0.5	11	49	16	3.79	2.97
C080828		5.10	0.007	<0.5	8.47	101	1610	2.5	<2	3.37	<0.5	12	54	17	3.99	3.12
C080829		<0.02	0.008	<0.5	7.97	81	1540	2.3	<2	3.19	<0.5	11	53	16	3.82	2.89
C080830		0.10	1.485	<0.5	7.01	1250	710	6.1	<2	0.01	<0.5	4	204	38	3.76	2.68
C080831		5.86	0.009	<0.5	7.95	65	1540	2.4	<2	3.28	<0.5	12	57	17	3.79	3.08
C080832		4.94	0.006	<0.5	7.99	32	1480	2.3	<2	3.35	<0.5	10	52	19	3.64	2.83
C080833		6.22	0.012	<0.5	7.41	86	1440	2.4	<2	3.03	<0.5	12	53	22	3.42	3.06
C080834		5.50	6.17	30.5	6.40	>10000	350	2.0	112	2.67	3.2	11	39	3900	7.84	2.51
C080835		5.64	0.013	<0.5	7.88	54	1370	2.4	<2	3.55	<0.5	11	49	28	3.69	2.95
C080836		1.30	0.012	<0.5	0.18	32	20	<0.5	<2	21.4	0.5	<1	3	16	0.15	0.04
C080837		3.08	0.008	<0.5	8.84	13	1560	2.6	<2	3.56	<0.5	9	54	29	4.19	3.04
C080838		3.82	0.137	<0.5	7.96	2270	1200	2.6	<2	2.62	<0.5	8	51	98	4.30	2.55
C080839		4.50	0.731	<0.5	8.20	>10000	1270	2.5	<2	3.01	<0.5	20	52	60	4.80	2.85
C080840		4.56	0.428	<0.5	7.94	6670	1100	2.6	<2	3.10	<0.5	26	51	132	4.97	2.61
C080841		1.70	1.055	<0.5	7.40	>10000	980	2.4	<2	3.69	<0.5	36	44	131	5.18	2.94
C080842		1.48	1.095	<0.5	7.34	9730	980	2.4	<2	2.94	<0.5	11	45	168	4.52	2.84
C080843		3.54	0.049	<0.5	7.79	1615	980	2.6	<2	2.57	<0.5	4	46	150	4.64	2.59
C080844		2.96	0.037	<0.5	7.73	1425	1180	2.5	<2	3.13	<0.5	3	48	113	3.88	3.20
C080845		4.08	0.031	<0.5	8.03	73	1490	2.5	<2	3.18	<0.5	10	52	27	3.86	3.03
C080846		3.64	0.274	<0.5	7.68	2430	1480	2.2	14	2.87	<0.5	10	51	82	3.81	2.73
C080847		3.70	0.071	<0.5	7.49	689	1390	2.2	<2	2.40	<0.5	10	51	48	3.45	2.73
C080848		3.76	0.037	<0.5	7.77	262	1400	2.3	3	2.90	<0.5	12	50	30	3.53	2.78
C080849		<0.02	0.066	<0.5	7.50	254	1350	2.3	3	2.77	<0.5	11	51	30	3.41	2.75
C080850		0.10	2.74	<0.5	7.22	1970	700	13.1	3	0.02	<0.5	<1	141	98	3.22	2.91
C080851		3.18	0.043	<0.5	7.57	147	1310	2.3	2	2.86	<0.5	11	50	43	3.48	2.63
C080852		5.40	1.170	<0.5	7.42	1555	1410	2.3	7	2.89	<0.5	10	56	211	3.58	2.70
C080853		4.56	0.296	<0.5	7.90	2160	1410	2.4	3	3.16	<0.5	25	52	51	3.96	2.76
C080854		5.44	0.079	<0.5	7.76	134	1430	2.3	<2	3.26	<0.5	13	54	29	3.75	2.82
C080855		5.52	0.104	<0.5	7.68	2640	1370	2.4	2	3.08	<0.5	18	50	61	3.82	2.88
C080856		1.26	<0.005	<0.5	0.16	7	20	<0.5	<2	20.2	<0.5	1	4	3	0.12	0.03
C080857		5.04	0.028	<0.5	7.64	254	1410	2.3	2	3.24	<0.5	11	51	57	3.60	2.86
C080858		5.02	0.126	<0.5	8.29	606	1390	2.5	5	3.17	<0.5	12	55	87	4.07	2.77
C080859		1.72	0.671	<0.5	7.22	>10000	700	2.1	<2	1.89	<0.5	32	45	146	4.62	1.95
C080860		4.86	3.42	<0.5	7.42	>10000	1160	2.0	9	2.03	<0.5	35	51	85	5.26	3.19

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06080153

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C080821		1.77	400	<1	1.66	10	810	14	0.92	5	555	0.40	78	<10	30
C080822		1.72	378	<1	1.62	11	800	9	0.86	<5	535	0.39	76	<10	28
C080823		1.74	441	1	1.72	10	830	11	0.86	5	559	0.40	80	<10	33
C080824		1.82	503	1	1.86	10	850	12	0.79	<5	608	0.42	84	<10	38
C080825		1.76	475	1	1.78	12	840	16	0.77	<5	578	0.41	82	<10	37
C080826		1.57	404	1	1.66	10	820	15	0.75	5	550	0.41	81	10	36
C080827		1.70	429	1	1.76	11	830	16	0.79	<5	575	0.40	80	<10	36
C080828		1.86	457	1	1.99	11	870	15	0.79	<5	662	0.42	86	<10	38
C080829		1.78	440	1	1.87	9	820	17	0.80	<5	618	0.40	79	<10	36
C080830		0.35	92	2	0.11	18	330	28	0.02	120	93	0.28	90	10	46
C080831		1.78	440	1	1.82	12	840	13	0.82	6	621	0.42	82	<10	37
C080832		1.73	432	1	1.81	11	830	12	0.80	5	595	0.41	80	10	35
C080833		1.57	421	1	1.58	11	750	10	0.84	<5	556	0.40	80	<10	34
C080834		1.10	1280	<1	0.69	7	640	650	3.89	260	260	0.29	61	10	491
C080835		1.56	478	1	1.55	10	800	15	0.83	8	513	0.40	77	<10	38
C080836		11.95	140	<1	0.02	1	420	19	0.02	6	119	0.01	3	<10	19
C080837		1.89	498	<1	1.83	12	860	9	0.91	<5	614	0.45	86	<10	41
C080838		1.70	257	<1	1.95	10	790	11	1.07	<5	495	0.41	79	<10	24
C080839		1.71	364	<1	1.71	12	780	10	1.39	<5	537	0.41	78	10	30
C080840		1.58	236	<1	1.66	12	750	9	1.47	<5	482	0.39	76	230	24
C080841		1.31	214	<1	1.41	15	690	9	1.62	9	345	0.32	68	280	15
C080842		1.24	174	<1	1.36	6	690	12	1.31	8	316	0.33	67	170	15
C080843		1.50	166	<1	1.78	9	780	6	1.06	<5	410	0.37	75	20	18
C080844		1.50	209	<1	1.77	6	770	8	0.78	7	386	0.36	75	30	17
C080845		1.74	438	<1	1.79	8	810	11	0.89	<5	555	0.43	82	<10	37
C080846		1.59	367	1	1.68	7	800	8	1.09	6	537	0.37	77	<10	30
C080847		1.52	347	1	1.76	8	770	9	1.03	5	501	0.37	76	<10	28
C080848		1.58	408	1	1.76	8	790	10	0.88	5	556	0.38	79	<10	32
C080849		1.53	395	1	1.69	8	750	11	0.84	<5	532	0.38	78	<10	32
C080850		0.37	67	3	0.09	9	320	30	0.02	147	138	0.25	100	20	16
C080851		1.54	400	1	1.87	9	790	14	1.06	<5	494	0.37	78	<10	32
C080852		1.63	432	1	1.72	8	790	15	0.96	5	548	0.37	80	<10	35
C080853		1.62	443	1	1.81	8	800	14	1.22	6	590	0.40	81	<10	38
C080854		1.66	456	1	1.73	11	820	15	0.90	<5	595	0.40	82	<10	35
C080855		1.63	412	1	1.60	9	800	24	0.99	7	509	0.39	81	<10	83
C080856		11.35	128	<1	0.02	<1	390	2	0.02	<5	107	0.01	2	<10	7
C080857		1.62	414	1	1.63	7	780	13	0.94	<5	567	0.39	80	<10	33
C080858		1.75	329	2	1.86	7	840	11	1.04	<5	582	0.40	82	<10	26
C080859		1.37	132	<1	1.90	11	730	4	1.47	14	317	0.32	66	40	17
C080860		1.48	174	<1	1.69	8	740	10	1.80	10	377	0.34	73	610	19

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06080153

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C080861		1.46	1.175	10.3	7.34	3670	1130	2.1	10	2.55	2.2	17	47	392	4.11	2.58
C080862		1.34	0.594	3.7	7.49	4600	1300	2.3	6	2.86	2.0	14	46	136	4.23	2.68
C080863		4.78	0.019	<0.5	7.95	127	1460	2.5	<2	3.37	<0.5	11	51	39	3.98	2.99
C080864		5.20	0.338	0.5	7.62	3260	1360	2.3	8	2.99	<0.5	8	54	265	3.98	2.86
C080865		5.08	0.044	<0.5	8.08	915	1480	2.4	4	3.28	<0.5	10	54	49	3.87	3.13
C080866		4.12	0.533	<0.5	8.55	3360	1590	2.5	18	3.08	<0.5	14	52	61	3.94	3.33
C080867		4.38	2.53	<0.5	7.93	>10000	1140	2.5	18	2.51	<0.5	36	51	113	5.37	2.87
C080868		3.20	1.385	<0.5	7.55	>10000	1270	2.3	3	2.46	<0.5	21	47	75	4.59	3.03
C080869		<0.02	1.410	<0.5	8.44	>10000	1380	2.5	5	2.76	<0.5	24	54	87	5.18	3.40
C080870		0.14	3.01	9.0	8.36	32	510	0.9	<2	3.03	1.2	18	21	126	4.51	2.34
C080871		6.02	1.455	3.5	7.18	>10000	1020	2.1	15	2.75	2.1	8	43	154	5.33	2.92
C080872		1.68	0.886	4.4	8.30	>10000	240	2.4	8	3.99	1.9	32	52	125	5.63	3.19
C080873		4.34	0.061	<0.5	7.43	220	1310	2.3	<2	3.14	<0.5	12	49	27	3.67	2.75
C080874		5.12	0.019	<0.5	8.19	305	1440	2.4	<2	3.34	<0.5	12	58	45	3.89	3.03
C080875		3.70	3.30	8.5	8.22	>10000	390	2.3	37	3.75	3.6	18	50	116	6.71	3.04
C080876		1.36	0.008	<0.5	0.12	24	20	<0.5	<2	22.1	<0.5	<1	2	2	0.11	0.03
C080877		5.14	0.025	<0.5	8.60	170	1570	2.5	<2	3.55	<0.5	11	54	51	4.14	3.01
C080878		4.68	0.112	<0.5	8.57	773	1560	2.5	<2	3.62	<0.5	14	57	45	4.15	3.14

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06080153

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C080861		1.37	335	<1	1.46	9	740	1105	1.70	114	448	0.34	68	10	356
C080862		1.52	340	<1	1.51	9	760	567	1.30	38	469	0.39	74	30	283
C080863		1.66	440	<1	1.73	10	810	16	1.01	<5	576	0.43	82	<10	36
C080864		1.54	345	<1	1.61	7	760	14	1.15	6	539	0.41	78	10	34
C080865		1.65	408	<1	1.70	12	810	13	0.93	<5	547	0.42	81	<10	34
C080866		1.72	357	<1	1.61	10	820	13	1.00	8	546	0.42	81	10	31
C080867		1.77	233	<1	1.66	11	790	8	1.70	14	460	0.41	80	70	21
C080868		1.55	258	<1	1.46	9	740	9	1.35	9	457	0.37	73	10	23
C080869		1.74	291	<1	1.63	13	810	14	1.55	11	510	0.41	81	<10	25
C080870		1.41	1015	11	1.72	11	940	28	0.73	<5	426	0.39	149	<10	103
C080871		1.19	400	<1	0.92	7	690	374	1.94	21	276	0.34	69	10	329
C080872		1.26	558	<1	0.88	14	810	443	2.29	28	268	0.37	79	20	317
C080873		1.54	411	<1	1.54	8	750	10	0.87	<5	514	0.40	78	<10	33
C080874		1.70	450	<1	1.66	9	810	12	0.91	<5	567	0.42	81	<10	35
C080875		1.45	684	1	1.09	10	770	803	2.85	81	423	0.39	77	<10	614
C080876		12.25	145	<1	0.02	4	410	<2	0.01	<5	113	0.01	2	<10	8
C080877		1.77	441	<1	1.70	9	830	14	1.04	<5	591	0.44	82	<10	32
C080878		1.84	446	1	1.74	14	850	12	0.99	<5	604	0.45	84	<10	33

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2006
Account: STRGOL

CERTIFICATE VA06080546

Project: Dublin Gulch1735

P.O. No.:

This report is for 171 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 14-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06080546

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C080501		0.90	0.021	<0.5	5.45	92	530	1.4	<2	1.21	<0.5	9	33	39	3.08	1.49
C080502		0.88	0.018	<0.5	6.36	93	640	1.7	<2	0.85	<0.5	8	42	40	3.32	1.89
C080503		2.26	0.006	<0.5	7.32	78	580	1.9	<2	0.18	<0.5	8	51	33	3.37	2.20
C080504		1.00	0.007	<0.5	6.26	57	400	1.4	<2	0.24	<0.5	8	42	26	2.41	1.68
C080505		1.78	0.005	<0.5	7.98	53	560	1.8	<2	0.23	<0.5	12	53	34	3.13	2.37
C080506		2.62	<0.005	<0.5	5.69	23	380	1.3	<2	0.23	<0.5	12	44	23	2.60	1.67
C080507		2.30	0.007	<0.5	6.14	25	360	1.4	<2	0.44	<0.5	11	48	27	2.62	1.67
C080508		2.32	0.009	<0.5	4.54	9	200	1.1	<2	0.82	<0.5	8	33	27	2.69	1.12
C080509		<0.02	0.011	<0.5	4.56	7	200	1.1	<2	0.83	<0.5	8	31	27	2.74	1.13
C080510		0.10	0.093	0.5	7.44	122	620	2.8	<2	0.57	<0.5	62	1180	422	9.13	2.26
C080511		0.90	0.011	<0.5	4.59	17	190	1.0	<2	0.84	<0.5	8	34	34	2.80	0.97
C080512		0.28	<0.005	<0.5	2.83	62	170	0.6	<2	1.16	<0.5	8	32	54	2.86	0.81
C080513		1.84	0.016	<0.5	1.55	546	40	<0.5	2	1.15	<0.5	5	26	19	1.73	0.27
C080514		1.36	<0.005	<0.5	7.49	181	660	1.8	<2	0.50	<0.5	12	69	31	3.32	2.46
C080515		0.44	<0.005	<0.5	6.59	15	460	1.7	<2	0.22	<0.5	11	50	31	3.77	1.77
C080516		1.92	<0.005	<0.5	0.13	<5	10	<0.5	<2	20.6	<0.5	<1	2	2	0.12	0.03
C080517		3.58	0.005	<0.5	8.49	62	710	2.2	<2	0.20	<0.5	15	66	33	3.77	2.77
C080518		2.52	0.015	<0.5	6.19	85	390	1.4	<2	0.55	<0.5	10	44	39	3.20	1.74
C080519		2.58	0.025	<0.5	8.02	270	620	2.2	<2	0.27	<0.5	13	64	38	4.00	2.54
C080520		2.22	<0.005	<0.5	11.45	30	1000	3.0	<2	0.10	<0.5	20	84	50	4.31	4.36
C080521		1.66	<0.005	<0.5	9.92	76	810	2.4	<2	0.19	<0.5	20	70	39	3.60	3.50
C080522		1.56	<0.005	<0.5	8.41	80	640	2.1	<2	0.22	<0.5	17	60	34	3.46	2.67
C080523		4.00	0.006	<0.5	10.20	46	820	2.4	<2	0.14	<0.5	19	72	41	4.16	3.44
C080524		3.84	0.020	<0.5	7.89	488	570	1.9	<2	0.33	<0.5	21	59	38	3.51	2.40
C080525		5.72	0.007	<0.5	8.82	32	690	2.3	<2	0.40	<0.5	17	64	39	4.22	2.87
C080526		3.80	<0.005	<0.5	9.54	68	850	2.5	<2	0.27	<0.5	17	77	51	4.14	3.35
C080527		2.34	0.007	<0.5	5.65	24	360	1.2	<2	0.51	<0.5	9	44	24	2.55	1.68
C080528		1.90	0.006	<0.5	8.91	19	720	2.4	<2	0.16	<0.5	16	65	40	3.93	3.08
C080529		<0.02	0.008	<0.5	8.67	21	700	2.4	<2	0.15	<0.5	16	69	41	3.86	3.06
C080530		0.10	0.451	2.7	9.45	<5	1110	1.2	<2	1.52	<0.5	8	11	7320	3.37	3.62
C080531		2.86	0.008	<0.5	6.57	132	500	1.5	<2	0.24	<0.5	13	51	43	3.22	2.39
C080532		2.26	0.006	<0.5	5.67	266	320	1.1	<2	0.55	<0.5	10	40	30	2.31	1.56
C080533		3.36	0.018	<0.5	3.38	1680	90	0.6	<2	1.00	<0.5	10	24	25	1.69	0.77
C080534		2.66	0.011	<0.5	4.09	1870	170	0.8	<2	0.70	<0.5	10	29	20	1.89	1.01
C080535		2.54	<0.005	<0.5	9.44	47	800	2.4	<2	0.19	<0.5	15	69	44	3.71	3.47
C080536		1.32	<0.005	<0.5	0.16	7	10	<0.5	<2	20.6	<0.5	1	<1	2	0.12	0.03
C080537		1.56	0.023	<0.5	3.05	965	90	0.8	<2	0.72	<0.5	7	23	24	1.46	0.95
C080538		3.70	0.047	3.5	8.25	119	800	2.7	<2	0.11	6.5	12	62	52	4.70	3.15
C080539		2.48	0.028	14.6	1.93	183	110	0.5	<2	0.11	14.2	3	22	41	2.08	0.77
C080540		2.50	0.010	<0.5	4.98	75	310	1.4	<2	0.82	<0.5	6	37	38	2.66	1.85

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06080546

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C080501		0.51	334	<1	0.96	13	380	7	0.30	<5	185	0.29	55	<10	35
C080502		0.51	217	<1	0.95	11	370	10	0.22	<5	192	0.31	63	<10	40
C080503		0.22	126	<1	0.79	20	280	5	0.04	<5	121	0.30	68	<10	32
C080504		0.20	106	<1	1.08	17	210	5	0.05	<5	121	0.23	56	<10	28
C080505		0.25	171	<1	1.06	27	260	5	0.05	5	132	0.27	74	<10	32
C080506		0.27	189	<1	0.71	24	240	3	0.22	<5	110	0.22	51	<10	23
C080507		0.41	184	<1	1.09	24	210	7	0.30	<5	144	0.24	53	<10	24
C080508		0.62	234	<1	0.90	17	170	5	0.46	<5	128	0.17	34	<10	17
C080509		0.62	244	<1	0.91	15	170	5	0.46	5	129	0.17	34	<10	17
C080510		0.62	409	8	0.13	502	370	160	0.02	15	55	0.25	94	30	653
C080511		0.60	268	<1	1.20	15	190	7	0.54	5	150	0.16	30	<10	19
C080512		0.59	271	<1	0.49	18	130	5	0.55	<5	126	0.10	26	<10	11
C080513		0.58	197	<1	0.55	4	110	3	0.27	<5	114	0.06	9	<10	6
C080514		0.73	250	<1	0.37	28	390	4	0.31	<5	138	0.31	76	<10	31
C080515		0.71	272	<1	0.44	26	320	8	0.48	<5	111	0.30	64	<10	44
C080516		11.50	127	<1	0.01	<1	420	<2	<0.01	<5	110	0.01	2	<10	7
C080517		0.77	242	<1	0.43	31	260	7	0.43	<5	131	0.36	86	<10	53
C080518		0.76	192	<1	0.92	24	210	4	0.52	<5	151	0.21	51	<10	24
C080519		0.68	205	<1	0.53	31	280	2	0.76	<5	91	0.29	82	<10	29
C080520		0.91	216	<1	0.42	44	330	2	0.64	<5	116	0.45	127	<10	47
C080521		0.80	177	<1	0.79	40	280	6	0.62	<5	122	0.37	105	<10	34
C080522		0.73	172	<1	0.77	34	250	8	0.56	<5	113	0.32	83	<10	37
C080523		0.61	207	<1	0.54	40	290	5	0.59	<5	96	0.41	103	<10	41
C080524		0.63	167	<1	0.76	39	270	4	0.84	6	111	0.27	78	<10	31
C080525		0.82	293	<1	0.59	37	260	6	0.64	<5	99	0.35	87	<10	61
C080526		0.76	261	<1	0.62	42	330	2	0.93	<5	95	0.34	113	<10	47
C080527		0.57	172	<1	0.70	21	210	4	0.38	<5	86	0.20	49	<10	25
C080528		0.72	225	<1	0.44	37	280	5	0.74	<5	77	0.35	90	<10	67
C080529		0.70	219	<1	0.42	38	280	2	0.74	<5	75	0.34	89	<10	66
C080530		1.21	498	1	3.73	8	2040	12	0.25	<5	716	0.34	171	<10	58
C080531		0.58	197	<1	0.41	29	270	<2	0.68	<5	64	0.25	66	<10	56
C080532		0.48	125	<1	1.04	20	310	5	0.42	6	92	0.20	44	<10	28
C080533		0.47	98	<1	0.83	8	200	4	0.32	6	80	0.10	20	<10	10
C080534		0.46	129	<1	0.84	11	210	7	0.36	<5	78	0.13	27	<10	22
C080535		0.79	225	<1	0.19	35	300	4	0.94	7	58	0.30	100	<10	83
C080536		11.55	127	<1	0.02	<1	430	2	0.01	<5	112	0.01	2	<10	7
C080537		0.39	387	<1	0.03	8	180	86	0.32	7	55	0.06	15	<10	112
C080538		0.69	1040	<1	0.13	31	310	753	0.49	391	320	0.31	84	<10	1880
C080539		0.23	1475	<1	0.02	1	110	376	0.14	177	73	0.06	9	<10	1130
C080540		0.68	267	<1	0.05	15	310	7	0.50	25	257	0.18	41	<10	75

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06080546

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C080541		2.14	0.046	1.4	8.40	145	690	2.9	<2	0.19	1.4	10	55	33	3.14	3.27
C080542		2.38	0.055	1.8	8.43	154	660	2.8	2	0.22	2.6	7	54	27	3.08	3.11
C080543		4.22	0.013	<0.5	5.21	60	340	1.5	<2	1.12	1.0	7	34	22	2.89	1.84
C080544		2.10	0.005	<0.5	6.07	42	410	1.5	<2	0.72	<0.5	7	38	18	2.73	1.87
C080545		3.12	0.007	<0.5	5.48	18	340	1.3	<2	0.55	<0.5	9	32	21	2.18	1.68
C080546		3.66	0.006	<0.5	2.72	28	100	0.6	<2	0.44	<0.5	4	21	15	1.50	0.63
C080547		3.78	<0.005	<0.5	4.72	68	340	1.2	<2	0.39	<0.5	7	38	15	2.02	1.50
C080548		5.44	0.012	<0.5	3.83	23	220	1.0	<2	0.60	<0.5	5	34	15	1.81	1.17
C080549		<0.02	0.013	<0.5	4.20	32	240	1.0	<2	0.62	<0.5	6	28	16	1.99	1.24
C080550		0.12	2.75	<0.5	7.85	2210	760	13.2	<2	0.01	<0.5	<1	148	103	3.59	3.14
C080551		3.66	0.024	<0.5	4.64	62	270	1.2	<2	0.74	<0.5	10	39	32	2.69	1.28
C080552		5.76	0.044	<0.5	6.65	223	530	1.8	<2	0.48	1.1	15	46	37	3.35	2.16
C080553		4.58	0.012	<0.5	7.78	<5	690	2.3	<2	0.56	<0.5	14	60	38	4.19	2.54
C080554		3.66	0.100	<0.5	6.96	184	540	1.8	<2	0.68	<0.5	14	48	38	3.24	2.16
C080555		5.14	0.006	<0.5	8.51	31	700	2.2	<2	0.48	<0.5	12	58	38	3.75	2.88
C080556		2.68	<0.005	<0.5	0.14	<5	10	<0.5	<2	22.0	<0.5	<1	1	2	0.11	0.03
C080557		1.80	0.019	<0.5	10.40	66	940	2.1	<2	0.37	<0.5	13	71	41	3.75	3.85
C080558		2.54	1.475	0.8	3.70	>10000	230	1.1	39	0.86	<0.5	38	30	71	5.11	1.11
C080559		4.62	0.504	0.5	4.44	>10000	300	1.0	12	0.76	0.8	13	36	32	3.31	1.50
C080560		4.32	0.016	1.1	5.54	75	430	1.4	<2	0.77	26.3	7	38	50	3.31	2.20
C080561		1.22	0.012	0.9	4.47	31	250	1.0	<2	0.82	8.5	8	28	22	3.04	1.49
C080562		1.04	0.007	0.7	4.75	13	280	1.1	<2	0.80	2.0	8	29	26	2.52	1.55
C080563		4.16	0.007	<0.5	4.51	12	270	1.1	<2	1.07	0.9	9	34	19	2.33	1.30
C080564		3.52	0.020	<0.5	5.75	92	340	1.2	<2	0.90	<0.5	9	38	27	2.56	1.77
C080565		2.64	0.005	<0.5	3.54	16	130	0.9	<2	1.18	<0.5	4	26	11	1.85	0.90
C080566		3.66	0.007	2.4	3.89	16	220	0.9	<2	0.67	6.7	5	25	24	2.46	1.35
C080567		3.90	0.007	3.9	6.72	30	530	1.6	<2	0.46	13.2	9	45	37	2.51	2.74
C080568		3.98	0.017	0.5	5.27	160	360	1.3	<2	0.70	0.5	8	39	39	2.56	1.98
C080569		<0.02	0.013	<0.5	5.25	157	360	1.2	<2	0.68	0.7	7	40	38	2.56	1.94
C080570		0.12	4.46	9.3	7.61	12	480	0.9	<2	2.83	1.3	17	20	121	4.21	2.16
C080571		2.92	0.024	0.6	5.85	274	430	1.4	<2	0.71	1.6	9	45	37	2.84	2.21
C080572		3.10	0.076	1.7	10.05	2990	900	3.0	<2	0.49	4.8	28	73	51	4.88	4.26
C080573		3.02	0.006	0.6	8.98	24	730	2.2	<2	0.32	1.9	16	68	44	4.73	3.70
C080574		3.54	0.009	<0.5	9.20	45	850	2.2	<2	0.40	<0.5	15	69	65	3.96	3.92
C080575		5.24	0.008	<0.5	7.63	12	680	2.3	<2	0.33	<0.5	13	71	36	3.62	2.77
C080576		2.28	<0.005	<0.5	0.15	<5	10	<0.5	<2	20.7	<0.5	<1	3	3	0.12	0.04
C080577		5.60	0.005	<0.5	7.55	16	650	2.1	<2	0.47	<0.5	13	54	34	3.39	2.69
C080578		5.10	0.009	<0.5	7.09	18	650	1.8	<2	0.34	<0.5	13	58	40	3.48	2.72
C080579		3.26	0.102	5.8	3.76	416	300	1.0	<2	0.07	13.4	5	28	33	4.72	1.54
C080580		2.84	0.018	3.0	7.61	38	720	1.5	<2	0.19	8.2	11	48	44	3.66	3.10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06080546

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C080541		0.60	358	<1	0.10	22	400	353	0.19	87	288	0.33	73	<10	606
C080542		0.56	386	<1	0.10	20	400	368	0.14	89	311	0.32	71	<10	683
C080543		0.76	670	1	0.04	17	270	92	0.40	14	85	0.20	49	<10	205
C080544		0.76	290	<1	0.11	15	270	9	0.32	9	58	0.23	44	<10	110
C080545		0.58	193	<1	0.63	12	260	18	0.26	12	69	0.19	38	<10	63
C080546		0.35	147	<1	0.09	6	180	17	0.31	7	44	0.09	15	<10	45
C080547		0.52	166	<1	0.26	13	240	16	0.30	13	57	0.17	33	<10	46
C080548		0.48	182	<1	0.33	10	200	23	0.32	15	66	0.15	29	<10	30
C080549		0.52	192	<1	0.36	10	220	25	0.36	12	71	0.15	30	<10	32
C080550		0.39	72	2	0.09	7	340	32	0.02	162	148	0.23	103	10	19
C080551		0.69	272	1	0.71	13	250	54	0.55	14	104	0.16	36	<10	51
C080552		0.85	260	<1	0.54	24	320	120	0.81	24	87	0.25	54	<10	119
C080553		1.03	292	1	0.36	30	450	49	1.11	19	78	0.30	82	<10	66
C080554		0.86	227	<1	0.42	26	330	46	0.88	23	90	0.23	59	<10	41
C080555		1.01	264	<1	0.27	26	400	81	0.98	16	79	0.30	78	<10	78
C080556		12.25	148	<1	0.01	<1	420	2	0.01	5	117	0.01	2	<10	8
C080557		0.98	254	<1	0.25	29	420	85	1.43	16	69	0.36	102	<10	117
C080558		0.76	338	<1	0.17	82	200	171	2.45	303	79	0.11	30	<10	59
C080559		0.64	216	<1	0.31	23	210	99	1.24	122	69	0.13	33	<10	43
C080560		0.83	1105	1	0.07	15	220	415	0.91	98	52	0.15	50	<10	3460
C080561		0.71	1320	<1	0.06	18	210	428	0.47	121	65	0.15	31	<10	1150
C080562		0.65	399	<1	0.07	18	240	99	0.46	43	79	0.15	33	<10	297
C080563		0.73	381	<1	0.14	12	210	46	0.41	38	94	0.16	31	<10	124
C080564		0.66	356	<1	0.50	18	260	70	0.56	48	90	0.19	44	<10	70
C080565		0.59	381	<1	0.69	9	190	22	0.19	21	95	0.13	22	<10	30
C080566		0.52	1510	<1	0.34	11	200	310	0.25	60	53	0.11	23	<10	993
C080567		0.61	848	<1	0.13	24	290	383	0.34	93	44	0.24	58	<10	1880
C080568		0.66	333	<1	0.08	18	230	63	0.61	25	54	0.15	42	<10	124
C080569		0.66	337	<1	0.08	19	220	62	0.61	28	52	0.15	41	<10	140
C080570		1.33	964	12	1.72	10	930	25	0.69	6	405	0.38	144	<10	100
C080571		0.78	324	<1	0.12	18	250	70	0.63	26	70	0.19	46	<10	237
C080572		1.19	880	<1	0.18	42	420	435	0.94	106	151	0.34	98	<10	684
C080573		1.14	275	<1	0.16	35	360	113	1.05	36	75	0.34	85	<10	258
C080574		1.08	236	1	0.15	40	360	21	1.21	12	104	0.33	102	<10	49
C080575		0.97	228	1	0.14	26	360	7	0.91	16	82	0.28	72	<10	36
C080576		11.50	132	<1	0.02	<1	410	6	0.01	<5	114	0.01	3	<10	10
C080577		0.95	240	<1	0.18	24	360	9	0.86	19	84	0.27	68	<10	29
C080578		0.80	264	<1	0.12	24	320	9	0.88	22	108	0.26	65	<10	35
C080579		0.52	3870	<1	0.04	12	210	8990	0.91	3850	97	0.10	28	<10	1900
C080580		0.76	960	<1	0.12	26	320	706	0.98	285	136	0.23	64	<10	1160

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06080546

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C080581		1.48	0.047	3.4	8.89	150	840	2.0	<2	0.55	14.0	15	64	82	5.26	3.78
C080582		2.08	0.030	2.1	8.63	106	620	2.1	<2	0.68	4.8	19	64	94	5.58	3.66
C080583		4.38	0.005	<0.5	7.43	26	750	1.8	<2	0.68	0.6	13	59	39	3.46	2.85
C080584		5.44	0.007	<0.5	8.34	23	860	2.2	<2	0.38	0.9	14	66	35	4.05	3.19
C080585		5.86	0.016	<0.5	8.56	11	850	2.4	<2	0.52	<0.5	15	63	36	4.19	3.24
C080586		5.48	0.009	<0.5	6.54	84	520	1.7	<2	0.54	<0.5	11	48	33	3.23	2.19
C080587		5.20	0.007	0.6	7.85	28	720	2.0	<2	0.43	<0.5	13	56	29	3.38	2.96
C080588		5.28	0.010	<0.5	4.51	263	260	1.1	<2	0.27	<0.5	5	32	25	1.94	1.53
C080589		<0.02	0.007	<0.5	4.90	271	290	1.2	<2	0.28	<0.5	6	32	25	2.01	1.66
C080590		0.10	0.093	<0.5	7.32	111	610	2.7	<2	0.56	<0.5	61	1220	408	9.01	2.21
C080591		4.66	0.018	<0.5	4.45	1280	280	1.1	<2	0.06	<0.5	7	32	23	1.70	1.68
C080592		3.86	0.014	1.8	4.94	57	320	1.1	<2	0.07	9.5	8	37	39	2.68	1.84
C080593		5.76	0.015	<0.5	6.82	437	570	1.7	<2	0.08	1.3	11	48	38	2.95	2.66
C080594		5.18	0.015	1.9	5.43	207	440	1.1	<2	0.06	8.7	5	36	69	2.58	2.18
C080595		5.90	0.007	<0.5	8.19	20	820	1.9	<2	0.09	<0.5	13	60	30	3.85	3.25
C080596		2.36	<0.005	<0.5	0.16	<5	20	<0.5	<2	22.2	<0.5	<1	1	2	0.14	0.04
C080597		4.76	<0.005	<0.5	7.30	6	690	1.9	<2	0.11	<0.5	12	55	29	3.75	2.73
C080598		5.38	0.007	<0.5	6.36	19	520	1.7	<2	0.08	<0.5	12	48	30	2.73	2.22
C080599		5.24	0.067	<0.5	3.69	59	200	0.9	<2	0.06	<0.5	6	24	21	1.60	1.09
C080600		5.88	0.007	<0.5	5.60	119	390	1.4	<2	0.08	<0.5	8	38	29	2.38	1.89
C080601		2.42	0.014	<0.5	6.98	151	560	1.6	<2	0.09	<0.5	8	48	43	3.22	2.75
C080602		2.10	0.014	<0.5	7.98	127	710	1.9	<2	0.09	<0.5	11	58	53	3.34	3.21
C080603		3.56	0.061	<0.5	3.92	1530	210	1.0	<2	0.06	1.1	7	32	25	1.59	1.51
C080604		4.46	0.039	<0.5	4.78	1675	270	1.2	<2	0.07	<0.5	8	33	23	1.82	1.71
C080605		2.40	0.021	<0.5	2.60	400	110	0.7	<2	0.05	<0.5	4	19	21	1.23	0.92
C080606		4.72	0.006	<0.5	4.44	112	250	1.2	<2	0.07	<0.5	6	30	35	2.07	1.72
C080607		4.82	0.005	<0.5	5.00	136	280	1.1	<2	0.06	<0.5	7	37	24	2.26	1.68
C080608		3.98	<0.005	<0.5	6.21	17	500	1.6	<2	0.06	<0.5	10	41	30	3.08	2.22
C080609		<0.02	0.005	<0.5	6.42	16	510	1.6	<2	0.05	<0.5	11	45	29	3.12	2.39
C080610		0.10	3.11	0.7	6.85	<5	2020	3.2	<2	4.54	<0.5	24	144	97	5.06	3.26
C080611		4.10	0.011	<0.5	8.46	24	700	2.3	<2	0.07	<0.5	8	60	40	3.26	3.48
C080612		3.76	<0.005	0.5	8.76	11	800	2.2	<2	0.12	<0.5	12	61	24	3.76	3.36
C080613		3.10	<0.005	<0.5	9.45	14	880	2.1	<2	0.13	<0.5	13	65	24	3.29	3.24
C080614		3.02	0.009	<0.5	4.21	<5	280	0.8	<2	0.08	<0.5	5	30	15	1.96	1.18
C080615		3.90	0.006	<0.5	5.40	5	320	1.0	<2	0.14	<0.5	9	49	32	2.51	1.38
C080616		1.28	<0.005	<0.5	0.12	<5	10	<0.5	<2	40.7	<0.5	2	3	3	0.17	0.06
C080617		2.74	<0.005	<0.5	6.95	15	550	1.4	<2	0.17	<0.5	9	47	25	3.03	2.41
C080618		2.64	0.015	<0.5	5.57	17	470	1.2	<2	0.22	<0.5	8	37	15	2.61	1.93
C080619		3.74	<0.005	<0.5	7.78	28	1050	2.5	<2	1.90	<0.5	20	51	35	4.32	3.38
C080620		4.62	0.005	<0.5	7.06	<5	690	1.7	<2	0.98	<0.5	9	46	23	3.18	2.70

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06080546

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C080581		1.08	1440	2	0.12	41	430	2480	2.10	372	203	0.29	122	<10	1890
C080582		1.08	890	4	0.10	50	440	1620	2.64	310	163	0.28	132	<10	633
C080583		0.95	529	<1	0.11	23	550	23	0.95	24	234	0.25	69	<10	130
C080584		1.00	326	<1	0.17	32	470	46	0.77	24	133	0.32	77	<10	143
C080585		1.11	235	<1	0.21	29	520	11	0.92	20	118	0.31	82	10	50
C080586		0.85	188	1	0.40	23	340	8	0.89	10	117	0.23	60	<10	30
C080587		0.89	250	<1	0.14	25	360	7	0.44	29	107	0.31	66	<10	32
C080588		0.42	193	<1	0.04	12	200	14	0.35	14	48	0.14	32	<10	32
C080589		0.44	196	<1	0.04	12	230	15	0.38	10	51	0.15	34	<10	31
C080590		0.61	401	8	0.13	494	380	155	0.02	14	54	0.24	92	30	637
C080591		0.30	148	<1	0.04	14	210	38	0.25	23	36	0.15	30	<10	63
C080592		0.35	1100	<1	0.04	16	200	477	0.62	37	49	0.16	35	<10	1500
C080593		0.56	304	<1	0.07	22	280	89	0.58	29	66	0.25	55	<10	221
C080594		0.36	1120	<1	0.06	13	230	474	0.59	53	59	0.17	46	<10	1250
C080595		0.83	316	<1	0.14	29	370	16	0.87	20	82	0.30	73	<10	59
C080596		12.35	137	<1	0.01	<1	470	3	0.01	<5	119	0.01	2	<10	10
C080597		0.80	279	<1	0.12	24	340	9	0.76	11	133	0.29	69	<10	49
C080598		0.58	182	<1	0.08	23	280	8	0.41	12	62	0.23	52	<10	27
C080599		0.27	145	<1	0.03	10	220	7	0.28	10	68	0.13	23	<10	13
C080600		0.48	177	<1	0.05	16	290	4	0.51	10	72	0.18	43	<10	18
C080601		0.67	273	<1	0.08	24	300	22	0.70	22	61	0.23	57	<10	44
C080602		0.72	261	<1	0.10	27	350	11	0.69	28	81	0.26	71	<10	36
C080603		0.24	120	<1	0.03	11	190	84	0.37	11	40	0.12	27	<10	158
C080604		0.28	152	<1	0.04	14	220	9	0.41	8	52	0.14	34	<10	17
C080605		0.12	94	<1	0.02	6	200	6	0.40	6	88	0.07	14	<10	14
C080606		0.35	151	<1	0.04	15	250	7	0.52	7	64	0.14	34	<10	24
C080607		0.37	190	<1	0.04	15	240	9	0.49	9	145	0.17	37	<10	27
C080608		0.52	226	<1	0.06	21	310	4	0.88	11	233	0.21	49	<10	30
C080609		0.53	227	<1	0.06	19	310	8	0.87	10	230	0.22	51	<10	31
C080610		2.81	1015	12	2.23	62	2320	25	0.30	6	1580	0.38	164	10	95
C080611		0.64	212	<1	0.09	29	410	12	0.93	9	222	0.27	76	<10	33
C080612		0.78	265	<1	0.14	26	390	10	0.45	12	68	0.36	80	<10	55
C080613		0.62	239	1	0.15	28	390	11	0.30	5	61	0.37	84	<10	54
C080614		0.22	207	<1	0.04	12	240	8	0.29	10	54	0.14	30	<10	43
C080615		0.23	285	3	0.04	19	430	9	0.91	10	28	0.22	63	<10	67
C080616		15.75	214	<1	0.01	<1	990	4	<0.01	<5	222	0.01	3	<10	13
C080617		0.51	278	1	0.09	18	320	15	0.53	13	34	0.24	53	<10	76
C080618		0.57	237	<1	0.29	17	280	8	0.26	6	39	0.23	42	<10	54
C080619		2.46	950	<1	0.25	52	560	14	0.46	15	206	0.36	88	<10	96
C080620		0.90	374	<1	0.32	20	340	10	0.62	9	82	0.26	64	<10	40

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06080546

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C080621		0.86	<0.005	<0.5	4.56	7	400	1.0	<2	0.50	<0.5	6	31	11	2.04	1.50
C080622		1.22	<0.005	<0.5	4.16	11	320	0.8	<2	0.49	<0.5	4	30	10	1.89	1.21
C080623		2.98	<0.005	<0.5	6.89	<5	590	1.5	<2	0.40	<0.5	10	46	23	3.06	2.42
C080624		5.28	0.006	<0.5	7.03	10	610	1.6	<2	0.22	<0.5	12	53	35	3.81	2.48
C080625		4.06	0.005	<0.5	2.20	15	110	0.5	<2	0.71	<0.5	4	29	34	1.33	0.68
C080626		5.52	0.005	<0.5	3.01	13	180	0.7	<2	0.71	<0.5	4	31	26	1.57	0.82
C080627		5.24	0.026	<0.5	7.27	208	640	1.7	<2	0.94	<0.5	12	65	57	3.49	2.92
C080628		2.74	0.006	<0.5	8.04	22	750	1.9	<2	0.19	<0.5	12	59	39	3.74	3.04
C080629		<0.02	0.011	<0.5	8.51	27	790	2.1	<2	0.20	<0.5	13	65	42	3.96	3.25
C080630		0.10	0.098	0.5	7.08	107	580	2.6	<2	0.51	<0.5	59	1250	402	8.73	2.21
C080631		1.58	<0.005	<0.5	7.34	29	630	1.6	<2	0.15	<0.5	14	56	30	3.12	2.85
C080632		4.08	0.006	<0.5	3.89	11	210	0.8	<2	0.12	<0.5	9	38	20	2.58	0.92
C080633		3.06	0.012	<0.5	2.83	<5	180	0.6	<2	0.04	<0.5	5	37	18	1.78	0.58
C080634		3.58	0.007	<0.5	1.88	8	90	<0.5	<2	0.04	<0.5	7	33	16	1.30	0.41
C080635		4.02	0.009	<0.5	3.02	13	150	0.6	<2	0.07	<0.5	8	45	21	1.87	0.57
C080636		1.26	<0.005	<0.5	0.13	<5	10	<0.5	<2	20.4	<0.5	1	1	1	0.11	0.03
C080637		4.42	<0.005	<0.5	1.65	<5	60	<0.5	<2	0.09	<0.5	3	34	7	1.05	0.29
C080638		2.44	0.005	<0.5	2.01	<5	70	<0.5	<2	0.07	<0.5	3	31	7	1.57	0.44
C080639		2.52	0.011	<0.5	3.40	15	180	0.7	<2	0.06	<0.5	7	50	15	2.08	0.99
C080640		4.12	0.007	<0.5	7.92	15	580	2.1	<2	0.47	<0.5	21	116	67	5.62	2.99
C080641		2.16	0.006	<0.5	5.20	12	470	1.6	<2	1.06	<0.5	13	49	53	3.03	2.06
C080642		2.50	0.011	<0.5	5.09	22	430	1.7	<2	1.16	<0.5	12	45	47	3.03	2.00
C080643		4.84	<0.005	<0.5	7.31	14	580	1.7	<2	0.63	<0.5	12	64	25	3.09	2.62
C080644		3.76	<0.005	<0.5	6.82	<5	550	1.8	<2	0.50	<0.5	10	55	31	3.48	2.46
C080645		2.32	0.010	<0.5	3.69	54	280	1.2	3	3.41	<0.5	7	45	34	2.42	0.91
C080646		3.14	0.006	<0.5	6.36	22	500	1.8	<2	1.05	<0.5	11	49	39	3.30	2.55
C080647		4.34	0.010	<0.5	4.59	34	290	1.2	<2	2.20	<0.5	9	45	28	2.49	1.87
C080648		3.56	<0.005	<0.5	7.89	<5	730	2.1	<2	0.95	<0.5	11	58	33	3.72	3.29
C080649		<0.02	<0.005	<0.5	7.73	7	720	2.0	<2	0.97	<0.5	11	56	33	3.65	3.15
C080650		0.10	0.464	2.2	8.89	8	1030	1.1	<2	1.50	<0.5	7	13	6940	3.21	3.53
C080651		3.50	0.006	<0.5	6.32	21	610	2.0	2	2.05	<0.5	18	45	47	3.83	2.48
C080652		3.02	0.029	<0.5	4.77	88	430	1.4	7	11.85	<0.5	13	24	78	4.23	1.52
C080653		3.50	0.010	<0.5	7.65	26	860	2.6	2	4.80	<0.5	28	47	90	3.89	3.39
C080654		2.86	0.068	<0.5	7.31	83	650	2.3	<2	2.42	<0.5	19	52	76	4.29	2.77
C080655		4.90	0.044	<0.5	7.51	28	1580	2.5	<2	1.73	<0.5	5	31	30	2.37	3.30
C080656		1.32	0.005	<0.5	0.13	<5	20	<0.5	<2	20.6	<0.5	1	3	2	0.12	0.03
C080657		5.80	0.029	<0.5	7.40	32	1370	1.5	<2	1.87	<0.5	6	41	20	2.32	3.12
C080658		3.54	0.433	0.6	5.01	290	760	1.5	7	2.33	<0.5	7	34	57	3.68	2.24
C080659		2.60	0.012	<0.5	6.28	18	1240	2.3	<2	0.99	<0.5	7	47	20	2.87	2.44
C080660		4.46	0.051	<0.5	3.35	9	470	1.0	<2	0.80	<0.5	4	29	22	1.78	1.70

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06080546

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C080621		0.46	199	<1	1.02	10	240	10	0.37	6	114	0.15	29	<10	17
C080622		0.39	190	<1	1.09	6	230	9	0.33	6	116	0.14	24	<10	17
C080623		0.65	226	<1	0.70	19	330	10	0.50	8	76	0.26	54	<10	61
C080624		0.75	265	<1	0.36	28	390	10	0.63	7	50	0.31	68	<10	62
C080625		0.31	199	<1	0.42	3	160	4	0.27	7	81	0.09	12	<10	14
C080626		0.41	187	<1	0.49	6	270	7	0.30	9	93	0.12	22	<10	13
C080627		0.89	228	<1	0.13	25	400	9	0.66	15	86	0.30	68	<10	26
C080628		0.70	377	<1	0.09	31	430	9	0.52	15	39	0.36	75	<10	57
C080629		0.72	403	<1	0.10	34	440	9	0.55	14	40	0.38	81	<10	61
C080630		0.58	381	8	0.12	496	360	155	0.03	13	50	0.25	91	20	623
C080631		0.83	444	1	0.07	30	430	12	0.46	10	34	0.29	79	<10	55
C080632		0.25	428	<1	0.03	22	270	7	0.29	15	54	0.17	39	<10	47
C080633		0.14	290	<1	0.01	14	210	6	0.36	20	169	0.12	28	<10	35
C080634		0.08	184	<1	0.01	8	160	4	0.29	10	61	0.09	16	<10	23
C080635		0.17	216	<1	0.02	19	260	9	0.54	12	68	0.13	37	<10	34
C080636		11.65	123	<1	0.01	<1	410	2	0.01	<5	107	0.01	2	<10	7
C080637		0.11	161	<1	0.01	6	110	3	0.11	<5	92	0.07	13	<10	18
C080638		0.10	343	<1	0.01	5	130	7	0.10	5	62	0.08	20	<10	32
C080639		0.16	318	<1	0.02	15	200	6	0.33	8	95	0.14	39	<10	35
C080640		1.26	522	1	0.08	54	780	9	1.08	14	37	0.38	145	<10	148
C080641		0.95	444	2	0.25	27	370	12	0.66	9	90	0.25	66	<10	69
C080642		0.94	439	1	0.29	24	360	9	0.69	6	92	0.24	64	<10	47
C080643		0.81	200	<1	0.35	22	340	9	0.30	6	56	0.31	63	<10	52
C080644		0.87	191	<1	0.28	23	340	10	0.47	<5	50	0.26	61	<10	54
C080645		0.99	726	1	0.56	13	540	10	0.52	<5	211	0.22	46	<10	32
C080646		1.03	311	3	0.48	28	490	9	1.11	<5	95	0.21	74	<10	34
C080647		0.94	227	<1	0.05	18	270	5	0.49	14	136	0.18	37	<10	25
C080648		1.12	395	1	0.20	27	360	8	0.61	9	64	0.32	83	<10	54
C080649		1.12	393	1	0.20	26	370	8	0.62	9	65	0.30	80	<10	52
C080650		1.11	463	2	3.30	7	1870	13	0.23	<5	652	0.32	167	10	56
C080651		1.94	1130	<1	0.39	42	440	9	0.37	9	111	0.31	85	<10	63
C080652		6.93	3390	1	0.18	36	510	3	0.89	<5	340	0.24	67	10	125
C080653		3.19	1630	9	0.40	92	640	6	0.71	9	249	0.41	122	<10	101
C080654		1.67	981	2	0.68	38	490	15	1.01	<5	145	0.31	100	<10	62
C080655		0.77	262	2	1.18	7	420	24	0.45	<5	362	0.22	33	<10	18
C080656		11.70	141	<1	0.01	<1	420	2	0.01	<5	110	0.01	2	<10	7
C080657		0.82	310	1	0.18	7	440	25	0.30	14	190	0.23	36	10	26
C080658		0.99	449	<1	0.09	7	300	17	0.73	18	178	0.18	28	<10	16
C080659		0.74	378	1	0.20	9	530	20	0.26	23	156	0.27	48	<10	92
C080660		0.39	284	1	0.12	8	160	23	0.18	91	81	0.12	18	<10	91

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06080546

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C080661		2.34	0.009	<0.5	6.42	22	960	2.1	<2	1.39	<0.5	6	33	11	2.10	3.03
C080662		2.40	0.010	<0.5	6.41	8	960	2.2	<2	1.34	<0.5	5	32	10	2.08	3.09
C080663		4.48	0.021	<0.5	2.05	339	160	0.6	<2	1.03	<0.5	6	42	13	1.40	0.86
C080664		4.26	0.017	<0.5	3.12	142	210	0.7	<2	1.01	<0.5	5	27	14	1.40	1.68
C080665		5.02	0.017	<0.5	6.78	21	1410	1.9	<2	1.71	<0.5	5	38	14	2.14	3.81
C080666		3.72	0.012	<0.5	4.52	<5	910	1.1	<2	0.44	<0.5	7	45	20	2.04	1.93
C080667		4.22	0.021	<0.5	1.62	<5	110	<0.5	<2	0.06	<0.5	3	42	26	1.60	0.62
C080668		2.56	0.019	<0.5	5.49	18	350	1.6	<2	0.21	<0.5	13	55	127	5.60	1.95
C080669		<0.02	0.021	<0.5	5.82	31	370	1.6	<2	0.22	<0.5	14	57	129	5.83	2.02
C080670		0.10	1.530	<0.5	7.01	1295	710	6.3	<2	<0.01	<0.5	4	227	41	3.94	2.74
C080671		2.32	0.014	4.1	5.49	37	280	1.8	<2	0.18	6.2	11	46	38	5.46	2.07

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06080546

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C080661		0.55	261	<1	0.80	5	320	30	0.20	15	217	0.17	30	<10	34
C080662		0.54	255	<1	0.88	6	320	29	0.20	9	219	0.17	30	<10	34
C080663		0.37	191	<1	0.09	6	110	8	0.16	16	59	0.09	14	<10	16
C080664		0.36	160	<1	0.24	4	100	18	0.19	6	85	0.08	12	<10	9
C080665		0.62	305	1	1.21	5	330	28	0.25	13	362	0.19	30	<10	40
C080666		0.29	382	<1	0.15	10	300	17	0.25	17	110	0.18	29	10	75
C080667		0.07	244	<1	0.01	5	120	6	0.31	13	14	0.07	12	<10	19
C080668		0.43	1325	1	0.04	29	440	12	1.60	33	41	0.33	77	10	117
C080669		0.45	1380	2	0.04	34	480	17	1.69	39	42	0.36	83	10	121
C080670		0.35	93	2	0.11	19	330	30	0.02	116	92	0.28	93	10	47
C080671		0.63	2570	<1	0.02	21	450	757	0.30	48	29	0.31	67	<10	1020

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-SEP-2006
Account: STRGOL

CERTIFICATE VA06080809

Project: Dublin Gulch1735

P.O. No.:

This report is for 158 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 9-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06080809

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
C079901		0.40	<0.005			<0.5	5.13	<5	380	3.9	<2	9.25	<0.5	11	29	15
C079902		0.44	<0.005			<0.5	5.73	7	470	3.3	<2	8.36	<0.5	14	41	26
C079903		0.92	<0.005			<0.5	6.96	6	1030	2.2	<2	1.08	<0.5	5	42	23
C079904		0.98	<0.005			<0.5	5.51	<5	840	1.3	<2	0.79	<0.5	5	35	21
C079905		1.00	<0.005			<0.5	6.38	<5	740	2.4	<2	5.59	<0.5	7	41	19
C079906		0.88	<0.005			<0.5	7.73	<5	1110	4.2	<2	3.12	<0.5	5	27	27
C079907		1.02	0.005			<0.5	8.60	337	1760	3.4	<2	2.89	<0.5	7	28	27
C079908		1.92	<0.005			<0.5	8.74	6	1330	2.2	<2	4.51	<0.5	16	56	61
C079909		<0.02	<0.005			<0.5	8.78	<5	1330	2.2	<2	4.74	<0.5	16	56	59
C079910		0.10	0.729			2.1	7.92	5	480	0.7	<2	1.92	<0.5	24	98	2080
C079911		1.94	0.006			<0.5	8.03	<5	1280	2.1	<2	6.84	<0.5	14	41	52
C079912		1.90	<0.005			<0.5	9.05	<5	1560	2.3	<2	3.12	<0.5	14	65	48
C079913		1.64	<0.005			<0.5	7.20	6	1070	2.8	<2	3.95	<0.5	15	52	60
C079914		0.72	<0.005			<0.5	4.02	7	90	7.7	<2	8.86	<0.5	8	24	2
C079915		0.78	<0.005			<0.5	7.49	<5	150	11.7	<2	6.13	<0.5	1	6	1
C079916		1.38	<0.005			<0.5	0.14	<5	20	<0.5	<2	19.70	<0.5	<1	1	1
C079917		1.20	<0.005			<0.5	5.34	<5	280	5.6	<2	6.38	<0.5	5	38	10
C079918		1.40	<0.005			<0.5	6.48	<5	810	2.1	<2	1.69	<0.5	9	52	13
C079919		0.70	<0.005			<0.5	6.47	<5	960	2.0	<2	1.85	<0.5	1	20	2
C079920		2.04	<0.005			<0.5	7.50	13	1030	2.0	<2	0.50	<0.5	14	64	15
C079921		1.04	<0.005			<0.5	6.71	5	950	2.3	<2	2.06	<0.5	10	52	25
C079922		0.90	<0.005			<0.5	6.78	9	960	2.0	<2	2.71	<0.5	9	57	19
C079923		1.64	<0.005			<0.5	6.47	14	940	2.0	<2	2.12	<0.5	7	44	23
C079924		1.72	<0.005			<0.5	6.56	12	940	1.9	<2	1.94	<0.5	8	54	15
C079925		1.20	<0.005			<0.5	5.07	5	560	2.4	<2	4.24	<0.5	8	35	22
C079926		1.04	<0.005			<0.5	7.18	12	710	3.8	<2	4.07	<0.5	9	49	26
C079927		1.02	<0.005			<0.5	6.76	11	880	1.9	<2	1.30	<0.5	8	46	27
C079928		1.20	<0.005			<0.5	6.91	<5	740	2.0	<2	3.00	<0.5	8	47	31
C079929		<0.02	<0.005			<0.5	6.66	<5	700	2.0	<2	2.90	<0.5	7	48	31
C079930		0.10	2.94			<0.5	7.70	2030	710	13.1	<2	0.01	<0.5	<1	139	100
C079931		1.38	<0.005			<0.5	7.16	11	1080	1.9	<2	2.50	<0.5	12	52	40
C079932		1.90	<0.005			<0.5	7.05	8	880	3.2	<2	3.30	<0.5	6	51	21
C079933		1.62	<0.005			<0.5	7.59	7	1310	2.1	<2	2.06	<0.5	9	49	26
C079934		1.86	<0.005			<0.5	6.92	16	1290	1.5	<2	1.40	<0.5	7	54	24
C079935		1.58	<0.005			<0.5	3.30	48	1230	1.4	<2	0.43	0.6	3	43	17
C079936		1.32	<0.005			<0.5	0.12	<5	<10	<0.5	<2	20.4	<0.5	<1	1	2
C079937		0.74	<0.005			<0.5	2.15	16	370	1.2	<2	0.49	0.8	2	30	6
C079938		1.08	<0.005			<0.5	5.88	17	380	11.3	<2	2.33	0.7	2	15	5
C079939		1.32	<0.005			<0.5	5.99	76	480	3.4	<2	0.71	<0.5	1	16	6
C079940		2.54	<0.005			<0.5	4.50	104	1150	1.6	<2	1.45	0.5	6	61	22

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06080809

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
C079901		5.06	0.44	2.95	1340	<1	1.46	35	460	2	0.21	<5	674	0.27	95	20
C079902		4.24	0.56	2.63	1100	<1	1.60	39	520	<2	0.31	<5	726	0.33	92	50
C079903		2.18	2.47	0.67	201	<1	1.43	19	290	13	0.25	<5	272	0.21	45	<10
C079904		2.26	1.96	0.62	222	<1	1.02	14	290	10	0.23	<5	148	0.16	37	<10
C079905		3.18	1.76	2.31	783	2	0.98	24	550	2	0.35	<5	361	0.21	77	1640
C079906		2.21	2.60	0.83	387	<1	2.24	10	510	15	0.12	<5	541	0.24	37	<10
C079907		2.63	3.30	1.11	434	<1	2.13	8	680	16	0.01	<5	634	0.30	47	<10
C079908		4.42	3.56	2.94	1090	<1	0.83	35	510	6	0.93	<5	327	0.34	87	<10
C079909		4.41	3.52	2.93	1140	<1	0.85	35	520	6	0.96	<5	352	0.35	88	10
C079910		5.38	1.81	1.43	458	1	3.41	49	680	13	0.66	<5	217	0.32	94	<10
C079911		4.55	3.04	3.52	1620	<1	0.66	38	610	6	0.97	<5	492	0.33	82	<10
C079912		4.01	3.92	1.86	760	<1	1.01	37	600	10	0.50	<5	241	0.44	94	<10
C079913		4.17	2.59	1.35	737	<1	0.88	38	350	7	0.70	<5	320	0.32	87	330
C079914		4.95	0.20	2.17	1035	1	1.46	49	540	<2	0.01	<5	641	0.20	116	3150
C079915		1.13	0.49	0.13	290	<1	2.27	3	70	<2	0.01	<5	985	0.05	9	520
C079916		0.15	0.02	11.70	137	<1	0.02	<1	410	<2	0.01	<5	111	0.01	1	10
C079917		3.01	0.62	1.85	603	<1	1.62	33	410	<2	0.18	<5	745	0.28	102	1220
C079918		2.82	2.23	0.94	436	<1	1.09	22	330	10	0.08	<5	214	0.30	57	<10
C079919		1.02	3.17	0.38	118	<1	1.60	4	440	26	<0.01	<5	325	0.13	18	<10
C079920		3.28	2.76	0.73	573	<1	0.98	24	580	28	0.01	<5	137	0.37	62	<10
C079921		3.38	2.42	1.05	564	<1	1.05	28	390	13	0.19	5	282	0.37	74	<10
C079922		3.25	2.24	1.14	622	<1	0.88	30	410	13	0.26	<5	232	0.39	74	<10
C079923		2.73	2.40	0.87	485	<1	0.79	23	330	10	0.19	5	224	0.29	53	120
C079924		3.31	2.52	1.11	626	<1	0.99	26	220	9	0.14	<5	155	0.34	68	<10
C079925		2.57	1.50	1.46	615	<1	0.87	22	260	8	0.37	<5	323	0.18	63	90
C079926		3.38	2.02	1.38	842	<1	1.32	32	390	8	0.23	<5	455	0.33	74	90
C079927		2.97	2.58	0.93	593	<1	0.95	29	240	11	0.18	<5	178	0.32	63	<10
C079928		2.86	1.99	0.90	530	<1	1.17	23	320	12	0.33	<5	341	0.29	60	200
C079929		2.70	1.93	0.87	513	<1	1.15	21	310	11	0.32	<5	335	0.29	59	230
C079930		3.40	3.20	0.37	68	2	0.09	8	330	32	0.02	149	143	0.23	97	10
C079931		3.27	2.53	0.93	499	2	1.14	31	560	12	0.62	15	242	0.30	100	<10
C079932		2.63	1.69	0.85	443	<1	1.47	24	330	9	0.23	<5	442	0.31	99	10
C079933		3.19	3.02	0.84	382	<1	1.34	25	330	14	0.41	<5	335	0.29	62	<10
C079934		3.03	2.33	0.80	396	1	1.17	33	280	20	0.23	<5	157	0.28	198	<10
C079935		1.69	1.28	0.30	119	3	0.60	73	460	7	0.01	11	142	0.15	561	<10
C079936		0.11	0.03	11.30	140	<1	0.01	2	410	<2	0.01	<5	111	0.01	2	<10
C079937		1.41	0.43	0.21	120	<1	0.59	46	320	4	<0.01	6	178	0.09	276	<10
C079938		1.07	1.24	0.24	325	<1	1.22	41	190	16	0.02	5	153	0.05	153	<10
C079939		0.91	2.99	0.12	107	<1	1.58	28	220	59	0.01	10	139	0.05	155	10
C079940		1.47	0.82	0.54	128	14	1.35	86	680	2	0.20	<5	468	0.18	553	<10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06080809

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Zn ppm 2
C079901		78
C079902		77
C079903		45
C079904		34
C079905		48
C079906		37
C079907		43
C079908		87
C079909		89
C079910		217
C079911		88
C079912		116
C079913		62
C079914		38
C079915		13
C079916		6
C079917		31
C079918		44
C079919		13
C079920		67
C079921		68
C079922		60
C079923		95
C079924		58
C079925		61
C079926		82
C079927		78
C079928		65
C079929		63
C079930		16
C079931		72
C079932		60
C079933		70
C079934		88
C079935		183
C079936		8
C079937		158
C079938		192
C079939		37
C079940		60

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06080809

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
C079941		0.84	<0.005			<0.5	3.36	93	950	1.4	<2	1.23	<0.5	3	43	11
C079942		0.76	<0.005			<0.5	3.32	76	670	1.6	<2	1.28	<0.5	3	45	8
C079943		1.52	<0.005			<0.5	4.05	82	2270	1.5	<2	0.89	2.3	8	58	36
C079944		1.30	<0.005			<0.5	5.88	120	2210	1.9	<2	1.30	1.3	11	70	46
C079945		1.76	<0.005			<0.5	3.57	59	920	2.3	<2	2.20	<0.5	5	50	16
C079946		2.04	<0.005			<0.5	3.72	70	2000	1.4	<2	2.99	2.0	8	60	37
C079947		2.02	<0.005			<0.5	3.66	81	1770	1.5	<2	1.64	<0.5	10	52	45
C079948		2.28	<0.005			<0.5	3.77	47	640	2.7	<2	2.55	<0.5	6	53	32
C079949		<0.02	0.009			<0.5	4.05	41	590	2.9	<2	2.68	<0.5	5	52	26
C079950		0.10	0.812			2.1	7.90	12	450	0.7	<2	1.97	0.8	23	98	2060
C079951		2.14	<0.005			<0.5	6.18	21	1030	2.3	<2	3.56	<0.5	12	53	47
C079952		1.78	<0.005			<0.5	5.61	5	660	1.5	<2	2.51	<0.5	8	46	28
C079953		2.02	<0.005			<0.5	6.56	10	750	1.8	<2	2.90	<0.5	11	52	30
C079954		2.00	<0.005			<0.5	6.23	5	740	2.5	<2	1.90	<0.5	4	35	20
C079955		0.82	<0.005			<0.5	7.71	23	1050	4.0	<2	2.80	<0.5	2	14	17
C079956		0.80	<0.005			<0.5	0.14	<5	10	<0.5	<2	20.5	<0.5	<1	3	2
C079957		0.42	<0.005			<0.5	7.66	10	680	2.6	<2	2.94	<0.5	4	24	9
C079958		2.02	<0.005			<0.5	6.81	10	940	2.3	<2	1.42	<0.5	6	36	26
C079959		0.78	<0.005			<0.5	6.21	17	660	3.0	<2	1.28	<0.5	3	27	14
C079960		2.00	<0.005			<0.5	6.44	10	470	5.3	<2	1.24	<0.5	<1	14	3
C079961		0.82	<0.005			<0.5	6.46	21	240	4.1	<2	1.05	<0.5	1	8	8
C079962		0.80	<0.005			<0.5	6.52	11	240	4.3	<2	1.02	<0.5	1	11	6
C079963		1.44	<0.005			<0.5	6.37	8	450	4.3	<2	1.64	<0.5	4	17	7
C079964		1.58	<0.005			<0.5	6.11	13	370	4.7	<2	1.33	<0.5	1	12	2
C079965		1.92	<0.005			<0.5	6.25	27	450	4.0	<2	1.14	<0.5	<1	9	1
C079966		1.58	<0.005			<0.5	6.11	16	440	4.1	<2	1.19	<0.5	1	12	5
C079967		0.76	<0.005			<0.5	6.46	16	320	3.7	<2	1.28	<0.5	2	8	1
C079968		0.74	<0.005			<0.5	6.46	15	330	3.6	<2	1.50	<0.5	1	13	2
C079969		<0.02	0.006			<0.5	6.35	7	330	3.7	<2	1.54	<0.5	2	11	<1
C079970		0.08	2.97			0.7	6.65	7	2030	3.2	<2	4.56	<0.5	24	135	96
C079971		1.48	<0.005			<0.5	7.29	27	360	4.2	<2	1.31	<0.5	1	10	6
C079972		2.06	<0.005			<0.5	6.56	116	440	4.1	<2	1.69	<0.5	1	9	4
C079973		1.14	<0.005			<0.5	6.98	122	480	3.8	<2	1.37	<0.5	3	7	4
C079974		1.66	<0.005			<0.5	7.71	25	750	4.0	<2	1.40	<0.5	6	31	15
C079975		1.16	0.005			<0.5	5.64	26	240	4.3	<2	0.85	<0.5	3	5	10
C079976		0.62	<0.005			<0.5	0.14	<5	20	<0.5	<2	19.70	<0.5	<1	1	3
C079977		1.46	<0.005			<0.5	6.07	26	320	4.4	<2	0.82	<0.5	1	5	6
C079978		2.06	<0.005			<0.5	7.82	<5	830	2.5	<2	3.73	<0.5	14	49	44
C079979		0.58	<0.005			<0.5	7.17	12	520	5.4	<2	3.43	<0.5	11	20	17
C079980		1.50	0.016			<0.5	6.31	5	550	1.3	<2	1.21	<0.5	14	41	23

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06080809

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
C079941		1.32	0.53	0.49	105	9	1.10	64	740	4	0.07	<5	363	0.15	563	10
C079942		1.31	0.46	0.52	115	6	1.12	63	610	3	0.03	<5	393	0.15	535	<10
C079943		1.79	1.61	0.56	131	16	0.79	99	720	3	0.48	7	143	0.15	609	<10
C079944		2.66	1.97	0.95	242	13	0.95	83	570	<2	0.62	<5	212	0.20	441	<10
C079945		1.37	0.51	0.66	191	8	1.13	59	770	3	0.17	<5	392	0.16	531	<10
C079946		2.50	1.27	1.22	439	19	0.48	93	690	5	0.60	<5	197	0.17	547	10
C079947		2.06	1.32	0.68	173	22	0.64	94	600	6	0.59	<5	173	0.16	530	<10
C079948		1.78	0.39	0.61	203	15	1.14	69	600	3	0.32	<5	415	0.19	451	70
C079949		1.76	0.37	0.63	205	16	1.25	64	610	2	0.29	<5	451	0.19	468	70
C079950		5.28	1.72	1.33	446	<1	3.28	48	690	12	0.65	<5	218	0.28	88	10
C079951		2.83	1.47	1.14	493	5	1.10	46	540	6	0.71	<5	414	0.27	237	10
C079952		2.51	1.62	0.80	414	<1	1.04	19	290	11	0.38	5	317	0.23	45	30
C079953		2.71	1.98	0.99	475	<1	1.35	21	380	5	0.43	6	365	0.27	64	30
C079954		1.91	2.45	0.55	233	<1	1.52	15	210	16	0.20	<5	374	0.18	36	10
C079955		1.59	2.55	0.53	166	<1	2.33	2	480	25	0.15	<5	716	0.19	21	10
C079956		0.11	0.03	11.45	133	<1	0.02	<1	440	2	0.01	<5	106	0.01	2	<10
C079957		1.81	1.72	0.67	215	<1	2.50	15	420	7	0.12	6	831	0.21	34	10
C079958		2.10	2.77	0.64	216	<1	1.67	15	230	18	0.23	<5	333	0.20	40	10
C079959		1.35	2.19	0.38	162	<1	1.97	10	150	22	0.11	<5	353	0.13	26	<10
C079960		0.74	3.01	0.09	96	<1	2.45	1	60	55	0.01	<5	310	0.04	4	<10
C079961		0.72	3.55	0.10	136	<1	2.14	1	70	86	0.04	5	173	0.04	4	10
C079962		0.88	3.56	0.11	148	<1	2.19	1	60	79	0.03	<5	182	0.04	4	10
C079963		1.18	2.22	0.26	175	<1	2.38	7	130	39	0.04	<5	382	0.10	16	10
C079964		0.72	2.57	0.10	76	<1	2.37	2	90	37	0.01	5	342	0.04	6	20
C079965		0.68	2.76	0.09	84	<1	2.24	2	70	102	0.01	6	236	0.04	5	10
C079966		0.80	3.27	0.12	65	<1	2.11	3	90	45	0.05	<5	240	0.05	5	<10
C079967		0.82	2.87	0.13	216	<1	2.43	2	90	62	0.01	<5	301	0.05	5	<10
C079968		1.17	2.29	0.14	177	<1	2.48	3	110	50	0.01	<5	340	0.05	7	10
C079969		0.84	2.23	0.15	152	<1	2.47	3	110	49	0.01	<5	348	0.06	7	10
C079970		4.92	3.20	2.86	1025	11	2.34	57	2340	27	0.31	<5	1600	0.38	156	10
C079971		1.05	3.61	0.16	178	1	2.29	4	110	71	0.04	<5	253	0.06	6	<10
C079972		0.73	2.48	0.13	85	<1	2.35	2	80	42	0.02	<5	398	0.05	7	10
C079973		0.95	3.13	0.12	124	<1	2.21	3	90	60	0.01	<5	316	0.05	6	<10
C079974		2.07	3.27	0.45	194	<1	1.70	17	240	41	0.05	17	279	0.22	38	10
C079975		0.58	3.37	0.05	92	<1	1.84	1	30	71	0.05	<5	164	0.03	2	<10
C079976		0.09	0.04	12.00	123	<1	0.02	1	490	4	<0.01	<5	118	0.01	2	<10
C079977		0.66	3.43	0.08	89	<1	1.86	3	40	70	0.01	9	171	0.04	4	<10
C079978		3.18	2.56	2.12	653	<1	1.42	30	470	18	0.32	13	325	0.33	88	10
C079979		1.18	1.28	0.41	167	<1	2.44	9	380	35	0.01	<5	533	0.24	28	10
C079980		2.61	1.94	0.63	585	<1	1.65	17	210	69	0.26	<5	148	0.29	49	<10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06080809

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Zn ppm 2
C079941		40
C079942		39
C079943		166
C079944		120
C079945		52
C079946		174
C079947		86
C079948		34
C079949		36
C079950		210
C079951		60
C079952		49
C079953		53
C079954		37
C079955		21
C079956		7
C079957		31
C079958		32
C079959		25
C079960		8
C079961		11
C079962		10
C079963		17
C079964		7
C079965		62
C079966		3
C079967		19
C079968		11
C079969		11
C079970		92
C079971		15
C079972		6
C079973		13
C079974		34
C079975		11
C079976		8
C079977		18
C079978		77
C079979		25
C079980		85

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06080809

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
C079981		0.84	0.010			<0.5	7.45	9	840	2.0	<2	2.74	<0.5	12	48	33
C079982		0.86	0.005			<0.5	7.21	<5	720	2.1	<2	2.39	<0.5	10	44	27
C079983		1.04	0.015			<0.5	7.93	11	920	1.9	<2	1.76	<0.5	18	51	76
C079984		1.92	0.005			<0.5	7.64	9	900	1.9	<2	3.25	<0.5	15	50	38
C079985		1.92	0.017			<0.5	6.64	51	1330	1.7	<2	3.38	<0.5	10	43	37
C079986		1.74	<0.005			<0.5	4.73	<5	610	1.4	<2	2.35	<0.5	4	27	9
C079987		2.00	0.006			<0.5	7.98	<5	870	2.5	<2	2.57	<0.5	10	53	30
C079988		1.16	0.006			<0.5	7.99	21	930	2.6	<2	2.90	<0.5	9	53	25
C079989		<0.02	0.006			<0.5	7.43	15	860	2.4	<2	2.70	<0.5	8	49	37
C079990		0.10	3.12			<0.5	7.21	<5	2120	3.3	<2	4.64	<0.5	25	151	101
C079991		0.52	0.149	0.082	0.109	8.6	4.36	254	220	1.8	9	3.82	0.6	5	24	41
C079992		1.18	<0.005	<0.005		<0.5	6.32	<5	600	1.8	<2	2.37	<0.5	9	43	30
C079993		2.26	0.005	0.007		<0.5	8.07	<5	900	2.2	<2	3.96	<0.5	17	60	43
C079994		1.08	<0.005			<0.5	8.15	11	650	2.5	<2	3.30	<0.5	8	41	29
C079995		1.82	<0.005			<0.5	7.49	<5	780	2.1	<2	4.00	<0.5	17	56	55
C079996		0.54	<0.005			<0.5	0.19	<5	20	<0.5	<2	19.70	<0.5	<1	2	1
C079997		1.70	<0.005			<0.5	7.84	11	750	2.4	<2	2.93	<0.5	11	56	13
C079998		0.44	<0.005			<0.5	5.62	<5	530	2.6	<2	2.94	<0.5	7	41	9
C079999		0.92	<0.005			<0.5	6.68	9	1230	3.1	<2	3.18	<0.5	6	24	5
C080000		3.72	<0.005			<0.5	7.19	<5	710	1.9	<2	2.04	<0.5	9	51	22
C080001		0.82	<0.005			<0.5	6.99	9	490	2.8	<2	3.84	<0.5	6	44	11
C080002		0.86	<0.005			<0.5	6.81	5	510	2.6	<2	3.67	<0.5	5	42	12
C080003		0.90	0.005			<0.5	7.66	6	720	2.8	<2	2.18	<0.5	11	46	19
C080004		1.88	<0.005			<0.5	4.13	<5	540	1.0	<2	1.80	<0.5	4	31	7
C080005		1.78	<0.005			<0.5	3.07	<5	370	0.6	<2	1.77	<0.5	2	22	5
C080006		1.30	<0.005			<0.5	4.14	<5	440	1.0	<2	1.85	<0.5	5	36	9
C080007		1.92	<0.005			<0.5	6.16	<5	640	1.8	<2	2.77	<0.5	7	41	15
C080008		2.12	<0.005			<0.5	6.87	<5	620	2.2	<2	2.86	<0.5	7	51	15
C080009		<0.02	0.015			<0.5	6.92	<5	630	2.3	<2	2.89	<0.5	8	51	16
C080010		0.10	1.025			2.1	7.46	<5	420	0.7	<2	1.81	<0.5	22	95	1940
C080011		1.76	<0.005			<0.5	6.35	6	640	2.1	<2	2.86	<0.5	9	44	15
C080012		0.48	<0.005			<0.5	6.24	16	380	3.5	<2	1.24	<0.5	3	14	1
C080013		1.64	<0.005			<0.5	6.91	7	780	2.2	<2	0.88	<0.5	7	46	15
C080014		1.68	<0.005			<0.5	7.26	<5	910	2.1	<2	3.74	<0.5	14	57	27
C080015		1.04	<0.005			<0.5	5.58	<5	720	1.4	<2	1.40	<0.5	7	37	20
C080016		0.56	<0.005			<0.5	0.17	<5	20	<0.5	<2	20.4	<0.5	<1	3	1
C080017		1.24	<0.005			<0.5	7.36	<5	840	2.0	<2	3.39	<0.5	13	54	47
C080018		0.66	<0.005			<0.5	5.62	106	730	1.4	<2	2.78	<0.5	11	31	21
C080019		1.98	<0.005			<0.5	5.42	5	780	1.2	<2	0.64	<0.5	7	36	17
C080020		1.12	<0.005			<0.5	5.89	<5	810	1.8	<2	0.58	<0.5	8	41	18

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06080809

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
C079981		3.02	2.69	1.46	594	<1	1.34	27	320	25	0.41	9	304	0.31	78	40
C079982		2.73	2.37	1.17	481	<1	1.44	21	280	20	0.45	<5	324	0.28	63	10
C079983		3.60	3.52	1.00	547	<1	1.10	31	350	19	0.85	<5	210	0.29	66	10
C079984		3.03	2.59	2.24	741	1	1.14	27	350	13	0.49	6	314	0.30	95	<10
C079985		3.03	2.68	1.49	708	2	0.86	22	370	13	0.47	5	212	0.26	71	10
C079986		1.74	1.47	0.51	315	<1	1.04	9	240	8	0.08	<5	293	0.19	33	10
C079987		3.37	2.73	0.97	448	<1	1.31	24	360	19	0.25	<5	314	0.32	61	<10
C079988		3.37	2.87	0.80	753	<1	0.76	21	340	23	0.21	11	227	0.33	63	30
C079989		3.18	2.62	0.74	704	<1	0.70	19	320	22	0.20	<5	208	0.30	58	30
C079990		5.08	3.41	2.97	1070	12	2.32	60	2470	32	0.31	<5	1700	0.38	163	10
C079991		4.71	1.22	1.21	1720	<1	0.07	11	310	411	0.23	23	75	0.14	42	130
C079992		2.76	1.79	0.96	534	1	0.95	21	450	16	0.40	14	170	0.24	73	10
C079993		3.82	3.67	2.33	814	<1	0.83	34	560	22	0.29	<5	253	0.37	102	10
C079994		2.97	2.87	1.46	489	<1	1.36	22	350	50	0.25	6	298	0.27	68	100
C079995		3.50	2.87	2.53	663	2	0.82	36	450	10	0.43	<5	254	0.34	114	20
C079996		0.13	0.05	11.00	138	<1	0.03	<1	420	7	0.01	<5	109	0.01	2	<10
C079997		3.03	2.23	1.32	401	5	1.42	27	620	12	0.11	<5	318	0.35	77	20
C079998		2.18	1.02	0.65	278	<1	1.55	16	220	9	0.08	<5	484	0.24	42	10
C079999		1.67	2.31	0.70	265	<1	2.21	18	540	21	0.02	<5	563	0.27	32	<10
C080000		3.25	2.46	0.80	450	<1	1.20	20	520	17	0.16	<5	229	0.31	53	<10
C080001		2.46	1.60	0.95	307	<1	1.81	18	340	19	0.10	<5	570	0.28	50	10
C080002		2.51	1.63	0.93	293	<1	1.74	19	340	15	0.11	<5	553	0.27	47	20
C080003		2.83	2.86	0.83	312	<1	1.84	21	340	27	0.16	<5	381	0.33	57	<10
C080004		1.78	1.31	0.37	303	<1	1.06	7	210	11	0.06	<5	175	0.18	25	30
C080005		1.29	1.05	0.30	301	<1	0.77	4	180	12	0.04	<5	182	0.12	16	<10
C080006		1.97	1.29	0.45	301	<1	0.96	9	170	11	0.07	<5	175	0.17	26	170
C080007		2.77	1.93	0.83	385	<1	1.25	17	280	16	0.15	<5	280	0.26	45	300
C080008		2.84	1.82	0.97	370	<1	1.58	22	500	15	0.16	<5	461	0.31	55	130
C080009		2.77	1.86	0.97	364	<1	1.62	22	520	16	0.16	<5	462	0.32	57	120
C080010		4.95	1.67	1.27	419	1	3.09	46	620	23	0.58	<5	201	0.29	83	<10
C080011		2.61	1.70	1.30	397	<1	1.44	19	350	11	0.12	<5	388	0.27	64	<10
C080012		1.01	2.91	0.43	157	<1	1.97	7	100	43	<0.01	<5	255	0.09	14	<10
C080013		2.67	2.42	0.82	317	<1	1.83	20	200	17	0.15	<5	299	0.28	48	<10
C080014		3.43	2.51	2.74	890	<1	1.09	35	460	9	0.25	<5	297	0.33	105	<10
C080015		2.45	1.88	0.99	478	<1	1.29	12	190	17	0.24	<5	232	0.24	50	<10
C080016		0.11	0.05	11.45	139	<1	0.02	2	370	4	0.01	<5	114	0.01	2	<10
C080017		3.20	2.84	2.07	794	1	0.79	31	400	8	0.47	<5	280	0.29	103	<10
C080018		2.37	2.30	1.82	659	<1	0.86	21	350	8	0.34	<5	242	0.18	42	<10
C080019		2.22	1.94	0.61	367	<1	1.22	15	150	21	0.34	<5	164	0.21	34	<10
C080020		2.45	1.99	0.63	337	<1	1.50	16	240	22	0.25	<5	186	0.26	40	<10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06080809

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Zn ppm 2
C079981		74
C079982		60
C079983		66
C079984		71
C079985		59
C079986		33
C079987		67
C079988		70
C079989		65
C079990		98
C079991		230
C079992		56
C079993		103
C079994		62
C079995		78
C079996		7
C079997		57
C079998		32
C079999		36
C080000		66
C080001		45
C080002		44
C080003		59
C080004		37
C080005		23
C080006		32
C080007		53
C080008		55
C080009		56
C080010		197
C080011		56
C080012		18
C080013		54
C080014		80
C080015		39
C080016		7
C080017		61
C080018		57
C080019		41
C080020		45

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06080809

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
C080021		0.40	<0.005			<0.5	7.75	<5	1040	2.0	<2	0.49	<0.5	11	54	23
C080022		0.44	<0.005			<0.5	7.53	<5	900	1.8	<2	0.77	<0.5	11	53	29
C080023		0.64	0.005			<0.5	8.20	<5	830	2.1	<2	0.36	<0.5	15	61	27
C080024		0.98	<0.005			<0.5	7.04	<5	720	1.9	<2	0.58	<0.5	14	56	46
C080025		1.32	<0.005			<0.5	3.07	<5	260	0.7	<2	0.73	<0.5	5	32	13
C080026		1.60	<0.005			<0.5	7.15	21	720	1.8	<2	1.74	<0.5	15	61	43
C080027		2.00	0.012			<0.5	6.00	11	770	1.4	<2	0.54	<0.5	9	42	20
C080028		0.64	0.011			<0.5	8.01	79	850	2.4	<2	3.56	<0.5	11	52	50
C080029		<0.02	0.017			0.6	7.19	94	760	2.4	<2	4.11	<0.5	9	47	48
C080030		0.10	NSS			<0.5	7.08	<5	2090	3.4	<2	4.85	<0.5	24	132	94
C080031		1.36	<0.005			<0.5	8.52	8	1750	3.0	<2	3.11	<0.5	11	39	11
C080032		1.36	<0.005			<0.5	6.94	<5	640	1.6	<2	1.72	<0.5	10	50	33
C080033		1.58	<0.005			<0.5	8.30	11	730	2.1	<2	1.08	<0.5	15	59	39
C080034		1.88	<0.005			<0.5	7.65	7	670	2.2	<2	7.88	<0.5	11	44	29
C080035		1.88	<0.005			<0.5	7.77	21	800	2.0	<2	2.36	<0.5	13	51	32
C080036		0.60	<0.005			<0.5	0.12	<5	10	<0.5	<2	20.5	<0.5	<1	2	2
C080037		1.96	<0.005			<0.5	8.75	110	630	2.4	<2	1.50	<0.5	12	56	28
C080038		1.86	<0.005			<0.5	9.17	13	710	2.4	<2	1.06	<0.5	11	61	21
C080039		0.74	<0.005			<0.5	3.75	6	510	0.7	<2	0.88	<0.5	4	23	18
C080040		0.80	<0.005			<0.5	5.07	7	470	1.7	<2	2.42	<0.5	7	36	12
C080041		0.28	<0.005			<0.5	7.10	9	520	2.1	<2	1.27	<0.5	9	47	41
C080042		0.34	<0.005			<0.5	7.18	9	550	1.7	<2	1.03	<0.5	10	49	40
C080043		0.70	<0.005			<0.5	9.11	13	660	2.5	<2	1.16	<0.5	13	65	51
C080044		1.04	<0.005			<0.5	7.45	24	1200	3.8	<2	3.20	<0.5	5	28	6
C080045		2.06	<0.005			<0.5	7.35	8	1270	3.4	<2	2.84	<0.5	6	26	7
C080046		1.90	<0.005			<0.5	6.63	5	1020	3.6	<2	2.76	<0.5	5	26	5
C080047		0.54	<0.005			<0.5	6.86	10	620	4.7	<2	3.47	<0.5	3	23	3
C080048		0.88	<0.005			<0.5	7.47	5	1210	3.5	<2	3.18	<0.5	5	26	4
C080049		<0.02	<0.005			<0.5	7.33	<5	1170	3.6	<2	3.27	<0.5	6	28	5
C080050		0.10	0.772			2.1	7.65	9	500	0.7	<2	2.03	1.4	21	100	2000
C080051		0.82	<0.005			<0.5	7.07	5	1180	3.4	<2	2.79	<0.5	6	23	5
C080052		1.48	<0.005			<0.5	7.69	<5	1550	3.1	<2	2.44	<0.5	7	27	6
C080053		1.68	<0.005			<0.5	7.47	12	1420	3.6	<2	2.20	<0.5	6	25	7
C080054		1.36	<0.005			<0.5	7.93	9	1480	3.9	<2	2.65	<0.5	7	28	11
C080055		0.92	<0.005			<0.5	7.76	<5	1360	3.8	<2	2.68	<0.5	6	25	9
C080056		0.54	0.009			<0.5	0.21	<5	30	<0.5	<2	19.25	<0.5	1	1	4
C080057		1.50	<0.005			<0.5	7.42	5	1120	4.4	<2	3.03	<0.5	5	23	4
C080058		1.76	<0.005			<0.5	8.04	<5	1480	3.3	<2	2.45	<0.5	6	25	11

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06080809

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
C080021		3.35	3.03	0.85	465	<1	1.24	23	270	29	0.34	<5	152	0.34	58	<10
C080022		3.76	2.87	1.05	742	<1	1.06	27	420	22	0.44	<5	132	0.34	62	<10
C080023		4.12	2.60	0.93	723	<1	0.43	33	270	17	0.29	<5	129	0.37	69	<10
C080024		3.30	2.52	0.82	573	<1	0.62	31	430	20	0.54	<5	141	0.30	59	<10
C080025		1.90	0.97	0.48	290	<1	0.63	9	100	8	0.20	<5	97	0.15	23	<10
C080026		3.40	2.25	1.33	602	1	1.03	35	270	13	0.52	<5	241	0.30	101	<10
C080027		2.71	2.17	0.67	360	<1	0.89	18	160	12	0.60	<5	76	0.21	39	<10
C080028		3.13	2.88	0.92	663	<1	1.00	27	280	23	0.90	7	307	0.26	60	<10
C080029		2.98	2.68	0.84	671	<1	0.90	24	250	23	0.88	<5	360	0.23	53	10
C080030		5.13	3.27	2.87	1045	10	2.36	60	2300	32	0.30	<5	1625	0.40	164	10
C080031		3.21	2.78	1.12	355	1	1.98	32	810	53	0.03	<5	563	0.42	56	<10
C080032		3.41	2.69	0.98	483	<1	1.30	23	280	29	0.30	<5	181	0.30	53	20
C080033		4.10	3.11	1.13	471	<1	1.68	30	380	23	0.46	5	190	0.38	70	<10
C080034		3.90	2.16	0.98	870	<1	1.11	26	350	30	0.25	<5	524	0.31	55	100
C080035		3.97	2.73	1.01	571	<1	1.36	28	320	19	0.28	<5	238	0.35	67	80
C080036		0.11	0.03	11.40	120	<1	0.02	<1	390	4	0.01	<5	103	0.01	2	<10
C080037		3.67	2.72	0.98	298	<1	1.67	25	440	11	0.26	<5	216	0.37	68	<10
C080038		4.30	3.11	1.03	353	2	1.50	27	510	19	0.16	<5	194	0.38	69	<10
C080039		1.52	2.08	0.31	173	<1	0.76	9	140	18	0.13	<5	125	0.15	23	<10
C080040		2.49	1.75	0.63	450	1	0.69	16	180	13	0.11	<5	232	0.22	38	710
C080041		3.21	2.49	0.79	324	3	1.69	29	250	24	0.70	<5	189	0.24	49	<10
C080042		3.45	2.58	0.77	347	1	1.34	30	240	16	1.07	<5	187	0.23	52	<10
C080043		4.20	3.91	1.06	401	2	1.85	37	440	19	0.73	<5	250	0.35	74	530
C080044		2.07	2.43	0.74	275	<1	2.48	26	600	22	0.04	<5	662	0.29	33	<10
C080045		2.10	2.47	0.72	280	2	2.26	15	580	21	0.03	<5	586	0.29	33	<10
C080046		1.92	2.01	0.64	249	<1	2.14	14	520	14	0.02	<5	593	0.25	28	10
C080047		1.64	1.24	0.57	186	<1	2.62	10	550	6	0.01	<5	735	0.25	27	<10
C080048		2.14	2.36	0.78	282	1	2.41	18	620	17	0.02	<5	629	0.30	36	<10
C080049		2.28	2.29	0.76	283	1	2.52	19	640	15	0.02	<5	671	0.31	35	<10
C080050		5.24	1.76	1.37	432	3	3.29	49	650	19	0.62	<5	209	0.30	90	<10
C080051		2.02	2.27	0.70	273	<1	2.16	14	620	20	0.01	<5	686	0.29	35	<10
C080052		2.52	3.25	0.78	333	<1	1.90	18	670	27	0.02	7	537	0.30	36	<10
C080053		2.18	3.67	0.70	313	<1	1.84	16	590	27	0.03	<5	494	0.30	34	<10
C080054		2.44	3.23	0.75	354	<1	2.08	16	670	28	0.03	<5	589	0.30	36	<10
C080055		2.21	2.91	0.75	355	<1	2.04	18	630	26	0.04	<5	505	0.30	36	<10
C080056		0.15	0.04	11.60	148	<1	0.03	<1	490	4	0.01	6	130	0.01	2	<10
C080057		1.78	2.26	0.71	281	<1	2.33	14	590	22	0.02	8	672	0.28	33	<10
C080058		2.37	3.49	0.77	349	<1	1.96	17	630	33	0.04	<5	571	0.31	35	<10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06080809

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
C080021		77
C080022		77
C080023		90
C080024		75
C080025		29
C080026		54
C080027		52
C080028		57
C080029		51
C080030		98
C080031		88
C080032		75
C080033		82
C080034		90
C080035		80
C080036		9
C080037		47
C080038		79
C080039		27
C080040		46
C080041		62
C080042		68
C080043		85
C080044		47
C080045		55
C080046		40
C080047		19
C080048		46
C080049		44
C080050		210
C080051		43
C080052		64
C080053		68
C080054		63
C080055		66
C080056		8
C080057		43
C080058		78

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2006
Account: STRGOL

CERTIFICATE VA06082369

Project: Dublin Gulch1735

P.O. No.:

This report is for 134 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 14-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06082369

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C082672		5.34	<0.005	<0.5	10.80	66	860	2.8	<2	0.35	<0.5	19	87	34	4.61	3.70
C082673		6.08	0.005	<0.5	10.60	35	1100	2.5	3	0.39	<0.5	16	78	25	4.47	3.77
C082674		5.38	<0.005	<0.5	10.55	66	860	2.7	3	0.74	<0.5	15	84	28	4.76	4.05
C082675		5.58	<0.005	<0.5	10.30	20	810	2.4	3	0.73	<0.5	14	91	31	4.69	3.48
C082676		1.48	<0.005	<0.5	0.15	<5	20	<0.5	<2	21.3	<0.5	1	4	2	0.11	0.03
C082677		6.00	<0.005	<0.5	10.40	53	900	2.4	<2	0.47	<0.5	19	87	44	5.10	3.98
C082678		5.56	<0.005	<0.5	7.87	87	680	1.9	<2	1.04	<0.5	13	62	24	3.39	3.15
C082679		6.24	<0.005	<0.5	9.65	29	900	2.6	2	0.51	<0.5	15	81	47	4.15	3.62
C082680		6.26	<0.005	<0.5	9.72	9	800	2.7	<2	0.44	<0.5	16	76	58	4.45	3.34
C082681		3.10	0.006	<0.5	10.05	18	820	2.2	4	0.49	<0.5	15	73	37	4.45	3.72
C082682		3.32	<0.005	<0.5	8.76	33	720	2.1	<2	0.50	<0.5	13	74	35	3.76	3.15
C082683		4.98	<0.005	<0.5	9.87	15	810	2.4	5	0.34	<0.5	17	78	49	4.44	3.35
C082684		4.40	0.007	<0.5	6.98	38	730	1.7	3	1.32	<0.5	12	54	44	3.35	2.38
C082685		5.38	0.006	<0.5	11.05	35	1280	2.8	3	0.57	<0.5	18	83	27	5.30	3.93
C082686		5.36	<0.005	<0.5	4.56	69	630	1.0	4	1.38	<0.5	9	40	25	2.87	1.55
C082687		2.28	<0.005	<0.5	4.98	<5	360	1.1	2	0.89	<0.5	10	45	21	2.99	1.64
C082688		4.90	<0.005	<0.5	4.53	54	330	1.0	<2	0.98	<0.5	7	40	12	2.28	1.37
C082689		<0.02	<0.005	<0.5	4.98	31	370	1.1	<2	1.09	<0.5	8	43	14	2.80	1.47
C082690		0.10	4.24	8.5	7.60	12	460	0.8	3	2.74	1.1	18	20	114	4.01	2.13
C082691		6.34	<0.005	<0.5	6.91	31	530	1.6	<2	1.33	<0.5	9	54	19	3.10	2.06
C082692		6.00	<0.005	<0.5	10.00	39	750	2.5	2	0.54	<0.5	15	77	32	3.99	3.34
C082693		5.12	<0.005	<0.5	10.25	135	820	2.9	<2	0.91	<0.5	15	78	27	4.01	3.74
C082694		5.24	<0.005	<0.5	10.20	68	820	2.8	<2	0.81	<0.5	13	83	27	4.16	3.76
C082695		4.28	<0.005	<0.5	11.50	33	910	3.3	<2	0.73	<0.5	16	91	30	4.91	4.26
C082696		1.60	<0.005	<0.5	0.15	<5	20	<0.5	<2	21.3	<0.5	1	6	2	0.12	0.04
C082697		4.32	0.006	<0.5	11.35	59	920	3.1	<2	0.76	<0.5	16	89	31	4.55	4.36
C082698		5.20	0.006	<0.5	9.31	36	610	4.7	<2	1.64	<0.5	9	66	10	2.82	2.86
C082699		3.98	<0.005	<0.5	7.19	46	640	2.1	<2	1.57	<0.5	8	52	9	2.20	2.34
C082700		3.94	0.005	<0.5	4.53	71	400	1.1	<2	1.17	<0.5	7	37	14	1.86	1.75
C082701		2.98	<0.005	<0.5	8.80	36	760	2.9	<2	1.46	<0.5	12	65	26	3.19	2.98
C082702		2.72	<0.005	<0.5	9.12	92	800	2.6	<2	1.35	<0.5	12	64	22	2.96	3.42
C082703		4.94	0.020	<0.5	11.40	882	1040	3.1	<2	1.69	<0.5	16	85	44	4.64	3.58
C082704		5.94	0.065	<0.5	9.29	828	960	3.1	2	2.89	<0.5	13	74	51	3.95	2.96
C082705		5.10	<0.005	<0.5	6.48	59	620	1.9	<2	1.35	<0.5	5	50	17	1.24	2.76
C082706		4.30	<0.005	<0.5	2.42	29	210	0.5	2	0.78	<0.5	4	26	4	0.81	0.94
C082707		6.72	<0.005	<0.5	9.90	224	810	2.9	<2	1.10	<0.5	17	80	36	4.18	3.63
C082708		6.00	<0.005	<0.5	10.40	119	890	2.9	<2	1.86	<0.5	16	80	30	3.89	3.82
C082709		<0.02	<0.005	<0.5	9.68	120	820	2.6	<2	1.65	<0.5	12	73	24	3.42	3.56
C082710		0.12	0.094	<0.5	6.99	103	590	2.6	<2	0.53	<0.5	57	1120	370	8.67	2.18
C082711		5.06	0.012	<0.5	12.25	125	1000	3.1	<2	0.86	<0.5	15	86	40	4.83	4.02

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06082369

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C082672		1.08	498	<1	1.27	46	320	20	0.22	<5	229	0.51	102	<10	96
C082673		1.09	437	<1	0.94	42	320	6	0.14	<5	152	0.42	92	10	79
C082674		1.27	509	<1	1.19	47	1740	10	0.16	<5	183	0.48	95	<10	92
C082675		1.20	595	<1	1.13	37	680	5	0.17	<5	164	0.45	88	<10	91
C082676		11.75	144	<1	0.01	<1	450	<2	<0.01	<5	113	0.01	3	<10	8
C082677		1.21	517	<1	0.85	44	300	11	0.28	<5	145	0.50	98	<10	101
C082678		0.93	392	<1	0.76	29	200	7	0.24	5	138	0.34	69	10	59
C082679		0.92	383	<1	0.84	42	360	7	0.62	<5	164	0.43	84	<10	57
C082680		1.03	503	<1	0.64	39	570	13	0.31	<5	151	0.43	85	<10	87
C082681		1.01	492	<1	0.88	40	690	13	0.30	<5	138	0.41	86	<10	85
C082682		0.88	437	<1	0.87	32	460	10	0.31	<5	135	0.38	77	<10	72
C082683		0.88	393	<1	0.37	43	650	11	0.45	<5	123	0.42	86	<10	80
C082684		0.79	428	<1	0.30	29	380	50	0.34	7	141	0.26	56	<10	117
C082685		1.10	291	<1	1.01	46	620	8	0.10	<5	159	0.44	97	<10	86
C082686		0.65	579	<1	0.51	22	200	5	0.17	<5	118	0.23	39	<10	47
C082687		0.64	408	<1	0.52	22	160	9	0.09	<5	95	0.26	43	10	49
C082688		0.53	337	<1	0.35	18	350	7	0.05	8	76	0.23	41	10	44
C082689		0.58	382	<1	0.38	18	400	6	0.05	9	80	0.25	45	10	48
C082690		1.28	923	10	1.56	12	840	22	0.65	<5	391	0.35	138	<10	96
C082691		0.71	296	<1	0.96	24	250	4	0.12	<5	158	0.29	56	10	50
C082692		0.97	209	<1	1.07	40	250	10	0.17	<5	132	0.43	85	<10	53
C082693		1.05	250	<1	1.22	44	410	9	0.20	<5	174	0.43	91	<10	61
C082694		1.08	261	<1	1.19	43	300	10	0.19	<5	166	0.44	90	<10	63
C082695		1.21	284	<1	1.24	48	870	12	0.20	7	182	0.51	107	10	88
C082696		11.80	137	<1	0.01	<1	430	3	0.01	<5	113	0.01	2	<10	7
C082697		1.21	287	<1	1.34	48	520	10	0.22	5	178	0.49	104	<10	75
C082698		0.92	174	5	2.06	28	470	7	0.07	7	264	0.33	76	10	30
C082699		0.67	239	2	1.21	19	260	6	0.07	<5	173	0.26	59	20	27
C082700		0.36	203	<1	0.73	13	120	2	0.07	<5	108	0.19	35	20	18
C082701		0.77	211	<1	1.35	30	400	6	0.17	<5	189	0.37	75	10	35
C082702		0.77	192	<1	1.18	28	450	6	0.15	<5	178	0.37	74	20	33
C082703		1.08	315	<1	1.11	44	600	8	0.34	<5	246	0.46	106	130	83
C082704		0.99	283	<1	1.04	36	440	13	0.37	<5	259	0.39	88	330	59
C082705		0.33	122	<1	0.94	14	170	5	0.06	7	133	0.22	47	30	12
C082706		0.12	68	<1	0.54	5	60	<2	0.03	<5	88	0.06	12	10	3
C082707		0.88	283	<1	0.66	44	440	9	0.22	5	152	0.44	96	30	68
C082708		0.94	268	<1	0.84	41	770	8	0.14	<5	188	0.45	102	40	58
C082709		0.89	243	<1	0.79	35	730	5	0.12	<5	173	0.41	91	40	52
C082710		0.60	385	7	0.12	465	350	147	0.02	10	50	0.24	87	30	612
C082711		1.07	304	<1	0.74	43	880	6	0.26	<5	170	0.47	101	20	74

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06082369

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C082712		3.10	0.012	<0.5	12.00	167	920	3.3	<2	1.70	<0.5	14	83	42	4.89	3.99
C082713		3.68	0.071	<0.5	9.90	1105	880	3.1	<2	2.70	<0.5	21	77	127	4.72	3.18
C082714		4.66	0.007	<0.5	11.20	145	870	2.9	<2	1.74	<0.5	13	76	41	4.62	3.13
C082715		4.48	0.007	<0.5	11.15	149	1030	2.9	<2	2.43	<0.5	16	88	55	5.36	3.64
C082716		2.54	<0.005	<0.5	0.16	<5	10	<0.5	<2	20.4	<0.5	<1	2	1	0.12	0.04
C082717		5.30	<0.005	<0.5	8.67	179	800	2.3	<2	1.90	<0.5	14	66	47	3.46	2.83
C082718		3.62	<0.005	<0.5	3.69	58	400	0.8	<2	1.24	<0.5	5	32	10	1.13	1.43
C082719		5.16	0.008	<0.5	3.47	40	190	0.9	<2	0.92	<0.5	4	31	9	1.18	1.22
C082720		4.50	<0.005	<0.5	3.43	22	190	0.8	<2	0.56	<0.5	2	29	9	1.23	1.10
C082721		2.48	0.005	<0.5	3.71	17	280	0.9	<2	0.54	<0.5	3	32	15	2.02	1.24
C082722		2.68	<0.005	<0.5	4.84	29	370	1.1	<2	0.41	<0.5	5	39	18	2.24	1.64
C082723		4.82	<0.005	<0.5	10.45	72	860	2.4	<2	0.46	<0.5	15	81	27	4.79	4.12
C082724		4.08	0.005	<0.5	8.05	51	730	2.0	<2	0.74	<0.5	9	56	24	3.04	3.04
C082725		3.48	<0.005	<0.5	2.30	58	280	0.5	<2	0.55	<0.5	2	18	6	1.01	1.06
C082726		4.96	0.007	<0.5	2.44	43	270	0.5	<2	0.48	<0.5	1	20	6	0.81	0.87
C082727		4.18	0.010	<0.5	2.48	31	250	0.5	<2	0.38	<0.5	1	25	10	1.01	0.80
C082728		3.34	0.009	<0.5	4.27	66	490	1.2	<2	0.69	<0.5	4	39	8	1.35	1.59
C082729		<0.02	0.011	<0.5	4.23	72	490	1.4	<2	0.67	<0.5	5	44	9	1.46	1.72
C082730		0.10	0.477	2.7	9.94	8	1120	1.2	<2	1.54	<0.5	7	12	6780	3.42	3.62
C082731		4.08	0.010	<0.5	8.22	97	930	2.0	<2	0.84	<0.5	11	55	27	2.63	3.64
C082732		3.84	0.011	<0.5	6.45	44	630	1.6	<2	1.09	<0.5	8	44	15	2.52	2.74
C082733		3.72	0.006	<0.5	3.86	202	410	1.0	<2	0.84	<0.5	3	28	12	1.37	1.55
C082734		3.26	0.011	<0.5	4.76	34	590	1.1	<2	0.19	<0.5	7	36	12	1.64	2.15
C082735		1.66	0.029	<0.5	3.28	541	380	0.7	<2	0.14	<0.5	3	26	4	1.27	1.41
C082736		2.32	<0.005	<0.5	0.12	<5	10	<0.5	<2	19.25	<0.5	1	2	2	0.11	0.03
C082737		1.40	0.021	<0.5	2.83	59	280	0.7	<2	0.17	<0.5	2	23	7	1.20	1.09
C082738		4.20	<0.005	<0.5	2.96	34	340	0.6	<2	0.54	<0.5	4	26	20	1.48	1.36
C082739		4.12	<0.005	<0.5	3.06	46	370	0.6	<2	0.21	<0.5	2	31	17	1.55	1.35
C082740		3.78	0.007	<0.5	2.87	71	390	0.5	<2	0.43	<0.5	2	29	19	1.49	1.55
C082741		0.98	0.035	<0.5	2.86	34	300	0.7	<2	1.21	<0.5	4	22	35	1.60	1.21
C082742		1.28	0.036	<0.5	4.96	40	560	1.4	<2	1.01	<0.5	6	36	51	2.59	2.03
C082743		3.02	0.006	<0.5	3.81	35	480	0.9	<2	0.55	<0.5	3	31	26	1.96	1.91
C082744		3.14	<0.005	<0.5	4.78	31	650	1.0	<2	0.40	<0.5	6	39	16	1.79	2.27
C082745		3.88	0.006	<0.5	2.81	40	390	0.6	<2	0.36	<0.5	2	31	19	1.33	1.43
C082746		5.10	0.008	<0.5	2.83	504	320	0.7	<2	0.88	<0.5	3	30	14	1.47	1.10
C082747		4.62	<0.005	<0.5	3.14	22	390	0.6	<2	0.30	<0.5	4	36	12	1.43	1.41
C082748		4.86	<0.005	<0.5	3.01	26	330	0.6	<2	1.16	<0.5	4	31	16	1.64	1.13
C082749		<0.02	<0.005	<0.5	2.98	18	330	0.6	<2	1.15	<0.5	3	31	17	1.61	1.18
C082750		0.12	2.97	<0.5	7.80	2190	760	13.8	<2	0.01	<0.5	1	155	104	3.55	2.99
C082751		4.48	<0.005	<0.5	4.34	76	460	1.0	<2	0.51	<0.5	5	38	14	2.10	1.64

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06082369

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
C082712		1.25	329	<1	1.10	48	760	7	0.27	<5	221	0.45	103	150	82
C082713		1.01	380	<1	0.86	49	630	9	0.99	<5	253	0.39	93	480	64
C082714		1.12	396	<1	1.12	42	640	<2	0.27	<5	243	0.40	93	20	86
C082715		1.24	498	<1	1.03	44	710	8	0.42	<5	262	0.45	105	20	93
C082716		11.85	138	<1	0.02	<1	430	<2	0.01	<5	108	0.01	2	<10	8
C082717		0.80	343	<1	1.10	32	540	5	0.24	<5	195	0.34	76	10	55
C082718		0.23	193	<1	0.54	8	110	7	0.05	11	87	0.16	27	20	9
C082719		0.19	180	<1	0.41	8	100	5	0.07	<5	49	0.16	25	20	8
C082720		0.19	165	<1	0.56	5	90	10	0.06	6	38	0.15	23	20	11
C082721		0.37	233	<1	0.48	10	80	4	0.11	8	73	0.16	26	20	14
C082722		0.44	223	<1	0.56	13	100	4	0.15	8	68	0.22	37	10	23
C082723		1.00	300	<1	0.69	41	490	5	0.17	11	103	0.45	89	10	53
C082724		0.67	250	<1	0.55	26	320	4	0.26	<5	92	0.30	63	10	33
C082725		0.11	92	<1	0.19	6	80	3	0.02	<5	47	0.10	14	10	7
C082726		0.12	95	<1	0.24	3	80	4	0.02	<5	43	0.11	15	20	6
C082727		0.15	76	<1	0.45	4	70	<2	0.01	10	49	0.11	15	10	5
C082728		0.25	105	<1	0.71	7	120	<2	0.06	11	90	0.18	31	30	8
C082729		0.25	102	<1	0.68	8	110	4	0.06	11	89	0.19	35	40	10
C082730		1.23	495	2	3.50	11	1980	10	0.24	<5	723	0.33	163	<10	60
C082731		0.61	178	2	0.72	22	1490	6	0.14	5	112	0.30	64	20	18
C082732		0.46	318	<1	0.68	21	360	13	0.11	10	80	0.25	51	20	28
C082733		0.31	208	<1	0.16	9	120	6	0.11	8	82	0.15	27	20	18
C082734		0.32	110	<1	0.28	14	110	6	0.07	<5	63	0.20	36	20	13
C082735		0.19	80	<1	0.55	5	80	5	0.06	6	51	0.15	23	20	8
C082736		11.35	131	<1	0.01	2	380	2	0.01	<5	107	0.01	2	<10	9
C082737		0.22	65	<1	0.33	7	90	<2	0.07	5	50	0.13	20	20	10
C082738		0.21	184	<1	0.40	7	80	3	0.28	18	57	0.13	21	20	8
C082739		0.28	112	<1	0.52	6	90	2	0.26	7	50	0.15	21	10	12
C082740		0.22	135	1	0.44	8	70	6	0.21	<5	53	0.12	20	10	10
C082741		0.28	274	<1	0.19	10	110	5	0.38	8	66	0.07	19	<10	8
C082742		0.50	287	<1	0.26	14	180	5	0.53	13	79	0.15	36	<10	14
C082743		0.36	175	1	0.44	12	90	5	0.41	17	72	0.15	29	20	11
C082744		0.32	211	4	0.41	15	110	4	0.15	10	59	0.20	37	10	14
C082745		0.18	156	<1	0.50	8	80	3	0.18	<5	51	0.12	19	20	9
C082746		0.35	226	<1	0.44	6	90	2	0.15	9	94	0.12	19	10	7
C082747		0.20	146	<1	0.53	8	100	6	0.14	7	60	0.14	21	20	9
C082748		0.45	226	<1	0.42	8	80	4	0.17	6	125	0.13	21	20	8
C082749		0.44	224	<1	0.42	6	100	2	0.18	8	123	0.14	23	30	9
C082750		0.39	72	1	0.09	9	340	30	0.02	162	146	0.26	105	20	19
C082751		0.40	217	<1	0.50	14	200	4	0.15	11	84	0.17	32	20	18

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06082369

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C082752		4.82	<0.005	<0.5	4.95	21	490	1.1	<2	0.60	<0.5	6	41	11	1.97	2.20
C082753		4.40	<0.005	<0.5	4.34	34	460	1.1	<2	1.07	<0.5	8	39	15	1.71	1.83
C082754		4.96	<0.005	<0.5	3.03	23	340	0.7	<2	0.51	<0.5	3	38	17	1.52	1.09
C082755		5.80	<0.005	<0.5	2.66	67	350	0.6	<2	0.47	<0.5	3	35	17	1.25	1.16
C082756		2.12	<0.005	<0.5	0.15	<5	20	<0.5	<2	22.6	<0.5	<1	3	2	0.13	0.03
C082757		3.66	0.006	<0.5	4.43	187	640	1.1	<2	1.01	<0.5	7	40	20	1.71	1.87
C082758		2.48	0.015	<0.5	3.65	140	430	0.9	<2	0.17	<0.5	4	32	18	1.74	1.48
C082759		2.16	0.012	<0.5	2.79	200	320	0.8	<2	0.40	<0.5	4	32	19	1.39	1.16
C082760		4.82	<0.005	<0.5	3.16	27	340	0.9	<2	0.63	<0.5	3	30	12	1.49	1.24
C082761		1.96	<0.005	<0.5	3.40	26	460	0.7	<2	0.45	<0.5	4	37	11	1.28	1.64
C082762		2.72	<0.005	<0.5	3.44	25	460	0.7	<2	0.48	<0.5	4	33	12	1.31	1.66
C082763		2.74	0.407	<0.5	7.22	2860	1120	2.3	<2	2.54	<0.5	11	26	24	2.62	2.73
C082764		2.60	0.077	<0.5	7.53	103	1310	3.1	2	2.49	<0.5	8	33	35	2.54	3.18
C082765		4.84	0.028	<0.5	7.90	18	1510	3.1	2	3.14	<0.5	9	47	38	3.02	3.01
C082766		4.70	0.060	<0.5	7.30	313	1570	3.0	4	2.61	<0.5	9	49	35	2.78	3.29
C082767		5.96	0.061	<0.5	7.62	103	1340	3.2	<2	2.75	<0.5	10	46	23	2.85	3.46
C082768		4.78	0.068	<0.5	7.76	146	1410	3.4	5	2.74	<0.5	11	47	49	2.95	3.16
C082769		<0.02	0.081	<0.5	7.93	128	1400	3.4	6	2.74	<0.5	11	48	49	3.02	3.32
C082770		0.10	0.090	<0.5	6.98	105	570	2.6	3	0.53	<0.5	58	1165	384	8.32	2.12
C082771		2.40	0.149	<0.5	7.17	545	1330	2.9	5	2.24	<0.5	13	39	52	2.72	2.95
C082772		4.28	0.034	<0.5	7.44	53	1440	3.2	3	2.61	<0.5	8	43	45	2.79	3.18
C082773		3.42	0.105	<0.5	6.98	1005	1300	2.8	2	2.65	<0.5	10	36	40	2.57	3.07
C082774		4.44	0.099	<0.5	7.56	733	1480	3.0	3	2.36	<0.5	9	39	65	2.70	3.25
C082775		3.28	0.159	<0.5	7.06	563	1360	2.7	4	2.31	<0.5	11	36	107	2.76	3.51
C082776		1.90	<0.005	<0.5	0.14	7	10	<0.5	<2	20.9	<0.5	1	4	2	0.11	0.03
C082777		2.16	0.222	<0.5	7.04	56	1400	2.7	2	2.13	<0.5	7	36	75	2.71	3.42
C082778		2.18	1.485	<0.5	6.95	161	1300	2.2	5	4.64	<0.5	11	33	95	2.62	3.59
C082779		3.62	0.040	<0.5	7.44	45	1460	2.9	3	2.62	<0.5	8	35	81	2.75	3.16
C082780		4.28	0.105	<0.5	7.94	214	1590	3.1	5	2.51	<0.5	9	36	95	2.98	3.27
C082781		1.72	0.057	<0.5	7.80	85	1620	2.5	<2	2.19	<0.5	8	32	86	2.76	4.07
C082782		2.00	0.068	<0.5	7.65	109	1610	2.4	<2	2.11	<0.5	8	31	91	2.76	4.19
C082783		4.32	0.154	<0.5	7.34	323	1390	2.7	<2	4.01	<0.5	8	28	85	2.33	3.87
C082784		4.16	0.135	<0.5	7.40	346	1360	3.0	<2	3.49	<0.5	5	30	53	2.52	3.38
C082785		4.62	0.061	<0.5	6.61	110	1170	2.4	<2	4.92	<0.5	8	21	80	2.76	3.61
C082786		5.00	0.041	<0.5	7.60	226	1250	2.3	<2	2.70	<0.5	8	29	43	2.40	3.25
C082787		4.00	0.039	<0.5	6.52	237	1160	2.2	<2	3.46	<0.5	5	26	27	2.18	3.20
C082788		3.22	0.101	<0.5	7.55	59	1400	2.8	<2	2.07	<0.5	4	32	57	2.46	3.68
C082789		<0.02	0.064	<0.5	7.41	73	1320	2.8	<2	2.09	<0.5	5	32	59	2.51	3.61
C082790		0.10	0.438	2.4	9.46	<5	1090	1.2	<2	1.50	<0.5	8	13	6660	3.37	3.56
C082791		1.94	0.055	<0.5	7.03	151	1150	3.2	<2	1.77	<0.5	5	27	53	2.35	4.14

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06082369

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C082752		0.37	243	<1	0.84	17	230	4	0.08	11	86	0.19	38	30	19
C082753		0.29	300	<1	0.45	13	130	6	0.12	<5	99	0.17	38	20	13
C082754		0.20	227	8	0.60	11	70	3	0.16	5	59	0.13	22	20	10
C082755		0.16	158	<1	0.56	5	80	6	0.12	5	48	0.11	18	10	8
C082756		12.40	142	<1	0.02	<1	420	<2	0.01	7	113	0.01	3	<10	7
C082757		0.31	201	<1	0.75	17	600	7	0.13	5	89	0.16	30	10	14
C082758		0.19	73	1	0.60	12	110	9	0.34	8	62	0.13	22	20	15
C082759		0.18	94	<1	0.31	10	100	6	0.09	8	73	0.13	20	30	7
C082760		0.22	143	<1	0.36	9	100	<2	0.08	5	74	0.13	22	20	10
C082761		0.25	96	<1	0.67	6	100	8	0.07	<5	89	0.14	25	20	7
C082762		0.26	97	<1	0.69	7	90	9	0.08	<5	93	0.14	25	10	8
C082763		0.67	354	<1	0.97	20	570	46	0.34	9	311	0.26	32	20	115
C082764		0.81	350	<1	1.62	13	580	35	0.17	13	432	0.26	40	10	142
C082765		1.10	370	<1	1.83	14	690	20	0.18	<5	591	0.32	53	10	42
C082766		1.08	345	<1	1.76	13	650	23	0.26	<5	519	0.30	53	30	42
C082767		1.15	409	<1	1.88	12	630	28	0.11	<5	533	0.30	54	10	59
C082768		1.22	362	<1	1.86	12	680	26	0.20	5	543	0.32	53	20	49
C082769		1.26	368	<1	1.85	15	700	26	0.20	<5	542	0.32	54	20	48
C082770		0.57	373	6	0.12	468	340	142	0.02	13	51	0.25	88	30	614
C082771		1.03	289	2	1.58	16	580	23	0.24	<5	455	0.28	43	40	39
C082772		1.04	317	<1	1.78	16	640	25	0.24	<5	501	0.31	48	10	38
C082773		1.03	270	1	1.42	13	580	21	0.24	<5	449	0.27	40	10	33
C082774		0.99	223	<1	1.55	16	630	20	0.31	<5	460	0.29	42	30	27
C082775		0.93	219	1	1.38	16	590	18	0.48	<5	434	0.27	40	20	25
C082776		11.75	131	<1	0.01	2	430	<2	0.01	<5	113	0.01	2	<10	7
C082777		0.97	213	<1	1.40	14	590	17	0.31	<5	428	0.28	41	30	25
C082778		0.90	295	9	1.10	17	590	15	0.44	5	530	0.25	38	40	21
C082779		0.97	237	<1	1.50	17	640	18	0.37	<5	489	0.30	42	20	26
C082780		0.97	234	<1	1.51	18	690	18	0.46	<5	491	0.32	43	20	26
C082781		0.89	243	1	1.02	17	670	19	0.36	<5	430	0.31	42	30	26
C082782		0.84	237	<1	1.01	18	680	18	0.38	<5	423	0.31	40	30	24
C082783		0.81	313	1	0.76	15	590	15	0.34	6	466	0.27	38	20	24
C082784		1.08	327	1	0.90	12	590	19	0.25	7	480	0.28	40	20	29
C082785		1.70	418	1	0.85	15	490	16	0.33	8	573	0.24	30	20	27
C082786		0.93	310	3	0.86	17	620	17	0.24	8	468	0.29	42	40	37
C082787		0.71	352	1	1.19	11	540	22	0.18	<5	435	0.24	34	30	38
C082788		0.88	255	2	1.18	14	630	20	0.20	9	453	0.30	42	20	32
C082789		0.87	258	4	1.15	14	620	17	0.22	6	448	0.29	42	20	31
C082790		1.19	481	1	3.34	6	1940	13	0.23	6	684	0.32	167	<10	59
C082791		0.70	234	2	1.18	11	460	18	0.22	<5	406	0.22	32	20	28

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06082369

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C082792		2.62	0.013	<0.5	7.94	91	1450	3.2	<2	1.97	<0.5	5	35	17	2.92	3.29
C082793		3.82	0.280	<0.5	7.29	1425	1320	2.2	<2	2.97	<0.5	7	34	37	2.52	3.22
C082794		4.02	0.810	<0.5	7.29	863	1380	2.6	10	2.16	<0.5	8	28	44	2.35	3.32
C082795		4.10	0.044	<0.5	7.29	93	1280	2.6	<2	2.72	<0.5	6	34	34	2.66	2.91
C082796		1.30	<0.005	<0.5	0.14	<5	<10	<0.5	<2	19.95	<0.5	<1	3	2	0.12	0.03
C082797		4.08	0.213	<0.5	7.33	1175	1300	2.4	<2	2.93	<0.5	10	27	29	2.45	3.21
C082798		2.58	0.199	<0.5	7.40	177	1210	3.1	13	1.90	<0.5	8	44	54	2.93	3.36
C082799		3.84	0.161	<0.5	6.89	589	1130	2.8	9	2.92	<0.5	9	50	48	2.75	3.18
C082800		5.12	0.013	<0.5	7.45	132	1210	3.1	<2	3.09	<0.5	9	48	17	2.87	3.38
C082801		2.18	0.033	<0.5	7.33	36	1160	3.1	<2	3.36	<0.5	7	45	18	2.78	3.23
C082802		2.32	0.044	<0.5	7.28	41	1150	3.0	3	3.27	<0.5	8	44	17	2.78	3.00
C082803		3.22	0.023	<0.5	7.39	158	1270	3.0	<2	2.50	<0.5	7	50	23	3.01	3.59
C082804		3.30	0.034	<0.5	7.80	528	1470	2.9	<2	2.82	<0.5	8	41	32	2.98	3.52
C082805		3.84	0.123	<0.5	7.27	5680	1330	2.9	<2	3.68	<0.5	9	44	34	3.47	4.11

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06082369

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C082792		0.88	291	1	1.16	15	670	21	0.14	<5	436	0.31	42	10	46
C082793		0.80	314	1	0.76	16	580	19	0.18	5	436	0.27	38	40	32
C082794		0.81	277	<1	1.09	12	590	16	0.13	10	467	0.27	36	20	33
C082795		1.03	353	<1	1.21	18	640	22	0.09	7	478	0.30	47	20	45
C082796		11.30	130	<1	0.01	<1	420	4	0.01	<5	111	0.01	1	<10	13
C082797		1.00	332	1	0.99	13	570	19	0.14	7	511	0.26	39	10	42
C082798		1.03	351	<1	1.23	14	580	24	0.16	5	498	0.29	52	20	49
C082799		0.99	397	1	1.62	14	590	21	0.20	<5	506	0.26	50	10	43
C082800		1.07	432	<1	1.43	16	600	18	0.09	6	493	0.30	57	20	50
C082801		1.11	424	<1	1.46	14	610	21	0.08	<5	511	0.30	52	20	56
C082802		1.09	409	<1	1.43	14	600	19	0.07	<5	493	0.29	51	20	54
C082803		1.23	347	<1	1.47	15	670	21	0.12	5	500	0.31	59	10	50
C082804		1.03	392	<1	1.46	18	700	19	0.19	<5	513	0.32	51	30	48
C082805		1.42	555	1	1.31	14	620	19	0.39	7	560	0.28	49	20	38

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2006
Account: STRGOL

CERTIFICATE VA06082889

Project: Dublin Gulch1735

P.O. No.:

This report is for 183 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 14-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06082889

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C079717		0.74	<0.005	<0.5	5.99	200	660	2.0	<2	0.35	0.5	7	34	25	2.73	1.96
C079718		0.94	<0.005	<0.5	6.04	234	380	1.5	<2	0.08	1.6	14	39	40	4.06	1.43
C079719		3.36	0.013	<0.5	2.83	271	90	<0.5	<2	0.03	1.0	2	19	17	1.33	0.82
C079720		2.86	0.053	0.6	2.81	328	110	0.5	<2	0.03	1.9	<1	17	21	1.15	1.01
C079721		2.28	0.255	7.3	5.96	9540	380	1.9	<2	0.15	13.0	7	47	85	4.72	2.34
C079722		2.38	0.173	9.4	6.34	>10000	340	1.8	3	0.17	19.4	12	46	112	6.46	2.11
C079723		3.84	0.080	1.6	9.13	2660	120	2.3	12	0.12	10.8	23	75	149	5.65	0.71
C079724		3.48	0.097	0.5	8.49	2380	170	2.1	5	0.10	8.1	14	73	117	4.82	1.06
C079725		4.84	0.159	0.6	8.54	730	700	2.4	<2	0.07	6.3	13	61	112	3.96	3.51
C079726		3.58	0.031	<0.5	6.20	1310	390	1.3	<2	0.05	2.8	4	37	30	3.31	1.67
C079727		3.82	0.015	<0.5	6.76	411	490	1.5	<2	0.06	3.4	4	47	39	3.49	1.96
C079728		4.10	0.026	<0.5	6.99	588	560	1.9	<2	0.08	6.5	12	53	65	3.65	2.58
C079729		<0.02	0.025	<0.5	7.29	586	570	2.0	<2	0.08	6.7	11	52	67	3.86	2.57
C079730		0.10	0.094	<0.5	6.57	105	550	2.5	<2	0.50	<0.5	55	1100	359	8.17	2.10
C079731		5.26	0.006	1.1	5.53	88	440	1.5	<2	0.10	10.5	11	40	35	3.04	2.20
C079732		5.52	0.005	<0.5	5.51	45	390	1.2	<2	0.35	6.7	15	39	20	2.35	1.74
C079733		5.38	0.013	<0.5	6.01	35	490	1.4	<2	0.33	4.4	13	45	29	2.71	2.28
C079734		4.66	0.009	<0.5	3.18	150	190	0.8	<2	0.31	3.0	8	32	26	2.04	0.91
C079735		5.94	0.019	<0.5	4.57	162	290	1.2	<2	0.35	1.6	8	31	22	2.38	1.29
C079736		1.64	<0.005	<0.5	0.15	<5	20	<0.5	<2	19.55	<0.5	<1	3	2	0.12	0.04
C079737		5.48	0.009	<0.5	6.40	28	530	1.6	<2	0.40	<0.5	12	49	23	2.28	2.15
C079738		5.40	0.029	<0.5	6.36	120	470	1.6	<2	0.28	0.7	14	47	21	2.94	1.96
C079739		4.86	0.011	<0.5	7.09	49	580	1.8	<2	0.40	1.0	12	52	34	3.58	2.40
C079740		4.32	0.005	<0.5	4.25	64	250	0.8	<2	0.37	0.5	9	31	22	1.92	1.15
C079741		2.88	0.007	<0.5	7.52	141	610	1.9	<2	0.19	1.0	13	54	27	3.37	2.44
C079742		2.84	0.024	<0.5	6.67	226	530	1.7	<2	0.17	2.2	14	47	24	3.06	2.15
C079743		3.58	<0.005	<0.5	6.08	17	510	1.5	<2	0.27	<0.5	13	48	28	3.11	2.09
C079744		5.26	0.006	<0.5	6.93	8	560	2.0	<2	0.20	0.5	12	53	25	3.20	2.37
C079745		4.32	0.186	<0.5	7.97	10	640	1.9	<2	0.19	1.7	13	58	43	4.34	2.64
C079746		4.26	0.104	<0.5	9.70	7	880	2.4	<2	0.19	3.1	18	66	41	3.59	3.51
C079747		4.00	0.492	<0.5	6.39	48	530	1.7	<2	0.36	9.8	14	45	35	3.36	1.88
C079748		3.50	0.006	<0.5	5.06	6	340	1.4	<2	0.42	<0.5	8	34	20	3.37	1.18
C079749		<0.02	0.010	<0.5	5.40	15	370	1.4	<2	0.45	<0.5	9	36	25	3.62	1.22
C079750		0.10	0.436	2.4	9.10	<5	1050	1.1	<2	1.43	<0.5	6	12	6400	3.20	3.42
C079751		2.56	<0.005	<0.5	8.12	11	1530	3.0	<2	1.64	<0.5	14	67	27	4.03	2.51
C079752		2.56	<0.005	<0.5	7.68	7	1570	2.9	<2	1.98	<0.5	13	64	8	3.89	2.12
C079753		4.02	<0.005	<0.5	4.10	14	370	1.0	<2	0.35	<0.5	7	31	22	2.05	1.25
C079754		3.70	<0.005	<0.5	9.54	17	1050	2.2	<2	0.65	<0.5	15	68	29	3.44	3.51
C079755		3.10	<0.005	<0.5	7.81	7	1380	3.1	<2	1.77	<0.5	13	66	12	3.70	2.07
C079756		1.20	<0.005	<0.5	0.16	<5	20	<0.5	<2	20.7	<0.5	1	4	2	0.12	0.04

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06082889

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C079717		0.39	329	<1	0.44	17	330	9	0.02	13	118	0.21	45	<10	202
C079718		0.20	471	<1	0.09	24	360	13	0.06	20	41	0.28	50	10	293
C079719		0.08	64	<1	0.01	4	130	9	0.04	30	34	0.11	17	<10	152
C079720		0.08	54	<1	0.01	2	120	56	0.03	29	16	0.10	16	<10	186
C079721		0.24	890	<1	0.04	9	520	518	0.07	97	59	0.23	55	<10	938
C079722		0.22	1350	<1	0.04	15	560	765	0.11	136	80	0.24	57	<10	1445
C079723		0.11	1340	<1	0.01	22	800	130	0.03	73	49	0.44	92	10	1195
C079724		0.15	641	<1	0.02	13	630	43	0.08	56	63	0.40	84	10	454
C079725		0.35	300	<1	0.09	23	490	54	0.28	27	29	0.35	84	<10	480
C079726		0.19	174	<1	0.08	9	290	15	0.14	24	25	0.22	55	<10	255
C079727		0.24	220	<1	0.10	9	290	9	0.16	26	36	0.26	67	<10	376
C079728		0.30	212	<1	0.12	33	350	41	0.38	66	31	0.24	65	<10	662
C079729		0.31	224	<1	0.12	33	330	43	0.40	65	32	0.25	65	<10	667
C079730		0.56	362	7	0.12	445	350	136	0.02	6	48	0.23	83	30	592
C079731		0.41	669	<1	0.08	22	310	152	0.44	40	19	0.21	52	<10	942
C079732		0.47	555	<1	0.52	28	260	19	0.30	34	39	0.21	44	<10	735
C079733		0.55	459	<1	0.26	26	250	4	0.47	17	46	0.26	56	<10	593
C079734		0.33	355	<1	0.48	16	180	<2	0.40	12	44	0.13	24	<10	354
C079735		0.47	274	<1	0.66	19	210	6	0.46	11	47	0.18	36	<10	262
C079736		11.45	125	<1	0.02	<1	380	<2	0.01	7	107	0.01	2	<10	8
C079737		0.55	281	<1	0.48	27	260	5	0.34	41	60	0.26	60	<10	145
C079738		0.63	358	<1	0.19	37	270	6	0.25	52	33	0.29	56	<10	396
C079739		0.90	485	<1	0.13	36	330	12	0.49	39	31	0.28	67	<10	465
C079740		0.46	260	<1	0.56	19	220	8	0.27	33	38	0.18	30	<10	394
C079741		0.71	423	<1	0.51	34	310	8	0.49	28	47	0.33	67	<10	657
C079742		0.64	368	<1	0.48	27	270	9	0.49	25	43	0.28	59	<10	586
C079743		0.67	376	1	0.49	29	320	<2	1.07	21	45	0.22	64	<10	358
C079744		0.72	355	<1	0.33	26	310	6	0.71	22	40	0.27	68	<10	362
C079745		0.80	467	<1	0.15	35	320	13	1.10	20	39	0.31	78	<10	547
C079746		0.66	270	<1	0.20	42	370	13	1.39	32	53	0.33	95	<10	444
C079747		0.60	408	<1	0.36	34	260	20	1.19	43	56	0.25	55	<10	598
C079748		0.71	301	<1	0.58	17	270	9	0.82	36	55	0.21	38	<10	146
C079749		0.76	320	<1	0.61	19	300	11	0.89	39	58	0.21	39	<10	156
C079750		1.15	465	1	3.30	8	1920	8	0.23	<5	672	0.31	155	<10	52
C079751		1.58	443	<1	0.87	32	770	16	0.40	73	308	0.38	85	<10	282
C079752		1.73	534	<1	0.81	20	830	14	0.08	65	340	0.37	76	<10	229
C079753		0.54	189	<1	0.19	18	220	6	0.72	19	37	0.14	34	<10	118
C079754		1.04	287	<1	0.19	32	550	12	0.46	20	47	0.41	99	<10	88
C079755		1.54	452	<1	0.85	12	810	29	0.12	18	310	0.38	80	<10	115
C079756		12.05	139	<1	0.01	<1	420	2	0.01	8	110	0.01	2	<10	8

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06082889

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C079757		2.82	0.009	<0.5	9.58	8	1060	2.4	<2	0.74	<0.5	13	78	38	4.61	3.59
C079758		5.26	0.012	<0.5	5.89	6	450	1.5	<2	0.47	<0.5	10	42	27	3.09	1.70
C079759		6.10	0.008	<0.5	4.34	<5	310	0.9	<2	0.63	<0.5	3	33	13	2.40	0.97
C079760		5.38	0.007	<0.5	4.04	5	260	1.0	<2	0.60	<0.5	5	25	13	1.89	1.08
C079761		2.08	0.020	<0.5	3.72	63	210	0.9	<2	0.46	<0.5	5	28	19	1.38	1.23
C079762		2.16	0.009	<0.5	3.40	171	140	0.8	<2	0.43	<0.5	4	19	17	1.17	0.92
C079763		5.84	0.010	<0.5	4.47	19	350	1.0	<2	0.62	<0.5	4	36	17	1.92	1.30
C079764		5.98	<0.005	<0.5	7.61	<5	620	1.6	2	0.28	<0.5	13	54	24	3.16	2.35
C079765		4.60	<0.005	<0.5	4.01	<5	170	0.8	<2	0.09	<0.5	7	30	16	1.62	0.86
C079766		5.42	<0.005	<0.5	7.44	<5	640	2.0	2	0.14	<0.5	13	52	25	3.02	2.44
C079767		5.64	<0.005	<0.5	8.22	<5	770	2.3	<2	0.17	<0.5	15	62	36	4.01	2.69
C079768		4.56	<0.005	<0.5	7.23	<5	570	1.3	<2	0.11	<0.5	12	50	25	3.14	2.26
C079769		<0.02	0.005	<0.5	7.18	<5	570	1.3	2	0.11	<0.5	11	51	27	3.13	2.29
C079770		0.10	1.410	<0.5	7.05	1230	690	6.2	3	0.01	<0.5	5	211	40	3.76	2.79
C079771		4.24	<0.005	<0.5	8.65	<5	760	1.8	3	0.12	<0.5	17	60	38	3.53	3.24
C079772		1.40	<0.005	<0.5	2.79	<5	100	0.6	2	0.06	<0.5	3	17	13	1.13	0.81
C079773		3.34	0.009	<0.5	5.23	19	360	1.1	3	0.09	0.7	8	34	16	2.39	1.73
C079774		2.70	0.010	1.2	2.44	<5	130	0.6	<2	0.07	9.4	2	26	12	2.82	1.05
C079775		2.30	0.005	<0.5	4.36	9	360	1.1	2	0.08	<0.5	6	38	19	2.81	1.82
C079776		1.34	<0.005	<0.5	0.13	<5	30	<0.5	<2	19.90	<0.5	1	3	3	0.10	0.03
C079777		1.86	0.005	<0.5	4.73	<5	390	1.0	2	0.13	<0.5	8	34	24	2.50	1.81
C079778		4.66	0.016	<0.5	3.42	263	160	0.7	2	0.08	<0.5	3	22	14	1.28	0.92
C079779		3.80	0.010	<0.5	4.86	373	330	1.2	2	0.09	<0.5	8	32	29	2.54	1.66
C079780		3.04	<0.005	<0.5	9.72	6	1150	2.5	3	0.34	<0.5	19	82	16	2.14	2.22
C079781		1.88	<0.005	<0.5	9.15	45	1940	3.3	3	0.50	<0.5	14	82	16	4.52	3.13
C079782		1.58	0.013	<0.5	8.75	37	1810	3.1	<2	0.49	<0.5	14	76	27	4.55	3.08
C079783		4.02	0.011	<0.5	6.75	55	610	1.6	3	0.16	<0.5	11	44	46	2.81	2.31
C079784		3.90	0.005	<0.5	5.84	<5	440	1.4	2	0.12	<0.5	10	39	29	3.06	1.80
C079785		5.66	0.007	<0.5	7.13	30	510	1.5	2	0.11	<0.5	11	45	22	2.64	2.21
C079786		4.48	0.005	<0.5	8.85	15	730	2.0	4	0.14	<0.5	13	57	28	3.08	3.21
C079787		5.48	0.007	<0.5	6.75	25	510	1.5	<2	0.11	<0.5	8	44	21	2.42	2.12
C079788		4.74	0.020	<0.5	4.59	5	290	1.2	2	0.13	<0.5	10	35	37	2.51	1.31
C079789		<0.02	0.022	<0.5	4.58	8	290	1.2	3	0.13	<0.5	9	35	36	2.50	1.30
C079790		0.10	2.74	<0.5	7.73	2150	730	14.0	3	0.01	<0.5	1	148	105	3.47	3.32
C079791		5.32	0.010	<0.5	8.79	21	790	2.4	<2	0.12	<0.5	12	60	30	3.58	3.99
C079792		2.86	0.036	3.7	4.08	80	250	1.0	2	0.08	16.9	4	23	33	2.69	1.84
C079793		2.30	0.024	0.7	7.06	22	620	2.4	6	1.63	<0.5	16	61	94	4.30	3.45
C079794		2.16	0.206	<0.5	7.34	7670	620	2.3	6	1.35	<0.5	21	46	63	4.21	2.74
C079795		3.62	0.015	<0.5	5.85	28	540	1.5	2	0.62	<0.5	8	38	34	2.80	2.15
C079796		1.30	<0.005	<0.5	0.16	<5	20	<0.5	<2	19.65	<0.5	<1	2	4	0.12	0.04

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06082889

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C079757		1.25	401	<1	0.22	37	630	13	0.96	10	64	0.37	105	<10	86
C079758		0.67	274	<1	0.45	21	290	7	0.92	15	56	0.23	57	<10	55
C079759		0.60	262	<1	0.55	13	240	9	0.24	16	76	0.16	27	10	43
C079760		0.54	193	<1	0.32	11	210	6	0.24	18	50	0.16	27	<10	45
C079761		0.35	184	<1	0.26	15	190	6	0.20	22	28	0.15	28	<10	201
C079762		0.30	152	<1	0.31	10	190	8	0.16	18	27	0.13	20	<10	175
C079763		0.53	214	<1	0.62	14	190	8	0.22	11	64	0.19	33	<10	28
C079764		0.71	249	1	0.15	28	350	9	0.46	31	57	0.33	70	20	143
C079765		0.27	159	<1	0.03	11	230	4	0.22	16	59	0.17	28	10	48
C079766		0.64	239	<1	0.12	28	340	9	0.31	17	42	0.32	68	10	108
C079767		0.75	359	<1	0.15	35	410	15	0.50	17	40	0.36	79	<10	129
C079768		0.47	332	<1	0.11	24	350	9	0.43	12	35	0.30	66	10	71
C079769		0.46	330	<1	0.11	26	330	9	0.45	16	34	0.31	67	<10	73
C079770		0.36	93	2	0.11	18	320	28	0.02	115	98	0.27	91	10	46
C079771		0.60	378	<1	0.13	38	400	7	0.70	20	53	0.35	85	10	108
C079772		0.13	200	<1	0.02	8	170	25	0.22	10	25	0.08	16	<10	60
C079773		0.34	825	<1	0.06	14	270	53	0.18	15	53	0.20	41	<10	166
C079774		0.27	2290	<1	0.01	6	190	408	0.14	12	14	0.10	14	<10	1490
C079775		0.42	454	<1	0.05	17	260	48	0.48	12	27	0.18	35	<10	129
C079776		11.65	132	<1	0.01	1	430	4	0.01	<5	115	0.01	2	<10	11
C079777		0.39	298	<1	0.06	19	250	11	0.74	23	21	0.16	36	10	60
C079778		0.20	187	<1	0.02	6	210	6	0.18	10	24	0.13	22	<10	38
C079779		0.37	284	<1	0.05	20	250	7	0.53	17	24	0.18	37	10	50
C079780		0.35	379	1	0.06	20	1050	34	0.15	36	107	0.49	104	40	65
C079781		1.14	733	<1	0.07	14	1010	27	0.19	39	125	0.47	99	30	103
C079782		1.12	733	<1	0.07	16	940	25	0.28	36	123	0.43	93	30	98
C079783		0.46	358	1	0.08	23	360	4	0.38	21	33	0.26	58	10	67
C079784		0.46	305	<1	0.08	23	300	2	0.66	19	49	0.23	50	10	92
C079785		0.46	318	<1	0.08	25	340	7	0.37	15	34	0.29	60	10	126
C079786		0.62	284	<1	0.11	31	410	<2	0.50	40	88	0.39	79	20	76
C079787		0.44	244	<1	0.07	19	300	2	0.33	24	38	0.25	54	10	59
C079788		0.33	302	1	0.03	16	360	2	0.81	10	23	0.20	44	<10	42
C079789		0.33	302	1	0.03	21	360	3	0.80	12	24	0.20	44	10	40
C079790		0.39	73	2	0.09	11	350	26	0.03	161	154	0.28	108	20	18
C079791		0.92	259	<1	0.14	29	390	9	0.44	12	35	0.37	77	<10	66
C079792		0.31	2420	<1	0.03	11	200	2970	0.34	1050	28	0.14	28	<10	2400
C079793		1.89	1070	3	0.05	47	500	38	1.11	42	134	0.32	85	<10	158
C079794		1.16	767	4	0.11	38	380	13	1.66	21	89	0.28	88	10	72
C079795		0.69	313	<1	0.70	21	360	11	0.78	12	98	0.23	48	<10	39
C079796		11.60	137	<1	0.01	1	440	<2	0.01	<5	114	0.01	2	<10	10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06082889

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C079797		6.18	0.005	<0.5	7.65	34	720	2.0	<2	0.32	<0.5	12	59	34	3.36	3.37
C079798		5.76	<0.005	<0.5	8.17	8	790	2.7	2	0.26	<0.5	12	58	28	3.21	3.65
C079799		4.96	<0.005	<0.5	6.99	<5	590	2.1	<2	0.42	<0.5	9	45	24	3.42	2.55
C079800		6.40	0.007	<0.5	7.11	12	680	2.1	<2	0.48	<0.5	11	50	34	3.16	2.71
C079801		2.50	0.007	<0.5	6.71	17	690	2.0	<2	1.49	<0.5	16	44	50	3.99	2.75
C079802		2.82	0.006	<0.5	6.48	15	690	2.0	<2	1.16	<0.5	16	44	47	4.00	2.76
C079803		4.30	<0.005	<0.5	7.79	18	750	2.1	<2	0.75	<0.5	21	59	61	4.81	3.52
C079804		2.82	0.012	<0.5	4.91	59	420	1.5	<2	0.30	<0.5	13	39	26	2.32	1.21
C079805		2.60	0.016	<0.5	2.51	54	90	<0.5	<2	0.08	<0.5	7	29	42	1.93	0.40
C079806		2.54	0.010	<0.5	3.39	<5	140	0.6	<2	0.09	<0.5	8	41	50	2.47	0.57
C079807		4.04	0.008	<0.5	3.64	12	260	0.9	<2	0.15	<0.5	8	43	22	2.41	0.84
C079808		3.20	0.005	<0.5	6.29	15	500	1.6	<2	0.30	<0.5	18	84	48	4.99	2.35
C079809		<0.02	0.006	<0.5	6.35	18	500	1.6	<2	0.30	<0.5	16	86	49	4.98	2.31
C079810		0.10	3.57	<0.5	7.00	7	2060	3.2	<2	4.77	<0.5	22	131	96	5.13	3.28
C079811		2.28	0.027	<0.5	5.87	<5	510	1.7	<2	0.45	<0.5	14	70	47	4.65	1.91
C079812		5.10	<0.005	<0.5	2.43	<5	130	0.6	<2	0.11	<0.5	7	24	24	1.63	0.89
C079813		2.66	<0.005	<0.5	7.59	15	710	2.3	<2	0.41	<0.5	22	64	71	4.97	3.54
C079814		3.42	<0.005	<0.5	6.13	17	410	1.5	<2	0.82	<0.5	10	40	23	2.61	2.42
C079815		3.58	<0.005	<0.5	6.85	11	500	1.9	<2	0.66	<0.5	11	49	28	3.08	2.55
C079816		1.24	<0.005	<0.5	0.15	<5	10	<0.5	<2	21.0	<0.5	<1	3	3	0.12	0.03
C079817		5.50	0.008	<0.5	4.98	13	390	1.2	<2	0.99	<0.5	7	44	22	1.96	1.80
C079818		3.54	0.010	<0.5	4.07	27	330	1.1	<2	0.51	<0.5	8	30	35	2.46	1.34
C079819		2.24	0.012	<0.5	2.42	108	120	0.6	<2	0.22	<0.5	6	19	22	1.36	0.52
C079820		4.64	<0.005	<0.5	8.02	16	680	1.9	<2	0.71	<0.5	13	57	29	3.81	3.16
C079821		1.18	0.011	<0.5	5.34	15	370	1.4	<2	1.45	<0.5	10	35	22	2.36	2.08
C079822		1.26	<0.005	<0.5	6.09	13	430	1.5	<2	0.81	<0.5	11	38	21	2.77	2.33
C079823		4.38	<0.005	<0.5	8.40	<5	820	2.4	<2	0.40	<0.5	21	57	57	4.29	3.61
C079824		5.00	<0.005	<0.5	7.02	15	830	2.4	<2	0.81	<0.5	23	53	57	4.14	3.24
C079825		4.70	<0.005	<0.5	6.92	17	740	2.0	<2	1.98	<0.5	16	48	45	3.49	2.80
C079826		4.92	0.005	<0.5	8.47	<5	840	2.5	<2	1.10	<0.5	19	64	63	4.89	3.99
C079827		2.72	<0.005	<0.5	6.12	13	440	1.4	<2	0.17	<0.5	11	44	30	2.95	1.81
C079828		5.56	0.019	<0.5	2.02	30	70	<0.5	<2	0.08	<0.5	5	19	25	1.63	0.38
C079829		<0.02	0.028	<0.5	2.12	47	80	<0.5	<2	0.08	<0.5	4	19	24	1.43	0.38
C079830		0.10	4.44	8.4	7.34	10	450	0.8	<2	2.77	1.1	16	19	113	3.93	2.09
C079831		4.20	0.051	0.6	1.48	181	60	<0.5	3	0.05	<0.5	4	19	41	1.07	0.31
C079832		3.42	0.032	<0.5	1.47	196	60	<0.5	2	0.05	<0.5	5	15	23	0.72	0.46
C079833		3.90	0.038	<0.5	1.68	256	60	<0.5	2	0.04	0.5	3	23	30	0.91	0.48
C079834		2.94	0.089	<0.5	1.70	381	70	<0.5	<2	0.04	<0.5	5	18	19	0.73	0.58
C079835		5.44	0.087	<0.5	1.84	116	80	<0.5	4	0.04	<0.5	5	20	26	1.15	0.60
C079836		1.20	<0.005	<0.5	0.11	9	10	<0.5	<2	21.6	<0.5	<1	2	2	0.10	0.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06082889

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C079797		0.88	209	<1	0.47	27	370	10	0.61	<5	63	0.31	67	<10	48
C079798		0.88	199	<1	0.29	26	420	10	0.44	14	54	0.34	74	<10	71
C079799		0.85	230	<1	0.29	20	340	10	0.44	15	57	0.28	57	<10	48
C079800		0.79	191	<1	0.35	26	400	10	0.47	<5	50	0.27	58	<10	48
C079801		1.55	879	<1	0.39	36	490	9	0.80	18	85	0.30	79	<10	68
C079802		1.42	801	1	0.38	32	420	9	0.84	12	84	0.29	76	<10	70
C079803		1.60	945	2	0.13	48	500	5	1.23	9	51	0.35	118	<10	74
C079804		0.37	702	1	0.03	40	590	6	0.29	24	97	0.30	63	20	74
C079805		0.14	312	<1	0.01	20	230	7	0.72	30	159	0.13	28	10	37
C079806		0.19	289	<1	0.01	24	280	9	0.89	32	154	0.17	42	10	37
C079807		0.32	352	<1	0.02	21	280	5	0.33	10	17	0.18	46	10	35
C079808		1.19	268	<1	0.15	43	500	11	1.01	13	32	0.33	109	<10	94
C079809		1.20	266	<1	0.15	44	500	7	1.06	16	33	0.32	107	<10	92
C079810		2.83	1035	12	2.27	59	2310	28	0.31	5	1620	0.40	158	10	95
C079811		1.22	436	<1	0.13	38	490	9	1.01	16	42	0.28	89	<10	121
C079812		0.21	299	<1	0.02	12	220	7	0.43	7	17	0.13	28	10	159
C079813		0.98	1005	5	0.07	49	580	15	1.83	19	55	0.34	121	10	241
C079814		0.70	257	<1	0.34	19	300	5	0.35	<5	65	0.24	47	<10	61
C079815		0.80	230	<1	0.33	22	330	7	0.42	6	53	0.28	56	<10	44
C079816		11.55	136	<1	0.02	<1	400	2	0.01	5	113	0.01	1	<10	8
C079817		0.65	262	<1	0.64	15	310	6	0.45	6	86	0.18	40	<10	37
C079818		0.50	292	2	0.21	15	370	7	0.76	16	59	0.17	43	<10	84
C079819		0.24	62	<1	0.41	10	150	4	0.34	9	23	0.10	15	<10	28
C079820		0.99	268	<1	0.17	27	410	<2	0.47	11	38	0.35	69	<10	52
C079821		0.79	328	<1	0.26	18	270	10	0.35	12	82	0.21	40	<10	32
C079822		0.68	227	<1	0.28	20	290	9	0.34	12	53	0.24	46	<10	57
C079823		1.24	444	<1	0.15	38	470	3	1.09	6	29	0.34	100	<10	55
C079824		1.47	1105	1	0.16	39	450	7	0.75	10	58	0.33	111	10	65
C079825		1.72	980	1	0.46	45	480	9	0.57	<5	102	0.33	84	10	65
C079826		1.57	931	5	0.12	44	500	15	1.74	9	85	0.34	117	<10	118
C079827		0.53	420	<1	0.05	28	340	11	0.73	13	26	0.24	59	10	74
C079828		0.12	618	<1	0.01	11	170	7	0.22	11	29	0.09	23	10	68
C079829		0.12	601	<1	0.01	15	170	6	0.22	16	30	0.10	23	10	69
C079830		1.24	908	11	1.57	12	860	25	0.63	<5	382	0.35	140	10	94
C079831		0.07	163	<1	0.01	5	130	6	0.38	12	116	0.07	19	<10	65
C079832		0.07	99	<1	0.01	5	110	5	0.35	12	45	0.07	14	<10	58
C079833		0.07	168	<1	0.01	7	120	6	0.25	8	33	0.09	16	<10	91
C079834		0.07	141	<1	0.01	5	100	7	0.18	5	20	0.08	14	<10	76
C079835		0.09	161	1	0.01	10	110	6	0.35	11	32	0.09	15	<10	72
C079836		11.85	134	<1	0.01	<1	390	4	0.01	<5	111	<0.01	1	<10	9

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06082889

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C079837		4.90	0.011	<0.5	1.80	18	70	<0.5	2	0.04	<0.5	4	20	15	0.96	0.33
C079838		6.20	0.023	<0.5	2.84	66	170	0.6	3	0.12	<0.5	6	24	37	1.59	0.85
C079839		5.14	0.077	<0.5	2.20	57	70	<0.5	<2	0.07	<0.5	5	27	17	1.27	0.48
C079840		4.70	0.005	<0.5	1.68	30	60	<0.5	<2	0.06	0.6	3	23	11	0.90	0.65
C079841		3.06	0.095	1.6	2.10	52	100	0.5	3	0.07	7.2	4	27	17	2.62	0.90
C079842		2.86	0.020	1.1	1.90	29	120	0.5	2	0.07	8.5	2	20	14	2.28	0.81
C079843		2.58	0.006	<0.5	1.76	17	90	<0.5	<2	0.04	1.2	3	23	7	0.91	0.73
C079844		2.86	0.027	<0.5	1.58	64	90	<0.5	<2	0.05	1.0	3	15	17	0.90	0.60
C079845		3.68	0.005	<0.5	3.50	77	100	0.8	3	0.08	1.3	9	34	26	1.78	0.94
C079846		4.10	0.056	<0.5	1.41	145	60	<0.5	<2	0.04	0.8	2	15	17	0.73	0.53
C079847		5.32	0.011	<0.5	1.52	122	100	<0.5	2	0.05	0.9	4	32	28	1.20	0.63
C079848		2.48	<0.005	<0.5	6.70	52	440	2.0	<2	0.31	3.8	35	48	101	5.35	1.53
C079849		<0.02	0.006	<0.5	6.49	36	430	1.8	<2	0.30	3.6	34	43	95	5.37	1.44
C079850		0.12	2.82	<0.5	7.94	2250	760	14.8	3	0.01	<0.5	1	148	111	3.60	3.51
C079851		2.22	0.043	<0.5	7.01	162	760	3.2	3	0.65	<0.5	30	51	117	8.97	2.58
C079852		3.98	0.008	<0.5	8.24	83	1290	2.6	<2	0.49	<0.5	46	62	117	5.90	3.96
C079853		6.14	0.011	3.3	8.98	49	1050	2.3	3	0.39	10.9	20	52	32	5.12	3.88
C079854		5.76	0.006	<0.5	8.24	14	760	2.2	4	0.85	<0.5	27	58	101	5.64	3.08
C079855		2.74	<0.005	<0.5	8.06	11	840	2.2	3	1.17	<0.5	9	40	33	3.11	3.34
C079856		0.76	<0.005	<0.5	0.17	7	20	<0.5	<2	21.9	<0.5	1	4	5	0.13	0.04
C079857		4.16	<0.005	<0.5	8.00	9	750	2.1	<2	0.79	<0.5	11	48	36	3.79	3.02
C079858		1.80	0.015	<0.5	7.42	719	990	1.9	<2	1.77	<0.5	11	52	20	3.83	2.67
C079859		2.38	0.024	<0.5	7.94	604	1010	1.7	<2	1.82	<0.5	9	45	45	3.23	4.25
C079860		4.96	0.068	<0.5	8.03	2900	1640	2.5	3	3.04	<0.5	15	61	19	3.96	3.03
C079861		2.24	0.069	0.8	7.57	2120	1080	2.4	21	2.68	<0.5	12	52	18	3.32	2.66
C079862		2.16	0.240	0.6	7.51	8650	950	2.3	5	2.36	<0.5	16	56	23	3.74	2.48
C079863		6.00	0.054	<0.5	8.33	1340	1280	2.6	<2	2.37	0.5	12	59	26	3.76	3.02
C079864		5.76	0.005	1.8	7.95	32	720	2.3	2	0.75	16.4	12	48	38	4.17	3.64
C079865		6.06	<0.005	<0.5	8.53	11	900	2.9	<2	0.47	<0.5	13	56	27	3.49	3.94
C079866		4.70	<0.005	<0.5	9.40	7	1080	2.7	,4	0.40	<0.5	13	58	23	3.30	4.04
C079867		4.92	<0.005	<0.5	7.08	33	620	1.8	<2	0.51	<0.5	13	44	32	3.59	2.42
C079868		4.92	<0.005	<0.5	4.98	22	520	1.7	<2	0.87	<0.5	10	39	44	3.08	2.28
C079869		<0.02	<0.005	<0.5	5.01	23	520	1.7	5	0.87	<0.5	12	40	45	3.03	2.31
C079870		0.12	1.425	<0.5	6.81	1215	660	6.1	2	0.01	<0.5	3	190	38	3.62	2.71
C079871		3.92	<0.005	<0.5	7.08	13	770	2.2	<2	1.14	<0.5	13	59	52	3.80	3.27
C079872		5.82	<0.005	<0.5	5.93	12	510	1.6	2	0.66	<0.5	9	40	29	3.04	2.09
C079873		2.40	<0.005	<0.5	6.14	29	550	1.5	<2	0.31	<0.5	8	44	29	2.78	2.30
C079874		3.74	0.006	<0.5	6.23	14	530	1.6	4	0.50	<0.5	7	38	25	3.14	2.44
C079875		5.68	<0.005	<0.5	10.25	87	1140	2.7	<2	0.47	<0.5	17	72	31	3.65	4.75
C079876		1.26	<0.005	<0.5	0.15	<5	20	<0.5	<2	20.5	<0.5	<1	3	2	0.11	0.04

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06082889

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C079837		0.08	165	<1	0.01	7	100	5	0.14	13	95	0.09	13	10	119
C079838		0.14	242	<1	0.02	15	160	14	0.72	19	25	0.14	25	10	148
C079839		0.12	246	<1	0.01	17	180	<2	0.19	9	29	0.12	26	<10	150
C079840		0.12	190	<1	0.01	6	140	7	0.13	<5	23	0.11	26	10	112
C079841		0.18	1565	<1	0.01	10	180	473	0.58	12	30	0.11	23	<10	1095
C079842		0.18	1760	<1	0.01	9	140	402	0.31	12	26	0.10	18	<10	1330
C079843		0.07	197	<1	0.01	6	90	67	0.18	6	28	0.09	14	<10	208
C079844		0.07	157	1	0.01	8	90	9	0.34	11	39	0.08	14	<10	122
C079845		0.21	376	<1	0.01	21	240	5	0.27	17	31	0.16	53	10	256
C079846		0.10	127	<1	0.01	5	110	9	0.12	5	20	0.07	19	<10	99
C079847		0.09	188	1	0.01	9	130	2	0.27	<5	49	0.07	21	<10	156
C079848		0.55	1515	11	0.04	110	590	6	1.66	15	43	0.38	121	10	938
C079849		0.53	1485	12	0.04	106	580	7	1.62	17	42	0.36	112	10	891
C079850		0.40	74	2	0.10	11	370	31	0.02	153	147	0.31	115	20	20
C079851		1.34	4350	18	0.07	96	620	10	1.79	19	103	0.38	183	40	464
C079852		2.11	2310	21	0.11	146	820	12	1.59	21	178	0.45	182	30	330
C079853		1.31	3340	<1	0.08	67	780	744	0.37	33	86	0.47	117	20	2100
C079854		1.05	742	3	0.08	52	470	11	2.24	34	56	0.33	138	20	69
C079855		1.07	451	<1	0.73	20	380	18	0.65	17	142	0.25	61	10	40
C079856		12.10	141	<1	0.01	<1	460	<2	0.01	7	117	0.01	2	<10	9
C079857		1.05	326	<1	0.12	26	470	6	0.49	13	49	0.33	72	<10	63
C079858		1.66	383	1	0.16	16	630	18	0.21	6	121	0.33	71	<10	56
C079859		1.35	370	<1	0.32	21	400	13	0.55	13	148	0.28	69	<10	26
C079860		1.91	613	<1	1.27	12	860	23	0.29	7	492	0.40	85	10	62
C079861		1.50	914	<1	0.51	13	800	59	0.29	12	251	0.35	76	10	463
C079862		1.37	755	<1	0.51	12	780	45	0.61	12	227	0.34	74	10	439
C079863		1.46	651	<1	0.60	16	780	68	0.48	16	295	0.38	83	<10	231
C079864		1.05	1270	<1	0.12	26	460	398	0.53	16	96	0.31	73	<10	2680
C079865		1.12	209	<1	0.17	26	390	11	0.46	6	89	0.34	85	10	57
C079866		1.01	211	1	0.21	31	420	13	0.25	13	215	0.36	90	<10	66
C079867		0.78	270	<1	0.12	22	370	9	0.59	<5	68	0.29	63	10	137
C079868		0.93	340	2	0.21	22	480	6	1.02	9	108	0.22	72	10	50
C079869		0.93	340	3	0.21	22	470	7	1.02	5	108	0.22	73	<10	51
C079870		0.34	86	2	0.11	17	310	28	0.02	113	89	0.28	90	10	47
C079871		1.36	520	4	0.35	34	770	9	1.40	<5	149	0.35	109	<10	54
C079872		0.96	230	<1	0.49	23	370	8	0.63	<5	100	0.23	54	<10	40
C079873		0.71	144	<1	0.48	17	270	11	0.46	<5	80	0.24	52	10	35
C079874		0.86	172	<1	0.31	17	280	6	0.67	<5	96	0.24	50	10	33
C079875		1.16	224	<1	0.26	38	430	5	0.22	8	104	0.43	103	<10	56
C079876		11.30	126	<1	0.01	<1	420	<2	0.01	6	108	0.01	2	<10	9

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06082889

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C079877		4.34	0.014	<0.5	4.72	124	590	1.3	3	0.57	<0.5	6	39	28	2.42	1.85
C079878		3.64	0.113	<0.5	7.26	135	620	1.8	3	0.50	<0.5	10	48	27	2.67	2.87
C079879		4.94	0.021	<0.5	7.09	56	690	2.0	3	0.54	<0.5	12	50	32	2.88	2.63
C079880		6.10	0.036	<0.5	6.01	64	560	1.8	<2	0.30	<0.5	8	42	28	2.55	2.22
C079881		2.52	0.005	<0.5	6.53	28	630	1.8	3	0.30	<0.5	9	45	23	2.69	2.57
C079882		3.02	<0.005	<0.5	6.10	41	580	1.7	5	0.36	<0.5	8	43	27	2.45	2.39
C079883		5.84	0.025	<0.5	3.47	56	180	0.7	3	0.51	<0.5	3	29	11	1.29	1.01
C079884		5.34	0.103	<0.5	5.42	63	420	1.4	<2	0.69	1.0	7	37	33	2.14	2.18
C079885		6.52	0.066	<0.5	6.66	41	590	1.7	2	0.57	0.7	9	48	47	2.40	2.45
C079886		6.08	<0.005	<0.5	7.88	20	800	2.1	3	0.18	<0.5	15	56	42	2.88	2.60
C079887		6.56	<0.005	<0.5	8.85	31	1020	2.3	5	0.17	<0.5	13	61	49	3.28	3.06
C079888		6.12	0.006	<0.5	5.03	22	450	1.2	<2	0.39	<0.5	7	34	21	2.05	1.61
C079889		<0.02	0.005	<0.5	5.05	21	450	1.1	3	0.39	<0.5	8	33	21	2.06	1.58
C079890		0.10	0.426	2.7	9.53	<5	1080	1.2	<2	1.60	<0.5	6	12	7150	3.39	3.69
C079891		5.70	<0.005	<0.5	5.96	67	560	1.4	<2	0.61	<0.5	6	39	41	2.54	1.67
C079892		5.82	0.012	<0.5	6.80	111	680	1.5	<2	0.46	<0.5	10	46	38	2.68	2.25
C079893		5.56	0.005	<0.5	7.88	35	860	1.9	<2	0.71	<0.5	12	64	43	3.47	2.51
C079894		6.12	<0.005	<0.5	7.87	51	820	2.0	<2	0.27	<0.5	14	60	40	3.39	2.53
C079895		5.72	<0.005	<0.5	2.89	6	170	0.6	<2	0.43	<0.5	3	25	11	1.36	0.72
C079896		1.26	<0.005	<0.5	0.15	<5	20	<0.5	<2	21.3	<0.5	<1	5	2	0.11	0.04
C079897		6.26	<0.005	<0.5	1.72	56	80	<0.5	<2	0.49	<0.5	3	34	17	1.27	0.38
C079898		5.82	0.008	<0.5	2.70	13	120	0.6	<2	0.63	<0.5	3	20	10	1.14	0.66
C079899		3.98	0.005	<0.5	2.97	15	150	0.7	<2	0.79	<0.5	3	26	14	1.37	0.63

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06082889

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C079877		0.66	152	<1	0.27	14	240	4	0.40	<5	90	0.18	39	10	33
C079878		0.87	195	<1	0.50	22	340	6	0.22	<5	104	0.32	58	<10	29
C079879		0.86	210	<1	0.28	23	300	8	0.32	5	114	0.29	62	<10	91
C079880		0.72	152	<1	0.42	19	280	6	0.22	7	85	0.24	49	<10	49
C079881		0.73	156	<1	0.53	21	310	6	0.37	<5	86	0.25	56	<10	41
C079882		0.70	145	<1	0.54	20	270	4	0.40	<5	95	0.23	51	<10	38
C079883		0.35	119	<1	0.81	8	170	8	0.12	7	93	0.10	19	<10	19
C079884		0.63	280	<1	0.20	15	250	44	0.30	7	80	0.19	43	<10	233
C079885		0.69	252	<1	0.09	20	300	62	0.36	9	90	0.23	60	<10	216
C079886		0.63	230	<1	0.15	29	310	12	0.39	8	91	0.31	72	<10	174
C079887		0.79	266	<1	0.15	32	360	8	0.36	7	165	0.32	81	10	131
C079888		0.56	205	<1	0.06	15	200	6	0.16	9	104	0.21	41	<10	147
C079889		0.56	205	<1	0.06	16	190	9	0.16	6	105	0.21	39	10	143
C079890		1.25	480	1	3.70	6	1930	15	0.24	<5	697	0.34	166	<10	65
C079891		0.73	176	<1	0.08	15	320	10	0.23	6	189	0.21	42	<10	48
C079892		0.68	172	<1	0.11	23	340	11	0.46	10	133	0.25	57	<10	91
C079893		1.06	231	<1	0.16	29	380	9	0.64	8	162	0.30	74	10	43
C079894		0.73	237	1	0.15	35	450	10	0.92	10	118	0.31	86	10	61
C079895		0.32	122	<1	0.04	8	160	4	0.21	<5	63	0.11	18	<10	18
C079896		12.20	134	<1	0.01	<1	400	<2	<0.01	<5	106	0.01	2	<10	7
C079897		0.30	227	<1	0.13	3	130	4	0.26	<5	52	0.06	10	<10	10
C079898		0.36	118	<1	0.03	5	170	3	0.31	7	72	0.08	14	<10	32
C079899		0.44	143	<1	0.03	6	190	8	0.16	6	155	0.09	19	<10	49

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 23-SEP-2006
Account: STRGOL

CERTIFICATE VA06087856

Project: Dublin Gulch1735

P.O. No.:

This report is for 173 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 22-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 23-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06087856

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C080292		2.70	0.008	<0.5	6.75	<5	500	1.3	<2	0.56	<0.5	7	39	28	2.79	3.14
C080293		1.54	<0.005	<0.5	6.12	7	370	1.0	<2	2.18	<0.5	1	14	4	0.74	4.36
C080294		1.80	<0.005	<0.5	7.10	5	630	1.6	<2	7.35	<0.5	8	50	23	3.40	2.01
C080295		1.42	0.005	<0.5	6.26	5	490	1.5	<2	10.10	<0.5	8	38	12	3.17	1.48
C080296		1.20	<0.005	<0.5	0.16	5	20	<0.5	<2	18.85	<0.5	<1	3	1	0.16	0.04
C080297		2.22	<0.005	<0.5	6.78	7	330	2.3	<2	12.00	<0.5	15	39	12	6.24	1.15
C080298		1.44	<0.005	<0.5	6.36	10	320	3.3	<2	9.14	<0.5	13	43	13	6.22	1.02
C080299		1.42	<0.005	<0.5	6.50	9	650	3.3	<2	4.29	<0.5	9	53	41	3.22	1.86
C080300		1.92	<0.005	<0.5	7.27	<5	2640	3.5	<2	1.91	<0.5	3	10	5	1.23	3.52
C080301		1.00	<0.005	<0.5	7.26	12	2570	3.2	<2	1.96	<0.5	2	9	3	1.31	3.51
C080302		1.16	<0.005	<0.5	7.35	<5	2670	3.2	<2	2.00	<0.5	2	8	2	1.18	3.51
C080303		2.10	<0.005	<0.5	7.11	<5	2580	3.4	<2	1.87	<0.5	3	10	4	1.34	3.28
C080304		2.84	<0.005	<0.5	6.67	6	890	1.8	<2	2.22	<0.5	8	47	25	2.96	2.71
C080305		2.88	<0.005	<0.5	6.69	<5	730	2.2	<2	2.92	<0.5	8	60	34	3.18	2.37
C080306		1.78	<0.005	<0.5	6.44	6	1060	1.9	<2	1.16	<0.5	12	51	36	3.22	2.55
C080307		1.62	<0.005	<0.5	6.82	8	810	2.0	<2	1.27	<0.5	14	54	35	3.08	2.68
C080308		2.34	<0.005	<0.5	4.72	6	620	1.6	<2	1.22	<0.5	4	36	7	2.54	2.17
C080309		<0.02	<0.005	<0.5	5.04	8	650	1.6	<2	1.57	<0.5	6	43	10	3.07	2.22
C080310		0.10	0.738	2.3	7.34	12	450	0.7	<2	1.87	<0.5	20	96	1890	5.03	1.69
C080311		2.04	<0.005	<0.5	6.54	9	960	1.3	<2	0.49	<0.5	10	50	10	3.23	2.93
C080312		3.08	<0.005	<0.5	6.70	12	1380	1.8	<2	0.35	<0.5	10	55	14	3.69	2.76
C080313		2.46	<0.005	<0.5	6.76	12	1130	1.5	<2	0.43	<0.5	9	52	19	3.15	2.74
C080314		2.74	0.005	<0.5	7.75	17	880	2.1	<2	2.31	<0.5	17	57	40	2.99	2.80
C080315		2.76	<0.005	<0.5	7.15	15	1150	1.6	<2	0.68	<0.5	11	56	17	3.55	2.81
C080316		1.62	<0.005	<0.5	0.11	5	10	<0.5	<2	20.1	<0.5	<1	3	2	0.13	0.03
C080317		2.38	0.006	<0.5	5.70	12	840	1.3	<2	0.50	<0.5	9	45	13	2.96	2.12
C080318		3.14	0.007	<0.5	8.38	<5	730	1.8	<2	0.92	<0.5	12	64	22	3.85	2.52
C080319		2.14	<0.005	<0.5	8.83	5	1040	2.3	<2	0.59	<0.5	10	52	19	2.95	3.42
C080320		1.90	<0.005	<0.5	9.20	7	860	2.5	<2	0.99	<0.5	14	76	25	4.48	3.01
C080321		1.34	<0.005	<0.5	8.59	11	800	2.3	<2	1.02	<0.5	13	65	30	4.12	2.92
C080322		0.92	<0.005	<0.5	8.64	<5	830	2.1	<2	1.03	<0.5	10	68	29	4.30	3.00
C080323		1.58	<0.005	<0.5	8.32	<5	700	1.9	<2	0.64	<0.5	14	68	25	4.10	2.61
C080324		2.74	<0.005	<0.5	8.94	10	700	2.1	<2	0.93	<0.5	14	77	36	4.71	2.67
C080325		2.22	0.007	<0.5	9.85	5	940	2.3	<2	0.93	<0.5	20	84	49	5.23	3.23
C080326		2.30	0.033	<0.5	8.40	8	700	1.8	<2	1.18	<0.5	13	65	31	3.76	2.22
C080327		1.58	0.014	<0.5	5.18	<5	400	1.1	<2	1.37	<0.5	6	43	14	1.64	1.44
C080328		1.70	<0.005	<0.5	7.81	7	580	1.6	<2	0.69	<0.5	11	61	21	3.65	2.04
C080329		<0.02	0.005	<0.5	8.65	6	620	1.8	<2	0.80	<0.5	14	67	23	3.83	2.20
C080330		0.10	2.91	0.7	7.18	8	2120	3.4	<2	4.97	<0.5	25	138	105	5.39	3.38
C080331		2.60	0.005	<0.5	10.00	6	870	2.7	<2	0.63	<0.5	18	83	38	5.09	2.79

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 23-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06087856

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C080292		0.54	304	<1	1.46	21	370	25	0.16	<5	92	0.21	42	<10	44
C080293		0.15	143	<1	1.75	3	630	22	0.06	<5	169	0.07	9	<10	17
C080294		0.84	647	<1	1.21	23	400	14	0.27	6	293	0.29	52	60	87
C080295		0.66	852	<1	1.32	18	360	10	0.11	<5	368	0.25	42	30	95
C080296		11.25	153	<1	0.02	<1	500	3	0.01	8	106	0.01	2	<10	7
C080297		0.75	1675	<1	1.24	22	410	14	0.14	<5	389	0.29	51	180	149
C080298		0.78	1680	4	1.58	29	340	8	0.13	6	440	0.26	52	2050	114
C080299		0.88	618	<1	1.33	24	200	13	0.34	5	332	0.30	60	990	65
C080300		0.33	107	<1	2.12	7	410	51	0.02	<5	467	0.19	16	<10	65
C080301		0.33	102	<1	2.08	5	380	47	0.02	<5	464	0.18	16	<10	54
C080302		0.32	90	<1	2.12	4	400	48	0.02	<5	472	0.18	15	<10	54
C080303		0.32	103	<1	2.07	4	380	48	0.02	7	452	0.17	15	<10	58
C080304		0.93	377	<1	1.65	22	280	16	0.43	<5	219	0.28	54	50	65
C080305		0.90	418	<1	1.46	26	280	10	0.58	<5	260	0.31	62	240	65
C080306		0.76	309	<1	1.41	24	410	13	0.40	<5	134	0.29	62	10	67
C080307		0.86	475	<1	1.51	26	230	15	0.32	<5	201	0.30	63	<10	60
C080308		0.55	268	<1	1.28	12	240	9	0.07	6	205	0.20	41	10	25
C080309		0.64	347	<1	1.36	15	260	9	0.07	<5	237	0.20	42	<10	29
C080310		1.36	429	1	3.21	47	670	22	0.65	<5	205	0.29	85	<10	193
C080311		0.56	212	<1	1.41	21	290	18	0.05	<5	123	0.25	57	<10	52
C080312		0.67	196	<1	1.14	21	500	8	0.07	<5	143	0.29	62	<10	61
C080313		0.80	252	1	1.69	21	230	15	0.02	<5	125	0.29	63	<10	65
C080314		0.86	624	1	1.77	30	490	19	0.38	<5	261	0.31	66	10	70
C080315		0.77	250	5	1.72	24	300	12	0.10	<5	132	0.30	62	<10	64
C080316		11.60	133	<1	0.01	<1	470	3	0.01	<5	108	0.01	1	<10	7
C080317		0.61	219	<1	1.38	22	330	14	0.06	<5	86	0.26	52	<10	52
C080318		0.90	416	1	1.62	33	280	14	0.15	6	201	0.35	72	<10	76
C080319		0.73	248	1	1.65	26	400	19	0.04	<5	279	0.30	64	<10	64
C080320		0.99	370	4	1.92	37	370	15	0.17	<5	282	0.37	87	<10	87
C080321		0.94	446	3	1.37	34	720	14	0.17	<5	212	0.36	78	<10	83
C080322		0.94	455	1	1.41	32	810	11	0.18	<5	214	0.36	79	<10	83
C080323		1.01	564	<1	1.59	35	230	21	0.18	<5	148	0.36	75	<10	92
C080324		1.08	523	<1	1.45	43	390	14	0.36	<5	225	0.39	84	<10	93
C080325		1.25	484	<1	1.03	45	430	9	0.46	<5	210	0.42	94	<10	113
C080326		0.93	543	1	1.35	26	640	17	0.26	<5	193	0.35	72	<10	80
C080327		0.45	544	<1	1.20	12	80	20	0.13	<5	164	0.19	37	<10	35
C080328		0.84	510	1	1.25	29	630	10	0.14	<5	157	0.32	67	<10	79
C080329		0.93	546	1	1.32	34	860	10	0.15	<5	170	0.35	74	<10	87
C080330		3.00	1065	13	2.33	64	2380	29	0.30	<5	1660	0.39	164	10	103
C080331		1.05	736	<1	1.07	43	520	17	0.22	<5	270	0.44	93	<10	104

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 23-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06087856

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C080332		2.46	<0.005	<0.5	11.00	7	870	3.2	<2	0.45	<0.5	19	95	32	5.30	2.98
C080333		3.04	<0.005	<0.5	9.16	5	910	2.1	<2	1.04	<0.5	15	76	49	4.55	2.75
C080334		2.86	<0.005	<0.5	8.88	14	900	1.7	<2	0.87	<0.5	14	68	24	4.07	3.11
C080335		2.18	<0.005	<0.5	8.00	<5	670	1.6	<2	0.84	<0.5	13	63	22	3.94	2.52
C080336		3.04	<0.005	<0.5	0.16	<5	20	<0.5	<2	19.70	<0.5	1	3	2	0.14	0.04
C080337		2.72	<0.005	<0.5	8.97	5	970	2.3	<2	0.62	<0.5	14	73	18	4.78	3.48
C080338		2.72	<0.005	<0.5	5.14	6	610	1.3	<2	0.76	<0.5	7	42	7	2.03	1.89
C080339		3.08	<0.005	<0.5	5.85	<5	900	1.5	<2	0.51	<0.5	6	51	7	3.12	2.69
C080340		2.88	<0.005	<0.5	6.61	9	900	1.6	<2	0.81	<0.5	7	56	12	3.83	2.62
C080341		1.00	<0.005	<0.5	4.72	<5	660	1.2	<2	0.66	<0.5	6	40	9	2.02	1.66
C080342		1.38	<0.005	<0.5	5.04	<5	740	1.1	<2	0.60	<0.5	8	42	9	2.23	1.83
C080343		2.62	<0.005	<0.5	4.33	<5	500	1.1	<2	0.71	<0.5	6	38	9	2.01	1.42
C080344		1.64	<0.005	<0.5	3.59	5	490	0.8	<2	0.32	<0.5	2	41	6	1.91	1.30
C080345		2.90	<0.005	<0.5	5.06	10	520	1.0	<2	0.70	<0.5	5	47	10	2.38	1.67
C080346		2.66	<0.005	<0.5	5.10	<5	520	1.2	<2	0.80	<0.5	5	44	12	2.51	1.52
C080347		2.48	<0.005	<0.5	7.00	8	880	2.5	<2	0.73	<0.5	9	75	9	2.99	2.79
C080348		3.26	0.005	<0.5	4.69	5	570	0.9	<2	0.60	<0.5	7	53	10	2.38	1.53
C080349		<0.02	<0.005	<0.5	4.85	10	570	1.0	<2	0.64	<0.5	6	53	11	2.35	1.54
C080350		0.10	4.35	8.5	7.56	22	460	0.8	<2	2.75	1.1	17	22	120	4.17	2.10
C080351		0.54	<0.005	<0.5	6.58	13	670	1.4	<2	0.73	<0.5	1	22	10	1.44	3.84
C080352		3.32	<0.005	<0.5	5.96	11	680	1.3	<2	0.69	<0.5	9	55	12	2.80	2.05
C080353		3.80	<0.005	<0.5	8.36	22	760	1.9	<2	0.73	<0.5	14	73	30	4.63	2.76
C080354		3.26	<0.005	<0.5	5.34	8	460	1.1	<2	0.81	<0.5	8	51	12	2.68	1.42
C080355		3.28	<0.005	<0.5	5.56	9	620	1.5	<2	0.70	<0.5	10	53	12	2.97	1.84
C080356		1.70	<0.005	<0.5	0.14	<5	20	<0.5	<2	19.85	<0.5	2	4	2	0.13	0.03
C080357		3.36	<0.005	<0.5	6.45	12	1020	1.7	<2	0.43	<0.5	11	64	8	4.17	2.61
C080358		3.90	<0.005	<0.5	5.65	5	970	1.4	<2	0.63	<0.5	9	55	12	3.23	2.24
C080359		3.28	<0.005	<0.5	5.60	5	870	1.5	<2	1.16	<0.5	7	53	22	3.03	1.79
C080360		3.62	<0.005	<0.5	6.48	10	750	1.6	<2	1.50	<0.5	9	55	42	3.32	2.29
C080361		1.40	<0.005	<0.5	6.18	6	680	1.5	<2	2.57	<0.5	9	52	25	3.20	1.77
C080362		1.64	<0.005	<0.5	6.37	<5	680	1.4	<2	2.56	<0.5	9	50	21	2.96	1.95
C080363		2.20	<0.005	<0.5	6.72	11	580	2.0	<2	6.40	<0.5	13	43	24	5.15	1.96
C080364		1.72	<0.005	<0.5	6.23	8	530	2.5	<2	4.61	<0.5	10	46	20	4.14	1.59
C080365		1.86	<0.005	<0.5	6.91	<5	670	1.9	<2	3.60	<0.5	9	50	24	3.38	2.13
C080366		3.18	<0.005	<0.5	6.28	7	880	3.7	<2	2.82	<0.5	4	33	5	1.89	1.90
C080367		3.22	<0.005	<0.5	7.95	8	1650	3.1	<2	3.47	<0.5	7	43	5	3.04	2.65
C080368		3.30	<0.005	<0.5	8.84	<5	1770	3.3	<2	4.38	<0.5	9	47	7	3.52	2.71
C080369		<0.02	<0.005	<0.5	8.11	<5	1630	3.0	<2	3.99	<0.5	8	43	6	3.19	2.48
C080370		0.10	0.843	2.5	7.78	5	450	0.7	<2	1.95	1.2	24	100	2070	5.39	1.71
C080371		3.28	<0.005	<0.5	8.55	7	1430	4.0	<2	4.81	<0.5	7	40	4	3.07	2.37

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 23-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06087856

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C080332		1.11	511	<1	0.97	51	410	8	0.14	<5	321	0.48	109	<10	123
C080333		0.95	481	<1	0.97	33	620	17	0.41	<5	229	0.38	85	<10	100
C080334		0.96	364	<1	1.38	35	540	10	0.17	<5	149	0.38	80	<10	83
C080335		0.89	554	<1	1.44	27	260	13	0.17	<5	168	0.34	69	<10	74
C080336		11.50	152	1	0.02	3	590	4	0.01	6	107	0.01	2	<10	7
C080337		1.25	444	2	1.55	39	200	14	0.08	<5	175	0.40	87	<10	97
C080338		0.52	223	1	1.64	14	100	18	0.04	<5	163	0.23	38	10	36
C080339		0.61	233	<1	1.32	20	620	15	0.03	<5	109	0.28	51	<10	48
C080340		0.75	288	<1	1.56	23	230	7	0.08	<5	168	0.28	56	<10	50
C080341		0.43	239	2	1.74	15	90	13	0.04	<5	124	0.18	32	<10	35
C080342		0.47	250	1	1.83	14	90	16	0.05	<5	115	0.19	34	<10	37
C080343		0.39	242	2	1.42	16	110	13	0.05	<5	135	0.18	30	<10	28
C080344		0.30	188	2	1.32	13	100	15	0.03	<5	78	0.18	25	<10	25
C080345		0.50	308	1	1.78	18	110	12	0.07	<5	116	0.23	38	<10	40
C080346		0.49	289	1	1.85	16	130	11	0.06	<5	157	0.22	37	<10	36
C080347		0.80	268	1	1.79	28	230	8	0.04	<5	224	0.27	59	<10	45
C080348		0.39	244	1	1.61	19	130	8	0.07	<5	101	0.22	35	<10	33
C080349		0.40	247	1	1.65	18	130	9	0.07	<5	104	0.22	36	<10	34
C080350		1.29	934	12	1.60	13	880	19	0.63	<5	394	0.34	139	<10	98
C080351		0.23	154	4	2.11	9	300	72	0.07	<5	176	0.09	15	<10	16
C080352		0.61	320	1	1.29	26	330	15	0.10	<5	112	0.23	45	<10	44
C080353		0.99	573	1	1.22	35	300	15	0.16	<5	161	0.34	72	<10	77
C080354		0.53	357	2	1.57	20	140	12	0.13	<5	130	0.22	39	<10	45
C080355		0.52	252	1	1.57	25	510	8	0.07	<5	153	0.27	50	<10	47
C080356		11.55	152	<1	0.02	<1	470	7	0.01	<5	105	0.01	2	<10	8
C080357		0.64	199	1	0.95	32	820	10	0.03	<5	110	0.34	72	<10	53
C080358		0.58	194	3	1.26	28	190	8	0.07	5	126	0.27	56	<10	53
C080359		0.67	290	4	1.23	22	290	8	0.14	<5	150	0.25	52	<10	52
C080360		0.76	515	1	1.48	26	190	17	0.28	<5	183	0.27	55	10	70
C080361		0.70	769	1	1.35	22	240	8	0.29	<5	256	0.24	46	10	62
C080362		0.71	828	1	1.42	21	180	8	0.27	<5	273	0.26	47	<10	62
C080363		0.78	1190	1	1.50	27	280	11	0.60	<5	366	0.25	51	200	89
C080364		0.80	835	4	1.58	27	190	6	0.36	<5	355	0.24	50	1440	68
C080365		0.83	680	1	1.58	21	260	12	0.47	<5	344	0.28	51	260	66
C080366		0.62	303	4	1.85	8	440	13	0.03	<5	484	0.17	27	<10	27
C080367		1.18	466	2	2.14	9	730	12	0.03	<5	613	0.31	51	<10	53
C080368		1.33	557	2	2.34	13	870	14	0.03	<5	726	0.37	62	<10	62
C080369		1.21	506	1	2.17	11	800	12	0.03	<5	676	0.34	56	<10	56
C080370		1.38	440	3	3.19	52	660	16	0.62	<5	214	0.29	90	<10	215
C080371		1.48	466	1	2.71	15	900	5	0.01	<5	856	0.36	61	<10	45

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 23-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06087856

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C080372		2.30	0.018	<0.5	7.99	<5	1290	3.2	<2	5.08	<0.5	9	41	6	3.23	2.21
C080373		2.56	0.005	<0.5	6.57	14	850	1.7	<2	2.85	<0.5	6	55	34	3.03	2.66
C080374		1.54	<0.005	<0.5	7.15	12	350	6.5	<2	6.33	<0.5	7	49	12	2.76	0.68
C080375		2.22	<0.005	<0.5	6.89	9	360	2.7	<2	7.59	<0.5	11	44	20	4.03	0.88
C080376		1.64	<0.005	<0.5	0.14	17	20	<0.5	<2	18.80	<0.5	1	21	3	0.18	0.04
C080377		2.56	<0.005	<0.5	6.30	6	600	1.8	<2	4.86	<0.5	10	48	25	3.53	2.04
C080378		3.54	<0.005	<0.5	7.35	<5	800	2.0	<2	1.82	<0.5	10	58	29	3.32	2.84
C080379		3.10	<0.005	<0.5	7.53	7	880	1.7	<2	0.73	<0.5	10	58	24	3.19	2.93
C080380		3.22	<0.005	<0.5	6.84	<5	630	1.5	<2	1.17	<0.5	13	55	23	3.36	2.32
C080381		1.66	<0.005	<0.5	6.38	<5	680	1.6	<2	0.70	<0.5	9	53	12	3.12	2.25
C080382		1.40	<0.005	<0.5	6.65	<5	680	1.7	<2	0.81	<0.5	9	54	10	3.22	2.30
C080383		2.98	<0.005	<0.5	7.07	<5	820	1.5	<2	0.56	<0.5	12	70	13	3.68	2.64
C080384		3.26	<0.005	<0.5	5.86	<5	640	1.5	<2	0.63	<0.5	10	50	12	2.55	2.10
C080385		2.94	<0.005	<0.5	5.05	<5	500	1.1	<2	0.88	<0.5	8	50	11	2.12	1.64
C080386		2.94	<0.005	<0.5	6.47	<5	730	1.5	<2	0.81	<0.5	9	55	17	2.80	2.80
C080387		2.94	0.005	<0.5	5.90	<5	820	2.0	<2	0.79	<0.5	11	53	7	2.63	2.10
C080388		3.28	<0.005	<0.5	7.38	<5	900	2.5	<2	1.33	<0.5	11	64	9	3.34	2.58
C080389		<0.02	<0.005	<0.5	8.00	<5	980	2.7	<2	1.33	<0.5	11	65	9	3.80	2.82
C080390		0.10	3.14	<0.5	6.94	<5	2040	3.1	<2	4.70	<0.5	22	140	88	5.11	3.14
C080391		3.08	<0.005	<0.5	7.17	<5	1170	2.5	<2	2.08	<0.5	8	49	10	3.08	2.24
C080392		3.44	<0.005	<0.5	7.13	<5	1400	2.1	<2	0.88	<0.5	15	60	9	3.72	2.98
C080393		3.16	<0.005	<0.5	5.62	5	660	1.5	<2	1.15	<0.5	8	48	18	2.09	1.86
C080394		3.38	0.006	<0.5	8.26	23	970	2.2	<2	0.73	<0.5	14	71	27	3.47	3.40
C080395		3.36	<0.005	<0.5	9.18	7	900	2.1	<2	1.14	<0.5	14	75	29	4.37	3.66
C080396		2.50	<0.005	<0.5	0.16	<5	20	<0.5	<2	19.55	<0.5	2	4	2	0.15	0.04
C080397		2.96	<0.005	<0.5	6.24	6	530	1.5	<2	1.20	<0.5	8	56	24	2.65	2.13
C080398		2.82	<0.005	<0.5	6.46	<5	810	1.7	<2	1.22	<0.5	9	52	18	2.79	2.38
C080399		2.82	<0.005	<0.5	6.18	10	610	1.8	<2	1.60	<0.5	9	46	28	2.23	1.89
C080400		3.54	<0.005	<0.5	6.38	80	850	2.2	<2	1.51	<0.5	11	59	27	2.86	2.19
C080401		1.42	<0.005	<0.5	8.14	13	900	2.9	<2	1.90	<0.5	12	63	19	3.14	2.44
C080402		1.68	<0.005	<0.5	8.10	54	1050	2.3	<2	1.67	<0.5	12	60	23	3.30	2.67
C080403		3.38	<0.005	<0.5	6.97	<5	820	2.0	<2	1.09	<0.5	11	61	21	2.99	2.59
C080404		3.14	<0.005	<0.5	6.64	5	830	1.7	<2	1.81	<0.5	15	62	39	3.51	2.21
C080405		2.98	<0.005	<0.5	6.78	<5	740	1.9	<2	2.45	<0.5	10	54	30	3.31	2.64
C080406		3.38	<0.005	<0.5	7.53	23	910	2.1	<2	1.13	<0.5	13	60	19	3.40	3.02
C080407		1.76	<0.005	<0.5	7.78	6	410	4.8	<2	8.85	<0.5	14	50	20	4.88	0.98
C080408		2.16	<0.005	<0.5	7.25	9	630	5.7	<2	7.02	<0.5	12	43	14	4.82	1.36
C080409		<0.02	<0.005	<0.5	7.25	5	640	5.7	<2	7.03	<0.5	14	45	14	4.83	1.37
C080410		0.10	0.825	2.2	7.23	<5	430	0.7	<2	1.81	0.8	23	97	1900	5.05	1.69
C080411		3.74	0.005	<0.5	6.91	7	650	2.9	<2	2.58	<0.5	9	58	37	2.77	2.16

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 23-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06087856

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C080372		1.52	486	1	2.48	19	760	8	0.03	<5	650	0.34	66	<10	51
C080373		0.85	492	1	1.28	20	200	9	0.39	<5	268	0.29	56	30	48
C080374		0.99	618	12	2.30	25	470	<2	0.08	5	748	0.28	53	4060	31
C080375		0.84	940	2	1.87	24	210	3	0.17	<5	563	0.29	55	860	83
C080376		11.05	143	<1	0.01	12	460	<2	0.02	<5	99	0.01	2	<10	7
C080377		0.80	588	1	1.39	27	280	10	0.43	<5	262	0.26	52	180	78
C080378		0.93	400	<1	1.61	26	230	7	0.57	<5	230	0.27	58	10	60
C080379		0.82	322	1	1.70	25	230	23	0.45	<5	116	0.28	60	<10	65
C080380		0.70	429	1	1.60	25	340	10	0.44	<5	141	0.26	53	<10	60
C080381		0.56	317	4	1.22	26	270	12	0.06	<5	143	0.25	51	<10	52
C080382		0.59	321	3	1.26	27	330	13	0.05	<5	164	0.24	50	<10	53
C080383		0.69	288	2	1.53	29	320	11	0.10	<5	143	0.33	64	<10	68
C080384		0.42	197	2	1.73	21	230	24	0.05	<5	158	0.24	42	<10	38
C080385		0.44	260	5	1.69	16	120	19	0.09	<5	154	0.21	32	<10	34
C080386		0.62	296	1	1.72	22	200	23	0.15	<5	168	0.27	46	<10	45
C080387		0.48	217	1	1.51	24	290	16	0.03	<5	236	0.24	48	20	39
C080388		0.78	335	<1	1.59	29	640	13	0.04	<5	352	0.35	66	<10	59
C080389		0.80	371	1	1.69	31	640	13	0.04	<5	377	0.38	70	<10	63
C080390		2.91	1015	13	2.38	59	2360	23	0.30	6	1665	0.33	151	<10	93
C080391		0.83	315	1	1.77	18	430	14	0.04	<5	412	0.30	56	<10	51
C080392		0.77	249	<1	1.69	28	230	16	0.03	<5	198	0.36	71	<10	67
C080393		0.46	213	<1	1.67	16	670	12	0.17	<5	205	0.26	42	<10	31
C080394		0.93	364	2	1.75	33	240	13	0.39	<5	191	0.35	73	200	70
C080395		1.10	499	<1	1.74	39	2640	11	0.37	<5	169	0.43	83	<10	80
C080396		11.30	160	<1	0.02	<1	550	2	0.01	<5	106	0.01	2	<10	7
C080397		0.72	462	<1	1.68	20	440	14	0.28	<5	216	0.27	47	10	46
C080398		0.65	369	1	1.92	21	260	21	0.20	<5	189	0.27	49	<10	48
C080399		0.56	406	<1	1.54	17	140	10	0.30	<5	220	0.23	44	<10	38
C080400		0.67	418	1	1.64	22	300	7	0.27	<5	276	0.28	54	10	45
C080401		0.74	380	1	1.88	26	410	24	0.18	<5	379	0.34	63	150	60
C080402		0.74	394	1	1.83	27	390	37	0.23	<5	311	0.33	62	130	61
C080403		0.78	347	1	1.60	25	220	10	0.19	<5	186	0.31	59	<10	56
C080404		0.80	336	<1	1.57	29	400	13	0.38	<5	160	0.31	62	<10	69
C080405		0.85	454	1	1.57	25	450	10	0.51	<5	227	0.28	54	200	67
C080406		0.82	368	1	1.69	31	390	11	0.17	<5	254	0.34	66	<10	62
C080407		0.98	1155	7	1.76	32	390	6	0.16	9	570	0.34	60	2710	102
C080408		1.22	1015	14	1.84	33	480	4	0.14	<5	572	0.31	65	5870	74
C080409		1.22	1015	14	1.84	33	480	4	0.14	<5	571	0.32	65	5890	75
C080410		1.33	419	3	3.25	46	650	15	0.62	<5	205	0.30	84	20	198
C080411		1.09	348	1	1.95	26	360	12	0.46	<5	256	0.31	60	30	52

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 23-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06087856

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C080412		1.96	<0.005	<0.5	5.86	<5	640	2.8	<2	2.47	<0.5	8	51	25	2.50	1.48
C080413		2.52	<0.005	<0.5	6.31	16	1000	2.7	<2	1.39	<0.5	9	53	27	2.84	2.48
C080414		3.06	<0.005	<0.5	6.53	19	990	2.5	<2	1.18	<0.5	10	60	16	3.20	2.50
C080415		3.38	<0.005	<0.5	5.95	<5	740	1.9	<2	0.49	<0.5	11	56	9	3.26	2.58
C080416		1.46	<0.005	<0.5	0.15	<5	10	<0.5	<2	19.75	<0.5	1	6	2	0.17	0.03
C080417		3.22	<0.005	<0.5	8.39	<5	960	2.9	<2	0.86	<0.5	13	73	16	3.89	3.45
C080418		3.18	0.005	<0.5	10.00	5	1080	3.5	<2	1.48	<0.5	13	80	24	4.07	3.60
C080419		3.34	<0.005	<0.5	10.50	<5	1150	2.9	<2	0.81	<0.5	16	83	30	4.42	3.71
C080420		3.18	<0.005	<0.5	7.47	<5	700	1.7	<2	0.89	<0.5	9	69	20	4.28	2.66
C080421		1.54	<0.005	<0.5	5.62	39	460	1.4	<2	1.12	<0.5	8	46	18	2.41	1.80
C080422		1.32	<0.005	<0.5	5.58	35	450	1.2	<2	1.06	<0.5	8	47	19	2.56	1.83
C080423		3.06	<0.005	<0.5	4.35	30	390	0.9	<2	1.54	<0.5	8	41	28	1.95	1.32
C080424		3.10	<0.005	<0.5	8.55	39	1590	1.9	<2	1.42	<0.5	14	58	51	3.16	3.96
C080425		2.94	<0.005	<0.5	6.99	50	660	1.7	<2	0.79	<0.5	14	58	22	3.48	2.58
C080426		3.26	<0.005	<0.5	3.39	<5	360	0.7	<2	0.89	<0.5	6	36	15	1.95	1.34
C080427		3.32	<0.005	<0.5	5.59	6	520	1.9	<2	1.42	<0.5	9	37	26	1.97	1.65
C080428		3.42	<0.005	<0.5	5.38	26	470	1.4	<2	1.10	<0.5	13	42	37	2.16	1.88
C080429		<0.02	<0.005	<0.5	4.80	20	440	1.3	<2	1.06	<0.5	12	40	36	1.97	1.76
C080430		0.10	4.51	8.8	7.60	15	480	0.9	<2	2.80	1.1	18	21	122	4.19	2.22
C080431		3.06	0.005	<0.5	5.06	40	610	1.4	<2	1.05	<0.5	9	45	30	2.07	2.23
C080432		2.44	0.005	<0.5	5.23	42	370	3.1	<2	2.54	<0.5	4	32	23	1.58	1.03
C080433		2.48	0.005	<0.5	5.89	10	590	1.6	<2	1.44	<0.5	11	45	39	2.52	2.07
C080434		3.00	0.005	<0.5	7.67	6	750	2.3	<2	0.92	<0.5	15	62	45	3.82	2.98
C080435		1.76	<0.005	<0.5	7.74	<5	660	3.7	<2	2.72	<0.5	14	55	40	3.77	2.38
C080436		1.56	<0.005	<0.5	0.12	<5	20	<0.5	<2	19.30	<0.5	1	5	2	0.13	0.03
C080437		1.14	<0.005	<0.5	7.89	19	830	3.6	<2	1.61	<0.5	11	48	14	2.92	3.02
C080438		1.70	<0.005	<0.5	6.74	10	570	3.0	<2	3.05	<0.5	11	48	24	3.22	2.60
C080439		1.02	<0.005	<0.5	5.86	<5	630	3.7	<2	1.15	<0.5	2	12	7	0.74	3.31
C080440		1.00	<0.005	<0.5	6.57	<5	290	18.3	<2	2.98	<0.5	2	13	4	0.83	1.31
C080441		0.82	<0.005	<0.5	7.31	<5	540	6.4	<2	2.23	<0.5	8	46	40	2.38	2.38
C080442		0.72	<0.005	<0.5	5.87	<5	500	3.5	<2	1.74	<0.5	8	40	41	2.36	1.69
C080443		1.18	<0.005	<0.5	6.93	<5	660	5.3	<2	1.20	<0.5	3	16	8	1.07	3.84
C080444		3.38	<0.005	<0.5	6.35	<5	770	4.9	<2	1.07	<0.5	3	17	6	0.85	3.34
C080445		3.14	0.010	<0.5	7.09	<5	980	3.8	<2	0.94	<0.5	2	16	8	1.18	4.31
C080446		2.90	<0.005	<0.5	6.98	<5	770	3.6	<2	1.03	<0.5	4	17	15	1.14	4.10
C080447		3.26	<0.005	<0.5	6.92	<5	600	3.8	<2	1.02	<0.5	3	19	13	1.23	4.21
C080448		2.38	<0.005	<0.5	6.77	<5	530	3.9	<2	0.94	<0.5	3	13	11	1.00	4.02
C080449		<0.02	<0.005	<0.5	6.50	<5	510	3.7	<2	0.90	<0.5	3	11	11	0.95	3.87
C080450		0.10	0.728	2.2	8.30	11	460	0.7	<2	2.00	1.2	24	99	2040	5.42	1.75
C080451		2.90	0.005	<0.5	6.77	57	360	4.2	<2	1.00	<0.5	4	20	28	1.14	3.81

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 23-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06087856

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C080412		0.84	314	2	1.40	21	260	7	0.24	<5	308	0.24	52	490	40
C080413		0.63	214	13	1.63	24	420	7	0.34	7	233	0.31	56	4030	41
C080414		0.62	210	1	1.71	26	240	9	0.12	<5	279	0.34	65	20	44
C080415		0.55	131	2	1.53	25	340	9	0.05	<5	130	0.30	58	20	50
C080416		11.55	167	<1	0.01	<1	550	4	0.02	<5	116	0.01	2	<10	8
C080417		0.83	296	1	1.59	36	420	15	0.11	<5	250	0.38	81	10	74
C080418		1.02	425	1	1.70	38	820	15	0.21	<5	376	0.42	90	10	82
C080419		1.03	389	1	1.81	43	1020	19	0.21	<5	297	0.47	98	<10	88
C080420		0.86	420	2	1.62	28	340	13	0.24	<5	136	0.34	63	<10	71
C080421		0.61	341	2	1.35	17	120	10	0.27	<5	121	0.23	41	<10	43
C080422		0.61	337	1	1.36	16	120	13	0.27	<5	117	0.23	40	<10	42
C080423		0.48	329	<1	0.80	11	280	8	0.35	<5	132	0.19	31	<10	28
C080424		0.91	319	1	0.96	27	400	17	0.46	<5	312	0.30	63	<10	54
C080425		0.78	450	<1	0.72	25	240	6	0.22	<5	93	0.33	58	<10	56
C080426		0.40	277	1	0.67	9	70	4	0.23	<5	91	0.16	25	<10	23
C080427		0.47	244	1	1.07	17	300	7	0.27	<5	193	0.21	39	<10	30
C080428		0.51	277	1	0.90	17	150	9	0.40	<5	113	0.21	41	<10	35
C080429		0.46	262	<1	0.80	17	160	9	0.35	<5	101	0.20	40	<10	35
C080430		1.35	970	12	1.62	13	910	25	0.67	5	404	0.37	149	<10	102
C080431		0.51	244	<1	0.99	19	200	11	0.42	<5	122	0.22	44	10	35
C080432		0.33	257	1	1.14	10	590	9	0.32	<5	245	0.12	23	<10	19
C080433		0.70	374	1	0.88	25	340	8	0.58	<5	142	0.22	51	<10	49
C080434		0.90	454	1	1.07	34	310	16	0.82	<5	160	0.31	70	<10	78
C080435		1.18	537	9	1.59	32	470	13	0.47	<5	268	0.35	72	3490	80
C080436		11.20	165	<1	0.01	2	460	<2	0.02	<5	112	0.01	2	10	7
C080437		0.88	381	6	1.65	26	350	25	0.10	<5	257	0.32	59	2150	67
C080438		0.85	495	4	1.37	24	320	20	0.16	<5	249	0.28	52	1730	68
C080439		0.10	139	<1	1.78	2	80	49	0.04	<5	254	0.06	3	20	16
C080440		0.11	153	7	2.70	4	120	15	0.01	<5	537	0.07	1	3420	13
C080441		0.53	368	8	1.44	21	760	19	0.30	<5	237	0.28	50	3920	61
C080442		0.47	348	1	1.24	18	300	13	0.30	<5	150	0.23	41	380	48
C080443		0.09	150	2	2.22	6	70	44	0.03	<5	293	0.05	3	10	10
C080444		0.06	108	1	2.07	4	60	33	0.02	<5	342	0.04	2	20	8
C080445		0.12	128	4	1.95	5	90	39	0.03	<5	341	0.06	5	10	10
C080446		0.15	150	12	1.93	4	140	47	0.06	<5	263	0.08	7	<10	16
C080447		0.16	165	3	1.95	4	100	50	0.06	<5	239	0.07	5	10	15
C080448		0.11	138	5	2.04	5	80	48	0.04	<5	212	0.06	4	210	13
C080449		0.10	131	6	1.94	4	80	48	0.04	<5	203	0.05	4	200	13
C080450		1.42	444	3	3.47	47	690	13	0.67	<5	229	0.32	89	10	209
C080451		0.10	152	19	2.09	4	80	60	0.10	<5	180	0.05	3	10	13

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

D: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 23-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06087856

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C080452		2.94	0.005	<0.5	6.10	11	530	3.9	<2	1.38	<0.5	3	15	7	0.81	2.46
C080453		2.84	<0.005	<0.5	5.97	<5	650	3.2	<2	1.23	<0.5	3	17	10	1.03	2.82
C080454		2.76	<0.005	<0.5	7.08	5	940	3.7	<2	2.09	<0.5	6	16	4	1.27	3.24
C080455		3.38	<0.005	<0.5	7.80	<5	1030	4.2	<2	1.58	<0.5	4	23	6	1.76	3.92
C080456		2.08	<0.005	<0.5	0.13	<5	20	<0.5	<2	20.6	<0.5	1	4	2	0.11	0.04
C080457		2.88	<0.005	<0.5	7.36	<5	1060	4.3	<2	1.64	<0.5	4	22	6	1.65	3.56
C080458		3.20	<0.005	<0.5	6.58	5	990	4.2	<2	1.74	<0.5	6	19	5	1.33	2.69
C080459		2.98	<0.005	<0.5	5.91	<5	1020	3.6	<2	1.96	<0.5	5	22	4	0.97	2.05
C080460		2.48	<0.005	<0.5	6.98	<5	1450	4.1	<2	2.98	<0.5	4	24	4	1.52	3.56
C080461		1.30	<0.005	<0.5	7.31	<5	1940	3.5	<2	1.62	<0.5	4	20	3	1.04	4.62
C080462		1.50	<0.005	<0.5	7.43	<5	1840	3.4	<2	1.56	<0.5	9	22	7	1.34	4.51
C080463		3.26	<0.005	<0.5	7.16	<5	1250	3.5	<2	1.57	<0.5	4	18	3	1.13	3.74
C080464		3.08	<0.005	<0.5	7.23	<5	1310	3.6	<2	1.69	<0.5	5	23	7	1.36	3.69

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 23-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06087856

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C080452		0.11	111	46	2.15	4	70	28	0.03	<5	349	0.04	3	<10	6
C080453		0.14	145	11	1.86	5	110	36	0.04	<5	308	0.06	5	60	10
C080454		0.42	279	3	2.19	4	240	37	0.02	<5	378	0.12	13	130	21
C080455		0.39	309	1	2.31	5	260	49	0.03	<5	374	0.14	14	<10	31
C080456		12.20	178	<1	0.02	1	670	3	0.01	<5	115	0.01	2	<10	7
C080457		0.42	263	1	2.22	4	250	40	0.02	<5	407	0.13	14	40	25
C080458		0.33	202	1	2.22	4	220	30	0.02	<5	526	0.11	12	20	19
C080459		0.34	187	1	1.96	4	200	21	0.01	<5	511	0.11	12	50	14
C080460		0.59	311	3	2.28	8	270	30	0.01	<5	591	0.15	20	1200	20
C080461		0.40	217	1	1.98	4	240	37	0.01	<5	474	0.14	14	100	18
C080462		0.39	241	3	1.99	6	250	39	0.01	<5	463	0.14	13	110	19
C080463		0.38	212	1	2.18	5	240	34	0.01	<5	454	0.13	13	<10	20
C080464		0.34	219	2	2.26	8	220	39	0.01	<5	500	0.12	12	<10	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

o: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 11-OCT-2006
Account: STRGOL

CERTIFICATE VA06095154

Project: Dublin Gulch1735

P.O. No.:

This report is for 233 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 5-SEP-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 11-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06095154

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C080059		1.26	0.017	1.3	4.70	98	480	1.3	<2	0.75	1.4	6	27	28	2.78	1.59
C080060		1.14	0.005	<0.5	5.97	23	620	1.0	<2	0.96	<0.5	8	39	20	2.65	2.14
C080061		0.30	<0.005	<0.5	7.09	10	1160	2.1	<2	0.31	2.4	4	12	8	1.60	4.21
C080062		0.34	<0.005	<0.5	2.53	9	430	0.9	<2	0.19	<0.5	2	19	8	1.65	1.06
C080063		1.30	<0.005	<0.5	6.22	6	520	2.4	<2	0.35	1.2	2	16	11	1.96	1.26
C080064		2.34	<0.005	<0.5	6.09	13	820	1.4	<2	0.28	<0.5	7	52	10	2.70	2.65
C080065		2.22	<0.005	<0.5	8.27	15	1030	2.2	<2	0.43	<0.5	7	62	14	2.98	2.94
C080066		2.26	<0.005	<0.5	7.17	14	860	1.9	<2	0.27	<0.5	9	63	9	2.56	2.64
C080067		2.64	<0.005	<0.5	4.92	<5	540	1.1	<2	0.29	<0.5	5	41	9	2.03	1.66
C080068		3.58	<0.005	<0.5	7.94	<5	1000	2.1	<2	0.22	<0.5	12	68	23	4.03	3.09
C080069		<0.02	<0.005	<0.5	8.34	<5	1050	2.1	<2	0.22	<0.5	13	67	23	4.03	3.23
C080070		0.10	0.972	2.4	7.68	<5	460	0.7	<2	2.00	0.8	23	104	2040	5.32	1.77
C080071		2.26	<0.005	<0.5	6.88	<5	880	1.8	<2	0.30	<0.5	8	56	12	4.10	2.52
C080072		1.70	<0.005	<0.5	7.08	7	660	1.7	<2	0.12	2.0	16	58	25	2.70	1.87
C080073		1.70	<0.005	<0.5	3.55	<5	130	0.7	<2	0.18	<0.5	2	31	4	2.04	0.54
C080074		1.62	<0.005	<0.5	10.55	147	850	3.1	<2	0.17	4.1	13	81	11	3.96	2.84
C080075		0.82	0.008	<0.5	9.79	148	960	2.9	<2	0.25	2.6	21	69	10	3.36	2.71
C080076		0.98	<0.005	<0.5	0.16	<5	10	<0.5	<2	19.70	<0.5	<1	4	2	0.11	0.03
C080077		2.46	<0.005	<0.5	9.69	51	1010	2.5	<2	0.33	<0.5	13	83	11	4.31	3.22
C080078		2.00	<0.005	<0.5	8.20	56	910	2.7	<2	0.65	<0.5	12	74	6	3.83	2.76
C080079		2.68	<0.005	<0.5	7.44	21	1210	2.5	<2	0.66	<0.5	11	78	6	3.88	3.25
C080080		2.92	<0.005	<0.5	5.28	12	510	1.2	<2	0.32	<0.5	5	43	8	2.09	1.99
C080081		1.68	<0.005	<0.5	5.57	7	660	1.6	<2	0.42	<0.5	7	48	9	2.69	2.10
C080082		1.52	<0.005	<0.5	5.62	11	620	1.5	<2	0.55	<0.5	6	48	8	2.30	1.94
C080083		2.56	<0.005	<0.5	8.03	8	1180	2.2	<2	0.58	<0.5	13	76	19	4.41	3.17
C080084		2.36	<0.005	<0.5	7.82	6	1140	2.0	<2	0.56	<0.5	11	65	16	3.60	2.68
C080085		0.84	<0.005	<0.5	7.45	6	1180	0.7	<2	0.58	<0.5	3	27	14	1.49	4.82
C080086		3.02	<0.005	<0.5	7.28	6	880	1.8	<2	1.25	<0.5	7	58	27	2.86	2.46
C080087		3.14	<0.005	<0.5	7.15	8	890	1.8	<2	2.27	<0.5	9	56	28	3.05	2.57
C080088		1.84	<0.005	<0.5	7.16	9	670	1.7	<2	8.90	<0.5	9	40	23	3.57	2.05
C080089		<0.02	<0.005	<0.5	7.21	<5	710	1.7	<2	8.56	<0.5	10	47	23	3.34	2.14
C080090		0.10	2.92	<0.5	7.09	<5	2120	3.2	<2	4.73	<0.5	24	138	107	5.10	3.28
C080091		1.28	<0.005	<0.5	6.67	9	390	2.1	<2	9.56	<0.5	11	34	10	5.08	0.86
C080092		1.62	<0.005	<0.5	7.49	<5	510	2.6	<2	8.54	<0.5	12	48	14	4.73	0.78
C080093		1.52	<0.005	<0.5	7.37	6	460	3.6	<2	8.75	<0.5	13	39	11	5.90	1.03
C080094		0.84	<0.005	<0.5	6.76	8	820	2.4	<2	6.88	<0.5	8	40	14	3.32	1.03
C080095		1.30	<0.005	<0.5	6.39	<5	640	1.8	<2	2.92	<0.5	7	43	16	3.19	2.50
C080096		0.94	0.008	<0.5	0.12	<5	10	<0.5	<2	20.1	<0.5	<1	7	2	0.11	0.03
C080097		3.50	<0.005	<0.5	6.98	<5	1020	1.7	<2	1.57	<0.5	7	49	13	2.54	2.46
C080098		2.42	<0.005	<0.5	6.85	5	2250	1.7	<2	0.66	<0.5	17	57	18	3.25	2.86

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 11-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06095154

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C080059		0.31	434	1	0.64	11	290	190	0.01	37	87	0.16	46	20	351
C080060		0.70	537	<1	1.27	18	320	26	0.09	6	172	0.25	60	<10	146
C080061		0.15	770	2	0.89	17	510	30	<0.01	<5	177	0.12	16	<10	257
C080062		0.05	194	<1	0.38	6	120	12	0.01	<5	71	0.06	9	<10	86
C080063		0.20	415	1	1.58	12	440	10	<0.01	<5	107	0.11	22	<10	247
C080064		0.47	215	<1	1.17	21	180	23	<0.01	<5	94	0.27	50	<10	122
C080065		0.69	274	<1	1.12	34	320	11	<0.01	<5	135	0.36	73	<10	145
C080066		0.57	198	<1	1.03	24	170	15	<0.01	<5	109	0.33	66	<10	82
C080067		0.39	204	<1	0.87	17	110	11	<0.01	<5	86	0.21	37	<10	65
C080068		0.72	326	<1	0.74	33	320	10	<0.01	<5	110	0.36	76	<10	133
C080069		0.75	324	<1	0.78	33	320	12	<0.01	<5	115	0.37	80	<10	136
C080070		1.37	448	<1	3.21	48	670	19	0.61	<5	207	0.30	89	<10	203
C080071		0.55	441	<1	0.59	33	280	8	<0.01	<5	131	0.32	70	<10	289
C080072		0.18	435	1	0.10	37	130	31	<0.01	17	46	0.32	66	20	283
C080073		0.05	170	<1	0.02	5	730	13	<0.01	11	13	0.12	22	10	134
C080074		0.21	344	<1	0.11	47	530	16	<0.01	37	87	0.41	98	40	385
C080075		0.30	1415	<1	1.05	31	320	13	<0.01	12	231	0.37	82	10	311
C080076		11.10	124	<1	0.02	1	380	<2	0.01	<5	102	0.01	4	<10	8
C080077		0.78	278	<1	1.60	39	370	15	<0.01	7	299	0.40	89	<10	160
C080078		0.86	664	<1	1.79	44	340	17	0.01	7	309	0.32	78	<10	174
C080079		0.75	283	<1	1.71	37	490	15	0.01	6	190	0.36	84	10	109
C080080		0.21	323	1	1.39	14	580	11	<0.01	10	90	0.18	36	10	131
C080081		0.46	237	<1	1.51	20	160	9	<0.01	<5	143	0.23	44	<10	81
C080082		0.45	235	<1	1.49	16	150	11	<0.01	<5	159	0.23	42	<10	70
C080083		0.83	324	<1	1.47	36	280	16	0.04	<5	118	0.39	82	<10	100
C080084		0.71	257	<1	1.25	39	370	11	0.02	<5	106	0.37	72	<10	84
C080085		0.28	110	<1	1.68	13	630	42	0.10	<5	184	0.11	21	<10	32
C080086		0.84	311	<1	1.62	27	370	19	0.40	<5	186	0.28	58	10	131
C080087		0.90	333	<1	1.40	24	240	17	0.39	<5	168	0.31	60	20	84
C080088		0.87	697	<1	1.01	26	410	18	0.39	<5	330	0.28	50	20	106
C080089		0.88	648	<1	1.06	23	510	18	0.39	<5	323	0.29	51	20	103
C080090		2.94	1065	11	2.28	67	2310	29	0.31	<5	1635	0.39	158	10	96
C080091		0.60	1495	<1	0.55	22	290	9	0.08	<5	438	0.23	40	70	148
C080092		0.82	1310	<1	0.92	22	330	10	0.13	<5	471	0.28	50	190	138
C080093		1.07	1630	2	1.06	32	380	12	0.08	<5	450	0.28	59	840	137
C080094		0.76	916	<1	1.06	21	280	11	0.12	<5	427	0.26	46	30	82
C080095		0.70	533	1	1.25	20	230	19	0.16	<5	200	0.25	46	280	72
C080096		11.55	134	<1	0.01	4	390	3	0.01	<5	111	0.01	2	<10	7
C080097		0.69	357	<1	1.59	20	240	24	0.15	<5	216	0.27	50	<10	52
C080098		0.72	272	<1	1.54	33	300	41	0.04	<5	207	0.32	68	<10	101

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 11-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06095154

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C080099		3.20	<0.005	<0.5	6.42	13	1110	2.2	<2	0.74	<0.5	15	50	14	2.81	2.68
C080100		2.64	<0.005	<0.5	7.00	11	920	1.9	<2	0.93	<0.5	8	65	8	3.06	2.69
C080101		0.62	<0.005	<0.5	6.70	8	950	1.9	<2	1.92	<0.5	6	32	10	2.14	2.07
C080102		0.50	<0.005	<0.5	6.94	12	1180	1.7	<2	1.69	<0.5	6	35	10	2.57	2.64
C080103		2.86	<0.005	<0.5	6.53	8	760	1.9	<2	0.90	<0.5	8	50	10	2.52	2.19
C080104		2.14	<0.005	<0.5	6.28	28	1030	1.5	<2	0.39	<0.5	10	60	11	3.46	2.52
C080105		2.66	<0.005	<0.5	5.76	103	820	1.4	<2	0.25	<0.5	10	51	7	2.99	2.37
C080106		3.06	<0.005	<0.5	6.74	<5	1200	1.7	<2	1.07	<0.5	7	50	7	3.28	2.77
C080107		2.82	<0.005	<0.5	6.99	<5	800	2.0	<2	1.58	<0.5	10	59	13	2.80	2.25
C080108		2.78	<0.005	<0.5	5.67	<5	480	1.2	<2	0.98	<0.5	9	62	16	2.77	1.75
C080109		<0.02	<0.005	<0.5	5.74	<5	510	1.1	<2	0.93	<0.5	9	67	17	3.19	1.86
C080110		0.10	2.76	<0.5	7.80	2180	740	12.6	<2	0.02	<0.5	1	145	104	3.57	3.28
C080111		3.38	<0.005	<0.5	8.97	8	860	2.7	<2	0.83	<0.5	14	70	23	4.26	2.94
C080112		3.52	<0.005	<0.5	9.88	19	970	2.4	<2	0.98	<0.5	13	76	20	4.84	3.63
C080113		3.12	<0.005	<0.5	9.82	8	1120	2.5	<2	0.43	<0.5	13	74	18	5.31	3.36
C080114		2.14	<0.005	<0.5	8.19	10	910	2.1	<2	0.84	<0.5	10	64	22	3.84	2.89
C080115		1.26	<0.005	<0.5	6.27	25	720	1.4	<2	0.70	<0.5	8	46	26	3.03	2.33
C080116		0.88	<0.005	<0.5	0.13	<5	10	<0.5	<2	20.2	<0.5	<1	<1	1	0.12	0.03
C080117		3.28	<0.005	<0.5	7.60	19	930	2.0	<2	0.60	<0.5	16	60	27	3.62	2.86
C080118		3.30	<0.005	<0.5	4.22	713	570	1.0	<2	0.73	<0.5	8	35	16	2.43	1.69
C080119		2.92	<0.005	<0.5	7.25	21	1240	2.2	<2	0.78	<0.5	11	52	17	3.46	2.96
C080120		3.60	<0.005	<0.5	7.20	116	1030	1.8	<2	0.54	<0.5	11	61	21	3.61	2.92
C080121		1.44	<0.005	<0.5	7.23	60	900	1.7	<2	0.54	<0.5	12	60	16	3.62	2.83
C080122		1.38	<0.005	<0.5	6.76	18	750	1.8	<2	0.61	<0.5	9	57	9	3.51	2.50
C080123		1.42	<0.005	<0.5	8.65	98	800	2.2	<2	0.90	<0.5	9	64	16	3.46	3.15
C080124		2.60	<0.005	<0.5	6.33	<5	450	1.3	<2	0.83	<0.5	10	57	18	3.62	2.03
C080125		2.94	<0.005	<0.5	6.81	12	580	1.6	<2	0.96	<0.5	11	67	22	3.65	2.34
C080126		1.88	0.488	1.6	8.92	4120	790	3.0	<2	1.06	<0.5	8	80	33	4.32	3.26
C080127		3.28	<0.005	<0.5	6.38	11	500	1.4	<2	2.97	<0.5	11	70	18	3.50	1.85
C080128		1.84	<0.005	<0.5	7.23	49	620	1.6	<2	1.52	<0.5	10	72	15	4.28	2.48
C080129		<0.02	<0.005	<0.5	6.42	54	550	1.4	<2	1.43	<0.5	11	71	12	3.85	2.18
C080130		0.10	4.46	8.3	7.60	11	460	0.9	<2	2.70	1.3	15	29	114	4.13	2.16
C080131		2.32	<0.005	<0.5	10.20	10	1190	2.9	<2	0.97	<0.5	14	90	4	4.20	3.62
C080132		2.66	<0.005	<0.5	8.81	16	770	2.1	<2	1.25	<0.5	14	82	30	4.45	2.95
C080133		3.32	<0.005	<0.5	9.21	26	940	2.0	<2	1.44	<0.5	13	83	23	4.95	2.92
C080134		3.52	<0.005	<0.5	8.96	41	750	2.1	<2	0.98	<0.5	16	81	43	4.38	2.55
C080135		3.48	<0.005	<0.5	10.20	5	890	2.5	<2	1.53	<0.5	16	89	37	5.06	3.12
C080136		1.22	<0.005	<0.5	0.15	<5	10	<0.5	<2	20.5	<0.5	<1	9	1	0.12	0.03
C080137		3.24	<0.005	<0.5	9.35	7	690	2.8	<2	1.42	<0.5	12	79	35	4.17	2.80
C080138		3.30	<0.005	<0.5	9.13	<5	730	2.3	<2	0.87	<0.5	12	86	31	4.20	2.89

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 11-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06095154

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C080099		0.59	167	<1	1.69	29	390	28	0.10	<5	245	0.28	61	10	44
C080100		0.66	300	<1	1.61	25	370	17	0.04	<5	268	0.29	58	<10	47
C080101		0.67	206	<1	1.73	11	420	24	0.06	<5	359	0.25	37	<10	30
C080102		0.67	244	1	1.68	14	440	29	0.05	<5	342	0.26	39	<10	36
C080103		0.56	276	15	1.52	23	320	19	0.04	<5	242	0.28	53	<10	44
C080104		0.57	187	<1	1.13	32	470	8	0.07	<5	126	0.32	66	<10	38
C080105		0.53	157	<1	0.73	27	310	5	0.06	<5	96	0.29	58	10	27
C080106		0.59	279	<1	1.54	28	580	10	0.03	<5	233	0.27	50	<10	47
C080107		0.67	488	1	1.59	25	240	14	0.05	<5	315	0.30	54	<10	56
C080108		0.58	622	1	1.27	18	190	14	0.08	<5	150	0.26	44	<10	48
C080109		0.58	616	1	1.37	20	220	15	0.09	<5	147	0.25	43	<10	47
C080110		0.38	74	2	0.09	10	340	33	0.02	154	144	0.24	106	10	16
C080111		1.00	571	<1	1.69	33	290	19	0.14	<5	229	0.40	83	<10	78
C080112		1.01	536	<1	1.51	38	2310	16	0.10	<5	247	0.43	92	<10	68
C080113		0.92	322	<1	0.86	40	450	10	0.04	<5	199	0.44	95	<10	79
C080114		0.72	360	1	1.46	31	650	23	0.06	<5	196	0.35	67	<10	63
C080115		0.60	301	2	1.38	23	280	18	0.09	<5	144	0.26	48	<10	41
C080116		11.65	150	<1	0.01	2	410	<2	0.01	<5	112	0.01	2	<10	5
C080117		0.77	288	<1	1.21	33	250	15	0.11	<5	129	0.35	68	<10	52
C080118		0.39	198	1	1.01	14	170	20	0.11	<5	117	0.14	29	<10	20
C080119		0.76	216	3	1.67	26	350	15	0.06	<5	235	0.30	69	<10	44
C080120		0.65	241	1	1.16	30	360	11	0.16	<5	193	0.30	69	<10	30
C080121		0.70	292	<1	1.21	30	270	13	0.13	<5	162	0.31	69	<10	41
C080122		0.70	307	1	1.19	28	210	11	0.06	<5	140	0.30	66	<10	41
C080123		0.88	368	2	1.91	32	270	24	0.15	<5	245	0.31	65	<10	44
C080124		0.71	475	1	1.22	25	220	17	0.12	<5	129	0.26	50	<10	55
C080125		0.83	442	<1	1.18	27	300	17	0.14	<5	145	0.30	56	<10	71
C080126		0.82	801	1	1.32	26	500	45	0.47	31	160	0.37	82	10	102
C080127		0.68	633	1	0.86	22	220	19	0.15	<5	222	0.34	58	30	57
C080128		0.93	505	<1	1.25	30	230	12	0.09	<5	168	0.39	69	20	61
C080129		0.85	468	<1	1.13	26	190	11	0.08	<5	152	0.35	62	20	55
C080130		1.29	958	12	1.56	11	890	22	0.67	<5	386	0.36	142	<10	93
C080131		1.02	390	10	1.76	43	290	8	0.03	<5	269	0.46	107	<10	81
C080132		0.98	621	<1	0.80	37	320	12	0.16	5	188	0.44	85	<10	111
C080133		1.01	537	1	0.91	40	330	16	0.12	<5	176	0.45	93	<10	77
C080134		1.01	707	1	1.02	41	440	17	0.81	<5	179	0.38	82	<10	76
C080135		1.14	774	2	1.14	45	590	19	0.41	<5	214	0.49	102	<10	97
C080136		11.70	137	<1	0.02	3	390	<2	0.01	<5	114	0.01	2	<10	6
C080137		1.03	447	2	1.62	37	490	20	0.31	<5	266	0.38	82	<10	72
C080138		1.04	423	6	1.60	39	500	22	0.29	<5	206	0.42	86	<10	117

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 11-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06095154

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C080139		1.44	<0.005	<0.5	9.21	20	770	2.2	<2	1.16	1.5	15	76	30	4.37	2.95
C080140		2.36	<0.005	<0.5	9.59	<5	690	1.9	<2	1.33	<0.5	13	75	47	4.72	3.17
C080141		1.68	<0.005	<0.5	3.80	<5	250	0.6	<2	1.30	<0.5	4	41	9	2.49	0.82
C080142		1.36	<0.005	<0.5	3.22	5	240	0.7	<2	1.00	<0.5	3	32	6	1.90	0.89
C080143		2.82	<0.005	<0.5	3.60	<5	320	0.7	<2	0.97	<0.5	4	42	8	2.46	1.16
C080144		3.44	<0.005	<0.5	5.71	<5	470	1.2	<2	0.91	<0.5	8	59	13	3.04	1.96
C080145		2.00	<0.005	<0.5	6.11	8	630	1.6	<2	1.07	<0.5	9	57	19	3.35	2.29
C080146		2.96	<0.005	<0.5	4.71	5	440	1.2	<2	1.27	<0.5	6	51	9	2.47	1.52
C080147		1.58	<0.005	<0.5	3.74	<5	290	0.8	<2	1.06	<0.5	5	44	9	2.64	1.21
C080148		2.14	<0.005	<0.5	8.86	11	740	2.8	<2	0.85	<0.5	12	82	23	3.78	3.12
C080149		<0.02	<0.005	<0.5	9.33	20	780	2.8	<2	0.98	<0.5	13	74	26	3.92	3.09
C080150		0.10	0.873	<0.5	7.98	16	460	0.8	<2	1.94	0.9	24	104	2100	5.19	1.75
C080151		3.12	<0.005	<0.5	5.05	<5	430	1.1	<2	0.89	<0.5	8	48	15	2.55	1.67
C080152		3.10	<0.005	<0.5	5.06	5	550	1.2	<2	0.79	<0.5	8	48	16	2.76	2.03
C080153		1.96	<0.005	<0.5	4.87	7	510	1.1	<2	0.82	<0.5	9	49	11	2.43	1.70
C080154		2.62	0.010	<0.5	3.87	13	390	0.8	<2	0.73	<0.5	6	40	15	2.40	1.24
C080155		2.32	<0.005	<0.5	5.03	18	610	1.1	<2	1.12	<0.5	7	45	15	2.54	1.94
C080156		1.22	<0.005	<0.5	0.14	<5	10	<0.5	<2	19.05	<0.5	<1	5	2	0.15	0.03
C080157		3.38	<0.005	<0.5	4.10	12	480	0.8	<2	0.66	<0.5	6	54	8	2.28	1.53
C080158		2.42	<0.005	<0.5	3.70	8	420	0.7	<2	0.75	<0.5	5	45	10	1.80	1.39
C080159		3.14	<0.005	<0.5	4.68	18	490	0.9	<2	1.03	0.5	5	47	12	2.55	1.56
C080160		2.68	<0.005	<0.5	3.84	<5	380	0.7	<2	1.31	<0.5	5	44	14	2.19	1.45
C080161		0.86	<0.005	<0.5	4.03	<5	420	0.8	<2	1.03	<0.5	6	47	16	2.35	1.64
C080162		0.88	<0.005	<0.5	3.87	10	410	0.8	<2	1.13	<0.5	6	38	13	1.82	1.56
C080163		1.30	<0.005	<0.5	3.14	11	300	1.0	<2	2.47	<0.5	3	33	10	2.05	0.70
C080164		2.88	<0.005	<0.5	3.30	5	670	1.1	<2	0.71	<0.5	3	31	7	1.19	1.33
C080165		3.22	<0.005	<0.5	7.30	10	710	2.5	<2	0.91	<0.5	10	59	25	3.43	2.88
C080166		2.56	<0.005	<0.5	6.33	11	490	2.3	<2	1.28	<0.5	8	52	7	2.33	1.98
C080167		1.24	0.008	<0.5	9.70	11	840	3.4	<2	0.99	<0.5	15	73	24	4.51	3.85
C080168		0.92	<0.005	<0.5	6.90	32	1020	3.8	<2	0.88	<0.5	2	12	2	0.83	4.19
C080169		<0.02	<0.005	<0.5	6.50	20	970	3.6	<2	0.83	<0.5	1	14	3	0.95	3.99
C080170		0.10	0.963	0.6	7.65	18	440	0.7	<2	1.86	0.9	23	97	1960	4.96	1.64
C080171		1.14	<0.005	<0.5	5.44	12	400	3.5	<2	3.54	<0.5	12	40	15	3.04	1.82
C080172		1.50	<0.005	<0.5	4.39	6	310	2.6	<2	3.84	<0.5	10	40	27	4.19	1.24
C080173		1.52	<0.005	<0.5	5.83	<5	510	3.1	<2	8.81	<0.5	10	35	13	4.21	1.91
C080174		0.96	<0.005	<0.5	8.01	16	660	5.3	2	7.19	<0.5	18	51	26	6.57	2.19
C080175		1.64	<0.005	<0.5	10.75	16	800	2.7	4	1.51	<0.5	17	86	41	4.93	3.70
C080176		1.02	<0.005	<0.5	0.21	<5	20	<0.5	<2	18.55	<0.5	1	3	2	0.18	0.06
C080177		0.84	<0.005	<0.5	7.86	122	320	7.5	<2	5.46	<0.5	8	33	22	2.56	0.96
C080178		2.74	<0.005	<0.5	6.94	22	630	2.0	<2	2.79	<0.5	11	56	22	3.95	2.26

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 11-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06095154

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
C080139		0.97	725	<1	1.45	39	510	28	0.16	27	211	0.41	83	<10	543
C080140		1.13	685	<1	1.25	36	400	25	0.38	<5	169	0.42	84	<10	92
C080141		0.52	360	2	1.09	11	160	12	0.04	<5	134	0.17	40	<10	42
C080142		0.37	241	1	0.82	10	110	11	0.05	<5	117	0.15	23	<10	37
C080143		0.42	281	1	0.73	9	140	10	0.07	<5	116	0.18	29	<10	25
C080144		0.62	341	<1	1.09	19	180	22	0.12	<5	101	0.27	48	<10	53
C080145		0.68	368	<1	1.20	20	250	16	0.14	<5	119	0.28	51	<10	54
C080146		0.49	278	1	1.04	16	210	15	0.09	<5	172	0.23	38	30	33
C080147		0.44	229	1	0.98	12	210	14	0.08	<5	100	0.18	31	<10	29
C080148		0.90	348	<1	1.34	36	420	18	0.10	5	266	0.41	80	<10	89
C080149		0.95	360	<1	1.40	34	450	16	0.10	7	295	0.39	82	<10	92
C080150		1.37	440	2	3.16	51	680	18	0.62	<5	217	0.30	93	<10	215
C080151		0.54	270	<1	0.83	17	150	12	0.10	<5	105	0.23	43	<10	42
C080152		0.51	241	<1	0.97	18	170	13	0.13	<5	95	0.24	44	<10	48
C080153		0.49	223	1	1.14	17	120	10	0.08	<5	96	0.26	45	<10	47
C080154		0.36	275	<1	1.03	10	140	6	0.07	7	114	0.18	29	<10	75
C080155		0.53	324	<1	0.96	17	160	12	0.14	<5	122	0.26	44	<10	43
C080156		11.40	149	<1	0.01	4	500	<2	0.02	<5	107	0.01	2	<10	7
C080157		0.42	224	<1	1.04	17	110	10	0.05	<5	71	0.20	35	<10	33
C080158		0.37	187	<1	0.88	15	90	11	0.09	<5	72	0.17	30	<10	32
C080159		0.49	310	<1	0.91	17	460	16	0.04	5	107	0.19	36	<10	126
C080160		0.53	297	<1	0.89	12	100	10	0.17	<5	102	0.20	31	<10	36
C080161		0.41	262	<1	0.84	17	210	13	0.14	<5	96	0.19	33	<10	31
C080162		0.46	242	<1	0.79	12	210	12	0.13	<5	105	0.18	32	<10	29
C080163		0.40	396	<1	0.57	13	90	6	0.02	<5	254	0.11	22	10	22
C080164		0.28	126	<1	0.79	8	370	13	0.05	<5	112	0.11	21	<10	18
C080165		0.78	391	4	1.16	27	400	11	0.17	<5	156	0.29	57	50	52
C080166		0.70	396	3	1.08	20	330	16	0.03	<5	160	0.26	49	<10	45
C080167		1.23	925	<1	1.51	44	450	25	0.11	<5	176	0.43	95	<10	100
C080168		0.16	101	<1	1.90	1	90	56	0.01	<5	296	0.06	4	10	7
C080169		0.15	107	1	1.79	4	80	56	<0.01	<5	282	0.06	4	<10	6
C080170		1.31	420	2	3.01	47	640	12	0.59	<5	208	0.29	88	<10	197
C080171		0.95	678	3	1.10	24	230	11	0.10	<5	275	0.23	50	1570	51
C080172		0.59	842	1	0.84	23	380	10	0.22	<5	205	0.18	37	580	48
C080173		0.72	923	3	0.95	25	360	9	0.10	<5	321	0.25	47	1330	72
C080174		0.96	1390	4	1.27	44	410	17	0.26	<5	470	0.33	72	1170	93
C080175		1.14	404	<1	1.57	44	710	19	0.30	<5	232	0.49	108	20	117
C080176		11.00	130	<1	0.02	2	570	<2	0.05	<5	107	0.01	3	<10	8
C080177		0.57	442	2	2.23	17	500	8	0.19	9	780	0.20	30	3010	47
C080178		1.03	806	<1	0.90	28	350	21	0.15	<5	234	0.32	65	70	83

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 11-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06095154

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C080179		1.96	<0.005	<0.5	10.65	10	810	2.6	2	1.23	<0.5	15	78	29	4.70	3.47
C080180		1.50	<0.005	<0.5	4.54	<5	390	1.1	2	2.31	<0.5	5	43	13	2.26	1.26
C080181		1.34	<0.005	<0.5	2.21	<5	210	<0.5	<2	2.40	<0.5	3	27	8	1.40	0.79
C080182		1.34	<0.005	<0.5	2.40	<5	230	0.5	<2	2.57	<0.5	3	41	11	1.74	0.90
C080183		3.10	<0.005	<0.5	2.48	7	250	0.5	<2	1.81	<0.5	3	28	8	1.53	0.88
C080184		2.46	<0.005	<0.5	6.63	33	600	2.0	<2	1.42	<0.5	8	60	12	2.80	2.22
C080185		2.60	<0.005	<0.5	7.61	79	780	1.8	2	0.62	<0.5	10	53	20	3.01	2.72
C080186		2.42	<0.005	<0.5	6.64	88	760	2.9	2	1.20	<0.5	8	54	15	3.08	2.55
C080187		3.16	<0.005	<0.5	10.60	15	780	2.7	2	0.89	<0.5	16	81	36	4.83	3.44
C080188		2.48	<0.005	<0.5	7.24	84	580	1.8	<2	1.53	<0.5	12	62	30	4.02	2.15
C080189		<0.02	0.069	<0.5	7.55	104	590	1.8	<2	1.67	<0.5	12	58	29	3.96	2.13
C080190		0.10	3.03	1.0	6.27	6	1910	3.1	2	4.41	<0.5	22	128	89	4.72	3.07
C080191		1.20	0.019	<0.5	4.34	249	330	4.3	<2	10.35	<0.5	10	30	9	4.28	0.91
C080192		0.96	<0.005	<0.5	6.52	38	500	4.7	<2	9.78	<0.5	8	34	16	3.65	1.17
C080193		1.32	<0.005	<0.5	8.96	8	1070	2.8	2	3.26	<0.5	14	76	50	4.84	3.73
C080194		1.64	<0.005	<0.5	7.38	<5	1270	4.3	<2	3.07	<0.5	6	29	7	2.21	2.76
C080195		2.10	<0.005	<0.5	7.26	10	1250	4.6	<2	3.34	<0.5	4	24	4	2.02	2.79
C080196		0.82	<0.005	<0.5	0.21	<5	20	<0.5	<2	18.60	<0.5	1	7	2	0.17	0.05
C080197		2.54	<0.005	<0.5	7.34	9	1360	3.3	<2	2.73	<0.5	6	27	5	2.31	2.97
C080198		2.44	<0.005	<0.5	6.83	<5	1170	3.5	<2	2.53	<0.5	6	26	3	1.95	3.13
C080199		2.72	<0.005	<0.5	7.48	23	1330	3.7	<2	2.90	<0.5	5	24	5	2.02	3.00
C080200		3.34	<0.005	<0.5	7.14	9	1440	3.1	2	2.58	<0.5	6	29	4	2.25	3.07
C080201		1.52	<0.005	<0.5	6.82	5	1300	3.1	<2	2.53	<0.5	5	27	6	2.06	3.06
C080202		1.48	<0.005	<0.5	7.52	20	1300	3.5	<2	2.92	<0.5	6	27	6	2.14	2.93
C080203		3.22	<0.005	<0.5	7.53	111	1840	3.0	2	3.03	<0.5	8	35	5	2.43	3.09
C080204		3.08	<0.005	<0.5	7.66	10	1790	2.9	2	2.84	<0.5	10	34	3	2.73	3.15
C080205		2.66	<0.005	<0.5	7.69	33	1870	2.8	2	2.91	<0.5	8	35	4	2.68	3.22
C080206		3.24	<0.005	<0.5	7.66	14	1790	3.2	<2	3.62	<0.5	10	47	5	3.21	3.02
C080207		3.44	<0.005	<0.5	7.53	6	1610	2.8	<2	3.21	<0.5	9	40	2	2.90	2.74
C080208		1.46	<0.005	<0.5	7.78	7	1050	3.8	2	3.81	<0.5	9	42	18	3.24	2.26
C080209		<0.02	<0.005	<0.5	7.61	6	1100	3.5	<2	3.73	<0.5	8	39	11	2.96	2.31
C080210		0.10	3.19	0.9	6.33	7	1900	2.9	2	4.38	<0.5	21	124	91	4.66	3.02
C080211		1.44	<0.005	<0.5	6.94	19	690	3.8	<2	2.04	<0.5	9	61	23	3.17	2.98
C080212		2.02	<0.005	<0.5	5.22	48	180	8.2	<2	3.23	<0.5	3	26	5	1.78	1.10
C080213		0.84	<0.005	<0.5	5.98	221	570	6.1	<2	6.26	<0.5	8	40	14	3.03	1.48
C080214		1.82	<0.005	<0.5	6.41	21	350	6.5	<2	6.03	<0.5	9	42	14	3.86	1.28
C080215		1.54	<0.005	<0.5	8.84	26	610	2.5	<2	1.74	<0.5	13	67	25	4.07	2.63
C080216		1.00	<0.005	<0.5	0.11	<5	10	<0.5	<2	18.00	<0.5	1	1	7	0.12	0.03
C080217		1.66	<0.005	<0.5	7.16	17	520	5.7	<2	5.34	<0.5	15	46	20	5.92	1.78
C080218		2.52	<0.005	<0.5	9.25	67	920	2.6	2	2.17	<0.5	12	66	41	3.76	3.49

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 11-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06095154

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C080179		1.19	599	<1	1.31	40	530	25	0.18	<5	183	0.48	98	10	109
C080180		0.54	388	1	0.60	17	270	12	0.08	<5	150	0.22	39	20	45
C080181		0.33	269	<1	0.31	6	100	7	0.06	<5	115	0.14	19	10	22
C080182		0.36	319	<1	0.35	10	90	9	0.07	<5	121	0.15	20	10	22
C080183		0.25	236	<1	0.43	8	120	10	0.06	<5	93	0.14	20	<10	40
C080184		0.70	305	<1	0.78	26	290	11	0.07	<5	153	0.30	58	<10	50
C080185		0.77	256	<1	0.97	25	400	18	0.10	<5	172	0.31	58	<10	111
C080186		0.76	411	<1	1.19	26	350	19	0.07	5	256	0.25	53	290	126
C080187		1.16	600	<1	1.39	41	540	19	0.25	<5	154	0.48	97	<10	112
C080188		0.85	505	<1	1.03	31	260	18	0.17	<5	222	0.32	63	220	129
C080189		0.89	517	<1	1.06	29	270	20	0.18	<5	225	0.32	64	300	129
C080190		2.70	959	10	2.03	59	2110	27	0.28	5	1490	0.36	154	10	92
C080191		0.95	1130	10	1.12	40	250	<2	0.09	<5	544	0.16	53	4080	42
C080192		0.89	950	4	1.13	33	510	5	0.13	10	572	0.26	56	2490	63
C080193		1.23	608	<1	1.45	43	500	32	0.32	<5	340	0.46	102	280	129
C080194		0.66	318	<1	1.91	18	570	19	0.05	<5	489	0.30	37	20	55
C080195		0.64	341	<1	1.86	17	560	17	0.03	<5	470	0.26	31	10	46
C080196		10.85	157	<1	0.05	2	450	<2	0.03	<5	105	0.01	3	<10	8
C080197		0.72	301	<1	1.86	18	580	22	0.02	<5	467	0.29	33	<10	72
C080198		0.60	235	<1	1.86	17	500	20	0.02	<5	442	0.25	28	10	41
C080199		0.60	266	<1	2.08	15	570	19	0.03	<5	529	0.28	31	<10	43
C080200		0.68	252	<1	1.86	19	570	16	0.01	<5	488	0.28	33	<10	45
C080201		0.58	274	<1	1.76	17	540	22	0.03	<5	437	0.27	31	10	63
C080202		0.62	304	<1	1.91	18	580	29	0.03	<5	481	0.28	32	<10	62
C080203		0.77	321	<1	1.66	23	730	18	0.03	<5	498	0.36	43	10	80
C080204		0.92	323	<1	1.81	29	760	17	0.01	<5	538	0.38	45	<10	63
C080205		0.95	347	<1	1.83	27	780	18	0.01	<5	536	0.38	47	<10	100
C080206		1.21	465	<1	1.99	34	880	14	0.03	<5	585	0.43	59	<10	76
C080207		1.07	389	<1	1.88	26	750	14	0.01	<5	578	0.36	52	<10	78
C080208		0.96	484	<1	1.87	20	610	16	0.07	<5	537	0.31	52	<10	66
C080209		0.97	453	<1	1.85	16	660	15	0.06	<5	539	0.31	52	10	67
C080210		2.67	954	10	2.05	58	2120	26	0.28	<5	1500	0.33	150	10	91
C080211		0.80	397	<1	1.30	28	660	26	0.14	<5	265	0.34	64	<10	67
C080212		0.63	273	16	1.93	15	160	6	0.01	<5	463	0.09	16	4910	20
C080213		1.95	497	14	1.48	36	750	5	0.10	<5	558	0.22	75	4650	37
C080214		1.94	598	15	1.46	43	470	7	0.09	<5	518	0.28	79	4510	70
C080215		1.08	515	<1	1.63	34	420	14	0.21	<5	291	0.39	82	30	89
C080216		10.60	143	<1	0.01	2	470	6	0.02	<5	103	<0.01	2	20	15
C080217		1.08	1530	26	1.34	33	460	9	0.16	<5	294	0.30	68	6420	95
C080218		1.09	411	<1	1.37	38	430	14	0.33	<5	308	0.34	78	30	66

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

J: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 11-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06095154

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C080219		2.52	<0.005	<0.5	7.97	121	800	2.3	<2	1.91	<0.5	10	56	34	3.27	3.15
C080220		2.82	<0.005	<0.5	7.33	34	790	2.0	4	1.02	<0.5	10	56	39	2.68	2.85
C080221		0.80	<0.005	0.5	6.76	54	800	2.0	<2	3.02	<0.5	10	44	57	2.86	3.02
C080222		0.92	<0.005	<0.5	6.69	20	920	1.9	<2	2.96	<0.5	9	44	39	2.79	3.13
C080223		2.06	<0.005	<0.5	7.88	9	1990	2.7	3	3.07	<0.5	10	41	4	3.06	3.26
C080224		1.42	<0.005	<0.5	7.82	5	1300	4.6	2	4.81	<0.5	10	43	2	3.13	2.28
C080225		3.22	<0.005	<0.5	8.04	5	1040	5.8	<2	5.63	<0.5	8	38	2	2.73	1.61
C080226		2.30	<0.005	<0.5	8.51	<5	900	6.9	3	6.55	<0.5	7	41	3	2.83	1.39
C080227		2.54	<0.005	<0.5	7.55	8	500	6.9	<2	6.45	<0.5	7	37	27	2.82	1.75
C080228		2.48	<0.005	<0.5	6.67	8	690	2.1	4	3.32	<0.5	11	44	27	3.25	2.82
C080229		<0.02	<0.005	<0.5	6.65	5	670	2.2	3	3.52	<0.5	9	36	26	3.17	2.85
C080230		0.10	NSS	2.3	7.94	15	460	0.7	<2	2.00	1.0	23	96	2050	5.25	1.78
C080231		2.48	<0.005	<0.5	4.95	14	430	1.2	<2	1.01	<0.5	5	35	19	2.32	1.78
C080232		2.00	<0.005	<0.5	8.26	12	760	3.4	<2	1.28	<0.5	9	47	35	2.72	2.76
C080233		2.02	<0.005	<0.5	7.74	30	860	2.3	2	1.19	<0.5	12	53	63	3.47	3.18
C080234		1.96	<0.005	<0.5	7.12	20	640	3.1	2	2.82	<0.5	11	43	46	3.00	2.20
C080235		2.34	<0.005	<0.5	4.26	<5	350	1.0	<2	1.10	<0.5	6	34	23	2.25	1.31
C080236		0.94	<0.005	<0.5	0.13	<5	20	<0.5	2	18.40	<0.5	1	1	2	0.11	0.04
C080237		2.46	<0.005	<0.5	3.14	17	270	1.0	2	1.76	<0.5	5	29	27	2.20	1.08
C080238		1.54	<0.005	<0.5	6.79	48	690	1.7	<2	1.40	<0.5	11	55	36	3.24	2.49
C080239		1.20	<0.005	<0.5	5.49	15	430	1.9	<2	4.84	<0.5	12	40	27	3.63	1.90
C080240		0.52	<0.005	<0.5	6.82	15	980	4.4	<2	1.29	<0.5	2	10	11	1.32	3.76
C080241		0.62	<0.005	<0.5	5.88	7	720	1.8	<2	2.80	<0.5	10	45	37	3.21	2.00
C080242		0.58	<0.005	<0.5	8.25	14	850	3.0	2	1.98	<0.5	15	62	37	3.97	3.15
C080243		1.36	<0.005	<0.5	6.70	18	720	2.3	<2	5.36	<0.5	13	47	33	4.12	2.23
C080244		1.54	<0.005	<0.5	9.23	43	740	2.6	<2	1.82	<0.5	16	71	53	3.82	3.45
C080245		2.34	<0.005	<0.5	6.16	11	430	1.5	<2	2.30	<0.5	8	42	25	3.06	2.24
C080246		0.62	<0.005	<0.5	7.68	15	650	3.4	<2	0.93	<0.5	3	15	12	1.33	4.86
C080247		0.72	<0.005	<0.5	6.16	61	760	2.8	<2	5.09	<0.5	12	45	47	4.18	1.91
C080248		2.30	<0.005	<0.5	6.47	11	1030	1.9	<2	2.47	<0.5	12	49	45	3.34	2.51
C080249		<0.02	<0.005	<0.5	6.39	9	1010	1.9	<2	2.43	<0.5	10	49	45	3.23	2.46
C080250		0.10	NSS	0.7	6.85	5	1970	3.1	<2	4.48	<0.5	20	130	92	4.81	3.09
C080251		1.46	<0.005	<0.5	6.77	14	1180	1.9	<2	3.40	<0.5	13	53	51	3.45	2.67
C080252		2.08	<0.005	<0.5	7.06	16	1220	2.0	<2	1.38	<0.5	11	52	28	3.60	2.93
C080253		1.08	<0.005	<0.5	4.98	17	1450	1.7	<2	3.82	<0.5	7	40	44	2.90	1.78
C080254		1.66	<0.005	<0.5	3.22	7	>10000	5.6	<2	7.27	<0.5	13	27	18	6.15	0.55
C080255		1.32	<0.005	<0.5	4.90	7	1550	1.5	<2	3.94	<0.5	8	42	44	2.96	1.88
C080256		1.10	<0.005	<0.5	0.13	<5	40	<0.5	<2	19.60	<0.5	<1	2	1	0.11	0.04
C080257		1.10	<0.005	<0.5	4.87	68	3840	2.8	<2	9.50	1.3	15	39	33	5.95	1.37
C080258		2.02	<0.005	<0.5	5.14	81	1710	2.2	<2	1.27	1.4	8	47	43	2.09	1.78

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 11-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06095154

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C080219		1.30	384	<1	1.30	30	450	14	0.46	<5	268	0.29	66	30	116
C080220		0.82	328	<1	1.22	26	350	12	0.46	<5	202	0.28	55	10	49
C080221		2.03	596	2	1.04	23	380	10	0.56	<5	274	0.25	62	10	65
C080222		1.98	570	<1	1.06	24	390	6	0.40	<5	304	0.25	61	<10	68
C080223		1.40	462	<1	2.01	19	770	20	0.02	<5	600	0.38	63	<10	65
C080224		1.58	571	<1	2.35	14	930	12	0.01	<5	699	0.40	67	20	58
C080225		1.60	502	<1	2.45	15	920	11	0.01	<5	791	0.39	65	30	44
C080226		1.64	565	<1	2.52	17	950	11	0.01	<5	804	0.42	69	20	45
C080227		2.40	738	<1	1.93	26	470	8	0.27	<5	629	0.34	63	100	53
C080228		2.48	768	<1	0.95	31	420	17	0.33	<5	188	0.29	55	<10	78
C080229		2.62	782	<1	0.96	30	420	14	0.32	<5	193	0.29	57	<10	87
C080230		1.37	440	1	3.12	48	670	17	0.63	<5	217	0.31	93	<10	212
C080231		0.73	281	<1	1.13	15	230	11	0.16	<5	134	0.20	34	<10	42
C080232		0.84	311	4	1.81	25	210	23	0.40	<5	234	0.24	52	<10	48
C080233		1.12	445	5	1.48	32	240	22	0.59	<5	180	0.29	64	<10	69
C080234		1.75	612	<1	1.42	29	320	9	0.38	<5	305	0.30	63	<10	72
C080235		0.62	421	<1	0.97	12	160	7	0.23	<5	135	0.18	32	<10	35
C080236		10.75	130	<1	0.02	1	440	<2	0.01	<5	108	0.01	2	<10	7
C080237		0.86	630	<1	0.67	10	150	7	0.28	<5	133	0.14	25	<10	33
C080238		0.97	649	<1	0.99	27	200	18	0.51	5	130	0.29	67	<10	86
C080239		0.79	852	1	0.79	24	210	14	0.25	<5	188	0.23	46	840	75
C080240		0.19	189	<1	1.98	3	110	53	0.10	<5	298	0.08	6	10	18
C080241		1.03	669	<1	0.90	26	240	13	0.54	<5	220	0.27	59	20	52
C080242		1.00	718	<1	1.60	37	320	26	0.48	<5	232	0.42	84	<10	90
C080243		1.34	892	1	0.93	28	390	12	0.31	5	423	0.32	75	430	93
C080244		1.60	496	3	1.08	39	420	16	0.46	<5	174	0.37	122	<10	79
C080245		0.74	603	<1	0.77	21	260	11	0.40	<5	174	0.23	43	<10	59
C080246		0.21	137	<1	1.70	6	110	61	0.11	<5	258	0.09	13	<10	20
C080247		1.24	1155	3	0.79	35	420	18	0.34	8	285	0.30	85	200	101
C080248		0.92	636	<1	0.91	27	290	14	0.44	<5	189	0.30	61	170	64
C080249		0.91	624	<1	0.89	26	280	17	0.43	<5	185	0.29	59	160	63
C080250		2.75	981	11	2.14	61	2180	28	0.28	<5	1550	0.33	153	<10	92
C080251		1.55	769	2	0.69	32	410	10	0.53	<5	257	0.29	104	<10	73
C080252		0.91	611	<1	0.92	27	380	14	0.25	<5	137	0.33	63	<10	72
C080253		0.73	768	1	0.56	27	320	13	0.44	<5	233	0.17	99	50	78
C080254		1.15	1695	37	0.71	62	630	2	0.11	15	284	0.12	277	4920	90
C080255		1.47	522	8	0.70	49	380	11	0.69	<5	145	0.15	256	70	94
C080256		11.60	169	<1	0.02	2	570	8	<0.01	<5	104	0.01	1	10	7
C080257		1.06	1750	12	0.54	67	540	10	0.22	<5	401	0.23	387	730	197
C080258		0.76	215	12	0.53	69	570	17	0.45	<5	92	0.15	500	10	127

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 11-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06095154

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C080259		2.86	<0.005	<0.5	6.76	21	2360	2.4	<2	4.15	<0.5	14	66	53	4.27	2.51
C080260		1.50	<0.005	<0.5	6.79	5	3540	3.2	<2	4.96	<0.5	15	45	55	4.47	2.49
C080261		0.42	<0.005	<0.5	5.63	6	3250	2.7	<2	1.95	<0.5	10	52	59	3.55	2.19
C080262		0.38	<0.005	<0.5	6.07	26	3100	2.9	<2	2.33	0.5	12	50	56	3.54	1.94
C080263		2.92	<0.005	<0.5	6.77	23	1050	2.2	<2	2.40	<0.5	11	51	22	3.79	2.22
C080264		1.58	<0.005	<0.5	6.16	29	1790	2.5	<2	3.00	<0.5	12	49	18	3.53	2.00
C080265		1.34	<0.005	<0.5	7.04	36	970	3.9	<2	7.04	<0.5	16	44	31	5.55	1.83
C080266		1.80	<0.005	<0.5	5.48	<5	1520	1.3	<2	7.52	<0.5	7	38	45	2.56	2.12
C080267		1.52	<0.005	<0.5	4.54	9	2020	1.5	<2	3.53	4.2	8	55	49	2.65	1.83
C080268		1.70	<0.005	<0.5	5.91	17	1500	5.0	<2	6.04	<0.5	9	44	27	3.16	1.27
C080269		<0.02	<0.005	<0.5	5.67	13	1430	4.8	<2	5.74	0.5	9	42	25	3.01	1.22
C080270		0.10	3.21	0.7	7.10	<5	2020	3.3	<2	4.63	<0.5	22	130	95	4.94	3.11
C080271		1.80	<0.005	<0.5	7.26	9	1150	3.1	<2	3.53	<0.5	7	44	28	2.82	2.01
C080272		2.18	<0.005	<0.5	7.14	8	2010	2.4	<2	2.21	<0.5	11	49	46	3.10	2.52
C080273		1.82	<0.005	<0.5	5.82	11	540	4.6	<2	8.50	<0.5	10	41	19	4.09	1.03
C080274		1.56	<0.005	0.6	5.65	18	210	7.5	<2	8.98	<0.5	12	36	7	4.99	0.31
C080275		1.64	<0.005	<0.5	6.85	19	520	5.8	<2	7.83	<0.5	12	41	15	3.64	1.40
C080276		0.96	<0.005	<0.5	0.17	<5	20	<0.5	<2	19.70	<0.5	<1	2	2	0.18	0.03
C080277		1.42	<0.005	<0.5	7.66	7	820	6.2	<2	7.06	<0.5	12	43	37	3.76	2.02
C080278		2.70	<0.005	<0.5	8.45	7	1620	3.9	<2	2.83	<0.5	6	32	9	2.34	3.20
C080279		2.54	<0.005	<0.5	7.47	10	1140	5.3	<2	2.81	<0.5	6	25	5	1.82	2.48
C080280		2.72	<0.005	<0.5	7.93	<5	1060	4.8	<2	3.37	<0.5	5	31	4	1.72	2.00
C080281		1.42	<0.005	<0.5	7.82	15	1480	4.5	<2	3.30	<0.5	8	38	3	2.35	2.44
C080282		1.34	0.006	<0.5	7.99	<5	1430	4.8	<2	3.28	<0.5	5	32	3	2.04	2.32
C080283		2.24	0.009	<0.5	8.42	<5	1470	4.3	<2	2.67	<0.5	8	34	4	2.61	3.19
C080284		1.80	<0.005	<0.5	6.59	17	740	5.1	<2	1.09	<0.5	<1	12	3	0.54	3.44
C080285		2.60	<0.005	<0.5	6.83	8	820	6.2	<2	1.45	<0.5	1	14	2	0.75	2.27
C080286		2.22	<0.005	<0.5	6.94	<5	1200	5.2	<2	1.73	<0.5	1	17	2	0.90	3.18
C080287		1.72	<0.005	<0.5	8.30	7	840	5.2	<2	3.34	<0.5	5	30	2	1.78	2.51
C080288		2.16	<0.005	<0.5	7.27	17	890	4.8	<2	2.21	<0.5	3	21	5	1.53	2.93
C080289		<0.02	<0.005	<0.5	6.75	17	840	4.8	<2	2.09	<0.5	2	21	4	1.41	2.86
C080290		0.10	4.55	8.9	8.02	17	470	0.9	<2	2.69	1.6	15	22	123	4.10	2.20
C080291		1.60	<0.005	<0.5	7.88	12	1490	4.2	<2	2.41	<0.5	1	24	3	1.79	3.44

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 11-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06095154

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C080259		1.35	891	10	0.82	56	490	15	0.64	<5	267	0.26	254	610	97
C080260		1.48	1120	4	0.88	39	580	17	0.54	<5	265	0.25	80	1420	82
C080261		0.92	471	13	1.27	76	630	11	0.45	<5	243	0.24	487	10	124
C080262		1.02	558	12	1.54	77	560	6	0.41	<5	283	0.27	446	<10	100
C080263		0.93	666	1	1.08	30	410	22	0.19	<5	152	0.31	67	410	85
C080264		0.87	821	<1	0.79	25	300	10	0.11	<5	142	0.28	51	370	77
C080265		1.41	1595	5	1.09	36	1290	11	0.27	6	372	0.34	108	1380	114
C080266		0.84	587	2	0.36	28	300	10	0.63	<5	269	0.21	84	20	87
C080267		0.82	398	16	0.44	77	780	10	0.71	<5	171	0.19	536	<10	319
C080268		1.72	696	18	1.23	44	640	6	0.26	<5	497	0.27	212	5490	88
C080269		1.65	662	17	1.19	42	610	<2	0.24	<5	481	0.26	199	4710	83
C080270		2.82	1005	11	2.22	60	2290	27	0.29	<5	1605	0.34	156	50	93
C080271		1.27	472	2	1.43	24	400	15	0.19	<5	319	0.29	64	1220	55
C080272		1.10	517	<1	0.77	27	370	16	0.54	6	172	0.28	66	80	78
C080273		1.56	1055	10	0.97	31	480	3	0.14	26	515	0.28	73	4810	78
C080274		1.98	1505	23	1.71	36	630	5	0.01	5	691	0.28	68	5220	81
C080275		1.76	916	12	1.28	27	600	<2	0.10	20	581	0.36	82	5610	83
C080276		11.60	153	<1	0.01	3	570	12	0.05	<5	113	0.01	1	10	9
C080277		2.27	935	14	1.34	33	770	9	0.20	11	399	0.33	85	6450	77
C080278		0.93	378	1	1.99	13	650	26	0.06	<5	577	0.28	39	290	61
C080279		0.66	287	<1	2.18	16	510	16	0.02	<5	525	0.24	28	230	37
C080280		0.86	289	<1	2.56	16	620	17	0.01	<5	722	0.29	36	<10	42
C080281		0.91	367	<1	2.36	23	680	17	0.01	<5	626	0.33	40	10	52
C080282		0.85	322	<1	2.41	17	680	16	0.01	<5	632	0.32	38	<10	49
C080283		0.87	374	<1	2.09	20	630	24	0.01	<5	496	0.30	37	10	64
C080284		0.06	59	<1	2.04	3	40	25	0.02	<5	328	0.02	2	10	2
C080285		0.07	71	<1	2.40	2	50	19	<0.01	<5	466	0.03	3	10	3
C080286		0.23	139	<1	2.14	8	160	21	<0.01	<5	452	0.09	11	<10	14
C080287		0.69	263	<1	2.60	15	550	19	0.01	<5	704	0.26	33	<10	33
C080288		0.41	219	<1	1.99	11	380	34	<0.01	<5	370	0.17	21	<10	29
C080289		0.37	214	<1	1.93	8	340	36	<0.01	<5	344	0.17	20	<10	28
C080290		1.32	940	11	1.60	12	900	21	0.67	<5	415	0.36	142	10	98
C080291		0.50	241	<1	2.04	12	470	22	<0.01	<5	471	0.22	27	<10	33

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 20-OCT-2006
Account: STRGOL

CERTIFICATE VA06098504

Project: Dublin Gulch1735

P.O. No.:

This report is for 98 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 11-SEP-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 20-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06098504

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C080465		1.68	0.011	<0.5	8.02	13	840	1.8	<2	0.64	<0.5	14	72	23	3.91	3.20
C080466		2.24	<0.005	<0.5	6.76	8	970	1.6	2	1.25	<0.5	10	54	25	3.32	2.45
C080467		2.52	<0.005	<0.5	6.59	<5	1180	1.7	2	0.37	<0.5	14	60	22	3.82	2.69
C080468		1.96	<0.005	<0.5	7.25	8	1280	2.0	<2	0.75	<0.5	13	55	30	3.59	2.71
C080469		<0.02	<0.005	<0.5	7.07	12	1280	1.9	<2	0.86	<0.5	12	54	30	3.31	2.65
C080470		0.10	0.901	2.2	7.26	15	430	0.7	<2	1.88	<0.5	22	107	2040	5.15	1.76
C080471		2.14	0.007	<0.5	7.32	8	1040	1.9	<2	0.97	<0.5	10	60	39	3.33	2.87
C080472		1.46	<0.005	<0.5	7.41	15	910	2.0	<2	0.45	<0.5	9	64	33	3.42	2.95
C080473		2.08	0.006	<0.5	6.17	10	610	1.4	4	1.14	<0.5	8	50	22	3.06	2.28
C080474		2.30	<0.005	<0.5	7.51	7	730	1.9	<2	2.28	<0.5	11	58	30	3.86	2.89
C080475		1.68	<0.005	<0.5	7.46	<5	600	4.2	<2	7.00	<0.5	8	52	17	3.53	1.04
C080476		1.72	<0.005	<0.5	0.10	<5	<10	<0.5	<2	19.15	<0.5	<1	4	1	0.11	0.03
C080477		2.88	<0.005	<0.5	6.60	13	810	1.5	<2	1.40	<0.5	11	55	33	3.33	2.17
C080478		2.66	<0.005	<0.5	6.20	<5	750	1.3	3	1.26	<0.5	9	51	21	2.91	2.29
C080479		1.82	<0.005	<0.5	9.18	<5	1050	2.2	3	0.38	<0.5	17	79	38	4.21	3.77
C080480		2.38	<0.005	<0.5	8.05	13	1230	3.0	<2	2.34	<0.5	6	28	9	2.59	3.48
C080481		1.16	<0.005	<0.5	7.98	10	1460	2.8	<2	2.96	<0.5	8	33	19	3.07	2.96
C080482		1.50	<0.005	<0.5	7.63	5	1390	2.9	<2	3.01	<0.5	7	32	18	2.83	2.97
C080483		2.84	<0.005	<0.5	7.61	12	1550	2.7	<2	3.03	<0.5	7	35	19	3.07	2.76
C080484		2.32	<0.005	<0.5	7.96	<5	1840	2.8	<2	3.26	<0.5	7	35	23	3.18	2.95
C080485		2.68	<0.005	<0.5	7.74	10	1700	2.7	<2	3.27	<0.5	7	35	21	3.20	2.95
C080486		2.42	<0.005	<0.5	7.78	15	1530	2.8	<2	2.96	<0.5	7	35	18	3.13	2.74
C080487		0.70	<0.005	<0.5	2.13	6	80	0.9	<2	1.54	<0.5	1	15	2	1.30	0.52
C080488		1.76	<0.005	<0.5	8.00	<5	1700	2.9	<2	3.70	<0.5	8	37	10	3.19	2.69
C080489		<0.02	<0.005	<0.5	7.81	11	1630	2.9	<2	3.57	<0.5	7	35	10	3.09	2.72
C080490		0.10	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
C080491		2.82	<0.005	<0.5	7.78	<5	1380	3.2	<2	3.79	<0.5	7	32	21	2.72	2.58
C080492		3.28	0.011	<0.5	6.95	42	650	1.4	<2	1.22	<0.5	10	50	33	3.05	2.27
C080493		2.32	0.008	<0.5	6.41	19	770	1.5	<2	1.12	<0.5	9	41	26	2.79	2.11
C080494		2.32	0.019	<0.5	6.63	27	750	1.4	<2	1.90	<0.5	7	49	22	2.87	2.21
C080495		2.52	0.010	<0.5	8.19	26	730	1.9	<2	0.75	<0.5	14	68	29	4.09	2.74
C080496		1.98	0.006	<0.5	0.14	<5	10	<0.5	<2	20.4	<0.5	<1	2	<1	0.14	0.03
C080497		1.82	0.007	<0.5	7.98	16	750	1.9	<2	0.81	<0.5	11	57	21	3.38	2.67
C080498		2.38	0.019	<0.5	8.31	79	940	2.1	<2	0.76	<0.5	11	58	30	3.11	3.46
C080499		1.96	0.008	<0.5	9.04	197	1060	2.2	<2	1.80	<0.5	13	66	48	3.21	3.07
C080500		1.92	0.010	<0.5	8.69	155	810	2.2	<2	2.68	<0.5	11	68	67	3.62	2.44
C080901		1.94	<0.005	<0.5	8.22	34	700	2.3	<2	8.13	<0.5	10	47	36	3.73	2.59
C080902		1.24	<0.005	<0.5	8.11	14	690	2.2	<2	7.95	<0.5	10	47	34	3.78	2.50
C080903		1.38	<0.005	<0.5	6.89	8	690	2.7	<2	6.72	<0.5	10	43	18	4.07	1.80
C080904		1.40	<0.005	<0.5	7.12	6	580	2.1	<2	8.29	<0.5	11	39	15	3.64	1.92

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 20-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06098504

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C080465		0.82	385	<1	1.30	33	330	87	0.11	9	143	0.37	75	<10	81
C080466		0.73	411	1	1.39	25	250	48	0.18	5	194	0.27	54	10	59
C080467		0.63	154	<1	1.20	32	880	29	0.03	<5	116	0.34	73	<10	68
C080468		0.72	378	<1	1.49	28	320	20	0.06	<5	190	0.30	64	<10	58
C080469		0.71	392	<1	1.42	27	290	26	0.07	<5	189	0.29	64	<10	59
C080470		1.31	419	3	3.07	51	660	14	0.63	<5	203	0.31	87	10	209
C080471		0.78	406	<1	1.19	25	330	21	0.10	<5	142	0.29	64	10	58
C080472		0.90	216	<1	1.39	22	490	18	0.03	<5	121	0.29	70	<10	52
C080473		0.77	275	<1	1.31	24	240	16	0.09	<5	157	0.25	51	<10	52
C080474		1.05	455	<1	1.32	32	300	26	0.69	<5	151	0.31	66	10	80
C080475		1.21	617	4	2.22	38	530	18	0.22	<5	833	0.31	71	1430	49
C080476		11.20	139	<1	0.01	7	480	4	0.01	<5	112	<0.01	1	10	7
C080477		0.73	412	1	1.28	29	250	20	0.13	<5	175	0.28	57	10	62
C080478		0.69	423	1	1.22	24	230	27	0.21	<5	141	0.25	50	<10	61
C080479		1.00	325	1	1.08	44	280	21	0.06	<5	115	0.42	91	<10	92
C080480		0.83	429	<1	1.91	8	540	50	0.05	<5	492	0.22	35	<10	52
C080481		1.11	436	<1	1.97	12	700	26	0.09	6	594	0.29	48	<10	59
C080482		1.03	416	<1	2.07	7	690	27	0.07	<5	571	0.29	45	<10	57
C080483		1.17	450	<1	1.90	11	730	20	0.08	<5	574	0.32	50	<10	64
C080484		1.27	429	<1	2.06	7	810	19	0.10	<5	653	0.34	53	<10	59
C080485		1.22	431	<1	1.93	7	780	23	0.10	<5	619	0.33	52	<10	61
C080486		1.24	397	<1	1.89	10	780	11	0.10	<5	529	0.34	52	<10	55
C080487		0.29	157	<1	0.58	4	190	<2	<0.01	<5	62	0.09	11	<10	8
C080488		1.33	428	<1	2.21	8	870	12	0.06	<5	653	0.36	57	<10	52
C080489		1.30	414	1	2.16	9	860	17	0.05	<5	631	0.37	57	<10	51
C080490		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
C080491		1.15	377	<1	2.19	11	750	10	0.11	<5	593	0.32	50	<10	48
C080492		0.74	443	<1	1.53	23	360	14	0.32	<5	144	0.28	54	<10	53
C080493		0.65	345	<1	1.56	21	280	13	0.36	<5	167	0.25	48	30	51
C080494		0.72	547	1	1.61	17	200	22	0.48	<5	182	0.24	45	<10	52
C080495		0.97	442	<1	0.86	33	430	13	0.41	<5	167	0.36	75	<10	93
C080496		11.65	150	<1	0.01	5	530	<2	0.01	<5	111	0.01	<1	<10	7
C080497		0.87	313	<1	1.06	29	370	13	0.23	<5	202	0.32	64	10	70
C080498		0.86	454	2	1.88	32	270	14	0.43	<5	268	0.30	66	<10	51
C080499		1.00	335	<1	1.77	38	570	9	0.57	<5	402	0.32	78	<10	43
C080500		0.94	547	<1	1.36	32	470	13	0.94	6	341	0.28	73	<10	48
C080901		1.07	566	<1	1.41	30	490	12	0.51	<5	416	0.33	63	180	96
C080902		1.06	569	<1	1.41	30	490	12	0.46	<5	408	0.33	62	100	94
C080903		0.94	720	<1	1.78	32	380	8	0.27	<5	543	0.28	53	420	76
C080904		0.84	665	<1	1.76	26	310	9	0.22	<5	441	0.28	50	150	78

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 20-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06098504

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C080905		1.68	0.005	<0.5	6.37	420	560	1.9	<2	6.38	<0.5	11	39	18	3.56	1.55
C080906		1.46	0.005	<0.5	7.14	213	590	2.1	<2	8.13	<0.5	10	40	17	3.71	1.96
C080907		1.30	0.006	<0.5	6.35	16	440	1.6	<2	9.00	<0.5	7	29	21	3.24	1.21
C080908		1.30	<0.005	<0.5	6.77	14	470	2.0	<2	9.35	<0.5	9	35	12	3.79	1.16
C080909		<0.02	<0.005	<0.5	6.50	14	460	2.0	<2	9.10	<0.5	9	34	11	3.69	1.12
C080910		0.10	2.79	<0.5	6.84	17	1950	3.1	<2	4.77	<0.5	22	126	94	4.89	3.22
C080911		1.42	<0.005	<0.5	6.31	15	470	2.1	<2	8.44	<0.5	7	33	17	3.24	1.01
C080912		1.58	<0.005	<0.5	5.42	16	490	1.4	<2	2.23	<0.5	6	34	18	2.45	1.47
C080913		1.06	<0.005	<0.5	6.49	10	1090	1.7	<2	1.05	<0.5	9	48	12	3.29	2.39
C080914		1.90	<0.005	<0.5	7.20	22	1110	1.8	<2	1.15	<0.5	9	52	24	3.30	2.65
C080915		1.70	<0.005	<0.5	6.11	6	390	2.3	<2	5.99	<0.5	8	35	14	3.56	1.19
C080916		1.40	<0.005	<0.5	0.15	<5	20	<0.5	<2	20.4	<0.5	<1	3	1	0.14	0.04
C080917		1.52	<0.005	<0.5	7.64	<5	460	2.7	<2	9.13	<0.5	9	41	19	3.78	1.28
C080918		1.68	<0.005	<0.5	7.65	18	720	5.2	<2	6.66	<0.5	2	24	2	2.37	1.57
C080919		0.64	<0.005	<0.5	7.07	6	1890	2.3	<2	3.82	<0.5	3	28	2	1.83	3.74
C080920		1.68	<0.005	<0.5	6.11	22	480	2.0	<2	6.72	<0.5	7	40	18	3.32	1.45
C080921		0.82	<0.005	0.6	6.35	<5	390	2.0	<2	8.70	<0.5	14	33	20	4.47	1.24
C080922		0.76	<0.005	<0.5	6.77	16	420	2.4	<2	9.36	<0.5	14	40	20	5.60	1.25
C080923		1.54	0.020	<0.5	5.43	<5	300	3.9	<2	9.56	<0.5	15	34	9	7.05	0.83
C080924		1.40	<0.005	<0.5	7.24	291	460	5.0	<2	6.71	<0.5	9	42	14	4.06	1.20
C080925		2.12	<0.005	<0.5	6.59	10	730	2.0	<2	3.16	<0.5	8	44	42	2.77	2.19
C080926		3.08	<0.005	<0.5	7.21	21	930	2.1	<2	2.72	<0.5	8	54	36	3.23	2.59
C080927		3.74	<0.005	<0.5	6.26	14	820	1.6	<2	1.48	<0.5	8	47	21	2.82	1.98
C080928		3.20	<0.005	<0.5	8.43	14	700	1.7	<2	0.77	<0.5	11	63	24	3.79	2.82
C080929		<0.02	<0.005	<0.5	8.52	7	700	1.7	<2	0.77	<0.5	10	64	25	4.05	2.81
C080930		0.10	4.38	8.3	7.73	15	460	0.8	<2	2.86	0.6	14	20	114	4.07	2.09
C080931		3.04	<0.005	<0.5	7.36	18	740	1.7	<2	0.76	<0.5	10	55	21	3.60	2.42
C080932		3.26	0.005	<0.5	7.68	23	1120	1.8	<2	0.78	<0.5	9	62	26	4.12	3.20
C080933		3.02	<0.005	<0.5	7.94	9	1050	2.4	<2	1.04	<0.5	6	53	6	3.41	3.37
C080934		3.28	0.005	<0.5	8.09	21	970	1.8	<2	1.03	<0.5	10	61	30	3.67	2.87
C080935		3.32	<0.005	<0.5	8.38	10	870	1.8	<2	0.70	<0.5	10	63	14	3.50	3.11
C080936		1.78	<0.005	<0.5	0.13	<5	20	<0.5	<2	20.3	<0.5	<1	2	1	0.13	0.04
C080937		2.76	<0.005	<0.5	5.93	15	750	1.9	<2	1.17	<0.5	5	34	8	2.02	2.17
C080938		3.38	0.005	<0.5	4.78	<5	380	0.9	<2	1.00	<0.5	5	43	12	2.22	1.52
C080939		3.48	<0.005	<0.5	3.90	<5	320	0.8	<2	0.80	<0.5	3	30	9	1.80	1.09
C080940		3.18	<0.005	<0.5	4.58	7	430	0.8	<2	0.56	<0.5	4	39	7	2.05	1.51
C080941		1.68	<0.005	<0.5	4.83	<5	500	0.9	<2	0.63	<0.5	4	38	6	2.11	1.56
C080942		1.62	<0.005	<0.5	4.36	<5	440	0.8	<2	0.67	<0.5	3	41	6	1.94	1.40
C080943		2.00	<0.005	<0.5	8.50	9	650	2.0	<2	0.74	<0.5	12	72	27	4.09	2.90
C080944		3.02	<0.005	<0.5	9.40	16	840	2.2	<2	0.84	<0.5	13	71	26	4.21	3.37

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 20-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06098504

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C080905		0.74	685	<1	1.67	29	390	8	0.31	<5	360	0.25	45	800	66
C080906		0.78	730	<1	1.57	26	530	13	0.23	<5	409	0.27	49	260	83
C080907		0.62	1080	<1	1.44	19	350	8	0.24	<5	424	0.24	41	30	67
C080908		0.68	837	<1	1.88	24	370	8	0.14	<5	540	0.26	45	130	66
C080909		0.65	813	<1	1.81	21	370	7	0.13	<5	519	0.25	43	130	65
C080910		2.89	1010	11	2.33	59	2310	29	0.28	<5	1590	0.38	152	10	96
C080911		0.71	705	<1	1.86	24	330	20	0.11	<5	588	0.24	43	420	65
C080912		0.58	515	<1	1.70	16	130	18	0.25	<5	193	0.21	37	130	47
C080913		0.82	224	<1	1.70	27	470	10	0.07	<5	190	0.31	65	<10	53
C080914		0.76	324	<1	1.81	24	160	12	0.21	<5	203	0.32	63	<10	59
C080915		0.80	691	<1	1.88	25	290	8	0.19	<5	497	0.23	47	810	54
C080916		11.50	145	<1	0.02	1	570	4	0.01	<5	129	0.01	1	<10	10
C080917		1.05	816	<1	1.54	24	550	13	0.15	<5	477	0.31	55	460	91
C080918		0.91	547	<1	2.52	19	570	10	0.01	<5	792	0.25	38	100	31
C080919		0.99	396	<1	1.75	8	620	18	0.02	<5	561	0.26	40	<10	35
C080920		0.80	547	<1	1.21	23	270	11	0.19	<5	372	0.25	42	630	66
C080921		0.72	1030	<1	1.60	27	390	5	0.22	<5	434	0.26	45	270	95
C080922		0.80	1300	<1	1.73	33	590	10	0.25	<5	470	0.28	51	350	110
C080923		0.97	1720	7	1.54	50	360	4	0.23	<5	443	0.21	47	3920	101
C080924		1.26	837	3	2.39	39	370	9	0.17	<5	746	0.28	60	1810	62
C080925		0.93	504	<1	1.37	24	210	9	0.50	<5	284	0.26	57	60	60
C080926		0.95	500	<1	1.34	26	470	4	0.55	<5	274	0.29	63	10	56
C080927		0.67	321	<1	1.27	25	310	11	0.21	5	184	0.27	55	<10	47
C080928		0.97	693	<1	1.68	28	320	20	0.22	<5	189	0.34	67	<10	82
C080929		0.96	716	<1	1.66	30	330	20	0.25	<5	189	0.34	69	<10	82
C080930		1.33	940	11	1.64	12	920	26	0.64	<5	394	0.35	131	<10	96
C080931		0.82	368	<1	1.30	26	330	12	0.13	<5	138	0.31	61	<10	71
C080932		0.82	374	<1	1.26	30	550	10	0.30	<5	141	0.36	74	<10	67
C080933		0.71	317	1	1.87	23	310	19	0.04	<5	272	0.31	60	<10	56
C080934		0.84	391	<1	1.58	29	330	16	0.17	<5	204	0.34	66	<10	70
C080935		0.83	367	<1	1.55	27	290	13	0.06	<5	201	0.37	71	<10	71
C080936		11.55	152	<1	0.01	3	520	<2	0.01	<5	109	0.01	1	<10	8
C080937		0.53	210	<1	1.47	16	210	17	0.04	<5	251	0.21	34	<10	31
C080938		0.52	354	<1	1.33	16	200	7	0.13	<5	137	0.21	33	<10	36
C080939		0.38	255	<1	1.33	9	140	11	0.10	<5	125	0.16	24	<10	27
C080940		0.40	218	<1	1.27	10	120	16	0.05	<5	96	0.20	31	<10	32
C080941		0.42	249	<1	1.40	14	220	15	0.06	<5	117	0.20	32	<10	34
C080942		0.38	237	<1	1.32	11	270	14	0.05	<5	118	0.18	28	<10	29
C080943		0.99	430	<1	1.15	36	430	12	0.22	<5	162	0.39	76	<10	95
C080944		1.08	435	<1	1.47	33	410	14	0.24	<5	202	0.41	83	<10	96

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 20-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06098504

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C080945		3.34	<0.005	<0.5	7.70	13	830	2.4	<2	1.57	<0.5	9	47	23	3.24	2.62
C080946		3.24	<0.005	<0.5	8.92	127	680	1.9	<2	0.74	<0.5	14	75	35	4.96	2.91
C080947		3.50	<0.005	<0.5	8.59	10	730	1.9	<2	1.79	<0.5	12	67	37	4.07	2.72
C080948		3.76	<0.005	<0.5	8.78	9	910	2.2	<2	1.11	<0.5	12	70	29	3.99	2.98
C080949		<0.02	<0.005	<0.5	8.78	<5	950	2.2	<2	1.17	<0.5	13	71	27	4.11	2.98
C080950		0.10	0.864	2.0	7.81	15	430	0.7	<2	1.99	<0.5	21	96	2070	5.09	1.74
C080951		2.68	<0.005	<0.5	9.46	16	1030	2.3	<2	0.72	<0.5	12	71	35	4.45	3.01
C080952		2.90	<0.005	<0.5	9.34	16	750	2.2	<2	2.34	<0.5	14	71	44	4.10	2.62
C080953		3.02	<0.005	<0.5	8.20	17	700	1.8	<2	1.10	<0.5	11	62	23	3.74	2.62
C080954		2.94	<0.005	<0.5	9.18	9	730	2.2	<2	1.54	<0.5	13	77	40	4.32	2.90
C080955		3.10	<0.005	<0.5	8.21	20	670	1.9	<2	2.57	<0.5	12	70	31	4.18	2.46
C080956		2.22	<0.005	<0.5	0.14	<5	10	<0.5	<2	19.80	<0.5	<1	3	1	0.13	0.04
C080957		2.82	<0.005	<0.5	8.42	30	700	2.0	<2	1.27	<0.5	12	68	32	3.69	2.81
C080958		2.36	<0.005	<0.5	6.22	17	510	1.4	<2	0.62	<0.5	5	49	10	2.51	2.09
C080959		2.68	<0.005	<0.5	4.42	21	470	0.9	<2	0.89	<0.5	4	39	12	2.32	1.57
C080960		2.84	<0.005	<0.5	5.15	17	560	1.2	<2	1.44	<0.5	7	48	26	2.57	2.17
C080961		1.46	<0.005	<0.5	3.01	10	390	0.5	<2	1.84	<0.5	4	30	13	1.91	1.12
C080962		1.40	<0.005	<0.5	3.00	7	360	0.5	<2	1.98	<0.5	3	31	13	1.84	1.13

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 20-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06098504

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C080945		0.87	396	<1	1.41	22	360	14	0.19	<5	298	0.30	54	10	68
C080946		1.18	519	<1	0.94	34	290	19	0.31	5	142	0.42	82	<10	109
C080947		0.99	573	<1	1.17	31	380	12	0.46	<5	229	0.39	76	<10	104
C080948		0.92	490	<1	1.34	32	450	12	0.22	<5	234	0.42	79	<10	91
C080949		0.94	493	<1	1.35	35	440	19	0.24	<5	245	0.41	84	<10	92
C080950		1.36	431	1	3.25	45	670	17	0.57	<5	209	0.30	84	<10	209
C080951		0.92	315	3	1.15	39	320	11	0.08	<5	171	0.40	85	<10	90
C080952		1.02	747	<1	1.35	34	260	12	0.37	<5	306	0.42	83	<10	94
C080953		0.87	422	<1	0.95	30	370	11	0.22	<5	165	0.37	71	<10	77
C080954		0.99	549	<1	0.81	41	420	17	0.62	<5	240	0.41	82	<10	105
C080955		0.93	780	<1	0.88	34	300	14	0.65	<5	256	0.40	77	<10	98
C080956		11.15	149	<1	0.01	<1	470	3	0.02	<5	108	0.01	<1	<10	7
C080957		0.91	455	<1	1.05	35	300	13	0.44	<5	195	0.39	74	<10	78
C080958		0.57	276	<1	0.96	18	190	8	0.12	<5	134	0.27	49	<10	41
C080959		0.47	290	<1	0.86	13	210	10	0.15	<5	109	0.19	32	<10	41
C080960		0.62	415	<1	0.75	19	280	18	0.35	<5	146	0.24	45	<10	53
C080961		0.55	413	<1	0.71	9	120	9	0.19	<5	123	0.15	21	<10	27
C080962		0.55	428	<1	0.69	9	380	11	0.20	<5	131	0.15	20	<10	28

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2006
Account: STRGOL

CERTIFICATE VA06101572

Project: Dublin Gulch1735

P.O. No.:

This report is for 1 Drill Core sample submitted to our lab in Vancouver, BC, Canada on 10-OCT-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06101572

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C082951		2.98	0.339	<0.5	7.47	83	1660	2.5	<2	2.02	<0.5	10	26	33	2.67	3.38

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06101572

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
C082951		0.90	266	2	1.49	19	660	27	0.09	12	473	0.31	36	50	38

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-NOV-2006
Account: STRGOL

CERTIFICATE VA06105727

Project: Dublin Gulch1735

P.O. No.:

This report is for 131 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 25-SEP-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06105727

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C080963		2.54	<0.005	<0.5	3.19	5	350	0.7	<2	2.11	<0.5	3	29	13	1.47	0.99
C080964		1.76	<0.005	<0.5	6.51	113	530	2.1	<2	3.22	<0.5	8	46	16	2.66	1.77
C080965		2.42	<0.005	<0.5	7.92	7	690	2.0	<2	0.65	<0.5	11	72	19	3.39	2.93
C080966		3.18	<0.005	<0.5	6.47	<5	540	1.4	<2	1.10	<0.5	11	50	19	2.93	2.25
C080967		2.78	<0.005	<0.5	8.30	23	700	2.3	<2	1.72	<0.5	13	58	40	3.43	2.99
C080968		3.00	<0.005	<0.5	9.16	27	750	2.7	<2	1.93	<0.5	14	65	31	3.80	3.29
C080969		<0.02	<0.005	<0.5	9.11	64	740	2.7	<2	1.89	<0.5	14	66	32	3.75	3.27
C080970		0.10	2.71	0.9	7.02	6	2030	3.5	<2	4.78	<0.5	23	135	102	4.97	3.48
C080971		2.50	<0.005	<0.5	6.37	54	670	1.4	<2	1.40	<0.5	7	51	31	2.55	2.27
C080972		2.86	<0.005	<0.5	5.22	25	440	1.5	<2	0.90	<0.5	8	43	23	2.32	1.70
C080973		1.74	<0.005	<0.5	6.51	5	470	2.7	<2	3.99	<0.5	7	47	26	3.06	1.79
C080974		1.84	0.006	<0.5	8.51	37	800	2.3	<2	1.66	<0.5	12	66	36	3.74	2.56
C080975		1.88	<0.005	<0.5	6.34	<5	430	4.5	<2	5.89	<0.5	7	45	19	4.05	1.16
C080976		1.78	<0.005	<0.5	0.14	<5	10	<0.5	<2	20.5	<0.5	<1	3	1	0.13	0.03
C080977		1.90	<0.005	<0.5	6.36	6	220	6.9	<2	9.04	<0.5	8	39	5	4.34	0.49
C080978		1.84	<0.005	<0.5	6.80	<5	460	3.2	<2	3.52	<0.5	8	47	16	3.26	1.76
C080979		2.88	<0.005	<0.5	6.63	<5	600	2.5	<2	1.74	<0.5	9	49	21	2.65	2.19
C080980		3.18	<0.005	<0.5	6.94	22	700	1.8	<2	1.07	<0.5	5	51	19	2.66	2.46
C080981		1.30	<0.005	<0.5	4.98	<5	470	1.0	<2	0.80	<0.5	5	38	18	2.40	1.69
C080982		1.58	<0.005	<0.5	4.52	<5	410	0.9	<2	0.77	<0.5	6	45	18	2.10	1.52
C080983		2.66	<0.005	<0.5	10.05	21	880	3.0	<2	1.03	<0.5	16	75	44	4.50	3.22
C080984		2.62	<0.005	<0.5	10.15	36	880	2.7	<2	0.61	<0.5	14	72	22	4.11	3.78
C080985		2.74	<0.005	<0.5	8.03	26	700	2.0	<2	0.45	<0.5	11	56	24	3.52	3.09
C080986		2.10	<0.005	<0.5	6.49	12	580	1.6	<2	3.05	<0.5	8	49	28	2.88	2.21
C080987		1.52	<0.005	<0.5	7.36	14	620	2.1	<2	3.15	<0.5	11	67	62	3.63	2.46
C080988		1.62	<0.005	<0.5	3.78	23	310	1.4	<2	2.61	<0.5	3	34	13	1.66	0.90
C080989		<0.02	<0.005	<0.5	3.99	17	330	1.5	<2	2.77	<0.5	4	33	15	1.90	0.95
C080990		0.10	4.31	8.9	8.05	<5	470	0.9	<2	2.76	1.4	18	20	122	4.14	2.32
C080991		1.62	<0.005	<0.5	5.11	11	460	1.6	<2	2.13	<0.5	6	42	17	2.13	1.50
C080992		1.78	<0.005	<0.5	7.64	13	690	3.7	<2	3.23	<0.5	10	63	23	3.27	2.17
C080993		1.64	<0.005	<0.5	6.46	6	600	3.2	<2	3.92	<0.5	8	48	27	2.98	1.94
C080994		1.60	<0.005	<0.5	8.48	25	830	2.3	<2	2.41	<0.5	11	66	50	3.41	2.87
C080995		1.28	<0.005	<0.5	8.77	42	760	2.5	<2	2.41	<0.5	12	67	48	3.12	2.41
C080996		2.02	<0.005	<0.5	0.08	<5	10	<0.5	<2	19.05	<0.5	<1	2	1	0.10	0.02
C080997		1.36	<0.005	<0.5	7.99	300	700	2.4	<2	2.13	<0.5	13	63	49	3.18	2.98
C080998		1.28	<0.005	<0.5	6.22	26	490	2.1	<2	3.28	<0.5	7	58	27	2.63	1.68
C080999		1.68	<0.005	<0.5	6.01	52	960	3.5	<2	1.20	<0.5	1	12	6	0.72	3.45
C081000		2.90	<0.005	<0.5	6.31	25	610	4.7	<2	0.89	<0.5	<1	12	3	0.79	3.84
C082851		2.66	<0.005	<0.5	6.20	48	540	5.1	<2	0.84	<0.5	1	9	2	0.55	3.56
C082852		3.32	<0.005	0.7	6.95	273	450	4.3	<2	0.64	1.3	<1	23	3	0.91	3.92

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06105727

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C080963		0.53	410	<1	0.70	5	360	11	0.18	<5	171	0.13	23	<10	20
C080964		0.96	440	1	1.54	23	210	6	0.19	<5	383	0.30	59	390	46
C080965		0.95	205	<1	1.03	29	400	8	0.21	<5	78	0.39	79	<10	73
C080966		0.77	285	<1	1.18	21	250	13	0.31	10	100	0.30	55	<10	55
C080967		1.26	453	1	0.93	32	760	10	0.74	<5	170	0.29	70	10	68
C080968		1.23	484	<1	1.49	34	1410	12	0.36	<5	319	0.39	78	340	68
C080969		1.23	484	<1	1.50	31	1370	12	0.35	<5	317	0.40	79	330	66
C080970		3.02	1055	13	2.33	65	2440	34	0.31	9	1630	0.40	164	10	96
C080971		0.78	367	<1	1.09	19	300	12	0.38	<5	168	0.25	52	10	45
C080972		0.76	324	<1	0.94	17	270	9	0.36	<5	168	0.22	43	<10	43
C080973		1.17	508	2	1.25	28	390	14	0.32	<5	361	0.28	63	1760	47
C080974		1.07	457	1	1.35	31	300	11	0.48	<5	235	0.37	68	10	75
C080975		1.55	751	9	1.64	39	350	7	0.21	<5	543	0.28	80	4180	53
C080976		12.05	153	<1	0.01	<1	500	11	<0.01	7	110	0.01	2	10	6
C080977		2.35	853	21	2.09	45	520	5	0.04	<5	866	0.27	83	5470	41
C080978		1.19	478	5	1.52	23	340	16	0.19	<5	394	0.29	62	2850	55
C080979		0.94	357	5	1.57	19	180	13	0.23	<5	329	0.31	56	1640	52
C080980		0.80	299	1	1.31	21	340	16	0.23	<5	203	0.29	54	<10	56
C080981		0.60	316	<1	1.03	11	140	16	0.28	<5	73	0.22	41	10	43
C080982		0.54	277	<1	0.96	15	120	9	0.23	<5	68	0.18	33	<10	42
C080983		1.27	456	2	1.16	44	770	23	0.16	<5	192	0.45	97	790	103
C080984		1.13	375	<1	1.56	37	450	17	0.12	<5	206	0.46	91	70	101
C080985		0.92	413	<1	1.34	31	400	17	0.14	<5	110	0.34	66	<10	70
C080986		0.92	545	2	1.15	24	290	11	0.33	<5	245	0.27	55	1060	65
C080987		0.88	501	1	1.64	42	340	25	0.47	<5	191	0.33	69	250	114
C080988		0.73	346	18	0.96	13	320	6	0.09	<5	221	0.15	21	4210	33
C080989		0.76	383	19	0.98	15	340	5	0.10	<5	231	0.15	24	3640	36
C080990		1.35	957	12	1.74	13	940	27	0.67	5	424	0.38	149	20	97
C080991		0.70	346	2	1.08	19	240	8	0.14	<5	271	0.22	46	1020	39
C080992		1.16	409	5	1.73	34	510	13	0.18	5	494	0.36	78	2510	69
C080993		1.32	478	11	1.43	33	440	9	0.28	<5	434	0.28	71	4410	58
C080994		0.97	495	1	1.31	39	470	12	0.64	<5	340	0.34	73	40	85
C080995		0.98	431	1	1.61	40	470	13	0.59	<5	411	0.32	71	470	142
C080996		11.50	154	<1	0.01	1	470	<2	<0.01	<5	102	<0.01	<1	<10	7
C080997		0.99	436	2	1.27	32	380	16	0.49	<5	265	0.32	73	750	82
C080998		0.91	443	2	1.36	23	370	11	0.24	<5	420	0.29	59	1400	82
C080999		0.13	92	<1	1.87	3	100	35	0.04	<5	356	0.06	6	70	48
C081000		0.10	102	<1	2.07	1	90	38	0.02	<5	222	0.05	3	<10	39
C082851		0.06	88	<1	2.11	<1	70	46	0.01	<5	198	0.04	2	340	50
C082852		0.08	161	<1	1.33	4	60	278	0.02	12	119	0.04	1	<10	396

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06105727

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C082853		3.04	0.007	<0.5	7.02	124	590	4.8	<2	0.66	1.0	1	7	6	0.81	3.91
C082854		2.96	<0.005	<0.5	6.66	104	810	4.8	<2	1.31	<0.5	<1	9	5	0.99	3.60
C082855		2.70	<0.005	<0.5	6.78	85	870	5.0	<2	1.33	<0.5	2	13	6	0.74	3.78
C082856		2.00	<0.005	<0.5	0.10	<5	10	<0.5	<2	19.10	<0.5	<1	2	1	0.11	0.03
C082857		3.18	<0.005	<0.5	6.86	52	870	5.1	<2	1.43	<0.5	1	13	4	0.68	4.08
C082858		3.04	<0.005	<0.5	6.25	29	800	3.4	<2	1.02	<0.5	2	12	4	0.83	3.83
C082859		1.84	0.014	<0.5	6.69	17	810	4.2	<2	0.68	<0.5	2	9	3	0.67	3.77
C082860		2.32	<0.005	<0.5	7.04	269	940	4.5	<2	0.50	<0.5	1	8	3	1.03	3.83
C082861		1.38	<0.005	<0.5	6.65	138	870	3.3	<2	1.06	<0.5	3	7	5	0.63	4.19
C082862		1.20	<0.005	<0.5	6.81	122	870	3.4	<2	1.07	0.5	2	9	5	0.64	4.22
C082863		3.20	<0.005	<0.5	6.48	53	710	3.6	<2	1.05	<0.5	2	12	7	0.60	3.85
C082864		2.42	<0.005	<0.5	6.91	96	1160	3.9	<2	1.37	<0.5	3	13	6	0.76	3.87
C082865		2.32	<0.005	<0.5	5.90	38	970	4.1	<2	1.78	<0.5	1	11	2	0.51	2.37
C082866		1.76	<0.005	<0.5	6.47	24	860	4.3	<2	1.55	<0.5	2	12	4	0.59	2.94
C083001		0.72	<0.005	<0.5	6.60	<5	690	3.3	<2	2.68	<0.5	10	50	21	3.77	1.71
C083002		0.70	<0.005	<0.5	6.43	<5	740	3.1	<2	2.92	<0.5	9	44	19	3.69	1.66
C083003		1.12	<0.005	<0.5	6.12	<5	1290	1.6	<2	0.32	<0.5	9	47	12	3.32	2.37
C083004		2.58	<0.005	<0.5	6.15	<5	800	1.5	<2	1.10	<0.5	7	43	11	2.65	2.03
C083005		2.62	<0.005	<0.5	6.62	10	830	1.7	<2	0.67	<0.5	9	48	22	2.93	2.54
C083006		2.90	<0.005	<0.5	7.02	40	980	1.9	2	0.52	<0.5	11	53	17	3.20	2.98
C083007		3.02	<0.005	<0.5	6.71	14	990	1.8	<2	0.44	<0.5	11	57	13	3.38	2.71
C083008		2.42	<0.005	<0.5	6.13	9	740	2.1	<2	0.24	<0.5	9	51	15	2.56	2.50
C083009		<0.02	<0.005	<0.5	6.67	<5	790	2.2	<2	0.25	<0.5	10	50	17	2.78	2.66
C083010		0.10	2.94	<0.5	6.69	<5	1940	3.1	<2	4.47	<0.5	23	130	95	4.85	3.23
C083011		1.96	<0.005	<0.5	4.36	<5	370	1.4	<2	0.62	<0.5	5	40	11	1.70	1.14
C083012		2.18	<0.005	<0.5	6.09	<5	630	1.2	<2	0.51	<0.5	7	49	14	3.31	2.12
C083013		2.28	<0.005	<0.5	6.94	12	850	1.8	<2	0.21	<0.5	12	56	10	3.43	2.74
C083014		2.28	<0.005	<0.5	5.95	<5	620	1.3	<2	0.43	<0.5	8	43	9	2.64	2.18
C083015		2.46	0.012	<0.5	5.63	<5	570	1.2	<2	0.66	<0.5	6	41	10	2.21	1.86
C083016		2.22	<0.005	<0.5	0.10	<5	10	<0.5	<2	18.55	<0.5	<1	2	2	0.10	0.03
C083017		2.54	0.006	<0.5	9.01	5	850	2.3	<2	0.47	<0.5	12	65	19	3.99	3.28
C083018		2.84	<0.005	<0.5	9.06	5	810	2.4	<2	0.63	<0.5	12	74	23	4.11	3.00
C083019		2.52	<0.005	<0.5	8.38	<5	770	2.0	<2	0.65	<0.5	12	67	27	4.03	2.51
C083020		2.58	<0.005	<0.5	8.27	<5	1000	2.2	<2	0.44	<0.5	15	66	33	4.36	2.85
C083021		0.96	<0.005	<0.5	6.09	<5	600	1.4	<2	0.50	<0.5	6	46	16	2.80	2.02
C083022		0.98	<0.005	<0.5	6.48	<5	640	1.3	<2	0.50	<0.5	7	51	12	3.30	2.37
C083023		2.56	<0.005	<0.5	8.49	<5	670	2.1	<2	0.46	<0.5	14	68	27	3.69	2.68
C083024		2.02	<0.005	<0.5	6.95	9	560	1.6	<2	0.75	<0.5	8	53	18	3.04	1.83
C083025		2.74	<0.005	<0.5	6.25	13	670	1.4	<2	0.71	<0.5	8	52	19	2.91	2.15
C083026		2.64	<0.005	<0.5	6.28	<5	650	1.4	<2	0.89	<0.5	8	47	15	2.66	1.81

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06105727

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C082853		0.10	124	<1	1.84	1	40	113	0.05	8	103	0.03	1	<10	259
C082854		0.15	150	<1	1.84	3	90	68	0.02	14	242	0.05	3	10	102
C082855		0.14	120	<1	2.12	4	150	50	0.05	5	318	0.08	7	<10	33
C082856		11.30	155	<1	0.01	<1	470	<2	0.01	<5	103	<0.01	<1	<10	7
C082857		0.12	142	<1	2.11	2	160	46	0.02	<5	311	0.08	7	10	17
C082858		0.16	100	1	1.20	4	160	32	0.03	<5	219	0.08	6	10	10
C082859		0.13	121	<1	1.72	1	110	55	0.03	<5	223	0.05	4	<10	21
C082860		0.18	100	1	0.55	2	110	45	0.01	9	130	0.06	5	10	113
C082861		0.12	89	1	1.52	<1	120	36	0.03	6	264	0.07	5	10	91
C082862		0.10	90	<1	1.71	3	120	39	0.04	<5	290	0.06	5	10	75
C082863		0.08	67	1	1.80	3	130	38	0.04	<5	262	0.07	5	<10	35
C082864		0.12	87	<1	2.15	3	140	39	0.03	<5	395	0.08	6	<10	60
C082865		0.10	78	<1	2.27	3	120	17	<0.01	<5	501	0.07	7	<10	21
C082866		0.08	78	<1	2.16	2	140	25	0.01	<5	457	0.07	6	<10	16
C083001		0.82	672	1	1.56	27	320	13	0.05	<5	374	0.29	62	650	56
C083002		0.74	633	1	1.57	27	300	13	0.03	<5	391	0.28	59	500	55
C083003		0.66	169	<1	1.33	26	210	11	0.02	<5	127	0.29	61	<10	58
C083004		0.61	376	<1	1.59	20	210	13	0.01	<5	203	0.25	50	<10	46
C083005		0.79	300	1	1.51	26	310	20	0.10	<5	122	0.29	59	<10	56
C083006		0.67	174	1	1.50	29	320	13	0.01	<5	152	0.31	71	<10	46
C083007		0.69	164	<1	1.09	29	690	10	0.01	<5	102	0.33	74	<10	56
C083008		0.48	180	1	1.59	27	190	15	<0.01	<5	134	0.28	59	<10	40
C083009		0.51	197	1	1.74	24	200	13	<0.01	<5	142	0.29	63	<10	42
C083010		2.81	997	12	2.31	60	2280	30	0.29	<5	1600	0.38	159	10	90
C083011		0.41	255	1	1.28	12	120	11	<0.01	<5	206	0.20	32	<10	26
C083012		0.62	280	1	1.39	22	250	15	0.02	<5	111	0.28	52	10	53
C083013		0.57	139	<1	1.36	34	300	12	0.01	<5	127	0.31	68	<10	54
C083014		0.49	236	1	1.56	19	240	16	<0.01	<5	127	0.23	45	<10	41
C083015		0.52	325	<1	1.94	15	160	18	0.01	<5	141	0.24	41	<10	41
C083016		11.25	153	<1	0.01	5	440	2	0.01	<5	103	<0.01	<1	<10	7
C083017		0.98	403	<1	1.96	38	490	26	0.04	<5	292	0.37	78	<10	74
C083018		0.93	439	<1	1.71	36	720	25	0.02	<5	335	0.39	85	<10	82
C083019		0.87	544	<1	1.40	32	950	26	0.03	<5	226	0.38	77	<10	78
C083020		0.98	304	<1	1.23	35	180	15	0.03	<5	112	0.40	86	<10	68
C083021		0.60	297	1	1.79	22	170	25	0.01	<5	149	0.27	53	<10	53
C083022		0.68	295	<1	1.89	23	190	20	0.02	<5	128	0.31	60	<10	52
C083023		0.77	349	<1	1.47	46	190	48	0.06	<5	137	0.35	75	<10	83
C083024		0.65	514	1	1.67	25	150	25	0.02	<5	165	0.30	57	70	63
C083025		0.66	516	1	1.16	22	230	21	0.10	<5	115	0.29	53	<10	51
C083026		0.57	381	<1	1.17	21	240	18	0.13	<5	134	0.25	47	<10	53

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06105727

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C083027		1.34	0.007	<0.5	5.83	5	750	1.6	<2	0.55	<0.5	9	51	26	2.99	1.98
C083028		2.18	0.005	<0.5	7.68	<5	950	2.0	<2	0.60	<0.5	14	69	46	3.65	2.86
C083029		0.04	0.005	<0.5	7.49	<5	890	1.7	<2	0.59	<0.5	12	59	38	3.50	2.43
C083030		0.10	0.087	<0.5	6.49	102	540	2.5	<2	0.50	<0.5	54	1160	363	8.07	2.03
C083031		1.96	<0.005	<0.5	7.64	<5	790	2.0	<2	0.78	<0.5	12	64	20	3.44	2.39
C083032		1.12	<0.005	<0.5	7.63	<5	720	2.0	<2	0.63	<0.5	12	66	15	2.97	2.42
C083033		2.70	<0.005	<0.5	7.15	<5	740	1.7	<2	0.83	<0.5	10	63	17	3.43	2.65
C083034		2.86	<0.005	<0.5	8.17	<5	800	2.0	<2	0.85	<0.5	14	72	37	3.87	2.63
C083035		3.04	<0.005	<0.5	9.96	<5	1080	2.5	<2	0.45	<0.5	14	81	39	4.74	3.92
C083036		1.70	<0.005	<0.5	0.11	<5	10	<0.5	<2	19.30	<0.5	<1	3	2	0.12	0.03
C083037		2.60	<0.005	<0.5	5.74	7	780	1.5	<2	0.68	<0.5	8	63	11	3.20	2.23
C083038		2.60	<0.005	<0.5	6.53	6	1160	1.6	<2	0.76	<0.5	8	61	13	3.45	2.45
C083039		2.94	<0.005	<0.5	6.03	<5	800	1.4	<2	1.15	<0.5	8	55	13	3.16	2.20
C083040		2.56	<0.005	<0.5	6.78	6	930	1.8	<2	0.52	<0.5	9	60	13	3.62	3.00
C083041		0.82	<0.005	<0.5	7.72	7	790	2.0	<2	1.05	<0.5	9	65	18	3.15	2.62
C083042		0.84	<0.005	<0.5	7.23	5	830	1.8	<2	0.83	<0.5	10	66	18	3.18	3.03
C083043		2.52	<0.005	<0.5	7.36	13	680	2.9	<2	1.66	<0.5	5	42	9	1.95	2.15
C083044		1.96	<0.005	<0.5	6.45	<5	700	1.7	<2	3.78	<0.5	10	53	24	3.54	2.38
C083045		2.28	<0.005	<0.5	6.52	<5	370	1.7	<2	9.26	<0.5	12	41	14	5.87	1.14
C083046		2.46	<0.005	<0.5	6.41	8	640	2.2	<2	4.93	<0.5	8	51	22	3.03	2.43
C083047		3.02	<0.005	<0.5	6.86	<5	630	2.0	<2	4.64	<0.5	13	56	33	3.89	2.80
C083048		3.18	<0.005	<0.5	6.74	9	540	1.7	<2	8.48	<0.5	9	45	19	3.85	1.58
C083049		0.04	<0.005	<0.5	6.67	<5	530	1.6	<2	8.17	<0.5	8	41	19	3.55	1.59
C083050		0.10	0.425	2.5	8.46	<5	1030	1.2	<2	1.40	<0.5	7	13	7420	3.16	3.80
C083051		1.46	<0.005	<0.5	6.23	5	360	3.9	<2	9.32	<0.5	10	37	22	4.59	1.35
C083052		2.78	<0.005	<0.5	6.27	<5	790	1.5	<2	1.32	<0.5	7	49	14	2.84	2.30
C083053		2.20	<0.005	<0.5	6.66	<5	1130	2.0	<2	0.99	<0.5	7	47	3	2.61	3.26
C083054		2.86	<0.005	<0.5	6.73	<5	870	2.4	<2	1.06	<0.5	7	49	4	2.66	2.66
C083055		3.10	<0.005	<0.5	5.71	<5	350	1.5	<2	1.28	<0.5	6	47	10	2.14	1.56
C083056		2.16	<0.005	<0.5	0.15	7	10	<0.5	<2	18.20	<0.5	<1	2	1	0.12	0.03
C083057		3.06	<0.005	<0.5	6.05	5	480	1.3	<2	1.29	<0.5	9	52	17	2.86	1.66
C083058		3.16	<0.005	<0.5	6.74	<5	710	1.6	<2	0.65	<0.5	12	58	22	2.83	2.28
C083059		3.14	<0.005	<0.5	8.43	7	660	2.2	<2	0.74	<0.5	12	67	16	3.31	2.55
C083060		2.96	<0.005	<0.5	11.30	8	970	3.0	<2	0.34	<0.5	19	105	28	5.56	3.38
C083061		1.66	<0.005	<0.5	10.55	28	740	3.4	<2	0.23	<0.5	21	97	36	5.00	2.90
C083062		1.60	<0.005	<0.5	11.20	19	810	3.6	<2	0.27	<0.5	18	99	33	4.99	3.08
C083063		2.48	<0.005	<0.5	10.85	5	740	3.3	<2	0.16	<0.5	19	104	43	5.31	3.13
C083064		2.66	0.021	0.6	9.40	75	840	2.4	<2	0.41	<0.5	16	70	54	3.63	3.30
C083065		1.70	0.007	<0.5	7.17	9	520	1.6	<2	1.93	<0.5	14	69	37	4.34	2.01
C083066		1.62	0.011	<0.5	8.34	28	740	4.1	<2	2.80	<0.5	7	61	12	2.68	2.65

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06105727

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
C083027		0.62	396	<1	0.93	25	230	20	0.58	<5	84	0.23	51	<10	52
C083028		0.87	400	<1	1.29	32	160	30	0.67	<5	126	0.36	76	<10	64
C083029		0.84	382	1	1.28	25	160	29	0.63	<5	125	0.31	66	<10	56
C083030		0.55	368	8	0.12	455	340	147	0.02	13	47	0.25	86	30	584
C083031		0.87	378	2	1.21	34	220	28	0.17	<5	146	0.34	70	10	75
C083032		0.77	464	<1	1.77	31	140	26	0.10	<5	264	0.36	70	<10	67
C083033		0.85	372	<1	1.74	28	160	16	0.08	<5	210	0.35	67	<10	73
C083034		1.01	379	<1	1.41	37	170	19	0.19	<5	167	0.39	82	<10	81
C083035		0.90	370	<1	1.24	41	360	22	0.11	<5	234	0.42	96	<10	89
C083036		11.50	167	<1	0.01	4	460	5	0.01	<5	104	0.01	<1	<10	7
C083037		0.64	234	1	1.41	28	250	13	0.07	<5	144	0.28	56	<10	52
C083038		0.79	268	2	1.53	27	280	13	0.08	<5	109	0.30	63	<10	61
C083039		0.70	269	1	1.35	25	370	13	0.19	<5	169	0.27	55	<10	58
C083040		0.62	208	2	1.27	30	300	14	0.09	<5	119	0.32	69	<10	59
C083041		0.82	343	2	1.77	29	280	17	0.16	<5	278	0.34	69	<10	62
C083042		0.80	348	1	1.45	28	310	17	0.16	<5	213	0.34	67	<10	63
C083043		0.47	240	<1	3.26	17	370	11	0.05	<5	288	0.22	51	10	21
C083044		0.87	742	<1	1.31	24	280	23	0.52	<5	236	0.28	56	10	88
C083045		0.70	1710	<1	1.71	22	380	14	0.23	<5	458	0.26	46	140	125
C083046		0.80	512	<1	1.10	28	260	21	0.49	<5	192	0.26	53	30	104
C083047		0.91	534	<1	1.29	30	360	22	0.68	<5	177	0.29	58	20	84
C083048		0.76	812	<1	1.15	22	280	15	0.26	<5	331	0.26	48	20	97
C083049		0.75	730	<1	1.15	24	270	12	0.26	<5	324	0.26	46	20	90
C083050		1.13	477	3	3.40	10	1930	15	0.23	<5	656	0.35	178	<10	63
C083051		0.83	973	<1	1.44	28	350	8	0.28	<5	425	0.25	49	450	68
C083052		0.64	393	<1	1.75	23	470	12	0.08	<5	174	0.28	53	<10	57
C083053		0.51	144	8	1.67	24	330	18	0.01	<5	200	0.27	59	<10	44
C083054		0.54	171	14	1.66	22	320	16	0.02	<5	245	0.30	58	<10	45
C083055		0.63	424	9	1.62	16	110	18	0.07	<5	182	0.24	44	<10	44
C083056		10.85	146	<1	0.02	1	490	3	0.01	<5	101	0.01	<1	<10	7
C083057		0.83	743	1	1.59	24	310	17	0.12	<5	192	0.28	51	<10	62
C083058		0.68	322	2	1.65	27	230	20	0.10	<5	143	0.31	59	10	58
C083059		0.72	381	1	1.91	32	390	20	0.03	<5	292	0.34	75	<10	65
C083060		1.02	485	1	1.59	56	750	25	0.05	<5	234	0.49	119	<10	110
C083061		1.17	576	<1	1.49	57	830	25	0.07	<5	240	0.47	120	<10	100
C083062		1.21	559	1	1.62	57	830	24	0.06	<5	264	0.49	124	<10	100
C083063		1.13	691	1	0.90	54	620	21	0.10	<5	257	0.49	120	<10	106
C083064		0.92	547	1	0.95	42	450	16	1.27	<5	168	0.20	77	<10	50
C083065		0.99	656	<1	1.21	33	260	12	0.54	<5	157	0.38	74	<10	101
C083066		0.55	430	<1	2.23	24	770	15	0.07	<5	402	0.30	69	10	38

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06105727

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C083067		2.80	<0.005	<0.5	9.39	16	710	2.9	<2	0.58	<0.5	16	90	32	4.38	3.59
C083068		3.02	0.005	<0.5	9.82	22	880	3.1	<2	0.82	<0.5	15	87	30	4.25	3.89
C083069		0.04	0.006	<0.5	10.20	23	910	3.2	<2	0.84	<0.5	14	87	32	4.37	3.91
C083070		0.10	1.415	<0.5	6.76	1195	650	5.8	<2	0.01	<0.5	4	208	36	3.65	2.54
C083071		3.08	<0.005	<0.5	9.01	7	830	2.8	<2	0.35	<0.5	14	87	33	4.66	3.73
C083072		2.92	0.005	<0.5	9.66	25	910	3.3	<2	1.37	<0.5	11	80	25	3.92	3.47
C083073		3.34	0.007	<0.5	5.87	11	570	1.5	<2	0.83	<0.5	9	53	21	2.79	2.28
C083074		3.04	0.009	<0.5	5.09	32	560	1.0	<2	0.86	<0.5	7	43	12	2.37	2.09
C083075		2.88	0.019	<0.5	4.65	136	780	1.0	<2	1.19	<0.5	7	41	25	2.07	1.77
C083076		1.96	<0.005	<0.5	0.13	<5	10	<0.5	<2	18.05	<0.5	<1	3	<1	0.14	0.03
C083077		2.34	0.011	<0.5	5.06	110	500	1.3	<2	0.85	<0.5	8	38	22	2.34	2.08

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06105727

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C083067		1.11	496	<1	1.46	43	640	18	0.22	<5	210	0.47	100	<10	96
C083068		1.04	387	<1	1.54	46	560	19	0.30	<5	260	0.46	101	10	93
C083069		1.06	399	<1	1.60	44	560	22	0.29	<5	275	0.45	100	<10	94
C083070		0.34	88	2	0.11	17	320	28	0.01	109	89	0.24	85	10	43
C083071		1.08	459	<1	1.18	44	600	23	0.23	<5	164	0.49	103	<10	100
C083072		1.10	487	1	1.15	39	540	20	0.24	<5	229	0.41	97	<10	85
C083073		0.67	324	<1	0.70	22	210	13	0.41	<5	110	0.27	50	<10	58
C083074		0.50	358	<1	0.66	17	150	10	0.38	<5	82	0.21	41	<10	49
C083075		0.49	490	<1	0.58	17	220	10	0.64	<5	103	0.12	32	<10	35
C083076		11.00	154	<1	0.01	2	530	4	0.01	<5	105	0.01	2	<10	7
C083077		0.58	410	<1	0.81	17	120	12	0.53	<5	100	0.16	36	<10	40

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2006
Account: STRGOL

CERTIFICATE VA06108201

Project: Dublin Gulch1735

P.O. No.:

This report is for 127 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 2-OCT-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3



This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06108201

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C083078		2.58	0.006	<0.5	5.62	42	690	1.4	<2	1.54	<0.5	8	41	26	2.36	2.24
C083079		2.00	<0.005	<0.5	6.24	25	750	1.5	<2	1.27	<0.5	8	42	21	2.39	2.72
C083080		0.76	0.011	<0.5	7.22	170	1100	1.8	<2	0.81	<0.5	10	50	25	3.04	2.71
C083081		2.00	0.008	<0.5	5.70	135	930	1.3	<2	1.54	<0.5	9	45	27	2.33	1.91
C083082		0.76	0.006	<0.5	5.80	79	1010	1.4	<2	1.73	<0.5	7	38	22	2.10	2.05
C083083		1.32	<0.005	<0.5	3.45	5	130	4.6	2	12.75	<0.5	21	18	2	12.45	0.25
C083084		1.42	<0.005	<0.5	6.30	74	490	3.2	<2	5.00	<0.5	13	43	27	5.23	1.56
C083085		1.20	0.011	<0.5	5.07	9	350	2.9	<2	8.30	<0.5	19	32	14	7.88	1.12
C083086		0.90	<0.005	<0.5	5.77	10	600	2.6	<2	3.93	<0.5	13	39	23	4.84	1.77
C083087		1.68	<0.005	<0.5	5.15	5	410	3.3	<2	7.10	<0.5	17	37	15	7.47	1.32
C083088		1.54	<0.005	<0.5	6.63	19	390	6.4	<2	6.99	<0.5	17	36	18	5.49	1.48
C083089		<0.02	<0.005	<0.5	6.70	10	380	6.4	<2	7.04	<0.5	15	40	18	5.51	1.50
C083090		0.10	2.96	<0.5	7.43	2140	740	13.4	<2	0.02	<0.5	1	143	100	3.41	3.16
C083091		1.18	<0.005	<0.5	7.37	9	1400	3.8	<2	3.11	<0.5	5	20	1	1.65	2.91
C083092		1.22	<0.005	0.5	6.94	11	950	3.7	<2	4.63	1.2	4	22	<1	1.24	2.40
C083093		1.52	<0.005	<0.5	7.90	22	1020	5.4	<2	4.89	1.6	6	30	1	2.21	2.59
C083094		1.34	<0.005	<0.5	6.41	210	880	2.9	2	3.61	<0.5	4	24	2	2.15	1.89
C083095		1.30	<0.005	<0.5	8.26	<5	1490	3.7	3	5.25	<0.5	6	38	<1	2.20	2.39
C083096		1.98	<0.005	<0.5	0.12	<5	20	<0.5	<2	19.90	<0.5	<1	4	1	0.10	0.03
C083097		1.18	<0.005	<0.5	7.20	24	560	4.6	2	4.78	<0.5	5	35	10	4.30	1.72
C083098		1.16	<0.005	<0.5	4.96	15	390	2.5	<2	3.82	<0.5	9	33	18	3.72	1.39
C083099		1.34	<0.005	<0.5	8.51	70	810	2.3	2	0.42	<0.5	7	58	41	2.98	2.51
C083100		1.34	0.010	<0.5	9.44	19	840	2.3	4	0.46	<0.5	11	58	38	2.86	3.13
C083101		1.22	<0.005	<0.5	7.67	15	640	1.7	4	0.35	<0.5	12	50	43	2.88	2.26
C083102		1.62	<0.005	<0.5	7.63	10	660	1.7	6	0.34	<0.5	13	54	44	2.83	2.35
C083103		3.02	<0.005	<0.5	8.31	11	620	1.9	<2	3.00	<0.5	12	60	45	3.57	2.27
C083104		2.68	<0.005	<0.5	8.81	8	660	1.8	<2	1.47	<0.5	18	67	42	3.43	2.49
C083105		2.62	<0.005	<0.5	9.65	13	780	2.3	<2	0.68	<0.5	15	76	27	4.60	3.07
C083106		0.92	<0.005	<0.5	7.65	16	680	2.5	<2	2.18	<0.5	13	50	18	3.77	2.48
C083107		2.88	<0.005	<0.5	8.22	20	730	1.9	<2	1.37	<0.5	17	60	57	2.82	2.22
C083108		1.90	<0.005	<0.5	8.80	18	740	2.1	<2	0.66	<0.5	18	76	55	3.74	2.71
C083109		<0.02	<0.005	<0.5	8.79	22	740	2.0	<2	0.67	<0.5	19	74	54	3.73	2.61
C083110		0.10	0.095	0.6	7.19	122	580	2.6	<2	0.49	<0.5	63	1190	393	8.43	2.10
C083111		2.48	<0.005	<0.5	7.67	19	780	1.7	<2	0.56	<0.5	15	59	33	3.24	2.31
C083112		2.66	<0.005	<0.5	10.10	40	990	2.4	<2	0.48	<0.5	6	74	39	3.53	2.64
C083113		2.80	<0.005	<0.5	8.48	22	800	1.9	3	0.76	<0.5	9	57	36	2.95	2.19
C083114		2.60	<0.005	<0.5	7.04	8	760	1.4	2	0.62	<0.5	10	50	29	2.53	2.67
C083115		2.94	<0.005	<0.5	8.91	7	780	1.9	2	1.35	<0.5	13	64	48	3.47	2.60
C083116		1.22	<0.005	<0.5	0.16	<5	20	<0.5	<2	21.5	<0.5	<1	6	2	0.13	0.04
C083117		2.22	<0.005	<0.5	7.25	<5	640	1.5	2	1.37	<0.5	8	48	35	2.46	1.84

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06108201

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C083078		0.69	492	<1	0.63	17	330	12	0.52	<5	147	0.22	41	<10	50
C083079		0.68	487	<1	0.70	20	410	12	0.44	<5	123	0.23	47	<10	56
C083080		0.78	542	1	1.04	25	380	12	0.48	<5	139	0.30	56	<10	65
C083081		0.71	641	<1	0.77	18	980	11	0.58	<5	134	0.20	40	<10	47
C083082		0.65	670	<1	0.74	15	1310	9	0.49	5	150	0.19	40	<10	43
C083083		0.75	4200	3	0.78	20	290	<2	0.03	7	562	0.15	29	890	181
C083084		0.76	1210	1	1.10	24	710	14	0.28	<5	321	0.25	50	400	77
C083085		0.72	2140	4	0.85	23	310	3	0.17	5	373	0.22	44	1290	103
C083086		0.75	1090	2	0.86	20	230	9	0.22	<5	334	0.23	48	410	120
C083087		1.06	2010	7	0.89	28	300	6	0.21	<5	290	0.23	52	1970	112
C083088		1.19	1595	14	1.10	28	550	5	0.11	<5	326	0.30	64	5500	100
C083089		1.20	1610	13	1.12	29	540	4	0.10	<5	333	0.30	65	5640	100
C083090		0.38	75	2	0.09	8	330	29	0.02	160	147	0.26	101	40	18
C083091		0.59	229	<1	2.04	19	610	15	0.01	<5	516	0.31	31	10	39
C083092		0.38	383	<1	1.37	10	620	231	<0.01	8	370	0.30	34	10	373
C083093		0.64	608	<1	1.80	15	760	188	0.01	6	438	0.34	43	10	433
C083094		0.64	634	<1	1.89	10	500	31	0.02	5	409	0.19	28	170	79
C083095		1.40	529	<1	2.17	12	820	11	<0.01	<5	706	0.34	55	<10	41
C083096		11.85	162	<1	0.02	<1	500	<2	<0.01	<5	115	<0.01	2	<10	7
C083097		0.83	1440	<1	1.95	18	660	<2	0.32	7	212	0.26	46	160	29
C083098		0.74	725	<1	0.98	24	260	8	0.15	<5	205	0.19	40	120	49
C083099		0.60	133	<1	1.38	21	590	8	0.34	9	175	0.20	61	10	42
C083100		0.94	257	<1	0.79	23	810	5	0.38	<5	174	0.24	68	<10	46
C083101		0.87	362	<1	0.71	27	240	4	0.76	5	132	0.23	54	<10	54
C083102		0.89	373	<1	0.73	31	230	7	0.85	<5	132	0.24	56	<10	57
C083103		1.11	710	1	0.85	29	510	11	0.65	<5	242	0.27	62	30	92
C083104		1.06	570	<1	0.92	33	710	7	0.41	<5	166	0.35	69	10	86
C083105		1.07	635	<1	0.80	36	610	15	0.16	<5	116	0.44	88	<10	113
C083106		0.81	715	<1	0.92	22	270	13	<0.01	11	232	0.28	60	10	72
C083107		0.97	338	<1	1.14	38	300	9	0.47	<5	224	0.27	59	<10	65
C083108		1.09	436	<1	1.04	43	430	14	1.09	5	176	0.35	74	<10	73
C083109		1.09	437	1	1.04	40	430	10	1.07	7	175	0.34	72	<10	72
C083110		0.58	377	8	0.12	474	360	151	0.02	15	52	0.24	88	30	633
C083111		0.89	613	<1	1.22	32	270	9	0.57	<5	118	0.31	55	<10	71
C083112		0.96	185	<1	1.85	19	410	7	0.10	<5	408	0.26	76	20	34
C083113		0.89	347	<1	1.83	29	380	11	0.13	<5	344	0.27	59	<10	45
C083114		0.80	328	<1	1.29	26	340	13	0.39	<5	165	0.27	49	<10	41
C083115		1.21	483	<1	1.44	35	420	6	0.64	<5	274	0.31	65	<10	59
C083116		12.60	173	<1	0.02	<1	490	<2	0.01	7	130	0.01	3	<10	8
C083117		0.90	444	<1	1.53	25	210	4	0.41	<5	319	0.25	48	<10	37

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06108201

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
C083118		1.58	<0.005	<0.5	8.52	8	890	1.9	3	0.91	<0.5	11	59	26	2.86	2.63
C083119		3.24	<0.005	<0.5	7.31	7	580	1.4	4	0.68	<0.5	12	54	31	3.25	2.40
C083120		2.78	<0.005	<0.5	6.05	<5	550	1.5	3	1.71	<0.5	7	42	28	2.28	1.68
C083121		1.34	<0.005	<0.5	3.01	<5	960	0.7	<2	0.75	<0.5	5	31	13	1.57	1.06
C083122		1.70	<0.005	<0.5	4.56	<5	910	1.1	<2	0.95	<0.5	7	34	20	2.06	1.46
C083123		2.18	<0.005	<0.5	3.51	<5	600	0.7	3	0.50	<0.5	4	38	8	1.67	1.21
C083124		2.18	<0.005	<0.5	7.29	<5	740	1.6	4	1.89	<0.5	9	54	20	2.71	2.25
C083125		3.02	<0.005	<0.5	6.80	<5	700	1.7	2	1.29	<0.5	9	50	24	2.49	2.22
C083126		1.38	<0.005	<0.5	8.76	<5	820	2.0	<2	0.94	<0.5	11	58	28	3.32	3.13
C083127		1.18	<0.005	<0.5	4.26	7	270	1.6	<2	6.43	<0.5	9	34	12	3.34	0.81
C083128		1.20	<0.005	<0.5	7.21	<5	680	1.8	3	2.80	<0.5	11	48	29	3.44	2.38
C083129		<0.02	<0.005	<0.5	7.14	7	680	1.8	<2	2.98	<0.5	11	51	37	3.67	2.39
C083130		0.10	0.441	2.5	9.05	<5	1060	1.2	<2	1.52	<0.5	9	15	7410	3.34	3.61
C083131		1.46	<0.005	<0.5	8.59	10	830	2.4	<2	1.48	<0.5	15	67	60	4.33	2.73
C083132		1.22	<0.005	<0.5	7.75	9	670	2.0	<2	1.28	<0.5	16	63	20	3.94	2.65
C083133		1.60	<0.005	<0.5	6.48	7	560	1.4	<2	3.33	<0.5	8	45	17	2.71	2.48
C083134		2.20	<0.005	<0.5	7.19	13	740	2.0	<2	3.76	<0.5	13	67	26	3.80	2.39
C083135		1.74	<0.005	<0.5	6.53	10	770	1.9	<2	3.79	<0.5	13	51	37	4.20	2.24
C083136		1.84	<0.005	<0.5	0.12	<5	20	<0.5	<2	19.85	<0.5	1	4	1	0.12	0.03
C083137		1.36	<0.005	<0.5	4.19	<5	460	1.9	<2	8.47	<0.5	14	38	25	5.34	1.23
C083138		1.38	<0.005	<0.5	5.35	<5	840	1.6	<2	2.33	<0.5	13	43	28	3.50	2.21
C083139		1.60	<0.005	<0.5	5.00	<5	2140	1.5	<2	2.10	1.1	10	50	29	2.63	1.69
C083140		1.66	<0.005	<0.5	2.50	13	1930	8.2	<2	11.60	<0.5	23	29	16	12.10	0.49
C083141		0.82	<0.005	<0.5	2.91	50	3290	2.0	<2	4.01	<0.5	9	56	26	3.02	1.06
C083142		0.94	<0.005	<0.5	3.79	42	3710	2.2	<2	4.25	<0.5	12	60	34	4.07	1.40
C083143		1.38	<0.005	<0.5	6.67	8	3250	1.9	<2	2.81	<0.5	13	58	46	3.38	2.57
C083144		1.74	<0.005	<0.5	6.41	<5	1450	3.1	<2	5.13	<0.5	19	46	33	5.60	2.29
C083145		1.24	<0.005	<0.5	6.02	<5	1060	1.6	<2	2.23	<0.5	8	46	14	2.25	2.06
C083146		1.50	<0.005	<0.5	5.19	6	730	1.9	<2	3.14	<0.5	12	39	35	3.62	2.14
C083147		1.46	<0.005	<0.5	5.06	9	1530	3.7	2	6.84	<0.5	18	32	24	7.50	1.73
C083148		2.12	<0.005	<0.5	5.36	26	1870	2.1	<2	3.85	<0.5	12	50	32	3.73	1.84
C083149		<0.02	<0.005	<0.5	5.40	25	1890	2.1	<2	3.74	<0.5	12	51	30	3.67	1.88
C083150		0.10	1.420	<0.5	6.79	1225	670	5.7	<2	0.01	<0.5	5	204	41	3.77	2.56
C083151		1.50	<0.005	<0.5	9.59	11	1550	2.7	<2	2.11	<0.5	21	81	49	5.53	3.72
C083152		1.52	<0.005	<0.5	7.96	<5	1220	2.0	<2	4.34	<0.5	17	63	40	4.85	2.71
C083153		1.42	<0.005	<0.5	6.76	<5	1610	1.7	<2	2.59	<0.5	12	51	35	3.29	2.43
C083154		1.54	<0.005	<0.5	4.92	8	980	1.3	<2	2.35	<0.5	9	42	35	2.12	1.85
C083155		1.68	<0.005	<0.5	4.96	6	960	1.5	<2	1.51	<0.5	8	41	21	2.04	1.69
C083156		2.00	<0.005	<0.5	0.12	5	20	<0.5	<2	20.2	<0.5	<1	5	<1	0.12	0.03
C083157		1.24	<0.005	<0.5	3.28	<5	480	6.0	<2	10.65	<0.5	18	19	5	9.94	0.30

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06108201

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C083118		1.04	344	<1	1.84	29	270	8	0.30	<5	308	0.33	63	<10	51
C083119		0.90	524	<1	1.37	27	290	10	0.55	9	115	0.31	52	<10	64
C083120		1.17	379	<1	1.10	22	290	4	0.31	5	266	0.23	64	<10	43
C083121		0.53	316	<1	0.48	10	110	4	0.15	<5	71	0.14	21	<10	26
C083122		0.71	425	<1	0.62	16	140	5	0.27	6	97	0.18	33	<10	36
C083123		0.61	295	<1	0.68	13	100	5	0.01	<5	68	0.17	26	<10	29
C083124		0.97	427	<1	0.84	26	280	5	0.15	<5	195	0.30	62	<10	56
C083125		0.85	388	<1	0.94	21	410	7	0.25	<5	193	0.27	50	<10	53
C083126		1.03	475	<1	1.27	31	260	11	0.26	5	157	0.34	64	<10	80
C083127		0.85	919	<1	0.62	16	240	2	0.06	<5	276	0.18	33	180	62
C083128		1.00	654	<1	1.11	25	330	14	0.26	6	217	0.30	55	<10	91
C083129		0.97	676	<1	1.15	27	340	20	0.26	<5	224	0.30	57	<10	95
C083130		1.16	504	2	3.36	12	1920	9	0.24	<5	698	0.33	166	<10	58
C083131		1.01	765	<1	1.10	35	390	24	0.02	<5	221	0.41	76	<10	99
C083132		0.94	803	<1	1.11	32	290	21	0.04	5	210	0.40	75	<10	86
C083133		0.77	418	<1	1.11	20	290	23	0.16	<5	287	0.27	45	<10	70
C083134		0.95	864	<1	1.10	33	450	12	0.36	<5	321	0.34	71	50	75
C083135		1.08	923	1	0.85	30	350	14	0.51	<5	222	0.29	62	120	75
C083136		11.40	175	<1	0.01	1	510	2	0.02	6	112	0.01	2	<10	7
C083137		1.06	1570	3	0.48	31	370	13	0.40	5	300	0.21	78	380	105
C083138		0.85	771	2	0.55	24	320	16	0.28	<5	127	0.25	50	100	67
C083139		0.71	486	6	0.79	41	430	8	0.55	<5	141	0.20	203	<10	130
C083140		0.69	3500	6	0.56	64	390	12	0.10	<5	290	0.13	208	1240	158
C083141		0.51	709	17	0.40	83	750	7	0.23	<5	184	0.14	415	40	85
C083142		0.71	902	18	0.50	94	860	11	0.35	<5	191	0.18	461	90	126
C083143		0.86	490	6	1.00	44	410	12	0.59	<5	203	0.27	194	10	85
C083144		1.22	1400	<1	1.01	35	370	17	0.38	<5	252	0.29	70	300	85
C083145		0.74	376	<1	0.83	20	230	18	0.13	<5	148	0.24	48	<10	46
C083146		0.60	728	2	0.84	25	280	14	0.65	<5	108	0.19	66	230	64
C083147		0.80	2180	4	0.88	43	310	10	0.25	<5	202	0.23	123	580	97
C083148		0.78	915	9	0.77	60	560	9	0.37	<5	202	0.23	323	260	98
C083149		0.79	888	10	0.77	56	560	9	0.35	<5	200	0.24	329	220	97
C083150		0.34	90	3	0.11	18	310	33	0.02	112	94	0.23	84	10	50
C083151		1.16	980	1	0.57	44	480	18	0.58	<5	164	0.47	97	40	117
C083152		1.11	1500	1	0.66	36	540	19	0.40	<5	245	0.40	86	30	114
C083153		1.08	585	1	0.66	34	390	15	0.31	<5	198	0.31	110	<10	94
C083154		0.72	358	1	0.82	17	160	16	0.40	<5	150	0.23	47	<10	40
C083155		0.72	343	<1	0.89	15	150	4	0.21	<5	151	0.21	46	10	41
C083156		11.35	163	<1	0.01	4	550	2	0.01	<5	111	0.01	1	<10	7
C083157		1.21	3270	5	0.62	33	330	<2	0.05	<5	299	0.13	41	2240	140

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06108201

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C083158		1.64	<0.005	<0.5	6.44	6	1170	5.2	<2	9.26	<0.5	25	38	18	9.10	1.40
C083159		1.66	<0.005	<0.5	4.03	17	400	7.7	<2	12.35	<0.5	24	28	3	10.60	0.40
C083160		1.60	<0.005	<0.5	3.75	8	1150	0.9	<2	2.13	<0.5	7	38	21	2.22	1.51
C083161		0.64	<0.005	<0.5	4.57	11	830	1.4	<2	2.22	<0.5	9	43	17	2.68	1.60
C083162		0.66	<0.005	<0.5	4.30	7	770	1.4	<2	1.78	<0.5	8	34	17	2.65	1.41
C083163		1.76	<0.005	<0.5	7.14	13	2020	2.4	<2	1.63	<0.5	15	53	25	3.44	2.61
C083164		2.16	<0.005	<0.5	4.05	14	610	12.3	<2	9.57	<0.5	19	32	11	7.80	0.50
C083165		1.44	<0.005	<0.5	4.65	<5	670	1.6	2	2.70	<0.5	8	39	18	2.47	1.59
C083166		1.66	0.014	<0.5	7.52	25	1150	3.3	<2	1.55	<0.5	27	54	28	3.19	3.07
C083167		1.48	<0.005	<0.5	5.52	<5	780	2.1	<2	1.75	<0.5	11	43	19	2.20	2.04
C083168		1.44	<0.005	<0.5	7.44	8	850	4.2	<2	1.81	<0.5	10	54	20	3.14	2.42
C083169		<0.02	<0.005	<0.5	7.66	8	860	4.1	<2	1.73	<0.5	12	52	20	3.21	2.43
C083170		0.12	2.64	<0.5	7.73	2080	740	13.2	3	0.02	<0.5	2	143	108	3.53	3.27
C083171		1.38	<0.005	<0.5	8.29	11	1080	2.5	<2	0.57	<0.5	14	60	19	3.92	3.40
C083172		1.20	<0.005	<0.5	7.21	12	990	2.6	<2	1.33	<0.5	12	55	24	3.49	2.86
C083173		1.54	<0.005	<0.5	6.29	5	760	3.3	<2	1.07	<0.5	9	45	12	2.41	2.42
C083174		1.40	<0.005	<0.5	7.87	6	950	5.4	<2	3.78	<0.5	11	53	25	2.82	2.15
C083175		1.46	<0.005	<0.5	6.52	<5	960	6.6	<2	6.02	<0.5	13	40	23	4.11	1.76
C083176		1.68	<0.005	<0.5	0.11	<5	20	<0.5	<2	20.1	<0.5	<1	3	1	0.11	0.03
C083177		1.70	<0.005	<0.5	6.07	<5	780	7.1	<2	7.21	<0.5	13	37	18	4.08	1.78
C083178		1.50	<0.005	<0.5	3.42	<5	470	1.4	<2	3.24	<0.5	7	39	22	2.12	0.96
C083179		1.40	<0.005	<0.5	5.34	<5	840	1.5	<2	1.88	<0.5	6	37	12	1.56	1.75
C083180		1.62	<0.005	<0.5	6.05	8	440	5.6	<2	5.59	<0.5	6	33	3	2.28	0.55
C083181		0.86	0.006	<0.5	7.12	49	870	4.2	2	5.31	<0.5	9	40	33	2.71	1.22
C083182		0.90	<0.005	<0.5	7.41	10	1000	4.3	<2	4.50	<0.5	8	39	35	2.38	1.41
C083183		1.18	<0.005	<0.5	8.03	19	1130	3.3	<2	2.37	<0.5	32	61	4660	2.71	2.76
C083184		1.14	<0.005	<0.5	9.14	<5	1240	3.9	<2	5.91	<0.5	12	49	54	3.24	2.05
C083185		1.00	<0.005	<0.5	7.89	7	1290	1.8	<2	3.84	<0.5	14	58	51	3.32	3.55
C083186		1.38	0.005	<0.5	8.41	38	1290	2.2	<2	1.51	<0.5	15	54	62	3.04	3.91
C083187		2.92	<0.005	<0.5	6.95	7	770	4.2	2	1.04	<0.5	2	19	16	1.12	4.42
C083188		2.32	<0.005	<0.5	7.13	5	760	4.6	2	1.29	<0.5	3	13	5	1.14	3.59
C083189		<0.02	<0.005	<0.5	6.81	<5	710	4.4	<2	1.23	<0.5	3	18	7	1.36	3.39
C083190		0.10	0.088	<0.5	6.98	113	580	2.6	<2	0.53	<0.5	58	1155	399	8.63	2.22
C083191		3.06	<0.005	<0.5	7.04	5	1010	5.0	<2	2.02	<0.5	3	17	2	1.00	2.99
C083192		2.80	<0.005	<0.5	7.04	11	1050	4.8	<2	1.79	<0.5	3	20	4	1.28	3.08
C083193		2.84	<0.005	<0.5	6.81	<5	1030	4.8	<2	2.06	<0.5	2	22	3	1.08	2.66
C083194		2.88	<0.005	<0.5	6.97	<5	1070	4.8	<2	1.77	<0.5	3	22	5	1.43	3.06
C083195		2.90	<0.005	<0.5	7.24	<5	1140	4.0	<2	1.50	<0.5	4	29	3	1.28	4.06
C083196		1.48	<0.005	<0.5	0.13	7	20	<0.5	<2	20.7	<0.5	<1	4	2	0.12	0.04
C083197		2.58	<0.005	<0.5	6.87	7	790	4.0	<2	1.41	<0.5	3	21	4	1.17	3.41

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06108201

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C083158		1.12	2370	1	1.22	42	700	8	0.20	<5	468	0.30	81	930	116
C083159		1.08	2970	5	0.87	45	420	3	0.03	<5	424	0.23	68	1890	115
C083160		0.66	397	<1	0.44	12	160	9	0.38	<5	123	0.16	37	10	40
C083161		0.86	406	<1	0.74	16	770	13	0.32	<5	156	0.21	45	10	52
C083162		0.75	410	<1	0.75	15	310	13	0.33	<5	144	0.20	40	30	54
C083163		1.11	565	<1	1.15	26	290	7	0.23	<5	238	0.38	71	10	73
C083164		1.66	2090	8	1.21	50	540	<2	0.08	<5	528	0.21	79	3100	96
C083165		0.78	511	<1	0.75	16	260	15	0.19	<5	247	0.22	42	240	44
C083166		1.20	594	<1	1.48	33	450	27	0.18	<5	399	0.41	77	<10	62
C083167		0.87	363	<1	0.92	23	220	13	0.14	<5	318	0.28	52	10	41
C083168		1.10	469	<1	1.63	26	450	16	0.09	<5	471	0.40	71	10	55
C083169		1.08	469	<1	1.61	25	490	17	0.09	<5	469	0.40	72	<10	57
C083170		0.38	73	1	0.09	13	340	42	0.02	154	148	0.32	103	20	21
C083171		0.95	646	<1	1.33	29	500	30	0.07	5	179	0.42	72	<10	78
C083172		1.18	758	<1	1.32	27	400	23	0.15	<5	254	0.41	70	<10	78
C083173		0.62	563	<1	1.19	19	330	22	0.03	<5	256	0.32	54	<10	44
C083174		1.46	681	<1	1.86	30	470	13	0.17	<5	678	0.45	75	<10	61
C083175		1.86	1020	4	1.40	39	520	10	0.20	<5	601	0.31	79	3660	59
C083176		11.80	150	<1	0.01	4	550	7	0.01	<5	112	0.01	1	10	8
C083177		2.28	1050	12	1.29	42	500	7	0.19	<5	570	0.30	81	5020	53
C083178		0.77	635	1	0.57	19	160	8	0.20	<5	265	0.15	32	990	28
C083179		0.59	276	1	1.14	10	440	13	0.11	<5	350	0.20	36	90	32
C083180		1.35	583	4	1.95	19	480	4	0.01	<5	868	0.28	50	3870	29
C083181		1.66	803	<1	1.75	25	750	15	0.05	8	833	0.30	59	500	42
C083182		1.37	617	<1	1.84	20	660	12	0.02	5	826	0.32	59	510	43
C083183		1.29	443	27	1.69	1920	380	12	0.32	5	500	0.36	51	5370	3900
C083184		2.45	868	<1	2.01	38	720	14	0.51	<5	884	0.41	80	750	58
C083185		2.00	1000	<1	0.79	38	720	28	0.94	<5	344	0.33	63	40	80
C083186		1.22	465	<1	1.05	32	460	19	0.78	8	253	0.25	67	10	45
C083187		0.19	148	<1	1.85	5	130	62	0.05	<5	293	0.07	6	10	14
C083188		0.27	170	<1	2.04	3	180	56	<0.01	6	329	0.10	10	<10	20
C083189		0.25	193	<1	1.92	8	180	52	<0.01	5	308	0.10	9	10	19
C083190		0.58	394	7	0.12	478	360	152	0.02	15	53	0.28	87	30	632
C083191		0.30	170	<1	2.08	3	220	37	<0.01	<5	485	0.12	12	10	15
C083192		0.31	190	<1	2.03	7	250	29	0.01	<5	452	0.12	12	210	16
C083193		0.33	158	<1	2.17	4	260	30	0.01	<5	536	0.14	14	<10	15
C083194		0.31	182	<1	2.05	7	240	40	0.03	<5	438	0.12	13	<10	16
C083195		0.36	184	<1	1.94	7	240	45	0.02	6	364	0.13	13	<10	19
C083196		12.00	160	<1	0.01	1	600	3	0.01	<5	123	0.01	2	<10	8
C083197		0.31	167	<1	1.87	2	200	45	0.03	<5	361	0.11	11	<10	18

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06108201

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
C083198		2.88	<0.005	<0.5	7.07	6	1010	3.8	<2	1.82	<0.5	2	20	7	1.48	3.35
C083199		2.84	<0.005	<0.5	7.35	6	1140	4.4	<2	1.58	<0.5	3	19	3	1.35	3.76
C083200		2.38	<0.005	<0.5	7.12	<5	1150	4.7	<2	1.85	<0.5	3	24	4	1.58	3.23
C083201		1.60	<0.005	<0.5	6.85	10	1030	3.8	<2	1.30	<0.5	2	21	3	1.25	3.33
C083202		1.74	<0.005	<0.5	6.75	9	1030	3.8	<2	1.23	<0.5	3	20	3	1.37	3.38
C083203		2.34	0.014	<0.5	6.03	21	320	4.0	<2	0.70	<0.5	1	13	3	0.43	3.94
C083204		1.24	<0.005	<0.5	6.29	<5	1630	4.0	<2	1.64	<0.5	2	22	3	1.13	3.47

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06108201

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
C083198		0.37	224	<1	2.08	6	250	40	0.01	<5	449	0.13	13	10	25
C083199		0.36	192	<1	2.11	3	260	40	0.02	<5	402	0.14	13	<10	18
C083200		0.40	233	<1	2.14	8	280	34	0.01	<5	484	0.15	15	<10	20
C083201		0.33	191	1	1.89	5	240	43	0.01	<5	332	0.12	14	<10	23
C083202		0.33	201	2	1.86	6	240	43	0.01	<5	321	0.12	13	<10	23
C083203		0.05	49	1	1.59	1	20	44	<0.01	5	115	0.02	2	<10	4
C083204		0.33	213	1	1.86	7	230	31	0.01	<5	402	0.13	16	<10	17

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-DEC-2006
Account: STRGOL

CERTIFICATE VA06116971

Project: Dublin Gulch1735

P.O. No.:

This report is for 2 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 16-NOV-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
ROL-21	Rolling Charge
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS



To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

D: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06116971

Sample Description	Method / Analyte / Units / LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2
B366008		1.03	0.36	1.05	0.009	25.09	692.6	1.18	0.92	0.2	4.25	46	<10	70	1.7	41
B366026		<0.05	<0.05	<0.05	<0.001	15.03	1018.0	0.03	0.01	1.2	0.47	44	<10	50	<0.5	<2

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

D: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06116971

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1
B366008		3.64	<0.5	56	32	549	6.38	10	<1	0.53	30	0.49	159	1	0.17	47
B366026		1.02	4.5	4	9	9	1.91	<10	<1	0.30	30	0.40	776	<1	0.01	10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

D: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06116971

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
B366008		790	7	4.26	<2	4	161	0.15	<10	<10	36	1390	64
B366026		160	145	0.06	3	2	42	<0.01	<10	<10	4	<10	477

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-DEC-2006
Account: STRGOL

CERTIFICATE VA06116972

Project: Dublin Gulch1735

P.O. No.:

This report is for 3 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 16-NOV-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING



SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
ROL-21	Rolling Charge
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06116972

Sample Description	Method / Analyte / Units / LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2
B366105		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
B366118		0.06	3.00	<0.05	0.038	12.65	1269.5	0.03	0.03	<0.2	0.82	139	<10	60	0.6	<2
B366128		<0.05	<0.05	<0.05	<0.001	19.93	1193.5	0.01	0.01	<0.2	0.70	120	<10	60	0.6	<2

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06116972

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.5	1	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1
B366105		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
B366118		0.18	<0.5	14	19	44	3.03	<10	<1	0.27	30	0.24	365	1	0.01	38
B366128		0.57	<0.5	10	16	20	2.79	<10	<1	0.27	30	0.68	372	1	0.01	24

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06116972

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	10	2	0.01	2	1	1	0.01	10	10	1	10	2
B366105		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
B366118		350	8	0.64	3	4	14	<0.01	<10	<10	20	<10	42
B366128		250	11	0.15	3	2	55	<0.01	<10	<10	12	<10	41

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-DEC-2006
Account: STRGOL

CERTIFICATE VA06116973

Project: Dublin Gulch1735

P.O. No.:

This report is for 1 Drill Core sample submitted to our lab in Vancouver, BC, Canada on 16-NOV-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING



SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
ROL-21	Rolling Charge
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06116973

Sample Description	Method	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-AA26	Au-AA26D	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au	Ag	Al	As	B	Ba	Be	Bi
	Units	ppm	ppm	ppm	mg	g	g	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01	0.2	0.01	2	10	10	0.5	2
C081006		34.0	382	30.0	6.273	16.41	1419.0	30.0	29.9	0.7	1.66	>10000	<10	140	0.8	6

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06116973

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1
C081006		2.17	<0.5	118	31	19	7.17	10	<1	0.84	20	1.66	607	20	0.07	36

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06116973

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	10	2	0.01	2	1	1	0.01	10	10	1	10	2
C081006		420	8	2.92	20	8	176	0.08	10	<10	46	<10	36

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-DEC-2006
Account: STRGOL

CERTIFICATE VA06116974

Project: Dublin Gulch1735

P.O. No.:

This report is for 5 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 16-NOV-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
ROL-21	Rolling Charge
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS



To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06116974

Sample Description	Method	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-AA26	Au-AA26D	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au	Ag	Al	As	B	Ba	Be	Bi
	Units	ppm	ppm	ppm	mg	g	g	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01	0.2	0.01	2	10	10	0.5	2
C081064		0.22	<0.05	0.23	<0.001	14.71	1016.0	0.23	0.22	<0.2	1.72	62	<10	370	1.1	25
C081080		0.50	8.61	0.40	0.118	13.70	1076.5	0.52	0.28	<0.2	1.46	41	<10	210	1.1	8
C081114		<0.05	<0.05	<0.05	<0.001	10.05	747.5	0.01	<0.01	<0.2	1.60	29	<10	340	1.0	<2
C081117		<0.05	<0.05	<0.05	<0.001	15.26	987.3	0.01	<0.01	<0.2	1.82	35	<10	350	0.9	<2
C081239		<0.05	<0.05	<0.05	<0.001	5.33	918.7	0.02	0.02	<0.2	0.96	19	<10	240	1.0	<2

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06116974

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.5	1	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1
C081064		1.30	<0.5	8	35	57	2.57	10	<1	0.67	40	1.02	276	1	0.12	9
C081080		1.68	<0.5	8	27	43	2.47	10	<1	0.46	40	0.88	284	1	0.09	10
C081114		1.15	<0.5	9	37	11	2.39	10	<1	0.58	40	0.89	371	<1	0.09	15
C081117		1.44	<0.5	8	47	6	2.51	10	<1	0.65	40	1.03	400	1	0.16	13
C081239		1.28	<0.5	7	31	9	2.61	<10	<1	0.35	40	0.83	372	1	0.11	14

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06116974

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	10	2	0.01	2	1	1	0.01	10	10	1	10	2
C081064		700	10	0.30	2	6	149	0.13	<10	<10	37	<10	25
C081080		690	20	0.26	5	5	162	0.05	<10	<10	26	<10	31
C081114		600	14	0.06	2	6	115	0.12	<10	<10	36	<10	52
C081117		610	15	0.04	2	6	133	0.14	<10	<10	42	<10	49
C081239		650	11	0.04	<2	7	137	0.07	<10	<10	35	<10	62

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

D: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-DEC-2006
Account: STRGOL

CERTIFICATE VA06116975

Project: Dublin Gulch1735

P.O. No.:

This report is for 1 Drill Core sample submitted to our lab in Vancouver, BC, Canada on 16-NOV-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING



SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
ROL-21	Rolling Charge
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06116975

Sample Description	Method	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-AA26	Au-AA26D	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au	Ag	Al	As	B	Ba	Be	Bi
	Units	ppm	ppm	ppm	mg	g	g	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01	0.2	0.01	2	10	10	0.5	2
C081291		<0.05	<0.05	<0.05	<0.001	9.93	1082.5	<0.01	<0.01	<0.2	1.56	13	<10	330	0.7	<2

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06116975

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1
C081291		1.36	<0.5	7	32	7	2.36	10	<1	0.59	40	0.81	383	1	0.17	18

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06116975

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	10	2	0.01	2	1	1	0.01	10	10	1	10	2
C081291		630	10	0.08	3	5	108	0.16	<10	<10	33	<10	59

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

**: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2**

Finalized Date: 4-DEC-2006
Account: STRGOL

CERTIFICATE VA06116976

Project: Dublin Gulch1735

P.O. No.:

This report is for 2 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 16-NOV-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
ROL-21	Rolling Charge
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: _____
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06116976

Sample Description	Method / Analyte / Units / LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2
C081307		<0.05	<0.05	<0.05	<0.001	13.86	1112.5	0.02	0.01	<0.2	1.35	23	<10	380	0.6	<2
C081308		<0.05	<0.05	<0.05	<0.001	16.76	973.7	0.01	0.01	<0.2	1.53	14	<10	380	0.7	<2

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06116976

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.5	1	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1
C081307		1.22	<0.5	10	32	9	2.61	10	<1	0.65	50	0.86	369	<1	0.17	20
C081308		1.26	<0.5	8	32	24	2.62	10	<1	0.65	50	0.83	373	<1	0.23	19

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06116976

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	10	2	0.01	2	1	1	0.01	10	10	1	10	2
C081307		700	8	0.09	5	7	120	0.16	<10	<10	34	<10	46
C081308		690	9	0.18	2	7	138	0.15	<10	<10	35	<10	42

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-DEC-2006
Account: STRGOL

CERTIFICATE VA06116977

Project: Dublin Gulch1735

P.O. No.:

This report is for 7 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 16-NOV-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
ROL-21	Rolling Charge
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS



To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06116977

Sample Description	Method / Analyte / Units / LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2
C078138		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
C078144		<0.05	<0.05	<0.05	<0.001	18.80	997.4	0.02	0.03	<0.2	1.84	53	<10	430	0.5	4
C078146		0.10	<0.05	0.10	<0.001	20.16	1183.5	0.10	0.10	<0.2	1.90	164	<10	450	0.5	13
C078157		0.09	0.27	0.09	0.010	37.02	965.7	0.08	0.09	<0.2	0.99	96	<10	80	1.0	7
C078158		0.17	0.16	0.18	0.005	30.94	901.3	0.17	0.18	0.4	0.69	123	<10	70	1.0	13
C078171		0.35	3.75	0.24	0.127	33.84	1065.0	0.24	0.24	<0.2	1.08	53	<10	140	0.7	17
C078204		0.18	0.07	0.18	0.001	15.14	989.8	0.18	0.18	0.6	1.39	120	<10	220	0.8	34

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06116977

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.5	1	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1
C078138		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
C078144		0.90	<0.5	7	27	27	2.12	10	<1	0.69	40	0.74	146	1	0.16	20
C078146		0.94	<0.5	7	29	36	2.37	10	<1	0.72	40	0.77	184	1	0.17	21
C078157		2.04	<0.5	8	15	45	2.38	<10	<1	0.21	40	0.45	195	1	0.03	20
C078158		2.21	<0.5	9	10	61	2.24	<10	<1	0.22	30	0.28	246	1	0.02	19
C078171		1.66	<0.5	7	20	43	2.08	10	<1	0.25	40	0.56	142	1	0.06	16
C078204		1.46	<0.5	8	22	56	2.20	10	<1	0.38	40	0.68	133	3	0.09	20

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06116977

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	10	2	0.01	2	1	1	0.01	10	10	1	10	2
C078138		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
C078144		610	4	0.16	<2	5	97	0.19	<10	<10	29	20	20
C078146		630	4	0.28	2	5	99	0.20	<10	<10	31	20	25
C078157		640	8	0.22	16	4	152	0.01	<10	<10	11	<10	22
C078158		580	58	0.35	22	3	131	0.01	<10	<10	7	<10	24
C078171		590	8	0.25	2	4	119	0.04	<10	<10	18	30	16
C078204		640	33	0.33	12	5	130	0.07	<10	<10	22	40	17

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-DEC-2006
Account: STRGOL

CERTIFICATE VA06116978

Project: Dublin Gulch1735

P.O. No.:

This report is for 1 Drill Core sample submitted to our lab in Vancouver, BC, Canada on 16-NOV-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
ROL-21	Rolling Charge
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS



To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06116978

Sample Description	Method / Analyte / Units / LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2
C078297		<0.05	<0.05	<0.05	<0.001	15.72	1103.5	0.03	0.04	0.5	1.01	23	<10	90	0.8	<2

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06116978

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.5	1	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1
C078297		2.46	0.5	8	17	73	2.39	<10	<1	0.31	40	0.73	608	<1	0.04	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06116978

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	10	2	0.01	2	1	1	0.01	10	10	1	10	2
C078297		660	63	0.29	35	5	162	0.01	<10	<10	15	10	116

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-DEC-2006
Account: STRGOL

CERTIFICATE VA06116979

Project: Dublin Gulch1735

P.O. No.:

This report is for 13 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 16-NOV-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING



SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
ROL-21	Rolling Charge
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06116979

Sample Description	Method	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-AA26	Au-AA26D	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au	Ag	Al	As	B	Ba	Be	Bi
	Units	ppm	ppm	ppm	mg	g	g	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01	0.2	0.01	2	10	10	0.5	2
C082151		0.64	6.89	0.54	0.107	15.53	941.4	0.52	0.55	<0.2	1.36	97	<10	280	0.5	29
C082252		0.22	<0.05	0.23	<0.001	5.66	1053.5	0.23	0.22	2.0	0.46	28	<10	60	0.8	8
C082306		<0.05	<0.05	<0.05	<0.001	31.94	1066.5	0.02	0.03	<0.2	1.52	15	<10	370	0.7	2
C082307		<0.05	0.21	<0.05	0.006	28.69	1076.5	0.04	0.03	<0.2	1.38	9	<10	240	0.7	<2
C082319		0.18	<0.05	0.19	<0.001	17.98	1039.5	0.21	0.16	0.2	1.58	20	<10	380	0.5	11
C082344		0.08	0.16	0.08	0.004	25.10	1007.0	0.07	0.08	1.5	1.37	19	<10	170	0.6	4
C082365		0.21	0.10	0.21	0.004	39.74	972.6	0.17	0.25	0.7	1.47	44	<10	140	1.2	12
C082375		<0.05	<0.05	<0.05	<0.001	11.07	924.0	0.02	0.03	<0.2	1.83	17	<10	370	0.7	<2
C082384		<0.05	<0.05	<0.05	<0.001	9.04	993.6	0.02	0.03	0.7	0.72	36	<10	90	0.9	<2
C082387		<0.05	<0.05	<0.05	<0.001	13.00	1040.5	0.03	0.04	<0.2	1.73	18	<10	400	0.7	<2
C082401		0.09	<0.05	0.10	<0.001	29.41	874.3	0.08	0.11	<0.2	1.81	6	<10	210	1.1	2
C082407		0.06	<0.05	0.06	<0.001	8.27	996.2	0.05	0.07	<0.2	1.66	9	<10	360	0.5	3
C082408		0.29	0.17	0.30	0.003	18.05	1116.5	0.28	0.31	<0.2	1.60	5	<10	360	0.5	5

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06116979

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.5	1	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1
C082151		1.17	<0.5	7	28	67	2.32	10	<1	0.45	40	0.75	158	7	0.10	22
C082252		3.41	2.5	9	13	77	2.89	<10	<1	0.22	30	0.97	758	1	0.03	14
C082306		1.44	<0.5	8	38	21	2.58	10	<1	0.61	40	0.94	354	1	0.12	19
C082307		1.48	<0.5	8	34	23	2.54	10	1	0.42	40	0.93	351	1	0.09	17
C082319		1.27	<0.5	7	35	43	2.50	10	1	0.71	40	0.93	248	3	0.13	16
C082344		2.29	2.2	6	26	73	2.78	10	<1	0.42	30	0.73	470	1	0.05	13
C082365		2.87	<0.5	8	31	52	2.28	10	<1	0.29	40	0.96	284	3	0.06	17
C082375		1.51	<0.5	9	55	35	2.90	10	1	0.59	50	1.14	311	2	0.12	15
C082384		2.56	1.5	7	9	43	2.35	<10	1	0.28	30	0.73	684	4	0.03	14
C082387		1.21	<0.5	7	50	36	2.52	10	1	0.64	40	1.15	286	2	0.15	13
C082401		2.00	<0.5	10	53	57	2.88	10	<1	0.40	50	1.36	314	1	0.08	14
C082407		0.99	<0.5	10	46	48	2.45	10	<1	0.78	40	0.99	184	7	0.16	14
C082408		0.94	<0.5	10	44	55	2.35	10	<1	0.72	40	0.94	177	3	0.16	15

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06116979

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	10	2	0.01	2	1	1	0.01	10	10	1	10	2
C082151		610	7	0.35	<2	5	100	0.13	<10	<10	31	170	23
C082252		650	162	0.35	36	6	242	<0.01	<10	<10	14	<10	467
C082306		670	9	0.12	<2	7	95	0.18	<10	<10	39	<10	61
C082307		620	13	0.10	4	6	97	0.10	<10	<10	34	<10	69
C082319		640	6	0.21	2	6	104	0.18	<10	<10	37	20	29
C082344		570	196	0.67	3	5	114	0.07	<10	<10	23	<10	386
C082365		670	33	0.23	9	6	210	0.04	<10	<10	30	<10	28
C082375		710	9	0.18	7	7	138	0.14	<10	<10	50	10	33
C082384		610	188	0.26	9	5	190	<0.01	<10	<10	7	<10	260
C082387		630	8	0.20	4	6	109	0.19	<10	<10	45	20	32
C082401		690	9	0.22	<2	8	115	0.10	<10	<10	48	<10	28
C082407		660	6	0.24	<2	4	83	0.19	<10	<10	43	10	19
C082408		660	4	0.26	<2	4	83	0.19	<10	<10	42	20	18

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-DEC-2006
Account: STRGOL

CERTIFICATE VA06118800

Project: Dublin Gulch1735

P.O. No.:

This report is for 27 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 16-NOV-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING



To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
ROL-21	Rolling Charge
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06118800

Sample Description	Method / Analyte / Units / LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2
C082414		<0.05	<0.05	<0.05	<0.001	31.59	839.8	0.01	0.03	<0.2	1.91	6	<10	340	0.8	<2
C082417		0.17	1.08	0.14	0.034	31.45	830.8	0.13	0.15	<0.2	1.83	6	<10	360	0.6	3
C082419		0.24	0.44	0.23	0.013	29.68	935.0	0.26	0.20	<0.2	1.47	12	<10	250	0.6	4
C082435		0.17	0.20	0.17	0.006	29.41	1008.5	0.16	0.18	<0.2	1.64	9	<10	270	0.7	4
C082441		0.37	0.27	0.38	0.007	26.07	818.2	0.41	0.34	<0.2	1.44	5	<10	130	0.9	24
C082444		0.25	0.58	0.24	0.018	30.80	930.4	0.23	0.24	0.8	1.55	17	<10	250	0.8	13
C082446		0.32	0.32	0.32	0.007	22.15	987.2	0.33	0.31	<0.2	1.68	14	<10	290	0.9	16
C082448		0.52	0.71	0.52	0.011	15.54	794.9	0.54	0.50	<0.2	1.89	30	<10	320	0.8	23
C082451		0.53	0.78	0.52	0.018	22.96	879.5	0.50	0.54	<0.2	1.42	11	<10	200	0.7	21
C082452		0.25	0.15	0.25	0.003	19.63	899.0	0.25	0.25	<0.2	1.69	3	<10	280	0.7	11
C082453		0.32	0.88	0.31	0.023	26.21	1003.0	0.32	0.29	<0.2	1.61	3	<10	230	0.8	19
C082454		0.61	0.77	0.61	0.019	24.53	864.3	0.61	0.60	1.1	1.66	11	<10	160	0.9	26
C082455		1.16	1.08	1.17	0.028	25.95	1000.5	1.11	1.22	1.1	1.33	15	<10	160	0.7	54
C082457		0.38	0.92	0.37	0.022	23.92	1014.5	0.32	0.41	<0.2	1.30	20	<10	170	0.6	23
C082458		0.67	1.01	0.67	0.021	20.83	946.5	0.63	0.70	<0.2	1.86	8	<10	380	0.7	25
C082459		0.21	0.20	0.22	0.005	24.92	840.7	0.20	0.23	<0.2	1.91	4	<10	430	0.6	10
C082460		0.46	0.77	0.45	0.026	33.65	825.0	0.48	0.42	1.5	1.91	11	<10	270	0.7	25
C082461		0.44	0.39	0.44	0.008	20.25	881.0	0.46	0.42	<0.2	1.90	10	<10	390	0.6	19
C082463		0.35	0.53	0.35	0.010	18.71	888.7	0.35	0.34	<0.2	1.89	10	<10	390	0.6	13
C082465		0.27	0.28	0.27	0.005	17.60	946.0	0.31	0.23	<0.2	1.88	8	<10	370	0.6	10
C082466		0.48	0.37	0.49	0.008	21.39	927.6	0.50	0.47	<0.2	2.01	8	<10	380	0.7	17
C082468		0.97	0.89	0.97	0.019	21.33	958.9	1.02	0.92	0.2	1.69	21	<10	280	0.7	38
C082472		0.20	0.20	0.21	0.005	25.08	898.9	0.20	0.21	<0.2	1.68	9	<10	230	0.8	8
C082474		0.35	0.30	0.35	0.006	20.29	838.5	0.35	0.35	5.1	1.19	49	<10	120	0.8	19
C082480		0.06	0.19	0.06	0.007	36.37	850.3	0.05	0.06	<0.2	1.78	9	<10	300	0.8	<2
C082481		0.74	1.43	0.72	0.038	26.60	946.3	0.67	0.77	2.2	1.63	10	<10	230	0.8	30
C082483		0.55	0.72	0.54	0.019	26.28	890.1	0.52	0.56	2.5	1.56	8	<10	120	1.0	28

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06118800

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.5	1	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1
C082414		1.56	<0.5	9	49	56	2.56	10	<1	0.63	40	0.98	239	2	0.23	14
C082417		1.23	<0.5	9	46	48	2.59	10	<1	0.68	40	0.91	222	4	0.22	13
C082419		1.03	<0.5	9	34	56	2.25	10	<1	0.58	40	0.75	166	3	0.18	17
C082435		1.41	<0.5	11	60	79	2.84	10	<1	0.56	40	1.08	253	4	0.16	20
C082441		2.06	<0.5	11	60	82	2.93	10	<1	0.28	40	1.08	347	1	0.07	15
C082444		1.20	<0.5	9	53	57	2.76	10	<1	0.46	40	0.92	260	2	0.12	15
C082446		1.53	<0.5	9	52	56	2.78	10	<1	0.53	40	0.97	285	2	0.11	14
C082448		1.22	<0.5	14	66	88	3.19	10	<1	0.71	40	1.08	251	2	0.16	23
C082451		1.45	<0.5	10	50	83	2.59	10	<1	0.49	40	0.89	244	2	0.14	15
C082452		1.80	<0.5	9	56	70	2.62	10	<1	0.61	40	1.00	273	2	0.18	16
C082453		1.66	<0.5	11	54	81	2.84	10	<1	0.51	40	1.02	270	1	0.14	15
C082454		1.73	<0.5	10	37	90	2.89	10	<1	0.43	40	0.88	265	2	0.09	14
C082455		1.88	<0.5	11	32	100	2.65	10	1	0.41	30	0.66	262	1	0.09	13
C082457		1.42	<0.5	10	34	84	2.53	10	1	0.39	40	0.77	195	3	0.09	15
C082458		1.39	<0.5	9	48	77	2.67	10	<1	0.71	40	0.99	236	1	0.20	12
C082459		1.19	<0.5	9	53	73	2.88	10	<1	0.83	40	1.02	246	2	0.21	13
C082460		1.47	<0.5	9	49	88	3.01	10	<1	0.59	40	0.98	274	5	0.16	12
C082461		1.15	<0.5	10	49	69	2.66	10	<1	0.78	40	0.94	237	2	0.23	13
C082463		1.12	<0.5	9	47	75	2.63	10	<1	0.80	40	0.93	220	3	0.24	13
C082465		1.13	<0.5	10	48	80	2.69	10	<1	0.77	40	0.97	212	2	0.23	14
C082466		1.16	<0.5	9	49	81	2.63	10	<1	0.80	40	0.96	201	1	0.26	13
C082468		1.09	<0.5	9	43	67	2.60	10	<1	0.74	40	0.89	157	4	0.17	14
C082472		1.44	<0.5	9	45	73	2.73	10	<1	0.49	40	0.90	225	1	0.14	12
C082474		1.10	9.1	6	15	133	5.54	<10	<1	0.52	20	0.49	726	2	0.03	17
C082480		1.19	<0.5	9	47	70	2.51	10	<1	0.60	40	0.89	204	1	0.19	12
C082481		1.49	<0.5	11	47	75	2.91	10	<1	0.54	40	0.98	244	1	0.12	13
C082483		1.96	<0.5	10	34	90	3.61	10	<1	0.44	30	0.94	441	1	0.06	16

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06118800

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
C082414		660	6	0.25	3	6	125	0.18	<10	<10	44	10	21
C082417		670	5	0.24	<2	4	111	0.20	<10	<10	42	20	19
C082419		630	5	0.29	<2	5	87	0.18	<10	<10	32	60	14
C082435		800	6	0.36	<2	6	116	0.18	<10	<10	61	10	23
C082441		660	10	0.34	<2	7	136	0.04	<10	<10	47	10	26
C082444		650	17	0.29	4	7	111	0.09	<10	<10	47	10	30
C082446		680	8	0.20	3	7	119	0.11	<10	<10	50	<10	27
C082448		690	7	0.44	4	8	106	0.15	<10	<10	68	10	25
C082451		860	5	0.35	<2	6	103	0.13	<10	<10	46	50	19
C082452		670	7	0.29	<2	6	132	0.17	<10	<10	52	10	21
C082453		670	7	0.36	<2	7	119	0.12	<10	<10	46	20	22
C082454		650	43	0.33	8	6	107	0.05	<10	<10	32	40	38
C082455		620	39	0.41	7	5	107	0.07	<10	<10	25	30	37
C082457		610	5	0.32	2	5	97	0.07	<10	<10	30	50	14
C082458		690	5	0.31	<2	6	119	0.19	<10	<10	44	70	21
C082459		730	5	0.30	<2	5	111	0.23	<10	<10	47	50	21
C082460		690	52	0.41	7	5	102	0.14	<10	<10	41	50	33
C082461		660	5	0.30	2	5	111	0.22	<10	<10	44	40	21
C082463		720	6	0.33	<2	5	113	0.22	<10	<10	42	130	19
C082465		680	5	0.36	2	5	115	0.22	<10	<10	43	80	18
C082466		680	7	0.38	<2	5	127	0.22	<10	<10	43	30	18
C082468		650	5	0.39	2	6	102	0.19	<10	<10	38	60	13
C082472		680	7	0.39	10	5	121	0.14	<10	<10	40	10	19
C082474		620	206	2.73	18	3	66	0.01	<10	<10	10	10	1500
C082480		680	6	0.35	<2	4	109	0.20	<10	<10	41	20	20
C082481		660	29	0.41	5	6	101	0.14	<10	<10	41	200	22
C082483		690	109	0.56	12	6	121	0.03	<10	<10	28	90	117

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-DEC-2006
Account: STRGOL

CERTIFICATE VA06118801

Project: Dublin Gulch1735

P.O. No.:

This report is for 35 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 16-NOV-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING



SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
ROL-21	Rolling Charge
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Labor

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06118801

Sample Description	Method / Analyte / Units / LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2
C079052		<0.05	<0.05	<0.05	<0.001	35.52	959.4	0.01	0.01	<0.2	1.22	30	<10	60	0.6	<2
C079079		<0.05	<0.05	<0.05	<0.001	15.90	1023.5	<0.01	0.01	<0.2	0.39	80	<10	20	<0.5	<2
C079097		<0.05	<0.05	<0.05	<0.001	17.05	914.8	0.04	0.03	<0.2	1.13	33	<10	240	1.0	3
C079100		<0.05	0.64	<0.05	0.010	15.73	1050.0	0.01	0.02	<0.2	0.93	28	<10	190	1.0	<2
C079118		0.12	0.47	0.11	0.014	29.73	965.0	0.09	0.13	<0.2	1.01	14	<10	280	0.6	9
C079123		<0.05	<0.05	<0.05	<0.001	12.32	1182.5	0.02	0.03	<0.2	1.26	21	<10	380	0.6	<2
C079125		<0.05	<0.05	<0.05	<0.001	9.29	1127.5	0.03	0.02	<0.2	1.01	14	<10	330	0.6	3
C079144		0.11	1.51	0.09	0.018	11.93	1091.5	0.12	0.06	<0.2	0.78	16	<10	260	0.6	14
C079165		<0.05	0.73	<0.05	0.010	13.69	1147.5	0.01	0.02	<0.2	1.20	26	<10	370	0.6	2
C079166		0.05	<0.05	0.06	<0.001	12.15	925.2	0.06	0.05	<0.2	0.83	26	<10	190	0.8	5
C079167		<0.05	<0.05	<0.05	<0.001	10.77	997.2	0.01	0.01	<0.2	0.68	6	<10	130	0.8	<2
C079173		0.07	<0.05	0.07	<0.001	11.59	869.0	0.07	0.07	0.9	0.83	10	<10	240	0.7	3
C079174		<0.05	0.68	<0.05	0.008	11.83	958.8	0.02	0.02	<0.2	0.94	10	<10	270	0.6	2
C079179		<0.05	<0.05	<0.05	<0.001	13.77	982.5	0.01	0.01	<0.2	1.52	14	<10	440	0.6	<2
C079199		1.87	5.23	1.84	0.056	10.71	1027.5	1.87	1.81	2.4	0.60	>10000	<10	120	0.7	5
C079208		0.17	2.33	0.13	0.037	15.88	970.6	0.15	0.11	<0.2	1.09	167	<10	330	0.6	8
C079214		0.11	<0.05	0.11	<0.001	17.16	1031.0	0.12	0.10	1.6	0.60	22	<10	70	1.0	11
C079225		51.1	5360	31.3	20.354	3.80	1017.0	31.1	31.4	12.5	0.45	>10000	<10	60	0.6	8
C079226		9.43	87.3	8.11	1.420	16.26	957.0	8.09	8.12	1.4	0.48	>10000	<10	70	0.9	3
C079257		0.25	1.78	0.15	0.042	23.63	359.8	0.17	0.13	0.2	1.62	61	<10	370	0.6	5
C079258		0.11	<0.05	0.11	<0.001	39.85	1009.5	0.08	0.14	<0.2	1.69	45	<10	430	0.6	7
C079259		<0.05	<0.05	<0.05	<0.001	18.70	1061.0	0.01	0.02	<0.2	1.55	20	<10	430	0.6	2
C079260		<0.05	<0.05	<0.05	<0.001	35.00	987.0	0.01	0.01	<0.2	1.46	28	<10	360	0.6	<2
C079261		0.05	<0.05	0.05	<0.001	26.77	1095.0	0.06	0.04	<0.2	1.44	22	<10	360	0.7	2
C079263		0.28	0.05	0.29	0.002	40.22	1038.0	0.29	0.28	<0.2	1.54	11	<10	450	0.6	13
C079264		<0.05	<0.05	<0.05	<0.001	14.17	979.4	0.02	0.03	<0.2	1.54	5	<10	430	0.6	2
C079265		<0.05	<0.05	<0.05	<0.001	37.06	896.2	0.02	0.01	<0.2	1.50	14	<10	410	0.6	<2
C079266		<0.05	<0.05	<0.05	<0.001	21.10	1064.0	0.02	0.01	<0.2	1.58	15	<10	450	0.6	2
C079267		0.34	0.79	0.33	0.027	34.14	1038.5	0.27	0.38	<0.2	1.64	11	<10	420	0.6	12
C079268		0.13	<0.05	0.13	<0.001	22.68	1040.5	0.18	0.08	<0.2	1.65	8	<10	440	0.5	6
C079271		0.06	<0.05	0.06	<0.001	14.78	987.6	0.06	0.06	<0.2	1.68	10	<10	440	0.5	5
C079272		0.16	<0.05	0.16	<0.001	21.48	949.3	0.16	0.16	<0.2	1.51	9	<10	340	0.6	11
C079274		0.17	0.06	0.17	0.002	36.30	1188.0	0.19	0.15	<0.2	1.52	6	<10	340	0.6	12
C079275		<0.05	<0.05	<0.05	0.001	45.16	1117.5	0.02	0.02	<0.2	1.52	11	<10	300	0.7	3
C079277		<0.05	<0.05	<0.05	<0.001	25.76	1070.0	0.04	0.03	<0.2	1.54	10	<10	230	0.8	2

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06118801

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.5	1	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1
C079052		0.20	<0.5	12	32	22	2.87	<10	<1	0.57	30	0.45	263	<1	0.01	30
C079079		0.88	<0.5	5	15	4	1.55	<10	<1	0.13	20	0.35	265	1	<0.01	10
C079097		1.54	<0.5	6	25	40	2.11	10	<1	0.51	40	0.74	250	2	0.05	10
C079100		2.09	<0.5	5	20	19	2.04	<10	<1	0.40	30	0.93	252	1	0.04	9
C079118		1.51	<0.5	8	25	107	2.49	10	<1	0.49	40	0.68	191	1	0.07	18
C079123		1.20	<0.5	9	31	45	2.44	10	<1	0.65	40	0.75	220	1	0.10	17
C079125		1.30	<0.5	8	26	44	2.33	10	<1	0.54	40	0.65	251	1	0.07	17
C079144		1.07	<0.5	6	23	27	1.87	<10	<1	0.43	30	0.63	207	1	0.05	12
C079165		1.16	<0.5	8	32	36	2.43	10	1	0.59	40	0.84	226	1	0.10	18
C079166		1.43	<0.5	8	23	41	2.38	<10	<1	0.28	40	0.77	241	1	0.07	16
C079167		0.71	<0.5	8	20	33	2.25	<10	<1	0.20	40	0.51	193	<1	0.07	19
C079173		1.90	2.8	8	24	64	2.82	<10	2	0.43	40	0.81	636	<1	0.06	21
C079174		1.66	<0.5	9	27	59	2.39	10	<1	0.44	50	0.72	247	<1	0.08	21
C079179		1.34	<0.5	9	43	14	2.55	10	1	0.73	40	0.89	344	1	0.13	17
C079199		2.03	5.3	37	13	63	3.38	<10	<1	0.32	30	0.53	772	<1	0.03	16
C079208		1.77	<0.5	9	29	63	2.45	10	1	0.56	40	0.77	217	4	0.07	18
C079214		1.49	1.3	8	16	55	2.93	<10	1	0.20	30	0.61	529	<1	0.04	18
C079225		1.62	<0.5	17	10	593	4.81	<10	1	0.31	10	0.63	386	1	0.01	21
C079226		2.01	<0.5	15	10	135	3.98	<10	<1	0.26	20	0.89	559	1	0.02	18
C079257		1.50	<0.5	10	46	41	2.64	10	<1	0.69	50	0.91	317	1	0.15	21
C079258		1.37	<0.5	9	40	23	2.69	10	1	0.75	40	0.96	331	1	0.14	19
C079259		1.21	<0.5	9	39	22	2.57	10	<1	0.74	40	0.89	325	1	0.13	20
C079260		1.41	<0.5	9	38	13	2.58	10	<1	0.59	50	0.93	349	1	0.12	20
C079261		1.46	<0.5	11	37	21	2.58	10	<1	0.62	50	0.95	331	1	0.10	20
C079263		1.63	<0.5	10	39	38	2.69	10	<1	0.80	50	0.96	312	1	0.12	19
C079264		1.76	<0.5	10	46	30	2.71	10	<1	0.76	40	1.02	358	1	0.13	13
C079265		1.67	<0.5	9	44	12	2.61	10	1	0.71	50	1.02	390	1	0.11	15
C079266		1.89	<0.5	11	44	31	2.69	10	1	0.78	50	1.01	354	<1	0.13	18
C079267		1.68	<0.5	9	48	22	2.75	10	<1	0.72	50	1.01	353	1	0.12	15
C079268		1.58	<0.5	9	45	37	2.71	10	<1	0.78	40	0.96	322	1	0.14	15
C079271		1.46	<0.5	9	46	46	2.81	10	1	0.78	50	0.98	333	4	0.16	20
C079272		1.78	<0.5	9	36	52	2.59	10	<1	0.60	50	0.86	318	1	0.11	17
C079274		1.81	<0.5	10	36	53	2.62	10	<1	0.60	50	0.87	321	1	0.11	20
C079275		1.44	<0.5	9	37	26	2.49	10	<1	0.50	50	0.96	321	1	0.10	19
C079277		1.83	<0.5	10	37	34	2.53	10	1	0.40	50	1.01	319	1	0.08	18

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06118801

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	10	2	0.01	2	1	1	0.01	10	10	1	10	2
C079052		430	6	0.13	4	4	15	0.07	<10	<10	30	<10	35
C079079		80	9	0.06	3	2	46	<0.01	<10	<10	10	<10	20
C079097		610	13	0.15	2	5	137	0.10	<10	<10	26	10	37
C079100		520	9	0.32	2	4	191	0.08	<10	10	20	<10	29
C079118		630	23	0.53	8	5	129	0.09	<10	<10	26	<10	30
C079123		600	7	0.27	4	6	108	0.15	<10	<10	32	<10	37
C079125		600	8	0.27	<2	5	113	0.13	<10	<10	28	<10	45
C079144		430	9	0.16	<2	4	103	0.10	<10	10	21	<10	35
C079165		640	6	0.17	<2	6	133	0.14	<10	<10	32	<10	28
C079166		610	7	0.15	<2	5	147	0.05	<10	<10	26	<10	30
C079167		630	9	0.12	<2	5	96	0.03	<10	<10	23	<10	30
C079173		600	818	0.74	38	5	135	0.08	<10	<10	21	<10	490
C079174		640	11	0.24	4	5	122	0.10	<10	<10	28	<10	24
C079179		630	10	0.07	<2	6	108	0.20	<10	<10	40	<10	58
C079199		660	471	1.27	39	4	115	0.03	<10	<10	12	<10	932
C079208		650	7	0.25	<2	5	127	0.13	<10	<10	31	<10	26
C079214		650	186	0.41	8	5	139	<0.01	<10	<10	14	<10	272
C079225		530	25	2.54	40	3	142	<0.01	<10	<10	5	<10	42
C079226		570	31	1.09	16	4	201	<0.01	<10	<10	7	<10	48
C079257		690	6	0.16	<2	6	109	0.17	<10	<10	38	10	69
C079258		690	6	0.11	<2	6	100	0.20	<10	<10	41	<10	43
C079259		680	6	0.07	<2	6	92	0.20	<10	<10	39	<10	51
C079260		690	8	0.12	<2	6	100	0.16	<10	<10	37	<10	52
C079261		680	6	0.10	2	6	101	0.16	<10	<10	37	<10	42
C079263		720	6	0.15	<2	6	112	0.21	<10	<10	40	<10	38
C079264		660	6	0.15	<2	6	119	0.18	<10	<10	43	<10	38
C079265		720	7	0.12	<2	7	111	0.18	<10	<10	42	<10	48
C079266		730	5	0.19	<2	6	124	0.19	<10	<10	42	<10	40
C079267		710	6	0.13	<2	6	109	0.18	<10	<10	44	<10	40
C079268		680	7	0.21	<2	6	104	0.19	<10	<10	43	<10	35
C079271		710	5	0.29	<2	6	107	0.20	<10	<10	43	<10	35
C079272		660	9	0.25	<2	6	108	0.16	<10	<10	37	10	43
C079274		670	5	0.25	<2	6	109	0.16	<10	<10	37	10	43
C079275		680	5	0.13	<2	6	96	0.16	<10	<10	38	<10	41
C079277		660	10	0.20	2	6	109	0.11	<10	<10	36	<10	34

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-DEC-2006
This copy reported on 18-JAN-2007
Account: STRGOL

CERTIFICATE VA06118802

Project: Dublin Gulch1735

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 16-NOV-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
ROL-21	Rolling Charge
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06118802

Sample Description	Method / Analyte / Units / LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2
C079300		0.10	<0.05	0.11	<0.001	13.76	1044.0	0.11	0.10	<0.2	1.60	17	<10	310	0.7	4
C079301		0.06	<0.05	0.07	<0.001	14.97	971.7	0.07	0.06	<0.2	1.63	16	<10	310	0.7	3
C079303		<0.05	<0.05	<0.05	<0.001	15.12	957.0	0.02	0.03	<0.2	1.77	20	<10	340	0.7	3
C079304		<0.05	<0.05	<0.05	<0.001	17.18	1061.0	0.01	<0.01	<0.2	1.66	25	<10	360	0.6	<2
C079305		<0.05	<0.05	<0.05	<0.001	17.74	966.4	0.02	0.02	<0.2	1.39	7	<10	270	0.7	<2
C079306		<0.05	<0.05	<0.05	<0.001	18.34	1022.0	0.04	0.02	<0.2	1.62	16	<10	320	0.7	<2
C079307		<0.05	<0.05	<0.05	<0.001	16.86	972.9	0.02	0.01	<0.2	1.45	18	<10	220	0.7	2
C079308		0.05	<0.05	0.05	<0.001	18.23	1069.0	0.06	0.04	<0.2	1.19	28	<10	200	0.8	3
C079311		<0.05	<0.05	<0.05	<0.001	14.72	1090.0	0.02	0.02	<0.2	0.98	21	<10	140	1.0	<2
C079312		<0.05	<0.05	<0.05	<0.001	14.45	907.2	0.01	0.02	<0.2	1.14	80	<10	120	1.3	<2
C079313		<0.05	<0.05	<0.05	<0.001	13.99	1042.0	0.04	0.04	0.5	0.82	62	<10	110	1.1	2
C079315		0.08	<0.05	0.09	<0.001	11.57	961.9	0.08	0.09	1.2	1.21	36	<10	180	1.1	2
C079317		<0.05	<0.05	<0.05	<0.001	9.66	960.9	0.03	0.03	0.9	1.28	38	<10	180	1.0	2
C079318		<0.05	<0.05	<0.05	<0.001	13.69	1024.0	0.02	0.01	0.2	1.51	40	<10	240	1.0	<2
C079320		<0.05	<0.05	<0.05	<0.001	19.43	1018.0	0.02	0.04	0.2	1.72	138	<10	220	1.0	2
C079321		0.32	0.34	0.32	0.005	14.81	1001.0	0.31	0.33	0.4	1.50	31	<10	190	1.0	16
C079323		0.07	<0.05	0.08	<0.001	14.87	955.1	0.07	0.08	0.4	1.56	14	<10	180	1.0	5
C079325		<0.05	<0.05	<0.05	<0.001	16.56	938.4	0.02	0.02	0.2	1.69	6	<10	280	0.9	2
C079326		<0.05	<0.05	<0.05	<0.001	21.41	1113.5	0.01	0.01	<0.2	1.48	25	<10	210	1.0	<2
C079327		0.10	<0.05	0.10	<0.001	16.81	975.0	0.08	0.12	<0.2	1.66	14	<10	270	0.9	5
C079328		0.14	0.10	0.14	0.002	20.56	1036.0	0.16	0.12	0.2	1.45	18	<10	210	1.0	8
C079341		<0.05	<0.05	<0.05	<0.001	19.17	1036.5	0.01	0.02	<0.2	1.42	21	<10	160	0.9	2
C079343		<0.05	<0.05	<0.05	<0.001	20.94	966.9	0.02	0.02	<0.2	1.80	35	<10	320	0.8	2
C079344		<0.05	<0.05	<0.05	<0.001	19.01	861.5	0.01	0.01	<0.2	1.81	55	<10	340	0.8	<2
C079345		<0.05	<0.05	<0.05	<0.001	19.65	982.2	0.01	0.01	<0.2	1.74	25	<10	310	0.8	<2
C079346		<0.05	<0.05	<0.05	<0.001	17.36	1055.0	0.01	0.01	<0.2	1.73	23	<10	260	0.9	2
C079347		<0.05	<0.05	<0.05	<0.001	20.51	936.1	<0.01	0.01	<0.2	1.89	25	<10	300	1.0	<2
C079348		0.12	0.10	0.13	0.002	20.87	1100.5	0.12	0.13	1.2	1.54	16	<10	160	0.9	6
C079352		<0.05	<0.05	<0.05	<0.001	20.48	1087.0	0.01	0.01	<0.2	1.63	13	<10	240	0.9	<2
C079353		<0.05	<0.05	<0.05	<0.001	12.38	951.3	0.01	0.01	<0.2	1.61	14	<10	220	0.9	<2
C079354		<0.05	<0.05	<0.05	<0.001	18.89	1078.0	0.02	0.02	0.4	1.54	27	<10	210	0.8	2
C079355		0.05	<0.05	0.05	<0.001	15.21	943.1	0.05	0.05	<0.2	1.61	10	<10	240	0.7	4
C079357		0.99	4.71	0.93	0.087	18.47	1015.0	0.92	0.93	0.2	1.66	29	<10	300	0.7	99
C079358		<0.05	<0.05	0.05	<0.001	21.25	1129.0	0.06	0.03	<0.2	1.35	17	<10	160	0.9	<2
C079359		<0.05	<0.05	<0.05	<0.001	15.61	1051.5	<0.01	0.01	<0.2	1.63	21	<10	260	0.9	<2
C079360		<0.05	<0.05	<0.05	<0.001	16.01	982.5	0.04	<0.01	<0.2	1.69	28	<10	330	0.8	<2

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06118802

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.5	1	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1
C079300		1.75	<0.5	8	34	25	2.54	10	<1	0.54	40	0.79	372	1	0.16	16
C079301		1.49	<0.5	9	39	56	2.76	10	<1	0.53	40	0.88	339	3	0.16	18
C079303		1.51	<0.5	9	38	28	2.74	10	<1	0.57	50	0.92	366	1	0.18	19
C079304		1.27	<0.5	8	38	14	2.53	10	<1	0.60	40	0.83	344	2	0.18	17
C079305		1.31	<0.5	6	34	41	2.42	10	<1	0.46	40	0.74	333	2	0.14	14
C079306		1.64	<0.5	8	40	26	2.57	10	<1	0.55	40	0.91	371	2	0.16	12
C079307		1.74	<0.5	8	36	26	2.59	10	<1	0.43	40	0.84	350	2	0.13	8
C079308		1.80	6.6	8	29	58	2.70	10	<1	0.37	40	0.70	401	2	0.10	12
C079311		2.05	<0.5	8	28	44	2.77	<10	<1	0.29	40	0.71	406	2	0.08	10
C079312		2.47	<0.5	8	23	15	3.01	<10	<1	0.25	40	1.04	425	<1	0.09	16
C079313		2.56	0.5	8	16	20	2.60	<10	<1	0.31	40	0.53	557	1	0.07	16
C079315		2.29	<0.5	7	25	45	2.94	10	1	0.38	40	0.69	587	2	0.09	19
C079317		2.65	0.9	8	23	27	2.63	10	1	0.45	40	0.70	843	5	0.05	18
C079318		1.90	<0.5	9	36	37	2.57	10	<1	0.46	40	0.84	413	3	0.08	17
C079320		2.20	<0.5	11	44	21	2.82	10	1	0.43	40	1.02	425	2	0.09	16
C079321		2.44	<0.5	11	36	40	2.54	10	1	0.40	40	0.89	419	3	0.06	14
C079323		1.97	<0.5	8	28	76	2.54	10	1	0.42	40	0.77	366	1	0.07	17
C079325		1.48	<0.5	10	33	54	2.48	10	1	0.53	50	0.81	267	4	0.13	18
C079326		2.10	<0.5	8	28	24	2.42	10	1	0.41	50	0.82	349	1	0.08	17
C079327		1.56	<0.5	12	33	38	2.49	10	1	0.52	50	0.80	306	4	0.13	18
C079328		2.00	<0.5	8	28	31	2.23	10	1	0.42	50	0.75	311	2	0.08	17
C079341		1.70	<0.5	9	30	35	2.37	10	1	0.35	40	0.75	408	4	0.06	15
C079343		1.62	<0.5	9	40	46	2.54	10	<1	0.59	40	0.86	346	3	0.17	19
C079344		1.37	<0.5	11	36	19	2.62	10	1	0.61	50	0.86	338	3	0.16	19
C079345		1.55	<0.5	8	33	15	2.35	10	1	0.56	40	0.86	338	8	0.13	17
C079346		1.95	<0.5	10	43	35	2.64	10	1	0.47	40	1.03	416	3	0.10	15
C079347		1.89	<0.5	9	39	16	2.53	10	<1	0.55	50	0.95	390	1	0.14	16
C079348		1.94	<0.5	7	26	47	2.98	10	<1	0.38	40	0.76	372	5	0.06	16
C079352		1.59	<0.5	9	49	36	2.44	10	1	0.42	40	1.01	347	2	0.14	12
C079353		2.07	<0.5	8	49	31	2.53	10	1	0.39	40	0.99	399	1	0.11	11
C079354		1.89	<0.5	8	51	30	2.45	10	1	0.38	30	1.01	374	2	0.12	11
C079355		1.53	<0.5	9	45	46	2.52	10	<1	0.44	40	0.96	315	2	0.13	11
C079357		1.36	<0.5	7	37	45	2.40	10	<1	0.54	40	0.84	248	2	0.14	16
C079358		2.28	<0.5	8	29	59	2.37	10	1	0.34	30	0.76	361	2	0.06	12
C079359		1.55	<0.5	7	28	8	2.27	10	<1	0.48	50	0.73	296	1	0.10	15
C079360		1.24	<0.5	8	33	7	2.35	10	1	0.54	50	0.78	298	1	0.12	16

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06118802

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	10	2	0.01	2	1	1	0.01	10	10	1	10	2
C079300		690	7	0.20	4	6	120	0.15	<10	<10	33	10	46
C079301		690	6	0.33	<2	6	104	0.15	<10	<10	36	<10	36
C079303		700	8	0.19	3	6	109	0.18	<10	<10	38	30	45
C079304		650	6	0.16	<2	6	99	0.19	<10	<10	36	10	43
C079305		530	6	0.20	<2	5	95	0.13	<10	<10	30	60	39
C079306		710	7	0.22	3	5	111	0.18	<10	<10	38	280	44
C079307		600	9	0.26	2	5	114	0.08	<10	<10	29	10	33
C079308		580	113	0.50	6	5	119	0.07	<10	<10	25	190	975
C079311		610	11	0.34	5	6	154	0.03	<10	<10	24	30	34
C079312		640	15	0.18	4	5	205	0.01	<10	<10	23	<10	46
C079313		650	84	0.29	15	5	183	0.02	<10	<10	16	10	113
C079315		690	265	0.55	15	6	165	0.05	<10	<10	25	10	100
C079317		700	479	0.25	35	6	165	0.04	<10	<10	22	10	206
C079318		710	30	0.20	8	6	139	0.08	<10	<10	35	<10	44
C079320		710	15	0.28	6	7	168	0.07	<10	<10	41	<10	38
C079321		650	24	0.25	8	6	170	0.05	<10	<10	33	<10	41
C079323		720	30	0.31	8	6	154	0.05	<10	<10	27	20	39
C079325		700	8	0.23	4	6	127	0.12	<10	<10	33	10	25
C079326		720	21	0.15	6	6	158	0.07	<10	<10	28	10	46
C079327		720	13	0.23	3	6	131	0.11	<10	<10	32	10	30
C079328		720	10	0.17	4	5	166	0.08	<10	<10	28	<10	29
C079341		590	12	0.17	10	5	112	0.06	<10	<10	28	50	33
C079343		700	8	0.23	3	7	124	0.17	<10	<10	36	870	41
C079344		730	10	0.13	3	6	118	0.17	<10	<10	37	50	41
C079345		690	13	0.08	4	6	123	0.14	<10	<10	33	10	40
C079346		720	12	0.16	<2	7	126	0.13	<10	<10	40	10	40
C079347		710	14	0.14	2	7	138	0.13	<10	<10	37	<10	43
C079348		660	102	0.59	5	5	107	0.06	<10	<10	25	10	82
C079352		650	17	0.26	2	6	109	0.15	<10	<10	44	10	37
C079353		640	11	0.24	2	7	128	0.11	<10	10	45	<10	36
C079354		630	11	0.25	<2	7	116	0.12	<10	<10	44	20	33
C079355		630	9	0.37	2	6	112	0.14	<10	<10	39	20	31
C079357		630	12	0.25	7	5	101	0.16	<10	<10	34	10	25
C079358		580	12	0.29	3	5	169	0.06	<10	<10	26	30	29
C079359		650	13	0.06	3	5	131	0.11	<10	<10	27	<10	46
C079360		660	10	0.07	2	5	107	0.16	<10	<10	32	10	41

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-DEC-2006
Account: STRGOL

CERTIFICATE VA06118803

Project: Dublin Gulch1735

P.O. No.:

This report is for 1 Drill Core sample submitted to our lab in Vancouver, BC, Canada on 16-NOV-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING



SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
ROL-21	Rolling Charge
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06118803

Sample Description	Method / Analyte / Units / LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2
C080657		<0.05	<0.05	<0.05	<0.001	56.06	1037.0	0.02	0.02	<0.2	0.66	18	<10	50	0.8	2

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06118803

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.5	1	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1
C080657		1.74	<0.5	6	19	18	1.84	<10	<1	0.10	60	0.74	263	1	0.01	6

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06118803

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	10	2	0.01	2	1	1	0.01	10	10	1	10	2
C080657		400	14	0.26	8	4	50	<0.01	<10	<10	15	<10	25

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-DEC-2006
Account: STRGOL

CERTIFICATE VA06118804

Project: Dublin Gulch1735

P.O. No.:

This report is for 4 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 16-NOV-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
ROL-21	Rolling Charge
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06118804

Sample Description	Method / Analyte / Units / LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2
C080695		<0.05	<0.05	<0.05	<0.001	42.81	1053.5	0.01	0.01	<0.2	3.67	61	<10	720	0.8	3
C080697		<0.05	<0.05	<0.05	<0.001	29.46	963.6	0.02	0.02	<0.2	3.46	69	<10	650	0.8	<2
C080698		<0.05	<0.05	<0.05	<0.001	49.74	949.8	0.01	0.01	<0.2	2.51	86	<10	240	0.9	2
C080724		<0.05	<0.05	<0.05	<0.001	22.77	1100.5	0.02	0.02	<0.2	2.53	111	<10	360	0.8	2

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06118804

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.5	1	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1
C080695		2.86	<0.5	12	68	18	3.59	10	1	1.02	20	1.62	483	1	0.26	18
C080697		3.68	<0.5	13	63	22	3.77	10	<1	0.86	20	1.63	589	1	0.23	17
C080698		3.82	<0.5	14	50	22	4.24	10	<1	0.28	30	1.74	691	<1	0.12	16
C080724		1.82	<0.5	12	43	17	3.39	10	<1	0.56	40	1.37	361	<1	0.15	11

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06118804

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
C080695		1280	7	0.20	<2	8	250	0.29	<10	<10	85	<10	47
C080697		1220	8	0.22	2	10	276	0.27	<10	<10	86	<10	52
C080698		1140	7	0.16	<2	11	240	0.05	<10	<10	75	<10	62
C080724		780	6	0.94	<2	8	144	0.20	<10	<10	61	<10	35

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-DEC-2006
This copy reported on 18-JAN-2007
Account: STRGOL

CERTIFICATE VA06118805

Project: Dublin Gulch1735

P.O. No.:

This report is for 3 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 16-NOV-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
ROL-21	Rolling Charge
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06118805

Sample Description	Method	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-AA26	Au-AA26D	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au	Ag	Al	As	B	Ba	Be	Bi
	Units	ppm	ppm	ppm	mg	g	g	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01	0.2	0.01	2	10	10	0.5	2
C080835		<0.05	<0.05	<0.05	<0.001	29.36	938.5	0.01	0.01	<0.2	2.02	9	<10	210	0.6	4
C080837		<0.05	<0.05	<0.05	<0.001	13.17	1092.5	0.01	0.01	<0.2	2.23	20	<10	380	0.6	2
C080841		1.70	28.1	0.96	0.694	24.68	871.1	0.97	0.94	<0.2	1.45	>10000	<10	140	0.6	5

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06118805

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.5	1	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1
C080835		2.17	<0.5	11	43	20	3.36	10	<1	0.34	30	1.20	346	1	0.15	6
C080837		1.29	<0.5	12	41	25	3.20	10	<1	0.61	30	1.11	257	1	0.19	9
C080841		2.90	<0.5	34	22	123	4.39	<10	<1	0.45	20	1.02	175	1	0.08	12

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06118805

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	10	2	0.01	2	1	1	0.01	10	10	1	10	2
C080835		790	6	0.79	3	7	115	0.17	<10	<10	55	<10	31
C080837		790	6	0.80	<2	5	109	0.24	10	<10	55	<10	26
C080841		660	<2	1.35	8	7	123	0.06	<10	<10	25	190	10

APPENDIX G

ALS Chemex Assay Certificates

- Drilling QAQC -

Includes Assay Certificates from
ALS Chemex and ACME Analytical

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-JUN-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06047793

Project: Dublin Gulch 1735

P.O. No.:

This report is for 131 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 31-MAY-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06047793

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
STANDARDS																
BM-9/A			13.6	0.93	25	<10	90	0.9	116	0.17	26.4	99	205	5550	3.71	<10
BM-9/A			13.4	0.87	23	<10	80	0.8	119	0.15	27.0	100	194	5500	3.61	<10
BM-9/A			18.0	0.93	26	<10	90	0.9	121	0.16	27.9	106	203	5760	3.68	<10
BM-9/A			12.8	0.85	20	<10	80	0.8	108	0.15	23.6	89	188	5230	3.36	<10
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.5	1.86	460	<10	880	0.9	<2	0.50	6.7	22	70	299	3.74	10
G2000			3.6	1.95	500	<10	820	1.0	<2	0.49	6.7	24	73	311	3.65	10
G2000			3.2	1.76	461	<10	800	0.9	2	0.47	6.8	24	67	292	3.68	10
G2000			3.2	1.88	481	<10	870	0.9	<2	0.47	7.1	22	67	297	3.80	10
G2000			3.3	1.78	483	<10	850	0.9	2	0.48	6.7	22	71	306	3.63	10
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	64	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	80	334	4.19	20
GBM999-5			58.3	0.19	2	<10	50	<0.5	<2	0.05	<0.5	3	5	485	2.76	<10
GBM999-5			65.9	0.20	5	<10	50	<0.5	<2	0.05	0.5	3	4	480	2.97	<10
Target Range - Lower Bound			53.3	0.18	<2	<10	40	<0.5	<2	0.04	<0.5	2	4	436	2.65	<10
Upper Bound			65.5	0.24	4	20	70	1.0	4	0.07	1.0	4	7	536	3.26	20
OxF41		0.784														
OxF41		0.808														
OxF41		0.802														
OxF41		0.793														
OxF41		0.811														
Target Range - Lower Bound		0.753														
Upper Bound		0.877														
ST-259		2.45														
ST-259		2.38														
ST-259		2.50														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06047793

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
STANDARDS																
BM-9/A		<1	0.02	10	0.44	632	2	0.43	374	90	6840	1.48	7	9	76	0.01
BM-9/A		<1	0.02	10	0.42	638	3	0.42	355	90	6550	1.49	3	9	75	<0.01
BM-9/A		1	0.02	10	0.42	668	3	0.44	391	90	6970	1.56	5	9	80	0.01
BM-9/A		<1	0.02	10	0.39	592	3	0.37	359	80	6090	1.29	4	7	67	<0.01
Target Range - Lower Bound		<1	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		2	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000		1	0.42	20	0.67	550	4	0.03	271	910	679	0.27	23	7	66	0.05
G2000		1	0.40	20	0.64	551	5	0.03	283	920	655	0.29	20	7	68	0.05
G2000		<1	0.41	20	0.66	568	5	0.03	272	940	637	0.27	21	7	64	0.05
G2000		<1	0.40	20	0.61	547	5	0.03	277	930	665	0.25	21	7	70	0.05
G2000		<1	0.41	20	0.63	545	5	0.03	288	910	637	0.25	21	6	62	0.05
Target Range - Lower Bound		<1	0.38	<10	0.60	506	4	0.02	256	840	601	0.23	19	5	60	0.04
Upper Bound		2	0.48	40	0.76	630	6	0.04	316	1050	739	0.31	31	9	76	0.07
GBM999-5		<1	0.05	10	0.02	58	3	0.02	3	40	488	0.29	5	1	4	<0.01
GBM999-5		<1	0.05	10	0.02	62	3	0.01	3	40	508	0.28	5	1	4	<0.01
Target Range - Lower Bound		<1	0.04	<10	<0.01	49	2	<0.01	2	20	471	0.26	<2	<1	2	<0.01
Upper Bound		2	0.07	20	0.03	71	5	0.03	5	50	580	0.34	8	2	5	0.02
OxF41																
OxF41																
OxF41																
OxF41																
OxF41																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06047793

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
STANDARDS						
BM-9/A		<10	<10	15	<10	8400
BM-9/A		<10	<10	16	<10	8310
BM-9/A		<10	<10	17	<10	8740
BM-9/A		<10	<10	14	<10	7840
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	64	<10	1240
G2000		<10	<10	71	<10	1315
G2000		<10	<10	66	<10	1220
G2000		<10	<10	65	<10	1240
G2000		<10	<10	65	<10	1295
Target Range - Lower Bound		<10	<10	59	<10	1130
Upper Bound		20	20	74	20	1385
GBM999-5		<10	<10	6	<10	110
GBM999-5		<10	<10	5	<10	109
Target Range - Lower Bound		<10	<10	4	<10	106
Upper Bound		20	20	7	20	134
OxF41						
OxF41						
OxF41						
OxF41						
OxF41						
Target Range - Lower Bound						
Upper Bound						
ST-259						
ST-259						
ST-259						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06047793

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		0.007														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20
DUPLICATES																
ORIGINAL			0.3	1.47	6	20	340	0.7	<2	3.62	<0.5	5	22	33	1.92	<10
DUP			0.5	1.48	4	20	450	0.7	<2	3.57	<0.5	5	23	33	1.91	<10
Target Range - Lower Bound			<0.2	1.38	<2	<10	350	<0.5	<2	3.40	<0.5	3	19	29	1.80	<10
Upper Bound			0.8	1.57	9	40	440	1.0	4	3.79	1.0	7	26	37	2.03	20
ORIGINAL		1.535														
DUP		1.400														
Target Range - Lower Bound		1.385														
Upper Bound		1.550														
ORIGINAL		0.036														
DUP		0.037														
Target Range - Lower Bound		0.025														
Upper Bound		0.048														
ORIGINAL		0.016														
DUP		0.014														
Target Range - Lower Bound		<0.005														
Upper Bound		0.026														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

O: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06047793

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	2	<1	<1	<0.01
BLANK		<1	<0.01	<10	<0.01	<5	<1	0.01	1	10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<1	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	1	<0.01
BLANK		<1	<0.01	<10	<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	10	<2	0.01	<2	<1	<1	<0.01
BLANK		<1	<0.01	<10	<0.01	<5	1	<0.01	1	<10	<2	<0.01	<2	<1	1	<0.01
Target Range - Lower Bound		<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		2	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02
DUPLICATES																
ORIGINAL		1	0.53	10	2.61	357	2	0.02	25	770	10	0.46	<2	3	65	0.01
DUP		<1	0.54	10	2.60	352	2	0.02	25	770	9	0.45	2	3	65	0.01
Target Range - Lower Bound		<1	0.49	<10	2.45	327	<1	<0.01	22	710	5	0.41	<2	<1	60	<0.01
Upper Bound		2	0.58	20	2.76	382	4	0.04	28	830	14	0.50	4	5	70	0.02
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06047793

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
BLANKS						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4
DUPLICATES						
ORIGINAL		<10	<10	40	<10	84
DUP		<10	<10	40	<10	84
Target Range - Lower Bound		<10	<10	36	<10	76
Upper Bound		20	20	44	20	92
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06047793

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
B088960		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B088969			<0.2	1.28	9	<10	120	<0.5	<2	0.06	<0.5	6	22	18	2.28	<10
DUP			<0.2	1.26	13	<10	120	<0.5	<2	0.06	<0.5	6	22	18	2.21	<10
Target Range - Lower Bound			<0.2	1.19	6	<10	90	<0.5	<2	0.04	<0.5	4	19	15	2.11	<10
Upper Bound			0.4	1.35	16	20	150	1.0	4	0.08	1.0	8	25	21	2.38	20
B088980		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B089907			0.6	1.44	13	<10	230	<0.5	<2	0.13	0.6	6	24	10	2.81	<10
DUP			0.5	1.50	12	<10	240	<0.5	<2	0.13	0.6	7	26	11	2.85	<10
Target Range - Lower Bound			<0.2	1.38	8	<10	200	<0.5	<2	0.10	<0.5	4	22	8	2.67	<10
Upper Bound			1.0	1.56	17	20	270	1.0	4	0.16	1.0	9	28	13	2.99	20
B089958			0.2	1.20	12	<10	160	<0.5	<2	0.10	0.9	8	21	16	2.78	<10
DUP			0.2	1.18	16	<10	160	<0.5	<2	0.10	0.6	8	21	16	2.78	<10
Target Range - Lower Bound			<0.2	1.11	9	<10	130	<0.5	<2	0.08	<0.5	6	18	13	2.62	<10
Upper Bound			0.4	1.27	19	20	190	1.0	4	0.13	1.0	10	24	19	2.94	20
B089970		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B089985		0.008	<0.2	0.94	33	<10	70	<0.5	2	0.05	<0.5	7	15	17	3.41	<10
DUP			<0.2	0.92	31	<10	70	<0.5	<2	0.05	<0.5	6	14	16	3.36	<10
Target Range - Lower Bound			<0.2	0.86	26	<10	40	<0.5	<2	0.03	<0.5	4	12	14	3.20	<10
Upper Bound			0.4	1.00	38	20	100	1.0	4	0.07	1.0	9	17	19	3.57	20
B089994			0.2	1.12	29	<10	80	<0.5	<2	0.04	<0.5	8	18	24	2.54	<10
DUP			0.2	1.13	27	<10	80	<0.5	<2	0.05	0.5	8	17	24	2.50	<10
Target Range - Lower Bound			<0.2	1.05	23	<10	50	<0.5	<2	0.02	<0.5	6	15	21	2.37	<10
Upper Bound			0.4	1.20	33	20	110	1.0	4	0.07	1.0	10	20	27	2.67	20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06047793

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
B088960																
DUP																
Target Range - Lower Bound																
Upper Bound																
B088969		1	0.04	10	0.28	202	<1	0.01	16	190	16	0.01	2	2	7	0.04
DUP		1	0.04	10	0.27	196	1	0.01	17	180	16	0.01	2	2	8	0.04
Target Range - Lower Bound		<1	0.02	<10	0.24	179	<1	<0.01	14	160	11	<0.01	<2	<1	5	0.02
Upper Bound		2	0.06	20	0.31	219	2	0.02	19	210	21	0.02	4	4	10	0.06
B088980																
DUP																
Target Range - Lower Bound																
Upper Bound																
B089907		1	0.07	20	0.34	292	1	0.01	16	520	29	0.01	3	2	14	0.03
DUP		<1	0.08	20	0.34	297	1	0.01	16	530	30	0.01	4	2	15	0.03
Target Range - Lower Bound		<1	0.05	<10	0.30	270	<1	<0.01	13	480	24	<0.01	<2	<1	12	<0.01
Upper Bound		2	0.10	40	0.38	319	2	0.02	19	570	35	0.02	4	4	17	0.05
B089958		1	0.06	20	0.31	549	1	<0.01	20	590	52	<0.01	10	2	12	0.03
DUP		<1	0.06	20	0.31	543	1	<0.01	18	590	54	0.01	11	2	11	0.03
Target Range - Lower Bound		<1	0.04	<10	0.27	509	<1	<0.01	16	540	46	<0.01	6	<1	9	<0.01
Upper Bound		2	0.08	40	0.35	583	2	0.02	22	640	60	0.02	15	4	14	0.05
B089970																
DUP																
Target Range - Lower Bound																
Upper Bound																
B089985		<1	0.05	20	0.13	205	1	<0.01	15	440	19	0.01	3	1	7	0.03
DUP		<1	0.05	20	0.13	201	1	<0.01	15	420	19	0.01	3	1	7	0.03
Target Range - Lower Bound		<1	0.03	<10	0.10	183	<1	<0.01	12	390	14	<0.01	<2	<1	5	<0.01
Upper Bound		2	0.07	40	0.16	223	2	0.02	18	470	24	0.02	4	2	9	0.05
B089994		1	0.06	20	0.20	236	1	0.01	19	210	49	0.01	5	2	13	0.03
DUP		<1	0.07	20	0.20	231	1	0.01	18	200	43	0.02	5	2	15	0.03
Target Range - Lower Bound		<1	0.04	<10	0.17	212	<1	<0.01	16	170	40	<0.01	<2	<1	11	<0.01
Upper Bound		2	0.09	40	0.23	255	2	0.02	21	240	52	0.02	9	4	17	0.05

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06047793

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
B088960						
DUP						
Target Range - Lower Bound						
Upper Bound						
B088969		<10	<10	38	<10	59
DUP		<10	<10	39	<10	57
Target Range - Lower Bound		<10	<10	35	<10	51
Upper Bound		20	20	42	20	65
B088980						
DUP						
Target Range - Lower Bound						
Upper Bound						
B089907		<10	<10	43	<10	89
DUP		<10	<10	46	<10	93
Target Range - Lower Bound		<10	<10	40	<10	82
Upper Bound		20	20	49	20	100
B089958		<10	<10	37	<10	126
DUP		<10	<10	36	<10	124
Target Range - Lower Bound		<10	<10	33	<10	115
Upper Bound		20	20	40	20	135
B089970						
DUP						
Target Range - Lower Bound						
Upper Bound						
B089985		<10	<10	38	<10	45
DUP		<10	<10	38	<10	45
Target Range - Lower Bound		<10	<10	34	<10	39
Upper Bound		20	20	42	20	51
B089994		<10	<10	34	<10	86
DUP		<10	<10	34	<10	85
Target Range - Lower Bound		<10	<10	30	<10	77
Upper Bound		20	20	38	20	94

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06047793

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
DUPLICATES																
B088002		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B088027		<0.005														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.018														
DUP		0.015														
Target Range - Lower Bound		0.006														
Upper Bound		0.027														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06047793

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
B088002	DUP															
	Target Range - Lower Bound															
	Upper Bound															
B088027	DUP															
	Target Range - Lower Bound															
	Upper Bound															
ORIGINAL	DUP															
	Target Range - Lower Bound															
	Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06047793

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
B088002 DUP	Target Range - Lower Bound					
	Upper Bound					
B088027 DUP	Target Range - Lower Bound					
	Upper Bound					
ORIGINAL DUP	Target Range - Lower Bound					
	Upper Bound					

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-JUN-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06047794

Project: Dublin Gulch 1735

P.O. No.:

This report is for 156 Soil samples submitted to our lab in Vancouver, BC, Canada on 31-MAY-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06047794

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
STANDARDS																
BM-9/A			14.7	0.96	27	<10	90	0.8	114	0.16	26.8	99	193	5230	3.65	<10
BM-9/A			16.3	0.90	21	<10	80	0.9	117	0.16	28.2	102	209	5860	3.81	<10
BM-9/A			14.4	0.80	22	<10	70	0.8	101	0.16	26.3	106	200	5440	3.60	<10
BM-9/A			14.3	0.98	26	<10	90	0.8	106	0.15	27.1	96	189	5640	3.59	<10
BM-9/A			14.0	0.85	24	<10	80	0.8	117	0.16	26.0	95	195	5420	3.42	<10
BM-9/A			15.0	0.80	19	<10	80	0.8	103	0.17	27.4	99	191	5300	3.57	<10
BM-9/A			13.7	0.90	28	<10	90	0.8	114	0.17	25.7	94	193	5510	3.58	<10
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.4	2.00	481	<10	900	0.9	<2	0.50	7.2	23	70	301	3.78	10
G2000			3.6	2.02	484	10	890	0.9	<2	0.49	7.4	22	70	307	3.80	10
G2000			3.4	1.82	475	<10	790	0.9	<2	0.48	6.8	22	68	291	3.61	10
G2000			3.3	1.86	492	10	880	1.0	2	0.51	7.1	23	70	298	3.79	10
G2000			3.9	1.87	491	10	880	1.0	2	0.51	6.9	23	73	303	3.78	10
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	64	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	80	334	4.19	20
GBM999-5			60.9	0.20	6	<10	60	<0.5	<2	0.05	<0.5	3	4	522	3.04	<10
GBM999-5			72.7	0.22	9	<10	60	<0.5	<2	0.06	<0.5	3	5	527	3.11	<10
Target Range - Lower Bound			53.3	0.18	<2	<10	40	<0.5	<2	0.04	<0.5	2	4	436	2.65	<10
Upper Bound			65.5	0.24	4	20	70	1.0	4	0.07	1.0	4	7	536	3.26	20
OXD43		0.409														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxF41		0.808														
OxF41		0.839														
OxF41		0.802														
OxF41		0.811														
Target Range - Lower Bound		0.753														
Upper Bound		0.877														
OxG46		1.030														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.53														
ST-259		2.45														
ST-259		2.50														
ST-259		2.55														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.85														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06047794

Sample Description	Method Analyte Units LOR	

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06047794

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
STANDARDS																
BM-9/A		1	0.02	10	0.43	646	3	0.42	358	90	6680	1.49	7	9	75	0.01
BM-9/A		1	0.02	10	0.44	651	3	0.41	397	80	6960	1.52	7	9	79	0.01
BM-9/A		1	0.02	10	0.39	656	3	0.39	387	90	6640	1.45	7	9	72	0.01
BM-9/A		1	0.02	10	0.42	627	3	0.41	353	80	6490	1.45	5	9	78	0.01
BM-9/A		1	0.02	10	0.41	610	3	0.40	372	90	6480	1.44	6	9	76	0.01
BM-9/A		<1	0.02	10	0.41	654	3	0.42	361	90	6850	1.46	7	8	75	0.01
BM-9/A		<1	0.02	10	0.41	605	3	0.42	370	80	6430	1.38	6	8	74	0.01
Target Range - Lower Bound		<1	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		2	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000		1	0.42	20	0.67	561	5	0.03	274	950	654	0.28	23	7	69	0.05
G2000		1	0.40	20	0.66	547	5	0.03	277	960	665	0.27	23	7	72	0.05
G2000		1	0.40	20	0.66	549	6	0.03	275	940	661	0.27	25	7	66	0.05
G2000		<1	0.42	20	0.68	551	4	0.04	275	950	682	0.28	29	7	68	0.05
G2000		<1	0.41	20	0.65	545	5	0.03	289	920	648	0.26	22	7	68	0.05
Target Range - Lower Bound		<1	0.38	<10	0.60	506	4	0.02	256	840	601	0.23	19	6	59	0.04
Upper Bound		2	0.48	40	0.76	630	8	0.04	316	1050	739	0.31	31	9	74	0.07
GBM999-5		<1	0.05	10	0.02	64	4	0.01	2	30	550	0.31	5	1	4	<0.01
GBM999-5		<1	0.05	10	0.02	65	4	0.01	2	50	535	0.33	4	1	5	<0.01
Target Range - Lower Bound		<1	0.04	<10	<0.01	49	2	<0.01	2	20	471	0.26	<2	<1	2	<0.01
Upper Bound		2	0.07	20	0.03	71	5	0.03	5	50	580	0.34	8	2	5	0.02
OXD43																
Target Range - Lower Bound																
Upper Bound																
OxF41																
OxF41																
OxF41																
OxF41																
Target Range - Lower Bound																
Upper Bound																
OxG46																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
Target Range - Lower Bound																
Upper Bound																

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06047794

Sample Description	Method Analyte Units LOR	

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06047794

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
				STANDARDS		
BM-9/A		<10	<10	15	<10	8000
BM-9/A		<10	<10	17	<10	8700
BM-9/A		<10	<10	16	<10	8700
BM-9/A		<10	<10	15	<10	8000
BM-9/A		<10	<10	15	<10	8110
BM-9/A		<10	<10	15	<10	8320
BM-9/A		<10	<10	15	<10	8210
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	65	<10	1270
G2000		<10	<10	66	<10	1290
G2000		<10	<10	64	<10	1255
G2000		<10	<10	66	<10	1255
G2000		<10	<10	67	<10	1310
Target Range - Lower Bound		<10	<10	59	<10	1130
Upper Bound		20	20	74	20	1385
GBM999-5		<10	<10	6	<10	113
GBM999-5		<10	<10	6	<10	117
Target Range - Lower Bound		<10	<10	4	<10	106
Upper Bound		20	20	7	20	134
OXD43						
Target Range - Lower Bound						
Upper Bound						
OxF41						
OxF41						
OxF41						
OxF41						
Target Range - Lower Bound						
Upper Bound						
OxG46						
Target Range - Lower Bound						
Upper Bound						
ST-259						
ST-259						
ST-259						
ST-259						
Target Range - Lower Bound						
Upper Bound						
ST-327						
Target Range - Lower Bound						
Upper Bound						

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06047794

Sample Description	Method Analyte Units LOR	

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06047794

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		0.008														
BLANK		0.007														
BLANK		<0.005														
BLANK			0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	2	<10	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK		<0.005														
BLANK			<0.2	<0.01	2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20
DUPLICATES																
ORIGINAL			<0.2	1.99	<2	<10	60	<0.5	<2	<0.01	<0.5	1	10	52	3.53	10
DUP			<0.2	2.02	<2	<10	60	<0.5	<2	<0.01	<0.5	1	10	56	3.50	10
Target Range - Lower Bound			<0.2	1.88	<2	<10	40	<0.5	<2	<0.01	<0.5	<1	8	49	3.32	<10
Upper Bound			0.4	2.13	4	20	80	1.0	4	0.02	1.0	2	13	59	3.71	20
ORIGINAL			2.0	0.91	3	<10	50	<0.5	<2	2.76	<0.5	12	2	1510	2.99	<10
DUP			1.6	0.85	4	<10	60	<0.5	<2	2.73	<0.5	13	2	1510	2.87	<10
Target Range - Lower Bound			1.3	0.82	<2	<10	30	<0.5	<2	2.59	<0.5	10	<1	1435	2.76	<10
Upper Bound			2.3	0.94	4	20	80	1.0	4	2.90	1.0	15	4	1590	3.10	20
ORIGINAL		0.036														
DUP		0.034														
Target Range - Lower Bound		0.023														
Upper Bound		0.047														

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06047794

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	10	<2	<0.01	2	<1	<1	<0.01
BLANK		<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<1	<0.01	<10	<0.01	<5	<1	<0.01	1	<10	<2	<0.01	2	<1	<1	<0.01
BLANK		<1	<0.01	<10	<0.01	<5	<1	<0.01	1	<10	<2	0.01	<2	<1	<1	<0.01
BLANK		<1	<0.01	<10	<0.01	<5	<1	0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK																
BLANK		<1	<0.01	<10	<0.01	<5	1	<0.01	1	<10	<2	<0.01	<2	<1	<1	<0.01
Target Range - Lower Bound		<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		2	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02
DUPLICATES																
ORIGINAL		<1	0.03	10	0.01	65	1	0.01	3	220	8	0.01	<2	2	2	0.01
DUP		<1	0.03	10	0.01	64	1	0.01	2	220	7	0.02	<2	2	2	0.01
Target Range - Lower Bound		<1	<0.01	<10	<0.01	51	<1	<0.01	<1	190	3	<0.01	<2	<1	<1	<0.01
Upper Bound		2	0.05	20	0.02	78	2	0.02	5	250	12	0.02	4	4	4	0.02
ORIGINAL		<1	0.42	10	0.85	665	24	0.02	3	1540	93	1.94	3	2	102	0.01
DUP		<1	0.43	10	0.80	636	23	0.02	3	1440	90	1.82	<2	2	94	0.01
Target Range - Lower Bound		<1	0.38	<10	0.76	608	20	<0.01	<1	1400	83	1.77	<2	<1	91	<0.01
Upper Bound		2	0.47	20	0.89	693	27	0.04	5	1580	100	1.99	4	4	105	0.02
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06047794

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
				BLANKS		
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	4
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK		<10	<10	<1	<10	<2
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4
				DUPLICATES		
ORIGINAL		<10	10	22	<10	4
DUP		<10	10	21	<10	4
Target Range - Lower Bound		<10	<10	18	<10	<2
Upper Bound		20	20	25	20	8
ORIGINAL		<10	<10	20	<10	49
DUP		10	<10	21	<10	49
Target Range - Lower Bound		<10	<10	17	<10	43
Upper Bound		20	20	24	20	55
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06047794

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
ORIGINAL		0.012														
DUP		0.013														
Target Range - Lower Bound		<0.005														
Upper Bound		0.023														
ORIGINAL		1.535														
DUP		1.400														
Target Range - Lower Bound		1.385														
Upper Bound		1.550														
ORIGINAL		0.036														
DUP		0.037														
Target Range - Lower Bound		0.025														
Upper Bound		0.048														
B088002		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B088013			0.2	1.08	5	<10	110	<0.5	<2	0.06	<0.5	2	12	16	1.12	10
DUP			<0.2	0.93	5	<10	100	<0.5	<2	0.06	<0.5	2	10	15	1.03	<10
Target Range - Lower Bound			<0.2	0.93	<2	<10	80	<0.5	<2	0.04	<0.5	<1	8	13	1.00	<10
Upper Bound			0.4	1.08	9	20	130	1.0	4	0.08	1.0	4	14	18	1.15	20
B088027		<0.005														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B088203			<0.2	1.30	14	<10	140	<0.5	<2	0.09	<0.5	6	28	14	2.22	10
DUP			<0.2	1.30	16	<10	140	<0.5	<2	0.08	<0.5	5	28	15	2.25	10
Target Range - Lower Bound			<0.2	1.22	10	<10	110	<0.5	<2	0.06	<0.5	3	25	12	2.10	<10
Upper Bound			0.4	1.39	20	20	170	1.0	4	0.11	1.0	8	31	17	2.37	20
B088357			<0.2	2.08	40	<10	200	0.9	<2	0.09	<0.5	12	43	28	3.47	10
DUP			<0.2	1.96	34	<10	180	0.9	<2	0.08	<0.5	11	41	26	3.26	10
Target Range - Lower Bound			<0.2	1.90	31	<10	160	<0.5	<2	0.06	<0.5	9	38	24	3.18	<10
Upper Bound			0.4	2.14	43	20	220	1.0	4	0.11	1.0	14	46	30	3.55	20

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06047794

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B088002																
DUP																
Target Range - Lower Bound																
Upper Bound																
B088013		<1	0.05	20	0.06	55	<1	0.01	4	760	128	0.02	<2	<1	9	<0.01
DUP		<1	0.05	20	0.04	51	<1	0.01	3	730	116	0.01	<2	<1	8	<0.01
Target Range - Lower Bound		<1	0.03	<10	0.03	40	<1	<0.01	<1	690	112	<0.01	<2	<1	6	<0.01
Upper Bound		2	0.07	40	0.07	66	2	0.02	6	800	132	0.02	4	2	11	0.02
B088027																
DUP																
Target Range - Lower Bound																
Upper Bound																
B088203		1	0.07	10	0.39	114	<1	<0.01	17	310	13	0.01	<2	1	11	0.04
DUP		<1	0.07	10	0.39	116	1	<0.01	22	310	9	0.02	<2	1	11	0.04
Target Range - Lower Bound		<1	0.05	<10	0.35	99	<1	<0.01	17	270	6	<0.01	<2	<1	8	0.02
Upper Bound		2	0.09	20	0.43	131	2	0.02	22	350	16	0.02	4	2	14	0.06
B088357		1	0.15	20	0.64	323	<1	<0.01	37	480	15	0.02	2	2	14	0.07
DUP		2	0.14	20	0.60	304	1	0.01	40	450	16	0.02	<2	2	14	0.07
Target Range - Lower Bound		<1	0.12	<10	0.57	288	<1	<0.01	35	420	11	<0.01	<2	<1	11	0.05
Upper Bound		2	0.17	40	0.67	339	2	0.02	42	510	20	0.04	4	4	17	0.09

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06047794

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
DUPLICATES						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
B088002						
DUP						
Target Range - Lower Bound						
Upper Bound						
B088013		<10	<10	26	<10	28
DUP		<10	<10	23	<10	25
Target Range - Lower Bound		<10	<10	21	<10	21
Upper Bound		20	20	28	20	32
B088027						
DUP						
Target Range - Lower Bound						
Upper Bound						
B088203		<10	<10	48	<10	41
DUP		<10	<10	48	<10	41
Target Range - Lower Bound		<10	<10	44	<10	35
Upper Bound		20	20	52	20	47
B088357		<10	<10	57	<10	83
DUP		<10	<10	54	<10	79
Target Range - Lower Bound		<10	<10	51	<10	73
Upper Bound		20	20	60	20	89

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06047794

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
DUPLICATES																
B088412		0.007	<0.2	1.64	30	<10	320	0.7	<2	0.14	<0.5	17	31	21	2.89	10
DUP			<0.2	1.67	30	<10	320	0.7	<2	0.14	<0.5	18	32	22	2.89	10
Target Range - Lower Bound			<0.2	1.55	25	<10	280	<0.5	<2	0.11	<0.5	15	28	18	2.73	<10
Upper Bound			0.4	1.76	36	20	360	1.0	4	0.17	1.0	20	35	25	3.05	20
B088453			0.2	2.26	97	<10	250	0.7	<2	0.77	<0.5	16	66	54	3.53	10
DUP			<0.2	2.15	97	<10	240	0.7	<2	0.74	<0.5	16	63	52	3.38	10
Target Range - Lower Bound			<0.2	2.07	88	<10	210	<0.5	<2	0.70	<0.5	13	59	48	3.26	<10
Upper Bound			0.4	2.34	106	20	280	1.0	4	0.81	1.0	19	70	58	3.65	20
B088504			0.6	1.02	33	<10	100	<0.5	<2	0.78	<0.5	23	18	67	4.51	<10
DUP			0.6	0.95	30	<10	90	<0.5	<2	0.73	0.5	22	17	64	4.34	<10
Target Range - Lower Bound			<0.2	0.92	26	<10	70	<0.5	<2	0.70	<0.5	19	15	60	4.18	<10
Upper Bound			1.0	1.05	37	20	120	1.0	4	0.81	1.0	26	20	71	4.67	20
ORIGINAL			<0.2	2.90	4	<10	130	0.5	<2	1.52	<0.5	12	6	41	5.93	10
DUP			<0.2	2.70	4	<10	120	0.5	<2	1.42	<0.5	10	6	34	5.61	10
Target Range - Lower Bound			<0.2	2.64	<2	<10	100	<0.5	<2	1.38	<0.5	8	4	34	5.46	<10
Upper Bound			0.4	2.96	8	20	150	1.0	4	1.56	1.0	14	8	41	6.08	20
ORIGINAL		0.018														
DUP		0.015														
Target Range - Lower Bound		0.006														
Upper Bound		0.027														
ORIGINAL		>10.0														
DUP		>10.0														
Target Range - Lower Bound		9.49														
Upper Bound		10.00														

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06047794

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
B088412		<1	0.12	20	0.40	484	1	0.01	25	640	15	0.03	2	2	16	0.05
DUP		<1	0.13	20	0.41	472	1	0.02	25	620	14	0.03	2	2	16	0.06
Target Range - Lower Bound		<1	0.10	<10	0.36	444	<1	<0.01	22	580	10	<0.01	<2	<1	13	0.03
Upper Bound		2	0.15	40	0.45	512	2	0.02	28	680	19	0.05	4	4	19	0.08
B088453		<1	0.32	20	1.02	432	1	0.05	73	840	15	0.04	3	6	78	0.11
DUP		<1	0.31	20	0.97	414	1	0.05	69	820	13	0.04	2	5	73	0.11
Target Range - Lower Bound		<1	0.28	<10	0.93	392	<1	0.03	65	770	9	0.02	<2	3	70	0.08
Upper Bound		2	0.35	40	1.06	454	2	0.07	77	890	19	0.06	4	6	81	0.14
B088504		1	0.05	20	0.39	832	1	<0.01	46	480	78	0.03	6	3	37	0.01
DUP		<1	0.04	20	0.36	827	1	<0.01	42	450	74	0.04	6	2	34	0.01
Target Range - Lower Bound		<1	0.02	<10	0.34	778	<1	<0.01	40	420	68	<0.01	<2	<1	32	<0.01
Upper Bound		2	0.07	40	0.41	881	2	0.02	48	510	84	0.06	10	5	39	0.02
ORIGINAL		<1	1.20	10	1.77	441	1	0.21	9	1770	7	0.85	<2	17	57	0.42
DUP		1	1.13	10	1.68	400	1	0.20	8	1670	3	0.80	<2	16	53	0.38
Target Range - Lower Bound		<1	1.09	<10	1.62	389	<1	0.17	6	1610	<2	0.76	<2	14	50	0.36
Upper Bound		2	1.24	20	1.83	452	2	0.24	11	1830	9	0.89	4	19	60	0.44
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06047794

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
DUPLICATES						
B088412		<10	<10	47	<10	53
DUP		<10	<10	48	<10	54
Target Range - Lower Bound		<10	<10	43	<10	47
Upper Bound		20	20	52	20	60
B088453		<10	<10	71	<10	79
DUP		<10	<10	68	<10	75
Target Range - Lower Bound		<10	<10	64	<10	69
Upper Bound		20	20	75	20	85
B088504		<10	<10	24	<10	124
DUP		<10	<10	22	<10	120
Target Range - Lower Bound		<10	<10	20	<10	112
Upper Bound		20	20	26	20	132
ORIGINAL		<10	<10	197	<10	49
DUP		<10	<10	187	<10	39
Target Range - Lower Bound		<10	<10	180	<10	38
Upper Bound		20	20	204	20	50
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 11-JUN-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06050291

Project: Dublin Gulch 1735

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 5-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 11-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06050291

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
STANDARDS																
BM-9/A			16.0	3.96	27	210	0.9	124	0.23	25.5	105	360	5650	4.42	0.13	0.84
BM-9/A			13.4	3.46	25	210	0.9	106	0.21	23.9	91	342	5170	4.03	0.12	0.75
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			3.9	5.26	463	2360	1.2	<2	0.60	6.2	22	96	284	3.78	1.30	0.74
G2000			3.7	5.20	495	2370	1.3	<2	0.59	6.4	23	104	301	3.80	1.38	0.74
G2000			3.9	5.09	488	2310	1.3	<2	0.58	6.0	24	103	293	3.89	1.32	0.73
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.16	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.44	0.85
GBM999-5			62.9	4.87	<5	170	1.2	<2	0.09	<0.5	3	4	459	3.00	3.66	0.03
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	436	2.67	3.10	0.02
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	536	3.29	3.81	0.04
OXD43		0.403														
OXD43		0.410														
OXD43		0.397														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxF41		0.792														
OxF41		0.845														
Target Range - Lower Bound		0.753														
Upper Bound		0.877														
OxG46		1.020														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.850														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.46														
ST-259		2.50														
ST-259		2.47														
ST-259		2.40														
ST-259		2.45														
ST-259		2.51														
ST-259		2.42														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLE B366008**

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 11-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06050291

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS														
BM-9/A		673	3	0.51	386	100	6730	1.47	10	97	0.09	23	<10	8250
BM-9/A		615	4	0.43	352	80	6230	1.30	6	83	0.08	20	<10	8040
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		547	6	0.15	274	960	644	0.27	34	122	0.35	102	10	1250
G2000		548	5	0.14	294	950	643	0.27	32	120	0.37	109	20	1345
G2000		579	6	0.13	284	960	671	0.26	31	116	0.35	106	10	1240
Target Range - Lower Bound		506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
GBM999-5		64	3	0.99	4	50	517	0.30	8	20	0.02	7	<10	112
Target Range - Lower Bound		54	2	0.85	2	40	471	0.26	<5	15	<0.01	5	<10	106
Upper Bound		78	4	1.07	5	70	580	0.34	10	21	0.03	9	20	134
OXD43														
OXD43														
OXD43														
Target Range - Lower Bound														
Upper Bound														
OxF41														
OxF41														
Target Range - Lower Bound														
Upper Bound														
OxG46														
Target Range - Lower Bound														
Upper Bound														
SI15														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLE B366008**

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 11-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06050291

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.005														
DUP		0.015														
Target Range - Lower Bound		<0.005														
Upper Bound		0.021														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLE B366008**

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 11-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06050291

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
BLANKS														
BLANK														
BLANK														
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK														
BLANK														
BLANK														
BLANK														
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLE B366008**

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 11-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06050291

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.061														
DUP		0.056														
Target Range - Lower Bound		0.046														
Upper Bound		0.071														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B366010		0.093	<0.5	7.06	104	550	2.5	<2	0.52	<0.5	55	1130	371	8.20	2.24	0.57
DUP			<0.5	7.01	113	540	2.5	3	0.52	<0.5	54	1085	368	8.10	2.21	0.57
Target Range - Lower Bound			<0.5	6.66	93	500	1.4	<2	0.47	<0.5	50	1050	349	7.72	2.09	0.52
Upper Bound			1.0	7.41	124	590	3.6	4	0.57	1.0	59	1165	390	8.58	2.36	0.62
B366046			1.2	8.00	766	720	2.0	6	0.38	<0.5	13	69	96	4.71	3.49	0.78
DUP			1.3	8.23	869	680	2.0	5	0.40	<0.5	13	64	99	4.78	3.58	0.80
Target Range - Lower Bound			<0.5	7.69	767	650	0.9	<2	0.35	<0.5	10	61	91	4.49	3.34	0.73
Upper Bound			2.3	8.54	868	760	3.1	10	0.43	1.0	16	72	104	5.00	3.73	0.85
B366082			<0.5	3.82	20	220	0.8	<2	0.06	<0.5	8	30	27	1.54	1.36	0.16
DUP			<0.5	3.90	18	230	0.7	<2	0.07	<0.5	8	28	27	1.58	1.32	0.16
Target Range - Lower Bound			<0.5	3.65	8	190	<0.5	<2	0.04	<0.5	6	26	24	1.46	1.25	0.13
Upper Bound			1.0	4.07	30	260	1.0	4	0.09	1.0	10	32	30	1.66	1.43	0.19

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLE B366008**

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 11-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06050291

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
B366010		366	7	0.12	475	340	142	0.03	11	52	0.25	90	40	605
DUP		361	7	0.12	470	340	136	0.02	14	51	0.28	88	30	604
Target Range - Lower Bound		335	5	0.09	447	300	128	<0.01	<5	47	0.23	83	<10	570
Upper Bound		392	9	0.15	498	380	150	0.05	23	56	0.30	95	60	639
B366046		325	<1	0.08	43	420	71	2.00	15	36	0.32	93	10	107
DUP		332	<1	0.08	42	450	82	2.00	10	38	0.33	95	20	113
Target Range - Lower Bound		302	<1	0.06	38	390	69	1.88	<5	33	0.29	87	<10	101
Upper Bound		355	2	0.10	47	480	84	2.12	23	41	0.36	101	20	120
B366082		190	1	0.02	15	100	4	0.29	<5	10	0.10	25	<10	8
DUP		196	2	0.02	14	110	6	0.29	<5	10	0.09	25	<10	10
Target Range - Lower Bound		173	<1	<0.01	12	80	<2	0.26	<5	8	0.07	22	<10	5
Upper Bound		213	2	0.04	17	130	9	0.32	10	13	0.12	28	20	13

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLE B366008**

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 11-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06050291

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
B366088		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B366108		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B366128		<0.005														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLE B366008**

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 11-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06050291

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
B366088														
DUP														
Target Range - Lower Bound														
Upper Bound														
B366108														
DUP														
Target Range - Lower Bound														
Upper Bound														
B366128														
DUP														
Target Range - Lower Bound														
Upper Bound														

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLE B366008**

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-JUN-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06050292

Project: Dublin Gulch1735

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 5-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06050292

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
STANDARDS																
BM-9/A			13.4	3.46	25	210	0.9	106	0.21	23.9	91	342	5170	4.03	0.12	0.75
BM-9/A			14.0	3.48	12	200	0.9	111	0.21	23.8	95	360	5080	4.11	0.12	0.76
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			3.9	5.09	488	2310	1.3	<2	0.58	6.0	24	103	293	3.89	1.32	0.73
G2000			3.7	5.07	499	2330	1.4	3	0.59	6.3	24	110	290	3.86	1.32	0.73
G2000			4.5	5.13	499	2410	1.3	2	0.59	6.4	23	108	301	3.87	1.32	0.73
G2000			4.2	5.11	468	2330	1.3	<2	0.58	6.7	24	97	297	3.79	1.30	0.73
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.16	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.44	0.85
GBM999-5			59.7	4.68	9	170	1.2	<2	0.09	<0.5	3	5	472	2.96	3.66	0.03
GBM999-5			58.5	4.80	<5	170	1.3	<2	0.09	<0.5	2	8	475	3.02	3.61	0.03
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	436	2.67	3.10	0.02
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	536	3.29	3.81	0.04
OXD43		0.408														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxF41		0.792														
OxF41		0.845														
Target Range - Lower Bound		0.753														
Upper Bound		0.877														
SI15		1.850														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.50														
ST-259		2.47														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.76														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06050292

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS														
BM-9/A		615	4	0.43	352	80	6230	1.30	6	83	0.08	20	<10	8040
BM-9/A		632	4	0.43	355	90	6240	1.32	8	85	0.08	19	<10	7730
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		579	6	0.13	284	960	671	0.26	31	116	0.35	106	10	1240
G2000		575	6	0.13	287	970	671	0.26	33	114	0.35	106	10	1285
G2000		577	6	0.13	295	960	685	0.26	34	116	0.35	109	10	1285
G2000		564	3	0.14	287	960	673	0.26	31	114	0.36	100	10	1275
Target Range - Lower Bound		506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
GBM999-5		66	4	0.92	5	40	518	0.29	<5	18	0.02	5	<10	110
GBM999-5		69	2	0.97	3	40	532	0.29	<5	20	0.02	6	<10	114
Target Range - Lower Bound		54	2	0.85	2	40	471	0.26	<5	15	<0.01	5	<10	106
Upper Bound		78	4	1.07	5	70	580	0.34	10	21	0.03	9	20	134
OXD43														
Target Range - Lower Bound														
Upper Bound														
OxF41														
OxF41														
Target Range - Lower Bound														
Upper Bound														
SI15														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														
ST-327														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06050292

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B366082			<0.5	3.82	20	220	0.8	<2	0.06	<0.5	8	30	27	1.54	1.36	0.16
DUP			<0.5	3.90	18	230	0.7	<2	0.07	<0.5	8	28	27	1.58	1.32	0.16
Target Range - Lower Bound			<0.5	3.65	8	190	<0.5	<2	0.04	<0.5	6	26	24	1.46	1.25	0.13
Upper Bound			1.0	4.07	30	260	1.0	4	0.09	1.0	10	32	30	1.66	1.43	0.19
B366088		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B366108		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06050292

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
BLANKS														
BLANK														
BLANK														
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK														
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
B366082		190	1	0.02	15	100	4	0.29	<5	10	0.10	25	<10	8
DUP		196	2	0.02	14	110	6	0.29	<5	10	0.09	25	<10	10
Target Range - Lower Bound		173	<1	<0.01	12	80	<2	0.26	<5	8	0.07	22	<10	5
Upper Bound		213	2	0.04	17	130	9	0.32	10	13	0.12	28	20	13
B366088														
DUP														
Target Range - Lower Bound														
Upper Bound														
B366108														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06050292

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
B366118			<0.5	8.85	73	890	2.0	4	0.20	<0.5	16	79	40	3.27	3.21	0.37
DUP			<0.5	8.55	83	850	1.9	2	0.19	<0.5	15	74	41	3.07	3.12	0.36
Target Range - Lower Bound			<0.5	8.25	64	810	0.9	<2	0.17	<0.5	13	71	36	2.99	2.99	0.33
Upper Bound			1.0	9.16	92	930	3.0	4	0.22	1.0	18	82	45	3.35	3.34	0.40
B366128		<0.005														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B366154			2.2	2.62	18	230	0.6	<2	0.05	2.0	3	28	6	1.36	1.13	0.12
DUP			2.0	2.67	13	230	0.6	<2	0.05	2.1	2	30	6	1.37	1.12	0.12
Target Range - Lower Bound			1.0	2.49	<5	200	<0.5	<2	0.03	0.9	<1	26	4	1.28	1.05	0.09
Upper Bound			3.2	2.80	26	260	1.0	4	0.07	3.2	5	32	8	1.45	1.20	0.15
B366166		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B366186		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B366190			0.7	6.96	7	1980	2.9	<2	4.47	<0.5	19	130	86	4.94	3.10	2.83
DUP			0.7	6.80	7	1930	3.2	<2	4.30	<0.5	22	130	94	4.83	3.30	2.76
Target Range - Lower Bound			<0.5	6.52	<5	1840	1.9	<2	4.15	<0.5	17	122	84	4.62	3.02	2.64
Upper Bound			1.0	7.24	10	2070	4.2	4	4.62	1.0	24	139	97	5.15	3.38	2.95

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06050292

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
		DUPLICATES												
B366118		381	2	0.09	40	400	8	0.60	7	64	0.33	85	10	43
DUP		365	2	0.09	40	400	8	0.58	7	61	0.32	81	20	37
	Target Range - Lower Bound	344	<1	0.07	36	360	4	0.54	<5	57	0.29	77	<10	34
	Upper Bound	402	4	0.11	44	440	12	0.64	10	68	0.36	89	20	46
B366128														
DUP														
	Target Range - Lower Bound													
	Upper Bound													
B366154		584	<1	0.02	9	90	669	0.18	6	8	0.12	19	<10	487
DUP		592	<1	0.02	8	90	679	0.18	6	8	0.12	19	<10	480
	Target Range - Lower Bound	549	<1	<0.01	6	70	636	0.15	<5	6	0.09	16	<10	455
	Upper Bound	627	2	0.04	11	110	712	0.21	10	10	0.15	22	20	512
B366166														
DUP														
	Target Range - Lower Bound													
	Upper Bound													
B366186														
DUP														
	Target Range - Lower Bound													
	Upper Bound													
B366190		1055	10	2.22	62	2240	24	0.28	<5	1560	0.37	146	<10	83
DUP		1025	11	2.16	65	2170	25	0.28	<5	1525	0.39	158	<10	90
	Target Range - Lower Bound	978	8	2.06	58	2070	19	0.25	<5	1465	0.34	142	<10	78
	Upper Bound	1100	13	2.32	69	2340	30	0.31	10	1620	0.42	162	20	95

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-JUN-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06050293

Project: Dublin Gulch1735

P.O. No.:

This report is for 54 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 5-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Zn-AA62	Ore grade Zn - four acid / AAS	AAS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06050293

Sample Description	Method	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
STANDARDS																
BM-9/A				14.7	3.74	29	210	0.9	110	0.24	27.0	108	384	5630	4.42	0.13
Target Range - Lower Bound				11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10
Upper Bound				15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14
G2000				3.8	5.09	476	2410	1.3	<2	0.60	6.9	23	102	309	3.93	1.31
G2000				3.7	5.31	500	2460	1.3	<2	0.63	7.5	23	106	306	4.05	1.29
G2000				3.5	5.04	500	2500	1.3	<2	0.64	7.0	24	101	308	4.03	1.28
Target Range - Lower Bound				2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.16
Upper Bound				4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.44
GBM398-4c																
Target Range - Lower Bound																
Upper Bound																
GBM399-5																
Target Range - Lower Bound																
Upper Bound																
GBM999-5				53.2	4.42	6	170	1.2	<2	0.10	<0.5	4	5	470	2.92	3.42
Target Range - Lower Bound				53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	436	2.67	3.10
Upper Bound				65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	536	3.29	3.81
OxF41		0.799														
OxF41		0.792														
Target Range - Lower Bound		0.753														
Upper Bound		0.877														
SI15		1.770														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
SQ27			51.3													
Target Range - Lower Bound			46.8													
Upper Bound			54.0													
ST-259		2.41														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327			6.66													
Target Range - Lower Bound			6.30													
Upper Bound			7.36													

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06050293

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Zn-AA62 Zn % 0.01
STANDARDS																
BM-9/A		0.83	651	3	0.48	382	100	6690	1.45	12	91	0.09	22	<10	8240	
Target Range - Lower Bound		0.72	561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350	
Upper Bound		0.90	697	5	0.54	404	120	7310	1.57	10	99		26	20	8990	
G2000		0.75	578	5	0.15	283	980	689	0.27	36	116	0.36	104	10	1285	
G2000		0.75	594	7	0.15	289	1040	683	0.27	33	122	0.35	102	10	1335	
G2000		0.76	579	5	0.14	299	1040	706	0.27	31	115	0.36	108	20	1340	
Target Range - Lower Bound		0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130	
Upper Bound		0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385	
GBM398-4c																0.53
Target Range - Lower Bound																0.48
Upper Bound																0.54
GBM399-5																0.93
Target Range - Lower Bound																0.91
Upper Bound																0.99
GBM999-5		0.04	64	4	0.86	4	50	509	0.28	6	19	0.02	7	<10	113	
Target Range - Lower Bound		0.02	54	2	0.85	2	40	471	0.26	<5	15	<0.01	5	<10	106	
Upper Bound		0.04	78	4	1.07	5	70	580	0.34	10	21	0.03	9	20	134	
OxF41																
OxF41																
Target Range - Lower Bound																
Upper Bound																
SI15																
Target Range - Lower Bound																
Upper Bound																
SQ27																
Target Range - Lower Bound																
Upper Bound																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06050293

Sample Description	Method	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
BLANKS																
BLANK		<0.005														
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	<0.01	<0.01
BLANK		<0.005														
BLANK		<0.005														
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK																
BLANK			<0.05													
Target Range - Lower Bound		<0.005	<0.05	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
Upper Bound		0.010	0.10	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02
DUPLICATES																
ORIGINAL				0.5	8.03	<5	1990	1.4	<2	2.72	<0.5	9	68	39	5.77	4.61
DUP				0.5	7.47	5	1910	1.3	<2	2.64	0.6	8	65	37	5.57	4.37
Target Range - Lower Bound				<0.5	7.34	<5	1830	<0.5	<2	2.53	<0.5	6	61	34	5.37	4.25
Upper Bound				1.0	8.16	10	2070	2.4	4	2.83	1.0	11	72	42	5.97	4.73
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL			<0.05													
DUP			<0.05													
Target Range - Lower Bound			<0.05													
Upper Bound			0.10													
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06050293

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.01
BLANKS																
BLANK																
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK		<0.01	<5	1	<0.01	1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2	
BLANK																
BLANK																
BLANK		<0.01	<5	<1	<0.01	<1	10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK																<0.01
BLANK																
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4	0.02
DUPLICATES																
ORIGINAL		0.84	1590	<1	2.20	25	1710	11	0.19	11	163	0.48	134	<10	123	
DUP		0.79	1535	<1	2.06	21	1640	11	0.20	12	151	0.46	128	<10	117	
Target Range - Lower Bound		0.75	1475	<1	2.00	20	1570	6	0.17	<5	147	0.43	122	<10	110	
Upper Bound		0.88	1650	2	2.26	26	1780	16	0.22	22	167	0.51	140	20	130	
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																1.72
DUP																1.73
Target Range - Lower Bound																1.66
Upper Bound																1.79
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06050293

Sample Description	Method	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
DUPLICATES																
C081010				0.7	6.94	16	2080	3.2	<2	4.86	<0.5	24	146	98	5.16	3.44
DUP				<0.5	6.89	11	2060	3.4	<2	4.82	<0.5	24	138	97	5.13	3.37
Target Range - Lower Bound				<0.5	6.55	<5	1950	2.1	<2	4.58	<0.5	21	133	91	4.87	3.21
Upper Bound				1.0	7.28	24	2190	4.5	4	5.10	1.0	27	151	104	5.42	3.60
C081046				<0.5	7.91	15	1420	3.3	5	3.14	0.5	8	51	87	2.89	3.77
DUP				0.7	7.26	25	1290	3.0	4	2.85	<0.5	7	39	80	2.64	3.45
Target Range - Lower Bound				<0.5	7.19	9	1270	2.0	<2	2.83	<0.5	5	41	77	2.61	3.41
Upper Bound				1.0	7.98	31	1440	4.3	9	3.16	1.0	10	49	90	2.92	3.81
ORIGINAL			<0.05													
DUP			<0.05													
Target Range - Lower Bound			<0.05													
Upper Bound			0.10													

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06050293

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.01
DUPLICATES																
C081010		2.94	1055	11	2.29	62	2380	28	0.31	<5	1650	0.38	166	<10	94	
DUP		2.93	1045	11	2.28	66	2340	24	0.31	10	1635	0.37	162	<10	94	
Target Range - Lower Bound		2.77	988	8	2.15	59	2220	21	0.27	<5	1560	0.34	154	<10	85	
Upper Bound		3.10	1115	14	2.42	69	2500	31	0.35	10	1725	0.41	174	20	103	
C081046		1.05	450	2	1.33	17	660	124	0.28	<5	433	0.29	47	10	118	
DUP		0.96	410	2	1.23	15	620	118	0.26	<5	391	0.27	43	<10	108	
Target Range - Lower Bound		0.93	399	<1	1.20	13	590	111	0.24	<5	389	0.25	41	<10	103	
Upper Bound		1.08	462	4	1.36	19	690	131	0.30	10	435	0.31	49	20	123	
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-JUL-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06055450

Project: Dublin Gulch1735

P.O. No.:

This report is for 294 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 19-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

J: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
STANDARDS																
BM-9/A					13.9	3.70	27	200	0.9	114	0.22	26.9	100	371	5380	4.39
BM-9/A					14.3	3.81	22	220	1.0	118	0.23	26.7	103	368	5800	4.33
BM-9/A					14.2	3.85	22	220	1.0	122	0.23	27.9	105	363	5730	4.54
BM-9/A					13.1	3.55	26	200	0.9	112	0.21	25.7	98	370	5430	4.23
BM-9/A					13.1	3.57	17	210	0.9	113	0.22	26.5	102	343	5260	4.30
BM-9/A					15.7	3.70	30	210	1.0	119	0.23	27.3	103	390	5470	4.33
Target Range - Lower Bound					11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73
Upper Bound					15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59
G2000					4.4	5.11	508	2380	1.3	<2	0.59	6.9	23	100	307	3.87
G2000					3.7	5.33	521	2460	1.4	<2	0.61	7.5	25	103	313	4.02
G2000					3.9	5.23	477	2440	1.3	<2	0.58	7.1	21	92	299	3.83
G2000					3.6	5.07	488	2340	1.3	<2	0.60	7.2	24	97	303	3.85
G2000					3.4	5.05	489	2400	1.3	<2	0.59	7.4	25	98	298	3.90
G2000					3.8	4.98	475	2410	1.3	<2	0.59	6.9	23	93	297	3.81
G2000					3.4	4.92	457	2310	1.3	<2	0.57	7.0	22	95	299	3.75
G2000					4.1	5.26	494	2450	1.3	<2	0.62	7.4	23	107	311	4.00
G2000					3.5	4.98	475	2380	1.3	<2	0.59	7.0	21	92	298	3.85
G2000					3.9	5.05	515	2380	1.3	2	0.61	7.5	24	100	302	3.81
Target Range - Lower Bound					2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41
Upper Bound					4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19
GBM999-5					59.3	4.89	<5	180	1.3	<2	0.12	<0.5	4	5	483	3.01
GBM999-5					57.8	4.80	<5	180	1.2	<2	0.10	<0.5	4	5	478	3.04
GBM999-5					63.9	4.76	<5	180	1.2	<2	0.10	<0.5	3	4	485	2.99
GBM999-5					58.4	4.86	5	180	1.2	<2	0.10	<0.5	4	6	481	3.05
Target Range - Lower Bound					53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	436	2.67
Upper Bound					65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	536	3.29
OXD43		0.409														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.060														
OxG46		1.065														
OxG46		1.030														
OxG46		1.070														
OxG46		1.080														
OxG46		1.040														
OxG46		1.015	1.015													
OxG46		1.080														
OxG46		1.015	1.015	1.015												

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS																
BM-9/A		0.12	0.79	666	3	0.46	379	100	6610	1.39	8	92	0.09	22	<10	8540
BM-9/A		0.12	0.83	661	4	0.50	379	100	6830	1.47	9	97	0.09	23	<10	8500
BM-9/A		0.13	0.84	667	4	0.50	398	110	6950	1.43	10	91	0.09	24	<10	8280
BM-9/A		0.12	0.79	612	3	0.47	361	90	6490	1.36	5	84	0.09	22	10	8070
BM-9/A		0.12	0.80	658	3	0.46	362	100	6640	1.40	5	85	0.09	22	<10	8350
BM-9/A		0.13	0.87	660	4	0.51	379	100	6900	1.48	11	94	0.09	23	<10	8260
Target Range - Lower Bound		0.10	0.72	561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		0.14	0.90	697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		1.26	0.72	563	5	0.14	284	1010	663	0.26	30	118	0.36	103	10	1290
G2000		1.33	0.75	594	5	0.15	289	1020	681	0.27	35	124	0.38	105	20	1375
G2000		1.28	0.74	577	6	0.16	274	1000	677	0.27	33	120	0.35	102	10	1275
G2000		1.28	0.74	555	6	0.14	282	990	674	0.25	28	112	0.34	103	10	1265
G2000		1.27	0.73	553	6	0.14	287	990	663	0.25	30	111	0.33	102	10	1260
G2000		1.26	0.74	563	4	0.15	288	940	682	0.26	34	110	0.35	103	10	1295
G2000		1.23	0.72	542	4	0.14	272	940	663	0.26	31	109	0.35	99	20	1245
G2000		1.29	0.77	588	6	0.15	287	1000	710	0.27	35	116	0.37	105	20	1280
G2000		1.23	0.73	575	4	0.14	276	960	687	0.27	33	110	0.35	101	20	1260
G2000		1.29	0.79	586	6	0.12	283	980	704	0.28	33	119	0.37	105	10	1280
Target Range - Lower Bound		1.16	0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	94	<10	1130
Upper Bound		1.44	0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	117	20	1385
GBM999-5		3.56	0.03	71	3	0.97	5	50	549	0.30	5	20	0.02	7	<10	116
GBM999-5		3.57	0.03	68	4	0.95	6	50	540	0.29	5	20	0.02	7	<10	118
GBM999-5		3.56	0.03	68	4	0.92	2	40	555	0.30	6	19	0.02	6	<10	119
GBM999-5		3.55	0.04	65	4	0.97	2	60	542	0.30	5	20	0.02	7	10	113
Target Range - Lower Bound		3.10	0.02	54	2	0.85	2	40	471	0.26	<5	15	<0.01	5	<10	106
Upper Bound		3.81	0.04	78	4	1.07	5	70	580	0.34	10	21	0.03	9	20	134
OXD43																
Target Range - Lower Bound																
Upper Bound																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
STANDARDS																
Target Range - Lower Bound		0.959	0.959	0.959												
Upper Bound		1.115	1.115	1.115												
SI15		1.810														
SI15		1.780														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.46														
ST-259		2.51														
ST-259		2.51														
ST-259		2.40														
ST-259		2.44														
ST-259		2.18														
ST-259		2.44														
ST-259		2.40														
ST-259		2.40														
ST-259		2.51														
ST-259		2.54	2.54													
ST-259		2.47														
ST-259		2.51	2.51	2.51												
Target Range - Lower Bound		2.30	2.30	2.30												
Upper Bound		2.66	2.66	2.66												
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK					<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01
BLANK					<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01
BLANK					<0.5	<0.01	<5	<10	<0.5	2	<0.01	<0.5	<1	<1	<1	<0.01
BLANK					<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01
BLANK					<0.5	<0.01	<5	<10	<0.5	2	<0.01	<0.5	1	<1	<1	<0.01
BLANK					<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01
BLANK					<0.5	<0.01	5	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	<0.01
BLANK					<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.5	<1	1	<1	<0.01
BLANK					<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	<0.01

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS																
Target Range - Lower Bound																
Upper Bound																
SI15																
SI15																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	<1	<0.01	2	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	4	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005	<0.005													
BLANK		<0.005														
BLANK					<0.5	0.01	6	<10	<0.5	<2	<0.01	0.7	<1	<1	1	<0.01
BLANK		<0.005	<0.005	<0.005												
	Target Range - Lower Bound	<0.005	<0.005	<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01
	Upper Bound	0.010	0.010	0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02
DUPLICATES																
ORIGINAL		0.013														
DUP		0.011														
	Target Range - Lower Bound	<0.005														
	Upper Bound	0.023														
ORIGINAL		0.009														
DUP		0.008														
	Target Range - Lower Bound	<0.005														
	Upper Bound	0.010														
ORIGINAL		0.019														
DUP		0.018														
	Target Range - Lower Bound	0.008														
	Upper Bound	0.029														
ORIGINAL		1.055														
DUP		1.020														
	Target Range - Lower Bound	0.976														
	Upper Bound	1.100														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<0.01	<0.01	<5	1	<0.01	1	<10	2	<0.01	<5	1	<0.01	1	<10	<2
BLANK																
Target Range - Lower Bound		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
DUPLICATES																
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL					<0.5	7.86	12	2650	2.5	<2	0.53	0.5	9	55	43	3.37
DUP					<0.5	7.71	8	2630	2.5	<2	0.50	0.7	8	51	42	3.35
Target Range - Lower Bound					<0.5	7.38	<5	2490	1.4	<2	0.47	<0.5	6	48	38	3.17
Upper Bound					1.0	8.19	21	2790	3.6	4	0.56	1.0	11	58	47	3.55
ORIGINAL		<0.005														
DUP		0.007														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.005														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.546														
DUP		0.531														
Target Range - Lower Bound		0.502														
Upper Bound		0.575														
ORIGINAL		0.073														
DUP		0.063														
Target Range - Lower Bound		0.055														
Upper Bound		0.081														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		3.46	1.50	268	5	0.72	33	450	22	0.04	<5	46	0.41	136	<10	93
DUP		3.37	1.49	264	4	0.68	30	450	27	0.04	<5	44	0.38	132	10	92
Target Range - Lower Bound		3.22	1.40	243	2	0.65	28	410	19	0.02	<5	41	0.36	125	<10	84
Upper Bound		3.61	1.59	289	7	0.76	35	490	30	0.06	10	49	0.43	143	20	101
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method	Au-AA24	Au-AA24	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au Check	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
DUPLICATES																
ORIGINAL		0.114														
DUP		0.123														
Target Range - Lower Bound		0.103														
Upper Bound		0.134														
C078010		0.874			2.8	7.68	12	440	0.7	<2	1.89	0.6	21	101	2010	5.07
DUP					2.5	7.87	8	450	0.7	<2	1.93	<0.5	21	102	2060	5.19
Target Range - Lower Bound					1.5	7.37	<5	400	<0.5	<2	1.79	<0.5	18	94	1930	4.85
Upper Bound					3.8	8.18	21	490	1.0	4	2.03	1.0	24	109	2140	5.41
C078046					<0.5	4.12	428	430	1.7	<2	1.41	<0.5	5	51	22	2.14
DUP					<0.5	3.98	411	420	1.7	<2	1.36	<0.5	6	47	22	2.07
Target Range - Lower Bound					<0.5	3.83	389	380	0.6	<2	1.30	<0.5	3	45	19	1.98
Upper Bound					1.0	4.27	450	470	2.8	4	1.47	1.0	8	53	25	2.23
C078057		0.056														
DUP		0.053														
Target Range - Lower Bound		0.042														
Upper Bound		0.067														
C078082					<0.5	3.66	26	340	1.1	<2	0.59	<0.5	3	31	6	1.21
DUP					<0.5	3.84	26	360	1.2	2	0.62	<0.5	3	32	6	1.28
Target Range - Lower Bound					<0.5	3.54	15	310	<0.5	<2	0.55	<0.5	<1	28	4	1.16
Upper Bound					1.0	3.96	37	390	2.2	4	0.66	1.0	5	35	8	1.33
C078088		0.035														
DUP		0.028														
Target Range - Lower Bound		0.020														
Upper Bound		0.043														
C078118					<0.5	7.32	147	1560	3.0	8	2.38	<0.5	7	33	46	2.57
DUP					<0.5	7.59	185	1600	3.1	10	2.41	<0.5	10	31	47	2.64
Target Range - Lower Bound					<0.5	7.06	148	1480	1.9	5	2.26	<0.5	6	28	42	2.45
Upper Bound					1.0	7.85	184	1680	4.2	13	2.53	1.0	11	36	51	2.76
C078128		0.083														
DUP		0.093														
Target Range - Lower Bound		0.074														
Upper Bound		0.102														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
C078010		1.67	1.28	420	2	2.96	50	670	14	0.62	5	202	0.30	87	<10	205
DUP		1.69	1.32	431	2	3.08	51	680	15	0.62	<5	209	0.31	88	10	207
Target Range - Lower Bound		1.58	1.22	394	<1	2.85	46	620	10	0.57	<5	193	0.27	81	<10	192
Upper Bound		1.78	1.39	457	4	3.19	55	730	19	0.67	10	218	0.34	94	20	220
C078046		1.51	0.42	241	<1	0.64	19	130	3	0.14	<5	111	0.20	31	350	15
DUP		1.48	0.41	233	<1	0.61	17	120	2	0.13	<5	108	0.19	31	330	15
Target Range - Lower Bound		1.40	0.37	215	<1	0.57	15	100	<2	0.11	<5	102	0.17	27	300	10
Upper Bound		1.59	0.46	259	2	0.68	21	150	4	0.16	10	117	0.22	35	380	20
C078057																
DUP																
Target Range - Lower Bound																
Upper Bound																
C078082		1.25	0.23	119	1	0.96	8	100	9	0.03	<5	77	0.17	26	10	14
DUP		1.34	0.24	125	1	1.01	10	110	10	0.03	<5	81	0.18	28	10	15
Target Range - Lower Bound		1.21	0.20	106	<1	0.92	7	80	5	<0.01	<5	73	0.15	24	<10	10
Upper Bound		1.38	0.27	138	2	1.05	11	130	14	0.05	10	85	0.20	30	20	19
C078088																
DUP																
Target Range - Lower Bound																
Upper Bound																
C078118		3.49	0.79	166	1	1.50	21	670	20	0.22	<5	436	0.30	37	20	20
DUP		3.57	0.80	169	1	1.50	26	700	15	0.22	<5	438	0.31	39	20	21
Target Range - Lower Bound		3.33	0.74	149	<1	1.41	20	630	13	0.19	<5	413	0.27	34	<10	15
Upper Bound		3.73	0.85	186	2	1.60	27	740	22	0.25	10	461	0.34	42	40	26
C078128																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
DUPLICATES																
C078154					<0.5	7.59	260	1390	2.9	7	1.88	<0.5	10	27	35	2.28
DUP					<0.5	7.38	269	1370	2.8	6	1.83	<0.5	8	28	33	2.22
Target Range - Lower Bound					<0.5	7.09	241	1290	1.7	<2	1.74	<0.5	7	24	30	2.12
Upper Bound					1.0	7.88	288	1470	4.0	11	1.97	1.0	11	31	38	2.38
C078186		0.022														
DUP		0.020														
Target Range - Lower Bound		0.010														
Upper Bound		0.032														
C078190					<0.5	7.07	1260	710	6.1	<2	0.01	<0.5	4	201	38	3.82
DUP					<0.5	6.81	1230	690	5.8	<2	0.02	<0.5	4	198	37	3.72
Target Range - Lower Bound					<0.5	6.57	1175	650	4.7	<2	<0.01	<0.5	2	188	34	3.56
Upper Bound					1.0	7.31	1315	760	7.2	4	0.02	1.0	6	211	41	3.98
C078206		0.104														
DUP		0.079														
Target Range - Lower Bound		0.077														
Upper Bound		0.106														
C078226					1.0	7.37	1435	1030	3.2	2	1.68	12.7	11	25	86	2.82
DUP					1.1	7.47	1545	1060	3.2	2	1.70	12.9	10	25	86	2.86
Target Range - Lower Bound					<0.5	7.03	1405	970	2.0	<2	1.59	11.2	8	22	80	2.68
Upper Bound					2.1	7.81	1575	1120	4.4	4	1.79	14.4	13	28	92	3.00
C078244		1.010														
DUP		1.145														
Target Range - Lower Bound		1.015														
Upper Bound		1.140														
C078262					<0.5	7.39	37	1550	2.9	<2	2.46	<0.5	8	31	29	2.31
DUP					<0.5	7.33	20	1550	2.8	<2	2.46	<0.5	7	34	29	2.29
Target Range - Lower Bound					<0.5	6.97	17	1450	1.7	<2	2.32	<0.5	5	29	26	2.17
Upper Bound					1.0	7.75	40	1650	4.0	4	2.60	1.0	10	36	32	2.44
C078264		0.082														
DUP		0.080														
Target Range - Lower Bound		0.067														
Upper Bound		0.095														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES																
C078154		3.86	0.53	164	1	1.12	23	640	22	0.22	12	306	0.29	35	20	23
DUP		3.73	0.52	160	2	1.09	21	640	19	0.21	10	291	0.28	34	30	25
Target Range - Lower Bound		3.59	0.48	144	<1	1.03	19	590	15	0.18	<5	282	0.25	31	<10	19
Upper Bound		4.00	0.57	180	2	1.18	25	690	26	0.25	22	315	0.32	38	50	29
C078186																
DUP																
Target Range - Lower Bound																
Upper Bound																
C078190		2.70	0.36	91	1	0.12	18	320	27	0.02	117	93	0.26	89	10	46
DUP		2.60	0.35	90	2	0.11	17	310	28	0.01	117	87	0.26	88	10	45
Target Range - Lower Bound		2.50	0.32	76	<1	0.09	15	280	22	<0.01	101	84	0.23	82	<10	39
Upper Bound		2.80	0.39	105	2	0.14	20	350	33	0.02	133	97	0.29	95	20	52
C078206																
DUP																
Target Range - Lower Bound																
Upper Bound																
C078226		3.33	0.80	276	<1	0.56	13	640	461	1.14	48	191	0.28	35	40	2200
DUP		3.34	0.82	281	<1	0.57	15	640	471	1.16	46	192	0.29	35	50	2200
Target Range - Lower Bound		3.15	0.75	255	<1	0.52	11	590	439	1.07	35	180	0.25	31	20	2090
Upper Bound		3.52	0.87	302	2	0.61	17	690	493	1.23	59	203	0.32	39	70	2310
C078244																
DUP																
Target Range - Lower Bound																
Upper Bound																
C078262		3.86	0.65	256	1	1.53	20	650	16	0.14	18	348	0.32	39	20	26
DUP		3.82	0.65	255	<1	1.51	23	670	18	0.14	23	345	0.32	40	20	27
Target Range - Lower Bound		3.63	0.60	233	<1	1.42	18	610	12	0.11	9	327	0.28	36	<10	21
Upper Bound		4.05	0.70	278	2	1.62	25	710	22	0.17	32	366	0.36	43	40	32
C078264																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method	Au-AA24	Au-AA24	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au Check	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
DUPLICATES																
ORIGINAL					2.2	8.43	<5	310	0.8	<2	3.51	<0.5	13	29	4460	4.27
DUP					2.0	8.35	<5	310	0.8	<2	3.55	<0.5	12	33	4350	4.28
Target Range - Lower Bound					1.0	7.95	<5	270	<0.5	<2	3.33	<0.5	10	27	4180	4.04
Upper Bound					3.2	8.83	10	350	1.0	4	3.73	1.0	15	35	4630	4.51
ORIGINAL		0.010														
DUP		0.009	0.009													
Target Range - Lower Bound		<0.005	<0.005													
Upper Bound		0.010	0.010													
ORIGINAL		0.430														
DUP		0.421	0.421													
Target Range - Lower Bound		0.394	0.390													
Upper Bound		0.457	0.452													
ORIGINAL		0.182														
DUP		0.176														
Target Range - Lower Bound		0.160														
Upper Bound		0.198														
ORIGINAL		1.700														
DUP		1.630														
Target Range - Lower Bound		1.570														
Upper Bound		1.760														
ORIGINAL		0.362														
DUP		0.363	0.363	0.363												
Target Range - Lower Bound		0.334	0.335	0.335												
Upper Bound		0.391	0.391	0.391												
ORIGINAL		<0.005														
DUP		0.006	0.006	0.006												
Target Range - Lower Bound		<0.005	<0.005	<0.005												
Upper Bound		0.010	0.010	0.010												
ORIGINAL		0.027														
DUP		0.023														
Target Range - Lower Bound		0.014														
Upper Bound		0.036														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055450

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES																
ORIGINAL		1.48	1.72	504	200	3.00	14	1150	15	0.68	6	264	0.41	161	10	62
DUP		1.43	1.68	506	203	2.90	12	1130	14	0.66	<5	256	0.41	158	20	64
Target Range - Lower Bound		1.36	1.60	470	189	2.78	10	1060	10	0.62	<5	245	0.37	150	<10	56
Upper Bound		1.55	1.81	540	214	3.12	16	1220	19	0.72	10	275	0.45	169	20	70
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 27-JUN-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06055451

Project: Dublin Gulch1735

P.O. No.:

This report is for 80 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 19-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 27-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055451

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
BM-9/A			14.5	3.44	30	190	0.9	111	0.21	26.2	92	350	5210	3.97	0.11	0.76
BM-9/A			14.6	3.69	30	210	0.9	118	0.24	28.1	103	343	5420	4.34	0.12	0.82
BM-9/A			15.1	3.84	26	220	1.0	118	0.25	27.5	101	356	5490	4.47	0.13	0.87
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			3.7	4.98	499	2320	1.3	<2	0.60	7.2	24	101	296	3.73	1.22	0.73
G2000			3.7	5.13	510	2380	1.3	<2	0.63	7.4	25	105	303	3.83	1.24	0.75
G2000			3.6	5.08	502	2340	1.3	<2	0.61	8.2	26	97	300	3.78	1.24	0.75
G2000			3.9	5.12	484	2380	1.3	<2	0.61	7.1	22	99	301	3.91	1.30	0.74
G2000			3.6	5.15	489	2380	1.3	<2	0.59	7.3	24	98	310	3.86	1.32	0.76
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.16	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.44	0.85
GBM999-5			56.7	4.69	9	180	1.2	<2	0.10	<0.5	2	6	477	2.97	3.53	0.03
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	436	2.67	3.10	0.02
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	536	3.29	3.81	0.04
OXD43		0.403														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.040														
OxG46		1.060														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.770														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.67														
ST-259		2.40														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		7.01														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 27-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055451

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS														
BM-9/A		602	3	0.44	357	90	6180	1.35	8	88	0.08	21	<10	8110
BM-9/A		665	4	0.47	380	100	6690	1.42	9	93	0.09	22	<10	8650
BM-9/A		673	3	0.49	385	110	6880	1.48	9	96	0.09	24	<10	8500
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		570	6	0.15	285	1020	665	0.27	38	118	0.35	102	20	1265
G2000		574	5	0.15	283	930	682	0.27	30	123	0.36	103	20	1305
G2000		578	6	0.15	283	930	675	0.27	33	121	0.35	103	10	1315
G2000		580	5	0.14	279	1000	661	0.27	36	120	0.37	103	20	1285
G2000		562	6	0.14	281	960	668	0.27	35	120	0.37	105	10	1275
Target Range - Lower Bound		506	4	0.13	256	840	601	0.23	24	103	0.31	94	<10	1130
Upper Bound		630	8	0.18	316	1050	739	0.30	40	129	0.40	117	20	1385
GBM999-5		67	4	0.96	5	50	537	0.30	<5	20	0.02	7	<10	122
Target Range - Lower Bound		54	2	0.85	2	40	471	0.26	<5	15	<0.01	5	<10	102
Upper Bound		78	4	1.07	5	70	580	0.34	10	21	0.03	9	20	129
OXD43														
Target Range - Lower Bound														
Upper Bound														
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														
SI15														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														
ST-327														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 27-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055451

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
BLANKS																
BLANK			<0.5	<0.01	6	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	7	<10	<0.5	<2	<0.01	<0.5	<1	1	1	<0.01	<0.01	<0.01
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.6	<1	1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL			>100	0.65	114	280	<0.5	<2	11.70	23.6	1	46	55	1.53	0.15	1.39
DUP			>100	0.63	101	270	<0.5	<2	11.45	21.5	<1	65	51	1.48	0.14	1.37
Target Range - Lower Bound			94.0	0.59	92	240	<0.5	<2	11.00	20.4	<1	51	48	1.41	0.12	1.29
Upper Bound			100.0	0.69	123	310	1.0	4	12.15	24.7	2	60	58	1.60	0.17	1.47
ORIGINAL		<0.005														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL			>100	0.58	2220	100	<0.5	<2	0.28	21.5	6	42	44	5.00	0.28	0.05
DUP			>100	0.59	2270	100	<0.5	<2	0.29	22.0	6	44	46	5.21	0.28	0.05
Target Range - Lower Bound			94.0	0.54	2120	80	<0.5	<2	0.25	19.7	4	39	41	4.83	0.25	0.03
Upper Bound			100.0	0.63	2370	130	1.0	4	0.32	23.8	8	47	49	5.38	0.31	0.07
C078304		0.025	1.2	7.32	65	680	2.9	<2	2.39	2.5	7	26	44	2.28	3.38	0.60
DUP		0.026	1.3	7.67	67	680	3.0	<2	2.39	2.5	8	28	43	2.30	3.45	0.63
Target Range - Lower Bound		0.014	<0.5	7.10	53	630	1.8	<2	2.25	1.4	5	24	39	2.16	3.22	0.56
Upper Bound		0.037	2.3	7.89	79	730	4.1	4	2.53	3.6	10	30	48	2.42	3.61	0.67

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 27-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055451

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
BLANKS														
BLANK		<5	<1	<0.01	<1	<10	2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK														
BLANK														
BLANK														
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	1	<10	2
BLANK		<5	1	<0.01	<1	<10	2	<0.01	<5	1	<0.01	<1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		2020	6	0.02	6	230	2020	0.03	44	40	0.02	104	<10	3450
DUP		1960	6	0.02	6	220	1920	0.02	44	39	0.02	98	<10	3210
Target Range - Lower Bound		1880	4	<0.01	4	190	1870	<0.01	32	36	<0.01	94	<10	3160
Upper Bound		2100	8	0.04	8	260	2070	0.05	56	43	0.04	108	20	3500
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		225	4	0.01	13	320	>10000	0.07	85	29	0.03	36	<10	2610
DUP		232	4	0.01	13	350	>10000	0.07	86	28	0.03	38	<10	2730
Target Range - Lower Bound		207	2	<0.01	10	300	9500	0.05	71	25	<0.01	33	<10	2530
Upper Bound		250	6	0.02	16	370	>10000	0.09	100	32	0.05	41	20	2810
C078304		901	1	0.11	19	610	162	0.27	13	166	0.27	33	20	452
DUP		904	1	0.11	19	620	164	0.28	11	172	0.28	33	20	461
Target Range - Lower Bound		847	<1	0.08	16	560	151	0.24	<5	159	0.24	29	<10	430
Upper Bound		958	2	0.14	22	670	175	0.31	23	179	0.31	37	40	483

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 27-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055451

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
C078325		0.033														
DUP		0.033														
Target Range - Lower Bound		0.021														
Upper Bound		0.045														
C078341			<0.5	8.50	44	1450	4.4	<2	2.63	<0.5	9	26	24	2.44	3.89	0.84
DUP			<0.5	7.88	42	1360	4.2	<2	2.46	<0.5	10	24	22	2.30	3.66	0.79
Target Range - Lower Bound			<0.5	7.76	31	1310	3.1	<2	2.40	<0.5	7	22	20	2.23	3.57	0.75
Upper Bound			1.0	8.62	55	1500	5.5	4	2.69	1.0	12	28	26	2.51	3.98	0.88
C078345		0.085														
DUP		0.106														
Target Range - Lower Bound		0.081														
Upper Bound		0.110														
ORIGINAL			<0.5	9.03	<5	640	1.9	<2	5.21	<0.5	26	55	76	6.43	1.79	2.63
DUP			<0.5	9.07	6	640	1.8	<2	5.30	<0.5	26	58	75	6.55	1.76	2.67
Target Range - Lower Bound			<0.5	8.58	<5	590	0.8	<2	4.97	<0.5	23	52	70	6.15	1.67	2.50
Upper Bound			1.0	9.52	10	690	2.9	4	5.54	1.0	29	61	81	6.83	1.88	2.80

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 27-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055451

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
		DUPLICATES												
C078325														
DUP														
Target Range - Lower Bound														
Upper Bound														
C078341		270	1	1.87	19	580	32	0.07	5	561	0.30	33	30	41
DUP		255	2	1.75	19	510	29	0.07	<5	521	0.28	32	30	39
Target Range - Lower Bound		239	<1	1.70	16	500	25	0.05	<5	512	0.26	29	<10	34
Upper Bound		286	2	1.92	22	590	36	0.09	10	570	0.32	36	50	46
C078345														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		1050	<1	2.48	37	2210	17	0.29	<5	935	0.51	170	<10	138
DUP		1090	<1	2.49	39	2290	20	0.29	<5	940	0.50	166	<10	134
Target Range - Lower Bound		1005	<1	2.34	34	2120	14	0.26	<5	889	0.46	158	<10	125
Upper Bound		1135	2	2.63	42	2380	23	0.32	10	986	0.55	178	20	147

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-JUN-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06055452

Project: Dublin Gulch1735

P.O. No.:

This report is for 213 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 19-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055452

Sample Description	Method	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
STANDARDS																
BM-9/A				14.4	3.72	20	210	0.9	117	0.23	26.8	101	367	5430	4.32	0.13
BM-9/A				12.8	3.65	17	210	0.9	114	0.23	26.3	97	376	5460	4.32	0.13
BM-9/A				13.2	3.67	18	210	0.9	113	0.23	26.8	96	349	5520	4.37	0.13
BM-9/A				13.7	3.68	14	210	0.9	111	0.22	25.9	99	348	5390	4.35	0.12
BM-9/A				14.8	3.68	25	210	0.9	111	0.22	26.6	97	388	5320	4.39	0.12
Target Range - Lower Bound				11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10
Upper Bound				15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14
G2000				3.9	5.39	489	2440	1.4	<2	0.61	7.3	23	98	309	3.96	1.33
G2000				3.5	5.31	472	2400	1.3	<2	0.59	7.0	22	94	299	3.87	1.29
G2000				3.3	5.03	500	2230	1.3	<2	0.60	7.0	24	101	300	3.87	1.25
G2000				3.5	5.07	470	2310	1.3	2	0.59	7.4	22	95	302	3.85	1.24
G2000				3.4	5.16	483	2420	1.3	<2	0.60	7.2	23	104	307	3.91	1.25
G2000				3.4	5.10	485	2360	1.3	<2	0.59	6.7	22	100	298	3.89	1.30
G2000				4.3	5.16	495	2390	1.3	<2	0.58	6.6	22	97	300	3.90	1.29
G2000				3.7	5.18	497	2430	1.3	<2	0.60	7.2	23	99	303	3.98	1.29
Target Range - Lower Bound				2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.16
Upper Bound				4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.44
GBM999-5				55.8	4.50	<5	170	1.1	<2	0.10	<0.5	3	5	455	2.81	3.35
GBM999-5				59.5	4.59	<5	170	1.2	<2	0.09	<0.5	3	4	462	2.92	3.56
Target Range - Lower Bound				53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	436	2.67	3.10
Upper Bound				65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	536	3.29	3.81
GS-30			34.6													
Target Range - Lower Bound			31.1													
Upper Bound			35.9													
LKSD-3				2.8	6.38	21	620	1.4	<2	1.58	<0.5	27	70	33	3.87	1.71
Target Range - Lower Bound				1.9	5.93	19	560	1.0	<2	1.47	<0.5	26	62	31	3.46	1.63
Upper Bound				3.5	7.27	35	700	2.4	4	1.81	1.0	34	77	40	4.26	2.01
OXD43		0.404														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.020														
OxG46		1.035														
OxG46		1.020														
OxG46		1.020														
OxG46		1.010														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055452

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS															
BM-9/A		0.80	647	3	0.47	375	90	6670	1.41	11	90	0.09	21	<10	8510
BM-9/A		0.81	647	3	0.49	361	90	6420	1.35	9	90	0.08	22	<10	8060
BM-9/A		0.82	633	3	0.48	367	100	6600	1.35	12	89	0.09	22	<10	8300
BM-9/A		0.80	628	3	0.48	367	100	6520	1.36	7	91	0.09	21	<10	8040
BM-9/A		0.80	642	2	0.48	367	110	6630	1.41	12	92	0.09	22	<10	8250
Target Range - Lower Bound		0.72	561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		0.90	697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		0.76	586	5	0.16	291	1020	677	0.28	34	120	0.36	106	20	1345
G2000		0.75	584	5	0.16	277	990	681	0.27	35	118	0.34	102	10	1270
G2000		0.75	565	5	0.14	278	960	652	0.26	35	117	0.35	102	20	1295
G2000		0.74	546	5	0.15	274	950	658	0.25	36	117	0.34	100	10	1270
G2000		0.76	565	6	0.15	282	970	673	0.26	34	119	0.35	105	20	1315
G2000		0.77	571	5	0.14	290	960	668	0.26	34	116	0.34	104	10	1250
G2000		0.74	556	5	0.15	283	970	672	0.27	35	118	0.35	103	10	1285
G2000		0.75	592	4	0.14	283	1030	692	0.27	36	118	0.36	104	20	1295
Target Range - Lower Bound		0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	94	<10	1130
Upper Bound		0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	117	20	1385
GBM999-5		0.03	62	4	0.91	4	50	509	0.27	7	20	0.02	6	<10	121
GBM999-5		0.03	66	3	0.91	4	50	525	0.28	6	19	0.02	6	<10	110
Target Range - Lower Bound		0.02	54	2	0.85	2	40	471	0.26	<5	15	<0.01	5	<10	106
Upper Bound		0.04	78	4	1.07	5	70	580	0.34	10	21	0.03	9	20	134
GS-30															
Target Range - Lower Bound															
Upper Bound															
LKSD-3		1.10	1305	<1	1.57	50	1060	32	0.16	<5	244	0.28	71	<10	140
Target Range - Lower Bound		1.08	1210	<1	1.52	41	910	24	0.12	<5	238	0.24	67	<10	133
Upper Bound		1.34	1490	2	1.88	53	1130	34	0.16	10	294	0.32	84	20	167
OXD43															
Target Range - Lower Bound															
Upper Bound															
OxG46															
OxG46															
OxG46															
OxG46															
OxG46															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055452

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
STANDARDS																
OXL40			1.88													
Target Range - Lower Bound			1.68													
Upper Bound			2.04													
SI15		1.760														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.45														
ST-259		2.41														
ST-259		2.60														
ST-259		2.42														
ST-259		2.36														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.97														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														
BLANKS																
BLANK		0.006														
BLANK		<0.005														
BLANK		<0.005														
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.5	1	1	1	<0.01	<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	1	1	<0.01	<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	2	<0.01	<0.01
BLANK			<0.05													
Target Range - Lower Bound		<0.005	<0.05	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
Upper Bound		0.010	0.10	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055452

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS															
OXL40															
Target Range - Lower Bound															
Upper Bound															
SI15															
Target Range - Lower Bound															
Upper Bound															
ST-259															
ST-259															
ST-259															
ST-259															
ST-259															
Target Range - Lower Bound															
Upper Bound															
ST-327															
Target Range - Lower Bound															
Upper Bound															
BLANKS															
BLANK															
BLANK															
BLANK															
BLANK		<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	1	<10	<2
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK															
BLANK															
BLANK															
BLANK		<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK															
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055452

Sample Description	Method	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
DUPLICATES																
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C081064				<0.5	8.65	24	1610	4.1	20	2.50	<0.5	8	34	58	2.82	3.79
DUP				<0.5	7.88	16	1490	3.9	20	2.29	<0.5	6	33	55	2.64	3.67
Target Range - Lower Bound				<0.5	7.83	9	1450	2.8	15	2.26	<0.5	5	30	52	2.57	3.52
Upper Bound				1.0	8.70	31	1650	5.2	25	2.53	1.0	9	37	61	2.89	3.94
C081084		0.065														
DUP		0.068														
Target Range - Lower Bound		0.053														
Upper Bound		0.080														
C081100				<0.5	7.50	2860	1530	3.0	<2	2.57	<0.5	9	37	22	2.52	3.62
DUP				<0.5	7.54	3200	1500	2.9	<2	2.51	<0.5	8	32	21	2.45	3.57
Target Range - Lower Bound				<0.5	7.12	2870	1420	1.8	<2	2.39	<0.5	6	31	18	2.34	3.40
Upper Bound				1.0	7.92	3190	1610	4.1	4	2.69	1.0	11	38	25	2.63	3.79
C081136				<0.5	0.15	<5	20	<0.5	<2	19.30	<0.5	<1	3	2	0.11	0.04
DUP				<0.5	0.17	<5	20	<0.5	<2	18.70	<0.5	<1	2	2	0.11	0.04
Target Range - Lower Bound				<0.5	0.13	<5	<10	<0.5	<2	18.05	<0.5	<1	<1	<1	0.08	0.02
Upper Bound				1.0	0.19	10	40	1.0	4	19.95	1.0	2	5	4	0.14	0.06
C081142		0.035														
DUP		0.028														
Target Range - Lower Bound		0.020														
Upper Bound		0.043														
C081162		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055452

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
C081064		1.10	303	1	1.63	12	740	20	0.27	<5	601	0.32	46	10	29
DUP		1.03	285	1	1.53	11	690	21	0.25	<5	553	0.31	45	10	29
Target Range - Lower Bound		0.99	269	<1	1.48	9	660	15	0.23	<5	546	0.28	41	<10	24
Upper Bound		1.14	319	2	1.68	14	770	26	0.29	10	608	0.35	50	20	34
C081084															
DUP															
Target Range - Lower Bound															
Upper Bound															
C081100		0.75	256	<1	1.37	15	630	21	0.32	<5	462	0.27	41	10	25
DUP		0.73	250	<1	1.35	15	610	21	0.30	<5	463	0.25	39	10	25
Target Range - Lower Bound		0.68	230	<1	1.27	12	570	16	0.27	<5	437	0.23	36	<10	20
Upper Bound		0.80	276	2	1.45	18	670	26	0.35	10	488	0.29	44	20	30
C081136		11.25	127	<1	0.02	5	410	<2	0.01	<5	105	0.01	3	<10	8
DUP		11.05	125	<1	0.02	4	410	2	0.01	<5	106	0.01	2	<10	8
Target Range - Lower Bound		10.55	110	<1	<0.01	2	370	<2	<0.01	<5	98	<0.01	<1	<10	4
Upper Bound		11.75	142	2	0.04	7	450	4	0.02	10	113	0.02	5	20	12
C081142															
DUP															
Target Range - Lower Bound															
Upper Bound															
C081162															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055452

Sample Description	Method	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
DUPLICATES																
C081172				<0.5	6.47	7	1440	2.9	<2	3.09	<0.5	7	28	16	2.48	3.06
DUP				<0.5	6.65	<5	1430	2.9	<2	3.06	<0.5	7	27	16	2.47	3.07
Target Range - Lower Bound				<0.5	6.21	<5	1340	1.8	<2	2.90	<0.5	5	24	13	2.33	2.89
Upper Bound				1.0	6.91	10	1530	4.0	4	3.25	1.0	9	31	19	2.62	3.24
C081182		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C081208				<0.5	6.05	<5	1210	2.3	<2	2.89	<0.5	8	31	14	2.45	3.01
DUP				<0.5	6.39	<5	1220	2.4	<2	2.90	<0.5	7	27	14	2.47	3.07
Target Range - Lower Bound				<0.5	5.89	<5	1130	1.2	<2	2.73	<0.5	5	26	11	2.32	2.87
Upper Bound				1.0	6.55	10	1300	3.5	4	3.06	1.0	10	32	17	2.60	3.21
C081220		0.011														
DUP		0.012														
Target Range - Lower Bound		<0.005														
Upper Bound		0.022														
C081244				<0.5	6.98	224	1380	2.6	<2	1.82	<0.5	7	33	14	2.82	3.31
DUP				<0.5	7.05	211	1340	2.6	<2	1.76	<0.5	7	31	13	2.76	3.21
Target Range - Lower Bound				<0.5	6.64	197	1270	1.5	<2	1.68	<0.5	5	28	11	2.63	3.08
Upper Bound				1.0	7.39	238	1450	3.7	4	1.90	1.0	9	36	16	2.95	3.44
C081260		0.006														
DUP		0.006														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL			<0.05													
DUP			<0.05													
Target Range - Lower Bound			<0.05													
Upper Bound			0.10													
ORIGINAL				<0.5	8.22	<5	280	<0.5	<2	5.77	<0.5	33	129	92	6.66	1.36
DUP				<0.5	8.19	19	290	<0.5	<2	5.88	<0.5	33	128	91	6.75	1.37
Target Range - Lower Bound				<0.5	7.77	<5	250	<0.5	<2	5.51	<0.5	29	120	85	6.35	1.26
Upper Bound				1.0	8.64	23	320	1.0	4	6.14	1.0	37	137	98	7.06	1.45

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

): STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055452

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES															
C081172		0.99	310	1	1.58	16	580	19	0.08	<5	701	0.28	34	10	25
DUP		1.00	305	1	1.56	15	560	18	0.08	<5	698	0.28	34	<10	26
Target Range - Lower Bound		0.93	282	<1	1.47	13	520	14	0.06	<5	663	0.25	30	<10	20
Upper Bound		1.06	333	2	1.67	18	620	23	0.10	10	736	0.31	38	20	31
C081182															
DUP															
Target Range - Lower Bound															
Upper Bound															
C081208		1.12	399	1	0.94	14	530	27	0.05	<5	507	0.25	37	10	54
DUP		1.16	400	1	0.95	15	540	31	0.05	<5	525	0.25	37	10	53
Target Range - Lower Bound		1.06	370	<1	0.88	12	490	24	0.03	<5	488	0.22	33	<10	47
Upper Bound		1.22	429	2	1.01	17	580	34	0.07	10	544	0.28	41	20	60
C081220															
DUP															
Target Range - Lower Bound															
Upper Bound															
C081244		0.93	474	<1	2.05	18	600	20	0.10	<5	486	0.30	40	10	56
DUP		0.93	459	<1	1.96	17	580	20	0.10	5	467	0.29	38	10	62
Target Range - Lower Bound		0.86	433	<1	1.88	15	540	15	0.08	<5	451	0.26	35	<10	52
Upper Bound		1.00	500	2	2.13	20	640	25	0.13	10	502	0.33	43	20	66
C081260															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL		3.11	1305	<1	1.45	73	380	5	0.70	<5	178	0.44	197	20	80
DUP		3.12	1320	<1	1.43	73	390	4	0.70	<5	176	0.45	200	20	81
Target Range - Lower Bound		2.94	1235	<1	1.35	67	350	<2	0.65	<5	166	0.40	187	<10	72
Upper Bound		3.29	1390	2	1.53	79	420	9	0.76	10	188	0.49	210	40	89

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

): STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055452

Sample Description	Method	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
DUPLICATES																
ORIGINAL				<0.5	7.45	9	160	0.5	<2	6.52	<0.5	43	201	85	7.47	0.62
DUP				<0.5	7.62	<5	170	0.5	<2	6.64	<0.5	41	214	83	7.63	0.63
Target Range - Lower Bound				<0.5	7.14	<5	140	<0.5	<2	6.23	<0.5	38	195	78	7.15	0.57
Upper Bound				1.0	7.93	10	190	1.0	4	6.93	1.0	46	220	90	7.95	0.68

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055452

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES															
ORIGINAL		3.95	1145	<1	1.72	153	950	<2	0.12	<5	310	0.65	195	<10	89
DUP		4.05	1170	<1	1.76	152	960	<2	0.13	<5	315	0.65	197	<10	89
Target Range - Lower Bound		3.78	1090	<1	1.63	143	890	<2	0.10	<5	295	0.60	184	<10	81
Upper Bound		4.22	1225	2	1.85	162	1020	4	0.15	10	330	0.70	208	20	97

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 1-JUL-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06055453

Project: Dublin Gulch1735

P.O. No.:

This report is for 20 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 19-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 1-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055453

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
BM-9/A			15.6	3.91	27	230	1.0	122	0.24	28.1	102	365	5460	4.50	0.13	0.81
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			3.7	5.39	489	2530	1.3	<2	0.62	7.8	22	96	292	4.04	1.24	0.74
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.16	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.44	0.85
OxG46		1.055														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.50														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
BLANKS																
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	<1	1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL		0.007														
DUP		0.013														
Target Range - Lower Bound		<0.005														
Upper Bound		0.021														
C081278		0.060	<0.5	7.80	1085	1850	3.1	<2	2.27	<0.5	8	35	22	2.65	3.57	0.69
DUP		0.069	<0.5	7.31	1025	1780	3.0	<2	2.17	<0.5	7	35	22	2.55	3.46	0.66
Target Range - Lower Bound		0.051	<0.5	7.16	992	1700	1.9	<2	2.09	<0.5	5	31	19	2.45	3.32	0.62
Upper Bound		0.078	1.0	7.95	1120	1930	4.2	4	2.35	1.0	10	39	25	2.75	3.71	0.73

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 1-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055453

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS														
BM-9/A		664	3	0.49	378	90	6930	1.46	8	96	0.09	22	<10	8200
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		610	6	0.14	276	1020	709	0.28	33	125	0.35	100	10	1350
Target Range - Lower Bound		506	4	0.13	256	840	601	0.23	24	103	0.31	94	<10	1130
Upper Bound		630	8	0.18	316	1050	739	0.30	40	129	0.40	117	20	1385
OxG46														
Target Range - Lower Bound														
Upper Bound														
ST-259														
Target Range - Lower Bound														
Upper Bound														
BLANKS														
BLANK														
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
C081278		306	1	1.49	17	640	26	0.20	<5	467	0.31	40	30	53
DUP		298	2	1.47	17	610	22	0.20	<5	451	0.30	38	20	50
Target Range - Lower Bound		277	<1	1.39	14	570	19	0.17	<5	434	0.27	35	<10	45
Upper Bound		327	2	1.57	20	680	29	0.23	10	484	0.34	43	50	58

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

): STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-JUL-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06055454

Project: Dublin Gulch 1735

P.O. No.:

This report is for 122 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 20-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06055454

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
STANDARDS																
BM-9/A			14.2	0.92	23	<10	100	0.8	117	0.17	25.8	97	202	5550	3.75	<10
BM-9/A			14.3	0.92	23	<10	90	0.8	119	0.17	26.7	97	195	5540	3.72	<10
BM-9/A			14.8	0.86	26	<10	100	0.8	116	0.16	27.9	96	194	5400	3.66	<10
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.5	1.70	468	<10	850	0.9	2	0.48	6.4	22	67	292	3.62	<10
G2000			3.2	1.73	472	<10	860	0.9	<2	0.48	6.3	22	68	297	3.64	10
G2000			3.4	1.92	467	<10	940	0.9	<2	0.51	7.0	21	67	299	3.82	10
G2000			3.5	1.98	474	<10	950	0.9	<2	0.51	6.9	22	69	308	3.82	10
G2000			3.7	1.85	466	<10	910	0.9	<2	0.50	7.2	22	66	298	3.77	10
G2000			13.7	1.80	469	<10	890	0.9	<2	0.49	6.5	22	66	302	3.71	10
G2000			3.7	1.82	490	<10	920	1.0	<2	0.51	7.1	23	71	310	3.86	10
G2000			3.4	1.86	485	<10	940	0.9	<2	0.50	7.1	23	70	304	3.85	10
G2000																
G2000																
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334	4.19	20
GBM999-5			61.2	0.21	4	<10	60	<0.5	<2	0.05	<0.5	3	5	516	3.01	<10
Target Range - Lower Bound			53.3	0.18	<2	<10	40	<0.5	<2	0.04	<0.5	2	4	436	2.65	<10
Upper Bound			65.5	0.24	4	20	70	1.0	4	0.07	1.0	4	7	536	3.26	20
OXD43		0.413														
OXD43		0.395														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.040														
OxG46		1.045														
OxG46		1.020														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.41														
ST-259		2.52														
ST-259		2.56														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.75														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06055454

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
STANDARDS																
BM-9/A		0.45	0.02	10	0.43	664	4	0.40	376	90	7010	1.46	7	8	75	0.01
BM-9/A		0.40	0.02	10	0.41	646	3	0.38	366	80	7000	1.44	5	9	75	0.01
BM-9/A		0.39	0.02	10	0.42	636	3	0.42	359	90	6580	1.42	7	9	76	0.01
Target Range - Lower Bound		0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000		0.75	0.39	20	0.63	543	5	0.03	276	860	651	0.26	23	6	63	0.05
G2000		0.83	0.39	20	0.64	547	5	0.03	279	880	642	0.26	24	6	63	0.05
G2000			0.38	20	0.65	558	5	0.02	281	920	657	0.27	24	7	70	0.05
G2000			0.40	20	0.66	576	5	0.02	285	960	652	0.27	26	7	72	0.05
G2000		0.69	0.37	20	0.62	555	5	0.02	273	920	681	0.27	23	7	67	0.05
G2000		0.69	0.38	20	0.61	537	5	0.02	272	910	687	0.26	24	7	65	0.05
G2000		0.81	0.43	20	0.68	572	5	0.03	279	960	680	0.27	25	7	68	0.05
G2000		0.71	0.42	20	0.67	564	5	0.03	273	960	647	0.27	26	7	70	0.05
G2000		0.70														
G2000		0.74														
Target Range - Lower Bound		0.70	0.37	<10	0.60	506	4	0.02	256	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.47	40	0.76	630	8	0.04	316	1050	739	0.31	31	9	76	0.07
GBM999-5			0.05	10	0.02	63	4	0.01	3	40	505	0.29	5	1	4	<0.01
Target Range - Lower Bound			0.04	<10	<0.01	49	2	<0.01	2	20	471	0.26	<2	<1	2	<0.01
Upper Bound			0.07	20	0.03	71	5	0.03	5	50	580	0.34	8	2	5	0.02
OXD43																
OXD43																
Target Range - Lower Bound																
Upper Bound																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06055454

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
				STANDARDS		
BM-9/A		<10	<10	16	<10	8170
BM-9/A		<10	<10	15	<10	8060
BM-9/A		<10	<10	15	<10	8250
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	64	<10	1220
G2000		<10	<10	65	10	1245
G2000		<10	<10	64	<10	1245
G2000		<10	<10	65	<10	1285
G2000		<10	<10	63	<10	1200
G2000		<10	<10	63	<10	1215
G2000		<10	<10	68	<10	1275
G2000		<10	<10	67	<10	1235
G2000						
G2000						
Target Range - Lower Bound		<10	<10	59	<10	1130
Upper Bound		20	20	74	20	1385
GBM999-5		<10	<10	5	<10	116
Target Range - Lower Bound		<10	<10	4	<10	97
Upper Bound		20	20	7	20	123
OXD43						
OXD43						
Target Range - Lower Bound						
Upper Bound						
OxG46						
OxG46						
OxG46						
Target Range - Lower Bound						
Upper Bound						
ST-259						
ST-259						
ST-259						
Target Range - Lower Bound						
Upper Bound						
ST-327						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06055454

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	1	1	1	0.01	<10
BLANK			<0.2	<0.01	3	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<10
BLANK																
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20
DUPLICATES																
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		9.05														
DUP		9.13														
Target Range - Lower Bound		8.63														
Upper Bound		9.55														
ORIGINAL		0.314														
DUP		0.305														
Target Range - Lower Bound		0.284														
Upper Bound		0.335														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06055454

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	1	<0.01
BLANK			<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01														
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06055454

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
BLANKS						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4
DUPLICATES						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06055454

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
DUPLICATES																
ORIGINAL		0.468														
DUP		0.455														
Target Range - Lower Bound		0.428														
Upper Bound		0.495														
ORIGINAL		1.075														
DUP		1.140														
Target Range - Lower Bound		1.040														
Upper Bound		1.175														
ORIGINAL		0.114														
DUP		0.111														
Target Range - Lower Bound		0.097														
Upper Bound		0.128														
ORIGINAL		1.330														
DUP		1.210														
Target Range - Lower Bound		1.195														
Upper Bound		1.345														
ORIGINAL		0.139														
DUP		0.130														
Target Range - Lower Bound		0.118														
Upper Bound		0.151														
ORIGINAL		0.896														
DUP		0.915														
Target Range - Lower Bound		0.850														
Upper Bound		0.961														
B088108			0.2	0.96	196	<10	90	<0.5	<2	0.12	<0.5	3	18	9	1.76	<10
DUP			<0.2	0.96	207	<10	90	<0.5	<2	0.12	<0.5	5	19	9	1.76	10
Target Range - Lower Bound			<0.2	0.89	187	<10	60	<0.5	<2	0.09	<0.5	2	16	7	1.65	<10
Upper Bound			0.4	1.03	216	20	120	1.0	4	0.15	1.0	6	21	11	1.87	20
B088639			<0.2	0.78	114	<10	50	<0.5	<2	0.09	<0.5	2	13	6	1.24	<10
DUP			<0.2	0.81	122	<10	50	<0.5	<2	0.09	<0.5	2	13	6	1.28	<10
Target Range - Lower Bound			<0.2	0.74	108	<10	30	<0.5	<2	0.07	<0.5	<1	10	4	1.18	<10
Upper Bound			0.4	0.85	128	20	70	1.0	4	0.11	1.0	4	16	8	1.34	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06055454

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B088108		0.05	0.04	10	0.23	116	2	<0.01	12	540	13	0.04	3	1	12	0.03
DUP		0.05	0.05	10	0.23	118	1	<0.01	12	550	11	0.04	5	1	12	0.03
Target Range - Lower Bound		0.03	0.02	<10	0.20	101	<1	<0.01	9	500	7	0.02	<2	<1	9	<0.01
Upper Bound		0.07	0.07	20	0.26	133	2	0.02	15	590	17	0.06	8	2	15	0.05
B088639		0.04	0.03	10	0.15	68	1	<0.01	7	400	8	0.02	<2	1	9	0.03
DUP		0.04	0.03	10	0.15	68	1	<0.01	8	430	7	0.02	<2	<1	9	0.03
Target Range - Lower Bound		0.02	<0.01	<10	0.12	55	<1	<0.01	5	370	3	<0.01	<2	<1	7	<0.01
Upper Bound		0.06	0.05	20	0.18	81	2	0.02	10	460	12	0.04	4	2	11	0.05

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06055454

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
B088108		<10	<10	36	20	41
DUP		<10	<10	37	20	42
Target Range - Lower Bound		<10	<10	33	<10	35
Upper Bound		20	20	40	40	48
B088639		<10	<10	26	30	23
DUP		<10	<10	26	20	24
Target Range - Lower Bound		<10	<10	23	<10	18
Upper Bound		20	20	29	50	29

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06055454

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
DUPLICATES																
B088368			<0.2	1.23	184	<10	380	0.5	<2	1.06	<0.5	6	21	8	1.80	<10
DUP			<0.2	1.17	192	<10	360	0.6	<2	1.04	<0.5	6	22	8	1.68	<10
Target Range - Lower Bound			<0.2	1.12	175	<10	320	<0.5	<2	0.98	<0.5	4	18	6	1.63	<10
Upper Bound			0.4	1.28	201	20	420	1.0	4	1.12	1.0	8	25	10	1.85	20
B088384			0.2	1.18	521	<10	270	0.5	<2	0.27	0.5	18	19	8	1.87	<10
DUP			<0.2	1.19	543	<10	280	0.5	<2	0.27	<0.5	18	20	7	1.91	<10
Target Range - Lower Bound			<0.2	1.11	501	<10	230	<0.5	<2	0.24	<0.5	15	17	5	1.78	<10
Upper Bound			0.4	1.26	563	20	320	1.0	4	0.30	1.0	21	22	10	2.00	20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06055454

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
DUPLICATES																
B088368		0.09	0.05	50	0.42	346	1	0.01	16	730	8	0.09	<2	3	64	0.06
DUP		0.08	0.05	40	0.39	340	1	0.01	16	690	8	0.09	<2	3	63	0.06
Target Range - Lower Bound		0.06	0.03	20	0.36	316	<1	<0.01	13	650	4	0.07	<2	<1	58	0.04
Upper Bound		0.11	0.07	70	0.45	370	2	0.02	19	770	12	0.11	4	5	69	0.08
B088384		0.09	0.04	20	0.23	1845	6	0.01	9	1140	12	.0.07	<2	1	24	0.03
DUP		0.09	0.04	20	0.24	1895	6	0.01	10	1140	12	0.08	2	1	25	0.03
Target Range - Lower Bound		0.07	0.02	<10	0.20	1765	4	<0.01	7	1060	7	0.05	<2	<1	21	<0.01
Upper Bound		0.11	0.06	40	0.27	1975	8	0.02	12	1220	17	0.10	4	2	28	0.05

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06055454

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
DUPLICATES						
B088368		<10	20	27	10	50
DUP		<10	20	29	10	53
Target Range - Lower Bound		<10	<10	25	<10	45
Upper Bound		20	40	31	20	58
B088384		<10	10	39	10	36
DUP		<10	10	41	<10	37
Target Range - Lower Bound		<10	<10	36	<10	31
Upper Bound		20	20	44	20	42

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-JUL-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06055905

Project: Dublin Gulch 1735

P.O. No.:

This report is for 281 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 20-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
STANDARDS																
BM-9/A			14.3	0.87	21	<10	90	0.8	111	0.16	26.8	97	195	5410	3.57	<10
BM-9/A			14.3	0.94	23	<10	90	0.9	122	0.18	27.2	101	207	5470	3.78	<10
BM-9/A			13.7	0.87	23	<10	90	0.8	115	0.16	25.1	94	195	5390	3.50	<10
BM-9/A			14.5	0.91	22	<10	90	0.8	114	0.16	26.3	98	200	5180	3.59	<10
BM-9/A			14.0	0.82	21	<10	80	0.9	113	0.16	26.2	99	198	5270	3.54	<10
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.3	1.88	481	<10	820	0.9	<2	0.49	7.1	23	70	298	3.74	10
G2000			3.4	1.93	482	<10	840	1.0	<2	0.49	6.9	23	71	302	3.79	10
G2000			3.9	2.03	487	<10	840	1.0	<2	0.55	7.2	24	76	331	4.03	10
G2000			3.6	1.76	456	<10	790	0.9	<2	0.50	6.8	22	68	298	3.74	10
G2000			3.6	1.84	484	<10	830	1.0	<2	0.48	6.7	24	72	295	3.66	10
G2000			3.4	2.02	497	<10	940	1.0	2	0.53	7.3	24	73	310	4.04	10
G2000			3.2	1.90	471	<10	910	1.0	<2	0.51	6.7	24	72	307	3.84	10
G2000			3.3	1.92	466	<10	880	0.9	<2	0.52	6.9	22	68	299	3.92	10
G2000			3.6	2.05	502	<10	890	1.0	<2	0.53	6.8	24	75	325	3.99	10
G2000			3.5	2.01	467	<10	880	1.0	<2	0.51	6.6	23	72	311	3.85	10
G2000			3.6	1.94	489	<10	850	1.0	3	0.50	7.1	24	72	321	3.78	10
G2000			3.3	1.81	468	<10	810	0.9	<2	0.48	6.7	23	68	286	3.68	10
G2000			3.6	1.96	479	<10	880	1.0	<2	0.52	7.5	23	71	305	3.86	10
G2000			3.5	1.91	491	<10	890	1.0	<2	0.51	7.3	23	72	304	3.80	10
G2000			4.0	1.93	483	10	850	1.0	2	0.51	7.2	24	72	303	3.82	10
G2000			4.0	1.86	481	<10	840	1.0	<2	0.50	7.0	23	71	293	3.77	10
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	64	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	80	334	4.19	20
GBM999-5			62.0	0.22	2	<10	60	<0.5	<2	0.06	<0.5	4	5	498	3.12	<10
GBM999-5			61.0	0.22	3	<10	60	<0.5	<2	0.05	<0.5	3	5	517	3.05	<10
GBM999-5			63.7	0.19	<2	<10	50	<0.5	<2	0.05	<0.5	3	5	477	2.82	<10
Target Range - Lower Bound			53.3	0.18	<2	<10	40	<0.5	<2	0.04	<0.5	2	4	436	2.65	<10
Upper Bound			65.5	0.24	4	20	70	1.0	4	0.07	1.0	4	7	536	3.26	20

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
STANDARDS																
BM-9/A		0.47	0.02	10	0.41	616	3	0.40	361	100	6520	1.48	8	8	70	0.01
BM-9/A			0.02	10	0.44	635	3	0.43	386	100	6690	1.48	8	9	74	0.01
BM-9/A		0.41	0.02	10	0.41	570	3	0.41	366	90	6160	1.39	4	8	73	0.01
BM-9/A		0.44	0.02	10	0.41	635	4	0.39	373	90	6670	1.52	5	8	76	0.01
BM-9/A		0.44	0.02	10	0.40	633	3	0.38	379	90	6730	1.51	5	8	74	0.01
Target Range - Lower Bound		0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000		0.75	0.39	20	0.66	528	5	0.03	271	970	648	0.28	24	7	63	0.05
G2000		0.78	0.40	20	0.67	544	5	0.03	279	970	647	0.28	24	7	64	0.05
G2000			0.44	20	0.72	578	6	0.03	297	990	698	0.28	24	8	72	0.06
G2000		0.76	0.40	20	0.65	516	5	0.03	277	910	627	0.27	25	7	64	0.05
G2000		0.74	0.43	20	0.62	527	4	0.02	282	860	632	0.24	21	7	66	0.05
G2000			0.44	20	0.69	578	4	0.03	285	950	701	0.27	22	7	72	0.05
G2000		0.79	0.41	20	0.67	539	5	0.04	287	940	649	0.27	23	7	70	0.05
G2000		0.74	0.40	20	0.69	548	6	0.04	272	980	665	0.27	26	7	70	0.05
G2000		0.82	0.44	20	0.71	546	6	0.04	297	980	672	0.28	23	8	74	0.06
G2000		0.81	0.43	20	0.69	531	5	0.04	283	960	652	0.27	21	7	72	0.05
G2000			0.42	20	0.66	554	5	0.03	285	950	693	0.28	23	7	71	0.06
G2000		0.78	0.40	20	0.64	537	5	0.02	274	940	657	0.27	27	7	67	0.05
G2000		0.70	0.42	20	0.68	566	6	0.03	286	980	697	0.29	25	8	71	0.05
G2000		0.68	0.42	20	0.67	559	5	0.03	288	970	681	0.29	25	7	70	0.05
G2000		0.84	0.42	20	0.67	561	5	0.01	289	980	691	0.28	21	7	71	0.05
G2000		0.76	0.41	20	0.66	550	5	0.01	286	960	683	0.28	24	7	68	0.05
G2000		0.77														
G2000		0.74														
G2000		0.69														
G2000		0.71														
G2000		0.75														
G2000		0.72														
Target Range - Lower Bound		0.70	0.38	<10	0.60	506	4	0.02	256	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.48	40	0.76	630	8	0.04	316	1050	739	0.31	31	9	76	0.07
GBM999-5		0.04	0.05	10	0.02	64	3	0.01	2	30	526	0.29	5	1	3	<0.01
GBM999-5		0.14	0.05	10	0.02	60	4	0.02	4	40	511	0.30	5	1	4	<0.01
GBM999-5		0.04	0.05	10	0.02	60	3	0.02	2	40	495	0.29	5	1	4	<0.01
Target Range - Lower Bound			0.04	<10	<0.01	49	2	<0.01	2	20	471	0.26	<2	<1	2	<0.01
Upper Bound			0.07	20	0.03	71	5	0.03	5	50	580	0.34	8	2	5	0.02

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
				STANDARDS		
BM-9/A		10	<10	15	<10	8090
BM-9/A		<10	<10	16	<10	8410
BM-9/A		<10	<10	15	<10	7930
BM-9/A		<10	<10	15	<10	8040
BM-9/A		<10	<10	16	<10	8270
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	66	<10	1270
G2000		<10	<10	66	<10	1275
G2000		<10	<10	71	<10	1335
G2000		<10	<10	65	<10	1250
G2000		<10	<10	67	<10	1290
G2000		<10	<10	68	<10	1310
G2000		<10	<10	68	<10	1265
G2000		<10	<10	66	<10	1235
G2000		<10	<10	72	<10	1320
G2000		<10	<10	69	<10	1255
G2000		<10	<10	68	<10	1310
G2000		<10	<10	65	<10	1215
G2000		<10	<10	66	<10	1280
G2000		<10	<10	66	<10	1270
G2000		<10	<10	68	<10	1270
G2000		<10	<10	67	<10	1260
G2000						
G2000						
G2000						
G2000						
G2000						
G2000						
Target Range - Lower Bound		<10	<10	59	<10	1130
Upper Bound		20	20	74	20	1385
GBM999-5		<10	<10	5	<10	119
GBM999-5		<10	<10	6	<10	119
GBM999-5		<10	<10	5	<10	112
Target Range - Lower Bound		<10	<10	4	<10	97
Upper Bound		20	20	7	20	123

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
STANDARDS																
OXD43		0.413														
OXD43		0.403														
OXD43		0.403														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.055														
OxG46		1.025														
OxG46		1.020														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.770														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.50														
ST-259		2.56														
ST-259		2.44														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		7.09														
ST-327		7.17														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	2	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
STANDARDS																
OXD43																
OXD43																
OXD43																
Target Range - Lower Bound																
Upper Bound																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
SI15																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
ST-327																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	1	10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method Analyte Units LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
STANDARDS						
OXD43						
OXD43						
OXD43						
Target Range - Lower Bound						
Upper Bound						
OxG46						
OxG46						
OxG46						
Target Range - Lower Bound						
Upper Bound						
SI15						
Target Range - Lower Bound						
Upper Bound						
ST-259						
ST-259						
ST-259						
Target Range - Lower Bound						
Upper Bound						
ST-327						
ST-327						
Target Range - Lower Bound						
Upper Bound						
BLANKS						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
BLANKS																
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<10
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		3.56														
DUP		3.42														
Target Range - Lower Bound		3.31														
Upper Bound		3.67														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.022														
DUP		0.021														
Target Range - Lower Bound		0.010														
Upper Bound		0.033														
ORIGINAL		0.009														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B088043			0.3	0.50	69	<10	80	<0.5	<2	0.12	<0.5	1	7	3	0.85	<10
DUP			0.3	0.53	76	<10	90	<0.5	<2	0.12	<0.5	2	8	3	0.87	<10
Target Range - Lower Bound			<0.2	0.47	65	<10	60	<0.5	<2	0.09	<0.5	<1	5	<1	0.80	<10
Upper Bound			0.4	0.56	80	20	110	1.0	4	0.15	1.0	2	10	5	0.92	20

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
BLANKS																
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01														
BLANK		<0.01														
BLANK		<0.01														
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02
DUPLICATES																
ORIGINAL		9.60														
DUP		9.60														
Target Range - Lower Bound		9.10														
Upper Bound		10.10														
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B088043		0.13	0.05	10	0.06	37	4	0.01	4	730	55	0.07	25	1	10	0.02
DUP		0.14	0.05	10	0.06	38	4	0.01	5	730	53	0.07	21	1	11	0.02
Target Range - Lower Bound		0.11	0.03	<10	0.04	26	2	<0.01	2	670	47	0.05	17	<1	8	<0.01
Upper Bound		0.16	0.07	20	0.08	49	6	0.02	7	790	61	0.09	29	2	13	0.04

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
BLANKS						
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4
DUPLICATES						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
B088043		<10	<10	15	<10	32
DUP		<10	<10	16	<10	33
Target Range - Lower Bound		<10	<10	13	<10	27
Upper Bound		20	20	18	20	38

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
B088078			<0.2	1.25	165	<10	110	<0.5	<2	0.15	<0.5	5	21	12	2.28	<10
DUP			<0.2	1.18	147	<10	100	<0.5	<2	0.14	<0.5	5	21	12	2.15	<10
Target Range - Lower Bound			<0.2	1.13	144	<10	80	<0.5	<2	0.12	<0.5	3	18	9	2.08	<10
Upper Bound			0.4	1.30	168	20	130	1.0	4	0.17	1.0	7	24	15	2.35	20
B088085		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B088170																
DUP																
Target Range - Lower Bound																
Upper Bound																
B088178			0.2	1.72	268	<10	320	0.5	<2	0.97	0.6	9	24	10	2.05	<10
DUP			0.2	1.70	258	<10	320	0.6	<2	0.98	0.7	9	24	10	2.02	<10
Target Range - Lower Bound			<0.2	1.60	246	<10	280	<0.5	<2	0.91	<0.5	7	21	8	1.91	<10
Upper Bound			0.4	1.82	280	20	360	1.0	4	1.04	1.0	11	27	13	2.16	20
B088188		0.018														
DUP		0.013														
Target Range - Lower Bound		<0.005														
Upper Bound		0.026														
B088258			<0.2	1.42	164	<10	70	<0.5	<2	0.14	<0.5	7	27	16	2.91	10
DUP			<0.2	1.42	155	<10	70	<0.5	<2	0.14	<0.5	7	26	16	2.93	10
Target Range - Lower Bound			<0.2	1.33	148	<10	40	<0.5	<2	0.11	<0.5	5	23	13	2.75	<10
Upper Bound			0.4	1.51	171	20	100	1.0	4	0.17	1.0	9	30	19	3.09	20
B088293			<0.2	1.03	38	<10	60	<0.5	<2	0.06	<0.5	2	17	4	2.06	10
DUP			<0.2	0.94	34	<10	50	<0.5	<2	0.05	<0.5	2	16	3	1.83	10
Target Range - Lower Bound			<0.2	0.92	30	<10	30	<0.5	<2	0.03	<0.5	<1	14	<1	1.83	<10
Upper Bound			0.4	1.05	42	20	80	1.0	4	0.08	1.0	4	19	6	2.06	20
B088532																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
B088078		0.03	0.05	20	0.40	167	1	0.01	18	490	8	0.02	<2	2	11	0.05
DUP		0.03	0.04	20	0.37	155	1	0.01	16	480	6	0.01	3	2	10	0.04
Target Range - Lower Bound		<0.01	0.02	<10	0.35	143	<1	<0.01	14	440	3	<0.01	<2	<1	8	0.02
Upper Bound		0.05	0.07	40	0.42	179	2	0.02	20	530	11	0.02	4	4	13	0.07
B088085																
DUP																
Target Range - Lower Bound																
Upper Bound																
B088170		0.04														
DUP		0.04														
Target Range - Lower Bound		0.02														
Upper Bound		0.06														
B088178		0.09	0.08	20	0.46	1070	4	0.02	19	1090	10	0.11	<2	1	78	0.05
DUP		0.09	0.08	20	0.46	1075	4	0.01	18	1070	8	0.11	<2	1	79	0.04
Target Range - Lower Bound		0.07	0.06	<10	0.42	1010	2	<0.01	16	1010	5	0.08	<2	<1	73	0.02
Upper Bound		0.11	0.10	40	0.50	1135	6	0.02	21	1150	13	0.14	4	2	84	0.07
B088188																
DUP																
Target Range - Lower Bound																
Upper Bound																
B088258		0.03	0.14	20	0.40	253	1	0.01	21	560	21	0.01	4	3	11	0.10
DUP		0.06	0.13	20	0.39	255	2	0.01	21	580	23	<0.01	8	3	10	0.10
Target Range - Lower Bound		0.02	0.11	<10	0.36	231	<1	<0.01	18	520	17	<0.01	<2	<1	8	0.08
Upper Bound		0.07	0.16	40	0.43	277	2	0.02	24	620	27	0.02	10	5	13	0.13
B088293		0.04	0.03	10	0.17	99	1	0.01	7	390	12	0.03	3	1	8	0.06
DUP		0.04	0.03	10	0.15	89	1	0.01	7	390	9	0.01	2	1	8	0.06
Target Range - Lower Bound		0.02	<0.01	<10	0.13	79	<1	<0.01	5	350	6	<0.01	<2	<1	6	0.04
Upper Bound		0.06	0.05	20	0.19	109	2	0.02	9	430	15	0.04	4	2	10	0.08
B088532		0.09														
DUP		0.09														
Target Range - Lower Bound		0.07														
Upper Bound		0.11														

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
B088078		<10	<10	38	10	46
DUP		<10	<10	36	10	44
Target Range - Lower Bound		<10	<10	33	<10	39
Upper Bound		20	20	41	20	51
B088085						
DUP						
Target Range - Lower Bound						
Upper Bound						
B088170						
DUP						
Target Range - Lower Bound						
Upper Bound						
B088178		<10	<10	32	10	93
DUP		<10	<10	31	10	92
Target Range - Lower Bound		<10	<10	28	<10	84
Upper Bound		20	20	35	20	101
B088188						
DUP						
Target Range - Lower Bound						
Upper Bound						
B088258		<10	<10	42	70	70
DUP		<10	<10	41	80	67
Target Range - Lower Bound		<10	<10	37	50	61
Upper Bound		20	20	46	100	76
B088293		<10	<10	53	10	23
DUP		<10	<10	49	10	21
Target Range - Lower Bound		<10	<10	46	<10	17
Upper Bound		20	20	56	20	27
B088532						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
B088540			<0.2	1.20	95	<10	60	0.7	<2	0.05	<0.5	9	23	18	3.30	<10
DUP			<0.2	1.12	92	<10	50	0.7	<2	0.05	<0.5	9	22	17	3.14	<10
Target Range - Lower Bound			<0.2	1.08	85	<10	30	<0.5	<2	0.03	<0.5	7	19	15	3.04	<10
Upper Bound			0.4	1.24	102	20	80	1.0	4	0.07	1.0	11	26	20	3.40	20
B088575			<0.2	1.52	52	<10	80	<0.5	<2	0.09	<0.5	5	23	7	2.72	10
DUP			<0.2	1.52	53	<10	80	<0.5	<2	0.09	<0.5	5	24	7	2.70	10
Target Range - Lower Bound			<0.2	1.42	46	<10	50	<0.5	<2	0.07	<0.5	3	20	5	2.55	<10
Upper Bound			0.4	1.62	59	20	110	1.0	4	0.11	1.0	7	27	9	2.87	20
B088601		0.021														
DUP		0.020														
Target Range - Lower Bound		0.009														
Upper Bound		0.032														
B088610			<0.2	1.33	52	<10	80	<0.5	<2	0.14	<0.5	5	22	8	2.36	<10
DUP			<0.2	1.32	53	<10	80	<0.5	<2	0.14	<0.5	5	22	8	2.33	<10
Target Range - Lower Bound			<0.2	1.24	46	<10	50	<0.5	<2	0.11	<0.5	3	19	6	2.21	<10
Upper Bound			0.4	1.41	59	20	110	1.0	4	0.17	1.0	7	25	10	2.48	20

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
DUPLICATES																
B088540		0.07	0.15	20	0.22	274	1	<0.01	24	460	21	0.06	12	3	29	0.03
DUP		0.06	0.14	20	0.21	259	1	<0.01	22	430	21	0.06	11	3	27	0.03
Target Range - Lower Bound		0.04	0.12	<10	0.18	243	<1	<0.01	20	400	16	0.04	7	<1	25	<0.01
Upper Bound		0.09	0.17	40	0.25	290	2	0.02	26	490	26	0.08	16	5	31	0.05
B088575		0.06	0.06	20	0.31	154	1	0.01	11	610	13	0.03	2	2	9	0.05
DUP		0.06	0.06	20	0.31	153	1	0.01	13	600	13	0.03	<2	2	9	0.05
Target Range - Lower Bound		0.04	0.04	<10	0.27	136	<1	<0.01	9	550	8	<0.01	<2	<1	7	0.03
Upper Bound		0.08	0.08	40	0.35	171	2	0.02	15	660	18	0.05	4	4	11	0.07
B088601																
DUP																
Target Range - Lower Bound																
Upper Bound																
B088610		0.05	0.04	10	0.33	178	<1	<0.01	12	680	9	0.02	<2	1	11	0.04
DUP		0.03	0.04	10	0.33	176	1	<0.01	12	680	8	0.01	<2	1	11	0.04
Target Range - Lower Bound		0.02	0.02	<10	0.29	158	<1	<0.01	9	630	4	<0.01	<2	<1	8	0.02
Upper Bound		0.06	0.06	20	0.37	196	2	0.02	15	730	13	0.02	4	2	14	0.06

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
B088540		<10	<10	38	80	57
DUP		<10	<10	35	70	55
Target Range - Lower Bound		<10	<10	33	50	49
Upper Bound		20	20	40	100	63
B088575		<10	<10	50	10	39
DUP		<10	<10	51	10	40
Target Range - Lower Bound		<10	<10	46	<10	34
Upper Bound		20	20	55	20	45
B088601						
DUP						
Target Range - Lower Bound						
Upper Bound						
B088610		<10	<10	43	<10	47
DUP		<10	<10	42	<10	47
Target Range - Lower Bound		<10	<10	38	<10	41
Upper Bound		20	20	47	20	53

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-JUN-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06055952

Project: Dublin Gulch1735

P.O. No.:

This report is for 54 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 21-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055952

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
STANDARDS																
BM-9/A			13.3	3.52	49	200	0.9	106	0.21	24.9	92	334	5100	4.13	0.12	0.79
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			4.2	5.11	489	2370	1.3	<2	0.59	7.1	23	100	290	3.85	1.29	0.76
G2000			3.3	5.02	461	2350	1.3	<2	0.60	7.2	22	98	286	3.86	1.24	0.72
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.16	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.44	0.85
GBM999-5			55.7	4.48	<5	180	1.2	<2	0.09	<0.5	2	6	456	2.91	3.48	0.03
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	436	2.67	3.10	0.02
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	536	3.29	3.81	0.04
OxG46		1.045														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.40														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
BLANKS																
BLANK		<0.005														
BLANK			<0.5	<0.01	5	<10	<0.5	<2	<0.01	<0.5	1	1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.7	<1	1	1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
C081747		0.052	0.6	6.91	67	1040	2.6	<2	2.35	1.1	7	20	17	2.11	3.40	0.52
DUP		0.042	0.7	6.66	78	1020	2.6	<2	2.26	1.0	7	19	16	2.04	3.27	0.50
Target Range - Lower Bound		0.035	<0.5	6.43	59	960	1.5	<2	2.17	<0.5	5	17	14	1.95	3.15	0.46
Upper Bound		0.059	1.0	7.14	86	1100	3.7	4	2.44	2.1	9	22	19	2.20	3.52	0.56

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055952

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS														
BM-9/A		595	3	0.45	352	90	6310	1.35	7	90	0.09	21	<10	7820
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		552	5	0.14	273	960	658	0.27	34	118	0.36	102	10	1250
G2000		558	6	0.14	269	980	649	0.27	34	115	0.34	97	10	1265
Target Range - Lower Bound		506	4	0.13	256	840	601	0.23	24	103	0.31	94	<10	1130
Upper Bound		630	8	0.18	316	1050	739	0.30	40	129	0.40	117	20	1385
GBM999-5		65	4	0.91	2	60	519	0.28	7	19	0.02	7	<10	112
Target Range - Lower Bound		54	2	0.85	2	40	471	0.26	<5	15	<0.01	5	<10	102
Upper Bound		78	4	1.07	5	70	580	0.34	10	21	0.03	9	20	129
OxG46														
Target Range - Lower Bound														
Upper Bound														
ST-259														
Target Range - Lower Bound														
Upper Bound														
BLANKS														
BLANK														
BLANK		<5	1	<0.01	<1	10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	4	<0.01	<5	1	<0.01	<1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES														
C081747		605	2	0.59	17	480	82	0.09	12	302	0.24	29	10	280
DUP		584	2	0.57	16	470	79	0.09	12	290	0.23	28	10	268
Target Range - Lower Bound		555	<1	0.53	14	430	72	0.07	<5	279	0.20	25	<10	256
Upper Bound		634	4	0.63	19	520	89	0.11	23	313	0.27	32	20	292

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055952

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
C081767		0.040														
DUP		0.042														
Target Range - Lower Bound		0.029														
Upper Bound		0.053														
C081783			1.1	6.97	680	910	2.7	<2	3.22	0.9	4	26	33	3.12	3.20	0.71
DUP			0.9	6.90	674	910	2.6	<2	3.14	0.7	6	26	32	3.12	3.15	0.71
Target Range - Lower Bound			<0.5	6.57	633	840	1.5	<2	3.00	<0.5	3	23	29	2.94	3.00	0.65
Upper Bound			2.1	7.30	721	980	3.8	4	3.36	1.0	7	29	36	3.30	3.35	0.77
C081787		0.014														
DUP		0.013														
Target Range - Lower Bound		<0.005														
Upper Bound		0.024														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-JUN-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06055952

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
C081767														
DUP														
Target Range - Lower Bound														
Upper Bound														
C081783		716	3	0.30	21	560	106	0.45	16	289	0.26	32	20	204
DUP		711	4	0.30	19	560	99	0.44	16	286	0.25	32	20	195
Target Range - Lower Bound		668	<1	0.27	17	510	93	0.40	<5	271	0.22	28	<10	186
Upper Bound		759	6	0.34	23	610	112	0.49	27	304	0.29	36	40	213
C081787														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

. STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-JUL-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06058214

Project: Dublin Gulch1735

P.O. No.:

This report is for 39 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 26-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06058214

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
BM-9/A			12.6	3.53	17	190	0.9	110	0.21	24.7	94	350	5370	4.17	0.11	0.77
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			4.4	4.98	474	2270	1.3	<2	0.56	6.4	24	94	297	3.80	1.21	0.72
G2000			3.4	5.09	463	2290	1.3	<2	0.56	6.5	23	98	301	3.83	1.22	0.73
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
GBM999-5			53.1	4.55	9	170	1.1	<2	0.09	<0.5	2	5	454	2.90	3.24	0.03
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	436	2.67	3.10	0.02
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	536	3.29	3.81	0.04
OxG46		1.050														
OxG46		1.055														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.47														
ST-259		2.52														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06058214

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS														
BM-9/A		646	4	0.43	369	100	6450	1.30	8	84	0.08	21	<10	8120
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		562	5	0.14	285	920	667	0.25	31	109	0.33	99	10	1285
G2000		561	5	0.15	284	930	670	0.25	32	112	0.33	99	10	1265
Target Range - Lower Bound		506	4	0.13	256	840	601	0.23	24	103	0.31	94	<10	1130
Upper Bound		630	8	0.18	316	1050	739	0.30	40	129	0.40	117	20	1385
GBM999-5		65	3	0.87	5	50	531	0.27	5	18	0.02	7	<10	111
Target Range - Lower Bound		54	2	0.85	2	40	471	0.26	<5	15	<0.01	5	<10	102
Upper Bound		78	4	1.07	5	70	580	0.34	10	21	0.03	9	20	129
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														
BLANKS														
BLANK														
BLANK														
BLANK		<5	<1	<0.01	1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06058214

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
ORIGINAL		0.013														
DUP		0.012														
Target Range - Lower Bound		<0.005														
Upper Bound		0.023														
ORIGINAL			<0.5	7.27	18	190	<0.5	<2	4.10	<0.5	38	13	95	7.82	0.53	3.42
DUP			<0.5	7.56	23	200	0.5	<2	4.28	<0.5	40	13	99	8.16	0.55	3.56
Target Range - Lower Bound			<0.5	7.02	9	170	<0.5	<2	3.96	<0.5	35	10	90	7.57	0.49	3.30
Upper Bound			1.0	7.81	32	220	1.0	4	4.42	1.0	43	16	104	8.41	0.59	3.68
C081332		0.028														
DUP		0.035														
Target Range - Lower Bound		0.020														
Upper Bound		0.043														
C081366			<0.5	7.84	12	1610	3.0	<2	2.49	<0.5	9	35	8	2.66	3.44	0.85
DUP			<0.5	7.55	12	1560	2.9	<2	2.42	<0.5	8	34	7	2.57	3.36	0.81
Target Range - Lower Bound			<0.5	7.29	<5	1490	1.8	<2	2.31	<0.5	6	31	5	2.46	3.21	0.77
Upper Bound			1.0	8.10	23	1680	4.1	4	2.60	1.0	11	38	10	2.77	3.59	0.89
C081474		0.013														
DUP		0.012														
Target Range - Lower Bound		<0.005														
Upper Bound		0.023														
ORIGINAL		0.031														
DUP		0.039														
Target Range - Lower Bound		0.023														
Upper Bound		0.047														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06058214

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		2240	<1	1.79	34	560	9	0.18	<5	111	0.66	292	<10	102
DUP		2340	<1	1.85	34	590	<2	0.19	<5	115	0.70	306	<10	107
Target Range - Lower Bound		2170	<1	1.71	30	530	<2	0.16	<5	105	0.63	282	<10	95
Upper Bound		2410	2	1.93	38	620	10	0.21	10	121	0.73	316	20	114
C081332														
DUP														
Target Range - Lower Bound														
Upper Bound														
C081366		345	1	1.75	17	630	28	0.06	<5	536	0.31	41	10	56
DUP		335	1	1.70	20	630	25	0.05	<5	522	0.30	40	10	53
Target Range - Lower Bound		313	<1	1.62	16	580	21	0.03	<5	501	0.27	36	<10	48
Upper Bound		367	2	1.83	21	680	32	0.08	10	557	0.34	45	20	61
C081474														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

J: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-JUL-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06058215

Project: Dublin Gulch1735

P.O. No.:

This report is for 32 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 26-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06058215

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
BM-9/A			12.6	3.53	17	190	0.9	110	0.21	24.7	94	350	5370	4.17	0.11	0.77
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			3.4	5.09	463	2290	1.3	<2	0.56	6.5	23	98	301	3.83	1.22	0.73
G2000			3.3	4.81	462	2140	1.3	<2	0.59	6.2	22	95	304	3.63	1.22	0.70
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
GBM999-5			56.8	4.85	<5	170	1.2	<2	0.10	<0.5	3	6	492	3.03	3.53	0.04
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	436	2.67	3.10	0.02
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	536	3.29	3.81	0.04
OxG46		1.045														
OxG46		0.996														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.780														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.41														
ST-259		2.40														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	1	<0.01	<0.01	<0.01
BLANK			<0.5	0.01	<5	<10	<0.5	<2	<0.01	0.6	<1	<1	<1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06058215

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS														
BM-9/A		646	4	0.43	369	100	6450	1.30	8	84	0.08	21	<10	8120
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		561	5	0.15	284	930	670	0.25	32	112	0.33	99	10	1265
G2000		536	5	0.14	283	870	671	0.24	33	106	0.33	101	10	1300
Target Range - Lower Bound		506	4	0.13	256	840	601	0.23	24	103	0.31	94	<10	1130
Upper Bound		630	8	0.18	316	1050	739	0.30	40	129	0.40	117	20	1385
GBM999-5		68	4	0.92	4	50	549	0.29	5	20	0.02	7	<10	117
Target Range - Lower Bound		54	2	0.85	2	40	471	0.26	<5	15	<0.01	5	<10	102
Upper Bound		78	4	1.07	5	70	580	0.34	10	21	0.03	9	20	129
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														
SI15														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														
BLANKS														
BLANK														
BLANK														
BLANK		<5	1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	10	<2	<0.01	<5	1	<0.01	<1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06058215

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
ORIGINAL		0.020														
DUP		0.021														
Target Range - Lower Bound		0.009														
Upper Bound		0.032														
C081366			<0.5	7.84	12	1610	3.0	<2	2.49	<0.5	9	35	8	2.66	3.44	0.85
DUP			<0.5	7.55	12	1560	2.9	<2	2.42	<0.5	8	34	7	2.57	3.36	0.81
Target Range - Lower Bound			<0.5	7.29	<5	1490	1.8	<2	2.31	<0.5	6	31	5	2.46	3.21	0.77
Upper Bound			1.0	8.10	23	1680	4.1	4	2.60	1.0	11	38	10	2.77	3.59	0.89
C078454			<0.5	7.34	48	1270	2.4	<2	2.80	<0.5	9	48	16	2.89	3.08	1.30
DUP			<0.5	6.95	41	1220	2.4	<2	2.69	<0.5	9	46	18	2.78	3.02	1.26
Target Range - Lower Bound			<0.5	6.77	32	1160	1.3	<2	2.59	<0.5	7	43	14	2.67	2.88	1.20
Upper Bound			1.0	7.52	57	1330	3.5	4	2.90	1.0	11	51	20	3.00	3.22	1.36
C078560		0.014														
DUP		0.016														
Target Range - Lower Bound		<0.005														
Upper Bound		0.026														
ORIGINAL		0.167														
DUP		0.114														
Target Range - Lower Bound		0.123														
Upper Bound		0.158														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06058215

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
C081366		345	1	1.75	17	630	28	0.06	<5	536	0.31	41	10	56
DUP		335	1	1.70	20	630	25	0.05	<5	522	0.30	40	10	53
Target Range - Lower Bound		313	<1	1.62	16	580	21	0.03	<5	501	0.27	36	<10	48
Upper Bound		367	2	1.83	21	680	32	0.08	10	557	0.34	45	20	61
C078454		380	10	1.59	14	650	27	0.06	6	441	0.27	55	30	39
DUP		371	9	1.55	14	620	27	0.07	<5	421	0.27	54	40	39
Target Range - Lower Bound		347	7	1.47	11	580	22	0.04	<5	407	0.24	50	<10	33
Upper Bound		404	12	1.67	17	690	32	0.09	10	455	0.30	59	60	45
C078560														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

): STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-JUL-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06059153

Project: Dublin Gulch1735

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 26-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059153

Sample Description	Method	Au-AA24	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
STANDARDS																
BM-9/A				14.1	3.63	26	220	0.9	116	0.22	26.8	98	359	5860	4.30	0.12
BM-9/A				13.4	3.58	18	210	0.9	115	0.22	25.2	94	363	5530	4.18	0.12
BM-9/A				14.6	3.54	25	200	0.9	110	0.22	25.6	94	338	5230	4.25	0.12
Target Range - Lower Bound				11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10
Upper Bound				15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14
G2000				3.4	5.16	494	2400	1.3	<2	0.61	6.8	22	94	310	3.83	1.28
G2000				3.6	4.87	467	2310	1.2	<2	0.57	6.4	23	97	300	3.71	1.24
G2000				3.2	5.02	456	2420	1.2	2	0.61	7.2	22	98	292	3.98	1.22
G2000				3.3	4.71	492	2260	1.3	<2	0.56	6.7	23	91	296	3.71	1.24
Target Range - Lower Bound				2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14
Upper Bound				4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41
OxG46		1.030	1.030													
OxG46		1.035														
OxG46		0.954														
OxG46		1.035														
OxG46		1.030														
OxG46		1.075	1.075													
Target Range - Lower Bound		0.959	0.959													
Upper Bound		1.115	1.115													
SI15		1.780	1.780													
SI15		1.760														
Target Range - Lower Bound		1.675	1.675													
Upper Bound		1.935	1.935													
ST-259		2.53	2.53													
ST-259		2.37														
ST-259		2.42														
ST-259		2.52														
ST-259		2.50														
ST-259		2.48	2.48													
ST-259		2.35	2.35													
Target Range - Lower Bound		2.30	2.30													
Upper Bound		2.66	2.66													

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059153

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS															
BM-9/A		0.82	625	3	0.47	386	100	6610	1.38	8	90	0.09	22	<10	8330
BM-9/A		0.79	604	4	0.46	353	110	6400	1.40	11	90	0.08	22	<10	7930
BM-9/A		0.80	621	3	0.46	367	90	6450	1.35	8.	86	0.09	23	<10	8200
Target Range - Lower Bound		0.72	561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		0.90	697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		0.78	583	5	0.14	281	960	663	0.27	34	120	0.36	102	20	1285
G2000		0.71	547	5	0.13	270	940	653	0.27	36	114	0.33	100	10	1245
G2000		0.76	564	5	0.14	272	970	689	0.27	31	115	0.33	99	10	1215
G2000		0.72	543	5	0.13	277	940	645	0.26	32	109	0.35	104	10	1275
Target Range - Lower Bound		0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	94	<10	1130
Upper Bound		0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	117	20	1385
OxG46															
OxG46															
OxG46															
OxG46															
OxG46															
OxG46															
Target Range - Lower Bound															
Upper Bound															
SI15															
SI15															
Target Range - Lower Bound															
Upper Bound															
ST-259															
ST-259															
ST-259															
ST-259															
ST-259															
ST-259															
ST-259															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059153

Sample Description	Method	Au-AA24	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
BLANKS																
BLANK		<0.005	<0.005													
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK				<0.5	0.02	5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK		<0.005	<0.005													
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK		<0.005	<0.005													
Target Range - Lower Bound		<0.005	<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
Upper Bound		0.010	0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02
DUPLICATES																
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.105														
DUP		0.105	0.105													
Target Range - Lower Bound		0.090	0.090													
Upper Bound		0.120	0.120													
C078392				<0.5	7.66	27	1530	3.0	<2	3.08	<0.5	9	52	22	2.94	3.72
DUP				<0.5	7.88	44	1550	2.9	<2	3.09	<0.5	10	50	22	2.97	3.64
Target Range - Lower Bound				<0.5	7.36	24	1440	1.8	<2	2.91	<0.5	7	46	19	2.79	3.48
Upper Bound				1.0	8.18	47	1640	4.1	4	3.26	1.0	12	56	25	3.12	3.88
C078398		0.925														
DUP		0.651	0.651													
Target Range - Lower Bound		0.621	0.608													
Upper Bound		0.708	0.694													

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059153

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
BLANKS															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK															
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK															
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
C078392		1.36	345	1	1.84	15	700	20	0.10	<5	583	0.34	59	30	31
DUP		1.38	347	<1	1.87	12	700	18	0.10	5	596	0.33	58	30	30
Target Range - Lower Bound		1.28	319	<1	1.74	11	650	14	0.08	<5	558	0.30	54	<10	25
Upper Bound		1.46	373	2	1.97	16	760	24	0.13	10	621	0.37	63	50	36
C078398															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059153

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
		DUPLICATES														
C078424		0.077														
DUP		0.067														
Target Range - Lower Bound		0.058														
Upper Bound		0.086														
C078436				<0.5	0.14	<5	20	<0.5	<2	18.80	<0.5	<1	3	5	0.13	0.04
DUP				<0.5	0.16	25	20	<0.5	<2	19.65	<0.5	1	2	4	0.14	0.04
Target Range - Lower Bound				<0.5	0.12	<5	<10	<0.5	<2	18.25	<0.5	<1	<1	2	0.11	0.02
Upper Bound				1.0	0.18	26	40	1.0	4	20.2	1.0	2	5	7	0.16	0.06
C078478				<0.5	6.75	62	1480	2.6	<2	3.24	<0.5	9	43	21	2.28	3.59
DUP				<0.5	6.90	57	1460	2.6	2	3.20	<0.5	7	37	20	2.30	3.56
Target Range - Lower Bound				<0.5	6.46	47	1380	1.5	<2	3.04	<0.5	6	36	17	2.16	3.38
Upper Bound				1.0	7.19	72	1560	3.7	4	3.40	1.0	10	44	24	2.42	3.77
C078548		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C078572		0.143														
DUP		0.155														
Target Range - Lower Bound		0.132														
Upper Bound		0.166														
C081726				<0.5	7.07	45	1480	2.7	<2	2.38	<0.5	8	24	14	2.62	3.34
DUP				<0.5	7.43	53	1520	2.6	2	2.44	<0.5	8	23	14	2.71	3.36
Target Range - Lower Bound				<0.5	6.87	37	1410	1.5	<2	2.27	<0.5	6	20	11	2.51	3.16
Upper Bound				1.0	7.63	61	1600	3.8	4	2.55	1.0	10	27	17	2.82	3.54
ORIGINAL		0.111														
DUP		0.129														
Target Range - Lower Bound		0.104														
Upper Bound		0.136														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059153

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES															
C078424															
DUP															
Target Range - Lower Bound															
Upper Bound															
C078436		10.25	128	<1	0.02	<1	380	<2	0.01	<5	104	0.01	2	<10	7
DUP		10.65	134	<1	0.02	1	390	4	0.01	<5	105	0.01	3	<10	9
Target Range - Lower Bound		9.91	114	<1	<0.01	<1	350	<2	<0.01	<5	97	<0.01	<1	<10	4
Upper Bound		11.00	148	2	0.04	2	420	4	0.02	10	112	0.02	5	20	12
C078478		0.92	241	2	1.55	17	630	16	0.09	<5	528	0.29	42	30	22
DUP		0.93	238	2	1.55	18	620	18	0.09	5	535	0.28	40	30	22
Target Range - Lower Bound		0.86	218	<1	1.45	15	570	12	0.07	<5	503	0.25	37	<10	17
Upper Bound		0.99	261	4	1.65	20	680	22	0.11	10	560	0.32	45	50	27
C078548															
DUP															
Target Range - Lower Bound															
Upper Bound															
C078572															
DUP															
Target Range - Lower Bound															
Upper Bound															
C081726		0.77	395	1	1.37	19	610	40	0.08	6	434	0.31	37	20	70
DUP		0.80	406	1	1.39	19	620	41	0.08	<5	450	0.31	37	20	70
Target Range - Lower Bound		0.73	370	<1	1.29	16	560	34	0.06	<5	418	0.27	33	<10	63
Upper Bound		0.84	431	2	1.47	22	670	47	0.10	10	466	0.35	41	40	78
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06059154

Project: Dublin Gulch1735

P.O. No.:

This report is for 115 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 26-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059154

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
BM-9/A			12.4	3.67	15	200	0.9	110	0.22	25.5	94	380	5360	4.33	0.12	0.80
BM-9/A			17.6	3.47	27	200	0.8	109	0.22	25.6	91	350	5130	4.10	0.12	0.79
BM-9/A			14.1	3.70	29	200	1.0	121	0.22	26.9	106	358	5530	4.43	0.12	0.82
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			3.3	5.23	493	2380	1.3	2	0.60	7.1	23	102	304	3.92	1.24	0.75
G2000			3.2	4.86	480	2230	1.3	3	0.56	6.6	23	93	285	3.67	1.18	0.70
G2000			3.7	5.30	495	2380	1.4	2	0.62	6.8	26	106	311	4.06	1.30	0.80
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
GBM999-5			53.8	4.80	<5	170	1.2	2	0.10	<0.5	2	2	461	3.03	3.42	0.03
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	436	2.67	3.10	0.02
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	536	3.29	3.81	0.04
OxG46		1.035														
OxG46		1.015														
OxG46		0.954														
OxG46		1.035														
OxG46		1.045														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.37														
ST-259		2.41														
ST-259		2.42														
ST-259		2.52														
ST-259		2.44														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059154

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS														
BM-9/A		653	3	0.46	363	100	6630	1.34	9	91	0.08	22	<10	8040
BM-9/A		601	3	0.45	342	90	6340	1.35	10	86	0.08	21	<10	7900
BM-9/A		647	4	0.48	384	100	6580	1.43	7	92	0.09	23	<10	8470
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		587	5	0.13	293	980	694	0.26	34	120	0.35	106	10	1295
G2000		544	4	0.13	274	890	657	0.24	33	110	0.33	101	10	1225
G2000		572	6	0.14	295	1000	684	0.28	36	123	0.38	109	20	1315
Target Range - Lower Bound		506	4	0.13	256	840	601	0.23	24	103	0.31	94	<10	1130
Upper Bound		630	8	0.18	316	1050	739	0.30	40	129	0.40	117	20	1385
GBM999-5		68	3	0.92	3	50	541	0.28	8	21	0.02	7	<10	114
Target Range - Lower Bound		54	2	0.85	2	40	471	0.26	<5	15	<0.01	5	<10	102
Upper Bound		78	4	1.07	5	70	580	0.34	10	21	0.03	9	20	129
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														
BLANKS														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059154

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
BLANKS																
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	<0.01	<0.01	<0.01
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL			<0.5	4.44	<5	110	0.5	<2	1.96	<0.5	70	1720	286	7.37	1.51	10.90
DUP			<0.5	4.11	<5	100	0.5	2	1.80	<0.5	63	1645	267	6.82	1.38	10.30
Target Range - Lower Bound			<0.5	4.04	<5	80	<0.5	<2	1.77	<0.5	61	1595	261	6.72	1.35	10.05
Upper Bound			1.0	4.51	10	130	1.0	4	1.99	1.0	72	1770	292	7.47	1.54	11.15
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.098														
DUP		0.093														
Target Range - Lower Bound		0.081														
Upper Bound		0.110														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C078424		0.077														
DUP		0.067														
Target Range - Lower Bound		0.058														
Upper Bound		0.086														
C078488			<0.5	7.42	20	1440	2.7	<2	2.73	<0.5	7	53	14	3.07	3.14	1.20
DUP			<0.5	6.72	15	1300	2.6	<2	2.47	<0.5	7	49	14	2.79	3.04	1.09
Target Range - Lower Bound			<0.5	6.70	7	1280	1.5	<2	2.45	<0.5	5	46	11	2.76	2.92	1.07
Upper Bound			1.0	7.44	28	1460	3.8	4	2.75	1.0	9	56	17	3.10	3.26	1.22

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059154

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
BLANKS														
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK														
	Target Range - Lower Bound	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
	Upper Bound	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES														
ORIGINAL		1085	1	0.97	1175	260	9	0.17	<5	51	0.30	69	<10	99
DUP		1010	<1	0.92	1095	220	7	0.16	<5	48	0.27	64	<10	89
	Target Range - Lower Bound	985	<1	0.88	1075	210	4	0.14	<5	45	0.25	61	<10	85
	Upper Bound	1110	2	1.01	1195	270	12	0.19	10	54	0.32	72	20	103
ORIGINAL														
DUP														
	Target Range - Lower Bound													
	Upper Bound													
ORIGINAL														
DUP														
	Target Range - Lower Bound													
	Upper Bound													
ORIGINAL														
DUP														
	Target Range - Lower Bound													
	Upper Bound													
C078424														
DUP														
	Target Range - Lower Bound													
	Upper Bound													
C078488		441	1	1.66	16	680	25	0.05	9	529	0.30	58	10	46
DUP		399	1	1.52	16	630	24	0.05	7	475	0.29	55	10	44
	Target Range - Lower Bound	389	<1	1.49	13	600	19	0.03	<5	475	0.26	52	<10	39
	Upper Bound	451	2	1.69	19	710	30	0.07	10	529	0.33	61	20	51

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059154

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
C078501		0.008														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C078527			<0.5	10.50	27	1060	2.4	2	0.52	<0.5	14	74	18	3.83	4.75	0.90
DUP			<0.5	11.45	34	1080	2.5	<2	0.56	<0.5	14	69	18	3.96	5.05	0.93
Target Range - Lower Bound			<0.5	10.40	19	1000	1.3	<2	0.49	<0.5	11	66	15	3.68	4.64	0.85
Upper Bound			1.0	11.55	42	1140	3.6	4	0.59	1.0	17	77	21	4.11	5.17	0.98
C078548		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C078567			<0.5	6.93	780	1570	2.3	5	1.86	<0.5	7	26	28	2.29	3.56	0.74
DUP			<0.5	6.44	679	1490	2.4	4	1.72	<0.5	7	26	29	2.12	3.77	0.69
Target Range - Lower Bound			<0.5	6.33	683	1430	1.2	<2	1.68	<0.5	5	23	25	2.07	3.46	0.66
Upper Bound			1.0	7.04	776	1630	3.5	9	1.90	1.0	9	29	32	2.34	3.87	0.77
C078572		0.143														
DUP		0.155														
Target Range - Lower Bound		0.132														
Upper Bound		0.166														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059154

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
C078501														
DUP														
Target Range - Lower Bound														
Upper Bound														
C078527		253	1	1.00	39	270	8	0.09	8	134	0.39	90	10	47
DUP		261	1	1.00	39	270	9	0.10	6	140	0.35	91	10	48
Target Range - Lower Bound		234	<1	0.93	35	240	4	0.07	<5	128	0.33	84	<10	41
Upper Bound		280	2	1.07	43	300	13	0.12	10	146	0.41	97	20	54
C078548														
DUP														
Target Range - Lower Bound														
Upper Bound														
C078567		172	1	0.99	20	600	17	0.22	<5	359	0.27	31	30	18
DUP		160	<1	0.94	20	550	17	0.20	<5	338	0.27	32	30	20
Target Range - Lower Bound		148	<1	0.90	17	530	12	0.18	<5	329	0.24	28	<10	14
Upper Bound		184	2	1.03	23	620	22	0.24	10	368	0.30	35	50	24
C078572														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06059453

Project: Dublin Gulch1735

P.O. No.:

This report is for 25 Rock samples submitted to our lab in Vancouver, BC, Canada on 28-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059453

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
STANDARDS																
G2000				3.3	4.81	472	2310	1.2	<2	0.58	6.9	23	99	291	3.74	1.20
Target Range - Lower Bound				2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14
Upper Bound				4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41
OxG46		0.954														
OxG46		1.020														
OxG46		1.065														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SQ27			51.6													
SQ27			51.7													
SQ27			51.0													
SQ27			51.1													
Target Range - Lower Bound			46.8													
Upper Bound			54.0													
ST-259		2.42														
ST-259		2.39														
ST-259		2.38														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327			6.81													
ST-327			6.90													
ST-327			6.83													
ST-327			6.86													
Target Range - Lower Bound			6.30													
Upper Bound			7.36													
BLANKS																
BLANK		<0.005														
BLANK			<0.05													
BLANK		0.013														
BLANK				<0.5	<0.01	<5	<10	<0.5	2	<0.01	<0.5	1	1	1	<0.01	<0.01
BLANK		0.007														
BLANK			<0.05													
BLANK			<0.05													
BLANK			<0.05													
Target Range - Lower Bound		<0.005	<0.05	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
Upper Bound		0.010	0.10	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02

Comments: Additional Au-GRA22 value for sample B088668 is 7.41ppm.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059453

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS															
G2000		0.72	540	5	0.13	269	960	644	0.27	31	114	0.34	99	10	1290
Target Range - Lower Bound		0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	94	<10	1130
Upper Bound		0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	117	20	1385
OxG46															
OxG46															
OxG46															
Target Range - Lower Bound															
Upper Bound															
SQ27															
SQ27															
SQ27															
SQ27															
Target Range - Lower Bound															
Upper Bound															
ST-259															
ST-259															
ST-259															
Target Range - Lower Bound															
Upper Bound															
ST-327															
ST-327															
ST-327															
ST-327															
Target Range - Lower Bound															
Upper Bound															
BLANKS															
BLANK															
BLANK															
BLANK															
BLANK		<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	1	<10	<2
BLANK															
BLANK															
BLANK															
BLANK															
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4

Comments: Additional Au-GRA22 value for sample B088668 is 7.41ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059453

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
DUPLICATES																
ORIGINAL			18.60													
DUP			18.65													
Target Range - Lower Bound			17.60													
Upper Bound			19.65													
ORIGINAL			16.70													
DUP			17.55													
Target Range - Lower Bound			16.15													
Upper Bound			18.10													
C078424		0.077														
DUP		0.067														
Target Range - Lower Bound		0.058														
Upper Bound		0.086														
C078548		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B088385				<0.5	2.05	102	190	<0.5	<2	0.07	<0.5	3	35	5	1.26	0.77
DUP				<0.5	2.24	77	210	<0.5	<2	0.08	<0.5	3	32	5	1.38	0.79
Target Range - Lower Bound				<0.5	2.02	75	170	<0.5	<2	0.05	<0.5	<1	30	3	1.23	0.72
Upper Bound				1.0	2.27	104	230	1.0	4	0.10	1.0	5	37	7	1.41	0.84
B088668			9.43													
DUP			9.05													
Target Range - Lower Bound			8.68													
Upper Bound			9.80													
C081459		0.102														
DUP		0.114														
Target Range - Lower Bound		0.093														
Upper Bound		0.123														
C081485		0.026														
DUP		0.017														
Target Range - Lower Bound		0.010														
Upper Bound		0.033														

Comments: Additional Au-GRA22 value for sample B088668 is 7.41ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059453

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
C078424															
DUP															
Target Range - Lower Bound															
Upper Bound															
C078548															
DUP															
Target Range - Lower Bound															
Upper Bound															
B088385		0.12	130	<1	0.39	5	80	5	<0.01	<5	29	0.10	16	<10	13
DUP		0.13	142	<1	0.42	7	80	6	<0.01	<5	32	0.11	16	<10	13
Target Range - Lower Bound		0.10	119	<1	0.36	4	60	<2	<0.01	<5	27	0.08	13	<10	8
Upper Bound		0.15	153	2	0.45	8	100	10	0.02	10	34	0.13	19	20	18
B088668															
DUP															
Target Range - Lower Bound															
Upper Bound															
C081459															
DUP															
Target Range - Lower Bound															
Upper Bound															
C081485															
DUP															
Target Range - Lower Bound															
Upper Bound															

Comments: Additional Au-GRA22 value for sample B088668 is 7.41ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059453

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
DUPLICATES																
ORIGINAL			<0.05													
DUP			<0.05													
Target Range - Lower Bound			<0.05													
Upper Bound			0.10													

Comments: Additional Au-GRA22 value for sample B088668 is 7.41ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059453

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

Comments: Additional Au-GRA22 value for sample B088668 is 7.41ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-JUL-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06059454

Project: Dublin Gulch 1735

P.O. No.:

This report is for 13 Rock samples submitted to our lab in Vancouver, BC, Canada on 28-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06059454

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
STANDARDS																
BM-9/A			13.5	0.95	23	<10	90	0.8	122	0.15	25.3	99	205	5680	3.56	<10
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.4	1.92	500	<10	870	1.0	2	0.46	7.1	25	73	333	3.72	10
G2000			3.7	1.96	506	<10	870	1.0	<2	0.46	6.8	24	73	330	3.71	10
G2000																
G2000																
G2000																
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334	4.19	20
OxG46		1.085														
OxG46		1.060														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.855														
SI15		1.905														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.60														
ST-259		2.64														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.2	<0.01	3	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK																
BLANK																
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06059454

Sample Description	Method Analyte Units LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
STANDARDS																
BM-9/A			0.02	10	0.41	618	3	0.38	366	80	6590	1.40	5	8	73	0.01
Target Range - Lower Bound			<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound			0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000			0.42	20	0.64	561	5	0.02	291	930	678	0.27	22	7	68	0.06
G2000			0.42	20	0.63	558	5	0.02	288	930	656	0.27	22	7	68	0.05
G2000		0.71														
G2000		0.79														
G2000		0.77														
Target Range - Lower Bound		0.70	0.37	<10	0.60	506	4	0.02	256	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.47	40	0.76	630	8	0.04	316	1050	739	0.31	31	9	76	0.07
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
SI15																
SI15																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK																
BLANK																
BLANK			<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01														
BLANK		<0.01														
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06059454

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
STANDARDS						
BM-9/A		<10	<10	16	<10	8270
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	71	10	1340
G2000		<10	<10	70	10	1340
G2000						
G2000						
G2000						
Target Range - Lower Bound		<10	<10	59	<10	1130
Upper Bound		20	20	74	20	1385
OxG46						
OxG46						
Target Range - Lower Bound						
Upper Bound						
SI15						
SI15						
Target Range - Lower Bound						
Upper Bound						
ST-259						
ST-259						
Target Range - Lower Bound						
Upper Bound						
BLANKS						
BLANK						
BLANK						
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06059454

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.008														
DUP		0.006														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B088136																
DUP																
Target Range - Lower Bound																
Upper Bound																
B088676			<0.2	1.20	14	<10	70	<0.5	<2	0.06	<0.5	4	22	12	2.07	<10
DUP			<0.2	1.20	11	<10	70	<0.5	<2	0.06	<0.5	4	22	12	2.05	<10
Target Range - Lower Bound			<0.2	1.12	8	<10	40	<0.5	<2	0.04	<0.5	2	19	9	1.94	<10
Upper Bound			0.4	1.28	17	20	100	1.0	4	0.08	1.0	6	25	15	2.18	20
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06059454

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
ORIGINAL		0.71														
DUP		0.74														
Target Range - Lower Bound		0.67														
Upper Bound		0.78														
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B088136		0.05														
DUP		0.04														
Target Range - Lower Bound		0.02														
Upper Bound		0.07														
B088676			0.09	10	0.29	128	1	<0.01	13	340	10	0.03	<2	1	10	0.05
DUP			0.09	10	0.29	128	1	<0.01	13	320	10	0.03	<2	1	10	0.05
Target Range - Lower Bound			0.07	<10	0.26	112	<1	<0.01	10	290	6	<0.01	<2	<1	8	0.03
Upper Bound			0.11	20	0.32	144	2	0.02	16	370	15	0.05	4	2	13	0.07
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06059454

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
B088136						
DUP						
Target Range - Lower Bound						
Upper Bound						
B088676		<10	<10	40	<10	41
DUP		<10	<10	39	<10	40
Target Range - Lower Bound		<10	<10	36	<10	34
Upper Bound		20	20	43	20	47
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06059622

Project: Dublin Gulch1735

P.O. No.:

This report is for 150 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 28-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Zn-AA62	Ore grade Zn - four acid / AAS	AAS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059622

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
BM-9/A			12.7	3.55	15	210	0.9	112	0.22	26.2	96	394	5440	4.32	0.12	0.82
BM-9/A			13.9	3.57	21	200	0.9	106	0.21	25.8	94	372	5370	4.19	0.12	0.80
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			3.2	5.02	456	2420	1.2	2	0.61	7.2	22	98	292	3.98	1.22	0.76
G2000			3.5	4.83	449	2260	1.2	<2	0.59	6.5	21	93	291	3.80	1.22	0.73
G2000			3.3	4.94	484	2300	1.3	<2	0.61	6.8	22	99	298	3.89	1.25	0.75
G2000			3.4	4.98	482	2320	1.3	<2	0.57	6.7	22	102	298	3.75	1.22	0.74
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
GBM398-4c																
Target Range - Lower Bound																
Upper Bound																
GBM399-5																
Target Range - Lower Bound																
Upper Bound																
GBM999-5			54.4	4.75	14	180	1.2	<2	0.10	<0.5	2	6	492	3.12	3.58	0.04
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	436	2.67	3.10	0.02
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	536	3.29	3.81	0.04
OXD43		0.390														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.050														
OxG46		1.025														
OxG46		1.035														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.770														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.61														
ST-259		2.34														
ST-259		2.48														
ST-259		2.46														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.61														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059622

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.01
STANDARDS															
BM-9/A		619	4	0.47	365	110	6450	1.41	7	87	0.08	21	<10	8290	
BM-9/A		592	3	0.46	364	100	6440	1.33	8	87	0.09	22	<10	8010	
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350	
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990	
G2000		564	5	0.14	272	970	689	0.27	31	115	0.33	99	10	1215	
G2000		540	5	0.14	269	950	654	0.26	32	112	0.32	97	10	1205	
G2000		542	5	0.14	280	960	676	0.27	31	112	0.33	101	10	1275	
G2000		558	4	0.13	279	950	649	0.26	32	114	0.34	100	10	1285	
Target Range - Lower Bound		506	4	0.13	256	840	601	0.23	24	103	0.31	94	<10	1130	
Upper Bound		630	8	0.18	316	1050	739	0.30	40	129	0.40	117	20	1385	
GBM398-4c															0.52
Target Range - Lower Bound															0.48
Upper Bound															0.54
GBM399-5															0.93
Target Range - Lower Bound															0.91
Upper Bound															0.99
GBM999-5		64	3	0.99	5	60	554	0.31	6	20	0.02	7	<10	118	
Target Range - Lower Bound		54	2	0.85	2	40	471	0.26	<5	15	<0.01	5	<10	102	
Upper Bound		78	4	1.07	5	70	580	0.34	10	21	0.03	9	20	129	
OXD43															
Target Range - Lower Bound															
Upper Bound															
OxG46															
OxG46															
OxG46															
Target Range - Lower Bound															
Upper Bound															
SI15															
Target Range - Lower Bound															
Upper Bound															
ST-259															
ST-259															
ST-259															
ST-259															
Target Range - Lower Bound															
Upper Bound															
ST-327															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059622

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
BLANKS																
BLANK			<0.5	0.02	5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.7	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	0.01	0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK		<0.005														
BLANK		0.006														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK																
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL		0.020														
DUP		0.025														
Target Range - Lower Bound		0.011														
Upper Bound		0.034														
ORIGINAL		0.105														
DUP		0.105														
Target Range - Lower Bound		0.090														
Upper Bound		0.120														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059622

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.01
BLANKS															
BLANK		<5	<1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK		<5	2	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK		<5	1	<0.01	1	10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															<0.01
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4	0.02
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059622

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
C078478			<0.5	6.75	62	1480	2.6	<2	3.24	<0.5	9	43	21	2.28	3.59	0.92
DUP			<0.5	6.90	57	1460	2.6	2	3.20	<0.5	7	37	20	2.30	3.56	0.93
Target Range - Lower Bound			<0.5	6.46	47	1380	1.5	<2	3.04	<0.5	6	36	17	2.16	3.38	0.86
Upper Bound			1.0	7.19	72	1560	3.7	4	3.40	1.0	10	44	24	2.42	3.77	0.99
C081302		0.006														
DUP		0.006														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C081312																
DUP																
Target Range - Lower Bound																
Upper Bound																
C081327		0.096														
DUP		0.084														
Target Range - Lower Bound		0.076														
Upper Bound		0.105														
C081338			<0.5	7.07	10	1420	2.7	<2	2.55	<0.5	8	37	47	2.64	3.73	0.85
DUP			<0.5	6.91	11	1420	2.8	<2	2.51	<0.5	9	37	48	2.64	3.78	0.84
Target Range - Lower Bound			<0.5	6.62	<5	1330	1.6	<2	2.38	<0.5	6	33	43	2.49	3.55	0.78
Upper Bound			1.0	7.36	21	1510	3.9	4	2.68	1.0	11	41	52	2.79	3.96	0.91
C081382			<0.5	6.80	10	1520	3.0	<2	2.68	<0.5	11	35	10	2.77	3.16	0.91
DUP			<0.5	7.79	17	1620	3.0	<2	2.86	<0.5	8	33	10	2.98	3.16	1.01
Target Range - Lower Bound			<0.5	6.91	<5	1470	1.9	<2	2.61	<0.5	7	30	8	2.71	2.98	0.89
Upper Bound			1.0	7.68	24	1670	4.2	4	2.93	1.0	12	38	13	3.04	3.34	1.03
C081398		0.092														
DUP		0.098														
Target Range - Lower Bound		0.080														
Upper Bound		0.110														
C081418			<0.5	6.87	75	1550	3.0	<2	2.32	<0.5	7	34	23	2.47	3.30	0.81
DUP			<0.5	7.60	77	1610	3.2	<2	2.47	<0.5	7	31	23	2.59	3.42	0.85
Target Range - Lower Bound			<0.5	6.85	62	1460	1.9	<2	2.26	<0.5	5	29	20	2.38	3.17	0.77
Upper Bound			1.0	7.62	90	1680	4.3	4	2.53	1.0	9	36	26	2.68	3.55	0.89

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059622

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.01
DUPLICATES															
C078478		241	2	1.55	17	630	16	0.09	<5	528	0.29	42	30	22	
DUP		238	2	1.55	18	620	18	0.09	5	535	0.28	40	30	22	
Target Range - Lower Bound		218	<1	1.45	15	570	12	0.07	<5	503	0.25	37	<10	17	
Upper Bound		261	4	1.65	20	680	22	0.11	10	560	0.32	45	50	27	
C081302															
DUP															
Target Range - Lower Bound															
Upper Bound															
C081312															1.72
DUP															1.71
Target Range - Lower Bound															1.65
Upper Bound															1.78
C081327															
DUP															
Target Range - Lower Bound															
Upper Bound															
C081338		242	<1	1.62	13	610	20	0.19	<5	520	0.28	39	<10	24	
DUP		242	<1	1.63	15	610	19	0.20	<5	511	0.28	40	<10	25	
Target Range - Lower Bound		220	<1	1.52	11	560	15	0.17	<5	488	0.25	36	<10	19	
Upper Bound		264	2	1.73	17	660	24	0.22	10	543	0.31	43	20	30	
C081382		374	1	1.77	19	670	27	0.13	<5	480	0.32	43	10	56	
DUP		399	<1	1.93	18	750	25	0.14	5	532	0.31	42	10	56	
Target Range - Lower Bound		357	<1	1.74	16	650	21	0.11	<5	479	0.28	38	<10	49	
Upper Bound		416	2	1.96	21	770	31	0.16	10	533	0.35	47	20	63	
C081398															
DUP															
Target Range - Lower Bound															
Upper Bound															
C081418		236	<1	1.64	20	610	17	0.13	<5	477	0.32	36	10	30	
DUP		246	<1	1.69	20	640	14	0.14	<5	510	0.33	38	10	31	
Target Range - Lower Bound		219	<1	1.56	17	570	11	0.11	<5	467	0.29	33	<10	25	
Upper Bound		263	2	1.77	23	680	20	0.16	10	520	0.36	41	20	36	

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059622

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
C081427		0.166														
DUP		0.142														
Target Range - Lower Bound		0.136														
Upper Bound		0.172														
C081438		0.033														
DUP		0.037														
Target Range - Lower Bound		0.023														
Upper Bound		0.047														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059622

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.01
DUPLICATES															
C081427															
DUP															
Target Range - Lower Bound															
Upper Bound															
C081438															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06059623

Project: Dublin Gulch1735

P.O. No.:

This report is for 136 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 28-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059623

Sample Description	Method	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
STANDARDS																
BM-9/A				13.9	3.68	27	220	0.9	121	0.23	27.6	102	355	5560	4.32	0.12
BM-9/A				13.0	3.41	24	190	0.9	113	0.20	24.4	95	348	5240	3.91	0.13
Target Range - Lower Bound				11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10
Upper Bound				15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14
G2000				3.5	4.75	463	2240	1.3	<2	0.58	7.1	23	92	289	3.58	1.18
G2000				5.0	5.10	483	2390	1.3	2	0.62	7.1	24	100	306	3.87	1.22
G2000				3.8	5.28	483	2490	1.3	<2	0.61	7.3	23	95	297	3.98	1.37
G2000				3.1	4.75	463	2280	1.2	<2	0.57	6.7	23	95	293	3.77	1.20
Target Range - Lower Bound				2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14
Upper Bound				4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41
GBM999-5				54.7	4.58	6	170	1.1	<2	0.10	<0.5	3	5	452	2.88	3.35
GBM999-5				56.1	4.57	7	170	1.2	<2	0.09	<0.5	3	6	447	2.87	3.61
Target Range - Lower Bound				53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	436	2.67	3.10
Upper Bound				65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	536	3.29	3.81
OxG46		1.030														
OxG46		1.020														
OxG46		1.065														
OxG46		1.065														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.850														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
SQ27			51.7													
Target Range - Lower Bound			46.8													
Upper Bound			54.0													
ST-259		2.52														
ST-259		2.39														
ST-259		2.38														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327			6.90													
Target Range - Lower Bound			6.30													
Upper Bound			7.36													

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

. STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059623

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS															
BM-9/A		0.86	656	4	0.50	368	110	6720	1.42	8	93	0.09	23	<10	8440
BM-9/A		0.73	572	3	0.44	358	100	6200	1.29	7	83	0.09	22	<10	8160
Target Range - Lower Bound		0.72	561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		0.90	697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		0.73	546	5	0.13	269	930	633	0.25	33	113	0.34	102	10	1275
G2000		0.78	580	7	0.13	285	1020	689	0.27	33	120	0.35	104	10	1270
G2000		0.76	589	6	0.14	275	980	686	0.28	33	117	0.36	104	10	1280
G2000		0.72	572	5	0.13	275	910	648	0.28	33	107	0.34	96	10	1250
Target Range - Lower Bound		0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	94	<10	1130
Upper Bound		0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	117	20	1385
GBM999-5		0.03	64	4	0.93	5	60	539	0.29	5	20	0.02	7	<10	104
GBM999-5		0.03	62	4	0.89	4	50	502	0.28	5	19	0.02	7	<10	112
Target Range - Lower Bound		0.02	54	2	0.85	2	40	471	0.26	<5	15	<0.01	5	<10	102
Upper Bound		0.04	78	4	1.07	5	70	580	0.34	10	21	0.03	9	20	129
OxG46															
OxG46															
OxG46															
OxG46															
Target Range - Lower Bound															
Upper Bound															
SI15															
Target Range - Lower Bound															
Upper Bound															
SQ27															
Target Range - Lower Bound															
Upper Bound															
ST-259															
ST-259															
ST-259															
Target Range - Lower Bound															
Upper Bound															
ST-327															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059623

Sample Description	Method	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
BLANKS																
BLANK		<0.005														
BLANK		0.013														
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK				<0.5	<0.01	5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK		0.007														
BLANK			<0.05													
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<0.01
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.05	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
Upper Bound		0.010	0.10	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02
DUPLICATES																
ORIGINAL		<0.005														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C081451				<0.5	7.42	113	1590	3.3	8	2.17	<0.5	9	33	29	2.30	3.68
DUP				<0.5	7.07	94	1500	3.1	9	2.04	<0.5	12	35	23	2.18	3.51
Target Range - Lower Bound				<0.5	6.86	88	1450	2.0	4	1.98	<0.5	8	30	23	2.11	3.40
Upper Bound				1.0	7.63	119	1640	4.4	13	2.23	1.0	13	38	29	2.37	3.79
C081459		0.102														
DUP		0.114														
Target Range - Lower Bound		0.093														
Upper Bound		0.123														
C081468				<0.5	6.76	89	1270	2.9	<2	2.44	<0.5	7	27	24	2.45	3.31
DUP				<0.5	6.82	104	1270	2.9	<2	2.41	<0.5	7	28	22	2.44	3.24
Target Range - Lower Bound				<0.5	6.43	82	1190	1.8	<2	2.28	<0.5	5	24	20	2.30	3.09
Upper Bound				1.0	7.15	111	1350	4.0	4	2.57	1.0	9	31	26	2.59	3.46
C081485		0.026														
DUP		0.017														
Target Range - Lower Bound		0.010														
Upper Bound		0.033														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059623

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
BLANKS															
BLANK															
BLANK															
BLANK		<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<5	1	<0.01	2	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK															
BLANK															
BLANK		<0.01	<5	1	<0.01	<1	<10	2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK															
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
C081451		0.75	301	2	1.46	24	650	27	0.07	<5	440	0.32	38	20	81
DUP		0.74	285	1	1.38	26	610	28	0.07	<5	412	0.31	36	20	79
Target Range - Lower Bound		0.69	268	<1	1.33	22	580	22	0.05	<5	403	0.28	33	<10	72
Upper Bound		0.80	318	2	1.51	28	680	33	0.09	10	449	0.35	41	40	88
C081459															
DUP															
Target Range - Lower Bound															
Upper Bound															
C081468		1.09	289	1	0.91	20	610	29	0.11	6	401	0.27	34	20	32
DUP		1.08	288	1	0.89	21	590	31	0.11	6	395	0.26	33	20	30
Target Range - Lower Bound		1.01	264	<1	0.84	17	550	25	0.08	<5	376	0.23	30	<10	25
Upper Bound		1.16	313	2	0.97	24	650	36	0.14	10	420	0.30	37	40	37
C081485															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059623

Sample Description	Method	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
DUPLICATES																
C081510				8.6	7.87	<5	490	0.9	<2	2.98	1.2	18	22	127	4.19	2.27
DUP				8.7	7.98	14	490	0.9	<2	3.08	1.2	17	21	125	4.28	2.21
Target Range - Lower Bound				7.2	7.51	<5	450	<0.5	<2	2.86	<0.5	15	18	118	4.00	2.11
Upper Bound				10.1	8.34	10	530	1.0	4	3.20	2.3	20	25	134	4.47	2.37
C081521		0.028														
DUP		0.033														
Target Range - Lower Bound		0.019														
Upper Bound		0.042														
C081552				<0.5	7.74	56	1590	2.8	<2	2.60	<0.5	8	24	30	2.58	4.01
DUP				<0.5	7.71	70	1590	2.8	<2	2.61	<0.5	9	25	30	2.57	4.04
Target Range - Lower Bound				<0.5	7.32	50	1490	1.7	<2	2.45	<0.5	6	21	27	2.43	3.80
Upper Bound				1.0	8.13	76	1690	3.9	4	2.76	1.0	11	28	34	2.72	4.25

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06059623

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES															
C081510		1.40	968	12	1.66	13	930	25	0.67	<5	424	0.37	151	10	102
DUP		1.43	991	13	1.71	15	960	25	0.69	5	432	0.36	148	<10	99
Target Range - Lower Bound		1.32	921	10	1.58	11	880	20	0.63	<5	405	0.33	140	<10	91
Upper Bound		1.51	1040	15	1.79	17	1010	30	0.73	10	451	0.40	159	20	110
C081521															
DUP															
Target Range - Lower Bound															
Upper Bound															
C081552		0.81	302	2	1.33	21	600	52	0.21	5	492	0.28	35	20	78
DUP		0.81	302	2	1.34	21	610	50	0.21	<5	492	0.28	35	20	80
Target Range - Lower Bound		0.75	277	<1	1.25	18	550	44	0.18	<5	465	0.25	31	<10	71
Upper Bound		0.87	327	4	1.42	24	660	58	0.24	10	519	0.31	39	40	87

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE EL06069703

Project: Dublin Gulch1735

P.O. No.:

This report is for 266 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 18-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Zn-AA62	Ore grade Zn - four acid / AAS	AAS

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him/her and based on an evaluation of all engineering data which is available concerning any proposed project.

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
STANDARDS																
BM-9/A				14.9	3.74	21	230	1.0	117	0.23	26.8	107	377	5670	4.33	0.13
BM-9/A				13.3	3.68	27	210	0.9	110	0.24	25.7	97	346	5430	4.24	0.12
BM-9/A				14.4	3.70	29	210	0.9	111	0.23	26.2	96	379	5450	4.31	0.12
BM-9/A				13.6	3.87	21	220	0.9	114	0.23	26.9	101	361	5170	4.40	0.12
Target Range - Lower Bound				11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10
Upper Bound				15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14
G2000				3.4	5.07	476	2410	1.3	4	0.60	6.9	24	99	305	3.88	1.25
G2000				3.6	5.12	475	2360	1.4	3	0.59	6.7	24	99	311	3.78	1.28
G2000				3.7	4.90	453	2280	1.2	<2	0.56	6.3	22	94	296	3.76	1.18
G2000				3.1	5.12	486	2360	1.3	<2	0.59	6.8	23	99	299	3.79	1.27
G2000				3.3	5.09	493	2370	1.2	2	0.60	6.9	22	99	293	3.81	1.24
G2000				3.3	5.12	480	2400	1.3	<2	0.60	6.7	23	104	299	3.84	1.29
G2000				3.5	5.10	498	2350	1.3	<2	0.59	7.4	23	97	303	3.83	1.21
G2000				3.5	5.37	497	2550	1.4	<2	0.62	6.9	25	103	304	3.94	1.34
G2000				3.8	5.04	482	2420	1.3	2	0.59	6.8	22	99	303	3.82	1.22
Target Range - Lower Bound				2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14
Upper Bound				4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41
GBM398-4c																
Target Range - Lower Bound																
Upper Bound																
GBM399-5																
Target Range - Lower Bound																
Upper Bound																
GBM999-5				55.9	4.55	10	170	1.2	<2	0.09	<0.5	4	6	460	2.91	3.28
GBM999-5				55.3	4.66	8	170	1.2	<2	0.09	<0.5	2	7	458	2.92	3.43
GBM999-5				64.0	4.95	9	190	1.3	<2	0.10	<0.5	3	5	498	3.09	3.57
GBM999-5				58.0	4.75	<5	180	1.3	<2	0.10	<0.5	3	5	482	2.98	3.44
Target Range - Lower Bound				53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	436	2.67	3.10
Upper Bound				65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	536	3.29	3.81
OXD43		0.416														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.01
STANDARDS																
BM-9/A		0.81	674	3	0.48	385	110	6730	1.35	12	95	0.09	23	<10	8410	
BM-9/A		0.81	632	4	0.47	364	110	6500	1.35	9	93	0.09	21	<10	8180	
BM-9/A		0.80	637	3	0.47	372	100	6600	1.39	9	93	0.08	22	<10	8400	
BM-9/A		0.85	666	4	0.49	362	110	6640	1.50	10	95	0.09	23	<10	8300	
Target Range - Lower Bound		0.72	561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350	
Upper Bound		0.90	697	5	0.54	404	120	7310	1.57	10	99		26	20	8990	
G2000		0.74	581	5	0.13	290	1000	661	0.25	31	117	0.35	102	10	1315	
G2000		0.74	560	5	0.14	283	1000	668	0.26	33	120	0.35	104	10	1310	
G2000		0.71	546	6	0.13	263	930	653	0.25	29	114	0.33	99	<10	1270	
G2000		0.74	554	5	0.14	273	960	667	0.26	31	119	0.35	100	10	1250	
G2000		0.74	576	6	0.14	281	1000	671	0.26	30	118	0.34	101	10	1270	
G2000		0.75	569	6	0.14	287	980	659	0.26	33	119	0.35	103	10	1280	
G2000		0.74	583	5	0.15	288	990	677	0.28	34	121	0.36	104	10	1280	
G2000		0.80	573	6	0.14	287	1000	685	0.28	37	125	0.37	109	20	1320	
G2000		0.74	571	5	0.15	281	1010	676	0.27	31	122	0.35	104	20	1270	
Target Range - Lower Bound		0.67	506	4	0.13	256	870	601	0.23	24	103	0.31	94	<10	1130	
Upper Bound		0.85	630	8	0.18	316	1080	739	0.30	40	129	0.40	117	20	1385	
GBM398-4c																0.51
Target Range - Lower Bound																0.48
Upper Bound																0.54
GBM399-5																0.91
Target Range - Lower Bound																0.91
Upper Bound																0.99
GBM999-5		0.03	70	3	0.87	3	70	566	0.28	12	20	0.02	7	10	108	
GBM999-5		0.03	69	4	0.91	2	40	519	0.29	5	20	0.02	7	<10	108	
GBM999-5		0.04	72	4	0.97	3	50	569	0.32	5	22	0.02	7	<10	125	
GBM999-5		0.04	68	4	0.94	2	60	554	0.31	8	21	0.02	7	<10	116	
Target Range - Lower Bound		0.03	54	3	0.85	2	40	471	0.26	<5	16	<0.01	5	<10	102	
Upper Bound		0.05	78	5	1.07	5	70	580	0.34	10	22	0.03	9	20	129	
OXD43																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
STANDARDS																
OxG46		1.040														
OxG46		1.025														
OxG46		1.035														
OxG46		1.030														
OxG46		1.040														
OxG46		1.060														
OxG46		1.050														
OxG46		1.090														
OxG46		1.090														
OxG46		1.050														
OxG46		1.050														
OxG46		1.035														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.800														
SI15		1.775														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
SQ27			48.9													
Target Range - Lower Bound			46.8													
Upper Bound			54.0													
ST-259		2.31														
ST-259		2.31														
ST-259		2.45														
ST-259		2.37														
ST-259		2.38														
ST-259		2.34														
ST-259		2.48														
ST-259		2.61														
ST-259		2.54														
ST-259		2.46														
ST-259		2.52														
ST-259		2.44														
ST-259		2.51														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.80														
ST-327			6.70													
Target Range - Lower Bound		6.35	6.30													
Upper Bound		7.31	7.36													

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.01
STANDARDS																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
SI15																
SI15																
Target Range - Lower Bound																
Upper Bound																
SQ27																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
ST-327																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
BLANKS																
BLANK		<0.005														
BLANK		0.010														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.05													
BLANK		<0.005														
BLANK		<0.005														
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	3	<0.01	0.7	2	1	<1	<0.01	<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	3	<0.01	<0.5	1	<1	<1	0.01	<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	<0.01	<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	2	<0.01	0.5	<1	1	<1	<0.01	<0.01
BLANK				<0.5	<0.01	6	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	<0.01	<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK																
Target Range - Lower Bound		<0.005	<0.05	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
Upper Bound		0.010	0.10	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.01
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK		<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK		<0.01	5	2	<0.01	1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2	
BLANK		<0.01	<5	2	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK		<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK		<0.01	<5	<1	<0.01	2	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK																<0.01
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4	0.02

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
DUPLICATES																
ORIGINAL		0.153														
DUP		0.139														
Target Range - Lower Bound		0.129														
Upper Bound		0.163														
ORIGINAL		0.035														
DUP		0.030														
Target Range - Lower Bound		0.021														
Upper Bound		0.044														
ORIGINAL		0.017														
DUP		0.019														
Target Range - Lower Bound		0.007														
Upper Bound		0.029														
ORIGINAL		0.120														
DUP		0.110														
Target Range - Lower Bound		0.099														
Upper Bound		0.131														
C082154				<0.5	7.20	56	1570	3.0	5	2.31	<0.5	7	29	51	2.33	3.81
DUP				<0.5	7.50	49	1590	3.0	7	2.34	<0.5	8	28	52	2.36	3.88
Target Range - Lower Bound				<0.5	6.96	40	1480	1.9	<2	2.19	<0.5	5	25	47	2.21	3.63
Upper Bound				1.0	7.74	65	1680	4.2	10	2.46	1.0	10	32	56	2.48	4.06
C082190				<0.5	7.51	2110	720	11.9	4	0.02	<0.5	2	140	104	3.42	3.10
DUP				<0.5	7.50	2040	730	12.8	3	0.03	<0.5	2	145	102	3.43	3.02
Target Range - Lower Bound				<0.5	7.11	1960	670	10.7	<2	<0.01	<0.5	<1	133	96	3.23	2.89
Upper Bound				1.0	7.90	2190	780	14.0	4	0.05	1.0	4	152	110	3.62	3.23
C082217				14.9	7.37	53	840	2.9	<2	4.61	60.6	7	22	187	2.85	3.12
DUP				15.0	7.14	50	810	2.8	3	4.33	57.1	6	20	193	2.71	3.07
Target Range - Lower Bound				13.2	6.87	39	760	1.7	<2	4.23	54.9	4	18	179	2.62	2.92
Upper Bound				16.7	7.64	64	890	4.0	4	4.71	62.8	9	24	202	2.94	3.27
C082262				<0.5	7.80	25	1550	3.0	<2	3.84	<0.5	12	34	25	2.77	3.24
DUP				<0.5	7.48	8	1500	2.8	<2	3.67	<0.5	9	31	23	2.65	3.03
Target Range - Lower Bound				<0.5	7.24	6	1430	1.8	<2	3.55	<0.5	8	29	21	2.55	2.96
Upper Bound				1.0	8.04	27	1620	4.0	4	3.96	1.0	13	36	27	2.87	3.31

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
C082154		0.80	180	1	1.63	20	650	17	0.26	5	455	0.31	37	90	25	
DUP		0.82	183	1	1.67	20	670	22	0.26	<5	472	0.31	38	80	25	
Target Range - Lower Bound		0.75	162	<1	1.55	17	610	15	0.23	<5	438	0.27	34	60	20	
Upper Bound		0.87	201	2	1.75	23	710	24	0.29	10	489	0.35	41	110	30	
C082190		0.37	70	2	0.09	8	310	32	0.02	146	145	0.16	99	10	18	
DUP		0.38	70	2	0.09	5	330	26	0.02	155	143	0.25	100	10	18	
Target Range - Lower Bound		0.34	57	<1	0.07	4	280	24	<0.01	133	135	0.17	93	<10	13	
Upper Bound		0.41	84	4	0.11	9	360	34	0.04	168	153	0.24	106	20	23	
C082217		0.54	1230	1	0.30	18	520	4120	2.02	282	224	0.22	29	<10	9630	
DUP		0.53	1170	1	0.29	19	500	3960	1.90	326	219	0.22	29	<10	9030	
Target Range - Lower Bound		0.49	1130	<1	0.26	16	460	3830	1.84	279	208	0.19	26	<10	8860	
Upper Bound		0.58	1270	2	0.33	21	560	4250	2.08	329	235	0.25	32	20	9800	
C082262		1.20	527	4	1.61	18	660	30	0.17	7	615	0.31	43	20	50	
DUP		1.15	505	3	1.57	18	680	29	0.16	<5	598	0.29	41	20	48	
Target Range - Lower Bound		1.10	480	<1	1.49	15	620	24	0.14	<5	574	0.27	38	<10	43	
Upper Bound		1.25	552	6	1.69	21	720	35	0.19	10	639	0.34	46	40	55	

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
DUPLICATES																
C082298				<0.5	7.76	23	1320	3.0	<2	3.05	<0.5	10	51	41	2.82	3.42
DUP				<0.5	7.87	30	1320	3.0	<2	3.05	<0.5	10	48	39	2.84	3.41
Target Range - Lower Bound				<0.5	7.40	15	1230	1.9	<2	2.88	<0.5	8	45	36	2.67	3.22
Upper Bound				1.0	8.23	38	1410	4.2	4	3.22	1.0	13	54	44	2.99	3.61
C082304		0.025														
DUP		0.019														
Target Range - Lower Bound		0.011														
Upper Bound		0.033														
C082334				2.3	7.01	23	1220	2.8	6	2.68	<0.5	8	50	63	2.72	3.62
DUP				1.4	7.24	22	1260	2.8	8	2.74	<0.5	8	54	65	2.84	3.73
Target Range - Lower Bound				0.8	6.75	11	1160	1.7	3	2.55	<0.5	6	47	59	2.62	3.47
Upper Bound				2.9	7.50	34	1320	3.9	11	2.87	1.0	10	57	69	2.94	3.88
C082370				<0.5	7.02	111	580	2.7	<2	0.54	<0.5	58	1230	398	8.57	2.22
DUP				<0.5	6.85	125	570	2.5	<2	0.53	<0.5	55	1170	378	8.37	2.11
Target Range - Lower Bound				<0.5	6.57	102	530	1.5	<2	0.49	<0.5	52	1140	367	8.03	2.04
Upper Bound				1.0	7.30	134	620	3.7	4	0.58	1.0	61	1260	409	8.91	2.29
C082407				<0.5	8.29	10	1590	3.3	<2	2.86	<0.5	12	50	52	2.96	4.09
DUP				<0.5	7.86	17	1480	3.2	<2	2.67	<0.5	10	48	48	2.81	3.94
Target Range - Lower Bound				<0.5	7.65	<5	1440	2.1	<2	2.61	<0.5	8	45	46	2.72	3.79
Upper Bound				1.0	8.50	24	1630	4.4	4	2.92	1.0	14	53	55	3.05	4.24
ORIGINAL		0.059														
DUP		0.062														
Target Range - Lower Bound		0.047														
Upper Bound		0.074														
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		0.068														
DUP		0.069														
Target Range - Lower Bound		0.055														
Upper Bound		0.082														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.01
DUPLICATES																
C082298		1.21	383	3	1.79	13	660	29	0.19	<5	559	0.30	57	30	36	
DUP		1.22	401	3	1.80	12	690	23	0.19	<5	563	0.30	55	40	36	
Target Range - Lower Bound		1.13	362	<1	1.69	10	620	21	0.16	<5	531	0.27	51	<10	30	
Upper Bound		1.30	422	5	1.90	15	730	31	0.22	10	591	0.34	61	60	42	
C082304																
DUP																
Target Range - Lower Bound																
Upper Bound																
C082334		1.10	372	3	1.27	10	620	119	0.33	11	408	0.27	51	60	105	
DUP		1.15	378	3	1.32	9	640	121	0.34	12	421	0.28	54	60	107	
Target Range - Lower Bound		1.05	346	<1	1.21	7	580	110	0.30	<5	392	0.24	48	40	97	
Upper Bound		1.20	404	5	1.38	12	680	130	0.37	22	437	0.31	57	80	115	
C082370		0.59	386	9	0.12	487	370	154	0.02	12	51	0.22	91	30	620	
DUP		0.58	381	9	0.12	472	320	147	0.02	10	50	0.21	86	30	596	
Target Range - Lower Bound		0.54	354	7	0.09	454	310	139	<0.01	<5	46	0.18	82	<10	574	
Upper Bound		0.63	413	11	0.15	505	380	162	0.04	22	55	0.25	95	50	642	
C082407		1.33	299	9	1.70	15	750	19	0.25	<5	610	0.33	58	10	28	
DUP		1.27	283	9	1.64	15	710	18	0.24	<5	585	0.31	56	10	25	
Target Range - Lower Bound		1.22	266	7	1.57	12	670	14	0.21	<5	566	0.28	52	<10	21	
Upper Bound		1.39	316	11	1.77	18	790	23	0.28	10	629	0.36	62	20	32	
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																2.09
DUP																2.07
Target Range - Lower Bound																2.01
Upper Bound																2.15
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
DUPLICATES																
ORIGINAL		2.40														
DUP		2.39														
Target Range - Lower Bound		2.27														
Upper Bound		2.52														
ORIGINAL		2.18														
DUP		2.19														
Target Range - Lower Bound		2.07														
Upper Bound		2.30														
ORIGINAL		0.021														
DUP		0.016														
Target Range - Lower Bound		0.008														
Upper Bound		0.029														
C079304		0.008		<0.5	7.93	19	1540	3.2	3	2.58	<0.5	8	36	15	2.74	3.50
DUP		0.007		<0.5	7.83	20	1520	3.1	2	2.52	<0.5	7	34	14	2.69	3.40
Target Range - Lower Bound		<0.005		<0.5	7.47	9	1430	2.0	<2	2.40	<0.5	5	31	12	2.56	3.26
Upper Bound		0.010		1.0	8.29	30	1630	4.3	4	2.70	1.0	10	39	17	2.87	3.64
C082649		0.006														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C079555		3.29														
DUP		3.06														
Target Range - Lower Bound		3.01														
Upper Bound		3.34														
C079575		0.427														
DUP		0.454														
Target Range - Lower Bound		0.408														
Upper Bound		0.473														
ORIGINAL			<0.05													
DUP			<0.05													
Target Range - Lower Bound			<0.05													
Upper Bound			0.10													

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

. STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Zn-AA62 Zn % 0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
C079304		0.97	388	3	1.82	17	690	21	0.15	<5	549	0.31	44	80	51	
DUP		0.96	381	3	1.77	20	660	19	0.14	<5	538	0.31	43	90	50	
Target Range - Lower Bound		0.90	355	<1	1.69	16	620	15	0.12	<5	514	0.27	39	60	44	
Upper Bound		1.03	414	5	1.90	21	730	25	0.17	10	573	0.35	48	110	57	
C082649																
DUP																
Target Range - Lower Bound																
Upper Bound																
C079555																
DUP																
Target Range - Lower Bound																
Upper Bound																
C079575																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
DUPLICATES																
ORIGINAL			<0.05													
DUP			<0.05													
Target Range - Lower Bound			<0.05													
Upper Bound			0.10													
ORIGINAL			0.85													
DUP			0.98													
Target Range - Lower Bound			0.77													
Upper Bound			1.06													

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS EL06069703

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE EL06069707

Project: Dublin Gulch1735

P.O. No.:

This report is for 274 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 17-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	27 element four acid ICP-AES	ICP-AES

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him/her and based on an evaluation of all engineering data which is available concerning any proposed project.

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method	Au-AA24	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au Check	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
STANDARDS																
BM-9/A					13.6	3.69	15	200	0.9	112	0.23	26.4	97	362	5460	4.51
BM-9/A					13.5	3.60	20	200	1.0	108	0.22	25.9	97	366	5390	4.21
BM-9/A					14.4	3.69	22	200	0.9	111	0.21	26.1	91	372	5190	4.18
BM-9/A					14.9	3.81	23	220	1.0	114	0.23	27.1	100	365	5330	4.37
Target Range - Lower Bound					11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73
Upper Bound					15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59
G2000					3.4	5.22	509	2460	1.3	<2	0.63	7.6	23	96	309	4.16
G2000					4.5	4.99	455	2330	1.3	<2	0.58	6.6	22	94	288	3.78
G2000					3.7	5.15	475	2370	1.3	<2	0.59	6.4	23	96	287	3.83
G2000					4.0	5.22	493	2410	1.4	<2	0.60	7.2	24	102	303	3.91
G2000					3.6	5.14	459	2350	1.3	<2	0.58	6.9	23	98	293	3.77
G2000					3.1	4.99	457	2330	1.2	<2	0.57	6.7	21	99	289	3.78
G2000					4.1	5.51	496	2510	1.4	<2	0.61	7.2	25	105	322	4.01
G2000					3.5	5.10	461	2350	1.3	<2	0.58	6.8	24	102	294	3.74
Target Range - Lower Bound					2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41
Upper Bound					4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19
GBM999-5					59.8	4.76	<5	200	1.2	<2	0.10	<0.5	3	5	480	3.00
GBM999-5					59.6	4.88	<5	180	1.2	<2	0.10	<0.5	2	4	453	3.03
GBM999-5					57.3	4.52	14	160	1.1	<2	0.09	<0.5	3	4	458	2.79
GBM999-5					58.0	4.68	5	180	1.2	<2	0.10	<0.5	3	6	466	2.88
Target Range - Lower Bound					53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	436	2.67
Upper Bound					65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	536	3.29
OXD43		0.380														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.045														
OxG46		1.040														
OxG46		1.045														
OxG46		0.997														
OxG46		1.035														
OxG46		0.983														
OxG46		1.030	1.030													
OxG46		1.050	1.050													
OxG46		1.050	1.050													
Target Range - Lower Bound		0.959	0.959													
Upper Bound		1.115	1.115													

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS																
BM-9/A		0.12	0.84	636	2	0.47	381	120	6480	1.43	10	89	0.09	21	<10	8100
BM-9/A		0.13	0.80	620	2	0.48	363	110	6480	1.38	9	89	0.09	21	<10	8300
BM-9/A		0.12	0.81	603	3	0.48	340	100	6470	1.39	6	89	0.08	21	<10	7960
BM-9/A		0.13	0.84	620	4	0.49	364	100	6850	1.43	11	90	0.09	22	<10	8420
Target Range - Lower Bound		0.10	0.72	561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		0.14	0.90	697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		1.30	0.79	584	5	0.13	287	1050	686	0.29	35	120	0.36	106	10	1350
G2000		1.22	0.74	552	4	0.13	272	960	673	0.26	30	113	0.34	100	10	1265
G2000		1.23	0.76	566	5	0.13	277	1000	677	0.27	36	118	0.34	100	10	1260
G2000		1.30	0.77	571	5	0.13	283	1020	701	0.27	34	120	0.35	102	20	1335
G2000		1.27	0.75	544	6	0.13	269	970	676	0.27	34	114	0.33	100	10	1230
G2000		1.22	0.72	555	4	0.13	269	970	648	0.26	34	115	0.35	101	<10	1240
G2000		1.40	0.80	592	7	0.14	294	1020	724	0.29	35	123	0.37	111	10	1340
G2000		1.29	0.75	550	6	0.13	270	960	652	0.26	33	113	0.34	99	10	1240
Target Range - Lower Bound		1.14	0.67	506	4	0.13	256	870	601	0.23	24	103	0.31	94	<10	1130
Upper Bound		1.41	0.85	630	8	0.18	316	1080	739	0.30	40	129	0.40	117	20	1385
GBM999-5		3.59	0.03	67	3	0.97	3	40	544	0.29	8	21	0.02	6	<10	121
GBM999-5		3.42	0.04	67	3	1.00	4	50	572	0.30	7	22	0.02	7	<10	117
GBM999-5		3.39	0.03	63	3	0.87	6	50	495	0.27	7	19	0.02	6	<10	108
GBM999-5		3.54	0.04	64	4	0.92	4	50	522	0.28	5	20	0.02	7	<10	109
Target Range - Lower Bound		3.10	0.03	54	3	0.85	2	40	471	0.26	<5	16	<0.01	5	<10	102
Upper Bound		3.81	0.05	76	5	1.07	5	70	580	0.34	10	22	0.03	9	20	129
OXD43																
Target Range - Lower Bound																
Upper Bound																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
STANDARDS																
SI15		1.765														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
SQ27				50.3												
Target Range - Lower Bound				46.8												
Upper Bound				54.0												
ST-259		2.35														
ST-259		2.50														
ST-259		2.41														
ST-259		2.40														
ST-259		2.38														
ST-259		2.21														
ST-259		2.37	2.37													
ST-259		2.47	2.47													
Target Range - Lower Bound		2.30	2.30													
Upper Bound		2.66	2.66													
ST-327		6.54														
ST-327		7.47														
ST-327				6.48												
Target Range - Lower Bound		6.35		6.30												
Upper Bound		7.31		7.36												
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005	<0.005													
BLANK				<0.05												
BLANK		<0.005	<0.005													
BLANK					<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS																
SI15																
Target Range - Lower Bound																
Upper Bound																
SQ27																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
ST-327																
ST-327																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	10	<2	<0.01	<5	<1	<0.01	<1	<10	<2

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
BLANKS																
BLANK					<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01
BLANK					<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01
BLANK					<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01
BLANK					<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01
BLANK					<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01
BLANK					<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.7	<1	1	1	<0.01
BLANK					<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.5	1	1	1	<0.01
BLANK		<0.005	<0.005													
Target Range - Lower Bound		<0.005	<0.005	<0.05	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01
Upper Bound		0.010	0.010	0.10	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02
DUPLICATES																
ORIGINAL		0.120														
DUP		0.110	0.110													
Target Range - Lower Bound		0.099	0.095													
Upper Bound		0.131	0.126													
ORIGINAL		5.90														
DUP		6.64	6.64													
Target Range - Lower Bound		5.95	6.30													
Upper Bound		6.59	6.98													
ORIGINAL		1.245														
DUP		1.275	1.275													
Target Range - Lower Bound		1.185	1.200													
Upper Bound		1.335	1.350													
C079034					<0.5	4.92	204	480	1.1	<2	1.04	<0.5	6	37	11	1.97
DUP					<0.5	5.17	225	510	1.2	<2	1.09	<0.5	6	40	11	2.06
Target Range - Lower Bound					<0.5	4.77	194	450	<0.5	<2	0.99	<0.5	4	35	8	1.89
Upper Bound					1.0	5.32	235	540	2.2	4	1.14	1.0	8	42	14	2.14
C079070					<0.5	6.63	1180	650	5.9	<2	0.01	<0.5	5	204	35	3.58
DUP					<0.5	6.62	1175	660	5.7	<2	0.05	<0.5	5	188	35	3.57
Target Range - Lower Bound					<0.5	6.27	1110	600	4.5	<2	<0.01	<0.5	3	184	31	3.38
Upper Bound					1.0	6.98	1245	710	7.1	4	0.05	1.0	7	208	39	3.77

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
BLANKS																
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	2	<0.01	2	<10	<2	<0.01	<5	1	<0.01	1	<10	<2
BLANK		<0.01	<0.01	<5	2	<0.01	2	<10	<2	<0.01	<5	1	<0.01	1	<10	<2
BLANK																
Target Range - Lower Bound		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
C079034		1.70	0.41	187	<1	0.29	21	170	<2	0.05	<5	59	0.20	40	<10	13
DUP		1.79	0.43	195	<1	0.30	17	190	<2	0.06	<5	62	0.21	41	<10	14
Target Range - Lower Bound		1.64	0.38	171	<1	0.26	16	150	<2	0.03	<5	55	0.17	36	<10	9
Upper Bound		1.85	0.46	211	2	0.33	22	210	4	0.08	10	66	0.24	45	20	18
C079070		2.50	0.34	85	1	0.11	17	300	25	0.01	110	87	0.27	84	10	45
DUP		2.50	0.36	85	<1	0.11	16	300	24	0.01	111	88	0.25	84	10	45
Target Range - Lower Bound		2.36	0.31	71	<1	0.08	14	270	19	<0.01	95	81	0.23	78	<10	39
Upper Bound		2.65	0.39	99	2	0.14	19	340	30	0.02	126	94	0.29	90	20	51

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
DUPLICATES																
C079104		0.061														
DUP		0.056														
Target Range - Lower Bound		0.046														
Upper Bound		0.071														
C079106					<0.5	7.18	13	1370	3.0	<2	2.56	<0.5	8	34	34	2.55
DUP					<0.5	7.34	18	1400	2.9	<2	2.62	<0.5	7	33	34	2.61
Target Range - Lower Bound					<0.5	6.88	<5	1300	1.8	<2	2.44	<0.5	5	30	30	2.43
Upper Bound					1.0	7.64	26	1470	4.1	4	2.74	1.0	10	37	38	2.73
C079142					<0.5	6.75	9	830	3.9	<2	2.04	<0.5	4	18	13	1.49
DUP					<0.5	6.65	13	830	3.8	<2	2.01	<0.5	3	17	11	1.49
Target Range - Lower Bound					<0.5	6.35	<5	770	2.7	<2	1.90	<0.5	<1	15	9	1.40
Upper Bound					1.0	7.06	22	890	5.0	4	2.15	1.0	6	20	15	1.58
C079147		0.056														
DUP		0.266														
Target Range - Lower Bound		0.143														
Upper Bound		0.179														
C079178					<0.5	7.43	165	1490	3.1	<2	2.45	<0.5	9	33	12	2.42
DUP					<0.5	7.14	165	1440	3.0	<2	2.35	<0.5	7	32	12	2.34
Target Range - Lower Bound					<0.5	6.90	147	1370	1.9	<2	2.26	<0.5	6	29	9	2.24
Upper Bound					1.0	7.67	183	1560	4.2	4	2.54	1.0	10	36	15	2.52
C079186		0.055														
DUP		0.058														
Target Range - Lower Bound		0.044														
Upper Bound		0.069														
C079214					1.2	7.30	5	1220	2.9	3	1.52	1.1	5	36	56	3.08
DUP					1.4	7.30	20	1280	2.9	6	1.58	1.2	6	43	58	3.21
Target Range - Lower Bound					<0.5	6.92	<5	1170	1.8	<2	1.45	<0.5	3	36	52	2.97
Upper Bound					2.4	7.69	23	1330	4.0	9	1.65	2.2	8	43	62	3.32
C079250					2.6	8.98	<5	1080	1.2	<2	1.43	<0.5	8	12	7230	3.17
DUP					2.4	8.95	<5	1100	1.2	<2	1.47	<0.5	8	12	6970	3.22
Target Range - Lower Bound					1.4	8.50	<5	1020	<0.5	<2	1.36	<0.5	6	9	6740	3.02
Upper Bound					3.6	9.43	10	1160	2.3	4	1.54	1.0	10	15	7460	3.37

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES																
C079104																
DUP																
Target Range - Lower Bound																
Upper Bound																
C079106		3.34	1.10	311	1	1.57	10	680	23	0.15	<5	589	0.30	43	20	43
DUP		3.32	1.13	317	1	1.61	14	680	25	0.15	<5	602	0.30	43	20	43
Target Range - Lower Bound		3.14	1.04	288	<1	1.49	9	630	19	0.12	<5	564	0.27	39	<10	37
Upper Bound		3.52	1.19	340	2	1.69	15	730	29	0.18	10	627	0.34	47	40	49
C079142		3.92	0.52	206	<1	1.67	6	280	39	0.08	<5	359	0.14	18	10	23
DUP		3.76	0.53	205	<1	1.68	8	290	38	0.08	5	358	0.14	17	<10	22
Target Range - Lower Bound		3.63	0.48	185	<1	1.57	5	250	33	0.06	<5	339	0.11	15	<10	17
Upper Bound		4.05	0.57	226	2	1.78	9	320	44	0.10	10	378	0.17	20	20	28
C079147																
DUP																
Target Range - Lower Bound																
Upper Bound																
C079178		3.37	0.82	303	1	1.82	18	620	26	0.07	7	501	0.29	38	10	47
DUP		3.21	0.78	292	1	1.77	17	600	24	0.07	<5	488	0.28	36	10	44
Target Range - Lower Bound		3.11	0.74	273	<1	1.69	15	560	20	0.05	<5	468	0.25	33	<10	39
Upper Bound		3.47	0.86	322	2	1.90	20	660	30	0.09	10	521	0.32	41	20	52
C079186																
DUP																
Target Range - Lower Bound																
Upper Bound																
C079214		3.23	0.71	535	<1	0.76	18	640	178	0.44	15	299	0.28	39	10	289
DUP		3.34	0.73	561	1	0.79	16	670	187	0.47	15	303	0.30	42	20	303
Target Range - Lower Bound		3.10	0.66	511	<1	0.72	14	600	169	0.41	<5	284	0.26	36	<10	277
Upper Bound		3.47	0.78	585	2	0.83	20	710	196	0.50	26	318	0.32	45	20	315
C079250		3.78	1.21	467	2	3.47	7	1930	10	0.24	5	685	0.33	172	<10	58
DUP		3.64	1.24	475	3	3.47	9	1910	7	0.24	<5	683	0.33	171	<10	60
Target Range - Lower Bound		3.50	1.14	437	<1	3.28	6	1800	4	0.21	<5	648	0.29	161	<10	52
Upper Bound		3.92	1.31	505	5	3.66	10	2040	13	0.27	10	720	0.37	182	20	66

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
DUPLICATES																
C079267		0.236	0.106													
DUP		0.412	0.412													
Target Range - Lower Bound		0.298	0.236													
Upper Bound		0.350	0.282													
C079283		0.009														
DUP		0.008														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C079286					<0.5	6.92	18	1590	2.7	<2	1.95	<0.5	8	35	37	2.44
DUP					<0.5	7.15	18	1600	2.6	<2	1.96	<0.5	7	31	34	2.47
Target Range - Lower Bound					<0.5	6.66	7	1500	1.5	<2	1.84	<0.5	5	29	32	2.31
Upper Bound					1.0	7.41	29	1690	3.8	4	2.07	1.0	10	37	39	2.60
ORIGINAL		0.009														
DUP		0.011														
Target Range - Lower Bound		<0.005														
Upper Bound		0.021														
ORIGINAL		0.053														
DUP		0.059														
Target Range - Lower Bound		0.043														
Upper Bound		0.069														
ORIGINAL		0.081														
DUP		0.076														
Target Range - Lower Bound		0.065														
Upper Bound		0.092														
ORIGINAL		0.349														
DUP		0.339														
Target Range - Lower Bound		0.317														
Upper Bound		0.371														
ORIGINAL		1.905														
DUP		1.935														
Target Range - Lower Bound		1.815														
Upper Bound		2.03														

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES																
C079267																
DUP																
Target Range - Lower Bound																
Upper Bound																
C079283																
DUP																
Target Range - Lower Bound																
Upper Bound																
C079286		3.81	0.99	358	3	1.96	17	630	19	0.21	<5	485	0.30	41	370	34
DUP		3.60	1.01	359	4	1.99	15	640	20	0.22	<5	498	0.28	40	350	32
Target Range - Lower Bound		3.50	0.93	331	<1	1.86	13	580	15	0.18	<5	465	0.26	36	320	27
Upper Bound		3.91	1.07	386	6	2.09	19	690	24	0.25	10	516	0.32	45	400	39
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
DUPLICATES																
ORIGINAL		0.015														
DUP		0.016														
Target Range - Lower Bound		<0.005														
Upper Bound		0.026														
ORIGINAL		0.015														
DUP		0.019														
Target Range - Lower Bound		0.006														
Upper Bound		0.028														
ORIGINAL				<0.05												
DUP				<0.05												
Target Range - Lower Bound				<0.05												
Upper Bound				0.10												
ORIGINAL				<0.05												
DUP				<0.05												
Target Range - Lower Bound				<0.05												
Upper Bound				0.10												
ORIGINAL				<0.05												
DUP				<0.05												
Target Range - Lower Bound				<0.05												
Upper Bound				0.10												

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS EL06069707

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Additional Au results for sample C079147 are 0.817 and 0.266ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-AUG-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06061852

Project: Dublin Gulch1735

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 4-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Zn-AA62	Ore grade Zn - four acid / AAS	AAS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06061852

Sample Description	Method	Au-AA24	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
STANDARDS																
BM-9/A				15.7	3.93	21	230	1.0	116	0.24	28.7	102	356	5880	4.58	0.13
Target Range - Lower Bound				11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10
Upper Bound				15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14
G2000				3.6	5.02	470	2340	1.3	<2	0.60	7.1	24	95	298	3.75	1.27
G2000				3.5	5.07	476	2300	1.3	<2	0.60	7.0	21	89	297	3.73	1.22
G2000				3.0	4.99	468	2310	1.1	<2	0.58	7.0	22	90	290	3.79	1.20
Target Range - Lower Bound				2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14
Upper Bound				4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41
GBM398-4c																
Target Range - Lower Bound																
Upper Bound																
GBM399-5																
Target Range - Lower Bound																
Upper Bound																
GBM999-5				58.9	4.65	<5	170	1.2	<2	0.10	<0.5	3	4	459	2.88	3.41
GBM999-5				54.5	4.73	<5	180	1.1	<2	0.10	<0.5	3	7	484	3.01	3.46
Target Range - Lower Bound				53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	436	2.67	3.10
Upper Bound				65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	536	3.29	3.81
OxG46		1.045	1.045													
OxG46		1.040														
OxG46		1.045	1.045													
OxG46		1.050	1.050													
OxG46		1.030	1.030													
Target Range - Lower Bound		0.959	0.959													
Upper Bound		1.115	1.115													
ST-259		2.45														
ST-259		2.44	2.44													
ST-259		2.52	2.52													
Target Range - Lower Bound		2.30	2.30													
Upper Bound		2.66	2.66													

Comments: Additional Au-AA24 result for sample C081828 is 0.061ppm. NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06061852

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.01
STANDARDS																
BM-9/A		0.85	678	4	0.50	403	120	7120	1.52	13	97	0.09	22	<10	8320	
Target Range - Lower Bound		0.72	561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350	
Upper Bound		0.90	697	5	0.54	404	120	7310	1.57	10	99		26	20	8990	
G2000		0.73	566	6	0.15	271	960	643	0.27	33	121	0.35	100	10	1320	
G2000		0.72	552	5	0.14	274	990	646	0.26	33	116	0.35	98	10	1255	
G2000		0.71	553	5	0.14	277	940	656	0.25	30	115	0.33	97	10	1250	
Target Range - Lower Bound		0.67	506	4	0.13	256	870	601	0.23	24	103	0.31	94	<10	1130	
Upper Bound		0.85	630	8	0.18	316	1080	739	0.30	40	129	0.40	117	20	1385	
GBM398-4c																0.52
Target Range - Lower Bound																0.48
Upper Bound																0.54
GBM399-5																0.90
Target Range - Lower Bound																0.91
Upper Bound																0.99
GBM999-5		0.03	66	5	0.96	4	50	517	0.29	5	20	0.02	7	<10	121	
GBM999-5		0.04	66	3	0.96	8	40	530	0.27	<5	21	0.02	6	<10	115	
Target Range - Lower Bound		0.03	54	3	0.85	2	40	471	0.26	<5	16	<0.01	5	<10	102	
Upper Bound		0.05	78	5	1.07	5	70	580	0.34	10	22	0.03	9	20	129	
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																

Comments: Additional Au-AA24 result for sample C081828 is 0.061ppm. NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06061852

Sample Description	Method	Au-AA24	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
BLANKS																
BLANK		<0.005	<0.005													
BLANK		<0.005														
BLANK		<0.005	<0.005													
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	<1	2	0.01	<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK																
BLANK		<0.005	<0.005													
BLANK		<0.005	<0.005													
BLANK		<0.005	<0.005													
Target Range - Lower Bound		<0.005	<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
Upper Bound		0.010	0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02
DUPLICATES																
ORIGINAL		0.017														
DUP		0.019	0.019													
Target Range - Lower Bound		0.007	0.008													
Upper Bound		0.029	0.030													
ORIGINAL		0.120														
DUP		0.110	0.110													
Target Range - Lower Bound		0.099	0.095													
Upper Bound		0.131	0.126													
ORIGINAL		1.345														
DUP		1.475	1.475													
Target Range - Lower Bound		1.330	1.390													
Upper Bound		1.490	1.560													
ORIGINAL		0.007														
DUP		<0.005	<0.005													
Target Range - Lower Bound		<0.005	<0.005													
Upper Bound		0.010	0.010													

Comments: Additional Au-AA24 result for sample C081828 is 0.061ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06061852

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Zn-AA62 Zn % 0.01
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK		<0.01	<5	1	<0.01	2	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK		<0.01	<5	<1	<0.01	<1	<10	2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK		<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK																<0.01
BLANK																
BLANK																
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4	0.02
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Additional Au-AA24 result for sample C081828 is 0.061ppm. NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06061852

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
DUPLICATES																
ORIGINAL		0.098														
DUP		0.093	0.093													
Target Range - Lower Bound		0.081	0.078													
Upper Bound		0.110	0.108													
ORIGINAL		<0.005														
DUP		<0.005	<0.005													
Target Range - Lower Bound		<0.005	<0.005													
Upper Bound		0.010	0.010													
C081799				<0.5	7.45	29	1570	2.6	<2	2.78	<0.5	8	32	23	2.35	3.77
DUP				<0.5	7.52	46	1540	2.5	<2	2.75	<0.5	9	27	18	2.34	3.71
Target Range - Lower Bound				<0.5	7.09	26	1460	1.4	<2	2.61	<0.5	6	26	17	2.21	3.53
Upper Bound				1.0	7.88	49	1650	3.7	4	2.92	1.0	11	33	24	2.48	3.95
C081801		0.011														
DUP		0.011	0.011													
Target Range - Lower Bound		<0.005	<0.005													
Upper Bound		0.022	0.022													
C081813																
DUP																
Target Range - Lower Bound																
Upper Bound																
C081821		0.008														
DUP		<0.005	<0.005													
Target Range - Lower Bound		<0.005	<0.005													
Upper Bound		0.010	0.010													
C081835				<0.5	8.28	36	1730	2.9	<2	2.77	<0.5	9	42	17	2.76	3.66
DUP				<0.5	7.96	37	1730	2.8	<2	2.77	<0.5	8	43	17	2.75	3.65
Target Range - Lower Bound				<0.5	7.69	25	1620	1.7	<2	2.61	<0.5	6	38	14	2.60	3.45
Upper Bound				1.0	8.55	48	1840	4.0	4	2.93	1.0	11	47	20	2.91	3.86
C081841		<0.005														
DUP		0.009	0.009													
Target Range - Lower Bound		<0.005	<0.005													
Upper Bound		0.010	0.010													

Comments: Additional Au-AA24 result for sample C081828 is 0.061ppm. NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06061852

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
C081799		0.97	291	1	1.63	17	600	17	0.08	8	526	0.29	36	10	27	
DUP		0.98	289	3	1.61	18	610	18	0.08	12	524	0.28	36	10	27	
Target Range - Lower Bound		0.91	266	<1	1.52	15	550	13	0.06	<5	497	0.25	32	<10	22	
Upper Bound		1.04	315	4	1.72	20	660	22	0.10	21	553	0.32	40	20	32	
C081801																
DUP																
Target Range - Lower Bound																
Upper Bound																
C081813																2.74
DUP																2.77
Target Range - Lower Bound																2.67
Upper Bound																2.84
C081821																
DUP																
Target Range - Lower Bound																
Upper Bound																
C081835		1.01	344	3	1.69	21	700	28	0.09	8	550	0.31	48	10	47	
DUP		0.98	344	3	1.68	20	720	29	0.09	7	538	0.32	49	10	43	
Target Range - Lower Bound		0.93	317	<1	1.58	17	650	23	0.07	<5	515	0.28	44	<10	39	
Upper Bound		1.06	371	5	1.79	24	770	34	0.11	10	573	0.35	53	20	51	
C081841																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Additional Au-AA24 result for sample C081828 is 0.061ppm. NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06061852

Sample Description	Method	Au-AA24	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
DUPLICATES																
C081871				<0.5	8.30	36	1380	2.5	<2	3.02	<0.5	10	64	18	3.45	2.92
DUP				<0.5	8.17	44	1360	2.5	<2	3.00	<0.5	12	60	18	3.38	2.95
Target Range - Lower Bound				<0.5	7.80	28	1280	1.4	<2	2.84	<0.5	8	57	15	3.22	2.77
Upper Bound				1.0	8.67	52	1460	3.6	4	3.18	1.0	14	67	21	3.61	3.10
C081879		0.006														
DUP		0.008														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C081899		0.034														
DUP		0.038														
Target Range - Lower Bound		0.024														
Upper Bound		0.048														
C081919		0.005														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

Comments: Additional Au-AA24 result for sample C081828 is 0.061ppm. NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06061852

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.01
DUPLICATES																
C081871		1.55	634	2	1.63	21	790	36	0.20	6	516	0.32	73	10	105	
DUP		1.54	628	2	1.63	22	790	34	0.20	<5	512	0.32	73	10	110	
Target Range - Lower Bound		1.45	589	<1	1.53	18	730	29	0.17	<5	486	0.28	67	<10	98	
Upper Bound		1.64	673	4	1.73	25	850	41	0.23	10	542	0.36	79	20	117	
C081879																
DUP																
Target Range - Lower Bound																
Upper Bound																
C081899																
DUP																
Target Range - Lower Bound																
Upper Bound																
C081919																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Additional Au-AA24 result for sample C081828 is 0.061ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-AUG-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06061853

Project: Dublin Gulch1735

P.O. No.:

This report is for 96 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 4-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06061853

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
BM-9/A			13.8	3.59	15	210	0.9	114	0.23	27.5	94	332	5430	4.32	0.12	0.81
BM-9/A			12.9	3.50	23	200	0.9	112	0.21	24.9	94	355	5290	4.18	0.13	0.77
BM-9/A			15.0	3.88	17	220	1.0	119	0.23	27.4	103	381	5510	4.51	0.12	0.83
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			3.5	4.95	477	2400	1.3	4	0.61	7.3	23	95	299	3.89	1.26	0.74
G2000			3.7	4.94	472	2220	1.3	<2	0.57	7.0	23	96	302	3.78	1.28	0.73
G2000			3.6	4.94	476	2350	1.2	<2	0.57	7.1	21	96	278	3.76	1.17	0.71
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
GBM999-5			64.3	5.00	<5	190	1.1	<2	0.10	<0.5	3	4	452	3.13	3.37	0.04
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	436	2.67	3.10	0.03
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	536	3.29	3.81	0.05
OxG46		1.040														
OxG46		1.045														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.45														
ST-259		2.52														
ST-259		2.44														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06061853

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS														
BM-9/A		608	3	0.46	368	100	6540	1.36	7	92	0.09	21	<10	8370
BM-9/A		626	2	0.46	355	90	6270	1.38	8	90	0.08	21	<10	8020
BM-9/A		685	3	0.48	373	100	6800	1.50	8	98	0.09	22	<10	8390
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		556	5	0.14	283	980	654	0.26	30	117	0.35	104	10	1275
G2000		556	4	0.14	282	940	647	0.26	33	117	0.35	101	10	1250
G2000		565	4	0.13	263	940	656	0.26	36	116	0.33	96	10	1250
Target Range - Lower Bound		506	4	0.13	256	870	601	0.23	24	103	0.31	94	<10	1130
Upper Bound		630	8	0.18	316	1080	739	0.30	40	129	0.40	117	20	1385
GBM999-5		71	2	1.03	2	40	537	0.31	<5	22	0.02	6	<10	106
Target Range - Lower Bound		54	3	0.85	2	40	471	0.26	<5	16	<0.01	5	<10	102
Upper Bound		78	5	1.07	5	70	580	0.34	10	22	0.03	9	20	129
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														
BLANKS														
BLANK														
BLANK														
BLANK														
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	2	<0.01	<5	<1	<0.01	<1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06061853

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
ORIGINAL		0.098														
DUP		0.093														
Target Range - Lower Bound		0.081														
Upper Bound		0.110														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C081879		0.006														
DUP		0.008														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C081899		0.034														
DUP		0.038														
Target Range - Lower Bound		0.024														
Upper Bound		0.048														
C081901			<0.5	8.04	20	1450	2.8	<2	3.04	<0.5	10	70	15	3.48	3.31	1.64
DUP			<0.5	7.91	21	1420	2.7	<2	2.99	<0.5	9	62	14	3.41	3.13	1.59
Target Range - Lower Bound			<0.5	7.56	9	1340	1.6	<2	2.84	<0.5	7	61	12	3.25	3.04	1.51
Upper Bound			1.0	8.39	32	1530	3.9	4	3.19	1.0	12	71	17	3.64	3.40	1.72
C081919		0.005														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C081937			<0.5	7.29	<5	1120	3.0	<2	2.28	<0.5	7	41	14	2.59	3.63	0.93
DUP			<0.5	7.24	<5	1120	3.0	<2	2.25	<0.5	6	37	14	2.59	3.68	0.92
Target Range - Lower Bound			<0.5	6.88	<5	1040	1.9	<2	2.13	<0.5	4	35	11	2.44	3.45	0.86
Upper Bound			1.0	7.65	10	1200	4.2	4	2.40	1.0	9	43	17	2.74	3.86	0.99
C081957		0.018														
DUP		0.019														
Target Range - Lower Bound		0.008														
Upper Bound		0.029														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

J: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06061853

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
C081879														
DUP														
Target Range - Lower Bound														
Upper Bound														
C081899														
DUP														
Target Range - Lower Bound														
Upper Bound														
C081901		563	1	1.59	21	840	22	0.09	<5	467	0.38	90	<10	73
DUP		549	1	1.55	20	800	26	0.08	5	461	0.36	85	10	70
Target Range - Lower Bound		518	<1	1.47	17	760	19	0.06	<5	439	0.33	81	<10	64
Upper Bound		594	2	1.67	24	880	29	0.11	10	489	0.41	94	20	79
C081919														
DUP														
Target Range - Lower Bound														
Upper Bound														
C081937		394	<1	1.60	10	520	26	0.08	<5	460	0.24	40	10	44
DUP		397	<1	1.62	12	520	28	0.08	<5	459	0.24	41	20	43
Target Range - Lower Bound		366	<1	1.51	8	470	22	0.06	<5	435	0.21	36	<10	37
Upper Bound		425	2	1.71	14	570	32	0.10	10	484	0.27	45	20	50
C081957														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06061853

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
C081973			<0.5	7.67	1435	1600	2.6	<2	1.62	<0.5	2	23	9	1.47	4.90	0.43
DUP			<0.5	7.73	1365	1540	2.5	<2	1.64	<0.5	3	19	10	1.50	5.46	0.43
Target Range - Lower Bound			<0.5	7.30	1320	1470	1.4	<2	1.53	<0.5	<1	18	7	1.39	4.90	0.39
Upper Bound			1.0	8.11	1480	1670	3.7	4	1.73	1.0	5	24	12	1.58	5.46	0.47
C081977		0.010														
DUP		0.011														
Target Range - Lower Bound		<0.005														
Upper Bound		0.021														
C081983			<0.5	7.85	36	1340	3.3	<2	2.15	<0.5	5	40	13	2.04	3.67	0.75
DUP			<0.5	7.76	16	1290	3.2	<2	2.08	<0.5	5	37	13	1.97	3.51	0.75
Target Range - Lower Bound			<0.5	7.39	15	1230	2.1	<2	1.99	<0.5	3	35	10	1.88	3.39	0.69
Upper Bound			1.0	8.22	37	1400	4.4	4	2.24	1.0	7	42	16	2.13	3.79	0.81

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06061853

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
C081973		176	5	1.40	7	390	27	0.16	<5	480	0.17	19	40	21
DUP		175	4	1.40	6	420	29	0.16	<5	478	0.17	18	40	22
	Target Range - Lower Bound	157	2	1.31	4	360	23	0.13	<5	453	0.14	16	20	16
	Upper Bound	194	7	1.49	9	450	33	0.19	10	505	0.20	21	60	27
C081977														
DUP														
	Target Range - Lower Bound													
	Upper Bound													
C081983		258	13	1.90	11	520	30	0.11	<5	596	0.25	31	40	35
DUP		248	11	1.84	12	500	27	0.11	<5	583	0.24	30	40	36
	Target Range - Lower Bound	230	9	1.76	9	460	23	0.08	<5	558	0.21	27	20	30
	Upper Bound	276	15	1.98	14	560	34	0.14	10	621	0.28	34	60	41

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06062025

Project: Dublin Gulch1735

P.O. No.:

This report is for 159 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 29-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06062025

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
STANDARDS																
BM-9/A			13.9	3.57	21	200	0.9	106	0.21	25.8	94	372	5370	4.19	0.12	0.80
BM-9/A			15.4	3.90	21	220	1.0	121	0.23	28.8	107	372	5660	4.48	0.12	0.85
BM-9/A			15.6	3.59	20	210	0.9	110	0.22	26.5	95	345	5230	4.11	0.11	0.78
BM-9/A			14.6	3.54	25	200	0.9	110	0.22	25.6	94	338	5230	4.25	0.12	0.80
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			3.4	4.98	482	2320	1.3	<2	0.57	6.7	22	102	298	3.75	1.22	0.74
G2000			4.2	5.23	503	2440	1.4	<2	0.62	7.0	24	99	308	3.91	1.29	0.78
G2000			4.8	5.18	488	2350	1.4	5	0.62	7.6	26	96	307	3.79	1.25	0.75
G2000			4.1	5.15	471	2440	1.3	<2	0.62	7.1	24	98	292	3.88	1.22	0.77
G2000			3.9	5.07	478	2350	1.3	3	0.60	8.0	25	101	295	3.78	1.20	0.73
G2000			3.4	5.04	488	2370	1.3	3	0.61	7.3	24	104	300	3.77	1.25	0.75
G2000			3.3	4.71	492	2260	1.3	<2	0.56	6.7	23	91	296	3.71	1.24	0.72
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
GBM999-5			56.4	4.88	5	180	1.3	<2	0.10	<0.5	3	6	481	3.00	3.61	0.04
GBM999-5			54.3	4.65	5	170	1.2	<2	0.10	<0.5	3	5	464	2.94	3.42	0.04
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	436	2.67	3.10	0.02
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	536	3.29	3.81	0.04
OXD43		0.390														
OXD43		0.392														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.025														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.50														
ST-259		2.48														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.61														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06062025

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS														
BM-9/A		592	3	0.46	364	100	6440	1.33	8	87	0.09	22	<10	8010
BM-9/A		675	5	0.49	386	110	6890	1.47	11	99	0.09	23	<10	8780
BM-9/A		610	4	0.45	360	110	6370	1.36	10	91	0.08	21	<10	7970
BM-9/A		621	3	0.46	367	90	6450	1.35	8	86	0.09	23	<10	8200
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		558	4	0.13	279	950	649	0.26	32	114	0.34	100	10	1285
G2000		563	6	0.16	283	1010	684	0.26	39	116	0.36	106	10	1300
G2000		546	6	0.15	289	980	671	0.26	35	119	0.36	107	10	1305
G2000		582	6	0.16	277	1020	673	0.26	31	116	0.35	103	10	1250
G2000		543	6	0.15	283	960	659	0.26	34	116	0.34	104	20	1285
G2000		564	6	0.15	276	870	659	0.24	38	110	0.36	103	10	1270
G2000		543	5	0.13	277	940	645	0.26	32	109	0.35	104	10	1275
Target Range - Lower Bound		506	4	0.13	256	840	601	0.23	24	103	0.31	94	<10	1130
Upper Bound		630	8	0.18	316	1050	739	0.30	40	129	0.40	117	20	1385
GBM999-5		66	4	0.98	4	50	541	0.29	6	21	0.02	7	<10	116
GBM999-5		63	4	0.93	4	30	522	0.27	7	19	0.02	7	<10	113
Target Range - Lower Bound		54	2	0.85	2	40	471	0.26	<5	15	<0.01	5	<10	102
Upper Bound		78	4	1.07	5	70	580	0.34	10	21	0.03	9	20	129
OXD43														
OXD43														
Target Range - Lower Bound														
Upper Bound														
OxG46														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														
ST-327														
Target Range - Lower Bound														
Upper Bound														

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06062025

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
BLANKS																
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	2	<0.01	<0.5	1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	5	<1	<0.01	<0.01	<0.01
BLANK		0.006														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL		0.105														
DUP		0.105														
Target Range - Lower Bound		0.090														
Upper Bound		0.120														
C081398		0.092														
DUP		0.098														
Target Range - Lower Bound		0.080														
Upper Bound		0.110														
C081418			<0.5	6.87	75	1550	3.0	<2	2.32	<0.5	7	34	23	2.47	3.30	0.81
DUP			<0.5	7.60	77	1610	3.2	<2	2.47	<0.5	7	31	23	2.59	3.42	0.85
Target Range - Lower Bound			<0.5	6.85	62	1480	1.9	<2	2.26	<0.5	5	29	20	2.38	3.17	0.77
Upper Bound			1.0	7.62	90	1680	4.3	4	2.53	1.0	9	36	26	2.68	3.55	0.89
C081438		0.033														
DUP		0.037														
Target Range - Lower Bound		0.023														
Upper Bound		0.047														

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06062025

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
BLANKS														
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	2	<10	2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<5	2	<0.01	1	10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK														
BLANK														
BLANK														
BLANK														
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
C081398														
DUP														
Target Range - Lower Bound														
Upper Bound														
C081418		236	<1	1.64	20	610	17	0.13	<5	477	0.32	36	10	30
DUP		246	<1	1.69	20	640	14	0.14	<5	510	0.33	38	10	31
Target Range - Lower Bound		219	<1	1.56	17	570	11	0.11	<5	467	0.29	33	<10	25
Upper Bound		263	2	1.77	23	680	20	0.16	10	520	0.36	41	20	36
C081438														
DUP														
Target Range - Lower Bound														
Upper Bound														

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06062025

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
C081590			<0.5	7.85	2120	740	13.7	<2	0.02	<0.5	2	146	104	3.46	3.22	0.39
DUP			<0.5	7.69	2050	720	12.1	<2	0.03	<0.5	2	137	100	3.37	3.10	0.39
Target Range - Lower Bound			<0.5	7.36	1970	670	11.3	<2	<0.01	<0.5	<1	132	95	3.22	2.98	0.35
Upper Bound			1.0	8.18	2200	790	14.5	4	0.05	1.0	4	151	109	3.61	3.34	0.43
C081612		0.017														
DUP		0.016														
Target Range - Lower Bound		0.006														
Upper Bound		0.027														
C081626			1.4	7.65	57	1190	3.2	3	3.04	1.1	7	24	39	2.93	3.45	0.73
DUP			1.3	7.53	53	1180	3.2	5	3.00	1.2	7	22	38	2.90	3.35	0.72
Target Range - Lower Bound			<0.5	7.19	42	1110	2.0	<2	2.85	<0.5	5	20	35	2.75	3.21	0.67
Upper Bound			2.4	7.99	68	1260	4.4	8	3.19	2.2	9	26	42	3.08	3.59	0.78
C081632		0.222														
DUP		0.219														
Target Range - Lower Bound		0.199														
Upper Bound		0.242														
C081653		0.044														
DUP		0.033														
Target Range - Lower Bound		0.027														
Upper Bound		0.050														
C081663			<0.5	7.34	26	1540	3.2	3	2.17	<0.5	7	30	49	2.43	3.57	0.66
DUP			<0.5	7.37	29	1560	3.2	<2	2.21	<0.5	6	29	49	2.47	3.61	0.66
Target Range - Lower Bound			<0.5	6.97	16	1450	2.0	<2	2.06	<0.5	4	26	45	2.31	3.39	0.61
Upper Bound			1.0	7.74	39	1650	4.4	4	2.32	1.0	9	33	53	2.59	3.79	0.71
C081699			<0.5	7.92	19	1580	3.1	<2	2.51	<0.5	11	31	11	2.68	3.31	0.79
DUP			<0.5	7.45	13	1520	3.0	<2	2.44	<0.5	10	28	10	2.58	3.15	0.74
Target Range - Lower Bound			<0.5	7.28	<5	1450	1.9	<2	2.33	<0.5	8	26	8	2.48	3.05	0.71
Upper Bound			1.0	8.09	27	1650	4.2	4	2.62	1.0	13	33	13	2.78	3.41	0.82
C081726			<0.5	7.07	45	1480	2.7	<2	2.38	<0.5	8	24	14	2.62	3.34	0.77
DUP			<0.5	7.43	53	1520	2.6	2	2.44	<0.5	8	23	14	2.71	3.36	0.80
Target Range - Lower Bound			<0.5	6.87	37	1410	1.5	<2	2.27	<0.5	6	20	11	2.51	3.16	0.73
Upper Bound			1.0	7.63	61	1600	3.8	4	2.55	1.0	10	27	17	2.82	3.54	0.84

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06062025

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
C081590		70	3	0.10	11	340	32	0.02	157	142	0.28	104	20	17
DUP		68	3	0.09	10	360	30	0.02	150	139	0.25	101	20	17
Target Range - Lower Bound		56	<1	0.07	8	310	25	<0.01	136	131	0.23	95	<10	12
Upper Bound		82	5	0.12	13	390	37	0.04	171	150	0.30	110	40	22
C081612														
DUP														
Target Range - Lower Bound														
Upper Bound														
C081626		569	2	0.38	17	580	130	0.38	13	324	0.27	34	30	154
DUP		563	3	0.37	17	600	131	0.37	11	315	0.27	33	20	156
Target Range - Lower Bound		528	<1	0.34	14	540	120	0.34	<5	302	0.24	30	<10	143
Upper Bound		604	5	0.41	20	640	141	0.41	23	337	0.30	37	50	167
C081632														
DUP														
Target Range - Lower Bound														
Upper Bound														
C081653														
DUP														
Target Range - Lower Bound														
Upper Bound														
C081663		171	1	1.54	18	630	19	0.25	<5	444	0.28	33	20	18
DUP		173	2	1.54	20	540	18	0.24	<5	445	0.28	33	20	18
Target Range - Lower Bound		153	<1	1.44	16	540	14	0.21	<5	420	0.25	29	<10	13
Upper Bound		191	2	1.64	22	630	23	0.28	10	469	0.31	37	40	23
C081699		324	1	1.74	21	620	27	0.04	<5	520	0.31	38	10	58
DUP		311	1	1.62	21	600	27	0.04	<5	486	0.30	36	10	54
Target Range - Lower Bound		292	<1	1.58	18	560	22	0.02	<5	476	0.27	33	<10	49
Upper Bound		343	2	1.78	24	660	32	0.06	10	530	0.34	41	20	63
C081726		395	1	1.37	19	610	40	0.08	6	434	0.31	37	20	70
DUP		406	1	1.39	19	620	41	0.08	<5	450	0.31	37	20	70
Target Range - Lower Bound		370	<1	1.29	16	560	34	0.06	<5	418	0.27	33	<10	63
Upper Bound		431	2	1.47	22	670	47	0.10	10	466	0.35	41	40	78

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06062025

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
C081731		0.083														
DUP		0.066														
Target Range - Lower Bound		0.061														
Upper Bound		0.088														
C081735			<0.5	8.38	23	1400	3.5	<2	2.44	<0.5	8	34	28	2.67	3.79	0.66
DUP			<0.5	7.90	25	1370	3.4	<2	2.40	<0.5	8	31	30	2.61	3.70	0.64
Target Range - Lower Bound			<0.5	7.71	13	1300	2.3	<2	2.28	<0.5	6	29	26	2.49	3.54	0.60
Upper Bound			1.0	8.57	35	1470	4.6	4	2.56	1.0	10	36	32	2.79	3.95	0.70

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06062025

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
C081731														
DUP														
Target Range - Lower Bound														
Upper Bound														
C081735		321	1	1.80	20	610	41	0.06	<5	508	0.30	34	30	60
DUP		315	2	1.71	27	560	40	0.06	6	480	0.29	33	40	59
Target Range - Lower Bound		292	<1	1.65	20	540	34	0.04	<5	467	0.26	30	<10	53
Upper Bound		344	2	1.86	27	630	47	0.08	10	521	0.33	37	60	66

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-JUL-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06062028

Project: Dublin Gulch1735

P.O. No.:

This report is for 237 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 4-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06062028

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
BM-9/A			13.2	3.55	26	200	0.9	110	0.23	25.4	93	351	5390	4.28	0.13	0.79
BM-9/A			14.2	3.66	18	210	0.9	114	0.23	26.1	104	399	5410	4.30	0.13	0.80
BM-9/A			14.6	3.54	25	200	0.9	110	0.22	25.6	94	338	5230	4.25	0.12	0.80
BM-9/A			15.5	3.58	14	220	0.9	106	0.22	25.5	92	363	5340	4.33	0.12	0.80
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			4.6	5.09	491	2420	1.4	<2	0.62	6.9	25	101	311	3.94	1.30	0.77
G2000			4.0	4.87	470	2290	1.2	<2	0.58	6.8	21	97	289	3.82	1.26	0.73
G2000			3.2	5.07	499	2390	1.4	<2	0.59	6.6	23	105	313	3.86	1.28	0.75
G2000			3.3	5.28	479	2390	1.3	<2	0.61	6.8	23	104	300	3.86	1.20	0.77
G2000			4.9	5.04	506	2400	1.3	2	0.60	6.8	24	98	303	3.92	1.24	0.75
G2000			3.3	4.71	492	2260	1.3	<2	0.56	6.7	23	91	296	3.71	1.24	0.72
G2000			3.3	5.09	493	2430	1.3	<2	0.61	7.2	23	100	306	4.03	1.27	0.78
G2000			3.2	5.01	481	2350	1.2	<2	0.61	7.0	23	98	299	3.87	1.27	0.73
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
GBM999-5			57.7	4.71	6	180	1.3	<2	0.10	<0.5	3	7	484	3.11	3.56	0.04
GBM999-5			59.5	4.92	<5	180	1.3	<2	0.10	<0.5	3	7	502	3.21	3.70	0.04
GBM999-5			65.6	5.10	6	180	1.2	<2	0.10	<0.5	3	5	486	3.15	3.52	0.04
GBM999-5			56.2	4.50	9	170	1.2	<2	0.09	<0.5	3	9	470	2.90	3.53	0.05
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	436	2.67	3.10	0.02
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	536	3.29	3.81	0.04
OXD43		0.379														
OXD43		0.395														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.030														
OxG46		1.030														
OxG46		1.065														
OxG46		1.025														
OxG46		1.060														
OxG46		1.035														
OxG46		1.035														
OxG46		1.065														
OxG46		1.075														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														

Comments: Additional check assays for sample C078649 report 0.729ppm gold, 1.820ppm gold, and 2.21ppm gold.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06062028

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS														
BM-9/A		605	3	0.47	365	90	6320	1.34	8	89	0.08	21	<10	7920
BM-9/A		642	3	0.46	395	100	6450	1.35	10	89	0.09	23	<10	8410
BM-9/A		621	3	0.46	367	90	6450	1.35	8	86	0.09	23	<10	8200
BM-9/A		653	5	0.47	355	90	6700	1.38	14	90	0.08	21	<10	7730
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		564	4	0.16	287	990	707	0.27	34	114	0.36	109	10	1290
G2000		532	5	0.14	272	920	648	0.26	33	114	0.33	96	10	1245
G2000		559	4	0.16	290	890	689	0.27	33	114	0.36	107	10	1270
G2000		554	5	0.14	288	990	693	0.27	32	118	0.34	102	10	1275
G2000		563	5	0.14	281	1000	694	0.27	34	120	0.36	103	10	1320
G2000		543	5	0.13	277	940	645	0.26	32	109	0.35	104	10	1275
G2000		575	6	0.14	292	1010	683	0.28	37	120	0.36	106	10	1290
G2000		573	5	0.15	279	950	669	0.26	29	118	0.34	97	20	1265
Target Range - Lower Bound		506	4	0.13	256	840	601	0.23	24	103	0.31	94	<10	1130
Upper Bound		630	8	0.18	316	1050	739	0.30	40	129	0.40	117	20	1385
GBM999-5		68	3	0.98	4	50	551	0.29	7	20	0.02	7	<10	116
GBM999-5		70	3	1.02	3	60	579	0.30	6	20	0.02	7	<10	124
GBM999-5		68	3	0.98	4	60	580	0.31	<5	20	0.02	7	10	118
GBM999-5		63	3	0.88	6	50	507	0.28	6	19	0.02	7	<10	110
Target Range - Lower Bound		54	2	0.85	2	40	471	0.26	<5	15	<0.01	5	<10	102
Upper Bound		78	4	1.07	5	70	580	0.34	10	21	0.03	9	20	129
OXD43														
OXD43														
Target Range - Lower Bound														
Upper Bound														
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														

Comments: Additional check assays for sample C078649 report 0.729ppm gold, 1.820ppm gold, and 2.21ppm gold.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06062028

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
SI15		1.770														
SI15		1.850														
SI15		1.865														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.52														
ST-259		2.45														
ST-259		2.38														
ST-259		2.34														
ST-259		2.48														
ST-259		2.39														
ST-259		2.46														
ST-259		2.50														
Target Range - Lower Bound		2.30														
Upper Bound		2.65														
ST-327		6.59														
ST-327		7.12														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														
BLANKS																
BLANK		<0.005														
BLANK		0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	<1	1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.6	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	6	<10	<0.5	2	<0.01	<0.5	1	1	<1	<0.01	<0.01	<0.01
BLANK		0.007														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														

Comments: Additional check assays for sample C078649 report 0.729ppm gold, 1.820ppm gold, and 2.21ppm gold.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06062028

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS														
SI15														
SI15														
SI15														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														
ST-327														
ST-327														
Target Range - Lower Bound														
Upper Bound														
BLANKS														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														

Comments: Additional check assays for sample C078649 report 0.729ppm gold, 1.820ppm gold, and 2.21ppm gold.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06062028

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
BLANKS																
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	0.01	<0.01	<0.01
BLANK		0.010														
	Target Range - Lower Bound	<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
	Upper Bound	0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL		0.020														
DUP		0.025														
	Target Range - Lower Bound	0.011														
	Upper Bound	0.034														
ORIGINAL		0.039														
DUP		0.040														
	Target Range - Lower Bound	0.028														
	Upper Bound	0.051														
ORIGINAL		0.051														
DUP		0.060														
	Target Range - Lower Bound	0.043														
	Upper Bound	0.068														
ORIGINAL		0.133														
DUP		0.142														
	Target Range - Lower Bound	0.121														
	Upper Bound	0.154														
ORIGINAL		0.033														
DUP		0.032														
	Target Range - Lower Bound	0.021														
	Upper Bound	0.044														
ORIGINAL		0.014														
DUP		0.013														
	Target Range - Lower Bound	<0.005														
	Upper Bound	0.024														

Comments: Additional check assays for sample C078649 report 0.729ppm gold, 1.820ppm gold, and 2.21ppm gold.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06062028

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
BLANKS														
BLANK														
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	1	<10	<2
BLANK														
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														

Comments: Additional check assays for sample C078649 report 0.729ppm gold, 1.820ppm gold, and 2.21ppm gold.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06062028

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C081427		0.166														
DUP		0.142														
Target Range - Lower Bound		0.136														
Upper Bound		0.172														
C081521		0.028														
DUP		0.033														
Target Range - Lower Bound		0.019														
Upper Bound		0.042														
C081726			<0.5	7.07	45	1480	2.7	<2	2.38	<0.5	8	24	14	2.62	3.34	0.77
DUP			<0.5	7.43	53	1520	2.6	2	2.44	<0.5	8	23	14	2.71	3.36	0.80
Target Range - Lower Bound			<0.5	6.87	37	1410	1.5	<2	2.27	<0.5	6	20	11	2.51	3.16	0.73
Upper Bound			1.0	7.63	61	1600	3.8	4	2.55	1.0	10	27	17	2.82	3.54	0.84

Comments: Additional check assays for sample C078649 report 0.729ppm gold, 1.820ppm gold, and 2.21ppm gold.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06062028

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
C081427														
DUP														
Target Range - Lower Bound														
Upper Bound														
C081521														
DUP														
Target Range - Lower Bound														
Upper Bound														
C081726		395	1	1.37	19	610	40	0.08	6	434	0.31	37	20	70
DUP		406	1	1.39	19	620	41	0.08	<5	450	0.31	37	20	70
Target Range - Lower Bound		370	<1	1.29	16	560	34	0.06	<5	418	0.27	33	<10	63
Upper Bound		431	2	1.47	22	670	47	0.10	10	466	0.35	41	40	78

Comments: Additional check assays for sample C078649 report 0.729ppm gold, 1.820ppm gold, and 2.21ppm gold.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06062028

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
C078624			<0.5	7.36	1470	1590	3.0	3	2.45	<0.5	7	36	22	2.68	3.40	0.84
DUP			<0.5	7.53	1595	1590	3.1	<2	2.45	<0.5	8	33	22	2.69	3.40	0.89
Target Range - Lower Bound			<0.5	7.05	1445	1490	1.9	<2	2.31	<0.5	5	31	19	2.53	3.21	0.80
Upper Bound			1.0	7.84	1620	1690	4.2	4	2.59	1.0	10	38	25	2.84	3.59	0.93
C078642			<0.5	6.93	67	1460	3.2	<2	1.91	<0.5	7	30	36	2.57	3.31	0.74
DUP			<0.5	7.62	67	1570	3.4	<2	2.04	<0.5	9	30	34	2.75	3.46	0.80
Target Range - Lower Bound			<0.5	6.89	54	1420	2.1	<2	1.86	<0.5	6	27	31	2.51	3.20	0.71
Upper Bound			1.0	7.66	80	1610	4.5	4	2.09	1.0	10	34	39	2.81	3.57	0.83
C078643		0.144														
DUP		0.129														
Target Range - Lower Bound		0.120														
Upper Bound		0.153														
C078651		0.023														
DUP		0.026														
Target Range - Lower Bound		0.013														
Upper Bound		0.036														
C078663		0.043														
DUP		0.052														
Target Range - Lower Bound		0.035														
Upper Bound		0.060														
C078678			<0.5	7.13	37	1540	3.8	8	2.19	<0.5	8	23	41	2.34	3.49	0.83
DUP			<0.5	7.17	39	1540	3.6	7	2.19	<0.5	8	22	40	2.33	3.46	0.83
Target Range - Lower Bound			<0.5	6.77	26	1440	2.5	3	2.06	<0.5	6	19	36	2.20	3.28	0.77
Upper Bound			1.0	7.53	50	1640	4.9	12	2.32	1.0	10	26	45	2.47	3.67	0.89
C078701		0.030														
DUP		0.029														
Target Range - Lower Bound		0.018														
Upper Bound		0.041														
C078714			<0.5	7.53	46	1530	3.5	<2	2.25	<0.5	9	32	36	2.60	3.86	0.79
DUP			<0.5	6.79	33	1440	3.1	2	2.07	<0.5	6	26	34	2.42	3.44	0.76
Target Range - Lower Bound			<0.5	6.78	28	1390	2.1	<2	2.03	<0.5	5	26	31	2.36	3.45	0.72
Upper Bound			1.0	7.54	51	1580	4.5	4	2.29	1.0	10	32	39	2.66	3.85	0.83

Comments: Additional check assays for sample C078649 report 0.729ppm gold, 1.820ppm gold, and 2.21ppm gold.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06062028

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES														
C078624		271	2	1.69	19	640	18	0.22	<5	486	0.32	39	10	36
DUP		273	2	1.64	25	630	18	0.22	<5	481	0.33	39	10	36
Target Range - Lower Bound		248	<1	1.56	19	580	13	0.19	<5	457	0.29	35	<10	30
Upper Bound		296	4	1.77	25	690	23	0.25	10	510	0.36	43	20	42
C078642		193	<1	1.51	19	590	17	0.17	<5	401	0.30	36	20	26
DUP		203	<1	1.58	19	610	21	0.18	6	431	0.31	38	20	27
Target Range - Lower Bound		178	<1	1.45	16	550	14	0.15	<5	393	0.27	33	<10	21
Upper Bound		218	2	1.64	22	650	24	0.20	10	439	0.34	41	40	32
C078643														
DUP														
Target Range - Lower Bound														
Upper Bound														
C078651														
DUP														
Target Range - Lower Bound														
Upper Bound														
C078663														
DUP														
Target Range - Lower Bound														
Upper Bound														
C078678		216	1	0.85	21	590	22	0.09	9	408	0.29	33	30	45
DUP		219	1	0.86	20	600	22	0.09	8	412	0.29	33	40	44
Target Range - Lower Bound		197	<1	0.79	17	550	17	0.07	<5	388	0.26	29	<10	38
Upper Bound		238	2	0.92	24	640	27	0.11	10	433	0.32	37	60	51
C078701														
DUP														
Target Range - Lower Bound														
Upper Bound														
C078714		316	1	1.69	22	550	35	0.12	<5	456	0.33	39	10	77
DUP		296	<1	1.60	18	510	35	0.10	<5	426	0.29	35	10	67
Target Range - Lower Bound		281	<1	1.54	17	480	29	0.08	<5	417	0.27	33	<10	64
Upper Bound		331	2	1.75	23	580	41	0.14	10	465	0.35	41	20	80

Comments: Additional check assays for sample C078649 report 0.729ppm gold, 1.820ppm gold, and 2.21ppm gold.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06062028

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
C078721		0.060														
DUP		0.059														
Target Range - Lower Bound		0.047														
Upper Bound		0.072														
C078741		0.018														
DUP		0.020														
Target Range - Lower Bound		0.008														
Upper Bound		0.030														
C078750			<0.5	6.86	109	570	2.6	<2	0.53	<0.5	57	1190	383	8.29	2.08	0.58
DUP			<0.5	6.97	119	580	2.6	<2	0.59	<0.5	58	1150	392	8.45	2.13	0.62
Target Range - Lower Bound			<0.5	6.55	98	530	1.5	<2	0.51	<0.5	53	1110	366	7.93	1.98	0.55
Upper Bound			1.0	7.28	130	620	3.7	4	0.61	1.0	62	1230	409	8.81	2.23	0.65
C078779		0.048														
DUP		0.037														
Target Range - Lower Bound		0.030														
Upper Bound		0.055														
C078786			<0.5	8.90	29	850	3.7	<2	2.13	<0.5	8	29	24	2.92	3.19	0.92
DUP			<0.5	8.59	32	820	3.8	<2	2.06	<0.5	8	30	26	2.81	3.34	0.89
Target Range - Lower Bound			<0.5	8.29	19	770	2.6	<2	1.97	<0.5	6	26	22	2.70	3.08	0.84
Upper Bound			1.0	9.20	42	900	4.9	4	2.22	1.0	10	33	28	3.03	3.45	0.97
C078787			<0.5	7.75	18	1510	2.9	<2	2.86	<0.5	8	44	16	3.09	3.40	1.24
DUP			<0.5	7.03	15	1390	2.7	<2	2.62	<0.5	8	41	16	2.80	3.15	1.11
Target Range - Lower Bound			<0.5	7.00	6	1360	1.7	<2	2.58	<0.5	6	38	13	2.78	3.09	1.10
Upper Bound			1.0	7.78	27	1540	3.9	4	2.90	1.0	10	47	19	3.11	3.46	1.25
C078799		0.019														
DUP		0.022														
Target Range - Lower Bound		0.009														
Upper Bound		0.032														
C078822			<0.5	7.51	11	1420	3.1	5	3.30	<0.5	11	58	24	3.08	3.51	1.28
DUP			<0.5	7.69	12	1400	3.0	8	3.37	<0.5	10	50	23	3.08	3.35	1.28
Target Range - Lower Bound			<0.5	7.20	<5	1320	1.9	<2	3.15	<0.5	8	49	20	2.91	3.24	1.20
Upper Bound			1.0	8.00	22	1500	4.2	11	3.52	1.0	13	59	27	3.25	3.62	1.36

Comments: Additional check assays for sample C078649 report 0.729ppm gold, 1.820ppm gold, and 2.21ppm gold.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06062028

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES														
C078721														
DUP														
Target Range - Lower Bound														
Upper Bound														
C078741														
DUP														
Target Range - Lower Bound														
Upper Bound														
C078750		373	7	0.12	481	340	147	0.02	10	50	0.25	89	30	607
DUP		378	7	0.12	490	340	144	0.02	7	51	0.24	91	30	620
Target Range - Lower Bound		347	5	0.09	459	300	134	<0.01	<5	46	0.21	84	<10	579
Upper Bound		404	9	0.15	512	380	157	0.04	10	55	0.28	97	50	648
C078779														
DUP														
Target Range - Lower Bound														
Upper Bound														
C078786		397	1	0.92	25	730	54	0.25	17	231	0.34	42	30	101
DUP		384	<1	0.90	24	700	51	0.24	17	223	0.35	43	20	106
Target Range - Lower Bound		361	<1	0.84	21	660	46	0.21	6	214	0.31	38	<10	94
Upper Bound		420	2	0.98	28	770	59	0.28	28	240	0.38	47	50	113
C078787		510	1	1.84	18	690	34	0.07	9	569	0.33	49	10	61
DUP		463	1	1.68	18	630	30	0.07	9	536	0.31	46	10	57
Target Range - Lower Bound		452	<1	1.65	15	610	26	0.05	<5	523	0.28	43	<10	52
Upper Bound		521	2	1.87	21	710	38	0.09	10	582	0.36	52	20	66
C078799														
DUP														
Target Range - Lower Bound														
Upper Bound														
C078822		435	1	1.81	19	730	23	0.07	<5	575	0.36	62	10	51
DUP		431	1	1.80	17	740	23	0.08	6	576	0.34	58	10	48
Target Range - Lower Bound		401	<1	1.69	15	680	18	0.05	<5	545	0.31	55	<10	43
Upper Bound		465	2	1.92	21	790	28	0.10	10	606	0.39	65	20	56

Comments: Additional check assays for sample C078649 report 0.729ppm gold, 1.820ppm gold, and 2.21ppm gold.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-AUG-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06064088

Project: Dublin Gulch1735

P.O. No.:

This report is for 106 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 6-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06064088

Sample Description	Method	Au-AA24	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
STANDARDS																
BM-9/A				13.3	3.70	27	210	0.9	113	0.23	26.5	97	347	5390	4.42	0.12
BM-9/A				13.1	3.69	23	200	1.0	111	0.22	26.2	97	368	5630	4.31	0.12
Target Range - Lower Bound				11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10
Upper Bound				15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14
G2000				3.3	4.97	485	2370	1.3	3	0.60	6.8	24	99	297	3.89	1.28
G2000				3.6	5.24	493	2480	1.3	<2	0.62	7.6	26	103	311	3.99	1.31
G2000				3.2	4.90	457	2320	1.3	<2	0.57	6.8	26	99	296	3.71	1.24
Target Range - Lower Bound				2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14
Upper Bound				4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41
GBM999-5				56.8	4.67	<5	170	1.3	<2	0.09	<0.5	4	4	470	2.97	3.46
Target Range - Lower Bound				53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	436	2.67	3.10
Upper Bound				65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	536	3.29	3.81
OxG46		1.075														
OxG46		0.918														
OxG46		1.070	1.070													
OxG46		1.050														
OxG46		1.050	1.050													
Target Range - Lower Bound		0.959	0.959													
Upper Bound		1.115	1.115													
SI15		1.835	1.835													
Target Range - Lower Bound		1.675	1.675													
Upper Bound		1.935	1.935													
ST-259		2.42														
ST-259		2.49														
ST-259		2.43	2.43													
ST-259		2.44														
ST-259		2.35	2.35													
ST-259		2.34	2.34													
Target Range - Lower Bound		2.30	2.30													
Upper Bound		2.66	2.66													

Comments: Additional Au-AA24 result for sample C078889 is 0.152 ppm. NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06064088

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS															
BM-9/A		0.81	637	3	0.49	365	110	6570	1.46	14	92	0.09	22	<10	8060
BM-9/A		0.78	618	4	0.47	372	100	6660	1.40	16	91	0.09	23	<10	8480
Target Range - Lower Bound		0.72	561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		0.90	697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		0.73	561	4	0.14	277	960	661	0.27	37	115	0.36	102	10	1295
G2000		0.74	592	5	0.14	290	1010	690	0.28	35	119	0.37	107	10	1360
G2000		0.69	543	4	0.13	271	930	634	0.25	30	112	0.36	101	20	1295
Target Range - Lower Bound		0.67	506	4	0.13	256	870	601	0.23	24	103	0.31	94	<10	1130
Upper Bound		0.85	630	8	0.18	316	1080	739	0.30	40	129	0.40	117	20	1385
GBM999-5		0.03	65	3	0.95	3	50	523	0.29	12	20	0.02	7	<10	113
Target Range - Lower Bound		0.03	54	3	0.85	2	40	471	0.26	<5	16	<0.01	5	<10	102
Upper Bound		0.05	78	5	1.07	5	70	580	0.34	10	22	0.03	9	20	129
OxG46															
OxG46															
OxG46															
OxG46															
OxG46															
Target Range - Lower Bound															
Upper Bound															
SI15															
Target Range - Lower Bound															
Upper Bound															
ST-259															
ST-259															
ST-259															
ST-259															
ST-259															
ST-259															
Target Range - Lower Bound															
Upper Bound															

Comments: Additional Au-AA24 result for sample C078889 is 0.152 ppm. NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06064088

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		0.006	0.006													
BLANK		<0.005														
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	2	<1	<1	<0.01	<0.01
BLANK				<0.5	<0.01	5	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<0.01
BLANK		<0.005	<0.005													
BLANK		<0.005	<0.005													
Target Range - Lower Bound		<0.005	<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
Upper Bound		0.010	0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02
DUPLICATES																
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.010														
DUP		0.013	0.013													
Target Range - Lower Bound		<0.005	<0.005													
Upper Bound		0.022	0.024													
ORIGINAL		0.078														
DUP		0.062	0.062													
Target Range - Lower Bound		0.057	0.049													
Upper Bound		0.084	0.075													
ORIGINAL		0.082														
DUP		0.073	0.073													
Target Range - Lower Bound		0.064	0.059													
Upper Bound		0.091	0.087													

Comments: Additional Au-AA24 result for sample C078889 is 0.152 ppm. NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06064088

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
BLANKS															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK		<0.01	<5	1	<0.01	<1	10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<0.01	<5	<1	<0.01	2	<10	<2	<0.01	<5	<1	<0.01	1	<10	<2
BLANK		<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	1	<10	<2
BLANK															
BLANK															
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

Comments: Additional Au-AA24 result for sample C078889 is 0.152 ppm. NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06064088

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
DUPLICATES																
ORIGINAL		<0.005														
DUP		<0.005	<0.005													
Target Range - Lower Bound		<0.005	<0.005													
Upper Bound		0.010	0.010													
ORIGINAL		<0.005														
DUP		<0.005	<0.005													
Target Range - Lower Bound		<0.005	<0.005													
Upper Bound		0.010	0.010													
C078843				<0.5	7.54	261	1300	3.0	<2	2.42	<0.5	10	49	26	3.27	3.29
DUP				<0.5	7.67	248	1350	3.0	<2	2.51	<0.5	9	48	27	3.40	3.33
Target Range - Lower Bound				<0.5	7.20	232	1240	1.9	<2	2.32	<0.5	7	44	23	3.15	3.12
Upper Bound				1.0	8.01	277	1410	4.2	4	2.61	1.0	12	53	30	3.52	3.50
C078852		2.18														
DUP		2.24														
Target Range - Lower Bound		2.09														
Upper Bound		2.33														
C078873		0.216														
DUP		0.238														
Target Range - Lower Bound		0.206														
Upper Bound		0.248														
C078879				<0.5	7.71	54	1390	2.8	<2	2.46	<0.5	10	33	48	3.05	3.54
DUP				<0.5	7.63	57	1380	2.7	<2	2.45	<0.5	8	29	44	3.03	3.38
Target Range - Lower Bound				<0.5	7.27	43	1300	1.6	<2	2.31	<0.5	7	27	42	2.87	3.27
Upper Bound				1.0	8.07	68	1470	3.9	4	2.60	1.0	11	35	50	3.21	3.65
C078898		0.074														
DUP		0.089														
Target Range - Lower Bound		0.067														
Upper Bound		0.096														
C078915				2.5	7.44	702	800	2.6	<2	2.73	6.8	10	30	35	3.47	3.10
DUP				2.4	7.35	716	790	2.5	<2	2.68	6.4	10	30	33	3.42	3.05
Target Range - Lower Bound				1.3	7.01	664	740	1.4	<2	2.55	5.3	8	27	30	3.25	2.90
Upper Bound				3.6	7.78	754	850	3.7	4	2.86	7.9	13	34	38	3.64	3.25

Comments: Additional Au-AA24 result for sample C078889 is 0.152 ppm. NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06064088

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
C078843		1.12	395	1	1.36	14	630	74	0.14	7	425	0.30	53	10	76
DUP		1.15	413	<1	1.42	11	660	70	0.14	11	435	0.30	55	20	78
Target Range - Lower Bound		1.06	374	<1	1.30	10	590	64	0.11	<5	407	0.27	49	<10	69
Upper Bound		1.21	434	2	1.48	15	700	80	0.17	10	454	0.34	59	20	85
C078852															
DUP															
Target Range - Lower Bound															
Upper Bound															
C078873															
DUP															
Target Range - Lower Bound															
Upper Bound															
C078879		0.85	438	2	1.30	19	670	43	0.20	7	380	0.28	40	30	47
DUP		0.84	433	<1	1.27	18	670	45	0.20	11	372	0.28	38	20	45
Target Range - Lower Bound		0.78	404	<1	1.20	16	620	38	0.17	<5	355	0.25	35	<10	40
Upper Bound		0.91	467	2	1.37	21	720	50	0.23	10	397	0.31	43	50	52
C078898															
DUP															
Target Range - Lower Bound															
Upper Bound															
C078915		1.10	1200	1	0.48	15	610	818	0.72	19	247	0.27	41	30	1185
DUP		1.09	1185	2	0.47	14	590	796	0.71	18	247	0.26	40	30	1155
Target Range - Lower Bound		1.02	1125	<1	0.43	12	550	763	0.66	8	233	0.23	36	<10	1110
Upper Bound		1.17	1260	2	0.52	17	650	851	0.77	29	261	0.30	45	50	1235

Comments: Additional Au-AA24 result for sample C078889 is 0.152 ppm. NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

O: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06064088

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
DUPLICATES																
C078918		0.122														
DUP		0.135														
Target Range - Lower Bound		0.112														
Upper Bound		0.145														
C078938		0.027														
DUP		0.017														
Target Range - Lower Bound		0.011														
Upper Bound		0.033														

Comments: Additional Au-AA24 result for sample C078889 is 0.152 ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06064088

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES															
C078918	DUP														
	Target Range - Lower Bound														
	Upper Bound														
C078938	DUP														
	Target Range - Lower Bound														
	Upper Bound														

Comments: Additional Au-AA24 result for sample C078889 is 0.152 ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-AUG-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06064089

Project: Dublin Gulch1735

P.O. No.:

This report is for 157 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 6-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

): STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06064089

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
BM-9/A			13.1	3.69	23	200	1.0	111	0.22	26.2	97	368	5630	4.31	0.12	0.78
BM-9/A			15.1	3.67	22	210	0.9	120	0.22	26.7	97	369	5430	4.30	0.12	0.80
BM-9/A			14.4	3.74	22	210	0.9	117	0.22	26.6	99	370	5400	4.27	0.12	0.80
BM-9/A			13.7	3.61	28	210	0.9	115	0.22	26.8	93	366	5440	4.33	0.12	0.80
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			3.2	4.90	457	2320	1.3	<2	0.57	6.8	26	99	296	3.71	1.24	0.69
G2000			3.3	5.07	475	2400	1.3	<2	0.60	7.0	23	103	298	3.87	1.25	0.72
G2000			3.5	4.91	469	2320	1.3	<2	0.57	6.8	23	100	288	3.67	1.24	0.70
G2000			4.5	5.33	499	2440	1.4	<2	0.60	7.3	24	100	301	3.98	1.28	0.77
G2000			4.4	5.07	485	2410	1.3	<2	0.59	7.4	23	100	303	3.77	1.28	0.72
G2000			4.2	5.27	503	2420	1.4	<2	0.59	7.4	24	99	318	3.85	1.33	0.77
G2000			3.6	4.99	480	2330	1.3	<2	0.58	7.3	22	99	296	3.82	1.27	0.74
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
GBM999-5			56.7	4.68	<5	180	1.2	3	0.09	<0.5	3	4	448	2.95	3.39	0.03
GBM999-5			60.7	4.93	<5	180	1.3	<2	0.09	<0.5	2	5	496	2.98	3.70	0.03
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	436	2.67	3.10	0.03
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	536	3.29	3.81	0.05
OXD43		0.407														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.075														
OxG46		1.050														
OxG46		1.070														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.835														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.42														
ST-259		2.44														
ST-259		2.50														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.92														
ST-327		7.36														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06064089

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS														
BM-9/A		618	4	0.47	372	100	6660	1.40	16	91	0.09	23	<10	8480
BM-9/A		644	4	0.49	364	100	6880	1.45	8	88	0.09	22	<10	8490
BM-9/A		647	4	0.50	363	100	6720	1.46	7	91	0.09	22	<10	8200
BM-9/A		633	4	0.47	361	90	6740	1.44	9	91	0.09	21	<10	8350
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		543	4	0.13	271	930	634	0.25	30	112	0.36	101	20	1295
G2000		557	5	0.13	279	960	660	0.26	35	115	0.35	101	20	1290
G2000		550	6	0.13	269	950	655	0.26	34	111	0.33	98	10	1305
G2000		597	5	0.14	287	1020	667	0.26	32	124	0.36	106	20	1345
G2000		576	5	0.13	282	990	682	0.27	32	115	0.35	104	10	1345
G2000		595	5	0.15	293	1000	683	0.28	32	126	0.37	109	20	1290
G2000		567	6	0.14	272	960	678	0.27	33	116	0.36	99	10	1250
Target Range - Lower Bound		506	4	0.13	256	870	601	0.23	24	103	0.31	94	<10	1130
Upper Bound		630	8	0.18	316	1080	739	0.30	40	129	0.40	117	20	1385
GBM999-5		65	3	0.94	3	50	528	0.28	6	20	0.02	7	<10	109
GBM999-5		69	3	1.00	4	40	561	0.30	6	22	0.02	6	<10	112
Target Range - Lower Bound		54	3	0.85	2	40	471	0.26	<5	16	<0.01	5	<10	102
Upper Bound		78	5	1.07	5	70	580	0.34	10	22	0.03	9	20	129
OXD43														
Target Range - Lower Bound														
Upper Bound														
OxG46														
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														
SI15														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														
ST-327														
ST-327														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06064089

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	5	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	2	1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
C078852		2.18														
DUP		2.24														
Target Range - Lower Bound		2.09														
Upper Bound		2.33														
C078873		0.216														
DUP		0.238														
Target Range - Lower Bound		0.206														
Upper Bound		0.248														
C078898		0.074														
DUP		0.089														
Target Range - Lower Bound		0.067														
Upper Bound		0.096														
C078915			2.5	7.44	702	800	2.6	<2	2.73	6.8	10	30	35	3.47	3.10	1.10
DUP			2.4	7.35	716	790	2.5	<2	2.68	6.4	10	30	33	3.42	3.05	1.09
Target Range - Lower Bound			1.3	7.01	664	740	1.4	<2	2.55	5.3	8	27	30	3.25	2.90	1.02
Upper Bound			3.6	7.78	754	850	3.7	4	2.86	7.9	13	34	38	3.64	3.25	1.17

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06064089

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
BLANKS														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK		<5	<1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	1	<10	<2
BLANK		<5	1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	1	<10	2
BLANK		<5	1	<0.01	<1	10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES														
C078852														
DUP														
Target Range - Lower Bound														
Upper Bound														
C078873														
DUP														
Target Range - Lower Bound														
Upper Bound														
C078898														
DUP														
Target Range - Lower Bound														
Upper Bound														
C078915		1200	1	0.48	15	610	818	0.72	19	247	0.27	41	30	1185
DUP		1185	2	0.47	14	590	796	0.71	18	247	0.26	40	30	1155
Target Range - Lower Bound		1125	<1	0.43	12	550	763	0.66	8	233	0.23	36	<10	1110
Upper Bound		1260	2	0.52	17	650	851	0.77	29	261	0.30	45	50	1235

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06064089

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
C078918		0.122														
DUP		0.135														
Target Range - Lower Bound		0.112														
Upper Bound		0.145														
C078938		0.027														
DUP		0.017														
Target Range - Lower Bound		0.011														
Upper Bound		0.033														
C081999			<0.5	5.33	52	530	1.4	<2	1.03	<0.5	8	43	7	1.37	2.19	0.21
DUP			<0.5	5.72	57	560	1.5	<2	1.08	<0.5	6	37	7	1.44	2.24	0.22
Target Range - Lower Bound			<0.5	5.23	42	500	<0.5	<2	0.98	<0.5	5	36	5	1.31	2.08	0.18
Upper Bound			1.0	5.82	67	590	2.5	4	1.13	1.0	9	44	9	1.50	2.35	0.25
C082024		0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C082035			<0.5	6.61	101	950	1.9	<2	0.87	<0.5	10	53	20	2.13	3.55	0.44
DUP			<0.5	6.58	95	950	1.8	<2	0.88	<0.5	9	50	19	2.15	3.50	0.44
Target Range - Lower Bound			<0.5	6.25	83	880	0.8	<2	0.81	<0.5	7	47	17	2.01	3.33	0.40
Upper Bound			1.0	6.94	113	1020	2.9	4	0.94	1.0	12	56	22	2.27	3.72	0.48
C082044		0.007														
DUP		0.008														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C082064		0.083														
DUP		0.091														
Target Range - Lower Bound		0.073														
Upper Bound		0.101														
C082071			<0.5	7.57	1485	1410	3.1	35	2.50	<0.5	31	26	25	2.35	3.35	0.68
DUP			<0.5	7.48	1520	1380	3.0	37	2.51	<0.5	31	23	24	2.30	3.21	0.67
Target Range - Lower Bound			<0.5	7.13	1415	1310	1.9	30	2.36	<0.5	27	21	21	2.19	3.10	0.62
Upper Bound			1.0	7.92	1590	1480	4.2	42	2.65	1.0	35	28	28	2.46	3.46	0.73

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06064089

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES														
C078918														
DUP														
Target Range - Lower Bound														
Upper Bound														
C078938														
DUP														
Target Range - Lower Bound														
Upper Bound														
C081999		130	1	0.80	10	1360	7	<0.01	<5	85	0.21	43	20	9
DUP		137	<1	0.85	11	1420	4	<0.01	<5	94	0.20	43	10	9
Target Range - Lower Bound		117	<1	0.76	8	1300	<2	<0.01	<5	83	0.17	39	<10	5
Upper Bound		150	2	0.89	13	1480	10	0.02	10	96	0.24	47	20	13
C082024														
DUP														
Target Range - Lower Bound														
Upper Bound														
C082035		197	2	0.69	26	230	7	0.03	<5	90	0.24	51	10	21
DUP		200	2	0.71	24	230	8	0.03	<5	92	0.23	50	10	20
Target Range - Lower Bound		179	<1	0.65	22	200	3	<0.01	<5	84	0.20	46	<10	15
Upper Bound		218	4	0.76	28	260	12	0.05	10	98	0.27	55	20	26
C082044														
DUP														
Target Range - Lower Bound														
Upper Bound														
C082064														
DUP														
Target Range - Lower Bound														
Upper Bound														
C082071		269	2	1.43	25	550	29	0.20	6	425	0.28	32	10	46
DUP		267	2	1.41	24	580	31	0.20	<5	423	0.27	31	10	46
Target Range - Lower Bound		245	<1	1.33	21	520	25	0.17	<5	401	0.24	28	<10	40
Upper Bound		291	4	1.51	28	610	36	0.23	10	447	0.31	35	20	52

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06064089

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
C082107			<0.5	7.70	306	1630	3.0	2	2.43	<0.5	6	33	35	2.40	3.67	0.74
DUP			<0.5	7.71	305	1610	3.0	4	2.39	<0.5	6	28	34	2.37	3.54	0.73
Target Range - Lower Bound			<0.5	7.30	280	1520	1.9	<2	2.27	<0.5	4	27	31	2.25	3.40	0.68
Upper Bound			1.0	8.11	331	1720	4.2	4	2.55	1.0	8	34	38	2.52	3.81	0.79
C082116		0.019														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.023														
C082136		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C082143			<0.5	7.99	141	1550	3.2	<2	2.25	<0.5	7	28	32	2.42	3.67	0.76
DUP			<0.5	7.83	143	1530	3.1	<2	2.24	<0.5	7	27	31	2.40	3.47	0.74
Target Range - Lower Bound			<0.5	7.49	125	1440	2.0	<2	2.11	<0.5	5	24	28	2.27	3.37	0.69
Upper Bound			1.0	8.33	159	1640	4.3	4	2.38	1.0	9	31	35	2.55	3.77	0.81
ORIGINAL			<0.5	4.81	20	2700	1.5	<2	0.26	1.7	6	66	34	2.50	1.85	0.56
DUP			<0.5	4.80	29	2660	1.5	<2	0.26	1.6	6	66	34	2.49	1.84	0.56
Target Range - Lower Bound			<0.5	4.54	13	2530	<0.5	<2	0.23	0.6	4	61	30	2.35	1.73	0.51
Upper Bound			1.0	5.07	36	2830	2.6	4	0.29	2.7	8	71	38	2.64	1.96	0.61
ORIGINAL		0.618														
DUP		0.600														
Target Range - Lower Bound		0.569														
Upper Bound		0.649														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06064089

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
C082107		189	1	1.81	18	660	20	0.23	<5	517	0.31	37	20	25
DUP		185	1	1.76	19	650	20	0.22	<5	505	0.30	36	20	25
Target Range - Lower Bound		168	<1	1.66	16	600	15	0.19	<5	483	0.27	33	<10	20
Upper Bound		206	2	1.89	21	710	25	0.26	10	539	0.34	40	40	30
C082116														
DUP														
Target Range - Lower Bound														
Upper Bound														
C082136														
DUP														
Target Range - Lower Bound														
Upper Bound														
C082143		283	<1	1.69	19	640	21	0.21	<5	508	0.32	37	10	37
DUP		281	<1	1.67	18	650	23	0.21	<5	500	0.30	36	10	36
Target Range - Lower Bound		258	<1	1.58	16	590	17	0.18	<5	477	0.27	33	<10	31
Upper Bound		306	2	1.78	21	700	27	0.24	10	531	0.35	40	20	42
ORIGINAL		190	8	0.21	43	1270	28	0.02	6	65	0.36	388	<10	264
DUP		187	8	0.21	42	1290	27	0.02	5	64	0.35	381	<10	261
Target Range - Lower Bound		169	6	0.18	38	1200	22	<0.01	<5	59	0.32	363	<10	245
Upper Bound		208	10	0.24	47	1360	33	0.04	10	70	0.39	406	20	280
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-AUG-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06064328

Project: Dublin Gulch1735

P.O. No.:

This report is for 85 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 7-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06064328

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
STANDARDS																
BM-9/A			15.4	3.84	23	230	1.0	121	0.22	27.3	106	368	5550	4.57	0.12	0.83
BM-9/A			12.9	3.56	33	190	0.9	109	0.22	25.6	93	349	5100	4.20	0.12	0.76
BM-9/A			14.4	3.67	23	220	1.0	111	0.22	27.4	101	359	5590	4.35	0.12	0.85
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			3.3	4.98	441	2280	1.3	<2	0.57	7.2	21	98	292	3.78	1.20	0.71
G2000			4.2	5.32	491	2490	1.4	2	0.61	7.7	24	103	319	4.06	1.33	0.78
G2000			3.1	5.09	480	2400	1.3	<2	0.60	7.0	26	99	295	3.84	1.28	0.72
G2000			3.4	4.83	468	2390	1.3	<2	0.57	6.4	24	95	290	3.68	1.25	0.74
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
OxG46		1.070														
OxG46		1.065														
OxG46		1.010														
OxG46		1.065														
OxG46		1.070														
OxG46		1.015														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.835														
SI15		1.835														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.43														
ST-259		2.49														
ST-259		2.45														
ST-259		2.51														
ST-259		2.50														
ST-259		2.48														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		7.36														
Target Range - Lower Bound		6.85														
Upper Bound		7.31														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06064328

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS														
BM-9/A		691	5	0.48	400	110	6870	1.41	12	96	0.09	23	<10	8290
BM-9/A		613	3	0.46	354	90	6290	1.35	9	84	0.08	21	<10	7840
BM-9/A		657	2	0.49	373	100	6770	1.44	10	88	0.09	22	<10	8230
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		555	6	0.13	278	960	650	0.25	37	115	0.34	101	20	1265
G2000		563	6	0.15	294	990	683	0.29	36	125	0.38	108	20	1320
G2000		561	5	0.14	277	980	659	0.27	27	112	0.36	103	10	1260
G2000		549	4	0.13	271	960	627	0.26	36	110	0.34	101	20	1220
Target Range - Lower Bound		506	4	0.13	256	870	601	0.23	24	103	0.31	94	<10	1130
Upper Bound		630	8	0.18	316	1080	739	0.30	40	129	0.40	117	20	1385
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														
SI15														
SI15														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														
ST-327														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06064328

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
BLANKS																
BLANK		0.006														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	6	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.304														
DUP		0.274														
Target Range - Lower Bound		0.265														
Upper Bound		0.313														
ORIGINAL		0.010														
DUP		0.013														
Target Range - Lower Bound		<0.005														
Upper Bound		0.022														
ORIGINAL		0.019														
DUP		0.019														
Target Range - Lower Bound		0.008														
Upper Bound		0.030														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06064328

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
BLANKS														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK		<5	2	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	2	<0.01	2	<10	<2	<0.01	<5	<1	<0.01	1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06064328

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
ORIGINAL		0.078														
DUP		0.062														
Target Range - Lower Bound		0.057														
Upper Bound		0.084														
ORIGINAL		0.017														
DUP		0.016														
Target Range - Lower Bound		0.006														
Upper Bound		0.027														
ORIGINAL			<0.5	0.63	46	40	<0.5	<2	32.1	<0.5	2	13	5	0.36	0.22	1.73
DUP			<0.5	0.65	57	40	<0.5	<2	33.3	<0.5	2	11	5	0.38	0.23	1.77
Target Range - Lower Bound			<0.5	0.59	39	20	<0.5	<2	31.0	<0.5	<1	9	3	0.33	0.19	1.64
Upper Bound			1.0	0.69	64	60	1.0	4	34.4	1.0	4	15	7	0.41	0.26	1.88
C082116		0.019														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.023														
C082136		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C078949			<0.5	7.25	34	700	1.5	<2	1.18	<0.5	7	51	31	3.76	2.09	0.79
DUP			<0.5	7.49	51	720	1.5	<2	1.21	<0.5	8	54	32	3.85	2.17	0.82
Target Range - Lower Bound			<0.5	6.98	30	650	<0.5	<2	1.12	<0.5	5	48	28	3.59	2.00	0.74
Upper Bound			1.0	7.76	55	770	2.6	4	1.27	1.0	10	57	35	4.02	2.26	0.87
C078981		0.120														
DUP		0.140														
Target Range - Lower Bound		0.114														
Upper Bound		0.147														
C078985			<0.5	7.18	78	680	1.8	<2	2.39	<0.5	11	63	44	2.87	2.76	0.68
DUP			0.5	7.77	88	740	2.0	<2	2.63	<0.5	13	62	48	3.12	3.03	0.74
Target Range - Lower Bound			<0.5	7.08	69	650	0.8	<2	2.36	<0.5	9	57	42	2.83	2.73	0.65
Upper Bound			1.0	7.87	97	770	3.0	4	2.66	1.0	15	68	50	3.16	3.06	0.77

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06064328

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		327	5	0.01	12	90	<2	<0.50	393	195	0.03	21	10	40
DUP		335	6	0.01	15	110	<2	<0.50	406	199	0.03	22	10	42
Target Range - Lower Bound		304	3	<0.01	11	80	<2	0.46	370	185	<0.01	18	<10	35
Upper Bound		358	8	0.02	16	130	4	0.55	429	209	0.05	25	20	47
C082116														
DUP														
Target Range - Lower Bound														
Upper Bound														
C082136														
DUP														
Target Range - Lower Bound														
Upper Bound														
C078949		674	1	0.46	28	230	12	0.06	13	76	0.28	61	20	58
DUP		688	1	0.47	30	240	10	0.07	9	79	0.29	64	10	60
Target Range - Lower Bound		637	<1	0.42	26	200	6	0.04	<5	72	0.25	57	<10	52
Upper Bound		725	2	0.51	32	270	16	0.09	22	83	0.32	68	20	66
C078981														
DUP														
Target Range - Lower Bound														
Upper Bound														
C078985		358	<1	0.60	27	590	11	0.27	<5	186	0.29	64	10	35
DUP		389	1	0.65	30	620	10	0.29	<5	200	0.32	71	10	38
Target Range - Lower Bound		345	<1	0.57	25	550	6	0.25	<5	181	0.27	62	<10	31
Upper Bound		402	2	0.68	32	660	15	0.31	10	205	0.34	73	20	42

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06064328

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
C079021			<0.5	8.98	199	1350	2.1	<2	1.37	<0.5	14	66	12	3.86	3.70	0.78
DUP			<0.5	9.16	208	1410	2.2	<2	1.42	<0.5	15	67	12	3.97	3.83	0.81
Target Range - Lower Bound			<0.5	8.60	183	1290	1.0	<2	1.31	<0.5	12	61	9	3.70	3.56	0.74
Upper Bound			1.0	9.54	224	1470	3.3	4	1.48	1.0	17	72	15	4.13	3.97	0.85
ORIGINAL		0.618														
DUP		0.600														
Target Range - Lower Bound		0.569														
Upper Bound		0.649														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06064328

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
C079021		365	<1	0.58	31	540	14	0.08	<5	105	0.36	80	<10	56
DUP		376	<1	0.60	35	580	9	0.08	<5	107	0.38	82	10	56
Target Range - Lower Bound		342	<1	0.54	29	510	7	0.06	<5	99	0.33	75	<10	49
Upper Bound		399	2	0.64	37	610	16	0.10	10	113	0.41	87	20	63
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 1-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06072460

Project: Dublin Gulch1735

P.O. No.:

This report is for 67 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 25-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 1-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06072460

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
BM-9/A			13.9	3.66	19	220	1.0	119	0.22	26.3	99	382	5490	4.28	0.12	0.81
BM-9/A			13.5	3.54	21	210	0.9	112	0.22	25.5	91	337	5340	4.37	0.12	0.77
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			4.5	5.08	469	2380	1.3	<2	0.58	7.0	22	99	305	3.80	1.25	0.75
G2000			3.8	5.04	482	2420	1.3	2	0.59	6.8	22	99	303	3.82	1.22	0.74
G2000			3.2	4.84	445	2210	1.3	<2	0.57	6.7	22	99	302	3.71	1.30	0.69
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
GBM999-5			58.0	4.75	<5	180	1.3	<2	0.10	<0.5	3	5	482	2.98	3.44	0.04
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	436	2.67	3.10	0.03
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	536	3.29	3.81	0.05
OXD43		0.406														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.050														
OxG46		1.070														
OxG46		1.090														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.840														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.44														
ST-259		2.50														
ST-259		2.64														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.97														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 1-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06072460

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS														
BM-9/A		631	3	0.48	369	100	6690	1.47	8	95	0.09	23	<10	8250
BM-9/A		619	4	0.46	352	100	6290	1.33	11	88	0.08	20	<10	7960
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		571	5	0.16	284	980	678	0.27	36	122	0.36	106	20	1270
G2000		571	5	0.15	281	1010	676	0.27	31	122	0.35	104	20	1270
G2000		532	6	0.14	268	940	620	0.25	33	112	0.35	97	10	1255
Target Range - Lower Bound		506	4	0.13	256	870	601	0.23	24	103	0.31	94	<10	1130
Upper Bound		630	8	0.18	316	1080	739	0.30	40	129	0.40	117	20	1385
GBM999-5		68	4	0.94	2	60	554	0.31	8	21	0.02	7	<10	116
Target Range - Lower Bound		54	3	0.85	2	40	471	0.26	<5	16	<0.01	5	<10	102
Upper Bound		78	5	1.07	5	70	580	0.34	10	22	0.03	9	20	129
OXD43														
Target Range - Lower Bound														
Upper Bound														
OxG46														
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														
SI15														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														
ST-327														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 1-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06072460

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
BLANKS																
BLANK		<0.005														
BLANK		0.010														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL		0.020														
DUP		0.025														
Target Range - Lower Bound		0.011														
Upper Bound		0.034														
ORIGINAL		0.053														
DUP		0.057														
Target Range - Lower Bound		0.042														
Upper Bound		0.068														
ORIGINAL			<0.5	7.85	41	1020	1.0	<2	1.32	<0.5	12	88	67	3.88	2.55	2.04
DUP			<0.5	8.29	36	1040	1.0	<2	1.36	<0.5	11	88	66	3.99	2.61	2.09
Target Range - Lower Bound			<0.5	7.65	27	960	<0.5	<2	1.25	<0.5	9	82	61	3.72	2.43	1.84
Upper Bound			1.0	8.49	50	1100	2.1	4	1.43	1.0	14	94	72	4.15	2.73	2.19
C079304		0.008	<0.5	7.93	19	1540	3.2	3	2.58	<0.5	8	36	15	2.74	3.50	0.97
DUP		0.007	<0.5	7.83	20	1520	3.1	2	2.52	<0.5	7	34	14	2.69	3.40	0.96
Target Range - Lower Bound		<0.005	<0.5	7.47	9	1430	2.0	<2	2.40	<0.5	5	31	12	2.56	3.26	0.90
Upper Bound		0.010	1.0	8.29	30	1630	4.3	4	2.70	1.0	10	39	17	2.87	3.64	1.03
C079340			2.9	5.42	53	640	1.8	3	2.47	2.8	6	30	82	4.18	2.52	0.76
DUP			2.3	5.54	56	670	1.9	4	2.63	3.3	6	29	82	4.40	2.54	0.78
Target Range - Lower Bound			1.5	5.19	42	600	0.8	<2	2.40	1.9	4	26	76	4.06	2.38	0.71
Upper Bound			3.7	5.77	67	710	2.9	4	2.70	4.2	8	33	88	4.52	2.68	0.83

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 1-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06072460

Sample Description	Method Analyte Units LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
BLANKS														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		430	<1	1.16	27	390	<2	0.46	6	240	0.31	164	<10	31
DUP		438	<1	1.18	27	400	<2	0.45	<5	250	0.32	167	<10	28
Target Range - Lower Bound		402	<1	1.09	24	360	<2	0.41	<5	231	0.28	155	<10	24
Upper Bound		466	2	1.25	30	430	4	0.50	10	259	0.35	176	20	35
C079304		388	3	1.82	17	690	21	0.15	<5	549	0.31	44	80	51
DUP		381	3	1.77	20	660	19	0.14	<5	538	0.31	43	90	50
Target Range - Lower Bound		355	<1	1.69	16	620	15	0.12	<5	514	0.27	39	60	44
Upper Bound		414	5	1.90	21	730	25	0.17	10	573	0.35	48	110	57
C079340		964	2	0.40	11	460	299	1.73	18	168	0.20	32	60	508
DUP		1020	1	0.41	12	470	321	1.80	18	171	0.20	33	60	524
Target Range - Lower Bound		932	<1	0.36	9	420	291	1.66	7	159	0.17	29	40	486
Upper Bound		1050	2	0.45	14	510	330	1.87	29	180	0.23	36	80	546

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06072461

Project: Dublin Gulch1735

P.O. No.:

This report is for 182 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 27-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06072461

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
STANDARDS																
BM-9/A			13.8	3.59	26	220	0.9	111	0.22	26.4	92	384	5180	4.20	0.11	0.78
BM-9/A			14.5	3.73	32	220	1.0	113	0.22	27.0	100	379	5420	4.26	0.12	0.80
BM-9/A			13.8	3.74	18	220	0.9	115	0.21	26.9	101	372	5540	4.29	0.12	0.80
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			3.4	5.17	497	2450	1.4	<2	0.61	6.8	24	109	310	3.89	1.23	0.75
G2000			3.5	5.20	514	2470	1.3	<2	0.60	7.8	24	96	314	4.00	1.31	0.78
G2000			3.4	5.03	476	2320	1.3	<2	0.59	6.3	24	96	304	3.81	1.22	0.73
G2000			4.4	5.19	505	2410	1.4	<2	0.63	7.0	23	103	310	3.98	1.27	0.76
G2000			3.7	5.24	477	2380	1.3	2	0.55	7.2	25	99	309	3.76	1.18	0.74
G2000			3.3	5.06	507	2450	1.3	<2	0.59	7.5	23	95	307	3.96	1.26	0.77
G2000			3.6	5.24	477	2380	1.3	2	0.58	6.9	21	97	305	3.77	1.26	0.74
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
GBM999-5			58.8	4.80	<5	180	1.2	<2	0.10	<0.5	3	5	482	3.10	3.52	0.04
GBM999-5			60.1	4.91	<5	180	1.2	<2	0.11	<0.5	4	6	485	3.11	3.55	0.04
GBM999-5			58.9	4.72	8	180	1.2	<2	0.10	<0.5	2	4	475	3.08	3.49	0.04
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	428	2.67	3.10	0.03
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	526	3.29	3.81	0.05
LKSD-3			2.6	6.68	15	630	1.4	<2	1.58	<0.5	27	70	34	3.79	1.70	1.12
Target Range - Lower Bound			1.9	5.93	19	560	1.0	<2	1.47	<0.5	26	62	31	3.46	1.63	1.08
Upper Bound			3.5	7.27	35	700	2.4	4	1.81	1.0	34	77	40	4.26	2.01	1.34
OxG46		1.055														
OxG46		1.060														
OxG46		0.989														
OxG46		1.035														
OxG46		1.070														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.41														
ST-259		2.51														
ST-259		2.41														
ST-259		2.35														
ST-259		2.51														
ST-259		2.70														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.79														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06072461

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS														
BM-9/A		606	3	0.43	350	100	6510	1.41	13	87	0.08	22	<10	8230
BM-9/A		637	4	0.49	376	90	6840	1.45	11	95	0.09	22	<10	8430
BM-9/A		643	4	0.47	374	100	6700	1.42	11	94	0.08	22	<10	8230
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		575	7	0.13	287	1040	694	0.28	36	119	0.36	105	10	1340
G2000		581	5	0.14	281	1020	695	0.28	36	124	0.36	103	10	1320
G2000		545	4	0.12	281	980	666	0.27	31	114	0.34	100	10	1290
G2000		567	5	0.14	283	1010	707	0.27	32	120	0.35	105	10	1330
G2000		574	6	0.13	283	980	700	0.28	35	124	0.35	98	10	1290
G2000		595	4	0.14	276	980	671	0.27	33	120	0.36	102	20	1330
G2000		573	6	0.16	276	990	647	0.26	36	121	0.35	101	20	1290
Target Range - Lower Bound		506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160
Upper Bound		630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420
GBM999-5		68	3	0.96	3	50	549	0.31	8	21	0.02	6	<10	111
GBM999-5		69	4	0.98	5	60	552	0.30	6	21	0.02	6	<10	112
GBM999-5		69	3	0.95	4	50	541	0.31	9	20	0.02	6	<10	112
Target Range - Lower Bound		54	3	0.85	2	40	486	0.26	<5	16	<0.01	5	<10	102
Upper Bound		78	5	1.07	5	70	598	0.34	10	22	0.03	9	20	129
LKSD-3		1330	<1	1.59	47	1050	35	0.16	<5	266	0.27	71	<10	142
Target Range - Lower Bound		1210	<1	1.52	41	910	24	0.12	<5	238	0.24	67	<10	133
Upper Bound		1490	2	1.88	53	1130	34	0.16	10	294	0.32	84	20	167
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														
ST-327														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06072461

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		0.009														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL			0.6	7.91	26	1190	0.9	4	1.12	0.9	6	4	300	1.14	5.11	0.28
DUP			0.8	7.78	29	1180	0.8	5	1.11	0.7	6	3	298	1.11	5.16	0.27
Target Range - Lower Bound			<0.5	7.43	16	1110	<0.5	<2	1.04	<0.5	4	<1	282	1.05	4.86	0.24
Upper Bound			1.0	8.26	39	1260	1.0	9	1.19	1.0	8	6	316	1.20	5.41	0.31
ORIGINAL		0.091														
DUP		0.084														
Target Range - Lower Bound		0.073														
Upper Bound		0.102														
ORIGINAL			1.4	2.59	25	190	1.0	<2	3.31	6.2	8	67	129	2.80	0.83	1.36
DUP			1.4	2.46	15	200	1.0	<2	3.16	6.1	8	69	121	2.65	0.79	1.28
Target Range - Lower Bound			<0.5	2.38	9	170	<0.5	<2	3.05	4.8	6	63	117	2.57	0.75	1.23
Upper Bound			2.5	2.67	31	220	2.1	4	3.42	7.5	10	73	133	2.88	0.87	1.41

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06072461

Sample Description	Method Analyte Units LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
BLANKS														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK		<5	2	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	2	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	0.01	<1	<10	<2	<0.01	<5	1	<0.01	1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES														
ORIGINAL		212	37	0.61	<1	620	19	<0.01	7	142	0.20	36	20	93
DUP		209	35	0.59	1	610	15	<0.01	5	163	0.20	35	10	94
Target Range - Lower Bound		190	32	0.55	<1	560	12	<0.01	<5	143	0.17	32	<10	85
Upper Bound		231	40	0.65	2	670	22	0.02	10	162	0.23	39	20	102
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		200	18	0.28	67	710	15	1.75	10	217	0.11	330	10	390
DUP		190	16	0.26	66	630	18	1.65	8	206	0.10	318	<10	377
Target Range - Lower Bound		175	14	0.24	61	620	12	1.60	<5	199	0.08	306	<10	360
Upper Bound		215	20	0.30	72	720	21	1.81	10	224	0.13	342	20	407

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06072461

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.020														
DUP		0.024														
Target Range - Lower Bound		0.011														
Upper Bound		0.033														
C079370			<0.5	7.75	2230	760	13.1	<2	0.01	<0.5	1	164	105	3.54	3.07	0.38
DUP			<0.5	7.54	2120	740	13.3	<2	0.02	<0.5	<1	154	103	3.50	2.97	0.38
Target Range - Lower Bound			<0.5	7.24	2060	690	11.5	<2	<0.01	<0.5	<1	149	97	3.32	2.85	0.34
Upper Bound			1.0	8.05	2290	810	14.9	4	0.02	1.0	2	169	111	3.72	3.19	0.42
C079406			<0.5	9.00	156	810	1.9	<2	0.83	<0.5	18	64	78	3.78	2.92	0.86
DUP			<0.5	8.70	143	800	1.9	<2	0.79	<0.5	16	66	77	3.70	2.90	0.85
Target Range - Lower Bound			<0.5	8.39	132	740	0.8	<2	0.75	<0.5	14	60	72	3.53	2.74	0.79
Upper Bound			1.0	9.31	167	870	3.0	4	0.87	1.0	20	70	83	3.95	3.08	0.92
C079442			<0.5	7.80	<5	1390	2.5	<2	3.52	<0.5	12	56	6	3.57	2.66	1.47
DUP			<0.5	8.06	10	1420	2.6	<2	3.60	<0.5	13	56	5	3.66	2.80	1.51
Target Range - Lower Bound			<0.5	7.51	<5	1310	1.4	<2	3.36	<0.5	10	51	3	3.41	2.57	1.40
Upper Bound			1.0	8.35	10	1500	3.7	4	3.76	1.0	15	61	8	3.82	2.89	1.58
C079478			<0.5	7.87	90	1470	2.5	<2	3.24	<0.5	12	59	9	3.73	2.76	1.68
DUP			<0.5	8.51	102	1530	2.6	<2	3.34	<0.5	12	57	9	3.90	2.87	1.77
Target Range - Lower Bound			<0.5	7.76	81	1410	1.4	<2	3.11	<0.5	9	53	7	3.60	2.65	1.62
Upper Bound			1.0	8.62	111	1600	3.7	4	3.47	1.0	15	63	11	4.03	2.98	1.83
C079488		0.165														
DUP		0.166														
Target Range - Lower Bound		0.147														
Upper Bound		0.184														
C079508		0.066														
DUP		0.065														
Target Range - Lower Bound		0.052														
Upper Bound		0.079														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06072461

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
C079370		74	2	0.08	10	350	35	0.02	162	148	0.23	106	20	17
DUP		71	2	0.08	9	350	31	0.02	159	143	0.25	103	20	17
Target Range - Lower Bound		59	<1	0.06	7	310	27	<0.01	142	136	0.21	97	<10	12
Upper Bound		86	4	0.10	12	390	39	0.04	179	155	0.27	112	40	22
C079406		471	3	0.16	36	470	4	1.13	25	106	0.31	100	<10	482
DUP		464	3	0.15	41	490	8	1.15	28	103	0.30	99	<10	482
Target Range - Lower Bound		434	<1	0.13	35	440	<2	1.06	15	97	0.27	93	<10	454
Upper Bound		501	5	0.18	42	520	10	1.22	38	112	0.34	106	20	510
C079442		579	<1	1.51	9	810	28	0.03	<5	551	0.36	73	<10	72
DUP		593	<1	1.54	8	850	28	0.03	<5	568	0.38	76	<10	77
Target Range - Lower Bound		547	<1	1.43	6	770	23	<0.01	<5	530	0.33	69	<10	67
Upper Bound		625	2	1.62	11	890	33	0.05	10	589	0.41	80	20	82
C079478		575	<1	1.62	9	810	20	0.07	<5	571	0.38	75	<10	52
DUP		596	<1	1.71	9	870	22	0.08	<5	611	0.39	78	<10	54
Target Range - Lower Bound		546	<1	1.56	7	780	16	0.05	<5	559	0.35	71	<10	46
Upper Bound		625	2	1.77	11	900	26	0.10	10	623	0.42	82	20	60
C079488														
DUP														
Target Range - Lower Bound														
Upper Bound														
C079508														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06072461

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
C079514			<0.5	8.57	182	1750	2.6	<2	3.25	<0.5	14	55	21	3.67	2.85	1.37
DUP			<0.5	8.49	175	1760	2.6	<2	3.24	<0.5	15	53	18	3.67	2.80	1.37
Target Range - Lower Bound			<0.5	8.08	160	1650	1.5	<2	3.06	<0.5	12	49	17	3.47	2.66	1.28
Upper Bound			1.0	8.98	197	1860	3.7	4	3.43	1.0	17	59	22	3.87	2.99	1.46
C082649		0.006														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604.984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06072461

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
C079514		593	1	1.76	12	830	20	0.75	<5	566	0.43	81	10	48
DUP		592	<1	1.72	10	830	22	0.73	<5	562	0.42	80	<10	48
Target Range - Lower Bound		553	<1	1.63	8	770	16	0.68	<5	534	0.38	74	<10	42
Upper Bound		632	2	1.85	14	890	26	0.80	10	594	0.47	87	20	54
C082649														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06073289

Project: Dublin Gulch1735

P.O. No.:

This report is for 74 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 27-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06073289

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
STANDARDS																
BM-9/A			13.7	3.57	22	210	0.9	112	0.22	25.3	95	348	5210	4.31	0.11	0.78
BM-9/A			13.3	3.47	19	210	0.9	108	0.27	25.4	95	355	5250	4.12	0.12	0.78
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			4.3	5.05	479	2350	1.3	<2	0.55	6.8	22	99	308	3.84	1.19	0.71
G2000			5.8	5.04	465	2340	1.3	<2	0.60	6.7	22	92	296	3.80	1.22	0.73
G2000			3.6	5.20	475	2370	1.3	<2	0.60	6.9	23	93	297	3.98	1.27	0.75
G2000			3.5	4.79	447	2360	1.2	<2	0.57	6.9	21	93	274	3.86	1.20	0.74
G2000			3.6	5.10	500	2420	1.3	<2	0.62	7.3	24	103	313	3.92	1.35	0.76
G2000			3.7	5.29	489	2520	1.3	<2	0.59	6.9	24	104	317	3.98	1.24	0.75
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
GBM999-5			58.9	4.55	<5	170	1.1	<2	0.10	0.5	1	6	454	2.89	3.16	0.03
GBM999-5			61.7	4.94	5	200	1.3	<2	0.11	<0.5	3	6	510	3.12	3.72	0.04
GBM999-5			56.8	4.46	<5	210	1.1	<2	0.09	<0.5	3	6	446	3.08	3.35	0.03
GBM999-5			59.6	4.87	<5	180	1.2	<2	0.09	<0.5	3	6	489	3.02	3.44	0.04
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	436	2.67	3.10	0.03
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	536	3.29	3.81	0.05
OxG46		0.984														
OxG46		1.070														
OxG46		1.050														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.31														
ST-259		2.70														
ST-259		2.21														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06073289

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS														
BM-9/A		621	4	0.46	352	100	6360	1.34	9	88	0.08	21	<10	7920
BM-9/A		607	3	0.46	353	100	6350	1.38	11	90	0.09	20	<10	8050
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		544	6	0.13	281	1040	657	0.27	32	118	0.34	100	10	1300
G2000		548	6	0.15	271	960	663	0.26	34	116	0.34	96	10	1260
G2000		565	6	0.14	274	970	659	0.27	34	120	0.36	101	10	1285
G2000		540	6	0.13	274	930	638	0.27	33	117	0.34	96	10	1230
G2000		575	6	0.14	289	1010	683	0.27	38	122	0.38	103	20	1320
G2000		591	5	0.15	287	1040	732	0.28	39	119	0.36	105	10	1330
Target Range - Lower Bound		506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160
Upper Bound		630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420
GBM999-5		69	5	0.88	3	40	506	0.28	9	21	0.02	6	10	105
GBM999-5		70	4	0.98	4	50	575	0.31	<5	22	0.02	7	10	116
GBM999-5		67	4	0.90	2	60	531	0.30	7	19	0.02	7	10	114
GBM999-5		68	3	0.91	1	60	556	0.31	10	21	0.02	7	<10	114
Target Range - Lower Bound		54	3	0.85	2	40	471	0.26	<5	16	<0.01	5	<10	102
Upper Bound		78	5	1.07	5	70	580	0.34	10	22	0.03	9	20	129
OxG46														
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06073289

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	9	<10	<0.5	3	<0.01	0.6	<1	<1	1	0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	1	1	0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	1	<1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL			<0.5	6.47	<5	600	<0.5	2	0.05	1.0	<1	14	33	3.63	0.66	0.02
DUP			<0.5	6.39	<5	630	<0.5	<2	0.07	0.6	<1	13	32	3.74	0.64	0.03
Target Range - Lower Bound			<0.5	6.09	<5	560	<0.5	<2	0.04	<0.5	<1	11	29	3.48	0.60	<0.01
Upper Bound			1.0	6.77	10	670	1.0	4	0.08	1.0	2	16	36	3.89	0.70	0.05
ORIGINAL			<0.5	8.83	10	340	1.5	<2	12.10	<0.5	27	31	203	6.15	0.47	2.76
DUP			<0.5	8.34	7	330	1.5	<2	11.50	<0.5	25	27	194	5.80	0.44	2.59
Target Range - Lower Bound			<0.5	8.14	<5	300	<0.5	<2	11.20	<0.5	23	26	187	5.66	0.41	2.52
Upper Bound			1.0	9.03	10	370	2.6	4	12.40	1.0	29	32	210	6.29	0.50	2.83
ORIGINAL			<0.5	7.39	<5	290	0.8	4	5.32	<0.5	45	69	185	9.92	1.16	3.43
DUP			<0.5	7.15	7	280	0.7	2	5.17	<0.5	42	67	179	9.61	1.11	3.33
Target Range - Lower Bound			<0.5	6.89	<5	250	<0.5	<2	4.96	<0.5	39	63	171	9.26	1.06	3.19
Upper Bound			1.0	7.65	10	320	1.0	4	5.53	1.0	48	73	193	10.25	1.21	3.57
C082422			<0.5	7.94	28	1590	3.3	5	2.09	<0.5	9	39	63	2.72	3.80	1.05
DUP			<0.5	8.10	13	1620	3.2	7	2.13	<0.5	8	39	60	2.75	3.62	1.05
Target Range - Lower Bound			<0.5	7.60	9	1500	2.1	<2	1.98	<0.5	6	35	56	2.58	3.50	0.98
Upper Bound			1.0	8.44	32	1710	4.4	10	2.24	1.0	11	43	67	2.89	3.92	1.12
C082440		0.164														
DUP		0.161														
Target Range - Lower Bound		0.144														
Upper Bound		0.181														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06073289

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
BLANKS														
BLANK														
BLANK														
BLANK		<5	1	<0.01	2	<10	<2	<0.01	<5	1	<0.01	1	<10	<2
BLANK		<5	1	<0.01	1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<5	2	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK														
BLANK		<5	<1	<0.01	<1	10	<2	<0.01	<5	<1	<0.01	1	<10	<2
BLANK		<5	2	<0.01	1	10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	2	<10	<2	<0.01	<5	<1	<0.01	1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES														
ORIGINAL		13	52	0.10	<1	880	361	1.50	<5	296	0.34	88	10	217
DUP		15	53	0.09	<1	910	365	1.52	<5	285	0.34	89	10	228
Target Range - Lower Bound		<5	48	0.07	<1	830	341	1.41	<5	274	0.30	82	<10	207
Upper Bound		25	57	0.12	2	960	385	1.61	10	307	0.38	95	20	238
ORIGINAL		1565	1	1.70	18	1420	5	0.19	5	1225	0.47	276	10	86
DUP		1485	2	1.58	16	1300	6	0.18	<5	1135	0.44	262	10	81
Target Range - Lower Bound		1440	<1	1.54	14	1270	<2	0.16	<5	1120	0.41	254	<10	75
Upper Bound		1610	2	1.74	20	1450	10	0.21	10	1240	0.50	284	20	92
ORIGINAL		1195	<1	2.90	48	660	8	0.10	<5	482	0.78	322	<10	66
DUP		1155	<1	2.80	44	620	5	0.09	<5	466	0.72	313	<10	63
Target Range - Lower Bound		1105	<1	2.69	42	590	<2	0.07	<5	448	0.69	300	<10	57
Upper Bound		1245	2	3.01	50	690	11	0.12	10	500	0.81	335	20	72
C082422		186	1	1.79	23	710	12	0.28	<5	566	0.31	44	170	19
DUP		190	2	1.78	13	750	16	0.29	<5	565	0.31	43	170	18
Target Range - Lower Bound		169	<1	1.68	15	670	9	0.25	<5	535	0.27	39	140	14
Upper Bound		207	2	1.89	21	790	19	0.32	10	596	0.35	48	200	23
C082440														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

O: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06073289

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
C082460		0.370														
DUP		0.370														
Target Range - Lower Bound		0.342														
Upper Bound		0.399														
ORIGINAL			0.7	6.20	24	1290	0.5	<2	15.25	<0.5	28	3	144	6.85	2.93	0.88
DUP			<0.5	6.67	14	1390	0.5	<2	16.50	<0.5	30	4	149	7.40	3.04	0.94
Target Range - Lower Bound			<0.5	6.09	8	1250	<0.5	<2	15.05	<0.5	26	<1	137	6.75	2.82	0.84
Upper Bound			1.0	6.78	30	1430	1.0	4	16.70	1.0	32	6	156	7.50	3.15	0.98
ORIGINAL			0.6	1.38	17	<10	<0.5	<2	2.24	<0.5	167	<1	77	>50	0.03	1.13
DUP			<0.5	1.35	<5	10	<0.5	<2	2.18	<0.5	165	<1	77	>50	0.03	1.12
Target Range - Lower Bound			<0.5	1.28	<5	<10	<0.5	<2	2.08	<0.5	156	<1	71	47.5	<0.01	1.05
Upper Bound			1.0	1.45	22	20	1.0	4	2.34	1.0	176	2	83	50.0	0.05	1.20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06073289

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
C082460														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		1805	4	0.28	3	270	<2	0.08	7	542	0.14	18	<10	31
DUP		1945	4	0.29	2	280	<2	0.09	5	573	0.15	20	<10	29
Target Range - Lower Bound		1770	2	0.25	<1	240	<2	0.06	<5	528	0.12	16	<10	25
Upper Bound		1980	6	0.32	5	310	4	0.11	10	587	0.17	22	20	36
ORIGINAL		10500	1	0.01	12	20	18	0.07	19	8	0.07	61	<10	2080
DUP		10500	1	0.01	4	10	10	0.07	17	7	0.07	60	<10	2050
Target Range - Lower Bound		9970	<1	<0.01	6	<10	9	0.05	7	5	0.05	55	<10	1960
Upper Bound		11050	2	0.02	10	20	19	0.09	29	10	0.09	66	20	2170

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06073370

Project: Dublin Gulch1735

P.O. No.:

This report is for 187 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 27-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06073370

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
STANDARDS																
BM-9/A			15.5	3.55	16	200	0.9	118	0.22	26.1	97	365	5450	4.39	0.12	0.81
BM-9/A			16.8	3.93	19	220	1.0	123	0.22	27.8	105	394	5500	4.40	0.12	0.84
BM-9/A			13.9	3.72	24	210	1.0	114	0.23	27.0	98	353	5570	4.48	0.12	0.82
BM-9/A			12.4	3.48	25	200	0.9	103	0.19	24.8	92	340	5120	4.15	0.11	0.77
BM-9/A			15.1	3.78	20	220	1.0	126	0.23	27.2	98	373	5680	4.52	0.13	0.83
BM-9/A			14.8	3.77	26	220	1.0	118	0.23	26.2	96	377	5610	4.22	0.14	0.81
BM-9/A			13.4	3.66	10	210	1.0	112	0.22	26.3	96	368	5470	4.24	0.13	0.79
BM-9/A			13.6	3.78	18	210	1.0	118	0.23	27.5	100	379	5700	4.48	0.13	0.82
BM-9/A			13.2	3.69	32	210	1.0	114	0.22	27.0	101	396	5520	4.42	0.12	0.81
BM-9/A			13.0	3.63	28	200	0.9	109	0.22	25.8	94	335	5430	4.14	0.11	0.78
BM-9/A			13.1	3.58	20	200	1.0	121	0.20	25.3	99	341	5350	4.19	0.12	0.80
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			3.3	5.17	498	2460	1.3	<2	0.64	6.6	25	100	301	4.13	1.32	0.78
G2000			3.7	4.95	472	2350	1.3	<2	0.58	7.4	22	98	293	3.84	1.24	0.73
G2000			3.6	4.95	475	2250	1.2	<2	0.52	6.4	21	95	295	3.70	1.18	0.72
G2000			3.5	5.13	492	2360	1.3	2	0.58	7.1	23	100	312	3.71	1.26	0.73
G2000			3.6	5.20	492	2330	1.4	<2	0.59	7.4	24	102	308	3.88	1.26	0.74
G2000			3.7	5.24	516	2360	1.4	<2	0.59	7.2	24	99	314	3.95	1.30	0.76
G2000			3.8	5.20	517	2530	1.4	<2	0.58	6.9	23	96	315	3.92	1.25	0.76
G2000			3.8	5.14	468	2320	1.3	<2	0.58	7.3	21	98	293	3.89	1.22	0.75
G2000			3.5	5.18	470	2350	1.3	<2	0.58	6.9	23	99	308	3.78	1.23	0.74
G2000			3.5	5.15	482	2420	1.3	<2	0.59	7.0	22	100	315	3.92	1.31	0.77
G2000			3.7	5.10	487	2360	1.4	<2	0.56	7.1	23	97	323	3.89	1.25	0.77
G2000			3.4	4.88	449	2280	1.3	<2	0.56	6.6	21	98	289	3.66	1.21	0.72
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
GBM999-5			63.4	5.05	<5	190	1.3	<2	0.11	<0.5	3	3	512	3.20	3.62	0.04
GBM999-5			58.1	4.41	<5	170	1.1	<2	0.09	<0.5	2	5	456	2.82	3.34	0.03
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	428	2.67	3.10	0.03
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	526	3.29	3.81	0.05
LKSD-3			2.8	6.72	25	640	1.5	3	1.62	<0.5	29	69	36	3.77	1.76	1.12
Target Range - Lower Bound			1.9	5.93	19	560	1.0	<2	1.47	<0.5	26	62	31	3.46	1.63	1.08
Upper Bound			3.5	7.27	35	700	2.4	4	1.81	1.0	34	77	40	4.26	2.01	1.34

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06073370

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS														
BM-9/A		631	5	0.46	369	100	6610	1.36	10	88	0.08	21	<10	8280
BM-9/A		655	4	0.48	378	100	6850	1.47	7	95	0.09	23	<10	8570
BM-9/A		640	3	0.49	379	100	6790	1.44	12	94	0.09	23	<10	8560
BM-9/A		613	2	0.44	344	90	6320	1.30	18	82	0.08	20	<10	7940
BM-9/A		639	3	0.50	378	110	6900	1.47	8	95	0.09	23	<10	8480
BM-9/A		639	5	0.48	368	100	6660	1.40	7	97	0.09	22	<10	8260
BM-9/A		631	3	0.46	369	100	6490	1.31	10	93	0.09	21	<10	8280
BM-9/A		649	3	0.49	371	70	6810	1.41	9	92	0.09	21	<10	8470
BM-9/A		639	3	0.47	365	100	6670	1.40	8	90	0.09	22	<10	8320
BM-9/A		597	3	0.45	353	100	6370	1.38	8	89	0.08	21	<10	7990
BM-9/A		617	2	0.46	349	110	6420	1.41	5	88	0.08	20	<10	8140
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		604	4	0.14	287	1010	688	0.27	32	118	0.35	107	10	1325
G2000		562	5	0.14	275	990	668	0.26	34	114	0.35	102	10	1270
G2000		546	5	0.15	266	920	646	0.25	38	108	0.32	99	10	1260
G2000		563	5	0.14	280	970	663	0.26	37	120	0.36	103	10	1260
G2000		565	6	0.14	285	1000	674	0.26	34	120	0.35	102	10	1325
G2000		577	6	0.14	286	1010	675	0.27	37	123	0.36	104	20	1320
G2000		590	5	0.16	278	1020	710	0.28	41	118	0.36	105	20	1340
G2000		564	7	0.14	262	980	676	0.27	36	118	0.32	97	10	1240
G2000		548	5	0.14	278	1010	662	0.27	36	122	0.35	102	10	1280
G2000		586	4	0.14	274	990	685	0.27	37	126	0.37	104	20	1290
G2000		582	5	0.16	276	1000	683	0.27	36	116	0.35	104	10	1320
G2000		551	5	0.12	270	940	659	0.25	31	114	0.34	99	10	1230
Target Range - Lower Bound		506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160
Upper Bound		630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420
GBM999-5		75	4	0.99	2	60	581	0.32	12	21	0.02	7	10	120
GBM999-5		62	2	0.89	4	40	496	0.29	6	19	0.02	5	10	106
Target Range - Lower Bound		54	3	0.85	2	40	486	0.26	<5	16	<0.01	5	<10	102
Upper Bound		78	5	1.07	5	70	598	0.34	10	22	0.03	9	20	129
LKSD-3		1340	1	1.64	52	1030	29	0.17	<5	265	0.29	74	<10	140
Target Range - Lower Bound		1210	<1	1.52	41	910	24	0.12	<5	238	0.24	67	<10	133
Upper Bound		1490	2	1.88	53	1130	34	0.16	10	294	0.32	84	20	167

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06073370

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
OXD43		0.385														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.150														
OxG46		1.000														
OxG46		1.060														
OxG46		1.035														
OxG46		1.025														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.49														
ST-259		2.36														
ST-259		2.42														
ST-259		2.51														
ST-259		2.27														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
BLANKS																
BLANK		<0.005														
BLANK		0.006														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	<1	1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06073370

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS														
OXD43														
Target Range - Lower Bound														
Upper Bound														
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														
BLANKS														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK		<5	1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	1	<10	2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	1	<10	<2	<0.01	<5	1	<0.01	1	<10	3
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	2	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06073370

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
BLANKS																
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL			<0.5	7.83	<5	1100	1.1	2	2.21	<0.5	6	3	139	1.74	4.67	0.52
DUP			<0.5	7.52	15	1060	1.0	3	2.12	<0.5	5	3	131	1.66	5.35	0.50
Target Range - Lower Bound			<0.5	7.27	<5	1010	<0.5	<2	2.04	<0.5	3	<1	126	1.60	4.74	0.46
Upper Bound			1.0	8.08	21	1150	2.1	4	2.29	1.0	8	5	144	1.81	5.28	0.56
ORIGINAL			8.9	6.59	14	450	1.2	2	0.25	12.5	<1	23	4	4.37	3.75	0.26
DUP			8.4	6.29	22	440	1.2	<2	0.24	12.3	<1	22	1	4.16	3.67	0.26
Target Range - Lower Bound			7.2	6.10	7	400	<0.5	<2	0.21	10.8	<1	19	<1	4.03	3.50	0.23
Upper Bound			10.1	6.78	29	490	2.3	4	0.28	14.0	2	26	5	4.50	3.92	0.29
ORIGINAL			73.2	6.79	43	700	3.7	<2	0.13	1.7	2	20	14	3.43	4.28	0.63
DUP			75.1	6.87	28	710	3.6	2	0.13	1.3	1	20	4	3.46	4.18	0.63
Target Range - Lower Bound			69.4	6.47	24	650	2.5	<2	0.10	<0.5	<1	17	7	3.25	4.00	0.58
Upper Bound			78.9	7.19	47	760	4.8	4	0.16	2.6	2	23	11	3.64	4.46	0.68
ORIGINAL		0.101														
DUP		0.108														
Target Range - Lower Bound		0.089														
Upper Bound		0.120														
ORIGINAL		0.019														
DUP		0.029														
Target Range - Lower Bound		0.013														
Upper Bound		0.035														
ORIGINAL			<0.5	5.72	17	800	1.1	<2	0.05	<0.5	<1	70	1	0.56	4.25	0.07
DUP			0.5	5.62	30	800	1.1	<2	0.05	<0.5	<1	66	2	0.57	4.28	0.07
Target Range - Lower Bound			<0.5	5.37	12	740	<0.5	<2	0.03	<0.5	<1	63	<1	0.52	4.03	0.05
Upper Bound			1.0	5.97	35	860	2.2	4	0.07	1.0	2	73	2	0.61	4.50	0.09

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06073370

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
BLANKS														
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES														
ORIGINAL		386	222	1.30	<1	710	3	0.34	<5	209	0.21	29	10	20
DUP		371	213	1.25	1	690	8	0.33	<5	201	0.21	28	10	18
Target Range - Lower Bound		350	205	1.19	<1	650	<2	0.30	<5	193	0.18	25	<10	14
Upper Bound		407	230	1.36	2	760	10	0.37	10	217	0.24	32	20	24
ORIGINAL		73	<1	0.53	<1	290	22	0.02	16	31	0.07	39	10	593
DUP		73	<1	0.51	<1	290	21	0.02	15	30	0.07	37	10	572
Target Range - Lower Bound		59	<1	0.47	<1	260	16	<0.01	<5	27	0.05	34	<10	549
Upper Bound		87	2	0.57	2	320	27	0.04	26	34	0.09	42	20	616
ORIGINAL		309	1	0.22	1	200	195	0.01	50	31	0.08	83	<10	4370
DUP		309	1	0.22	4	210	194	<0.01	50	31	0.08	81	<10	4340
Target Range - Lower Bound		284	<1	0.19	<1	170	181	<0.01	38	27	0.06	76	<10	4130
Upper Bound		334	2	0.25	5	240	208	0.02	63	35	0.10	88	20	4580
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		30	<1	0.15	<1	30	9	<0.01	16	25	0.08	12	10	11
DUP		30	<1	0.15	<1	40	10	<0.01	15	25	0.08	12	<10	12
Target Range - Lower Bound		19	<1	0.12	<1	<10	5	<0.01	<5	22	0.06	9	<10	7
Upper Bound		42	2	0.18	2	60	14	0.02	26	28	0.10	15	20	16

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

. STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06073370

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
ORIGINAL			<0.5	6.14	<5	20	<0.5	<2	7.32	<0.5	197	158	765	17.00	0.11	3.04
DUP			<0.5	6.77	<5	30	0.5	<2	8.04	<0.5	215	182	852	18.60	0.13	3.33
Target Range - Lower Bound			<0.5	6.11	<5	<10	<0.5	<2	7.28	<0.5	194	160	766	16.90	0.09	3.01
Upper Bound			1.0	6.80	10	50	1.0	4	8.08	1.0	218	181	851	18.70	0.15	3.36
C082494		0.010														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C082514		0.025														
DUP		0.026														
Target Range - Lower Bound		0.014														
Upper Bound		0.037														
C082534		0.027														
DUP		0.023														
Target Range - Lower Bound		0.014														
Upper Bound		0.036														
C082539			<0.5	7.98	183	750	1.7	<2	1.13	<0.5	19	62	32	3.26	2.58	0.77
DUP			<0.5	8.09	174	750	1.7	<2	1.15	<0.5	13	60	31	3.28	2.56	0.77
Target Range - Lower Bound			<0.5	7.61	160	690	0.6	<2	1.06	<0.5	13	56	28	3.09	2.42	0.71
Upper Bound			1.0	8.46	197	810	2.8	4	1.22	1.0	19	66	35	3.45	2.72	0.83
C082572		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C082592		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C082612		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06073370

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
ORIGINAL		3460	<1	0.88	464	140	2	3.35	<5	56	0.33	169	10	123
DUP		3790	<1	0.97	502	160	12	3.69	9	62	0.36	188	10	135
Target Range - Lower Bound		3430	<1	0.86	457	120	3	3.32	<5	54	0.31	168	<10	119
Upper Bound		3820	2	0.99	509	180	11	3.72	10	64	0.38	189	20	139
C082494														
DUP														
Target Range - Lower Bound														
Upper Bound														
C082514														
DUP														
Target Range - Lower Bound														
Upper Bound														
C082534														
DUP														
Target Range - Lower Bound														
Upper Bound														
C082539		437	1	0.65	31	270	11	0.18	<5	99	0.34	67	<10	50
DUP		441	<1	0.65	31	250	8	0.18	<5	100	0.34	66	<10	50
Target Range - Lower Bound		407	<1	0.60	27	230	5	0.15	<5	93	0.30	61	<10	44
Upper Bound		471	2	0.70	35	290	14	0.21	10	106	0.38	72	20	57
C082572														
DUP														
Target Range - Lower Bound														
Upper Bound														
C082592														
DUP														
Target Range - Lower Bound														
Upper Bound														
C082612														
DUP														
Target Range - Lower Bound														
Upper Bound														

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06073370

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
C082625			<0.5	6.20	117	470	1.5	<2	0.32	<0.5	9	48	19	2.75	1.82	0.61
DUP			<0.5	6.37	104	480	1.5	<2	0.32	<0.5	8	49	18	2.83	1.85	0.63
Target Range - Lower Bound			<0.5	5.95	95	430	<0.5	<2	0.28	<0.5	6	44	16	2.63	1.72	0.57
Upper Bound			1.0	6.62	126	520	2.6	4	0.36	1.0	11	53	21	2.95	1.95	0.67
C082649		0.006														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C082661			<0.5	8.87	5	720	2.4	<2	0.25	<0.5	15	77	42	4.34	2.58	0.90
DUP			<0.5	8.88	<5	730	2.4	<2	0.26	<0.5	15	75	42	4.37	2.60	0.91
Target Range - Lower Bound			<0.5	8.41	<5	670	1.3	<2	0.22	<0.5	12	70	38	4.12	2.44	0.84
Upper Bound			1.0	9.34	10	780	3.5	4	0.29	1.0	18	82	46	4.59	2.74	0.97
ORIGINAL			<0.5	4.96	7	390	2.4	<2	0.01	<0.5	12	61	11	2.84	2.40	0.25
DUP			0.5	4.92	10	330	2.3	<2	0.01	<0.5	12	60	11	2.79	2.38	0.25
Target Range - Lower Bound			<0.5	4.67	<5	320	1.2	<2	<0.01	<0.5	9	55	8	2.65	2.25	0.22
Upper Bound			1.0	5.21	10	400	3.5	4	0.02	1.0	15	66	14	2.98	2.53	0.28
ORIGINAL			1.6	7.12	80	630	8.6	<2	0.07	<0.5	16	231	113	3.52	4.42	0.61
DUP			1.4	7.41	84	610	8.9	<2	0.07	<0.5	17	198	112	3.53	4.54	0.61
Target Range - Lower Bound			<0.5	6.88	68	570	7.3	<2	0.05	<0.5	14	202	105	3.33	4.24	0.56
Upper Bound			2.6	7.65	96	670	10.2	4	0.09	1.0	19	227	120	3.72	4.72	0.66
ORIGINAL			<0.5	7.26	21	60	<0.5	<2	18.95	<0.5	13	7	37	13.95	0.23	1.70
DUP			<0.5	6.91	10	60	<0.5	<2	17.90	<0.5	12	6	31	13.15	0.22	1.62
Target Range - Lower Bound			<0.5	6.71	<5	40	<0.5	<2	17.50	<0.5	10	4	30	12.85	0.19	1.56
Upper Bound			1.0	7.46	26	80	1.0	4	19.35	1.0	15	9	38	14.25	0.26	1.76
ORIGINAL			4.5	3.05	12	20	<0.5	11	10.70	<0.5	33	14	2760	14.60	0.03	1.52
DUP			5.3	2.98	25	10	<0.5	13	10.70	<0.5	32	13	2500	14.55	0.02	1.51
Target Range - Lower Bound			3.7	2.84	8	<10	<0.5	7	10.15	<0.5	29	11	2500	13.85	<0.01	1.42
Upper Bound			6.1	3.19	29	20	1.0	17	11.25	1.0	36	16	2760	15.30	0.05	1.61
B687161		0.055														
DUP		0.050														
Target Range - Lower Bound		0.040														
Upper Bound		0.065														

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06073370

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
C082625		261	<1	0.39	22	260	10	0.12	10	74	0.27	51	10	42
DUP		266	<1	0.40	22	260	11	0.12	11	75	0.27	52	10	41
	Target Range - Lower Bound	240	<1	0.36	19	230	6	0.09	<5	69	0.24	47	<10	35
	Upper Bound	287	2	0.43	25	290	15	0.15	21	80	0.30	56	20	48
C082649														
DUP														
	Target Range - Lower Bound													
	Upper Bound													
C082661		430	<1	0.56	40	440	14	0.25	<5	205	0.42	79	<10	87
DUP		434	<1	0.56	41	420	14	0.25	<5	205	0.43	80	<10	87
	Target Range - Lower Bound	400	<1	0.51	36	390	9	0.22	<5	193	0.38	74	<10	79
	Upper Bound	464	2	0.61	45	470	19	0.28	10	217	0.47	85	20	95
ORIGINAL		61	34	0.03	29	30	14	2.13	<5	18	0.19	126	20	15
DUP		60	30	0.03	27	40	10	2.13	<5	18	0.19	124	20	15
	Target Range - Lower Bound	47	28	<0.01	25	<10	7	2.00	<5	15	0.16	117	<10	10
	Upper Bound	74	36	0.05	31	60	17	2.26	10	21	0.22	133	40	20
ORIGINAL		244	4	0.13	89	540	89	3.12	8	136	0.42	147	40	118
DUP		245	4	0.14	88	530	86	3.11	6	139	0.42	150	40	118
	Target Range - Lower Bound	222	2	0.11	82	490	79	2.94	<5	129	0.38	139	20	108
	Upper Bound	267	6	0.16	95	580	96	3.29	10	146	0.46	158	60	128
ORIGINAL		5110	<1	0.11	<1	1060	<2	0.01	18	183	0.43	91	10	81
DUP		4830	1	0.10	<1	1010	<2	0.01	10	176	0.41	84	10	75
	Target Range - Lower Bound	4710	<1	0.08	<1	960	<2	<0.01	<5	169	0.38	81	<10	70
	Upper Bound	5230	2	0.13	2	1110	4	0.02	25	190	0.46	94	20	86
ORIGINAL		1470	<1	0.01	2	240	12	4.55	<5	85	0.04	46	10	77
DUP		1465	<1	0.01	<1	210	9	4.59	<5	82	0.03	45	<10	76
	Target Range - Lower Bound	1385	<1	<0.01	<1	190	6	4.32	<5	77	<0.01	41	<10	69
	Upper Bound	1550	2	0.02	2	260	15	4.82	10	90	0.06	50	20	84
B687161														
DUP														
	Target Range - Lower Bound													
	Upper Bound													

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06073370

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
ORIGINAL			<0.5	4.82	732	410	<0.5	7	0.15	<0.5	<1	128	467	3.68	0.34	0.03
DUP			<0.5	4.89	778	420	<0.5	8	0.15	<0.5	1	139	502	3.77	0.36	0.03
Target Range - Lower Bound			<0.5	4.59	707	370	<0.5	3	0.12	<0.5	<1	125	458	3.52	0.31	<0.01
Upper Bound			1.0	5.12	803	460	1.0	12	0.18	1.0	2	142	511	3.93	0.39	0.05
ORIGINAL			<0.5	6.12	35	640	2.0	<2	1.96	<0.5	9	42	26	2.74	2.41	0.86
DUP			<0.5	5.82	30	620	1.9	<2	1.90	<0.5	8	41	24	2.65	2.25	0.84
Target Range - Lower Bound			<0.5	5.65	21	580	0.9	<2	1.81	<0.5	6	37	22	2.54	2.19	0.79
Upper Bound			1.0	6.29	44	680	3.0	4	2.05	1.0	11	46	28	2.85	2.47	0.91

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06073370

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES														
ORIGINAL		80	68	0.06	3	840	166	0.31	31	929	0.13	73	20	10
DUP		81	69	0.06	3	850	173	0.32	34	945	0.12	77	30	11
Target Range - Lower Bound		66	63	0.04	<1	780	157	0.28	21	888	0.10	69	<10	6
Upper Bound		95	74	0.08	5	910	182	0.35	44	986	0.15	81	50	15
ORIGINAL		712	<1	0.65	25	1580	19	0.07	6	162	0.35	80	<10	108
DUP		692	<1	0.63	25	1530	21	0.07	5	154	0.33	77	<10	104
Target Range - Lower Bound		657	<1	0.59	22	1460	15	0.05	<5	148	0.30	73	<10	97
Upper Bound		747	2	0.69	28	1650	25	0.09	10	168	0.38	84	20	115

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

J: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06073458

Project: Dublin Gulch1735

P.O. No.:

This report is for 50 Rock samples submitted to our lab in Vancouver, BC, Canada on 27-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06073458

Sample Description	Method	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
STANDARDS																
BM-9/A				14.1	3.67	24	220	0.9	114	0.22	26.5	95	379	5430	4.35	0.12
Target Range - Lower Bound				11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10
Upper Bound				15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14
G2000				3.7	5.38	497	2480	1.3	2	0.62	7.3	24	100	312	3.96	1.26
G2000				3.4	4.94	463	2300	1.3	<2	0.57	6.6	22	98	286	3.68	1.17
Target Range - Lower Bound				2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14
Upper Bound				4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41
GBM999-5				65.2	5.16	<5	190	1.3	2	0.12	<0.5	4	5	508	3.18	3.59
Target Range - Lower Bound				53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	436	2.67	3.10
Upper Bound				65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	536	3.29	3.81
OxG46		1.065														
OxG46		1.045														
OxG46		1.035														
OxG46		1.055														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.810														
SI15		1.875														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
SQ27			49.3													
Target Range - Lower Bound			46.8													
Upper Bound			54.0													
ST-259		2.57														
ST-259		2.44														
ST-259		2.51														
ST-259		2.32														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327			6.78													
Target Range - Lower Bound			6.30													
Upper Bound			7.36													

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06073458

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS															
BM-9/A		0.79	629	4	0.46	362	100	6480	1.44	9	91	0.08	22	<10	8180
Target Range - Lower Bound		0.72	561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		0.90	697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		0.76	582	6	0.15	291	1030	695	0.29	35	124	0.36	105	10	1330
G2000		0.71	548	5	0.14	268	940	633	0.26	32	115	0.33	96	10	1260
Target Range - Lower Bound		0.67	506	4	0.13	256	870	601	0.23	24	103	0.31	94	<10	1130
Upper Bound		0.85	630	8	0.18	316	1080	739	0.30	40	129	0.40	117	20	1385
GBM999-5		0.04	72	4	0.98	4	50	560	0.32	10	22	0.02	7	<10	122
Target Range - Lower Bound		0.03	54	3	0.85	2	40	471	0.26	<5	16	<0.01	5	<10	102
Upper Bound		0.05	78	5	1.07	5	70	580	0.34	10	22	0.03	9	20	129
OxG46															
OxG46															
OxG46															
OxG46															
Target Range - Lower Bound															
Upper Bound															
SI15															
SI15															
Target Range - Lower Bound															
Upper Bound															
SQ27															
Target Range - Lower Bound															
Upper Bound															
ST-259															
ST-259															
ST-259															
ST-259															
Target Range - Lower Bound															
Upper Bound															
ST-327															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06073458

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.05													
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.5	<1	1	2	<0.01	<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	2	<0.01	0.5	1	1	<1	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.05	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
Upper Bound		0.010	0.10	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02
DUPLICATES																
ORIGINAL		0.028														
DUP		0.027														
Target Range - Lower Bound		0.016														
Upper Bound		0.039														
ORIGINAL		0.049														
DUP		0.043														
Target Range - Lower Bound		0.034														
Upper Bound		0.058														
ORIGINAL		0.743														
DUP		0.868														
Target Range - Lower Bound		0.755														
Upper Bound		0.856														
ORIGINAL			12.70													
DUP			13.15													
Target Range - Lower Bound			12.20													
Upper Bound			13.65													
C082649		0.006														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06073458

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
BLANKS															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK		<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	1	<10	<2
BLANK		<0.01	<5	1	<0.01	2	<10	<2	<0.01	<5	1	<0.01	1	<10	<2
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
C082649															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06073458

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
DUPLICATES																
B290453				<0.5	5.68	114	590	1.4	2	0.15	<0.5	5	34	13	1.98	2.15
DUP				<0.5	5.72	149	590	1.4	3	0.14	<0.5	5	35	12	2.00	2.15
Target Range - Lower Bound				<0.5	5.40	115	540	<0.5	<2	0.12	<0.5	3	31	10	1.87	2.02
Upper Bound				1.0	6.01	148	640	2.5	4	0.17	1.0	7	38	15	2.11	2.28
B290473		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B290489				<0.5	3.82	555	280	0.7	<2	0.03	0.7	3	34	14	1.31	1.08
DUP				<0.5	3.94	578	280	0.7	<2	0.05	0.7	3	35	15	1.38	1.12
Target Range - Lower Bound				<0.5	3.67	528	250	<0.5	<2	0.02	<0.5	<1	31	12	1.26	1.03
Upper Bound				1.0	4.09	605	310	1.0	4	0.06	1.0	5	38	17	1.43	1.18
ORIGINAL			0.10													
DUP			0.12													
Target Range - Lower Bound			<0.05													
Upper Bound			0.22													
C080683		0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06073458

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES															
B290453		0.26	218	1	0.46	12	110	7	0.01	<5	53	0.24	38	<10	123
DUP		0.27	218	<1	0.46	14	120	7	0.01	<5	52	0.24	39	<10	123
Target Range - Lower Bound		0.23	197	<1	0.42	10	90	3	<0.01	<5	48	0.21	35	<10	113
Upper Bound		0.30	239	2	0.50	16	140	11	0.02	10	57	0.27	42	20	133
B290473															
DUP															
Target Range - Lower Bound															
Upper Bound															
B290489		0.07	71	<1	0.04	9	150	239	0.04	38	43	0.17	28	<10	163
DUP		0.07	77	<1	0.04	11	150	240	0.05	41	44	0.17	28	10	168
Target Range - Lower Bound		0.05	60	<1	0.02	8	120	224	0.02	28	39	0.14	25	<10	153
Upper Bound		0.09	88	2	0.06	13	180	255	0.07	51	48	0.20	31	20	178
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
C080683															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

O: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-AUG-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06074019

Project: Dublin Gulch1735

P.O. No.:

This report is for 169 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 27-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Zn-AA62	Ore grade Zn - four acid / AAS	AAS
Pb-AA62	Ore grade Pb - four acid / AAS	AAS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06074019

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
STANDARDS																
BM-9/A			14.6	3.82	45	220	1.0	120	0.25	27.1	99	386	5800	4.43	0.13	0.88
BM-9/A			15.3	3.94	34	220	1.0	123	0.25	28.5	102	375	5750	4.57	0.13	0.90
BM-9/A			12.8	3.65	25	210	0.9	109	0.21	26.7	94	364	5290	4.26	0.11	0.78
BM-9/A			14.7	3.87	27	230	1.0	121	0.24	28.0	108	367	5830	4.53	0.13	0.89
BM-9/A			17.3	3.81	27	220	0.9	114	0.23	28.0	96	342	5250	4.57	0.12	0.87
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			3.7	5.08	486	2440	1.3	<2	0.63	6.7	24	99	303	3.81	1.32	0.77
G2000			3.6	5.17	472	2350	1.3	2	0.61	7.3	22	101	298	3.77	1.31	0.78
G2000			3.2	5.01	497	2390	1.3	<2	0.58	7.2	22	100	290	3.80	1.21	0.72
G2000			3.8	4.93	460	2320	1.3	<2	0.56	6.8	24	100	300	3.73	1.21	0.71
G2000			3.7	5.00	487	2480	1.4	<2	0.60	6.8	25	96	304	3.82	1.30	0.78
G2000			3.8	4.98	486	2330	1.3	2	0.60	6.9	24	94	287	3.89	1.30	0.75
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
GBM398-4c																
GBM398-4c																
Target Range - Lower Bound																
Upper Bound																
GBM399-5																
GBM399-5																
Target Range - Lower Bound																
Upper Bound																
GBM999-5			56.5	4.72	13	180	1.4	2	0.09	<0.5	3	5	456	3.02	3.46	0.03
GBM999-5			56.1	4.54	8	170	1.2	<2	0.09	<0.5	2	5	443	2.84	3.30	0.03
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	436	2.67	3.10	0.03
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	536	3.29	3.81	0.05
OXD43		0.428														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.060														
OxG46		1.055														
OxG46		1.050														
OxG46		1.045														
OxG46		1.010														
OxG46		1.090														
OxG46		1.035														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06074019

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-AA62	Pb-AA62
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Zn	Pb
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	%
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.01	0.01
STANDARDS																
BM-9/A		661	3	0.51	384	120	6900	1.44	10	95	0.09	22	<10	8370		
BM-9/A		678	3	0.52	393	110	7120	1.51	9	99	0.09	23	<10	8640		
BM-9/A		623	4	0.45	363	100	6470	1.33	11	90	0.08	22	<10	7940		
BM-9/A		678	2	0.52	393	110	7070	1.50	8	94	0.09	24	<10	8400		
BM-9/A		668	3	0.49	374	110	6950	1.41	9	92	0.09	22	<10	8250		
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350		
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990		
G2000		566	5	0.13	281	990	678	0.26	37	114	0.34	102	10	1280		
G2000		560	5	0.14	274	990	661	0.27	36	119	0.34	100	10	1240		
G2000		557	3	0.14	281	930	670	0.27	34	115	0.36	101	10	1250		
G2000		548	5	0.13	284	940	663	0.25	36	114	0.34	102	10	1255		
G2000		556	4	0.14	283	1000	667	0.27	40	112	0.36	105	20	1280		
G2000		564	5	0.14	283	950	690	0.26	35	114	0.35	100	10	1275		
Target Range - Lower Bound		506	4	0.13	256	870	601	0.23	24	103	0.31	94	<10	1130		
Upper Bound		630	8	0.18	316	1080	739	0.30	40	129	0.40	117	20	1385		
GBM398-4c															0.54	
GBM398-4c															0.53	1.19
Target Range - Lower Bound															0.48	1.12
Upper Bound															0.54	1.22
GBM399-5															0.94	
GBM399-5															0.93	2.20
Target Range - Lower Bound															0.91	2.03
Upper Bound															0.99	2.20
GBM999-5		66	4	0.94	3	50	537	0.28	5	20	0.02	6	<10	117		
GBM999-5		63	2	0.89	3	50	517	0.28	6	19	0.02	7	<10	112		
Target Range - Lower Bound		54	3	0.85	2	40	471	0.26	<5	16	<0.01	5	<10	102		
Upper Bound		78	5	1.07	5	70	580	0.34	10	22	0.03	9	20	129		
OXD43																
Target Range - Lower Bound																
Upper Bound																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06074019

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
STANDARDS																
SI15		1.800														
SI15		1.775														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.48														
ST-259		2.40														
ST-259		2.61														
ST-259		2.34														
ST-259		2.46														
ST-259		2.48														
ST-259		2.37														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
BLANKS																
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		0.005														
BLANK																
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK																
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06074019

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Zn-AA62 Zn % 0.01	Pb-AA62 Pb % 0.01
STANDARDS																
SI15																
SI15																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		<5	<1	<0.01	1	10	<2	<0.01	<5	<1	<0.01	<1	<10	<2		
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2		
BLANK		<5	1	<0.01	2	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2		
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2		
BLANK		<5	1	<0.01	<1	<10	3	<0.01	<5	<1	<0.01	<1	<10	<2		
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK															<0.01	
BLANK																
BLANK		<5	2	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	10	<2		
BLANK															<0.01	<0.01
BLANK																
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2		
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<0.01
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4	0.02	0.02

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06074019

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
ORIGINAL		0.014														
DUP		0.011														
Target Range - Lower Bound		<0.005														
Upper Bound		0.023														
ORIGINAL		0.018														
DUP		0.018														
Target Range - Lower Bound		0.007														
Upper Bound		0.029														
ORIGINAL		0.035														
DUP		0.030														
Target Range - Lower Bound		0.021														
Upper Bound		0.044														
ORIGINAL		0.014														
DUP		0.012														
Target Range - Lower Bound		<0.005														
Upper Bound		0.024														
ORIGINAL		0.032														
DUP		0.035														
Target Range - Lower Bound		0.022														
Upper Bound		0.045														
ORIGINAL			<0.5	7.03	375	630	6.2	<2	3.33	<0.5	34	76	32	29.8	0.53	0.31
DUP			<0.5	7.21	381	630	6.0	<2	3.32	1.0	32	73	25	29.7	0.52	0.30
Target Range - Lower Bound			<0.5	6.74	349	580	4.8	<2	3.14	<0.5	29	69	25	28.2	0.48	0.27
Upper Bound			1.0	7.50	407	680	7.4	4	3.51	1.0	37	80	32	31.3	0.57	0.34
ORIGINAL		2.18														
DUP		2.19														
Target Range - Lower Bound		2.07														
Upper Bound		2.30														
ORIGINAL		0.021														
DUP		0.018														
Target Range - Lower Bound		0.009														
Upper Bound		0.030														

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06074019

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Zn-AA62 Zn % 0.01	Pb-AA62 Pb % 0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		2530	1	1.60	30	1380	31	<0.01	841	513	0.70	211	100	100		
DUP		2490	1	1.63	29	1400	22	0.01	847	519	0.70	207	100	90		
Target Range - Lower Bound		2370	<1	1.51	26	1300	21	<0.01	792	488	0.65	197	80	86		
Upper Bound		2650	2	1.72	33	1480	32	0.02	896	544	0.76	221	130	104		
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06074019

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
ORIGINAL			<0.5	8.31	<5	1490	1.2	<2	1.71	<0.5	5	13	10	1.80	2.65	0.69
DUP			<0.5	7.96	7	1420	1.2	<2	1.64	<0.5	6	12	9	1.68	2.54	0.66
Target Range - Lower Bound			<0.5	7.71	<5	1360	<0.5	<2	1.57	<0.5	3	10	7	1.63	2.45	0.62
Upper Bound			1.0	8.56	10	1550	2.3	4	1.78	1.0	8	15	12	1.85	2.74	0.73
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL			4.0	6.45	87	100	6.7	5	0.06	<0.5	12	33	314	5.20	3.33	0.39
DUP			4.1	6.47	87	110	6.7	4	0.06	<0.5	12	32	312	5.19	3.35	0.39
Target Range - Lower Bound			2.8	6.12	73	80	5.4	<2	0.04	<0.5	9	29	295	4.92	3.15	0.35
Upper Bound			5.3	6.80	101	130	8.0	9	0.08	1.0	15	36	331	5.47	3.53	0.43
C079555		3.29														
DUP		3.06														
Target Range - Lower Bound		3.01														
Upper Bound		3.34														
C079574																
DUP																
Target Range - Lower Bound																
Upper Bound																
C079575		0.427														
DUP		0.454														
Target Range - Lower Bound		0.408														
Upper Bound		0.473														
C079583			3.4	6.27	2430	380	1.7	4	2.25	14.7	11	33	52	4.97	2.59	1.34
DUP			3.4	6.29	2370	380	1.7	3	2.26	14.8	10	32	51	5.01	2.48	1.34
Target Range - Lower Bound			2.2	5.95	2270	340	0.6	<2	2.12	13.0	8	29	47	4.72	2.39	1.25
Upper Bound			4.6	6.61	2530	420	2.8	4	2.39	16.5	13	36	56	5.26	2.68	1.43
C079619			<0.5	7.23	44	430	1.9	<2	3.04	<0.5	11	58	29	3.49	2.89	1.35
DUP			<0.5	7.81	48	460	2.0	<2	3.17	<0.5	11	52	29	3.66	2.96	1.44
Target Range - Lower Bound			<0.5	7.12	34	400	0.9	<2	2.93	<0.5	8	50	26	3.38	2.76	1.31
Upper Bound			1.0	7.92	58	490	3.0	4	3.28	1.0	14	60	32	3.77	3.09	1.48

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06074019

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Zn-AA62 Zn % 0.01	Pb-AA62 Pb % 0.01
DUPLICATES																
ORIGINAL		195	<1	3.37	10	890	<2	0.06	<5	812	0.20	31	<10	32		
DUP		185	<1	3.22	12	850	<2	0.06	<5	776	0.20	31	<10	30		
Target Range - Lower Bound		171	<1	3.11	8	810	<2	0.04	<5	752	0.17	27	<10	25		
Upper Bound		210	2	3.48	14	930	4	0.08	10	836	0.23	35	20	37		
ORIGINAL															4.33	
DUP															4.26	
Target Range - Lower Bound															4.17	
Upper Bound															4.42	
ORIGINAL		46	10	0.05	22	1060	69	5.32	5	469	0.16	239	30	24		
DUP		46	10	0.05	16	1050	69	5.29	<5	468	0.14	242	30	22		
Target Range - Lower Bound		34	8	0.03	16	980	62	5.02	<5	443	0.12	226	<10	18		
Upper Bound		58	13	0.07	22	1130	76	5.59	10	494	0.18	255	50	28		
C079555																
DUP																
Target Range - Lower Bound																
Upper Bound																
C079574															2.57	1.73
DUP															2.64	1.73
Target Range - Lower Bound															2.52	1.67
Upper Bound															2.69	1.79
C079575																
DUP																
Target Range - Lower Bound																
Upper Bound																
C079583		2580	1	0.02	7	580	1065	1.16	55	274	0.28	62	10	2480		
DUP		2590	<1	0.02	9	580	1060	1.17	50	272	0.27	61	10	2470		
Target Range - Lower Bound		2450	<1	<0.01	6	530	1005	1.09	40	257	0.24	56	<10	2350		
Upper Bound		2720	2	0.04	10	630	1120	1.24	65	289	0.31	67	20	2600		
C079619		509	<1	0.03	12	750	14	0.77	18	338	0.36	74	20	31		
DUP		528	<1	0.03	12	780	10	0.80	19	360	0.36	75	20	30		
Target Range - Lower Bound		483	<1	<0.01	9	710	7	0.73	8	330	0.32	69	<10	25		
Upper Bound		554	2	0.05	15	820	17	0.84	29	368	0.40	80	40	36		

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06074019

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
C079633		0.033														
DUP		0.031														
Target Range - Lower Bound		0.020														
Upper Bound		0.044														
C079653		0.427														
DUP		0.406														
Target Range - Lower Bound		0.386														
Upper Bound		0.447														
C079655			<0.5	8.04	3420	550	1.6	<2	1.47	<0.5	10	50	41	3.92	1.77	0.87
DUP			<0.5	7.90	3450	540	1.6	<2	1.45	<0.5	10	46	42	3.88	1.76	0.86
Target Range - Lower Bound			<0.5	7.55	3250	500	<0.5	<2	1.37	<0.5	8	44	37	3.69	1.66	0.80
Upper Bound			1.0	8.39	3620	590	2.7	4	1.55	1.0	13	52	46	4.12	1.87	0.93
C079691			<0.5	8.60	494	940	1.9	<2	0.37	<0.5	13	64	19	4.73	2.47	0.52
DUP			<0.5	8.53	416	950	1.9	<2	0.37	<0.5	12	64	20	4.75	2.54	0.53
Target Range - Lower Bound			<0.5	8.12	422	880	0.8	<2	0.33	<0.5	10	59	17	4.48	2.36	0.48
Upper Bound			1.0	9.01	488	1010	3.0	4	0.41	1.0	15	69	22	5.00	2.65	0.57
C079711		0.260														
DUP		0.242														
Target Range - Lower Bound		0.228														
Upper Bound		0.274														

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06074019

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Zn-AA62 Zn % 0.01	Pb-AA62 Pb % 0.01
DUPLICATES																
C079633																
DUP																
Target Range - Lower Bound																
Upper Bound																
C079653																
DUP																
Target Range - Lower Bound																
Upper Bound																
C079655		436	<1	0.04	10	770	12	1.23	14	157	0.40	79	30	27		
DUP		432	<1	0.04	9	770	8	1.24	14	154	0.39	79	30	24		
Target Range - Lower Bound		402	<1	0.02	7	710	6	1.15	<5	146	0.36	73	<10	20		
Upper Bound		466	2	0.06	12	830	15	1.32	25	165	0.43	85	50	31		
C079691		730	2	0.06	16	840	15	0.87	23	104	0.42	86	10	30		
DUP		734	2	0.06	17	830	14	0.88	26	106	0.43	88	10	33		
Target Range - Lower Bound		685	<1	0.04	14	770	10	0.81	13	98	0.38	81	<10	26		
Upper Bound		779	4	0.08	19	900	19	0.94	36	112	0.47	93	20	37		
C079711																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06080152

Project: Dublin Gulch 1735

P.O. No.:

This report is for 109 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 4-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Zn-AA62	Ore grade Zn - four acid / AAS	AAS
Pb-AA62	Ore grade Pb - four acid / AAS	AAS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06080152

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
BM-9/A			16.5	3.66	25	210	0.9	115	0.22	26.1	95	374	5490	4.25	0.12	0.81
BM-9/A			13.7	3.73	27	210	0.9	113	0.23	27.2	97	360	5420	4.49	0.12	0.81
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			3.6	5.18	485	2470	1.4	<2	0.64	7.4	24	100	300	4.06	1.28	0.77
G2000			3.5	5.13	473	2340	1.3	<2	0.60	6.9	22	97	291	3.80	1.24	0.75
G2000			3.5	4.99	468	2340	1.2	<2	0.57	6.9	23	96	289	3.83	1.20	0.72
G2000			4.0	5.41	505	2570	1.3	<2	0.63	7.1	24	100	305	4.17	1.27	0.78
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
GBM398-4c																
Target Range - Lower Bound																
Upper Bound																
GBM399-5																
Target Range - Lower Bound																
Upper Bound																
GBM999-5			57.7	4.73	6	180	1.2	<2	0.10	<0.5	2	5	471	3.08	3.54	0.03
GBM999-5			55.3	4.53	6	170	1.1	<2	0.09	<0.5	3	5	439	2.87	3.24	0.03
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	428	2.67	3.10	0.03
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	526	3.29	3.81	0.05
OxG46		1.045														
OxG46		1.055														
OxG46		1.060														
OxG46		1.025														
OxG46		1.025														
OxG46		1.065														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.44														
ST-259		2.32														
ST-259		2.27														
ST-259		2.39														
ST-259		2.43														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

O: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06080152

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-AA62	Pb-AA62
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Zn	Pb
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	%
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.01	0.01
STANDARDS																
BM-9/A		624	3	0.47	368	110	6520	1.40	10	93	0.09	22	<10	8180		
BM-9/A		642	3	0.48	375	100	6800	1.44	9	90	0.09	21	<10	8500		
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350		
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990		
G2000		605	5	0.14	285	1010	719	0.28	37	122	0.37	105	20	1280		
G2000		548	5	0.14	273	980	663	0.27	32	119	0.35	102	10	1270		
G2000		564	5	0.12	270	990	672	0.26	35	113	0.34	99	10	1290		
G2000		598	4	0.13	293	1060	732	0.28	36	121	0.36	104	10	1350		
Target Range - Lower Bound		506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160		
Upper Bound		630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420		
GBM398-4c															0.51	1.12
Target Range - Lower Bound															0.48	1.12
Upper Bound															0.54	1.22
GBM399-5															0.94	2.16
Target Range - Lower Bound															0.91	2.03
Upper Bound															0.99	2.20
GBM999-5		68	3	0.97	2	60	563	0.31	11	19	0.02	6	<10	112		
GBM999-5		63	2	0.89	4	50	518	0.28	5	19	0.02	6	<10	109		
Target Range - Lower Bound		54	3	0.85	2	40	486	0.26	<5	16	<0.01	5	<10	102		
Upper Bound		78	5	1.07	5	70	598	0.34	10	22	0.03	9	20	129		
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06080152

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK																
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL		0.083														
DUP		0.086														
Target Range - Lower Bound		0.070														
Upper Bound		0.099														
ORIGINAL		0.743														
DUP		0.868														
Target Range - Lower Bound		0.755														
Upper Bound		0.856														
ORIGINAL			0.7	8.34	47	240	1.2	<2	2.58	0.6	12	24	295	4.67	3.31	0.97
DUP			0.7	7.73	51	190	1.1	<2	2.43	0.9	13	21	279	4.40	3.07	0.92
Target Range - Lower Bound			<0.5	7.61	37	180	<0.5	<2	2.36	<0.5	10	19	271	4.29	3.01	0.88
Upper Bound			1.0	8.46	61	250	2.2	4	2.65	1.0	15	26	303	4.78	3.37	1.01
C080672																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

O: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06080152

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Zn-AA62 Zn % 0.01	Pb-AA62 Pb % 0.01
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<5	2	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2		
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2		
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2		
BLANK		<5	1	<0.01	2	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2		
BLANK															<0.01	<0.01
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<0.01
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4	0.02	0.02
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		1640	233	0.19	5	1190	56	3.78	<5	232	0.18	164	<10	276		
DUP		1550	220	0.18	3	1150	50	3.60	<5	217	0.18	154	<10	254		
Target Range - Lower Bound		1505	213	0.16	2	1090	46	3.49	<5	211	0.15	149	<10	248		
Upper Bound		1685	240	0.21	6	1250	60	3.89	10	238	0.21	169	20	282		
C080672															2.15	5.25
DUP															2.14	5.23
Target Range - Lower Bound															2.07	5.09
Upper Bound															2.22	5.39

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06080152

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
C080683		0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C080701			<0.5	8.17	566	1440	2.2	2	4.28	<0.5	17	72	41	4.58	2.49	2.24
DUP			<0.5	7.75	555	1360	2.0	<2	4.09	<0.5	15	66	38	4.37	2.28	2.13
Target Range - Lower Bound			<0.5	7.54	522	1310	1.0	<2	3.96	<0.5	13	64	36	4.23	2.25	2.06
Upper Bound			1.0	8.38	599	1490	3.2	4	4.41	1.0	19	74	43	4.72	2.52	2.31
C080735		0.033														
DUP		0.036														
Target Range - Lower Bound		0.023														
Upper Bound		0.046														
C080737			<0.5	7.34	37	1400	2.2	<2	2.96	<0.5	10	50	15	3.49	2.77	1.67
DUP			<0.5	7.78	76	1470	2.2	<2	3.14	<0.5	11	48	15	3.69	2.73	1.76
Target Range - Lower Bound			<0.5	7.16	44	1340	1.1	<2	2.88	<0.5	8	45	12	3.39	2.59	1.61
Upper Bound			1.0	7.96	69	1530	3.3	4	3.22	1.0	13	53	18	3.79	2.91	1.82
C080755		0.044														
DUP		0.036														
Target Range - Lower Bound		0.028														
Upper Bound		0.052														
C080773			<0.5	7.76	1410	1550	2.4	<2	3.00	<0.5	13	50	23	3.64	2.90	1.79
DUP			<0.5	7.61	1365	1520	2.2	<2	2.98	<0.5	13	47	24	3.60	2.75	1.74
Target Range - Lower Bound			<0.5	7.28	1310	1440	1.2	<2	2.82	<0.5	10	44	20	3.42	2.66	1.66
Upper Bound			1.0	8.09	1465	1630	3.4	4	3.16	1.0	16	53	27	3.82	2.99	1.87
C080778		0.048														
DUP		0.047														
Target Range - Lower Bound		0.035														
Upper Bound		0.060														
B687161		0.055														
DUP		0.050														
Target Range - Lower Bound		0.040														
Upper Bound		0.065														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06080152

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Zn-AA62 Zn % 0.01	Pb-AA62 Pb % 0.01
DUPLICATES																
C080683																
DUP																
Target Range - Lower Bound																
Upper Bound																
C080701		752	<1	1.60	15	1010	17	0.17	5	605	0.50	113	<10	67		
DUP		718	<1	1.52	15	970	17	0.16	<5	574	0.46	106	10	63		
Target Range - Lower Bound		688	<1	1.46	12	920	12	0.14	<5	558	0.44	102	<10	58		
Upper Bound		782	2	1.66	18	1060	22	0.19	10	621	0.52	117	20	72		
C080735																
DUP																
Target Range - Lower Bound																
Upper Bound																
C080737		433	<1	1.60	8	770	16	0.71	<5	535	0.38	74	<10	40		
DUP		454	<1	1.67	8	810	17	0.73	<5	545	0.38	75	<10	41		
Target Range - Lower Bound		411	<1	1.53	6	730	12	0.66	<5	511	0.34	69	<10	34		
Upper Bound		476	2	1.74	10	850	21	0.78	10	569	0.42	80	20	47		
C080755																
DUP																
Target Range - Lower Bound																
Upper Bound																
C080773		407	<1	1.39	9	840	15	0.81	<5	520	0.40	79	<10	38		
DUP		400	<1	1.37	10	830	17	0.80	<5	509	0.38	76	<10	36		
Target Range - Lower Bound		373	<1	1.29	7	770	11	0.74	<5	487	0.35	72	<10	31		
Upper Bound		434	2	1.47	12	900	21	0.87	10	542	0.43	83	20	43		
C080778																
DUP																
Target Range - Lower Bound																
Upper Bound																
B687161																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06080153

Project: Dublin Gulch 1735

P.O. No.:

This report is for 98 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 4-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

O: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06080153

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
STANDARDS																
BM-9/A			13.7	3.73	27	210	0.9	113	0.23	27.2	97	360	5420	4.49	0.12	0.81
BM-9/A			13.5	3.56	29	200	0.9	110	0.23	25.7	91	351	5370	4.29	0.12	0.79
BM-9/A			14.6	3.74	40	210	0.9	116	0.22	26.8	96	354	5560	4.24	0.12	0.81
BM-9/A			14.7	3.77	24	220	0.9	120	0.23	27.5	99	377	5610	4.47	0.12	0.83
BM-9/A			14.1	3.65	55	210	0.9	105	0.23	26.8	99	377	5240	4.38	0.12	0.79
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			4.0	5.41	505	2570	1.3	<2	0.63	7.1	24	100	305	4.17	1.27	0.78
G2000			3.4	5.02	465	2320	1.3	<2	0.58	6.7	23	92	292	3.67	1.25	0.73
G2000			3.5	5.43	497	2500	1.3	4	0.63	7.3	24	106	315	3.97	1.26	0.82
G2000			4.4	5.33	501	2350	1.3	2	0.60	7.2	24	103	312	3.95	1.31	0.79
G2000			3.6	4.97	472	2360	1.2	<2	0.59	6.9	23	100	293	3.86	1.23	0.72
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
GBM999-5			61.6	5.02	7	190	1.2	<2	0.11	<0.5	2	5	478	3.04	3.62	0.04
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	428	2.67	3.10	0.03
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	526	3.29	3.81	0.05
OxG46		1.065														
OxG46		1.140														
OxG46		0.983														
OxG46		1.005														
OxG46		1.095														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.43														
ST-259		2.60														
ST-259		2.49														
ST-259		2.43														
ST-259		2.65														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06080153

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS														
BM-9/A		642	3	0.48	375	100	6800	1.44	9	90	0.09	21	<10	8500
BM-9/A		614	3	0.47	364	110	6510	1.42	9	90	0.09	22	<10	8060
BM-9/A		632	4	0.49	362	110	6600	1.40	11	93	0.08	22	<10	8250
BM-9/A		685	4	0.49	380	100	6890	1.50	8	92	0.09	22	<10	8510
BM-9/A		647	2	0.48	357	110	6740	1.47	12	88	0.08	21	<10	8190
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		598	4	0.13	293	1060	732	0.28	36	121	0.36	104	10	1350
G2000		553	5	0.14	274	970	651	0.26	36	116	0.35	100	10	1220
G2000		598	6	0.13	295	1040	695	0.29	38	122	0.35	109	10	1330
G2000		595	4	0.13	291	1000	691	0.28	31	120	0.36	106	10	1340
G2000		563	4	0.13	279	960	668	0.28	33	112	0.33	99	20	1300
Target Range - Lower Bound		506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160
Upper Bound		630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420
GBM999-5		69	3	1.02	4	60	581	0.30	9	22	0.02	7	<10	117
Target Range - Lower Bound		54	3	0.85	2	40	486	0.26	<5	16	<0.01	5	<10	102
Upper Bound		78	5	1.07	5	70	598	0.34	10	22	0.03	9	20	129
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

): STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06080153

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	8	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.8	<1	1	<1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL			3.3	5.79	>10000	800	2.9	33	1.46	0.7	19	27	491	2.97	2.75	0.33
DUP			3.2	5.66	>10000	780	2.9	34	1.45	0.7	20	25	474	2.89	2.66	0.34
Target Range - Lower Bound			2.1	5.42	9490	730	1.8	28	1.36	<0.5	17	23	456	2.76	2.55	0.30
Upper Bound			4.4	6.03	>10000	850	4.0	39	1.55	1.0	22	29	509	3.10	2.86	0.37
ORIGINAL			<0.5	7.09	12	20	1.1	<2	5.64	<0.5	11	60	11	5.48	0.06	0.49
DUP			<0.5	6.85	<5	20	1.1	<2	5.53	<0.5	13	59	11	5.36	0.06	0.48
Target Range - Lower Bound			<0.5	6.60	<5	<10	<0.5	<2	5.29	<0.5	9	55	8	5.13	0.04	0.44
Upper Bound			1.0	7.34	10	40	2.2	4	5.88	1.0	15	64	14	5.71	0.08	0.53
ORIGINAL		0.083														
DUP		0.086														
Target Range - Lower Bound		0.070														
Upper Bound		0.099														
ORIGINAL		<0.005														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06080153

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
BLANKS														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK		<5	1	<0.01	2	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK														
BLANK		<5	2	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	1	<10	<2
BLANK		<5	1	<0.01	<1	<10	3	<0.01	7	1	<0.01	<1	10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES														
ORIGINAL		746	1	1.86	11	290	106	0.88	61	423	0.11	22	10	60
DUP		732	2	1.82	11	300	106	0.84	60	413	0.11	21	10	58
Target Range - Lower Bound		692	<1	1.73	8	260	97	0.80	47	395	0.08	18	<10	52
Upper Bound		786	2	1.95	14	330	115	0.92	74	441	0.14	25	20	66
ORIGINAL		1050	<1	1.93	<1	1190	<2	0.01	<5	79	0.58	64	<10	68
DUP		1045	<1	1.81	<1	1150	<2	0.01	<5	74	0.57	63	<10	68
Target Range - Lower Bound		985	<1	1.76	<1	1090	<2	<0.01	<5	71	0.53	58	<10	61
Upper Bound		1110	2	1.98	2	1250	4	0.02	10	82	0.62	69	20	75
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06080153

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
C080773			<0.5	7.76	1410	1550	2.4	<2	3.00	<0.5	13	50	23	3.64	2.90	1.79
DUP			<0.5	7.61	1365	1520	2.2	<2	2.98	<0.5	13	47	24	3.60	2.75	1.74
Target Range - Lower Bound			<0.5	7.28	1310	1440	1.2	<2	2.82	<0.5	10	44	20	3.42	2.66	1.66
Upper Bound			1.0	8.09	1465	1630	3.4	4	3.16	1.0	16	53	27	3.82	2.99	1.87
C080809			<0.5	8.16	138	1710	2.4	<2	3.69	<0.5	13	54	28	3.87	2.98	1.68
DUP			<0.5	7.84	147	1660	2.3	<2	3.52	<0.5	12	53	27	3.75	2.84	1.64
Target Range - Lower Bound			<0.5	7.58	125	1580	1.2	<2	3.40	<0.5	10	49	24	3.60	2.74	1.56
Upper Bound			1.0	8.42	160	1790	3.5	4	3.81	1.0	15	58	31	4.02	3.08	1.76
C080817		0.044														
DUP		0.043														
Target Range - Lower Bound		0.031														
Upper Bound		0.056														
C080845			<0.5	8.03	73	1490	2.5	<2	3.18	<0.5	10	52	27	3.86	3.03	1.74
DUP			<0.5	7.92	101	1510	2.5	<2	3.22	<0.5	10	52	27	3.93	3.04	1.77
Target Range - Lower Bound			<0.5	7.56	73	1410	1.4	<2	3.02	<0.5	8	47	24	3.68	2.86	1.65
Upper Bound			1.0	8.39	101	1600	3.6	4	3.38	1.0	13	57	30	4.11	3.21	1.86
C080875			8.5	8.22	>10000	390	2.3	37	3.75	3.6	18	50	116	6.71	3.04	1.45
DUP			8.3	7.87	>10000	300	2.2	38	3.62	3.6	18	49	113	6.48	2.89	1.39
Target Range - Lower Bound			7.0	7.62	9490	310	1.1	32	3.48	2.4	15	45	107	6.25	2.80	1.33
Upper Bound			9.8	8.47	>10000	380	3.4	43	3.89	4.8	21	54	122	6.94	3.13	1.51
C080555		0.006														
DUP		0.007														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C080575		0.008														
DUP		0.007														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C079921		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06080153

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
							DUPLICATES							
C080773		407	<1	1.39	9	840	15	0.81	<5	520	0.40	79	<10	38
DUP		400	<1	1.37	10	830	17	0.80	<5	509	0.38	76	<10	36
Target Range - Lower Bound		373	<1	1.29	7	770	11	0.74	<5	487	0.35	72	<10	31
Upper Bound		434	2	1.47	12	900	21	0.87	10	542	0.43	83	20	43
C080809		478	1	1.72	10	820	12	0.97	<5	595	0.41	81	10	39
DUP		465	1	1.70	11	810	13	0.97	5	578	0.39	78	<10	36
Target Range - Lower Bound		438	<1	1.60	8	750	6	0.90	<5	555	0.36	74	<10	32
Upper Bound		505	2	1.82	13	880	17	1.04	10	618	0.44	85	20	43
C080817														
DUP														
Target Range - Lower Bound														
Upper Bound														
C080845		438	<1	1.79	8	810	11	0.89	<5	555	0.43	82	<10	37
DUP		445	<1	1.83	11	810	12	0.90	<5	569	0.44	82	<10	36
Target Range - Lower Bound		409	<1	1.70	7	750	7	0.83	<5	532	0.39	76	<10	31
Upper Bound		474	2	1.92	12	870	16	0.96	10	592	0.48	88	20	42
C080875		684	1	1.09	10	770	803	2.85	81	423	0.39	77	<10	614
DUP		656	1	1.07	8	740	773	2.75	73	410	0.37	73	<10	587
Target Range - Lower Bound		627	<1	1.01	7	700	745	2.64	63	394	0.34	69	<10	566
Upper Bound		714	2	1.15	11	810	831	2.96	91	439	0.42	81	20	635
C080555														
DUP														
Target Range - Lower Bound														
Upper Bound														
C080575														
DUP														
Target Range - Lower Bound														
Upper Bound														
C079921														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06080153

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
B687320		0.252														
DUP		0.248														
Target Range - Lower Bound		0.228														
Upper Bound		0.273														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch 1735

QC CERTIFICATE OF ANALYSIS VA06080153

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES														
B687320														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06080546

Project: Dublin Gulch1735

P.O. No.:

This report is for 171 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 14-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06080546

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
BM-9/A			15.0	3.90	18	210	1.0	118	0.23	27.7	99	352	5620	4.50	0.12	0.84
BM-9/A			14.2	3.79	27	210	1.0	115	0.23	27.4	98	371	5460	4.45	0.12	0.82
BM-9/A			14.2	3.78	24	210	1.0	116	0.22	28.1	102	377	5780	4.55	0.13	0.83
BM-9/A			13.4	3.59	24	200	0.9	112	0.23	26.1	96	354	5210	4.20	0.12	0.79
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			3.6	5.21	495	2370	1.3	<2	0.59	7.3	24	99	300	3.88	1.26	0.75
G2000			3.9	5.40	509	2510	1.4	<2	0.63	7.5	25	103	309	4.08	1.28	0.78
G2000			3.4	4.99	480	2170	1.3	<2	0.58	7.1	22	98	289	3.74	1.22	0.72
G2000			3.4	5.26	504	2430	1.3	<2	0.60	7.2	24	100	310	4.08	1.29	0.76
G2000			3.1	4.83	442	2290	1.2	2	0.59	6.7	22	99	288	3.69	1.22	0.71
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
GBM999-5			63.1	4.85	11	180	1.2	<2	0.10	<0.5	3	5	459	3.03	3.38	0.04
GBM999-5			61.4	4.96	6	190	1.2	<2	0.09	<0.5	3	5	486	3.16	3.56	0.04
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	428	2.67	3.10	0.03
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	526	3.29	3.81	0.05
OXD43		0.409														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.065														
OxG46		1.005														
OxG46		1.035														
OxG46		1.125														
OxG46		1.050														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.47														
ST-259		2.43														
ST-259		2.32														
ST-259		2.57														
ST-259		2.43														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.96														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06080546

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS														
BM-9/A		646	3	0.53	375	100	6720	1.48	12	95	0.09	22	<10	8480
BM-9/A		651	3	0.52	373	100	6620	1.44	11	92	0.09	22	<10	8500
BM-9/A		643	4	0.49	389	110	6790	1.48	9	94	0.09	23	<10	8330
BM-9/A		621	3	0.47	353	90	6400	1.36	8	89	0.08	21	<10	7920
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		567	5	0.13	279	1010	666	0.27	35	118	0.36	102	10	1310
G2000		607	5	0.13	286	1030	703	0.28	38	121	0.36	103	10	1340
G2000		553	5	0.12	269	960	635	0.26	32	113	0.35	99	10	1250
G2000		581	6	0.14	291	1010	693	0.28	35	120	0.36	106	10	1320
G2000		533	5	0.14	263	930	635	0.26	33	111	0.33	97	10	1230
Target Range - Lower Bound		506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160
Upper Bound		630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420
GBM999-5		69	3	1.00	4	50	523	0.30	8	21	0.02	7	<10	108
GBM999-5		67	4	1.01	3	60	578	0.31	6	21	0.02	7	<10	116
Target Range - Lower Bound		54	3	0.85	2	40	486	0.26	<5	16	<0.01	5	<10	102
Upper Bound		78	5	1.07	5	70	598	0.34	10	22	0.03	9	20	129
OXD43														
Target Range - Lower Bound														
Upper Bound														
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														
ST-327														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06080546

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		0.010														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	3	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL		0.142														
DUP		0.149														
Target Range - Lower Bound		0.128														
Upper Bound		0.163														
ORIGINAL		0.007														
DUP		0.006														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.013														
DUP		0.014														
Target Range - Lower Bound		<0.005														
Upper Bound		0.024														
C080510			0.5	7.44	122	620	2.8	<2	0.57	<0.5	62	1180	422	9.13	2.26	0.62
DUP			<0.5	7.03	120	580	2.7	<2	0.54	<0.5	60	1160	399	8.63	2.15	0.59
Target Range - Lower Bound			<0.5	6.85	105	550	1.6	<2	0.51	<0.5	56	1110	388	8.42	2.07	0.55
Upper Bound			1.0	7.62	137	650	3.9	4	0.60	1.0	66	1230	433	9.34	2.34	0.66

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06080546

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
BLANKS														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
C080510		409	8	0.13	502	370	160	0.02	15	55	0.25	94	30	653
DUP		385	7	0.13	487	350	146	0.02	17	53	0.24	90	30	620
Target Range - Lower Bound		367	5	0.10	468	320	141	<0.01	<5	49	0.21	85	<10	601
Upper Bound		427	10	0.16	521	400	165	0.04	27	59	0.28	99	50	672

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06080546

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
C080515		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C080546			<0.5	2.72	28	100	0.6	<2	0.44	<0.5	4	21	15	1.50	0.63	0.35
DUP			<0.5	2.72	35	100	0.7	<2	0.44	<0.5	4	21	15	1.48	0.64	0.34
Target Range - Lower Bound			<0.5	2.56	20	80	<0.5	<2	0.40	<0.5	2	18	12	1.40	0.58	0.31
Upper Bound			1.0	2.88	43	130	1.0	4	0.48	1.0	6	24	18	1.58	0.69	0.38
C080555		0.006														
DUP		0.007														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C080575		0.008														
DUP		0.007														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C080582			2.1	8.63	106	620	2.1	<2	0.68	4.8	19	64	94	5.58	3.66	1.08
DUP			2.1	8.69	101	570	2.2	<2	0.69	4.7	21	63	98	5.63	3.72	1.09
Target Range - Lower Bound			1.0	8.21	88	550	1.0	<2	0.63	3.5	17	58	89	5.30	3.49	1.01
Upper Bound			3.2	9.11	119	640	3.3	4	0.74	6.0	23	69	103	5.91	3.89	1.16
C080618			<0.5	5.57	17	470	1.2	<2	0.22	<0.5	8	37	15	2.61	1.93	0.57
DUP			<0.5	5.71	12	480	1.2	<2	0.22	<0.5	8	39	16	2.65	2.00	0.58
Target Range - Lower Bound			<0.5	5.34	<5	430	<0.5	<2	0.19	<0.5	6	34	13	2.48	1.85	0.53
Upper Bound			1.0	5.94	25	520	2.3	4	0.25	1.0	10	42	18	2.78	2.08	0.62
C080638		0.005														
DUP		0.009														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C080654			<0.5	7.31	83	650	2.3	<2	2.42	<0.5	19	52	76	4.29	2.77	1.67
DUP			<0.5	7.00	95	640	2.3	<2	2.40	<0.5	21	52	110	4.32	2.82	1.64
Target Range - Lower Bound			<0.5	6.78	75	590	1.2	<2	2.27	<0.5	17	47	86	4.07	2.64	1.55
Upper Bound			1.0	7.53	103	700	3.4	4	2.55	1.0	23	57	100	4.54	2.95	1.76

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06080546

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
C080515														
DUP														
Target Range - Lower Bound														
Upper Bound														
C080546		147	<1	0.09	6	180	17	0.31	7	44	0.09	15	<10	45
DUP		147	<1	0.09	5	180	19	0.31	9	43	0.09	15	<10	47
Target Range - Lower Bound		130	<1	0.07	3	150	13	0.27	<5	39	0.07	12	<10	40
Upper Bound		164	2	0.11	8	210	23	0.35	10	48	0.11	18	20	52
C080555														
DUP														
Target Range - Lower Bound														
Upper Bound														
C080575														
DUP														
Target Range - Lower Bound														
Upper Bound														
C080582		890	4	0.10	50	440	1620	2.64	310	163	0.28	132	<10	633
DUP		918	5	0.10	55	450	1630	2.68	331	163	0.29	136	<10	652
Target Range - Lower Bound		849	2	0.08	48	400	1540	2.51	294	153	0.25	125	<10	606
Upper Bound		959	7	0.13	57	490	1710	2.81	347	173	0.32	143	20	679
C080618		237	<1	0.29	17	280	8	0.26	6	39	0.23	42	<10	54
DUP		240	<1	0.29	15	280	8	0.26	6	40	0.23	44	<10	56
Target Range - Lower Bound		217	<1	0.26	13	250	4	0.23	<5	36	0.20	39	<10	48
Upper Bound		260	2	0.32	19	310	12	0.29	10	43	0.26	47	20	62
C080638														
DUP														
Target Range - Lower Bound														
Upper Bound														
C080654		981	2	0.68	38	490	15	1.01	<5	145	0.31	100	<10	62
DUP		971	2	0.67	37	480	13	1.03	<5	141	0.31	100	<10	64
Target Range - Lower Bound		917	<1	0.62	34	440	9	0.95	<5	134	0.27	93	<10	56
Upper Bound		1035	4	0.73	41	530	19	1.09	10	152	0.35	107	20	70

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06080546

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
C080658		0.433														
DUP		0.455														
Target Range - Lower Bound		0.412														
Upper Bound		0.476														
B687320		0.252														
DUP		0.248														
Target Range - Lower Bound		0.228														
Upper Bound		0.273														
C079872			<0.5	5.93	12	510	1.6	2	0.66	<0.5	9	40	29	3.04	2.09	0.96
DUP			<0.5	5.76	8	500	1.7	2	0.64	<0.5	9	41	31	2.92	2.16	0.93
Target Range - Lower Bound			<0.5	5.53	<5	460	0.6	<2	0.60	<0.5	7	36	27	2.81	2.00	0.88
Upper Bound			1.0	6.16	21	550	2.7	4	0.70	1.0	11	45	34	3.15	2.25	1.01

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06080546

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES														
C080658														
DUP														
Target Range - Lower Bound														
Upper Bound														
B687320														
DUP														
Target Range - Lower Bound														
Upper Bound														
C079872		230	<1	0.49	23	370	8	0.63	<5	100	0.23	54	<10	40
DUP		225	1	0.47	21	360	11	0.61	<5	98	0.23	54	10	42
Target Range - Lower Bound		206	<1	0.44	19	330	5	0.57	<5	92	0.20	49	<10	35
Upper Bound		249	2	0.52	25	400	14	0.67	10	106	0.26	59	20	47

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06080809

Project: Dublin Gulch1735

P.O. No.:

This report is for 158 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 9-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06080809

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
STANDARDS																
BM-9/A					19.6	3.79	27	200	1.0	115	0.24	27.6	106	355	5710	4.40
BM-9/A					16.2	3.85	22	220	1.0	122	0.23	27.8	109	345	5690	4.39
BM-9/A					13.5	3.46	27	200	0.9	109	0.21	24.7	97	341	5120	4.09
BM-9/A					15.2	3.78	21	210	0.9	117	0.24	26.8	97	365	5650	4.44
BM-9/A					13.0	3.52	19	200	0.9	108	0.21	26.0	97	351	5150	4.10
BM-9/A					13.8	3.62	225	200	0.9	109	0.21	25.8	93	350	5210	4.21
BM-9/A					14.1	3.65	55	210	0.9	105	0.23	26.8	99	377	5240	4.38
Target Range - Lower Bound					11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73
Upper Bound					15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59
G2000					4.5	5.17	491	2520	1.3	<2	0.61	6.2	23	92	309	3.98
G2000					3.2	4.84	459	2260	1.2	2	0.56	6.8	22	92	283	3.67
G2000					3.6	5.01	484	2280	1.3	2	0.58	7.1	22	94	298	3.85
G2000					4.0	5.31	475	2470	1.4	<2	0.58	6.9	25	99	309	3.88
G2000					3.9	4.91	445	2280	1.3	2	0.57	6.6	21	95	288	3.71
G2000					5.7	5.22	464	2400	1.3	<2	0.61	6.9	24	97	309	3.88
G2000					3.4	4.80	461	2200	1.2	2	0.58	6.7	21	93	284	3.66
G2000					3.5	5.08	474	2350	1.2	<2	0.61	7.6	23	97	299	3.88
G2000					3.6	5.26	465	2420	1.4	<2	0.58	7.2	23	102	306	3.87
G2000					3.8	5.13	486	2350	1.3	<2	0.60	7.1	24	106	302	3.92
G2000					3.6	4.97	472	2360	1.2	<2	0.59	6.9	23	100	293	3.86
G2000					3.6	5.33	486	2470	1.3	<2	0.61	7.4	23	99	310	3.95
Target Range - Lower Bound					2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41
Upper Bound					4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19
GBM999-5					59.2	4.90	<5	190	1.3	<2	0.10	<0.5	2	4	500	3.12
GBM999-5					54.1	4.58	7	170	1.2	<2	0.09	<0.5	3	5	452	2.86
Target Range - Lower Bound					53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	428	2.67
Upper Bound					65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	526	3.29
LKSD-3					2.9	6.69	27	650	1.4	2	1.78	0.5	29	71	35	4.00
Target Range - Lower Bound					1.9	5.93	19	560	1.0	<2	1.47	<0.5	26	62	31	3.46
Upper Bound					3.5	7.27	35	700	2.4	4	1.81	1.0	34	77	40	4.26
MP-2					4.6	1.85	2020	10	<0.5	2510	2.44	8.6	6	2	850	3.47
Target Range - Lower Bound					3.9	<0.01				2200					772	
Upper Bound					5.9	0.02				2700					946	

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06080809

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS																
BM-9/A		0.13	0.82	676	2	0.48	390	100	6960	1.40	9	94	0.09	22	<10	8570
BM-9/A		0.13	0.85	662	3	0.50	379	110	7000	1.48	11	96	0.09	23	<10	8800
BM-9/A		0.12	0.75	616	3	0.46	352	100	6340	1.32	6	88	0.08	20	<10	7730
BM-9/A		0.13	0.84	633	4	0.52	368	110	6630	1.44	7	93	0.09	23	<10	8480
BM-9/A		0.12	0.78	606	3	0.46	349	90	6450	1.39	6	88	0.08	21	<10	8150
BM-9/A		0.12	0.78	619	3	0.49	344	110	6410	1.39	9	89	0.08	21	<10	7890
BM-9/A		0.12	0.79	647	2	0.48	357	110	6740	1.47	12	88	0.08	21	<10	8190
Target Range - Lower Bound		0.10	0.72	561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		0.14	0.90	697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		1.31	0.78	596	4	0.16	286	1010	687	0.28	30	118	0.37	106	10	1340
G2000		1.23	0.69	550	5	0.13	264	930	635	0.24	30	112	0.33	95	10	1210
G2000		1.28	0.75	570	6	0.13	276	950	662	0.26	34	115	0.36	102	10	1270
G2000		1.32	0.77	586	5	0.14	282	1040	724	0.29	35	124	0.35	107	10	1300
G2000		1.19	0.70	543	5	0.13	267	930	647	0.26	29	112	0.33	94	10	1250
G2000		1.29	0.75	572	5	0.14	290	980	698	0.27	29	121	0.36	103	10	1320
G2000		1.20	0.71	528	5	0.13	263	920	620	0.25	28	109	0.33	97	10	1230
G2000		1.25	0.76	561	6	0.13	279	960	666	0.27	34	115	0.35	101	20	1330
G2000		1.30	0.76	570	5	0.14	274	1040	695	0.28	40	124	0.35	107	10	1310
G2000		1.30	0.74	556	6	0.13	282	1000	685	0.27	33	115	0.35	102	10	1290
G2000		1.23	0.72	563	4	0.13	279	960	668	0.28	33	112	0.33	99	20	1300
G2000		1.29	0.78	584	4	0.14	279	1060	686	0.29	36	121	0.37	103	20	1310
Target Range - Lower Bound		1.14	0.67	506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160
Upper Bound		1.41	0.85	630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420
GBM999-5		3.72	0.04	70	3	1.06	2	60	540	0.32	6	21	0.02	7	<10	126
GBM999-5		3.37	0.03	64	3	0.96	4	50	504	0.29	7	19	0.02	6	10	107
Target Range - Lower Bound		3.10	0.03	54	3	0.85	2	40	486	0.26	<5	16	<0.01	5	<10	102
Upper Bound		3.81	0.05	78	5	1.07	5	70	598	0.34	10	22	0.03	9	20	129
LKSD-3		1.87	1.18	1350	1	1.75	52	1090	33	0.17	<5	259	0.29	76	<10	155
Target Range - Lower Bound		1.63	1.08	1210	<1	1.52	41	910	24	0.12	<5	238	0.24	67	<10	133
Upper Bound		2.01	1.34	1490	2	1.88	53	1130	34	0.16	10	294	0.32	84	20	167
MP-2		0.36	0.02	685	2730	0.01	2	100	415	0.65	11	12	0.02	<1	4150	3450
Target Range - Lower Bound					2530										5840	
Upper Bound					3090										7160	

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06080809

Sample Description	Method	Au-AA24	Au-AA24	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au Check	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
STANDARDS																
OXD43		0.395														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.095														
OxG46		1.035														
OxG46		1.085														
OxG46		1.045														
OxG46		1.075														
OxG46		1.050	1.050													
OxG46		1.050	1.050													
OxG46		1.090	1.090	1.090												
Target Range - Lower Bound		0.959	0.959	0.959												
Upper Bound		1.115	1.115	1.115												
SI15		1.820														
SI15		1.890														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.65														
ST-259		2.44														
ST-259		2.45														
ST-259		2.51														
ST-259		2.50														
ST-259		2.43	2.43													
ST-259		2.45	2.45													
ST-259		2.46	2.46	2.46												
Target Range - Lower Bound		2.30	2.30	2.30												
Upper Bound		2.66	2.66	2.66												
ST-327		6.73														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06080809

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS																
OXD43																
Target Range - Lower Bound																
Upper Bound																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
SI15																
SI15																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
Target Range - Lower Bound																
Upper Bound																

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06080809

Sample Description	Method	Au-AA24	Au-AA24	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au Check	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		0.010	0.010													
BLANK		<0.005	<0.005													
BLANK					<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01
BLANK					<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01
BLANK					<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01
BLANK					<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01
BLANK		0.005	0.005	0.005												
BLANK					<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01
BLANK					<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01
BLANK					<0.5	0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	1	1	0.01
BLANK					<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01
BLANK					<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01
BLANK					<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01
BLANK					<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.8	<1	1	<1	<0.01
BLANK					<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01
Target Range - Lower Bound		<0.005	<0.005	<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01
Upper Bound		0.010	0.010	0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02
DUPLICATES																
ORIGINAL		2.05														
DUP		2.09	2.09	2.09												
Target Range - Lower Bound		1.955	1.975	1.975												
Upper Bound		2.18	2.20	2.20												
ORIGINAL		0.071														
DUP		0.071														
Target Range - Lower Bound		0.057														
Upper Bound		0.085														

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06080809

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<0.01	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK																
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		0.01	<0.01	<5	<1	<0.01	1	<10	4	<0.01	<5	<1	<0.01	1	<10	<2
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	2	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	1	<0.01	<1	<10	3	<0.01	7	1	<0.01	<1	10	<2
BLANK		<0.01	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Target Range - Lower Bound		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06080809

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
DUPLICATES																
ORIGINAL		0.018														
DUP		0.016														
Target Range - Lower Bound		0.006														
Upper Bound		0.028														
ORIGINAL		0.094														
DUP		0.096	0.096	0.096												
Target Range - Lower Bound		0.080	0.081	0.081												
Upper Bound		0.110	0.111	0.111												
ORIGINAL					1.1	1.95	41	2570	0.6	<2	1.20	<0.5	3	38	36	1.55
DUP					1.1	1.90	39	2820	0.6	<2	1.17	<0.5	4	40	40	1.50
Target Range - Lower Bound					<0.5	1.81	28	2540	<0.5	<2	1.11	<0.5	<1	35	34	1.43
Upper Bound					2.2	2.04	52	2850	1.0	4	1.26	1.0	6	43	42	1.62
ORIGINAL					<0.5	2.65	<5	1430	0.7	<2	23.7	<0.5	6	29	16	1.78
DUP					<0.5	2.71	15	1490	0.7	<2	24.3	<0.5	8	30	16	1.80
Target Range - Lower Bound					<0.5	2.53	<5	1370	<0.5	<2	22.8	<0.5	5	26	13	1.68
Upper Bound					1.0	2.83	21	1550	1.0	4	25.2	1.0	9	33	19	1.90
ORIGINAL					<0.5	3.99	30	370	8.1	<2	15.35	<0.5	2	23	5	2.01
DUP					<0.5	3.82	30	350	8.0	<2	14.85	<0.5	2	23	5	1.94
Target Range - Lower Bound					<0.5	3.69	19	320	6.6	<2	14.35	<0.5	<1	20	3	1.86
Upper Bound					1.0	4.12	42	400	9.5	4	15.90	1.0	4	26	7	2.09
ORIGINAL					<0.5	7.09	12	20	1.1	<2	5.64	<0.5	11	60	11	5.48
DUP					<0.5	6.85	<5	20	1.1	<2	5.53	<0.5	13	59	11	5.36
Target Range - Lower Bound					<0.5	6.60	<5	<10	<0.5	<2	5.29	<0.5	9	55	8	5.13
Upper Bound					1.0	7.34	10	40	2.2	4	5.88	1.0	15	64	14	5.71
ORIGINAL					<0.5	4.81	<5	400	0.8	<2	16.00	<0.5	6	47	37	2.25
DUP					<0.5	4.65	<5	400	0.8	<2	15.75	<0.5	6	47	37	2.20
Target Range - Lower Bound					<0.5	4.47	<5	360	<0.5	<2	15.05	<0.5	4	43	33	2.09
Upper Bound					1.0	4.99	10	440	1.0	4	16.70	1.0	8	51	41	2.36
ORIGINAL					9.8	4.05	573	340	2.1	<2	0.05	<0.5	1	118	9	0.88
DUP					9.4	3.93	576	340	2.1	<2	0.06	<0.5	1	111	10	0.87
Target Range - Lower Bound					8.1	3.77	536	300	1.0	<2	0.03	<0.5	<1	107	7	0.81
Upper Bound					11.1	4.21	613	380	3.2	4	0.08	1.0	2	122	12	0.94

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06080809

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		0.78	0.53	178	2	0.01	20	270	4	0.43	6	73	0.13	91	<10	61
DUP		0.78	0.51	171	2	0.02	20	260	2	0.42	6	71	0.13	92	<10	58
Target Range - Lower Bound		0.72	0.47	156	<1	<0.01	17	230	<2	0.38	<5	66	0.10	85	<10	53
Upper Bound		0.84	0.57	193	4	0.02	23	300	4	0.47	10	78	0.16	98	20	66
ORIGINAL		0.86	1.64	340	3	0.37	22	330	8	0.58	<5	1030	0.08	52	<10	45
DUP		0.90	1.68	348	3	0.38	23	340	9	0.59	<5	1055	0.10	56	<10	47
Target Range - Lower Bound		0.82	1.56	317	<1	0.34	19	300	4	0.54	<5	988	0.07	49	<10	40
Upper Bound		0.94	1.76	371	5	0.41	26	370	13	0.63	10	1095	0.11	59	20	52
ORIGINAL		1.73	4.66	933	<1	0.94	8	440	12	0.01	<5	570	0.13	32	10	26
DUP		1.69	4.46	897	<1	0.90	12	410	10	0.01	<5	545	0.13	31	10	25
Target Range - Lower Bound		1.60	4.31	859	<1	0.85	8	380	6	<0.01	<5	528	0.10	28	<10	20
Upper Bound		1.82	4.81	971	2	0.99	13	470	16	0.02	10	587	0.16	35	20	31
ORIGINAL		0.06	0.49	1050	<1	1.93	<1	1190	<2	0.01	<5	79	0.58	64	<10	68
DUP		0.06	0.48	1045	<1	1.81	<1	1150	<2	0.01	<5	74	0.57	63	<10	68
Target Range - Lower Bound		0.04	0.44	985	<1	1.76	<1	1090	<2	<0.01	<5	71	0.53	58	<10	61
Upper Bound		0.08	0.53	1110	2	1.98	2	1250	4	0.02	10	82	0.62	69	20	75
ORIGINAL		1.41	1.10	760	<1	1.08	19	450	10	0.27	<5	715	0.24	68	10	59
DUP		1.41	1.07	746	<1	1.09	16	450	9	0.26	<5	689	0.24	68	<10	59
Target Range - Lower Bound		1.32	1.01	705	<1	1.01	15	410	5	0.23	<5	665	0.21	63	<10	52
Upper Bound		1.50	1.16	801	2	1.16	20	490	14	0.30	10	739	0.27	73	20	66
ORIGINAL		4.94	0.02	39	30	0.09	<1	120	12	0.31	52	66	0.07	16	<10	33
DUP		4.98	0.03	40	29	0.09	<1	120	13	0.29	54	64	0.07	16	10	32
Target Range - Lower Bound		4.69	<0.01	28	26	0.07	<1	90	8	0.27	40	60	0.05	13	<10	27
Upper Bound		5.23	0.05	51	33	0.11	2	150	17	0.34	66	70	0.09	19	20	38

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06080809

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
DUPLICATES																
ORIGINAL					<0.5	6.97	44	1550	1.3	<2	1.02	<0.5	3	22	44	1.94
DUP					<0.5	7.32	58	1590	1.4	<2	1.07	<0.5	3	23	41	2.00
Target Range - Lower Bound					<0.5	6.77	38	1470	<0.5	<2	0.97	<0.5	<1	19	38	1.85
Upper Bound					1.0	7.52	64	1670	2.4	4	1.12	1.0	5	26	47	2.09
ORIGINAL		0.729														
DUP		0.661														
Target Range - Lower Bound		0.650														
Upper Bound		0.740														
ORIGINAL					<0.5	8.55	5	340	<0.5	<2	6.16	<0.5	39	62	59	7.38
DUP					<0.5	8.64	6	340	<0.5	<2	6.14	<0.5	35	59	58	7.43
Target Range - Lower Bound					<0.5	8.15	<5	300	<0.5	<2	5.82	<0.5	33	55	54	7.01
Upper Bound					1.0	9.04	10	380	1.0	4	6.48	1.0	41	66	63	7.80
C079921		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C079958		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C079978		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C080003					<0.5	7.66	6	720	2.8	<2	2.18	<0.5	11	46	19	2.83
DUP					<0.5	8.37	13	740	2.9	<2	2.26	<0.5	10	48	18	2.94
Target Range - Lower Bound					<0.5	7.59	<5	670	1.7	<2	2.09	<0.5	8	43	16	2.72
Upper Bound					1.0	8.44	10	790	4.0	4	2.35	1.0	13	51	21	3.05
C080018		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06080809

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES																
ORIGINAL		2.93	0.45	359	4	2.05	8	580	21	0.02	<5	262	0.16	55	<10	89
DUP		3.02	0.47	371	1	2.13	7	600	23	0.02	<5	273	0.17	56	<10	92
Target Range - Lower Bound		2.81	0.42	337	<1	1.97	5	540	17	<0.01	<5	252	0.14	51	<10	82
Upper Bound		3.14	0.50	393	5	2.21	10	640	27	0.04	10	283	0.19	60	20	99
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		0.68	2.99	1340	<1	1.85	46	2090	2	0.06	<5	505	1.78	198	<10	69
DUP		0.65	2.99	1330	<1	1.88	45	1950	2	0.06	6	520	1.73	200	<10	69
Target Range - Lower Bound		0.61	2.82	1260	<1	1.75	41	1900	<2	0.04	<5	485	1.65	187	<10	62
Upper Bound		0.72	3.16	1410	2	1.98	50	2140	4	0.08	10	540	1.86	211	20	76
C079921																
DUP																
Target Range - Lower Bound																
Upper Bound																
C079958																
DUP																
Target Range - Lower Bound																
Upper Bound																
C079978																
DUP																
Target Range - Lower Bound																
Upper Bound																
C080003		2.86	0.83	312	<1	1.84	21	340	27	0.16	<5	381	0.33	57	<10	59
DUP		2.91	0.87	320	<1	1.86	22	340	26	0.17	<5	393	0.34	57	<10	61
Target Range - Lower Bound		2.72	0.79	290	<1	1.74	18	300	21	0.14	<5	366	0.30	52	<10	53
Upper Bound		3.05	0.91	342	2	1.96	25	380	32	0.19	10	408	0.37	62	20	67
C080018																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06080809

Sample Description	Method	Au-AA24	Au-AA24	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au Check	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
DUPLICATES																
C080038		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C082729		0.011														
DUP		0.009	0.009	0.009												
Target Range - Lower Bound		<0.005	<0.005	<0.005												
Upper Bound		0.021	0.010	0.010												
ORIGINAL					0.9	8.46	64	90	1.3	<2	0.34	<0.5	12	23	437	4.71
DUP					0.8	7.99	53	100	1.2	<2	0.33	<0.5	11	23	420	4.38
Target Range - Lower Bound					<0.5	7.79	46	70	<0.5	<2	0.30	<0.5	9	20	405	4.30
Upper Bound					1.0	8.66	71	120	2.3	4	0.37	1.0	14	26	452	4.79
ORIGINAL					0.9	5.81	30	5810	2.1	<2	0.36	3.7	8	77	67	3.01
DUP					0.7	5.50	26	5330	2.0	<2	0.35	3.3	8	71	64	2.81
Target Range - Lower Bound					<0.5	5.35	17	5270	0.9	<2	0.32	2.3	6	68	60	2.74
Upper Bound					1.0	5.96	39	5870	3.2	4	0.39	4.7	10	80	71	3.08
ORIGINAL					<0.5	4.30	12	1360	1.3	<2	3.24	1.7	7	44	34	2.36
DUP					<0.5	4.26	10	1340	1.3	<2	3.19	1.7	6	43	33	2.35
Target Range - Lower Bound					<0.5	4.05	<5	1260	<0.5	<2	3.03	0.6	4	39	30	2.22
Upper Bound					1.0	4.51	22	1440	2.4	4	3.40	2.8	9	48	37	2.49

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06080809

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES																
C080038 DUP																
Target Range - Lower Bound																
Upper Bound																
C082729 DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		3.50	0.88	499	83	0.18	5	980	6	4.22	<5	54	0.21	158	<10	284
DUP		3.31	0.82	468	80	0.17	6	900	6	3.86	<5	49	0.21	151	<10	271
Target Range - Lower Bound		3.21	0.79	449	75	0.15	3	870	<2	3.82	<5	47	0.18	145	<10	260
Upper Bound		3.60	0.91	518	88	0.20	8	1010	10	4.26	10	56	0.24	164	20	295
ORIGINAL		2.60	0.66	220	14	0.09	82	1950	71	0.07	<5	59	0.36	576	<10	651
DUP		2.46	0.63	211	13	0.09	80	1880	74	0.06	5	58	0.34	547	<10	613
Target Range - Lower Bound		2.38	0.59	195	11	0.07	75	1800	65	0.04	<5	54	0.31	531	<10	596
Upper Bound		2.68	0.70	236	16	0.11	87	2030	80	0.09	10	63	0.39	592	20	668
ORIGINAL		1.67	0.71	201	4	0.34	40	1380	44	0.13	<5	121	0.34	174	<10	226
DUP		1.63	0.69	200	4	0.35	38	1330	41	0.13	<5	121	0.33	169	<10	221
Target Range - Lower Bound		1.55	0.65	180	2	0.31	35	1270	36	0.10	<5	113	0.30	161	<10	208
Upper Bound		1.75	0.76	221	6	0.38	43	1440	49	0.16	10	129	0.37	182	20	239

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06082369

Project: Dublin Gulch1735

P.O. No.:

This report is for 134 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 14-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06082369

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
STANDARDS																
BM-9/A			14.1	3.81	22	210	1.0	118	0.23	27.0	98	355	5600	4.40	0.13	0.83
BM-9/A			13.3	3.76	22	210	1.0	114	0.23	26.4	97	376	5460	4.34	0.13	0.82
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			3.4	4.95	480	2300	1.3	<2	0.59	6.7	23	99	294	3.79	1.23	0.72
G2000			3.4	5.20	513	2440	1.3	2	0.62	6.9	25	100	302	3.97	1.28	0.76
G2000			4.4	5.14	470	2480	1.3	<2	0.60	6.9	23	100	299	3.98	1.30	0.77
G2000			3.1	5.07	481	2400	1.3	<2	0.61	6.5	24	102	295	3.85	1.30	0.74
G2000			3.0	5.28	498	2400	1.3	<2	0.61	7.2	22	100	303	4.02	1.27	0.75
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
GBM999-5			69.5	4.74	<5	180	1.1	<2	0.09	<0.5	3	4	458	3.09	3.41	0.03
GBM999-5			56.9	4.59	7	180	1.2	<2	0.10	<0.5	2	7	463	2.93	3.64	0.04
GBM999-5			58.4	4.72	<5	180	1.2	<2	0.10	<0.5	3	6	453	3.09	3.56	0.04
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	428	2.67	3.10	0.03
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	526	3.29	3.81	0.05
OxG46		1.005														
OxG46		1.025														
OxG46		1.090														
OxG46		1.060														
OxG46		1.030														
OxG46		1.105														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.47														
ST-259		2.34														
ST-259		2.46														
ST-259		2.43														
ST-259		2.26														
ST-259		2.54														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06082369

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS														
BM-9/A		634	3	0.50	375	110	6610	1.44	10	97	0.09	23	<10	8420
BM-9/A		619	2	0.49	373	100	6540	1.42	11	98	0.09	22	<10	8400
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		541	5	0.13	275	940	667	0.27	28	113	0.34	102	10	1250
G2000		580	5	0.14	285	970	679	0.27	32	119	0.35	103	10	1355
G2000		566	5	0.14	281	1000	680	0.28	33	119	0.35	102	10	1345
G2000		559	5	0.14	282	930	672	0.27	34	116	0.35	102	10	1335
G2000		568	6	0.15	276	1000	688	0.27	31	120	0.35	105	10	1320
Target Range - Lower Bound		506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160
Upper Bound		630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420
GBM999-5		64	4	0.98	2	40	531	0.30	9	19	0.02	6	<10	109
GBM999-5		71	3	0.96	3	40	519	0.29	<5	19	0.02	6	<10	122
GBM999-5		69	4	0.98	2	40	530	0.30	10	20	0.02	7	<10	115
Target Range - Lower Bound		54	3	0.85	2	40	486	0.26	<5	16	<0.01	5	<10	102
Upper Bound		78	5	1.07	5	70	598	0.34	10	22	0.03	9	20	129
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06082369

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		0.008														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL		2.05														
DUP		2.09														
Target Range - Lower Bound		1.955														
Upper Bound		2.18														
ORIGINAL		0.094														
DUP		0.096														
Target Range - Lower Bound		0.080														
Upper Bound		0.110														
ORIGINAL		0.452														
DUP		0.425														
Target Range - Lower Bound		0.407														
Upper Bound		0.470														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06082369

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
BLANKS														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	2	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06082369

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
ORIGINAL		0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL			0.8	0.32	23	<10	<0.5	<2	34.0	6.3	1	6	6	1.06	0.02	0.36
DUP			<0.5	0.33	17	<10	<0.5	<2	34.1	6.0	2	6	7	1.07	0.03	0.36
Target Range - Lower Bound			<0.5	0.29	9	<10	<0.5	<2	32.3	4.8	<1	4	4	0.99	<0.01	0.32
Upper Bound			1.0	0.36	31	20	1.0	4	35.8	7.5	2	8	9	1.14	0.05	0.40
C082682			<0.5	8.76	33	720	2.1	<2	0.50	<0.5	13	74	35	3.76	3.15	0.88
DUP			<0.5	9.33	33	760	2.1	<2	0.54	<0.5	12	70	35	3.89	3.20	0.92
Target Range - Lower Bound			<0.5	8.57	21	680	1.0	<2	0.47	<0.5	10	66	31	3.61	3.00	0.84
Upper Bound			1.0	9.52	45	800	3.2	4	0.57	1.0	15	78	39	4.04	3.35	0.97
C082691		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C082711		0.012														
DUP		0.014														
Target Range - Lower Bound		<0.005														
Upper Bound		0.024														
C082718			<0.5	3.69	58	400	0.8	<2	1.24	<0.5	5	32	10	1.13	1.43	0.23
DUP			<0.5	3.80	51	410	0.7	<2	1.26	<0.5	7	29	10	1.16	1.47	0.24
Target Range - Lower Bound			<0.5	3.54	42	360	<0.5	<2	1.17	<0.5	4	27	8	1.07	1.36	0.20
Upper Bound			1.0	3.95	67	450	1.0	4	1.33	1.0	8	34	13	1.22	1.54	0.27
C082729		0.011														
DUP		0.009														
Target Range - Lower Bound		<0.005														
Upper Bound		0.021														
C082754			<0.5	3.03	23	340	0.7	<2	0.51	<0.5	3	38	17	1.52	1.09	0.20
DUP			<0.5	2.87	21	320	0.6	<2	0.49	<0.5	3	29	17	1.43	1.04	0.19
Target Range - Lower Bound			<0.5	2.78	11	290	<0.5	<2	0.46	<0.5	<1	30	14	1.38	0.99	0.17
Upper Bound			1.0	3.12	33	370	1.0	4	0.55	1.0	5	37	20	1.57	1.14	0.22

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

J: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06082369

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		327	2	0.01	<1	40	2	0.50	<5	412	0.02	20	<10	610
DUP		326	4	0.01	<1	30	3	0.60	<5	406	0.02	21	<10	596
Target Range - Lower Bound		300	<1	<0.01	<1	<10	<2	0.50	<5	387	<0.01	17	<10	569
Upper Bound		353	5	0.02	2	60	4	0.60	10	431	0.04	24	20	637
C082682		437	<1	0.87	32	460	10	0.31	<5	135	0.38	77	<10	72
DUP		455	<1	0.90	34	470	13	0.32	<5	142	0.38	77	<10	73
Target Range - Lower Bound		414	<1	0.82	29	420	7	0.28	<5	130	0.34	71	<10	65
Upper Bound		478	2	0.95	37	510	16	0.35	10	147	0.42	83	20	80
C082691														
DUP														
Target Range - Lower Bound														
Upper Bound														
C082711														
DUP														
Target Range - Lower Bound														
Upper Bound														
C082718		193	<1	0.54	8	110	7	0.05	11	87	0.16	27	20	9
DUP		199	<1	0.56	9	110	4	0.05	5	91	0.17	28	20	9
Target Range - Lower Bound		176	<1	0.50	6	80	<2	0.03	<5	83	0.14	24	<10	5
Upper Bound		216	2	0.60	11	140	10	0.07	10	95	0.19	31	40	13
C082729														
DUP														
Target Range - Lower Bound														
Upper Bound														
C082754		227	8	0.60	11	70	3	0.16	5	59	0.13	22	20	10
DUP		213	8	0.57	7	80	4	0.15	7	56	0.12	21	10	10
Target Range - Lower Bound		199	6	0.54	7	50	<2	0.13	<5	53	0.10	18	<10	6
Upper Bound		241	10	0.63	11	100	4	0.18	10	62	0.15	25	20	15

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06082369

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
C082757		0.006														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C082790			2.4	9.46	<5	1090	1.2	<2	1.50	<0.5	8	13	6660	3.37	3.56	1.19
DUP			2.5	9.24	7	1060	1.2	<2	1.45	<0.5	9	12	6780	3.28	3.64	1.16
Target Range - Lower Bound			1.3	8.86	<5	1000	<0.5	<2	1.38	<0.5	6	10	6380	3.14	3.40	1.10
Upper Bound			3.6	9.84	10	1150	2.3	4	1.57	1.0	11	15	7060	3.51	3.80	1.25

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06082369

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES														
C082757														
DUP														
Target Range - Lower Bound														
Upper Bound														
C082790		481	1	3.34	6	1940	13	0.23	6	684	0.32	167	<10	59
DUP		470	2	3.30	7	1870	6	0.23	<5	674	0.33	167	<10	53
Target Range - Lower Bound		442	<1	3.13	4	1790	5	0.20	<5	643	0.29	157	<10	49
Upper Bound		509	2	3.51	9	2020	14	0.26	10	715	0.36	177	20	63

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06082889

Project: Dublin Gulch1735

P.O. No.:

This report is for 183 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 14-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06082889

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
STANDARDS																
BM-9/A			13.7	3.57	22	210	0.9	105	0.22	26.0	96	367	5250	4.33	0.12	0.82
BM-9/A			14.4	3.71	23	210	0.9	113	0.24	27.1	99	357	5560	4.49	0.13	0.87
BM-9/A			14.3	3.57	19	200	0.9	106	0.22	25.7	94	356	5320	4.26	0.12	0.77
BM-9/A			13.4	3.59	24	200	0.9	112	0.23	26.1	96	354	5210	4.20	0.12	0.79
BM-9/A			13.3	3.61	31	210	0.9	113	0.25	26.3	96	353	5480	4.23	0.12	0.80
BM-9/A			14.7	3.75	27	210	1.0	116	0.23	27.0	104	345	5660	4.43	0.13	0.83
BM-9/A			14.6	3.64	25	210	0.9	117	0.23	27.0	99	358	5480	4.44	0.12	0.81
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			3.7	4.78	466	2330	1.3	<2	0.57	6.5	21	96	281	3.77	1.24	0.72
G2000			3.5	5.24	481	2370	1.4	2	0.58	7.3	24	99	311	3.87	1.34	0.77
G2000			3.6	4.87	465	2310	1.3	3	0.61	6.6	21	94	296	3.79	1.26	0.76
G2000			3.0	5.01	491	2400	1.3	<2	0.61	6.9	24	95	307	3.89	1.28	0.72
G2000			3.1	4.83	442	2290	1.2	2	0.59	6.7	22	99	288	3.69	1.22	0.71
G2000			3.2	5.06	478	2390	1.3	4	0.61	7.1	24	101	303	3.83	1.28	0.75
G2000			3.4	5.16	500	2460	1.3	2	0.64	7.0	25	98	318	3.95	1.34	0.76
G2000			3.8	4.86	478	2310	1.3	2	0.59	6.8	25	96	297	3.83	1.27	0.72
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
GBM999-5			58.4	4.72	<5	180	1.2	<2	0.10	<0.5	3	6	453	3.09	3.56	0.04
GBM999-5			59.2	4.84	5	180	1.3	<2	0.10	<0.5	3	6	488	3.04	3.68	0.04
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	428	2.67	3.10	0.03
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	526	3.29	3.61	0.05
MP-2			4.8	1.80	1885	10	<0.5	2360	2.55	7.6	3	3	817	3.45	0.34	0.02
Target Range - Lower Bound			3.9	<0.01				2200					772			
Upper Bound			5.9	0.02				2700					946			
OXD43		0.393														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.025														
OxG46		1.090														
OxG46		1.065														
OxG46		1.050														
OxG46		1.010														
OxG46		1.030														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06082889

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS														
BM-9/A		618	3	0.47	354	100	6500	1.40	11	86	0.08	21	<10	8180
BM-9/A		630	3	0.52	366	100	6600	1.45	12	92	0.09	21	<10	8300
BM-9/A		618	3	0.46	356	100	6390	1.39	8	86	0.09	20	<10	7980
BM-9/A		621	3	0.47	353	90	6400	1.36	8	89	0.08	21	<10	7920
BM-9/A		616	3	0.48	363	110	6480	1.41	7	87	0.09	22	<10	8230
BM-9/A		640	3	0.50	380	100	6720	1.45	9	92	0.09	23	<10	8510
BM-9/A		650	4	0.47	373	110	6630	1.40	6	92	0.09	22	<10	8550
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		538	5	0.14	264	960	635	0.25	33	111	0.33	99	10	1255
G2000		578	5	0.14	278	990	659	0.28	32	125	0.36	105	10	1300
G2000		537	5	0.15	266	930	623	0.26	28	112	0.35	98	10	1265
G2000		556	5	0.14	283	990	659	0.27	34	114	0.36	103	20	1360
G2000		533	5	0.14	263	930	635	0.26	33	111	0.33	97	10	1230
G2000		575	5	0.15	270	970	653	0.27	31	117	0.35	104	20	1280
G2000		561	7	0.15	294	1010	691	0.28	36	118	0.37	109	20	1340
G2000		566	6	0.13	285	940	647	0.26	33	113	0.35	102	20	1325
Target Range - Lower Bound		506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160
Upper Bound		630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420
GBM999-5		69	4	0.98	2	40	530	0.30	10	20	0.02	7	<10	115
GBM999-5		73	5	1.02	3	60	525	0.31	6	22	0.02	7	<10	115
Target Range - Lower Bound		54	3	0.85	2	40	486	0.26	<5	16	<0.01	5	<10	102
Upper Bound		78	5	1.07	5	70	598	0.34	10	22	0.03	9	20	129
MP-2		656	2540	0.01	1	100	376	0.61	21	13	0.02	<1	3850	3330
Target Range - Lower Bound			2530										5840	
Upper Bound			3090										7160	
OXD43														
Target Range - Lower Bound														
Upper Bound														
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06082889

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
SI15		1.840														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.46														
ST-259		2.48														
ST-259		2.48														
ST-259		2.33														
ST-259		2.26														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		7.01														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														
BLANKS																
BLANK		<0.005														
BLANK		0.008														
BLANK		0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	1	1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	3	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	2	<0.01	<0.5	1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	3	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06082889

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS														
SI15														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														
ST-327														
Target Range - Lower Bound														
Upper Bound														
BLANKS														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	2	<0.01	<1	10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	2	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<5	2	<0.01	1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<5	2	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	1	10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06082889

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
ORIGINAL		2.05														
DUP		2.09														
Target Range - Lower Bound		1.955														
Upper Bound		2.18														
ORIGINAL		0.094														
DUP		0.096														
Target Range - Lower Bound		0.080														
Upper Bound		0.110														
ORIGINAL		2.40														
DUP		2.49														
Target Range - Lower Bound		2.31														
Upper Bound		2.58														
ORIGINAL			<0.5	6.69	6	1040	1.0	2	0.83	<0.5	7	10	114	2.61	3.59	0.45
DUP			<0.5	6.68	8	1040	0.9	<2	0.85	<0.5	7	9	108	2.60	3.45	0.44
Target Range - Lower Bound			<0.5	6.33	<5	970	<0.5	<2	0.78	<0.5	5	7	103	2.45	3.32	0.40
Upper Bound			1.0	7.04	10	1110	1.0	4	0.90	1.0	9	12	119	2.76	3.72	0.49
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B687068		0.010														
DUP		0.008														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B687088		0.061														
DUP		0.050														
Target Range - Lower Bound		0.043														
Upper Bound		0.068														
C082729		0.011														
DUP		0.009														
Target Range - Lower Bound		<0.005														
Upper Bound		0.021														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06082889

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		481	2	1.46	4	280	64	0.01	5	255	0.26	71	10	140
DUP		478	2	1.46	3	270	64	0.01	11	255	0.25	69	<10	135
Target Range - Lower Bound		446	<1	1.37	<1	240	57	<0.01	<5	240	0.22	65	<10	127
Upper Bound		513	4	1.55	6	310	71	0.02	10	270	0.29	76	20	148
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
B687068														
DUP														
Target Range - Lower Bound														
Upper Bound														
B687088														
DUP														
Target Range - Lower Bound														
Upper Bound														
C082729														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06082889

Sample Description / Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES															
C082790		2.4	9.46	<5	1090	1.2	<2	1.50	<0.5	8	13	6660	3.37	3.56	1.19
DUP		2.5	9.24	7	1060	1.2	<2	1.45	<0.5	9	12	6780	3.28	3.64	1.16
Target Range - Lower Bound		1.3	8.86	<5	1000	<0.5	<2	1.38	<0.5	6	10	6380	3.14	3.40	1.10
Upper Bound		3.6	9.84	10	1150	2.3	4	1.57	1.0	11	15	7060	3.51	3.80	1.25
C079734	0.009														
DUP	0.008														
Target Range - Lower Bound	<0.005														
Upper Bound	0.010														
C079737		<0.5	6.40	28	530	1.6	<2	0.40	<0.5	12	49	23	2.28	2.15	0.55
DUP		<0.5	6.27	27	530	1.5	<2	0.39	<0.5	13	46	22	2.26	2.06	0.54
Target Range - Lower Bound		<0.5	6.00	16	480	<0.5	<2	0.36	<0.5	10	43	19	2.14	1.98	0.50
Upper Bound		1.0	6.67	39	580	2.6	4	0.43	1.0	15	52	26	2.40	2.23	0.59
C079754	<0.005														
DUP	<0.005														
Target Range - Lower Bound	<0.005														
Upper Bound	0.010														
C079773		<0.5	5.23	19	360	1.1	3	0.09	0.7	8	34	16	2.39	1.73	0.34
DUP		<0.5	5.50	17	380	1.1	<2	0.10	0.6	8	32	18	2.52	1.78	0.36
Target Range - Lower Bound		<0.5	5.08	7	330	<0.5	<2	0.07	<0.5	6	29	14	2.31	1.65	0.31
Upper Bound		1.0	5.65	29	410	2.2	4	0.12	1.0	10	37	20	2.60	1.86	0.39
C079774	0.010														
DUP	0.010														
Target Range - Lower Bound	<0.005														
Upper Bound	0.021														
C079803		<0.5	7.79	18	750	2.1	<2	0.75	<0.5	21	59	61	4.81	3.52	1.60
DUP		<0.5	7.62	14	760	2.1	<2	0.75	<0.5	20	58	53	4.81	3.45	1.60
Target Range - Lower Bound		<0.5	7.30	<5	700	1.0	<2	0.69	<0.5	17	54	52	4.55	3.29	1.50
Upper Bound		1.0	8.11	27	810	3.2	4	0.81	1.0	24	63	62	5.07	3.68	1.70
C079837	0.011														
DUP	0.011														
Target Range - Lower Bound	<0.005														
Upper Bound	0.022														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06082889

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
C082790		481	1	3.34	6	1940	13	0.23	6	684	0.32	167	<10	59
DUP		470	2	3.30	7	1870	6	0.23	<5	674	0.33	167	<10	53
Target Range - Lower Bound		442	<1	3.13	4	1790	5	0.20	<5	643	0.29	157	<10	49
Upper Bound		509	2	3.51	9	2020	14	0.26	10	715	0.36	177	20	63
C079734														
DUP														
Target Range - Lower Bound														
Upper Bound														
C079737		281	<1	0.48	27	260	5	0.34	41	60	0.26	60	<10	145
DUP		279	<1	0.47	28	240	9	0.34	36	59	0.25	58	<10	144
Target Range - Lower Bound		256	<1	0.43	24	220	3	0.30	27	55	0.22	54	<10	133
Upper Bound		304	2	0.52	31	280	11	0.38	50	64	0.29	64	20	156
C079754														
DUP														
Target Range - Lower Bound														
Upper Bound														
C079773		825	<1	0.06	14	270	53	0.18	15	53	0.20	41	<10	166
DUP		879	<1	0.06	16	290	52	0.19	13	55	0.20	43	<10	180
Target Range - Lower Bound		799	<1	0.04	12	250	46	0.16	<5	49	0.17	38	<10	160
Upper Bound		905	2	0.08	18	310	59	0.21	25	59	0.23	46	20	186
C079774														
DUP														
Target Range - Lower Bound														
Upper Bound														
C079803		945	2	0.13	48	500	5	1.23	9	51	0.35	118	<10	74
DUP		949	2	0.13	46	510	9	1.23	12	49	0.34	116	10	75
Target Range - Lower Bound		890	<1	0.10	43	460	3	1.15	<5	46	0.31	109	<10	67
Upper Bound		1005	4	0.16	51	550	11	1.31	21	55	0.38	125	20	82
C079837														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06082889

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
C079845			<0.5	3.50	77	100	0.8	3	0.08	1.3	9	34	26	1.78	0.94	0.21
DUP			<0.5	3.43	86	100	0.8	<2	0.08	1.7	9	34	25	1.74	0.93	0.21
Target Range - Lower Bound			<0.5	3.27	67	80	<0.5	<2	0.06	<0.5	7	30	22	1.65	0.87	0.18
Upper Bound			1.0	3.66	96	130	1.0	4	0.10	2.6	11	38	29	1.87	1.00	0.24
C079857		<0.005														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C079872			<0.5	5.93	12	510	1.6	2	0.66	<0.5	9	40	29	3.04	2.09	0.96
DUP			<0.5	5.76	8	500	1.7	2	0.64	<0.5	9	41	31	2.92	2.16	0.93
Target Range - Lower Bound			<0.5	5.53	<5	460	0.6	<2	0.60	<0.5	7	36	27	2.81	2.00	0.88
Upper Bound			1.0	6.16	21	550	2.7	4	0.70	1.0	11	45	34	3.15	2.25	1.01
C079877		0.014														
DUP		0.014														
Target Range - Lower Bound		<0.005														
Upper Bound		0.025														
C079899			<0.5	2.97	15	150	0.7	<2	0.79	<0.5	3	26	14	1.37	0.63	0.44
DUP			<0.5	2.88	11	150	0.7	<2	0.76	<0.5	5	24	15	1.32	0.65	0.43
Target Range - Lower Bound			<0.5	2.76	<5	120	<0.5	<2	0.72	<0.5	2	22	12	1.26	0.59	0.39
Upper Bound			1.0	3.09	24	180	1.0	4	0.83	1.0	6	28	17	1.43	0.69	0.48
B687407		0.037														
DUP		0.033														
Target Range - Lower Bound		0.023														
Upper Bound		0.047														
B687427		0.067														
DUP		0.066														
Target Range - Lower Bound		0.053														
Upper Bound		0.080														
ORIGINAL			3.4	7.53	11	440	1.1	3	1.02	7.3	10	2	718	5.48	2.88	0.64
DUP			3.1	7.56	5	520	1.0	<2	1.03	7.3	10	1	696	5.55	2.80	0.64
Target Range - Lower Bound			2.1	7.15	<5	440	<0.5	<2	0.95	5.9	8	<1	670	5.22	2.68	0.59
Upper Bound			4.4	7.94	10	520	2.1	4	1.10	8.7	13	2	744	5.81	3.00	0.69

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06082889

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES														
C079845		376	<1	0.01	21	240	5	0.27	17	31	0.16	53	10	256
DUP		366	<1	0.02	21	250	4	0.27	15	31	0.16	53	10	250
Target Range - Lower Bound		342	<1	<0.01	18	210	<2	0.24	<5	27	0.13	48	<10	236
Upper Bound		400	2	0.02	24	280	9	0.30	27	35	0.19	58	20	270
C079857														
DUP														
Target Range - Lower Bound														
Upper Bound														
C079872		230	<1	0.49	23	370	8	0.63	<5	100	0.23	54	<10	40
DUP		225	1	0.47	21	360	11	0.61	<5	98	0.23	54	10	42
Target Range - Lower Bound		206	<1	0.44	19	330	5	0.57	<5	92	0.20	49	<10	35
Upper Bound		249	2	0.52	25	400	14	0.67	10	106	0.26	59	20	47
C079877														
DUP														
Target Range - Lower Bound														
Upper Bound														
C079899		143	<1	0.03	6	190	8	0.16	6	155	0.09	19	<10	49
DUP		139	<1	0.03	8	180	7	0.15	5	150	0.09	19	<10	52
Target Range - Lower Bound		124	<1	<0.01	5	160	3	0.13	<5	143	0.07	16	<10	44
Upper Bound		158	2	0.05	9	210	12	0.18	10	162	0.11	22	20	57
B687407														
DUP														
Target Range - Lower Bound														
Upper Bound														
B687427														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		4910	174	0.21	<1	1180	82	4.43	8	56	0.23	99	10	783
DUP		5020	175	0.20	<1	1170	84	4.49	6	56	0.20	96	10	770
Target Range - Lower Bound		4710	164	0.17	<1	1100	75	4.22	<5	51	0.18	91	<10	734
Upper Bound		5220	185	0.24	2	1250	91	4.70	10	61	0.25	104	20	819

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 23-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06087856

Project: Dublin Gulch1735

P.O. No.:

This report is for 173 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 22-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 23-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06087856

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
BM-9/A			13.7	3.54	24	210	1.0	116	0.22	26.1	100	366	5430	4.21	0.13	0.82
BM-9/A			14.4	3.68	28	210	1.0	114	0.23	26.8	96	370	5610	4.45	0.12	0.81
BM-9/A			13.9	3.76	18	200	0.9	115	0.22	26.4	96	390	5350	4.41	0.12	0.82
BM-9/A			14.5	3.86	32	210	1.0	114	0.22	26.6	100	384	5600	4.46	0.12	0.84
BM-9/A			13.6	3.61	23	220	0.9	114	0.22	25.3	97	358	5580	4.32	0.12	0.81
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			3.2	4.91	468	2410	1.3	<2	0.60	6.5	23	93	289	3.82	1.29	0.76
G2000			4.5	5.02	473	2350	1.3	2	0.60	7.4	23	94	297	3.93	1.25	0.74
G2000			3.5	4.94	468	2310	1.3	<2	0.61	7.0	23	96	304	3.88	1.25	0.74
G2000			3.3	5.19	473	2350	1.3	<2	0.59	7.0	23	101	292	3.93	1.25	0.75
G2000			4.1	5.47	500	2430	1.3	<2	0.61	7.1	25	99	311	4.03	1.32	0.79
G2000			3.7	4.80	481	2290	1.3	<2	0.58	6.5	23	95	298	3.73	1.25	0.72
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
GBM999-5			60.4	4.77	9	170	1.2	<2	0.10	<0.5	4	5	470	3.07	3.47	0.04
GBM999-5			63.2	5.19	<5	180	1.3	<2	0.10	<0.5	4	6	495	3.18	3.74	0.04
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	428	2.67	3.10	0.03
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	526	3.29	3.81	0.05
OXD43		0.382														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.120														
OxG46		0.988														
OxG46		1.050														
OxG46		1.105														
OxG46		1.035														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.785														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.43														
ST-259		2.41														
ST-259		2.44														
ST-259		2.50														
ST-259		2.39														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.99														
Target Range - Lower Bound		6.35														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 23-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06087856

Sample Description	Analyte / Units / LOR	Upper Bound
		7.31

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 23-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06087856

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS														
BM-9/A		627	2	0.49	368	100	6540	1.45	8	88	0.09	22	<10	8300
BM-9/A		640	4	0.48	361	90	6740	1.35	12	91	0.08	21	<10	8230
BM-9/A		620	4	0.50	369	100	6610	1.43	9	91	0.09	22	<10	8290
BM-9/A		641	4	0.52	378	100	6680	1.45	9	94	0.09	22	<10	8550
BM-9/A		654	5	0.47	357	100	6750	1.34	10	89	0.09	23	<10	8070
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		557	4	0.15	273	990	672	0.27	34	116	0.35	102	20	1260
G2000		556	6	0.13	271	960	662	0.25	28	115	0.33	100	20	1280
G2000		555	5	0.13	273	950	672	0.25	33	113	0.34	100	10	1310
G2000		565	6	0.13	272	990	671	0.27	33	118	0.36	98	10	1270
G2000		591	7	0.14	285	1040	684	0.28	34	125	0.37	105	20	1300
G2000		546	5	0.13	270	920	648	0.25	32	109	0.35	104	10	1265
Target Range - Lower Bound		506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160
Upper Bound		630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420
GBM999-5		66	4	0.98	3	50	552	0.28	<5	21	0.02	7	<10	112
GBM999-5		65	4	1.06	4	50	556	0.32	7	21	0.02	7	<10	116
Target Range - Lower Bound		54	3	0.85	2	40	486	0.26	<5	16	<0.01	5	<10	102
Upper Bound		78	5	1.07	5	70	598	0.34	10	22	0.03	9	20	129
OXD43														
Target Range - Lower Bound														
Upper Bound														
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														
SI15														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														
ST-327														
Target Range - Lower Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 23-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06087856

Sample Description	Upper Bound / Analyte / Units / LOR	

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 23-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06087856

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
BLANKS																
BLANK			<0.5	<0.01	<5	<10	<0.5	3	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.5	1	1	1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.6	<1	1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	0.01	<5	<10	<0.5	<2	0.01	<0.5	1	1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.5	1	1	1	<0.01	<0.01	<0.01
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL		0.006														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL			<0.5	7.55	<5	1030	1.1	<2	4.10	<0.5	29	95	54	6.82	1.06	2.35
DUP			<0.5	7.25	9	1000	1.1	<2	3.93	<0.5	28	89	56	6.61	1.04	2.27
Target Range - Lower Bound			<0.5	7.01	<5	940	<0.5	<2	3.79	<0.5	25	85	50	6.36	0.98	2.17
Upper Bound			1.0	7.79	10	1090	2.2	4	4.24	1.0	32	99	60	7.07	1.12	2.45
ORIGINAL		8.25														
DUP		8.62														
Target Range - Lower Bound		8.00														
Upper Bound		8.87														
ORIGINAL			45.1	6.12	28	420	1.9	<2	0.20	11.3	2	91	6	2.70	4.84	0.45
DUP			47.0	6.34	26	440	2.0	<2	0.21	11.0	1	93	8	2.81	4.18	0.47
Target Range - Lower Bound			42.7	5.90	16	390	0.9	<2	0.17	9.6	<1	85	5	2.60	4.26	0.42
Upper Bound			49.4	6.56	38	470	3.0	4	0.24	12.7	2	99	9	2.91	4.76	0.50

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 23-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06087856

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
BLANKS														
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	2	<0.01	<1	<10	<2	<0.01	<5	2	<0.01	<1	<10	<2
BLANK		<5	2	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	2	<0.01	<1	<10	2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		1180	<1	2.19	56	2800	3	0.03	<5	417	1.27	211	<10	77
DUP		1140	<1	2.10	58	2730	4	0.03	<5	401	1.25	207	<10	79
Target Range - Lower Bound		1090	<1	2.02	52	2610	<2	<0.01	<5	387	1.18	197	<10	70
Upper Bound		1230	2	2.27	62	2920	4	0.05	10	431	1.34	221	20	86
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		443	<1	0.97	2	180	77	<0.01	33	19	0.08	123	<10	7490
DUP		459	<1	1.01	3	200	80	<0.01	34	20	0.08	130	<10	7730
Target Range - Lower Bound		418	<1	0.92	<1	160	71	<0.01	22	17	0.06	118	<10	7230
Upper Bound		484	2	1.06	5	220	86	0.02	45	22	0.10	135	20	7690

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 23-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06087856

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
ORIGINAL		0.097														
DUP		0.102														
Target Range - Lower Bound		0.085														
Upper Bound		0.114														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.016														
DUP		0.018														
Target Range - Lower Bound		0.006														
Upper Bound		0.028														
C080318		0.007														
DUP		0.008														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C080320			<0.5	9.20	7	860	2.5	<2	0.99	<0.5	14	76	25	4.48	3.01	0.99
DUP			<0.5	10.15	5	930	2.6	<2	1.09	<0.5	14	75	26	4.88	3.18	1.08
Target Range - Lower Bound			<0.5	9.17	<5	830	1.4	<2	0.97	<0.5	11	70	22	4.43	2.92	0.96
Upper Bound			1.0	10.20	10	960	3.7	4	1.11	1.0	17	81	29	4.93	3.27	1.11
C080338		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C080356			<0.5	0.14	<5	20	<0.5	<2	19.85	<0.5	2	4	2	0.13	0.03	11.55
DUP			<0.5	0.13	<5	20	<0.5	<2	19.50	<0.5	<1	3	2	0.12	0.03	11.35
Target Range - Lower Bound			<0.5	0.11	<5	<10	<0.5	<2	18.65	<0.5	<1	<1	<1	0.10	<0.01	10.85
Upper Bound			1.0	0.16	10	40	1.0	4	20.7	1.0	2	6	4	0.15	0.05	12.05

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 23-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06087856

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
C080318														
DUP														
Target Range - Lower Bound														
Upper Bound														
C080320		370	4	1.92	37	370	15	0.17	<5	282	0.37	87	<10	87
DUP		403	3	2.09	39	390	12	0.18	<5	311	0.39	92	<10	92
Target Range - Lower Bound		357	<1	1.88	34	340	9	0.15	<5	280	0.34	83	<10	81
Upper Bound		416	6	2.13	42	420	18	0.20	10	313	0.42	96	20	98
C080338														
DUP														
Target Range - Lower Bound														
Upper Bound														
C080356		152	<1	0.02	<1	470	7	0.01	<5	105	0.01	2	<10	8
DUP		149	<1	0.02	<1	470	2	0.01	<5	103	0.01	2	<10	7
Target Range - Lower Bound		133	<1	<0.01	<1	430	<2	<0.01	<5	97	<0.01	<1	<10	3
Upper Bound		168	2	0.04	2	510	9	0.02	10	111	0.02	4	20	12

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 23-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06087856

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
C080375		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C080392			<0.5	7.13	<5	1400	2.1	<2	0.88	<0.5	15	60	9	3.72	2.98	0.77
DUP			<0.5	7.17	<5	1390	2.0	<2	0.87	<0.5	14	57	8	3.70	2.90	0.78
Target Range - Lower Bound			<0.5	6.77	<5	1310	0.9	<2	0.81	<0.5	12	54	6	3.50	2.77	0.72
Upper Bound			1.0	7.53	10	1480	3.2	4	0.94	1.0	17	63	11	3.92	3.11	0.83
C080395		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C080415		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C080428			<0.5	5.38	26	470	1.4	<2	1.10	<0.5	13	42	37	2.16	1.88	0.51
DUP			<0.5	5.19	27	450	1.3	<2	1.05	<0.5	12	46	37	2.07	1.77	0.49
Target Range - Lower Bound			<0.5	5.00	15	420	<0.5	<2	1.00	<0.5	10	40	33	1.99	1.71	0.46
Upper Bound			1.0	5.57	38	500	2.4	4	1.15	1.0	15	48	41	2.24	1.94	0.55
C080453		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C080464			<0.5	7.23	<5	1310	3.6	<2	1.69	<0.5	5	23	7	1.36	3.69	0.34
DUP			<0.5	7.07	<5	1250	3.6	<2	1.61	<0.5	4	20	5	1.28	3.66	0.32
Target Range - Lower Bound			<0.5	6.77	<5	1200	2.4	<2	1.55	<0.5	2	18	4	1.23	3.47	0.29
Upper Bound			1.0	7.53	10	1360	4.8	4	1.75	1.0	7	25	8	1.41	3.88	0.37
B627709		0.028														
DUP		0.031														
Target Range - Lower Bound		0.018														
Upper Bound		0.041														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 23-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06087856

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
C080375														
DUP														
Target Range - Lower Bound														
Upper Bound														
C080392		249	<1	1.69	28	230	16	0.03	<5	198	0.36	71	<10	67
DUP		249	1	1.69	29	220	16	0.03	<5	200	0.35	68	<10	65
Target Range - Lower Bound		227	<1	1.59	25	190	11	<0.01	<5	187	0.32	64	<10	59
Upper Bound		271	2	1.79	32	260	21	0.05	10	211	0.39	75	20	73
C080395														
DUP														
Target Range - Lower Bound														
Upper Bound														
C080415														
DUP														
Target Range - Lower Bound														
Upper Bound														
C080428		277	1	0.90	17	150	9	0.40	<5	113	0.21	41	<10	35
DUP		264	1	0.87	16	160	8	0.39	<5	108	0.20	39	<10	33
Target Range - Lower Bound		247	<1	0.82	14	130	4	0.36	<5	103	0.17	36	<10	28
Upper Bound		294	2	0.95	19	180	13	0.43	10	118	0.24	44	20	40
C080453														
DUP														
Target Range - Lower Bound														
Upper Bound														
C080464		219	2	2.26	8	220	39	0.01	<5	500	0.12	12	<10	20
DUP		208	1	2.22	7	210	34	0.01	<5	494	0.12	12	<10	17
Target Range - Lower Bound		193	<1	2.11	5	180	31	<0.01	<5	470	0.09	9	<10	14
Upper Bound		234	2	2.37	10	250	42	0.02	10	524	0.15	15	20	23
B627709														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 23-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06087856

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
B630164		>10.0														
DUP		>10.0														
Target Range - Lower Bound		9.49														
Upper Bound		10.00														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 23-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06087856

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
B630164														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 27-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06087857

Project: Dublin Gulch1735

P.O. No.:

This report is for 82 Rock samples submitted to our lab in Vancouver, BC, Canada on 22-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 27-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06087857

Sample Description	Method	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
STANDARDS																
BM-9/A				14.1	3.66	32	210	0.9	115	0.22	26.1	99	383	5460	4.39	0.12
BM-9/A				15.0	3.80	32	220	1.0	125	0.23	28.3	107	397	5640	4.44	0.13
Target Range - Lower Bound				11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10
Upper Bound				15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14
G2000				3.9	4.85	457	2280	1.2	2	0.59	7.3	22	100	284	3.74	1.19
G2000				4.0	5.34	532	2550	1.4	<2	0.62	7.7	23	101	312	3.99	1.36
G2000				4.0	5.05	497	2450	1.3	2	0.59	7.6	22	99	291	3.80	1.29
Target Range - Lower Bound				2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14
Upper Bound				4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41
GBM302-10																
GBM302-10																
Target Range - Lower Bound																
Upper Bound																
GBM399-5																
GBM399-5																
Target Range - Lower Bound																
Upper Bound																
GBM999-5				64.4	5.01	12	190	1.3	2	0.11	<0.5	2	5	488	3.05	3.79
Target Range - Lower Bound				53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	428	2.67	3.10
Upper Bound				65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	526	3.29	3.81
OXD43		0.382														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.020														
OxG46		1.035														
OxG46		1.080														
OxG46		1.090														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SQ27			50.6													
SQ27			50.7													
Target Range - Lower Bound			46.8													
Upper Bound			54.0													

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 27-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06087857

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Ag
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	1
STANDARDS																
BM-9/A		0.80	637	4	0.47	370	100	6490	1.41	11	91	0.09	22	<10	8210	
BM-9/A		0.85	655	4	0.50	393	110	6750	1.47	7	94	0.09	24	<10	8370	
Target Range - Lower Bound		0.72	561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350	
Upper Bound		0.90	697	5	0.54	404	120	7310	1.57	10	99		26	20	8990	
G2000		0.71	548	5	0.13	268	930	640	0.26	34	113	0.34	94	10	1255	
G2000		0.79	603	6	0.14	291	1020	692	0.28	31	121	0.36	108	10	1360	
G2000		0.74	562	5	0.14	279	970	668	0.26	32	115	0.34	103	10	1280	
Target Range - Lower Bound		0.67	506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160	
Upper Bound		0.85	630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420	
GBM302-10																77
GBM302-10																76
Target Range - Lower Bound																72
Upper Bound																79
GBM399-5																24
GBM399-5																24
Target Range - Lower Bound																22
Upper Bound																26
GBM999-5		0.04	67	4	1.04	5	60	547	0.30	5	22	0.02	7	<10	117	
Target Range - Lower Bound		0.03	54	3	0.85	2	40	486	0.26	<5	16	<0.01	5	<10	102	
Upper Bound		0.05	78	5	1.07	5	70	598	0.34	10	22	0.03	9	20	129	
OXD43																
Target Range - Lower Bound																
Upper Bound																
OxG46																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
SQ27																
SQ27																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 27-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06087857

Sample Description	Method	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
STANDARDS																
ST-259		2.39														
ST-259		2.39														
ST-259		2.47														
ST-259		2.48														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.99														
ST-327			6.81													
ST-327			6.63													
Target Range - Lower Bound		6.35	6.30													
Upper Bound		7.31	7.36													
BLANKS																
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK				<0.5	<0.01	6	<10	<0.5	2	<0.01	<0.5	<1	<1	<1	0.01	<0.01
BLANK				<0.5	0.01	10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK		<0.005														
BLANK		<0.005														
BLANK																
BLANK		<0.005														
BLANK																
BLANK		<0.005														
BLANK			<0.05													
BLANK			<0.05													
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.05	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
Upper Bound		0.010	0.10	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 27-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06087857

ample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Ag
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	1
STANDARDS																
ST-259																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
ST-327																
ST-327																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2	
BLANK		<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2	
BLANK																
BLANK																
BLANK																<1
BLANK																
BLANK																<1
BLANK																
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	<1
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4	2

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 27-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06087857

Sample Description	Method	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
		DUPLICATES														
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		0.006														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		8.25														
DUP		8.62														
Target Range - Lower Bound		8.00														
Upper Bound		8.87														
ORIGINAL		0.073														
DUP		0.072														
Target Range - Lower Bound		0.059														
Upper Bound		0.086														
ORIGINAL		0.097														
DUP		0.102														
Target Range - Lower Bound		0.085														
Upper Bound		0.114														
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL				<0.5	7.41	12	690	1.1	<2	3.07	<0.5	11	65	58	3.58	1.29
DUP				0.6	7.21	12	660	1.1	<2	2.97	<0.5	11	63	59	3.44	1.30
Target Range - Lower Bound				<0.5	6.92	<5	620	<0.5	<2	2.85	<0.5	8	59	54	3.31	1.21
Upper Bound				1.0	7.70	23	730	2.2	4	3.19	1.0	14	69	63	3.71	1.38

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 27-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06087857

ample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Ag
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	1
DUPLICATES																
ORIGINAL																174
DUP																177
Target Range - Lower Bound																169
Upper Bound																182
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																349
DUP																364
Target Range - Lower Bound																346
Upper Bound																367
ORIGINAL		0.95	500	1	2.19	25	460	8	0.04	<5	440	0.42	85	<10	75	
DUP		0.91	483	2	2.11	27	460	13	0.04	5	424	0.41	84	10	73	
Target Range - Lower Bound		0.86	457	<1	2.02	23	420	6	0.02	<5	408	0.37	78	<10	66	
Upper Bound		1.00	526	2	2.28	29	500	15	0.06	10	456	0.46	91	20	82	

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 27-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06087857

Sample Description	Method	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
DUPLICATES																
C080453		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B627709		0.028														
DUP		0.031														
Target Range - Lower Bound		0.018														
Upper Bound		0.041														
B630164		>10.0														
DUP		>10.0														
Target Range - Lower Bound		9.49														
Upper Bound		10.00														
B687649				1.3	4.99	2110	970	0.9	4	0.05	<0.5	1	18	27	2.28	1.93
DUP				1.4	5.07	2130	980	0.9	5	0.05	<0.5	<1	19	28	2.29	1.95
Target Range - Lower Bound				<0.5	4.76	2000	910	<0.5	<2	0.03	<0.5	<1	16	24	2.15	1.82
Upper Bound				2.4	5.30	2240	1040	1.0	9	0.07	1.0	2	21	31	2.42	2.06
B687453		0.579														
DUP		0.600														
Target Range - Lower Bound		0.550														
Upper Bound		0.629														
B687481		>10.0														
DUP		10.00														
Target Range - Lower Bound		9.49														
Upper Bound		10.00														
B687485				<0.5	7.95	430	2000	3.6	<2	1.03	0.6	8	27	14	2.42	3.65
DUP				<0.5	7.79	429	1960	3.6	<2	1.01	0.6	8	27	14	2.39	3.67
Target Range - Lower Bound				<0.5	7.46	398	1860	2.4	<2	0.95	<0.5	6	24	11	2.26	3.46
Upper Bound				1.0	8.28	461	2100	4.8	4	1.09	1.0	10	30	17	2.55	3.86
ORIGINAL			0.23													
DUP			0.14													
Target Range - Lower Bound			0.08													
Upper Bound			0.29													

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 27-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06087857

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Ag
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	1
DUPLICATES																
C080453																
DUP																
Target Range - Lower Bound																
Upper Bound																
B627709																
DUP																
Target Range - Lower Bound																
Upper Bound																
B630164																
DUP																
Target Range - Lower Bound																
Upper Bound																
B687649		0.05	61	5	0.09	6	90	84	0.13	39	100	0.17	22	420	105	
DUP		0.05	61	5	0.09	5	90	85	0.14	32	102	0.17	22	430	105	
Target Range - Lower Bound		0.03	48	3	0.07	3	70	76	0.11	24	94	0.14	19	380	96	
Upper Bound		0.07	74	7	0.11	8	110	93	0.16	47	108	0.20	25	470	114	
B687453																
DUP																
Target Range - Lower Bound																
Upper Bound																
B687481																
DUP																
Target Range - Lower Bound																
Upper Bound																
B687485		0.33	258	8	1.44	16	680	29	<0.01	<5	386	0.29	36	80	97	
DUP		0.32	254	8	1.40	16	670	30	0.01	7	376	0.29	37	90	97	
Target Range - Lower Bound		0.29	233	6	1.33	13	620	24	<0.01	<5	360	0.26	33	60	88	
Upper Bound		0.36	279	10	1.51	19	730	35	0.02	10	402	0.32	40	110	106	
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 27-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06087857

imple Description	Method	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
DUPLICATES																
ORIGINAL			<0.05													
DUP			<0.05													
Target Range - Lower Bound			<0.05													
Upper Bound			0.10													
ORIGINAL			<0.05													
DUP			<0.05													
Target Range - Lower Bound			<0.05													
Upper Bound			0.10													

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 27-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06087857

mple Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Ag
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	1
		DUPLICATES														
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06088785

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 11 Soil samples submitted to our lab in Vancouver, BC, Canada on 22-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-SEP-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06088785

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
STANDARDS																
3M-9/A			13.3	0.92	23	<10	90	0.8	115	0.17	25.0	100	198	5360	3.71	<10
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.3	1.81	450	<10	870	0.9	2	0.49	6.8	21	66	295	3.75	10
G2000			3.6	1.71	452	<10	750	0.9	<2	0.48	6.5	22	64	294	3.67	<10
G2000			3.1	1.82	478	<10	870	0.9	3	0.53	6.8	23	72	295	3.86	10
G2000			3.2	1.85	486	<10	920	1.0	<2	0.53	7.2	24	70	297	3.88	10
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334	4.19	20
GBM999-5			56.9	0.17	<2	<10	50	<0.5	<2	0.05	<0.5	2	4	466	2.70	<10
Target Range - Lower Bound			53.3	0.17	<2	<10	40	<0.5	<2	0.04	<0.5	2	4	436	2.55	<10
Upper Bound			65.5	0.23	4	20	70	1.0	4	0.07	1.0	4	7	536	3.15	20
OXD43		0.418														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
ST-327		7.43														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														
BLANKS																
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	0.6	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<10
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20
DUPLICATES																
ORIGINAL			<0.2	0.49	2	<10	410	1.2	<2	1.70	<0.5	5	1	8	1.78	<10
DUP			<0.2	0.51	4	<10	410	1.2	<2	1.71	<0.5	4	1	8	1.82	<10
Target Range - Lower Bound			<0.2	0.46	<2	<10	360	<0.5	<2	1.60	<0.5	2	<1	6	1.69	<10
Upper Bound			0.4	0.55	4	20	460	2.3	4	1.81	1.0	7	2	10	1.91	20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-SEP-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06088785

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
STANDARDS																
BM-9/A			0.02	10	0.44	618	4	0.43	358	90	6480	1.49	5	8	72	0.01
Target Range - Lower Bound			<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound			0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000		0.67	0.39	20	0.64	530	5	0.03	274	890	623	0.26	22	7	67	0.05
G2000		0.70	0.38	20	0.63	519	5	0.02	269	880	635	0.26	21	6	63	0.05
G2000		0.83	0.43	20	0.68	555	6	0.03	271	920	645	0.28	23	7	66	0.06
G2000		0.77	0.44	20	0.68	570	5	0.03	277	940	646	0.28	22	7	67	0.06
Target Range - Lower Bound		0.70	0.37	<10	0.60	506	4	0.02	246	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.47	40	0.76	630	8	0.04	302	1050	739	0.31	31	9	76	0.07
GBM999-5		0.05	0.04	10	0.02	55	3	0.01	2	40	461	0.27	5	1	4	<0.01
Target Range - Lower Bound			0.04	<10	<0.01	49	2	<0.01	2	20	452	0.26	<2	<1	2	<0.01
Upper Bound			0.07	20	0.03	71	5	0.03	5	50	556	0.34	8	2	5	0.02
OXD43																
Target Range - Lower Bound																
Upper Bound																
ST-327																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		<0.01	<0.01	<10	<0.01	<5	2	<0.01	1	<10	<2	<0.01	<2	<1	1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK																
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02
DUPLICATES																
ORIGINAL		0.01	0.27	30	0.36	373	6	0.09	4	630	9	0.38	<2	3	151	<0.01
DUP		0.01	0.28	30	0.37	378	6	0.09	3	630	12	0.39	<2	3	152	<0.01
Target Range - Lower Bound		<0.01	0.24	<10	0.33	347	4	0.07	<1	580	6	0.35	<2	<1	142	<0.01
Upper Bound		0.02	0.31	50	0.40	404	8	0.11	6	680	15	0.42	4	5	161	0.02

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-SEP-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06088785

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
STANDARDS						
3M-9/A		<10	<10	15	<10	7950
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	63	<10	1270
G2000		<10	<10	62	<10	1240
G2000		<10	<10	65	10	1255
G2000		<10	<10	67	10	1290
Target Range - Lower Bound		<10	<10	59	<10	1145
Upper Bound		20	20	74	20	1400
GBM999-5		<10	<10	5	<10	109
Target Range - Lower Bound		<10	<10	4	<10	97
Upper Bound		20	20	7	20	123
OXD43						
Target Range - Lower Bound						
Upper Bound						
ST-327						
Target Range - Lower Bound						
Upper Bound						
BLANKS						
BLANK		<10	<10	1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4
DUPLICATES						
ORIGINAL		<10	<10	6	<10	74
DUP		<10	<10	7	<10	76
Target Range - Lower Bound		<10	<10	4	<10	67
Upper Bound		20	20	9	20	83

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-SEP-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06088785

Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
Sample Description LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
DUPLICATES															
3687511		<0.2	1.20	423	<10	200	<0.5	<2	0.38	<0.5	7	22	10	2.40	<10
DUP		<0.2	1.18	408	<10	190	<0.5	2	0.38	<0.5	7	21	10	2.33	<10
Target Range - Lower Bound		<0.2	1.11	391	<10	160	<0.5	<2	0.34	<0.5	5	18	8	2.23	<10
Upper Bound		0.4	1.27	440	20	230	1.0	4	0.42	1.0	9	25	13	2.50	20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-SEP-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06088785

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
DUPLICATES																
B687511		0.04	0.06	20	0.42	364	2	0.01	15	780	15	0.03	2	3	26	0.05
DUP		0.04	0.06	20	0.41	350	2	0.01	16	760	15	0.03	2	3	25	0.05
Target Range - Lower Bound		0.02	0.04	<10	0.37	329	<1	<0.01	13	710	10	<0.01	<2	<1	22	0.03
Upper Bound		0.06	0.08	40	0.46	385	4	0.02	18	830	20	0.05	4	5	29	0.07

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-SEP-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06088785

ample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
B687511		<10	<10	38	50	69
DUP		<10	<10	36	60	66
Target Range - Lower Bound		<10	<10	33	30	60
Upper Bound		20	20	41	80	75

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 11-OCT-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06095154

Project: Dublin Gulch1735

P.O. No.:

This report is for 233 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 5-SEP-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 11-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06095154

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
STANDARDS																
BM-9/A			13.6	3.66	25	210	0.9	111	0.22	26.3	98	394	5540	4.31	0.12	0.82
BM-9/A			14.6	3.80	16	210	1.0	120	0.24	28.6	100	340	5610	4.57	0.12	0.84
BM-9/A			13.6	3.71	28	210	1.0	122	0.23	26.9	98	340	5560	4.31	0.12	0.83
BM-9/A			14.3	3.58	22	200	0.9	121	0.22	25.2	96	347	5450	4.25	0.12	0.80
BM-9/A			15.2	3.79	20	230	1.0	121	0.22	27.2	102	352	5470	4.39	0.12	0.82
BM-9/A			13.8	3.58	25	210	0.9	118	0.21	26.7	99	367	5330	4.33	0.12	0.78
BM-9/A			12.3	3.41	19	200	0.9	103	0.21	24.8	93	393	5350	4.27	0.11	0.80
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			3.7	5.03	481	2450	1.3	2	0.60	7.4	23	97	294	3.88	1.30	0.75
G2000			3.7	5.08	473	2420	1.3	<2	0.58	7.1	22	102	300	3.85	1.27	0.75
G2000			3.5	5.27	491	2410	1.4	<2	0.61	7.4	24	96	313	4.06	1.30	0.77
G2000			3.2	4.98	474	2310	1.3	<2	0.57	7.2	22	100	292	3.86	1.23	0.72
G2000			4.6	4.98	468	2320	1.3	2	0.58	6.4	22	95	296	3.75	1.23	0.73
G2000			3.8	5.05	477	2370	1.3	3	0.60	6.8	24	95	302	3.83	1.26	0.74
G2000			4.4	5.36	507	2440	1.3	<2	0.60	7.5	24	101	309	3.93	1.23	0.77
G2000			4.0	5.06	470	2350	1.3	<2	0.56	7.2	22	99	290	3.75	1.20	0.73
G2000			3.7	5.13	491	2460	1.3	3	0.58	7.3	25	106	307	3.89	1.29	0.74
G2000			3.9	4.69	467	2290	1.2	<2	0.57	6.4	23	102	292	3.72	1.21	0.72
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
GBM999-5			61.4	4.50	<5	170	1.1	<2	0.09	<0.5	4	6	450	2.87	3.47	0.03
GBM999-5			56.6	4.56	5	170	1.2	<2	0.09	<0.5	2	4	463	2.91	3.45	0.04
GBM999-5			54.9	4.32	<5	160	1.1	2	0.09	<0.5	2	6	430	2.76	3.23	0.03
GBM999-5			62.9	4.90	<5	180	1.2	<2	0.09	<0.5	3	4	474	3.01	3.46	0.04
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	428	2.67	3.10	0.03
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	526	3.29	3.81	0.05
OXD43		0.394														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.040														
OxG46		1.045														
OxG46		1.035														
OxG46		1.075														
OxG46		1.045														
OxG46		1.050														
OxG46		1.045														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 11-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06095154

ample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS														
BM-9/A		638	3	0.47	379	100	6620	1.42	7	91	0.09	22	<10	8230
BM-9/A		681	4	0.49	385	100	6850	1.48	10	96	0.09	23	<10	8480
BM-9/A		635	3	0.49	366	110	6870	1.45	9	98	0.09	22	<10	8600
BM-9/A		618	3	0.46	364	100	6590	1.38	8	88	0.09	22	<10	7970
BM-9/A		638	3	0.47	371	100	6600	1.46	9	91	0.09	22	<10	8410
BM-9/A		637	4	0.46	374	110	6770	1.44	11	87	0.09	22	<10	8440
BM-9/A		651	3	0.44	364	100	6620	1.38	8	85	0.09	22	<10	8100
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		572	4	0.16	275	980	672	0.27	31	117	0.35	98	10	1270
G2000		559	8	0.14	280	990	680	0.27	34	120	0.36	99	20	1315
G2000		595	5	0.14	298	1010	695	0.28	35	121	0.36	105	20	1340
G2000		562	5	0.14	276	960	655	0.26	35	114	0.35	102	10	1280
G2000		562	4	0.13	267	930	676	0.26	35	114	0.34	103	10	1250
G2000		559	4	0.14	276	970	679	0.27	34	114	0.34	104	10	1295
G2000		569	5	0.14	282	1000	668	0.27	36	122	0.35	104	30	1340
G2000		549	6	0.13	275	970	643	0.27	36	114	0.33	99	10	1250
G2000		598	7	0.15	285	1000	671	0.28	34	120	0.35	102	10	1300
G2000		558	6	0.14	272	960	674	0.26	30	112	0.35	99	20	1290
Target Range - Lower Bound		506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160
Upper Bound		630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420
GBM999-5		66	2	0.93	2	60	521	0.29	7	20	0.02	6	<10	110
GBM999-5		71	4	0.93	3	50	501	0.29	5	20	0.02	7	<10	112
GBM999-5		61	3	0.87	4	50	494	0.27	6	19	0.02	7	<10	107
GBM999-5		66	3	0.94	4	50	521	0.30	5	21	0.02	7	<10	113
Target Range - Lower Bound		54	3	0.85	2	40	486	0.26	<5	16	<0.01	5	<10	102
Upper Bound		78	5	1.07	5	70	598	0.34	10	22	0.03	9	20	129
OXD43														
Target Range - Lower Bound														
Upper Bound														
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 11-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06095154

ample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
STANDARDS																
ST-259		2.44														
ST-259		2.45														
ST-259		2.42														
ST-259		2.45														
ST-259		2.35														
ST-259		2.45														
ST-259		2.46														
ST-259		2.51														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.59														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														
BLANKS																
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	1	<1	<0.01	<0.01	<0.01
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.6	1	1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	6	<10	<0.5	<2	<0.01	0.5	1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	<1	1	<0.01	<0.01	<0.01
BLANK		0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	6	1	<0.01	<0.01	<0.01
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 11-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06095154

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														
ST-327														
Target Range - Lower Bound														
Upper Bound														
BLANKS														
BLANK														
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK														
BLANK		<5	2	<0.01	2	<10	2	<0.01	<5	<1	<0.01	1	<10	<2
BLANK														
BLANK														
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK														
BLANK														
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	2	<0.01	1	10	<2	<0.01	<5	<1	<0.01	1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK														
BLANK														
BLANK		<5	2	<0.01	2	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK														
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 11-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06095154

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
ORIGINAL			0.5	1.53	<5	20	<0.5	<2	1.82	<0.5	122	3040	1490	7.53	0.10	15.05
DUP			0.5	1.58	<5	20	<0.5	<2	1.88	<0.5	123	3020	1490	7.76	0.10	15.50
Target Range - Lower Bound			<0.5	1.46	<5	<10	<0.5	<2	1.74	<0.5	114	2880	1415	7.24	0.08	14.50
Upper Bound			1.0	1.65	10	40	1.0	4	1.96	1.0	131	3180	1565	8.05	0.13	16.05
ORIGINAL			<0.5	2.95	<5	60	<0.5	<2	2.79	<0.5	87	1930	327	7.78	0.16	14.95
DUP			<0.5	2.82	<5	50	<0.5	<2	2.69	<0.5	82	2010	313	7.52	0.15	14.40
Target Range - Lower Bound			<0.5	2.72	<5	30	<0.5	<2	2.58	<0.5	78	1870	302	7.25	0.13	13.90
Upper Bound			1.0	3.05	10	80	1.0	4	2.90	1.0	91	2070	338	8.05	0.18	15.45
ORIGINAL		0.027														
DUP		0.017														
Target Range - Lower Bound		0.011														
Upper Bound		0.033														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL			9.0	7.51	107	1750	0.8	2	0.73	42.7	9	172	67	9.11	4.18	2.26
DUP			9.0	7.50	114	1800	0.8	<2	0.75	44.0	9	176	72	9.32	4.50	2.31
Target Range - Lower Bound			7.6	7.11	95	1670	<0.5	<2	0.68	40.2	7	163	64	8.73	4.10	2.15
Upper Bound			10.5	7.90	126	1880	1.0	4	0.80	46.5	11	185	75	9.70	4.58	2.42
ORIGINAL		0.005														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.017														
DUP		0.018														
Target Range - Lower Bound		0.007														
Upper Bound		0.028														

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 11-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06095154

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES														
ORIGINAL		1160	<1	0.18	4850	60	3	0.71	<5	19	0.11	86	<10	68
DUP		1200	<1	0.19	4990	60	<2	0.73	<5	20	0.11	88	<10	66
Target Range - Lower Bound		1110	<1	0.16	4670	40	<2	0.66	<5	17	0.08	81	<10	60
Upper Bound		1250	2	0.21	5170	80	4	0.78	10	22	0.14	93	20	74
ORIGINAL		1355	4	0.49	1430	110	4	0.21	<5	67	0.10	110	10	70
DUP		1310	3	0.47	1380	100	4	0.20	<5	63	0.10	107	<10	68
Target Range - Lower Bound		1255	<1	0.44	1335	80	<2	0.17	<5	60	0.08	101	<10	62
Upper Bound		1410	6	0.52	1475	130	8	0.24	10	70	0.13	116	20	76
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		3400	3	0.26	103	860	713	0.71	69	82	0.45	155	<10	5990
DUP		3480	4	0.27	106	900	717	0.70	73	85	0.47	160	<10	6180
Target Range - Lower Bound		3260	<1	0.23	97	820	675	0.65	57	77	0.42	148	<10	5780
Upper Bound		3620	6	0.30	112	940	755	0.76	85	90	0.50	167	20	6390
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 11-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06095154

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
ORIGINAL		0.025														
DUP		0.023														
Target Range - Lower Bound		0.013														
Upper Bound		0.035														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL			>100	1.95	141	480	0.5	<2	0.84	16.2	28	93	963	4.12	0.87	0.11
DUP			>100	1.91	131	470	0.5	<2	0.81	16.1	24	89	930	3.96	0.85	0.10
Target Range - Lower Bound			94.0	1.81	119	430	<0.5	<2	0.76	14.3	23	84	897	3.82	0.80	0.08
Upper Bound			100.0	2.05	153	520	1.0	4	0.89	18.0	29	98	996	4.26	0.92	0.13
ORIGINAL		0.006														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL			<0.5	6.56	5	380	2.3	<2	0.05	0.8	1	4	13	0.67	5.81	0.11
DUP			<0.5	6.39	5	380	2.4	<2	0.05	0.6	2	4	13	0.67	5.93	0.11
Target Range - Lower Bound			<0.5	6.13	<5	340	1.2	<2	0.03	<0.5	<1	2	10	0.62	5.56	0.08
Upper Bound			1.0	6.82	10	420	3.5	4	0.07	1.0	2	6	16	0.72	6.18	0.14
C080069		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 11-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06095154

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		379	1	0.05	37	160	859	0.68	419	23	0.10	155	<10	211
DUP		363	2	0.05	33	160	823	0.64	415	23	0.10	151	<10	197
Target Range - Lower Bound		342	<1	0.03	31	130	795	0.61	386	20	0.08	143	<10	190
Upper Bound		400	2	0.07	39	190	887	0.71	448	26	0.13	163	20	218
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		59	<1	0.66	1	460	33	0.25	<5	110	0.05	13	<10	28
DUP		60	<1	0.65	<1	470	35	0.24	<5	108	0.05	13	10	27
Target Range - Lower Bound		47	<1	0.60	<1	420	28	0.21	<5	102	0.03	10	<10	22
Upper Bound		72	2	0.71	2	510	40	0.28	10	116	0.07	16	20	33
C080069														
DUP														
Target Range - Lower Bound														
Upper Bound														

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 11-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06095154

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
C080089		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C080122			<0.5	6.76	18	750	1.8	<2	0.61	<0.5	9	57	9	3.51	2.50	0.70
DUP			<0.5	6.92	17	790	1.9	<2	0.62	<0.5	10	64	9	3.66	2.67	0.72
Target Range - Lower Bound			<0.5	6.48	7	710	0.8	<2	0.56	<0.5	7	55	7	3.39	2.44	0.65
Upper Bound			1.0	7.20	28	830	2.9	4	0.67	1.0	12	66	11	3.78	2.73	0.77
C080155		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C080175		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C080181			<0.5	2.21	<5	210	<0.5	<2	2.40	<0.5	3	27	8	1.40	0.79	0.33
DUP			<0.5	2.33	<5	230	0.5	<2	2.53	<0.5	3	23	8	1.48	0.82	0.35
Target Range - Lower Bound			<0.5	2.14	<5	190	<0.5	<2	2.32	<0.5	<1	22	6	1.35	0.74	0.30
Upper Bound			1.0	2.40	10	250	1.0	4	2.61	1.0	5	28	10	1.53	0.87	0.38
C080195		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C080217			<0.5	7.16	17	520	5.7	<2	5.34	<0.5	15	46	20	5.92	1.78	1.08
DUP			<0.5	7.40	22	530	5.6	<2	5.48	<0.5	15	44	20	6.09	1.78	1.10
Target Range - Lower Bound			<0.5	6.90	9	480	4.4	<2	5.12	<0.5	12	41	17	5.68	1.67	1.02
Upper Bound			1.0	7.66	30	570	6.9	4	5.70	1.0	18	49	23	6.33	1.89	1.16
C080237		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 11-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06095154

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
		DUPLICATES												
C080089														
DUP														
Target Range - Lower Bound														
Upper Bound														
C080122		307	1	1.19	28	210	11	0.06	<5	140	0.30	66	<10	41
DUP		320	1	1.23	29	230	16	0.07	<5	144	0.32	69	<10	44
Target Range - Lower Bound		288	<1	1.13	25	190	9	0.04	<5	133	0.27	62	<10	36
Upper Bound		339	2	1.29	32	250	18	0.09	10	151	0.35	73	20	49
C080155														
DUP														
Target Range - Lower Bound														
Upper Bound														
C080175														
DUP														
Target Range - Lower Bound														
Upper Bound														
C080181		269	<1	0.31	6	100	7	0.06	<5	115	0.14	19	10	22
DUP		283	<1	0.33	6	110	8	0.06	<5	121	0.15	20	10	22
Target Range - Lower Bound		252	<1	0.28	4	80	3	0.04	<5	110	0.12	17	<10	17
Upper Bound		300	2	0.36	8	130	12	0.08	10	126	0.17	22	20	27
C080195														
DUP														
Target Range - Lower Bound														
Upper Bound														
C080217		1530	26	1.34	33	460	9	0.16	<5	294	0.30	68	6420	95
DUP		1575	26	1.39	37	480	9	0.17	5	305	0.30	68	7320	94
Target Range - Lower Bound		1465	23	1.28	31	430	5	0.14	<5	283	0.27	63	6510	86
Upper Bound		1640	29	1.45	39	510	13	0.19	10	316	0.34	73	7230	103
C080237														
DUP														
Target Range - Lower Bound														
Upper Bound														

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 11-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06095154

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
C080253			<0.5	4.98	17	1450	1.7	<2	3.82	<0.5	7	40	44	2.90	1.78	0.73
DUP			<0.5	5.09	11	1490	1.7	<2	3.92	<0.5	8	38	46	2.97	1.81	0.75
Target Range - Lower Bound			<0.5	4.76	<5	1380	0.6	<2	3.66	<0.5	5	35	41	2.77	1.69	0.68
Upper Bound			1.0	5.31	25	1560	2.8	4	4.08	1.0	10	43	49	3.10	1.90	0.80
C080289			<0.5	6.75	17	840	4.8	<2	2.09	<0.5	2	21	4	1.41	2.86	0.37
DUP			<0.5	7.53	26	900	5.0	<2	2.24	<0.5	3	19	5	1.51	3.02	0.41
Target Range - Lower Bound			<0.5	6.76	10	810	3.7	<2	2.04	<0.5	<1	17	2	1.37	2.77	0.35
Upper Bound			1.0	7.52	33	930	6.1	4	2.29	1.0	5	23	7	1.55	3.11	0.43

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

. STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 11-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06095154

Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
imple Description LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES													
C080253	768	1	0.56	27	320	13	0.44	<5	233	0.17	99	50	78
DUP	785	2	0.58	29	320	10	0.45	<5	239	0.18	101	50	79
Target Range - Lower Bound	728	<1	0.52	25	280	7	0.40	<5	222	0.15	93	30	71
Upper Bound	825	2	0.62	31	360	16	0.49	10	250	0.20	107	70	86
C080289	214	<1	1.93	8	340	36	<0.01	<5	344	0.17	20	<10	28
DUP	224	<1	2.02	10	380	34	<0.01	<5	371	0.17	22	<10	30
Target Range - Lower Bound	198	<1	1.86	7	320	29	<0.01	<5	338	0.14	18	<10	24
Upper Bound	240	2	2.09	11	400	41	0.02	10	377	0.20	24	20	34

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-OCT-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06098503

Project: Dublin Gulch1735

P.O. No.:

This report is for 22 Rock samples submitted to our lab in Vancouver, BC, Canada on 11-SEP-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06098503

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
STANDARDS																
M-9/A			13.6	3.50	23	200	0.9	109	0.21	25.4	95	337	5230	4.18	0.12	0.80
arget Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
32000			3.6	4.97	455	2310	1.3	<2	0.59	6.8	23	96	302	3.79	1.24	0.74
32000			3.3	5.06	457	2400	1.3	<2	0.62	7.2	22	94	296	3.90	1.21	0.76
arget Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
BM999-5			58.3	4.77	<5	180	1.2	<2	0.10	<0.5	3	6	484	3.03	3.58	0.03
arget Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	428	2.67	3.10	0.03
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	526	3.29	3.81	0.05
OxG46		0.997														
arget Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.700														
arget Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.32														
arget Range - Lower Bound		2.30														
Upper Bound		2.66														
BLANKS																
BLANK			<0.5	<0.01	6	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK		<0.005														
arget Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06098503

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS														
3M-9/A		607	4	0.46	349	90	6340	1.39	10	88	0.08	20	<10	7840
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		542	5	0.14	265	940	648	0.26	34	115	0.35	96	10	1310
G2000		546	5	0.14	268	980	672	0.27	31	116	0.35	95	20	1305
Target Range - Lower Bound		506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160
Upper Bound		630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420
GBM999-5		67	4	0.95	4	60	534	0.31	10	21	0.02	7	<10	126
Target Range - Lower Bound		54	3	0.85	2	40	486	0.26	<5	16	<0.01	5	<10	102
Upper Bound		78	5	1.07	5	70	598	0.34	10	22	0.03	9	20	129
OxG46														
Target Range - Lower Bound														
Upper Bound														
SI15														
Target Range - Lower Bound														
Upper Bound														
ST-259														
Target Range - Lower Bound														
Upper Bound														
BLANKS														
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK														
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06098503

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
ORIGINAL			<0.5	6.70	7	480	4.1	<2	0.02	<0.5	2	4	218	1.03	4.20	0.25
DUP			<0.5	6.41	19	460	4.3	<2	0.02	<0.5	3	3	227	0.99	4.38	0.24
Target Range - Lower Bound			<0.5	6.21	<5	430	3.0	<2	<0.01	<0.5	<1	<1	209	0.94	4.06	0.21
Upper Bound			1.0	6.90	24	510	5.4	4	0.04	1.0	5	6	236	1.08	4.52	0.28
B627726		0.021														
DUP		0.022														
Target Range - Lower Bound		0.010														
Upper Bound		0.033														
B630170			<0.5	8.16	633	2260	2.4	<2	0.52	<0.5	7	33	5	2.43	3.77	0.21
DUP			<0.5	8.22	637	2270	2.4	<2	0.52	<0.5	6	31	5	2.47	3.73	0.21
Target Range - Lower Bound			<0.5	7.76	593	2130	1.3	<2	0.47	<0.5	4	28	3	2.31	3.54	0.18
Upper Bound			1.0	8.62	677	2400	3.5	4	0.57	1.0	9	36	7	2.59	3.96	0.24

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06098503

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
							DUPLICATES							
ORIGINAL		74	3	0.09	3	530	76	0.66	<5	300	0.06	58	10	27
DUP		70	3	0.09	2	500	71	0.63	<5	286	0.07	59	10	27
Target Range - Lower Bound		58	<1	0.07	<1	470	66	0.59	<5	276	0.04	54	<10	22
Upper Bound		86	5	0.11	5	560	81	0.70	10	310	0.09	63	20	32
B627726														
DUP														
Target Range - Lower Bound														
Upper Bound														
B630170		274	6	0.54	22	700	24	0.01	9	353	0.33	42	190	47
DUP		279	6	0.54	23	710	24	0.01	8	343	0.33	42	190	47
Target Range - Lower Bound		253	4	0.49	19	650	19	<0.01	<5	329	0.29	38	160	41
Upper Bound		300	8	0.59	26	760	29	0.02	10	367	0.37	46	220	53

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-OCT-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06098504

Project: Dublin Gulch1735

P.O. No.:

This report is for 98 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 11-SEP-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06098504

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg	
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%	
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01	
STANDARDS																	
BM-9/A			14.4	3.91	17	210	1.0	115	0.25	28.2	101	350	5750	4.51	0.12	0.86	
BM-9/A			13.0	3.58	32	200	0.9	107	0.22	26.0	92	360	5430	4.16	0.12	0.80	
BM-9/A			13.8	3.28	19	190	0.8	103	0.21	23.2	90	346	5080	4.01	0.11	0.74	
BM-9/A			14.3	3.66	21	200	0.9	109	0.23	25.8	96	346	5360	4.43	0.12	0.81	
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72	
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90	
G2000			4.1	5.12	464	2280	1.2	3	0.59	7.3	23	97	287	3.85	1.20	0.76	
G2000			3.5	5.03	474	2260	1.2	<2	0.60	6.2	22	92	300	3.76	1.24	0.74	
G2000			3.5	4.95	486	2240	1.3	<2	0.60	6.1	21	96	307	3.76	1.24	0.74	
G2000			3.2	4.73	480	2190	1.2	<2	0.58	6.2	21	95	296	3.62	1.20	0.72	
G2000			3.9	4.98	488	2360	1.3	<2	0.61	6.8	22	101	307	4.01	1.29	0.75	
G2000			3.6	5.08	461	2390	1.3	<2	0.62	6.5	23	95	297	3.93	1.27	0.74	
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67	
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85	
GBM999-5			57.3	5.00	<5	180	1.3	<2	0.10	<0.5	2	6	508	3.13	3.69	0.04	
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	428	2.67	3.10	0.03	
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	526	3.29	3.81	0.05	
OxG46		1.005															
OxG46		1.025															
OxG46		1.035															
OxG46		1.070															
Target Range - Lower Bound		0.959															
Upper Bound		1.115															
ST-259		2.32															
ST-259		2.33															
ST-259		2.41															
ST-259		2.55															
Target Range - Lower Bound		2.30															
Upper Bound		2.66															

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06098504

mple Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS														
3M-9/A		670	2	0.52	370	110	6880	1.40	11	97	0.09	21	<10	8340
3M-9/A		607	2	0.47	349	90	6470	1.30	7	85	0.09	20	<10	8140
3M-9/A		579	4	0.43	348	100	6100	1.27	8	81	0.08	20	<10	7530
3M-9/A		656	4	0.48	360	100	6480	1.41	7	90	0.08	21	<10	8000
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		548	6	0.14	264	980	633	0.26	29	119	0.33	97	10	1255
G2000		551	4	0.14	273	960	665	0.26	33	115	0.35	98	10	1280
G2000		547	4	0.14	267	980	662	0.25	33	116	0.35	95	10	1300
G2000		532	4	0.13	269	930	667	0.24	32	110	0.34	96	10	1280
G2000		573	7	0.14	275	980	703	0.27	36	119	0.36	101	20	1315
G2000		559	4	0.14	275	990	652	0.27	34	116	0.34	102	10	1305
Target Range - Lower Bound		506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160
Upper Bound		630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420
GBM999-5		69	3	1.01	3	50	559	0.30	7	20	0.02	6	<10	121
Target Range - Lower Bound		54	3	0.85	2	40	486	0.26	<5	16	<0.01	5	<10	102
Upper Bound		78	5	1.07	5	70	598	0.34	10	22	0.03	9	20	129
OxG46														
OxG46														
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06098504

mple Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	1	<0.01	<0.01	<0.01
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL			<0.5	1.95	9	30	<0.5	<2	2.09	<0.5	108	2890	1100	7.76	0.16	14.65
DUP			<0.5	1.89	9	30	<0.5	<2	2.03	<0.5	103	2630	1050	7.52	0.15	14.20
Target Range - Lower Bound			<0.5	1.80	<5	<10	<0.5	<2	1.94	<0.5	98	2620	1020	7.24	0.13	13.70
Upper Bound			1.0	2.04	10	50	1.0	4	2.18	1.0	113	2900	1130	8.04	0.18	15.15
ORIGINAL			1.6	7.87	<5	2200	1.5	4	1.84	4.2	3	142	1460	3.06	2.19	2.02
DUP			1.5	7.86	13	2210	1.6	2	1.85	4.0	2	140	1570	3.03	2.32	2.00
Target Range - Lower Bound			<0.5	7.45	<5	2070	<0.5	<2	1.73	2.9	<1	132	1435	2.87	2.12	1.89
Upper Bound			2.6	8.28	10	2340	2.6	4	1.96	5.3	5	150	1595	3.22	2.39	2.13
ORIGINAL		<0.005														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		7.95														
DUP		7.83														
Target Range - Lower Bound		7.49														
Upper Bound		8.29														

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06098504

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
BLANKS														
BLANK														
BLANK														
BLANK														
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	2	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK														
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES														
ORIGINAL		1275	1	0.25	3530	40	<2	0.54	<5	32	0.10	88	<10	72
DUP		1235	1	0.24	3410	40	<2	0.52	<5	31	0.10	86	<10	69
Target Range - Lower Bound		1180	<1	0.21	3290	20	<2	0.48	<5	28	0.08	81	<10	63
Upper Bound		1330	2	0.28	3650	60	4	0.58	10	35	0.13	93	20	78
ORIGINAL		282	13	0.40	24	70	53	0.72	<5	87	0.11	4	<10	745
DUP		281	13	0.41	24	60	54	0.71	<5	88	0.11	5	<10	776
Target Range - Lower Bound		257	10	0.36	21	40	47	0.66	<5	81	0.08	2	<10	718
Upper Bound		306	16	0.45	27	90	60	0.77	10	94	0.14	7	20	803
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06098504

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
ORIGINAL		0.010														
DUP		0.014														
Target Range - Lower Bound		<0.005														
Upper Bound		0.023														
ORIGINAL		0.096														
DUP		0.097														
Target Range - Lower Bound		0.082														
Upper Bound		0.111														
ORIGINAL		0.092														
DUP		0.096														
Target Range - Lower Bound		0.079														
Upper Bound		0.109														
C080480		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C080491			<0.5	7.78	<5	1380	3.2	<2	3.79	<0.5	7	32	21	2.72	2.58	1.15
DUP			<0.5	7.73	17	1420	3.3	<2	3.89	<0.5	8	33	22	2.77	2.62	1.15
Target Range - Lower Bound			<0.5	7.35	<5	1310	2.1	<2	3.63	<0.5	5	29	18	2.59	2.45	1.07
Upper Bound			1.0	8.16	22	1490	4.4	4	4.05	1.0	10	36	25	2.90	2.75	1.23
C080916		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C080927			<0.5	6.26	14	820	1.6	<2	1.48	<0.5	8	47	21	2.82	1.98	0.67
DUP			<0.5	5.94	27	770	1.6	<2	1.39	<0.5	8	45	21	2.67	1.95	0.64
Target Range - Lower Bound			<0.5	5.78	9	740	<0.5	<2	1.34	<0.5	6	42	18	2.59	1.85	0.60
Upper Bound			1.0	6.43	32	850	2.7	4	1.53	1.0	10	50	24	2.90	2.08	0.71
C080954		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06098504

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
		DUPLICATES												
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
C080480														
DUP														
Target Range - Lower Bound														
Upper Bound														
C080491		377	<1	2.19	11	750	10	0.11	<5	593	0.32	50	<10	48
DUP		386	<1	2.22	14	770	15	0.11	<5	601	0.33	52	<10	49
Target Range - Lower Bound		352	<1	2.07	10	700	8	0.08	<5	565	0.29	46	<10	42
Upper Bound		411	2	2.34	15	820	17	0.14	10	629	0.36	56	20	55
C080916														
DUP														
Target Range - Lower Bound														
Upper Bound														
C080927		321	<1	1.27	25	310	11	0.21	5	184	0.27	55	<10	47
DUP		304	<1	1.22	25	300	8	0.19	<5	176	0.27	52	<10	45
Target Range - Lower Bound		287	<1	1.16	22	270	5	0.17	<5	169	0.24	49	<10	40
Upper Bound		338	2	1.33	28	340	14	0.23	10	191	0.30	58	20	52
C080954														
DUP														
Target Range - Lower Bound														
Upper Bound														

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06098504

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
ORIGINAL			<0.5	6.63	5	840	4.3	<2	0.06	<0.5	4	16	22	2.10	5.30	0.24
DUP			<0.5	6.84	<5	860	4.3	<2	0.06	<0.5	3	14	22	2.15	5.25	0.24
Target Range - Lower Bound			<0.5	6.38	<5	790	3.1	<2	0.04	<0.5	<1	12	19	2.00	4.99	0.21
Upper Bound			1.0	7.09	10	910	5.5	4	0.08	1.0	6	18	25	2.25	5.56	0.27
ORIGINAL			1.2	5.56	5	180	1.1	<2	1.63	<0.5	11	15	1580	3.91	2.42	1.11
DUP			1.1	5.65	<5	240	1.1	<2	1.66	<0.5	11	17	1600	3.90	2.43	1.13
Target Range - Lower Bound			<0.5	5.30	<5	180	<0.5	<2	1.54	<0.5	8	13	1510	3.69	2.28	1.04
Upper Bound			2.2	5.91	10	240	2.2	4	1.75	1.0	14	19	1670	4.12	2.57	1.20
ORIGINAL		0.037														
DUP		0.037														
Target Range - Lower Bound		0.025														
Upper Bound		0.049														
ORIGINAL		0.016														
DUP		0.016														
Target Range - Lower Bound		<0.005														
Upper Bound		0.027														

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06098504

ample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
							DUPLICATES							
ORIGINAL		164	<1	0.13	4	340	24	1.70	<5	71	0.27	64	10	45
DUP		169	<1	0.13	4	330	24	1.73	<5	73	0.27	64	10	45
Target Range - Lower Bound		148	<1	0.10	2	300	19	1.61	<5	66	0.24	59	<10	39
Upper Bound		185	2	0.16	6	370	29	1.82	10	78	0.30	69	20	51
ORIGINAL		584	66	0.03	13	920	8	3.32	<5	39	0.13	76	<10	45
DUP		593	55	0.03	12	940	5	3.28	6	39	0.14	77	<10	44
Target Range - Lower Bound		549	55	<0.01	10	860	<2	3.12	<5	35	0.11	71	<10	38
Upper Bound		628	66	0.05	15	1000	11	3.49	10	43	0.16	82	20	51
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

:STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-OCT-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06098505

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 131 Soil samples submitted to our lab in Vancouver, BC, Canada on 11-SEP-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06098505

ample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
STANDARDS																
BM-9/A			14.4	0.81	20	<10	80	0.8	119	0.16	26.5	95	193	5390	3.56	<10
BM-9/A			13.8	0.91	27	<10	90	0.8	118	0.16	26.7	98	202	5340	3.58	<10
BM-9/A			13.4	0.89	24	<10	90	0.8	114	0.15	26.3	91	192	5310	3.51	<10
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.2	1.82	466	<10	760	0.9	2	0.47	7.2	22	66	313	3.69	10
G2000			3.7	1.84	479	<10	840	0.9	<2	0.49	6.9	22	68	312	3.77	10
G2000			3.5	2.03	483	<10	960	1.0	2	0.50	6.9	22	71	316	3.86	10
G2000			4.0	2.03	484	<10	950	1.0	<2	0.50	7.4	23	72	315	3.92	10
G2000			3.6	1.92	496	<10	990	1.0	<2	0.53	7.1	25	74	318	3.91	10
G2000			3.3	1.86	470	<10	880	1.0	<2	0.49	6.9	23	71	299	3.69	10
G2000			3.4	1.79	463	<10	880	0.9	<2	0.49	6.9	22	69	293	3.64	10
G2000			4.1	1.92	474	<10	870	1.0	<2	0.50	7.3	23	70	298	3.74	10
G2000			3.3	1.79	464	<10	810	0.9	3	0.56	6.8	23	67	301	3.64	10
G2000																
G2000																
G2000																
G2000																
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334	4.19	20
GBM999-5			61.0	0.21	<2	<10	50	<0.5	<2	0.05	0.6	2	5	480	2.85	<10
GBM999-5																
Target Range - Lower Bound			53.3	0.17	<2	<10	40	<0.5	<2	0.04	<0.5	2	4	436	2.56	<10
Upper Bound			65.5	0.23	4	20	70	1.0	4	0.07	1.0	4	7	536	3.15	20
OXD43		0.416														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.100														
OxG46		1.015														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.67														
ST-259		2.57														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.91														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06098505

imple Description	Method Analyte Units LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
STANDARDS																
3M-9/A		0.43	0.02	10	0.40	638	3	0.40	366	90	6560	1.44	8	9	75	0.01
3M-9/A		0.47	0.02	10	0.40	607	3	0.38	365	90	6550	1.37	6	8	75	0.01
3M-9/A			0.02	10	0.42	604	3	0.40	348	90	6420	1.46	6	8	78	0.01
Target Range - Lower Bound		0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000		0.71	0.39	20	0.64	545	6	0.03	276	930	654	0.28	25	7	66	0.05
G2000		0.71	0.39	20	0.65	568	6	0.03	277	950	670	0.28	27	7	67	0.05
G2000		0.74	0.41	20	0.67	586	5	0.03	285	970	693	0.28	25	7	73	0.06
G2000		0.78	0.41	20	0.67	574	6	0.03	286	970	688	0.29	26	8	73	0.06
G2000			0.44	20	0.68	569	5	0.06	285	980	690	0.29	26	7	71	0.06
G2000		0.79	0.41	20	0.64	541	5	0.03	270	920	650	0.26	22	7	67	0.05
G2000		0.74	0.40	20	0.63	533	5	0.02	269	920	656	0.25	25	7	65	0.05
G2000		0.75	0.41	20	0.65	540	5	0.03	273	940	654	0.26	22	7	68	0.05
G2000			0.41	20	0.68	521	5	0.03	269	920	646	0.26	24	7	69	0.05
G2000		0.78														
G2000		0.83														
G2000		0.82														
G2000		0.72														
Target Range - Lower Bound		0.70	0.37	<10	0.60	506	4	0.02	246	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.47	40	0.76	630	8	0.04	302	1050	739	0.31	31	9	76	0.07
GBM999-5		0.11	0.05	10	0.02	63	4	0.01	5	40	487	0.30	5	1	4	<0.01
GBM999-5		0.06														
Target Range - Lower Bound			0.04	<10	<0.01	49	2	<0.01	2	20	452	0.26	<2	<1	2	<0.01
Upper Bound			0.07	20	0.03	71	5	0.03	5	50	556	0.34	8	2	5	0.02
OXD43																
Target Range - Lower Bound																
Upper Bound																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
Target Range - Lower Bound																
Upper Bound																

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06098505

ample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
				STANDARDS		
BM-9/A		<10	<10	15	<10	8110
BM-9/A		<10	<10	16	<10	8370
BM-9/A		<10	<10	15	<10	8110
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	64	10	1260
G2000		<10	<10	65	10	1280
G2000		<10	<10	68	10	1290
G2000		<10	<10	68	10	1280
G2000		<10	<10	71	<10	1325
G2000		<10	<10	67	<10	1255
G2000		<10	<10	65	<10	1250
G2000		<10	<10	68	<10	1270
G2000		<10	<10	66	10	1265
G2000						
G2000						
G2000						
G2000						
Target Range - Lower Bound		<10	<10	59	<10	1145
Upper Bound		20	20	74	20	1400
GBM999-5		<10	<10	5	<10	121
GBM999-5						
Target Range - Lower Bound		<10	<10	4	<10	97
Upper Bound		20	20	7	20	123
OXD43						
Target Range - Lower Bound						
Upper Bound						
OxG46						
OxG46						
Target Range - Lower Bound						
Upper Bound						
ST-259						
ST-259						
Target Range - Lower Bound						
Upper Bound						
ST-327						
Target Range - Lower Bound						
Upper Bound						

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06098505

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.2	0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK																
BLANK																
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20
PREP BLANKS																
PREP BLANK			<0.2	2.06	8	<10	80	<0.5	2	0.86	<0.5	11	107	36	3.01	10
DUPLICATES																
ORIGINAL		0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

omments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06098505

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	0.01	<1	<10	<2	0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK			<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01														
BLANK		<0.01														
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02
PREP BLANKS																
PREP BLANK		0.04	0.25	<10	1.91	775	1	0.10	73	540	13	0.12	<2	6	39	0.14
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		0.40														
DUP		0.60														
Target Range - Lower Bound		0.46														
Upper Bound		0.55														
ORIGINAL		0.05														
DUP		0.06														
Target Range - Lower Bound		0.03														
Upper Bound		0.08														

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06098505

imple Description	Method Analyte Units LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
				BLANKS		
BLANK						
BLANK						
BLANK						
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4
				PREP BLANKS		
PREP BLANK		<10	<10	60	<10	73
				DUPLICATES		
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06098505

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
B628711			0.4	1.24	794	<10	160	<0.5	2	0.21	<0.5	4	20	16	2.30	<10
DUP			0.4	1.29	815	<10	160	<0.5	2	0.22	<0.5	4	21	16	2.38	<10
Target Range - Lower Bound			<0.2	1.18	760	<10	130	<0.5	<2	0.18	<0.5	2	17	13	2.20	<10
Upper Bound			0.8	1.35	849	20	190	1.0	4	0.25	1.0	6	24	19	2.48	20
B629167		0.009														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B629183			<0.2	1.56	84	<10	160	0.5	<2	0.21	<0.5	6	25	15	2.37	10
DUP			<0.2	1.53	83	<10	160	0.5	<2	0.21	<0.5	5	25	15	2.35	10
Target Range - Lower Bound			<0.2	1.45	75	<10	130	<0.5	<2	0.18	<0.5	3	22	12	2.22	<10
Upper Bound			0.4	1.64	92	20	190	1.0	4	0.24	1.0	8	28	18	2.50	20
C083257		0.020														
DUP		0.010														
Target Range - Lower Bound		<0.005														
Upper Bound		0.026														
C083268			<0.2	1.67	270	<10	240	0.7	<2	0.45	<0.5	8	31	5	2.33	10
DUP			<0.2	1.64	272	<10	240	0.7	<2	0.46	<0.5	8	30	5	2.31	<10
Target Range - Lower Bound			<0.2	1.55	253	<10	200	<0.5	<2	0.41	<0.5	6	27	3	2.18	<10
Upper Bound			0.4	1.76	289	20	280	1.0	4	0.50	1.0	10	34	7	2.46	20
C083295		0.019														
DUP		0.008														
Target Range - Lower Bound		<0.005														
Upper Bound		0.024														
C083303			0.2	1.61	628	<10	200	0.9	<2	0.44	0.5	7	28	11	2.55	10
DUP			0.2	1.58	645	<10	210	0.9	<2	0.43	<0.5	7	29	11	2.60	10
Target Range - Lower Bound			<0.2	1.50	601	<10	170	<0.5	<2	0.39	<0.5	5	25	8	2.43	<10
Upper Bound			0.4	1.69	672	20	240	1.0	4	0.48	1.0	9	32	14	2.72	20
ORIGINAL		0.128														
DUP		0.121														
Target Range - Lower Bound		0.108														
Upper Bound		0.141														

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06098505

ample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
DUPLICATES																
B628711		0.05	0.05	20	0.36	244	2	0.01	17	640	84	0.02	10	2	20	0.03
DUP		0.05	0.06	20	0.37	248	2	0.01	17	650	90	0.02	11	2	21	0.04
Target Range - Lower Bound		0.03	0.03	<10	0.33	224	<1	<0.01	14	590	79	<0.01	6	<1	17	<0.01
Upper Bound		0.07	0.08	40	0.40	268	4	0.02	20	700	95	0.04	15	4	24	0.06
B629167																
DUP																
Target Range - Lower Bound																
Upper Bound																
B629183		0.03	0.06	20	0.47	212	2	0.01	20	580	12	0.01	<2	3	19	0.07
DUP		0.03	0.06	20	0.47	210	2	0.01	19	590	10	0.01	<2	3	18	0.07
Target Range - Lower Bound		<0.01	0.04	<10	0.43	190	<1	<0.01	17	540	6	<0.01	<2	<1	16	0.05
Upper Bound		0.05	0.08	40	0.51	232	4	0.02	22	630	16	0.02	4	5	21	0.09
C083257																
DUP																
Target Range - Lower Bound																
Upper Bound																
C083268		0.03	0.13	40	0.64	366	2	<0.01	23	860	7	0.01	<2	5	33	0.13
DUP		0.03	0.13	40	0.64	353	2	0.01	21	870	9	0.01	<2	5	33	0.13
Target Range - Lower Bound		<0.01	0.10	20	0.59	332	<1	<0.01	19	800	4	<0.01	<2	3	29	0.10
Upper Bound		0.05	0.16	60	0.69	387	4	0.02	25	930	12	0.02	4	7	37	0.16
C083295																
DUP																
Target Range - Lower Bound																
Upper Bound																
C083303		0.04	0.13	40	0.50	363	5	<0.01	22	850	15	0.02	<2	5	35	0.07
DUP		0.04	0.14	40	0.51	367	5	<0.01	21	820	14	0.02	<2	5	35	0.07
Target Range - Lower Bound		0.02	0.11	20	0.46	337	3	<0.01	18	770	10	<0.01	<2	3	31	0.05
Upper Bound		0.06	0.16	60	0.55	393	7	0.02	25	900	19	0.04	4	7	39	0.09
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06098505

ample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
				DUPLICATES		
B628711		<10	<10	35	10	102
DUP		<10	<10	36	10	104
Target Range - Lower Bound		<10	<10	32	<10	94
Upper Bound		20	20	39	20	112
B629167						
DUP						
Target Range - Lower Bound						
Upper Bound						
B629183		<10	<10	46	20	58
DUP		<10	<10	46	30	57
Target Range - Lower Bound		<10	<10	42	<10	51
Upper Bound		20	20	50	50	64
C083257						
DUP						
Target Range - Lower Bound						
Upper Bound						
C083268		<10	10	38	80	70
DUP		<10	10	38	80	69
Target Range - Lower Bound		<10	<10	34	50	62
Upper Bound		20	20	42	110	77
C083295						
DUP						
Target Range - Lower Bound						
Upper Bound						
C083303		<10	10	38	60	73
DUP		<10	10	38	60	74
Target Range - Lower Bound		<10	<10	34	40	66
Upper Bound		20	20	42	80	81
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06098505

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
DUPLICATES																
ORIGINAL		0.008														
DUP		0.007														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL			<0.2	2.06	8	<10	80	<0.5	2	0.86	<0.5	11	107	36	3.01	10
DUP			<0.2	2.07	5	<10	80	<0.5	<2	0.89	<0.5	13	111	35	3.04	10
Target Range - Lower Bound			<0.2	1.94	<2	<10	50	<0.5	<2	0.81	<0.5	9	102	32	2.85	<10
Upper Bound			0.4	2.19	11	20	110	1.0	4	0.94	1.0	15	116	39	3.20	20

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06098505

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
DUPLICATES																
ORIGINAL			0.25	<10	1.91	775	1	0.10	73	540	13	0.12	<2	6	39	0.14
DUP			0.25	<10	1.95	789	1	0.11	75	540	12	0.12	2	6	39	0.15
Target Range - Lower Bound			0.22	<10	1.81	733	<1	0.08	68	490	8	0.09	<2	4	35	0.12
Upper Bound			0.28	20	2.05	831	2	0.13	80	590	17	0.15	4	8	43	0.17

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06098505

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
DUPLICATES						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL		<10	<10	60	<10	73
DUP		<10	<10	61	<10	75
Target Range - Lower Bound		<10	<10	55	<10	66
Upper Bound		20	20	66	20	82

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-OCT-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06098508

Project: Dublin Gulch1735

P.O. No.:

This report is for 73 Rock samples submitted to our lab in Vancouver, BC, Canada on 11-SEP-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Pb-AA62	Ore grade Pb - four acid / AAS	AAS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06098508

Sample Description	Method	Au-AA24	Au-AA24	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au Check	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
STANDARDS																
BM-9/A					14.4	3.49	21	200	0.9	109	0.21	25.1	96	334	5370	4.16
BM-9/A					13.3	3.46	30	210	0.9	116	0.22	25.4	95	356	5030	4.11
Target Range - Lower Bound					11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73
Upper Bound					15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59
G2000					3.5	4.79	443	2270	1.3	<2	0.56	6.5	22	97	293	3.69
G2000					3.4	4.97	472	2350	1.3	2	0.59	6.2	23	105	292	3.72
G2000					4.1	5.33	511	2490	1.4	2	0.63	7.1	27	105	315	4.02
Target Range - Lower Bound					2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41
Upper Bound					4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19
GBM398-4c																
Target Range - Lower Bound																
Upper Bound																
GBM399-5																
Target Range - Lower Bound																
Upper Bound																
GBM999-5					59.4	4.50	<5	170	1.2	3	0.09	<0.5	3	5	444	2.81
Target Range - Lower Bound					53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	428	2.67
Upper Bound					65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	526	3.29
OxG46		1.020														
OxG46		1.060														
OxG46		1.005														
OxG46		1.040														
OxG46		1.040	1.040													
OxG46		1.025														
OxG46		1.055	1.055	1.055												
Target Range - Lower Bound		0.959	0.959	0.959												
Upper Bound		1.115	1.115	1.115												
ST-259		2.40														
ST-259		2.37														
ST-259		2.32														
ST-259		2.49														
ST-259		2.38	2.38													
ST-259		2.45														
ST-259		2.41	2.41	2.41												
Target Range - Lower Bound		2.30	2.30	2.30												
Upper Bound		2.66	2.66	2.66												

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06098508

ample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS																
BM-9/A		0.12	0.76	587	3	0.44	345	110	6390	1.32	10	88	0.08	22	<10	8280
BM-9/A		0.11	0.77	624	4	0.46	351	90	6340	1.37	8	87	0.08	21	<10	8080
Target Range - Lower Bound		0.10	0.72	561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		0.14	0.90	697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		1.18	0.70	524	5	0.13	260	940	657	0.26	33	112	0.33	95	10	1245
G2000		1.25	0.73	552	6	0.14	275	960	674	0.26	33	116	0.35	101	20	1290
G2000		1.34	0.79	587	7	0.15	292	1030	718	0.29	38	127	0.37	108	20	1415
Target Range - Lower Bound		1.14	0.67	506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160
Upper Bound		1.41	0.85	630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420
GBM398-4c																
Target Range - Lower Bound																
Upper Bound																
GBM399-5																
Target Range - Lower Bound																
Upper Bound																
GBM999-5		3.33	0.03	61	4	0.92	5	40	519	0.28	<5	20	0.02	7	<10	112
Target Range - Lower Bound		3.10	0.03	54	3	0.85	2	40	486	0.26	<5	16	<0.01	5	<10	102
Upper Bound		3.81	0.05	78	5	1.07	5	70	598	0.34	10	22	0.03	9	20	129
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06098508

ample Description	Method Analyte Units LOR	Pb-AA62 Pb % 0.01
		STANDARDS
BM-9/A		
BM-9/A		
Target Range - Lower Bound		
Upper Bound		
G2000		
G2000		
G2000		
Target Range - Lower Bound		
Upper Bound		
GBM398-4c		1.20
Target Range - Lower Bound		1.12
Upper Bound		1.22
GBM399-5		2.18
Target Range - Lower Bound		2.03
Upper Bound		2.20
GBM999-5		
Target Range - Lower Bound		
Upper Bound		
OxG46		
OxG46		
OxG46		
OxG46		
OxG46		
OxG46		
OxG46		
Target Range - Lower Bound		
Upper Bound		
ST-259		
ST-259		
ST-259		
ST-259		
ST-259		
ST-259		
ST-259		
Target Range - Lower Bound		
Upper Bound		

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06098508

Sample Description	Method	Au-AA24	Au-AA24	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au Check	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
BLANKS																
BLANK					<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	1	<0.01
BLANK					0.5	<0.01	<5	<10	<0.5	2	<0.01	<0.5	<1	1	<1	0.01
BLANK					<0.5	<0.01	5	<10	<0.5	2	<0.01	<0.5	<1	<1	<1	<0.01
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK																
BLANK		<0.005	<0.005													
BLANK		<0.005														
BLANK		<0.005	<0.005	<0.005												
Target Range - Lower Bound		<0.005	<0.005	<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01
Upper Bound		0.010	0.010	0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02
DUPLICATES																
ORIGINAL		0.054														
DUP		0.051														
Target Range - Lower Bound		0.040														
Upper Bound		0.065														
ORIGINAL		0.021														
DUP		0.037														
Target Range - Lower Bound		0.018														
Upper Bound		0.040														
ORIGINAL		0.007														
DUP		0.007	0.007													
Target Range - Lower Bound		<0.005	<0.005													
Upper Bound		0.010	0.010													
ORIGINAL		0.026														
DUP		0.024	0.024													
Target Range - Lower Bound		0.014	0.013													
Upper Bound		0.036	0.035													

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06098508

ample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
BLANKS																
BLANK		<0.01	<0.01	<5	1	<0.01	<1	10	3	<0.01	<5	<1	<0.01	1	<10	<2
BLANK		<0.01	<0.01	<5	1	<0.01	<1	<10	2	<0.01	<5	1	<0.01	<1	<10	2
BLANK		<0.01	<0.01	<5	1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06098508

Sample Description	Method / Analyte / Units / LOR	Pb-AA62 / Pb / % / 0.01
		BLANKS
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		<0.01
BLANK		
BLANK		
BLANK		
Target Range - Lower Bound		<0.01
Upper Bound		0.02
		DUPLICATES
ORIGINAL		
DUP		
Target Range - Lower Bound		
Upper Bound		
ORIGINAL		
DUP		
Target Range - Lower Bound		
Upper Bound		
ORIGINAL		
DUP		
Target Range - Lower Bound		
Upper Bound		
ORIGINAL		
DUP		
Target Range - Lower Bound		
Upper Bound		

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06098508

Sample Description	Method	Au-AA24	Au-AA24	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au Check	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
DUPLICATES																
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		0.015														
DUP		0.014	0.014	0.014												
Target Range - Lower Bound		<0.005	<0.005	<0.005												
Upper Bound		0.025	0.025	0.025												
ORIGINAL		<0.005														
DUP		0.006	0.006	0.006												
Target Range - Lower Bound		<0.005	<0.005	<0.005												
Upper Bound		0.010	0.010	0.010												
ORIGINAL		0.005														
DUP		<0.005	<0.005	<0.005												
Target Range - Lower Bound		<0.005	<0.005	<0.005												
Upper Bound		0.010	0.010	0.010												
ORIGINAL					1.3	5.51	18	1470	1.8	<2	0.53	0.5	8	72	31	2.87
DUP					1.2	5.58	7	1500	1.8	<2	0.53	<0.5	9	75	32	2.95
Target Range - Lower Bound					<0.5	5.25	<5	1390	0.7	<2	0.48	<0.5	6	68	28	2.74
Upper Bound					2.3	5.84	23	1580	2.9	4	0.58	1.0	11	79	35	3.08
B630192					0.5	7.66	26	670	1.9	<2	0.51	<0.5	20	119	67	6.08
DUP					<0.5	7.49	30	640	1.8	<2	0.50	<0.5	18	114	63	5.78
Target Range - Lower Bound					<0.5	7.18	17	600	0.8	<2	0.46	<0.5	16	109	60	5.61
Upper Bound					1.0	7.97	39	710	2.9	4	0.55	1.0	22	124	70	6.25
B630200		0.007														
DUP		0.021														
Target Range - Lower Bound		<0.005														
Upper Bound		0.025														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06098508

ample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		2.42	0.54	355	2	0.42	29	660	14	0.03	5	65	0.29	135	<10	129
DUP		2.47	0.56	361	2	0.44	34	660	11	0.03	<5	68	0.29	139	<10	129
Target Range - Lower Bound		2.30	0.50	330	<1	0.39	28	610	8	<0.01	<5	61	0.26	128	<10	119
Upper Bound		2.59	0.60	386	4	0.47	35	710	17	0.05	10	72	0.32	146	20	139
B630192		3.27	1.99	931	1	0.78	61	710	22	0.07	<5	93	0.38	134	<10	134
DUP		3.05	1.91	889	2	0.74	63	680	21	0.07	7	90	0.34	125	<10	126
Target Range - Lower Bound		2.98	1.83	855	<1	0.70	57	640	16	0.05	<5	85	0.32	121	<10	120
Upper Bound		3.34	2.07	966	2	0.82	67	750	27	0.09	10	98	0.40	138	20	141
B630200																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06098508

ample Description	Method / Analyte / Units / LOR	Pb-AA62 / Pb / % / 0.01
		DUPLICATES
ORIGINAL		
DUP		
Target Range - Lower Bound		
Upper Bound		
ORIGINAL		1.43
DUP		1.45
Target Range - Lower Bound		1.38
Upper Bound		1.50
ORIGINAL		
DUP		
Target Range - Lower Bound		
Upper Bound		
ORIGINAL		
DUP		
Target Range - Lower Bound		
Upper Bound		
ORIGINAL		
DUP		
Target Range - Lower Bound		
Upper Bound		
ORIGINAL		
DUP		
Target Range - Lower Bound		
Upper Bound		
B630192		
DUP		
Target Range - Lower Bound		
Upper Bound		
B630200		
DUP		
Target Range - Lower Bound		
Upper Bound		

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06098508

ample Description	Method	Au-AA24	Au-AA24	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au Check	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
DUPLICATES																
C082920		0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C082928					<0.5	6.12	28	440	1.5	<2	0.92	<0.5	17	84	45	4.48
DUP					<0.5	5.92	17	440	1.4	<2	0.92	<0.5	16	88	44	4.48
Target Range - Lower Bound					<0.5	5.70	11	400	<0.5	<2	0.85	<0.5	14	80	40	4.24
Upper Bound					1.0	6.34	34	480	2.5	4	0.99	1.0	19	92	49	4.72

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06098508

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES																
C082920																
DUP																
Target Range - Lower Bound																
Upper Bound																
C082928		1.92	1.45	627	1	0.02	40	480	7	0.10	18	86	0.28	96	<10	119
DUP		1.89	1.43	624	1	0.02	41	460	10	0.10	18	83	0.27	96	10	118
Target Range - Lower Bound		1.79	1.35	584	<1	<0.01	36	430	4	0.08	7	78	0.24	89	<10	109
Upper Bound		2.02	1.53	667	2	0.04	45	510	13	0.13	29	91	0.31	103	20	128

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06098508

	Method	Pb-AA62
	Analyte	Pb
mple Description	Units	%
	LOR	0.01
		DUPLICATES
:082920		
)UP		
arget Range - Lower Bound		
Upper Bound		
:082928		
)UP		
arget Range - Lower Bound		
Upper Bound		

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-OCT-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06101572

Project: Dublin Gulch1735

P.O. No.:

This report is for 1 Drill Core sample submitted to our lab in Vancouver, BC, Canada on 10-OCT-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06101572

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
G2000			3.3	4.99	473	2320	1.3	<2	0.58	6.8	23	101	291	3.81	1.24	0.75
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
GBM999-5			54.1	4.52	<5	160	1.1	<2	0.09	<0.5	3	5	437	2.94	3.07	0.03
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	428	2.67	3.10	0.03
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	526	3.29	3.81	0.05
OxG46		1.060														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.39														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
BLANKS																
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL		0.365														
DUP		0.489														
Target Range - Lower Bound		0.396														
Upper Bound		0.458														
ORIGINAL			0.7	4.97	33	570	1.5	<2	0.11	<0.5	6	60	10	2.28	3.70	0.62
DUP			0.9	4.73	36	550	1.5	<2	0.11	<0.5	6	52	12	2.19	3.68	0.59
Target Range - Lower Bound			<0.5	4.59	23	510	<0.5	<2	0.08	<0.5	4	51	8	2.10	3.49	0.55
Upper Bound			1.0	5.11	46	610	2.6	4	0.14	1.0	8	61	14	2.37	3.89	0.66

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06101572

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS														
G2000		548	5	0.13	272	940	648	0.27	33	115	0.35	102	10	1290
Target Range - Lower Bound		506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160
Upper Bound		630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420
GBM999-5		66	3	0.89	4	60	513	0.29	<5	18	0.02	7	<10	108
Target Range - Lower Bound		54	3	0.85	2	40	486	0.26	<5	16	<0.01	5	<10	102
Upper Bound		78	5	1.07	5	70	598	0.34	10	22	0.03	9	20	129
OxG46														
Target Range - Lower Bound														
Upper Bound														
ST-259														
Target Range - Lower Bound														
Upper Bound														
BLANKS														
BLANK														
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		2730	4	0.04	5	320	11	0.35	17	76	0.23	48	<10	73
DUP		2610	4	0.04	3	330	17	0.35	17	72	0.24	50	<10	80
Target Range - Lower Bound		2530	2	0.02	2	290	9	0.31	6	68	0.20	45	<10	69
Upper Bound		2810	6	0.06	6	360	19	0.39	28	80	0.27	53	20	84

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-NOV-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06104457

Project: Dublin Gulch1735

P.O. No.:

This report is for 2 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 14-OCT-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06104457

Sample Description	Method	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
STANDARDS																
G2000				3.9	5.30	481	2430	1.3	<2	0.62	7.0	24	103	299	3.97	1.28
Target Range - Lower Bound				2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14
Upper Bound				4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41
GBM302-10																
Target Range - Lower Bound																
Upper Bound																
GBM399-5																
Target Range - Lower Bound																
Upper Bound																
GBM999-5				66.5	5.02	<5	180	1.3	<2	0.10	<0.5	3	6	479	3.11	3.62
Target Range - Lower Bound				53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	428	2.67	3.10
Upper Bound				65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	526	3.29	3.81
OxG46		1.065														
OxG46		0.974														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.740														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
SQ27			49.7													
Target Range - Lower Bound			46.8													
Upper Bound			54.0													
ST-259		2.54														
ST-259		2.41														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327			6.81													
Target Range - Lower Bound			6.30													
Upper Bound			7.36													

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06104457

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Ag
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	1
STANDARDS																
G2000		0.75	575	5	0.13	290	1030	711	0.27	34	122	0.36	103	20	1330	
Target Range - Lower Bound		0.67	506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160	
Upper Bound		0.85	630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420	
GBM302-10																75
Target Range - Lower Bound																73
Upper Bound																81
GBM399-5																24
Target Range - Lower Bound																22
Upper Bound																26
GBM999-5		0.04	68	4	0.99	5	50	552	0.30	8	22	0.02	7	<10	124	
Target Range - Lower Bound		0.03	54	3	0.85	2	40	486	0.26	<5	16	<0.01	5	<10	102	
Upper Bound		0.05	78	5	1.07	5	70	598	0.34	10	22	0.03	9	20	129	
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
SI15																
Target Range - Lower Bound																
Upper Bound																
SQ27																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06104457

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
BLANKS																
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK		<0.005														
BLANK																
BLANK		<0.005														
BLANK			<0.05													
Target Range - Lower Bound		<0.005	<0.05	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
Upper Bound		0.010	0.10	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02
DUPLICATES																
ORIGINAL				3.9	5.28	2180	400	1.2	<2	1.65	1.5	14	123	94	4.47	2.12
DUP				3.5	5.22	2180	350	1.1	<2	1.63	1.2	13	124	103	4.42	2.10
Target Range - Lower Bound				2.5	4.97	2060	340	<0.5	<2	1.54	<0.5	11	115	92	4.20	1.98
Upper Bound				4.9	5.53	2300	410	2.2	4	1.74	2.4	16	132	105	4.69	2.24
ORIGINAL		0.051														
DUP		0.053														
Target Range - Lower Bound		0.039														
Upper Bound		0.065														
ORIGINAL		0.174														
DUP		0.163														
Target Range - Lower Bound		0.150														
Upper Bound		0.187														
ORIGINAL		0.010														
DUP		0.009														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B627731																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL			0.19													
DUP			0.15													
Target Range - Lower Bound			0.06													
Upper Bound			0.28													

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06104457

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Ag-AA62 Ag ppm 1
BLANKS																
BLANK		<0.01	<5	<1	<0.01	<1	<10	2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK																
BLANK																<1
BLANK																
BLANK																
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	<1
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4	2
DUPLICATES																
ORIGINAL		0.75	236	9	0.02	69	1650	10	3.66	196	69	0.48	127	20	250	
DUP		0.74	234	9	0.02	68	1630	12	3.61	196	68	0.47	125	20	245	
Target Range - Lower Bound		0.69	213	7	<0.01	63	1540	6	3.43	176	63	0.43	118	<10	231	
Upper Bound		0.80	257	11	0.04	74	1740	16	3.84	216	74	0.52	134	40	264	
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B627731																124
DUP																129
Target Range - Lower Bound																121
Upper Bound																132
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 16-NOV-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06105243

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 90 Rock samples submitted to our lab in Vancouver, BC, Canada on 17-OCT-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105243

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
STANDARDS																
G2000				4.5	4.96	470	2310	1.3	5	0.56	7.3	24	98	298	3.78	1.19
G2000				3.2	4.91	464	2300	1.3	<2	0.56	7.1	23	94	292	3.69	1.24
G2000				3.1	4.90	460	2310	1.3	<2	0.56	7.2	24	96	291	3.70	1.22
G2000				3.4	5.18	476	2410	1.3	5	0.62	6.7	22	101	307	3.92	1.27
Target Range - Lower Bound				2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14
Upper Bound				4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41
GBM999-5				60.4	4.61	11	170	1.4	4	0.09	<0.5	4	6	448	2.90	3.27
GBM999-5				54.6	4.65	<5	170	1.2	<2	0.09	<0.5	2	4	472	2.88	3.54
Target Range - Lower Bound				53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	428	2.67	3.10
Upper Bound				65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	526	3.29	3.81
OXD43		0.422														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.100														
OxG46		1.000														
OxG46		1.060														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.64														
ST-259		2.48														
ST-259		2.48														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.42														
ST-327			6.86													
Target Range - Lower Bound		6.35	6.30													
Upper Bound		7.31	7.36													
BLANKS																
BLANK				<0.5	<0.01	<5	<10	<0.5	2	<0.01	0.5	1	<1	<1	<0.01	<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK		0.010														
BLANK		0.005														
BLANK				<0.5	<0.01	<5	<10	<0.5	2	<0.01	0.6	1	1	<1	<0.01	<0.01
BLANK		<0.005														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105243

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS															
G2000		0.74	563	6	0.12	272	1000	695	0.27	39	117	0.34	102	20	1280
G2000		0.73	536	6	0.13	264	960	646	0.25	31	113	0.34	100	20	1240
G2000		0.73	549	6	0.13	268	930	641	0.25	27	114	0.33	98	10	1270
G2000		0.76	559	6	0.14	281	970	662	0.28	37	121	0.36	102	20	1230
Target Range - Lower Bound		0.67	506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160
Upper Bound		0.85	630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420
GBM999-5		0.03	68	4	0.95	2	60	524	0.29	6	22	0.02	7	10	103
GBM999-5		0.03	67	4	0.92	5	50	535	0.29	5	21	0.02	6	<10	121
Target Range - Lower Bound		0.03	54	3	0.85	2	40	486	0.26	<5	16	<0.01	5	<10	102
Upper Bound		0.05	78	5	1.07	5	70	598	0.34	10	22	0.03	9	20	129
OXD43															
Target Range - Lower Bound															
Upper Bound															
OxG46															
OxG46															
OxG46															
Target Range - Lower Bound															
Upper Bound															
ST-259															
ST-259															
ST-259															
Target Range - Lower Bound															
Upper Bound															
ST-327															
ST-327															
Target Range - Lower Bound															
Upper Bound															
BLANKS															
BLANK		<0.01	<5	1	<0.01	<1	<10	2	<0.01	<5	1	<0.01	1	<10	<2
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK															
BLANK															
BLANK		<0.01	<5	2	<0.01	<1	<10	3	<0.01	6	1	<0.01	<1	<10	2
BLANK															

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105243

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
BLANKS																
BLANK		<0.005														
BLANK			<0.05													
Target Range - Lower Bound		<0.005	<0.05	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
Upper Bound		0.010	0.10	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02
DUPLICATES																
ORIGINAL				4.3	7.33	44	1470	1.9	<2	2.43	1.9	5	23	8	2.29	3.77
DUP				5.0	7.51	37	1470	1.9	<2	2.41	1.4	6	21	7	2.27	3.70
Target Range - Lower Bound				3.4	7.03	28	1380	0.8	<2	2.28	0.6	3	19	5	2.15	3.53
Upper Bound				5.9	7.81	53	1560	3.0	4	2.56	2.7	8	25	10	2.41	3.94
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.006														
DUP		0.006														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.193														
DUP		0.198														
Target Range - Lower Bound		0.176														
Upper Bound		0.215														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105243

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
BLANKS															
BLANK															
BLANK															
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES															
ORIGINAL		1.11	1455	<1	0.77	12	500	45	0.03	75	145	0.22	46	<10	374
DUP		1.12	1440	<1	0.76	11	480	38	0.03	76	144	0.22	45	<10	374
Target Range - Lower Bound		1.04	1365	<1	0.71	9	450	35	<0.01	62	135	0.19	41	<10	351
Upper Bound		1.19	1530	2	0.82	14	530	48	0.05	89	154	0.25	50	20	397
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105243

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
DUPLICATES																
ORIGINAL		0.855														
DUP		0.932														
Target Range - Lower Bound		0.839														
Upper Bound		0.948														
ORIGINAL		0.519														
DUP		0.470														
Target Range - Lower Bound		0.460														
Upper Bound		0.529														
B629546				<0.5	7.42	91	1930	2.8	<2	1.30	<0.5	5	27	4	2.00	4.10
DUP				<0.5	7.58	77	1980	2.9	<2	1.33	<0.5	7	25	3	2.03	4.14
Target Range - Lower Bound				<0.5	7.11	70	1840	1.7	<2	1.23	<0.5	4	23	<1	1.89	3.89
Upper Bound				1.0	7.90	98	2070	4.0	4	1.40	1.0	8	29	6	2.14	4.35
B629601		0.005														
DUP		0.006														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B629621		0.009														
DUP		0.009														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B629632				<0.5	6.74	64	1430	1.7	<2	0.33	<0.5	3	25	1	1.45	1.80
DUP				<0.5	7.44	65	1480	1.8	<2	0.36	<0.5	2	25	1	1.56	1.87
Target Range - Lower Bound				<0.5	6.72	51	1360	0.7	<2	0.31	<0.5	<1	22	<1	1.41	1.72
Upper Bound				1.0	7.46	78	1550	2.8	4	0.38	1.0	5	28	2	1.60	1.95
B629641		0.034														
DUP		0.035														
Target Range - Lower Bound		0.023														
Upper Bound		0.046														
ORIGINAL			0.23													
DUP			0.21													
Target Range - Lower Bound			0.11													
Upper Bound			0.33													

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105243

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
B629546		0.46	331	3	1.73	19	630	20	<0.01	<5	550	0.30	37	370	60
DUP		0.46	336	3	1.77	21	630	20	<0.01	<5	566	0.31	37	390	61
Target Range - Lower Bound		0.42	307	<1	1.64	17	580	15	<0.01	<5	528	0.27	33	340	53
Upper Bound		0.50	360	5	1.86	23	680	25	0.02	10	588	0.34	41	420	68
B629601															
DUP															
Target Range - Lower Bound															
Upper Bound															
B629621															
DUP															
Target Range - Lower Bound															
Upper Bound															
B629632		0.24	185	4	0.09	11	640	10	<0.01	<5	142	0.28	35	270	28
DUP		0.26	188	4	0.10	13	690	14	<0.01	<5	150	0.29	37	300	29
Target Range - Lower Bound		0.22	167	2	0.07	9	610	7	<0.01	<5	137	0.25	32	250	23
Upper Bound		0.28	206	6	0.12	15	720	17	0.02	10	155	0.32	40	320	34
B629641															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105243

Sample Description	Method	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
DUPLICATES																
ORIGINAL				>100	0.11	518	20	<0.5	120	0.37	17.0	12	31	>10000	1.96	0.02
DUP				>100	0.11	496	10	<0.5	119	0.37	16.6	14	26	>10000	1.95	0.03
Target Range - Lower Bound				94.0	0.08	472	<10	<0.5	110	0.33	15.0	10	25	9500	1.84	<0.01
Upper Bound				100.0	0.14	542	20	1.0	129	0.41	18.6	16	32	>10000	2.07	0.05

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105243

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES															
ORIGINAL		0.16	152	3	0.02	26	30	3230	1.31	2920	22	<0.01	4	<10	2310
DUP		0.16	149	3	0.02	28	20	3200	1.31	2900	22	<0.01	4	<10	2320
Target Range - Lower Bound		0.13	133	<1	<0.01	24	<10	3050	1.22	2750	19	<0.01	2	<10	2200
Upper Bound		0.19	168	5	0.04	30	50	3380	1.40	3070	25	0.02	6	20	2430

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06105725

Project: Dublin Gulch1735

P.O. No.:

This report is for 12 Rock samples submitted to our lab in Vancouver, BC, Canada on 25-SEP-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06105725

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
BM-9/A			13.7	3.52	15	210	0.9	112	0.21	25.8	98	363	5410	4.09	0.11	0.80
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			4.0	4.89	546	2440	1.3	<2	0.55	6.5	24	96	292	3.68	1.18	0.73
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
OxG46		1.020														
OxG46		1.045														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.755														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.31														
ST-259		2.42														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
BLANKS																
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	1	1	<0.01	<0.01	<0.01
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL		0.087														
DUP		0.082														
Target Range - Lower Bound		0.070														
Upper Bound		0.099														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06105725

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS														
BM-9/A		611	4	0.48	364	100	6450	1.41	5	90	0.08	22	<10	8240
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		545	6	0.13	281	970	652	0.26	28	113	0.34	102	10	1270
Target Range - Lower Bound		506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160
Upper Bound		630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														
SI15														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														
BLANKS														
BLANK														
BLANK		<5	1	<0.01	<1	<10	2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK														
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06105725

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
ORIGINAL			<0.5	0.96	5	100	<0.5	<2	1.94	<0.5	<1	77	4	0.86	0.40	0.64
DUP			<0.5	1.08	21	110	<0.5	<2	2.20	<0.5	<1	75	5	0.90	0.44	0.71
Target Range - Lower Bound			<0.5	0.95	<5	80	<0.5	<2	1.95	<0.5	<1	70	2	0.82	0.38	0.62
Upper Bound			1.0	1.09	24	130	1.0	4	2.19	1.0	2	82	7	0.94	0.46	0.73
B628717		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C083029		0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.198														
DUP		0.033														
Target Range - Lower Bound		0.100														
Upper Bound		0.131														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06105725

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
ORIGINAL		240	2	0.04	5	150	8	0.01	<5	45	0.03	6	<10	16
DUP		269	2	0.05	6	160	7	0.02	<5	49	0.03	7	<10	19
Target Range - Lower Bound		232	<1	0.02	3	130	3	<0.01	<5	43	<0.01	4	<10	13
Upper Bound		277	4	0.07	8	180	12	0.02	10	51	0.05	9	20	22
B628717														
DUP														
Target Range - Lower Bound														
Upper Bound														
C083029														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-NOV-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06105726

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 67 Soil samples submitted to our lab in Vancouver, BC, Canada on 25-SEP-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105726

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
STANDARDS																
BM-9/A			14.7	0.85	22	<10	90	0.9	124	0.17	27.8	105	206	5540	3.66	<10
BM-9/A			14.4	0.87	26	<10	90	0.9	126	0.17	28.6	99	204	5410	3.67	<10
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.8	1.82	489	10	920	1.0	<2	0.53	7.6	24	73	309	3.94	10
G2000			3.9	1.91	486	<10	970	1.0	<2	0.54	7.6	25	74	313	3.98	10
G2000			3.4	1.78	483	<10	880	1.0	<2	0.51	7.9	24	72	304	3.76	10
G2000			3.6	1.86	480	<10	950	1.0	<2	0.52	8.1	24	75	314	3.88	10
G2000			3.6	1.89	477	<10	930	1.0	2	0.48	6.8	24	72	305	3.85	10
G2000			3.7	1.95	496	<10	940	1.0	<2	0.49	7.1	23	73	303	3.89	10
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334	4.19	20
GBM999-5			59.0	0.20	8	<10	60	<0.5	<2	0.05	<0.5	3	5	482	2.94	<10
Target Range - Lower Bound			53.3	0.17	<2	<10	40	<0.5	<2	0.04	<0.5	2	4	436	2.56	<10
Upper Bound			65.5	0.23	4	20	70	1.0	4	0.07	1.0	4	7	536	3.15	20
OXD43		0.404														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.000														
OxG46		1.015														
OxG46		1.005														
OxG46		1.010														
OxG46		0.981														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.790														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.39														
ST-259		2.47														
ST-259		2.35														
ST-259		2.50														
ST-259		2.49														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.70														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

Comments: Additional Au-AA23 check values for sample B628777 are 0.051 ppm and 0.309 ppm.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105726

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
STANDARDS																
BM-9/A		0.40	0.02	10	0.40	654	4	0.39	371	90	6700	1.44	6	9	74	0.01
BM-9/A		0.39	0.02	10	0.45	648	4	0.45	360	100	6660	1.46	7	9	76	0.01
Target Range - Lower Bound		0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000		0.81	0.39	20	0.66	582	6	0.02	286	970	685	0.28	26	7	66	0.05
G2000		0.80	0.39	20	0.67	592	6	0.02	291	1000	715	0.29	28	7	69	0.05
G2000		0.70	0.42	20	0.70	554	6	0.04	274	970	657	0.26	28	8	65	0.05
G2000		0.75	0.44	20	0.72	567	6	0.04	283	1010	671	0.27	28	8	69	0.06
G2000		0.77	0.41	20	0.69	558	6	0.02	286	970	692	0.28	24	7	72	0.05
G2000		0.82	0.42	20	0.69	556	5	0.02	285	1000	682	0.27	26	7	73	0.06
Target Range - Lower Bound		0.70	0.37	<10	0.60	506	4	0.02	246	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.47	40	0.76	630	8	0.04	302	1050	739	0.31	31	9	76	0.07
GBM999-5		0.05	0.05	10	0.02	63	4	0.01	4	40	508	0.30	4	1	4	<0.01
Target Range - Lower Bound			0.04	<10	<0.01	49	2	<0.01	2	20	452	0.26	<2	<1	2	<0.01
Upper Bound			0.07	20	0.03	71	5	0.03	5	50	556	0.34	8	2	5	0.02
OXD43																
Target Range - Lower Bound																
Upper Bound																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
SI15																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
Target Range - Lower Bound																
Upper Bound																

Comments: Additional Au-AA23 check values for sample B628777 are 0.051 ppm and 0.309 ppm.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105726

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		STANDARDS				
BM-9/A		<10	<10	15	<10	8700
BM-9/A		<10	<10	16	<10	8540
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	68	10	1320
G2000		<10	<10	69	10	1310
G2000		<10	<10	68	10	1230
G2000		<10	<10	70	10	1280
G2000		<10	<10	68	10	1280
G2000		<10	<10	68	10	1260
Target Range - Lower Bound		<10	<10	59	<10	1145
Upper Bound		20	20	74	20	1400
GBM999-5		<10	<10	5	<10	110
Target Range - Lower Bound		<10	<10	4	<10	97
Upper Bound		20	20	7	20	123
OXD43						
Target Range - Lower Bound						
Upper Bound						
OxG46						
OxG46						
OxG46						
OxG46						
Target Range - Lower Bound						
Upper Bound						
SI15						
Target Range - Lower Bound						
Upper Bound						
ST-259						
ST-259						
ST-259						
ST-259						
ST-259						
Target Range - Lower Bound						
Upper Bound						
ST-327						
Target Range - Lower Bound						
Upper Bound						

Comments: Additional Au-AA23 check values for sample B628777 are 0.051 ppm and 0.309 ppm.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105726

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
BLANKS																
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	4	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	1	<0.01	<10
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20
DUPLICATES																
ORIGINAL			3.0	1.17	8	<10	270	8.9	4	1.98	2.0	7	76	96	3.99	10
DUP			2.9	1.16	4	<10	260	8.7	4	1.94	2.0	7	71	92	3.84	10
Target Range - Lower Bound			2.4	1.09	<2	<10	230	7.4	<2	1.84	0.9	5	68	87	3.70	<10
Upper Bound			3.5	1.24	10	20	300	10.2	8	2.08	3.1	9	79	101	4.13	20
ORIGINAL		0.015														
DUP		0.013														
Target Range - Lower Bound		<0.005														
Upper Bound		0.025														
ORIGINAL		0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.766														
DUP		0.708														
Target Range - Lower Bound		0.690														
Upper Bound		0.784														
ORIGINAL		0.509														
DUP		0.453														
Target Range - Lower Bound		0.447														
Upper Bound		0.515														

Comments: Additional Au-AA23 check values for sample B628777 are 0.051 ppm and 0.309 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105726

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
BLANKS																
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02
DUPLICATES																
ORIGINAL		0.01	0.41	10	0.50	1325	16	0.06	38	990	13	<0.01	6	4	82	0.09
DUP		0.01	0.41	10	0.48	1280	16	0.07	37	960	11	<0.01	7	4	81	0.09
Target Range - Lower Bound		<0.01	0.37	<10	0.45	1225	13	0.04	34	910	7	<0.01	<2	2	75	0.07
Upper Bound		0.02	0.45	20	0.53	1380	19	0.09	41	1040	17	0.02	11	6	88	0.11
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Additional Au-AA23 check values for sample B628777 are 0.051 ppm and 0.309 ppm.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

O: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105726

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
BLANKS						
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4
DUPLICATES						
ORIGINAL		<10	<10	49	1090	333
DUP		10	<10	47	1050	322
Target Range - Lower Bound		<10	<10	44	970	307
Upper Bound		20	20	52	1170	348
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: Additional Au-AA23 check values for sample B628777 are 0.051 ppm and 0.309 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105726

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
B628757			0.2	1.52	2840	<10	250	0.7	<2	0.31	0.8	9	25	20	3.18	10
DUP			<0.2	1.52	2810	<10	260	0.7	<2	0.31	0.9	9	25	20	3.22	10
Target Range - Lower Bound			<0.2	1.42	2680	<10	220	<0.5	<2	0.27	<0.5	7	22	17	3.02	<10
Upper Bound			0.4	1.62	2970	20	290	1.0	4	0.35	1.0	11	28	23	3.38	20
B628792			0.2	1.68	1115	<10	240	0.8	2	0.37	<0.5	15	22	11	2.53	<10
DUP			0.3	1.61	1135	<10	250	0.8	<2	0.38	0.6	14	22	11	2.59	<10
Target Range - Lower Bound			<0.2	1.54	1065	<10	210	<0.5	<2	0.34	<0.5	12	19	8	2.41	<10
Upper Bound			0.4	1.75	1185	20	280	1.0	4	0.41	1.0	17	25	14	2.71	20
B628807		0.005														
DUP		0.007														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B628827		0.006														
DUP		0.011														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

Comments: Additional Au-AA23 check values for sample B628777 are 0.051 ppm and 0.309 ppm.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

:STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105726

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
B628757		0.03	0.08	40	0.50	308	3	0.01	23	760	21	0.01	6	4	28	0.05
DUP		0.04	0.07	40	0.50	305	2	0.02	24	770	20	0.01	5	4	28	0.05
Target Range - Lower Bound		<0.01	0.05	20	0.46	281	<1	<0.01	20	710	15	<0.01	<2	2	25	0.03
Upper Bound		0.06	0.10	60	0.55	332	5	0.02	27	820	26	0.02	10	6	31	0.07
B628792		0.05	0.07	20	0.35	1480	2	<0.01	20	950	16	0.04	<2	2	34	0.04
DUP		0.05	0.07	20	0.35	1575	2	<0.01	18	890	21	0.04	2	2	33	0.04
Target Range - Lower Bound		0.03	0.05	<10	0.31	1440	<1	<0.01	16	850	14	0.02	<2	<1	30	0.02
Upper Bound		0.07	0.09	40	0.39	1615	4	0.02	22	990	23	0.06	4	4	37	0.06
B628807																
DUP																
Target Range - Lower Bound																
Upper Bound																
B628827																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Additional Au-AA23 check values for sample B628777 are 0.051 ppm and 0.309 ppm.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105726

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
				DUPLICATES		
B628757		<10	<10	45	20	117
DUP		<10	<10	44	20	117
Target Range - Lower Bound		<10	<10	40	<10	107
Upper Bound		20	20	49	40	127
B628792		<10	<10	28	10	81
DUP		<10	<10	27	10	82
Target Range - Lower Bound		<10	<10	24	<10	73
Upper Bound		20	20	31	20	90
B628807						
DUP						
Target Range - Lower Bound						
Upper Bound						
B628827						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: Additional Au-AA23 check values for sample B628777 are 0.051 ppm and 0.309 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-NOV-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06105727

Project: Dublin Gulch1735

P.O. No.:

This report is for 131 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 25-SEP-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06105727

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
BM-9/A			14.2	3.66	20	210	0.9	117	0.22	26.4	94	373	5160	4.33	0.12	0.81
BM-9/A			14.6	3.77	24	220	0.9	117	0.22	27.0	102	356	5390	4.38	0.12	0.83
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			3.4	5.15	470	2370	1.3	<2	0.60	7.0	24	99	302	3.87	1.26	0.76
G2000			3.7	5.20	493	2360	1.4	2	0.59	7.3	24	98	306	3.93	1.28	0.76
G2000			3.7	4.98	468	2280	1.3	<2	0.57	7.1	22	100	281	3.75	1.18	0.73
G2000			3.8	5.08	487	2410	1.3	<2	0.58	7.1	23	98	288	3.81	1.23	0.75
G2000			3.9	5.25	511	2490	1.4	<2	0.61	6.9	26	100	319	3.97	1.31	0.82
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
GBM999-5			58.0	4.59	<5	170	1.2	2	0.09	<0.5	2	4	467	2.80	3.58	0.03
GBM999-5			58.7	4.71	<5	180	1.2	<2	0.10	<0.5	2	5	457	2.99	3.43	0.03
GBM999-5			60.0	4.65	<5	170	1.2	<2	0.09	<0.5	3	5	471	2.89	3.54	0.04
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	428	2.67	3.10	0.03
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	526	3.29	3.81	0.05
OXD43		0.402														
OXD43		0.384														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.015														
OxG46		1.045														
OxG46		1.005														
OxG46		1.015														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.725														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.39														
ST-259		2.42														
ST-259		2.44														
ST-259		2.38														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		7.00														
ST-327		6.54														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06105727

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS														
BM-9/A		672	3	0.49	367	100	6600	1.33	6	89	0.09	21	<10	8280
BM-9/A		677	3	0.48	375	110	6670	1.43	5	94	0.09	22	<10	8070
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		578	5	0.16	282	990	686	0.26	35	117	0.36	106	20	1280
G2000		591	6	0.15	283	1000	687	0.26	36	118	0.36	107	20	1300
G2000		552	5	0.15	268	970	668	0.25	31	114	0.33	100	10	1240
G2000		572	5	0.14	275	1010	662	0.26	32	118	0.35	102	10	1250
G2000		606	5	0.13	290	1060	711	0.29	41	122	0.38	109	20	1330
Target Range - Lower Bound		506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160
Upper Bound		630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420
GBM999-5		63	4	0.95	4	60	516	0.28	7	19	0.02	6	<10	107
GBM999-5		67	4	0.96	3	60	555	0.29	5	19	0.02	5	<10	114
GBM999-5		65	4	0.95	<1	50	530	0.31	9	20	0.02	7	<10	113
Target Range - Lower Bound		54	3	0.85	2	40	486	0.26	<5	16	<0.01	5	<10	102
Upper Bound		78	5	1.07	5	70	598	0.34	10	22	0.03	9	20	129
OXD43														
OXD43														
Target Range - Lower Bound														
Upper Bound														
OxG46														
OxG46														
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														
SI15														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														
ST-327														
ST-327														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06105727

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
BLANKS																
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.017														
DUP		0.006														
Target Range - Lower Bound		<0.005														
Upper Bound		0.022														
ORIGINAL			<0.5	0.59	5	60	<0.5	<2	1.11	<0.5	<1	12	1	0.21	0.43	0.53
DUP			<0.5	0.59	5	60	<0.5	<2	1.10	<0.5	1	11	1	0.21	0.43	0.52
Target Range - Lower Bound			<0.5	0.54	<5	40	<0.5	<2	1.03	<0.5	<1	9	<1	0.18	0.39	0.48
Upper Bound			1.0	0.64	10	80	1.0	4	1.18	1.0	2	14	2	0.24	0.47	0.57

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06105727

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
BLANKS														
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK		<5	1	<0.01	<1	<10	4	<0.01	<5	1	<0.01	<1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		76	<1	0.01	3	150	4	0.01	<5	6	0.03	5	<10	5
DUP		81	<1	0.01	3	150	4	0.01	<5	7	0.03	5	<10	6
Target Range - Lower Bound		65	<1	<0.01	<1	120	<2	<0.01	<5	4	<0.01	3	<10	<2
Upper Bound		92	2	0.02	5	180	8	0.02	10	9	0.05	7	20	10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06105727

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
ORIGINAL		0.007														
DUP		0.006														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C080965			<0.5	7.92	7	690	2.0	<2	0.65	<0.5	11	72	19	3.39	2.93	0.95
DUP			<0.5	8.23	12	680	2.0	<2	0.66	<0.5	11	66	18	3.38	2.87	0.96
Target Range - Lower Bound			<0.5	7.65	<5	630	0.9	<2	0.60	<0.5	8	64	16	3.20	2.74	0.89
Upper Bound			1.0	8.50	10	740	3.1	4	0.71	1.0	14	74	21	3.57	3.07	1.02
C080966		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C080986		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C080991			<0.5	5.11	11	460	1.6	<2	2.13	<0.5	6	42	17	2.13	1.50	0.70
DUP			<0.5	5.25	9	470	1.7	<2	2.20	<0.5	6	42	17	2.19	1.50	0.71
Target Range - Lower Bound			<0.5	4.90	<5	420	0.6	<2	2.04	<0.5	4	38	14	2.03	1.41	0.65
Upper Bound			1.0	5.46	21	510	2.7	4	2.29	1.0	8	46	20	2.29	1.60	0.76
C083011			<0.5	4.36	<5	370	1.4	<2	0.62	<0.5	5	40	11	1.70	1.14	0.41
DUP			<0.5	4.29	<5	370	1.4	<2	0.62	<0.5	5	38	10	1.68	1.13	0.41
Target Range - Lower Bound			<0.5	4.09	<5	330	<0.5	<2	0.57	<0.5	3	35	8	1.59	1.06	0.37
Upper Bound			1.0	4.56	10	410	2.5	4	0.67	1.0	7	43	13	1.79	1.21	0.45
C083029		0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06105727

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
C080965		205	<1	1.03	29	400	8	0.21	<5	78	0.39	79	<10	73
DUP		207	<1	1.04	27	400	8	0.22	<5	79	0.38	77	<10	73
Target Range - Lower Bound		186	<1	0.96	25	360	4	0.18	<5	73	0.35	72	<10	65
Upper Bound		226	2	1.11	31	440	12	0.25	10	84	0.42	84	20	81
C080966														
DUP														
Target Range - Lower Bound														
Upper Bound														
C080986														
DUP														
Target Range - Lower Bound														
Upper Bound														
C080991		346	2	1.08	19	240	8	0.14	<5	271	0.22	46	1020	39
DUP		356	1	1.10	19	240	8	0.15	<5	279	0.22	46	970	39
Target Range - Lower Bound		323	<1	1.02	16	210	4	0.12	<5	259	0.19	42	930	33
Upper Bound		379	2	1.16	22	270	12	0.17	10	291	0.25	50	1060	45
C083011		255	1	1.28	12	120	11	<0.01	<5	206	0.20	32	<10	26
DUP		252	1	1.25	13	120	13	<0.01	<5	200	0.20	32	<10	26
Target Range - Lower Bound		231	<1	1.18	10	90	7	<0.01	<5	191	0.17	28	<10	21
Upper Bound		276	2	1.35	15	150	17	0.02	10	215	0.23	36	20	31
C083029														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06105727

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
C083047			<0.5	6.86	<5	630	2.0	<2	4.64	<0.5	13	56	33	3.89	2.80	0.91
DUP			<0.5	6.93	<5	630	1.9	<2	4.63	<0.5	12	51	31	3.89	2.62	0.91
Target Range - Lower Bound			<0.5	6.53	<5	580	0.9	<2	4.38	<0.5	10	49	28	3.68	2.55	0.84
Upper Bound			1.0	7.26	10	680	3.0	4	4.89	1.0	15	58	36	4.10	2.87	0.98
ORIGINAL		0.198														
DUP		0.033														
Target Range - Lower Bound		0.100														
Upper Bound		0.131														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06105727

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
C083047		534	<1	1.29	30	360	22	0.68	<5	177	0.29	58	20	84
DUP		538	<1	1.31	29	370	20	0.68	<5	184	0.27	55	20	79
Target Range - Lower Bound		499	<1	1.22	26	330	16	0.63	<5	169	0.25	52	<10	73
Upper Bound		573	2	1.39	33	400	26	0.73	10	192	0.31	61	40	90
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-NOV-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06105729

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 250 Soil samples submitted to our lab in Vancouver, BC, Canada on 25-SEP-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
STANDARDS																
BM-9/A			12.8	0.88	27	<10	90	0.8	106	0.17	24.6	96	188	5270	3.53	<10
BM-9/A			15.3	0.99	24	<10	100	0.9	124	0.15	28.3	103	213	5850	3.58	<10
BM-9/A			13.7	1.02	21	<10	90	0.8	110	0.17	26.5	102	200	5380	3.80	<10
BM-9/A																
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.1	1.88	482	<10	860	0.9	<2	0.52	6.4	23	66	289	3.78	10
G2000			3.2	1.86	475	<10	840	0.9	<2	0.50	6.0	22	66	285	3.67	10
G2000			3.9	1.85	496	<10	930	1.0	<2	0.46	7.1	25	75	312	3.62	10
G2000			4.1	1.91	502	<10	960	1.0	<2	0.47	7.5	24	74	317	3.69	10
G2000			3.5	1.88	493	<10	950	1.0	<2	0.46	7.2	24	73	314	3.61	10
G2000			3.3	2.01	500	<10	960	1.0	<2	0.47	7.4	25	76	322	3.72	10
G2000			3.6	1.99	496	<10	960	1.0	<2	0.47	7.3	24	74	314	3.63	10
G2000			3.3	1.97	489	<10	900	1.0	4	0.52	6.9	24	72	296	3.93	10
G2000			3.5	1.97	501	<10	920	1.0	4	0.53	7.1	24	73	300	3.98	10
G2000			3.3	1.79	459	<10	820	0.9	3	0.49	6.5	23	67	279	3.70	10
G2000			3.2	1.91	489	<10	880	1.0	3	0.51	6.7	24	71	293	3.86	10
G2000			4.1	1.82	465	<10	860	0.9	4	0.50	6.7	23	67	276	3.76	10
G2000			3.1	1.88	472	<10	850	0.9	4	0.50	6.6	23	69	282	3.78	10
G2000			3.3	2.03	504	<10	950	1.0	2	0.49	7.6	24	75	317	3.88	10
G2000			3.7	1.99	480	<10	910	1.0	3	0.49	7.3	24	72	309	3.80	10
G2000			3.2	1.82	481	<10	850	0.9	2	0.53	7.2	24	66	291	3.91	10
G2000			6.0	1.84	471	<10	810	0.9	<2	0.49	7.1	23	70	298	3.75	10
G2000			3.6	1.95	491	<10	920	1.0	<2	0.53	7.2	24	72	309	3.93	10
G2000																
G2000																
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334	4.19	20
GBM999-5			58.1	0.19	3	<10	60	<0.5	<2	0.05	<0.5	3	5	492	2.67	<10
GBM999-5			57.8	0.20	4	<10	60	<0.5	<2	0.05	<0.5	3	5	497	2.76	<10
GBM999-5			54.7	0.19	<2	<10	50	<0.5	2	0.05	<0.5	3	4	451	2.82	<10
GBM999-5			60.9	0.21	4	<10	60	<0.5	<2	0.05	<0.5	4	5	499	2.92	<10
Target Range - Lower Bound			53.3	0.17	<2	<10	40	<0.5	<2	0.04	<0.5	2	4	436	2.56	<10
Upper Bound			65.5	0.23	4	20	70	1.0	4	0.07	1.0	4	7	536	3.15	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

. STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
STANDARDS																
BM-9/A		0.43	0.02	10	0.41	618	3	0.38	365	80	6460	1.38	8	8	73	0.01
BM-9/A		0.45	0.02	10	0.42	664	4	0.40	374	100	6880	1.57	7	9	81	0.01
BM-9/A			0.02	10	0.43	649	3	0.42	360	90	6850	1.40	8	8	75	0.01
BM-9/A		0.42														
Target Range - Lower Bound		0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000		0.82	0.40	20	0.66	552	5	0.02	277	910	648	0.26	25	7	67	0.05
G2000		0.78	0.39	20	0.65	532	5	0.02	278	890	636	0.26	23	7	66	0.05
G2000		0.78	0.40	20	0.63	567	6	0.04	280	980	670	0.29	30	7	70	0.06
G2000		0.81	0.41	20	0.64	586	6	0.04	277	1020	673	0.29	26	8	72	0.06
G2000		0.75	0.40	20	0.63	586	6	0.03	282	980	683	0.29	30	7	71	0.06
G2000		0.81	0.42	20	0.65	592	6	0.04	287	1010	680	0.29	29	8	75	0.06
G2000		0.79	0.41	20	0.64	573	5	0.03	280	990	676	0.29	29	8	74	0.06
G2000		0.80	0.43	20	0.66	566	5	0.03	277	950	677	0.27	27	7	70	0.06
G2000			0.44	20	0.66	569	5	0.04	280	980	697	0.27	27	7	71	0.06
G2000		0.80	0.40	20	0.61	533	5	0.03	262	890	638	0.25	26	7	64	0.05
G2000		0.80	0.43	20	0.64	559	5	0.03	274	920	660	0.26	26	7	68	0.05
G2000		0.83	0.40	20	0.62	558	6	0.03	258	920	662	0.26	26	7	66	0.05
G2000		0.75	0.41	20	0.63	551	5	0.03	267	920	646	0.26	23	7	67	0.05
G2000		0.75	0.42	20	0.67	583	6	0.04	290	1000	703	0.30	30	8	72	0.06
G2000		0.75	0.41	20	0.66	562	6	0.04	280	990	695	0.29	28	7	70	0.05
G2000			0.41	20	0.68	554	5	0.03	268	950	630	0.27	26	7	68	0.05
G2000		0.84	0.41	20	0.66	557	6	0.03	275	950	678	0.27	22	7	67	0.05
G2000			0.42	20	0.69	574	6	0.03	284	980	694	0.29	23	7	71	0.05
G2000		0.72														
G2000		0.72														
Target Range - Lower Bound		0.70	0.37	<10	0.60	506	4	0.02	246	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.47	40	0.76	630	8	0.04	302	1050	739	0.31	31	9	76	0.07
GBM999-5		0.05	0.05	10	0.02	61	4	0.01	3	40	483	0.30	5	1	4	<0.01
GBM999-5		0.05	0.05	10	0.02	61	4	0.01	4	40	492	0.30	5	1	4	<0.01
GBM999-5		0.05	0.05	10	0.02	59	3	0.02	3	40	487	0.27	5	1	4	<0.01
GBM999-5		0.05	0.05	10	0.02	63	4	0.01	2	40	511	0.31	6	1	4	<0.01
Target Range - Lower Bound			0.04	<10	<0.01	49	2	<0.01	2	20	452	0.26	<2	<1	2	<0.01
Upper Bound			0.07	20	0.03	71	5	0.03	5	50	556	0.34	8	2	5	0.02

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
				STANDARDS		
BM-9/A		<10	<10	15	<10	8180
BM-9/A		<10	<10	16	<10	8680
BM-9/A		<10	<10	15	<10	8450
BM-9/A						
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	64	<10	1280
G2000		<10	<10	63	<10	1230
G2000		<10	<10	69	<10	1290
G2000		<10	<10	70	<10	1330
G2000		<10	<10	69	10	1300
G2000		<10	<10	71	10	1340
G2000		<10	<10	70	10	1300
G2000		<10	<10	68	10	1265
G2000		<10	<10	68	10	1290
G2000		<10	<10	63	10	1205
G2000		<10	<10	67	10	1265
G2000		<10	<10	63	10	1190
G2000		<10	<10	65	10	1225
G2000		<10	<10	69	<10	1355
G2000		<10	<10	67	<10	1345
G2000		<10	<10	66	<10	1260
G2000		<10	<10	66	<10	1230
G2000		<10	<10	69	<10	1270
G2000						
G2000						
Target Range - Lower Bound		<10	<10	59	<10	1145
Upper Bound		20	20	74	20	1400
GBM999-5		<10	<10	5	<10	109
GBM999-5		<10	<10	6	<10	111
GBM999-5		<10	<10	5	<10	101
GBM999-5		<10	<10	5	<10	113
Target Range - Lower Bound		<10	<10	4	<10	97
Upper Bound		20	20	7	20	123

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
STANDARDS																
OxG46		1.025														
OxG46		1.050														
OxG46		1.020														
OxG46		1.005														
OxG46		1.035														
OxG46		1.050														
OxG46		1.070														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.790														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.49														
ST-259		2.38														
ST-259		2.35														
ST-259		2.35														
ST-259		2.46														
ST-259		2.60														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
BLANKS																
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	0.01	<10
BLANK			<0.2	<0.01	2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<10
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
STANDARDS																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
SI15																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	1	<0.01
BLANK																
BLANK																
BLANK			<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK																
BLANK																
BLANK																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		STANDARDS				
OxG46						
OxG46						
OxG46						
OxG46						
OxG46						
OxG46						
Target Range - Lower Bound						
Upper Bound						
SI15						
Target Range - Lower Bound						
Upper Bound						
ST-259						
ST-259						
ST-259						
ST-259						
ST-259						
ST-259						
Target Range - Lower Bound						
Upper Bound						
		BLANKS				
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK						

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
BLANKS																
BLANK		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK		<0.005														
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20
DUPLICATES																
ORIGINAL		0.048														
DUP		0.047														
Target Range - Lower Bound		0.035														
Upper Bound		0.060														
ORIGINAL			<0.2	0.07	<2	<10	<10	<0.5	<2	0.02	<0.5	1	6	4	1.18	<10
DUP			<0.2	0.07	<2	<10	<10	<0.5	<2	0.03	<0.5	1	7	4	1.26	<10
Target Range - Lower Bound			<0.2	0.05	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	4	2	1.14	<10
Upper Bound			0.4	0.09	4	20	20	1.0	4	0.05	1.0	2	9	6	1.30	20
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL			0.4	0.71	1045	<10	30	<0.5	<2	0.90	<0.5	12	37	91	2.86	<10
DUP			0.3	0.70	999	<10	30	<0.5	<2	0.88	<0.5	12	35	89	2.87	<10
Target Range - Lower Bound			<0.2	0.65	967	<10	<10	<0.5	<2	0.83	<0.5	9	32	84	2.70	<10
Upper Bound			0.4	0.76	1075	20	50	1.0	4	0.95	1.0	15	40	97	3.03	20
ORIGINAL		0.021														
DUP		0.022														
Target Range - Lower Bound		0.010														
Upper Bound		0.033														
ORIGINAL		0.078														
DUP		0.071														
Target Range - Lower Bound		0.061														
Upper Bound		0.088														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
BLANKS																
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	2	<0.01	<2	<1	<1	<0.01
BLANK																
BLANK		<0.01														
BLANK																
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL			0.02	<10	0.02	94	1	<0.01	2	20	<2	0.01	<2	<1	3	<0.01
DUP			0.02	<10	0.02	94	<1	0.01	3	30	<2	0.01	<2	<1	3	<0.01
Target Range - Lower Bound			<0.01	<10	<0.01	79	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound			0.04	20	0.04	109	2	0.02	5	50	4	0.02	4	2	5	0.02
ORIGINAL		0.82														
DUP		0.86														
Target Range - Lower Bound		0.78														
Upper Bound		0.90														
ORIGINAL		2.59	0.12	20	0.29	99	2	0.02	33	560	74	<0.01	75	2	7	<0.01
DUP		2.44	0.12	20	0.29	102	2	0.02	36	540	74	<0.01	81	2	7	<0.01
Target Range - Lower Bound		2.37	0.09	<10	0.26	85	<1	<0.01	31	500	66	<0.01	68	<1	5	<0.01
Upper Bound		2.66	0.15	40	0.32	116	4	0.04	38	600	82	0.02	88	4	9	0.02
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
BLANKS						
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4
DUPLICATES						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL		<10	<10	2	<10	2
DUP		<10	<10	3	<10	5
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	5	20	4
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL		<10	<10	15	<10	97
DUP		<10	<10	15	<10	94
Target Range - Lower Bound		<10	<10	12	<10	87
Upper Bound		20	20	18	20	104
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
ORIGINAL		1.035														
DUP		1.045														
Target Range - Lower Bound		0.978														
Upper Bound		1.100														
B629905			0.3	0.93	12	<10	180	<0.5	<2	1.04	<0.5	4	15	33	1.44	<10
DUP			0.2	0.92	5	<10	180	<0.5	<2	1.05	<0.5	5	14	32	1.44	<10
Target Range - Lower Bound			<0.2	0.86	4	<10	150	<0.5	<2	0.97	<0.5	2	12	29	1.35	<10
Upper Bound			0.4	0.99	13	20	210	1.0	4	1.12	1.0	7	17	36	1.53	20
B629922		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B629943			<0.2	0.89	14	<10	210	<0.5	<2	0.90	<0.5	7	17	17	1.93	<10
DUP			<0.2	0.90	12	<10	210	<0.5	<2	0.87	<0.5	7	17	17	1.95	<10
Target Range - Lower Bound			<0.2	0.83	8	<10	170	<0.5	<2	0.82	<0.5	5	14	14	1.82	<10
Upper Bound			0.4	0.96	18	20	250	1.0	4	0.95	1.0	9	20	20	2.06	20
B628278			<0.2	1.46	12	<10	150	<0.5	<2	0.05	<0.5	7	24	15	2.36	<10
DUP			<0.2	1.50	13	<10	150	<0.5	<2	0.06	<0.5	7	25	15	2.37	<10
Target Range - Lower Bound			<0.2	1.39	8	<10	120	<0.5	<2	0.03	<0.5	5	21	12	2.23	<10
Upper Bound			0.4	1.57	17	20	180	1.0	4	0.08	1.0	9	28	18	2.50	20
B628283		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B628858		<0.005														
DUP		0.008														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B628868			0.2	1.13	24	<10	250	<0.5	<2	0.48	<0.5	8	20	19	2.10	<10
DUP			<0.2	1.10	25	<10	240	<0.5	<2	0.46	<0.5	8	20	19	2.07	<10
Target Range - Lower Bound			<0.2	1.04	19	<10	210	<0.5	<2	0.43	<0.5	6	17	16	1.96	<10
Upper Bound			0.4	1.19	30	20	280	1.0	4	0.51	1.0	10	23	22	2.21	20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B629905		0.09	0.05	10	0.39	129	1	<0.01	21	540	14	0.18	<2	2	45	0.03
DUP		0.09	0.05	10	0.38	129	1	<0.01	21	520	13	0.19	<2	2	45	0.03
Target Range - Lower Bound		0.07	0.03	<10	0.35	113	<1	<0.01	18	480	9	0.16	<2	<1	41	<0.01
Upper Bound		0.11	0.07	20	0.42	145	2	0.02	24	580	18	0.21	4	4	49	0.05
B629922																
DUP																
Target Range - Lower Bound																
Upper Bound																
B629943		0.06	0.04	10	0.37	133	1	0.01	18	640	10	0.07	2	3	56	0.03
DUP		0.06	0.04	10	0.37	133	1	0.01	15	660	12	0.07	2	3	54	0.03
Target Range - Lower Bound		0.04	0.02	<10	0.33	116	<1	<0.01	14	600	6	0.05	<2	<1	50	<0.01
Upper Bound		0.08	0.06	20	0.41	150	2	0.02	19	700	16	0.09	4	5	60	0.05
B628278		0.02	0.03	10	0.31	174	1	<0.01	17	250	12	<0.01	2	3	7	0.04
DUP		0.02	0.03	10	0.32	177	1	<0.01	18	250	11	<0.01	<2	3	8	0.04
Target Range - Lower Bound		<0.01	<0.01	<10	0.28	157	<1	<0.01	15	220	7	<0.01	<2	<1	5	0.02
Upper Bound		0.04	0.05	20	0.35	194	2	0.02	20	280	16	0.02	4	5	10	0.06
B628283																
DUP																
Target Range - Lower Bound																
Upper Bound																
B628858																
DUP																
Target Range - Lower Bound																
Upper Bound																
B628868		0.04	0.04	10	0.36	265	1	<0.01	17	810	12	0.02	2	3	26	0.04
DUP		0.03	0.04	10	0.35	252	1	<0.01	19	800	10	0.01	<2	2	25	0.04
Target Range - Lower Bound		<0.01	0.02	<10	0.32	236	<1	<0.01	15	740	6	<0.01	<2	<1	22	0.02
Upper Bound		0.06	0.06	20	0.39	281	2	0.02	21	870	16	0.02	4	5	29	0.06

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
B629905		<10	<10	25	<10	73
DUP		<10	<10	24	<10	69
Target Range - Lower Bound		<10	<10	21	<10	63
Upper Bound		20	20	28	20	79
B629922						
DUP						
Target Range - Lower Bound						
Upper Bound						
B629943		<10	<10	31	<10	53
DUP		<10	<10	31	<10	54
Target Range - Lower Bound		<10	<10	27	<10	47
Upper Bound		20	20	35	20	60
B628278		<10	<10	46	<10	56
DUP		<10	<10	47	<10	56
Target Range - Lower Bound		<10	<10	42	<10	49
Upper Bound		20	20	51	20	63
B628283						
DUP						
Target Range - Lower Bound						
Upper Bound						
B628858						
DUP						
Target Range - Lower Bound						
Upper Bound						
B628868		<10	<10	39	<10	59
DUP		<10	<10	39	<10	59
Target Range - Lower Bound		<10	<10	35	<10	52
Upper Bound		20	20	43	20	66

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
B628907			0.4	1.28	11	<10	110	<0.5	3	0.16	<0.5	4	21	16	2.06	<10
DUP			<0.2	1.30	11	<10	120	<0.5	<2	0.16	<0.5	4	22	17	2.09	<10
Target Range - Lower Bound			<0.2	1.21	6	<10	90	<0.5	<2	0.13	<0.5	2	18	14	1.95	<10
Upper Bound			0.4	1.37	16	20	140	1.0	4	0.19	1.0	6	25	19	2.20	20
B629826			<0.2	1.29	40	<10	210	<0.5	2	0.30	<0.5	12	21	48	3.57	<10
DUP			0.2	1.32	39	<10	210	<0.5	3	0.31	<0.5	12	22	49	3.66	<10
Target Range - Lower Bound			<0.2	1.22	34	<10	170	<0.5	<2	0.27	<0.5	9	18	44	3.41	<10
Upper Bound			0.4	1.39	45	20	250	1.0	4	0.34	1.0	15	25	53	3.82	20
B629861			<0.2	1.05	15	<10	90	<0.5	3	0.07	<0.5	5	17	15	1.92	<10
DUP			0.2	1.05	16	<10	90	<0.5	2	0.08	<0.5	5	17	15	1.92	<10
Target Range - Lower Bound			<0.2	0.98	11	<10	60	<0.5	<2	0.05	<0.5	3	14	12	1.80	<10
Upper Bound			0.4	1.12	20	20	120	1.0	4	0.10	1.0	7	20	18	2.04	20
B627805		0.039														
DUP		0.037														
Target Range - Lower Bound		0.026														
Upper Bound		0.050														
B627819			0.2	1.27	20	<10	210	<0.5	<2	0.64	0.5	10	22	30	2.57	<10
DUP			0.4	1.29	24	<10	210	<0.5	<2	0.68	0.5	11	23	31	2.58	<10
Target Range - Lower Bound			<0.2	1.20	17	<10	170	<0.5	<2	0.61	<0.5	8	19	27	2.43	<10
Upper Bound			0.4	1.36	27	20	250	1.0	4	0.71	1.0	13	26	34	2.72	20
ORIGINAL		0.087														
DUP		0.073														
Target Range - Lower Bound		0.066														
Upper Bound		0.094														
ORIGINAL		0.074														
DUP		0.070														
Target Range - Lower Bound		0.058														
Upper Bound		0.086														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
B628907		0.04	0.04	10	0.36	107	1	0.01	15	550	12	0.01	<2	1	13	0.02
DUP		0.04	0.04	10	0.37	109	1	0.01	16	550	12	0.01	2	1	13	0.02
Target Range - Lower Bound		0.02	0.02	<10	0.33	93	<1	<0.01	13	500	7	<0.01	<2	<1	10	<0.01
Upper Bound		0.06	0.06	20	0.40	123	2	0.02	18	600	17	0.02	4	2	16	0.04
B629826		0.06	0.05	20	0.47	354	2	0.01	34	630	20	0.01	3	3	15	0.03
DUP		0.06	0.05	20	0.48	362	3	0.01	34	670	20	0.01	3	3	16	0.03
Target Range - Lower Bound		0.04	0.03	<10	0.43	330	<1	<0.01	30	600	15	<0.01	<2	<1	13	<0.01
Upper Bound		0.08	0.07	40	0.52	386	5	0.02	38	700	25	0.02	4	5	18	0.05
B629861		0.03	0.04	10	0.25	151	1	0.01	13	480	11	0.02	<2	<1	9	0.02
DUP		0.03	0.04	10	0.25	153	1	0.01	12	470	11	0.02	<2	<1	9	0.02
Target Range - Lower Bound		<0.01	0.02	<10	0.22	134	<1	<0.01	10	430	6	<0.01	<2	<1	7	<0.01
Upper Bound		0.05	0.06	20	0.28	170	2	0.02	15	520	16	0.04	4	2	11	0.04
B627805																
DUP																
Target Range - Lower Bound																
Upper Bound																
B627819		0.07	0.07	20	0.53	310	2	0.01	26	900	20	0.02	2	3	26	0.05
DUP		0.07	0.07	20	0.54	327	2	0.01	27	920	19	0.02	2	4	27	0.05
Target Range - Lower Bound		0.05	0.05	<10	0.49	293	<1	<0.01	23	840	15	<0.01	<2	<1	23	0.03
Upper Bound		0.09	0.09	40	0.58	344	4	0.02	30	980	24	0.04	4	6	30	0.07
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
B628907		<10	<10	36	<10	54
DUP		<10	<10	37	<10	56
Target Range - Lower Bound		<10	<10	33	<10	48
Upper Bound		20	20	40	20	62
B629826		<10	<10	33	<10	106
DUP		<10	<10	34	<10	108
Target Range - Lower Bound		<10	<10	30	<10	98
Upper Bound		20	20	37	20	116
B629861		<10	<10	31	<10	37
DUP		<10	<10	30	<10	36
Target Range - Lower Bound		<10	<10	27	<10	31
Upper Bound		20	20	34	20	42
B627805						
DUP						
Target Range - Lower Bound						
Upper Bound						
B627819		<10	<10	35	<10	92
DUP		<10	<10	36	<10	93
Target Range - Lower Bound		<10	<10	32	<10	84
Upper Bound		20	20	39	20	101
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

): STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06105910

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 208 Soil samples submitted to our lab in Vancouver, BC, Canada on 25-SEP-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
STANDARDS																
BM-9/A			15.3	0.92	29	<10	90	0.9	124	0.16	28.0	103	210	5730	3.66	<10
BM-9/A			13.9	0.88	20	<10	90	0.9	116	0.16	27.4	100	203	5540	3.56	<10
BM-9/A			14.7	0.85	22	<10	90	0.9	124	0.17	27.8	105	206	5540	3.66	<10
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.7	1.91	497	<10	910	1.0	2	0.50	7.6	25	72	306	3.79	10
G2000			3.6	1.89	493	<10	880	1.0	2	0.50	7.2	25	71	313	3.80	10
G2000			3.7	1.89	477	<10	910	1.0	<2	0.50	7.2	24	70	303	3.77	10
G2000			3.4	1.81	492	<10	840	1.0	2	0.49	7.2	24	69	305	3.78	10
G2000			3.3	1.93	504	<10	890	1.0	<2	0.49	7.5	24	73	308	3.78	10
G2000			3.3	1.99	508	<10	940	1.0	2	0.50	7.7	24	73	313	3.79	10
G2000			3.3	1.91	487	<10	900	1.0	2	0.49	7.4	23	72	305	3.73	10
G2000			3.7	1.98	499	<10	930	1.0	2	0.50	7.2	23	73	310	3.82	10
G2000			3.3	1.87	480	<10	890	1.0	<2	0.47	7.2	23	70	297	3.66	10
G2000			3.3	1.93	500	<10	910	1.0	2	0.49	7.4	23	72	309	3.75	10
G2000			3.6	2.01	514	<10	990	1.1	<2	0.51	7.6	25	77	330	3.94	10
G2000			3.9	2.05	520	<10	990	1.1	<2	0.51	7.7	24	77	332	3.96	10
G2000			3.8	1.82	489	10	920	1.0	<2	0.53	7.6	24	73	309	3.94	10
G2000			3.9	1.91	486	<10	970	1.0	<2	0.54	7.6	25	74	313	3.98	10
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334	4.19	20
GBM999-5			61.1	0.19	<2	<10	50	<0.5	<2	0.05	<0.5	3	5	477	2.81	<10
GBM999-5			61.8	0.20	<2	<10	60	<0.5	<2	0.05	<0.5	3	5	469	2.81	<10
GBM999-5			62.7	0.20	4	<10	60	<0.5	<2	0.05	<0.5	3	5	506	2.91	<10
Target Range - Lower Bound			53.3	0.17	<2	<10	40	<0.5	<2	0.04	<0.5	2	4	436	2.56	<10
Upper Bound			65.5	0.23	4	20	70	1.0	4	0.07	1.0	4	7	536	3.15	20
OXD43		0.404														
OXD43		0.393														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.025														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.50														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.70														
ST-327		6.59														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
STANDARDS																
BM-9/A		0.41	0.02	10	0.42	641	4	0.42	373	90	7060	1.53	9	9	79	0.01
BM-9/A		0.38	0.02	10	0.40	623	3	0.40	365	90	6900	1.47	8	9	77	0.01
BM-9/A		0.40	0.02	10	0.40	654	4	0.39	371	90	6700	1.44	6	9	74	0.01
Target Range - Lower Bound		0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000		0.74	0.42	20	0.67	576	6	0.03	285	970	694	0.28	26	7	71	0.05
G2000		0.74	0.41	20	0.67	582	5	0.03	284	980	691	0.28	28	7	69	0.05
G2000		0.71	0.41	20	0.66	575	5	0.03	283	960	673	0.28	28	7	70	0.05
G2000		0.73	0.41	20	0.66	568	6	0.04	284	960	675	0.28	28	7	67	0.05
G2000		0.75	0.41	20	0.66	566	5	0.03	282	980	694	0.28	27	7	69	0.05
G2000		0.75	0.42	20	0.66	571	5	0.04	286	990	699	0.29	28	8	72	0.06
G2000		0.68	0.40	20	0.65	556	5	0.03	280	970	685	0.27	28	7	69	0.05
G2000		0.73	0.41	20	0.66	574	6	0.04	284	990	717	0.28	28	7	71	0.05
G2000		0.70	0.39	20	0.64	542	5	0.03	272	960	669	0.27	28	7	68	0.05
G2000		0.72	0.41	20	0.65	569	5	0.03	280	980	701	0.28	28	7	70	0.05
G2000		0.77	0.42	20	0.70	577	5	0.03	300	1030	735	0.30	28	8	74	0.06
G2000		0.82	0.43	20	0.70	587	6	0.03	300	1040	732	0.30	28	8	75	0.06
G2000		0.81	0.39	20	0.66	582	6	0.02	286	970	685	0.28	26	7	66	0.05
G2000		0.80	0.39	20	0.67	592	6	0.02	291	1000	715	0.29	28	7	69	0.05
Target Range - Lower Bound		0.70	0.37	<10	0.60	506	4	0.02	246	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.47	40	0.76	630	8	0.04	302	1050	739	0.31	31	9	76	0.07
GBM999-5		0.04	0.05	10	0.02	63	3	0.02	3	40	498	0.29	5	1	4	<0.01
GBM999-5		0.04	0.05	10	0.02	61	3	0.02	5	40	502	0.29	5	1	4	<0.01
GBM999-5		0.06	0.05	10	0.02	61	4	0.02	3	40	551	0.31	5	1	4	<0.01
Target Range - Lower Bound			0.04	<10	<0.01	49	2	<0.01	2	20	452	0.26	<2	<1	2	<0.01
Upper Bound			0.07	20	0.03	71	5	0.03	5	50	556	0.34	8	2	5	0.02
OXD43																
OXD43																
Target Range - Lower Bound																
Upper Bound																
OxG46																
Target Range - Lower Bound																
Upper Bound																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
ST-327																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
STANDARDS						
BM-9/A		<10	<10	17	<10	8750
BM-9/A		<10	<10	16	<10	8480
BM-9/A		<10	<10	15	<10	8700
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	68	10	1290
G2000		<10	<10	67	10	1290
G2000		<10	<10	67	10	1250
G2000		<10	<10	66	10	1270
G2000		<10	<10	69	<10	1320
G2000		<10	<10	70	10	1340
G2000		<10	<10	68	10	1300
G2000		<10	<10	70	10	1320
G2000		<10	<10	66	<10	1260
G2000		<10	<10	68	10	1310
G2000		<10	<10	72	<10	1340
G2000		<10	<10	73	<10	1350
G2000		<10	<10	68	10	1320
G2000		<10	<10	69	10	1310
Target Range - Lower Bound		<10	<10	59	<10	1145
Upper Bound		20	20	74	20	1400
GBM999-5		<10	<10	5	<10	110
GBM999-5		<10	<10	5	<10	115
GBM999-5		<10	<10	6	<10	110
Target Range - Lower Bound		<10	<10	4	<10	97
Upper Bound		20	20	7	20	123
OXD43						
OXD43						
Target Range - Lower Bound						
Upper Bound						
OxG46						
Target Range - Lower Bound						
Upper Bound						
ST-259						
Target Range - Lower Bound						
Upper Bound						
ST-327						
ST-327						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
BLANKS																
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK		<0.005														
BLANK		0.005														
BLANK		0.008														
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20
DUPLICATES																
ORIGINAL			3.0	1.17	8	<10	270	8.9	4	1.98	2.0	7	76	96	3.99	10
DUP			2.9	1.16	4	<10	260	8.7	4	1.94	2.0	7	71	92	3.84	10
Target Range - Lower Bound			2.4	1.09	<2	<10	230	7.4	<2	1.84	0.9	5	68	87	3.70	<10
Upper Bound			3.5	1.24	10	20	300	10.2	8	2.08	3.1	9	79	101	4.13	20
B627848			<0.2	1.15	6	<10	130	<0.5	<2	0.14	<0.5	5	19	16	1.89	<10
DUP			<0.2	1.12	7	<10	130	<0.5	<2	0.14	<0.5	5	19	16	1.87	<10
Target Range - Lower Bound			<0.2	1.06	<2	<10	100	<0.5	<2	0.11	<0.5	3	16	13	1.77	<10
Upper Bound			0.4	1.21	11	20	160	1.0	4	0.17	1.0	7	22	19	1.99	20
B628807		0.005														
DUP		0.007														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B628827		0.006														
DUP		0.011														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method Analyte Units LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
BLANKS																
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02
DUPLICATES																
ORIGINAL		0.01	0.41	10	0.50	1325	16	0.06	38	990	13	<0.01	6	4	82	0.09
DUP		0.01	0.41	10	0.48	1280	16	0.07	37	960	11	<0.01	7	4	81	0.09
Target Range - Lower Bound		<0.01	0.37	<10	0.45	1225	13	0.04	34	910	7	<0.01	<2	2	75	0.07
Upper Bound		0.02	0.45	20	0.53	1380	19	0.09	41	1040	17	0.02	11	6	88	0.11
B627848		0.03	0.03	10	0.31	131	1	0.01	15	690	8	0.01	<2	2	12	0.03
DUP		0.03	0.03	10	0.31	130	1	0.01	14	700	8	0.01	<2	2	12	0.03
Target Range - Lower Bound		<0.01	<0.01	<10	0.27	114	<1	<0.01	12	640	4	<0.01	<2	<1	9	<0.01
Upper Bound		0.05	0.05	20	0.35	147	2	0.02	17	750	12	0.02	4	4	15	0.05
B628807																
DUP																
Target Range - Lower Bound																
Upper Bound																
B628827																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
				BLANKS		
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4
				DUPLICATES		
ORIGINAL		<10	<10	49	1090	333
DUP		10	<10	47	1050	322
Target Range - Lower Bound		<10	<10	44	970	307
Upper Bound		20	20	52	1170	348
B627848		<10	<10	33	<10	53
DUP		<10	<10	32	<10	52
Target Range - Lower Bound		<10	<10	29	<10	46
Upper Bound		20	20	36	20	59
B628807						
DUP						
Target Range - Lower Bound						
Upper Bound						
B628827						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
B628833			0.2	1.07	13	<10	340	<0.5	<2	0.74	0.6	9	19	24	2.14	<10
DUP			0.2	1.08	15	<10	350	<0.5	<2	0.76	0.7	8	19	25	2.19	<10
Target Range - Lower Bound			<0.2	1.00	9	<10	300	<0.5	<2	0.69	<0.5	6	16	21	2.04	<10
Upper Bound			0.4	1.15	19	20	390	1.0	4	0.81	1.0	11	22	28	2.29	20
B630115		0.017														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.022														
B630118			0.2	1.15	22	<10	250	<0.5	<2	0.25	<0.5	8	22	38	2.09	<10
DUP			<0.2	1.14	19	<10	250	<0.5	<2	0.24	<0.5	8	21	37	2.01	<10
Target Range - Lower Bound			<0.2	1.07	15	<10	210	<0.5	<2	0.21	<0.5	6	18	34	1.93	<10
Upper Bound			0.4	1.22	26	20	290	1.0	4	0.28	1.0	10	25	41	2.17	20
B630135		0.007														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B628964			0.2	0.92	8	<10	160	<0.5	<2	0.67	0.5	6	17	16	1.69	<10
DUP			<0.2	0.94	8	<10	160	<0.5	<2	0.67	<0.5	5	17	16	1.68	<10
Target Range - Lower Bound			<0.2	0.86	4	<10	130	<0.5	<2	0.62	<0.5	3	14	13	1.58	<10
Upper Bound			0.4	1.00	12	20	190	1.0	4	0.72	1.0	8	20	19	1.79	20
B628966		<0.005														
DUP		0.006														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B628999			<0.2	1.23	11	<10	130	<0.5	<2	0.15	<0.5	8	20	27	2.23	<10
DUP			<0.2	1.19	11	<10	130	<0.5	<2	0.14	<0.5	7	20	26	2.18	<10
Target Range - Lower Bound			<0.2	1.13	6	<10	100	<0.5	<2	0.12	<0.5	5	17	23	2.07	<10
Upper Bound			0.4	1.29	16	20	160	1.0	4	0.17	1.0	10	23	30	2.34	20
B629004		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
B628833		0.07	0.04	10	0.40	699	1	0.02	20	840	11	0.05	<2	3	34	0.03
DUP		0.06	0.04	10	0.40	726	1	0.02	22	850	10	0.05	<2	3	33	0.03
Target Range - Lower Bound		0.04	0.02	<10	0.36	667	<1	<0.01	18	780	6	0.03	<2	<1	30	<0.01
Upper Bound		0.09	0.06	20	0.44	758	2	0.04	24	910	15	0.07	4	5	37	0.05
B630115																
DUP																
Target Range - Lower Bound																
Upper Bound																
B630118		0.03	0.04	20	0.42	281	2	0.01	23	780	14	0.01	4	3	18	0.05
DUP		0.03	0.04	20	0.41	270	2	0.01	22	770	13	0.01	2	3	18	0.05
Target Range - Lower Bound		<0.01	0.02	<10	0.37	252	<1	<0.01	19	720	9	<0.01	<2	<1	15	0.03
Upper Bound		0.05	0.06	40	0.46	299	4	0.02	26	830	18	0.02	4	5	21	0.07
B630135																
DUP																
Target Range - Lower Bound																
Upper Bound																
B628964		0.05	0.05	10	0.38	132	1	0.01	17	860	14	0.05	<2	2	29	0.03
DUP		0.05	0.05	10	0.38	132	1	0.01	17	860	12	0.05	<2	2	29	0.04
Target Range - Lower Bound		0.03	0.03	<10	0.34	115	<1	<0.01	14	800	8	0.03	<2	<1	26	<0.01
Upper Bound		0.07	0.07	20	0.42	149	2	0.02	20	920	18	0.07	4	4	32	0.06
B628966																
DUP																
Target Range - Lower Bound																
Upper Bound																
B628999		0.04	0.03	20	0.36	283	1	0.01	21	700	12	0.01	<2	3	13	0.04
DUP		0.04	0.03	20	0.35	279	1	0.01	20	690	11	<0.01	2	3	13	0.04
Target Range - Lower Bound		0.02	<0.01	<10	0.32	257	<1	<0.01	17	640	7	<0.01	<2	<1	10	0.02
Upper Bound		0.06	0.05	40	0.39	305	2	0.02	24	750	16	0.02	4	5	16	0.06
B629004																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
B628833		<10	<10	32	<10	69
DUP		<10	<10	32	<10	70
Target Range - Lower Bound		<10	<10	28	<10	62
Upper Bound		20	20	36	20	77
B630115						
DUP						
Target Range - Lower Bound						
Upper Bound						
B630118		<10	<10	36	<10	79
DUP		<10	<10	36	<10	77
Target Range - Lower Bound		<10	<10	32	<10	70
Upper Bound		20	20	40	20	86
B630135						
DUP						
Target Range - Lower Bound						
Upper Bound						
B628964		<10	<10	29	<10	80
DUP		<10	<10	30	<10	80
Target Range - Lower Bound		<10	<10	26	<10	72
Upper Bound		20	20	33	20	88
B628966						
DUP						
Target Range - Lower Bound						
Upper Bound						
B628999		<10	<10	36	<10	63
DUP		<10	<10	35	<10	62
Target Range - Lower Bound		<10	<10	32	<10	55
Upper Bound		20	20	39	20	70
B629004						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
DUPLICATES																
B629052			<0.2	1.07	16	<10	160	<0.5	<2	0.70	0.5	7	21	18	2.02	<10
DUP			<0.2	1.05	11	<10	160	<0.5	<2	0.68	<0.5	7	20	18	1.98	<10
Target Range - Lower Bound			<0.2	0.99	9	<10	130	<0.5	<2	0.64	<0.5	5	17	15	1.88	<10
Upper Bound			0.4	1.13	18	20	190	1.0	4	0.74	1.0	9	24	21	2.12	20
B629063		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
B629052		0.06	0.06	10	0.43	465	2	0.02	20	900	12	0.05	<2	3	29	0.04
DUP		0.06	0.06	10	0.43	460	2	0.02	20	870	12	0.05	<2	3	29	0.04
Target Range - Lower Bound		0.04	0.04	<10	0.39	429	<1	<0.01	17	820	7	0.03	<2	<1	26	0.02
Upper Bound		0.08	0.08	20	0.47	496	4	0.04	23	950	17	0.07	4	5	32	0.06
B629063																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
B629052		<10	<10	35	<10	86
DUP		<10	<10	34	<10	85
Target Range - Lower Bound		<10	<10	31	<10	77
Upper Bound		20	20	38	20	94
B629063						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06105911

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 179 Soil samples submitted to our lab in Vancouver, BC, Canada on 25-SEP-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105911

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
STANDARDS																
BM-9/A			13.1	0.97	20	<10	100	0.8	113	0.16	25.9	99	202	5510	3.57	<10
BM-9/A			13.5	0.92	29	<10	100	0.9	112	0.17	27.0	98	200	5490	3.67	<10
BM-9/A			15.2	0.92	28	<10	100	0.9	120	0.17	28.5	105	216	5780	3.80	<10
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.26	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.1	1.83	466	<10	880	0.9	2	0.49	6.9	23	70	295	3.64	10
G2000			3.9	1.84	467	<10	890	0.9	<2	0.49	6.6	23	70	293	3.68	10
G2000			3.8	2.00	484	<10	970	1.0	<2	0.53	7.4	24	74	314	3.98	10
G2000			3.2	1.81	446	<10	910	0.9	<2	0.49	6.9	23	67	290	3.69	10
G2000			3.4	1.87	459	<10	920	1.0	2	0.50	7.4	23	70	297	3.81	10
G2000			3.5	1.96	462	10	960	1.0	<2	0.52	7.4	24	71	301	3.91	10
G2000			4.5	1.94	489	10	940	1.0	2	0.51	7.2	23	72	302	3.82	10
G2000			3.5	1.94	485	10	940	1.0	2	0.50	7.2	23	73	301	3.83	10
G2000			3.6	1.83	465	10	920	1.0	<2	0.51	7.4	24	72	300	3.86	10
G2000			3.6	1.97	488	10	970	1.0	2	0.53	7.6	24	77	314	3.99	10
G2000			3.6	1.89	477	<10	930	1.0	2	0.48	6.8	24	72	305	3.85	10
G2000			3.7	1.95	496	<10	940	1.0	<2	0.49	7.1	23	73	303	3.89	10
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334	4.19	20
GBM999-5			61.0	0.20	<2	<10	50	<0.5	<2	0.05	<0.5	3	5	477	2.84	<10
GBM999-5			61.3	0.20	<2	<10	50	<0.5	<2	0.05	<0.5	3	4	468	2.80	<10
GBM999-5			59.0	0.20	8	<10	60	<0.5	<2	0.05	<0.5	3	5	482	2.94	<10
Target Range - Lower Bound			53.3	0.17	<2	<10	40	<0.5	<2	0.04	<0.5	2	4	436	2.56	<10
Upper Bound			65.5	0.23	4	20	70	1.0	4	0.07	1.0	4	7	536	3.15	20
OXD43		0.393														
OXD43		0.419														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.060														
OxG46		1.040														
OxG46		1.050														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.53														
ST-259		2.60														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.59														

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105911

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
STANDARDS																
BM-9/A		0.41	0.02	10	0.41	625	3	0.39	366	90	6410	1.40	7	8	75	0.01
BM-9/A		0.37	0.02	10	0.42	627	4	0.40	367	90	6670	1.43	5	9	78	0.01
BM-9/A		0.40	0.02	10	0.42	660	4	0.41	390	100	6880	1.53	6	9	76	0.01
Target Range - Lower Bound		0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000		0.76	0.41	20	0.63	534	6	0.01	271	930	634	0.26	24	7	68	0.06
G2000		0.71	0.41	20	0.64	535	6	0.01	271	940	629	0.26	24	7	68	0.06
G2000		0.75	0.42	20	0.69	566	6	<0.01	291	980	703	0.28	26	8	73	0.06
G2000		0.68	0.39	20	0.64	534	5	0.04	268	930	654	0.30	27	7	69	0.05
G2000		0.69	0.41	20	0.65	541	6	<0.01	273	940	686	0.26	29	7	70	0.05
G2000		0.72	0.41	20	0.68	560	6	<0.01	282	970	696	0.27	25	8	72	0.06
G2000		0.75	0.41	20	0.65	549	5	0.03	286	950	675	0.28	24	7	71	0.05
G2000		0.73	0.41	20	0.65	547	5	0.03	283	940	697	0.28	25	7	71	0.06
G2000		0.82	0.38	20	0.65	571	5	0.03	278	960	667	0.28	24	7	67	0.05
G2000		0.81	0.40	20	0.67	590	5	0.03	292	1000	687	0.30	26	8	70	0.06
G2000		0.77	0.41	20	0.69	558	6	0.02	286	970	692	0.28	24	7	72	0.05
G2000		0.82	0.42	20	0.69	556	5	0.02	285	1000	682	0.27	26	7	73	0.06
Target Range - Lower Bound		0.70	0.37	<10	0.60	506	4	0.02	246	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.47	40	0.76	630	8	0.04	302	1050	739	0.31	31	9	76	0.07
GBM999-5		0.04	0.05	10	0.02	62	4	<0.01	4	40	496	0.28	5	1	4	<0.01
GBM999-5		0.04	0.05	10	0.02	58	4	0.01	5	30	488	0.29	3	1	5	<0.01
GBM999-5		0.05	0.05	10	0.02	63	4	0.01	4	40	508	0.30	4	1	4	<0.01
Target Range - Lower Bound			0.04	<10	<0.01	49	2	<0.01	2	20	452	0.26	<2	<1	2	<0.01
Upper Bound			0.07	20	0.03	71	5	0.03	5	50	556	0.34	8	2	5	0.02
OXD43																
OXD43																
Target Range - Lower Bound																
Upper Bound																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105911

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
				STANDARDS		
BM-9/A		<10	<10	15	<10	8060
BM-9/A		<10	<10	15	<10	8200
BM-9/A		<10	<10	16	<10	9010
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	66	10	1250
G2000		<10	<10	66	10	1230
G2000		<10	<10	69	10	1340
G2000		<10	<10	64	10	1235
G2000		<10	<10	66	<10	1285
G2000		<10	<10	67	10	1305
G2000		<10	<10	67	10	1310
G2000		<10	<10	67	<10	1305
G2000		<10	<10	66	10	1260
G2000		<10	<10	70	10	1330
G2000		<10	<10	68	10	1280
G2000		<10	<10	68	10	1260
Target Range - Lower Bound		<10	<10	59	<10	1145
Upper Bound		20	20	74	20	1400
GBM999-5		<10	<10	5	<10	109
GBM999-5		<10	<10	5	<10	107
GBM999-5		<10	<10	5	<10	110
Target Range - Lower Bound		<10	<10	4	<10	97
Upper Bound		20	20	7	20	123
OXD43						
OXD43						
Target Range - Lower Bound						
Upper Bound						
OxG46						
OxG46						
OxG46						
Target Range - Lower Bound						
Upper Bound						
ST-259						
ST-259						
Target Range - Lower Bound						
Upper Bound						
ST-327						

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105911

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
STANDARDS																
ST-327		6.95														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														
BLANKS																
BLANK			<0.2	<0.01	2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	4	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	1	<0.01	<10
BLANK		0.008														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20
DUPLICATES																
ORIGINAL		0.021														
DUP		0.022														
Target Range - Lower Bound		0.010														
Upper Bound		0.033														
ORIGINAL		0.046														
DUP		0.049														
Target Range - Lower Bound		0.035														
Upper Bound		0.060														

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105911

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
STANDARDS																
ST-327																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<2	<1	1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105911

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
STANDARDS						
ST-327						
Target Range - Lower Bound						
Upper Bound						
BLANKS						
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4
DUPLICATES						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105911

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
ORIGINAL		0.023														
DUP		0.022														
Target Range - Lower Bound		0.011														
Upper Bound		0.034														
B628792			0.2	1.68	1115	<10	240	0.8	2	0.37	<0.5	15	22	11	2.53	<10
DUP			0.3	1.61	1135	<10	250	0.8	<2	0.38	0.6	14	22	11	2.59	<10
Target Range - Lower Bound			<0.2	1.54	1065	<10	210	<0.5	<2	0.34	<0.5	12	19	8	2.41	<10
Upper Bound			0.4	1.75	1185	20	280	1.0	4	0.41	1.0	17	25	14	2.71	20
B628283		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B628858		<0.005														
DUP		0.008														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B629004		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B629063		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B629110			<0.2	1.22	11	<10	130	<0.5	<2	0.18	<0.5	7	20	28	2.12	<10
DUP			<0.2	1.21	10	<10	130	<0.5	<2	0.18	<0.5	7	21	28	2.09	<10
Target Range - Lower Bound			<0.2	1.13	6	<10	100	<0.5	<2	0.15	<0.5	5	17	25	1.98	<10
Upper Bound			0.4	1.30	15	20	160	1.0	4	0.21	1.0	9	24	31	2.23	20
B630022		0.010														
DUP		0.006														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105911

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B628792		0.05	0.07	20	0.35	1480	2	<0.01	20	950	16	0.04	<2	2	34	0.04
DUP		0.05	0.07	20	0.35	1575	2	<0.01	18	890	21	0.04	2	2	33	0.04
Target Range - Lower Bound		0.03	0.05	<10	0.31	1440	<1	<0.01	16	850	14	0.02	<2	<1	30	0.02
Upper Bound		0.07	0.09	40	0.39	1615	4	0.02	22	990	23	0.06	4	4	37	0.06
B628283																
DUP																
Target Range - Lower Bound																
Upper Bound																
B628858																
DUP																
Target Range - Lower Bound																
Upper Bound																
B629004																
DUP																
Target Range - Lower Bound																
Upper Bound																
B629063																
DUP																
Target Range - Lower Bound																
Upper Bound																
B629110		0.04	0.03	10	0.35	191	1	<0.01	20	610	7	0.02	<2	2	14	0.04
DUP		0.03	0.03	10	0.35	185	1	<0.01	19	620	7	0.02	<2	2	15	0.04
Target Range - Lower Bound		<0.01	<0.01	<10	0.31	169	<1	<0.01	17	560	3	<0.01	<2	<1	12	0.02
Upper Bound		0.06	0.05	20	0.39	207	2	0.02	22	670	11	0.04	4	4	17	0.06
B630022																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105911

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
B628792		<10	<10	28	10	81
DUP		<10	<10	27	10	82
Target Range - Lower Bound		<10	<10	24	<10	73
Upper Bound		20	20	31	20	90
B628283						
DUP						
Target Range - Lower Bound						
Upper Bound						
B628858						
DUP						
Target Range - Lower Bound						
Upper Bound						
B629004						
DUP						
Target Range - Lower Bound						
Upper Bound						
B629063						
DUP						
Target Range - Lower Bound						
Upper Bound						
B629110		<10	<10	38	<10	49
DUP		<10	<10	38	<10	50
Target Range - Lower Bound		<10	<10	34	<10	43
Upper Bound		20	20	42	20	56
B630022						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105911

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
B630026			0.5	0.85	34	<10	200	<0.5	<2	1.82	0.8	6	15	35	2.14	<10
DUP			0.7	0.85	35	<10	200	<0.5	<2	1.83	0.7	6	16	34	2.13	<10
Target Range - Lower Bound			<0.2	0.79	29	<10	170	<0.5	<2	1.71	<0.5	4	13	31	2.01	<10
Upper Bound			1.0	0.91	40	20	240	1.0	4	1.94	1.0	8	18	38	2.26	20
B630042		0.008														
DUP		0.007														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B630063			0.3	1.40	27	<10	340	<0.5	<2	0.42	0.5	12	23	24	2.75	<10
DUP			0.3	1.30	20	<10	320	<0.5	<2	0.39	<0.5	11	21	22	2.54	<10
Target Range - Lower Bound			<0.2	1.26	18	<10	290	<0.5	<2	0.36	<0.5	9	19	20	2.49	<10
Upper Bound			0.4	1.44	29	20	370	1.0	4	0.45	1.0	14	25	26	2.80	20
B630064		<0.005														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B688165			<0.2	1.44	9	<10	150	<0.5	<2	0.17	<0.5	5	31	18	2.33	<10
DUP			<0.2	1.40	14	<10	150	<0.5	2	0.17	<0.5	5	30	17	2.26	10
Target Range - Lower Bound			<0.2	1.33	7	<10	120	<0.5	<2	0.14	<0.5	3	27	15	2.16	<10
Upper Bound			0.4	1.51	16	20	180	1.0	4	0.20	1.0	7	34	20	2.43	20
B688188		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B627756			<0.2	1.47	56	<10	230	0.6	<2	0.19	<0.5	8	27	28	2.46	<10
DUP			<0.2	1.53	54	<10	230	0.6	<2	0.20	<0.5	9	28	28	2.51	<10
Target Range - Lower Bound			<0.2	1.41	48	<10	190	<0.5	<2	0.17	<0.5	6	24	25	2.34	<10
Upper Bound			0.4	1.60	62	20	270	1.0	4	0.22	1.0	11	31	31	2.63	20
B627763		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105911

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
B630026		0.06	0.04	10	0.43	216	1	<0.01	21	740	25	0.08	2	2	67	0.03
DUP		0.06	0.05	10	0.43	217	1	<0.01	21	760	25	0.07	2	2	66	0.03
Target Range - Lower Bound		0.04	0.02	<10	0.39	196	<1	<0.01	18	690	20	0.05	<2	<1	61	<0.01
Upper Bound		0.08	0.07	20	0.47	237	2	0.02	24	810	30	0.10	4	4	72	0.05
B630042																
DUP																
Target Range - Lower Bound																
Upper Bound																
B630063		0.05	0.05	20	0.40	463	1	<0.01	23	770	20	0.02	3	3	32	0.03
DUP		0.05	0.04	20	0.38	420	1	<0.01	21	740	18	0.02	3	3	29	0.02
Target Range - Lower Bound		0.03	0.02	<10	0.35	409	<1	<0.01	19	700	14	<0.01	<2	<1	27	<0.01
Upper Bound		0.07	0.07	40	0.43	474	2	0.02	25	810	24	0.04	4	5	34	0.05
B630064																
DUP																
Target Range - Lower Bound																
Upper Bound																
B688165		0.03	0.04	10	0.38	158	2	0.01	17	640	12	0.02	<2	1	15	0.04
DUP		0.03	0.04	10	0.37	153	2	0.01	16	620	12	0.01	<2	1	15	0.04
Target Range - Lower Bound		<0.01	0.02	<10	0.34	138	<1	<0.01	14	580	7	<0.01	<2	<1	12	0.02
Upper Bound		0.05	0.06	20	0.41	173	4	0.02	19	680	17	0.02	4	2	18	0.06
B688188																
DUP																
Target Range - Lower Bound																
Upper Bound																
B627756		0.02	0.05	20	0.44	352	1	0.01	25	710	30	0.02	4	3	15	0.05
DUP		0.02	0.05	20	0.45	360	1	0.01	25	710	37	0.02	3	4	15	0.06
Target Range - Lower Bound		<0.01	0.03	<10	0.40	328	<1	<0.01	22	650	28	<0.01	<2	<1	12	0.03
Upper Bound		0.04	0.07	40	0.49	384	2	0.02	28	770	39	0.04	4	6	18	0.08
B627763																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06105911

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
B630026		<10	<10	26	<10	85
DUP		<10	<10	26	<10	83
Target Range - Lower Bound		<10	<10	23	<10	76
Upper Bound		20	20	29	20	92
B630042						
DUP						
Target Range - Lower Bound						
Upper Bound						
B630063		<10	<10	32	<10	88
DUP		<10	<10	30	<10	83
Target Range - Lower Bound		<10	<10	27	<10	77
Upper Bound		20	20	35	20	94
B630064						
DUP						
Target Range - Lower Bound						
Upper Bound						
B688165		<10	<10	54	<10	53
DUP		<10	<10	54	<10	52
Target Range - Lower Bound		<10	<10	49	<10	46
Upper Bound		20	20	59	20	59
B688188						
DUP						
Target Range - Lower Bound						
Upper Bound						
B627756		<10	<10	45	10	96
DUP		<10	<10	46	10	95
Target Range - Lower Bound		<10	<10	41	<10	87
Upper Bound		20	20	50	20	104
B627763						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

o: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-NOV-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06108015

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 158 Soil samples submitted to our lab in Vancouver, BC, Canada on 2-OCT-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108015

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
STANDARDS																
BM-9/A			15.0	0.93	25	<10	90	0.8	118	0.16	27.4	101	202	5410	3.68	<10
BM-9/A			13.8	0.89	21	<10	90	0.8	103	0.16	26.0	98	196	5360	3.50	<10
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.3	1.91	480	<10	920	1.0	<2	0.52	7.3	24	72	310	3.78	10
G2000			4.8	1.98	488	<10	900	1.0	<2	0.53	7.0	24	74	316	3.82	10
G2000			3.5	1.86	475	<10	850	0.9	2	0.49	7.2	23	70	300	3.77	10
G2000			3.5	2.02	501	<10	910	1.0	2	0.51	7.4	24	72	311	3.94	10
G2000			3.4	1.80	483	<10	840	0.9	<2	0.48	7.0	23	68	305	3.73	10
G2000			3.5	1.87	478	<10	860	0.9	<2	0.50	6.9	24	69	306	3.82	10
G2000			3.2	1.76	456	<10	870	0.9	2	0.49	6.8	23	68	298	3.63	10
G2000			3.3	1.87	462	<10	870	1.0	<2	0.50	6.7	24	70	302	3.65	10
G2000			3.6	1.93	482	<10	900	1.0	2	0.51	7.0	24	70	309	3.80	10
G2000			3.7	2.03	487	<10	900	1.0	<2	0.52	7.0	23	71	322	3.86	10
G2000																
G2000																
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334	4.19	20
GBM999-5			60.2	0.20	2	<10	60	<0.5	2	0.05	<0.5	4	5	509	2.92	<10
GBM999-5			55.7	0.19	4	<10	50	<0.5	2	0.05	<0.5	3	4	450	2.75	<10
GBM999-5			59.6	0.20	3	<10	50	<0.5	<2	0.05	0.5	2	4	483	2.80	<10
Target Range - Lower Bound			53.3	0.17	<2	<10	40	<0.5	<2	0.04	<0.5	2	4	436	2.56	<10
Upper Bound			65.5	0.23	4	20	70	1.0	4	0.07	1.0	4	7	536	3.15	20
OXD43		0.418														
OXD43		0.399														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.025														
OxG46		1.005														
OxG46		1.070														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.780														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.47														
ST-259		2.65														
ST-259		2.36														

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108015

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
STANDARDS																
BM-9/A		0.39	0.02	10	0.43	635	3	0.42	361	90	6780	1.48	8	8	76	0.01
BM-9/A		0.44	0.02	10	0.43	612	4	0.40	354	90	6600	1.43	6	8	74	0.01
Target Range - Lower Bound		0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000		0.83	0.41	20	0.69	550	6	0.03	284	970	684	0.28	24	7	70	0.05
G2000		0.83	0.42	20	0.71	562	6	0.03	285	990	690	0.29	26	8	72	0.05
G2000		0.74	0.40	20	0.66	551	5	0.04	267	930	667	0.26	26	7	66	0.05
G2000		0.78	0.42	20	0.69	562	5	0.04	280	960	702	0.28	27	7	71	0.05
G2000		0.70	0.40	20	0.66	537	6	0.04	273	920	663	0.26	24	7	64	0.05
G2000		0.74	0.40	20	0.67	551	5	0.04	276	940	676	0.27	26	7	66	0.05
G2000		0.77	0.39	20	0.66	540	6	0.03	271	920	643	0.27	24	7	66	0.05
G2000		0.79	0.41	20	0.68	540	5	0.03	271	950	665	0.28	25	7	69	0.05
G2000			0.40	20	0.68	569	5	0.03	283	980	704	0.28	28	7	71	0.05
G2000			0.42	20	0.70	567	6	0.03	286	980	695	0.29	24	7	73	0.05
G2000		0.79														
G2000		0.75														
Target Range - Lower Bound		0.70	0.37	<10	0.60	506	4	0.02	246	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.47	40	0.76	630	8	0.04	302	1050	739	0.31	31	9	76	0.07
GBM999-5		0.05	0.05	10	0.02	61	4	0.01	4	40	526	0.30	5	1	4	<0.01
GBM999-5		0.04	0.05	10	0.02	57	3	0.01	5	40	471	0.27	4	1	3	<0.01
GBM999-5			0.05	10	0.02	58	3	0.01	3	40	496	0.29	6	1	4	<0.01
Target Range - Lower Bound			0.04	<10	<0.01	49	2	<0.01	2	20	452	0.26	<2	<1	2	<0.01
Upper Bound			0.07	20	0.03	71	5	0.03	5	50	556	0.34	8	2	5	0.02
OXD43																
OXD43																
Target Range - Lower Bound																
Upper Bound																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
SI15																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108015

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
				STANDARDS		
BM-9/A		<10	<10	15	<10	8380
BM-9/A		<10	<10	15	<10	8400
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	68	10	1325
G2000		<10	<10	69	<10	1325
G2000		<10	<10	65	<10	1260
G2000		<10	<10	69	<10	1320
G2000		<10	<10	65	<10	1250
G2000		<10	<10	67	10	1260
G2000		<10	<10	65	10	1260
G2000		<10	<10	66	<10	1250
G2000		<10	<10	67	10	1290
G2000		<10	<10	68	<10	1320
G2000						
G2000						
Target Range - Lower Bound		<10	<10	59	<10	1145
Upper Bound		20	20	74	20	1400
GBM999-5		<10	<10	5	<10	116
GBM999-5		<10	<10	5	<10	102
GBM999-5		<10	<10	5	<10	112
Target Range - Lower Bound		<10	<10	4	<10	97
Upper Bound		20	20	7	20	123
OXD43						
OXD43						
Target Range - Lower Bound						
Upper Bound						
OxG46						
OxG46						
OxG46						
Target Range - Lower Bound						
Upper Bound						
SI15						
Target Range - Lower Bound						
Upper Bound						
ST-259						
ST-259						
ST-259						

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108015

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
STANDARDS																
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.90														
ST-327		6.62														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														
BLANKS																
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	2	<10	<10	<0.5	<2	<0.01	0.6	<1	<1	<1	<0.01	<10
BLANK			<0.2	0.01	<2	<10	<10	<0.5	<2	<0.01	0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	3	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK																
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20
DUPLICATES																
ORIGINAL		1.810														
DUP		1.710														
Target Range - Lower Bound		1.660														
Upper Bound		1.860														
ORIGINAL		0.014														
DUP		0.011														
Target Range - Lower Bound		<0.005														
Upper Bound		0.023														

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108015

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
STANDARDS																
Target Range - Lower Bound																
Upper Bound																
ST-327																
ST-327																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK			<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<0.01														
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108015

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
STANDARDS						
Target Range - Lower Bound						
Upper Bound						
ST-327						
ST-327						
Target Range - Lower Bound						
Upper Bound						
BLANKS						
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4
DUPLICATES						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108015

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
ORIGINAL		0.020														
DUP		0.025														
Target Range - Lower Bound		0.011														
Upper Bound		0.034														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.007														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.142														
DUP		0.142														
Target Range - Lower Bound		0.125														
Upper Bound		0.159														
B630086			0.4	1.24	11	<10	290	<0.5	<2	0.65	<0.5	11	23	36	2.73	<10
DUP			0.4	1.25	11	<10	300	<0.5	<2	0.66	<0.5	12	23	37	2.76	<10
Target Range - Lower Bound			<0.2	1.16	6	<10	250	<0.5	<2	0.60	<0.5	9	20	33	2.59	<10
Upper Bound			0.8	1.33	16	20	340	1.0	4	0.71	1.0	14	26	40	2.90	20
B630093		0.007														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B629890		0.006														
DUP		0.007														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B629898			<0.2	1.29	13	<10	190	<0.5	<2	0.27	<0.5	6	24	17	2.54	<10
DUP			0.2	1.22	13	<10	180	<0.5	<2	0.25	<0.5	7	21	15	2.41	<10
Target Range - Lower Bound			<0.2	1.17	8	<10	150	<0.5	<2	0.23	<0.5	4	19	13	2.33	<10
Upper Bound			0.4	1.34	18	20	220	1.0	4	0.29	1.0	9	26	19	2.62	20

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108015

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B630086		0.11	0.04	10	0.43	494	2	0.01	32	860	20	0.03	<2	3	30	0.03
DUP		0.11	0.04	10	0.44	514	2	0.01	32	880	21	0.03	2	4	31	0.03
Target Range - Lower Bound		0.08	0.02	<10	0.39	469	<1	<0.01	28	810	15	<0.01	<2	<1	27	<0.01
Upper Bound		0.14	0.06	20	0.48	539	4	0.02	36	930	26	0.05	4	6	34	0.05
B630093																
DUP																
Target Range - Lower Bound																
Upper Bound																
B629890																
DUP																
Target Range - Lower Bound																
Upper Bound																
B629898		0.05	0.04	10	0.40	325	2	0.02	18	840	13	0.01	2	2	15	0.03
DUP		0.04	0.04	10	0.38	311	1	0.01	16	820	8	0.01	<2	2	15	0.03
Target Range - Lower Bound		0.02	0.02	<10	0.35	292	<1	<0.01	14	770	6	<0.01	<2	<1	12	<0.01
Upper Bound		0.07	0.06	20	0.43	344	2	0.02	20	890	15	0.02	4	4	18	0.05

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108015

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
B630086		<10	<10	37	<10	88
DUP		<10	<10	37	<10	89
Target Range - Lower Bound		<10	<10	33	<10	80
Upper Bound		20	20	41	20	97
B630093						
DUP						
Target Range - Lower Bound						
Upper Bound						
B629890						
DUP						
Target Range - Lower Bound						
Upper Bound						
B629898		<10	<10	43	<10	67
DUP		<10	<10	39	<10	60
Target Range - Lower Bound		<10	<10	37	<10	56
Upper Bound		20	20	45	20	71

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108015

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
B627795		0.006														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B628934			0.3	1.01	21	<10	190	<0.5	2	0.23	<0.5	10	18	50	2.90	<10
DUP			0.4	1.06	20	<10	200	<0.5	<2	0.24	0.6	9	19	51	3.02	<10
Target Range - Lower Bound			<0.2	0.96	15	<10	160	<0.5	<2	0.20	<0.5	7	16	46	2.79	<10
Upper Bound			0.4	1.11	26	20	230	1.0	4	0.27	1.0	12	21	55	3.13	20
B628949		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B629040		0.070	<0.2	2.54	140	<10	120	1.2	<2	0.20	<0.5	18	38	33	5.43	10
DUP			<0.2	2.57	141	<10	120	1.2	<2	0.20	<0.5	18	39	33	5.51	10
Target Range - Lower Bound			<0.2	2.41	129	<10	90	<0.5	<2	0.17	<0.5	15	35	29	5.18	<10
Upper Bound			0.4	2.70	152	20	150	2.3	4	0.23	1.0	21	42	37	5.76	20
B629144			0.2	1.69	47	<10	230	0.5	<2	0.37	<0.5	14	26	39	3.09	10
DUP			0.4	1.75	47	<10	240	0.5	2	0.38	<0.5	13	27	40	3.18	10
Target Range - Lower Bound			<0.2	1.61	41	<10	200	<0.5	<2	0.34	<0.5	11	23	36	2.96	<10
Upper Bound			0.4	1.83	53	20	270	1.0	4	0.41	1.0	16	30	43	3.31	20
B628167		<0.005														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108015

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
DUPLICATES																
B627795																
DUP																
Target Range - Lower Bound																
Upper Bound																
B628934		0.13	0.04	20	0.39	371	3	0.01	34	760	16	<0.01	<2	3	15	0.02
DUP		0.13	0.04	20	0.41	383	3	0.01	35	770	14	<0.01	<2	3	16	0.02
Target Range - Lower Bound		0.10	0.02	<10	0.36	348	<1	<0.01	31	710	10	<0.01	<2	<1	13	<0.01
Upper Bound		0.16	0.06	40	0.44	406	5	0.02	38	820	20	0.02	4	5	18	0.04
B628949																
DUP																
Target Range - Lower Bound																
Upper Bound																
B629040		0.02	0.87	30	0.90	408	1	0.01	47	470	18	0.02	<2	4	28	0.13
DUP		0.01	0.84	40	0.91	420	1	<0.01	48	490	17	0.02	2	4	28	0.13
Target Range - Lower Bound		<0.01	0.79	<10	0.84	383	<1	<0.01	43	440	13	<0.01	<2	2	25	0.10
Upper Bound		0.02	0.92	60	0.97	445	2	0.02	52	520	22	0.04	4	6	31	0.16
B629144		0.04	0.07	30	0.61	427	1	0.01	35	650	8	0.02	3	3	29	0.03
DUP		0.04	0.07	30	0.62	436	1	0.01	33	680	10	0.03	2	4	30	0.03
Target Range - Lower Bound		0.02	0.05	<10	0.56	400	<1	<0.01	30	610	5	<0.01	<2	<1	26	<0.01
Upper Bound		0.06	0.09	50	0.67	463	2	0.02	38	720	13	0.05	4	6	33	0.05
B628167																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108015

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
B627795						
DUP						
Target Range - Lower Bound						
Upper Bound						
B628934		<10	<10	31	<10	108
DUP		<10	<10	32	<10	112
Target Range - Lower Bound		<10	<10	28	<10	101
Upper Bound		20	20	35	20	120
B628949						
DUP						
Target Range - Lower Bound						
Upper Bound						
B629040		<10	<10	45	<10	59
DUP		<10	<10	44	<10	60
Target Range - Lower Bound		<10	<10	40	<10	53
Upper Bound		20	20	49	20	66
B629144		<10	<10	33	<10	66
DUP		<10	<10	34	<10	67
Target Range - Lower Bound		<10	<10	30	<10	59
Upper Bound		20	20	37	20	74
B628167						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-NOV-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06108016

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 167 Soil samples submitted to our lab in Vancouver, BC, Canada on 2-OCT-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108016

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
STANDARDS																
BM-9/A			13.5	0.84	20	<10	90	0.8	113	0.17	26.9	93	204	5650	3.63	<10
BM-9/A			13.5	0.83	22	<10	80	0.8	106	0.16	25.5	96	193	5200	3.58	<10
BM-9/A			14.1	0.85	22	<10	90	0.8	119	0.16	26.8	100	199	5610	3.51	<10
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.5	1.70	445	<10	870	0.9	2	0.49	6.4	21	68	290	3.61	10
G2000			3.1	1.81	466	<10	860	0.9	2	0.52	6.8	21	71	301	3.76	10
G2000			3.4	1.99	483	<10	960	1.0	<2	0.55	7.4	23	74	305	4.07	10
G2000			3.3	2.03	492	<10	950	1.0	<2	0.55	7.2	22	75	309	4.06	10
G2000			3.2	1.77	457	<10	850	0.9	<2	0.50	7.1	21	68	286	3.75	10
G2000			3.2	1.87	460	<10	860	1.0	<2	0.51	6.6	22	70	301	3.86	10
G2000			3.8	1.87	482	<10	920	1.0	<2	0.50	6.9	24	72	315	3.74	10
G2000			4.0	1.90	483	<10	920	1.0	<2	0.50	7.3	24	71	310	3.74	10
G2000			3.3	1.72	475	<10	860	0.9	<2	0.48	6.8	23	68	303	3.60	10
G2000			3.3	1.81	487	<10	920	0.9	<2	0.50	7.2	25	70	310	3.73	10
G2000																
G2000																
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334	4.19	20
GBM999-5			62.1	0.21	<2	<10	60	<0.5	<2	0.06	<0.5	2	5	501	3.07	<10
GBM999-5			60.9	0.19	5	<10	50	<0.5	<2	0.05	<0.5	3	5	483	2.74	<10
Target Range - Lower Bound			53.3	0.17	<2	<10	40	<0.5	<2	0.04	<0.5	2	4	436	2.56	<10
Upper Bound			65.5	0.23	4	20	70	1.0	4	0.07	1.0	4	7	536	3.15	20
OXD43		0.408														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.050														
OxG46		1.055														
OxG46		1.030														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.52														
ST-259		2.49														
ST-259		2.44														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		7.03														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108016

Sample Description	Method Analyte Units LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
STANDARDS																
BM-9/A		0.47	0.02	10	0.42	647	2	0.40	363	80	6530	1.47	6	8	73	0.01
BM-9/A		0.41	0.02	10	0.40	594	2	0.39	346	90	6290	1.39	8	8	73	0.01
BM-9/A		0.43	0.02	10	0.40	632	4	0.40	365	90	6760	1.48	9	9	77	0.01
Target Range - Lower Bound		0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000		0.79	0.40	20	0.63	530	4	0.03	262	860	621	0.25	23	7	64	0.05
G2000		0.77	0.41	20	0.66	546	5	0.03	270	890	645	0.26	24	7	67	0.05
G2000		0.83	0.42	20	0.70	572	4	0.02	286	970	676	0.28	24	8	73	0.05
G2000			0.43	20	0.70	559	5	0.02	289	980	679	0.27	24	7	73	0.05
G2000		0.72	0.39	20	0.64	518	4	0.03	267	910	641	0.26	25	7	66	0.05
G2000		0.73	0.41	20	0.66	540	4	0.03	271	920	643	0.26	25	7	68	0.05
G2000		0.77	0.41	20	0.65	559	6	0.02	284	960	706	0.27	27	7	70	0.05
G2000		0.76	0.41	20	0.65	558	6	0.02	280	990	684	0.27	25	7	70	0.05
G2000		0.71	0.39	20	0.62	546	6	0.03	273	940	686	0.27	28	7	65	0.05
G2000		0.75	0.40	20	0.64	568	6	0.03	283	970	688	0.28	28	7	68	0.05
G2000		0.68														
G2000		0.69														
Target Range - Lower Bound		0.70	0.37	<10	0.60	506	4	0.02	246	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.47	40	0.76	630	8	0.04	302	1050	739	0.31	31	9	76	0.07
GBM999-5		0.04	0.05	10	0.02	61	2	<0.01	4	40	527	0.30	5	1	4	<0.01
GBM999-5		0.08	0.05	10	0.02	58	4	<0.01	5	40	499	0.28	6	1	4	<0.01
Target Range - Lower Bound			0.04	<10	<0.01	49	2	<0.01	2	20	452	0.26	<2	<1	2	<0.01
Upper Bound			0.07	20	0.03	71	5	0.03	5	50	556	0.34	8	2	5	0.02
OXD43																
Target Range - Lower Bound																
Upper Bound																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
Target Range - Lower Bound																
Upper Bound																

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108016

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
				STANDARDS		
BM-9/A		<10	<10	15	<10	8200
BM-9/A		<10	<10	15	<10	8100
BM-9/A		<10	<10	15	<10	8180
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	64	<10	1230
G2000		<10	<10	66	<10	1250
G2000		<10	<10	68	10	1305
G2000		<10	<10	69	<10	1310
G2000		<10	<10	63	10	1220
G2000		<10	<10	66	<10	1260
G2000		<10	<10	68	<10	1345
G2000		<10	<10	68	10	1350
G2000		<10	<10	65	10	1275
G2000		<10	<10	66	<10	1345
G2000						
G2000						
Target Range - Lower Bound		<10	<10	59	<10	1145
Upper Bound		20	20	74	20	1400
GBM999-5		<10	<10	6	<10	121
GBM999-5		<10	<10	5	<10	109
Target Range - Lower Bound		<10	<10	4	<10	97
Upper Bound		20	20	7	20	123
OXD43						
Target Range - Lower Bound						
Upper Bound						
OxG46						
OxG46						
OxG46						
Target Range - Lower Bound						
Upper Bound						
ST-259						
ST-259						
ST-259						
Target Range - Lower Bound						
Upper Bound						
ST-327						
Target Range - Lower Bound						
Upper Bound						

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108016

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
BLANKS																
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<10
BLANK		0.005														
BLANK		0.007														
BLANK		<0.005														
BLANK																
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20
DUPLICATES																
ORIGINAL		0.095														
DUP		0.099														
Target Range - Lower Bound		0.082														
Upper Bound		0.112														
ORIGINAL		0.021														
DUP		0.021														
Target Range - Lower Bound		0.010														
Upper Bound		0.032														
B628309		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B628310			<0.2	1.01	11	<10	60	<0.5	<2	0.06	<0.5	3	17	11	2.17	<10
DUP			<0.2	1.07	8	<10	60	<0.5	<2	0.06	<0.5	3	18	11	2.29	<10
Target Range - Lower Bound			<0.2	0.97	5	<10	40	<0.5	<2	0.04	<0.5	<1	15	8	2.10	<10
Upper Bound			0.4	1.11	14	20	80	1.0	4	0.08	1.0	5	20	14	2.36	20

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108016

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
BLANKS																
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<2	<1	1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	1	<0.01
BLANK																
BLANK																
BLANK																
BLANK		<0.01														
BLANK																
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B628309																
DUP																
Target Range - Lower Bound																
Upper Bound																
B628310		0.03	0.04	10	0.28	181	<1	<0.01	12	330	14	0.01	<2	1	5	0.03
DUP		0.04	0.04	10	0.30	192	<1	<0.01	12	340	13	0.01	<2	1	6	0.03
Target Range - Lower Bound		<0.01	0.02	<10	0.26	167	<1	<0.01	9	300	9	<0.01	<2	<1	3	<0.01
Upper Bound		0.06	0.06	20	0.32	206	2	0.02	15	370	18	0.02	4	2	8	0.05

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108016

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
BLANKS						
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4
DUPLICATES						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
B628309						
DUP						
Target Range - Lower Bound						
Upper Bound						
B628310		<10	<10	30	<10	46
DUP		<10	<10	31	<10	48
Target Range - Lower Bound		<10	<10	27	<10	41
Upper Bound		20	20	34	20	53

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108016

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
B628413			<0.2	1.43	13	<10	100	<0.5	<2	0.13	<0.5	4	25	17	2.33	10
DUP			<0.2	1.29	14	<10	90	<0.5	<2	0.11	<0.5	4	23	16	2.17	<10
Target Range - Lower Bound			<0.2	1.27	9	<10	70	<0.5	<2	0.09	<0.5	2	21	14	2.12	<10
Upper Bound			0.4	1.45	18	20	120	1.0	4	0.15	1.0	6	27	19	2.38	20
B628415		0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B628609			<0.2	0.80	46	<10	100	<0.5	<2	0.05	<0.5	6	19	27	3.01	<10
DUP			0.2	0.86	53	<10	110	<0.5	<2	0.06	<0.5	7	18	29	3.15	<10
Target Range - Lower Bound			<0.2	0.77	43	<10	80	<0.5	<2	0.03	<0.5	4	16	25	2.91	<10
Upper Bound			0.4	0.89	56	20	130	1.0	4	0.08	1.0	9	21	31	3.25	20
B628616		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B629223			<0.2	0.72	8	<10	80	<0.5	<2	0.05	<0.5	5	14	16	2.13	<10
DUP			<0.2	0.72	7	<10	80	<0.5	<2	0.05	<0.5	6	14	16	2.10	<10
Target Range - Lower Bound			<0.2	0.66	3	<10	50	<0.5	<2	0.03	<0.5	3	11	13	1.99	<10
Upper Bound			0.4	0.78	12	20	110	1.0	4	0.07	1.0	8	17	19	2.24	20
B628452			<0.2	1.56	30	<10	200	<0.5	<2	0.43	<0.5	10	25	19	2.36	<10
DUP			<0.2	1.64	32	<10	200	<0.5	<2	0.45	<0.5	9	26	19	2.43	<10
Target Range - Lower Bound			<0.2	1.50	25	<10	170	<0.5	<2	0.40	<0.5	7	22	16	2.26	<10
Upper Bound			0.4	1.70	37	20	240	1.0	4	0.48	1.0	12	29	22	2.53	20
B628467		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B628055																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108016

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
B628413		0.12	0.04	20	0.36	124	<1	<0.01	16	540	12	0.01	3	1	12	0.03
DUP		0.10	0.04	10	0.33	116	<1	<0.01	16	520	11	0.01	3	1	11	0.03
Target Range - Lower Bound		0.08	0.02	<10	0.31	104	<1	<0.01	13	480	7	<0.01	<2	<1	9	<0.01
Upper Bound		0.14	0.06	20	0.38	136	2	0.02	19	580	16	0.02	4	2	14	0.05
B628415																
DUP																
Target Range - Lower Bound																
Upper Bound																
B628609		0.16	0.13	20	0.18	183	1	<0.01	20	560	31	0.14	10	1	33	0.01
DUP		0.17	0.15	20	0.18	198	<1	0.01	20	610	31	0.15	9	1	36	0.02
Target Range - Lower Bound		0.14	0.11	<10	0.15	171	<1	<0.01	17	540	25	0.12	5	<1	31	<0.01
Upper Bound		0.19	0.17	40	0.21	210	2	0.02	23	630	37	0.17	14	2	38	0.02
B628616																
DUP																
Target Range - Lower Bound																
Upper Bound																
B629223		0.05	0.04	30	0.18	127	1	<0.01	16	320	17	<0.01	3	1	12	0.03
DUP		0.05	0.04	30	0.18	126	1	<0.01	14	320	17	<0.01	2	1	13	0.03
Target Range - Lower Bound		0.03	0.02	<10	0.15	110	<1	<0.01	12	280	12	<0.01	<2	<1	10	<0.01
Upper Bound		0.07	0.06	50	0.21	143	2	0.02	18	360	22	0.02	4	2	15	0.05
B628452		0.04	0.08	20	0.47	312	<1	0.01	22	720	12	0.02	4	3	34	0.05
DUP		0.04	0.08	20	0.49	318	<1	0.02	21	720	15	0.02	<2	3	34	0.05
Target Range - Lower Bound		0.02	0.06	<10	0.44	289	<1	<0.01	18	660	9	<0.01	<2	<1	30	0.03
Upper Bound		0.06	0.10	40	0.52	341	2	0.02	25	780	18	0.04	4	5	38	0.07
B628467																
DUP																
Target Range - Lower Bound																
Upper Bound																
B628055		0.04														
DUP		0.04														
Target Range - Lower Bound		0.02														
Upper Bound		0.06														

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108016

Sample Description / Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
DUPLICATES					
B628413	<10	<10	42	<10	50
DUP	<10	<10	39	<10	47
Target Range - Lower Bound	<10	<10	36	<10	42
Upper Bound	20	20	45	20	55
B628415					
DUP					
Target Range - Lower Bound					
Upper Bound					
B628609	<10	<10	23	<10	52
DUP	<10	<10	24	<10	54
Target Range - Lower Bound	<10	<10	20	<10	46
Upper Bound	20	20	27	20	60
B628616					
DUP					
Target Range - Lower Bound					
Upper Bound					
B629223	<10	<10	26	<10	45
DUP	<10	<10	26	<10	45
Target Range - Lower Bound	<10	<10	23	<10	39
Upper Bound	20	20	29	20	51
B628452	<10	<10	37	<10	66
DUP	<10	<10	39	<10	68
Target Range - Lower Bound	<10	<10	34	<10	60
Upper Bound	20	20	42	20	74
B628467					
DUP					
Target Range - Lower Bound					
Upper Bound					
B628055					
DUP					
Target Range - Lower Bound					
Upper Bound					

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108016

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
ORIGINAL		0.235														
DUP		0.261														
Target Range - Lower Bound		0.226														
Upper Bound		0.270														
ORIGINAL		0.007														
DUP		0.010														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108016

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108016

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
DUPLICATES						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-NOV-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06108017

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 200 Soil samples submitted to our lab in Vancouver, BC, Canada on 2-OCT-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
STANDARDS																
BM-9/A			13.3	0.86	20	<10	90	0.8	112	0.16	25.7	97	193	5350	3.60	<10
BM-9/A			15.5	0.82	25	<10	80	0.8	109	0.16	24.6	91	184	5110	3.58	<10
BM-9/A			14.9	0.99	25	<10	100	0.8	113	0.17	26.7	98	205	5470	3.82	<10
BM-9/A			14.2	1.00	20	<10	100	0.8	115	0.18	27.5	105	206	5560	3.89	<10
BM-9/A			14.7	0.86	25	<10	90	0.8	117	0.16	26.4	95	197	5410	3.59	<10
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.26	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.1	1.79	473	<10	900	0.9	2	0.50	6.8	23	68	296	3.74	10
G2000			4.3	1.88	494	<10	940	0.9	<2	0.52	7.1	24	71	302	3.90	10
G2000			3.2	1.78	442	<10	810	0.9	<2	0.50	6.5	21	65	289	3.76	10
G2000			3.1	1.91	474	10	850	1.0	<2	0.51	6.9	23	71	305	3.78	10
G2000			3.3	1.83	464	<10	870	0.9	<2	0.50	6.5	22	70	311	3.72	<10
G2000			3.3	1.83	465	<10	870	0.9	<2	0.48	7.1	23	67	302	3.65	10
G2000			3.6	1.84	485	<10	780	0.9	2	0.48	7.1	23	69	307	3.77	10
G2000			3.1	1.86	469	<10	850	0.9	2	0.50	6.9	23	70	288	3.78	10
G2000			3.4	1.96	492	<10	920	0.9	<2	0.53	7.5	24	73	297	3.94	10
G2000			3.0	1.71	455	<10	760	0.9	3	0.48	6.6	23	66	285	3.62	10
G2000			3.3	1.80	461	<10	790	0.9	2	0.51	6.9	23	68	294	3.77	<10
G2000			3.3	1.82	464	<10	810	0.9	3	0.48	6.6	22	68	298	3.67	10
G2000			3.3	1.92	480	<10	930	1.0	3	0.50	7.0	23	70	301	3.80	10
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334	4.19	20
GBM999-5			57.4	0.18	<2	<10	50	<0.5	<2	0.05	<0.5	3	4	453	2.67	<10
GBM999-5			60.6	0.19	<2	<10	50	<0.5	3	0.05	0.6	3	5	463	2.81	<10
Target Range - Lower Bound			53.3	0.17	<2	<10	40	<0.5	<2	0.04	<0.5	2	4	436	2.56	<10
Upper Bound			65.5	0.23	4	20	70	1.0	4	0.07	1.0	4	7	536	3.15	20

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
STANDARDS																
BM-9/A		0.42	0.02	10	0.41	648	3	0.37	349	80	6630	1.43	6	8	73	0.01
BM-9/A			0.02	10	0.40	600	3	0.40	348	90	6190	1.41	6	8	74	0.01
BM-9/A			0.02	10	0.44	630	3	0.42	377	90	6640	1.47	6	9	78	0.01
BM-9/A			0.02	10	0.45	671	4	0.39	368	90	6980	1.57	7	9	77	0.01
BM-9/A		0.41	0.02	10	0.40	633	3	0.40	355	80	6810	1.46	5	8	75	0.01
Target Range - Lower Bound		0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000		0.77	0.41	20	0.66	553	4	0.02	268	920	663	0.26	23	7	66	0.05
G2000		0.77	0.42	20	0.68	580	5	0.02	276	990	709	0.28	23	7	69	0.05
G2000			0.41	20	0.65	532	5	0.02	264	910	623	0.26	25	7	66	0.05
G2000		0.81	0.41	20	0.66	548	6	0.03	278	960	664	0.28	23	7	71	0.05
G2000		0.80	0.43	20	0.64	513	4	0.02	279	910	636	0.26	23	7	68	0.05
G2000		0.80	0.39	20	0.64	530	5	0.03	270	950	657	0.28	25	7	66	0.05
G2000		0.74	0.39	20	0.63	540	5	0.03	281	960	671	0.28	25	7	64	0.05
G2000			0.41	20	0.65	549	6	0.02	264	910	643	0.27	26	7	66	0.05
G2000			0.43	20	0.68	572	6	0.02	276	950	687	0.28	26	7	72	0.06
G2000			0.40	20	0.63	532	6	0.02	253	860	620	0.26	23	6	62	0.05
G2000			0.41	20	0.66	553	6	0.02	265	910	652	0.28	25	7	64	0.05
G2000		0.74	0.39	20	0.63	542	4	0.03	275	920	669	0.27	22	7	66	0.05
G2000		0.78	0.40	20	0.65	567	4	0.03	284	940	685	0.28	21	7	69	0.05
G2000		0.68														
G2000		0.69														
G2000		0.73														
G2000		0.75														
G2000		0.71														
G2000		0.78														
G2000		0.82														
G2000		0.83														
Target Range - Lower Bound		0.70	0.37	<10	0.60	506	4	0.02	246	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.47	40	0.76	630	8	0.04	302	1050	739	0.31	31	9	76	0.07
GBM999-5		0.07	0.05	10	0.02	56	3	0.01	4	40	454	0.28	5	1	4	<0.01
GBM999-5			0.05	10	0.02	59	4	<0.01	3	30	479	0.30	6	1	4	<0.01
Target Range - Lower Bound			0.04	<10	<0.01	49	2	<0.01	2	20	452	0.26	<2	<1	2	<0.01
Upper Bound			0.07	20	0.03	71	5	0.03	5	50	556	0.34	8	2	5	0.02

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
				STANDARDS		
BM-9/A		<10	<10	15	<10	8150
BM-9/A		<10	<10	14	<10	7770
BM-9/A		<10	<10	16	<10	8510
BM-9/A		<10	<10	15	<10	8570
BM-9/A		<10	<10	15	<10	8280
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	64	10	1280
G2000		<10	<10	67	<10	1310
G2000		<10	<10	62	<10	1230
G2000		<10	<10	68	10	1265
G2000		<10	<10	65	<10	1290
G2000		<10	<10	64	<10	1285
G2000		<10	<10	65	10	1340
G2000		<10	<10	65	<10	1250
G2000		<10	<10	67	<10	1300
G2000		<10	<10	62	10	1200
G2000		<10	<10	65	10	1250
G2000		<10	<10	65	<10	1230
G2000		10	<10	67	<10	1280
G2000						
G2000						
G2000						
G2000						
G2000						
G2000						
G2000						
G2000						
Target Range - Lower Bound		<10	<10	59	<10	1145
Upper Bound		20	20	74	20	1400
GBM999-5		<10	<10	5	<10	105
GBM999-5		<10	<10	5	<10	103
Target Range - Lower Bound		<10	<10	4	<10	97
Upper Bound		20	20	7	20	123

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
STANDARDS																
OXD43		0.414														
OXD43		0.406														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.055														
OxG46		1.055														
OxG46		1.030														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.49														
ST-259		2.57														
ST-259		2.44														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		7.12														
ST-327		7.11														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														
BLANKS																
BLANK			<0.2	<0.01	3	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	2	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	0.01	<10
BLANK																
BLANK																
BLANK																
BLANK		<0.005														
BLANK																
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
STANDARDS																
OXD43																
OXD43																
Target Range - Lower Bound																
Upper Bound																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
ST-327																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK																
BLANK																
BLANK																
BLANK																
BLANK			<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK			<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK			<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01														
BLANK		<0.01														
BLANK		<0.01														
BLANK																
BLANK		<0.01														
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		STANDARDS				
OXD43						
OXD43						
Target Range - Lower Bound						
Upper Bound						
OxG46						
OxG46						
OxG46						
Target Range - Lower Bound						
Upper Bound						
ST-259						
ST-259						
ST-259						
Target Range - Lower Bound						
Upper Bound						
ST-327						
ST-327						
Target Range - Lower Bound						
Upper Bound						
		BLANKS				
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK						
BLANK						
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL			<0.2	0.61	310	<10	40	<0.5	<2	0.13	<0.5	23	10	26	11.15	<10
DUP			0.2	0.60	317	<10	40	<0.5	<2	0.13	<0.5	23	10	26	11.60	<10
Target Range - Lower Bound			<0.2	0.55	294	<10	20	<0.5	<2	0.10	<0.5	20	8	23	10.80	<10
Upper Bound			0.4	0.66	333	20	60	1.0	4	0.16	1.0	26	13	29	11.95	20
ORIGINAL		0.095														
DUP		0.099														
Target Range - Lower Bound		0.082														
Upper Bound		0.112														
ORIGINAL		0.021														
DUP		0.021														
Target Range - Lower Bound		0.010														
Upper Bound		0.032														
B628467		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B629954			0.4	1.00	10	<10	190	<0.5	<2	0.83	0.6	8	20	32	2.50	<10
DUP			0.4	0.96	15	<10	190	<0.5	<2	0.81	0.6	8	20	32	2.44	<10
Target Range - Lower Bound			<0.2	0.91	8	<10	160	<0.5	<2	0.76	<0.5	6	17	28	2.33	<10
Upper Bound			0.8	1.05	17	20	220	1.0	4	0.88	1.0	10	23	36	2.61	20
B629986		0.009														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B629989			<0.2	1.12	21	<10	150	<0.5	<2	0.34	<0.5	5	20	19	2.13	<10
DUP			<0.2	1.09	19	<10	140	<0.5	<2	0.33	<0.5	5	19	18	2.08	<10
Target Range - Lower Bound			<0.2	1.03	15	<10	110	<0.5	<2	0.30	<0.5	3	17	16	1.98	<10
Upper Bound			0.4	1.18	25	20	180	1.0	4	0.37	1.0	7	22	21	2.23	20

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
ORIGINAL		3.18														
DUP		3.18														
Target Range - Lower Bound		3.00														
Upper Bound		3.36														
ORIGINAL			0.14	10	0.30	211	5	0.04	50	270	18	>10.0	5	2	6	0.05
DUP			0.13	10	0.30	214	5	0.05	50	290	18	>10.0	5	2	6	0.05
Target Range - Lower Bound			0.11	<10	0.27	192	3	0.02	46	250	13	9.48	<2	<1	4	0.03
Upper Bound			0.16	20	0.34	233	7	0.07	55	310	23	10.00	9	4	8	0.07
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B628467																
DUP																
Target Range - Lower Bound																
Upper Bound																
B629954		0.12	0.07	20	0.49	455	2	<0.01	32	1060	14	0.03	3	3	37	0.03
DUP		0.12	0.07	20	0.47	441	2	<0.01	30	1040	15	0.03	3	3	35	0.03
Target Range - Lower Bound		0.09	0.05	<10	0.44	416	<1	<0.01	27	980	10	<0.01	<2	<1	32	<0.01
Upper Bound		0.15	0.09	40	0.52	480	4	0.02	35	1120	19	0.05	4	5	40	0.05
B629986																
DUP																
Target Range - Lower Bound																
Upper Bound																
B629989		0.04	0.04	10	0.37	209	1	<0.01	18	630	9	0.01	<2	2	19	0.03
DUP		0.06	0.04	10	0.36	203	1	<0.01	17	640	9	0.01	<2	2	19	0.03
Target Range - Lower Bound		0.03	0.02	<10	0.33	186	<1	<0.01	15	580	5	<0.01	<2	<1	16	<0.01
Upper Bound		0.07	0.06	20	0.40	226	2	0.02	20	690	13	0.02	4	4	22	0.05

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL		<10	<10	9	<10	68
DUP		<10	<10	9	<10	67
Target Range - Lower Bound		<10	<10	7	<10	60
Upper Bound		20	20	11	20	75
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
B628467						
DUP						
Target Range - Lower Bound						
Upper Bound						
B629954		<10	<10	30	<10	119
DUP		<10	<10	30	<10	116
Target Range - Lower Bound		<10	<10	27	<10	108
Upper Bound		20	20	34	20	127
B629986						
DUP						
Target Range - Lower Bound						
Upper Bound						
B629989		<10	<10	34	<10	56
DUP		<10	<10	33	<10	54
Target Range - Lower Bound		<10	<10	30	<10	48
Upper Bound		20	20	37	20	62

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
B627906		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B627924			0.2	1.05	12	<10	160	<0.5	<2	0.41	<0.5	5	18	25	1.84	<10
DUP			0.3	1.05	17	<10	160	<0.5	<2	0.41	<0.5	4	18	25	1.85	<10
Target Range - Lower Bound			<0.2	0.98	10	<10	130	<0.5	<2	0.37	<0.5	2	15	22	1.73	<10
Upper Bound			0.4	1.12	19	20	190	1.0	4	0.45	1.0	7	21	28	1.96	20
B628055																
DUP																
Target Range - Lower Bound																
Upper Bound																
B628059			<0.2	1.63	7	<10	120	<0.5	2	0.18	<0.5	7	25	30	2.50	<10
DUP			<0.2	1.69	10	<10	130	<0.5	<2	0.19	0.5	6	26	31	2.59	<10
Target Range - Lower Bound			<0.2	1.56	4	<10	100	<0.5	<2	0.16	<0.5	4	22	27	2.40	<10
Upper Bound			0.4	1.76	13	20	150	1.0	4	0.21	1.0	9	29	34	2.69	20
B628084		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B628091																
DUP																
Target Range - Lower Bound																
Upper Bound																
B628094			0.3	2.35	44	<10	130	0.5	<2	0.57	<0.5	23	65	45	3.28	10
DUP			0.3	2.33	51	<10	130	0.5	2	0.56	<0.5	22	62	42	3.18	10
Target Range - Lower Bound			<0.2	2.20	41	<10	100	<0.5	<2	0.52	<0.5	19	58	39	3.05	<10
Upper Bound			0.4	2.48	54	20	160	1.0	4	0.61	1.0	26	69	48	3.41	20
B627879			<0.2	1.58	32	<10	70	<0.5	2	0.06	<0.5	13	22	22	3.42	<10
DUP			<0.2	1.61	31	<10	70	<0.5	3	0.06	<0.5	14	22	23	3.49	<10
Target Range - Lower Bound			<0.2	1.50	26	<10	40	<0.5	<2	0.04	<0.5	11	19	19	3.26	<10
Upper Bound			0.4	1.69	37	20	100	1.0	4	0.08	1.0	16	25	26	3.65	20

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
B627906																
DUP																
Target Range - Lower Bound																
Upper Bound																
B627924		0.07	0.03	10	0.35	197	1	<0.01	17	1000	12	0.07	<2	3	25	0.02
DUP		0.09	0.03	10	0.35	196	1	<0.01	18	1000	11	0.07	3	3	26	0.02
Target Range - Lower Bound		0.06	<0.01	<10	0.31	177	<1	<0.01	15	930	7	0.05	<2	<1	22	<0.01
Upper Bound		0.10	0.05	20	0.39	216	2	0.02	20	1070	16	0.09	4	5	29	0.04
B628055		0.04														
DUP		0.04														
Target Range - Lower Bound		0.02														
Upper Bound		0.06														
B628059			0.05	10	0.44	209	1	<0.01	20	750	10	0.02	2	3	13	0.05
DUP			0.05	10	0.45	216	1	<0.01	20	760	12	0.02	2	3	13	0.05
Target Range - Lower Bound			0.03	<10	0.40	192	<1	<0.01	17	700	6	<0.01	<2	<1	10	0.03
Upper Bound			0.07	20	0.49	233	2	0.02	23	810	16	0.04	4	5	16	0.07
B628084																
DUP																
Target Range - Lower Bound																
Upper Bound																
B628091		0.29														
DUP		0.29														
Target Range - Lower Bound		0.26														
Upper Bound		0.32														
B628094			0.33	10	1.10	904	5	0.04	29	1350	18	0.07	3	7	31	0.11
DUP			0.31	10	1.08	878	5	0.04	31	1290	17	0.08	2	7	31	0.11
Target Range - Lower Bound			0.28	<10	1.02	836	3	0.02	27	1230	13	0.05	<2	5	27	0.08
Upper Bound			0.36	20	1.16	946	7	0.06	34	1410	22	0.10	4	9	35	0.14
B627879		0.13	0.03	20	0.32	386	<1	0.01	22	420	23	0.02	<2	2	10	0.03
DUP		0.12	0.03	20	0.32	401	<1	0.01	20	430	22	0.02	2	2	10	0.03
Target Range - Lower Bound		0.10	<0.01	<10	0.28	364	<1	<0.01	18	380	17	<0.01	<2	<1	8	<0.01
Upper Bound		0.15	0.05	40	0.36	423	2	0.02	24	470	28	0.04	4	4	13	0.05

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
B627906						
DUP						
Target Range - Lower Bound						
Upper Bound						
B627924		<10	<10	30	<10	72
DUP		<10	<10	30	<10	72
Target Range - Lower Bound		<10	<10	27	<10	64
Upper Bound		20	20	34	20	80
B628055						
DUP						
Target Range - Lower Bound						
Upper Bound						
B628059		<10	<10	43	<10	71
DUP		<10	<10	44	<10	72
Target Range - Lower Bound		<10	<10	39	<10	64
Upper Bound		20	20	48	20	79
B628084						
DUP						
Target Range - Lower Bound						
Upper Bound						
B628091						
DUP						
Target Range - Lower Bound						
Upper Bound						
B628094		<10	<10	106	<10	111
DUP		<10	<10	101	<10	104
Target Range - Lower Bound		<10	<10	96	<10	98
Upper Bound		20	20	111	20	117
B627879		<10	<10	37	<10	62
DUP		<10	<10	37	<10	65
Target Range - Lower Bound		<10	<10	33	<10	56
Upper Bound		20	20	41	20	71

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
B627892		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B628221																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
DUPLICATES																
B627892																
DUP																
Target Range - Lower Bound																
Upper Bound																
B628221		0.04														
DUP		0.04														
Target Range - Lower Bound		0.02														
Upper Bound		0.06														

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
		DUPLICATES				
B627892						
DUP						
Target Range - Lower Bound						
Upper Bound						
B628221						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-NOV-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06108018

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 188 Soil samples submitted to our lab in Vancouver, BC, Canada on 2-OCT-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108018

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
STANDARDS																
BM-9/A			14.1	0.85	22	<10	90	0.8	119	0.16	26.8	100	199	5610	3.51	<10
BM-9/A			13.9	0.85	22	<10	90	0.8	111	0.16	26.5	98	193	5400	3.57	<10
BM-9/A			15.5	0.83	23	<10	90	0.8	117	0.16	27.0	99	201	5480	3.58	<10
BM-9/A			14.5	0.89	23	<10	90	0.8	107	0.16	27.2	101	196	5460	3.55	<10
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.3	1.72	475	<10	860	0.9	<2	0.48	6.8	23	68	303	3.60	10
G2000			3.3	1.81	487	<10	920	0.9	<2	0.50	7.2	25	70	310	3.73	10
G2000			3.7	1.85	482	<10	910	1.0	<2	0.50	7.2	24	70	307	3.73	<10
G2000			4.2	2.05	501	<10	970	1.0	<2	0.53	7.5	25	75	329	3.91	10
G2000			3.0	1.71	472	<10	850	0.9	2	0.49	6.6	22	67	292	3.71	10
G2000			3.2	1.81	464	<10	910	0.9	2	0.50	6.8	23	69	301	3.76	<10
G2000			3.3	1.86	478	<10	880	0.9	<2	0.49	6.8	24	71	303	3.67	10
G2000			3.6	1.93	491	<10	920	1.0	<2	0.51	7.3	23	73	311	3.81	10
G2000			3.7	1.76	475	<10	880	0.9	<2	0.49	6.9	23	70	298	3.69	10
G2000			3.2	1.82	477	<10	910	0.9	<2	0.51	6.8	23	71	302	3.81	10
G2000			4.3	1.93	489	<10	930	1.0	<2	0.52	7.0	25	74	313	3.84	10
G2000			3.6	1.85	482	<10	890	0.9	<2	0.51	7.2	23	71	306	3.81	10
G2000			3.3	1.93	485	<10	900	1.0	2	0.51	7.2	24	70	306	3.80	10
G2000			3.7	1.96	486	<10	900	1.0	<2	0.51	7.0	24	71	307	3.83	10
G2000																
G2000																
G2000																
G2000																
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334	4.19	20
GBM999-5			58.9	0.19	<2	<10	50	<0.5	<2	0.05	<0.5	4	5	474	2.72	<10
GBM999-5			58.2	0.19	2	<10	50	<0.5	<2	0.05	<0.5	3	5	466	2.76	<10
GBM999-5			62.9	0.19	6	<10	60	<0.5	<2	0.05	<0.5	4	5	474	2.85	<10
Target Range - Lower Bound			53.3	0.17	<2	<10	40	<0.5	<2	0.04	<0.5	2	4	436	2.56	<10
Upper Bound			65.5	0.23	4	20	70	1.0	4	0.07	1.0	4	7	536	3.15	20
OXD43		0.406														
OXD43		0.429														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108018

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
STANDARDS																
BM-9/A		0.43	0.02	10	0.40	632	4	0.40	365	90	6760	1.48	9	9	77	0.01
BM-9/A		0.42	0.02	10	0.42	639	3	0.38	350	90	6610	1.43	6	8	72	0.01
BM-9/A			0.02	10	0.43	655	3	0.41	356	90	6890	1.50	7	9	73	0.01
BM-9/A		0.43	0.02	10	0.42	666	2	0.41	353	90	6810	1.40	6	9	78	0.01
Target Range - Lower Bound		0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000		0.71	0.39	20	0.62	546	6	0.03	273	940	686	0.27	28	7	65	0.05
G2000		0.75	0.40	20	0.64	568	6	0.03	283	970	688	0.28	28	7	68	0.05
G2000		0.76	0.40	20	0.64	558	6	0.03	280	980	698	0.28	28	7	68	0.05
G2000		0.81	0.43	20	0.68	578	6	0.04	294	1030	723	0.30	28	8	75	0.06
G2000		0.69	0.40	20	0.65	554	5	0.02	262	900	651	0.26	24	7	64	0.05
G2000		0.75	0.42	20	0.66	555	5	0.02	272	930	680	0.27	24	7	68	0.05
G2000		0.79	0.40	20	0.67	536	4	0.02	272	950	663	0.27	24	7	68	0.05
G2000		0.82	0.41	20	0.69	567	5	0.02	284	970	693	0.28	23	7	70	0.05
G2000			0.38	20	0.66	536	5	0.02	270	940	676	0.27	23	7	66	0.05
G2000			0.39	20	0.68	563	5	0.02	274	980	690	0.28	26	7	68	0.05
G2000		0.77	0.41	20	0.70	573	5	0.03	280	970	702	0.29	26	7	71	0.06
G2000		0.75	0.40	20	0.69	568	5	0.02	274	970	685	0.29	27	7	68	0.05
G2000		0.78	0.41	20	0.67	562	4	0.03	276	950	683	0.28	25	7	72	0.05
G2000		0.79	0.41	20	0.68	572	4	0.03	271	970	699	0.28	26	8	73	0.05
G2000		0.71														
G2000		0.78														
G2000		0.80														
G2000		0.80														
Target Range - Lower Bound		0.70	0.37	<10	0.60	506	4	0.02	246	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.47	40	0.76	630	8	0.04	302	1050	739	0.31	31	9	76	0.07
GBM999-5		0.07	0.05	10	0.02	59	4	0.01	3	40	500	0.30	4	1	4	<0.01
GBM999-5		0.06	0.05	10	0.02	59	2	0.01	3	40	482	0.28	4	1	4	<0.01
GBM999-5		0.05	0.05	10	0.02	60	3	0.01	4	40	509	0.30	4	1	4	<0.01
Target Range - Lower Bound			0.04	<10	<0.01	49	2	<0.01	2	20	452	0.26	<2	<1	2	<0.01
Upper Bound			0.07	20	0.03	71	5	0.03	5	50	556	0.34	8	2	5	0.02
OXD43																
OXD43																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108018

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
STANDARDS						
BM-9/A		<10	<10	15	<10	8180
BM-9/A		<10	<10	15	<10	8220
BM-9/A		<10	<10	16	<10	8360
BM-9/A		<10	<10	15	<10	8340
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	65	10	1275
G2000		<10	<10	66	<10	1345
G2000		<10	<10	66	10	1325
G2000		<10	<10	71	10	1380
G2000		<10	<10	63	10	1280
G2000		<10	<10	66	10	1260
G2000		<10	<10	67	10	1260
G2000		<10	<10	69	<10	1330
G2000		<10	<10	66	10	1260
G2000		<10	<10	68	10	1280
G2000		<10	<10	69	<10	1300
G2000		<10	<10	68	10	1300
G2000		<10	<10	67	10	1280
G2000		<10	<10	68	10	1280
G2000						
G2000						
G2000						
G2000						
Target Range - Lower Bound		<10	<10	59	<10	1145
Upper Bound		20	20	74	20	1400
GBM999-5		<10	<10	6	<10	113
GBM999-5		<10	<10	5	<10	106
GBM999-5		<10	<10	5	<10	111
Target Range - Lower Bound		<10	<10	4	<10	97
Upper Bound		20	20	7	20	123
OXD43						
OXD43						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108018

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
STANDARDS																
OxG46		0.996														
OxG46		1.055														
OxG46		1.030														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.31														
ST-259		2.51														
ST-259		2.44														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		7.11														
ST-327		6.99														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														
BLANKS																
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	2	<10	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK		<0.005														
BLANK		0.007														
BLANK		<0.005														
BLANK		<0.005														
BLANK																
BLANK																
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108018

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
STANDARDS																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
ST-327																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK			<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<0.01														
BLANK		<0.01														
BLANK																
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108018

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
STANDARDS						
OxG46						
OxG46						
OxG46						
Target Range - Lower Bound						
Upper Bound						
ST-259						
ST-259						
ST-259						
Target Range - Lower Bound						
Upper Bound						
ST-327						
ST-327						
Target Range - Lower Bound						
Upper Bound						
BLANKS						
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108018

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
ORIGINAL		0.095														
DUP		0.099														
Target Range - Lower Bound		0.082														
Upper Bound		0.112														
ORIGINAL		0.021														
DUP		0.021														
Target Range - Lower Bound		0.010														
Upper Bound		0.032														
ORIGINAL		0.561														
DUP		0.554														
Target Range - Lower Bound		0.520														
Upper Bound		0.595														
B628452			<0.2	1.56	30	<10	200	<0.5	<2	0.43	<0.5	10	25	19	2.36	<10
DUP			<0.2	1.64	32	<10	200	<0.5	<2	0.45	<0.5	9	26	19	2.43	<10
Target Range - Lower Bound			<0.2	1.50	25	<10	170	<0.5	<2	0.40	<0.5	7	22	16	2.26	<10
Upper Bound			0.4	1.70	37	20	240	1.0	4	0.48	1.0	12	29	22	2.53	20
B627892		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B628018			<0.2	0.83	102	<10	160	<0.5	<2	0.30	<0.5	6	15	14	1.78	<10
DUP			<0.2	0.83	102	<10	160	<0.5	<2	0.30	<0.5	6	14	14	1.76	<10
Target Range - Lower Bound			<0.2	0.77	93	<10	130	<0.5	<2	0.27	<0.5	4	12	11	1.66	<10
Upper Bound			0.4	0.89	111	20	190	1.0	4	0.34	1.0	8	17	17	1.88	20
B627953			0.2	1.20	171	<10	180	<0.5	<2	0.64	1.0	11	22	21	2.44	<10
DUP			0.2	1.20	153	<10	180	<0.5	2	0.63	1.0	10	21	20	2.43	<10
Target Range - Lower Bound			<0.2	1.12	150	<10	150	<0.5	<2	0.58	<0.5	8	18	17	2.29	<10
Upper Bound			0.4	1.28	174	20	210	1.0	4	0.69	2.1	13	25	24	2.58	20
B627961		0.044														
DUP		0.047														
Target Range - Lower Bound		0.033														
Upper Bound		0.058														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108018

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B628452		0.04	0.08	20	0.47	312	<1	0.01	22	720	12	0.02	4	3	34	0.05
DUP		0.04	0.08	20	0.49	318	<1	0.02	21	720	15	0.02	<2	3	34	0.05
Target Range - Lower Bound		0.02	0.06	<10	0.44	289	<1	<0.01	18	660	9	<0.01	<2	<1	30	0.03
Upper Bound		0.06	0.10	40	0.52	341	2	0.02	25	780	18	0.04	4	5	38	0.07
B627892																
DUP																
Target Range - Lower Bound																
Upper Bound																
B628018		0.04	0.03	10	0.28	187	1	0.01	15	730	12	0.03	4	2	20	0.03
DUP		0.04	0.03	10	0.28	186	1	0.01	12	730	13	0.03	3	2	20	0.03
Target Range - Lower Bound		0.02	<0.01	<10	0.25	167	<1	<0.01	11	670	8	<0.01	<2	<1	17	<0.01
Upper Bound		0.06	0.05	20	0.31	206	2	0.02	16	790	17	0.05	4	4	23	0.05
B627953		0.04	0.07	20	0.46	877	1	0.01	25	930	21	0.04	2	3	36	0.04
DUP		0.04	0.06	10	0.46	881	1	0.01	23	930	22	0.03	3	3	35	0.03
Target Range - Lower Bound		0.02	0.04	<10	0.42	825	<1	<0.01	21	860	16	<0.01	<2	<1	32	<0.01
Upper Bound		0.06	0.09	20	0.50	933	2	0.02	27	1000	27	0.06	4	5	39	0.06
B627961																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108018

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
DUPLICATES						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
B628452		<10	<10	37	<10	66
DUP		<10	<10	39	<10	68
Target Range - Lower Bound		<10	<10	34	<10	60
Upper Bound		20	20	42	20	74
B627892						
DUP						
Target Range - Lower Bound						
Upper Bound						
B628018		<10	<10	25	<10	60
DUP		<10	<10	25	<10	60
Target Range - Lower Bound		<10	<10	22	<10	53
Upper Bound		20	20	28	20	67
B627953		<10	<10	33	<10	131
DUP		<10	<10	31	10	125
Target Range - Lower Bound		<10	<10	28	<10	118
Upper Bound		20	20	36	20	138
B627961						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108018

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
B627988			<0.2	1.55	13	<10	140	<0.5	<2	0.10	<0.5	8	19	29	3.11	<10
DUP			<0.2	1.52	10	<10	140	<0.5	<2	0.10	<0.5	9	17	28	3.06	<10
Target Range - Lower Bound			<0.2	1.44	7	<10	110	<0.5	<2	0.08	<0.5	6	15	25	2.91	<10
Upper Bound			0.4	1.63	16	20	170	1.0	4	0.13	1.0	11	21	32	3.26	20
B628221																
DUP																
Target Range - Lower Bound																
Upper Bound																
B628223			<0.2	1.25	11	<10	80	<0.5	<2	0.04	<0.5	8	20	33	3.27	<10
DUP			0.2	1.29	12	<10	80	<0.5	<2	0.04	<0.5	7	21	34	3.34	<10
Target Range - Lower Bound			<0.2	1.19	7	<10	50	<0.5	<2	0.02	<0.5	5	17	30	3.12	<10
Upper Bound			0.4	1.35	16	20	110	1.0	4	0.06	1.0	10	24	37	3.49	20
B628358			<0.2	1.03	10	<10	210	<0.5	<2	0.08	<0.5	10	19	21	2.54	<10
DUP			<0.2	1.00	10	<10	210	<0.5	<2	0.08	<0.5	10	19	21	2.49	<10
Target Range - Lower Bound			<0.2	0.94	6	<10	170	<0.5	<2	0.06	<0.5	8	16	18	2.37	<10
Upper Bound			0.4	1.09	15	20	250	1.0	4	0.10	1.0	13	22	24	2.66	20
B628555			<0.2	0.64	7	<10	120	<0.5	<2	0.32	0.6	8	14	17	2.34	<10
DUP			<0.2	0.65	10	<10	120	<0.5	<2	0.33	<0.5	9	14	17	2.39	<10
Target Range - Lower Bound			<0.2	0.59	4	<10	90	<0.5	<2	0.29	<0.5	6	11	14	2.23	<10
Upper Bound			0.4	0.70	13	20	150	1.0	4	0.36	1.0	11	17	20	2.50	20
ORIGINAL		0.731														
DUP		0.685														
Target Range - Lower Bound		0.663														
Upper Bound		0.753														
ORIGINAL		0.036														
DUP		0.024														
Target Range - Lower Bound		0.019														
Upper Bound		0.042														
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108018

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
B627988		0.09	0.06	40	0.64	347	<1	<0.01	21	430	13	0.01	<2	2	14	0.01
DUP		0.08	0.06	40	0.63	343	<1	<0.01	22	420	16	0.01	<2	2	13	0.01
Target Range - Lower Bound		0.06	0.04	20	0.58	318	<1	<0.01	18	380	10	<0.01	<2	<1	11	<0.01
Upper Bound		0.11	0.08	60	0.69	372	2	0.02	25	470	19	0.02	4	4	16	0.02
B628221		0.04														
DUP		0.04														
Target Range - Lower Bound		0.02														
Upper Bound		0.06														
B628223			0.04	30	0.35	195	<1	<0.01	19	580	26	0.05	<2	1	11	0.02
DUP			0.04	30	0.36	200	<1	<0.01	20	580	26	0.05	2	1	11	0.02
Target Range - Lower Bound			0.02	<10	0.32	178	<1	<0.01	17	530	21	0.03	<2	<1	8	<0.01
Upper Bound			0.06	50	0.39	217	2	0.02	22	630	31	0.07	4	2	14	0.04
B628358		0.05	0.03	20	0.34	319	<1	<0.01	20	260	14	0.01	<2	3	14	0.04
DUP		0.05	0.03	20	0.33	312	<1	<0.01	21	260	13	0.01	<2	3	14	0.04
Target Range - Lower Bound		0.03	<0.01	<10	0.30	290	<1	<0.01	17	230	9	<0.01	<2	<1	11	0.02
Upper Bound		0.07	0.05	40	0.37	341	2	0.02	24	290	18	0.02	4	5	17	0.06
B628555		0.09	0.03	20	0.24	381	<1	0.01	18	580	14	0.04	2	2	28	0.02
DUP		0.09	0.03	20	0.24	381	<1	0.01	17	590	13	0.04	2	2	28	0.02
Target Range - Lower Bound		0.07	<0.01	<10	0.21	352	<1	<0.01	15	540	9	0.02	<2	<1	25	<0.01
Upper Bound		0.11	0.05	40	0.27	410	2	0.02	20	630	18	0.06	4	4	31	0.04
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		0.03														
DUP		0.03														
Target Range - Lower Bound		<0.01														
Upper Bound		0.05														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108018

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
DUPLICATES						
B627988		<10	<10	24	<10	66
DUP		<10	<10	23	<10	64
Target Range - Lower Bound		<10	<10	20	<10	58
Upper Bound		20	20	27	20	72
B628221						
DUP						
Target Range - Lower Bound						
Upper Bound						
B628223		<10	<10	33	<10	65
DUP		<10	<10	33	<10	66
Target Range - Lower Bound		<10	<10	29	<10	58
Upper Bound		20	20	37	20	73
B628358		<10	<10	31	<10	59
DUP		<10	<10	31	<10	58
Target Range - Lower Bound		<10	<10	27	<10	52
Upper Bound		20	20	35	20	65
B628555		<10	<10	20	<10	60
DUP		<10	<10	20	<10	60
Target Range - Lower Bound		<10	<10	17	<10	53
Upper Bound		20	20	23	20	67
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

:STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-NOV-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06108200

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 38 Soil samples submitted to our lab in Vancouver, BC, Canada on 2-OCT-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108200

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
STANDARDS																
BM-9/A			14.3	0.90	21	<10	90	0.8	116	0.15	26.3	99	197	5400	3.61	<10
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.4	1.83	476	<10	860	0.9	<2	0.49	7.0	23	68	300	3.77	10
G2000			4.0	1.99	490	<10	920	1.0	2	0.52	7.1	24	72	320	3.93	10
G2000			3.3	1.91	480	<10	920	1.0	<2	0.52	7.3	24	72	310	3.78	10
G2000			4.8	1.98	488	<10	900	1.0	<2	0.53	7.0	24	74	316	3.82	10
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334	4.19	20
GBM999-5			60.2	0.20	2	<10	60	<0.5	2	0.05	<0.5	4	5	509	2.92	<10
Target Range - Lower Bound			53.3	0.17	<2	<10	40	<0.5	<2	0.04	<0.5	2	4	436	2.56	<10
Upper Bound			65.5	0.23	4	20	70	1.0	4	0.07	1.0	4	7	536	3.15	20
OXD43		0.418														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		0.998														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.790														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.46														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.90														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														
BLANKS																
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK		<0.005														
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108200

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
STANDARDS																
BM-9/A		0.41	0.02	10	0.42	613	3	0.41	355	90	6630	1.45	7	8	74	0.01
Target Range - Lower Bound		0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000		0.73	0.40	20	0.66	532	6	0.04	271	930	659	0.26	26	7	65	0.05
G2000		0.81	0.42	20	0.69	569	5	0.04	291	970	704	0.28	28	7	70	0.05
G2000		0.83	0.41	20	0.69	550	6	0.03	284	970	684	0.28	24	7	70	0.05
G2000		0.83	0.42	20	0.71	562	6	0.03	285	990	690	0.29	26	8	72	0.05
Target Range - Lower Bound		0.70	0.37	<10	0.60	506	4	0.02	246	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.47	40	0.76	630	8	0.04	302	1050	739	0.31	31	9	76	0.07
GBM999-5		0.05	0.05	10	0.02	61	4	0.01	4	40	526	0.30	5	1	4	<0.01
Target Range - Lower Bound			0.04	<10	<0.01	49	2	<0.01	2	20	452	0.26	<2	<1	2	<0.01
Upper Bound			0.07	20	0.03	71	5	0.03	5	50	556	0.34	6	2	5	0.02
OXD43																
Target Range - Lower Bound																
Upper Bound																
OxG46																
Target Range - Lower Bound																
Upper Bound																
SI15																
Target Range - Lower Bound																
Upper Bound																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK																
BLANK																
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108200

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
STANDARDS						
BM-9/A		<10	<10	15	<10	8260
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	66	<10	1260
G2000		<10	<10	69	<10	1300
G2000		<10	<10	68	10	1325
G2000		<10	<10	69	<10	1325
Target Range - Lower Bound		<10	<10	59	<10	1145
Upper Bound		20	20	74	20	1400
GBM999-5		<10	<10	5	<10	116
Target Range - Lower Bound		<10	<10	4	<10	97
Upper Bound		20	20	7	20	123
OXD43						
Target Range - Lower Bound						
Upper Bound						
OxG46						
Target Range - Lower Bound						
Upper Bound						
SI15						
Target Range - Lower Bound						
Upper Bound						
ST-259						
Target Range - Lower Bound						
Upper Bound						
ST-327						
Target Range - Lower Bound						
Upper Bound						
BLANKS						
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108200

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
ORIGINAL		1.810														
DUP		1.710														
Target Range - Lower Bound		1.660														
Upper Bound		1.860														
ORIGINAL		0.690														
DUP		0.689														
Target Range - Lower Bound		0.645														
Upper Bound		0.734														
ORIGINAL		0.008														
DUP		0.009														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.142														
DUP		0.142														
Target Range - Lower Bound		0.125														
Upper Bound		0.159														
B630086			0.4	1.24	11	<10	290	<0.5	<2	0.65	<0.5	11	23	36	2.73	<10
DUP			0.4	1.25	11	<10	300	<0.5	<2	0.66	<0.5	12	23	37	2.76	<10
Target Range - Lower Bound			<0.2	1.16	6	<10	250	<0.5	<2	0.60	<0.5	9	20	33	2.59	<10
Upper Bound			0.8	1.33	16	20	340	1.0	4	0.71	1.0	14	26	40	2.90	20
B628163			<0.2	1.85	106	<10	240	0.6	<2	0.20	<0.5	9	26	11	2.66	10
DUP			<0.2	1.82	107	<10	240	0.5	<2	0.19	<0.5	9	26	11	2.64	10
Target Range - Lower Bound			<0.2	1.72	97	<10	200	<0.5	<2	0.17	<0.5	7	23	8	2.50	<10
Upper Bound			0.4	1.95	116	20	280	1.0	4	0.22	1.0	11	29	14	2.80	20
B628167		<0.005														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108200

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B630086		0.11	0.04	10	0.43	494	2	0.01	32	860	20	0.03	<2	3	30	0.03
DUP		0.11	0.04	10	0.44	514	2	0.01	32	880	21	0.03	2	4	31	0.03
Target Range - Lower Bound		0.08	0.02	<10	0.39	469	<1	<0.01	28	810	15	<0.01	<2	<1	27	<0.01
Upper Bound		0.14	0.06	20	0.48	539	4	0.02	36	930	26	0.05	4	6	34	0.05
B628163		0.02	0.09	20	0.50	429	4	0.01	18	690	9	<0.01	2	4	19	0.07
DUP		0.02	0.09	20	0.49	425	4	0.01	20	700	11	<0.01	<2	4	19	0.06
Target Range - Lower Bound		<0.01	0.07	<10	0.45	396	2	<0.01	16	640	6	<0.01	<2	2	16	0.04
Upper Bound		0.04	0.11	40	0.54	458	6	0.02	22	750	15	0.02	4	6	22	0.09
B628167																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108200

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
B630086		<10	<10	37	<10	88
DUP		<10	<10	37	<10	89
Target Range - Lower Bound		<10	<10	33	<10	80
Upper Bound		20	20	41	20	97
B628163		<10	<10	48	10	58
DUP		<10	<10	48	10	59
Target Range - Lower Bound		<10	<10	44	<10	52
Upper Bound		20	20	52	20	65
B628167						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-DEC-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06108845

Project: Dublin Gulch1735

P.O. No.:

This report is for 5 Other samples submitted to our lab in Vancouver, BC, Canada on 10-NOV-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-25	Wt. of Crushed Reject
BAG-01	Bulk Master for Storage
PUL-32	Pulverize 1000g to 85% < 75 um
FND-03	Find Reject for Addn Analysis
SPL-21	Split sample - riffle splitter
SCR-21	Screen to -100 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06108845

Sample Description	Method Analyte Units LOR	Au-AA25 Au ppm 0.01	Au-AA25D Au ppm 0.01
STANDARDS			
OxG46		1.03	1.03
OxG46		1.01	
Target Range - Lower Bound		0.95	0.95
Upper Bound		1.12	1.12
ST-327		6.85	6.85
ST-327		6.79	
Target Range - Lower Bound		6.34	6.34
Upper Bound		7.32	7.32
BLANKS			
BLANK		<0.01	<0.01
BLANK		0.01	
Target Range - Lower Bound		<0.01	<0.01
Upper Bound		0.02	0.02
DUPLICATES			
ORIGINAL			0.33
DUP		0.30	0.30
Target Range - Lower Bound		0.27	0.28
Upper Bound		0.34	0.35
C082461		0.46	
DUP		0.46	
Target Range - Lower Bound		0.42	
Upper Bound		0.50	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 16-NOV-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06108201

Project: Dublin Gulch1735

P.O. No.:

This report is for 127 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 2-OCT-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06108201

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
BM-9/A			13.3	3.66	24	200	0.9	110	0.22	26.1	97	349	5400	4.26	0.12	0.78
BM-9/A			13.2	3.58	23	200	0.9	112	0.22	25.7	96	338	5260	4.14	0.11	0.79
BM-9/A			13.4	3.61	24	210	0.9	111	0.22	26.0	99	366	5550	4.36	0.12	0.79
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			3.9	5.21	488	2410	1.3	3	0.59	7.3	23	98	309	3.79	1.19	0.76
G2000			4.1	5.24	509	2440	1.3	<2	0.60	7.2	25	101	315	4.07	1.30	0.76
G2000			3.5	5.02	465	2290	1.3	<2	0.58	7.0	23	90	299	3.78	1.27	0.71
G2000			3.4	4.96	464	2280	1.3	<2	0.54	7.1	22	95	303	3.76	1.15	0.70
G2000			4.4	5.14	484	2400	1.3	<2	0.56	7.2	21	100	292	3.87	1.18	0.75
G2000			3.4	4.80	469	2240	1.3	<2	0.58	7.0	24	94	297	3.73	1.20	0.70
G2000			3.6	5.22	500	2380	1.3	<2	0.58	7.5	25	99	308	3.92	1.23	0.76
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
GBM999-5			57.9	4.70	<5	180	1.2	3	0.09	<0.5	2	5	458	2.87	3.46	0.04
GBM999-5			62.5	5.02	<5	190	1.3	<2	0.10	<0.5	4	6	507	3.24	3.60	0.04
GBM999-5			55.2	4.48	<5	220	1.1	<2	0.09	<0.5	3	6	456	2.81	3.12	0.03
GBM999-5			61.6	4.99	6	200	1.3	2	0.10	<0.5	5	5	502	3.07	3.61	0.04
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	428	2.67	3.10	0.03
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	526	3.29	3.81	0.05
OXD43		0.381														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.105														
OxG46		1.045														
OxG46		1.035														
OxG46		1.030														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.765														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.55														
ST-259		2.44														
ST-259		2.39														
ST-259		2.32														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.72														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06108201

Sample Description	Method Analyte Units LOR	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06108201

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS														
BM-9/A		630	2	0.46	367	100	6470	1.37	9	91	0.09	21	<10	8120
BM-9/A		596	3	0.48	346	100	6460	1.33	11	93	0.08	21	<10	7730
BM-9/A		647	4	0.46	384	110	6830	1.39	8	92	0.08	22	<10	8240
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		565	4	0.15	279	990	716	0.27	40	120	0.36	101	20	1290
G2000		582	5	0.15	291	990	700	0.28	36	120	0.36	109	10	1330
G2000		557	4	0.13	271	980	659	0.26	36	116	0.36	97	20	1300
G2000		558	5	0.14	272	940	659	0.26	33	112	0.33	97	10	1280
G2000		564	8	0.13	270	1000	712	0.25	42	119	0.34	100	10	1305
G2000		571	6	0.13	279	920	664	0.25	33	112	0.33	97	20	1300
G2000		566	4	0.13	276	990	712	0.27	31	122	0.35	105	20	1365
Target Range - Lower Bound		506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160
Upper Bound		630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420
GBM999-5		69	4	0.90	2	40	527	0.30	8	19	0.02	6	<10	111
GBM999-5		71	3	1.02	3	50	564	0.31	6	22	0.02	8	<10	117
GBM999-5		64	3	0.88	3	50	508	0.28	8	19	0.02	6	<10	111
GBM999-5		69	3	1.00	2	60	568	0.31	<5	22	0.02	7	10	125
Target Range - Lower Bound		54	3	0.85	2	40	486	0.26	<5	16	<0.01	5	<10	102
Upper Bound		78	5	1.07	5	70	598	0.34	10	22	0.03	9	20	129
OXD43														
Target Range - Lower Bound														
Upper Bound														
OxG46														
OxG46														
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														
SI15														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														
ST-327														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06108201

Sample Description	Method Analyte Units LOR	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06108201

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
BLANKS																
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	0.01	<0.01	<0.01
BLANK		<0.005														
BLANK		<0.005														
BLANK		0.009														
BLANK		<0.005														
BLANK			<0.5	<0.01	5	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<0.01	<0.01
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	2	<0.01	<0.5	<1	1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	2	<0.01	0.5	<1	<1	<1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL			<0.5	7.04	<5	120	0.9	<2	7.51	<0.5	44	226	313	10.55	0.33	3.71
DUP			<0.5	6.74	<5	110	0.8	<2	7.17	<0.5	40	196	296	10.05	0.31	3.52
Target Range - Lower Bound			<0.5	6.53	<5	90	<0.5	<2	6.95	<0.5	38	198	287	9.77	0.28	3.41
Upper Bound			1.0	7.25	10	140	1.0	4	7.73	1.0	46	224	322	10.85	0.36	3.82
ORIGINAL		0.025														
DUP		0.025														
Target Range - Lower Bound		0.014														
Upper Bound		0.036														
ORIGINAL		0.562														
DUP		0.553														
Target Range - Lower Bound		0.520														
Upper Bound		0.595														
ORIGINAL			1.3	8.02	20	610	1.6	<2	2.17	<0.5	14	25	452	4.29	3.22	2.14
DUP			1.3	7.98	28	650	1.6	<2	2.07	<0.5	13	23	433	4.14	3.16	2.08
Target Range - Lower Bound			<0.5	7.58	13	580	<0.5	<2	1.99	<0.5	11	21	418	3.98	3.01	1.98
Upper Bound			2.4	8.42	35	680	2.7	4	2.25	1.0	16	27	467	4.45	3.37	2.24

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06108201

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
BLANKS														
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK														
BLANK														
BLANK														
BLANK														
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	6	<1	<0.01	<1	<10	<2
BLANK														
BLANK		<5	2	<0.01	<1	10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES														
ORIGINAL		1740	1	1.78	90	1030	6	0.06	<5	227	1.41	356	<10	124
DUP		1650	2	1.69	86	970	7	0.06	<5	216	1.32	340	<10	117
Target Range - Lower Bound		1600	<1	1.63	82	930	<2	0.04	<5	208	1.28	329	<10	110
Upper Bound		1790	2	1.84	94	1070	11	0.08	10	235	1.45	367	20	131
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		1755	77	0.29	21	1270	50	2.49	<5	90	0.34	124	<10	333
DUP		1685	71	0.28	21	1230	46	2.46	<5	88	0.33	119	<10	320
Target Range - Lower Bound		1625	68	0.25	18	1170	42	2.33	<5	83	0.30	113	<10	306
Upper Bound		1815	80	0.32	24	1330	54	2.62	10	95	0.37	130	20	347

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06108201

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
C083102			<0.5	7.63	10	660	1.7	6	0.34	<0.5	13	54	44	2.83	2.35	0.89
DUP			<0.5	8.07	12	680	1.8	3	0.37	<0.5	15	54	45	2.98	2.41	0.94
Target Range - Lower Bound			<0.5	7.44	<5	620	0.7	<2	0.32	<0.5	11	49	40	2.74	2.24	0.85
Upper Bound			1.0	8.26	22	720	2.8	9	0.39	1.0	17	59	49	3.07	2.52	0.98
C083104		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C083112			<0.5	10.10	40	990	2.4	<2	0.48	<0.5	6	74	39	3.53	2.64	0.96
DUP			<0.5	9.84	48	990	2.3	<2	0.47	<0.5	8	77	38	3.50	2.59	0.96
Target Range - Lower Bound			<0.5	9.45	32	920	1.2	<2	0.43	<0.5	5	70	35	3.32	2.46	0.89
Upper Bound			1.0	10.50	56	1060	3.5	4	0.52	1.0	9	81	42	3.71	2.77	1.03
C083124		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C083138			<0.5	5.35	<5	840	1.6	<2	2.33	<0.5	13	43	28	3.50	2.21	0.85
DUP			<0.5	5.22	11	810	1.5	<2	2.15	<0.5	12	40	26	3.37	2.06	0.82
Target Range - Lower Bound			<0.5	5.00	<5	760	<0.5	<2	2.11	<0.5	10	37	24	3.24	2.01	0.77
Upper Bound			1.0	5.57	10	890	2.6	4	2.37	1.0	15	46	30	3.63	2.26	0.90
C083162		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C083164			<0.5	4.05	14	610	12.3	<2	9.57	<0.5	19	32	11	7.80	0.50	1.66
DUP			<0.5	4.15	13	630	12.5	<2	9.81	<0.5	17	34	11	8.01	0.51	1.70
Target Range - Lower Bound			<0.5	3.88	<5	570	10.8	<2	9.19	<0.5	15	29	8	7.49	0.46	1.58
Upper Bound			1.0	4.33	24	670	14.0	4	10.20	1.0	21	37	14	8.32	0.55	1.78
C083174			<0.5	7.87	6	950	5.4	<2	3.78	<0.5	11	53	25	2.82	2.15	1.46
DUP			<0.5	8.16	12	970	5.5	<2	3.86	<0.5	11	53	24	2.88	2.24	1.48
Target Range - Lower Bound			<0.5	7.59	<5	890	4.2	<2	3.61	<0.5	8	48	21	2.69	2.07	1.38
Upper Bound			1.0	8.44	10	1030	6.7	4	4.03	1.0	14	58	28	3.01	2.32	1.56

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06108201

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES														
C083102		373	<1	0.73	31	230	7	0.85	<5	132	0.24	56	<10	57
DUP		394	<1	0.77	30	260	4	0.90	<5	140	0.25	58	<10	60
Target Range - Lower Bound		354	<1	0.69	27	210	<2	0.81	<5	127	0.21	52	<10	52
Upper Bound		413	2	0.81	34	280	10	0.94	10	145	0.28	62	20	65
C083104														
DUP														
Target Range - Lower Bound														
Upper Bound														
C083112		185	<1	1.85	19	410	7	0.10	<5	408	0.26	76	20	34
DUP		184	1	1.84	21	420	11	0.10	8	395	0.27	75	10	34
Target Range - Lower Bound		165	<1	1.73	17	370	5	0.08	<5	379	0.23	70	<10	28
Upper Bound		204	2	1.96	23	460	13	0.13	10	424	0.30	81	20	40
C083124														
DUP														
Target Range - Lower Bound														
Upper Bound														
C083138		771	2	0.55	24	320	16	0.28	<5	127	0.25	50	100	67
DUP		719	1	0.57	22	310	12	0.27	<5	122	0.24	49	120	62
Target Range - Lower Bound		698	<1	0.51	20	280	9	0.24	<5	116	0.21	45	80	57
Upper Bound		792	2	0.61	26	350	19	0.31	10	133	0.28	54	140	72
C083162														
DUP														
Target Range - Lower Bound														
Upper Bound														
C083164		2090	8	1.21	50	540	<2	0.08	<5	528	0.21	79	3100	96
DUP		2150	8	1.24	46	550	<2	0.08	15	543	0.22	81	3510	99
Target Range - Lower Bound		2000	6	1.14	44	500	<2	0.06	<5	507	0.18	74	3120	89
Upper Bound		2240	10	1.31	52	590	4	0.10	21	564	0.25	86	3490	106
C083174		681	<1	1.86	30	470	13	0.17	<5	678	0.45	75	<10	61
DUP		703	<1	1.89	28	460	19	0.17	<5	699	0.46	75	10	62
Target Range - Lower Bound		647	<1	1.76	26	420	11	0.14	<5	652	0.41	69	<10	54
Upper Bound		737	2	1.99	32	510	21	0.20	10	725	0.50	81	20	69

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06108201

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
C083182		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C083202		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.097														
DUP		0.088														
Target Range - Lower Bound		0.078														
Upper Bound		0.107														
ORIGINAL			1.0	7.55	70	70	1.0	<2	1.29	1.9	15	7	166	5.17	2.97	1.19
DUP			1.2	7.59	86	90	1.0	3	1.28	1.9	12	6	163	5.21	2.89	1.18
Target Range - Lower Bound			<0.5	7.17	64	60	<0.5	<2	1.20	0.8	11	4	154	4.91	2.76	1.11
Upper Bound			2.2	7.97	92	100	2.1	4	1.37	3.0	16	9	175	5.47	3.10	1.26

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

QC CERTIFICATE OF ANALYSIS VA06108201

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES														
C083182														
DUP														
Target Range - Lower Bound														
Upper Bound														
C083202														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		1560	76	0.11	3	1290	35	4.33	37	190	0.23	194	<10	278
DUP		1540	75	0.11	3	1280	36	4.39	37	189	0.21	189	<10	273
Target Range - Lower Bound		1465	70	0.08	<1	1200	30	4.12	25	178	0.19	180	<10	258
Upper Bound		1640	81	0.14	5	1370	41	4.60	49	201	0.25	203	20	293

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-NOV-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06108921

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 160 Rock samples submitted to our lab in Vancouver, BC, Canada on 17-OCT-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108921

Sample Description	Method	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
STANDARDS																
BM-9/A				15.1	3.83	24	210	1.0	116	0.22	27.1	100	358	5540	4.39	0.13
BM-9/A				13.8	3.74	25	210	1.0	116	0.21	27.0	104	348	5470	4.23	0.12
BM-9/A				14.4	3.74	37	210	1.0	118	0.21	27.0	98	367	5400	4.26	0.12
Target Range - Lower Bound				11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10
Upper Bound				15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14
G2000				3.6	5.22	486	2410	1.3	3	0.59	7.3	23	101	299	3.90	1.22
G2000				4.0	5.35	508	2470	1.4	<2	0.59	7.7	23	103	324	3.90	1.29
G2000				3.8	5.19	479	2360	1.3	2	0.56	7.4	23	96	297	3.76	1.21
G2000				3.8	5.42	504	2560	1.4	4	0.60	7.7	26	104	306	3.91	1.28
G2000				3.5	5.30	518	2440	1.3	3	0.58	7.6	25	103	303	3.87	1.25
G2000				3.6	5.37	499	2480	1.4	<2	0.61	7.3	23	96	309	4.00	1.27
G2000				3.4	5.25	481	2470	1.4	<2	0.58	7.2	23	103	305	3.94	1.26
Target Range - Lower Bound				2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14
Upper Bound				4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41
GBM999-5				62.5	4.78	<5	180	1.2	<2	0.09	0.5	3	5	482	2.91	3.48
GBM999-5				59.1	5.01	<5	190	1.3	<2	0.10	<0.5	3	6	488	3.07	3.58
GBM999-5				62.1	4.86	<5	180	1.2	<2	0.10	<0.5	5	7	473	2.95	3.51
Target Range - Lower Bound				53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	428	2.67	3.10
Upper Bound				65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	526	3.29	3.81
OXD43		0.398														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.040														
OxG46		1.125														
OxG46		0.986														
OxG46		1.000														
OxG46		1.035														
OxG46		1.020														
OxG46		1.015														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.810														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108921

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS															
BM-9/A		0.83	655	4	0.49	374	100	6750	1.45	10	94	0.09	22	<10	8290
BM-9/A		0.79	630	4	0.47	372	110	6730	1.46	11	93	0.09	22	<10	8430
BM-9/A		0.79	670	3	0.47	372	100	6720	1.46	12	90	0.09	22	<10	8430
Target Range - Lower Bound		0.72	561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		0.90	697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		0.75	584	6	0.14	281	1000	688	0.28	36	117	0.35	103	10	1310
G2000		0.76	584	6	0.15	290	1010	713	0.29	35	126	0.38	107	20	1370
G2000		0.73	566	5	0.14	280	990	694	0.28	37	117	0.35	102	10	1345
G2000		0.79	573	5	0.13	280	1040	717	0.29	41	125	0.36	108	20	1320
G2000		0.75	584	6	0.14	288	1020	712	0.29	39	120	0.36	104	10	1335
G2000		0.78	587	5	0.15	291	1050	721	0.28	37	120	0.37	105	10	1380
G2000		0.76	570	7	0.14	275	1010	688	0.27	26	121	0.35	105	20	1290
Target Range - Lower Bound		0.67	506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160
Upper Bound		0.85	630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420
GBM999-5		0.03	66	4	0.93	4	50	534	0.31	6	21	0.02	7	<10	114
GBM999-5		0.04	69	3	0.96	3	60	565	0.32	6	21	0.02	7	<10	122
GBM999-5		0.05	62	3	0.96	8	60	560	0.30	6	21	0.02	7	10	113
Target Range - Lower Bound		0.03	54	3	0.85	2	40	486	0.26	<5	16	<0.01	5	<10	102
Upper Bound		0.05	78	5	1.07	5	70	598	0.34	10	22	0.03	9	20	129
OXD43															
Target Range - Lower Bound															
Upper Bound															
OxG46															
OxG46															
OxG46															
OxG46															
OxG46															
OxG46															
OxG46															
Target Range - Lower Bound															
Upper Bound															
SI15															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108921

Sample Description	Method	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
STANDARDS																
SQ27			49.7													
SQ27			52.2													
Target Range - Lower Bound			46.8													
Upper Bound			54.0													
ST-259		2.41														
ST-259		2.41														
ST-259		2.35														
ST-259		2.33														
ST-259		2.40														
ST-259		2.40														
ST-259		2.41														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		7.03														
ST-327			6.80													
ST-327			6.75													
Target Range - Lower Bound		6.35	6.30													
Upper Bound		7.31	7.36													
BLANKS																
BLANK				<0.5	0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	<0.01	<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	2	<0.01	<0.5	<1	1	1	<0.01	<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	1	<1	<0.01	<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	1	<1	<0.01	<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK		0.009														
BLANK		<0.005														
BLANK		0.011														
BLANK		0.029														
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	2	<1	<1	<0.01	<0.01
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.05													
BLANK		<0.005														
BLANK		<0.005														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

**: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2**

**Finalized Date: 10-NOV-2006
Account: STRGOL**

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108921

Sample Description	Method Analyte Units LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS															
SQ27															
SQ27															
Target Range - Lower Bound															
Upper Bound															
ST-259															
ST-259															
ST-259															
ST-259															
ST-259															
ST-259															
ST-259															
Target Range - Lower Bound															
Upper Bound															
ST-327															
ST-327															
ST-327															
Target Range - Lower Bound															
Upper Bound															
BLANKS															
BLANK		<0.01	<5	1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	1	<10	<2
BLANK		<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<5	1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	1	<10	<2
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK															
BLANK															
BLANK															
BLANK															
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108921

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
BLANKS																
BLANK			<0.05													
Target Range - Lower Bound		<0.005	<0.05	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
Upper Bound		0.010	0.10	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02
DUPLICATES																
ORIGINAL				0.5	4.04	634	470	1.1	<2	4.02	<0.5	6	65	24	2.12	1.79
DUP				0.7	3.96	598	460	1.0	<2	3.98	<0.5	6	62	29	2.09	1.72
Target Range - Lower Bound				<0.5	3.78	575	420	<0.5	<2	3.78	<0.5	4	58	23	1.98	1.65
Upper Bound				1.0	4.22	657	510	2.1	4	4.22	1.0	8	69	30	2.23	1.86
ORIGINAL				<0.5	5.71	7	1120	1.6	<2	3.87	0.5	8	57	89	2.35	2.39
DUP				<0.5	6.06	<5	1200	1.7	<2	4.15	0.7	7	60	94	2.51	2.51
Target Range - Lower Bound				<0.5	5.57	<5	1080	0.6	<2	3.79	<0.5	5	54	85	2.29	2.31
Upper Bound				1.0	6.20	10	1240	2.7	4	4.23	1.0	10	63	98	2.57	2.59
ORIGINAL		0.737														
DUP		0.731														
Target Range - Lower Bound		0.687														
Upper Bound		0.781														
ORIGINAL		0.091														
DUP		0.081														
Target Range - Lower Bound		0.072														
Upper Bound		0.100														
ORIGINAL		0.007														
DUP		0.006														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.029														
DUP		0.021														
Target Range - Lower Bound		0.014														
Upper Bound		0.036														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108921

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
BLANKS															
BLANK															
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES															
ORIGINAL		2.32	196	<1	0.04	26	370	8	1.45	16	117	0.22	82	10	81
DUP		2.29	193	<1	0.04	26	360	6	1.43	19	115	0.21	78	<10	81
Target Range - Lower Bound		2.17	175	<1	0.02	23	330	3	1.35	7	108	0.18	74	<10	73
Upper Bound		2.44	214	2	0.06	29	400	11	1.53	28	124	0.25	86	20	89
ORIGINAL		2.06	315	2	0.03	37	1540	17	0.88	<5	138	0.24	125	<10	76
DUP		2.18	335	2	0.03	39	1660	17	0.94	<5	148	0.26	133	<10	96
Target Range - Lower Bound		1.99	299	<1	<0.01	34	1500	12	0.84	<5	134	0.22	121	<10	78
Upper Bound		2.25	351	4	0.05	42	1700	22	0.98	10	152	0.28	137	20	94
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108921

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
DUPLICATES																
ORIGINAL				<0.5	10.35	24	970	1.5	<2	0.63	0.8	15	86	68	3.60	1.40
DUP				<0.5	10.20	16	960	1.5	<2	0.63	0.5	15	82	67	3.51	1.37
Target Range - Lower Bound				<0.5	9.74	9	900	<0.5	<2	0.58	<0.5	12	78	62	3.36	1.30
Upper Bound				1.0	10.80	31	1030	2.6	4	0.68	1.0	18	90	73	3.75	1.47
C270005		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C270022				<0.5	6.75	6640	1410	3.3	<2	1.02	0.6	6	31	9	2.94	2.29
DUP				0.5	6.90	7340	1470	3.5	<2	1.05	<0.5	6	36	8	3.24	2.32
Target Range - Lower Bound				<0.5	6.46	6630	1350	2.2	<2	0.96	<0.5	4	30	6	2.92	2.17
Upper Bound				1.0	7.19	7350	1530	4.6	4	1.11	1.0	8	37	11	3.26	2.44
C270025		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C270057		0.006														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C270061				<0.5	7.63	187	1760	2.9	3	0.96	0.5	4	24	3	1.46	2.55
DUP				<0.5	7.03	176	1700	2.7	<2	0.89	<0.5	4	23	2	1.38	2.45
Target Range - Lower Bound				<0.5	6.94	162	1620	1.7	<2	0.86	<0.5	2	20	<1	1.33	2.36
Upper Bound				1.0	7.72	201	1840	3.9	4	0.99	1.0	6	27	5	1.51	2.65
C270077		0.009														
DUP		0.009														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C270259				<0.5	7.25	135	1740	2.6	<2	1.07	0.5	5	29	7	2.23	2.65
DUP				<0.5	7.36	161	1740	2.7	<2	1.09	<0.5	7	28	7	2.25	2.65
Target Range - Lower Bound				<0.5	6.92	131	1630	1.5	<2	1.01	<0.5	4	25	5	2.11	2.50
Upper Bound				1.0	7.69	165	1850	3.8	4	1.15	1.0	8	32	9	2.37	2.80

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108921

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES															
ORIGINAL		0.74	115	2	1.34	53	300	12	0.25	<5	289	0.40	150	<10	121
DUP		0.74	109	2	1.32	55	290	14	0.24	<5	282	0.40	147	<10	120
Target Range - Lower Bound		0.68	96	<1	1.24	49	260	8	0.21	<5	269	0.36	139	<10	110
Upper Bound		0.80	128	4	1.42	59	330	18	0.28	10	302	0.44	158	20	131
C270005															
DUP															
Target Range - Lower Bound															
Upper Bound															
C270022		0.32	317	6	1.43	20	560	53	0.03	15	427	0.26	36	140	75
DUP		0.35	353	8	1.43	20	620	57	0.03	19	415	0.29	39	160	84
Target Range - Lower Bound		0.30	308	5	1.34	17	540	48	<0.01	6	398	0.24	34	120	72
Upper Bound		0.37	362	9	1.52	23	640	62	0.05	28	444	0.31	41	180	87
C270025															
DUP															
Target Range - Lower Bound															
Upper Bound															
C270057															
DUP															
Target Range - Lower Bound															
Upper Bound															
C270061		0.19	235	4	1.86	11	690	21	<0.01	13	772	0.29	29	230	32
DUP		0.18	224	3	1.77	11	670	18	<0.01	14	715	0.28	27	220	29
Target Range - Lower Bound		0.16	208	<1	1.70	8	630	15	<0.01	<5	704	0.25	25	190	25
Upper Bound		0.21	251	6	1.93	14	730	24	0.02	24	783	0.32	31	260	36
C270077															
DUP															
Target Range - Lower Bound															
Upper Bound															
C270259		0.48	326	2	1.48	19	630	25	<0.01	<5	389	0.29	39	830	34
DUP		0.49	329	2	1.49	19	640	18	<0.01	6	393	0.30	40	860	34
Target Range - Lower Bound		0.44	301	<1	1.39	16	580	16	<0.01	<5	369	0.26	36	780	28
Upper Bound		0.53	354	4	1.58	22	690	27	0.02	10	413	0.33	43	910	40

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108921

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
DUPLICATES																
C270268		<0.005														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C270108				1.2	7.64	3540	2190	2.5	3	0.48	0.6	1	28	34	2.18	2.99
DUP				1.0	7.25	3310	2120	2.4	3	0.46	<0.5	1	27	32	2.11	2.83
Target Range - Lower Bound				<0.5	7.05	3240	2030	1.3	<2	0.43	<0.5	<1	24	29	2.02	2.74
Upper Bound				2.2	7.84	3610	2280	3.6	4	0.51	1.0	2	31	37	2.27	3.08
C270120		0.745														
DUP		0.738														
Target Range - Lower Bound		0.694														
Upper Bound		0.789														
ORIGINAL			<0.05													
DUP			<0.05													
Target Range - Lower Bound			<0.05													
Upper Bound			0.10													
ORIGINAL			<0.05													
DUP			<0.05													
Target Range - Lower Bound			<0.05													
Upper Bound			0.10													
ORIGINAL			<0.05													
DUP			<0.05													
Target Range - Lower Bound			<0.05													
Upper Bound			0.10													
ORIGINAL			<0.05													
DUP			<0.05													
Target Range - Lower Bound			<0.05													
Upper Bound			0.10													
ORIGINAL			<0.05													
DUP			<0.05													
Target Range - Lower Bound			<0.05													
Upper Bound			0.10													

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06108921

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES															
C270268															
DUP															
Target Range - Lower Bound															
Upper Bound															
C270108		0.17	70	2	1.52	9	200	84	<0.01	16	388	0.27	34	140	56
DUP		0.17	68	1	1.46	7	180	81	<0.01	12	370	0.26	32	130	52
Target Range - Lower Bound		0.14	56	<1	1.40	6	160	74	<0.01	<5	358	0.23	29	110	47
Upper Bound		0.20	82	2	1.58	10	220	91	0.02	25	400	0.30	37	160	61
C270120															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-NOV-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06114204

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 118 Soil samples submitted to our lab in Vancouver, BC, Canada on 11-OCT-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

): STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06114204

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
STANDARDS																
BM-9/A			12.6	0.86	19	<10	80	0.8	112	0.16	25.0	96	197	5350	3.45	<10
BM-9/A			14.9	0.83	26	<10	80	0.9	118	0.17	27.0	97	197	5430	3.58	<10
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.3	1.71	459	<10	730	0.9	2	0.48	6.5	22	66	291	3.61	10
G2000			3.2	1.84	458	<10	890	0.9	<2	0.49	6.8	23	69	291	3.66	10
G2000			3.1	1.90	467	10	890	0.9	2	0.50	6.9	22	70	296	3.68	10
G2000			3.6	1.95	481	<10	920	1.0	<2	0.51	6.7	23	72	302	3.79	10
G2000			3.4	1.78	489	<10	790	1.0	<2	0.51	7.1	24	70	307	3.75	10
G2000			3.9	1.89	494	<10	880	1.0	2	0.52	7.1	25	73	328	3.86	10
G2000			3.4	1.97	484	10	910	1.0	<2	0.50	6.8	23	73	305	3.73	10
G2000			4.7	1.89	475	<10	860	1.0	2	0.50	6.7	23	70	301	3.69	10
G2000																
G2000																
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334	4.19	20
GBM999-5			62.2	0.22	6	<10	60	<0.5	<2	0.06	<0.5	4	5	520	3.10	<10
GBM999-5			64.9	0.21	4	<10	60	<0.5	<2	0.05	<0.5	3	5	508	2.92	<10
Target Range - Lower Bound			53.3	0.17	<2	<10	40	<0.5	<2	0.04	<0.5	2	4	436	2.56	<10
Upper Bound			65.5	0.23	4	20	70	1.0	4	0.07	1.0	4	7	536	3.15	20
OXD43		0.414														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.010														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.43														
ST-259		2.48														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		7.19														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06114204

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
STANDARDS																
BM-9/A		0.39	0.02	10	0.39	601	3	0.38	358	80	6430	1.39	6	8	73	0.01
BM-9/A		0.40	0.02	10	0.40	634	4	0.41	365	90	6660	1.40	7	8	77	0.01
Target Range - Lower Bound		0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000			0.38	20	0.62	532	5	0.03	265	920	646	0.26	23	7	62	0.05
G2000		0.69	0.39	20	0.63	550	5	0.03	272	910	647	0.27	24	7	69	0.06
G2000		0.75	0.40	20	0.63	547	5	0.03	270	930	652	0.27	24	7	70	0.06
G2000		0.76	0.41	20	0.65	572	5	0.03	276	940	671	0.28	26	7	73	0.06
G2000		0.67	0.39	20	0.64	546	6	0.03	278	950	661	0.26	25	7	64	0.05
G2000		0.71	0.41	20	0.67	573	6	0.03	290	970	710	0.28	27	7	70	0.05
G2000		0.80	0.41	20	0.65	535	6	0.03	277	960	666	0.26	25	7	71	0.05
G2000		0.79	0.40	20	0.64	532	6	0.03	273	940	660	0.26	26	7	69	0.05
G2000		0.67														
G2000		0.70														
Target Range - Lower Bound		0.70	0.37	<10	0.60	506	4	0.02	246	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.47	40	0.76	630	8	0.04	302	1050	739	0.31	31	9	76	0.07
GBM999-5		0.04	0.05	10	0.02	66	4	0.02	4	40	545	0.33	5	1	5	<0.01
GBM999-5		0.05	0.05	10	0.02	61	4	0.01	4	40	505	0.28	5	1	4	<0.01
Target Range - Lower Bound			0.04	<10	<0.01	49	2	<0.01	2	20	452	0.26	<2	<1	2	<0.01
Upper Bound			0.07	20	0.03	71	5	0.03	5	50	556	0.34	8	2	5	0.02
OXD43																
Target Range - Lower Bound																
Upper Bound																
OxG46																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06114204

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
STANDARDS						
BM-9/A		<10	<10	15	<10	8000
BM-9/A		<10	<10	16	<10	8290
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	63	10	1235
G2000		<10	<10	65	<10	1225
G2000		<10	<10	65	<10	1245
G2000		<10	<10	68	<10	1245
G2000		<10	<10	67	10	1275
G2000		<10	<10	70	<10	1335
G2000		<10	<10	68	<10	1270
G2000		<10	<10	67	<10	1235
G2000						
G2000						
Target Range - Lower Bound		<10	<10	59	<10	1145
Upper Bound		20	20	74	20	1400
GBM999-5		<10	<10	6	<10	115
GBM999-5		<10	<10	6	<10	116
Target Range - Lower Bound		<10	<10	4	<10	97
Upper Bound		20	20	7	20	123
OXD43						
Target Range - Lower Bound						
Upper Bound						
OxG46						
Target Range - Lower Bound						
Upper Bound						
ST-259						
ST-259						
Target Range - Lower Bound						
Upper Bound						
ST-327						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06114204

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
BLANKS																
BLANK			<0.2	<0.01	2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	2	<10	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	2	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK																
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20
DUPLICATES																
ORIGINAL		0.009														
DUP		0.011														
Target Range - Lower Bound		<0.005														
Upper Bound		0.021														
ORIGINAL		0.020														
DUP		0.019														
Target Range - Lower Bound		0.009														
Upper Bound		0.030														
B628139			0.2	0.93	11	<10	70	<0.5	<2	0.06	<0.5	6	17	13	2.29	<10
DUP			<0.2	1.00	10	<10	70	<0.5	<2	0.07	<0.5	6	18	13	2.37	<10
Target Range - Lower Bound			<0.2	0.90	6	<10	40	<0.5	<2	0.04	<0.5	4	15	10	2.19	<10
Upper Bound			0.4	1.03	15	20	100	1.0	4	0.09	1.0	8	20	16	2.47	20
B628389			0.2	0.98	14	<10	160	<0.5	<2	0.17	<0.5	8	17	21	3.00	<10
DUP			<0.2	0.89	15	<10	150	<0.5	<2	0.15	<0.5	7	15	20	2.82	<10
Target Range - Lower Bound			<0.2	0.87	10	<10	120	<0.5	<2	0.13	<0.5	5	13	17	2.74	<10
Upper Bound			0.4	1.00	19	20	190	1.0	4	0.19	1.0	10	19	24	3.08	20
B628524			0.2	1.24	9	<10	100	<0.5	<2	0.15	<0.5	5	20	17	1.56	10
DUP			0.2	1.22	9	<10	100	<0.5	2	0.15	<0.5	4	20	16	1.50	<10
Target Range - Lower Bound			<0.2	1.15	5	<10	70	<0.5	<2	0.12	<0.5	2	17	14	1.43	<10
Upper Bound			0.4	1.31	13	20	130	1.0	4	0.18	1.0	7	23	19	1.63	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06114204

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
BLANKS																
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	1	<0.01
BLANK																
BLANK																
BLANK																
BLANK		<0.01														
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B628139		0.03	0.04	10	0.21	240	1	<0.01	13	340	34	0.01	<2	1	8	0.03
DUP		0.03	0.04	20	0.23	250	1	0.01	14	350	33	0.01	<2	1	9	0.03
Target Range - Lower Bound		<0.01	0.02	<10	0.19	223	<1	<0.01	11	310	28	<0.01	<2	<1	6	<0.01
Upper Bound		0.05	0.06	20	0.25	267	2	0.02	16	380	39	0.02	4	2	11	0.05
B628389		0.15	0.03	20	0.25	110	<1	0.01	19	610	16	0.03	<2	2	22	0.02
DUP		0.14	0.03	20	0.22	100	<1	<0.01	17	570	15	0.02	<2	2	19	0.02
Target Range - Lower Bound		0.12	<0.01	<10	0.20	90	<1	<0.01	15	540	11	<0.01	<2	<1	17	<0.01
Upper Bound		0.17	0.05	40	0.27	120	2	0.02	21	640	20	0.05	4	4	24	0.04
B628524		0.05	0.06	10	0.40	107	<1	0.01	17	490	7	0.03	<2	2	16	0.04
DUP		0.06	0.06	10	0.39	104	<1	0.01	16	470	7	0.03	<2	2	16	0.05
Target Range - Lower Bound		0.03	0.04	<10	0.36	90	<1	<0.01	14	440	3	<0.01	<2	<1	13	0.02
Upper Bound		0.08	0.08	20	0.43	121	2	0.02	19	520	11	0.05	4	4	19	0.07

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06114204

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
BLANKS						
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	2
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK						
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4
DUPLICATES						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
B628139		<10	<10	31	<10	57
DUP		<10	<10	33	<10	58
Target Range - Lower Bound		<10	<10	28	<10	51
Upper Bound		20	20	36	20	64
B628389		<10	<10	27	<10	60
DUP		<10	<10	25	<10	56
Target Range - Lower Bound		<10	<10	23	<10	51
Upper Bound		20	20	29	20	65
B628524		<10	<10	24	<10	61
DUP		<10	<10	24	<10	59
Target Range - Lower Bound		<10	<10	21	<10	53
Upper Bound		20	20	27	20	67

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06114204

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
B628659			<0.2	1.29	27	<10	200	<0.5	<2	0.12	<0.5	7	22	19	2.15	<10
DUP			<0.2	1.19	29	<10	190	<0.5	<2	0.10	<0.5	6	21	18	2.06	<10
Target Range - Lower Bound			<0.2	1.16	23	<10	160	<0.5	<2	0.08	<0.5	4	18	16	1.98	<10
Upper Bound			0.4	1.32	33	20	230	1.0	4	0.14	1.0	9	25	21	2.23	20
B629229		0.014														
DUP		0.020														
Target Range - Lower Bound		0.006														
Upper Bound		0.028														
B629249		0.016														
DUP		0.009														
Target Range - Lower Bound		<0.005														
Upper Bound		0.023														
B629367																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06114204

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
							DUPLICATES									
B628659		0.05	0.03	20	0.36	220	1	0.01	18	360	14	<0.01	2	3	13	0.05
DUP		0.04	0.03	20	0.34	209	1	<0.01	17	340	14	<0.01	3	3	12	0.04
Target Range - Lower Bound		0.02	<0.01	<10	0.31	194	<1	<0.01	15	310	9	<0.01	<2	<1	10	0.02
Upper Bound		0.07	0.05	40	0.39	235	2	0.02	20	390	19	0.02	4	5	15	0.07
B629229																
DUP																
Target Range - Lower Bound																
Upper Bound																
B629249																
DUP																
Target Range - Lower Bound																
Upper Bound																
B629367		0.03														
DUP		0.03														
Target Range - Lower Bound		<0.01														
Upper Bound		0.05														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

**: STRATAGOLD CORPORATION
**2550 - 1066 WEST HASTINGS STREET
**VANCOUVER BC V6E 3X2

Finalized Date: 21-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06114204

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
B628659		<10	<10	41	<10	52
DUP		<10	<10	38	<10	49
Target Range - Lower Bound		<10	<10	36	<10	44
Upper Bound		20	20	43	20	57
B629229						
DUP						
Target Range - Lower Bound						
Upper Bound						
B629249						
DUP						
Target Range - Lower Bound						
Upper Bound						
B629367						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06114205

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 257 Soil samples submitted to our lab in Vancouver, BC, Canada on 11-OCT-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
STANDARDS																
BM-9/A			14.7	0.96	24	<10	90	0.8	119	0.16	27.2	103	206	5610	3.67	<10
BM-9/A			14.0	0.80	21	<10	80	0.8	116	0.16	25.5	96	187	5370	3.52	<10
BM-9/A			14.5	0.91	21	<10	100	0.8	115	0.15	25.7	99	193	5730	3.55	<10
BM-9/A			14.3	0.90	21	<10	90	0.8	111	0.16	25.0	94	195	5240	3.52	<10
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.4	1.97	484	10	910	1.0	<2	0.50	6.8	23	73	305	3.73	10
G2000			4.7	1.89	475	<10	860	1.0	2	0.50	6.7	23	70	301	3.69	10
G2000			3.4	1.91	480	10	870	0.9	3	0.48	7.3	23	70	310	3.71	10
G2000			3.9	1.92	491	<10	900	1.0	2	0.49	7.2	24	72	321	3.82	10
G2000			3.6	1.85	485	<10	830	1.0	2	0.46	6.6	23	70	308	3.51	10
G2000			3.3	1.84	473	<10	890	0.9	<2	0.46	6.9	23	70	302	3.52	10
G2000			3.6	1.84	454	<10	820	0.9	<2	0.48	6.4	22	66	291	3.64	10
G2000			3.1	1.84	460	<10	860	0.9	<2	0.49	6.5	23	68	298	3.66	10
G2000			3.3	1.83	495	<10	870	0.9	2	0.49	6.6	23	69	308	3.78	10
G2000			3.4	1.78	469	<10	840	0.9	3	0.47	6.3	21	66	300	3.62	<10
G2000			3.3	1.71	473	<10	820	0.9	<2	0.47	6.4	22	65	302	3.68	10
G2000			3.4	1.90	492	<10	920	0.9	2	0.49	6.7	24	69	316	3.77	10
G2000			3.7	1.91	497	<10	950	0.9	2	0.48	6.5	22	68	314	3.75	10
G2000			3.2	1.89	481	<10	950	0.9	<2	0.48	6.5	23	69	309	3.75	10
G2000			3.5	1.99	487	<10	940	1.0	<2	0.53	6.9	23	72	303	3.96	10
G2000			3.5	1.94	462	<10	890	0.9	<2	0.51	6.8	22	69	296	3.86	10
G2000																
G2000																
G2000																
G2000																
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334	4.19	20
GBM999-5			64.9	0.21	4	<10	60	<0.5	<2	0.05	<0.5	3	5	508	2.92	<10
GBM999-5			57.7	0.19	4	<10	50	<0.5	<2	0.05	<0.5	3	5	467	2.64	<10
GBM999-5			55.6	0.19	3	<10	50	<0.5	<2	0.05	<0.5	3	5	480	2.74	<10
GBM999-5			64.9	0.20	3	<10	50	<0.5	<2	0.05	<0.5	2	5	494	2.84	<10
Target Range - Lower Bound			53.3	0.17	<2	<10	40	<0.5	<2	0.04	<0.5	2	4	436	2.56	<10
Upper Bound			65.5	0.23	4	20	70	1.0	4	0.07	1.0	4	7	536	3.15	20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
STANDARDS																
BM-9/A		0.45	0.02	10	0.41	630	4	0.41	383	90	6660	1.53	8	9	78	0.01
BM-9/A		0.37	0.02	10	0.41	629	2	0.40	358	90	6680	1.43	6	8	75	0.01
BM-9/A		0.40	0.02	10	0.42	626	2	0.39	367	90	6530	1.56	10	8	75	0.01
BM-9/A		0.40	0.02	10	0.40	607	4	0.39	348	90	6300	1.37	7	8	74	0.01
Target Range - Lower Bound		0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000		0.80	0.41	20	0.65	535	6	0.03	277	960	666	0.26	25	7	71	0.05
G2000		0.79	0.40	20	0.64	532	6	0.03	273	940	660	0.26	26	7	69	0.05
G2000		0.81	0.39	20	0.63	551	6	0.04	283	940	652	0.28	30	7	69	0.05
G2000		0.85	0.40	20	0.65	563	5	0.04	287	970	686	0.29	27	7	70	0.05
G2000		0.73	0.39	20	0.63	533	5	0.03	277	950	671	0.27	26	7	67	0.05
G2000		0.72	0.39	20	0.63	532	5	0.03	276	940	657	0.27	26	7	67	0.05
G2000		0.70	0.39	20	0.66	541	4	0.03	266	900	659	0.25	23	7	67	0.05
G2000		0.70	0.40	20	0.66	560	4	0.03	269	910	665	0.26	24	7	67	0.05
G2000			0.40	20	0.65	560	5	0.03	284	970	668	0.28	26	7	65	0.05
G2000			0.39	20	0.63	532	4	0.03	270	910	643	0.26	25	7	63	0.05
G2000		0.69	0.38	20	0.63	541	4	0.03	273	930	652	0.26	26	7	61	0.05
G2000		0.75	0.41	20	0.66	559	5	0.03	285	960	669	0.27	28	7	68	0.05
G2000		0.75	0.40	20	0.66	561	5	0.03	277	970	671	0.28	27	7	68	0.05
G2000		0.75	0.40	20	0.65	557	4	0.03	276	960	649	0.28	26	7	68	0.05
G2000		0.73	0.41	20	0.68	583	6	0.04	278	970	688	0.29	27	7	72	0.06
G2000		0.73	0.40	20	0.67	563	6	0.03	266	950	662	0.29	27	7	71	0.05
G2000		0.67														
G2000		0.70														
G2000		0.73														
G2000		0.74														
Target Range - Lower Bound		0.70	0.37	<10	0.60	506	4	0.02	246	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.47	40	0.76	630	8	0.04	302	1050	739	0.31	31	9	76	0.07
GBM999-5		0.05	0.05	10	0.02	61	4	0.01	4	40	505	0.28	5	1	4	<0.01
GBM999-5		0.05	0.05	10	0.02	59	4	0.02	4	40	482	0.28	5	1	4	<0.01
GBM999-5			0.05	10	0.02	59	2	0.01	3	40	477	0.27	5	1	3	<0.01
GBM999-5		0.04	0.05	10	0.02	59	2	0.01	2	40	494	0.30	7	1	3	<0.01
Target Range - Lower Bound			0.04	<10	<0.01	49	2	<0.01	2	20	452	0.26	<2	<1	2	<0.01
Upper Bound			0.07	20	0.03	71	5	0.03	5	50	556	0.34	8	2	5	0.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
STANDARDS						
BM-9/A		<10	<10	15	<10	8500
BM-9/A		<10	<10	14	<10	8240
BM-9/A		<10	<10	15	<10	8170
BM-9/A		<10	<10	15	<10	7820
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	68	<10	1270
G2000		<10	<10	67	<10	1235
G2000		<10	<10	66	<10	1280
G2000		<10	<10	67	10	1300
G2000		<10	<10	67	10	1280
G2000		<10	<10	66	10	1250
G2000		<10	<10	63	<10	1230
G2000		<10	<10	65	<10	1250
G2000		<10	<10	65	<10	1285
G2000		<10	<10	63	<10	1240
G2000		10	<10	63	10	1265
G2000		<10	<10	67	<10	1315
G2000		10	<10	65	<10	1255
G2000		<10	<10	66	<10	1260
G2000		<10	<10	69	<10	1305
G2000		<10	<10	66	<10	1230
G2000						
G2000						
G2000						
G2000						
Target Range - Lower Bound		<10	<10	59	<10	1145
Upper Bound		20	20	74	20	1400
GBM999-5		<10	<10	6	<10	116
GBM999-5		<10	<10	6	<10	109
GBM999-5		<10	<10	5	<10	107
GBM999-5		<10	<10	5	<10	109
Target Range - Lower Bound		<10	<10	4	<10	97
Upper Bound		20	20	7	20	123

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
STANDARDS																
OXD43		0.402														
OXD43		0.392														
OXD43		0.423														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.055														
OxG46		1.000														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.48														
ST-259		2.54														
ST-259		2.52														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.93														
ST-327		6.71														
ST-327		7.04														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														
BLANKS																
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	1	1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK																
BLANK																
BLANK		<0.005														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
STANDARDS																
OXD43																
OXD43																
OXD43																
Target Range - Lower Bound																
Upper Bound																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
ST-327																
ST-327																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<2	<1	1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK			<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	0.02	<2	<1	<1	<0.01
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<0.01														
BLANK		<0.01														
BLANK																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		STANDARDS				
OXD43						
OXD43						
OXD43						
Target Range - Lower Bound						
Upper Bound						
OxG46						
OxG46						
Target Range - Lower Bound						
Upper Bound						
ST-259						
ST-259						
ST-259						
Target Range - Lower Bound						
Upper Bound						
ST-327						
ST-327						
ST-327						
Target Range - Lower Bound						
Upper Bound						
		BLANKS				
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
BLANKS																
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20
DUPLICATES																
ORIGINAL		<0.005														
DUP		0.008														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.009														
DUP		0.009														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.011														
DUP		0.012														
Target Range - Lower Bound		<0.005														
Upper Bound		0.022														
ORIGINAL		0.024														
DUP		0.026														
Target Range - Lower Bound		0.014														
Upper Bound		0.036														
B628659			<0.2	1.29	27	<10	200	<0.5	<2	0.12	<0.5	7	22	19	2.15	<10
DUP			<0.2	1.19	29	<10	190	<0.5	<2	0.10	<0.5	6	21	18	2.06	<10
Target Range - Lower Bound			<0.2	1.16	23	<10	160	<0.5	<2	0.08	<0.5	4	18	16	1.98	<10
Upper Bound			0.4	1.32	33	20	230	1.0	4	0.14	1.0	9	25	21	2.23	20
B629229		0.014														
DUP		0.020														
Target Range - Lower Bound		0.006														
Upper Bound		0.028														
B629249		0.016														
DUP		0.009														
Target Range - Lower Bound		<0.005														
Upper Bound		0.023														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
BLANKS																
BLANK																
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B628659		0.05	0.03	20	0.36	220	1	0.01	18	360	14	<0.01	2	3	13	0.05
DUP		0.04	0.03	20	0.34	209	1	<0.01	17	340	14	<0.01	3	3	12	0.04
Target Range - Lower Bound		0.02	<0.01	<10	0.31	194	<1	<0.01	15	310	9	<0.01	<2	<1	10	0.02
Upper Bound		0.07	0.05	40	0.39	235	2	0.02	20	390	19	0.02	4	5	15	0.07
B629229																
DUP																
Target Range - Lower Bound																
Upper Bound																
B629249																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
BLANKS						
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4
DUPLICATES						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
B628659		<10	<10	41	<10	52
DUP		<10	<10	38	<10	49
Target Range - Lower Bound		<10	<10	36	<10	44
Upper Bound		20	20	43	20	57
B629229						
DUP						
Target Range - Lower Bound						
Upper Bound						
B629249						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

. STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
DUPLICATES																
B629259			0.2	0.96	21	<10	80	<0.5	<2	0.16	<0.5	7	18	18	2.32	<10
DUP			0.2	0.85	15	<10	70	<0.5	<2	0.14	<0.5	7	16	16	2.10	<10
Target Range - Lower Bound			<0.2	0.84	13	<10	50	<0.5	<2	0.12	<0.5	5	14	14	2.08	<10
Upper Bound			0.4	0.97	23	20	100	1.0	4	0.18	1.0	9	20	20	2.34	20
B629294			0.3	0.73	596	<10	110	<0.5	3	0.07	<0.5	2	15	22	1.54	<10
DUP			0.4	0.68	638	<10	110	<0.5	4	0.07	0.5	2	14	23	1.55	<10
Target Range - Lower Bound			<0.2	0.65	582	<10	80	<0.5	<2	0.05	<0.5	<1	12	19	1.45	<10
Upper Bound			0.4	0.76	652	20	140	1.0	4	0.09	1.0	4	17	26	1.64	20
B629314		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B629334		0.010														
DUP		0.008														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B629336			<0.2	1.35	101	<10	130	<0.5	<2	0.13	<0.5	6	20	16	2.38	10
DUP			0.2	1.30	93	<10	120	<0.5	<2	0.12	<0.5	6	19	15	2.26	10
Target Range - Lower Bound			<0.2	1.24	88	<10	100	<0.5	<2	0.10	<0.5	4	17	13	2.18	<10
Upper Bound			0.4	1.41	106	20	150	1.0	4	0.15	1.0	8	22	18	2.46	20
B629354		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B629367																
DUP																
Target Range - Lower Bound																
Upper Bound																
B629371			<0.2	1.22	12	<10	130	<0.5	<2	0.13	<0.5	9	19	33	2.75	<10
DUP			<0.2	1.18	12	<10	120	<0.5	<2	0.13	<0.5	9	19	33	2.67	<10
Target Range - Lower Bound			<0.2	1.12	7	<10	100	<0.5	<2	0.10	<0.5	7	16	29	2.55	<10
Upper Bound			0.4	1.28	17	20	150	1.0	4	0.16	1.0	11	22	37	2.87	20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
B629259		0.09	0.04	20	0.32	239	1	0.01	19	600	10	0.01	33	2	16	0.05
DUP		0.08	0.03	20	0.28	215	1	0.01	18	550	7	0.01	28	2	14	0.04
Target Range - Lower Bound		0.06	<0.01	<10	0.27	206	<1	<0.01	16	530	4	<0.01	24	<1	12	0.02
Upper Bound		0.11	0.06	40	0.34	248	2	0.02	21	620	13	0.02	37	4	18	0.07
B629294		0.04	0.06	20	0.16	66	1	0.01	9	430	99	0.04	14	3	37	0.02
DUP		0.05	0.06	20	0.15	64	1	0.01	10	420	94	0.04	14	3	33	0.02
Target Range - Lower Bound		0.02	0.04	<10	0.13	52	<1	<0.01	7	380	88	0.02	9	<1	31	<0.01
Upper Bound		0.07	0.08	40	0.18	78	2	0.02	12	470	105	0.06	19	5	39	0.04
B629314																
DUP																
Target Range - Lower Bound																
Upper Bound																
B629334																
DUP																
Target Range - Lower Bound																
Upper Bound																
B629336		0.03	0.04	10	0.28	204	<1	0.01	14	400	15	<0.01	2	1	13	0.03
DUP		0.02	0.04	10	0.26	195	<1	0.01	14	390	14	<0.01	2	1	12	0.03
Target Range - Lower Bound		<0.01	0.02	<10	0.24	180	<1	<0.01	11	360	10	<0.01	<2	<1	10	<0.01
Upper Bound		0.05	0.06	20	0.30	219	2	0.02	17	430	19	0.02	4	2	15	0.05
B629354																
DUP																
Target Range - Lower Bound																
Upper Bound																
B629367		0.03														
DUP		0.03														
Target Range - Lower Bound		<0.01														
Upper Bound		0.05														
B629371			0.03	20	0.35	348	<1	<0.01	21	520	18	0.01	<2	2	12	0.04
DUP			0.03	10	0.34	343	<1	<0.01	21	500	18	0.01	<2	2	11	0.03
Target Range - Lower Bound			<0.01	<10	0.31	318	<1	<0.01	18	460	13	<0.01	<2	<1	9	<0.01
Upper Bound			0.05	20	0.38	373	2	0.02	24	560	23	0.02	4	4	14	0.06

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
B629259		<10	<10	33	<10	56
DUP		<10	<10	29	<10	51
Target Range - Lower Bound		<10	<10	27	<10	47
Upper Bound		20	20	35	20	60
B629294		<10	<10	29	<10	37
DUP		<10	<10	28	<10	35
Target Range - Lower Bound		<10	<10	25	<10	30
Upper Bound		20	20	32	20	42
B629314						
DUP						
Target Range - Lower Bound						
Upper Bound						
B629334						
DUP						
Target Range - Lower Bound						
Upper Bound						
B629336		<10	<10	41	<10	44
DUP		<10	<10	39	<10	42
Target Range - Lower Bound		<10	<10	36	<10	37
Upper Bound		20	20	44	20	49
B629354						
DUP						
Target Range - Lower Bound						
Upper Bound						
B629367						
DUP						
Target Range - Lower Bound						
Upper Bound						
B629371		<10	<10	33	<10	57
DUP		<10	<10	32	<10	55
Target Range - Lower Bound		<10	<10	29	<10	49
Upper Bound		20	20	36	20	63

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
B629392		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B629396																
DUP																
Target Range - Lower Bound																
Upper Bound																
B629410			0.2	1.06	38	<10	190	<0.5	<2	0.27	<0.5	11	18	31	2.70	<10
DUP			0.4	1.09	35	<10	190	<0.5	2	0.27	<0.5	11	18	30	2.68	<10
Target Range - Lower Bound			<0.2	1.00	31	<10	160	<0.5	<2	0.24	<0.5	8	15	27	2.54	<10
Upper Bound			0.4	1.15	42	20	220	1.0	4	0.30	1.0	14	21	34	2.84	20
B629416		0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B629436		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B629445			0.3	1.21	13	<10	200	0.5	<2	0.08	<0.5	8	21	26	2.81	<10
DUP			0.3	1.18	13	<10	200	0.5	<2	0.08	<0.5	7	20	25	2.79	<10
Target Range - Lower Bound			<0.2	1.12	8	<10	170	<0.5	<2	0.06	<0.5	5	17	22	2.64	<10
Upper Bound			0.4	1.27	18	20	240	1.0	4	0.10	1.0	10	24	29	2.96	20
B629506		<0.005														
DUP		0.010														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B629556			0.2	1.04	79	<10	110	<0.5	<2	0.07	<0.5	6	18	18	2.50	<10
DUP			0.2	1.05	77	<10	120	<0.5	<2	0.08	<0.5	6	17	17	2.50	<10
Target Range - Lower Bound			<0.2	0.97	70	<10	90	<0.5	<2	0.05	<0.5	4	15	15	2.36	<10
Upper Bound			0.4	1.12	86	20	140	1.0	4	0.10	1.0	8	20	20	2.65	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
B629392																
DUP																
Target Range - Lower Bound																
Upper Bound																
B629396		0.04														
DUP		0.04														
Target Range - Lower Bound		0.02														
Upper Bound		0.06														
B629410		0.04	0.05	30	0.37	480	<1	<0.01	28	560	24	0.01	4	2	20	0.02
DUP		0.04	0.05	30	0.38	468	<1	<0.01	26	540	22	0.02	5	2	21	0.02
Target Range - Lower Bound		0.02	0.03	<10	0.34	440	<1	<0.01	24	500	18	<0.01	<2	<1	17	<0.01
Upper Bound		0.06	0.07	50	0.41	508	2	0.02	30	600	28	0.02	9	4	24	0.04
B629416																
DUP																
Target Range - Lower Bound																
Upper Bound																
B629436																
DUP																
Target Range - Lower Bound																
Upper Bound																
B629445		0.04	0.07	20	0.29	277	<1	<0.01	20	260	31	0.01	3	2	16	0.03
DUP		0.04	0.07	20	0.28	273	<1	<0.01	22	260	31	0.01	2	2	16	0.03
Target Range - Lower Bound		0.02	0.05	<10	0.25	251	<1	<0.01	18	230	25	<0.01	<2	<1	13	<0.01
Upper Bound		0.06	0.09	40	0.32	299	2	0.02	24	290	37	0.02	4	4	19	0.05
B629506																
DUP																
Target Range - Lower Bound																
Upper Bound																
B629556		0.03	0.07	20	0.26	175	1	<0.01	17	310	31	0.03	9	2	10	0.03
DUP		0.03	0.07	20	0.26	174	1	0.01	16	310	26	0.04	9	2	11	0.03
Target Range - Lower Bound		<0.01	0.05	<10	0.23	156	<1	<0.01	14	270	23	<0.01	4	<1	8	<0.01
Upper Bound		0.05	0.09	40	0.29	193	2	0.02	19	350	34	0.06	14	4	13	0.05

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
DUPLICATES						
B629392						
DUP						
Target Range - Lower Bound						
Upper Bound						
B629396						
DUP						
Target Range - Lower Bound						
Upper Bound						
B629410		<10	<10	22	<10	78
DUP		<10	<10	23	<10	77
Target Range - Lower Bound		<10	<10	19	<10	70
Upper Bound		20	20	26	20	85
B629416						
DUP						
Target Range - Lower Bound						
Upper Bound						
B629436						
DUP						
Target Range - Lower Bound						
Upper Bound						
B629445		<10	<10	33	<10	69
DUP		<10	<10	33	<10	65
Target Range - Lower Bound		<10	<10	29	<10	60
Upper Bound		20	20	37	20	74
B629506						
DUP						
Target Range - Lower Bound						
Upper Bound						
B629556		<10	<10	32	<10	61
DUP		<10	<10	32	<10	61
Target Range - Lower Bound		<10	<10	28	<10	54
Upper Bound		20	20	36	20	68

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
C083513		0.017														
DUP		0.016														
Target Range - Lower Bound		0.006														
Upper Bound		0.027														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
DUPLICATES																
C083513 DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

QC CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
DUPLICATES						
C083513 DUP						
Target Range - Lower Bound						
Upper Bound						

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation File # A604215

701 - 475 Howe St., Vancouver BC V6C 2B3

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Sample gm
G-1	<2	2	19	62	.5	6	4	769	2.58	<5	<10	<4	5	761	<.4	<5	<5	58	2.67	.085	20	65	.67	1056	.28	7.83	2.54	2.80	<4	7	2	13	21	3	6	-
C081749	<2	27	174	478	1.7	20	9	1179	2.80	62	<10	<4	16	214	2.3	24	8	39	2.37	.065	40	24	.61	674	.33	7.57	.14	3.11	19	19	3	11	13	3	7	563
C081769	2	521	878	5332	35.4	17	21	637	10.20	>10000	<10	<4	14	144	30.2	200	25	24	1.77	.049	37	13	.53	135	.16	5.98	.20	2.58	8	15	7	9	6	3	5	575
C081789	<2	44	156	257	2.0	17	8	735	3.75	826	<10	<4	17	304	1.2	21	9	45	2.74	.066	40	37	.84	1198	.30	7.37	.58	3.08	25	21	4	11	13	3	8	689
C078009	<2	4	<5	13	<.5	6	3	92	.90	71	<10	<4	7	41	<.4	<5	<5	19	.22	.009	18	20	.11	264	.12	2.61	.63	.94	25	11	<2	5	4	1	2	584
C078029	<2	9	<5	14	<.5	8	3	265	1.36	93	<10	<4	9	119	<.4	<5	9	28	1.32	.010	24	24	.37	495	.13	3.82	.32	1.97	37	20	<2	7	4	1	4	590
C078049	25	30	19	51	<.5	42	21	347	4.15	30	<10	<4	17	124	<.4	19	<5	111	1.12	.092	54	74	.97	1741	.45	11.06	.64	5.89	16	48	<2	13	14	4	15	558
C078069	<2	22	14	56	<.5	32	15	331	3.45	21	<10	<4	15	92	<.4	<5	<5	75	.58	.023	41	155	.77	737	.40	6.82	1.08	3.05	5	30	<2	8	13	2	10	962
C078089	3	12	30	24	<.5	15	7	106	1.76	123	<10	<4	18	365	<.4	<5	<5	26	1.64	.042	34	62	.54	1240	.27	7.53	1.52	4.04	15	38	<2	7	13	4	5	1100
C078109	<2	28	22	42	<.5	19	8	209	2.39	215	<10	<4	17	460	<.4	<5	<5	37	2.39	.063	38	28	.74	1559	.33	7.53	1.62	3.47	25	24	2	12	16	3	7	701
C078129	<2	44	21	32	<.5	20	11	165	2.53	257	<10	<4	16	486	<.4	<5	<5	39	2.43	.066	36	26	.74	1607	.36	7.75	1.68	3.63	18	27	2	12	16	4	7	610
C078149	<2	53	22	29	<.5	19	10	158	2.45	62	<10	<4	20	452	<.4	<5	72	39	2.26	.065	44	27	.74	1607	.35	7.95	1.61	3.82	22	23	2	14	17	4	7	522
C078169	5	51	22	29	<.5	19	8	165	2.31	70	<10	<4	17	436	<.4	7	18	38	2.45	.063	39	28	.70	1544	.34	7.69	1.53	3.77	94	25	2	13	15	3	7	671
C078189	<2	33	42	145	1.0	19	9	297	2.45	91	<10	<4	16	402	.4	23	<5	39	2.32	.064	35	23	.73	1451	.35	7.95	1.24	3.47	21	26	3	13	16	4	7	594
C078209	2	66	15	26	<.5	21	9	166	2.34	72	<10	<4	17	392	<.4	13	9	38	2.55	.065	39	91	.66	1297	.32	7.65	1.77	3.36	62	20	4	12	14	3	7	972
C078229	<2	52	19	22	<.5	23	11	188	2.34	28	<10	<4	16	407	<.4	27	<5	42	2.70	.070	38	89	.53	1575	.36	7.94	1.51	3.45	16	21	4	12	16	3	7	934
C078249	<2	39	12	33	<.5	19	10	218	2.56	30	<10	<4	15	463	<.4	<5	5	45	2.41	.067	36	29	.85	1762	.37	7.59	1.62	3.76	29	22	3	12	16	3	7	630
C078269	<2	28	16	38	<.5	18	8	300	2.61	20	<10	<4	17	415	<.4	15	<5	40	2.75	.066	42	23	.83	1622	.35	7.48	1.27	3.33	38	21	3	13	15	3	7	598
C078289	2	46	72	107	1.3	18	12	365	2.81	647	<10	<4	17	247	<.4	29	8	36	1.68	.062	40	29	.64	1281	.29	7.53	.71	3.47	26	22	3	12	13	3	7	541
C081269	<2	23	37	82	<.5	15	9	652	3.10	10	<10	<4	15	319	<.4	<5	<5	37	2.97	.058	38	26	1.15	1215	.29	7.12	1.04	2.98	8	18	<2	14	13	3	7	476
C078309	2	38	21	45	<.5	17	9	304	2.45	41	<10	<4	16	429	<.4	15	7	38	2.48	.064	37	24	.77	1567	.34	7.28	1.52	3.40	90	17	3	11	14	3	7	560
C078329	<2	23	30	56	<.5	16	9	312	2.45	28	<10	<4	15	445	<.4	6	<5	42	2.62	.063	34	26	.75	1525	.35	7.24	1.70	3.44	40	20	3	14	15	3	7	772
C078349	2	27	25	40	<.5	18	9	231	2.33	16	<10	<4	16	509	<.4	<5	<5	40	2.48	.065	39	25	.75	1608	.35	7.62	1.80	3.48	25	20	2	12	16	3	7	733
C078369	2	31	24	30	<.5	17	10	202	2.17	34	<10	<4	16	421	<.4	12	<5	39	2.11	.065	40	24	.77	1660	.35	7.78	1.47	3.81	49	17	2	11	14	3	7	669
RE C078369	<2	31	21	31	<.5	17	9	203	2.16	39	<10	<4	16	412	<.4	14	<5	39	2.10	.066	38	25	.77	1678	.35	7.67	1.46	3.76	50	18	2	11	15	3	7	-
C081069	3	80	19	20	<.5	9	8	143	2.32	12	<10	<4	16	515	<.4	<5	6	39	2.35	.065	36	79	.82	1396	.33	7.87	1.61	3.63	194	28	2	9	17	4	6	1019
C081089	3	16	20	57	<.5	12	8	382	2.44	112	<10	<4	14	471	<.4	<5	<5	43	3.56	.058	36	86	.83	1260	.30	7.01	1.31	2.97	10	26	<2	10	14	4	7	1013
C081109	<2	20	96	364	1.7	13	11	476	3.28	1235	<10	<4	16	536	1.3	5	<5	59	3.17	.071	44	44	1.17	1670	.38	8.13	1.49	3.04	13	26	<2	15	15	4	9	582
C081129	<2	5	23	60	<.5	15	10	428	2.89	14	<10	<4	15	590	<.4	<5	<5	55	2.75	.070	38	39	1.01	1657	.38	8.13	1.89	3.08	7	30	<2	11	16	4	8	578
C081149	<2	67	77	81	1.0	14	15	745	2.93	694	14	<4	16	376	<.4	10	<5	54	2.57	.069	42	39	.83	1337	.33	8.24	1.13	3.40	21	29	5	12	14	4	9	755
C081169	<2	19	19	41	<.5	16	9	342	2.50	11	<10	<4	15	650	<.4	<5	<5	44	3.78	.067	40	26	1.08	1444	.37	7.68	1.61	2.83	10	22	<2	13	16	4	7	658
C081189	2	10	19	56	<.5	19	9	372	2.64	9	<10	<4	15	565	<.4	<5	<5	45	2.67	.068	37	87	.78	1352	.36	7.65	1.70	2.93	12	24	<2	12	16	4	7	1063
C081209	<2	17	26	64	<.5	17	11	434	2.61	8	<10	<4	14	536	<.4	5	<5	45	3.07	.064	37	67	1.17	1300	.32	7.13	1.04	3.15	11	28	<2	13	15	3	7	1136
C081229	<2	21	23	52	<.5	10	8	429	2.68	10	<10	<4	15	501	<.4	<5	<5	54	3.01	.066	34	38	1.03	1146	.33	7.20	1.73	3.01	11	43	<2	12	16	4	8	500
C081249	<2	172	25	35	.5	16	16	329	2.74	9	<10	<4	17	493	<.4	7	<5	40	3.05	.070	35	32	.57	1220	.36	7.78	1.55	6.56	10	24	5	22	24	3	8	577
STANDARD DST6	12	128	32	173	.5	30	14	965	4.05	23	<10	<4	8	319	5.6	6	7	113	2.26	.098	25	227	1.03	691	.43	7.14	1.63	1.37	9	51	7	15	10	4	12	-

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.
- SAMPLE TYPE: Rock Chip P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA _____ DATE RECEIVED: JUL 3 2006 DATE REPORT MAILED:.....

BRITISH COLUMBIA CERTIFIED ASSAYER Raymond Chan

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEM PRECIOUS METALS ANALYSIS

StrataGold Corporation File # A604215

701 - 475 Howe St., Vancouver BC V6C 2B3

SAMPLE#	Au** ppb
G-1	<2
C081749	75
C081769	2101
C081789	126
C078009	6
C078029	7
C078049	5
C078069	2
C078089	25
C078109	57
C078129	94
C078149	1017
C078169	702
C078189	59
C078209	90
C078229	25
C078249	69
C078269	44
C078289	619
C081269	9
C078309	202
C078329	148
C078349	23
C078369	40
RE C078369	41
C081069	25
C081089	74
C081109	135
C081129	<2
C081149	73
C081169	7
C081189	3
C081209	5
C081229	9
C081249	239
STANDARD OxF41	810

GROUP 3B - FIRE GEOCHEM AU - 30 GM SAMPLE FUSION, DORE DISSOLVED IN AQUA - REGIA, ICP ANALYSIS. UPPER LIMITS = 10 PPM.
HIGH GRADE GOLD ASSAY RECOMMENDED FOR 30 GM ANALYSIS > 10ppm and 50 GM > 5ppm.
- SAMPLE TYPE: Rock Chip P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

01-01-90 P00:13 IN

Data ____ FA ____ DATE RECEIVED: JUL 3 2006 DATE REPORT MAILED:.....

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation File # A604215

701 - 475 Howe St., Vancouver BC V6C 2B3

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Sample gm
G-1	<2	2	19	62	.5	6	4	769	2.58	<5	<10	<4	5	761	<.4	<5	<5	58	2.67	.085	20	65	.67	1056	.28	7.83	2.54	2.80	<4	7	2	13	21	3	6	-
C081749	<2	27	174	478	1.7	20	9	1179	2.80	62	<10	<4	16	214	2.3	24	8	39	2.37	.065	40	24	.61	674	.33	7.57	.14	3.11	19	19	3	11	13	3	7	563
C081769	2	521	878	5332	35.4	17	21	637	10.20	>10000	<10	<4	14	144	30.2	200	25	24	1.77	.049	37	13	.53	135	.16	5.98	.20	2.58	8	15	7	9	6	3	5	575
C081789	<2	44	156	257	2.0	17	8	735	3.75	826	<10	<4	17	304	1.2	21	9	45	2.74	.066	40	37	.84	1198	.30	7.37	.58	3.08	25	21	4	11	13	3	8	689
C078009	<2	4	<5	13	<.5	6	3	92	.90	71	<10	<4	7	41	<.4	<5	<5	19	.22	.009	18	20	.11	264	.12	2.61	.63	.94	25	11	<2	5	4	1	2	584
C078029	<2	9	<5	14	<.5	8	3	265	1.36	93	<10	<4	9	119	<.4	<5	9	28	1.32	.010	24	24	.37	495	.13	3.82	.32	1.97	37	20	<2	7	4	1	4	590
C078049	25	30	19	51	<.5	42	21	347	4.15	30	<10	<4	17	124	<.4	19	<5	111	1.12	.092	54	74	.97	1741	.45	11.06	.64	5.89	16	48	<2	13	14	4	15	558
C078069	<2	22	14	56	<.5	32	15	331	3.45	21	<10	<4	15	92	<.4	<5	<5	75	.58	.023	41	155	.77	737	.40	6.82	1.08	3.05	5	30	<2	8	13	2	10	962
C078089	3	12	30	24	<.5	15	7	106	1.76	123	<10	<4	18	365	<.4	<5	<5	26	1.64	.042	34	62	.54	1240	.27	7.53	1.52	4.04	15	38	<2	7	13	4	5	1100
C078109	<2	28	22	42	<.5	19	8	209	2.39	215	<10	<4	17	460	<.4	<5	<5	37	2.39	.063	38	28	.74	1559	.33	7.53	1.62	3.47	25	24	2	12	16	3	7	701
C078129	<2	44	21	32	<.5	20	11	165	2.53	257	<10	<4	16	486	<.4	<5	<5	39	2.43	.066	36	26	.74	1607	.36	7.75	1.68	3.63	18	27	2	12	16	4	7	610
C078149	<2	53	22	29	<.5	19	10	158	2.45	62	<10	<4	20	452	<.4	<5	72	39	2.26	.065	44	27	.74	1607	.35	7.95	1.61	3.82	22	23	2	14	17	4	7	522
C078169	5	51	22	29	<.5	19	8	165	2.31	70	<10	<4	17	436	<.4	7	18	38	2.45	.063	39	28	.70	1544	.34	7.69	1.53	3.77	94	25	2	13	15	3	7	671
C078189	<2	33	42	145	1.0	19	9	297	2.45	91	<10	<4	16	402	.4	23	<5	39	2.32	.064	35	23	.73	1451	.35	7.95	1.24	3.47	21	26	3	13	16	4	7	594
C078209	2	66	15	26	<.5	21	9	166	2.34	72	<10	<4	17	392	<.4	13	9	38	2.55	.065	39	91	.66	1297	.32	7.65	1.77	3.36	62	20	4	12	14	3	7	972
C078229	<2	52	19	22	<.5	23	11	188	2.34	28	<10	<4	16	407	<.4	27	<5	42	2.70	.070	38	89	.53	1575	.36	7.94	1.51	3.45	16	21	4	12	16	3	7	934
C078249	<2	39	12	33	<.5	19	10	218	2.56	30	<10	<4	15	463	<.4	<5	5	45	2.41	.067	36	29	.85	1762	.37	7.59	1.62	3.76	29	22	3	12	16	3	7	630
C078269	<2	28	16	38	<.5	18	8	300	2.61	20	<10	<4	17	415	<.4	15	<5	40	2.75	.066	42	23	.83	1622	.35	7.48	1.27	3.33	38	21	3	13	15	3	7	598
C078289	2	46	72	107	1.3	18	12	365	2.81	647	<10	<4	17	247	<.4	29	8	36	1.68	.062	40	29	.64	1281	.29	7.53	.71	3.47	26	22	3	12	13	3	7	541
C081269	<2	23	37	82	<.5	15	9	652	3.10	10	<10	<4	15	319	<.4	<5	<5	37	2.97	.058	38	26	1.15	1215	.29	7.12	1.04	2.98	8	18	<2	14	13	3	7	476
C078309	2	38	21	45	<.5	17	9	304	2.45	41	<10	<4	16	429	<.4	15	7	38	2.48	.064	37	24	.77	1567	.34	7.28	1.52	3.40	90	17	3	11	14	3	7	560
C078329	<2	23	30	56	<.5	16	9	312	2.45	28	<10	<4	15	445	<.4	6	<5	42	2.62	.063	34	26	.75	1525	.35	7.24	1.70	3.44	40	20	3	14	15	3	7	772
C078349	2	27	25	40	<.5	18	9	231	2.33	16	<10	<4	16	509	<.4	<5	<5	40	2.48	.065	39	25	.75	1608	.35	7.62	1.80	3.48	25	20	2	12	16	3	7	733
C078369	2	31	24	30	<.5	17	10	202	2.17	34	<10	<4	16	421	<.4	12	<5	39	2.11	.065	40	24	.77	1660	.35	7.78	1.47	3.81	49	17	2	11	14	3	7	669
RE C078369	<2	31	21	31	<.5	17	9	203	2.16	39	<10	<4	16	412	<.4	14	<5	39	2.10	.066	38	25	.77	1678	.35	7.67	1.46	3.76	50	18	2	11	15	3	7	-
C081069	3	80	19	20	<.5	9	8	143	2.32	12	<10	<4	16	515	<.4	<5	6	39	2.35	.065	36	79	.82	1396	.33	7.87	1.61	3.63	194	28	2	9	17	4	6	1019
C081089	3	16	20	57	<.5	12	8	382	2.44	112	<10	<4	14	471	<.4	<5	<5	43	3.56	.058	36	86	.83	1260	.30	7.01	1.31	2.97	10	26	<2	10	14	4	7	1013
C081109	<2	20	96	364	1.7	13	11	476	3.28	1235	<10	<4	16	536	1.3	5	<5	59	3.17	.071	44	44	1.17	1670	.38	8.13	1.49	3.04	13	26	<2	15	15	4	9	582
C081129	<2	5	23	60	<.5	15	10	428	2.89	14	<10	<4	15	590	<.4	<5	<5	55	2.75	.070	38	39	1.01	1657	.38	8.13	1.89	3.08	7	30	<2	11	16	4	8	578
C081149	<2	67	77	81	1.0	14	15	745	2.93	694	14	<4	16	376	<.4	10	<5	54	2.57	.069	42	39	.83	1337	.33	8.24	1.13	3.40	21	29	5	12	14	4	9	755
C081169	<2	19	19	41	<.5	16	9	342	2.50	11	<10	<4	15	650	<.4	<5	<5	44	3.78	.067	40	26	1.08	1444	.37	7.68	1.61	2.83	10	22	<2	13	16	4	7	658
C081189	2	10	19	56	<.5	19	9	372	2.64	9	<10	<4	15	565	<.4	<5	<5	45	2.67	.068	37	87	.78	1352	.36	7.65	1.70	2.93	12	24	<2	12	16	4	7	1063
C081209	<2	17	26	64	<.5	17	11	434	2.61	8	<10	<4	14	536	<.4	5	<5	45	3.07	.064	37	67	1.17	1300	.32	7.13	1.04	3.15	11	28	<2	13	15	3	7	1136
C081229	<2	21	23	52	<.5	10	8	429	2.68	10	<10	<4	15	501	<.4	<5	<5	54	3.01	.066	34	38	1.03	1146	.33	7.20	1.73	3.01	11	43	<2	12	16	4	8	500
C081249	<2	172	25	35	.5	16	16	329	2.74	9	<10	<4	17	493	<.4	7	<5	40	3.05	.070	35	32	.57	1220	.36	7.78	1.55	6.56	10	24	5	22	24	3	8	577
STANDARD DST6	12	128	32	173	.5	30	14	965	4.05	23	<10	<4	8	319	5.6	6	7	113	2.26	.098	25	227	1.03	691	.43	7.14	1.63	1.37	9	51	7	15	10	4	12	-

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.
- SAMPLE TYPE: Rock Chip P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

2006-08-14 P02:52

Data FA ____ DATE RECEIVED: JUL 3 2006 DATE REPORT MAILED:.....

BRITISH COLUMBIA CERTIFIED ASSAYER Raymond Chan

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME AN ICAL LABORATORIES LTD. 852 E. HASTINGS ST. OUVER BC V6A 1R6 PHONE(604)253-3158 FAX(60 3-1716
(ISO J01 Accredited Co.)

GEOCHEM PRECIOUS METALS ANALYSIS

StrataGold Corporation File # A604215

701 - 475 Howe St., Vancouver BC V6C 2B3

SAMPLE#	Au** ppb
G-1	<2
C081749	75
C081769	2101
C081789	126
C078009	6
C078029	7
C078049	5
C078069	2
C078089	25
C078109	57
C078129	94
C078149	1017
C078169	702
C078189	59
C078209	90
C078229	25
C078249	69
C078269	44
C078289	619
C081269	9
C078309	202
C078329	148
C078349	23
C078369	40
RE C078369	41
C081069	25
C081089	74
C081109	135
C081129	<2
C081149	73
C081169	7
C081189	3
C081209	5
C081229	9
C081249	239
STANDARD OxF41	810

GROUP 3B - FIRE GEOCHEM AU - 30 GM SAMPLE FUSION, DORE DISSOLVED IN AQUA - REGIA, ICP ANALYSIS. UPPER LIMITS = 10 PPM.
HIGH GRADE GOLD ASSAY RECOMMENDED FOR 30 GM ANALYSIS > 10ppm and 50 GM > 5ppm.
- SAMPLE TYPE: Rock Chip P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

01-01-90 P08:13 IN

Data FA DATE RECEIVED: JUL 3 2006 DATE REPORT MAILED:.....

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANA[illegible]TICAL LABORATORIES LTD. 852 E. HASTINGS ST. V[illegible]OUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604[illegible]3-1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation File # A604550

701 - 475 Howe St., Vancouver BC V6C 2B3

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Sample gm
G-1	<2	2	15	61	<.5	3	5	807	2.63	<5	<10	<4	9	775	<.4	<5	<5	57	2.80	.090	25	10	.72	1055	.28	8.84	2.67	2.86	<4	9	<2	15	23	3	6	-
C079029	<2	18	8	34	<.5	22	9	218	2.63	86	<10	<4	17	42	<.4	<5	<5	64	.41	.046	40	48	.36	641	.30	7.23	.09	1.95	10	29	<2	9	11	3	10	515
C079049	<2	11	<5	15	<.5	13	6	300	1.84	250	<10	<4	11	28	<.4	<5	<5	32	.07	.011	24	31	.14	412	.18	3.94	.06	1.44	26	18	<2	6	6	1	4	495
C079069	<2	9	12	20	<.5	16	10	156	2.00	293	<10	<4	15	102	<.4	<5	<5	54	.71	.015	36	40	.47	741	.25	6.07	.90	2.82	<4	34	<2	8	7	2	8	575
C079089	5	11	159	386	.7	9	3	655	1.39	369	<10	<4	10	47	1.8	6	<5	24	.64	.010	20	25	.30	207	.10	3.61	.03	1.47	8	14	<2	5	4	1	3	570
C079109	2	45	21	38	<.5	15	10	279	2.68	764	<10	<4	19	542	<.4	<5	<5	45	2.80	.067	44	33	.85	1530	.35	7.98	1.68	3.22	13	25	3	13	16	4	8	605
C079129	<2	51	28	32	<.5	14	10	191	2.19	77	<10	<4	20	443	<.4	<5	9	33	2.02	.053	38	22	.73	1288	.27	7.70	1.52	3.78	11	21	<2	11	14	4	6	530
C079149	3	28	26	51	<.5	16	9	323	2.69	15	<10	<4	23	535	<.4	<5	<5	43	2.65	.063	45	32	.82	1426	.35	8.14	1.83	3.42	6	25	3	14	17	4	8	590
C079169	2	70	27	28	<.5	17	9	208	2.58	1499	<10	<4	19	512	<.4	<5	6	39	1.76	.061	41	27	.62	1524	.34	7.82	1.82	3.57	13	19	4	12	15	4	7	515
C079189	2	51	25	33	<.5	18	10	258	2.56	806	<10	<4	18	528	<.4	<5	<5	42	2.67	.067	42	29	.96	1531	.35	7.92	1.57	3.56	23	19	2	11	15	3	7	625
C079209	4	65	21	31	<.5	18	9	240	2.60	76	<10	<4	19	505	<.4	<5	5	43	2.71	.068	45	29	.79	1646	.36	8.01	1.53	3.78	18	18	3	13	17	4	8	575
RE C079209	4	62	25	32	<.5	17	9	238	2.60	68	<10	<4	18	492	<.4	<5	11	43	2.71	.066	43	30	.79	1665	.36	8.03	1.49	3.85	17	19	3	13	16	3	8	-
C079229	3	71	638	1486	4.4	16	4	1894	3.54	21	<10	<4	20	108	7.9	21	6	41	2.43	.065	46	32	.88	708	.27	7.74	.08	3.29	29	21	11	11	13	4	7	485
C079249	2	38	30	62	<.5	13	11	516	3.04	9	<10	<4	22	489	<.4	<5	<5	58	3.14	.067	43	47	1.11	1322	.35	7.88	1.69	3.25	16	34	<2	15	17	4	9	490
C079269	3	43	15	44	<.5	15	11	392	3.03	8	<10	<4	19	557	<.4	<5	<5	55	3.27	.075	46	43	.98	1535	.40	8.05	1.76	3.19	4	24	<2	13	18	4	9	610
C079289	5	32	157	123	1.1	13	11	477	3.12	1393	<10	<4	23	349	<.4	11	15	50	2.75	.064	43	36	.96	1263	.32	7.81	1.25	3.34	43	28	<2	15	16	4	8	500
C082149	5	39	11	24	<.5	13	6	176	1.74	92	<10	<4	14	207	<.4	13	7	26	1.63	.044	29	19	.54	772	.22	4.91	.88	2.14	81	11	3	8	10	2	4	565
C082169	6	46	53	98	<.5	19	10	327	2.53	37	<10	<4	22	411	<.4	8	<5	43	2.86	.065	43	27	.68	1330	.34	7.84	1.57	3.14	29	22	5	15	17	4	7	495
C082189	<2	30	34	66	<.5	18	8	309	2.63	20	<10	<4	19	472	<.4	<5	5	39	2.56	.063	38	30	.77	1498	.37	7.98	1.76	3.32	5	18	2	14	17	4	7	520
C082209	2	24	40	74	<.5	17	8	332	2.55	20	<10	<4	21	480	<.4	<5	17	38	2.38	.062	42	28	.76	1468	.36	8.00	1.79	3.32	<4	23	4	17	17	4	7	605
C082229	7	65	27	32	<.5	17	9	250	2.59	17	<10	<4	20	487	<.4	<5	<5	43	2.90	.064	40	31	.95	1399	.35	7.57	1.58	3.28	24	19	4	13	16	4	7	640
C082249	2	16	28	60	<.5	14	11	473	3.27	12	15	<4	18	538	<.4	9	<5	61	2.93	.075	45	47	1.06	1697	.40	8.02	1.60	3.00	9	26	3	14	18	4	10	545
C082269	2	26	32	60	<.5	15	11	608	2.91	36	<10	<4	22	547	<.4	8	<5	52	3.35	.068	45	41	1.16	1427	.38	7.82	1.67	2.86	4	22	3	14	17	4	8	560
C082289	2	19	34	60	<.5	13	11	501	3.28	13	<10	<4	21	564	<.4	<5	<5	67	3.32	.074	45	57	1.22	1474	.40	8.19	1.81	2.88	<4	32	4	14	17	4	10	545
C082309	<2	40	31	57	<.5	18	13	372	2.97	65	<10	<4	22	511	<.4	5	<5	50	2.74	.072	43	41	.98	1601	.39	8.06	1.63	3.19	<4	23	<2	14	18	4	8	560
C082329	2	38	39	57	<.5	13	12	433	3.21	9	<10	<4	22	474	<.4	<5	<5	65	2.95	.068	44	56	1.20	1458	.37	7.88	1.53	3.03	9	29	<2	14	17	4	10	565
C082349	6	64	23	30	<.5	20	12	260	3.07	70	<10	<4	23	514	<.4	<5	8	53	2.50	.077	50	39	1.13	1575	.37	7.66	1.57	3.82	54	18	6	14	17	4	9	440
C082369	4	54	18	22	<.5	19	16	180	2.54	63	<10	<4	19	510	<.4	<5	<5	45	2.53	.069	43	34	.95	1638	.36	7.85	1.63	3.81	58	16	4	11	15	4	8	685
C082389	3	34	18	39	<.5	14	11	386	3.07	43	<10	<4	19	524	<.4	<5	<5	60	2.84	.068	42	51	1.30	1512	.36	7.91	1.74	3.26	9	29	3	15	17	4	10	705
C082409	4	55	20	33	<.5	16	13	321	3.12	6	<10	<4	19	544	<.4	<5	<5	62	2.90	.070	45	51	1.30	1441	.37	7.98	1.69	3.64	21	27	5	17	18	4	10	470
STANDARD DST6	12	130	30	174	.5	30	14	975	4.10	27	<10	<4	5	322	6.1	6	5	114	2.28	.099	26	223	1.05	702	.43	7.27	1.64	1.39	13	52	6	16	11	4	12	-

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.
- SAMPLE TYPE: Rock Chip P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data [illegible] FA ____ DATE RECEIVED: AUG 2 2006 DATE REPORT MAILED:.....

BRITISH COLUMBIA CERTIFIED ASSAYER
Raymond Chan

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME AN[illegible]TICAL LABORATORIES LTD. 852 E. HASTINGS ST. [illegible]OUVER BC V6A 1R6 PHONE(604)253-3158 FAX(60[illegible]3-1716
(I[illegible]01 Accredited Co.)

GEOCHEM PRECIOUs METALS ANALYSIS

StrataGold Corporation File # A604550

701 - 475 Howe St., Vancouver BC V6C 2B3

SAMPLE#	Au** ppb
G-1	2
CO79029	8
CO79049	7
CO79069	11
CO79089	27
CO79109	38
CO79129	127
CO79149	4
CO79169	411
CO79189	445
CO79209	77
RE CO79209	68
CO79229	23
CO79249	22
CO79269	90
CO79289	105
CO82149	85
CO82169	51
CO82189	23
CO82209	290
CO82229	67
CO82249	11
CO82269	16
CO82289	12
CO82309	313
CO82329	593
CO82349	626
CO82369	457
CO82389	69
CO82409	247
STANDARD OxF41	795

GROUP 3B - FIRE GEOCHEM AU - 30 GM SAMPLE FUSION, DORE DISSOLVED IN AQUA - REGIA, ICP ANALYSIS. UPPER LIMITS = 10 PPM.
HIGH GRADE GOLD ASSAY RECOMMENDED FOR 30 GM ANALYSIS > 10ppm and 50 GM > 5ppm.
- SAMPLE TYPE: Rock Chip P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data f FA ____ DATE RECEIVED: AUG 2 2006 DATE REPORT MAILED:.....

BRITISH COLUMBIA CERTIFIED ASSAYER
Raymond Chan

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation File # A604550

701 - 475 Howe St., Vancouver BC V6C 2B3

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Sample gm
G-1	<2	2	15	61	<.5	3	5	807	2.63	<5	<10	<4	9	775	<.4	<5	<5	57	2.80	.090	25	10	.72	1055	.28	8.84	2.67	2.86	<4	9	<2	15	23	3	6	-
C079029	<2	18	8	34	<.5	22	9	218	2.63	86	<10	<4	17	42	<.4	<5	<5	64	.41	.046	40	48	.36	641	.30	7.23	.09	1.95	10	29	<2	9	11	3	10	515
C079049	<2	11	<5	15	<.5	13	6	300	1.84	250	<10	<4	11	28	<.4	<5	<5	32	.07	.011	24	31	.14	412	.18	3.94	.06	1.44	26	18	<2	6	6	1	4	495
C079069	<2	9	12	20	<.5	16	10	156	2.00	293	<10	<4	15	102	<.4	<5	<5	54	.71	.015	36	40	.47	741	.25	6.07	.90	2.82	<4	34	<2	8	7	2	8	575
C079089	5	11	159	386	.7	9	3	655	1.39	369	<10	<4	10	47	1.8	6	<5	24	.64	.010	20	25	.30	207	.10	3.61	.03	1.47	8	14	<2	5	4	1	3	570
C079109	2	45	21	38	<.5	15	10	279	2.68	764	<10	<4	19	542	<.4	<5	<5	45	2.80	.067	44	33	.85	1530	.35	7.98	1.68	3.22	13	25	3	13	16	4	8	605
C079129	<2	51	28	32	<.5	14	10	191	2.19	77	<10	<4	20	443	<.4	<5	9	33	2.02	.053	38	22	.73	1288	.27	7.70	1.52	3.78	11	21	<2	11	14	4	6	530
C079149	3	28	26	51	<.5	16	9	323	2.69	15	<10	<4	23	535	<.4	<5	<5	43	2.65	.063	45	32	.82	1426	.35	8.14	1.83	3.42	6	25	3	14	17	4	8	590
C079169	2	70	27	28	<.5	17	9	208	2.58	1499	<10	<4	19	512	<.4	<5	6	39	1.76	.061	41	27	.62	1524	.34	7.82	1.82	3.57	13	19	4	12	15	4	7	515
C079189	2	51	25	33	<.5	18	10	258	2.56	806	<10	<4	18	528	<.4	<5	<5	42	2.67	.067	42	29	.96	1531	.35	7.92	1.57	3.56	23	19	2	11	15	3	7	625
C079209	4	65	21	31	<.5	18	9	240	2.60	76	<10	<4	19	505	<.4	<5	5	43	2.71	.068	45	29	.79	1646	.36	8.01	1.53	3.78	18	18	3	13	17	4	8	575
RE C079209	4	62	25	32	<.5	17	9	238	2.60	68	<10	<4	18	492	<.4	<5	11	43	2.71	.066	43	30	.79	1665	.36	8.03	1.49	3.85	17	19	3	13	16	3	8	-
C079229	3	71	638	1486	4.4	16	4	1894	3.54	21	<10	<4	20	108	7.9	21	6	41	2.43	.065	46	32	.88	708	.27	7.74	.08	3.29	29	21	11	11	13	4	7	485
C079249	2	38	30	62	<.5	13	11	516	3.04	9	<10	<4	22	489	<.4	<5	<5	58	3.14	.067	43	47	1.11	1322	.35	7.88	1.69	3.25	16	34	<2	15	17	4	9	490
C079269	3	43	15	44	<.5	15	11	392	3.03	8	<10	<4	19	557	<.4	<5	<5	55	3.27	.075	46	43	.98	1535	.40	8.05	1.76	3.19	4	24	<2	13	18	4	9	610
C079289	5	32	157	123	1.1	13	11	477	3.12	1393	<10	<4	23	349	<.4	11	15	50	2.75	.064	43	36	.96	1263	.32	7.81	1.25	3.34	43	28	<2	15	16	4	8	500
C082149	5	39	11	24	<.5	13	6	176	1.74	92	<10	<4	14	207	<.4	13	7	26	1.63	.044	29	19	.54	772	.22	4.91	.88	2.14	81	11	3	8	10	2	4	565
C082169	6	46	53	98	<.5	19	10	327	2.53	37	<10	<4	22	411	<.4	8	<5	43	2.86	.065	43	27	.68	1330	.34	7.84	1.57	3.14	29	22	5	15	17	4	7	495
C082189	<2	30	34	66	<.5	18	8	309	2.63	20	<10	<4	19	472	<.4	<5	5	39	2.56	.063	38	30	.77	1498	.37	7.98	1.76	3.32	5	18	2	14	17	4	7	520
C082209	2	24	40	74	<.5	17	8	332	2.55	20	<10	<4	21	480	<.4	<5	17	38	2.38	.062	42	28	.76	1468	.36	8.00	1.79	3.32	<4	23	4	17	17	4	7	605
C082229	7	65	27	32	<.5	17	9	250	2.59	17	<10	<4	20	487	<.4	<5	<5	43	2.90	.064	40	31	.95	1399	.35	7.57	1.58	3.28	24	19	4	13	16	4	7	640
C082249	2	16	28	60	<.5	14	11	473	3.27	12	15	<4	18	538	<.4	9	<5	61	2.93	.075	45	47	1.06	1697	.40	8.02	1.60	3.00	9	26	3	14	18	4	10	545
C082269	2	26	32	60	<.5	15	11	608	2.91	36	<10	<4	22	547	<.4	8	<5	52	3.35	.068	45	41	1.16	1427	.38	7.82	1.67	2.86	4	22	3	14	17	4	8	560
C082289	2	19	34	60	<.5	13	11	501	3.28	13	<10	<4	21	564	<.4	<5	<5	67	3.32	.074	45	57	1.22	1474	.40	8.19	1.81	2.88	<4	32	4	14	17	4	10	545
C082309	<2	40	31	57	<.5	18	13	372	2.97	65	<10	<4	22	511	<.4	5	<5	50	2.74	.072	43	41	.98	1601	.39	8.06	1.63	3.19	<4	23	<2	14	18	4	8	560
C082329	2	38	39	57	<.5	13	12	433	3.21	9	<10	<4	22	474	<.4	<5	<5	65	2.95	.068	44	56	1.20	1458	.37	7.88	1.53	3.03	9	29	<2	14	17	4	10	565
C082349	6	64	23	30	<.5	20	12	260	3.07	70	<10	<4	23	514	<.4	<5	8	53	2.50	.077	50	39	1.13	1575	.37	7.66	1.57	3.82	54	18	6	14	17	4	9	440
C082369	4	54	18	22	<.5	19	16	180	2.54	63	<10	<4	19	510	<.4	<5	<5	45	2.53	.069	43	34	.95	1638	.36	7.85	1.63	3.81	58	16	4	11	15	4	8	685
C082389	3	34	18	39	<.5	14	11	386	3.07	43	<10	<4	19	524	<.4	<5	<5	60	2.84	.068	42	51	1.30	1512	.36	7.91	1.74	3.26	9	29	3	15	17	4	10	705
C082409	4	55	20	33	<.5	16	13	321	3.12	6	<10	<4	19	544	<.4	<5	<5	62	2.90	.070	45	51	1.30	1441	.37	7.98	1.69	3.64	21	27	5	17	18	4	10	470
STANDARD DST6	12	130	30	174	.5	30	14	975	4.10	27	<10	<4	5	322	6.1	6	5	114	2.28	.099	26	223	1.05	702	.43	7.27	1.64	1.39	13	52	6	16	11	4	12	-

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.
- SAMPLE TYPE: Rock Chip P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

2006-08-29 FO1:PF

Data 1 FA ____ DATE RECEIVED: AUG 2 2006 DATE REPORT MAILED:.....

BRITISH COLUMBIA CERTIFIED ASSAYER
Raymond Chan

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEM PRECIOUS METALS ANALYSIS

StrataGold Corporation File # A604550
701 - 475 Howe St., Vancouver BC V6C 2B3

SAMPLE#	Au** ppb
G-1	2
CO79029	8
CO79049	7
CO79069	11
CO79089	27
CO79109	38
CO79129	127
CO79149	4
CO79169	411
CO79189	445
CO79209	77
RE CO79209	68
CO79229	23
CO79249	22
CO79269	90
CO79289	105
CO82149	85
CO82169	51
CO82189	23
CO82209	290
CO82229	67
CO82249	11
CO82269	16
CO82289	12
CO82309	313
CO82329	593
CO82349	626
CO82369	457
CO82389	69
CO82409	247
STANDARD OxF41	795

GROUP 3B - FIRE GEOCHEM AU - 30 GM SAMPLE FUSION, DORE DISSOLVED IN AQUA - REGIA, ICP ANALYSIS. UPPER LIMITS = 10 PPM.
HIGH GRADE GOLD ASSAY RECOMMENDED FOR 30 GM ANALYSIS > 10ppm and 50 GM > 5ppm.
- SAMPLE TYPE: Rock Chip P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA ____ DATE RECEIVED: AUG 2 2006 DATE REPORT MAILED: 2006-08-16 01:36

BRITISH COLUMBIA CERTIFIED ASSAYER
Raymond Chan

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation File # A604293 Page 1

701 - 475 Howe St., Vancouver BC V6C 2B3

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Sample kg
G-1	<2	2	18	54	<.5	5	5	770	2.45	<5	<10	<4	6	732	<.4	<5	<5	56	2.53	.082	20	7	.63	1021	.27	8.10	2.55	2.82	<4	7	<2	14	17	3	5	-
C078388	3	31	21	30	<.5	13	11	346	2.98	29	<10	<4	19	545	<.4	<5	<5	68	3.10	.074	43	50	1.31	1527	.36	7.72	1.74	3.68	22	30	3	15	13	3	10	.52
C078428	<2	23	11	33	<.5	12	11	389	3.05	41	<10	<4	21	567	<.4	<5	5	67	3.08	.076	43	50	1.30	1559	.38	7.58	1.76	3.39	25	28	<2	14	13	3	10	.52
C078608	2	22	15	29	<.5	20	11	253	2.82	1812	<10	<4	17	504	<.4	<5	7	42	2.81	.071	36	30	.79	1701	.34	7.67	1.60	2.79	6	21	<2	12	12	4	7	.52
C078627	<2	25	21	28	<.5	20	10	258	2.63	47	<10	<4	17	509	<.4	<5	<5	43	2.64	.069	35	26	.85	1576	.36	7.85	1.81	2.68	4	22	2	13	12	4	7	.56
C078648	<2	23	28	32	<.5	19	8	241	2.51	17	10	<4	18	492	<.4	<5	<5	42	2.58	.068	36	25	.76	1519	.35	7.83	1.77	3.45	14	22	<2	13	13	4	7	.52
C078668	2	25	20	38	<.5	21	9	288	2.79	21	<10	<4	18	541	<.4	<5	<5	46	2.84	.074	42	26	.88	1703	.39	8.25	1.87	3.44	17	19	<2	13	14	4	8	.50
C078688	<2	34	17	29	<.5	19	8	257	2.53	58	10	<4	16	513	<.4	<5	<5	43	2.77	.067	36	26	.83	1566	.36	7.82	1.80	3.55	82	19	<2	13	13	4	8	.58
C078708	<2	19	64	172	.8	19	9	373	2.85	16	<10	<4	19	419	.5	5	<5	43	2.33	.070	35	25	.73	1667	.35	7.94	1.45	3.36	14	18	<2	12	12	4	7	.50
C078729	<2	38	21	29	<.5	19	9	266	2.67	59	<10	<4	19	502	<.4	<5	<5	45	2.61	.071	36	29	.85	1664	.37	7.88	1.85	3.57	26	22	3	13	13	4	7	.56
C078749	2	39	63	100	2.0	19	12	692	2.61	75	<10	<4	20	238	<.4	23	<5	44	2.78	.073	47	25	.82	761	.33	8.02	.71	3.06	19	18	4	14	12	4	8	.52
C078769	<2	65	22	29	<.5	17	8	240	2.39	13	<10	<4	20	488	<.4	5	<5	42	2.47	.064	41	25	.77	1555	.37	7.64	1.62	3.89	26	16	3	12	12	3	7	.46
C078789	<2	20	28	71	.6	15	11	455	3.00	8	<10	<4	18	609	<.4	<5	5	63	2.96	.075	40	41	1.13	1571	.39	7.89	1.97	3.21	8	26	<2	12	14	4	9	.42
C078809	2	38	25	52	.5	16	10	397	2.94	9	<10	<4	18	534	<.4	<5	7	56	2.83	.072	42	38	1.05	1536	.39	7.96	1.84	3.38	<4	23	<2	13	14	4	9	.56
C078829	2	38	76	75	.8	15	9	463	3.15	424	13	<4	19	490	<.4	<5	<5	59	2.76	.075	43	40	1.08	1664	.35	8.20	1.76	3.65	12	28	4	17	13	4	9	.52
C081288	<2	49	3816	5343	8.7	16	8	508	2.76	45	<10	<4	18	466	29.0	50	<5	42	2.34	.064	35	28	.71	1463	.32	7.86	1.63	3.36	15	18	<2	10	11	4	7	.50
C081808	<2	7	23	62	.5	12	11	530	3.24	20	<10	<4	20	499	<.4	<5	<5	71	2.98	.073	41	53	1.33	1652	.38	8.06	1.81	3.09	11	28	<2	14	12	3	10	.56
C081828	<2	47	56	126	.6	10	9	619	3.35	44	<10	<4	20	288	.6	12	5	57	3.14	.065	44	42	.90	1079	.25	7.06	.76	3.12	22	22	<2	12	9	3	8	.58
C081848	3	29	54	101	.7	14	9	639	2.64	66	<10	<4	17	331	<.4	19	<5	56	3.95	.062	40	35	1.56	1330	.30	6.54	.34	2.93	16	23	2	15	10	3	8	.54
C081868	4	22	70	267	<.5	18	14	629	3.47	18	<10	<4	20	548	1.0	6	<5	98	3.08	.091	40	62	1.49	1488	.40	7.66	1.67	3.09	9	30	<2	17	13	4	12	.50
C081888	3	20	20	41	<.5	15	10	341	2.61	36	<10	<4	21	526	<.4	<5	<5	53	2.38	.071	41	34	1.00	1628	.36	7.85	1.92	3.62	34	18	<2	13	13	4	8	.48
C081908	2	13	26	63	<.5	14	13	528	3.22	26	<10	<4	22	568	<.4	<5	<5	71	3.13	.078	45	56	1.25	1569	.39	7.96	1.84	3.06	4	26	2	13	14	4	10	.50
C081928	5	29	18	47	<.5	13	12	453	3.06	92	<10	<4	16	495	<.4	<5	<5	70	3.31	.077	38	50	1.15	1597	.36	7.63	1.60	3.44	52	20	2	12	13	3	10	.52
C081948	3	6	20	17	<.5	6	5	160	1.66	96	<10	<4	19	496	<.4	<5	<5	29	1.84	.046	36	22	.54	1457	.23	7.33	1.70	3.74	43	35	<2	7	9	3	4	.48
C081968	<2	7	28	14	.5	7	5	142	1.84	2811	<10	<4	20	466	<.4	7	6	33	1.34	.055	49	21	.43	1983	.21	8.06	2.26	3.99	20	37	2	7	7	3	5	.52
C078488	<2	15	26	50	<.5	14	11	445	3.05	17	<10	<4	22	528	<.4	<5	<5	74	2.89	.075	44	48	1.16	1526	.37	7.79	1.80	3.13	14	28	3	14	13	4	10	.56
C078508	<2	20	<5	53	<.5	34	14	373	4.10	71	<10	<4	19	138	<.4	7	<5	99	1.04	.087	52	69	.81	897	.38	9.08	.80	3.82	<4	40	<2	12	10	3	13	.52
C078528	2	37	10	71	<.5	42	18	364	4.80	54	<10	<4	18	111	<.4	16	<5	106	.76	.097	46	70	.99	863	.41	10.30	.74	4.35	24	37	2	10	12	4	14	.54
C078548	<2	7	5	18	<.5	9	6	192	1.63	14	<10	<4	13	57	<.4	7	<5	35	.28	.012	23	28	.27	443	.20	3.68	.32	1.35	10	31	<2	5	5	1	4	.52
C081448	<2	24	15	42	<.5	19	10	309	2.58	47	<10	<4	19	496	<.4	<5	<5	48	2.65	.072	42	27	.76	1732	.38	7.85	1.70	3.21	30	23	2	12	13	4	7	.64
RE C081448	<2	24	18	45	<.5	20	11	319	2.65	40	<10	<4	18	494	<.4	<5	<5	49	2.73	.073	33	28	.77	1744	.38	7.88	1.73	3.26	27	22	2	12	14	4	7	-
C081468	2	25	27	31	<.5	18	8	313	2.70	74	<10	<4	21	402	<.4	<5	<5	41	2.65	.068	43	25	1.06	1407	.30	7.57	.89	3.07	23	20	3	13	11	4	7	.46
C081488	2	26	133	275	1.2	19	9	568	2.64	157	<10	<4	21	262	1.0	<5	6	37	2.55	.064	43	25	1.12	1071	.28	7.52	.63	3.27	34	23	<2	12	10	3	7	.60
C081508	3	21	12	30	<.5	20	9	308	2.53	64	<10	<4	17	563	<.4	<5	<5	41	3.16	.068	44	24	.89	1718	.35	7.54	1.51	3.04	30	16	<2	10	12	3	7	.48
C081528	2	19	30	49	<.5	19	7	290	2.36	28	<10	<4	19	450	<.4	<5	<5	46	2.40	.066	36	25	.61	1720	.33	8.03	1.37	4.41	16	21	2	11	12	3	8	.54
STANDARD DST6	12	128	32	170	.5	30	13	966	4.06	27	<10	<4	8	320	5.6	7	6	109	2.27	.098	25	221	1.04	696	.42	7.19	1.62	1.37	7	59	5	16	8	4	12	-

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.
- SAMPLE TYPE: Rock Chip P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

08-12-2006 P01:57

Data FA ____ DATE RECEIVED: JUL 19 2006 DATE REPORT MAILED:.....

Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Sample kg
G-1	<2	<2	24	65	<.5	3	4	766	2.47	<5	<10	<4	8	723	<.4	<5	<5	54	2.52	.079	18	6	.62	1026	.22	8.12	2.73	2.84	<4	8	2	13	18	3	5	-
C081548	2	19	136	118	.6	20	8	262	2.95	45	<10	<4	21	400	<.4	<5	6	43	1.35	.070	49	26	.75	1774	.33	8.36	1.30	3.54	17	19	<2	12	13	4	8	.52
C081568	<2	18	23	47	<.5	20	9	276	2.65	54	<10	<4	18	507	<.4	<5	<5	42	2.46	.066	35	31	.88	1664	.33	7.93	1.77	3.41	18	21	<2	13	13	4	7	.78
C081588	<2	32	33	42	<.5	17	8	303	2.45	28	<10	<4	18	502	<.4	<5	<5	36	3.07	.064	37	23	.78	1584	.28	7.69	1.50	3.67	22	21	3	15	12	4	6	.54
C081608	4	35	27	44	<.5	21	10	261	2.63	61	<10	<4	16	556	<.4	<5	<5	43	2.90	.071	39	29	.75	1656	.32	7.87	1.72	3.55	34	17	4	14	13	4	8	.60
C081628	<2	29	53	104	.5	17	8	329	2.25	69	10	<4	19	420	<.4	9	5	40	1.90	.063	41	24	.68	1645	.30	7.82	.93	3.87	46	23	<2	13	12	4	7	.52
C081648	<2	10	23	65	<.5	20	11	379	2.83	23	<10	<4	19	621	<.4	5	<5	41	3.57	.067	39	27	.89	1692	.32	8.14	1.73	3.46	14	21	<2	14	12	4	7	.54
C081668	2	109	871	1582	6.9	19	8	1477	4.17	164	11	<4	17	157	7.0	58	11	34	2.95	.057	42	24	.89	262	.21	7.60	.05	3.06	29	21	4	13	9	3	6	.50
C081688	2	24	31	62	<.5	19	9	495	2.62	60	18	<4	19	457	<.4	21	6	40	2.70	.065	41	25	.80	1510	.31	7.62	1.46	3.59	28	21	2	15	13	3	7	.56
C081708	2	76	26	52	<.5	18	11	330	2.97	21	<10	<4	18	519	<.4	8	10	40	2.97	.068	37	26	.60	1735	.31	7.85	1.45	3.88	54	20	5	13	13	3	8	.50
C081728	<2	14	33	73	<.5	18	7	335	2.40	24	16	<4	19	520	<.4	<5	<5	38	2.46	.061	37	24	.69	1494	.30	7.56	1.91	3.57	36	23	<2	15	13	4	7	.52
STANDARD DST6	12	129	39	195	<.5	30	13	967	4.06	26	<10	<4	7	318	5.6	<5	6	111	2.27	.098	25	225	1.04	694	.37	7.20	1.63	1.37	8	51	5	15	8	4	12	-

Sample type: Rock Chip P150.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data d FA ___

ACME AN[illegible]ICAL LABORATORIES LTD. 852 E. HASTINGS ST. [illegible]OUVER BC V6A 1R6 PHONE(604)253-3158 FAX(60[illegible]3-1716
(IS[illegible],01 Accredited Co.)

GEOCHEM PRECIOUS METALS ANALYSIS

StrataGold Corporation File # A604293 Page 1

701 - 475 Howe St., Vancouver BC V6C 2B3

SAMPLE#	Au** ppb
G-1	<2
C078388	76
C078428	80
C078608	164
C078627	59
C078648	52
C078668	23
C078688	43
C078708	10
C078729	34
C078749	37
C078769	25
C078789	26
C078809	62
C078829	281
C081288	39
C081808	7
C081828	42
C081848	17
C081868	13
C081888	8
C081908	16
C081928	40
C081948	7
C081968	63
C078488	15
C078508	6
C078528	13
C078548	<2
C081448	32
RE C081448	21
C081468	63
C081488	241
C081508	19
C081528	17
STANDARD OxF41	811

GROUP 3B - FIRE GEOCHEM AU - 30 GM SAMPLE FUSION, DORE DISSOLVED IN AQUA - REGIA, ICP ANALYSIS. UPPER LIMITS = 10 PPM.
HIGH GRADE GOLD ASSAY RECOMMENDED FOR 30 GM ANALYSIS > 10ppm and 50 GM > 5ppm.
- SAMPLE TYPE: Rock Chip P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

01-01-90 P08:12 IN

Data 1 FA ____ **DATE RECEIVED:** JUL 19 2006 **DATE REPORT MAILED:**.....

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

SAMPLE#	Au** ppb
G-1	<2
C081548	59
C081568	24
C081588	79
C081608	39
C081628	138
C081648	21
C081668	695
C081688	29
C081708	257
C081728	10
STANDARD OxF41	806

Sample type: Rock Chip P150.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data 1 FA ___

ACME AN TICAL LABORATORIES LTD. 852 E. HASTINGS ST. OUVER BC V6A 1R6 PHONE(604)253-3158 FAX(60 53-1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation File # A604293 Page 1

701 - 475 Howe St., Vancouver BC V6C 2B3

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Sample kg
G-1	<2	2	18	54	<.5	5	5	770	2.45	<5	<10	<4	6	732	<.4	<5	<5	56	2.53	.082	20	7	.63	1021	.27	8.10	2.55	2.82	<4	7	<2	14	17	3	5	-
C078388	3	31	21	30	<.5	13	11	346	2.98	29	<10	<4	19	545	<.4	<5	<5	68	3.10	.074	43	50	1.31	1527	.36	7.72	1.74	3.68	22	30	3	15	13	3	10	.52
C078428	<2	23	11	33	<.5	12	11	389	3.05	41	<10	<4	21	567	<.4	<5	5	67	3.08	.076	43	50	1.30	1559	.38	7.58	1.76	3.39	25	28	<2	14	13	3	10	.52
C078608	2	22	15	29	<.5	20	11	253	2.82	1812	<10	<4	17	504	<.4	<5	7	42	2.81	.071	36	30	.79	1701	.34	7.67	1.60	2.79	6	21	<2	12	12	4	7	.52
C078627	<2	25	21	28	<.5	20	10	258	2.63	47	<10	<4	17	509	<.4	<5	<5	43	2.64	.069	35	26	.85	1576	.36	7.85	1.81	2.68	4	22	2	13	12	4	7	.56
C078648	<2	23	28	32	<.5	19	8	241	2.51	17	10	<4	18	492	<.4	<5	<5	42	2.58	.068	36	25	.76	1519	.35	7.83	1.77	3.45	14	22	<2	13	13	4	7	.52
C078668	2	25	20	38	<.5	21	9	288	2.79	21	<10	<4	18	541	<.4	<5	<5	46	2.84	.074	42	26	.88	1703	.39	8.25	1.87	3.44	17	19	<2	13	14	4	8	.50
C078688	<2	34	17	29	<.5	19	8	257	2.53	58	10	<4	16	513	<.4	<5	<5	43	2.77	.067	36	26	.83	1566	.36	7.82	1.80	3.55	82	19	<2	13	13	4	8	.58
C078708	<2	19	64	172	.8	19	9	373	2.85	16	<10	<4	19	419	.5	5	<5	43	2.33	.070	35	25	.73	1667	.35	7.94	1.45	3.36	14	18	<2	12	12	4	7	.50
C078729	<2	38	21	29	<.5	19	9	266	2.67	59	<10	<4	19	502	<.4	<5	<5	45	2.61	.071	36	29	.85	1664	.37	7.88	1.85	3.57	26	22	3	13	13	4	7	.56
C078749	2	39	63	100	2.0	19	12	692	2.61	75	<10	<4	20	238	<.4	23	<5	44	2.78	.073	47	25	.82	761	.33	8.02	.71	3.06	19	18	4	14	12	4	8	.52
C078769	<2	65	22	29	<.5	17	8	240	2.39	13	<10	<4	20	488	<.4	5	<5	42	2.47	.064	41	25	.77	1555	.37	7.64	1.62	3.89	26	16	3	12	12	3	7	.46
C078789	<2	20	28	71	.6	15	11	455	3.00	8	<10	<4	18	609	<.4	<5	5	63	2.96	.075	40	41	1.13	1571	.39	7.89	1.97	3.21	8	26	<2	12	14	4	9	.42
C078809	2	38	25	52	.5	16	10	397	2.94	9	<10	<4	18	534	<.4	<5	7	56	2.83	.072	42	38	1.05	1536	.39	7.96	1.84	3.38	<4	23	<2	13	14	4	9	.56
C078829	2	38	76	75	.8	15	9	463	3.15	424	13	<4	19	490	<.4	<5	<5	59	2.76	.075	43	40	1.08	1664	.35	8.20	1.76	3.65	12	28	4	17	13	4	9	.52
C081288	<2	49	3816	5343	8.7	16	8	508	2.76	45	<10	<4	18	466	29.0	50	<5	42	2.34	.064	35	28	.71	1463	.32	7.86	1.63	3.36	15	18	<2	10	11	4	7	.50
C081808	<2	7	23	62	.5	12	11	530	3.24	20	<10	<4	20	499	<.4	<5	<5	71	2.98	.073	41	53	1.33	1652	.38	8.06	1.81	3.09	11	28	<2	14	12	3	10	.56
C081828	<2	47	56	126	.6	10	9	619	3.35	44	<10	<4	20	288	.6	12	5	57	3.14	.065	44	42	.90	1079	.25	7.06	.76	3.12	22	22	<2	12	9	3	8	.58
C081848	3	29	54	101	.7	14	9	639	2.64	66	<10	<4	17	331	<.4	19	<5	56	3.95	.062	40	35	1.56	1330	.30	6.54	.34	2.93	16	23	2	15	10	3	8	.54
C081868	4	22	70	267	<.5	18	14	629	3.47	18	<10	<4	20	548	1.0	6	<5	98	3.08	.091	40	62	1.49	1488	.40	7.66	1.67	3.09	9	30	<2	17	13	4	12	.50
C081888	3	20	20	41	<.5	15	10	341	2.61	36	<10	<4	21	526	<.4	<5	<5	53	2.38	.071	41	34	1.00	1628	.36	7.85	1.92	3.62	34	18	<2	13	13	4	8	.48
C081908	2	13	26	63	<.5	14	13	528	3.22	26	<10	<4	22	568	<.4	<5	<5	71	3.13	.078	45	56	1.25	1569	.39	7.96	1.84	3.06	4	26	2	13	14	4	10	.50
C081928	5	29	18	47	<.5	13	12	453	3.06	92	<10	<4	16	495	<.4	<5	<5	70	3.31	.077	38	50	1.15	1597	.36	7.63	1.60	3.44	52	20	2	12	13	3	10	.52
C081948	3	6	20	17	<.5	6	5	160	1.66	96	<10	<4	19	496	<.4	<5	<5	29	1.84	.046	36	22	.54	1457	.23	7.33	1.70	3.74	43	35	<2	7	9	3	4	.48
C081968	<2	7	28	14	.5	7	5	142	1.84	2811	<10	<4	20	466	<.4	7	6	33	1.34	.055	49	21	.43	1983	.21	8.06	2.26	3.99	20	37	2	7	7	3	5	.52
C078488	<2	15	26	50	<.5	14	11	445	3.05	17	<10	<4	22	528	<.4	<5	<5	74	2.89	.075	44	48	1.16	1526	.37	7.79	1.80	3.13	14	28	3	14	13	4	10	.56
C078508	<2	20	<5	53	<.5	34	14	373	4.10	71	<10	<4	19	138	<.4	7	<5	99	1.04	.087	52	69	.81	897	.38	9.08	.80	3.82	<4	40	<2	12	10	3	13	.52
C078528	2	37	10	71	<.5	42	18	364	4.80	54	<10	<4	18	111	<.4	16	<5	106	.76	.097	46	70	.99	863	.41	10.30	.74	4.35	24	37	2	10	12	4	14	.54
C078548	<2	7	5	18	<.5	9	6	192	1.63	14	<10	<4	13	57	<.4	7	<5	35	.28	.012	23	28	.27	443	.20	3.68	.32	1.35	10	31	<2	5	5	1	4	.52
C081448	<2	24	15	42	<.5	19	10	309	2.58	47	<10	<4	19	496	<.4	<5	<5	48	2.65	.072	42	27	.76	1732	.38	7.85	1.70	3.21	30	23	2	12	13	4	7	.64
RE C081448	<2	24	18	45	<.5	20	11	319	2.65	40	<10	<4	18	494	<.4	<5	<5	49	2.73	.073	33	28	.77	1744	.38	7.88	1.73	3.26	27	22	2	12	14	4	7	-
C081468	2	25	27	31	<.5	18	8	313	2.70	74	<10	<4	21	402	<.4	<5	<5	41	2.65	.068	43	25	1.06	1407	.30	7.57	.89	3.07	23	20	3	13	11	4	7	.46
C081488	2	26	133	275	1.2	19	9	568	2.64	157	<10	<4	21	262	1.0	<5	6	37	2.55	.064	43	25	1.12	1071	.28	7.52	.63	3.27	34	23	<2	12	10	3	7	.60
C081508	3	21	12	30	<.5	20	9	308	2.53	64	<10	<4	17	563	<.4	<5	<5	41	3.16	.068	44	24	.89	1718	.35	7.54	1.51	3.04	30	16	<2	10	12	3	7	.48
C081528	2	19	30	49	<.5	19	7	290	2.36	28	<10	<4	19	450	<.4	<5	<5	46	2.40	.066	36	25	.61	1720	.33	8.03	1.37	4.41	16	21	2	11	12	3	8	.54
STANDARD DST6	12	128	32	170	.5	30	13	966	4.06	27	<10	<4	8	320	5.6	7	6	109	2.27	.098	25	221	1.04	696	.42	7.19	1.62	1.37	7	59	5	16	8	4	12	-

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.
- SAMPLE TYPE: Rock Chip P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

08-12-2006 P01:57

Data ℓ FA ____ DATE RECEIVED: JUL 19 2006 DATE REPORT MAILED:.....

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Sample kg
G-1	<2	<2	24	65	<.5	3	4	766	2.47	<5	<10	<4	8	723	<.4	<5	<5	54	2.52	.079	18	6	.62	1026	.22	8.12	2.73	2.84	<4	8	2	13	18	3	5	-
C081548	2	19	136	118	.6	20	8	262	2.95	45	<10	<4	21	400	<.4	<5	6	43	1.35	.070	49	26	.75	1774	.33	8.36	1.30	3.54	17	19	<2	12	13	4	8	.52
C081568	<2	18	23	47	<.5	20	9	276	2.65	54	<10	<4	18	507	<.4	<5	<5	42	2.46	.066	35	31	.88	1664	.33	7.93	1.77	3.41	18	21	<2	13	13	4	7	.78
C081588	<2	32	33	42	<.5	17	8	303	2.45	28	<10	<4	18	502	<.4	<5	<5	36	3.07	.064	37	23	.78	1584	.28	7.69	1.50	3.67	22	21	3	15	12	4	6	.54
C081608	4	35	27	44	<.5	21	10	261	2.63	61	<10	<4	16	556	<.4	<5	<5	43	2.90	.071	39	29	.75	1656	.32	7.87	1.72	3.55	34	17	4	14	13	4	8	.60
C081628	<2	29	53	104	.5	17	8	329	2.25	69	10	<4	19	420	<.4	9	5	40	1.90	.063	41	24	.68	1645	.30	7.82	.93	3.87	46	23	<2	13	12	4	7	.52
C081648	<2	10	23	65	<.5	20	11	379	2.83	23	<10	<4	19	621	<.4	5	<5	41	3.57	.067	39	27	.89	1692	.32	8.14	1.73	3.46	14	21	<2	14	12	4	7	.54
C081668	2	109	871	1582	6.9	19	8	1477	4.17	164	11	<4	17	157	7.0	58	11	34	2.95	.057	42	24	.89	262	.21	7.60	.05	3.06	29	21	4	13	9	3	6	.50
C081688	2	24	31	62	<.5	19	9	495	2.62	60	18	<4	19	457	<.4	21	6	40	2.70	.065	41	25	.80	1510	.31	7.62	1.46	3.59	28	21	2	15	13	3	7	.56
C081708	2	76	26	52	<.5	18	11	330	2.97	21	<10	<4	18	519	<.4	8	10	40	2.97	.068	37	26	.60	1735	.31	7.85	1.45	3.88	54	20	5	13	13	3	8	.50
C081728	<2	14	33	73	<.5	18	7	335	2.40	24	16	<4	19	520	<.4	<5	<5	38	2.46	.061	37	24	.69	1494	.30	7.56	1.91	3.57	36	23	<2	15	13	4	7	.52
STANDARD DST6	12	129	39	195	<.5	30	13	967	4.06	26	<10	<4	7	318	5.6	<5	6	111	2.27	.098	25	225	1.04	694	.37	7.20	1.63	1.37	8	51	5	15	8	4	12	-

Sample type: Rock Chip P150.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data A FA

ACME AN ICAL LABORATORIES LTD. 852 E. HASTINGS ST. ' OUVER BC V6A 1R6 PHONE(604)253-3158 FAX(60 3-1716
(ISC 01 Accredited Co.)

GEOCHEM PRECIOUS METALS ANALYSIS

StrataGold Corporation File # A604293 Page 1
701 - 475 Howe St., Vancouver BC V6C 2B3

SAMPLE#	Au** ppb
G-1	<2
C078388	76
C078428	80
C078608	164
C078627	59
C078648	52
C078668	23
C078688	43
C078708	10
C078729	34
C078749	37
C078769	25
C078789	26
C078809	62
C078829	281
C081288	39
C081808	7
C081828	42
C081848	17
C081868	13
C081888	8
C081908	16
C081928	40
C081948	7
C081968	63
C078488	15
C078508	6
C078528	13
C078548	<2
C081448	32
RE C081448	21
C081468	63
C081488	241
C081508	19
C081528	17
STANDARD OxF41	811

GROUP 3B - FIRE GEOCHEM AU - 30 GM SAMPLE FUSION, DORE DISSOLVED IN AQUA - REGIA, ICP ANALYSIS. UPPER LIMITS = 10 PPM.
HIGH GRADE GOLD ASSAY RECOMMENDED FOR 30 GM ANALYSIS > 10ppm and 50 GM > 5ppm.
- SAMPLE TYPE: Rock Chip P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA ____ DATE RECEIVED: JUL 19 2006 DATE REPORT MAILED: 01-01-90 P08:12 IN

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

SAMPLE#	Au** ppb
G-1	<2
C081548	59
C081568	24
C081588	79
C081608	39
C081628	138
C081648	21
C081668	695
C081688	29
C081708	257
C081728	10
STANDARD OxF41	806

Sample type: Rock Chip P150.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data FA

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation File # A605672 Page 1

701 - 475 Howe St., Vancouver BC V6C 2B3 Submitted by: N / A

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Sample gm
G-1	<2	2	26	51	<.5	3	4	807	2.50	<5	<10	<4	7	708	<.4	<5	<5	54	2.55	.083	18	8	.63	1022	.25	7.98	2.74	2.87	<4	8	<2	13	23	3	5	-
C078468	3	28	19	27	<.5	23	12	296	2.64	49	<10	<4	16	528	<.4	<5	<5	47	2.56	.074	34	46	.91	1652	.36	7.63	1.98	3.64	21	22	3	11	17	3	8	725
C078488	<2	15	33	48	<.5	15	10	460	3.04	12	<10	<4	16	498	<.4	8	<5	63	2.74	.072	35	55	1.18	1464	.34	7.41	1.79	3.24	11	29	<2	13	16	3	9	550
C078508	<2	20	9	53	<.5	36	14	386	4.25	69	<10	<4	18	135	.4	9	<5	94	1.00	.088	50	74	.85	887	.43	9.20	.82	4.08	6	57	<2	15	14	3	14	555
C078528	2	38	19	74	<.5	43	18	367	4.87	48	<10	<4	12	101	.6	9	<5	96	.71	.111	35	78	1.01	763	.43	9.06	.72	4.39	26	40	<2	9	15	4	12	575
C078548	<2	6	<5	18	<.5	11	5	198	1.76	15	<10	<4	11	56	<.4	<5	<5	31	.25	.012	23	29	.27	445	.19	3.59	.32	1.44	11	38	<2	6	6	1	4	570
C078568	<2	21	13	31	<.5	21	11	282	2.64	322	<10	<4	14	403	<.4	<5	8	44	3.10	.072	28	34	.80	1772	.36	7.54	1.22	3.95	21	25	<2	11	16	3	7	635
C078588	<2	31	21	25	<.5	21	8	219	2.73	21	<10	<4	18	471	<.4	<5	<5	41	2.48	.069	33	26	.80	1583	.36	7.52	1.68	3.57	8	24	2	11	15	3	7	590
C078848	2	77	17	28	<.5	14	10	369	2.94	13	<10	<4	16	519	<.4	5	<5	60	3.11	.073	33	48	1.21	1457	.36	7.41	1.84	3.54	18	29	4	11	15	3	9	550
C078868	2	53	15	29	<.5	17	11	382	3.29	36	<10	<4	17	505	<.4	<5	9	64	3.15	.075	35	55	1.25	1490	.36	7.45	1.73	3.64	53	31	2	13	15	3	10	515
C078888	3	92	52	68	<.5	18	9	359	2.69	213	<10	<4	14	447	<.4	<5	5	47	2.83	.073	36	39	.84	1485	.35	7.50	1.53	3.78	27	19	8	12	14	3	8	545
C078908	3	57	98	108	.7	19	12	563	3.58	124	<10	<4	14	377	.6	5	<5	45	3.27	.067	32	36	.75	1380	.30	7.34	.92	3.36	55	18	2	11	13	3	7	485
C078928	<2	33	707	3938	2.4	11	9	2095	3.52	160	<10	<4	15	226	21.5	37	<5	55	3.15	.070	31	42	.96	581	.31	6.75	.13	2.97	30	25	<2	10	13	3	8	490
C078948	<2	31	11	64	<.5	28	10	760	4.09	39	<10	<4	15	82	<.4	10	<5	75	1.34	.029	43	61	.88	806	.35	7.77	.52	2.36	10	31	<2	7	11	2	12	515
C078968	<2	55	20	120	.5	38	20	698	5.01	30	<10	<4	16	133	<.4	<5	<5	88	.43	.026	43	76	1.01	693	.48	8.76	.55	2.82	6	41	2	7	15	3	13	520
C078988	<2	21	22	63	<.5	36	17	318	3.93	40	<10	<4	16	111	<.4	<5	<5	99	.74	.137	43	83	.92	965	.51	8.84	.97	4.16	<4	50	2	10	16	3	13	515
C079008	<2	35	18	45	<.5	37	15	334	4.16	384	<10	<4	15	135	<.4	<5	<5	93	.73	.065	45	78	.98	811	.46	8.87	.91	3.77	<4	30	4	9	15	3	12	555
C079368	<2	77	18	375	<.5	50	22	455	5.27	220	<10	<4	16	79	1.6	17	<5	149	.17	.044	44	89	.50	999	.46	10.53	.21	3.31	4	64	2	10	14	4	17	640
C079388	<2	58	215	1390	1.3	21	10	1704	3.49	377	<10	<4	12	47	7.0	48	<5	65	.54	.036	38	43	.60	518	.25	6.18	.08	2.28	<4	32	<2	9	9	2	8	605
C079408	2	189	26	160	.6	13	16	655	4.25	194	<10	<4	15	556	<.4	15	<5	104	3.19	.103	38	61	1.53	1713	.49	8.26	1.51	2.88	<4	37	<2	14	18	4	15	525
C079428	<2	61	31	64	<.5	10	13	464	4.48	228	<10	<4	19	443	<.4	<5	<5	87	2.66	.089	42	67	1.57	1465	.48	8.17	1.32	2.78	<4	36	<2	13	16	3	13	510
C079448	<2	619	14	23	.7	11	19	225	4.84	1893	<10	<4	17	394	<.4	<5	<5	84	2.00	.085	39	61	1.55	1026	.42	7.72	1.87	2.14	<4	34	<2	12	14	3	13	465
C079468	<2	9	26	79	<.5	12	20	681	4.07	47	<10	<4	16	534	<.4	14	<5	91	3.61	.092	32	66	1.53	1469	.48	8.09	1.66	2.68	<4	37	<2	15	17	3	14	485
C079488	<2	31	18	34	<.5	9	15	468	3.77	1177	<10	<4	19	425	<.4	7	11	84	2.95	.080	43	49	1.35	1428	.44	7.62	1.41	2.90	<4	48	3	15	16	3	13	500
C079508	<2	27	15	31	<.5	10	13	439	3.89	465	<10	<4	18	330	<.4	<5	<5	84	3.01	.080	42	47	1.43	1050	.45	7.03	.54	2.62	6	51	4	13	15	3	13	565
C079528	<2	89	16	28	<.5	7	12	496	3.81	1002	<10	<4	17	367	<.4	5	<5	77	3.58	.072	40	45	1.60	409	.40	6.50	.53	2.24	<4	45	2	11	15	3	11	485
C079548	2	17	11	32	<.5	10	13	526	3.91	1527	<10	<4	15	469	<.4	<5	<5	88	3.18	.082	36	48	1.38	1602	.47	7.52	1.65	2.85	<4	50	2	15	16	3	13	510
RE C079548	<2	18	13	33	<.5	11	14	539	4.02	1529	<10	<4	18	490	<.4	8	<5	90	3.28	.084	43	52	1.42	1642	.48	7.87	1.69	2.91	4	52	<2	16	16	3	14	-
C079568	<2	129	472	852	2.5	8	9	569	5.09	2596	<10	<4	14	340	5.7	83	<5	80	3.25	.074	33	43	1.54	421	.37	6.62	.03	3.04	14	44	5	12	13	3	11	555
C079588	<2	53	20	49	<.5	11	15	450	4.20	713	<10	<4	20	107	<.4	15	6	97	1.72	.089	47	50	.90	435	.49	7.79	.03	1.53	13	48	5	14	14	3	14	480
C079608	2	86	85	117	.9	10	10	584	4.26	964	<10	<4	16	275	.6	23	5	86	2.70	.080	39	46	1.22	660	.44	7.35	.05	2.57	8	47	3	13	15	3	13	505
C079628	<2	36	16	21	<.5	10	12	582	4.20	78	<10	<4	19	333	<.4	15	7	86	3.05	.080	39	46	1.25	396	.44	7.34	.03	2.73	15	47	2	11	15	3	13	495
C079648	2	239	11	17	<.5	7	6	359	4.57	1169	<10	<4	22	125	<.4	9	5	86	1.48	.085	55	46	1.03	972	.41	8.09	.06	2.98	21	57	2	14	14	2	13	720
C079668	<2	496	1538	2308	11.3	10	12	1677	5.34	626	13	<4	16	233	15.2	102	<5	88	2.52	.083	40	53	1.33	594	.43	7.17	.03	2.87	11	54	8	12	14	3	13	550
C079688	<2	40	20	32	.8	9	13	748	3.77	1142	<10	<4	19	282	<.4	14	<5	91	2.33	.085	47	50	1.06	673	.47	7.73	.04	2.92	12	54	5	11	16	3	14	685
STANDARD DST6	12	128	32	169	<.5	30	13	957	4.00	26	<10	<4	7	316	5.5	5	5	110	2.26	.097	25	227	1.02	689	.42	7.09	1.63	1.36	8	51	4	15	10	4	12	-

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.
- SAMPLE TYPE: ROCK CHIP P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

09-26-06 P03:50 OUT

Data (FA ____ **DATE RECEIVED:** SEP 1 2006 **DATE REPORT MAILED:**.....

BRITISH COLUMBIA CERTIFIED ASSAYER Raymond Chan

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Sample gm
G-1	<2	2	18	52	<.5	3	4	722	2.33	<5	<10	<4	6	706	.5	<5	<5	52	2.45	.075	17	7	.58	956	.22	7.70	2.52	2.26	<4	8	<2	12	20	3	5	-
C079708	<2	20	21	44	.9	12	5	182	1.54	226	<10	<4	9	53	<.4	<5	<5	33	.09	.021	22	26	.21	292	.14	4.12	.02	1.51	5	20	<2	5	4	1	5	915
C080508	2	28	<5	19	.5	17	7	251	2.73	13	<10	<4	9	129	<.4	<5	9	39	.86	.018	23	33	.62	207	.17	4.53	.92	1.14	<4	45	<2	7	4	1	6	505
C080528	<2	43	<5	73	<.5	39	18	233	4.02	12	<10	<4	19	78	<.4	<5	<5	102	.16	.029	50	58	.72	712	.30	9.16	.41	2.98	<4	59	2	7	9	3	14	530
C080548	<2	15	18	32	<.5	12	5	198	1.89	15	<10	<4	10	73	<.4	15	7	34	.65	.023	24	28	.52	240	.15	4.19	.36	1.22	<4	50	4	8	5	1	5	545
C080568	<2	39	67	134	.6	19	8	340	2.48	92	<10	<4	13	55	.6	21	<5	50	.71	.023	30	35	.68	375	.16	5.29	.08	2.04	<4	47	3	7	3	2	7	565
C080588	<2	26	9	34	.7	14	6	192	1.87	160	<10	<4	12	48	<.4	6	<5	39	.28	.022	26	27	.42	280	.14	4.65	.04	1.63	<4	42	<2	7	3	1	5	520
C080608	<2	31	<5	31	<.5	20	10	225	3.03	10	<10	<4	16	229	<.4	7	<5	58	.06	.032	39	36	.54	515	.22	6.58	.06	2.35	5	49	<2	8	6	2	9	500
C080628	<2	41	<5	63	<.5	32	13	416	3.86	13	<10	<4	18	42	<.4	9	8	89	.23	.045	53	53	.72	790	.38	8.96	.10	2.95	10	56	<2	12	14	2	14	525
C080648	2	39	6	60	.7	30	15	465	4.03	5	<10	<4	19	71	<.4	9	<5	100	1.11	.041	53	58	1.22	785	.34	8.51	.21	2.62	4	50	<2	12	12	3	13	500
C080668	2	131	17	129	.5	31	14	1391	5.63	14	<10	<4	13	45	<.4	27	<5	93	.24	.050	39	56	.45	364	.35	5.89	.04	2.08	14	46	<2	18	9	2	14	515
C080688	<2	77	8	69	<.5	34	18	807	5.42	236	<10	<4	19	256	<.4	21	5	107	1.96	.103	49	65	2.22	1413	.50	9.64	.33	2.61	19	45	<2	17	18	4	17	515
C080708	2	34	14	40	<.5	10	13	453	3.96	342	<10	<4	20	523	<.4	<5	<5	86	3.29	.080	51	46	1.48	951	.39	8.16	1.61	2.85	6	47	2	18	13	3	14	550
C080728	2	16	9	44	<.5	9	12	527	3.94	37	<10	<4	23	497	<.4	<5	<5	90	3.54	.084	59	50	1.82	1477	.43	8.41	1.22	2.56	<4	48	<2	19	15	3	15	565
C080748	<2	17	11	43	<.5	8	11	505	2.93	53	<10	<4	22	319	<.4	<5	<5	80	3.90	.073	56	40	1.18	663	.34	7.57	.82	2.49	5	48	2	14	13	3	12	520
C080768	<2	33	8	39	.8	9	14	404	3.83	264	<10	<4	22	515	<.4	<5	12	92	2.95	.087	51	48	1.67	1660	.42	8.63	1.49	2.86	5	50	<2	19	15	3	15	490
C080788	<2	53	14	32	<.5	10	14	431	4.20	678	<10	<4	21	555	<.4	<5	<5	91	2.98	.085	53	50	1.77	1384	.42	8.29	1.91	2.94	<4	43	<2	18	15	3	14	495
C080808	<2	30	11	41	<.5	10	14	532	4.35	50	11	<4	22	569	<.4	<5	<5	95	3.79	.089	58	60	1.68	1439	.42	8.57	1.75	2.75	4	43	2	19	15	3	15	495
C080828	<2	17	11	40	.6	9	13	476	4.18	48	<10	<4	20	591	<.4	<5	<5	92	3.21	.085	48	52	1.69	1535	.45	8.00	1.86	2.74	4	44	<2	18	16	3	14	505
C080848	2	33	6	37	<.5	9	11	468	4.14	173	<10	<4	20	546	<.4	<5	<5	91	3.08	.086	56	50	1.64	1346	.44	8.39	1.85	2.81	4	42	2	19	16	3	14	575
C080868	<2	81	7	26	<.5	8	19	287	4.56	1966	<10	<4	18	490	<.4	5	7	85	2.66	.082	44	45	1.53	814	.39	8.24	1.63	3.03	7	37	<2	15	13	3	13	525
C082488	<2	19	<5	27	<.5	22	10	475	3.05	182	<10	<4	14	33	<.4	<5	<5	58	1.76	.027	38	41	.35	631	.21	6.69	.13	2.41	6	38	<2	8	7	2	8	540
C082508	<2	35	8	77	<.5	49	22	417	5.36	74	<10	<4	18	98	<.4	<5	<5	117	1.10	.067	50	74	.91	1356	.50	12.01	.40	3.53	6	42	2	11	17	3	17	505
C082528	<2	12	9	31	.5	21	9	1008	4.11	123	<10	<4	11	232	<.4	<5	<5	44	7.28	.024	33	33	1.25	372	.18	4.84	.26	1.39	8	24	3	11	5	2	6	500
C082548	<2	47	11	109	<.5	40	22	577	5.13	12	<10	<4	18	133	<.4	<5	<5	112	1.05	.043	59	71	1.09	1102	.43	10.92	.53	3.53	7	39	<2	9	14	3	18	375
C082568	<2	10	8	6	<.5	5	3	170	1.13	49	<10	<4	11	67	<.4	<5	<5	17	.55	.013	20	22	.13	356	.10	3.41	1.03	.91	<4	20	2	4	3	1	2	330
C082588	<2	20	14	60	<.5	22	12	327	3.13	12	<10	<4	15	72	<.4	<5	<5	64	.42	.034	37	57	.66	781	.34	6.88	.59	2.55	5	34	2	7	11	2	9	450
C082608	<2	18	17	66	.7	19	8	328	2.81	13	<10	<4	14	102	<.4	<5	<5	54	.53	.018	35	43	.56	561	.25	6.28	.74	2.09	<4	26	<2	7	9	2	8	460
C082628	<2	12	<5	29	<.5	14	5	291	2.02	39	<10	<4	12	117	<.4	<5	<5	40	.88	.015	24	38	.53	287	.20	4.46	.89	1.31	7	26	<2	7	6	2	6	355
C082648	<2	49	16	58	<.5	37	19	309	4.36	27	<10	<4	18	118	<.4	5	<5	96	.57	.045	50	61	.95	1018	.43	10.35	.88	4.03	7	39	<2	9	14	3	14	565
C082668	<2	39	11	49	.6	30	13	731	3.46	139	<10	<4	14	182	<.4	<5	<5	76	2.13	.026	42	53	.99	724	.40	7.35	.87	2.36	4	41	<2	10	13	2	11	600
C082688	<2	13	<5	46	<.5	15	7	359	2.19	19	<10	<4	12	74	<.4	5	<5	47	1.08	.035	26	37	.52	338	.24	4.47	.36	1.32	11	30	2	8	8	1	6	3775
C082708	<2	29	13	57	.5	38	16	293	4.02	69	<10	<4	21	187	<.4	<5	<5	110	1.92	.076	59	73	.97	894	.45	11.32	.82	3.59	39	42	2	13	15	3	15	515
RE C082708	<2	31	<5	60	.5	37	16	302	4.19	69	11	<4	19	195	<.4	<5	5	112	1.96	.081	60	76	1.01	930	.46	11.40	.85	3.69	37	43	<2	13	15	3	16	-
C082728	<2	9	<5	9	.6	8	5	97	1.23	41	<10	<4	13	91	<.4	<5	<5	37	.69	.012	26	36	.24	479	.19	4.24	.71	1.61	25	30	<2	8	5	2	5	515
STANDARD DST6	12	125	34	168	.9	29	13	954	4.00	20	<10	<4	7	316	5.4	6	<5	106	2.23	.096	24	225	1.02	685	.37	7.03	1.62	1.35	5	49	5	14	10	4	12	-

Sample type: ROCK CHIP P150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data 1 FA ___

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Sample gm
G-1	<2	<2	10	56	<.5	3	5	780	2.46	<5	<10	<4	5	753	<.4	<5	<5	56	2.63	.082	20	5	.61	993	.24	8.67	2.61	2.85	<4	9	2	13	22	3	6	-
C082748	<2	16	<5	9	<.5	7	5	235	1.55	8	10	<4	10	126	<.4	<5	<5	24	1.18	.009	24	21	.44	317	.14	3.05	.41	1.07	25	19	2	5	4	1	3	465
C082769	<2	48	23	51	<.5	14	12	396	3.05	107	<10	<4	17	517	<.4	<5	<5	64	2.81	.072	42	35	1.20	1399	.35	8.23	1.89	3.40	30	37	3	13	17	4	10	505
C082788	2	60	18	35	<.5	15	9	280	2.53	26	<10	<4	18	459	<.4	<5	<5	49	2.26	.068	45	25	.87	1295	.34	8.08	1.21	3.32	18	25	<2	12	16	3	8	500
STANDARD	12	128	30	171	<.5	29	14	949	4.00	26	<10	<4	4	314	5.5	5	5	113	2.22	.097	21	183	1.01	686	.37	6.96	1.62	1.36	11	50	5	13	11	4	12	-

Standard is STANDARD DST6.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data FA

ACME AN TICAL LABORATORIES LTD. 852 E. HASTINGS ST. OUVER BC V6A 1R6 PHONE(604)253-3158 FAX(60 3-1716
(IS 01 Accredited Co.)

GEOCHEM PRECIOUS METALS ANALYSIS

StrataGold Corporation File # A605672 Page 1
701 - 475 Howe St., Vancouver BC V6C 2B3 Submitted by: N / A

SAMPLE#	Au** ppb
G-1	<2
C078468	48
C078488	35
C078508	26
C078528	8
C078548	2
C078568	123
C078588	25
C078848	45
C078868	38
C078888	46
C078908	59
C078928	125
C078948	18
C078968	9
C078988	10
C079008	7
C079368	18
C079388	33
C079408	133
C079428	64
C079448	978
C079468	7
C079488	103
C079508	59
C079528	73
C079548	181
RE C079548	178
C079568	250
C079588	61
C079608	125
C079628	56
C079648	32
C079668	365
C079688	19
STANDARD OxF41	808

GROUP 3B - FIRE GEOCHEM AU - 30 GM SAMPLE FUSION, DORE DISSOLVED IN AQUA - REGIA, ICP ANALYSIS. UPPER LIMITS = 10 PPM.
HIGH GRADE GOLD ASSAY RECOMMENDED FOR 30 GM ANALYSIS > 10ppm and 50 GM > 5ppm.
- SAMPLE TYPE: ROCK CHIP P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

09-25-06 12:40 OUT

Data 1 FA ____ DATE RECEIVED: SEP 1 2006 DATE REPORT MAILED:.....

BRITISH COLUMBIA CERTIFIED ASSAYER
Raymond Chan

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

SAMPLE#	Au** ppb
G-1	<2
C079708	15
C080508	9
C080528	6
C080548	10
C080568	18
C080588	6
C080608	6
C080628	4
C080648	<2
C080668	16
C080688	82
C080708	71
C080728	24
C080748	51
C080768	107
C080788	124
C080808	74
C080828	10
C080848	48
C080868	629
C082488	24
C082508	3
C082528	32
C082548	3
C082568	<2
C082588	<2
C082608	<2
C082628	7
C082648	12
C082668	11
C082688	2
C082708	3
RE C082708	5
C082728	8
STANDARD OxF41	819

Sample type: ROCK CHIP P150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data f FA ___

SAMPLE#	Au** ppb
G-1	<2
C082748	2
C082769	52
C082788	32
STANDARD OxF41	818

Sample type: ROCK CHIP P150.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data FA

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604) 253-1716
(ISO 9002 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation File # A605672 Page 1

701 - 475 Howe St., Vancouver BC V6C 2B3 Submitted by: N / A

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Sample gm
G-1	<2	2	26	51	<.5	3	4	807	2.50	<5	<10	<4	7	708	<.4	<5	<5	54	2.55	.083	18	8	.63	1022	.25	7.98	2.74	2.87	<4	8	<2	13	23	3	5	-
C078468	3	28	19	27	<.5	23	12	296	2.64	49	<10	<4	16	528	<.4	<5	<5	47	2.56	.074	34	46	.91	1652	.36	7.63	1.98	3.64	21	22	3	11	17	3	8	725
C078488	<2	15	33	48	<.5	15	10	460	3.04	12	<10	<4	16	498	<.4	8	<5	63	2.74	.072	35	55	1.18	1464	.34	7.41	1.79	3.24	11	29	<2	13	16	3	9	550
C078508	<2	20	9	53	<.5	36	14	386	4.25	69	<10	<4	18	135	.4	9	<5	94	1.00	.088	50	74	.85	887	.43	9.20	.82	4.08	6	57	<2	15	14	3	14	555
C078528	2	38	19	74	<.5	43	18	367	4.87	48	<10	<4	12	101	.6	9	<5	96	.71	.111	35	78	1.01	763	.43	9.06	.72	4.39	26	40	<2	9	15	4	12	575
C078548	<2	6	<5	18	<.5	11	5	198	1.76	15	<10	<4	11	56	<.4	<5	<5	31	.25	.012	23	29	.27	445	.19	3.59	.32	1.44	11	38	<2	6	6	1	4	570
C078568	<2	21	13	31	<.5	21	11	282	2.64	322	<10	<4	14	403	<.4	<5	8	44	3.10	.072	28	34	.80	1772	.36	7.54	1.22	3.95	21	25	<2	11	16	3	7	635
C078588	<2	31	21	25	<.5	21	8	219	2.73	21	<10	<4	18	471	<.4	<5	<5	41	2.48	.069	33	26	.80	1583	.36	7.52	1.68	3.57	8	24	2	11	15	3	7	590
C078848	2	77	17	28	<.5	14	10	369	2.94	13	<10	<4	16	519	<.4	5	<5	60	3.11	.073	33	48	1.21	1457	.36	7.41	1.84	3.54	18	29	4	11	15	3	9	550
C078868	2	53	15	29	<.5	17	11	382	3.29	36	<10	<4	17	505	<.4	<5	9	64	3.15	.075	35	55	1.25	1490	.36	7.45	1.73	3.64	53	31	2	13	15	3	10	515
C078888	3	92	52	68	<.5	18	9	359	2.69	213	<10	<4	14	447	<.4	<5	5	47	2.83	.073	36	39	.84	1485	.35	7.50	1.53	3.78	27	19	8	12	14	3	8	545
C078908	3	57	98	108	.7	19	12	563	3.58	124	<10	<4	14	377	.6	5	<5	45	3.27	.067	32	36	.75	1380	.30	7.34	.92	3.36	55	18	2	11	13	3	7	485
C078928	<2	33	707	3938	2.4	11	9	2095	3.52	160	<10	<4	15	226	21.5	37	<5	55	3.15	.070	31	42	.96	581	.31	6.75	.13	2.97	30	25	<2	10	13	3	8	490
C078948	<2	31	11	64	<.5	28	10	760	4.09	39	<10	<4	15	82	<.4	10	<5	75	1.34	.029	43	61	.88	806	.35	7.77	.52	2.36	10	31	<2	7	11	2	12	515
C078968	<2	55	20	120	.5	38	20	698	5.01	30	<10	<4	16	133	<.4	<5	<5	88	.43	.026	43	76	1.01	693	.48	8.76	.55	2.82	6	41	2	7	15	3	13	520
C078988	<2	21	22	63	<.5	36	17	318	3.93	40	<10	<4	16	111	<.4	<5	<5	99	.74	.137	43	83	.92	965	.51	8.84	.97	4.16	<4	50	2	10	16	3	13	515
C079008	<2	35	18	45	<.5	37	15	334	4.16	384	<10	<4	15	135	<.4	<5	<5	93	.73	.065	45	78	.98	811	.46	8.87	.91	3.77	<4	30	4	9	15	3	12	555
C079368	<2	77	18	375	<.5	50	22	455	5.27	220	<10	<4	16	79	1.6	17	<5	149	.17	.044	44	89	.50	999	.46	10.53	.21	3.31	4	64	2	10	14	4	17	640
C079388	<2	58	215	1390	1.3	21	10	1704	3.49	377	<10	<4	12	47	7.0	48	<5	65	.54	.036	38	43	.60	518	.25	6.18	.08	2.28	<4	32	<2	9	9	2	8	605
C079408	2	189	26	160	.6	13	16	655	4.25	194	<10	<4	15	556	<.4	15	<5	104	3.19	.103	38	61	1.53	1713	.49	8.26	1.51	2.88	<4	37	<2	14	18	4	15	525
C079428	<2	61	31	64	<.5	10	13	464	4.48	228	<10	<4	19	443	<.4	<5	<5	87	2.66	.089	42	67	1.57	1465	.48	8.17	1.32	2.78	<4	36	<2	13	16	3	13	510
C079448	<2	619	14	23	.7	11	19	225	4.84	1893	<10	<4	17	394	<.4	<5	<5	84	2.00	.085	39	61	1.55	1026	.42	7.72	1.87	2.14	<4	34	<2	12	14	3	13	465
C079468	<2	9	26	79	<.5	12	20	681	4.07	47	<10	<4	16	534	<.4	14	<5	91	3.61	.092	32	66	1.53	1469	.48	8.09	1.66	2.68	<4	37	<2	15	17	3	14	485
C079488	<2	31	18	34	<.5	9	15	468	3.77	1177	<10	<4	19	425	<.4	7	11	84	2.95	.080	43	49	1.35	1428	.44	7.62	1.41	2.90	<4	48	3	15	16	3	13	500
C079508	<2	27	15	31	<.5	10	13	439	3.89	465	<10	<4	18	330	<.4	<5	<5	84	3.01	.080	42	47	1.43	1050	.45	7.03	.54	2.62	6	51	4	13	15	3	13	565
C079528	<2	89	16	28	<.5	7	12	496	3.81	1002	<10	<4	17	367	<.4	5	<5	77	3.58	.072	40	45	1.60	409	.40	6.50	.53	2.24	<4	45	2	11	15	3	11	485
C079548	2	17	11	32	<.5	10	13	526	3.91	1527	<10	<4	15	469	<.4	<5	<5	88	3.18	.082	36	48	1.38	1602	.47	7.52	1.65	2.85	<4	50	2	15	16	3	13	510
RE C079548	<2	18	13	33	<.5	11	14	539	4.02	1529	<10	<4	18	490	<.4	8	<5	90	3.28	.084	43	52	1.42	1642	.48	7.87	1.69	2.91	4	52	<2	16	16	3	14	-
C079568	<2	129	472	852	2.5	8	9	569	5.09	2596	<10	<4	14	340	5.7	83	<5	80	3.25	.074	33	43	1.54	421	.37	6.62	.03	3.04	14	44	5	12	13	3	11	555
C079588	<2	53	20	49	<.5	11	15	450	4.20	713	<10	<4	20	107	<.4	15	6	97	1.72	.089	47	50	.90	435	.49	7.79	.03	1.53	13	48	5	14	14	3	14	480
C079608	2	86	85	117	.9	10	10	584	4.26	964	<10	<4	16	275	.6	23	5	86	2.70	.080	39	46	1.22	660	.44	7.35	.05	2.57	8	47	3	13	15	3	13	505
C079628	<2	36	16	21	<.5	10	12	582	4.20	78	<10	<4	19	333	<.4	15	7	86	3.05	.080	39	46	1.25	396	.44	7.34	.03	2.73	15	47	2	11	15	3	13	495
C079648	2	239	11	17	<.5	7	6	359	4.57	1169	<10	<4	22	125	<.4	9	5	86	1.48	.085	55	46	1.03	972	.41	8.09	.06	2.98	21	57	2	14	14	2	13	720
C079668	<2	496	1538	2308	11.3	10	12	1677	5.34	626	13	<4	16	233	15.2	102	<5	88	2.52	.083	40	53	1.33	594	.43	7.17	.03	2.87	11	54	8	12	14	3	13	550
C079688	<2	40	20	32	.8	9	13	748	3.77	1142	<10	<4	19	282	<.4	14	<5	91	2.33	.085	47	50	1.06	673	.47	7.73	.04	2.92	12	54	5	11	16	3	14	685
STANDARD DST6	12	128	32	169	<.5	30	13	957	4.00	26	<10	<4	7	316	5.5	5	5	110	2.26	.097	25	227	1.02	689	.42	7.09	1.63	1.36	8	51	4	15	10	4	12	-

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.
- SAMPLE TYPE: ROCK CHIP P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

09-26-06 P03:50 OUT

Data f FA ____ DATE RECEIVED: SEP 1 2006 DATE REPORT MAILED:.....

BRITISH COLUMBIA CERTIFIED ASSAYER Raymond Chan

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Sample gm
G-1	<2	2	18	52	<.5	3	4	722	2.33	<5	<10	<4	6	706	.5	<5	<5	52	2.45	.075	17	7	.58	956	.22	7.70	2.52	2.26	<4	8	<2	12	20	3	5	-
C079708	<2	20	21	44	.9	12	5	182	1.54	226	<10	<4	9	53	<.4	<5	<5	33	.09	.021	22	26	.21	292	.14	4.12	.02	1.51	5	20	<2	5	4	1	5	915
C080508	2	28	<5	19	.5	17	7	251	2.73	13	<10	<4	9	129	<.4	<5	9	39	.86	.018	23	33	.62	207	.17	4.53	.92	1.14	<4	45	<2	7	4	1	6	505
C080528	<2	43	<5	73	<.5	39	18	233	4.02	12	<10	<4	19	78	<.4	<5	<5	102	.16	.029	50	58	.72	712	.30	9.16	.41	2.98	<4	59	2	7	9	3	14	530
C080548	<2	15	18	32	<.5	12	5	198	1.89	15	<10	<4	10	73	<.4	15	7	34	.65	.023	24	28	.52	240	.15	4.19	.36	1.22	<4	50	4	8	5	1	5	545
C080568	<2	39	67	134	.6	19	8	340	2.48	92	<10	<4	13	55	.6	21	<5	50	.71	.023	30	35	.68	375	.16	5.29	.08	2.04	<4	47	3	7	3	2	7	565
C080588	<2	26	9	34	.7	14	6	192	1.87	160	<10	<4	12	48	<.4	6	<5	39	.28	.022	26	27	.42	280	.14	4.65	.04	1.63	<4	42	<2	7	3	1	5	520
C080608	<2	31	<5	31	<.5	20	10	225	3.03	10	<10	<4	16	229	<.4	7	<5	58	.06	.032	39	36	.54	515	.22	6.58	.06	2.35	5	49	<2	8	6	2	9	500
C080628	<2	41	<5	63	<.5	32	13	416	3.86	13	<10	<4	18	42	<.4	9	8	89	.23	.045	53	53	.72	790	.38	8.96	.10	2.95	10	56	<2	12	14	2	14	525
C080648	2	39	6	60	.7	30	15	465	4.03	5	<10	<4	19	71	<.4	9	<5	100	1.11	.041	53	58	1.22	785	.34	8.51	.21	2.62	4	50	<2	12	12	3	13	500
C080668	2	131	17	129	.5	31	14	1391	5.63	14	<10	<4	13	45	<.4	27	<5	93	.24	.050	39	56	.45	364	.35	5.89	.04	2.08	14	46	<2	18	9	2	14	515
C080688	<2	77	8	69	<.5	34	18	807	5.42	236	<10	<4	19	256	<.4	21	5	107	1.96	.103	49	65	2.22	1413	.50	9.64	.33	2.61	19	45	<2	17	18	4	17	515
C080708	2	34	14	40	<.5	10	13	453	3.96	342	<10	<4	20	523	<.4	<5	<5	86	3.29	.080	51	46	1.48	951	.39	8.16	1.61	2.85	6	47	2	18	13	3	14	550
C080728	2	16	9	44	<.5	9	12	527	3.94	37	<10	<4	23	497	<.4	<5	<5	90	3.54	.084	59	50	1.82	1477	.43	8.41	1.22	2.56	<4	48	<2	19	15	3	15	565
C080748	<2	17	11	43	<.5	8	11	505	2.93	53	<10	<4	22	319	<.4	<5	<5	80	3.90	.073	56	40	1.18	663	.34	7.57	.82	2.49	5	48	2	14	13	3	12	520
C080768	<2	33	8	39	.8	9	14	404	3.83	264	<10	<4	22	515	<.4	<5	12	92	2.95	.087	51	48	1.67	1660	.42	8.63	1.49	2.86	5	50	<2	19	15	3	15	490
C080788	<2	53	14	32	<.5	10	14	431	4.20	678	<10	<4	21	555	<.4	<5	<5	91	2.98	.085	53	50	1.77	1384	.42	8.29	1.91	2.94	<4	43	<2	18	15	3	14	495
C080808	<2	30	11	41	<.5	10	14	532	4.35	50	11	<4	22	569	<.4	<5	<5	95	3.79	.089	58	60	1.68	1439	.42	8.57	1.75	2.75	4	43	2	19	15	3	15	495
C080828	<2	17	11	40	.6	9	13	476	4.18	48	<10	<4	20	591	<.4	<5	<5	92	3.21	.085	48	52	1.69	1535	.45	8.00	1.86	2.74	4	44	<2	18	16	3	14	505
C080848	2	33	6	37	<.5	9	11	468	4.14	173	<10	<4	20	546	<.4	<5	<5	91	3.08	.086	56	50	1.64	1346	.44	8.39	1.85	2.81	4	42	2	19	16	3	14	575
C080868	<2	81	7	26	<.5	8	19	287	4.56	1966	<10	<4	18	490	<.4	5	7	85	2.66	.082	44	45	1.53	814	.39	8.24	1.63	3.03	7	37	<2	15	13	3	13	525
C082488	<2	19	<5	27	<.5	22	10	475	3.05	182	<10	<4	14	33	<.4	<5	<5	58	1.76	.027	38	41	.35	631	.21	6.69	.13	2.41	6	38	<2	8	7	2	8	540
C082508	<2	35	8	77	<.5	49	22	417	5.36	74	<10	<4	18	98	<.4	<5	<5	117	1.10	.067	50	74	.91	1356	.50	12.01	.40	3.53	6	42	2	11	17	3	17	505
C082528	<2	12	9	31	.5	21	9	1008	4.11	123	<10	<4	11	232	<.4	<5	<5	44	7.28	.024	33	33	1.25	372	.18	4.84	.26	1.39	8	24	3	11	5	2	6	500
C082548	<2	47	11	109	<.5	40	22	577	5.13	12	<10	<4	18	133	<.4	<5	<5	112	1.05	.043	59	71	1.09	1102	.43	10.92	.53	3.53	7	39	<2	9	14	3	18	375
C082568	<2	10	8	6	<.5	5	3	170	1.13	49	<10	<4	11	67	<.4	<5	<5	17	.55	.013	20	22	.13	356	.10	3.41	1.03	.91	<4	20	2	4	3	1	2	330
C082588	<2	20	14	60	<.5	22	12	327	3.13	12	<10	<4	15	72	<.4	<5	<5	64	.42	.034	37	57	.66	781	.34	6.88	.59	2.55	5	34	2	7	11	2	9	450
C082608	<2	18	17	66	.7	19	8	328	2.81	13	<10	<4	14	102	<.4	<5	<5	54	.53	.018	35	43	.56	561	.25	6.28	.74	2.09	<4	26	<2	7	9	2	8	460
C082628	<2	12	<5	29	<.5	14	5	291	2.02	39	<10	<4	12	117	<.4	<5	<5	40	.88	.015	24	38	.53	287	.20	4.46	.89	1.31	7	26	<2	7	6	2	6	355
C082648	<2	49	16	58	<.5	37	19	309	4.36	27	<10	<4	18	118	<.4	5	<5	96	.57	.045	50	61	.95	1018	.43	10.35	.88	4.03	7	39	<2	9	14	3	14	565
C082668	<2	39	11	49	.6	30	13	731	3.46	139	<10	<4	14	182	<.4	<5	<5	76	2.13	.026	42	53	.99	724	.40	7.35	.87	2.36	4	41	<2	10	13	2	11	600
C082688	<2	13	<5	46	<.5	15	7	359	2.19	19	<10	<4	12	74	<.4	5	<5	47	1.08	.035	26	37	.52	338	.24	4.47	.36	1.32	11	30	2	8	8	1	6	3775
C082708	<2	29	13	57	.5	38	16	293	4.02	69	<10	<4	21	187	<.4	<5	<5	110	1.92	.076	59	73	.97	894	.45	11.32	.82	3.59	39	42	2	13	15	3	15	515
RE C082708	<2	31	<5	60	.5	37	16	302	4.19	69	11	<4	19	195	<.4	<5	5	112	1.96	.081	60	76	1.01	930	.46	11.40	.85	3.69	37	43	<2	13	15	3	16	-
C082728	<2	9	<5	9	.6	8	5	97	1.23	41	<10	<4	13	91	<.4	<5	<5	37	.69	.012	26	36	.24	479	.19	4.24	.71	1.61	25	30	<2	8	5	2	5	515
STANDARD DST6	12	125	34	168	.9	29	13	954	4.00	20	<10	<4	7	316	5.4	6	<5	106	2.23	.096	24	225	1.02	685	.37	7.03	1.62	1.35	5	49	5	14	10	4	12	-

Sample type: ROCK CHIP P150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data A FA ____

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Sample gm
G-1	<2	<2	10	56	<.5	3	5	780	2.46	<5	<10	<4	5	753	<.4	<5	<5	56	2.63	.082	20	5	.61	993	.24	8.67	2.61	2.85	<4	9	2	13	22	3	6	-
C082748	<2	16	<5	9	<.5	7	5	235	1.55	8	10	<4	10	126	<.4	<5	<5	24	1.18	.009	24	21	.44	317	.14	3.05	.41	1.07	25	19	2	5	4	1	3	465
C082769	<2	48	23	51	<.5	14	12	396	3.05	107	<10	<4	17	517	<.4	<5	<5	64	2.81	.072	42	35	1.20	1399	.35	8.23	1.89	3.40	30	37	3	13	17	4	10	505
C082788	2	60	18	35	<.5	15	9	280	2.53	26	<10	<4	18	459	<.4	<5	<5	49	2.26	.068	45	25	.87	1295	.34	8.08	1.21	3.32	18	25	<2	12	16	3	8	500
STANDARD	12	128	30	171	<.5	29	14	949	4.00	26	<10	<4	4	314	5.5	5	5	113	2.22	.097	21	183	1.01	686	.37	6.96	1.62	1.36	11	50	5	13	11	4	12	-

Standard is STANDARD DST6.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data FA

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEM PRECIOUS METALS ANALYSIS

StrataGold Corporation File # A605672 Page 1
701 - 475 Howe St., Vancouver BC V6C 2B3 Submitted by: N / A

SAMPLE#	Au** ppb
G-1	<2
C078468	48
C078488	35
C078508	26
C078528	8
C078548	2
C078568	123
C078588	25
C078848	45
C078868	38
C078888	46
C078908	59
C078928	125
C078948	18
C078968	9
C078988	10
C079008	7
C079368	18
C079388	33
C079408	133
C079428	64
C079448	978
C079468	7
C079488	103
C079508	59
C079528	73
C079548	181
RE C079548	178
C079568	250
C079588	61
C079608	125
C079628	56
C079648	32
C079668	365
C079688	19
STANDARD OxF41	808

GROUP 3B - FIRE GEOCHEM AU - 30 GM SAMPLE FUSION, DORE DISSOLVED IN AQUA - REGIA, ICP ANALYSIS. UPPER LIMITS = 10 PPM.
HIGH GRADE GOLD ASSAY RECOMMENDED FOR 30 GM ANALYSIS > 10ppm and 50 GM > 5ppm.
- SAMPLE TYPE: ROCK CHIP P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

09-25-06 12:40 OUT

Data 1 FA ____ DATE RECEIVED: SEP 1 2006 DATE REPORT MAILED:.....

BRITISH COLUMBIA CERTIFIED ASSAYER
Raymond Chan

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

SAMPLE#	Au** ppb
G-1	<2
C079708	15
C080508	9
C080528	6
C080548	10
C080568	18
C080588	6
C080608	6
C080628	4
C080648	<2
C080668	16
C080688	82
C080708	71
C080728	24
C080748	51
C080768	107
C080788	124
C080808	74
C080828	10
C080848	48
C080868	629
C082488	24
C082508	3
C082528	32
C082548	3
C082568	<2
C082588	<2
C082608	<2
C082628	7
C082648	12
C082668	11
C082688	2
C082708	3
RE C082708	5
C082728	8
STANDARD OxF41	819

Sample type: ROCK CHIP P150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data FA

SAMPLE#	Au** ppb
G-1	<2
C082748	2
C082769	52
C082788	32
STANDARD OxF41	818

Sample type: ROCK CHIP P150.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data 1 FA ___

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604) 253-1716
(ISO 9001 Accredited Co.)

GEOCHEM PRECIOUS METALS ANALYSIS

StrataGold Corporation File # A605672 Page 1

701 - 475 Howe St., Vancouver BC V6C 2B3 Submitted by: N / A

SAMPLE#	Au** ppb
G-1	<2
C078468	48
C078488	35
C078508	26
C078528	8
C078548	2
C078568	123
C078588	25
C078848	45
C078868	38
C078888	46
C078908	59
C078928	125
C078948	18
C078968	9
C078988	10
C079008	7
C079368	18
C079388	33
C079408	133
C079428	64
C079448	978
C079468	7
C079488	103
C079508	59
C079528	73
C079548	181
RE C079548	178
C079568	250
C079588	61
C079608	125
C079628	56
C079648	32
C079668	365
C079688	19
STANDARD OxF41	808

GROUP 3B - FIRE GEOCHEM AU - 30 GM SAMPLE FUSION, DORE DISSOLVED IN AQUA - REGIA, ICP ANALYSIS. UPPER LIMITS = 10 PPM.
HIGH GRADE GOLD ASSAY RECOMMENDED FOR 30 GM ANALYSIS > 10ppm and 50 GM > 5ppm.
- SAMPLE TYPE: ROCK CHIP P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

09-25-06 P12:40 OUT

Data 1 FA ____ DATE RECEIVED: SEP 1 2006 DATE REPORT MAILED:.....

BRITISH COLUMBIA CERTIFIED ASSAYER Raymond Chan

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

SEP-25-2006 MON 01:30 PM ACME ANALYTICAL LAB FAX NO. 6042531716 P. 02

SAMPLE#	Au** ppb
G-1	<2
C079708	15
C080508	9
C080528	6
C080548	10
C080568	18
C080588	6
C080608	6
C080628	4
C080648	<2
C080668	16
C080688	82
C080708	71
C080728	24
C080748	51
C080768	107
C080788	124
C080808	74
C080828	10
C080848	48
C080868	629
C082488	24
C082508	3
C082528	32
C082548	3
C082568	<2
C082588	<2
C082608	<2
C082628	7
C082648	12
C082668	11
C082688	2
C082708	3
RE C082708	5
C082728	8
STANDARD OxF41	819

Sample type: ROCK CHIP P150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data FA

SEP-25-2006 MON 01:30 PM ACME ANALYTICAL LAB FAX NO. 6042531716 P. 03

SAMPLE#	Au** ppb
G-1	<2
C082748	2
C082769	52
C082788	32
STANDARD OxF41	818

Sample type: ROCK CHIP P150.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data 1 FA ___

SEP-25-2006 MON 01:30 PM ACME ANALYTICAL LAB FAX NO. 6042531716

ACME ANALYTICAL LABORATORIES LTD. (ISO 9001 Accredited Co.)
852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation File # A607123

701 - 475 Howe St., Vancouver BC V6C 2B3

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm
G-1	<2	2	12	57	<.5	5	4	754	2.27	<5	<10	<4	6	729	.5	<5	<5	53	2.46	.077	19	7	.63	953	.23	7.82	2.67	3.05	<4	10	<2	14	19	3	5
C079909	<2	59	6	89	.5	35	15	1103	4.20	11	<10	<4	14	314	1.1	<5	10	89	4.53	.049	45	51	2.67	1234	.31	8.08	.77	3.45	7	43	2	19	7	3	14
C079929	2	30	<5	69	<.5	22	8	552	2.54	5	<10	<4	16	352	<.4	<5	6	68	3.04	.030	40	40	.94	751	.30	6.81	1.28	2.08	186	28	<2	14	10	3	10
C079949	15	25	<5	37	<.5	63	5	172	1.19	25	<10	<4	7	431	<.4	<5	7	528	2.55	.054	26	36	.63	544	.21	3.80	1.25	.40	106	29	2	20	7	6	7
C079969	<2	<2	31	17	<.5	2	2	145	.68	13	12	<4	18	340	<.4	<5	11	11	1.50	.009	7	7	.14	319	.06	6.41	2.41	2.53	14	31	<2	13	11	4	2
C079989	<2	24	15	69	.5	23	10	759	3.15	15	<10	<4	15	217	.5	10	<5	63	3.00	.031	40	42	.79	869	.31	7.63	.79	2.77	36	28	7	13	14	3	11
C080009	<2	18	14	65	<.5	22	8	390	2.84	5	<10	<4	15	461	<.4	<5	<5	69	2.87	.054	43	46	1.05	667	.33	6.99	1.72	2.08	81	27	3	16	12	3	11
RE C080009	<2	17	5	64	<.5	22	7	383	2.77	7	<10	<4	14	472	<.4	<5	10	67	2.90	.053	40	45	1.04	651	.34	7.01	1.72	2.03	75	26	3	16	12	3	11
C080029	<2	55	18	60	.5	29	12	748	3.13	43	<10	<4	15	357	.4	8	<5	67	4.21	.026	35	44	1.00	817	.25	7.43	.94	3.02	5	32	4	12	8	3	10
C080049	<2	4	8	52	<.5	19	7	298	2.05	<5	<10	<4	20	606	<.4	5	7	40	2.92	.062	39	23	.79	1259	.32	7.30	2.32	2.63	<4	23	4	13	14	4	7
C080309	<2	8	7	32	.5	14	5	304	2.51	<5	<10	<4	9	227	<.4	<5	8	44	1.44	.023	23	31	.61	605	.19	4.83	1.32	2.23	4	12	2	7	6	2	8
C080329	<2	24	10	86	<.5	33	12	565	3.52	<5	<10	<4	13	169	.4	<5	<5	76	.70	.063	43	55	.90	593	.35	7.91	1.38	2.31	<4	22	<2	10	11	2	11
C080349	<2	9	<5	37	<.5	15	6	238	1.95	5	<10	<4	17	114	<.4	<5	<5	42	.64	.014	28	35	.44	595	.24	4.91	1.82	1.79	5	10	3	5	7	1	6
C080369	2	5	20	60	<.5	12	9	561	3.05	<5	<10	<4	20	679	.7	<5	<5	65	4.11	.082	46	39	1.27	1642	.39	8.32	2.31	2.71	<4	20	2	13	16	4	10
C080389	<2	8	8	66	<.5	30	10	361	3.43	<5	<10	<4	16	358	<.4	6	<5	76	1.27	.060	39	56	.81	958	.36	7.48	1.67	3.03	5	16	2	12	11	3	13
C080409	13	15	<5	81	<.5	34	11	1045	4.69	<5	<10	<4	17	511	<.4	16	176	72	7.00	.044	60	49	1.21	620	.32	7.06	1.78	1.50	>200	38	<2	15	20	7	13
C080429	<2	37	<5	33	<.5	17	10	254	1.84	33	<10	<4	9	106	<.4	<5	<5	42	.99	.016	26	31	.46	437	.18	4.66	.86	1.83	33	19	2	6	6	2	6
C080449	8	10	33	19	.5	3	2	117	.72	<5	<10	<4	29	196	<.4	<5	9	6	.92	.010	19	8	.13	454	.07	6.37	1.93	4.06	192	39	2	15	13	4	2
STANDARD D	12	130	34	162	.5	30	11	931	3.79	24	<10	<4	7	314	5.3	6	5	112	2.13	.090	24	204	1.05	649	.37	6.90	1.63	1.46	8	56	6	15	9	4	12

Standard is STANDARD DST6.

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.

- SAMPLE TYPE: CORE CHIP P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA ____ DATE RECEIVED: SEP 22 2006 DATE REPORT MAILED: 11-24-06 P03:41 OUT

RECEIVED NOV 30 2006

BRITISH COLUMBIA CERTIFIED ASSAYER Jacky Wang

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604) -1716
(ISO 1 Accredited Co.)

GEOCHEM PRECIOUS METALS ANALYSIS

StrataGold Corporation File # A607123
701 - 475 Howe St., Vancouver BC V6C 2B3

SAMPLE#	Au** ppb
G-1	<2
C079909	3
C079929	4
C079949	<2
C079969	4
C079989	2
C080009	<2
RE C080009	2
C080029	13
C080049	2
C080309	<2
C080329	4
C080349	3
C080369	<2
C080389	<2
C080409	<2
C080429	2
C080449	<2
STANDARD OxF41	804

GROUP 3B - FIRE GEOCHEM AU - 30 GM SAMPLE FUSION, DORE DISSOLVED IN AQUA - REGIA, ICP ANALYSIS. UPPER LIMITS = 10 PPM.
GROUP 6 AU RECOMMENDED IF >10PPM FOR 30 GM, >5PPM FOR 50 GM.
- SAMPLE TYPE: CORE CHIP P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA ____ DATE RECEIVED: SEP 22 2006 DATE REPORT MAILED: 11-22-06 P04:11 OPI

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation File # A607123

701 - 475 Howe St., Vancouver BC V6C 2B3

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm
G-1	<2	2	12	57	<.5	5	4	754	2.27	<5	<10	<4	6	729	.5	<5	<5	53	2.46	.077	19	7	.63	953	.23	7.82	2.67	3.05	<4	10	<2	14	19	3	5
C079909	<2	59	6	89	.5	35	15	1103	4.20	11	<10	<4	14	314	1.1	<5	10	89	4.53	.049	45	51	2.67	1234	.31	8.08	.77	3.45	7	43	2	19	7	3	14
C079929	2	30	<5	69	<.5	22	8	552	2.54	5	<10	<4	16	352	<.4	<5	6	68	3.04	.030	40	40	.94	751	.30	6.81	1.28	2.08	186	28	<2	14	10	3	10
C079949	15	25	<5	37	<.5	63	5	172	1.19	25	<10	<4	7	431	<.4	<5	7	528	2.55	.054	26	36	.63	544	.21	3.80	1.25	.40	106	29	2	20	7	6	7
C079969	<2	<2	31	17	<.5	2	2	145	.68	13	12	<4	18	340	<.4	<5	11	11	1.50	.009	7	7	.14	319	.06	6.41	2.41	2.53	14	31	<2	13	11	4	2
C079989	<2	24	15	69	.5	23	10	759	3.15	15	<10	<4	15	217	.5	10	<5	63	3.00	.031	40	42	.79	869	.31	7.63	.79	2.77	36	28	7	13	14	3	11
C080009	<2	18	14	65	<.5	22	8	390	2.84	5	<10	<4	15	461	<.4	<5	<5	69	2.87	.054	43	46	1.05	667	.33	6.99	1.72	2.08	81	27	3	16	12	3	11
RE C080009	<2	17	5	64	<.5	22	7	383	2.77	7	<10	<4	14	472	<.4	<5	10	67	2.90	.053	40	45	1.04	651	.34	7.01	1.72	2.03	75	26	3	16	12	3	11
C080029	<2	55	18	60	.5	29	12	748	3.13	43	<10	<4	15	357	.4	8	<5	67	4.21	.026	35	44	1.00	817	.25	7.43	.94	3.02	5	32	4	12	8	3	10
C080049	<2	4	8	52	<.5	19	7	298	2.05	<5	<10	<4	20	606	<.4	5	7	40	2.92	.062	39	23	.79	1259	.32	7.30	2.32	2.63	<4	23	4	13	14	4	7
C080309	<2	8	7	32	.5	14	5	304	2.51	<5	<10	<4	9	227	<.4	<5	8	44	1.44	.023	23	31	.61	605	.19	4.83	1.32	2.23	4	12	2	7	6	2	8
C080329	<2	24	10	86	<.5	33	12	565	3.52	<5	<10	<4	13	169	.4	<5	<5	76	.70	.063	43	55	.90	593	.35	7.91	1.38	2.31	<4	22	<2	10	11	2	11
C080349	<2	9	<5	37	<.5	15	6	238	1.95	5	<10	<4	17	114	<.4	<5	<5	42	.64	.014	28	35	.44	595	.24	4.91	1.82	1.79	5	10	3	5	7	1	6
C080369	2	5	20	60	<.5	12	9	561	3.05	<5	<10	<4	20	679	.7	<5	<5	65	4.11	.082	46	39	1.27	1642	.39	8.32	2.31	2.71	<4	20	2	13	16	4	10
C080389	<2	8	8	66	<.5	30	10	361	3.43	<5	<10	<4	16	358	<.4	6	<5	76	1.27	.060	39	56	.81	958	.36	7.48	1.67	3.03	5	16	2	12	11	3	13
C080409	13	15	<5	81	<.5	34	11	1045	4.69	<5	<10	<4	17	511	<.4	16	176	72	7.00	.044	60	49	1.21	620	.32	7.06	1.78	1.50	>200	38	<2	15	20	7	13
C080429	<2	37	<5	33	<.5	17	10	254	1.84	33	<10	<4	9	106	<.4	<5	<5	42	.99	.016	26	31	.46	437	.18	4.66	.86	1.83	33	19	2	6	6	2	6
C080449	8	10	33	19	.5	3	2	117	.72	<5	<10	<4	29	196	<.4	<5	9	6	.92	.010	19	8	.13	454	.07	6.37	1.93	4.06	192	39	2	15	13	4	2
STANDARD D	12	130	34	162	.5	30	11	931	3.79	24	<10	<4	7	314	5.3	6	5	112	2.13	.090	24	204	1.05	649	.37	6.90	1.63	1.46	8	56	6	15	9	4	12

Standard is STANDARD DST6.

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.

- SAMPLE TYPE: CORE CHIP P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA ____ **DATE RECEIVED:** SEP 22 2006 **DATE REPORT MAILED:** 11-24-06 P03:41 OUT

RECEIVED
NOV 30 2006

BRITISH COLUMBIA CERTIFIED ASSAYER
Jacky Wang

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEM PRECIOUS METALS ANALYSIS

StrataGold Corporation File # A607123
701 - 475 Howe St., Vancouver BC V6C 2B3

SAMPLE#	Au** ppb
G-1	<2
C079909	3
C079929	4
C079949	<2
C079969	4
C079989	2
C080009	<2
RE C080009	2
C080029	13
C080049	2
C080309	<2
C080329	4
C080349	3
C080369	<2
C080389	<2
C080409	<2
C080429	2
C080449	<2
STANDARD OxF41	804

GROUP 3B - FIRE GEOCHEM AU - 30 GM SAMPLE FUSION, DORE DISSOLVED IN AQUA - REGIA, ICP ANALYSIS. UPPER LIMITS = 10 PPM.
GROUP 6 AU RECOMMENDED IF >10PPM FOR 30 GM, >5PPM FOR 50 GM.
- SAMPLE TYPE: CORE CHIP P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data f FA ____ DATE RECEIVED: SEP 22 2006 DATE REPORT MAILED: 11-22-06 P04:11 OUT

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME LYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. ICOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604' 3-1716
(An ISO 9001 Accredited Co.)

GEOCHEM PRECIOUS METALS ANALYSIS

StrataGold Corporation File # A607123

701 - 475 Howe St., Vancouver BC V6C 2B3

SAMPLE#	Au** ppb
G-1	<2
C079909	3
C079929	4
C079949	<2
C079969	4
C079989	2
C080009	<2
RE C080009	2
C080029	13
C080049	2
C080309	<2
C080329	4
C080349	3
C080369	<2
C080389	<2
C080409	<2
C080429	2
C080449	<2
STANDARD OxF41	804

GROUP 3B - FIRE GEOCHEM AU - 30 GM SAMPLE FUSION, DORE DISSOLVED IN AQUA - REGIA, ICP ANALYSIS. UPPER LIMITS = 10 PPM.
GROUP 6 AU RECOMMENDED IF >10PPM FOR 30 GM, >5PPM FOR 50 GM.
- SAMPLE TYPE: CORE CHIP P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data ! FA ____ DATE RECEIVED: SEP 22 2006 DATE REPORT MAILED: 11-22-06 P04:11 DST

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME LYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. COUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)
(...9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation File # A607123

701 - 475 Howe St., Vancouver BC V6C 2B3

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm
G-1	<2	2	12	57	<.5	5	6	754	2.27	<5	<10	<4	6	729	.5	<5	<5	53	2.46	.077	19	7	.63	953	.23	7.62	2.67	3.05	<4	10	<2	14	19	3	5
C079909	<2	59	6	89	.5	35	15	1103	4.20	11	<10	<4	14	314	1.1	<5	10	89	4.53	.049	45	51	2.67	1234	.31	8.08	.77	3.45	7	43	2	19	7	3	14
C079929	2	30	<5	69	<.5	22	8	552	2.54	5	<10	<4	16	352	<.4	<5	6	68	3.04	.030	40	40	.94	751	.30	6.81	1.28	2.08	186	28	<2	14	10	3	10
C079949	15	25	<5	37	<.5	63	5	172	1.19	25	<10	<4	7	431	<.4	<5	7	528	2.55	.056	26	36	.63	544	.21	3.80	1.25	.40	106	29	2	28	7	6	7
C079969	<2	<2	31	17	<.5	2	2	145	.68	13	12	<4	18	340	<.4	<5	11	11	1.50	.009	7	7	.14	319	.06	6.61	2.41	2.53	14	31	<2	13	11	4	2
C079989	<2	24	15	69	.5	23	10	759	3.15	15	<10	<4	15	217	.5	10	<5	63	3.00	.031	40	42	.79	869	.31	7.63	.79	2.77	36	28	7	13	14	3	11
C080009	<2	18	14	65	<.5	22	8	390	2.84	5	<10	<4	15	461	<.4	<5	<5	69	2.87	.054	43	46	1.05	667	.33	6.99	1.72	2.08	81	27	3	16	12	3	11
RE C080009	<2	17	5	64	<.5	22	7	383	2.77	7	<10	<4	14	472	<.4	<5	10	67	2.90	.053	40	45	1.04	651	.34	7.01	1.72	2.03	75	26	3	16	12	3	11
C080029	<2	55	18	60	.5	29	12	748	3.13	63	<10	<4	15	357	.4	8	<5	67	4.21	.026	35	44	1.00	817	.25	7.43	.94	3.02	5	32	4	12	8	3	10
C080049	<2	4	8	52	<.5	19	7	298	2.05	<5	<10	<4	20	606	<.4	5	7	40	2.92	.062	39	23	.79	1259	.32	7.30	2.32	2.63	<4	23	4	13	14	4	7
C080309	<2	8	7	32	.5	14	5	304	2.51	<5	<10	<4	9	227	<.4	<5	8	44	1.44	.023	23	31	.61	605	.19	4.83	1.32	2.23	4	12	2	7	6	2	8
C080329	<2	24	10	86	<.5	33	12	565	3.52	<5	<10	<4	13	169	.4	<5	<5	76	.78	.063	43	55	.90	593	.35	7.91	1.38	2.31	<4	22	<2	10	11	2	11
C080349	<2	9	<5	37	<.5	15	6	238	1.95	5	<10	<4	17	114	<.4	<5	<5	42	.64	.014	28	35	.44	595	.26	4.91	1.82	1.79	5	10	3	5	7	1	6
C080369	2	5	20	60	<.5	12	9	561	3.05	<5	<10	<4	20	679	.7	<5	<5	65	4.11	.082	46	39	1.27	1642	.39	8.32	2.31	2.71	<4	20	2	13	16	4	10
C080389	<2	8	8	66	<.5	30	10	361	3.43	<5	<10	<4	16	358	<.4	6	<5	76	1.27	.060	39	56	.81	958	.36	7.48	1.67	3.03	5	16	2	12	11	3	13
C080409	13	15	<5	81	<.5	34	11	1045	4.69	<5	<10	<4	17	511	<.4	16	176	72	7.00	.044	60	49	1.21	620	.32	7.06	1.78	1.50	>200	38	<2	15	20	7	13
C080429	<2	37	<5	33	<.5	17	10	254	1.84	33	<10	<4	9	106	<.4	<5	<5	42	.99	.016	26	31	.46	437	.18	4.66	.86	1.83	33	19	2	6	6	2	6
C080449	8	10	33	19	.5	3	2	117	.72	<5	<10	<4	29	196	<.4	<5	9	6	.92	.010	19	8	.13	454	.07	6.37	1.93	4.06	192	39	2	15	13	4	2
STANDARD D	12	130	34	162	.5	30	11	931	3.79	24	<10	<4	7	314	5.3	6	5	112	2.13	.090	24	204	1.05	649	.37	6.90	1.63	1.46	8	56	6	15	9	4	12

Standard is STANDARD DST6.

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.

- SAMPLE TYPE: CORE CHIP P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA ____ **DATE RECEIVED:** SEP 22 2006 **DATE REPORT MAILED:** 11-24-06 P03:41 OUT

BRITISH COLUMBIA CERTIFIED ASSAYER Jacky Wang

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

FAX NO. 6042531716 NOV 27 2006 FRI 04:36 PM

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. COUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604 -1716
(ISO 9001 Accredited Co.)

GEOCHEM PRECIOUS METALS ANALYSIS

StrataGold Corporation File # A609488

701 - 475 Howe St., Vancouver BC V6C 2B3

SAMPLE#	Au** ppb
G-1	<2
C079729	33
C079749	6
C079769	2
C079789	22
C079809	6
C079829	18
C079849	6
C079869	5
C079889	7
C083009	<2
C083029	6
C083049	<2
C083089	<2
C083109	5
C083129	4
C083149	4
C083169	<2
C083189	2
C080069	<2
C080089	<2
C080109	7
C080129	<2
C080149	4
C080189	3
C080209	<2
C080229	4
C080249	<2
RE C080249	<2
C080269	4
STANDARD OxF41	812

GROUP 3B - FIRE GEOCHEM AU - 30 GM SAMPLE FUSION, DORE DISSOLVED IN AQUA - REGIA, ICP ANALYSIS. UPPER LIMITS = 10 PPM.
GROUP 6 AU RECOMMENDED IF >10PPM FOR 30 GM, >5PPM FOR 50 GM.
- SAMPLE TYPE: ROCK CHIP P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

07-JAN-07 PG1:33 OUT

Data FA DATE RECEIVED: DEC 7 2006 DATE REPORT MAILED:.....

BRITISH COLUMBIA CERTIFIED ASSAYER Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

P. 03
FAX NO. 6042531110
JAN-08-2007 FRI 03:34 PM ACME ANALYTICAL

ACME LYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. COUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604 -1716
(...O 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation File # A609488

701 - 675 Hoke St., Vancouver BC V6C 2R3

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm
G-1	<2	2	17	52	<.5	7	4	801	2.41	<5	<10	<4	7	765	.6	<5	8	51	2.45	.080	19	77	.70	932	.25	8.16	3.06	2.78	<4	8	<2	17	24	3	6
C079729	<2	79	45	784	.6	37	14	239	3.93	583	<10	<4	20	38	8.7	78	5	71	.10	.037	44	46	.34	587	.24	7.66	.17	2.65	9	68	2	12	7	2	11
C079749	<2	23	8	163	<.5	19	10	329	3.54	9	<10	<4	13	67	<.4	46	9	43	.46	.030	28	29	.82	359	.23	5.48	.78	1.24	<4	57	3	9	8	2	6
C079769	<2	25	7	76	<.5	25	13	348	3.22	5	<10	<4	18	35	.4	13	<5	65	.12	.032	43	36	.50	550	.30	7.21	.13	2.07	6	64	2	9	11	2	10
C079789	<2	36	5	40	.6	18	9	285	2.31	8	<10	<4	14	23	<.4	13	8	40	.13	.034	27	20	.34	259	.16	4.20	.04	1.16	6	50	2	9	6	1	6
C079809	<2	47	8	96	<.5	44	17	280	4.82	9	<10	<4	13	34	<.4	14	9	110	.30	.048	30	69	1.32	482	.34	6.34	.19	2.29	<4	69	3	8	10	2	13
C079829	<2	25	<5	73	<.5	12	4	635	1.50	24	<10	<4	5	33	<.4	15	<5	24	.08	.018	13	21	.15	72	.09	2.07	.01	.40	11	14	2	6	3	1	3
C079849	13	99	10	1008	<.5	112	36	1629	5.41	30	<10	<4	14	46	4.7	18	6	117	.31	.058	39	46	.60	264	.37	6.53	.05	1.42	22	49	4	16	11	2	13
C079869	3	44	5	51	<.5	28	11	373	2.99	8	<10	<4	13	116	<.4	5	<5	75	.86	.049	28	39	1.03	474	.21	5.15	.23	2.20	<4	54	2	12	6	2	8
C079889	<2	25	<5	167	<.5	17	9	245	2.35	14	<10	<4	15	118	<.4	7	<5	46	.41	.022	30	35	.67	484	.24	5.41	.08	1.70	6	31	2	7	9	2	7
C083009	<2	17	12	43	<.5	24	10	201	2.70	5	<10	<4	14	148	.4	<5	8	63	.27	.019	33	40	.56	777	.29	6.57	1.99	2.32	4	18	<2	8	10	2	11
C083029	<2	48	23	65	<.5	32	15	425	3.75	<5	<10	<4	20	135	<.4	<5	6	74	.59	.015	36	50	.95	924	.37	7.29	1.53	2.53	9	31	3	7	11	2	11
C083049	<2	19	11	100	<.5	25	11	823	3.98	<5	<10	<4	17	320	.7	<5	10	53	8.63	.027	37	34	.79	555	.29	6.68	1.29	1.52	35	41	<2	16	11	2	9
C083089	7	22	13	106	<.5	31	19	1693	5.87	<5	<10	<4	20	321	<.4	17	31	69	7.15	.051	50	46	1.23	404	.32	6.68	1.32	1.49	>200	35	<2	16	23	7	12
C083109	<2	56	15	70	<.5	43	18	472	3.87	5	<10	<4	18	169	<.4	<5	<5	75	.70	.041	41	54	1.16	730	.36	7.80	1.24	2.55	26	33	2	8	11	2	12
C083129	<2	28	21	90	<.5	25	10	664	3.67	<5	<10	<4	18	205	<.4	5	9	60	2.69	.033	35	38	1.02	656	.33	6.96	1.35	2.30	<4	27	2	11	13	2	10
C083149	10	33	11	102	<.5	58	13	992	3.94	19	<10	<4	13	207	<.4	<5	5	367	4.01	.056	28	45	.86	1591	.27	5.48	.89	1.83	>200	32	2	16	8	3	9
C083169	<2	19	<5	58	<.5	28	11	517	3.41	7	<10	<4	16	512	<.4	<5	<5	82	1.87	.050	33	48	1.23	932	.43	7.67	2.09	2.41	4	33	4	17	13	5	13
C083189	<2	5	40	18	<.5	3	3	166	1.04	10	<10	<4	31	316	<.4	<5	<5	10	1.27	.018	30	24	.28	702	.10	6.76	2.38	2.66	5	38	2	14	14	5	2
C080069	<2	29	7	160	<.5	38	13	420	4.46	5	<10	<4	19	123	<.4	<5	14	90	.22	.032	40	67	.86	1040	.41	8.78	.88	2.92	5	20	2	9	13	3	14
C080089	<2	25	20	114	<.5	25	12	754	3.92	<5	<10	<4	19	324	.6	<5	<5	57	8.76	.060	40	43	.94	718	.32	7.13	1.13	2.11	34	42	2	20	12	2	10
C080109	<2	17	14	50	<.5	20	10	627	2.75	<5	<10	<4	17	151	<.4	<5	<5	46	1.05	.021	30	36	.61	477	.26	5.71	1.62	1.79	<4	15	2	9	9	1	7
C080129	<2	14	15	63	<.5	27	12	501	3.96	40	<10	<4	18	162	<.4	<5	6	68	1.51	.020	34	47	.98	590	.39	6.74	1.37	2.19	28	18	2	10	12	2	10
C080149	<2	26	19	94	<.5	34	13	374	3.79	7	<10	<4	24	252	<.4	6	7	85	.85	.046	52	50	1.03	770	.41	7.89	1.46	2.64	<4	33	4	11	16	3	13
C080189	<2	34	20	143	<.5	29	13	585	4.17	54	<10	<4	19	236	<.4	<5	9	68	1.84	.028	37	49	.97	573	.36	7.42	1.25	2.12	>200	19	<2	11	11	2	10
C080209	<2	11	14	68	<.5	19	10	500	3.09	<5	<10	<4	20	512	<.4	<5	5	56	3.85	.066	36	35	1.00	1081	.35	7.38	2.14	2.25	<4	17	3	13	17	4	8
C080229	<2	28	16	90	<.5	33	12	838	3.37	<5	<10	<4	19	188	<.4	<5	8	62	3.63	.042	38	49	2.64	662	.32	6.56	1.08	2.66	6	21	3	22	11	3	10
C080249	<2	46	15	64	<.5	26	12	652	3.17	<5	<10	<4	15	179	<.4	<5	<5	62	2.57	.028	30	42	.97	989	.32	5.99	1.00	2.36	148	24	<2	12	11	2	10
RE C080249	<2	45	17	64	<.5	26	12	681	3.20	<5	<10	<4	16	181	<.4	<5	8	63	2.59	.028	30	41	.96	989	.32	6.07	1.00	2.31	150	26	2	12	10	2	10
C080269	13	29	9	93	<.5	44	11	738	3.23	9	<10	<4	17	432	<.4	8	11	248	5.68	.063	60	44	1.71	1461	.30	5.42	1.28	1.22	>200	32	<2	27	18	5	11
STANDARD D	11	129	31	174	<.5	31	13	981	4.03	22	<10	<4	8	316	6.2	7	5	106	2.22	.093	24	235	1.12	677	.40	7.00	1.77	1.37	8	57	5	15	9	3	12

Standard is STANDARD DS16.

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.

- SAMPLE TYPE: ROCK CHIP P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

01-04-07 11:32 OUT

Data 1 FA ____ **DATE RECEIVED:** DEC 7 2006 **DATE REPORT MAILED:**.....

BRITISH COLUMBIA CERTIFIED ASSAYER

Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

FAX NO. 0042531110 FROM ACME ANALYTICAL ... JAN 05 2007 FRI 03:33 PM

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604) -1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation File # A609488

701 - 475 Howe St., Vancouver BC V6C 2B3

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm
G-1	<2	2	17	52	<.5	7	4	801	2.41	<5	<10	<4	7	765	.6	<5	8	51	2.45	.080	19	77	.70	932	.25	8.16	3.06	2.78	<4	8	<2	17	24	3	6
C079729	<2	79	45	784	.6	37	14	239	3.93	583	<10	<4	20	38	8.7	78	5	71	.10	.037	44	46	.34	587	.24	7.66	.17	2.65	9	68	2	12	7	2	11
C079749	<2	23	8	163	<.5	19	10	329	3.54	9	<10	<4	13	67	<.4	46	9	43	.46	.030	28	29	.82	359	.23	5.48	.78	1.24	<4	57	3	9	8	2	6
C079769	<2	25	7	76	<.5	25	13	348	3.22	5	<10	<4	18	35	.4	13	<5	65	.12	.032	43	36	.50	550	.30	7.21	.13	2.07	6	64	2	9	11	2	10
C079789	<2	36	5	40	.6	18	9	285	2.31	8	<10	<4	14	23	<.4	13	8	40	.13	.034	27	20	.34	259	.16	4.20	.04	1.16	6	50	2	9	6	1	6
C079809	<2	47	8	96	<.5	44	17	280	4.82	9	<10	<4	13	34	<.4	14	9	110	.30	.048	30	69	1.32	482	.34	6.34	.19	2.29	<4	69	3	8	10	2	13
C079829	<2	25	<5	73	<.5	12	4	635	1.50	24	<10	<4	5	33	<.4	15	<5	24	.08	.018	13	21	.15	72	.09	2.07	.01	.40	11	14	2	6	3	1	3
C079849	13	99	10	1008	<.5	112	36	1629	5.41	30	<10	<4	14	46	4.7	18	6	117	.31	.058	39	46	.60	264	.37	6.53	.05	1.42	22	49	4	16	11	2	13
C079869	3	44	5	51	<.5	28	11	373	2.99	8	<10	<4	13	116	<.4	5	<5	75	.86	.049	28	39	1.03	474	.21	5.15	.23	2.20	<4	54	2	12	6	2	8
C079889	<2	25	<5	167	<.5	17	9	245	2.35	14	<10	<4	15	118	<.4	7	<5	46	.41	.022	30	35	.67	484	.24	5.41	.08	1.70	6	31	2	7	9	2	7
C083009	<2	17	12	43	<.5	24	10	201	2.70	5	<10	<4	14	148	.4	<5	8	63	.27	.019	33	40	.56	777	.29	6.57	1.99	2.32	4	18	<2	8	10	2	11
C083029	<2	48	23	65	<.5	32	15	425	3.75	<5	<10	<4	20	135	<.4	<5	6	74	.59	.015	36	50	.95	924	.37	7.29	1.53	2.53	9	31	3	7	11	2	11
C083049	<2	19	11	100	<.5	25	11	823	3.98	<5	<10	<4	17	320	.7	<5	10	53	8.63	.027	37	34	.79	555	.29	6.68	1.29	1.52	35	41	<2	16	11	2	9
C083089	7	22	13	106	<.5	31	19	1693	5.87	<5	<10	<4	20	321	<.4	17	31	69	7.15	.051	50	46	1.23	404	.32	6.68	1.32	1.49	>200	35	<2	16	23	7	12
C083109	<2	56	15	70	<.5	43	18	472	3.87	5	<10	<4	18	169	<.4	<5	<5	75	.70	.041	41	54	1.16	730	.36	7.80	1.24	2.55	26	33	2	8	11	2	12
C083129	<2	28	21	90	<.5	25	10	664	3.67	<5	<10	<4	18	205	<.4	5	9	60	2.69	.033	35	38	1.02	656	.33	6.96	1.35	2.30	<4	27	2	11	13	2	10
C083149	10	33	11	102	<.5	58	13	992	3.94	19	<10	<4	13	207	<.4	<5	5	367	4.01	.056	28	45	.86	1591	.27	5.48	.89	1.83	>200	32	2	16	8	3	9
C083169	<2	19	<5	58	<.5	28	11	517	3.41	7	<10	<4	16	512	<.4	<5	<5	82	1.87	.050	33	48	1.23	932	.43	7.67	2.09	2.41	4	33	4	17	13	5	13
C083189	<2	5	40	18	<.5	3	3	166	1.04	10	<10	<4	31	316	<.4	<5	<5	10	1.27	.018	30	24	.28	702	.10	6.76	2.38	2.66	5	38	2	14	14	5	2
C080069	<2	29	7	160	<.5	38	13	420	4.46	5	<10	<4	19	123	<.4	<5	14	90	.22	.032	40	67	.86	1040	.41	8.78	.88	2.92	5	20	2	9	13	3	14
C080089	<2	25	20	114	<.5	25	12	754	3.92	<5	<10	<4	19	324	.6	<5	<5	57	8.76	.060	40	43	.94	718	.32	7.13	1.13	2.11	34	42	2	20	12	2	10
C080109	<2	17	14	50	<.5	20	10	627	2.75	<5	<10	<4	17	151	<.4	<5	<5	46	1.05	.021	30	36	.61	477	.26	5.71	1.62	1.79	<4	15	2	9	9	1	7
C080129	<2	14	15	63	<.5	27	12	501	3.96	40	<10	<4	18	162	<.4	<5	6	68	1.51	.020	34	47	.98	590	.39	6.74	1.37	2.19	28	18	2	10	12	2	10
C080149	<2	26	19	94	<.5	34	13	374	3.79	7	<10	<4	24	252	<.4	6	7	85	.85	.046	52	50	1.03	770	.41	7.89	1.46	2.64	<4	33	4	11	16	3	13
C080189	<2	34	20	143	<.5	29	13	585	4.17	54	<10	<4	19	236	<.4	<5	9	68	1.84	.028	37	49	.97	573	.36	7.42	1.25	2.12	>200	19	<2	11	11	2	10
C080209	<2	11	14	68	<.5	19	10	500	3.09	<5	<10	<4	20	512	<.4	<5	5	56	3.85	.066	36	35	1.00	1081	.35	7.38	2.14	2.25	<4	17	3	13	17	4	8
C080229	<2	28	16	90	<.5	33	12	838	3.37	<5	<10	<4	19	188	<.4	<5	8	62	3.63	.042	38	49	2.64	662	.32	6.56	1.08	2.66	6	21	3	22	11	3	10
C080249	<2	46	15	64	<.5	26	12	652	3.17	<5	<10	<4	15	179	<.4	<5	<5	62	2.57	.028	30	42	.97	989	.32	5.99	1.00	2.36	148	24	<2	12	11	2	10
RE C080249	<2	45	17	64	<.5	26	12	681	3.20	<5	<10	<4	16	181	<.4	<5	8	63	2.59	.028	30	41	.96	989	.32	6.07	1.00	2.31	150	26	2	12	10	2	10
C080269	13	29	9	93	<.5	44	11	738	3.23	9	<10	<4	17	432	<.4	8	11	248	5.68	.063	60	44	1.71	1461	.30	5.42	1.28	1.22	>200	32	<2	27	18	5	11
STANDARD D	11	129	31	174	<.5	31	13	981	4.03	22	<10	<4	8	316	6.2	7	5	106	2.22	.093	24	235	1.12	677	.40	7.00	1.77	1.37	8	57	5	15	9	3	12

Standard is STANDARD DST6.

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.
- SAMPLE TYPE: ROCK CHIP P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

01-04-07 A10:32 OST

Data ____ FA ____ DATE RECEIVED: DEC 7 2006 DATE REPORT MAILED:.....

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

JAN-05-2007 FRI 03:33 PM ACME ANALYTICAL FAX NO. 6042531716 P. 02

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)2 1716
(ISO 9001 Accredited Co.)

GEOCHEM PRECIOUS METALS ANALYSIS

StrataGold Corporation File # A609488

701 - 475 Howe St., Vancouver BC V6C 2B3

SAMPLE#	Au** ppb
G-1	<2
C079729	33
C079749	6
C079769	2
C079789	22
C079809	6
C079829	18
C079849	6
C079869	5
C079889	7
C083009	<2
C083029	6
C083049	<2
C083089	<2
C083109	5
C083129	4
C083149	4
C083169	<2
C083189	2
C080069	<2
C080089	<2
C080109	7
C080129	<2
C080149	4
C080189	3
C080209	<2
C080229	4
C080249	<2
RE C080249	<2
C080269	4
STANDARD OxF41	812

GROUP 3B - FIRE GEOCHEM AU - 30 GM SAMPLE FUSION, DORE DISSOLVED IN AQUA - REGIA, ICP ANALYSIS. UPPER LIMITS = 10 PPM.
GROUP 6 AU RECOMMENDED IF >10PPM FOR 30 GM, >5PPM FOR 50 GM.
- SAMPLE TYPE: ROCK CHIP P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

07-05-07 PG1:33 OUT

Data FA DATE RECEIVED: DEC 7 2006 DATE REPORT MAILED:.....

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

JAN-05-2007 FRI 03:34 PM ACME ANALYTICAL FAX NO. 6042531716 P. 03

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation File # A609488

701 - 475 Howe St., Vancouver BC V6C 2B3

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm
G-1	<2	2	17	52	<.5	7	4	801	2.41	<5	<10	<4	7	765	.6	<5	8	51	2.45	.080	19	77	.70	932	.25	8.16	3.06	2.78	<4	8	<2	17	24	3	6
C079729	<2	79	45	784	.6	37	14	239	3.93	583	<10	<4	20	38	8.7	78	5	71	.10	.037	44	46	.34	587	.24	7.66	.17	2.65	9	68	2	12	7	2	11
C079749	<2	23	8	163	<.5	19	10	329	3.54	9	<10	<4	13	67	<.4	46	9	43	.46	.030	28	29	.82	359	.23	5.48	.78	1.24	<4	57	3	9	8	2	6
C079769	<2	25	7	76	<.5	25	13	348	3.22	5	<10	<4	18	35	.4	13	<5	65	.12	.032	43	36	.50	550	.30	7.21	.13	2.07	6	64	2	9	11	2	10
C079789	<2	36	5	40	.6	18	9	285	2.31	8	<10	<4	14	23	<.4	13	8	40	.13	.034	27	20	.34	259	.16	4.20	.04	1.16	6	50	2	9	6	1	6
C079809	<2	47	8	96	<.5	44	17	280	4.82	9	<10	<4	13	34	<.4	14	9	110	.30	.048	30	69	1.32	482	.34	6.34	.19	2.29	<4	69	3	8	10	2	13
C079829	<2	25	<5	73	<.5	12	4	635	1.50	24	<10	<4	5	33	<.4	15	<5	24	.08	.018	13	21	.15	72	.09	2.07	.01	.40	11	14	2	6	3	1	3
C079849	13	99	10	1008	<.5	112	36	1629	5.41	30	<10	<4	14	46	4.7	18	6	117	.31	.058	39	46	.60	264	.37	6.53	.05	1.42	22	49	4	16	11	2	13
C079869	3	44	5	51	<.5	28	11	373	2.99	8	<10	<4	13	116	<.4	5	<5	75	.86	.049	28	39	1.03	474	.21	5.15	.23	2.20	<4	54	2	12	6	2	8
C079889	<2	25	<5	167	<.5	17	9	245	2.35	14	<10	<4	15	118	<.4	7	<5	46	.41	.022	30	35	.67	484	.24	5.41	.08	1.70	6	31	2	7	9	2	7
C083069	<2	17	12	43	<.5	24	10	201	2.70	5	<10	<4	14	148	.4	<5	8	63	.27	.019	33	40	.56	777	.29	6.57	1.99	2.32	4	18	<2	8	10	2	11
C083029	<2	48	23	65	<.5	32	15	425	3.75	<5	<10	<4	20	135	<.4	<5	6	74	.59	.015	36	50	.95	924	.37	7.29	1.53	2.53	9	31	3	7	11	2	11
C083049	<2	19	11	100	<.5	25	11	823	3.98	<5	<10	<4	17	320	.7	<5	10	53	8.63	.027	37	34	.79	555	.29	6.68	1.29	1.52	35	41	<2	16	11	2	9
C083089	7	22	13	106	<.5	31	19	1693	5.87	<5	<10	<4	20	321	<.4	17	31	69	7.15	.051	50	46	1.23	404	.32	6.68	1.32	1.49	>200	35	<2	16	23	7	12
C083109	<2	56	15	70	<.5	43	18	472	3.87	5	<10	<4	18	169	<.4	<5	<5	75	.70	.041	41	54	1.16	730	.36	7.80	1.24	2.55	26	33	2	8	11	2	12
C083129	<2	28	21	90	<.5	25	10	664	3.67	<5	<10	<4	18	205	<.4	5	9	60	2.69	.033	35	38	1.02	656	.33	6.96	1.35	2.30	<4	27	2	11	13	2	10
C083149	10	33	11	102	<.5	58	13	992	3.94	19	<10	<4	13	207	<.4	<5	5	367	4.01	.056	28	45	.86	1591	.27	5.48	.89	1.83	>200	32	2	16	8	3	9
C083169	<2	19	<5	58	<.5	28	11	517	3.41	7	<10	<4	16	512	<.4	<5	<5	82	1.87	.050	33	48	1.23	932	.43	7.67	2.09	2.41	4	33	4	17	13	5	13
C083189	<2	5	40	18	<.5	3	3	166	1.04	10	<10	<4	31	316	<.4	<5	<5	10	1.27	.018	30	24	.28	702	.10	6.76	2.38	2.66	5	38	2	14	14	5	2
C080069	<2	29	7	160	<.5	38	13	420	4.46	5	<10	<4	19	123	<.4	<5	14	90	.22	.032	40	67	.86	1040	.41	8.78	.88	2.92	5	20	2	9	13	3	14
C080089	<2	25	20	114	<.5	25	12	754	3.92	<5	<10	<4	19	324	.6	<5	<5	57	8.76	.060	40	43	.94	718	.32	7.13	1.13	2.11	34	42	2	20	12	2	10
C080109	<2	17	14	50	<.5	20	10	627	2.75	<5	<10	<4	17	151	<.4	<5	<5	46	1.05	.021	30	36	.61	477	.26	5.71	1.62	1.79	<4	15	2	9	9	1	7
C080129	<2	14	15	63	<.5	27	12	501	3.96	40	<10	<4	18	162	<.4	<5	6	68	1.51	.020	34	47	.98	590	.39	6.74	1.37	2.19	28	18	2	10	12	2	10
C080149	<2	26	19	94	<.5	34	13	374	3.79	7	<10	<4	24	252	<.4	6	7	85	.85	.046	52	50	1.03	770	.41	7.89	1.46	2.64	<4	33	4	11	16	3	13
C080189	<2	34	20	143	<.5	29	13	585	4.17	54	<10	<4	19	236	<.4	<5	9	68	1.84	.028	37	49	.97	573	.36	7.42	1.25	2.12	>200	19	<2	11	11	2	10
C080209	<2	11	14	68	<.5	19	10	500	3.09	<5	<10	<4	20	512	<.4	<5	5	56	3.85	.066	36	35	1.00	1081	.35	7.38	2.14	2.25	<4	17	3	13	17	4	8
C080229	<2	28	16	90	<.5	33	12	838	3.37	<5	<10	<4	19	188	<.4	<5	8	62	3.63	.042	38	49	2.64	662	.32	6.56	1.08	2.66	6	21	3	22	11	3	10
C080249	<2	46	15	64	<.5	26	12	652	3.17	<5	<10	<4	15	179	<.4	<5	<5	62	2.57	.028	30	42	.97	989	.32	5.99	1.00	2.36	148	24	<2	12	11	2	10
RE C080249	<2	45	17	64	<.5	26	12	681	3.20	<5	<10	<4	16	181	<.4	<5	8	63	2.59	.028	30	41	.96	989	.32	6.07	1.00	2.31	150	26	2	12	10	2	10
C080269	13	29	9	93	<.5	44	11	738	3.23	9	<10	<4	17	432	<.4	8	11	248	5.68	.063	60	44	1.71	1461	.30	5.42	1.28	1.22	>200	32	<2	27	18	5	11
STANDARD D	11	129	31	174	<.5	31	13	981	4.03	22	<10	<4	8	316	6.2	7	5	106	2.22	.093	24	235	1.12	677	.40	7.00	1.77	1.37	8	57	5	15	9	3	12

Standard is STANDARD DS76.

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.

- SAMPLE TYPE: ROCK CHIP P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

01-04-07 A13:32 OST

Data___ FA ____ DATE RECEIVED: DEC 7 2006 DATE REPORT MAILED:.....

BRITISH COLUMBIA CERTIFIED ASSAYER Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

JAN-05-2007 FRI 03:33 PM ACME ANALYTICAL FAX NO. 6042531716 P. 02

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEM PRECIOUS METALS ANALYSIS

StrataGold Corporation File # A609488

701 - 475 Howe St., Vancouver BC V6C 2B3

SAMPLE#	Au** ppb
G-1	<2
C079729	33
C079749	6
C079769	2
C079789	22
C079809	6
C079829	18
C079849	6
C079869	5
C079889	7
C083009	<2
C083029	6
C083049	<2
C083089	<2
C083109	5
C083129	4
C083149	4
C083169	<2
C083189	2
C080069	<2
C080089	<2
C080109	7
C080129	<2
C080149	4
C080189	3
C080209	<2
C080229	4
C080249	<2
RE C080249	<2
C080269	4
STANDARD OxF41	812

GROUP 3B - FIRE GEOCHEM AU - 30 GM SAMPLE FUSION, DORE DISSOLVED IN AQUA - REGIA, ICP ANALYSIS. UPPER LIMITS = 10 PPM.
GROUP 6 AU RECOMMENDED IF >10PPM FOR 30 GM, >5PPM FOR 50 GM.
- SAMPLE TYPE: ROCK CHIP P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

07-03-07 P01:33 OUT

Data f FA ____ DATE RECEIVED: DEC 7 2006 DATE REPORT MAILED:.....

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

JAN-05-2007 FRI 03:34 PM ACME ANALYTICAL FAX NO. 6042531716

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604) 253-1716
(ISO 9001 Accredited Co.)

GEOCHEM PRECIOUS METALS ANALYSIS

StrataGold Corporation File # A700219

701 - 475 Howe St., Vancouver BC V6C 2B3

SAMPLE#	Au** ppb
G-1	<2
C080469	8
C080489	5
C080509	6
C080529	<2
C080549	<2
STANDARD OxF41	809

GROUP 3B - FIRE GEOCHEM AU - 30 GM SAMPLE FUSION, DORE DISSOLVED IN AQUA - REGIA, ICP ANALYSIS. UPPER LIMITS = 10 PPM.
GROUP 6 AU RECOMMENDED IF >10PPM FOR 30 GM, >5PPM FOR 50 GM.
- SAMPLE TYPE: ROCK CHIP P150

Data 1 FA ____ DATE RECEIVED: JAN 4 2007 DATE REPORT MAILED: JAN 23 2007

Raymond Chan

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

JAN-23-2007 TUE 02:02 PM ACME ANALYTICAL FAX NO. 6042531716 P. 03

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604) 253-1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation File # A700219

701 - 675 Howe St., Vancouver BC V6C 2B3

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm
G-1	12	3	25	56	<.5	5	5	773	2.89	<5	<10	<4	8	725	<.4	<5	<5	51	2.44	.083	21	8	.71	998	.25	7.46	2.62	2.31	<4	11	<2	14	18	3	5
C080469	4	30	30	61	<.5	24	11	432	3.08	7	<10	<4	18	194	<.4	<5	<5	64	.87	.030	37	48	.76	1300	.31	7.05	1.62	2.42	5	26	3	10	9	2	12
C080489	2	10	16	53	<.5	10	10	448	3.09	7	<10	<4	21	612	<.4	<5	<5	61	3.47	.089	41	37	1.38	1723	.38	7.60	2.22	2.05	5	25	<2	15	15	4	10
C080509	2	14	8	67	<.5	25	10	874	3.87	6	<10	<4	15	500	<.4	<5	<5	48	8.80	.037	36	39	.70	527	.27	6.52	1.84	1.11	155	38	3	15	9	2	9
C080529	2	24	19	75	<.5	29	12	704	3.59	7	<10	<4	16	180	<.4	<5	<5	67	.66	.034	37	58	.99	677	.35	7.28	1.73	2.18	<4	28	<2	9	11	2	11
C080549	<2	28	17	90	<.5	34	14	518	3.99	<5	16	<4	17	224	<.4	<5	<5	84	.93	.046	42	65	1.01	950	.43	7.82	1.42	2.04	<4	31	<2	11	13	3	13
STANDARD DST6	11	122	29	163	.5	31	13	957	3.96	24	<10	<4	7	319	6.1	6	5	105	2.14	.095	23	237	1.12	684	.39	6.80	1.70	1.32	10	56	6	15	8	4	12

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.
- SAMPLE TYPE: ROCK CHIP P150

Data FA ____ DATE RECEIVED: JAN 4 2007 DATE REPORT MAILED: JAN 19 2007

BRITISH COLUMBIA CERTIFIED ASSAYER
Raymond Chan

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

JAN-23-2007 TUE 02:02 PM ACME ANALYTICAL FAX NO. 6042531716 P. 02

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation File # A700219

701 - 475 Howe St., Vancouver BC V6C 2B3

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm
G-1	12	3	25	56	<.5	5	5	773	2.89	<5	<10	<4	8	725	<.4	<5	<5	51	2.44	.083	21	8	.71	998	.25	7.46	2.62	2.31	<4	11	<2	14	18	3	5
C080469	4	30	30	61	<.5	24	11	432	3.08	7	<10	<4	18	194	<.4	<5	<5	64	.87	.030	37	48	.76	1300	.31	7.05	1.62	2.42	5	26	3	10	9	2	12
C080489	2	10	16	53	<.5	10	10	448	3.09	7	<10	<4	21	612	<.4	<5	<5	61	3.47	.089	41	37	1.38	1723	.38	7.60	2.22	2.05	5	25	<2	15	15	4	10
C080509	2	14	8	67	<.5	25	10	874	3.87	6	<10	<4	15	500	<.4	<5	<5	48	8.80	.037	36	39	.70	527	.27	6.52	1.84	1.11	155	38	3	15	9	2	9
C080529	2	24	19	75	<.5	29	12	704	3.59	7	<10	<4	16	180	<.4	<5	<5	67	.66	.034	37	58	.99	677	.35	7.28	1.73	2.18	<4	28	<2	9	11	2	11
C080549	<2	28	17	90	<.5	34	14	518	3.99	<5	16	<4	17	224	<.4	<5	<5	84	.93	.046	42	65	1.01	950	.43	7.82	1.42	2.04	<4	31	<2	11	13	3	13
STANDARD DST6	11	122	29	163	.5	31	13	957	3.96	24	<10	<4	7	319	6.1	6	5	105	2.14	.095	23	237	1.12	684	.39	6.80	1.70	1.32	10	56	6	15	8	4	12

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.
- SAMPLE TYPE: ROCK CHIP P150

Data FA ____ **DATE RECEIVED:** JAN 4 2007 **DATE REPORT MAILED:** JAN 19 2007

BRITISH COLUMBIA CERTIFIED ASSAYER
Raymond Chan

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEM PRECIOUS METALS ANALYSIS

StrataGold Corporation File # A700219
701 - 475 Howe St., Vancouver BC V6C 2B3

SAMPLE#	Au** ppb
G-1	<2
C080469	8
C080489	5
C080509	6
C080529	<2
C080549	<2
STANDARD OxF41	809

GROUP 3B - FIRE GEOCHEM AU - 30 GM SAMPLE FUSION, DORE DISSOLVED IN AQUA - REGIA, ICP ANALYSIS. UPPER LIMITS = 10 PPM.
GROUP 6 AU RECOMMENDED IF >10PPM FOR 30 GM, >5PPM FOR 50 GM.
- SAMPLE TYPE: ROCK CHIP P150

Data 1 FA ____ DATE RECEIVED: JAN 4 2007 DATE REPORT MAILED: JAN 23 2007

BRITISH COLUMBIA CERTIFIED ASSAYER
Raymond Chan

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation File # A700219
701 - 475 Howe St., Vancouver BC V6C 2B3

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm
G-1	12	3	25	56	<.5	5	5	773	2.89	<5	<10	<4	8	725	<.4	<5	<5	51	2.44	.083	21	8	.71	998	.25	7.46	2.62	2.31	<4	11	<2	14	18	3	5
C080469	4	30	30	61	<.5	24	11	432	3.08	7	<10	<4	18	194	<.4	<5	<5	64	.87	.030	37	48	.76	1300	.31	7.05	1.62	2.42	5	26	3	10	9	2	12
C080489	2	10	16	53	<.5	10	10	448	3.09	7	<10	<4	21	612	<.4	<5	<5	61	3.47	.089	41	37	1.38	1723	.38	7.60	2.22	2.05	5	25	<2	15	15	4	10
C080509	2	14	8	67	<.5	25	10	874	3.87	6	<10	<4	15	500	<.4	<5	<5	48	8.80	.037	36	39	.70	527	.27	6.52	1.84	1.11	155	38	3	15	9	2	9
C080529	2	24	19	75	<.5	29	12	704	3.59	7	<10	<4	16	180	<.4	<5	<5	67	.66	.034	37	58	.99	677	.35	7.28	1.73	2.18	<4	28	<2	9	11	2	11
C080549	<2	28	17	90	<.5	34	14	518	3.99	<5	16	<4	17	224	<.4	<5	<5	84	.93	.046	42	65	1.01	950	.43	7.82	1.42	2.04	<4	31	<2	11	13	3	13
STANDARD DST6	11	122	29	163	.5	31	13	957	3.96	24	<10	<4	7	319	6.1	6	5	105	2.14	.095	23	237	1.12	684	.39	6.80	1.70	1.32	10	56	6	15	8	4	12

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.
- SAMPLE TYPE: ROCK CHIP P150

Data FA ____ DATE RECEIVED: JAN 4 2007 DATE REPORT MAILED: JAN 19 2007

BRITISH COLUMBIA CERTIFIED ASSAYER
Raymond Chan

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEM PRECIOUS METALS ANALYSIS

StrataGold Corporation File # A700219
701 - 475 Howe St., Vancouver BC V6C 2B3

SAMPLE#	Au** ppb
G-1	<2
C080469	8
C080489	5
C080509	6
C080529	<2
C080549	<2
STANDARD OxF41	809

GROUP 3B - FIRE GEOCHEM AU - 30 GM SAMPLE FUSION, DORE DISSOLVED IN AQUA - REGIA, ICP ANALYSIS. UPPER LIMITS = 10 PPM.
GROUP 6 AU RECOMMENDED IF >10PPM FOR 30 GM, >5PPM FOR 50 GM.
- SAMPLE TYPE: ROCK CHIP P150

Data A FA ____ DATE RECEIVED: JAN 4 2007 DATE REPORT MAILED:.....JAN 23 2007

Raymond Chan

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

APPENDIX H

Dublin Gulch Maps with Regional Soil and Rock Sample Locations;
4 Maps: Aurum Adit, Haggart Creek, Shamrock road outcrop and Regional Soils, Rocks and Grab Samples.


461280
461290
461300
461310
461320
461330
461340
461350
461360
7101190
7101180
7101170
7101160
7101150
7101140
7101130
E
Start Point:
461312 E
7101186 N
Azimuth: 149 degrees
30.5m
55m
B290500
B290499
B290498
B290496
B290497
B290494
B290495
B290492
B290493
B290490
B290491
B290488
B290489
B290486
B290487
B290484
B290485
B290482
B290483
B290480
B290481
B290478
B290479
B290476
B290477
B290474
B290475
B290473
B290471
B290472
B290469
B290470
B290467
B290468
B290465
B290466
B290463
B290464
B290461
B290462
B290459
B290460
B290457
B290458
B290455
B290456
B290452
B290454
B290451
StrataGold Corporation
Date: 2007/02/15
Author: J.Scully
Office: Vancouver
Version: 1.0
Figure:
Rev. Date:
Scale:1:350
Aurum Adit
Sample Locations
Projection: UTM Zone 8 (NAD 83)
Filename: S01735_chem_20070215_AurumAdit.mxd
6
0
6
12
18
Meters
Legend
Start Point
Adit Samples
Adit Sampling Line

457800 457900 458000 458100 458200 458300 458400

7101100 7101000 7100900 7100800 7100700 7100600 7100500 7100400 7100300

E

YA17939
SMOKY 10

YA43129
SMOKY 92

YA17938
SMOKY 9

YA17937
SMOKY 8

YA43128
SMOKY 91

YA17936
SMOKY 7

YA43136
SMOKY 99F

YA17934
SMOKY 5

YA43135
SMOKY 98F

End Point:
458,030.245 mE
7,100,997.692 mN

Direction of Sampling

B628719 B628718
B628717 B628716
B628715 B628714
B630185 B630184
B630183 B630182
B630181 B630180
B630179 B630178

Start Point:
458,029.860 mE
7,100,957.741 mN

End Point:
458,143.963 mE
7,100,563.479 mN

C082948 C082947
C082946 C082945
C082944 C082943
C082942 C082941
C082940 C082939
C082938 C082935
C082950 C082949
C082934 C082933
C082932 C082931
C082930 C082929
C082927 C082926
C082925 C082924
C082923 C082922
C082921 C082920
C082919 C082918
C082917 C082916
C082915 C082914
C082913 C082912
C082911 C082910
C082909 C082908
C082907 C082906
C082905 C082904
C082903 C082902
C082901 B630200
B630199 B630198
B630197 B630196
B630195 B630194
B630193 B630192
B630191 B630190
B630189 B630188
B630187 B630186

Direction of Sampling

Start Point:
458,174.451 mE
7,100,449.520 mN

Legend

- Haggart Creek Sampling
- Roads
- Streams
- Elevation Contours

StrataGold Corporation

Date: 2007/02/16	**Haggart Creek** Sample Locations
Author: J.Scully	
Office: Vancouver	
Version: 1.0	
Figure:	
Rev. Date:	Projection: UTM Zone 8 (NAD 83)
Scale:1:1,500	Filename: S01735_chem_20070215_HaggartCreek_Sampling.mxd

30 0 30 60 90
Meters

Note: Hand held GPS used to record Sample Locations. +/- 10m error in location

E

450000 452000 454000 456000 458000 460000 462000 464000 466000 468000 470000 472000 474000 476000 478000

7100000 7098000 7096000 7094000 7092000 7090000 7088000 7086000 7084000 7082000 7080000 7078000 7076000

Legend

- North Dublin Gulch Sampling
- South Eagle Sampling
- Shamrock Sampling
- Shamrock Resampled
- Shamrock Infill Samples
- Peso Sampling
- Regional Soil Sampling Program
- Jeff116 Samples
- Loose Soil Samples
- Shamrock Road Soil Samples
- Rivers
- Lakes
- SGV Claims

StrataGold Corporation

Date: 2007/02/19	**Dublin Gulch** Shamrock Road Outcrop and Regional Soil Sampling
Author: J.Scully	
Office: Vancouver	
Version: 1.0	
Figure:	
Rev. Date:	Projection: UTM Zone 8 (NAD 83)
Scale: 1:35,000	Filename: S01735_chem_20070219_Dub-G_Regional_Sampling.mxd

1 0 1 2 3
Kilometers

E

450000 452000 454000 456000 458000 460000 462000 464000 466000 468000 470000 472000 474000 476000 478000

7101000 7100500 7100000 7099500 7099000 7098500 7098000 7097500 7097000 7096500 7096000 7095500 7095000 7094500 7094000

StrataGold Corporation

Date: 2007/02/19	**Dublin Gulch**
Author: J.Scully	Rock Sampling
Office: Vancouver	
Version: 1.0	
Figure:	
Rev. Date:	Projection: UTM Zone 8 (NAD 83)
Scale: 1:35,000	Filename: S01735_chem_20070219_Dub-G_Regional_Sampling.mxd

1 0 1 2 3
Kilometers

Legend

- Rock Sampling of Possible Shamrock Vein and Adit
- Loose Rock Sampling
- Rivers
- Lakes
- SGV Claims

APPENDIX I

Dublin Gulch Map with Shamrock Trenches and Sample Locations

2006 Dublin Gulch Shamrock/Cascallen Area Trenching Program

Appendix I

Projection: UTM Zone 8 (NAD 83)















APPENDIX J

List of Geochemical Rock Samples

Geochemical Rock Samples 2006 - Aurum Adit (UTM in NAD 83 Zone 8)		
Chainage of 0.00m @ 461312E 7101186N Workings begin @ 7.25m with Chain bearing 149°		
Sample #	**Chainage (m)**	**Distance From Chainage 0.00m**
B290451	55.00	47.75
B290452	54.50	47.25
B290453	54.00	46.75
B290454	53.50	46.25
B290455	53.00	45.75
B290456	52.50	45.25
B290457	52.00	44.75
B290458	51.50	44.25
B290459	51.00	43.75
B290460	50.50	43.25
B290461	50.00	42.75
B290462	49.50	42.25
B290463	49.00	41.75
B290464	48.50	41.25
B290465	48.00	40.75
B290466	47.50	40.25
B290467	47.00	39.75
B290468	46.50	39.25
B290469	46.00	38.75
B290470	45.50	38.25
B290471	45.00	37.75
B290472	44.50	37.25
B290473	44.00	36.75
B290474	43.50	36.25
B290475	43.00	35.75
B290476	42.50	35.25
B290477	42.00	34.75
B290478	41.50	34.25
B290479	41.00	33.75
B290480	40.50	33.25
B290481	40.00	32.75
B290482	39.50	32.25
B290483	39.00	31.75
B290484	38.50	31.25
B290485	38.00	30.75
B290486	37.50	30.25
B290487	37.00	29.75
B290488	36.50	29.25
B290489	36.00	28.75
B290490	35.50	28.25
B290491	35.00	27.75
B290492	34.50	27.25
B290493	34.00	26.75
B290494	33.50	26.25
B290495	33.00	25.75
B290496	32.50	25.25
B290497	32.00	24.75
B290498	31.50	24.25
B290499	31.00	23.75
B290500	30.50	23.25

Geochemical Rock Samples 2006 - Shamrock Road Cut				
Start of Outcrop @ 462586E 7102005N, ELEV 1260 End of Outcrop @ 462583E 7101866N, ELEV 1252 All coordinates in NAD 83, Zone 8				
Certificate	Sample	From	To	Sample Type
VA06105243	B629611	32	34	Chip Channel Sample
VA06105243	B629612	34	36	Chip Channel Sample
VA06105243	B629613	36	38	Chip Channel Sample
VA06105243	B629614	38	40	Chip Channel Sample
VA06105243	B629615	40	42	Chip Channel Sample
VA06105243	B629616	42	44	Chip Channel Sample
VA06105243	B629617	44	46	Chip Channel Sample
VA06105243	B629618	46	48	Chip Channel Sample
VA06105243	B629619	48	50	Channel Sample
VA06105243	B629620	50	52	Channel Sample
VA06105243	B629621	52	54	Channel Sample
VA06105243	B629622	54	56	Channel Sample
VA06105243	B629623	56	58	Channel Sample
VA06105243	B629624	58	60	Channel Sample
VA06105243	B629625	60	62	Channel Sample
VA06105243	B629626	62	64	Channel Sample
VA06105243	B629627	64	66	Channel Sample
VA06105243	B629628	66	68	Channel Sample
VA06105243	B629629	68	70	Channel Sample
VA06105243	B629630	70	72	Channel Sample
VA06105243	B629631	72	74	Channel Sample
VA06105243	B629632	74	76	Channel Sample
VA06105243	B629633	76	78	Channel Sample
VA06105243	B629634	78	80	Channel Sample
VA06105243	B629635	80	82	Channel Sample
VA06105243	B629636	82	84	Channel Sample
VA06105243	B629637	84	86	Channel Sample
VA06105243	B629638	86	88	Channel Sample
VA06105243	B629639	88	90	Channel Sample
VA06105243	B629640	90	92	Channel Sample
VA06105243	B629641	92	94	Channel Sample
VA06105243	B629642	94	96	Chip Channel Sample
VA06105243	B629643	96	98	Chip Channel Sample
VA06105243	B629644	98	100	Channel Sample
VA06105243	B629645	100	102	Channel Sample
VA06105243	B629646	102	104	Channel Sample
VA06105243	B629647	104	106	Channel Sample
VA06105243	B629648	106	108	Channel Sample
VA06105243	B629649	108	110	Channel Sample
VA06105243	B629650	110	112	Channel Sample
VA06105243	B687551	112	114	Channel Sample
VA06105243	B687552	114	116	Channel Sample
VA06105243	B687553	116	118	Channel Sample
VA06105243	B687554	118	120	Channel Sample
VA06105243	B687555	120	122	Channel Sample
VA06105243	B687556	122	124	Channel Sample
VA06105243	B687557	124	125	Channel Sample

Geochemical Rock Samples 2006 - Grabs (All UTM coordinates in NAD 83, Zone 8)										
Sample	Certificate	Easting	Northing	Location	Sample Type	Vein			Sulphides	Comments
						Type	Strike	Dip		
B088127	VA06059453	461310	7101192		Rock					Aurum adit mine dump. Sample from dump showing scorodite, Qtz, aspy. 1 of 2 samples
B088128	VA06059453	461310	7101192		Rock					2 of 2 samples
B088129	VA06059453	462125	7101963		Rock	Qtz	125	60	py (ox)	Cliff face of sheared quartz vein. Thickness unknown. Samples are from remnants of vein. Trace py visible.
B088130	VA06059453	462286	7101968		Rock	Qtz	122	50		Shamrock Vein. 10-15cm thick, no mineralization visible. Clean, white quartz. Base of vein showing alteration. Site is near old adit w/ adit dump adjacent to cliff
B088131	VA06059453	461079	7101264		Rock	Qtz				Possible location of cabin vein. Ranges in thickness from 5-15cm thick. No attitude obtained, too broken. Site is a pit, downhill from Aurum Adit, MSED country rock
B088132	VA06059453	459098	7101050		Rock	Qtz	90	90	py, aspy	West creek fissure zone, dublin gulch, near suttle pup confluence. Sample is qtz vein, crosscutting MSED (160/25)
B088133	VA06059453	460122.88	7100120.8		Rock	Qtz	210	30	tr. Py.	Note: Originally in NAD27.460222, 7099942 - Converted to NAD83 with online NTv2 app. MSED cliff, on E. side of stewart gulch. Near Eagle vein and Scarp Vein. Adjacent to proposed fault.
B088134	VA06059453	461389	7100972		Rock	Qtz	20	70	Aspy	2+ parallel veins, 2-6cm wide. Massive arsenopyrite, with abundant scorodite, limonite/hematite. Veins spaced 3-5cm apart. Trench dump has pieces showing >6cm veins. Trench is adjacent to Aurum Adit, running SW-NE, parallel to road
B088135	VA06059453	464179	7102632		Rock	Qtz				MSED outcrop, N side of Potato Hills
B088385	VA06059453	460713	7100562		Rock	Qtz				Qtz sample
B088386	VA06059453	460712	7100565		Rock					MSED sample

Geochemical Rock Samples 2006 - Grabs (All UTM coordinates in NAD 83, Zone 8)

Sample	Certificate	Easting	Northing	Location	Sample Type	Vein			Sulphides	Comments
						Type	Strike	Dip		
B088387	VA06059453	460765	7100340		Rock	Qtz		90		qtz sample
B088388	VA06059453	461310	7101192		Rock	Qtz				Aurum Adit mine dump.
B088661	VA06059453	460759	7100466		Rock	Qtz			Aspy	Blue lead shaft dump. Qtz vein, rubble w/ scorodite, Pyrite
B088662	VA06059453	461310	7101192		Rock	Qtz			Aspy	Aurum Adit. Shaft dump. Qtz, AsPy
B088663	VA06059453	462123	7101963		Rock	Qtz	125	60	Py	Shamrock. GND outcrop, 15m tall.Qtz vein, tr. Py.
B088664	VA06059453	462293	7101971		Rock	Qtz	125	40		Shamrock vein. Very clean quartz. 10cm wide
B088665	VA06059453	461077	7101266		Rock	Qtz				Possible location of Cabin Vein. Possible vein in bottom of trench. No evidence of mineralization
B088666	VA06059453	459099	7101047		Rock	Qtz	160	25	Aspy	MSED outcrop, N side of Dublin Gulch. Extensive limonite staining
B088667	VA06059453	460170	7100007		Rock	Qtz	210	20	Py	trench, 30m long, 10m wide. Running N-S. Outcrop on W. side of trench. Limonite staining, coarse biotite on contact w/ MSED. Tr. Py. Along fractures
B088668	VA06059453	461337	7101098		Rock	Qtz				Catto vein, Qtz, running length of trench. Trench follows vein trending E-W, near vertical dip. Vein consists of very coarse grained qtz, up to 10mm grains. MSED country rock
B088669	VA06059453	461378	7101155		Rock	Qtz	90	90	aspy, scoroc	Catto Vein - large qtz vein, up to 26cm wide. Consists of coarse qtz grains w/ aspy and scorodite. Country rock is mseds w/ strike=200, dip=35. Granodiorite intrusion 45cm thick on north east side of trench dipping with msed bedding.
B088670	VA06059453	464114	7102659		Rock	Qtz			aspy, scoroc	CB No. 1 Vein - Trench on north side of West Potato Hill running E-W. Trench was filled w/ snow, unable to locate supposed CB No. 1 Vein. Grab sample from rubble of assumed qtz vein.

Geochemical Rock Samples 2006 - Grabs (All UTM coordinates in NAD 83, Zone 8)										
Sample	Certificate	Easting	Northing	Location	Sample Type	Vein			Sulphides	Comments
						Type	Strike	Dip		
B088671	VA06059453	463781	7102663		Rock	Qtz	90	90	scorodite	CB No. 2 Vein - trench on north side of West Potato Hill approx 350m west of CB No. 1 Vein. Trench runs N-S approx 50m long. Qtz vein in mseds. Vein showing scorodite and limonite staining.
B088672	VA06059453	461701	7101157		Rock	Qtz			minor aspy,	Possible Olive Vein - Trench approx 600m upstream of where Olive Gulch crosses main road, trench on east side of Olive Gulch. Trench ~300m long running N-S. No outcrop visible, took grab sample from dump at the South end of trench. MORE in XLS
B088385	VA06059453	460712	7100565		Rock					
B627731	VA06104457	462265	7101955	Cascallen Dump Pile						Surface grab sample
B627732	VA06104457	462265	7101955	Cascallen Dump Pile						Surface grab sample
B627733	VA06105725	462137	7102045	Old Dig Site on Ridge (found by Jim, Kim and Daniel)						Material from vein in situ. Vein striking 76 and dipping 70S. GND, very altered, high scordite in vein with some massive aspy. Very vuggy (from ground water?) and rusted throughout. Occaisional quartz veins, between 2 to 5mm, following vein strike and dip. Had to dig to expose vein surface.
B627734	VA06105725	462137	7102045	Old Dig Site on Ridge (found by Jim, Kim and Daniel)						Material from surface around vein, not in situ. Same description as above, more weathered from surface exposure.

Geochemical Rock Samples 2006 - Grabs (All UTM coordinates in NAD 83, Zone 8)										
Sample	Certificate	Easting	Northing	Location	Sample Type	Vein			Sulphides	Comments
						Type	Strike	Dip		
B627735	VA06105725	462193	7102008	Shamrock Vein (possibly)						Opaque and smokey quartz vein, 10 to 20cm wide - indeterminant due to rock calving and overgrowth in area. Lightly rusted and showing faint pink in some areas. Striking approx 120, dipping 45S. This is near where the northern end of the Shamrock vein occures on the map. The quartz vein can be followed down the steep area to where the southern most point of the Shamrock vein would be.
B627736	VA06105725	462184	7101978	Shamrock Vein (possibly)						As above. This point is near the southern end of the Shamrock vein is plotted on the map.
B627737	VA06105725	462191	7101959	Shamrock Adit/Dump Pile						Scordite material from dump pile near mouth of adit. Below where some wall structures (cut logs) are visible as they protrude from the hill side, partially sheilded by a spruce (?) tree and dense willows. Adit shaft appears to be horizontal and runs straight north into hill side.
B627738	VA06105725	462191	7101959	Shamrock Adit/Dump Pile						Rust material from dump pile near mouth of adit.

Geochemical Rock Samples 2006 - Haggart Creek (All UTM coordinates in NAD 83, Zone 8)								
Certificate	Sample	From	To	Sample Type	Description	Rock Type	Dip	Location
VA06105725	B628714	18	20	Bulk	Quartzite and minor phyllite (10%) with crenulations. Rock wall broken and slumped, samples obtained in area as close to insitu as possible.			West Haggart Creek Initilal GPS (NAD 83) @ 458030E, 7100958N +/-9m
VA06105725	B628715	20	22	Bulk	Quartzite and phyllite (15%) with crenulations. Rock wall broken and slumped, samples obtained in area as close to insitu as possible.			West Haggart Creek Initilal GPS (NAD 83) @ 458030E, 7100958N +/-9m
VA06105725	B628716	22	24	Bulk	Quartzite and phyllite (15%) with crenulations and small folds visible in section and small (1mm to 1.3cm)quartz veins scattered throughout with no preffered orientation. Rock wall broken and slumped, samples obtained in area as close to insitu as possible.			West Haggart Creek Initilal GPS (NAD 83) @ 458030E, 7100958N +/-9m
VA06105725	B628717	24	26	Bulk	Quartzite and phyllite (15%) with crenulations and small folds visible in section and small (1mm to 1.3cm)quartz veins scattered throughout with no preffered orientation. Possibly in situ, pervasive foliation/fracture @ 036 dipping 52 NW. Qtz veins follow foliation, 038, dipping 15 to SW.			West Haggart Creek Initilal GPS (NAD 83) @ 458030E, 7100958N +/-9m
VA06105725	B628718	38	40	Bulk	Quartzite, no discernable foliation, few qtz veins throughout - 1cm to 3cm wide with one vein 11cm wide (next sample).			West Haggart Creek Initilal GPS (NAD 83) @ 458030E, 7100958N +/-9m
VA06105725	B628719	38	40	Qtz vein	Qtz vin, cm wide, milky and white, rusted at the surface. 036 with nearly vertical dip, appears to be a sheeted vein.			West Haggart Creek Initilal GPS (NAD 83) @ 458030E, 7100958N +/-9m
VA06098508	B630178	0	2	Bulk	MSED (quartzite); phyllitic texture w/ several structural fabrics: S1 @ 300°--visually identifiable is the bedding, the dip of the bedding is 80-90° w/ a strike of 300°; essentially seds are on end as foliation, crenulations & partings demonstrate. S2 @ 200°--rock is dipping ~75-80° towards East Haggart. no visible vning, pervasive limonite staining & on frac surfaces; typical phyllitic quartzite; no silicification of quartzites.			West Haggart Creek Initilal GPS (NAD 83) @ 458030E, 7100958N +/-9m
VA06098508	B630179	2	4	Bulk	Same description as previous sample, structure more obvious but consistent, still no vning to observe.			West Haggart Creek Initilal GPS (NAD 83) @ 458030E, 7100958N +/-9m

Geochemical Rock Samples 2006 - Haggart Creek (All UTM coordinates in NAD 83, Zone 8)								
Certificate	Sample	From	To	Sample Type	Description	Rock Type	Dip	Location
VA06098508	B630180	4	6	Bulk	MSED's (quartzite) continues, however structure is obscured by fracturing & some vegetation/slumping; @ ~5.75m structural fabric becomes v.crenulated & more phyllitic in texture, rock is easily cleaved in undulating (wavey) pieces, no vning observed.			West Haggart Creek Initilal GPS (NAD 83) @ 458030E, 7100958N +/-9m
VA06098508	B630181	6	8	Bulk	Same phyllitic quartzite unit w/ same fabric as 5.75-6m; no visible vning.			West Haggart Creek Initilal GPS (NAD 83) @ 458030E, 7100958N +/-9m
VA06098508	B630182	8	10	Bulk	Same phyllitic quartzite unit w/ no visible vning; rock wall became broken & slumped although in situ samples are obtained.			West Haggart Creek Initilal GPS (NAD 83) @ 458030E, 7100958N +/-9m
VA06098508	B630183	10	12	Bulk	Same as above.			West Haggart Creek Initilal GPS (NAD 83) @ 458030E, 7100958N +/-9m
VA06098508	B630184	12	14	Bulk	Same as above; structure appears much nicer @ top of outcrop but too dangerous to ascertain due to slides and angle of repose.			West Haggart Creek Initilal GPS (NAD 83) @ 458030E, 7100958N +/-9m
VA06098508	B630185	14	16	Bulk	Rock becomes less phyllitic & appears more competent @ river level, however @ 20m above river & greater, rock becomes v.crenulated/broken & slumped.			West Haggart Creek Initilal GPS (NAD 83) @ 458030E, 7100958N +/-9m
VA06098508	B630186	0	2	Bulk	General avg strike of phyllites is 125°, the unit varies quite commonly, dip is v.irregular from 45 to 90° w/in meters; rock unit is phyllite, graphite sheen v.broken & easily cleaved; oxidized surface coating (limonite) occasional but predominantly fresh looking rock; small qtz vnlets/vning along crenulation, and boudins along foliations (~< 1% of sample); vning does not demonstrate mineralization.	ph	125	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-5
VA06098508	B630187	2	4	Bulk	Phyllite unit as previous description; unit has slightly increased vning (~1% of sample width, 7); visible en echelon tension gashes (micro vnlets--~1cm long) striking 040-050 and 120; @ ~3.95m a 2cm wide qtz vn on foliation displays v.local chlorite alt on margins & demonstrates no visible sulphides.	ph	125	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6

Geochemical Rock Samples 2006 - Haggart Creek (All UTM coordinates in NAD 83, Zone 8)								
Certificate	Sample	From	To	Sample Type	Description	Rock Type	Dip	Location
VA06098508	B630188	4	6	Bulk	Phyllite as previous; several 2-3cm wide qtz vns on phyllite foliation, chlorite present but no sulphides; vning ~1% of unit sample; some x-cutting vnlets striking 050° dipping, ~50° to NW.	ph	125	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	B630189	6	8	Bulk	Phyllite as previous; unit has ~1% qtz vning; vning is a micro vnlets crenulated predominantly x-cutting @ 050° strike.	ph	125	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	B630190	8	10	Bulk	Phyllite as previous; strike has changed to ~130-135° dipping, ~040° to West; notably less vnlets, however a single 1/2cm wide qtz vn is striking 090° w/ an 80° dip; vning is < 1% in sample width.	ph	125	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	B630191	10	12	Bulk	Phyllite as previous; strike & dip same as previous; vning is < 1%; 1/2cm wide qtz vn striking 090° w/ dip of 80-90° as previous sample had.	ph	125	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	B630192	12	14	Bulk	Phyllite as previous; vnlets of qtz increase slightly (1% of sample width); some en echelon tension gashes vectoring @ 050°; no large vns or sulphides visible.	ph	125	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	B630193	14	16	Bulk	Phyllite as previous; strike of foliation has changed to 120-125° dipping 80-90° towards SW; 1 large qtz vn on foliation dipping 90° (~1m width w/ chloritized phyllite on its margins & inclusive incorporated fragments; @ 16m a second 10-12cm wide qtz vn w/ similar characteristics; both have visible py & possible aspy mineralization (see below sample specifically vn material).	ph	120	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	B630194	14.5	15.5	Qtz vn	1m qtz vn; vn has multiple vnlet stringers all running parallel defined by oxidation staining; vnlets have occasional py & possible aspy mineralization; strike of all vnlets is perpendicular to vn @ 020-030° dipping 80-90°, ~sulphides are 1% or less of vn material.	vn		East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6

Geochemical Rock Samples 2006 - Haggart Creek (All UTM coordinates in NAD 83, Zone 8)								
Certificate	Sample	From	To	Sample Type	Description	Rock Type	Dip	Location
VA06098508	B630195	16	18	Bulk	Phyllite as previous; some vning w/ py ~1%, vning ~1% of sample width; vning < 1/2cm width typical w/ strike, x-cutting foliation @ 020-030°; qtz vning is host to sulphides, mainly py is oxidized & observed as clots of small mm-sized py x-stals, otherwise rusty vnlets.	ph	120	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	B630196	18	20	Bulk	Phyllite as previous; 1 single large qtz vn (095-100) ~50cm wide w/ ~1% py vnlets x-cutting vn @ 000-020° dipping near vertical, easily spotted by rusty staining.	ph	120	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	B630197	20	22	Bulk	Phyllite as previous; sheeted vnlets, x-cutting vnlets ~1% of sample width; rusty stains on vnlet-margins suggest possible oxidized py in unit.	ph	120	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	B630198	22	24	Bulk	Phyllite as previous, striking 110° dipping 80-90° to SW; <1% qtz vning in unit width; some stained, rusty colors x-cutting vnlets indicating possible oxidized py.	ph	110	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	B630199	24	26	Bulk	Phyllite as previous, same strike/dip as previous; x-cutting py/qtz micro vnlets, usually defined by staining/rust; strike of vnlets typically 010-020° w/ dip of 70-90° to NW; most py v.oxidized, minor preserved x-stals; vning <1%, py <1%.	ph	110	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	B630200	26	28	Bulk	Phyllite & all characteristics same as previously described sample; 1 single 1cm wide qtz vn on foliation, <1% visible py found @ ~27m.	ph	110	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082901	28	30	Bulk	Phyllite same as previous 2 samples w/ ~1% vn w/ <1% py.	ph	110	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082902	30	32	Bulk	Phyllite w/ strike of 115/120° w/ dip of 90° mostly; 1, 60cm wide qtz/quartzite vn on foliation, 60% quartzite, 40% qtz, dipping 20° to NE; minor (<1% py in qtz blebs) below sampled specifically the vn.	ph	120	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6

Geochemical Rock Samples 2006 - Haggart Creek (All UTM coordinates in NAD 83, Zone 8)								
Certificate	Sample	From	To	Sample Type	Description	Rock Type	Dip	Location
VA06098508	C082903	30	30.6	Qtz vn	60cm wide quartzite (60%) qtz (40%) vn w/ <1% py, dips ~80° to NE; rusty blebs are indicative of oxidized py which typically can be confirmed by observing v.fine <1mm size py x-stals.			East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082904	32	34	Bulk	Phyllite unit as previous w/ slightly more abundant rusty staining on fracture surfaces; phyllite strikes 120° w/ a dip of 75-85° to West; v.minimal vnlets (trace).	ph	120	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082905	34	36	Bulk	v.broken phyllite unit; cannot ascertain foliation strike or dip; @ ~35.5m purplish colored silicified phyllite section ~30-40cm thick w/ ~20% qtz vning; no visible sulphides.	ph		East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082906	36	38	Bulk	Phyllite unit striking 100° dipping ~50° to NE; v.plain unit w/ little rusty staining.	ph	100	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082907	38	40	Bulk	Phyllite, same as previous sample.	ph	100	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082908	40	42	Bulk	Phyllite unit becoming slightly more silicified; minor limonite/rusty staining of fracture surfaces; <1% recognized py.	ph	100	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082909	42	44	Bulk	Same as above sample.	ph	100	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082910	44	46	Bulk	Phyllite unit; strikes 120° dips 50° to W; some minor clots of rusty py from vnlets x-cutting & occasionally on foliation.	ph	120	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082911	46	48	Bulk	Phyllite as previous; dip has changed to ~40° W; minor py oxidized blebs (trace <1%).	ph	120	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6

Geochemical Rock Samples 2006 - Haggart Creek (All UTM coordinates in NAD 83, Zone 8)								
Certificate	Sample	From	To	Sample Type	Description	Rock Type	Dip	Location
VA06098508	C082912	48	50	Bulk	Phyllite strikes 110° dips 55-60° to NE; trench was cut in sampled unit ~1 1/2m wide by 1m deep striking 080°?	ph	110	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082913	50	52	Bulk	Phyllite as previous, mapping/sampling difficult due to trench eliminating 50-51m of width; strike/dip: 105/50°.	ph	110	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082914	52	54	Bulk	Phyllite as previous; note notable features.	ph	110	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082915	54	56	Bulk	Phyllite as above.	ph	110	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082916	56	58	Bulk	Phyllite as previous; striking 125°, dip 90°; minor x-cutting vnlets v.rusty @ strike of ~030°; 1 single 30cm wide qtz vn'ed section, x-cutting vns form the general vn feature; vn strikes ~120° & dips 55° to NE.	ph	125	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082917	57	57	Qtz vn	Vn specific sample of above unit; qtz vning is ~50% of unit other 50% is chloritized/silicified phyllite; no visible sulphides.			East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082918	58	60	Bulk	Phyllite as previous; same strike/dip as previous; minor increase in rusty staining.	ph	125	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082919	60	62	Bulk	Phyllite as previous; striking 125° dipping 80-90° to NE.	ph	125	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082920	62	64	Bulk	Phyllite as previous.	ph	125	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6

Geochemical Rock Samples 2006 - Haggart Creek (All UTM coordinates in NAD 83, Zone 8)								
Certificate	Sample	From	To	Sample Type	Description	Rock Type	Dip	Location
VA06098508	C082921	64	66	Bulk	Phyllite as previous; striking 110° dipping 60° to NE.	ph	110	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082922	66	68	Bulk	Phyllite as previous w/ some strike & dip; phyllite has ~2-3% qtz vning w/ py vning disseminated <1% but evidenced by abundant rust & blebs.	ph	110	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082923	68	70	Bulk	Phyllite & quartzite w/ 2-3cm wide graphite unit; @ 68-68.3m v.qtz flooded predominantly qtz/py stringers (py ~1%); all units strike 125° & dip 90°.	ph	125	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082924	70	72	Bulk	Phyllite and quartzite 50/50. Strikes 130-135, dips 60N.	ph	135	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082925	72	74	Bulk	95% phyllite, 5% quartzite. Easily cleaved pieces of phyllite. Minor veinlets <1% cross-cutting phyllite at 180 with a near vertical dip. Very minor presence of py.	ph/qz	135	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082926	74	76	Bulk	50% phyllite, 50% quartzite. 2, 1cm wide 90% py/quartzite veins, striking 75, dipping near vertical.	ph/qz	135	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082927	76	78	Bulk	50/50 phyllite and quartz. Striking 100, dipping 60N.	ph/qz	100	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082929	75.75	75.85	Vein	90% vein/10% vein material exclusively			East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6

Geochemical Rock Samples 2006 - Haggart Creek (All UTM coordinates in NAD 83, Zone 8)								
Certificate	Sample	From	To	Sample Type	Description	Rock Type	Dip	Location
VA06098508	C082930	80	82	Bulk	70% phyllite.30% quartz. Noticeable increase in rust staining on fracture surfaces, minor py visible as disseminations.	ph/qz		East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082931	82	84	Bulk	80% phyllite/20% quartzite. Minor (~1%) cross-cutting veinlets @ various orientations. Some staining/rust noted at 83.5 to 84m.	ph/qz		East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082932	84	86	Bulk	Dramatic lithology change to coarse grained quartzite - appears to be a coarse grained silicified sand unit. Quartzite is very silicified but very broken. Intense veining in section, parallel veinlets and several mm to cm size veins proliferate throughout the rock.	mc		East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082933	86	88	Bulk	Coarse grained quartzite - appears to be a coarse grained silicified sand unit. Quartzite is very silicified but very broken. Intense veining in section, parallel veinlets and several mm to cm size veins proliferate throughout the rock. Across stream two 10cm wide veins striking 120 and dipping 60-65S, no noticeable sulfides.	mc	120	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082934	92	94	Bulk	Along West side of Haggart Creek. Quartzite (90%) with phyllite and meta-conglomerate (~5% each). Unit very silicified and with moderate rusting on exposed surfaces. Rock very brittle and fractured along jointing systems (?) foliations - main foliation @116 with nearly vertical dip, secondary system (less consistent) @ 034 with nearly vertical dip. From 93.3 to 93.9m is an aspy vein/alteration area.	qz	115	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082935	94	96	Bulk	Meta-conglomerate (previously identified as coarse grained quartzite), has elongate quartz and feldspar grains, long axis orientation dip-dir 106, dip 15. Very quartz rich and silicified throughout. Pervasive foliation in unit @ 106 with nearly vertical dip. Rust staining on surfaces. Quartz veins throughout with same orientation as pervasive foliation.	mc	106	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6

Geochemical Rock Samples 2006 - Haggart Creek (All UTM coordinates in NAD 83, Zone 8)								
Certificate	Sample	From	To	Sample Type	Description	Rock Type	Dip	Location
VA06098508	C082936	92	94	Bulk	80% phyllite/20% quartzite. Minor (~1%) cross-cutting veinlets, orientation of most strike 200, dip 85W. Unit foliation strike 318, dipping 68N. Progressively more rust staining from 92m to 94m. Section is silicified.	ph/qz	140	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082937	94	96	Bulk	Phyllite unit, with rust stained surfaces throughout. Cross-cutting veins/veinlets, strike 018 near vertical dip to west most common orientation. Pervasive unit foliation, strike 290, dipping 66N. Secondary jointing/fractures follow same orientation as veins. Unit silicified.	ph	110	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082938	96	98	Bulk	Phyllite unit, with rust stained surfaces throughout. Less common cross-cutting veins/veinlets, strike 018 near vertical dip to west most common orientation. Pervasive unit foliation, strike 296, dipping 68N. Secondary jointing/fractures follow same orientation as veins. Unit silicified.	ph	120	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082939	98	100	Bulk	98 to 99m - Phyllite unit, with rust stained surfaces throughout. Less common cross-cutting veins/veinlets, strike 018 near vertical dip to west most common orientation. Pervasive unit foliation, strike 296, dipping 68N. Secondary jointing/fractures follow same orientation as veins. Unit silicified. 99.4-100m - Meta-conglomerate (previously identified as coarse grained quartzite), has elongate quartz and feldspar grains, long axis orientation dip-dir 126, dip 18. Very quartz rich and silicified throughout.	ph	120	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082940	100	100.3	Bulk	Meta-conglomerate (previously identified as coarse grained quartzite), has elongate quartz and feldspar grains, long axis orientation dip-dir 129, dip 20. Very quartz rich and silicified throughout. Outcrop not found with digging up to stream edge.	mc	120	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082941	104	105.8	Bulk	Phyllite 70%, quartzite 30%. Significant rust staining on all visible surfaces. Pervasive foliation strike 336, dipping 50NE.	ph		East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6

Geochemical Rock Samples 2006 - Haggart Creek (All UTM coordinates in NAD 83, Zone 8)								
Certificate	Sample	From	To	Sample Type	Description	Rock Type	Dip	Location
VA06098508	C082942	106.5	108	Bulk	Phyllite 90%, quartzite 10%. Few veinlets in section, no preferred orientation. Pervasive foliation of unit strike 285, dipping 65N.	ph	100	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082943	105.8	106.5	Vein	Py/aspy alteration area/vein. No orientation discernable, material mostly clay and quartz pieces. Clays dark to medium grey/blue/silver with py and aspy crystals visible throughout. Rock material still visible appears to be phyllite. Significantly more py crystals visible that aspy crystals.			East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082944	108	110	Bulk of Alteration Area	Py/aspy alteration area/vein. No orientation discernable, material mostly clay and quartz pieces. Clays light grey/blue/silver with minor unoxidized py visible throughout. Rock material still visible appears to be phyllite. Quartz pieces show disseminated aspy.			East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082945	110	112	Bulk	Py/aspy alteration area/vein with oxidized phyllite from 110.9-111.3m. Orientation not discernable. Altered material has py-rich veins (4 visible), 1-5cm wide - disseminated py abundant in a darker grey clay matrix. Py and aspy crystals in alteration area, py>aspy.			East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082946	112	113.2	Bulk	Phyllite, highly oxidized throughout, iron staining on surfaces. Orientation of pervasive foliation strike 267, dipping 85N. Medium to dark brown color, few quartz veinlets present at various orientations.	ph	85	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082947	113.2	114.9	Bulk of Alteration Area	Py-rich vein material, very digested. Orientation strike 262, dipping 80N. Matrix dark grey with high py content - both disseminated throughout and large euhedral crystals in matrix as well as py and aspy with quartz pieces and phyllite pieces.		80	East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082948	114.9	116.9	Bulk	Phyllite 70%, quartzite 30%. Veining not visible, outcrop is near stream bed and very oxidized. Rust staining throughout, orientation not discernable, area to broken down and appears to be not in situ.	ph/qz		East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6

Geochemical Rock Samples 2006 - Haggart Creek (All UTM coordinates in NAD 83, Zone 8)								
Certificate	Sample	From	To	Sample Type	Description	Rock Type	Dip	Location
VA06098508	C082949	93.3	93.9	Vein	Aspy/py quartz vein in quartzite. Aspy disseminated throughout with large euhedral crystals and smaller blebs of aspy in matrix, py appears as blebs in matrix and disseminated as well. Scordite alteration <5%, occurs throughout, weak to moderate rust staining on surfaces. Two foliations in vein material, the main foliation is 116 with nearly vertical dip, the less consistent foliation is 022 with a nearly vertical dip. The vein itself appears to be trending 104 along limited surface showing.			East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6
VA06098508	C082950	95.2	95.3	Vein	Quartz vein in metaconglomerate unit. 4cm wide with some rust staining, is milky white in colour. Orientation @ 108 with nearly vertical dip, other quartz veins in unit, smaller but have same orientation.			East Haggart Creek, Initial GPS (NAD83) @ 458174E, 7100450N +/-12m, Final @ 458146E, 7100555N +/-6

APPENDIX K

ALS Chemex Assay Certificates

- Rock Samples -

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

CERTIFICATE VA06059453

Project: Dublin Gulch1735

P.O. No.:

This report is for 25 Rock samples submitted to our lab in Vancouver, BC, Canada on 28-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059453

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B088127		0.56	>10.0	34.8	13.6	0.17	>10000	20	<0.5	24	0.01	<0.5	<1	14	126	5.11
B088128		1.62	>10.0	54.8	13.2	0.03	>10000	10	<0.5	174	0.01	<0.5	2	18	22	5.53
B088129		1.96	0.012		<0.5	0.17	239	80	<0.5	<2	0.05	<0.5	1	19	3	0.67
B088130		0.30	0.026		<0.5	0.04	188	<10	<0.5	<2	0.06	<0.5	<1	15	4	1.28
B088131		2.14	<0.005		<0.5	1.33	162	160	<0.5	<2	0.07	<0.5	2	28	3	0.94
B088132		0.76	0.555		<0.5	4.14	3690	200	1.2	<2	0.10	1.5	22	31	23	1.75
B088133		1.08	0.036		<0.5	1.00	132	80	<0.5	2	0.18	<0.5	2	18	10	0.73
B088134		0.90	>10.0	11.40	0.6	2.57	>10000	90	0.8	8	0.42	<0.5	6	33	18	11.45
B088135		1.82	<0.005		<0.5	4.86	106	670	1.1	<2	0.26	<0.5	7	55	8	2.56
B088385		1.42	<0.005		<0.5	2.05	102	190	<0.5	<2	0.07	<0.5	3	35	5	1.26
B088386		1.16	<0.005		<0.5	3.76	132	190	<0.5	<2	0.23	<0.5	5	35	12	2.64
B088387		1.48	0.086		<0.5	0.30	62	110	<0.5	6	0.03	<0.5	<1	20	2	0.82
B088388		1.20	4.02		3.0	0.05	>10000	10	<0.5	10	0.01	<0.5	4	20	12	3.83
B088661		1.24	>10.0	26.0	81.4	0.06	>10000	10	<0.5	580	<0.01	<0.5	5	8	30	18.30
B088662		1.00	>10.0	30.8	4.2	0.17	>10000	20	<0.5	7	<0.01	<0.5	4	18	30	6.20
B088663		1.04	0.009		<0.5	0.24	311	170	<0.5	<2	0.01	<0.5	1	18	2	0.95
B088664		1.06	0.005		<0.5	2.58	250	1360	<0.5	<2	0.09	<0.5	1	23	3	0.68
B088665		1.56	<0.005		<0.5	0.31	63	50	<0.5	<2	0.03	<0.5	1	27	2	0.88
B088666		0.96	0.005		<0.5	1.15	52	30	<0.5	<2	0.03	<0.5	5	24	10	2.12
B088667		1.44	<0.005		<0.5	0.32	86	50	<0.5	<2	0.43	<0.5	1	25	3	0.93
B088668		2.26	>10.0	9.43	1.1	0.08	>10000	10	<0.5	10	<0.01	<0.5	<1	12	15	6.49
B088669		1.46	>10.0	22.9	8.8	1.12	>10000	170	0.5	14	<0.01	0.9	1	12	360	12.50
B088670		1.68	>10.0	13.40	64.4	2.70	>10000	250	0.8	58	0.01	<0.5	1	30	947	13.75
B088671		1.40	0.018		<0.5	4.64	259	120	<0.5	<2	5.04	<0.5	2	17	7	1.55
B088672		1.42	0.021		<0.5	1.72	173	80	<0.5	<2	0.06	<0.5	1	21	4	1.05

Comments: Additional Au-GRA22 value for sample B088668 is 7.41ppm.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-JUL-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06059453

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B088127		0.05	0.01	47	1	0.01	2	30	22	0.76	83	3	<0.01	1	<10	15
B088128		0.01	<0.01	57	<1	0.01	2	<10	230	2.29	192	1	<0.01	1	<10	62
B088129		0.12	0.09	74	1	0.01	4	10	3	0.01	<5	6	0.01	7	630	8
B088130		0.01	0.01	93	3	0.01	2	10	<2	0.02	<5	3	<0.01	1	60	<2
B088131		0.38	0.04	129	2	0.01	7	140	<2	<0.01	<5	22	0.06	12	840	11
B088132		1.23	0.46	61	<1	0.55	26	210	53	0.39	<5	37	0.14	38	10	187
B088133		0.40	0.11	52	<1	0.21	5	410	<2	0.01	<5	40	0.01	5	<10	5
B088134		0.94	0.74	142	3	0.57	26	870	3	3.68	67	154	0.11	101	20	26
B088135		1.93	0.57	228	<1	0.67	18	70	4	0.02	<5	61	0.24	47	<10	43
B088385		0.77	0.12	130	<1	0.39	5	80	5	<0.01	<5	29	0.10	16	<10	13
B088386		1.24	0.42	529	<1	0.99	14	90	7	0.01	<5	53	0.18	25	<10	47
B088387		0.30	0.01	60	2	0.02	1	20	<2	<0.01	<5	15	0.01	1	150	<2
B088388		0.02	<0.01	41	<1	0.01	3	20	673	1.07	178	2	<0.01	<1	<10	12
B088661		0.02	<0.01	43	1	0.01	2	10	1860	9.58	606	14	<0.01	1	10	42
B088662		0.07	<0.01	43	1	0.01	3	20	127	2.52	106	2	<0.01	1	<10	16
B088663		0.22	0.02	73	<1	0.02	2	10	4	0.01	<5	11	0.01	2	150	5
B088664		2.75	0.08	66	5	0.24	3	200	8	0.01	<5	155	0.10	9	120	18
B088665		0.12	0.01	87	<1	0.01	2	90	<2	<0.01	<5	4	0.01	3	<10	3
B088666		0.13	0.50	98	<1	0.04	9	110	8	0.12	<5	11	0.02	9	<10	56
B088667		0.22	0.11	114	<1	0.01	6	10	<2	<0.01	<5	18	0.02	14	<10	5
B088668		0.01	<0.01	37	<1	0.01	2	30	118	0.29	130	2	<0.01	2	<10	26
B088669		0.53	0.03	61	1	0.02	1	60	2390	1.58	436	4	0.02	8	10	71
B088670		1.22	0.13	13	<1	0.03	1	60	687	2.09	1080	7	0.06	39	10	12
B088671		0.96	0.26	571	<1	1.38	3	380	7	0.08	<5	712	0.05	6	<10	49
B088672		0.14	0.02	375	<1	1.08	4	240	13	0.01	5	30	0.01	4	<10	75

Comments: Additional Au-GRA22 value for sample B088668 is 7.41ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-JUL-2006
Account: STRGOL

CERTIFICATE VA06059454

Project: Dublin Gulch 1735

P.O. No.:

This report is for 13 Rock samples submitted to our lab in Vancouver, BC, Canada on 28-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06059454

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B088136		0.62	<0.005	0.3	2.74	23	<10	80	0.7	<2	0.10	<0.5	10	45	48	3.82
B088137		0.50	<0.005	<0.2	1.22	25	<10	90	0.6	<2	0.07	<0.5	6	21	18	2.17
B088138		0.58	<0.005	<0.2	1.55	15	<10	150	0.5	<2	0.14	<0.5	9	26	21	2.72
B088235		0.54	<0.005	0.2	1.58	26	<10	170	<0.5	<2	0.17	<0.5	6	26	15	2.54
B088236		0.54	0.009	<0.2	0.67	23	<10	50	<0.5	<2	0.06	<0.5	3	13	8	1.54
B088237		0.66	<0.005	<0.2	1.58	20	<10	100	0.7	<2	0.12	<0.5	9	25	23	2.89
B088673		0.46	<0.005	<0.2	1.20	13	<10	60	0.8	<2	0.04	<0.5	5	20	28	3.67
B088674		0.64	0.014	0.5	2.45	25	<10	110	1.5	<2	0.29	0.6	28	40	86	5.68
B088675		0.52	<0.005	<0.2	1.26	15	<10	80	<0.5	<2	0.08	<0.5	5	24	14	2.44
B088676		0.36	<0.005	<0.2	1.20	14	<10	70	<0.5	<2	0.06	<0.5	4	22	12	2.07
B088677		0.48	<0.005	<0.2	1.52	31	<10	100	<0.5	<2	0.10	<0.5	8	24	16	2.46
B088678		0.26	<0.005	0.2	1.68	50	<10	120	<0.5	<2	0.17	<0.5	8	26	20	2.73
B088679		0.40	<0.005	<0.2	1.04	4	<10	50	<0.5	<2	0.04	<0.5	3	13	11	1.18

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06059454

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B088136		10	0.05	0.26	20	0.86	327	2	0.01	32	570	14	0.06	<2	4	14
B088137		<10	0.03	0.13	10	0.31	142	1	<0.01	19	380	10	0.03	<2	1	12
B088138		<10	0.03	0.24	20	0.46	256	1	<0.01	26	510	14	0.03	<2	2	33
B088235		<10	0.03	0.09	20	0.38	212	1	0.01	19	490	12	0.04	<2	2	18
B088236		<10	0.04	0.04	10	0.08	63	1	<0.01	7	280	8	0.03	<2	1	9
B088237		<10	0.06	0.11	20	0.43	276	1	<0.01	22	490	11	0.02	<2	2	11
B088673		<10	0.04	0.12	30	0.26	92	1	<0.01	11	300	11	0.02	2	2	7
B088674		10	0.04	0.63	40	0.97	1090	4	0.01	63	540	29	0.11	6	5	41
B088675		<10	0.03	0.08	20	0.35	160	1	<0.01	14	340	14	0.02	<2	1	10
B088676		<10	0.03	0.09	10	0.29	128	1	<0.01	13	340	10	0.03	<2	1	10
B088677		<10	0.03	0.08	20	0.38	236	1	<0.01	19	480	14	0.04	<2	2	17
B088678		10	0.06	0.16	20	0.36	285	1	0.01	23	780	17	0.05	<2	2	26
B088679		10	0.05	0.05	10	0.14	53	<1	<0.01	6	420	10	0.03	<2	<1	7

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06059454

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
B088136		0.17	<10	<10	78	<10	94
B088137		0.05	<10	<10	35	<10	51
B088138		0.08	<10	<10	38	<10	70
B088235		0.05	<10	<10	40	<10	64
B088236		0.06	<10	<10	47	<10	24
B088237		0.05	<10	<10	38	<10	65
B088673		0.04	<10	<10	26	<10	57
B088674		0.12	<10	<10	63	<10	235
B088675		0.06	<10	<10	42	<10	56
B088676		0.05	<10	<10	40	<10	41
B088677		0.05	<10	<10	38	<10	61
B088678		0.06	<10	<10	39	<10	82
B088679		0.01	<10	<10	25	<10	18

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da..: 31-AUG-2006
Account: STRGOL

CERTIFICATE VA06073458

Project: Dublin Gulch1735

P.O. No.:

This report is for 50 Rock samples submitted to our lab in Vancouver, BC, Canada on 27-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06073458

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B290451		0.94	<0.005		<0.5	4.82	79	420	1.2	<2	0.20	<0.5	5	27	7	2.32
B290452		1.28	<0.005		<0.5	5.72	78	480	1.4	<2	0.27	<0.5	3	26	4	1.95
B290453		0.82	<0.005		<0.5	5.68	114	590	1.4	2	0.15	<0.5	5	34	13	1.98
B290454		0.98	<0.005		<0.5	3.79	282	310	0.7	2	0.10	<0.5	4	26	10	1.82
B290455		0.86	0.161		<0.5	4.39	20	430	1.0	<2	0.08	<0.5	4	36	12	1.65
B290456		1.62	0.009		<0.5	9.35	14	1090	2.5	2	0.09	<0.5	9	67	40	3.41
B290457		1.48	<0.005		<0.5	2.99	27	270	0.6	<2	0.09	<0.5	3	28	6	1.51
B290458		1.20	0.005		<0.5	4.95	435	410	0.9	<2	0.34	<0.5	9	41	18	2.81
B290459		1.60	0.008		<0.5	8.33	311	780	1.8	<2	0.42	<0.5	8	66	30	4.16
B290460		1.72	0.827		<0.5	2.36	3110	150	<0.5	4	0.21	<0.5	3	31	6	1.69
B290461		1.24	0.201		<0.5	4.95	1550	500	0.8	<2	0.30	<0.5	7	35	8	2.18
B290462		1.14	<0.005		<0.5	7.65	102	820	1.7	2	0.29	<0.5	11	62	17	3.42
B290463		1.18	<0.005		<0.5	6.24	103	560	1.1	<2	0.41	<0.5	10	58	16	3.47
B290464		1.38	<0.005		<0.5	10.50	126	1360	2.0	<2	0.14	<0.5	13	85	17	4.05
B290465		1.28	<0.005		<0.5	6.62	116	700	1.3	<2	0.28	<0.5	8	53	17	2.97
B290466		0.96	<0.005		<0.5	4.78	33	410	0.9	<2	0.21	<0.5	6	53	13	2.72
B290467		1.58	0.083		<0.5	5.80	1890	490	1.2	<2	0.39	<0.5	10	50	20	3.41
B290468		1.60	<0.005		<0.5	9.06	637	680	2.0	<2	0.53	0.8	24	83	80	5.51
B290469		1.38	<0.005		<0.5	10.50	66	1020	2.6	2	0.23	<0.5	19	89	29	5.15
B290470		1.58	<0.005		<0.5	6.34	99	550	1.3	<2	0.24	0.8	10	55	11	3.29
B290471		1.38	<0.005		<0.5	6.50	91	550	1.3	2	0.37	<0.5	11	54	16	3.29
B290472		1.62	0.005		<0.5	5.48	118	620	1.4	<2	0.16	0.6	10	54	11	3.25
B290473		1.60	<0.005		<0.5	4.19	203	450	1.0	<2	0.24	0.9	7	41	11	2.14
B290474		1.90	<0.005		<0.5	5.58	80	480	1.1	<2	0.29	0.9	8	45	25	2.55
B290475		2.12	<0.005		<0.5	4.60	98	470	1.0	<2	0.36	0.6	9	52	14	2.68
B290476		1.08	0.006		<0.5	3.89	343	350	0.7	<2	0.32	<0.5	7	42	13	2.24
B290477		1.48	0.015		<0.5	4.65	509	580	1.0	<2	0.15	1.5	6	46	12	2.47
B290478		2.12	>10.0	20.8	2.2	4.15	>10000	460	1.0	4	0.10	2.5	5	36	45	5.33
B290479		1.70	0.008		<0.5	10.15	3290	1540	2.9	<2	0.20	3.7	17	74	40	5.96
B290480		1.56	0.010		<0.5	11.55	2360	1640	3.5	<2	0.05	3.1	18	82	90	5.35
B290481		1.62	0.682		1.1	4.49	3370	280	0.8	8	0.05	0.7	2	47	47	5.35
B290482		1.46	0.014		<0.5	4.46	777	210	0.9	<2	0.09	0.5	1	52	80	7.11
B290483		1.60	0.113		<0.5	6.23	2040	370	1.6	<2	0.15	3.2	10	58	96	4.20
B290484		1.84	0.301		0.6	4.24	3180	470	1.2	2	0.06	6.5	3	39	44	2.99
B290485		1.92	0.012		<0.5	7.41	822	810	2.0	<2	0.08	2.5	6	61	65	3.34
B290486		2.12	0.009		<0.5	9.81	933	1310	2.9	<2	0.05	1.9	7	76	78	4.47
B290487		1.50	0.035		0.7	7.55	2200	550	1.8	<2	0.05	6.6	5	53	126	3.57
B290488		1.36	0.007		<0.5	3.79	541	280	0.7	2	0.03	1.3	1	37	14	1.14
B290489		1.42	<0.005		<0.5	3.82	555	280	0.7	<2	0.03	0.7	3	34	14	1.31
B290490		1.86	0.028		<0.5	4.73	763	310	1.0	<2	0.04	1.1	2	40	22	1.60

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06073458

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B290451		2.00	0.24	462	<1	0.44	16	180	8	0.02	6	49	0.20	30	<10	129
B290452		2.95	0.20	433	<1	0.85	11	100	19	0.02	<5	80	0.18	27	<10	64
B290453		2.15	0.26	218	1	0.46	12	110	7	0.01	<5	53	0.24	38	<10	123
B290454		1.42	0.15	167	1	0.36	12	100	5	0.02	19	36	0.19	25	<10	128
B290455		1.66	0.24	93	<1	0.32	4	120	24	0.06	<5	43	0.20	31	<10	37
B290456		4.20	0.42	130	1	0.62	12	260	31	0.28	<5	74	0.35	73	<10	72
B290457		1.11	0.17	162	<1	0.46	10	110	9	0.02	<5	34	0.14	20	<10	35
B290458		1.54	0.46	344	1	0.97	23	110	12	0.01	11	93	0.22	35	<10	123
B290459		3.08	0.85	325	<1	1.00	21	1010	7	0.12	<5	131	0.37	66	<10	75
B290460		0.51	0.22	258	1	0.53	12	140	8	0.10	<5	64	0.08	14	<10	29
B290461		1.74	0.39	213	<1	1.05	17	160	11	0.05	<5	92	0.21	34	<10	67
B290462		2.67	0.75	294	<1	0.77	28	230	9	0.01	<5	82	0.34	61	10	96
B290463		2.31	0.67	402	<1	0.85	30	220	12	0.01	<5	97	0.32	44	<10	98
B290464		4.07	0.92	239	<1	0.63	41	180	13	0.01	5	72	0.47	88	<10	130
B290465		2.57	0.60	320	<1	0.75	23	120	7	<0.01	<5	79	0.28	47	<10	107
B290466		1.91	0.46	243	<1	0.68	23	190	17	0.01	<5	68	0.23	34	<10	69
B290467		2.18	0.65	466	<1	0.87	29	560	13	0.04	<5	98	0.23	45	<10	143
B290468		2.43	1.01	1285	<1	0.75	49	640	14	0.01	8	104	0.47	79	<10	416
B290469		3.52	1.07	535	<1	0.62	50	410	8	0.03	6	79	0.47	93	<10	227
B290470		2.08	0.54	468	<1	0.81	23	180	7	0.01	5	58	0.31	54	<10	243
B290471		1.77	0.53	479	<1	0.54	30	240	9	0.02	8	52	0.30	54	<10	104
B290472		1.84	0.28	456	<1	0.59	27	210	2	0.01	<5	39	0.27	52	<10	169
B290473		1.19	0.22	508	<1	0.80	18	410	7	<0.01	<5	57	0.19	35	<10	171
B290474		1.40	0.32	374	1	0.86	18	180	9	0.01	5	67	0.22	40	<10	430
B290475		1.30	0.50	426	<1	0.82	20	160	6	0.01	<5	80	0.23	41	<10	126
B290476		1.13	0.32	544	<1	0.80	19	110	7	0.02	<5	64	0.19	31	<10	176
B290477		1.65	0.26	192	<1	0.55	19	160	6	<0.01	5	51	0.23	39	<10	261
B290478		1.55	0.21	155	<1	0.15	12	160	54	1.18	40	24	0.17	30	50	208
B290479		3.81	0.78	382	1	0.36	57	450	7	0.03	17	72	0.39	82	<10	499
B290480		3.66	0.23	484	1	0.15	50	450	25	0.20	27	62	0.44	78	<10	577
B290481		1.56	0.15	107	1	0.02	8	320	476	0.18	99	28	0.18	56	30	210
B290482		1.31	0.17	132	<1	0.01	6	430	8	0.10	38	15	0.25	68	20	177
B290483		2.34	0.21	327	1	0.03	31	830	77	0.04	117	22	0.25	86	20	503
B290484		1.72	0.13	137	2	0.03	16	320	89	0.06	77	58	0.19	65	20	367
B290485		2.96	0.23	184	<1	0.05	24	540	60	0.03	55	37	0.31	82	20	800
B290486		3.69	0.34	238	1	0.08	32	520	14	0.02	49	27	0.37	83	30	1215
B290487		2.75	0.23	121	1	0.05	21	210	43	0.08	124	20	0.29	56	10	484
B290488		1.32	0.08	52	<1	0.02	7	150	270	0.02	34	9	0.15	29	10	75
B290489		1.08	0.07	71	<1	0.04	9	150	239	0.04	38	43	0.17	28	<10	163
B290490		1.57	0.13	83	<1	0.04	8	170	189	0.04	81	17	0.18	35	10	158

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06073458

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B290491		1.42	0.159		1.6	5.29	2730	650	1.5	<2	0.05	1.5	4	45	74	3.71
B290492		1.24	0.011		0.6	3.56	706	310	0.7	3	0.02	<0.5	2	33	16	2.17
B290493		1.50	0.064		0.6	4.40	2130	370	0.9	2	0.04	0.7	3	42	51	2.48
B290494		1.16	0.032		<0.5	3.09	533	270	0.6	<2	0.03	<0.5	2	29	18	1.51
B290495		1.66	0.009		<0.5	5.25	529	360	1.0	<2	0.06	0.6	4	47	35	1.92
B290496		1.54	0.010		<0.5	4.39	511	330	0.8	2	0.04	0.7	2	40	50	1.69
B290497		1.44	0.005		1.3	3.94	412	250	0.9	<2	0.02	0.6	2	36	61	1.72
B290498		2.10	0.010		<0.5	6.89	561	490	1.7	<2	0.04	0.6	4	63	51	3.74
B290499		1.70	0.006		4.5	2.08	263	240	0.5	<2	0.02	<0.5	1	21	16	1.95
B290500		1.26	0.029		<0.5	5.28	411	690	1.1	2	0.05	0.5	5	48	32	2.37

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06073458

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B290491		1.82	0.15	136	2	0.04	20	340	2810	0.25	514	51	0.19	55	30	507
B290492		1.45	0.10	101	<1	0.02	9	260	458	0.10	97	9	0.14	27	10	324
B290493		1.73	0.12	103	<1	0.03	9	180	578	0.20	85	14	0.18	34	10	244
B290494		1.07	0.07	76	<1	0.03	7	120	134	0.09	60	22	0.12	21	10	152
B290495		1.17	0.08	97	1	0.04	15	130	117	0.04	28	26	0.24	41	30	272
B290496		1.26	0.09	72	<1	0.03	10	160	200	0.05	73	24	0.19	32	10	166
B290497		1.43	0.10	67	<1	0.02	9	130	109	0.04	61	7	0.15	31	10	182
B290498		2.26	0.18	123	<1	0.05	15	170	124	0.03	51	8	0.26	55	10	371
B290499		0.88	0.06	86	<1	0.01	1	100	574	0.11	140	3	0.06	11	<10	234
B290500		1.83	0.10	127	<1	0.06	15	320	34	0.04	30	43	0.23	43	10	374

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2006
Account: STRGOL

CERTIFICATE VA06098508

Project: Dublin Gulch1735

P.O. No.:

This report is for 73 Rock samples submitted to our lab in Vancouver, BC, Canada on 11-SEP-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Pb-AA62	Ore grade Pb - four acid / AAS	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06098508

Sample Description	Method	WEI-21	Au-AA24	Au-AA24	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au Check	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
B630178		1.46	<0.005			<0.5	3.55	<5	460	0.9	<2	0.10	<0.5	10	31	47
B630179		1.54	<0.005			<0.5	5.83	<5	650	1.5	<2	0.28	<0.5	9	51	26
B630180		1.94	<0.005			<0.5	3.82	6	320	0.9	<2	0.32	<0.5	8	37	21
B630181		1.76	<0.005			<0.5	7.65	20	750	2.0	<2	0.12	<0.5	16	65	52
B630182		2.66	0.005			<0.5	6.62	10	600	1.8	<2	0.44	<0.5	16	64	43
B630183		1.26	<0.005			<0.5	7.51	10	910	2.0	2	0.53	<0.5	17	67	34
B630184		2.62	<0.005			<0.5	7.04	11	650	1.8	2	0.20	<0.5	16	59	35
B630185		1.98	<0.005			<0.5	4.61	9	500	1.0	<2	0.39	<0.5	9	42	30
B630186		2.38	<0.005			0.5	7.44	18	620	2.0	<2	0.87	<0.5	18	109	60
B630187		2.42	<0.005			<0.5	6.62	15	520	1.6	<2	0.58	<0.5	12	93	53
B630188		2.50	<0.005			<0.5	3.91	12	290	1.0	<2	4.92	0.7	7	52	32
B630189		3.50	<0.005			<0.5	5.61	16	400	1.5	<2	2.67	<0.5	12	74	37
B630190		2.36	<0.005			0.6	7.23	20	630	1.9	<2	0.90	<0.5	18	106	60
B630191		3.02	<0.005			<0.5	7.65	23	610	2.0	<2	0.64	<0.5	19	113	58
B630192		1.74	<0.005			0.5	7.66	26	670	1.9	<2	0.51	<0.5	20	119	67
B630193		2.34	<0.005			<0.5	4.79	24	330	1.1	<2	0.98	<0.5	10	69	30
B630194		1.98	<0.005			<0.5	2.04	10	110	<0.5	<2	0.96	<0.5	3	30	19
B630195		1.74	<0.005			<0.5	5.80	23	460	1.3	<2	1.19	<0.5	15	86	53
B630196		2.50	<0.005			<0.5	2.64	8	190	0.7	<2	1.55	<0.5	8	47	31
B630197		3.30	<0.005			<0.5	7.68	24	530	1.9	2	1.02	<0.5	16	104	52
B630198		2.68	<0.005			<0.5	7.40	17	670	1.6	<2	1.40	<0.5	16	98	58
B630199		2.32	0.013			<0.5	7.74	13	620	2.0	<2	0.53	<0.5	17	101	54
B630200		2.64	0.007			<0.5	7.43	8	600	1.9	<2	0.61	<0.5	18	96	55
C082901		2.94	<0.005			<0.5	7.61	15	580	1.9	<2	0.60	<0.5	16	105	55
C082902		4.36	0.005			<0.5	7.33	12	550	1.9	<2	1.08	<0.5	20	94	56
C082903		3.66	<0.005			<0.5	1.61	8	130	<0.5	<2	1.25	<0.5	3	33	32
C082904		2.72	0.006			<0.5	7.79	30	570	2.2	<2	0.59	<0.5	20	116	61
C082905		3.04	0.005			0.5	8.00	18	530	2.2	2	0.60	<0.5	20	112	48
C082906		3.42	<0.005			<0.5	8.13	23	630	2.1	<2	0.44	<0.5	19	120	61
C082907		2.98	0.005			<0.5	7.35	22	540	1.8	<2	1.94	<0.5	17	95	41
C082908		2.36	0.006			<0.5	7.45	27	580	2.0	<2	0.55	<0.5	21	116	51
C082909		2.54	<0.005			<0.5	8.39	27	600	2.1	<2	0.28	<0.5	23	121	59
C082910		2.46	0.005			<0.5	7.73	21	570	2.0	<2	0.44	<0.5	19	112	57
C082911		3.08	<0.005			<0.5	7.83	30	570	1.9	<2	0.50	<0.5	26	111	58
C082912		2.66	<0.005			2.2	6.77	16	480	1.7	<2	1.40	5.0	15	88	44
C082913		1.66	<0.005	<0.005		<0.5	7.17	21	500	1.7	<2	1.53	<0.5	19	102	58
C082914		2.58	0.844	1.150	1.190	<0.5	7.95	18	640	2.1	<2	0.24	<0.5	19	115	52
C082915		2.30	<0.005	<0.005		<0.5	7.65	13	600	2.0	<2	0.48	<0.5	20	105	55
C082916		3.12	<0.005			<0.5	7.58	12	660	2.0	<2	0.25	<0.5	17	107	50
C082917		2.46	0.007			<0.5	3.13	49	150	0.7	<2	6.49	<0.5	28	195	23

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06098508

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B630178		2.59	1.46	0.36	287	<1	0.17	19	180	13	0.07	<5	29	0.18	41	<10
B630179		3.20	2.32	0.70	319	<1	0.25	23	270	17	0.02	<5	72	0.38	73	<10
B630180		2.98	1.26	0.37	428	<1	0.02	17	190	13	0.01	<5	34	0.23	47	<10
B630181		4.84	3.07	0.96	545	<1	0.04	38	360	9	0.02	7	53	0.41	89	<10
B630182		4.13	2.69	0.77	683	<1	0.04	31	320	17	0.01	9	67	0.39	82	<10
B630183		4.18	3.47	0.93	429	1	0.23	30	1720	21	0.01	<5	77	0.47	95	<10
B630184		4.15	2.90	0.86	536	1	0.09	35	300	23	0.02	<5	38	0.38	85	<10
B630185		2.81	1.72	0.54	372	1	0.40	22	240	23	0.01	<5	53	0.32	57	<10
B630186		5.61	2.74	2.07	1035	1	0.85	58	770	15	0.09	<5	87	0.39	127	<10
B630187		5.33	2.28	1.45	813	1	0.57	38	610	20	0.05	<5	111	0.30	106	<10
B630188		3.81	1.42	2.36	1705	1	0.10	22	480	29	0.05	<5	353	0.16	54	<10
B630189		4.74	2.30	1.99	1055	1	0.07	38	540	34	0.08	9	207	0.23	81	<10
B630190		5.57	3.13	1.79	1085	1	0.43	52	650	39	0.08	<5	113	0.33	120	<10
B630191		6.00	3.11	1.92	926	1	0.70	55	710	27	0.07	6	98	0.36	127	<10
B630192		6.08	3.27	1.99	931	1	0.78	61	710	22	0.07	<5	93	0.38	134	<10
B630193		3.71	1.54	1.20	677	1	0.70	33	470	24	0.05	<5	83	0.22	67	<10
B630194		2.13	0.45	0.63	572	<1	0.51	13	180	57	0.13	<5	72	0.08	19	<10
B630195		5.34	1.98	1.74	918	1	0.55	48	580	17	0.67	5	99	0.25	91	<10
B630196		2.68	0.89	0.96	511	1	0.06	23	250	8	0.18	<5	94	0.12	37	<10
B630197		5.90	2.60	1.85	1130	1	0.39	51	810	17	0.07	<5	95	0.34	119	<10
B630198		5.62	2.86	2.06	1315	1	0.73	54	730	34	0.07	<5	135	0.34	109	<10
B630199		5.26	2.79	1.89	737	2	0.99	55	720	11	0.35	<5	79	0.34	116	<10
B630200		5.26	2.64	1.77	651	1	0.98	56	700	29	0.57	5	83	0.33	109	<10
C082901		5.48	2.54	1.91	740	1	1.10	48	690	9	0.34	<5	85	0.36	120	10
C082902		5.57	2.48	2.03	1075	1	0.84	53	650	29	0.45	<5	99	0.33	111	<10
C082903		1.49	0.46	0.55	503	1	0.38	13	190	8	0.20	11	81	0.08	17	<10
C082904		6.19	3.35	1.80	1015	1	0.20	54	700	13	0.07	<5	60	0.31	130	<10
C082905		6.15	3.18	1.82	1110	1	0.27	57	730	6	0.03	5	69	0.29	128	<10
C082906		6.19	2.71	2.12	810	1	1.07	62	910	23	0.04	<5	80	0.38	135	<10
C082907		5.60	2.50	2.11	2050	1	0.89	47	730	24	0.04	<5	165	0.34	112	<10
C082908		5.96	2.72	1.92	963	1	0.82	56	710	30	0.06	<5	78	0.35	130	<10
C082909		6.18	2.78	1.97	869	1	0.94	60	750	14	0.05	<5	67	0.38	137	<10
C082910		5.99	2.74	1.76	932	1	0.56	61	720	16	0.05	<5	68	0.33	128	<10
C082911		6.48	2.55	2.14	926	1	0.97	57	700	20	0.06	<5	78	0.33	126	<10
C082912		5.21	2.24	1.82	1145	1	0.73	40	650	652	0.18	6	116	0.27	100	<10
C082913		5.68	2.26	2.25	1230	1	0.74	46	690	20	0.12	<5	133	0.30	120	<10
C082914		5.84	2.69	1.93	854	1	0.82	47	760	16	0.03	<5	60	0.37	131	10
C082915		5.66	2.61	2.06	839	1	0.80	57	760	23	0.11	<5	74	0.34	124	<10
C082916		5.45	2.84	1.82	660	1	0.70	42	690	12	0.27	<5	55	0.36	121	<10
C082917		5.99	0.65	3.63	2970	<1	0.07	57	1330	25	0.18	<5	597	0.41	228	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06098508

Sample Description	Method	ME-ICP61	Pb-AA62
	Analyte	Zn	Pb
	Units	ppm	%
	LOR	2	0.01
B630178		46	
B630179		72	
B630180		57	
B630181		95	
B630182		82	
B630183		81	
B630184		90	
B630185		65	
B630186		124	
B630187		113	
B630188		92	
B630189		89	
B630190		141	
B630191		133	
B630192		134	
B630193		79	
B630194		31	
B630195		100	
B630196		44	
B630197		128	
B630198		118	
B630199		113	
B630200		123	
C082901		127	
C082902		108	
C082903		16	
C082904		132	
C082905		106	
C082906		136	
C082907		122	
C082908		119	
C082909		131	
C082910		135	
C082911		137	
C082912		402	
C082913		121	
C082914		129	
C082915		125	
C082916		123	
C082917		94	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06098508

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
C082918		2.88	0.005			<0.5	7.95	7	680	2.1	<2	0.45	<0.5	17	103	49
C082919		2.38	0.008			<0.5	8.27	5	760	2.3	<2	0.46	<0.5	16	93	48
C082920		3.56	0.005			<0.5	8.50	11	800	2.5	<2	0.36	<0.5	14	81	40
C082921		3.58	0.006			<0.5	7.04	10	690	2.1	<2	0.36	<0.5	18	77	58
C082922		4.06	0.009			<0.5	6.74	8	660	1.8	<2	0.79	<0.5	15	74	49
C082923		4.46	0.039			<0.5	5.50	15	450	1.4	<2	1.09	<0.5	12	68	47
C082924		3.12	<0.005			<0.5	3.47	5	270	0.9	<2	0.96	<0.5	11	40	45
C082925		3.22	0.005			<0.5	5.59	26	450	1.4	2	1.86	<0.5	15	76	33
C082926		2.80	<0.005			0.6	5.42	39	400	1.3	2	1.88	<0.5	15	72	71
C082927		3.34	0.021			<0.5	5.03	21	340	1.2	2	1.81	<0.5	13	64	27
C082928		3.70	<0.005			<0.5	6.12	28	440	1.5	<2	0.92	<0.5	17	84	45
C082929		2.16	0.168			1.2	2.40	535	180	0.6	17	1.91	<0.5	17	23	72
C082930		3.84	0.050			<0.5	5.54	21	420	1.4	<2	1.30	<0.5	13	78	39
C082931		2.70	0.010			<0.5	6.58	27	530	1.5	<2	1.77	<0.5	16	87	39
C082932		2.56	0.118			<0.5	2.19	9	110	<0.5	<2	0.11	<0.5	7	24	9
C082933		2.46	<0.005			<0.5	1.96	11	100	<0.5	2	0.07	<0.5	5	19	4
C082934		2.64	<0.005			<0.5	1.85	10	120	<0.5	3	0.06	<0.5	4	30	7
C082935		2.64	<0.005			<0.5	1.84	21	150	<0.5	2	0.41	<0.5	3	22	5
C082936		3.02	0.009			<0.5	6.42	21	510	1.9	<2	1.44	<0.5	15	73	42
C082937		2.70	0.061			<0.5	7.10	21	590	2.0	<2	1.42	<0.5	18	92	54
C082938		3.72	0.008			<0.5	7.76	25	640	2.3	<2	0.38	<0.5	19	99	52
C082939		4.52	0.008			<0.5	4.12	23	320	1.2	2	0.19	<0.5	9	53	22
C082940		1.80	0.015			<0.5	2.63	19	190	0.5	<2	0.19	<0.5	5	20	8
C082941		3.42	0.009			0.6	4.44	63	250	1.2	2	0.97	<0.5	6	45	28
C082942		3.08	0.009			<0.5	2.91	115	230	0.7	<2	0.05	<0.5	2	21	8
C082943		3.08	0.224			15.6	4.42	939	70	1.0	2	0.01	<0.5	6	37	38
C082944		5.22	0.255			7.8	3.04	505	230	0.7	5	0.02	<0.5	3	22	9
C082945		4.02	0.431			7.5	2.56	901	160	0.6	7	0.06	<0.5	3	27	13
C082946		2.56	0.036			3.4	3.12	107	280	0.8	2	0.09	<0.5	3	28	16
C082947		5.54	0.714			30.1	3.67	1840	170	1.0	6	0.23	1.6	11	42	60
C082948		2.46	0.006			<0.5	2.85	88	170	0.7	2	0.26	0.8	3	20	19
C082949		3.62	0.134			7.8	0.67	135	80	<0.5	2	0.01	<0.5	8	14	16
C082950		0.84	<0.005			<0.5	0.88	9	100	<0.5	2	0.18	<0.5	1	30	7

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06098508

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
C082918		5.39	3.00	1.77	690	1	0.38	44	690	14	0.34	<5	64	0.34	117	<10
C082919		4.96	3.39	1.52	593	2	0.09	43	690	15	0.55	<5	69	0.35	116	<10
C082920		4.65	3.66	1.24	589	2	0.05	39	680	15	0.30	<5	85	0.35	111	10
C082921		4.35	3.09	1.03	495	1	0.03	43	560	17	0.60	6	90	0.32	99	<10
C082922		4.44	2.85	1.50	420	1	0.04	39	540	15	0.74	14	138	0.31	96	<10
C082923		4.37	2.00	1.19	912	1	0.03	34	380	34	0.49	17	107	0.27	87	<10
C082924		3.01	1.16	0.77	750	1	0.01	25	290	23	0.34	7	80	0.16	44	<10
C082925		4.11	1.88	1.48	1010	1	0.03	43	430	41	0.12	9	89	0.27	85	10
C082926		5.85	1.74	1.55	1000	1	0.04	44	430	20	1.78	25	101	0.24	79	<10
C082927		3.99	1.53	1.53	819	1	0.02	34	410	11	0.18	11	101	0.23	75	<10
C082928		4.48	1.92	1.45	627	1	0.02	40	480	7	0.10	18	86	0.28	96	<10
C082929		7.47	0.87	0.76	1100	1	0.02	52	190	2620	6.37	1180	83	0.09	29	<10
C082930		4.05	1.73	1.33	691	1	0.04	38	410	22	0.07	12	70	0.26	86	<10
C082931		5.01	2.16	1.52	770	1	0.03	49	590	3	0.44	17	86	0.28	99	<10
C082932		1.35	0.47	0.09	536	<1	0.01	10	170	6	0.17	6	56	0.09	16	<10
C082933		1.14	0.34	0.06	366	1	<0.01	9	140	6	0.01	9	40	0.08	14	<10
C082934		1.51	0.34	0.08	245	<1	0.01	11	180	7	0.01	5	25	0.10	18	<10
C082935		1.24	0.65	0.18	506	1	0.01	9	140	7	0.20	7	38	0.08	14	<10
C082936		4.79	2.26	1.52	1755	1	0.03	40	630	18	0.22	12	97	0.31	91	<10
C082937		5.55	2.40	1.62	2290	1	0.03	50	620	35	0.08	22	122	0.35	107	10
C082938		5.67	2.75	1.45	914	<1	0.03	50	640	19	0.14	29	48	0.34	121	<10
C082939		3.01	1.39	0.67	535	1	0.02	26	330	13	0.04	14	23	0.18	60	<10
C082940		1.34	0.55	0.14	668	1	0.01	15	190	11	0.01	12	17	0.09	18	<10
C082941		3.26	1.51	0.66	692	1	0.02	11	300	18	0.60	34	66	0.18	53	10
C082942		1.68	1.21	0.16	89	1	0.04	7	110	14	0.18	30	20	0.14	23	<10
C082943		10.55	1.84	0.26	65	2	0.03	25	70	194	>10.0	132	24	0.19	47	10
C082944		5.11	1.33	0.19	110	1	0.03	3	50	1040	4.05	83	16	0.14	24	10
C082945		7.75	1.16	0.17	88	1	0.07	6	60	729	7.51	86	21	0.13	22	20
C082946		1.94	1.36	0.20	144	1	0.08	6	110	197	0.20	72	25	0.16	26	30
C082947		17.10	1.70	0.31	207	2	0.02	13	130	>10000	>10.0	3090	27	0.18	49	10
C082948		2.53	0.97	0.24	239	1	0.02	8	180	72	0.26	35	26	0.10	18	<10
C082949		14.15	0.25	0.03	84	1	<0.01	13	90	273	>10.0	153	67	0.03	6	<10
C082950		1.14	0.35	0.09	222	1	0.01	7	60	42	0.14	11	13	0.04	7	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06098508

Sample Description	Method	ME-ICP61	Pb-AA62
	Analyte	Zn	Pb
	Units	ppm	%
	LOR	2	0.01
C082918		126	
C082919		114	
C082920		112	
C082921		99	
C082922		90	
C082923		71	
C082924		72	
C082925		131	
C082926		83	
C082927		102	
C082928		119	
C082929		207	
C082930		86	
C082931		82	
C082932		18	
C082933		20	
C082934		24	
C082935		36	
C082936		90	
C082937		134	
C082938		134	
C082939		74	
C082940		75	
C082941		129	
C082942		64	
C082943		22	
C082944		15	
C082945		47	
C082946		69	
C082947		468	1.85
C082948		279	
C082949		124	
C082950		19	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2006
Account: STRGOL

CERTIFICATE VA06105243

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 90 Rock samples submitted to our lab in Vancouver, BC, Canada on 17-OCT-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105243

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B629524		1.70	0.079		<0.5	7.59	650	1650	2.9	<2	1.77	<0.5	6	31	10	2.56
B629525		2.08	0.192		<0.5	7.86	1180	1590	3.0	2	1.58	<0.5	7	28	7	2.34
B629526		3.66	0.016		<0.5	8.08	276	1420	3.3	3	1.77	<0.5	7	29	5	2.56
B629527		1.10	0.023		<0.5	7.90	284	1420	3.2	2	1.89	<0.5	9	27	4	2.39
B629528		2.20	0.029		<0.5	7.82	521	1370	3.1	<2	1.67	<0.5	7	27	7	2.72
B629529		2.28	0.018		<0.5	7.91	423	1920	3.0	3	1.37	<0.5	7	23	3	2.14
B629530		1.68	<0.005		<0.5	8.38	588	1990	3.1	<2	1.74	<0.5	6	27	4	2.44
B629531		2.12	0.007		<0.5	7.13	632	1550	2.9	3	1.27	<0.5	7	21	2	2.61
B629532		1.32	<0.005		<0.5	7.20	354	1360	3.1	<2	1.38	<0.5	7	30	3	2.20
B629533		1.42	<0.005		<0.5	8.42	134	1620	3.1	2	2.03	<0.5	7	28	3	2.35
B629534		3.28	0.029		<0.5	8.08	1400	1690	3.2	3	0.93	<0.5	9	27	10	2.79
B629535		1.46	0.033		<0.5	3.87	577	840	1.6	2	0.60	<0.5	4	18	4	1.52
B629536		3.44	0.033		<0.5	8.53	737	2020	2.6	2	1.01	<0.5	4	26	6	1.89
B629537		3.14	1.070		0.6	6.74	6330	1180	2.2	9	0.14	1.7	<1	24	16	2.30
B629538		4.74	>10.0	18.75	2.1	1.03	>10000	170	<0.5	46	0.02	0.6	<1	18	54	9.50
B629539		3.78	0.072		<0.5	7.86	1070	2360	2.1	<2	0.14	0.7	5	24	20	1.69
B629540		4.08	0.077		<0.5	7.12	1870	1480	2.8	<2	0.26	1.4	7	26	11	2.97
B629541		3.96	0.027		<0.5	7.81	1780	1980	3.1	<2	0.47	1.5	7	24	10	2.11
B629542		3.62	0.117		<0.5	7.39	2080	2090	3.3	<2	0.82	3.3	9	24	14	2.89
B629543		1.42	0.014		<0.5	7.30	293	2140	2.9	<2	1.30	0.6	6	22	6	1.69
B629544		4.40	7.54		<0.5	0.71	>10000	430	<0.5	3	0.05	0.6	2	8	11	6.25
B629545		1.96	0.029		<0.5	7.59	340	2210	3.1	<2	1.47	<0.5	6	25	8	2.05
B629546		2.64	0.006		<0.5	7.42	91	1930	2.8	<2	1.30	<0.5	5	27	4	2.00
B629547		1.30	0.006		<0.5	7.29	33	1790	3.1	<2	1.56	<0.5	7	26	3	2.02
B629548		2.86	0.005		<0.5	8.09	149	1790	3.4	<2	1.05	<0.5	6	30	9	2.67
B629549		1.50	0.007		<0.5	7.72	74	1620	2.9	<2	0.95	<0.5	7	29	5	2.24
B629550		1.96	0.018		<0.5	7.28	194	1240	3.0	<2	0.88	<0.5	6	24	5	2.19
B629601		2.60	0.005		<0.5	7.62	76	1670	3.2	<2	1.43	<0.5	7	28	3	2.33
B629602		3.00	0.006		<0.5	7.72	155	1670	3.2	<2	1.30	<0.5	7	29	4	2.41
B629603		3.40	0.200		<0.5	7.97	3280	1340	3.5	<2	0.54	<0.5	8	28	4	2.72
B629604		1.60	0.008		<0.5	7.56	251	1730	3.3	<2	1.04	<0.5	7	25	5	2.08
B629605		3.06	0.010		<0.5	6.80	125	930	2.8	<2	0.43	<0.5	8	24	7	2.43
B629606		1.00	0.005		<0.5	7.43	29	1700	2.9	<2	1.29	<0.5	6	27	4	2.04
B629607		0.88	0.005		<0.5	7.41	21	1760	3.0	<2	1.66	<0.5	7	27	4	1.99
B629608		2.08	0.006		<0.5	7.85	58	1640	3.2	<2	1.24	<0.5	9	30	6	2.76
B629609		4.24	0.007		<0.5	7.83	111	1260	2.9	<2	0.45	<0.5	8	31	7	2.73
B629610		0.86	<0.005		<0.5	8.09	31	1720	3.3	<2	1.78	<0.5	7	30	6	2.65
B629611		3.26	0.011		<0.5	7.46	292	1390	3.4	<2	0.78	<0.5	4	26	5	1.62
B629612		3.86	0.006		<0.5	7.58	209	1740	3.6	<2	1.39	<0.5	5	26	4	1.71
B629613		3.30	0.007		<0.5	7.55	229	1490	3.8	<2	1.83	<0.5	4	25	3	1.55

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105243

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B629524		2.94	0.73	387	1	1.83	22	710	27	0.01	<5	517	0.31	51	90	56
B629525		2.97	0.58	343	<1	1.75	20	710	29	0.01	<5	478	0.31	45	150	53
B629526		2.90	0.71	342	<1	1.89	18	700	27	<0.01	<5	532	0.32	44	180	51
B629527		3.23	0.69	363	<1	1.77	23	700	34	<0.01	<5	470	0.32	44	40	60
B629528		2.90	0.61	436	<1	1.72	20	700	33	0.01	<5	463	0.30	39	40	73
B629529		3.66	0.47	362	<1	1.58	21	660	31	<0.01	<5	479	0.30	36	250	74
B629530		3.89	0.56	528	3	2.08	20	720	28	<0.01	<5	716	0.33	38	290	50
B629531		2.85	0.51	446	6	1.39	18	620	28	<0.01	<5	395	0.27	33	100	64
B629532		2.33	0.43	334	4	1.77	16	630	21	<0.01	6	548	0.28	39	230	63
B629533		3.26	0.70	303	<1	1.93	19	720	31	<0.01	<5	523	0.33	41	30	52
B629534		3.23	0.34	732	4	1.56	27	730	42	<0.01	12	398	0.31	40	100	186
B629535		1.74	0.24	205	1	0.73	13	360	18	<0.01	7	209	0.15	20	20	68
B629536		3.35	0.34	173	2	1.22	13	660	31	<0.01	10	439	0.32	39	250	112
B629537		2.64	0.16	56	3	0.07	6	260	37	0.14	32	170	0.26	33	100	111
B629538		0.30	0.03	57	3	0.01	4	240	40	2.28	63	18	0.03	6	200	47
B629539		3.60	0.18	213	3	0.22	10	280	26	<0.01	<5	160	0.27	33	40	123
B629540		3.21	0.24	438	4	0.19	23	550	33	<0.01	12	124	0.26	33	90	198
B629541		3.64	0.20	477	5	0.91	16	650	25	<0.01	13	254	0.27	33	70	191
B629542		3.49	0.21	868	10	1.12	19	600	27	<0.01	10	344	0.25	31	230	286
B629543		4.08	0.56	303	2	1.64	17	580	20	<0.01	<5	501	0.25	31	80	90
B629544		0.46	0.03	90	2	0.06	5	60	6	1.90	28	50	0.01	3	140	24
B629545		3.78	0.67	236	2	1.75	18	610	20	<0.01	<5	502	0.28	35	50	95
B629546		4.10	0.46	331	3	1.73	19	630	20	<0.01	<5	550	0.30	37	370	60
B629547		3.44	0.47	324	2	1.71	19	620	23	<0.01	<5	508	0.30	36	10	37
B629548		3.50	0.36	325	5	1.30	24	700	25	<0.01	<5	388	0.32	43	370	67
B629549		3.66	0.60	337	3	1.39	22	690	20	<0.01	<5	361	0.32	45	80	66
B629550		2.98	0.44	330	3	0.80	17	590	33	<0.01	10	240	0.27	34	20	99
B629601		3.41	0.60	296	1	1.67	19	670	25	<0.01	<5	420	0.33	39	10	55
B629602		3.44	0.50	318	3	1.47	19	670	25	<0.01	5	396	0.32	40	20	57
B629603		3.27	0.27	498	3	0.57	22	680	85	0.04	18	165	0.32	41	80	102
B629604		3.59	0.36	254	2	1.52	22	650	26	<0.01	5	385	0.31	37	180	55
B629605		2.73	0.21	340	3	0.30	20	560	28	<0.01	16	101	0.27	34	20	81
B629606		4.01	0.48	264	2	1.54	18	610	24	<0.01	<5	434	0.29	36	20	43
B629607		3.67	0.67	236	2	1.65	20	640	23	0.01	<5	491	0.29	38	20	36
B629608		3.51	0.45	365	1	1.51	23	670	28	<0.01	<5	388	0.32	43	20	62
B629609		3.28	0.30	353	3	1.22	22	670	18	<0.01	8	181	0.30	42	50	50
B629610		3.63	0.69	336	2	1.76	23	660	22	0.01	<5	476	0.31	39	20	57
B629611		2.41	0.24	633	6	1.47	17	620	42	<0.01	<5	468	0.27	38	180	58
B629612		2.89	0.39	587	3	2.07	23	640	19	<0.01	<5	647	0.29	35	70	42
B629613		2.35	0.47	482	5	2.41	19	660	13	<0.01	<5	820	0.29	34	270	32

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105243

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B629614		3.90	0.005		<0.5	6.92	179	1430	3.6	<2	1.97	<0.5	4	26	4	1.65
B629615		4.58	0.006		<0.5	7.13	160	1520	3.8	<2	2.25	<0.5	5	27	3	1.77
B629616		3.86	0.006		<0.5	6.84	313	1380	3.6	<2	1.72	<0.5	4	24	4	2.25
B629617		2.38	0.006		<0.5	7.21	83	1420	3.7	<2	1.98	<0.5	4	24	2	1.44
B629618		4.08	0.005		<0.5	7.26	200	1550	3.4	<2	1.37	<0.5	3	28	3	1.96
B629619		4.22	0.049		<0.5	6.56	225	1450	2.3	<2	0.67	<0.5	4	25	3	1.31
B629620		4.48	0.006		<0.5	7.10	478	1570	3.7	<2	1.06	<0.5	8	26	4	2.55
B629621		5.80	0.009		<0.5	6.91	139	1710	3.0	<2	1.15	<0.5	2	23	2	1.36
B629622		6.04	0.005		<0.5	7.33	230	1480	3.4	<2	0.83	<0.5	3	26	3	1.86
B629623		5.38	<0.005		<0.5	7.51	50	1690	2.3	<2	0.59	<0.5	5	26	2	0.98
B629624		6.52	<0.005		<0.5	7.31	124	1810	2.3	<2	0.59	<0.5	2	26	2	1.64
B629625		7.14	0.010		<0.5	7.83	150	1990	1.9	<2	0.39	<0.5	5	30	2	1.60
B629626		5.64	0.028		<0.5	7.92	101	1810	2.1	<2	0.33	<0.5	5	28	2	1.45
B629627		6.04	0.007		<0.5	7.24	163	1620	2.1	<2	0.29	<0.5	6	26	2	1.52
B629628		1.58	0.014		<0.5	8.37	69	2090	2.3	<2	0.58	<0.5	4	28	2	1.28
B629629		2.76	0.005		<0.5	7.38	48	1670	2.2	<2	0.67	<0.5	4	30	3	1.29
B629630		5.22	0.006		<0.5	9.08	87	1690	2.1	<2	0.38	<0.5	4	39	2	1.36
B629631		4.34	<0.005		<0.5	7.54	65	1460	1.8	<2	0.36	<0.5	7	27	2	2.00
B629632		5.14	<0.005		<0.5	6.74	64	1430	1.7	<2	0.33	<0.5	3	25	1	1.45
B629633		5.66	0.005		<0.5	6.03	46	1210	1.5	<2	0.26	<0.5	2	22	2	1.80
B629634		5.14	0.005		<0.5	6.77	51	1260	2.8	<2	0.67	<0.5	2	23	2	1.16
B629635		4.64	0.007		<0.5	6.52	82	1240	2.3	<2	0.33	<0.5	5	24	2	2.50
B629636		5.02	0.006		<0.5	6.73	39	1430	2.2	<2	0.31	<0.5	4	25	1	1.27
B629637		5.30	0.006		<0.5	7.36	54	1580	2.2	<2	0.31	<0.5	3	26	2	1.21
B629638		4.98	0.005		<0.5	7.06	77	1570	2.4	<2	0.44	<0.5	3	26	2	1.67
B629639		4.92	0.005		<0.5	6.62	232	1610	2.5	<2	0.61	<0.5	4	24	1	1.23
B629640		6.04	0.242		<0.5	6.57	3300	1640	2.8	<2	0.84	<0.5	2	25	1	1.35
B629641		4.64	0.034		<0.5	7.02	401	1830	2.5	<2	0.68	<0.5	3	31	2	1.54
B629642		4.20	<0.005		<0.5	7.45	64	1550	3.6	<2	1.19	<0.5	2	30	2	1.63
B629643		2.66	<0.005		<0.5	7.34	74	1600	3.2	<2	0.98	<0.5	8	28	2	2.83
B629644		3.86	0.006		<0.5	7.11	68	1790	2.7	<2	0.67	<0.5	5	26	2	1.63
B629645		3.94	0.022		<0.5	7.11	64	1700	2.4	<2	0.60	<0.5	3	22	2	1.38
B629646		4.84	<0.005		<0.5	5.59	33	1300	2.2	<2	0.62	<0.5	3	24	2	1.14
B629647		3.58	0.006		<0.5	7.68	43	1590	2.4	<2	0.66	<0.5	3	29	2	1.66
B629648		4.48	0.005		<0.5	7.79	12	1610	2.5	<2	0.61	<0.5	2	29	2	2.10
B629649		3.42	0.005		<0.5	7.74	25	1330	2.4	<2	0.46	<0.5	6	31	21	2.60
B629650		4.36	0.005		<0.5	7.73	8	1640	2.1	<2	0.43	<0.5	8	30	2	2.04
B629652		Not Recvd														
B629653		Not Recvd														
B629654		Not Recvd														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105243

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B629614		1.79	0.44	1085	5	2.25	23	590	13	<0.01	<5	862	0.27	33	290	29
B629615		2.07	0.59	677	4	2.28	21	600	13	<0.01	<5	848	0.28	36	180	31
B629616		2.16	0.31	339	7	2.15	17	590	13	<0.01	<5	827	0.25	32	190	26
B629617		2.23	0.36	312	2	2.31	14	590	14	<0.01	<5	807	0.27	32	300	23
B629618		2.37	0.28	264	5	1.75	18	620	15	<0.01	<5	678	0.29	35	210	22
B629619		2.12	0.20	188	4	0.81	10	580	16	<0.01	<5	360	0.25	29	1390	18
B629620		2.32	0.25	1130	18	1.40	38	700	16	<0.01	<5	562	0.25	42	1500	42
B629621		2.50	0.17	210	14	1.68	12	590	13	<0.01	<5	647	0.25	29	4030	20
B629622		2.18	0.17	307	10	1.36	16	600	15	<0.01	<5	499	0.26	35	910	24
B629623		2.58	0.15	121	3	0.75	8	640	19	<0.01	<5	351	0.28	33	270	17
B629624		2.67	0.17	102	14	0.74	14	610	17	<0.01	<5	355	0.27	34	290	24
B629625		3.14	0.18	187	28	0.29	14	730	17	<0.01	<5	256	0.30	40	2040	27
B629626		2.87	0.15	221	6	0.24	12	710	17	<0.01	<5	224	0.30	37	320	27
B629627		2.22	0.18	306	7	0.09	17	630	19	<0.01	<5	149	0.28	37	390	29
B629628		3.81	0.26	130	5	0.65	11	750	22	<0.01	<5	297	0.33	40	280	24
B629629		2.24	0.22	148	6	0.81	12	730	16	0.01	<5	360	0.30	41	260	28
B629630		2.71	0.18	435	6	0.20	17	890	35	<0.01	<5	193	0.39	52	380	33
B629631		2.29	0.21	424	8	0.24	15	680	18	<0.01	<5	194	0.30	40	220	37
B629632		1.80	0.24	185	4	0.09	11	640	10	<0.01	<5	142	0.28	35	270	28
B629633		1.63	0.16	196	6	0.08	11	500	13	<0.01	<5	128	0.22	30	390	21
B629634		1.99	0.17	109	4	1.07	10	600	15	<0.01	<5	400	0.25	31	370	23
B629635		1.75	0.24	440	12	0.09	16	580	12	<0.01	6	124	0.25	35	260	22
B629636		2.01	0.19	239	9	0.11	12	600	11	<0.01	<5	147	0.26	33	660	18
B629637		2.31	0.20	169	6	0.14	12	570	12	<0.01	<5	172	0.29	36	510	17
B629638		2.06	0.21	171	18	0.54	13	620	12	<0.01	<5	287	0.28	37	350	22
B629639		1.99	0.19	290	7	1.02	14	600	11	<0.01	<5	472	0.27	32	490	23
B629640		2.19	0.19	140	8	1.48	10	600	10	0.02	<5	557	0.26	32	890	21
B629641		2.41	0.26	190	4	0.97	14	620	12	0.01	<5	467	0.28	37	430	26
B629642		2.01	0.24	133	7	1.74	13	680	15	<0.01	<5	698	0.30	38	820	28
B629643		2.28	0.29	427	9	1.22	20	610	15	<0.01	<5	486	0.29	38	100	29
B629644		2.29	0.31	196	7	1.04	12	620	19	<0.01	<5	451	0.27	36	1000	34
B629645		2.19	0.30	163	7	0.91	11	580	13	<0.01	<5	390	0.26	32	1700	23
B629646		1.30	0.16	143	6	1.03	12	460	7	<0.01	7	438	0.20	29	670	17
B629647		2.23	0.27	177	10	0.99	10	660	15	<0.01	7	413	0.31	41	150	21
B629648		2.39	0.24	121	10	0.99	7	650	33	<0.01	19	395	0.31	40	170	30
B629649		2.29	0.24	992	9	0.53	21	710	54	<0.01	35	279	0.32	41	170	111
B629650		2.17	0.25	602	5	0.34	25	690	16	<0.01	6	238	0.31	40	150	71
B629652																
B629653																
B629654																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105243

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B629655		Not Recvd														
B629656		Not Recvd														
B629657		Not Recvd														
B687551		3.46	<0.005		<0.5	7.37	11	1720	3.0	<2	0.97	<0.5	5	29	2	1.57
B687552		2.82	<0.005		<0.5	7.39	44	1770	2.8	<2	0.87	<0.5	4	28	3	1.39
B687553		4.76	0.109		0.7	7.03	2240	1580	2.0	<2	0.20	0.6	3	33	12	2.25
B687554		4.96	<0.005		<0.5	6.89	57	1510	1.8	<2	0.29	<0.5	6	28	4	1.83
B687555		4.18	0.008		<0.5	8.09	9	1660	2.0	<2	0.40	<0.5	5	32	3	2.67
B687556		3.64	0.007		<0.5	6.74	26	1490	1.7	<2	0.29	<0.5	5	26	2	2.04
B687557		2.68	<0.005		<0.5	7.16	13	1450	1.7	<2	0.39	<0.5	2	27	3	1.38

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105243

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B629655																
B629656																
B629657																
B687551		2.30	0.18	281	9	1.81	17	670	24	<0.01	6	663	0.30	37	210	58
B687552		2.41	0.20	202	8	1.52	13	680	15	<0.01	8	599	0.30	39	320	48
B687553		2.79	0.16	312	9	0.10	8	580	229	0.06	69	139	0.27	37	620	247
B687554		2.12	0.19	358	7	0.11	20	620	17	<0.01	<5	149	0.27	35	320	62
B687555		2.41	0.23	589	7	0.15	20	690	17	<0.01	<5	181	0.33	42	1960	68
B687556		2.28	0.20	208	6	0.20	14	590	13	<0.01	5	168	0.27	36	190	31
B687557		1.81	0.19	128	9	0.27	8	630	16	<0.01	5	161	0.28	37	3570	19

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

CERTIFICATE VA06105725

Project: Dublin Gulch1735

P.O. No.:

This report is for 12 Rock samples submitted to our lab in Vancouver, BC, Canada on 25-SEP-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06105725

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B628714		2.56	<0.005	<0.5	4.24	10	370	0.9	<2	0.28	<0.5	9	38	18	2.99	1.23
B628715		3.22	<0.005	<0.5	4.47	16	360	1.1	<2	0.48	<0.5	8	45	21	2.91	1.32
B628716		4.64	<0.005	<0.5	9.32	11	810	2.6	<2	0.23	<0.5	18	85	32	4.18	3.70
B628717		2.96	<0.005	<0.5	5.43	<5	560	1.3	<2	1.02	<0.5	13	49	27	3.06	1.97
B628718		2.36	<0.005	<0.5	2.61	5	190	0.5	<2	0.22	1.0	5	27	11	1.41	0.74
B628719		1.36	<0.005	<0.5	0.04	56	<10	<0.5	<2	0.02	<0.5	1	24	3	0.76	0.01
B627733		2.00	1.775	8.0	6.77	>10000	1160	2.4	11	0.03	1.0	2	26	21	4.33	2.90
B627734		1.40	2.38	8.4	4.27	>10000	660	1.7	7	0.02	2.0	1	17	36	6.36	1.78
B627735		1.48	0.006	<0.5	0.47	36	170	<0.5	<2	0.05	<0.5	<1	22	2	0.62	0.34
B627736		1.48	<0.005	<0.5	0.40	50	270	<0.5	<2	0.03	<0.5	<1	25	2	0.50	0.40
B627737		1.76	4.23	4.8	2.76	>10000	320	0.8	16	0.06	0.8	2	20	12	8.23	0.99
B627738		2.50	0.165	<0.5	8.15	632	1940	3.3	<2	1.29	<0.5	8	37	5	2.66	3.48

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06105725

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B628714		0.46	400	1	0.02	22	220	10	<0.01	10	29	0.26	51	<10	60
B628715		0.38	461	<1	0.02	20	230	13	0.01	<5	31	0.30	57	<10	55
B628716		0.69	494	1	0.04	39	880	8	0.01	6	35	0.48	121	<10	83
B628717		0.67	668	1	0.06	29	260	15	0.01	11	73	0.34	67	<10	75
B628718		0.13	413	1	0.01	10	110	48	0.01	18	29	0.15	29	<10	181
B628719		<0.01	114	<1	<0.01	3	10	33	<0.01	13	1	0.01	1	<10	23
B627733		0.28	34	3	0.05	6	580	901	0.14	67	50	0.21	33	20	284
B627734		0.20	65	4	0.03	1	640	1420	0.17	86	21	0.11	20	20	201
B627735		0.03	48	1	0.08	4	50	2	<0.01	<5	23	0.02	2	40	2
B627736		0.01	44	7	0.03	1	40	2	<0.01	<5	17	0.01	<1	750	2
B627737		0.07	89	7	0.02	<1	330	294	0.15	151	19	0.07	10	60	97
B627738		0.67	570	2	1.71	24	700	35	0.01	14	439	0.29	39	10	234

APPENDIX L

List of Geochemical Trench Samples

Geochemical Trench Samples 2006 - Cascallen Trenches
(All UTM coordinates in NAD 83, Zone 8)

Trench Name	Sample	From (m)	To (m)	Certificate	SampleType
CT06-01	B687645	2	4	VA06087857	Chip Channel
CT06-01	B687646	4	6	VA06087857	Chip Channel
CT06-01	B687647	4	6	VA06087857	Qtz vein
CT06-01	B687648	6	8	VA06087857	Chip Channel
CT06-01	B687649	6	8	VA06087857	Qtz vein
CT06-01	B687650	6	8	VA06087857	Qtz vein
CT06-01	B687451	8	10	VA06087857	Chip Channel
CT06-01	B687452	10	12	VA06095057	Chip Channel
CT06-01	B687453	10	12	VA06087857	Qtz vein
CT06-01	B687454	12	13	VA06087857	Qtz vein
CT06-01	B687455	13	14	VA06095057	Qtz vein
CT06-01	B687456	14	15	VA06087857	Qtz vein
CT06-01	B687457	15	16	VA06095057	Qtz vein
CT06-01	B687458	16	18	VA06087857	Chip Channel
CT06-01	B687459	18	20	VA06087857	Chip Channel
CT06-01	B687460	20	22	VA06087857	Chip Channel
CT06-02	B687461	6	8	VA06087857	Chip Channel
CT06-02	B687462	8	10	VA06087857	Qtz vein
CT06-02	B687463	8	9	VA06087857	Qtz vein
CT06-02	B687464	9	10	VA06087857	Qtz vein
CT06-02	B687465	10	11	VA06087857	Qtz vein
CT06-02	B687466	11	12	VA06087857	Qtz vein
CT06-02	B687467	12	14	VA06087857	Chip Channel
CT06-02	B687468	14	16	VA06087857	Chip Channel
CT06-02	B687469	16	18	VA06087857	Chip Channel
CT06-02	B687470	16	18	VA06087857	Qtz vein
CT06-02	B687471	18	20	VA06087857	Chip Channel
CT06-03	B687483	0	2	VA06087857	Chip Channel
CT06-03	B687472	2	4	VA06087857	Qtz vein
CT06-03	B687484	2	4	VA06087857	Chip Channel
CT06-03	B687473	4	6	VA06087857	Qtz vein
CT06-03	B687474	4	6	VA06087857	Qtz vein
CT06-03	B687485	4	6	VA06087857	Chip Channel
CT06-03	B687475	6	8	VA06087857	Qtz vein
CT06-03	B687486	6	8	VA06087857	Chip Channel
CT06-03	B687487	8	10	VA06087857	Chip Channel
CT06-03	B687488	10	12	VA06087857	Chip Channel
CT06-03	B687476	12	14	VA06087857	Qtz vein
CT06-03	B687477	12	14	VA06087857	Qtz vein
CT06-03	B687489	12	14	VA06087857	Chip Channel
CT06-03	B687490	14	16	VA06087857	Chip Channel
CT06-03	B687478	22	24	VA06087857	Qtz vein
CT06-03	B687491	22	24	VA06087857	Chip Channel
CT06-03	B687479	28	30	VA06087857	Qtz vein
CT06-03	B687492	28	30	VA06087857	Chip Channel
CT06-03	B687493	30	32	VA06087857	Chip Channel
CT06-03	B687480	32	34	VA06087857	Qtz vein
CT06-03	B687494	32	34	VA06087857	Chip Channel
CT06-03	B687481	34	36	VA06087857	Qtz vein

Geochemical Trench Samples 2006 - Cascallen Trenches
(All UTM coordinates in NAD 83, Zone 8)

Trench Name	Sample	From (m)	To (m)	Certificate	SampleType
CT06-03	B687495	34	36	VA06087857	Chip Channel
CT06-03	B687482	36	38	VA06087857	Qtz vein
CT06-03	B687496	36	38	VA06087857	Chip Channel
CT06-04	B630156	0	1.2	VA06087857	Chip Channel
CT06-04	B630157	1.2	1.4	VA06087857	Chip Channel
CT06-04	B630161	1.4	3.2	VA06095057	Chip Channel
CT06-04	B630158	3.2	3.35	VA06095057	Chip Channel
CT06-04	B630159	3.35	3.5	VA06095057	Chip Channel
CT06-04	B630160	3.5	4.4	VA06095057	Chip Channel
CT06-04	B630162	4.4	4.7	VA06095057	Chip Channel
CT06-04	B630163	4.7	5.3	VA06095057	Chip Channel
CT06-04	B630164	5.3	5.9	VA06095057	Chip Channel
CT06-04	B630165	5.9	6.2	VA06095057	Chip Channel
CT06-05	B627701	0	2	VA06087857	Chip Channel
CT06-05	B627702	2	4	VA06087857	Chip Channel
CT06-05	B627703	4	7	VA06087857	Chip Channel
CT06-05	B627704	7	8	VA06087857	Chip Channel
CT06-05	B627705	8	10	VA06087857	Chip Channel
CT06-05	B627706	10	12	VA06087857	Chip Channel
CT06-05	B627707	12	14	VA06087857	Chip Channel
CT06-05	B627708	14	16	VA06087857	Chip Channel
CT06-05	B627717	14	16	VA06087857	Qtz vein
CT06-05	B627709	18	20	VA06087857	Chip Channel
CT06-05	B627710	20	22	VA06087857	Chip Channel
CT06-05	B627711	22	24	VA06087857	Chip Channel
CT06-05	B627712	24	26	VA06087857	Chip Channel
CT06-05	B627718	24	26	VA06087857	Qtz vein
CT06-05	B627713	26	28	VA06087857	Chip Channel
CT06-05	B627714	28	30	VA06087857	Chip Channel
CT06-05	B627715	30	32	VA06087857	Chip Channel
CT06-05	B627719	30	32	VA06087857	Qtz vein
CT06-05	B627716	32	34	VA06087857	Chip Channel
CT06-05	B627720	32	34	VA06087857	Qtz vein
CT06-06	B627721	0	2	VA06098503	Chip Channel
CT06-06	B627722	2	4	VA06098503	Chip Channel
CT06-06	B627723	4	7	VA06098503	Chip Channel
CT06-06	B627728	6	8	VA06098503	QTZ Vein
CT06-06	B627729	6	8	VA06098503	QTZ Vein
CT06-06	B627724	7	8	VA06098503	Chip Channel
CT06-06	B627725	8	10	VA06098503	Chip Channel
CT06-06	B627730	8	10	VA06098503	QTZ Vein
CT06-06	B627726	10	12	VA06098503	Chip Channel
CT06-06	B627727	12	14	VA06098503	Chip Channel
CT06-07	B630166	0	2	VA06098503	Chip Channel
CT06-07	B630167	2	4	VA06098503	Chip Channel
CT06-07	B630168	4	6	VA06098503	Chip Channel
CT06-07	B630169	6	8	VA06098503	Chip Channel
CT06-07	B630170	8	10	VA06098503	Chip Channel
CT06-07	B630175	8	10	VA06098503	Qtz vn

Geochemical Trench Samples 2006 - Cascallen Trenches
(All UTM coordinates in NAD 83, Zone 8)

Trench Name	Sample	From (m)	To (m)	Certificate	SampleType
CT06-07	B630171	10	12	VA06098503	Chip Channel
CT06-07	B630172	12	14	VA06098503	Chip Channel
CT06-07	B630173	14	15.3	VA06098503	Chip Channel
CT06-07	B630174	14.9	14.9	VA06098503	Qtz vn
CT06-08	C270001	0	2	VA06108921	Channel / Chip Channel
CT06-08	C270002	2	4	VA06108921	Chip Channel
CT06-08	C270003	4	6	VA06108921	Chip Channel
CT06-08	C270004	6	8	VA06108921	Chip Channel
CT06-08	C270005	8	10	VA06108921	Chip Channel
CT06-08	C270012	8	10	VA06108921	Qtz Vein
CT06-08	C270006	10	12	VA06108921	Chip Channel
CT06-08	C270007	12	14	VA06108921	Chip Channel
CT06-08	C270008	14	16	VA06108921	Chip Channel
CT06-08	C270009	16	18	VA06108921	Chip Channel
CT06-08	C270010	18	20	VA06108921	Channel sample
CT06-08	C270013	18	20	VA06108921	Qtz Vein
CT06-08	C270014	20	22	VA06108921	Channel sample
CT06-08	C270026	20	22	VA06108921	Qtz Vein
CT06-08	C270027	21.5	22	VA06108921	Aspy-vein selvage
CT06-08	C270028	21.9	22.5	VA06108921	Aspy-vein
CT06-08	C270015	22	24	VA06108921	Channel sample
CT06-08	C270029	22.5	23	VA06108921	Aspy-vein
CT06-08	C270030	23	24	VA06108921	Aspy-vein selvage
CT06-08	C270016	24	26	VA06108921	Channel sample
CT06-08	C270031	24	26	VA06108921	Qtz Vein
CT06-08	C270011	26	28	VA06108921	Qtz Vein
CT06-08	C270017	26	28	VA06108921	Chip Channel
CT06-08	C270018	28	30	VA06108921	Channel sample
CT06-08	C270032	28	30	VA06108921	Qtz Vein
CT06-08	C270033	28	30	VA06108921	Qtz Vein
CT06-08	C270019	30	32	VA06108921	Channel sample
CT06-08	C270020	38	40	VA06108921	Channel sample
CT06-08	C270021	40	42	VA06108921	Chip Channel
CT06-08	C270049	40	42	VA06108921	Qtz Vein
CT06-08	C270022	42	44	VA06108921	Channel sample
CT06-08	C270050	42	44	VA06108921	Qtz Vein
CT06-08	C270023	44	46	VA06108921	Channel sample
CT06-08	C270051	44	46	VA06108921	Qtz Vein
CT06-08	C270024	46	48	VA06108921	Channel sample
CT06-08	C270025	48	50	VA06108921	Channel sample
CT06-08	C270034	50	52	VA06108921	Channel sample
CT06-08	C270035	52	54	VA06108921	Channel sample
CT06-08	C270052	52	54	VA06108921	Qtz Vein
CT06-08	C270036	54	56	VA06108921	Channel sample
CT06-08	C270037	56	58	VA06108921	Channel sample
CT06-08	C270053	56	58	VA06108921	Qtz Vein
CT06-08	C270038	58	60	VA06108921	Channel sample
CT06-08	C270054	58	60	VA06108921	Qtz Vein
CT06-08	C270055	58	60	VA06108921	Qtz Vein

Geochemical Trench Samples 2006 - Cascallen Trenches
(All UTM coordinates in NAD 83, Zone 8)

Trench Name	Sample	From (m)	To (m)	Certificate	SampleType
CT06-08	C270039	60	62	VA06108921	Channel sample
CT06-08	C270040	62	64	VA06108921	Channel sample
CT06-08	C270056	62	64	VA06108921	Qtz Vein
CT06-08	C270057	62	64	VA06108921	Qtz Vein
CT06-08	C270041	64	66	VA06108921	Channel sample
CT06-08	C270042	66	68	VA06108921	Channel sample
CT06-08	C270043	68	70	VA06108921	Channel sample
CT06-08	C270044	70	72	VA06108921	Channel sample
CT06-08	C270045	72	74	VA06108921	Channel sample
CT06-08	C270046	74	76	VA06108921	Channel sample
CT06-08	C270058	74	76	VA06108921	Qtz Vein
CT06-08	C270047	76	78	VA06108921	Channel sample
CT06-08	C270059	76	78	VA06108921	Qtz Vein
CT06-08	C270048	78	80	VA06108921	Channel sample
CT06-08	C270060	78	80	VA06108921	Qtz Vein
CT06-08	C270061	80	82	VA06108921	Channel sample
CT06-08	C270081	80	82	VA06108921	Qtz Vein
CT06-08	C270082	80	82	VA06108921	Qtz Vein
CT06-08	C270062	82	84	VA06108921	Channel sample
CT06-08	C270063	84	86	VA06108921	Channel sample
CT06-08	C270083	84	86	VA06108921	Qtz Vein
CT06-08	C270064	86	88	VA06108921	Channel sample
CT06-08	C270065	88	90	VA06108921	Channel sample
CT06-08	C270066	90	92	VA06108921	Channel sample
CT06-08	C270067	92	94	VA06108921	Channel sample
CT06-08	C270068	94	96	VA06108921	Channel sample
CT06-08	C270084	94	96	VA06108921	Qtz Vein
CT06-08	C270069	96	98	VA06108921	Channel sample
CT06-08	C270070	98	100	VA06108921	Channel sample
CT06-08	C270071	100	102	VA06108921	Channel sample
CT06-08	C270072	102	104	VA06108921	Channel sample
CT06-08	C270073	104	106	VA06108921	Chip Channel
CT06-08	C270085	104	106	VA06108921	Qtz Vein
CT06-08	C270074	106	108	VA06108921	Chip Channel, Channel Sample
CT06-08	C270075	108	110	VA06108921	Chip Channel, Channel Sample
CT06-08	C270076	110	112	VA06108921	Chip Channel, Channel Sample
CT06-08	C270077	112	114	VA06108921	Chip Channel, Channel Sample
CT06-08	C270078	114	116	VA06108921	Channel sample
CT06-08	C270086	114	116	VA06108921	Qtz Vein
CT06-08	C270079	116	118	VA06108921	Channel sample
CT06-08	C270080	118	120	VA06108921	Channel sample
CT06-08	C270087	120	122	VA06108921	Channel
CT06-08	C270088	122	124	VA06108921	Channel
CT06-08ex	C270251	0	2	VA06108921	Chip/Channel
CT06-08ex	C270252	2	4	VA06108921	Chip/Channel
CT06-08ex	C270253	8	10	VA06108921	Chip/Channel
CT06-08ex	C270254	10	12	VA06108921	Chip/Channel
CT06-08ex	C270255	16	18	VA06108921	Chip/Channel
CT06-08ex	C270256	24	26	VA06108921	Chip/Channel

Geochemical Trench Samples 2006 - Cascallen Trenches
(All UTM coordinates in NAD 83, Zone 8)

Trench Name	Sample	From (m)	To (m)	Certificate	SampleType
CT06-08ex	C270257	26	28	VA06108921	Chip/Channel
CT06-08ex	C270258	28	30	VA06108921	Chip/Channel
CT06-08ex	C270259	30	32	VA06108921	Chip/Channel
CT06-08ex	C270260	32	34	VA06108921	Chip/Channel
CT06-08ex	C270261	34	36	VA06108921	Chip/Channel
CT06-08ex	C270262	36	38	VA06108921	Chip/Channel
CT06-08ex	C270263	38	40	VA06108921	Chip/Channel
CT06-08ex	C270264	40	42	VA06108921	Chip/Channel
CT06-08ex	C270265	42	44	VA06108921	Chip/Channel
CT06-08ex	C270266	46	48	VA06108921	Chip/Channel
CT06-08ex	C270267	48	50	VA06108921	Channel
CT06-08ex	C270268	50	52	VA06108921	Chip/Channel
CT06-08ex	C270269	52	54	VA06108921	Chip/Channel
CT06-08ex	C270270	54	56	VA06108921	Chip/Channel
CT06-08ex	C270271	56	58	VA06108921	Chip/Channel
CT06-08ex	C270272	58	60	VA06108921	Chip/Channel
CT06-08ex	C270273	60	62	VA06108921	Chip/Channel
CT06-08ex	C270274	62	64	VA06108921	Channel
CT06-08ex	C270275	64	66	VA06108921	Chip/Channel
CT06-08ex	C270276	66	68	VA06108921	Channel
CT06-08ex	C270277	68	70	VA06108921	Chip/Channel
CT06-08ex	C270278	70	72	VA06108921	Chip/Channel
CT06-08ex	C270279	72	74	VA06108921	Chip/Channel
CT06-08ex	C270280	74	76	VA06108921	Chip/Channel
CT06-08ex	C270281	76	78	VA06108921	Channel
CT06-08ex	C270282	78	80	VA06108921	Chip/Channel
CT06-08ex	C270283	80	82	VA06108921	Chip/Channel
CT06-08ex	C270284	82	84	VA06108921	Chip/Channel
CT06-08ex	C270285	84	86	VA06108921	Channel
CT06-08ex	C270286	86	88	VA06108921	Channel
CT06-08ex	C270287	88	90	VA06108921	Chip/Channel
CT06-09	C270101	8	10	VA06108921	Channel/Chip
CT06-09	C270102	10	12	VA06108921	Channel/Chip
CT06-09	C270103	12	14	VA06108921	Channel/Chip
CT06-09	C270104	14	16	VA06108921	Channel/Chip
CT06-09	C270105	16	18	VA06108921	Channel/Chip
CT06-09	C270106	18	20	VA06108921	Channel/Chip
CT06-09	C270107	20	22	VA06108845	Channel
CT06-09	C270107	20	22	VA06108921	Channel
CT06-09	C270108	22	24	VA06108921	Channel/Chip
CT06-09	C270110	24	26	VA06108921	Channel/Chip
CT06-09	C270111	26	28	VA06108921	Channel/Chip
CT06-09	C270112	28	30	VA06108921	Channel/Chip
CT06-09	C270114	30	32	VA06108921	Channel/Chip
CT06-09	C270115	32	34	VA06108921	Channel/Chip
CT06-09	C270116	34	36	VA06108921	Channel/Chip
CT06-09	C270117	36	38	VA06108921	Channel/Chip
CT06-09	C270118	38	40	VA06108921	Channel/Chip
CT06-09	C270119	40	42	VA06108921	Channel/Chip

Geochemical Trench Samples 2006 - Cascallen Trenches
(All UTM coordinates in NAD 83, Zone 8)

Trench Name	Sample	From (m)	To (m)	Certificate	SampleType
CT06-09	C270120	42	44	VA06108921	Channel/Chip
CT06-09	C270121	44	46	VA06108921	Channel/Chip
CT06-09	C270122	46	48	VA06108921	Channel/Chip
CT06-09	C270123	48	50	VA06108921	Channel/Chip
CT06-09	C270124	50	52	VA06108921	Channel/Chip
CT06-09	C270125	52	54	VA06108921	Channel/Chip
CT06-09	C270126	54	56	VA06108845	Channel/Chip
CT06-09	C270127	56	58	VA06108921	Channel/Chip
CT06-09	C270128	58	60	VA06108921	Channel
CT06-09	C270129	60	62	VA06108921	Channel
CT06-09	C270130	62	64	VA06108921	Channel/Chip
CT06-09	C270131	64	66	VA06108921	Channel
CT06-09	C270132	66	68	VA06108921	Channel
CT06-09	C270133	68	70	VA06108921	Channel
CT06-09	C270134	70	72	VA06108921	Channel/Chip
CT06-09	C270135	72	74	VA06108921	Channel/Chip
CT06-09	C270136	74	76	VA06108921	Channel/Chip
CT06-09	C270137	76	78	VA06108921	Channel/Chip
CT06-11	B629524	0	2	VA06105243	Chip/Channel, Channel Sample
CT06-11	B629525	2	4	VA06105243	Chip/Channel, Channel Sample
CT06-11	B629526	4	6	VA06105243	Chip/Channel, Channel Sample
CT06-11	B629527	6	8	VA06105243	Chip/Channel, Channel Sample
CT06-11	B629528	11	13	VA06105243	Channel sample
CT06-11	B629529	13	15	VA06105243	Channel sample
CT06-11	B629530	15	17	VA06105243	Chip Channel Sample
CT06-11	B629531	17	19	VA06105243	Chip/Channel, Channel Sample
CT06-11	B629532	19	21	VA06105243	Channel sample
CT06-11	B629533	21	23	VA06105243	Chip Channel Sample
CT06-11	B629534	25	27	VA06105243	Channel sample
CT06-11	B629535	27	29	VA06105243	Chip Channel Sample
CT06-11	B629536	29	31	VA06105243	Channel sample
CT06-11	B629537	31	31.6	VA06105243	Channel sample
CT06-11	B629538	31.6	31.95	VA06105243	Chip Channel Sample
CT06-11	B629539	31.95	34	VA06105243	Chip Channel Sample
CT06-11	B629540	34	36	VA06105243	Chip Channel Sample
CT06-11	B629541	36	38	VA06105243	Channel sample
CT06-11	B629542	38	40	VA06105243	Channel sample
CT06-11	B629543	40	41.9	VA06105243	Chip Channel Sample
CT06-11	B629544	41.9	42	VA06105243	Chip Channel Sample
CT06-11	B629545	42	43.3	VA06105243	Chip Channel Sample
CT06-11	B629546	53	55	VA06105243	Chip Channel Sample
CT06-11	B629547	55	56	VA06105243	Channel sample
CT06-11	B629548	56	57.5	VA06105243	Chip Channel sample
CT06-11	B629549	78	79	VA06105243	Chip Channel Sample
CT06-11	B629550	93.9	95	VA06105243	Chip Channel Sample
CT06-11	B629601	95	96	VA06105243	Chip Channel Sample
CT06-11	B629602	96	97.5	VA06105243	Chip Channel Sample
CT06-11	B629603	128.9	131	VA06105243	Channel sample
CT06-11	B629604	131	133	VA06105243	Chip Channel Sample

Geochemical Trench Samples 2006 - Cascallen Trenches
(All UTM coordinates in NAD 83, Zone 8)

Trench Name	Sample	From (m)	To (m)	Certificate	SampleType
CT06-11	B629605	133	135	VA06105243	Chip Channel Sample
CT06-11	B629606	135	137	VA06105243	Chip Channel Sample
CT06-11	B629607	137	139	VA06105243	Chip Channel Sample
CT06-11	B629608	139	141	VA06105243	Chip Channel Sample
CT06-11	B629609	141	143	VA06105243	Chip/Channel Channel Sample
CT06-11	B629610	143	145	VA06105243	Chip Channel Sample

APPENDIX M

ALS Chemex Assay Certificates

- Trench Samples -

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-SEP-2006
Account: STRGOL

CERTIFICATE VA06087857

Project: Dublin Gulch1735

P.O. No.:

This report is for 82 Rock samples submitted to our lab in Vancouver, BC, Canada on 22-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06087857

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B627701		2.16	0.013		<0.5	7.46	476	1780	3.0	<2	0.56	<0.5	7	33	14	2.90
B627702		2.02	0.015		<0.5	7.13	341	1530	2.6	<2	0.60	<0.5	5	30	13	3.08
B627703		2.88	0.013		<0.5	7.52	380	1400	3.3	<2	1.07	<0.5	8	32	15	4.57
B627704		2.28	<0.005		<0.5	8.10	24	1320	3.5	<2	1.43	<0.5	8	31	14	2.28
B627705		2.50	0.025		<0.5	7.72	166	2400	2.8	<2	0.61	<0.5	9	29	11	3.09
B627706		2.02	0.007		<0.5	7.71	236	1370	3.2	<2	0.94	<0.5	8	30	14	2.24
B627707		2.26	0.017		<0.5	7.47	97	1320	3.2	<2	1.37	<0.5	5	27	9	2.20
B627708		2.46	0.131		<0.5	5.40	438	1420	2.1	2	0.58	<0.5	5	24	7	1.92
B627709		1.24	0.028		<0.5	7.48	162	1550	3.4	<2	1.00	<0.5	5	28	12	2.53
B627710		1.76	0.045		<0.5	7.25	557	1690	2.2	<2	0.36	<0.5	2	28	10	2.12
B627711		2.08	0.045		<0.5	8.05	330	1950	3.4	<2	1.03	<0.5	8	31	18	2.56
B627712		2.10	0.039		<0.5	7.17	226	2700	3.1	<2	1.03	<0.5	6	30	5	1.85
B627713		1.92	0.112		<0.5	7.78	332	1820	3.1	<2	0.97	0.8	7	28	7	2.23
B627714		2.24	0.729		0.9	7.66	1520	1600	2.4	<2	0.35	3.4	2	29	35	2.65
B627715		2.42	1.825		5.8	6.36	>10000	1480	2.5	15	0.74	2.6	2	27	48	4.14
B627716		2.42	0.376		3.1	8.06	6750	1470	3.2	6	0.11	2.2	1	30	49	3.06
B627717		1.50	0.009		<0.5	5.54	247	1660	1.9	<2	0.44	<0.5	5	23	5	2.60
B627718		1.94	0.006		<0.5	5.52	437	1360	2.5	<2	0.67	<0.5	6	24	7	1.94
B627719		2.44	4.76		6.9	2.22	>10000	340	1.0	52	0.03	2.5	<1	12	79	9.81
B627720		2.22	4.82		19.9	5.63	>10000	730	2.1	46	0.07	2.8	<1	25	74	5.31
B630156		1.54	0.071		<0.5	7.69	1015	1700	3.0	<2	1.18	<0.5	4	25	10	2.33
B630157		1.36	0.503		1.0	8.36	1740	3510	2.3	2	0.36	1.8	5	31	73	3.12
B630158		1.84	1.340		7.6	6.93	>10000	680	2.3	9	0.08	1.5	1	25	69	4.31
B630159		2.42	>10.0	41.2	>100	1.38	>10000	190	0.6	276	0.02	9.1	<1	6	690	16.75
B630160		2.10	1.185		7.4	6.60	>10000	920	2.5	7	0.03	1.5	<1	23	55	3.71
B630161		2.22	1.050		11.8	7.74	>10000	970	3.4	15	0.15	6.6	<1	26	151	5.07
B630162		2.92	>10.0	20.1	15.4	0.19	>10000	30	<0.5	38	0.01	1.3	<1	7	66	12.85
B630163		2.22	2.76		16.1	5.48	>10000	770	2.0	49	0.01	1.6	<1	18	56	6.61
B630164		3.42	>10.0	11.30	>100	0.34	>10000	60	<0.5	285	0.01	5.7	<1	<1	125	16.70
B630165		2.66	0.462		12.6	7.97	>10000	950	3.0	10	0.04	1.4	<1	25	43	3.58
B687645		1.46	0.811		1.5	8.52	5290	1750	2.1	8	0.23	0.7	2	29	73	3.75
B687646		1.08	0.169		1.1	9.07	1820	1760	1.8	<2	0.39	<0.5	1	32	45	3.07
B687647		1.56	0.196		1.3	4.76	1900	710	2.1	5	0.38	<0.5	<1	17	30	2.30
B687648		1.60	>10.0	21.5	29.5	4.89	>10000	1450	1.1	59	0.07	1.0	<1	17	115	5.06
B687649		1.46	0.212		1.3	4.99	2110	970	0.9	4	0.05	<0.5	1	18	27	2.28
B687650		1.66	0.148		1.5	1.91	1610	960	<0.5	4	0.02	<0.5	<1	17	13	1.54
B687451		1.74	>10.0	37.6	>100	2.75	>10000	340	1.4	202	0.08	2.1	<1	11	309	12.50
B687452		2.10	0.449		3.5	8.37	4880	1050	3.2	4	0.07	1.6	<1	29	60	2.81
B687453		1.74	0.579		2.9	4.38	4890	510	1.8	6	0.05	1.7	<1	24	51	2.93
B687454		2.20	8.23		8.6	1.01	>10000	160	0.5	53	0.02	1.6	<1	9	78	10.65

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06087857

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B627701		3.65	0.26	804	7	0.67	34	580	27	<0.01	6	269	0.29	36	80	70
B627702		3.02	0.28	480	7	0.54	21	580	30	0.01	6	223	0.26	32	70	75
B627703		3.15	0.42	517	12	1.06	24	660	29	0.01	6	299	0.29	37	50	99
B627704		3.00	0.45	443	2	1.33	19	660	33	<0.01	5	362	0.31	40	30	73
B627705		3.66	0.21	693	9	0.73	25	680	23	<0.01	10	321	0.30	37	160	79
B627706		2.75	0.30	353	7	1.05	16	680	34	<0.01	6	268	0.31	35	50	72
B627707		2.68	0.40	247	6	1.38	15	650	29	<0.01	<5	372	0.30	34	80	61
B627708		2.65	0.19	233	13	0.96	12	470	17	<0.01	<5	262	0.19	25	510	43
B627709		2.89	0.30	223	3	1.16	18	670	28	<0.01	<5	303	0.30	35	70	65
B627710		3.13	0.21	97	4	0.58	11	460	42	0.02	6	207	0.29	35	80	67
B627711		3.87	0.40	490	3	1.39	22	710	23	<0.01	6	426	0.32	39	80	128
B627712		2.95	0.40	227	7	1.81	15	650	17	<0.01	7	581	0.29	35	1320	104
B627713		3.33	0.47	302	2	1.17	17	690	29	<0.01	7	332	0.29	35	60	182
B627714		3.20	0.22	129	7	0.45	9	420	123	0.04	18	200	0.26	34	320	192
B627715		2.79	0.38	177	3	0.73	11	420	366	0.10	46	219	0.23	29	70	133
B627716		3.48	0.26	51	6	0.09	5	470	1365	0.06	56	96	0.25	37	60	150
B627717		3.53	0.10	269	20	0.65	15	460	16	<0.01	5	269	0.20	20	3160	38
B627718		2.22	0.21	271	7	1.24	12	490	17	<0.01	6	418	0.20	24	680	84
B627719		1.00	0.09	56	2	0.02	2	210	302	0.19	100	11	0.05	11	130	104
B627720		2.09	0.19	66	5	0.04	6	290	1450	0.18	350	36	0.17	28	60	120
B630156		3.30	0.56	206	1	1.68	18	630	36	<0.01	11	456	0.26	32	40	156
B630157		4.55	0.19	280	3	0.64	10	650	69	0.01	23	402	0.31	40	100	363
B630158		2.64	0.20	53	5	0.03	4	380	460	0.45	122	43	0.21	31	50	108
B630159		0.67	0.06	21	13	0.02	1	360	6630	1.14	4320	25	0.02	8	20	222
B630160		3.19	0.26	69	5	0.03	2	440	1365	0.38	130	36	0.13	27	30	49
B630161		3.03	0.22	138	7	0.05	10	640	1670	0.09	97	69	0.23	36	90	404
B630162		0.07	<0.01	50	2	0.01	<1	70	401	2.76	176	2	<0.01	2	60	99
B630163		2.62	0.22	54	6	0.03	1	230	2450	0.26	265	6	0.17	25	40	93
B630164		0.13	0.01	8	4	0.01	3	90	3400	0.41	1090	6	0.01	3	10	339
B630165		3.73	0.28	66	4	0.03	4	410	1600	0.39	127	73	0.23	36	60	87
B687645		3.42	0.22	157	4	0.23	17	220	85	0.09	34	167	0.29	42	60	276
B687646		3.30	0.24	73	4	0.60	15	230	52	0.16	31	267	0.34	44	100	175
B687647		0.87	0.11	65	5	1.59	7	160	32	0.06	20	386	0.16	22	570	110
B687648		3.31	0.10	53	5	0.14	3	270	676	0.65	613	156	0.18	21	100	46
B687649		1.93	0.05	61	5	0.09	6	90	84	0.13	39	100	0.17	22	420	105
B687650		1.75	0.02	71	2	0.08	2	40	94	0.13	34	99	0.07	8	90	14
B687451		1.32	0.10	75	13	0.02	4	360	5040	0.84	2290	27	0.06	13	30	84
B687452		3.68	0.30	42	4	0.03	6	230	522	0.12	71	49	0.22	40	40	155
B687453		1.76	0.10	102	2	0.02	3	190	527	0.08	56	45	0.13	21	120	129
B687454		0.42	0.03	49	5	0.02	5	460	877	0.26	160	6	0.02	5	70	78

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06087857

Sample Description	Method / Analyte / Units / LOR	Ag-AA62 / Ag / ppm / 1
B627701		
B627702		
B627703		
B627704		
B627705		
B627706		
B627707		
B627708		
B627709		
B627710		
B627711		
B627712		
B627713		
B627714		
B627715		
B627716		
B627717		
B627718		
B627719		
B627720		
B630156		
B630157		
B630158		
B630159		243
B630160		
B630161		
B630162		
B630163		
B630164		112
B630165		
B687645		
B687646		
B687647		
B687648		
B687649		
B687650		
B687451		110
B687452		
B687453		
B687454		

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06087857

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B687455		2.26	1.225		18.3	5.65	>10000	710	2.1	28	0.02	2.4	<1	21	55	5.75
B687456		2.18	5.92		79.2	4.10	>10000	520	1.6	496	0.03	2.5	<1	14	79	10.05
B687457		2.06	4.40		32.5	1.31	>10000	200	0.8	84	0.01	5.3	<1	6	92	9.11
B687458		2.02	0.205		1.6	8.87	2710	1300	1.2	4	0.10	0.7	<1	26	12	1.58
B687459		1.66	0.042		<0.5	8.64	396	1930	3.7	<2	1.26	<0.5	7	27	5	2.08
B687460		1.52	0.010		<0.5	8.77	405	1950	3.7	<2	1.28	<0.5	4	29	6	2.13
B687461		1.68	0.306		<0.5	8.28	1170	1350	1.9	2	0.54	<0.5	2	26	16	2.72
B687462		2.14	>10.0	10.95	25.0	1.34	>10000	140	<0.5	86	0.02	3.8	<1	8	250	14.10
B687463		1.66	2.07		5.7	6.81	>10000	940	2.5	47	0.02	1.0	<1	21	33	3.88
B687464		1.76	>10.0	19.50	24.2	0.12	>10000	30	<0.5	70	<0.01	0.6	<1	15	56	7.73
B687465		2.04	1.050		7.1	7.35	>10000	1010	2.9	11	0.02	3.6	<1	23	59	4.10
B687466		2.14	1.035		11.2	4.83	>10000	680	1.9	17	0.02	2.6	<1	18	69	4.47
B687467		1.92	0.202		3.8	8.52	4630	1630	3.0	3	0.06	1.2	<1	25	42	2.63
B687468		1.90	0.160		2.7	9.01	1820	1140	3.3	5	0.08	0.8	<1	26	30	2.08
B687469		1.86	0.068		0.5	8.80	914	1140	3.1	<2	0.10	0.5	1	26	19	1.91
B687470		1.92	>10.0	18.15	31.0	3.48	>10000	390	1.3	262	0.02	0.8	<1	11	117	10.00
B687471		1.88	0.037		<0.5	8.70	1020	1290	3.2	<2	0.16	0.8	8	28	14	3.00
B687472		1.40	0.017		<0.5	6.26	580	2130	2.6	<2	0.75	0.7	14	21	11	2.10
B687473		1.88	0.028		<0.5	1.35	534	440	0.9	2	0.06	0.6	5	17	14	1.38
B687474		1.84	0.016		<0.5	6.06	341	2590	2.2	<2	0.43	<0.5	6	21	11	1.42
B687475		1.62	0.067		<0.5	5.54	2070	2000	1.9	<2	0.17	0.6	11	23	15	2.67
B687476		1.80	0.011		<0.5	5.38	322	2950	1.1	<2	0.12	0.5	5	22	5	1.43
B687477		1.80	0.006		<0.5	7.48	311	2670	1.8	<2	0.25	<0.5	4	29	5	2.50
B687478		1.90	0.100		<0.5	7.68	2680	2100	2.7	2	0.40	<0.5	1	29	9	3.06
B687479		2.18	2.56		6.8	3.39	>10000	1150	0.8	23	0.03	<0.5	<1	21	68	7.66
B687480		1.98	4.91		18.5	2.58	>10000	380	0.8	58	0.01	1.9	<1	11	29	11.05
B687481		2.28	>10.0	10.15	11.5	1.29	>10000	210	<0.5	14	0.01	0.5	<1	10	19	9.49
B687482		2.36	>10.0	11.70	15.9	0.90	>10000	170	<0.5	35	0.01	<0.5	<1	11	18	9.98
B687483		2.00	0.041		<0.5	7.85	1040	1840	3.2	2	0.96	0.5	6	26	11	2.54
B687484		2.04	0.027		<0.5	8.28	779	3190	2.4	2	0.49	0.7	11	29	10	1.84
B687485		2.10	0.029		<0.5	7.95	430	2000	3.6	<2	1.03	0.6	8	27	14	2.42
B687486		1.78	0.167		0.8	8.41	4120	2560	3.0	3	0.34	0.6	2	30	15	1.98
B687487		1.86	0.019		<0.5	8.71	845	3540	2.6	<2	0.20	<0.5	6	28	8	2.38
B687488		1.86	0.010		<0.5	8.65	389	1190	2.7	<2	0.17	0.6	9	30	11	2.63
B687489		2.06	0.012		<0.5	8.45	448	1640	2.6	2	0.21	<0.5	4	30	9	3.33
B687490		2.24	0.015		<0.5	7.88	347	2440	2.7	<2	0.46	<0.5	11	28	5	1.96
B687491		2.50	0.015		<0.5	8.41	887	1900	3.0	<2	0.47	<0.5	2	29	9	3.10
B687492		2.38	1.925		2.6	6.19	>10000	3770	1.5	8	0.06	<0.5	<1	25	13	3.92
B687493		1.98	0.038		0.9	7.95	1860	2110	2.5	2	0.32	<0.5	2	29	16	2.83
B687494		1.98	0.160		1.8	7.27	>10000	1320	2.0	2	0.10	<0.5	<1	26	8	2.81

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06087857

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B687455		2.63	0.21	87	9	0.03	2	300	1720	0.44	147	8	0.14	31	70	102
B687456		1.88	0.14	31	12	0.04	2	360	5740	0.59	884	29	0.08	18	70	148
B687457		0.65	0.04	50	7	0.02	1	250	3180	0.60	463	11	0.05	9	40	238
B687458		2.73	0.10	36	5	0.15	4	280	1020	0.19	28	168	0.36	35	70	40
B687459		3.32	0.36	302	6	1.85	19	730	28	<0.01	8	510	0.31	39	30	85
B687460		3.33	0.37	307	6	1.87	18	740	26	<0.01	6	517	0.31	40	30	86
B687461		2.89	0.30	150	3	0.49	9	670	46	0.01	9	225	0.30	38	40	154
B687462		0.59	0.04	51	3	0.02	2	230	727	0.52	1035	9	0.03	7	80	159
B687463		3.25	0.28	62	3	0.04	3	190	590	0.17	81	8	0.16	29	50	66
B687464		0.04	<0.01	59	1	0.01	2	80	512	1.90	133	4	<0.01	1	50	45
B687465		3.49	0.30	78	2	0.03	5	130	394	0.16	87	6	0.18	30	40	134
B687466		2.36	0.20	62	5	0.03	2	190	1380	0.40	129	15	0.15	24	40	105
B687467		3.70	0.28	48	4	0.06	5	410	974	0.12	37	85	0.25	41	40	134
B687468		3.21	0.27	37	6	0.04	4	290	828	0.07	23	49	0.29	41	50	50
B687469		3.47	0.27	48	3	0.05	6	270	203	0.02	11	56	0.29	41	50	59
B687470		1.25	0.11	37	4	0.01	3	280	759	1.30	124	21	0.08	15	40	66
B687471		3.71	0.25	276	5	0.09	13	530	131	<0.01	33	101	0.32	42	60	120
B687472		3.28	0.26	678	16	1.03	17	560	28	<0.01	5	331	0.22	28	840	93
B687473		0.67	0.04	296	10	0.07	6	130	23	<0.01	<5	31	0.04	8	1130	33
B687474		4.47	0.09	150	12	0.96	7	470	17	<0.01	<5	379	0.24	30	830	64
B687475		3.86	0.11	209	18	0.48	9	480	37	0.02	12	235	0.18	28	350	95
B687476		4.03	0.06	258	4	0.19	10	390	16	<0.01	<5	263	0.16	19	200	79
B687477		4.29	0.15	210	14	0.38	13	590	21	<0.01	6	272	0.28	38	300	177
B687478		4.17	0.22	70	5	0.89	14	670	19	<0.01	12	303	0.28	35	240	100
B687479		2.34	0.07	74	19	0.06	4	460	447	0.71	84	98	0.12	18	1150	35
B687480		1.00	0.08	42	3	0.02	2	570	1310	0.65	127	10	0.08	14	80	138
B687481		0.55	0.04	96	6	0.01	2	330	269	2.21	82	4	0.04	6	200	51
B687482		0.40	0.03	53	2	0.01	5	150	500	1.28	111	5	0.03	5	30	71
B687483		3.48	0.38	289	1	1.39	16	610	42	0.01	5	318	0.28	35	40	102
B687484		5.01	0.18	589	13	0.86	21	670	28	<0.01	10	411	0.31	38	270	115
B687485		3.65	0.33	258	8	1.44	16	680	29	<0.01	<5	386	0.29	36	80	97
B687486		4.15	0.24	63	4	1.25	9	750	61	0.02	9	287	0.28	37	70	75
B687487		4.59	0.21	220	3	0.72	10	710	47	<0.01	7	314	0.29	39	60	90
B687488		2.91	0.16	594	5	0.09	23	710	26	<0.01	12	97	0.32	40	60	162
B687489		3.42	0.19	262	3	0.12	25	680	24	<0.01	<5	148	0.32	41	140	199
B687490		4.66	0.18	314	4	1.08	18	610	19	<0.01	5	366	0.29	36	110	140
B687491		3.79	0.29	121	3	0.76	16	710	25	<0.01	8	247	0.30	39	60	109
B687492		3.56	0.15	39	8	0.12	5	270	242	0.26	36	146	0.23	29	60	13
B687493		4.02	0.34	103	2	1.03	7	690	171	0.05	11	268	0.28	39	40	63
B687494		3.32	0.19	68	13	0.16	4	780	900	0.19	20	111	0.26	36	240	37

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06087857

Sample Description	Method / Analyte / Units / LOR	Ag-AA62 / Ag / ppm / 1
B687455		
B687456		
B687457		
B687458		
B687459		
B687460		
B687461		
B687462		
B687463		
B687464		
B687465		
B687466		
B687467		
B687468		
B687469		
B687470		
B687471		
B687472		
B687473		
B687474		
B687475		
B687476		
B687477		
B687478		
B687479		
B687480		
B687481		
B687482		
B687483		
B687484		
B687485		
B687486		
B687487		
B687488		
B687489		
B687490		
B687491		
B687492		
B687493		
B687494		

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06087857

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B687495		2.08	2.39		5.0	4.59	>10000	570	1.5	11	0.02	<0.5	<1	24	13	4.46
B687496		2.16	0.847		0.6	6.53	>10000	1770	1.1	2	0.10	<0.5	1	26	7	2.73

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06087857

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B687495		1.79	0.14	51	8	0.02	1	340	297	0.61	35	17	0.16	23	80	64
B687496		3.07	0.07	52	6	0.16	4	290	118	0.22	14	190	0.28	29	970	67

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-SEP-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06087857

Sample Description	Method / Analyte / Units / LOR	Ag-AA62 / Ag / ppm / 1
B687495		
B687496		

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-NOV-2006
Account: STRGOL

CERTIFICATE VA06095057

Project: Dublin Gulch1735

P.O. No.:

This report is for 18 Other samples submitted to our lab in Vancouver, BC, Canada on 27-SEP-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
SCR-21	Screen to -100 um
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS



To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-NOV-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06095057

Sample Description	Method / Analyte / Units / LOR	Au-SCR21 Au Total ppm 0.05	Au-SCR21 Au (+) F ppm 0.05	Au-SCR21 Au (-) F ppm 0.05	Au-SCR21 Au (+) m mg 0.001	Au-SCR21 WT. + Fr g 0.01	Au-SCR21 WT. - Fr g 0.1	Au-AA25 Au ppm 0.01	Au-AA25D Au ppm 0.01
B687645		0.60	1.17	0.60	0.004	3.42	765.8	0.65	0.55
B687646		0.16	0.26	0.16	0.002	7.77	359.5	0.16	0.16
B687648		21.1	13.55	21.3	0.189	13.95	868.4	20.6	21.9
B687451		40.2	25.2	40.4	0.336	13.34	1014.5	40.6	40.2
B687452		0.54	3.32	0.52	0.030	9.03	1089.5	0.44	0.59
B687454		7.98	108.5	7.22	0.894	8.23	1090.5	7.27	7.17
B687455		0.94	9.59	0.83	0.121	12.62	1022.0	0.87	0.79
B687456		5.42	191.0	4.19	1.189	6.22	939.7	4.12	4.26
B687457		4.09	13.95	3.94	0.223	16.01	1050.0	4.04	3.83
B687458		0.14	<0.05	0.15	<0.001	21.84	1023.5	0.15	0.14
B630161		0.96	0.16	0.97	0.003	19.05	1101.0	0.89	1.05
B630158		1.43	2.02	1.43	0.025	12.38	993.8	1.34	1.51
B630159		39.8	25.4	40.4	0.857	33.73	959.4	39.0	41.7
B630160		1.40	3.90	1.36	0.070	17.93	929.2	1.28	1.43
B630162		19.90	93.3	18.70	1.430	15.33	932.9	17.90	19.50
B630163		2.82	4.48	2.79	0.089	19.85	959.4	2.99	2.58
B630164		14.55	14.40	14.55	0.846	58.85	735.8	14.45	14.65
B630165		0.49	0.51	0.49	0.015	29.23	1027.0	0.49	0.49

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2006
Account: STRGOL

CERTIFICATE VA06098503

Project: Dublin Gulch1735

P.O. No.:

This report is for 22 Rock samples submitted to our lab in Vancouver, BC, Canada on 11-SEP-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06098503

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B627721		2.28	0.070	<0.5	7.95	1450	1170	2.9	<2	0.27	0.9	2	33	8	3.01	3.78
B627722		2.22	0.108	<0.5	5.78	2180	720	2.6	<2	0.11	2.8	1	28	8	2.52	2.49
B627723		2.24	0.055	<0.5	6.53	1420	920	3.3	<2	0.19	2.1	6	26	7	3.08	2.62
B627724		2.48	0.028	<0.5	7.64	673	1120	3.5	<2	1.15	<0.5	7	26	6	2.49	1.78
B627725		2.52	0.025	<0.5	7.33	593	1610	3.0	<2	1.21	0.5	7	26	6	2.90	3.18
B627726		1.84	0.021	<0.5	7.82	467	1730	3.2	<2	1.59	0.5	5	28	5	2.54	3.15
B627727		2.80	0.035	<0.5	7.69	620	1680	3.1	<2	1.32	0.7	6	29	5	2.97	3.35
B627728		1.64	0.034	<0.5	3.46	974	460	2.0	2	0.18	1.1	2	16	3	1.96	0.91
B627729		1.94	0.038	<0.5	5.62	799	850	2.5	<2	0.36	1.2	3	19	5	1.99	1.44
B627730		2.14	0.040	<0.5	4.94	1005	1460	1.8	<2	0.24	1.1	4	14	5	2.12	2.92
B630166		1.16	0.015	<0.5	8.00	216	1820	3.2	<2	1.70	<0.5	6	32	8	2.64	3.54
B630167		2.48	<0.005	<0.5	8.24	148	2400	2.7	<2	0.71	<0.5	6	32	7	2.32	4.65
B630168		2.78	<0.005	<0.5	7.96	197	1720	3.0	<2	0.82	<0.5	5	28	9	2.79	3.37
B630169		2.74	0.023	<0.5	7.47	410	1840	3.1	<2	0.92	<0.5	6	30	8	2.92	3.25
B630170		3.32	0.018	<0.5	8.16	633	2260	2.4	<2	0.52	<0.5	7	33	5	2.43	3.77
B630171		3.22	0.230	<0.5	7.21	333	1600	2.4	<2	0.31	<0.5	11	28	4	2.77	2.77
B630172		3.42	0.008	<0.5	7.44	205	1130	2.2	<2	0.28	<0.5	7	33	5	3.56	2.37
B630173		2.44	0.116	<0.5	7.85	600	1840	3.2	<2	1.00	<0.5	6	30	5	2.45	3.18
B630174		2.20	0.408	<0.5	3.12	1080	1060	1.4	<2	0.12	1.8	5	21	5	2.86	1.83
B630175		2.80	<0.005	<0.5	8.38	953	4550	1.7	<2	0.27	<0.5	8	35	4	2.60	5.70
B630176		2.18	1.685	6.5	4.52	>10000	330	2.1	9	0.08	72.6	17	21	82	8.14	1.83
B630177		3.00	<0.005	<0.5	7.46	44	2640	2.5	<2	1.09	<0.5	3	24	9	2.17	4.29

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06098503

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B627721		0.21	138	3	0.38	11	370	54	0.01	145	140	0.29	39	150	173
B627722		0.14	118	4	0.04	9	290	57	0.01	178	37	0.22	29	120	178
B627723		0.16	436	2	0.07	17	550	32	<0.01	112	66	0.25	30	50	253
B627724		0.37	663	2	1.67	22	650	36	<0.01	43	541	0.29	31	540	238
B627725		0.45	396	2	1.58	19	570	26	<0.01	33	441	0.28	34	70	142
B627726		0.66	286	1	1.84	21	670	30	<0.01	25	487	0.31	36	10	116
B627727		0.49	316	1	1.61	20	610	36	0.01	43	449	0.30	35	70	130
B627728		0.11	259	2	0.68	9	230	67	<0.01	74	88	0.09	17	800	156
B627729		0.14	232	2	1.36	12	270	14	<0.01	56	277	0.12	17	1050	150
B627730		0.13	357	3	0.89	12	260	35	<0.01	78	230	0.11	15	110	130
B630166		0.81	304	<1	1.87	22	660	29	0.01	<5	485	0.31	37	10	61
B630167		0.28	351	6	0.78	22	730	26	<0.01	8	324	0.29	39	140	56
B630168		0.31	354	2	1.55	22	640	26	<0.01	<5	296	0.30	35	20	68
B630169		0.40	339	3	0.91	24	660	28	0.01	6	307	0.30	37	20	62
B630170		0.21	274	6	0.54	22	700	24	0.01	9	353	0.33	42	190	47
B630171		0.22	427	4	0.15	36	570	31	0.10	9	172	0.30	36	50	61
B630172		0.18	421	10	0.20	24	590	23	0.04	16	136	0.30	37	110	69
B630173		0.36	266	3	1.18	20	680	31	<0.01	8	344	0.30	38	20	184
B630174		0.08	254	5	0.10	16	260	25	<0.01	23	94	0.09	15	150	150
B630175		0.09	291	23	0.43	15	710	26	<0.01	7	487	0.36	49	170	36
B630176		0.14	382	16	0.03	9	390	1115	2.46	488	25	0.10	23	180	7700
B630177		0.35	306	1	1.25	14	590	28	<0.01	6	403	0.26	27	10	58

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2006
Account: STRGOL

CERTIFICATE VA06105243

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 90 Rock samples submitted to our lab in Vancouver, BC, Canada on 17-OCT-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105243

Sample Description	Method	WEI-21	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
B629524		1.70	0.079		<0.5	7.59	650	1650	2.9	<2	1.77	<0.5	6	31	10	2.56
B629525		2.08	0.192		<0.5	7.86	1180	1590	3.0	2	1.58	<0.5	7	28	7	2.34
B629526		3.66	0.016		<0.5	8.08	276	1420	3.3	3	1.77	<0.5	7	29	5	2.56
B629527		1.10	0.023		<0.5	7.90	284	1420	3.2	2	1.89	<0.5	9	27	4	2.39
B629528		2.20	0.029		<0.5	7.82	521	1370	3.1	<2	1.67	<0.5	7	27	7	2.72
B629529		2.28	0.018		<0.5	7.91	423	1920	3.0	3	1.37	<0.5	7	23	3	2.14
B629530		1.68	<0.005		<0.5	8.38	588	1990	3.1	<2	1.74	<0.5	6	27	4	2.44
B629531		2.12	0.007		<0.5	7.13	632	1550	2.9	3	1.27	<0.5	7	21	2	2.61
B629532		1.32	<0.005		<0.5	7.20	354	1360	3.1	<2	1.38	<0.5	7	30	3	2.20
B629533		1.42	<0.005		<0.5	8.42	134	1620	3.1	2	2.03	<0.5	7	28	3	2.35
B629534		3.28	0.029		<0.5	8.08	1400	1690	3.2	3	0.93	<0.5	9	27	10	2.79
B629535		1.46	0.033		<0.5	3.87	577	840	1.6	2	0.60	<0.5	4	18	4	1.52
B629536		3.44	0.033		<0.5	8.53	737	2020	2.6	2	1.01	<0.5	4	26	6	1.89
B629537		3.14	1.070		0.6	6.74	6330	1180	2.2	9	0.14	1.7	<1	24	16	2.30
B629538		4.74	>10.0	18.75	2.1	1.03	>10000	170	<0.5	46	0.02	0.6	<1	18	54	9.50
B629539		3.78	0.072		<0.5	7.86	1070	2360	2.1	<2	0.14	0.7	5	24	20	1.69
B629540		4.08	0.077		<0.5	7.12	1870	1480	2.8	<2	0.26	1.4	7	26	11	2.97
B629541		3.96	0.027		<0.5	7.81	1780	1980	3.1	<2	0.47	1.5	7	24	10	2.11
B629542		3.62	0.117		<0.5	7.39	2080	2090	3.3	<2	0.82	3.3	9	24	14	2.89
B629543		1.42	0.014		<0.5	7.30	293	2140	2.9	<2	1.30	0.6	6	22	6	1.69
B629544		4.40	7.54		<0.5	0.71	>10000	430	<0.5	3	0.05	0.6	2	8	11	6.25
B629545		1.96	0.029		<0.5	7.59	340	2210	3.1	<2	1.47	<0.5	6	25	8	2.05
B629546		2.64	0.006		<0.5	7.42	91	1930	2.8	<2	1.30	<0.5	5	27	4	2.00
B629547		1.30	0.006		<0.5	7.29	33	1790	3.1	<2	1.56	<0.5	7	26	3	2.02
B629548		2.86	0.005		<0.5	8.09	149	1790	3.4	<2	1.05	<0.5	6	30	9	2.67
B629549		1.50	0.007		<0.5	7.72	74	1620	2.9	<2	0.95	<0.5	7	29	5	2.24
B629550		1.96	0.018		<0.5	7.28	194	1240	3.0	<2	0.88	<0.5	6	24	5	2.19
B629601		2.60	0.005		<0.5	7.62	76	1670	3.2	<2	1.43	<0.5	7	28	3	2.33
B629602		3.00	0.006		<0.5	7.72	155	1670	3.2	<2	1.30	<0.5	7	29	4	2.41
B629603		3.40	0.200		<0.5	7.97	3280	1340	3.5	<2	0.54	<0.5	8	28	4	2.72
B629604		1.60	0.008		<0.5	7.56	251	1730	3.3	<2	1.04	<0.5	7	25	5	2.08
B629605		3.06	0.010		<0.5	6.80	125	930	2.8	<2	0.43	<0.5	8	24	7	2.43
B629606		1.00	0.005		<0.5	7.43	29	1700	2.9	<2	1.29	<0.5	6	27	4	2.04
B629607		0.88	0.005		<0.5	7.41	21	1760	3.0	<2	1.66	<0.5	7	27	4	1.99
B629608		2.08	0.006		<0.5	7.85	58	1640	3.2	<2	1.24	<0.5	9	30	6	2.76
B629609		4.24	0.007		<0.5	7.83	111	1260	2.9	<2	0.45	<0.5	8	31	7	2.73
B629610		0.86	<0.005		<0.5	8.09	31	1720	3.3	<2	1.78	<0.5	7	30	6	2.65
B629611		3.26	0.011		<0.5	7.46	292	1390	3.4	<2	0.78	<0.5	4	26	5	1.62
B629612		3.86	0.006		<0.5	7.58	209	1740	3.6	<2	1.39	<0.5	5	26	4	1.71
B629613		3.30	0.007		<0.5	7.55	229	1490	3.8	<2	1.83	<0.5	4	25	3	1.55

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105243

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B629524		2.94	0.73	387	1	1.83	22	710	27	0.01	<5	517	0.31	51	90	56
B629525		2.97	0.58	343	<1	1.75	20	710	29	0.01	<5	478	0.31	45	150	53
B629526		2.90	0.71	342	<1	1.89	18	700	27	<0.01	<5	532	0.32	44	180	51
B629527		3.23	0.69	363	<1	1.77	23	700	34	<0.01	<5	470	0.32	44	40	60
B629528		2.90	0.61	436	<1	1.72	20	700	33	0.01	<5	463	0.30	39	40	73
B629529		3.66	0.47	362	<1	1.58	21	660	31	<0.01	<5	479	0.30	36	250	74
B629530		3.89	0.56	528	3	2.08	20	720	28	<0.01	<5	716	0.33	38	290	50
B629531		2.85	0.51	446	6	1.39	18	620	28	<0.01	<5	395	0.27	33	100	64
B629532		2.33	0.43	334	4	1.77	16	630	21	<0.01	6	548	0.28	39	230	63
B629533		3.26	0.70	303	<1	1.93	19	720	31	<0.01	<5	523	0.33	41	30	52
B629534		3.23	0.34	732	4	1.56	27	730	42	<0.01	12	398	0.31	40	100	186
B629535		1.74	0.24	205	1	0.73	13	360	18	<0.01	7	209	0.15	20	20	68
B629536		3.35	0.34	173	2	1.22	13	660	31	<0.01	10	439	0.32	39	250	112
B629537		2.64	0.16	56	3	0.07	6	260	37	0.14	32	170	0.26	33	100	111
B629538		0.30	0.03	57	3	0.01	4	240	40	2.28	63	18	0.03	6	200	47
B629539		3.60	0.18	213	3	0.22	10	280	26	<0.01	<5	160	0.27	33	40	123
B629540		3.21	0.24	438	4	0.19	23	550	33	<0.01	12	124	0.26	33	90	198
B629541		3.64	0.20	477	5	0.91	16	650	25	<0.01	13	254	0.27	33	70	191
B629542		3.49	0.21	868	10	1.12	19	600	27	<0.01	10	344	0.25	31	230	286
B629543		4.08	0.56	303	2	1.64	17	580	20	<0.01	<5	501	0.25	31	80	90
B629544		0.46	0.03	90	2	0.06	5	60	6	1.90	28	50	0.01	3	140	24
B629545		3.78	0.67	236	2	1.75	18	610	20	<0.01	<5	502	0.28	35	50	95
B629546		4.10	0.46	331	3	1.73	19	630	20	<0.01	<5	550	0.30	37	370	60
B629547		3.44	0.47	324	2	1.71	19	620	23	<0.01	<5	508	0.30	36	10	37
B629548		3.50	0.36	325	5	1.30	24	700	25	<0.01	<5	388	0.32	43	370	67
B629549		3.66	0.60	337	3	1.39	22	690	20	<0.01	<5	361	0.32	45	80	66
B629550		2.98	0.44	330	3	0.80	17	590	33	<0.01	10	240	0.27	34	20	99
B629601		3.41	0.60	296	1	1.67	19	670	25	<0.01	<5	420	0.33	39	10	55
B629602		3.44	0.50	318	3	1.47	19	670	25	<0.01	5	396	0.32	40	20	57
B629603		3.27	0.27	498	3	0.57	22	680	85	0.04	18	165	0.32	41	80	102
B629604		3.59	0.36	254	2	1.52	22	650	26	<0.01	5	385	0.31	37	180	55
B629605		2.73	0.21	340	3	0.30	20	560	28	<0.01	16	101	0.27	34	20	81
B629606		4.01	0.48	264	2	1.54	18	610	24	<0.01	<5	434	0.29	36	20	43
B629607		3.67	0.67	236	2	1.65	20	640	23	0.01	<5	491	0.29	38	20	36
B629608		3.51	0.45	365	1	1.51	23	670	28	<0.01	<5	388	0.32	43	20	62
B629609		3.28	0.30	353	3	1.22	22	670	18	<0.01	8	181	0.30	42	50	50
B629610		3.63	0.69	336	2	1.76	23	660	22	0.01	<5	476	0.31	39	20	57
B629611		2.41	0.24	633	6	1.47	17	620	42	<0.01	<5	468	0.27	38	180	58
B629612		2.89	0.39	587	3	2.07	23	640	19	<0.01	<5	647	0.29	35	70	42
B629613		2.35	0.47	482	5	2.41	19	660	13	<0.01	<5	820	0.29	34	270	32

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105243

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B629614		3.90	0.005		<0.5	6.92	179	1430	3.6	<2	1.97	<0.5	4	26	4	1.65
B629615		4.58	0.006		<0.5	7.13	160	1520	3.8	<2	2.25	<0.5	5	27	3	1.77
B629616		3.86	0.006		<0.5	6.84	313	1380	3.6	<2	1.72	<0.5	4	24	4	2.25
B629617		2.38	0.006		<0.5	7.21	83	1420	3.7	<2	1.98	<0.5	4	24	2	1.44
B629618		4.08	0.005		<0.5	7.26	200	1550	3.4	<2	1.37	<0.5	3	28	3	1.96
B629619		4.22	0.049		<0.5	6.56	225	1450	2.3	<2	0.67	<0.5	4	25	3	1.31
B629620		4.48	0.006		<0.5	7.10	478	1570	3.7	<2	1.06	<0.5	8	26	4	2.55
B629621		5.80	0.009		<0.5	6.91	139	1710	3.0	<2	1.15	<0.5	2	23	2	1.36
B629622		6.04	0.005		<0.5	7.33	230	1480	3.4	<2	0.83	<0.5	3	26	3	1.86
B629623		5.38	<0.005		<0.5	7.51	50	1690	2.3	<2	0.59	<0.5	5	26	2	0.98
B629624		6.52	<0.005		<0.5	7.31	124	1810	2.3	<2	0.59	<0.5	2	26	2	1.64
B629625		7.14	0.010		<0.5	7.83	150	1990	1.9	<2	0.39	<0.5	5	30	2	1.60
B629626		5.64	0.028		<0.5	7.92	101	1810	2.1	<2	0.33	<0.5	5	28	2	1.45
B629627		6.04	0.007		<0.5	7.24	163	1620	2.1	<2	0.29	<0.5	6	26	2	1.52
B629628		1.58	0.014		<0.5	8.37	69	2090	2.3	<2	0.58	<0.5	4	28	2	1.28
B629629		2.76	0.005		<0.5	7.38	48	1670	2.2	<2	0.67	<0.5	4	30	3	1.29
B629630		5.22	0.006		<0.5	9.08	87	1690	2.1	<2	0.38	<0.5	4	39	2	1.36
B629631		4.34	<0.005		<0.5	7.54	65	1460	1.8	<2	0.36	<0.5	7	27	2	2.00
B629632		5.14	<0.005		<0.5	6.74	64	1430	1.7	<2	0.33	<0.5	3	25	1	1.45
B629633		5.66	0.005		<0.5	6.03	46	1210	1.5	<2	0.26	<0.5	2	22	2	1.80
B629634		5.14	0.005		<0.5	6.77	51	1260	2.8	<2	0.67	<0.5	2	23	2	1.16
B629635		4.64	0.007		<0.5	6.52	82	1240	2.3	<2	0.33	<0.5	5	24	2	2.50
B629636		5.02	0.006		<0.5	6.73	39	1430	2.2	<2	0.31	<0.5	4	25	1	1.27
B629637		5.30	0.006		<0.5	7.36	54	1580	2.2	<2	0.31	<0.5	3	26	2	1.21
B629638		4.98	0.005		<0.5	7.06	77	1570	2.4	<2	0.44	<0.5	3	26	2	1.67
B629639		4.92	0.005		<0.5	6.62	232	1610	2.5	<2	0.61	<0.5	4	24	1	1.23
B629640		6.04	0.242		<0.5	6.57	3300	1640	2.8	<2	0.84	<0.5	2	25	1	1.35
B629641		4.64	0.034		<0.5	7.02	401	1830	2.5	<2	0.68	<0.5	3	31	2	1.54
B629642		4.20	<0.005		<0.5	7.45	64	1550	3.6	<2	1.19	<0.5	2	30	2	1.63
B629643		2.66	<0.005		<0.5	7.34	74	1600	3.2	<2	0.98	<0.5	8	28	2	2.83
B629644		3.86	0.006		<0.5	7.11	68	1790	2.7	<2	0.67	<0.5	5	26	2	1.63
B629645		3.94	0.022		<0.5	7.11	64	1700	2.4	<2	0.60	<0.5	3	22	2	1.38
B629646		4.84	<0.005		<0.5	5.59	33	1300	2.2	<2	0.62	<0.5	3	24	2	1.14
B629647		3.58	0.006		<0.5	7.68	43	1590	2.4	<2	0.66	<0.5	3	29	2	1.66
B629648		4.48	0.005		<0.5	7.79	12	1610	2.5	<2	0.61	<0.5	2	29	2	2.10
B629649		3.42	0.005		<0.5	7.74	25	1330	2.4	<2	0.46	<0.5	6	31	21	2.60
B629650		4.36	0.005		<0.5	7.73	8	1640	2.1	<2	0.43	<0.5	8	30	2	2.04
B629652		Not Recvd														
B629653		Not Recvd														
B629654		Not Recvd														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105243

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B629614		1.79	0.44	1085	5	2.25	23	590	13	<0.01	<5	862	0.27	33	290	29
B629615		2.07	0.59	677	4	2.28	21	600	13	<0.01	<5	848	0.28	36	180	31
B629616		2.16	0.31	339	7	2.15	17	590	13	<0.01	<5	827	0.25	32	190	26
B629617		2.23	0.36	312	2	2.31	14	590	14	<0.01	<5	807	0.27	32	300	23
B629618		2.37	0.28	264	5	1.75	18	620	15	<0.01	<5	678	0.29	35	210	22
B629619		2.12	0.20	188	4	0.81	10	580	16	<0.01	<5	360	0.25	29	1390	18
B629620		2.32	0.25	1130	18	1.40	38	700	16	<0.01	<5	562	0.25	42	1500	42
B629621		2.50	0.17	210	14	1.68	12	590	13	<0.01	<5	647	0.25	29	4030	20
B629622		2.18	0.17	307	10	1.36	16	600	15	<0.01	<5	499	0.26	35	910	24
B629623		2.58	0.15	121	3	0.75	8	640	19	<0.01	<5	351	0.28	33	270	17
B629624		2.67	0.17	102	14	0.74	14	610	17	<0.01	<5	355	0.27	34	290	24
B629625		3.14	0.18	187	28	0.29	14	730	17	<0.01	<5	256	0.30	40	2040	27
B629626		2.87	0.15	221	6	0.24	12	710	17	<0.01	<5	224	0.30	37	320	27
B629627		2.22	0.18	306	7	0.09	17	630	19	<0.01	<5	149	0.28	37	390	29
B629628		3.81	0.26	130	5	0.65	11	750	22	<0.01	<5	297	0.33	40	280	24
B629629		2.24	0.22	148	6	0.81	12	730	16	0.01	<5	360	0.30	41	260	28
B629630		2.71	0.18	435	6	0.20	17	890	35	<0.01	<5	193	0.39	52	380	33
B629631		2.29	0.21	424	8	0.24	15	680	18	<0.01	<5	194	0.30	40	220	37
B629632		1.80	0.24	185	4	0.09	11	640	10	<0.01	<5	142	0.28	35	270	28
B629633		1.63	0.16	196	6	0.08	11	500	13	<0.01	<5	128	0.22	30	390	21
B629634		1.99	0.17	109	4	1.07	10	600	15	<0.01	<5	400	0.25	31	370	23
B629635		1.75	0.24	440	12	0.09	16	580	12	<0.01	6	124	0.25	35	260	22
B629636		2.01	0.19	239	9	0.11	12	600	11	<0.01	<5	147	0.26	33	680	18
B629637		2.31	0.20	169	6	0.14	12	570	12	<0.01	<5	172	0.29	36	510	17
B629638		2.06	0.21	171	18	0.54	13	620	12	<0.01	<5	287	0.28	37	350	22
B629639		1.99	0.19	290	7	1.02	14	600	11	<0.01	<5	472	0.27	32	490	23
B629640		2.19	0.19	140	8	1.48	10	600	10	0.02	<5	557	0.26	32	890	21
B629641		2.41	0.26	190	4	0.97	14	620	12	0.01	<5	467	0.28	37	430	26
B629642		2.01	0.24	133	7	1.74	13	680	15	<0.01	<5	698	0.30	38	820	28
B629643		2.28	0.29	427	9	1.22	20	610	15	<0.01	<5	486	0.29	38	100	29
B629644		2.29	0.31	196	7	1.04	12	620	19	<0.01	<5	451	0.27	36	1000	34
B629645		2.19	0.30	163	7	0.91	11	580	13	<0.01	<5	390	0.26	32	1700	23
B629646		1.30	0.16	143	6	1.03	12	460	7	<0.01	7	438	0.20	29	670	17
B629647		2.23	0.27	177	10	0.99	10	660	15	<0.01	7	413	0.31	41	150	21
B629648		2.39	0.24	121	10	0.99	7	650	33	<0.01	19	395	0.31	40	170	30
B629649		2.29	0.24	992	9	0.53	21	710	54	<0.01	35	279	0.32	41	170	111
B629650		2.17	0.25	602	5	0.34	25	690	16	<0.01	6	238	0.31	40	150	71
B629652																
B629653																
B629654																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105243

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B629655		Not Recvd														
B629656		Not Recvd														
B629657		Not Recvd														
B687551		3.46	<0.005		<0.5	7.37	11	1720	3.0	<2	0.97	<0.5	5	29	2	1.57
B687552		2.82	<0.005		<0.5	7.39	44	1770	2.8	<2	0.87	<0.5	4	28	3	1.39
B687553		4.76	0.109		0.7	7.03	2240	1580	2.0	<2	0.20	0.6	3	33	12	2.25
B687554		4.96	<0.005		<0.5	6.89	57	1510	1.8	<2	0.29	<0.5	6	28	4	1.83
B687555		4.18	0.008		<0.5	8.09	9	1660	2.0	<2	0.40	<0.5	5	32	3	2.67
B687556		3.64	0.007		<0.5	6.74	26	1490	1.7	<2	0.29	<0.5	5	26	2	2.04
B687557		2.68	<0.005		<0.5	7.16	13	1450	1.7	<2	0.39	<0.5	2	27	3	1.38

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105243

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B629655																
B629656																
B629657																
B687551		2.30	0.18	281	9	1.81	17	670	24	<0.01	6	663	0.30	37	210	58
B687552		2.41	0.20	202	8	1.52	13	680	15	<0.01	8	599	0.30	39	320	48
B687553		2.79	0.16	312	9	0.10	8	580	229	0.06	69	139	0.27	37	620	247
B687554		2.12	0.19	358	7	0.11	20	620	17	<0.01	<5	149	0.27	35	320	62
B687555		2.41	0.23	589	7	0.15	20	690	17	<0.01	<5	181	0.33	42	1960	68
B687556		2.28	0.20	208	6	0.20	14	590	13	<0.01	5	168	0.27	36	190	31
B687557		1.81	0.19	128	9	0.27	8	630	16	<0.01	5	161	0.28	37	3570	19

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-DEC-2006
Account: STRGOL

CERTIFICATE VA06108845

Project: Dublin Gulch1735

P.O. No.:

This report is for 5 Other samples submitted to our lab in Vancouver, BC, Canada on 10-NOV-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-25	Wt. of Crushed Reject
BAG-01	Bulk Master for Storage
PUL-32	Pulverize 1000g to 85% < 75 um
FND-03	Find Reject for Addn Analysis
SPL-21	Split sample - riffle splitter
SCR-21	Screen to -100 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS



To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-DEC-2006
Account: STRGOL

Project: Dublin Gulch1735

CERTIFICATE OF ANALYSIS VA06108845

Sample Description	Method / Analyte / Units / LOR	WEI-25 Reject W kg 0.001	Au-SCR21 Au Total ppm 0.05	Au-SCR21 Au (+) F ppm 0.05	Au-SCR21 Au (-) F ppm 0.05	Au-SCR21 Au (+) m mg 0.001	Au-SCR21 WT. + Fr g 0.01	Au-SCR21 WT. - Fr g 0.1	Au-AA25 Au ppm 0.01	Au-AA25D Au ppm 0.01
C270030		2.16	4.51	6.31	4.48	0.112	17.74	1002.0	4.42	4.53
C270270		1.440	1.25	8.73	1.05	0.235	26.91	974.3	1.03	1.06
C270107		1.170	8.22	77.3	5.71	2.420	31.29	861.1	5.56	5.86
C270120		1.045	0.86	1.04	0.85	0.032	30.67	831.8	0.84	0.86
C270126		1.455	9.40	100.5	8.55	0.886	8.82	943.9	8.15	8.94

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-NOV-2006
Account: STRGOL

CERTIFICATE VA06108921

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 160 Rock samples submitted to our lab in Vancouver, BC, Canada on 17-OCT-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3



This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108921

Sample Description	Method	WEI-21	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
C270001		Not Recvd														
C270002		Not Recvd														
C270003		1.90	<0.005		<0.5	7.95	137	1750	3.2	<2	2.01	<0.5	5	28	11	2.02
C270004		2.42	<0.005		<0.5	8.06	477	1750	3.3	2	1.66	<0.5	6	27	35	2.13
C270005		2.12	<0.005		<0.5	8.05	376	2090	3.2	3	1.36	<0.5	5	28	16	2.07
C270006		2.20	0.009		<0.5	8.39	172	2260	2.8	2	1.65	<0.5	6	28	9	1.94
C270007		2.28	0.018		<0.5	8.05	151	2080	3.0	<2	1.53	<0.5	6	34	6	2.12
C270008		2.22	<0.005		<0.5	7.93	183	1760	2.9	<2	1.28	<0.5	6	26	3	1.95
C270009		2.16	0.012		<0.5	8.44	194	1740	3.3	2	1.30	0.5	6	31	5	2.16
C270010		2.56	0.044		<0.5	7.92	848	1750	3.2	2	0.73	0.5	7	27	4	2.26
C270011		1.90	0.005		<0.5	6.58	915	1190	3.3	<2	1.09	<0.5	6	27	13	2.65
C270012		2.14	<0.005		<0.5	6.31	375	1480	3.2	<2	1.00	<0.5	5	20	2	1.44
C270013		2.54	0.102		<0.5	6.60	1400	1640	3.0	<2	0.37	0.9	6	26	11	2.75
C270014		2.14	2.87		2.1	5.90	>10000	930	3.0	6	0.19	2.7	5	21	9	4.33
C270015		2.34	4.76		2.5	5.43	>10000	1440	2.1	12	0.06	1.4	1	21	10	5.22
C270016		2.08	0.073		<0.5	8.20	1310	2420	2.8	<2	0.47	0.8	8	28	9	2.36
C270017		2.14	0.006		<0.5	7.57	198	2030	3.0	<2	1.53	<0.5	4	28	8	1.95
C270018		2.26	<0.005		<0.5	7.24	427	1460	3.2	<2	0.85	<0.5	6	32	8	2.51
C270019		2.36	<0.005		<0.5	7.59	129	1320	3.1	<2	0.32	<0.5	7	28	5	3.17
C270020		2.24	<0.005		<0.5	7.68	107	1530	3.5	<2	1.63	<0.5	5	28	8	1.99
C270021		2.18	<0.005		<0.5	7.19	93	1560	3.5	<2	1.42	<0.5	5	25	6	1.95
C270022		2.48	1.200		<0.5	6.75	6640	1410	3.3	<2	1.02	0.6	6	31	9	2.94
C270023		2.50	0.006		<0.5	7.20	189	1370	3.3	<2	1.54	<0.5	4	26	7	2.06
C270024		2.24	<0.005		<0.5	8.21	123	1710	3.5	<2	1.77	<0.5	5	27	5	1.93
C270025		1.94	<0.005		<0.5	8.23	74	1980	3.7	<2	2.16	<0.5	3	30	6	1.83
C270026		2.30	0.016		<0.5	9.51	1385	760	2.9	<2	0.23	1.6	15	34	4	2.68
C270027		2.34	>10.0	11.10	7.0	3.31	>10000	570	2.1	16	0.09	3.1	1	16	13	7.38
C270028		3.06	>10.0	17.45	8.7	0.81	>10000	200	<0.5	29	<0.01	0.6	<1	5	9	11.75
C270029		2.68	>10.0	19.95	10.9	0.46	>10000	120	<0.5	33	0.01	0.6	2	16	10	12.65
C270030		2.70	4.80		2.4	3.98	>10000	880	1.7	18	0.05	1.2	2	20	6	4.48
C270031		2.70	7.36		4.5	6.01	>10000	2480	2.3	<2	0.26	0.5	1	26	2	3.34
C270032		2.10	0.029		<0.5	6.95	818	1250	3.1	<2	0.80	<0.5	4	28	5	2.64
C270033		1.92	0.007		<0.5	4.95	519	1020	2.5	<2	0.66	<0.5	3	23	5	2.92
C270034		2.32	<0.005		<0.5	8.02	74	1680	3.6	<2	1.90	<0.5	5	28	8	1.99
C270035		2.04	0.077		<0.5	7.83	1255	1640	4.0	<2	1.46	<0.5	5	29	13	3.07
C270036		2.34	0.005		<0.5	8.25	154	1720	3.7	<2	1.75	<0.5	4	31	5	1.88
C270037		Not Recvd														
C270038		2.18	0.007		<0.5	6.35	698	1400	2.2	<2	0.40	<0.5	4	24	6	3.26
C270039		2.00	0.015		<0.5	7.00	676	1560	3.1	<2	0.68	<0.5	3	24	4	2.96
C270040		Not Recvd														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108921

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C270001																
C270002																
C270003		3.10	0.69	285	<1	1.95	18	670	17	<0.01	5	629	0.31	38	60	38
C270004		2.72	0.42	333	4	1.87	20	690	19	0.01	<5	654	0.31	38	270	38
C270005		3.61	0.42	289	1	1.82	32	650	20	0.01	<5	566	0.29	37	70	36
C270006		5.36	0.78	303	<1	1.59	20	720	23	<0.01	<5	600	0.32	42	110	41
C270007		3.87	0.67	271	1	1.72	22	720	24	<0.01	<5	534	0.32	40	170	37
C270008		3.74	0.56	255	2	1.72	20	660	20	<0.01	<5	466	0.30	38	70	47
C270009		3.53	0.55	243	1	1.78	22	730	31	<0.01	5	453	0.32	41	60	67
C270010		3.39	0.27	374	3	1.34	22	700	20	<0.01	7	308	0.30	38	320	116
C270011		1.80	0.26	534	4	1.52	28	550	13	0.01	9	560	0.25	35	2030	28
C270012		2.03	0.27	274	1	1.81	14	520	8	<0.01	<5	659	0.21	29	460	18
C270013		2.93	0.19	576	8	1.00	27	610	20	<0.01	13	209	0.23	33	550	139
C270014		2.06	0.13	386	10	0.14	26	570	109	0.59	27	138	0.20	27	70	196
C270015		2.45	0.18	102	4	0.20	9	370	66	0.33	37	101	0.14	25	140	93
C270016		4.11	0.23	399	6	0.99	18	700	26	<0.01	8	334	0.28	38	250	87
C270017		2.98	0.50	246	3	1.67	18	660	21	<0.01	7	547	0.30	39	40	45
C270018		2.54	0.30	281	12	1.55	17	610	17	<0.01	5	482	0.28	37	1360	48
C270019		2.63	0.22	712	6	0.95	26	680	50	<0.01	9	225	0.29	38	70	83
C270020		2.13	0.40	283	7	2.25	19	650	20	<0.01	<5	898	0.30	34	280	50
C270021		2.63	0.34	266	5	1.79	18	620	23	<0.01	9	676	0.28	39	510	42
C270022		2.29	0.32	317	6	1.43	20	560	53	0.03	15	427	0.26	36	140	75
C270023		2.38	0.39	239	5	1.87	18	620	19	<0.01	17	631	0.29	37	260	52
C270024		3.09	0.51	262	2	2.14	17	690	22	<0.01	8	716	0.32	39	20	41
C270025		3.02	0.56	219	2	2.27	16	690	24	<0.01	6	770	0.34	40	90	39
C270026		1.49	0.08	718	6	0.06	31	830	22	<0.01	20	89	0.39	47	70	365
C270027		1.35	0.09	164	4	0.02	11	400	284	0.99	54	101	0.09	17	70	202
C270028		0.38	0.03	40	2	0.02	1	280	141	2.18	84	7	0.02	6	70	66
C270029		0.22	0.02	73	3	0.02	8	80	220	5.24	96	4	0.01	9	610	48
C270030		1.76	0.11	64	3	0.10	12	230	62	1.60	45	100	0.11	18	650	113
C270031		3.13	0.18	85	4	0.76	8	480	23	0.59	10	257	0.19	29	60	46
C270032		1.95	0.18	264	17	1.88	17	570	13	<0.01	9	620	0.27	32	1660	46
C270033		1.40	0.20	232	19	1.10	13	440	7	<0.01	6	400	0.19	27	2690	37
C270034		3.08	0.56	260	1	2.02	20	640	31	<0.01	10	617	0.32	36	110	69
C270035		2.71	0.42	411	6	1.83	21	620	31	0.01	28	603	0.29	38	410	80
C270036		3.27	0.51	286	1	2.13	22	700	22	<0.01	12	700	0.34	39	50	43
C270037																
C270038		2.76	0.29	472	16	0.62	18	500	19	<0.01	26	310	0.23	32	150	95
C270039		2.64	0.24	219	11	1.49	16	550	15	<0.01	25	477	0.23	33	90	58
C270040																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108921

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
C270041		2.18	<0.005		<0.5	6.69	308	1310	2.8	<2	1.05	0.5	5	27	3	2.26
C270042		2.16	<0.005		<0.5	8.05	297	1780	3.3	<2	1.32	0.5	5	28	3	2.75
C270043		1.84	0.008		<0.5	7.44	362	1660	3.1	<2	0.91	0.5	7	31	4	3.17
C270044		2.56	<0.005		<0.5	7.98	123	1980	3.4	<2	1.74	<0.5	4	31	2	1.85
C270045		2.34	<0.005		<0.5	7.50	221	1600	3.5	<2	1.42	<0.5	6	31	3	2.19
C270046		1.72	0.007		<0.5	8.18	366	1670	3.4	<2	1.40	<0.5	8	33	6	3.22
C270047		1.96	0.010		<0.5	7.73	264	1820	2.9	<2	1.03	<0.5	6	30	5	2.53
C270048		1.88	0.008		<0.5	5.28	235	1190	2.4	<2	0.92	<0.5	4	24	3	1.73
C270049		1.94	<0.005		<0.5	4.63	276	610	2.9	<2	0.88	<0.5	2	31	5	2.70
C270050		2.14	1.045		<0.5	6.00	>10000	1320	3.0	<2	0.35	0.5	2	25	6	4.04
C270051		1.92	<0.005		<0.5	3.43	133	790	1.4	<2	0.65	<0.5	3	20	3	1.57
C270052		2.34	1.330		2.0	6.73	>10000	1700	3.6	3	0.23	1.1	3	25	11	4.48
C270053		2.30	<0.005		<0.5	4.86	119	1110	2.0	<2	0.91	<0.5	2	23	2	1.21
C270054		2.60	0.008		<0.5	4.89	407	1140	1.9	<2	0.56	<0.5	4	18	2	1.77
C270055		Not Recvd														
C270056		1.70	0.005		<0.5	3.38	521	760	1.9	<2	0.52	<0.5	3	22	3	1.73
C270057		2.42	0.006		<0.5	1.88	200	480	0.9	<2	0.27	<0.5	1	18	3	1.31
C270058		1.92	0.007		<0.5	6.39	328	1370	3.1	<2	1.13	0.5	4	25	3	2.20
C270059		2.32	0.008		<0.5	7.32	123	1670	3.0	<2	1.25	<0.5	2	24	2	1.23
C270060		2.36	0.006		<0.5	1.35	220	430	0.7	<2	0.13	<0.5	3	20	8	0.99
C270061		2.20	0.009		<0.5	7.63	187	1760	2.9	3	0.96	0.5	4	24	3	1.46
C270062		1.76	0.024		<0.5	8.52	1170	1870	2.7	<2	0.55	0.6	7	35	6	4.37
C270063		2.04	0.025		<0.5	7.35	952	1890	2.1	<2	0.25	<0.5	7	30	5	3.74
C270064		1.72	0.009		<0.5	8.90	417	1760	2.7	<2	1.13	<0.5	9	30	3	2.60
C270065		1.86	0.015		<0.5	8.21	289	1990	3.4	<2	1.84	<0.5	5	28	3	2.38
C270066		2.36	0.011		<0.5	8.33	195	1870	3.9	<2	2.47	<0.5	4	31	2	2.03
C270067		2.20	0.020		<0.5	8.48	164	1770	3.6	<2	2.10	<0.5	6	29	3	2.29
C270068		2.32	0.033		<0.5	6.69	500	1670	2.6	<2	0.87	<0.5	6	23	4	2.29
C270069		2.30	0.011		<0.5	8.28	163	2000	2.9	<2	1.31	<0.5	5	27	2	1.88
C270070		2.02	0.020		<0.5	7.81	781	1810	2.5	3	0.35	0.5	5	32	3	4.26
C270071		2.24	0.009		<0.5	8.24	302	1990	3.6	2	1.46	<0.5	7	32	3	2.77
C270072		3.00	0.014		<0.5	8.73	294	2170	3.6	2	1.36	<0.5	5	30	3	2.32
C270073		2.60	0.016		<0.5	8.58	261	2210	3.4	<2	1.56	0.5	6	32	3	2.28
C270074		2.68	0.012		<0.5	8.55	182	2060	3.3	<2	1.80	0.7	6	30	2	2.37
C270075		2.98	0.008		<0.5	8.43	150	1930	3.4	<2	1.97	<0.5	6	31	3	2.38
C270076		3.02	0.010		<0.5	8.59	154	2170	3.2	<2	1.66	<0.5	6	31	3	2.13
C270077		3.12	0.009		<0.5	8.08	168	1710	3.5	<2	1.92	<0.5	6	30	4	2.03
C270078		3.10	0.025		<0.5	8.26	464	1920	3.2	<2	1.32	<0.5	5	28	3	2.15
C270079		2.38	0.016		<0.5	8.26	316	2110	2.9	<2	1.04	<0.5	9	28	3	1.97
C270080		2.64	0.008		<0.5	7.55	161	1760	3.3	<2	1.47	<0.5	5	24	2	1.63

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108921

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C270041		2.16	0.23	295	3	1.37	15	550	14	<0.01	13	512	0.25	31	80	41
C270042		3.39	0.46	420	3	1.50	19	660	24	<0.01	11	469	0.32	39	20	47
C270043		2.72	0.47	552	5	1.32	28	690	21	<0.01	11	403	0.31	41	160	71
C270044		3.43	0.52	237	2	1.99	20	730	19	<0.01	6	645	0.34	40	40	41
C270045		2.75	0.38	396	5	1.93	20	690	18	<0.01	13	638	0.32	40	40	41
C270046		2.75	0.50	477	3	1.70	30	740	17	<0.01	8	566	0.34	41	40	57
C270047		3.40	0.51	403	4	1.27	25	750	23	<0.01	9	435	0.32	40	60	57
C270048		1.84	0.26	289	5	1.18	16	460	14	<0.01	11	413	0.21	25	110	37
C270049		0.71	0.16	264	9	1.29	18	440	10	<0.01	15	596	0.16	28	900	38
C270050		2.06	0.20	140	11	1.09	13	440	63	0.06	19	199	0.20	31	150	84
C270051		1.14	0.15	222	4	0.88	11	300	9	<0.01	14	338	0.14	15	1700	21
C270052		2.95	0.27	217	8	0.52	14	540	188	0.19	42	175	0.18	32	460	104
C270053		1.32	0.10	204	5	1.42	9	410	10	<0.01	28	615	0.19	19	2750	24
C270054		1.78	0.11	180	9	1.28	10	400	11	<0.01	16	470	0.17	17	90	53
C270055																
C270056		1.03	0.10	171	13	0.80	10	290	9	<0.01	36	305	0.13	19	1160	38
C270057		0.62	0.03	144	3	0.52	7	160	5	<0.01	10	226	0.08	11	130	17
C270058		1.70	0.20	346	4	1.82	16	580	15	<0.01	11	702	0.25	32	70	34
C270059		2.28	0.20	159	2	2.35	11	690	14	<0.01	7	937	0.29	26	110	28
C270060		0.61	0.04	318	4	0.23	10	120	10	<0.01	19	96	0.05	7	120	30
C270061		2.55	0.19	235	4	1.86	11	690	21	<0.01	13	772	0.29	29	230	32
C270062		3.30	0.31	665	15	0.62	26	610	31	<0.01	33	288	0.33	46	170	83
C270063		2.95	0.14	562	24	0.27	20	490	23	<0.01	26	231	0.28	40	600	42
C270064		3.23	0.45	419	7	1.07	22	720	31	<0.01	11	394	0.35	43	60	54
C270065		3.11	0.58	270	8	1.94	22	710	25	<0.01	8	652	0.31	40	130	53
C270066		2.74	0.71	313	2	2.32	23	770	24	<0.01	9	863	0.35	41	430	46
C270067		2.96	0.62	275	2	2.13	21	710	28	<0.01	7	673	0.33	38	30	61
C270068		2.57	0.35	310	16	1.08	22	550	24	<0.01	15	448	0.25	31	130	58
C270069		3.43	0.48	215	2	1.45	19	730	28	<0.01	6	493	0.34	40	50	48
C270070		2.79	0.27	390	8	0.47	27	640	25	<0.01	37	259	0.30	39	60	57
C270071		3.08	0.43	353	4	1.68	24	720	26	<0.01	18	572	0.32	42	130	47
C270072		3.66	0.39	264	5	1.77	20	760	25	<0.01	19	610	0.33	42	280	39
C270073		3.71	0.56	395	3	1.79	24	750	29	<0.01	16	606	0.34	43	260	67
C270074		3.60	0.73	325	1	1.83	24	730	28	<0.01	14	565	0.32	40	90	61
C270075		3.32	0.67	330	1	2.01	24	700	28	<0.01	14	626	0.33	38	20	65
C270076		3.77	0.68	327	1	1.85	23	710	27	<0.01	10	595	0.32	38	80	59
C270077		2.71	0.51	288	1	2.16	21	670	24	<0.01	13	736	0.31	39	120	58
C270078		3.14	0.34	291	6	1.57	19	690	25	<0.01	36	576	0.31	38	120	58
C270079		3.38	0.29	539	4	1.35	22	690	26	<0.01	21	497	0.30	38	190	52
C270080		2.98	0.32	308	2	2.00	19	600	21	<0.01	10	685	0.27	32	730	35

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108921

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
C270081		2.22	0.006		<0.5	6.75	176	1280	2.9	<2	1.03	<0.5	3	19	3	1.35
C270082		1.72	0.014		<0.5	6.22	575	1650	2.0	<2	0.37	0.5	4	24	2	2.23
C270083		1.62	0.013		<0.5	5.59	1105	1460	1.8	<2	0.12	<0.5	3	23	4	4.20
C270084		2.12	0.012		<0.5	4.83	178	1160	2.1	<2	0.92	<0.5	4	22	2	1.13
C270085		2.12	0.007		<0.5	4.76	93	1630	1.5	<2	0.73	<0.5	3	23	2	1.31
C270086		2.32	0.014		<0.5	4.70	461	1170	2.0	<2	0.77	<0.5	3	26	3	1.78
C270087		2.02	0.005		<0.5	8.37	306	3520	3.9	<2	1.47	<0.5	5	27	3	1.75
C270088		1.92	0.009		<0.5	8.41	318	1990	3.9	<2	1.62	<0.5	7	35	5	1.95
C270251		1.14	<0.005		<0.5	8.38	9	1870	3.1	<2	2.06	<0.5	8	32	7	2.57
C270252		1.32	<0.005		<0.5	8.35	<5	2230	2.3	<2	1.57	<0.5	6	31	4	1.59
C270253		1.08	<0.005		<0.5	8.43	47	1810	3.3	<2	1.86	<0.5	10	36	9	2.91
C270254		1.44	<0.005		<0.5	8.38	43	2110	3.1	<2	1.54	<0.5	6	31	5	2.35
C270255		1.06	<0.005		<0.5	7.51	13	1660	2.8	<2	1.78	<0.5	10	28	5	2.37
C270256		1.02	0.034		<0.5	8.43	422	1650	3.5	<2	1.99	<0.5	10	34	7	2.40
C270257		1.20	<0.005		<0.5	8.34	48	1620	3.7	<2	2.34	<0.5	6	34	8	2.10
C270258		1.38	<0.005		<0.5	8.42	150	2070	3.1	<2	0.95	<0.5	7	32	10	2.75
C270259		1.26	0.031		<0.5	7.25	135	1740	2.6	<2	1.07	0.5	5	29	7	2.23
C270260		1.18	<0.005		<0.5	5.47	80	1960	1.9	<2	0.86	<0.5	5	26	4	1.81
C270261		1.66	<0.005		<0.5	5.73	40	1470	2.4	<2	1.18	<0.5	3	23	3	1.72
C270262		1.38	<0.005		<0.5	6.61	45	1780	2.5	<2	1.33	<0.5	7	33	6	2.11
C270263		1.14	0.006		<0.5	8.02	27	1680	3.0	<2	1.73	<0.5	8	29	6	2.24
C270264		1.36	<0.005		<0.5	7.87	43	2470	2.8	<2	1.47	<0.5	8	29	7	2.21
C270265		1.34	<0.005		<0.5	7.57	27	1730	2.8	<2	1.63	<0.5	6	31	5	1.84
C270266		1.44	<0.005		<0.5	7.70	154	2250	2.8	<2	1.47	<0.5	6	35	5	2.09
C270267		1.70	0.091		<0.5	8.07	1075	1550	3.1	2	1.18	<0.5	8	26	4	2.25
C270268		1.86	<0.005		<0.5	8.07	305	1860	3.0	<2	1.48	<0.5	8	24	3	2.22
C270269		2.18	2.02		<0.5	6.84	>10000	1630	2.8	17	1.16	<0.5	6	26	4	3.21
C270270		2.14	0.980		<0.5	6.79	>10000	1600	2.4	18	1.28	<0.5	6	23	4	2.93
C270271		1.90	0.008		<0.5	8.11	297	1860	3.2	<2	1.59	<0.5	6	24	2	1.95
C270272		1.78	0.045		<0.5	6.74	170	1600	2.6	<2	1.37	<0.5	5	24	2	1.95
C270273		1.70	<0.005		<0.5	8.24	205	1960	3.2	<2	1.65	<0.5	6	26	2	2.28
C270274		1.72	<0.005		<0.5	8.14	81	1970	2.6	2	1.24	<0.5	7	25	3	2.04
C270275		1.50	<0.005		<0.5	8.05	106	1760	2.9	2	1.70	<0.5	8	25	2	2.33
C270276		2.00	<0.005		<0.5	8.19	35	1810	3.0	<2	1.80	<0.5	7	23	2	2.18
C270277		1.60	<0.005		<0.5	7.91	146	1770	3.3	2	1.53	<0.5	6	27	3	2.79
C270278		2.00	<0.005		<0.5	7.53	36	1830	2.9	<2	1.66	<0.5	5	22	2	1.93
C270279		2.18	<0.005		<0.5	7.94	50	1830	3.0	<2	1.52	<0.5	7	24	2	2.53
C270280		1.66	<0.005		<0.5	7.92	73	1800	3.1	3	1.39	<0.5	9	28	3	2.66
C270281		1.78	<0.005		<0.5	7.61	75	1680	3.0	<2	1.70	<0.5	6	29	3	2.07
C270282		2.12	0.077		<0.5	7.93	1405	1680	3.4	2	1.45	0.5	6	25	9	2.14

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108921

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C270081		1.51	0.12	193	4	2.38	10	590	12	<0.01	13	951	0.25	19	160	22
C270082		2.92	0.20	217	10	0.65	13	540	16	<0.01	22	292	0.21	32	120	43
C270083		2.61	0.08	255	48	0.11	22	380	22	<0.01	27	152	0.17	31	70	50
C270084		1.43	0.21	112	5	1.19	10	400	13	<0.01	9	466	0.19	21	120	26
C270085		2.87	0.23	225	2	0.87	11	380	13	<0.01	7	374	0.18	20	420	21
C270086		1.56	0.12	244	8	1.20	12	410	12	<0.01	32	505	0.21	23	970	35
C270087		3.68	0.22	373	4	2.04	20	800	22	<0.01	15	903	0.35	45	1280	28
C270088		2.49	0.31	382	3	2.31	20	740	16	0.01	12	869	0.32	41	800	44
C270251		2.94	0.68	321	<1	2.25	20	690	22	<0.01	<5	751	0.32	37	140	47
C270252		5.87	0.52	267	1	1.50	12	680	23	<0.01	<5	598	0.30	32	30	26
C270253		3.39	0.79	342	<1	1.76	24	650	27	<0.01	<5	507	0.32	56	30	67
C270254		3.33	0.66	284	<1	1.60	18	670	22	<0.01	<5	490	0.30	40	40	43
C270255		3.27	0.67	274	<1	1.69	16	590	18	<0.01	<5	503	0.28	34	610	37
C270256		2.70	0.78	306	1	2.03	22	690	21	<0.01	<5	628	0.32	47	230	42
C270257		2.10	0.72	304	1	2.38	20	720	19	<0.01	7	795	0.33	51	520	36
C270258		3.69	0.35	340	4	1.47	19	660	28	<0.01	<5	391	0.30	43	140	65
C270259		2.65	0.48	326	2	1.48	19	630	25	<0.01	<5	389	0.29	39	830	34
C270260		2.71	0.35	293	2	1.04	15	450	13	<0.01	<5	388	0.21	27	560	23
C270261		1.88	0.40	270	<1	1.44	13	490	17	<0.01	<5	504	0.22	27	370	23
C270262		2.55	0.59	274	1	1.54	16	570	20	<0.01	<5	458	0.26	37	610	39
C270263		3.03	0.70	281	<1	1.84	17	670	25	<0.01	<5	513	0.30	43	50	43
C270264		3.42	0.74	310	<1	1.80	20	680	24	<0.01	<5	670	0.31	48	370	34
C270265		2.58	0.57	293	<1	1.88	17	620	20	<0.01	<5	583	0.28	44	70	37
C270266		3.33	0.56	272	<1	1.77	17	660	24	<0.01	<5	536	0.29	42	120	37
C270267		3.03	0.46	352	<1	1.32	22	670	30	<0.01	6	361	0.29	37	30	62
C270268		3.35	0.61	286	<1	1.64	17	630	24	<0.01	<5	472	0.28	35	50	37
C270269		2.47	0.50	257	<1	1.44	15	560	28	0.10	15	441	0.25	35	470	36
C270270		2.56	0.46	194	<1	1.61	14	470	34	0.11	11	490	0.25	32	490	30
C270271		2.92	0.50	292	1	2.08	16	640	22	<0.01	<5	665	0.29	35	350	32
C270272		2.61	0.49	257	<1	1.53	15	540	21	<0.01	<5	468	0.24	30	130	31
C270273		3.34	0.61	276	<1	1.79	18	660	26	<0.01	<5	519	0.30	36	20	39
C270274		3.72	0.59	254	<1	1.29	16	630	27	<0.01	<5	434	0.29	34	80	39
C270275		3.19	0.65	286	<1	1.66	20	660	30	<0.01	<5	498	0.29	36	100	41
C270276		3.36	0.63	240	<1	1.83	20	640	26	<0.01	<5	500	0.29	35	50	36
C270277		2.90	0.56	414	<1	1.66	20	670	27	<0.01	<5	482	0.30	36	830	40
C270278		3.17	0.52	224	<1	1.78	16	600	24	<0.01	<5	499	0.27	31	30	35
C270279		3.00	0.60	308	<1	1.60	20	620	23	<0.01	<5	485	0.28	35	20	37
C270280		3.24	0.66	366	<1	1.47	24	660	24	<0.01	<5	440	0.31	42	180	40
C270281		2.75	0.60	280	<1	1.75	18	640	23	<0.01	<5	503	0.30	40	40	37
C270282		2.56	0.37	252	<1	1.55	18	660	24	0.01	8	527	0.30	37	30	38

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108921

Sample Description	Method	WEI-21	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
C270283		1.92	1.070		0.5	7.46	>10000	1680	2.9	3	1.03	<0.5	6	24	15	3.10
C270284		1.94	0.055		<0.5	7.85	1255	2160	3.3	<2	1.12	<0.5	7	23	17	1.82
C270285		1.80	1.035		2.1	6.98	>10000	1230	2.7	7	0.47	<0.5	3	24	54	4.16
C270286		1.78	0.007		<0.5	8.03	960	1650	3.1	<2	0.95	<0.5	7	27	4	2.11
C270287		1.74	0.006		<0.5	7.79	560	1590	3.7	<2	1.35	<0.5	5	27	3	2.27
C270101		2.12	<0.005		<0.5	7.63	31	2100	3.1	<2	1.62	0.5	5	29	1	1.90
C270102		1.68	<0.005		<0.5	7.41	98	2300	2.8	<2	1.33	0.5	4	26	2	1.88
C270103		2.08	0.015		<0.5	7.72	35	2680	2.9	<2	1.61	<0.5	6	26	3	1.93
C270104		1.66	<0.005		<0.5	7.83	99	1700	3.5	<2	1.93	0.6	6	27	3	2.16
C270105		1.80	<0.005		<0.5	8.09	238	1950	3.4	2	1.34	<0.5	6	31	2	1.94
C270106		1.98	0.031		<0.5	7.58	1065	2200	3.1	<2	0.71	<0.5	3	27	24	1.81
C270107		2.00	7.10		9.3	3.44	>10000	840	1.5	131	0.13	0.5	2	18	190	9.43
C270108		1.98	0.330		1.2	7.64	3540	2190	2.5	3	0.48	0.6	1	28	34	2.18
C270110		1.72	0.331		1.3	7.69	4330	2550	2.7	3	0.61	0.5	5	27	77	2.24
C270111		1.96	0.338		1.3	7.05	3110	2240	2.4	7	0.55	0.6	6	22	94	2.21
C270112		1.98	0.094		<0.5	8.06	1310	1630	3.1	3	0.78	0.7	7	30	98	2.68
C270114		2.44	0.015		<0.5	7.99	513	1950	3.3	<2	1.23	0.5	5	25	56	2.00
C270115		1.82	0.018		<0.5	8.17	557	2180	3.6	<2	1.28	0.7	5	26	24	2.25
C270116		2.34	0.009		<0.5	8.10	511	1960	3.6	<2	1.39	<0.5	6	25	6	2.17
C270117		1.76	<0.005		<0.5	7.85	671	1550	3.3	2	0.83	<0.5	6	25	5	1.96
C270118		1.76	0.009		<0.5	7.83	666	1990	3.1	<2	1.01	<0.5	7	27	6	2.14
C270119		1.98	0.025		<0.5	7.87	1135	1890	3.3	<2	1.01	0.9	7	27	28	2.44
C270120		1.76	0.745		9.1	7.07	>10000	1420	2.7	11	0.50	3.1	3	24	78	3.59
C270121		1.84	0.005		<0.5	8.10	305	1870	3.4	<2	1.26	<0.5	5	26	3	1.77
C270122		1.74	<0.005		<0.5	8.19	261	1920	3.5	<2	1.85	<0.5	6	29	3	2.20
C270123		1.94	0.058		<0.5	7.99	1295	1630	3.4	2	1.20	1.2	6	27	5	2.58
C270124		2.32	0.008		<0.5	7.92	428	1850	3.5	2	1.62	0.8	7	26	3	2.29
C270125		2.16	0.281		1.6	7.58	6060	1730	3.0	2	0.84	2.5	5	29	6	2.47
C270126		2.10	8.87		17.2	4.75	>10000	1360	1.6	61	0.40	0.9	2	20	14	3.45
C270127		1.84	2.87		4.1	7.40	3350	2150	3.4	9	1.78	0.8	4	26	11	2.27
C270128		1.78	0.030		<0.5	7.73	373	1590	3.0	<2	0.93	0.8	6	25	3	1.79
C270129		1.50	0.012		<0.5	7.57	199	1650	3.1	<2	1.37	<0.5	7	26	2	2.29
C270130		1.84	0.009		<0.5	7.57	109	1680	3.1	<2	1.77	<0.5	5	26	4	2.13
C270131		1.68	0.144		<0.5	7.15	1295	1630	2.8	2	1.18	0.5	6	25	4	2.34
C270132		1.96	0.005		<0.5	6.81	176	1660	2.8	<2	1.62	<0.5	5	24	2	1.80
C270133		1.56	0.017		<0.5	7.23	203	1720	2.9	<2	1.28	<0.5	7	26	3	2.02
C270134		1.22	0.006		<0.5	7.39	114	2050	3.1	<2	1.79	0.5	6	31	3	1.89
C270135		1.42	<0.005		<0.5	7.62	115	1710	3.3	<2	1.87	<0.5	7	30	3	2.06
C270136		1.42	0.006		<0.5	7.75	207	2140	3.2	<2	1.48	<0.5	7	31	3	2.00
C270137		1.24	0.233		<0.5	7.45	1895	2080	2.8	2	1.13	0.5	6	30	9	2.44

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108921

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
C270283		2.60	0.36	327	<1	1.40	17	610	44	0.61	25	433	0.26	33	420	37
C270284		2.93	0.32	294	<1	1.96	17	620	23	<0.01	<5	552	0.27	33	920	29
C270285		2.41	0.20	123	1	0.64	12	420	74	0.10	77	238	0.24	32	420	33
C270286		3.15	0.34	253	1	1.23	23	720	27	<0.01	11	378	0.31	36	60	48
C270287		2.72	0.45	297	1	1.88	23	680	24	<0.01	6	585	0.30	38	70	33
C270101		3.36	0.68	261	<1	1.91	19	640	21	<0.01	<5	615	0.31	37	190	35
C270102		3.86	0.52	309	1	1.52	20	660	24	<0.01	<5	507	0.30	34	130	39
C270103		3.80	0.59	266	2	1.69	20	680	24	<0.01	<5	586	0.32	39	390	34
C270104		3.01	0.61	322	2	1.96	21	680	25	<0.01	<5	599	0.32	37	30	46
C270105		3.56	0.45	234	1	1.72	18	690	25	<0.01	<5	520	0.30	37	60	42
C270106		3.18	0.19	104	3	1.22	14	610	25	0.02	14	385	0.28	35	150	52
C270107		1.39	0.10	59	3	0.10	6	170	149	0.25	208	37	0.12	19	160	28
C270108		2.99	0.17	70	2	1.52	9	200	84	<0.01	16	388	0.27	34	140	56
C270110		3.25	0.21	152	2	1.37	9	410	93	<0.01	9	342	0.27	36	290	50
C270111		2.82	0.21	245	1	1.29	14	470	62	<0.01	8	301	0.22	28	140	69
C270112		2.98	0.28	508	4	1.46	20	700	123	<0.01	12	378	0.30	39	200	150
C270114		3.29	0.43	243	3	1.81	18	630	70	<0.01	5	522	0.28	33	50	77
C270115		3.31	0.40	247	3	1.82	22	680	30	<0.01	7	516	0.30	35	30	83
C270116		3.19	0.39	223	3	1.91	24	640	35	<0.01	5	525	0.29	34	210	89
C270117		2.64	0.27	327	3	2.00	22	680	24	<0.01	8	423	0.30	35	30	79
C270118		3.25	0.29	337	3	1.58	22	670	23	<0.01	<5	441	0.30	36	80	135
C270119		2.98	0.28	393	2	1.71	21	600	39	<0.01	8	503	0.28	34	60	218
C270120		2.38	0.27	141	3	1.25	9	510	816	0.14	62	319	0.22	31	280	256
C270121		2.71	0.32	325	2	2.26	21	700	25	<0.01	5	729	0.29	36	280	126
C270122		2.93	0.54	324	1	2.13	25	730	24	<0.01	<5	681	0.34	40	250	90
C270123		2.88	0.39	481	2	1.62	27	650	86	<0.01	7	441	0.28	35	20	209
C270124		3.03	0.54	422	<1	1.85	29	690	37	<0.01	6	537	0.32	37	20	188
C270125		2.70	0.33	325	2	1.69	15	560	207	0.07	8	437	0.28	37	70	188
C270126		1.77	0.20	134	2	0.66	9	220	675	0.58	34	224	0.17	25	460	87
C270127		2.70	0.53	204	2	1.79	20	420	191	0.04	12	689	0.28	34	360	132
C270128		2.42	0.22	274	2	1.71	16	490	30	<0.01	11	651	0.31	37	90	84
C270129		2.75	0.38	285	1	1.58	17	660	28	<0.01	5	487	0.29	35	50	52
C270130		2.74	0.59	277	1	1.77	22	670	27	<0.01	<5	574	0.31	36	30	56
C270131		2.83	0.44	333	2	1.38	21	640	27	0.02	5	394	0.28	33	30	48
C270132		2.62	0.46	311	1	1.65	18	570	25	<0.01	<5	569	0.26	31	130	35
C270133		2.89	0.39	380	3	1.63	20	610	25	<0.01	5	532	0.27	34	90	36
C270134		2.85	0.61	371	1	1.97	21	730	24	<0.01	<5	632	0.34	42	20	44
C270135		2.73	0.65	379	<1	1.98	23	720	19	<0.01	<5	639	0.33	42	30	45
C270136		3.34	0.53	305	1	1.67	21	740	24	<0.01	<5	525	0.33	40	30	37
C270137		3.04	0.51	324	1	1.51	22	640	23	0.01	<5	450	0.29	46	50	40

APPENDIX N

List of Geochemical Soil Samples

Geochemical Soil Samples 2006 - Grabs (All UTM coordinates in NAD 83, Zone 8)					
Sample	Certificate	Easting	Northing	Sample Type	Comments
B088136	VA06059454	464489	7102735	Soil	MSED, dark brown, 15cm, silty clay
B088137	VA06059454	464481	7103308	Soil	MSED, light brown, 25cm, sand and silt
B088138	VA06059454	464476	7103637	Soil	MSED, light brown, 25cm, clay
B088226	VA06055454	453198	7096917	Soil	MSED, light brown, 12cm depth
B088227	VA06055454	453067	7096926	Soil	MSED, medium brown, 15cm, silty
B088228	VA06055454	452759	7096920	Soil	MSED, green/brown, 12-15cm
B088229	VA06055454	452619	7096919	Soil	MSED, grey/brown, 20cm, silt
B088230	VA06055454	452313	7096921	Soil	MSED, grey/brown, 20cm, silt
B088231	VA06055454	452179	7096914	Soil	MSED, light brown, 12cm, silt
B088232	VA06055454	451892	7096922	Soil	MSED, grey/brown, 10cm, clay
B088233	VA06055454	451538	7096714	Soil	MSED, light brown, 20cm, silty clay
B088234	VA06055454	451419	7096898	Soil	MSED, light brown, 20cm, silty clay
B088235	VA06059454	465377	7103262	Soil	MSED, light/med brown, 15cm clay
B088236	VA06059454	465415	7103604	Soil	MSED, medium brown, 15cm, clay
B088237	VA06059454	465360	7104124	Soil	MSED, brown (slightly red) 20cm silt
B088673	VA06059454	464870	7102682	Soil	MSED, tan/green brown, 20cm, coarse sand and silt
B088674	VA06059454	464499	7102741	Soil	MSED, tan brown, coarse sand and silt
B088675	VA06059454	464499	7103290	Soil	MSED, tan/green brown, 30cm, sand and silt
B088676	VA06059454	464496	7103238	Soil	MSED, tan/green brown, 25cm, silt and sand
B088677	VA06059454	465404	7103257	Soil	MSED, green/light brown, 20cm, silt and sand
B088678	VA06059454	465440	7103604	Soil	MSED, dark brown, 30cm, sand and silt
B088679	VA06059454	465376	7104120	Soil	MSEDS, light grey, 25cm, silt

Geochemical Soil Samples 2006 - North Dublin Grid (All UTM coordinates in NAD 83, Zone 8)												
Grid Line	Grid Point	Provided Easting	Provided Northing	Sample #	Actual Easting	Actual Northing	GPS +/_ Error	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 01	Point 01	456896.9	7102667.5	B089984	456893	7102666		39.6	tan/grey/brown	MSED	gritty silt	rocky soil
Line 01	Point 02	456796.9	7102667.5	B089985	456797	7102670		35.2	tan/grey/brown	MSED	gritty silt	rocky soil
Line 01	Point 03	456696.9	7102667.5	B089986	456700	7102665		48.4	tan brown	MSED	gritty silt	rocky soil
Line 01	Point 04	456596.9	7102667.5	B089987	456596	7102671		37.4	tan brown	MSED	silt	rocky soil
Line 01	Point 05	456496.9	7102667.5	B089988	456491	7102667		26.4	tan/grey/brown	MSED, qtz pebbles	gritty silt	
Line 01	Point 06	456396.9	7102667.5	B089989	456395	7102668		57.2	tan brown	MSED, qtz pebbles	gritty silt	
Line 01	Point 07	456296.9	7102667.5	B089990	456306	7102669		35.2	tan brown	MSED	silt	
Line 01	Point 08	456196.9	7102667.5	B088020	456196	7102665	7	50	grey/brown	MSED	clayish silt	
Line 01	Point 09	456096.9	7102667.5	B088019	456097	7102668		25	browny grey	MSED	silty clay	
Line 01	Point 10	455996.9	7102667.5	B088018	455994	7102668	5	25	dull grey	MSED	clay	
Line 01	Point 11	455896.9	7102667.5	B088017	455896	7102665		30	light grey	MSED	silty clay	
Line 02	Point 01	456896.9	7102767.5	B089929	456901	7102765	6	30	grey/brown	MSED	coarse sand	lots of rocks
Line 02	Point 02	456796.9	7102767.5	B089930	456799	7102769	5	35	med to dark brown	MSED	coarse sand	
Line 02	Point 03	456696.9	7102767.5	B089931	456695	7102769	6	40	med brown	MSED	fine-medium sand	
Line 02	Point 04	456596.9	7102767.5	B089932	456599	7102769	5	60	light to medium brown	MSED	fine sand to silt	
Line 02	Point 05	456496.9	7102767.5	B089933	456497	7102771	7	15	light to medium brown	MSED	silty sand	
Line 02	Point 06	456396.9	7102767.5	B089934	456397	7102767	16	35	tan brown	MSED	very fine sand	micas in soil
Line 02	Point 07	456296.9	7102767.5	B089935	456296	7102766	7	40	medium to light brown	MSED	silty sand	
Line 02	Point 08	456196.9	7102767.5	B088021	456197	7102768	6.1	40	light brown	MSED	silty clay	
Line 02	Point 09	456096.9	7102767.5	B088022	456096	7102765	5	45	light grey	MSED	silt clay loam	
Line 02	Point 10	455996.9	7102767.5	B088023	455998	7102767	6	65	dark grey	MSED	clay	
Line 02	Point 11	455896.9	7102767.5	B088016	455902	7102771	7.5	20	grey	MSED	sandy loam	
Line 03	Point 01	456896.9	7102867.5	B088988	456895	7102873	5	20	grey	MSED	silt	
Line 03	Point 02	456796.9	7102867.5	B088989	456794	7102864	7	35	grey	MSED	silt	
Line 03	Point 03	456696.9	7102867.5	B088990	456697	7102866	7	25	medium brown	MSED	silt	
Line 03	Point 04	456596.9	7102867.5	B088991	456596	7102866	6	25	light brown	MSED	sand	
Line 03	Point 05	456496.9	7102867.5	B088992	456497	7102866	6	30	medium brown	MSED	silty clay	
Line 03	Point 06	456396.9	7102867.5	B088993	456396	7102867	8	20	light brown w/ grey patches	MSED	clay	
Line 03	Point 07	456296.9	7102867.5	B088994	456294	7102861	7.1	35	light grey	MSED	clay	

Geochemical Soil Samples 2006 - North Dublin Grid (All UTM coordinates in NAD 83, Zone 8)												
Grid Line	Grid Point	Provided Easting	Provided Northing	Sample #	Actual Easting	Actual Northing	GPS +/_ Error	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 03	Point 08	456196.9	7102867.5	B088995	456198	7102865	5	25	grey	MSED	clay	
Line 03	Point 09	456096.9	7102867.5	B088996	456102	7102863	4.8	65	grey	MSED	clay	
Line 03	Point 10	455996.9	7102867.5	B088997	455998	7102886	7	45	dark brown/grey	MSED	silt	
Line 03	Point 11	455896.9	7102867.5	B088998	455895	7102867	7	30	dull grey	MSED	silty clay	
Line 04	Point 01	456896.9	7102967.5	B088024	456899	7102969	7	20	light grey	MSED	silty clay	
Line 04	Point 02	456796.9	7102967.5	B088025	456798	7102968	5	30	dull grey	MSED	clay	
Line 04	Point 03	456696.9	7102967.5	B088026	456697	7102966	6	50	light brown	MSED	silt	
Line 04	Point 04	456596.9	7102967.5	B088027	456595	7102968	5	40	dark brown	MSED	silty sand	
Line 04	Point 05	456496.9	7102967.5	B088028	456497	7102967	5	15	browny grey	MSED	clay	
Line 04	Point 06	456396.9	7102967.5	B088029	456397	7102969	5.4	25	dark grey	MSED	clay	
Line 04	Point 07	456296.9	7102967.5	B088030	456299	7102968	5	40	dark grey	MSED	clay	
Line 04	Point 08	456196.9	7102967.5	B088031	456196	7102968	5	40	light grey	MSED	silty clay	
Line 04	Point 09	456096.9	7102967.5	B088032	456097	7102968	5	50	dark grey	MSED	silty sand	
Line 04	Point 10	455996.9	7102967.5	B088033	455996	7102969	7.1	30	dark grey	MSED	sandy clay	
Line 04	Point 11	455896.9	7102967.5	B088015	455896	7102966		40	dark brown/grey	MSED	silt	
Line 05	Point 01	456896.9	7103067.5	B088511	456897	7103063		32	tan/green brown	"metaseds, qtz"	clay	
Line 05	Point 02	456796.9	7103067.5	B088512	456799	7103064		39	grey brown	"metaseds, qtz"	silt	
Line 05	Point 03	456696.9	7103067.5	B088513	456702	7103067		48	grey/tan brown	metaseds	clay	
Line 05	Point 04	456596.9	7103067.5	B088514	456601	7103063		23	tan/grey brown	metaseds	silt	
Line 05	Point 05	456496.9	7103067.5	B088515	456501	7103063		29	tan/green brown	metaseds	silt	
Line 05	Point 06	456396.9	7103067.5	B088516	456404	7103065		38	grey/brown	metaseds, qtz	silt	
Line 05	Point 07	456296.9	7103067.5	B088517	456302	7103067		36	tan/grey brown	metaseds, qtz	silty loam	
Line 05	Point 08	456196.9	7103067.5	B088518	456194	7103063		35	grey brown	metaseds, qtz	silt, grit	
Line 05	Point 09	456096.9	7103067.5	B088519	456095	7103072		26	grey/tan brown	metaseds, qtz	silt/sand	
Line 05	Point 10	455996.9	7103067.5	B088520	455997	7103068		29	tan/grey brown	metaseds	silt/sand	
Line 05	Point 11	455896.9	7103067.5	B088014	455897	7103066	7	25	light brown	MSED	clayish silt	
Line 06	Point 01	456896.9	7103167.5	B088999	456896	7103165	7	60	grey	MSED	clay	
Line 06	Point 02	456796.9	7103167.5	B089000	456798	7103165	6.1	55	dark gre	MSED	silt	
Line 06	Point 03	456696.9	7103167.5	B088001	456698	7103168	5.1	60	light grey	MSED	silty clay	
Line 06	Point 04	456596.9	7103167.5	B088002	456596	7103168	4.8	30	light brwon	MSED	clay	
Line 06	Point 05	456496.9	7103167.5	B088003	456497	7103168	4.8	25	light brown	MSED	clay	
Line 06	Point 06	456396.9	7103167.5	B088004	456400	7103166	7.4	30	light brown	MSED	clay	
Line 06	Point 07	456296.9	7103167.5	B088005	456299	7103169	6.2	45	medium brown	MSED	silty sand	
Line 06	Point 08	456196.9	7103167.5	B088007	456197	7103165	7	45	milk chocolate brown	MSED	clayish silt	
Line 06	Point 09	456096.9	7103167.5	B088254	456098	7103173	6	40	grey brown	MSED	fine sand	

Geochemical Soil Samples 2006 - North Dublin Grid (All UTM coordinates in NAD 83, Zone 8)												
Grid Line	Grid Point	Provided Easting	Provided Northing	Sample #	Actual Easting	Actual Northing	GPS +/_ Error	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 06	Point 10	455996.9	7103167.5	B088255	455996	7103169	5	65	light-med brown	MSED	silty sand	
Line 06	Point 11	455896.9	7103167.5	B088013	455893	7103168	6	35	medium brown	MSED	silt	
Line 07	Point 01	456896.9	7103267.5	B089936	456899	7103266	6	40	Med brown	MSED	silty to sandy	
Line 07	Point 02	456796.9	7103267.5	B089937	456800	7103269	8	30	light brown	MSED	silty with coarse sand	
Line 07	Point 03	456696.9	7103267.5	B089938	456697	7103266	10	40	reddish to tan brown	MSED	fine sand with coarse sand	extremely rocky
Line 07	Point 04	456596.9	7103267.5	B089939	456596	7103266	8	25	med brown	MSED	very fine sand to silty	
Line 07	Point 05	456496.9	7103267.5	B089940	456496	7103269	9	30	light red to medium brown	MSED	fine sand	
Line 07	Point 06	456396.9	7103267.5	B089941	456397	7103266	8	25	medium brown	MSED	fine sand	
Line 07	Point 07	456296.9	7103267.5	B088006	456299	7103267	5.8	40	greyish brown	MSED	silty sand	
Line 07	Point 08	456196.9	7103267.5	B088008	456195	7103267	7	50	grey	MSED	silty clay	
Line 07	Point 09	456096.9	7103267.5	B088253	456100	7103270	5	25	light medium brown	MSED	fine sand	rocky soil
Line 07	Point 10	455996.9	7103267.5	B088256	455999	7103261	13	45	light brown	MSED	silty sand	
Line 07	Point 11	455896.9	7103267.5	B088012	455896	7103267	6	35	light brown	MSED	loam	
Line 08	Point 01	456896.9	7103367.5	B089991	456897	7103373	9	28.6	tan brown	metaseds	gritty clay	
Line 08	Point 02	456796.9	7103367.5	B089992	456794	7103365		37.4	chocolate brown w/ grey	metaseds	gritty clay	
Line 08	Point 03	456696.9	7103367.5	B089993	456693	7103370		39.6	tan brown/grey	metaseds, qtz	fine clay + grit	
Line 08	Point 04	456596.9	7103367.5	B089994	456601	7103366		46.2	tan brown	metaseds, qtz	fine clay	
Line 08	Point 05	456496.9	7103367.5	B089995	456499	7103364		39.6	tan brown/grey	metaseds	clay + grit	
Line 08	Point 06	456396.9	7103367.5	B089996	456402	7103376		57.2	tan brown	metaseds, qtz	gritty silt	
Line 08	Point 07	456296.9	7103367.5	B089997	456296	7103370		57	tan brown	metaseds, qtz	silt	
Line 08	Point 08	456196.9	7103367.5	B089998	456197	7103376		44	tan brown/grey	metaseds, qtz	gritty silt	
Line 08	Point 09	456096.9	7103367.5	B088009	456095	7103367	5	30	browny grey	MSED	clay	
Line 08	Point 10	455996.9	7103367.5	B088010	455997	7103367	5	35	grey brown	MSED	silty loam	
Line 08	Point 11	455896.9	7103367.5	B088011	455896	7103367	6	40	light brown	MSED	clay	
Line 09	Point 01	456896.9	7103467.5	B089942	456896	7103466	4	35	reddish light brown	MSED	silt	
Line 09	Point 02	456796.9	7103467.5	B089943	456784	7103477	8	65	greyish brown	MSED	clay	had to move site due to a stream
Line 09	Point 03	456696.9	7103467.5	B089949	456697	7103472	6	20	light chocolate brown	MSED	clay	
Line 09	Point 04	456596.9	7103467.5	B089950	456596	7103472	5	35	light chocolate brown	no rock found	clay	

Geochemical Soil Samples 2006 - North Dublin Grid (All UTM coordinates in NAD 83, Zone 8)												
Grid Line	Grid Point	Provided Easting	Provided Northing	Sample #	Actual Easting	Actual Northing	GPS +/_ Error	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 09	Point 05	456496.9	7103467.5	B088251	456494	7103465	5	30	light brown/tan	MSED	clay/silt	
Line 09	Point 06	456396.9	7103467.5	B088252	456398	7103464	7	35	med-light brown MSED	MSED	silty	rocky soil
Line 09	Point 07	456296.9	7103467.5	B089944	456298	7103468	5	45	tan brown	MSED with qtz pebbles silt	silt	
Line 09	Point 08	456196.9	7103467.5	B089945	456194	7103464	6	15	greyish tan brown	MSED	silt	
Line 09	Point 09	456096.9	7103467.5	B089946	456102	7103467	7	50	tan brown	MSED	silt	
Line 09	Point 10	455996.9	7103467.5	B089947	456000	7103469	8	60	tan brown greenish	MSED	clay	
Line 09	Point 11	455896.9	7103467.5	B089948	455894	7103469	7	20	light brown orangey	MSED	silt	
Line 10	Point 01	456896.9	7103567.5	B089999	456897	7103569	9	28	tan brown	metaseds, qtz	clay	
Line 10	Point 02	456796.9	7103567.5	B090000	456798	7103568	7	44	tan brown	metaseds, qtz	silt	
Line 10	Point 03	456696.9	7103567.5	B088501	456699	7103571	13	38	tan brown	metaseds, qtz	silt	
Line 10	Point 04	456596.9	7103567.5	B088502	456591	7103562	8	42	tan brown	metaseds, qtz	silt, grit	Off grid due to trench
Line 10	Point 05	456496.9	7103567.5	B088503	456500	7103563	5	39	grey brown	metaseds	silt	rocky soil
Line 10	Point 06	456396.9	7103567.5	B088504	456394	7103564	9	53	grey	metaseds	sandy	rocky soil
Line 10	Point 07	456296.9	7103567.5	B088505	456296	7103568	7	44	grey	metaseds	sandy	
Line 10	Point 08	456196.9	7103567.5	B088506	456201	7103566	6	25	grey brown	metaseds, qtz	silt	
Line 10	Point 09	456096.9	7103567.5	B088507	456096	7103566	9	30	tan/green brown	metaseds	silt	
Line 10	Point 10	455996.9	7103567.5	B088510	455989	7103568	10	32	tan/green brown	metaseds	silt	
Line 10	Point 11	455896.9	7103567.5	B088509	455898	7103565	5	42	tan/green brown	metaseds, qtz	silty clay	

Geochemical Soil Samples 2006 - Peso Grid (All UTM coordinates in NAD 83, Zone 8)											
Grid Line	Grid Point	Provided Easting	Provided Northing	Sample #	Actual Easting	Actual Northing	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 1	Point 01	455007.3	7096611	B088951	455010	7096607	25	green/brown	MSED	silty clay	
Line 1	Point 02	455107.3	7096611	B089981	455107	7096603	33	tan brown	MSED, qtz pebbles	silt and sand	very rocky soil. Off grid due to built up berm
Line 1	Point 03	455207.3	7096611	B089980	455206	7096610	48.3	Tan brown	MSED, qtz pebbles	gritty silt	
Line 1	Point 04	455307.3	7096611	B089977	455309	7096608	45.7	Tan grey brown	MSED, qtz pebbles	sitly loam	
Line 1	Point 05	455407.3	7096611	B089976	455407	7096606	40.6	Tan to grey brown	MSED, qtz pebbles	silty	
Line 1	Point 06	455507.3	7096611	B089969	455506	7096615	35.2	tan brown	MSED, qtz pebbles	loamy silt	
Line 1	Point 07	455607.3	7096611	B089968	455607	7096607	39.6	brown green	MSED, qtz pebbles	loamy silt	
Line 1	Point 08	455707.3	7096611	B089967	455709	7096608	33	brown grey	MSED, qtz pebbles	fine clays	
Line 2	Point 01	455007.3	7096511	B089982	455009	7096510	38.1	Tan brown	MSED	silty	rocky soil
Line 2	Point 02	455107.3	7096511	B089983	455115	7096508	50.8	chocolate brown	MSED	Silty	
Line 2	Point 03	455207.3	7096511	B089979	455211	7096507	53.3	Green tan brown	MSED	silty clay	
Line 2	Point 04	455307.3	7096511	B089978	455308	7096512	55.9	Grey brown	MSED	clay and silt	
Line 2	Point 05	455407.3	7096511	B089975	455408	7096512	40.6	"Tan brown, slight green"	MSED	silty loam	
Line 2	Point 06	455507.3	7096511	B089970	455508	7096512	33	tan brown	MSED	loamy silt	
Line 2	Point 07	455607.3	7096511	B089966	455606	7096513	46.2	light brown green	MSED, qtz pebbles	loamy silt	
Line 2	Point 08	455707.3	7096511	B089965	455710	7096507	37.4	tan green brown	MSED	gritty loamy silts	
Line 2	Point 09	455807.3	7096511	B089964	455812	7096511	30.8	tan brown	MSED	fine clay	
Line 2	Point 10	455907.3	7096511	B089960	455910	7096512	30.8	Light tan brown	MSED	fine/loamy clay	
Line 2	Point 11	456007.3	7096511	B089959	456009	7096510	39.6	green/brown	MSED, qtz pebbles	fine clay	
Line 2	Point 12	456107.3	7096511	B089957	456102	7096504	37.4	green/brown	MSED	fine clay	
Line 2	Point 13	456207.3	7096511	B089955	456200	7096513	37.4	milk chocolate brown	MSED	loamy silt	

Geochemical Soil Samples 2006 - Peso Grid (All UTM coordinates in NAD 83, Zone 8)											
Grid Line	Grid Point	Provided Easting	Provided Northing	Sample #	Actual Easting	Actual Northing	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 2	Point 14	456307.3	7096511	B089954	456311	7096508	48.4	tan brown	MSED	very fine clay	
Line 3	Point 01	455107.3	7096411	B089927	455106	7096409	30	Greenish yellow brown	MSED	silt	
Line 3	Point 02	455207.3	7096411	B089928	455208	7096412	60	Medium brown	MSED	silt	something yellow and shiny in soil. Mica? Gold?
Line 3	Point 03	455307.3	7096411	B089972	455307	7096402	35.2	tan brown	MSED	silt	
Line 3	Point 04	455407.3	7096411	B089971	455404	7096411	39.6	tan green brown	MSED	fine clay	
Line 3	Point 05	455507.3	7096411	B089973	455504	7096410	39.6	"tan brown, slight red"	MSED	gritty silt	
Line 3	Point 06	455607.3	7096411	B089974	455620	7096409	39.6	tan brown	MSED	clay	
Line 3	Point 07	455707.3	7096411	B089963	455710	7096414	39.6	tan green brown	MSED	fine silt	
Line 3	Point 08	455807.3	7096411	B089962	455807	7096411	35.2	tan green brown	MSED	fine silt and loam	
Line 3	Point 09	455907.3	7096411	B089961	455914	7096403	33	tan brown w/ green tinge	MSED	clays with fine grit	
Line 3	Point 10	456007.3	7096411	B089958	456003	7096403	46.2	tan brown w/ green tinge	MSED	fine clay	
Line 3	Point 11	456107.3	7096411	B089956	456103	7096411	28.6	dark brown	MSED	gritty coarse silt	
Line 3	Point 12	456207.3	7096411	B089953	456206	7096407	39.6	light tan/brown	MSED	gritty silt	
Line 3	Point 13	456307.3	7096411	B089952	456304	7096412	26.4	Light tan brown	MSED	fine loam	
Line 3	Point 14	456407.3	7096411	B089951	456403	7096414	33	Light brown	MSED	fine clay	
Line 4	Point 01	455307.3	7096311	B089923	455307	7096309	30	Dark to medium brown	MSED	sandy	
Line 4	Point 02	455407.3	7096311	B089922	455405	7096309	25	Medium brown	MSED	fine sand	
Line 4	Point 03	455507.3	7096311	B089919	455504	7096318	45	Yellowish brown	MSED	silt	something shiny in soil. Mica? Gold?

Geochemical Soil Samples 2006 - Peso Grid (All UTM coordinates in NAD 83, Zone 8)											
Grid Line	Grid Point	Provided Easting	Provided Northing	Sample #	Actual Easting	Actual Northing	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 4	Point 04	455607.3	7096311	B089918	455610	7096314	20	Medium brown	MSED	silt	30cm cube chunk of quartz vein 10 metres NW of this site found.
Line 4	Point 05	455707.3	7096311	B089915	455705	7096313	20	Medium brown	MSED	silt	
Line 4	Point 06	455807.3	7096311	B089914	455803	7096309	40	Medium brown	MSED	silt	
Line 4	Point 07	455907.3	7096311	B089911	455906	7096309	30	Light brown	MSED	silt	
Line 4	Point 08	456007.3	7096311	B089910	456007	7096308	40	Light brown	MSED	silt	
Line 4	Point 09	456107.3	7096311	B089907	456110	7096314	30	green/brown	MSED	silt	Small lithics - 0.5cm
Line 4	Point 10	456207.3	7096311	B089906	456204	7096310	30	green/brown	MSED	silt	
Line 4	Point 11	456307.3	7096311	B089904	456310	7096303	40	Medium brown	MSED	loamy	
Line 4	Point 12	456407.3	7096311	B089901	456406	7096314	40	Medium brown	MSED	loamy	
Line 5	Point 01	455107.3	7096211	B089926	455111	7096213	25	Greenish yellow brown	MSED	sandy silt	
Line 5	Point 02	455207.3	7096211	B089925	455208	7096212	20	Greenish yellow brown	MSED	sandy silt	
Line 5	Point 03	455307.3	7096211	B089924	455305	7096212	40	Medium brown	MSED	Silt	2 horizons of yellow layer found
Line 5	Point 04	455407.3	7096211	B089921	455414	7096207	20	med to dark brown	MSED	fine sand	
Line 5	Point 05	455507.3	7096211	B089920	455514	7096204	35	Medium brown	MSED	silt	
Line 5	Point 06	455607.3	7096211	B089917	455608	7096209	50	reddish brown	MSED	silt	
Line 5	Point 07	455707.3	7096211	B089916	455707	7096216	30	Medium brown	MSED	silt	
Line 5	Point 08	455807.3	7096211	B089913	455806	7096209	50	Medium brown	MSED	silt	
Line 5	Point 09	455907.3	7096211	B089912	455908	7096213	50	Medium brown	MSED	silt	
Line 5	Point 10	456007.3	7096211	B089909	456010	7096207	30	light/med brown	MSED	silt	

Geochemical Soil Samples 2006 - Peso Grid (All UTM coordinates in NAD 83, Zone 8)											
Grid Line	Grid Point	Provided Easting	Provided Northing	Sample #	Actual Easting	Actual Northing	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 5	Point 11	456107.3	7096211	B089908	456109	7096215	45	green/brown	MSED	silt	Well rounded quartz arenite found. Some grey mineral found in matrix
Line 5	Point 12	456207.3	7096211	B089905	456208	7096213	30	green/brown	MSED	Sandy/silt	Elevation = 990 Meters
Line 5	Point 13	456307.3	7096211	B089903	456306	7096218	30	brown	MSED	clay	Elevation = 958 Meters
Line 5	Point 14	456407.3	7096211	B089902	456409	7096211	45	dark brown	MSED	loamy	Elevation = 929 Meters
Line 7	Point 01	455107.3	7096011	B088973	455109	7096012	25	light brown	MSED	silty clay	
Line 7	Point 02	455207.3	7096011	B088974	455207	7096012	35	chocolate brown	MSED	silty	
Line 7	Point 03	455307.3	7096011	B088975	455305	7096012	30	grey-brown	MSED	sandy silt	
Line 7	Point 04	455407.3	7096011	B088979	455407	7096011	30	Grey	MSED	clay	
Line 7	Point 05	455507.3	7096011	B088978	455506	7096011	25	Grey	MSED	Silty clay	
Line 7	Point 06	455607.3	7096011	B088966	455605	7096011	45	grey-brown	MSED	gritty sand	
Line 8	Point 01	455107.3	7095911	B088983	455107	7095911	25	Medium brown	MSED	Silt	
Line 8	Point 02	455207.3	7095911	B088982	455207	7095910	60	Browny grey	MSED	silty clay	
Line 8	Point 03	455307.3	7095911	B088981	455308	7095910	30	Grey	MSED	clay	
Line 8	Point 04	455407.3	7095911	B088980	455405	7095911	85	Brown grey	MSED	clay	
Line 8	Point 05	455507.3	7095911	B088977	455505	7095911	25	milk chocolate brown	MSED	Silt	1 large qtz piece found
Line 8	Point 06	455607.3	7095911	B088965	455606	7095908	35	dark brown	MSED	silty sand	
Line 9	Point 01	455107.3	7095811	B088984	455107	7095811	40	Light brown	MSED	silty sand	
Line 9	Point 02	455207.3	7095811	B088985	455207	7095811	40	Orange brown	MSED	Silty sand	
Line 9	Point 03	455307.3	7095811	B088986	455307	7095811	25	Orange brown	MSED	silty clay	
Line 9	Point 04	455407.3	7095811	B088987	455405	7095808	35	Orange brown	MSED	silty sand	
Line 9	Point 05	455507.3	7095811	B088976	455507	7095812	30	rusty brown	MSED	sand	
Line 9	Point 06	455607.3	7095811	B088964	455610	7095812	30	Medium brown	MSED	sandy	"gritty, coarse rocks"
Line 7	Point 12	456201.7	7096024	B088956	456198	7096028	30	light brown (tan)	MSED	sandy	
Line 7	Point 13	456306.8	7096024	B088953	456307	7096029	30	dull grey	MSED	silty clay	

Geochemical Soil Samples 2006 - Peso Grid (All UTM coordinates in NAD 83, Zone 8)											
Grid Line	Grid Point	Provided Easting	Provided Northing	Sample #	Actual Easting	Actual Northing	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 8	Point 12	456194.2	7095949	B088955	456194	7095940	40	milky coffee brown	MSED	sandy	
Line 8	Point 13	456303	7095952	B088954	456303	7095953	35	tan brown	MSED	sandy silt	
Line 6	Point 01	455107.3	7096111	B088972	455107	7096110	25	greenish brown	MSED	silty sand	
Line 6	Point 02	455207.3	7096111	B088971	455206	7096111	45	light brown	MSED	silty loam	
Line 6	Point 03	455307.3	7096111	B088970	455311	7096110	25	dark brown	MSED	fine sand	
Line 6	Point 04	455407.3	7096111	B088969	455406	7096111	20	light brown	MSED	coarse sand	
Line 6	Point 05	455507.3	7096111	B088968	455505	7096110	30	light brown	MSED	fine sand	
Line 6	Point 06	455607.3	7096111	B088967	455602	7096107	40	Medium brown	MSED	sandy silt	
Line 6	Point 07	455707.3	7096111	B088963	455715	7096115	35	Medium brown	MSED	silty sand	off grid due to large fallen tree
Line 6	Point 08	455807.3	7096111	B088962	455810	7096110	30	slight rusty colour	MSED	silty sand	
Line 6	Point 09	455907.3	7096111	B088961	455905	7096107	50	Light brown	MSED	Sandy	
Line 6	Point 10	456007.3	7096111	B088960	456007	7096112	30	Medium brown	MSED	sandy	
Line 6	Point 11	456107.3	7096111	B088959	456110	7096107	30	grey-brown	MSED	Sandy	lots of MSED
Line 6	Point 12	456207.3	7096111	B088958	456210	7096111	25	dark brown	MSED	silty	
Line 6	Point 13	456307.3	7096111	B088957	456306	7096112	35	light grey	MSED	sandy silt	
Line 6	Point 14	456407.3	7096111	B088952	456404	7096118	45	light brown	MSED	silty and sandy	

Geochemical Soil Sampling 2006 - Shamrock - Original Grid (All UTM coordinates in NAD 83, Zone 8)												
Grid Line	Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Error (+/-)	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 01	Point 01	461773	7101741	B088526	461775	7101741	12	31	tan/green brown	MSED	coarse sand, silt	
Line 01	Point 02	461823	7101742	B088261	461824	7101729	7	25	medium brown	GND	silt	
Line 01	Point 03	461873	7101742	B088038	461873	7101742	10	30	light brown	MSED	loamy	
Line 01	Point 04	461923	7101743	B088527	461922	7101737	4	27	tan brown	mseds	coarse sand	
Line 01	Point 05	461973	7101743	B088039	461974	7101745	16	50	light grey	unknown	clay	
Line 01	Point 06	462023	7101743	B088262	462024	7101745	4	70	Med to dark brown	unknown	clay	
Line 01	Point 07	462073	7101744	B088283	462068	7101748	7	50	Medium brown	unknown	fine sand/silt	
Line 01	Point 08	462123	7101744	B088542	462121	7101746	9	23	tan brown/green	MSED	silt/clay	
Line 01	Point 09	462173	7101745	B088168	462172	7101749	6	20	dark grey	unknown	silty clay	
Line 01	Point 10	462223	7101745	B088563	462222	7101754	5	42	grey/brown	unknown	silt and sand	
Line 01	Point 11	462273	7101746	B088189	462272	7101751	8	40	dark grey	GND	silty clay	
Line 01	Point 12	462323	7101746	B088190	462321	7101749	7	35	dark grey	GND	silt	
Line 01	Point 13	462373	7101746	B088215	462379	7101746	5	40	meduim brown	GND	silty clay	
Line 01	Point 14	462423	7101747	B088564	462422	7101746	5	25	tan brown	GND	coarse sand and silt	
Line 01	Point 15	462473	7101747	B088061	462472	7101748	7	30	dark grey	GND	clay	
Line 01	Point 16	462523	7101748	B088585	462518	7101750	8	35	grey	GND	sand and silt	

Geochemical Soil Sampling 2006 - Shamrock - Original Grid (All UTM coordinates in NAD 83, Zone 8)												
Grid Line	Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Error (+/-)	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 01	Point 17	462573	7101748	B088587	462569	7101749	7	35	chalky grey	GND	silt and clay	
Line 01	Point 18	462623	7101749	B088588	462613	7101740	5	30	chalky grey	GND	clay and sand	
Line 01	Point 19	462673	7101749	B088064	462677	7101752	5	15	light brown	GND	sand	
Line 01	Point 20	462723	7101749	B088065	462723	7101750	7	15	grey and dark brown	GND	clay	
Line 01	Point 21	462773	7101750	B088314	462775	7101751	6	20	Greeny yellowy brown	GND	silt	
Line 01	Point 22	462823	7101750	B088315	462818	7101754	7	25	light to medium brown	GND	silt	
Line 01	Point 23	462873	7101751	B088321	462874	7101753	7	25	Bronze brown	GND	silty	
Line 01	Point 24	462923	7101751	B088084	462929	7101750	6	20	light brown	GND	sandy silt	
Line 01	Point 25	462973	7101752	B088608	462972	7101754	6	20	tan brown	GND	very coarse sand	
Line 02	Point 01	461773	7101791	B088525	461776	7101792	8	36	tan/green brown	MSEDS, qtz	coarse sand, silt	
Line 02	Point 02	461823	7101792	B088260	461823	7101788	9	35	medium brown, some grey	MSED	silty	shiny flecks in soil.
Line 02	Point 03	461873	7101792	B088037	461868	7101794	5	60	yellow/brown	unknown	very coarse sand	adjacent to trench/road, possibly influenced location
Line 02	Point 04	461923	7101793	B088528	461921	7101786	13	48	chalky grey	MSED	sand and silt	off grid due to road
Line 02	Point 05	461973	7101793	B088040	461971	7101793	17	25	dark grey	unknown	clay	

Geochemical Soil Sampling 2006 - Shamrock - Original Grid (All UTM coordinates in NAD 83, Zone 8)												
Grid Line	Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Error (+/-)	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 02	Point 06	462023	7101793	B088263	462021	7101793	6	35	light to medium brown	unknown	coarse sand	
Line 02	Point 07	462073	7101794	B088282	462068	7101799	5	30	med to light brown	GND	mud/silt	
Line 02	Point 08	462123	7101794	B088543	462117	7101791	5	56	Chalky grey	GND	Med. Sand	
Line 02	Point 09	462173	7101795	B088169	462167	7101796	7	20	medium grey	GND	silty clay	
Line 02	Point 10	462223	7101795	B088562	462221	7101793	6	30	grey/brown	GND	silt and sand	
Line 02	Point 11	462273	7101796	B088188	462271	7101800	5	15	dark grey	GND	silt and sand	
Line 02	Point 12	462323	7101796	B088191	462323	7101795	6	30	medium grey	GND	silt	
Line 02	Point 13	462373	7101796	B088216	462378	7101802	8	40	medium brown	GND	silty clay	
Line 02	Point 14	462423	7101797	B088565	462419	7101792	6	30	grey/brown	GND	fine sand and silt	
Line 02	Point 15	462473	7101797	B088060	462472	7101801	7	20	dark grey	GND	sandy clay	
Line 02	Point 16	462523	7101798	B088584	462523	7101803	8	35	tan brown	GND	coarse sand and silt	
Line 02	Point 17	462573	7101798	B088586	462578	7101799	6	30	grey/dark brown	GND	silt and clay	
Line 02	Point 18	462623	7101799	B088589	462621	7101796	7	20	tan/grey brown	GND	silt and sand	
Line 02	Point 19	462673	7101799	B088063	462670	7101799	6	10	brown	GND	sand	
Line 02	Point 20	462723	7101799	B088066	462725	7101796	7	20	dark brown	GND	clay	
Line 02	Point 21	462773	7101800	B088284	462773	7101807	5	25	Yellowish brown	unknown	silt	

Geochemical Soil Sampling 2006 - Shamrock - Original Grid (All UTM coordinates in NAD 83, Zone 8)												
Grid Line	Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Error (+/-)	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 02	Point 22	462823	7101800	B088316	462819	7101797	6	15	greeny brown	GND	very fine sand/silt	micas present in soil
Line 02	Point 23	462873	7101801	B088320	462867	7101804	5	10	yellowy brown	GND	clay/silt	
Line 02	Point 24	462923	7101801	B088085	462921	7101800	9	15	light brown	GND	sandy silt	
Line 02	Point 25	462973	7101802	B088609	462960	7101807	5	30	tan brown	GND	coarse sand	off grid due to trench
Line 03	Point 01	461772	7101841	B088524	461772	7101843	9	52	tan brown	MSED	coarse sand, silt	
Line 03	Point 02	461822	7101842	B088259	461817	7101839	8	45	medium brown	MSED	silt	
Line 03	Point 03	461872	7101842	B088036	461875	7101842	6	25	light grey	unknown	clay	
Line 03	Point 04	461922	7101843	B088529	461910	7101853	10	38	grey/brown	GND	silt and sand	off grid due to rock fall
Line 03	Point 05	461972	7101843	B088041	461971	7101836	15	30	light brown	GND	coarse sand	
Line 03	Point 06	462022	7101843	B088264	462021	7101841	7	30	Medium brown	unknown	sandy	
Line 03	Point 07	462072	7101844	B088281	462063	7101842	6	40	Medium brown	GND	clay/silt	lots of mica with qtz pebbles present. Also moved site due to absence of soil.
Line 03	Point 08	462122	7101844	B088544	462127	7101844	5	18	tan/grey brown	GND	coarse sand and silt	
Line 03	Point 09	462172	7101845	B088170	462158	7101840	5	15	light brown	GND	silty sand	off grid due to proximity to rockfall
Line 03	Point 10	462222	7101845	B088561	462221	7101845	10	39	chalky grey/brown	GND	silt and sand	
Line 03	Point 11	462272	7101846	B088187	462276	7101844	5	50	dark brown	GND	loamy	4m off grid due to rockfall
Line 03	Point 12	462322	7101846	B088192	462317	7101847	6	25	dark grey	GND	silt	

Geochemical Soil Sampling 2006 - Shamrock - Original Grid (All UTM coordinates in NAD 83, Zone 8)												
Grid Line	Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Error (+/-)	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 03	Point 13	462372	7101846	B088217	462374	7101847	6	30	medium brown	GND	silty clay	
Line 03	Point 14	462422	7101847	B088566	462423	7101842	5	30	tan brown	GND	coarse sand	
Line 03	Point 15	462472	7101847	B088059	462471	7101834	5	20	daqrk grey	GND	silt and sand	14m off grid: proposed point landed on a drill pad
Line 03	Point 16	462522	7101848	B088583	462521	7101862	8	25	tan brown	GND	very coarse sand	
Line 03	Point 17	462572	7101848	B088607	462585	7101868	10	20	brown	GND	sand and clay	off grid due to trench
Line 03	Point 18	462622	7101849	B088590	462626	7101847	8	18	brown	GND	coarse sand and silt	off grid due to trench
Line 03	Point 19	462672	7101849	B088062	462670	7101845	7	20	brown and grey	GND	sand w/ silt	
Line 03	Point 20	462722	7101849	B088067	462726	7101848	5	20	light brown	GND	clay loam	
Line 03	Point 21	462772	7101850	B088285	462770	7101845	7	30	light brown	GND	silt	
Line 03	Point 22	462822	7101850	B088317	462817	7101849	5	35	grey brown	GND	very coarse sand	off grid due to trench like structure and snow cover
Line 03	Point 23	462872	7101851	B088319	462861	7101852	5	30	"medium brown, a little yellow"	GND	coarse sand	off grid due to now cover
Line 03	Point 24	462922	7101851	B088086	462917	7101849	8	20	medium brown and grey	GND	silty sand	
Line 03	Point 25	462972	7101852	B088610	462968	7101856	5	20	brown	GND	very coarse sand	off grid due to trench
Line 04	Point 01	461772	7101891	B088523	461774	7101890	5	59	tan brown	"MSED, QTZ"	coarse sand, silt	
Line 04	Point 02	461822	7101892	B088258	461820	7101898	6	40	reddish brown	GND	fine sand	
Line 04	Point 03	461872	7101892	B088035	461873	7101893	7	30	light grey	GND	clay	

Geochemical Soil Sampling 2006 - Shamrock - Original Grid (All UTM coordinates in NAD 83, Zone 8)												
Grid Line	Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Error (+/-)	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 04	Point 04	461922	7101893	B088530	461916	7101892	9	35	grey/brown	MSED	silt	
Line 04	Point 05	461972	7101893	B088042	461965	7101894	15	20	light brown	GND	coarse sand	off grid due to large rockfall
Line 04	Point 06	462022	7101893	B088265	462004	7101897	6	35	medium brown	MSED	silt	Moved site due to boulder fields and no soil seen
Line 04	Point 07	462072	7101894	B088280	462077	7101899	9	20	medium brown	GND	clay/silt	quartz fragments present. Lots of mica.
Line 04	Point 08	462122	7101894	B088545	462121	7101891	6	25	tan brown	GND	coarse sand	
Line 04	Point 09	462172	7101895	B088171	462170	7101892	7	20	medium brown	GND	silty sand	
Line 04	Point 10	462222	7101895	B088560	462215	7101906	11	45	grey/brown	GND	Med. Sand	off grid due to boulder field
Line 04	Point 11	462272	7101896	B088186	462273	7101903	7	15	dark brown	GND	clayish silt	
Line 04	Point 12	462322	7101896	B088193	462323	7101897		20	dark grey	GND	sand and clay	
Line 04	Point 13	462372	7101896	B088218	462375	7101894	5	15	medium grey	GND	coarse sand and clay	
Line 04	Point 14	462422	7101897	B088567	462425	7101907	6	20	tan brown	GND	coarse sand	off grid due to boulder field
Line 04	Point 15	462472	7101897	B088058	462470	7101898	5	20	light brown	GND	clay	
Line 04	Point 16	462522	7101898	B088582	462522	7101908	8	15	tan brown	GND	very coarse sand	
Line 04	Point 17	462572	7101898	B088606	462573	7101897	15	35	grey/brown/tan	GND	med sand and silt	
Line 04	Point 18	462622	7101899	B088591	462630	7101896	8	15	tan green/brown	GND	very coarse sand and silt	off grid due to trench
Line 04	Point 19	462672	7101899	B088083	462670	7101897	5	20	dark brown	GND	sandy silt	

Geochemical Soil Sampling 2006 - Shamrock - Original Grid (All UTM coordinates in NAD 83, Zone 8)												
Grid Line	Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Error (+/-)	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 04	Point 20	462722	7101899	B088068	462722	7101899	5	25	medium brown	GND	silty clay	
Line 04	Point 21	462772	7101900	B088286	462772	7101903	7	25	light brown	GND	silty sand	many 20*20*20* rocks amongst soil
Line 04	Point 22	462822	7101900	B088318	462818	7101904	10	35	Yellowish brown	GND	clay/silt	
Line 04	Point 23	462872	7101901	B088622	462872	7101901	12	25	gery/brown	GND	coarse sand and silt	
Line 04	Point 24	462922	7101901	B088087	462918	7101906	5	25	medium brown	GND	sand	near road - possibly influenced site
Line 04	Point 25	462972	7101902	B088611	462965	7101904	5	25	tan/grey brown	GND	coarse sand and silt	off grid due to trench
Line 05	Point 01	461771	7101941	B088521	461768	7101938	17	28	green/brown	MSEDS, qtz	coarse sand	
Line 05	Point 02	461821	7101942	B088257	461814	7101942	7	25	medium brown	GND	silt	
Line 05	Point 03	461871	7101942	B088034	461872	7101942	10	25	light grey	MSED	clay	
Line 05	Point 04	461921	7101943	B088531	461914	7101944	12	52	chalky grey	GND	silt and sand	
Line 05	Point 05	461971	7101943	B088043	461972	7101939	11	20	grey	GND	clay	
Line 05	Point 06	462021	7101943	B088266	462019	7101943	20	30	medium brown	unknown	silt with sand	
Line 05	Point 07	462071	7101944	B088279	462070	7101944	7	25	med-dark brown	unknown	silt	lots of micas
Line 05	Point 08	462121	7101944	B088546	462114	7101970	12	28	tan brown	GND	coarse sand and silt	off grid due to boulder field
Line 05	Point 09	462171	7101945	B088172	462174	7101956	6	20	dark grey	GND	silty clay	off grid due to proximity to rockfall
Line 05	Point 10	462221	7101945	B088559	462228	7101925	5	25	tan brown	GND	sand and silt	off grid due to boulder field
Line 05	Point 11	462271	7101946	B088185	462272	7101946	7	20	light brown	GND	sand	

Geochemical Soil Sampling 2006 - Shamrock - Original Grid (All UTM coordinates in NAD 83, Zone 8)												
Grid Line	Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Error (+/-)	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 05	Point 12	462321	7101946	B088194	462322	7101942	7	20	light brown	GND	sandy silt	
Line 05	Point 13	462371	7101946	B088219	462365	7101954	5	20	medium brown	GND	silty clay	
Line 05	Point 14	462421	7101947	B088568	462425	7101945	7	25	tan brown	GND	med sand and silt	
Line 05	Point 15	462471	7101947	B088057	462473	7101945	6	25	medium brown	GND	silty clay	
Line 05	Point 16	462521	7101948	B088581	462528	7101946	12	25	grey/brown	GND	silt and sand	
Line 05	Point 17	462571	7101948	B088605	462559	7101959	13	15	grey/brown	GND	very coarse sand	off grid due to trench
Line 05	Point 18	462621	7101949	B088592	462623	7101947	5	20	grey/brown	GND	coarse sand and silt	
Line 05	Point 19	462671	7101949	B088082	462668	7101939	5	25	light brown	GND	clay	12m off point, proposed point was in large trench
Line 05	Point 20	462721	7101949	B088069	462721	7101953	7	15	dark grey	GND	clay	adjacent to trench/road, possibly influenced location
Line 05	Point 21	462771	7101950	B088287	462771	7101948	5	25	light to medium brown	GND	silty sand	
Line 05	Point 22	462821	7101950	B088300	462818	7101945	6	25	very dark brown	GND	fine sand	Not sure if B horizon was reached, however dug 6 rocks and all hit bedrock.
Line 05	Point 23	462871	7101951	B088621	462869	7101956	10	35	grey/brown	GND	coarse sand and silt	
Line 05	Point 24	462921	7101951	B088088	462919	7101950	10	10	light brown	GND	silty sand	
Line 05	Point 25	462971	7101952	B088612	462962	7101953	5	30	tan/grey brown	GND	coarse sand and silt	
Line 06	Point 01	461771	7101991	B088522	461777	7101991	7	32	tan brown	MSEDS, qtz	loamy	off grid due to road

Geochemical Soil Sampling 2006 - Shamrock - Original Grid (All UTM coordinates in NAD 83, Zone 8)												
Grid Line	Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Error (+/-)	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 06	Point 02	461821	7101992	B088534	461822	7101992	6	30	tan brown	GND	sand and silt	
Line 06	Point 03	461871	7101992	B088533	461869	7101998	8	35	chalky grey/brown	GND	coarse sand	
Line 06	Point 04	461921	7101993	B088532	461924	7101986	12	20	chalky grey/brown	GND	silt and sand	
Line 06	Point 05	461971	7101993	B088044	461972	7101999	17	15	brown	GND	sand	
Line 06	Point 06	462021	7101993	B088267	462012	7101986	9	25	reddish brown w/ dark brown	GND	silt	off grid due to no soil and was close to a cliff. Quartz chunk found in hole dug where sample was collected
Line 06	Point 07	462071	7101994	B088278	462060	7101994	10	40	light medium brown	unknown	mud	target on cliff thus slightly off grid +/-10 meters
Line 06	Point 08	462121	7101994	B088547	462126	7101990	9	22	tan brown	GND	coarse sand	slightly off grid due to cliff face
Line 06	Point 09	462171	7101995	B088173	462174	7101988	10	20	medium brown	GND	sandy silt	
Line 06	Point 10	462221	7101995	B088558	462227	7101997	5	29	tan/green brown	GND	sand and silt	
Line 06	Point 11	462271	7101996	B088184	462269	7101997	8	20	medium brown	GND	silty clay	
Line 06	Point 12	462321	7101996	B088195	462325	7101999	8	20	medium brown	GND	silty clay	
Line 06	Point 13	462371	7101996	B088220	462365	7102006	8	20	medium brown	GND	silty clay	
Line 06	Point 14	462421	7101997	B088569	462421	7101995	8	25	grey/brown	GND	silt and sand	
Line 06	Point 15	462471	7101997	B088056	462469	7102001	8	15	medium-dark brown	GND	sandy silt	

Geochemical Soil Sampling 2006 - Shamrock - Original Grid (All UTM coordinates in NAD 83, Zone 8)												
Grid Line	Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Error (+/-)	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 06	Point 16	462521	7101998	B088580	462522	7101995	9	40	grey/brown	GND	coarse sand and silt	
Line 06	Point 17	462571	7101998	B088604	462566	7102001	6	30	tan brown	GND	coarse sand and silt	off grid due to trench
Line 06	Point 18	462621	7101999	B088593	462618	7102002	6	25	chalky grey/brown	GND	clay and silt	
Line 06	Point 19	462671	7101999	B088081	462672	7101999	6	25	dark brown	GND	clay	
Line 06	Point 20	462721	7101999	B088070	462726	7102000	5	15	rusty brown	GND	sandy clay	off grid: proposed point was on road
Line 06	Point 21	462771	7102000	B088288	462771	7101999	5	30	light to medium brown	GND	silty	
Line 06	Point 22	462821	7102000	B088299	462820	7102001	7	30	medium brown	GND	silt	
Line 06	Point 23	462871	7102001	B088620	462873	7102002	7	15	charcoal grey	GND	coarse sand and silt	
Line 06	Point 24	462921	7102001	B088089	462921	7102002	9	25	medium brown	GND	silty clay	
Line 06	Point 25	462971	7102002	B088613	462962	7102001	5	25	tan/grey brown	GND	coarse sand	
Line 07	Point 01	461770	7102041	B088535	461771	7102037	9	28	grey/brown	GND	coarse sand	
Line 07	Point 02	461820	7102042	B088536	461824	7102041	16	25	tan brown	GND	silt and sand	
Line 07	Point 03	461870	7102042	B088537	461872	7102048	13	65	chalky tan brown	MSED	silt and sand	
Line 07	Point 04	461920	7102043	B088167	461920	7102044		20	light brown	GND	Med. Sand	
Line 07	Point 05	461970	7102043	B088045	461970	7102045	15	20	light brown	GND	silty sand	
Line 07	Point 06	462020	7102043	B088268	462023	7102040	12	25	light-medium brown	GND	silt	lots of small rock fragments found

Geochemical Soil Sampling 2006 - Shamrock - Original Grid (All UTM coordinates in NAD 83, Zone 8)												
Grid Line	Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Error (+/-)	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 07	Point 07	462070	7102044	B088269	462072	7102046	4	35	medium brown	unknown	silt	
Line 07	Point 08	462120	7102044	B088548	462118	7102046	4	20	"tan brown, slight grey"	GND	coarse sand and silt	
Line 07	Point 09	462170	7102045	B088174	462170	7102044	8	20	light brown	GND	loamy	
Line 07	Point 10	462220	7102045	B088557	462220	7102039	6	25	grey/brown	GND	sand and silt	
Line 07	Point 11	462270	7102046	B088183	462270	7102045	6	15	light brown	GND	sandy clay	
Line 07	Point 12	462320	7102046	B088196	462323	7102044	6	25	dark brown	GND	silty clay	
Line 07	Point 13	462370	7102046	B088221	462367	7102045	5	20	medium brown	GND	silty clay	
Line 07	Point 14	462420	7102047	B088570	462419	7102046	5	30	tan brown	GND	coarse sand and silt	
Line 07	Point 15	462470	7102047	B088055	462471	7102048		15	light brown	GND	silt	
Line 07	Point 16	462520	7102048	B088579	462521	7102060	9	20	grey/brown	GND	med sand and silt	
Line 07	Point 17	462570	7102048	B088603	462569	7102058	8	30	brown	GND	coarse sand and silt	
Line 07	Point 18	462620	7102049	B088594	462618	7102045	7	30	brown	GND	very coarse sand	
Line 07	Point 19	462670	7102049	B088080	462668	7102047	5	15	light brown	GND	clay	
Line 07	Point 20	462720	7102049	B088071	462721	7102052	6	20	yellow/brown	GND	coarse sand	
Line 07	Point 21	462770	7102050	B088289	462773	7102053	6	20	light to medium brown	GND	fine sand	micas present in soil
Line 07	Point 22	462820	7102050	B088298	462818	7102049	6	25	medium brown	GND	fine sand/silty	

Geochemical Soil Sampling 2006 - Shamrock - Original Grid (All UTM coordinates in NAD 83, Zone 8)												
Grid Line	Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Error (+/-)	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 07	Point 23	462870	7102051	B088619	462873	7102045	8	25	grey/brown	GND	coarse sand and silt	
Line 07	Point 24	462920	7102051	B088090	462920	7102052	14	20	light brown	GND	sand	
Line 07	Point 25	462970	7102052	B088614	462971	7102046	5	30	brown	GND, pebble qtz	coarse sand	
Line 08	Point 03	461870	7102092	B088538	461872	7102098	10	35	green/brown	MSED	coarse sand	
Line 08	Point 04	461920	7102093	B088166	461918	7102097	16	20	medium brown	MSED	silt	
Line 08	Point 05	461970	7102093	B088046	461972	7102091	10	20	light brown	GND/MSED	silty loam	GND/MSED contact nearby?
Line 08	Point 06	462020	7102093	B088270	462021	7102096	6	30	light/medium brown	unknown	clay/silt	
Line 08	Point 07	462070	7102094	B088277	462066	7102097	5	20	medium brown	GND	clay	
Line 08	Point 08	462120	7102094	B088549	462120	7102095	6	39	chalky grey/brown	GND	silt	
Line 08	Point 09	462170	7102095	B088175	462159	7102094	5	25	light brown	GND	loamy	
Line 08	Point 10	462220	7102095	B088556	462224	7102101	6	25	tan brown	GND	coarse sand and silt	
Line 08	Point 11	462270	7102096	B088182	462269	7102096	7	15	dark brown/grey	GND	sandy silt	
Line 08	Point 12	462320	7102096	B088197	462322	7102097	6	15	medium brown	GND/MSED	silty clay	
Line 08	Point 13	462370	7102096	B088222	462369	7102094	5	20	medium brown	GND	silty clay	
Line 08	Point 14	462420	7102097	B088571	462421	7102097	6	19	brown	GND	coarse sand and silt	
Line 08	Point 15	462470	7102097	B088054	462473	7102097	5	20	very rusty brown	GND	silty	
Line 08	Point 16	462520	7102098	B088578	462526	7102099	6	18	tan grey/brown	GND	coarse sand and silt	

Geochemical Soil Sampling 2006 - Shamrock - Original Grid (All UTM coordinates in NAD 83, Zone 8)												
Grid Line	Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Error (+/-)	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 08	Point 17	462570	7102098	B088602	462570	7102094	8	25	brown	GND	coarse sand and silt	off grid due to trench
Line 08	Point 18	462620	7102099	B088595	462612	7102096	5	25	brown	GND	coarse sand and silt	off grid due to trench
Line 08	Point 19	462670	7102099	B088079	462671	7102103	8	15	rusty brown	GND	sandy silt	
Line 08	Point 20	462720	7102099	B088072	462723	7102101	8	15	dull brown	GND	clay	
Line 08	Point 21	462770	7102100	B088290	462762	7102089	5	20	orangey brown	GND	very fine sand/silt	micas present in soil
Line 08	Point 22	462820	7102100	B088297	462824	7102102	7	30	light brown/orange	GND	silty	micas present in soil
Line 08	Point 23	462870	7102101	B088098	462868	7102101	7	15	dark grey	GND	clayish silt	
Line 08	Point 24	462920	7102101	B088091	462920	7102103	13	15	medium brown	GND	sandy silt	
Line 08	Point 25	462970	7102102	B088615	462960	7102097	13	25	tan brown	GND	coarse sand and silt	
Line 09	Point 03	461870	7102142	B088539	461863	7102139	17	40	tan green/brown	MSED	silt and sand	
Line 09	Point 04	461920	7102142	B088165	461921	7102145	11	15	light brown	unknown	loamy	
Line 09	Point 05	461970	7102143	B088047	461970	7102141	21	25	medium brown	GND/MSED	silty loam	
Line 09	Point 06	462020	7102143	B088271	462021	7102149	6	20	reddish dark brown	MSED, qtz pebs	mud	
Line 09	Point 07	462070	7102144	B088276	462069	7102145	6	25	reddish brown	GND	very fine sand/silt	
Line 09	Point 08	462120	7102144	B088550	462120	7102146	9	18	grey/tan brown	GND	coarse sand	
Line 09	Point 09	462170	7102145	B088176	462168	7102142	6	25	dark brown	GND	sandy loam	

Geochemical Soil Sampling 2006 - Shamrock - Original Grid (All UTM coordinates in NAD 83, Zone 8)												
Grid Line	Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Error (+/-)	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 09	Point 10	462220	7102145	B088555	462224	7102147	8	30	tan brown	GND	coarse sand	
Line 09	Point 11	462270	7102146	B088181	462270	7102147	5	30	medium brown	GND	sandy silt	
Line 09	Point 12	462320	7102146	B088198	462320	7102145		15	v. light grey	GND	silty clay	
Line 09	Point 13	462370	7102146	B088223	462365	7102143	5	40	medium brown	GND	fine sand and clay	
Line 09	Point 14	462420	7102147	B088572	462418	7102148	8	28	tan brown	GND	med sand and silt	
Line 09	Point 15	462470	7102147	B088053	462474	7102148	8	15	medium brown	GND	silty clay	
Line 09	Point 16	462520	7102148	B088577	462519	7102151	5	25	tan/grey brown	GND	coarse sand and silt	
Line 09	Point 17	462570	7102148	B088601	462569	7102151	5	25	tan brown	GND	coarse sand	
Line 09	Point 18	462620	7102149	B088596	462617	7102147	6	30	tan/green brown	GND	silt and sand	
Line 09	Point 19	462670	7102149	B088078	462674	7102148	7	20	medium brown	GND	silty sand	
Line 09	Point 20	462720	7102149	B088073	462719	7102150	7	20	light brown	GND	silty sand	
Line 09	Point 21	462770	7102150	B088291	462773	7102146	6	30	very light brown	GND	clay	
Line 09	Point 22	462820	7102150	B088296	462819	7102153	6	30	light brown with slight orange tint	GND	clay	
Line 09	Point 23	462870	7102151	B088097	462872	7102148	8	20	light brown	GND	silty sand	
Line 09	Point 24	462920	7102151	B088092	462916	7102151	14	20	medium-dark brown	GND	sandy silt	
Line 09	Point 25	462970	7102152	B088616	462968	7102148	12	25	grey/brown	GND	coarse sand and silt	

Geochemical Soil Sampling 2006 - Shamrock - Original Grid (All UTM coordinates in NAD 83, Zone 8)												
Grid Line	Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Error (+/-)	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 10	Point 03	461869	7102192	B088540	461866	7102192	9	23	tan brown	MSED	silty sand	
Line 10	Point 04	461919	7102192	B088164	461924	7102191	17	30	brown	unknown	silty clay	
Line 10	Point 05	461969	7102193	B088048	461969	7102191	10	20	greyish brown	GND/MSED	clay	
Line 10	Point 06	462019	7102193	B088272	462017	7102196	8	30	medium brown	GND	silty mud	
Line 10	Point 07	462069	7102194	B088275	462069	7102194	6	25	medium brown	unknown	silt/mud	micas present in soil
Line 10	Point 08	462119	7102194	B088551	462119	7102191	8	35	chalky grey/brown	GND	coarse sand and silt	
Line 10	Point 09	462169	7102195	B088177	462171	7102195	8	40	light brown	unknown	clay	
Line 10	Point 10	462219	7102195	B088554	462219	7102196	11	25	tan brown	GND	sand and silt	
Line 10	Point 11	462269	7102196	B088180	462266	7102202	5	30	light brown	GND	silty sand	off grid because gridpoint was on a trench
Line 10	Point 12	462319	7102196	B088199	462318	7102196		25	dark brown	GND	silty clay	
Line 10	Point 13	462369	7102196	B088224	462368	7102197	8	40	light grey/brown	GND	sandy clay	
Line 10	Point 14	462419	7102197	B088573	462422	7102195	5	25	tan/grey brown	GND	sand and silt	
Line 10	Point 15	462469	7102197	B088052	462472	7102198	8	20	dark brown	unknown	silty clay	
Line 10	Point 16	462519	7102198	B088576	462521	7102200	9	19	tan brown	GND	coarse sand and silt	
Line 10	Point 17	462569	7102198	B088600	462570	7102198	5	20	brown	GND	coarse sand	
Line 10	Point 18	462619	7102199	B088597	462621	7102195	5	32	chalky grey/brown	unknown	gritty silt	
Line 10	Point 19	462669	7102199	B088077	462670	7102199	5	15	dark brown	GND	silty clay	

Geochemical Soil Sampling 2006 - Shamrock - Original Grid (All UTM coordinates in NAD 83, Zone 8)												
Grid Line	Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Error (+/-)	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 10	Point 20	462719	7102199	B088074	462715	7102197	8	15	light brown	GND	silty sand	
Line 10	Point 21	462769	7102200	B088292	462769	7102196	5	20	light brown/gray and yellow/brown	GND	clay and silt	Two types of soil present
Line 10	Point 22	462819	7102200	B088295	462815	7102203	6	15	orangey brown	GND	clay/silt	
Line 10	Point 23	462869	7102201	B088096	462865	7102200	11	25	medium brown	GND	sandy silt	
Line 10	Point 24	462919	7102201	B088093	462918	7102201	12	20	dark brown	GND	silty clay	
Line 10	Point 25	462969	7102202	B088617	462969	7102201	5	25	dark brown	GND	silt and sand	
Line 11	Point 03	461869	7102242	B088541	461869	7102242	11	35	tan brown	MSED	silt and sand	
Line 11	Point 04	461919	7102242	B088050	461923	7102244	16	30	greyish brown	unknown	clay	
Line 11	Point 05	461969	7102243	B088049	461965	7102245	10	20	grey	unknown	clay	
Line 11	Point 06	462019	7102243	B088273	462019	7102241	6	40	medium/light brown	unknown	mud/silt	micas present in soil
Line 11	Point 07	462069	7102244	B088274	462070	7102244	5	30	medium/light brown	unknown	gritty silt	
Line 11	Point 08	462119	7102244	B088552	462115	7102238	8	35	grey/brown	GND	sand and silt	
Line 11	Point 09	462169	7102245	B088178	462171	7102243	5	15	dark brown	unknown	clay	
Line 11	Point 10	462219	7102245	B088553	462215	7102244	4	31	tan brown/grey	GND	sand and silt	
Line 11	Point 11	462269	7102246	B088179	462267	7102245		30	medium brown	unknown	clay	

Geochemical Soil Sampling 2006 - Shamrock - Original Grid (All UTM coordinates in NAD 83, Zone 8)												
Grid Line	Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Error (+/-)	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 11	Point 12	462319	7102246	B088200	462315	7102246	7	15	light brown	GND	silty clay	
Line 11	Point 13	462369	7102246	B088225	462374	7102242	5	40	light brown	GND	silty clay	
Line 11	Point 14	462419	7102247	B088574	462416	7102244	6	25	tan brown	GND	coarse sand and silt	
Line 11	Point 15	462469	7102247	B088051	462470	7102249	9	15	medium brown	GND	silty clay	
Line 11	Point 16	462519	7102248	B088575	462518	7102246	4	30	tan brown	GND	coarse sand and silt	
Line 11	Point 17	462569	7102248	B088599	462566	7102246	5	30	brown	GND	coarse sand	
Line 11	Point 18	462619	7102249	B088598	462615	7102240	5	25	tan/green brown	GND	coarse sand	
Line 11	Point 19	462669	7102249	B088076	462671	7102249	6	25	light brown	GND	silty sand	
Line 11	Point 20	462719	7102249	B088075	462712	7102250	7	20	light brown	GND	sand	
Line 11	Point 21	462769	7102250	B088293	462764	7102238	14	35	orangey brown	GND	clay	Off grid due to snow cover
Line 11	Point 22	462819	7102250	B088294	462818	7102247	16	15	orangey brown and gray	GND	clay and silt	Off grid due to snow cover and lack of B horizon soil. Also two types of soil present
Line 11	Point 23	462869	7102251	B088095	462869	7102248	8	20	light brown	GND	sand	
Line 11	Point 24	462919	7102251	B088094	462920	7102257	12	15	medium brown	GND	sandy	
Line 11	Point 25	462969	7102252	B088618	462967	7102249	8	20	grey/brown	GND	coarse sand and silt	
Line 12	Point 01	461773	7101691	B088099	461772	7101691	7	20	dark grey	MSED	silty sand	
Line 12	Point 02	461823	7101692	B088100	461824	7101692	6	20	light brown	GND	sandy silt	

Geochemical Soil Sampling 2006 - Shamrock - Original Grid (All UTM coordinates in NAD 83, Zone 8)												
Grid Line	Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Error (+/-)	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 12	Point 03	461873	7101692	B088101	461872	7101693	5	20	medium brown	GND	sand	
Line 12	Point 04	461923	7101693	B088102	461917	7101693	7	35	medium brown	GND	sandy silt	
Line 12	Point 05	461973	7101693	B088103	461973	7101693	5	20	light brown	GND	coarse sand	
Line 12	Point 06	462023	7101693	B088104	462021	7101692	6	25	medium brown	GND	silty sand	
Line 12	Point 07	462073	7101694	B088105	462071	7101694	4	25	dark brown	GND	clay and silt	
Line 12	Point 08	462123	7101694	B088106	462125	7101693	8	20	medium grey	GND	silty clay	
Line 12	Point 09	462173	7101695	B088107	462173	7101697	6	30	light brown	GND	coarse sand	
Line 12	Point 10	462223	7101695	B088108	462225	7101695	7	25	medium brown	GND	coarse sand	
Line 12	Point 11	462273	7101696	B088109	462275	7101693	5	20	light brown	GND	coarse sand	
Line 12	Point 12	462323	7101696	B088110	462322	7101695	9	35	dark grey	GND	clay	
Line 12	Point 13	462373	7101696	B088111	462373	7101695	6	20	dark grey	unknown	clay	
Line 12	Point 14	462423	7101697	B088112	462424	7101698	5	20	medium grey	GND	silty clay	
Line 12	Point 15	462473	7101697	B088113	462472	7101695	6	35	very light grey	GND	silty clay	
Line 12	Point 16	462523	7101698	B088364	462525	7101702	6	30	light-medium brown	GND	silt	
Line 12	Point 17	462573	7101698	B088365	462564	7101695	5	35	light brown	GND	silty clay	
Line 12	Point 18	462623	7101699	B088366	462625	7101695	5	15	light brown	GND	silt	

Geochemical Soil Sampling 2006 - Shamrock - Original Grid (All UTM coordinates in NAD 83, Zone 8)												
Grid Line	Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Error (+/-)	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 12	Point 19	462673	7101699	B088367	462674	7101693	6	20	medium brown	GND	silt	off grid due to trench like structure and snow cover
Line 12	Point 20	462723	7101699	B088368	462722	7101699	7	20	dark brown	GND	fine sand	
Line 12	Point 21	462773	7101700	B088369	462770	7101698	7	10	yellow/brown	GND	coarse sand	
Line 12	Point 22	462823	7101700	B088370	462821	7101700	6	15	medium brown	GND	silt	
Line 12	Point 23	462873	7101701	B088371	462869	7101703	5	20	light brown	GND	orangey brown	
Line 12	Point 24	462923	7101701	B088372	462922	7101703	5	35	medium brown	GND	clay	
Line 12	Point 25	462973	7101702	B088373	462978	7101705	5	30	light brown	GND	silt	
Line 13	Point 01	461773	7101641	B088623	461766	7101641	6	20	tan brown	GND	coarse sand and silt	
Line 13	Point 02	461823	7101642	B088624	461823	7101638	5	25	grey/brown	GND	coarse sand	
Line 13	Point 03	461873	7101642	B088625	461871	7101642	5	30	grey/brown	GND	coarse sand and silt	
Line 13	Point 04	461923	7101643	B088626	461925	7101642	6	25	brown	GND	coarse sand	
Line 13	Point 05	461973	7101643	B088627	461972	7101639	5	20	grey/brown	GND	med. Sand and silt	
Line 13	Point 06	462023	7101643	B088628	462023	7101642	6	20	tan brown	GND	silt and sand	
Line 13	Point 07	462073	7101644	B088629	462077	7101643	6	25	dark brown	GND	fine sand and silt	
Line 13	Point 08	462123	7101644	B088630	462126	7101646	7	25	tan/grey brown	GND	med sand and silt	
Line 13	Point 09	462173	7101645	B088631	462173	7101645	7	30	tan brown	GND	med. Sand and silt	
Line 13	Point 10	462223	7101645	B088632	462226	7101644	5	28	dark grey/brown	GND	silt	

Geochemical Soil Sampling 2006 - Shamrock - Original Grid (All UTM coordinates in NAD 83, Zone 8)												
Grid Line	Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Error (+/-)	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 13	Point 11	462273	7101646	B088633	462268	7101646	6	20	grey/brown	GND	silt and clay	
Line 13	Point 12	462323	7101646	B088634	462322	7101644	7	25	tan brown	GND	coarse sand and silt	
Line 13	Point 13	462373	7101646	B088635	462373	7101646	5	35	chalky grey/brown	GND	coarse sand and silt	
Line 13	Point 14	462423	7101647	B088636	462421	7101646		30	grey	GND	coarse sand	
Line 13	Point 15	462473	7101647	B088637	462473	7101649	6	25	dark brown/grey	GND	silt and clay	
Line 13	Point 16	462523	7101648	B088383	462527	7101646	7	30	medium brown	GND	silty clay	
Line 13	Point 17	462573	7101648	B088382	462563	7101654	7	25	medium brown	GND	silt	
Line 13	Point 18	462623	7101649	B088381	462619	7101650	7	20	medium brown	GND	fine sand	
Line 13	Point 19	462673	7101649	B088380	462672	7101649	15	35	medium brown	GND	clay	
Line 13	Point 20	462723	7101649	B088379	462720	7101643	7	10	light brown/grey	GND	clay	
Line 13	Point 21	462773	7101650	B088378	462780	7101645	7	15	dark brown	GND	silt	
Line 13	Point 22	462823	7101650	B088377	462822	7101651	6	20	medium brown	GND	medium sand	
Line 13	Point 23	462873	7101651	B088376	462875	7101648	7	40	light brown	GND	clay and silt	
Line 13	Point 24	462923	7101651	B088375	462926	7101652	7	50	light brown/grey	GND	clay	
Line 13	Point 25	462973	7101652	B088374	462973	7101656	5	40	light brown/grey	GND	silty sand	
Line 14	Point 01	461773	7101591	B088114	461772	7101591	6	40	yellow/brown	GND	silty sand	
Line 14	Point 02	461823	7101592	B088115	461824	7101592	7	30	dark grey	GND	silty clay	

Geochemical Soil Sampling 2006 - Shamrock - Original Grid (All UTM coordinates in NAD 83, Zone 8)												
Grid Line	Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Error (+/-)	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 14	Point 03	461873	7101592	B088116	461869	7101592	6	25	dark grey/brown	GND	sandy silt	
Line 14	Point 04	461923	7101593	B088117	461924	7101592	5	20	light grey/brown	GND	sandy silt	
Line 14	Point 05	461973	7101593	B088118	461973	7101592	8	55	dark grey	GND	clay	
Line 14	Point 06	462023	7101593	B088119	462025	7101594	7	30	medium grey	GND	silt	
Line 14	Point 07	462073	7101594	B088120	462073	7101594	5	15	yellow/brown	GND	coarse sand	
Line 14	Point 08	462123	7101594	B088121	462124	7101596	8	25	light brown	GND	sand and silt	
Line 14	Point 09	462173	7101595	B088122	462174	7101593	11	10	light brown	GND	coarse sand	
Line 14	Point 10	462223	7101595	B088123	462222	7101594	8	15	light grey	GND	sandy clay	
Line 14	Point 11	462273	7101596	B088124	462278	7101598	7	30	yellow/brown	GND	coarse sand	
Line 14	Point 12	462323	7101596	B088125	462320	7101595	9	20	dark brown	GND	clay	
Line 14	Point 13	462373	7101596	B088126	462372	7101593	11	25	light brown	GND	silty sand	
Line 14	Point 14	462423	7101597	B088660	462417	7101589	16	30	grey/brown	GND	coarse sand and silt	
Line 14	Point 15	462473	7101597	B088384	462474	7101591	9		medium brown	GND	silt	
Line 14	Point 16	462523	7101598	B088638	462524	7101588	13	25	grey/brown	unknown	coarse sand and silt	
Line 14	Point 17	462573	7101598	B088639	462569	7101597	5	25	tan/grey brown	GND	coarse sand and silt	
Line 14	Point 18	462623	7101599	B088640	462619	7101598	12	25	dark brown	GND	fine sand and silt	
Line 14	Point 19	462673	7101599	B088641	462672	7101604	7	30	grey/dark brown	GND	silt	

Geochemical Soil Sampling 2006 - Shamrock - Original Grid (All UTM coordinates in NAD 83, Zone 8)												
Grid Line	Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Error (+/-)	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 14	Point 20	462723	7101599	B088642	462720	7101601	7	25	dark grey	GND	coarse sand and silt	
Line 14	Point 21	462773	7101600	B088643	462770	7101597	8	35	grey/brown	GND	coarse sand and silt	
Line 14	Point 22	462823	7101600	B088644	462820	7101601	5	20	tan brown	GND	very coarse sand	possilbe trench influence
Line 14	Point 23	462873	7101601	B088645	462894	7101609	6	20	brown	GND	coarse sand and silt	off grid due to trench
Line 14	Point 24	462923	7101601	B088646	462920	7101600	5	25	dark grey/brown	GND	coarse sand and silt	
Line 14	Point 25	462973	7101602	B088647	462971	7101599	5	25	green/brown	GND	coarse sand and silt	
Line 15	Point 01	461773	7101541	B088414	461773	7101540		20	medium brown	GND	silty clay	
Line 15	Point 02	461823	7101542	B088415	461773	7101540		20	dark brown	GND	clay	10m E of proposed point due to trench cut
Line 15	Point 03	461873	7101542	B088416	461870	7101541		20	medium brown	GND	silty clay	
Line 15	Point 04	461923	7101543	B088417	461919	7101547		10	dark brown	GND	clay	
Line 15	Point 05	461973	7101543	B088418	461978	7101544		10	medium brown	GND	clay	
Line 15	Point 06	462023	7101543	B088419	462021	7101546		20	dark brown	GND	silty clay	
Line 15	Point 07	462073	7101544	B088420	462070	7101545		20	medium brown	GND	silty clay	
Line 15	Point 08	462123	7101544	B088421	462130	7101544		20	dark brown	GND	clay	
Line 15	Point 09	462173	7101545	B088422	462172	7101550		30	medium brown	GND	silty clay	
Line 15	Point 10	462223	7101545	B088423	462223	7101547		20	dark brown	GND	silty clay	
Line 15	Point 11	462273	7101546	B088424	462269	7101548		20	medium brown	GND	clay	

Geochemical Soil Sampling 2006 - Shamrock - Original Grid (All UTM coordinates in NAD 83, Zone 8)												
Grid Line	Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Error (+/-)	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 15	Point 12	462323	7101546	B088425	462322	7101546		20	dark brown	GND	silty clay	
Line 15	Point 13	462373	7101546	B088426	462375	7101549		20	dark brown	GND	silty clay	
Line 15	Point 14	462423	7101547	B088659	462423	7101545		35	dark grey	GND	silt	
Line 15	Point 15	462473	7101547	B088658	462472	7101548	10	30	grey/tan brown	GND	fine sand and silt	
Line 15	Point 16	462523	7101548	B088657	462525	7101544	7	20	tan/grey brown	GND	med sand and silt	
Line 15	Point 17	462573	7101548	B088656	462569	7101550	7	30	grey/tan brown	GND	coarse sand and silt	
Line 15	Point 18	462623	7101549	B088655	462623	7101544	8	28	green/brown	GND	coarse sand and silt	
Line 15	Point 19	462673	7101549	B088654	462676	7101549	7	23	grey/brown	GND	med sand and silt	
Line 15	Point 20	462723	7101549	B088653	462723	7101546	7	25	grey/brown	GND	fine sand and silt	
Line 15	Point 21	462773	7101550	B088652	462771	7101551	6	35	dark brown	GND	fine silt	
Line 15	Point 22	462823	7101550	B088651	462821	7101548		25	tan brown	GND	coarse sand and silt	
Line 15	Point 23	462873	7101551	B088650	462865	7101532	5	20	green/tan brown	GND	med sand and silt	
Line 15	Point 24	462923	7101551	B088649	462926	7101549	8	25	tan/green brown	GND	coarse sand and silt	
Line 15	Point 25	462973	7101552	B088648	462971	7101552	7	25	grey/brown	GND	coarse sand and silt	

Geochemical Soil Sampling 2006 - Shamrock Verrification: Infill (All UTM coordinates in NAD 83, Zone 8)											
Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Deviation	Depth (cm)	Colour	Rock Type	Soil Size	Comments
94	462550	7101875	B628700	0 462 554	7 101 874	6	50	grey brown	GND	v. c. sand	
95	462600	7101875	B628701	0 462 597	7 101 869	8	45	light to medium brown	GND	v. c. sand w/ silt	
96	462650	7101875	B628702	0 462 655	7 101 879	6	42.5	medium brown	GND	v. c. sand	hit bedrock
97	462700	7101875	B628703	0 462 704	7 101 875	6	47.5	light to medium brown	GND	pebbles w/ clay	
98	462750	7101875	B628704	0 462 756	7 101 873	6	50	medium brown	GND	v. c. sand w/ silt	
99	462800	7101875	B628705	0 462 794	7 101 880	7	45	grey brown	GND	pebbles w/ clay	
100	462850	7101875	B628706	0 462 846	7 101 875	9	50	medium brown	GND	v. c. sand w/ silt	
101	462900	7101875	B628707	0 462 898	7 101 874	9	47.5	light to medium brown	GND	v. c. sand	
90	462850	7101925	B628708	0 462 844	7 101 922	5	40	medium brown	GND	medium sand and silt	hit bedrock
91	462900	7101925	B628709	0 462 895	7 101 930	9	45	light to medium brown	GND	v.c. sand and silt	
1	462500	7102225	B629151	0 462 501	7 102 223	8	45	tan brown	GND	loam	
2	462550	7102225	B629152	0 462 548	7 102 228	6	50	tan brown	GND	c. sand	
3	462600	7102225	B629153	0 462 602	7 102 228	6	50	tan brown	GND	c. sand	
4	462650	7102225	B629154	0 462 650	7 102 227	7	50	tan brown	GND	loam	
5	462700	7102225	B629155	0 462 708	7 102 234	7	55	tan brown	GND	c. sand	off grid 12m due to road
6	462750	7102225	B629156	0 462 760	7 102 240	6	50	tan brown	GND	c. sand	off grid 15m due to road
36	462800	7102125	B629157	0 462 798	7 102 124	6	60	red brown	GND	c. sand	
35	462750	7102125	B629158	0 462 751	7 102 126	5	45	tan brown	GND	c. sand	
34	462700	7102125	B629159	0 462 701	7 102 127	6	50	tan brown	GND	v.c. sand	
33	462650	7102125	B629160	0 462 659	7 102 129	7	50	tan brown	GND	v.c. sand	
32	462600	7102125	B629161	0 462 600	7 102 121	7	60	red brown	GND	v.c. sand	
31	462550	7102125	B629162	0 462 554	7 102 121	10	50	tan brown	GND	v.c. sand	
30	462500	7102125	B629163	0 462 504	7 102 121	6	60	tan brown	GND	f. sand and silt	
29	462450	7102125	B629164	0 462 452	7 102 122	9	60	tan brown	GND	loam	
28	462400	7102125	B629165	0 462 398	7 102 126	13	45	tan brown	GND	silt	
27	462350	7102125	B629166	0 462 350	7 102 125	8	50	tan brown	GND	v.c. sand	
26	462300	7102125	B629167	0 462 305	7 102 121	6	50	tan brown	GND	v.c. sand	
25	462250	7102125	B629168	0 462 255	7 102 126	7	50	tan brown	GND	v.c. sand	
24	462200	7102125	B629169	0 462 199	7 102 125	7	50	tan brown	GND	v.c. sand	
23	462150	7102125	B629170	0 462 151	7 102 122	7	60	tan brown	GND	silt	

Geochemical Soil Sampling 2006 - Shamrock Verrification: Infill (All UTM coordinates in NAD 83, Zone 8)											
Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Deviation	Depth (cm)	Colour	Rock Type	Soil Size	Comments
22	462100	7102125	B629171	0 462 101	7 102 132	6	50	tan brown	GND	v.c. sand	
51	462800	7102075	B629172	0 462 796	7 102 077	8	55	tan brown	GND	silt	
50	462750	7102075	B629173	0 462 745	7 102 078	6	50	grey brown	GND	v.c. sand and silt	10m off due to road
49	462700	7102075	B629174	0 462 702	7 102 076	6	45	tan brown	GND	c. sand and silt	
48	462650	7102075	B629175	0 462 652	7 102 067	6	45	tan brown	GND	silt	
47	462600	7102075	B629176	0 462 602	7 102 074	11	50	red brown	GND	c. sand and silt	
46	462550	7102075	B629177	0 462 550	7 102 073		60	green brown	GND	v.c. sand and silt	
45	462500	7102075	B629178	0 462 502	7 102 077	5	50	tan brown	GND	silt	
44	462450	7102075	B629179	0 462 443	7 102 067	5	45	tan brown	GND	c. sand and silt	
43	462400	7102075	B629180	0 462 403	7 102 049	5	45	red brown	GND	v.c. sand and silt	
42	462350	7102075	B629181	0 462 353	7 102 075	7	50	red brown	GND	v.c. sand and silt	
41	462300	7102075	B629182	0 462 304	7 102 078	8	45	tan brown	GND	v.c. sand and silt	
40	462250	7102075	B629183	0 462 254	7 102 072	6	50	red brown	GND	silt	
39	462200	7102075	B629184	0 462 201	7 102 075	7	45	tan brown	GND	silt	
38	462150	7102075	B629185	0 462 152	7 102 073	6	45	dark brown	GND	silt	
37	462100	7102075	B629186	0 462 104	7 102 073	7	50	tan brown	GND	silt	
21	462800	7102175	C083251	0 462 797	7 102 173	7	55	grey green light brown	GND	clay	
20	462750	7102175	C083252	0 462 748	7 102 176	6	60	grey green brown	GND	clay w/ pebbles	
19	462700	7102175	C083253	0 462 700	7 102 179	7	57.5	bright orange brown	GND	pebbles w/ f. sand	
18	462650	7102175	C083254	0 462 648	7 102 176	6	45	green brown	GND	clay w/ granules	
17	462600	7102175	C083255	0 462 603	7 102 177	6	62.5	yellow gray brown	GND	f. sand w/ pebbles	
16	462550	7102175	C083256	0 462 548	7 102 174	7	62.5	yellow brown	GND	c. sand w/ granules	
15	462500	7102175	C083257	0 462 504	7 102 177	5	67.5	grey brown	GND	pebbles w/ c. sand	
14	462450	7102175	C083258	0 462 450	7 102 178	6	65	grey brown	GND	clay	
13	462400	7102175	C083259	0 462 398	7 102 180	7	60	grey brown	GND	f. sand with granules	Dug 1 holes previous at site but hit bed/rock at 37.5cm (not deep enough)
12	462350	7102175	C083260	0 462 354	7 102 177	12	70	bright yellow gray brown	GND	c. sand w/ pebbles	
11	462300	7102175	C083261	0 462 299	7 102 173	6	60	yellow brown	GND	very c. sand w/ pebbles	
10	462250	7102175	C083262	0 462 253	7 102 173	8	62.5	grey brown	GND	clay	
9	462200	7102175	C083263	0 462 202	7 102 174	10	77.5	grey brown	GND	c. sand w/ granules	

Geochemical Soil Sampling 2006 - Shamrock Verrification: Infill (All UTM coordinates in NAD 83, Zone 8)											
Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Deviation	Depth (cm)	Colour	Rock Type	Soil Size	Comments
8	462150	7102175	C083264	0 462 153	7 102 176	9	75	grey brown	GND	granules with f. sand	
7	462100	7102175	C083265	0 462 105	7 102 175	10	60	grey brown	GND	c sand w/ clay	
66	462800	7102025	C083266	0 462 803	7 102 024	6	50	green brown	GND	pebbles w/ granules	
65	462750	7102025	C083267	0 462 747	7 102 031	7	82.5	gray brown	GND	pebbles	Off grid 9m due to road.
64	462700	7102025	C083268	0 462 702	7 102 023	6	65	gray brown	GND	pebles w/ granules	
63	462650	7102025	C083269	0 462 654	7 102 028	7	80	gray brown	GND	pebbles	Off grid due to stream
62	462600	7102025	C083270	0 462 611	7 102 031	8	50	medium brown	GND	v. c. sand	Off grid due to road & too many rocks obstructing hole. Dug about 8 shallow holes.
61	462550	7102025	C083271	0 462 546	7 102 038	7	50	yellow brown	GND	Pebbles	Off grid due to road
60	462500	7102025	C083272	0 462 500	7 102 027	7	47.5	yellow brown	GND	pebbles	
59	462450	7102025	C083273	0 462 454	7 102 022	8	50	yellow brown	GND	v. c. sand w/ granules	
58	462400	7102025	C083274	0 462 398	7 102 023	7	62.5	yellow brown	GND	pebbles	
57	462350	7102025	C083275	0 462 356	7 102 013	9	45	yellow brown	GND	pebbles	
56	462300	7102025	C083276	0 462 998	7 102 021	11	25	dark brown	GND	clay	Sample may not have been taken deep enough but 6-8 DEEP samples were attempted but hit bed/rock
55	462250	7102025	C083277	0 462 252	7 102 024	10	62.5	orange brown	GND	v .c sand / granules	
54	462200	7102025	C083278	0 462 200	7 102 032	11	47.5	gray brown	GND	clay w/ granules	
53	462150	7102025	C083279	0 462 148	7 102 026	9	50	bright orange	GND	v. c. sand w/ granules	
52	462100	7102025	C083280	0 462 102	7 102 029	6	52.5	bright yellow orange	GND	v. c. sand w/ granules	
67	462100	7101975	C083281	0 462 098	7 101 979	17	50	medium brown	GND	silt	
68	462150	7101975	C083282	0 462 147	7 101 964	10	60	medium brown	GND	pebbles w/ clay	
69	462200	7101975	C083288	0 462 208	7 101 976	18	45	gery brown	GND	v. c. sand	Off grid due to felsemere
70	462250	7101975	C083289	0 462 249	7 101 966	9	45	medium brown	GND	v. c. sand and silt	
71	462300	7101975	C083290	0 462 294	7 101 977	12	25	medium brown	GND	clay/silt	Sample not deep enough but no good site present due to slope and rocks
72	462350	7101975	C083291	0 462 354	7 101 974	10	50	yellow brown	GND	c. sand w/ silt	
73	462400	7101975	C083292	0 462 397	7 101 972	17	50	yellow brown	GND	clay	
74	462450	7101975	C083293	0 462 452	7 101 971	7	70	yellow brown	GND	granules w/ c. sand	

Geochemical Soil Sampling 2006 - Shamrock Verrification: Infill (All UTM coordinates in NAD 83, Zone 8)											
Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Deviation	Depth (cm)	Colour	Rock Type	Soil Size	Comments
82	462450	7101925	C083294	0 462 450	7 101 921	12	25	yellow orange	GND	c. sand	no suitable spot thus shallow hole
92	462450	7101875	C083295	0 462 447	7 101 880	8	75	grey brown	GND	v. c. sand	
93	462500	7101875	C083296	0 462 497	7 101 876	9	70	dark gray	GND	v. c. sand / granules	
83	462500	7101925	C083297	0 462 481	7 101 956	21	77.5	grey brown	GND	granules w/ f. sand	
75	462500	7101975	C083298	0 462 487	7 101 958	26	60	gray brown	GND	pebbles w/ c. sand	
81	462800	7101975	C083299	0 462 800	7 101 977	7	62.5	Yello orange brown	GND	v.c. sand and granules	
80	462750	7101975	C083300	0 462 751	7 101 970	5	70	gray light brown	GND	v. c. sand w/ granules	
79	462700	7101975	C083301	0 462 700	7 101 972	8	80	gray brown	GND	c. sand w/ silt	
78	462650	7101975	C083302	0 462 654	7 101 974	9	60	gray brown	GND	v. c. sand w/ silt	
77	462600	7101975	C083303	0 462 604	7 101 987	6	75	gray brown	GND	pebbles	
76	462550	7101975	C083304	0 462 550	7 101 982	6	50	yello gray	GND	granules	
84	462550	7101925	C083305	0 462 549	7 101 924	13	47.5	dark grey brown	GND	granules w/ c. sand	
85	462600	7101925	C083306	0 462 597	7 101 913	18	45	yellow orange	GND	silt	off grid due to road/stream
86	462650	7101925	C083307	0 462 649	7 101 921	9	65	orange grey brown	GND	c. sand / granules	off grid due to road
87	462700	7101925	C083308	0 462 693	7 101 922	9	50	gray brown	GND	pebbles / c. sand	off grid due to road
88	462750	7101925	C083309	0 462 753	7 101 825	6	47.5	orange	GND	granules and v. c. sand	off grid due to road
89	462800	7101925	C083310	0 462 805	7 101 923	6	47.5	green grey brown	GND	sitly / v. c. Sand	

Geochemical Soil Sampling 2006 - Shamrock - Verification: Check Samples (All UTM coordinates in NAD 83, Zone 8)												
Grid Line	Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Deviation	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 10	Point 10	462219	7102196	B462849	462218	7102196	9	45	medium brown	GND	fine sand and silt	
Line 10	Point 11	462266	7102202	B462850	462268	7102208	9	47	light to medium brown	GND	silt	
Line 10	Point 12	462318	7102196	B462851	462316	7102194	5	50	light to medium brown	GND	fine sand and silt	
Line 06	Point 08	462121	7101994	B627739	462126	7101990	9	45	dark brown	GND	silt	
Line 06	Point 07	462071	7101994	B627740	462060	7101994	10	45	dark brown	GND	silt	
Line 06	Point 06	462021	7101993	B627741	462012	7101986	9	45	dark brown	GND	v.c. sand and silt	
Line 06	Point 05	461971	7101993	B627742	461972	7101999	17	45	tan brown	GND	v.c. sand and silt	
Line 06	Point 04	461921	7101993	B627743	461924	7101986	12	50	dark brown	GND	silt	
Line 06	Point 03	461871	7101992	B627744	461869	7101998	8	50	dark brown	GND	silt	
Line 06	Point 02	461821	7101992	B627745	461822	7101992	6	50	tan brown	GND	silt	
Line 06	Point 01	461771	7101991	B627746	461777	7101991	7	50	tan brown	GND	c. sand and silt	
Line 05	Point 14	462421	7101947	B627747	462425	7101945	7	55	tan brown	GND	c. sand and silt	
Line 05	Point 13	462371	7101946	B627748	462365	7101954	5	50	tan brown	GND	v.c. sand and silt	
Line 05	Point 12	462321	7101946	B627749	462322	7101942	7	45	red brown	GND	v.c. sand and silt	
Line 05	Point 11	462271	7101946	B627750	462272	7101946	7	55	tan brown	GND	silt	
Line 03	Point 15	462472	7101847	B628151	462471	7101834	5	50	yellow brown	GND	v.c. sand and silt	
Line 03	Point 14	462422	7101847	B628152	462423	7101842	5	50	tan brown	GND	v.c. sand and silt	
Line 03	Point 13	462372	7101846	B628153	462374	7101847	6	50	dark brown	GND	v.c. sand and silt	
Line 05	Point 10	462221	7101945	B628755	462228	7101925	5	55	dark brown	GND	silt	
Line 05	Point 09	462171	7101945	B628756	462174	7101956	6	45	tan brown	GND	c. sand and silt	
Line 05	Point 08	462121	7101944	B628757	462114	7101970	12	45	tan brown	GND	loam	
Line 05	Point 07	462071	7101944	B628758	462070	7101944	7	45	dark brown	GND	silt	"Could not locate previous sample. Sample taken at 462070 E
Line 05	Point 06	462021	7101943	B628759	462019	7101943	20	50	dark brown	GND	silt	
Line 10	Point 20	462719	7102199	B628760	462715	7102197	8	55	red brown	GND	c. sand and silt	
Line 10	Point 19	462669	7102199	B628761	462670	7102199	5	50	red brown	GND	v.c. sand and silt	
Line 10	Point 18	462619	7102199	B628762	462621	7102195	5	45	red brown	GND	c. sand and silt	
Line 10	Point 17	462569	7102198	B628763	462570	7102198	5	60	red brown	GND	c. sand and silt	
Line 10	Point 16	462519	7102198	B628764	462521	7102200	9	55	red brown	GND	c. sand and silt	
Line 09	Point 17	462570	7102148	B628765	462569	7102151	5	45	tan brown	GND	c. sand and silt	
Line 09	Point 18	462620	7102149	B628766	462617	7102147	6	60	yellow brown	GND	v.c. sand and silt	
Line 09	Point 19	462670	7102149	B628767	462674	7102148	7	55	yellow brown	GND	c. sand and silt	
Line 08	Point 19	462670	7102099	B628768	462671	7102103	8	45	red brown	GND	c. sand and silt	
Line 08	Point 18	462620	7102099	B628769	462612	7102096	5	50	dark brown	GND	v.c. sand and silt	
Line 08	Point 17	462570	7102098	B628770	462570	7102094	8	45	tan brown	GND	c. sand and silt	

Geochemical Soil Sampling 2006 - Shamrock - Verification: Check Samples (All UTM coordinates in NAD 83, Zone 8)

Grid Line	Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Deviation	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 08	Point 16	462520	7102098	B628771	462527	7102096	6	60	tan brown	GND	m. sand and silt	"Previous sample run over by new trench road. New sample taken at 462527 E
Line 08	Point 15	462470	7102097	B628772	462473	7102097	5	50	red brown	GND	c. sand and silt	
Line 07	Point 17	462570	7102048	B628773	462569	7102058	8	50	tan brown	GND	v.c. sand and silt	
Line 07	Point 18	462620	7102049	B628774	462216	7102039	7	55	yellow brown	GND	v.c. sand and silt	"Possible road influence on previous sample. New sample taken at 462216 E
Line 07	Point 19	462670	7102049	B628775	462668	7102047	5	45	dark brown	GND	m. sand and silt	
Line 06	Point 22	462821	7102000	B628776	462820	7102001	7	60	tan brown	GND	c. sand and silt	
Line 06	Point 21	462771	7102000	B628777	462771	7101999	5	60	dark grey brown	GND	v.c. sand and silt	"Flowing water over previous sample
Line 06	Point 20	462721	7101999	B628778	462726	7101997	5	55	grey brown	GND	v.c. sand and silt	"Previous sample to rocky for 18"" minimum
Line 06	Point 19	462671	7101999	B628779	462672	7101999	6	50	grey brown	GND	v.c. sand and silt	
Line 06	Point 18	462621	7101999	B628780	462618	7102002	6	65	grey brown	GND	silt	
Line 06	Point 17	462571	7101998	B628781	462566	7102001	6	55	tan brown	GND	c. sand and silt	
Line 06	Point 16	462521	7101998	B628782	462522	7101995	9	60	red brown	GND	v.c. sand and silt	
Line 06	Point 15	462471	7101997	B628783	462469	7102001	8	50	tan brown	GND	c. sand and silt	
Line 04	Point 14	462422	7101897	B628784	462425	7101907	6	50	red brown	GND	c. sand and silt	
Line 04	Point 15	462472	7101897	B628785	462470	7101898	5	45	dark brown	GND	c. sand and silt	
Line 04	Point 16	462522	7101898	B628786	462522	7101908	8	50	dark brown	GND	c. sand and silt	
Line 05	Point 24	462921	7101951	B628787	462931	7101950	10	55	tan brown	GND	c. sand and silt	"Previous sample taken on old road
Line 05	Point 23	462871	7101951	B628788	462869	7101956	10	55	tan brown	GND	c. sand and silt	
Line 05	Point 22	462821	7101950	B628789	462818	7101945	6	50	grey brown	GND	v.c. sand and silt	
Line 04	Point 22	462822	7101900	B628790	462818	7101904	10	45	yellow brown	GND	m. sand and silt	
Line 04	Point 23	462872	7101901	B628791	462872	7101901	12	55	dark brown	GND	c. sand and silt	
Line 04	Point 24	462922	7101901	B628792	462910	7101898	5	45	red brown	GND	v.c. sand and silt	"Previous sample taken on old road
Line 04	Point 25	462972	7101902	B628793	462965	7101904	5	45	red brown	GND	f. sand and silt	
Line 03	Point 22	462822	7101850	B628794	462817	7101849	5	45	red brown	GND	f. sand and silt	
Line 03	Point 21	462772	7101850	B628795	4627710	7101845	7	45	tan brown	GND	v.c. sand and silt	
Line 03	Point 20	462722	7101849	B628796	462726	7101848	5	40	grey brown	GND	silt	
Line 03	Point 19	462672	7101849	B628797	462670	7101845	7	50	yellow brown	GND	v.c. sand and silt	
Line 03	Point 18	462622	7101849	B628798	462626	7101847	8	50	yellow brown	GND	c. sand and silt	
Line 03	Point 17	462572	7101848	B628799	462585	7101868	10	50	tan brown	GND	m. sand and silt	

Geochemical Soil Sampling 2006 - Shamrock - Verification: Check Samples (All UTM coordinates in NAD 83, Zone 8)

Grid Line	Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Deviation	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 03	Point 16	462522	7101848	B628800	462521	7101862	8	45	yellow brown	GND	v.c. sand and silt	Sample possibly on very old distubed ground
Line 07	Point 04	461920	7102043	B629187	461920	7102044		45	tan brown	GND	v.c. sand and silt	
Line 07	Point 05	461970	7102043	B629188	461970	7102045		45	tan brown	GND	v.c. sand and silt	
Line 07	Point 06	462020	7102043	B629189	462023	7102040		55	tan brown	GND	v.c. sand and silt	
Line 07	Point 07	462070	7102044	B629190	462072	7102046		60	tan brown	GND	v.c. sand and silt	
Line 07	Point 08	462120	7102044	B629191	462118	7102046		50	tan brown	GND	silt	
Line 07	Point 09	462170	7102045	B629192	462170	7102044		45	tan brown	GND	c. sand and silt	
Line 09	Point 11	462270	7102146	B629193	462270	7102147		50	tan brown	GND	v.c. sand and silt	
Line 09	Point 10	462220	7102145	B629194	462224	7102147		65	tan brown	GND	c. sand and silt	
Line 09	Point 09	462170	7102145	B629195	462168	7102142		55	tan brown	GND	c. sand and silt	
Line 09	Point 08	462120	7102144	B629196	462120	7102146		50	tan brown	GND	v.c. sand and silt	
Line 09	Point 07	462070	7102144	B629197	462069	7102145		45	tan brown	GND	v.c. sand and silt	
Line 09	Point 06	462020	7102143	B629198	462021	7102149		45	tan brown	GND	c. sand and silt	
Line 09	Point 05	461970	7102143	B629199	461970	7102141		50	tan brown	GND	v.c. sand and silt	
Line 09	Point 04	461920	7102142	B629200	461921	7102145		45	red brown	MSED	v.c. sand and silt	
Line 08	Point 13	462370	7102096	B687501	462369	7102099	5	15	greenish yellow medium brown	GND	silt	
Line 09	Point 13	462370	7102146	B687502	462371	7102149	15	20	greenish yellow medium brown	GND	clay/silt	
Line 10	Point 13	462369	7102196	B687503	462369	7102196	7	15	greenish brown	GND	clay	
Line 11	Point 13	462369	7102246	B687504	462372	7102247	5	25	greenish brown	GND	clay	
Line 07	Point 13	462370	7102046	B687505	462375	7102039	7	20	orange brown	GND	clay	
Line 06	Point 13	462371	7101996	B687506	462377	7101995	8	20	yellow brown	GND	v. fine sand with granules	
Line 05	Point 13	462371	7101946	B687507	462367	7101944	7	15	bright orange brown	GND	coarse sand w/ fine sand	
Line 04	Point 13	462372	7101896	B687508	462378	7101895	7	10	brown	GND	granules to pebbles	soil/silt taken from side of stream and probably would not represent an in situ sample.Location of sample taken will make a good silt sample because of lack of soil

Geochemical Soil Sampling 2006 - Shamrock - Verification: Check Samples (All UTM coordinates in NAD 83, Zone 8)												
Grid Line	Grid Point	Initial Easting	Initial Northing	Sample	Actual Easting	Actual Northing	Deviation	Depth (cm)	Colour	Rock Type	Soil Size	Comments
Line 03	Point 13	462372	7101846	B687509	462374	7101843	7	15	grey brown	GND	granules w/ medium grained sand	
Line 02	Point 13	462373	7101796	B687510	462373	7101793	7	25	dark grey brown	GND	clay w/ granules	
Line 01	Point 13	462373	7101746	B687511	462372	7101746	7	20	grey brown	GND	silt w/ medium grained sand	
Line 10	Point 07	462069	7102194	C083311	462069	7102193	8	52	yellow grey green	GND	silt w/ pebbles	
Line 10	Point 08	462119	7102191	C083312	462120	7102189	11	50	grey yellow brown	GND	granules w/ v. c. sand	
Line 10	Point 09	462171	7102195	C083313	462158	7102192	15	47	yellow grey brown	GND	v. c. sand w/ granules	
Line 08	Point 06	462021	7102096	C083314	462021	7102096	9	50	orange yellow brown	GND	v. c. sand w/ pebbles	
Line 08	Point 07	462066	7102097	C083315	462066	7102096	9	55	orange brown	GND	granules w/ pebbles	
Line 08	Point 08	462120	7102095	C083316	462126	7102096	12	75	brown orange	GND	v. c. sand and granules	
Line 08	Point 09	462159	7102094	C083317	462168	7102089	21	47	medium brown	GND	f. sand w/ silt	
Line 08	Point 10	462224	7102101	C083318	462223	7102099	7	57	light to medium brown	GND	f. sand and c. sand	
Line 06	Point 14	462421	7101997	C083351	462421	7101995	8	44	medium brown/yellow	GND	silt/sand	Previous sample not found. New sample taken
Line 06	Point 13	462371	7101996	C083352	462374	7101990	10	50	medium brown	GND	mud and pebbles	
Line 06	Point 12	462321	7101996	C083353	462325	7101999	8	46	medium brown	GND	silt and pebbles	
Line 06	Point 11	462271	7101996	C083354	462269	7101997	8	36	light brown	GND	silts and mud	
Line 06	Point 10	462221	7101995	C083355	462227	7101997	5	45	medium brown	GND	silty mud	
Line 06	Point 09	462171	7101995	C083356	462174	7101988	10	45	dark-medium brown	GND	sm. Pebbles	

Geochemical Soil Samples 2006 - South Eagle Grid (All UTM coordinates in NAD 83, Zone 8)											
Grid Line	Grid Point	Provided Easting	Provided Northing	Sample #	Actual Easting	Actual Northing	Depth (cm)	Colour	Rock Type	Soil Size	Elevation
Line 01	Point 01	460123.3	7098746.4	B088363	460125	7098745	15	light brown		silt/sand	1203m
Line 01	Point 02	460173.3	7098746.4	B088351	460175	7098735	15	light brown		silt/sand	1216m
Line 01	Point 03	460223.3	7098746.4	B088352	460223	7098747	15	light brown		silt/sand	1233m
Line 01	Point 04	460273.3	7098746.4	B088353	460274	7098745	15	light brown		silt/sand	
Line 01	Point 05	460323.3	7098746.4	B088354	460322	7098747	15	brown		silt/sand	1272m
Line 01	Point 06	460373.3	7098746.4	B088355	460376	7098747	10	brown		silt/sand	1278m
Line 01	Point 07	460423.3	7098746.4	B088356	460435	7098741	10	brown		silt/sand	1281m
Line 01	Point 08	460473.3	7098746.4	B088357	460473	7098747	10	brown		silt/sand/pebbles	1289m
Line 01	Point 09	460523.3	7098746.4	B088358	460523	7098746	10	brown	schist w/ >10cm quartz veins	silt/sand/pebbles	1302m
Line 01	Point 10	460573.3	7098746.4	B088359	460572	7098746	10	brown		silt/sand/pebbles	
Line 01	Point 11	460623.3	7098746.4	B088360	460622	7098746	10	brown		silt/sand	1289m
Line 01	Point 12	460673.3	7098746.4	B088361	460671	7098747	10	brown		silt/sand	1275m
Line 01	Point 13	460723.3	7098746.4	B088362	460725	7098745	10	brown		silt/sand	1267m
Line 02	Point 01	460123.3	7098696.4	B088151	460121	7098694	10-15	brown		silt/sand	1197m
Line 02	Point 02	460173.3	7098696.4	B088152	460171	7098696	10-15	brown		silt/sand	1213m
Line 02	Point 03	460223.3	7098696.4	B088153	460224	7098696	10-15	brown		silt/sand	1223m
Line 02	Point 04	460273.3	7098696.4	B088154	460271	7098694	10-15	brown		silt/sand	1231m
Line 02	Point 05	460323.3	7098696.4	B088155	460326	7098696	10-15	brown		silt/sand	1243m

Geochemical Soil Samples 2006 - South Eagle Grid (All UTM coordinates in NAD 83, Zone 8)											
Grid Line	Grid Point	Provided Easting	Provided Northing	Sample #	Actual Easting	Actual Northing	Depth (cm)	Colour	Rock Type	Soil Size	Elevation
Line 02	Point 06	460373.3	7098696.4	B088156	460372	7098698	10-15	brown		silt/sand	1254m
Line 02	Point 07	460423.3	7098696.4	B088157	460423	7098695	10-15	brown		silt/sand/pebbles	1266m
Line 02	Point 08	460473.3	7098696.4	B088158	460474	7098695	10-15	dark brown		silt/sand/pebbles	1276m
Line 02	Point 09	460523.3	7098696.4	B088159	460524	7098696	10-15	dark brown		silt/sand/pebbles	1275m
Line 02	Point 10	460573.3	7098696.4	B088160	460571	7098695	10-15	dark brown		silt/sand/pebbles	1272m
Line 02	Point 11	460623.3	7098696.4	B088161	460622	7098696	10-15	dark brown		silt/sand/pebbles	1263m
Line 02	Point 12	460673.3	7098696.4	B088162	460672	7098695	10-15	dark brown		silt/sand/pebbles	1253m
Line 02	Point 13	460723.3	7098696.4	B088163	460722	7098696	10-15	brown		silt/sand/pebbles	1245m
Line 03	Point 01	460123.3	7098646.4	B088201	460117	7098643	15	med. Brown w/ grey splotches	meta. Seds.	clay	
Line 03	Point 02	460173.3	7098646.4	B088202	460173	7098646	20	med.brown/yellowish	meta. Seds.	clay	
Line 03	Point 03	460223.3	7098646.4	B088203	460228	7098648	30	med.brown/yellowish	meta. Seds.	clay	
Line 03	Point 04	460273.3	7098646.4	B088204	460279	7098654	30	reddish brown	quartz	clay	
Line 03	Point 05	460323.3	7098646.4	B088205	460330	7098640	15	grey/brown	meta. Seds. And quartz	clay	
Line 03	Point 06	460373.3	7098646.4	B088213	460380	7098638	30	dark brown - reddish	meta. Seds.	clay	
Line 03	Point 07	460423.3	7098646.4	B088212	460418	7098643	25	red/yellowish brown	meta. Seds.	clay	
Line 03	Point 08	460473.3	7098646.4	B088211	460469	7098650	35	med. Brown	meta. Seds.	clay	
Line 03	Point 09	460523.3	7098646.4	B088206	460519	7098646	20	yellowish brown	meta. Seds.	clay	
Line 03	Point 10	460573.3	7098646.4	B088207	460574	7098658	20	reddish brown	meta. Seds.	clay	

Geochemical Soil Samples 2006 - South Eagle Grid (All UTM coordinates in NAD 83, Zone 8)											
Grid Line	Grid Point	Provided Easting	Provided Northing	Sample #	Actual Easting	Actual Northing	Depth (cm)	Colour	Rock Type	Soil Size	Elevation
Line 03	Point 11	460623.3	7098646.4	B088208	460631	7098648	15	grey/brown	meta. Seds.	clay	
Line 03	Point 12	460673.3	7098646.4	B088209	460680	7098643	30	light brown	meta. Seds and some feld's	clay	
Line 03	Point 13	460723.3	7098646.4	B088210	460723	7098646	30	yellow brown	"quartz and meta. Seds,"	clay	
Line 04	Point 01	460123.3	7098596.4	B088313	460119	7098599	20	reddish brown	meta. Sed.	clay	
Line 04	Point 02	460173.3	7098596.4	B088312	460160	7098586	10	dark chocolate brown	meta. Sed.	clay	
Line 04	Point 03	460223.3	7098596.4	B088311	460216	7098600	20	dark chocolate brown	meta. Sed.	clay	
Line 04	Point 04	460273.3	7098596.4	B088310	460264	7098597	10	light chocolate brown	meta. Sed.	clay	
Line 04	Point 05	460323.3	7098596.4	B088309	460331	7098578	10	coffee brown	meta. Sed.	clay	
Line 04	Point 06	460373.3	7098596.4	B088308	460370	7098606	15	coffee brown	meta. Sed.	clay	
Line 04	Point 07	460423.3	7098596.4	B088307	460416	7098597	15	coffee brown	meta. Sed.	clay	
Line 04	Point 08	460473.3	7098596.4	B088306	460475	7098597	20	coffee brown/black	meta. Sed.		
Line 04	Point 09	460523.3	7098596.4	B088305	460525	7098596	30	bronze/dull gold	meta. Sed.	clay	
Line 04	Point 10	460573.3	7098596.4	B088304	460576	7098596	30	hot chocolate brown	meta. Sed.	clay	
Line 04	Point 11	460623.3	7098596.4	B088303	460622	7098595	30	hot chocolate brown	meta. Sed.	clay	

Geochemical Soil Samples 2006 - South Eagle Grid (All UTM coordinates in NAD 83, Zone 8)											
Grid Line	Grid Point	Provided Easting	Provided Northing	Sample #	Actual Easting	Actual Northing	Depth (cm)	Colour	Rock Type	Soil Size	Elevation
Line 04	Point 12	460673.3	7098596.4	B088302	460673	7098608	20	dark chocolate brown	meta. Sed.	clay	
Line 04	Point 13	460723.3	7098596.4	B088301	460723	7098596	25	dark chocolate brown	meta. Sed.	clay	
Line 05	Point 01	460123.3	7098546.4	B088413	460124	7098544	20	med. Brown		clay	
Line 05	Point 02	460173.3	7098546.4	B088412	460173	7098550	20	med. Brown	meta seds	clay	
Line 05	Point 03	460223.3	7098546.4	B088411	460222	7098548	20	dark brown		clay	
Line 05	Point 04	460273.3	7098546.4	B088410	460274	7098546	30	dark brown	meta seds	clay	
Line 05	Point 05	460323.3	7098546.4	B088409	460325	7098547	20	dark brown	meta seds	clay	
Line 05	Point 06	460373.3	7098546.4	B088408	460375	7098547	20	dark brown	meta seds	clay	
Line 05	Point 07	460423.3	7098546.4	B088407	460418	7098542	20	med. Brown	meta seds	clay	
Line 05	Point 08	460473.3	7098546.4	B088406	460471	7098546	20	med. Brown	meta seds	clay	
Line 05	Point 09	460523.3	7098546.4	B088405	460524	7098547	20	brown	meta seds	clay	
Line 05	Point 10	460573.3	7098546.4	B088404	460573	7098547	20	medium brown	meta seds	clay	
Line 05	Point 11	460623.3	7098546.4	B088403	460626	7098543	30	dark brown	meta seds	clay	
Line 05	Point 12	460673.3	7098546.4	B088402	460674	7098548	40	med. To dark brown	meta seds	clay	
Line 05	Point 13	460723.3	7098546.4	B088401	460723	7098546	30	dark brown-black	meta seds	clay	
Line 06	Point 01	460123.3	7098496.4	B088460	460122	7098501	5	grey brown	meta seds	silt/clay	
Line 06	Point 02	460173.3	7098496.4	B088461	460172	7098497	15	tan brown	meta seds	silt/clay	

Geochemical Soil Samples 2006 - South Eagle Grid (All UTM coordinates in NAD 83, Zone 8)											
Grid Line	Grid Point	Provided Easting	Provided Northing	Sample #	Actual Easting	Actual Northing	Depth (cm)	Colour	Rock Type	Soil Size	Elevation
Line 06	Point 03	460223.3	7098496.4	B088462	460224	7098501	15	light brown-grey	meta seds	silt/clay	
Line 06	Point 04	460273.3	7098496.4	B088463	460274	7098502	10	rich brown	meta seds	silt/clay	
Line 06	Point 05	460323.3	7098496.4	B088459	460319	7098497	5	tan grey	meta seds	silt/clay	
Line 06	Point 06	460373.3	7098496.4	B088458	460379	7098501	25	rich brown	meta seds	silt/clay	
Line 06	Point 07	460423.3	7098496.4	B088457	460416	7098500	35	medium brown	meta seds	silt/clay	
Line 06	Point 08	460473.3	7098496.4	B088456	460477	7098489	10	light brown	meta seds	silt/clay	
Line 06	Point 09	460523.3	7098496.4	B088455	460518	7098496	25	grey tan	meta seds	silt/clay	
Line 06	Point 10	460573.3	7098496.4	B088454	460568	7098501	30	grey tan	meta seds	silt/clay	
Line 06	Point 11	460623.3	7098496.4	B088453	460617	7098499	10	very dark brown	meta seds and some small fragments	silt/clay	
Line 06	Point 12	460673.3	7098496.4	B088452	460675	7098504	45	tan brown	meta seds	silt/clay	
Line 06	Point 13	460723.3	7098496.4	B088451	460725	7098497	30	rich brown	meta seds	silt/clay	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B627801	VA06105729	476781	7099921	DUB 784	1		Dark Brown		Stephan Faria	9/10/2006	
B627802	VA06105729	476772	7099910	DUB 783	1		Grey Brown		Stephan Faria	9/10/2006	
B627803	VA06105729	476545	7099925	DUB 784	2		Black/Brown		Stephan Faria	9/10/2006	
B627804	VA06105729	476551	7099921	DUB 783	2		Bluish Grey		Stephan Faria	9/10/2006	
B627805	VA06105729	476331	7099926	DUB 784	3		Brown/Grey		Stephan Faria	9/10/2006	
B627806	VA06105729	476337	7099917	DUB 783	3		Dk Brown		Stephan Faria	9/10/2006	
B627807	VA06105729	476325	7099921	DUB 785	1		Black/Brown		Stephan Faria	9/10/2006	
B627808	VA06105729	476320	7099927	DUB 786	1		Black/Brown		Stephan Faria	9/10/2006	
B627809	VA06105729	476102	7099908	DUB 785	2		Black/Brown		Stephan Faria	9/10/2006	
B627810	VA06105729	476100	7099919	DUB 786	2		Black/Brown		Stephan Faria	9/10/2006	
B627811	VA06105729	475890	7099925	DUB 786	3		Dk Brown		Stephan Faria	9/10/2006	
B627812	VA06105729	475886	7099910	DUB 785	3		Black/Brown		Stephan Faria	9/10/2006	
B627813	VA06105729	475877	7099912	DUB 787	1		Black/Brown		Stephan Faria	9/10/2006	
B627814	VA06105729	475879	7099927	DUB 788	1		Dirt - black		Stephan Faria	9/10/2006	
B627815	VA06105729	475662	7099924	DUB 788	2		Black/Brown		Stephan Faria	9/10/2006	
B627816	VA06105729	475656	7099908	DUB 787	2		Beige		Stephan Faria	9/10/2006	
B627817	VA06105729	475458	7099922	DUB 788	3		Lt Brown		Stephan Faria	9/10/2006	
B627818	VA06105729	475453	7099909	DUB 787	3		Lt Brown		Stephan Faria	9/10/2006	
B627819	VA06105729	475440	7099904	DUB 789	1		Beige		Stephan Faria	9/10/2006	
B627820	VA06105729	475441	7099925	DUB 790	1		Dk Brown		Stephan Faria	9/10/2006	
B628251	VA06105729	464239	7094321	DUB 1605	1	Silt	Brown	12	Simon Canvel	9/12/2006	
B628252	VA06105729	464269	7094557	DUB 1605	2	Silt	Brown	12	Simon Canvel	9/12/2006	
B628253	VA06105729	464262	7094738	DUB 1605	3	Silt	Brown	12	Simon Canvel	9/12/2006	
B628254	VA06105729	465179	7094370	DUB 1607	1	Silt	Brown	12	Simon Canvel	9/12/2006	
B628255	VA06105729	465179	7094569	DUB 1607	2	Silt	Grey	12	Simon Canvel	9/12/2006	
B628256	VA06105729	465146	7094798	DUB 1607	3	Silt	Grey	12	Simon Canvel	9/12/2006	
B628257	VA06105729	465156	7094822	DUB 1608	1	Silt	Grey	12	Simon Canvel	9/12/2006	
B628258	VA06105729	465210	7095028	DUB 1608	2	Silt	Grey	12	Simon Canvel	9/12/2006	
B628259	VA06105729	465203	7095269	DUB 1608	3	Silt	Grey	12	Simon Canvel	9/12/2006	
B628260	VA06105729	461020	7095000	DUB 1593	1	Silt	Grey/Brown	12	Simon Canvel	9/12/2006	
B628261	VA06105729	461010	7095019	DUB 1593	2	Silt/Gravel	Grey/Brown	12	Simon Canvel	9/12/2006	
B628262	VA06105729	460985	7095038	DUB 1593	3	Silt/Gravel	Grey/Brown	12	Simon Canvel	9/12/2006	
B628263	VA06105729	471470	7094688	DUB 652	1	Gravel/Silt	Grey	10	Simon Canvel	9/13/2006	
B628264	VA06105729	471268	7094684	DUB 652	2	Clay	Black	18	Simon Canvel	9/13/2006	
B628265	VA06105729	471058	7094680	DUB 652	3	Organic	Black	20	Simon Canvel	9/13/2006	
B628266	VA06105729	471025	7094682	DUB 653	1	Organic	Black	20	Simon Canvel	9/13/2006	
B628267	VA06105729	470825	7094688	DUB 653	2	Silt	Grey	12	Simon Canvel	9/13/2006	
B628268	VA06105729	470617	7094683	DUB 653	3	Clay	Grey	10	Simon Canvel	9/13/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B628269	VA06105729	470575	7094690	DUB 654	1	Clay	Dk Brown	12	Simon Canvel	9/13/2006	
B628270	VA06105729	470391	7094678	DUB 654	2	Silt	Grey/Brown	12	Simon Canvel	9/13/2006	
B628271	VA06105729	470186	7094693	DUB 654	3	Silt	Grey	12	Simon Canvel	9/13/2006	
B628272	VA06105729	470150	7094705	DUB 655	1	Silt/Gravel	Brown	24	Simon Canvel	9/13/2006	
B628273	VA06105729	469927	7094712	DUB 655	2	Silt	Grey	12	Simon Canvel	9/13/2006	
B628274	VA06105729	469737	7094679	DUB 655	3	Silt	Grey	12	Simon Canvel	9/13/2006	
B628275	VA06105729	469707	7094684	DUB 656	1	Silt	Grey/Brown	12	Simon Canvel	9/14/2006	
B628276	VA06105729	469500	7094682	DUB 656	2	Silt	Grey	12	Simon Canvel	9/14/2006	
B628277	VA06105729	469310	7094680	DUB 656	3	Silt	Grey/Brown	12	Simon Canvel	9/14/2006	
B628278	VA06105729	469281	7094692	DUB 657	1	Silt	Brown	10	Simon Canvel	9/14/2006	
B628279	VA06105729	469069	7094695	DUB 657	2	Silt	Grey	12	Simon Canvel	9/14/2006	
B628280	VA06105729	468863	7094678	DUB 657	3	Silt	Grey/Brown	12	Simon Canvel	9/14/2006	
B628281	VA06105729	468800	7094676	DUB 658	1	Silt	Grey/Brown	12	Simon Canvel	9/14/2006	
B628282	VA06105729	468630	7094650	DUB 658	2	Silt	Brown	12	Simon Canvel	9/14/2006	
B628283	VA06105729	468414	7094675	DUB 658	3	Silt	Brown	12	Simon Canvel	9/14/2006	
B628284	VA06105729	468383	7094676	DUB 659	1	Silt	Brown	12	Simon Canvel	9/14/2006	
B628285	VA06105729	468206	7094664	DUB 659	2	Silt/Gravel	Brown	10	Simon Canvel	9/14/2006	
B628286	VA06105729	467969	7094679	DUB 659	3	Silt/Gravel	Brown	10	Simon Canvel	9/14/2006	
B628287	VA06105729	467929	7094681	DUB 660	1	Silt	Grey/Brown	12	Simon Canvel	9/14/2006	
B628288	VA06105729	467768	7094688	DUB 660	2	Silt	Grey	10	Simon Canvel	9/14/2006	
B628289	VA06105729	467560	7094677	DUB 660	3	Silt	Grey	12	Simon Canvel	9/14/2006	
B628290	VA06105729	467497	7094664	DUB 661	1	Silt	Grey	16	Simon Canvel	9/14/2006	
B628291	VA06105729	467295	7094689	DUB 661	2	Silt	Grey	14	Simon Canvel	9/14/2006	
B628292	VA06105729	467124	7094695	DUB 661	3	Silt	Brown	12	Simon Canvel	9/14/2006	
B628293	VA06105729	467079	7094678	DUB 662	1	Silt	Grey/Brown	10	Simon Canvel	9/14/2006	
B628294	VA06105729	466870	7094689	DUB 662	2	Silt	Grey	12	Simon Canvel	9/14/2006	
B628295	VA06105729	466658	7094678	DUB 662	3	Silt	Brown	10	Simon Canvel	9/14/2006	
B628851	VA06105729	476744	7097287	DUB 723/724	1	Silty	Dk Brown	28	Sean Inkster	9/10/2006	
B628852	VA06105729	476526	7097292	DUB 723/724	2	Gravel	Dk Brown	19	Sean Inkster	9/10/2006	
B628853	VA06105729	476333	7097283	DUB 723/724	3	Gravel	Greenish Brown	14	Sean Inkster	9/10/2006	
B628854	VA06105729	476301	7097284	DUB 725/726	1	Clay/Silt	Black/Brown	20	Sean Inkster	9/10/2006	
B628855	VA06105729	476094	7097292	DUB 725/726	2	Gravel	Brownish	14	Sean Inkster	9/10/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B628856	VA06105729	475894	7097283	DUB 725/726	3	Silty	Orange-ish	18	Sean Inkster	9/10/2006	
B628857	VA06105729	475867	7097271	DUB 727/728	1	Black Soil	Black	20	Sean Inkster	9/10/2006	
B628858	VA06105729	475645	7097253	DUB 727/728	2	Silty	Orange/Grey	20	Sean Inkster	9/10/2006	
B628859	VA06105729	475461	7097275	DUB 727/728	3	Clay	Green/Grey	12	Sean Inkster	9/10/2006	
B628860	VA06105729	475427	7097271	DUB 729/730	1	Gravel	Orange/Rusty		Sean Inkster	9/10/2006	
B628861	VA06105729	475205	7097283	DUB 729/730	2	Clay	Brown/Oange Spots		Sean Inkster	9/10/2006	
B628862	VA06105729	474785	7097290	DUB 731/732	2	Permafrost	Brown/Orange	20	Sean Inkster	9/11/2006	
B628863	VA06105729	474591	7097277	DUB 731/732	3	Silty Clay	Grey	24	Sean Inkster	9/11/2006	
B628864	VA06105729	474550	7097282	DUB 733/734	1	Gravel	Grey/Orange	20	Sean Inkster	9/11/2006	
B628865	VA06105729	474337	7097286	DUB 733/734	2	Gravel	Brown/Orange	8	Sean Inkster	9/11/2006	
B628866	VA06105729	474116	7097278	DUB 735/736	1	Mud/Clay	Brown/Orange	12	Sean Inkster	9/11/2006	
B628867	VA06105729	473886	7097275	DUB 735/736	2	Gravel	Brown/Grey	20	Sean Inkster	9/11/2006	
B628868	VA06105729	473691	7097275	DUB 735/736	3	Gravel	Dk Brown	20	Sean Inkster	9/11/2006	
B628869	VA06105729	473673	7097267	DUB 737/738	1	Gravel	Brown/Orange	12	Sean Inkster	9/11/2006	
B628870	VA06105729	473460	7097287	DUB 737/738	2	Silty	Olive Brown	20	Sean Inkster	9/11/2006	
B628871	VA06105729	473266	7097279	DUB 737/738	3	Gravel	Grey	10	Sean Inkster	9/11/2006	
B628872	VA06105729	473229	7097272	DUB 739/740	1	Gravel/Clay	Grey/Green	12	Sean Inkster	9/11/2006	
B628873	VA06105729	473019	7097284	DUB 739/740	2	Silty Mud	Brown	10	Sean Inkster	9/11/2006	
B628874	VA06105729	472838	7097286	DUB 739/740	3	Mud	Black	20	Sean Inkster	9/11/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B628875	VA06105729	472570	7097276	DUB 741/742	2	Silty Mud	Black	12	Sean Inkster	9/11/2006	
B628876	VA06105729	472384	7097275	DUB 741/742	3	Silty Mud		12	Sean Inkster	9/11/2006	
B628877	VA06105729	463275	7095902	DUB 1599	1	Silty Sand	Md Brown	12	Sean Inkster	9/12/2006	
B628878	VA06105729	463082	7095877	DUB 1600	2	Gravel	Lt Brown	20	Sean Inkster	9/12/2006	
B628879	VA06105729	462861	7095902	DUB 1601	3	Silty/Schist	Lt Brown	12	Sean Inkster	9/12/2006	
B628880	VA06105729	463325	7095278	DUB 1601	1	Clay/Schist	Lt Grey	5	Sean Inkster	9/12/2006	
B628881	VA06105729	463333	7095331	DUB 1602	2	Clay	Lt Grey	10	Sean Inkster	9/12/2006	
B628882	VA06105729	463335	7095451	DUB 1603	3	Clay	Lt Grey	12	Sean Inkster	9/12/2006	
B628883	VA06105729	464243	7095236	DUB 1603	1	Clay	Lt Grey	10	Sean Inkster	9/12/2006	
B628884	VA06105729	464246	7095332	DUB 1604	2	Organic/Bedrock		10	Sean Inkster	9/12/2006	
B628885	VA06105729	464273	7095405	DUB 1605	3	Bedrock		5	Sean Inkster	9/12/2006	
B628886	VA06105729	475436	7100374	DUB 815	1	Sand/Gravel	Md Brown	8	Sean Inkster	9/13/2006	
B628887	VA06105729	475436	7100552	DUB 815	2	Clay	Dk Brown	14	Sean Inkster	9/13/2006	
B628888	VA06105729	475443	7100765	DUB 815	3	Clay	Brown	14	Sean Inkster	9/13/2006	
B628889	VA06105729	475439	7100808	DUB 817	1	Sand/Mud	Lt Brown	20	Sean Inkster	9/13/2006	
B628890	VA06105729	475394	7101057	DUB 817	2	Sand/Rock	Md Brown	12	Sean Inkster	9/13/2006	
B628891	VA06105729	475446	7101211	DUB 817	3	Sand/Rock	Md Brown	18	Sean Inkster	9/13/2006	
B628892	VA06105729	475430	7101246	DUB 819	1	Sand/Rock	Md Brown	10	Sean Inkster	9/13/2006	
B628893	VA06105729	475409	7101451	DUB 819	2	Clayish	Lt Brown	12	Sean Inkster	9/13/2006	
B628894	VA06105729	475428	7101658	DUB 819	3	Clayish	Lt Brown	20	Sean Inkster	9/13/2006	
B628895	VA06105729	475427	7101704	DUB 821	1	Clayish	Lt Brown	14	Sean Inkster	9/13/2006	
B628896	VA06105729	475410	7101914	DUB 821	2	Clay/Gravel	Lt Brown	10	Sean Inkster	9/13/2006	
B628897	VA06105729	475434	7102104	DUB 821	3	Clay/Gravel	Lt Brown	12	Sean Inkster	9/13/2006	
B628898	VA06105729	475443	7102124	DUB 823	1	Clay/Gravel	Lt Brown	10	Sean Inkster	9/13/2006	
B628899	VA06105729	475404	7102356	DUB 823	2	Clay/Gravel	Lt Brown	12	Sean Inkster	9/13/2006	
B628904	VA06105729	471955	7100473	DUB 845	1	Mud	Brown	8	Sean Inkster	9/14/2006	
B628905	VA06105729	471757	7100480	DUB 845	2	Mud	Brown	8	Sean Inkster	9/14/2006	
B628906	VA06105729	471562	7100489	DUB 845	3	Mud	Brown	8	Sean Inkster	9/14/2006	
B628907	VA06105729	471514	7100485	DUB 849	1	Mud	Brown	8	Sean Inkster	9/14/2006	
B628908	VA06105729	471334	7100496	DUB 849	2	Sand/Gravel	Dk Brown	12	Sean Inkster	9/14/2006	
B628909	VA06105729	471100	7100490	DUB 849	3	Sand/Gravel	Dk Brown	14	Sean Inkster	9/14/2006	
B628910	VA06105729	471071	7100490	DUB 851	1	Sand/Gravel	Dk Brown	12	Sean Inkster	9/14/2006	
B628911	VA06105729	470883	7100495	DUB 851	2	Silt/Sand	Md Brown	12	Sean Inkster	9/14/2006	
B628912	VA06105729	470661	7100485	DUB 851	3	Silt/Sand	Reddish-brown	12	Sean Inkster	9/14/2006	
B628913	VA06105729	470637	7100496	DUB 853	1	Silt/Sand	Reddish-brown	12	Sean Inkster	9/14/2006	
B628914	VA06105729	470451	7100485	DUB 853	2	Mud	Md Brown	8	Sean Inkster	9/14/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B628915	VA06105729	470202	7100477	DUB 853	3	Mud	Md Brown	8	Sean Inkster	9/14/2006	
B628916	VA06105729	470183	7100479	DUB 855	1	Sand/Gravel/Silt	Md Brown	10	Sean Inkster	9/14/2006	
B629801	VA06105729	476759	7095527	DUB 684	1	Clay/Rock Chips	Grey	18	Mathieu Tremblay	9/10/2006	
B629802	VA06105729	476765	7095516	DUB 683	1	Clay/Sand	Grey/Brown	12	Mathieu Tremblay	9/10/2006	
B629803	VA06105729	476613	7095505	DUB 683	2	Clay/Silt/Gravel	Grey	12	Mathieu Tremblay	9/10/2006	
B629804	VA06105729	476607	7095527	DUB 684	2	Clay/Fine Gravel	Grey	12	Mathieu Tremblay	9/10/2006	
B629805	VA06105729	476338	7095496	DUB 683	3	Clay	Grey/Red	20	Mathieu Tremblay	9/10/2006	
B629806	VA06105729	476341	7095531	DUB 684	3	Clay/Sand	Dk Grey	22	Mathieu Tremblay	9/10/2006	
B629807	VA06105729	476319	7095531	DUB 686	1	Clay/Sand/Gravel	Grey/Brown	18	Mathieu Tremblay	9/10/2006	
B629808	VA06105729	476322	7095500	DUB 685	1	Organic/Fine Sand	Dk Grey	22	Mathieu Tremblay	9/10/2006	
B629809	VA06105729	476115	7095510	DUB 685	2	Sandy	Dk Grey	18	Mathieu Tremblay	9/10/2006	
B629810	VA06105729	476105	7095525	DUB 686	2	Clay w/ Sand/Gravel	Grey	22	Mathieu Tremblay	9/10/2006	
B629811	VA06105729	475895	7095510	DUB 685	3	Clay w/ Sand/Gravel	Dk Grey	18	Mathieu Tremblay	9/11/2006	
B629812	VA06105729	475896	7095529	DUB 686	3	Clay/Rocks	Dk Grey		Mathieu Tremblay	9/11/2006	
B629813	VA06105729	475873	7095528	DUB 688	1	Clay/Sand/Gravel	Grey	22	Mathieu Tremblay	9/11/2006	
B629814	VA06105729	475883	7095509	DUB 687	1	Gravel/Clay	Grey	18	Mathieu Tremblay	9/11/2006	
B629815	VA06105729	475661	7095531	DUB 688	2	Sand/Clay	Grey/Brown	16	Mathieu Tremblay	9/11/2006	
B629816	VA06105729	475656	7095500	DUB 687	2	Clay/Organic	Grey/Black	24	Mathieu Tremblay	9/11/2006	
B629817	VA06105729	475466	7095526	DUB 688	3	Organic	Black	22	Mathieu Tremblay	9/11/2006	
B629818	VA06105729	475473	7095511	DUB 687	3	Clay/Gravel	Dk Grey	22	Mathieu Tremblay	9/11/2006	
B629819	VA06105729	475438	7095508	DUB 689	1	Fn Sand/Clay	Dk Grey	20	Mathieu Tremblay	9/11/2006	
B629820	VA06105729	475439	7095527	DUB 690	1	Clay w/ Sand	Dk Grey	24	Mathieu Tremblay	9/11/2006	
B629821	VA06105729	475223	7095506	DUB 689	2	Fn Sand/Clay	Grey/Brown	18	Mathieu Tremblay	9/11/2006	
B629822	VA06105729	475223	7095525	DUB 690	2	Clay w/ Sand	Grey Brown	18	Mathieu Tremblay	9/11/2006	
B629823	VA06105729	475012	7095508	DUB 689	3	Sand/Gravel	Brown	12	Mathieu Tremblay	9/11/2006	
B629824	VA06105729	475013	7095524	DUB 690	3	Clay	Grey Brown	12	Mathieu Tremblay	9/11/2006	
B629825	VA06105729	474993	7095533	DUB 692	1	Clay/Sand	Grey	12	Mathieu Tremblay	9/11/2006	
B629826	VA06105729	474999	7095509	DUB 691	1	Clay	Brown	12	Mathieu Tremblay	9/11/2006	
B629827	VA06105729	474782	7095511	DUB 691	2	Sand/Organic	Grey/Black	24	Mathieu Tremblay	9/11/2006	
B629828	VA06105729	474793	7095530	DUB 692	2	Clay/Sand	Grey	22	Mathieu Tremblay	9/11/2006	
B629829	VA06105729	474577	7095505	DUB 691	3	Sand/Gravel	Dk Grey/Brown	12	Mathieu Tremblay	9/12/2006	
B629830	VA06105729	474558	7095498	DUB 693	1	Sand/Gravel	Dk Grey/Brown	12	Mathieu Tremblay	9/12/2006	
B629831	VA06105729	474334	7095500	DUB 693	2	Sand/Gravel	Grey	12	Mathieu Tremblay	9/12/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B629832	VA06105729	474140	7095508	DUB 693	3	Clay/Sand	Grey	18	Mathieu Tremblay	9/12/2006	
B629833	VA06105729	474119	7095508	DUB 695	1	Clay	Grey/Black	18	Mathieu Tremblay	9/12/2006	
B629834	VA06105729	473912	7095501	DUB 695	2	Organic/Clay	Grey/Black	16	Mathieu Tremblay	9/12/2006	
B629835	VA06105729	473711	7095509	DUB 695	3	Organic	Black	24	Mathieu Tremblay	9/12/2006	
B629836	VA06105729	473685	7095511	DUB 697	1	Clay/Fn Sand	Grey	22	Mathieu Tremblay	9/12/2006	
B629837	VA06105729	473484	7095504	DUB 697	2	Clay/Sand	Grey/Brown	22	Mathieu Tremblay	9/12/2006	
B629838	VA06105729	473257	7095509	DUB 697	3	Clay/Sand	Grey/Brown	18	Mathieu Tremblay	9/12/2006	
B629839	VA06105729	473234	7095512	DUB 699	1	Clay	Grey/Red	18	Mathieu Tremblay	9/12/2006	
B629840	VA06105729	473003	7095512	DUB 699	2	Sand	Reddish-brown	12	Mathieu Tremblay	9/12/2006	
B629841	VA06105729	472815	7095509	DUB 699	3	Sand	Grey/Brown	18	Mathieu Tremblay	9/12/2006	
B629842	VA06105729	472790	7095509	DUB 701	1	Clay/Sand	Grey/Brown	18	Mathieu Tremblay	9/12/2006	
B629843	VA06105729	472680	7095504	DUB 701	2	Clay	Dk Grey	16	Mathieu Tremblay	9/12/2006	
B629844	VA06105729	472378	7095510	DUB 701	3	Sand/Clay	Grey	16	Mathieu Tremblay	9/12/2006	
B629845	VA06105729	471479	7095951	DUB 609	1	Clay	Grey/Red	16	Mathieu Tremblay	9/13/2006	
B629846	VA06105729	471270	7095950	DUB 609	2	Clay	Dk Grey	12	Mathieu Tremblay	9/13/2006	
B629847	VA06105729	471058	7095943	DUB 609	3	Clay	Grey/Red	16	Mathieu Tremblay	9/13/2006	
B629848	VA06105729	471034	7095947	DUB 611	1	Clay/Gravel	Grey	18	Mathieu Tremblay	9/13/2006	
B629849	VA06105729	470812	7095942	DUB 611	2	Clay/Gravel	Lt Grey	16	Mathieu Tremblay	9/13/2006	
B629850	VA06105729	470618	7095939	DUB 611	3	Clay/Gravel	Grey	14	Mathieu Tremblay	9/13/2006	
B629851	VA06105729	470594	7095938	DUB 613	1	Clay	Grey	15	Mathieu Tremblay	9/13/2006	
B629852	VA06105729	470385	7095953	DUB 613	2	Clay/Sand	Brown/Reg	12	Mathieu Tremblay	9/13/2006	
B629853	VA06105729	470178	7095951	DUB 613	3	Clay	Grey	14	Mathieu Tremblay	9/13/2006	
B629854	VA06105729	470151	7095948	DUB 615	1	Clay	Grey/Red	12	Mathieu Tremblay	9/13/2006	
B629855	VA06105729	469956	7095951	DUB 615	2	Clay	Grey/Brown	12	Mathieu Tremblay	9/13/2006	
B629856	VA06105729	469748	7095944	DUB 615	3	Clay	Grey/Brown	14	Mathieu Tremblay	9/13/2006	
B629857	VA06105729	469722	7095951	DUB 617	1	Clay/Gravel	Grey	12	Mathieu Tremblay	9/13/2006	
B629858	VA06105729	469498	7095951	DUB 617	2	Clay/Gravel	Brown/Red	12	Mathieu Tremblay	9/13/2006	
B629859	VA06105729	469299	7095951	DUB 617	3	Sand/Clay	Grey/Brown	12	Mathieu Tremblay	9/13/2006	
B629860	VA06105729	469280	7095953	DUB 619	1	Sand/Clay	Brown	12	Mathieu Tremblay	9/13/2006	
B629861	VA06105729	469065	7095945	DUB 619	2	Sand/Clay	Brown	14	Mathieu Tremblay	9/13/2006	
B629862	VA06105729	468869	7095948	DUB 619	3	Sand/Clay	Brown/Grey	12	Mathieu Tremblay	9/14/2006	
B629863	VA06105729	468841	7095951	DUB 621	1	Sand/Clay	Brown/Grey	12	Mathieu Tremblay	9/14/2006	
B629864	VA06105729	468625	7095954	DUB 621	2	Sand/Clay	Brown	12	Mathieu Tremblay	9/14/2006	
B629865	VA06105729	468416	7095954	DUB 621	3	Clay/Rock	Brown/Grey	12	Mathieu Tremblay	9/14/2006	
B629866	VA06105729	468393	7095953	DUB 623	1	Clay/Rock	Brown/Grey	12	Mathieu Tremblay	9/14/2006	
B629867	VA06105729	468180	7095954	DUB 623	2	Clay/Sand	Brown/Red	12	Mathieu Tremblay	9/14/2006	
B629868	VA06105729	467978	7095951	DUB 623	3	Clay/Sand	Brown	12	Mathieu Tremblay	9/14/2006	
B629869	VA06105729	467958	7095952	DUB 625	1	Clay/Rock	Grey/Brown	12	Mathieu Tremblay	9/14/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B629870	VA06105729	467752	7095949	DUB 625	2	Clay/Gravel	Brown	12	Mathieu Tremblay	9/14/2006	
B629871	VA06105729	467536	7095948	DUB 625	3	Clay/Gravel	Dk Grey	12	Mathieu Tremblay	9/14/2006	
B629872	VA06105729	467513	7095950	DUB 627	1	Clay/Gravel	Dk Grey	12	Mathieu Tremblay	9/14/2006	
B629873	VA06105729	467307	7095954	DUB 627	2	Clay/Sand	Brown/Red	12	Mathieu Tremblay	9/14/2006	
B629874	VA06105729	467107	7095951	DUB 627	3	Clay/Gravel	Brown	12	Mathieu Tremblay	9/14/2006	
B629875	VA06105729	467079	7095951	DUB 629	1	Clay	Dk Grey	16	Mathieu Tremblay	9/14/2006	
B629876	VA06105729	466863	7095954	DUB 629	2	Clay	Grey/Brown	14	Mathieu Tremblay	9/14/2006	
B629877	VA06105729	466660	7095950	DUB 629	3	Clay	Grey/Red	12	Mathieu Tremblay	9/14/2006	
B629901	VA06105729	476800	7096393	DUB 703	1	Silty	Lt Grey	16	Simon Canvel	9/10/2006	
B629903	VA06105729	476810	7096418	DUB 704	1	Sand/Gravel	Lt Grey	16	Simon Canvel	9/10/2006	
B629904	VA06105729	476581	7096385	DUB 704	2	Organic		20	Simon Canvel	9/10/2006	
B629905	VA06105729	476581	7096402	DUB 703	2			20	Simon Canvel	9/10/2006	
B629906	VA06105729	476346	7096384	DUB 703	3	Sand/Gravel /Rocks	Lt Grey/Black	20	Simon Canvel	9/10/2006	
B629907	VA06105729	476357	7096409	DUB 704	3	Silty	Grey	20	Simon Canvel	9/10/2006	
B629908	VA06105729	476324	7096388	DUB 705	1	Sand/Gravel	Grey	22	Simon Canvel	9/10/2006	
B629911	VA06105729	476329	7096418	DUB 706	1	Sand/Gravel	Grey	24	Simon Canvel	9/10/2006	
B629912	VA06105729	476123	7096378	DUB 705	2	Sand/Gravel	Grey	20	Simon Canvel	9/10/2006	
B629913	VA06105729	476128	7096418	DUB 706	2	Coarse/Fine Sand	Dk Grey	24	Simon Canvel	9/10/2006	
B629914	VA06105729	475912	7096383	DUB 705	3	Fine Sand	Grey	20	Simon Canvel	9/10/2006	
B629915	VA06105729	475911	7096412	DUB 706	3	Sand/Gravel	Lt Grey	18	Simon Canvel	9/10/2006	
B629917	VA06105729	475877	7096381	DUB 707	1				Simon Canvel	9/10/2006	
B629918	VA06105729	475880	7096419	DUB 708	1				Simon Canvel	9/10/2006	
B629919	VA06105729	475640	7096391	DUB 707	2	Silt/Small gravel	Brown/Grey	14	Simon Canvel	9/11/2006	
B629920	VA06105729	475642	7096408	DUB 708	2	Silt	Grey	18	Simon Canvel	9/11/2006	
B629921	VA06105729	475464	7096385	DUB 707	3	Silt w/ Gravel	Grey	18	Simon Canvel	9/11/2006	
B629922	VA06105729	475456	7096414	DUB 708	3	Silt w/ Gravel	Grey	14	Simon Canvel	9/11/2006	
B629923	VA06105729	475424	7096379	DUB 709	1	Silt w/ Gravel	Grey/Brown	14	Simon Canvel	9/11/2006	
B629924	VA06105729	475414	7096415	DUB 710	1	Silt w/ Gravel	Grey/Brown	16	Simon Canvel	9/11/2006	
B629925	VA06105729	475242	7096387	DUB 709	2	Silt	Grey	16	Simon Canvel	9/11/2006	
B629926	VA06105729	475228	7096418	DUB 710	2	Silt/Sand	Grey	14	Simon Canvel	9/11/2006	
B629927	VA06105729	475026	7096386	DUB 709	3	Silt w/ Gravel	Grey	16	Simon Canvel	9/11/2006	
B629928	VA06105729	475040	7096427	DUB 710	3	Silt w/ Gravel	Grey/Brown	16	Simon Canvel	9/11/2006	
B629929	VA06105729	474999	7096391	DUB 711	1	Silt	Grey	16	Simon Canvel	9/11/2006	
B629930	VA06105729	474995	7096432	DUB 712	1	Silt	Grey/Brown	14	Simon Canvel	9/11/2006	
B629931	VA06105729	474789	7096383	DUB 711	2	Silt/Sand	Brown	12	Simon Canvel	9/11/2006	
B629932	VA06105729	474789	7096424	DUB 712	2	Silt	Brown	12	Simon Canvel	9/11/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B629933	VA06105729	474595	7096380	DUB 711	3	Silt	Grey/Brown	14	Simon Canvel	9/11/2006	
B629934	VA06105729	474623	7096422	DUB 712	3	Silt	Grey	14	Simon Canvel	9/11/2006	
B629935	VA06105729	474565	7096388	DUB 713	1	Silt	Grey	16	Simon Canvel	9/11/2006	
B629936	VA06105729	474580	7096422	DUB 714	1	Silt	Grey	18	Simon Canvel	9/11/2006	
B629937	VA06105729	474355	7096379	DUB 713	2	Silt	Grey	16	Simon Canvel	9/11/2006	
B629938	VA06105729	474345	7096422	DUB 714	2	Silt	Grey	14	Simon Canvel	9/11/2006	
B629939	VA06105729	474143	7096380	DUB 713	3	Silt	Grey	16	Simon Canvel	9/11/2006	
B629940	VA06105729	474150	7096422	DUB 714	3	Silt	Dk Grey	16	Simon Canvel	9/11/2006	
B629941	VA06105729	474107	7096387	DUB 715	1	Silt	Grey/Brown	16	Simon Canvel	9/11/2006	
B629942	VA06105729	474115	7096424	DUB 716	1	Silt w/ Gravel	Grey	18	Simon Canvel	9/11/2006	
B629943	VA06105729	473922	7096377	DUB 715	2	Silt	Grey	18	Simon Canvel	9/11/2006	
B629944	VA06105729	473925	7096433	DUB 716	2	Silt	Grey	12	Simon Canvel	9/11/2006	
B629945	VA06105729	473725	7096392	DUB 715	3	Sand	Brown	12	Simon Canvel	9/11/2006	
B629946	VA06105729	473723	7096413	DUB 716	3	Sand	Brown	12	Simon Canvel	9/11/2006	
B629947	VA06105729	473664	7096376	DUB 717	1	Silt	Grey/Brown	12	Simon Canvel	9/11/2006	
B629948	VA06105729	473680	7096418	DUB 718	1	Silt	Brown	12	Simon Canvel	9/11/2006	
B629949	VA06105729	473468	7096388	DUB 717	2	Organic	Black	22	Simon Canvel	9/11/2006	
B629950	VA06105729	473479	7096405	DUB 718	2	Organic	Black	22	Simon Canvel	9/11/2006	
B627839	VA06105910	473901	7099912	DUB 795	2		Beige	12	Stephan Faria	9/11/2006	
B627840	VA06105910	473911	7099919	DUB 796	2		Bluish Grey	12	Stephan Faria	9/11/2006	
B627841	VA06105910	473694	7099904	DUB 796	3		Dk Brown	12	Stephan Faria	9/11/2006	
B627842	VA06105910	473681	7099900	DUB 797	1		Blue Brown	12	Stephan Faria	9/11/2006	
B627843	VA06105910	473678	7099923	DUB 798	1		Brown	12	Stephan Faria	9/11/2006	
B627844	VA06105910	473698	7099926	DUB 795	3		Blue Brown	12	Stephan Faria	9/11/2006	
B627845	VA06105910	473479	7099888	DUB 797	2		Lt Brown	12	Stephan Faria	9/11/2006	
B627846	VA06105910	473490	7099908	DUB 798	2	Clay	Brown	12	Stephan Faria	9/11/2006	
B627847	VA06105910	473263	7099939	DUB 798	3		Bluish Grey	12	Stephan Faria	9/11/2006	
B627848	VA06105910	473260	7099906	DUB 797	3	Mud	Brown	12	Stephan Faria	9/11/2006	
B627849	VA06105910	473246	7099904	DUB 799	1	Mud	Beige	12	Stephan Faria	9/11/2006	
B627850	VA06105910	473246	7099927	DUB 800	1		Lt Brown	12	Stephan Faria	9/11/2006	
B628801	VA06105910	476754	7098155	DUB 743	1	Sandy	Grey Brown	22	Martin Paquette	9/10/2006	Coarse Fragments - 30%
B628802	VA06105910	476769	7098166	DUB 744	1	Sandy	Dk Grey	16	Martin Paquette	9/10/2006	
B628803	VA06105910	476543	7098142	DUB 743	2	Sandy	Dk Grey	15	Martin Paquette	9/10/2006	
B628804	VA06105910	476552	7098165	DUB 744	2	Sandy	Dk Grey	15	Martin Paquette	9/10/2006	
B628805	VA06105910	476343	7098150	DUB 743	3	Sandy	Lt Grey	19	Martin Paquette	9/10/2006	
B628806	VA06105910	476351	7098162	DUB 744	3	Sandy	Lt Grey	21	Martin Paquette	9/10/2006	
B628807	VA06105910	476335	7098175	DUB 746	1	Sandy	Dk Grey	12	Martin Paquette	9/10/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B628808	VA06105910	476323	7098157	DUB 745	1	Sandy	Dk Grey	15	Martin Paquette	9/10/2006	Possibly py.
B628809	VA06105910	476110	7098140	DUB 745	2	Sandy	Dk Grey	18	Martin Paquette	9/10/2006	
B628810	VA06105910	476111	7098161	DUB 746	2	Gravel	Dk Grey	21	Martin Paquette	9/10/2006	
B628811	VA06105910	475920	7098145	DUB 745	3	Sandy	Lt Brown	22	Martin Paquette	9/10/2006	
B628812	VA06105910	475926	7098157	DUB 746	3	Sandy	Grey/Orange	18	Martin Paquette	9/10/2006	
B628813	VA06105910	475915	7098181	DUB 748	1	Sandy	Lt Grey	23	Martin Paquette	9/10/2006	Sparkles - probably py.
B628814	VA06105910	475901	7098149	DUB 747	1	Sandy	Grey	23	Martin Paquette	9/10/2006	
B628815	VA06105910	475681	7098144	DUB 747	2	Till/Organics	Dk Grey	19	Martin Paquette	9/10/2006	
B628816	VA06105910	475675	7098174	DUB 748	2	Fine Sand	Lt Grey	13	Martin Paquette	9/10/2006	
B628817	VA06105910	475482	7098150	DUB 747	3	Lt Grey	Sandy	13	Martin Gauvreau	9/11/2006	py
B628818	VA06105910	475485	7098162	DUB 748	3	Lt Grey	Sandy	12	Martin Gauvreau	9/11/2006	py
B628819	VA06105910	475462	7098158	DUB 749	1	Lt Grey	Sandy	16	Martin Gauvreau	9/11/2006	
B628820	VA06105910	475473	7098171	DUB 750	1	Dk Grey	Sandy	17	Martin Gauvreau	9/11/2006	py
B628821	VA06105910	475225	7098108	DUB 750	2	Lt Grey	Sandy	12	Martin Gauvreau	9/11/2006	py
B628822	VA06105910	475231	7098101	DUB 749	2	Lt Grey	Sandy	16	Martin Gauvreau	9/11/2006	py
B628823	VA06105910	475029	7098158	DUB 749	3	Dk Brown	Till		Martin Gauvreau	9/11/2006	
B628824	VA06105910	475028	7098167	DUB 750	3	Dk Grey	Fn Sand	13	Martin Gauvreau	9/11/2006	py
B628825	VA06105910	475007	7098174	DUB 752	1	Dk Brown	Till	18	Martin Gauvreau	9/11/2006	
B628826	VA06105910	475005	7098161	DUB 751	1	Dk Brown	Till	15	Martin Gauvreau	9/11/2006	
B628827	VA06105910	474783	7098194	DUB 751	2	Dk Grey	Sandy	14	Martin Gauvreau	9/11/2006	py
B628828	VA06105910	474795	7098212	DUB 752	2	Dk Grey	Sandy	16	Martin Gauvreau	9/11/2006	py
B628829	VA06105910	474564	7098148	DUB 751	3	Dk Grey	Fn Sand	15	Martin Gauvreau	9/11/2006	
B628830	VA06105910	474577	7098173	DUB 752	3	Dk Grey	Sandy	13	Martin Gauvreau	9/11/2006	
B628831	VA06105910	474559	7098182	DUB 754	1	Dk Grey	Sandy	17	Martin Gauvreau	9/11/2006	
B628832	VA06105910	474551	7098163	DUB 753	1	Dk Grey	Fn Sand	17	Martin Gauvreau	9/11/2006	
B628833	VA06105910	474356	7098200	DUB 753	2	Lt Grey	Fn Sand	19	Martin Gauvreau	9/11/2006	
B628834	VA06105910	474351	7098178	DUB 754	2	Lt Grey	Fn Sand	14	Martin Gauvreau	9/11/2006	
B628835	VA06105910	474180	7098155	DUB 753	3	Lt Grey	Gravel	13	Martin Gauvreau	9/11/2006	
B628836	VA06105910	474188	7098163	DUB 754	3	Lt Grey	Gravel/Sand	12	Martin Gauvreau	9/11/2006	
B628837	VA06105910	474164	7098176	DUB 756	1	Orange/Grey	Gravel/Sand	14	Martin Gauvreau	9/11/2006	
B628838	VA06105910	474167	7098158	DUB 755	1	Orange/Grey	Gravel/Sand	15	Martin Gauvreau	9/11/2006	
B628839	VA06105910	473901	7098149	DUB 755	2	Fn Sand/Gravel	Dk Grey	19	Martin Paquette	9/12/2006	
B628840	VA06105910	473717	7098142	DUB 755	3	Sand/Gravel	DkBrown/Orange	13	Martin Paquette	9/12/2006	
B628841	VA06105910	473699	7098151	DUB 757	1	Sandy	DkBrown/Orange	14	Martin Paquette	9/12/2006	
B628842	VA06105910	473466	7098163	DUB 757	2	Sandy	DkBrown/Orange	12	Martin Paquette	9/12/2006	
B628843	VA06105910	473282	7098139	DUB 757	3	Sand/Gravel	DkBrown/Orange	15	Martin Paquette	9/12/2006	
B628844	VA06105910	473267	7098143	DUB 759	1	Sandy	DkBrown/Orange	16	Martin Paquette	9/12/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B628845	VA06105910	473031	7098137	DUB 759	2	Sand/Fn Sand	Brown Orange /Lt Grey	12	Martin Paquette	9/12/2006	
B628846	VA06105910	472828	7098142	DUB 759	3	Sandy	Lt Brown	14	Martin Paquette	9/12/2006	
B628847	VA06105910	472808	7098132	DUB 761	1	Fn Sand	LtBrown/Grey	13	Martin Paquette	9/12/2006	
B628848	VA06105910	472599	7098147	DUB 761	2	Sandy	LtBrown/Grey	12	Martin Paquette	9/12/2006	
B628849	VA06105910	472382	7098148	DUB 761	3	Fn Sand	Brown Grey	14	Martin Paquette	9/12/2006	
B628850	VA06105910	471916	7094228	DUB 583	1	Till	Dk Brown	12	Martin Paquette	9/13/2006	
B628951	VA06105910	476776	7099061	DUB 764	1		Grey	18	Michel Gauvin	9/10/2006	
B628952	VA06105910	476772	7099019	DUB 763	1		Gey	18	Michel Gauvin	9/10/2006	
B628953	VA06105910	476550	7099026	DUB 763	2		Black	24	Michel Gauvin	9/10/2006	
B628954	VA06105910	476549	7099067	DUB 764	2		Black	18	Michel Gauvin	9/10/2006	
B628955	VA06105910	476349	7099037	DUB 763	3		Brown	12	Michel Gauvin	9/10/2006	
B628956	VA06105910	476352	7099061	DUB 764	3		Brown	18	Michel Gauvin	9/10/2006	
B628957	VA06105910	476323	7099062	DUB 766	1		Charcoal	24	Michel Gauvin	9/10/2006	
B628958	VA06105910	476325	7099038	DUB 765	1		Brown	18	Michel Gauvin	9/10/2006	
B628959	VA06105910	476102	7099030	DUB 765	2		Brown/Black /Burgundy	24	Michel Gauvin	9/10/2006	
B628960	VA06105910	476108	7099049	DUB 766	2		Black/Orange	18	Michel Gauvin	9/10/2006	
B628961	VA06105910	475899	7099030	DUB 765	3	Gravel	Brown/Green	24	Michel Gauvin	9/10/2006	
B628962	VA06105910	475914	7099048	DUB 766	3	Mud	Black	24	Michel Gauvin	9/10/2006	
B628963	VA06105910	475881	7099058	DUB 768	1	Mud	Black	24	Michel Gauvin	9/10/2006	
B628964	VA06105910	475869	7099037	DUB 767	1	Mud	Brown/Black	18	Michel Gauvin	9/10/2006	
B628965	VA06105910	475654	7099033	DUB 767	2	Mud	Brown/Black	18	Michel Gauvin	9/11/2006	
B628966	VA06105910	475657	7099052	DUB 768	2	Mud	Dk Grey	18	Michel Gauvin	9/11/2006	
B628967	VA06105910	475455	7099038	DUB 768	3	Clay	Grey	18	Michel Gauvin	9/11/2006	
B628968	VA06105910	475442	7099013	DUB 767	3	Green/Grey		16	Michel Gauvin	9/11/2006	yellow sparkle
B628969	VA06105910	475426	7099022	DUB 769	1	Grey/Black		18	Michel Gauvin	9/11/2006	
B628970	VA06105910	475437	7099050	DUB 770	1	Green	Clay	18	Michel Gauvin	9/11/2006	
B628971	VA06105910	475221	7099019	DUB 769	2	Grey/Green	Clay/Gravel	16	Michel Gauvin	9/11/2006	
B628972	VA06105910	475234	7099045	DUB 770	2	Green/Black	Caly/Gravel	18	Michel Gauvin	9/11/2006	
B628973	VA06105910	475020	7099013	DUB 769	3	Green	Gravel	18	Michel Gauvin	9/11/2006	
B628974	VA06105910	475030	7099039	DUB 770	3	Soft Soil	Black/Yellow	18	Michel Gauvin	9/11/2006	
B628975	VA06105910	475004	7099017	DUB 771	1	Sand/Qtz	Green	12	Michel Gauvin	9/11/2006	
B628976	VA06105910	475018	7099052	DUB 772	1	Peat-moss	Black	18	Michel Gauvin	9/11/2006	
B628977	VA06105910	474796	7099055	DUB 772	2	Green/Black	w/ Qtz	12	Michel Gauvin	9/11/2006	
B628978	VA06105910	474783	7099028	DUB 771	2	Sand/Gravel	Green/Grey	12	Michel Gauvin	9/11/2006	
B628979	VA06105910	474580	7099026	DUB 771	3	Sand/Gravel	Brown/Green	12	Michel Gauvin	9/11/2006	
B628980	VA06105910	474570	7099056	DUB 772	3	Sandy	Green/Brown	12	Michel Gauvin	9/11/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B628981	VA06105910	474558	7099052	DUB 774	1	Sand/Gravel	Green/Brown	8	Michel Gauvin	9/11/2006	
B628982	VA06105910	474556	7099022	DUB 773	1	Gravel	Green/Brown	14	Michel Gauvin	9/11/2006	
B628983	VA06105910	474362	7099013	DUB 773	2	Clay	Brown	16	Michel Gauvin	9/11/2006	
B628984	VA06105910	474347	7099032	DUB 774	2	Clay	Grey	14	Michel Gauvin	9/11/2006	
B628985	VA06105910	474128	7099052	DUB 774	3	Organic	Brown/Black	24	Michel Gauvin	9/11/2006	
B628986	VA06105910	474142	7099016	DUB 773	3	Clay	Grey	18	Michel Gauvin	9/11/2006	
B628987	VA06105910	474107	7099012	DUB 775	1	Clay	Grey	24	Michel Gauvin	9/12/2006	
B628988	VA06105910	473905	7099027	DUB 775	2	Clay	Grey	18	Michel Gauvin	9/12/2006	
B628989	VA06105910	473698	7099030	DUB 775	3	Clay/Gravel	Grey	18	Michel Gauvin	9/12/2006	
B628990	VA06105910	473683	7099025	DUB 777	1	Clay	Brown/Grey	18	Michel Gauvin	9/12/2006	
B628991	VA06105910	473479	7099021	DUB 777	2	Clay	Green	20	Michel Gauvin	9/12/2006	
B628992	VA06105910	473275	7099027	DUB 777	3	Clay	Beige	18	Michel Gauvin	9/12/2006	
B628993	VA06105910	473247	7099019	DUB 779	1	Clay	Grey	16	Michel Gauvin	9/12/2006	
B628994	VA06105910	473026	7099018	DUB 779	2	Clay	Green/Gold Sparkle	18	Michel Gauvin	9/12/2006	
B628995	VA06105910	472816	7099031	DUB 779	3	Clay/Gravel	Brown	16	Michel Gauvin	9/12/2006	
B628996	VA06105910	472791	7099038	DUB 781	1		Green/Brown	20	Michel Gauvin	9/12/2006	
B628997	VA06105910	472584	7099009	DUB 781	2	Clay/Gravel	Brown	16	Michel Gauvin	9/12/2006	
B628998	VA06105910	472373	7099029	DUB 781	3	Clay	Brown/Orange	20	Michel Gauvin	9/12/2006	
B628999	VA06105910	472797	7099478	DUB 801	1		Brown	20	Michel Gauvin	9/12/2006	
B629000	VA06105910	472797	7099705	DUB 801	2		Brown	20	Michel Gauvin	9/12/2006	
B629001	VA06105910	472804	7099907	DUB 801	3	Clay	Brown	20	Michel Gauvin	9/12/2006	
B629002	VA06105910	472811	7099912	DUB 799	3	Clay	Brown	18	Michel Gauvin	9/12/2006	
B629003	VA06105910	473029	7099905	DUB 799	2	Clay/Gravel	Brown/Orange	18	Michel Gauvin	9/12/2006	
B629004	VA06105910	466236	7094714	DUB 485	1	Gravel/Silt	Brown	14	Michel Gauvin	9/13/2006	
B629005	VA06105910	466225	7094932	DUB 485	2	Gravel/Silt	Brown	14	Michel Gauvin	9/13/2006	
B629006	VA06105910	466271	7095125	DUB 485	3	Gravel/Silt	Brown	12	Michel Gauvin	9/13/2006	
B629007	VA06105910	466247	7095152	DUB 487	1	Gravel/Silt	Brown	18	Michel Gauvin	9/13/2006	
B629008	VA06105910	466233	7095361	DUB 487	2	Gravel/Silt	Brown	14	Michel Gauvin	9/13/2006	
B629009	VA06105910	466242	7095585	DUB 487	3	Silt	Brown/Green	14	Michel Gauvin	9/13/2006	
B629010	VA06105910	466243	7095613	DUB 489	1	Silt	Brown/Grey	18	Michel Gauvin	9/13/2006	
B629011	VA06105910	466232	7095816	DUB 489	2	Mud	Brown/Black	24	Michel Gauvin	9/13/2006	
B629012	VA06105910	466242	7096016	DUB 489	3	Rocky/Gravel	Black	14	Michel Gauvin	9/13/2006	
B629013	VA06105910	466243	7096037	DUB 491	1	Gravel	Brown	14	Michel Gauvin	9/13/2006	
B629014	VA06105910	466222	7096257	DUB 491	2		Black/Brown	12	Michel Gauvin	9/13/2006	py
B629015	VA06105910	466236	7096471	DUB 491	3	Silt	Black/Brown	14	Michel Gauvin	9/13/2006	
B629016	VA06105910	466232	7096502	DUB 493	1	Gravel/Silt	Green/Brown	12	Michel Gauvin	9/13/2006	
B629017	VA06105910	466235	7096724	DUB 493	2	Gravel/Silt	Brown	12	Michel Gauvin	9/13/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B629018	VA06105910	466248	7096942	DUB 493/494	3	Clay/Gravel	Brown	12	Michel Gauvin	9/14/2006	
B629019	VA06105910	466240	7096956	DUB 495/496	1	Clay/Gravel	Brown	12	Michel Gauvin	9/14/2006	
B629020	VA06105910	466231	7097175	DUB 495/496	2	Clay/Gravel	Brown	12	Michel Gauvin	9/14/2006	
B629021	VA06105910	466235	7097329	DUB 495/496	3	Clay/Rock	Brown	14	Michel Gauvin	9/14/2006	
B629022	VA06105910	466242	7097352	DUB 21/22	1	Silt/Rock	Brown	14	Michel Gauvin	9/14/2006	
B629023	VA06105910	466232	7097575	DUB 21/22	2	Stone	Brown/Black	14	Michel Gauvin	9/14/2006	
B629024	VA06105910	466237	7097749	DUB 21/22	3	Hard Soil/Rock	Brown	16	Michel Gauvin	9/14/2006	
B629025	VA06105910	466231	7097769	DUB 23/24	1	Soil/Rock	Brown/Black	24	Michel Gauvin	9/14/2006	
B629026	VA06105910	466231	7097950	DUB 23/24	2	Silt	Brown/Silver	16	Michel Gauvin	9/14/2006	
B629027	VA06105910	466254	7098161	DUB 23/24	3	Clay/Gravel	Brown	14	Michel Gauvin	9/14/2006	
B629028	VA06105910	466244	7098173	DUB 25/26	1	Clay/Gravel	Brown	14	Michel Gauvin	9/14/2006	
B629029	VA06105910	466243	7098392	DUB 25/26	2		Brown/Red	18	Michel Gauvin	9/14/2006	
B629030	VA06105910	466247	7098583	DUB 25/26	3	Clay	Brown/Black	18	Michel Gauvin	9/14/2006	
B629031	VA06105910	466238	7098610	DUB 27/28	1	Clay	Brown	24	Michel Gauvin	9/14/2006	
B629032	VA06105910	466236	7098815	DUB 27/28	2	Clay	Brown	28	Michel Gauvin	9/14/2006	
B629051	VA06105910	476337	7100362	DUB 802	1	Clay	Gray	18	Martin Gauvreau	9/10/2006	
B629052	VA06105910	476327	7100366	DUB 803	1	Clay	Grey	18	Martin Gauvreau	9/10/2006	
B629053	VA06105910	476346	7100578	DUB 802	2	Clay	Grey	18	Martin Gauvreau	9/10/2006	
B629054	VA06105910	476322	7100583	DUB 803	2	Clay	Grey	18	Martin Gauvreau	9/10/2006	
B629055	VA06105910	476338	7100802	DUB 804		Clay	Grey	18	Martin Gauvreau	9/10/2006	
B629056	VA06105910	476329	7100799	DUB 805		Clay	Grey	18	Martin Gauvreau	9/10/2006	
B629057	VA06105910	476326	7101014	DUB 804		Clay	Grey	18	Martin Gauvreau	9/10/2006	
B629058	VA06105910	476314	7101013	DUB 805		Clay	Grey	18	Martin Gauvreau	9/10/2006	
B629059	VA06105910	476342	7101248	DUB 806		Clay	Grey	18	Martin Gauvreau	9/10/2006	
B629060	VA06105910	476328	7101250	DUB 807		Clay	Grey	18	Martin Gauvreau	9/10/2006	
B629061	VA06105910	476340	7101480	DUB 806		Clay	Grey	18	Martin Gauvreau	9/10/2006	
B629063	VA06105910	476339	7101682	DUB 808	1	Clay	Grey	18	Martin Gauvreau	9/11/2006	
B629064	VA06105910	476326	7101687	DUB 809	1	Clay	Grey	18	Martin Gauvreau	9/11/2006	
B629065	VA06105910	476348	7101897	DUB 809	2	Brown/Grey	Rocky	12	Martin Gauvreau	9/11/2006	
B629066	VA06105910	476320	7101899	DUB 808	2	Green/Grey	Rocky	12	Martin Gauvreau	9/11/2006	
B629067	VA06105910	476345	7102124	DUB 811	1	Green/Grey		15	Martin Gauvreau	9/11/2006	
B629068	VA06105910	476319	7102132	DUB 810	1	Green/Grey	Clay	15	Martin Gauvreau	9/11/2006	
B629069	VA06105910	476342	7102330	DUB 811	2	Green/Grey	Clay	18	Martin Gauvreau	9/11/2006	
B629070	VA06105910	476320	7102335	DUB 810	2	Green/Grey	Clay	18	Martin Gauvreau	9/11/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B629071	VA06105910	476313	7102556	DUB 812	1	Green/Grey	Clay	18	Martin Gauvreau	9/11/2006	
B629072	VA06105910	476343	7102557	DUB 813	1	Green/Grey	Clay	18	Martin Gauvreau	9/11/2006	
B629073	VA06105910	476342	7102804	DUB 813	2	Green/Grey	Clay		Martin Gauvreau	9/11/2006	
B629074	VA06105910	476320	7102800	DUB 812	2	Green/Grey	Clay	18	Martin Gauvreau	9/11/2006	
B629075	VA06105910	476339	7102991	DUB 812	3	Green/Grey	Clay	18	Martin Gauvreau	9/11/2006	
B629076	VA06105910	476321	7102992	DUB 813	3	Green/Grey	Clay	18	Martin Gauvreau	9/11/2006	
B630101	VA06105910	471933	7094422	DUB 583	2	Sandy	Dk Brown	20	Martin Paquette	9/13/2006	
B630102	VA06105910	471929	7094618	DUB 583	3	TIll	Dk Brown	12	Martin Paquette	9/13/2006	
B630103	VA06105910	471931	7094640	DUB 585	1	Sand	Dk Brown	12	Martin Paquette	9/13/2006	
B630104	VA06105910	471937	7094879	DUB 585	2	Till	Dk Brown	13	Martin Paquette	9/13/2006	
B630105	VA06105910	471920	7095078	DUB 585	3	Sandy	Dk Brown	12	Martin Paquette	9/13/2006	
B630106	VA06105910	471927	7095085	DUB 587	1	Sandy	Dk Brown	13	Martin Paquette	9/13/2006	
B630107	VA06105910	471911	7095305	DUB 587	2	Sandy	Grey/Dk Brown	15	Martin Paquette	9/13/2006	
B630108	VA06105910	471928	7095523	DUB 587	3	Sand/Clay	Grey/GDk Brown	16	Martin Paquette	9/13/2006	
B630109	VA06105910	471925	7095528	DUB 589	1	Sand	Lt Brown	14	Martin Paquette	9/13/2006	
B630110	VA06105910	471923	7095739	DUB 589	2	Sandy	Dk Brown	15	Martin Paquette	9/13/2006	
B630111	VA06105910	471924	7095948	DUB 589	3	Clay	Lt Grey	18	Martin Paquette	9/13/2006	
B630112	VA06105910	471925	7095965	DUB 591	1	Clay	Lt Grey	17	Martin Paquette	9/13/2006	
B630113	VA06105910	471921	7096180	DUB 591	2	Clay	Lt Grey	17	Martin Paquette	9/13/2006	
B630114	VA06105910	471928	7096413	DUB 591	3	Clay/Sand	Dk Grey	22	Martin Paquette	9/13/2006	
B630115	VA06105910	471927	7096428	DUB 593	1	Clay	Dk Grey	17	Martin Paquette	9/13/2006	
B630116	VA06105910	471914	7096614	DUB 593	2	Clay	Lt Grey	13	Martin Paquette	9/13/2006	
B630117	VA06105910	471922	7096835	DUB 593	3	Clay	Lt Grey	12	Martin Paquette	9/13/2006	
B630118	VA06105910	471928	7096854	DUB 595	1	Clay	Lt Grey	14	Martin Paquette	9/13/2006	
B630119	VA06105910	471920	7097050	DUB 595	2	Clay	Lt Grey	12	Martin Paquette	9/13/2006	
B630120	VA06105910	471928	7097234	DUB 595	3	Sand/Till	Lt Brown	15	Martin Paquette	9/13/2006	
B630121	VA06105910	471925	7097240	DUB 597	1	Sandy	Lt Brown	14	Martin Paquette	9/13/2006	
B630122	VA06105910	471962	7097495	DUB 597	2	Sandy	Lt Brown	12	Martin Paquette	9/14/2006	
B630123	VA06105910	471920	7097708	DUB 597	3	Sandy	Lt Brown	12	Martin Paquette	9/14/2006	
B630124	VA06105910	471922	7097742	DUB 599	1	Sandy	Lt Brown	12	Martin Paquette	9/14/2006	
B630125	VA06105910	471925	7097932	DUB 599	2	Sandy	Lt Brown	12	Martin Paquette	9/14/2006	
B630126	VA06105910	471926	7098152	DUB 599	3	Sandy Clay	Lt Brown	16	Martin Paquette	9/14/2006	
B630127	VA06105910	471930	7098174	DUB 601	1	Sandy Clay	Lt Brown	15	Martin Paquette	9/14/2006	
B630128	VA06105910	471921	7098378	DUB 601	2	Clay	Lt Brown	14	Martin Paquette	9/14/2006	
B630129	VA06105910	471922	7098596	DUB 601	3	Clay	Lt Brown	12	Martin Paquette	9/14/2006	
B630130	VA06105910	471920	7098609	DUB 603	1	Clay	Lt Brown	15	Martin Paquette	9/14/2006	
B630131	VA06105910	471868	7098803	DUB 603	2	Clay	Lt Grey	18	Martin Paquette	9/14/2006	
B630132	VA06105910	471936	7099024	DUB 603	3	Clay	Lt Grey	15	Martin Paquette	9/14/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B630133	VA06105910	471915	7099035	DUB 605	1	Clay	Lt Grey	17	Martin Paquette	9/14/2006	
B630134	VA06105910	471877	7099290	DUB 605	2	Clay	Lt Grey	19	Martin Paquette	9/14/2006	
B630135	VA06105910	471927	7099478	DUB 605	3	Clay	Lt Grey	14	Martin Paquette	9/14/2006	
B630136	VA06105910	471920	7099495	DUB 607	1	Clay	Lt Grey	12	Martin Paquette	9/14/2006	
B630137	VA06105910	471773	7099487	DUB 607	3	Clay	Lt Grey	12	Martin Paquette	9/14/2006	
B630138	VA06105910	472156	7099495	DUB 606	1	Clay	Lt Grey	12	Martin Paquette	9/14/2006	
B630139	VA06105910	472340	7099539	DUB 606	3	Clay	Lt Grey	12	Martin Paquette	9/14/2006	
B627751	VA06105911	470660	7101808	DUB 1587	3		Bluish Grey	12	Stephan Faria	9/12/2006	
B627752	VA06105911	470895	7101800	DUB 1587	2	Rock	Grey	12	Stephan Faria	9/12/2006	
B627753	VA06105911	471081	7101815	DUB 1587	1	Rock	Black	15	Stephan Faria	9/12/2006	
B627754	VA06105911	471100	7101830	DUB 1586	3	Rock	Bluish	20	Stephan Faria	9/12/2006	
B627755	VA06105911	471309	7101804	DUB 1586	2	Clay	Brown	16	Stephan Faria	9/12/2006	
B627756	VA06105911	471510	7101811	DUB 1586	1	Clay	Beige	12	Stephan Faria	9/12/2006	
B627757	VA06105911	471527	7101812	DUB 1585	3	Clay	Beige	12	Stephan Faria	9/12/2006	
B627758	VA06105911	471750	7101811	DUB 1585	2	Clay	Beige	13	Stephan Faria	9/12/2006	
B627759	VA06105911	471972	7101805	DUB 1585	1	Dirt	Bluish	12	Stephan Faria	9/12/2006	
B627760	VA06105911	472000	7101809	DUB 1584	3	Clay	Beige	12	Stephan Faria	9/12/2006	
B627761	VA06105911	472256	7101824	DUB 1584	2	Dirt	Brown	12	Stephan Faria	9/12/2006	
B627762	VA06105911	472420	7101822	DUB 1584	1	Clay	Beige	12	Stephan Faria	9/12/2006	
B627763	VA06105911	472428	7101808	DUB 1583	3	Dirt	Bluish	12	Stephan Faria	9/12/2006	
B627764	VA06105911	472633	7101808	DUB 1583	2	Clay	Beige	12	Stephan Faria	9/12/2006	
B627765	VA06105911	472846	7101809	DUB 1583	1	Clay	Beige	12	Stephan Faria	9/12/2006	
B627766	VA06105911	467528	7096839	Lynx 35	1	Clay	Brown	12	Stephan Faria	9/13/2006	
B627767	VA06105911	467766	7096838	Lynx 35	2	Dirt	Brown	12	Stephan Faria	9/13/2006	
B627768	VA06105911	467971	7096823	Lynx 37	1	Clay	Beige	12	Stephan Faria	9/13/2006	
B627769	VA06105911	467957	7096825	Lynx 35	3	Mud	Beige	12	Stephan Faria	9/13/2006	
B627770	VA06105911	468178	7096814	Lynx 37	2	Mud	Beige	13	Stephan Faria	9/13/2006	
B627771	VA06105911	468381	7096798	Lynx 37	3	Mud	Beige	12	Stephan Faria	9/13/2006	
B627772	VA06105911	468420	7096802	Lynx 34	1	Mud	Brown	12	Stephan Faria	9/13/2006	
B627773	VA06105911	468631	7096790	Lynx 34	2	Mud	Beige	12	Stephan Faria	9/13/2006	
B627774	VA06105911	468827	7096771	Lynx 34	3	Mud	Brown	12	Stephan Faria	9/13/2006	
B627775	VA06105911	468852	7096778	Lynx 41	1	Mud	Brown	12	Stephan Faria	9/13/2006	
B627776	VA06105911	469041	7096777	LYNX 40/41	2	Mud	Brown	12	Stephan Faria	9/14/2006	
B627777	VA06105911	469280	7096756	LYNX 40/41	3	Mud	Brown	12	Stephan Faria	9/14/2006	
B627778	VA06105911	469294	7096751	LYNX 42/43	1		Dk Brown	12	Stephan Faria	9/14/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B627779	VA06105911	469533	7096745	LYNX 42/43	2	Clay	Beige	12	Stephan Faria	9/14/2006	
B627780	VA06105911	469718	7096748	LYNX 42/43	3	Clay	Brown	12	Stephan Faria	9/14/2006	
B627781	VA06105911	469745	7096736	LYNX 44/45	1	Clay	Bluish	12	Stephan Faria	9/14/2006	
B627782	VA06105911	469956	7096719	LYNX 44/45	2	Dirt	Brown	12	Stephan Faria	9/14/2006	
B627783	VA06105911	470159	7096722	LYNX 44/45	3	Mud	Biege	12	Stephan Faria	9/14/2006	
B627784	VA06105911	470187	7096712	LYNX 46/47	1	Clay	Beige	12	Stephan Faria	9/14/2006	
B627785	VA06105911	470387	7096699	LYNX 46/47	2	Clay	Beige	12	Stephan Faria	9/14/2006	
B629101	VA06105911	462446	7096145	DUB 1597	1	Rocky	Green	18	Martin Gauvreau	9/12/2006	
B629102	VA06105911	462448	7096202	DUB 1597	2	Rocky	Green	18	Martin Gauvreau	9/12/2006	
B629103	VA06105911	462446	7096258	DUB 1597	3	Rocky	Green	18	Martin Gauvreau	9/12/2006	
B629104	VA06105911	461552	7096159	DUB 1595	1	Rocky	Green	18	Martin Gauvreau	9/12/2006	
B629105	VA06105911	461554	7096208	DUB 1595	2	Rocky	Brown/Green	18	Martin Gauvreau	9/12/2006	
B629106	VA06105911	461559	7096283	DUB 1595	3	Rocky	Brown/Green	18	Martin Gauvreau	9/12/2006	
B629107	VA06105911	473700	7100353	DUB 839	1	Clay	Green/Grey	18	Martin Gauvreau	9/13/2006	
B629108	VA06105911	473671	7100589	DUB 839	2	Clay	Brown/Green	18	Martin Gauvreau	9/13/2006	
B629109	VA06105911	473684	7100806	DUB 839	3	Clay	Brown/Green	18	Martin Gauvreau	9/13/2006	
B629110	VA06105911	473676	7100811	DUB 841	1	Clay	Brown/Green	18	Martin Gauvreau	9/13/2006	
B629111	VA06105911	473710	7100884	DUB 841	2	Rocky	Brown	12	Martin Gauvreau	9/13/2006	
B629112	VA06105911	473665	7101012	DUB 841	3	Rocky	Brown	12	Martin Gauvreau	9/13/2006	
B629113	VA06105911	473262	7096402	DUB 717/718	3	Clay	Grey/Green	18	Martin Gauvreau	9/14/2006	
B629114	VA06105911	473245	7096387	DUB 719/720	1	Clay	Grey/Green	18	Martin Gauvreau	9/14/2006	
B629115	VA06105911	473023	7096396	DUB 719/720	2	Clay	Grey/Green	18	Martin Gauvreau	9/14/2006	
B629116	VA06105911	472810	7096397	DUB 719/720	3	Clay	Grey/Green	18	Martin Gauvreau	9/14/2006	
B629117	VA06105911	472798	7096388	DUB 721/722	1	Clay	Grey/Green	18	Martin Gauvreau	9/14/2006	
B629118	VA06105911	472571	7096397	DUB 721/722	2	Permafrost	Dk Brown	12	Martin Gauvreau	9/14/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B629119	VA06105911	472371	7096396	DUB 721/722	3	Muck	Dk Brown	18	Martin Gauvreau	9/14/2006	
B630001	VA06105911	476767	7094640	DUB 663	1	Clay	Grey	24	Mat Ducharme	9/10/2006	
B630002	VA06105911	476773	7094649	DUB 664	1	Clay		20	Mat Ducharme	9/10/2006	
B630003	VA06105911	476468	7094627	DUB 663	2	Clay	Grey	16	Mat Ducharme	9/10/2006	
B630004	VA06105911	476476	7094644	DUB 664	2	Organic		20	Mat Ducharme	9/10/2006	
B630005	VA06105911	476331	7094627	DUB 663	3	Organic		16	Mat Ducharme	9/10/2006	
B630006	VA06105911	476341	7094638	DUB 664	3	Gravel/Mud		14	Mat Ducharme	9/10/2006	
B630007	VA06105911	476325	7094626	DUB 665	1	Permafrost		24	Mat Ducharme	9/10/2006	
B630008	VA06105911	476327	7094647	DUB 666	1	Permafrost		20	Mat Ducharme	9/10/2006	
B630009	VA06105911	476108	7094634	DUB 665	2	Clay		12	Mat Ducharme	9/10/2006	
B630010	VA06105911	476110	7094638	DUB 666	2	Clay/Gravel		16	Mat Ducharme	9/10/2006	
B630011	VA06105911	475889	7094627	DUB 665	3	Clay	Grey	14	Mat Ducharme	9/10/2006	
B630012	VA06105911	475892	7094647	DUB 666	3	Clay	Grey	18	Mat Ducharme	9/10/2006	
B630013	VA06105911	475876	7094633	DUB 667	1	Clay		16	Mat Ducharme	9/10/2006	
B630014	VA06105911	475879	7094640	DUB 668	1	Clay		16	Mat Ducharme	9/10/2006	
B630015	VA06105911	475667	7094631	DUB 667	2	Mud	Grey	14	Mat Ducharme	9/10/2006	
B630016	VA06105911	475669	7094645	DUB 668	2	Clay/Sand	Grey	16	Mat Ducharme	9/10/2006	
B630017	VA06105911	475443	7094631	DUB 667	3	Grey	Clay/Sand	18	Mat Ducharme	9/11/2006	
B630018	VA06105911	475452	7094647	DUB 668	3	Grey	Clay/Sand	18	Mat Ducharme	9/11/2006	
B630019	VA06105911	475433	7094626	DUB 669	1	Grey	Clay/Sand	20	Mat Ducharme	9/11/2006	
B630020	VA06105911	475434	7094653	DUB 670	1	Green/Grey	Moss/Sand	20	Mat Ducharme	9/11/2006	
B630021	VA06105911	475231	7094631	DUB 669	2	Sand w/ Gravel		22	Mat Ducharme	9/11/2006	
B630022	VA06105911	475236	7094654	DUB 670	2	Sand w/ Gravel		12	Mat Ducharme	9/11/2006	
B630023	VA06105911	475027	7094630	DUB 669	3	Sand/Clay		12	Mat Ducharme	9/11/2006	
B630024	VA06105911	475031	7094653	DUB 670	3	Silt/Clay		18	Mat Ducharme	9/11/2006	
B630025	VA06105911	475005	7094630	DUB 671	1	Sand/Clay		14	Mat Ducharme	9/11/2006	
B630026	VA06105911	475011	7094654	DUB 672	1	Clay/Gravel		18	Mat Ducharme	9/11/2006	
B630027	VA06105911	474777	7094624	DUB 671	2	Clay/Sand	Grey	18	Mat Ducharme	9/11/2006	
B630028	VA06105911	474774	7094658	DUB 672	2	Sand w/ Gravel		12	Mat Ducharme	9/11/2006	
B630029	VA06105911	474594	7094629	DUB 671	3	Clay	Grey	22	Mat Ducharme	9/11/2006	
B630030	VA06105911	474597	7094656	DUB 672	3	Sand w/ Gravel	Silver/Gold	12	Mat Ducharme	9/11/2006	
B630031	VA06105911	474582	7094622	DUB 673	1	Sand w/ Gravel	Silver/Gold	12	Mat Ducharme	9/11/2006	
B630032	VA06105911	474583	7094659	DUB 674	1	Sand w/ Gravel		18	Mat Ducharme	9/11/2006	
B630033	VA06105911	474344	7094628	DUB 673	2	Clay	Grey	18	Mat Ducharme	9/11/2006	
B630034	VA06105911	474365	7094650	DUB 674	2	Clay	Grey	18	Mat Ducharme	9/11/2006	
B630035	VA06105911	474136	7094622	DUB 673	3	Sand/Clay		18	Mat Ducharme	9/11/2006	
B630036	VA06105911	474167	7094655	DUB 674	3	Sand/Clay	Grey	18	Mat Ducharme	9/11/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B630037	VA06105911	474128	7094614	DUB 675	1	Clay/Mud/Sand	Grey	18	Mat Ducharme	9/11/2006	
B630038	VA06105911	474117	7094660	DUB 676	1	Clay/Mud/Sand	Grey	18	Mat Ducharme	9/11/2006	
B630039	VA06105911	473922	7094626	DUB 675	2	Clay	Grey	12	Mat Ducharme	9/12/2006	
B630040	VA06105911	473691	7094626	DUB 675	3	Clay		13	Mat Ducharme	9/12/2006	
B630041	VA06105911	473668	7094622	DUB 677	1	Mud		12	Mat Ducharme	9/12/2006	
B630042	VA06105911	473471	7094623	DUB 677	2	Sand/Gravel	Grey	14	Mat Ducharme	9/12/2006	
B630043	VA06105911	473263	7094631	DUB 677	3		Mud	20	Mat Ducharme	9/12/2006	
B630045	VA06105911	473046	7094618	DUB 679	2	Sand/Gravel		18	Mat Ducharme	9/12/2006	
B630046	VA06105911	472814	7094630	DUB 679	3	Sand/Clay	Black	12	Mat Ducharme	9/12/2006	
B630047	VA06105911	472794	7094625	DUB 681	1	Clay/Gravel/Sand	Grey	14	Mat Ducharme	9/12/2006	
B630048	VA06105911	472597	7094629	DUB 681	2	Clay	Grey	14	Mat Ducharme	9/12/2006	
B630049	VA06105911	472379	7094624	DUB 681	3	Mud/Gravel	Brown/Grey	16	Mat Ducharme	9/12/2006	
B630050	VA06105911	472345	7094626	DUB 582	1	Clay/Gravel	Orange/Grey	14	Mat Ducharme	9/12/2006	
B630051	VA06105911	472154	7094624	DUB 582	2	Permafrost		18	Mat Ducharme	9/12/2006	
B630052	VA06105911	471482	7095065	DUB 631	1	Clay		20	Mat Ducharme	9/13/2006	
B630053	VA06105911	471274	7095063	DUB 631	2	Clay/Sand	Brown	14	Mat Ducharme	9/13/2006	
B630054	VA06105911	471061	7095060	DUB 631	3	Clay		14	Mat Ducharme	9/13/2006	
B630055	VA06105911	471020	7095069	DUB 633	1	Clay		12	Mat Ducharme	9/13/2006	
B630056	VA06105911	470822	7095069	DUB 633	2	Clay	Grey	12	Mat Ducharme	9/13/2006	
B630057	VA06105911	470621	7095067	DUB 633	3	Clay/Gravel		12	Mat Ducharme	9/13/2006	
B630058	VA06105911	470584	7095065	DUB 635	1	Clay/Gravel	Orange/Brown	12	Mat Ducharme	9/13/2006	
B630059	VA06105911	470402	7095064	DUB 635	2	Sand/Gravel	Orange/Brown	12	Mat Ducharme	9/13/2006	
B630060	VA06105911	470181	7095063	DUB 635	3	Clay/Gravel		14	Mat Ducharme	9/13/2006	
B630061	VA06105911	470153	7095064	DUB 637	1	Clay/Gravel/Sand	Orange/Grey	12	Mat Ducharme	9/13/2006	
B630063	VA06105911	469742	7095066	DUB 637	3	Clay/Gravel		14	Mat Ducharme	9/13/2006	
B630064	VA06105911	469713	7095064	DUB 639	1	Clay/Gravel	Orange/Brown	12	Mat Ducharme	9/13/2006	
B630065	VA06105911	469516	7095052	DUB 639	2	Clay/Gravel		12	Mat Ducharme	9/13/2006	
B630066	VA06105911	469311	7095063	DUB 639	3	Clay	Orange/Brown	12	Mat Ducharme	9/13/2006	
B630067	VA06105911	469285	7095068	DUB 641	1	Clay	Orange/Brown	12	Mat Ducharme	9/13/2006	
B630068	VA06105911	469066	7095065	DUB 641	2	Clay	Orange/Brown	12	Mat Ducharme	9/13/2006	
B630069	VA06105911	468865	7095066	DUB 641	3	Clay	Brown/Yellow	12	Mat Ducharme	9/13/2006	
B630070	VA06105911	468865	7095066	DUB 643	1	Clay	Orange/Brown	12	Mat Ducharme	9/13/2006	
B630071	VA06105911	468635	7095062	DUB 643	2	Clay/Gravel/Sand	Brown/Grey	14	Mat Ducharme	9/13/2006	
B630072	VA06105911	468413	7095065	DUB 643	3	Silt/Sand	Brown/Orange	12	Mat Ducharme	9/14/2006	
B630073	VA06105911	468382	7095068	DUB 645	1	Silt/Sand	Brown/Orange	14	Mat Ducharme	9/14/2006	
B630074	VA06105911	468197	7095061	DUB 645	2	Sand.Gravel	Brown/Orange	12	Mat Ducharme	9/14/2006	
B630075	VA06105911	467976	7095060	DUB 645	3	Clay/Gravel	Grey	12	Mat Ducharme	9/14/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B630076	VA06105911	467959	7095072	DUB 647	1	Clay	Silver	12	Mat Ducharme	9/14/2006	
B630077	VA06105911	467741	7095066	DUB 647	2	Clay/Gravel		12	Mat Ducharme	9/14/2006	
B630078	VA06105911	467542	7095071	DUB 647	3	Clay	Grey	12	Mat Ducharme	9/14/2006	
B630079	VA06105911	467509	7095069	DUB 649	1	Silt	Brown	12	Mat Ducharme	9/14/2006	
B630080	VA06105911	467317	7095070	DUB 649	2	Sand/Gravel		14	Mat Ducharme	9/14/2006	
B630081	VA06105911	467105	7095063	DUB 649	3	Sand.Gravel	Brown/Orange	12	Mat Ducharme	9/14/2006	
B630082	VA06105911	467075	7095067	DUB 651	1	Silt/Gravel	Brown/Orange	12	Mat Ducharme	9/14/2006	
B630083	VA06105911	466876	7095064	DUB 651	2	Sand/Silt		12	Mat Ducharme	9/14/2006	
B630084	VA06105911	466671	7095069	DUB 651	3	Silt/Sand/Gravel	Brown/Orange	12	Mat Ducharme	9/14/2006	
B688151	VA06105911	470646	7101810	DUB 1588	1	Mossy	Brown	12	Chris Lutz	9/12/2006	
B688152	VA06105911	470451	7101792	DUB 1588	2	Muddy Gravel	Brown/Green	18	Chris Lutz	9/12/2006	
B688153	VA06105911	470211	7101805	DUB 1588	3	Gravel	Dk Brown	12	Chris Lutz	9/12/2006	
B688154	VA06105911	470202	7101810	DUB 1589	1	Gravel/Mud	Olive Green	12	Chris Lutz	9/12/2006	
B688155	VA06105911	469991	7101819	DUB 1589	2	Gravel/Mud	Brown/Green	12	Chris Lutz	9/12/2006	
B688156	VA06105911	469755	7101815	DUB 1589	3	Gravel/Mud	Green	14	Chris Lutz	9/12/2006	
B688157	VA06105911	469738	7101810	DUB 1590	1	Mud/Silt	Olive Green	14	Chris Lutz	9/12/2006	
B688158	VA06105911	469528	7101820	DUB 1590	2	Gravel/Dirt	Brown/Green	15	Chris Lutz	9/12/2006	
B688159	VA06105911	469334	7101811	DUB 1590	3	Gravel/Mud	Green	12	Chris Lutz	9/12/2006	
B688160	VA06105911	469322	7101812	DUB 1591	1	Gravel/Mud	Olive Green	14	Chris Lutz	9/12/2006	
B688162	VA06105911	468888	7101806	DUB 1591	3	Rock/Mud	Brown/Green	14	Chris Lutz	9/12/2006	
B688163	VA06105911	468878	7101820	DUB 1592	1	Gravel/Rock/Mud	Brown/Green	10	Chris Lutz	9/12/2006	
B688164	VA06105911	474573	7100373	DUB 826/827	1	Rocky Dirt	Brown/Green	10	Chris Lutz	9/13/2006	
B688165	VA06105911	474566	7100568	DUB 826/827	2	Clay	Brown/Green	14	Chris Lutz	9/13/2006	
B688166	VA06105911	474564	7100797	DUB 826/827	3	Dirt/Rock	Brown	12	Chris Lutz	9/13/2006	
B688167	VA06105911	474561	7100822	DUB 828/829	1	Dirt/Rock	Brown	10	Chris Lutz	9/13/2006	
B688168	VA06105911	474549	7101013	DUB 828/829	2	Clay	Brown	12	Chris Lutz	9/13/2006	
B688169	VA06105911	474560	7101229	DUB 828/829	3	Clay	Brown	10	Chris Lutz	9/13/2006	
B688170	VA06105911	474561	7101244	DUB 830/831	1	Clay	Brown/Green	15	Chris Lutz	9/13/2006	
B688171	VA06105911	474545	7101493	DUB 830/831	2	Shale/Dirt	Green	18	Chris Lutz	9/13/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B688172	VA06105911	474568	7101677	DUB 830/831	3	Shale/Dirt	Brown	14	Chris Lutz	9/13/2006	
B688173	VA06105911	474563	7101687	DUB 832/833	1	Shale/Dirt	Brown	10	Chris Lutz	9/13/2006	
B688174	VA06105911	474566	7101922	DUB 832/833	2	Shale/Dirt	Brown	10	Chris Lutz	9/13/2006	
B688175	VA06105911	474559	7102116	DUB 832/833	3	Shale/Dirt	Orange/Brown	15	Chris Lutz	9/13/2006	
B688176	VA06105911	474562	7102110	DUB 834/835	1	Shale/Dirt	Olive Green	15	Chris Lutz	9/13/2006	
B688177	VA06105911	474563	7102130	DUB 834/835	2	Shale/Dirt	Green	12	Chris Lutz	9/13/2006	
B688179	VA06105911	474551	7102557	DUB 836/837	1	Mud/Clay /Bedrock	Dark Brown	15	Chris Lutz	9/13/2006	
B688180	VA06105911	474555	7102753	DUB 836/837	2	Gravel	Dk Brown	20	Chris Lutz	9/13/2006	
B688181	VA06105911	474557	7103000	DUB 836/837	3	Dirt/Clay	Dk Brown	14	Chris Lutz	9/13/2006	
B688182	VA06105911	472427	7101357	DUB 860/861	3	Clay	Lt Green	15	Chris Lutz	9/14/2006	
B688183	VA06105911	472409	7101359	DUB 862/863	1	Clay	Lt Green	18	Chris Lutz	9/14/2006	
B688184	VA06105911	472186	7101352	DUB 862/863	2	Clay	Brown/Orange	12	Chris Lutz	9/14/2006	
B688185	VA06105911	471992	7101350	DUB 862/863	3	Clay	Brown/Green	14	Chris Lutz	9/14/2006	
B688186	VA06105911	471968	7101352	DUB 864/865	1	Clay/Rock	Lt Green	12	Chris Lutz	9/14/2006	
B688187	VA06105911	471736	7101356	DUB 864/865	2	Clay/Rock	Brown/Green	14	Chris Lutz	9/14/2006	
B688188	VA06105911	471542	7101357	DUB 864/865	3	Clay/Rock	Brown/Green	12	Chris Lutz	9/14/2006	Yellow Specks
B688189	VA06105911	471532	7101348	DUB 866/867	1	Clay/Rock	Olive Green	14	Chris Lutz	9/14/2006	
B688190	VA06105911	471321	7101378	DUB 866/867	2	Clay/Rock	Lt Green	12	Chris Lutz	9/14/2006	
B688191	VA06105911	471108	7101359	DUB 866/867	3	Clay/Mud/Sand	Brown/Green	14	Chris Lutz	9/14/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B688192	VA06105911	471085	7101359	DUB 868/869	1	Gravel.Mud	Olive Green	12	Chris Lutz	9/14/2006	
B688193	VA06105911	470872	7101329	DUB 868/869	2	Gravel/Shale	Dk Brown	14	Chris Lutz	9/14/2006	
B688194	VA06105911	470664	7101355	DUB 868/869	3	Shale/Clay	Dk Brown	18	Chris Lutz	9/14/2006	
B688195	VA06105911	470656	7101345	DUB 870/871	1	Mud/Rock	Dk Brown	15	Chris Lutz	9/14/2006	
B627786	VA06108015	471469	7096633	LYNX 51	3	Dirt	Brown	12	Stephan Faria	9/15/2006	
B627787	VA06108015	471255	7096667	LYNX 51	2	Dirt	Brown	12	Stephan Faria	9/15/2006	
B627788	VA06108015	471050	7096658	LYNX 51	1	Mud	Beige	12	Stephan Faria	9/15/2006	
B627789	VA06108015	471030	7096667	LYNX 49	3	Mud	Brown	12	Stephan Faria	9/15/2006	
B627790	VA06108015	470836	7096682	LYNX 49	2	Clay	Beige	12	Stephan Faria	9/15/2006	
B627791	VA06108015	470630	7096687	LYNX 49	1	Mud	Beige	12	Stephan Faria	9/15/2006	
B627792	VA06108015	470600	7096683	LYNX 47	3	Mud	Brown	12	Stephan Faria	9/15/2006	
B627793	VA06108015	476806	7107475	DUB 1211	1		Dk Brown	12	Stephan Faria	9/16/2006	
B627794	VA06108015	476577	7107472	DUB 1211	2		Dk Brown	12	Stephan Faria	9/16/2006	
B627795	VA06108015	476368	7107484	DUB 1211	3		Dk Brown	12	Stephan Faria	9/16/2006	
B627796	VA06108015	476378	7107489	DUB 1213	1	Mudd	Dk Brown	12	Stephan Faria	9/16/2006	
B627797	VA06108015	476106	7107481	DUB 1213	2	Mudd	Beige	12	Stephan Faria	9/16/2006	
B627798	VA06108015	475935	7107474	DUB 1213	3	Dirt	Beige	12	Stephan Faria	9/16/2006	
B627799	VA06108015	475920	7107466	DUB 1215	1	Clay	Beige	12	Stephan Faria	9/16/2006	
B627800	VA06108015	475699	7107495	DUB 1215	2		Bluish Grey	12	Stephan Faria	9/16/2006	
B628296	VA06108015	476801	7104878	DUB 1001	1	Silt	Brown	10	Simon Canvel	9/15/2006	
B628297	VA06108015	476600	7104870	DUB 1001	2	Silt	Grey	12	Simon Canvel	9/15/2006	
B628298	VA06108015	476356	7104872	DUB 1001	3	Silt	Grey	12	Simon Canvel	9/15/2006	
B628299	VA06108015	476327	7104866	DUB 1003	1	Silt	Grey	14	Simon Canvel	9/15/2006	
B628300	VA06108015	476148	7104862	DUB 1003	2	Silt	Grey	14	Simon Canvel	9/15/2006	
B628917	VA06108015	469994	7100495	DUB 853	2	Sand/Clay	Md Brown	12	Sean Inkster	9/15/2006	
B628918	VA06108015	469786	7100484	DUB 853	3	Sand/Clay	Md Brown	11	Sean Inkster	9/15/2006	
B628919	VA06108015	469745	7100482	DUB 855	1	Rocky/Gravel	Dk Brown	12	Sean Inkster	9/15/2006	
B628920	VA06108015	469567	7100484	DUB 855	2	Rocky/Gravel	Dk Brown	12	Sean Inkster	9/15/2006	
B628921	VA06108015	469337	7100486	DUB 855	3	Organic	Dark	20	Sean Inkster	9/15/2006	
B628922	VA06108015	469300	7100479	DUB 857	1	Organic	Dark	20	Sean Inkster	9/15/2006	
B628923	VA06108015	469122	7100474	DUB 857	2	Organic	Dark	20	Sean Inkster	9/15/2006	
B628924	VA06108015	468892	7100470	DUB 857	3	Organic	Dark	11	Sean Inkster	9/15/2006	
B628925	VA06108015	468862	7100478	DUB 859	1	Organic	Dark	10	Sean Inkster	9/15/2006	
B628926	VA06108015	468670	7100483	DUB 859	2	Sand/Silt	Md Brown	20	Sean Inkster	9/15/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B628927	VA06108015	468477	7100488	DUB 859	3	Sand/Silt	Lt Brown	12	Sean Inkster	9/15/2006	
B628928	VA06108015	476795	7106583	DUB 1129	1	Gravel/Mud	Lt Grey	12	Sean Inkster	9/16/2006	
B628929	VA06108015	476577	7106583	DUB 1129	2	Organics		12	Sean Inkster	9/16/2006	
B628930	VA06108015	476388	7106581	DUB 1129	3	Gravel	Lt Grey	12	Sean Inkster	9/16/2006	
B628931	VA06108015	476362	7106587	DUB 1131	1	Gravel	Lt Grey	12	Sean Inkster	9/16/2006	
B628932	VA06108015	476139	7106576	DUB 1131	2	Gravel	Lt Grey	12	Sean Inkster	9/16/2006	
B628933	VA06108015	475954	7106588	DUB 1131	3	Gravel	Lt Grey	12	Sean Inkster	9/16/2006	
B628934	VA06108015	475906	7106597	DUB 1133	1	Gravel/Clay	Md Grey	11	Sean Inkster	9/16/2006	
B628935	VA06108015	475671	7106588	DUB 1133	2	Gravel/Clay	Md Grey	12	Sean Inkster	9/16/2006	
B628936	VA06108015	475521	7106585	DUB 1133	3	Gravel/Clay	Md Grey	10	Sean Inkster	9/16/2006	
B628937	VA06108015	475479	7106570	DUB 1135	1	Silty Mud	Md Brown	14	Sean Inkster	9/16/2006	
B628938	VA06108015	475257	7106583	DUB 1135	2	Silty Mud	Dk Brown	12	Sean Inkster	9/16/2006	
B628939	VA06108015	475083	7106589	DUB 1135	3	Mudd	Md Grey	14	Sean Inkster	9/16/2006	
B628940	VA06108015	475024	7106582	DUB 1137	1	Mudd	Grey	12	Sean Inkster	9/16/2006	
B628941	VA06108015	474802	7106588	DUB 1137	2	Mud/Gravel	Dk Grey	12	Sean Inkster	9/16/2006	
B628942	VA06108015	474632	7106582	DUB 1137	3	Mud/Gravel	Dk Grey	20	Sean Inkster	9/16/2006	
B628943	VA06108015	474581	7106583	DUB 1139	1	Mudd	Grey	10	Sean Inkster	9/16/2006	
B628944	VA06108015	474371	7106602	DUB 1139	2	Clay/Gravel	Brown	10	Sean Inkster	9/16/2006	
B628945	VA06108015	450879	7107467	DUB 1327	3	Gravel/Clay	Md Brown	10	Sean Inkster	9/17/2006	
B628946	VA06108015	451090	7107459	DUB 1327	2	Gravel/Clay	Md Brown	12	Sean Inkster	9/17/2006	
B628947	VA06108015	451273	7107461	DUB 1327	1	Gravel/Clay	Md Brown	12	Sean Inkster	9/17/2006	
B628948	VA06108015	451312	7107467	DUB 1325	3	Clay	Md Brown	12	Sean Inkster	9/17/2006	
B628949	VA06108015	451536	7107478	DUB 1325	2	Gravel/Clay	Brown	14	Sean Inkster	9/17/2006	
B628950	VA06108015	451709	7107466	DUB 1325	1	Gravel/Clay	Md Brown	12	Sean Inkster	9/17/2006	
B629033	VA06108015	466260	7102190	DUB 41	1	Clay	Brown	14	Michel Gauvin	9/15/2006	
B629034	VA06108015	466233	7102018	DUB 41	2	Rocky	Brown	12	Michel Gauvin	9/15/2006	
B629035	VA06108015	466246	7101755	DUB 41	3		Brown	12	Michel Gauvin	9/15/2006	
B629036	VA06108015	466246	7101741	DUB 39	1	Clay/Gravel	Brown/Black	12	Michel Gauvin	9/15/2006	
B629037	VA06108015	466240	7101513	DUB 39	2	Clay/Gravel	Brown	12	Michel Gauvin	9/15/2006	
B629038	VA06108015	466239	7101306	DUB 39	3	Clay/Gravel	Brown	14	Michel Gauvin	9/15/2006	
B629039	VA06108015	466244	7101292	DUB 37	1	Clay/Gravel	Brown	14	Michel Gauvin	9/15/2006	
B629040	VA06108015	466242	7101089	DUB 37	2	Gravel	Grey/Brown	12	Michel Gauvin	9/15/2006	
B629041	VA06108015	466229	7100870	DUB 37	3	Sand	Brown	14	Michel Gauvin	9/15/2006	
B629042	VA06108015	466235	7100857	DUB 35	1	Sand/Gravel	Brown	14	Michel Gauvin	9/15/2006	
B629043	VA06108015	466245	7100638	DUB 35	2	Sand/Gravel	Brown/Red	14	Michel Gauvin	9/15/2006	
B629044	VA06108015	466236	7100421	DUB 35	3	Sand/Gravel	Brown	16	Michel Gauvin	9/15/2006	
B629045	VA06108015	466232	7100410	DUB 33	1	Gravel	Brown	14	Michel Gauvin	9/15/2006	
B629046	VA06108015	466240	7100211	DUB 33	2	Sand/Gravel	Brown	14	Michel Gauvin	9/15/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B629047	VA06108015	466232	7099979	DUB 33	3	Sand	Brown	16	Michel Gauvin	9/15/2006	
B629048	VA06108015	466236	7099962	DUB 31	1	Sand	Brown/Black	16	Michel Gauvin	9/15/2006	
B629049	VA06108015	466229	7099749	DUB 31	2	Gravel	Brown/Black	14	Michel Gauvin	9/15/2006	
B629050	VA06108015	466243	7099533	DUB 31	3	Clay	Brown/Black	16	Michel Gauvin	9/15/2006	
B629120	VA06108015	467197	7097947	LYNX 29	1	Rocky	Brown	12	Martin Gauvreau	9/15/2006	
B629121	VA06108015	467342	7098162	LYNX 27	3	Rocky	Brown	12	Martin Gauvreau	9/15/2006	
B629122	VA06108015	467373	7098630	LYNX 27	2	Rocky	Brown	12	Martin Gauvreau	9/15/2006	
B629123	VA06108015	467408	7098780	LYNX 27	1	Rocky	Brown	12	Martin Gauvreau	9/15/2006	
B629124	VA06108015	467393	7099006	LYNX 25	3	Rocky	Brown	12	Martin Gauvreau	9/15/2006	
B629125	VA06108015	467339	7099165	LYNX 25	2	Rocky	Brown	12	Martin Gauvreau	9/15/2006	
B629126	VA06108015	467339	7099379	LYNX 25	1	Rocky	Dk Brown	12	Martin Gauvreau	9/15/2006	
B629127	VA06108015	467334	7099568	LYNX 23	3	Rocky	Brown	12	Martin Gauvreau	9/15/2006	
B629128	VA06108015	467342	7099674	LYNX 23	2	Rocky	Brown	12	Martin Gauvreau	9/15/2006	
B629129	VA06108015	467341	7099801	LYNX 23	1	Rocky	Brown	12	Martin Gauvreau	9/15/2006	
B629130	VA06108015	467191	7097741	LYNX 29/30	2	Rocky	Lt Brown	18	Martin Gauvreau	9/16/2006	
B629131	VA06108015	467182	7097562	LYNX 29/30	3		Lt Brown	18	Martin Gauvreau	9/16/2006	
B629132	VA06108015	467186	7097543	LYNX 31/33	1	Rocky	Brown	18	Martin Gauvreau	9/16/2006	
B629133	VA06108015	467198	7097345	LYNX 31/33	2		Lt Brown	18	Martin Gauvreau	9/16/2006	
B629134	VA06108015	467190	7097134	LYNX 31/33	3		Lt Brown	18	Martin Gauvreau	9/16/2006	
B629135	VA06108015	467198	7096992	LYNX 55	1		Lt Brown	18	Martin Gauvreau	9/16/2006	
B629136	VA06108015	467190	7096773	LYNX 55	2		Brown	18	Martin Gauvreau	9/16/2006	
B629137	VA06108015	467186	7096542	LYNX 55	3		Brown	18	Martin Gauvreau	9/16/2006	
B629138	VA06108015	464047	7104873	DUB 233	1	Rocky	Brown/Green	12	Martin Gauvreau	9/17/2006	
B629139	VA06108015	463808	7104863	DUB 233	2	Rocky	Brown/Green	12	Martin Gauvreau	9/17/2006	
B629140	VA06108015	463611	7104877	DUB 233	3				Martin Gauvreau	9/17/2006	
B629141	VA06108015	463575	7104873	DUB 235	1	Rocky	Brown	12	Martin Gauvreau	9/17/2006	
B629142	VA06108015	463387	7104889	DUB 235	2	Rocky	Brown/Green	12	Martin Gauvreau	9/17/2006	
B629143	VA06108015	463170	7104863	DUB 235	3	Rocky	Dk Brown/Green	12	Martin Gauvreau	9/17/2006	
B629144	VA06108015	463164	7104863	DUB 237	1		Breen/Dk Brown	12	Martin Gauvreau	9/17/2006	
B629145	VA06108015	463387	7104889	DUB 237	2	Rocky	Brown	12	Martin Gauvreau	9/17/2006	
B629146	VA06108015	462733	7104865	DUB 237	3	Rocky	Brown	12	Martin Gauvreau	9/17/2006	
B629147	VA06108015	462707	7104854	DUB 239	1	Rocky	Brown	12	Martin Gauvreau	9/17/2006	
B629148	VA06108015	464038	7103990	DUB 209	1	Rocky	Dk Brown	12	Martin Gauvreau	9/18/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B629149	VA06108015	463807	7103988	DUB 209	2	Rocky	Dk Brown	12	Martin Gauvreau	9/18/2006	
B629150	VA06108015	463624	7104000	DUB 209	3	Rocky	Dk Brown	12	Martin Gauvreau	9/18/2006	
B629878	VA06108015	476796	7103107	DUB 909	1	Sand/Gravel	Brown	12	Mathieu Tremblay	9/15/2006	
B629879	VA06108015	476592	7103103	DUB 909	2	Clay/Fn Sand	Brown	12	Mathieu Tremblay	9/15/2006	
B629880	VA06108015	476384	7103107	DUB 909	3	Clay	Grey/Red	12	Mathieu Tremblay	9/15/2006	
B629881	VA06108015	476358	7103110	DUB 911	1	Clay	Grey/Red	12	Mathieu Tremblay	9/15/2006	
B629882	VA06108015	476149	7103107	DUB 911	2	Clay	Grey	12	Mathieu Tremblay	9/15/2006	
B629883	VA06108015	475941	7103110	DUB 911	3	Clay	Lt Grey	12	Mathieu Tremblay	9/15/2006	
B629884	VA06108015	475917	7103108	DUB 913	1	Clay/Lg Gravel	Lt Grey	14	Mathieu Tremblay	9/15/2006	
B629885	VA06108015	475709	7103105	DUB 913	2	Clay	Grey	12	Mathieu Tremblay	9/15/2006	
B629886	VA06108015	475503	7103104	DUB 913	3	Clay/Sand/Gravel	Lt Brown	12	Mathieu Tremblay	9/15/2006	
B629887	VA06108015	475478	7103102	DUB 915	1	Clay/Gravel	Dk Grey	12	Mathieu Tremblay	9/15/2006	
B629888	VA06108015	475290	7103097	DUB 915	2	Clay/Gravel	Grey	14	Mathieu Tremblay	9/15/2006	
B629889	VA06108015	475070	7103105	DUB 915	3	Clay	Grey/Brown	18	Mathieu Tremblay	9/15/2006	
B629890	VA06108015	475042	7103103	DUB 917	1	Clay	Dk Grey	18	Mathieu Tremblay	9/15/2006	
B629891	VA06108015	474820	7103100	DUB 917	2	Clay/Gravel	Grey	16	Mathieu Tremblay	9/15/2006	
B629892	VA06108015	474630	7103102	DUB 917	3	Clay/Rock	Dk Grey	26	Mathieu Tremblay	9/15/2006	
B629893	VA06108015	474595	7103106	DUB 919	1	Clay/Sheeted Rock	Grey/Brown	16	Mathieu Tremblay	9/15/2006	
B629894	VA06108015	474390	7103113	DUB 919	2	Clay/Gravel	Grey/Brown	18	Mathieu Tremblay	9/15/2006	
B629895	VA06108015	474187	7103111	DUB 919	3	Clay/Sand	Grey/Brown	14	Mathieu Tremblay	9/16/2006	
B629896	VA06108015	475435	7102540	DUB 823	3	Clay/Sand/Rock	Brown	12	Mathieu Tremblay	9/16/2006	
B629897	VA06108015	475428	7102575	DUB 825	1	Clay/Sand	Grey/Brown	12	Mathieu Tremblay	9/16/2006	
B629898	VA06108015	475446	7102845	DUB 825	2	Clay	Grey/Brown	12	Mathieu Tremblay	9/16/2006	
B629899	VA06108015	475442	7102991	DUB 825	3	Clay	Grey/Brown	12	Mathieu Tremblay	9/16/2006	
B629900	VA06108015	474159	7103105	DUB 921	1	Clay/Sand	Lt Brown	14	Mathieu Tremblay	9/16/2006	
B630085	VA06108015	476802	7103992	DUB 955	1	Clay	Grey	12	Mat Ducharme	9/15/2006	
B630086	VA06108015	476583	7103983	DUB 955	2	Clay	Grey	12	Mat Ducharme	9/15/2006	
B630087	VA06108015	476400	7103985	DUB 955	3	Clay	Grey	12	Mat Ducharme	9/15/2006	
B630088	VA06108015	476372	7103983	DUB 957	1	Clay/Gravel	Grey	12	Mat Ducharme	9/15/2006	
B630089	VA06108015	476155	7103988	DUB 957	2	Clay	Grey	12	Mat Ducharme	9/15/2006	
B630090	VA06108015	475944	7103988	DUB 957	3	Clay	Grey	12	Mat Ducharme	9/15/2006	
B630091	VA06108015	475911	7103990	DUB 959	1	Clay	Grey	12	Mat Ducharme	9/15/2006	
B630092	VA06108015	475702	7103985	DUB 959	2	Clay	Grey	12	Mat Ducharme	9/15/2006	
B630093	VA06108015	475519	7103990	DUB 959	3	Clay	Grey	14	Mat Ducharme	9/15/2006	
B630094	VA06108015	475489	7103990	DUB 961	1	Clay	Grey	14	Mat Ducharme	9/15/2006	
B630095	VA06108015	475271	7103985	DUB 961	2	Clay	Grey	12	Mat Ducharme	9/15/2006	
B630096	VA06108015	475031	7103989	DUB 961	3	Clay	Grey	12	Mat Ducharme	9/15/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B630097	VA06108015	475012	7103987	DUB 963	1	Gravel/Clay		12	Mat Ducharme	9/15/2006	
B630098	VA06108015	474825	7103982	DUB 963	2	Gravel/Clay	Brown/Grey	12	Mat Ducharme	9/15/2006	
B630099	VA06108015	474618	7103990	DUB 963	3	Clay		14	Mat Ducharme	9/15/2006	
B630100	VA06108015	474597	7103980	DUB 965	1	Clay		14	Mat Ducharme	9/15/2006	
B630140	VA06108015	471795	7099512	LYNX 1	1	Clay	Lt Grey	14	Martin Paquette	9/15/2006	
B630141	VA06108015	471568	7099502	LYNX 1	2	Clay	Lt Grey	12	Martin Paquette	9/15/2006	
B630142	VA06108015	470211	7099840	LYNX 9	1	Clay/Gravel	Lt Grey	15	Martin Paquette	9/15/2006	
B630143	VA06108015	470236	7099837	LYNX 7	3	Clay	Lt Grey	12	Martin Paquette	9/15/2006	
B630144	VA06108015	470426	7099841	LYNX 7	2	Clay/Gravel	Lt Grey/Brown	14	Martin Paquette	9/15/2006	
B630145	VA06108015	470650	7099843	LYNX 7	1	Clay/Gravel	Lt Grey	12	Martin Paquette	9/15/2006	
B630146	VA06108015	470563	7099834	LYNX 5	3	Clay	Lt Grey	14	Martin Paquette	9/15/2006	
B630147	VA06108015	470880	7099844	LYNX 5	2	Clay/Gravel	Lt Grey	12	Martin Paquette	9/15/2006	
B630148	VA06108015	471088	7099842	LYNX 5	1	Clay/Gravel	Lt Grey	12	Martin Paquette	9/15/2006	
B630149	VA06108015	471107	7099834	LYNX 3	3	Clay	Lt Grey	12	Martin Paquette	9/15/2006	
B630150	VA06108015	471472	7099851	LYNX 3	2	Clay	Lt Grey	12	Martin Paquette	9/15/2006	
B688196	VA06108015	470428	7101364	DUB 870/871	2	Shale/Gravel	Dk Green	18	Chris Lutz	9/15/2006	Reported wrong to ALS Chemex as B628196
B688197	VA06108015	469340	7101361	DUB 872/873	3	Mud/Clay	Dk Brown	8	Chris Lutz	9/15/2006	Reported wrong to ALS Chemex as B628197
B688198	VA06108015	469521	7101350	DUB 872/873	2	Organic	Dk Brown	18	Chris Lutz	9/15/2006	Reported wrong to ALS Chemex as B628198
B688199	VA06108015	476795	7105716	DUB 1047	1	Organics	Black/Brown	18	Chris Lutz	9/16/2006	Reported wrong to ALS Chemex as B628199
B688200	VA06108015	476577	7105696	DUB 1047	2	Clay/Gravel	Dk Green	20	Chris Lutz	9/16/2006	Reported wrong to ALS Chemex as B628200
B628101	VA06108016	457662	7105694	DUB 1369	2	Rock	Brown/Burgundy	14	Michel Gauvin	9/18/2006	
B628102	VA06108016	457464	7105708	DUB 1369	3	Gravel/Clay	Brown	12	Michel Gauvin	9/18/2006	
B628103	VA06108016	457458	7105703	DUB 1371	1	Clay/Qtz	Brown	14	Michel Gauvin	9/18/2006	
B628104	VA06108016	457236	7105710	DUB 1371	2	Sand/Qtz	Brown	14	Michel Gauvin	9/18/2006	
B628105	VA06108016	457024	7105708	DUB 1371	3	Sand/Gravel	Brown	12	Michel Gauvin	9/18/2006	
B628106	VA06108016	457000	7105710	DUB 1373	1	Sand/Clay	Brown	16	Michel Gauvin	9/18/2006	
B628107	VA06108016	456804	7105710	DUB 1373	2	Gravel	Brown	12	Michel Gauvin	9/18/2006	
B628108	VA06108016	456588	7105700	DUB 1373	3	Gravel	Brown	14	Michel Gauvin	9/18/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)

Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B628109	VA06108016	456568	7105706	DUB 1375	1	Gravel	Brown	14	Michel Gauvin	9/18/2006	
B628110	VA06108016	456344	7105700	DUB 1375	2	Clay	Brown/Black	20	Michel Gauvin	9/18/2006	
B628111	VA06108016	456146	7105706	DUB 1375	3	Gravel/Sandy	Brown	14	Michel Gauvin	9/18/2006	
B628112	VA06108016	456116	7106591	DUB 1341	1	Clay/Stone	Grey/Orange	14	Michel Gauvin	9/19/2006	
B628113	VA06108016	455913	7106588	DUB 1341	2	Sandy	Grey/Brown	16	Michel Gauvin	9/19/2006	
B628114	VA06108016	455703	7106594	DUB 1341	3	Gravel	Brown/Black	14	Michel Gauvin	9/19/2006	
B628115	VA06108016	455686	7106589	DUB 1343	1	Gravel	Orange/Brown	18	Michel Gauvin	9/19/2006	
B628116	VA06108016	455443	7106575	DUB 1343	2	Clay/Gravel	Brown/Red	14	Michel Gauvin	9/19/2006	
B628117	VA06108016	455252	7106583	DUB 1343	3	Sandy/Gravel	Brown	12	Michel Gauvin	9/19/2006	
B628118	VA06108016	455235	7106583	DUB 1345	1	Gravel	Brown/Grey	20	Michel Gauvin	9/19/2006	
B628119	VA06108016	455036	7106590	DUB 1345	2	Gravel	Brown	16	Michel Gauvin	9/19/2006	
B628120	VA06108016	454822	7106586	DUB 1345	3	Brown	Clay	14	Michel Gauvin	9/19/2006	
B628121	VA06108016	454802	7106582	DUB 1347	1	Clay/Gravel	Brown/Clay	16	Michel Gauvin	9/19/2006	
B628122	VA06108016	454600	7106584	DUB 1347	2	Rock/Gravel	Grey/Brown	14	Michel Gauvin	9/19/2006	
B628123	VA06108016	454387	7106585	DUB 1347	3	Clay/Gravel	Brown	12	Michel Gauvin	9/19/2006	
B628124	VA06108016	454370	7106579	DUB 1349	1	Sandy/Clay	Brown	18	Michel Gauvin	9/19/2006	
B628125	VA06108016	454153	7106590	DUB 1349	2	Clay	Brown	16	Michel Gauvin	9/19/2006	
B628126	VA06108016	453952	7106590	DUB 1349	3	Clay/Gravel	Grey/Brown	18	Michel Gauvin	9/19/2006	
B628127	VA06108016	453925	7106589	DUB 1351	1	Clay	Grey/Brown	16	Michel Gauvin	9/19/2006	
B628128	VA06108016	453721	7106589	DUB 1351	2	Clay/Gravel	Brown	12	Michel Gauvin	9/19/2006	
B628129	VA06108016	453495	7106586	DUB 1351	3	Rock/Clay	Brown/Black	14	Michel Gauvin	9/19/2006	
B628301	VA06108016	468637	7104899	DUB 1037	2	Silt	Brown/Grey	4	Simon Canvel	9/18/2006	Bedrock
B628302	VA06108016	468475	7104876	DUB 1037	3	Silt	Grey	8	Simon Canvel	9/18/2006	Bedrock
B628303	VA06108016	468446	7104863	DUB 1039	1	Silt	Grey	8	Simon Canvel	9/18/2006	Bedrock
B628304	VA06108016	468217	7104889	DUB 1039	2	Silt	Brown	6	Simon Canvel	9/18/2006	Bedrock
B628305	VA06108016	468026	7104861	DUB 1039	3	Silt	Grey	12	Simon Canvel	9/18/2006	
B628306	VA06108016	468015	7104868	DUB 1041	1	Silt	Grey	8	Simon Canvel	9/18/2006	Bedrock
B628307	VA06108016	467777	7104886	DUB 1041	2	Silt	Brown	4	Simon Canvel	9/18/2006	Bedrock
B628308	VA06108016	467569	7104875	DUB 1041	3	Silt/Gravel	Grey	6	Simon Canvel	9/18/2006	Bedrock
B628309	VA06108016	467561	7104877	DUB 1043	1	Silt	Brown/Grey	10	Simon Canvel	9/18/2006	
B628310	VA06108016	467346	7104885	DUB 1043	2	Silt	Grey	10	Simon Canvel	9/18/2006	
B628311	VA06108016	467147	7104865	DUB 1043	3	Silt	Brown	10	Simon Canvel	9/18/2006	
B628312	VA06108016	467127	7104870	DUB 1045	1	Silt	Grey	10	Simon Canvel	9/18/2006	
B628313	VA06108016	466905	7104883	DUB 1045	2	Silt	Grey	10	Simon Canvel	9/18/2006	
B628314	VA06108016	466716	7104878	DUB 1045	3	Silt	Grey	10	Simon Canvel	9/18/2006	
B628315	VA06108016	453471	7106592	DUB 1553	1	Silt	Grey	14	Simon Canvel	9/19/2006	
B628316	VA06108016	453251	7106591	DUB 1553	2	Silt	Grey	12	Simon Canvel	9/19/2006	
B628317	VA06108016	453041	7106609	DUB 1553	3	Silt	Grey	12	Simon Canvel	9/19/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)

Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B628318	VA06108016	453060	7106618	DUB 1555	1	Silt	Grey	12	Simon Canvel	9/19/2006	
B628319	VA06108016	452882	7106610	DUB 1555	2	Silt	Grey/Brown	8	Simon Canvel	9/19/2006	Bedrock
B628320	VA06108016	452627	7106598	DUB 1555	3	Silt	Grey	8	Simon Canvel	9/19/2006	Bedrock
B628321	VA06108016	452609	7106580	DUB 1557	1	Silt	Grey	18	Simon Canvel	9/19/2006	
B628322	VA06108016	452391	7106590	DUB 1557	2	Silt	Grey	14	Simon Canvel	9/19/2006	
B628323	VA06108016	452195	7106587	DUB 1557	3	Silt	Brown	4	Simon Canvel	9/19/2006	Bedrock
B628324	VA06108016	452155	7106582	DUB 1559	1	Silt	Brown	12	Simon Canvel	9/19/2006	
B628325	VA06108016	451800	7106580	DUB 1559	2	Silt	Brown	10	Simon Canvel	9/19/2006	
B628326	VA06108016	451550	7106583	DUB 1559	3	Silt	Grey	12	Simon Canvel	9/19/2006	
B628327	VA06108016	451720	7106588	DUB 1561	1	Silt	Brown	10	Simon Canvel	9/19/2006	
B628328	VA06108016	451510	7106590	DUB 1561	2	Silt	Brown	6	Simon Canvel	9/19/2006	Bedrock
B628329	VA06108016	451308	7106584	DUB 1561	3	Silt	Brown	6	Simon Canvel	9/19/2006	Bedrock
B628330	VA06108016	451277	7106578	DUB 1563	1	Silt	Brown	4	Simon Canvel	9/19/2006	Bedrock
B628331	VA06108016	451065	7106581	DUB 1563	2	Silt	Grey	6	Simon Canvel	9/19/2006	Bedrock
B628332	VA06108016	450861	7106589	DUB 1563	3	Silt	Brown	8	Simon Canvel	9/19/2006	Bedrock
B628401	VA06108016	469298	7103992	DUB 989	1	Silt/Sand		12	Mat Ducharme	9/18/2006	
B628402	VA06108016	469319	7103993	DUB 987	3	Talus		24	Mat Ducharme	9/18/2006	
B628403	VA06108016	469548	7103990	DUB 987	2	Sand/Gravel	Grey	12	Mat Ducharme	9/18/2006	
B628404	VA06108016	450962	7103080	DUB 1495	1	Silt	Brown	12	Mat Ducharme	9/19/2006	
B628405	VA06108016	450963	7103297	DUB 1495	2	Silt	Orange/Brown	12	Mat Ducharme	9/19/2006	
B628406	VA06108016	450966	7103514	DUB 1495	3	Silt		12	Mat Ducharme	9/19/2006	
B628407	VA06108016	450961	7103537	DUB 1497	1	Silt	Orange/Brown	12	Mat Ducharme	9/19/2006	
B628408	VA06108016	450968	7103739	DUB 1497	2	Sand/Rock		12	Mat Ducharme	9/19/2006	
B628409	VA06108016	450958	7103965	DUB 1497	3	Sand/Silt	Brown/Grey	12	Mat Ducharme	9/19/2006	
B628410	VA06108016	450960	7103981	DUB 1499	1	Sand	Brown		Mat Ducharme	9/19/2006	
B628411	VA06108016	450962	7104175	DUB 1499	2	Silt	Brown	12	Mat Ducharme	9/19/2006	
B628412	VA06108016	450965	7104384	DUB 1499	3	Silt	Brown/Grey	12	Mat Ducharme	9/19/2006	
B628413	VA06108016	450964	7104408	DUB 1501	1	Silt	Brown	12	Mat Ducharme	9/19/2006	
B628414	VA06108016	450963	7104619	DUB 1501	2	Silt	Orange/Brown	12	Mat Ducharme	9/19/2006	
B628415	VA06108016	450961	7104819	DUB 1501	3	Silt	Orange/Brown	14	Mat Ducharme	9/19/2006	
B628416	VA06108016	450970	7104844	DUB 1503	1	Silt	Orange/Brown	16	Mat Ducharme	9/19/2006	
B628417	VA06108016	450962	7105068	DUB 1503	2	Sand/Gravel	Dk Grey	12	Mat Ducharme	9/19/2006	
B628418	VA06108016	450968	7105262	DUB 1503	3	Sand/Gravel	Orange/Brown	14	Mat Ducharme	9/19/2006	
B628451	VA06108016	463609	7103997	DUB 211	1	Rocky	Dk Brown	12	Martin Gauvreau	9/18/2006	
B628452	VA06108016	463398	7103994	DUB 211	2	Rocky	Dk Brown	12	Martin Gauvreau	9/18/2006	
B628453	VA06108016	463196	7103991	DUB 211	3	Rocky	Dk Brown	12	Martin Gauvreau	9/18/2006	
B628454	VA06108016	463183	7103998	DUB 213	1	Rocky	Dk Brown	12	Martin Gauvreau	9/18/2006	
B628455	VA06108016	462968	7104001	DUB 213	2	Rocky	Dk Brown	12	Martin Gauvreau	9/18/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)

Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B628456	VA06108016	462742	7104004	DUB 213	3	Rocky	Dk Brown	12	Martin Gauvreau	9/18/2006	
B628457	VA06108016	462734	7103996	DUB 215	1	Rocky	Dk Brown	12	Martin Gauvreau	9/18/2006	
B628458	VA06108016	462514	7104005	DUB 215	2		Dk Brown	12	Martin Gauvreau	9/18/2006	
B628459	VA06108016	462312	7104002	DUB 215	3	Rocky	Brown	12	Martin Gauvreau	9/18/2006	
B628460	VA06108016	450860	7105714	DUB 1399	3	Rocky	Brown/Green	12	Martin Gauvreau	9/19/2006	
B628461	VA06108016	451071	7105727	DUB 1399	2	Rocky	Brown	12	Martin Gauvreau	9/19/2006	
B628462	VA06108016	451284	7105710	DUB 1399	1	Rocky	Brown/Green	12	Martin Gauvreau	9/19/2006	
B628463	VA06108016	451276	7105717	DUB 1397	3	Rocky	Brown	12	Martin Gauvreau	9/19/2006	
B628464	VA06108016	451510	7105719	DUB 1397	2	Rocky	Brown	12	Martin Gauvreau	9/19/2006	
B628465	VA06108016	451738	7105735	DUB 1397	1	Rocky	Brown	12	Martin Gauvreau	9/19/2006	
B628466	VA06108016	451758	7105730	DUB 1395	3	Rocky	Brown	12	Martin Gauvreau	9/19/2006	
B628467	VA06108016	451947	7105722	DUB 1395	2	Rocky	Brown	12	Martin Gauvreau	9/19/2006	
B628468	VA06108016	452170	7105716	DUB1395	1	Rocky	Brown/Green	12	Martin Gauvreau	9/19/2006	
B628469	VA06108016	452183	7105711	DUB 1393	3	Rocky	Brown	12	Martin Gauvreau	9/19/2006	
B628501	VA06108016	454485	7100886	DUB 1405	1	Sand	Brown/Grey	12	Mathieu Tremblay	9/19/2006	
B628502	VA06108016	454490	7101098	DUB 1405	2	Clay	Brown/Grey	16	Mathieu Tremblay	9/19/2006	
B628503	VA06108016	454496	7101311	DUB 1405	3	Clay/Rock	Lt Brown	14	Mathieu Tremblay	9/19/2006	
B628504	VA06108016	454493	7101332	DUB 1407	1	Clay/Rock	Red/Brown	12	Mathieu Tremblay	9/19/2006	
B628505	VA06108016	454469	7101547	DUB 1407	2	Sand/Rock	Lt Brown	12	Mathieu Tremblay	9/19/2006	
B628506	VA06108016	454495	7101743	DUB 1407	3	Clay/Sand/Rock	Lt Brown	12	Mathieu Tremblay	9/19/2006	
B628507	VA06108016	454491	7101770	DUB 1409	1	Clay/Sand/Gravel	Grey/Brown	12	Mathieu Tremblay	9/19/2006	
B628508	VA06108016	454494	7101996	DUB 1409	2	Clay	Red/Brown	12	Mathieu Tremblay	9/19/2006	
B628509	VA06108016	454484	7102186	DUB 1409	3	Clay/Rock	Brown	12	Mathieu Tremblay	9/19/2006	
B628510	VA06108016	454492	7102217	DUB 1411	1	Clay/Rock	Lt Brown	12	Mathieu Tremblay	9/19/2006	
B628511	VA06108016	454494	7102419	DUB 1411	2	Clay/Rock	Lt Brown	12	Mathieu Tremblay	9/19/2006	
B628512	VA06108016	454491	7102628	DUB 1411	3	Sand/Clay	Grey/Red	12	Mathieu Tremblay	9/19/2006	
B628513	VA06108016	454489	7102653	DUB 1413	1	Sand/Clay	Grey/Red	12	Mathieu Tremblay	9/19/2006	
B628514	VA06108016	454495	7102862	DUB 1413	2	Clay/Rock	Grey/Red	12	Mathieu Tremblay	9/19/2006	
B628515	VA06108016	454493	7103054	DUB 1413	3	Clay/Sand	Grey/Red	12	Mathieu Tremblay	9/19/2006	
B628516	VA06108016	454484	7103099	DUB 1415	1	Clay/Sand/Rock	Red/Brown	12	Mathieu Tremblay	9/19/2006	
B628517	VA06108016	454494	7103288	DUB 1415	2	Clay/Rocl	Grey/Brown	12	Mathieu Tremblay	9/19/2006	
B628518	VA06108016	454493	7103487	DUB 1415	3	Clay	Grey	12	Mathieu Tremblay	9/19/2006	
B628519	VA06108016	454488	7103568	DUB 1417	1	Clay/Gravel	Grey/Brown	12	Mathieu Tremblay	9/19/2006	
B628520	VA06108016	454484	7103737	DUB 1417	2	Clay/Gravel	Grey/Brown	12	Mathieu Tremblay	9/19/2006	
B628521	VA06108016	454489	7103944	DUB 1417	3	Clay/Sand/Gravel	Grey/Brown	12	Mathieu Tremblay	9/19/2006	
B628601	VA06108016	459641	7107468	DUB 1289	1		Dk Brown	12	Stephan Faria	9/18/2006	
B628602	VA06108016	459432	7107476	DUB 1289	2	Clay	Beige	12	Stephan Faria	9/18/2006	
B628603	VA06108016	459212	7107460	DUB 1289	3	Clay	Beige	12	Stephan Faria	9/18/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B628604	VA06108016	459207	7107465	DUB 1291	1	Clay	Beige	12	Stephan Faria	9/18/2006	
B628605	VA06108016	459024	7107476	DUB 1291	2		Lt Brown	12	Stephan Faria	9/18/2006	
B628606	VA06108016	458780	7107475	DUB 1291	3	Dirt	Brown	12	Stephan Faria	9/18/2006	
B628607	VA06108016	450972	7103069	DUB 1493	3	Dirt	Brown	12	Stephan Faria	9/19/2006	
B628608	VA06108016	450987	7102939	DUB 1493	2	Dirt	Beige	12	Stephan Faria	9/19/2006	
B628609	VA06108016	450973	7102648	DUB 1493	1	Rocky		12	Stephan Faria	9/19/2006	
B628610	VA06108016	450976	7102636	DUB 1491	3		Dk Brown	12	Stephan Faria	9/19/2006	
B628611	VA06108016	450972	7102421	DUB 1491	2		Red/Brown	12	Stephan Faria	9/19/2006	
B628612	VA06108016	450962	7102207	DUB 1491	1	Dirt	Grey	12	Stephan Faria	9/19/2006	
B628613	VA06108016	450971	7102192	DUB 1489	3	Dirt	Beige	12	Stephan Faria	9/19/2006	
B628614	VA06108016	450979	7101940	DUB 1489	2	Dirt	Beige	12	Stephan Faria	9/19/2006	
B628615	VA06108016	450971	7101767	DUB 1489	1	Dirt	Beige	12	Stephan Faria	9/19/2006	
B628616	VA06108016	450972	7101753	DUB 1487	3	Dirt	Beige	12	Stephan Faria	9/19/2006	
B628617	VA06108016	450965	7101551	DUB 1487	2	Dirt	Brown	12	Stephan Faria	9/19/2006	
B628618	VA06108016	450980	7101325	DUB 1487	1	Dirt	Beige	12	Stephan Faria	9/19/2006	
B628619	VA06108016	450972	7101319	DUB 1485	3		Beige/Grey	12	Stephan Faria	9/19/2006	
B628620	VA06108016	450981	7101051	DUB 1485	2	Dirt	Brown	12	Stephan Faria	9/19/2006	
B628621	VA06108016	450974	7100891	DUB 1485	1	Dirt	Beige	12	Stephan Faria	9/19/2006	
B629201	VA06108016	453516	7105708	DUB 1387	1	Sand/Gravel	Lt Grey	15	Martin Paquette	9/18/2006	
B629202	VA06108016	453703	7105702	DUB 1387	2	Sand/Gravel	Lt Grey/Brown	14	Martin Paquette	9/18/2006	
B629203	VA06108016	453973	7105710	DUB 1387	3	Sand/Gravel	Lt Brown	12	Martin Paquette	9/18/2006	
B629204	VA06108016	453990	7105704	DUB 1385	1	Sand/Gravel	Lt Brown	14	Martin Paquette	9/18/2006	
B629205	VA06108016	454148	7105707	DUB 1385	2	Sand/Gravel	Lt Brown	12	Martin Paquette	9/18/2006	
B629206	VA06108016	454485	7105709	DUB 1385	3	Sand/Gravel	Lt Brown	13	Martin Paquette	9/18/2006	
B629207	VA06108016	454493	7105710	DUB 1383	1	Sand/Gravel	Lt Brown	15	Martin Paquette	9/18/2006	
B629208	VA06108016	454597	7105719	DUB 1383	2	Talus/Sand /Gravel	Lt Brown	12	Martin Paquette	9/18/2006	
B629209	VA06108016	454795	7105725	DUB 1383	3	Sand	Lt Brown	12	Martin Paquette	9/18/2006	
B629210	VA06108016	454809	7105713	DUB 1381	1	Sand	Lt Brown	12	Martin Paquette	9/18/2006	
B629211	VA06108016	455047	7105704	DUB 1381	2	Sand	Lt Brown	12	Martin Paquette	9/18/2006	
B629212	VA06108016	455692	7105710	DUB 1377	3	Sand/Gravel	Lt Brown	12	Martin Paquette	9/19/2006	
B629213	VA06108016	455465	7105712	DUB 1379	2	Sand/Gravel	Lt Brown	15	Martin Paquette	9/19/2006	
B629214	VA06108016	455679	7105709	DUB 1379	1	Sand/Gravel	Lt Brown	12	Martin Paquette	9/19/2006	
B629215	VA06108016	455912	7105713	DUB 1377	2	Sand/Gravel	Lt Brown	12	Martin Paquette	9/19/2006	
B629216	VA06108016	456124	7105710	DUB 1377	1	Sand/Gravel	Lt Brown	12	Martin Paquette	9/19/2006	
B629217	VA06108016	455258	7105711	DUB 1379	3	Talus/Sand /Gravel	Lt Brown	14	Martin Paquette	9/19/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B629218	VA06108016	455253	7105694	DUB 1381	1	Talus/Sand /Gravel	Lt Brown	12	Martin Paquette	9/19/2006	
B629219	VA06108016	454513	7105263	DUB 1423	1	Talus/Sand /Gravel	Dk Brown	15	Martin Paquette	9/19/2006	
B629220	VA06108016	454537	7105062	DUB 1423	2	Sand/Gravel	Dk Brown	12	Martin Paquette	9/19/2006	
B629221	VA06108016	454486	7104833	DUB 1423	3	Sand/Gravel	Dk Brown	14	Martin Paquette	9/19/2006	
B629222	VA06108016	454506	7104802	DUB 1421	1	Sand/Gravel	Dk Brown	14	Martin Paquette	9/19/2006	
B629223	VA06108016	454547	7104614	DUB 1421	2	Sand/Gravel	Lt Brown	15	Martin Paquette	9/19/2006	
B629224	VA06108016	454495	7104406	DUB 1421	3	Sand/Gravel	Lt Brown	12	Martin Paquette	9/19/2006	
B629225	VA06108016	454493	7104389	DUB 1419	1	Sand/Gravel	Lt Brown	12	Martin Paquette	9/19/2006	
B629226	VA06108016	454511	7104172	DUB 1419	2	Talus/Sand /Gravel	Lt Grey	15	Martin Paquette	9/19/2006	
B627851	VA06108017	475507	7107473	DUB 1215	3	Dirt	Brown	12	Stephan Faria	9/16/2006	
B627852	VA06108017	475482	7107475	DUB 1217	1		Dk Brown	12	Stephan Faria	9/16/2006	
B627853	VA06108017	475282	7107478	DUB 1217	2		Red/Brown	12	Stephan Faria	9/16/2006	
B627854	VA06108017	475056	7107474	DUB 1217	3		Dk Brown	12	Stephan Faria	9/16/2006	
B627855	VA06108017	475035	7107482	DUB 1219	1		Blue/Grey	12	Stephan Faria	9/16/2006	
B627856	VA06108017	474834	7107482	DUB 1219	2	Clay	Brown	12	Stephan Faria	9/16/2006	
B627857	VA06108017	474629	7107476	DUB 1219	3	Clay	Blue	12	Stephan Faria	9/16/2006	
B627858	VA06108017	474607	7107465	DUB 1221	1	Mudd	Green	12	Stephan Faria	9/16/2006	
B627859	VA06108017	474396	7107463	DUB 1221	2	Clay	Beige	12	Stephan Faria	9/16/2006	
B627860	VA06108017	474183	7107473	DUB 1221	3	Clay	Blue	12	Stephan Faria	9/16/2006	
B627861	VA06108017	474156	7107476	DUB 1223	1		Blue/Green	12	Stephan Faria	9/16/2006	
B627862	VA06108017	473967	7107477	DUB 1223	2	Clay	Beige	12	Stephan Faria	9/16/2006	
B627863	VA06108017	473740	7107478	DUB 1223	3	Mudd	Brown	12	Stephan Faria	9/16/2006	
B627864	VA06108017	473727	7107483	DUB 1225	1		Blue/Brown	12	Stephan Faria	9/16/2006	
B627865	VA06108017	464943	7107427	DUB 1265	1	Clay	Beige	12	Stephan Faria	9/17/2006	
B627866	VA06108017	464754	7107490	DUB 1265	2	Clay	Beige	12	Stephan Faria	9/17/2006	
B627867	VA06108017	464501	7107471	DUB 1265	3	Clay	Beige	12	Stephan Faria	9/17/2006	
B627868	VA06108017	464484	7107473	DUB 1267	1		Blue/Grey	12	Stephan Faria	9/17/2006	
B627869	VA06108017	464276	7107463	DUB 1267	2	Clay	Brown	12	Stephan Faria	9/17/2006	
B627870	VA06108017	464065	7107467	DUB 1267	3	Mudd	Grey	12	Stephan Faria	9/17/2006	
B627871	VA06108017	464051	7107460	DUB 1269	1	Clay	Grey	12	Stephan Faria	9/17/2006	
B627872	VA06108017	463816	7107468	DUB 1269	2		Brown/Grey	12	Stephan Faria	9/17/2006	
B627873	VA06108017	463605	7107472	DUB 1269	3	Clay	Beige	12	Stephan Faria	9/17/2006	
B627874	VA06108017	463589	7107467	DUB 1271	1	Clay	Beige	12	Stephan Faria	9/17/2006	
B627875	VA06108017	463385	7107479	DUB 1271	2	Clay	Beige	12	Stephan Faria	9/17/2006	
B627876	VA06108017	463180	7107475	DUB 1271	3	Clay	Mudd	12	Stephan Faria	9/17/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B627877	VA06108017	463166	7107454	DUB 1273	1	Clay	Beige	12	Stephan Faria	9/17/2006	
B627878	VA06108017	462946	7107454	DUB 1273	2	Clay	Beige	12	Stephan Faria	9/17/2006	
B627879	VA06108017	462741	7107469	DUB 1273	3		Brown/Grey	12	Stephan Faria	9/18/2006	
B627880	VA06108017	462727	7107469	DUB 1275	1	Dirt	Brown	12	Stephan Faria	9/18/2006	
B627881	VA06108017	462639	7107479	DUB 1275	2	Clay	Beige	12	Stephan Faria	9/18/2006	
B627882	VA06108017	462298	7107472	DUB 1275	3	Dirt	Beige	12	Stephan Faria	9/18/2006	
B627883	VA06108017	462292	7107470	DUB 1277	1	Dirt	Beige	12	Stephan Faria	9/18/2006	
B627884	VA06108017	462071	7107466	DUB 1277	2		Dk Brown	12	Stephan Faria	9/18/2006	
B627885	VA06108017	461865	7107473	DUB 1277	3		Dk Brown	12	Stephan Faria	9/18/2006	
B627886	VA06108017	461847	7107471	DUB 1279	1		Dk Brown	12	Stephan Faria	9/18/2006	
B627887	VA06108017	461661	7107488	DUB 1279	2		Dk Brown	12	Stephan Faria	9/18/2006	
B627888	VA06108017	461413	7107484	DUB 1279	3		Lt Brown	12	Stephan Faria	9/18/2006	
B627889	VA06108017	461404	7107479	DUB 1281	1	Clay	Brown	12	Stephan Faria	9/18/2006	
B627890	VA06108017	461149	7107475	DUB 1281	2	Dirt	Beige	12	Stephan Faria	9/18/2006	
B627891	VA06108017	460986	7107469	DUB 1281	3		Brown/Grey	12	Stephan Faria	9/18/2006	
B627892	VA06108017	460971	7107474	DUB 1283	1	Dirt	Brown	12	Stephan Faria	9/18/2006	
B627893	VA06108017	460775	7107469	DUB 1283	2	Dirt	Brown	12	Stephan Faria	9/18/2006	
B627894	VA06108017	460643	7107475	DUB 1283	3	Clay	Grey	12	Stephan Faria	9/18/2006	
B627895	VA06108017	460520	7107471	DUB 1285	1	Gravel	Beige	12	Stephan Faria	9/18/2006	
B627896	VA06108017	460300	7107484	DUB 1285	2	Dirt	Brown	12	Stephan Faria	9/18/2006	
B627897	VA06108017	460104	7107480	DUB 1285	3	Dirt	Brown	12	Stephan Faria	9/18/2006	
B627898	VA06108017	460087	7107475	DUB 1287	1	Dirt	Brown	12	Stephan Faria	9/18/2006	
B627899	VA06108017	459841	7107477	DUB 1287	2	Clay	Beige	12	Stephan Faria	9/18/2006	
B627900	VA06108017	459652	7107478	DUB 1287	3	Dirt	Brown	12	Stephan Faria	9/18/2006	
B627901	VA06108017	474381	7103987	DUB 965	2	Clay	Grey/Brown	14	Mat Ducharme	9/15/2006	
B627902	VA06108017	474185	7103980	DUB 965	3	Gravel/Clay		24	Mat Ducharme	9/15/2006	
B627903	VA06108017	474162	7103975	DUB 967	1	Moss		24	Mat Ducharme	9/15/2006	
B627904	VA06108017	473939	7103989	DUB 967	2	Clay/Gravel		14	Mat Ducharme	9/16/2006	
B627905	VA06108017	473734	7103990	DUB 967	3	Clay		14	Mat Ducharme	9/16/2006	
B627906	VA06108017	473707	7103986	DUB 969	1	Clay		12	Mat Ducharme	9/16/2006	
B627907	VA06108017	473517	7103982	DUB 969	2	Silt/Gravel	Brown	12	Mat Ducharme	9/16/2006	
B627908	VA06108017	473300	7103984	DUB 969	3	Clay/Gravel		12	Mat Ducharme	9/16/2006	
B627909	VA06108017	473279	7103984	DUB 971	1	Silt/Gravel	Orange/Brown	12	Mat Ducharme	9/16/2006	
B627910	VA06108017	473065	7103987	DUB 971	2	Silt	Orange/Brown	12	Mat Ducharme	9/16/2006	
B627911	VA06108017	472853	7103972	DUB 971	3	Clay/Gravel		14	Mat Ducharme	9/16/2006	
B627912	VA06108017	472833	7103976	DUB 973	1	Clay		14	Mat Ducharme	9/16/2006	
B627913	VA06108017	472631	7103992	DUB 973	2	Silt	Orange/Brown	12	Mat Ducharme	9/16/2006	
B627914	VA06108017	472435	7103986	DUB 973	3	Clay/Silt		12	Mat Ducharme	9/16/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)

Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B627915	VA06108017	472404	7103980	DUB 975	1	Clay/Silt		12	Mat Ducharme	9/16/2006	
B627916	VA06108017	472195	7103990	DUB 975	2	Silt	Orange/Brown	12	Mat Ducharme	9/16/2006	
B627917	VA06108017	472001	7103991	DUB 975	3	Silt		14	Mat Ducharme	9/16/2006	
B627918	VA06108017	471966	7103992	DUB 977	1	Sand/Gravel		12	Mat Ducharme	9/16/2006	
B627919	VA06108017	471746	7103979	DUB 977	2	Clay	Grey	14	Mat Ducharme	9/16/2006	
B627920	VA06108017	471539	7103970	DUB 977	3	Silt		18	Mat Ducharme	9/16/2006	
B627921	VA06108017	471535	7103980	DUB 979	1	Silt/Rock		24	Mat Ducharme	9/16/2006	
B627922	VA06108017	471317	7103988	DUB 979	2	Clay	Grey	14	Mat Ducharme	9/16/2006	
B627923	VA06108017	471110	7103984	DUB 979	3	Clay	Grey	14	Mat Ducharme	9/16/2006	
B627924	VA06108017	471085	7103987	DUB 981	1	Clay	Grey	14	Mat Ducharme	9/16/2006	
B627925	VA06108017	470867	7103990	DUB 981	2	Clay	Grey	14	Mat Ducharme	9/17/2006	
B627926	VA06108017	470668	7103986	DUB 981	3	Clay		12	Mat Ducharme	9/17/2006	
B627927	VA06108017	470648	7103990	DUB 983	1	Clay	Brown/Grey	12	Mat Ducharme	9/17/2006	
B627928	VA06108017	470420	7103990	DUB 983	2	Clay/Sand		14	Mat Ducharme	9/17/2006	
B627929	VA06108017	470232	7103990	DUB 983	3	Clay		12	Mat Ducharme	9/17/2006	
B627930	VA06108017	470207	7103990	DUB 985	1	Clay		12	Mat Ducharme	9/17/2006	
B627931	VA06108017	469958	7103990	DUB 985	2	Silt		12	Mat Ducharme	9/17/2006	
B627932	VA06108017	469784	7103991	DUB 985	3	Sand/Gravel		14	Mat Ducharme	9/17/2006	
B627933	VA06108017	469775	7103989	DUB 987	1	Clay		14	Mat Ducharme	9/17/2006	
B627934	VA06108017	466696	7103982	DUB 999	3	Silt/Gravel		12	Mat Ducharme	9/18/2006	
B627935	VA06108017	466903	7103981	DUB 999	2	Silt	Brown	12	Mat Ducharme	9/18/2006	
B627936	VA06108017	467111	7103985	DUB 999	1	Silt		12	Mat Ducharme	9/18/2006	
B627937	VA06108017	467144	7103998	DUB 997	3	Silt		12	Mat Ducharme	9/18/2006	
B627938	VA06108017	467335	7103991	DUB 997	2	Silt/Gravel	Brown	12	Mat Ducharme	9/18/2006	
B627939	VA06108017	467554	7103991	DUB 997	1	Silt/Sand	Orange/Brown	12	Mat Ducharme	9/18/2006	
B627940	VA06108017	467585	7103990	DUB 995	3	Sand	Orange/Brown	12	Mat Ducharme	9/18/2006	
B627941	VA06108017	467772	7103983	DUB 995	2	Silt	Orange/Brown	12	Mat Ducharme	9/18/2006	
B627942	VA06108017	467975	7103990	DUB 995	1	Silt		12	Mat Ducharme	9/18/2006	
B627943	VA06108017	467999	7103985	DUB 993	3	Silt	Brown	12	Mat Ducharme	9/18/2006	
B627944	VA06108017	468221	7103985	DUB 993	2	Silt/Rock		22	Mat Ducharme	9/18/2006	
B627945	VA06108017	468424	7103986	DUB 993	1	Silt	Brown	12	Mat Ducharme	9/18/2006	
B627946	VA06108017	468452	7103991	DUB 991	3	Silt	Brown	12	Mat Ducharme	9/18/2006	
B627947	VA06108017	468669	7103991	DUB 991	2	Talus/Silt	Brown	18	Mat Ducharme	9/18/2006	
B627948	VA06108017	468867	7103984	DUB 991	1	Silt/Sand	Brown	14	Mat Ducharme	9/18/2006	
B627949	VA06108017	468900	7103988	DUB 989	3	Silt/Sand	Borwn	12	Mat Ducharme	9/18/2006	
B627950	VA06108017	469102	7103985	DUB 989	2	Gravel/Sandy	Brown	12	Mat Ducharme	9/18/2006	
B628051	VA06108017	473988	7103110	DUB 921	2	Clay	Brown/Red	12	Mathieu Tremblay	9/16/2006	
B628052	VA06108017	473742	7103110	DUB 921	3	Clay/Sand	Brown	12	Mathieu Tremblay	9/16/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B628053	VA06108017	473720	7103099	DUB 923	1	Clay/Gravel	Grey/Brown	12	Mathieu Tremblay	9/16/2006	
B628054	VA06108017	473507	7103093	DUB 923	2	Sand/Gravel	Brown	12	Mathieu Tremblay	9/16/2006	
B628055	VA06108017	473301	7103115	DUB 923	3	Sand/Lg Rock	Brown	12	Mathieu Tremblay	9/16/2006	
B628056	VA06108017	473282	7103111	DUB 925	1	Fn Sand	Brown	12	Mathieu Tremblay	9/16/2006	
B628057	VA06108017	473051	7103112	DUB 925	2	Sand/Rock	Brown	14	Mathieu Tremblay	9/16/2006	
B628058	VA06108017	472866	7103114	DUB 925	3	Fn Sand	Brown	12	Mathieu Tremblay	9/16/2006	
B628059	VA06108017	472830	7103115	DUB 927	1	Sand	Brown	12	Mathieu Tremblay	9/16/2006	
B628060	VA06108017	472608	7103113	DUB 927	2	Sand	Brown	12	Mathieu Tremblay	9/16/2006	
B628061	VA06108017	472422	7103105	DUB 927	3	Sand/Rock	Brown	12	Mathieu Tremblay	9/17/2006	
B628062	VA06108017	472393	7103109	DUB 929	1	Sand/Rock	Brown	12	Mathieu Tremblay	9/17/2006	
B628063	VA06108017	472190	7103102	DUB 929	2	Sand/Rock	Brown	12	Mathieu Tremblay	9/17/2006	
B628064	VA06108017	471984	7103099	DUB 929	3	Rock talus		14	Mathieu Tremblay	9/17/2006	
B628065	VA06108017	471965	7103110	DUB 931	1	Rock talus		12	Mathieu Tremblay	9/17/2006	
B628066	VA06108017	471745	7103117	DUB 931	2	Rock/Sand	Brown/Red	12	Mathieu Tremblay	9/17/2006	
B628067	VA06108017	471547	7103110	DUB 931	3	Clay/Rock	Grey	18	Mathieu Tremblay	9/17/2006	
B628068	VA06108017	471510	7103108	DUB 933	1	Clay/Sand	Dk Grey	18	Mathieu Tremblay	9/17/2006	
B628069	VA06108017	471273	7103107	DUB 933	2	Clay/Sand	Dk Grey	18	Mathieu Tremblay	9/17/2006	
B628070	VA06108017	471100	7103112	DUB 933	3	Clay	Dk Grey	12	Mathieu Tremblay	9/17/2006	
B628071	VA06108017	471079	7103116	DUB 935	1	Clay/Rock	Dk Grey	16	Mathieu Tremblay	9/17/2006	
B628072	VA06108017	470879	7103111	DUB 935	2	Clay	Brown	12	Mathieu Tremblay	9/17/2006	
B628073	VA06108017	470664	7103110	DUB 935	3	Clay	Grey	16	Mathieu Tremblay	9/17/2006	
B628074	VA06108017	470635	7103107	DUB 937	1	Clay	Grey/Red	14	Mathieu Tremblay	9/17/2006	
B628075	VA06108017	470434	7103101	DUB 937	2	Clay/Gravel	Grey/Brown	12	Mathieu Tremblay	9/17/2006	
B628076	VA06108017	470220	7103109	DUB 937	3	Clay/Sand	Lt Grey	12	Mathieu Tremblay	9/17/2006	
B628077	VA06108017	470192	7103111	DUB 939	1	Clay	Dk Grey	18	Mathieu Tremblay	9/17/2006	
B628078	VA06108017	469987	7103103	DUB 939	2	Clay/Gravel	Grey/Brown	18	Mathieu Tremblay	9/17/2006	
B628079	VA06108017	469784	7103099	DUB 939	3	Gravel/Clay	Dk Grey	16	Mathieu Tremblay	9/17/2006	
B628080	VA06108017	469763	7103109	DUB 941	1	Gravel/Clay	Grey	16	Mathieu Tremblay	9/17/2006	
B628081	VA06108017	466696	7103109	DUB 953	3	Clay/Sand	Brown	12	Mathieu Tremblay	9/18/2006	
B628082	VA06108017	466918	7103110	DUB 953	2	Clay/Sand	Brown	12	Mathieu Tremblay	9/18/2006	
B628083	VA06108017	467115	7103110	DUB 953	1	Clay/Sand	Brown	12	Mathieu Tremblay	9/18/2006	
B628084	VA06108017	467140	7103107	DUB 951	3	Clay/Sand	Brown	12	Mathieu Tremblay	9/18/2006	
B628085	VA06108017	467346	7103110	DUB 951	2	Clay/Sand	Red/Brown	12	Mathieu Tremblay	9/18/2006	
B628086	VA06108017	467561	7103103	DUB 951	1	Clay/Sand	Lt Brown	12	Mathieu Tremblay	9/18/2006	
B628087	VA06108017	467606	7103096	DUB 949	3	Clay/Sand	Lt Brown	12	Mathieu Tremblay	9/18/2006	
B628088	VA06108017	467796	7103110	DUB 949	2	Clay/Sand	Brown	12	Mathieu Tremblay	9/18/2006	
B628089	VA06108017	468000	7103091	DUB 949	1	Clay/Sand	Dk Grey	12	Mathieu Tremblay	9/18/2006	
B628090	VA06108017	468017	7103096	DUB 947	3	Clay/Sand	Brown	12	Mathieu Tremblay	9/18/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B628091	VA06108017	468226	7103093	DUB 947	2	Clay/Sand	Brown	12	Mathieu Tremblay	9/18/2006	
B628092	VA06108017	468443	7103105	DUB 947	1	Clay	Grey/Brown	12	Mathieu Tremblay	9/18/2006	
B628093	VA06108017	468460	7103098	DUB 945	3	Organic	Black	16	Mathieu Tremblay	9/18/2006	
B628094	VA06108017	468668	7103104	DUB 945	2	Clay	Grey/Brown	16	Mathieu Tremblay	9/18/2006	
B628095	VA06108017	468860	7103111	DUB 945	1	Clay	Lt Grey	14	Mathieu Tremblay	9/18/2006	
B628096	VA06108017	468913	7103112	DUB 943	3	Clay/Rock	Grey/Brown	14	Mathieu Tremblay	9/18/2006	
B628097	VA06108017	469120	7103103	DUB 943	2	Clay/Rock	Grey/Brown	14	Mathieu Tremblay	9/18/2006	
B628098	VA06108017	469321	7103085	DUB 943	1	Clay/Rock	Dk Brown	14	Mathieu Tremblay	9/18/2006	
B628099	VA06108017	469353	7103100	DUB 941	3	Clay/Gravel	Grey/Brown	12	Mathieu Tremblay	9/18/2006	
B628100	VA06108017	469552	7103113	DUB 941	2	Clay/Gravel	Grey/Brown	13	Mathieu Tremblay	9/18/2006	
B629951	VA06108017	475940	7104866	DUB 1003	3	Silt	Grey	12	Simon Canvel	9/15/2006	
B629952	VA06108017	475921	7104865	DUB 1005	1	Silt	Grey	14	Simon Canvel	9/15/2006	
B629953	VA06108017	475721	7104878	DUB 1005	2	Silt/Gravel	Grey	12	Simon Canvel	9/15/2006	
B629954	VA06108017	475500	7104868	DUB 1005	3	Silt	Grey	12	Simon Canvel	9/15/2006	
B629955	VA06108017	475478	7104857	DUB 1007	1	Silt	Grey	10	Simon Canvel	9/15/2006	
B629956	VA06108017	475231	7104863	DUB 1007	2	Silt	Grey	10	Simon Canvel	9/15/2006	
B629957	VA06108017	475073	7104885	DUB 1007	3	Silt	Grey	12	Simon Canvel	9/15/2006	
B629958	VA06108017	475037	7104866	DUB 1009	1	Silt	Grey	10	Simon Canvel	9/15/2006	
B629959	VA06108017	474839	7104890	DUB 1009	2	Silt	Grey	12	Simon Canvel	9/15/2006	
B629960	VA06108017	474620	7104882	DUB 1009	3	Silt/Clay	Dk Brown	12	Simon Canvel	9/15/2006	
B629961	VA06108017	474570	7104861	DUB 1011	1	Silt	Grey	12	Simon Canvel	9/15/2006	
B629962	VA06108017	474403	7104853	DUB 1011	2	Silt	Grey	10	Simon Canvel	9/15/2006	
B629963	VA06108017	474190	7104883	DUB 1011	3	Silt/Clay	Grey	14	Simon Canvel	9/15/2006	
B629964	VA06108017	474158	7104884	DUB 1013	1	Silt	Grey	12	Simon Canvel	9/15/2006	
B629965	VA06108017	473948	7104878	DUB 1013	2	Silt	Grey	10	Simon Canvel	9/15/2006	
B629966	VA06108017	473757	7104886	DUB 1013	3	Silt	Grey	16	Simon Canvel	9/16/2006	
B629967	VA06108017	473732	7104880	DUB 1015	1	Silt	Grey	12	Simon Canvel	9/16/2006	
B629968	VA06108017	473500	7104854	DUB 1015	2	Silt	Grey	12	Simon Canvel	9/16/2006	
B629969	VA06108017	473300	7104864	DUB 1015	3	Silt	Grey	10	Simon Canvel	9/16/2006	
B629970	VA06108017	473275	7104859	DUB 1017	1	Silt	Brown	10	Simon Canvel	9/16/2006	
B629971	VA06108017	473092	7104861	DUB 1017	2	Silt	Grey	12	Simon Canvel	9/16/2006	
B629972	VA06108017	472842	7104877	DUB 1017	3	Silt	Grey	12	Simon Canvel	9/16/2006	
B629973	VA06108017	472810	7104865	DUB 1019	1	Silt	Grey/Brown	12	Simon Canvel	9/16/2006	
B629974	VA06108017	472642	7104849	DUB 1019	2	Silt	Grey	10	Simon Canvel	9/16/2006	
B629975	VA06108017	472429	7104878	DUB 1019	3	Silt	Grey/Brown	12	Simon Canvel	9/16/2006	
B629976	VA06108017	472394	7104881	DUB 1021	1	Silt	Grey	10	Simon Canvel	9/16/2006	
B629977	VA06108017	472185	7104873	DUB 1021	2	Silt	Grey	16	Simon Canvel	9/16/2006	
B629978	VA06108017	471988	7104880	DUB 1021	3	Silt	Grey	12	Simon Canvel	9/16/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B629979	VA06108017	471948	7104869	DUB 1023	1	Silt	Grey	14	Simon Canvel	9/16/2006	
B629980	VA06108017	471755	7104869	DUB 1023	2	Silt	Grey	16	Simon Canvel	9/16/2006	
B629981	VA06108017	471542	7104857	DUB 1023	3	Silt	Grey	10	Simon Canvel	9/16/2006	
B629982	VA06108017	471511	7104874	DUB 1025	1	Silt	Grey	12	Simon Canvel	9/16/2006	
B629983	VA06108017	471319	7104886	DUB 1025	2	Silt	Grey	12	Simon Canvel	9/16/2006	
B629984	VA06108017	471103	7104873	DUB 1025	3	Silt	Grey	14	Simon Canvel	9/16/2006	
B629985	VA06108017	471076	7104859	DUB 1027	1	Silt	Grey	18	Simon Canvel	9/16/2006	
B629986	VA06108017	470859	7104843	DUB 1027	2	Silt	Grey	14	Simon Canvel	9/16/2006	
B629987	VA06108017	470658	7104875	DUB 1027	3	Silt	Grey	14	Simon Canvel	9/16/2006	
B629988	VA06108017	470620	7104872	DUB 1029	1	Silt	Grey	12	Simon Canvel	9/17/2006	
B629989	VA06108017	470413	7104870	DUB 1029	2	Siltq	Grey	10	Simon Canvel	9/17/2006	
B629990	VA06108017	470212	7104873	DUB 1029	3	Silt	Grey	10	Simon Canvel	9/17/2006	
B629991	VA06108017	470197	7104868	DUB 1031	1	Silt	grey	12	Simon Canvel	9/17/2006	
B629992	VA06108017	469990	7104866	DUB 1031	2	Silt	Grey/Brown	12	Simon Canvel	9/17/2006	
B629993	VA06108017	469782	7104869	DUB 1031	3	Silt	Brown	12	Simon Canvel	9/17/2006	
B629994	VA06108017	469748	7104871	DUB 1033	1	Silt/Gravel	Grey	10	Simon Canvel	9/17/2006	
B629995	VA06108017	469558	7104872	DUB 1033	2	Silt	Grey/Brown	12	Simon Canvel	9/17/2006	
B629996	VA06108017	469347	7104879	DUB 1033	3	Silt	Grey	10	Simon Canvel	9/17/2006	
B629997	VA06108017	469329	7104878	DUB 1035	1	Silt	Grey	10	Simon Canvel	9/17/2006	
B629998	VA06108017	469101	7104876	DUB 1035	2	Silt	Grey	10	Simon Canvel	9/18/2006	
B629999	VA06108017	468904	7104882	DUB 1035	3	Silt	Grey	10	Simon Canvel	9/18/2006	
B630000	VA06108017	468889	7104878	DUB 1037	1	Silt	Grey	4	Simon Canvel	9/18/2006	Bedrock
B627951	VA06108018	466239	7099505	DUB 29	1	Gravel	Brown	14	Michel Gauvin	9/15/2006	
B627952	VA06108018	466234	7099301	DUB 29	2	Clay	Brown	16	Michel Gauvin	9/15/2006	
B627953	VA06108018	466240	7099064	DUB 27	1	Gravel		14	Michel Gauvin	9/15/2006	
B627954	VA06108018	466240	7099087	DUB 29	3	Clay	Brey/Black	20	Michel Gauvin	9/15/2006	
B627955	VA06108018	466251	7102217	DUB 43	1	Clay	Brown	14	Michel Gauvin	9/16/2006	
B627956	VA06108018	466239	7102455	DUB 43	2	Clay	Brown	16	Michel Gauvin	9/16/2006	
B627957	VA06108018	466243	7102631	DUB 43	3	Clay	Brown	14	Michel Gauvin	9/16/2006	
B627958	VA06108018	466235	7102659	DUB 45	1	Clay	Brown	18	Michel Gauvin	9/16/2006	
B627959	VA06108018	466233	7102870	DUB 45	2	Clay	Brown	12	Michel Gauvin	9/16/2006	
B627960	VA06108018	466232	7103089	DUB 45	3	Clay	Brown	14	Michel Gauvin	9/16/2006	
B627961	VA06108018	466226	7103113	DUB 47	1	Clay	Brown	14	Michel Gauvin	9/16/2006	
B627962	VA06108018	466230	7103330	DUB 47	2	Clay/Gravel	Brown	14	Michel Gauvin	9/16/2006	
B627963	VA06108018	466253	7103526	DUB 47	3	Clay	Brown/Grey	16	Michel Gauvin	9/16/2006	
B627964	VA06108018	466247	7103550	DUB 49	1	Sandy	Brown/Grey	14	Michel Gauvin	9/16/2006	
B627965	VA06108018	466234	7103767	DUB 49	2	Sandy	Brown	14	Michel Gauvin	9/16/2006	
B627966	VA06108018	466240	7103962	DUB 49	3	Clay/Qtz	Brown	18	Michel Gauvin	9/16/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B627967	VA06108018	466238	7103982	DUB 51	1	Rocky/Qtz	Brown	18	Michel Gauvin	9/16/2006	
B627968	VA06108018	466240	7104191	DUB 51	2	Clay/Rock	Brown/Green/Black	16	Michel Gauvin	9/16/2006	
B627969	VA06108018	466233	7104390	DUB 51	3	Sandy/Gravel	Brown	18	Michel Gauvin	9/16/2006	
B627970	VA06108018	466232	7104413	DUB 53	1	Sandy/Gravel	Brown	18	Michel Gauvin	9/16/2006	
B627971	VA06108018	466240	7104642	DUB 53	2	Stone/Bravel	Black/Brown	14	Michel Gauvin	9/16/2006	
B627972	VA06108018	466235	7104852	DUB 53	3	Gravel/Sandy	Brown/Grey/Gold Sparkle	16	Michel Gauvin	9/16/2006	
B627973	VA06108018	466232	7104875	DUB 55	1	Sandy/Gravel	Brown	18	Michel Gauvin	9/16/2006	
B627974	VA06108018	466237	7105069	DUB 55	2	Gravel/Clay	Brown	14	Michel Gauvin	9/16/2006	
B627975	VA06108018	466232	7105291	DUB 55	3	Sandy	Brown/Green	16	Michel Gauvin	9/16/2006	
B627976	VA06108018	458799	7105715	DUB 1117	1	Clay/Rock	Brown/Black	14	Michel Gauvin	9/17/2006	
B627977	VA06108018	459006	7105708	DUB 1117	2	Sandy/Gravel	Brown	12	Michel Gauvin	9/17/2006	
B627978	VA06108018	459183	7105701	DUB 1117	3	Clay/Gravel	Brown	16	Michel Gauvin	9/17/2006	
B627979	VA06108018	459206	7105698	DUB 1119	1	Clay/Gravel	Brown	18	Michel Gauvin	9/17/2006	
B627980	VA06108018	459404	7105705	DUB 1119	2	Clay/Gravel	Brown	14	Michel Gauvin	9/17/2006	
B627981	VA06108018	459657	7105710	DUB 1119	3	Sandy/Gravel	Brown	16	Michel Gauvin	9/17/2006	
B627982	VA06108018	459674	7105705	DUB 1121	1	Sandy/Gravel	Brown	24	Michel Gauvin	9/17/2006	
B627983	VA06108018	459883	7105710	DUB 1121	2	Sand/Gravel	Brown	14	Michel Gauvin	9/17/2006	
B627984	VA06108018	460071	7105714	DUB 1121	3	Clay/Rocky	Brown	16	Michel Gauvin	9/17/2006	
B627985	VA06108018	460091	7105715	DUB 1123	1	Clay/Rock	Brown	14	Michel Gauvin	9/17/2006	
B627986	VA06108018	460308	7105704	DUB 1123	2	Clay/Gravel	Brown	14	Michel Gauvin	9/17/2006	
B627987	VA06108018	460528	7105710	DUB 1123	3	Clay	Brown/Red	16	Michel Gauvin	9/17/2006	
B627988	VA06108018	460545	7105710	DUB 1125	1	Clay/Gravel	Brown	16	Michel Gauvin	9/17/2006	
B627989	VA06108018	460753	7105704	DUB 1125	2	Clay	Brown	16	Michel Gauvin	9/17/2006	
B627990	VA06108018	460957	7105703	DUB 1125	3	Gravel	Grey/Black/Orange	16	Michel Gauvin	9/17/2006	
B627991	VA06108018	460989	7105705	DUB 1127	1	Gravel	Brown/Red/Orange/Grey	16	Michel Gauvin	9/17/2006	
B627992	VA06108018	461207	7105710	DUB 1127	2	Clay	Brey/Brown	24	Michel Gauvin	9/17/2006	
B627993	VA06108018	461403	7105710	DUB 1127	3	Clay/Gravel	Brown	14	Michel Gauvin	9/17/2006	
B627994	VA06108018	458756	7105710	DUB 1127	1	Clay	Brown	12	Michel Gauvin	9/18/2006	
B627995	VA06108018	458543	7105708	DUB 1127	2	Clay/Rock	Brown/Red	16	Michel Gauvin	9/18/2006	
B627996	VA06108018	458330	7105709	DUB 1127	3	Clay/Qtz	Brown	14	Michel Gauvin	9/18/2006	
B627997	VA06108018	458312	7105710	DUB 1367	1	Clay	Brown	16	Michel Gauvin	9/18/2006	
B627998	VA06108018	458110	7105707	DUB 1367	2	Rocky	Grey/Brown	14	Michel Gauvin	9/18/2006	
B627999	VA06108018	457903	7105705	DUB 1367	3	Clay	Brown	20	Michel Gauvin	9/18/2006	
B628000	VA06108018	457872	7105702	DUB 1369	1	Clay	Orange/Brown	16	Michel Gauvin	9/18/2006	
B628001	VA06108018	471550	7099845	LYNX 1	3	Clay/Gravel	Lt Grey	12	Martin Paquette	9/15/2006	
B628002	VA06108018	471537	7099857	LYNX 3	1	Clay/Gravel	Lt Grey	12	Martin Paquette	9/15/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B628003	VA06108018	471992	7099852	LYNX 1	1	Clay/Gravel	Lt Brown	12	Martin Paquette	9/16/2006	
B628004	VA06108018	471777	7099881	LYNX 1	2	Clay/Py	Dk Brown	12	Martin Paquette	9/16/2006	
B628005	VA06108018	470012	7099855	LYNX 9	1	Clay/Gravel/Py	Dk Grey	14	Martin Paquette	9/16/2006	
B628006	VA06108018	469784	7099842	LYNX 9	2	Clay/Gravel	Dk Grey	12	Martin Paquette	9/16/2006	
B628007	VA06108018	469769	7099842	LYNX 11	1	Clay/Gravel/Py	Dk Grey	12	Martin Paquette	9/16/2006	
B628008	VA06108018	469543	7099847	LYNX 11	2	Clay	Dk Grey	15	Martin Paquette	9/16/2006	
B628009	VA06108018	469330	7099851	LYNX 11	3	Clay/Sand	Dk Grey	12	Martin Paquette	9/16/2006	
B628010	VA06108018	469313	7099846	LYNX 13	1	Clay/Sand	Dk Grey	12	Martin Paquette	9/16/2006	
B628011	VA06108018	469091	7099860	LYNX 13	2	Clay	Brown/Grey	12	Martin Paquette	9/16/2006	
B628012	VA06108018	468870	7099855	LYNX 13	3	Clay	Dk Grey/Blue	12	Martin Paquette	9/16/2006	
B628013	VA06108018	468863	7099839	LYNX 15	1	Clay	Dk Grey/Blue	12	Martin Paquette	9/16/2006	
B628014	VA06108018	468635	7099847	LYNX 15	2	Clay/Py	Dk Grey/Blue	12	Martin Paquette	9/16/2006	
B628015	VA06108018	468433	7099841	LYNX 15	3	Clay	Dk Grey/Blue	14	Martin Paquette	9/16/2006	
B628016	VA06108018	468404	7099833	LYNX 17	1	Clay	Dk Grey/Blue	12	Martin Paquette	9/16/2006	
B628017	VA06108018	468180	7099842	LYNX 17	2	Clay/Py	Dk Grey	12	Martin Paquette	9/16/2006	
B628018	VA06108018	467992	7099846	LYNX 17	3	Clay/Sparkles	Dk Grey/Brown	12	Martin Paquette	9/16/2006	Creek sample.
B628019	VA06108018	467960	7099860	LYNX 22	1	Clay	Dark Grey	12	Martin Paquette	9/16/2006	
B628020	VA06108018	467715	7099841	LYNX 22	2	Clay	Dk Grey	12	Martin Paquette	9/16/2006	
B628021	VA06108018	467509	7099850	LYNX 22	3	Clay	Dk Grey	12	Martin Paquette	9/16/2006	
B628022	VA06108018	467491	7099849	LYNX 21	1	Clay	Dk Grey	14	Martin Paquette	9/16/2006	
B628023	VA06108018	467262	7099840	LYNX 21	2	Clay	Dk Grey/Blue	14	Martin Paquette	9/16/2006	
B628024	VA06108018	467086	7099857	LYNX 21	3	Clay	Dk Brown/Blue	12	Martin Paquette	9/16/2006	
B628025	VA06108018	464038	7105714	DUB 1105	1	Till/Py sparkles	Dk Brown	12	Martin Paquette	9/17/2006	
B628026	VA06108018	463831	7105750	DUB 1105	2	Clay/Py	Dk Grey	13	Martin Paquette	9/17/2006	
B628027	VA06108018	463608	7105711	DUB 1105	3	Clay/Mica	Dk Grey	14	Martin Paquette	9/17/2006	
B628028	VA06108018	463588	7105714	DUB 1107	1	Clay/Mica	Dk Grey	12	Martin Paquette	9/17/2006	
B628029	VA06108018	463395	7105715	DUB 1107	2	Till/Mica	Dk Brown	15	Martin Paquette	9/17/2006	
B628030	VA06108018	463171	7105714	DUB 1107	3	Gravel/Talus /Mica	Grey	16	Martin Paquette	9/17/2006	
B628031	VA06108018	463160	7105714	DUB 1109	1	Gravel/Talus /Mica	Grey	15	Martin Paquette	9/17/2006	
B628032	VA06108018	462956	7105732	DUB 1109	2	Sand/Mica	Lt Brown	15	Martin Paquette	9/17/2006	
B628033	VA06108018	462728	7105708	DUB 1109	3	Sandy	Lt Brown	12	Martin Paquette	9/17/2006	
B628034	VA06108018	462715	7105708	DUB 1111	1	Sand	Brown	12	Martin Paquette	9/17/2006	
B628035	VA06108018	462494	7105693	DUB 1111	2	Sand/Mica	Lt Brown	12	Martin Paquette	9/17/2006	
B628036	VA06108018	462287	7105714	DUB 1111	3	Sand/Gravel	Lt Brown	12	Martin Paquette	9/17/2006	
B628037	VA06108018	462275	7105705	DUB 1113	1	Sand/Gravel	Lt Brown	12	Martin Paquette	9/17/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B628038	VA06108018	462073	7105685	DUB 1113	2	Sand/Gravel /Talus	Lt Brown	18	Martin Paquette	9/17/2006	
B628039	VA06108018	461876	7105700	DUB 1113	3	Sand/Gravel /Talus	Lt Brown	15	Martin Paquette	9/17/2006	
B628040	VA06108018	461854	7105697	DUB 1115	1	Sand/Gravel /Talus	Lt Brown	15	Martin Paquette	9/17/2006	
B628041	VA06108018	461423	7105712	DUB 1115	3	Sand/Gravel /Talus	Lt Brown	12	Martin Paquette	9/17/2006	
B628042	VA06108018	461624	7105702	DUB 1115	2	Sand/Gravel /Talus	Lt Brown	12	Martin Paquette	9/17/2006	
B628043	VA06108018	452388	7105715	DUB 1393	2	Sand/Gravel	Lt Brown	14	Martin Paquette	9/18/2006	
B628044	VA06108018	452608	7105713	DUB 1391	1	Sand/Gravel	Lt Grey	12	Martin Paquette	9/18/2006	
B628045	VA06108018	452602	7105712	DUB 1393	1	Light Grey	Sand/Gravel	14	Martin Paquette	9/18/2006	
B628046	VA06108018	452926	7105710	DUB 1391	2	Sand/Gravel	Lt Grey	12	Martin Paquette	9/18/2006	
B628047	VA06108018	453029	7105703	DUB 1391	3	Talus/Sand /Gravel	Lt Grey	12	Martin Paquette	9/18/2006	
B628048	VA06108018	453042	7105709	DUB 1389	1	Talus/Sand /Gravel	Lt Grey/Brown	14	Martin Paquette	9/18/2006	
B628049	VA06108018	453266	7105709	DUB 1389	2	Sand/Gravel	Lt Brown	12	Martin Paquette	9/18/2006	
B628050	VA06108018	453499	7105703	DUB 1389	3	Sand/Gravel	Lt Grey	12	Martin Paquette	9/18/2006	
B628201	VA06108018	476371	7105706	DUB 1047	3	Clay	Blue/Green	18	Chris Lutz	9/16/2006	
B628202	VA06108018	476339	7105702	DUB 1049	1	Clay/Mud	Lt Brown	14	Chris Lutz	9/16/2006	
B628203	VA06108018	476145	7105710	DUB 1049	2	Rock/Dirt	Orange/Brown	14	Chris Lutz	9/16/2006	
B628204	VA06108018	475934	7105711	DUB 1049	3	Clay/Mud	Olive Green	20	Chris Lutz	9/16/2006	
B628205	VA06108018	475906	7105712	DUB 1051	1	Clay/Gravel	Lt Green	20	Chris Lutz	9/16/2006	
B628206	VA06108018	475694	7105716	DUB 1051	2	Clay	Lt Brown	18	Chris Lutz	9/16/2006	
B628207	VA06108018	475492	7105713	DUB 1051	3	Clay/Gravel	Grey/Lt Green	14	Chris Lutz	9/16/2006	
B628208	VA06108018	475454	7105711	DUB 1053	1	Clay/Gravel	Lt Green	20	Chris Lutz	9/16/2006	
B628209	VA06108018	475247	7105718	DUB 1053	2	Gravel/Clay	Lt Green	12	Chris Lutz	9/16/2006	
B628210	VA06108018	475040	7105707	DUB 1053	3	Mudd	Dk Green	14	Chris Lutz	9/16/2006	
B628211	VA06108018	475050	7105720	DUB 1055	1	Clay	Grey/Green/Black	12	Chris Lutz	9/16/2006	
B628212	VA06108018	474829	7105706	DUB 1055	2	Organic		15	Chris Lutz	9/16/2006	
B628213	VA06108018	474596	7105715	DUB 1055	3	Clay/Gravel	Lt Brown	20	Chris Lutz	9/16/2006	
B628214	VA06108018	474582	7105719	DUB 1057	1	Gravel/Rock	Lt Green	18	Chris Lutz	9/16/2006	
B628215	VA06108018	474360	7105731	DUB 1057	2	Gravel/Sandy	Dk Grey	20	Chris Lutz	9/16/2006	
B628216	VA06108018	474159	7105723	DUB 1057	3	Rock/Gravel	Olive Green	14	Chris Lutz	9/16/2006	
B628217	VA06108018	474134	7105717	DUB 1059	1	Gravel	Grey/Lt Orange	15	Chris Lutz	9/16/2006	
B628218	VA06108018	473881	7105712	DUB 1059	2	Gravel/Mudd	Black/Grey	12	Chris Lutz	9/16/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)

Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B628219	VA06108018	473733	7105722	DUB 1059	3	Gravel/Mudd	Grey/Green/Orange	14	Chris Lutz	9/16/2006	
B628220	VA06108018	473719	7105716	DUB 1061	1	Gravel	Lt Brown	12	Chris Lutz	9/16/2006	
B628221	VA06108018	461426	7106581	DUB 1197	3	Shale/Gravel	Lt Brown	14	Chris Lutz	9/18/2006	
B628222	VA06108018	461386	7106589	DUB 1199	1	Shale/Gravel	Lt Brown	12	Chris Lutz	9/18/2006	
B628223	VA06108018	461238	7106581	DUB 1199	2	Dirt/Shale	Lt Brown	14	Chris Lutz	9/18/2006	
B628224	VA06108018	460987	7106589	DUB 1199	3	Shale/Gravel	Green	18	Chris Lutz	9/18/2006	
B628225	VA06108018	460959	7106594	DUB 1201	1	Shale/Gravel	Green	14	Chris Lutz	9/18/2006	
B628226	VA06108018	460741	7106592	DUB 1201	2	Shale/Gravel	Lt Brown	12	Chris Lutz	9/18/2006	
B628227	VA06108018	460548	7106594	DUB 1201	3	Shale/Gravel	Brown	12	Chris Lutz	9/18/2006	
B628228	VA06108018	460527	7106573	DUB 1203	1	Shale/Gravel	Brown	12	Chris Lutz	9/18/2006	
B628229	VA06108018	460291	7106563	DUB 1203	2	Shale/Gravel	Lt Brown	10	Chris Lutz	9/18/2006	
B628230	VA06108018	460091	7106598	DUB 1203	3	Shale/Gravel	Brown	12	Chris Lutz	9/18/2006	
B628231	VA06108018	460064	7106576	DUB 1205	1	Shale/Gravel	Lt Green	14	Chris Lutz	9/18/2006	
B628232	VA06108018	459901	7106601	DUB 1205	2	Shale/Gravel	Lt Brown	12	Chris Lutz	9/18/2006	
B628233	VA06108018	459655	7106583	DUB 1205	3	Dirt/Shale	Lt Green	14	Chris Lutz	9/18/2006	
B628234	VA06108018	459641	7106582	DUB 1207	1	Shale/Gravel	Lt Green	20	Chris Lutz	9/18/2006	
B628235	VA06108018	459413	7106584	DUB 1207	2	Shale/Gravel	Brown/Green	18	Chris Lutz	9/18/2006	
B628236	VA06108018	459212	7106583	DUB 1207	3	Shale/Gravel	Green	14	Chris Lutz	9/18/2006	
B628237	VA06108018	459187	7106596	DUB 1209	1	Shale/Gravel	Green	10	Chris Lutz	9/18/2006	
B628238	VA06108018	458976	7106582	DUB 1209	2	Shale/Gravel	Lt Brown	12	Chris Lutz	9/18/2006	
B628239	VA06108018	458799	7106582	DUB 1209	3	Shale/Gravel	Lt Green	16	Chris Lutz	9/18/2006	
B628240	VA06108018	458777	7106568	DUB 1328	1	Shale/Rock/Dirt	Olive Green	10	Chris Lutz	9/19/2006	
B628241	VA06108018	458532	7106583	DUB 1328	2	Shale/Rock/Dirt	Lt Brown	12	Chris Lutz	9/19/2006	
B628242	VA06108018	458356	7106590	DUB 1328	3	Rock/Dirt	Lt Brown	14	Chris Lutz	9/19/2006	
B628243	VA06108018	458332	7106584	DUB 1330	1	Shale/Rock/Dirt	Brown	14	Chris Lutz	9/19/2006	
B628244	VA06108018	458187	7106582	DUB 1330	2	Rock/Dirt	Lt Brown	12	Chris Lutz	9/19/2006	
B628245	VA06108018	457690	7106582	DUB 1332	2	Rock/Dirt	Brown	12	Chris Lutz	9/19/2006	
B628246	VA06108018	457458	7106590	DUB 1332	3	Rock/Dirt	Lt Brown	10	Chris Lutz	9/19/2006	
B628247	VA06108018	457443	7106584	DUB 1334	1	Rock/Dirt	Green/Lt Brown	12	Chris Lutz	9/19/2006	
B628248	VA06108018	457233	7106586	DUB 1334	2	Rock/Dirt	Lt Brown	14	Chris Lutz	9/19/2006	
B628249	VA06108018	457017	7106560	DUB 1334	3	Rock/Dirt	Brown	12	Chris Lutz	9/19/2006	
B628250	VA06108018	456995	7106561	DUB 1336	1	Rock/Dirt	Lt Brown	12	Chris Lutz	9/19/2006	
B628351	VA06108018	451738	7107453	DUB 1323	3	Gravel/Clay	Md Brown	12	Sean Inkster	9/17/2006	
B628352	VA06108018	451971	7107467	DUB 1323	2	Rock/Clay	Md Brown	14	Sean Inkster	9/17/2006	
B628353	VA06108018	452151	7107458	DUB 1323	1	Rock/Clay/Gravel	Md Brown	12	Sean Inkster	9/17/2006	
B628354	VA06108018	452194	7107454	DUB 1321	3	Rock/Clay/Soil	Orange/Brown	12	Sean Inkster	9/17/2006	
B628355	VA06108018	452412	7107461	DUB 1321	2	Clay	Orange/Brown	17	Sean Inkster	9/17/2006	
B628356	VA06108018	452580	7107464	DUB 1321	1	Clay/Gravel	Orange/Brown	12	Sean Inkster	9/18/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B628357	VA06108018	452640	7107451	DUB 1319	3	Rock/Clay	Orange/Brown	12	Sean Inkster	9/18/2006	
B628358	VA06108018	452934	7107479	DUB 1319	2	Rock/Clay	Orange/Brown	12	Sean Inkster	9/18/2006	
B628359	VA06108018	453031	7107463	DUB 1319	1	Gravel/Clay	Md Brown	12	Sean Inkster	9/18/2006	
B628360	VA06108018	453067	7107471	DUB 1317	3	Rock/Clay	Md Brown	12	Sean Inkster	9/18/2006	
B628361	VA06108018	453271	7107468	DUB 1317	2	Rock/Clay	Md Brown	12	Sean Inkster	9/18/2006	
B628362	VA06108018	453468	7107444	DUB 1317	1	Rock/Clay	Md Brown	12	Sean Inkster	9/18/2006	
B628363	VA06108018	453500	7107445	DUB 1315	3	Rock/Clay	Md Brown	12	Sean Inkster	9/18/2006	
B628364	VA06108018	453712	7107452	DUB 1315	2	Rock/Clay	Md Brown	12	Sean Inkster	9/18/2006	
B628365	VA06108018	453911	7107457	DUB 1315	1	Gravel/Rock/Clay	Md Brown	12	Sean Inkster	9/18/2006	
B628366	VA06108018	453949	7107458	DUB 1313	3	Gravel	Md Brown	12	Sean Inkster	9/18/2006	
B628367	VA06108018	454191	7107454	DUB 1313	2	Gravel	Md Brown	10	Sean Inkster	9/18/2006	
B628368	VA06108018	458757	7107483	DUB 1293	1	Gravel	Md Brown	12	Sean Inkster	9/19/2006	
B628369	VA06108018	458521	7107477	DUB 1293	2	Rock/Clay	Md Brown	8	Sean Inkster	9/19/2006	
B628370	VA06108018	458343	7107471	DUB 1293	3	Rock/Clay	Md Brown	12	Sean Inkster	9/19/2006	
B628371	VA06108018	458321	7107471	DUB 1295	1	Rock/Clay	Lt Brown	12	Sean Inkster	9/19/2006	
B628372	VA06108018	458104	7107479	DUB 1295	2	Rock/Clay	Md Brown	12	Sean Inkster	9/19/2006	
B628373	VA06108018	457908	7107477	DUB 1295	3	Rock/Clay	Md Brown	12	Sean Inkster	9/19/2006	
B628374	VA06108018	457891	7107465	DUB 1297	1	Clay/Silt/Gravel	Md Brown	20	Sean Inkster	9/19/2006	
B628375	VA06108018	457670	7107473	DUB 1297	2	Clay/Rock	Md Brown	12	Sean Inkster	9/19/2006	
B628376	VA06108018	457473	7107470	DUB 1297	3	Clay/Rock	Md Brown	12	Sean Inkster	9/19/2006	
B628377	VA06108018	457454	7107461	DUB 1299	1	Clay/Rock	Orange/Brown	12	Sean Inkster	9/19/2006	
B628378	VA06108018	457240	7107472	DUB 1299	2	Sand/Clay/Rock		14	Sean Inkster	9/19/2006	
B628379	VA06108018	457025	7107476	DUB 1299	3	Clay/Gravel	Orange/Brown	10	Sean Inkster	9/19/2006	
B628380	VA06108018	457006	7107470	DUB 1301	1	Clay/Rock	Orange/Brown	10	Sean Inkster	9/19/2006	
B628381	VA06108018	456772	7107475	DUB 1301	2	Rock/Gravel/Clay	Md Brown	12	Sean Inkster	9/19/2006	
B628382	VA06108018	456585	7107480	DUB 1301	3	Rock/Gravel/Clay	Md Brown	12	Sean Inkster	9/19/2006	
B628383	VA06108018	456569	7107471	DUB 1303	1	Rock/Gravel/Clay	Md Brown	12	Sean Inkster	9/19/2006	
B628551	VA06108018	456844	7106574	DUB 1336	2	Rock/Dirt	Lt Brown	10	Chris Lutz	9/19/2006	
B628552	VA06108018	456575	7106590	DUB 1336	3	Rock/Dirt	Green	12	Chris Lutz	9/19/2006	
B628553	VA06108018	456559	7106590	DUB 1338	1	Rock/Clay/Dirt	Green	14	Chris Lutz	9/19/2006	
B628554	VA06108018	456351	7106584	DUB 1338	2	Mud/Rock	Olive Green	12	Chris Lutz	9/19/2006	
B628555	VA06108018	456145	7106586	DUB 1338	3	Mud/Gravel	Dk Green	16	Chris Lutz	9/19/2006	
B628130	VA06114204	453607	7100890	DUB 1445	1	Clay	Brown	14	Michel Gauvin	9/20/2006	
B628131	VA06114204	453604	7101080	DUB 1445	2	Clay	Grey	16	Michel Gauvin	9/20/2006	
B628132	VA06114204	453610	7101309	DUB 1445	3	Silt	Grey	12	Michel Gauvin	9/20/2006	
B628133	VA06114204	453603	7101328	DUB 1447	1	Gravel/Qtz		24	Michel Gauvin	9/20/2006	
B628134	VA06114204	453604	7101490	DUB 1447	2	Silt	Grey/Brown	18	Michel Gauvin	9/20/2006	
B628135	VA06114204	453611	7101770	DUB 1447	3	Clay	Brown	14	Michel Gauvin	9/20/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B628136	VA06114204	453609	7101774	DUB 1449	1	Sand/Rock	Brown/Black	16	Michel Gauvin	9/20/2006	
B628137	VA06114204	453608	7102017	DUB 1449	2	Gravel	Charcoal	14	Michel Gauvin	9/20/2006	
B628138	VA06114204	453610	7102161	DUB 1449	3	Gravel/Clay	Brown	16	Michel Gauvin	9/20/2006	
B628139	VA06114204	453606	7102181	DUB 1451	1	Gravel	Grey/Brown	20	Michel Gauvin	9/20/2006	
B628140	VA06114204	453603	7102410	DUB 1451	2	Clay	Grey/Brown	20	Michel Gauvin	9/20/2006	
B628141	VA06114204	453599	7102613	DUB 1451	3	Clay	Grey	14	Michel Gauvin	9/20/2006	
B628142	VA06114204	453595	7102635	DUB 1453	1	Clay	Grey/Brown	12	Michel Gauvin	9/20/2006	
B628143	VA06114204	453607	7102845	DUB 1453	2	Clay	Grey	16	Michel Gauvin	9/20/2006	
B628144	VA06114204	453607	7103042	DUB 1453	3	Sand/Clay	Orange/Brown	18	Michel Gauvin	9/20/2006	
B628145	VA06114204	453605	7103067	DUB 1455	1	Gravel	Brown	16	Michel Gauvin	9/20/2006	
B628146	VA06114204	453596	7103282	DUB 1455	2	Sand/Rock	Brown/Rpurple	12	Michel Gauvin	9/20/2006	
B628147	VA06114204	453612	7103494	DUB 1455	3	Sand	Orange/Brown	12	Michel Gauvin	9/20/2006	
B628148	VA06114204	453607	7103523	DUB 1457	1	Sand	Grey/Brown	16	Michel Gauvin	9/20/2006	
B628149	VA06114204	453598	7103752	DUB 1437	2	Sand/Gravel	Brown	16	Michel Gauvin	9/21/2006	
B628150	VA06114204	453610	7103936	DUB 1437	3	Sand	Brown	20	Michel Gauvin	9/21/2006	
B628333	VA06114204	451847	7100891	DUB 1465	1	Silt	Grey	14	Simon Canvel	9/20/2006	
B628334	VA06114204	451833	7101108	DUB 1465	2	Silt	Brown	14	Simon Canvel	9/20/2006	
B628335	VA06114204	451845	7101321	DUB 1465	3	Silt	Grey	8	Simon Canvel	9/20/2006	Bedrock
B628336	VA06114204	451844	7101348	DUB 1467	1	Silt	Brown	12	Simon Canvel	9/20/2006	
B628337	VA06114204	451827	7101529	DUB 1467	2	Silt	Grey/Brown	12	Simon Canvel	9/20/2006	
B628338	VA06114204	451833	7101649	DUB 1467	3	Silt	Grey	10	Simon Canvel	9/20/2006	
B628339	VA06114204	451849	7101752	DUB 1469	1	Silt	Grey	12	Simon Canvel	9/20/2006	
B628340	VA06114204	451837	7101995	DUB 1469	2	Silt	Grey	10	Simon Canvel	9/20/2006	
B628341	VA06114204	451825	7102174	DUB 1469	3	Silt	Grey	10	Simon Canvel	9/20/2006	
B628342	VA06114204	451841	7102220	DUB 1471	1	Silt/Gravel	Grey	10	Simon Canvel	9/20/2006	
B628343	VA06114204	451840	7102425	DUB 1471	2	Silt	Grey	10	Simon Canvel	9/20/2006	
B628344	VA06114204	451811	7102640	DUB 1471	3	Silt	Grey	8	Simon Canvel	9/20/2006	Bedrock
B628345	VA06114204	451834	7102672	DUB 1473	1	Silt	Brown	6	Simon Canvel	9/20/2006	Bedrock
B628346	VA06114204	451836	7102855	DUB 1473	2	Silt	Brown	10	Simon Canvel	9/20/2006	
B628347	VA06114204	451844	7103060	DUB 1473	3	Silt	Brown	10	Simon Canvel	9/20/2006	
B628348	VA06114204	451831	7103105	DUB 1475	1	Silt	Grey	12	Simon Canvel	9/20/2006	
B628349	VA06114204	451867	7103279	DUB 1475	2	Silt	Grey	10	Simon Canvel	9/20/2006	
B628350	VA06114204	451848	7103550	DUB 1475	3	Silt/Gravel	Brown	6	Simon Canvel	9/20/2006	Bedrock
B628384	VA06114204	456349	7107480	DUB 1303	2	Clay/Gravel	Lt Grey	12	Sean Inkster	9/20/2006	
B628385	VA06114204	456140	7107478	DUB 1303	3	Clay/Gravel	Md Grey	12	Sean Inkster	9/20/2006	
B628386	VA06114204	456174	7107481	DUB 1305	1	Gravel/Rocks /Clay	Md Grey	12	Sean Inkster	9/20/2006	
B628387	VA06114204	455880	7107493	DUB 1305	2	Clay/Rocks	Grey	12	Sean Inkster	9/20/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)

Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B628388	VA06114204	455707	7107461	DUB 1305	3	Clay	Md Grey	12	Sean Inkster	9/20/2006	
B628389	VA06114204	455682	7107470	DUB 1307	1	Clay/Mudd	Orange/Brown	12	Sean Inkster	9/20/2006	
B628390	VA06114204	455455	7107477	DUB 1307	2	Gravel/Sand /Clay	Md Brown	12	Sean Inkster	9/20/2006	
B628391	VA06114204	455276	7107472	DUB 1307	3	Gravel/Clay	Md Brown	12	Sean Inkster	9/20/2006	
B628392	VA06114204	455245	7107469	DUB 1309	1	Gravel/Clay	Lt Brown	12	Sean Inkster	9/20/2006	
B628393	VA06114204	455011	7107482	DUB 1309	2	Frost-melt	Md Brown	8	Sean Inkster	9/20/2006	
B628394	VA06114204	454813	7107464	DUB 1309	3	Clay	Md Brown	10	Sean Inkster	9/20/2006	
B628395	VA06114204	454799	7107468	DUB 1311	1	Permafrost/Mudd	Dk Brown	10	Sean Inkster	9/20/2006	
B628396	VA06114204	454561	7107465	DUB 1311	2	Mud/Clay	Brown/Grey	16	Sean Inkster	9/20/2006	
B628397	VA06114204	454368	7107477	DUB 1311	3	Mud/Clay	Brown/Grey	16	Sean Inkster	9/20/2006	
B628398	VA06114204	454357	7107480	DUB 1313	1	Organic Mudd	Dk Brown	16	Sean Inkster	9/20/2006	
B628399	VA06114204	461140	7098132	DUB 153	3	Sand/Clay	Md Brown	12	Sean Inkster	9/21/2006	
B628400	VA06114204	461304	7098163	DUB 153	2	Soil	Black	16	Sean Inkster	9/21/2006	
B628470	VA06114204	452724	7100887	DUB 1445	1	Rocky	Brown	12	Martin Gauvreau	9/20/2006	
B628471	VA06114204	452740	7101106	DUB 1445	2				Martin Gauvreau	9/20/2006	
B628472	VA06114204	452741	7101327	DUB 1445	3	Rocky	Brown	12	Martin Gauvreau	9/20/2006	
B628473	VA06114204	452725	7101330	DUB 1447	1	Rocky	Brown	12	Martin Gauvreau	9/20/2006	
B628474	VA06114204	452739	7101731	DUB 1447	2	Rocky	Brown/Grey	12	Martin Gauvreau	9/20/2006	
B628475	VA06114204	452736	7101722	DUB 1447	3	Rocky	Brown	12	Martin Gauvreau	9/20/2006	
B628476	VA06114204	452737	7101745	DUB 1449	1	Rocky	Brown/Grey	12	Martin Gauvreau	9/20/2006	
B628477	VA06114204	452733	7101948	DUB 1449	2	Rocky	Brown	12	Martin Gauvreau	9/20/2006	
B628478	VA06114204	452728	7102200	DUB 1449	3	Rocky	Brown	12	Martin Gauvreau	9/20/2006	
B628479	VA06114204	452739	7102629	DUB 1451	1	Rocky	Brown		Martin Gauvreau	9/20/2006	
B628480	VA06114204	452736	7102646	DUB 1451	2	Rocky	Brown	12	Martin Gauvreau	9/20/2006	
B628481	VA06114204	452737	7103062	DUB 1451	3		Brown	12	Martin Gauvreau	9/20/2006	
B628482	VA06114204	452731	7103083	DUB 1453	1	Rocky	Brown	12	Martin Gauvreau	9/21/2006	
B628483	VA06114204	452716	7103311	DUB 1453	2	Rocky	Brown	12	Martin Gauvreau	9/21/2006	
B628484	VA06114204	452741	7103525	DUB 1453	3	Rocky	Brown	12	Martin Gauvreau	9/21/2006	
B628485	VA06114204	452734	7103535	DUB 1455	1	Rocky	Brown	12	Martin Gauvreau	9/21/2006	
B628486	VA06114204	452740	7103734	DUB 1455	2	Rocky	Brown	12	Martin Gauvreau	9/21/2006	
B628487	VA06114204	452733	7103961	DUB 1455	3	Rocky	Brown	12	Martin Gauvreau	9/21/2006	
B628488	VA06114204	452736	7104052	DUB 1457	1	Rocky	Brown	12	Martin Gauvreau	9/21/2006	
B628489	VA06114204	452730	7104268	DUB 1457	2	Rocky	Brown	12	Martin Gauvreau	9/21/2006	
B628490	VA06114204	452730	7104268	DUB 1457	3	Rocky	Brown	12	Martin Gauvreau	9/21/2006	
B628522	VA06114204	465346	7097411	DUB 57	1	Clay/Gravel	Grey/Brown	12	Mathieu Tremblay	9/20/2006	
B628523	VA06114204	465360	7097621	DUB 57	2	Ciay/Permafrost	Dk Grey	18	Mathieu Tremblay	9/20/2006	
B628524	VA06114204	465355	7097833	DUB 57	3	Clay	Dk Grey	24	Mathieu Tremblay	9/20/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B628525	VA06114204	465363	7097868	DUB 59	1	Clay	Dk Grey	24	Mathieu Tremblay	9/20/2006	
B628526	VA06114204	465359	7098032	DUB 59	2	Organic/Clay	Dk Grey	24	Mathieu Tremblay	9/20/2006	
B628527	VA06114204	465360	7098228	DUB 59	3	Organic/Clay	Dk Grey	24	Mathieu Tremblay	9/20/2006	
B628528	VA06114204	465365	7098245	DUB 61	1	Clay/Gravel	Brown/Black	24	Mathieu Tremblay	9/20/2006	
B628529	VA06114204	465358	7098451	DUB 61	2	Clay/Sand /Organic	Grey/Brown	24	Mathieu Tremblay	9/20/2006	
B628530	VA06114204	465350	7098681	DUB 61	3	Organic		16	Mathieu Tremblay	9/20/2006	Permafrost
B628531	VA06114204	465343	7098723	DUB 63	1	Organic		18	Mathieu Tremblay	9/20/2006	Permafrost
B628532	VA06114204	465355	7098948	DUB 63	2	Sand/Clay	Grey/Brown	12	Mathieu Tremblay	9/20/2006	
B628533	VA06114204	465359	7099143	DUB 63	3	Clay	Lt Grey	16	Mathieu Tremblay	9/20/2006	
B628534	VA06114204	465352	7099184	DUB 65	1	Clay	Lt Grey	14	Mathieu Tremblay	9/20/2006	
B628535	VA06114204	465358	7099390	DUB 65	2	Organic/Clay	Grey/Black	18	Mathieu Tremblay	9/20/2006	
B628536	VA06114204	465363	7099576	DUB 65	3	Clay/Sand /Gravel	Grey/Brown	16	Mathieu Tremblay	9/20/2006	
B628537	VA06114204	465359	7099603	DUB 67	1	Sand/Clay	Dk Grey	14	Mathieu Tremblay	9/20/2006	
B628538	VA06114204	465352	7099817	DUB 67	2	Clay	Dk Grey	18	Mathieu Tremblay	9/20/2006	
B628539	VA06114204	465358	7100013	DUB 67	3	Clay/Sand	Grey/Brown	14	Mathieu Tremblay	9/20/2006	
B628540	VA06114204	464460	7099471	DUB 103	1	Clay/Sand	Grey/Brown	12	Mathieu Tremblay	9/21/2006	
B628541	VA06114204	464269	7099470	DUB 103	2	Clay/Sand	Red/Brown	14	Mathieu Tremblay	9/21/2006	
B628542	VA06114204	464063	7099472	DUB 103	3	Clay/Sand	Grey/Brown	12	Mathieu Tremblay	9/21/2006	
B628543	VA06114204	464508	7099477	DUB 104	1	Clay/Sand	Lt Brown	12	Mathieu Tremblay	9/21/2006	
B628544	VA06114204	464699	7099466	DUB 104	2	Clay/Sand	Lt Brown	12	Mathieu Tremblay	9/21/2006	
B628545	VA06114204	464894	7099473	DUB 104	3	Clay/Sand	Lt Brown	14	Mathieu Tremblay	9/21/2006	
B628546	VA06114204	464473	7099449	DUB 101	3	Clay/Sand	Red/Brown	12	Mathieu Tremblay	9/21/2006	
B628547	VA06114204	464442	7099168	DUB 101	2	Clay/Sand	Grey/Brown	12	Mathieu Tremblay	9/21/2006	
B628548	VA06114204	464470	7099026	DUB 101	1	Clay	Grey/Red	12	Mathieu Tremblay	9/21/2006	
B628549	VA06114204	464465	7098993	DUB 99	3	Clay/Gravel	Grey/Brown	14	Mathieu Tremblay	9/21/2006	
B628550	VA06114204	464476	7098801	DUB 99	2	Sand/Clay	Dk Brown	16	Mathieu Tremblay	9/21/2006	
B628651	VA06114204	451822	7103571	DUB 1477	1	Silt	Grey/Brown	8	Simon Canvel	9/20/2006	Bedrock
B628652	VA06114204	451817	7103735	DUB 1477	2	Silt	Brown/Grey	14	Simon Canvel	9/21/2006	
B628653	VA06114204	451846	7103935	DUB 1477	3	Silt	Brown/Grey	10	Simon Canvel	9/21/2006	
B628654	VA06114204	451845	7103973	DUB 1479	1	Silt	Grey/Brown	8	Simon Canvel	9/21/2006	
B628655	VA06114204	451828	7104171	DUB 1479	2	Silt	Grey	12	Simon Canvel	9/21/2006	
B628656	VA06114204	451851	7104378	DUB 1479	3	Silt	Grey/Brown	10	Simon Canvel	9/21/2006	
B628657	VA06114204	451833	7104402	DUB 1481	1	Silt	Brown	8	Simon Canvel	9/21/2006	
B628658	VA06114204	451862	7104633	DUB 1481	2	Silt	Grey	8	Simon Canvel	9/21/2006	
B628659	VA06114204	451839	7104827	DUB 1481	3	Silt	Grey	6	Simon Canvel	9/21/2006	
B628660	VA06114204	451852	7104871	DUB 1483	1	Silt	Grey	10	Simon Canvel	9/21/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B628661	VA06114204	451846	7105053	DUB 1483	2	Silt	Grey	8	Simon Canvel	9/21/2006	
B628662	VA06114204	451840	7105273	DUB 1483	3	Silt	Brown	8	Simon Canvel	9/21/2006	
B629228	VA06114205	465406	7103059	DUB 81	3	Sand/Gravel	Lt Brown	15	Martin Paquette	9/20/2006	
B629229	VA06114205	465525	7102883	DUB 81	2	Sand/Gravel	Lt Brown	14	Martin Paquette	9/20/2006	
B629230	VA06114205	465347	7102625	DUB 81	1	Sand/Gravel	Lt Brown	12	Martin Paquette	9/20/2006	
B629231	VA06114205	465366	7102599	DUB 79	3	Sand/Gravel	Lt Brown	12	Martin Paquette	9/20/2006	
B629232	VA06114205	465383	7102394	DUB 79	2	Sand/Gravel	Lt Brown	12	Martin Paquette	9/20/2006	
B629233	VA06114205	465379	7102180	DUB 79	1	Sand/Gravel	Lt Brown	15	Martin Paquette	9/20/2006	
B629234	VA06114205	465377	7102189	DUB 77	3	Sand/Gravel	Lt Brown	14	Martin Paquette	9/20/2006	
B629235	VA06114205	465369	7101965	DUB 77	2	Sand/Gravel	Lt Brown	12	Martin Paquette	9/20/2006	
B629236	VA06114205	465361	7101749	DUB 77	1	Sand/Gravel	Lt Brown	14	Martin Paquette	9/20/2006	
B629237	VA06114205	465360	7101731	DUB 75	3	Sand/Gravel	Lt Brown	15	Martin Paquette	9/20/2006	
B629238	VA06114205	465377	7101504	DUB 75	2	Sand/Gravel	Lt Brown	12	Martin Paquette	9/20/2006	
B629239	VA06114205	465372	7101282	DUB 75	1	Sand/Gravel	Lt Brown	12	Martin Paquette	9/20/2006	
B629240	VA06114205	465371	7101274	DUB 73	3	Sand/Gravel	Lt Brown	12	Martin Paquette	9/20/2006	
B629241	VA06114205	465362	7101019	DUB 73	2	Sand/Gravel	Lt Brown	12	Martin Paquette	9/20/2006	
B629242	VA06114205	465365	7100809	DUB 73	1	Sand/Gravel	Lt Brown	12	Martin Paquette	9/20/2006	
B629243	VA06114205	465362	7100801	DUB 71	3	Sand/Gravel	Lt Brown	12	Martin Paquette	9/20/2006	
B629244	VA06114205	465367	7100552	DUB 71	2	Sand/Gravel	Lt Brown	12	Martin Paquette	9/20/2006	
B629245	VA06114205	465346	7100327	DUB 71	1	Sand/Gravel	Lt Brown	12	Martin Paquette	9/20/2006	
B629246	VA06114205	461857	7097673	DUB 129	1	Sand/Clay	Dk Grey	12	Martin Paquette	9/21/2006	
B629247	VA06114205	462072	7097671	DUB 129	2	Clay	Dk Grey	12	Martin Paquette	9/21/2006	
B629248	VA06114205	462267	7097676	DUB 129	3	Clay	Dk Grey	12	Martin Paquette	9/21/2006	
B629249	VA06114205	462278	7097681	DUB 127	1	Clay	Dk Grey	12	Martin Paquette	9/21/2006	
B629250	VA06114205	462542	7097683	DUB 127	2	Clay	Dk Grey	12	Martin Paquette	9/21/2006	
B629251	VA06114205	453609	7103962	DUB 1439	1	Sand/Clay	Grey/Brown	18	Michel Gauvin	9/21/2006	
B629252	VA06114205	453606	7104178	DUB 1439	2	Qtz	Grey/Brown	12	Michel Gauvin	9/21/2006	
B629253	VA06114205	453610	7104388	DUB 1439	3	Clay	Brown	14	Michel Gauvin	9/21/2006	
B629254	VA06114205	453605	7104411	DUB 1441	1	Clay/Qtz	Grey/Brown	12	Michel Gauvin	9/21/2006	
B629255	VA06114205	453610	7104608	DUB 1441	2	Clay/Qtz	Grey/Brown	14	Michel Gauvin	9/21/2006	
B629256	VA06114205	453606	7104838	DUB 1441	3	Clay/Gravel	Beige	12	Michel Gauvin	9/21/2006	
B629257	VA06114205	453607	7104858	DUB 1443	1	Clay/Gravel	Beige/Orange	12	Michel Gauvin	9/21/2006	
B629258	VA06114205	453610	7105063	DUB 1443	2	Gravel	Grey	12	Michel Gauvin	9/21/2006	
B629259	VA06114205	453604	7105259	DUB 1443	3	Clay	Brown	16	Michel Gauvin	9/21/2006	
B629260	VA06114205	465381	7095034	DUB 545	1	Clay	Black/Brown	14	Michel Gauvin	9/24/2006	
B629261	VA06114205	465585	7095040	DUB 545	2	Clay/Gravel	Grey/Brown	12	Michel Gauvin	9/24/2006	
B629262	VA06114205	465802	7095035	DUB 545	3	Clay	Grey	14	Michel Gauvin	9/24/2006	
B629263	VA06114205	465361	7095042	DUB 547	1	Clay	Grey/Brown	16	Michel Gauvin	9/24/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B629264	VA06114205	465158	7095033	DUB 547	2	Clay	Grey/Brown	20	Michel Gauvin	9/24/2006	
B629265	VA06114205	464929	7095040	DUB 547	3	Gravel	Shiny/Brown	14	Michel Gauvin	9/24/2006	
B629266	VA06114205	470417	7098547	LYNX 54	1	Clay	Brown	16	Michel Gauvin	9/24/2006	
B629267	VA06114205	470405	7098757	LYNX 54	2	Clay	Gravel/Brown	20	Michel Gauvin	9/24/2006	
B629268	VA06114205	470382	7098975	LYNX 54	3	Clay	Grey	12	Michel Gauvin	9/24/2006	
B629269	VA06114205	470388	7099002	LYNX 57	1	Clay/Gravel	Grey	12	Michel Gauvin	9/24/2006	
B629270	VA06114205	470380	7099207	LYNX 57	2	Clay	Grey	12	Michel Gauvin	9/24/2006	
B629271	VA06114205	470378	7099438	LYNX 57	3	Clay	Black/Brown	24	Michel Gauvin	9/24/2006	
B629272	VA06114205	452020	7095639	DUB 1619	1	Clay/Gravel	Grey	16	Michel Gauvin	9/25/2006	
B629273	VA06114205	452217	7095627	DUB 1619	2	Clay	Brown	12	Michel Gauvin	9/25/2006	
B629274	VA06114205	452443	7095606	DUB 1619	3	Clay/Gravel	Grey	12	Michel Gauvin	9/25/2006	
B629275	VA06114205	452470	7095600	DUB 1617	1	Clay/Gravel	Grey	14	Michel Gauvin	9/25/2006	
B629276	VA06114205	452686	7095600	DUB 1617	2	Clay/Gravel	Grey	14	Michel Gauvin	9/25/2006	
B629277	VA06114205	452906	7095617	DUB 1617	3	Clay/Gravel	Grey	12	Michel Gauvin	9/25/2006	
B629278	VA06114205	452910	7095612	DUB 1615	1	Clay/Gravel	Grey	12	Michel Gauvin	9/25/2006	
B629279	VA06114205	453121	7095605	DUB 1615	2	Clay/Gravel	Grey	18	Michel Gauvin	9/25/2006	Sparkles
B629280	VA06114205	453346	7095595	DUB 1615	3	Clay	Black/Brown	20	Michel Gauvin	9/25/2006	
B629281	VA06114205	453352	7095579	DUB 1613	1	Clay/Gravel	Black/Brown	20	Michel Gauvin	9/25/2006	
B629282	VA06114205	453547	7095600	DUB 1613	2	Clay/Gravel	Red/Brown	16	Michel Gauvin	9/25/2006	
B629283	VA06114205	453783	7095610	DUB 1613	3	Clay/Gravel	Grey/Brown	14	Michel Gauvin	9/25/2006	
B629284	VA06114205	453795	7095605	DUB 1611	1	Clay/Gravel	Brown	14	Michel Gauvin	9/25/2006	
B629285	VA06114205	453999	7095592	DUB 1611	2	Sand/Gravel	Brown	12	Michel Gauvin	9/25/2006	
B629286	VA06114205	454251	7095589	DUB 1611	3	Clay	Brown/Grey	14	Michel Gauvin	9/25/2006	
B629287	VA06114205	466672	7096846	LYNX 55	1				Michel Gauvin	9/26/2006	Data sheets lost in bush but GPS in tag booklet.
B629288	VA06114205	466662	7096622	LYNX 55	2				Michel Gauvin	9/26/2006	Data sheets lost in bush but GPS in tag booklet.
B629289	VA06114205	466652	7096410	LYNX 55	3				Michel Gauvin	9/26/2006	Data sheets lost in bush but GPS in tag booklet.
B629290	VA06114205	466650	7096390	LYNX 56	1				Michel Gauvin	9/26/2006	Data sheets lost in bush but GPS in tag booklet.
B629291	VA06114205	466645	7096170	LYNX 56	2				Michel Gauvin	9/26/2006	Data sheets lost in bush but GPS in tag booklet.

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B629292	VA06114205	466645	7096066	LYNX 56	3				Michel Gauvin	9/26/2006	Data sheets lost in bush but GPS in tag booklet.
B629293	VA06114205	451836	7101637	DUB 1467	1				Michel Gauvin	9/26/2006	Data sheets lost in bush but GPS in tag booklet.
B629294	VA06114205	451836	7101417	DUB 1467	2				Michel Gauvin	9/26/2006	Data sheets lost in bush but GPS in tag booklet.
B629301	VA06114205	462698	7097661	DUB 127	3	Clay/Py	Dk Grey	12	Martin Paquette	9/21/2006	
B629302	VA06114205	462723	7097666	DUB 125	1	Clay/Py	Dk Grey	12	Martin Paquette	9/21/2006	
B629303	VA06114205	462936	7097670	DUB 125	2	Clay/Py	Dk Grey	12	Martin Paquette	9/21/2006	
B629304	VA06114205	463140	7097671	DUB 125	3	Clay	Dk Grey	12	Martin Paquette	9/21/2006	Silver Sparkles
B629305	VA06114205	463173	7097680	DUB 123	1	Clay/Py	Dk Grey	15	Martin Paquette	9/21/2006	
B629306	VA06114205	463392	7097674	DUB 123	2	Clay/Py	Dk Grey	12	Martin Paquette	9/21/2006	
B629307	VA06114205	463590	7097667	DUB 123	3	Clay	Dk Grey	12	Martin Paquette	9/21/2006	
B629308	VA06114205	463612	7097666	DUB 121	1	Clay	Dk Grey	16	Martin Paquette	9/21/2006	Silver Sparkles
B629309	VA06114205	463843	7097675	DUB 121	2	Sand	Brown/Orange	18	Martin Paquette	9/21/2006	
B629310	VA06114205	464020	7097649	DUB 121	3	Sand	Lt Brown	12	Martin Paquette	9/21/2006	
B629312	VA06114205	473268	7102228	DUB 883	1	Sand	Lt Grey/Brown	12	Martin Paquette	9/23/2006	
B629313	VA06114205	473041	7102235	DUB 883	2	Sand	Lt Brown	15	Martin Paquette	9/23/2006	
B629314	VA06114205	472851	7102214	DUB 883	3	Sand	Lt Brown	12	Martin Paquette	9/23/2006	
B629315	VA06114205	472826	7102213	DUB 885	1	Sand	Lt Brown	12	Martin Paquette	9/23/2006	
B629316	VA06114205	472585	7102242	DUB 885	2	Sand	Lt Brown	12	Martin Paquette	9/23/2006	
B629317	VA06114205	472408	7102228	DUB 885	3	Sand	Lt Brown	16	Martin Paquette	9/23/2006	
B629318	VA06114205	472382	7102228	DUB 887	1	Sand	Lt Brown	12	Martin Paquette	9/23/2006	
B629319	VA06114205	472160	7102219	DUB 887	2	Sand/Clay	Lt Brown/Grey	12	Martin Paquette	9/23/2006	
B629320	VA06114205	471972	7102222	DUB 887	3	Sand	Lt Brown	14	Martin Paquette	9/23/2006	
B629321	VA06114205	471947	7102218	DUB 889	1	Sand	Lt Brown	14	Martin Paquette	9/23/2006	
B629322	VA06114205	471709	7102225	DUB 889	2	Sand	Lt Brown/Grey	12	Martin Paquette	9/23/2006	
B629323	VA06114205	471533	7102229	DUB 889	3	Sand	Lt Brown	12	Martin Paquette	9/23/2006	
B629324	VA06114205	471516	7102225	DUB 891	1	Sand	Lt Brown	12	Martin Paquette	9/23/2006	
B629325	VA06114205	471287	7102292	DUB 891	2	Sand	Lt Brown	12	Martin Paquette	9/23/2006	
B629326	VA06114205	471098	7102228	DUB 891	3	Sand/Clay/Gravel	Dk Grey	12	Martin Paquette	9/24/2006	
B629327	VA06114205	471078	7102222	DUB 893	1	Clay/Gravel	Dk Grey	12	Martin Paquette	9/24/2006	
B629328	VA06114205	470855	7102227	DUB 893	2	Clay/Gravel	Dk Grey	12	Martin Paquette	9/24/2006	
B629329	VA06114205	470657	7102224	DUB 893	3	Clay/Gravel	Dk Grey	14	Martin Paquette	9/24/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B629330	VA06114205	470628	7102231	DUB 895	1	Clay/Sand	Dk Grey	12	Martin Paquette	9/24/2006	
B629331	VA06114205	470413	7102243	DUB 895	2	Sand/Silt	Dk Grey	12	Martin Paquette	9/24/2006	
B629332	VA06114205	470240	7102225	DUB 895	3	Clay	Dk Grey	13	Martin Paquette	9/24/2006	Silver sparkles
B629333	VA06114205	470199	7102235	DUB 897	1	Clay	Dk Grey	13	Martin Paquette	9/24/2006	Silver sparkles
B629334	VA06114205	469971	7102212	DUB 897	2	Sand	Lt Brown	12	Martin Paquette	9/24/2006	
B629335	VA06114205	469783	7102233	DUB 897	3	Sand	Lt Grey/Brown	12	Martin Paquette	9/24/2006	
B629336	VA06114205	469746	7102234	DUB 899	1	Sand	Lt Brown	12	Martin Paquette	9/24/2006	
B629337	VA06114205	455387	7104846	DUB 1403	1	Sand/Gravel	Lt/Dk Brown	15	Martin Paquette	9/25/2006	
B629338	VA06114205	455389	7105064	DUB 1403	2	Sand/Gravel	Lt Brown	16	Martin Paquette	9/25/2006	
B629339	VA06114205	455382	7105234	DUB 1403	3	Sand/Gravel	Dk Brown	12	Martin Paquette	9/25/2006	
B629340	VA06114205	456268	7105219	DUB 1401	1	Sand/Gravel	Dk Brown	14	Martin Paquette	9/25/2006	
B629341	VA06114205	456253	7105004	DUB 1401	2	Sand/Gravel	Brown/Lt Grey	15	Martin Paquette	9/25/2006	
B629342	VA06114205	456248	7104804	DUB 1401	3	Sand/Gravel	Dk Brown	12	Martin Paquette	9/25/2006	
B629343	VA06114205	473301	7102667	DUB 881	1	Sand	Lt Brown	12	Martin Paquette	9/25/2006	
B629344	VA06114205	473523	7102672	DUB 881	2	Sand	Lt Brown	12	Martin Paquette	9/25/2006	
B629345	VA06114205	473730	7102676	DUB 881	3	Sand	Lt Brown	12	Martin Paquette	9/25/2006	
B629346	VA06114205	473738	7102633	DUB 880	1	Sand	Lt Brown	12	Martin Paquette	9/25/2006	
B629347	VA06114205	473969	7102628	DUB 880	2	Sand	Lt Brown	12	Martin Paquette	9/25/2006	
B629348	VA06114205	474183	7102637	DUB 880	3	Sand	Lt Brown	12	Martin Paquette	9/25/2006	
B629349	VA06114205	467087	7096953	LYNX 31	3	Sand/Gravel	Lt Brown	12	Simon Canvel	9/26/2006	
B629350	VA06114205	467099	7097090	LYNX 31	2	Sand/Gravel	Lt Brown	12	Simon Canvel	9/26/2006	
B629351	VA06114205	474106	7099917	DUB 795	1	Gravel/Silt	Brown	10	Sean Inkster	9/22/2006	
B629352	VA06114205	474134	7099917	DUB 793	3	Gravel/Sand	Lt Brown	10	Sean Inkster	9/22/2006	
B629353	VA06114205	474345	7099924	DUB 793	2	Mud	Md Brown	10	Sean Inkster	9/22/2006	
B629354	VA06114205	474571	7099909	DUB 793	1	Silt	Md Grey	10	Sean Inkster	9/22/2006	
B629355	VA06114205	474587	7099911	DUB 791	3	Clay	Md Grey	10	Sean Inkster	9/22/2006	
B629356	VA06114205	474784	7099910	DUB 791	2	Clay	Md Grey	10	Sean Inkster	9/22/2006	
B629357	VA06114205	475002	7099911	DUB 791	1	Gravel/Silt	Md Brown	10	Sean Inkster	9/22/2006	
B629358	VA06114205	475016	7099915	DUB 789	3	Gravel/Clay	Md Brown	10	Sean Inkster	9/22/2006	
B629359	VA06114205	475220	7099924	DUB 789	2	Gravel/Clay	Md Brown	12	Sean Inkster	9/22/2006	
B629360	VA06114205	475449	7099895	DUB 789	1	Gravel/Clay	Md Brown	10	Sean Inkster	9/22/2006	
B629361	VA06114205	467574	7106600	DUB 1169	3	Rock/Gravel /Clay	Md Brown	12	Sean Inkster	9/23/2006	
B629362	VA06114205	467801	7106585	DUB 1169	2	Rock/Gravel /Clay	Md Brown	14	Sean Inkster	9/23/2006	
B629363	VA06114205	467991	7106594	DUB 1169	1	Rock/Gravel /Clay	Md Brown	12	Sean Inkster	9/23/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B629364	VA06114205	468037	7106590	DUB 1167	3	Rock/Gravel /Clay	Md Brown	14	Sean Inkster	9/23/2006	
B629365	VA06114205	468258	7106607	DUB 1167	2	Rock/Gravel /Clay	Md Brown	10	Sean Inkster	9/23/2006	
B629366	VA06114205	468438	7106592	DUB 1167	1	Rock/Gravel /Clay	Md Brown	12	Sean Inkster	9/23/2006	
B629367	VA06114205	468460	7106589	DUB 1165	3	Rock/Silt/Clay	Md Brown	10	Sean Inkster	9/23/2006	
B629368	VA06114205	468683	7106575	DUB 1165	2	Talus/Organics	Lt Grey/Brown	4	Sean Inkster	9/23/2006	
B629369	VA06114205	468882	7106588	DUB 1165	1	Clay/Rock /Gravel	Md Brown	12	Sean Inkster	9/24/2006	
B629370	VA06114205	468896	7106594	DUB 1163	3	Clay/Rock /Gravel	Md Brown	12	Sean Inkster	9/24/2006	
B629371	VA06114205	469175	7106596	DUB 1163	2	Clay/Rock /Gravel	Md Brown	12	Sean Inkster	9/24/2006	
B629372	VA06114205	469326	7106572	DUB 1163	1	Clay	Md Brown	14	Sean Inkster	9/24/2006	
B629373	VA06114205	469339	7106592	DUB 1161	3	Gravel/Silt/Clay	Dk Brown	12	Sean Inkster	9/24/2006	
B629374	VA06114205	469578	7106580	DUB 1161	2	Rock/Clay	Dk Brown	12	Sean Inkster	9/24/2006	
B629375	VA06114205	469774	7106582	DUB 1161	1	Rock/Clay	Dk Brown	12	Sean Inkster	9/24/2006	
B629376	VA06114205	469795	7106591	DUB 1159	3	Rock/Gravel	Md Brown	12	Sean Inkster	9/24/2006	
B629377	VA06114205	470029	7106613	DUB 1159	2	Clay/Rock	Brown	12	Sean Inkster	9/24/2006	
B629378	VA06114205	470203	7106591	DUB 1159	1	Clay	Lt Grey/Brown	10	Sean Inkster	9/24/2006	
B629379	VA06114205	470223	7106598	DUB 1157	3	Mud/Clay	Lt Grey/Brown	10	Sean Inkster	9/24/2006	
B629380	VA06114205	470442	7106570	DUB 1157	2	Mud/Clay	Md Grey	8	Sean Inkster	9/24/2006	
B629381	VA06114205	470651	7106581	DUB 1157	1	Permafrost/Mudd	Md Brown	10	Sean Inkster	9/24/2006	
B629382	VA06114205	466704	7102372	DUB 18	1	Rock/Gravel /Clay	Md Brown	12	Sean Inkster	9/24/2006	
B629383	VA06114205	466899	7102392	DUB 18	2	Clay/Rock	Md Brown	12	Sean Inkster	9/24/2006	
B629384	VA06114205	467118	7102446	DUB 18	3	Clay/Rock	Md Brown	12	Sean Inkster	9/24/2006	
B629385	VA06114205	467146	7102436	DUB 20	1	Gravel/Clay	Md Brown	12	Sean Inkster	9/24/2006	
B629386	VA06114205	467356	7102444	DUB 20	2	Clay/Gravel	Md Brown	10	Sean Inkster	9/24/2006	
B629387	VA06114205	467511	7102452	DUB 20	3	Rock/Gravel	Lt Grey/Brown	10	Martin Paquette	9/24/2006	
B629388	VA06114205	464479	7103998	DUB 115	1	Rock/Gravel /Clay	Md Brown	12	Sean Inkster	9/25/2006	
B629389	VA06114205	464481	7104190	DUB 115	2	Rock/Gravel /Clay	Md Brown	12	Sean Inkster	9/25/2006	
B629390	VA06114205	464487	7104435	DUB 115	3	Rock/Gravel /Clay	Md Brown	12	Sean Inkster	9/25/2006	
B629391	VA06114205	464485	7104485	DUB 117	1	Talus/Organics	Black	8	Sean Inkster	9/25/2006	

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B629392	VA06114205	464475	7104652	DUB 117	2	Rock/gravel/Dirt	Md Brown	12	Sean Inkster	9/25/2006	
B629393	VA06114205	464475	7104852	DUB 117	3	Gravel/Dirt	Md Brown	12	Sean Inkster	9/25/2006	
B629394	VA06114205	464477	7104872	DUB 119	1	Rock/Sand	Md Brown	10	Sean Inkster	9/25/2006	
B629395	VA06114205	464477	7105057	DUB 119	2	Gravel/Sand	Grey/Brown	12	Sean Inkster	9/25/2006	
B629396	VA06114205	464483	7105298	DUB 119	3	Gravel/Sand	Grey/Brown	12	Sean Inkster	9/25/2006	
B629401	VA06114205	464474	7098573	DUB 99	1	Clay	Grey/Red	26	Mathieu Tremblay	9/21/2006	
B629402	VA06114205	464474	7098543	DUB 97	3	Fn Sand	Grey	24	Mathieu Tremblay	9/21/2006	
B629403	VA06114205	464448	7098342	DUB 97	2	Clay/Organic	Grey/Black	22	Mathieu Tremblay	9/21/2006	
B629404	VA06114205	464453	7098137	DUB 97	1	Clay/Fn Sand	Grey	18	Mathieu Tremblay	9/21/2006	
B629411	VA06114205	467580	7102227	DUB 907	3	Clay/Rock	Lt Brown	12	Mathieu Tremblay	9/23/2006	
B629412	VA06114205	467801	7102220	DUB 907	2	Sand/Rock	Brown	12	Mathieu Tremblay	9/23/2006	
B629413	VA06114205	468001	7102233	DUB 907	1	Clay/Sand/Rock	Grey/Brown	12	Mathieu Tremblay	9/23/2006	
B629414	VA06114205	468040	7102234	DUB 905	3	Rock/Clay	Grey	20	Mathieu Tremblay	9/23/2006	
B629415	VA06114205	468236	7102223	DUB 905	2	Sand/Clay	Red/Brown	12	Mathieu Tremblay	9/23/2006	
B629416	VA06114205	468442	7102218	DUB 905	1	Clay/Sand	Red/Brown	12	Mathieu Tremblay	9/23/2006	
B629417	VA06114205	468468	7102224	DUB 903	3	Clay/Sand	Red/Brown	12	Mathieu Tremblay	9/23/2006	
B629418	VA06114205	468674	7102222	DUB 903	2	Organic/Clay	Grey/Brown	20	Mathieu Tremblay	9/23/2006	
B629419	VA06114205	468877	7102216	DUB 903	1	Clay	Grey/Brown	14	Mathieu Tremblay	9/23/2006	
B629420	VA06114205	468913	7102215	DUB 901	3	Clay/Rock	Grey/Brown	14	Mathieu Tremblay	9/23/2006	
B629421	VA06114205	469126	7102212	DUB 901	2	Clay/Sand	Grey	12	Mathieu Tremblay	9/23/2006	
B629422	VA06114205	469322	7102223	DUB 901	1	Clay/Rock	Grey/Brown	14	Mathieu Tremblay	9/23/2006	
B629423	VA06114205	469354	7102211	DUB 899	3	Clay/Rock	Grey/Brown	14	Mathieu Tremblay	9/23/2006	
B629424	VA06114205	465007	7100043	DUB 105	1	Clay/Sand	Lt Brown	12	Mathieu Tremblay	9/24/2006	
B629425	VA06114205	464820	7100035	DUB 105	2	Clay/Sand	Lt Brown	12	Mathieu Tremblay	9/24/2006	
B629426	VA06114205	464609	7100038	DUB 105	3	Clay/Sand/Rock	Red/Brown	12	Mathieu Tremblay	9/24/2006	
B629427	VA06114205	464031	7099466	DUB 160	1	Clay/Sand	Red/Brown	12	Mathieu Tremblay	9/24/2006	
B629428	VA06114205	463810	7099461	DUB 160	2	Clay/Sand	Lt Brown	12	Mathieu Tremblay	9/24/2006	
B629429	VA06114205	463627	7099455	DUB 160	3	Clay/Sand	Red/Brown	12	Mathieu Tremblay	9/24/2006	
B629430	VA06114205	464479	7097259	DUB 93	1	Clay/Sand	Brown	12	Mathieu Tremblay	9/24/2006	
B629431	VA06114205	464473	7097474	DUB 93	2	Clay/Sand	Brown	12	Mathieu Tremblay	9/24/2006	
B629432	VA06114205	464468	7097680	DUB 93	3	Clay/Sand	Brown	12	Mathieu Tremblay	9/24/2006	
B629433	VA06114205	464480	7097708	DUB 95	1	Clay/Sand	Brown	12	Mathieu Tremblay	9/24/2006	
B629434	VA06114205	464476	7097909	DUB 95	2	Clay	Dk Brown	14	Mathieu Tremblay	9/24/2006	
B629435	VA06114205	464465	7098103	DUB 95	3	Clay/Sand	Lt Grey	16	Mathieu Tremblay	9/24/2006	
B629436	VA06114205	458784	7105287	DUB 481	1				Mathieu Tremblay	9/25/2006	No sample sheet located, from sample booklet.

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B629437	VA06114205	458784	7105123	DUB 481	2				Mathieu Tremblay	9/25/2006	No sample sheet located, from sample booklet.
B629438	VA06114205	458783	7104889	DUB 481	3				Mathieu Tremblay	9/25/2006	No sample sheet located, from sample booklet.
B629439	VA06114205	458783	7104868	DUB 482	1				Mathieu Tremblay	9/25/2006	No sample sheet located, from sample booklet.
B629440	VA06114205	458791	7104648	DUB 482	2				Mathieu Tremblay	9/25/2006	No sample sheet located, from sample booklet.
B629441	VA06114205	458806	7104456	DUB 482	3				Mathieu Tremblay	9/25/2006	No sample sheet located, from sample booklet.
B629442	VA06114205	458782	7104427	DUB 483	1				Mathieu Tremblay	9/25/2006	No sample sheet located, from sample booklet.
B629443	VA06114205	458779	7104211	DUB 483	2				Mathieu Tremblay	9/25/2006	No sample sheet located, from sample booklet.
B629444	VA06114205	458780	7104012	DUB 483	3				Mathieu Tremblay	9/25/2006	No sample sheet located, from sample booklet.
B629445	VA06114205	458795	7103985	DUB 484	1				Mathieu Tremblay	9/25/2006	No sample sheet located, from sample booklet.
B629446	VA06114205	458785	7103761	DUB 484	2				Mathieu Tremblay	9/25/2006	No sample sheet located, from sample booklet.
B629447	VA06114205	458788	7103706	DUB 484	3				Mathieu Tremblay	9/25/2006	No sample sheet located, from sample booklet.
B629448	VA06114205	458052	7101834	DUB 264	1	Clay	Grey	12	Mathieu Tremblay	9/25/2006	
B629449	VA06114205	458024	7101837	DUB 263	1	Clay/Rock	Grey/Brown	12	Mathieu Tremblay	9/25/2006	
B629450	VA06114205	457800	7101840	DUB 263	2	Sand/Gravel	Brown	12	Mathieu Tremblay	9/25/2006	
B629451	VA06114205	467529	7096843	LYNX 35	1	Clay	Brown	12	Francois Chretien	9/26/2006	Could not find posts in area

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B629452	VA06114205	467764	7096837	LYNX 35	2	Clay	Brown	12	Francois Chretien	9/26/2006	Could not find posts in area
B629453	VA06114205	467959	7096828	LYNX 35	3	Clay	Brown	12	Francois Chretien	9/26/2006	Could not find posts in area
B629454	VA06114205	468179	7096813	LYNX 37	2	Clay	Grey	12	Francois Chretien	9/26/2006	Could not find posts in area
B629455	VA06114205	468417	7096802	LYNX 39	1	Clay	Grey	12	Francois Chretien	9/26/2006	Could not find posts in area
B629456	VA06114205	468387	7096801	LYNX 37	3	Clay	Grey	12	Francois Chretien	9/26/2006	Could not find posts in area
B629457	VA06114205	468601	7096894	LYNX 39	2	Clay	Grey/Brown	12	Francois Chretien	9/26/2006	Could not find posts in area
B629458	VA06114205	468797	7096957	LYNX 39	3	Dirt	Brown	12	Francois Chretien	9/26/2006	Could not find posts in area
B629459	VA06114205	468995	7096966	LYNX 41	1	Dirt	Brown	12	Francois Chretien	9/26/2006	Could not find posts in area.
B629460	VA06114205	469028	7096973	LYNX 41	2	Clay	Green/Grey	12	Francois Chretien	9/26/2006	Could not find posts in area
B629461	VA06114205	469251	7096956	LYNX 41	3	Clay	Dk Brown	12	Francois Chretien	9/26/2006	Could not find posts in area
B629462	VA06114205	469260	7096969	LYNX 43	1	Clay	Dk Brown	12	Francois Chretien	9/26/2006	Could not find posts in area
B629463	VA06114205	469478	7096903	LYNX 43	2	Clay	Dk Brown	12	Francois Chretien	9/26/2006	Could not find posts in area
B629464	VA06114205	469676	7096868	LYNX 43	3	Clay	Lt Brown	12	Francois Chretien	9/26/2006	Could not find posts in area
B629465	VA06114205	469693	7096876	LYNX 45	1	Clay	Lt Brown	12	Francois Chretien	9/26/2006	Could not find posts in area
B629466	VA06114205	469901	7096904	LYNX 45	2	Clay	Green/Grey	12	Francois Chretien	9/26/2006	Could not find posts in area
B629467	VA06114205	470123	7096918	LYNX 45	3	Clay	Green/Grey	12	Francois Chretien	9/26/2006	Could not find posts in area
B629468	VA06114205	470131	7096924	LYNX 47	1	Clay	Brown	12	Francois Chretien	9/26/2006	Could not find posts in area
B629469	VA06114205	470356	7096959	LYNX 47	2	Clay	Brown	12	Francois Chretien	9/26/2006	Could not find posts in area
B629470	VA06114205	470650	7096990	LYNX 47	3	Clay	Brown	12	Francois Chretien	9/26/2006	Could not find posts in area

Geochemical Soil Samples 2006 - Regional Sampling Program (UTM Coordinates in NAD 83, Zone 8)											
Sample #	Certificate	Easting	Northing	Claim Name	Claim Post	Material Type	Colour	Depth (cm)	Sampler Name	Date	Comments
B629503	VA06114205	466701	7101484	DUB 10	1	Silt/Clay/Rock	Black/Md Brown	12	Sean Inkster	9/26/2006	
B629504	VA06114205	466928	7101478	DUB 10	2	Organic	Black	12	Sean Inkster	9/26/2006	
B629505	VA06114205	467150	7101481	DUB 10	3	Gravel/Sand	Md Brown	10	Sean Inkster	9/26/2006	
B629506	VA06114205	467154	7101482	DUB 11	1	Gravel/Sand	Md Brown	10	Sean Inkster	9/26/2006	
B629551	VA06114205	458291	7101839	DUB 264	2	Clay/Sand	Brown	12	Mathieu Tremblay	9/25/2006	
B629552	VA06114205	458495	7101832	DUB 257	1	Clay/Sand /Gravel	Grey	12	Mathieu Tremblay	9/26/2006	
B629553	VA06114205	458698	7101832	DUB 257	2		Grey	12	Mathieu Tremblay	9/26/2006	
B629554	VA06114205	458898	7101832	DUB 257	3	Clay/Rock	Grey/Brown	12	Mathieu Tremblay	9/26/2006	
B629555	VA06114205	457623	7101387	DUB 262	1	Clay/Gravel	Grey/Brown	12	Mathieu Tremblay	9/26/2006	
B629556	VA06114205	457835	7101381	DUB 262	2	Clay/Sand /Gravel	Brown/Grey	12	Mathieu Tremblay	9/26/2006	
B629557	VA06114205	457897	7101379	DUB 262	3	Sand/Clay	Lt Brown	12	Mathieu Tremblay	9/26/2006	
C083501	VA06114205	467079	7097196	LYNX 31	1	Sand/Gravel	Lt Brown	12	Simon Canvel	9/26/2006	
C083502	VA06114205	467084	7097209	LYNX 29	3	Sand/Gravel	Lt Brown	12	Simon Canvel	9/26/2006	
C083503	VA06114205	467109	7097462	LYNX 29	2	Sand/Gravel	Lt Brown	12	Simon Canvel	9/26/2006	
C083504	VA06114205	467080	7097644	LYNX 29	1	Sand/Gravel	Lt Brown	12	Simon Canvel	9/26/2006	
C083505	VA06114205	467079	7097670	LYNX 27	3	Sand/Gravel	Lt Brown	12	Simon Canvel	9/26/2006	
C083506	VA06114205	467033	7097965	LYNX 27	2	Clay	Dk Brown	12	Simon Canvel	9/26/2006	Mineralized Sparkles
C083507	VA06114205	467089	7098154	LYNX 27	1	Clay	Dk Brown	12	Simon Canvel	9/26/2006	Sparkles
C083508	VA06114205	467085	7098175	LYNX 25	3	Clay	Dk Brown	12	Simon Canvel	9/26/2006	Sparkles
C083509	VA06114205	467037	7098402	LYNX 25	2	Clay	Dk Brown	12	Simon Canvel	9/26/2006	Sparkles
C083510	VA06114205	467086	7098606	LYNX 25	1	Clay	Dk Brown	12	Simon Canvel	9/26/2006	Sparkles
C083511	VA06114205	467090	7098632	LYNX 23	3	Clay	Dk Brown	12	Simon Canvel	9/26/2006	Sparkles
C083512	VA06114205	467083	7098776	LYNX 23	2	Clay	Dk Brown	12	Simon Canvel	9/26/2006	Mica
C083513	VA06114205	467102	7098980	LYNX 23	1	Clay	Dk Brown	12	Simon Canvel	9/26/2006	Sparkles

APPENDIX O

ALS Chemex Assay Certificates

- Soil Samples -

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 15-JUN-2006
Account: STRGOL

CERTIFICATE VA06047793

Project: Dublin Gulch 1735

P.O. No.:

This report is for 131 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 31-MAY-2006.

The following have access to data associated with this certificate:

WILLIAM HAY KRISTIAN WHITEHEAD	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 15-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06047793

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B088951		0.50	<0.005	<0.2	0.95	10	<10	70	<0.5	<2	0.06	<0.5	2	16	15	2.16
B088952		0.56	<0.005	0.3	0.87	40	<10	140	<0.5	<2	0.08	<0.5	9	13	24	2.81
B088953		0.50	<0.005	0.2	0.80	4	<10	160	<0.5	<2	0.10	<0.5	5	12	17	2.15
B088954		0.48	<0.005	0.3	1.16	11	<10	180	<0.5	<2	0.11	<0.5	4	19	14	2.27
B088955		0.50	<0.005	0.5	1.29	13	<10	200	<0.5	<2	0.10	<0.5	4	21	13	2.24
B088956		0.34	<0.005	0.2	1.19	10	<10	130	<0.5	<2	0.07	<0.5	4	19	12	2.35
B088957		0.60	<0.005	1.5	0.48	27	<10	80	<0.5	<2	0.25	3.6	10	8	30	2.97
B088958		0.46	<0.005	0.3	1.17	13	<10	160	<0.5	<2	0.08	<0.5	6	20	20	2.65
B088959		0.64	<0.005	0.4	1.56	9	<10	220	<0.5	<2	0.08	<0.5	6	25	17	2.70
B088960		0.52	<0.005	0.4	1.63	14	<10	180	<0.5	<2	0.07	<0.5	8	26	20	2.83
B088961		0.72	<0.005	0.3	0.92	9	<10	160	<0.5	<2	0.12	0.6	7	17	15	2.37
B088962		0.76	<0.005	0.2	1.23	11	<10	180	<0.5	2	0.12	1.1	7	17	16	2.75
B088963		0.40	<0.005	0.7	1.45	17	<10	290	0.5	<2	0.13	1.2	9	25	27	2.78
B088964		0.48	0.006	0.8	0.83	6	<10	180	<0.5	<2	0.12	<0.5	4	13	13	1.65
B088965		0.44	<0.005	<0.2	1.17	10	<10	120	<0.5	<2	0.08	<0.5	7	19	15	2.48
B088966		0.36	<0.005	0.2	1.23	13	<10	140	<0.5	<2	0.10	<0.5	4	18	12	2.23
B088967		0.54	<0.005	<0.2	0.93	9	<10	120	<0.5	<2	0.07	<0.5	3	15	8	1.42
B088968		0.40	<0.005	0.3	1.36	8	<10	130	<0.5	<2	0.07	<0.5	5	20	14	2.35
B088969		0.56	<0.005	<0.2	1.28	9	<10	120	<0.5	<2	0.06	<0.5	6	22	18	2.28
B088970		0.34	<0.005	0.7	1.59	11	<10	290	0.6	<2	0.08	0.6	5	23	24	2.59
B088971		0.56	<0.005	<0.2	1.17	11	<10	210	<0.5	<2	0.12	<0.5	8	22	21	2.25
B088972		0.44	<0.005	0.8	1.09	11	<10	150	<0.5	<2	0.08	1.3	3	15	11	1.48
B088973		0.32	<0.005	<0.2	1.65	6	<10	150	<0.5	<2	0.09	<0.5	5	24	8	2.38
B088974		0.44	<0.005	<0.2	1.39	12	<10	130	<0.5	<2	0.08	<0.5	5	22	14	2.58
B088975		0.40	<0.005	<0.2	1.61	17	<10	190	<0.5	2	0.10	<0.5	7	27	25	2.80
B088976		0.52	<0.005	0.4	1.82	13	<10	170	<0.5	<2	0.08	<0.5	6	28	13	3.19
B088977		0.64	<0.005	<0.2	1.43	14	<10	120	<0.5	<2	0.06	<0.5	8	23	20	3.32
B088978		0.62	<0.005	<0.2	0.96	15	<10	100	<0.5	<2	0.07	<0.5	5	16	11	1.87
B088979		0.42	0.005	<0.2	0.96	15	<10	120	<0.5	<2	0.09	<0.5	4	18	13	1.89
B088980		0.38	<0.005	<0.2	0.85	8	<10	90	<0.5	2	0.07	<0.5	4	15	9	1.53
B088981		0.50	<0.005	<0.2	1.18	7	<10	140	<0.5	<2	0.08	<0.5	6	21	18	2.15
B088982		0.82	<0.005	<0.2	1.23	13	<10	190	<0.5	<2	0.08	<0.5	8	23	24	2.43
B088983		0.40	<0.005	<0.2	1.35	8	<10	170	<0.5	<2	0.09	<0.5	5	21	15	2.08
B088984		0.44	<0.005	<0.2	1.90	8	<10	230	0.5	<2	0.08	<0.5	8	33	24	2.85
B088985		0.58	<0.005	<0.2	1.68	11	<10	150	<0.5	<2	0.10	<0.5	11	27	20	3.04
B088986		0.64	<0.005	<0.2	1.39	15	<10	140	<0.5	<2	0.07	<0.5	7	25	22	2.98
B088987		0.54	<0.005	<0.2	1.28	8	<10	150	<0.5	<2	0.07	<0.5	6	22	15	2.40
B088988		0.30	<0.005	0.2	0.78	29	<10	110	<0.5	<2	0.06	<0.5	4	10	16	1.05
B088989		0.26	0.007	0.2	0.98	52	<10	100	<0.5	2	0.06	<0.5	3	15	17	1.30
B088990		0.16	<0.005	0.2	0.91	16	<10	210	<0.5	<2	0.09	<0.5	4	16	22	1.63

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 15-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06047793

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B088951		<10	1	0.04	10	0.18	130	<1	<0.01	9	310	18	0.01	2	2	7
B088952		<10	1	0.08	30	0.23	367	<1	<0.01	23	190	45	0.01	6	2	11
B088953		<10	1	0.08	20	0.16	198	<1	<0.01	16	160	18	<0.01	2	1	11
B088954		<10	<1	0.06	20	0.29	175	<1	0.01	13	220	18	<0.01	2	2	10
B088955		<10	<1	0.05	10	0.29	164	<1	<0.01	14	190	15	0.01	2	2	12
B088956		<10	1	0.06	10	0.27	189	<1	<0.01	13	200	16	0.01	<2	2	9
B088957		<10	<1	0.12	30	0.12	1195	<1	<0.01	28	250	222	0.01	6	2	25
B088958		<10	<1	0.07	20	0.29	293	1	0.01	19	240	29	0.01	3	2	9
B088959		<10	1	0.06	20	0.35	250	<1	0.01	19	160	21	0.01	3	3	11
B088960		<10	1	0.06	20	0.33	257	1	0.01	21	210	32	0.01	<2	3	10
B088961		<10	1	0.08	20	0.24	352	1	0.01	17	340	26	0.01	2	2	12
B088962		<10	1	0.07	20	0.30	307	1	0.01	19	350	47	0.01	4	2	13
B088963		<10	1	0.08	20	0.31	422	1	0.01	24	350	72	0.02	4	3	14
B088964		<10	1	0.08	20	0.11	153	1	0.01	12	320	17	0.02	3	1	11
B088965		<10	<1	0.06	20	0.27	214	1	0.01	17	240	11	0.01	<2	2	9
B088966		<10	1	0.05	10	0.23	167	1	0.01	11	320	14	0.01	2	1	10
B088967		<10	1	0.04	10	0.17	105	<1	0.01	9	240	26	0.01	<2	1	7
B088968		<10	1	0.04	10	0.25	149	1	0.01	14	210	15	0.01	3	2	8
B088969		<10	1	0.04	10	0.28	202	<1	0.01	16	190	16	0.01	2	2	7
B088970		10	1	0.07	10	0.18	147	1	0.01	15	1470	33	0.02	<2	2	12
B088971		<10	1	0.04	20	0.34	271	<1	0.01	18	330	13	0.01	<2	2	13
B088972		10	1	0.05	10	0.12	147	1	0.01	8	250	172	0.02	8	1	11
B088973		10	1	0.04	10	0.28	158	1	0.01	13	240	18	0.01	<2	2	9
B088974		<10	<1	0.05	10	0.29	241	1	0.01	13	360	17	0.01	2	2	9
B088975		10	<1	0.06	10	0.37	264	1	0.01	19	350	16	0.01	3	2	13
B088976		10	1	0.05	10	0.35	205	1	0.01	16	390	16	0.01	<2	3	10
B088977		<10	1	0.07	10	0.33	245	1	0.01	20	380	13	0.01	2	2	8
B088978		<10	1	0.04	10	0.23	187	1	0.01	12	390	14	0.02	<2	1	7
B088979		<10	1	0.03	10	0.23	122	1	0.01	11	790	30	0.01	2	1	9
B088980		<10	1	0.03	10	0.21	78	<1	0.01	9	330	9	0.01	<2	<1	7
B088981		<10	<1	0.04	20	0.31	189	1	0.01	17	260	14	0.02	<2	2	9
B088982		<10	1	0.04	20	0.32	269	1	0.01	19	170	10	0.02	3	4	11
B088983		10	1	0.04	10	0.29	143	1	0.01	13	180	14	0.03	<2	2	11
B088984		<10	<1	0.04	10	0.45	266	1	0.01	20	200	11	0.02	<2	4	11
B088985		<10	<1	0.07	10	0.39	306	1	0.01	24	310	14	0.02	<2	3	12
B088986		<10	1	0.05	10	0.34	217	1	0.01	21	270	14	0.02	<2	2	9
B088987		<10	<1	0.05	10	0.29	234	1	0.01	14	480	15	0.02	<2	2	9
B088988		<10	<1	0.05	10	0.05	90	1	0.01	8	770	43	0.04	<2	<1	11
B088989		<10	1	0.04	10	0.09	56	<1	0.01	7	620	28	0.04	3	<1	9
B088990		<10	<1	0.05	10	0.14	87	1	0.01	11	890	26	0.05	2	<1	14

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 15-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06047793

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B088951		0.04	<10	<10	47	<10	43
B088952		0.01	<10	<10	19	<10	117
B088953		0.02	<10	<10	24	<10	62
B088954		0.03	<10	<10	34	<10	55
B088955		0.03	<10	<10	39	<10	51
B088956		0.03	<10	<10	41	<10	61
B088957		0.01	<10	<10	11	<10	717
B088958		0.03	<10	<10	33	<10	100
B088959		0.04	<10	<10	44	<10	82
B088960		0.03	<10	<10	46	<10	115
B088961		0.03	<10	<10	33	<10	107
B088962		0.02	<10	<10	30	<10	138
B088963		0.03	<10	<10	42	<10	159
B088964		0.02	<10	<10	32	<10	48
B088965		0.04	<10	<10	41	<10	48
B088966		0.03	<10	<10	47	<10	45
B088967		0.02	<10	<10	30	<10	70
B088968		0.03	<10	<10	42	<10	47
B088969		0.04	<10	<10	38	<10	59
B088970		0.03	<10	<10	53	<10	52
B088971		0.04	<10	<10	40	<10	62
B088972		0.03	<10	<10	45	<10	105
B088973		0.05	<10	<10	54	<10	64
B088974		0.04	<10	<10	49	<10	56
B088975		0.05	<10	<10	56	<10	67
B088976		0.05	<10	<10	59	<10	79
B088977		0.04	<10	<10	48	<10	61
B088978		0.03	<10	<10	34	<10	46
B088979		0.02	<10	<10	34	<10	42
B088980		0.02	<10	<10	31	<10	33
B088981		0.04	<10	<10	35	<10	63
B088982		0.05	<10	<10	39	<10	52
B088983		0.06	<10	<10	51	<10	42
B088984		0.06	<10	<10	55	<10	67
B088985		0.05	<10	<10	50	<10	79
B088986		0.04	<10	<10	49	<10	62
B088987		0.04	<10	<10	45	<10	64
B088988		<0.01	<10	<10	19	<10	31
B088989		<0.01	<10	<10	28	<10	29
B088990		<0.01	<10	<10	31	<10	38

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 15-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06047793

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B088991		0.24	<0.005	<0.2	0.72	13	<10	250	<0.5	<2	0.09	<0.5	3	13	15	1.28
B088992		0.30	<0.005	0.3	1.03	52	<10	110	<0.5	2	0.08	<0.5	6	19	27	2.26
B088993		0.36	<0.005	<0.2	0.81	15	<10	50	<0.5	<2	0.05	<0.5	2	11	10	1.27
B088994		0.22	<0.005	0.2	0.75	11	<10	130	<0.5	<2	0.08	0.6	3	12	11	0.92
B088995		0.16	<0.005	0.4	0.96	57	<10	180	<0.5	<2	0.16	0.5	5	17	25	2.00
B088996		0.22	<0.005	0.5	0.72	39	<10	120	<0.5	2	0.09	<0.5	3	13	19	1.58
B088997		0.22	<0.005	<0.2	0.71	26	<10	140	<0.5	<2	0.05	<0.5	3	11	17	1.45
B088998		0.36	<0.005	<0.2	0.78	32	<10	60	<0.5	<2	0.03	<0.5	2	9	9	1.11
B089901		0.38	<0.005	0.6	1.10	8	<10	130	<0.5	<2	0.10	<0.5	8	17	14	2.65
B089902		0.10	0.005	<0.2	0.80	4	<10	80	<0.5	<2	1.70	<0.5	8	11	17	2.04
B089903		0.36	<0.005	0.9	1.30	15	<10	210	<0.5	<2	0.20	2.8	13	23	23	3.62
B089904		0.48	<0.005	<0.2	0.93	10	<10	200	<0.5	<2	0.12	<0.5	8	17	15	2.75
B089905		0.28	<0.005	0.2	1.20	5	<10	130	<0.5	<2	0.09	<0.5	6	20	11	2.42
B089906		0.40	<0.005	0.2	1.25	12	<10	140	<0.5	<2	0.10	<0.5	7	22	14	2.76
B089907		0.32	<0.005	0.6	1.44	13	<10	230	<0.5	<2	0.13	0.6	6	24	10	2.81
B089908		0.36	<0.005	0.3	0.94	9	<10	170	<0.5	<2	0.09	0.5	5	15	9	2.12
B089909		0.30	<0.005	0.2	1.21	8	<10	170	<0.5	<2	0.07	<0.5	6	18	11	2.26
B089910		0.38	0.005	0.3	1.63	14	<10	160	<0.5	<2	0.08	<0.5	8	27	18	2.95
B089911		0.32	<0.005	0.7	1.17	26	<10	250	<0.5	<2	0.12	4.0	8	19	16	2.52
B089912		0.40	0.006	0.2	1.75	14	<10	220	0.5	<2	0.08	<0.5	10	30	25	3.05
B089913		0.46	<0.005	0.4	1.20	9	<10	190	<0.5	<2	0.10	0.5	6	20	7	2.31
B089914		0.48	<0.005	0.3	1.33	6	<10	140	<0.5	<2	0.07	0.6	6	18	15	2.67
B089915		0.46	<0.005	0.5	1.20	9	<10	240	<0.5	<2	0.11	1.0	8	20	13	2.57
B089916		0.36	<0.005	0.3	0.75	3	<10	400	<0.5	<2	0.18	0.7	11	12	12	2.05
B089917		0.34	<0.005	0.2	1.32	7	<10	290	0.5	<2	0.17	0.6	10	20	6	2.44
B089918		0.30	0.005	0.2	1.50	12	<10	240	<0.5	<2	0.09	<0.5	7	24	14	2.61
B089919		0.32	<0.005	<0.2	1.50	10	<10	190	<0.5	<2	0.08	<0.5	9	28	19	2.74
B089920		0.38	0.007	<0.2	1.34	12	<10	150	<0.5	<2	0.09	<0.5	8	22	13	2.78
B089921		0.14	<0.005	0.4	1.32	8	<10	280	<0.5	<2	0.11	<0.5	6	20	17	2.37
B089922		0.46	<0.005	0.2	0.87	4	<10	140	<0.5	<2	0.07	<0.5	9	16	18	2.36
B089923		0.22	<0.005	<0.2	1.03	4	<10	150	<0.5	<2	0.12	<0.5	6	18	12	2.01
B089924		0.28	<0.005	<0.2	1.12	6	<10	140	<0.5	<2	0.08	<0.5	4	18	12	2.01
B089925		0.42	<0.005	<0.2	1.24	9	<10	120	<0.5	2	0.07	<0.5	8	21	18	2.63
B089926		0.34	<0.005	<0.2	1.37	9	<10	80	<0.5	<2	0.06	<0.5	4	22	5	2.20
B089927		0.34	<0.005	<0.2	1.18	14	<10	170	<0.5	<2	0.08	<0.5	8	20	20	2.46
B089928		0.52	<0.005	<0.2	1.46	8	<10	250	0.5	<2	0.16	<0.5	9	27	21	2.68
B089929		0.32	<0.005	0.2	0.81	53	<10	80	<0.5	<2	0.05	<0.5	7	14	21	2.32
B089930		0.16	<0.005	0.6	0.88	14	<10	160	<0.5	<2	0.08	<0.5	4	11	22	1.50
B089931		0.32	<0.005	<0.2	0.73	20	<10	60	<0.5	<2	0.07	<0.5	9	15	21	2.54
B089932		0.20	<0.005	<0.2	0.78	22	<10	140	<0.5	<2	0.08	<0.5	3	11	17	1.29

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 15-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06047793

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B088991		<10	<1	0.05	10	0.16	80	<1	0.01	10	410	10	0.02	2	<1	12
B088992		<10	1	0.06	20	0.24	161	1	0.01	15	450	49	0.02	4	1	11
B088993		<10	1	0.04	20	0.08	44	<1	0.01	5	240	38	0.02	2	<1	7
B088994		<10	<1	0.04	10	0.09	40	<1	0.02	7	540	19	0.04	<2	<1	10
B088995		<10	1	0.09	30	0.19	162	1	0.01	13	550	81	0.04	8	1	20
B088996		<10	<1	0.08	30	0.13	64	1	<0.01	8	460	78	0.03	4	1	12
B088997		<10	<1	0.06	20	0.12	52	1	<0.01	7	500	116	0.03	3	<1	9
B088998		<10	<1	0.05	20	0.07	42	1	<0.01	3	210	128	0.01	2	1	7
B089901		<10	<1	0.09	20	0.31	236	1	<0.01	17	270	19	0.01	<2	2	11
B089902		<10	<1	0.09	20	0.26	379	1	0.01	17	410	23	0.09	3	1	108
B089903		<10	<1	0.10	20	0.30	1180	1	0.01	24	610	31	0.02	4	2	16
B089904		<10	<1	0.08	20	0.24	449	1	<0.01	20	300	14	0.01	3	2	12
B089905		<10	1	0.05	20	0.31	193	1	<0.01	16	230	14	0.01	<2	2	9
B089906		<10	<1	0.06	10	0.33	219	1	<0.01	20	290	16	0.01	2	2	11
B089907		<10	1	0.07	20	0.34	292	1	0.01	16	520	29	0.01	3	2	14
B089908		<10	<1	0.06	10	0.22	284	1	<0.01	13	310	17	0.01	2	2	11
B089909		<10	<1	0.04	20	0.26	193	1	<0.01	15	180	26	0.01	<2	2	9
B089910		<10	<1	0.06	20	0.38	279	1	<0.01	19	240	33	0.01	<2	3	10
B089911		<10	<1	0.08	20	0.28	1125	1	0.01	20	330	80	0.02	5	2	16
B089912		<10	<1	0.05	20	0.43	392	1	0.01	21	210	53	0.01	<2	3	12
B089913		<10	<1	0.06	10	0.27	368	1	0.01	11	350	22	0.01	<2	2	10
B089914		<10	<1	0.05	10	0.33	419	1	<0.01	15	360	73	0.01	5	2	9
B089915		<10	<1	0.07	20	0.30	450	1	<0.01	18	520	37	0.01	<2	2	12
B089916		<10	<1	0.11	20	0.19	936	<1	0.01	16	300	21	0.01	2	1	19
B089917		<10	<1	0.09	10	0.31	758	1	0.01	15	1050	27	0.01	2	2	14
B089918		<10	<1	0.06	10	0.33	295	1	0.01	14	360	22	0.01	3	2	12
B089919		<10	<1	0.05	20	0.41	252	1	0.01	20	220	16	0.01	<2	3	11
B089920		<10	<1	0.08	20	0.34	296	1	0.01	18	670	21	0.01	2	2	10
B089921		<10	<1	0.06	20	0.27	136	1	0.01	16	620	15	0.04	3	1	17
B089922		<10	<1	0.06	20	0.25	293	1	<0.01	19	360	15	0.01	2	1	9
B089923		<10	<1	0.05	20	0.30	178	1	0.01	14	490	13	0.01	<2	1	12
B089924		<10	<1	0.04	10	0.26	169	1	0.01	12	350	13	0.01	<2	<1	10
B089925		<10	<1	0.05	20	0.32	233	1	<0.01	18	200	13	0.01	2	2	9
B089926		<10	<1	0.03	10	0.25	107	1	<0.01	10	190	13	0.01	<2	2	7
B089927		<10	<1	0.05	20	0.34	325	1	0.01	18	320	26	0.01	3	3	10
B089928		<10	<1	0.05	20	0.45	330	1	0.01	19	390	19	0.01	2	4	18
B089929		<10	<1	0.06	30	0.14	202	1	0.01	15	280	39	0.02	6	1	9
B089930		<10	<1	0.05	10	0.06	72	1	0.01	12	1250	29	0.05	2	<1	12
B089931		<10	<1	0.06	20	0.19	205	1	<0.01	21	410	25	0.02	5	1	9
B089932		<10	1	0.06	20	0.09	88	1	0.01	8	620	13	0.04	2	<1	11

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 15-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06047793

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
B088991		0.01	<10	<10	27	<10	34
B088992		0.02	<10	<10	35	<10	57
B088993		0.01	<10	<10	25	<10	20
B088994		<0.01	<10	<10	22	<10	22
B088995		0.02	<10	<10	34	<10	60
B088996		0.01	<10	<10	22	<10	36
B088997		0.01	<10	<10	21	<10	33
B088998		0.01	<10	<10	24	<10	21
B089901		0.03	<10	<10	33	<10	61
B089902		0.01	<10	<10	15	<10	65
B089903		0.04	<10	<10	45	<10	216
B089904		0.03	<10	<10	35	<10	68
B089905		0.04	<10	<10	39	<10	54
B089906		0.04	<10	<10	40	<10	54
B089907		0.03	<10	<10	43	<10	89
B089908		0.04	<10	<10	39	<10	55
B089909		0.03	<10	<10	41	<10	72
B089910		0.04	<10	<10	46	<10	95
B089911		0.03	<10	<10	37	<10	311
B089912		0.05	<10	<10	52	<10	120
B089913		0.03	<10	<10	41	<10	76
B089914		0.03	<10	<10	33	<10	79
B089915		0.03	<10	<10	38	<10	91
B089916		0.02	<10	<10	25	<10	65
B089917		0.02	<10	<10	38	<10	115
B089918		0.04	<10	<10	48	<10	66
B089919		0.05	<10	<10	47	<10	66
B089920		0.04	<10	<10	40	<10	74
B089921		0.02	<10	<10	39	<10	45
B089922		0.03	<10	<10	29	<10	63
B089923		0.02	<10	<10	33	<10	49
B089924		0.02	<10	<10	37	<10	42
B089925		0.04	<10	<10	40	<10	52
B089926		0.05	<10	<10	47	<10	31
B089927		0.04	<10	<10	37	<10	85
B089928		0.06	<10	<10	49	<10	68
B089929		0.02	<10	<10	29	<10	62
B089930		<0.01	<10	<10	18	<10	20
B089931		0.02	<10	<10	29	<10	67
B089932		<0.01	<10	<10	18	<10	26

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 15-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06047793

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B089933		0.28	0.005	0.2	1.14	129	<10	90	<0.5	4	0.11	<0.5	6	20	19	2.47
B089934		0.26	<0.005	<0.2	0.81	104	<10	60	<0.5	<2	0.05	<0.5	4	15	13	1.91
B089935		0.28	0.014	2.2	1.02	512	<10	150	<0.5	6	0.07	1.0	6	15	33	2.99
B089951		0.44	0.007	1.0	1.20	16	<10	150	<0.5	<2	0.13	0.7	5	19	15	2.64
B089952		0.32	<0.005	0.5	1.32	12	<10	170	<0.5	<2	0.08	0.9	7	20	20	2.76
B089953		0.50	0.008	0.3	1.80	11	<10	240	<0.5	<2	0.09	0.5	7	32	22	3.20
B089954		0.46	<0.005	0.7	1.74	13	<10	170	<0.5	<2	0.09	0.6	7	30	29	3.14
B089955		0.50	<0.005	<0.2	0.83	9	<10	170	<0.5	<2	0.18	0.8	9	17	10	2.33
B089956		0.32	<0.005	0.4	1.38	7	<10	150	<0.5	<2	0.07	0.9	8	19	16	3.12
B089957		0.38	0.009	0.2	1.68	11	<10	150	<0.5	<2	0.09	<0.5	6	24	9	2.77
B089958		0.62	<0.005	0.2	1.20	12	<10	160	<0.5	<2	0.10	0.9	8	21	16	2.78
B089959		0.32	<0.005	0.7	1.52	12	<10	140	<0.5	<2	0.06	0.6	5	21	10	2.45
B089960		0.40	<0.005	0.3	1.40	11	<10	190	<0.5	<2	0.07	0.5	7	21	19	2.81
B089961		0.48	<0.005	0.7	1.79	12	<10	180	<0.5	<2	0.10	0.9	5	27	8	2.60
B089962		0.40	<0.005	0.8	1.47	15	<10	130	<0.5	<2	0.08	0.5	6	22	11	2.53
B089963		0.42	<0.005	0.2	1.53	10	<10	250	<0.5	<2	0.13	<0.5	6	25	15	2.80
B089964		0.38	<0.005	<0.2	1.20	12	<10	140	<0.5	<2	0.08	0.6	10	22	28	3.29
B089965		0.36	<0.005	0.7	1.45	11	<10	100	<0.5	2	0.06	0.6	6	20	14	2.72
B089966		0.46	<0.005	0.5	1.59	13	<10	130	<0.5	<2	0.06	0.5	8	24	16	3.11
B089967		0.26	<0.005	0.2	1.58	7	<10	150	<0.5	<2	0.07	<0.5	8	23	19	3.05
B089968		0.24	<0.005	<0.2	1.48	11	<10	130	<0.5	<2	0.08	<0.5	5	22	9	2.54
B089969		0.34	<0.005	<0.2	1.56	5	<10	180	<0.5	<2	0.08	<0.5	8	26	25	2.73
B089970		0.34	<0.005	0.4	1.77	11	<10	240	<0.5	<2	0.09	0.5	7	27	18	2.97
B089971		0.46	<0.005	<0.2	1.12	6	<10	140	<0.5	<2	0.07	<0.5	7	19	26	2.64
B089972		0.36	<0.005	0.7	1.24	8	<10	160	<0.5	<2	0.09	<0.5	5	19	15	2.25
B089973		0.38	0.006	0.2	1.90	11	<10	210	0.5	<2	0.08	0.5	9	30	26	3.29
B089974		0.36	<0.005	0.4	1.70	11	<10	190	<0.5	<2	0.06	0.5	7	26	15	2.73
B089975		0.36	<0.005	<0.2	2.04	13	<10	170	0.5	<2	0.10	0.5	7	29	24	3.24
B089976		0.38	<0.005	<0.2	1.38	5	<10	170	<0.5	<2	0.08	<0.5	6	19	19	2.48
B089977		0.36	<0.005	0.2	1.80	6	<10	230	<0.5	<2	0.10	<0.5	8	21	25	2.86
B089978		0.44	<0.005	0.4	1.38	11	<10	120	<0.5	<2	0.09	1.1	8	22	14	2.99
B089979		0.44	0.008	6.2	1.60	16	<10	130	<0.5	<2	0.07	6.7	5	21	19	2.86
B089980		0.34	<0.005	<0.2	1.17	12	<10	130	<0.5	2	0.11	<0.5	5	18	14	2.13
B089981		0.28	<0.005	<0.2	1.16	11	<10	60	<0.5	<2	0.05	<0.5	3	17	6	2.61
B089982		0.22	0.007	0.3	1.11	7	<10	160	<0.5	<2	0.10	<0.5	4	19	11	1.98
B089983		0.42	0.015	<0.2	1.26	4	<10	160	<0.5	<2	0.08	<0.5	4	17	12	1.93
B089984		0.38	0.011	<0.2	1.00	42	<10	110	<0.5	<2	0.07	0.5	8	17	21	3.09
B089985		0.36	0.008	<0.2	0.94	33	<10	70	<0.5	2	0.05	<0.5	7	15	17	3.41
B089986		0.28	0.014	<0.2	1.36	32	<10	70	<0.5	2	0.05	<0.5	5	19	13	2.73
B089987		0.30	0.006	<0.2	1.04	91	<10	90	<0.5	2	0.06	<0.5	5	17	23	2.09

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 15-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06047793

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B089933		<10	<1	0.06	20	0.29	192	1	0.01	15	580	26	0.02	4	2	13
B089934		<10	1	0.04	20	0.16	116	1	<0.01	10	320	23	0.02	2	1	10
B089935		<10	<1	0.08	30	0.20	168	1	<0.01	20	580	323	0.03	15	2	19
B089951		<10	<1	0.06	20	0.27	211	<1	<0.01	16	240	45	0.01	4	2	13
B089952		<10	1	0.07	20	0.25	360	1	<0.01	19	260	56	0.01	2	2	11
B089953		<10	1	0.07	20	0.36	323	1	<0.01	20	280	28	0.01	3	3	13
B089954		<10	1	0.05	10	0.45	247	1	<0.01	25	200	31	0.01	3	3	12
B089955		<10	<1	0.09	10	0.24	1045	1	<0.01	14	400	19	0.01	2	2	17
B089956		<10	<1	0.08	20	0.25	412	1	<0.01	19	1130	19	0.01	2	2	10
B089957		10	1	0.05	10	0.34	213	1	<0.01	13	280	23	0.01	2	2	11
B089958		<10	1	0.06	20	0.31	549	1	<0.01	20	590	52	<0.01	10	2	12
B089959		10	<1	0.04	10	0.27	208	1	<0.01	14	230	23	0.01	<2	2	8
B089960		<10	1	0.06	20	0.26	225	1	<0.01	19	200	32	0.01	3	2	10
B089961		10	<1	0.06	20	0.34	300	1	<0.01	16	250	40	0.01	3	3	11
B089962		10	1	0.05	20	0.28	275	1	<0.01	15	290	67	0.01	<2	2	10
B089963		<10	<1	0.06	20	0.32	243	1	<0.01	15	330	14	0.01	<2	2	15
B089964		<10	1	0.08	20	0.29	444	1	<0.01	28	320	37	0.01	3	2	11
B089965		<10	1	0.07	20	0.25	238	1	<0.01	17	390	23	0.01	4	2	8
B089966		10	1	0.06	20	0.30	468	1	<0.01	17	360	27	<0.01	3	2	9
B089967		10	1	0.06	20	0.38	270	1	<0.01	18	290	16	0.01	<2	2	9
B089968		10	1	0.04	10	0.28	219	1	<0.01	11	250	14	0.01	2	2	10
B089969		<10	1	0.04	20	0.39	279	1	<0.01	19	170	13	<0.01	<2	4	11
B089970		10	<1	0.05	20	0.38	244	1	<0.01	22	210	36	0.01	4	3	13
B089971		<10	<1	0.06	20	0.27	215	1	<0.01	22	170	13	<0.01	3	2	9
B089972		<10	<1	0.05	20	0.30	181	1	<0.01	14	230	102	<0.01	5	2	11
B089973		<10	1	0.06	20	0.40	314	1	<0.01	25	220	41	0.01	3	3	12
B089974		<10	1	0.05	20	0.32	306	1	<0.01	18	230	41	<0.01	5	3	9
B089975		<10	<1	0.06	10	0.40	232	1	<0.01	25	250	18	0.01	5	3	12
B089976		<10	1	0.06	20	0.32	214	1	<0.01	17	230	12	<0.01	2	2	10
B089977		10	1	0.06	20	0.27	214	1	<0.01	23	220	20	0.01	<2	3	12
B089978		<10	1	0.08	20	0.35	522	1	<0.01	19	670	116	0.01	19	2	10
B089979		<10	1	0.06	20	0.23	194	1	<0.01	17	320	401	0.01	59	2	9
B089980		<10	<1	0.05	20	0.26	151	<1	<0.01	16	430	27	0.01	4	2	12
B089981		10	<1	0.04	10	0.14	140	1	<0.01	6	280	24	0.01	5	2	7
B089982		<10	1	0.04	10	0.25	85	<1	<0.01	11	610	31	0.03	2	<1	11
B089983		10	<1	0.04	20	0.18	142	1	<0.01	10	210	22	<0.01	<2	2	9
B089984		<10	1	0.06	20	0.18	206	1	<0.01	19	260	91	0.01	6	2	13
B089985		<10	<1	0.05	20	0.13	205	1	<0.01	15	440	19	0.01	3	1	7
B089986		<10	<1	0.05	10	0.21	184	1	<0.01	14	330	13	0.01	3	1	8
B089987		<10	<1	0.06	20	0.22	126	1	<0.01	17	260	13	<0.01	3	2	12

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 15-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06047793

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B089933		0.03	<10	<10	36	<10	57
B089934		0.02	<10	<10	32	<10	32
B089935		0.02	<10	<10	27	<10	73
B089951		0.03	<10	<10	38	<10	83
B089952		0.02	<10	<10	39	<10	128
B089953		0.03	<10	<10	48	<10	75
B089954		0.06	<10	<10	48	<10	72
B089955		0.04	<10	<10	36	<10	90
B089956		0.02	<10	<10	42	<10	80
B089957		0.05	<10	<10	53	<10	56
B089958		0.03	<10	<10	37	<10	126
B089959		0.04	<10	<10	48	<10	60
B089960		0.03	<10	<10	37	<10	131
B089961		0.04	<10	<10	55	<10	135
B089962		0.04	<10	<10	47	<10	81
B089963		0.04	<10	<10	49	<10	54
B089964		0.02	<10	<10	32	<10	110
B089965		0.02	<10	<10	37	<10	94
B089966		0.03	<10	<10	47	<10	106
B089967		0.03	<10	<10	43	<10	58
B089968		0.04	<10	<10	53	<10	40
B089969		0.05	<10	<10	43	<10	58
B089970		0.05	<10	<10	49	<10	82
B089971		0.03	<10	<10	32	<10	63
B089972		0.03	<10	<10	35	<10	55
B089973		0.05	<10	<10	50	<10	94
B089974		0.03	<10	<10	45	<10	96
B089975		0.04	<10	<10	50	<10	62
B089976		0.03	<10	<10	35	<10	50
B089977		0.03	<10	<10	44	<10	57
B089978		0.03	<10	<10	39	<10	150
B089979		0.03	<10	<10	41	<10	292
B089980		0.03	<10	<10	34	<10	57
B089981		0.06	<10	<10	70	<10	38
B089982		0.01	<10	<10	35	<10	43
B089983		0.04	<10	<10	44	<10	35
B089984		0.02	<10	<10	32	<10	59
B089985		0.03	<10	<10	38	<10	45
B089986		0.03	<10	<10	45	<10	53
B089987		0.02	<10	<10	27	<10	50

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 15-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06047793

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B089988		0.34	0.007	0.4	1.00	259	<10	120	<0.5	5	0.06	<0.5	5	16	19	1.88
B089989		0.34	0.011	<0.2	0.86	91	<10	70	<0.5	2	0.07	<0.5	5	15	21	2.08
B089990		0.40	0.127	<0.2	0.95	79	<10	50	<0.5	4	0.05	0.6	7	17	21	2.64
B089991		0.34	0.014	2.4	1.58	23	<10	120	<0.5	6	0.06	<0.5	6	23	27	2.91
B089992		0.34	0.133	5.2	0.64	177	<10	120	<0.5	13	0.13	0.6	6	13	110	5.65
B089993		0.38	0.009	1.4	1.04	28	<10	50	<0.5	2	0.04	<0.5	3	16	11	2.24
B089994		0.40	0.008	0.2	1.12	29	<10	80	<0.5	<2	0.04	<0.5	8	18	24	2.54
B089995		0.34	0.005	<0.2	1.07	12	<10	150	<0.5	<2	0.09	<0.5	8	19	28	2.16
B089996		0.46	0.014	0.2	1.11	21	<10	90	<0.5	<2	0.06	<0.5	6	21	20	2.74
B089997		0.36	0.013	2.3	0.79	147	<10	70	<0.5	2	0.12	0.9	8	16	43	3.11
B089998		0.42	0.009	0.3	1.23	26	<10	130	<0.5	<2	0.08	<0.5	10	23	24	2.49

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 15-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06047793

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
B089988		<10	<1	0.05	30	0.23	148	1	<0.01	13	290	41	0.01	11	2	29
B089989		<10	<1	0.05	20	0.20	144	<1	<0.01	14	320	46	0.01	6	1	14
B089990		<10	<1	0.06	30	0.19	200	1	<0.01	18	270	86	<0.01	10	2	11
B089991		<10	<1	0.05	10	0.34	179	1	<0.01	21	220	118	0.01	27	2	9
B089992		<10	2	0.06	20	0.11	307	1	<0.01	17	450	498	0.03	156	3	16
B089993		<10	<1	0.04	10	0.13	118	1	<0.01	8	250	37	<0.01	<2	2	9
B089994		<10	1	0.06	20	0.20	236	1	0.01	19	210	49	0.01	5	2	13
B089995		<10	<1	0.07	20	0.33	247	<1	0.01	18	310	32	0.01	5	2	12
B089996		<10	1	0.07	20	0.19	183	1	0.01	14	450	65	0.02	<2	2	9
B089997		<10	<1	0.09	20	0.23	340	1	0.01	19	510	707	0.04	14	2	18
B089998		<10	<1	0.09	20	0.28	416	1	0.01	14	540	95	0.02	<2	1	11

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 15-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06047793

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
B089988		0.02	<10	<10	28	<10	39
B089989		0.02	<10	<10	28	<10	48
B089990		0.02	<10	<10	28	<10	66
B089991		0.04	<10	<10	41	<10	65
B089992		0.01	<10	<10	23	<10	112
B089993		0.04	<10	<10	46	<10	36
B089994		0.03	<10	<10	34	<10	86
B089995		0.04	<10	<10	33	<10	73
B089996		0.05	<10	<10	52	<10	55
B089997		0.03	<10	<10	28	<10	188
B089998		0.03	<10	<10	42	<10	73

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-JUN-2006
Account: STRGOL

CERTIFICATE VA06047794

Project: Dublin Gulch 1735

P.O. No.:

This report is for 156 Soil samples submitted to our lab in Vancouver, BC, Canada on 31-MAY-2006.

The following have access to data associated with this certificate:

WILLIAM HAY KRISTIAN WHITEHEAD	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06047794

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B088001		0.16	0.012	5.4	1.30	61	<10	240	<0.5	19	0.14	0.6	12	18	63	3.37
B088002		0.46	<0.005	<0.2	1.03	9	<10	70	<0.5	<2	0.04	0.6	10	18	21	2.68
B088003		0.38	<0.005	0.2	1.80	11	<10	100	<0.5	<2	0.07	<0.5	4	24	9	2.59
B088004		0.42	0.008	0.2	1.49	10	<10	80	<0.5	<2	0.05	<0.5	5	23	10	3.48
B088005		0.26	0.005	<0.2	0.94	6	<10	110	<0.5	<2	0.06	<0.5	4	13	18	1.72
B088006		0.60	0.007	0.4	0.65	36	<10	50	<0.5	<2	0.06	0.7	4	12	14	1.78
B088007		0.36	0.006	0.2	1.20	15	<10	70	<0.5	<2	0.06	<0.5	6	20	12	3.09
B088008		0.30	0.006	0.5	0.82	7	<10	100	<0.5	<2	0.07	<0.5	3	12	8	1.16
B088009		0.46	0.007	<0.2	0.72	9	<10	80	<0.5	<2	0.07	0.6	8	14	20	2.14
B088010		0.36	0.005	<0.2	0.64	7	<10	50	<0.5	<2	0.05	<0.5	2	11	7	1.49
B088011		0.26	0.009	<0.2	1.10	9	<10	70	<0.5	<2	0.06	<0.5	5	19	11	2.50
B088012		0.22	0.008	0.2	0.89	3	<10	80	<0.5	<2	0.06	<0.5	2	12	7	1.60
B088013		0.34	0.007	0.2	1.08	5	<10	110	<0.5	<2	0.06	<0.5	2	12	16	1.12
B088014		0.38	0.006	0.2	1.46	8	<10	90	<0.5	<2	0.05	<0.5	2	12	12	1.23
B088015		0.44	0.006	1.1	0.72	13	<10	100	<0.5	<2	0.09	0.9	28	14	31	2.43
B088016		0.18	0.007	0.2	0.69	16	<10	50	<0.5	<2	0.04	<0.5	1	7	8	1.02
B088017		0.20	0.014	0.2	0.94	9	<10	120	<0.5	<2	0.06	<0.5	3	13	16	1.53
B088018		0.54	0.010	<0.2	0.31	154	<10	40	<0.5	4	0.02	<0.5	1	10	22	1.48
B088019		0.26	0.016	0.3	0.87	62	<10	60	<0.5	<2	0.07	<0.5	4	16	19	2.14
B088020		0.52	<0.005	<0.2	0.35	19	<10	40	<0.5	<2	0.02	0.5	9	9	40	2.44
B088021		0.42	<0.005	<0.2	0.58	39	<10	40	<0.5	<2	0.04	<0.5	4	11	23	2.04
B088022		0.32	<0.005	0.6	0.88	32	<10	110	<0.5	<2	0.06	<0.5	6	13	18	2.01
B088023		0.34	<0.005	0.4	0.53	12	<10	60	<0.5	<2	0.04	<0.5	2	10	13	0.97
B088024		0.28	<0.005	0.2	0.95	12	<10	70	<0.5	<2	0.05	<0.5	7	14	21	2.80
B088025		0.46	0.017	1.3	0.50	13	<10	70	<0.5	<2	0.05	0.5	19	11	76	4.70
B088026		0.44	0.018	<0.2	0.52	30	<10	40	<0.5	<2	0.05	<0.5	8	11	20	2.79
B088027		0.30	<0.005	0.4	0.69	12	<10	80	<0.5	<2	0.08	0.5	4	12	15	1.63
B088028		0.28	<0.005	0.8	0.87	34	<10	90	<0.5	<2	0.09	<0.5	4	14	21	1.80
B088029		0.20	<0.005	0.5	0.63	12	<10	80	<0.5	2	0.05	<0.5	2	8	15	1.01
B088030		0.24	<0.005	0.7	0.59	29	<10	100	<0.5	2	0.06	<0.5	4	9	20	1.28
B088031		0.36	<0.005	<0.2	0.63	14	<10	70	<0.5	<2	0.05	<0.5	2	11	10	1.30
B088032		0.22	<0.005	1.0	0.66	11	<10	140	<0.5	<2	0.05	0.5	1	8	18	1.00
B088033		0.26	<0.005	0.3	0.98	7	<10	140	<0.5	<2	0.04	0.5	3	12	15	1.30
B088151		0.10	<0.005	<0.2	0.54	4	<10	70	<0.5	<2	0.08	<0.5	2	12	7	0.80
B088152		0.10	<0.005	0.3	0.45	<2	<10	100	<0.5	<2	0.11	<0.5	1	6	6	0.49
B088153		0.14	<0.005	<0.2	0.57	<2	<10	170	<0.5	<2	0.14	<0.5	2	8	11	0.63
B088154		0.16	<0.005	<0.2	1.23	10	<10	250	<0.5	<2	0.15	<0.5	6	25	16	2.05
B088155		0.16	<0.005	<0.2	1.66	16	<10	300	0.7	<2	0.13	<0.5	9	31	26	2.90
B088156		0.20	0.021	0.2	1.40	18	<10	330	0.7	<2	0.17	<0.5	13	30	21	2.76
B088157		0.28	0.060	<0.2	1.96	27	<10	200	0.7	<2	0.10	<0.5	12	44	21	3.26

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06047794

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B088001		<10	<1	0.10	30	0.23	671	1	0.01	23	720	200	0.04	46	2	24
B088002		<10	<1	0.08	30	0.18	226	1	<0.01	22	210	32	0.01	5	2	11
B088003		10	<1	0.05	10	0.21	139	1	0.01	9	270	17	0.01	3	2	10
B088004		10	<1	0.04	10	0.25	172	<1	0.01	12	320	19	0.01	<2	2	8
B088005		<10	<1	0.06	20	0.12	118	<1	0.02	11	520	48	0.02	2	<1	10
B088006		<10	<1	0.05	10	0.15	124	<1	0.02	9	310	72	0.02	2	1	9
B088007		<10	<1	0.04	10	0.23	209	<1	0.01	13	270	68	0.02	<2	2	8
B088008		<10	<1	0.05	20	0.17	58	<1	0.01	7	430	68	0.02	<2	1	9
B088009		<10	<1	0.07	20	0.21	228	<1	0.01	14	310	49	0.01	<2	1	10
B088010		<10	<1	0.03	10	0.13	83	<1	0.01	6	290	17	<0.01	<2	1	6
B088011		<10	<1	0.04	10	0.26	126	<1	0.02	10	230	21	0.01	<2	2	7
B088012		<10	<1	0.04	10	0.12	93	<1	0.02	5	220	16	0.01	<2	1	7
B088013		10	<1	0.05	20	0.06	55	<1	0.01	4	760	128	0.02	<2	<1	9
B088014		10	<1	0.06	20	0.09	163	<1	0.01	3	220	68	0.01	<2	1	7
B088015		<10	<1	0.07	20	0.17	736	<1	0.02	13	520	87	0.02	<2	1	10
B088016		<10	<1	0.04	20	0.07	36	<1	0.01	3	280	62	0.02	2	<1	7
B088017		<10	<1	0.08	20	0.17	68	<1	0.01	9	470	41	0.02	<2	1	9
B088018		<10	<1	0.09	20	0.01	21	<1	0.01	1	180	158	0.01	11	2	6
B088019		<10	<1	0.06	20	0.22	168	<1	0.02	11	390	21	0.02	2	1	8
B088020		<10	<1	0.08	20	0.01	172	<1	0.01	20	240	17	0.01	10	1	6
B088021		<10	<1	0.06	30	0.07	108	<1	0.01	12	360	23	0.01	2	1	6
B088022		<10	<1	0.09	20	0.16	167	<1	0.01	13	370	21	0.02	3	1	12
B088023		<10	<1	0.05	20	0.08	38	<1	0.01	4	340	45	0.02	<2	<1	7
B088024		<10	<1	0.03	10	0.15	280	<1	0.01	16	340	25	0.01	6	1	7
B088025		<10	<1	0.06	20	0.02	539	<1	0.01	39	580	57	0.02	20	1	8
B088026		<10	<1	0.05	20	0.06	283	<1	0.01	18	430	41	0.01	4	<1	8
B088027		<10	<1	0.04	20	0.16	118	<1	0.02	10	400	32	0.02	<2	<1	8
B088028		<10	<1	0.04	20	0.18	130	<1	0.01	10	500	144	0.02	5	1	9
B088029		<10	<1	0.04	10	0.07	40	<1	0.01	5	540	36	0.03	3	<1	7
B088030		<10	<1	0.04	10	0.07	99	<1	0.02	10	510	104	0.02	5	<1	9
B088031		<10	<1	0.03	10	0.09	67	<1	0.01	7	250	24	0.01	<2	<1	7
B088032		<10	<1	0.05	20	0.06	26	<1	0.01	5	660	98	0.03	<2	<1	9
B088033		<10	<1	0.05	10	0.11	54	<1	0.01	7	560	32	0.03	<2	<1	9
B088151		<10	<1	0.08	10	0.12	110	<1	0.01	6	630	8	0.02	<2	<1	7
B088152		<10	<1	0.04	10	0.04	47	<1	0.02	3	790	9	0.04	<2	<1	9
B088153		<10	<1	0.03	10	0.05	33	<1	0.01	6	710	6	0.03	<2	<1	16
B088154		<10	<1	0.08	10	0.36	154	<1	0.02	17	410	11	0.02	<2	1	17
B088155		10	<1	0.12	20	0.49	196	<1	0.02	26	430	17	0.02	<2	3	20
B088156		10	<1	0.13	20	0.38	401	<1	0.01	28	670	12	0.03	<2	1	22
B088157		10	<1	0.13	20	0.62	267	1	0.01	40	450	12	0.03	4	3	15

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06047794

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B088001		0.01	<10	<10	31	<10	99
B088002		0.02	<10	<10	30	<10	83
B088003		0.05	<10	<10	58	<10	44
B088004		0.04	<10	<10	55	<10	51
B088005		0.01	<10	<10	27	<10	49
B088006		0.02	<10	<10	31	<10	71
B088007		0.03	<10	<10	39	<10	57
B088008		0.01	<10	<10	22	<10	29
B088009		0.03	<10	<10	27	<10	69
B088010		0.03	<10	<10	39	<10	26
B088011		0.03	<10	<10	41	<10	40
B088012		0.03	<10	<10	40	<10	27
B088013		<0.01	<10	<10	26	<10	28
B088014		0.01	<10	<10	37	<10	30
B088015		0.01	<10	<10	26	<10	69
B088016		0.01	<10	<10	21	<10	18
B088017		0.01	<10	<10	24	<10	37
B088018		<0.01	<10	<10	18	<10	16
B088019		0.02	<10	<10	29	<10	48
B088020		<0.01	<10	<10	19	<10	86
B088021		0.01	<10	<10	28	<10	59
B088022		0.01	<10	<10	28	<10	46
B088023		0.01	<10	<10	17	<10	23
B088024		0.03	<10	<10	36	<10	85
B088025		0.01	<10	<10	25	<10	128
B088026		0.01	<10	<10	28	<10	96
B088027		0.01	<10	<10	25	<10	46
B088028		0.02	<10	<10	25	<10	49
B088029		<0.01	<10	<10	16	<10	22
B088030		0.01	<10	<10	15	<10	36
B088031		0.02	<10	<10	31	<10	27
B088032		0.01	<10	<10	12	<10	19
B088033		0.01	<10	<10	23	<10	31
B088151		<0.01	<10	<10	13	<10	13
B088152		<0.01	<10	<10	15	<10	25
B088153		<0.01	<10	<10	19	<10	11
B088154		0.03	<10	<10	38	<10	40
B088155		0.07	<10	<10	48	<10	57
B088156		0.04	<10	<10	43	<10	56
B088157		0.07	<10	<10	55	<10	69

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06047794

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B088158		0.26	<0.005	<0.2	1.80	24	<10	280	0.7	<2	0.22	<0.5	12	38	22	2.96
B088159		0.26	0.008	<0.2	3.59	59	<10	290	1.0	<2	0.54	<0.5	33	135	46	4.79
B088160		0.14	<0.005	<0.2	0.84	6	<10	250	0.7	<2	2.58	0.6	16	16	35	1.30
B088161		0.28	0.006	<0.2	2.21	49	<10	390	1.3	<2	0.84	<0.5	18	51	39	3.64
B088162		0.32	0.010	<0.2	2.85	165	<10	390	1.4	<2	1.66	0.8	20	67	65	4.28
B088163		0.20	0.015	0.2	1.91	75	<10	270	0.9	<2	0.88	1.0	14	50	43	2.93
B088201		0.36	0.006	<0.2	0.90	7	<10	160	<0.5	<2	0.10	<0.5	3	13	7	1.58
B088202		0.42	<0.005	<0.2	1.85	15	<10	200	0.5	<2	0.10	<0.5	10	27	13	2.83
B088203		0.34	<0.005	<0.2	1.30	14	<10	140	<0.5	<2	0.09	<0.5	6	28	14	2.22
B088204		0.26	0.008	<0.2	2.15	22	<10	360	0.8	<2	0.25	<0.5	14	44	32	3.24
B088205		0.30	0.008	<0.2	1.36	16	<10	260	0.5	<2	0.17	<0.5	10	33	24	2.38
B088206		0.32	<0.005	<0.2	1.68	23	<10	220	0.7	<2	0.34	<0.5	12	35	31	3.29
B088207		0.50	0.009	<0.2	2.36	51	<10	240	0.8	<2	0.44	<0.5	17	82	43	3.68
B088208		0.48	<0.005	<0.2	1.82	27	<10	280	0.7	<2	0.23	<0.5	12	40	32	3.05
B088209		0.38	0.009	0.3	2.47	116	<10	320	1.0	<2	0.90	<0.5	20	64	55	4.03
B088210		0.50	0.013	<0.2	2.16	107	<10	260	0.7	<2	0.43	<0.5	16	57	38	3.80
B088211		0.46	0.007	<0.2	2.65	61	<10	320	1.0	<2	0.26	<0.5	20	85	33	4.15
B088212		0.48	0.006	<0.2	1.80	31	<10	210	0.7	<2	0.12	<0.5	14	43	21	3.50
B088213		0.40	0.083	<0.2	1.48	13	<10	210	0.6	<2	0.14	<0.5	8	40	23	2.30
B088251		0.38	<0.005	0.2	0.99	18	<10	90	<0.5	<2	0.11	0.5	5	19	28	2.22
B088252		0.60	0.006	0.8	1.22	25	<10	90	<0.5	<2	0.08	<0.5	5	24	22	3.15
B088253		0.56	<0.005	0.4	0.87	15	<10	130	<0.5	<2	0.06	<0.5	3	13	18	1.69
B088254		0.50	<0.005	<0.2	0.83	9	<10	80	<0.5	<2	0.04	<0.5	3	13	17	1.47
B088255		0.38	<0.005	0.2	1.02	14	<10	70	<0.5	<2	0.05	<0.5	2	15	12	1.64
B088256		0.72	0.008	<0.2	1.06	5	<10	100	<0.5	<2	0.05	<0.5	5	20	17	2.25
B088301		0.46	0.012	0.3	2.32	125	<10	320	1.0	<2	1.20	0.7	19	58	62	3.76
B088302		0.40	0.008	0.4	2.06	42	<10	310	1.1	<2	0.86	<0.5	15	46	52	3.34
B088303		0.54	0.009	<0.2	2.25	59	<10	310	1.1	<2	0.47	0.6	19	54	45	3.90
B088304		0.56	<0.005	<0.2	2.24	49	<10	180	0.7	<2	0.29	<0.5	16	63	39	3.71
B088305		0.58	0.009	0.5	1.51	32	<10	230	<0.5	<2	0.35	<0.5	9	44	24	2.69
B088306		0.36	0.009	0.4	1.69	16	<10	270	1.0	<2	0.27	<0.5	40	31	36	3.13
B088307		0.34	0.005	<0.2	1.88	32	<10	280	0.7	<2	0.18	<0.5	10	43	34	2.72
B088308		0.38	<0.005	<0.2	1.95	31	<10	300	0.5	<2	0.31	<0.5	12	51	24	3.40
B088309		0.36	<0.005	0.2	1.44	15	<10	260	0.7	<2	0.16	<0.5	10	37	34	2.46
B088310		0.32	0.008	<0.2	1.62	29	<10	240	0.5	<2	0.13	<0.5	11	37	23	2.83
B088311		0.36	0.007	<0.2	1.42	22	<10	140	<0.5	<2	0.08	<0.5	7	35	18	2.36
B088312		0.34	<0.005	0.2	0.88	8	<10	160	<0.5	<2	0.09	<0.5	1	13	7	0.72
B088313		0.44	0.217	<0.2	1.30	39	<10	160	<0.5	2	0.10	<0.5	6	23	19	2.71
B088351		0.28	<0.005	0.3	0.56	7	<10	210	<0.5	<2	0.37	0.9	4	9	12	0.73
B088352		0.38	0.005	<0.2	0.78	23	<10	90	<0.5	<2	0.10	<0.5	2	18	11	1.84

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06047794

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B088158		10	<1	0.13	20	0.54	322	1	0.01	34	520	14	0.04	4	2	24
B088159		10	<1	0.38	20	2.18	610	1	0.02	150	730	8	0.05	2	7	62
B088160		<10	1	0.21	10	0.36	1505	1	0.02	26	1380	4	0.16	2	1	120
B088161		10	<1	0.27	20	0.80	662	1	0.02	56	700	14	0.04	<2	4	64
B088162		10	<1	0.39	20	1.05	679	1	0.03	71	800	28	0.07	4	5	84
B088163		10	<1	0.14	20	0.73	324	1	0.01	52	860	34	0.07	2	3	57
B088201		10	<1	0.05	10	0.12	116	1	0.01	5	400	8	0.03	<2	1	13
B088202		10	<1	0.04	10	0.31	359	1	0.01	15	340	13	0.02	2	2	10
B088203		10	1	0.07	10	0.39	114	<1	<0.01	17	310	13	0.01	<2	1	11
B088204		10	2	0.09	20	0.65	283	<1	0.01	43	520	14	0.03	<2	2	31
B088205		10	<1	0.10	20	0.46	185	1	0.01	31	500	12	0.03	<2	1	22
B088206		10	1	0.14	20	0.64	371	1	<0.01	34	670	9	0.01	<2	3	26
B088207		10	1	0.27	20	1.15	322	1	0.01	79	350	13	0.03	2	5	40
B088208		10	1	0.12	20	0.68	256	1	0.01	44	320	7	0.03	<2	3	27
B088209		10	<1	0.28	20	1.01	589	1	0.03	76	730	22	0.05	2	5	67
B088210		10	1	0.21	20	0.86	406	1	0.01	60	520	33	0.03	2	4	35
B088211		10	2	0.28	20	1.12	427	1	0.01	83	530	13	0.03	<2	4	31
B088212		10	2	0.16	20	0.64	445	1	<0.01	41	530	14	0.02	4	3	17
B088213		10	1	0.12	20	0.45	116	<1	0.01	32	500	11	0.04	2	1	23
B088251		<10	<1	0.06	20	0.29	188	1	<0.01	18	410	39	0.01	3	2	12
B088252		10	1	0.07	20	0.27	204	1	<0.01	18	450	131	0.02	2	2	15
B088253		<10	1	0.09	20	0.14	120	1	<0.01	9	250	112	0.01	3	1	11
B088254		<10	<1	0.06	20	0.11	66	1	<0.01	7	260	69	0.01	2	1	8
B088255		<10	1	0.05	20	0.14	74	1	<0.01	7	680	69	0.01	<2	<1	8
B088256		<10	<1	0.07	20	0.22	154	<1	<0.01	12	210	37	0.01	<2	2	9
B088301		10	2	0.23	20	0.88	601	1	0.02	66	780	22	0.07	<2	4	73
B088302		10	1	0.12	20	0.75	447	<1	0.01	68	690	24	0.05	<2	4	68
B088303		10	2	0.32	20	0.90	723	1	0.01	61	850	13	0.06	<2	4	55
B088304		10	1	0.22	20	0.93	297	1	0.01	71	510	12	0.02	<2	4	32
B088305		10	1	0.09	10	0.61	215	1	0.01	39	400	8	0.02	3	2	33
B088306		10	<1	0.11	20	0.43	2420	2	0.01	27	860	17	0.04	2	1	28
B088307		10	1	0.11	20	0.65	202	1	<0.01	41	710	22	0.05	<2	2	22
B088308		10	1	0.16	20	0.67	240	<1	<0.01	46	450	18	0.02	2	3	30
B088309		10	1	0.08	10	0.48	172	1	0.01	38	710	12	0.04	2	<1	23
B088310		10	1	0.10	20	0.54	320	1	<0.01	32	410	13	0.02	3	2	16
B088311		10	1	0.08	10	0.47	135	1	0.01	27	440	11	0.04	<2	1	12
B088312		10	<1	0.03	10	0.09	37	1	<0.01	4	370	11	0.02	<2	<1	11
B088313		10	1	0.08	10	0.32	149	1	0.01	18	370	11	0.02	<2	2	13
B088351		<10	1	0.05	10	0.09	85	1	0.01	8	880	7	0.05	<2	<1	28
B088352		10	<1	0.06	10	0.19	93	1	<0.01	10	360	9	0.03	<2	<1	12

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06047794

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
B088158		0.06	<10	<10	53	<10	63
B088159		0.10	<10	<10	95	<10	89
B088160		0.03	<10	<10	16	<10	30
B088161		0.09	<10	<10	54	<10	72
B088162		0.11	<10	<10	58	<10	196
B088163		0.07	<10	<10	46	<10	100
B088201		0.03	<10	<10	49	<10	28
B088202		0.04	<10	<10	63	<10	65
B088203		0.04	<10	<10	48	<10	41
B088204		0.06	<10	<10	55	<10	66
B088205		0.05	<10	<10	44	<10	59
B088206		0.06	<10	<10	52	<10	63
B088207		0.11	<10	<10	69	<10	62
B088208		0.08	<10	<10	49	<10	55
B088209		0.12	<10	<10	61	<10	100
B088210		0.10	<10	<10	60	<10	116
B088211		0.11	<10	<10	70	<10	77
B088212		0.08	<10	<10	54	<10	82
B088213		0.04	<10	<10	40	<10	44
B088251		0.04	<10	<10	34	<10	66
B088252		0.05	<10	<10	55	<10	74
B088253		0.02	<10	<10	34	<10	44
B088254		0.01	<10	<10	33	<10	35
B088255		0.02	<10	<10	37	<10	29
B088256		0.04	<10	<10	44	<10	45
B088301		0.10	<10	<10	57	<10	106
B088302		0.08	<10	<10	50	<10	62
B088303		0.10	<10	<10	60	<10	83
B088304		0.10	<10	<10	65	<10	68
B088305		0.06	<10	<10	52	<10	55
B088306		0.04	<10	<10	52	<10	50
B088307		0.06	<10	<10	48	<10	62
B088308		0.09	<10	<10	64	<10	67
B088309		0.02	<10	<10	42	<10	52
B088310		0.06	<10	<10	48	<10	58
B088311		0.04	<10	<10	43	<10	46
B088312		0.02	<10	<10	32	<10	16
B088313		0.05	<10	<10	51	<10	39
B088351		<0.01	<10	<10	17	<10	25
B088352		0.04	<10	<10	50	<10	34

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06047794

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B088353		0.46	0.007	<0.2	1.46	22	<10	180	0.6	<2	0.17	<0.5	9	31	21	3.10
B088354		0.34	<0.005	<0.2	1.33	13	<10	300	0.6	<2	0.10	<0.5	12	26	12	2.20
B088355		0.44	<0.005	<0.2	1.26	19	<10	210	<0.5	<2	0.15	<0.5	8	27	15	2.75
B088356		0.28	<0.005	0.2	1.18	8	<10	290	0.7	<2	0.18	<0.5	8	24	24	2.26
B088357		0.36	<0.005	<0.2	2.08	40	<10	200	0.9	<2	0.09	<0.5	12	43	28	3.47
B088358		0.40	<0.005	0.3	1.48	25	<10	250	0.7	<2	0.18	<0.5	13	31	29	2.71
B088359		0.44	0.007	<0.2	1.70	49	<10	310	0.5	<2	0.57	<0.5	13	51	18	3.39
B088360		0.30	0.015	0.6	1.54	64	<10	470	1.2	2	1.17	0.8	29	38	63	2.33
B088361		0.42	0.162	0.2	2.25	93	<10	310	1.0	<2	0.54	1.0	28	74	56	3.73
B088362		0.32	0.007	0.3	2.55	111	<10	420	1.0	<2	1.39	0.5	27	80	59	3.79
B088363		0.22	NSS	0.4	0.28	9	<10	190	<0.5	<2	3.32	0.5	2	2	11	0.26
B088401		0.30	<0.005	0.2	2.26	90	<10	290	0.9	<2	1.32	0.5	18	60	49	3.57
B088402		0.32	0.009	0.2	2.89	56	<10	330	0.9	<2	1.12	0.5	24	97	61	4.11
B088403		0.18	0.006	0.4	1.87	49	<10	320	0.6	<2	1.86	<0.5	15	54	55	2.88
B088404		0.22	0.007	<0.2	2.93	75	<10	200	1.0	<2	0.36	<0.5	27	92	53	4.92
B088405		0.28	0.005	0.3	2.20	28	<10	200	0.7	<2	0.22	<0.5	13	50	33	3.54
B088406		0.24	<0.005	0.2	2.04	38	<10	250	0.7	<2	0.27	<0.5	12	51	28	3.33
B088407		0.30	0.006	<0.2	2.26	33	<10	210	0.8	<2	0.19	<0.5	12	50	36	3.95
B088408		0.16	<0.005	<0.2	1.62	21	<10	200	0.5	<2	0.15	<0.5	9	36	21	2.55
B088409		0.14	0.007	0.2	1.82	46	<10	250	0.6	<2	0.18	<0.5	11	45	30	2.82
B088410		0.16	0.005	<0.2	1.73	18	<10	270	0.6	<2	0.30	<0.5	10	49	24	2.63
B088411		0.18	<0.005	<0.2	1.68	20	<10	190	0.5	<2	0.11	<0.5	12	43	19	2.74
B088412		0.28	0.007	<0.2	1.64	30	<10	320	0.7	<2	0.14	<0.5	17	31	21	2.89
B088413		0.32	<0.005	0.2	1.60	35	<10	160	<0.5	<2	0.11	<0.5	7	26	21	2.68
B088451		0.46	0.005	<0.2	2.22	55	<10	260	0.8	2	1.64	<0.5	17	56	48	3.37
B088452		0.64	0.007	0.6	2.64	55	<10	320	1.1	2	0.66	<0.5	18	69	55	4.04
B088453		0.54	0.010	0.2	2.26	97	<10	250	0.7	<2	0.77	<0.5	16	66	54	3.53
B088454		0.10	0.005	<0.2	2.89	39	<10	240	0.9	<2	0.78	<0.5	20	68	39	4.15
B088455		0.32	<0.005	0.3	2.27	39	<10	220	0.8	2	0.24	<0.5	13	46	34	3.51
B088456		0.44	0.006	0.2	2.23	29	<10	200	0.8	<2	0.21	<0.5	13	52	35	3.44
B088457		0.38	<0.005	0.3	1.77	27	<10	240	0.5	<2	0.22	<0.5	10	38	23	2.97
B088458		0.38	<0.005	0.2	1.79	23	<10	290	0.6	<2	0.15	<0.5	10	33	26	2.60
B088459		0.40	0.005	0.4	1.90	37	<10	180	0.5	<2	0.11	<0.5	10	41	21	2.79
B088460		0.46	0.005	<0.2	1.89	34	<10	160	0.5	<2	0.09	<0.5	6	29	15	2.84
B088461		0.44	0.006	<0.2	1.84	25	<10	180	0.5	<2	0.08	<0.5	9	36	20	2.83
B088462		0.42	0.005	<0.2	1.71	24	<10	220	<0.5	<2	0.16	<0.5	9	34	18	2.39
B088463		0.46	0.006	<0.2	1.41	23	<10	150	<0.5	<2	0.15	<0.5	8	35	18	2.26
B088501		0.28	<0.005	0.4	1.28	67	<10	70	<0.5	<2	0.05	<0.5	4	20	9	3.77
B088502		0.38	0.006	0.2	2.06	17	<10	110	<0.5	<2	0.07	0.5	9	30	19	4.20
B088503		0.30	<0.005	0.4	0.91	12	<10	120	0.6	<2	0.63	<0.5	13	17	36	3.80

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06047794

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
B088353		10	1	0.10	20	0.48	233	1	<0.01	28	510	8	0.02	2	2	17
B088354		10	1	0.10	10	0.21	374	<1	0.01	17	390	15	0.01	<2	2	12
B088355		10	1	0.15	20	0.42	327	1	<0.01	20	510	12	0.03	<2	2	20
B088356		<10	1	0.10	20	0.32	226	1	<0.01	27	740	13	0.04	2	<1	24
B088357		10	1	0.15	20	0.64	323	<1	<0.01	37	480	15	0.02	2	2	14
B088358		10	<1	0.10	10	0.42	384	1	0.01	29	660	14	0.04	<2	1	21
B088359		10	<1	0.19	10	0.69	627	1	0.01	51	610	12	0.03	<2	2	45
B088360		<10	<1	0.14	20	0.50	1185	1	0.02	59	1440	46	0.14	<2	1	100
B088361		10	3	0.21	20	0.96	818	<1	0.02	81	1010	21	0.07	<2	3	47
B088362		10	1	0.20	20	1.11	1100	1	0.02	93	760	14	0.07	2	4	86
B088363		<10	<1	0.05	10	0.21	456	1	0.02	6	1150	5	0.18	2	<1	156
B088401		10	2	0.23	20	1.00	480	1	0.03	73	880	17	0.07	3	4	85
B088402		10	1	0.39	20	1.58	455	1	0.04	110	1250	20	0.08	5	5	97
B088403		10	<1	0.17	10	0.84	397	1	0.04	58	1040	7	0.11	<2	3	112
B088404		10	3	0.66	20	1.40	507	2	0.02	105	690	9	0.05	<2	5	55
B088405		10	1	0.14	20	0.73	291	2	0.01	45	570	12	0.03	3	3	31
B088406		10	1	0.16	20	0.82	254	1	0.01	52	400	10	0.02	<2	3	31
B088407		10	2	0.16	20	0.76	270	1	<0.01	47	370	17	0.02	2	3	26
B088408		10	<1	0.11	20	0.53	173	1	<0.01	31	470	11	0.02	3	1	16
B088409		10	3	0.11	20	0.59	188	1	0.01	41	400	13	0.03	<2	2	22
B088410		10	<1	0.10	20	0.66	193	1	0.01	45	460	10	0.03	<2	1	30
B088411		10	1	0.12	20	0.55	246	1	0.01	36	470	14	0.02	<2	1	14
B088412		10	<1	0.12	20	0.40	484	1	0.01	25	640	15	0.03	2	2	16
B088413		10	<1	0.06	10	0.35	205	1	0.01	20	310	12	0.01	<2	2	14
B088451		10	<1	0.23	20	0.95	480	1	0.04	68	980	16	0.06	2	4	105
B088452		10	<1	0.33	20	1.14	425	1	0.03	74	700	14	0.04	4	6	62
B088453		10	<1	0.32	20	1.02	432	1	0.05	73	840	15	0.04	3	6	78
B088454		10	<1	0.41	20	1.22	420	1	0.06	68	790	8	0.06	3	6	69
B088455		10	<1	0.23	20	0.77	314	1	0.01	52	410	9	0.02	<2	4	31
B088456		10	<1	0.17	20	0.82	308	1	0.01	54	390	8	0.02	<2	4	25
B088457		10	<1	0.12	20	0.55	268	1	0.01	36	400	15	0.02	<2	3	27
B088458		10	1	0.11	20	0.52	262	1	0.01	32	320	15	0.02	<2	3	18
B088459		10	1	0.11	20	0.56	189	1	0.01	36	360	16	0.03	2	3	13
B088460		10	1	0.10	20	0.46	146	1	0.01	23	200	11	0.02	2	3	11
B088461		10	1	0.14	20	0.54	189	1	0.01	32	290	6	0.03	<2	3	12
B088462		10	1	0.12	20	0.55	192	<1	0.01	30	360	8	0.03	<2	2	19
B088463		<10	1	0.09	10	0.55	165	<1	0.01	33	370	8	0.04	<2	2	16
B088501		10	1	0.04	10	0.19	172	1	0.01	12	470	91	0.04	3	2	6
B088502		10	<1	0.06	10	0.31	299	1	0.01	29	560	28	0.05	<2	3	8
B088503		<10	1	0.05	20	0.17	457	<1	0.01	28	600	47	0.02	2	4	31

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06047794

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B088353		0.07	<10	<10	47	<10	58
B088354		0.06	<10	<10	44	<10	48
B088355		0.07	<10	<10	45	<10	51
B088356		0.02	<10	<10	39	<10	56
B088357		0.07	<10	<10	57	<10	83
B088358		0.04	<10	<10	51	<10	64
B088359		0.08	<10	<10	64	<10	68
B088360		0.03	<10	<10	33	<10	57
B088361		0.08	<10	<10	63	<10	115
B088362		0.10	<10	<10	60	<10	80
B088363		<0.01	<10	<10	4	<10	20
B088401		0.11	<10	<10	61	<10	90
B088402		0.13	<10	<10	90	<10	104
B088403		0.08	<10	<10	58	<10	54
B088404		0.14	<10	<10	71	<10	112
B088405		0.08	<10	<10	71	<10	79
B088406		0.08	<10	<10	60	<10	60
B088407		0.10	<10	<10	66	<10	72
B088408		0.04	<10	<10	49	<10	57
B088409		0.07	<10	<10	52	<10	62
B088410		0.05	<10	<10	44	<10	54
B088411		0.06	<10	<10	50	<10	51
B088412		0.05	<10	<10	47	<10	53
B088413		0.05	<10	<10	50	<10	54
B088451		0.09	<10	<10	56	<10	89
B088452		0.12	<10	<10	71	<10	81
B088453		0.11	<10	<10	71	<10	79
B088454		0.15	<10	<10	67	<10	90
B088455		0.09	<10	<10	54	<10	75
B088456		0.09	<10	<10	56	<10	65
B088457		0.07	<10	<10	56	<10	63
B088458		0.06	<10	<10	47	<10	61
B088459		0.07	<10	<10	53	<10	60
B088460		0.06	<10	<10	44	<10	46
B088461		0.07	<10	<10	48	<10	64
B088462		0.06	<10	<10	42	<10	56
B088463		0.06	<10	<10	39	<10	48
B088501		0.05	<10	<10	62	<10	50
B088502		0.04	<10	<10	57	<10	87
B088503		0.01	<10	<10	24	<10	93

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06047794

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B088504		0.42	0.007	0.6	1.02	33	<10	100	<0.5	<2	0.78	<0.5	23	18	67	4.51
B088505		0.36	<0.005	0.4	0.66	12	<10	110	<0.5	<2	0.85	<0.5	15	14	41	3.17
B088506		0.28	<0.005	0.5	1.20	10	<10	230	<0.5	<2	0.15	0.7	12	22	17	2.38
B088507		0.56	<0.005	0.6	0.99	29	<10	170	<0.5	<2	0.07	1.7	11	19	29	3.14
B088508		Not Recvd														
B088509		0.34	<0.005	0.2	0.99	15	<10	60	<0.5	<2	0.07	0.6	6	17	13	2.40
B088510		0.54	<0.005	0.2	1.01	23	<10	110	<0.5	<2	0.07	1.4	10	18	26	2.88
B088511		0.40	<0.005	0.2	1.12	15	<10	70	<0.5	<2	0.06	<0.5	9	20	17	2.93
B088512		0.28	0.011	0.2	1.18	17	<10	140	<0.5	<2	0.05	0.6	7	14	31	2.35
B088513		0.42	0.006	0.2	0.95	30	<10	70	<0.5	<2	0.05	<0.5	8	16	17	2.95
B088514		0.32	<0.005	0.3	0.67	9	<10	60	<0.5	<2	0.04	<0.5	10	16	28	2.62
B088515		0.26	<0.005	0.3	1.44	7	<10	130	<0.5	<2	0.05	<0.5	6	24	14	2.50
B088516		0.38	0.012	0.2	0.53	12	<10	40	<0.5	<2	0.03	<0.5	6	12	17	1.82
B088517		0.32	<0.005	0.2	0.77	27	<10	40	<0.5	<2	0.05	<0.5	6	16	18	2.56
B088518		0.32	<0.005	0.4	0.82	26	<10	130	<0.5	<2	0.07	0.5	3	13	15	1.40
B088519		0.28	0.007	2.4	0.80	62	<10	100	<0.5	2	0.06	<0.5	3	14	12	1.65
B088520		0.26	<0.005	0.4	0.93	16	<10	150	<0.5	<2	0.05	<0.5	4	15	16	1.81
B088999		0.36	0.012	0.3	0.94	17	<10	190	<0.5	<2	0.12	0.5	10	15	28	2.48
B089000		0.50	<0.005	<0.2	0.79	13	<10	60	<0.5	<2	0.07	<0.5	6	14	14	2.05
B089936		0.08	NSS	8.3	0.74	16	<10	230	<0.5	<2	0.26	5.5	5	12	16	1.58
B089937		0.36	<0.005	0.9	0.67	26	<10	80	<0.5	<2	0.16	0.8	7	19	17	2.69
B089938		0.52	<0.005	1.1	1.00	29	<10	70	<0.5	<2	0.05	<0.5	8	18	21	2.81
B089939		0.34	<0.005	0.2	0.77	5	<10	80	<0.5	<2	0.05	<0.5	4	14	15	1.64
B089940		0.32	<0.005	<0.2	1.23	33	<10	100	<0.5	<2	0.08	<0.5	6	22	21	2.61
B089941		0.44	<0.005	0.4	0.80	26	<10	70	<0.5	<2	0.06	<0.5	2	13	15	1.10
B089942		0.34	<0.005	<0.2	1.84	14	<10	210	0.5	<2	0.07	<0.5	10	28	23	2.76
B089943		0.18	<0.005	1.9	1.00	22	<10	210	<0.5	<2	1.12	1.7	11	15	31	2.53
B089944		0.42	0.006	0.8	0.90	18	<10	80	<0.5	<2	0.10	<0.5	5	18	18	2.21
B089945		0.20	<0.005	0.8	1.33	32	<10	280	<0.5	<2	0.26	1.0	11	23	25	2.52
B089946		0.42	<0.005	1.1	1.15	59	<10	120	<0.5	<2	0.12	0.5	7	20	25	2.57
B089947		0.44	<0.005	0.2	1.33	24	<10	80	<0.5	<2	0.06	<0.5	5	21	17	2.71
B089948		0.34	<0.005	<0.2	0.95	15	<10	60	<0.5	<2	0.07	<0.5	3	17	11	1.97
B089949		0.32	<0.005	0.6	1.18	42	<10	90	<0.5	<2	0.08	<0.5	5	16	18	2.89
B089950		0.56	<0.005	<0.2	1.31	11	<10	110	<0.5	<2	0.11	<0.5	5	21	14	2.15
B089999		0.30	<0.005	0.2	1.18	12	<10	70	<0.5	<2	0.05	<0.5	2	18	8	2.44
B090000		0.28	0.007	1.5	1.17	55	<10	310	<0.5	<2	0.10	0.9	5	16	22	2.41

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 · Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06047794

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
B088504		<10	1	0.05	20	0.39	832	1	<0.01	46	480	78	0.03	6	3	37
B088505		<10	<1	0.05	20	0.16	759	<1	<0.01	24	580	45	0.05	2	2	50
B088506		<10	<1	0.07	20	0.33	465	1	<0.01	20	490	51	0.01	5	2	15
B088507		<10	<1	0.10	20	0.18	411	1	<0.01	21	520	133	<0.01	3	1	17
B088508																
B088509		<10	<1	0.06	20	0.21	215	1	<0.01	13	350	381	0.01	<2	1	12
B088510		<10	<1	0.09	20	0.24	358	1	<0.01	20	390	95	0.01	2	2	13
B088511		<10	<1	0.05	20	0.26	547	1	<0.01	17	410	14	0.01	5	2	7
B088512		<10	<1	0.07	20	0.09	178	1	<0.01	18	770	46	0.03	3	<1	12
B088513		<10	1	0.05	20	0.17	591	<1	<0.01	14	530	40	0.01	4	1	10
B088514		<10	<1	0.06	20	0.18	276	1	<0.01	22	270	28	0.01	4	1	23
B088515		<10	<1	0.04	10	0.30	163	1	<0.01	14	230	20	0.01	3	3	8
B088516		<10	<1	0.04	20	0.04	139	1	<0.01	13	300	24	0.01	4	<1	13
B088517		<10	<1	0.05	20	0.14	195	<1	<0.01	16	340	44	0.01	4	1	12
B088518		<10	<1	0.04	20	0.11	71	<1	<0.01	9	410	65	0.02	5	<1	11
B088519		<10	<1	0.05	10	0.13	51	1	<0.01	7	490	376	0.02	7	<1	11
B088520		<10	<1	0.09	20	0.16	94	<1	<0.01	11	530	95	0.02	2	<1	8
B088999		<10	<1	0.07	20	0.11	827	1	0.01	24	730	37	0.03	6	<1	15
B089000		<10	<1	0.06	20	0.19	227	1	<0.01	14	280	26	0.01	3	1	9
B089936		<10	<1	0.06	20	0.08	235	1	<0.01	14	1040	735	0.06	9	1	27
B089937		<10	<1	0.04	20	0.19	560	1	<0.01	15	650	115	0.01	13	2	13
B089938		<10	<1	0.06	10	0.16	274	1	<0.01	12	480	96	0.02	10	1	9
B089939		<10	<1	0.06	20	0.12	111	1	<0.01	10	460	18	0.01	4	<1	8
B089940		<10	<1	0.06	10	0.28	172	1	<0.01	15	370	51	0.02	3	1	10
B089941		<10	<1	0.04	20	0.05	54	<1	<0.01	4	230	139	0.01	6	<1	9
B089942		<10	<1	0.04	10	0.35	230	1	<0.01	22	240	15	0.01	5	3	8
B089943		<10	<1	0.07	20	0.20	853	<1	0.01	23	690	133	0.05	2	2	56
B089944		<10	<1	0.06	20	0.25	156	1	<0.01	13	380	104	0.01	3	2	11
B089945		<10	<1	0.08	20	0.42	370	1	0.01	19	510	128	0.02	3	2	23
B089946		<10	<1	0.08	20	0.26	238	1	0.01	16	590	303	0.01	4	2	16
B089947		<10	<1	0.05	20	0.27	199	1	0.01	14	330	63	0.01	3	2	10
B089948		<10	<1	0.05	10	0.23	118	1	0.01	11	290	48	0.01	2	1	9
B089949		<10	<1	0.06	20	0.18	181	1	0.01	17	240	76	0.01	3	2	12
B089950		<10	<1	0.04	10	0.31	135	1	0.01	13	310	17	<0.01	<2	2	11
B089999		<10	<1	0.03	10	0.18	100	<1	0.01	8	220	22	0.01	<2	1	7
B090000		<10	<1	0.11	30	0.21	218	1	0.01	15	400	150	0.02	4	2	17

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-JUN-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06047794

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B088504		0.01	<10	<10	24	<10	124
B088505		0.01	<10	<10	19	<10	96
B088506		0.03	<10	<10	37	<10	90
B088507		0.03	<10	<10	39	<10	155
B088508							
B088509		0.03	<10	<10	36	<10	70
B088510		0.04	<10	<10	36	<10	137
B088511		0.04	<10	<10	36	<10	58
B088512		0.01	<10	<10	26	<10	61
B088513		0.03	<10	<10	37	<10	65
B088514		0.02	<10	<10	26	<10	79
B088515		0.05	<10	<10	46	<10	49
B088516		0.02	<10	<10	42	<10	50
B088517		0.03	<10	<10	36	<10	60
B088518		0.01	<10	<10	28	<10	34
B088519		0.01	<10	<10	26	<10	42
B088520		0.01	<10	<10	27	<10	39
B088999		0.01	<10	<10	26	<10	60
B089000		0.03	<10	<10	29	<10	49
B089936		0.01	<10	<10	16	<10	248
B089937		0.02	<10	<10	27	<10	140
B089938		0.03	<10	<10	39	<10	84
B089939		0.02	<10	<10	30	<10	45
B089940		0.03	<10	<10	41	<10	58
B089941		0.01	<10	<10	34	<10	37
B089942		0.05	<10	<10	47	<10	56
B089943		0.01	<10	<10	22	<10	162
B089944		0.04	<10	<10	36	<10	61
B089945		0.03	<10	<10	38	<10	105
B089946		0.03	<10	<10	38	<10	76
B089947		0.03	<10	<10	40	<10	56
B089948		0.04	<10	<10	38	<10	39
B089949		0.03	<10	<10	44	<10	87
B089950		0.04	<10	<10	38	<10	48
B089999		0.04	<10	<10	51	<10	27
B090000		0.02	<10	<10	27	<10	76

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

D: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-JUL-2006
Account: STRGOL

CERTIFICATE VA06055454

Project: Dublin Gulch 1735

P.O. No.:

This report is for 122 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 20-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055454

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B088099		0.46	0.095	0.2	1.12	595	<10	100	<0.5	<2	0.16	<0.5	5	22	15	2.44
B088100		0.28	0.090	0.2	0.95	229	<10	80	<0.5	<2	0.15	<0.5	4	18	13	1.94
B088101		0.24	0.046	2.7	1.47	629	<10	180	<0.5	<2	0.29	<0.5	5	23	14	2.34
B088102		0.50	0.033	0.2	1.58	698	<10	200	0.5	<2	0.28	<0.5	8	25	9	2.75
B088103		0.50	0.011	<0.2	1.57	500	<10	230	0.5	<2	0.31	<0.5	8	25	9	2.43
B088104		0.30	0.009	<0.2	1.25	520	<10	150	<0.5	<2	0.20	<0.5	6	22	8	2.28
B088105		0.12	0.012	0.4	1.77	957	<10	290	0.8	2	1.28	0.5	10	24	17	2.79
B088106		0.16	0.007	0.2	0.92	132	<10	180	<0.5	<2	0.26	<0.5	3	17	10	1.56
B088107		0.48	0.010	<0.2	0.97	221	<10	140	<0.5	<2	0.30	<0.5	6	21	11	2.02
B088108		0.18	0.007	0.2	0.96	196	<10	90	<0.5	<2	0.12	<0.5	3	18	9	1.76
B088109		0.28	0.006	<0.2	1.17	384	<10	100	<0.5	<2	0.19	<0.5	5	19	11	2.20
B088110		0.18	0.042	0.3	1.42	638	<10	210	<0.5	<2	0.38	<0.5	6	22	14	2.55
B088111		0.10	0.009	0.2	0.90	234	<10	300	<0.5	<2	1.16	0.6	6	13	10	1.48
B088112		0.22	0.009	0.2	0.68	110	<10	60	<0.5	<2	0.09	<0.5	2	12	5	1.18
B088113		0.26	<0.005	<0.2	0.77	134	<10	60	<0.5	<2	0.14	<0.5	3	16	6	1.48
B088114		0.62	0.330	0.2	1.06	748	<10	110	<0.5	6	0.12	<0.5	5	19	12	2.48
B088115		0.42	0.147	0.4	0.96	470	<10	130	<0.5	2	0.12	<0.5	3	14	11	1.84
B088116		0.24	0.121	0.6	1.13	384	<10	130	<0.5	2	0.21	<0.5	4	19	12	2.20
B088117		0.28	0.021	0.4	1.49	758	<10	140	<0.5	2	0.31	<0.5	6	23	8	2.70
B088118		0.58	0.020	0.2	1.54	506	<10	300	0.6	<2	0.83	<0.5	6	27	13	2.51
B088119		0.28	0.007	<0.2	1.12	358	<10	160	<0.5	<2	0.50	<0.5	5	20	8	1.96
B088120		0.38	0.035	<0.2	1.06	456	<10	100	<0.5	<2	0.20	<0.5	4	21	8	1.92
B088121		0.16	<0.005	0.2	1.00	221	<10	150	<0.5	<2	0.27	<0.5	3	18	9	1.74
B088122		0.30	<0.005	<0.2	0.83	270	<10	80	<0.5	<2	0.14	<0.5	3	17	8	1.66
B088123		0.32	0.020	<0.2	0.95	335	<10	80	<0.5	<2	0.15	<0.5	3	19	9	1.85
B088124		0.30	<0.005	0.3	1.12	419	<10	120	<0.5	<2	0.32	<0.5	3	20	8	1.66
B088125		0.30	0.006	<0.2	1.01	357	<10	110	<0.5	<2	0.23	<0.5	4	18	9	1.83
B088126		0.24	0.006	<0.2	1.01	539	<10	150	<0.5	2	0.32	<0.5	5	19	8	1.91
B088623		0.14	0.018	0.2	0.81	295	<10	90	<0.5	<2	0.13	<0.5	3	14	17	1.58
B088624		0.30	0.086	0.2	0.71	402	<10	80	<0.5	<2	0.08	<0.5	3	13	7	1.68
B088625		0.28	1.135	<0.2	1.03	206	<10	70	<0.5	<2	0.14	<0.5	3	19	11	1.98
B088626		0.28	0.024	0.5	1.53	720	<10	200	0.5	2	0.47	<0.5	8	25	9	2.77
B088627		0.18	0.020	<0.2	1.26	452	<10	180	0.5	<2	0.39	<0.5	6	24	9	2.31
B088628		0.20	0.010	0.2	1.54	782	<10	280	0.5	<2	0.37	<0.5	12	25	13	2.71
B088629		0.26	<0.005	0.2	1.01	320	<10	90	<0.5	<2	0.16	<0.5	4	18	9	1.84
B088630		0.20	0.010	0.2	1.50	762	<10	290	0.5	<2	0.42	<0.5	15	22	13	2.61
B088631		0.22	<0.005	<0.2	1.09	235	<10	100	<0.5	<2	0.13	<0.5	3	18	7	1.78
B088632		0.26	0.010	<0.2	1.34	677	<10	150	<0.5	<2	0.28	<0.5	5	22	10	2.20
B088633		0.22	0.007	<0.2	0.96	233	<10	70	<0.5	<2	0.11	<0.5	3	16	7	1.47
B088634		0.26	0.014	<0.2	1.26	397	<10	90	<0.5	<2	0.14	<0.5	5	24	12	2.60

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055454

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B088099		<10	0.03	0.08	20	0.34	221	3	<0.01	16	550	52	0.02	16	2	14
B088100		<10	0.04	0.06	10	0.31	184	2	<0.01	17	540	53	0.02	10	2	11
B088101		10	0.14	0.07	20	0.33	139	8	<0.01	18	610	77	0.04	18	3	22
B088102		10	0.05	0.07	30	0.50	675	12	0.01	20	720	53	0.04	32	4	22
B088103		10	0.02	0.21	30	0.56	356	3	0.01	24	830	14	0.02	6	4	18
B088104		<10	0.03	0.04	20	0.41	259	4	<0.01	16	590	16	0.02	<2	3	16
B088105		<10	0.12	0.08	50	0.49	701	6	0.01	26	1010	18	0.09	6	4	83
B088106		<10	0.10	0.05	20	0.25	94	3	<0.01	13	870	8	0.09	<2	1	23
B088107		<10	0.02	0.07	20	0.42	268	2	<0.01	19	760	10	0.01	2	3	19
B088108		<10	0.05	0.04	10	0.23	116	2	<0.01	12	540	13	0.04	3	1	12
B088109		<10	0.03	0.04	10	0.35	220	2	<0.01	16	670	14	0.02	5	2	14
B088110		<10	0.07	0.07	20	0.37	349	3	0.01	18	840	22	0.06	7	3	28
B088111		<10	0.14	0.05	20	0.26	463	2	0.01	12	1230	9	0.14	6	1	76
B088112		<10	0.04	0.03	10	0.19	79	1	<0.01	9	390	6	0.03	2	1	10
B088113		<10	0.02	0.03	10	0.26	108	1	<0.01	10	340	6	0.02	2	1	12
B088114		10	0.04	0.06	20	0.30	217	4	<0.01	15	460	57	0.03	20	1	12
B088115		<10	0.06	0.05	20	0.20	112	7	<0.01	10	480	91	0.04	35	1	13
B088116		<10	0.06	0.07	20	0.35	150	6	<0.01	16	710	150	0.03	69	2	16
B088117		10	0.06	0.06	30	0.46	372	15	0.01	19	930	63	0.05	30	3	26
B088118		<10	0.07	0.10	40	0.56	426	2	0.01	21	730	27	0.06	6	4	53
B088119		<10	0.06	0.05	20	0.48	184	1	0.01	17	740	10	0.03	4	3	33
B088120		10	0.02	0.07	20	0.44	163	2	0.01	18	480	13	0.02	4	3	14
B088121		<10	0.06	0.05	10	0.31	122	2	0.01	13	700	14	0.07	<2	1	21
B088122		10	0.04	0.04	10	0.25	120	1	<0.01	11	450	10	0.04	2	1	12
B088123		<10	0.04	0.04	10	0.30	136	1	<0.01	13	480	11	0.03	2	1	12
B088124		10	0.04	0.06	20	0.33	137	2	0.01	12	580	8	0.05	4	2	24
B088125		<10	0.03	0.05	10	0.32	143	1	<0.01	13	470	10	0.03	2	1	18
B088126		<10	0.25	0.05	10	0.32	444	3	<0.01	11	690	28	0.06	6	1	24
B088623		<10	0.05	0.04	10	0.17	99	6	<0.01	11	500	47	0.04	16	1	14
B088624		<10	0.05	0.03	10	0.16	99	2	<0.01	10	270	36	0.03	9	1	9
B088625		<10	0.03	0.04	10	0.30	147	2	<0.01	14	420	31	0.03	8	1	12
B088626		10	0.07	0.09	30	0.51	426	12	0.01	22	740	49	0.05	39	4	32
B088627		<10	0.05	0.09	30	0.47	306	3	0.01	17	850	20	0.04	8	3	26
B088628		<10	0.06	0.06	20	0.49	578	4	0.01	22	640	26	0.03	7	3	28
B088629		<10	0.04	0.04	20	0.30	115	2	<0.01	12	490	16	0.04	3	1	14
B088630		<10	0.06	0.05	30	0.39	1460	4	<0.01	18	830	17	0.04	2	2	32
B088631		10	0.05	0.04	10	0.25	96	2	<0.01	9	460	12	0.02	<2	1	12
B088632		<10	0.05	0.05	20	0.40	320	2	<0.01	16	790	11	0.03	2	2	21
B088633		<10	0.05	0.04	10	0.20	83	2	<0.01	9	450	12	0.03	4	1	12
B088634		10	0.03	0.06	10	0.40	225	2	<0.01	16	510	17	0.02	2	2	14

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055454

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B088099		0.06	<10	<10	39	20	74
B088100		0.05	<10	<10	32	10	76
B088101		0.04	<10	<10	38	10	99
B088102		0.08	<10	<10	38	20	106
B088103		0.13	<10	<10	39	10	79
B088104		0.06	<10	<10	39	10	64
B088105		0.05	<10	20	37	10	88
B088106		0.03	<10	<10	26	<10	41
B088107		0.07	<10	<10	34	30	53
B088108		0.03	<10	<10	36	20	41
B088109		0.04	<10	<10	34	30	56
B088110		0.03	<10	<10	41	10	79
B088111		0.02	<10	<10	21	10	60
B088112		0.02	<10	<10	24	<10	27
B088113		0.04	<10	<10	32	20	37
B088114		0.04	<10	<10	38	20	87
B088115		0.03	<10	<10	26	10	62
B088116		0.04	<10	<10	31	20	86
B088117		0.08	<10	<10	36	20	90
B088118		0.08	<10	10	39	20	113
B088119		0.05	<10	<10	30	10	65
B088120		0.09	<10	<10	35	30	58
B088121		0.03	<10	<10	32	10	47
B088122		0.03	<10	<10	33	<10	38
B088123		0.04	<10	<10	38	<10	41
B088124		0.06	<10	<10	31	40	50
B088125		0.04	<10	<10	34	10	44
B088126		0.03	<10	<10	37	10	51
B088623		0.02	<10	<10	25	<10	66
B088624		0.04	<10	<10	36	10	38
B088625		0.04	<10	<10	34	10	54
B088626		0.09	<10	<10	38	20	108
B088627		0.06	<10	<10	36	20	76
B088628		0.05	<10	<10	44	10	107
B088629		0.04	<10	<10	33	20	44
B088630		0.04	<10	<10	44	<10	72
B088631		0.03	<10	<10	38	<10	34
B088632		0.04	<10	<10	39	<10	56
B088633		0.04	<10	<10	31	<10	34
B088634		0.05	<10	<10	43	20	57

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055454

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B088635		0.24	<0.005	0.2	1.27	428	<10	250	<0.5	<2	0.58	<0.5	4	21	10	2.08
B088636		0.20	<0.005	<0.2	0.60	88	<10	60	<0.5	<2	0.13	<0.5	2	12	4	0.92
B088637		0.22	<0.005	<0.2	0.91	172	<10	90	<0.5	<2	0.20	<0.5	4	20	9	1.76
B088638		0.24	<0.005	0.2	1.20	514	<10	150	<0.5	<2	0.32	<0.5	7	19	6	1.84
B088639		0.18	<0.005	<0.2	0.78	114	<10	50	<0.5	<2	0.09	<0.5	2	13	6	1.24
B088640		0.18	<0.005	0.2	2.30	1255	<10	260	1.0	<2	0.63	<0.5	18	26	9	2.74
B088641		0.20	<0.005	0.2	1.74	767	<10	360	0.9	<2	0.91	<0.5	8	25	16	2.41
B088642		0.28	<0.005	<0.2	1.13	172	<10	290	<0.5	<2	0.87	<0.5	3	19	6	1.54
B088643		0.32	<0.005	<0.2	1.36	125	<10	250	<0.5	<2	0.69	<0.5	5	24	5	1.90
B088644		0.36	<0.005	0.2	1.67	589	<10	260	0.6	<2	0.64	0.5	10	25	9	2.39
B088645		0.36	<0.005	<0.2	1.57	493	<10	210	0.6	<2	0.42	<0.5	6	23	6	1.82
B088646		0.12	<0.005	<0.2	1.84	604	<10	290	0.9	<2	0.89	0.9	14	22	10	2.02
B088647		0.36	0.011	<0.2	0.96	73	<10	50	<0.5	<2	0.05	<0.5	3	17	6	1.72
B088648		0.40	<0.005	<0.2	0.81	64	<10	60	<0.5	<2	0.08	<0.5	3	14	5	1.34
B088649		0.32	<0.005	<0.2	0.96	72	<10	80	<0.5	<2	0.13	<0.5	3	19	5	1.53
B088650		0.26	<0.005	<0.2	1.57	108	<10	200	0.5	<2	0.28	<0.5	7	25	12	2.39
B088651		0.28	<0.005	<0.2	1.46	138	<10	110	0.5	<2	0.21	<0.5	6	25	11	2.45
B088652		0.22	<0.005	0.2	0.67	87	<10	520	<0.5	<2	3.26	0.6	3	8	11	0.73
B088653		0.28	<0.005	<0.2	1.35	278	<10	220	<0.5	<2	0.43	<0.5	5	24	6	2.04
B088654		0.26	<0.005	<0.2	1.57	518	<10	270	0.5	<2	0.78	<0.5	5	25	7	2.19
B088655		0.34	<0.005	<0.2	1.47	1520	<10	160	0.6	<2	0.31	<0.5	7	28	7	2.26
B088656		0.26	<0.005	<0.2	0.34	32	<10	40	<0.5	<2	0.08	<0.5	1	5	2	0.31
B088657		0.28	<0.005	<0.2	1.20	498	<10	110	<0.5	<2	0.22	<0.5	4	18	6	1.70
B088658		0.24	0.011	<0.2	1.41	213	<10	200	<0.5	<2	0.27	<0.5	5	21	7	1.76
B088659		0.44	0.013	0.2	1.77	760	<10	250	0.5	<2	0.51	<0.5	7	26	9	2.33
B088660		0.40	0.013	<0.2	1.36	698	<10	210	<0.5	<2	0.38	<0.5	6	22	10	2.14
B088226		0.40	<0.005	<0.2	1.63	13	<10	110	<0.5	<2	0.06	<0.5	6	24	15	2.87
B088227		0.68	0.005	<0.2	1.33	14	<10	110	<0.5	<2	0.07	<0.5	5	22	15	2.50
B088228		0.38	0.009	0.2	1.31	10	<10	50	<0.5	<2	0.02	<0.5	9	22	34	3.62
B088229		0.20	0.007	0.2	0.99	14	<10	170	<0.5	<2	0.25	<0.5	6	17	17	2.19
B088230		0.36	0.009	0.3	0.71	33	<10	250	<0.5	<2	0.43	0.5	11	16	33	2.81
B088231		0.64	0.005	0.2	0.61	25	<10	90	<0.5	<2	0.09	<0.5	10	21	25	3.03
B088232		0.40	0.009	0.3	0.96	25	<10	100	<0.5	<2	0.03	<0.5	10	22	33	3.24
B088233		0.48	0.005	<0.2	0.84	14	<10	70	<0.5	<2	0.03	<0.5	7	15	20	2.52
B088234		0.34	0.012	0.2	0.81	31	<10	70	<0.5	<2	0.08	<0.5	6	15	20	2.29
B088272		Not Recvd														
B088273		Not Recvd														
B088274		Not Recvd														
B088275		Not Recvd														
B088276		Not Recvd														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055454

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
B088635		10	0.04	0.05	20	0.40	190	2	<0.01	14	670	10	0.05	<2	2	42
B088636		<10	0.09	0.03	10	0.13	61	2	<0.01	5	480	6	0.02	<2	1	12
B088637		<10	0.05	0.06	10	0.32	128	2	<0.01	15	550	8	0.03	2	2	17
B088638		<10	0.04	0.03	20	0.35	952	5	<0.01	11	610	9	0.04	<2	2	25
B088639		<10	0.04	0.03	10	0.15	68	1	<0.01	7	400	8	0.02	<2	1	9
B088640		10	0.07	0.05	30	0.45	612	6	0.01	22	1280	19	0.10	<2	2	42
B088641		<10	0.09	0.10	70	0.44	920	4	<0.01	27	1080	10	0.09	<2	4	59
B088642		<10	0.07	0.04	20	0.28	94	2	0.01	11	790	8	0.09	<2	3	56
B088643		10	0.04	0.10	30	0.52	158	2	0.01	17	960	8	0.06	<2	4	45
B088644		10	0.05	0.12	30	0.52	916	3	0.01	23	970	13	0.04	<2	4	48
B088645		<10	0.03	0.04	20	0.40	115	1	<0.01	19	820	10	0.04	<2	2	34
B088646		<10	0.09	0.06	30	0.38	1010	2	0.01	21	1130	14	0.10	<2	2	73
B088647		10	0.03	0.04	10	0.20	140	1	<0.01	9	460	8	0.01	<2	1	7
B088648		<10	0.05	0.06	10	0.19	98	1	<0.01	8	450	8	0.02	2	1	9
B088649		<10	0.03	0.07	10	0.31	110	1	<0.01	12	340	6	0.01	<2	1	13
B088650		10	0.04	0.13	20	0.49	251	1	<0.01	20	740	10	0.01	<2	4	22
B088651		10	0.04	0.12	20	0.46	203	1	<0.01	21	840	8	0.02	<2	2	13
B088652		<10	0.12	0.04	40	0.24	673	3	0.01	11	1270	4	0.28	2	1	195
B088653		<10	0.03	0.04	20	0.45	196	3	<0.01	17	490	8	0.04	<2	3	32
B088654		<10	0.05	0.06	20	0.51	270	3	<0.01	19	820	7	0.07	<2	3	52
B088655		10	0.04	0.17	20	0.47	207	4	<0.01	22	780	9	0.03	<2	4	21
B088656		<10	0.02	0.02	10	0.04	21	1	<0.01	1	190	2	<0.01	<2	1	9
B088657		<10	0.02	0.03	10	0.34	114	2	<0.01	14	480	8	0.01	<2	2	16
B088658		<10	0.04	0.04	20	0.38	167	2	<0.01	14	780	7	0.04	<2	2	25
B088659		10	0.04	0.06	20	0.49	409	2	<0.01	21	780	11	0.05	<2	3	37
B088660		<10	0.03	0.05	10	0.41	262	2	<0.01	16	870	9	0.03	2	2	29
B088226		10	0.01	0.03	20	0.32	185	1	<0.01	17	250	16	<0.01	<2	2	9
B088227		<10	0.01	0.03	20	0.30	147	1	<0.01	16	180	13	<0.01	<2	2	10
B088228		<10	0.01	0.04	40	0.48	232	1	<0.01	27	250	27	0.01	<2	1	12
B088229		<10	0.03	0.04	20	0.34	187	1	<0.01	16	580	15	<0.01	2	2	20
B088230		<10	0.06	0.04	30	0.21	494	1	<0.01	29	520	40	0.03	9	1	32
B088231		<10	0.02	0.05	30	0.21	220	1	<0.01	30	250	28	0.01	9	1	12
B088232		<10	0.03	0.03	30	0.21	235	1	<0.01	30	190	37	0.01	8	2	9
B088233		<10	0.02	0.03	30	0.20	151	1	<0.01	19	240	18	0.01	2	1	7
B088234		<10	0.05	0.04	20	0.25	179	1	<0.01	17	330	27	0.01	3	2	10
B088272																
B088273																
B088274																
B088275																
B088276																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055454

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B088635		0.05	<10	<10	37	<10	68
B088636		0.02	<10	<10	22	<10	23
B088637		0.06	<10	<10	32	30	43
B088638		0.04	<10	<10	30	10	41
B088639		0.03	<10	<10	26	30	23
B088640		0.03	<10	10	38	10	72
B088641		0.05	<10	20	35	<10	68
B088642		0.05	<10	<10	25	10	36
B088643		0.10	<10	10	31	60	52
B088644		0.08	<10	30	35	50	91
B088645		0.05	<10	20	29	10	54
B088646		0.04	<10	30	29	10	88
B088647		0.04	<10	<10	34	10	29
B088648		0.03	<10	<10	25	20	29
B088649		0.05	<10	<10	29	10	35
B088650		0.07	<10	<10	39	10	57
B088651		0.08	<10	<10	38	10	55
B088652		0.02	<10	10	11	<10	27
B088653		0.06	<10	<10	34	<10	54
B088654		0.07	<10	10	34	10	56
B088655		0.10	<10	<10	37	30	58
B088656		0.02	<10	<10	14	<10	10
B088657		0.04	<10	<10	30	10	41
B088658		0.04	<10	10	34	<10	56
B088659		0.05	<10	10	38	10	98
B088660		0.04	<10	<10	37	<10	67
B088226		0.04	<10	<10	49	<10	46
B088227		0.04	<10	<10	42	<10	42
B088228		0.01	<10	<10	20	<10	73
B088229		0.03	<10	<10	26	<10	62
B088230		0.01	<10	<10	16	<10	88
B088231		0.01	<10	<10	15	<10	72
B088232		0.02	<10	<10	26	<10	92
B088233		0.01	<10	<10	24	<10	50
B088234		0.02	<10	<10	24	<10	57
B088272							
B088273							
B088274							
B088275							
B088276							

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055454

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B088277		Not Recvd														
B088278		Not Recvd														
B088279		Not Recvd														
B088280		Not Recvd														
B088281		Not Recvd														
B088282		Not Recvd														
B088283		Not Recvd														
B088284		Not Recvd														
B088364		0.22	0.014	<0.2	0.88	181	<10	90	<0.5	<2	0.22	<0.5	3	15	7	1.62
B088365		0.28	0.012	<0.2	0.75	160	<10	60	<0.5	<2	0.12	<0.5	3	14	8	1.63
B088366		0.50	0.341	2.4	0.86	598	<10	100	<0.5	3	0.22	<0.5	5	18	27	1.99
B088367		0.26	0.016	<0.2	1.21	384	<10	210	0.6	<2	0.61	<0.5	5	22	8	2.12
B088368		0.18	0.025	<0.2	1.23	184	<10	380	0.5	<2	1.06	<0.5	6	21	8	1.80
B088369		0.64	0.245	<0.2	1.57	706	<10	150	0.6	<2	0.33	<0.5	9	26	10	2.22
B088370		0.54	0.007	<0.2	1.36	126	<10	70	<0.5	<2	0.09	<0.5	5	24	13	2.62
B088371		0.34	0.007	<0.2	1.00	46	<10	60	<0.5	<2	0.06	<0.5	4	21	9	2.17
B088414		0.16	0.114	0.5	0.95	648	<10	150	0.8	<2	0.31	0.6	8	17	14	2.88
B088415		0.18	0.022	0.3	1.02	184	<10	130	<0.5	<2	0.25	<0.5	3	16	8	1.51
B088416		0.28	0.033	<0.2	1.25	260	<10	100	<0.5	<2	0.16	<0.5	5	20	12	2.19
B088417		0.28	0.581	0.4	1.52	754	<10	220	0.7	<2	0.50	<0.5	7	23	9	2.74
B088418		0.22	0.026	0.4	1.63	650	<10	180	0.5	<2	0.62	<0.5	7	25	10	2.55
B088419		0.22	0.013	<0.2	1.02	358	<10	160	0.5	<2	0.44	<0.5	6	22	6	2.15
B088420		0.08	0.018	<0.2	0.97	256	<10	110	<0.5	<2	0.15	<0.5	4	18	8	1.80
B088421		0.12	0.025	<0.2	0.82	194	<10	60	<0.5	<2	0.09	<0.5	3	18	8	1.67
B088422		0.08	0.016	<0.2	0.74	168	<10	110	<0.5	<2	0.18	<0.5	2	15	8	1.40
B088423		0.20	0.011	<0.2	0.99	254	<10	80	<0.5	<2	0.15	<0.5	3	18	9	1.76
B088424		0.08	0.024	<0.2	0.83	114	<10	90	<0.5	<2	0.23	<0.5	2	14	6	1.08
B088425		0.16	0.010	<0.2	0.94	317	<10	70	<0.5	<2	0.12	<0.5	3	19	7	1.96
B088426		0.12	0.025	<0.2	0.94	270	<10	90	<0.5	<2	0.21	<0.5	4	18	9	1.87
B088372		0.24	0.019	<0.2	0.74	15	<10	70	<0.5	<2	0.05	<0.5	1	10	3	1.06
B088373		0.28	<0.005	<0.2	0.78	38	<10	70	<0.5	<2	0.07	<0.5	1	14	4	1.11
B088374		0.24	<0.005	<0.2	0.80	45	<10	60	<0.5	<2	0.06	<0.5	2	15	4	1.52
B088375		0.58	0.020	<0.2	1.05	73	<10	90	<0.5	<2	0.14	<0.5	4	18	12	2.02
B088376		0.64	0.008	<0.2	1.15	80	<10	70	<0.5	<2	0.14	<0.5	6	22	14	2.55
B088377		0.24	<0.005	<0.2	1.54	496	<10	260	0.6	<2	0.47	<0.5	13	21	10	2.03
B088378		0.34	<0.005	<0.2	1.56	289	<10	280	0.5	<2	0.61	<0.5	5	24	6	2.27
B088379		0.72	0.014	<0.2	1.29	213	<10	300	<0.5	<2	0.37	<0.5	6	21	11	2.10
B088380		0.30	0.007	<0.2	1.14	182	<10	220	<0.5	<2	0.31	<0.5	4	19	5	1.72
B088381		0.64	0.008	<0.2	1.13	571	<10	110	<0.5	<2	0.24	<0.5	6	22	8	2.08
B088382		0.54	0.005	<0.2	1.24	256	<10	100	<0.5	<2	0.15	<0.5	5	21	10	2.08

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

D: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055454

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B088277																
B088278																
B088279																
B088280																
B088281																
B088282																
B088283																
B088284																
B088364		<10	0.05	0.03	10	0.24	104	2	<0.01	9	600	9	0.03	<2	1	16
B088365		<10	0.02	0.03	10	0.24	115	2	<0.01	11	400	7	0.02	<2	1	10
B088366		<10	0.04	0.05	20	0.33	211	1	<0.01	15	740	69	0.01	28	3	20
B088367		<10	0.04	0.09	30	0.43	250	2	0.01	16	860	10	0.05	<2	4	37
B088368		<10	0.09	0.05	50	0.42	346	1	0.01	16	730	8	0.09	<2	3	64
B088369		<10	0.03	0.09	20	0.46	394	1	0.01	21	840	9	0.03	2	3	23
B088370		10	0.03	0.04	10	0.35	179	1	<0.01	13	380	14	0.02	<2	2	9
B088371		<10	0.03	0.03	10	0.30	116	1	<0.01	11	230	10	0.02	<2	1	7
B088414		<10	0.06	0.11	40	0.29	426	9	<0.01	21	1000	105	0.03	42	4	22
B088415		<10	0.06	0.05	10	0.19	82	7	0.01	9	570	27	0.05	6	1	22
B088416		<10	0.03	0.06	10	0.35	191	2	<0.01	16	600	24	0.02	<2	2	13
B088417		<10	0.04	0.12	40	0.47	536	11	0.01	18	1140	59	0.03	18	5	34
B088418		10	0.05	0.07	30	0.54	235	4	0.01	21	970	69	0.05	13	4	38
B088419		<10	0.03	0.16	30	0.44	341	2	0.01	17	910	20	0.03	4	4	24
B088420		<10	0.08	0.04	10	0.28	130	2	0.01	12	490	12	0.04	2	1	14
B088421		10	0.04	0.04	10	0.21	116	1	0.01	10	410	8	0.03	2	<1	10
B088422		<10	0.06	0.04	10	0.15	76	2	0.01	9	800	6	0.06	<2	<1	16
B088423		<10	0.03	0.04	10	0.27	114	1	0.01	11	520	9	0.04	<2	1	12
B088424		<10	0.10	0.04	10	0.18	60	1	0.01	8	820	7	0.07	<2	<1	18
B088425		10	0.04	0.04	10	0.25	147	1	0.01	10	380	10	0.04	<2	1	11
B088426		<10	0.03	0.04	10	0.28	154	1	0.01	11	450	9	0.04	<2	1	15
B088372		10	0.05	0.02	10	0.04	54	<1	<0.01	<1	760	11	0.03	<2	<1	8
B088373		<10	0.04	0.03	10	0.13	60	1	<0.01	5	370	10	0.03	<2	<1	9
B088374		<10	0.03	0.02	10	0.15	125	<1	<0.01	6	380	9	0.02	<2	1	8
B088375		<10	0.02	0.03	10	0.27	137	1	<0.01	14	590	8	0.01	<2	1	12
B088376		<10	0.14	0.05	10	0.34	236	1	<0.01	16	500	11	0.02	<2	2	11
B088377		<10	0.04	0.07	20	0.37	1040	2	0.01	19	830	14	0.06	<2	2	35
B088378		10	0.03	0.06	20	0.52	308	2	0.01	18	680	7	0.06	<2	4	40
B088379		<10	0.06	0.04	20	0.37	294	2	<0.01	16	940	7	0.04	<2	3	28
B088380		<10	0.05	0.03	30	0.30	190	2	0.01	13	840	8	0.08	<2	2	28
B088381		<10	0.02	0.04	20	0.40	278	2	0.01	14	690	9	0.01	<2	3	16
B088382		<10	0.04	0.04	20	0.36	156	1	<0.01	13	690	9	0.03	<2	2	12

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055454

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
B088277							
B088278							
B088279							
B088280							
B088281							
B088282							
B088283							
B088284							
B088364		0.03	<10	<10	26	20	34
B088365		0.03	<10	<10	29	10	38
B088366		0.05	<10	<10	27	40	53
B088367		0.06	<10	10	32	20	52
B088368		0.06	<10	20	27	10	50
B088369		0.08	<10	10	34	40	83
B088370		0.05	<10	<10	43	<10	49
B088371		0.04	<10	<10	38	10	37
B088414		0.04	<10	<10	27	30	123
B088415		0.04	<10	<10	26	10	38
B088416		0.05	<10	<10	35	10	56
B088417		0.08	<10	<10	34	100	83
B088418		0.07	<10	10	36	20	110
B088419		0.08	<10	<10	30	80	70
B088420		0.03	<10	<10	32	10	42
B088421		0.03	<10	<10	37	10	38
B088422		0.02	<10	<10	27	10	34
B088423		0.03	<10	<10	34	<10	41
B088424		0.02	<10	<10	19	<10	26
B088425		0.04	<10	<10	39	10	39
B088426		0.04	<10	<10	34	20	41
B088372		<0.01	<10	<10	32	<10	9
B088373		0.03	<10	<10	31	<10	17
B088374		0.04	<10	<10	43	<10	21
B088375		0.04	<10	<10	34	<10	36
B088376		0.06	<10	<10	44	20	50
B088377		0.05	<10	10	29	40	66
B088378		0.07	<10	10	35	10	65
B088379		0.04	<10	10	34	10	57
B088380		0.05	<10	10	29	10	37
B088381		0.06	<10	<10	34	30	52
B088382		0.04	<10	<10	37	10	45

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055454

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B088383		0.34	0.013	<0.2	0.99	308	<10	150	<0.5	<2	0.35	<0.5	4	18	8	1.68
B088384		0.22	<0.005	0.2	1.18	521	<10	270	0.5	<2	0.27	0.5	18	19	8	1.87

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

D: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055454

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
B088383		<10	0.02	0.03	20	0.34	261	2	0.01	11	770	11	0.03	<2	2	24
B088384		<10	0.09	0.04	20	0.23	1845	6	0.01	9	1140	12	0.07	<2	1	24

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055454

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
B088383		0.04	<10	<10	28	30	45
B088384		0.03	<10	10	39	10	36

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-JUL-2006
Account: STRGOL

CERTIFICATE VA06055905

Project: Dublin Gulch 1735

P.O. No.:

This report is for 281 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 20-JUN-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B088034		0.22	0.013	0.5	1.19	93	<10	200	<0.5	<2	0.29	<0.5	6	21	8	1.72
B088035		0.10	<0.005	0.2	0.51	56	<10	80	<0.5	<2	0.15	<0.5	1	8	3	0.73
B088036		0.38	0.044	0.8	1.38	471	<10	220	<0.5	<2	0.47	<0.5	5	22	11	2.66
B088037		0.60	0.058	0.2	1.20	501	<10	200	0.5	<2	0.52	0.7	9	21	6	2.27
B088038		0.34	0.043	0.6	1.27	522	<10	110	<0.5	<2	0.20	<0.5	5	21	13	2.40
B088039		0.12	0.008	0.2	0.72	88	<10	200	<0.5	<2	0.94	0.7	3	14	3	0.99
B088040		0.36	0.059	0.9	1.54	408	<10	320	<0.5	<2	0.56	<0.5	6	26	14	2.54
B088041		0.30	0.052	0.6	1.26	480	<10	210	<0.5	<2	0.35	<0.5	10	23	11	2.75
B088042		0.18	0.106	7.4	1.05	773	<10	240	<0.5	<2	0.27	2.5	5	19	48	3.05
B088043		0.18	0.018	0.3	0.50	69	<10	80	<0.5	<2	0.12	<0.5	1	7	3	0.85
B088044		0.12	0.065	1.0	1.23	695	<10	190	<0.5	<2	0.78	0.7	6	17	13	2.21
B088045		0.22	<0.005	0.2	0.65	25	<10	70	<0.5	<2	0.06	<0.5	1	8	2	0.84
B088046		0.40	0.010	<0.2	3.06	46	<10	130	0.9	<2	0.18	<0.5	12	49	22	3.40
B088047		0.38	<0.005	<0.2	0.78	22	<10	50	<0.5	<2	0.07	<0.5	5	19	16	2.40
B088048		0.22	<0.005	0.3	0.63	19	<10	60	<0.5	<2	0.07	<0.5	2	9	8	0.89
B088049		0.24	0.014	0.2	1.56	526	<10	220	0.5	<2	0.52	<0.5	8	25	9	2.35
B088050		0.18	0.009	<0.2	1.30	189	<10	230	<0.5	<2	0.47	<0.5	8	26	10	2.14
B088051		0.42	<0.005	<0.2	1.26	47	<10	70	<0.5	<2	0.13	<0.5	6	23	8	2.57
B088052		0.36	0.005	<0.2	1.27	51	<10	80	<0.5	<2	0.15	<0.5	6	21	5	2.31
B088053		0.30	0.009	<0.2	1.44	267	<10	80	<0.5	<2	0.09	<0.5	4	23	8	2.58
B088054		0.36	0.006	<0.2	1.44	42	<10	70	<0.5	<2	0.10	<0.5	3	22	5	2.39
B088055		0.28	<0.005	<0.2	1.24	41	<10	80	<0.5	<2	0.13	<0.5	3	20	4	1.76
B088056		0.22	0.026	<0.2	1.38	395	<10	130	<0.5	<2	0.26	<0.5	4	17	6	2.15
B088057		0.44	0.014	<0.2	1.42	521	<10	100	<0.5	<2	0.13	<0.5	5	22	9	2.32
B088058		0.18	0.032	0.3	2.14	1265	<10	280	0.8	<2	0.40	<0.5	9	27	9	2.98
B088059		0.28	0.008	0.2	1.25	290	<10	150	<0.5	<2	0.40	<0.5	6	22	4	2.11
B088060		0.30	0.010	<0.2	1.28	402	<10	110	<0.5	<2	0.30	<0.5	5	22	4	2.25
B088061		0.44	0.009	0.2	0.88	172	<10	130	<0.5	<2	0.21	<0.5	3	15	3	1.38
B088062		0.58	<0.005	<0.2	0.76	87	<10	30	<0.5	<2	0.06	<0.5	1	10	<1	1.20
B088063		0.24	0.027	0.7	2.07	838	<10	250	1.0	<2	0.66	0.5	9	22	9	2.30
B088064		0.38	0.017	<0.2	1.40	259	<10	160	0.6	<2	0.33	<0.5	8	23	10	2.21
B088065		0.36	<0.005	<0.2	0.84	62	<10	50	<0.5	<2	0.09	<0.5	3	14	4	2.22
B088066		0.28	<0.005	<0.2	1.01	46	<10	60	<0.5	<2	0.09	<0.5	3	18	5	1.74
B088067		0.46	<0.005	0.2	1.21	191	<10	90	<0.5	<2	0.16	<0.5	4	19	6	2.35
B088068		0.34	0.009	<0.2	0.85	209	<10	60	<0.5	<2	0.10	<0.5	2	13	<1	1.07
B088069		0.56	0.027	<0.2	1.47	247	<10	150	<0.5	<2	0.30	<0.5	5	24	5	1.83
B088070		0.60	1.705	<0.2	1.66	590	<10	180	1.3	<2	0.68	<0.5	9	31	5	3.05
B088071		0.42	<0.005	<0.2	1.70	209	<10	100	<0.5	<2	0.19	<0.5	8	29	2	2.45
B088072		0.38	<0.005	<0.2	1.32	60	<10	90	<0.5	<2	0.13	<0.5	5	25	7	2.53
B088073		0.42	0.006	<0.2	1.38	50	<10	120	<0.5	<2	0.21	<0.5	6	25	13	2.27

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B088034		<10	0.10	0.06	20	0.38	216	4	<0.01	14	720	28	0.03	13	2	22
B088035		<10	0.05	0.03	10	0.09	43	3	<0.01	4	340	17	0.03	9	1	13
B088036		<10	0.15	0.11	30	0.49	266	6	0.01	18	730	136	0.04	47	5	33
B088037		<10	0.05	0.15	30	0.44	758	4	0.01	15	850	70	0.05	23	3	32
B088038		<10	0.05	0.06	20	0.39	210	4	0.01	17	690	138	0.03	50	2	14
B088039		<10	0.10	0.05	20	0.22	162	3	0.01	8	800	14	0.10	6	1	62
B088040		<10	0.09	0.07	30	0.53	217	7	0.01	20	690	102	0.04	40	5	40
B088041		<10	0.05	0.10	30	0.47	570	10	0.01	21	880	85	0.02	30	4	21
B088042		<10	0.16	0.15	30	0.36	469	6	0.01	15	990	947	0.14	38	3	23
B088043		<10	0.13	0.05	10	0.06	37	4	0.01	4	730	55	0.07	25	1	10
B088044		<10	0.49	0.07	20	0.35	549	4	0.01	16	770	85	0.08	7	1	64
B088045		<10	0.13	0.04	10	0.08	37	<1	0.01	6	590	8	0.05	<2	<1	7
B088046		10	0.04	0.14	20	1.20	326	1	0.02	34	360	13	0.02	4	6	13
B088047		<10	0.15	0.09	10	0.15	189	1	<0.01	15	460	8	0.03	4	1	7
B088048		<10	0.12	0.06	10	0.05	49	1	0.01	6	970	11	0.07	3	<1	7
B088049		<10	0.04	0.06	20	0.49	521	4	0.01	19	790	20	0.06	6	2	47
B088050		<10	0.09	0.08	20	0.46	581	3	0.01	19	710	12	0.05	2	2	39
B088051		10	0.03	0.06	10	0.42	190	1	0.01	16	520	18	0.02	3	2	9
B088052		10	0.04	0.07	20	0.40	203	1	0.01	16	710	10	0.03	3	1	11
B088053		10	0.06	0.05	10	0.29	104	2	0.01	12	400	13	0.04	2	2	8
B088054		10	0.05	0.03	10	0.29	114	1	0.01	11	300	11	0.03	2	2	9
B088055		10	0.06	0.04	10	0.30	116	2	0.01	12	540	11	0.05	<2	2	12
B088056		10	0.05	0.05	20	0.37	133	3	0.01	13	660	16	0.04	5	2	18
B088057		<10	0.04	0.04	20	0.39	162	4	0.01	15	590	11	0.03	3	2	10
B088058		10	0.10	0.07	40	0.52	801	9	0.01	22	890	18	0.05	19	4	30
B088059		<10	0.08	0.04	20	0.36	392	3	0.01	11	1110	14	0.07	6	3	28
B088060		<10	0.06	0.04	20	0.39	244	3	0.01	14	820	17	0.04	6	2	20
B088061		<10	0.06	0.03	10	0.23	74	1	0.01	9	620	13	0.04	3	1	19
B088062		10	0.03	0.02	10	0.09	76	3	0.01	5	300	14	0.02	8	1	6
B088063		<10	0.07	0.06	30	0.41	1095	2	0.02	17	1230	23	0.09	6	2	48
B088064		<10	0.03	0.15	30	0.43	411	1	0.01	18	950	15	0.02	6	3	19
B088065		10	0.04	0.03	10	0.17	114	1	0.01	7	350	13	0.03	2	1	8
B088066		<10	0.04	0.03	10	0.23	80	1	<0.01	8	490	10	0.03	2	<1	7
B088067		10	0.03	0.04	20	0.28	177	4	<0.01	12	580	79	0.02	8	2	11
B088068		10	0.03	0.03	10	0.16	61	2	0.01	4	270	10	0.02	<2	1	8
B088069		<10	0.04	0.05	30	0.47	143	1	0.01	15	530	11	0.02	2	3	25
B088070		10	0.05	0.32	70	0.66	398	4	0.02	25	1310	12	0.02	4	6	41
B088071		10	0.05	0.08	30	0.60	190	5	0.02	22	510	9	0.02	2	5	14
B088072		10	0.05	0.05	10	0.39	245	2	0.01	14	460	13	0.04	<2	1	11
B088073		<10	0.04	0.12	20	0.49	218	1	0.01	21	610	7	0.01	<2	3	13

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B088034		0.05	<10	<10	30	<10	84
B088035		0.02	<10	<10	19	<10	25
B088036		0.08	<10	<10	36	20	125
B088037		0.07	<10	<10	29	30	121
B088038		0.05	<10	<10	35	10	124
B088039		0.04	<10	<10	19	10	66
B088040		0.07	<10	<10	38	10	96
B088041		0.08	<10	<10	35	50	132
B088042		0.07	<10	<10	32	40	288
B088043		0.02	<10	<10	15	<10	32
B088044		0.02	<10	<10	27	<10	153
B088045		0.02	<10	<10	15	<10	21
B088046		0.20	<10	<10	91	<10	70
B088047		0.03	<10	<10	43	<10	46
B088048		0.01	<10	<10	19	<10	22
B088049		0.05	<10	<10	37	10	112
B088050		0.07	<10	<10	39	10	68
B088051		0.07	<10	<10	42	10	58
B088052		0.06	<10	<10	38	10	47
B088053		0.07	<10	<10	55	10	41
B088054		0.06	<10	<10	52	10	34
B088055		0.06	<10	<10	40	10	31
B088056		0.04	<10	<10	29	<10	46
B088057		0.04	<10	<10	40	10	52
B088058		0.05	<10	<10	41	20	88
B088059		0.04	<10	10	33	20	69
B088060		0.04	<10	<10	35	20	68
B088061		0.02	<10	<10	24	10	39
B088062		0.03	<10	<10	28	10	39
B088063		0.03	<10	10	28	20	127
B088064		0.08	<10	<10	36	10	61
B088065		0.05	<10	<10	47	<10	24
B088066		0.02	<10	<10	34	<10	30
B088067		0.04	<10	<10	50	20	49
B088068		0.03	<10	<10	26	10	20
B088069		0.07	<10	<10	33	10	54
B088070		0.13	10	10	42	20	64
B088071		0.14	<10	<10	40	60	58
B088072		0.04	<10	<10	47	10	54
B088073		0.10	<10	<10	39	10	60

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B088074		0.38	<0.005	<0.2	1.14	22	<10	70	<0.5	<2	0.15	<0.5	4	21	9	1.68
B088075		0.36	<0.005	<0.2	1.36	30	<10	90	<0.5	<2	0.17	<0.5	5	23	10	2.17
B088076		0.28	0.008	<0.2	1.40	54	<10	120	<0.5	<2	0.26	<0.5	6	22	12	2.38
B088077		0.24	0.654	0.7	0.61	4380	<10	160	<0.5	7	0.12	<0.5	2	9	30	1.61
B088078		0.34	0.022	<0.2	1.25	165	<10	110	<0.5	<2	0.15	<0.5	5	21	12	2.28
B088079		0.34	<0.005	<0.2	1.58	46	<10	80	<0.5	<2	0.11	<0.5	4	24	6	3.29
B088080		0.30	<0.005	0.2	1.14	128	<10	110	<0.5	<2	0.25	<0.5	3	20	6	1.73
B088081		0.28	<0.005	<0.2	1.59	243	<10	270	0.5	<2	0.67	<0.5	6	25	5	2.12
B088082		0.50	<0.005	<0.2	1.65	375	<10	90	<0.5	<2	0.19	<0.5	5	26	5	2.68
B088083		0.30	<0.005	<0.2	0.96	154	<10	60	<0.5	<2	0.13	<0.5	2	17	4	1.32
B088084		0.24	0.008	<0.2	1.04	105	<10	60	<0.5	<2	0.12	<0.5	4	19	8	2.08
B088085		0.30	<0.005	<0.2	1.22	95	<10	70	<0.5	<2	0.10	<0.5	4	23	5	2.16
B088086		0.34	<0.005	<0.2	1.07	82	<10	90	<0.5	<2	0.13	<0.5	4	20	6	2.15
B088087		0.40	0.058	0.2	1.98	814	<10	220	0.8	<2	0.42	<0.5	12	28	10	2.70
B088088		0.40	0.029	<0.2	1.64	486	<10	190	0.6	<2	0.35	<0.5	7	32	8	2.43
B088089		0.32	0.006	<0.2	1.26	39	<10	80	<0.5	<2	0.10	<0.5	4	23	6	1.70
B088090		0.48	0.007	<0.2	1.48	88	<10	110	<0.5	<2	0.20	<0.5	8	27	9	2.54
B088091		0.30	<0.005	<0.2	2.32	364	<10	190	0.6	<2	0.14	<0.5	6	32	11	3.29
B088092		0.36	<0.005	<0.2	1.12	84	<10	90	<0.5	<2	0.13	<0.5	3	17	4	1.51
B088093		0.38	<0.005	<0.2	0.68	126	<10	50	<0.5	<2	0.08	<0.5	3	11	5	1.35
B088094		0.38	0.023	<0.2	0.97	33	<10	60	<0.5	<2	0.10	<0.5	4	20	4	1.51
B088095		0.42	0.005	<0.2	1.40	26	<10	130	<0.5	<2	0.19	<0.5	8	23	13	2.42
B088096		0.34	<0.005	<0.2	1.34	110	<10	100	<0.5	<2	0.14	<0.5	3	21	4	2.14
B088097		0.30	<0.005	<0.2	1.38	33	<10	110	<0.5	<2	0.14	<0.5	7	25	5	2.70
B088098		0.36	0.007	<0.2	0.88	90	<10	70	<0.5	<2	0.12	<0.5	2	15	4	1.92
B088164		0.24	0.006	<0.2	1.26	42	<10	150	0.8	<2	0.22	<0.5	10	49	30	3.17
B088165		0.24	<0.005	<0.2	1.52	26	<10	70	<0.5	<2	0.14	<0.5	6	51	16	4.57
B088166		0.46	<0.005	<0.2	1.29	23	<10	100	0.5	<2	0.13	<0.5	8	29	19	3.15
B088167		0.38	0.011	<0.2	1.32	36	<10	110	1.0	<2	0.42	<0.5	10	28	18	2.96
B088168		0.16	0.011	<0.2	0.89	85	<10	110	<0.5	<2	0.16	<0.5	3	17	7	1.63
B088169		0.18	0.011	0.2	0.85	90	<10	110	<0.5	<2	0.18	<0.5	3	14	8	1.42
B088170		0.34	0.014	0.3	1.48	283	<10	240	0.9	<2	0.47	<0.5	11	27	11	3.11
B088171		0.20	0.015	0.5	1.81	438	<10	340	0.7	<2	0.59	<0.5	11	32	15	3.23
B088172		0.08	NSS	1.1	0.43	1655	<10	230	<0.5	<2	0.58	<0.5	2	3	4	1.06
B088173		0.30	0.219	0.9	1.28	1305	<10	90	<0.5	<2	0.19	<0.5	6	22	14	2.51
B088174		0.46	0.132	1.4	1.62	1065	<10	120	<0.5	<2	0.15	0.7	7	22	16	2.82
B088175		0.18	0.123	1.6	1.80	1975	<10	220	0.5	2	0.46	0.9	9	27	24	3.45
B088176		0.22	0.007	0.2	0.87	207	<10	70	<0.5	<2	0.11	<0.5	2	13	4	1.18
B088177		0.34	0.092	0.5	1.22	1145	<10	130	<0.5	<2	0.44	1.0	7	21	12	2.56
B088178		0.22	<0.005	0.2	1.72	268	<10	320	0.5	<2	0.97	0.6	9	24	10	2.05

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B088074		<10	0.04	0.07	10	0.33	108	1	<0.01	15	540	7	0.02	<2	1	11
B088075		10	0.04	0.08	20	0.45	154	1	0.01	17	520	8	0.01	2	2	12
B088076		10	0.07	0.06	20	0.38	144	2	0.01	16	680	11	0.04	<2	1	20
B088077		<10	0.11	0.05	10	0.05	34	2	0.02	6	710	68	0.11	12	<1	15
B088078		<10	0.03	0.05	20	0.40	167	1	0.01	18	490	8	0.02	<2	2	11
B088079		10	0.05	0.05	10	0.26	188	2	0.01	13	330	12	0.01	2	3	9
B088080		10	0.06	0.06	10	0.31	158	4	0.01	14	840	7	0.07	<2	<1	20
B088081		10	0.06	0.05	30	0.54	489	4	0.02	18	860	8	0.08	3	3	56
B088082		10	0.04	0.05	20	0.42	198	5	0.01	14	370	12	0.02	2	3	15
B088083		10	0.07	0.03	10	0.18	63	2	0.01	7	470	7	0.02	2	<1	12
B088084		10	0.04	0.03	10	0.26	128	1	0.01	12	450	8	0.02	2	<1	9
B088085		10	0.03	0.04	10	0.30	128	<1	<0.01	11	360	12	0.01	2	1	8
B088086		10	0.06	0.04	10	0.30	155	1	0.01	12	400	9	0.02	<2	1	10
B088087		10	0.04	0.11	30	0.49	745	2	0.01	21	1000	18	0.04	5	3	29
B088088		10	0.02	0.12	20	0.64	335	2	0.02	20	680	10	0.02	<2	4	24
B088089		10	0.04	0.04	10	0.36	101	1	0.01	15	350	5	0.02	3	1	11
B088090		10	0.02	0.09	10	0.55	248	2	0.02	20	480	7	0.02	<2	3	15
B088091		10	0.05	0.06	20	0.52	181	7	0.02	22	700	13	0.05	3	2	13
B088092		10	0.03	0.04	10	0.22	187	4	0.01	8	340	10	0.03	2	1	12
B088093		10	0.04	0.03	10	0.07	195	6	0.01	5	410	9	0.04	<2	<1	8
B088094		10	0.03	0.06	10	0.32	121	1	<0.01	12	270	8	0.01	<2	1	13
B088095		<10	0.05	0.07	20	0.43	338	1	0.01	19	770	7	0.02	<2	3	14
B088096		10	0.05	0.05	10	0.25	165	4	0.01	10	350	13	0.03	<2	1	13
B088097		10	0.04	0.05	10	0.42	491	2	0.01	14	480	12	0.04	<2	1	13
B088098		10	0.05	0.04	10	0.14	148	3	0.01	7	570	10	0.06	<2	<1	10
B088164		<10	0.10	0.09	20	0.34	194	2	0.01	51	700	11	0.07	6	3	28
B088165		10	0.04	0.06	10	0.43	164	2	0.02	33	540	10	0.04	2	2	28
B088166		10	0.04	0.14	20	0.40	259	1	0.01	24	490	9	0.05	3	3	13
B088167		<10	0.02	0.23	60	0.55	317	3	0.02	34	1250	10	0.02	3	6	19
B088168		<10	0.04	0.05	20	0.28	105	3	0.01	13	520	7	0.04	2	1	14
B088169		<10	0.08	0.05	20	0.14	76	5	0.01	9	1040	18	0.06	6	<1	14
B088170		10	0.04	0.12	40	0.48	405	11	0.01	30	1150	20	0.02	7	5	28
B088171		10	0.09	0.09	30	0.59	633	7	0.01	26	910	38	0.05	6	5	41
B088172		<10	0.41	0.07	40	0.05	56	2	0.02	5	1250	193	0.13	16	1	34
B088173		<10	0.08	0.06	20	0.38	159	2	0.01	15	550	121	0.03	<2	3	13
B088174		<10	0.04	0.04	10	0.39	247	1	0.01	18	480	54	0.02	2	2	12
B088175		10	0.08	0.10	20	0.56	362	3	0.01	23	820	396	0.05	4	3	37
B088176		10	0.05	0.03	10	0.11	50	<1	0.01	4	410	23	0.03	2	<1	11
B088177		<10	0.03	0.09	30	0.48	284	3	0.01	20	840	167	0.01	27	3	32
B088178		<10	0.09	0.08	20	0.46	1070	4	0.02	19	1090	10	0.11	<2	1	78

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B088074		0.06	<10	<10	34	<10	42
B088075		0.09	<10	<10	38	10	51
B088076		0.04	<10	<10	39	10	48
B088077		0.01	<10	<10	16	160	29
B088078		0.05	<10	<10	38	10	46
B088079		0.09	<10	<10	71	20	37
B088080		0.03	<10	<10	34	10	41
B088081		0.07	<10	10	37	10	61
B088082		0.05	<10	<10	57	10	47
B088083		0.01	<10	<10	29	60	27
B088084		0.03	<10	<10	38	10	38
B088085		0.05	<10	<10	49	<10	41
B088086		0.05	<10	<10	40	<10	38
B088087		0.06	<10	<10	37	10	85
B088088		0.10	<10	<10	40	10	62
B088089		0.05	<10	<10	37	10	40
B088090		0.11	<10	<10	42	10	59
B088091		0.05	<10	<10	55	10	62
B088092		0.06	<10	<10	47	<10	28
B088093		0.04	<10	<10	56	<10	22
B088094		0.09	<10	<10	43	10	30
B088095		0.06	<10	<10	38	10	59
B088096		0.04	<10	<10	53	10	34
B088097		0.05	<10	<10	48	10	54
B088098		0.05	<10	<10	51	10	25
B088164		0.03	<10	<10	53	10	57
B088165		0.09	<10	<10	87	<10	41
B088166		0.07	<10	<10	48	<10	62
B088167		0.08	<10	<10	45	10	70
B088168		0.04	<10	<10	31	10	45
B088169		0.01	<10	<10	25	10	56
B088170		0.06	<10	<10	44	60	80
B088171		0.07	<10	<10	52	20	109
B088172		0.01	<10	<10	5	<10	59
B088173		0.06	<10	<10	41	60	88
B088174		0.04	<10	<10	40	<10	69
B088175		0.04	<10	<10	46	<10	280
B088176		0.03	<10	<10	29	10	31
B088177		0.08	<10	<10	31	<10	381
B088178		0.05	<10	<10	32	10	93

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B088179		0.22	0.007	0.2	1.72	316	<10	420	0.6	<2	0.80	0.6	11	24	11	2.34
B088180		0.24	0.279	0.6	1.10	1445	<10	130	<0.5	2	0.23	0.7	6	18	11	2.40
B088181		0.24	0.248	1.5	1.07	1425	<10	110	<0.5	3	0.18	0.7	4	17	12	2.30
B088182		0.14	0.006	0.4	0.42	17	<10	90	<0.5	<2	0.22	<0.5	1	6	4	0.55
B088183		0.22	0.006	0.2	0.88	39	<10	90	<0.5	<2	0.12	<0.5	3	14	6	1.20
B088184		0.36	0.306	2.2	0.90	3770	<10	200	<0.5	<2	0.13	1.4	5	16	19	4.07
B088185		0.66	1.470	8.2	0.73	>10000	<10	180	0.7	26	0.27	4.2	10	12	53	4.97
B088186		0.38	0.022	0.3	1.44	577	<10	250	0.6	<2	0.69	0.5	9	22	9	2.22
B088187		0.16	0.017	0.5	0.26	18	<10	100	<0.5	<2	0.29	0.9	2	3	5	0.27
B088188		0.30	0.018	0.8	1.04	536	<10	100	<0.5	3	0.27	<0.5	5	20	13	2.53
B088189		0.20	0.006	0.3	1.20	190	<10	250	<0.5	<2	0.51	<0.5	5	19	10	1.98
B088190		0.20	0.005	0.2	1.06	189	<10	230	<0.5	<2	0.46	<0.5	7	18	9	1.94
B088191		0.26	0.007	0.2	0.93	116	<10	90	<0.5	<2	0.23	<0.5	5	19	9	1.84
B088192		0.30	0.013	0.4	0.92	171	<10	80	<0.5	<2	0.14	<0.5	3	17	7	1.60
B088193		0.44	0.181	0.2	1.36	395	<10	210	0.6	<2	0.50	0.5	9	21	7	2.08
B088194		0.28	0.317	0.3	1.66	1940	<10	250	0.5	2	0.27	0.5	8	30	10	3.41
B088195		0.48	0.011	0.2	1.26	943	<10	100	0.5	<2	0.15	<0.5	5	22	9	2.90
B088196		0.42	0.009	<0.2	1.20	134	<10	80	<0.5	<2	0.12	<0.5	5	20	14	2.37
B088197		0.28	<0.005	0.2	0.90	19	<10	40	<0.5	<2	0.07	<0.5	3	14	4	1.20
B088198		0.18	<0.005	<0.2	0.54	21	<10	50	<0.5	<2	0.10	<0.5	1	7	2	0.57
B088199		0.24	0.046	0.3	1.18	512	<10	80	<0.5	<2	0.14	<0.5	5	21	9	2.38
B088200		0.20	<0.005	0.2	1.50	278	<10	120	<0.5	<2	0.14	<0.5	6	24	8	2.21
B088201		Not Recvd														
B088202		Not Recvd														
B088203		Not Recvd														
B088204		Not Recvd														
B088205		Not Recvd														
B088206		Not Recvd														
B088207		Not Recvd														
B088208		Not Recvd														
B088209		Not Recvd														
B088210		Not Recvd														
B088211		Not Recvd														
B088212		Not Recvd														
B088213		Not Recvd														
B088214		Not Recvd														
B088215		0.12	0.009	0.2	1.26	300	<10	310	<0.5	<2	0.58	<0.5	9	21	9	2.08
B088216		0.32	0.015	0.3	1.10	323	<10	110	<0.5	<2	0.18	<0.5	5	21	8	2.17
B088217		0.22	0.022	0.2	0.75	193	<10	50	<0.5	<2	0.09	<0.5	3	17	5	1.56
B088218		0.36	0.008	<0.2	0.78	399	<10	140	0.9	<2	0.46	<0.5	9	13	7	1.73

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B088179		<10	0.08	0.05	30	0.46	1470	3	0.02	20	950	13	0.07	2	2	70
B088180		<10	0.08	0.08	20	0.29	234	1	0.01	14	830	142	0.04	15	1	17
B088181		<10	0.11	0.07	20	0.24	168	13	0.01	12	720	332	0.04	10	1	16
B088182		<10	0.15	0.07	10	0.07	59	<1	0.01	2	1080	17	0.06	<2	<1	11
B088183		<10	0.07	0.04	10	0.13	64	1	0.01	6	500	7	0.03	<2	<1	10
B088184		<10	0.12	0.25	30	0.24	154	7	0.01	13	590	469	0.45	10	3	26
B088185		<10	0.45	0.24	30	0.22	644	8	0.01	20	980	1630	0.44	300	5	53
B088186		<10	0.50	0.07	30	0.40	620	2	0.01	16	860	21	0.05	3	2	50
B088187		<10	0.23	0.06	10	0.06	27	1	0.02	2	810	5	0.13	<2	1	21
B088188		<10	0.06	0.08	20	0.33	170	3	0.01	16	730	186	0.07	119	2	18
B088189		<10	0.07	0.06	30	0.29	144	2	0.01	13	1000	10	0.07	2	2	39
B088190		<10	0.05	0.06	20	0.34	328	1	0.01	14	760	11	0.05	<2	2	33
B088191		<10	0.04	0.06	10	0.31	148	2	0.01	15	540	14	0.01	<2	2	16
B088192		<10	0.07	0.05	10	0.24	104	2	0.01	9	540	15	0.03	2	2	11
B088193		<10	0.05	0.09	20	0.39	460	2	0.01	15	920	16	0.04	3	2	34
B088194		10	0.04	0.09	30	0.64	276	7	0.01	23	630	11	0.02	<2	5	20
B088195		10	0.03	0.07	20	0.33	206	5	0.01	16	360	17	0.01	<2	3	12
B088196		<10	0.05	0.05	20	0.35	190	1	0.01	15	520	20	0.02	<2	1	9
B088197		10	0.04	0.03	10	0.15	58	<1	0.01	5	360	9	0.02	<2	<1	6
B088198		<10	0.09	0.04	10	0.04	20	<1	0.01	2	1030	6	0.03	<2	<1	8
B088199		<10	0.05	0.05	20	0.31	178	<1	0.01	13	580	36	0.02	2	1	11
B088200		<10	0.04	0.05	10	0.39	150	2	0.01	16	520	10	0.02	<2	2	12
B088201																
B088202																
B088203																
B088204																
B088205																
B088206																
B088207																
B088208																
B088209																
B088210																
B088211																
B088212																
B088213																
B088214																
B088215		<10	0.08	0.06	20	0.36	698	1	0.01	13	1000	20	0.07	<2	2	43
B088216		<10	0.03	0.06	20	0.32	168	1	0.01	12	510	10	0.03	<2	2	15
B088217		<10	0.03	0.04	10	0.19	87	2	<0.01	8	370	8	0.02	<2	1	9
B088218		<10	0.03	0.09	50	0.23	628	4	0.02	20	980	19	0.01	6	4	27

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B088179		0.05	<10	<10	36	10	91
B088180		0.03	<10	<10	30	10	160
B088181		0.03	<10	<10	30	30	125
B088182		0.01	<10	<10	11	10	22
B088183		0.02	<10	<10	30	10	27
B088184		0.03	<10	<10	27	40	165
B088185		0.03	<10	<10	18	40	474
B088186		0.05	<10	10	33	40	83
B088187		0.01	<10	<10	5	<10	80
B088188		0.05	<10	<10	36	10	63
B088189		0.03	<10	<10	32	10	56
B088190		0.04	<10	<10	32	10	53
B088191		0.05	<10	<10	35	30	53
B088192		0.04	<10	<10	31	10	43
B088193		0.05	<10	<10	30	110	87
B088194		0.10	<10	<10	52	50	67
B088195		0.07	<10	<10	50	40	69
B088196		0.04	<10	<10	36	10	55
B088197		0.02	<10	<10	31	20	22
B088198		<0.01	<10	<10	10	<10	12
B088199		0.03	<10	<10	39	<10	70
B088200		0.05	<10	<10	40	<10	68
B088201							
B088202							
B088203							
B088204							
B088205							
B088206							
B088207							
B088208							
B088209							
B088210							
B088211							
B088212							
B088213							
B088214							
B088215		0.04	<10	<10	36	10	69
B088216		0.05	<10	<10	38	20	54
B088217		0.04	<10	<10	34	10	39
B088218		0.04	<10	<10	19	50	61

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B088219		0.18	0.014	<0.2	1.24	184	<10	80	<0.5	<2	0.11	<0.5	5	21	10	2.61
B088220		0.20	0.015	<0.2	1.58	140	<10	180	0.8	<2	0.19	<0.5	7	26	10	3.02
B088221		0.36	0.091	0.2	1.74	705	<10	270	0.9	<2	0.30	<0.5	10	26	18	3.21
B088222		0.10	0.009	<0.2	0.88	84	<10	40	<0.5	<2	0.07	<0.5	2	11	6	1.14
B088223		0.12	<0.005	<0.2	1.12	46	<10	70	<0.5	<2	0.09	<0.5	4	18	7	2.21
B088224		0.12	<0.005	<0.2	0.64	24	<10	40	<0.5	<2	0.08	<0.5	1	9	3	0.66
B088225		0.14	<0.005	<0.2	0.86	44	<10	70	<0.5	<2	0.08	<0.5	3	15	8	1.62
B088257		0.46	0.007	<0.2	1.40	69	<10	180	0.5	<2	0.24	<0.5	7	25	17	2.37
B088258		0.70	0.080	<0.2	1.42	164	<10	70	<0.5	<2	0.14	<0.5	7	27	16	2.91
B088259		0.58	0.019	<0.2	1.68	204	<10	130	0.6	<2	0.15	<0.5	10	37	23	3.43
B088260		0.40	0.112	<0.2	1.24	92	<10	80	<0.5	<2	0.09	<0.5	5	22	10	2.09
B088261		0.46	0.015	0.2	1.08	177	<10	110	<0.5	<2	0.16	<0.5	5	20	12	1.96
B088262		0.36	0.010	0.2	1.49	236	<10	290	0.5	<2	0.69	<0.5	7	25	12	2.30
B088263		0.22	1.075	0.2	1.45	178	<10	140	<0.5	<2	0.23	<0.5	6	24	9	2.34
B088264		0.42	0.170	1.5	1.25	804	<10	190	<0.5	2	0.29	<0.5	6	23	30	2.91
B088265		0.28	0.165	4.0	1.52	1040	<10	380	0.6	5	0.57	0.5	7	24	36	3.03
B088266		0.22	0.024	0.2	1.63	502	<10	270	0.7	<2	0.75	0.7	11	23	9	2.20
B088267		0.32	0.006	0.4	1.64	309	<10	70	<0.5	<2	0.06	<0.5	5	30	19	3.25
B088268		0.46	0.044	0.4	1.08	599	<10	120	0.6	<2	0.15	<0.5	8	19	22	3.24
B088269		0.32	0.011	0.4	0.71	150	<10	60	<0.5	<2	0.07	<0.5	3	13	8	1.29
B088270		0.36	0.005	<0.2	1.22	26	<10	50	<0.5	<2	0.06	<0.5	3	22	9	2.25
B088271		0.30	0.032	<0.2	1.12	42	<10	50	<0.5	<2	0.08	<0.5	5	25	11	2.65
B088272		0.32	0.005	<0.2	1.01	29	<10	90	<0.5	<2	0.11	<0.5	3	19	9	1.61
B088273		0.48	0.008	<0.2	1.48	465	<10	190	<0.5	<2	0.45	<0.5	8	24	9	2.33
B088274		0.32	0.010	<0.2	1.45	249	<10	220	<0.5	<2	0.44	<0.5	6	25	8	1.99
B088275		0.42	0.025	0.3	1.16	228	<10	90	<0.5	<2	0.18	<0.5	6	20	11	2.56
B088276		0.54	<0.005	<0.2	1.52	47	<10	140	0.7	<2	0.24	<0.5	8	25	11	3.13
B088277		0.34	<0.005	0.2	0.74	12	<10	40	<0.5	<2	0.11	<0.5	1	10	5	0.93
B088278		0.58	0.027	0.2	1.46	373	<10	110	<0.5	<2	0.13	<0.5	6	24	17	2.67
B088279		0.32	0.032	0.3	1.58	603	<10	350	0.8	<2	0.95	1.3	11	21	11	2.16
B088280		0.46	0.060	0.3	1.14	553	<10	160	<0.5	<2	0.25	<0.5	7	22	12	2.40
B088281		0.58	0.230	0.5	1.34	1155	<10	200	0.5	<2	0.28	<0.5	9	25	14	2.75
B088282		0.38	0.031	0.2	1.37	339	<10	150	<0.5	<2	0.27	<0.5	5	24	9	2.42
B088283		0.26	0.012	0.2	1.08	212	<10	150	<0.5	<2	0.26	<0.5	4	20	9	1.92
B088284		0.42	<0.005	<0.2	1.28	105	<10	70	<0.5	<2	0.09	<0.5	3	22	8	2.48
B088285		0.42	0.048	<0.2	1.96	748	<10	170	0.8	<2	0.25	<0.5	15	25	7	2.37
B088286		0.36	0.006	<0.2	0.92	124	<10	80	<0.5	<2	0.15	<0.5	2	15	3	1.01
B088287		0.42	<0.005	<0.2	1.70	263	<10	130	<0.5	<2	0.29	<0.5	6	30	3	2.00
B088288		0.26	0.046	<0.2	1.66	299	<10	250	0.7	<2	1.02	<0.5	8	24	6	1.99
B088289		0.30	<0.005	<0.2	1.78	242	<10	190	0.9	<2	0.42	<0.5	7	27	4	2.29

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B088219		10	0.02	0.05	10	0.35	181	4	0.01	18	310	11	0.01	<2	3	10
B088220		10	0.06	0.07	30	0.45	270	8	0.01	22	720	12	0.03	<2	3	17
B088221		10	0.04	0.19	50	0.56	388	3	0.02	26	990	31	0.01	6	5	23
B088222		10	0.08	0.05	10	0.11	55	2	0.01	7	540	22	0.03	2	<1	6
B088223		10	0.05	0.05	10	0.25	130	2	0.01	12	560	11	0.02	<2	1	9
B088224		<10	0.04	0.03	10	0.07	31	1	0.01	4	570	7	0.02	<2	<1	8
B088225		<10	0.03	0.04	10	0.23	101	1	0.01	12	370	12	0.01	2	1	9
B088257		<10	0.03	0.09	20	0.45	261	2	0.01	23	620	17	<0.01	7	3	19
B088258		10	0.03	0.14	20	0.40	253	1	0.01	21	560	21	0.01	4	3	11
B088259		10	0.02	0.29	20	0.50	510	3	0.01	23	600	35	0.07	14	4	19
B088260		10	0.03	0.13	20	0.27	159	3	0.01	12	340	40	0.01	15	2	10
B088261		<10	0.04	0.10	20	0.31	188	3	0.01	13	540	78	0.01	42	2	14
B088262		<10	0.07	0.09	30	0.52	356	6	0.02	21	870	13	0.03	5	4	50
B088263		10	0.03	0.09	20	0.52	234	6	0.02	19	690	31	0.01	13	4	18
B088264		10	0.06	0.14	20	0.43	251	12	0.02	18	710	364	0.10	125	4	25
B088265		<10	0.15	0.10	40	0.46	474	11	0.02	25	910	610	0.06	145	4	45
B088266		<10	0.05	0.06	30	0.44	1000	3	0.02	21	850	24	0.05	4	2	60
B088267		10	0.09	0.17	20	0.31	322	3	0.01	16	410	15	0.03	4	3	7
B088268		<10	0.08	0.10	20	0.22	359	3	0.01	26	580	48	0.03	15	3	19
B088269		<10	0.06	0.03	10	0.11	59	1	<0.01	9	350	20	0.02	<2	<1	9
B088270		10	0.05	0.05	20	0.23	104	1	0.01	13	350	10	0.02	<2	1	7
B088271		10	0.04	0.05	10	0.34	165	1	0.01	15	370	18	0.02	2	2	9
B088272		<10	0.04	0.05	10	0.28	98	1	0.01	12	460	7	0.02	<2	1	12
B088273		<10	0.04	0.06	20	0.48	706	5	0.01	20	770	20	0.03	2	2	39
B088274		<10	0.03	0.06	20	0.47	281	3	0.02	19	790	8	0.04	2	2	37
B088275		<10	0.06	0.07	20	0.36	213	1	0.01	20	750	40	0.01	9	2	13
B088276		10	0.02	0.20	30	0.46	398	1	0.01	23	1100	14	<0.01	3	4	10
B088277		10	0.06	0.03	10	0.07	31	1	0.01	5	300	9	0.01	2	<1	12
B088278		10	0.05	0.07	20	0.40	199	2	0.01	20	510	27	0.02	2	3	12
B088279		<10	0.07	0.06	40	0.41	1550	4	0.02	20	990	31	0.07	6	2	75
B088280		<10	0.05	0.07	20	0.43	315	5	0.01	21	830	34	0.01	9	3	17
B088281		<10	0.07	0.08	30	0.48	331	7	0.01	23	900	78	0.01	18	4	18
B088282		10	0.04	0.09	20	0.45	176	9	0.01	21	650	22	0.01	16	4	22
B088283		<10	0.05	0.06	20	0.34	140	5	0.01	16	650	19	0.03	9	2	21
B088284		10	0.06	0.04	10	0.31	108	1	0.01	12	330	11	0.01	2	1	9
B088285		<10	0.06	0.06	20	0.43	1150	3	0.01	19	940	20	0.06	4	2	20
B088286		<10	0.06	0.03	10	0.18	64	2	0.01	6	520	7	0.04	<2	<1	16
B088287		10	0.06	0.05	20	0.51	125	2	0.02	14	480	9	0.02	<2	4	31
B088288		10	0.06	0.14	50	0.57	326	2	0.02	21	1050	11	0.07	2	4	82
B088289		10	0.09	0.17	50	0.57	172	5	0.02	23	1040	8	0.05	2	4	38

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B088219		0.07	<10	<10	48	10	47
B088220		0.06	<10	<10	49	30	61
B088221		0.09	<10	<10	39	40	160
B088222		0.02	<10	<10	37	10	28
B088223		0.03	<10	<10	48	20	34
B088224		<0.01	<10	<10	19	<10	16
B088225		0.03	<10	<10	31	10	45
B088257		0.07	<10	<10	39	10	71
B088258		0.10	<10	<10	42	70	70
B088259		0.10	10	<10	49	10	111
B088260		0.06	<10	<10	38	<10	53
B088261		0.04	<10	<10	33	10	69
B088262		0.07	<10	<10	39	10	70
B088263		0.09	<10	<10	40	60	65
B088264		0.08	<10	<10	37	30	126
B088265		0.05	10	<10	37	10	183
B088266		0.05	<10	10	31	30	95
B088267		0.09	<10	<10	60	<10	80
B088268		0.03	10	<10	35	10	112
B088269		0.02	<10	<10	28	<10	43
B088270		0.04	<10	<10	45	<10	33
B088271		0.05	<10	<10	49	<10	47
B088272		0.03	<10	<10	34	<10	40
B088273		0.06	<10	<10	37	20	107
B088274		0.07	<10	<10	33	10	83
B088275		0.05	<10	<10	35	<10	71
B088276		0.10	<10	<10	40	<10	70
B088277		0.03	<10	<10	27	<10	15
B088278		0.06	<10	<10	43	10	76
B088279		0.05	<10	10	31	30	104
B088280		0.07	<10	<10	37	70	109
B088281		0.08	<10	10	40	30	121
B088282		0.08	<10	<10	40	10	85
B088283		0.05	<10	<10	34	20	62
B088284		0.04	<10	<10	46	<10	40
B088285		0.04	10	10	32	20	95
B088286		0.02	<10	<10	30	<10	19
B088287		0.09	<10	10	37	30	48
B088288		0.09	<10	10	28	20	48
B088289		0.09	<10	10	35	10	49

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B088290		0.68	0.005	<0.2	1.64	148	<10	130	0.6	<2	0.18	<0.5	7	23	13	2.55
B088291		0.34	<0.005	<0.2	0.87	20	<10	70	<0.5	<2	0.06	<0.5	1	12	3	1.10
B088292		0.38	<0.005	<0.2	0.71	16	<10	50	<0.5	<2	0.05	<0.5	2	11	3	1.20
B088293		0.40	<0.005	<0.2	1.03	38	<10	60	<0.5	<2	0.06	<0.5	2	17	4	2.06
B088294		0.40	<0.005	<0.2	1.14	112	<10	70	<0.5	<2	0.07	<0.5	2	19	4	4.18
B088295		0.44	<0.005	<0.2	1.32	58	<10	40	<0.5	<2	0.06	<0.5	3	21	8	2.52
B088296		0.44	0.006	<0.2	1.72	47	<10	110	<0.5	<2	0.19	<0.5	6	28	11	2.76
B088297		0.62	0.006	<0.2	1.16	39	<10	80	<0.5	<2	0.15	<0.5	5	20	7	1.99
B088298		0.30	<0.005	<0.2	1.34	124	<10	120	<0.5	<2	0.21	<0.5	5	21	4	1.99
B088299		0.30	0.021	0.2	2.03	442	<10	250	0.9	<2	0.74	<0.5	8	33	6	2.47
B088300		0.24	0.010	<0.2	0.83	147	<10	330	0.5	<2	2.08	0.9	4	10	7	0.78
B088314		0.54	0.009	<0.2	1.36	64	<10	90	<0.5	<2	0.16	<0.5	6	23	16	2.46
B088315		0.30	0.009	<0.2	1.07	77	<10	60	<0.5	<2	0.07	<0.5	3	19	6	1.95
B088316		0.94	0.012	<0.2	1.30	187	<10	170	0.5	<2	0.19	<0.5	7	24	22	2.31
B088317		0.58	0.022	<0.2	1.64	325	<10	70	<0.5	<2	0.10	<0.5	6	26	5	2.09
B088318		0.42	0.014	<0.2	1.33	289	<10	80	<0.5	<2	0.10	<0.5	4	24	12	2.64
B088319		0.66	0.005	<0.2	1.94	503	<10	140	0.6	<2	0.49	<0.5	8	29	11	2.62
B088320		0.60	0.012	<0.2	1.48	174	<10	110	<0.5	<2	0.14	<0.5	6	25	11	2.39
B088321		0.46	0.027	<0.2	1.21	315	<10	90	<0.5	<2	0.13	<0.5	5	21	9	2.04
B088521		0.42	0.015	<0.2	1.50	142	<10	90	<0.5	<2	0.13	<0.5	8	27	21	2.74
B088522		0.34	0.094	<0.2	1.22	36	<10	50	<0.5	<2	0.10	<0.5	4	22	7	3.32
B088523		0.24	0.030	0.3	1.40	433	<10	240	0.5	<2	0.60	<0.5	6	24	9	2.40
B088524		0.24	0.007	<0.2	1.04	106	<10	50	<0.5	<2	0.05	<0.5	5	22	23	2.85
B088525		0.24	0.011	<0.2	1.19	124	<10	80	<0.5	<2	0.08	<0.5	4	22	11	2.18
B088526		0.32	0.018	<0.2	1.06	412	<10	80	<0.5	<2	0.12	<0.5	5	22	10	2.38
B088527		0.38	0.016	<0.2	1.29	349	<10	190	0.6	<2	0.41	<0.5	8	25	8	2.40
B088528		0.14	0.029	0.8	1.74	628	<10	390	0.6	<2	0.77	<0.5	8	26	16	2.83
B088529		0.18	0.051	2.0	1.65	558	<10	430	0.7	<2	1.29	<0.5	8	21	24	2.78
B088530		0.24	0.044	1.5	1.60	389	<10	370	0.6	<2	0.57	<0.5	6	24	17	2.47
B088531		0.34	0.025	1.1	1.81	335	<10	330	0.5	<2	0.45	<0.5	9	31	16	2.66
B088532		0.22	0.039	0.4	1.63	527	<10	240	0.7	<2	0.57	<0.5	9	25	12	2.26
B088533		0.32	0.008	0.2	1.09	100	<10	110	<0.5	<2	0.17	<0.5	5	19	10	1.72
B088534		0.24	0.043	0.2	1.26	108	<10	90	<0.5	<2	0.07	<0.5	4	20	12	1.80
B088535		0.24	0.011	<0.2	0.59	37	<10	50	<0.5	2	0.06	<0.5	3	12	7	1.06
B088536		0.24	0.026	<0.2	1.19	128	<10	90	<0.5	<2	0.15	<0.5	5	20	13	1.94
B088537		0.28	0.005	0.3	3.74	31	<10	280	1.0	<2	0.79	<0.5	25	136	62	4.59
B088538		0.48	0.014	0.7	1.60	155	<10	300	1.1	<2	0.31	<0.5	13	43	82	6.55
B088539		0.64	<0.005	0.2	1.88	71	<10	60	1.3	2	0.05	<0.5	19	25	24	3.22
B088540		0.22	0.005	<0.2	1.20	95	<10	60	0.7	<2	0.05	<0.5	9	23	18	3.30
B088541		0.14	NSS	0.4	1.11	36	<10	290	0.5	<2	0.46	<0.5	7	16	20	1.88

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B088290		<10	0.04	0.08	30	0.41	251	2	0.01	21	760	8	0.02	2	3	12
B088291		10	0.04	0.03	10	0.08	73	2	0.01	5	950	10	0.03	<2	<1	9
B088292		10	0.03	0.03	10	0.11	68	2	0.01	5	170	7	0.01	<2	1	7
B088293		10	0.04	0.03	10	0.17	99	1	0.01	7	390	12	0.03	3	1	8
B088294		10	0.06	0.04	10	0.20	215	3	0.02	9	410	14	0.04	<2	2	9
B088295		10	0.06	0.04	10	0.24	175	3	0.01	10	310	13	0.03	2	2	8
B088296		10	0.06	0.12	20	0.58	234	2	0.02	20	590	9	0.02	3	3	16
B088297		10	0.03	0.07	10	0.38	190	1	0.01	14	490	6	0.01	<2	1	12
B088298		10	0.05	0.07	20	0.39	178	6	0.02	15	640	6	0.04	<2	1	22
B088299		10	0.06	0.09	40	0.71	246	2	0.03	25	960	13	0.06	2	5	58
B088300		<10	0.13	0.04	20	0.21	728	3	0.03	8	840	5	0.16	3	1	167
B088314		<10	0.04	0.05	10	0.43	161	1	0.01	19	610	9	0.01	4	2	12
B088315		<10	0.05	0.03	10	0.28	89	1	0.01	11	460	11	0.03	4	1	9
B088316		<10	0.04	0.06	30	0.44	242	1	0.01	21	610	10	<0.01	3	4	15
B088317		10	0.03	0.06	10	0.46	213	2	0.02	14	270	13	0.02	2	3	12
B088318		<10	0.06	0.04	10	0.37	163	1	0.01	14	500	8	0.02	2	1	10
B088319		10	0.03	0.17	20	0.56	439	1	0.03	17	850	15	0.06	<2	3	37
B088320		10	0.04	0.07	20	0.38	221	1	0.01	17	590	14	0.01	2	2	12
B088321		10	0.03	0.07	10	0.36	181	<1	0.01	15	450	10	0.01	2	2	11
B088521		10	0.04	0.16	20	0.43	306	2	0.01	25	570	24	0.01	4	2	11
B088522		10	0.03	0.03	10	0.32	177	1	0.01	14	420	12	0.01	3	2	9
B088523		10	0.05	0.13	40	0.54	277	3	0.02	19	770	38	0.04	14	4	39
B088524		10	0.04	0.10	20	0.16	124	2	0.01	19	540	23	0.05	9	1	11
B088525		10	0.05	0.08	10	0.29	141	3	0.01	15	310	22	0.01	9	2	10
B088526		10	0.05	0.12	20	0.29	196	6	0.01	17	350	42	0.01	28	2	12
B088527		<10	0.04	0.15	30	0.54	397	2	0.02	19	870	25	0.01	6	4	25
B088528		10	0.10	0.08	40	0.53	620	6	0.02	22	900	163	0.06	37	4	57
B088529		10	0.46	0.09	70	0.42	505	9	0.03	23	1320	105	0.13	53	4	95
B088530		10	0.27	0.08	30	0.44	227	6	0.02	20	850	99	0.05	37	4	44
B088531		10	0.11	0.11	20	0.55	416	7	0.01	22	860	50	0.04	20	4	36
B088532		10	0.09	0.10	30	0.45	511	3	0.01	21	1010	31	0.04	4	3	43
B088533		<10	0.05	0.05	10	0.32	142	4	<0.01	14	610	18	0.01	9	2	15
B088534		10	0.08	0.06	10	0.20	106	1	<0.01	13	430	21	0.02	4	1	9
B088535		<10	0.05	0.03	10	0.14	63	1	<0.01	8	350	8	0.02	<2	<1	8
B088536		<10	0.04	0.04	10	0.33	151	1	<0.01	15	580	11	0.01	<2	2	12
B088537		10	0.03	0.60	20	1.88	596	3	0.04	112	1550	3	0.13	3	11	97
B088538		10	0.13	0.35	40	0.33	382	7	0.04	45	2850	16	0.68	19	6	137
B088539		<10	0.04	0.06	30	0.19	496	1	<0.01	52	490	9	0.01	6	3	7
B088540		<10	0.07	0.15	20	0.22	274	1	<0.01	24	460	21	0.06	12	3	29
B088541		<10	0.19	0.08	20	0.19	87	<1	0.01	21	1390	10	0.15	2	2	40

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B088290		0.05	<10	<10	38	20	52
B088291		0.01	<10	<10	39	10	13
B088292		0.09	<10	<10	47	20	17
B088293		0.06	<10	<10	53	10	23
B088294		0.10	<10	<10	90	10	27
B088295		0.10	<10	<10	69	10	31
B088296		0.10	<10	<10	46	10	53
B088297		0.07	<10	<10	39	10	43
B088298		0.06	<10	<10	34	10	40
B088299		0.12	<10	20	35	30	68
B088300		0.02	<10	10	13	10	54
B088314		0.05	<10	<10	39	<10	59
B088315		0.03	10	<10	36	<10	32
B088316		0.06	<10	<10	38	10	58
B088317		0.13	<10	<10	39	10	53
B088318		0.03	<10	<10	43	10	47
B088319		0.07	<10	<10	37	30	67
B088320		0.05	<10	<10	42	10	54
B088321		0.06	<10	<10	37	<10	47
B088521		0.08	<10	<10	43	30	70
B088522		0.05	<10	<10	53	<10	41
B088523		0.09	<10	<10	35	40	106
B088524		0.03	<10	<10	41	<10	87
B088525		0.06	<10	<10	40	<10	59
B088526		0.06	<10	<10	39	20	99
B088527		0.09	<10	<10	37	40	74
B088528		0.06	<10	<10	44	10	113
B088529		0.04	<10	10	33	10	122
B088530		0.06	<10	<10	39	10	123
B088531		0.08	<10	<10	46	10	168
B088532		0.06	<10	<10	34	20	101
B088533		0.05	<10	<10	33	10	53
B088534		0.04	<10	<10	43	20	41
B088535		0.02	<10	<10	24	20	23
B088536		0.04	<10	<10	35	10	48
B088537		0.24	<10	<10	150	<10	95
B088538		0.04	<10	<10	122	10	114
B088539		0.01	<10	<10	41	<10	42
B088540		0.03	<10	<10	38	80	57
B088541		0.03	<10	<10	12	<10	31

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B088542		0.34	<0.005	<0.2	0.88	134	<10	80	<0.5	<2	0.12	<0.5	4	17	7	1.57
B088543		0.26	0.021	1.6	1.05	303	<10	230	0.5	<2	0.31	<0.5	5	18	18	1.83
B088544		0.22	0.039	<0.2	1.38	221	<10	220	0.5	<2	0.34	<0.5	8	26	12	2.54
B088545		0.38	0.220	0.8	1.28	575	<10	240	0.5	2	0.42	<0.5	8	25	13	2.79
B088546		0.64	0.060	<0.2	1.65	765	<10	140	0.6	<2	0.21	<0.5	8	25	18	2.92
B088547		0.40	0.015	<0.2	1.50	214	<10	170	<0.5	2	0.25	<0.5	8	25	18	2.57
B088548		0.42	0.201	0.6	1.40	1260	<10	100	0.6	2	0.19	0.7	7	22	19	2.87
B088549		0.18	0.058	0.6	0.84	368	<10	140	<0.5	<2	0.23	<0.5	3	14	10	1.44
B088550		0.30	0.034	0.2	1.08	402	<10	50	<0.5	<2	0.05	<0.5	4	17	8	2.23
B088551		0.24	0.007	0.4	0.62	164	<10	60	<0.5	<2	0.19	<0.5	3	11	8	1.23
B088552		0.26	<0.005	<0.2	1.49	389	<10	200	<0.5	<2	0.39	0.8	9	25	9	2.31
B088553		0.24	0.008	<0.2	1.38	355	<10	130	<0.5	<2	0.16	<0.5	8	24	9	2.23
B088554		0.20	0.026	0.2	0.91	380	<10	70	<0.5	2	0.10	<0.5	4	17	9	1.67
B088555		0.22	0.066	0.8	1.73	702	<10	130	0.6	2	0.15	<0.5	8	26	13	2.96
B088556		0.30	0.362	0.6	0.99	1530	<10	110	<0.5	3	0.11	<0.5	4	18	12	2.04
B088557		0.22	0.025	0.2	0.72	275	<10	90	<0.5	<2	0.11	<0.5	3	13	6	1.21
B088558		0.44	0.015	0.2	1.20	469	<10	130	<0.5	<2	0.17	<0.5	6	23	14	2.41
B088559		0.20	0.316	2.0	1.51	1345	<10	160	0.7	6	0.30	0.6	7	22	15	2.55
B088560		0.38	0.015	0.2	1.64	556	<10	250	0.7	<2	0.42	<0.5	10	25	10	2.29
B088561		0.24	0.030	0.3	1.32	245	<10	190	<0.5	2	0.25	<0.5	9	23	12	2.28
B088562		0.24	0.009	<0.2	0.31	12	<10	70	<0.5	<2	0.13	<0.5	1	6	3	0.32
B088563		0.16	0.021	<0.2	0.75	50	<10	80	<0.5	<2	0.09	<0.5	3	15	6	1.24
B088564		0.24	0.051	<0.2	0.82	250	<10	80	<0.5	<2	0.12	<0.5	4	17	9	1.78
B088565		0.20	0.023	0.3	0.86	130	<10	110	<0.5	<2	0.15	<0.5	3	16	7	1.33
B088566		0.34	0.035	<0.2	0.93	300	<10	110	0.5	<2	0.43	<0.5	5	26	7	2.48
B088567		0.44	0.011	<0.2	1.48	100	<10	100	1.1	<2	0.21	<0.5	7	22	9	3.23
B088568		0.22	0.016	<0.2	0.64	26	<10	70	<0.5	<2	0.05	<0.5	2	12	6	1.15
B088569		0.24	0.013	<0.2	0.96	38	<10	70	<0.5	<2	0.09	<0.5	4	18	9	1.58
B088570		0.26	0.015	<0.2	0.84	22	<10	70	<0.5	<2	0.12	<0.5	4	18	8	2.79
B088571		0.38	0.005	<0.2	1.06	23	<10	70	<0.5	<2	0.09	<0.5	4	19	8	1.92
B088572		0.32	0.015	<0.2	0.97	33	<10	50	<0.5	<2	0.06	<0.5	2	16	8	1.71
B088573		0.24	0.009	<0.2	0.91	24	<10	60	<0.5	<2	0.06	<0.5	3	17	7	1.21
B088574		0.26	<0.005	<0.2	0.94	40	<10	50	<0.5	<2	0.06	<0.5	3	14	11	1.32
B088575		0.36	0.005	<0.2	1.52	52	<10	80	<0.5	<2	0.09	<0.5	5	23	7	2.72
B088576		0.46	<0.005	<0.2	1.38	36	<10	130	<0.5	<2	0.19	<0.5	7	24	14	2.33
B088577		0.44	<0.005	<0.2	0.50	5	<10	30	<0.5	<2	0.03	<0.5	1	7	4	0.63
B088578		0.40	0.064	<0.2	1.02	643	<10	80	<0.5	<2	0.08	<0.5	4	19	10	1.89
B088579		0.26	0.005	0.3	0.59	11	<10	50	<0.5	<2	0.04	<0.5	2	10	6	0.74
B088580		0.26	0.364	0.2	0.78	347	<10	70	<0.5	2	0.08	<0.5	3	16	8	1.31
B088581		0.16	0.018	<0.2	1.60	524	<10	330	0.7	<2	0.99	<0.5	7	22	10	2.02

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
B088542		<10	0.04	0.05	10	0.26	117	4	<0.01	13	370	17	0.02	6	2	12
B088543		<10	0.23	0.07	20	0.16	142	9	0.01	13	1520	136	0.12	158	1	29
B088544		<10	0.06	0.08	20	0.45	318	10	0.01	22	810	18	0.03	6	3	26
B088545		<10	0.07	0.10	30	0.46	349	12	0.01	24	1070	90	0.05	14	4	30
B088546		10	0.04	0.07	20	0.49	260	2	<0.01	23	640	21	0.01	3	4	18
B088547		10	0.03	0.08	20	0.48	238	2	<0.01	23	650	17	0.01	4	3	21
B088548		<10	0.05	0.06	20	0.39	350	1	<0.01	24	720	71	0.02	6	3	14
B088549		<10	0.12	0.04	10	0.18	70	3	<0.01	9	860	107	0.07	<2	<1	22
B088550		10	0.04	0.05	10	0.21	118	2	<0.01	11	310	57	0.02	8	2	7
B088551		<10	0.07	0.04	20	0.11	63	3	<0.01	8	510	14	0.04	6	1	19
B088552		<10	0.04	0.05	10	0.44	614	5	0.01	19	700	14	0.04	2	2	41
B088553		<10	0.04	0.05	20	0.41	305	4	<0.01	18	610	10	0.03	2	2	17
B088554		<10	0.05	0.04	10	0.23	98	2	<0.01	12	460	55	0.02	7	1	11
B088555		10	0.07	0.06	20	0.41	217	2	<0.01	20	660	105	0.02	7	3	13
B088556		<10	0.05	0.05	20	0.24	127	3	<0.01	13	550	202	0.04	2	1	13
B088557		10	0.11	0.04	10	0.13	57	3	<0.01	8	500	18	0.05	<2	1	11
B088558		<10	0.05	0.05	10	0.37	198	5	<0.01	18	380	22	0.02	<2	2	16
B088559		<10	0.16	0.07	30	0.39	251	6	0.01	19	760	117	0.06	18	3	26
B088560		<10	0.06	0.08	30	0.43	570	3	<0.01	21	900	20	0.04	4	3	34
B088561		10	0.09	0.07	30	0.34	303	6	<0.01	17	720	41	0.05	5	3	25
B088562		<10	0.06	0.03	10	0.04	25	<1	0.01	2	550	5	0.03	<2	<1	14
B088563		<10	0.04	0.05	10	0.18	74	1	<0.01	8	470	7	0.02	2	<1	11
B088564		<10	0.03	0.04	10	0.26	151	1	<0.01	12	420	7	0.02	3	1	12
B088565		<10	0.11	0.05	10	0.16	71	2	<0.01	9	940	12	0.08	3	1	15
B088566		<10	0.02	0.09	40	0.47	243	5	0.01	15	1040	70	0.02	30	4	26
B088567		10	0.07	0.14	40	0.37	224	10	0.01	22	790	15	0.04	3	4	16
B088568		<10	0.07	0.03	10	0.11	53	2	0.01	3	400	7	0.04	<2	<1	7
B088569		<10	0.04	0.04	10	0.26	102	2	0.01	11	420	6	0.03	<2	1	10
B088570		10	0.05	0.03	10	0.18	130	1	0.01	8	470	11	0.03	<2	1	11
B088571		10	0.08	0.03	10	0.28	110	1	0.01	8	380	9	0.03	2	1	10
B088572		10	0.04	0.03	10	0.19	71	1	0.01	6	470	12	0.02	<2	<1	8
B088573		<10	0.03	0.04	10	0.18	64	1	0.01	7	610	9	0.02	2	<1	9
B088574		<10	0.04	0.03	10	0.16	70	<1	0.01	7	410	28	0.03	<2	<1	8
B088575		10	0.06	0.06	20	0.31	154	1	0.01	11	610	13	0.03	2	2	9
B088576		10	0.04	0.11	20	0.48	193	1	0.01	22	680	9	0.01	<2	3	14
B088577		<10	0.04	0.04	<10	0.10	29	4	0.01	3	310	3	0.03	<2	1	4
B088578		10	0.04	0.05	20	0.27	152	2	0.01	11	420	21	0.03	6	1	10
B088579		<10	0.08	0.04	10	0.07	35	1	0.01	3	690	5	0.06	<2	<1	8
B088580		<10	0.04	0.04	10	0.18	83	1	0.01	7	380	25	0.04	18	<1	10
B088581		<10	0.08	0.06	50	0.46	525	4	0.02	18	940	9	0.10	3	3	87

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B088542		0.05	<10	<10	35	20	43
B088543		0.02	<10	<10	24	10	62
B088544		0.08	<10	<10	44	40	77
B088545		0.08	<10	<10	41	60	118
B088546		0.05	<10	<10	46	10	122
B088547		0.09	<10	<10	45	10	105
B088548		0.05	<10	<10	40	<10	268
B088549		0.02	<10	<10	24	<10	60
B088550		0.09	<10	<10	48	10	62
B088551		0.03	<10	<10	28	<10	46
B088552		0.06	<10	<10	40	10	109
B088553		0.07	<10	<10	39	20	77
B088554		0.03	<10	<10	34	<10	71
B088555		0.05	<10	<10	46	<10	257
B088556		0.03	<10	<10	36	180	101
B088557		0.06	<10	<10	27	60	26
B088558		0.06	<10	<10	49	30	64
B088559		0.05	<10	<10	32	40	118
B088560		0.06	<10	10	36	30	80
B088561		0.05	<10	<10	42	10	70
B088562		0.01	<10	<10	10	<10	12
B088563		0.02	<10	<10	31	10	30
B088564		0.03	<10	<10	33	20	47
B088565		0.02	<10	<10	24	<10	35
B088566		0.09	<10	<10	38	100	64
B088567		0.06	<10	<10	38	70	59
B088568		0.02	<10	<10	26	10	16
B088569		0.03	<10	<10	37	10	35
B088570		0.06	<10	<10	57	<10	34
B088571		0.05	<10	<10	38	30	33
B088572		0.02	<10	<10	35	10	23
B088573		0.01	<10	<10	30	<10	28
B088574		0.02	<10	<10	28	10	27
B088575		0.05	<10	<10	50	10	39
B088576		0.09	<10	<10	39	10	57
B088577		0.04	<10	<10	22	100	10
B088578		0.05	<10	<10	33	30	42
B088579		0.02	<10	<10	23	<10	15
B088580		0.03	<10	<10	26	20	38
B088581		0.06	<10	10	27	20	76

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B088582		0.66	0.023	<0.2	1.32	504	<10	210	0.8	<2	0.42	<0.5	11	25	9	2.36
B088583		0.46	0.093	<0.2	1.00	306	<10	110	0.9	<2	0.42	<0.5	6	17	6	1.96
B088584		0.22	0.015	<0.2	1.04	322	<10	190	0.6	<2	0.49	<0.5	4	17	6	1.93
B088585		0.28	0.008	<0.2	1.02	293	<10	110	<0.5	<2	0.25	<0.5	4	17	5	1.63
B088586		0.22	0.019	0.7	1.54	296	<10	290	0.7	<2	0.57	<0.5	8	22	9	1.73
B088587		0.20	0.017	<0.2	0.41	233	<10	40	<0.5	<2	0.13	<0.5	1	7	3	0.80
B088588		0.34	<0.005	0.2	0.92	135	<10	90	<0.5	<2	0.12	<0.5	3	18	10	1.70
B088589		0.22	0.012	<0.2	1.60	273	<10	170	0.6	<2	0.31	<0.5	8	25	14	2.34
B088590		0.42	0.083	0.4	1.16	2020	<10	110	0.5	<2	0.11	<0.5	4	19	10	2.61
B088591		0.52	0.005	<0.2	0.99	93	<10	120	1.1	<2	0.24	<0.5	9	17	7	2.82
B088592		0.22	<0.005	<0.2	0.38	27	<10	50	<0.5	<2	0.07	<0.5	1	6	2	0.47
B088593		0.26	0.009	<0.2	1.64	629	<10	150	0.5	<2	0.29	<0.5	8	27	8	2.13
B088594		0.54	0.061	<0.2	1.45	841	<10	150	1.3	<2	0.61	<0.5	7	25	8	2.61
B088595		0.46	0.055	<0.2	1.22	767	<10	140	<0.5	<2	0.28	<0.5	6	21	10	1.98
B088596		0.20	0.090	0.7	1.39	968	<10	90	<0.5	<2	0.11	<0.5	4	18	25	2.28
B088597		0.26	0.005	<0.2	0.81	29	<10	60	<0.5	<2	0.04	<0.5	1	9	3	0.77
B088598		0.28	<0.005	<0.2	1.38	38	<10	70	<0.5	<2	0.10	<0.5	5	22	6	2.72
B088599		0.32	<0.005	<0.2	1.19	31	<10	80	<0.5	<2	0.09	<0.5	4	22	5	1.95
B088600		0.26	0.123	<0.2	1.14	63	<10	110	<0.5	<2	0.14	<0.5	6	21	9	1.94
B088601		0.42	0.021	<0.2	1.53	324	<10	90	<0.5	<2	0.15	<0.5	8	25	13	2.75
B088602		0.38	0.035	<0.2	1.19	371	<10	90	<0.5	<2	0.11	<0.5	5	24	10	2.35
B088603		0.36	0.010	<0.2	1.27	190	<10	70	<0.5	<2	0.08	<0.5	5	23	8	2.58
B088604		0.36	0.018	0.2	1.38	678	<10	110	0.6	<2	0.27	<0.5	6	28	8	2.42
B088605		0.32	0.018	<0.2	1.68	365	<10	250	0.7	<2	0.53	<0.5	8	27	7	2.18
B088606		0.28	<0.005	<0.2	0.57	12	<10	60	<0.5	<2	0.07	<0.5	1	7	3	0.45
B088607		0.36	0.005	<0.2	1.06	66	<10	100	0.8	<2	0.22	<0.5	6	15	7	1.69
B088608		0.36	0.017	<0.2	1.14	186	<10	70	<0.5	<2	0.09	<0.5	5	20	7	2.07
B088609		0.26	0.027	0.2	1.38	641	<10	100	<0.5	<2	0.11	<0.5	4	22	11	2.61
B088610		0.36	0.078	<0.2	1.33	52	<10	80	<0.5	<2	0.14	<0.5	5	22	8	2.36
B088611		0.24	0.005	<0.2	0.97	130	<10	110	<0.5	<2	0.12	<0.5	3	15	5	1.36
B088612		0.30	<0.005	<0.2	0.82	53	<10	90	<0.5	<2	0.09	<0.5	6	14	7	2.06
B088613		0.32	<0.005	<0.2	0.94	37	<10	80	<0.5	2	0.09	<0.5	4	18	7	1.45
B088614		0.32	0.007	<0.2	1.05	27	<10	80	<0.5	<2	0.12	<0.5	4	20	9	1.63
B088615		0.30	<0.005	<0.2	1.20	43	<10	80	<0.5	<2	0.13	<0.5	5	21	7	1.86
B088616		0.32	0.093	<0.2	1.11	54	<10	80	<0.5	<2	0.09	<0.5	4	20	7	1.85
B088617		0.36	<0.005	0.3	0.90	31	<10	80	<0.5	<2	0.09	<0.5	2	13	5	1.09
B088618		0.30	<0.005	<0.2	1.08	37	<10	80	<0.5	<2	0.09	<0.5	3	21	4	1.66
B088619		0.34	0.005	<0.2	0.79	124	<10	160	<0.5	<2	0.25	<0.5	6	13	7	1.41
B088620		0.50	<0.005	<0.2	0.37	11	<10	30	<0.5	<2	0.04	<0.5	2	6	4	0.57
B088621		0.30	0.036	<0.2	1.11	45	<10	80	<0.5	<2	0.09	<0.5	3	16	5	1.39

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
B088582		10	0.03	0.24	40	0.51	608	4	0.01	26	1000	17	0.01	<2	5	29
B088583		<10	0.03	0.06	40	0.30	270	5	0.01	15	1030	14	0.01	5	4	29
B088584		<10	0.05	0.05	40	0.30	142	3	0.01	14	880	9	0.04	7	2	34
B088585		<10	0.04	0.03	20	0.29	142	2	0.01	8	650	10	0.03	<2	2	18
B088586		<10	0.08	0.05	30	0.39	277	2	0.01	14	980	23	0.08	4	2	40
B088587		<10	0.05	0.03	10	0.04	57	2	0.01	1	310	5	0.04	<2	1	10
B088588		<10	0.04	0.04	10	0.27	119	1	0.01	10	530	9	0.03	<2	1	11
B088589		10	0.04	0.13	30	0.45	399	1	0.01	18	760	14	0.02	<2	3	23
B088590		10	0.05	0.12	30	0.26	308	4	0.01	10	650	56	0.18	17	2	26
B088591		<10	0.03	0.08	60	0.24	458	6	0.01	16	1180	13	0.03	4	4	20
B088592		10	0.04	0.02	10	0.04	27	1	0.01	<1	250	9	0.02	2	<1	10
B088593		10	0.03	0.06	20	0.46	203	5	0.01	18	710	9	0.04	2	2	24
B088594		10	0.03	0.20	70	0.46	411	7	0.01	23	1440	17	0.02	6	6	46
B088595		10	0.06	0.07	20	0.36	292	4	0.01	12	770	16	0.05	2	2	27
B088596		10	0.09	0.05	20	0.23	140	5	0.01	11	730	27	0.06	2	1	11
B088597		10	0.06	0.03	10	0.07	33	1	0.01	1	270	11	0.03	<2	<1	7
B088598		10	0.10	0.04	10	0.30	136	3	0.01	10	390	12	0.02	<2	2	9
B088599		10	0.04	0.09	10	0.33	145	2	0.01	13	450	9	0.03	2	1	10
B088600		10	0.04	0.08	20	0.34	116	1	0.01	16	550	10	0.03	<2	2	16
B088601		<10	0.05	0.08	10	0.43	272	1	<0.01	20	580	11	0.01	3	3	12
B088602		<10	0.07	0.06	10	0.35	161	1	<0.01	15	460	16	0.02	<2	1	11
B088603		10	0.04	0.04	10	0.32	162	1	<0.01	13	320	12	0.01	<2	1	9
B088604		10	0.09	0.13	30	0.41	354	10	<0.01	15	840	16	0.03	7	2	20
B088605		10	0.05	0.11	40	0.54	385	3	<0.01	22	880	8	0.04	<2	3	46
B088606		<10	0.08	0.02	10	0.04	24	2	<0.01	2	860	7	0.03	<2	<1	10
B088607		<10	0.07	0.03	50	0.23	531	12	<0.01	15	790	16	0.04	2	3	24
B088608		<10	0.06	0.05	10	0.32	211	<1	<0.01	12	400	8	0.02	<2	1	9
B088609		<10	0.07	0.05	10	0.29	223	1	<0.01	12	670	36	0.03	7	1	11
B088610		<10	0.05	0.04	10	0.33	178	<1	<0.01	12	680	9	0.02	<2	1	11
B088611		10	0.06	0.03	10	0.15	66	1	<0.01	7	560	11	0.03	<2	<1	16
B088612		10	0.04	0.04	10	0.15	553	3	<0.01	9	480	10	0.04	<2	1	11
B088613		10	0.03	0.05	10	0.23	132	1	<0.01	11	400	12	0.02	<2	<1	12
B088614		10	0.04	0.05	10	0.31	123	1	<0.01	14	440	7	0.02	<2	1	11
B088615		10	0.04	0.06	10	0.34	174	2	<0.01	14	400	9	0.01	<2	1	11
B088616		10	0.04	0.05	10	0.28	182	2	<0.01	11	410	7	0.03	<2	1	11
B088617		<10	0.08	0.03	10	0.12	102	3	<0.01	5	900	10	0.07	<2	<1	11
B088618		10	0.04	0.03	10	0.25	121	1	<0.01	9	390	9	0.03	<2	1	12
B088619		<10	0.05	0.04	10	0.15	553	7	<0.01	8	680	12	0.06	<2	<1	25
B088620		<10	0.04	0.03	10	0.03	35	2	<0.01	4	270	4	0.02	<2	<1	6
B088621		10	0.04	0.04	10	0.17	102	1	<0.01	8	430	12	0.02	<2	<1	12

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B088582		0.11	<10	<10	33	50	71
B088583		0.04	<10	<10	27	40	58
B088584		0.03	<10	<10	26	10	45
B088585		0.03	<10	<10	28	30	40
B088586		0.03	<10	20	28	10	58
B088587		0.04	<10	<10	30	10	16
B088588		0.03	<10	<10	32	10	39
B088589		0.06	<10	<10	37	10	70
B088590		0.03	<10	<10	32	40	66
B088591		0.04	<10	<10	34	30	56
B088592		0.02	<10	<10	28	10	8
B088593		0.07	<10	10	33	10	60
B088594		0.07	<10	<10	32	40	79
B088595		0.05	<10	<10	29	70	65
B088596		0.03	<10	<10	32	10	54
B088597		0.03	<10	<10	33	10	11
B088598		0.06	<10	<10	50	20	37
B088599		0.07	<10	<10	45	20	38
B088600		0.08	<10	<10	41	10	41
B088601		0.07	<10	<10	44	20	57
B088602		0.04	<10	<10	43	20	53
B088603		0.04	<10	<10	45	10	43
B088604		0.08	<10	<10	38	10	70
B088605		0.09	<10	<10	34	20	80
B088606		<0.01	<10	<10	13	20	9
B088607		0.02	<10	<10	24	40	48
B088608		0.04	<10	<10	39	<10	44
B088609		0.03	<10	<10	37	<10	49
B088610		0.04	<10	<10	43	<10	47
B088611		0.01	<10	<10	23	<10	23
B088612		0.10	<10	<10	57	10	34
B088613		0.05	<10	<10	36	<10	32
B088614		0.05	<10	<10	34	<10	38
B088615		0.09	<10	<10	40	10	42
B088616		0.04	<10	<10	40	10	37
B088617		0.01	<10	<10	31	10	18
B088618		0.05	<10	<10	44	100	29
B088619		0.04	<10	<10	36	10	26
B088620		0.05	<10	<10	23	80	11
B088621		0.04	<10	<10	36	10	24

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B088622		0.34	0.022	0.2	2.12	1250	<10	240	0.9	<2	0.46	0.6	14	29	11	2.54

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
B088622		10	0.04	0.07	20	0.43	2060	6	<0.01	23	1100	17	0.10	3	1	41

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-JUL-2006
Account: STRGOL

Project: Dublin Gulch 1735

CERTIFICATE OF ANALYSIS VA06055905

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B088622		0.04	<10	10	37	30	88

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D. . 24-SEP-2006
Account: STRGOL

CERTIFICATE VA06088785

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 11 Soil samples submitted to our lab in Vancouver, BC, Canada on 22-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Keith Rogers, Executive Manager Vancouver Laborator

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 24-SEP-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06088785

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B687501		0.54	0.009	<0.2	1.33	30	<10	110	0.5	<2	0.13	<0.5	6	19	23	2.30
B687502		0.56	<0.005	<0.2	1.07	28	<10	70	<0.5	<2	0.13	<0.5	5	18	10	2.01
B687503		0.56	0.006	<0.2	1.17	82	<10	80	<0.5	<2	0.12	<0.5	5	20	9	2.16
B687504		0.60	0.005	<0.2	1.25	69	<10	100	<0.5	<2	0.15	<0.5	5	21	11	2.22
B687505		0.44	<0.005	<0.2	1.56	20	<10	90	<0.5	<2	0.09	<0.5	6	26	9	3.12
B687506		0.74	0.154	<0.2	1.60	790	<10	200	0.8	<2	0.21	<0.5	10	27	14	3.04
B687507		0.68	0.324	<0.2	1.69	777	<10	180	1.5	3	0.33	<0.5	14	24	9	3.67
B687508		0.64	0.100	0.2	1.18	378	<10	160	0.6	<2	0.40	<0.5	8	20	9	2.09
B687509		0.72	0.023	<0.2	1.03	273	<10	160	<0.5	<2	0.32	<0.5	6	22	8	2.26
B687510		0.58	0.011	<0.2	1.16	311	<10	220	<0.5	<2	0.38	<0.5	5	21	10	2.29
B687511		0.62	0.035	<0.2	1.20	423	<10	200	<0.5	<2	0.38	<0.5	7	22	10	2.40

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 24-SEP-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06088785

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B687501		<10	0.03	0.04	20	0.37	257	1	<0.01	21	540	14	0.02	2	3	11
B687502		<10	0.03	0.03	10	0.31	168	1	0.01	14	530	11	0.01	<2	1	10
B687503		<10	0.03	0.04	10	0.30	142	1	0.01	13	530	13	0.01	<2	1	10
B687504		<10	0.04	0.06	10	0.36	180	1	0.01	14	540	18	0.01	<2	1	13
B687505		10	0.03	0.04	10	0.38	236	1	0.01	14	340	11	0.01	<2	2	9
B687506		10	0.02	0.19	30	0.60	414	4	0.01	25	710	11	0.01	<2	5	15
B687507		10	0.04	0.24	40	0.42	533	14	0.01	26	1450	13	0.01	3	6	11
B687508		<10	0.04	0.13	30	0.39	430	3	0.01	18	930	14	0.01	<2	3	22
B687509		<10	0.02	0.07	20	0.42	245	3	0.01	14	570	13	0.01	<2	2	21
B687510		<10	0.04	0.06	20	0.39	217	2	0.01	14	760	14	0.04	2	2	28
B687511		<10	0.04	0.06	20	0.42	364	2	0.01	15	780	15	0.03	2	3	26

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 24-SEP-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06088785

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B687501		0.04	<10	<10	32	<10	58
B687502		0.04	<10	<10	33	<10	46
B687503		0.03	<10	<10	36	10	42
B687504		0.04	<10	<10	36	10	64
B687505		0.05	<10	<10	49	<10	50
B687506		0.11	<10	<10	42	50	69
B687507		0.09	<10	<10	33	60	75
B687508		0.07	<10	10	29	50	60
B687509		0.08	<10	<10	38	40	56
B687510		0.04	<10	<10	38	20	62
B687511		0.05	<10	<10	38	50	69

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2006
Account: STRGOL

CERTIFICATE VA06098505

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 131 Soil samples submitted to our lab in Vancouver, BC, Canada on 11-SEP-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06098505

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B628701		0.60	<0.005	<0.2	1.15	96	<10	190	1.8	<2	0.44	<0.5	7	20	3	2.86
B628702		0.68	0.046	<0.2	1.15	175	<10	160	0.9	<2	0.33	<0.5	8	20	10	2.68
B628703		0.50	0.020	<0.2	1.25	310	<10	90	<0.5	<2	0.11	<0.5	4	20	8	2.25
B628704		0.82	0.012	<0.2	1.38	378	<10	120	0.6	<2	0.28	<0.5	4	25	6	2.10
B628705		0.58	0.129	<0.2	1.57	455	<10	150	0.6	<2	0.42	<0.5	4	28	3	1.97
B628706		0.60	<0.005	<0.2	1.86	344	<10	150	0.6	2	0.14	<0.5	7	25	10	2.59
B628707		0.42	0.005	<0.2	1.79	101	<10	80	0.5	<2	0.16	<0.5	6	24	13	2.35
B628708		0.46	0.008	0.2	1.87	736	<10	210	0.7	<2	0.32	<0.5	11	25	11	2.46
B628709		0.64	<0.005	<0.2	1.43	75	<10	90	<0.5	<2	0.09	<0.5	8	22	10	2.54
B628710		Not Recvd														
B628711		0.60	0.131	0.4	1.24	794	<10	160	<0.5	2	0.21	<0.5	4	20	16	2.30
B628712		0.58	0.222	<0.2	1.31	805	<10	100	<0.5	<2	0.22	<0.5	4	20	15	2.21
B628713		0.60	0.389	0.2	1.30	882	<10	110	<0.5	2	0.19	<0.5	6	21	14	2.51
B629151		0.60	0.006	<0.2	1.36	40	<10	230	0.5	<2	0.22	<0.5	8	22	26	2.54
B629152		0.54	<0.005	<0.2	2.02	92	<10	160	0.7	<2	0.18	<0.5	6	25	10	3.55
B629153		0.62	<0.005	<0.2	2.11	36	<10	370	0.9	<2	0.32	<0.5	11	33	18	3.21
B629154		0.58	<0.005	<0.2	1.64	49	<10	260	0.7	<2	0.29	<0.5	9	26	18	2.66
B629155		0.58	<0.005	<0.2	1.59	23	<10	150	<0.5	<2	0.18	<0.5	5	23	13	2.10
B629156		0.60	0.005	<0.2	1.57	43	<10	140	<0.5	<2	0.23	<0.5	8	23	20	2.36
B629157		0.60	0.444	<0.2	2.14	1080	<10	370	1.1	8	0.46	<0.5	9	35	15	3.07
B629158		0.56	<0.005	<0.2	2.29	165	<10	140	1.0	<2	0.29	<0.5	11	30	9	2.68
B629159		0.56	0.017	<0.2	1.78	138	<10	310	0.7	<2	0.27	<0.5	9	27	24	2.77
B629160		0.60	<0.005	<0.2	2.11	195	<10	80	0.8	<2	0.18	<0.5	11	27	8	2.89
B629161		0.70	0.087	<0.2	2.38	2550	<10	330	1.8	<2	0.35	<0.5	9	32	10	4.65
B629162		0.64	0.626	3.6	1.51	9050	<10	340	0.8	14	0.23	0.6	7	23	46	4.20
B629163		0.56	0.012	<0.2	1.82	112	<10	200	0.5	<2	0.20	<0.5	9	26	21	3.10
B629164		0.62	<0.005	<0.2	2.49	42	<10	220	0.8	<2	0.26	<0.5	11	35	16	3.25
B629165		0.70	0.009	<0.2	1.34	49	<10	300	0.6	<2	0.24	<0.5	8	22	25	2.74
B629166		0.56	<0.005	<0.2	2.01	70	<10	250	1.0	<2	0.29	<0.5	10	34	20	3.17
B629167		0.54	0.009	<0.2	1.88	74	<10	180	0.7	<2	0.18	<0.5	10	27	20	2.94
B629168		0.70	0.249	3.7	1.68	2390	<10	220	0.7	9	0.20	0.9	7	23	23	3.18
B629169		0.60	0.158	0.6	1.49	1370	<10	170	0.7	2	0.22	0.9	9	21	23	2.94
B629170		0.74	0.043	0.2	1.47	752	<10	160	0.6	<2	0.19	<0.5	8	22	20	2.69
B629171		0.70	0.005	<0.2	2.43	115	<10	450	1.4	<2	0.43	<0.5	14	40	16	3.96
B629172		0.58	0.113	<0.2	1.67	31	<10	100	0.5	<2	0.11	<0.5	5	22	10	2.38
B629173		0.82	0.051	<0.2	1.73	605	<10	170	0.9	<2	0.43	<0.5	6	26	6	2.54
B629174		0.66	0.012	<0.2	1.87	81	<10	140	0.5	<2	0.21	<0.5	7	26	17	2.47
B629175		0.62	<0.005	<0.2	1.71	33	<10	90	<0.5	<2	0.10	<0.5	7	29	12	3.07
B629176		0.56	0.176	<0.2	1.50	1100	<10	170	0.6	<2	0.26	<0.5	7	24	14	2.69
B629177		0.60	3.89	6.9	1.13	>10000	<10	130	<0.5	57	0.12	0.8	3	17	16	3.32

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06098505

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B628701		<10	0.04	0.20	100	0.32	435	8	0.01	24	1390	16	0.01	2	8	46
B628702		<10	0.04	0.13	50	0.36	512	5	0.01	20	980	14	0.02	3	4	27
B628703		<10	0.03	0.03	10	0.33	244	2	<0.01	12	530	11	0.01	<2	2	11
B628704		10	0.04	0.06	30	0.50	214	2	0.01	15	560	10	0.01	<2	4	24
B628705		10	0.03	0.06	20	0.55	213	1	0.01	13	780	9	0.02	<2	4	34
B628706		10	0.04	0.05	10	0.43	523	3	0.01	17	590	11	0.02	3	2	14
B628707		<10	0.05	0.08	10	0.38	302	1	0.01	16	790	14	0.03	3	2	13
B628708		<10	0.04	0.08	30	0.43	848	2	0.01	20	940	18	0.04	2	2	27
B628709		<10	0.03	0.04	20	0.35	419	1	<0.01	14	500	11	0.02	<2	2	11
B628710																
B628711		<10	0.05	0.05	20	0.36	244	2	0.01	17	640	84	0.02	10	2	20
B628712		<10	0.05	0.05	20	0.32	210	1	0.01	15	700	76	0.02	7	1	19
B628713		<10	0.04	0.06	20	0.35	317	1	0.01	17	750	68	0.02	8	2	18
B629151		<10	0.03	0.08	30	0.45	456	1	0.01	31	750	9	0.01	2	5	20
B629152		10	0.06	0.08	20	0.38	354	2	0.01	20	680	16	0.02	2	3	19
B629153		10	0.03	0.29	50	0.68	492	1	0.01	32	860	8	0.01	<2	8	29
B629154		<10	0.04	0.11	40	0.55	331	1	0.01	25	740	11	0.01	<2	6	23
B629155		<10	0.03	0.06	20	0.44	178	1	0.01	17	780	7	0.01	2	2	16
B629156		<10	0.03	0.14	20	0.48	463	1	0.01	27	930	9	0.01	<2	4	17
B629157		10	0.04	0.31	60	0.76	490	1	0.01	30	1260	15	0.01	<2	9	37
B629158		10	0.02	0.36	40	0.67	634	2	0.01	29	1330	11	0.01	<2	6	12
B629159		10	0.04	0.16	30	0.57	381	1	0.01	28	870	11	0.01	<2	6	24
B629160		10	0.03	0.14	40	0.44	654	8	0.01	20	930	14	0.02	2	5	11
B629161		10	0.03	0.40	50	0.60	672	5	0.01	33	1410	31	0.02	6	11	26
B629162		10	0.17	0.22	40	0.42	574	3	0.01	24	930	209	0.15	66	6	39
B629163		<10	0.04	0.07	20	0.46	307	1	0.01	23	630	11	0.01	2	4	18
B629164		10	0.03	0.21	30	0.75	412	2	0.01	35	900	8	0.02	2	6	19
B629165		<10	0.05	0.09	30	0.47	459	1	0.01	26	730	13	0.01	<2	6	23
B629166		10	0.02	0.21	50	0.74	499	2	0.01	33	890	18	0.02	3	7	24
B629167		<10	0.02	0.13	20	0.53	401	2	0.01	27	670	16	0.02	2	5	16
B629168		<10	0.12	0.09	30	0.44	393	4	0.01	24	820	1210	0.03	11	4	20
B629169		<10	0.05	0.09	30	0.42	430	2	0.01	24	900	171	0.02	9	4	21
B629170		<10	0.06	0.06	20	0.43	393	2	0.01	20	800	56	0.02	7	4	19
B629171		10	0.04	0.38	70	0.81	633	1	0.02	43	1200	14	0.01	4	12	32
B629172		<10	0.04	0.04	20	0.37	251	1	0.01	16	490	12	0.02	<2	2	11
B629173		10	0.11	0.20	50	0.56	232	5	0.01	24	910	10	0.02	2	6	32
B629174		10	0.03	0.11	20	0.50	318	2	0.01	22	890	12	0.01	<2	3	16
B629175		10	0.03	0.05	20	0.44	319	4	0.01	18	480	10	0.01	<2	3	11
B629176		<10	0.06	0.06	30	0.43	362	2	0.01	20	710	45	0.01	9	4	24
B629177		<10	0.32	0.09	20	0.27	198	3	0.01	13	560	608	0.05	1245	3	17

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06098505

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B628701		0.06	<10	<10	30	70	50
B628702		0.05	<10	<10	33	70	51
B628703		0.03	<10	<10	38	<10	42
B628704		0.06	<10	<10	34	120	39
B628705		0.07	<10	<10	30	20	39
B628706		0.05	<10	<10	42	10	63
B628707		0.07	<10	<10	35	30	55
B628708		0.05	<10	<10	32	10	80
B628709		0.04	<10	<10	43	<10	51
B628710							
B628711		0.03	<10	<10	35	10	102
B628712		0.03	<10	<10	34	10	95
B628713		0.03	<10	<10	37	20	107
B629151		0.07	<10	<10	39	<10	63
B629152		0.06	<10	<10	60	20	54
B629153		0.15	<10	<10	51	20	74
B629154		0.09	<10	<10	43	10	63
B629155		0.06	<10	<10	37	10	48
B629156		0.08	<10	<10	37	10	65
B629157		0.12	<10	<10	46	20	55
B629158		0.14	<10	<10	40	30	76
B629159		0.09	<10	<10	42	10	70
B629160		0.08	<10	<10	41	10	74
B629161		0.14	<10	<10	46	10	165
B629162		0.07	<10	<10	37	20	111
B629163		0.06	<10	<10	45	10	59
B629164		0.15	<10	<10	52	30	67
B629165		0.06	<10	<10	39	10	68
B629166		0.11	<10	<10	50	40	79
B629167		0.08	<10	<10	42	10	71
B629168		0.05	<10	<10	40	10	142
B629169		0.05	<10	<10	36	10	222
B629170		0.04	<10	<10	36	<10	115
B629171		0.19	<10	<10	54	<10	103
B629172		0.05	<10	<10	39	10	56
B629173		0.10	<10	20	33	50	61
B629174		0.09	<10	<10	41	20	69
B629175		0.07	<10	<10	54	10	59
B629176		0.05	<10	<10	38	30	78
B629177		0.04	<10	<10	30	10	70

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06098505

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B629178		0.50	0.037	<0.2	1.45	399	<10	260	0.5	<2	0.17	<0.5	8	23	22	2.72
B629179		0.72	0.223	0.2	1.43	1660	<10	170	0.5	3	0.20	<0.5	9	21	25	2.76
B629180		0.58	<0.005	<0.2	2.70	52	<10	230	0.9	<2	0.34	<0.5	10	40	10	3.31
B629181		0.66	3.26	2.2	1.19	>10000	<10	290	0.9	12	0.15	4.3	8	19	24	6.09
B629182		0.54	0.036	<0.2	1.61	150	<10	220	0.8	<2	0.28	<0.5	9	26	22	2.85
B629183		0.68	<0.005	<0.2	1.56	84	<10	160	0.5	<2	0.21	<0.5	6	25	15	2.37
B629184		0.68	0.100	0.3	1.16	736	<10	180	0.6	<2	0.27	0.6	8	20	19	2.33
B629185		0.38	0.050	0.7	1.09	791	<10	120	<0.5	2	0.14	<0.5	3	18	17	2.01
B629186		0.62	0.664	0.9	1.32	1370	<10	170	<0.5	3	0.29	<0.5	6	21	21	2.60
B629187		0.58	0.016	<0.2	1.61	55	<10	160	1.2	2	0.41	<0.5	10	29	23	3.10
B629188		0.60	0.030	0.2	1.40	144	<10	130	0.7	<2	0.13	<0.5	12	23	26	3.53
B629189		0.74	0.135	0.4	1.02	796	<10	130	0.8	2	0.18	0.8	13	20	30	4.22
B629190		0.76	0.201	0.2	1.26	542	<10	140	1.0	2	0.18	<0.5	13	26	46	4.13
B629191		0.80	0.158	0.6	1.64	1360	<10	170	0.8	3	0.25	0.9	9	23	24	3.08
B629192		0.60	0.150	0.8	1.62	791	<10	130	0.5	2	0.16	0.8	7	22	24	2.81
B629193		0.58	1.780	15.1	1.94	5990	<10	600	1.0	15	0.32	4.8	10	28	42	4.79
B629194		0.66	1.685	12.1	0.99	4290	<10	220	0.9	11	0.23	7.6	4	9	37	3.60
B629195		0.72	0.121	<0.2	1.53	538	<10	130	0.6	<2	0.19	<0.5	10	22	18	2.78
B629196		0.78	0.296	0.5	1.85	598	<10	320	1.1	<2	0.32	0.5	11	27	26	3.36
B629197		0.66	<0.005	<0.2	1.15	149	<10	220	1.7	<2	0.43	<0.5	8	17	10	2.91
B629198		0.66	0.014	<0.2	1.71	60	<10	130	0.7	<2	0.14	<0.5	12	30	22	3.12
B629199		0.62	<0.005	<0.2	1.44	19	<10	90	0.5	<2	0.08	<0.5	8	27	21	3.21
B629200		0.64	<0.005	<0.2	5.60	59	<10	320	0.8	<2	0.77	<0.5	58	278	119	7.15
C083251		0.40	0.008	<0.2	1.84	39	<10	100	0.6	<2	0.13	<0.5	7	24	12	2.59
C083252		0.54	0.006	<0.2	1.77	-132	<10	120	0.5	2	0.17	<0.5	9	22	18	2.68
C083253		0.58	<0.005	<0.2	2.32	342	<10	330	1.0	<2	0.49	<0.5	11	38	8	3.12
C083254		0.70	0.130	0.3	2.16	2180	<10	430	1.4	<2	0.76	<0.5	20	59	49	5.05
C083255		0.64	0.068	<0.2	2.03	824	<10	390	0.9	2	0.33	<0.5	11	32	24	3.37
C083256		0.78	1.340	1.6	2.29	3650	<10	670	1.2	15	0.57	<0.5	13	37	11	4.44
C083257		0.70	0.020	<0.2	2.08	143	<10	280	0.7	<2	0.26	<0.5	9	31	17	3.15
C083258		0.72	0.027	<0.2	1.41	394	<10	270	0.6	<2	0.30	<0.5	10	23	25	2.77
C083259		0.64	0.010	0.2	1.56	214	<10	260	0.9	<2	0.29	0.5	10	26	14	2.88
C083260		0.72	0.221	0.3	1.22	1750	<10	400	1.2	<2	0.49	0.5	14	24	13	3.66
C083261		0.66	0.092	0.8	1.58	1460	<10	170	1.3	<2	0.26	2.2	12	19	19	3.17
C083262		0.70	0.072	0.7	1.35	945	<10	150	0.6	<2	0.25	0.8	10	21	21	2.65
C083263		0.82	0.106	0.8	1.39	1440	<10	190	0.7	<2	0.43	0.8	9	23	16	2.67
C083264		0.66	0.027	0.4	1.46	1310	<10	190	1.0	<2	0.53	0.8	12	27	22	3.45
C083265		0.62	0.039	0.4	1.18	387	<10	150	0.5	<2	0.24	<0.5	8	21	19	2.42
C083266		0.88	0.011	<0.2	1.88	418	<10	190	0.9	<2	0.71	<0.5	10	44	6	2.81
C083267		0.86	<0.005	0.2	1.27	289	<10	170	0.5	<2	0.38	<0.5	6	26	6	2.04

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06098505

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B629178		<10	0.04	0.04	20	0.44	420	1	0.01	23	590	17	0.01	9	4	17
B629179		<10	0.09	0.06	20	0.42	457	1	0.01	24	770	37	0.02	8	4	20
B629180		10	0.02	0.42	40	0.90	383	1	0.02	36	1220	12	0.01	4	8	17
B629181		<10	0.26	0.15	40	0.26	556	9	0.01	20	970	838	0.09	37	9	24
B629182		<10	0.14	0.16	40	0.49	408	2	0.01	28	860	29	0.01	4	6	25
B629183		10	0.03	0.06	20	0.47	212	2	0.01	20	580	12	0.01	<2	3	19
B629184		<10	0.12	0.07	30	0.41	391	1	0.01	24	860	60	0.02	3	3	21
B629185		<10	0.07	0.04	20	0.28	153	2	0.01	15	680	60	0.04	4	2	16
B629186		<10	0.06	0.07	20	0.39	305	3	0.01	19	800	136	0.02	5	3	26
B629187		10	0.02	0.25	50	0.62	420	2	0.02	34	1120	12	0.02	2	6	24
B629188		<10	0.06	0.08	30	0.33	556	2	0.01	38	680	72	0.05	25	4	22
B629189		<10	0.12	0.12	30	0.27	553	2	0.01	39	560	42	0.03	16	5	22
B629190		<10	0.04	0.17	30	0.24	430	2	0.01	26	600	59	0.12	7	5	30
B629191		10	0.05	0.07	30	0.43	515	2	0.01	23	810	126	0.02	6	4	22
B629192		<10	0.04	0.04	20	0.43	292	2	0.01	24	570	41	0.02	3	3	14
B629193		10	0.42	0.22	50	0.53	477	19	0.02	30	1070	2520	0.09	53	7	48
B629194		<10	0.83	0.16	50	0.21	259	24	0.01	15	630	4600	0.11	144	4	54
B629195		<10	0.05	0.07	20	0.42	441	2	0.01	26	750	52	0.01	6	3	16
B629196		10	0.07	0.22	60	0.56	511	2	0.01	32	890	91	0.01	7	8	28
B629197		<10	0.03	0.19	50	0.30	452	1	0.01	21	1200	30	0.01	6	7	37
B629198		10	0.03	0.17	20	0.52	674	2	0.01	28	560	42	0.01	6	4	13
B629199		10	0.04	0.15	20	0.37	396	1	0.01	23	500	11	0.02	2	2	11
B629200		10	0.04	0.62	30	3.02	662	2	0.07	349	1860	6	0.02	<2	11	90
C083251		<10	0.07	0.06	20	0.44	368	1	0.01	20	630	10	0.02	<2	3	12
C083252		<10	0.03	0.06	20	0.44	513	1	0.01	22	760	11	0.01	<2	3	16
C083253		10	0.02	0.60	60	0.87	489	2	0.03	36	1670	7	<0.01	2	10	27
C083254		10	0.05	0.64	120	1.11	1080	4	0.03	58	1990	17	0.01	5	16	49
C083255		10	0.06	0.18	50	0.65	489	2	0.01	33	900	12	0.01	3	8	29
C083256		10	0.13	0.52	80	0.80	621	3	0.02	39	1550	79	0.01	8	11	45
C083257		10	0.06	0.18	40	0.62	407	2	0.01	28	750	11	0.01	<2	6	24
C083258		<10	0.03	0.12	30	0.49	456	1	0.01	29	860	16	<0.01	3	6	25
C083259		<10	0.02	0.15	30	0.51	451	1	<0.01	29	890	23	<0.01	<2	5	24
C083260		<10	<0.1	0.23	60	0.42	587	2	<0.01	34	1150	19	<0.01	5	9	35
C083261		<10	0.07	0.13	50	0.35	601	2	<0.01	28	1000	285	0.01	61	6	20
C083262		<10	0.05	0.08	20	0.41	462	1	<0.01	24	870	69	0.01	11	3	21
C083263		10	0.06	0.08	30	0.52	450	3	<0.01	23	830	199	0.01	27	4	36
C083264		10	0.05	0.19	60	0.53	595	2	<0.01	30	1080	30	0.01	13	7	40
C083265		<10	0.16	0.06	20	0.36	328	1	<0.01	22	770	41	0.01	5	3	18
C083266		10	0.02	0.47	50	0.98	321	1	0.01	28	1820	9	<0.01	<2	8	35
C083267		<10	0.06	0.16	30	0.54	223	3	<0.01	19	870	6	0.01	<2	4	25

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06098505

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B629178		0.05	<10	<10	40	<10	65
B629179		0.04	<10	<10	36	10	67
B629180		0.20	<10	<10	58	10	65
B629181		0.05	<10	<10	26	80	367
B629182		0.09	<10	<10	41	30	85
B629183		0.07	<10	<10	46	20	58
B629184		0.06	<10	<10	34	10	108
B629185		0.04	<10	<10	36	<10	86
B629186		0.04	<10	<10	38	<10	121
B629187		0.09	<10	<10	46	<10	69
B629188		0.04	<10	<10	38	<10	133
B629189		0.04	<10	<10	30	10	154
B629190		0.04	<10	<10	40	10	142
B629191		0.05	<10	<10	42	<10	294
B629192		0.04	<10	<10	39	<10	74
B629193		0.08	<10	<10	40	50	435
B629194		0.03	<10	10	14	10	1070
B629195		0.05	<10	<10	36	<10	99
B629196		0.10	<10	<10	42	<10	148
B629197		0.04	<10	<10	23	10	51
B629198		0.08	<10	<10	44	<10	89
B629199		0.06	<10	<10	46	<10	62
B629200		0.20	<10	<10	153	<10	112
C083251		0.06	<10	<10	40	10	64
C083252		0.05	<10	<10	38	20	64
C083253		0.20	<10	<10	49	<10	67
C083254		0.23	<10	<10	65	40	150
C083255		0.11	<10	<10	51	20	78
C083256		0.19	<10	<10	50	40	93
C083257		0.12	<10	<10	52	30	70
C083258		0.08	<10	<10	42	10	74
C083259		0.08	<10	<10	41	20	89
C083260		0.07	<10	<10	35	<10	129
C083261		0.05	<10	<10	29	20	608
C083262		0.04	<10	<10	35	<10	202
C083263		0.07	<10	<10	33	<10	476
C083264		0.10	<10	<10	37	<10	222
C083265		0.05	<10	<10	35	10	85
C083266		0.17	<10	<10	48	20	59
C083267		0.11	<10	10	33	40	69

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06098505

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C083268		0.72	0.009	<0.2	1.67	270	<10	240	0.7	<2	0.45	<0.5	8	31	5	2.33
C083269		0.70	0.112	0.2	1.64	305	<10	220	0.6	<2	0.34	<0.5	9	27	11	2.46
C083270		0.66	0.109	0.2	1.79	1370	<10	150	0.9	<2	0.31	0.5	8	29	9	2.76
C083271		0.86	0.299	0.2	1.91	675	<10	150	0.8	2	0.24	0.6	10	30	16	2.96
C083272		0.56	0.048	<0.2	2.33	619	<10	410	1.5	<2	0.55	<0.5	15	41	15	3.76
C083273		0.74	0.006	<0.2	2.40	302	<10	180	1.5	<2	0.33	0.5	13	35	12	3.08
C083274		0.84	<0.005	<0.2	1.73	28	<10	230	0.6	<2	0.18	0.5	10	29	18	2.75
C083275		0.70	<0.005	<0.2	1.45	186	<10	150	1.1	<2	0.24	<0.5	10	23	16	2.83
C083276		0.50	0.025	0.2	1.36	498	<10	160	0.8	<2	0.55	<0.5	6	22	10	2.53
C083277		0.54	0.301	0.5	2.15	2880	<10	160	1.3	2	0.16	0.8	11	31	21	4.17
C083278		0.66	0.024	<0.2	1.20	303	<10	220	<0.5	<2	0.33	<0.5	9	25	24	2.52
C083279		0.48	0.122	0.9	1.32	704	<10	140	0.7	<2	0.11	0.8	5	14	21	2.64
C083280		0.64	0.822	1.7	0.79	2210	<10	170	1.4	<2	0.29	2.0	4	10	33	3.38
C083281		0.34	0.065	0.2	1.90	491	<10	170	0.8	<2	0.31	<0.5	10	33	18	3.11
C083282		0.60	0.551	2.8	1.50	3910	<10	250	0.9	3	0.38	2.2	8	24	38	3.43
C083283		0.66	<0.005	0.2	1.56	413	<10	200	0.5	<2	0.37	<0.5	9	29	11	2.29
C083284		0.66	0.007	0.2	1.58	497	<10	220	0.5	<2	0.44	<0.5	9	30	13	2.33
C083285		0.64	0.005	<0.2	1.53	433	<10	200	0.5	<2	0.37	<0.5	7	28	11	2.19
C083286		0.52	0.009	0.3	1.80	465	<10	250	0.6	<2	0.45	<0.5	10	33	17	2.56
C083287		0.46	0.005	0.2	1.53	502	<10	220	0.5	<2	0.44	0.5	8	28	13	2.27
C083288		0.74	0.263	0.3	1.30	425	<10	320	0.5	<2	0.39	0.5	8	26	18	2.56
C083289		0.54	0.089	0.3	1.43	651	<10	160	0.6	<2	0.17	0.5	6	24	15	2.69
C083290		0.64	2.35	9.8	1.22	>10000	<10	180	0.6	67	0.22	0.6	4	20	34	4.05
C083291		0.78	0.013	<0.2	1.45	220	<10	160	0.6	<2	0.27	<0.5	8	26	15	2.55
C083292		0.54	0.005	0.2	1.53	53	<10	340	0.5	<2	0.23	<0.5	10	29	20	2.59
C083293		0.78	0.903	<0.2	1.65	252	<10	290	0.7	<2	0.29	<0.5	10	27	23	2.71
C083294		0.48	<0.005	<0.2	1.31	258	<10	100	1.4	3	0.37	<0.5	7	19	7	2.87
C083295		0.68	0.019	<0.2	1.45	558	<10	170	0.6	2	0.33	<0.5	7	21	9	1.93
C083296		0.62	0.023	<0.2	1.44	403	<10	210	0.8	<2	0.39	<0.5	8	24	8	2.25
C083297		0.72	0.061	0.2	1.60	1050	<10	170	0.6	2	0.30	<0.5	7	26	11	2.70
C083298		0.64	0.053	0.2	1.34	1010	<10	210	0.7	3	0.49	<0.5	10	24	10	2.48
C083299		0.74	0.193	<0.2	1.97	391	<10	150	1.1	2	0.40	<0.5	8	32	9	2.70
C083300		0.80	0.013	<0.2	1.32	375	<10	160	0.7	2	0.42	<0.5	7	27	5	2.33
C083301		0.76	0.012	<0.2	1.23	376	<10	140	0.7	<2	0.42	<0.5	7	25	6	2.06
C083302		0.72	0.006	<0.2	1.17	272	<10	160	0.6	3	0.28	<0.5	6	20	8	2.12
C083303		0.76	0.023	0.2	1.61	628	<10	200	0.9	<2	0.44	0.5	7	28	11	2.55
C083304		0.84	0.032	<0.2	1.91	681	<10	230	0.9	<2	0.51	<0.5	15	38	12	3.22
C083305		0.54	0.030	0.2	1.60	512	<10	240	0.8	<2	0.51	0.6	9	30	9	2.36
C083306		0.58	<0.005	<0.2	1.39	92	<10	80	1.0	<2	0.18	<0.5	5	19	7	2.46
C083307		0.58	0.080	<0.2	1.58	48	<10	220	0.6	<2	0.26	0.5	10	26	22	2.61

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06098505

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C083268		10	0.03	0.13	40	0.64	366	2	<0.01	23	860	7	0.01	<2	5	33
C083269		10	0.02	0.14	30	0.51	476	3	<0.01	22	910	9	0.01	<2	4	25
C083270		10	0.03	0.12	40	0.52	429	3	<0.01	20	610	22	0.01	4	4	28
C083271		10	0.04	0.19	30	0.59	412	1	<0.01	25	960	38	0.01	23	5	16
C083272		10	0.04	0.51	90	0.86	695	5	<0.01	39	1620	16	<0.01	16	11	36
C083273		10	0.02	0.23	40	0.64	581	1	<0.01	29	1130	15	0.01	<2	7	20
C083274		10	0.04	0.13	30	0.51	371	1	<0.01	24	640	11	<0.01	<2	5	16
C083275		<10	0.02	0.11	50	0.42	335	3	<0.01	28	870	10	0.01	<2	5	18
C083276		10	0.06	0.06	30	0.35	270	7	<0.01	18	800	16	0.04	5	2	34
C083277		10	0.07	0.12	40	0.55	343	4	<0.01	31	670	93	0.02	4	7	13
C083278		<10	0.03	0.08	20	0.48	380	1	<0.01	25	850	25	0.01	<2	4	24
C083279		10	0.17	0.09	40	0.18	117	2	<0.01	10	570	184	0.08	8	3	28
C083280		<10	0.15	0.20	70	0.17	156	3	<0.01	12	790	310	0.16	13	5	65
C083281		10	0.06	0.15	40	0.73	426	2	<0.01	30	840	21	0.04	6	5	30
C083282		10	0.14	0.15	40	0.43	338	4	<0.01	21	860	479	0.08	9	5	34
C083283		<10	0.05	0.08	20	0.51	398	4	<0.01	21	690	13	0.03	2	3	30
C083284		<10	0.03	0.08	20	0.51	487	5	<0.01	19	720	14	0.03	3	3	37
C083285		<10	0.03	0.07	20	0.48	303	4	<0.01	18	690	12	0.03	3	3	31
C083286		10	0.08	0.06	20	0.53	436	4	<0.01	25	700	14	0.04	3	3	43
C083287		<10	0.04	0.07	20	0.47	428	5	<0.01	21	710	17	0.03	3	3	38
C083288		<10	0.03	0.07	30	0.49	330	2	<0.01	21	830	18	0.01	<2	4	26
C083289		10	0.04	0.06	20	0.38	215	3	<0.01	16	470	39	0.02	<2	3	15
C083290		10	0.3	0.21	40	0.34	173	10	<0.01	15	850	635	0.31	115	4	30
C083291		10	0.03	0.10	30	0.51	289	5	<0.01	21	690	11	0.01	<2	4	20
C083292		<10	0.13	0.05	30	0.42	384	2	<0.01	18	570	10	0.01	<2	4	19
C083293		10	0.03	0.17	30	0.54	375	2	<0.01	25	770	12	0.01	<2	6	23
C083294		<10	0.05	0.09	80	0.33	284	13	0.01	26	1470	14	0.03	2	4	23
C083295		<10	0.03	0.07	30	0.41	332	3	0.01	17	800	12	0.03	2	3	26
C083296		<10	0.04	0.14	40	0.48	401	4	0.01	21	920	14	0.03	2	4	32
C083297		10	0.04	0.08	30	0.52	405	8	0.01	21	770	16	0.02	22	3	23
C083298		<10	0.04	0.16	50	0.56	548	7	0.01	23	1040	11	0.02	10	4	32
C083299		10	0.02	0.29	50	0.60	392	2	0.01	24	1210	11	0.01	<2	8	23
C083300		10	0.03	0.20	50	0.62	204	2	0.01	18	960	10	0.01	<2	5	30
C083301		10	0.05	0.15	40	0.54	216	2	0.01	17	950	8	0.01	<2	5	30
C083302		<10	0.03	0.05	30	0.43	263	3	0.01	16	570	11	0.01	<2	3	26
C083303		10	0.04	0.13	40	0.50	363	5	<0.01	22	850	15	0.02	<2	5	35
C083304		10	0.05	0.52	40	0.74	772	3	0.01	31	1330	15	0.01	7	6	32
C083305		10	0.04	0.17	50	0.52	472	4	<0.01	23	910	12	0.03	<2	4	41
C083306		10	0.04	0.05	50	0.22	211	4	<0.01	15	790	10	0.01	<2	3	17
C083307		10	0.04	0.07	20	0.44	453	1	<0.01	22	820	11	0.01	<2	4	22

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06098505

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
C083268		0.13	<10	10	38	80	70
C083269		0.09	<10	<10	40	60	78
C083270		0.09	<10	<10	36	60	87
C083271		0.10	<10	<10	45	20	89
C083272		0.17	<10	<10	57	30	102
C083273		0.11	<10	<10	44	10	64
C083274		0.07	<10	<10	43	<10	61
C083275		0.06	<10	<10	38	20	71
C083276		0.03	<10	<10	37	20	69
C083277		0.05	<10	<10	49	120	154
C083278		0.07	<10	<10	43	20	84
C083279		0.03	<10	<10	29	10	284
C083280		0.04	<10	<10	16	<10	297
C083281		0.11	<10	<10	55	80	155
C083282		0.07	<10	<10	37	10	355
C083283		0.08	<10	<10	41	20	82
C083284		0.08	<10	<10	41	30	85
C083285		0.07	<10	<10	39	20	77
C083286		0.07	<10	<10	43	<10	96
C083287		0.07	<10	<10	40	20	88
C083288		0.07	<10	<10	43	40	73
C083289		0.05	<10	<10	45	20	81
C083290		0.05	<10	<10	30	40	99
C083291		0.08	<10	<10	43	40	57
C083292		0.05	<10	<10	46	<10	56
C083293		0.10	<10	<10	42	10	64
C083294		0.06	<10	<10	28	190	67
C083295		0.06	<10	10	30	40	71
C083296		0.08	<10	10	33	40	73
C083297		0.07	<10	<10	41	20	80
C083298		0.09	<10	<10	35	50	72
C083299		0.08	<10	<10	42	20	57
C083300		0.13	<10	10	37	30	58
C083301		0.11	<10	10	34	40	56
C083302		0.05	<10	<10	35	20	52
C083303		0.07	<10	10	38	60	73
C083304		0.20	<10	<10	43	40	108
C083305		0.09	<10	10	35	50	82
C083306		0.03	<10	<10	35	40	41
C083307		0.05	<10	<10	41	20	73

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06098505

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
C083308		0.54	0.006	<0.2	1.31	169	<10	210	0.5	<2	0.22	0.5	6	24	12	2.13
C083309		0.76	0.609	0.4	1.47	1930	<10	290	1.0	5	0.30	<0.5	12	25	12	3.55
C083310		0.78	0.006	<0.2	1.48	297	<10	120	0.5	<2	0.23	<0.5	8	24	14	2.40
C083311		0.80	0.022	0.3	1.27	168	<10	160	0.6	<2	0.24	0.5	8	22	16	2.32
C083312		0.86	0.011	0.2	1.35	748	<10	160	0.6	<2	0.45	<0.5	8	28	19	2.68
C083313		0.82	0.026	0.3	1.19	884	<10	190	0.5	<2	0.36	0.5	7	24	17	2.47
C083314		0.64	<0.005	<0.2	1.03	59	<10	120	1.7	<2	0.34	<0.5	12	28	25	4.31
C083315		0.78	0.006	0.4	0.65	473	<10	160	1.5	<2	0.35	1.2	13	9	25	3.95
C083316		0.66	2.36	1.2	1.24	2160	<10	250	0.8	<2	0.38	1.4	11	23	22	3.15
C083317		0.74	0.706	1.4	1.29	2050	<10	160	0.6	2	0.41	0.7	8	22	22	2.62
C083318		0.68	0.273	0.9	1.66	1850	<10	170	0.6	2	0.20	0.8	8	26	21	2.98

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06098505

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C083308		<10	0.04	0.05	20	0.33	302	2	<0.01	14	590	10	0.01	2	2	25
C083309		10	0.04	0.18	60	0.41	331	4	<0.01	18	930	34	0.01	14	5	24
C083310		<10	0.02	0.07	10	0.44	307	1	<0.01	19	500	10	0.01	<2	3	19
C083311		<10	0.05	0.05	30	0.38	297	1	<0.01	19	770	38	<0.01	9	4	18
C083312		<10	0.05	0.11	40	0.52	340	2	<0.01	23	920	20	<0.01	8	5	34
C083313		<10	0.03	0.09	30	0.47	326	2	<0.01	20	820	39	0.01	7	4	27
C083314		<10	0.02	0.16	70	0.25	625	2	<0.01	29	930	25	<0.01	4	8	22
C083315		<10	0.39	0.09	70	0.09	1015	2	<0.01	36	1160	79	<0.01	38	6	30
C083316		<10	0.05	0.15	50	0.43	631	3	<0.01	32	910	250	0.02	13	4	28
C083317		<10	0.06	0.08	30	0.40	316	2	<0.01	21	870	224	0.04	5	3	35
C083318		10	0.05	0.07	20	0.44	307	3	<0.01	21	770	180	0.02	3	4	17

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06098505

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
C083308		0.04	<10	<10	40	10	50
C083309		0.06	<10	<10	31	140	71
C083310		0.05	<10	<10	37	10	52
C083311		0.04	<10	<10	33	<10	75
C083312		0.10	<10	<10	38	<10	101
C083313		0.07	<10	<10	38	10	115
C083314		0.04	<10	<10	38	<10	89
C083315		0.01	<10	<10	9	<10	255
C083316		0.06	<10	<10	33	20	314
C083317		0.04	<10	<10	35	10	202
C083318		0.05	<10	<10	44	30	143

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

o: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-NOV-2006
This copy reported on 18-JAN-2007
Account: STRGOL

CERTIFICATE VA06105726

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 67 Soil samples submitted to our lab in Vancouver, BC, Canada on 25-SEP-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105726

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B627739		0.46	0.144	<0.2	1.28	332	<10	140	<0.5	<2	0.28	<0.5	8	22	18	2.45
B627740		0.44	0.027	<0.2	1.41	228	<10	110	0.5	<2	0.09	<0.5	6	24	18	2.72
B627741		0.48	0.007	0.3	2.21	365	<10	90	0.7	<2	0.06	<0.5	15	38	28	4.10
B627742		0.62	0.050	0.7	1.34	456	<10	200	0.7	<2	0.37	<0.5	9	21	18	2.79
B627743		0.44	0.040	0.7	1.66	760	<10	260	0.7	<2	0.52	<0.5	8	23	13	2.27
B627744		0.64	<0.005	<0.2	1.11	86	<10	120	<0.5	<2	0.23	0.5	5	20	12	1.87
B627745		0.58	0.011	<0.2	1.28	93	<10	280	<0.5	<2	0.19	0.6	6	21	15	2.07
B627746		0.58	0.007	<0.2	1.51	80	<10	100	<0.5	<2	0.15	0.7	8	25	15	2.75
B627747		0.68	0.005	<0.2	1.48	79	<10	300	0.7	<2	0.33	0.6	10	29	16	2.77
B627748		0.62	0.006	<0.2	1.63	346	<10	330	1.7	<2	0.47	1.0	10	22	17	3.54
B627749		0.56	0.702	<0.2	1.82	2350	<10	290	0.8	2	0.35	0.9	10	35	12	3.49
B627750		0.56	2.98	7.4	1.27	7790	<10	200	0.9	34	0.34	1.6	8	20	31	3.95
B628755		0.52	0.770	4.3	1.45	3250	<10	260	1.3	14	0.62	1.4	7	19	33	3.54
B628756		0.60	0.490	2.6	1.21	2620	<10	220	0.6	4	0.37	1.4	7	22	24	2.92
B628757		0.54	0.499	0.2	1.52	2840	<10	250	0.7	<2	0.31	0.8	9	25	20	3.18
B628758		0.56	0.110	0.8	1.58	924	<10	270	0.8	<2	0.65	0.8	9	25	15	2.39
B628759		0.46	0.039	0.4	1.82	606	<10	280	0.8	<2	0.45	0.6	9	28	11	2.42
B628760		0.60	<0.005	<0.2	1.64	27	<10	120	0.5	<2	0.18	0.5	6	26	13	2.18
B628761		0.68	0.406	0.3	1.39	2680	<10	150	0.5	2	0.21	0.9	8	21	57	2.83
B628762		0.54	0.005	<0.2	1.82	75	<10	100	0.5	<2	0.10	0.7	7	27	8	2.81
B628763		0.62	0.011	<0.2	1.63	107	<10	270	0.6	<2	0.29	0.7	10	29	19	2.76
B628764		0.66	<0.005	<0.2	1.75	61	<10	440	0.8	<2	0.31	0.7	10	30	20	2.98
B628765		0.66	0.037	<0.2	2.53	632	<10	250	1.1	<2	0.27	1.1	14	39	12	3.62
B628766		0.72	0.171	0.3	1.12	1200	<10	190	0.8	<2	0.40	0.5	6	18	34	2.24
B628767		0.58	0.019	<0.2	1.44	182	<10	160	0.6	<2	0.16	0.6	7	23	15	2.31
B628768		0.56	0.054	<0.2	2.56	75	<10	120	1.1	<2	0.20	0.8	12	36	11	3.18
B628769		0.62	0.214	0.3	1.45	998	<10	130	0.5	<2	0.33	0.5	6	24	11	2.31
B628770		0.50	0.038	<0.2	1.71	426	<10	120	0.6	<2	0.14	0.7	7	26	13	2.87
B628771		0.58	0.596	0.9	1.62	2770	<10	150	0.6	5	0.15	0.8	10	24	19	2.69
B628772		0.52	<0.005	<0.2	1.43	39	<10	100	<0.5	<2	0.16	0.5	6	22	12	2.24
B628773		0.60	0.026	<0.2	1.51	375	<10	130	0.6	<2	0.21	0.8	10	24	19	2.59
B628774		0.66	0.287	0.2	1.30	955	<10	140	0.7	<2	0.49	0.6	6	26	8	2.37
B628775		0.62	0.009	<0.2	1.30	102	<10	90	<0.5	<2	0.15	<0.5	4	23	8	1.83
B628776		0.70	0.096	<0.2	1.55	566	<10	160	0.8	<2	0.51	0.6	6	30	7	2.24
B628777		0.68	0.962	<0.2	1.47	349	<10	190	0.8	<2	0.51	0.6	8	26	8	2.02
B628778		0.84	0.039	<0.2	1.16	158	<10	160	0.6	<2	0.47	<0.5	6	23	7	1.55
B628779		0.64	0.010	<0.2	1.51	334	<10	230	0.6	<2	0.38	0.5	7	28	6	2.17
B628780		0.56	0.010	<0.2	1.79	785	<10	200	0.7	<2	0.35	0.5	9	29	9	2.40
B628781		0.56	0.017	<0.2	1.53	816	<10	140	0.8	<2	0.27	0.6	7	28	9	2.88
B628782		0.66	0.112	<0.2	2.17	793	<10	170	0.8	<2	0.33	0.9	13	46	11	3.63

Comments: Additional Au-AA23 check values for sample B628777 are 0.051 ppm and 0.309 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105726

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B627739		<10	0.02	0.04	20	0.38	295	2	<0.01	22	660	14	0.01	<2	3	24
B627740		10	0.05	0.07	10	0.34	209	1	<0.01	20	400	15	0.02	2	3	9
B627741		10	0.05	0.22	20	0.44	768	3	<0.01	24	400	19	0.03	6	4	7
B627742		<10	0.31	0.07	30	0.33	502	4	<0.01	24	760	60	0.03	8	4	33
B627743		<10	0.13	0.06	30	0.39	348	3	<0.01	21	940	43	0.05	4	3	39
B627744		<10	0.04	0.05	20	0.37	199	3	0.01	15	750	17	<0.01	10	2	16
B627745		10	0.05	0.06	20	0.34	229	1	0.01	17	540	19	<0.01	4	2	16
B627746		<10	0.02	0.09	20	0.46	315	1	0.01	20	590	16	<0.01	3	3	10
B627747		10	0.02	0.22	30	0.62	435	4	0.02	26	1040	10	<0.01	<2	6	20
B627748		10	0.03	0.10	120	0.30	385	12	0.02	26	1190	26	0.01	6	13	39
B627749		10	0.03	0.14	50	0.81	355	6	0.02	27	820	14	<0.01	4	8	23
B627750		<10	0.34	0.16	50	0.35	432	10	0.02	21	1030	566	0.22	114	4	38
B628755		<10	0.35	0.09	60	0.37	440	9	0.02	22	1130	365	0.12	60	5	54
B628756		<10	0.21	0.10	30	0.44	329	5	0.02	23	800	326	0.05	25	4	35
B628757		10	0.03	0.08	40	0.50	308	3	0.01	23	760	21	0.01	6	4	28
B628758		10	0.09	0.10	40	0.47	488	3	0.02	20	980	70	0.04	9	4	45
B628759		10	0.06	0.06	40	0.51	515	3	0.02	22	900	28	0.03	6	4	34
B628760		10	0.04	0.08	30	0.46	190	1	0.01	16	800	9	<0.01	3	2	12
B628761		<10	0.07	0.07	20	0.42	261	1	0.01	23	800	26	0.01	6	4	16
B628762		10	0.08	0.06	10	0.37	254	2	0.01	14	440	13	<0.01	2	3	8
B628763		10	0.03	0.15	30	0.63	391	1	0.02	28	880	10	<0.01	2	5	20
B628764		10	0.14	0.18	50	0.65	402	1	0.02	29	850	10	<0.01	2	8	25
B628765		10	0.02	0.35	30	0.87	544	1	0.02	32	1090	13	0.01	3	8	15
B628766		<10	0.29	0.05	30	0.33	218	3	0.01	16	810	25	<0.01	3	4	25
B628767		10	0.03	0.06	20	0.42	270	1	0.01	18	620	10	<0.01	<2	4	11
B628768		10	0.04	0.19	30	0.67	405	2	0.01	26	1130	11	<0.01	3	7	10
B628769		10	0.06	0.07	30	0.45	209	3	0.01	16	740	18	0.01	3	3	25
B628770		10	0.07	0.07	20	0.44	259	1	0.01	17	640	19	0.01	3	3	11
B628771		10	0.07	0.08	20	0.42	586	2	0.01	18	650	74	0.01	26	4	15
B628772		<10	0.04	0.04	20	0.39	186	1	0.01	15	620	9	<0.01	<2	3	10
B628773		<10	0.04	0.09	20	0.46	451	1	0.01	25	870	15	<0.01	5	4	14
B628774		10	0.02	0.16	40	0.55	287	3	0.02	19	1160	19	0.01	4	4	31
B628775		10	0.04	0.05	10	0.37	155	3	0.01	13	540	8	0.01	2	1	13
B628776		10	0.04	0.24	40	0.64	235	2	0.02	22	1090	10	<0.01	3	6	31
B628777		10	0.03	0.15	40	0.56	391	3	0.02	19	1130	10	0.01	<2	5	32
B628778		<10	0.03	0.13	40	0.51	171	2	0.02	16	990	8	0.02	3	4	29
B628779		10	0.04	0.06	40	0.60	253	3	0.02	19	760	10	0.02	2	5	30
B628780		10	0.03	0.08	30	0.53	408	7	0.02	21	810	11	0.03	2	3	27
B628781		10	0.06	0.18	50	0.42	429	7	0.02	17	860	18	0.01	10	4	20
B628782		10	0.02	0.62	50	1.11	589	5	0.02	41	1430	25	0.01	23	10	13

Comments: Additional Au-AA23 check values for sample B628777 are 0.051 ppm and 0.309 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105726

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
B627739		0.05	<10	<10	41	20	81
B627740		0.05	<10	<10	44	10	67
B627741		0.09	<10	<10	62	10	128
B627742		0.04	<10	<10	33	10	115
B627743		0.04	<10	10	31	30	100
B627744		0.05	<10	<10	31	10	61
B627745		0.05	<10	<10	37	10	54
B627746		0.07	<10	<10	38	20	59
B627747		0.12	<10	<10	44	30	56
B627748		0.02	<10	<10	32	80	116
B627749		0.11	<10	<10	53	60	64
B627750		0.03	<10	10	28	40	216
B628755		0.03	<10	10	28	40	205
B628756		0.05	<10	<10	37	30	197
B628757		0.05	<10	<10	45	20	117
B628758		0.06	<10	10	34	40	124
B628759		0.06	<10	20	36	40	91
B628760		0.07	<10	<10	41	10	50
B628761		0.04	<10	<10	34	20	75
B628762		0.06	<10	<10	54	20	46
B628763		0.11	<10	<10	47	10	65
B628764		0.12	<10	<10	49	20	70
B628765		0.18	<10	<10	54	50	77
B628766		0.03	<10	<10	28	40	47
B628767		0.05	<10	<10	39	10	48
B628768		0.12	<10	<10	54	30	60
B628769		0.07	<10	<10	34	70	72
B628770		0.05	<10	<10	46	40	61
B628771		0.06	<10	<10	40	10	72
B628772		0.06	<10	<10	39	<10	43
B628773		0.06	<10	<10	39	30	71
B628774		0.11	<10	<10	33	60	75
B628775		0.05	<10	<10	36	20	44
B628776		0.11	<10	10	36	90	55
B628777		0.10	<10	10	31	60	54
B628778		0.10	<10	20	28	50	54
B628779		0.10	<10	10	39	50	63
B628780		0.08	<10	10	38	30	66
B628781		0.07	<10	<10	41	30	74
B628782		0.22	<10	<10	61	20	103

Comments: Additional Au-AA23 check values for sample B628777 are 0.051 ppm and 0.309 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105726

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B628783		0.56	0.074	0.2	1.49	1040	<10	180	0.7	<2	0.42	<0.5	8	27	14	2.70
B628784		0.42	<0.005	<0.2	1.91	117	<10	140	1.5	<2	0.19	<0.5	7	25	10	3.50
B628785		0.54	0.038	0.3	1.98	1275	<10	330	0.9	2	0.43	<0.5	9	27	13	2.92
B628786		0.50	0.011	0.2	1.56	484	<10	230	0.6	3	0.52	<0.5	7	24	8	2.08
B628787		0.72	0.006	<0.2	2.33	721	<10	250	1.1	<2	0.49	<0.5	12	48	9	3.06
B628788		0.56	<0.005	<0.2	1.56	64	<10	100	<0.5	<2	0.10	<0.5	5	22	7	2.08
B628789		0.56	0.017	0.2	2.47	1275	<10	350	0.9	<2	0.91	<0.5	9	49	10	2.80
B628790		0.62	0.013	<0.2	1.37	248	<10	80	<0.5	<2	0.08	<0.5	5	24	13	2.43
B628791		0.80	0.005	<0.2	2.04	893	<10	280	0.8	2	0.31	0.5	9	30	15	2.69
B628792		0.54	<0.005	0.2	1.68	1115	<10	240	0.8	2	0.37	<0.5	15	22	11	2.53
B628793		0.50	0.009	0.2	1.36	273	<10	90	<0.5	<2	0.11	<0.5	5	20	8	1.94
B628794		0.56	0.009	<0.2	1.81	487	<10	160	0.6	<2	0.28	0.5	8	27	9	2.29
B628795		0.48	0.016	0.2	2.07	819	<10	220	0.9	3	0.28	<0.5	9	24	9	2.28
B628796		0.46	<0.005	0.3	1.08	211	<10	90	<0.5	<2	0.16	<0.5	4	19	9	2.17
B628797		0.54	<0.005	<0.2	1.06	167	<10	60	1.2	<2	0.33	<0.5	5	15	2	1.49
B628798		0.62	0.672	0.4	1.09	3140	<10	160	0.8	2	0.22	<0.5	5	21	17	3.25
B628799		0.46	0.023	<0.2	1.20	101	<10	150	1.2	<2	0.42	<0.5	5	18	8	2.07
B628800		0.50	0.032	0.2	0.71	270	<10	120	1.3	<2	0.53	<0.5	8	12	5	1.85
B628151		0.58	0.025	<0.2	0.99	271	<10	140	0.6	<2	0.36	<0.5	8	23	8	2.35
B628152		0.72	0.180	0.3	1.02	636	<10	150	0.6	2	0.36	<0.5	7	25	9	2.70
B628153		0.56	0.017	<0.2	1.18	319	<10	170	<0.5	<2	0.28	<0.5	6	23	9	2.36
C083351		0.52	0.012	<0.2	1.64	62	<10	190	0.5	<2	0.22	<0.5	9	27	16	2.77
C083352		0.62	0.032	<0.2	2.00	300	<10	240	0.9	2	0.23	<0.5	9	31	19	3.16
C083353		0.48	0.372	1.1	1.20	2150	<10	200	0.6	2	0.17	1.2	6	20	17	3.38
C083354		0.66	0.435	0.6	1.33	1400	<10	190	0.7	2	0.20	0.7	9	22	16	3.02
C083355		0.58	0.025	<0.2	1.46	513	<10	250	0.5	<2	0.29	<0.5	9	26	18	2.74
C083356		0.44	0.443	0.6	1.49	9040	<10	220	0.7	2	0.16	1.2	9	22	17	3.47

Comments: Additional Au-AA23 check values for sample B628777 are 0.051 ppm and 0.309 ppm.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105726

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B628783		10	0.04	0.13	30	0.56	291	5	0.01	22	1000	21	0.01	6	4	29
B628784		10	0.06	0.13	40	0.43	292	10	<0.01	25	660	13	0.02	<2	5	18
B628785		10	0.15	0.08	50	0.49	558	8	0.01	24	930	19	0.05	22	4	42
B628786		<10	0.04	0.09	40	0.48	333	4	<0.01	20	900	8	0.05	<2	3	48
B628787		10	0.01	0.47	40	0.91	526	2	0.01	24	1260	16	0.01	<2	11	32
B628788		<10	0.03	0.04	10	0.33	170	1	<0.01	13	500	10	0.01	<2	1	11
B628789		10	0.05	0.09	40	0.75	958	3	0.01	25	1430	13	0.08	3	5	77
B628790		10	0.04	0.04	10	0.36	179	1	<0.01	16	480	9	0.01	<2	1	9
B628791		<10	0.03	0.14	30	0.48	616	2	0.01	27	770	19	0.02	4	5	29
B628792		<10	0.05	0.07	20	0.35	1480	2	<0.01	20	950	16	0.04	<2	2	34
B628793		<10	0.03	0.04	10	0.32	128	1	<0.01	12	580	15	0.02	2	1	10
B628794		10	0.02	0.09	20	0.54	285	1	0.01	20	840	10	0.01	<2	4	24
B628795		<10	0.04	0.05	20	0.41	720	2	<0.01	19	990	15	0.05	<2	2	27
B628796		<10	0.05	0.05	20	0.27	211	3	<0.01	12	730	78	0.02	13	2	14
B628797		<10	0.03	0.02	60	0.22	210	1	<0.01	13	1200	19	0.01	10	3	27
B628798		<10	0.04	0.11	40	0.36	427	3	0.01	15	830	58	0.16	27	4	35
B628799		<10	0.05	0.04	60	0.33	341	9	<0.01	19	940	16	0.03	3	5	41
B628800		<10	0.03	0.07	60	0.22	409	8	<0.01	19	1440	16	0.01	4	5	34
B628151		<10	0.04	0.06	30	0.38	448	3	<0.01	15	910	13	0.01	3	4	25
B628152		<10	0.06	0.11	30	0.44	366	3	0.01	19	790	68	0.09	20	4	30
B628153		<10	0.02	0.06	20	0.40	284	4	<0.01	17	630	12	0.01	<2	3	24
C083351		10	0.05	0.07	20	0.50	278	3	<0.01	22	630	10	<0.01	<2	4	18
C083352		10	0.02	0.15	50	0.61	373	4	0.01	28	680	13	0.01	<2	6	22
C083353		<10	0.13	0.17	30	0.33	223	6	<0.01	18	670	226	0.25	9	4	25
C083354		<10	0.10	0.12	30	0.39	308	5	<0.01	20	710	108	0.12	6	4	22
C083355		<10	0.04	0.06	30	0.47	344	3	0.01	24	580	31	0.01	<2	4	23
C083356		<10	0.05	0.05	20	0.36	362	3	<0.01	21	630	56	0.03	3	4	18

Comments: Additional Au-AA23 check values for sample B628777 are 0.051 ppm and 0.309 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105726

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
B628783		0.08	<10	<10	41	20	69
B628784		0.08	<10	<10	44	70	60
B628785		0.05	<10	<10	38	60	83
B628786		0.07	<10	10	31	30	71
B628787		0.15	<10	<10	48	10	72
B628788		0.04	<10	<10	40	10	46
B628789		0.08	<10	40	43	20	73
B628790		0.03	<10	<10	40	10	47
B628791		0.06	<10	10	36	10	103
B628792		0.04	<10	<10	28	10	81
B628793		0.03	<10	<10	30	10	44
B628794		0.09	<10	<10	34	20	63
B628795		0.03	<10	10	30	20	95
B628796		0.03	<10	<10	41	50	57
B628797		0.01	<10	<10	18	10	43
B628798		0.05	<10	<10	29	60	93
B628799		0.03	<10	<10	26	50	50
B628800		0.03	<10	<10	19	60	50
B628151		0.06	<10	<10	34	40	68
B628152		0.07	<10	<10	36	120	72
B628153		0.06	<10	<10	41	60	60
C083351		0.07	<10	<10	48	20	56
C083352		0.09	<10	<10	48	30	71
C083353		0.04	<10	<10	33	40	145
C083354		0.05	<10	<10	35	50	135
C083355		0.06	<10	<10	47	50	71
C083356		0.04	<10	<10	40	30	95

Comments: Additional Au-AA23 check values for sample B628777 are 0.051 ppm and 0.309 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-NOV-2006
Account: STRGOL

CERTIFICATE VA06105729

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 250 Soil samples submitted to our lab in Vancouver, BC, Canada on 25-SEP-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B629901		0.42	<0.005	0.4	1.05	67	<10	150	<0.5	<2	1.47	<0.5	9	15	43	2.89
B629903		0.36	0.011	0.4	0.91	69	<10	130	<0.5	<2	1.23	0.5	10	15	40	2.75
B629904		0.06	0.018	0.3	0.80	10	<10	120	<0.5	<2	1.38	<0.5	4	12	39	1.20
B629905		0.08	0.008	0.3	0.93	12	<10	180	<0.5	<2	1.04	<0.5	4	15	33	1.44
B629906		0.42	0.007	0.3	0.80	31	<10	140	<0.5	<2	0.92	<0.5	7	13	19	2.16
B629907		0.30	0.097	0.4	1.00	35	<10	170	<0.5	<2	0.98	<0.5	8	14	30	2.61
B629908		0.38	0.011	0.3	0.89	37	<10	170	<0.5	<2	1.25	<0.5	10	13	26	2.66
B629911		0.26	0.009	0.2	0.98	62	<10	140	<0.5	<2	0.64	<0.5	11	15	36	3.19
B629912		0.32	0.006	0.3	1.13	35	<10	140	<0.5	<2	0.60	<0.5	9	14	16	3.01
B629913		0.36	0.005	0.3	0.92	23	<10	170	<0.5	<2	0.82	<0.5	9	15	25	2.47
B629914		0.28	0.005	0.3	1.12	19	<10	200	<0.5	<2	0.77	<0.5	9	17	32	2.59
B629915		0.24	0.007	0.2	1.12	21	<10	130	<0.5	<2	0.74	<0.5	10	16	34	2.73
B629917		0.22	0.005	0.2	1.06	2	<10	220	<0.5	<2	0.88	<0.5	6	16	20	1.57
B629918		0.24	<0.005	0.3	1.14	14	<10	210	<0.5	<2	1.38	<0.5	10	16	32	2.44
B629919		0.24	0.008	<0.2	1.16	15	<10	190	<0.5	<2	0.58	<0.5	6	17	10	2.63
B629920		0.26	<0.005	0.2	1.35	10	<10	340	<0.5	<2	0.74	<0.5	7	21	23	1.91
B629921		0.36	0.010	0.3	1.29	19	<10	240	<0.5	<2	0.48	<0.5	10	19	28	2.65
B629922		0.36	<0.005	0.2	1.20	11	<10	270	<0.5	<2	0.38	<0.5	11	19	31	2.70
B629923		0.36	0.007	0.2	1.08	20	<10	200	<0.5	<2	0.42	<0.5	9	17	34	2.50
B629924		0.32	0.005	0.2	1.12	16	<10	220	<0.5	<2	0.39	<0.5	8	17	23	2.48
B629925		0.34	0.008	0.3	0.99	27	<10	180	<0.5	<2	0.93	<0.5	12	16	30	2.59
B629926		0.28	0.010	0.2	1.16	22	<10	190	<0.5	<2	0.42	<0.5	9	18	36	2.83
B629927		0.40	0.010	0.5	1.31	33	<10	230	<0.5	<2	0.72	<0.5	10	20	46	2.87
B629928		0.34	0.006	<0.2	1.38	16	<10	160	<0.5	<2	0.30	<0.5	8	19	23	2.54
B629929		0.46	0.009	0.2	1.20	23	<10	190	<0.5	<2	0.41	<0.5	10	21	25	2.68
B629930		0.44	0.009	0.3	1.35	30	<10	190	<0.5	<2	0.39	<0.5	9	21	47	2.88
B629931		0.28	<0.005	0.2	1.66	12	<10	170	<0.5	<2	0.17	<0.5	9	26	27	3.11
B629932		0.40	0.006	0.2	1.75	24	<10	100	<0.5	<2	0.18	<0.5	12	36	26	3.28
B629933		0.24	0.006	0.3	1.44	27	<10	190	<0.5	<2	0.55	<0.5	9	24	33	2.73
B629934		0.36	0.006	0.2	1.14	24	<10	240	<0.5	<2	0.42	0.6	9	23	33	2.22
B629935		0.34	<0.005	0.4	1.22	24	<10	280	<0.5	<2	0.90	0.8	8	23	35	1.70
B629936		0.38	0.006	0.3	1.25	27	<10	140	<0.5	<2	0.48	0.5	10	28	33	2.60
B629937		0.28	<0.005	<0.2	0.92	27	<10	230	<0.5	<2	0.52	<0.5	5	18	15	1.61
B629938		0.20	<0.005	<0.2	0.84	11	<10	230	<0.5	<2	0.57	<0.5	5	18	16	1.16
B629939		0.16	<0.005	<0.2	0.98	17	<10	260	<0.5	<2	0.89	0.9	9	20	36	1.81
B629940		0.16	<0.005	0.3	1.01	16	<10	250	<0.5	<2	0.88	0.6	8	19	28	1.63
B629941		0.38	0.009	0.3	1.22	27	<10	170	<0.5	<2	0.28	0.6	8	24	48	2.40
B629942		0.30	0.008	0.4	1.13	56	<10	280	<0.5	<2	1.13	1.4	16	24	33	3.14
B629943		0.38	<0.005	<0.2	0.89	14	<10	210	<0.5	<2	0.90	<0.5	7	17	17	1.93
B629944		0.38	<0.005	0.2	1.05	21	<10	220	<0.5	<2	0.55	<0.5	10	20	27	2.45

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B629901		<10	0.06	0.08	20	0.46	625	2	0.01	31	510	32	0.06	2	3	45
B629903		<10	0.06	0.08	10	0.38	1160	2	<0.01	30	710	23	0.06	3	3	43
B629904		<10	0.10	0.04	10	0.33	102	<1	<0.01	24	660	14	0.23	<2	2	51
B629905		<10	0.09	0.05	10	0.39	129	1	<0.01	21	540	14	0.18	<2	2	45
B629906		<10	0.06	0.05	10	0.35	414	2	<0.01	18	360	13	0.04	<2	2	35
B629907		<10	0.09	0.07	20	0.44	450	2	<0.01	24	810	15	0.03	<2	3	39
B629908		<10	0.06	0.05	10	0.39	601	2	<0.01	21	610	19	0.05	<2	2	46
B629911		<10	0.09	0.07	20	0.46	706	3	<0.01	31	980	18	0.02	4	3	30
B629912		<10	0.05	0.09	20	0.56	543	2	<0.01	22	890	16	0.01	2	3	27
B629913		<10	0.08	0.05	10	0.40	480	2	<0.01	25	780	14	0.02	3	2	34
B629914		<10	0.08	0.05	10	0.46	219	1	<0.01	27	780	16	0.03	<2	3	40
B629915		<10	0.05	0.04	10	0.57	214	2	<0.01	30	1660	17	0.02	<2	3	29
B629917		<10	0.07	0.04	10	0.41	141	<1	<0.01	19	610	17	0.06	<2	3	42
B629918		<10	0.08	0.03	10	0.47	475	1	<0.01	27	850	16	0.05	2	3	52
B629919		<10	0.08	0.03	10	0.39	167	1	<0.01	17	910	10	0.04	2	2	30
B629920		<10	0.08	0.05	10	0.45	172	<1	<0.01	23	670	15	0.07	<2	4	40
B629921		<10	0.07	0.05	10	0.45	330	1	<0.01	25	800	15	0.01	<2	3	23
B629922		<10	0.07	0.05	10	0.42	400	2	<0.01	32	830	14	<0.01	3	4	22
B629923		<10	0.08	0.05	10	0.42	279	1	<0.01	28	900	12	<0.01	2	3	22
B629924		<10	0.07	0.03	10	0.38	210	1	<0.01	21	810	14	0.02	<2	3	22
B629925		<10	0.07	0.05	10	0.44	651	1	<0.01	26	870	17	0.02	<2	3	36
B629926		<10	0.08	0.05	20	0.46	254	1	<0.01	28	840	13	0.01	2	3	23
B629927		<10	0.09	0.09	20	0.57	650	4	<0.01	34	1070	19	0.02	3	3	31
B629928		<10	0.03	0.03	10	0.43	191	1	<0.01	23	570	14	0.01	<2	2	17
B629929		<10	0.08	0.05	20	0.49	293	1	<0.01	23	830	11	0.01	<2	3	22
B629930		<10	0.07	0.09	20	0.58	214	2	<0.01	36	1030	15	<0.01	<2	4	21
B629931		<10	0.03	0.05	10	0.45	232	1	<0.01	27	260	13	<0.01	<2	3	15
B629932		10	0.02	0.08	10	0.73	579	4	<0.01	28	740	22	0.03	<2	4	16
B629933		<10	0.08	0.08	20	0.61	381	2	0.01	32	930	14	0.02	2	4	26
B629934		<10	0.10	0.06	20	0.47	361	2	0.02	31	970	14	0.02	<2	4	25
B629935		<10	0.08	0.08	20	0.48	125	1	0.02	30	800	16	0.11	2	4	42
B629936		<10	0.05	0.08	20	0.61	233	2	0.02	27	1120	15	0.01	<2	4	25
B629937		<10	0.05	0.04	10	0.32	279	<1	0.01	12	770	15	0.07	<2	3	27
B629938		<10	0.05	0.04	10	0.34	119	1	0.01	14	750	10	0.08	<2	3	29
B629939		<10	0.08	0.05	10	0.39	226	1	0.02	26	840	15	0.09	<2	3	42
B629940		<10	0.08	0.06	10	0.41	386	1	0.02	20	970	14	0.06	3	2	42
B629941		<10	0.08	0.09	20	0.45	135	2	0.01	25	740	16	0.01	2	4	19
B629942		<10	0.07	0.07	20	0.49	1010	3	0.02	31	1130	26	0.08	3	3	49
B629943		<10	0.06	0.04	10	0.37	133	1	0.01	18	640	10	0.07	2	3	56
B629944		<10	0.07	0.04	10	0.38	335	2	0.01	23	620	11	0.03	2	3	30

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B629901		0.05	<10	<10	28	<10	116
B629903		0.04	<10	<10	26	<10	135
B629904		0.03	<10	<10	21	<10	82
B629905		0.03	<10	<10	25	<10	73
B629906		0.03	<10	<10	24	<10	98
B629907		0.04	<10	<10	27	<10	103
B629908		0.03	<10	<10	26	<10	96
B629911		0.05	<10	<10	29	10	123
B629912		0.07	<10	<10	29	<10	102
B629913		0.04	<10	<10	27	<10	88
B629914		0.04	<10	<10	31	<10	85
B629915		0.02	<10	10	24	<10	78
B629917		0.03	<10	<10	27	<10	54
B629918		0.02	<10	<10	27	<10	52
B629919		0.02	<10	<10	36	<10	57
B629920		0.03	<10	<10	39	<10	76
B629921		0.03	<10	<10	36	<10	84
B629922		0.03	<10	<10	35	<10	89
B629923		0.03	<10	<10	30	<10	88
B629924		0.02	<10	<10	31	<10	70
B629925		0.03	<10	<10	29	<10	87
B629926		0.04	<10	<10	32	<10	91
B629927		0.04	<10	<10	32	<10	99
B629928		0.03	<10	<10	36	<10	60
B629929		0.05	<10	<10	35	<10	82
B629930		0.04	<10	<10	35	<10	110
B629931		0.04	<10	<10	47	<10	65
B629932		0.08	<10	<10	67	<10	128
B629933		0.05	<10	<10	41	<10	104
B629934		0.05	<10	<10	37	<10	91
B629935		0.04	<10	<10	35	<10	89
B629936		0.05	<10	<10	44	<10	98
B629937		0.03	<10	<10	27	<10	58
B629938		0.04	<10	<10	26	<10	65
B629939		0.03	<10	<10	34	<10	85
B629940		0.03	<10	<10	30	<10	78
B629941		0.05	<10	<10	40	<10	96
B629942		0.04	<10	<10	40	<10	99
B629943		0.03	<10	<10	31	<10	53
B629944		0.03	<10	<10	34	<10	60

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B629945		0.36	<0.005	<0.2	1.40	42	<10	220	0.5	<2	0.27	<0.5	11	26	45	3.02
B629946		0.28	0.008	<0.2	1.39	21	<10	180	0.5	<2	0.15	<0.5	10	22	30	2.32
B629947		0.32	<0.005	<0.2	0.98	15	<10	120	<0.5	<2	0.14	<0.5	4	17	17	1.94
B629948		0.36	<0.005	0.2	1.52	26	<10	180	<0.5	<2	0.14	<0.5	9	26	30	3.09
B629949		0.14	<0.005	<0.2	0.10	40	<10	490	<0.5	<2	2.73	0.5	7	1	8	2.80
B629950		0.12	0.007	<0.2	0.17	5	<10	360	<0.5	<2	3.85	1.5	2	2	11	0.19
B628251		0.54	<0.005	0.2	1.68	20	<10	100	<0.5	<2	0.11	<0.5	9	18	21	3.24
B628252		0.40	<0.005	0.3	1.56	26	<10	280	0.7	<2	0.57	0.6	22	14	32	3.11
B628253		0.46	<0.005	0.5	1.19	119	<10	140	<0.5	<2	0.06	<0.5	15	11	21	3.66
B628254		0.68	<0.005	<0.2	1.48	15	<10	110	<0.5	<2	0.07	<0.5	6	22	18	2.32
B628255		0.60	0.005	<0.2	1.49	15	<10	350	<0.5	<2	0.22	<0.5	9	22	19	2.15
B628256		0.40	0.006	<0.2	1.23	9	<10	300	<0.5	<2	0.43	<0.5	7	18	16	1.72
B628257		0.44	<0.005	0.2	1.15	8	<10	250	<0.5	<2	0.41	<0.5	7	17	13	1.86
B628258		0.60	<0.005	<0.2	1.03	9	<10	380	<0.5	<2	0.31	<0.5	4	17	14	1.24
B628259		0.66	<0.005	<0.2	1.15	20	<10	230	<0.5	<2	0.29	<0.5	8	22	25	2.08
B628260		0.40	<0.005	<0.2	1.16	13	<10	190	<0.5	<2	0.06	<0.5	5	18	16	2.15
B628261		0.36	<0.005	<0.2	1.28	9	<10	200	<0.5	<2	0.05	<0.5	3	14	9	1.19
B628262		0.42	<0.005	<0.2	0.69	3	<10	60	<0.5	<2	0.03	<0.5	1	8	4	0.40
B628263		0.56	<0.005	<0.2	1.07	12	<10	120	<0.5	<2	0.13	<0.5	2	15	4	1.22
B628264		0.22	<0.005	0.2	0.36	7	<10	360	<0.5	<2	3.42	0.5	3	3	19	0.46
B628265		0.26	<0.005	0.3	0.50	46	<10	470	0.6	<2	1.30	4.7	11	12	87	1.38
B628266		0.22	0.055	0.4	0.60	55	<10	530	0.7	<2	1.37	1.8	27	12	62	2.39
B628267		0.50	0.011	<0.2	1.14	31	<10	240	<0.5	<2	0.28	<0.5	9	23	26	2.27
B628268		0.84	0.005	0.3	1.34	22	<10	380	0.5	<2	0.49	<0.5	12	23	34	2.86
B628269		0.26	0.005	0.4	1.03	13	<10	1170	<0.5	<2	1.70	3.1	11	14	23	1.79
B628270		0.66	0.006	<0.2	0.97	10	<10	140	<0.5	<2	0.17	<0.5	6	17	17	1.59
B628271		0.38	0.006	0.6	0.95	21	<10	270	<0.5	<2	0.75	<0.5	6	19	33	1.71
B628272		0.44	<0.005	0.3	1.23	17	<10	620	<0.5	<2	1.19	0.8	15	23	28	2.29
B628273		0.64	0.009	<0.2	1.01	21	<10	220	<0.5	<2	0.35	<0.5	8	20	18	2.01
B628274		0.48	0.010	0.2	1.18	34	<10	310	<0.5	<2	0.56	<0.5	7	22	22	1.90
B628275		0.56	0.008	0.2	1.19	25	<10	410	<0.5	<2	0.36	<0.5	8	24	23	2.02
B628276		0.54	0.021	0.2	1.21	34	<10	340	<0.5	<2	0.40	<0.5	8	22	22	2.01
B628277		0.46	<0.005	0.2	1.38	43	<10	420	<0.5	<2	0.49	<0.5	6	19	18	1.92
B628278		0.72	<0.005	<0.2	1.46	12	<10	150	<0.5	<2	0.05	<0.5	7	24	15	2.36
B628279		0.56	0.006	<0.2	1.23	26	<10	320	<0.5	<2	0.30	<0.5	9	21	14	2.13
B628280		0.82	0.040	0.2	1.20	50	<10	180	<0.5	<2	0.13	<0.5	6	19	22	1.88
B628281		0.62	0.012	0.2	1.32	31	<10	280	<0.5	<2	0.35	<0.5	7	22	22	2.11
B628282		0.56	0.011	0.2	1.17	32	<10	260	<0.5	<2	0.28	<0.5	7	21	22	1.96
B628283		0.56	<0.005	0.4	1.55	13	<10	170	<0.5	<2	0.07	0.5	6	24	23	2.34
B628284		0.58	0.006	0.5	1.15	23	<10	250	<0.5	<2	0.13	0.8	7	20	31	2.72

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B629945		<10	0.04	0.08	20	0.49	674	2	0.01	31	770	19	0.01	2	4	18
B629946		<10	0.04	0.05	20	0.38	253	2	0.01	29	630	14	0.01	<2	3	12
B629947		<10	0.03	0.03	10	0.27	106	1	0.01	14	460	10	0.01	<2	2	11
B629948		<10	0.03	0.04	10	0.40	246	1	0.01	26	550	15	0.01	2	3	12
B629949		<10	0.07	0.01	<10	0.20	1325	3	0.02	7	1050	3	0.28	<2	<1	95
B629950		<10	0.06	0.01	<10	0.27	439	<1	0.08	5	790	3	0.27	<2	<1	123
B628251		<10	0.02	0.07	30	0.31	274	1	0.01	23	230	17	0.01	2	2	9
B628252		<10	0.07	0.05	40	0.35	1995	<1	0.01	34	890	30	0.05	2	2	46
B628253		<10	0.03	0.05	40	0.15	754	<1	0.01	25	350	54	0.01	21	2	8
B628254		<10	0.03	0.04	20	0.32	162	1	0.01	16	310	11	0.01	<2	3	8
B628255		<10	0.06	0.04	20	0.33	344	1	0.01	23	620	15	0.02	2	3	22
B628256		<10	0.04	0.04	10	0.35	206	<1	0.01	16	390	13	0.03	<2	2	52
B628257		<10	0.04	0.03	10	0.34	244	1	0.01	13	450	12	0.04	2	2	49
B628258		<10	0.05	0.03	10	0.28	101	<1	0.01	13	610	8	0.06	2	2	25
B628259		<10	0.04	0.05	20	0.37	278	1	0.01	21	730	13	0.01	2	3	23
B628260		<10	0.02	0.04	20	0.27	124	1	0.01	16	220	14	0.01	<2	2	11
B628261		<10	0.03	0.04	20	0.13	71	1	0.01	10	540	11	0.02	<2	<1	11
B628262		<10	0.01	0.03	10	0.05	23	<1	0.01	3	280	6	<0.01	<2	<1	6
B628263		<10	0.02	0.03	10	0.23	65	1	0.01	6	230	13	0.01	<2	2	10
B628264		<10	0.09	0.02	<10	0.24	2210	1	0.08	9	1040	2	0.28	<2	<1	111
B628265		<10	0.15	0.01	10	0.07	773	3	0.08	20	970	2	0.80	4	2	84
B628266		<10	0.12	0.01	10	0.06	5090	2	0.06	26	1150	3	0.68	3	1	94
B628267		<10	0.04	0.07	20	0.38	247	1	0.01	25	590	16	0.01	<2	3	22
B628268		<10	0.06	0.04	20	0.41	276	1	0.02	29	680	17	0.03	3	4	49
B628269		<10	0.09	0.03	10	0.25	12350	3	0.02	28	1150	11	0.12	<2	2	176
B628270		<10	0.02	0.03	10	0.31	179	1	<0.01	17	580	7	<0.01	<2	2	15
B628271		<10	0.06	0.07	10	0.31	241	1	<0.01	19	550	14	0.04	2	2	67
B628272		<10	0.03	0.18	10	0.47	3010	1	0.02	30	1940	28	0.04	2	2	105
B628273		<10	0.04	0.05	10	0.32	391	1	<0.01	18	830	10	0.02	2	2	28
B628274		<10	0.05	0.05	10	0.35	395	1	<0.01	19	730	13	0.04	4	3	44
B628275		<10	0.06	0.04	20	0.39	234	1	0.01	20	810	17	0.02	5	3	28
B628276		<10	0.05	0.05	10	0.35	508	1	0.01	19	800	14	0.02	5	3	31
B628277		<10	0.03	0.07	20	0.23	405	1	<0.01	21	360	26	0.01	8	2	39
B628278		<10	0.02	0.03	10	0.31	174	1	<0.01	17	250	12	<0.01	2	3	7
B628279		<10	0.05	0.04	10	0.32	665	1	<0.01	17	840	9	0.02	5	3	25
B628280		<10	0.03	0.05	20	0.30	196	1	<0.01	15	580	11	0.01	6	2	12
B628281		<10	0.04	0.04	20	0.35	227	1	<0.01	19	550	14	0.01	6	3	29
B628282		<10	0.04	0.04	20	0.34	213	1	<0.01	19	550	12	<0.01	5	3	23
B628283		<10	0.11	0.04	10	0.31	141	3	<0.01	19	450	13	0.01	<2	3	11
B628284		<10	0.14	0.06	20	0.32	298	6	<0.01	28	1120	16	0.03	5	2	35

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B629945		0.04	<10	<10	41	<10	92
B629946		0.04	<10	<10	35	<10	64
B629947		0.03	<10	<10	36	<10	41
B629948		0.04	<10	<10	50	<10	68
B629949		<0.01	<10	10	3	<10	17
B629950		0.01	<10	<10	4	<10	9
B628251		0.01	<10	<10	27	<10	51
B628252		0.01	<10	<10	16	<10	114
B628253		<0.01	<10	<10	18	<10	127
B628254		0.04	<10	<10	41	<10	51
B628255		0.02	<10	<10	37	<10	57
B628256		0.02	<10	<10	29	<10	52
B628257		0.02	<10	<10	29	<10	52
B628258		0.02	<10	<10	24	<10	53
B628259		0.04	<10	<10	33	<10	63
B628260		0.03	<10	<10	39	<10	41
B628261		0.01	<10	<10	29	<10	27
B628262		0.01	<10	<10	15	<10	10
B628263		0.04	<10	<10	44	<10	31
B628264		0.01	<10	<10	6	<10	18
B628265		0.01	<10	<10	9	<10	74
B628266		0.01	<10	10	10	<10	80
B628267		0.03	<10	<10	31	<10	54
B628268		0.03	<10	<10	37	<10	73
B628269		0.02	<10	<10	21	<10	128
B628270		0.03	<10	<10	25	<10	44
B628271		0.01	<10	<10	22	<10	43
B628272		0.02	<10	<10	26	<10	113
B628273		0.02	<10	<10	29	<10	64
B628274		0.03	<10	<10	32	<10	68
B628275		0.03	<10	<10	34	<10	67
B628276		0.03	<10	<10	33	<10	70
B628277		0.02	<10	<10	26	<10	50
B628278		0.04	<10	<10	46	<10	56
B628279		0.03	<10	<10	35	<10	72
B628280		0.02	<10	<10	29	<10	56
B628281		0.03	<10	<10	37	<10	69
B628282		0.04	<10	<10	34	<10	64
B628283		0.03	<10	<10	46	<10	81
B628284		0.03	<10	<10	44	<10	147

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B628285		0.72	<0.005	<0.2	1.33	10	<10	180	<0.5	<2	0.07	<0.5	8	21	19	2.29
B628286		0.50	0.006	<0.2	1.72	13	<10	200	0.5	<2	0.08	<0.5	9	23	24	2.68
B628287		0.48	<0.005	<0.2	1.29	13	<10	190	<0.5	<2	0.18	<0.5	8	16	22	2.32
B628288		0.60	0.008	<0.2	1.25	36	<10	210	<0.5	<2	0.45	<0.5	9	17	28	2.37
B628289		0.56	0.012	0.6	1.33	53	<10	220	<0.5	<2	0.79	<0.5	8	21	28	2.20
B628290		0.54	0.016	0.2	1.07	113	<10	170	<0.5	<2	0.41	<0.5	10	16	21	3.06
B628291		0.52	0.042	<0.2	1.03	42	<10	260	<0.5	<2	1.20	<0.5	7	12	21	1.88
B628292		0.64	0.005	0.3	1.43	20	<10	170	<0.5	<2	0.06	<0.5	6	23	28	2.46
B628293		0.50	0.011	0.2	1.21	17	<10	190	<0.5	<2	0.10	<0.5	5	17	18	1.99
B628294		0.78	<0.005	0.3	1.50	21	<10	380	<0.5	<2	0.28	0.5	9	24	29	2.57
B628295		0.72	0.012	0.3	1.30	49	<10	170	<0.5	<2	0.05	<0.5	8	19	41	2.53
B628851		0.56	0.007	0.5	0.93	66	<10	230	<0.5	<2	0.60	4.2	10	19	59	2.43
B628852		0.58	0.006	0.4	1.24	56	<10	300	<0.5	<2	0.54	0.8	9	21	44	2.73
B628853		0.36	0.005	0.4	1.25	44	<10	270	0.5	<2	0.89	0.7	10	20	45	2.64
B628854		0.30	<0.005	0.4	1.02	27	<10	260	<0.5	<2	1.64	0.7	8	16	42	2.04
B628855		0.42	0.006	0.3	1.24	32	<10	280	<0.5	<2	0.44	<0.5	10	23	32	2.50
B628856		0.56	0.006	0.4	1.36	42	<10	250	<0.5	<2	0.38	1.1	13	24	52	3.06
B628857		0.28	<0.005	0.2	1.13	16	<10	280	<0.5	<2	0.74	<0.5	9	21	25	2.24
B628858		0.54	<0.005	0.4	1.10	28	<10	290	<0.5	<2	1.27	0.9	9	19	39	2.29
B628859		0.54	0.005	<0.2	1.21	28	<10	180	<0.5	<2	1.67	0.5	10	22	42	2.88
B628860		0.50	0.026	0.3	0.95	56	<10	140	<0.5	<2	1.38	0.7	15	18	56	3.38
B628861		0.46	0.015	0.5	1.38	52	<10	160	<0.5	<2	0.43	0.5	15	25	52	3.41
B628862		0.16	<0.005	0.3	1.10	7	<10	300	<0.5	<2	0.70	0.8	5	20	26	1.30
B628863		0.42	0.007	0.4	1.20	21	<10	300	<0.5	<2	0.71	0.5	10	23	32	2.53
B628864		0.52	<0.005	0.2	1.19	33	<10	200	<0.5	<2	0.31	<0.5	9	25	41	2.38
B628865		0.58	0.005	0.3	2.32	48	<10	280	0.7	<2	0.24	0.7	16	38	54	3.23
B628866		0.56	<0.005	<0.2	0.75	14	<10	160	<0.5	<2	0.30	<0.5	5	15	17	1.67
B628867		0.38	0.024	<0.2	1.62	49	<10	220	0.6	<2	0.18	<0.5	12	27	55	3.05
B628868		0.36	<0.005	0.2	1.13	24	<10	250	<0.5	<2	0.48	<0.5	8	20	19	2.10
B628869		0.48	<0.005	<0.2	2.00	37	<10	180	0.7	<2	0.17	<0.5	14	29	48	3.45
B628870		0.44	0.014	0.3	1.13	64	<10	190	<0.5	<2	0.41	<0.5	9	24	41	2.45
B628871		0.48	<0.005	0.3	1.39	29	<10	190	<0.5	<2	0.31	<0.5	9	25	28	2.71
B628872		0.38	<0.005	0.3	1.26	35	<10	200	<0.5	<2	0.49	<0.5	10	24	34	2.52
B628873		0.52	<0.005	0.3	1.28	17	<10	400	<0.5	<2	0.33	<0.5	8	25	31	2.42
B628874		0.50	<0.005	0.2	1.09	19	<10	260	<0.5	<2	0.40	<0.5	8	21	21	1.91
B628875		0.28	<0.005	0.3	1.31	21	<10	380	<0.5	<2	0.14	0.6	4	27	31	1.80
B628876		0.52	<0.005	0.2	1.12	13	<10	300	<0.5	<2	0.40	<0.5	8	20	24	1.85
B628877		0.56	0.019	0.3	1.11	13	<10	130	<0.5	<2	0.51	0.7	15	14	32	2.96
B628878		0.54	<0.005	0.2	1.05	12	<10	80	<0.5	<2	0.25	<0.5	13	24	26	2.81
B628879		0.58	0.005	<0.2	1.13	11	<10	150	<0.5	<2	0.38	<0.5	8	19	28	2.20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B628285		<10	0.03	0.05	30	0.40	294	1	<0.01	19	310	14	<0.01	<2	3	8
B628286		<10	0.03	0.06	30	0.43	240	1	<0.01	22	230	16	<0.01	<2	2	11
B628287		<10	0.02	0.09	30	0.40	175	<1	<0.01	20	320	16	<0.01	<2	2	15
B628288		<10	0.04	0.11	30	0.44	258	<1	<0.01	23	560	23	0.01	4	2	27
B628289		<10	0.08	0.05	20	0.46	296	1	<0.01	23	750	18	0.06	6	2	42
B628290		<10	0.05	0.05	20	0.37	345	1	<0.01	21	640	17	0.03	4	2	24
B628291		<10	0.05	0.06	20	0.33	263	1	<0.01	21	410	19	0.05	6	2	57
B628292		<10	0.05	0.03	10	0.32	164	2	<0.01	23	240	10	<0.01	4	2	12
B628293		<10	0.02	0.03	20	0.28	148	2	<0.01	18	250	8	<0.01	2	2	15
B628294		<10	0.06	0.05	20	0.41	326	1	0.01	26	570	15	<0.01	3	3	23
B628295		<10	0.05	0.04	20	0.32	255	6	<0.01	24	490	16	0.01	7	3	27
B628851		<10	0.08	0.07	10	0.46	323	7	0.01	47	920	14	0.04	3	3	34
B628852		<10	0.08	0.04	20	0.40	322	3	0.01	33	690	17	0.01	<2	4	28
B628853		<10	0.10	0.09	20	0.42	535	2	0.01	35	850	16	0.03	2	3	39
B628854		<10	0.09	0.08	20	0.37	407	2	0.01	30	730	18	0.06	<2	3	55
B628855		<10	0.08	0.05	20	0.43	349	2	0.01	25	720	21	0.01	<2	3	26
B628856		<10	0.09	0.15	20	0.44	380	2	0.01	40	950	23	<0.01	<2	4	24
B628857		<10	0.10	0.04	10	0.37	442	2	<0.01	19	1180	14	0.05	<2	3	38
B628858		<10	0.09	0.07	10	0.46	609	2	0.01	30	850	14	0.06	2	3	49
B628859		<10	1.08	0.19	20	0.87	363	3	<0.01	34	1040	18	0.01	3	4	42
B628860		<10	0.34	0.07	20	0.89	483	2	<0.01	35	1050	24	0.02	2	3	30
B628861		<10	0.59	0.08	20	0.66	598	3	0.02	40	1090	32	0.01	2	4	21
B628862		<10	0.29	0.05	10	0.46	356	<1	0.01	23	870	12	0.09	2	3	30
B628863		<10	0.33	0.08	10	0.52	361	3	0.01	26	800	16	0.02	<2	4	30
B628864		<10	0.06	0.05	20	0.45	441	3	0.01	33	770	15	0.01	<2	5	22
B628865		10	0.03	0.13	20	0.77	568	2	0.02	53	860	19	0.01	<2	5	19
B628866		<10	0.04	0.03	10	0.30	95	1	<0.01	17	820	9	0.01	<2	2	21
B628867		<10	0.07	0.08	20	0.47	426	2	0.01	33	460	19	0.01	2	5	16
B628868		<10	0.04	0.04	10	0.36	265	1	<0.01	17	810	12	0.02	2	3	26
B628869		10	0.03	0.08	20	0.48	350	2	<0.01	44	730	24	0.01	<2	4	13
B628870		<10	0.07	0.07	20	0.45	352	3	0.01	31	890	18	0.01	2	4	26
B628871		<10	0.04	0.08	20	0.48	373	3	0.01	27	520	22	0.01	2	3	19
B628872		<10	0.06	0.07	20	0.51	460	2	0.01	29	900	17	0.01	2	3	26
B628873		<10	0.06	0.04	20	0.39	286	1	0.01	26	860	11	<0.01	2	4	22
B628874		<10	0.06	0.04	10	0.33	490	3	0.01	20	920	12	0.04	2	3	24
B628875		<10	0.08	0.05	10	0.34	98	2	<0.01	14	680	13	0.12	<2	4	20
B628876		<10	0.10	0.04	10	0.34	157	1	0.01	20	710	11	0.03	<2	3	24
B628877		<10	0.07	0.04	40	0.35	1220	1	<0.01	35	660	43	0.04	8	2	40
B628878		<10	0.03	0.04	40	0.45	392	<1	<0.01	34	600	20	0.01	3	2	24
B628879		<10	0.04	0.04	30	0.41	453	1	<0.01	24	690	14	0.02	<2	2	31

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B628285		0.03	<10	<10	32	<10	55
B628286		0.02	<10	<10	34	<10	62
B628287		0.02	<10	<10	24	<10	58
B628288		0.02	<10	<10	20	<10	76
B628289		0.01	<10	<10	26	<10	78
B628290		0.02	<10	<10	24	<10	67
B628291		0.01	<10	<10	17	<10	75
B628292		0.04	<10	<10	44	<10	71
B628293		0.03	<10	<10	36	<10	59
B628294		0.04	<10	<10	42	<10	89
B628295		0.03	<10	<10	42	<10	89
B628851		0.04	<10	<10	37	<10	148
B628852		0.04	<10	<10	39	<10	90
B628853		0.03	<10	<10	34	<10	99
B628854		0.03	<10	<10	27	<10	73
B628855		0.04	<10	<10	41	<10	83
B628856		0.05	<10	<10	38	<10	127
B628857		0.03	<10	<10	38	<10	65
B628858		0.03	<10	<10	32	<10	82
B628859		0.05	<10	<10	34	<10	114
B628860		0.05	<10	<10	31	<10	124
B628861		0.06	<10	<10	39	<10	111
B628862		0.04	<10	<10	29	<10	102
B628863		0.04	<10	<10	41	<10	77
B628864		0.06	<10	<10	43	<10	91
B628865		0.08	<10	<10	56	<10	117
B628866		0.04	<10	<10	27	<10	58
B628867		0.05	<10	<10	47	<10	96
B628868		0.04	<10	<10	39	<10	59
B628869		0.06	<10	<10	47	<10	107
B628870		0.05	<10	<10	41	<10	107
B628871		0.04	<10	<10	44	<10	88
B628872		0.05	<10	<10	40	<10	92
B628873		0.05	<10	<10	43	<10	81
B628874		0.04	<10	<10	36	<10	68
B628875		0.04	<10	<10	38	<10	56
B628876		0.04	<10	<10	38	<10	62
B628877		0.01	<10	<10	18	<10	149
B628878		0.02	<10	<10	19	<10	81
B628879		0.02	<10	<10	24	<10	64

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B628880		0.30	<0.005	<0.2	1.25	10	<10	130	<0.5	<2	0.11	<0.5	4	16	9	1.53
B628881		0.42	0.027	0.2	0.76	22	<10	130	<0.5	<2	0.41	<0.5	7	14	25	2.79
B628882		0.56	0.006	<0.2	1.34	16	<10	110	<0.5	<2	0.19	<0.5	10	20	28	2.60
B628883		0.46	<0.005	<0.2	0.72	9	<10	70	<0.5	<2	0.56	<0.5	14	7	28	2.90
B628884		0.36	<0.005	0.3	1.27	28	<10	260	<0.5	<2	0.35	<0.5	17	16	22	2.61
B628885		0.36	<0.005	0.2	1.36	21	<10	40	<0.5	<2	0.02	<0.5	10	16	35	3.63
B628886		0.56	0.013	<0.2	1.75	44	<10	220	0.6	<2	0.43	0.6	13	32	47	3.45
B628887		0.52	<0.005	0.5	1.57	27	<10	260	0.5	<2	0.45	0.6	11	29	29	2.69
B628888		0.28	0.005	0.3	1.15	26	<10	190	<0.5	<2	0.90	<0.5	9	21	31	2.61
B628889		0.48	<0.005	0.4	1.00	26	<10	230	<0.5	<2	1.56	0.5	9	19	30	2.22
B628890		0.64	<0.005	<0.2	1.70	24	<10	160	0.5	<2	0.09	<0.5	12	28	37	2.96
B628891		0.66	<0.005	0.3	1.31	41	<10	160	<0.5	<2	0.45	0.8	10	28	46	2.90
B628892		0.62	0.005	0.4	1.33	46	<10	180	0.5	<2	0.46	1.0	14	27	52	3.21
B628893		0.64	0.006	0.2	0.98	22	<10	120	<0.5	<2	0.52	0.6	8	22	22	2.22
B628894		0.66	0.014	0.5	1.49	18	<10	210	0.5	2	0.82	1.1	12	36	56	2.95
B628895		0.62	<0.005	0.4	1.12	14	<10	120	<0.5	3	0.60	0.9	11	26	33	2.80
B628896		0.72	<0.005	0.6	1.36	21	<10	160	0.5	2	0.57	1.1	11	32	48	3.15
B628897		0.76	<0.005	0.5	1.37	23	<10	210	0.5	3	0.63	0.6	10	32	42	2.90
B628898		0.60	<0.005	0.4	1.79	30	<10	260	0.6	2	0.56	0.8	10	38	47	3.44
B628899		0.76	<0.005	0.3	1.16	18	<10	140	<0.5	2	0.34	0.8	11	28	42	2.97
B628904		1.00	<0.005	<0.2	1.26	19	<10	100	<0.5	2	0.13	<0.5	5	21	16	2.12
B628905		0.94	<0.005	<0.2	1.43	20	<10	160	<0.5	<2	0.16	<0.5	6	27	24	2.31
B628906		0.78	0.006	0.2	1.42	22	<10	180	<0.5	<2	0.16	<0.5	7	25	22	2.31
B628907		0.64	<0.005	0.4	1.28	11	<10	110	<0.5	3	0.16	<0.5	4	21	16	2.06
B628908		0.66	<0.005	<0.2	1.26	13	<10	110	<0.5	2	0.17	<0.5	9	21	26	2.29
B628909		0.56	<0.005	<0.2	2.33	37	<10	260	0.7	2	0.29	<0.5	9	39	30	2.84
B628910		0.64	0.006	<0.2	2.08	36	<10	180	0.6	2	0.18	<0.5	9	34	24	2.79
B628911		0.66	<0.005	<0.2	1.99	20	<10	220	0.6	2	0.21	<0.5	10	32	26	2.96
B628912		0.76	<0.005	<0.2	1.78	24	<10	200	0.7	<2	0.17	<0.5	12	30	29	2.98
B628913		0.74	<0.005	<0.2	2.03	15	<10	170	0.6	2	0.50	<0.5	11	33	23	2.71
B628914		0.96	<0.005	<0.2	2.10	23	<10	230	0.6	2	0.33	<0.5	10	35	21	3.00
B628915		0.84	0.007	0.2	1.72	25	<10	160	<0.5	2	0.39	<0.5	12	39	49	2.77
B628916		0.66	0.008	<0.2	1.94	15	<10	270	0.6	<2	0.13	<0.5	10	35	37	2.86
B629801		0.56	0.015	0.6	0.84	91	<10	80	<0.5	2	0.94	0.7	20	12	46	4.64
B629802		0.54	0.011	0.4	0.94	49	<10	150	<0.5	3	1.35	<0.5	11	14	38	3.31
B629803		0.54	0.008	0.2	0.97	72	<10	170	<0.5	2	2.18	0.5	9	14	33	2.57
B629804		0.56	0.011	<0.2	1.31	93	<10	200	<0.5	3	0.46	<0.5	8	18	41	3.18
B629805		0.44	0.016	0.4	1.14	80	<10	160	<0.5	3	0.70	0.6	10	19	40	3.17
B629806		0.48	0.006	0.3	1.03	56	<10	170	<0.5	2	1.13	0.8	9	18	30	2.53
B629807		0.60	0.015	0.3	1.02	65	<10	160	<0.5	3	0.57	0.6	11	17	25	2.88

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
B628880		<10	0.03	0.04	20	0.25	96	1	<0.01	13	300	11	<0.01	<2	2	11
B628881		<10	0.07	0.05	30	0.24	260	2	0.01	21	550	35	0.11	2	2	33
B628882		<10	0.03	0.03	40	0.43	380	1	<0.01	26	640	15	<0.01	<2	2	20
B628883		<10	0.03	0.07	40	0.26	485	<1	<0.01	37	540	33	0.02	3	3	45
B628884		<10	0.04	0.03	30	0.32	1395	1	<0.01	26	560	21	0.03	6	2	31
B628885		<10	0.03	0.07	50	0.40	227	<1	<0.01	25	370	21	0.01	2	1	8
B628886		<10	0.06	0.10	20	0.59	629	2	0.02	40	950	22	0.01	3	4	26
B628887		<10	0.08	0.07	20	0.54	762	3	0.01	30	970	16	0.04	3	4	29
B628888		<10	0.08	0.06	20	0.48	429	1	0.01	25	510	17	0.03	<2	3	33
B628889		<10	0.08	0.08	10	0.52	412	1	0.01	23	780	12	0.06	2	3	49
B628890		<10	0.04	0.06	20	0.45	309	2	<0.01	33	290	20	0.01	<2	3	9
B628891		<10	0.06	0.06	20	0.46	401	2	0.01	36	620	22	0.02	2	3	22
B628892		<10	0.08	0.07	20	0.52	546	2	0.02	39	1190	29	0.01	2	4	26
B628893		<10	0.05	0.05	20	0.44	346	2	0.01	25	1060	13	0.01	3	3	27
B628894		<10	0.10	0.08	10	0.62	395	2	0.03	41	850	23	0.03	<2	4	29
B628895		<10	0.07	0.07	10	0.55	425	2	0.02	31	1070	16	0.02	3	3	28
B628896		<10	0.08	0.09	20	0.58	409	3	0.04	43	1100	22	0.02	2	4	28
B628897		<10	0.07	0.06	10	0.52	421	2	0.03	34	700	24	0.02	4	4	26
B628898		10	0.06	0.07	10	0.60	380	3	0.02	39	650	24	0.03	<2	4	26
B628899		<10	0.07	0.06	20	0.44	542	3	0.02	36	1100	19	0.02	<2	3	22
B628904		<10	0.02	0.04	10	0.32	175	1	0.01	15	670	17	0.01	2	1	10
B628905		<10	0.06	0.04	20	0.40	228	1	0.01	19	490	16	0.02	3	3	18
B628906		<10	0.03	0.04	20	0.39	250	1	0.01	19	660	16	0.01	<2	3	14
B628907		<10	0.04	0.04	10	0.36	107	1	0.01	15	550	12	0.01	<2	1	13
B628908		<10	0.04	0.04	10	0.34	322	1	0.01	22	650	11	0.01	2	3	13
B628909		10	0.03	0.22	20	0.79	355	1	0.01	29	830	11	0.01	<2	5	20
B628910		10	0.03	0.12	20	0.62	265	1	0.01	26	590	13	0.01	<2	4	14
B628911		10	0.05	0.07	20	0.54	378	1	0.01	28	650	12	0.01	2	5	16
B628912		<10	0.05	0.06	20	0.51	425	2	0.01	27	580	14	0.01	3	4	15
B628913		10	0.03	0.08	20	0.65	372	2	0.05	29	1370	9	0.01	<2	4	21
B628914		10	0.04	0.06	20	0.65	343	2	0.02	24	730	25	0.01	<2	5	20
B628915		10	0.04	0.05	10	0.66	242	2	0.02	32	760	8	0.03	2	4	21
B628916		<10	0.04	0.05	10	0.49	247	2	0.01	28	290	13	0.02	<2	4	14
B629801		<10	0.04	0.05	20	0.50	381	8	0.01	50	1580	32	0.14	4	3	32
B629802		<10	0.04	0.08	20	0.62	301	3	0.02	34	1150	18	0.04	2	3	36
B629803		<10	0.04	0.18	20	0.84	420	2	0.02	23	1070	19	0.02	<2	3	48
B629804		<10	0.04	0.13	20	0.55	328	2	0.03	26	530	22	0.02	<2	4	22
B629805		<10	0.06	0.09	20	0.56	272	3	0.02	25	970	21	0.02	2	4	26
B629806		<10	0.06	0.07	20	0.46	266	2	0.02	25	660	19	0.05	<2	3	39
B629807		<10	0.07	0.06	20	0.43	540	2	0.01	24	780	19	0.02	2	3	27

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B628880		0.02	<10	<10	32	<10	36
B628881		0.02	<10	<10	20	<10	56
B628882		0.02	<10	<10	24	<10	69
B628883		0.01	<10	<10	7	<10	59
B628884		0.02	<10	<10	25	<10	91
B628885		<0.01	<10	<10	11	<10	57
B628886		0.05	<10	<10	53	<10	133
B628887		0.04	<10	<10	45	<10	116
B628888		0.04	<10	<10	36	<10	83
B628889		0.06	<10	<10	33	<10	84
B628890		0.04	<10	<10	45	<10	97
B628891		0.05	<10	<10	47	<10	123
B628892		0.05	<10	<10	43	<10	166
B628893		0.06	<10	<10	35	<10	102
B628894		0.04	<10	<10	52	<10	128
B628895		0.05	<10	<10	40	<10	108
B628896		0.05	<10	<10	48	<10	132
B628897		0.03	<10	<10	52	<10	100
B628898		0.04	<10	<10	61	<10	135
B628899		0.04	<10	<10	41	<10	114
B628904		0.03	<10	<10	38	10	59
B628905		0.05	<10	<10	48	<10	67
B628906		0.05	<10	<10	45	10	67
B628907		0.02	<10	<10	36	<10	54
B628908		0.05	<10	<10	36	<10	61
B628909		0.10	<10	<10	55	<10	169
B628910		0.09	<10	<10	54	<10	80
B628911		0.07	<10	<10	57	<10	78
B628912		0.05	<10	<10	51	<10	80
B628913		0.07	<10	<10	47	<10	69
B628914		0.07	<10	<10	56	<10	71
B628915		0.08	<10	<10	61	<10	68
B628916		0.06	<10	<10	61	<10	68
B629801		0.01	<10	<10	15	<10	137
B629802		0.03	<10	<10	24	<10	91
B629803		0.05	<10	<10	26	<10	93
B629804		0.07	<10	<10	33	<10	89
B629805		0.05	<10	<10	33	<10	104
B629806		0.04	<10	<10	29	<10	85
B629807		0.04	<10	<10	30	<10	87

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B629808		0.22	0.022	0.2	0.74	47	<10	120	<0.5	2	1.13	0.5	7	13	21	2.16
B629809		0.60	0.013	0.4	0.99	70	<10	140	<0.5	2	0.72	0.6	10	17	39	3.15
B629810		0.64	0.022	0.5	0.99	55	<10	160	<0.5	2	0.51	0.7	11	18	40	3.42
B629811		0.56	0.009	0.7	0.92	49	<10	150	<0.5	<2	0.76	0.6	10	18	33	2.98
B629812		0.58	<0.005	0.3	1.09	20	<10	100	<0.5	2	0.89	<0.5	12	18	32	2.90
B629813		0.52	0.013	0.8	0.68	43	<10	110	<0.5	2	0.79	1.1	16	18	59	4.26
B629814		0.62	0.044	1.2	0.82	35	<10	100	<0.5	2	0.77	1.8	18	17	72	4.97
B629815		0.58	0.005	0.2	1.27	19	<10	270	<0.5	2	0.55	<0.5	10	21	24	2.72
B629816		0.36	<0.005	0.2	1.20	14	<10	260	<0.5	2	1.36	<0.5	8	20	20	2.33
B629817		0.78	1.015	3.3	0.85	957	<10	130	<0.5	4	0.97	1.5	13	16	30	2.80
B629818		0.16	0.121	0.6	0.83	137	<10	150	<0.5	2	1.91	1.1	7	15	29	1.97
B629819		0.50	0.009	<0.2	0.88	36	<10	100	<0.5	2	0.91	<0.5	10	16	24	2.53
B629820		0.80	0.045	0.9	0.98	157	<10	150	<0.5	<2	0.72	1.1	19	20	47	4.51
B629821		0.60	0.012	0.4	1.01	35	<10	180	<0.5	2	0.51	<0.5	10	19	46	2.84
B629822		0.60	0.011	0.6	0.99	43	<10	190	<0.5	2	0.73	0.9	10	18	45	2.92
B629823		0.70	0.011	0.3	1.27	30	<10	200	<0.5	3	0.24	<0.5	9	22	37	3.04
B629824		0.54	0.011	0.2	1.26	18	<10	320	<0.5	2	0.38	<0.5	9	22	28	2.65
B629825		0.60	0.015	0.9	1.21	59	<10	220	0.5	2	0.46	0.5	13	22	58	3.64
B629826		0.56	0.018	<0.2	1.29	40	<10	210	<0.5	2	0.30	<0.5	12	21	48	3.57
B629827		0.50	0.005	0.2	0.80	27	<10	290	<0.5	<2	1.59	0.6	16	14	20	2.23
B629828		0.56	0.009	0.3	0.97	39	<10	150	<0.5	2	0.62	0.5	12	19	28	3.13
B629829		0.58	0.011	0.3	0.84	29	<10	90	<0.5	2	1.44	0.7	9	19	33	2.41
B629830		0.64	0.007	0.4	0.96	43	<10	100	<0.5	<2	1.80	0.9	9	21	40	2.76
B629831		0.56	0.006	0.2	1.12	32	<10	200	<0.5	2	0.71	0.5	9	21	31	2.83
B629832		0.50	0.005	0.2	1.19	16	<10	240	<0.5	2	0.70	<0.5	9	22	23	2.38
B629833		0.40	<0.005	<0.2	1.11	6	<10	190	<0.5	2	0.59	<0.5	6	20	22	1.47
B629834		0.12	0.007	0.2	0.90	22	<10	220	<0.5	2	1.16	0.6	7	16	16	1.75
B629835		0.06	0.016	0.3	0.87	13	<10	340	<0.5	<2	2.42	1.8	10	16	42	1.89
B629836		0.48	<0.005	<0.2	1.06	12	<10	170	<0.5	2	0.56	<0.5	7	21	19	1.83
B629837		0.40	0.006	0.2	1.27	20	<10	260	<0.5	2	0.56	<0.5	8	23	31	2.27
B629838		0.66	0.029	0.3	1.30	76	<10	240	<0.5	2	0.53	0.6	12	25	49	3.09
B629839		0.64	0.006	<0.2	1.02	14	<10	180	<0.5	3	0.40	<0.5	8	21	31	2.33
B629840		0.68	0.007	<0.2	0.86	26	<10	90	<0.5	2	0.25	0.5	7	19	29	2.26
B629841		0.50	0.012	0.4	1.24	29	<10	250	<0.5	2	0.77	<0.5	10	23	46	2.90
B629842		0.70	0.005	0.3	1.08	26	<10	130	<0.5	3	0.43	<0.5	9	21	33	2.65
B629843		0.48	0.010	0.3	1.12	30	<10	200	<0.5	3	0.90	<0.5	10	21	32	2.68
B629844		0.60	0.009	0.2	1.00	16	<10	150	<0.5	2	1.18	0.5	9	21	29	2.48
B629845		0.60	0.007	0.2	1.18	17	<10	250	<0.5	<2	0.33	<0.5	8	20	24	2.39
B629846		0.56	0.007	<0.2	1.29	10	<10	240	<0.5	2	0.31	<0.5	9	21	18	2.29
B629847		0.52	0.007	0.2	1.38	134	<10	310	<0.5	3	0.56	0.5	8	23	23	2.27

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B629808		<10	0.05	0.05	10	0.37	207	2	0.02	17	780	15	0.05	<2	2	37
B629809		<10	0.06	0.06	20	0.53	328	4	0.01	30	960	25	0.03	2	3	27
B629810		<10	0.06	0.05	20	0.43	442	4	0.01	34	780	22	0.04	3	3	23
B629811		<10	0.06	0.06	20	0.42	232	4	0.01	27	1310	21	0.03	<2	3	32
B629812		<10	0.03	0.06	20	0.74	465	3	0.01	30	2480	19	0.02	3	3	29
B629813		<10	0.07	0.05	20	0.34	401	6	0.01	53	1940	23	0.06	7	3	32
B629814		<10	0.05	0.06	20	0.46	357	13	0.01	66	2250	24	0.15	7	3	32
B629815		<10	0.06	0.04	10	0.42	296	1	0.01	24	480	18	0.03	2	3	30
B629816		<10	0.06	0.05	10	0.48	192	1	0.02	17	760	12	0.07	<2	3	58
B629817		<10	0.10	0.04	10	0.42	753	3	0.01	23	930	499	0.05	25	2	43
B629818		<10	0.07	0.05	10	0.52	397	1	0.01	23	860	41	0.09	6	2	66
B629819		<10	0.05	0.03	10	0.53	357	4	0.01	22	1340	15	0.04	3	2	41
B629820		<10	0.07	0.06	10	0.50	914	5	0.01	39	1180	36	0.06	5	4	41
B629821		<10	0.07	0.05	20	0.42	187	3	0.01	32	870	20	0.02	3	3	23
B629822		<10	0.07	0.06	20	0.41	340	3	0.01	30	1000	22	0.02	2	3	29
B629823		<10	0.04	0.05	10	0.42	301	2	0.01	28	720	17	0.01	4	3	15
B629824		<10	0.07	0.05	10	0.43	309	1	0.01	24	790	11	0.01	2	4	22
B629825		<10	0.09	0.08	20	0.49	453	4	0.01	40	1150	31	0.02	5	4	22
B629826		<10	0.06	0.05	20	0.47	354	2	0.01	34	630	20	0.01	3	3	15
B629827		<10	0.06	0.03	10	0.37	2770	2	0.01	19	810	15	0.08	<2	2	63
B629828		<10	0.04	0.05	10	0.44	474	3	0.01	25	810	24	0.03	3	3	29
B629829		<10	0.06	0.06	10	0.88	439	3	0.03	27	1080	14	0.05	3	3	32
B629830		<10	0.07	0.09	20	0.97	510	4	0.03	30	1110	16	0.09	2	3	43
B629831		<10	0.07	0.08	20	0.47	405	2	0.01	26	780	18	0.03	2	3	29
B629832		<10	0.07	0.06	10	0.44	301	1	0.01	23	700	14	0.04	<2	3	33
B629833		<10	0.07	0.05	10	0.40	216	1	0.01	17	650	13	0.04	<2	3	28
B629834		<10	0.07	0.05	10	0.37	357	1	0.02	13	870	10	0.10	<2	2	47
B629835		<10	0.11	0.07	10	0.46	274	1	0.02	28	700	9	0.30	<2	3	97
B629836		<10	0.09	0.05	10	0.39	109	1	0.01	18	740	12	0.04	<2	3	29
B629837		<10	0.07	0.06	20	0.44	292	1	0.01	24	820	14	0.02	<2	3	28
B629838		<10	0.07	0.11	20	0.60	286	2	0.02	37	990	17	0.01	2	4	24
B629839		<10	0.05	0.06	10	0.41	190	1	0.02	24	790	11	0.01	2	3	24
B629840		<10	0.03	0.05	10	0.34	378	2	0.01	25	790	13	0.01	<2	3	17
B629841		<10	0.11	0.08	20	0.52	418	2	0.01	31	730	18	0.03	2	3	29
B629842		<10	0.06	0.08	20	0.50	293	2	0.02	28	610	14	0.01	<2	3	21
B629843		<10	0.07	0.09	10	0.48	543	2	0.02	25	760	17	0.04	<2	3	33
B629844		<10	0.05	0.08	10	0.84	383	2	0.02	27	930	14	0.01	3	3	30
B629845		<10	0.05	0.04	10	0.35	187	1	0.01	18	740	11	0.02	<2	3	23
B629846		<10	0.09	0.04	10	0.34	230	1	0.01	18	620	12	0.02	<2	3	22
B629847		<10	0.06	0.05	10	0.35	295	1	0.01	22	690	14	0.05	<2	3	41

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B629808		0.04	<10	<10	24	<10	66
B629809		0.04	<10	<10	29	<10	115
B629810		0.03	<10	<10	28	<10	110
B629811		0.03	<10	<10	29	<10	100
B629812		0.01	<10	<10	22	<10	77
B629813		0.01	<10	<10	25	<10	161
B629814		<0.01	<10	<10	18	<10	200
B629815		0.03	<10	<10	39	<10	63
B629816		0.04	<10	<10	35	<10	66
B629817		0.02	<10	<10	24	<10	174
B629818		0.01	<10	<10	20	<10	93
B629819		0.02	<10	<10	23	<10	64
B629820		0.03	<10	<10	30	<10	140
B629821		0.03	<10	<10	31	<10	97
B629822		0.03	<10	<10	28	<10	93
B629823		0.03	<10	<10	36	<10	83
B629824		0.03	<10	<10	40	<10	69
B629825		0.02	<10	<10	33	<10	134
B629826		0.03	<10	<10	33	<10	106
B629827		0.02	<10	<10	25	<10	42
B629828		0.03	<10	<10	30	<10	85
B629829		0.04	<10	<10	33	<10	93
B629830		0.05	<10	<10	36	10	108
B629831		0.03	<10	<10	33	<10	97
B629832		0.03	<10	<10	36	<10	83
B629833		0.03	<10	<10	31	<10	75
B629834		0.03	<10	<10	27	<10	73
B629835		0.04	<10	<10	25	<10	66
B629836		0.04	<10	<10	37	<10	79
B629837		0.03	<10	<10	38	<10	76
B629838		0.06	<10	<10	40	<10	106
B629839		0.05	<10	<10	36	<10	65
B629840		0.05	<10	<10	32	<10	74
B629841		0.04	<10	<10	37	<10	86
B629842		0.05	<10	<10	34	<10	89
B629843		0.03	<10	<10	34	<10	93
B629844		0.04	<10	<10	33	<10	86
B629845		0.03	<10	<10	36	<10	61
B629846		0.02	<10	<10	35	<10	58
B629847		0.03	<10	<10	37	<10	76

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B629848		0.52	0.006	0.2	1.29	37	<10	270	<0.5	2	0.48	0.5	10	21	20	2.52
B629849		0.86	0.005	0.2	1.11	16	<10	270	<0.5	2	0.36	0.6	12	18	12	1.99
B629850		0.76	0.012	0.2	1.33	38	<10	370	<0.5	2	0.38	0.6	8	21	22	2.53
B629851		0.52	0.012	0.2	1.41	26	<10	350	<0.5	<2	0.35	<0.5	8	22	18	1.92
B629852		0.58	<0.005	<0.2	1.46	8	<10	140	<0.5	2	0.08	<0.5	6	22	15	2.46
B629853		0.60	0.007	0.2	1.55	29	<10	320	<0.5	3	0.32	<0.5	10	26	28	2.48
B629854		0.80	0.012	<0.2	1.31	19	<10	230	<0.5	<2	0.23	<0.5	6	22	18	2.03
B629855		0.60	0.009	0.2	1.49	23	<10	310	<0.5	2	0.28	<0.5	10	30	23	2.35
B629856		0.68	0.012	0.2	1.32	36	<10	330	0.5	2	0.35	<0.5	10	24	27	2.39
B629857		0.62	0.010	0.3	1.53	62	<10	330	<0.5	3	0.53	0.5	12	27	29	3.31
B629858		0.76	<0.005	<0.2	1.41	13	<10	170	<0.5	<2	0.11	<0.5	8	23	23	2.37
B629859		0.68	0.006	<0.2	1.14	12	<10	90	<0.5	2	0.16	<0.5	6	19	19	2.17
B629860		0.66	0.005	<0.2	1.29	14	<10	110	<0.5	2	0.13	<0.5	5	21	17	2.31
B629861		0.54	0.006	<0.2	1.05	15	<10	90	<0.5	3	0.07	<0.5	5	17	15	1.92
B629862		0.62	<0.005	<0.2	1.82	18	<10	130	0.5	2	0.07	<0.5	19	24	34	3.64
B629863		0.64	0.065	0.3	1.60	31	<10	120	<0.5	<2	0.13	<0.5	11	23	28	3.72
B629864		0.64	<0.005	0.2	1.21	38	<10	140	<0.5	<2	0.17	<0.5	10	19	27	2.76
B629865		0.52	<0.005	<0.2	1.60	32	<10	70	<0.5	<2	0.03	<0.5	11	16	26	4.26
B629866		0.58	0.012	<0.2	0.80	11	<10	90	<0.5	<2	0.29	<0.5	5	10	16	1.71
B629867		0.58	<0.005	<0.2	1.61	9	<10	140	<0.5	<2	0.08	<0.5	9	25	17	2.84
B629868		0.64	0.006	<0.2	1.09	12	<10	100	<0.5	<2	0.16	<0.5	11	16	24	2.78
B629869		0.52	0.011	<0.2	0.91	12	<10	130	<0.5	<2	0.08	<0.5	5	12	12	1.75
B629870		0.54	0.005	<0.2	1.14	53	<10	110	<0.5	<2	0.10	<0.5	7	15	21	2.53
B629871		0.52	<0.005	<0.2	1.32	16	<10	260	0.5	2	0.73	<0.5	10	18	33	2.66
B629872		0.78	<0.005	<0.2	1.32	19	<10	240	<0.5	<2	0.46	<0.5	9	19	33	2.62
B629873		0.70	<0.005	<0.2	1.16	11	<10	130	<0.5	2	0.24	<0.5	6	20	19	2.08
B629874		0.56	<0.005	0.4	1.38	31	<10	210	<0.5	3	0.73	<0.5	7	19	25	2.47
B629875		0.44	0.011	0.3	1.23	114	<10	140	<0.5	<2	0.78	<0.5	9	17	22	2.58
B629876		0.42	0.009	0.3	1.44	50	<10	250	0.5	3	0.82	<0.5	11	18	23	2.59
B629877		0.74	0.011	<0.2	1.45	9	<10	200	<0.5	2	0.25	<0.5	7	21	16	2.22
B627801		0.16	0.005	<0.2	0.76	354	<10	110	<0.5	<2	0.15	0.8	3	12	9	1.57
B627802		0.18	<0.005	0.3	0.72	186	<10	180	<0.5	<2	0.54	<0.5	4	13	13	1.41
B627803		0.20	<0.005	0.3	1.13	303	<10	620	<0.5	2	1.28	1.3	17	21	26	2.99
B627804		0.34	<0.005	<0.2	0.95	43	<10	150	<0.5	<2	0.61	<0.5	5	18	13	1.29
B627805		0.32	0.039	0.2	0.88	39	<10	160	<0.5	2	0.75	0.5	6	16	17	1.96
B627806		0.24	<0.005	0.3	1.06	41	<10	210	<0.5	2	1.10	0.5	8	20	23	2.20
B627807		0.14	0.005	<0.2	1.00	35	<10	200	<0.5	3	1.08	0.5	7	18	19	1.93
B627808		0.24	0.029	0.3	1.07	20	<10	200	<0.5	2	1.00	0.8	7	20	24	1.95
B627809		0.24	0.012	0.2	0.82	31	<10	160	<0.5	<2	1.04	<0.5	5	15	14	1.71
B627810		0.30	0.006	<0.2	1.00	59	<10	220	<0.5	<2	1.19	0.5	8	17	18	2.17

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B629848		<10	0.06	0.04	20	0.34	280	1	0.01	19	670	17	0.05	4	3	38
B629849		<10	0.03	0.04	10	0.33	929	<1	0.01	17	720	10	0.02	2	2	24
B629850		<10	0.05	0.06	20	0.36	257	1	0.01	21	770	15	0.03	2	3	28
B629851		<10	0.06	0.05	20	0.35	228	1	0.01	17	710	20	0.03	2	3	25
B629852		<10	0.03	0.03	10	0.30	156	1	0.01	16	280	11	0.01	<2	3	9
B629853		<10	0.06	0.05	20	0.41	391	2	0.01	24	750	16	0.02	2	4	23
B629854		<10	0.04	0.04	10	0.34	184	1	0.01	17	670	14	0.02	<2	2	17
B629855		<10	0.04	0.05	20	0.54	369	1	0.01	23	740	13	0.02	3	3	21
B629856		<10	0.05	0.05	20	0.42	343	1	0.01	26	760	12	0.02	<2	3	24
B629857		<10	0.04	0.05	20	0.79	500	1	0.01	29	1170	10	0.03	4	5	36
B629858		<10	0.03	0.04	20	0.36	232	1	0.01	17	390	12	0.01	<2	3	12
B629859		<10	0.03	0.03	10	0.31	159	1	0.01	15	740	9	0.01	<2	2	12
B629860		<10	0.03	0.03	10	0.31	147	1	0.01	13	730	11	0.01	<2	2	10
B629861		<10	0.03	0.04	10	0.25	151	1	0.01	13	480	11	0.02	<2	<1	9
B629862		<10	0.03	0.04	30	0.44	1570	<1	0.01	31	400	43	0.01	3	3	8
B629863		<10	0.02	0.04	20	0.47	242	1	0.01	31	310	17	0.01	5	2	12
B629864		<10	0.02	0.04	20	0.42	322	1	0.01	25	450	17	0.01	2	2	14
B629865		<10	0.03	0.05	30	0.44	339	1	<0.01	26	420	17	0.02	2	1	8
B629866		<10	0.02	0.04	20	0.22	134	1	<0.01	10	190	12	0.02	<2	1	24
B629867		<10	0.03	0.05	10	0.41	222	1	0.01	20	240	10	0.01	<2	3	11
B629868		<10	0.04	0.09	30	0.36	418	1	0.01	21	600	29	0.02	3	2	16
B629869		<10	0.03	0.05	20	0.20	141	1	<0.01	12	280	12	0.01	<2	1	12
B629870		<10	0.03	0.05	20	0.38	208	<1	<0.01	19	370	12	0.01	<2	2	11
B629871		<10	0.06	0.04	20	0.41	615	1	0.01	28	620	14	0.03	3	2	56
B629872		<10	0.06	0.05	20	0.40	241	2	0.01	25	440	15	0.02	2	3	46
B629873		<10	0.03	0.04	10	0.35	200	1	0.01	18	530	9	0.01	<2	2	16
B629874		<10	0.04	0.04	20	0.33	377	1	0.01	21	560	17	0.03	<2	2	48
B629875		<10	0.05	0.04	20	0.37	393	1	0.01	22	820	15	0.05	8	2	54
B629876		<10	0.06	0.04	10	0.30	780	1	0.01	20	980	13	0.04	7	2	51
B629877		<10	0.03	0.04	10	0.38	150	1	0.01	17	540	12	0.01	<2	2	16
B627801		<10	0.03	0.03	10	0.18	159	1	0.01	8	420	14	0.02	<2	1	12
B627802		<10	0.04	0.03	10	0.21	160	1	0.01	11	470	9	0.03	<2	2	33
B627803		<10	0.08	0.07	10	0.45	16450	7	0.02	43	870	16	0.10	2	3	56
B627804		<10	0.04	0.06	10	0.37	189	1	0.02	18	750	10	0.07	3	2	27
B627805		<10	0.05	0.05	10	0.38	351	2	0.02	17	850	11	0.04	<2	2	29
B627806		<10	0.09	0.06	10	0.44	415	2	0.02	21	860	15	0.06	<2	3	39
B627807		<10	0.08	0.06	10	0.40	722	2	0.02	18	760	12	0.06	<2	2	37
B627808		<10	0.08	0.06	10	0.44	258	1	0.02	23	840	12	0.05	<2	3	36
B627809		<10	0.06	0.05	10	0.37	265	1	0.01	14	600	12	0.05	<2	2	36
B627810		<10	0.08	0.05	10	0.40	388	1	0.01	16	720	15	0.06	<2	2	44

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
B629848		0.02	<10	<10	34	<10	66
B629849		0.03	<10	<10	29	<10	73
B629850		0.02	<10	<10	34	<10	81
B629851		0.02	<10	<10	34	<10	84
B629852		0.05	<10	<10	44	<10	45
B629853		0.03	<10	<10	42	<10	73
B629854		0.03	<10	<10	36	<10	56
B629855		0.02	<10	<10	35	<10	73
B629856		0.03	<10	<10	33	<10	89
B629857		0.02	<10	<10	44	<10	82
B629858		0.05	<10	<10	43	<10	56
B629859		0.03	<10	<10	32	<10	54
B629860		0.04	<10	<10	37	<10	50
B629861		0.02	<10	<10	31	<10	37
B629862		0.02	<10	<10	29	<10	74
B629863		0.02	<10	<10	31	<10	70
B629864		0.03	<10	<10	32	<10	81
B629865		0.01	<10	<10	25	<10	61
B629866		0.02	<10	<10	23	<10	34
B629867		0.05	<10	<10	46	<10	58
B629868		0.03	<10	<10	27	<10	61
B629869		0.02	<10	<10	27	<10	30
B629870		0.02	<10	<10	23	<10	56
B629871		0.01	<10	<10	28	<10	68
B629872		0.02	<10	<10	35	<10	61
B629873		0.04	<10	<10	35	<10	49
B629874		0.02	<10	<10	34	<10	69
B629875		0.02	<10	<10	25	<10	86
B629876		0.01	<10	<10	31	<10	67
B629877		0.03	<10	<10	36	<10	53
B627801		0.02	<10	<10	31	<10	65
B627802		0.02	<10	<10	26	<10	45
B627803		0.03	<10	<10	33	<10	152
B627804		0.04	<10	<10	28	<10	81
B627805		0.04	<10	<10	28	<10	75
B627806		0.03	<10	<10	33	<10	85
B627807		0.03	<10	<10	28	<10	86
B627808		0.04	<10	<10	31	<10	97
B627809		0.03	<10	<10	25	<10	67
B627810		0.03	<10	<10	30	<10	79

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B627811		0.14	<0.005	0.3	0.54	14	<10	320	<0.5	<2	3.88	0.7	4	8	23	0.91
B627812		0.20	<0.005	0.4	0.47	8	<10	270	<0.5	<2	3.67	0.5	3	6	28	0.79
B627813		0.26	0.005	0.4	0.70	17	<10	370	<0.5	2	3.01	0.7	5	12	24	1.33
B627814		0.22	0.006	<0.2	1.01	18	<10	250	<0.5	<2	1.75	0.5	7	17	31	1.99
B627815		0.24	<0.005	0.3	1.11	18	<10	280	<0.5	2	1.32	0.8	7	18	23	2.07
B627816		0.34	0.005	<0.2	1.20	18	<10	180	<0.5	2	0.62	<0.5	9	22	29	2.55
B627817		0.32	<0.005	0.2	1.29	27	<10	240	<0.5	<2	0.85	<0.5	9	22	28	2.58
B627818		0.32	<0.005	0.3	1.28	22	<10	220	<0.5	2	0.76	<0.5	9	22	25	2.71
B627819		0.46	0.007	0.2	1.27	20	<10	210	<0.5	<2	0.64	0.5	10	22	30	2.57
B627820		0.34	<0.005	0.2	1.17	24	<10	200	<0.5	<2	1.14	<0.5	8	20	23	2.35

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
B627811		<10	0.09	0.03	10	0.39	539	1	0.02	12	720	9	0.15	<2	1	98
B627812		<10	0.10	0.02	10	0.41	586	1	0.01	13	930	6	0.18	<2	<1	96
B627813		<10	0.09	0.04	10	0.45	1395	1	0.02	15	870	12	0.12	2	1	84
B627814		<10	0.08	0.06	10	0.46	625	1	0.01	22	780	15	0.07	<2	2	51
B627815		<10	0.10	0.05	10	0.44	686	2	0.01	19	1040	16	0.09	<2	2	43
B627816		<10	0.08	0.07	20	0.51	463	2	0.01	23	910	15	0.02	2	4	28
B627817		<10	0.08	0.06	20	0.51	402	3	0.01	22	740	18	0.04	2	3	31
B627818		<10	0.08	0.06	20	0.50	460	3	0.01	24	700	18	0.03	2	3	28
B627819		<10	0.07	0.07	20	0.53	310	2	0.01	26	900	20	0.02	2	3	26
B627820		<10	0.07	0.06	10	0.50	318	3	0.01	19	780	16	0.04	2	3	37

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105729

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
B627811		0.02	<10	<10	14	<10	42
B627812		0.01	<10	10	11	<10	27
B627813		0.02	<10	10	18	<10	79
B627814		0.03	<10	10	28	<10	91
B627815		0.03	<10	<10	30	<10	86
B627816		0.05	<10	<10	35	<10	97
B627817		0.03	<10	<10	35	<10	83
B627818		0.04	<10	<10	35	<10	86
B627819		0.05	<10	<10	35	<10	92
B627820		0.04	<10	<10	32	<10	82

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

CERTIFICATE VA06105910

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 208 Soil samples submitted to our lab in Vancouver, BC, Canada on 25-SEP-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B627839		0.40	0.012	<0.2	1.27	20	<10	170	<0.5	<2	0.19	<0.5	8	24	35	2.17
B627840		0.46	0.009	0.2	1.71	21	<10	190	0.5	<2	0.15	0.5	9	29	32	2.58
B627841		0.42	0.008	0.3	1.57	29	<10	300	<0.5	<2	0.32	<0.5	10	26	25	2.44
B627842		0.26	0.008	0.2	1.45	14	<10	270	<0.5	<2	0.36	0.6	9	24	21	1.70
B627843		0.42	0.009	0.2	1.48	14	<10	270	<0.5	<2	0.34	<0.5	8	24	20	1.84
B627844		0.40	0.009	0.2	1.39	12	<10	280	<0.5	<2	0.40	<0.5	8	22	15	1.85
B627845		0.50	0.007	<0.2	1.28	9	<10	100	<0.5	<2	0.11	<0.5	6	21	16	2.16
B627846		0.44	0.008	0.2	1.24	15	<10	150	<0.5	<2	0.19	<0.5	10	22	32	2.22
B627847		0.44	<0.005	<0.2	0.99	8	<10	80	<0.5	<2	0.11	<0.5	5	16	17	1.83
B627848		0.42	0.005	<0.2	1.15	6	<10	130	<0.5	<2	0.14	<0.5	5	19	16	1.89
B627849		0.50	<0.005	<0.2	0.97	6	<10	160	<0.5	<2	0.17	<0.5	5	18	16	1.87
B627850		0.50	0.005	<0.2	1.06	8	<10	150	<0.5	<2	0.15	<0.5	5	18	15	1.85
B628801		0.44	0.006	0.3	0.91	23	<10	200	<0.5	<2	1.31	1.3	8	16	31	1.68
B628802		0.56	0.009	0.2	0.93	22	<10	160	<0.5	<2	0.63	0.6	7	16	26	1.86
B628803		0.48	<0.005	0.2	0.91	28	<10	160	<0.5	<2	1.09	<0.5	8	16	24	2.13
B628804		0.46	<0.005	0.2	1.05	18	<10	300	<0.5	<2	0.71	<0.5	7	18	27	2.24
B628805		0.58	0.009	0.4	1.00	39	<10	190	<0.5	<2	0.71	0.6	10	17	39	2.73
B628806		0.58	0.005	0.2	1.08	31	<10	180	<0.5	<2	0.76	<0.5	9	19	27	2.53
B628807		0.46	0.005	<0.2	1.03	25	<10	120	<0.5	<2	0.44	<0.5	10	19	14	2.29
B628808		0.52	0.013	0.4	1.01	17	<10	220	<0.5	<2	1.01	<0.5	5	19	26	2.07
B628809		0.54	0.007	0.3	1.12	27	<10	230	<0.5	<2	1.07	0.6	9	20	49	2.74
B628810		0.70	0.013	0.6	1.04	36	<10	220	<0.5	<2	1.44	0.7	11	23	41	2.89
B628811		0.70	0.008	0.3	0.89	21	<10	170	<0.5	<2	0.59	<0.5	8	19	23	2.41
B628812		0.62	0.008	0.9	1.07	35	<10	240	<0.5	<2	0.86	1.4	9	20	59	2.65
B628813		0.46	<0.005	0.3	1.01	17	<10	280	<0.5	<2	1.81	0.6	8	18	27	2.00
B628814		0.44	<0.005	0.3	0.98	16	<10	220	<0.5	<2	1.48	<0.5	8	16	18	2.01
B628815		0.34	<0.005	0.4	0.95	9	<10	330	<0.5	<2	1.17	0.6	11	16	19	1.90
B628816		0.50	<0.005	0.3	1.11	11	<10	250	<0.5	<2	0.82	0.6	7	19	19	1.85
B628817		0.58	<0.005	0.2	0.91	30	<10	110	<0.5	<2	0.44	<0.5	7	18	23	2.03
B628818		0.58	<0.005	0.2	1.21	21	<10	150	<0.5	<2	0.53	<0.5	7	21	22	2.37
B628819		0.64	0.007	<0.2	0.81	7	<10	100	<0.5	<2	0.44	<0.5	6	15	9	1.67
B628820		0.50	<0.005	0.2	1.15	8	<10	210	<0.5	<2	0.88	0.5	7	20	20	1.76
B628821		0.56	<0.005	0.3	0.83	22	<10	150	<0.5	<2	0.57	0.6	7	15	20	1.78
B628822		0.54	<0.005	0.2	0.91	26	<10	170	<0.5	<2	0.67	0.7	8	16	23	1.91
B628823		0.40	<0.005	<0.2	0.70	290	<10	160	<0.5	<2	1.54	0.6	7	12	12	1.42
B628824		0.40	<0.005	0.2	0.85	323	<10	140	<0.5	<2	1.43	<0.5	4	16	12	1.57
B628825		0.36	<0.005	<0.2	0.68	714	<10	500	<0.5	3	2.63	3.2	10	10	21	1.58
B628826		0.38	<0.005	0.2	0.70	845	<10	300	<0.5	<2	3.04	1.5	10	12	21	2.02
B628827		0.52	0.006	0.5	1.22	39	<10	240	<0.5	<2	0.67	1.1	10	22	38	2.27
B628828		0.70	0.005	0.3	1.26	29	<10	250	<0.5	<2	0.64	1.2	10	22	39	2.29

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B627839		<10	0.04	0.05	10	0.42	290	2	0.01	25	720	10	0.02	2	3	16
B627840		<10	0.04	0.05	20	0.45	279	2	0.01	23	690	13	0.01	<2	4	14
B627841		<10	0.06	0.04	10	0.42	207	2	0.02	20	890	11	0.04	2	3	23
B627842		<10	0.05	0.04	10	0.41	193	1	0.02	19	840	12	0.05	<2	3	23
B627843		<10	0.06	0.04	10	0.40	233	2	0.02	18	820	10	0.05	2	3	22
B627844		<10	0.07	0.04	10	0.36	214	1	0.02	17	880	10	0.06	<2	3	26
B627845		<10	0.04	0.03	10	0.35	174	1	0.01	15	580	10	0.01	<2	2	10
B627846		<10	0.03	0.05	10	0.42	417	1	0.01	27	730	12	0.01	2	3	15
B627847		<10	0.03	0.03	10	0.27	133	1	0.01	12	650	8	0.01	<2	1	10
B627848		<10	0.03	0.03	10	0.31	131	1	0.01	15	690	8	0.01	<2	2	12
B627849		<10	0.02	0.03	10	0.29	150	1	0.01	14	690	7	0.01	<2	2	14
B627850		<10	0.03	0.03	10	0.29	124	1	0.01	14	650	7	0.01	<2	2	13
B628801		<10	0.07	0.06	10	0.37	271	2	0.02	32	770	12	0.12	<2	3	39
B628802		<10	0.06	0.04	10	0.39	140	2	0.01	19	710	15	0.07	<2	3	28
B628803		<10	0.07	0.06	10	0.42	365	3	0.02	27	720	13	0.07	<2	3	40
B628804		<10	0.07	0.04	10	0.40	114	3	0.01	18	590	12	0.04	<2	3	33
B628805		<10	0.08	0.07	20	0.42	493	2	0.01	31	760	17	0.03	<2	3	28
B628806		<10	0.06	0.07	20	0.43	246	2	0.01	22	770	16	0.04	<2	3	26
B628807		<10	0.05	0.04	10	0.40	464	2	0.01	15	530	14	0.03	<2	2	18
B628808		<10	0.11	0.05	10	0.42	246	1	<0.01	20	760	14	0.05	<2	2	32
B628809		<10	0.10	0.04	10	0.42	405	1	<0.01	30	630	20	0.03	<2	3	31
B628810		<10	0.08	0.06	10	0.47	652	2	0.01	32	770	22	0.06	<2	3	43
B628811		<10	0.04	0.04	10	0.37	340	1	<0.01	24	620	13	0.02	<2	3	23
B628812		<10	0.10	0.05	20	0.41	519	2	<0.01	36	840	15	0.04	<2	3	30
B628813		<10	0.08	0.04	10	0.37	677	1	0.01	24	880	13	0.08	<2	2	55
B628814		<10	0.07	0.04	10	0.37	415	2	0.01	16	660	13	0.07	<2	2	48
B628815		<10	0.08	0.04	10	0.34	290	1	0.02	17	890	10	0.17	<2	3	44
B628816		<10	0.07	0.04	10	0.35	220	2	0.01	17	620	13	0.10	2	3	33
B628817		<10	0.04	0.06	10	0.39	276	2	0.02	20	830	11	0.02	2	3	23
B628818		<10	0.06	0.07	20	0.47	157	5	0.02	18	900	13	0.03	<2	3	26
B628819		<10	0.03	0.04	10	0.34	102	2	0.01	14	840	9	0.02	<2	2	22
B628820		<10	0.08	0.06	10	0.44	119	1	0.01	18	780	13	0.07	<2	3	35
B628821		<10	0.04	0.06	10	0.37	296	1	0.02	19	920	10	0.03	2	2	25
B628822		<10	0.05	0.07	10	0.41	323	2	0.02	20	940	12	0.04	<2	3	28
B628823		<10	0.06	0.04	10	0.34	901	2	0.02	13	860	8	0.11	<2	1	49
B628824		<10	0.08	0.05	10	0.40	271	1	0.02	12	910	10	0.11	<2	2	49
B628825		<10	0.08	0.03	10	0.35	8240	8	0.02	26	1210	7	0.19	2	1	86
B628826		<10	0.09	0.03	10	0.38	2750	5	0.02	16	1110	5	0.22	<2	1	89
B628827		<10	0.07	0.08	20	0.49	347	3	0.02	28	840	21	0.04	<2	4	32
B628828		<10	0.07	0.09	20	0.50	323	3	0.02	30	840	19	0.04	2	4	31

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B627839		0.05	<10	<10	41	<10	73
B627840		0.05	<10	<10	48	<10	77
B627841		0.04	<10	<10	43	<10	82
B627842		0.04	<10	<10	38	<10	80
B627843		0.04	<10	<10	38	<10	69
B627844		0.03	<10	<10	37	<10	63
B627845		0.04	<10	<10	38	<10	57
B627846		0.05	<10	<10	38	<10	74
B627847		0.03	<10	<10	31	<10	45
B627848		0.03	<10	<10	33	<10	53
B627849		0.03	<10	<10	32	<10	49
B627850		0.03	<10	<10	32	<10	48
B628801		0.03	<10	<10	27	<10	126
B628802		0.04	<10	<10	30	<10	95
B628803		0.04	<10	<10	28	<10	133
B628804		0.03	<10	10	32	<10	70
B628805		0.04	<10	<10	31	<10	104
B628806		0.04	<10	<10	32	<10	88
B628807		0.04	<10	<10	34	<10	78
B628808		0.03	<10	<10	30	<10	68
B628809		0.03	<10	<10	35	<10	77
B628810		0.04	<10	<10	38	<10	111
B628811		0.04	<10	<10	33	<10	69
B628812		0.03	<10	<10	35	<10	90
B628813		0.03	<10	<10	28	<10	61
B628814		0.02	<10	<10	29	<10	56
B628815		0.02	<10	<10	27	<10	74
B628816		0.03	<10	<10	34	<10	57
B628817		0.04	<10	<10	31	<10	67
B628818		0.04	<10	<10	38	<10	76
B628819		0.04	<10	<10	28	<10	60
B628820		0.04	<10	<10	32	<10	74
B628821		0.04	<10	<10	27	<10	86
B628822		0.04	<10	<10	29	<10	97
B628823		0.02	<10	<10	21	<10	80
B628824		0.03	<10	<10	25	<10	82
B628825		0.02	<10	<10	18	<10	97
B628826		0.02	<10	10	21	<10	78
B628827		0.05	<10	<10	39	<10	92
B628828		0.05	<10	<10	41	10	97

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B628829		0.58	<0.005	<0.2	1.04	5	<10	230	<0.5	<2	0.70	<0.5	5	19	13	1.36
B628830		0.58	<0.005	0.2	1.09	5	<10	260	<0.5	<2	0.63	<0.5	4	19	13	1.23
B628831		0.44	<0.005	<0.2	0.84	12	<10	240	<0.5	<2	0.93	<0.5	4	15	11	1.48
B628832		0.44	<0.005	<0.2	0.93	11	<10	270	<0.5	<2	1.00	<0.5	3	17	13	1.53
B628833		0.42	0.005	0.2	1.07	13	<10	340	<0.5	<2	0.74	0.6	9	19	24	2.14
B628834		0.44	0.013	0.2	1.08	19	<10	420	<0.5	<2	1.13	0.5	10	19	21	2.48
B628835		0.52	0.019	<0.2	1.10	18	<10	120	<0.5	<2	0.19	<0.5	5	19	13	2.10
B628836		0.44	0.011	<0.2	0.88	14	<10	110	<0.5	<2	0.18	<0.5	4	15	11	1.62
B628837		0.56	0.005	<0.2	0.87	13	<10	110	<0.5	<2	0.16	<0.5	4	15	9	1.52
B628838		0.42	<0.005	<0.2	0.64	10	<10	90	<0.5	<2	0.13	<0.5	3	12	8	1.08
B628839		0.44	<0.005	0.2	1.01	45	<10	670	<0.5	2	1.87	1.0	11	14	30	3.43
B628840		0.62	<0.005	0.2	1.42	18	<10	120	<0.5	<2	0.10	<0.5	9	20	22	2.69
B628841		0.58	<0.005	<0.2	1.56	20	<10	130	0.5	<2	0.12	<0.5	13	22	31	2.68
B628842		0.54	<0.005	0.4	1.46	20	<10	130	0.5	<2	0.13	<0.5	11	22	31	2.58
B628843		0.56	0.036	<0.2	1.48	18	<10	120	0.5	<2	0.13	0.5	11	22	30	2.74
B628844		0.52	<0.005	<0.2	1.45	20	<10	110	0.5	<2	0.13	<0.5	11	21	29	2.74
B628845		0.58	<0.005	0.3	1.24	19	<10	290	<0.5	<2	0.29	<0.5	8	22	23	2.40
B628846		0.46	<0.005	0.2	1.32	17	<10	330	<0.5	<2	0.31	<0.5	8	23	24	2.37
B628847		0.66	<0.005	0.2	1.31	15	<10	330	<0.5	<2	0.31	<0.5	9	23	24	2.39
B628848		0.62	<0.005	0.2	1.24	16	<10	210	<0.5	<2	0.24	<0.5	7	22	19	2.32
B628849		0.60	<0.005	<0.2	1.27	13	<10	250	<0.5	<2	0.27	<0.5	7	22	20	2.30
B628850		0.50	1.120	0.2	1.14	22	<10	110	<0.5	<2	0.06	0.6	6	19	21	2.67
B630101		0.52	0.012	0.2	1.22	26	<10	120	<0.5	<2	0.07	0.5	7	20	23	2.73
B630102		0.44	0.077	0.2	1.09	21	<10	100	<0.5	<2	0.07	0.6	5	19	20	2.48
B630103		0.40	<0.005	0.2	1.01	18	<10	90	<0.5	<2	0.06	0.5	4	17	18	2.34
B630104		0.42	<0.005	<0.2	1.00	18	<10	100	<0.5	<2	0.05	0.5	4	17	18	2.38
B630105		0.72	0.006	<0.2	1.27	15	<10	100	<0.5	<2	0.15	<0.5	6	19	16	2.31
B630106		0.68	0.032	<0.2	1.30	13	<10	90	<0.5	<2	0.14	<0.5	7	19	14	2.44
B630107		0.74	0.007	<0.2	1.26	14	<10	100	<0.5	<2	0.16	<0.5	7	19	20	2.32
B630108		0.66	0.006	<0.2	1.18	16	<10	90	<0.5	<2	0.15	<0.5	7	18	18	2.13
B630109		0.70	0.005	<0.2	1.22	12	<10	80	<0.5	<2	0.18	<0.5	7	19	21	2.06
B630110		0.62	0.010	0.2	1.23	15	<10	90	<0.5	<2	0.17	0.6	7	19	21	2.28
B630111		0.70	0.011	<0.2	1.33	18	<10	200	<0.5	<2	0.26	<0.5	7	23	31	2.23
B630112		0.80	0.011	0.2	1.24	20	<10	190	<0.5	<2	0.27	<0.5	7	22	30	2.15
B630113		0.82	0.013	<0.2	1.23	16	<10	180	<0.5	<2	0.24	<0.5	6	21	26	2.06
B630114		0.62	0.010	<0.2	1.21	16	<10	170	<0.5	2	0.24	<0.5	6	21	25	2.05
B630115		0.76	0.017	<0.2	1.21	19	<10	180	<0.5	<2	0.26	<0.5	7	21	29	2.08
B630116		0.72	0.013	0.2	1.20	25	<10	270	<0.5	<2	0.27	0.5	8	21	39	2.19
B630117		0.80	0.018	<0.2	1.12	25	<10	260	<0.5	<2	0.28	<0.5	8	21	38	2.10
B630118		0.82	0.011	0.2	1.15	22	<10	250	<0.5	<2	0.25	<0.5	8	22	38	2.09

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B628829		<10	0.07	0.04	10	0.37	102	1	0.01	13	740	10	0.07	<2	3	33
B628830		<10	0.07	0.04	10	0.38	110	<1	0.01	13	720	11	0.06	<2	3	31
B628831		<10	0.06	0.03	10	0.32	98	1	0.01	13	760	8	0.08	<2	2	41
B628832		<10	0.07	0.04	10	0.33	119	<1	0.02	13	770	10	0.10	2	3	43
B628833		<10	0.07	0.04	10	0.40	699	1	0.02	20	840	11	0.05	<2	3	34
B628834		<10	0.07	0.04	10	0.41	1900	1	0.02	22	930	9	0.07	<2	3	44
B628835		<10	0.03	0.03	10	0.31	208	1	0.01	15	530	13	0.02	<2	2	15
B628836		<10	0.04	0.03	10	0.25	115	1	0.01	12	510	10	0.02	<2	1	15
B628837		<10	0.03	0.03	10	0.22	105	1	0.01	10	420	12	0.02	<2	1	14
B628838		<10	0.03	0.03	10	0.16	67	1	0.01	8	360	8	0.02	2	<1	12
B628839		<10	0.10	0.07	10	0.45	3630	2	0.02	21	1140	13	0.15	2	2	73
B628840		<10	0.03	0.03	10	0.32	205	1	0.01	24	440	12	0.01	<2	2	9
B628841		<10	0.04	0.04	10	0.37	248	1	0.01	32	520	14	0.01	2	2	11
B628842		<10	0.05	0.04	10	0.37	276	1	0.01	30	510	14	0.01	<2	2	11
B628843		<10	0.04	0.04	10	0.38	244	1	0.01	30	520	13	0.01	2	2	11
B628844		<10	0.03	0.04	10	0.38	204	1	0.01	31	520	13	0.01	2	2	11
B628845		<10	0.05	0.04	10	0.36	164	2	0.01	20	780	11	0.02	<2	3	22
B628846		<10	0.05	0.04	10	0.38	163	2	0.01	22	770	10	0.02	<2	4	24
B628847		<10	0.05	0.04	20	0.38	157	2	0.01	22	780	11	0.02	<2	4	23
B628848		<10	0.05	0.04	10	0.35	136	1	0.01	18	740	10	0.02	2	3	20
B628849		<10	0.06	0.04	10	0.37	144	2	0.01	18	760	11	0.02	<2	3	21
B628850		<10	0.03	0.05	10	0.25	141	3	0.01	16	420	18	0.02	2	2	7
B630101		<10	0.03	0.05	10	0.29	175	3	0.01	19	460	18	0.02	2	2	8
B630102		<10	0.04	0.05	10	0.26	140	3	0.01	16	490	16	0.03	<2	2	8
B630103		<10	0.03	0.05	10	0.21	116	2	0.01	14	420	14	0.02	<2	1	8
B630104		<10	0.03	0.05	10	0.21	114	3	0.01	15	380	15	0.02	2	2	8
B630105		<10	0.02	0.03	10	0.31	138	1	0.01	18	560	12	0.01	2	2	12
B630106		<10	0.03	0.03	10	0.32	136	1	0.01	18	540	11	0.01	<2	2	11
B630107		<10	0.02	0.03	10	0.33	157	1	0.01	22	620	13	0.01	<2	2	13
B630108		<10	0.02	0.03	10	0.31	163	1	0.01	20	580	11	0.01	2	2	12
B630109		<10	0.02	0.04	10	0.32	126	1	0.01	24	690	12	0.01	<2	2	14
B630110		<10	0.03	0.03	10	0.31	140	1	0.01	22	710	14	0.01	<2	2	13
B630111		<10	0.06	0.05	20	0.43	253	1	0.01	25	810	14	0.02	2	3	18
B630112		<10	0.03	0.05	20	0.41	254	1	0.01	22	870	12	0.02	2	3	18
B630113		<10	0.04	0.04	20	0.38	195	1	0.01	21	780	11	0.02	<2	3	17
B630114		<10	0.03	0.04	20	0.38	190	1	0.01	21	770	13	0.01	2	3	16
B630115		<10	0.04	0.04	20	0.41	249	1	0.01	22	840	13	0.01	<2	3	17
B630116		<10	0.03	0.04	20	0.42	343	2	0.01	24	810	16	0.01	3	3	19
B630117		<10	0.03	0.04	20	0.40	319	2	0.01	23	820	15	0.01	3	3	19
B630118		<10	0.03	0.04	20	0.42	281	2	0.01	23	780	14	0.01	4	3	18

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B628829		0.03	<10	<10	30	<10	50
B628830		0.03	<10	<10	28	<10	51
B628831		0.03	<10	<10	23	<10	43
B628832		0.03	<10	<10	27	<10	41
B628833		0.03	<10	<10	32	<10	69
B628834		0.03	<10	<10	31	<10	66
B628835		0.03	<10	<10	38	<10	52
B628836		0.03	<10	<10	34	<10	40
B628837		0.03	<10	<10	37	<10	35
B628838		0.02	<10	<10	29	<10	26
B628839		0.04	<10	10	27	<10	81
B628840		0.04	<10	<10	39	<10	59
B628841		0.04	<10	<10	34	<10	70
B628842		0.04	<10	<10	36	<10	70
B628843		0.04	<10	<10	36	<10	69
B628844		0.04	<10	<10	34	<10	71
B628845		0.04	<10	<10	38	<10	69
B628846		0.04	<10	<10	40	<10	74
B628847		0.04	<10	<10	40	<10	74
B628848		0.04	<10	<10	37	<10	66
B628849		0.04	<10	<10	38	<10	69
B628850		0.03	<10	<10	43	<10	56
B630101		0.03	<10	<10	42	<10	61
B630102		0.03	<10	<10	41	<10	53
B630103		0.03	<10	<10	43	<10	50
B630104		0.03	<10	<10	42	<10	50
B630105		0.04	<10	<10	36	<10	49
B630106		0.04	<10	<10	36	<10	49
B630107		0.04	<10	<10	35	<10	52
B630108		0.04	<10	<10	34	<10	48
B630109		0.04	<10	<10	34	<10	51
B630110		0.04	<10	<10	33	<10	52
B630111		0.05	<10	<10	40	<10	68
B630112		0.05	<10	<10	38	<10	65
B630113		0.04	<10	<10	37	<10	60
B630114		0.04	<10	<10	36	<10	58
B630115		0.05	<10	<10	37	<10	64
B630116		0.05	<10	<10	37	<10	80
B630117		0.05	<10	<10	36	<10	78
B630118		0.05	<10	<10	36	<10	79

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B630119		0.64	0.012	0.4	1.11	22	<10	260	<0.5	<2	0.26	<0.5	8	21	38	2.07
B630120		0.72	0.026	<0.2	1.60	33	<10	180	<0.5	<2	0.12	0.7	12	26	57	2.45
B630121		0.70	0.025	<0.2	1.61	29	<10	180	<0.5	2	0.10	0.5	10	26	50	2.49
B630122		0.78	0.007	<0.2	1.47	20	<10	130	<0.5	<2	0.09	<0.5	7	23	28	2.46
B630123		0.64	0.007	<0.2	1.46	21	<10	120	<0.5	<2	0.09	<0.5	7	22	26	2.42
B630124		0.68	0.009	<0.2	1.42	22	<10	120	<0.5	<2	0.09	<0.5	7	22	25	2.37
B630125		0.64	0.007	<0.2	1.44	19	<10	100	<0.5	<2	0.09	<0.5	6	21	25	2.36
B630126		0.80	0.007	<0.2	1.34	11	<10	120	<0.5	<2	0.11	<0.5	6	23	19	2.29
B630127		0.70	0.005	<0.2	1.22	10	<10	90	<0.5	<2	0.12	<0.5	5	21	17	2.14
B630128		0.66	0.005	<0.2	1.20	10	<10	90	<0.5	<2	0.10	<0.5	5	20	15	2.09
B630129		0.80	0.005	<0.2	1.29	10	<10	90	<0.5	<2	0.11	<0.5	5	21	17	2.18
B630130		0.64	0.008	<0.2	1.36	11	<10	120	<0.5	<2	0.11	<0.5	6	23	18	2.29
B630131		0.82	0.009	<0.2	1.35	15	<10	290	<0.5	<2	0.34	0.5	7	27	33	2.22
B630132		0.82	0.006	<0.2	1.30	17	<10	290	<0.5	<2	0.34	<0.5	7	26	32	2.19
B630133		0.60	0.006	<0.2	1.10	12	<10	260	<0.5	<2	0.32	<0.5	6	23	28	2.01
B630134		0.66	0.007	0.2	1.11	12	<10	260	<0.5	<2	0.33	<0.5	6	24	28	2.00
B630135		0.62	0.007	0.2	1.24	16	<10	180	<0.5	<2	0.27	<0.5	7	25	31	2.06
B630136		0.68	0.011	<0.2	1.43	23	<10	190	<0.5	<2	0.31	0.5	8	29	39	2.39
B630137		0.60	0.005	0.2	1.24	15	<10	190	<0.5	<2	0.29	<0.5	7	26	31	2.09
B630138		0.76	<0.005	0.2	1.31	15	<10	200	<0.5	<2	0.30	<0.5	7	27	33	2.18
B630139		0.62	0.014	<0.2	1.22	17	<10	160	<0.5	<2	0.28	<0.5	6	26	32	2.11
B628951		0.30	<0.005	0.3	1.08	25	<10	190	<0.5	<2	0.95	0.7	8	19	28	2.28
B628952		0.40	0.065	0.4	0.88	32	<10	140	<0.5	<2	0.86	1.0	10	17	35	2.40
B628953		0.22	0.011	0.5	0.99	14	<10	190	<0.5	<2	1.04	0.8	6	18	32	1.82
B628954		0.38	0.005	0.3	1.09	17	<10	220	<0.5	<2	0.98	1.0	9	20	34	2.31
B628955		0.30	<0.005	0.2	0.97	20	<10	140	<0.5	<2	0.84	<0.5	7	17	19	2.03
B628956		0.34	<0.005	0.2	1.05	13	<10	170	<0.5	<2	0.74	0.5	7	19	21	1.97
B628957		0.34	0.005	<0.2	0.95	14	<10	180	<0.5	<2	0.51	0.7	7	17	22	1.75
B628958		0.20	<0.005	0.4	0.98	26	<10	290	<0.5	<2	1.46	1.2	6	17	61	2.27
B628959		0.22	0.007	0.4	0.92	49	<10	200	<0.5	<2	0.97	0.5	7	16	20	2.86
B628960		0.24	0.007	0.2	0.93	9	<10	190	<0.5	<2	0.65	0.5	7	17	22	1.80
B628961		0.48	<0.005	0.2	1.00	26	<10	220	<0.5	<2	0.59	0.7	11	19	26	2.91
B628962		0.34	<0.005	<0.2	1.04	10	<10	190	<0.5	<2	0.91	0.8	8	19	26	1.82
B628963		0.30	0.007	0.2	1.02	16	<10	180	<0.5	<2	0.67	0.6	8	19	26	2.11
B628964		0.28	0.008	0.2	0.92	8	<10	160	<0.5	<2	0.67	0.5	6	17	16	1.69
B628965		0.24	<0.005	0.2	1.06	7	<10	240	<0.5	<2	1.31	0.6	6	19	25	1.54
B628966		0.32	<0.005	0.2	1.04	11	<10	240	<0.5	<2	0.73	0.7	8	19	30	2.00
B628967		0.32	0.006	0.2	1.26	21	<10	290	0.5	<2	1.02	0.9	10	22	30	2.21
B628968		0.36	0.029	0.4	1.23	20	<10	200	<0.5	<2	0.62	0.5	10	23	34	2.52
B628969		0.40	0.007	0.4	1.22	20	<10	380	0.5	<2	1.26	0.8	8	22	54	2.47

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B630119		<10	0.03	0.04	20	0.41	318	2	0.01	24	790	13	0.01	<2	3	19
B630120		<10	0.04	0.03	20	0.40	300	1	0.01	26	480	19	0.02	<2	4	11
B630121		<10	0.05	0.03	10	0.39	245	1	0.01	25	470	16	0.02	2	4	10
B630122		<10	0.03	0.03	10	0.35	192	1	0.01	18	410	12	0.01	<2	3	9
B630123		<10	0.03	0.03	10	0.34	165	1	0.01	18	390	11	0.01	<2	3	9
B630124		<10	0.03	0.03	10	0.33	173	1	0.01	17	370	12	0.01	<2	3	9
B630125		<10	0.03	0.03	10	0.32	143	1	0.01	17	390	10	0.01	<2	2	9
B630126		<10	0.03	0.03	20	0.33	180	1	0.01	17	670	12	0.01	<2	3	10
B630127		<10	0.03	0.03	10	0.32	138	1	0.01	15	640	12	0.01	<2	2	10
B630128		<10	0.03	0.03	10	0.31	139	1	0.01	14	570	13	0.01	<2	2	9
B630129		<10	0.03	0.03	10	0.33	142	1	0.01	15	650	11	0.01	<2	2	10
B630130		<10	0.04	0.04	20	0.34	170	1	0.01	16	680	12	0.01	2	3	11
B630131		<10	0.04	0.05	20	0.44	311	1	0.02	24	850	13	0.01	2	4	24
B630132		<10	0.04	0.05	20	0.43	275	1	0.02	24	830	12	0.01	2	4	23
B630133		<10	0.03	0.04	20	0.40	229	1	0.02	21	830	10	0.01	<2	3	22
B630134		<10	0.03	0.04	20	0.40	239	1	0.02	22	830	11	0.01	2	3	23
B630135		<10	0.07	0.05	10	0.42	212	1	0.01	22	750	14	0.01	2	3	17
B630136		<10	0.04	0.07	20	0.46	276	1	0.02	27	830	17	0.01	3	4	19
B630137		<10	0.03	0.05	20	0.42	217	1	0.02	21	780	14	0.01	3	3	18
B630138		<10	0.05	0.05	20	0.43	209	1	0.02	23	790	15	0.01	3	4	19
B630139		<10	0.03	0.05	20	0.42	219	1	0.02	22	780	14	0.01	2	3	18
B628951		<10	0.08	0.06	10	0.43	389	2	0.02	24	780	15	0.05	2	3	34
B628952		<10	0.06	0.06	10	0.42	429	3	0.02	27	940	16	0.05	<2	3	34
B628953		<10	0.09	0.06	10	0.41	175	1	0.02	26	750	13	0.08	<2	2	41
B628954		<10	0.07	0.06	10	0.45	573	2	0.02	24	800	16	0.06	2	3	40
B628955		<10	0.06	0.06	10	0.41	430	1	0.01	19	840	15	0.06	<2	2	34
B628956		<10	0.07	0.05	10	0.41	357	1	0.01	21	840	15	0.04	<2	3	31
B628957		<10	0.06	0.05	10	0.36	205	1	0.01	22	800	15	0.05	<2	3	24
B628958		<10	0.11	0.06	10	0.45	372	2	0.02	27	860	15	0.10	2	3	51
B628959		<10	0.06	0.05	10	0.37	757	3	0.02	20	810	15	0.07	<2	2	36
B628960		<10	0.06	0.06	10	0.37	178	1	0.01	20	840	12	0.05	<2	2	29
B628961		<10	0.06	0.06	20	0.41	1915	2	0.01	27	880	18	0.04	2	3	27
B628962		<10	0.07	0.05	10	0.43	329	1	0.01	21	800	14	0.08	<2	3	36
B628963		<10	0.06	0.06	10	0.42	254	1	0.02	23	980	14	0.05	<2	3	31
B628964		<10	0.05	0.05	10	0.38	132	1	0.01	17	860	14	0.05	<2	2	29
B628965		<10	0.09	0.05	10	0.44	300	1	0.02	20	810	18	0.12	2	3	47
B628966		<10	0.07	0.05	10	0.38	194	1	0.01	25	730	15	0.07	<2	3	31
B628967		<10	0.09	0.05	10	0.50	256	1	0.02	23	820	21	0.06	2	3	41
B628968		<10	0.06	0.06	20	0.50	433	2	0.02	29	800	18	0.02	2	4	29
B628969		<10	0.11	0.06	10	0.51	738	1	0.02	35	900	18	0.04	2	3	43

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B630119		0.05	<10	<10	35	<10	78
B630120		0.05	<10	<10	46	<10	93
B630121		0.05	<10	<10	45	<10	82
B630122		0.05	<10	<10	46	<10	55
B630123		0.04	<10	<10	47	<10	52
B630124		0.04	<10	<10	48	<10	50
B630125		0.04	<10	<10	44	<10	51
B630126		0.04	<10	<10	40	<10	56
B630127		0.04	<10	<10	37	<10	53
B630128		0.03	<10	<10	38	<10	50
B630129		0.04	<10	<10	39	<10	56
B630130		0.04	<10	<10	41	<10	57
B630131		0.06	<10	<10	44	<10	76
B630132		0.05	<10	<10	43	<10	74
B630133		0.05	<10	<10	38	<10	67
B630134		0.05	<10	<10	39	<10	68
B630135		0.05	<10	<10	42	<10	72
B630136		0.06	<10	<10	48	<10	87
B630137		0.06	<10	<10	43	<10	72
B630138		0.06	<10	<10	44	<10	74
B630139		0.06	<10	<10	43	<10	73
B628951		0.03	<10	<10	32	<10	86
B628952		0.04	<10	<10	31	10	114
B628953		0.03	<10	<10	28	<10	96
B628954		0.04	<10	<10	33	<10	110
B628955		0.03	<10	<10	29	<10	87
B628956		0.03	<10	<10	30	<10	91
B628957		0.03	<10	<10	29	<10	86
B628958		0.03	<10	<10	29	<10	106
B628959		0.02	<10	<10	29	<10	80
B628960		0.03	<10	<10	28	<10	84
B628961		0.04	<10	<10	33	<10	92
B628962		0.03	<10	<10	28	<10	103
B628963		0.03	<10	<10	31	<10	96
B628964		0.03	<10	<10	29	<10	80
B628965		0.03	<10	<10	31	<10	83
B628966		0.03	<10	<10	32	<10	83
B628967		0.03	<10	<10	38	<10	88
B628968		0.05	<10	<10	39	<10	88
B628969		0.03	<10	<10	34	<10	81

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B628970		0.36	<0.005	0.4	1.12	24	<10	160	<0.5	<2	0.53	1.0	9	22	31	2.57
B628971		0.24	<0.005	0.3	1.33	13	<10	270	<0.5	<2	0.43	<0.5	9	24	29	2.37
B628972		0.28	0.005	<0.2	0.96	12	<10	180	<0.5	<2	0.70	<0.5	5	18	22	2.01
B628973		0.30	0.007	0.4	1.52	21	<10	150	0.7	<2	0.13	<0.5	9	26	41	2.97
B628974		0.08	0.012	0.6	0.79	63	<10	800	<0.5	<2	2.66	4.3	15	12	25	4.21
B628975		0.42	0.005	0.2	1.10	21	<10	170	<0.5	<2	0.25	0.6	11	24	32	2.59
B628976		0.18	<0.005	0.4	0.84	7	<10	460	<0.5	<2	1.96	1.3	4	12	19	2.09
B628977		0.24	0.008	0.3	1.60	44	<10	230	0.6	<2	0.34	0.6	9	30	49	3.36
B628978		0.50	0.017	<0.2	1.39	51	<10	220	0.5	<2	0.29	<0.5	12	25	46	3.17
B628979		0.36	0.012	0.8	1.69	19	<10	210	0.7	<2	0.28	0.7	9	27	35	3.25
B628980		0.54	0.012	0.3	1.19	18	<10	190	<0.5	<2	0.30	<0.5	8	21	35	2.54
B628981		0.36	<0.005	<0.2	1.17	19	<10	170	<0.5	<2	0.20	<0.5	7	20	26	2.26
B628982		0.44	0.019	<0.2	1.19	21	<10	200	<0.5	<2	0.17	<0.5	11	23	40	2.78
B628983		0.30	0.005	0.2	1.63	14	<10	310	<0.5	<2	0.34	1.3	11	29	34	1.45
B628984		0.36	<0.005	0.2	1.63	18	<10	310	<0.5	<2	0.37	1.3	10	30	31	1.48
B628985		0.20	0.006	0.2	0.62	23	<10	220	0.6	<2	0.66	3.4	9	10	61	1.54
B628986		0.50	0.007	<0.2	1.43	20	<10	270	<0.5	<2	0.39	1.4	8	29	39	1.80
B628987		0.32	0.005	0.2	1.28	13	<10	240	<0.5	<2	0.35	1.2	8	25	34	1.76
B628988		0.44	<0.005	<0.2	1.11	12	<10	190	<0.5	<2	0.23	<0.5	6	21	20	1.77
B628989		0.34	0.005	0.2	1.13	21	<10	290	<0.5	<2	0.34	0.5	7	25	34	2.21
B628990		0.38	0.006	0.2	1.22	10	<10	210	<0.5	<2	0.24	0.5	7	22	22	1.97
B628991		0.60	<0.005	<0.2	1.01	16	<10	340	<0.5	<2	0.37	0.5	8	21	29	2.22
B628992		0.38	<0.005	0.3	1.34	20	<10	360	<0.5	<2	0.44	1.6	8	22	27	1.69
B628993		0.40	0.010	0.2	1.37	18	<10	360	<0.5	<2	0.32	0.9	7	24	26	2.09
B628994		0.50	0.011	0.2	1.12	31	<10	230	<0.5	<2	0.33	<0.5	7	26	37	2.11
B628995		0.46	0.015	<0.2	1.57	34	<10	240	0.5	<2	0.22	<0.5	11	28	43	2.54
B628996		0.44	0.010	<0.2	1.42	16	<10	140	<0.5	<2	0.12	<0.5	10	24	35	2.44
B628997		0.40	0.005	<0.2	1.27	10	<10	160	<0.5	<2	0.12	<0.5	8	21	26	2.19
B628998		0.44	<0.005	<0.2	1.12	11	<10	110	<0.5	<2	0.10	<0.5	4	19	20	2.07
B628999		0.48	0.009	<0.2	1.23	11	<10	130	<0.5	<2	0.15	<0.5	8	20	27	2.23
B629000		0.36	0.008	<0.2	1.80	23	<10	240	0.5	<2	0.24	<0.5	10	33	41	2.70
B629001		0.44	0.005	<0.2	1.11	9	<10	430	<0.5	<2	0.23	<0.5	9	20	33	2.50
B629002		0.38	<0.005	<0.2	0.98	10	<10	200	<0.5	<2	0.21	<0.5	8	19	31	2.16
B629003		0.34	<0.005	<0.2	1.11	7	<10	110	<0.5	<2	0.13	<0.5	4	19	17	1.78
B629004		0.34	<0.005	<0.2	1.83	10	<10	190	<0.5	<2	0.09	<0.5	14	22	46	3.31
B629005		0.30	0.008	<0.2	1.27	21	<10	200	<0.5	<2	0.14	<0.5	7	20	24	2.19
B629006		0.48	0.010	<0.2	1.33	24	<10	250	0.5	<2	0.13	<0.5	10	21	29	2.34
B629007		0.42	<0.005	<0.2	1.68	21	<10	240	0.5	<2	0.09	<0.5	10	26	31	2.63
B629008		0.44	0.005	<0.2	1.52	27	<10	180	0.5	<2	0.13	<0.5	11	23	33	2.51
B629009		0.48	<0.005	<0.2	1.39	13	<10	220	<0.5	<2	0.31	<0.5	11	32	35	2.43

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B628970		<10	0.06	0.07	20	0.48	436	2	0.02	29	900	19	0.01	2	3	27
B628971		<10	0.05	0.04	20	0.46	301	1	0.01	26	580	17	0.01	2	4	20
B628972		<10	0.04	0.03	10	0.36	276	1	0.01	20	720	11	0.02	<2	2	28
B628973		<10	0.10	0.05	20	0.43	450	2	0.01	34	500	21	0.01	3	4	12
B628974		<10	0.16	0.03	10	0.32	4060	6	0.02	22	1930	11	0.18	<2	1	84
B628975		<10	0.04	0.05	20	0.43	492	1	0.01	32	780	19	0.01	2	4	17
B628976		<10	0.14	0.02	10	0.25	214	<1	0.02	15	1290	8	0.18	<2	2	64
B628977		<10	0.08	0.07	20	0.49	384	2	0.01	37	440	21	0.01	3	5	19
B628978		<10	0.09	0.08	30	0.50	545	2	0.02	33	720	24	0.01	3	5	21
B628979		<10	0.06	0.05	20	0.47	679	1	0.01	35	870	15	0.01	<2	5	19
B628980		<10	0.06	0.04	10	0.41	377	1	0.01	25	660	15	0.01	<2	4	18
B628981		<10	0.05	0.04	20	0.36	192	1	0.01	21	660	12	<0.01	<2	3	14
B628982		<10	0.08	0.04	20	0.39	487	1	0.01	26	560	20	<0.01	<2	5	15
B628983		10	0.07	0.05	10	0.44	114	2	0.02	24	710	15	0.14	2	4	24
B628984		<10	0.06	0.05	10	0.46	111	2	0.02	24	710	14	0.10	<2	4	25
B628985		<10	0.12	0.01	10	0.09	96	6	0.02	32	770	4	0.55	2	1	32
B628986		<10	0.06	0.06	20	0.50	149	1	0.02	26	850	17	0.06	3	4	27
B628987		<10	0.06	0.05	20	0.43	167	1	0.02	23	970	16	0.03	2	4	24
B628988		<10	0.03	0.03	10	0.34	166	1	0.01	18	790	10	0.01	<2	2	17
B628989		<10	0.03	0.05	20	0.44	261	1	0.02	28	990	11	<0.01	2	3	22
B628990		<10	0.04	0.03	10	0.37	225	1	0.01	18	870	12	0.01	<2	3	17
B628991		<10	0.04	0.04	10	0.36	294	1	0.02	24	840	11	0.01	<2	3	23
B628992		<10	0.07	0.04	10	0.37	126	3	0.02	23	960	13	0.10	2	3	27
B628993		<10	0.06	0.04	10	0.40	145	2	0.01	21	870	14	0.06	<2	3	24
B628994		<10	0.03	0.06	20	0.43	211	2	0.02	23	940	13	0.01	3	4	18
B628995		<10	0.05	0.06	20	0.45	419	1	0.01	28	730	17	0.01	3	4	18
B628996		<10	0.04	0.04	10	0.40	315	1	0.01	25	590	16	0.01	<2	3	11
B628997		<10	0.18	0.03	10	0.35	274	1	0.01	20	560	12	<0.01	<2	3	12
B628998		<10	0.06	0.03	10	0.29	134	1	0.01	15	790	11	0.01	<2	1	10
B628999		<10	0.04	0.03	20	0.36	283	1	0.01	21	700	12	0.01	<2	3	13
B629000		10	0.04	0.06	20	0.53	362	1	0.01	29	780	18	0.01	3	5	20
B629001		<10	0.04	0.03	20	0.38	463	<1	0.01	27	770	13	0.01	2	4	20
B629002		<10	0.03	0.04	20	0.33	360	<1	0.01	24	760	11	0.01	2	3	18
B629003		<10	0.03	0.03	10	0.31	114	1	0.01	15	680	9	0.01	<2	1	11
B629004		<10	0.02	0.04	40	0.55	622	<1	0.01	29	320	19	0.01	<2	3	13
B629005		<10	0.04	0.04	20	0.38	265	1	0.01	19	610	13	0.01	2	3	14
B629006		<10	0.03	0.04	20	0.38	415	1	0.01	25	430	12	<0.01	3	3	14
B629007		<10	0.04	0.05	20	0.42	328	1	0.01	23	340	15	<0.01	3	5	12
B629008		<10	0.04	0.05	20	0.41	430	1	0.01	29	510	17	0.01	8	5	13
B629009		<10	0.03	0.05	20	0.71	381	1	0.01	35	800	13	0.01	3	3	24

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B628970		0.05	<10	<10	37	<10	105
B628971		0.04	<10	<10	38	<10	78
B628972		0.03	<10	<10	31	<10	69
B628973		0.04	<10	<10	38	<10	100
B628974		0.02	<10	<10	22	<10	103
B628975		0.05	<10	<10	37	<10	97
B628976		0.02	<10	<10	22	<10	29
B628977		0.04	<10	<10	44	<10	100
B628978		0.05	<10	<10	42	<10	122
B628979		0.05	<10	<10	40	<10	69
B628980		0.04	<10	<10	39	<10	73
B628981		0.03	<10	<10	35	<10	67
B628982		0.04	<10	<10	39	<10	80
B628983		0.04	<10	<10	40	<10	114
B628984		0.05	<10	<10	43	<10	114
B628985		0.01	<10	<10	23	<10	89
B628986		0.05	<10	<10	45	<10	132
B628987		0.05	<10	<10	42	<10	101
B628988		0.04	<10	<10	33	<10	56
B628989		0.06	<10	<10	39	<10	80
B628990		0.04	<10	<10	36	<10	66
B628991		0.04	<10	<10	36	<10	72
B628992		0.03	<10	<10	41	<10	99
B628993		0.04	<10	<10	40	<10	86
B628994		0.06	<10	<10	41	<10	82
B628995		0.06	<10	<10	47	<10	82
B628996		0.04	<10	<10	40	<10	76
B628997		0.05	<10	<10	39	<10	61
B628998		0.02	<10	<10	34	<10	49
B628999		0.04	<10	<10	36	<10	63
B629000		0.06	<10	<10	53	<10	91
B629001		0.05	<10	<10	38	<10	76
B629002		0.05	<10	<10	35	<10	67
B629003		0.03	<10	<10	34	<10	51
B629004		0.02	<10	<10	29	<10	72
B629005		0.04	<10	<10	34	<10	67
B629006		0.05	<10	<10	37	<10	74
B629007		0.05	<10	<10	45	<10	73
B629008		0.05	<10	<10	42	<10	83
B629009		0.03	<10	<10	32	<10	69

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B629010		0.46	<0.005	<0.2	1.55	35	<10	300	0.5	<2	0.40	<0.5	10	28	24	2.53
B629011		0.38	<0.005	0.2	1.29	23	<10	290	0.5	<2	0.86	0.8	7	20	19	1.66
B629012		0.30	<0.005	0.2	1.41	8	<10	170	0.5	<2	2.09	<0.5	13	16	47	2.69
B629013		0.26	<0.005	<0.2	1.40	14	<10	160	0.6	<2	0.94	<0.5	13	17	31	3.03
B629014		0.40	<0.005	<0.2	1.60	11	<10	130	<0.5	2	0.10	<0.5	9	24	18	2.62
B629015		0.42	<0.005	<0.2	1.34	12	<10	100	<0.5	<2	0.09	<0.5	6	21	13	2.18
B629016		0.70	0.012	<0.2	1.22	19	<10	130	<0.5	2	0.09	<0.5	8	19	21	2.22
B629017		0.42	<0.005	<0.2	1.26	13	<10	120	<0.5	<2	0.13	<0.5	6	21	16	2.06
B629018		0.50	<0.005	<0.2	1.56	19	<10	110	<0.5	<2	0.07	<0.5	6	23	18	2.23
B629019		0.50	<0.005	<0.2	1.70	17	<10	110	<0.5	<2	0.07	<0.5	6	24	16	2.43
B629020		0.44	<0.005	<0.2	1.52	24	<10	260	0.5	<2	0.19	<0.5	10	24	26	2.59
B629021		0.50	<0.005	<0.2	1.66	45	<10	130	0.5	<2	0.08	<0.5	10	24	24	2.68
B629022		0.42	<0.005	<0.2	1.39	27	<10	80	<0.5	2	0.08	<0.5	7	22	22	2.81
B629023		0.44	<0.005	<0.2	1.70	65	<10	70	<0.5	2	0.03	<0.5	6	21	42	4.16
B629024		0.38	0.017	0.4	1.85	24	<10	130	1.0	5	0.45	2.6	14	22	52	3.35
B629025		0.40	0.018	0.2	2.13	28	<10	160	1.1	8	0.34	7.3	18	26	79	3.75
B629026		0.44	<0.005	<0.2	1.54	11	<10	160	0.6	<2	0.45	<0.5	12	23	24	2.70
B629027		0.36	0.005	<0.2	1.77	47	<10	170	0.6	<2	0.24	<0.5	19	26	27	2.98
B629028		0.42	0.007	0.2	1.77	52	<10	170	0.5	<2	0.21	<0.5	13	26	24	2.95
B629029		0.30	0.006	<0.2	1.36	22	<10	150	<0.5	<2	0.22	<0.5	5	24	11	1.97
B629030		0.20	<0.005	<0.2	1.61	23	<10	190	<0.5	<2	0.26	<0.5	11	24	14	2.68
B629031		0.42	0.011	<0.2	1.53	18	<10	150	<0.5	<2	0.18	<0.5	8	24	13	2.33
B629032		0.20	<0.005	<0.2	1.39	13	<10	160	<0.5	<2	0.30	<0.5	7	22	10	1.88
B629051		0.18	<0.005	<0.2	1.12	19	<10	210	<0.5	<2	0.82	<0.5	10	21	21	2.23
B629052		0.22	<0.005	<0.2	1.07	16	<10	160	<0.5	<2	0.70	0.5	7	21	18	2.02
B629053		0.30	<0.005	<0.2	1.11	13	<10	200	<0.5	<2	0.62	<0.5	6	22	25	2.10
B629054		0.18	0.005	<0.2	1.03	12	<10	150	<0.5	<2	0.79	<0.5	4	20	18	1.68
B629055		0.24	0.005	<0.2	1.07	6	<10	200	<0.5	<2	0.78	0.6	8	21	24	1.63
B629056		0.14	<0.005	<0.2	0.93	13	<10	180	<0.5	<2	1.08	<0.5	6	18	24	2.15
B629057		0.10	<0.005	<0.2	1.02	9	<10	220	<0.5	<2	0.98	0.8	9	20	24	1.83
B629058		0.14	<0.005	<0.2	0.89	14	<10	160	<0.5	<2	1.62	0.5	7	18	22	2.07
B629059		0.14	<0.005	0.2	1.13	9	<10	190	<0.5	<2	0.86	0.9	9	24	29	1.98
B629060		0.20	<0.005	<0.2	1.10	18	<10	170	<0.5	<2	0.96	0.6	7	23	30	2.26
B629061		0.26	0.015	<0.2	0.88	12	<10	160	<0.5	<2	0.62	<0.5	7	20	25	1.94
B629063		0.20	<0.005	0.2	1.29	19	<10	290	<0.5	<2	0.57	<0.5	11	25	27	2.84
B629064		0.24	<0.005	0.2	1.49	11	<10	270	0.5	<2	0.54	0.6	9	28	37	2.18
B629065		0.22	<0.005	<0.2	1.58	14	<10	280	0.5	<2	0.21	<0.5	10	28	33	2.72
B629066		0.18	<0.005	0.2	1.15	33	<10	140	<0.5	<2	0.22	<0.5	7	23	26	2.30
B629067		0.24	<0.005	<0.2	1.37	13	<10	250	<0.5	<2	0.29	<0.5	8	25	29	2.89
B629068		0.20	<0.005	<0.2	1.11	11	<10	170	<0.5	<2	0.27	<0.5	8	21	19	2.47

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B629010		<10	0.05	0.04	20	0.51	411	<1	0.01	26	670	17	0.03	4	3	33
B629011		<10	0.06	0.04	20	0.35	332	<1	0.02	18	650	14	0.07	2	3	59
B629012		<10	0.08	0.04	30	0.52	913	1	0.02	30	800	20	0.10	2	2	100
B629013		<10	0.05	0.04	20	0.45	848	1	0.01	28	820	20	0.06	3	2	43
B629014		10	0.02	0.07	10	0.40	379	1	0.01	19	500	19	0.01	2	2	11
B629015		<10	0.03	0.04	10	0.33	199	<1	0.01	12	580	15	<0.01	<2	1	9
B629016		<10	0.03	0.05	20	0.35	320	<1	0.01	19	580	12	<0.01	4	2	9
B629017		<10	0.03	0.03	10	0.33	204	<1	0.01	15	630	14	<0.01	<2	1	13
B629018		10	0.03	0.05	20	0.38	196	1	0.01	16	520	22	0.01	6	1	9
B629019		10	0.03	0.07	20	0.40	184	<1	0.01	16	520	18	0.01	3	1	9
B629020		<10	0.02	0.06	20	0.50	349	<1	0.01	24	600	10	0.01	2	4	21
B629021		<10	0.04	0.05	20	0.42	330	1	0.01	22	550	13	0.02	23	2	12
B629022		<10	0.03	0.05	20	0.38	271	1	0.01	19	470	15	0.02	3	2	12
B629023		10	0.03	0.14	20	0.65	326	1	0.03	14	690	15	0.13	<2	1	25
B629024		10	0.04	0.10	20	0.52	420	<1	0.02	40	620	12	0.04	2	3	51
B629025		10	0.06	0.12	30	0.58	587	1	0.02	47	790	13	0.05	<2	3	47
B629026		10	0.04	0.13	20	0.52	334	<1	0.01	31	580	9	0.04	3	3	30
B629027		10	0.05	0.10	20	0.59	728	1	0.01	27	600	26	0.05	3	3	25
B629028		10	0.06	0.10	20	0.59	469	1	0.01	27	570	21	0.04	6	3	23
B629029		10	0.08	0.05	10	0.48	201	1	0.01	16	560	16	0.04	2	2	18
B629030		10	0.04	0.09	20	0.49	325	1	0.01	23	570	18	0.04	2	3	24
B629031		10	0.03	0.08	10	0.48	164	<1	0.01	20	410	18	0.03	5	2	19
B629032		10	0.06	0.08	10	0.43	152	<1	0.01	18	530	10	0.05	<2	2	31
B629051		<10	0.07	0.06	10	0.44	754	2	0.02	23	840	16	0.07	2	3	32
B629052		<10	0.06	0.06	10	0.43	465	2	0.02	20	900	12	0.05	<2	3	29
B629053		<10	0.07	0.06	20	0.42	270	1	0.02	23	830	13	0.05	2	3	28
B629054		<10	0.06	0.05	10	0.42	635	2	0.02	19	800	13	0.07	<2	3	31
B629055		<10	0.06	0.06	10	0.44	267	1	0.02	23	840	12	0.08	<2	3	31
B629056		<10	0.06	0.05	10	0.40	323	2	0.02	19	840	11	0.09	<2	2	37
B629057		<10	0.07	0.05	10	0.42	261	1	0.02	26	880	16	0.16	2	2	34
B629058		<10	0.09	0.05	10	0.46	375	1	0.02	23	800	15	0.11	<2	2	47
B629059		<10	0.08	0.07	10	0.50	819	2	0.02	24	1010	14	0.09	2	3	35
B629060		<10	0.08	0.07	10	0.47	841	2	0.02	27	1080	18	0.09	<2	3	37
B629061		<10	0.05	0.05	20	0.39	203	2	0.02	22	1100	14	0.04	3	3	29
B629063		<10	0.08	0.06	10	0.44	1055	1	0.01	27	910	15	0.06	<2	3	28
B629064		<10	0.09	0.06	10	0.50	171	1	0.01	29	880	17	0.08	2	4	25
B629065		<10	0.07	0.04	20	0.49	342	1	0.01	30	510	14	0.02	2	4	15
B629066		<10	0.21	0.06	20	0.41	215	2	0.01	24	740	13	0.03	2	3	15
B629067		<10	0.08	0.05	10	0.40	231	2	0.01	25	820	16	0.04	<2	4	19
B629068		<10	0.06	0.04	10	0.35	412	2	0.01	18	850	12	0.04	<2	3	17

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B629010		0.02	<10	<10	35	<10	65
B629011		0.03	<10	<10	35	<10	75
B629012		0.01	<10	<10	18	<10	59
B629013		0.02	<10	<10	27	<10	92
B629014		0.04	<10	<10	42	<10	62
B629015		0.03	<10	<10	38	<10	48
B629016		0.03	<10	<10	30	<10	54
B629017		0.03	<10	<10	35	<10	52
B629018		0.03	<10	<10	36	<10	58
B629019		0.03	<10	<10	37	<10	56
B629020		0.06	<10	<10	44	<10	73
B629021		0.04	<10	<10	41	<10	71
B629022		0.04	<10	<10	40	<10	61
B629023		0.03	<10	<10	25	<10	70
B629024		0.05	<10	<10	32	<10	512
B629025		0.05	<10	<10	36	<10	1010
B629026		0.06	<10	<10	30	<10	120
B629027		0.05	<10	<10	37	<10	111
B629028		0.05	<10	<10	38	<10	117
B629029		0.05	<10	<10	42	<10	82
B629030		0.05	<10	<10	35	<10	90
B629031		0.05	<10	<10	40	<10	82
B629032		0.05	<10	<10	25	<10	70
B629051		0.04	<10	<10	37	<10	88
B629052		0.04	<10	<10	35	<10	86
B629053		0.04	<10	<10	36	<10	86
B629054		0.04	<10	<10	33	<10	76
B629055		0.04	<10	<10	33	<10	87
B629056		0.03	<10	<10	30	<10	75
B629057		0.03	<10	<10	33	<10	117
B629058		0.03	<10	<10	29	<10	140
B629059		0.04	<10	<10	35	<10	108
B629060		0.04	<10	<10	36	<10	120
B629061		0.04	<10	<10	35	<10	84
B629063		0.03	<10	<10	41	<10	94
B629064		0.03	<10	<10	46	<10	113
B629065		0.05	<10	<10	47	<10	77
B629066		0.04	<10	<10	40	<10	84
B629067		0.03	<10	<10	44	<10	86
B629068		0.03	<10	<10	38	<10	73

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B629069		0.28	<0.005	<0.2	0.96	7	<10	180	<0.5	<2	0.33	<0.5	7	19	17	1.81
B629070		0.20	0.014	0.2	1.25	12	<10	320	<0.5	<2	0.57	0.6	14	24	28	4.18
B629071		0.20	<0.005	<0.2	1.05	12	<10	210	<0.5	<2	0.46	<0.5	8	22	20	2.18
B629072		0.20	<0.005	<0.2	1.11	12	<10	210	<0.5	<2	0.49	<0.5	6	22	23	2.12
B629073		0.20	<0.005	0.2	1.10	5	<10	240	<0.5	<2	0.48	<0.5	5	22	27	1.49
B629074		0.18	<0.005	<0.2	1.37	13	<10	270	<0.5	<2	0.42	0.7	8	26	29	2.29
B629075		0.22	<0.005	<0.2	1.32	2	<10	260	<0.5	<2	0.29	<0.5	6	24	22	1.39
B629076		0.24	<0.005	<0.2	1.34	2	<10	260	<0.5	<2	0.28	<0.5	6	25	20	1.41

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B629069		<10	0.06	0.04	10	0.35	165	1	0.01	17	780	10	0.04	<2	3	21
B629070		<10	0.07	0.05	10	0.44	405	2	0.01	26	870	12	0.05	<2	4	31
B629071		<10	0.06	0.04	10	0.36	435	2	0.01	20	940	14	0.04	<2	3	23
B629072		<10	0.07	0.05	10	0.38	210	2	0.01	20	890	13	0.04	<2	3	24
B629073		<10	0.08	0.05	10	0.35	183	1	0.01	18	1010	11	0.08	<2	3	25
B629074		<10	0.08	0.05	10	0.43	310	2	0.01	27	920	16	0.07	<2	3	23
B629075		<10	0.07	0.04	10	0.43	126	1	0.01	20	770	12	0.04	<2	3	20
B629076		<10	0.07	0.05	10	0.43	125	1	0.01	20	780	13	0.04	<2	3	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105910

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B629069		0.03	<10	<10	31	<10	71
B629070		0.03	<10	<10	42	<10	101
B629071		0.03	<10	<10	38	<10	79
B629072		0.03	<10	<10	38	<10	89
B629073		0.03	<10	<10	29	<10	69
B629074		0.03	<10	<10	42	<10	105
B629075		0.03	<10	<10	40	<10	85
B629076		0.03	<10	<10	41	<10	83

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

CERTIFICATE VA06105911

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 179 Soil samples submitted to our lab in Vancouver, BC, Canada on 25-SEP-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105911

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B629101		0.40	<0.005	<0.2	1.13	8	<10	220	<0.5	<2	0.51	<0.5	10	18	28	2.60
B629102		0.38	<0.005	<0.2	1.11	11	<10	180	<0.5	<2	0.38	<0.5	9	18	23	2.36
B629103		0.42	0.026	0.2	1.11	13	<10	180	<0.5	<2	0.33	<0.5	9	18	27	2.58
B629104		0.42	<0.005	<0.2	1.32	11	<10	220	<0.5	<2	0.20	<0.5	9	22	25	2.44
B629105		0.28	<0.005	0.2	1.23	9	<10	180	<0.5	<2	0.29	<0.5	11	19	21	2.67
B629106		0.30	0.005	<0.2	1.18	10	<10	180	<0.5	<2	0.30	<0.5	11	19	23	2.65
B629107		0.42	0.009	0.2	1.57	8	<10	240	<0.5	<2	0.36	<0.5	8	25	18	1.61
B629108		0.42	0.006	<0.2	1.38	11	<10	230	<0.5	<2	0.19	<0.5	8	22	34	2.09
B629109		0.34	0.011	<0.2	1.29	10	<10	160	<0.5	<2	0.16	<0.5	6	22	23	2.14
B629110		0.38	0.008	<0.2	1.22	11	<10	130	<0.5	<2	0.18	<0.5	7	20	28	2.12
B629111		0.40	0.062	<0.2	1.32	13	<10	110	<0.5	<2	0.11	<0.5	8	24	25	2.69
B629112		0.42	0.007	<0.2	1.33	12	<10	190	<0.5	<2	0.22	<0.5	11	23	49	2.40
B629113		0.44	0.012	0.2	1.30	19	<10	170	<0.5	<2	0.39	<0.5	7	23	24	2.10
B629114		0.44	<0.005	0.2	1.23	14	<10	160	<0.5	<2	0.33	<0.5	8	22	20	2.05
B629115		0.50	0.005	0.2	1.49	22	<10	300	0.5	<2	0.52	<0.5	8	25	51	2.46
B629116		0.50	0.007	0.3	1.26	33	<10	200	<0.5	<2	0.52	0.5	9	25	38	2.71
B629117		0.50	0.006	0.4	1.43	32	<10	240	0.5	<2	0.46	0.5	12	27	43	2.89
B629118		0.26	0.008	0.3	1.02	12	<10	180	<0.5	<2	0.43	2.2	11	18	30	1.21
B629119		0.24	0.005	0.3	1.00	14	<10	180	<0.5	<2	0.50	1.9	10	18	32	1.40
B630001		0.16	0.005	0.3	1.13	17	<10	290	<0.5	<2	0.71	0.8	8	20	41	1.89
B630002		0.24	0.005	0.4	1.24	11	<10	220	<0.5	<2	0.49	0.8	8	24	47	1.99
B630003		0.34	0.006	0.2	0.84	30	<10	150	<0.5	<2	0.55	0.7	10	16	32	2.44
B630004		0.10	<0.005	0.4	0.42	15	<10	140	<0.5	<2	2.54	2.2	3	8	33	0.93
B630005		0.14	<0.005	<0.2	0.17	3	<10	210	<0.5	<2	3.67	<0.5	2	2	17	0.41
B630006		0.46	<0.005	0.2	1.25	26	<10	270	0.5	<2	1.34	0.5	11	24	53	2.82
B630007		0.12	<0.005	<0.2	0.14	4	<10	150	<0.5	<2	3.39	0.5	<1	2	12	0.16
B630008		0.12	<0.005	<0.2	0.17	6	<10	160	<0.5	<2	3.55	0.6	1	2	19	0.18
B630009		0.38	<0.005	<0.2	1.43	13	<10	210	<0.5	<2	0.70	<0.5	9	23	15	2.47
B630010		0.32	<0.005	<0.2	1.31	16	<10	180	<0.5	<2	0.65	<0.5	8	23	17	2.48
B630011		0.28	0.008	0.3	1.12	86	<10	180	<0.5	<2	0.88	0.7	8	19	40	2.72
B630012		0.46	0.010	0.3	0.83	63	<10	160	<0.5	<2	0.85	0.5	7	15	26	2.08
B630013		0.38	0.011	0.3	1.03	61	<10	200	<0.5	<2	1.55	0.7	8	17	38	2.07
B630014		0.36	<0.005	<0.2	1.07	76	<10	150	<0.5	<2	1.10	0.5	7	18	36	2.34
B630015		0.30	0.006	0.2	1.32	53	<10	190	<0.5	<2	1.22	<0.5	11	28	45	2.82
B630016		0.28	0.025	0.3	0.78	70	<10	130	<0.5	<2	1.05	0.7	8	14	37	2.01
B630017		0.42	0.167	0.3	0.90	41	<10	180	<0.5	<2	1.51	0.5	10	15	36	2.27
B630018		0.38	0.006	0.3	1.16	78	<10	170	<0.5	<2	1.29	0.5	11	19	59	3.13
B630019		0.54	0.013	0.4	1.36	85	<10	160	<0.5	<2	0.96	0.8	12	24	96	3.31
B630020		0.18	<0.005	0.3	0.76	37	<10	200	<0.5	<2	2.43	0.6	6	13	43	1.86
B630021		0.32	0.009	0.4	0.79	48	<10	160	<0.5	<2	1.53	0.6	8	13	37	2.22

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105911

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B629101		<10	0.05	0.04	20	0.33	418	1	<0.01	25	730	17	0.03	<2	3	39
B629102		<10	0.04	0.04	20	0.38	785	<1	<0.01	23	620	15	0.02	<2	3	28
B629103		<10	0.04	0.04	20	0.37	287	1	<0.01	26	600	15	0.01	<2	3	24
B629104		<10	0.04	0.04	20	0.41	243	1	<0.01	20	620	14	0.01	<2	3	17
B629105		<10	0.04	0.05	20	0.35	419	1	<0.01	20	550	15	0.02	<2	2	23
B629106		<10	0.04	0.05	20	0.34	622	1	<0.01	23	520	16	0.02	<2	2	23
B629107		<10	0.04	0.04	10	0.43	210	2	<0.01	21	750	10	0.09	<2	3	21
B629108		<10	0.05	0.04	10	0.37	278	1	<0.01	23	560	8	0.01	<2	4	14
B629109		<10	0.03	0.03	10	0.34	162	1	<0.01	14	600	9	0.01	<2	2	14
B629110		<10	0.04	0.03	10	0.35	191	1	<0.01	20	610	7	0.02	<2	2	14
B629111		10	0.02	0.04	10	0.33	273	1	<0.01	16	400	9	0.02	<2	2	11
B629112		<10	0.02	0.04	10	0.38	280	1	<0.01	24	670	8	0.02	<2	3	17
B629113		<10	0.06	0.06	20	0.51	159	1	<0.01	22	710	15	0.02	<2	3	21
B629114		<10	0.05	0.05	20	0.45	154	1	<0.01	22	620	12	0.01	<2	3	20
B629115		<10	0.10	0.06	20	0.49	347	1	<0.01	34	680	10	0.02	<2	4	24
B629116		<10	0.07	0.09	20	0.56	431	2	<0.01	32	950	17	0.02	<2	4	27
B629117		<10	0.07	0.10	20	0.55	410	2	<0.01	35	850	19	0.02	<2	4	24
B629118		<10	0.06	0.03	10	0.24	79	2	<0.01	26	550	8	0.74	<2	2	24
B629119		<10	0.08	0.03	10	0.24	133	2	<0.01	27	550	8	0.74	<2	2	26
B630001		<10	0.09	0.05	10	0.44	389	<1	<0.01	29	770	18	0.09	<2	3	33
B630002		<10	0.08	0.06	20	0.50	212	<1	<0.01	35	840	21	0.04	<2	3	28
B630003		<10	0.07	0.04	20	0.44	285	1	<0.01	30	1000	14	0.01	<2	3	25
B630004		<10	0.07	0.02	10	0.23	35	2	<0.01	19	660	5	0.64	<2	1	69
B630005		<10	0.09	0.01	10	0.31	294	<1	0.05	7	600	<2	0.50	<2	<1	106
B630006		<10	0.10	0.07	10	0.74	450	1	<0.01	35	550	19	0.04	<2	4	37
B630007		<10	0.07	0.01	10	0.30	102	1	0.05	5	550	<2	0.47	<2	<1	97
B630008		<10	0.08	0.01	10	0.29	425	3	0.02	7	730	<2	0.36	<2	<1	99
B630009		<10	0.04	0.05	10	0.50	208	1	<0.01	19	470	16	0.04	<2	3	36
B630010		<10	0.03	0.05	10	0.46	301	1	<0.01	23	400	15	0.05	<2	3	36
B630011		<10	0.05	0.13	20	0.53	417	2	<0.01	28	1040	15	0.03	<2	3	39
B630012		<10	0.03	0.09	20	0.51	200	2	<0.01	20	1110	13	0.03	<2	2	33
B630013		<10	0.07	0.10	20	0.48	212	3	<0.01	28	910	17	0.13	<2	3	59
B630014		<10	0.06	0.11	10	0.51	277	2	<0.01	23	810	16	0.05	<2	3	42
B630015		<10	0.03	0.06	10	0.85	312	1	<0.01	30	1050	11	0.04	2	4	40
B630016		<10	0.04	0.04	10	0.43	514	1	<0.01	18	1100	20	0.06	<2	2	40
B630017		<10	0.05	0.06	10	0.49	527	1	<0.01	22	1020	21	0.06	<2	2	49
B630018		<10	0.06	0.09	20	0.78	385	2	<0.01	32	1220	28	0.02	<2	3	37
B630019		<10	0.05	0.11	20	0.77	540	2	<0.01	30	980	25	0.03	<2	4	36
B630020		<10	0.07	0.05	10	0.46	289	1	<0.01	21	910	16	0.12	2	2	73
B630021		<10	0.04	0.05	10	0.40	430	2	<0.01	20	840	28	0.05	5	2	49

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105911

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B629101		0.02	<10	<10	26	<10	65
B629102		0.02	<10	<10	28	<10	59
B629103		0.03	<10	<10	26	<10	69
B629104		0.03	<10	<10	32	<10	68
B629105		0.02	<10	<10	30	<10	61
B629106		0.02	<10	<10	29	<10	60
B629107		0.04	<10	<10	39	<10	78
B629108		0.05	<10	<10	40	<10	56
B629109		0.03	<10	<10	40	<10	46
B629110		0.04	<10	<10	38	<10	49
B629111		0.05	<10	<10	58	<10	53
B629112		0.06	<10	<10	44	<10	60
B629113		0.05	<10	<10	38	<10	69
B629114		0.04	<10	<10	39	<10	60
B629115		0.04	<10	<10	39	<10	64
B629116		0.05	<10	<10	38	<10	98
B629117		0.05	<10	<10	41	<10	92
B629118		0.03	<10	<10	23	<10	121
B629119		0.03	<10	<10	22	<10	124
B630001		0.02	<10	<10	32	<10	151
B630002		0.03	<10	<10	37	<10	186
B630003		0.03	<10	<10	28	<10	138
B630004		0.01	<10	<10	10	<10	114
B630005		<0.01	<10	<10	3	<10	10
B630006		0.03	<10	<10	43	<10	91
B630007		0.01	<10	<10	3	<10	7
B630008		0.01	<10	<10	3	<10	12
B630009		0.04	<10	<10	45	<10	63
B630010		0.03	<10	<10	43	<10	61
B630011		0.04	<10	<10	31	<10	117
B630012		0.04	<10	<10	24	<10	74
B630013		0.03	<10	<10	28	<10	84
B630014		0.04	<10	<10	29	<10	104
B630015		0.02	<10	<10	38	<10	82
B630016		0.02	<10	<10	23	<10	91
B630017		0.03	<10	<10	24	<10	70
B630018		0.03	<10	<10	30	<10	105
B630019		0.05	<10	<10	38	<10	99
B630020		0.02	<10	<10	21	<10	72
B630021		0.03	<10	<10	22	<10	88

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105911

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B630022		0.46	0.010	0.3	1.07	65	<10	160	<0.5	<2	1.10	<0.5	11	15	37	3.01
B630023		0.42	<0.005	0.4	1.00	42	<10	220	<0.5	<2	1.27	0.5	9	18	34	2.65
B630024		0.52	0.005	0.8	1.05	41	<10	260	<0.5	<2	1.03	0.8	11	19	61	2.79
B630025		0.64	0.022	0.3	0.98	62	<10	130	<0.5	<2	0.55	0.5	11	17	28	3.04
B630026		0.44	<0.005	0.5	0.85	34	<10	200	<0.5	<2	1.82	0.8	6	15	35	2.14
B630027		0.28	<0.005	0.3	0.89	16	<10	250	<0.5	<2	1.45	<0.5	7	16	30	2.09
B630028		0.42	0.011	0.4	0.93	59	<10	180	<0.5	<2	1.38	0.9	11	18	50	3.34
B630029		0.22	<0.005	0.4	0.44	11	<10	280	<0.5	<2	4.80	0.8	5	7	49	1.07
B630030		0.52	0.005	0.7	1.02	21	<10	180	<0.5	<2	0.91	0.5	12	18	122	3.18
B630031		0.52	0.005	0.7	0.79	29	<10	160	<0.5	<2	0.97	0.5	9	15	33	2.80
B630032		0.46	0.009	1.2	1.06	26	<10	210	<0.5	<2	1.23	0.5	10	20	55	3.18
B630033		0.32	<0.005	0.3	0.99	11	<10	240	<0.5	<2	1.52	<0.5	6	17	29	1.75
B630034		0.44	<0.005	0.3	0.93	21	<10	220	<0.5	<2	1.36	<0.5	9	16	24	2.12
B630035		0.46	<0.005	<0.2	0.71	7	<10	130	<0.5	<2	0.56	<0.5	5	13	14	1.36
B630036		0.34	0.005	0.3	0.89	21	<10	170	<0.5	<2	1.10	0.6	8	16	28	2.33
B630037		0.40	<0.005	0.2	0.71	16	<10	130	<0.5	<2	1.13	<0.5	7	13	11	1.73
B630038		0.44	<0.005	0.2	0.97	9	<10	200	<0.5	<2	0.86	0.5	7	18	26	1.68
B630039		0.42	<0.005	0.2	1.02	28	<10	200	<0.5	<2	1.30	0.6	9	18	27	2.66
B630040		0.28	0.052	0.2	1.04	7	<10	380	<0.5	<2	1.12	0.5	7	19	30	1.39
B630041		0.34	0.006	0.2	0.99	9	<10	320	<0.5	<2	0.95	<0.5	5	18	23	1.25
B630042		0.40	0.008	0.7	1.12	30	<10	230	<0.5	<2	1.12	0.6	7	18	51	2.49
B630043		0.14	<0.005	0.4	0.34	7	10	450	<0.5	<2	4.49	0.6	3	5	16	0.63
B630045		0.28	0.011	0.2	0.65	24	<10	150	<0.5	<2	1.03	<0.5	6	13	20	1.73
B630046		0.54	0.007	<0.2	1.37	14	<10	310	0.5	<2	0.35	<0.5	9	23	26	2.49
B630047		0.38	<0.005	1.2	1.07	70	<10	150	<0.5	<2	0.86	1.7	10	24	55	3.51
B630048		0.42	<0.005	0.7	1.19	39	<10	190	<0.5	<2	1.58	1.0	12	25	70	3.07
B630049		0.68	0.008	0.3	1.08	15	<10	310	<0.5	<2	0.44	<0.5	10	21	37	2.75
B630050		0.54	<0.005	<0.2	1.17	27	<10	170	<0.5	<2	0.31	0.5	10	22	32	2.58
B630051		0.16	NSS	<0.2	0.24	31	10	680	<0.5	<2	3.71	0.9	9	3	15	1.22
B630052		0.14	<0.005	<0.2	1.88	31	<10	390	<0.5	<2	0.68	1.0	11	88	35	2.91
B630053		0.42	0.478	0.9	1.31	221	<10	270	<0.5	2	0.17	<0.5	9	22	28	2.67
B630054		0.40	<0.005	<0.2	1.47	7	<10	250	<0.5	<2	0.46	0.5	13	66	22	2.63
B630055		0.42	<0.005	0.3	1.50	27	<10	390	<0.5	<2	0.42	0.6	16	39	22	3.83
B630056		0.56	0.018	<0.2	1.08	32	<10	320	<0.5	<2	0.32	0.5	10	18	21	2.06
B630057		0.52	<0.005	0.4	1.65	18	<10	330	0.8	<2	1.11	0.6	18	33	65	3.50
B630058		0.54	0.013	0.2	1.32	20	<10	250	<0.5	<2	0.42	<0.5	10	22	28	2.49
B630059		0.44	0.017	<0.2	1.50	48	<10	250	0.5	<2	0.12	<0.5	13	31	44	3.03
B630060		0.42	0.024	0.3	1.47	29	<10	330	<0.5	<2	0.61	0.8	9	28	32	2.47
B630061		0.58	0.012	0.3	1.30	27	<10	280	<0.5	<2	0.62	0.6	8	26	31	2.54
B630063		0.62	0.012	0.3	1.40	27	<10	340	<0.5	<2	0.42	0.5	12	23	24	2.75

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105911

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B630022		<10	0.04	0.09	20	0.53	702	2	<0.01	24	980	26	0.04	2	3	41
B630023		<10	0.06	0.04	10	0.45	338	2	<0.01	23	670	22	0.04	<2	3	46
B630024		<10	0.07	0.05	20	0.47	675	2	<0.01	35	830	27	0.03	<2	3	40
B630025		<10	0.03	0.04	10	0.43	352	2	<0.01	24	550	27	0.02	<2	3	26
B630026		<10	0.06	0.04	10	0.43	216	1	<0.01	21	740	25	0.08	2	2	67
B630027		<10	0.05	0.04	10	0.45	273	1	<0.01	23	760	16	0.04	2	2	48
B630028		<10	0.05	0.09	20	0.81	399	3	<0.01	32	1080	28	0.04	<2	3	42
B630029		<10	0.10	0.02	10	0.29	629	1	0.01	23	910	10	0.22	<2	1	142
B630030		<10	0.07	0.04	20	0.49	556	4	<0.01	52	950	25	0.03	4	3	40
B630031		<10	0.08	0.04	20	0.32	622	5	<0.01	29	800	17	0.03	4	3	36
B630032		<10	0.14	0.04	20	0.39	692	8	<0.01	39	590	31	0.04	3	3	58
B630033		<10	0.07	0.04	10	0.38	202	1	<0.01	20	640	15	0.06	3	2	52
B630034		<10	0.06	0.03	10	0.35	415	1	<0.01	18	620	16	0.05	<2	2	46
B630035		<10	0.04	0.03	10	0.30	221	1	<0.01	13	800	16	0.05	<2	2	25
B630036		<10	0.06	0.04	10	0.35	305	1	0.01	22	780	17	0.08	2	2	40
B630037		<10	0.04	0.03	10	0.32	206	1	0.01	12	760	14	0.07	<2	2	39
B630038		<10	0.29	0.04	10	0.35	298	1	<0.01	19	720	18	0.06	<2	3	35
B630039		<10	0.05	0.04	10	0.38	563	1	0.01	24	560	23	0.07	2	3	45
B630040		<10	0.08	0.04	10	0.35	223	<1	<0.01	18	600	15	0.15	<2	3	49
B630041		<10	0.07	0.04	10	0.33	94	<1	<0.01	14	610	15	0.15	<2	3	46
B630042		<10	0.07	0.04	20	0.38	218	2	<0.01	26	530	21	0.05	<2	3	39
B630043		<10	0.06	0.02	10	0.30	762	1	0.03	8	760	6	0.33	2	1	142
B630045		<10	0.04	0.03	10	0.32	332	1	<0.01	17	610	12	0.05	2	2	38
B630046		<10	0.06	0.04	20	0.41	286	<1	<0.01	23	480	19	0.02	<2	4	20
B630047		<10	0.07	0.06	20	0.47	409	3	<0.01	36	1140	92	0.01	4	4	33
B630048		<10	0.08	0.07	20	0.61	608	2	<0.01	37	930	32	0.04	2	4	48
B630049		<10	0.06	0.05	20	0.43	300	1	<0.01	30	850	16	<0.01	<2	4	25
B630050		<10	0.04	0.05	20	0.42	430	2	<0.01	26	840	18	<0.01	2	3	17
B630051		<10	0.09	0.02	<10	0.21	5590	3	0.03	9	880	3	0.28	<2	<1	122
B630052		10	0.09	0.04	10	0.76	252	1	0.01	48	1060	10	0.25	<2	3	51
B630053		<10	0.04	0.04	10	0.36	356	1	<0.01	24	480	42	0.02	10	4	22
B630054		10	0.04	0.04	10	0.83	241	<1	<0.01	48	940	11	0.03	<2	2	31
B630055		<10	0.07	0.05	20	0.52	379	1	<0.01	31	1020	16	0.03	<2	3	36
B630056		<10	0.04	0.06	20	0.32	296	1	<0.01	19	770	14	<0.01	<2	3	25
B630057		<10	0.10	0.06	20	0.40	980	2	<0.01	45	910	26	0.04	2	5	106
B630058		<10	0.05	0.04	10	0.38	447	1	<0.01	21	720	21	<0.01	<2	3	25
B630059		<10	0.06	0.05	20	0.51	445	1	<0.01	33	320	49	<0.01	2	4	11
B630060		<10	0.07	0.07	20	0.49	204	1	<0.01	27	840	27	0.06	2	3	43
B630061		<10	0.06	0.07	20	0.47	248	1	<0.01	27	870	28	0.03	4	3	40
B630063		<10	0.05	0.05	20	0.40	463	1	<0.01	23	770	20	0.02	3	3	32

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105911

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B630022		0.06	<10	<10	30	<10	109
B630023		0.03	<10	<10	30	<10	77
B630024		0.03	<10	<10	31	<10	82
B630025		0.03	<10	<10	31	<10	94
B630026		0.03	<10	<10	26	<10	85
B630027		0.03	<10	<10	27	<10	69
B630028		0.05	<10	<10	31	<10	121
B630029		0.01	<10	<10	8	<10	29
B630030		0.02	<10	<10	25	<10	111
B630031		0.03	<10	<10	25	<10	94
B630032		0.02	<10	10	28	<10	80
B630033		0.02	<10	<10	26	<10	57
B630034		0.02	<10	<10	28	<10	55
B630035		0.03	<10	<10	22	<10	68
B630036		0.03	<10	<10	28	<10	76
B630037		0.02	<10	<10	22	<10	74
B630038		0.03	<10	<10	29	<10	72
B630039		0.03	<10	<10	31	<10	80
B630040		0.03	<10	<10	30	<10	74
B630041		0.03	<10	<10	26	<10	57
B630042		0.02	<10	<10	29	<10	63
B630043		0.01	<10	10	7	<10	21
B630045		0.02	<10	<10	22	<10	61
B630046		0.03	<10	<10	42	<10	53
B630047		0.02	<10	<10	34	<10	256
B630048		0.02	<10	<10	39	<10	141
B630049		0.04	<10	<10	36	<10	86
B630050		0.05	<10	<10	42	10	82
B630051		0.01	<10	<10	5	<10	76
B630052		0.02	<10	<10	33	<10	86
B630053		0.05	<10	<10	42	<10	73
B630054		0.07	<10	<10	35	<10	75
B630055		0.03	<10	<10	38	<10	82
B630056		0.03	<10	<10	27	<10	67
B630057		0.02	<10	<10	29	<10	90
B630058		0.03	<10	<10	36	<10	74
B630059		0.07	<10	<10	40	<10	74
B630060		0.03	<10	<10	38	<10	108
B630061		0.03	<10	<10	34	<10	97
B630063		0.03	<10	<10	32	<10	88

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105911

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B630064		0.60	<0.005	0.2	1.49	14	<10	370	<0.5	<2	0.31	<0.5	13	23	22	2.58
B630065		0.54	0.031	0.2	1.41	20	<10	390	<0.5	<2	0.41	<0.5	10	25	26	2.56
B630066		0.58	<0.005	<0.2	1.44	19	<10	460	<0.5	<2	0.51	0.5	9	24	29	2.69
B630067		0.42	<0.005	<0.2	1.23	15	<10	380	<0.5	<2	0.51	<0.5	9	20	21	2.25
B630068		0.70	0.005	0.2	1.11	23	<10	360	<0.5	<2	0.34	<0.5	8	20	28	2.16
B630069		0.78	0.016	0.3	1.24	29	<10	350	<0.5	<2	0.27	<0.5	9	22	33	2.47
B630070		0.64	0.009	<0.2	1.37	15	<10	310	<0.5	<2	0.20	<0.5	9	23	25	2.45
B630071		0.58	<0.005	<0.2	1.32	24	<10	130	<0.5	<2	0.10	<0.5	7	22	23	2.20
B630072		0.54	0.005	<0.2	1.53	28	<10	220	0.6	<2	0.08	<0.5	12	24	36	2.93
B630073		0.44	<0.005	<0.2	1.66	15	<10	260	0.5	<2	0.09	<0.5	11	29	36	3.10
B630074		0.50	0.005	<0.2	1.44	22	<10	180	<0.5	<2	0.18	<0.5	10	19	18	2.53
B630075		0.36	0.005	<0.2	1.17	22	<10	190	<0.5	<2	1.41	<0.5	8	13	27	2.15
B630076		0.36	0.011	<0.2	1.30	16	<10	170	<0.5	<2	0.35	<0.5	9	15	28	2.38
B630077		0.58	0.009	0.2	1.15	50	<10	190	<0.5	<2	0.46	<0.5	9	17	21	2.37
B630078		0.58	0.020	0.2	1.13	157	<10	150	<0.5	<2	0.29	<0.5	10	14	21	2.53
B630079		0.42	0.037	0.2	1.37	344	<10	260	<0.5	<2	0.10	0.7	10	18	24	2.78
B630080		0.56	0.048	0.7	1.18	570	<10	180	<0.5	<2	0.89	1.1	12	11	31	2.97
B630081		0.52	0.010	0.2	1.30	24	<10	170	<0.5	<2	0.13	<0.5	9	15	25	2.47
B630082		0.48	<0.005	<0.2	1.28	24	<10	130	<0.5	<2	0.07	<0.5	10	17	24	2.59
B630083		0.58	0.048	0.5	1.21	71	<10	380	<0.5	<2	0.16	<0.5	9	19	46	2.70
B630084		0.42	<0.005	0.3	1.58	4	<10	140	<0.5	<2	0.05	<0.5	14	20	39	3.39
B688151		0.06	NSS	0.5	0.35	4	<10	150	<0.5	<2	1.07	1.5	3	4	50	0.73
B688152		0.60	<0.005	0.3	1.15	8	<10	170	<0.5	<2	0.21	<0.5	6	21	25	1.84
B688153		0.44	<0.005	0.6	1.21	14	<10	280	<0.5	<2	0.34	0.7	9	23	35	2.42
B688154		0.74	<0.005	0.3	1.28	11	<10	190	<0.5	<2	0.30	<0.5	8	25	32	2.05
B688155		0.48	0.006	0.3	1.22	15	<10	180	<0.5	<2	0.55	0.6	8	26	20	1.86
B688156		0.66	<0.005	<0.2	1.35	16	<10	140	<0.5	<2	0.33	<0.5	7	27	31	2.34
B688157		0.58	<0.005	<0.2	0.81	15	<10	150	<0.5	<2	0.32	<0.5	6	16	31	2.10
B688158		0.54	0.005	0.3	1.76	45	<10	320	0.6	<2	0.23	<0.5	11	31	49	3.20
B688159		0.66	<0.005	0.2	1.36	18	<10	160	<0.5	<2	0.33	<0.5	10	28	30	2.32
B688160		0.52	<0.005	0.3	1.46	21	<10	220	<0.5	2	0.39	0.7	12	30	37	2.58
B688162		0.32	0.005	0.7	2.46	57	<10	270	0.6	<2	0.71	0.7	14	55	119	3.71
B688163		0.52	0.009	0.4	2.08	64	<10	210	0.5	<2	0.53	0.5	17	49	108	3.70
B688164		0.38	<0.005	<0.2	2.43	4	<10	230	0.6	<2	0.40	<0.5	14	45	40	3.12
B688165		0.38	<0.005	<0.2	1.44	9	<10	150	<0.5	<2	0.17	<0.5	5	31	18	2.33
B688166		0.34	<0.005	0.2	2.26	12	<10	130	0.6	<2	0.29	<0.5	17	41	23	3.17
B688167		0.24	<0.005	<0.2	1.99	15	<10	160	<0.5	<2	0.47	<0.5	9	37	22	2.85
B688168		0.42	<0.005	<0.2	1.84	7	<10	160	<0.5	<2	0.16	<0.5	6	39	21	2.59
B688169		0.34	<0.005	<0.2	1.48	11	<10	130	<0.5	2	0.12	<0.5	5	25	13	2.30
B688170		0.42	<0.005	<0.2	1.76	19	<10	140	0.6	<2	0.16	<0.5	6	27	21	2.45

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105911

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B630064		<10	0.04	0.04	20	0.41	641	1	<0.01	22	750	17	0.01	4	3	24
B630065		<10	0.05	0.05	20	0.42	274	1	<0.01	23	800	16	<0.01	3	4	32
B630066		<10	0.10	0.04	20	0.41	230	1	<0.01	24	760	13	0.02	4	4	39
B630067		<10	0.05	0.03	10	0.32	325	1	<0.01	21	830	12	0.02	3	3	38
B630068		<10	0.04	0.04	20	0.36	250	1	<0.01	25	760	14	<0.01	4	3	24
B630069		<10	0.04	0.05	20	0.39	358	1	<0.01	27	710	16	<0.01	3	4	20
B630070		<10	0.03	0.04	20	0.40	320	1	<0.01	23	610	12	<0.01	3	4	18
B630071		<10	0.03	0.04	20	0.37	207	1	<0.01	19	460	13	<0.01	3	3	10
B630072		<10	0.07	0.06	20	0.44	396	1	<0.01	24	330	17	<0.01	<2	5	11
B630073		<10	0.08	0.05	20	0.45	393	1	<0.01	23	360	16	<0.01	<2	6	13
B630074		<10	0.02	0.06	20	0.40	387	1	<0.01	20	350	20	<0.01	<2	2	17
B630075		<10	0.04	0.09	20	0.44	360	<1	<0.01	20	440	24	0.05	<2	2	79
B630076		<10	0.02	0.08	30	0.52	326	<1	<0.01	23	460	25	0.01	<2	2	23
B630077		<10	0.04	0.06	20	0.40	407	1	<0.01	21	620	21	0.01	12	2	30
B630078		<10	0.03	0.06	20	0.42	422	<1	<0.01	22	510	23	<0.01	11	2	22
B630079		<10	0.03	0.05	20	0.37	419	1	<0.01	20	260	35	<0.01	23	3	11
B630080		<10	0.05	0.05	20	0.38	1050	1	<0.01	28	470	50	0.02	30	2	42
B630081		<10	0.03	0.04	20	0.43	371	1	<0.01	21	360	20	<0.01	2	2	13
B630082		<10	0.02	0.04	20	0.43	369	1	<0.01	21	220	19	<0.01	<2	2	9
B630083		<10	0.05	0.04	20	0.37	387	2	<0.01	27	620	29	<0.01	5	3	57
B630084		<10	0.03	0.04	30	0.45	592	2	<0.01	28	360	25	<0.01	<2	2	9
B688151		<10	0.12	0.02	10	0.16	93	13	<0.01	13	710	5	0.12	<2	1	65
B688152		<10	0.06	0.04	10	0.35	123	2	<0.01	18	840	14	<0.01	<2	2	17
B688153		<10	0.21	0.04	10	0.42	389	3	<0.01	24	1070	14	0.02	<2	3	26
B688154		<10	0.05	0.04	10	0.48	201	3	<0.01	23	1020	15	<0.01	2	3	22
B688155		<10	0.05	0.04	10	0.46	279	2	0.02	21	1090	11	0.07	2	3	28
B688156		<10	0.03	0.05	10	0.50	231	2	0.01	30	970	10	0.02	<2	3	22
B688157		<10	0.03	0.05	10	0.33	277	1	0.01	24	840	7	0.01	2	3	22
B688158		<10	0.08	0.07	20	0.58	499	2	0.01	34	730	28	0.01	<2	6	20
B688159		<10	0.06	0.05	20	0.52	305	2	0.01	27	850	13	0.01	<2	4	21
B688160		<10	0.06	0.06	20	0.53	1150	2	0.01	32	1000	16	0.02	2	4	23
B688162		10	0.05	0.16	20	0.86	343	3	0.04	53	780	31	0.05	8	8	40
B688163		10	0.03	0.19	20	0.84	407	2	0.04	45	1030	31	0.05	8	7	33
B688164		10	0.03	0.33	20	1.10	370	2	0.03	35	1180	7	0.04	<2	6	26
B688165		<10	0.03	0.04	10	0.38	158	2	0.01	17	640	12	0.02	<2	1	15
B688166		10	0.04	0.09	20	0.60	897	3	0.03	23	1230	12	0.05	<2	2	18
B688167		10	0.03	0.08	20	0.71	281	3	0.04	27	1060	7	0.04	<2	4	24
B688168		10	0.03	0.05	10	0.53	196	2	0.01	22	640	9	0.02	<2	2	15
B688169		10	0.04	0.04	10	0.35	218	1	0.01	17	860	9	0.04	<2	1	12
B688170		10	0.05	0.04	10	0.44	217	1	0.01	20	870	9	0.04	<2	2	13

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105911

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
B630064		0.03	<10	<10	35	<10	77
B630065		0.04	<10	<10	40	<10	80
B630066		0.04	<10	<10	43	<10	77
B630067		0.03	<10	<10	37	<10	63
B630068		0.04	<10	<10	32	<10	66
B630069		0.04	<10	<10	36	<10	74
B630070		0.05	<10	<10	42	<10	65
B630071		0.04	<10	<10	35	<10	55
B630072		0.05	<10	<10	41	<10	71
B630073		0.06	<10	<10	49	<10	75
B630074		0.02	<10	<10	32	<10	53
B630075		0.01	<10	<10	14	<10	63
B630076		0.01	<10	<10	15	<10	66
B630077		0.02	<10	<10	24	<10	81
B630078		0.02	<10	<10	19	<10	87
B630079		0.03	<10	<10	30	<10	124
B630080		0.01	<10	<10	15	<10	159
B630081		0.01	<10	<10	23	<10	63
B630082		0.02	<10	<10	26	<10	64
B630083		0.04	<10	<10	37	<10	90
B630084		0.03	<10	<10	27	<10	71
B688151		0.01	<10	<10	5	<10	41
B688152		0.03	<10	<10	34	<10	65
B688153		0.03	<10	<10	38	<10	79
B688154		0.04	<10	<10	37	<10	84
B688155		0.04	<10	<10	41	<10	85
B688156		0.05	<10	<10	42	<10	93
B688157		0.05	<10	<10	29	<10	66
B688158		0.05	<10	<10	48	<10	114
B688159		0.04	<10	<10	39	<10	86
B688160		0.04	<10	<10	40	<10	94
B688162		0.10	<10	<10	87	<10	170
B688163		0.11	<10	<10	80	<10	151
B688164		0.13	<10	<10	66	<10	87
B688165		0.04	<10	<10	54	<10	53
B688166		0.06	<10	<10	62	<10	78
B688167		0.09	<10	<10	58	<10	93
B688168		0.06	<10	<10	61	<10	62
B688169		0.02	<10	<10	46	<10	46
B688170		0.03	<10	<10	45	<10	51

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105911

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B688171		0.28	<0.005	0.4	1.85	12	<10	130	<0.5	2	0.14	<0.5	3	75	33	2.24
B688172		0.28	<0.005	<0.2	1.16	10	<10	90	<0.5	<2	0.11	<0.5	4	22	10	1.87
B688173		0.28	<0.005	<0.2	1.79	11	<10	120	<0.5	<2	0.31	0.5	7	30	18	2.59
B688174		0.36	<0.005	<0.2	1.21	17	<10	120	<0.5	<2	0.17	<0.5	4	21	20	2.13
B688175		0.42	<0.005	0.3	2.19	14	<10	180	0.6	<2	0.14	0.8	10	47	34	3.45
B688176		0.42	<0.005	<0.2	1.72	14	<10	160	0.5	<2	0.17	0.6	9	40	51	2.93
B688177		0.50	<0.005	0.4	1.88	13	<10	180	0.5	<2	0.17	0.6	11	41	45	2.93
B688179		0.30	<0.005	0.9	1.55	25	<10	240	<0.5	<2	0.78	1.9	12	28	42	2.66
B688180		0.32	<0.005	1.4	1.67	53	<10	250	0.7	<2	0.81	4.2	13	33	112	4.54
B688181		0.32	<0.005	1.1	1.62	4	<10	230	0.5	<2	0.37	1.2	9	39	44	2.54
B688182		0.74	<0.005	<0.2	1.27	14	<10	210	<0.5	<2	0.20	<0.5	6	23	23	2.20
B688183		0.40	<0.005	0.2	1.65	34	<10	290	0.5	<2	0.22	<0.5	9	25	20	2.03
B688184		0.46	<0.005	<0.2	1.33	13	<10	100	<0.5	<2	0.11	<0.5	4	22	17	2.09
B688185		0.48	<0.005	<0.2	1.53	16	<10	140	0.5	<2	0.12	<0.5	7	25	22	2.55
B688186		0.48	<0.005	0.2	1.67	31	<10	270	0.7	<2	0.26	0.7	9	33	41	2.57
B688187		0.42	<0.005	<0.2	1.73	13	<10	120	<0.5	2	0.09	<0.5	7	27	17	2.77
B688188		0.44	<0.005	0.2	1.56	31	<10	280	0.5	<2	0.20	<0.5	10	26	32	2.54
B688189		0.46	<0.005	<0.2	1.53	21	<10	160	<0.5	<2	0.15	<0.5	7	26	27	2.37
B688190		0.50	<0.005	<0.2	1.36	28	<10	120	<0.5	<2	0.10	<0.5	6	22	19	2.24
B688191		0.52	<0.005	<0.2	1.48	16	<10	170	<0.5	<2	0.18	<0.5	7	30	27	2.57
B688192		0.44	<0.005	<0.2	1.23	8	<10	170	<0.5	<2	0.17	<0.5	6	25	23	2.22
B688193		0.30	0.005	1.1	2.69	15	<10	260	0.9	<2	0.40	1.7	13	102	87	3.88
B688194		0.52	<0.005	0.8	1.93	5	<10	170	<0.5	<2	0.26	<0.5	4	75	25	2.07
B688195		0.38	<0.005	1.0	2.04	12	<10	180	0.5	<2	0.29	0.6	6	64	37	2.82
B627751		0.54	<0.005	1.7	1.25	14	<10	180	0.7	<2	0.23	1.1	4	34	105	4.06
B627752		0.48	<0.005	0.4	1.87	15	<10	280	0.5	<2	0.20	0.6	8	45	56	3.40
B627753		0.50	<0.005	0.6	1.37	9	<10	150	0.5	<2	0.15	0.5	4	34	52	2.84
B627754		0.60	<0.005	0.9	1.27	7	<10	150	0.5	<2	0.21	1.2	3	31	41	2.63
B627755		0.64	0.007	0.2	1.42	29	<10	220	<0.5	<2	0.14	<0.5	8	26	33	2.78
B627756		0.46	<0.005	<0.2	1.47	56	<10	230	0.6	<2	0.19	<0.5	8	27	28	2.46
B627757		0.50	<0.005	<0.2	1.16	16	<10	70	<0.5	<2	0.10	<0.5	4	21	13	1.86
B627758		0.54	<0.005	<0.2	1.30	15	<10	130	<0.5	<2	0.17	<0.5	8	22	23	2.19
B627759		0.40	<0.005	<0.2	1.17	9	<10	90	<0.5	<2	0.14	<0.5	4	20	17	1.99
B627760		0.52	<0.005	<0.2	1.42	13	<10	140	<0.5	<2	0.13	<0.5	6	24	24	2.26
B627761		0.62	<0.005	0.2	1.55	32	<10	270	<0.5	<2	0.52	<0.5	7	28	19	2.24
B627762		0.60	<0.005	0.2	1.69	20	<10	450	0.5	<2	0.27	<0.5	8	28	22	2.60
B627763		0.56	<0.005	<0.2	1.56	12	<10	420	0.5	<2	0.29	<0.5	8	28	22	2.58
B627764		0.50	0.010	<0.2	1.19	18	<10	90	<0.5	<2	0.18	<0.5	6	25	19	2.66
B627765		0.40	<0.005	<0.2	1.28	23	<10	120	<0.5	<2	0.14	<0.5	5	21	19	2.37
B627766		0.72	<0.005	<0.2	1.27	11	<10	200	0.5	<2	0.22	<0.5	10	21	26	2.53

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105911

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B688171		10	0.03	0.30	10	0.78	170	3	0.03	15	620	8	0.09	<2	4	15
B688172		<10	0.04	0.04	10	0.28	120	1	0.01	13	750	7	0.03	<2	<1	11
B688173		10	0.04	0.06	10	0.51	250	2	0.02	22	1040	11	0.03	<2	2	19
B688174		<10	0.04	0.03	10	0.32	163	1	0.01	17	690	12	0.02	<2	1	13
B688175		10	0.04	0.10	10	0.56	305	3	0.02	32	680	13	0.06	<2	4	21
B688176		10	0.03	0.06	10	0.57	313	4	0.01	32	760	32	0.05	3	4	21
B688177		<10	0.03	0.12	10	0.59	419	3	0.03	25	880	13	0.17	<2	4	33
B688179		<10	0.08	0.05	10	0.46	613	4	0.02	36	820	27	0.07	<2	2	36
B688180		<10	0.07	0.07	20	0.56	718	21	0.02	103	1480	32	0.10	7	4	53
B688181		10	0.07	0.05	10	0.51	507	7	0.02	30	940	11	0.08	<2	3	37
B688182		<10	0.03	0.03	20	0.37	249	1	0.01	22	730	10	0.01	2	3	18
B688183		<10	0.10	0.04	20	0.35	229	7	0.01	21	950	14	0.07	3	2	20
B688184		<10	0.04	0.04	10	0.31	122	1	0.01	16	480	13	0.01	2	2	11
B688185		<10	0.04	0.04	20	0.40	237	1	0.01	20	570	16	0.01	<2	3	12
B688186		<10	0.07	0.11	20	0.55	366	2	0.01	33	750	34	0.02	4	5	28
B688187		<10	0.03	0.04	20	0.37	188	1	0.01	21	450	16	0.01	<2	3	11
B688188		<10	0.06	0.05	20	0.46	353	1	0.01	26	660	21	0.01	2	4	18
B688189		<10	0.04	0.04	20	0.41	207	1	0.01	23	570	19	0.01	<2	3	13
B688190		<10	0.03	0.04	20	0.32	145	1	0.01	18	540	15	0.01	<2	2	12
B688191		<10	0.03	0.04	10	0.44	294	2	0.01	22	690	11	0.02	<2	3	20
B688192		<10	0.03	0.03	10	0.39	269	1	0.01	20	680	12	0.01	<2	2	15
B688193		10	0.03	0.58	20	1.29	457	4	0.03	56	1060	13	0.16	<2	9	42
B688194		10	0.03	0.15	10	0.93	185	4	0.02	26	880	10	0.08	<2	7	24
B688195		10	0.04	0.19	10	0.83	270	5	0.02	30	1010	8	0.08	<2	6	29
B627751		<10	0.06	0.06	30	0.37	139	23	0.04	34	1670	18	0.17	2	2	85
B627752		10	0.03	0.18	10	0.74	338	6	0.02	37	1030	18	0.10	2	3	30
B627753		<10	0.07	0.06	10	0.35	197	11	0.02	19	1130	11	0.12	<2	2	45
B627754		10	0.06	0.05	10	0.29	115	6	0.02	17	950	14	0.11	<2	2	50
B627755		<10	0.10	0.03	10	0.37	285	2	0.01	24	630	24	0.02	<2	3	12
B627756		<10	0.02	0.05	20	0.44	352	1	0.01	25	710	30	0.02	4	3	15
B627757		<10	0.02	0.03	10	0.30	202	1	0.01	13	660	19	0.02	<2	1	8
B627758		<10	0.03	0.03	10	0.36	303	1	0.01	19	740	20	0.02	<2	2	12
B627759		<10	0.04	0.03	10	0.30	128	<1	0.01	15	830	15	0.02	<2	1	10
B627760		<10	0.03	0.03	10	0.37	205	<1	0.01	20	640	17	0.02	<2	3	10
B627761		10	0.04	0.07	20	0.47	209	4	0.02	19	880	32	0.05	3	4	36
B627762		<10	0.08	0.04	20	0.42	291	5	0.01	20	930	25	0.05	<2	4	22
B627763		<10	0.05	0.04	20	0.43	310	2	0.01	21	760	15	0.04	<2	4	22
B627764		<10	0.02	0.04	10	0.37	237	1	0.01	21	690	56	0.03	4	2	12
B627765		<10	0.03	0.04	10	0.36	193	1	0.01	18	680	13	0.03	<2	2	12
B627766		<10	0.03	0.03	20	0.38	430	<1	0.01	27	660	11	0.02	<2	3	14

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105911

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B688171		0.13	<10	<10	88	<10	48
B688172		0.02	<10	<10	40	<10	38
B688173		0.04	<10	<10	51	<10	73
B688174		0.03	<10	<10	38	<10	59
B688175		0.07	<10	<10	78	<10	121
B688176		0.06	<10	<10	65	<10	164
B688177		0.06	<10	<10	57	<10	90
B688179		0.03	<10	<10	50	<10	226
B688180		0.03	<10	<10	68	<10	487
B688181		0.04	<10	<10	61	<10	114
B688182		0.05	<10	<10	39	<10	66
B688183		0.03	<10	<10	48	<10	72
B688184		0.03	<10	<10	40	<10	57
B688185		0.05	<10	<10	44	<10	75
B688186		0.08	<10	<10	56	10	124
B688187		0.05	<10	<10	49	<10	72
B688188		0.06	<10	<10	46	<10	96
B688189		0.05	<10	<10	44	<10	74
B688190		0.03	<10	<10	40	<10	73
B688191		0.05	<10	<10	51	<10	73
B688192		0.04	<10	<10	43	<10	65
B688193		0.13	<10	<10	124	<10	183
B688194		0.09	<10	<10	98	<10	84
B688195		0.09	<10	<10	89	<10	105
B627751		0.02	<10	<10	55	<10	142
B627752		0.06	<10	<10	66	<10	128
B627753		0.03	<10	<10	59	<10	75
B627754		0.03	<10	<10	58	<10	61
B627755		0.03	<10	<10	46	<10	84
B627756		0.05	<10	<10	45	10	96
B627757		0.03	<10	<10	35	10	61
B627758		0.04	<10	<10	37	<10	68
B627759		0.03	<10	<10	34	<10	49
B627760		0.04	<10	<10	40	<10	67
B627761		0.07	<10	<10	47	10	111
B627762		0.05	<10	<10	45	<10	81
B627763		0.06	<10	<10	46	<10	79
B627764		0.04	<10	<10	42	<10	104
B627765		0.04	<10	<10	41	<10	61
B627766		0.03	<10	<10	34	<10	62

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105911

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B627767		0.52	<0.005	<0.2	2.54	17	<10	480	0.9	<2	0.36	<0.5	19	34	46	4.29
B627768		0.62	<0.005	0.4	1.54	34	<10	90	<0.5	<2	0.24	<0.5	7	23	26	2.49
B627769		0.60	<0.005	0.2	1.32	21	<10	80	<0.5	<2	0.13	<0.5	5	21	19	2.34
B627770		0.68	<0.005	<0.2	1.38	22	<10	180	<0.5	<2	0.12	<0.5	8	22	28	2.67
B627771		0.60	<0.005	0.2	1.38	31	<10	300	<0.5	<2	0.37	<0.5	9	27	32	2.70
B627772		0.84	<0.005	0.4	1.99	66	<10	420	0.7	<2	0.51	0.5	13	38	52	3.81
B627773		0.60	0.005	0.2	1.50	40	<10	360	0.5	<2	0.58	0.5	10	25	26	3.79
B627774		0.56	<0.005	0.3	1.61	22	<10	460	0.5	<2	0.41	<0.5	8	26	24	2.58
B627775		0.64	<0.005	0.3	1.45	30	<10	420	0.5	<2	0.40	<0.5	8	27	30	2.51
B627776		0.46	0.065	0.3	1.48	53	<10	270	0.5	<2	0.39	0.7	18	25	24	2.41
B627777		0.64	<0.005	<0.2	1.15	10	<10	220	<0.5	<2	0.26	<0.5	6	20	20	1.89
B627778		0.58	<0.005	0.3	1.22	15	<10	180	<0.5	<2	0.19	<0.5	5	21	18	2.13
B627779		0.76	0.032	<0.2	1.17	13	<10	90	<0.5	<2	0.13	<0.5	5	20	19	2.03
B627780		0.66	0.007	<0.2	1.25	32	<10	90	<0.5	<2	0.12	<0.5	5	22	19	2.13
B627781		0.86	0.013	<0.2	1.26	34	<10	230	<0.5	<2	0.21	<0.5	9	22	30	2.37
B627782		0.28	<0.005	0.3	1.21	38	<10	370	<0.5	2	0.60	0.7	20	21	19	2.39
B627783		0.80	0.007	<0.2	1.31	55	<10	280	<0.5	<2	0.43	0.9	9	26	40	2.53
B627784		0.68	0.016	0.2	1.14	29	<10	220	<0.5	<2	0.33	<0.5	7	22	25	1.99
B627785		0.58	<0.005	<0.2	1.56	24	<10	430	0.5	<2	0.30	<0.5	11	25	30	2.78

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105911

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B627767		10	0.02	0.25	60	1.22	1585	1	0.01	39	500	32	0.01	<2	8	19
B627768		<10	0.04	0.04	20	0.60	257	1	0.01	19	570	41	0.01	12	1	15
B627769		<10	0.03	0.03	20	0.37	182	<1	0.01	15	590	16	0.01	2	1	9
B627770		<10	0.03	0.04	20	0.39	411	1	0.01	20	710	19	0.02	8	2	11
B627771		<10	0.03	0.07	20	0.51	381	1	0.02	29	820	16	0.02	<2	3	23
B627772		10	0.04	0.12	20	0.73	593	2	0.02	44	910	23	0.02	2	5	30
B627773		<10	0.05	0.05	20	0.50	1495	1	0.01	28	1000	17	0.05	<2	3	33
B627774		<10	0.08	0.04	20	0.35	445	1	0.01	24	1050	16	0.05	<2	4	30
B627775		<10	0.04	0.05	20	0.42	251	1	0.02	28	780	12	0.02	<2	4	28
B627776		<10	0.04	0.04	20	0.46	299	1	0.01	32	840	24	0.04	3	3	24
B627777		<10	0.03	0.03	10	0.32	118	<1	0.01	19	740	11	0.02	<2	2	18
B627778		<10	0.06	0.03	10	0.29	121	1	0.01	18	830	13	0.04	<2	1	15
B627779		<10	0.02	0.03	10	0.30	140	1	0.01	17	610	11	0.01	<2	2	9
B627780		<10	0.02	0.04	10	0.32	221	1	0.01	16	640	13	0.02	4	1	10
B627781		<10	0.03	0.06	20	0.39	440	1	0.01	24	670	13	0.01	<2	3	15
B627782		<10	0.10	0.05	10	0.24	1695	2	<0.01	17	1520	15	0.10	<2	1	47
B627783		<10	0.04	0.08	20	0.49	387	1	0.01	32	960	14	0.01	2	4	28
B627784		<10	0.04	0.04	20	0.41	233	1	<0.01	21	860	11	0.01	<2	3	21
B627785		<10	0.05	0.04	20	0.45	419	1	<0.01	25	640	12	<0.01	<2	5	26

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 31-OCT-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06105911

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
B627767		0.09	<10	<10	47	<10	73
B627768		0.03	<10	<10	37	<10	63
B627769		0.03	<10	<10	35	<10	49
B627770		0.02	<10	<10	36	<10	65
B627771		0.05	<10	<10	41	<10	83
B627772		0.06	<10	<10	50	<10	112
B627773		0.03	<10	<10	34	<10	96
B627774		0.03	<10	<10	40	<10	80
B627775		0.05	<10	<10	43	<10	83
B627776		0.03	<10	<10	30	<10	138
B627777		0.03	<10	<10	36	<10	57
B627778		0.02	<10	<10	37	<10	50
B627779		0.04	<10	<10	35	<10	50
B627780		0.03	<10	<10	37	<10	52
B627781		0.05	<10	<10	36	<10	67
B627782		0.02	<10	<10	39	<10	50
B627783		0.06	<10	<10	40	<10	85
B627784		0.04	<10	<10	33	<10	61
B627785		0.06	<10	<10	47	<10	69

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-NOV-2006
Account: STRGOL

CERTIFICATE VA06108015

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 158 Soil samples submitted to our lab in Vancouver, BC, Canada on 2-OCT-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3



This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108015

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B628296		0.46	0.005	0.7	2.14	16	<10	210	0.6	<2	0.08	<0.5	11	34	26	3.52
B628297		0.52	<0.005	0.2	0.98	11	<10	130	<0.5	<2	0.18	<0.5	5	18	12	1.91
B628298		0.32	0.005	0.4	0.75	13	<10	150	<0.5	<2	0.74	0.9	9	17	35	2.23
B628299		0.46	0.006	0.4	0.86	16	<10	150	<0.5	<2	0.92	1.5	10	18	41	2.58
B628300		0.56	0.011	0.7	0.95	16	<10	180	<0.5	<2	0.69	1.5	14	20	52	3.07
B630085		0.32	0.005	0.2	1.16	7	<10	210	<0.5	<2	0.54	0.6	8	21	23	1.95
B630086		0.36	0.007	0.4	1.24	11	<10	290	<0.5	<2	0.65	<0.5	11	23	36	2.73
B630087		0.34	0.010	1.0	1.08	19	<10	250	<0.5	2	1.35	1.6	12	23	57	2.85
B630088		0.28	0.007	0.5	0.98	12	<10	180	<0.5	<2	1.12	0.8	12	20	24	2.42
B630089		0.36	0.011	0.6	1.02	13	<10	230	<0.5	<2	0.77	0.9	12	22	33	2.37
B630090		0.42	0.011	0.4	1.10	12	<10	210	<0.5	<2	0.54	0.8	11	23	38	2.59
B630091		0.54	0.007	0.4	1.10	13	<10	190	<0.5	<2	0.51	0.9	9	26	42	2.44
B630092		0.44	0.007	0.5	1.30	14	<10	250	<0.5	<2	0.49	1.0	11	30	42	2.49
B630093		0.46	0.007	0.6	1.31	15	<10	190	<0.5	2	0.59	0.9	12	33	53	2.81
B630094		0.44	0.010	0.6	1.30	14	<10	170	<0.5	<2	0.54	1.0	11	32	50	2.73
B630095		0.52	0.014	0.4	1.17	10	<10	200	<0.5	<2	0.38	<0.5	8	24	30	2.34
B630096		0.36	0.008	0.3	1.15	11	<10	190	<0.5	<2	0.40	<0.5	6	24	24	2.37
B630097		0.60	0.005	0.6	1.20	19	<10	150	<0.5	<2	0.27	0.6	16	46	28	3.23
B630098		0.54	0.008	0.4	1.34	10	<10	230	<0.5	<2	0.24	0.8	11	27	38	2.85
B630099		0.26	0.006	0.8	1.53	9	<10	340	<0.5	<2	0.52	1.1	9	36	43	2.41
B630100		0.22	<0.005	0.6	1.42	9	<10	290	<0.5	<2	0.57	0.8	7	32	36	2.24
B629878		0.66	0.007	0.3	1.25	22	<10	190	<0.5	<2	0.24	<0.5	12	23	48	3.22
B629879		0.54	0.007	<0.2	1.17	7	<10	250	<0.5	<2	0.28	<0.5	7	23	27	2.35
B629880		0.48	<0.005	0.2	1.39	11	<10	280	<0.5	<2	0.30	<0.5	11	25	26	2.80
B629881		0.46	0.005	0.2	1.43	13	<10	290	<0.5	<2	0.41	<0.5	10	25	27	2.83
B629882		0.40	0.008	0.2	1.27	4	<10	230	<0.5	<2	0.38	<0.5	6	24	22	1.48
B629883		0.60	<0.005	0.3	1.34	15	<10	240	<0.5	<2	0.42	0.6	12	28	50	2.85
B629884		0.60	0.005	0.3	1.27	14	<10	200	<0.5	<2	0.42	0.7	10	27	45	2.77
B629885		0.58	<0.005	<0.2	1.30	10	<10	250	<0.5	<2	0.22	<0.5	9	25	35	2.54
B629886		0.58	0.006	0.2	1.46	17	<10	210	0.6	<2	0.22	0.5	16	29	58	3.21
B629887		0.66	<0.005	<0.2	1.82	21	<10	340	0.7	<2	0.27	0.8	14	36	80	3.43
B629888		0.60	0.005	0.4	1.75	15	<10	230	0.6	<2	0.55	1.0	12	38	64	3.53
B629889		0.58	0.005	0.2	1.24	18	<10	190	<0.5	<2	0.33	0.7	8	27	39	2.52
B629890		0.28	0.006	0.2	1.63	14	<10	240	0.5	<2	0.54	0.7	6	35	46	2.40
B629891		0.48	<0.005	0.2	1.53	9	<10	200	<0.5	<2	0.34	<0.5	8	34	36	2.41
B629892		0.32	<0.005	2.6	2.42	14	<10	200	0.7	2	0.64	5.0	9	78	141	3.56
B629893		0.44	0.011	2.7	3.77	85	<10	190	1.5	<2	0.28	4.2	23	73	166	5.62
B629894		0.66	0.010	0.2	1.41	13	<10	270	0.5	<2	0.30	0.5	10	27	39	2.76
B629895		0.36	<0.005	<0.2	1.22	14	<10	210	<0.5	<2	0.18	<0.5	9	21	26	2.57
B629896		0.66	0.006	0.5	1.82	23	<10	180	0.6	2	0.32	0.9	12	37	57	3.98

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108015

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B628296		<10	0.05	0.05	10	0.44	244	3	<0.01	32	280	18	0.01	2	3	9
B628297		<10	0.02	0.04	10	0.32	198	2	<0.01	15	510	11	<0.01	<2	2	12
B628298		<10	0.14	0.05	10	0.38	382	3	0.01	30	1200	14	0.03	2	2	34
B628299		<10	0.17	0.07	10	0.53	505	5	0.01	35	1350	15	0.03	3	2	40
B628300		<10	0.18	0.06	20	0.47	476	4	0.01	41	1420	18	0.02	3	3	35
B630085		<10	0.10	0.04	10	0.39	148	1	0.01	23	770	15	0.04	<2	3	28
B630086		<10	0.11	0.04	10	0.43	494	2	0.01	32	860	20	0.03	<2	3	30
B630087		<10	0.20	0.04	10	0.42	1025	3	0.01	34	910	24	0.08	3	3	46
B630088		<10	0.12	0.05	10	0.44	982	2	0.01	25	1030	18	0.05	<2	2	42
B630089		<10	0.12	0.05	10	0.41	579	2	0.01	29	1070	19	0.04	<2	3	34
B630090		<10	0.10	0.05	10	0.42	831	2	0.01	36	930	17	0.02	2	3	26
B630091		<10	0.11	0.05	10	0.44	213	2	0.01	32	1010	17	0.02	2	3	26
B630092		<10	0.10	0.06	10	0.50	390	3	0.01	36	1100	16	0.02	3	3	29
B630093		<10	0.10	0.06	10	0.54	475	3	0.03	40	1110	18	0.02	2	4	32
B630094		<10	0.11	0.05	10	0.51	468	3	0.02	36	1050	19	0.02	<2	4	29
B630095		<10	0.07	0.04	10	0.42	247	2	0.01	25	920	13	0.02	2	3	22
B630096		<10	0.08	0.05	10	0.44	265	3	0.01	23	980	16	0.03	<2	3	28
B630097		<10	0.03	0.08	10	0.53	1830	7	0.01	33	1100	21	0.05	4	1	23
B630098		<10	0.09	0.05	20	0.44	684	7	0.01	26	1020	14	0.03	<2	3	26
B630099		<10	0.08	0.05	10	0.60	484	6	0.02	32	900	10	0.06	<2	3	36
B630100		<10	0.09	0.04	10	0.54	274	5	0.01	28	760	11	0.06	<2	3	34
B629878		<10	0.08	0.06	20	0.44	410	3	<0.01	40	840	25	0.02	<2	3	18
B629879		<10	0.06	0.03	20	0.43	261	1	<0.01	26	610	12	0.01	2	3	18
B629880		<10	0.07	0.04	10	0.43	265	2	<0.01	23	800	13	0.02	2	3	21
B629881		<10	0.08	0.04	10	0.45	293	2	0.01	26	830	14	0.03	2	3	23
B629882		<10	0.08	0.04	10	0.42	193	1	0.01	20	760	14	0.04	<2	3	22
B629883		<10	0.12	0.07	20	0.51	487	3	0.02	41	950	17	0.02	2	4	25
B629884		<10	0.13	0.06	20	0.49	263	2	0.02	34	910	17	0.02	<2	4	23
B629885		<10	0.07	0.04	20	0.45	393	1	<0.01	25	550	14	0.01	<2	3	16
B629886		<10	0.11	0.09	20	0.49	543	4	0.01	46	970	19	0.03	3	4	18
B629887		<10	0.13	0.14	20	0.62	529	5	0.02	51	1050	54	0.06	2	5	29
B629888		10	0.09	0.24	20	0.70	415	4	0.03	46	1280	19	0.07	2	5	40
B629889		<10	0.06	0.06	20	0.48	221	3	0.02	25	870	11	0.01	<2	3	25
B629890		<10	0.10	0.10	20	0.66	185	3	0.03	27	1020	18	0.05	<2	4	34
B629891		<10	0.07	0.07	10	0.61	266	3	0.02	25	1060	17	0.01	2	4	24
B629892		10	0.09	0.15	10	0.74	347	19	0.04	55	1510	12	0.17	<2	5	86
B629893		10	0.07	0.13	10	0.56	514	28	0.07	141	1830	15	0.27	2	5	105
B629894		<10	0.06	0.05	20	0.54	344	2	0.02	27	890	14	0.01	<2	4	20
B629895		<10	0.07	0.03	20	0.44	360	1	0.01	23	700	13	<0.01	3	3	14
B629896		10	0.11	0.07	10	0.51	584	17	0.03	42	980	22	0.10	3	3	30

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108015

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
B628296		0.04	<10	<10	57	<10	90
B628297		0.03	<10	<10	41	<10	59
B628298		0.02	<10	<10	26	<10	116
B628299		0.02	<10	<10	27	<10	162
B628300		0.03	<10	<10	31	<10	139
B630085		0.02	<10	<10	37	<10	82
B630086		0.03	<10	<10	37	<10	88
B630087		0.02	<10	<10	35	<10	129
B630088		0.02	<10	<10	30	<10	112
B630089		0.02	<10	<10	32	<10	120
B630090		0.03	<10	<10	36	<10	119
B630091		0.03	<10	<10	37	<10	123
B630092		0.03	<10	<10	43	<10	127
B630093		0.04	<10	<10	48	<10	119
B630094		0.03	<10	<10	44	<10	115
B630095		0.03	<10	<10	39	<10	78
B630096		0.03	<10	<10	37	<10	129
B630097		0.03	<10	<10	62	<10	155
B630098		0.03	<10	<10	44	<10	100
B630099		0.03	<10	<10	57	<10	114
B630100		0.03	<10	<10	54	<10	95
B629878		0.03	<10	<10	35	<10	122
B629879		0.04	<10	<10	38	<10	68
B629880		0.03	<10	<10	41	<10	82
B629881		0.03	<10	<10	44	<10	88
B629882		0.03	<10	<10	36	<10	76
B629883		0.04	<10	<10	46	<10	118
B629884		0.04	<10	<10	43	<10	109
B629885		0.03	<10	<10	41	<10	72
B629886		0.04	<10	<10	44	<10	125
B629887		0.05	<10	<10	57	<10	142
B629888		0.06	<10	<10	61	<10	144
B629889		0.04	<10	<10	44	<10	98
B629890		0.04	<10	<10	58	<10	126
B629891		0.05	<10	<10	53	<10	111
B629892		0.07	<10	<10	105	<10	282
B629893		0.05	<10	<10	98	<10	365
B629894		0.04	<10	<10	44	<10	95
B629895		0.04	<10	<10	38	<10	75
B629896		0.03	<10	<10	86	<10	138

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108015

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B629897		0.52	0.006	0.5	1.15	80	<10	180	<0.5	<2	0.31	0.8	8	21	31	2.42
B629898		0.52	<0.005	<0.2	1.29	13	<10	190	<0.5	<2	0.27	<0.5	6	24	17	2.54
B629899		0.66	0.005	0.2	1.08	18	<10	200	<0.5	<2	0.28	0.5	10	21	37	2.64
B629900		0.46	0.009	<0.2	1.22	10	<10	120	<0.5	<2	0.15	<0.5	7	21	23	2.26
B627786		0.32	0.012	0.5	1.66	40	<10	370	0.5	<2	0.55	0.5	11	24	28	2.42
B627787		0.20	0.012	0.8	2.10	39	<10	620	1.3	2	1.56	<0.5	62	22	49	2.74
B627788		0.58	0.016	0.3	1.30	82	<10	220	<0.5	<2	0.11	<0.5	9	19	27	3.00
B627789		0.66	0.103	<0.2	1.20	153	<10	230	<0.5	<2	0.13	<0.5	8	19	22	2.58
B627790		0.54	0.019	<0.2	0.95	43	<10	290	<0.5	2	0.20	<0.5	8	16	26	2.25
B627791		0.54	0.007	<0.2	1.24	17	<10	270	<0.5	<2	0.20	<0.5	9	19	20	2.31
B627792		0.64	<0.005	<0.2	1.47	15	<10	380	0.5	2	0.13	<0.5	11	25	32	2.95
B627793		0.24	<0.005	0.2	0.83	15	<10	170	<0.5	<2	1.34	0.9	7	14	23	2.11
B627794		0.18	0.013	0.6	0.83	9	<10	230	<0.5	<2	2.04	1.9	8	13	35	2.20
B627795		0.34	0.006	0.3	1.12	10	<10	270	<0.5	<2	1.18	0.6	11	18	23	2.58
B627796		0.30	<0.005	0.6	0.83	13	<10	230	<0.5	<2	2.99	0.7	7	12	22	1.88
B627797		0.40	0.009	0.2	1.19	21	<10	170	<0.5	<2	0.28	<0.5	7	20	24	2.68
B627798		0.44	0.005	<0.2	1.34	10	<10	120	<0.5	2	0.09	<0.5	9	21	23	2.60
B627799		0.62	0.007	0.2	1.46	14	<10	190	<0.5	<2	0.18	<0.5	9	23	29	2.80
B627800		0.56	<0.005	0.2	0.90	35	<10	140	<0.5	2	0.40	<0.5	15	13	53	4.42
B628917		0.60	0.005	<0.2	1.55	25	<10	100	<0.5	<2	0.12	<0.5	6	27	18	2.36
B628918		0.62	0.007	0.3	1.69	14	<10	250	<0.5	<2	0.10	<0.5	11	26	59	2.75
B628919		0.56	0.010	0.2	2.26	95	<10	160	<0.5	<2	0.24	<0.5	16	26	228	3.57
B628920		0.54	0.018	0.2	1.67	23	<10	250	<0.5	<2	0.49	<0.5	11	28	88	2.59
B628921		0.48	0.013	0.6	1.56	81	<10	120	<0.5	<2	0.56	<0.5	8	33	40	2.28
B628922		0.18	NSS	0.4	0.44	25	<10	130	<0.5	<2	0.89	0.6	3	4	39	1.14
B628923		0.06	NSS	0.4	0.73	38	<10	150	<0.5	<2	0.66	<0.5	4	9	28	1.51
B628924		0.50	0.005	0.3	1.62	26	<10	170	<0.5	<2	0.28	<0.5	11	29	21	2.61
B628925		0.66	0.008	0.3	1.27	17	<10	150	<0.5	<2	0.25	<0.5	9	24	23	2.26
B628926		0.56	0.006	<0.2	0.99	30	<10	80	<0.5	<2	0.13	<0.5	5	17	13	1.95
B628927		0.58	0.008	<0.2	1.18	71	<10	110	<0.5	<2	0.21	<0.5	9	20	25	2.29
B628928		0.72	0.007	0.9	1.01	20	<10	170	<0.5	<2	0.57	1.3	10	19	62	3.06
B628929		0.34	0.009	0.4	0.82	16	<10	190	<0.5	<2	1.57	1.1	9	13	39	2.32
B628930		0.56	0.011	0.4	1.07	23	<10	180	<0.5	<2	0.51	0.8	9	18	53	3.14
B628931		0.56	0.011	0.7	1.14	21	<10	190	<0.5	<2	0.34	0.6	10	19	62	3.18
B628932		0.52	0.013	0.4	1.53	23	<10	200	0.5	2	0.09	0.5	12	23	57	3.35
B628933		0.60	0.005	0.3	1.14	12	<10	220	<0.5	<2	0.22	<0.5	7	19	32	2.26
B628934		0.58	0.008	0.3	1.01	21	<10	190	<0.5	2	0.23	<0.5	10	18	50	2.90
B628935		0.54	0.009	0.3	1.13	25	<10	160	<0.5	<2	0.14	0.5	10	19	47	2.91
B628936		0.72	0.010	0.7	1.12	26	<10	210	<0.5	<2	0.18	0.7	11	20	71	3.19
B628937		0.56	<0.005	<0.2	1.05	7	<10	230	<0.5	<2	0.30	<0.5	7	18	20	2.16

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108015

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B629897		<10	0.05	0.04	10	0.33	294	2	0.01	24	670	19	0.01	2	1	17
B629898		<10	0.05	0.04	10	0.40	325	2	0.02	18	840	13	0.01	2	2	15
B629899		<10	0.09	0.06	20	0.46	520	2	0.02	30	840	15	<0.01	2	4	21
B629900		<10	0.05	0.03	10	0.40	217	1	0.01	20	610	9	<0.01	<2	2	12
B627786		<10	0.07	0.06	20	0.43	787	2	0.02	27	1110	17	0.06	<2	3	34
B627787		<10	0.20	0.05	40	0.30	5600	6	0.03	35	2480	16	0.19	5	2	84
B627788		<10	0.03	0.04	30	0.45	445	1	0.01	24	440	10	<0.01	4	3	11
B627789		<10	0.03	0.04	20	0.37	365	1	0.01	19	510	29	<0.01	8	3	12
B627790		<10	0.03	0.04	20	0.37	369	1	0.01	22	550	16	<0.01	3	3	16
B627791		<10	0.03	0.04	20	0.43	343	<1	0.01	20	490	9	<0.01	<2	3	17
B627792		<10	0.05	0.04	20	0.46	360	1	0.01	21	480	15	<0.01	<2	5	13
B627793		<10	0.13	0.04	10	0.41	467	1	0.02	20	680	12	0.07	<2	2	48
B627794		<10	0.18	0.03	10	0.33	1340	1	0.02	27	1170	11	0.16	2	2	78
B627795		<10	0.10	0.04	10	0.42	433	1	0.02	21	920	12	0.08	<2	2	50
B627796		<10	0.14	0.04	10	0.46	1115	2	0.02	19	1040	11	0.17	<2	1	102
B627797		<10	0.05	0.03	10	0.33	314	2	0.02	21	760	15	0.01	<2	2	17
B627798		<10	0.05	0.03	10	0.35	219	1	0.01	23	390	13	<0.01	<2	2	7
B627799		<10	0.06	0.04	20	0.38	272	1	0.01	29	500	16	<0.01	2	3	13
B627800		<10	0.19	0.04	30	0.29	456	11	0.01	43	1910	18	0.03	2	3	20
B628917		10	0.03	0.04	10	0.42	248	1	0.01	16	850	17	<0.01	<2	2	9
B628918		<10	0.03	0.04	20	0.43	255	1	0.02	20	290	12	<0.01	<2	4	11
B628919		10	0.03	0.04	10	0.49	234	1	0.02	26	440	7	0.01	2	4	16
B628920		10	0.03	0.04	10	0.49	280	1	0.03	25	730	11	0.02	4	4	19
B628921		10	0.08	0.05	10	0.58	171	1	0.04	18	1050	25	0.05	8	3	25
B628922		<10	0.16	0.02	10	0.07	79	1	0.02	7	1420	9	0.18	5	1	35
B628923		<10	0.13	0.02	10	0.10	93	1	0.03	13	1370	10	0.17	3	1	26
B628924		10	0.04	0.05	10	0.58	383	2	0.01	21	870	20	0.02	6	3	18
B628925		<10	0.02	0.04	10	0.46	415	2	0.01	18	680	12	<0.01	3	2	15
B628926		<10	0.03	0.03	10	0.31	208	1	0.01	17	570	10	<0.01	<2	1	10
B628927		<10	0.03	0.04	20	0.39	274	1	0.01	23	640	16	0.01	2	2	14
B628928		<10	0.17	0.07	20	0.53	447	5	0.01	43	1230	18	0.01	<2	3	30
B628929		<10	0.18	0.04	10	0.36	569	3	0.01	27	1010	13	0.11	2	2	66
B628930		<10	0.13	0.06	20	0.48	321	5	0.01	39	660	14	0.01	3	2	25
B628931		<10	0.21	0.04	20	0.43	385	4	0.01	40	600	15	0.03	4	3	21
B628932		<10	0.13	0.05	20	0.44	325	5	0.01	43	430	17	<0.01	3	2	10
B628933		<10	0.06	0.02	10	0.39	239	1	0.01	22	660	14	<0.01	<2	3	14
B628934		<10	0.13	0.04	20	0.39	371	3	0.01	34	760	16	<0.01	<2	3	15
B628935		<10	0.07	0.03	20	0.31	409	2	0.01	30	620	17	<0.01	2	3	12
B628936		<10	0.15	0.04	20	0.41	411	5	0.01	43	720	18	<0.01	3	3	18
B628937		<10	0.04	0.03	10	0.39	176	1	0.01	18	920	7	<0.01	<2	2	20

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108015

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B629897		0.02	<10	<10	40	<10	107
B629898		0.03	<10	<10	43	<10	67
B629899		0.05	<10	<10	39	<10	87
B629900		0.04	<10	<10	35	<10	65
B627786		0.03	<10	<10	39	<10	110
B627787		0.02	<10	10	33	<10	64
B627788		0.03	<10	<10	29	<10	69
B627789		0.03	<10	<10	33	<10	65
B627790		0.04	<10	<10	31	<10	65
B627791		0.05	<10	<10	34	<10	56
B627792		0.05	<10	<10	46	<10	80
B627793		0.02	<10	<10	24	<10	93
B627794		0.01	<10	<10	21	<10	92
B627795		0.02	<10	<10	31	<10	83
B627796		0.01	<10	10	21	<10	63
B627797		0.03	<10	<10	42	<10	75
B627798		0.04	<10	<10	39	<10	57
B627799		0.03	<10	<10	43	<10	71
B627800		0.01	<10	<10	18	<10	116
B628917		0.04	<10	<10	47	<10	61
B628918		0.05	<10	<10	51	<10	57
B628919		0.05	<10	<10	87	<10	62
B628920		0.03	<10	<10	58	<10	82
B628921		0.05	<10	<10	52	<10	85
B628922		0.01	<10	<10	6	<10	33
B628923		0.02	<10	<10	10	<10	34
B628924		0.05	<10	<10	49	<10	104
B628925		0.04	<10	<10	41	<10	76
B628926		0.03	<10	<10	30	<10	70
B628927		0.04	<10	<10	32	<10	65
B628928		0.03	<10	<10	29	<10	147
B628929		0.01	<10	<10	22	<10	111
B628930		0.01	<10	<10	29	<10	143
B628931		0.02	<10	<10	31	<10	123
B628932		0.01	<10	<10	36	<10	125
B628933		0.02	<10	<10	33	<10	57
B628934		0.02	<10	<10	31	<10	108
B628935		0.03	<10	<10	35	<10	92
B628936		0.01	<10	<10	28	<10	143
B628937		0.03	<10	<10	31	<10	70

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108015

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B628938		0.48	0.007	0.3	0.94	19	<10	200	<0.5	<2	0.51	1.1	8	16	43	2.31
B628939		0.72	0.007	0.4	1.11	22	<10	210	<0.5	<2	1.71	0.8	11	22	41	2.79
B628940		0.60	0.008	0.4	1.08	11	<10	220	<0.5	2	0.46	0.6	8	19	27	2.08
B628941		0.66	0.008	0.2	0.94	18	<10	220	<0.5	<2	0.56	0.9	8	17	34	2.57
B628942		0.76	0.007	0.4	0.98	18	<10	170	<0.5	<2	0.52	<0.5	9	16	35	2.59
B628943		0.78	0.005	0.4	1.20	14	<10	270	<0.5	2	0.48	0.5	9	21	41	2.67
B628944		0.66	0.006	0.2	1.17	12	<10	170	<0.5	<2	0.30	<0.5	8	19	29	2.41
B628945		0.60	<0.005	<0.2	1.01	10	<10	80	<0.5	<2	0.03	<0.5	5	15	15	2.15
B628946		0.78	0.010	<0.2	1.06	12	<10	110	<0.5	<2	0.05	<0.5	5	16	14	2.03
B628947		0.78	0.005	<0.2	1.11	12	<10	120	<0.5	<2	0.11	<0.5	5	18	18	2.11
B628948		0.76	<0.005	<0.2	0.92	10	<10	280	<0.5	<2	0.20	<0.5	8	16	21	2.13
B628949		0.60	<0.005	<0.2	0.95	9	<10	100	<0.5	2	0.09	<0.5	4	16	16	1.89
B628950		0.64	<0.005	0.2	0.69	11	<10	80	<0.5	<2	0.05	<0.5	6	13	16	2.14
B630140		0.48	0.005	0.2	1.22	24	<10	150	<0.5	<2	0.13	<0.5	7	22	27	2.44
B630141		0.54	<0.005	0.2	1.26	18	<10	150	<0.5	2	0.13	<0.5	8	24	27	2.43
B630142		0.66	0.005	<0.2	1.32	25	<10	150	<0.5	2	0.12	<0.5	7	23	26	2.44
B630143		0.52	0.005	<0.2	1.32	21	<10	140	<0.5	<2	0.13	<0.5	7	24	26	2.47
B630144		0.54	0.005	<0.2	1.31	17	<10	140	<0.5	<2	0.12	<0.5	8	23	25	2.40
B630145		0.54	0.005	<0.2	1.30	25	<10	230	<0.5	<2	0.18	<0.5	10	25	33	2.64
B630146		0.60	0.006	0.2	1.35	18	<10	240	<0.5	2	0.19	<0.5	9	25	31	2.68
B630147		0.54	<0.005	0.2	1.29	18	<10	140	<0.5	<2	0.12	<0.5	6	22	24	2.33
B630148		0.60	0.005	0.4	1.34	16	<10	150	<0.5	<2	0.13	<0.5	7	23	25	2.48
B630149		0.48	<0.005	<0.2	1.19	13	<10	130	<0.5	<2	0.12	<0.5	7	22	25	2.15
B630150		0.58	0.006	<0.2	1.22	16	<10	150	<0.5	<2	0.13	<0.5	8	24	27	2.28
B629033		0.32	0.006	<0.2	1.57	15	<10	100	0.6	<2	0.10	<0.5	8	26	18	2.81
B629034		0.26	<0.005	<0.2	0.99	23	<10	70	<0.5	<2	0.05	<0.5	6	23	12	2.64
B629035		0.24	0.006	<0.2	1.63	16	<10	150	0.5	<2	0.20	<0.5	9	28	18	2.74
B629036		0.26	0.014	<0.2	1.76	61	<10	140	0.6	<2	0.24	<0.5	8	27	20	2.71
B629037		0.38	0.008	<0.2	1.70	58	<10	220	0.5	<2	0.47	<0.5	9	36	20	2.78
B629038		0.40	0.007	<0.2	2.43	116	<10	250	0.8	<2	0.30	<0.5	14	35	33	3.66
B629039		0.34	0.005	<0.2	2.32	59	<10	230	0.8	<2	0.68	<0.5	11	35	31	3.35
B629040		0.34	0.070	<0.2	2.54	140	<10	120	1.2	<2	0.20	<0.5	18	38	33	5.43
B629041		0.30	<0.005	<0.2	1.99	35	<10	190	0.7	<2	0.13	<0.5	12	29	31	2.74
B629042		0.30	0.007	<0.2	1.85	33	<10	190	0.7	<2	0.11	<0.5	12	28	28	2.73
B629043		0.34	0.011	<0.2	1.78	40	<10	200	0.6	<2	0.22	<0.5	9	31	25	2.74
B629044		0.34	0.088	0.3	1.58	225	<10	180	0.7	2	0.45	<0.5	12	28	30	3.03
B629045		0.38	1.075	<0.2	1.84	246	<10	180	0.8	<2	0.39	<0.5	14	30	38	3.29
B629046		0.40	0.008	<0.2	1.06	52	<10	220	<0.5	<2	0.25	<0.5	9	22	37	2.13
B629047		0.24	0.008	<0.2	1.43	204	<10	140	0.6	<2	0.60	<0.5	11	24	21	2.86
B629048		0.34	0.011	<0.2	1.90	266	<10	140	0.7	<2	0.83	<0.5	11	31	25	3.19

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108015

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B628938		<10	0.17	0.05	10	0.36	423	3	0.01	25	1160	18	0.02	2	2	28
B628939		<10	0.11	0.09	20	0.98	595	3	0.02	34	1080	15	<0.01	3	3	42
B628940		<10	0.11	0.05	10	0.39	163	2	0.01	20	880	17	0.03	<2	3	26
B628941		<10	0.09	0.04	10	0.35	337	2	0.01	25	850	15	0.01	<2	2	24
B628942		<10	0.11	0.04	20	0.44	283	3	0.01	27	1430	13	0.01	3	3	24
B628943		<10	0.10	0.05	20	0.45	348	2	0.02	31	1000	15	0.01	2	3	26
B628944		<10	0.07	0.04	20	0.40	292	2	0.01	26	900	13	<0.01	<2	3	16
B628945		<10	0.03	0.04	20	0.15	120	1	0.01	12	300	16	<0.01	2	1	9
B628946		<10	0.05	0.04	20	0.23	142	1	0.01	12	210	14	<0.01	<2	2	10
B628947		<10	0.05	0.03	20	0.29	157	1	0.01	13	610	9	<0.01	<2	1	10
B628948		<10	0.04	0.03	20	0.32	305	1	0.01	20	590	10	<0.01	<2	2	17
B628949		<10	0.05	0.03	10	0.24	140	1	0.01	10	550	10	<0.01	<2	1	9
B628950		<10	0.05	0.03	20	0.17	220	1	0.01	13	430	12	0.01	<2	1	9
B630140		<10	0.04	0.05	20	0.43	336	1	0.01	23	510	17	<0.01	2	3	11
B630141		<10	0.04	0.05	20	0.43	332	1	0.01	22	500	15	<0.01	2	3	11
B630142		<10	0.04	0.05	20	0.41	292	2	0.01	21	510	15	<0.01	2	3	11
B630143		<10	0.04	0.05	20	0.43	301	1	0.01	20	500	14	<0.01	3	3	12
B630144		<10	0.04	0.05	20	0.41	282	2	0.01	17	500	13	<0.01	2	3	11
B630145		<10	0.05	0.06	20	0.46	457	1	0.01	27	570	19	<0.01	4	3	15
B630146		<10	0.05	0.06	20	0.47	407	1	0.01	25	590	17	<0.01	3	3	16
B630147		<10	0.04	0.05	20	0.39	245	1	0.01	18	490	15	<0.01	<2	3	10
B630148		<10	0.04	0.05	20	0.42	293	2	0.01	20	520	14	<0.01	2	3	12
B630149		<10	0.04	0.04	20	0.38	239	1	<0.01	21	470	15	0.01	<2	3	11
B630150		<10	0.04	0.05	20	0.41	293	1	<0.01	22	510	17	0.01	3	3	13
B629033		10	0.03	0.13	20	0.40	208	1	<0.01	20	430	11	0.02	<2	2	10
B629034		10	0.03	0.09	10	0.29	314	1	<0.01	14	440	12	0.03	<2	1	8
B629035		10	0.03	0.15	20	0.51	281	<1	<0.01	23	460	10	0.02	<2	2	16
B629036		10	0.03	0.14	20	0.49	258	1	<0.01	21	400	11	0.02	2	2	17
B629037		10	0.03	0.07	20	0.55	257	1	0.01	25	500	19	0.02	2	3	22
B629038		10	0.02	0.36	20	0.64	461	1	0.01	33	450	16	0.02	2	5	31
B629039		10	0.05	0.18	20	0.59	340	1	0.02	29	420	16	0.04	<2	5	79
B629040		10	0.02	0.87	30	0.90	408	1	0.01	47	470	18	0.02	<2	4	28
B629041		10	0.03	0.08	20	0.48	238	2	<0.01	32	220	11	0.02	<2	4	20
B629042		10	0.03	0.12	10	0.48	270	1	<0.01	29	190	11	0.02	<2	3	17
B629043		10	0.02	0.07	20	0.51	230	1	<0.01	26	300	10	0.02	2	4	26
B629044		10	0.05	0.28	20	0.51	347	1	0.01	27	610	15	0.03	3	4	41
B629045		10	0.05	0.39	20	0.58	485	1	0.02	31	620	16	0.02	4	4	39
B629046		<10	0.06	0.05	20	0.40	327	1	0.01	22	550	13	0.02	2	4	21
B629047		<10	0.06	0.06	20	0.49	268	3	0.01	24	670	14	0.05	2	3	43
B629048		10	0.05	0.12	10	0.64	412	2	0.02	27	620	15	0.06	2	4	55

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108015

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B628938		0.02	<10	<10	27	<10	120
B628939		0.04	<10	<10	36	<10	108
B628940		0.02	<10	<10	32	<10	83
B628941		0.02	<10	<10	29	<10	90
B628942		0.01	<10	<10	24	<10	91
B628943		0.02	<10	<10	34	<10	97
B628944		0.03	<10	<10	34	<10	70
B628945		0.02	<10	<10	34	<10	43
B628946		0.03	<10	<10	29	<10	41
B628947		0.03	<10	<10	33	<10	47
B628948		0.04	<10	<10	31	<10	55
B628949		0.02	<10	<10	30	<10	38
B628950		0.02	<10	<10	25	<10	40
B630140		0.04	<10	<10	36	<10	77
B630141		0.04	<10	<10	37	<10	79
B630142		0.04	<10	<10	38	<10	74
B630143		0.04	<10	<10	38	<10	76
B630144		0.04	<10	<10	38	<10	71
B630145		0.05	<10	<10	40	<10	92
B630146		0.05	<10	<10	40	<10	88
B630147		0.04	<10	<10	37	<10	68
B630148		0.04	<10	<10	37	<10	74
B630149		0.04	<10	<10	35	<10	67
B630150		0.04	<10	<10	36	<10	74
B629033		0.07	<10	<10	43	<10	53
B629034		0.05	<10	<10	46	<10	51
B629035		0.08	<10	<10	40	<10	61
B629036		0.07	<10	<10	38	<10	61
B629037		0.08	<10	<10	41	<10	84
B629038		0.11	<10	<10	45	<10	92
B629039		0.09	<10	<10	49	<10	94
B629040		0.13	<10	<10	45	<10	59
B629041		0.08	<10	<10	59	<10	72
B629042		0.07	<10	<10	54	<10	76
B629043		0.07	<10	<10	48	<10	63
B629044		0.08	<10	<10	35	<10	76
B629045		0.09	<10	<10	37	<10	81
B629046		0.05	<10	<10	37	<10	54
B629047		0.06	<10	<10	37	<10	84
B629048		0.09	<10	<10	44	<10	104

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108015

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B629049		0.26	0.042	<0.2	1.81	99	<10	110	0.9	<2	0.60	<0.5	11	28	30	3.08
B629050		0.24	0.009	<0.2	1.92	60	<10	150	0.8	<2	0.59	<0.5	10	30	29	2.62
B629120		0.38	0.018	0.2	2.64	436	<10	200	1.0	<2	0.71	0.5	16	36	47	3.66
B629121		0.46	0.045	<0.2	2.73	410	<10	210	1.0	<2	0.76	0.6	15	39	46	3.82
B629122		0.48	0.033	0.2	2.58	394	<10	180	0.9	<2	0.70	0.6	15	37	46	3.69
B629123		0.46	0.009	0.2	1.38	183	<10	150	<0.5	<2	0.24	<0.5	10	23	20	2.32
B629124		0.38	0.015	0.2	1.35	274	<10	160	<0.5	<2	0.22	<0.5	15	23	14	2.83
B629125		0.40	0.008	0.2	1.05	139	<10	130	<0.5	<2	0.19	<0.5	12	18	10	2.19
B629126		0.38	0.009	0.2	1.19	144	<10	140	<0.5	<2	0.20	<0.5	10	20	14	2.24
B629127		0.46	0.005	0.2	0.98	228	<10	150	<0.5	<2	0.35	1.0	15	21	23	2.78
B629128		0.42	0.009	<0.2	0.89	147	<10	170	<0.5	<2	0.52	0.8	11	18	19	2.09
B629129		0.36	0.011	0.2	1.39	82	<10	180	0.5	<2	0.62	0.6	12	25	29	2.16
B629130		0.44	0.005	<0.2	1.10	9	<10	150	<0.5	<2	0.17	<0.5	5	18	17	1.84
B629131		0.40	<0.005	<0.2	1.03	9	<10	140	<0.5	<2	0.16	<0.5	5	18	16	1.75
B629132		0.40	0.005	<0.2	1.07	9	<10	120	<0.5	<2	0.15	<0.5	5	18	14	1.72
B629133		0.44	<0.005	<0.2	1.07	12	<10	120	<0.5	<2	0.13	<0.5	6	18	18	1.80
B629134		0.40	<0.005	<0.2	1.15	12	<10	130	<0.5	<2	0.12	<0.5	5	19	15	1.84
B629135		0.38	0.007	0.3	1.22	14	<10	140	<0.5	2	0.13	<0.5	4	19	13	1.86
B629136		0.44	<0.005	<0.2	1.19	13	<10	130	<0.5	<2	0.13	<0.5	5	19	14	1.85
B629137		0.44	<0.005	<0.2	1.21	8	<10	130	<0.5	<2	0.12	<0.5	5	19	13	1.79
B629138		0.40	0.008	0.2	1.27	17	<10	280	<0.5	<2	0.34	<0.5	11	18	26	2.63
B629139		0.34	0.009	0.3	1.25	17	<10	280	0.5	<2	0.37	<0.5	10	17	27	2.64
B629140		0.34	<0.005	<0.2	1.37	13	<10	80	<0.5	<2	0.06	<0.5	5	21	9	2.19
B629141		0.34	<0.005	<0.2	1.55	15	<10	90	<0.5	<2	0.06	<0.5	6	23	12	2.42
B629142		0.38	<0.005	<0.2	1.53	14	<10	100	<0.5	2	0.06	<0.5	5	22	11	2.25
B629143		0.46	0.010	0.2	1.67	46	<10	250	0.5	<2	0.37	<0.5	14	25	39	3.07
B629144		0.44	0.007	0.2	1.69	47	<10	230	0.5	<2	0.37	<0.5	14	26	39	3.09
B629145		0.42	0.016	<0.2	1.69	51	<10	300	0.5	3	0.47	<0.5	16	26	44	3.14
B629146		0.40	<0.005	<0.2	1.35	32	<10	160	<0.5	2	0.18	<0.5	14	22	28	3.43
B629147		0.38	<0.005	<0.2	1.38	16	<10	200	<0.5	<2	0.23	<0.5	9	22	19	2.56
B629148		0.46	0.006	<0.2	1.56	23	<10	100	<0.5	<2	0.12	<0.5	5	25	15	2.87
B629149		0.40	<0.005	<0.2	1.21	29	<10	80	<0.5	2	0.08	<0.5	5	20	14	2.25
B629150		0.42	0.012	0.2	1.69	34	<10	210	0.5	<2	0.46	<0.5	7	26	21	2.43
B628196		0.58	0.007	0.4	2.04	10	<10	180	0.5	<2	0.18	<0.5	6	53	38	2.63
B628197		0.62	<0.005	0.2	1.12	<2	<10	80	<0.5	<2	0.25	<0.5	5	22	13	1.45
B628198		0.30	<0.005	<0.2	0.79	3	<10	60	<0.5	<2	0.14	<0.5	3	19	10	1.06
B628199		0.22	<0.005	0.5	0.66	10	<10	260	<0.5	<2	2.67	2.3	7	12	33	1.66
B628200		0.44	0.006	0.4	1.30	10	<10	340	<0.5	<2	0.62	<0.5	10	22	34	2.45

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108015

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B629049		10	0.05	0.25	20	0.62	418	1	0.01	29	530	14	0.07	3	3	51
B629050		10	0.07	0.22	20	0.64	211	1	0.01	28	600	16	0.07	<2	4	47
B629120		10	0.03	0.37	30	1.04	597	3	0.06	54	780	30	0.04	9	6	70
B629121		10	0.03	0.45	20	1.06	661	1	0.06	42	830	50	0.04	15	7	84
B629122		10	0.03	0.39	20	1.01	485	2	0.05	43	820	52	0.03	16	6	74
B629123		<10	0.04	0.09	20	0.48	200	1	<0.01	22	660	20	0.02	3	3	19
B629124		<10	0.03	0.09	10	0.50	739	1	<0.01	20	620	27	0.03	3	2	19
B629125		<10	0.04	0.05	10	0.36	573	1	<0.01	14	590	18	0.02	2	2	16
B629126		<10	0.04	0.06	10	0.41	388	1	<0.01	16	610	20	0.02	<2	2	17
B629127		<10	0.03	0.09	10	0.43	1410	3	0.02	33	810	19	0.03	7	2	22
B629128		<10	0.03	0.06	10	0.42	904	2	0.01	23	810	15	0.03	5	2	25
B629129		<10	0.07	0.06	20	0.50	267	1	0.02	30	970	20	0.07	3	3	33
B629130		<10	0.04	0.03	20	0.35	144	1	<0.01	15	640	10	0.01	2	2	13
B629131		<10	0.03	0.03	20	0.33	131	1	<0.01	15	610	10	0.01	3	1	13
B629132		<10	0.04	0.03	10	0.32	131	1	<0.01	14	610	10	0.01	2	1	12
B629133		<10	0.03	0.03	10	0.29	157	1	<0.01	14	550	19	0.01	2	1	10
B629134		<10	0.04	0.03	10	0.30	133	1	<0.01	13	560	17	0.01	3	1	11
B629135		<10	0.04	0.03	10	0.30	104	1	0.01	11	530	16	0.02	2	1	11
B629136		<10	0.04	0.03	10	0.30	142	1	0.01	12	530	15	0.01	<2	1	11
B629137		<10	0.04	0.03	10	0.31	102	<1	<0.01	13	510	17	0.01	3	1	11
B629138		<10	0.05	0.04	30	0.36	201	1	0.01	26	600	23	0.02	5	3	30
B629139		<10	0.05	0.04	30	0.35	257	<1	<0.01	25	610	22	0.02	3	3	32
B629140		10	0.03	0.03	10	0.28	128	1	0.01	11	240	9	0.01	<2	2	7
B629141		10	0.04	0.03	10	0.31	160	1	<0.01	13	220	10	0.01	2	2	8
B629142		<10	0.03	0.03	10	0.31	157	1	0.01	13	220	11	0.01	<2	2	8
B629143		10	0.04	0.07	30	0.60	429	1	0.01	34	680	11	0.02	2	3	31
B629144		10	0.04	0.07	30	0.61	427	1	0.01	35	650	8	0.02	3	3	29
B629145		10	0.05	0.07	30	0.59	812	1	0.01	45	740	11	0.04	2	3	37
B629146		<10	0.02	0.08	20	0.39	509	1	0.01	27	480	18	0.02	2	2	21
B629147		<10	0.03	0.07	20	0.39	306	1	0.01	20	370	12	0.01	<2	3	23
B629148		10	0.03	0.10	20	0.42	219	<1	0.01	21	410	14	0.03	3	3	31
B629149		10	0.03	0.08	20	0.30	181	1	0.01	17	340	10	0.03	3	2	31
B629150		10	0.15	0.08	20	0.48	311	<1	0.01	23	780	10	0.03	3	3	34
B628196		10	0.03	0.26	10	0.74	184	2	0.01	26	700	6	0.07	<2	4	19
B628197		<10	0.05	0.03	10	0.43	100	1	0.01	12	890	9	0.02	3	2	15
B628198		<10	0.03	0.03	10	0.26	59	<1	0.01	9	470	6	0.04	<2	1	10
B628199		<10	0.13	0.04	10	0.36	540	2	0.01	26	980	9	0.13	5	1	92
B628200		<10	0.12	0.04	10	0.39	333	2	0.01	26	1010	16	0.04	2	3	32

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108015

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B629049		0.08	<10	<10	38	<10	98
B629050		0.09	<10	<10	41	<10	105
B629120		0.09	<10	<10	56	<10	142
B629121		0.11	<10	<10	55	<10	166
B629122		0.10	<10	<10	55	<10	173
B629123		0.05	<10	<10	34	<10	96
B629124		0.05	<10	<10	46	<10	87
B629125		0.04	<10	<10	35	<10	59
B629126		0.04	<10	<10	34	<10	68
B629127		0.04	<10	<10	29	<10	145
B629128		0.04	<10	<10	28	<10	110
B629129		0.04	<10	<10	37	<10	162
B629130		0.04	<10	<10	30	<10	57
B629131		0.04	<10	<10	29	<10	54
B629132		0.03	<10	<10	29	<10	51
B629133		0.03	<10	<10	30	<10	56
B629134		0.03	<10	<10	33	<10	51
B629135		0.02	<10	<10	31	<10	50
B629136		0.03	<10	<10	32	<10	52
B629137		0.02	<10	<10	32	<10	51
B629138		0.02	<10	<10	31	<10	63
B629139		0.02	<10	<10	30	<10	62
B629140		0.04	<10	<10	42	<10	33
B629141		0.04	<10	<10	44	<10	38
B629142		0.04	<10	<10	44	<10	37
B629143		0.03	<10	<10	33	<10	66
B629144		0.03	<10	<10	33	<10	66
B629145		0.03	<10	<10	33	<10	68
B629146		0.03	<10	<10	36	<10	69
B629147		0.04	<10	<10	38	<10	53
B629148		0.07	<10	<10	41	<10	56
B629149		0.05	<10	<10	36	<10	43
B629150		0.05	<10	<10	38	<10	66
B628196		0.10	<10	<10	79	<10	78
B628197		0.04	<10	<10	33	<10	58
B628198		0.03	<10	<10	21	<10	27
B628199		0.01	<10	<10	18	<10	88
B628200		0.02	<10	<10	38	<10	74

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

CERTIFICATE VA06108016

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 167 Soil samples submitted to our lab in Vancouver, BC, Canada on 2-OCT-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3



This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108016

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B628301		0.44	<0.005	<0.2	1.10	8	<10	70	<0.5	<2	0.06	<0.5	4	18	13	2.70
B628302		0.54	<0.005	0.2	1.72	12	<10	130	<0.5	<2	0.33	<0.5	6	24	22	2.54
B628303		0.34	<0.005	0.2	1.49	19	<10	220	<0.5	<2	0.54	<0.5	6	19	21	2.61
B628304		0.38	<0.005	0.2	2.53	39	<10	140	0.6	2	0.06	<0.5	11	30	43	4.39
B628305		0.40	<0.005	<0.2	1.19	171	<10	90	<0.5	2	0.06	<0.5	4	20	23	2.88
B628306		0.34	<0.005	0.2	0.91	35	<10	60	<0.5	2	0.03	<0.5	1	12	10	1.65
B628307		0.34	<0.005	0.3	1.06	35	<10	60	<0.5	<2	0.05	<0.5	3	14	14	2.27
B628308		0.38	<0.005	<0.2	1.49	20	<10	110	<0.5	<2	0.08	<0.5	5	23	18	3.05
B628309		0.36	<0.005	<0.2	1.87	22	<10	210	0.5	<2	0.13	<0.5	9	27	24	3.37
B628310		0.64	<0.005	<0.2	1.01	11	<10	60	<0.5	<2	0.06	<0.5	3	17	11	2.17
B628311		0.56	<0.005	<0.2	1.27	8	<10	70	<0.5	<2	0.07	<0.5	5	19	16	2.54
B628312		0.50	<0.005	<0.2	1.21	9	<10	140	<0.5	2	0.18	<0.5	3	15	8	2.01
B628313		0.44	<0.005	0.2	1.60	6	<10	200	0.5	<2	0.68	<0.5	8	23	14	2.18
B628314		0.66	<0.005	<0.2	1.16	8	<10	70	<0.5	<2	0.08	<0.5	3	19	9	1.83
B628315		0.44	<0.005	<0.2	0.70	10	<10	140	<0.5	<2	0.08	<0.5	4	10	22	1.80
B628316		0.34	<0.005	<0.2	0.64	4	<10	130	<0.5	<2	0.05	<0.5	6	12	23	2.01
B628317		0.44	<0.005	<0.2	0.55	3	<10	130	<0.5	<2	0.04	<0.5	7	11	28	2.34
B628318		0.62	<0.005	<0.2	0.49	6	<10	90	<0.5	2	0.04	<0.5	8	11	28	2.71
B628319		0.56	<0.005	<0.2	0.46	7	<10	50	<0.5	<2	0.02	<0.5	11	13	30	3.15
B628320		0.76	<0.005	<0.2	0.40	2	<10	90	<0.5	<2	0.04	<0.5	11	13	35	3.07
B628321		0.28	<0.005	0.6	1.23	4	<10	450	0.5	2	0.24	<0.5	15	20	32	4.23
B628322		0.76	<0.005	0.2	0.58	3	<10	200	<0.5	<2	0.12	<0.5	9	12	24	2.12
B628323		0.46	<0.005	0.2	0.71	2	<10	80	<0.5	<2	0.04	<0.5	5	14	19	2.31
B628324		0.50	<0.005	<0.2	0.98	6	<10	190	<0.5	<2	0.05	<0.5	3	15	11	2.04
B628325		0.50	<0.005	<0.2	1.08	6	<10	160	<0.5	<2	0.05	<0.5	5	18	14	2.72
B628326		0.54	<0.005	<0.2	0.94	3	<10	110	<0.5	<2	0.02	<0.5	3	12	17	1.99
B628327		0.48	<0.005	<0.2	1.06	8	<10	110	<0.5	<2	0.10	<0.5	7	19	24	2.36
B628328		0.54	<0.005	<0.2	0.91	10	<10	120	<0.5	<2	0.08	<0.5	6	17	22	2.47
B628329		0.54	<0.005	<0.2	0.76	5	<10	80	<0.5	<2	0.04	<0.5	2	11	9	1.43
B628330		0.66	<0.005	<0.2	1.16	5	<10	100	<0.5	<2	0.05	<0.5	5	20	19	2.38
B628331		0.60	<0.005	<0.2	0.93	5	<10	70	<0.5	<2	0.04	<0.5	5	17	17	2.31
B628332		0.54	0.007	<0.2	1.16	9	<10	130	<0.5	2	0.05	<0.5	7	22	22	2.65
B628401		0.40	0.014	0.2	1.30	48	<10	170	<0.5	<2	0.13	<0.5	5	24	29	2.54
B628402		0.34	0.051	0.2	1.11	69	<10	120	<0.5	3	0.10	<0.5	7	26	42	3.19
B628403		0.52	0.005	0.2	2.04	36	<10	100	1.3	<2	0.77	0.6	15	56	33	3.44
B628404		0.64	0.005	<0.2	1.52	3	<10	90	<0.5	<2	0.08	<0.5	2	27	9	2.56
B628405		0.58	<0.005	<0.2	0.83	13	<10	60	<0.5	<2	0.05	<0.5	3	17	11	2.05
B628406		0.56	0.011	<0.2	0.98	17	<10	140	<0.5	<2	0.17	<0.5	6	20	22	2.21
B628407		0.58	0.009	<0.2	1.06	7	<10	160	<0.5	<2	0.19	<0.5	5	21	20	2.26
B628408		0.50	0.011	<0.2	0.90	7	<10	120	<0.5	<2	0.07	<0.5	3	13	17	1.86

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108016

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B628301		<10	0.05	0.04	10	0.29	174	<1	<0.01	14	220	14	0.01	<2	2	6
B628302		10	0.06	0.09	20	0.53	253	<1	0.01	17	720	21	0.04	<2	1	19
B628303		10	0.05	0.06	10	0.51	588	<1	0.01	19	1250	25	0.08	<2	1	35
B628304		10	0.05	0.18	20	0.80	472	<1	0.01	33	340	21	0.04	<2	3	22
B628305		<10	0.04	0.09	20	0.33	260	<1	0.01	17	470	22	0.03	2	1	11
B628306		10	0.06	0.06	10	0.14	152	<1	0.01	6	720	14	0.05	<2	<1	6
B628307		<10	0.07	0.05	10	0.16	116	<1	0.01	11	390	17	0.03	<2	1	7
B628308		10	0.03	0.06	10	0.53	333	<1	0.01	17	300	21	0.02	<2	2	10
B628309		10	0.06	0.08	20	0.63	367	<1	0.01	23	460	25	0.03	<2	3	19
B628310		<10	0.03	0.04	10	0.28	181	<1	<0.01	12	330	14	0.01	<2	1	5
B628311		<10	0.03	0.04	10	0.37	275	<1	<0.01	16	450	13	0.01	<2	1	7
B628312		<10	0.02	0.05	20	0.27	155	<1	<0.01	9	420	14	0.01	<2	1	14
B628313		<10	0.05	0.05	20	0.41	269	<1	0.01	20	860	16	0.09	<2	3	51
B628314		10	0.04	0.04	10	0.29	137	<1	<0.01	9	360	12	0.01	<2	1	8
B628315		<10	0.06	0.05	20	0.08	100	<1	<0.01	14	470	22	0.01	<2	1	13
B628316		<10	0.06	0.05	10	0.13	121	<1	<0.01	17	290	17	0.01	<2	1	10
B628317		<10	0.11	0.04	20	0.10	147	<1	<0.01	20	390	22	0.01	<2	1	8
B628318		<10	0.08	0.04	20	0.13	221	<1	<0.01	22	300	20	<0.01	<2	1	10
B628319		<10	0.09	0.04	30	0.08	316	<1	<0.01	26	280	27	<0.01	<2	2	6
B628320		<10	0.10	0.04	30	0.10	298	<1	<0.01	27	320	23	<0.01	<2	1	15
B628321		<10	0.30	0.05	20	0.22	634	<1	0.01	32	1190	28	0.06	<2	4	26
B628322		<10	0.10	0.04	20	0.15	331	<1	<0.01	19	370	17	<0.01	<2	2	12
B628323		<10	0.05	0.03	20	0.13	137	<1	0.01	14	300	17	0.01	<2	1	9
B628324		<10	0.03	0.03	10	0.15	109	<1	<0.01	10	450	15	0.01	<2	1	9
B628325		<10	0.03	0.03	20	0.22	154	<1	<0.01	13	430	14	<0.01	<2	1	9
B628326		10	0.04	0.03	10	0.08	78	<1	<0.01	10	960	18	0.01	<2	<1	6
B628327		<10	0.07	0.04	10	0.30	283	<1	<0.01	18	480	14	<0.01	<2	3	9
B628328		<10	0.05	0.04	20	0.26	204	<1	<0.01	18	400	13	<0.01	<2	2	9
B628329		10	0.06	0.04	20	0.08	88	<1	<0.01	7	260	15	0.01	<2	1	8
B628330		<10	0.05	0.04	20	0.28	165	<1	<0.01	16	170	14	<0.01	<2	2	9
B628331		<10	0.04	0.04	20	0.18	114	<1	<0.01	14	220	15	<0.01	<2	1	6
B628332		<10	0.05	0.04	20	0.28	199	<1	<0.01	20	200	14	<0.01	<2	2	7
B628401		<10	0.10	0.05	10	0.35	227	<1	0.01	22	580	15	0.03	3	2	12
B628402		<10	0.27	0.05	20	0.26	289	2	0.01	21	740	13	0.05	4	2	10
B628403		10	0.15	0.30	30	0.88	566	1	<0.01	34	1460	20	0.01	<2	9	20
B628404		<10	0.05	0.05	20	0.27	87	<1	<0.01	10	470	15	0.01	3	2	12
B628405		<10	0.05	0.05	20	0.15	141	<1	<0.01	10	550	17	0.02	2	<1	11
B628406		<10	0.04	0.06	20	0.32	275	<1	<0.01	20	600	10	<0.01	3	2	15
B628407		<10	0.03	0.06	20	0.37	219	<1	<0.01	18	630	10	<0.01	<2	2	17
B628408		<10	0.03	0.06	20	0.10	93	<1	<0.01	13	380	16	0.02	3	1	14

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108016

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B628301		0.04	<10	<10	41	<10	44
B628302		0.02	<10	<10	36	<10	55
B628303		0.01	<10	<10	27	<10	73
B628304		0.06	<10	<10	40	<10	93
B628305		0.03	<10	<10	36	<10	57
B628306		0.01	<10	<10	33	<10	27
B628307		0.03	<10	<10	39	<10	40
B628308		0.04	<10	<10	45	<10	73
B628309		0.04	<10	<10	45	<10	94
B628310		0.03	<10	<10	30	<10	46
B628311		0.02	<10	<10	29	<10	61
B628312		0.01	<10	<10	27	<10	36
B628313		0.02	<10	10	25	<10	64
B628314		0.03	<10	<10	35	<10	39
B628315		0.01	<10	<10	25	<10	33
B628316		0.01	<10	<10	24	<10	54
B628317		0.01	<10	<10	18	<10	50
B628318		0.01	<10	<10	18	<10	60
B628319		0.01	<10	<10	18	<10	71
B628320		0.01	<10	<10	16	<10	68
B628321		0.01	<10	<10	31	<10	71
B628322		0.01	<10	<10	18	<10	51
B628323		0.02	<10	<10	29	<10	42
B628324		0.01	<10	<10	36	<10	29
B628325		0.02	<10	<10	39	<10	40
B628326		0.01	<10	<10	31	<10	30
B628327		0.04	<10	<10	32	<10	54
B628328		0.03	<10	<10	29	<10	58
B628329		0.03	<10	<10	35	<10	26
B628330		0.03	<10	<10	33	<10	49
B628331		0.03	<10	<10	32	<10	41
B628332		0.04	<10	<10	40	<10	59
B628401		0.03	<10	<10	44	<10	58
B628402		0.02	<10	<10	49	<10	60
B628403		0.06	<10	<10	68	<10	179
B628404		0.03	<10	<10	48	<10	33
B628405		0.02	<10	<10	37	<10	30
B628406		0.04	<10	<10	32	<10	56
B628407		0.03	<10	<10	31	<10	53
B628408		0.02	<10	<10	34	<10	38

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108016

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B628409		0.50	0.011	<0.2	1.53	13	<10	130	<0.5	<2	0.08	<0.5	9	24	19	2.74
B628410		0.54	0.012	0.2	1.45	28	<10	100	<0.5	<2	0.09	<0.5	5	26	14	3.67
B628411		0.54	0.007	<0.2	1.28	5	<10	120	<0.5	<2	0.12	<0.5	4	21	13	2.23
B628412		0.58	0.006	<0.2	1.45	20	<10	150	<0.5	<2	0.11	<0.5	5	25	17	2.43
B628413		0.66	<0.005	<0.2	1.43	13	<10	100	<0.5	<2	0.13	<0.5	4	25	17	2.33
B628414		0.78	<0.005	<0.2	1.25	13	<10	210	<0.5	<2	0.22	<0.5	8	24	20	2.53
B628415		0.64	0.005	<0.2	1.43	49	<10	100	<0.5	<2	0.11	<0.5	4	26	17	2.70
B628416		0.50	0.020	<0.2	1.49	36	<10	110	<0.5	<2	0.12	<0.5	4	25	15	2.77
B628417		0.72	0.005	1.1	0.42	41	<10	40	<0.5	<2	0.01	<0.5	<1	13	10	1.70
B628418		0.60	0.009	<0.2	1.21	36	<10	90	<0.5	<2	0.12	<0.5	5	20	16	2.57
B628501		0.62	<0.005	<0.2	1.31	8	<10	60	<0.5	<2	0.02	<0.5	2	12	21	2.34
B628502		0.52	<0.005	<0.2	1.09	6	<10	70	<0.5	<2	0.05	<0.5	1	19	12	1.94
B628503		0.46	0.006	<0.2	1.15	7	<10	80	<0.5	<2	0.05	<0.5	3	24	16	2.40
B628504		0.58	<0.005	<0.2	1.27	10	<10	70	<0.5	<2	0.06	<0.5	4	24	13	2.69
B628505		0.66	<0.005	<0.2	1.00	6	<10	60	<0.5	<2	0.04	<0.5	2	13	15	2.33
B628506		0.52	<0.005	<0.2	1.99	16	<10	150	0.5	<2	0.09	<0.5	10	29	21	3.49
B628507		0.66	0.007	<0.2	1.36	8	<10	130	<0.5	<2	0.06	<0.5	4	20	26	2.68
B628508		0.60	<0.005	<0.2	1.51	43	<10	100	<0.5	<2	0.05	<0.5	13	23	31	3.29
B628509		0.52	0.015	0.2	1.12	35	<10	90	<0.5	7	0.05	<0.5	3	18	21	2.71
B628510		0.58	0.009	<0.2	1.36	36	<10	110	<0.5	<2	0.08	<0.5	4	24	16	2.56
B628511		0.68	0.011	0.2	0.99	68	<10	150	<0.5	<2	0.12	<0.5	4	20	20	2.19
B628512		0.60	<0.005	<0.2	1.50	48	<10	90	<0.5	<2	0.10	<0.5	4	22	14	2.70
B628513		0.62	0.005	0.2	0.84	226	<10	60	<0.5	<2	0.04	<0.5	<1	12	17	1.53
B628514		0.68	<0.005	<0.2	1.67	9	<10	150	<0.5	<2	0.07	<0.5	7	29	26	2.96
B628515		0.60	0.006	<0.2	1.55	18	<10	180	<0.5	<2	0.13	<0.5	7	25	23	2.88
B628516		0.68	<0.005	<0.2	1.43	11	<10	120	<0.5	<2	0.10	<0.5	6	23	17	2.56
B628517		0.60	0.005	0.2	0.55	5	<10	80	<0.5	<2	0.02	<0.5	23	19	37	4.98
B628518		0.46	<0.005	0.6	1.24	6	<10	420	<0.5	<2	0.20	1.0	5	22	26	2.03
B628519		0.62	<0.005	<0.2	1.38	2	<10	350	<0.5	<2	0.34	<0.5	9	26	30	2.77
B628520		0.70	<0.005	0.3	1.10	16	<10	210	<0.5	<2	0.19	<0.5	13	20	16	3.38
B628521		0.72	<0.005	<0.2	1.04	12	<10	90	<0.5	<2	0.09	<0.5	4	22	19	2.50
B628601		0.34	<0.005	<0.2	1.14	6	<10	70	<0.5	<2	0.09	<0.5	7	18	23	2.71
B628602		0.38	<0.005	<0.2	1.28	5	<10	90	<0.5	<2	0.06	<0.5	5	19	18	2.68
B628603		0.50	0.008	<0.2	1.16	3	<10	80	<0.5	<2	0.08	<0.5	4	18	15	2.40
B628604		0.54	0.010	<0.2	1.17	5	<10	100	<0.5	<2	0.16	<0.5	8	19	26	2.45
B628605		0.52	<0.005	<0.2	1.28	4	<10	100	<0.5	<2	0.10	<0.5	7	19	24	2.90
B628606		0.32	<0.005	0.3	0.87	<2	<10	90	<0.5	<2	0.04	<0.5	6	13	24	2.57
B628607		0.44	<0.005	<0.2	1.15	9	<10	70	<0.5	<2	0.07	<0.5	7	21	15	2.65
B628608		0.48	0.005	<0.2	1.12	3	<10	70	<0.5	<2	0.04	<0.5	4	20	14	2.57
B628609		0.36	0.005	<0.2	0.80	46	<10	100	<0.5	<2	0.05	<0.5	6	19	27	3.01

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108016

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B628409		<10	0.05	0.05	10	0.36	266	<1	<0.01	21	350	13	0.01	<2	2	11
B628410		10	0.04	0.06	20	0.28	229	<1	<0.01	15	850	19	0.01	2	2	13
B628411		<10	0.04	0.04	20	0.31	146	<1	<0.01	15	450	11	<0.01	3	2	11
B628412		<10	0.16	0.05	20	0.36	173	<1	<0.01	16	520	12	0.01	3	2	13
B628413		10	0.12	0.04	20	0.36	124	<1	<0.01	16	540	12	0.01	3	1	12
B628414		<10	0.16	0.05	20	0.43	322	<1	<0.01	18	650	12	<0.01	3	3	19
B628415		<10	0.24	0.05	10	0.35	132	<1	<0.01	14	560	16	0.01	6	1	12
B628416		<10	0.12	0.05	10	0.39	153	<1	<0.01	15	450	11	0.01	4	2	11
B628417		<10	1.07	0.10	40	0.03	23	1	<0.01	2	150	53	0.06	139	1	20
B628418		<10	1.17	0.06	20	0.30	226	<1	<0.01	17	650	22	0.01	35	2	22
B628501		<10	0.03	0.03	50	0.42	117	<1	0.01	8	540	24	0.07	4	1	10
B628502		<10	0.06	0.04	20	0.24	88	<1	<0.01	8	790	22	0.03	<2	<1	9
B628503		<10	0.03	0.07	20	0.28	159	<1	<0.01	14	470	22	0.01	3	1	12
B628504		<10	0.04	0.05	10	0.32	133	<1	<0.01	13	290	15	0.01	<2	2	9
B628505		<10	0.02	0.07	20	0.14	102	<1	<0.01	9	220	31	0.01	4	1	10
B628506		<10	0.04	0.07	20	0.47	440	<1	<0.01	21	580	38	0.01	3	4	13
B628507		<10	0.05	0.06	30	0.25	168	<1	<0.01	14	380	87	0.01	3	2	18
B628508		<10	0.04	0.12	30	0.37	408	<1	<0.01	24	400	84	0.01	3	2	9
B628509		10	0.05	0.10	20	0.17	154	<1	<0.01	10	390	45	0.02	3	1	8
B628510		<10	0.07	0.05	20	0.33	132	<1	<0.01	13	400	41	0.01	3	2	9
B628511		<10	0.08	0.05	20	0.27	144	<1	<0.01	15	530	43	0.01	3	2	12
B628512		<10	0.07	0.04	10	0.32	118	<1	<0.01	14	450	27	0.01	2	2	11
B628513		<10	0.06	0.07	10	0.10	38	<1	<0.01	4	200	124	0.01	4	1	11
B628514		10	0.05	0.05	20	0.39	272	<1	<0.01	21	250	20	0.01	3	4	12
B628515		10	0.06	0.05	20	0.38	218	<1	<0.01	23	390	61	0.01	2	3	17
B628516		<10	0.06	0.04	10	0.31	188	<1	<0.01	19	400	23	0.01	<2	2	12
B628517		<10	0.03	0.11	10	0.10	1840	<1	<0.01	48	520	35	0.01	5	1	27
B628518		<10	0.11	0.06	20	0.33	166	<1	<0.01	23	670	27	0.02	2	2	27
B628519		<10	0.08	0.07	20	0.49	330	<1	<0.01	28	540	15	<0.01	2	4	27
B628520		<10	0.13	0.06	20	0.27	1195	<1	<0.01	23	720	26	0.01	3	3	33
B628521		<10	0.07	0.06	20	0.30	148	<1	<0.01	16	370	15	0.01	<2	2	12
B628601		<10	0.05	0.04	20	0.37	236	<1	<0.01	20	780	19	0.03	<2	1	10
B628602		<10	0.06	0.03	30	0.34	244	<1	<0.01	15	480	15	0.02	<2	1	9
B628603		<10	0.05	0.03	20	0.32	176	<1	<0.01	14	470	15	0.02	<2	1	11
B628604		<10	0.05	0.03	20	0.39	268	<1	<0.01	22	620	14	0.01	<2	2	13
B628605		<10	0.06	0.03	30	0.35	155	<1	<0.01	23	520	19	0.01	<2	2	11
B628606		<10	0.14	0.04	30	0.20	138	<1	0.01	19	910	25	0.06	<2	1	10
B628607		<10	0.04	0.05	20	0.28	330	<1	<0.01	16	480	12	0.02	3	2	11
B628608		<10	0.05	0.05	20	0.20	141	<1	<0.01	14	310	20	0.01	2	1	8
B628609		<10	0.16	0.13	20	0.18	183	1	<0.01	20	560	31	0.14	10	1	33

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108016

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B628409		0.04	<10	<10	40	<10	54
B628410		0.05	<10	<10	63	<10	53
B628411		0.04	<10	<10	39	<10	43
B628412		0.04	<10	<10	44	<10	52
B628413		0.03	<10	<10	42	<10	50
B628414		0.06	<10	<10	41	<10	63
B628415		0.03	<10	<10	48	<10	50
B628416		0.04	<10	<10	45	<10	52
B628417		0.01	<10	<10	12	<10	6
B628418		0.04	<10	<10	41	<10	54
B628501		<0.01	<10	<10	8	<10	56
B628502		0.01	<10	<10	29	<10	32
B628503		0.03	<10	<10	40	<10	44
B628504		0.04	<10	<10	39	<10	46
B628505		0.02	<10	<10	28	<10	45
B628506		0.04	<10	<10	46	<10	83
B628507		0.02	<10	<10	33	<10	50
B628508		0.03	<10	<10	38	<10	82
B628509		0.02	<10	<10	40	<10	50
B628510		0.04	<10	<10	42	<10	48
B628511		0.03	<10	<10	36	<10	47
B628512		0.03	<10	<10	37	<10	43
B628513		0.02	<10	<10	26	<10	16
B628514		0.05	<10	<10	46	<10	61
B628515		0.05	<10	<10	45	<10	68
B628516		0.04	<10	<10	37	<10	56
B628517		0.01	<10	<10	24	<10	106
B628518		0.02	<10	<10	31	<10	77
B628519		0.04	<10	<10	37	<10	76
B628520		0.03	<10	<10	33	<10	75
B628521		0.04	<10	<10	39	<10	51
B628601		0.02	<10	<10	29	<10	62
B628602		0.02	<10	<10	28	<10	59
B628603		0.02	<10	<10	28	<10	47
B628604		0.03	<10	<10	28	<10	61
B628605		0.02	<10	<10	28	<10	62
B628606		0.01	<10	<10	21	<10	45
B628607		0.02	<10	<10	32	<10	50
B628608		0.02	<10	<10	35	<10	36
B628609		0.01	<10	<10	23	<10	52

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108016

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B628610		0.30	<0.005	0.2	0.89	7	<10	60	<0.5	<2	0.04	<0.5	3	16	13	1.96
B628611		0.24	<0.005	<0.2	1.58	11	<10	80	<0.5	<2	0.06	<0.5	6	30	15	4.35
B628612		0.44	<0.005	<0.2	1.41	9	<10	170	0.5	<2	1.06	<0.5	9	19	25	3.04
B628613		0.54	<0.005	0.2	1.32	8	<10	270	0.6	<2	0.33	<0.5	11	22	40	3.50
B628614		0.68	<0.005	<0.2	0.54	9	<10	60	<0.5	<2	0.01	<0.5	10	10	37	3.00
B628615		0.68	<0.005	0.2	1.13	8	<10	80	<0.5	<2	0.05	<0.5	7	21	21	2.96
B628616		0.60	<0.005	<0.2	1.21	5	<10	80	<0.5	<2	0.05	<0.5	7	22	18	2.80
B628617		0.34	<0.005	0.5	0.81	3	<10	190	<0.5	<2	0.08	0.5	5	14	25	2.21
B628618		0.66	<0.005	1.0	1.26	13	<10	80	<0.5	<2	0.05	<0.5	5	20	27	2.95
B628619		0.52	<0.005	0.2	1.41	12	<10	110	0.5	<2	0.05	<0.5	6	22	23	2.99
B628620		0.42	<0.005	<0.2	0.86	15	<10	100	<0.5	<2	0.09	<0.5	6	18	24	2.55
B628621		0.60	0.005	<0.2	0.86	5	<10	70	<0.5	<2	0.06	<0.5	3	15	19	2.28
B629201		0.60	<0.005	0.2	0.72	3	<10	120	<0.5	<2	0.04	<0.5	7	17	24	2.57
B629202		0.66	<0.005	0.2	0.62	3	<10	100	<0.5	<2	0.04	<0.5	6	14	22	2.36
B629203		0.70	<0.005	<0.2	0.63	6	<10	100	<0.5	<2	0.08	<0.5	5	13	18	2.17
B629204		0.66	0.012	<0.2	0.67	9	<10	110	<0.5	<2	0.07	<0.5	7	15	18	2.51
B629205		0.66	<0.005	<0.2	0.71	3	<10	60	<0.5	<2	0.06	<0.5	4	15	18	2.31
B629206		0.46	<0.005	<0.2	0.85	3	<10	120	<0.5	<2	0.04	<0.5	4	14	18	2.26
B629207		0.52	<0.005	<0.2	0.86	6	<10	120	<0.5	<2	0.04	<0.5	4	14	19	2.22
B629208		0.62	<0.005	<0.2	0.79	3	<10	100	<0.5	<2	0.06	<0.5	9	18	23	2.96
B629209		0.64	<0.005	<0.2	1.06	3	<10	60	<0.5	<2	0.05	<0.5	3	15	10	2.32
B629210		0.72	<0.005	<0.2	0.97	4	<10	60	<0.5	<2	0.05	<0.5	3	14	10	2.15
B629211		0.58	<0.005	<0.2	1.04	4	<10	110	<0.5	<2	0.12	<0.5	4	18	16	2.09
B629212		0.64	<0.005	<0.2	1.36	10	<10	120	<0.5	<2	0.05	<0.5	6	20	16	2.72
B629213		0.52	<0.005	<0.2	1.32	8	<10	110	<0.5	<2	0.05	<0.5	5	19	15	2.62
B629214		0.62	<0.005	<0.2	1.34	7	<10	130	<0.5	<2	0.05	<0.5	10	20	23	2.65
B629215		0.60	<0.005	<0.2	1.41	11	<10	140	<0.5	<2	0.05	<0.5	10	22	25	2.64
B629216		0.62	<0.005	<0.2	1.41	6	<10	130	<0.5	<2	0.05	<0.5	9	21	21	2.64
B629217		0.58	<0.005	<0.2	1.34	11	<10	120	<0.5	<2	0.05	<0.5	8	19	19	2.53
B629218		0.54	<0.005	<0.2	1.43	11	<10	150	0.5	<2	0.05	<0.5	11	21	28	2.69
B629219		0.72	<0.005	<0.2	0.86	10	<10	80	<0.5	<2	0.06	<0.5	3	15	13	1.53
B629220		0.54	<0.005	<0.2	0.85	11	<10	80	<0.5	<2	0.06	<0.5	3	15	13	1.45
B629221		0.48	<0.005	<0.2	0.85	5	<10	80	<0.5	<2	0.06	<0.5	3	14	14	1.49
B629222		0.58	<0.005	<0.2	0.86	7	<10	70	<0.5	<2	0.06	<0.5	3	14	13	1.55
B629223		0.60	<0.005	<0.2	0.72	8	<10	80	<0.5	<2	0.05	<0.5	5	14	16	2.13
B629224		0.54	<0.005	<0.2	0.73	9	<10	90	<0.5	<2	0.05	<0.5	6	14	17	2.13
B629225		0.52	<0.005	<0.2	0.74	6	<10	80	<0.5	<2	0.06	<0.5	6	14	17	2.22
B629226		0.54	<0.005	<0.2	0.63	16	<10	90	<0.5	<2	0.02	<0.5	1	7	12	1.12
B629227		0.54	<0.005	<0.2	1.07	8	<10	140	<0.5	<2	0.07	<0.5	4	18	14	1.61
B628101		0.38	<0.005	<0.2	1.09	9	<10	120	<0.5	<2	0.07	<0.5	9	20	31	3.03

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108016

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B628610		<10	0.06	0.04	10	0.14	129	<1	<0.01	11	500	16	0.05	<2	1	10
B628611		10	0.04	0.05	10	0.31	329	1	0.01	14	590	18	0.03	3	2	11
B628612		10	0.08	0.03	20	0.32	487	<1	0.01	24	550	16	0.03	<2	4	61
B628613		<10	0.11	0.04	20	0.32	695	<1	0.01	33	510	18	0.03	7	5	25
B628614		<10	0.04	0.11	20	0.06	224	<1	<0.01	23	270	25	0.01	3	1	7
B628615		<10	0.04	0.07	20	0.26	255	<1	<0.01	18	360	23	0.02	2	2	9
B628616		<10	0.03	0.06	10	0.31	245	<1	<0.01	18	310	19	0.02	2	2	9
B628617		<10	0.05	0.10	20	0.11	376	<1	0.01	13	650	80	0.03	2	1	16
B628618		<10	0.04	0.08	20	0.23	168	<1	<0.01	21	340	46	0.04	3	2	22
B628619		<10	0.03	0.07	20	0.27	188	<1	<0.01	22	380	37	0.03	3	2	19
B628620		<10	0.07	0.05	20	0.25	220	<1	0.01	18	470	19	0.02	4	1	14
B628621		<10	0.03	0.03	30	0.30	138	<1	<0.01	12	380	17	0.02	2	1	9
B629201		<10	0.12	0.04	30	0.15	163	<1	<0.01	19	360	23	0.01	4	2	17
B629202		<10	0.11	0.04	30	0.15	150	<1	<0.01	18	310	19	0.01	4	2	16
B629203		<10	0.10	0.04	30	0.17	147	<1	<0.01	15	410	16	0.01	2	1	13
B629204		<10	0.11	0.04	20	0.18	201	<1	<0.01	16	450	21	0.01	3	1	13
B629205		<10	0.08	0.03	30	0.20	129	<1	<0.01	14	310	18	0.01	2	2	12
B629206		<10	0.06	0.05	20	0.15	104	<1	<0.01	14	380	23	0.02	<2	1	11
B629207		<10	0.05	0.05	20	0.15	103	<1	<0.01	15	360	21	0.02	<2	1	11
B629208		<10	0.04	0.05	30	0.21	258	<1	<0.01	26	470	29	0.02	<2	1	14
B629209		<10	0.02	0.04	20	0.11	124	<1	<0.01	8	350	13	0.02	2	1	7
B629210		<10	0.02	0.04	20	0.10	125	<1	<0.01	9	350	14	0.02	<2	1	7
B629211		<10	0.14	0.03	10	0.32	116	<1	<0.01	16	440	9	0.01	2	2	10
B629212		<10	0.03	0.04	20	0.24	178	<1	<0.01	19	320	15	0.02	<2	2	9
B629213		<10	0.03	0.04	20	0.20	159	<1	<0.01	17	400	15	0.02	<2	2	9
B629214		<10	0.06	0.04	20	0.25	216	1	<0.01	22	310	19	<0.01	<2	2	9
B629215		<10	0.08	0.04	20	0.26	232	1	<0.01	24	330	17	<0.01	<2	2	10
B629216		<10	0.06	0.04	20	0.25	206	1	<0.01	23	360	19	<0.01	<2	2	10
B629217		<10	0.05	0.04	20	0.22	184	1	<0.01	16	380	21	<0.01	2	2	9
B629218		<10	0.2	0.04	30	0.27	251	1	<0.01	26	320	18	<0.01	2	3	10
B629219		<10	0.08	0.04	10	0.15	65	1	<0.01	8	730	18	<0.01	3	<1	9
B629220		<10	0.08	0.04	10	0.15	61	1	<0.01	7	730	17	<0.01	2	<1	9
B629221		<10	0.08	0.03	10	0.14	58	1	<0.01	7	840	19	<0.01	3	<1	9
B629222		<10	0.08	0.04	10	0.15	66	1	<0.01	7	790	19	<0.01	2	<1	9
B629223		<10	0.05	0.04	30	0.18	127	1	<0.01	16	320	17	<0.01	3	1	12
B629224		<10	0.05	0.04	30	0.18	129	1	<0.01	14	320	17	<0.01	3	1	13
B629225		<10	0.05	0.04	30	0.20	138	1	<0.01	17	300	15	<0.01	2	1	13
B629226		<10	0.04	0.06	20	0.03	20	1	<0.01	2	470	26	<0.01	5	<1	11
B629227		<10	0.08	0.06	20	0.22	78	1	<0.01	10	450	14	<0.01	3	1	13
B628101		<10	0.05	0.04	30	0.22	204	1	<0.01	26	250	25	0.01	<2	2	20

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108016

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B628610		0.02	<10	<10	35	<10	36
B628611		0.04	<10	<10	62	<10	56
B628612		0.02	<10	<10	35	<10	50
B628613		0.02	<10	<10	36	<10	66
B628614		0.01	<10	<10	15	<10	58
B628615		0.03	<10	<10	34	<10	61
B628616		0.03	<10	<10	31	<10	55
B628617		0.02	<10	<10	32	<10	61
B628618		0.02	<10	<10	30	<10	60
B628619		0.02	<10	<10	34	<10	67
B628620		0.02	<10	<10	28	<10	56
B628621		0.02	<10	<10	20	<10	49
B629201		0.01	<10	<10	22	<10	48
B629202		0.01	<10	<10	19	<10	44
B629203		0.02	<10	<10	20	<10	47
B629204		0.02	<10	<10	22	<10	52
B629205		0.02	<10	<10	24	<10	46
B629206		0.01	<10	<10	24	<10	35
B629207		0.01	<10	<10	26	<10	36
B629208		0.01	<10	<10	21	<10	60
B629209		0.02	<10	<10	36	<10	31
B629210		0.02	<10	<10	34	<10	32
B629211		0.03	<10	<10	30	<10	48
B629212		0.03	<10	<10	38	<10	50
B629213		0.02	<10	<10	40	<10	47
B629214		0.03	<10	<10	36	<10	59
B629215		0.03	<10	<10	37	<10	59
B629216		0.03	<10	<10	38	<10	55
B629217		0.03	<10	<10	39	<10	51
B629218		0.03	<10	<10	37	<10	61
B629219		0.01	<10	<10	27	<10	25
B629220		0.01	<10	<10	27	<10	25
B629221		0.01	<10	<10	25	<10	23
B629222		0.01	<10	<10	26	<10	25
B629223		0.03	<10	<10	26	<10	45
B629224		0.03	<10	<10	25	<10	46
B629225		0.03	<10	<10	27	<10	48
B629226		0.01	<10	<10	19	<10	11
B629227		0.02	<10	<10	35	<10	31
B628101		0.02	<10	<10	32	<10	61

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108016

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B628102		0.32	<0.005	<0.2	0.59	6	<10	70	<0.5	<2	0.04	<0.5	13	16	36	3.60
B628103		0.52	<0.005	<0.2	0.64	10	<10	90	<0.5	<2	0.05	<0.5	11	16	28	2.80
B628104		0.38	0.031	0.2	0.78	11	<10	90	0.7	<2	0.02	<0.5	24	19	72	4.82
B628105		0.42	0.016	<0.2	1.37	15	<10	140	0.6	<2	0.03	<0.5	14	22	45	4.01
B628106		0.30	0.013	0.6	2.67	15	<10	230	0.9	<2	0.07	<0.5	12	35	32	3.66
B628107		0.40	0.008	<0.2	1.54	21	<10	160	0.5	<2	0.07	<0.5	9	22	23	3.34
B628108		0.52	0.033	<0.2	1.03	16	<10	190	0.6	<2	0.22	<0.5	12	19	27	2.85
B628109		0.36	0.030	<0.2	1.73	22	<10	290	0.8	<2	0.17	<0.5	16	26	41	3.74
B628110		0.46	0.008	0.2	1.13	8	<10	250	<0.5	<2	0.15	<0.5	7	18	13	2.02
B628111		0.46	0.050	<0.2	0.78	34	<10	110	0.9	<2	0.07	<0.5	10	22	40	3.06
B628112		0.46	<0.005	<0.2	1.03	47	<10	210	<0.5	2	0.20	<0.5	7	22	18	2.13
B628113		0.36	<0.005	<0.2	0.90	39	<10	100	<0.5	<2	0.08	<0.5	5	17	12	2.21
B628114		0.42	0.007	0.2	0.99	38	<10	70	<0.5	<2	0.03	<0.5	6	18	18	2.74
B628115		0.42	<0.005	<0.2	0.47	39	<10	110	<0.5	<2	0.03	<0.5	18	25	35	3.67
B628116		0.44	0.009	0.2	0.80	10	<10	110	<0.5	<2	0.12	<0.5	8	15	14	2.52
B628117		0.36	0.005	<0.2	1.24	13	<10	80	<0.5	<2	0.05	<0.5	12	20	22	2.94
B628118		0.32	<0.005	0.2	0.53	11	<10	40	<0.5	<2	0.03	<0.5	11	14	26	2.70
B628119		0.34	<0.005	<0.2	1.03	14	<10	70	<0.5	<2	0.07	<0.5	9	21	15	2.84
B628120		0.36	<0.005	<0.2	1.19	10	<10	120	<0.5	<2	0.10	<0.5	5	21	15	2.02
B628121		0.48	<0.005	<0.2	0.89	10	<10	180	<0.5	<2	0.12	<0.5	7	17	19	2.09
B628122		0.24	<0.005	<0.2	0.93	13	<10	70	<0.5	<2	0.05	<0.5	5	18	7	2.86
B628123		0.42	0.005	<0.2	0.80	8	<10	90	<0.5	<2	0.04	<0.5	6	15	17	2.10
B628124		0.42	0.005	<0.2	1.06	10	<10	120	<0.5	<2	0.04	<0.5	5	17	19	2.30
B628125		0.30	0.016	<0.2	1.11	17	<10	150	<0.5	<2	0.05	<0.5	8	21	25	2.44
B628126		0.34	0.005	<0.2	0.93	13	<10	120	<0.5	<2	0.04	<0.5	8	16	19	2.24
B628127		0.42	0.006	<0.2	1.20	16	<10	170	<0.5	<2	0.05	<0.5	9	20	22	2.36
B628128		0.62	0.005	<0.2	1.15	10	<10	110	<0.5	<2	0.04	<0.5	8	20	19	2.59
B628129		0.30	<0.005	<0.2	0.75	11	<10	90	<0.5	<2	0.04	<0.5	8	15	24	2.35
B628451		0.44	0.006	0.2	1.59	38	<10	220	0.5	<2	0.44	<0.5	10	25	24	2.43
B628452		0.50	0.007	<0.2	1.56	30	<10	200	<0.5	<2	0.43	<0.5	10	25	19	2.36
B628453		0.48	0.021	0.2	0.66	46	<10	90	0.7	<2	0.64	<0.5	21	11	36	3.93
B628454		0.50	0.018	<0.2	0.64	38	<10	90	0.8	<2	0.65	<0.5	19	12	33	4.02
B628455		0.50	0.021	<0.2	0.67	58	<10	90	0.7	<2	0.58	<0.5	24	12	42	4.07
B628456		0.42	0.007	<0.2	1.44	37	<10	200	0.5	<2	0.29	<0.5	10	25	21	2.45
B628457		0.58	0.012	<0.2	1.37	27	<10	190	0.5	<2	0.28	<0.5	9	24	20	2.32
B628458		0.36	0.016	<0.2	0.90	24	<10	140	<0.5	<2	0.26	<0.5	7	17	10	1.72
B628459		0.38	0.013	<0.2	0.81	24	<10	130	<0.5	<2	0.25	<0.5	6	16	9	1.57
B628460		0.42	<0.005	<0.2	0.27	5	<10	20	<0.5	<2	0.01	<0.5	9	11	26	2.45
B628461		0.44	<0.005	<0.2	0.28	4	<10	20	<0.5	<2	<0.01	<0.5	11	13	28	2.68
B628462		0.42	0.007	<0.2	1.04	9	<10	110	<0.5	<2	0.04	<0.5	8	18	24	2.49

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108016

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B628102		<10	0.06	0.04	50	0.13	170	1	<0.01	36	320	28	<0.01	4	2	17
B628103		<10	0.08	0.03	30	0.18	196	1	<0.01	27	250	20	<0.01	3	2	15
B628104		<10	0.32	0.11	30	0.12	559	3	<0.01	52	330	66	0.01	5	4	26
B628105		<10	0.03	0.11	30	0.19	262	2	<0.01	36	340	25	<0.01	3	3	17
B628106		10	0.09	0.09	10	0.43	391	2	<0.01	35	430	23	<0.01	2	4	14
B628107		<10	0.03	0.08	20	0.32	213	1	<0.01	24	370	19	<0.01	<2	2	15
B628108		<10	0.24	0.07	30	0.33	339	1	<0.01	25	560	13	<0.01	2	3	27
B628109		<10	0.37	0.10	30	0.37	412	1	<0.01	34	600	22	0.01	3	4	27
B628110		<10	0.21	0.04	20	0.26	157	1	<0.01	13	720	18	0.02	3	2	16
B628111		<10	0.35	0.09	30	0.17	195	2	<0.01	27	600	21	0.02	8	3	16
B628112		<10	0.53	0.05	20	0.33	131	1	<0.01	15	570	18	<0.01	2	3	25
B628113		<10	0.09	0.05	20	0.19	170	1	<0.01	12	490	20	<0.01	2	1	16
B628114		<10	0.49	0.05	20	0.13	191	1	<0.01	17	510	53	0.01	2	1	18
B628115		<10	0.91	0.09	30	0.06	1085	2	<0.01	56	650	103	0.05	5	2	30
B628116		<10	0.29	0.05	20	0.19	177	1	<0.01	14	560	26	0.01	<2	2	15
B628117		<10	0.10	0.05	20	0.24	314	1	<0.01	26	370	27	<0.01	<2	2	10
B628118		<10	0.05	0.04	20	0.09	251	1	<0.01	23	390	24	<0.01	<2	1	9
B628119		<10	0.04	0.05	20	0.28	287	1	<0.01	15	440	19	<0.01	2	2	11
B628120		<10	0.06	0.04	20	0.30	142	<1	<0.01	12	540	11	<0.01	<2	2	11
B628121		<10	0.09	0.04	30	0.27	192	1	<0.01	15	420	14	<0.01	2	2	17
B628122		10	0.03	0.03	10	0.16	262	2	0.01	6	530	16	0.01	2	1	9
B628123		<10	0.08	0.04	30	0.18	195	1	<0.01	15	290	15	<0.01	<2	2	12
B628124		<10	0.07	0.04	20	0.20	145	1	0.01	13	440	19	0.01	2	1	10
B628125		<10	0.14	0.04	20	0.29	257	1	0.01	22	240	14	0.01	<2	4	13
B628126		<10	0.09	0.04	20	0.19	208	1	<0.01	18	240	17	<0.01	2	2	10
B628127		<10	0.07	0.04	20	0.28	240	1	0.01	19	250	14	<0.01	<2	3	10
B628128		<10	0.04	0.04	20	0.24	187	1	<0.01	19	230	19	<0.01	2	2	8
B628129		<10	0.07	0.04	20	0.14	160	<1	0.01	18	400	23	0.01	3	1	10
B628451		<10	0.05	0.07	20	0.43	513	1	0.01	22	800	15	0.03	4	3	33
B628452		<10	0.04	0.08	20	0.47	312	<1	0.01	22	720	12	0.02	4	3	34
B628453		<10	0.03	0.16	50	0.22	758	<1	0.01	39	410	9	0.05	6	3	42
B628454		<10	0.04	0.16	50	0.20	666	1	0.01	35	380	7	0.04	6	3	42
B628455		<10	0.03	0.17	50	0.22	762	1	0.01	42	460	11	0.05	6	3	44
B628456		<10	0.03	0.15	20	0.44	337	1	0.01	24	610	8	0.02	7	3	30
B628457		<10	0.02	0.15	20	0.43	302	1	0.01	22	640	8	0.01	4	3	28
B628458		<10	0.05	0.04	10	0.29	252	<1	0.01	11	690	10	0.02	3	2	20
B628459		<10	0.04	0.03	10	0.27	189	1	0.01	13	690	11	0.02	2	2	18
B628460		<10	0.04	0.03	10	0.03	166	1	<0.01	21	240	25	0.01	3	1	4
B628461		<10	0.04	0.03	20	0.04	185	1	<0.01	21	250	23	0.01	3	1	4
B628462		<10	0.06	0.03	20	0.23	181	1	0.01	21	210	19	0.01	<2	2	8

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108016

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B628102		0.01	<10	<10	22	<10	85
B628103		0.02	<10	<10	22	<10	68
B628104		0.01	<10	<10	28	<10	131
B628105		0.01	<10	<10	36	10	102
B628106		0.04	<10	<10	56	<10	73
B628107		0.03	<10	<10	44	<10	72
B628108		0.04	<10	<10	32	<10	65
B628109		0.02	<10	<10	41	<10	72
B628110		0.02	<10	<10	34	<10	49
B628111		0.02	<10	<10	27	<10	60
B628112		0.03	<10	<10	36	<10	56
B628113		0.02	<10	<10	42	<10	41
B628114		0.02	<10	<10	39	<10	52
B628115		0.01	<10	<10	20	<10	88
B628116		0.02	<10	<10	24	<10	47
B628117		0.03	<10	<10	33	<10	63
B628118		0.01	<10	<10	25	<10	58
B628119		0.04	<10	<10	39	<10	58
B628120		0.04	<10	<10	38	<10	48
B628121		0.03	<10	<10	29	<10	52
B628122		0.07	<10	<10	73	<10	41
B628123		0.02	<10	<10	24	<10	45
B628124		0.02	<10	<10	34	<10	44
B628125		0.04	<10	<10	35	<10	56
B628126		0.03	<10	<10	28	<10	49
B628127		0.04	<10	<10	38	<10	52
B628128		0.03	<10	<10	38	<10	50
B628129		0.02	<10	<10	26	<10	48
B628451		0.04	<10	<10	36	<10	64
B628452		0.05	<10	<10	37	<10	66
B628453		0.01	<10	<10	16	<10	63
B628454		0.01	<10	<10	17	<10	63
B628455		0.01	<10	<10	16	<10	67
B628456		0.07	<10	<10	37	<10	62
B628457		0.07	<10	<10	36	<10	59
B628458		0.03	<10	<10	30	<10	51
B628459		0.03	<10	<10	27	<10	47
B628460		<0.01	<10	<10	10	<10	52
B628461		<0.01	<10	<10	10	<10	57
B628462		0.03	<10	<10	31	<10	51

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108016

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B628463		0.48	<0.005	<0.2	0.98	9	<10	120	<0.5	<2	0.04	<0.5	8	17	21	2.39
B628464		0.44	<0.005	<0.2	1.02	5	<10	120	<0.5	<2	0.04	<0.5	8	18	23	2.50
B628465		0.32	<0.005	0.2	0.91	7	<10	90	<0.5	<2	0.05	<0.5	4	15	16	1.89
B628466		0.32	<0.005	<0.2	0.94	8	<10	90	<0.5	<2	0.05	<0.5	5	17	17	2.06
B628467		0.32	<0.005	<0.2	0.80	3	<10	80	<0.5	<2	0.05	<0.5	3	15	13	1.75
B628468		0.54	<0.005	<0.2	0.72	7	<10	50	<0.5	<2	0.02	<0.5	13	16	26	2.87
B628469		0.54	0.006	<0.2	0.80	5	<10	50	<0.5	<2	0.02	<0.5	6	14	20	2.36

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108016

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
B628463		<10	0.08	0.03	20	0.21	173	1	0.01	19	200	18	0.01	<2	2	9
B628464		<10	0.06	0.03	20	0.23	187	1	0.01	19	220	18	0.01	2	2	9
B628465		<10	0.07	0.03	10	0.22	93	1	0.01	14	420	19	0.01	<2	1	9
B628466		<10	0.06	0.03	10	0.24	118	1	0.01	14	430	18	0.01	<2	1	9
B628467		<10	0.05	0.03	10	0.21	86	<1	0.01	11	420	16	0.01	<2	1	8
B628468		<10	0.04	0.04	20	0.10	301	1	<0.01	24	390	25	0.01	3	1	9
B628469		<10	0.04	0.03	20	0.13	112	1	<0.01	14	260	20	0.01	<2	1	8

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108016

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
B628463		0.02	<10	<10	29	<10	48
B628464		0.03	<10	<10	30	<10	51
B628465		0.02	<10	<10	27	<10	40
B628466		0.02	<10	<10	29	<10	46
B628467		0.02	<10	<10	26	<10	36
B628468		0.02	<10	<10	24	<10	51
B628469		0.02	<10	<10	23	<10	39

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 15-NOV-2006
Account: STRGOL

CERTIFICATE VA06108017

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 200 Soil samples submitted to our lab in Vancouver, BC, Canada on 2-OCT-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3



This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B629951		0.48	0.006	0.4	0.75	16	<10	120	<0.5	<2	0.45	0.9	10	16	43	2.50
B629952		0.60	0.005	0.4	0.73	13	<10	120	<0.5	<2	0.72	1.0	8	16	42	2.29
B629953		0.76	0.010	0.4	0.77	15	<10	120	<0.5	<2	1.34	1.0	9	16	48	2.64
B629954		0.46	0.006	0.4	1.00	10	<10	190	<0.5	<2	0.83	0.6	8	20	32	2.50
B629955		0.52	0.009	0.4	1.18	18	<10	220	<0.5	<2	0.52	1.1	11	25	51	3.09
B629956		0.62	0.007	0.4	1.31	13	<10	340	0.5	<2	0.52	0.9	11	26	46	3.13
B629957		0.48	0.007	0.5	1.30	17	<10	270	<0.5	<2	0.51	<0.5	10	25	44	2.96
B629958		0.40	0.009	0.6	1.31	19	<10	320	0.5	<2	0.84	0.9	11	24	56	3.33
B629959		0.52	0.008	0.4	1.21	16	<10	230	<0.5	<2	0.30	1.0	9	23	45	2.85
B629960		0.46	0.009	0.5	1.17	13	<10	270	<0.5	2	0.43	1.2	15	25	39	3.82
B629961		0.64	0.007	0.9	1.13	19	<10	250	<0.5	<2	0.75	2.2	11	23	58	2.92
B629962		0.40	0.005	0.3	0.95	7	<10	170	<0.5	<2	0.52	1.6	7	21	27	2.01
B629963		0.42	0.008	0.3	1.31	3	<10	210	<0.5	<2	0.59	0.8	9	30	30	2.28
B629964		0.46	0.006	0.3	1.28	7	<10	220	<0.5	<2	0.38	0.7	6	29	33	2.24
B629965		0.46	0.005	0.2	1.39	10	<10	200	<0.5	<2	0.46	<0.5	6	29	23	1.85
B629966		0.40	0.005	0.2	1.50	19	<10	200	<0.5	<2	0.42	0.5	8	31	19	4.53
B629967		0.50	0.005	0.2	1.61	15	<10	220	<0.5	<2	0.38	1.0	8	33	32	2.19
B629968		0.48	0.005	0.3	1.82	11	<10	220	<0.5	<2	0.39	0.6	8	37	32	2.19
B629969		0.38	0.008	0.2	1.24	25	<10	140	<0.5	<2	0.16	1.3	5	25	44	2.72
B629970		0.58	<0.005	<0.2	2.18	14	<10	200	0.6	<2	0.49	<0.5	18	50	56	4.23
B629971		0.38	0.005	0.2	1.08	12	<10	160	<0.5	<2	0.54	0.5	7	23	22	2.04
B629972		0.36	0.006	0.2	1.20	9	<10	190	<0.5	<2	0.60	<0.5	5	24	29	1.63
B629973		0.36	0.010	0.2	1.14	12	<10	200	<0.5	<2	0.47	<0.5	5	24	21	2.11
B629974		0.40	0.005	0.3	1.55	14	<10	260	0.5	<2	0.50	<0.5	11	32	43	3.05
B629975		0.42	0.005	0.2	1.51	46	<10	180	0.5	<2	0.66	<0.5	12	29	24	3.06
B629976		0.34	0.007	0.2	1.88	37	<10	190	0.5	<2	0.72	<0.5	7	35	25	2.50
B629977		0.38	0.005	0.2	1.19	13	<10	230	<0.5	<2	0.43	<0.5	7	22	28	2.38
B629978		0.64	0.006	<0.2	0.93	8	<10	130	<0.5	<2	0.43	<0.5	5	19	12	1.79
B629979		0.34	0.007	0.4	1.42	48	<10	480	0.5	<2	1.13	1.1	20	25	43	6.25
B629980		0.34	0.005	0.4	1.30	24	<10	310	<0.5	<2	0.71	0.5	15	23	32	3.38
B629981		0.44	0.007	0.2	1.00	24	<10	200	<0.5	<2	0.40	<0.5	7	18	26	3.22
B629982		0.48	0.005	0.2	1.26	12	<10	320	<0.5	<2	0.51	0.5	7	21	29	1.98
B629983		0.38	0.007	0.2	1.04	28	<10	270	<0.5	<2	0.78	<0.5	9	16	21	3.31
B629984		0.40	0.005	0.3	1.18	15	<10	300	<0.5	<2	1.10	<0.5	11	20	24	2.34
B629985		0.36	<0.005	0.2	0.90	12	<10	180	<0.5	<2	1.03	<0.5	7	16	25	1.77
B629986		0.58	0.009	<0.2	1.17	17	<10	180	<0.5	<2	0.48	<0.5	8	22	36	2.62
B629987		0.34	<0.005	0.3	1.26	16	<10	350	<0.5	<2	1.58	0.7	7	19	37	2.21
B629988		0.46	0.006	0.2	1.24	18	<10	190	<0.5	<2	0.50	<0.5	7	22	31	2.65
B629989		0.44	0.013	<0.2	1.12	21	<10	150	<0.5	<2	0.34	<0.5	5	20	19	2.13
B629990		0.34	0.008	0.3	1.35	14	<10	190	<0.5	<2	0.28	<0.5	5	23	21	2.19

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B629951		<10	0.10	0.05	10	0.35	290	4	<0.01	32	1230	14	<0.01	2	3	27
B629952		<10	0.10	0.05	20	0.52	260	3	<0.01	32	1240	17	<0.01	2	3	28
B629953		<10	0.14	0.06	20	0.86	418	3	<0.01	36	1210	18	0.01	2	2	34
B629954		<10	0.12	0.07	20	0.49	455	2	<0.01	32	1060	14	0.03	3	3	37
B629955		<10	0.16	0.09	20	0.57	478	3	<0.01	42	1030	21	0.01	2	4	27
B629956		<10	0.14	0.08	20	0.54	482	2	<0.01	39	1020	20	0.01	3	4	28
B629957		<10	0.15	0.07	20	0.50	326	2	<0.01	35	1050	22	0.01	2	4	29
B629958		<10	0.22	0.08	20	0.51	653	3	<0.01	45	1150	21	0.04	2	3	41
B629959		<10	0.16	0.06	20	0.42	201	2	<0.01	34	980	22	0.02	2	3	21
B629960		<10	0.13	0.05	10	0.43	849	8	<0.01	30	1090	17	0.03	<2	3	27
B629961		<10	0.17	0.07	20	0.51	583	3	<0.01	43	1090	18	0.02	3	3	39
B629962		<10	0.06	0.04	10	0.38	336	3	<0.01	24	870	10	0.05	<2	3	27
B629963		<10	0.05	0.06	10	0.55	313	2	0.02	31	940	12	0.06	<2	3	34
B629964		<10	0.06	0.05	10	0.51	149	2	0.01	25	990	11	0.05	2	3	30
B629965		<10	0.06	0.05	10	0.53	152	1	0.02	24	900	13	0.06	<2	3	27
B629966		<10	0.05	0.05	10	0.56	380	3	0.01	25	1010	13	0.04	2	3	26
B629967		10	0.05	0.06	20	0.62	169	3	0.02	30	960	16	0.04	2	4	28
B629968		10	0.1	0.06	20	0.72	161	1	0.01	29	860	18	0.04	<2	5	26
B629969		<10	0.05	0.08	20	0.49	186	4	<0.01	28	940	14	0.03	<2	1	15
B629970		10	0.03	0.14	20	1.13	738	2	<0.01	45	1780	17	0.02	<2	6	12
B629971		<10	0.04	0.05	10	0.46	312	1	0.01	20	910	11	0.05	2	3	26
B629972		<10	0.06	0.05	10	0.52	110	1	0.01	23	950	11	0.13	<2	3	66
B629973		<10	0.04	0.05	10	0.47	288	1	0.01	21	1080	11	0.05	3	3	29
B629974		<10	0.06	0.05	20	0.64	533	2	0.01	31	980	17	0.05	<2	4	31
B629975		<10	0.04	0.05	20	0.57	515	2	0.02	26	1110	15	0.04	<2	3	34
B629976		10	0.05	0.06	20	0.80	227	2	0.03	25	1090	20	0.06	<2	4	36
B629977		<10	0.08	0.04	20	0.43	248	<1	<0.01	21	1070	14	0.05	3	3	25
B629978		<10	0.04	0.03	10	0.41	203	<1	<0.01	15	1060	9	0.03	<2	2	19
B629979		<10	0.11	0.05	20	0.53	4470	2	<0.01	40	1200	20	0.12	<2	3	48
B629980		<10	0.10	0.06	10	0.47	1540	3	0.01	28	1140	14	0.06	<2	3	42
B629981		<10	0.06	0.04	20	0.35	369	1	0.01	19	1080	13	0.04	<2	2	25
B629982		<10	0.09	0.05	20	0.43	308	1	0.02	27	960	14	0.07	<2	3	36
B629983		<10	0.08	0.04	20	0.38	1305	1	0.01	22	1180	13	0.06	<2	2	43
B629984		<10	0.07	0.05	10	0.43	1020	1	0.02	22	890	12	0.06	<2	2	46
B629985		<10	0.06	0.04	10	0.35	390	1	<0.01	18	760	13	0.03	<2	2	40
B629986		<10	0.05	0.06	20	0.47	323	2	<0.01	25	970	14	<0.01	<2	3	22
B629987		<10	0.09	0.05	10	0.40	965	1	<0.01	24	1010	15	0.06	<2	2	49
B629988		<10	0.06	0.06	20	0.48	300	2	<0.01	24	950	12	0.02	<2	2	23
B629989		<10	0.04	0.04	10	0.37	209	1	<0.01	18	630	9	0.01	<2	2	19
B629990		<10	0.14	0.04	10	0.35	139	1	<0.01	18	690	10	0.04	<2	1	18

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B629951		0.03	<10	<10	26	<10	115
B629952		0.03	<10	<10	26	<10	113
B629953		0.02	<10	<10	24	<10	126
B629954		0.03	<10	<10	30	<10	119
B629955		0.04	<10	<10	38	<10	137
B629956		0.03	<10	<10	41	<10	133
B629957		0.03	<10	<10	39	<10	120
B629958		0.02	<10	<10	36	<10	122
B629959		0.02	<10	<10	35	<10	164
B629960		0.02	<10	<10	41	<10	133
B629961		0.03	<10	<10	34	<10	166
B629962		0.03	<10	<10	37	<10	106
B629963		0.05	<10	<10	49	<10	137
B629964		0.05	<10	<10	48	<10	105
B629965		0.05	<10	<10	45	<10	97
B629966		0.05	<10	<10	49	<10	108
B629967		0.06	<10	<10	52	<10	116
B629968		0.07	<10	<10	53	<10	150
B629969		0.02	<10	<10	43	<10	107
B629970		0.10	<10	<10	68	<10	102
B629971		0.04	<10	<10	37	<10	86
B629972		0.04	<10	<10	37	<10	91
B629973		0.04	<10	<10	38	<10	83
B629974		0.05	<10	<10	48	<10	132
B629975		0.05	<10	<10	45	<10	159
B629976		0.06	<10	<10	50	<10	194
B629977		0.03	<10	<10	32	<10	87
B629978		0.03	<10	<10	28	<10	51
B629979		0.01	<10	<10	39	<10	103
B629980		0.02	<10	<10	34	<10	96
B629981		0.03	<10	<10	27	<10	69
B629982		0.02	<10	<10	27	<10	90
B629983		0.02	<10	<10	24	<10	66
B629984		0.02	<10	<10	31	<10	64
B629985		0.02	<10	<10	24	<10	53
B629986		0.03	<10	<10	30	<10	73
B629987		0.02	<10	<10	31	<10	102
B629988		0.03	<10	<10	33	<10	86
B629989		0.03	<10	<10	34	<10	56
B629990		0.02	<10	<10	43	<10	55

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B629991		0.38	<0.005	0.2	1.24	14	<10	160	<0.5	<2	0.24	<0.5	5	21	17	2.09
B629992		0.46	<0.005	<0.2	1.17	18	<10	100	<0.5	<2	0.09	<0.5	5	20	15	2.33
B629993		0.48	<0.005	<0.2	1.52	12	<10	140	<0.5	<2	0.17	<0.5	6	24	18	2.38
B629994		0.36	0.006	0.2	1.21	9	<10	150	<0.5	<2	0.24	<0.5	5	21	16	1.65
B629995		0.42	<0.005	<0.2	1.08	14	<10	60	<0.5	<2	0.06	<0.5	4	19	8	2.41
B629996		0.42	0.005	<0.2	1.31	12	<10	110	<0.5	<2	0.10	<0.5	5	19	14	2.25
B629997		0.42	0.006	<0.2	1.51	11	<10	120	<0.5	<2	0.13	<0.5	7	24	16	2.58
B629998		0.30	<0.005	<0.2	1.54	8	<10	170	0.5	<2	0.55	<0.5	9	22	23	2.75
B629999		0.38	0.005	<0.2	2.27	41	<10	160	0.7	<2	0.57	<0.5	14	33	32	3.32
B630000		0.54	0.006	<0.2	1.62	46	<10	120	0.5	<2	0.20	<0.5	9	24	26	2.72
B627901		0.54	0.006	0.4	1.63	8	<10	250	<0.5	<2	0.32	1.1	8	36	41	2.34
B627902		0.36	0.009	1.5	2.79	11	<10	90	0.5	<2	0.97	0.6	18	92	40	3.55
B627903		0.14	0.012	0.4	0.50	2	<10	90	<0.5	<2	2.42	1.5	1	7	19	0.64
B627904		0.40	0.009	0.3	1.29	9	<10	110	<0.5	<2	0.20	<0.5	3	52	18	2.64
B627905		0.60	0.007	1.0	2.61	11	<10	160	0.7	<2	0.81	0.5	10	44	43	2.92
B627906		0.48	<0.005	0.4	1.56	14	<10	190	<0.5	<2	0.53	0.7	10	33	34	2.65
B627907		0.36	0.005	0.2	2.75	10	<10	180	0.7	<2	0.50	<0.5	10	42	33	3.04
B627908		0.50	0.006	<0.2	1.38	16	<10	150	<0.5	<2	0.23	<0.5	8	26	29	2.48
B627909		0.48	0.008	0.2	1.63	12	<10	220	0.5	<2	0.40	<0.5	9	31	41	2.69
B627910		0.40	0.006	0.2	0.97	9	<10	150	<0.5	<2	0.32	<0.5	6	20	25	1.98
B627911		0.46	<0.005	0.2	1.55	40	<10	150	<0.5	<2	0.53	0.5	8	28	22	2.46
B627912		0.26	<0.005	0.2	2.15	17	<10	180	0.5	<2	1.54	0.5	10	36	32	2.56
B627913		0.52	0.008	<0.2	0.93	11	<10	160	<0.5	<2	0.23	<0.5	6	18	26	2.08
B627914		0.44	0.052	0.2	1.52	10	<10	150	<0.5	<2	0.30	<0.5	7	28	26	2.32
B627915		0.50	0.011	0.4	2.34	14	<10	180	0.6	<2	0.48	<0.5	8	37	26	2.56
B627916		0.46	<0.005	0.3	1.77	13	<10	200	<0.5	<2	0.46	<0.5	9	32	25	2.38
B627917		0.44	<0.005	0.2	1.46	12	<10	160	<0.5	<2	0.19	<0.5	5	26	18	2.07
B627918		0.54	0.012	0.4	2.04	23	<10	170	0.5	<2	0.49	<0.5	8	36	41	2.68
B627919		0.28	0.006	0.3	1.82	17	<10	200	<0.5	<2	0.59	0.5	9	35	25	2.20
B627920		0.24	0.010	0.5	1.99	18	<10	220	0.5	2	0.70	0.5	10	38	31	2.36
B627921		0.24	0.009	0.2	1.20	12	<10	160	<0.5	<2	0.47	<0.5	6	22	20	1.67
B627922		0.40	<0.005	0.2	1.05	10	<10	100	<0.5	<2	0.20	<0.5	3	18	12	1.46
B627923		0.38	0.006	0.2	1.31	16	<10	210	<0.5	<2	0.40	0.5	8	24	27	1.86
B627924		0.38	0.005	0.2	1.05	12	<10	160	<0.5	<2	0.41	<0.5	5	18	25	1.84
B627925		0.26	<0.005	0.2	1.35	13	<10	190	<0.5	<2	0.27	0.7	7	25	12	1.57
B627926		0.40	0.006	0.2	1.53	11	<10	220	<0.5	2	0.60	0.5	9	27	29	2.23
B627927		0.46	0.005	0.2	1.26	11	<10	180	<0.5	<2	0.51	<0.5	7	23	22	2.17
B627928		0.46	0.010	0.2	1.78	18	<10	210	0.5	<2	1.09	0.6	12	35	45	2.73
B627929		0.56	0.007	<0.2	2.14	25	<10	180	0.6	2	1.11	<0.5	10	35	35	2.75
B627930		0.48	<0.005	0.2	2.80	22	<10	130	0.7	<2	1.58	0.5	11	44	32	2.86

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B629991		<10	0.10	0.04	10	0.33	137	1	<0.01	16	560	10	0.02	<2	1	16
B629992		10	0.06	0.04	10	0.27	177	1	<0.01	13	520	9	0.01	<2	1	10
B629993		<10	0.04	0.04	10	0.36	151	1	<0.01	17	390	12	0.01	<2	2	12
B629994		<10	0.04	0.04	10	0.26	110	1	<0.01	15	450	7	0.01	<2	1	17
B629995		<10	0.03	0.03	10	0.26	128	1	<0.01	10	260	15	<0.01	<2	1	7
B629996		<10	0.03	0.11	10	0.38	184	1	<0.01	17	350	13	0.01	<2	1	11
B629997		10	0.05	0.10	10	0.43	201	1	<0.01	19	430	16	0.01	<2	2	13
B629998		<10	0.05	0.09	30	0.49	462	1	<0.01	22	530	15	0.04	<2	2	32
B629999		10	0.05	0.15	20	0.93	521	1	<0.01	31	540	22	0.06	<2	4	53
B630000		<10	0.05	0.07	20	0.66	309	1	<0.01	21	420	14	0.01	<2	2	20
B627901		<10	0.14	0.07	10	0.61	330	5	0.01	29	770	12	0.02	<2	4	25
B627902		10	0.05	0.16	10	1.47	681	5	0.04	56	2110	8	0.05	2	6	44
B627903		<10	0.14	0.01	10	0.05	34	2	<0.01	10	920	2	0.26	<2	1	81
B627904		10	0.02	0.41	10	0.85	202	6	0.03	15	340	9	0.13	<2	5	30
B627905		10	0.06	0.26	10	1.06	362	5	0.08	36	1270	10	0.06	<2	6	40
B627906		<10	0.05	0.07	10	0.59	869	4	0.03	32	990	11	0.03	<2	4	31
B627907		10	0.04	0.24	20	0.95	392	2	0.07	31	1180	10	0.04	<2	6	30
B627908		<10	0.03	0.08	10	0.48	289	1	0.01	23	680	10	0.02	<2	3	19
B627909		<10	0.05	0.12	20	0.73	445	1	0.03	28	730	12	0.01	<2	5	29
B627910		<10	0.03	0.05	10	0.37	157	1	<0.01	21	760	7	<0.01	<2	3	19
B627911		<10	0.04	0.08	10	0.52	416	2	0.02	23	910	24	0.03	2	3	26
B627912		10	0.06	0.12	10	0.80	541	3	0.06	28	960	11	0.07	2	4	47
B627913		<10	0.03	0.04	10	0.35	264	1	<0.01	21	680	9	<0.01	<2	3	16
B627914		<10	0.05	0.05	10	0.50	236	2	<0.01	21	900	11	0.01	<2	3	21
B627915		10	0.03	0.28	10	0.81	327	2	0.03	25	1180	13	0.03	<2	4	45
B627916		10	0.04	0.14	10	0.65	723	2	0.03	22	1130	11	0.03	3	4	31
B627917		<10	0.05	0.04	10	0.43	213	2	<0.01	16	650	12	0.04	2	2	15
B627918		10	0.03	0.18	10	0.74	398	2	0.06	30	1190	12	0.03	3	5	32
B627919		10	0.04	0.06	10	0.65	431	1	0.03	21	920	11	0.05	<2	4	34
B627920		10	0.06	0.06	10	0.70	538	1	0.03	26	970	11	0.06	<2	4	38
B627921		<10	0.04	0.05	10	0.43	202	1	0.01	18	650	7	0.04	<2	2	28
B627922		<10	0.05	0.03	10	0.35	100	1	<0.01	14	690	8	0.06	2	2	16
B627923		<10	0.06	0.04	10	0.50	487	1	0.01	22	920	13	0.07	<2	3	27
B627924		<10	0.07	0.03	10	0.35	197	1	<0.01	17	1000	12	0.07	<2	3	25
B627925		<10	0.07	0.04	10	0.48	119	<1	0.01	22	940	8	0.06	3	1	23
B627926		<10	0.06	0.05	20	0.52	426	<1	0.01	24	890	11	0.05	4	4	27
B627927		<10	0.06	0.04	10	0.43	203	1	0.01	18	900	10	0.04	<2	3	22
B627928		<10	0.07	0.09	20	0.68	579	2	0.04	34	1010	12	0.06	<2	4	36
B627929		10	0.05	0.10	20	0.80	375	1	0.09	28	1410	17	0.03	<2	5	38
B627930		10	0.04	0.16	20	1.05	428	1	0.14	31	1510	15	0.05	<2	6	47

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B629991		0.02	<10	<10	40	<10	49
B629992		0.03	<10	<10	50	<10	50
B629993		0.03	<10	<10	43	<10	49
B629994		0.02	<10	<10	38	<10	41
B629995		0.03	<10	<10	44	<10	37
B629996		0.03	<10	<10	34	<10	49
B629997		0.04	<10	<10	41	<10	57
B629998		0.03	<10	<10	32	<10	93
B629999		0.04	<10	<10	45	<10	78
B630000		0.03	<10	<10	37	<10	64
B627901		0.05	<10	<10	62	<10	109
B627902		0.09	<10	<10	97	<10	172
B627903		0.01	<10	<10	4	<10	9
B627904		0.14	<10	<10	76	<10	73
B627905		0.08	<10	<10	65	<10	115
B627906		0.05	<10	<10	51	<10	102
B627907		0.09	<10	<10	59	<10	83
B627908		0.05	<10	<10	44	<10	65
B627909		0.07	<10	<10	49	<10	77
B627910		0.05	<10	<10	32	<10	55
B627911		0.05	<10	<10	46	<10	145
B627912		0.06	<10	<10	53	<10	127
B627913		0.04	<10	<10	32	<10	54
B627914		0.04	<10	<10	45	<10	79
B627915		0.08	<10	<10	59	<10	77
B627916		0.05	<10	<10	49	<10	92
B627917		0.04	<10	<10	44	<10	71
B627918		0.07	<10	<10	54	<10	96
B627919		0.05	<10	<10	51	<10	88
B627920		0.05	<10	<10	55	<10	94
B627921		0.04	<10	<10	33	<10	64
B627922		0.03	<10	<10	29	<10	52
B627923		0.03	<10	<10	36	<10	103
B627924		0.02	<10	<10	30	<10	72
B627925		0.03	<10	<10	27	<10	91
B627926		0.03	<10	<10	39	<10	76
B627927		0.03	<10	<10	34	<10	59
B627928		0.05	<10	<10	49	<10	95
B627929		0.07	<10	<10	48	<10	80
B627930		0.10	<10	<10	59	<10	88

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B627931		0.38	<0.005	<0.2	3.72	9	<10	70	0.9	<2	0.58	<0.5	11	55	22	3.14
B627932		0.64	<0.005	<0.2	3.96	15	<10	160	0.8	<2	1.31	<0.5	13	52	25	3.60
B627933		0.30	0.007	<0.2	2.45	8	<10	150	0.6	2	1.61	<0.5	9	41	21	2.58
B627934		0.50	<0.005	<0.2	1.67	14	<10	120	<0.5	<2	0.10	<0.5	7	22	17	2.26
B627935		0.56	0.006	<0.2	1.51	18	<10	150	<0.5	<2	0.12	<0.5	8	24	20	2.41
B627936		0.56	0.006	<0.2	1.75	14	<10	160	0.5	<2	0.17	<0.5	9	25	20	2.70
B627937		0.36	<0.005	0.2	1.19	8	<10	80	<0.5	2	0.06	<0.5	3	19	7	1.53
B627938		0.46	0.005	<0.2	1.76	30	<10	80	<0.5	<2	0.07	<0.5	7	25	18	2.67
B627939		0.40	0.008	<0.2	1.67	28	<10	120	0.5	<2	0.10	<0.5	10	24	23	2.71
B627940		0.54	0.006	<0.2	1.45	61	<10	100	<0.5	<2	0.11	<0.5	9	21	20	2.57
B627941		0.58	0.006	<0.2	1.89	24	<10	140	0.9	<2	0.07	<0.5	10	26	28	3.01
B627942		0.40	0.008	<0.2	1.51	25	<10	130	0.5	<2	0.16	<0.5	7	22	21	2.51
B627943		0.50	0.011	<0.2	1.74	39	<10	140	0.7	<2	0.15	<0.5	11	25	29	2.97
B627944		0.32	0.012	<0.2	1.71	39	<10	70	0.7	2	0.09	<0.5	8	24	27	2.76
B627945		0.50	<0.005	<0.2	1.83	15	<10	110	0.5	<2	0.07	<0.5	8	27	18	2.86
B627946		0.42	0.005	<0.2	2.01	16	<10	130	0.7	<2	0.06	<0.5	9	28	25	3.11
B627947		0.42	0.029	<0.2	1.46	16	<10	80	<0.5	<2	0.06	<0.5	5	23	19	2.57
B627948		0.62	<0.005	<0.2	1.90	15	<10	210	0.8	<2	0.10	<0.5	13	28	26	2.97
B627949		0.66	0.008	<0.2	2.08	8	<10	170	0.9	<2	0.07	<0.5	10	29	25	3.00
B627950		0.48	0.016	<0.2	1.28	25	<10	90	<0.5	<2	0.09	<0.5	7	24	17	2.59
B628051		0.42	0.005	<0.2	1.13	9	<10	80	<0.5	2	0.10	<0.5	4	19	9	2.03
B628052		0.84	0.011	<0.2	1.61	11	<10	140	0.5	<2	0.41	<0.5	9	29	20	2.41
B628053		0.66	0.005	<0.2	1.65	9	<10	160	0.5	<2	0.42	<0.5	9	35	29	2.41
B628054		0.42	<0.005	<0.2	1.42	13	<10	170	<0.5	<2	0.14	<0.5	7	25	28	2.39
B628055		0.54	0.007	<0.2	1.39	6	<10	120	<0.5	<2	0.16	<0.5	7	26	22	2.42
B628056		0.56	<0.005	<0.2	2.18	15	<10	150	0.6	2	0.27	<0.5	9	39	25	2.67
B628057		0.52	<0.005	<0.2	1.16	10	<10	100	<0.5	2	0.14	<0.5	6	22	13	2.29
B628058		0.50	<0.005	<0.2	1.19	5	<10	120	<0.5	<2	0.20	<0.5	5	20	20	2.12
B628059		0.58	<0.005	<0.2	1.63	7	<10	120	<0.5	2	0.18	<0.5	7	25	30	2.50
B628060		0.42	<0.005	<0.2	1.39	8	<10	130	<0.5	2	0.21	0.7	6	27	24	2.22
B628061		0.62	<0.005	<0.2	1.60	20	<10	160	0.5	2	0.26	<0.5	11	28	40	2.58
B628062		0.58	0.006	<0.2	1.26	22	<10	170	<0.5	<2	0.29	0.7	8	25	41	2.48
B628063		0.48	<0.005	<0.2	1.37	19	<10	110	<0.5	<2	0.12	<0.5	5	21	17	2.33
B628064		0.14	<0.005	<0.2	0.51	<2	<10	60	<0.5	2	0.09	0.7	3	9	11	0.99
B628065		0.10	<0.005	<0.2	0.25	<2	<10	220	<0.5	2	1.20	4.2	5	5	16	0.56
B628066		0.42	<0.005	<0.2	1.56	18	<10	90	<0.5	3	0.07	0.6	6	28	12	3.29
B628067		0.32	0.007	0.2	1.21	18	<10	290	<0.5	2	0.45	0.6	9	23	18	1.78
B628068		0.40	<0.005	0.2	1.16	19	<10	210	<0.5	2	0.39	<0.5	7	22	15	1.90
B628069		0.42	<0.005	<0.2	1.17	11	<10	120	<0.5	2	0.17	<0.5	3	21	14	1.69
B628070		0.34	<0.005	0.2	1.24	16	<10	140	<0.5	2	0.19	<0.5	6	26	17	1.77

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B627931		10	0.04	0.28	20	1.27	230	2	0.11	31	1070	8	0.11	<2	7	34
B627932		10	0.02	0.74	20	1.62	452	1	0.19	33	1880	11	0.03	<2	9	46
B627933		10	0.05	0.12	20	0.88	308	1	0.10	25	1130	8	0.07	<2	5	39
B627934		<10	0.04	0.07	20	0.37	209	<1	<0.01	16	550	11	0.02	<2	1	14
B627935		<10	0.04	0.07	20	0.38	260	<1	<0.01	19	630	11	0.01	<2	3	14
B627936		<10	0.04	0.05	20	0.42	417	<1	<0.01	22	760	12	0.02	<2	3	15
B627937		10	0.04	0.04	10	0.19	122	<1	<0.01	8	480	13	0.04	<2	<1	8
B627938		<10	0.03	0.09	20	0.39	238	<1	<0.01	20	560	15	0.02	<2	1	10
B627939		<10	0.06	0.06	20	0.40	384	1	<0.01	21	580	19	0.01	2	3	11
B627940		<10	0.02	0.10	10	0.38	341	<1	<0.01	20	600	12	0.01	<2	2	10
B627941		10	0.03	0.14	20	0.46	258	<1	<0.01	24	410	7	0.02	<2	2	13
B627942		<10	0.04	0.10	20	0.41	192	<1	<0.01	18	430	8	0.03	<2	2	19
B627943		<10	0.04	0.15	20	0.48	294	<1	<0.01	27	540	11	0.04	<2	2	21
B627944		10	0.03	0.10	20	0.41	200	<1	0.01	23	340	5	0.04	2	2	16
B627945		<10	0.03	0.07	20	0.45	190	1	<0.01	21	370	10	0.01	<2	3	10
B627946		10	0.03	0.15	20	0.53	234	<1	<0.01	25	340	6	0.02	2	3	11
B627947		<10	0.04	0.12	20	0.37	165	<1	0.01	15	450	21	0.04	3	1	10
B627948		<10	0.02	0.22	20	0.56	375	<1	0.01	27	300	13	0.01	<2	4	12
B627949		10	0.02	0.26	20	0.57	252	<1	<0.01	25	260	9	0.01	<2	3	10
B627950		<10	0.08	0.08	20	0.37	251	1	<0.01	16	420	17	0.01	3	1	11
B628051		<10	0.03	0.03	10	0.30	149	1	<0.01	11	580	7	0.01	<2	1	9
B628052		10	0.03	0.06	20	0.52	462	5	0.02	21	1190	11	0.02	2	3	20
B628053		10	0.03	0.09	20	0.65	377	3	0.01	25	1000	10	0.01	<2	5	23
B628054		<10	0.04	0.06	10	0.45	259	2	<0.01	22	580	10	0.01	2	3	11
B628055		<10	0.04	0.05	10	0.38	198	1	<0.01	18	610	8	0.03	2	3	15
B628056		10	0.03	0.12	10	0.74	241	2	0.02	24	870	9	0.05	2	4	20
B628057		<10	0.03	0.05	10	0.34	307	1	<0.01	14	640	15	0.01	2	1	11
B628058		<10	0.06	0.04	10	0.35	196	1	<0.01	17	650	10	0.01	3	2	13
B628059		<10	0.04	0.05	10	0.44	209	1	<0.01	20	750	10	0.02	2	3	13
B628060		<10	0.04	0.04	10	0.43	205	4	<0.01	19	800	11	0.03	2	2	16
B628061		<10	0.04	0.06	20	0.54	413	5	0.01	28	850	15	0.02	2	4	16
B628062		<10	0.03	0.06	10	0.47	292	6	0.01	25	970	25	0.02	4	3	19
B628063		<10	0.03	0.03	10	0.32	171	1	<0.01	13	490	17	0.01	3	2	10
B628064		<10	0.19	0.05	10	0.08	70	2	0.01	7	1640	6	0.15	<2	<1	12
B628065		<10	0.52	0.15	10	0.12	486	3	0.01	10	1110	2	0.19	<2	1	71
B628066		<10	0.04	0.04	10	0.38	251	3	<0.01	15	330	13	0.02	2	2	8
B628067		<10	0.04	0.05	10	0.36	330	6	0.01	15	630	26	0.04	2	3	31
B628068		<10	0.03	0.05	10	0.37	219	7	<0.01	16	560	22	0.03	2	2	30
B628069		<10	0.05	0.04	10	0.33	110	1	<0.01	12	590	11	0.04	<2	2	14
B628070		<10	0.06	0.05	10	0.41	108	2	0.01	17	650	25	0.04	<2	2	16

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B627931		0.14	<10	<10	78	<10	65
B627932		0.18	<10	<10	75	<10	99
B627933		0.09	<10	<10	55	<10	66
B627934		0.04	<10	<10	35	<10	54
B627935		0.05	<10	<10	38	<10	61
B627936		0.05	<10	<10	40	<10	75
B627937		0.02	<10	<10	36	<10	30
B627938		0.04	<10	<10	41	<10	62
B627939		0.04	<10	<10	41	<10	74
B627940		0.04	<10	<10	33	<10	73
B627941		0.05	<10	<10	39	<10	66
B627942		0.05	<10	<10	37	<10	60
B627943		0.06	<10	<10	38	<10	75
B627944		0.05	<10	<10	34	<10	56
B627945		0.06	<10	<10	41	<10	59
B627946		0.07	<10	<10	41	<10	71
B627947		0.05	<10	<10	41	<10	53
B627948		0.08	<10	<10	39	<10	72
B627949		0.08	<10	<10	37	<10	68
B627950		0.04	<10	<10	39	<10	56
B628051		0.02	<10	<10	35	<10	43
B628052		0.06	<10	<10	44	<10	67
B628053		0.09	<10	<10	54	<10	79
B628054		0.06	<10	<10	43	<10	70
B628055		0.05	<10	<10	42	<10	57
B628056		0.08	<10	<10	57	<10	79
B628057		0.03	<10	<10	43	<10	60
B628058		0.04	<10	<10	36	<10	60
B628059		0.05	<10	<10	43	<10	71
B628060		0.05	<10	<10	47	<10	112
B628061		0.06	<10	<10	47	<10	89
B628062		0.06	<10	<10	46	10	97
B628063		0.03	<10	<10	42	<10	49
B628064		0.01	<10	<10	19	<10	28
B628065		0.02	<10	<10	9	20	231
B628066		0.05	<10	<10	53	10	57
B628067		0.04	<10	<10	35	10	77
B628068		0.04	<10	<10	37	20	64
B628069		0.03	<10	<10	33	<10	46
B628070		0.04	<10	<10	36	<10	59

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B628071		0.52	<0.005	0.3	1.50	20	<10	170	<0.5	<2	0.21	0.5	9	30	23	2.13
B628072		0.32	<0.005	0.2	1.23	18	<10	140	<0.5	<2	0.22	<0.5	7	24	16	2.08
B628073		0.40	<0.005	<0.2	1.47	12	<10	280	0.5	2	0.59	1.5	11	28	44	2.22
B628074		0.46	0.005	0.3	1.65	15	<10	300	0.6	2	0.56	1.7	13	33	48	2.60
B628075		0.72	<0.005	<0.2	1.25	11	<10	130	<0.5	<2	0.29	<0.5	7	22	25	2.19
B628076		0.58	<0.005	<0.2	0.88	<2	<10	110	<0.5	<2	0.33	<0.5	4	17	15	1.13
B628077		0.16	<0.005	0.2	1.32	2	<10	190	<0.5	2	0.49	0.8	6	25	27	1.67
B628078		0.64	<0.005	0.6	1.67	31	<10	180	0.5	<2	0.76	0.9	12	35	52	3.36
B628079		0.54	0.007	0.6	1.58	134	<10	200	<0.5	<2	0.50	0.8	11	29	33	2.60
B628080		0.62	0.005	0.3	1.54	93	<10	200	<0.5	<2	0.49	0.7	12	28	33	2.63
B628081		0.62	0.006	<0.2	1.74	166	<10	80	1.3	<2	0.05	<0.5	14	27	47	4.48
B628082		0.64	<0.005	<0.2	1.46	57	<10	60	0.5	2	0.07	<0.5	5	22	16	3.11
B628083		0.60	0.024	0.2	2.50	208	<10	150	1.7	2	0.10	<0.5	12	30	41	4.00
B628084		0.64	<0.005	<0.2	1.83	206	<10	90	1.0	2	0.02	<0.5	7	24	36	3.05
B628085		0.60	<0.005	<0.2	1.86	35	<10	120	0.5	2	0.07	<0.5	10	26	22	2.94
B628086		0.56	<0.005	<0.2	1.99	69	<10	130	0.8	2	0.08	<0.5	11	25	23	3.26
B628087		0.54	<0.005	<0.2	1.19	26	<10	120	0.5	<2	0.13	0.5	6	20	16	2.47
B628088		0.54	0.006	<0.2	1.71	20	<10	80	<0.5	2	0.09	<0.5	5	25	8	2.47
B628089		0.54	0.006	<0.2	1.67	31	<10	150	0.7	2	0.57	<0.5	11	31	23	2.92
B628090		0.68	0.019	<0.2	1.50	70	<10	130	0.5	2	0.22	<0.5	9	27	25	2.78
B628091		0.68	0.011	0.3	1.13	129	<10	180	<0.5	2	0.15	0.5	8	26	31	2.91
B628092		0.56	0.043	0.3	1.84	69	<10	180	0.5	<2	0.33	0.5	14	37	54	2.99
B628093		0.22	0.008	0.3	1.61	51	<10	180	<0.5	<2	0.18	0.6	6	32	32	2.61
B628094		0.60	<0.005	0.3	2.35	44	<10	130	0.5	<2	0.57	<0.5	23	65	45	3.28
B628095		0.70	0.055	1.2	2.30	961	<10	200	0.6	4	1.11	3.8	19	56	64	3.86
B628096		0.42	<0.005	0.9	3.92	43	<10	60	1.2	2	1.01	1.2	18	63	21	3.88
B628097		0.52	<0.005	0.3	2.37	111	<10	140	0.7	<2	0.74	<0.5	13	49	29	3.17
B628098		0.68	<0.005	0.3	2.56	82	<10	200	0.6	<2	0.98	0.5	14	54	42	3.10
B628099		0.58	0.005	0.3	3.05	247	<10	110	1.1	2	1.21	0.8	13	55	49	3.57
B628100		0.66	0.014	0.2	2.43	126	<10	290	0.5	2	0.47	<0.5	16	35	149	3.04
B627851		0.20	<0.005	0.6	0.74	8	<10	190	<0.5	<2	2.08	1.7	6	12	45	1.84
B627852		0.32	<0.005	<0.2	0.96	8	<10	230	<0.5	<2	1.07	0.7	6	15	21	1.88
B627853		0.58	<0.005	<0.2	1.22	17	<10	110	<0.5	2	0.11	0.6	11	17	37	3.31
B627854		0.54	0.005	<0.2	0.75	19	<10	130	<0.5	<2	0.45	0.7	11	13	43	2.90
B627855		0.42	<0.005	<0.2	1.10	11	<10	220	<0.5	<2	0.09	0.6	9	18	24	2.61
B627856		0.56	<0.005	0.2	1.09	22	<10	290	<0.5	<2	0.13	0.9	14	17	37	3.19
B627857		0.82	<0.005	0.3	1.10	15	<10	230	<0.5	<2	0.96	1.1	12	22	44	2.84
B627858		0.32	<0.005	0.2	0.78	9	<10	240	<0.5	<2	1.15	0.7	7	16	25	2.17
B627859		0.80	<0.005	0.5	1.12	14	<10	280	<0.5	<2	1.15	0.9	11	21	43	2.80
B627860		0.58	<0.005	0.4	1.05	11	<10	270	<0.5	<2	1.63	0.8	11	20	44	2.69

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B628071		<10	0.14	0.05	10	0.49	166	2	0.01	22	820	28	0.03	<2	3	17
B628072		<10	0.06	0.04	10	0.41	185	2	0.01	21	750	21	0.03	2	2	16
B628073		<10	0.13	0.05	20	0.50	199	4	0.01	29	820	13	0.08	2	5	29
B628074		<10	0.12	0.05	20	0.55	235	4	0.01	40	960	13	0.08	<2	5	29
B628075		<10	0.04	0.04	20	0.48	212	1	<0.01	21	750	10	0.01	<2	3	17
B628076		<10	0.03	0.03	10	0.35	98	1	<0.01	13	700	9	0.01	<2	2	15
B628077		<10	0.06	0.05	20	0.48	171	1	0.01	22	770	15	0.05	<2	3	23
B628078		<10	0.06	0.10	20	0.62	475	3	0.01	39	730	27	0.03	3	5	29
B628079		10	0.05	0.05	20	0.53	531	2	0.01	25	840	80	0.04	2	3	20
B628080		<10	0.06	0.05	20	0.54	467	2	0.01	27	810	58	0.02	3	3	20
B628081		10	0.02	0.39	30	0.54	449	1	0.01	38	440	15	0.04	<2	3	10
B628082		10	0.04	0.07	20	0.34	213	1	<0.01	14	380	11	0.02	<2	1	9
B628083		10	0.02	0.39	20	0.71	275	1	0.01	26	470	10	0.08	<2	3	56
B628084		<10	0.02	0.28	20	0.47	194	1	<0.01	14	270	9	0.08	2	2	12
B628085		<10	0.03	0.07	10	0.48	360	1	<0.01	21	350	12	0.03	<2	3	16
B628086		<10	0.02	0.20	20	0.51	280	1	<0.01	23	310	10	0.04	<2	2	19
B628087		<10	0.03	0.09	10	0.35	225	1	<0.01	18	500	11	0.02	<2	2	17
B628088		10	0.03	0.07	10	0.46	151	1	<0.01	14	320	9	0.01	<2	2	13
B628089		10	0.19	0.22	20	0.54	440	1	<0.01	29	560	13	0.04	6	3	24
B628090		10	0.23	0.15	20	0.43	290	1	<0.01	25	550	10	0.03	4	2	16
B628091		<10	0.29	0.05	20	0.29	246	2	<0.01	21	1000	22	0.07	7	2	25
B628092		10	0.05	0.30	10	0.79	415	3	0.03	28	950	10	0.12	4	5	33
B628093		10	0.13	0.14	10	0.61	205	3	<0.01	18	820	14	0.08	<2	4	27
B628094		10	0.05	0.33	10	1.10	904	5	0.04	29	1350	18	0.07	3	7	31
B628095		10	0.09	0.36	20	1.18	655	3	0.05	39	1560	179	0.07	4	7	42
B628096		10	0.03	0.12	20	1.53	290	4	0.10	35	1840	43	0.03	<2	9	54
B628097		10	0.02	0.13	20	0.96	463	2	0.08	33	1260	22	0.03	5	6	25
B628098		10	0.03	0.22	20	1.09	458	2	0.10	32	1340	62	0.07	8	7	33
B628099		10	0.04	0.19	20	1.17	585	3	0.14	34	1590	77	0.03	4	8	37
B628100		10	0.03	0.07	10	0.71	260	2	0.04	34	710	19	0.04	<2	5	24
B627851		<10	0.45	0.05	10	0.42	389	4	<0.01	29	960	15	0.16	<2	1	67
B627852		<10	0.12	0.04	10	0.39	133	1	<0.01	18	1100	9	0.10	2	2	40
B627853		<10	0.13	0.02	20	0.27	902	3	<0.01	26	830	19	0.03	3	2	10
B627854		<10	0.19	0.02	20	0.38	752	4	<0.01	30	970	16	0.04	3	3	23
B627855		<10	0.06	0.04	10	0.30	556	2	<0.01	18	490	11	0.04	<2	2	9
B627856		<10	0.11	0.04	20	0.30	1160	3	<0.01	25	750	18	0.05	2	3	13
B627857		<10	0.12	0.06	20	0.73	499	2	<0.01	34	890	17	0.05	2	4	28
B627858		<10	0.07	0.04	10	0.66	602	2	<0.01	23	910	12	0.07	2	2	33
B627859		<10	0.09	0.07	20	0.84	637	2	<0.01	33	750	17	0.05	2	3	26
B627860		<10	0.09	0.07	20	1.03	655	2	<0.01	32	810	16	0.05	2	3	31

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
B628071		0.04	<10	<10	44	10	80
B628072		0.04	<10	<10	40	<10	74
B628073		0.04	<10	<10	46	<10	115
B628074		0.04	<10	<10	53	<10	155
B628075		0.04	<10	<10	32	<10	65
B628076		0.03	<10	<10	23	<10	47
B628077		0.03	<10	<10	34	<10	73
B628078		0.05	<10	<10	51	<10	131
B628079		0.04	<10	<10	45	<10	181
B628080		0.04	<10	<10	43	<10	154
B628081		0.07	<10	<10	31	<10	96
B628082		0.05	<10	<10	43	<10	47
B628083		0.09	<10	<10	39	<10	65
B628084		0.05	<10	<10	28	<10	40
B628085		0.05	<10	<10	39	<10	59
B628086		0.06	<10	<10	37	<10	58
B628087		0.05	<10	<10	38	<10	51
B628088		0.06	<10	<10	52	<10	39
B628089		0.07	<10	<10	37	<10	74
B628090		0.06	<10	<10	38	<10	69
B628091		0.03	<10	<10	44	<10	77
B628092		0.10	<10	<10	60	<10	99
B628093		0.06	<10	<10	51	<10	70
B628094		0.11	<10	<10	106	<10	111
B628095		0.11	<10	<10	82	<10	752
B628096		0.11	<10	<10	81	<10	144
B628097		0.10	<10	<10	70	<10	223
B628098		0.12	<10	<10	73	<10	194
B628099		0.10	<10	<10	77	<10	353
B628100		0.08	<10	<10	69	<10	88
B627851		0.01	<10	<10	17	<10	125
B627852		0.01	<10	<10	25	<10	85
B627853		0.02	<10	<10	30	<10	73
B627854		0.01	<10	<10	19	<10	89
B627855		0.02	<10	<10	37	<10	59
B627856		0.02	<10	<10	33	<10	75
B627857		0.03	<10	<10	36	<10	114
B627858		0.03	<10	<10	27	<10	80
B627859		0.03	<10	<10	35	<10	113
B627860		0.03	<10	<10	33	<10	111

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B627861		0.56	0.012	<0.2	1.12	11	<10	220	<0.5	<2	0.65	1.0	11	23	39	3.10
B627862		0.54	0.009	<0.2	1.23	10	<10	130	<0.5	<2	0.18	0.5	9	22	33	2.58
B627863		0.64	<0.005	<0.2	0.97	8	<10	110	<0.5	<2	0.22	<0.5	7	18	22	1.98
B627864		0.88	0.005	0.2	0.94	12	<10	150	<0.5	<2	0.26	0.6	8	18	33	2.36
B627865		0.40	<0.005	<0.2	1.22	10	<10	60	<0.5	<2	0.05	<0.5	4	18	11	1.88
B627866		0.56	0.008	<0.2	1.41	<2	<10	120	<0.5	<2	0.11	<0.5	12	22	25	2.89
B627867		0.56	<0.005	<0.2	0.85	6	<10	110	<0.5	2	0.10	<0.5	8	15	17	2.17
B627868		0.40	<0.005	<0.2	1.12	5	<10	140	<0.5	<2	0.08	<0.5	7	20	25	2.37
B627869		0.52	0.014	<0.2	0.30	15	<10	50	<0.5	2	0.02	0.5	13	8	31	3.09
B627870		0.80	0.005	0.2	0.47	16	<10	90	<0.5	<2	0.08	<0.5	9	10	26	2.48
B627871		0.66	0.007	<0.2	0.16	23	<10	40	<0.5	2	0.02	<0.5	15	4	26	3.57
B627872		0.46	<0.005	0.3	1.28	14	<10	110	<0.5	2	0.05	<0.5	9	19	23	2.95
B627873		0.56	<0.005	<0.2	1.23	3	<10	70	<0.5	<2	0.05	<0.5	7	18	19	2.60
B627874		0.46	<0.005	<0.2	1.36	10	<10	90	<0.5	3	0.06	<0.5	9	19	31	2.90
B627875		0.62	<0.005	<0.2	1.12	11	<10	180	<0.5	3	0.10	<0.5	9	17	28	3.13
B627876		0.70	0.013	<0.2	0.98	8	<10	160	<0.5	2	0.14	<0.5	10	16	19	2.25
B627877		0.74	0.005	0.2	1.15	6	<10	220	<0.5	2	0.17	<0.5	15	18	18	2.45
B627878		0.58	0.021	<0.2	1.05	2	<10	220	<0.5	2	0.16	<0.5	13	17	19	2.35
B627879		0.54	0.010	<0.2	1.58	32	<10	70	<0.5	2	0.06	<0.5	13	22	22	3.42
B627880		0.50	0.026	<0.2	0.77	30	<10	40	<0.5	2	0.04	<0.5	9	12	31	3.50
B627881		0.70	<0.005	0.3	0.85	6	<10	70	<0.5	2	0.08	<0.5	8	12	22	2.32
B627882		0.52	<0.005	<0.2	1.24	7	<10	80	<0.5	2	0.08	<0.5	7	20	18	2.62
B627883		0.60	0.005	<0.2	1.35	8	<10	90	<0.5	2	0.07	<0.5	6	21	19	2.53
B627884		0.62	<0.005	<0.2	1.17	5	<10	70	<0.5	2	0.09	<0.5	5	20	16	2.27
B627885		0.48	0.009	<0.2	1.11	12	<10	50	<0.5	2	0.04	<0.5	8	17	18	3.06
B627886		0.50	<0.005	<0.2	1.35	16	<10	70	<0.5	<2	0.09	<0.5	10	20	21	2.90
B627887		0.60	<0.005	<0.2	0.99	11	<10	60	<0.5	2	0.05	<0.5	15	12	31	3.68
B627888		0.62	<0.005	<0.2	1.16	12	<10	80	<0.5	2	0.07	<0.5	7	19	19	2.63
B627889		0.60	<0.005	<0.2	1.23	10	<10	90	<0.5	<2	0.07	<0.5	7	21	19	2.62
B627890		0.74	<0.005	<0.2	1.07	14	<10	80	<0.5	<2	0.09	<0.5	9	18	26	2.96
B627891		0.42	<0.005	<0.2	0.91	6	<10	40	<0.5	<2	0.05	<0.5	5	16	15	2.57
B627892		0.48	<0.005	<0.2	1.07	2	<10	50	<0.5	<2	0.05	<0.5	7	18	21	2.91
B627893		0.54	<0.005	<0.2	1.02	7	<10	60	<0.5	<2	0.06	<0.5	6	18	23	2.46
B627894		0.34	<0.005	0.2	1.10	7	<10	70	<0.5	2	0.06	<0.5	5	19	20	2.39
B627895		0.48	<0.005	<0.2	0.97	8	<10	50	<0.5	2	0.08	<0.5	4	17	17	2.13
B627896		0.46	0.009	<0.2	1.02	5	<10	60	<0.5	<2	0.06	<0.5	4	17	16	2.09
B627897		0.52	<0.005	<0.2	1.17	12	<10	70	<0.5	2	0.07	<0.5	5	18	16	2.26
B627898		0.52	0.014	<0.2	1.16	8	<10	70	<0.5	2	0.08	<0.5	6	18	20	2.45
B627899		0.56	0.005	0.2	1.15	3	<10	70	<0.5	<2	0.08	<0.5	6	18	20	2.45
B627900		0.54	<0.005	<0.2	1.32	8	<10	80	<0.5	2	0.08	<0.5	7	18	20	2.55

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B627861		<10	0.10	0.07	10	0.59	427	2	<0.01	31	820	17	0.01	<2	3	26
B627862		<10	0.06	0.04	20	0.41	354	2	<0.01	27	640	15	<0.01	2	3	14
B627863		<10	0.04	0.03	10	0.33	331	2	<0.01	19	680	10	<0.01	<2	2	14
B627864		<10	0.06	0.04	20	0.38	422	2	<0.01	27	840	10	<0.01	3	3	17
B627865		<10	0.04	0.03	20	0.18	88	1	<0.01	9	380	15	0.01	<2	1	7
B627866		<10	0.03	0.04	30	0.43	403	2	<0.01	24	480	14	0.02	<2	2	12
B627867		<10	0.06	0.03	20	0.23	285	1	<0.01	15	470	14	0.05	<2	1	16
B627868		<10	0.05	0.03	20	0.34	286	1	<0.01	18	290	12	0.04	<2	3	10
B627869		<10	0.04	0.03	70	0.08	426	<1	<0.01	31	340	24	0.03	3	2	18
B627870		<10	0.09	0.03	50	0.14	302	<1	0.01	25	380	34	0.01	9	2	22
B627871		<10	0.15	0.03	60	0.04	379	<1	0.01	35	390	47	0.01	18	2	26
B627872		<10	0.07	0.03	20	0.25	228	<1	0.01	19	270	16	0.02	3	3	11
B627873		<10	0.03	0.03	20	0.32	199	<1	0.01	17	330	17	0.01	<2	2	8
B627874		<10	0.05	0.03	30	0.37	236	<1	0.01	23	360	16	0.01	<2	3	8
B627875		<10	0.04	0.03	30	0.40	276	<1	0.01	22	340	16	0.01	2	2	15
B627876		<10	0.08	0.03	20	0.28	218	<1	0.01	16	510	16	0.01	<2	2	14
B627877		<10	0.15	0.03	20	0.32	561	<1	0.01	16	550	16	0.02	2	2	15
B627878		<10	0.07	0.03	20	0.31	439	<1	0.01	17	540	14	0.02	<2	2	14
B627879		<10	0.13	0.03	20	0.32	386	<1	0.01	22	420	23	0.02	<2	2	10
B627880		<10	0.14	0.03	40	0.19	213	<1	0.01	26	370	26	0.02	2	1	9
B627881		<10	0.09	0.03	40	0.30	174	<1	0.01	20	330	19	0.01	<2	2	15
B627882		<10	0.04	0.03	20	0.35	201	<1	0.01	15	480	17	0.01	<2	1	11
B627883		<10	0.04	0.03	20	0.36	177	<1	0.01	15	490	16	0.01	<2	2	9
B627884		<10	0.04	0.03	20	0.31	161	<1	0.01	15	500	16	0.02	<2	1	9
B627885		<10	0.03	0.03	20	0.22	377	<1	0.01	15	500	24	0.03	<2	1	7
B627886		<10	0.03	0.04	20	0.31	344	<1	0.01	21	530	26	0.02	<2	2	10
B627887		<10	0.06	0.03	40	0.26	438	<1	0.01	28	510	26	0.04	<2	1	12
B627888		<10	0.03	0.03	20	0.34	225	<1	0.01	17	450	18	0.01	<2	2	9
B627889		<10	0.04	0.03	20	0.37	234	1	0.01	17	440	19	0.01	<2	2	10
B627890		<10	0.05	0.04	20	0.33	262	<1	0.01	21	590	22	0.02	<2	1	11
B627891		<10	0.03	0.03	20	0.22	183	<1	0.01	15	540	20	0.03	<2	1	8
B627892		<10	0.04	0.03	20	0.31	290	<1	0.01	18	530	19	0.03	2	1	8
B627893		<10	0.05	0.03	20	0.30	183	<1	0.01	15	490	25	0.02	<2	1	9
B627894		<10	0.04	0.03	20	0.33	175	<1	0.01	17	440	16	0.02	<2	1	9
B627895		<10	0.04	0.02	20	0.29	135	<1	0.01	12	450	17	0.01	<2	1	9
B627896		<10	0.05	0.03	20	0.28	130	<1	0.01	11	480	14	0.02	2	1	9
B627897		<10	0.06	0.03	20	0.31	152	<1	0.01	14	520	18	0.02	<2	1	10
B627898		<10	0.11	0.03	30	0.31	172	<1	0.01	18	490	20	0.01	<2	2	11
B627899		<10	0.08	0.03	30	0.32	187	<1	0.01	19	480	15	0.02	<2	2	10
B627900		<10	0.05	0.03	20	0.36	207	<1	0.01	17	450	17	0.02	<2	2	10

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 15-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108017

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B627861		0.04	<10	<10	37	<10	105
B627862		0.04	<10	<10	37	<10	78
B627863		0.03	<10	<10	30	<10	58
B627864		0.04	<10	<10	31	<10	78
B627865		0.03	<10	<10	39	<10	25
B627866		0.03	<10	<10	35	<10	71
B627867		0.02	<10	<10	27	<10	45
B627868		0.03	<10	<10	32	<10	54
B627869		0.01	<10	<10	10	<10	70
B627870		0.01	<10	<10	15	<10	87
B627871		<0.01	<10	<10	5	<10	111
B627872		0.03	<10	<10	35	<10	51
B627873		0.03	<10	<10	28	<10	57
B627874		0.03	<10	<10	28	<10	63
B627875		0.03	<10	<10	28	<10	66
B627876		0.03	<10	<10	29	<10	60
B627877		0.03	<10	<10	31	<10	65
B627878		0.03	<10	<10	30	<10	64
B627879		0.03	<10	<10	37	<10	62
B627880		0.02	<10	<10	25	<10	70
B627881		0.01	<10	<10	17	<10	65
B627882		0.03	10	<10	35	<10	51
B627883		0.03	<10	<10	38	<10	51
B627884		0.03	<10	<10	36	<10	48
B627885		0.03	<10	<10	38	<10	50
B627886		0.03	<10	<10	37	<10	60
B627887		0.01	<10	<10	16	<10	83
B627888		0.03	<10	<10	33	<10	59
B627889		0.03	<10	<10	34	<10	59
B627890		0.03	<10	<10	29	<10	64
B627891		0.03	<10	<10	33	<10	44
B627892		0.02	<10	<10	29	<10	59
B627893		0.03	<10	<10	34	<10	61
B627894		0.03	<10	<10	33	<10	58
B627895		0.02	<10	<10	28	<10	49
B627896		0.02	<10	<10	29	<10	46
B627897		0.02	<10	<10	32	<10	49
B627898		0.03	<10	<10	28	<10	56
B627899		0.03	<10	<10	29	<10	56
B627900		0.03	<10	<10	31	<10	55

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

CERTIFICATE VA06108018

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 188 Soil samples submitted to our lab in Vancouver, BC, Canada on 2-OCT-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3



This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108018

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B628001		0.70	<0.005	0.3	1.32	24	<10	180	<0.5	<2	0.25	<0.5	8	30	34	2.35
B628002		0.54	0.006	<0.2	1.27	22	<10	170	<0.5	<2	0.26	<0.5	9	30	35	2.32
B628003		0.56	0.008	<0.2	1.32	17	<10	280	0.5	<2	0.21	<0.5	9	24	37	2.53
B628004		0.46	0.008	0.2	1.24	58	<10	230	<0.5	<2	0.39	<0.5	7	22	20	1.80
B628005		0.64	0.010	0.3	1.57	56	<10	200	0.5	<2	0.55	<0.5	11	33	43	2.63
B628006		0.62	0.008	0.2	1.55	52	<10	190	<0.5	<2	0.55	<0.5	10	32	42	2.62
B628007		0.64	0.016	<0.2	1.56	59	<10	170	0.5	<2	0.54	<0.5	11	34	46	2.71
B628008		0.44	0.108	0.3	1.51	26	<10	270	<0.5	<2	0.61	<0.5	10	26	26	2.04
B628009		0.40	<0.005	<0.2	1.37	17	<10	220	<0.5	<2	0.55	0.5	8	23	20	1.65
B628010		0.34	<0.005	<0.2	1.23	13	<10	190	<0.5	<2	0.49	0.7	5	21	16	1.36
B628011		0.56	0.008	0.3	1.61	89	<10	240	<0.5	<2	0.24	<0.5	8	27	25	2.09
B628012		0.50	0.007	0.2	1.43	367	<10	200	<0.5	<2	0.22	<0.5	7	25	22	2.67
B628013		0.42	0.013	<0.2	1.60	168	<10	230	<0.5	<2	0.23	<0.5	7	27	25	2.38
B628014		0.54	0.016	<0.2	1.26	193	<10	210	<0.5	<2	0.28	<0.5	11	23	29	2.55
B628015		0.54	0.012	0.2	1.22	206	<10	230	<0.5	<2	0.29	<0.5	11	23	29	2.55
B628016		0.54	0.015	<0.2	1.17	162	<10	160	<0.5	<2	0.23	<0.5	9	22	25	2.45
B628017		0.50	0.005	<0.2	0.72	68	<10	120	<0.5	<2	0.27	<0.5	5	12	10	1.44
B628018		0.60	0.012	<0.2	0.83	102	<10	160	<0.5	<2	0.30	<0.5	6	15	14	1.78
B628019		0.54	0.006	<0.2	0.85	115	<10	160	<0.5	<2	0.31	<0.5	7	15	15	1.88
B628020		0.46	0.018	0.2	1.15	50	<10	250	<0.5	<2	0.56	0.9	6	21	26	1.69
B628021		0.42	0.020	0.2	1.14	60	<10	240	<0.5	<2	0.56	0.6	5	21	19	1.62
B628022		0.42	0.010	0.2	1.14	40	<10	240	<0.5	<2	0.57	0.7	5	21	22	1.43
B628023		0.52	0.010	<0.2	1.64	61	<10	200	0.6	<2	0.21	<0.5	11	30	24	2.59
B628024		0.64	0.006	<0.2	1.62	82	<10	200	0.6	<2	0.22	<0.5	12	31	24	2.88
B628025		0.42	0.005	0.2	0.95	62	<10	140	<0.5	<2	0.87	<0.5	9	17	17	2.05
B628026		0.66	0.006	<0.2	1.18	36	<10	170	<0.5	<2	0.34	<0.5	10	18	25	2.20
B628027		0.76	0.014	<0.2	1.07	14	<10	150	<0.5	<2	0.34	<0.5	9	16	11	2.39
B628028		0.64	<0.005	<0.2	1.12	17	<10	180	<0.5	<2	0.39	<0.5	11	17	12	2.62
B628029		0.38	0.012	0.2	1.34	12	<10	60	<0.5	<2	0.16	1.0	9	20	28	2.60
B628030		0.50	0.009	0.4	1.93	17	<10	50	<0.5	<2	0.21	<0.5	17	22	60	4.00
B628031		0.48	<0.005	0.2	1.69	13	<10	60	<0.5	<2	0.19	1.0	15	21	45	3.43
B628032		0.66	0.005	<0.2	1.36	41	<10	110	<0.5	<2	0.06	<0.5	8	22	26	2.93
B628033		0.54	0.006	<0.2	1.11	36	<10	130	<0.5	<2	0.10	<0.5	5	19	13	2.15
B628034		0.62	<0.005	<0.2	1.09	31	<10	120	<0.5	<2	0.10	<0.5	5	19	13	2.11
B628035		0.50	<0.005	<0.2	1.00	10	<10	100	<0.5	<2	0.07	<0.5	6	14	18	2.46
B628036		0.68	<0.005	<0.2	1.18	9	<10	90	<0.5	<2	0.06	<0.5	6	18	18	2.22
B628037		0.68	<0.005	<0.2	1.17	7	<10	80	<0.5	<2	0.06	<0.5	5	18	17	2.21
B628038		0.68	<0.005	<0.2	1.18	14	<10	60	<0.5	<2	0.13	<0.5	16	13	33	3.70
B628039		0.56	<0.005	<0.2	1.21	13	<10	90	<0.5	<2	0.08	<0.5	8	19	20	2.52
B628040		0.38	<0.005	<0.2	1.07	13	<10	100	<0.5	<2	0.10	<0.5	6	19	14	2.39

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108018

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
B628001		<10	0.04	0.07	20	0.49	297	2	0.01	24	750	21	0.01	4	4	19
B628002		<10	0.04	0.07	20	0.49	332	1	0.01	25	800	20	0.01	3	3	19
B628003		<10	0.07	0.05	20	0.42	387	1	0.01	26	660	15	0.01	4	4	18
B628004		<10	0.05	0.04	10	0.37	332	3	0.01	19	890	26	0.05	4	3	24
B628005		<10	0.04	0.07	20	0.58	371	3	0.03	24	1080	30	0.02	9	4	25
B628006		<10	0.04	0.07	20	0.57	358	3	0.03	27	1070	29	0.02	9	4	25
B628007		<10	0.04	0.08	20	0.61	352	3	0.03	28	1110	36	0.02	12	5	25
B628008		<10	0.06	0.04	10	0.43	635	2	0.01	19	840	23	0.05	<2	3	29
B628009		<10	0.05	0.04	10	0.40	303	1	0.02	17	780	19	0.04	3	3	26
B628010		<10	0.05	0.04	10	0.36	198	1	0.02	12	700	14	0.04	4	3	23
B628011		10	0.07	0.05	10	0.43	147	1	0.01	22	660	21	0.02	2	3	19
B628012		<10	0.07	0.05	10	0.38	193	2	0.01	18	750	18	0.03	5	3	18
B628013		<10	0.06	0.05	10	0.43	144	1	0.01	22	680	20	0.02	4	3	18
B628014		<10	0.05	0.04	20	0.43	221	1	0.01	26	870	20	0.01	7	3	20
B628015		<10	0.04	0.04	20	0.42	265	1	0.01	27	840	22	0.01	6	3	20
B628016		<10	0.05	0.04	10	0.38	221	2	0.01	19	810	16	0.01	4	3	16
B628017		<10	0.03	0.03	10	0.25	117	1	0.01	9	650	11	0.02	3	2	17
B628018		<10	0.04	0.03	10	0.28	187	1	0.01	15	730	12	0.03	4	2	20
B628019		<10	0.04	0.04	10	0.28	207	1	0.01	15	750	15	0.04	3	2	20
B628020		<10	0.07	0.04	10	0.37	122	1	0.01	23	850	22	0.11	4	3	29
B628021		<10	0.08	0.04	10	0.38	119	1	0.01	20	820	21	0.10	2	3	29
B628022		<10	0.08	0.04	10	0.37	109	1	0.01	20	760	20	0.11	3	3	29
B628023		10	0.05	0.27	20	0.55	195	1	0.02	28	370	20	0.01	4	4	21
B628024		10	0.05	0.26	20	0.55	255	1	0.02	27	400	22	0.01	4	4	22
B628025		<10	0.04	0.05	20	0.32	351	1	0.01	19	640	11	0.05	2	2	42
B628026		<10	0.04	0.05	30	0.40	194	<1	0.01	22	590	16	0.02	3	3	22
B628027		<10	0.02	0.05	20	0.39	725	<1	0.01	17	660	16	0.01	<2	2	22
B628028		<10	0.03	0.05	20	0.40	1235	1	0.01	24	680	18	0.02	2	2	24
B628029		<10	0.04	0.04	20	0.36	214	1	0.01	25	380	16	0.02	2	2	15
B628030		<10	0.04	0.04	40	0.62	405	<1	0.01	41	530	54	0.03	6	2	21
B628031		<10	0.04	0.04	30	0.50	410	1	0.01	34	510	36	0.03	<2	2	19
B628032		<10	0.04	0.04	20	0.28	219	1	0.01	24	260	44	0.02	5	2	10
B628033		<10	0.03	0.03	10	0.29	133	1	0.01	16	280	21	0.01	3	2	12
B628034		<10	0.04	0.03	10	0.29	131	1	0.01	14	250	22	0.01	3	2	11
B628035		<10	0.07	0.03	20	0.25	143	1	0.01	16	270	21	0.01	<2	2	13
B628036		<10	0.03	0.03	20	0.30	133	1	0.01	13	280	18	0.01	<2	2	8
B628037		<10	0.05	0.03	20	0.29	121	1	0.01	13	320	15	0.01	2	2	9
B628038		<10	0.05	0.05	40	0.35	510	1	0.01	32	720	50	0.03	4	1	21
B628039		<10	0.04	0.03	20	0.31	211	1	0.01	18	400	19	0.02	<2	2	10
B628040		<10	0.03	0.03	10	0.26	181	1	0.01	15	450	16	0.02	3	1	11

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108018

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B628001		0.06	<10	<10	45	<10	94
B628002		0.06	<10	<10	44	<10	96
B628003		0.05	<10	<10	42	<10	83
B628004		0.04	<10	<10	36	10	94
B628005		0.05	<10	<10	50	<10	109
B628006		0.05	<10	<10	50	<10	107
B628007		0.06	<10	<10	51	<10	115
B628008		0.04	<10	<10	43	10	81
B628009		0.04	<10	<10	37	10	76
B628010		0.04	<10	<10	32	10	63
B628011		0.04	<10	<10	46	<10	85
B628012		0.04	<10	<10	45	<10	75
B628013		0.04	<10	<10	47	<10	86
B628014		0.04	<10	<10	38	<10	125
B628015		0.04	<10	<10	37	<10	128
B628016		0.03	<10	<10	34	<10	108
B628017		0.03	<10	<10	21	<10	51
B628018		0.03	<10	<10	25	<10	60
B628019		0.03	<10	<10	26	<10	62
B628020		0.04	<10	<10	34	<10	151
B628021		0.04	<10	<10	32	<10	144
B628022		0.04	<10	<10	30	<10	141
B628023		0.11	<10	<10	37	<10	90
B628024		0.11	<10	<10	39	<10	89
B628025		0.02	<10	<10	23	<10	59
B628026		0.02	<10	<10	25	<10	62
B628027		0.02	<10	<10	23	<10	60
B628028		0.03	<10	<10	24	<10	64
B628029		0.03	<10	<10	35	<10	66
B628030		0.02	<10	<10	25	<10	104
B628031		0.02	<10	<10	28	<10	94
B628032		0.03	<10	<10	39	<10	85
B628033		0.04	<10	<10	37	<10	49
B628034		0.04	<10	<10	36	<10	47
B628035		0.02	<10	<10	31	<10	48
B628036		0.03	<10	<10	31	<10	44
B628037		0.03	<10	<10	33	<10	41
B628038		0.01	<10	<10	19	<10	83
B628039		0.03	<10	<10	37	<10	48
B628040		0.03	<10	<10	42	<10	45

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108018

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B628041		0.54	<0.005	<0.2	1.06	37	<10	70	<0.5	<2	0.06	0.5	7	21	14	2.78
B628042		0.56	<0.005	<0.2	1.01	32	<10	60	<0.5	<2	0.06	<0.5	7	20	13	2.66
B628043		0.60	<0.005	<0.2	0.85	7	<10	70	<0.5	<2	0.03	<0.5	7	15	20	2.28
B628044		0.58	<0.005	<0.2	0.59	10	<10	90	<0.5	<2	0.08	<0.5	8	14	24	2.41
B628045		0.62	<0.005	<0.2	0.59	4	<10	90	<0.5	<2	0.10	<0.5	8	15	24	2.36
B628046		0.62	<0.005	<0.2	0.37	2	<10	50	<0.5	<2	0.04	<0.5	6	10	19	2.11
B628047		0.66	<0.005	<0.2	0.60	6	<10	100	<0.5	<2	0.04	<0.5	6	13	21	2.15
B628048		0.62	<0.005	<0.2	0.56	4	<10	90	<0.5	<2	0.04	<0.5	6	12	20	2.03
B628049		0.58	<0.005	<0.2	0.58	7	<10	100	<0.5	<2	0.04	<0.5	6	12	21	2.08
B628050		0.66	<0.005	0.2	0.54	3	<10	90	<0.5	2	0.04	<0.5	6	11	19	1.99
B627951		0.38	0.009	<0.2	1.62	163	<10	140	0.7	2	0.56	<0.5	11	27	28	3.39
B627952		0.18	0.009	0.5	2.20	160	<10	210	1.0	3	0.85	0.5	19	35	36	3.87
B627953		0.38	0.016	0.2	1.20	171	<10	180	<0.5	<2	0.64	1.0	11	22	21	2.44
B627954		0.26	0.010	0.3	1.30	67	<10	210	<0.5	<2	0.41	0.8	13	23	15	2.53
B627955		0.42	0.035	<0.2	2.11	30	<10	190	0.7	2	0.31	<0.5	12	32	27	3.06
B627956		0.40	0.013	<0.2	1.57	165	<10	150	0.5	2	0.10	<0.5	7	25	22	2.61
B627957		0.48	0.011	<0.2	1.64	156	<10	160	<0.5	<2	0.11	<0.5	5	25	20	2.35
B627958		0.48	0.013	<0.2	2.05	162	<10	210	0.6	3	0.20	<0.5	7	26	21	2.58
B627959		0.30	0.008	<0.2	1.55	91	<10	100	<0.5	2	0.07	<0.5	6	27	14	2.57
B627960		0.48	0.088	0.2	2.39	383	<10	210	0.7	3	0.26	<0.5	11	30	31	3.05
B627961		0.26	0.044	<0.2	2.28	221	<10	130	0.6	<2	0.16	<0.5	9	32	26	2.99
B627962		0.30	0.016	<0.2	2.14	519	<10	140	0.6	2	0.40	<0.5	10	33	17	3.06
B627963		0.34	0.005	<0.2	1.72	20	<10	110	<0.5	<2	0.08	<0.5	5	26	16	2.51
B627964		0.36	0.006	<0.2	2.16	11	<10	140	0.9	<2	0.11	<0.5	9	30	25	3.13
B627965		0.36	0.005	<0.2	1.72	17	<10	160	0.6	<2	0.10	<0.5	7	26	20	2.79
B627966		0.40	0.008	<0.2	1.73	17	<10	160	0.6	<2	0.12	<0.5	9	28	18	2.94
B627967		0.34	0.009	<0.2	1.49	29	<10	130	0.5	<2	0.39	<0.5	7	25	15	2.54
B627968		0.58	0.016	0.4	1.42	113	<10	170	0.5	<2	0.20	<0.5	8	23	18	2.59
B627969		0.38	0.007	<0.2	1.38	21	<10	140	0.5	2	0.17	<0.5	9	22	24	2.62
B627970		0.38	0.005	<0.2	1.71	16	<10	220	0.6	<2	0.15	<0.5	11	26	23	3.13
B627971		0.28	0.006	<0.2	1.38	29	<10	150	<0.5	<2	0.24	<0.5	9	21	17	2.69
B627972		0.28	0.011	<0.2	1.42	14	<10	140	<0.5	<2	0.10	<0.5	8	20	28	2.62
B627973		0.48	0.006	<0.2	1.23	19	<10	130	<0.5	<2	0.08	<0.5	8	17	26	2.69
B627974		0.46	0.009	<0.2	1.25	49	<10	100	<0.5	<2	0.11	<0.5	11	20	24	3.01
B627975		0.40	0.009	<0.2	1.35	14	<10	120	<0.5	2	0.12	<0.5	10	20	28	2.86
B627976		0.38	0.013	<0.2	1.28	6	<10	140	<0.5	<2	0.15	<0.5	10	21	24	2.67
B627977		0.44	0.010	<0.2	1.20	12	<10	80	<0.5	<2	0.07	<0.5	12	18	27	3.66
B627978		0.36	0.074	<0.2	1.55	5	<10	110	<0.5	<2	0.08	<0.5	9	24	28	2.94
B627979		0.46	0.012	<0.2	1.46	12	<10	170	<0.5	<2	0.10	<0.5	10	24	30	2.78
B627980		0.44	0.007	<0.2	1.19	8	<10	100	<0.5	<2	0.05	<0.5	8	21	21	2.78

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108018

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B628041		<10	0.03	0.04	20	0.29	291	1	0.01	13	420	52	0.02	9	1	9
B628042		<10	0.04	0.04	20	0.27	272	1	0.01	14	400	50	0.02	11	1	9
B628043		<10	0.07	0.03	20	0.16	128	1	0.01	14	210	17	0.01	<2	2	8
B628044		<10	0.06	0.03	20	0.21	239	<1	<0.01	22	390	17	<0.01	<2	2	12
B628045		<10	0.06	0.03	20	0.23	256	<1	<0.01	21	390	14	<0.01	<2	2	13
B628046		<10	0.07	0.03	30	0.12	157	<1	<0.01	16	270	18	<0.01	<2	1	11
B628047		<10	0.09	0.04	30	0.14	145	<1	<0.01	15	300	19	<0.01	2	1	15
B628048		<10	0.10	0.03	30	0.14	136	<1	<0.01	13	270	18	<0.01	2	1	14
B628049		<10	0.09	0.03	30	0.15	147	<1	<0.01	13	290	18	<0.01	2	1	15
B628050		<10	0.08	0.03	20	0.14	136	<1	<0.01	13	280	16	<0.01	2	1	12
B627951		10	0.07	0.22	20	0.54	365	<1	0.01	27	590	21	0.05	2	3	48
B627952		10	0.08	0.26	20	0.73	1430	1	0.01	35	640	20	0.07	2	4	56
B627953		<10	0.04	0.07	20	0.46	877	1	0.01	25	930	21	0.04	2	3	36
B627954		<10	0.07	0.04	10	0.41	724	1	<0.01	20	930	18	0.05	2	3	27
B627955		10	0.04	0.18	20	0.53	444	<1	0.02	30	450	11	0.02	<2	4	32
B627956		10	0.02	0.12	10	0.46	250	<1	<0.01	20	390	9	0.01	<2	2	14
B627957		10	0.04	0.04	10	0.38	165	<1	<0.01	19	510	10	0.01	<2	1	12
B627958		10	0.03	0.07	20	0.54	305	<1	<0.01	19	650	9	0.01	2	4	21
B627959		10	0.03	0.06	10	0.42	180	<1	<0.01	17	370	10	0.01	<2	2	10
B627960		10	0.03	0.13	20	0.81	371	<1	0.01	30	840	10	0.03	<2	4	21
B627961		10	0.04	0.08	10	0.76	328	<1	<0.01	27	670	12	0.03	<2	3	15
B627962		10	0.03	0.16	20	0.52	673	<1	0.01	22	550	15	0.03	3	2	38
B627963		10	0.04	0.09	20	0.40	150	<1	<0.01	16	430	11	0.01	<2	1	13
B627964		10	0.04	0.25	20	0.57	228	<1	<0.01	27	470	10	0.01	<2	2	12
B627965		10	0.04	0.14	20	0.47	269	<1	<0.01	23	550	13	0.01	<2	2	13
B627966		10	0.03	0.09	20	0.46	384	<1	<0.01	21	600	18	0.01	2	2	17
B627967		10	0.03	0.10	20	0.38	309	<1	<0.01	19	600	18	0.02	<2	1	29
B627968		<10	0.05	0.09	20	0.38	364	<1	<0.01	21	650	53	0.01	11	2	15
B627969		<10	0.02	0.07	20	0.42	514	<1	<0.01	29	580	20	0.01	<2	3	16
B627970		10	0.02	0.06	30	0.52	378	<1	<0.01	25	490	17	0.01	<2	3	16
B627971		10	0.03	0.07	20	0.41	332	<1	<0.01	21	570	24	0.02	2	2	21
B627972		<10	0.04	0.07	20	0.63	493	<1	<0.01	19	460	16	0.01	<2	2	9
B627973		<10	0.04	0.06	20	0.39	499	<1	<0.01	19	480	16	<0.01	2	2	8
B627974		<10	0.03	0.04	20	0.34	479	<1	<0.01	25	570	22	0.01	3	2	10
B627975		<10	0.03	0.05	30	0.44	369	<1	<0.01	25	600	17	0.01	<2	2	11
B627976		<10	0.05	0.04	30	0.39	360	<1	<0.01	22	530	25	0.01	<2	2	16
B627977		<10	0.02	0.04	40	0.34	358	<1	<0.01	29	530	27	0.01	<2	2	10
B627978		10	0.05	0.05	20	0.43	264	<1	<0.01	20	550	19	<0.01	<2	3	10
B627979		<10	0.04	0.05	30	0.46	250	<1	<0.01	25	350	16	<0.01	<2	3	14
B627980		<10	0.03	0.04	30	0.36	155	<1	<0.01	19	280	14	<0.01	<2	2	12

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108018

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B628041		0.04	<10	<10	46	<10	71
B628042		0.04	<10	<10	47	<10	67
B628043		0.02	<10	<10	26	<10	41
B628044		0.03	<10	<10	23	<10	56
B628045		0.03	<10	<10	24	<10	56
B628046		0.01	<10	<10	14	<10	44
B628047		0.01	<10	<10	19	<10	42
B628048		0.02	<10	<10	18	<10	39
B628049		0.02	<10	<10	18	<10	40
B628050		0.01	<10	<10	17	<10	40
B627951		0.07	<10	<10	39	<10	107
B627952		0.09	<10	<10	47	<10	143
B627953		0.04	<10	<10	33	<10	131
B627954		0.03	<10	<10	33	<10	109
B627955		0.08	<10	<10	42	<10	69
B627956		0.06	<10	<10	39	<10	54
B627957		0.04	<10	<10	47	<10	52
B627958		0.07	<10	<10	45	<10	76
B627959		0.06	<10	<10	47	<10	47
B627960		0.08	<10	<10	47	<10	75
B627961		0.07	<10	<10	48	<10	76
B627962		0.07	<10	<10	46	<10	70
B627963		0.04	<10	<10	42	<10	48
B627964		0.07	<10	<10	41	<10	73
B627965		0.05	<10	<10	40	<10	68
B627966		0.05	<10	<10	42	<10	77
B627967		0.04	<10	<10	41	<10	69
B627968		0.04	<10	<10	38	<10	132
B627969		0.04	<10	<10	35	<10	70
B627970		0.04	<10	<10	40	<10	81
B627971		0.03	<10	<10	34	<10	60
B627972		0.03	<10	<10	32	<10	54
B627973		0.03	<10	<10	28	<10	51
B627974		0.03	<10	<10	29	<10	70
B627975		0.03	<10	<10	32	<10	73
B627976		0.03	<10	<10	35	<10	72
B627977		0.03	<10	<10	29	<10	86
B627978		0.03	<10	<10	37	<10	61
B627979		0.04	<10	<10	39	<10	68
B627980		0.03	<10	<10	33	<10	57

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108018

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B627981		0.38	0.008	<0.2	1.41	13	<10	80	<0.5	<2	0.03	<0.5	18	19	42	3.99
B627982		0.34	0.006	<0.2	1.37	13	<10	120	<0.5	<2	0.05	<0.5	8	22	25	3.22
B627983		0.30	0.007	<0.2	1.78	21	<10	160	0.5	<2	0.07	<0.5	9	28	24	2.84
B627984		0.32	0.006	<0.2	1.21	12	<10	120	<0.5	<2	0.06	<0.5	8	19	20	2.66
B627985		0.40	0.005	<0.2	1.26	10	<10	100	<0.5	<2	0.05	<0.5	6	20	19	2.72
B627986		0.34	0.006	0.4	1.37	12	<10	150	<0.5	<2	0.08	<0.5	8	22	13	2.86
B627987		0.40	0.009	<0.2	1.35	17	<10	150	<0.5	<2	0.13	<0.5	9	16	29	2.92
B627988		0.40	0.006	<0.2	1.55	13	<10	140	<0.5	<2	0.10	<0.5	8	19	29	3.11
B627989		0.32	0.007	<0.2	1.56	14	<10	140	<0.5	<2	0.07	<0.5	6	28	17	2.53
B627990		0.44	0.016	<0.2	0.65	32	<10	70	0.5	<2	0.05	<0.5	25	8	66	6.61
B627991		0.38	0.009	<0.2	2.05	18	<10	200	0.6	<2	0.07	<0.5	13	29	31	3.40
B627992		0.28	0.006	<0.2	1.33	31	<10	130	<0.5	<2	0.07	<0.5	15	17	26	3.03
B627993		0.40	0.008	<0.2	1.04	31	<10	110	<0.5	<2	0.11	<0.5	7	19	19	2.44
B627994		0.58	0.008	<0.2	1.17	10	<10	110	<0.5	<2	0.06	<0.5	6	19	17	2.09
B627995		0.56	0.012	<0.2	1.19	7	<10	120	<0.5	<2	0.06	<0.5	5	19	16	2.06
B627996		0.42	0.011	<0.2	1.15	10	<10	90	<0.5	<2	0.05	<0.5	6	18	17	2.11
B627997		0.44	0.010	<0.2	1.76	15	<10	170	0.5	<2	0.05	<0.5	12	27	34	3.15
B627998		0.40	<0.005	<0.2	0.82	7	<10	70	<0.5	<2	0.05	<0.5	7	16	17	2.51
B627999		0.44	0.006	<0.2	1.35	10	<10	350	<0.5	<2	0.41	<0.5	11	26	25	2.86
B628000		0.36	0.010	<0.2	1.29	3	<10	290	<0.5	<2	0.25	<0.5	10	24	25	2.39
B628201		0.44	0.005	0.2	1.42	5	<10	290	<0.5	<2	0.59	1.0	8	23	38	1.75
B628202		0.46	<0.005	0.5	1.09	13	<10	200	<0.5	<2	0.53	<0.5	6	19	17	2.01
B628203		0.44	0.006	0.2	1.05	16	<10	180	<0.5	<2	0.15	<0.5	10	20	43	2.47
B628204		0.54	0.009	0.5	1.09	15	<10	350	<0.5	<2	0.68	1.2	11	20	53	2.55
B628205		0.68	0.007	0.2	0.96	15	<10	210	<0.5	<2	0.48	0.5	8	19	42	2.42
B628206		0.62	0.009	<0.2	1.26	19	<10	250	<0.5	<2	0.21	<0.5	13	23	42	2.80
B628207		0.60	0.014	0.3	0.73	18	<10	140	<0.5	<2	0.43	<0.5	9	17	41	2.36
B628208		0.52	0.007	0.4	0.99	16	<10	200	<0.5	<2	0.58	<0.5	10	21	40	2.63
B628209		0.48	0.007	0.4	0.88	24	<10	190	<0.5	<2	1.03	0.9	12	18	34	2.65
B628210		0.38	0.011	0.4	0.90	15	<10	190	<0.5	<2	0.85	<0.5	8	18	27	2.23
B628211		0.54	<0.005	0.3	0.93	13	<10	180	<0.5	<2	0.71	0.5	9	19	35	2.22
B628212		0.04	<0.005	0.3	0.37	6	<10	270	<0.5	<2	3.13	13.0	10	3	33	0.45
B628213		0.58	<0.005	0.2	1.08	18	<10	190	<0.5	<2	0.29	<0.5	10	18	40	2.63
B628214		0.54	0.006	0.3	0.95	18	<10	140	<0.5	<2	0.28	<0.5	9	18	39	2.38
B628215		0.46	<0.005	0.3	0.89	10	<10	150	<0.5	<2	0.99	<0.5	7	15	25	2.03
B628216		0.58	<0.005	0.5	1.26	6	<10	230	<0.5	<2	0.34	<0.5	8	22	24	2.08
B628217		0.46	0.010	0.4	1.14	12	<10	220	<0.5	<2	0.53	<0.5	9	20	23	2.27
B628218		0.66	0.005	0.4	0.97	15	<10	200	<0.5	<2	0.66	<0.5	10	18	25	2.30
B628219		0.50	0.009	0.6	1.01	15	<10	200	<0.5	<2	0.46	0.5	8	19	38	2.49
B628220		0.58	<0.005	<0.2	1.20	13	<10	190	<0.5	<2	0.22	<0.5	6	21	22	2.06

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108018

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B627981		<10	0.04	0.04	60	0.39	245	<1	<0.01	41	360	29	0.02	<2	2	19
B627982		<10	0.03	0.04	30	0.43	230	<1	<0.01	23	480	19	0.01	<2	2	11
B627983		<10	0.05	0.04	20	0.44	206	<1	<0.01	26	280	18	<0.01	<2	3	10
B627984		<10	0.02	0.04	20	0.34	183	<1	<0.01	16	310	15	<0.01	<2	2	10
B627985		<10	0.03	0.04	20	0.36	162	<1	<0.01	18	270	18	<0.01	<2	2	10
B627986		<10	0.03	0.06	10	0.38	195	<1	<0.01	20	340	14	0.01	<2	2	10
B627987		<10	0.10	0.05	40	0.56	424	<1	<0.01	22	450	14	0.01	3	2	16
B627988		<10	0.09	0.06	40	0.64	347	<1	<0.01	21	430	13	0.01	<2	2	14
B627989		<10	0.03	0.05	20	0.41	166	<1	<0.01	17	220	11	<0.01	2	3	10
B627990		<10	0.10	0.05	60	0.14	836	5	<0.01	69	1220	49	0.03	8	3	19
B627991		<10	0.04	0.06	30	0.53	367	1	<0.01	32	320	21	0.01	<2	3	12
B627992		<10	0.10	0.05	20	0.50	471	<1	<0.01	24	860	33	0.03	4	2	12
B627993		<10	0.08	0.04	20	0.36	262	<1	<0.01	19	560	29	0.01	4	2	13
B627994		<10	0.02	0.03	20	0.32	139	<1	<0.01	16	230	11	<0.01	<2	3	9
B627995		<10	0.02	0.04	30	0.31	133	<1	<0.01	15	230	15	<0.01	<2	3	10
B627996		<10	0.02	0.03	20	0.29	128	<1	<0.01	18	210	13	<0.01	<2	2	8
B627997		<10	0.09	0.05	20	0.41	327	<1	<0.01	27	250	20	<0.01	<2	4	10
B627998		<10	0.03	0.03	30	0.19	154	<1	<0.01	19	220	15	<0.01	<2	2	9
B627999		<10	0.09	0.06	30	0.42	990	<1	0.01	29	570	18	0.03	<2	3	35
B628000		<10	0.07	0.04	30	0.43	233	<1	0.01	26	460	14	0.01	<2	4	23
B628201		<10	0.14	0.04	10	0.47	184	1	<0.01	29	1220	17	0.03	<2	3	31
B628202		<10	0.04	0.03	10	0.35	178	1	<0.01	16	600	9	0.02	<2	2	25
B628203		<10	0.10	0.03	10	0.36	319	1	<0.01	32	530	12	<0.01	<2	3	13
B628204		<10	0.14	0.04	10	0.41	456	1	<0.01	39	1040	15	0.03	2	3	36
B628205		<10	0.10	0.04	10	0.42	276	1	<0.01	31	1010	15	0.01	2	3	27
B628206		<10	0.10	0.04	20	0.46	495	1	<0.01	37	880	13	<0.01	<2	4	18
B628207		<10	0.12	0.04	20	0.36	269	2	<0.01	30	1340	14	<0.01	<2	2	29
B628208		<10	0.13	0.06	20	0.46	359	2	0.01	32	1150	11	0.01	<2	3	30
B628209		<10	0.11	0.06	10	0.62	1050	1	0.01	31	1130	17	0.03	<2	3	40
B628210		<10	0.11	0.06	10	0.41	377	1	0.01	23	1010	11	0.04	<2	2	41
B628211		<10	0.11	0.05	10	0.39	288	2	<0.01	27	930	14	0.03	<2	3	37
B628212		<10	0.18	0.02	10	0.20	1470	<1	0.02	24	920	4	0.19	<2	1	144
B628213		<10	0.11	0.03	20	0.33	266	6	<0.01	35	930	12	<0.01	<2	2	18
B628214		<10	0.06	0.03	10	0.33	345	1	<0.01	27	780	13	0.01	<2	2	21
B628215		<10	0.09	0.03	10	0.40	312	2	<0.01	23	1130	12	0.04	<2	2	39
B628216		<10	0.10	0.03	20	0.43	145	<1	<0.01	23	910	11	0.01	<2	3	20
B628217		<10	0.09	0.03	10	0.40	404	<1	<0.01	24	810	13	0.02	<2	3	26
B628218		<10	0.08	0.03	10	0.38	585	2	<0.01	23	1040	14	0.03	<2	2	31
B628219		<10	0.09	0.05	20	0.43	413	1	<0.01	30	1080	15	0.01	<2	3	24
B628220		<10	0.06	0.03	20	0.39	157	<1	<0.01	22	730	12	<0.01	<2	2	14

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108018

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B627981		0.01	<10	<10	25	<10	87
B627982		0.03	<10	<10	38	<10	62
B627983		0.05	<10	<10	46	<10	55
B627984		0.03	<10	<10	37	<10	51
B627985		0.03	<10	<10	38	<10	53
B627986		0.04	<10	<10	45	<10	57
B627987		0.01	<10	<10	22	<10	61
B627988		0.01	<10	<10	24	<10	66
B627989		0.05	<10	<10	46	<10	50
B627990		0.01	<10	<10	14	<10	127
B627991		0.04	<10	<10	46	<10	65
B627992		0.02	<10	<10	33	<10	79
B627993		0.04	<10	<10	35	<10	70
B627994		0.03	<10	<10	32	<10	44
B627995		0.03	<10	<10	32	<10	42
B627996		0.03	<10	<10	30	<10	44
B627997		0.04	<10	<10	45	<10	74
B627998		0.03	<10	<10	33	<10	52
B627999		0.03	<10	<10	40	<10	74
B628000		0.04	<10	<10	37	<10	64
B628201		0.02	<10	<10	38	<10	107
B628202		0.03	<10	<10	40	<10	55
B628203		0.03	<10	<10	34	<10	71
B628204		0.02	<10	<10	32	<10	101
B628205		0.03	<10	<10	31	<10	95
B628206		0.04	<10	<10	38	<10	92
B628207		0.03	<10	<10	27	<10	102
B628208		0.03	<10	<10	34	<10	107
B628209		0.03	<10	<10	30	<10	114
B628210		0.02	<10	<10	28	<10	100
B628211		0.02	<10	<10	30	<10	105
B628212		<0.01	<10	<10	4	<10	77
B628213		0.03	<10	<10	34	<10	127
B628214		0.03	<10	<10	33	<10	76
B628215		0.01	<10	<10	22	<10	73
B628216		0.02	<10	<10	33	<10	61
B628217		0.02	<10	<10	33	<10	57
B628218		0.02	<10	<10	29	<10	79
B628219		0.02	<10	<10	29	<10	88
B628220		0.03	<10	<10	35	<10	57

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108018

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B628221		0.66	<0.005	<0.2	1.20	11	<10	40	<0.5	<2	0.04	<0.5	9	19	33	3.73
B628222		0.64	0.007	<0.2	1.12	16	<10	50	<0.5	<2	0.04	<0.5	5	18	22	3.04
B628223		0.44	0.008	<0.2	1.25	11	<10	80	<0.5	<2	0.04	<0.5	8	20	33	3.27
B628224		0.74	0.008	<0.2	1.35	12	<10	50	<0.5	<2	0.02	<0.5	18	17	57	5.40
B628225		0.60	0.005	<0.2	0.53	3	<10	40	<0.5	<2	0.01	<0.5	29	8	57	5.17
B628226		0.58	0.005	<0.2	1.01	11	<10	50	<0.5	<2	0.01	<0.5	20	12	38	3.98
B628227		0.48	<0.005	<0.2	1.31	15	<10	80	<0.5	<2	0.06	<0.5	11	21	25	2.98
B628228		0.52	<0.005	<0.2	1.26	9	<10	90	<0.5	<2	0.06	<0.5	8	18	32	3.01
B628229		0.66	0.014	<0.2	0.68	42	<10	50	<0.5	<2	0.04	<0.5	7	11	27	2.96
B628230		0.54	<0.005	<0.2	0.98	11	<10	80	<0.5	<2	0.07	<0.5	6	16	25	2.48
B628231		0.56	0.006	<0.2	1.24	10	<10	90	<0.5	<2	0.10	<0.5	7	19	26	2.57
B628232		0.66	0.008	<0.2	1.28	14	<10	110	<0.5	<2	0.08	<0.5	8	19	26	2.80
B628233		0.54	0.006	<0.2	0.95	9	<10	90	<0.5	<2	0.07	<0.5	5	16	15	2.12
B628234		0.58	0.005	<0.2	1.16	17	<10	140	<0.5	<2	0.16	<0.5	7	20	20	2.51
B628235		0.50	0.010	<0.2	1.15	11	<10	100	<0.5	<2	0.05	<0.5	6	17	15	2.21
B628236		0.44	0.005	<0.2	1.03	10	<10	240	<0.5	<2	0.26	<0.5	6	18	20	2.32
B628237		0.42	<0.005	0.2	1.11	10	<10	300	<0.5	<2	0.34	<0.5	7	18	19	2.26
B628238		0.40	<0.005	<0.2	1.23	16	<10	110	<0.5	<2	0.11	<0.5	9	20	18	2.66
B628239		0.62	<0.005	<0.2	1.34	3	<10	90	<0.5	<2	0.03	<0.5	13	18	32	3.88
B628240		0.50	<0.005	0.2	1.33	11	<10	90	<0.5	<2	0.05	<0.5	11	17	43	4.32
B628241		0.54	<0.005	<0.2	1.55	13	<10	180	<0.5	<2	0.07	<0.5	8	23	19	2.92
B628242		0.50	<0.005	<0.2	1.63	12	<10	170	<0.5	<2	0.07	<0.5	8	24	13	2.63
B628243		0.54	<0.005	<0.2	1.51	13	<10	150	<0.5	<2	0.04	<0.5	8	20	30	3.16
B628244		0.50	<0.005	<0.2	1.08	10	<10	130	<0.5	<2	0.05	<0.5	10	18	28	2.78
B628245		0.60	<0.005	<0.2	1.40	13	<10	100	<0.5	<2	0.05	<0.5	6	22	16	2.85
B628246		0.60	0.005	<0.2	1.00	8	<10	130	<0.5	<2	0.11	<0.5	6	19	19	2.28
B628247		0.54	<0.005	<0.2	0.96	8	<10	90	<0.5	<2	0.05	<0.5	3	15	11	1.86
B628248		0.50	<0.005	0.2	1.82	12	<10	150	0.5	<2	0.06	<0.5	14	27	28	3.02
B628249		0.60	0.008	<0.2	0.92	10	<10	100	<0.5	<2	0.05	<0.5	6	18	21	2.52
B628250		0.60	<0.005	<0.2	0.86	9	<10	160	<0.5	<2	0.10	<0.5	7	18	18	2.15
B628351		0.68	0.010	<0.2	0.71	8	<10	100	<0.5	<2	0.08	<0.5	8	15	18	2.16
B628352		0.72	0.013	<0.2	1.25	9	<10	180	<0.5	<2	0.13	<0.5	7	21	19	2.42
B628353		0.70	0.007	<0.2	1.13	14	<10	110	<0.5	<2	0.06	<0.5	8	20	18	2.28
B628354		0.60	0.005	<0.2	1.18	13	<10	90	<0.5	<2	0.05	<0.5	9	19	16	2.40
B628355		0.74	<0.005	<0.2	1.10	6	<10	120	<0.5	<2	0.07	<0.5	6	21	19	2.13
B628356		0.74	0.005	<0.2	1.38	10	<10	160	0.5	<2	0.05	<0.5	9	24	28	2.64
B628357		0.70	<0.005	<0.2	0.76	7	<10	80	<0.5	<2	0.04	<0.5	10	16	25	2.56
B628358		0.80	<0.005	<0.2	1.03	10	<10	210	<0.5	<2	0.08	<0.5	10	19	21	2.54
B628359		0.72	<0.005	<0.2	0.81	10	<10	140	<0.5	<2	0.07	<0.5	10	16	22	2.51
B628360		0.78	0.005	<0.2	0.84	8	<10	170	<0.5	<2	0.09	<0.5	9	17	20	2.31

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108018

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B628221		<10	0.04	0.03	40	0.43	426	<1	<0.01	13	520	37	0.02	<2	1	10
B628222		<10	0.04	0.02	20	0.27	141	<1	<0.01	13	280	30	0.01	2	2	9
B628223		<10	0.04	0.04	30	0.35	195	<1	<0.01	19	580	26	0.05	<2	1	11
B628224		<10	0.07	0.03	70	0.55	226	<1	<0.01	43	450	32	0.02	<2	2	15
B628225		<10	0.11	0.02	60	0.15	868	<1	<0.01	59	390	48	0.03	<2	2	22
B628226		<10	0.05	0.04	70	0.31	546	<1	<0.01	35	450	34	0.02	<2	1	22
B628227		<10	0.05	0.04	20	0.38	283	<1	<0.01	23	310	17	0.01	<2	2	10
B628228		<10	0.04	0.04	30	0.38	197	<1	<0.01	21	400	21	0.02	<2	2	11
B628229		<10	0.07	0.03	50	0.23	147	<1	<0.01	22	380	23	0.01	14	1	16
B628230		<10	0.03	0.03	20	0.39	185	<1	<0.01	17	420	21	0.01	<2	1	10
B628231		<10	0.04	0.04	30	0.42	172	<1	<0.01	19	550	18	0.01	<2	2	12
B628232		<10	0.04	0.04	30	0.43	218	<1	<0.01	19	530	22	0.01	4	2	11
B628233		<10	0.05	0.04	20	0.29	167	<1	<0.01	13	490	13	0.02	3	1	9
B628234		<10	0.08	0.05	20	0.39	218	<1	<0.01	21	610	14	0.02	3	2	16
B628235		<10	0.03	0.04	20	0.36	180	<1	<0.01	14	450	16	0.02	<2	1	10
B628236		<10	0.08	0.07	20	0.36	218	<1	<0.01	21	490	11	0.01	<2	2	22
B628237		<10	0.05	0.07	20	0.34	267	<1	<0.01	19	510	10	0.02	<2	2	27
B628238		<10	0.04	0.04	20	0.38	236	<1	<0.01	21	290	15	0.01	<2	2	11
B628239		<10	0.03	0.03	40	0.42	245	<1	<0.01	33	270	20	0.01	<2	2	10
B628240		<10	0.09	0.05	40	0.42	262	<1	<0.01	30	430	30	0.03	<2	1	20
B628241		<10	0.05	0.03	20	0.37	167	<1	<0.01	21	260	15	0.01	<2	2	10
B628242		10	0.02	0.04	20	0.33	204	<1	<0.01	13	250	13	<0.01	<2	3	9
B628243		10	0.06	0.03	30	0.37	159	<1	<0.01	23	230	17	0.01	<2	2	9
B628244		<10	0.27	0.03	30	0.30	207	<1	<0.01	24	190	17	<0.01	2	4	11
B628245		10	0.03	0.03	20	0.29	142	<1	<0.01	16	250	13	0.01	<2	2	8
B628246		<10	0.03	0.03	20	0.38	189	<1	<0.01	18	370	12	0.01	<2	2	11
B628247		<10	0.02	0.04	20	0.21	81	<1	<0.01	9	420	14	0.01	<2	1	8
B628248		<10	0.24	0.04	20	0.38	246	<1	<0.01	26	220	21	0.01	<2	3	9
B628249		<10	0.12	0.03	30	0.22	164	<1	<0.01	20	350	16	0.01	<2	2	10
B628250		<10	0.08	0.03	30	0.29	237	<1	<0.01	17	280	12	<0.01	<2	2	15
B628351		<10	0.08	0.03	20	0.22	260	<1	<0.01	16	420	13	0.01	2	1	13
B628352		<10	0.08	0.04	10	0.33	140	<1	<0.01	15	730	13	0.01	<2	2	13
B628353		<10	0.14	0.04	20	0.29	231	<1	<0.01	17	250	13	0.01	<2	2	9
B628354		<10	0.06	0.03	20	0.22	162	<1	<0.01	21	300	15	0.01	<2	2	7
B628355		<10	0.05	0.03	20	0.32	172	<1	<0.01	17	210	9	<0.01	<2	3	13
B628356		<10	0.11	0.04	10	0.35	237	<1	<0.01	21	190	13	0.01	<2	4	13
B628357		<10	0.08	0.03	10	0.19	260	<1	<0.01	24	210	21	0.01	<2	2	9
B628358		<10	0.05	0.03	20	0.34	319	<1	<0.01	20	260	14	0.01	<2	3	14
B628359		<10	0.05	0.04	20	0.22	234	<1	<0.01	20	260	17	0.01	<2	2	12
B628360		<10	0.06	0.03	20	0.25	211	<1	<0.01	19	250	14	0.01	<2	2	14

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108018

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B628221		0.02	<10	<10	27	<10	64
B628222		0.03	<10	<10	37	<10	43
B628223		0.02	<10	<10	33	<10	65
B628224		<0.01	<10	<10	14	<10	119
B628225		<0.01	<10	<10	9	<10	113
B628226		<0.01	<10	<10	13	<10	90
B628227		0.04	<10	<10	35	<10	62
B628228		0.02	<10	<10	30	<10	63
B628229		0.01	<10	<10	18	<10	64
B628230		0.02	<10	<10	25	<10	64
B628231		0.03	<10	<10	31	<10	66
B628232		0.03	<10	<10	32	<10	63
B628233		0.02	<10	<10	30	<10	45
B628234		0.04	<10	<10	36	<10	65
B628235		0.02	<10	<10	32	<10	45
B628236		0.03	<10	<10	29	<10	49
B628237		0.02	<10	<10	31	<10	51
B628238		0.03	<10	<10	35	<10	54
B628239		0.01	<10	<10	21	<10	81
B628240		0.01	<10	<10	17	<10	84
B628241		0.03	<10	<10	41	<10	49
B628242		0.04	<10	<10	52	<10	47
B628243		0.02	<10	<10	32	<10	63
B628244		0.03	<10	<10	30	<10	59
B628245		0.03	<10	<10	44	<10	47
B628246		0.04	<10	<10	32	<10	52
B628247		0.03	<10	<10	36	<10	32
B628248		0.04	<10	<10	41	<10	63
B628249		0.02	<10	<10	32	<10	53
B628250		0.04	<10	<10	30	<10	49
B628351		0.02	<10	<10	27	<10	50
B628352		0.02	<10	<10	39	<10	56
B628353		0.03	<10	<10	34	<10	49
B628354		0.03	<10	<10	32	<10	49
B628355		0.04	<10	<10	36	<10	45
B628356		0.05	<10	<10	40	<10	56
B628357		0.03	<10	<10	27	<10	55
B628358		0.04	<10	<10	31	<10	59
B628359		0.03	<10	<10	28	<10	54
B628360		0.03	<10	<10	28	<10	52

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108018

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B628361		0.78	<0.005	<0.2	0.94	10	<10	100	<0.5	<2	0.05	<0.5	10	17	20	2.68
B628362		0.76	<0.005	<0.2	1.52	15	<10	130	<0.5	<2	0.07	<0.5	9	24	16	2.79
B628363		0.74	<0.005	<0.2	0.68	12	<10	90	<0.5	<2	0.05	<0.5	10	16	26	2.78
B628364		0.64	<0.005	<0.2	1.88	12	<10	160	0.5	<2	0.07	<0.5	10	29	22	3.08
B628365		0.72	<0.005	<0.2	0.88	12	<10	90	<0.5	<2	0.05	<0.5	8	18	17	2.54
B628366		0.74	0.012	<0.2	0.90	11	<10	100	<0.5	<2	0.09	<0.5	7	18	18	2.31
B628367		0.82	<0.005	<0.2	0.72	7	<10	110	<0.5	<2	0.08	<0.5	9	16	24	2.51
B628368		0.62	<0.005	<0.2	1.09	8	<10	110	<0.5	<2	0.10	<0.5	7	18	27	2.92
B628369		0.62	0.005	<0.2	1.12	14	<10	50	<0.5	<2	0.04	<0.5	8	16	32	4.12
B628370		0.64	<0.005	<0.2	1.12	9	<10	80	<0.5	<2	0.07	<0.5	6	16	23	2.42
B628371		0.70	<0.005	<0.2	1.32	9	<10	100	<0.5	<2	0.09	<0.5	15	17	40	3.15
B628372		0.58	<0.005	<0.2	1.04	7	<10	70	<0.5	<2	0.09	<0.5	7	17	18	2.30
B628373		0.64	<0.005	<0.2	0.87	7	<10	60	<0.5	<2	0.07	<0.5	4	16	11	1.82
B628374		0.68	<0.005	<0.2	0.99	7	<10	60	<0.5	<2	0.07	<0.5	4	16	14	1.99
B628375		0.80	<0.005	<0.2	0.92	6	<10	70	<0.5	<2	0.07	<0.5	5	15	17	2.02
B628376		0.74	0.013	<0.2	1.33	11	<10	120	<0.5	<2	0.10	<0.5	8	20	18	2.35
B628377		0.66	0.015	<0.2	1.52	13	<10	110	<0.5	<2	0.09	<0.5	12	25	24	2.90
B628378		0.72	0.016	<0.2	0.99	11	<10	90	<0.5	<2	0.19	<0.5	18	14	26	2.94
B628379		0.76	0.016	<0.2	1.19	7	<10	110	<0.5	<2	0.05	<0.5	12	19	32	3.20
B628380		0.72	0.020	<0.2	1.14	10	<10	140	<0.5	<2	0.04	<0.5	13	18	29	3.01
B628381		0.76	0.009	<0.2	0.98	9	<10	150	<0.5	<2	0.10	<0.5	10	18	27	2.93
B628382		0.78	0.009	<0.2	0.87	5	<10	90	<0.5	<2	0.06	<0.5	10	16	29	2.95
B628383		0.70	0.014	0.2	1.05	7	<10	120	<0.5	<2	0.09	<0.5	9	18	26	2.95
B628551		0.50	0.012	<0.2	0.97	7	<10	90	<0.5	<2	0.06	<0.5	6	18	18	2.26
B628552		0.44	0.019	0.2	1.39	11	<10	200	<0.5	<2	0.08	<0.5	10	27	32	3.60
B628553		0.56	0.009	<0.2	0.95	7	<10	210	<0.5	<2	0.14	<0.5	7	19	22	2.29
B628554		0.68	0.010	0.2	1.00	4	<10	270	<0.5	<2	0.26	<0.5	9	18	27	2.45
B628555		0.56	0.011	<0.2	0.64	7	<10	120	<0.5	<2	0.32	0.6	8	14	17	2.34

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108018

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B628361		<10	0.04	0.04	20	0.21	197	<1	<0.01	21	200	18	0.01	<2	2	15
B628362		10	0.04	0.04	20	0.28	230	<1	<0.01	19	270	17	0.01	<2	2	12
B628363		<10	0.10	0.03	20	0.21	223	<1	<0.01	23	190	19	0.01	<2	2	13
B628364		10	0.09	0.04	10	0.35	272	<1	<0.01	20	330	16	0.01	<2	4	10
B628365		<10	0.05	0.03	10	0.24	238	<1	<0.01	17	330	18	0.01	<2	2	10
B628366		<10	0.05	0.03	20	0.27	204	<1	<0.01	18	390	13	0.01	<2	2	11
B628367		<10	0.04	0.04	20	0.25	210	<1	<0.01	21	290	16	0.01	<2	2	15
B628368		<10	0.10	0.04	30	0.29	223	<1	<0.01	20	750	22	0.04	<2	1	14
B628369		<10	0.03	0.03	40	0.36	152	<1	<0.01	23	660	31	0.03	<2	1	11
B628370		<10	0.09	0.04	30	0.38	136	<1	<0.01	17	510	22	0.02	<2	1	11
B628371		<10	0.09	0.04	50	0.55	269	<1	<0.01	28	520	34	0.01	2	1	11
B628372		<10	0.07	0.03	30	0.35	134	<1	<0.01	16	490	19	0.02	<2	1	12
B628373		<10	0.08	0.03	20	0.26	100	<1	<0.01	11	430	11	0.02	<2	1	8
B628374		<10	0.06	0.03	20	0.29	112	<1	<0.01	11	490	13	0.01	<2	1	9
B628375		<10	0.05	0.03	20	0.31	145	<1	<0.01	14	440	10	0.01	<2	1	8
B628376		<10	0.04	0.04	20	0.38	217	<1	<0.01	19	390	12	0.01	<2	2	10
B628377		<10	0.05	0.04	20	0.43	353	<1	<0.01	25	370	14	0.01	2	3	10
B628378		<10	0.06	0.03	40	0.36	822	<1	<0.01	35	460	21	0.03	<2	2	18
B628379		<10	0.18	0.04	30	0.31	307	<1	<0.01	28	230	18	0.01	<2	3	14
B628380		<10	0.20	0.04	40	0.29	289	<1	<0.01	23	200	18	0.01	<2	4	14
B628381		<10	0.15	0.03	30	0.35	311	<1	<0.01	26	270	16	0.01	<2	3	17
B628382		<10	0.21	0.03	40	0.23	257	<1	<0.01	25	250	16	0.01	<2	2	13
B628383		<10	0.14	0.05	30	0.23	234	<1	<0.01	23	360	20	0.01	<2	2	16
B628551		<10	0.10	0.03	20	0.26	154	<1	0.01	15	290	12	0.01	<2	2	11
B628552		10	0.10	0.06	20	0.25	272	1	0.01	26	670	20	0.03	<2	1	21
B628553		<10	0.07	0.04	30	0.30	236	<1	0.01	19	480	12	0.01	<2	2	18
B628554		<10	0.12	0.04	30	0.30	274	<1	0.01	20	570	23	0.02	<2	3	26
B628555		<10	0.09	0.03	20	0.24	381	<1	0.01	18	580	14	0.04	2	2	28

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108018

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B628361		0.02	<10	<10	31	<10	53
B628362		0.04	<10	<10	48	<10	57
B628363		0.03	<10	<10	27	<10	58
B628364		0.05	<10	<10	53	<10	60
B628365		0.03	<10	<10	37	<10	51
B628366		0.03	<10	<10	30	<10	51
B628367		0.03	<10	<10	26	<10	57
B628368		0.01	<10	<10	29	<10	53
B628369		0.02	<10	<10	28	<10	59
B628370		0.02	<10	<10	26	<10	50
B628371		0.01	<10	<10	21	<10	71
B628372		0.02	<10	<10	28	<10	47
B628373		0.02	<10	<10	30	<10	34
B628374		0.02	<10	<10	27	<10	39
B628375		0.02	<10	<10	25	<10	45
B628376		0.03	<10	<10	36	<10	52
B628377		0.04	<10	<10	38	<10	64
B628378		0.01	<10	<10	21	<10	68
B628379		0.03	<10	<10	32	<10	72
B628380		0.03	<10	<10	31	<10	59
B628381		0.03	<10	<10	28	<10	64
B628382		0.02	<10	<10	26	<10	64
B628383		0.02	<10	<10	33	<10	62
B628551		0.03	<10	<10	31	<10	49
B628552		0.02	<10	<10	45	<10	77
B628553		0.03	<10	<10	31	<10	57
B628554		0.02	<10	<10	26	<10	66
B628555		0.02	<10	<10	20	<10	60

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-NOV-2006
Account: STRGOL

CERTIFICATE VA06108200

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 38 Soil samples submitted to our lab in Vancouver, BC, Canada on 2-OCT-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS



To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108200

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B628154		0.54	0.015	<0.2	1.66	62	<10	150	0.5	<2	0.17	<0.5	7	23	7	2.29
B628155		0.60	0.011	<0.2	1.44	41	<10	160	0.5	<2	0.25	<0.5	8	23	12	2.23
B628156		0.62	0.005	<0.2	1.26	16	<10	90	<0.5	<2	0.12	<0.5	5	20	7	2.20
B628157		0.46	<0.005	<0.2	1.96	58	<10	80	0.5	2	0.09	<0.5	8	25	8	2.93
B628158		0.54	<0.005	<0.2	2.05	84	<10	130	0.7	<2	0.24	<0.5	11	31	15	2.98
B628159		0.68	0.008	<0.2	1.48	22	<10	90	<0.5	<2	0.13	<0.5	5	23	10	2.02
B628160		0.74	<0.005	<0.2	1.49	40	<10	150	0.5	<2	0.20	<0.5	6	23	13	2.02
B628161		0.46	<0.005	<0.2	1.46	21	<10	100	0.5	<2	0.15	<0.5	8	18	10	2.21
B628162		0.54	<0.005	<0.2	1.59	42	<10	220	0.5	<2	0.18	<0.5	7	25	14	2.52
B628163		0.62	<0.005	<0.2	1.85	106	<10	240	0.6	<2	0.20	<0.5	9	26	11	2.66
B628164		0.54	0.008	<0.2	1.51	100	<10	90	<0.5	<2	0.08	<0.5	4	20	5	2.02
B628165		0.58	<0.005	<0.2	1.77	77	<10	140	0.5	<2	0.23	<0.5	10	26	10	2.54
B628166		0.48	<0.005	<0.2	1.86	54	<10	160	0.6	2	0.16	<0.5	8	27	9	2.54
B628167		0.56	<0.005	<0.2	1.55	53	<10	100	0.5	<2	0.12	<0.5	6	20	8	2.20
B628168		0.50	0.007	<0.2	1.67	56	<10	110	0.5	<2	0.14	<0.5	6	22	6	2.38
B628169		0.52	<0.005	<0.2	1.60	41	<10	110	0.5	<2	0.21	<0.5	9	22	15	2.27
B628170		0.44	<0.005	<0.2	1.80	74	<10	110	0.6	<2	0.11	<0.5	11	25	10	2.84
B628171		0.64	0.014	<0.2	1.72	68	<10	190	0.6	<2	0.22	<0.5	9	26	16	2.52
B628172		0.60	<0.005	<0.2	1.79	64	<10	140	0.6	<2	0.13	<0.5	7	26	13	2.54
B628173		0.52	0.074	<0.2	1.53	85	<10	80	<0.5	<2	0.12	<0.5	5	22	8	2.10
B628174		0.48	<0.005	<0.2	1.32	38	<10	80	<0.5	2	0.13	<0.5	5	19	6	1.91
B628175		0.58	0.016	<0.2	1.72	80	<10	150	0.5	<2	0.19	<0.5	6	23	9	2.14
B628176		0.82	0.005	<0.2	1.80	182	<10	190	0.5	<2	0.22	<0.5	6	25	9	2.29
B628177		0.90	0.396	<0.2	1.54	61	<10	140	0.5	2	0.27	<0.5	8	22	12	2.19
B628178		0.54	<0.005	<0.2	1.65	35	<10	180	0.9	<2	0.26	<0.5	7	24	9	2.68
B628179		0.70	<0.005	<0.2	1.51	32	<10	160	0.5	<2	0.19	<0.5	7	24	10	2.49
B628180		0.48	0.005	<0.2	1.33	36	<10	140	0.5	<2	0.15	<0.5	8	20	18	2.40
B628181		0.54	0.052	<0.2	1.37	42	<10	150	<0.5	<2	0.16	<0.5	8	21	13	2.42
B628182		0.58	0.006	<0.2	1.22	80	<10	120	<0.5	<2	0.13	<0.5	5	19	10	1.93
B628183		0.58	0.018	<0.2	1.43	244	<10	120	0.5	<2	0.19	<0.5	9	21	13	2.51
B628184		0.58	0.040	<0.2	1.30	98	<10	100	<0.5	<2	0.12	<0.5	5	20	9	2.24
B628185		0.54	<0.005	<0.2	1.27	42	<10	70	<0.5	<2	0.07	<0.5	3	20	10	1.88
B628186		0.52	<0.005	<0.2	1.41	39	<10	110	<0.5	<2	0.13	<0.5	6	20	10	2.02
B628187		0.60	0.068	<0.2	1.74	810	<10	200	0.7	<2	0.18	<0.5	9	25	16	2.89
B628188		0.60	0.022	<0.2	2.01	303	<10	270	0.8	<2	0.26	<0.5	11	30	14	3.09
B628189		0.54	0.005	<0.2	1.70	182	<10	140	0.5	<2	0.21	<0.5	8	25	12	2.60
B628190		0.60	<0.005	<0.2	1.33	47	<10	110	0.5	<2	0.20	<0.5	9	22	13	2.36
B628191		0.52	0.015	<0.2	1.54	63	<10	120	0.5	<2	0.21	<0.5	10	26	17	2.51

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108200

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B628154		10	0.03	0.08	20	0.45	293	2	0.01	15	650	9	<0.01	<2	2	15
B628155		<10	0.02	0.14	20	0.56	318	1	0.01	22	790	9	<0.01	<2	3	21
B628156		<10	0.03	0.05	10	0.36	207	1	0.01	11	610	9	<0.01	<2	1	11
B628157		10	0.05	0.07	10	0.42	356	2	0.01	15	500	11	0.01	2	3	8
B628158		10	0.05	0.22	20	0.65	393	1	0.01	26	980	10	0.01	3	5	17
B628159		10	0.03	0.06	20	0.41	146	1	0.01	15	560	7	<0.01	<2	2	10
B628160		10	0.04	0.09	20	0.45	129	1	0.01	17	660	9	<0.01	<2	3	15
B628161		<10	0.02	0.04	10	0.39	313	1	0.01	18	630	11	<0.01	<2	2	11
B628162		10	0.04	0.05	20	0.47	241	2	0.01	16	630	10	<0.01	<2	4	15
B628163		10	0.02	0.09	20	0.50	429	4	0.01	18	690	9	<0.01	2	4	19
B628164		10	0.03	0.04	10	0.31	221	2	0.01	11	420	9	0.01	<2	1	8
B628165		10	0.04	0.11	20	0.55	272	1	0.01	19	880	10	<0.01	2	3	17
B628166		10	0.09	0.07	20	0.49	374	1	0.01	15	730	9	0.01	<2	3	13
B628167		<10	0.02	0.05	10	0.39	289	2	0.01	12	510	8	<0.01	<2	2	10
B628168		10	0.03	0.07	20	0.40	262	1	0.01	10	640	9	0.01	<2	2	11
B628169		<10	0.03	0.09	20	0.46	286	1	0.01	19	810	9	<0.01	<2	3	14
B628170		10	0.03	0.08	20	0.44	416	2	0.01	19	590	12	0.01	<2	2	11
B628171		10	0.04	0.17	30	0.56	302	1	0.01	22	830	11	<0.01	<2	4	14
B628172		10	0.06	0.05	30	0.45	291	2	0.01	14	690	15	<0.01	<2	3	10
B628173		<10	0.03	0.06	20	0.38	156	1	0.01	15	570	9	0.01	<2	2	9
B628174		10	0.03	0.06	10	0.35	213	1	0.01	14	560	7	<0.01	<2	1	10
B628175		10	0.03	0.08	20	0.46	203	1	0.01	14	690	9	0.01	<2	2	13
B628176		10	0.02	0.06	20	0.50	189	5	0.02	17	610	5	0.01	<2	2	18
B628177		<10	0.03	0.10	20	0.47	266	2	0.01	17	860	8	<0.01	2	3	18
B628178		<10	0.25	0.06	30	0.42	184	3	0.01	19	650	13	<0.01	<2	5	20
B628179		10	0.04	0.10	20	0.47	263	1	0.02	20	600	9	<0.01	2	3	14
B628180		<10	0.06	0.05	20	0.39	199	1	0.01	17	600	12	<0.01	<2	3	12
B628181		<10	0.03	0.06	20	0.39	289	1	0.01	19	660	17	<0.01	<2	2	13
B628182		<10	0.03	0.04	20	0.32	168	1	0.01	15	490	30	<0.01	<2	1	11
B628183		<10	0.03	0.06	20	0.41	357	1	0.01	19	730	42	<0.01	6	3	16
B628184		<10	0.03	0.04	20	0.32	184	2	0.01	15	600	11	0.01	<2	1	10
B628185		<10	0.05	0.04	10	0.25	97	1	0.01	11	700	11	0.01	<2	<1	8
B628186		<10	0.04	0.05	20	0.34	172	1	0.01	14	650	9	<0.01	<2	1	11
B628187		10	0.05	0.10	30	0.49	303	2	0.01	23	590	12	<0.01	<2	4	14
B628188		10	0.03	0.15	30	0.63	353	1	0.02	25	760	10	<0.01	<2	5	20
B628189		10	0.05	0.06	20	0.42	240	2	0.01	16	740	15	0.02	<2	2	20
B628190		<10	0.02	0.06	20	0.41	329	1	<0.01	20	790	10	0.01	<2	3	15
B628191		<10	0.03	0.08	20	0.49	378	1	0.01	22	880	10	0.01	<2	3	15

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06108200

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B628154		0.06	<10	<10	39	<10	47
B628155		0.09	<10	<10	38	10	54
B628156		0.05	<10	<10	39	10	44
B628157		0.07	<10	<10	45	10	49
B628158		0.12	<10	<10	49	20	77
B628159		0.07	<10	<10	39	10	45
B628160		0.06	<10	<10	39	10	53
B628161		0.04	<10	<10	31	<10	50
B628162		0.06	<10	<10	42	20	55
B628163		0.07	<10	<10	48	10	58
B628164		0.04	<10	<10	42	<10	41
B628165		0.09	<10	<10	42	10	59
B628166		0.06	<10	<10	45	10	62
B628167		0.05	<10	<10	37	<10	46
B628168		0.06	<10	<10	38	10	45
B628169		0.07	<10	<10	34	10	51
B628170		0.05	<10	<10	49	10	63
B628171		0.11	<10	<10	41	10	64
B628172		0.05	<10	<10	44	30	61
B628173		0.05	<10	<10	38	30	40
B628174		0.05	<10	<10	37	10	42
B628175		0.07	<10	<10	38	10	48
B628176		0.07	<10	<10	40	10	54
B628177		0.08	<10	<10	36	30	57
B628178		0.06	<10	<10	42	20	52
B628179		0.08	<10	<10	45	10	54
B628180		0.05	<10	<10	34	<10	54
B628181		0.05	<10	<10	39	10	58
B628182		0.04	<10	<10	35	10	44
B628183		0.05	<10	<10	38	10	94
B628184		0.03	<10	<10	37	20	45
B628185		0.01	<10	<10	38	10	35
B628186		0.04	<10	<10	37	10	45
B628187		0.07	<10	<10	42	10	63
B628188		0.11	<10	<10	49	10	63
B628189		0.04	<10	<10	41	10	53
B628190		0.05	<10	<10	36	10	58
B628191		0.07	<10	<10	42	20	61

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-NOV-2006
Account: STRGOL

CERTIFICATE VA06114204

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 118 Soil samples submitted to our lab in Vancouver, BC, Canada on 11-OCT-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114204

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B628130		0.34	<0.005	0.6	0.94	15	<10	120	<0.5	<2	0.13	<0.5	5	15	7	1.84
B628131		0.30	0.005	<0.2	1.01	13	<10	70	<0.5	<2	0.08	<0.5	4	22	14	2.07
B628132		0.22	0.008	0.2	0.84	12	<10	80	<0.5	<2	0.15	<0.5	6	16	23	2.01
B628133		0.36	0.006	0.2	1.42	15	<10	170	<0.5	<2	0.06	<0.5	4	27	26	2.66
B628134		0.42	<0.005	0.2	1.58	22	<10	100	<0.5	<2	0.05	<0.5	7	24	14	2.63
B628135		0.40	0.008	<0.2	1.00	14	<10	70	<0.5	<2	0.10	<0.5	5	21	15	2.10
B628136		0.34	<0.005	<0.2	0.85	14	<10	90	<0.5	<2	0.10	<0.5	5	19	15	2.11
B628137		0.36	<0.005	0.6	0.63	16	<10	70	<0.5	2	0.12	0.8	9	10	19	2.39
B628138		0.44	<0.005	0.3	1.17	13	<10	80	<0.5	<2	0.04	<0.5	6	18	13	2.81
B628139		0.30	<0.005	0.2	0.93	11	<10	70	<0.5	<2	0.06	<0.5	6	17	13	2.29
B628140		0.36	0.006	0.4	0.92	10	<10	110	<0.5	<2	0.13	<0.5	5	15	7	1.91
B628141		0.32	0.010	0.5	1.04	12	<10	200	<0.5	<2	0.18	<0.5	5	18	15	1.69
B628142		0.40	<0.005	0.2	0.78	10	<10	140	<0.5	<2	0.19	<0.5	4	14	13	1.54
B628143		0.38	0.007	0.3	0.84	37	<10	90	<0.5	<2	0.04	<0.5	8	15	23	2.72
B628144		0.28	<0.005	0.2	1.37	13	<10	110	<0.5	<2	0.06	<0.5	6	21	16	2.16
B628145		0.28	0.007	0.2	0.84	12	<10	110	<0.5	<2	0.09	<0.5	7	16	18	1.98
B628146		0.32	<0.005	0.6	1.27	16	<10	140	0.5	<2	0.06	<0.5	9	18	20	2.86
B628147		0.42	0.006	0.2	0.83	10	<10	80	<0.5	<2	0.10	<0.5	4	17	20	1.95
B628148		0.32	<0.005	<0.2	1.18	18	<10	90	<0.5	<2	0.04	<0.5	5	19	15	2.29
B628149		0.52	<0.005	<0.2	1.05	73	<10	60	<0.5	<2	0.03	<0.5	4	17	15	2.31
B628150		0.34	0.007	<0.2	1.57	16	<10	110	<0.5	<2	0.10	<0.5	7	25	16	2.39
B628333		0.48	<0.005	0.2	1.16	8	<10	120	<0.5	<2	0.10	<0.5	7	26	21	2.36
B628334		0.48	<0.005	0.2	1.48	12	<10	110	<0.5	<2	0.04	<0.5	7	24	23	2.59
B628335		0.44	<0.005	0.4	0.82	24	<10	140	<0.5	<2	0.18	<0.5	5	10	13	1.58
B628336		0.48	<0.005	0.2	1.19	28	<10	100	<0.5	<2	0.08	<0.5	6	16	12	1.98
B628337		0.36	<0.005	<0.2	1.17	14	<10	100	<0.5	<2	0.06	<0.5	3	16	8	1.85
B628338		0.48	<0.005	<0.2	0.92	13	<10	80	<0.5	<2	0.05	<0.5	4	16	13	1.79
B628339		0.46	<0.005	0.2	0.61	25	<10	50	<0.5	<2	0.04	<0.5	3	11	12	1.53
B628340		0.50	0.006	0.3	0.39	28	<10	40	<0.5	2	0.01	<0.5	3	9	25	2.08
B628341		0.46	0.008	<0.2	0.94	9	<10	470	<0.5	<2	0.12	<0.5	11	16	12	2.12
B628342		0.48	<0.005	0.2	0.85	15	<10	280	<0.5	<2	0.12	<0.5	8	16	14	2.50
B628343		0.42	0.011	<0.2	1.07	21	<10	90	<0.5	<2	0.05	<0.5	5	20	15	2.43
B628344		0.40	0.007	0.5	1.81	16	<10	150	<0.5	<2	0.06	<0.5	7	26	15	2.88
B628345		0.60	<0.005	0.2	0.72	47	<10	60	<0.5	<2	0.04	<0.5	3	14	35	3.09
B628346		0.32	<0.005	<0.2	0.98	12	<10	60	<0.5	<2	0.04	<0.5	3	18	8	1.82
B628347		0.54	0.010	<0.2	1.38	16	<10	90	<0.5	<2	0.12	<0.5	7	24	13	2.69
B628348		0.22	0.005	0.2	1.10	8	<10	200	<0.5	<2	0.10	<0.5	5	19	17	2.02
B628349		0.48	<0.005	0.4	0.40	13	<10	30	<0.5	<2	0.01	<0.5	1	6	25	2.19
B628350		0.36	<0.005	0.5	1.18	17	<10	60	<0.5	<2	0.08	<0.5	5	21	16	2.70
B628384		0.80	<0.005	<0.2	1.05	12	<10	200	<0.5	<2	0.26	<0.5	10	17	34	2.90

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114204

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B628130		<10	0.09	0.03	10	0.24	122	<1	<0.01	10	550	55	0.01	<2	1	12
B628131		<10	0.04	0.04	10	0.24	177	1	<0.01	10	570	17	0.01	<2	1	9
B628132		<10	0.02	0.03	10	0.29	217	<1	<0.01	19	660	12	0.01	<2	2	11
B628133		<10	0.14	0.03	10	0.24	105	1	0.01	13	840	22	0.06	<2	<1	11
B628134		<10	0.04	0.04	20	0.32	237	1	<0.01	14	290	29	0.01	<2	2	8
B628135		<10	0.03	0.05	20	0.25	208	1	0.01	13	570	18	0.01	<2	1	10
B628136		<10	0.03	0.05	10	0.22	260	1	<0.01	12	520	17	0.01	<2	1	10
B628137		<10	0.18	0.04	20	0.07	626	1	<0.01	14	350	98	0.01	7	1	8
B628138		<10	0.04	0.04	10	0.24	282	1	<0.01	15	300	41	0.01	<2	2	6
B628139		<10	0.03	0.04	10	0.21	240	1	<0.01	13	340	34	0.01	<2	1	8
B628140		<10	0.07	0.03	10	0.24	102	<1	0.01	11	560	50	0.01	<2	1	12
B628141		<10	0.12	0.04	10	0.26	81	<1	0.01	16	740	32	0.01	<2	1	19
B628142		<10	0.04	0.02	10	0.26	98	<1	0.01	14	720	16	0.01	<2	1	15
B628143		<10	0.17	0.06	20	0.17	236	1	<0.01	16	280	169	0.01	5	2	26
B628144		<10	0.03	0.04	10	0.26	134	1	<0.01	17	200	19	0.01	<2	2	10
B628145		<10	0.10	0.06	20	0.26	256	1	0.01	16	310	17	0.01	3	2	20
B628146		<10	0.06	0.07	10	0.19	243	1	<0.01	20	260	25	0.01	<2	2	16
B628147		<10	0.06	0.04	10	0.25	131	1	0.01	15	460	18	0.01	<2	2	15
B628148		<10	0.15	0.03	10	0.27	114	<1	<0.01	12	240	24	0.01	2	2	9
B628149		<10	0.03	0.05	10	0.16	139	1	<0.01	11	320	43	0.01	15	2	15
B628150		<10	0.07	0.04	10	0.37	189	1	0.01	17	460	16	0.01	<2	3	10
B628333		<10	0.02	0.03	20	0.44	195	1	0.01	20	410	12	0.02	<2	1	14
B628334		<10	0.02	0.03	20	0.39	188	1	0.01	19	190	15	0.01	<2	3	9
B628335		<10	0.02	0.09	20	0.13	108	1	0.01	9	370	17	0.05	2	1	20
B628336		<10	0.01	0.06	10	0.32	190	1	0.01	11	240	16	0.03	<2	2	11
B628337		10	0.02	0.03	10	0.16	97	1	0.01	7	180	18	0.01	<2	2	10
B628338		<10	0.04	0.04	10	0.23	98	1	<0.01	11	280	19	0.01	<2	1	7
B628339		<10	0.07	0.05	20	0.12	65	1	0.01	7	340	57	0.02	2	<1	7
B628340		<10	0.03	0.06	30	0.07	81	1	<0.01	6	330	37	0.04	5	1	11
B628341		<10	0.04	0.10	20	0.14	820	1	0.01	12	600	22	0.03	3	1	19
B628342		<10	0.06	0.07	10	0.16	685	1	0.01	12	630	22	0.03	8	1	15
B628343		<10	0.05	0.05	10	0.27	126	1	0.01	14	270	11	0.02	2	2	8
B628344		10	0.16	0.05	10	0.30	230	1	0.01	16	250	14	0.02	<2	3	9
B628345		<10	0.08	0.08	20	0.15	89	1	<0.01	9	240	14	0.01	5	1	10
B628346		10	0.04	0.03	10	0.19	72	1	0.01	6	350	11	0.02	<2	1	7
B628347		<10	0.04	0.04	10	0.32	305	1	0.01	16	640	13	0.03	<2	2	11
B628348		<10	0.08	0.07	20	0.27	136	1	0.01	14	700	12	0.04	<2	1	11
B628349		<10	0.07	0.07	20	0.02	18	1	0.01	<1	250	20	0.03	6	1	8
B628350		<10	0.11	0.04	10	0.25	257	1	0.01	12	560	21	0.05	3	1	11
B628384		<10	0.27	0.05	40	0.30	259	<1	0.01	27	450	20	0.02	<2	3	39

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114204

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B628130		0.02	<10	<10	26	<10	53
B628131		0.03	<10	<10	35	<10	43
B628132		0.04	<10	<10	29	<10	54
B628133		0.02	<10	<10	48	<10	40
B628134		0.04	<10	<10	38	<10	51
B628135		0.03	<10	<10	35	<10	45
B628136		0.03	<10	<10	37	<10	45
B628137		0.02	<10	<10	26	<10	154
B628138		0.03	<10	<10	35	<10	72
B628139		0.03	<10	<10	31	<10	57
B628140		0.02	<10	<10	26	<10	55
B628141		0.02	<10	<10	27	<10	48
B628142		0.03	<10	<10	23	<10	41
B628143		0.02	<10	<10	27	<10	113
B628144		0.04	<10	<10	38	<10	44
B628145		0.04	<10	<10	29	<10	52
B628146		0.03	<10	<10	38	<10	60
B628147		0.03	<10	<10	30	<10	45
B628148		0.03	<10	<10	31	<10	40
B628149		0.03	<10	<10	33	<10	53
B628150		0.04	<10	<10	39	<10	56
B628333		0.02	<10	<10	28	<10	47
B628334		0.04	<10	<10	36	<10	55
B628335		0.02	<10	<10	32	<10	36
B628336		0.03	<10	<10	33	<10	37
B628337		0.05	<10	<10	50	<10	34
B628338		0.03	<10	<10	30	<10	36
B628339		0.02	<10	<10	23	<10	32
B628340		0.01	<10	<10	16	<10	39
B628341		0.02	<10	<10	35	<10	58
B628342		0.03	<10	<10	39	<10	55
B628343		0.04	<10	<10	38	<10	42
B628344		0.05	<10	<10	54	<10	48
B628345		0.02	<10	<10	24	<10	29
B628346		0.03	<10	<10	46	<10	28
B628347		0.04	<10	<10	41	<10	63
B628348		0.03	<10	<10	37	<10	51
B628349		<0.01	<10	<10	14	<10	11
B628350		0.05	<10	<10	45	<10	46
B628384		0.02	<10	<10	26	<10	65

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114204

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B628385		0.74	<0.005	0.2	0.92	9	<10	180	<0.5	<2	0.22	<0.5	10	17	20	2.47
B628386		0.76	<0.005	0.3	0.88	8	<10	90	<0.5	<2	0.18	<0.5	15	13	38	3.75
B628387		0.82	<0.005	0.2	0.91	14	<10	180	<0.5	<2	0.24	<0.5	12	15	35	2.88
B628388		0.80	<0.005	0.2	0.93	11	<10	200	<0.5	<2	0.19	<0.5	8	16	22	2.16
B628389		0.68	<0.005	0.2	0.98	14	<10	160	<0.5	<2	0.17	<0.5	8	17	21	3.00
B628390		0.74	<0.005	0.4	0.89	16	<10	170	<0.5	<2	0.34	<0.5	9	19	30	2.78
B628391		0.82	<0.005	0.2	1.42	6	<10	140	<0.5	<2	0.24	<0.5	12	21	34	3.04
B628392		0.86	<0.005	<0.2	1.67	3	<10	110	0.5	<2	0.24	<0.5	19	23	47	4.32
B628393		0.74	<0.005	0.2	1.28	11	<10	170	<0.5	<2	0.15	<0.5	6	21	22	2.31
B628394		0.64	<0.005	0.2	0.97	13	<10	250	<0.5	<2	0.19	<0.5	7	19	22	2.41
B628395		0.58	0.017	<0.2	1.01	14	<10	170	<0.5	<2	0.16	<0.5	4	18	14	1.96
B628396		0.58	<0.005	0.3	0.82	11	<10	220	<0.5	<2	0.18	<0.5	8	15	20	1.99
B628397		0.72	<0.005	0.3	1.41	12	<10	400	<0.5	<2	0.31	<0.5	12	27	28	3.37
B628398		0.36	<0.005	0.5	1.16	28	<10	270	<0.5	<2	0.18	<0.5	5	20	22	3.67
B628399		0.56	0.007	<0.2	2.23	45	<10	280	0.7	<2	0.70	<0.5	15	46	37	3.22
B628400		0.50	<0.005	0.3	1.89	47	<10	230	0.6	<2	0.54	<0.5	13	43	39	2.92
B628470		0.40	<0.005	<0.2	1.30	15	<10	50	<0.5	<2	0.04	<0.5	6	18	22	3.12
B628471		0.38	<0.005	0.2	1.46	13	<10	50	<0.5	<2	0.05	<0.5	7	22	23	3.69
B628472		0.34	<0.005	<0.2	1.76	17	<10	140	<0.5	<2	0.10	<0.5	9	24	18	3.25
B628473		0.36	<0.005	<0.2	1.85	14	<10	140	<0.5	<2	0.09	<0.5	10	24	20	2.98
B628474		0.34	<0.005	<0.2	1.64	13	<10	130	<0.5	<2	0.08	<0.5	8	22	18	2.77
B628475		0.40	<0.005	<0.2	1.32	10	<10	100	<0.5	<2	0.04	<0.5	6	19	12	2.18
B628476		0.36	<0.005	<0.2	1.35	14	<10	120	<0.5	<2	0.06	<0.5	7	22	15	2.27
B628477		0.34	0.011	<0.2	1.41	16	<10	130	<0.5	<2	0.06	<0.5	7	22	15	2.35
B628478		0.32	<0.005	<0.2	1.39	14	<10	120	<0.5	<2	0.05	<0.5	6	21	14	2.44
B628479		0.44	<0.005	0.2	1.39	15	<10	110	<0.5	<2	0.12	<0.5	9	22	18	2.33
B628480		0.32	<0.005	0.2	1.40	17	<10	130	<0.5	<2	0.10	<0.5	8	22	18	2.40
B628481		0.36	<0.005	0.2	1.42	18	<10	120	<0.5	<2	0.11	<0.5	9	22	18	2.44
B628482		0.44	<0.005	<0.2	0.85	12	<10	60	<0.5	<2	0.06	<0.5	3	16	10	1.70
B628483		0.40	<0.005	<0.2	0.87	12	<10	70	<0.5	<2	0.05	<0.5	3	16	10	1.79
B628484		0.36	0.005	<0.2	0.74	10	<10	60	<0.5	<2	0.05	<0.5	2	14	9	1.50
B628485		0.34	<0.005	<0.2	0.62	14	<10	40	<0.5	<2	0.03	<0.5	12	15	37	3.78
B628486		0.40	<0.005	<0.2	0.63	10	<10	40	<0.5	<2	0.03	<0.5	12	13	33	3.80
B628487		0.42	<0.005	<0.2	0.66	12	<10	40	<0.5	<2	0.03	<0.5	12	14	32	3.74
B628488		0.38	<0.005	<0.2	0.62	12	<10	40	<0.5	<2	0.02	<0.5	14	13	36	4.28
B628489		0.40	<0.005	<0.2	0.60	15	<10	40	<0.5	<2	0.02	<0.5	14	14	39	4.35
B628490		0.40	<0.005	<0.2	0.66	13	<10	30	<0.5	<2	0.03	<0.5	12	14	34	3.96
B628522		0.58	<0.005	0.2	1.30	13	<10	110	<0.5	<2	0.13	<0.5	6	21	16	2.01
B628523		0.14	<0.005	0.3	1.76	11	<10	180	0.6	<2	0.23	<0.5	14	25	37	2.33
B628524		0.24	<0.005	0.2	1.24	9	<10	100	<0.5	<2	0.15	<0.5	5	20	17	1.56

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114204

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B628385		<10	0.08	0.04	30	0.26	454	1	0.01	21	460	14	0.02	<2	2	19
B628386		<10	0.17	0.06	50	0.31	428	1	0.01	35	490	26	0.02	<2	2	22
B628387		<10	0.14	0.06	30	0.29	363	1	<0.01	30	480	22	0.01	<2	2	23
B628388		<10	0.14	0.04	20	0.26	93	<1	0.01	21	610	14	0.02	<2	2	24
B628389		<10	0.15	0.03	20	0.25	110	<1	0.01	19	610	16	0.03	<2	2	22
B628390		<10	0.57	0.06	30	0.26	285	4	0.01	26	530	17	0.02	<2	3	29
B628391		<10	0.29	0.06	40	0.50	363	<1	0.01	28	470	16	0.01	<2	2	26
B628392		<10	0.20	0.08	60	0.72	622	<1	0.01	46	560	22	0.01	<2	3	34
B628393		<10	0.14	0.04	20	0.29	121	1	0.01	16	700	16	0.02	<2	2	16
B628394		<10	0.10	0.04	20	0.27	223	1	0.01	19	570	14	0.02	<2	3	41
B628395		<10	0.06	0.04	20	0.25	90	<1	0.01	12	680	13	0.02	<2	1	25
B628396		<10	0.07	0.04	30	0.20	337	<1	0.01	19	470	14	0.02	<2	2	20
B628397		<10	0.08	0.05	20	0.45	234	1	0.04	27	720	18	0.07	<2	4	30
B628398		<10	0.09	0.04	10	0.25	104	1	0.01	16	1040	20	0.05	<2	3	19
B628399		10	0.03	0.24	20	0.76	362	1	0.02	46	640	14	0.04	2	4	56
B628400		10	0.03	0.19	20	0.65	369	2	0.02	45	680	13	0.06	<2	3	59
B628470		<10	0.02	0.04	30	0.38	221	1	0.01	11	510	27	0.04	2	1	12
B628471		<10	0.02	0.04	30	0.46	271	1	0.01	15	520	26	0.04	3	2	13
B628472		<10	0.03	0.04	20	0.36	209	1	0.01	19	370	20	0.02	2	2	15
B628473		<10	0.03	0.04	20	0.35	202	1	0.01	23	330	20	0.02	<2	2	14
B628474		<10	0.03	0.03	10	0.32	168	1	<0.01	20	310	19	0.02	<2	2	13
B628475		<10	0.09	0.04	10	0.26	166	1	<0.01	13	190	14	0.01	<2	2	8
B628476		<10	0.10	0.05	20	0.30	211	1	0.01	15	230	15	0.01	<2	2	10
B628477		<10	0.08	0.05	20	0.29	207	1	<0.01	14	230	17	0.01	<2	2	10
B628478		<10	0.08	0.05	20	0.27	173	<1	<0.01	13	260	16	0.01	<2	2	10
B628479		<10	0.05	0.05	10	0.38	226	1	0.01	21	400	12	0.01	<2	3	18
B628480		<10	0.06	0.06	20	0.35	207	1	0.01	21	310	17	0.02	<2	3	26
B628481		<10	0.05	0.06	10	0.38	225	1	0.01	22	360	14	0.01	<2	3	19
B628482		<10	0.12	0.05	20	0.18	88	1	0.01	8	440	16	0.02	2	1	20
B628483		<10	0.12	0.05	20	0.18	86	1	0.01	8	450	15	0.02	2	1	19
B628484		<10	0.10	0.04	10	0.15	75	1	<0.01	7	430	12	0.01	3	1	15
B628485		<10	0.06	0.03	30	0.14	167	1	<0.01	32	530	32	0.01	6	1	9
B628486		<10	0.02	0.03	30	0.13	183	1	<0.01	31	500	29	0.01	4	1	8
B628487		<10	0.02	0.03	30	0.12	183	1	<0.01	30	500	29	0.01	5	1	8
B628488		<10	0.01	0.03	30	0.11	177	1	<0.01	35	550	30	0.02	5	1	8
B628489		<10	0.02	0.03	30	0.10	164	2	<0.01	37	580	33	0.02	5	1	8
B628490		<10	0.01	0.03	30	0.15	177	1	<0.01	33	530	31	0.01	4	1	9
B628522		<10	0.07	0.07	20	0.40	153	1	0.01	18	510	7	0.04	<2	2	17
B628523		10	0.05	0.11	20	0.59	343	1	0.01	29	640	10	0.05	<2	3	27
B628524		10	0.05	0.06	10	0.40	107	<1	0.01	17	490	7	0.03	<2	2	16

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114204

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
B628385		0.03	<10	<10	27	<10	62
B628386		0.01	<10	<10	14	<10	85
B628387		0.02	<10	<10	20	<10	74
B628388		0.03	<10	<10	27	<10	64
B628389		0.02	<10	<10	27	<10	60
B628390		0.02	<10	<10	26	<10	66
B628391		0.02	<10	<10	27	<10	71
B628392		0.01	<10	<10	22	<10	102
B628393		0.03	<10	<10	35	<10	55
B628394		0.04	<10	<10	30	<10	61
B628395		0.03	<10	<10	32	<10	46
B628396		0.01	<10	<10	22	<10	46
B628397		0.05	<10	<10	44	<10	92
B628398		0.02	<10	<10	38	<10	51
B628399		0.10	<10	<10	53	<10	73
B628400		0.08	<10	<10	55	<10	66
B628470		0.03	<10	<10	29	<10	49
B628471		0.03	<10	<10	30	<10	62
B628472		0.03	<10	<10	45	<10	56
B628473		0.03	<10	<10	42	<10	54
B628474		0.03	<10	<10	40	<10	49
B628475		0.03	<10	<10	31	<10	41
B628476		0.04	<10	<10	34	<10	46
B628477		0.04	<10	<10	35	<10	47
B628478		0.03	<10	<10	38	<10	42
B628479		0.05	<10	<10	36	<10	57
B628480		0.05	<10	<10	42	<10	59
B628481		0.05	<10	<10	39	<10	60
B628482		0.02	<10	<10	28	<10	30
B628483		0.02	<10	<10	28	<10	30
B628484		0.02	<10	<10	26	<10	28
B628485		0.02	<10	<10	24	<10	96
B628486		0.02	<10	<10	22	<10	94
B628487		0.02	<10	<10	25	<10	89
B628488		0.01	<10	<10	22	<10	105
B628489		0.01	<10	<10	23	<10	108
B628490		0.02	<10	<10	24	<10	97
B628522		0.04	<10	<10	28	<10	73
B628523		0.06	<10	<10	35	<10	110
B628524		0.04	<10	<10	24	<10	61

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114204

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B628525		0.12	<0.005	0.2	1.21	9	<10	100	<0.5	<2	0.13	<0.5	4	21	16	1.59
B628526		0.26	<0.005	0.2	0.98	7	<10	70	<0.5	<2	0.08	<0.5	3	17	14	1.42
B628527		0.24	<0.005	0.2	0.90	8	<10	60	<0.5	<2	0.07	<0.5	3	14	14	1.30
B628528		0.50	<0.005	0.2	1.13	10	<10	80	<0.5	<2	0.10	<0.5	4	17	14	1.76
B628529		0.20	<0.005	<0.2	0.94	8	<10	60	<0.5	<2	0.08	<0.5	3	14	10	1.38
B628530		0.06	<0.005	0.3	0.71	18	<10	210	0.5	<2	0.25	<0.5	2	9	29	2.73
B628531		0.06	<0.005	0.3	2.01	18	<10	290	0.7	<2	0.37	<0.5	22	33	30	3.40
B628532		0.32	0.014	0.3	1.31	140	<10	160	0.5	<2	0.45	<0.5	9	24	22	2.36
B628533		0.42	<0.005	<0.2	1.69	60	<10	410	0.5	<2	0.48	<0.5	14	27	22	2.41
B628534		0.50	0.039	<0.2	1.18	64	<10	280	<0.5	<2	0.32	<0.5	7	20	16	1.78
B628535		0.18	0.005	0.2	2.07	77	<10	460	0.6	<2	1.27	<0.5	15	33	30	3.46
B628536		0.64	0.022	<0.2	1.44	117	<10	320	0.5	<2	0.58	<0.5	9	25	25	2.64
B628537		0.44	0.010	0.2	1.56	99	<10	350	0.5	<2	0.91	<0.5	12	25	22	2.57
B628538		0.36	<0.005	0.2	1.76	94	<10	330	<0.5	<2	0.78	<0.5	11	28	22	2.76
B628539		0.56	0.009	<0.2	1.87	125	<10	250	0.5	<2	0.28	<0.5	9	29	23	2.95
B628540		0.56	<0.005	<0.2	1.40	52	<10	200	<0.5	<2	0.18	<0.5	8	25	22	2.57
B628541		0.50	<0.005	0.2	1.68	103	<10	170	<0.5	<2	0.10	<0.5	8	24	19	2.70
B628542		0.44	<0.005	<0.2	1.15	26	<10	140	<0.5	<2	0.08	<0.5	4	18	11	1.92
B628543		0.56	0.006	<0.2	1.80	103	<10	230	0.6	<2	0.27	<0.5	9	29	28	3.05
B628544		0.52	0.005	<0.2	1.90	63	<10	200	0.5	<2	0.24	<0.5	11	34	28	2.99
B628545		0.62	0.010	<0.2	1.49	122	<10	250	0.5	<2	0.25	<0.5	9	27	26	2.53
B628546		0.70	<0.005	<0.2	1.51	86	<10	210	0.5	<2	0.21	<0.5	9	25	25	2.64
B628547		0.62	<0.005	<0.2	2.47	71	<10	240	0.8	<2	0.57	<0.5	12	38	33	3.53
B628548		0.68	<0.005	0.2	1.95	91	<10	320	0.7	<2	0.56	<0.5	15	33	36	3.49
B628549		0.70	<0.005	<0.2	1.58	50	<10	260	0.5	<2	0.33	<0.5	10	27	25	2.56
B628550		0.30	0.009	0.3	1.80	165	<10	240	0.5	<2	0.57	<0.5	11	31	24	2.74
B628651		0.42	<0.005	0.3	1.19	42	<10	50	<0.5	<2	0.03	<0.5	2	19	9	2.67
B628652		0.36	<0.005	0.2	0.53	4	<10	60	<0.5	<2	0.08	<0.5	12	15	35	3.05
B628653		0.44	<0.005	<0.2	1.23	16	<10	80	0.5	<2	0.59	<0.5	11	21	18	4.23
B628654		0.46	<0.005	<0.2	1.01	16	<10	110	<0.5	<2	0.10	<0.5	13	16	31	3.36
B628655		0.44	0.015	0.3	1.03	43	<10	100	<0.5	4	0.06	<0.5	3	18	17	1.87
B628656		0.52	0.009	0.6	1.99	84	<10	340	0.5	6	0.14	<0.5	8	29	20	2.96
B628657		0.50	0.007	0.2	1.77	59	<10	290	<0.5	2	0.12	<0.5	7	30	20	3.13
B628658		0.44	0.007	<0.2	1.02	39	<10	90	<0.5	3	0.10	<0.5	5	19	17	1.84
B628659		0.56	<0.005	<0.2	1.29	27	<10	200	<0.5	<2	0.12	<0.5	7	22	19	2.15
B628660		0.38	<0.005	<0.2	1.15	29	<10	80	<0.5	<2	0.06	<0.5	2	20	7	1.66
B628661		0.66	<0.005	<0.2	0.83	12	<10	100	<0.5	<2	0.07	<0.5	4	15	16	1.67
B628662		0.58	<0.005	0.2	1.17	12	<10	80	<0.5	<2	0.06	<0.5	5	19	22	2.30

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114204

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B628525		10	0.07	0.05	10	0.40	102	1	0.01	15	470	7	0.04	<2	2	15
B628526		<10	0.06	0.04	10	0.25	69	<1	0.01	11	400	9	0.03	<2	1	10
B628527		<10	0.04	0.05	10	0.23	76	<1	0.01	11	360	13	0.02	2	1	10
B628528		<10	0.05	0.08	20	0.29	94	<1	0.01	13	480	17	0.03	3	2	12
B628529		<10	0.04	0.05	10	0.25	74	<1	0.01	10	350	9	0.02	<2	1	11
B628530		<10	0.10	0.01	10	0.03	33	1	0.01	8	1520	5	0.17	<2	1	24
B628531		10	0.08	0.10	20	0.55	639	1	0.02	29	720	18	0.07	2	4	32
B628532		<10	0.04	0.04	10	0.43	298	2	0.02	22	890	19	0.03	4	3	28
B628533		<10	0.05	0.05	20	0.48	304	1	0.02	26	750	12	0.04	2	4	30
B628534		<10	0.04	0.04	10	0.36	293	<1	0.01	19	650	8	0.02	<2	3	25
B628535		10	0.06	0.07	20	0.59	1380	3	0.05	32	1020	13	0.10	2	5	66
B628536		<10	0.03	0.04	20	0.43	442	2	0.02	25	570	9	0.02	<2	4	33
B628537		<10	0.04	0.04	10	0.44	899	2	0.02	23	720	8	0.04	<2	3	43
B628538		10	0.03	0.04	10	0.52	455	2	0.02	28	670	10	0.03	<2	4	50
B628539		10	0.02	0.07	10	0.49	239	1	0.01	26	270	8	0.01	<2	3	26
B628540		<10	0.02	0.04	20	0.40	186	1	0.01	22	350	8	0.01	3	3	17
B628541		<10	0.02	0.04	10	0.41	175	1	0.01	21	250	11	0.01	<2	2	12
B628542		<10	0.02	0.02	10	0.26	105	1	0.01	11	180	9	0.01	<2	2	8
B628543		10	0.02	0.12	20	0.57	257	1	0.02	27	240	15	0.02	2	3	25
B628544		10	0.03	0.06	10	0.58	272	1	0.01	26	400	11	0.01	<2	4	22
B628545		<10	0.02	0.11	20	0.52	275	1	0.01	23	420	9	0.02	<2	4	27
B628546		<10	0.04	0.11	20	0.44	337	1	0.01	23	420	16	0.01	4	3	19
B628547		10	0.02	0.27	20	0.91	325	1	0.02	33	410	12	0.02	<2	5	40
B628548		10	0.03	0.17	20	0.68	1000	1	0.02	33	450	12	0.01	<2	5	37
B628549		<10	0.03	0.07	20	0.53	281	1	0.01	24	450	9	0.01	2	3	26
B628550		10	0.04	0.10	20	0.59	561	1	0.02	28	650	11	0.04	2	4	41
B628651		<10	0.07	0.05	20	0.13	93	1	<0.01	6	250	12	0.02	2	2	7
B628652		<10	0.03	0.04	20	0.04	251	1	0.01	34	710	7	0.03	<2	1	10
B628653		<10	0.05	0.04	20	0.19	681	1	0.01	18	420	27	0.02	2	2	38
B628654		<10	0.04	0.04	20	0.20	979	1	0.01	27	330	21	0.01	4	2	11
B628655		<10	0.26	0.04	20	0.16	80	2	0.01	9	620	19	0.02	5	1	12
B628656		10	0.17	0.09	10	0.30	392	1	0.01	17	730	19	0.02	5	2	21
B628657		10	0.22	0.07	10	0.40	294	1	0.01	19	480	15	0.02	4	2	18
B628658		<10	0.18	0.03	20	0.30	118	1	0.01	13	310	8	<0.01	3	2	12
B628659		<10	0.05	0.03	20	0.36	220	1	0.01	18	360	14	<0.01	2	3	13
B628660		<10	0.06	0.04	10	0.20	60	1	0.01	8	310	11	0.01	4	1	9
B628661		<10	0.06	0.03	30	0.22	127	1	0.01	12	230	13	<0.01	2	2	10
B628662		<10	0.07	0.03	20	0.26	120	1	0.01	14	270	16	0.01	2	2	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114204

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
B628525		0.04	<10	<10	23	<10	57
B628526		0.03	<10	<10	20	<10	32
B628527		0.03	<10	<10	18	<10	34
B628528		0.04	<10	<10	21	<10	44
B628529		0.03	<10	<10	19	<10	40
B628530		0.02	<10	<10	33	<10	14
B628531		0.05	<10	<10	53	<10	125
B628532		0.04	<10	<10	36	<10	94
B628533		0.04	<10	<10	42	<10	78
B628534		0.04	<10	<10	31	<10	52
B628535		0.06	<10	<10	54	<10	88
B628536		0.05	<10	<10	44	10	66
B628537		0.04	<10	<10	43	10	61
B628538		0.06	<10	<10	47	<10	66
B628539		0.07	<10	<10	51	10	66
B628540		0.04	<10	<10	40	<10	61
B628541		0.03	<10	<10	43	<10	52
B628542		0.03	<10	<10	39	<10	37
B628543		0.07	<10	<10	39	<10	61
B628544		0.09	<10	<10	58	<10	65
B628545		0.08	<10	<10	40	<10	63
B628546		0.05	<10	<10	40	20	59
B628547		0.11	<10	<10	50	<10	78
B628548		0.09	<10	<10	46	<10	78
B628549		0.07	<10	<10	38	<10	66
B628550		0.08	<10	<10	42	<10	90
B628651		0.03	<10	<10	52	<10	23
B628652		0.01	<10	<10	24	<10	71
B628653		0.02	<10	<10	37	<10	65
B628654		0.02	<10	<10	27	<10	59
B628655		0.02	<10	<10	34	<10	32
B628656		0.03	<10	<10	63	<10	61
B628657		0.04	<10	<10	56	<10	74
B628658		0.04	<10	<10	34	<10	40
B628659		0.05	<10	<10	41	<10	52
B628660		0.03	<10	<10	40	<10	24
B628661		0.03	<10	<10	26	<10	40
B628662		0.03	<10	<10	30	<10	46

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

CERTIFICATE VA06114205

Project: 1735 Dublin Gulch

P.O. No.:

This report is for 257 Soil samples submitted to our lab in Vancouver, BC, Canada on 11-OCT-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2



This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B629228		0.50	0.012	<0.2	2.03	160	<10	190	0.9	2	0.14	<0.5	10	27	19	3.10
B629229		0.50	0.014	<0.2	2.10	162	<10	190	1.0	<2	0.15	<0.5	12	31	21	3.14
B629230		0.48	0.010	<0.2	2.11	167	<10	200	1.0	2	0.15	<0.5	11	28	20	3.14
B629231		0.44	0.010	<0.2	2.08	172	<10	200	1.0	<2	0.14	<0.5	12	28	21	3.12
B629232		0.30	0.005	<0.2	1.28	189	<10	150	<0.5	2	0.08	<0.5	6	22	13	2.61
B629233		0.54	0.009	<0.2	2.08	97	<10	330	0.7	<2	0.27	<0.5	12	35	30	3.13
B629234		0.50	0.066	<0.2	2.07	100	<10	320	0.7	<2	0.26	<0.5	11	35	30	3.12
B629235		0.48	0.011	<0.2	2.16	102	<10	370	0.8	<2	0.29	<0.5	12	36	33	3.23
B629236		0.48	0.005	0.2	2.10	99	<10	330	0.7	<2	0.28	<0.5	12	34	29	3.14
B629237		0.48	0.007	<0.2	2.31	106	<10	360	0.7	<2	0.29	<0.5	12	36	30	3.36
B629238		0.54	0.008	<0.2	2.23	107	<10	360	0.7	<2	0.28	<0.5	12	36	31	3.32
B629239		0.52	0.034	<0.2	2.19	103	<10	330	0.7	<2	0.27	<0.5	12	38	29	3.24
B629240		0.50	0.099	<0.2	1.94	96	<10	300	0.6	<2	0.23	<0.5	11	32	29	3.01
B629241		0.50	0.005	<0.2	2.15	96	<10	320	0.6	<2	0.25	<0.5	11	34	29	3.17
B629242		0.42	0.012	<0.2	2.35	108	<10	340	0.7	<2	0.28	<0.5	12	37	31	3.44
B629243		0.42	0.070	<0.2	2.21	101	<10	310	0.6	<2	0.25	<0.5	11	34	27	3.27
B629244		0.42	0.006	0.3	2.16	107	<10	300	0.6	<2	0.25	<0.5	11	36	27	3.26
B629245		0.48	0.428	0.2	2.26	184	<10	310	0.8	<2	0.24	<0.5	12	36	25	3.48
B629246		0.44	0.011	<0.2	2.13	30	<10	220	0.9	<2	0.53	<0.5	14	39	37	2.78
B629247		0.40	0.009	<0.2	1.75	84	<10	280	0.6	<2	0.77	<0.5	13	30	26	2.92
B629248		0.38	0.008	0.2	1.49	110	<10	200	<0.5	<2	0.53	<0.5	8	26	19	2.53
B629249		0.34	0.016	<0.2	1.51	135	<10	200	<0.5	<2	0.55	<0.5	9	27	21	2.60
B629250		0.36	0.010	0.3	1.69	225	10	230	0.5	2	0.59	<0.5	11	30	28	3.21
B629251		0.40	0.007	<0.2	1.76	14	<10	120	0.5	2	0.08	<0.5	9	26	21	2.56
B629252		0.58	<0.005	0.2	1.13	36	<10	270	<0.5	<2	0.21	<0.5	7	22	20	2.08
B629253		0.36	<0.005	<0.2	1.24	13	<10	110	<0.5	<2	0.13	<0.5	5	21	17	1.97
B629254		0.42	<0.005	0.2	1.42	14	<10	140	<0.5	2	0.13	<0.5	7	23	17	2.30
B629255		0.40	0.006	<0.2	1.24	20	<10	100	<0.5	<2	0.11	<0.5	5	22	15	2.12
B629256		0.48	<0.005	<0.2	0.69	4	<10	60	<0.5	<2	0.02	<0.5	8	13	25	1.95
B629257		0.36	<0.005	<0.2	1.16	10	<10	80	<0.5	2	0.05	<0.5	4	16	9	2.31
B629258		0.32	<0.005	0.2	0.62	4	<10	40	<0.5	<2	0.04	<0.5	3	12	8	1.51
B629259		0.38	0.007	0.2	0.96	21	<10	80	<0.5	<2	0.16	<0.5	7	18	18	2.32
B629260		0.26	<0.005	<0.2	1.64	19	<10	280	<0.5	2	0.50	<0.5	9	26	19	2.54
B629261		0.42	<0.005	0.2	1.62	37	<10	190	<0.5	2	0.15	<0.5	12	27	34	3.09
B629262		0.42	<0.005	<0.2	1.04	15	<10	80	<0.5	<2	0.08	<0.5	3	16	9	1.71
B629263		0.40	0.005	0.2	1.46	18	<10	270	<0.5	<2	0.38	<0.5	9	23	23	2.46
B629264		0.38	0.007	0.5	0.90	<2	<10	310	<0.5	<2	0.41	<0.5	9	13	23	1.22
B629265		0.38	<0.005	0.2	1.07	17	<10	130	<0.5	2	0.11	<0.5	8	12	23	2.59
B629266		0.32	0.014	<0.2	1.04	11	<10	90	<0.5	<2	0.11	<0.5	4	18	15	1.81
B629267		0.58	0.088	0.4	1.18	261	<10	130	<0.5	3	0.15	<0.5	5	22	25	2.23

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B629228		10	0.04	0.11	20	0.51	313	1	0.01	21	460	12	0.03	2	3	18
B629229		10	0.05	0.11	20	0.53	354	1	0.01	22	510	12	0.04	<2	3	19
B629230		10	0.04	0.11	20	0.53	338	1	0.01	22	510	12	0.04	2	3	19
B629231		10	0.04	0.11	20	0.52	352	1	0.01	23	500	12	0.04	<2	3	18
B629232		10	0.12	0.08	20	0.30	208	1	0.01	14	300	12	0.03	<2	2	14
B629233		10	0.03	0.07	20	0.58	307	1	0.01	33	250	10	0.01	2	5	27
B629234		10	0.03	0.07	20	0.57	300	2	0.01	34	250	10	0.01	2	5	26
B629235		10	0.04	0.08	20	0.61	316	2	0.01	35	250	10	0.01	<2	5	29
B629236		10	0.03	0.07	20	0.56	305	2	0.01	34	270	10	0.01	2	4	27
B629237		10	0.03	0.08	20	0.61	317	2	0.01	35	270	10	0.01	3	5	27
B629238		10	0.04	0.08	20	0.61	339	2	0.02	35	260	11	0.01	2	5	27
B629239		10	0.03	0.08	20	0.59	296	2	0.01	35	270	10	0.01	<2	4	27
B629240		10	0.03	0.07	20	0.55	276	2	0.01	32	240	9	0.01	3	4	24
B629241		10	0.03	0.07	20	0.58	292	2	0.01	32	260	10	0.01	2	4	25
B629242		10	0.03	0.08	20	0.64	325	2	0.02	35	270	10	0.01	3	5	28
B629243		10	0.02	0.07	20	0.60	278	2	0.01	33	270	10	0.01	2	4	26
B629244		10	0.02	0.07	20	0.60	268	2	0.01	34	250	10	0.01	3	4	26
B629245		10	0.03	0.08	20	0.54	364	2	0.01	30	380	10	0.01	<2	4	24
B629246		10	0.02	0.32	20	0.68	209	1	0.02	37	520	11	0.04	4	4	48
B629247		10	0.04	0.10	20	0.51	586	1	0.02	30	650	12	0.06	3	4	46
B629248		<10	0.05	0.09	20	0.49	259	1	0.02	23	760	17	0.05	5	3	34
B629249		<10	0.06	0.09	20	0.49	275	1	0.02	23	780	19	0.05	5	3	36
B629250		10	0.09	0.09	20	0.53	391	2	0.02	28	890	25	0.07	9	4	40
B629251		<10	0.10	0.05	10	0.40	261	1	0.01	22	300	11	0.01	4	3	11
B629252		<10	0.18	0.04	20	0.38	269	1	0.01	19	520	14	0.01	4	3	26
B629253		<10	0.09	0.04	10	0.34	151	1	0.01	17	520	7	0.01	5	2	13
B629254		<10	0.14	0.04	10	0.35	188	1	0.01	20	750	10	0.01	7	2	13
B629255		<10	0.10	0.04	20	0.31	142	1	0.01	14	500	11	0.01	4	2	13
B629256		<10	0.13	0.04	30	0.13	122	1	<0.01	20	230	20	0.01	4	2	6
B629257		<10	0.05	0.04	20	0.17	90	1	0.01	12	340	14	0.01	4	1	7
B629258		<10	0.04	0.03	30	0.09	68	1	0.01	8	300	11	0.01	4	1	7
B629259		<10	0.09	0.04	20	0.32	239	1	0.01	19	600	10	0.01	33	2	16
B629260		<10	0.06	0.05	20	0.45	244	1	0.01	24	580	17	0.06	3	3	34
B629261		<10	0.07	0.04	30	0.60	385	1	0.01	31	440	15	0.01	5	3	15
B629262		<10	0.03	0.03	10	0.26	89	<1	0.01	14	320	9	0.01	<2	1	9
B629263		<10	0.09	0.04	20	0.42	312	1	0.01	22	580	14	0.02	5	3	27
B629264		<10	0.04	0.03	20	0.30	213	<1	0.01	18	420	10	0.10	3	2	41
B629265		<10	0.02	0.04	20	0.31	298	1	0.01	23	400	14	0.01	3	1	14
B629266		<10	0.04	0.02	10	0.23	95	1	0.01	14	700	8	0.01	<2	1	10
B629267		<10	0.03	0.03	10	0.35	198	1	0.01	18	730	22	0.02	14	2	17

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B629228		0.08	<10	<10	52	<10	64
B629229		0.08	<10	<10	51	<10	66
B629230		0.08	<10	<10	51	<10	65
B629231		0.08	<10	<10	50	<10	67
B629232		0.11	<10	<10	70	<10	45
B629233		0.09	<10	<10	59	<10	78
B629234		0.09	<10	<10	59	10	79
B629235		0.09	<10	<10	62	<10	83
B629236		0.08	<10	<10	61	10	82
B629237		0.08	<10	<10	65	<10	86
B629238		0.09	<10	<10	62	10	84
B629239		0.09	<10	<10	63	10	84
B629240		0.08	<10	<10	55	<10	78
B629241		0.08	<10	<10	60	<10	79
B629242		0.09	<10	<10	65	<10	85
B629243		0.08	<10	<10	62	10	80
B629244		0.09	<10	<10	63	10	83
B629245		0.08	<10	<10	69	10	74
B629246		0.11	<10	<10	54	<10	76
B629247		0.06	<10	<10	44	<10	70
B629248		0.05	<10	<10	36	<10	94
B629249		0.05	<10	<10	37	<10	98
B629250		0.05	<10	<10	45	<10	110
B629251		0.05	<10	<10	42	<10	58
B629252		0.05	<10	<10	38	<10	56
B629253		0.04	<10	<10	37	<10	49
B629254		0.04	<10	<10	41	<10	55
B629255		0.03	<10	<10	37	<10	43
B629256		0.02	<10	<10	18	<10	45
B629257		0.03	<10	<10	43	<10	28
B629258		0.03	<10	<10	31	<10	24
B629259		0.05	<10	<10	33	<10	56
B629260		0.02	<10	<10	40	<10	70
B629261		0.03	<10	<10	33	<10	72
B629262		0.03	<10	<10	36	<10	32
B629263		0.03	<10	<10	37	<10	61
B629264		0.01	<10	<10	14	<10	45
B629265		0.01	<10	<10	16	<10	55
B629266		0.02	<10	<10	31	<10	42
B629267		0.03	<10	<10	38	<10	73

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B629268		0.16	0.014	0.8	1.92	130	<10	290	<0.5	3	0.24	<0.5	11	29	28	2.46
B629269		0.46	0.021	0.9	2.19	161	<10	260	<0.5	<2	0.24	<0.5	13	32	30	2.59
B629270		0.32	0.009	0.4	1.56	50	<10	310	<0.5	<2	0.32	0.5	6	27	20	1.99
B629271		0.18	0.005	0.3	1.63	28	<10	350	<0.5	<2	0.52	<0.5	10	28	24	1.98
B629272		0.42	<0.005	0.3	1.19	8	<10	180	<0.5	<2	0.63	<0.5	10	35	35	2.99
B629273		0.28	<0.005	<0.2	1.62	10	<10	120	<0.5	3	0.42	<0.5	18	37	39	4.13
B629274		0.38	<0.005	<0.2	1.46	9	<10	100	<0.5	2	0.17	<0.5	10	33	27	2.95
B629275		0.28	<0.005	<0.2	1.40	8	<10	110	<0.5	2	0.07	<0.5	5	35	19	2.32
B629276		0.40	<0.005	0.3	1.44	5	<10	90	<0.5	<2	0.04	<0.5	8	23	28	2.93
B629277		0.44	<0.005	<0.2	1.31	11	<10	90	<0.5	<2	0.10	<0.5	21	46	39	3.52
B629278		0.32	<0.005	<0.2	0.65	10	<10	50	<0.5	<2	0.09	<0.5	18	15	33	3.54
B629279		0.30	<0.005	<0.2	1.12	11	<10	120	<0.5	2	0.21	<0.5	4	19	11	2.12
B629280		0.26	<0.005	0.3	1.00	3	<10	150	<0.5	<2	0.27	<0.5	4	22	19	1.40
B629281		0.36	<0.005	0.4	1.81	8	<10	180	<0.5	2	0.44	<0.5	15	44	46	3.55
B629282		0.30	<0.005	<0.2	1.70	14	<10	110	<0.5	2	0.06	<0.5	10	25	15	3.46
B629283		0.28	<0.005	<0.2	1.39	6	<10	90	<0.5	<2	0.05	<0.5	5	18	14	2.54
B629284		0.30	0.006	<0.2	1.74	8	<10	70	<0.5	<2	0.04	<0.5	7	25	26	3.44
B629285		0.32	<0.005	<0.2	0.95	9	<10	70	<0.5	<2	0.11	<0.5	8	20	19	2.31
B629286		0.48	<0.005	0.2	1.22	9	<10	90	<0.5	<2	0.03	<0.5	7	21	25	2.77
B629287		0.32	0.017	<0.2	1.39	15	<10	80	<0.5	<2	0.08	<0.5	7	20	17	2.18
B629288		0.30	0.005	<0.2	1.02	16	<10	60	<0.5	<2	0.03	<0.5	2	14	11	0.96
B629289		0.32	<0.005	0.5	1.90	23	<10	260	0.9	<2	0.53	<0.5	23	23	22	2.76
B629290		0.50	<0.005	0.3	1.29	23	<10	200	0.5	<2	0.49	0.5	9	20	24	2.32
B629291		0.34	<0.005	<0.2	1.34	8	<10	190	<0.5	<2	0.21	<0.5	7	19	20	2.25
B629292		0.42	<0.005	<0.2	1.44	12	<10	160	<0.5	<2	0.09	<0.5	6	23	13	2.30
B629293		0.34	<0.005	<0.2	0.76	5	<10	70	<0.5	<2	0.02	<0.5	2	9	20	1.72
B629294		0.26	0.031	0.3	0.73	596	<10	110	<0.5	3	0.07	<0.5	2	15	22	1.54
B629301		0.42	<0.005	<0.2	1.02	19	<10	150	<0.5	<2	0.19	<0.5	12	16	22	2.52
B629302		0.42	<0.005	0.2	1.29	20	<10	190	<0.5	<2	0.15	<0.5	10	20	30	2.59
B629303		0.38	<0.005	0.5	1.25	23	<10	180	<0.5	<2	0.16	<0.5	11	20	29	2.62
B629304		0.56	<0.005	<0.2	0.93	8	<10	160	<0.5	<2	0.30	<0.5	4	17	9	1.32
B629305		0.46	0.012	0.2	1.09	9	<10	200	<0.5	<2	0.35	<0.5	7	19	13	1.54
B629306		0.48	<0.005	<0.2	0.98	17	<10	170	<0.5	<2	0.32	<0.5	7	17	10	1.74
B629307		0.48	0.006	0.2	0.96	13	<10	170	<0.5	<2	0.33	<0.5	6	17	10	1.57
B629308		0.36	<0.005	<0.2	0.89	11	<10	160	<0.5	<2	0.35	<0.5	5	16	9	1.56
B629309		0.54	0.009	0.4	1.08	118	<10	150	<0.5	<2	0.21	<0.5	6	16	14	2.05
B629310		0.56	0.010	0.6	1.23	134	<10	170	0.5	<2	0.22	<0.5	6	18	16	2.24
B629311		Not Recvd														
B629312		0.58	0.006	<0.2	1.76	53	<10	160	0.6	<2	0.14	0.5	8	26	17	2.73
B629313		0.46	0.005	<0.2	1.51	41	<10	150	0.5	<2	0.14	0.5	6	24	15	2.55

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B629268		<10	0.11	0.05	10	0.42	245	4	0.02	25	1220	14	0.08	8	3	23
B629269		10	0.08	0.05	10	0.50	216	4	0.02	28	1030	15	0.05	7	3	19
B629270		<10	0.07	0.05	20	0.41	219	2	0.02	20	940	16	0.05	6	3	23
B629271		<10	0.07	0.05	10	0.46	704	2	0.02	21	820	11	0.06	3	3	31
B629272		<10	0.04	0.05	20	0.49	200	1	0.01	26	940	10	0.04	4	5	64
B629273		10	0.01	0.12	20	0.67	511	1	0.01	28	750	13	0.03	5	5	46
B629274		<10	0.02	0.05	30	0.47	290	1	0.01	23	360	13	0.02	4	3	16
B629275		10	0.02	0.05	20	0.39	168	1	0.01	18	460	11	0.02	3	1	13
B629276		<10	0.03	0.03	40	0.42	205	1	<0.01	18	240	10	<0.01	<2	4	8
B629277		<10	0.04	0.04	50	0.50	416	1	0.01	58	530	19	0.01	<2	3	17
B629278		<10	0.06	0.03	30	0.18	420	1	0.01	32	360	16	0.01	2	2	9
B629279		<10	0.05	0.03	20	0.34	110	1	0.01	14	510	13	0.02	2	2	23
B629280		<10	0.06	0.04	20	0.26	79	1	0.01	15	600	11	0.05	<2	1	27
B629281		10	0.03	0.13	30	0.62	438	1	0.01	32	710	23	0.05	4	3	45
B629282		10	0.03	0.03	20	0.36	215	1	0.01	18	290	16	0.03	<2	2	9
B629283		<10	0.02	0.03	30	0.25	130	1	0.01	15	220	12	0.02	2	2	9
B629284		<10	0.02	0.03	30	0.43	203	1	0.01	20	300	16	0.02	2	2	9
B629285		<10	0.02	0.04	20	0.31	253	1	0.01	16	490	19	<0.01	<2	2	15
B629286		<10	0.11	0.03	20	0.28	158	1	0.01	17	180	13	<0.01	2	3	8
B629287		<10	0.03	0.04	20	0.42	209	<1	0.01	17	450	11	<0.01	<2	2	10
B629288		<10	0.03	0.03	10	0.12	41	<1	0.01	4	870	14	0.01	<2	<1	6
B629289		<10	0.07	0.03	20	0.34	2250	1	0.01	30	810	14	0.02	<2	3	22
B629290		<10	0.05	0.04	20	0.37	667	<1	0.01	25	680	12	0.01	2	3	23
B629291		<10	0.03	0.04	20	0.40	256	1	0.01	17	370	13	<0.01	<2	2	14
B629292		<10	0.03	0.03	10	0.34	179	1	0.01	15	290	11	<0.01	2	2	9
B629293		<10	0.03	0.06	20	0.08	72	1	0.01	5	240	22	<0.01	4	1	11
B629294		<10	0.04	0.06	20	0.16	66	1	0.01	9	430	99	0.04	14	3	37
B629301		<10	0.03	0.04	20	0.34	255	<1	0.01	24	610	25	0.01	4	2	20
B629302		<10	0.05	0.05	30	0.40	187	<1	0.01	25	540	30	0.01	4	3	17
B629303		<10	0.05	0.04	30	0.40	222	1	0.01	26	550	30	0.01	3	3	16
B629304		<10	0.04	0.04	10	0.31	157	<1	0.01	13	710	10	0.01	<2	2	23
B629305		<10	0.05	0.04	10	0.35	303	<1	0.01	15	760	11	0.02	2	3	26
B629306		<10	0.04	0.04	10	0.33	207	1	0.01	13	730	9	0.01	<2	2	23
B629307		<10	0.04	0.04	10	0.32	231	1	0.01	14	750	10	0.01	<2	2	24
B629308		<10	0.05	0.03	10	0.30	229	<1	0.01	12	790	7	0.02	<2	2	25
B629309		<10	0.28	0.04	20	0.31	210	1	0.01	17	750	103	<0.01	13	2	17
B629310		<10	0.04	0.05	20	0.34	226	1	0.01	19	760	123	<0.01	14	2	18
B629311																
B629312		10	0.05	0.06	20	0.43	297	1	0.01	18	680	88	0.01	9	3	15
B629313		<10	0.04	0.05	20	0.39	232	1	0.01	16	590	75	<0.01	6	2	15

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
B629268		0.03	<10	<10	43	<10	88
B629269		0.04	<10	<10	48	<10	98
B629270		0.04	<10	<10	41	<10	88
B629271		0.04	<10	<10	40	<10	96
B629272		0.08	<10	<10	77	<10	58
B629273		0.18	<10	<10	124	<10	64
B629274		0.05	<10	<10	58	<10	58
B629275		0.02	<10	<10	57	<10	40
B629276		0.02	<10	<10	47	<10	51
B629277		0.01	<10	<10	42	<10	83
B629278		0.01	<10	<10	35	<10	62
B629279		0.02	<10	<10	30	<10	48
B629280		0.02	<10	<10	23	<10	32
B629281		0.06	<10	<10	59	<10	75
B629282		0.03	<10	<10	42	<10	47
B629283		0.03	<10	<10	39	<10	39
B629284		0.03	<10	<10	32	<10	60
B629285		0.02	<10	<10	37	<10	42
B629286		0.02	<10	<10	35	<10	51
B629287		0.03	<10	<10	30	<10	57
B629288		0.01	<10	<10	28	<10	18
B629289		0.02	<10	<10	43	<10	106
B629290		0.03	<10	<10	35	<10	73
B629291		0.03	<10	<10	33	<10	51
B629292		0.03	<10	<10	43	<10	51
B629293		0.02	<10	<10	26	<10	27
B629294		0.02	<10	<10	29	<10	37
B629301		0.02	<10	<10	24	<10	84
B629302		0.02	<10	<10	26	<10	96
B629303		0.02	<10	<10	26	<10	92
B629304		0.03	<10	<10	26	<10	56
B629305		0.03	<10	<10	27	<10	69
B629306		0.03	<10	<10	27	<10	63
B629307		0.03	<10	<10	26	<10	62
B629308		0.02	<10	<10	24	<10	56
B629309		0.02	<10	<10	31	<10	136
B629310		0.03	<10	<10	34	<10	149
B629311							
B629312		0.05	<10	<10	47	10	199
B629313		0.04	<10	<10	46	10	165

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B629314		0.44	<0.005	<0.2	0.93	17	<10	70	<0.5	<2	0.04	<0.5	1	15	5	1.52
B629315		0.50	<0.005	<0.2	1.23	24	<10	90	<0.5	<2	0.06	<0.5	4	21	9	2.34
B629316		0.40	<0.005	0.3	1.22	29	<10	150	<0.5	<2	0.10	<0.5	4	20	13	1.95
B629317		0.36	<0.005	0.2	1.11	28	<10	130	<0.5	<2	0.10	<0.5	3	19	12	1.82
B629318		0.40	<0.005	0.2	1.13	26	<10	130	<0.5	<2	0.10	<0.5	4	19	11	1.82
B629319		0.46	<0.005	<0.2	1.47	12	<10	110	<0.5	<2	0.07	<0.5	5	25	18	2.54
B629320		0.48	<0.005	<0.2	1.42	11	<10	110	<0.5	<2	0.07	<0.5	6	25	21	2.59
B629321		0.50	<0.005	<0.2	1.61	14	<10	110	<0.5	<2	0.06	<0.5	7	28	21	3.03
B629322		0.48	<0.005	0.5	1.51	37	<10	330	0.5	<2	0.37	0.7	17	26	33	3.68
B629323		0.40	<0.005	0.2	1.60	51	<10	320	0.5	<2	0.38	<0.5	15	26	38	4.50
B629324		0.48	<0.005	<0.2	1.18	10	<10	250	<0.5	<2	0.18	<0.5	8	24	21	2.05
B629325		0.42	<0.005	0.2	1.47	29	<10	290	0.5	<2	0.33	<0.5	11	25	33	2.76
B629326		0.66	0.016	0.2	1.07	7	<10	220	<0.5	<2	0.18	<0.5	6	21	19	1.85
B629327		0.70	0.007	0.3	1.13	8	<10	250	<0.5	<2	0.19	<0.5	7	21	21	1.99
B629328		0.62	<0.005	0.7	1.28	14	<10	250	<0.5	<2	0.30	<0.5	7	31	42	2.46
B629329		0.66	0.006	0.6	1.15	8	<10	200	<0.5	<2	0.29	<0.5	6	27	37	2.21
B629330		0.62	<0.005	0.6	1.26	13	<10	250	<0.5	<2	0.27	0.5	7	28	47	2.35
B629331		0.64	<0.005	0.4	1.40	15	<10	210	0.5	<2	0.51	1.5	10	33	41	3.00
B629332		0.46	<0.005	<0.2	1.14	14	<10	180	<0.5	<2	0.44	1.1	10	20	23	2.06
B629333		0.46	<0.005	0.3	1.11	20	<10	170	<0.5	<2	0.45	1.0	9	20	24	2.06
B629334		0.54	0.010	0.4	1.21	17	<10	90	<0.5	<2	0.15	<0.5	8	20	28	2.53
B629335		0.50	0.014	<0.2	1.61	146	<10	90	<0.5	<2	0.16	<0.5	6	25	16	3.11
B629336		0.50	0.006	<0.2	1.35	101	<10	130	<0.5	<2	0.13	<0.5	6	20	16	2.38
B629337		0.70	0.018	<0.2	1.44	11	<10	130	<0.5	<2	0.13	<0.5	8	23	20	2.52
B629338		0.68	<0.005	0.4	1.35	10	<10	120	<0.5	<2	0.14	<0.5	8	23	20	2.38
B629339		0.50	0.019	0.2	1.75	15	<10	100	<0.5	<2	0.07	<0.5	6	29	15	3.98
B629340		0.62	<0.005	<0.2	1.68	8	<10	100	<0.5	<2	0.06	<0.5	8	21	13	2.70
B629341		0.50	<0.005	<0.2	0.72	<2	<10	50	<0.5	<2	0.03	<0.5	3	11	8	1.42
B629342		0.54	<0.005	<0.2	1.44	7	<10	80	<0.5	<2	0.05	<0.5	7	20	13	2.68
B629343		0.64	0.005	<0.2	1.40	10	<10	100	<0.5	<2	0.12	<0.5	8	23	17	2.39
B629344		0.66	0.006	<0.2	1.30	11	<10	90	<0.5	<2	0.11	<0.5	7	22	16	2.33
B629345		0.52	0.005	0.2	1.10	8	<10	70	<0.5	<2	0.10	<0.5	3	20	14	1.76
B629346		0.54	0.021	<0.2	1.14	7	<10	80	<0.5	<2	0.11	<0.5	3	21	16	1.79
B629347		0.68	<0.005	<0.2	1.17	8	<10	80	<0.5	<2	0.13	<0.5	4	19	18	2.06
B629348		0.72	<0.005	<0.2	1.20	6	<10	80	<0.5	<2	0.14	<0.5	4	20	18	2.08
B629349		0.64	<0.005	<0.2	1.48	11	<10	100	<0.5	<2	0.10	<0.5	6	21	15	2.16
B629350		0.68	<0.005	<0.2	1.53	12	<10	110	<0.5	<2	0.11	<0.5	6	22	16	2.28
B629351		0.50	0.006	0.3	1.29	17	<10	120	<0.5	<2	0.18	<0.5	6	24	31	2.05
B629352		0.54	0.006	0.4	1.47	16	<10	160	<0.5	<2	0.17	<0.5	9	25	38	2.33
B629353		0.40	0.007	0.5	2.25	64	<10	260	0.5	<2	0.69	<0.5	12	35	27	2.79

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
B629314		10	0.03	0.03	10	0.16	56	1	0.01	5	310	45	<0.01	2	1	6
B629315		10	0.04	0.03	10	0.26	123	1	0.01	10	390	52	0.01	2	1	8
B629316		<10	0.04	0.03	10	0.31	142	1	0.01	12	580	25	0.01	3	1	12
B629317		<10	0.04	0.03	10	0.30	113	1	0.01	12	560	22	0.01	<2	1	11
B629318		<10	0.04	0.03	10	0.30	114	1	0.01	12	550	20	0.01	2	1	11
B629319		<10	0.05	0.03	10	0.34	182	1	0.01	14	460	15	<0.01	<2	2	8
B629320		<10	0.05	0.03	10	0.37	217	1	0.01	18	440	13	<0.01	<2	2	8
B629321		<10	0.04	0.04	10	0.42	220	1	0.01	18	310	14	<0.01	<2	3	8
B629322		<10	0.09	0.04	10	0.41	787	6	0.01	30	950	16	0.06	2	3	27
B629323		<10	0.09	0.04	10	0.41	553	8	0.02	31	970	18	0.06	2	3	27
B629324		<10	0.11	0.04	10	0.34	168	1	0.01	21	650	9	<0.01	2	3	15
B629325		<10	0.08	0.04	10	0.40	406	4	0.01	28	930	15	0.05	<2	3	24
B629326		<10	0.10	0.03	10	0.32	147	1	0.01	19	610	6	<0.01	2	3	14
B629327		<10	0.10	0.03	10	0.34	152	<1	0.01	18	590	8	<0.01	2	3	14
B629328		<10	0.07	0.05	20	0.48	238	3	0.01	28	1010	15	0.01	2	4	31
B629329		<10	0.05	0.04	10	0.45	211	2	0.01	23	980	13	0.01	3	3	29
B629330		<10	0.09	0.04	20	0.44	206	2	0.01	24	950	14	<0.01	2	3	27
B629331		<10	0.04	0.05	20	0.51	448	6	0.02	39	1260	14	0.05	<2	3	41
B629332		<10	0.05	0.04	10	0.41	359	<1	0.02	28	960	10	0.06	<2	3	28
B629333		<10	0.05	0.04	10	0.40	290	<1	0.02	28	970	10	0.06	<2	3	27
B629334		<10	0.08	0.04	10	0.35	340	<1	0.01	21	580	12	<0.01	2	2	10
B629335		10	0.03	0.05	10	0.43	189	<1	0.01	18	490	21	<0.01	<2	2	14
B629336		10	0.03	0.04	10	0.28	204	<1	0.01	14	400	15	<0.01	2	1	13
B629337		<10	0.17	0.05	20	0.39	278	<1	0.01	20	490	12	<0.01	3	3	13
B629338		<10	0.17	0.05	20	0.37	260	<1	0.01	19	550	10	<0.01	2	3	13
B629339		10	0.07	0.05	10	0.37	259	<1	0.01	14	520	13	<0.01	2	2	9
B629340		<10	0.03	0.04	10	0.28	218	<1	0.01	20	280	12	<0.01	<2	2	8
B629341		<10	0.02	0.02	10	0.12	93	<1	<0.01	7	140	9	<0.01	<2	1	5
B629342		<10	0.03	0.03	10	0.28	216	<1	<0.01	18	270	13	<0.01	<2	2	7
B629343		<10	0.03	0.03	10	0.40	377	<1	0.01	17	630	11	<0.01	<2	2	10
B629344		<10	0.02	0.03	10	0.39	307	<1	0.01	16	610	10	<0.01	<2	2	10
B629345		<10	0.03	0.03	10	0.31	108	<1	0.01	13	480	6	<0.01	<2	1	9
B629346		<10	0.04	0.04	10	0.32	115	<1	<0.01	13	540	7	<0.01	<2	1	9
B629347		<10	0.03	0.03	10	0.34	137	<1	0.01	15	660	6	<0.01	<2	1	11
B629348		<10	0.04	0.03	10	0.35	130	<1	0.01	15	670	9	<0.01	<2	1	11
B629349		<10	0.02	0.04	10	0.41	187	<1	0.01	17	410	10	<0.01	<2	1	10
B629350		<10	0.03	0.04	20	0.42	212	<1	0.01	16	460	11	<0.01	<2	1	11
B629351		<10	0.04	0.04	10	0.39	177	<1	0.01	18	640	9	<0.01	<2	2	12
B629352		<10	0.04	0.04	10	0.38	204	1	0.01	20	570	8	0.01	2	2	14
B629353		10	0.06	0.06	10	0.64	612	5	0.02	30	990	15	0.05	3	3	27

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B629314		0.03	<10	<10	41	<10	36
B629315		0.03	<10	<10	46	<10	73
B629316		0.02	<10	<10	41	<10	65
B629317		0.02	<10	<10	39	<10	64
B629318		0.02	<10	<10	40	<10	62
B629319		0.03	<10	<10	47	<10	48
B629320		0.03	<10	<10	46	<10	52
B629321		0.04	<10	<10	51	<10	58
B629322		0.03	<10	<10	48	<10	116
B629323		0.03	<10	<10	53	<10	121
B629324		0.04	<10	<10	45	<10	65
B629325		0.03	<10	<10	46	<10	103
B629326		0.04	<10	<10	40	<10	60
B629327		0.04	<10	<10	39	<10	61
B629328		0.03	<10	<10	51	<10	88
B629329		0.04	<10	<10	44	<10	83
B629330		0.03	<10	<10	45	<10	82
B629331		0.03	<10	<10	58	<10	199
B629332		0.03	<10	<10	29	<10	143
B629333		0.03	<10	<10	30	<10	137
B629334		0.03	<10	<10	33	<10	59
B629335		0.06	<10	<10	48	<10	66
B629336		0.03	<10	<10	41	<10	44
B629337		0.05	<10	<10	42	<10	60
B629338		0.05	<10	<10	40	<10	60
B629339		0.05	<10	<10	54	<10	55
B629340		0.03	<10	<10	38	<10	46
B629341		0.03	<10	<10	29	<10	23
B629342		0.03	<10	<10	34	<10	49
B629343		0.04	<10	<10	40	<10	72
B629344		0.03	<10	<10	38	<10	69
B629345		0.03	<10	<10	36	10	43
B629346		0.03	<10	<10	37	<10	45
B629347		0.03	<10	<10	34	<10	52
B629348		0.03	<10	<10	34	<10	53
B629349		0.03	<10	<10	34	<10	50
B629350		0.03	<10	<10	35	<10	51
B629351		0.04	<10	<10	44	<10	50
B629352		0.04	<10	<10	48	<10	49
B629353		0.05	<10	<10	53	<10	204

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B629354		0.52	<0.005	0.2	1.30	10	<10	160	<0.5	<2	0.10	<0.5	7	21	25	2.30
B629355		0.50	<0.005	<0.2	1.66	7	<10	140	<0.5	<2	0.10	<0.5	6	24	18	2.49
B629356		0.38	0.008	<0.2	1.33	25	<10	110	<0.5	<2	0.15	<0.5	4	21	15	1.84
B629357		0.50	0.009	0.3	1.98	75	<10	110	<0.5	<2	0.14	<0.5	6	33	22	2.75
B629358		0.58	0.468	0.9	2.16	1835	<10	140	0.6	3	0.12	0.7	14	33	38	4.36
B629359		0.46	0.007	0.3	2.33	28	<10	180	0.7	<2	0.24	<0.5	10	40	37	2.76
B629360		0.52	0.011	0.4	1.26	23	<10	220	<0.5	<2	0.96	<0.5	10	21	32	2.58
B629361		0.76	0.007	<0.2	1.09	13	<10	90	<0.5	<2	0.13	<0.5	8	18	23	2.36
B629362		0.68	0.005	<0.2	1.07	9	<10	90	<0.5	<2	0.13	<0.5	7	19	18	2.40
B629363		0.70	<0.005	<0.2	1.15	5	<10	90	<0.5	<2	0.10	<0.5	6	19	13	2.21
B629364		0.70	0.007	<0.2	1.30	8	<10	90	<0.5	<2	0.07	<0.5	6	21	20	2.59
B629365		0.70	0.009	<0.2	1.44	14	<10	100	<0.5	<2	0.07	<0.5	14	23	26	3.71
B629366		0.74	<0.005	0.2	1.77	16	<10	170	<0.5	2	0.19	<0.5	38	23	32	4.00
B629367		0.62	<0.005	0.2	1.60	12	<10	130	<0.5	2	0.08	<0.5	8	21	19	2.93
B629368		0.60	<0.005	<0.2	0.41	11	<10	20	<0.5	<2	0.02	<0.5	5	6	20	2.41
B629369		0.64	<0.005	<0.2	1.15	11	<10	140	<0.5	<2	0.20	<0.5	5	18	17	2.51
B629370		0.56	<0.005	<0.2	1.33	9	<10	120	<0.5	<2	0.14	<0.5	6	21	17	2.60
B629371		0.66	0.007	<0.2	1.22	12	<10	130	<0.5	<2	0.13	<0.5	9	19	33	2.75
B629372		0.76	<0.005	<0.2	1.45	9	<10	90	<0.5	<2	0.07	<0.5	6	22	22	2.70
B629373		0.56	0.006	0.2	1.29	14	<10	70	<0.5	<2	0.08	<0.5	15	18	34	3.32
B629374		0.62	0.005	<0.2	1.00	10	<10	80	<0.5	<2	0.13	<0.5	4	14	19	2.24
B629375		0.62	0.005	<0.2	1.06	9	<10	140	<0.5	<2	0.16	<0.5	7	19	22	2.41
B629376		0.74	0.005	0.2	1.02	22	<10	150	<0.5	<2	0.21	<0.5	9	17	25	2.52
B629377		0.64	0.007	<0.2	1.11	7	<10	130	<0.5	<2	0.21	<0.5	6	18	21	2.28
B629378		0.70	0.005	0.3	1.13	11	<10	180	<0.5	<2	0.17	<0.5	12	16	30	3.09
B629379		0.70	<0.005	<0.2	1.18	10	<10	160	<0.5	<2	0.21	<0.5	8	16	20	2.64
B629380		0.76	0.006	0.2	1.47	21	<10	230	0.5	<2	0.39	<0.5	13	29	50	3.54
B629381		0.76	<0.005	0.2	1.34	11	<10	270	<0.5	<2	0.31	<0.5	8	24	25	2.51
B629382		0.66	0.005	0.2	2.24	15	<10	230	0.6	<2	0.31	<0.5	12	34	25	3.17
B629383		0.66	0.013	<0.2	1.79	48	<10	160	0.5	2	0.12	<0.5	5	24	17	2.52
B629384		0.62	0.008	0.3	1.71	40	<10	220	<0.5	<2	0.46	<0.5	9	33	22	2.58
B629385		0.58	<0.005	<0.2	1.05	24	<10	100	<0.5	<2	0.09	<0.5	7	19	27	2.21
B629386		0.56	<0.005	<0.2	1.30	14	<10	130	<0.5	<2	0.11	<0.5	5	24	21	2.00
B629387		0.62	0.005	<0.2	0.98	27	<10	70	<0.5	<2	0.05	<0.5	2	19	9	1.95
B629388		0.78	0.011	<0.2	1.23	24	<10	130	<0.5	<2	0.17	<0.5	7	19	18	2.38
B629389		0.74	0.011	0.2	1.37	162	<10	190	<0.5	<2	0.21	<0.5	7	21	23	2.29
B629390		0.54	0.013	0.4	0.91	68	<10	140	<0.5	2	0.11	<0.5	8	16	17	2.53
B629391		0.32	<0.005	<0.2	0.20	3	<10	70	<0.5	<2	3.88	<0.5	<1	3	29	0.28
B629392		0.58	<0.005	<0.2	1.56	11	<10	190	0.5	<2	0.12	<0.5	10	25	26	2.82
B629393		0.62	<0.005	<0.2	2.13	14	<10	170	0.7	<2	0.13	<0.5	12	29	32	3.22

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B629354		<10	0.04	0.03	10	0.36	260	<1	0.01	21	400	8	<0.01	<2	3	9
B629355		10	0.03	0.03	10	0.40	171	<1	0.01	18	330	13	<0.01	<2	3	9
B629356		<10	0.03	0.03	10	0.38	104	1	0.01	14	490	10	0.01	<2	1	13
B629357		10	0.04	0.05	10	0.59	178	1	0.01	16	590	9	0.01	<2	3	12
B629358		10	0.05	0.05	10	0.55	554	2	0.02	26	730	72	0.03	8	4	21
B629359		10	0.04	0.18	10	0.71	450	3	0.02	22	990	8	0.05	<2	2	22
B629360		<10	0.08	0.07	20	0.55	472	1	0.01	26	850	15	0.02	2	3	33
B629361		<10	0.02	0.03	20	0.33	378	<1	0.01	19	630	12	<0.01	<2	2	11
B629362		<10	0.02	0.04	10	0.31	335	<1	<0.01	17	630	13	0.02	3	1	10
B629363		<10	0.03	0.03	10	0.31	504	<1	<0.01	11	560	12	0.02	<2	1	9
B629364		<10	0.03	0.04	10	0.34	268	<1	<0.01	18	500	15	0.02	<2	2	7
B629365		<10	0.03	0.06	20	0.34	879	<1	<0.01	21	620	26	0.02	<2	1	8
B629366		<10	0.02	0.04	20	0.53	2690	<1	0.01	29	730	37	0.03	3	1	16
B629367		<10	0.03	0.04	10	0.36	699	<1	<0.01	16	740	17	0.04	3	1	9
B629368		<10	0.02	0.03	10	0.10	284	<1	<0.01	10	480	9	0.01	<2	<1	3
B629369		<10	0.03	0.03	10	0.29	234	<1	<0.01	16	400	19	0.01	<2	1	15
B629370		<10	0.03	0.04	10	0.33	294	<1	<0.01	17	520	16	0.01	3	2	12
B629371		<10	0.03	0.03	20	0.35	348	<1	<0.01	21	520	18	0.01	<2	2	12
B629372		<10	0.03	0.03	20	0.41	234	<1	<0.01	17	520	14	0.01	4	2	7
B629373		<10	0.03	0.03	20	0.37	741	<1	<0.01	23	610	23	0.02	<2	1	8
B629374		<10	0.02	0.03	20	0.29	179	<1	<0.01	14	380	16	0.01	<2	1	10
B629375		<10	0.02	0.04	20	0.32	278	<1	<0.01	18	600	13	0.01	2	2	12
B629376		<10	0.03	0.04	20	0.35	345	<1	<0.01	21	650	29	<0.01	3	2	15
B629377		<10	0.04	0.03	10	0.34	309	<1	<0.01	16	620	14	0.01	<2	1	15
B629378		<10	0.09	0.04	30	0.28	392	<1	<0.01	24	610	26	0.02	2	3	13
B629379		<10	0.05	0.03	20	0.32	208	<1	<0.01	18	560	17	0.01	<2	2	15
B629380		<10	0.11	0.12	20	0.51	658	<1	<0.01	41	810	20	<0.01	2	4	24
B629381		<10	0.04	0.05	10	0.37	260	<1	<0.01	20	670	10	0.01	2	4	23
B629382		10	0.03	0.24	20	0.57	429	<1	0.03	31	680	7	0.02	<2	4	29
B629383		10	0.04	0.06	10	0.39	217	<1	<0.01	15	570	8	0.01	2	2	13
B629384		10	0.04	0.06	10	0.53	276	<1	0.01	27	670	9	0.03	<2	3	27
B629385		10	0.06	0.06	10	0.23	324	1	<0.01	15	440	8	0.03	<2	1	14
B629386		<10	0.08	0.04	10	0.34	164	<1	<0.01	14	530	8	<0.01	3	1	11
B629387		<10	0.28	0.03	10	0.21	85	<1	<0.01	6	420	9	0.01	2	1	10
B629388		<10	0.02	0.10	10	0.34	454	<1	<0.01	18	610	12	0.01	2	2	19
B629389		<10	0.03	0.08	20	0.44	400	<1	<0.01	21	620	13	0.01	3	3	18
B629390		<10	0.03	0.10	20	0.24	627	<1	<0.01	15	500	49	0.02	5	1	11
B629391		<10	0.12	0.02	<10	0.07	63	<1	0.01	5	670	4	0.20	2	<1	132
B629392		<10	0.03	0.12	20	0.46	432	<1	<0.01	27	450	11	0.01	2	3	12
B629393		10	0.02	0.13	20	0.60	265	<1	0.01	35	160	15	0.01	3	3	15

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
B629354		0.04	<10	<10	36	<10	55
B629355		0.05	<10	<10	45	<10	50
B629356		0.02	<10	<10	40	<10	46
B629357		0.06	<10	<10	55	10	55
B629358		0.05	<10	<10	54	40	107
B629359		0.06	<10	<10	64	10	82
B629360		0.04	<10	<10	34	<10	87
B629361		0.04	<10	<10	32	<10	60
B629362		0.03	<10	<10	34	<10	60
B629363		0.03	<10	<10	33	<10	51
B629364		0.03	<10	<10	35	<10	62
B629365		0.03	<10	<10	41	<10	72
B629366		0.02	<10	<10	33	<10	87
B629367		0.02	<10	<10	34	<10	63
B629368		0.01	<10	<10	21	<10	46
B629369		0.02	<10	<10	34	<10	49
B629370		0.03	<10	<10	37	<10	55
B629371		0.04	<10	<10	33	<10	57
B629372		0.03	<10	<10	33	<10	52
B629373		0.02	<10	<10	25	<10	58
B629374		0.02	<10	<10	22	<10	42
B629375		0.04	<10	<10	35	<10	58
B629376		0.04	10	<10	29	<10	73
B629377		0.02	<10	<10	29	<10	55
B629378		0.01	<10	<10	24	<10	81
B629379		0.02	<10	<10	25	<10	64
B629380		0.04	<10	<10	40	<10	119
B629381		0.04	<10	<10	40	<10	70
B629382		0.10	<10	<10	43	<10	81
B629383		0.05	<10	<10	44	<10	54
B629384		0.05	<10	<10	44	<10	50
B629385		0.05	<10	<10	51	<10	43
B629386		0.04	<10	<10	37	<10	44
B629387		0.04	<10	<10	47	<10	33
B629388		0.05	<10	<10	31	<10	51
B629389		0.05	<10	<10	36	<10	62
B629390		0.03	<10	<10	31	<10	58
B629391		0.01	<10	10	5	<10	25
B629392		0.05	<10	<10	35	<10	61
B629393		0.05	<10	<10	43	<10	76

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B629394		0.56	<0.005	0.2	2.20	13	<10	180	0.9	<2	0.14	<0.5	15	27	28	3.90
B629395		0.68	<0.005	<0.2	1.46	15	<10	170	<0.5	2	0.15	<0.5	8	22	29	2.77
B629396		0.60	0.005	<0.2	1.21	12	<10	140	<0.5	<2	0.10	<0.5	6	19	20	2.44
B629401		0.34	0.005	<0.2	1.35	100	<10	190	<0.5	<2	0.39	<0.5	7	24	20	2.62
B629402		0.30	0.006	<0.2	1.11	24	<10	180	<0.5	<2	0.48	<0.5	5	20	16	1.30
B629403		0.28	0.007	0.2	1.37	215	<10	250	<0.5	<2	0.42	<0.5	9	24	25	2.22
B629404		0.54	0.008	0.2	1.53	43	<10	200	<0.5	<2	0.30	<0.5	7	26	25	1.48
B629405		0.46	0.006	0.3	1.27	18	<10	270	<0.5	<2	0.25	<0.5	6	21	17	1.97
B629406		0.52	0.008	0.2	1.14	16	<10	200	<0.5	<2	0.21	<0.5	6	19	16	2.17
B629407		0.70	0.012	0.3	1.07	44	<10	290	<0.5	<2	0.25	<0.5	9	19	34	2.75
B629408		0.46	0.009	0.2	1.22	24	<10	240	<0.5	<2	0.22	<0.5	6	20	19	2.37
B629409		0.76	0.008	0.8	0.88	38	<10	180	<0.5	<2	0.23	<0.5	10	18	36	2.58
B629410		0.70	0.007	0.2	1.06	38	<10	190	<0.5	<2	0.27	<0.5	11	18	31	2.70
B629411		0.68	0.010	0.3	1.65	24	<10	180	<0.5	<2	0.13	<0.5	6	30	26	2.46
B629412		0.70	0.010	0.4	1.96	68	<10	140	<0.5	<2	0.16	<0.5	18	25	224	5.05
B629413		0.64	0.009	0.2	0.40	30	<10	70	<0.5	<2	0.03	<0.5	1	12	20	1.96
B629414		0.52	<0.005	0.8	0.54	64	<10	160	<0.5	2	0.05	<0.5	2	21	37	3.53
B629415		0.50	0.009	0.2	1.58	37	<10	180	<0.5	<2	0.05	<0.5	5	25	16	3.04
B629416		0.54	0.005	0.3	1.38	45	<10	200	0.5	<2	0.07	<0.5	9	23	38	2.59
B629417		0.62	0.008	<0.2	1.34	15	<10	290	<0.5	<2	0.06	<0.5	7	25	39	2.59
B629418		0.54	<0.005	0.2	1.63	35	<10	330	<0.5	<2	0.27	<0.5	8	29	32	2.19
B629419		0.58	<0.005	<0.2	1.34	11	<10	220	<0.5	<2	0.27	<0.5	7	24	24	2.10
B629420		0.66	<0.005	<0.2	1.57	13	<10	190	<0.5	<2	0.28	<0.5	8	27	26	2.27
B629421		0.62	0.005	1.0	2.44	15	<10	380	0.7	2	0.50	0.6	8	59	79	3.13
B629422		0.50	0.006	1.0	2.61	35	<10	160	0.7	<2	0.38	<0.5	13	58	49	3.19
B629423		0.54	<0.005	0.7	1.70	24	<10	110	0.5	<2	0.26	<0.5	12	39	38	2.78
B629424		0.56	0.016	<0.2	1.51	108	<10	220	0.5	2	0.12	<0.5	6	25	17	2.48
B629425		0.60	0.362	0.2	2.25	387	<10	210	<0.5	2	0.11	<0.5	7	34	28	3.21
B629426		0.64	0.054	<0.2	1.77	1310	<10	160	1.0	2	0.09	<0.5	22	19	71	6.51
B629427		0.48	0.011	0.2	1.37	67	<10	270	<0.5	<2	0.18	<0.5	5	21	14	2.08
B629428		0.62	0.047	<0.2	1.12	60	<10	180	<0.5	<2	0.21	<0.5	6	19	18	1.83
B629429		0.62	0.015	0.2	1.21	381	<10	110	<0.5	<2	0.05	<0.5	4	21	22	2.51
B629430		0.58	0.009	0.2	2.21	52	<10	180	0.8	2	0.15	<0.5	12	29	41	3.07
B629431		0.56	<0.005	<0.2	1.18	20	<10	120	<0.5	<2	0.10	<0.5	5	18	13	1.85
B629432		0.62	0.019	<0.2	1.29	74	<10	130	<0.5	<2	0.13	<0.5	9	20	15	2.28
B629433		0.60	0.181	<0.2	1.19	67	<10	110	<0.5	<2	0.18	<0.5	8	20	15	2.30
B629434		0.40	0.009	0.3	1.11	99	<10	130	<0.5	<2	0.11	<0.5	4	17	14	1.90
B629435		0.50	0.009	0.3	1.50	124	<10	210	0.5	<2	0.29	<0.5	10	26	23	2.23
B629436		0.64	<0.005	<0.2	0.95	10	<10	80	<0.5	<2	0.04	<0.5	7	14	24	2.74
B629437		0.70	<0.005	0.2	1.02	4	<10	120	<0.5	<2	0.04	<0.5	12	18	33	3.25

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B629394		10	0.02	0.30	40	0.68	1030	<1	<0.01	36	340	40	<0.01	<2	5	13
B629395		<10	0.03	0.04	20	0.48	315	<1	<0.01	24	340	14	0.01	2	2	14
B629396		<10	0.04	0.05	20	0.33	265	<1	<0.01	20	440	13	0.01	<2	2	10
B629401		<10	0.03	0.07	10	0.44	427	<1	0.01	19	410	10	0.02	<2	3	23
B629402		<10	0.05	0.06	10	0.38	133	<1	0.01	17	540	8	0.07	5	3	26
B629403		<10	0.09	0.05	10	0.41	135	2	0.01	22	710	8	0.14	2	3	27
B629404		<10	0.07	0.04	10	0.49	196	<1	0.01	22	840	17	0.05	5	3	21
B629405		<10	0.06	0.04	10	0.32	152	<1	<0.01	15	560	14	0.02	<2	2	20
B629406		<10	0.06	0.03	10	0.31	141	<1	<0.01	17	610	13	<0.01	<2	2	16
B629407		<10	0.05	0.05	20	0.36	438	<1	<0.01	29	590	16	<0.01	4	3	18
B629408		<10	0.05	0.04	20	0.31	176	<1	<0.01	17	600	14	<0.01	3	3	18
B629409		<10	0.05	0.05	20	0.33	450	<1	<0.01	31	550	19	0.01	5	3	14
B629410		<10	0.04	0.05	30	0.37	480	<1	<0.01	28	560	24	0.01	4	2	20
B629411		10	0.09	0.06	10	0.49	270	1	0.01	19	760	44	0.03	3	3	16
B629412		10	0.05	0.16	10	0.57	326	1	0.02	30	970	9	0.15	3	4	19
B629413		<10	0.05	0.03	10	0.05	64	1	<0.01	7	590	11	0.04	6	1	9
B629414		<10	0.11	0.05	20	0.05	113	3	0.01	10	920	20	0.08	23	2	19
B629415		10	0.07	0.04	10	0.30	147	<1	<0.01	15	650	18	0.02	4	3	8
B629416		<10	0.05	0.05	20	0.40	368	1	<0.01	23	350	44	0.01	<2	5	10
B629417		<10	0.04	0.04	10	0.41	273	<1	<0.01	22	260	15	<0.01	3	4	8
B629418		10	0.04	0.05	10	0.53	289	1	0.01	25	650	20	0.03	4	3	27
B629419		<10	0.03	0.03	10	0.42	234	<1	0.01	19	620	10	0.02	4	3	16
B629420		10	0.02	0.03	10	0.46	203	<1	0.01	22	710	7	0.01	<2	3	14
B629421		10	0.04	0.15	10	0.91	368	5	0.03	44	590	8	0.11	4	8	41
B629422		10	0.05	0.18	20	0.84	314	2	0.02	52	930	14	0.07	<2	6	31
B629423		10	0.03	0.08	10	0.62	345	2	0.01	34	880	19	0.04	2	4	23
B629424		<10	0.02	0.04	10	0.40	226	<1	0.01	18	230	6	0.01	<2	3	12
B629425		10	0.02	0.14	20	0.60	200	<1	0.01	26	270	7	0.02	<2	4	20
B629426		<10	0.02	0.12	30	0.42	251	<1	0.01	65	450	15	0.08	13	3	52
B629427		<10	0.03	0.04	10	0.36	158	<1	0.01	17	270	11	0.01	2	2	15
B629428		<10	0.03	0.05	20	0.40	178	<1	0.01	20	580	6	0.02	2	2	20
B629429		<10	0.19	0.05	10	0.28	126	1	<0.01	14	270	8	0.02	3	3	17
B629430		10	0.03	0.19	20	0.70	357	<1	0.01	34	590	16	0.02	6	3	21
B629431		<10	0.04	0.05	10	0.32	120	<1	<0.01	17	360	8	0.01	<2	2	9
B629432		<10	0.03	0.05	10	0.39	267	<1	0.01	20	430	16	0.14	<2	2	12
B629433		<10	0.02	0.06	20	0.42	239	<1	0.01	19	520	11	0.09	4	2	14
B629434		<10	0.06	0.04	10	0.29	88	<1	<0.01	13	510	13	0.08	2	1	11
B629435		<10	0.06	0.04	20	0.48	194	<1	0.01	25	790	18	0.07	6	3	22
B629436		<10	0.03	0.03	30	0.22	181	<1	<0.01	23	400	17	0.02	4	1	17
B629437		<10	0.03	0.03	40	0.26	276	<1	<0.01	30	250	17	0.01	2	2	11

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
B629394		0.05	<10	<10	24	<10	67
B629395		0.02	<10	<10	30	<10	59
B629396		0.03	<10	<10	33	<10	50
B629401		0.05	10	<10	37	10	63
B629402		0.06	<10	<10	26	<10	58
B629403		0.05	<10	<10	35	<10	66
B629404		0.04	<10	<10	33	<10	121
B629405		0.02	<10	<10	34	<10	60
B629406		0.02	<10	<10	32	<10	54
B629407		0.03	<10	<10	28	<10	74
B629408		0.03	<10	<10	35	<10	55
B629409		0.02	<10	<10	21	<10	68
B629410		0.02	<10	<10	22	<10	78
B629411		0.05	<10	<10	49	<10	73
B629412		0.10	<10	<10	83	<10	80
B629413		0.02	<10	<10	30	<10	50
B629414		0.02	<10	<10	49	<10	104
B629415		0.04	<10	<10	55	<10	64
B629416		0.05	<10	<10	40	<10	101
B629417		0.05	<10	<10	40	<10	79
B629418		0.06	<10	<10	50	<10	85
B629419		0.04	<10	<10	43	<10	54
B629420		0.04	<10	<10	44	<10	61
B629421		0.10	<10	<10	102	<10	157
B629422		0.08	<10	<10	78	<10	134
B629423		0.06	10	<10	55	<10	106
B629424		0.05	<10	<10	42	10	58
B629425		0.09	<10	<10	48	<10	58
B629426		0.02	<10	<10	23	<10	56
B629427		0.04	<10	<10	40	10	57
B629428		0.04	<10	<10	30	<10	45
B629429		0.03	<10	<10	40	10	38
B629430		0.06	<10	<10	46	<10	115
B629431		0.03	<10	<10	28	<10	44
B629432		0.04	<10	<10	36	<10	76
B629433		0.05	<10	<10	31	<10	93
B629434		0.03	<10	<10	27	<10	47
B629435		0.04	<10	<10	38	<10	114
B629436		0.02	<10	<10	29	<10	60
B629437		0.02	<10	<10	28	<10	72

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B629438		0.56	<0.005	0.2	1.11	8	<10	130	<0.5	<2	0.05	<0.5	8	19	28	2.85
B629439		0.52	<0.005	<0.2	1.21	9	<10	170	<0.5	<2	0.07	<0.5	7	19	30	3.10
B629440		0.64	<0.005	0.2	0.97	4	<10	210	<0.5	2	0.17	<0.5	8	17	21	2.16
B629441		0.68	<0.005	0.2	0.69	9	<10	80	<0.5	2	0.03	<0.5	11	12	26	2.83
B629442		0.74	<0.005	0.4	0.68	15	<10	120	<0.5	<2	0.06	<0.5	18	13	47	3.94
B629443		0.52	<0.005	0.2	1.39	13	<10	110	<0.5	<2	0.05	<0.5	8	23	22	2.55
B629444		0.64	<0.005	0.2	1.18	7	<10	150	<0.5	3	0.08	<0.5	7	20	20	2.96
B629445		0.58	<0.005	0.3	1.21	13	<10	200	0.5	<2	0.08	<0.5	8	21	26	2.81
B629446		0.68	<0.005	<0.2	0.81	17	<10	120	<0.5	2	0.09	<0.5	5	16	17	2.11
B629447		0.66	0.005	0.2	1.08	21	<10	220	<0.5	<2	0.13	<0.5	7	19	23	2.44
B629448		0.44	<0.005	0.5	1.22	70	<10	200	<0.5	<2	0.24	<0.5	13	21	41	3.50
B629449		0.52	0.007	0.2	1.18	52	<10	200	<0.5	<2	0.24	<0.5	14	20	41	3.38
B629450		0.58	0.007	0.6	0.99	306	<10	190	<0.5	3	0.14	<0.5	31	18	45	6.46
B629451		0.52	0.007	<0.2	1.18	14	<10	190	<0.5	<2	0.20	<0.5	7	20	26	2.41
B629452		0.44	0.012	<0.2	1.36	11	<10	130	<0.5	2	0.12	<0.5	9	21	22	2.57
B629453		0.56	0.008	0.2	1.25	24	<10	80	<0.5	<2	0.10	<0.5	6	19	24	2.31
B629454		0.56	<0.005	<0.2	1.18	22	<10	170	<0.5	<2	0.11	<0.5	7	18	23	2.33
B629455		0.46	0.014	0.3	1.78	59	<10	370	0.6	2	0.44	<0.5	12	32	52	3.45
B629456		0.38	0.006	<0.2	1.65	50	<10	400	0.5	<2	0.39	<0.5	11	29	48	3.28
B629457		0.52	0.005	0.5	1.53	34	<10	360	0.5	2	0.43	<0.5	10	27	36	2.80
B629458		0.50	<0.005	<0.2	1.32	15	<10	190	<0.5	2	0.21	<0.5	6	20	21	2.13
B629459		0.48	<0.005	<0.2	1.42	10	<10	180	<0.5	<2	0.15	<0.5	7	22	23	2.37
B629460		0.38	0.005	<0.2	1.14	11	<10	170	<0.5	<2	0.17	<0.5	7	19	21	1.92
B629461		0.48	<0.005	<0.2	1.30	19	<10	70	<0.5	<2	0.08	<0.5	5	22	12	2.19
B629462		0.54	<0.005	0.2	1.06	12	<10	80	<0.5	<2	0.07	<0.5	3	21	9	1.61
B629463		0.52	0.005	<0.2	1.12	15	<10	80	<0.5	<2	0.13	<0.5	3	18	19	1.87
B629464		0.52	0.007	0.2	1.03	22	<10	150	<0.5	<2	0.19	<0.5	5	18	22	2.07
B629465		0.30	0.009	0.3	1.66	30	<10	390	0.5	<2	0.33	<0.5	9	26	30	2.41
B629466		0.66	0.020	0.5	1.38	102	<10	260	<0.5	2	0.38	<0.5	9	25	43	2.77
B629467		0.48	<0.005	<0.2	1.07	19	<10	230	<0.5	<2	0.20	<0.5	7	19	23	2.04
B629468		0.28	0.005	0.3	1.26	23	<10	300	<0.5	<2	0.34	<0.5	7	20	16	1.95
B629469		0.36	<0.005	0.2	1.88	13	<10	160	0.5	2	0.07	<0.5	7	28	17	2.95
B629470		0.52	0.008	0.2	1.35	37	<10	280	<0.5	<2	0.32	<0.5	9	22	28	2.15
B629503		0.68	<0.005	0.2	1.63	27	<10	160	0.5	<2	0.44	<0.5	7	26	21	2.79
B629504		0.36	<0.005	0.3	0.91	22	<10	150	<0.5	<2	0.22	2.7	4	19	31	1.80
B629505		0.70	0.008	0.2	1.83	24	<10	240	0.5	<2	0.09	<0.5	7	31	35	2.85
B629506		0.64	<0.005	0.3	1.89	35	<10	250	0.5	<2	0.10	<0.5	7	33	21	3.26
B629551		0.58	<0.005	0.2	0.87	20	<10	130	<0.5	<2	0.17	<0.5	7	16	22	1.95
B629552		0.72	0.007	0.2	0.47	264	<10	70	<0.5	2	0.12	<0.5	14	12	49	3.44
B629553		0.62	<0.005	0.4	0.95	49	<10	150	<0.5	<2	0.10	<0.5	12	15	30	2.65

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B629438		<10	0.04	0.04	30	0.31	192	<1	<0.01	23	280	11	0.01	<2	2	13
B629439		<10	0.03	0.05	30	0.27	154	<1	<0.01	22	530	16	0.02	<2	2	16
B629440		<10	0.07	0.04	20	0.31	150	<1	<0.01	24	450	10	0.01	<2	3	17
B629441		<10	0.06	0.04	50	0.14	233	<1	<0.01	23	340	42	0.01	5	1	23
B629442		<10	0.03	0.04	40	0.18	595	1	<0.01	44	420	28	0.01	<2	2	14
B629443		<10	0.04	0.05	10	0.33	186	<1	<0.01	20	190	17	0.01	<2	3	7
B629444		<10	0.02	0.08	20	0.31	230	<1	<0.01	20	260	19	0.01	4	2	12
B629445		<10	0.04	0.07	20	0.29	277	<1	<0.01	20	260	31	0.01	3	2	16
B629446		<10	0.03	0.05	20	0.24	199	<1	<0.01	13	400	9	0.01	2	2	18
B629447		<10	0.06	0.05	20	0.29	260	<1	<0.01	14	600	13	0.01	3	2	19
B629448		<10	0.10	0.14	30	0.42	512	<1	0.01	36	550	27	0.01	8	3	27
B629449		<10	0.11	0.11	40	0.39	515	<1	0.01	33	580	27	0.01	7	3	25
B629450		<10	0.08	0.10	30	0.40	1980	<1	<0.01	58	580	61	0.02	30	2	13
B629451		<10	0.04	0.04	20	0.39	406	<1	<0.01	25	640	18	0.02	6	3	14
B629452		<10	0.03	0.06	20	0.44	428	<1	<0.01	19	470	14	0.02	<2	2	10
B629453		<10	0.03	0.03	20	0.42	253	<1	<0.01	16	480	11	0.01	5	1	8
B629454		<10	0.03	0.04	20	0.38	359	<1	<0.01	17	590	10	0.01	11	2	9
B629455		<10	0.05	0.11	20	0.63	536	<1	0.02	38	870	19	0.02	6	5	29
B629456		<10	0.04	0.12	20	0.60	504	1	0.01	34	860	19	0.02	5	4	26
B629457		<10	0.04	0.09	20	0.50	346	<1	0.01	28	860	13	0.02	4	4	27
B629458		<10	0.03	0.04	10	0.40	234	<1	<0.01	18	570	10	0.01	<2	2	16
B629459		<10	0.03	0.04	20	0.43	290	<1	<0.01	16	470	10	0.01	3	2	14
B629460		<10	0.03	0.03	20	0.34	212	<1	<0.01	17	680	9	0.01	4	1	13
B629461		<10	0.03	0.03	10	0.30	138	<1	<0.01	13	360	9	0.01	<2	2	7
B629462		<10	0.02	0.03	10	0.27	86	<1	<0.01	9	350	9	0.01	<2	<1	7
B629463		<10	0.03	0.03	10	0.28	115	<1	<0.01	12	690	8	0.01	<2	1	10
B629464		<10	0.03	0.04	10	0.33	155	<1	<0.01	16	710	10	0.01	<2	2	14
B629465		<10	0.05	0.06	20	0.40	443	<1	0.01	23	880	11	0.03	3	2	21
B629466		<10	0.13	0.14	20	0.48	444	1	0.02	29	910	20	0.01	7	4	24
B629467		<10	0.03	0.04	20	0.35	283	<1	<0.01	20	600	7	0.01	2	3	15
B629468		<10	0.06	0.04	10	0.31	296	<1	0.01	17	910	13	0.03	2	2	23
B629469		10	0.03	0.04	20	0.36	208	<1	<0.01	16	340	10	0.01	2	4	8
B629470		<10	0.04	0.05	20	0.37	241	<1	0.01	20	780	13	0.02	4	3	23
B629503		10	0.03	0.14	10	0.48	213	1	0.01	21	390	13	0.03	<2	2	24
B629504		10	0.05	0.04	10	0.20	91	4	0.01	18	390	9	0.06	2	1	24
B629505		<10	0.04	0.08	10	0.46	186	1	0.01	29	250	10	0.05	2	4	18
B629506		10	0.03	0.08	10	0.41	167	1	0.01	26	450	11	0.06	3	3	20
B629551		<10	0.04	0.04	20	0.32	213	<1	0.01	17	540	15	0.02	4	2	15
B629552		<10	0.03	0.08	30	0.14	382	<1	<0.01	29	310	48	0.03	16	1	16
B629553		<10	0.06	0.10	30	0.20	397	1	<0.01	19	290	24	0.03	8	2	17

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B629438		0.02	<10	<10	29	<10	69
B629439		0.02	<10	<10	35	<10	71
B629440		0.02	<10	<10	26	<10	55
B629441		0.01	<10	<10	18	<10	89
B629442		0.02	<10	<10	22	<10	93
B629443		0.04	<10	<10	35	<10	55
B629444		0.03	<10	<10	35	<10	69
B629445		0.03	<10	<10	33	<10	69
B629446		0.03	<10	<10	25	<10	49
B629447		0.03	<10	<10	31	<10	61
B629448		0.03	<10	<10	26	<10	90
B629449		0.03	<10	<10	25	<10	88
B629450		0.02	<10	<10	22	<10	293
B629451		0.04	<10	<10	35	<10	58
B629452		0.03	<10	<10	36	<10	52
B629453		0.03	<10	<10	28	<10	53
B629454		0.03	<10	<10	31	<10	59
B629455		0.06	<10	<10	47	<10	104
B629456		0.06	<10	<10	45	<10	106
B629457		0.05	<10	<10	40	<10	96
B629458		0.03	<10	<10	35	<10	55
B629459		0.04	<10	<10	37	<10	58
B629460		0.03	<10	<10	33	<10	53
B629461		0.04	<10	<10	36	<10	45
B629462		0.02	<10	<10	37	<10	30
B629463		0.03	10	<10	33	<10	44
B629464		0.04	<10	<10	33	<10	55
B629465		0.03	<10	<10	42	<10	71
B629466		0.06	<10	<10	38	<10	100
B629467		0.04	<10	<10	33	<10	58
B629468		0.03	<10	<10	35	<10	61
B629469		0.05	<10	<10	56	<10	53
B629470		0.04	<10	<10	38	10	72
B629503		0.06	<10	<10	41	<10	62
B629504		0.05	<10	<10	69	<10	66
B629505		0.06	<10	<10	56	<10	72
B629506		0.06	<10	<10	69	<10	79
B629551		0.04	<10	<10	26	<10	57
B629552		0.01	<10	<10	16	<10	83
B629553		0.01	<10	<10	23	<10	43

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B629554		0.52	<0.005	0.2	0.87	9	<10	110	<0.5	<2	0.09	<0.5	6	14	16	2.17
B629555		0.62	<0.005	0.2	1.09	41	<10	140	<0.5	<2	0.12	<0.5	9	19	20	2.44
B629556		0.64	0.010	0.2	1.04	79	<10	110	<0.5	<2	0.07	<0.5	6	18	18	2.50
B629557		0.70	0.012	<0.2	0.76	40	<10	120	<0.5	<2	0.11	<0.5	8	14	21	2.25
C083501		0.70	<0.005	<0.2	1.40	15	<10	110	<0.5	<2	0.11	<0.5	6	21	16	2.19
C083502		0.58	<0.005	<0.2	1.38	14	<10	120	<0.5	<2	0.11	<0.5	6	21	16	2.13
C083503		0.52	<0.005	<0.2	1.83	15	<10	110	<0.5	<2	0.12	<0.5	7	26	20	2.34
C083504		0.66	0.008	<0.2	1.72	11	<10	100	<0.5	<2	0.13	<0.5	6	26	18	2.22
C083505		0.82	<0.005	<0.2	1.72	12	<10	100	<0.5	<2	0.12	<0.5	6	25	19	2.21
C083506		0.42	0.036	0.2	1.33	53	<10	260	<0.5	<2	0.94	<0.5	10	21	19	2.13
C083507		0.52	0.010	0.3	1.34	55	<10	260	<0.5	<2	0.91	<0.5	10	21	19	2.17
C083508		0.46	0.016	0.3	1.30	48	<10	250	<0.5	<2	0.86	<0.5	9	21	17	2.06
C083509		0.56	0.007	0.3	1.55	355	<10	130	0.5	<2	1.03	<0.5	12	23	26	2.42
C083510		0.44	0.008	0.2	1.62	377	<10	140	0.5	<2	1.30	<0.5	13	25	29	2.57
C083511		0.48	0.006	<0.2	1.50	354	<10	120	<0.5	<2	0.89	<0.5	12	22	23	2.36
C083512		0.74	0.019	0.2	1.59	232	<10	210	<0.5	<2	0.46	<0.5	12	32	20	2.59
C083513		0.56	0.017	<0.2	1.68	310	<10	230	<0.5	<2	0.53	<0.5	14	37	18	2.70

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B629554		<10	0.02	0.07	20	0.20	215	<1	<0.01	15	230	22	0.02	3	1	11
B629555		<10	0.05	0.07	20	0.32	343	<1	<0.01	19	330	22	0.02	8	2	13
B629556		<10	0.03	0.07	20	0.26	175	1	<0.01	17	310	31	0.03	9	2	10
B629557		<10	0.04	0.05	20	0.23	263	<1	<0.01	18	360	17	0.02	5	2	11
C083501		<10	0.02	0.04	20	0.40	208	1	<0.01	18	460	10	0.03	2	1	11
C083502		<10	0.03	0.04	20	0.39	215	<1	<0.01	16	430	10	0.02	<2	2	11
C083503		10	0.03	0.09	20	0.58	190	1	0.01	19	420	13	0.03	<2	2	14
C083504		10	0.03	0.09	10	0.56	158	1	<0.01	18	360	12	0.02	<2	2	14
C083505		10	0.03	0.09	10	0.55	165	<1	<0.01	17	380	11	0.02	2	2	14
C083506		<10	0.06	0.07	20	0.40	550	1	0.02	20	740	18	0.07	3	2	88
C083507		<10	0.06	0.08	20	0.42	526	1	0.02	19	740	18	0.07	3	2	84
C083508		<10	0.05	0.07	20	0.41	464	1	0.02	18	720	18	0.07	3	2	77
C083509		<10	0.04	0.05	10	0.54	506	<1	0.04	28	580	17	0.06	6	3	48
C083510		<10	0.05	0.05	10	0.56	545	<1	0.04	29	590	20	0.07	7	3	54
C083511		<10	0.04	0.04	10	0.53	485	<1	0.04	26	570	16	0.05	5	3	45
C083512		<10	0.04	0.12	20	0.56	279	1	0.02	33	650	10	0.04	3	3	34
C083513		10	0.04	0.09	10	0.61	473	1	0.02	36	610	10	0.05	<2	3	36

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 22-NOV-2006
Account: STRGOL

Project: 1735 Dublin Gulch

CERTIFICATE OF ANALYSIS VA06114205

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B629554		0.02	<10	<10	30	<10	42
B629555		0.03	<10	<10	31	<10	70
B629556		0.03	<10	<10	32	<10	61
B629557		0.02	<10	<10	20	<10	53
C083501		0.03	<10	<10	33	<10	53
C083502		0.03	<10	<10	34	<10	51
C083503		0.05	<10	<10	41	<10	58
C083504		0.04	<10	<10	40	<10	53
C083505		0.05	<10	<10	39	<10	54
C083506		0.05	<10	<10	35	<10	81
C083507		0.05	<10	<10	36	<10	84
C083508		0.05	<10	<10	35	<10	81
C083509		0.04	<10	<10	37	<10	72
C083510		0.04	<10	<10	39	<10	81
C083511		0.04	<10	<10	35	<10	68
C083512		0.07	<10	<10	38	<10	74
C083513		0.07	<10	<10	41	<10	77