095639 vol.1

Cash Minerals Limited
Suite 1890 Oceanic Plaza, 1066 West Hastings Street
Vancouver B.C. V6E 3X1
Telephone: 604-633-9942 Fax: 604-633-9972

Assessment Report

describing

Diamond Drilling and Geophysics

At the

Igor Property

Igor 1-2	YC38951-YC38952
5-8	Y96128-Y96131
9-16	YC38955-YC38962
17-18	YC39556-YC39557
19-22	YC39570-YC39573
23F	YC39679
24F	YC39900

NTS 106E/02
Latitude 65°02'N, Longitude 134°38'W
in the Mayo Mining District
Yukon Territory

Prepared by and for
Cash Minerals Limited

by

Michael Carew PhD.
February 2008

Table of Contents

	Page
Introduction	4
History	4
Regional Geology	5
Regional Mineralization	9
Property Geology	10
Property Mineralization and Geochemistry	15
Geophysics	17
2007 Diamond Drilling	18
Discussion / conclusions	20
References	22

Appendices

1: Statement of Qualifications 22

2: Geological Logs

3: Assay data and certificates

4: Ground gravimetric survey report

5: PGN structural geology report

List of Figures

	Page
Figure 1: Regional location and geological setting of the Werneckes district	6
Figure 2: Geological map of the Igor property	11
Figure 3: Cross-section through southern Igor	13
Figure 4: Cross-section through central Igor	14
Figure 5: Map of Igor showing all 2007 and pre-2007 drill holes	16
Figure 6: Gravimentric image of southern Igor	18

List of Tables

Table 1: summary of drill holes	19
Table 2: Significant assay results from the 2007 drill program	21

Measurements and grid locations included in the report are in UTM NAD83, zone 8, unless otherwise stated

Introduction

Drilling at Igor during the 2007 field season further established the potential for significant Cu-U (±Au) mineralization resembling currently exploited IOCG-type systems including Olympic Dam (Gawler Craton), Ernest Henry (Mount Isa Inlier) and Salobo (Brazil). The Igor prospect comprises a complex breccia body that exhibits transitional zoning with depth, and is coincident with an appreciable gravity anomaly. An apparent north-west plunge to the breccia body is interpreted from geological data. Cu-U mineralization is spatially associated with magnetite-albite-barite-Fe carbonate ± fluorite-chalcopyrite-pyrite breccia veins that vary from several cm to 5 m wide. Later carbonate-barite-chalcopyrite mineralization is associated with irregular veins that are up to 30 cm wide. A strong pink/red alteration, interpreted to be K-feldspar, is commonly associated with pronounced U mineralization. The spatial distribution of Cu-U mineralization is complex, with Cu-U-rich zones in the south, whereas to the north, U is relatively low, and Au is more prominent.

All drilling and logistical support was conducted from a camp on the Igor property. The closest access road is the Wind River Trail, which passes within 10 km from the property. This road has deteriorated and can only be used in winter. Supplies and personnel were flown by fixed-wing aircraft to Quartet Lake and the Hustle air strip using a Britten-Norman Islander and De Havilland Canada DHC-3 Otter, provided by Sifton air and Black Sheep Aviation respectively. An Astar 350B2 and Bell 206B were used to mobilize drill rigs and personnel to and from the drill pads. The property is dominated by steep hillsides, bounded by two rivers that join to the north. Two rivers were used to provide water for food and drilling.

This report will outline the work completed at Igor during the 2007 season. This includes a detailed description of the geology and assay data from the 9041 m of drill core comprising 31 diamond drill holes. A geological model and requirements for determining a resource will also be discussed. Finally, recommendations for the 2008 season will be given based on interpretations from the above data.

History

Mineralization comprising hematite-rich float was first discovered in the Wernecke mountains by prospectors in 1898. Copper and gold occurrences were identified and staked prior to the 1960's, but no serious exploration was undertaken. A wave of exploration spurred by the discovery of the Crest Iron Deposit and the construction of the Wind River Trail led to the discovery of additional copper occurrences in the early- to mid-1960s (Deklerk and Traynor, 2004)

Uranium was first discovered in the Wernecke Mountains in 1974 at the Igor Property by Ogilvie Joint Venture (Chevon Canada Ltd, Marietta Resources International Ltd and Aquitaine Company of Canada Ltd). The following summer, a helicopter borne radiometric survey was conducted by the Wernecke Joint Venture (Chevron and Aquitaine) throughout the district where a number of properties were staked. Most of

these occurrences are associated with large iron oxide-rich breccia bodies that are informally known as the Wernecke Breccias.

The Igor Property was staked in 1974 by Ogilvie Joint Venture. In 1975, geological mapping, grid soil sampling, rock-hip sampling and ground and airborne surveys were conducted. This work identified several uranium and copper showings and outlined extensive soil geochemical anomalies (Archer, 1975)

The property was optioned to Eldorado Nuclear in 1976 but it did not receive significant work. In 1979 Wernecke Joint Venture performed additional prospecting and drilled five holes totaling 485.8 m (Schmidt and Archer, 1979). The following year the joint venture conducted: detailed geological mapping; more prospecting; radiometric surveys; hand-trenching; and 1969 m of diamond drilling in 17 holes (Archer and Eaton, 1980). Continued exploration in 1981 included extensive induced polarization, VLF and magnetic surveys plus another small Max-Min survey (Archer and Eaton, 1981 and Hendrickson, 1981). Finally, in 1982 the joint venture drilled another eight holes totaling 1043.4 m (Eaton and Archer, 1982).

The property was sold to Archer Cathro in 1992 and later that year BHP optioned and briefly examined it. In 1995 Archer Cathro sold the property to Nordac Resources Ltd which later became Strategic Metals Ltd. Aside from minor reclamation work done in 1997, the property was dormant unitl Strategic staked additional claims in fall 2004. Strategic sold its intere4st in the property to Twenty-Seven in December 2004. in summer 2005, a total of 1120.74 m of diamond drilling was completed in seven holes at the Igor property (Dumala, 2005).

Regional Geology

The Wernecke, Hart River and Coal Creek Inliers are exposed within the Cordilleran fold and thrust belt of northwestern Canada (figure 1) (Thorkelson *et al.* 2005).

Deformation associated with Cordilleran orogenesis has largely shaped the modern geological configuration of the region. The Canadian Cordillera formed along the western margin of ancestral North America from the Devonian to the Early Cainozoic (Cook *et al.* 2004). Mesozoic – Cainozoic cordilleran orogenesis resulted in the accretion of several allocthonous and pericratonic terranes that incorporated existing Paleoproterozoic terranes with Paleozoic marginal strata, and lead to the formation of syn-orogenic and post-orogenic igneous and sedimentary successions (Gabrielse *et al.* 1991).

Wernecke Supergroup strata are geographically separated from cratonic North America within a series of Inliers (figure 1); thought to represent large-scale structural culminations that have been preferentially exhumed (Thorkelson *et al.* 2005). Smaller outcrops of Early Proterozoic strata are considered to be the cores of folds produced during late Mesozoic shortening (Laramide orogenesis) (Norris 1984). Surrounding the inliers are younger Neoproterozoic to Cenozoic rocks that now comprise part of the Mackenzie platform (figure 1) (Thorkelson *et al.* 2005). This sub-region of Cordilleran foreland belt is associated with Neoproterozoic to Paleozoic platformal assemblages (



Figure 1: Regional location and geological setting of the Werneckes district.

figure 1) (Gordey & Anderson 1993; Norris 1997). This platformal sequence is juxtaposed to the south of the Dawson Fault by the Selwyn Basin (figure 1), a package of basinal strata also of Neoproterozoic to Lower Paleozoic age (Gordey & Makepeace 1999).

The Wernecke Inlier is crosscut by the Richardson fault array (figure 1) (Thorkelson 2000), a series of deep-seated structures that are continuous for over 600 km that mark the boundary between the deformed Cordilleran fold and thrust belt and the relatively undeformed Northern Interior Platform (Delaney 1981; Norris 1997; Thorkelson 2000). This region represents a zone of weakened crust within the North American craton – possibly an Early Proterozoic terrane boundary (Thorkelson 2000) – that has been re-activated during the Late Proterozoic and the Tertiary (Hall & Cook 1998) manifested as strike-slip, thrust and normal faults (Norris 1981; Hall & Cook 1998). To the south, the Richardson Fault Array splays to become the Fairchild Lake Fault (Norris 1981). This fault is a major structure in the Wernecke Inlier that intersects strata of the Wernecke Supergroup (Thorkelson 2000). The Fairchild Lake Fault has been interpreted as a normal fault (with possible minor strike-slip motion) with an east-side-down sense of

movement (Thorkelson 2000). Early fault activity occurred during the Middle to Late Proterozoic, given by the differential preservation of Early and Mesoproterozoic strata on adjacent sides of the Fairchild Lake fault (Thorkelson 2000). Fault displacement and erosion associated with the Fairchild Lake Fault could control the configuration of many Proterozoic and Paleozoic successions in the region (Thorkelson 2000).

The Wernecke Supergroup is comprised of a roughly 13 km thick package of marine sedimentary and carbonate sediments (Delaney 1981) deposited prior to 1.71 Ga (Thorkelson 2000). The Wernecke Supergroup consists of three major successions known from oldest to youngest as the Fairchild Lake Group, Quartet Group and the Gillespie Lake Group (Delaney 1981; Thorkelson 2000), that are dominated by mudstone, siltstone and dolomite (Thorkelson *et al.* 2001b).

Fairchild Lake Group *(FLG)* sediments represent the oldest supracrustal sedimentary succession within the Cordillera, and forms the basal section of the Wernecke Supergroup (Thorkelson 2000). The lower contact of the Fairchild Lake Group is nowhere exposed, but is thought to be structurally decoupled with the crystalline basement as a result of contractional deformation (Thorkelson 2000). Thorkelson (2000) differentiated the ~ 200 m thick upper FLG (uFLG) from the ~ 4.6 km thick lower FLG on the basis of lithological character. Lower FLG strata are generally composed of weakly to moderately metamorphosed (Thorkelson *et al.* 2003) finely laminated to cross-laminated siltstone, mudstone and fine-grained sandstone with locally intercalated dolomite (Thorkelson 2000). Upper FLG sediments generally consist of monotonous alternating sequences of dolomite and siltstone (Thorkelson 2000).

Fairchild Lake Group strata commonly exhibit a variably intense slaty cleavage (Thorkelson *et al.* 2003), with local zones of higher strain – often the cores of tight folds – producing chlorite and muscovite-rich phyllite to fine grained chlorite-muscovite-chlorite schist, often with additional chloritoid or garnet porphyroblasts (Thorkelson *et al.* 2003).

The Quartet Group *(QG)*- conformably overlies the uppermost Fairchild Lake Group and represents the middle sequence of the Wernecke Supergroup (Thorkelson 2000; Hunt *et al.* 2005). The ~ 5 km thick sequence has been divided into a basal Q-1 unit and an overlying Q-2 unit by Delaney (1981). Q-1 consists of black carbonaceous shale in conformable with contact with an upward coarsening sequence of intercalated pyritic shale, siltstone and fine grained sandstone termed Q-2 (Delaney 1981). Within the uppermost Q-2 sequence, this fine grained sandstone becomes interlayered with buff-brown weathering silty dolomite; indicating the onset of Gillespie Lake Group sedimentation (Thorkelson 2000).

The Gillespie Lake Group *(GLG)*- conformably overlies the upper Quartet Group and represents the uppermost layer of the Wernecke Supergroup as ~ 4 km of shallow water sediments (Delaney 1981). Delaney (1981) subdivided the GLG into seven conformable units known from bottom to top as units G-TR and G-2 to G-7. The basal G-TR unit is delineated from the upper QG on the pronounced increase in the abundance of buff-

weathering dolomite that appear as distinctive alternating bands of dolomite and siltstone (Thorkelson 2000). The remainder of the succession (units G2-G7, of Delaney, 1981) is composed of orange-weathering dolomite and silty dolomite sediments; interpreted as deposition in a shallow to intertidal environment (Thorkelson 2000).

Wernecke Breccia *(WBX)*- Voluminous hydrothermal activity occurred in the Yukon during the Early to Middle Proterozoic, that resulted in the formation of extensive zones of fragmental rocks within the Wernecke Supergroup, termed the Wernecke Breccia (figures 1) (Thorkelson *et al.* 2001b). Brecciation occurred in the Wernecke inlier and 300 km to the west in the Coal Creek inlier, hosted predominantly within strata of the Wernecke Supergroup (Figure 1) (Thorkelson *et al.* 2001b). Breccia bodies are present as numerous curvilinear belts over an area of ~ 48,000 km^2 (figure 1) (Archer & Schmidt 1978; Delaney 1981; Bell 1986b; Lane 1990; Wheeler & McFeely 1991; Thorkelson 2000).

Wernecke Breccia typically consists of variably metasomatised angular to sub-angular clasts, surrounded by a matrix of hydrothermal minerals (Thorkelson *et al.* 2001b). Specular hematite is abundant both within fractures and as disseminations within most breccia occurrences (Thorkelson 2000; Thorkelson *et al.* 2001b). Breccia clasts are sourced predominantly from Wernecke Supergroup dolomites, siltstones, slates, phyllites and schists (Thorkelson 2000). Where brecciation has intersected the Bonnet Plume River intrusions, breccias contain locally abundant igneous clasts. Megaclasts and clasts of volcanic material are found at one locality (Slab occurrence) where brecciation engulfed the Slab volcanics (Thorkelson 2000). Breccia matrix is generally composed of milled and small fragments of clasts and wall rock, cemented by abundant hydrothermally precipitated minerals including: hematite, quartz, carbonate, chlorite, feldspar and mica (Thorkelson 2000; Thorkelson *et al.* 2001b).

Metasomatism associated with the Wernecke Breccia was initiated before and concluded after the main breccia forming event, and is commonly preserved as metasomatic aureoles overprinting breccia and surrounding country rock (Thorkelson *et al.* 2001b). Metasomatic effects are variable regionally, but typically result in the overprinting of clasts and matrix via the precipitation of a range of minerals including: hematite (earthy and specular), magnetite, dolomite, siderite, chlorite, titanite, brannerite and chalcopyrite (Thorkelson *et al.* 2001b).

U-Pb dating of titanite produced an age of ~ 1.6 Ga for the earliest phase of brecciation (Thorkelson *et al.* 2001b). Although this event is recognized as the dominant breccia forming event, at least two other phases of hydrothermal activity occurred at 1.38 and 1.27 Ga (Thorkelson *et al.* 2005).

Bonnet plume River intrusions *(1.71 Ga)*- The Bonnet Plume River intrusions represent the oldest intrusive rocks in the Yukon (figure 1) (Thorkelson 2000; Thorkelson *et al.* 2001b). Intrusion occurred in the form of short dikes and stocks of fine to medium-grained diorites and gabbros (with minor syenite and anorthosite) (Thorkelson *et al.* 2001a) that invaded the Wernecke Supergroup (Delaney 1981; Norris & Dyke 1997;

Thorkelson 2000). This intrusive relationship allows the Bonnet Plume River Intrusions to constrain the minimum age of Wernecke Supergroup deposition and preceding Wernecke basin formation (Thorkelson *et al.* 2001a). Dating of zircon obtained from several Bonnet Plume River Intrusions samples yielded U-Pb ages of ~ 1.71 Ga, providing a lower bracket age for Wernecke Supergroup deposition of > 1.71 Ga (Thorkelson *et al.* 2001a).

The Bonnet Plume River Intrusions are predominantly found as clasts and enclaves – millimeters to hundreds of meters in length – within breccia bodies that formed during voluminous hydrothermal-phreatic activity at ca. 1.6 Ga (Thorkelson *et al.* 2001b). These events lead to the development of regional zones of fragmental rock known as the Wernecke Breccia (Laznicka & Edwards 1979; Bell 1986b; Laznicka & Gaboury 1988. Bonnet Plume River Intrusions also show an association with normal faulting that probably represents syn-magmatic extensional faulting within the Wernecke Mountains (Thorkelson *et al.* 2001a).

Slab Volcanics *(1.71 Ga?)*-The Bonnet Plume River Intrusions are often considered to have a possible co-magmatic extrusive equivalent known as the Slab Volcanics (figure 1) (e.g. Thorkelson 2000; Thorkelson *et al.* 2001a; Thorkelson *et al.* 2005). The Slab volcanics comprise of a sequence of ~ 40 mafic to intermediate thin lava flows, preserved entirely as clasts, including one 250 m thick megaclast (Thorkelson *et al.* 2001a). This megaclast is hosted within an expansive zone of Wernecke breccia; present within schist and metasediment of the Fairchild Lake Group (Thorkelson *et al.* 2005).

Regional Mineralization

Sixty-five Wernecke breccia bodies within the Wernecke and Ogilvie Mountains have been identified to host prospective IOCG style mineralization (Archer & Schmidt 1978; Deklerk & Traynor 2005). Mineralization occurs both within breccia, and in the surrounding rock, as disseminations and veins that record multiple phases of mineralization (Hunt *et al.* 2005). Common IOCG phases include: magnetite, hematite, chalcopyrite, pitchblende, brannerite, cobaltite and gold (not visible but reports in assay with copper) (Hunt *et al.* 2005).

Mineralized Wernecke breccia appears to show similarities with mineralized breccia associated with the giant Olympic Dam deposit (Thorkelson *et al.* 2005). This correlation is significant for paleogeographic reconstructions that link Australia and Laurentia during the early Proterozoic (e.g. Bell & Jefferson 1987; Dalziel 1991; Moores 1991; Thorkelson *et al.* 2001b; Betts *et al.* 2008).

The mineralization is commonly copper-gold and less frequently uranium and cobalt. This mineralization occurs in four of styles: (1) disseminations in albite-quartz-pyrite-chalcopyrite veinlets/replacement veins within sedimentary clasts in the Werneckes Breccia and as rare massive sulphide clasts, (2) disseminations and blebs in breccia matrix, locally forming the entire matrix, (3) as blebs up to 5cm across or disseminations in calcite-chlorite-muscovite-pyrite-chalcopyrite-hematite ± magnetite, quartz-hematite-

pyrite-chalcopyrite and calcite ± chalcopyrite veins that cross-cut breccia and the Werneckes Supergroup and (4) as blebs or disseminations in quartz-chalcopyrite ± feldspar ± muscovite ± hematite veins that are parallel to and cross-cut calcareous layers in siltstone (Hunt *et al.* 2005).

Property Geology

Regional Context

The Igor Property is underlain by Lower Cambrian to Lower Devonian Bouvette Assemblage, lower Cambrian Iltyd Assemblage and Early Proterozoic Quartet Group, which is part of the Wernecke Supergroup. The Quartet Group rocks are cut by middle Proterozoic Wernecke Breccia.

The Bouvette Assemblage comprises light grey, moderately to thickly bedded limestone, located in the southwest corner of the property (Figure 2). An east-southeast trending, steeply dipping fault separates the Bouvette Assemblage from other lithologies to the north.

The Iltyd Assemblage comprises: light grey weathering limestone; light grey to buff, locally bioturbated, fossiliferous and crossbedded quartzite/sandstone; and, buff to orange, partly recrystallised, locally cross-bedded dolostone. These lithologies cap a north-northeast trending ridge in the western half of the property and the north to east trending ridge in the southeast part of the property (Figure 2). To the west, an angular unconformity separates the Iltyd Assamblage from underlying Quartet group rocks

Rock types

Quartet Group siltstone and quartzite (QZT) are the most abundant rocks on the property. The siltstone is green-grey and laminated to thinly bedded, while the quartzite is light grey and fine-grained. The QZT typically crops out at surface to the south and east of the north-trending ridge at the centre of the property. To the north, QZT was drilled at depth (>400 m from surface). Chlorite occurs as a fine-grained replacement, and as irregular veins. The contact between the QZT and hydrothermal breccia described below is commonly faulted with chlorite and limonite occurring along fracture surfaces.

The north-trending ridge comprises of a highly complex breccia body with a variable clast:matrix ratio and complex mineral zoning (See cross-section figure 1 and 2). The contact between the breccia and underlying QZT plunges to the north. Five smaller breccia bodies are located immediately west of the main body, and are interpreted to be displaced by E-W and NW-SE oriented faults (see section below). Clasts are variably altered QTZ and red jasperoid. The breccia is transistional with a clast-supported, Fe carbonate-sericite-barite-rich outer zone, and a matrix-supported, magnetite-chlorite-Fe carbonate-barite-fluorite-rich core. A description of each of the major breccia types is given below:



Figure 2. Geological map of the Igor area (Betts, 2007)

- Fe carbonate-sericite-barite hydrothermal breccia (SBX): Yellow-white-pink, clast-supported breccia with fine-grained Fe carbonate altered clasts and sericite-barite matrix. Mineralization is rarely observed, but the breccia is occasionally overprinted by fine-grained pyrite alteration with anomalous gold. The rock becomes progressively sheared at the transitional contacts with younger breccias.
- Specular hematite-carbonate-chlorite hydrothermal breccia (HBX): Grey-white, clast-supported breccia with fine-grained siltstone clasts and specular hematite-chlorite-carbonate matrix. The breccia is occasionally sheared at the transitional contact with SBX.
- Carbonate (dolomite?)-chlorite-barite hydrothermal breccia (DBX): Pink/red-grey, clast and matrix-supported breccia with fine-grained, red silica (jasper?) altered clasts and coarser-grained dolomite-chlorite-barite matrix. Clasts are sub-angular to sub-rounded
- Magnetite-chlorite-Fe carbonate-barite ± fluorite ± K-feldspar hydrothermal breccia (MBX): Green-grey-pink, matrix-supported, breccia with sub-rounded, chlorite ± K-feldspar altered clasts and magnetite-chlorite-Fe carbonate-barite ± fluorite matrix.

A hematite-rich ironstone and magnetite-rich vein/breccia cut the main breccia zone. Cu-U-Au-Ag mineralization is commonly, but not exclusively, associated with these later crosscutting veins and breccia. The ironstone and magnetite-rich vein/breccia are described below:

- Hematite/magnetite-carbonate ± pyrite-chalcopyrite (IST): Dark-grey, massive, ironstone. The sharp contacts between the ironstone and surrounding wallrock suggest a significant infill component (i.e. veins rather than alteration). Vein width varies from <30 centimetres to >5 metres wide. The ironstone also exhibits transitional contacts with the magnetite vein/breccia described below.
- Magnetite/hematite-barite-carbonate-albite-Fe carbonate ± K-feldspar-pyrite-chalcopyrite-pitchblende (MVN): Dark grey-white, coarse-grained, matrix-supported vein/breccia occur as <30 centimetre to >5 metre wide intervals that cut the transitional breccia body described above. Large blebs of magnetite (to hematite) up to 2 cm wide occur in the matrix. The blebs comprise a hematite rim and magnetite core, with fine-grained disseminated chalcopyrite. Chalcopyrite-pyrite mineralization also occurs as a pervasive replacement (up to 80 %). K-feldspar was drilled at surface to the north and is associated with strong uranium mineralization (pendlandite).



Figure 3: Cross-section through southern Igor



Figure 4: Cross-section through southern Igor

Structure

A study on the structural architecture of Igor was conducted by Peter Betts of PGN, and can be found in appendix 1 of this report. Betts (2007) identified two phases of folding. Upright folding with N- to NNE-orientated axial traces represents the dominant phase identified at Igor. The plunge of this fold is shallow to moderate to the north and south. This is interpreted to overprint an older foliation defined by the preferred orientation of mica and quartz aggregates in the fold limbs (Betts, 2007). A third generation of fold occurs as a series of open warps along the steeply to moderately east-dipping limbs of the N-NNE folds.

Betts (2007) also identified a series of E-W, NW- and N-S oriented faults and ENE veins and fractures (Figure 2). Discontinuous N-S oriented faults along the Igor ridge are offset by E-W structures. A steeply dipping E-W oriented fault is interpreted to offset the breccia to the south (Fig ..). The sense of movement across the fault is apparent dextral. NW-SE trending faults are also recognized along the Igor ridge and are subparallel with the Richardson Fault array and therefore may be related (Betts, 2007).

Property Mineralization and Geochemistry

Alteration and mineralization

Cu-U-Au-Ag mineralization at Igor is typically associated with the MVN, IST and MBX. In cross-section (Figure 4) the mineralization is confined to a structural zone where the zonal pattern in the breccia is distorted. This zone is interpreted to be a sub-vertical shear zone or fault that coincides with a crosscutting MVN and IST. It is clear from figure 4 that the high grade mineralization coincides with this apparent structural feature. Further to the east, Cu-U mineralization is low. Figure 3 shows an east-west cross-section through the south of the gravity anomaly. Cu-U mineralization is associated with a westerly dipping IST pod and milled MBX. In both cross-sections, the mineralization decreases markedly once the QZT is intersected. An interpreted fault is also shown in figure 3 although this may represent a post-mineralization structural feature.

In plan view, 2 prominent, high grade Cu-U mineralized zones were intersected in a number of drill holes (IG-2007-06, IG-2007-22, IG-2007-02) to the west and north-west of the main gravity anomaly (Figure 5). The high grade zones correspond with the westerly dipping mineralized zones identified in cross-section in figures 3 and 4. These high grade zones are interpreted to represent a structurally controlled, north oriented zone approximately 500 m long and <100 m wide. The most outstanding intersection drilled during 2007 was from hole IG-2007-22, which returned 140 m @ 0.76 % Cu and 0.0412 % U_3O_8. This hole was drilled through the upper lobe of the main gravity anomaly. Drilling so far has indicated mineralization is open to the north. Very high Cu-U grades were intersected close to surface in this northern zone, with 7 m @ 0.417% U_3O_8 and 7.37% Cu intersected hosted in K-fedlspar-rich MVN. A table of all significant results from the 2007 season is presented in table (.2). All assays are presented in appendix (..3).



Figure 5: Plan view of the Igor property with gravity overlay showing trends of holes drilled in 2007

Two styles of mineralization were observed at Igor. The genetic relationships between each of the three described is uncertain, however, the interpretation here is that they are

each part of one evolving hydrothermal mineralization event. These mineralization styles are described below:

- Cu-U-rich mineralization: This event represents the main phase of mineralization observed at Igor, and is responsible for the high grade Cu-U mineralized zones described above. Chalcopyrite occurs as inter-grown dissemination within magnetite/hematite blebs in MVN, and as a pervasive replacement in MVN and MBX. Malachite and azurite is commonly observed on surface and in the upper 10 m in drill core. Cu-rich mineralization associated with IST also contained anomalous cobalt (up to 0.12 % over 4.5 metres). Cobalt-rich pyrite was described by Dumala (2007) from microprobe analysis. Uranium mineralization occurs as small pitchblende-filled fractures in drill core. K-feldspar alteration is present where U mineralization is particularly strong and gives the rock a distinct pink-red colour. The Cu-U ratio at Igor is variable, but rarely are the two exclusive of each other. Uranium associated with late faults at surface was also described by Dumala (2007).

- Cu-rich mineralization: A later Cu mineralization event associated with irregular Fe carbonate-barite ± chalcopyrite veins was observed. These veins occur sporadically throughout the Igor property, but are more common towards the north. These veins are reminiscent of similar veins described at Angel and Bad Boy and may be related to a more regional low grade Cu mineralization (remobilization) event. Chalcopyrite typically occurs as large blebs (up to several centimeters) within the Fe carbonate-barite veins.

One notable difference between Cu-U mineralization intersected in holes IG-2007-06 (central Igor) and IG-2007-22 (North Igor) is the degree of mineralization present between the two main high grade zones. In the central zone of Igor, mineralization between the two high grade zones is minor to absent. In contrast, moderate Cu mineralization, hosted in irregular MBX and overprinting Fe carbonate-barite-chalcopyrite veins is present between the two high grade zones. One interpretation is that northern Igor represents a more proximal part of the mineralized breccia system compared to central Igor, where mineralization is restricted to veins.

Geochemistry

Geophysics

A ground gravimetric survey was conducted toward the southern part of the Igor property in 2007 (Figure 6). This survey was a continuation of the gravity survey conducted in 2006, and was designed to delineate the continuation of the gravimetric high. Although the gravity high does continue to the south, drilling in 2007 showed that the gravity probably reflects barite associated with clast-supported breccia.



Figure 6: Southern extension of the gravity survey

2007 Diamond Drilling

General

Diamond drilling at Igor was conducted between 11th July to 30th October by Superior Diamond Drilling Inc. of Kelowna and Connors Drilling Ltd. Of Kamloops. Superior drilling provided two diesel powered B15 hydraulic drills using NQ2 equipment, while Connors provided one BBS 25A surface drill rig using NQ equipment. A total of 9014 m was drilled from 31 holes.

Drill core was transported from the drill site to a logging area by helicopter. From there, core recovery was measured, and geological and geotechnical was performed. Radiometric data was also collected using a RS 101 scintillometre. Intervals sampled were based on favouable geology and mineralogy and/or anomalous scintillometre readings. These intervals were cut using two electric core saws, with half the core bagged and sent for analysis, and the other half returned to the core box. The core boxes are stored on the property. All geological and geotechnical logs are presented in appendix (.2.).

Core samples were flown from the Igor property to either the Hussle airstrip or Quartet Lake, where they were transported to Mayo by plane. From Mayo they were transported to Whitehorse by truck, escorted by a Cash Minerals representative. The samples were then shipped to ALS Chemex in North Vancouver. Core samples were dried and crushed to 70 % minus 2 mm, before a 250 g split was taken and pulverized to better than 85 % minus 75 microns. A split of the pulverized fraction was dissolved in a four acid digest and analysed for 49 elements using the ME-MS61 technique. Samples that exceeded the upper detection limit for copper were assayed (Cu-OG62) and those that exceeded 10,000 ppm uranium were assayed (U-XRF10). Samples that exceed 10,000 ppm barium were also assayed (ME-XRF10). Au was analysed by fire assay (Au-ICP21) using a 30 g nominal sample weight. Certificates of analysis are found in Appendix (.3.).

Results

A number of encouraging high-grade Cu-U-Ag-Au intersections were drilled at Igor during the 2007 season. The breccia was sub-divided by utilizing a logging scheme based on the clast:matrix ratio and mineralogy. This logging showed that Cu-U-Au-Ag mineralization was typically associated with milled, matrix supported breccia (MBX) and crosscutting magnetite-rich vein/breccia (MVN) and ironstones (IST).

Drill hole specifics are presented in table 1, while significant assay results are summarized in table 2. The most outstanding Cu-U intersection was identified in hole IG-2007-22 with 140 m at 0.76 % Cu and 0.042 % U_3O_8, including 7 m at 7.37 % Cu, 0.417 % U_3O_8, 0.33 g/t Au and 6.65 ppm Ag. This hole was drilled on the northern lobe of the main gravity anomaly. To the south, at central Igor, hole IG-2007-06 intersected 64.7 m at 1.18 % Cu and 0.090 % U_3O_8. This hole was designed to follow up on results from DDH-I-04 drilled in 2005, where 74.44 m at 1.88 % Cu and 0.069 % U_3O_8 was intersected. At southern Igor, the most significant results were from IG-2007-09, where 12.5 m at 0.74 % Cu, including 7.5 m at 1.18 % Cu was intersected.

Drilling in 2007 delineated a north trending Cu-U mineralized feature that comprises to high grade zones ~15 m wide. Between these high grade zones, Cu-U mineralization is minor to absent in southern and central Igor. In northern Igor, low grade Cu-U mineralization associated with matrix-supported breccia is present between the high grade zones. In 2008, drilling will focus on extending mineralization to the north.

Igor Drilling Details 2007

Hole ID	Company	Easting	Northing	Azimuth	Dip	Elevation	EOH (m)	Status
IG-2007-01	Connors	517491	7213743	325	-55	1276	281.4	EOH
IG-2007-02	Superior	517488	7213539	320	-55	1302	439.5	EOH
IG-2007-03	Connors	517491	7213743	296	-70	1276	383.0	EOH
IG-2007-04	Superior	517600	7213750	270	-55	1289	392.3	EOH
IG-2007-05	Superior	517488	7213539	320	-70	1302	344.4	EOH
IG-2007-06	Connors	517491	7213743	296	-51	1276	167.0	EOH
IG-2007-07	Connors	517491	7213743	296	-55	1276	329.0	EOH
IG-2007-08	Superior	517700	7213750	270	-55	1226	401.4	EOH
IG-2007-09	Superior	517488	7213539	275	-70	1345	352.0	EOH
IG-2007-10	Connors	517491	7213743	265	-55	1277	311.0	EOH
IG-2007-11	Superior	517488	7213539	230	-65	1302	344.4	EOH
IG-2007-12	Connors	517450	7213750	270	-55	1252	281.0	EOH
IG-2007-13	Superior	517650	7213650	270	-55	1243	359.0	EOH
IG-2007-14	Superior	517500	7213181	270	-55	1395	122.4	EOH
IG-2007-15	Connors	517450	7213750	270	-65	1252	257.0	EOH
IG-2007-16	Superior	517600	7213750	230	-55	1289	322.2	EOH
IG-2007-17	Superior	517450	7213550	270	-55	1302	59.7	EOH
IG-2007-18	Superior	517500	7213180	350	-55	1395	276.1	EOH
IG-2007-19	Superior	517450	7213550	270	-55	1302	123.7	EOH
IG-2007-20	Superior	517450	7213550	270	-55	1302	75.9	deviated
IG-2007-20b*	Superior	517450	7213550	270	-55	1302	249.9	EOH
IG-2007-21	Superior	517338	7214111	145	-55	1117	375.0	EOH
IG-2007-22	Superior	517370	7213970	80	-60	1110	172.0	EOH
IG-2007-23	Superior	517370	7213970	80	-58	1100	312.0	EOH
IG-2007-24	Superior	517350	7213750	90	-55	1194	320.0	EOH
IG-2007-25	Connors	517350	7213550	70	-70	1240	242.0	EOH
IG-2007-26	Superior	517370	7213970	50	-60	1100	402.8	EOH
IG-2007-27	Superior	517600	7213900	192	-55	1200	416.1	EOH
IG-2007-28	Superior	517340	7213913	80	-60	1100	381.5	EOH
IG-2007-29	Superior	517340	7213913	50	-60	1200	225.0	EOH
IG-2007-30	Superior	517600	7213900	232	-55	1100	322.5	EOH

Table 1: Drill hole particulars from the 2007 season

Discussion/Conclusions

Igor comprises of a complex, transitional breccia body that unconformably overlays fine-grained, silicified siltstone and quartzite (QZT). The contact between the QZT and breccia is faulted, and plunges to the north. The breccia body consists of transitional zoning with clast-supported, Fe carbonate-barite-sericite breccia on the margins and milled, matrix-supported breccia in the core. The Fe oxide and barite content of the breccia produces a north-south trending gravimetric high. A series of E-W, NW-SE trending faults cut the breccia and can be identified in the gravimetric data as linear features and distortion in the image. Of particular interest is an E-W trending fault with apparent dextral displacement. An outcropping breccia with malachite and azurite occurs to the southwest, and is interpreted to be the continuation of the southern extension to the breccia body. One hole was drilled in this area (DDH-I-2006-14) in 2006 and intersected minor chalcopyrite mineralization associated with Fe carbonate-barite veins.

Cu-U mineralization is typically associated with magnetite-rich vein/breccia (MVN) and hematite-rich ironstone (IST) that crosscut the main transitional breccia body. The main zone of mineralization at Igor occurs as a 500 m by <100 m north trending structural linear zone that comprises two high grade lenses ~10 to 20 m wide. Copper mineralization occurs as a fine-grained disseminated intergrowth within magnetite/hematite blebs; a pervasive chalcopyrite replacement; and vein controlled chalcopyrite mineralization associated with irregular Fe carbonate and barite. The vein-controlled chalcopyrite mineralization is particularly prevalent to the north. At surface, Cu mineralization occurs as malachite and azurite staining. Uranium mineralization occurs as fine veinlets/fractures of pitchblende, and is commonly associated with intense K-feldspar alteration.

Drilling in 2007 confirmed that the main breccia body/QZT contact plunges to the north. In addition, Cu-U mineralization occurs as two high grade, N-S oriented linear zones that is open at depth to the north. Preparations are currently underway to calculate an economic resource based on data from the 93 diamond holes drilled at Igor since 1979. Accordingly, the 2008 drill program at Igor will focus on three main objectives:

- Determine the northern extension of Cu-U mineralization;
- Test the apparent southern extension of the breccia body to the southwest; and
- Infill drill the area of known Cu-U mineralization to better define an economic resource later on in the year.

Respectfully submitted

Cash Minerals Ltd

Michael Carew, PhD

Hole ID	From (m)	To (m)	Metres	Cu (%)	Ag (ppm)	U3O8 (%)	Au (g/t)	
IG-2007-02	6	15.5	9.5	1.68	3	-	0.24	
including	9	12	3	3.01	4.4	-	0.39	
and	110.2	119.4	9.25	0.6	1.02.4	-	0.05	
including	110.15	111.9	1.75	2.01		-	0.16	
IG-2007-03	186.2	191.7	5.5	-	1.6	0.037	0.03	
including	190.7	191.7	1	-	0.6	0.099	0.01	
and	223	226.6	3.6	-	2.2	0.125	-	
including	225	225.6	0.6	-	1.8	0.31	-	
IG-2007-04	72.50	77.00	4.50	0.40	1.12	-	-	
and	187.00	208.00	21.00	0.18	-	-	-	
including	188.50	191.50	3.00	0.50	-	-	-	
and	201.50	208.00	6.50	0.22	-	-	-	
and	274.00	283.50	9.50	0.17	1.52	-	0.05	
IG-2007-05	6.00	24.50	18.50	0.90	5.74	0.011	0.15	
including	6.00	9.50	3.50	4.01	4.75	0.050	0.50	*includes 0
and	34.00	40.00	6.00	0.20	-	-	-	*includes 0
and	93.00	97.00	4.00	0.32	-	-	-	*includes 0
and	114.10	117.50	3.40	0.52	1.04	-	-	*includes 0
IG-2007-06	96.30	161.00	64.70	1.18	2.25	0.090	-	
and	62.80	66.80	4.00	0.22	-	-	-	
IG-2007-07	201.00	205.00	4.00	0.01	-	0.012	-	
and	226.00	237.00	11.00	0.35	-	-	-	
IG-2007-09	7.00	19.50	12.50	0.74	1.44	-	0.11	
including	7.00	14.50	7.50	1.18	2.03	-	0.16	
and	76.00	81.00	5.00	0.39	-	0.009	-	
and	114.00	118.00	4.00	0.21	-	-	-	
IG-2007-10	192.20	199.70	7.50	0.17	-	0.027	0.31	
including	192.20	194.20	2.00	0.61	2.71	0.050	0.33	
IG-2007-11	80.90	84.90	4.00	0.46	-	-	0.05	
and	117.60	125.00	7.40	0.85	2.18	0.006	-	
and	130.00	133.00	3.00	3.00	2.57	-	0.07	
and	236.90	253.00	16.10	0.12	-	-	-	
IG-2007-12	5.00	55.00	50.00	0.54	-	0.026	-	
including	45.20	52.10	6.90	2.31	4.83	0.152	0.05	
and	120.40	133.00	12.60	0.30	-	-	-	
IG-2007-15	6.50	29.00	22.50	0.85	-	0.016	-	
including	6.50	8.50	2.00	7.05	4.53	0.148	0.23	
and	46.50	52.00	5.50	0.56	1.39	0.011	-	
IG-2007-16	124.50	140.00	15.50	0.21	-	-	-	
and	182.50	203.00	20.50	0.18	-	-	-	
IG-2007-17	29.50	34.00	4.50	0.14	2.95	0.076	0.06	
and	53.00	58.00	5.00	0.03	1.68	0.053	-	
IG-2007-20	22.00	76.00	54.00	0.14	1.96	0.020	-	*includes 0
including	27.50	33.50	6.00	0.13	3.01	0.088	0.05	
including	46.00	56.50	10.50	0.05	1.15	0.023	-	
including	61.50	74.00	12.50	0.41	3.32	0.015	0.06	
IG-2007-21	164.50	234.50	70.00	0.55	-	0.007	-	
including	196.00	234.50	38.50	0.93	-	0.013	0.06	
	200.00	207.50	7.50	2.45	1.33	0.037	0.15	
IG-2007-22	10.00	150.00	140.00	0.76	-	0.042	0.05	
including	10.00	17.00	7.00	7.37	6.65	0.417	0.33	
	139.00	150.00	11.00	1.79	2.17	0.234	0.09	
and	156.5	163.5	7.00	0.17	-	-	-	
IG-2007-23	12.00	15.00	3.00	6.93	6.31	0.730	0.23	
	29.00	43.00	14.00	0.59	0.73	-	0.05	
	52.50	63.00	10.50	0.26	0.35			
	98.00	107.50	9.50	0.40	0.76		0.05	
	131.00	153.50	22.50	0.84	1.29	0.044	-	
	251.50	262.50	11.00	0.30	0.37			
IG-2007-24						0.047		
IG-2007-26	17.00	21.50	4.50	7.24	9.79	0.130	0.21	
	56.00	68.00	12.00	0.38				
	81.50	83.50	2.00	0.77	0.62			
	107.00	132.50	25.50	0.37	1.15			
	193.00	196.50	3.50			0.014		
	199.00	213.50	14.50	0.79		0.013		
	289.00	299.00	10.00	0.45				
	358.00	380.00	22.00	0.41				
IG-2007-27	70.00	76.50	6.50	0.33				
IG-2007-28	186.50	211.00	24.50	0.23				
IG-2007-29	204.50	216.50	12.00	0.19				

Table 2: Table showing significant assay results from the 2007 season

Appendices

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-01

GRAPHIC LOG	Lithology										Structure					Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																															Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average), cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	0	38.2	HBX	GY	WH	FG	Bx		HBX		0	38.2	SH		10		0	21.25	1				0	21.25	car	m	ser	w	chl	w	0	25.3	SHL		2	sr	10	Cb	Se	HBX - Grey fine-grained, foliated/sheared clast-supported Hydrothermal Breccia. Clasts in breccia are subrounded and the matrix comprises carbonate-sericite-hematite and chlorite. Shearing is 10 degrees to the core axis.
																	21.25	22.1	7				21.25	22.1	car	tw	chl	t											Specular hematite (7%) + calcite replacement of chl - cal matrix Fe carbonate vein.
											22.8	22.9	VN		30		22.1	38.2	1				22.1	38.2	fec	m	car	m	ser	w									
											25.4	25.5	VN		30																25.3	38.2	SHL		1	sa	5	Cb	He	Fe carbonate/calcite vein. Brecciation is less matrix-rich than previous interval. Some clasts are pink probably representing ab(?)
	38.2	68.2		GY	WH	FG	FO		SHL	gradual							38.2	43.37	1				38.2	44.2	car	m	fec	tw	ser	tw									SHL - Grey, Fine-grained, foliated/sheared shale with intermitant breccia zones similar to above interval.
																	43.32	43.92	4		t																		Increase in Hematite alteration ->Specular + Trace py (to hematite) increase in carbonate veins -> stockwork/ breccia
																							44.2	51.1	car	ms	fec	m	ser	w									
											48.5	48.6	VN		56																									Fe carbonate-calcite-barite-epidote vein.
											50.95	51.97	SH		23																									Foliation in grey fine-grained shale.
																							51.1	68.2	car	m	ser	m	chl	w									

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-01

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	alt/oxide 1	alt/oxide 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average)	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
																	61.9	63	3												62	62.6	SHL		2	sa	15	Cl	Cb	Specular hematite alteration of chl-carb matrix
																	63	68.2	1																				
	68.2	70.8		GY	BN	FG	FO		FLT	sharp							68.2	70.8	1			4	68.2	70.8	car	m	ser	m	im	w									FLT - fault gouge in shale with goethite/hem along fracture surfaces
	70.8	72.7		GY	WH	FG	FO		SHL	sharp							70.8	72.7	1				70.8	72.7	ser	wm	car	wm	lec	wt									SHL - Grey, FG shale with shearing/breccia textures -> pink/red clasts that are banded -> grey/FG matrix
	72.7	97.3		GY	WH	FG	Bx		HBX	gradual							72.7	97.3	3		t		72.7	97.3	car	m	ser	w	chl	wt	72.7	79.2	SHL		1	sa	15	Cl	Cb	HBX - Grey, FG, brecciated, clast-supported breccia (hydrothermal) -> with carbonate - sericite - chlorite matrix overprinted by specular hematite replacement/veinlets.
																							79.2	97.3	car	m	ser	m	chl	m	79.2	97.3	SHL		2	sa	15	Cb	Cl	Increase in chlorite-sericite in breccia matrix - breccia similar to start of hole except less shearing/foliation.
											85	85.1	VN		32																								Fe carbonate-calcite-barite vein.
	97.3	114.1		GY	WH	FG	BD		SHL	sharp							97.3	110.5	2				97.3	113.75	car	m	ser	w	alb	w									SHL - Grey, FG, banded shale with sporadic breccia zones comprising chl-carbonate-sericite matrix. Some clasts are pink in colour with common banding/bedding -> hematite associated with thin 1mm veinlets and sporadic replacement/
											105.5	105.6	VN		55																								Fe carbonate vein.
																	110.5	115.85	4		t																		More hematite alteration of clasts as well as hematite replacement of breccia matrix.

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	114.1	115.8		GN	GY	FG	Bx		HBX	gradual													113.75	115.85	car	s	chl	m	ser	m									
	115.8	116		RD	WH	MG	Bx		JBX	sharp	115.8	115.9	VN		65		115.85	116	5				115.85	116	car	s	chl	w			114.1	116	SHL		2	an	10	Cl	He	Red-white, MG. Jasperoid clasts and albite-carbonate matrix. JBX
	116	117.3		GY	WH	FG	Bx		HBX	sharp							116	117.13	2				116	117.13	car	m	chl	m	ser	w	116	117.3	JAS		1	sa	70	Cb	He	Grey/white, FG, clast supported hydrothermal breccia with shale clasts. HBX
	117.3	117.84		RD	WH	MG	Bx		JBX	sharp							117.13	117.84	5				117.13	117.85	car	s	chl	w			117.3	117.84	SHL		2	an	10	Cl	Cb	Red-white, MG. Jasperoid clasts and albite-carbonate matrix. JBX
	117.84	119.1		GY	WH	FG	Bx		FLT	sharp							117.84	161.54	1		0.5		117.85	119.1	lim	m	ser	m	car	m	117.84	119.1	JAS		1	sa	70	Cb	He	Grey, shale fractured -> FAULT.
	119.1	137.6		GY	WH	FG	Bx		HBX	sharp													119.1	137.6	car	m	chl	w	alb	wt	119.1	161.54	SHL		1	an	3	He	Cb	HBX - Grey, FG, clast-supporteds hydrothermal breccia with FG clasts of shale and quartzite (relict bedding in some) and chlorite-carbonate-sericite matrix, overprinted by specular hematite.
											129.67	139.2	VN		8																								Carbonate - Qtz vein
	137.6	140.63		GY	PK	FG	Bx		FLT	sharp													137.6	140.8	lim	m	car	m	chl	w									FAULT - Faulted HBX with common goethite along fracture surfaces.
	140.63	161.54		GY	WH	FG	Bx		HBX	sharp													140.63	161.4	car	m	chl	w	fec	wt									HBX - Grey, FG, clast-supported breccia with clasts of shale and carbonate - chlorite matrix overprinted by specular hematite
											143.9	144	VN		30																								Carbonate - barite - Kf vein
											147.1	147.2	VN		18																								Fe carbonate vein.
	161.54	166.4		GN	GY	FG-MG	Bx		CBX		161.54	161.55	VN		43		161.54	166.4	3		0.5		161.54	166.4	car	m	chl	s	ser	m	161.54	166.4	SHL		3	sa	15	Cb	Cl	Contact between shale and HBX breccia. Later breccia event common chlorite - hematite - barite-albite? matrix with disseminated pyrite.
	166.4	167.93		RD	BN	FG	Bx		JSP								166.4	167.93	7		t		166.4	167.93	chl	f	carb	f											JSP - red/brown, FG, hematite-rich jasperoidal rock
	167.93	174.24		GY	WH	FG	Bx		HBX								167.93	172.31	2		t		167.93	172.31	car	s	chl	m	ser	m	167.93	172.31	SHL		3	sa	10	Cb	Cl	HBX - Grey, FG, clast-supported Hydrothermal Breccia with chl-carb sericite matrix overprinted by specular hematite

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-01

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																															Clast				Matrix				
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) - cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	174.24	197.47	PBX	GN	WH	MG	Bx		PBX	sharp							174.24	179.47	5	-	1	-	174.24	179.86	car	m	chl	w	hem	w	174.24	179.86	Hem	Shl	1	aa	80	He	Cl	PBX - green-white-red, medium-grained, matrix-supported hydrothermal breccia. Matrix composed of carbonate, hematite and chlorite.
											178.78	178.8	VN	-	35	-							179.86	183.75	car	ms	chl	w	alb	w	179.86	183.75	Alb	Shl	1	a	40	Cb	He	Carbonate-chlorite-pyrite vein
																	179.47	183.9	3	-	-	-																	No pyrite and less hematite
																	183.9	197.4	7	-	t	-	183.75	197.4	car	m	chl	w	alb	w	179.86	183.75	Shl	-	1	aa	70	Cl	Cb	Gradual increase in hematite alteration downhole to 197.47m (fault contact)
											193.1	193.3	FO	-	5	-																								Foliated breccia defined by specular hematite alteration
	197.47	233	RRK	RD	GR	FG	BD		RRK	fault							197.4	251	t	-	t	t	197.4	233	hem	ms	chl	wm	car	m										RRK - Faulted contact with above PBX interval. Rock is fine-grained, equigranular (sedimentary) fractured and blocky. Rock gets progressively less red downhole. Common carbonate veins with rare sulphide (pyrite).
											203.4	203.5	BD	-	17	-																								Bedding in pink/grey , sedimentary rock (RRK).
											213	213.1	VN	-	18	-																								K-feldspar vein. Margin is irregular, vein is fine-grained and intensely altered by hematised albite (?), chlorite and hematite
											215.85	215.9	BD	-	19	-																								

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-01

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																	Clast			Matrix				
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
											230	230.1	BD	-	18	-																						
																							233	237.64	chl	m	car	m	hem	t								
	233	237.64		GN	WH	FG	Bx		FLT	fault																												FLT - green, fine-grained, broken/fractured sedimentary rock.
	237.64	242.7		GW	RD	FG	EQ		RRK	fault													237.64	242.7	hem	m	chl	wm	car	w								RRK - green-red, fine-grained sedimentary rock, less hematite alteration here than above.
											241.62	241.63	BD	-	24	-																						
	242.7	244.8		GN	WH	FG	Bx		FLT	FLT													242.7	244.8	chl	m	car	m	hem	t								FLT - green, fine-grained, broken/fractured sedimentary rock.
	244.8	254.36		GN	RD	FG	SP		RRK	FLT													244.8	254.36	hem	m	chl	wm	car	w								RRK - green-red, fine-grained sedimentary rock.
											246.56	246.57	VN	-	29	-																						Quartz-hematite-pyrite-carbonate vein
											248.28	248.3	BD	-	18	-																						
											251.9	252	VN	-	50	-																						Carbonate-pyrite vein
																	252	266.1	-	-	1	t																Chalcopyrite in irregular carbonate-chlorite veins
	254.36	255.6		GN	WH	FG	EQ		FLT	fault													254.36	255.68	car	w	chl	m	-	-								FLT - fractured/broken green-pink, chlorite-altered sedimentary rock cut by 5mm - 1cm wide carbonate-cpy veins.
	255.6	258		PK	WH	FG	EQ		RRK	fault													255.68	256.8	Hem	s	car	w	chl	w								
																							256.8	267.3	Hem	w	car	m	chl	w								
	258	259.6		GN	WH	FG	EQ		FLT	fault																												
	259.6	265		PK	WH	FG	EQ		RRK	fault																												
	265	267.32		GN	WH	FG	EQ		FLT	fault							266.1	281	t	-	-	-																rare disseminated pyrite
																							267.3	281	car	s	ser	m	hem	m								
	267.32	281.42		PK	GN	FG	BD		RRK	fault																												
		EOH																																				
											275.9	276	VN	-	42	-																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-02

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	altitude 1	altitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	0	10.1	MVN	GY	PK	MG	Bx		MVN																						0	21.7	Cb		<1	an	95	Ab	Cl	Martite-rich breccia/vein, crumbly and oxidised. Strong malachite (1%) and azurite (1/2%) along fracture surfaces.
5																																							
10	10.1	21.7		WH	GY	MG	Bx		MVN	fault							10.1	12.7	5	3	5	3	10.1	21.7	fec	m	alb	m	chl	m									MVN - magnetite-albite-carbonate-chalcopyrite-pyrite vein/breccia, minor malachite and azurite along fracture surfaces (<0.5%)
																	12.7	21.7	5	2	5	1																	
15											14	14.1	VN		70																								carbonate-cpy vein
20	21.7	34	SBX	YW	GY	FG	Bx		SBX	fault/sharp							21.7	25.7		1	t		21.7	34	ser	s	fec	m	chl	w	21.7	34	Cb		1	sa	50	Se	Ba	SBX - grey-yellow, matrix-supported hydrothermal breccia. Magnetite occurs as small (<5mm) disseminated cubes, formally pyrite?
25																	25.7	28.8	1	3	t	t																	sporadic magnetite-albite-chalcopyrite irregular veins
																	28.8	34.4	t	1	t																	minor disseminated magnetite-pyrite
30																																							
35	34	35.44		WH	GY	MG	Bx		MVN	sharp	34.82	34.83	VN		70		34	35.44	10	5	1		34	35.44	alb	m	ser	m	chl	w									MVN - magnetite-martite-albite-carbonate vein/breccia
	35.44	54.9		YW	GY	FG	Bx		SBX	gradual							35.44	54.15		2	t	t	35.44	54.9	fec	m	ser	s	chl	w	35.44	42.9	Cb		2	sa	30	Se	Ba	SBX - green-yellow, clast-supported hydrothermal breccia
40																																							
45																															42.9	58.67	Cb		>1	sa	5	Se	Ba	clast-supported SBX - less matrix than previous interval
50																																							
55	54.9	58.67		GY	YW	FG	Bx		FLT	fault							54.15	58.67	t	2	t		54.9	58.67	fec	m	ser	m	chl	w									FLT - SBX rock fractured/broken.
											55.16	55.17	VN		24																								magnetite-carbite-carbonate-fec-cpy vein (1cm)

GRAPHIC LOG	Lithology										Structure					Minerals (%)						Alteration (intensity)									Breccia							WRITTEN LOG
																															Breccia							
																															Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	altitude 1	altitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average)	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	58.67	62.9		GY	PK	CG	Bx		FLT	fault							58.67	73.5	1	10	1	t	58.67	73.5	alb	s	fec	m	chl	m	58.67	73.5	Cb		<1	sa	95	Ab	Cb	FLT - MVN rock fractured/broken
60																																						
	62.9	68.3		PK	GY	MG	Bx		MVN	fault																												MVN - pink-grey, medium-grained magnetite/martite-albite-carbonate vein/breccia.
65																																						
	68.3	70.47		PK	GY	MG	Bx		FLT	fault																												FLT - MVN rock fractured/broken
70	70.47	73.5		PK	GY	MG	Bx		MVN	fault																												MVN - pink-grey, medium-grained magnetite/martite-albite-carbonate vein/breccia
	73.5	74.34		YW	GY	FG	Bx		FLT	fault													73.5	81	ser	s	fec	m	chl	w	73.5	81	Cb		2	sa	40	Se	Ba	FLT-SBX - rock fractured/broken
	74.34	81		YW	GY	FG	Bx		SBX	fault																												SBX - yellow-grey foliated, clast-supported hydrothermal breccia
75											77.8	77.81	Fo		45																							foliation in SBX breccia
80																																						
	81	84.26		GY	GN	MG	Bx		MVN	sharp							81	84.26		20			81	84.26	alb	m	car	s	chl	m										MVN - magnetite/martite-chlorite-albite-carbonate vein/breccia
	84.26	97.06		YW	GY	FG	Bx		SBX	sharp							84.26	97.06		4			84.26	97.06	ser	m	fec	m	chl	w	84.76	97.06	Cb		2	sa	35	Se	Ba	SBX - yellow/grey, weakly foliated, clast-supported hydrothermal breccia
85																																						
90																																						
95																																						
	97.06	101.55	MVN	GY	PK	MG	Bx		MVN	gradual							97.06	101.55	2	5	0.5	t	97.06	101.55	ser	mis	bar	w	car	w	97.06	101.55	Ab	Cb	<1	sa	95	Se	Mg	MVN - pink-green, magnetite-martite-chlorite-sericite-barite-carbonate vein breccia.
100	101.55	108.2		GY	PK	FG	Bx		SBX	gradual							101.55	108.2	1	3	0.5	t	101.55	108.2	alb	ma	ser	m	chl	w	101.55	108.2	Ab	Cb	3	sa	40	Se	Cl	SBX - pink-grey-yellow foliated hydrothermal breccia with yellow-pink clasts and sericite-chlorite matrix cut by martite-magnetite-rich veins (MVN). Progressively more sheared downhole.
105																																						
	108.2	111.5		GY	WH	MG	Bx		MVN	gradual							108.2	111.5	2	8	15	4	108.2	111.5	ser	m	car	m	alb	w	108.2	111.5		Cb	<1	a	95	Se	Mg	MVN - magnetite-martite-carboniate-rich veins with strong pyrite-chalcopyrite alteration veins
110																																						
	111.5	115.9		PK	GR	FG	Bx		SBX	gradual							111.5	115.9	0	0	0.5	0	111.5	115.9	ser	m	alb	w	fec	w	111.5	115.9	Ab	Cb	3+	sr	30	Se		SBX - strongly folded SBX breccia

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-02

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
115	115.9	118.84		GY	WH	MG	Bx		MVN	sharp							115.9	116.5		30	20	4	115.9	116.5	ser	m	car	m			115.9	116.5	Cb		<1	a	97	Se	Cb	MVN - magnetite-martite vein with carbonate - iron-carbonate infill cut by pyrite-chalcopyrite veinlets and
																	116.5	116.9			t		116.5	116.9	ser	m	alb	w	fec	w	116.5	116.9	Cb		3+	sr	60	Se		dissemination.
	118.84	142.3		GY	YW	FG	Fo		SBX	sharp							116.9	118.84		20	10	2	116.9	118.84	ser	f	fec	w												SBX - strongly foliated hydrothermal breccia with distorted/aligned iron-carbonate-rich clasts and sericite-chlorite
																	118.84	125	t	t	5		118.84	125	fec	ms	ser	w			118.84	137.3	Cb	Ab	3+	sa	55	Se	Ba	matrix. Cut by thin (1mm) pyrite veins with sporadic chalcopyrite. Pyrite is often dull grey-yellow and very fine-
120																																							grained. Cut by 3-4cm wide irregular carbonate-quartz veins.
125																	125	137.3	1	1	20	0.3	125	137.3	fec	m	ser	m											Pyrite more prominent downhole.
130																																							
135																																							
																	137.3	142.3			40	5	137.3	142.3	fec	ms	alb	w	ser	m	137.3	142.3	Cb		3+	sa	40	Se	Ba	Strong pyrite-chalcopyrite replacement - magnetite-martite very rare.
140																																							
	142.3	145.3		GY	WH	FG	Fo		SBX	gradual							142.3	151.4			4	t	142.3	151.4	alb	m	fec	m	ser	m	142.3	151.4	Cb		3+	sa	70	Se	Py	SBX - as above but strong chacopyrite-pyrite mineralisation (~3% chaclopyrite).
145	145.4	164.1	SBX	GR	PK	FG	Bx		SBX	gradual																														SBX(?) - looks like altered version of above SBX but unclear. Variably foliated with carbonate-iron-carbonate-albite
																																							altered clasts and sericite-rich matrix overprinted by pyrite-chalcopyrite mineralisation (<0.5%).
150																	151.4	154.2			7	t	151.4	154.2	fec	f	ser	ms	chl	ms	151.4	154.2	Cb	Ab	2	sa	50	Se	Cl	pyrite alteration increases, with trace pyrite
155																	154.2	162.7	1	1	3		154.2	173.1	fec	m	ser	m	chl	w	154.2	173.1	Cb		3	sa	30	Se	Cl	
160																																							
																	162.7	164.1	5	11	3	t(?)																	small MVN vein.
	164.1	182.9		PK	GY	FG	Bx		SBX	gradual							164.1	182.9			1																		SBX - variably foliated hydrothermal breccia which becomes progressively less albite-altered downhole. Moderate
165																																							pyrite alteration parallel to foliation.

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-02

GRAPHIC LOG

Lithology

GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact
	170										
	175										
	180										
		182.9	242.6	QTZ	WH	GN	FG	BN		QTZ	sharp/fault
	185										
	190										
	195										
	200										
	205										
	210										
	215										
	220										

Structure

FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2
199.6	199.7	BD		45	
201.4	201.5	BD		25	

Minerals (%)

FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite
212.4	212.8		1		

Alteration (intensity)

FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3
182.9	231.6	ec	w	chl	w	qtz	w

Breccia

FROM (m)	TO (m)	Clast: clast 1	Clast: clast 2	Clast: size (average) cm	Clast: angularity	Matrix: percent (%)	Matrix: mineral 1	Matrix: mineral 2
207	209.4	Qz	Cb	1	ro	70	Cl	Cb

WRITTEN LOG

include nature of contacts, additional structure, mineralogy, textures, & alteration

QTZ - fine-grained, siliceous quartzite with intermittent intervals of chlorite-rich breccia. Cut by 1cm qtz + chl veins and late carbonate veins

Chlorite breccia vein in quartzite.

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-02

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																	Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	Intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	WRITTEN LOG
225																																						include nature of contacts, additional structure, mineralogy, textures, & alteration
230																							231.6	242.7	cly	m	chl	m	epi	w	231.9	242.7	Qz		2+	an	<5	CLY	Cl	Rock is crumbly and fault brecciated with clay and chlorite matrix
235																																						
240																																						
	242.6	247.7	CBX	GN	WH	FG	Bx		FLT	sharp													242.7	247.5	chl	s	fec	w	cly	w	242.7	247.5	Qz	Cb	<2	sa	70	Cl	He	FLT - broken, blacky red-green-white, chlorite-rich hydrothermal (?) breccia - weak foliation
245																																						
	247.7	260.3		GN	PK	FG	Bx		CBX	sharp/fault													247.7	260.3	chl	s	alb	w	fec	m										CBX - pink-green, fine-grained, clast-supported hydrothermal breccia with intervals of MVN (magnetite-martite vein)
250																	249.1	260.3	5		1										250.6	259.1	Cb	SHL?	>2	A	10	Cl	He	crackle breccia with chlorite + hematite matrix
255																																						
260	260.3	265.2		GN	PK	FG	Bx		CBX	gradual							260.3	265.6	t		30	1	260.3	265.6	chl	m	fec	w	car	m	260.3	265.6	Cb		<1	sa	70	Py	Se	CBX - pyrite-rich version of above version. Pyrite alteration is very fine-grained and pervasive containing rare disseminated chalcopyrite associated with late carbonate veins.
265	265.2	270.6		GN	PK	FG	Bx		CBX	gradual							265.6	278.1	4		1		265.6	270.5	chl	s	alb	w	fec	w	265.6	270.5	Cl	Ab	2	sa	50	Cl	Se	as per interval 247.7 - 260.3m; chlorite-rich hydrothermal breccia
270	270.6	294.7	SBX	YW	GN	FG	Bx		SBX	gradual													270.5	278.6	fec	s	chl	w	cly	w	270.5	278.6	Cb	Qz	>2	sa	5	Cl	Cly	SBX - Fe-carbonate-chlorite-rich hydrothermal breccia - cut by carbonate-cpy-barite vein @292.8m, probably brecciated equivalent of quartzite.
											272.5	272.6	VN		85																								
275																																						
											277.6	277.8	Fo		45																								
																	278.1	280.3			20		278.6	280.3	chl	w	car	w	py	m	278.6	280.3	Cb		<2	sa	10	Cl	Py	Pyrite alteration with no visible chalcopyrite
280																							280.3	294.7	chl	s	fec	w	car	w	280.3	294.7	Cb	Qz	2	sa	5-10	Cl	Cb	Variable chlorite-rich breccia

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-02

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix				
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	285																	286.2	286.6		1	3	3																		magnetite-pyrite-chalcopyrite vein and dissemination.
	290																																							
	295	294.7	361.9	QTZ	WH	GN	FG	BN		QTZ	sharp/fault													294.7	361.9	ser	1	chl	w	lec	tw									QTZ - fine-grained, siliceous quartzite with sericite-chlorite alteration - some distorted relict banding. Cut by sporadic fe-carbonate veins and quartz + chlorite ± chalcopyrite ± pyrite veins.
		298.7	299.3	FLT	GN		FG			FLT																														
	300																																							
	305																																							
	310																																							
	315																																							
	320																																							
	325																																							
	330											329.7	329.9	BD			55																								relict bedding in quartzite(?)
	335											334.1	334.2	VN			52	334.6	334.7			t	2																		quartz-chlorite vein (~1cm). Chalcopyrite in quartz vein.

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-02

GRAPHIC LOG

GRAPHICS	Scale (m)	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix				
		FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	altitude 1	altitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
		388.5	340		GN	WH	FG			FLT	fault	337.7	337.8	VN		38																								fe-carbonate vein (~1cm)
	340																																							
	345																																							
		346.8	347.4		GN	WH	FG			FLT																														
												348.5	348.6	VN		52																								quartz-carbonate-chlorite vein.
		349.8	350.5		GN	WH	FG			FLT																														
	350																																							
	355	355.5	356		GN	WH	FG			FLT																														
	360																																							
		361.9	370		GN	WH	FG			FLT	fault							362.2	363			7		361.9	370	chl	w	ser	m	cly	w									broken, fractured rock with sporadic pyrite mineralisation.
	365																	365.2	365.5			5																			
	370	370	373.4		GN	BN	FG	Bx		CBX	fault							369.6	373.4			40		370	373.4	chl	s	alb	tw	car	w	370	373.4	Qz	Cb	1	sa	70	Cl	Py	CBX - green-brown, chlorite-rich hydrothermal breccia with albite and fe-carbonate altered clasts. Matrix supported, strong pyrite mineralisation.
		373.4	404.9		GN	WH	FG	Bx		QTZ	sharp													373.4	377.7	chl	m	fec	w	ser	m	373.4	377.7	Qz		>2	sa	5	Cl		QTZ - white-grey, matrix-supported, brecciated quartzite with sericite-chlorite matrix and variable fe-carbonate altered clasts. Cut and overprinted by a thin vein network of pyrite that also occurs as pervasive replacement.
	375																																							
																		377.7	378.5			30		377.7	378.5	chl	s	alb	tw	car	w	377.7	378.5	Qz		<1	sa	70	Cl	Py	
												378.4	378.5	VN		20		378.5	391.1			10		378.5	405.5	ser	m	fec	w	chl	w	378.5	405.5	Cb		<3	sa	60	Se	Cl	fe-carbonate-quartz vein 378.4 - 378.5m
	380																																							
	385																																							
	390											390.4	390.5	BN		69																								Banding (fe-carbonate-sericite)
																		391.1	404.9			t																		

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-02

GRAPHIC LOG

Lithology

GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact
395										
400										
	404.9	409.9		GN	WH	Bx	FG		FLT	fault
405										
	409.9	438.9		WH	GN	Bx	FG		QTZ	fault
410										
415										
420										
425										
430										
435										
	438.9	EOH								
440										
445										

Structure

FROM (m)	TO (m)	structure 1	structure 2	altitude 1	altitude 2
419.5	419.6	BN		65	
428.2	428.3	VN		50	
435.7	435.7	BN		50	

Minerals (%)

FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite
404.9	406.7			35	
422.3	425.2	t		7	
425.2	438.9			t	

Alteration (intensity)

FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3
405.5	406.7	chl	ms	fec	w		
406.7	438.9	chl	w	fec	w		

Breccia

FROM (m)	TO (m)	Clast: clast 1	Clast: clast 2	Clast: size (average) cm	Clast: angularity	Matrix: percent (%)	Matrix: mineral 1	Matrix: mineral 2

WRITTEN LOG

include nature of contacts, additional structure, mineralogy, textures, & alteration

FLT - broken up/fractured rock with strong purple mineralisation - strong chlorite alteration affects QTZ breccia.

QTZ - white-green, fine-grained, siliceous quartzite/siltstone? Variably brecciated (clast-supported) with chlorite infill. Also banded with fe-carbonate-rich bands. Rock is strongly broken/fractured with common clay along fracture surfaces.

Pyrite - disseminated and vein associated (quartz-chlorite association).

mostly associated with quartz-chlorite veins.

Quartz + carbonate + pyrite + hematite vein - sulphide has spotty texture.

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-03

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							Matrix		WRITTEN LOG
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	Clast clast 1	Clast clast 2	Clast size (average), cm	Clast angularity	Matrix percent (%)	Matrix mineral 1	Matrix mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
0	0	40.2	HBX	GY	WH	FG	Bx		HBX								0	41.6	1																					HBX - grey, fine-grained, hydrothermal breccia (clast-supported) with hematite-chlorite-carbonate matrix and grey, shale clasts.
5																																							
10																																							
15																																							
20											20.06	20.07	VN		40																									Carbonate-hematite vein (6mm wide)
25																																							
30																																							
35																																							
40	40.2	43.52		GY	GN	FG	Bx	Cl	FLT	sharp/fault							41.02	42.12	80																					Fault
																	42.12	46.33	1																					Disseminated veinlets
45	43.52	46.33		GY	WH	FG	Bx	He	HBX	sharp/fault																														
	46.33	46.77		GY	WH	FG		He	IST	sharp							46.33	46.77	80																					Ironstone - hematite-rich
	46.77	50.1		GN	WH	FG	Bx	Cl	FLT	sharp/fault																														
50	50.1	51.73		GY	WH	FG	Bx	He	HBX	sharp/fault							50.1	71.39	0.5			t																		
	51.73	58.1		GY	YW	FG	Bx	Cb	DBX	gradual	51.05	51.06	BD	VN	30	60																								51.05 - 51.06m - dolomite+hematite vein (2cm wide) and bedding
55											56.2	56.21	VN		45																								56.2 - 56.21m - fe-carbonate vein (1cm)

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-03

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix				
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average)	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	60	58.1	71.4		GY	WH	FG	Bx	He	HBX	gradual																													
	70	71.4	77		GN	PK	MG	Bx	He	PBX	gradual							71.39	77	1		0.5																			71.39 - 77.0m - hematite veinlets, pyrite cubes disseminated, trace malachite in fault zone.
	80	77	79.8		GY		FG	MA		SLT	sharp																													
		79.8	80.9		GY	GN	FG	FLT	Cl	FLT	sharp/fault																													
		80.9	105.4		GY	WH	FG	Bx	Ser	BXA	sharp/fault																													
	90																	85.65	89.4	t		t																			85.65 - 89.4m - trace hematite veinlets
																		89.4	100.1	3		t																			89.4 - 100.1m - irregular hematite veins with trace disseminated pyrite
												91.4	91.5	VN		60																									91.4 - 91.56m - dolomite-hematite (banded) irregular vein.
	100											96.42	96.43	VN		30																									96.42 - 96.43m - dolomite-pyrite-hematite vein (5mm).
																		100.1	105.4	t		t																			
	110	105.4	113.3		PK	GY	FG	Bx	He	IRS	sharp/fault							105.4	113.3	85		t																			105.4 - 113.3m - ironstone (hematite-rich)

GRAPHIC LOG	Lithology										Structure					Minerals (%)						Alteration (intensity)								Breccia						WRITTEN LOG
																														Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture grain	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
115	113.3	114		GN	GY	FG	FLT	GO	FLT								113.3	122.4	1		t																	
	114	122.4		GY	WH	FG	Bx	PK	PBX																													POLYMICTIC BRECCIA - contains clasts of hematite ironstone.
120											121.5	121.51	VN		40																						Carbonate-hematite-pyrite vein (4mm).
	122.4	129.1		GY		FG	MA		SHL	gradual							122.4	129.1			t																Disseminated pyrite.
125																							124.4	134	chl	s	car	m									
130	129.1	130.8		GY		FG	MA		SHL	fault							129.1	132.65	1		t																
	130.8	133.3		GY		FG	Bx		PBX	sharp/fault																					130.8	133.8	SED		0.05	an	20			POLYMICTIC BRECCIA - grey, clast-supported, brecciated calcareous sediment.
																	132.35	133.72	t		t	t																Chalcopyrite associated with dolomite veins.
	133.3	140		PK	GY	FG	Bx	FLT	PBX	sharp/fault							133.72	140.7	2		t										133.8	140	SED	IST	0.06	an	20			POLYMICTIC BRECCIA - pink, grey, jasperoidal (?) polymictic breccia.
135																							134	138.15	pot	s	car	s									
																							138.15	160.8	car	s	hem	m	pot	m							
140	140	162		GY	WH	FG	Bx		HBX	sharp/fault	140.25	140.26	VN				140.7	148.58	0.5		t										140	162	SED		1	an	5	He	Cb	HYDROTHERMAL BRECCIA - grey, fine-grained, hematite hydrothermal breccia with common carbonate-chlorite alteration. 140.25 - 140.26m - dolomite-hematite-pyrite vein.
											143.24	143.26	BD		60																						Relict bedding?
145																																						PBX now grey, pink, fine-grained polymictic/milled breccia with jasperoidal (pink) clasts and grey clasts with a hematite-chlorite-sericite matrix.
																	148.58	155.5	5	t	1																Disseminated pyrite and hematite clots to 5mm.
150																																						
155											155.23	155.3	VN		75		155.5	176	2	t	t																Dolomite-chlorite-hematite-pyrite vein (8mm).
160																							160.8	166.1	chl	s	car	m	pot	m							
	162	163.4		GY		FG	FLT		FLT	sharp/fault																												FAULT - faulted rock, some polymictic pieces with hematite-chlorite-carbonate matrix.
	163.4	172.3		PK		FG	Bx		HBX	sharp/fault																					163.4	172.3	SED	JAS	0.4	sr	10	He	Cb	
165																							166.1	185	car	m	chl	w	pot	w							

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	Clast: clast 1	Clast: clast 2	Clast: size (average) cm	Clast: angularity	Matrix: percent (%)	Matrix: mineral 1	Matrix: mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
170																																						
	172.3	174.9		GY	PK	FG	FLT		FLT	sharp/fault																												
	174.9	232		GY	PK	FG	Bx	He	HBX	sharp/fault																					174.9	232	SED	IST	0.5	sa	15	He	Cb	FAULT - faulted/broken sandstone/shale, intermittently brecciated. HYDROTHERMAL BRECCIA - pink, grey, polymictic, matrix-supported breccia with intermittent pink-red intervals
175																																						(hematite alteration?) rich in uraniferous material (high spectrometer reading). Disseminated pyrite mostly
																	176	185	5	t	t																	associated with carbonate veins. Rock is highly variable and difficult to divide into intervals.
180																																						
185																	185	186.1	4	t	2		185	191.6	pot	s	car	m	chl	w								
																	186.1	188.4	10		1																	Disseminated pyrite and hematite.
																	188.4	191.2	5	t	1																	
190											191.2	191.38	VN		40		191.2	191.38	1		10		191.6	202.7	car	m	chl	m	pot	m								191.15 - 228.1m - sporadic 1cm - 4cm wide hematite-pyrite-carbonate +/- quartz +/- chalcopyrite veins, with
																	191.38	194.7	1		1																	irregular grain boundaries. 191.2 - 191.38m - chlorite-hematite-pyrite(radioactive) -dolomite vein (13mm).
											194.7	194.84	VN		60		194.7	194.84	70		10																	chlorite-hematite-pyrite-magnetite(trace) vein (14mm).
195																	194.84	213.7	1	t	t																	
200																							202.7	203	alb?	s												
																							203	232.1	pot	s	car	m	chl	m								
205																																						
											207.8	207.9	VN		60																							Barite vein.
											208.06	208.09	VN		90																							Dolomite-siderite-hematite vein (3mm).
											209.2	209.3	VN		60																							1cm thick dolomite-hematite-pyrite vein
210											210.54	210.83	VN		90																							Quartz-barite-dolomite-siderite/ankerite-hematite-pyrite vein (~29mm). Good photo sample.
																	213.7	222.8	3	t	2	t																
215																																						
220											219.4	219.45	VN																									Dolomite-hematite-pyrite-feldspar-siderite vein (5mm).
											223.57	223.6	VN						60		20																	Hematite (+ trace magnetite) - dolomite-pyrite-chlorite-ankerite?-barite vein (3cm).
																	223.8	225.4	10		10																	

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-03

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																	Clast				Matrix			
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (lavimage) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	225																	225.6	227.4	10		5																			Associated with dolomite-hematite-pyrite veins.
																		227.4	229.6	2	1	t	t																	
												228.78	228.79	VN		80																									Hematite-dolomite-magnetite vein (4mm).
												229.43	229.45	VN		80		229.6	232	t	1	t																			Barite-magnetite vein.
	230																																							
		232	244.6		PK	GY	FG	Bx		PBX	sharp							232	236	5		t		232	245.7	pot	s	chl	m	car	m	232	244.6	SED	JAS	0.7	sr	10	Cl	Cb	POLYMICTIC BRECCIA - pink-grey, matrix-supported, polymictic, hydrothermal breccia with pink hematite? siltstone clasts and carbonate-chlorite-hematite matrix. Cut by 5mm - 1cm wide dolomite?-hematite veins.
	235																	236	244.8	2		t																			
	240																																							
		244.6	306.4		YW	GY	FG	Bx	Cb	SBX	gradual													245.7	306.4	pot	s	car	s	chl	m	244.6	306.4	SED		0.5	an	5	Cb	Cl	SEDIMENTARY BRECCIA - yellow-grey, matrix-supported, hydrothermal breccia with carbonate-sericite matrix and siltstone clasts.
	245											246.2	246.44	BD		30		246.2	247	10		1																			Hematite-chlorite vein.
												246.85	247.06	VN		80		247	306.4	1		t	t																		Hematite-dolomite vein.
	250																																							
	255																																							
	260																																							
	265																																							
												269.7	271.3	FO		40																									Foliation.
	270																																							
	275																																							
	280																																							

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-03

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																																Clast				Matrix			
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	285																																						
	290											292.4	292.4	FO		40																								
	295																																						
	300																																						
	305	306.4	309.3		GN	RD	FG	Bx	Cl	FLT	sharp/fault							306.4	309.3	30		10	t	306.4	309.3	chl	s	hem	s	car	m									FAUlt - chlorite-rich, broken/fractured rock. Fault cut by hematite-pyrite mineralisation.
	310	309.3	326.46		GY		FG	BN		SLT	fault	310	312	BD		80		309.3	335	t		t	t	309.3	363.2	sil	m	car	w											Locally banded siltstone (fine sandstone (quartzite)). Possibly partly silicified locally. Chalcopyrite in chlorite-dolomite-quartz veins and alteration zones - occurs sporadically down the section.
																								311.2	311.3	sil	s													
	315																																						
	320											318.5	325	VN		0																								3cm quartz-fe-carbonate-chalcopyrite vein // to core axis.
	325	326.46	328		GY	GN	FG	FLT		FLT	fault																													Brittle fault - chlorite matrix.
	330																																						
	335											336	336.05	VN		50		335	382.6	t		t	t																	Very minor chalcopyrite in rare dolomite-quartz veins to 1-2cm. 5cm pyrite vein with disseminated pyrite in wall rock.

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-03

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																															Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
											337.6	337.9	FLT																									30cm chlorite-carbonate matrix brittle fault.
340																																						
											344.6	344.3	VN		5																									2cm quartz-fe-carbonate vein (~// to core axis).
345																																						
											349.6	352.45	FLT																											Fault zone, brittle, clay-carbonate infill.
350																																						
											355.4	359	BD		60																									relic bedding.
355																																						
360																							363	368.7	chl	s	car	s											
											364.8	368.5	FLT																									Brittle fault, chlorite matrix.
365																																						
																							368.7	372	sil	w	car	w	chl	w									
370																																						
																							372	377.5	chl	s	car	w											
375																																						
																							377.5	383	car	ms													
380																																						
											382.5	382.6	BD		60																									relic bedding.
	383	EOH																																				
385																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-04

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																															Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	0	51.8	SBX	GY	YW	FG	Bx		SBX	gradual			ST	J	80	35			0.1		0.1	0.1			ser	w	fec	w	sil	w			SLT	CB	2	an	<5	Fe-Cb	Se	Grey-yellow, fine to medium grained unit, clasts of SLT are large but scattered,sometimes stained, possibly by hematite. Large clasts are few and localized, and are associated with the chlorite-altered part of the unit. Sericite and Fec are the dominant alteration. Local silicification exists. Fine grained pyrite associated with chlorite bands occurs locally.
	51.8	54.5	SBX	GY		FG	Bx		SBX	gradual			ST								0.1	0.1			hem	m	fec	w					SLT	CB	2	an	10	Fe-Cb	Se	Similar to the above with a higher percentage of hematite. This unit approaches MVN. More stringers of chlorite irregularly oriented TCA.
	54.5	70.5	SBX	GY	BN	MG	Bx		SBX	gradual			ST		85				0.1						chl	w	fec	w					SLT	CB	3	an	<10	Fe-Cb	Se	Similar to the above unit. Traces of hematite. Clasts of SLT are larger, and Fec, chlorite clasts? are present. Chlorite alteration is weak.

Cash Minerals Ltd. | DIAMOND DRILL HOLE LOG | HOLE NUMBER: IG-2007-04 |

GRAPHIC LOG	Lithology										Structure					Minerals (%)					Alteration (intensity)								Breccia						WRITTEN LOG
																													Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average)	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
60																																						
65																																						
70	70.5	82.3	SBX	GY	BN	MG	Bx		SBX	gradual			ST	J	80	25			0.2	0.5	0.1	0.1			hem	w	chl	w					SLT	CHL	<1	sr	<10	Fe-Cb	Se	Graphitic SBX. SLT clasts are subrounded, chlorite-rich clasts are stretched. Mg clasts are patchy and localized. This unit is pinkish for about 1m, possibly hematite alteration. 2 veins of Fec up to 2 cm wide @ about 80 TCA. Uranium mineralization of 500 c/s over 3m. Fine grained Pyrite is disseminated over the unit. CPY is patchy and sporadically distributed, significant chalcopyrite is found in an Fec vein @76.6m.
75																																						
80	82.3	91.5	SBX	GN		MG	Bx		SBX	gradual			ST		65										chl	m							SLT	CHL	<1	sr	15	Cl	Se	Unit approaches PBX, dominant clast is SLT which is pinkish sometimes, especially towards the end of the unit. Chlorite clasts are few and scattered. The matrix is chloritic. Chlorite stringers are irregularly oriented TCA. Chlorite alteration is moderate. No mineralization was observed.
85																																						
90	91.5	95	PBX	GY	PK	MG	Bx		PBX	gradual			ST		25										hem	w	sil	w					SLT	CHL	5	an	25	Fd?	Cb?	Unit is pinkish with large clasts of pink SLT and grey smaller SLT clasts. Some smaller chlorite-rich clasts exist, all in a very fine-grained matrix of pink feldspar? quartz and carbonate.
95	95	103.1	PBX	PK		MG	Bx		PBX	gradual			ST		45				0.2		0.1	0.1			hem	m							SLT	CHL	>2	sr	25	He	Cb	This unit is similar to the above but with a dominant hematite matrix. SLT clasts are large and pinkish in colour
100																																						
105	103.1	126.3	HBX	BN	RD	MG	Bx		HBX	gradual			ST	VN	85	45			15		0.1	0.1			hem	m	fec	w					SLT	CHL	2	sr	15	He	Cb	Preponderance of hematite in the matrix gives a brown colour (hematite alteration). Clasts of SLT and chlorite average 2cm in diameter. Fec stringers are irregularly oriented TCA. A single 5cm barite vein occurs at 117.6m.
110																																						

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix				
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	WRITTEN LOG
	115																																							
	120																																							
	125	126.3	134.9	CBX	GN		MG	Bx		CBX	gradual			VN		30				0.2		0.1	0.1			chl	m	car	w					SLT	CHL	1.5	an	20	Cl		Medium-grained green unit. The upper contact is gradational. Clasts of SLT are large (~3-5cm) whereas chlorite clasts are smaller. Matrix is chlorite. Chlorite alteration is moderate with subordinate carbonate. A few carbonate veins locally, at 30 degrees TCA. No sulphide mineralisation seen.
	130																																							
	135	134.9	152.9	HBX	BN		MG	Bx		HBX	gradual			VN	ST	50	35			50						hem	s							SLT	CHL	2	sr	25	hem		Reddish brown unit with about 50% hematite mostly in the matrix. SLT clasts are all pink to red. Hematite alteration is very pronounced, but decreases down the unit. A series of fault gouges is present , some with chlorite bands. Numerous irregularly oriented Fe-carbonate stringers. Traces of Py around 143.4m.
	140																																							
	145																																							
	150	152.9	156.5	CBX	GN		FG	Bx		CBX	sharp			ST		45				3						chl	m	hem	w					CHL	HEM	0.5	sr	40	Cl	He	Fine-grained greenish unit with chlorite and hematite clasts (<0.5cm). Chlorite matrix with minor hematite. Graphitic upper contact. 2 barite veins >15cm thick with close to 50% hematite in them, some specular hematite. Minor fine-grained pyrite associated with the graphitic section.
	155	156.5	169.7	KBX	PK		FG	Bx		KBX	sharp			VN		85				10	3	0.3	0.5			pot	m							SLT		0.5	sr	7,10	Kf		Fine-grained pinkish unit interbedded with graphitic HBX. The HBX bands have large martite clasts with magnetite in the centre and hematite at the edges, and a hematite matrix. These bands have fine-grained pyrite. The mayor unit has Kf-rich siltstone clasts and minor hematite clasts in a matrix dominanted by Kf. Uranium mineralization up to 500 c/s.
	160																																							
	165																																							

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-04

GRAPHIC LOG		Lithology										Structure					Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix			
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	170	169.7	186.3	HBX	GY	BN	MG	Bx		HBX	gradual			ST		35			7						hem	m	chl	w				SLT	FeCb	2	an	7	He	Cl	Grey-brown with local greenish bands.hematite matrix is dominant SLT clast are hematite altered Fec clast present 2 barite veins significant fine grain pyrite associate with greenish graphitic bands.
	175																																						
	180																																						
	185	186.3	215.5	CBX	GN	BN	MG	Bx		CBX	gradual			VN		25			10		1,2	0.5			chl	m	hem	m				SLT	HEM	1,5	an	25	Cl	He	Unit approaches CBX with considerable hematite alteration of SLT clasts. Pyrite common, minor chalcopyrite seen.
	190																																						
	195																																						
	200																																						
	205																																						
	210																																						
	215	215.5	231	HBX	BN	GY	MG	Bx		HBX	gradual			ST		33			7		1,2	0.5			hem	m	chl	w				SLT	HEM	1,2	an	10	He	Cl	Hematite altered SLT and chlorite with minor hematite clast in a matrix of hematite and chlorite.Large cubic hematite/martite grains close to 20% over 5m from 222.2m. Hematite alteration is dominant. Fine-grained Pyrite mineralization approaches 1% whereas chalcopyrite is patchy and sporadically distributed.
	220																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-04

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix				
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	225																																							
	230	231	248.6	CBX	GN		MG	Bx		CBX	gradual			VN		55				6		2	0.1			chl	m	hem	m			CHL	HEM	1	an	7,10	Cl	He	Unit approaches CBX with series of hematite bands Chlorite alteration is dominant but subordinate hematite alteration is significant. Fine-grained Py mineralization over the first 3m. Uranium mineralization of about 550c/s over the first 1.5m.
	235																																							
	240																																							
	245																																							
	250	248.6	254	HBX	BN	GY	CG	Bx		HBX	gradual			ST		50				15		0.5	0.5			hem	m	chl	w			HEM	SLT	1	an	30	He	Cl	Brown to grey unit with short bands of chlorite. Hematite and hematite-altered SLT clasts + chlorite in a matrix of chlorite and feldspar? Hematite alteration is dominant, a few grains of pyrite and chalcopyrite spotted.
	255	254	262	CBX	GN		MG	Bx		CBX	sharp			ST		35				1		0.2	0.2																Sharp upper contact at a fault plane. Large clasts of SLT, some hematite-altered, chlorite clasts and Fec in a matrix dominated by chlorite. A few grains of chalcopyrite were observed.
	260																																							
	265	262	271.5	PBX	GY	PK	MG	Bx		PBX	sharp			ST		50				1		0.1	0.1			hem	m	chl	w			SLT	CHL	5	sr	35	He	Cl	A polymitic breccia with large clast of hematite-altered SLT, chlorite and a few hematite clasts. Hematite and chlorite matrix. Trace amounts of sulphide mineralization
	270	271.5	287	HBX	GN	GY	MG	Bx		HBX	gradual			VN		25				10	2	1	0.5			hem	m	car	w			HEM	SLT	1	an	15	Cb	He	Medium-grained greyish unit. Hematite alteration with subordinate Carbonate. Hematite clasts are cubic and average about 10% of the unit. Fine-grained pyrite is disseminated, some associated with stringers. CPY is patchy and sporadically disinbuted. A significant one up to 1.5 cm in width at 279.8m.
	275																																							
	280																																							

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-04

GRAPHIC LOG		Lithology										Structure					Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																															Clast				Matrix			
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	285																																						
		287	318	SBX	GY		FG	Bx		SBX	gradual			ST		40				5	<1	0.1	0.1			fec	m	ser	w	sil	w			SLT		3	an	3	Fd?	Cl	Greyish to yellow, fine-grained unit, upper part has close to 10% large clasts of hematite and approaches MVN. Hematite clast size and proportion decreases down the unit. Large clast of SLT, some brown and well bedded. The matrix is feldspar? with minor chlorite. Carbonate alteration is relatively weak. Traces of sulphide mineralization seen, mostly towards the upper part of the unit. Subordinate sericite and local silicification seen.
	290																																						
	295																																						
	300																																						
	305																																						
	310																																						
	315																																						
		318	324.3	SBX	GY		FG	Bx		SBX	gradual			ST	BD	35	60									chl	m	ser	w					CHL	SLT	3	an		Cl	Fd?	Similar to the above but the matrix is predominently chlorite. A few chlorite clasts and Fec-altered SLT.
	320																																						
		324.3	337	SBX	GY		FG	Bx		SBX	gradual			BD	ST	35	60									ser	m	sil	w					SLT							Large clasts of SLT in a silicified matrix. The amount and size of the clasts decreases down the hole. Bedding increases down the hole.
	325																																						
	330																																						
	335																																						
		337	392.3	SLT	GY		FG	SLT		SLT	gradual			BD	ST	75	30									ser	m	sil	w												Siltstone with moderate amounts of sericite present, local silicification.

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-05

GRAPHIC LOG	Lithology										Structure						Minerals (%)					Alteration (intensity)								Breccia								WRITTEN LOG
																															Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average, cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
0	0	6	CASING																																			CASING
5	6	18.8	MVN	GY	BK	CG	Bx	He	MVN				J	ST	30	65			4	2	1	2			hem	s	chl	w	car	w			Mart	Fec	1	an	7	Cl	Kf	Coarse-grained greenish-grey with black spots. Upper contact is at the base of Casing. Clasts consist of cubic martite, hematite and magnetite. Martite exhibits zoning in some places with hematite at the edges and magnetite at the centre. Local concentrations of magnetite close to 50% occur over about 0.8m at 28.4m. Other minerals include K-feldspar, Fe-carbonate and chlorite. The matrix is dominantly chlorite, minor Kf, Fec. Structures present are dominantly joints, approaches stockworks. Minor Fec stringers irregularly oriented to CA. Dominant alteration is hematite with subordinate chlorite. Weak Fe-carbonate alteration occurs locally. Uranium mineralization up to 1050c/s occurs at the upper end of the unit. Minor Py sporadically distributed. Chalcopyrite is close to 1.5% overall. Malachite staining was observed on fracture surfaces.
10																																						
15																																						
20	18.8	26.1	SBX	BN		FG	Bx		SBX	gradual			J	ST	30	65			0.5		0.1	0.1			fec	m							SLT	Kf	~1	an	3,4	Fd	Fe-Cb	Fine-medium grained yellowish to brown SBX. Looks like a transition zone. Clasts of SLT, and Kf, Chl and minor hematite. The matrix is Fd, Fec, and minor Chl. The dominant alteration is fec, no appreciable mineralization was observed.
25	26.1	28.4	KBX	RD		FG	Bx		KBX	gradual			ST	35					0.1		0.2	0.1			pot	m							Kf	Chl	~1	an	3	Kf		Fine -medium grained reddish KBX. Gradational upper contact. Clasts of Kf and Chlorite with minor hematite in a matrix of Kf. Local concentrations of hematite towards the end of the unit. Potassic alteration is dominant. Fine-grained Py close to 0.2%, with trace amounts of chalcopyrite.
30	28.4	30.2	MVN	GY	BK	CG	VN		MVN	sharp			VN	J	40	65			20	35					hem	s	chl	m	fec	w			Mart	Chl	~1	an	65	He	Cl	Coarse-grained grey unit with black and greenish spots of martite and chlorite, Fe-carbonate and minor SLT clasts. Hematite clasts to 20% while magnetite is about 30%. chlorite overprints the ampenible? all in a matrix of hematite, chlorite, Fe-carbonate. Hematite alteration is dominant, chlorite is subordinate, carbonate is minor. No sulphides observed.
35	30.2	38	CBX	GH	GY	F-MG	Bx		CBX	gradual			J		35				0.5	0.3	0.2	0.1			car	m	fec	w					Chl	Fec	~1	an	10%	Cl	Fe-Cb	Medium-grained greenish-grey CBX. Gradational upper contact. Clasts of Chl, Kf and SLT and minor cubic martite in a matrix of chlorite and feldspar. Chlorite is the dominent alteration with minor carbonate and locally hematite alteration occurs. Joints are irregularelly oriented to TCA. No mineralisation observed.
40	38	48.5	SBX	GN	GY	FG	Bx		SBX	gradual			J	ST	40				5	0.1					fec	s	ser	w					SLT	Fec	~1	an	5	Fe-Cb	Cl	Fine to medium grained grey to yellow SBX interbedded with short Chlorite and MVN bands. Fe-carbonate veins and stringers irregularly oriented to TCA. Fine-grained hematite sporadically distributed. Fe-carbonate alteration with minor sericite observed locally.
45																																						
50	48.5	97.1	MVN	GY		MG	Bx		MVN	gradual			ST	VN	30	60			7	2	0.2	1			hem	s	fec	w					SLT	Fec	1	an	7,10	Cl		MVN interbedded with CBX and SBX. Chalcopyrite mineralization close to 0.15% from 94m to the end of the unit. Close to 2% chalcopyrite associated with barite at ~96.5m.
55																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-05

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																																Clast				Matrix			
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average)	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	60																																						
	65																																						
	70																																						
	75																																						
	80																																						
	85																																						
	90																																						
	95	97.1	115.1	SBX		GY		FG	Bx		SBX	gradual			VN	ST	35	80					0.2	0.5			ser	s	chl	w					SLT	1.5	an	4	Cl	Se		Fine-grained greyish, sericite-altered siltstone. Very minor Fe-carbonate. Clasts are mainly SLT in a matrix of Se, Cl and Fd. Strong sericite alteration. Minor chlorite stringers. Clasts are streched and aligned // to the chlorite stringers. Traces of fine-grained pyrite and chalcopyrite. Locally, K-feldspar up to 8% over 2 metres at 109m. Uranium mineralisation up to 400c/s over 30cm at the beginning of the unit.
	100																																						
	105																																						
	110																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-05

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix				
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	115	115.1	116.9	SBX	GY		FG	Bx		SBX	gradual			FO		40						0.1	~1			sil	m							SLT	Fec	21	sr	6	Cl	Cb	Fine-grained greyish graphite-bearing SBX. Clast dominantly SLT. Fe-carbonate and Chlorite veins. The matrix is
																																								Fd, chlorite and carbonate. Close to 2% fine grain chalcopyrite locally.
		116.9	128	SBX?	GY	YW	FG	Bx		SBX	sharp			FO		45										ser	m	chl	w					SLT	Chl	1	sr	12	Cb	Chl	A mixture of CBX and SBX lenses. Fine-grained greyish colour. Clast dominantly SLT, Chl and Kf in the CBX.
																																									The matrix includes Fd, Cb and Cl. The unit is weakly foliated. No appreciable mineralization was observed.
	120																																								Sericite is the dominent alteration type with silicification occurring locally.
	125																																								
		128	149	PBX	GY	GN	MG	Bx		PBX	gradual			VN	J	35	60					0.2	0.1			pot	w	ser	w					SLT	Chl		sr	15	Kf	ser	Grey to green medium-grained polymictic breccia, composed of alternate KBx, CBx and SBx. Joints and veins
	130																																								are irregularly oriented to TCA. Potassic alteration is dominant, sericite and chlorite alteration associated with
																																									SBX and SLT respectively. Minor silicification seen. Minor and sporadic pyrite and chalcopyrite mineralization.
	135																																								
	140																																								
	145																																								
		149	184	SLT	GY	WH	FG	FG		SLT	sharp			J	ST	25	65					0.5	0.5			sil	m	ser	w	chl	w										Fine-grained, grey to white, moderately-silicified siltstone. Joints are the dominant structures observed. Minor
	150																																								chlorite stringers observed. The unit is interbedded with minor CBX. The upper contact is sharp at a fault plane.
																																									A series of fault gouges occur throughout the unit. Sericite alteration occurs locally and chlorite alteration
	155																																								associated with CBX bands. Minor pyrite and chalcopyrite observed in the CBX.
	160																																								
	165																																								

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-05

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																																Clast			Matrix				
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	170																																						
	175																																						
	180																																						
		184	344.4	SLT	GY		FG	FG		SLT	gradual			BD		30										Sil	m													Similar to the above but well bedded. There are no CBX interbeds in this unit. Moderately silicified locally.
	185		EOH																																				EOH
	190																																						
	195																																						
	200																																						
	205																																						
	210																																						
	215																																						
	220																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-06

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)							Breccia								WRITTEN LOG
																																Clast			Matrix				
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	0	10.4																																				Triconing - no recovery.
5																																						
10	10.4	42.25	HBX	GY	PK	FG	Bx	Do	HBX	gradual							10.4	42.25	2		t	t	10.4	42.25	car	m	chl	w			10.4	42.25	SED		1-2	sa	1-10	He	Do	BRECCIATED SILTSTONE-mostly grey to light-pink clasts with~1-10% matrix -mostly hematite +/- light-coloured dolomite. Rare dolomite +/- quartz +/- chlorite +/- chalcopyrite veins to 1cm. Rare pyrite, chloritic matrix locally.
15											16.05	16.06	VT		80																							1cm dolomite + barite/siderite?-chalcopyrite veinlet.
20																																						
25											26.75	27	FLT																										Chloritic fault rubble ~25cm thick.
30																							29.2	34.5	ble	m													
35											34.5	35	FLT																										Chloritic fault rubble.
											36.6	36.8	FLT																										Chloritic fault rubble.
40											39.25	39.27	VT		40																								2cm breccia vein, dolomite infill with trace pyrite.
	42.25	55.06		GY	PK	FG	Bx	Cl	DBX	gradual	42.35	42.78	VT				42.25	55.66	1		t		42.25	55.06	car	s	chl	w			42.25	55.06	SED		1.5	sa	10	Do	Cl	BRECCIATED SILTSTONE - dolomite matrix, grey-pink siltstone clasts with pale dolomite matrix (chlorite locally) and very minor pyrite locally as isolated large grains. 42.35 - 42.78m: chloritic breccia veins overprinting the DBX.
45											44.86	44.88	VT		20																								Fe-carbonate veinlet with minor chlorite on margin.
50											51.35	51.37	VT		50																								2cm chlorite breccia vein, some small rock fragments.
											53	54.85	VT																										Small (2 - 4cm) breccia veins. Chlorite +/- hematite +/- dolomite matrix (+/- rock clasts).
55	55.06	58.3		GN	PK	FG	Bx	Cl	CBX	gradual																														Chlorite-matrix breccia, chlorite and dolomite matrix locally.

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix				
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average)	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
		58.3	60.34	MVN	RD	WH	FG	Bx		IST	gradual							58.3	60.34			3	t																	IRONSTONE - disseminated pyrite and chalcopyrite.
	60	60.34	63.4		YW	GN	FG	Bx		PBX	sharp																													POLYMICTIC BRECCIA - matrix-supported, fe-carbonate matrix and rounded, variably-altered clasts.
		63.4	66.8		GY	GN	MG	Bx		MVN	gradual							63.4	66.8	11		t	t																	MARTITE VEIN - common martite-magnetite blebs with rare 1 -2cm wide siltstone? clasts. Weak chalcopyrite associated with magnetite blebs.
	65	66.8	76.3		YW	GN	MG	Bx		SBX	sharp																													SEDIMENTARY BRECCIA - clast-supported breccia with fe-carbonate-altered and MVN clasts with a carbonate-chlorite matrix.
	70																																						
	75	76.3	80.2		GN	YW	FG	Bx		PBX	gradual																													POLYMICTIC BRECCIA - polymictic, matrix-supported hydrothermal breccia with variable amounts of sedimentary clasts and hematite-chlorite-fe-carbonate matrix.
	80	80.2	83.2		GN	RD	MG	Bx		MVN	gradual							80.2	83.2	10																				MARTITE VEIN - martite-magnetite-barite-chlorite-albite vein with rare discrete chlorite-fe-carbonate clasts. Cut by barite-fe-carbonate veins.
		83.2	94.5	CBX	GN	YW	FG	Bx		CBX	gradual							83.2	94.5			t	t																	CHLORITE BRECCIA - green-yellow, matrix-supported hydrothermal breccia with chlorite-hematite-fe-carbonate matrix, minor chalcopyrite associated with hematite blebs.
	85																																						
	90																																						
		94.5	95.2		GN	RD	MG	Bx		MVN	sharp																													MARTITE VEIN - magnetite-martite-barite-chlorite-albite vein
	95	95.2	96.3		GN	GY	FG	Bx		PBX	sharp																													POLYMICTIC BRECCIA - chlorite-sericite-rich polymictic hydrothermal breccia.
		96.3	102.1	KBX	RD	GN	FG	Bx		KBX	gradual							96.3	102.1	15		3	8																	POTASSIC BRECCIA - red-grey-yellow, matrix-supported breccia overprinted by strong K-feldspar alteration (25% on spectrometer) + chalcopyrite + uranium (up to 25,000cps on spectrometer).
	100																																						
		102.1	105	CBX	GN	YW	MG	Bx		MVN	gradual							102.1	105	10																				MARTITE VEIN - green-yellow, medium-grained, magnetite-martite, Fe-carbonate-albite-chlorite vein/breccia with rare sedimentary clasts up to 2cm.
	105	105	106.7		YW	GN	FG	Bx		SBX	sharp																													SEDIMENTARY BRECCIA - siderite-chlorite-sericite-rich, clast-supported breccia.
		106.7	109.1		GN	YW	FG	Bx		CBX	sharp							106.7	109.1			1	1																	CHLORITE BRECCIA - rebrecciated sedimentary breccia with strong chlorite infill and minor square hematite rhombs.
		109.1	119.8	SBX	YW	GN	FG	Bx		SBX	gradual							109.1	119.8	2																				SEDIMENTARY BRECCIA - weakly foliated fe-carbonate-rich breccia with chlorite matrix, clast-supported. Minor specular hematite.
	110																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-06

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																																	Clast				Matrix			
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	115																																						
		119.8	128.7		YW	GN	FG	Bx		FLT	sharp							119.8	128.7			t																	FAULT/SEDIMENTARY BRECCIA - faulted sedimentary breccia with common goethite along fracture surfaces.
	120																																						Minor pyrite associated with carbonate veins.
	125																																						
		128.7	140		GN	YW	FG	Bx		CBX	gradual							128.7	140			t																	CHLORITE BRECCIA - rebrecciated sedimentary breccia, clast-supported with chlorite matrix and chlorite-altered
																																							clasts. Some minor matrix-supported sections cut by later 5mm - 1cm wide carbonate +/- chalcopyrite veins.
	130																																						Rare pyrite veins overprint chlorite.
	135																																						
																		138.8	140			2	5																	Strong chalcopyrite alteration.
																																							139.8 - 140.1m: uranium mineralisation (high spectrometer readings).
	140	140	144.7		GY	GN	MG	Bx		MVN	sharp																													MARTITE VEIN - magnetite-martite vein with common pyrite alteration, clasts of variably fe-carbonate alteration
																																							up to 1cm rare.
		144.7	150.9		YW	GN	FG	Bx		CBX	sharp							144.7	150.9			1	2																	CHLORTIE BRECCIA - faulted chlorite-rich breccia. Moderate chalcopyrite and uranium mineralisation at 144.7 -
	145																																						145.0m.
	150	150.9	161.1	KBX	RD	GN	FG	Bx		KBX	sharp							150.9	161.1	1	5	2	10																	POTASSIC BRECCIA - potassium-rich, chlorite-rich hydrothermal breccia with strong chalcopyrite mineralisation
																																							(up to 80%) and sporadic uranium mineralisation. Rock is fractured/faulted with most potassium and uranium
																																							associated fault between 156.1 - 156.6m. Potassium has a direct association with uranium whilst chalcopyrite
																																							appears to be a separate, earlier event as relacement and matrix infill.
	155																																						
	160																																						
		161.1	167	SBX	YW	GN	FG	Bx		SBX	sharp							161.1	167	t		t																	SEDIMENTARY BRECCIA - faulted/fractured chlorite-sericite-siderite-rich breccia.
			EOH																																				
	165																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-07

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																															Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	WRITTEN LOG include nature of contacts, additional structure, mineralogy, textures & alteration
	0	10.2																																					Casing
	10.2	37.5	HBX	GY	WH	MG	Bx		HBX		10.2	37.5	VN	ST	35	60							10.2	37.5	ser	tw	sil	tw	chl	tw	10.2	37.5	SLT	FeC	0.5-2	sr	<5	slt	Cl	Greyish to greenish fine-medium-grained siltstone breccia. Composed of varying sizes of sedimentary clasts: few and large in places, small and many in other places. Overall less than 5% of the unit can be described as matrix-supported. Rusty appearance on fracture surfaces suggests FeCO3 - probably ankerite. Few clasts of k-feldspar seen. Minor sericite and chlorite alteration, weak silicification locally. Few hematite veins seen towards the end of the unit. Iron carbonate and chlorite stringers common.
	37.5	62.2	DBX	GN	GY	MG	Bx		DBX		37.5	62.2	J	ST	30	45							37.5	62.2	car	m	chl	w	pot	w	37.5	62.2	Cb	SLT	var	an	5	Cb	Cl	Greenish-grey medium to coarse-grained carbonate-altered breccia. Polymictic in nature, dominant clast-type is carbonate. Some cubic and rusty (oxidised). Other clasts include siltstone, chlorite-altered, minor k-feldspar. All in a matrix of chlorite and sediment. Unit can be described as matrix-supported. Structures include fe-carbonate stringers, k-feldspar veins and minor joints. Carbonate alteration relatively strong with subordinate chlorite alteration. A few blebby pyrites seen, some oxidised and appear like pyrite nodules.

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-07

GRAPHIC LOG	Lithology										Structure					Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																														Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average)	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
60	62.2	145	CBX	GN		MG	Bx		CBX		62.2	145	J	ST	25	50							62.2	145	chl	m	car	m			62.2	145	Cb	Cl	var	an	7	Cl	Cb	Dark green, medium-grained polymictic chlorite breccia. Clasts include carbonate, K-feldspar, sediment, siltstone, chlorite and fe-carbonate. Siltstone clasts are large while others are granular, differentiating this unit from the one above. Carbonate stringers and vuggy joints are seen irregularly oriented to TCA. The unit is interbedded with ironstone measuring close to 2 metres in some places. Fe-carbonate and carbonate stringers and veins are prominent toward the end of the unit. Dominant alteration is chlorite with subordinate carbonate overprinted locally by hematite. There are several local sections of hematite dominated altered zones. Mineralisation is mainly pyrite, generally <0.5% with some higher concentrations. Minor chalcopyrite seen all through with local blebby occurrences towards the end of the unit, a good one at 110.1m. Specular hematite and hematite veins associated with 30cm wide carbonate and fe-carbonate veins at 114.6m. Minor barite is also seen in this vein.
65																																						
70																																						
75																																						
80																																						
85																																						
90																																						
95																																						
100																																						
105																																						
110																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-07

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix				
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	115																																							
	120																																							
	125																																							
	130																																							
	135																																							
	140																																							
	145	145	160.6	IST	RD		MG	Bx		IST	gradual	145	160.6	VN	ST	40	55							145	160.6	hem	s					145	160.6	He	FeC	1	an	5	He	Cl	Fine-medium-grained reddish hematitic breccia. Can be described as ironstone. Polymictic clasts of hematite, k-feldspar, carbonate, chlorite and sediment. The matrix is predominantly hematite and minor chlorite. Structures include fe-carbonate veins and stringers, some fine, white, fibrous stuff, probably carbonate. Hematite alteration is dominant here. No significant mineralisation seen.
	150																																							
	155																																							
	160	160.6	165.1	CBX	GN	GY	F-MG	Bx		CBX	sharp	160.6	165.1	J	ST	50	65							160.6	165.1	chl	s					160.6	165.1	Cl	SLT	1	an	7-9	Cl	Cb	Fine-medium-grained greenish chlorite breccia. Polymictic in composition, chlorite, siltstone and fe-carbonate clasts in a matrix of chlorite. Upper contact is very sharp at a fault plane. The upper 1.5m is a fault gouge. A few Fe-carbonate stringers are localised. Chlorite alteration is dominant. No mineralisation seen.
	165	165.1	175.1	MIXED Bx	RD	GN	MG	Bx		MIXED Bx	gradual	165.1	175.1	ST		35		165.1	175.1			0.1	0.1	165.1	175.1	hem	m	chl	m			165.1	175.1	He	SLT	1-2	an	15	Cl	He	Green-red mixed unit of hematite-altered and chlorite-altered breccia. Clasts are polymictic with hematite and chlorite dominant, k-feldspar, siltstone and fe-carbonate are significant in a matrix of chlorite and hematite. Clasts are angular to sub-rounded, range in size from <1 to >2cm. A local section of clasts-supported breccia seen. Unit is not mineralised.

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																															Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
170																																						
175	175.1	197.6	HBX	GY		F-MG	Bx		HBX	gradual	175.1	197.6	ST	VN	40	55	175.1	197.6			0.5	0.5	175.1	197.6	hem	m	car	w			175.1	197.6	SLT	FeC	<1	an	<5	Kf?	Cb	Fine-grained grey hematite-altered hydrothermal breccia. Few clasts of siltstone, fe-carbonate and minor K-feldspar in a matrix of siltstone. Stringers of carbonate and fe-carbonate numerous, irregularly oriented to CA. Dominent alteration is hematite. Local section of silicification up to 1.5m at 188.0m. Mineralisation includes pyrite and and chalcopyrite. Pyrite is cubic whilst chalcopyrite is patchy and sporadically distributed.
180																																						
185																																						
190																																						
195	197.6	205.5	SBX	GY	BN	MG	Bx		SBX	gradual	197.6	205.5	VN		30		197.6	205.5			1	<1	197.6	205.5	sil	m	fec	w	ser	w	197.6	205.5	SLT	Kf	>1	an	3	Kf?	Cb	Fine to medium-grained brown-grey sedimentary breccia. Clasts include siltstone, k-feldspar and minor chlorite. Clasts are angular-subrounded and vary in size from <1 to >2cm. Matrix is dominantly siltstone. Structures are dominently fe-carbonate stringers inregularly oriented to CA. Dominant alteration is silicification, very stong over an interval of 3m. Subordinate fe-carbonate and minor sericite alteration seen. Mineralisation very minor. Uranium mineralisation up to 550cps over an interval of 25cm at 199.4m.
200																																						
205	205.5	237.7	CBX	GN		F-MG	Bx		CBX	gradual	205.5	237.7	ST		25-65		205.5	237.7			1	0.5	205.5	237.7	chl	m					205.5	237.7	SLT	Cl	<1		<5	Cl		Fine to medium-grained greenish unit composed of chlorite, siltstone, minor carbonate and k-feldspar clasts in a matrix of chlorite. Clasts are few and generally small. They vary in shape from tabular/cubic to sub-rounded. Moderate chlorite alteration throughout the unit. Local section of silicification seen. Stringers of carbonate and fe-carbonate are seen irregularly oriented to TCA. Mineralisation includes pyrite and chalcopyrite sporadically distributed. Pyrite is fine-grained and cubic whilst chalcopyrite is patchy and vein-like in places.
210																																						
215																																						
220																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-07

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																															Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
225																																							
230																																							
235																																							
	237.7	256.2	MST	RD		FG	BD		MST	sharp	237.7	256.2	ST		20	80	237.7	256.2				0.2	237.7	256.2	sil	w													Very fine-grained dark-red to brown mudstone. Bedded and weakly silicified. Sharp upper contact at a fault plane 45 TCA. Carbonate and barite stringers are irregularly oriented. Minor chlorite-rich bands. Few cubic chalcopyrite grains associated with stringers locally. Traces of pyrite seen. A fault gouge at 252.3m.
240																																							
245																																							
250																																							
255																																							
	256.2	304.3	PBX	GN	RD	MG	Bx		PBX	sharp	256.2	304.3	ST		25-65		256.2	304.4	0.1		0.1	0.1	256.2	304.4	chl	w	hem	m	car	w	256.2	304.4	SLT	Cl		an	7-8	Cl	Kf?	Medium-grained, green-red polymictic breccia. Sharp upper contact at a fault gouge. clasts of siltstone, chlorite, k-feldspar range in size from <1 - 3cm, larger locally. Chlorite alteration with subordinate hematite and carbonate. Local section of strong silicification measured up to 2.5m in places. Series of fault gouge, some up to 1.5m. Fe-carbonate and carbonate stringers irregularly oriented to TCA. Minor pyrite and chlcopyrite mainly on fracture surfaces. Hematite is minor and associated with stringers.
260																																							
265																																							
270																																							
275																																							
280																																							

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-07

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia						WRITTEN LOG
																																Clast				Matrix			
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	265																																						
	290																																						
	295																																						
	300																																						
		304.4	329	SLT	GY	RD	FG	BD		SLT	sharp	304.4	329	BD	ST	35	65							304.4	329	sil	m	ser	w	chl	w									Fine-grained, grey siltstone with minor bedding visible locally. Stringers and fault gouge are the prominent structures. S structures. Sericite alteration is dominant, overprinted in places by chlorite. Local sections of silicification up to 1 metre in width.
	305																																						
	310																																						
	315																																						
	320																																						
	325																																						
	330	329	EOH																																				

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-08

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																															Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (x=>y) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	0	3	casing																																				
	3	75.1	SLT	GY		FG			SLT				BD	ST	45	75									sil	w	ser	w												Fine-grained, grey siltsone. Unit is well bedded @ 75-85 TCA. Dominant alteration is silicification. Local sections of sericite alteration exist. The unit is not mineralized.
5																																							
10																																							
15																																							
20																																							
25																																							
30																																							
35																																							
40																																							
45																																							
50																																							
55																																							

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-08

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix				
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average)	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	60																																							
	65																																							
	70																																							
	75	75.1	77.5	CBX	GN		FG		CBX					VN	J	35	60			0.1						chl	m	car	w					Cl	SLT	1	an	12	Cl		Fine to medium-grained green CBX.Clasts of chlorite, SLT, fec, and a few hematite in a matrix of chlorite. Local
		77.5	87.5	HBX	RD	GN	FG		HBX					VN	ST	40	65									hem	m	chl	m	car	w			Cl	Kf	<1	an	7	Cl		sections of hematite matrix occur. Clasts are aligned/stretched in the (weak) foliation direction. Chlorite alteration
																																								dominant with subordinate carbonate. Local sections of hematite alteration exist. Veins, joints and weak foliation
	80																																							the structures seen. No mineralization observed.
																																								A mixed unit of HBX-CBX (in alternating bands). The unit is reddish overall and is predominantly matrix, with a few
																																								clasts of Chl, Kf, and minor SLT. The matrix is predominantly hematite. Chlorite occurs in short bands and veins,
	85																																							and in stringers irregularly oriented to TCA. The dominant alteration is hematite. No mineralization seen.
		87.5	111.8	CBX	GN				CBX					ST		60						0.1				chl	m	hem	w	car	tw										Similar to the above CBX, fewer and shorter bands of HBX. Carbonate stringers irregularly oriented to TCA. A
																																								local section of PBX measures up to 1 metre wide at 101.6m. Traces of Pyrite seen. A fault zone ~ 3 metres
	90																																							thick from ~107m.
	95																																							
	100																																							
	105																																							
	110																																							

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-08

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix				
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	115																																							
		111.8	123.5	MUN	GY					MVN				FO	ST	25	60			0.3		0.1	0.1			ser	w	sil	w	chl	bw			He				Kf?		A matrix supported breccia about 3% fine-grain cubic hematite in a matrix of Kf? Sericite alteration is weak and silicification is present locally. Chlorite alteration over the first few metres at the upper contract. A few grains of pyrite and chalcopyrite sporadically disseminated.
	120																																							
		123.5	139.8	CBX	GN	GY	FG	Bx		CBX				ST	10					0.1		0.1	0.1			chl	w	ser	w					SLT	J-SED		an	5	Cl	Kf?	Unit might originally be CBX now overprinted by sericite. Clasts of SLT, Cl and Jasper-alterated sediment in a matrix of chlorite at the upper contract. The matrix at the lower contact is a mixture of sediment and chlorite. Minor pyrite and chalcopyrite mineralisation seen.
	125																																							
	130																																							
	135																																							
		139.8	182.7	SBX	GY	YW	FG	Bx		SBX	gradual			ST		35				0.1		0.1				car	m	chl	w					FeCb	SLT	>1	sr	5 to 7	Kf?	Cl	Sharp upper contact at fault plane. The unit is fine-grained and yellowish-grey in colour. Fe-carbonate, SLT and minor barite clasts in a matrix of sdiment. Carbonate alteration is relatively strong with subordinate chlorite. Local silicification present. Minor pyrite mineralization seen.
	140																																							
	145																																							
	150																																							
	155																																							
	160																																							
	165																																							

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia						WRITTEN LOG
																																Clast				Matrix			
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	170																																						
	175																																						
	180																																						
		182.7	184.9	MVN	GY		FG	VN		MVN	gradual			J	ST	45	60			1.5		0.1				sil	w	car	w					He	SLT	1	an	5	Kf?	Cl	Fine-grained grey unit. Grains of hematite vary from fine to large cubic crystals. Siltstone and carbonate clasts
		184.9	190.1	CBX	GN		MG	Bx		CBX	sharp			VN	ST	30	65			1																				present in a matrix of sericite plus feldspar? Subordinate carbonate alteration is weak. Local sections of chlorite
	185																																						alteration occur. Fine-grained pyrite is sporadically distributed and a few grains of CPY were observed.
																																						Fine to medium-grained greenish CBX. The unit is predominantly matrix, consisting of chlorite. Widely-spaced
																																						hematite, chlorite, SLT and FeCb clasts are present. Chlorite is the dominant alteration whereas carbonate
	190																																						alteration is only weakly developed. Carbonate veins up to 1.5cm wide at 45 TCA. No mineralization seen.
		190.1	194.5	SBX	GY		FG	Bx		SBX	gradual			J	ST	25	65			<1		0.1																		Gradational upper contact. The unit is fine-grained and grey in colour, clasts of hematite, SLT, FeCb and minor
																																								Cl. The matrix is Kf? Traces of pyrite were observed.
	195	194.5	202.2	HBX	GY	GN	MG	Bx		HBX	gradual			ST		35				1.5		0.2				ser	w	chl	w					He	SLT	<1	an	15	Kf?	Cl	Alternating bands of CBX and HBX (wider bands of HBX). Clasts of SLT, Hem, and a few carbonate in the HBX
																																							bands. Chlorite-rich clasts in the CBX bands. Feldspar? and chlorite in the matrix. Weak sericite alteration in the
																																							in the HBX bands, chlorite alteration in the CBX bands. Pyrite is the main sulphide seen, fine-grained and close to
	200																																						0.5%.
		202.2	204.6	CBX	GN		MG-CG	Bx		CBX	sharp			ST		25										chl	m							Cl	SLT	1.5			Cl		Medium to coarse-grained green CBX with large chlorite-rich clasts (~12%) and minor SLT and FeCb clasts.
																																							The matrix is chlorite. A few grains of pyrite and chalcopyrite locally.
		204.6	277	SBX	GY		FG-MG	Bx		SBX	gradual			ST	J	40	65			0.1						ser	w	fe-car	w					SLT	FeCb	>1	sr	<7	Kf?	Cl	Fine to medium-grained, greyish SBX. Clasts of SLT and fe-carbonate. Porphyroblastic? green mineral seen.
	205																																						Feldspar? is the dominant matrix mineral, locally chlorite-rich. Moderate sericite alteration present, local
																																						silicification observed. Minor fine-grained pyrite and chalcopyrite observed associated with graphite-rich sections.
	210																																						
	215																																						
	220																																						

Cash Minerals Ltd. | **DIAMOND DRILL HOLE LOG** | **HOLE NUMBER: IG-2007-08** |

Cash Minerals

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix				
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	225																																							
	230																																							
	235																																							
	240																																							
	245																																							
	250																																							
	255																																							
	260																																							
	265																																							
	270																																							
	275																																							Gradational upper contact. Green to grey, mixed unit. Bands of grey SBX and thicker CBX. The unit approaches CBX overall. Cl-rich clasts and SLT clasts dominate. Chlorite and minor feldspar in the matrix. A 1.3m fault gouge at ~279.4m. No mineralisation observed.
		277	288.9	CBX	GN		MG	Bx		CBX	gradual			ST	FLT	80	75									chl	m	ser	w			Cl	SLT	>1	sr	5	Cl	Kf?	
	280	288.9	401.4	SLT	GY		FG	SED		SLT	gradual			BD		45										ser	m	sil	w										Fine-grained grey SLT. Bedding at ~45 TCA pronounced towards the end of the unit. Sericite is the dominant alteration with silification observed locally. A series of fault zones are present (largest to 2m). Joints and stringers at ~45 TCA. No mineralization observed.

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-09

GRAPHIC LOG	Lithology										Structure						Minerals (%)					Alteration (intensity)								Breccia								WRITTEN LOG
																															Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	0	6.7	Casing																																			CASING
	6.7	20	MVN	GY		MG	VN		MVN				ST	J	40	60			2	2	0.2	0.5			hem	s	fec	w					HEM	CHL	1.2	an	60	Cl	FeCb	Upper contact at the base of the casing. Relic? green patches suggest that the unit is altered CBX. Martite and hematite constitute about 60 % of the unit as clasts (minor magnetite in the middle of martite). The matrix is chlorite with minor fe-carbonate. Hematite is the dominant alteration, with chlorite alteration subordinate. Locally, fine-grained pyrite occurs with patchy chalcopyrite (sometimes located in veins) being close to 0.5%of the unit.
	20	24.9	SBX	GY	PK	FG	Bx		SBX				J	ST	30	65			1.5		0.1	0.1			fec	w	chl	w					SLT	CHL	1	sr	10	Kf?	Cl	Grey to pink fine-grained unit. Fec alteration is well developed locally. Weak chlorite alteration observed. Cubic hematite sporadically distributed. Traces of fine-grained pyrite observed locally.
	24.9	29.9	HBX	RD	BN	FG	Bx		HBX				ST	J	25	65			25	2	0.5	0.2			hem	s	chl	m					HEM	CHL	1	an	25	He	Cl	Reddish-brown medium-grained unit. Clasts of hematite make up close to 25%. Chlorite-rich and K-feldspar-rich clasts also present. Strong hematite alteration with subordinate chlorite alteration. Sulphide mineralization is mainly pyrite (patchy distribution).
	29.9	33	SBX	GY	YW	FG	Bx		SBX				J		35				2						fec	w	chl	w					FEC	CHL	>1	an		Kf?	FeCb	Chloritic SBX. Medium-sized clasts of hematite up to 2%, with fe-carbonate and chlorite-rich clasts also present. Matrix is mostly Kf? With fe-carbonate and minor chlorite. A single occurrence of patchy chalcopyrite at 31.9m.
	33	101.4	HBX	GY		FG	Bx		HBX				ST		25				5		0.1	0.1			hem	m	car	w					HEM	SLT	>1	sr	15	Kf?		A greyish unit with close to 10% hematite overall. Local concentrations of up to 20% large clasts of SLT and fe-carbonate differentiate this unit from MVN. Fine grain chalcopyrite sporadically disseminated throughout.

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-09

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																															Breccia							
																															Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	laxture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average)	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
60																																						
65																																						
70																																						
75																																						
80																																						
85																																						
90																																						
95																																						
100	101.4	150.9	SBX	GY		FG	Bx		SBX				ST		25										fec	w	ser	w	sil	w			SLT	CHL	>1	sr	5	Kf?	Cl	Fine-grained siltstone breccia. Large clasts of SLT in a Kf-rich? matrix. Pinkish SLT clasts locally, also a few chlorite-rich clasts seen. The proportion of clasts diminished down the hole and the unit grades into siltstone. Short intervals of graphitic-rich, banded rock occur intermittently, usually associated with finegrained pyrite, especially between 124 to 133 metres. A few sporadically distributed grains of chalcopyrite observed over the interval.
105																																						
110																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-09

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							Matrix			WRITTEN LOG
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	115																																							
	120																																							
	125																																							
	130																																							
	135																																							
	140																																							
	145																																							
	150	150.9	352	SLT	GY	GN	FG	SLT		SLT	gradual			J	BD	20	20									ser	m	sil	w												Green-grey fine-grained SLT. Joints and stringers irregularly oriented TCA. Sericite is the dominent alteration with silicification observed locally. Prounced bedding from 198.6m mostly at ~20 TCA. No mineralisation seen.
			EOH																																					
	155																																							
	160																																							
	165																																							

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-10

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (Intensity)								Breccia							WRITTEN LOG
																															Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	0	59.2	SBX	GY	GN	FG-MG	Bx		SBX				VN	ST	25	60					0.2	0.2			ser	m	car	w					SLT		>5	sr	>5	KF?	Cl	Fine to medium-grained grey to green unit. Large clasts of SLT measuring >5cm, sometimes red and jasper-like.
																																						Minor chlorite-rich clasts, all in a matrix of K-feldspar? and chlorite. Sericite is the dominent alteration, overprinted
																																						locally by carbonate and minor sicilification. Minor mineralization observed, mostly associated with veins.
5																																						
10																																						
15																																						
20																																						
25																																						
30																																						
35																																						
40																																						
45																																						
50																																						
55																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-10

GRAPHIC LOG	Lithology										Structure					Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																														Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average)	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts; additional structure, mineralogy, textures, & alteration
60	59.2	74	JBX	PK		FG	Bx		JBX	sharp			ST	J	30	25					0.1				hem	s						SLT		>2	sr	25	Kf?		Fine-grained pinkish jasperoridal sediment. Large JSED clasts up to 20% over all. Minor large chlorite-rich clasts. The matrix is mostly K-feldspar? No mineralization observed.
65																																						
70																																						
75	74	80	CBX	GN		MG	Bx		CBX	sharp			VN	J	25	30									chl	m	car	w				CHL	SLT	2	an	30	Cl		CBX, no mineralization
80	80	129	HBX	BN		MG	Bx		HBX	gradual			VN	J	20	32									hem	m	chl	w				CHL	SLT	2	sr	20	He	Kf?	Matrix is predominently hematite. Short alternating bands of MVN, CBX and SLT in the unit. No mineralization was observed.
85																																						
90																																						
95																																						
100																																						
105																																						
110																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-10

GRAPHIC LOG	Lithology										Structure					Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																														Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
115																																						
120																																						
125																																						
130	129	133	SBX	GN		MG	Bx		SBX	gradual			ST		20				0.1		0.1	0.1			sil	w							SLT	HEM	2	sr	>5	Cl	Kf?	Fine to medium-grained SBX. Predominantly matrix. A few clasts of SLT and Hem. Some fibrous white stringers of fe-carbonate are irregularly oriented to TCA. Trace amounts of pyrite and blebby chalcopyrite locally observed.
135	133	152.5	JBX	PK		FG	Bx		JBX	gradual			ST		35				5		0.1	0.2			chl	w							SLT	HEM	>1	sr	15	Kf?		JBX interbedded with MVN and chlorite-altered SLT. Hematite clasts close to 3% of the unit and are associated with MVN and chlorite altered sections. Chalcopyrite is the only sulphide, about 0.2% but locally concentrated within the pinkish jasperoidal sections.
140																																						
145																																						
150	152.2	179.5	CBX	GN		MG	Bx		CBX				VN		82	35			0.5		1	2			chl	m	car	w					CHL	FeCb	2	an	18	Cl		Medium to coarse-grained green unit with clasts of chlorite, fe-carbonate and hematite in a matrix of chlorite. Fe-carbonate veins at ~80 to TCA. Stringers and joints are irregularly oriented. Chlorite is the dominent alteration. Fine-grained patchy pyrite (close to 1%) is associated with graphite. Up to 2% chalcopyrite.
155																																						
160																																						
165																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-10

GRAPHIC LOG		Lithology									Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																															Breccia							
																															Clast				Matrix			
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	170																																						
	175																																						
	180	179.5	186.2	PBX	GN		MG	Bx		PBX				ST		35				0.2		1.5	0.5			chl	m	pot	w											Similar to the above but with Kf-rich and FeCb-rich clasts. Fine-grained pyrite mineralization is close to 0.2%, chalcopyrite is bebbly and close to 0.5%.
	185	186.2	198.7	CBX	GN		MG	Bx		CBX				VN	J	25	80			0.2		0.2	0.2																	Similar to the above but the clasts are mainly chlorite-rich, along with very large SLT clasts, sometimes pinkish. Close to 10% sulphides over the first 5 metres but decreases down the unit.
	190																																						
	195																																						
	200	198.7	242.5	SBX	GY		FG	Bx		SBX				ST		30				0.5		0.2	0.2			ser	m	car	w											Fine to medium-grained grey unit. Clasts of SLT are few, but very large (6cm in places). Chlorite-rich clasts are also large and sporadically distributed. Hematite clast size is variable. The matix is dominantly Kf? Sulphide mineralization is mainly pyrite associated with hematite.
	205																																						
	210																																						
	215																																						
	220																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-10

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix				
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	225																																							
	230																																							
	235																																							
	240																																							
	245	242.5	268.8	SBX	GY	GN	FG	Bx		SBX				VN		47				1		0.4	0.2			ser	m	sil	m					SLT	FeCb	1	an	40	Kf?	Cl	Similar to the above with more hematite and sulphide mineralization. Pinkish clasts of SLT (probably hematite alteration). 3 significant barite veins, each around 1m thick. Strong silicification around the veins. Pyrite is the main sulphide observed.
	250																																							
	255																																							
	260																																							
	265																																							
		268.8	282.2	SLT	GY	GN	FG	SLT		SLT				BD		85										ser	m	sil	w												Fine-grained green to grey unit. Bedding visible at about 85% TCA. Chlorite alteration diminishes down the hole. Sericite is the dominent alteration type, lesser local silicification.
	270																																							
	275																																							
	280																																							

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-10

GRAPHIC LOG		Lithology									Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix			
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
		282.2	288.2	SLT	GN	GY	FG	Bx		SLT	gradual			J		35						1	1			chl	m	ser	m					SLT	CHL	<1	an	10,15	Kf?	Cl	Brecciated SLT. Sulphides between 1-2 %.
	285																																						
		288.2	311	SLT	GY		FG	SED		SLT	gradual			BD		85										ser	m	sil	w											Fine-grained grey SLT. Well-bedded at about 35 to TCA.
	290		EOH																																				END OF HOLE

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-11

GRAPHIC LOG	Lithology										Structure					Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																														Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	0	8.1																																				Casing
5																																						
	8.1	15	MVN	GY	GN	MG	VN	Marble	MVN				ST	J	20	15																						
																	9.1	11.5	15	50		0.5			chl	m	fec	w	pot	t								Greyish to green, medium-grained MVN. Upper contact at the base of the casing. Comprised of 10 - 50% marble with higher concentrations locally. The marble is cubic and coarse-grained, up to 2cm in places, and also has zoning with magnetite at the centre and hematite at the rim. Quartz and K-feldspar also occur in the matrix. K-feldspar alteration in seen locally, however chlorite is the dominant alteration. A Few veins seen at irregular angles to TCA. Chalcopyrite (locally <0.5%) is the dominant sulphide. Rusty appearance at fracture surfaces suggests Fe-oxide staining.
10																																						
	15	43.8	SBX	RD	GN		Bx						J	ST	55	45									hem	f	chl	f	pot	w			SLT	FeCb	0.5	an	25	Kf?	Se	Reddish to green, matrix supported breccia. Fe-carbonate altered siltstone, Fe-carbonate and SLT clasts in a K-feldspar and sericite matrix. No mineralisation was observed. A local section of CBX occurs between 24-26.7m. A marble-rich vein occurs between 23 - 25m.
15																																						
20																																						
25																																						
30																																						
35																																						
40																																						
	43.8	88.6	MVN	GY	BK	MG	VN	Marble	MVN	gradual			J	ST	55	35			10	30		0.2			fec	f	chl	w	pot	tw			SLT	CHL	0.1	an	10	Kf	Cl	Greyish to green, fe-carbonate-altered MVN. Gradational upper contact. Marble up to 30% with higher local concentrations, mostly zoned with magnetite at the centre and hematite at the edges. Cubic in shape and varying sizes from medium-grained to very coarse. Mineralisation is dominantly chalcopyrite with up to 2% locally eg over 0.6m @ 56.2 - 56.8m. A local section of SBX at 61.3m with K-feldspar rich and chlorite-rich clasts in chlorite and K-feldspar matrix. Chalcopyrite averages <0.5% overall and is sporadically distributed.
45																																						
50																																						
55																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-11

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																															Breccia							
																															Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average)	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
60																																						
65																																						
70																																						
75																																						
80																																						
85																																						
	88.6	136.2	HBX	GY	GN	FG	Bx		HBX	fault			VN	ST	25	40						2			chl	m	ser	m					SLT			an-sr		Kf	Cl	Greyish to light-green sericite-altered siltstone clasts in a breccia (HBX) some chlorite-altered clasts. A matrix-supported breccia with coarse-grained clasts of siltstone (sub-rounded) and k-feldspar-rich (angular) with a local section of marble. Matrix is predominantly K-feldspar with minor chlorite. Graphite-rich section from 119.4 - 125m. Joints and stringers irregularly oriented with respect to TCA. Minor disseminated fine-grained pyrite and chalcopyrite between 105.4 and 108.1m. Uranium mineralisation (up to 550cps) over 0.3m at 118.7m. Structures include veins and stringers of Fe-carbonate.
90																																						
95																																						
100																																						
105																																						
110																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-11

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix				
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	115																																							
	120																																							
	125																																							
	130																																							
	135	136.2	171.5	JBX	RD		FG	Bx		JBX	sharp			VN	ST	60	55			5	0.1	t	0.2			hem	i	chl	t					SLT	FxCb	1	an	5	He	Kf	Intensively altered fault zone, brick-red in colour. Matrix-supported hydrothermal breccia, clasts up to 5%, composed of k-feldspar and fe-carbonate. Alteration is dominantly jaspercidal (probably hematite), minor chlorite alteration. Traces of chalcopyrite and magnetite.
	140																																							
	145																																							
	150																																							
	155																																							
	160																																							
	165																																							

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-11

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																																Clast				Matrix			
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (g-s-v)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	170	171.5	236.9	HBX	GY	GN	MG	Bx		HBX	gradual			VN	ST	50	65									ser	in	chl	1			SLT	FeCb	1	an	6	Se	Kf	Greyish to green sericite-altered SLT breccia. Clasts include sediment plus k-feldspar rich, fe-carbonate rich and chlorite-rich SDT in a matrix of sericite and Kf. Unit can be described as matrix-supported. Structures include fe-carbonate joints and stringers orthogonal TCA. Mineralisation includes fine-grained disseminated chalcopyrite at 179 - 181.5m, some seen aligned along the edges of carbonate veins. Uranium mineralisation up to 560cps over 0.3m at 187.4m.
	175																																						
	180																	179	181.5			0.1	0.2																		
	185																																						
	190																																						
	195																																						
	200																																						
	205																																						
	210																																						
	215																																						
	220																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-11

GRAPHIC LOG	Lithology										Structure					Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																														Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
225																																						
230																																						
235	236.9	265.1	PBX	GY	PK	MG	Bx		PBX	gradual			VN	FO	45	60									ser	w	chl	tw	sil	w			SLT	CHL	2	an	3 to 5	Se	Cl	Greyish to pinkish, locally green, fine to medium-grained polymictic breccia, composed of 3 - 5% clasts. Clasts
																	238	252			2																		are SLT and chlorite-rich and k-feldspar rich SDT. Dominant alteration is sericite, overprinted locally by chlorite
240																																						and fe-carbonate. Silicification observed locally. Structures include fe-carbonate veins and stringers, weak foliations and joints. Mineralisation is mainly chalcopyrite, fine-grained and disseminated over 14m from 238m. Cp conforms with foliation and aligned along stringer planes locally. A few carbonate veins seen, mostly at a high angle angle to TCA, locally perpendicular to TCA.
245																																						
250																																						
255																																						
260																																						
265	265.1	268.2	MVN	GY		FG-MG	VN		MVN	gradual			VN		30							0.2			fec	w	chl	tw					SLT	MAR	0.5	an	2-3	Fd	Cl	Greyish, fine-grained MVN, composed of medium-grained marble and SLT clasts in a matrix of feldspar and minor chlorite. A few small fe-carbonate rich clasts present. The dominant alteration is fe-carbonate overprinted in places by chlorite. Minor cubic chalcopyrite seen, sporadically distributed.
	268.2	290.2	HBX	GY		MG	J		HBX	gradual			J		25							0.1			sil	m	fec	tw					SLT	CHL	4	an	3	Fd	Cl	Fine to medium-grained, greyish siltstone breccia. Clasts dominantly SDT, a few large clasts measuring up to 4cm locally. Some chlorite-rich clasts seen, all in a matrix of feldspar with subordinate chlorite. The dominant alteration is silicification. Local sections of sericite seen. A few grains of chalcopyrite sporadically distributed. The lower contact with the footwall is very sharp.
270																																						
275																																						
280																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-11

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																																Clast				Matrix			
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	285																																						
	290	290.2	344.4	SLT	GY		FG	SED		SLT	sharp			BD										290.2	344.4	sil	m	fec	tw										Fine-grained greyish siltstone with darker bands/bedding orthogonal to TCA. Structures include joints and fe-carbonate veins. No significant mineralisation was observed. A wide vein of carbonate (222.45 to 223.1m) hosts a few large grains of oxidised chalcopyrite.
			EOH																																				
	295																																						
	300																																						
	310																																						
	315																																						
	320																																						
	325																																						
	330																																						
	335																																						
	340																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-12

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																															Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	0	15.2	MVN	GY	GN	MG	Bx		MVN	sharp			VN	ST	25	60			2	0.1	0.2				hem	m							HEM	SLT	1	an	15	Cl	Fd	A mixed unit of CBX, KBX and MVN, in alternating short bands. MVN is the dominent rock type in this unit. Chalcopyrite is associated with the MVN and KBX bands. Minor pyrite. Malachite seen on joint planes.
	15.2	15.7	KBX	PK		MG	Bx		KBX	sharp			ST		30				1	0.2	0.5	0.5			pot	m														Medium-grained pinkish unit. Kf-, He- and FeC- rich clasts. Matrix of Kf. Joints and stringers irregularly oriented to TCA. Potasic alteration is the dominent type. Chalcopyrite is close to 1%.
	15.7	45.4	CBX	GN		MG	Bx		CBX	gradual			VN		65				1	0.2	0.5	0.5			chl	m	car	w					CHL	FeCb	>1	an	25	Cl		Fine to medium-grained greenish CBX. Chlorite-rich and fe-carbonate rich clasts. A few Kf-rich and He-rich clasts. Matrix of chlorite, Fe-carbonate veins are within 40-75 to TCA. Chlorite is the dominant alteration with subordinate carbonate alteration. Chalcopyrite is close to 0.5% overall.
	45.4	48.1	KBX	PK		MG	Bx		KBX	gradual			ST	VN	30	65			0.1	0.1	1	2																		Pinkish to green KBX. Large Kf-rich and minor Cl-rich clasts dominate the upper part of the unit which approaches KBX. Chalcopyrite is close to 2% overall.
	48.1	110.6	PBX	GN	GY	MG	Bx		PBX	gradual			VN	ST	25	60			0.3	0.1	0.5	1			chl	m	car	w					CHL	SLT	<1	an	30	Cl	FeCb	A polymictic breccia with Cl-rich, Kf-rich and FeCb-rich clasts. Chlorite is the dominant matrix mineral with subordinate carbonate. Chalcopyrite is up to 1.5% locally, and about 0.3% overall.

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-12

GRAPHIC LOG	Lithology										Structure					Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																														Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average)	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
60																																						
65																																						
70																																						
75																																						
80																																						
85																																						
90																																						
95																																						
100																																						
105																																						
110	110.6	121	HBX	GY	PK	FG	SED		HBX	gradual			ST		30				0.1		0.1	0.2			chl	m	car	w											Fine-grained greyish unit with intermittent pinkish staining, probably from hematite alteration. Stringers and joints are irregularly oriented to TCA. Sporadically distributed chalcopyrite grains observed.

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-12

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix				
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	115																																							
	120	121	123	KBX	PK		MG	Bx		KBX	gradual			VN		35				0.1		0.1	0.1			pot	m							SLT	CHL	<1	an	15	Kf	Cl	A medium-grained pinkish unit that include short bands of probably CBX. No significant sulphides observed.
		123	171.4	CBX	GN		MG	Bx		CBX	gradual			VN		30	60			0.2		0.5	3			chl	m	carb	w					CHL	FeCb	<1	sr	25	Cl		A medium-grained greenish CBX. Chlorite alteration with subordinate hematite. Stringers of Fec are irregularly oriented to TCA. Chalcopyrite close to 3% overall with higher concentrations locally.
	125																																							
	130																																							
	135																																							
	140																																							
	145																																							
	150																																							
	155																																							
	160																																							
	165																																							

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-12

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix				
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	170	171.4	190.5	SBX	GY		FG	Bx		SBX	gradual			VN	ST	25	70			0.1		0.1	0.2			ser	m	car	w					SLT	FeCb		sr	25	Se	Fd	Fine to medium-grained yellowish-grey unit. Large SLT clasts (up 4cm) with a few FeCb- and Cl- rich clasts in a matrix of Fd. Sericite is the dominant alteration while silicification occurs localy. Sulphides are concentrated over 40 cm at 178.6m.
	175																																							
	180																																							
	185																																							
	190	190.5	196.9	SBX	PK		FG	Bx		SBX	gradual															ser	m	sil	w												Same as above but pinkish in colour, probably as a result of hematite alteration.
	195	196.9	211.9	SBX	GY		FG	Bx		SBX	gradual			ST		30										ser	m							SLT	CHL	>2	an	6	Fd		Same as interval 171.4-190.5. The last 4m has a few Kf-rich and Cl-rich clasts.
	200																																							
	205																																							
	210	211.9	269.8	SLT	GY		FG	SED		SLT	sharp			BD		85										ser	m	sil	w	chl	w										Fine-grained grey unit. Well-bedded at ~85 to TCA. Sericite is the dominant alteration. Local silicitication seen. Minor chlorite alteration occurs locally throughout the unit.
	215																																							
	220																																							

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-12

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix				
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	225																																							
	230																																							
	235																																							
	240																																							
	245																																							
	250																																							
	255																																							
	260																																							
	265																																							
		269.8	281	SLT	GY	GN	FG	SLT		SLT	gradual			BD		80										ser	m	chl	w											Siltstone. Short bands of CBX and HBX locally. The CBX bands are associated with close to 2% chalcopyrite at 269.8 metres.
	270		EOH																																					
	275																																							
	280																																							

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-13

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																															Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	Intensity 1	type 2	intensity 2	type 3	Intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	0	3.3	casing																																			
	3.3	13.3	HBX	RD	BN	MG	Bx		HBX				ST		65				10		0.3	0.3			hem	m					SLT	FeCb	1	an	22	He	FeCb	Medium-grained, reddish-brown unit. Hematite and fe-carbonate matrix with minor chlorite. The first 1.6m is a fault gouge. Hematite alteration is relatively strong. Sulphide mineralization is close to 1% overall.
	13.3	34	MVN	GY		MG	VN		MVN	gradual			VN		40				5		0.1	0.1			hem	w					HEM	SLT	<1	an	15	Cl	Fd	Hematite alteration is relatively weak. Minor sulphide mineralization over the first 5 metres.
	34	64.7	SBX	GY	GN	MG	Bx		SBX	gradual			ST		35						0.1	0.1			fec	w	chl	tw			SLT	CHL						Large SLT clasts, minor chlorite-rich clasts. Sericite alteration over printed by chlorite locally. No mineralisation observed.

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-13

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																															Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average)	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
60																																						
	64.7	96.5	CBX	GN	GY	MG	Bx		CBX	gradual			VN		50						0.2	0.2			chl	m	car	w			SLT	CHL	<1	an	25	Cl		Medium-grained greenish unit. Gradational upper contact at a 2.2m fault gouge. Moderate chlorite alteration with subordinate carbonate alteration. Sulphide mineralization is blobby and localized.
65																																						
70																																						
75																																						
80																																						
85																																						
90																																						
95	96.5	156.9	SBX	GY	GN	FG	Bx		SBX	gradual			J	ST	25	60			0.1						ser	w	chl	w			SLT	CHL	>1	sr	24-30	Fd	Cl	Fine-grained, grey to green with clasts of SLT (clasts locally red hematite-alterated). Cl-rich and minor He-rich clasts locally. Matrix of Fd, Cl and Se. CBX bands throughout. Numerous stringers of Fec at about 55 TCA. Local zones of silicification up to 1 m wide seen at 144m. Hematite up to 45% over 1m at 150m. Only trace amounts of sulphide mineralization.
100																																						
105																																						
110																																						

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	altitude 1	altitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	Clast: clast 1	Clast: clast 2	Clast: size (average) cm	Clast: angularity	Matrix: percent (%)	Matrix: mineral 1	Matrix: mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	115																																							
	120																																							
	125																																							
	130																																							
	135																																							
	140																																							
	145																																							
	150																																							
	155	156.9	167	CBX	GN	GY	MG	Bx		CBX				VN	ST	20	60									chl	im	ser	w					CHL	SLT	2	sr	30	Cl		Fine-grained chlorite breccia. Large chlorite-rich clasts and SLT clasts. Red hematite-altered SED clasts locally. No mineralization observed.
	160																																							
	165	167	175.2	SBX	GY	PK	FG	Bx		SBX				ST	J	20	65			0.1						hem	w	ser	w					SLT	CHL	1.5	sr	20	Fd		Fine-grained pinkish unit probably SBX with weak hematite alteration. No mineralization observed.

Cash Minerals Ltd. — DIAMOND DRILL HOLE LOG — HOLE NUMBER: IG-2007-13 —

Cash Minerals

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																																Clast				Matrix			
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	170																																						
	175	175.2	190	SBX	GY	GN	FG	Bx		SBX				ST	J	20	65									chl	m	ser	w							30	Fd	Cl	Chlorite-altered SBX. Large SLT clasts and chlorite-rich clasts in a matrix of Fd. Moderate chlorite alteration. More clasts in this unit than the previous. No mineralization observed.
	180																															SLT	CHL	>1	sr				
	185																																						
	190	190	199.7	SLT	GN		FG	SED		SLT	gradual			J	VN	65	30									chl	m	sil	w										Chlorite altered SLT. The unit is weakly bedded with joints and chlorite veins irregularly oriented to TCA. Moderate chlorite alteration, locally overprinted by silicification. Sericite alteration locally. No mineralization observed.
	195																																						
	200	199.7	359	SLT	GY		FN	SED		SLT	sharp			BD		75										sil	m												Fine-grained greyish unit. Sharp upper contact at a fault plane. Well-bedded at about 75 to TCA. Minor Carbonate stringers orthogonal to TCA. Moderate silicification, but more intense locally. No mineralisation observed.
			EOH																																				
	205																																						
	210																																						
	215																																						
	220																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-14

GRAPHIC LOG	Lithology										Structure						Minerals (%)					Alteration (intensity)							Breccia								WRITTEN LOG
																													Clast				Matrix				
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
5	6.7	53.7	SLT	GY		FG	SED		SLT				ST	BD	70	70									fec	m	ser	w	sil	w									Fine-grained greyish unit. Not brecciated. Signicant fe-carbonate alteration present. Fracture surfaces are rusty red due to the precipitation of earthy hematite. Moderate sericite alteration, and silicification locally. The first 2.5 metres of the unit is strongly weathered. No mineralisation observed.
10																																						
15																																						
20																																						
25																																						
30																																						
35																																						
40																																						
45																																						
50																																						
55	53.7	70.9	SBX	GY	YW	FG-MG	SBX		SBX				VN	ST	45	60			0.5		0.2	0.1			fec	w	sil	w					SLT	CHL	>2	sr	<5	Fd	FeCb	Fine to medium-grained grey to yellow unit. A few SLT clasts mostly reddish/yellow in colour in a matrix of Fd and quartz. A few chlorite-rich and hematite-rich clasts. Moderate to weak fe-carbonate alteration and subordinate sericite alteration. Silicification developed sporadically (very strong locally). Fine-grained Pyrite close to 0.2%. A few spots of chalcopyrite seen.

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-14

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																																Clast				Matrix			
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average)	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	60																																						
	65																																						
	70	70.9	122.4	SLT	GY		FG	SLT		SLT				ST	35																	ser	m	sil	w				Fine-grained greyish unit. Upper contact at a fault-plane. No breccia. Silicification developed locally. Reddish, rusty appearance on fracture surfaces suggesting fe-carbonate and earthy hematite precipitation. A few chalcopyrite grains seen, mostly around carbonate veins.
			EOH																																				UNIT NOT SAMPLED.
	75																																						
	80																																						
	85																																						
	90																																						
	95																																						
	100																																						
	105																																						
	110																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-15

GRAPHIC LOG	Lithology										Structure					Minerals (%)						Alteration (intensity)							Breccia								WRITTEN LOG
																													Clast				Matrix				
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	alt/style 1	alt/style 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	0	6	casing																																			
5	6	8.1	KBX	PK		FG-MG	Bx		KBX	below casing			ST	VN					0.1		2	2.5			pot	m					KF	SLT	<1	an	5	Kf	Cl	Pink with minor green sections. Fine to medium-grained. SLT and K-feldspar rich clasts, minor chlorite-rich and hematite-rich clasts. Matrix is predominantly chlorite and K-feldspar. T unit is highly weathered with some fault gouge. Uranium mineralization up to 6000 cps. Fine-grained pyrite and chalcopyrite mineralisation.
	8.1	38.4	CBX	GN		MG	Bx		CBX	gradual			VN		35				0.3		0.2	0.3			chl	m	hem	w			CHL	SLT	>1	sr	15	Cl	He	Medium-grained green CBX. Short hematite-rich bands within the CBX. Chlorite is the dominant alteration type.
10																																						Subordinate hematite alteration. Minor carbonate alteration present. Fine-grained pyrite sporadically disseminated whereas chalcopyrite is associated with fe-carbonate veins.
15																																						
20																																						
25																																						
30																																						
35																																						
40	38.4	43.9	HBX	BN		FG	Bx		HBX	gradual			ST		40				10		0.1	0.5			hem	m					FeCb	HEM	0.5	sr	25-30	He		Fine-grained brown unit. A few fe-carbonate rich clasts. Hematite clasts are cubic and small. The matrix is hematite-rich. Fe-carbonate veins at 45 TCA, 3 measure close to 10cm wide. Moderate-strong hematite alteration. Fine-grained pyrite associated with fault gouge. Chalcopyrite mineralization might be up to 0.2%, mainly in veins, the rims of which are highly oxidised.
45	43.9	48.6	CBX	GN		MG	Bx		CBX	gradual			VN		45				0.1		0.2	0.3			chl	m					CHL	SLT	<1	sr	30	Cl		Medium-grained greenish unit. Large chlorite-rich and fe-carbonate rich clasts. Minor SLT clasts. Matrix of chlorite. Chlorite is the dominant alteration type with subordinate carbonate. Carbonate stringers are irregularly oriented to TCA. Trace of pyrite mineralization seen. Chalcopyrite up to 0.3% and associated mainly with fe-carbonate veins. Higher chalcopyrite concentrations locally.
50	48.6	52.9	KBX	PK		FG-MG	Bx		KBX	sharp			ST		30				1		0.2	~1			pot	m	hem	m			KF	CHL	>1	an	30	Kf	Cl	A mixed unit of KBX and CBX. Chlorite-rich and k-feldspar rich clasts. Matrix is k-feldspar and chlorite. Potassium alter alteration is dominant, with chlorite and hematite alteration towards the end of the unit. Pyrite mineralization up To 0.2%. Chalcopyrite mineralization might be more than 1% overall. Locally, concentrations of up to 4-5% are associated with the KBX bands. Uranium mineralization up to 550 cps locally.
55	52.9	89.2	CBX	GN	BN	MG	Bx		CBX	sharp			ST		25	30			1	0.5	0.2	0.1			chl	m	hem	w			CHL	SLT	>1	an	12	Cl	He	A mixed unit, primarily CBX, locally overprinting? other alteration types. Chlorite is the dominant alteration type. Hematite (including jaspercidal clasts) and potassic-altered sections locally. Weak carbonate alteration present. The upper contact is a 1.5m fault zone, smaller fault zones throughout. Fe-carbonate and dolomite? stringers are

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-15

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix				
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average)	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	60																																							numerous throughout the section, and irregularly oriented with respect to TCA. Uranium mineralisation up to 500 c/s at 71.5 metres. Minor sulphide mineralisation observed.
	65																																							
	70																																							
	75																																							
	80																																							
	85																																							
	90	89.2	130.3	PBX	GN	PK	FG-MG	Bx		PBX	gradual			ST	VN	35	30			3	3	0.1	0.2			hem	m	fec	w					HEM	KF	>1	sr	15-20	He	Cl	A polymictic breccia with several clast types. Martite clasts/grains are more abundant making up close to 6% of the unit. Martite is up to 2.5cm in diameter locally and cubic. The martite exhibits zoning with magnetite at the centre. Carbonate stringers and veins irregularly oriented to TCA. Pyrite is fine grained and is sporadically distributed. Chalcopyrite mineralization is associated with potassic-rich bands.
	95																																							
	100																																							
	105																																							
	110																																							

Cash Minerals Ltd. | DIAMOND DRILL HOLE LOG | HOLE NUMBER: IG-2007-15 |

GRAPHIC LOG		Lithology									Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix			
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	feature (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	115																																						
	120																																						
	125																																						
	130	130.3	147.4	KBX	PK		MG	Bx		KBX	gradual			ST		30				2.2		0.1	0.2			pot	m							KF							KBX. Sharp upper contact. Small hematite-rich clasts, in a matrix of k-feldspar. Potassic alteration is the dominant type in the unit. Uranium mineralization up to 950cps at the upper contact, 600cps at 141.4m. Sulphides are sporadically disseminated and associated with stringers.
	135																																						
	140																																						
	145																																						
		147.4	154	PBX	GN	PK	MG	Bx		PBX	sharp			ST		35				3		0.2	0.1			hem	m	chl	w	fec	w			FeCb	KF	>1	sr	15	He	Cl	Gradational upper contact. Matrix is dominantly hematite. Patchy and cubic pyrite mainly in the upper part of the unit. Trace amounts of chalcopyrite mineralization. Fault gouge measuring 2.5m wide from 149.4m.
	150																																						
	155	154	193.7	SBX	GY		FG	Bx		SBX				ST		30						0.1	0.1			ser	m	sil	w	car	w			SLT	CHL	1.5	an	5 – 7	Fd	Cl	Fine-grained grey brecciated siltstone. Clasts of SLT, sometimes jaspercidal in appearance. Matrix of feldspar and minor chlorite. Sericite is the dominant alteration, weak chlorite and carbonate alteration and silicification. Sulphide mineralization is trace.
	160																																						
	165																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-15

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix				
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	170																																							
	175																																							
	180																																							
	185																																							
	190																																							
		193.7	209	PBX	GN	PK	MG	Bx		PBX	gradual			ST		25				1		1	0.2			chl	w	pot	w	hem	w			SLT	Chl	<2	An	5 – 10	Chl	SLT	A polymict unit with large clasts of SLT (3-5cm in places). Jasperoidal SLT clasts and chlorite-rich clasts. Cubic hematite also present. Matrix of k-feldspar + chlorite. Fine-grained pyrite (3%) associated with a 1 metre chloritic section in the upper part of the unit. Trace amounts of chalcopyrite. Uranium mineralization up to 600cps at 194.6m, 800cps over 0.5m at 197.7m.
	195																																							
	200																																							
	205																																							
		209	219.9	CBX	GN	PK	FG	Bx		CBX	gradual			ST		40						0.3	0.1			chl	m	hem	w	ser	w			SLT							A few clasts in a matrix of chlorite-altered sediments. Short pinkish bands, probably hematite and feldspar alteration. Stringers of carbonate and fe-carbonate irregularly oriented to TCA. Local sericite and silicified bands occur. Fine-grained pyrite occurs in bands of approximately 20cm width. May be up to 5% pyrite locally.
	210																																							
	215																																							
		219.9	257	SLT	GY		FG			SLT	gradual			BD		70						0.1				sil	m	ser	w											Fine-grained, silicified siltstone. Locally, short sections of sericite alteration. Chlorite stringers are irregularly oriented with respect to TCA, and of local occurence. Traces of pyrite mineralization in the upper part of the unit.
	220		EOH																																					

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-16

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix				
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
		0	10.7	SHL	WH	RD	FG							BD												fec														Fine-grained red to white shale. Intensively weathered. Fe-carbonate alteration prominent in the first 3 metres. Intensively fractured (broken core). No mineralization observed.
	5																																							
	10	10.7	31.7	CBX	GY	GN	FG	Bx		CBX	sharp			FO	ST	25	60					0.1				chl	w	ser	w					SED	FeCb				Cl		Greenish-grey fine-grained unit.The first 2cm is is graphitic and contain minor fine-grain Pyrite. The next 1.5m is reddish and weathered. Sedimentary clasts, and minor fe-carbonate-rich clasts. Structures present include joints and stringers and a weak foliation. Minor fine-grained disseminated pyrite seen at 24-25m. The last 3m of the unit is more chloritic with a few k-feldspar rich clasts.
	15																																							
	20																																							
	25																																							
	30	31.7	40.8	KBX	PK	GN	MG	Bx		KBX	gradual			J	ST	30	60									pot	m	chl	m					KF	SLT	>1	an	12	Cl	Kf	A mixed pinkish unit of KBX (70%) and CBX (30%). Generally medium grained. Clasts of SLT, and k-feldspar rich fe-carbonate rich, and chlorite-rich clasts. The matrix is predominently chlorite and feldspar. Potassic alteration is the dominant type, chloritic sections throughout. Minor malachite staining on fracture surfaces. No sulphides observed.
	35																																							
	40	40.8	45.2	CBX	GN		MG	Bx		CBX	gradual			FO	ST	25	65			0.1						chl	m	fec	w					CHL	SLT	>1	an	7	Cl	Fd	Fine to medium-grained CBX. SLT clasts, plus chlorite-rich and fe-carbonate rich clasts. Matrix chloritic, minor hematite.
	45	45.2	51.6	KBX	PK	GN	MG	Bx		KBX	gradual			J	ST	25	65					0.5	1			pot	m	chl	w					KF	SLT	>1	an	15	Cl	Fd	A mixed unit of CBX and KBX. Chalcopyrite mineralization (close to 0.5%) ocurrs many in veins in association with fe-arbonate veins. Uranium mineralisation up to 300 cps associated with this section.
	50	51.6	69.8	SBX	PK		FG	Bx		SBX	gradual			VN	FO	30	65			0.1						fec	m							FeCb	SLT	>1	an		Fd	FeCb	Fine to medium-grained pinkish SBX. Fe-carbonate rich clasts, minor SLT clasts. Matrix of fe-carbonate, feldspar and quartz. Minor sericite. Chlorite-rich with numerous stringers locally. Minor k-feldspar veins and clasts around the middle of the unit. Finely disseminated hematite also seen. No significant mineralisation observed.
	55																																							

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-16

GRAPHIC LOG	Lithology										Structure					Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																														Clast			Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average)	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
60																																						
65																																						
70	69.8	84.8	PBX	GN	RD	MG	Bx		PBX	gradual			VN	J	40						0.1				chl	m	hem	m	ser	w			KF	SLT	>1	an	20	Cl	Fd	A polymictic beccia. Composed of different coloured bands of breccia. The colour varies from grey though green to red. A 2cm band of MVN observed. Veins of fe-carbonate and feldspar up to 1.5cm. Varying amounts of chloritic, potassic and sericitic alteration. Red (jasper-like) altered section (2.3cm) at 76.15m. Traces of pyrite but no chalcopyrite.
75																																						
80																																						
85	84.8	93.5	HBX	RD		MG	Bx		HBX	gradual			J	ST	25	60			0.5						hem	s	chl	m					KF	SLT	>1	an	21	He	Cl	Reddish-brown with some green bands locally. A medium grained breccia with SLT clasts with varying degrees of K-feldspar alteration (including red jasperoidal), and fe-carbonate alteration. Chlorite-rich clasts locally. The matrix is hematite and chlorite. Strong hematite alteration, bands of chlorite and sericite alteration. Joints, and stringers of fe-carbonate seen. No significant sulphides.
90	93.5	97.9	SBX	GY	BN	FG-MG	Bx		SBX	gradual			VN	ST	30	65																	SLT	CHL				Fd	Se	Clast of altered siltstone (some jasperoidal), some chlorite- and fe-carbonate- rich clasts. Matrix is predominently feldspar and sericite. Fe-carbonate and barite veins are irregularly oriented to TCA. Sericite is the dominent alteration. No mineralisation observed.
95																																						
100	97.9	106.4	CBX	GN		MG	Bx		CBX	sharp			ST		30				0.1						chl	m							CHL	SED	>1	an	<10	Cl		Sharp upper contact at a fault plane. The first 2.5m is a fault gouge. Chlorite-, martite/hematite-, and fe-carbonate rich clasts, some barite. Matrix is predominently chlorite. Chlorite is the dominant alteration type with subordinate hematite alteration. Stringers of fe-carbonate, barite and red (He-Fd altered?) sediment orthogonal to TCA. Trace amounts of pyrite observed.
105	106.4	109.2	HBX	RD		MG	Bx		HBX	gradual			ST		25				5						hem	s							Hem	Fac	Ps	an	<25	He		Coarse grained reddish HBX. Hematite-rich (up to 25%) clasts, fe-carbonate rich and minor chlorite-rich clasts. The matrix is predominantly hematite. Stringers of chlorite and fe-carbonate irregularly oriented with respect to TCA. No mineralisation observed.
110	109.2	122.9	SBX	GY		FG-MG	Bx		SBX	gradual			ST	BD	25	60					0.3	0.2			sil	m	hem	w					SLT	CHL		1 an	<5	FeCb	Cl	Fine-grained grey SBX. Few clasts present, mainly SLT. A few fe-carbonate rich and chlorite-rich seen. Barite veins and weak bedding observed. Narrow CBX bands occur throughout.

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-16

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																																Clast				Matrix			
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average), cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	115																																						
	120																																						
	125	122.9	134	CBX	GN		MG	Bx		CBX	gradual			VN	ST	30	65			0.1		0.2	0.1			chl	m	ser	w					CHL	SLT	>1	an	10	Cl		Medium-grained greenish unit composed of clasts of SLT (some red), and chlorite-rich, fe-carbonate rich and k-feldspar rich clasts. Chlorite is the main matrix mineral, and the dominent alteration type. Fe-carbonate stringers and barite veins are irregularly oriented with respect to TCA. Fine-grained pyrite is sporadically distributed, locally concentrated and cubic. A few small grains of chalcopyrite observed.
	130																																						
	135	134	139	PBX	RD	GN	MG	Bx		PBX	gradual			J						0.5		0.1	0.2			chl	hem							SLT	HEM	1	an	10	Fd	Cl	Reddish to green, medium-grained polymictic breccia. SLT and martite clasts (magnetite at the centre, hematite the edges). SLT clasts are red and jasperoidal. The matrix is feldspar and chlorite. Blebby chalcopyrite close to 0.5%, trace amounts of pyrite.
	140	139	144.8	CBX	GN		MG	Bx		CBX	gradual			VN	ST					0.1		0	0			chl	m	hem	w					CHL	SLT	1	an	20	Cl		Medium-grained greenish CBX. Clasts of chlorite, fe-carbonate and SLT (some red). Chlorite matrix. Stringers of fe-carbonate and barite seen. Chlorite is the dominent alteration, weak hematite alteration locally.
	145	144.8	169	SLT	GY		FG			SLT	sharp			BD		30										ser	w	sil	w												Fine-grained bedded siltstone. Weakly sericitized and locally silicified. No mineralization observed.
	150																																						
	155																																						
	160																																						
	165																																						

GRAPHIC LOG	Lithology										Structure					Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																														Clast			Matrix				
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
170	169	182	HBX	GY		FG-MG	Bx		HBX	gradual			ST		40			2.5		0.1	0.1			ser	w	chl	w					HEM	SLT	1	an	12%	He	Cl	Fine to medium-grained, green to grey unit. SLT and Cubic clasts of hematite, minor chlorite in a matrix of chlorite. Chlorite also occurs in stringers. Fine-grained pyrite sporadically disseminated. Patchy chalcopyrite, locally associated with fe-carbonate veins.
175																																						
180																																						
185	182	189	HBX	GY		MG	Bx		HBX	gradual			VN		25			3	1	0.1	0.2			hem	m	ser	w	chl	w			HEM	SLT	1	an	5%	Fd	Cl	Medium-grained greyish unit with black spots (hematite clasts/grains). Minor SLT and chlorite clasts. The matrix is predominently feldspar and chlorite. Veins of barite occur, up to 2-3 cm wide. Stringers of chlorite occur towards the end of the unit. Moderate hematite alteration (more intese locally). Cubic and fine-grained pyrite is sporadically distributed. Chalcopyrite is associated with the veins.
190	189	197	HBX	GY		MG	Bx		HBX	gradual			FO	ST	30			0.5	0.1	0.1	0.2			ser	w	hem	w					SLT	FeCb	1	an	7	Cl	He	Similar to the above unit, although hematite is mainly in the matrix, and it has a higher proportion of SLT clasts. This unit also has more fine-grained pyrite.
195																																						
200	197	203	CBX	GN		MG	Bx		CBX	gradual			VN		45					1	0.2			chl	m							CHL	SLT	1	an	7	Cl		Fine to medium-grained CBX. Clasts of SLT, chlorite, k-feldspar, and JSED (red altered SLT). The matrix is predominently chlorite. Moderate chlorite alteration. Fine-grained pyrite is aligned with barite veins that are oriented at 45 to TCA.
205	203	221	KBX	PK		MG	Bx		KBX	gradual			VN		25									pot	w	ser	w	chl	t										Unit approaches KBX. Predominent clast type is k-feldspar rich. The matrix is pinkish k-feldspar with subordinate chlorite. No appreciable mineralization seen.
210																																						
215																																						
220	221	229.6	CBX	GN		MG	Bx		CBX	gradual			FO		50									chl	m	ser	w					CHL	SLT	1	an	25	Cl		Unit approaches PBX. Clasts of chlorite, SLT and JSED (red SLT) in a chloritic matrix. Numerous joints and stringers, approaching a stockwork. No mineralisation observed.

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-16

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																																Clast				Matrix			
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (g-av)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	225																																						
		299.6	322.2	SLT	GY		FG			SLT	sharp			BD		35										ser	m													Fine-grained well-bedded greyish siltstone. No mineralisation observed.
	230		EOH																																				
	235																																						
	240																																						
	245																																						
	250																																						
	255																																						
	260																																						
	265																																						
	270																																						
	275																																						
	280																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-17

GRAPHIC LOG	Lithology										Structure					Minerals (%)						Alteration (Intensity)								Breccia								WRITTEN LOG
																															Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (prim)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	0	12.2	Casing																																			
	12.2	14	HBX (weathered)	RD		FG	Bx		HBX																													Upper contact at the base of the casing. The unit is intensively weathered. Short bands of relic CBX observed, suggesting that the unit was originally CBX, over printed by Hematite and intensely weathered. Some fine-grained sulphides visible. Relic CBX at the end of the unit has uranium mineralisation up to 400 cps.
	14	32.3	MVN	RD	BN	FG-MG	VN		MVN				J		29				10						hem	s						HEM	FeCb~2		an	15-20	Cl	Fd?	Gradational upper contact. The Unit grades from intensively weathered at the top through MVN to almost ironstone at the base. Large hematite clasts and minor chlorite clasts in a matrix of hematite and minor chlorite. No sulphides seen however uranium mineralisation was up to 1050 cps.
	32.3	49.6	IST (weathered)	RD	BN	FG	MA		IST										80						hem	x						HEM					He		Reddish-brown massive weathered hematite constitutes close to 100% of the unit. No sulphide observed. Uranium mineralisation present, scintillometer readings up to 620 cps
	49.6	57.3	KBX	PK		MG	Bx		KBX				ST		35				0-3						pot	s						KF	Hem				KF		Medium-grained pinkish unit with a sharp upper contact. Clasts predominantly Kf, and minor cubic hematite in a Kf-rich matrix. Potasic alteration is very strong. A few irregularly oriented fe-carbonate stringers seen. No sulphides were observed. Uranium mineralisation present, with scintillometer readings up to 7000c/s.

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-17

GRAPHIC LOG		Lithology									Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																															Clast			Matrix				
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average)	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
		57.3	59.7	HBX	GY		MG	Bx		HBX				J		45				3						ser	w							KF	CHL	<1-5	an	<10	Fd	Cl	Sharp upper contact. Local sections of MVN up to 70 cm from the upper contact. No sulphides observed.
	60		EOH (abandoned)																																				EOH.
	65																																						
	70																																						
	75																																						
	80																																						
	85																																						
	90																																						
	95																																						
	100																																						
	105																																						
	110																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-18

GRAPHIC LOG	Lithology									Structure					Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																													Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	0	52	SLT	GY	BN	FG	Banded		SLT				J	ST	45										hem	m	sil	w	chl	w									Fine-grained greyish siltstone. Hematite alteration is relatively moderate with weak subordinate chlorite. Silicification locally. A series of fault gouges are present, a significant one at around 20.6 metres. Joints and carbonate stringers are irregularly oriented with respect to the core axis.
	52	64.8	SLT	GY	GN	FG	Banded		SLT	gradual			J	ST	50										chl	s	ser	w	sil	w									Upper contact is gradational. This unit is similar to above however chlorite is the dominant alteration type. Weak sericite alteration is subordinate wheras silicification occurs only locally.

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-18

GRAPHIC LOG	Lithology										Structure						Minerals (%)					Alteration (intensity)								Breccia							WRITTEN LOG
																														Clast			Matrix				
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average)	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
60																																						
65	64.8	80.5	SLT	GY	GN	FG	Banded		SLT				J	ST	35										hem	m	sil	w	chl	w										Fine-grained greyish siltstone. Hematite alteration is relatively moderate with weak subordinate chlorite. Local silicification. Joints and carbonate stringers are irregularly oriented with respect to the core axis. Same as unit from 0 to 52 metres.
70																																						
75																																						
80	80.5	90.7	QTE	GY	WH	FG			QTE				J	VN	25										sil	m														Fine-grained greyish-white unit with reddish spots (hematite?). Significant and irregular Fe-carbonate veins, some of which have cavities due to leaching. The unit is strongly silicified and approaches quartzite (except for the red spots). About 25cm of massive quartz at 87.1 metres.
85																																						
90	90.7	118	SLT	GY	GN	FG			SLT				J	VN	40										chl	m														Fine-grained greyish-green siltstone. Chlorite is the dominant alteration (similar to 52 to 64.8 metres). A 60cm quartz plus hematite vein occurs at 111.8 metres
95																																						
100																																						
105																																						
110																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-18

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix				
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	115																																							
		118	156.6	SLT	GY	BN		MA		SLT																chl	w	hem	w											A mixed unit. Transition zone between the hematite-chlorite rich section and the strongly-bedded section.
	120																																							
	125																																							
	130																																							
	135																																							
	140																																							
	145																																							
	150																																							
	155																																							
		156.6	265.4	SLT	GY	BK				SLT				BD		0-30										ser	w														Fine-grained, grey to black, well-bedded siltstone. Bedding ranges from 30 degrees to almost parallel to the core axis. Weak sericite alteration present, minor silicification locally.
	160																																							
	165																																							

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-18

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																															Breccia							
																															Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
170																																						
175																																						
180																																						
185																																						
190																																						
195																																						
200																																						
205																																						
210																																						
215																																						
220																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-02

GRAPHIC LOG		Lithology									Structure						Minerals (%)						Alteration (intensity)								Breccia							Matrix			WRITTEN LOG
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	225																																							
	230																																							
	235																																							
	240																																							
	245																																							
	250																																							
	255																																							
	260																																							
	265	265.4	276.1	QTE	GY	WH		MA		QTE																														Massive, fine-grained quartzite. Possibly strongly silicified siltstone.
			EOH																																					EOH
	270																																							
	275																																							
	280																																							

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-19

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																															Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	29.3	49.8	IST (weathered)	RD		FG-MG	MA		IST				ST	VN	30	45			95						hem	x														Fine to medium-grain red massive weathered hematite. Upper contact at the base of casing. Unit is an ironstone. A few joints and carbonate stringers are irregularly oriented to TCA. Hematite/magnetite is up to 95% of the unit. Fine-grained pyrite close to 3 %. A few patchy chalcopyrite grains seen. Uranium mineralization averages 11,000 cps over the first 3 metres of the unit.
	49.8	56.2	KBX	PK		MG	Bx		KBX				VN		30				1		0.2	0.1			pot	s					FeCb	HEM	<1	an	7.10	Kf		Medium-grained pinkish unit. Gradational upper contact. The first 25cm is highly chloritic (40%). The breccia is matrix-supported with a few clasts of hematite and fe-carbonate in a k-feldspar rich matrix. Hematite concentrations (mostly cubic) up to 40% between 52.4 and 53.7m. Fine-grained pyrite is associated with this zone. Trace amounts of chalcopyrite. Uranium mineralisation around 54m gives scintillometer readings averaging 1650 cps.
	56.2	71	MVN	GY		MG	Bx		MVN				VN		30				10		1	0.5			hem	m					HEM	FeCb=1	an	<10	Fd	He		Medium grain greyish unit. Cubic clasts of hematite <10% in a matrix of hematite-altered SLT. Local section of

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-19

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																															Clast				Matrix				
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average)	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
																																							Massive hematite (ironstone) from 63.3-65.8m. Fine-grained pyrite <1% with local concentration close to 5%. Patchy chalcopyrite associated with the ironstone, especially within the fe-carbonate veins.
60																																							
65																																							
70	71	91	HBX	GY		FG-MG	Bx		HBX				VN		60				2		0.5	0.2			fec	w	hem	w			SLT	HEM	<1	sr	<5	Fd	He	Fine to medium-grained greyish unit. Upper contact is gradational. A few clasts of hematite-altered SLT + cubic hematite and a few chlorite clasts in a matrix of feldspar. Fe-carbonate alteration is weakly developed along with subordinate chlorite and hematite alteration. Fine-grained pyrite is close to 1%. A few grains of chalcopyrite seen.
75																																							
80																																							
85																																							
90	91	123.7	CBX	GN		MG	Bx		CBX				VN	J	30	65			2		1	0.5			chl	m	hem	w			CHL	SLT	<1	sr	10%	Cl	He	Medium-grained green unit. Chlorite, SLT and a few hematite clasts in a matrix of chlorite. Chlorite is the dominent alteration type, with subordinate hematite. Carbonate alteration is weakly developed. Local section of potassic alteration (50cm) at 119.8m. Pyrite is about 1% and mostly fine-grained. Patchy chalcopyrite (0.5%) is sporadically distributed.
		EOH (abandoned)																																					
95																																							
100																																							
105																																							
110																																							

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-20

GRAPHIC LOG	Lithology										Structure						Minerals (%)					Alteration (intensity)							Breccia								WRITTEN LOG
																														Clast				Matrix				
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	0	13.3	IST	RD		FG-MG	MA		IST																hem	x													Red weathered lateritic material. Relics suggest it might originally be CBX overprinted by hematite and subsequently weathered. A few grains of oxidized sulphide seen.
	13.3	20.4	HBX	GY	RD	FG-MG	Bx		HBX	gradual			ST	VN	30	48			10						hem	s							HEM	SLT	<1	an	<10	Fd	He	Fine to medium-grained greyish unit. Clasts of hematite and a few SLT in a feldspar matrix. Fractured surfaces are red to black suggesting strong hematite alteration. The last 3m approaches MVN, while the last metre is ironstone. This unit is well fractured.
	20.4	48.4	IST	RD		FG-MG	MA		IST	gradual									95		2	0.5			hem	x													Red massive ironstone (IST). The unit is weathered and lateritic over the first 30.7m. Patches of fine-grained pyrite close to 3%. Chalcopyrite is sporadically distributed and close to 0.5%. Scintillometer readings average 1500 cps however 8000 cps at 32m depth.
	48.4	53.9	KBX	PK		MG	Bx		KBX	gradual			ST	J	25	60			5		0.5	0.2			pot	m	hem	m					HEM	<1	an	<10	Kf	He	Medium-grained, pinkish, matrix-supported KBX. A few scattered clasts of hematite (but locally concentrated at 52.5m). The matrix is dominanthly k-feldspar with subordinate hematite. A few fine-grained pyrite crystals sporadically distributed. Chalcopyrite is rare.

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-20

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix				
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average)	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	60	59.3	76.1	HBX	GY		MG-CG	Bx		HBX	gradual			ST	J	30	65			20		1	0.5			hem	m	pot	w					HEM	SLT	<1	an	25	Fd	He	Medium to coarse-grained unit. The unit approaches MVN with cubic hematite close to 20% overall. Higher hematite concentrations exist over 2 metres from 61.6m. A few SLT clasts. The matrix is feldspar + hematite. Hematite alteration is relatively strong with subordinate chloritic and Potassic alteration. Pyrite is close to 1.2% while chalcopyrite is at about 0.5% overall. Uranium mineralization of 4100 cps is associated with a graphitic section at 70.5m
			EOH (abandoned)																																					
	65																																							
	70																																							
	75																																							
	80																																							
	85																																							
	90																																							
	95																																							
	100																																							
	105																																							
	110																																							

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-20B

GRAPHIC LOG	Lithology										Structure					Minerals (%)					Alteration (intensity)							Breccia									WRITTEN LOG
																													Clast				Matrix				
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture grain	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size - average	angularity	percent (%)	mineral 1	mineral 2	*include nature of contacts, additional structure, mineralogy, textures, & alteration*
		36.6	53.5	IST	RD		FG	MA		IST				ST		85				95		2	0.5			hem	s													Fine-grained, dark red, massive ironstone with chloritic patches. Pyrite approaches 2% and is mostly fine-grained. A few chalcopyrite grains seen, mainly in carbonate veins. Uranium mineralization up to1000 cps.
		53.5	58.2	KBX	PK		MG	Bx		KBX	gradual			VN	ST	35	75			3		0.5	0.1			pot	m							FeCb	HEM	1	an	<7	Kf		Medium-grained, pinkish unit. Upper contact is gradational. The first 30cm is highly chloritic. The unit is predominantly matrix with a few clasts of fe-carbonate.
		58.2	107	HBX	GY		MG	Bx		HBX	gradual			VN		65				10	<0.5	2	0.5			hem	m							HEM	FeCb	1	an	15-20	Fd	He	Unit is dominantly KBX. Local sections of M/N occur at 66.5-69.5m and 71.6-73m. The unit approaches ironstone from 101.9m to the end of the section. Hematite alteration is strongly developed whereas chlorite is subordinate (but locally moderate). Disseminated fine-grained pyrite approachs an average of 2% overall with higher concentrations locally around graphitic sections. Cpy is about 0.5% overall and resides mostly within carbonate veins.
		107	124	CBX	GN	GY	MG	Bx		CBX	gradual			ST		45				20		1	0.2			hem	m	chl	m	sil	w									A transition zone between HBX and CBX breccias. The unit is mixed with alternating bands of HBX and CBX. Hematite alteration is relatively strongly developed throughout. Chlorite is subordinate to a large extent while silicification occurs only locally. Fine-grained pyrite is about 1% while chalcopyrite is rare, a few grains seen associated with carbonate veins.
		124	137	CBX	GN		FG	Bx		CBX	gradual			VN		45						0.1	0.1			chl	s							CHL		>1	an	1	Cl		A dark-green, fine-grained matrix supported breccia. The upper contact is gradational. A few chlorite-rich clasts (<1%) in a chlorite matrix. Alteration is dominantly chloritic. Subordinate hematite alteration occurs locally. A few carbonate stringers at 45 TCA. Sulphide mineralization is rare.
		137	150	SBX	GY		FG	Bx		SBX	gradual			VN		40				0.1		0.2	0.1			fec	e	ser	w					SLT	CHL	>1	sr	5	Fd		Upper part of the unit approaches PBX with clasts of SLT, chlorite, and potassic/jasperoidal altered SLT in a matrix of feldspar. Clast abundance decreases down the unit to almost SLT at the contact. Both carbonate and chlorite alteration are weakly developed. A few fine-grained pyrite crystals seen.
		150	249.9	SLT	GY		FG	BD		SLT	gradual			BD		45										ser	w	sil	w	chl	m									Fine-grained, greyish unit. Bedding is weakly developed. Weak sericite alteration occurs over much of the unit. Silicification is locally developed. Chlorite alteration is moderate in the upper section but more strongly developed in the lower half of the section (175-236m).

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-21

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix				
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	5																																							
		7.5	23	SLT	GY		FG	BD																		chl	m	ser	m											Fine-grained grey unit. Mostly weakly bedded siltstone, minor breccia. Bedding at right angles to TCA. Moderate chlorite alteration while sericite alteration is locally developed. The last 1m of the unit is faulted and altered by hematite. No sulphide mineralization observed.
	10																																							
	15																																							
	20																																							
		23	28.8	HBX	GY		FG-MG	Bx		HBX	sharp			ST		v				2	1	0.1	0.1			hem	m							SLT	HEM	>1	an	30	Fd	Hs	Fine to medium-grained grey unit. Large subrounded clasts of SLT. Smaller cubic hematite clasts, a few small, subrounded chlorite clasts. Moderately developed hematite alteration. Trace amounts of sulphide mineralisation.
	25																																							
		28.8	114	SBX	GY		FG	Bx		SBX	sharp			ST		v										ser	w	sil	w					SLT		1	sr	<2	Fd		Fine-grained, grey unit. Predominantly matrix with few SLT clasts overall (locally higher proportions). Chlorite stringers are irregular and locally concentrated. Weak sericite alteration and localised silicification. Sulphides are rare before 86.4m but a few cubic chalcopyrite grains are seen within quartz + fe-carbonate veins from 86.4m to the end of the unit, constitute close to 10% of the unit from 86.4 to the end. These veins constitute ~10% of the unit from 86.4m to the end of the section.
	30																																							
	35																																							
	40																																							
	45																																							
	50																																							
	55																																							

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-21

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																															Clast				Matrix				
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average)	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
60																																							
65																																							
70																																							
75																																							
80																																							
85																																							
90																																							
95																																							
100																																							
105																																							
110																																							

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-21

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix				
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	115	114	126.4	SBX	GY		FG	Bx		SBX	gradual			VN		80			5		0.2	0.2				ser	w							SLT	HEM	1	an	>6	Fd		Similar to the above unit, but close to 5% hematite occurs (as cubic clasts). Fine-grained sulphide, mainly pyrite, is associated with the hematite. Quartz + fe-carbonate veins make up close to 5% of the unit and are oriented at 60 with respect to TCA.
	120																																							
	125	126.4	135	SBX	GY	GN	FG-MG	Bx		SBX	gradual			ST	VN	60	65				0.1	0.1				ser	w							SLT	CHL	2-3	sr	10	Fd	Cl	Fine-grained, grey to green unit. Predominantly matrix with about 10% clasts, made up of SLT and chlorite. The clast are >2cm in size and are subrounded. The matrix consists of feldspar and chlorite. A few fine-grained pyrite crystals observed, no chalcopyrite.
	130																																							
	135	135	138.1	CBX	GN		FG	Bx		CBX	sharp			ST		v			0.5		0.1	0.3				chl	s							FeCb		2	an	<1	Cl		Fine-grained, dark-green unit. The upper and lower contacts are sharp. Predominantly matrix (close to 100%), a few fe-carbonate clasts. This unit might be chlorite-altered SBX? Carbonate stringers are irregularly oriented with respect to TCA. Chalcopyrite is close to 1% locally and is both disseminated and within fe-carbonate veins.
	140	138.1	154.6	SBX	GY		FG	Bx		SBX	sharp			ST		v			1	0	0.1	0.1				ser	w	chl	tw					SLT	CHL	3	an	<5	Fb		Fine-grained grey unit. Angular clasts of brown SLT close to 3%, clasts of chlorite and hematite are concentrated over the last 2m. Weakly developed sericite and chlorite alteration.
	145																																							
	150																																							
	155	154.6	201	HBX	GY	BN	FG-MG	Bx		HBX	gradual			VN	ST	80	v		15	0.1	0.5	1				hem	m							FeCb	SLT	<1	an	<5	He	Cl	Unit approaches PBX. Mainly matrix of hematite + minor chlorite. Clasts are few and highly variable (SLT, fe-carbonate, chlorite, hematite, albite). A few cubic magnetite grains in the centre of martite. Weak to moderate hematite alteration. Quartz + fe-carbonate and barite veins constitute close to 3% of the unit. Sulphides observed are mainly chalcopyrite (cubic). Fine-grained chalcopyrite? associated with graphitic section. Chalcopyrite averages ~1% overall.
	160																																							
	165																																							

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																																Clast				Matrix			
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	170																																						
	175																																						
	180																																						
	185																																						
	190																																						
	195																																						
	200	201	234	HBX	Bin	PK	FG-MG	Bx		HBX	gradual			ST		50				25	5	2	5			hem	m	pot	m					HEM	KF	<1	an	35	He	Kf	Fine to medium-grained, brown to pink unit. Cubic martite clasts make up to 30% of the unit over the first 3m. Martite concentrations progressively become less and smaller in size down the unit (and more concentrated in the matrix). Pinkish sections within the unit may reflect potassic alteration. Short graphitic sections occur and host uranium mineralisation (scintillometer readings up to 3300 cps locally). Scintillometer readings throughout the unit average ~1000 cps overall. Chalcopyrite is up to 10% locally.
	205																																						
	210																																						
	215																																						
	220																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-21

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																															Clast			Matrix					
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
225																																							
230																																							
	234	244.9	HBX	GY		FG-MG	Bx		HBX	gradual			VN		v				30	3	0.1	0.1			hem	m	chl	w					FeCb	CHL	2-3	sr	<5	He	Cl	Fine- to medium- grained, matrix-supported unit. Clasts are large but few, mainly chlorite, fe-carbonate and SLT. Moderate to strongly developed hematite alteration. Minor chlorite in the matrix. Clasts are about 5% of the unit overall. Veins/stringers (mainly fe-carbonate) are irregularly oriented with respect to TCA. Sulphide mineralization is insignificant.
235																																							
240																																							
	244.9	258	SBX	GY	GN	FG-MG	Bx		SBX	gradual			VN	ST	v	v			5	1	0.1	0.1			chl	w	hem	w			SLT	CHL	>3	sr	5-7	Cl	He	Grey to green. Fine- to medium- grained, matrix supported unit. SLT clasts are large but few. Chlorite is the dominent matrix mineral with minor hematite also present. The unit approaches CBX. Trace amounts of sulphide mineralisation.
245																																							
250																																							
255																																							
	258	304.5	HBX	GY	GN	FG-MG	Bx		HBX	gradual			VN	ST	v	v			10		0.1	0.1			chl	w	hem	w			CHL	SLT	1-2	sr	40	Cl	Fd	The matrix consists of equal proportions of chlorite and hematite. Clasts are variable but predominantly chlorite, with minor SLT and fe-carbonate clasts. Clasts are close to 40% of the rock generally, with a local 2m section at 267.5m where they make up of 80% of the unit. A few grains of chalcopyrite spotted, mainly in fe-carbonate veins.
260																																							
265																																							
270																																							
275																																							
280																																							

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																															Breccia					Clast		Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
285																																						
290																																						
295																																						
300																																						
305	304.5	309.7	VN	WH	GY	CG	VN		VN	sharp			ST		v				5		0.5	0.5																	Barite vein with specular hematite, about 5% hematite as stringers. Pyrite occurrence is sporadic and close to 0.5%. Up to 15% chalcopyrite in a 10cm wide vein at 309.6m. This vein is rimmed by fine-grained pyrite at the lower boundary of the unit.
310	309.7	316.6	PBX	GY	PK	MG	Bx		PBX	sharp			VN	ST	v	v			5	0.3	0.1	0.1																	Medium-grained, green/grey/pink unit. Clast-supported PBX. SLT clasts are large and sometimes stained pink. Chlorite clasts vary in size. Hematite grains are small and mainly in the matrix. Chlorite- , hematite- and potassic-alteration are all localized. A few grains of sulphide spotted.
315	316.6	356.4	HBX	GY	GN	FG	Bx		HBX	sharp			FO	VN	80	50			3		t																	Grey-green, fine-grained, clast-supported hydrothermal breccia. Fine-grained siltstone (?) clasts, and a chl-carb-hem-py matrix. The breccia is foliated ~parallel to TCA The foliation is cut by 1-2mm wide carbonate veins.
320																																						
325																																						
330																																						
335																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-21

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																																Clast				Matrix			
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average)	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	340																																						
	345																																						
	350																																						
		354.6	358.5	FLT						FLT				FLT																									
	355	356.4	375	QTE	GY	BK	FG	BD		QTE	fault			BD		70				t																			Grey to pink, fine-grained, silicified sandstone/quartzite. Highly fractured/blocky with chlorite + carbonate along fracture surfaces.
			EOH																																				
	360																																						
	365																																						
	370																																						
	375																																						
	380																																						
	385																																						
	390																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-22

GRAPHIC LOG		Lithology									Structure					Minerals (%)					Alteration (intensity)							Breccia								WRITTEN LOG
																												Breccia					Clast			Matrix		
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average)	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	-	0	20.6	MVN	GN	PK	MG	Bx		MVN											20	5	10			chl	m	car	m	mg	f										MVN – green to pink, medium grained. Magnetite-albite-barite-chlorite vein/breccia
	-																																					Crumbly and weathered with up to 50% chalcopyrite. Disseminated magnetite grains up to 1cm.
	-																																					Rare pink k-feldspar, some cpy also associated with carbonate veins. Strong uranium mineralisation
	-																																					(scintillometer readings up to 35000 cps).
	-	20.6	28.8	SBX	YW	GN	FG	Bx		SBX	gradual			FO	VN	5	10					1			ser	s	frc	m	chl	w			SLT		1 an		60 Se		Cl	SBX – yellow, green, foliated matrix-supported breccia with pink siltstone/ quartzite clasts (angular)
	-																																					and a sericite – chlorite matrix. Trace pyrite. Cut by rare < 1cm chlorite + carbonate + barite veins.
	-	28.8	47.7	CBX	GN	PK	MG	Bx		CBX	fault	32.8	37.85	VN		60					25	2	3			chl		30 car		x(25) pot		m (7)		CHL	CB	2 an		30 Cl		Cb	CBX – Green, Pink, matrix-supported breccia variably chlorite-dominated (28-36m) and k-feldspar dominated
	-																																					(36-47m).
	-																																					B/w 31.7-35 --> MVN with minor chalcopyrite
	-																																					Uraniferous zone at 29-36.2 m (~1000 cps)
	-																																					Chalcopyrite varies from fine disseminations in the MVN vein to carbonate – barite vein associated
	-																																					In the pink, k-feldspar dominant breccia, indicates multiple brecciation events due to presence of brecciated
	-																																					clasts. The pink k-feldspar associated breccia gives only low cps on the scintillometer.
	-	47.7	62.3	HBX	GY	GN	FG	Bx		HBX	gradual			VN		60					2	1	t			chl		s(15) hem		m (5) car		l (20)		SLT		1 sa		5 Cl		Cb	HBX – grey, green fine-grained, clast-supported breccia with grey, fine-grained siltstone clasts and a sericite +
	-																																					chlorite + carbonate matrix. Rare disseminated blebs of pyrite. Pink hematite-albite(?) alteration is sporadic
	-																																					and a replacement of the grey fine-grained siltstone clasts. Rare, irregular carbonate-barite-pyrite veins,
	-																																					typically 85 degrees with respect to TCA.
	-	62.3	69.8	CBX	GN	PK	FG	Bx		CBX	gradual										4	t	<1			chl		40 hem		40 car		l (20)		HEM	SLT	1 sa		15 Cl		Cb	CBX – green, pink, fine-grained, clast-supported breccia with a chlorite-carbonate-magnetite matrix and
	-																																					hematite-albite altered siltstone clasts.
	-																																					The clasts are typically subangular. Very weak foliation evident at 5 deggrees to TCA. Minor chalcopyrite
	-																																					(disseminated) and 1mm veinlets present but sporadic in occurrence.
	-	69.8	72.1	MVN	GY	GN	MG	BX/VN		MVN	sharp										60	2	t			chl		s(15) hem		30										MVN – grey-green MG magnetite-albite-barite-chlorite-carbonate vein with minor disseminated pyrite and
	-																																					trace amounts of chalcopyrite cut by carbonate veins. <5mm wide.
	-	72.1	85.4	CBX	PK	GR	FG	Bx		CBX	sharp										20	1	<0.5			chl		30 hem		30 frc		ms(10)		HEM	SLT	sa		30 Cl		FeCb	CBX- pink to green, fine-grained, matrix-supported breccia with pink, fine-grained hematite/albite altered
	-																																					siltstone clasts and a chlorite + fe-carbonate + magnetite + pyrite matrix.
	-																																					Regular intervals of MVN magnetite-rich veins (e.g. 75.8 to 77.1m and 80.4 to 82.4m)
	-																																					Pyrite is sporadically distributed and occurs as disseminations, and in 1mm veinlets. Chalcopyrite is also
	-																																					sporadically distributed and occurs as large blebs associated with fe-carbonate veins/infill.
	-	85.4	92.9	SBX	YW	GY	FG	Bx		SBX	gradual			FO		60					2					ser		40 frc		40 chl		f (5)		FEC		sa		30 Se		FeCb	SBX – yellow to grey – green. Foliated (80 degrees to TCA)
	-																																					Matrix-supported breccia with < 0.5 cm magnetite blebs/grains disseminated.
	-																																					Common < 1mm chlorite veins.
	-	92.9	102.2	KBX	PK	GN	FG	Bx		KBX	fault										2	t	0.5			pot (Kf)		60 chl		l (20) frc		ms(10)		KF	SLT	sa		5 FeCb		Cl	KBX - pink to green, clast-supported k-feldspar (?) rich breccia with a chlorite + magnetite + pyrite +
	-																																					chalcopyrite matrix and k-feldspar altered clasts. Chalcopyrite occurs as sporadic disseminations. The rock is
	-																																					crumbly and fractured suggesting a fault. A chalcopyrite-rich magnetite + albite + barite vein at the end of the
	-																																					interval (10cm wide).
	-	102.2	105.5	SBX	YW	GN	FG	Bx		SBX	sharp			FO		60					3	t				ser		30 frc		60 chl		ms(10)		FeCb		sa		20 Se		Cl	SBX – yellow to green, fine-grained breccia with fe-carbonate altered clasts and a sericite + chlorite matrix.
	-																																					Breccia has been foliated (~80 to TCA). Trace pyrite-chalcopyrite associated with irregular magnetite plus
	-																																					ankerite?/siderite? Veins.
	-	105.5	109	MVN	GY	WH	MG	Bx		MVN	gradual										20	t	1			fec		40 car		40 chl		ms(10)									MVN – grey to white, medium- to coarse- grained vein/breccia with large (+1cm) magnetite blebs and albite +
	-																																					barite + chlorite. Chalcopyrite-rich (up to 10%) and minor pyrite (<1%)
	-	109	132.1	KBX	PK	GN	FG	Bx		MBX	gradual										10	0.5	1			pot (Kf)		s(15) chl		50 frc		tw(2)		KF		sa		30 Cl		Mg	KBX – pink to green, fine-grained, matrix-supported breccia with k-feldspar altered clasts and chlorite +
	-																																					magnetite + pyrite + chalcopyrite (<1%) + carbonate matrix. Cpy mineralization is especially rich at the end
	-																																					of the interval (127.3 to 132.1m). T rock is highly fractured at the start of the interval (fault?). Chalcopyrite
	-																																					mostly occurs as disseminated blbs with magnetite.
	-																																					

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-22

| GRAPHIC LOG | LITHOLOGY | | |

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-23

GRAPHIC LOG		Lithology									Structure					Minerals (%)					Alteration (intensity)							Breccia								WRITTEN LOG
																													Clast				Matrix				
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	0	0	15	MVN	GY	WH	MG			MVN										20	2	5				chl	ms (10)	car	50	pot	m (5)									MVN – Grey to white to pink, medium- to coarse- grained, magnetite + barite + carbonate + kfeldspar + pyrite + chalcopyrite rock. Scintillometer readings up to 6000 cps (average 1000 cps). Chalcopyrite averages 5% overall (up to 30% locally). Recovery is poor in this zone, broken rubble.
	5																																					
	10																																					
	15	15	26.4	SBX	YW	GN	FG	Bx		SBX	sharp															fec		40	chl	10	ser	20			FeCb	SLT		sa	<5	FeCb	Se	SBX – yellow to green, fine-grained, fe-carbonate + chlorite + sericite rich breccia, clast supported. Rare carbonate + chlorite veins.
	20																																					
	25	26.4	44.3	MVN	GY	WH	MG			MVN	sharp			VN	15					2	30	1	0.5			alb		20	car	20	chl	30									MVN – Starts in CBX. Chlorite + carbonate matrix-supported breccia that grades into variable magnetite + albite + barite + chlorite + pyrite + chalcopyrite veins with intervals of chlorite breccia. Magnetite blebs up to >1cm wide with rare, fine-grained disseminated chalcopyrite. Chalcopyrite typically occurs as sporadic zones of <30cm. The rock becomes pinker (kspar) down hole.
	30																																					
	35																																					
	40																																					
	45	44.3	53.5	HBX	GY	PK	FG	Bx		HBX	sharp			VN	60					t	3	t	0.2			chl		30	pot(Kf)	10	car	10			SLT			sa	10	Cl	Kf	HBX – Grey to pink, clast-supported, brecciated siltstone with k-feldspar- and chlorite- altered siltstone clasts and a chlorite + k-feldspar + carbonate + magnetite matrix. Trace specular hematite (pre breccia?). Patchy pyrite (trace) and chalcopyrite associated with carbonate-barite infill.
	50																																					
	55	53.5	63.5	IST	RD	GY	MG			IST	sharp			VN	45					10	80	1	0.5			fec		1	bar	5	chl	2									IST – Grey to red to white, massive hematite/magnetite ironstone with transitional intervals of magnetite-rich magnetite + albite + barite + fe-carbonate veins (MVN). Pyrite occurs as fine-grained alteration. Chalcopyrite is patchy.

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-23

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																																Clast				Matrix			
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average)	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	60																																						
		63.5	80.3	CBX	GN	WH	FG	Bx		CBX	sharp			VN		40				7	1	0.3				chl	50	bar	10	car	20			SLT	CHL		sa	<10	Cl	Ba	CBX – Green, matrix-supported breccia with chlorite + k-feldspar(?) altered siltstone clasts. Common 1-2mm carbonate veins. Pyrite + chalcopyrite is patchy and disseminated --> includes a zone between 76.3 to 78.8m with ~1% chalcopyrite. --> represents an MVN (magnetite + barite + albite + carbonate + chalcopyrite) vein. Chalcopyrite is patchy, coarse-grained and associated with fe-carbonate veins.
	65																																						
	70																																						
	75																																						
	80	80.3	98.1	SBX	YW	GN	FG	Bx		SBX	gradual			FO		50				3	1	1				pot (Kf)	5	ser	20	chl	20			SLT			sa	30	Se	Cl	SBX – Green to yellow, foliated, matrix-supported breccia with sericite + chlorite matrix and siltstone clasts. Between 90.3 to 91.6m is an MVN vein with patchy chalcopyrite up to 0.5%.
	85																																						
	90																																						
	95																																						
	100	98.1	113.7	CBX	GN	GY	MG	Bx		CBX	sharp									5	30	2	0.5			chl	10	fec	10	pot	10			CHL	FeCb		an	50	Mg	Cl	CBX – green-white to grey-pink, Fine- to medium- grained chloritic breccia with intervals of mineralized MVN veins/ breccia between 99-103.2m and 105.5-108m. Chlorite breccia contains up to 80% chlorite with minor carbonate, k-feldspar and quartz (typically not mineralized. The MVN zones are medium- to coarse- grained and contain large >1cm magnetite/hematite blebs + albite + carbonate + chlorite + barite + k-feldspar + pyrite (2%) + chalcopyrite (0.5-1%). Scintillometer readings are low.
	105																																						
	110																																						

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)										Breccia								WRITTEN LOG
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture grain	texture		modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	Clast clast 1	Clast clast 2	Clast size (average)	Clast cm	Matrix angularity	Matrix percent (%)	Matrix mineral 1	Matrix mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
		113.7	131.6	SBX	GN	PK	FG	Bx			SBX	sharp			VN		35				5	5	t				ser	ms	chl	10	pot	w			KSP		1	sa	<5	Se	Cl	SBX – green-pink-grey, fine-grained clast-supported breccia/siltstone with chlorite/k-feldspar- altered clasts and a matrix of sericite and chlorite --> no fe-carbonate like most SBX documented previously. Disseminated 1-2mm hematite/magnetite grains (cubes) make up 10% of the rock.
	115																																									
	120																																									
	125																																									
	130	131.6	155.8	MVN	GY	PK	MG	Bx			MVN	gradual									15	15	10	1			CAR		60	CL	20	KSP	20										MVN – grey-pink-white, medium- to coarse- grained magnetite + hematite + barite + albite + chlorite + k-feldspar + pyrite + chalcopyrite vein with intervals of k-feldspar rich breccia (KBX) @ 139.3-144.5m and 146.3-149.6m. Variable sulphide contents present throughout interval. Pyrite occurs commonly as massive fine-grained replacement. Chalcopyrite occurs as disseminated infill associated with carbonate-barite and rarely magnetite/hematite blebs.
	135																																									
	140																																									
	145																																									
	150																																									
	155	155.8	178.6	SBX	YW	GN	FG	Bx		FO	SBX				FO		85				0	0.5	t				FEC	M	CL	M	CAR	W			FeCb		<5	SE	Cl			SBX – grey-green-yellow, fine-grained, foliated breccia with fe-carbonate clasts and a sericite + fe-carbonate matrix cut by carbonate + barite veins. Sporadic intervals of MVN (magnetite + hematite + albite) veins between 156-169m. Gets progressively more chlorite-rich downhole. Becomes progressively more chloritic downhole.
	160																																									
	165																																									

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-23

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																																Clast				Matrix			
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	170																																						
	175																																						
		178.6	186.5	CBX	GN	PK	FG	Bx		CBX	gradual			VN		10				7	5	2				chl		5	carb	w	pot	w								CBX – green-white-pink, fine-grained, clast-supported breccia with strong chlorite alteration and chlorite-rich matrix and patchy K-feldspar rich (red-rock altered) clasts. Minor disseminated pyrite. Ironstone between 182.9-185.2m contains fine-grained pyrite replacement.
	180																																						
	185																																						
		186.5	198.6	SBX	GY	GN	FG	Bx	FO	SBX	gradual			FO		85				t	t	0.5				chl	m	ser	w	pot	w			KF	<1	an		Cl	Se	SBX – mix between CBX and SBX breccia types. Foliated with variable chlorite alteration, patchy fine-grained pyrite alteration.
	190																																						
	195																																						
		198.6	252.4	SLT	GY	WH	FG	Bx		SLT	gradual			FO		80				t	t					chl	w	car	m	bar	tw									SLT – Grey, fine-grained, veined and partially foliated sedimentary rock (siltstone) with weak chlorite + carbonate + hematite + pyrite alteration veining -> similar to HBX unit but not brecciated. Between 203.8 to 211.9 the rock is strongly altered by hematite + chlorite alteration that runs parallel to the foliation.
	200																																						
	205																																						
	210																																						
	215																																						
	220																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-23

GRAPHIC LOG	Lithology										Structure					Minerals (%)						Alteration (intensity)							Breccia							WRITTEN LOG
																													Breccia							
																													Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture grain	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average)	cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
225																																							
230																																							
235																																							
240																																							
245																																							
250																																							
	252.4	262.7	HBX	GY		MG	VN		HBX	gradual			VN		25		25	1	0.2	0.3					hem	m					HEM	SLT		1	an	40-50			SLT clasts and minor chlorite in a matrix of chlorite and hematite. A few fe-carbonate veins at about 20-30 to TCA.
255																																							The unit aproaches MVN. Hematite alteration is moderate to strong. Pyrite is about 0.2% and chalcopyrite is close to 1%. The chalcopyrite is mostly disseminated and fine-grained, sometimes associated with fe-carbonate veins, a significant one is at 262m.
260																																							
	262.7	269	HBX	GY		FG	Bx		HBX	gradual			ST		25			5	10	0.1					hem	m	car	w			SLT		>1	sr	<5	Cl	Hs	Matrix supported breccia. Similar to the above but hematite is in the matrix. Chlorite is also high in the matrix.
265																																							Trace amounts of sulphide mineralization.
	269	282.4	HBX	GY			Bx																																Same as interval 252.4-262.7m. Two significant pyrite veins at 282m and 282.3m.
270																																							
275																																							
280																																							
	282.4	286	SLT	GY		FG	SLT		SLT	sharp			VN	ST	25	85									sil	m												Fine-grain grey unit. Moderately to strongly silicified siltstone.
285																																							
	286	294.2	CBX	GN	GY	MG	Bx		CBX	sharp			ST	VN	45	80									chl	m	pot	w			CHL	CB		3	sr	45-50	Cl		Medium-grained, greenish CBX. Clast-supported. Chlorite clasts are large and subrounded and 2-5cm in diameter. Carbonate clasts are smaller (close to 15%). Hematite clasts are localized over 15cm at 291.9m. The matrix is predominantly chlorite. A few grains of pyrite seen. No chalcopyrite.
290																																							
	294.2	312	HBX	GY		MG	Bx		HBX	sharp			ST	VN					2	0.2	0.2	0.1			ser	w	sil	w	chl	w	SLT	HEM		21	sr	30	Cl		Medium-grain, grey unit. About 50/50 clast-matrix ratio. Clasts are silicified SLT and hematite/magnetite (martite). SLT clasts are large (>2cm) and subrounded. Magnetite/hematite (martite) clasts are cubic and generally >1cm. Sericite alteration, silicification, and chlorite alteration are weak. Fine-grained pyrite close to 1%. A few cpy grains.
295		EOH																																					

Cash Minerals Ltd. — DIAMOND DRILL HOLE LOG — HOLE NUMBER: IG-2007-24 — Page 1 of 1

Cash Minerals

GRAPHIC LOG		Lithology										Structure					Minerals (%)					Alteration (intensity)									Breccia								WRITTEN LOG
																																Clast				Matrix				
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (mm-cm)	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
		1	36.4	DBX	GN	WH	FG-MG	Bx		DBX										5		1				chl	s	car	m	pot	t			CHL	SLT	1	sa	40	Cl	Cb	DBX – Green to white, fine- to medium- grained, matrix-supported hydrothermal breccia, strong chlorite associated with matrix and replacement of clasts. Dolomite (?) common in matrix. Chl clasts are fine-grained. Fine grained hematite is sporadic and occurs as infill in the matrix. Moderate amounts of pyrite from 0-12.2m as a fine-grained replacement of the breccia.
		36.4	69.3	HBX	GY	GN	FG	Bx		HBX				VN	BN	70	45			3		t	t			chl	m	bar	tw	car	w			SLT		an	<2	Cl	Cb	HBX- Grey, fine-grained siltstone with common breccia zones with a weak hematite-chlorite-carbonate matrix. Relic bedding still observed. Brecciated zones include 51-56.9m, this includes a 30cm wide MVN vein that consists of magnetite-albite-carbonate-barite.
		69.3	130.6	PBX	GY	PK	FG	Bx		PBX				VN		30		69.3	81.5	4		t	t	69.3	98.3	chl	t	car	t			SLT		sa	10	Cl	Fd	PBX – Grey, green, pink, variably altered polymictic breccia, matrix-supported with subrounded clasts of altered siltstone, (chlorite, k-feldspar) and a matrix of chlorite, k-feldspar, carbonate and hematite. Disseminated sulphides from 81.5 to 130.6m, predominantly pyrite with trace amounts of chalcopyrite. K-feldspar alteration (red-rock) more common from 98.3 to 130.6m. MVN veins 0.5-1m wide occur sporadically from 86.2m and contains medium-grained magnetite-barite-carbonate-albite-pyrite.
																		81.5	130.6	6		2	1.1	98.3	130.6	chl	f	pot (k)	w	car	w									
		130.6	145	KBX	PK	GN	FG	Bx		KBX										t		t				pot (k)	m	chl	w	car	w			KFD	SLT		sa	<2	Kf	Cb	KBX- k-feldspar altered version of the above interval. Less brecciated and less sulphide. Pyrite is very fine-grained.
		145	162	MVN	GY		MG	VN		MVN										10	20	1	0.1			hem		s						HEM	MAG	1	an	30	Fd	Cl	Clast supported MVN, magnetite, hematite and martite clasts close to 30%. Martite exhibits zoning with cores of magnetite and hematite rims. The martite grains are cubic, sometimes as large as 5cm. Matrix of feldspar, chlorite, fe-carbonate and hematite. Fine-grained disseminated pyrite (1%), no chalcopyrite observed.
		162	171.6	HBX	RD	GY	MG	Bx		HBX				VN		8.5				10	1	0.5	0.5			hem	m							SLT		>1	sr	<3	Hs	Fd	Matrix supported Hbx, clast are few and mainly siltstone. Matrix of hematite + chlorite + feldspar. Hematite alteration is weak to moderate, focal sericite and potassic alteration seen. Stringers of fe-carbonate are irregularly oriented to TCA. Pyrite and chalcopyrite approache 0.5%.
		171.6	183.5	PBX	GY	PK	FG-MG	Bx		PBX	gradual			ST		25										pot	w	chl	w	ser	w			KFD	CHL	1	an	<2	Cl	Kf	Grey to pink, fine to medium-grained unit. Clasts of k-feldspar rich, chlorite-rich and fe-carbonate rich close to 2%. Chlorite and k-feldspar matrix. Fe-carbonate stringers irregularly oriented to TCA. Trace sulphides.
		183.5	210	SBX	GY	WT	FG-MG	Bx		SBX	gradual			ST		25	80			1	1	0.1	0.1			ser	w	chl	w					HEM	MAG	1	an	<5	Fd	Cl	Fine to medium-grained matrix-supported SBX. Cubic clasts of magnetite and hematite close to 1%. Clast of SLT and chlorite are also angular (almost cubic), some subrounded and approache 2%. Mthe matrix is predominantly feldspar and minor chlorite. Sericite and chlorite alteration is weak. Sulphide mineralization is localized, mostly within carbonate veins.
		210	320	SBX	GY	WH	FG	Bx		SBX	gradual			ST		70										ser	w	chl	w			SLT	CHL	2	sr	3	Fd	Cl	Similar to the above but without hematite, and fewer clasts, mainly siltstone and minor chlorite. There is more chlorite in the matrix. Local sections have dense chlorite stringers and clasts and approaches CBX. Fe-carbonate stringers are irregularly oriented to TCA. No sulphide mineralization observed.
			EOH																																				EOH!

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-25

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																															Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	8.5	38.5	CBX	GN	PK	MG	Bx		CBX		19.4	24.2	FLT						5	1	t	0.5			chl	s	kfd	w	bar	tw			CHL	SLT	2	an	20	CL	BA	CBX – green, pink, fine- to medium- grained, clast-supported breccia, with chlorite-altered clasts and a matrix of chlorite, barite, magnetite/hematite, pyrite and k-feldspar. Cut by <20cm wide magnetite/hematite + chlorite + barite + albite + pyrite breccia veins, and a barite + chalcopyrite + pyrite + hematite vein (4cm wide).
													VN		85																								Fault occurs between 19.4 to 24.2m with common goethite along fracture surfaces.
													VT		45																								
	38.5	44.8	SBX	GY	YW	FG	FOL	Bx	SBX	sharp			FO	45					0.5		0.5				ser	m	fec	m	chl	w			BAR	FEC	1	sr	5	Se	Cl	SBX – yellow to grey, foliated, fine-grained sericite + fe-carbonate rich breccia. The upper contact with the CBX breccia is sharp and cross-cuts the foliation (i.e. the CBX breccia postdates the foliation). Clasts are dominently barite and fe-carbonate with a sericite + chlorite matrix. Blebs of hematite have a patchy distribution throughout. Fine-grained pyrite associated with foliation also present.
	44.8	111	CBX	GN	WH	FG	Bx		CBX	sharp/fault									1	1	0.5				chl	s	car	m	kfd	w			SLT	CHL	>1	an	10	Cl	Cb	CBX – green to white, fine-grained, clast-supported chlorite breccia with chlorite-altered siltstone clasts and a matrix of carbonate + chlorite + fe-carbonate + magnetite + hematite + pyrite. Intervals of SBX clasts (<30cm). Patchy k-feldspar? (red) staining. Also patchy intervals of MVN (magnetite-barite-carbonate) veins, prominent between 64.9 to 70m (includes 1000cps over 30cm interval at 69.7 to 70m). Where SBX clasts are present, the contact is commonly parallel to the foliation in the clasts.

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-25

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix				
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average)	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	60																																							
	65																																							
	70																																							
	75																																							
	80																																							
	85																																							
	90																																							
	95																																							
	100																																							
	105																																							
	110	111	148	QTE	WT	GN	FG	EQ		QTE	sharp															chl	w	sil	s												QTE – white to green, fine-grained, silicified quartzite/siltstone with minor chlorite veins/breccia. Local brecciation in the upper part of the unit.

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-25

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																															Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
115																																							
120																																							
125																																							
130																																							
135																																							
140																																							
145																																							
	148	242	SLT	GY	BK	FG	BD		SLT	gradual			BD		v										ser	w	chl	w	sil	w										Fine-grained, grey to black unit. Strongly bedded at a low angle to TCA. Carbonate stringers are irregularly oriented to TCA. Weak sericite and chlorite alteration and silicification locally. No sulphides observed.
150		EOH																																						EOH
155																																							
160																																							
165																																							

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-26

GRAPHIC LOG		Lithology										Structure					Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	Clast: clast 1	Clast: clast 2	Clast: size (average) cm	Clast: angularity	Matrix: percent (%)	Matrix: mineral 1	Matrix: mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
		0	21.5	MVN	GY	PK	MG	VN		MVN	base of casing									10	10	5	20			hem	m	pot	m					MAR	KFD	>1	an	30	He	Kf	Medium-grained grey/pink unit, upper contact at the base of casing. Martite, hematite and magnetite are the major clasts with minor k-feldspar. Hematite is about 10%, magnetite 10%, martite 5% , k-feldspar <5%. K-feldspar dominates the matrix with minor hematite. Potassic alteration is moderate to strong. hematite alteration is subordinate. Sulphide mineralisation is strong, approaching semi massive locally. About 5% pyrite and close to 20% chalcopyrite. The unit is generally massive. High scintillometer readings up to 3000 c/s.
		21.5	49	SBX	GY		FG-MG	Bx		SBX	sharp			ST	VN	25	80									ser	m	hem	w					SLT	HEM	2-3	sr	3	Kf	Cl	Fine to medium-grained grey/green unit (matrix supported). Very sharp upper contact at a fault plane 75 degrees to TCA. Clasts are dominantly sericite-altered siltstone, few but large (2-5cm). Some clasts are silicified. Matrix is dominantly k-feldspar with minor chlorite. Sericite alteration is moderate to strong. Silicification is local. Fe-carbonate veins and stringers are irregularly oriented to TCA. Scintillometer readings avearage 500 c/s over the first 3m.
		49	55.9	SBX	GN		FG-MG	Bx		SBX	gradual			ST	VN	20	80									chl	m	ser	w					SLT	CHL	2-5	sr	5	Cl	Kf	Fine to medium-grained green unit. Upper contact is gradational. Unit is matrix supported. Siltstone + chlorite clasts approximately 5%. Matrix of chlorite and minor feldspar. Chlorite alteration is moderate, sericite and carbonate alteration locally. Fe-carbonate veins and stringers are irregularly oriented to TCA. A vuggy barite vein at 48.5m oriented at 60 degrees to TCA. No sulphides observed.
		55.9	70	HBX	RD	GY	FG-MG	Bx		HBX	sharp	55.9	70	J	ST	40	80	55.9	70	15	20	0.5	1			hem	s	pot	m	chl	w			MAR	KFD	1	an	10	He	Kf	A very complex unit, might originally have been SBX, now overprinted by hematite which constitute close to 80% of the matrix. Local sections approach ironstone. Traces of k-feldspar, chlorite, and fe-carbonate can still be seen

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-26

GRAPHIC LOG		Lithology									Structure					Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																															Clast				Matrix			
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average)	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	60																																						as clasts. Fe-carbonate stringers are irregularly oriented to TCA. Two significant k-feldspar veins at about 70 degrees to TCA. Trace amounts of pyrite. Chalcopyrite approaches 1% with higher concentrations locally.
	65																																						
	70	70	86	KBX	PK	GY	MG	Bx		KBX	gradual			ST		35				10	10	0.1	0.5			hem	s	pot	s	chl	m			CHL	SLT				Kf	Hg	Fine to medium-grained pink/green/red unit, upper contact is gradational. Unit appears as if originally KBX, now strongly overprinted by hematite and magnetite (mainly in the matrix). A local section of ironstone occurs with clasts of k-feldspar. Some sections are overprinted by chlorite with patches of KBX and albite, and approach PBX. At 82.7m, clasts of martite/magnetite/hematite approach 50% (looks like MVN). Chalcopyrite is associated with strong hematite alteration and approaches 1%. Trace amounts of pyrite observed.
	75																																						
	80																																						
	85	86	97.2	SBX	GY	GN	MG	Bx		SBX	gradual			ST		35				5	5	0.1	0.1			hem	m	ser	w	chl	w			SLT	CHL		sr		Fd	Cl	Grey/green unit, large clasts of siltstone (3-7cm) close to 30% of unit. Chlorite stringers are dense and give the unit a greenish colour. Hematite alteration typically moderate, but strong locally, resulting in MVN and ironstone sections. The matrix is mainly chlorite and feldspar with minor hematite/magnetite. Pyrite is patchy and associated with hematite alteration. Chalcopyrite is cubic and found within fe-carbonate and barite veins.
	90																																						
	95	97.2	100	SBX	RD		FG	MA		SBX	gradual			ST		40				25	25	1	1			hem	s	chl	w					SLT	FLD	sr			He	Mg	Probably hematite-altered SBX. Unit approaches ironstone, but siltstone clasts are still prominent, also has k-feldspar- and albite- rich clasts. Matrix of hematite/magnitite (up to 50%) with local section at 100% (ironstone). Some k-feldspar and siltstone present in the matrix. Pyrite is sporadically distributed while chalcopyrite is localised within the ironstone (approx 5-7%).
	100	100	116	SBX	GY		FG-MG	Bx		SBX	sharp			ST		35				0.5	0.5	3	1			chl	w	ser	w					SLT	HEM	an	15		Fd	Cl	Fine to medium-grained greyish unit. Large, silicified clasts of siltstone plus cubic hematite and chlorite in a matrix of feldspar and hematite. Fe-carbonate stringers are irregularly orientated to TCA. Fine-grained pyrite is sporadically distributed (close to 3% on average, with locally higher concentrations). Chalcopyrite is about 0.5% and mostly found within fe-carbonate veins.
	105																																						
	110	116	126.5	SBX (MA)			FG	MA		SBX	gradual									0.1	0.1	30	5																		Semi-massive sulphide-rich SBX. Sulphide mineralisation (mainly pyrite) approaches 50%. Chalcopyrite might be up to 3% or more.

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-26

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																																Clast				Matrix			
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	115																																						
	120																																						
	125	126.5	134.5	SBX	GY		FG	Bx		SBX				ST		35				0.5	0.2	10	2			ser	w							SLT				Fd	Cl	SBX with local sections of semi-massive pyrite. Pyrite mineralisation averages 10%. Chalcopyrite might be up to 2% overall.
	130																																						
	135	134.5	136.2	SBX (MA)	GY																																			Same as unit at 116-126.5 m.
		136.2	146.9	SBX	GY																																			Same as unit at 126.5-134.5m.
	140																																						
	145	146.9	168	SBX (MA)	GY	RD	FG																																	Same as unit at 134.5-136.2m but with some hematite/magnetite mostly in the matrix (some as cubic clasts).
	150																																						
	155																																						
	160																																						
	165																																						

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																																Clast				Matrix				
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	170	168	177	IST-MVN	GY	RD	FG-MG	VN		MVN				ST		25				30	30	10	5			hem	s	chl	w								<10	He	Cl	Ironstone with local MVN. Clasts of hematite-altered siltstone still present. Fe-carbonate stringers and veins are irregularly oriented to TCA. Pyrite mineralisation is about 10% with locally higher concentrations. Chalcopyrite approaches 5%.
	175																																							
		177	184	SBX	GY		MD	Bx		SBX				ST		60				0.5	0.5	0.5	0.2			ser	w	chl	w					SLT	CHL	2-3	sr	15	Fd	Cl	Medium-grained grey unit. Siltstone clasts are large ad strongly silicified. Chlorite exists as clasts and stringers. The matrix is approximately 50-50 feldspar and chlorite. Martite/hematite/magnetite are present locally.
	180																			5	90	0.5	0.1																	
		184	210	IST-MVN	GY	RD	MG	Bx-VN		MVN				ST		60				20	30	5	1			hem	s							SLT	MAR	>5	sr	<10	He	Fd	Fine- to medium- grained grey-red unit. Upper contact is graditional. Mostly ironstone with sections of MVN and minor siltstone. Large red siltstone clasts (probably hematite altered) are distributed throughout suggesting that the unit might have been SBX or siltstone originally. Hematite/magnetite alteration is strong. Hematite/magnetite content approaches 50% and is mainly in the matrix (except within the MVN sections where they are cubic). Pyrite mineralisation averages 5% with locally higher concentrations as-sociated with ironstone. Chalcopyrite is <1% and localised within the ironstone. Scintillometre readings of 12000 c/s at 208.2m.
	185																																						
	190																																						
	195																																						
	200																																						
	205																																						
	210	210	222.5	SBX	GY	RD	MG	BX		SBX				ST		60				2	1	0.5	0.1			hem	w	chl	w					SLT		2.5	sr	<10	Fd	Cl	Weakly hematite-altered SBX. Probably a transition zone between ironstone and SBX. Large clasts of altered siltstone in a matrix of chlorite and feldspar.
	215																																						
	220																																						
		222.5	242.7	SBX	GY		MG	Bx		SBX	gradual			ST		30				0.1	0.1	t	t			ser	w	chl	w	sil	w			SLT		3.6	sr	30-40	Fd	Cl	Medium-grained grey unit. Upper contact is gradational. Large clasts of siltstone in a matrix of feldspar and chlorite. Fe-carbonate stringers are irregularly oriented to TCA. No sulphide mineralisation observed.

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																															Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
225																																						
230																																						
235																																						
240																																						
	242.7	313	SBX	GY	GN	MG	Bx		SBX	gradual			ST		30				0	0	t	t			chl	w					SLT	CHL	3-6	sr	30	Cl	Fd	Similar to the above unit but with fewer chlorite clasts and more chlorite in the matrix. Chlorite alteration is weak. A few patchy oxidized pyrite grains seen. The percentage of clasts decreases down the unit and it approaches siltstone (with local brecciation)
245																																						
250																																						
255																																						
260																																						
265																																						
270																																						
275																																						
280																																						

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																																	Clast				Matrix			
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	285																																						
	290																																						
	295																																						
	300																																						
	305																																						
	310																																						
		313	322.7	HBX	RD	GN	MG	Bx		HBX	gradual			FO	ST	75	80			35	20	0.2	0.1			hem	s	chl	w	carb	w			FEC	HEM	1	an	7	He	Cl	Red with green patches. Medium-grained unit. Clasts are few and mostly hematite + chlorite, minor siltstone (hematite altered). The matrix is dominantly hematite-magnetite and chlorite. The unit is weakly foliated locally. Quartz and fe-carbonate stringers constitute close to 1.5% of the unit and are irregularly oriented to TCA. Hematite alteration is strong. A local section of ironstone from 321.8-322.7m. Chlorite alteration is moderate to weak while carbonate alteration is subordinate. Scintillometer readings of 2000 c/s at 314.1m. Pyrite averages 0.2 with locally higher concentrations at 315.4m. Trace amounts of chalcopyrite observed.
	315																																						
		321.8	322.7	IST	RD		FG-MG	VN		IST	sharp			ST		v				5	90	0.5	0.1																	
		322.7	325	KBX	PK		FG-MG	Bx		KBX	gradual			VN	ST	v	v			0.1	0.1	T	t			pot	m							KFD		>1	sr	<3	Kf		Fine to medium-grained pink unit. Predominantly matrix of k-feldspar. A few clasts of k-feldspar (<3%). A few veins and stringers of fe-carbonate irregularly oriented to TCA. No mineralisation observed.
	325	325	332.1	CBX	GN		MG	Bx		CBX	gradual			VN	ST	v	v			3	<1	0.1	t			chl	m	hem	w					CHL	SLT	1	sr	<3	Cl	He	A medium-grained green unit. The upper contact is graditional. Clasts are few, mainly chlorite- + hematite- altered siltstone and a few fe-carbonate clasts. The matrix is dominantly chlorite with hematite. Chlorite alteration is strong while hematite is subordinate. Veins and stringers of fe-carbonate close to 2% and are irregularly oriented to TCA. A few grains of pyrite observed.
	330																																						
		332.1	335.5	SBX	GY	GN	MG	Bx		SBX	sharp			ST		v				1	t	0	0			ser	w	chl	w					SLT	FEC	>2	an	2	Fd		Fine- to medium- grained, grey-green unit. A few clasts of chlorite-altered siltstone and minor fe-carbonate in a matrix dominated by feldspar. Stringers of fe-carbonate and chlorite are irregularly oriented to TCA. No sulphide mineralisation observed.
		335.5	380	MVN	GY		CG	VN		MVN	gradual			VN	ST	v	v			10	30	0.5	1			hem	m	car	w												Coarse-grained grey unit. Cubic clasts of martite-hematite-magnetite (close to 40%). Fe-carbonate veins and stringers oriented at low angle to TCA. Pyrite mineralisation is about 0.5% and mostly fine-grained. Chalcopyrite is patchy and fine-grained (averages about 1%).
	335																																						

Cash Minerals Ltd. DIAMOND DRILL HOLE LOG HOLE NUMBER: IG-2007-26

Cash Minerals

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																																Clast				Matrix			
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average)	angularity	percent (%)	mineral 1	mineral 2	
	340																																						
	345																																						
	350																																						
	355																																						
	360																																						
	365																																						
	370																																						
	375																																						
	380	380	402.6	SBX	GY	WH	FG	Bx		SBX	gradual			BD	ST	80	v			0.5		0.1	t			ser	w	chl	w					SLT	HEM	1-2	sr	3	Fd	Cl	Fine-grained, grey-white unit. A few clasts of siltstone throughout. Hematite and chlorite clasts locally. Matrix is dominantly feldspar and minor chlorite. Sericite alteration is weak with subordinate chlorite and carbonate. Traces of pyrite and chalcopyrite observed.
			EOH																																				EOH
	385																																						
	390																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-27

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																															Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structures, mineralogy, textures, & alteration
	0.00	23.00	SBX	GY	YW	FG	Bx		SBX				ST	BD	v	v			t	t	t	t			ser	w							SLT		1	sr	<3	Fd	Cl	Fine-grained grey to yellow unit. Fracture surfaces are yellow-red, possibly from fe-carbonate or hematite? The unit is fine-grained with few clasts of siltstone in a matrix of feldspar with minor chlorite. Chlorite also occurs as infill. Sericite alteration is weak. The unit is weakly bedded at about 25-30 degrees to the core axis. A few grains of pyrite are sporadically distributed.
	23.00	100.60	SBX	GY	GN	FG	Bx		SBX	gradual			ST		v				t	2	0.2	t			ser	w	chl	w	carb	w			SLT	HEM	>2	sr	10	Fd	Cl	Same as above but with a higher percentage of clasts (>10%). The clasts are larger (>2cm). There is more chlorite infill and stringers. Some of the clasts are altered by hematite. Hematite/magnetite clasts are common and close to 3% from 23-65m. Fine-grained pyrite is close to 0.2%.
											74.00	78.00	ST		v				t	t	0.5	0.8																	
											78.00	87.00													chl	m														
	100.60	175.60	HBX	RD	GY	FG	Bx		HBX	gradual			VN	ST	v	v			35	2	0.1	0.1			hem	m	carb	w					SLT	FEC	>1	sr	10	He	Fd	Red to grey, fine to medium-grained unit. Clasts are mainly hematite-altered siltstone with a few of fe-carbonate. A few cubic hematite/magnetite clasts are present. Minor large clasts of chlorite. The matrix is dominently hematite with minor chlorite and siltstone. Fe-carbonate veins and stringers are dense (close to 2%) and are irregularly oriented with respect to TCA. Hematite alteration is moderate, although strong locally (some sections approach ironstone). Carbonate alteration is subordinate. Trace amounts of sulphides (0.1%).

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-27

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	Clast: clast 1	Clast: clast 2	Clast: size (average)	Clast: angularity	Matrix: percent (%)	Matrix: mineral 1	Matrix: mineral 2	Include nature of contacts, additional structure, mineralogy, textures, & alteration
	120																																						
	130																																						
	140																																						
	150																																						
	160																																						
	170																																						
		175.60	262.00	SBX	GY		FG	Bx		SBX	gradual			ST	FT	v	v					0.5	0.1			ser	w	chl	w					SLT	CHL	2.5	sr	15	Fd		Fine to medium-grained, matrix-supported grey unit. Consists of about 10% large clasts of siltstone, and 80% a feldspar-rich matrix. Locally the unit is chlorite rich. The unit is pinkish from 195 to 218m, possibly as a result of potassic alteration. Sericite alteration is weak with subordinate chlorite. A series of fault-gouged zones are present, with some associated with fine-grained pyrite. Chalcopyrite mineralisation is rare. Pyrite mineralisation is close to 0.5% overall with locally higher concentrations. Massive pyrite intervals occur between 206.9 to 207.5m, and between 212.5 to 212.8m.
	180																																						
	190																																						
	200																	206.90	207.50			80																			
	210																	212.50	212.80			70																			
	220																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-27

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																																Clast				Matrix			
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	230																																						
	240																																						
	250																																						
	260	262.00	285.60	SLT	GY		FG	SED		SLT	sharp			ST	FT	v	v									ser	w	carb	w										Fine-grained grey unit, predominently siltstone with local brecciation. A few carbonate stringers are present and irregularly oriented with respect to the core axis. A series of fault gouges are present. No sulphide mineralisation was observed.
	270																																						
	280																																						
		285.60	416.10	SLT	GY	BK	FG	SED		SLT	gradual			BD	ST	v	v									ser	w										Grey to black, fine-grained, strongly-bedded siltstone. The unit is strongly fractured (mostly broken rock in the core). Bedding and carbonate stringers are irregularly oriented with respect to the core axis. Sericite alteration is weak, while a few sections are silicified. No sulphide mineralisation was observed.
	290		EOH																																				EOH
	300																																						
	310																																						
	320																																						
	330																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-28

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																															Clast				Matrix		
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	0.00	71.00	HBX	GY	GN	FG	Bx		HBX				ST	VN	v	v			5	6	t	t			hem	m	chl	m					SLT	HEM	>2	sr	20	Fd	He	Grey to green, fine- to medium- grained unit. Difficult to classify as either HBX or SBX. Large clasts of hematite-altered siltstone approaches 10% throughout the unit. Hematite and magnetite clasts (mainly cubic and <1cm in size) make up about 10%. Fractured surfaces exhibit reddish colouration (relics of hematite alteration?). Matrix is feldspar, chlorite and hematite. Hematite alteration is dominent while chlorite occurs in local sections. Chlorite and fe-carbonate stringers are irregularly oriented to the core axis. A few barite veins were seen. Only trace amounts of sulphides were observed.
	71.00	85.50	HBX	GN		MG	Bx		HBX				ST		v				2	3	t	t			chl	m	hem	w					SLT	HEM	>2	sr	25	Cl	He	Medium-grained green unit. Similar to above only with larger and more numerous siltstone clasts and only a few hematite/magnetite clasts. A 6cm wide magnetite vein occurs at 75.2m. The matrix is dominently chorite with subordinate hematite. A few carbonate + barite veins were observed and were irregularly oriented with respect to the core axis.
	85.50	129.80	MVN	GY	RD	MG	VN		MVN				ST		v				15	25	0.2	1			hem	s							HEM	MAG	<1	an	45	He	Fd	Red to grey-green medium-grained unit. Clasts of magnetite/hematite/martite are close to 45% in a matrix of hematite/magnetite/martite/feldspar/chlorite. Local sections of ironstone up to 3m wide occur. Carbonate stringers are irregularly oriented with respect to the core axis. Sulphide mineralisation is mainly chalcopyrite. A massive chalcopyrite vein up to 1.5cm wide occurs at 90m. The proportion of chalcopyrite approaches 5% between 92 and 93m.

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-28

GRAPHIC LOG		Lithology									Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																															Breccia							
																															Clast				Matrix			
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average)	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	120																																						
	130	129.80	159.00	HBX	RD	GY	MD	Bx		HBX				VN	ST	v	v			20	10	0.1	0.1			hem	s	sil	m			SLT	CHL	>1	sr	15	Fd	Ho	Grey to red, medium-grained unit. Clasts are few (<15%) made up of siltstone (mostly hematite altered). There are a few hematite clasts, and also chlorite. The matrix is mainly feldspar and hematite with subordinate chlorite. Hematite alteration is moderate but locally strong. Carbonate stringers are dense and irregularly oriented with respect to the core axis. Only trace amounts of sulphide mineralisation was observed. Scintillometer readings average 500cps over 7m from 133.3 to 140m, with a local high of 800cps at 133.5m.
	140																																						
	150																																						
	160	159.00	213.00	HBX	GY	RD	MG	Bx		HBX				VN	ST	v	v			15	5	0.1	0.15			hem	m	carb	m										Similar to the above unit but with denser carbonate veins and stringers (close to 8%). Significant patches of chalcopyrite are found within some of the veins (no consistency).
	170																																						
	180																																						
	190																																						
	200																																						
	210																																						
	220	213.00	251.50	SLT	GY	RD	FG	Bx		SLT	gradual			St	VN	v	v									carb	m	hem	w										Fine-grained grey unit with local pink/red section over 7m at the upper contact, possibly due to hematite alteration. Carbonate stringers are numerous with few veins. The carbonate stringers are less common below 239m while carbonate spots become very common. Bedding is cut by the carbonate veins while both bedding and veins are cut and displaced by joints. No sulphide mineralisation was observed.

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-28

GRAPHIC LOG	Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia								WRITTEN LOG
																															Clast				Matrix			
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
230																																							
240																																							
250	251.50	294.00	MVN	RD	GY	FG	VN		MVN	gradual			VN	ST	v	v			25	20	0.2	0.5			hem	s	carb	w					MAG	HEM	1	an	50	He	Fd	A medium-grained grey/red unit. Clasts of martite/hematite/magnetite make up about 50% of the rock. A few fe-carbonate and siltstone clasts are also present. The matrix is dominently feldspar and hematite. Hematite alteration is strong with local sections of ironstone. Fe-carbonate stringers at a low angle with respect to the core axis. A few grains of pyrite are sporadically distributed. Chalcopyrite mineralisation is found in the fe-carbonate veins, locally up to 50% of the veins (e.g. in 5cm thick veins at 252.5 and 254.7m). Locally a few chalcopyrite grains are disseminated in the matrix.
260																																							
270																																							
280																																							
290																																							
300	294.00	306.00	CBX	GN	RD	MG	Bx		CBX	gradual			VN	ST	v	v			5		1	1			chl	m	hem	m					CHL	SLT	>2	sr	55	Cl	He	Medium-grained greenish unit. Contains large clasts of hematite-altered siltstone, and also chlorite, in a matrix of chlorite and hematite. The unit is strongly fractured and the fracture surfaces are a red colour due to hematite alteration. A few fe-carbonate/carbonate veins were seen at a low angle with respect to the core axis. No sulphide mineralisation was observed.
310	306.00	365.00	HBX	GY	RD	MG	Bx		HBX	gradual			ST	VN	v	v			7		1	1			hem	m	carb	w					SLT	HEM	<1	an	10	Fd	He	Similar to the above unit only with few clasts. Hematite also occurs as cubic clasts sporadically distributed, and locally occurs in veins. There are very few chlorite clasts. Minor pyrite mineralisation was observed in carbonate veins within the Fe-rich sections.
320																																							
330																																							

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER: IG-2007-28

GRAPHIC LOG		Lithology										Structure						Minerals (%)						Alteration (intensity)								Breccia							WRITTEN LOG
																																Clast				Matrix			
GRAPHICS	Scale (m)	FROM (m)	TO (m)	Rock horizon / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size (average) cm	angularity	percent (%)	mineral 1	mineral 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	340																																						
	350																																						
	360																																						
		365.00	381.50	SBX	GY	BN	MG	Bx		SBX	gradual			ST		v				0.2	0.1	t	t			ser	w	chl	w					SLT	CHL	2-5	sr	15	Fd	Cl	Medium-grained brown-grey unit with large clasts of altered siltstone and minor chlorite in a matrix of feldspar and chlorite. A few cubic hematite grains occur in the upper part of the unit. Minor pyrite mineralisation is sporadically distributed, especially within the first 5 metres.
	370		EOH																																				EOH
	380																																						
	390																																						
	400																																						
	410																																						
	420																																						
	430																																						
	440																																						

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER:

GRAPHIC LOG	Lithology									Structure					Minerals (%)					Alteration (intensity)						Breccia							WRITTEN LOG
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock Name(s) / package	colour 1	colour 2	texture (grain)	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	Clast: clast 1	Clast: clast 2	Clast: size	Clast: angularity	Matrix: percent (%)	Matrix: mineral 1	Matrix: mineral 2	In bulk nature of contacts, additional structure, mineralogy, textures, & alteration
	0.00	88.00	SBX	GY		MG	Bx		SBX				ST	F1	v	85			0.2		0.2	1			ser	w	hem	w					SLT	HEM	1	w	5-7	Fd	Cl	Medium-grained grey unit, upper contact at the base of the casing. The first 28m is intensly fractured and with very poor recovery. Fractured surfaces are orange in colour (ankerite alteration). Fractured surfaces from
	88.00	124.00	SBX	GY		MG	Bx		SBX				VN	ST	v	v			0.5		0.5	0.1			hem	m	ser	w					SLT	HEM	>1	w	10-15	Fd	Cl	Similar to the above unit but with more MVN bands and cubic clasts distributed all through the unit. SLT and chlorite clasts are also more common (>10%) and large (4cm in some places). Carbonate veins are significant (some >5cm) and host significant amounts of Cpy for their size. 55-4.0m are yellow-red, probably hematite alteration. Clasts are generally few (<10%) made up of siltstone, minor chlorite, and sporadically distributed magnetite/hematite. The matrix is dominently feldspar plus chlorite. The unit is interbedded with short MVN sections. Minor sulphide mineralization (mainly pyrite) is associated with the MVN sections. Chlorite stringers and a few carbonate veins are seen irregularly oriented to TCA.
	88.00	124.00	SBX	GY		MG	Bx		SBX				VN	ST	v	v			0.5		0.5	0.1			hem	m	ser	w					SLT	Hem	>1	SR	10-15	SLT	Cl	Similar to above unit but with more MVN bands and cubic clasts distributed all through the unit. SLT and chlorite clasts are also more common (>10%) and large (4cm in some places). Carbonate veins are significant (some >5cm) and host significant amounts of Cpy for their size.
	124.00	173.00	SBX	GY		MG	Bx		SBX				VN	ST	v	v			1		1	0.1			ser	w							SLT		>5	SR	10-15	SLT	Cl	Larg clasts of siltstone (>5cm, some up to 10cm) in a matrix of siltstone. Clasts of Mag/Hem are very few. Few veins of hematite exist. Barite veins constitute close to 5% of this unit. They are pink in colour and host some chalcopyrite. A significant one @ 173.3m measures close to 30cm and hosts about 5% chalcopyrite.
	173.00	173.00	SBX	GY	GN	MG	Bx		SBX				VN	ST	v	v			1		1	1			sil	m	ser	w	mic	w			SLT		5	SR	20	Ba	Cl	Breccia of altered siltstone clasts in a matrix of barite +- chlorite +- carbonate. A barite vein at 173.7 is ~10cm thick and contains significant chalcopyrite. Some small (~5cm) chloritic breccia veinlets locally.
	173.00	197.20	CBX	GY	GN	MG	Bx		CBX				VN	ST	v	v			1		1	1			sil	m	carb	w					SLT		5	SR	20	Ba	Cl	Transitional between SBX and CBX. Grey green with some pale pink zones. Still a lot of barite (pink) veinlets and also barite in the breccia matrix. A few small hematite + barite + carbonate zones ~ 10cm thick. Looks like a chloritic overprint of the SBX breccia type. Minor pyrite and chalcopyrite locally.
	197.20	214.60	HBX	GY	GN	MG	Bx	Ba	HBX				VN		45-90				0.1		1	1			sil	s	hem	m					SLT		2	SR	10	Chl	Ba	Grey green breccia, cross between HBX and CBX. Hematite is disseminated throughout as small grains and specular hematite in the matrix, usually mixed with chlorite and with minor carbonate locally. Some areas are massive fine-grained hematite + chlorite siltstone with siltstone clasts locally, e.g. 197.3 to 201m. Locally barite veins to 5cm are common, with barite also occurring as matrix infill adjacent to the veins. Significant chalcopyrite occurs in some of the large barite veins, e.g. between 208 to 213m. Pyrite occurs as euhedral grains in the chloritic matrix locally, e.g. at 200.45m.
	214.60	223.15	KBX	PK	WH	MG	Bx	Mg	KBX				VN	V1	40	70			1		2	1			pot	s	chl	m	car	m			SLT		2-5	SA	80	Ha	Mg	Pink to creamy-white breccia. Magnetite occurs as small grains in the matrix throughout. Pink altered siltstone clasts are common. Minor thin (<1cm) barite veins occur locally, and also very thin (<2mm) chlorite veins preserving the breccia. No sulphides observed. Creamy carbonate occurs locally in the breccia matrix. Locally the siltstone clasts are creamy and carbonate-altered.
	223.15	226.35	CBX	WH	GY	MG	Bx		CBX				VT		20				1						ser	s	chl	m					SLT		2-4	SR	80	Chl	Ba	Not typical CBX. Mostly clasts of creamy siltstone with minor chlorite in the matrix and as small spots in the breccia. No sulphides observed. A few small (<0.5cm) dolomite veins. Minor barite as infill locally.
		EOH																																				

Cash Minerals

Cash Minerals Ltd.

DIAMOND DRILL HOLE LOG

HOLE NUMBER:

Page of

GRAPHIC LOG	Lithology									Structure					Minerals (%)					Alteration (intensity)							Breccia										WRITTEN LOG
																													Clast				Matrix					
GRAPHICS Scale (m)	FROM (m)	TO (m)	Rock Name / Package	colour 1	colour 2	texture grain	texture	modifier	ROCK CODE	Contact	FROM (m)	TO (m)	structure 1	structure 2	attitude 1	attitude 2	FROM (m)	TO (m)	Hematite	magnetite	pyrite	chalcopyrite	FROM (m)	TO (m)	type 1	intensity 1	type 2	intensity 2	type 3	intensity 3	FROM (m)	TO (m)	clast 1	clast 2	size	angularity	percent (%)	matrix 1	matrix 2	include nature of contacts, additional structure, mineralogy, textures, & alteration
	0.00	28.00	SLT	GY	BN	FG			SLT				FO		0-45				T		T				carb	M												Brown-grey to light green foliated siltstone. Sericite- and chlorite- rich rock. Has thin (<1mm) layers of light brown carbonate (siderite?) alternating with sericite- plus chlorite- rich layers. The foliation is prominent and typically at a low angle to the core axis. The interval is locally mackle-brecciated. Also local enhancement of siltstone clasts in a foliated breccia. Malachite staining is present in the first 10 metres of the core (which is very weathered). Large (to 3-4mm) brown carbonate crystals (siderite?) are disseminated locally. Patches of foliated siderite breccia (SBX) occur locally.
	28.00	88.00	SBX	YW	GY	FG	BX		SBX	gradual			FO	VT	0-45	V			1						carb	m			vein	w		SLT	Carb	1	SR	20	Sb		Ser	Similar to above only now dominated by breccia. Contains both crackle breccia, and breccia with isolated large (to 1.5cm) siltstone clasts. Hematite occurs locally in the matrix as fluid chlorite. Light brown carbonate (siderite?) is common throughout. The foliation formed by sericite and chlorite is still prominent, and locally sericite-rich zones don't appear brecciated. Hematite occurs locally as small euhedral grains, and also as very fine-grained bands and as the matrix to the breccia. Hematite becomes more common with increasing depth. Small zones (<5cm thick) of pink rocks occur locally, as fluid areas containing pink siltstone clasts.
	88.00	130.50	KBX	PK	GY	FG	BX		KBX	gradual			VN		70				2	5	T	1			bot	w	UN	w	carb	m		SLT	Carb	1	SR	15	Sap		Hem	The contact with the SBX above is gradual and marked by chlorite infill and a fine chlorite vein. The unit is a cross between KBX and MVN. Large euhedral magnetite veins occur locally. Chalcopyrite to 5% occurs locally as do patches of pink rock giving 200-500 cps (background ~150 cps). The matrix and the clasts are typically pinkish or cream coloured and may consist of of a mixture of albite and K-feldspar.
	130.50	137.40	MVN	GY	WH	MG	BX		MVN	gradual									2	10	10	1			alb?	s	UN	w	carb	m		SLT	Carb	1	SR	30	Alb		Carb	Large euhedral magnetite (to 2 cms) in a matrix of feldspar plus carbonate. Locally up to 10% pyrite occurs with the magnetite.
	137.40	144.00	KBX	PK	GY	FG	BX		KBX	gradual									1		T	T			bot	s	UN	w	carb	w		SLT	Carb	1	SR	20	Sap		Chl	Pink fine-grained K-feldspar rich breccia with siltstone giving 400-500 cps (background ~150 cps).
	144.00	189.00	KBX	GY	PK	FG	BX		KBX	gradual			VN		20-70				2	1-1	T	T			chl	m	sst	w	carb	m		SLT	Carb	1	SR	10	Sap		Chl	Pink-green breccia with alternating K-feldspar rich and chlorite rich sections. Minor magnetite and sulphides locally. Also locally, up to 400 cps over narrow intervals (<5cm). Creamy carbonate (dolomite?) occurs locally as both veins (0.5-1cm thick) and as the matrix to zones of crackle breccia.
	189.00	195.80	FLT	GN	GY		FLT		FLT	sharp											T				UN	s												Chloritic fault zone. Mature of rubble and fault gouge.
	195.00	234.10	KBX?	PK	GY	MG	BX		KBX?	gradual			VN		80				2	0-1	T				alb?	s	carb	m				SLT								Light pink to creamy breccia. Could be K-feldspar dominated but may actually be albite. Clasts are mostly Feldspar-altered siltstone. Some not altered siltstone clasts locally. Isolated areas with recount 250 cps (background ~ 150 cps). MVN containing euhedral magnetite occurs at 218 - 218.6m and 223.6 - 223.8m.
	234.10	291.50	HBX	PK	WH	FG	BX		HBX	gradual			VN		45				2		2	1	1		Tsp	s	carb	m				SLT	ISP	2		Carb			Hem	Similar to above only has more hematite locally. Local minor carbonate(s) (to ~ 250 cps). Magnetite occurs sporadically as small disseminated grains, and also in carbonate (dolomite?) +- barite? +- pyrite veins. Clasts are mostly light pink siltstone, some not locally. The chemipyrite occurs mainly in dolomite +- quartz +- magnetite veins. Unit is a hybrid somewhere between KBX and HBX.
	291.50	322.50	SLT	GY	GN	FG	BX		SLT	gradual			BD	VN	50	50					T				chl	w	carb	w											Grey-green fine-grained foliated siltstone/quartzite. A metamorphic foliation is well developed locally. The siltstone is locally more siliceous verging on quartzite. Brecciation occurs only rarely, either with siltstone clasts, or as a crackle breccia. The amount of brecciation decreases with depth.

IG-2007-19

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	%	ppm	ppm
E383935	29.3	30		5.14	0.16	164	40	0.08	5.36	0.03	<0.02	25	1420	<1	<0.05	1880	39	3.81	0.48	<0.1	0.047	0.01	16.2	0.8	0.02	597	119.5	<0.01	3.8	47.5
E383936	30	30.5		3.52	1.28	171.5	60	0.1	5.02	0.13	<0.02	20.3	1920	<1	0.12	2440	34.5	10.15	0.47	0.2	0.049	0.02	13.6	14.7	0.41	1970	120.5	<0.01	2.8	85.6
E383937	30.5	31		1.93	0.44	87.3	30	0.07	3.15	0.23	<0.02	92.7	861	<1	<0.05	2100	35.6	6.01	0.5	0.1	0.049	0.01	62.8	5	0.42	3940	100.5	<0.01	4.6	57.7
E383938	31	31.5		2.6	0.26	119.5	30	0.06	6.64	0.35	<0.02	101	821	<1	<0.05	500	35.1	4.34	0.5	<0.1	0.055	0.01	65.3	2.6	0.45	4490	176.5	<0.01	3.9	43.5
E383939	31.5	32		1.45	0.5	148	20	0.05	4.69	0.27	<0.02	54.2	787	<1	0.05	1070	33.4	5.32	0.48	0.1	0.048	0.01	33.5	5.2	0.41	3170	155	<0.01	4.3	54.7
E383940	32	32.5		2.7	1.7	171	30	0.1	5.99	0.52	<0.02	17.35	1060	3	0.1	1500	27	11.05	0.36	0.6	0.032	0.03	9.9	21.3	0.84	1605	81.9	<0.01	9	123
E383941			BLANK	0.02	0.13	10	40	<0.05	0.01	46.6	0.35	2.35	4.3	6	<0.05	4.3	0.08	0.37	<0.05	0.1	0.008	0.03	1.8	1.4	0.49	38	0.94	0.01	0.3	<0.2
E383942			STANDARD 1	1.12	5.53	63.2	230	1.61	2.53	1.92	<0.02	47.7	151.5	33	3.51	7560	9.06	14	0.14	1.7	0.141	2.01	16.4	21.1	1.08	3010	67.9	1.01	3.4	36.9
E383943	32.5	33		1.75	1.43	133	60	0.12	5.07	0.36	<0.02	14.7	608	3	0.11	1060	27.5	8.59	0.33	0.4	0.034	0.02	7.9	18.7	0.53	1655	75.9	<0.01	12.8	84.5
E383944	33	33.5		2.03	0.21	227	50	<0.05	7.75	0.24	<0.02	10	840	<1	<0.05	268	32.2	3.51	0.41	0.1	0.039	0.01	5.4	2.4	0.36	3180	62.1	<0.01	4.6	50
E383945	33.5	34		3.13	0.76	184	40	0.05	6.31	0.27	<0.02	12.3	1175	<1	0.05	1490	29.7	5.78	0.41	0.1	0.029	0.01	7.1	8.9	0.4	1895	42.3	<0.01	5.1	81.5
E383946	34	34.5		1.67	0.65	158	20	0.13	2.36	0.3	<0.02	113	1080	5	0.06	207	32.6	7.51	0.31	0.3	0.013	<0.01	72.3	8.9	0.26	899	157	<0.01	12.8	79.3
E383947	34.5	35		1.17	0.45	140.5	10	0.07	2.27	0.31	<0.02	37.9	715	<1	0.05	141.5	35.1	6.42	0.33	0.1	0.028	<0.01	25.6	5.3	0.28	1855	150	<0.01	9.7	62.4
E383948	35	35.5		1.01	0.13	123.5	<10	0.12	1.61	0.17	<0.02	56.2	475	<1	<0.05	344	37.3	5.18	0.36	0.1	0.029	<0.01	37.1	1.2	0.14	1275	119	<0.01	8.5	49.8
E383949	35.5	36		0.94	0.21	94.2	<10	0.13	2.34	0.3	<0.02	75.1	399	<1	0.05	722	39.1	5.99	0.36	0.1	0.032	<0.01	50.5	2.2	0.11	939	133.5	<0.01	8.6	51.5
E383950	36	36.5		1.05	0.23	276	10	0.18	2.64	0.35	<0.02	103	769	2	0.05	832	38.5	8.2	0.38	0.1	0.032	<0.01	69.8	2.3	0.17	1400	116	<0.01	9.1	57.9
E383951	36.5	37		0.61	0.17	62.2	10	0.14	1	0.27	<0.02	50	304	<1	<0.05	360	42.8	7.14	0.39	<0.1	0.016	<0.01	31.4	2.2	0.11	869	27.9	<0.01	12	60.7
E383952	37	37.5		0.86	0.61	163	10	0.11	1.54	0.31	<0.02	34.1	721	1	0.05	769	39.6	8.94	0.35	0.1	0.017	<0.01	22.5	8.2	0.26	827	71.5	<0.01	6.9	78.3
E383953			BLANK	0.02	0.13	9	30	0.09	<0.01	47.7	0.38	2.11	2.8	8	<0.05	4.8	0.46	0.53	<0.05	0.1	<0.005	0.03	1.6	1.7	0.52	43	0.7	0.01	0.3	1
E383954	37.5	38		2.04	1.07	343	10	0.13	4.7	0.61	<0.02	47.3	2110	4	0.1	1570	36.3	10.1	0.37	0.3	0.012	<0.01	31.6	15.1	0.37	687	154	<0.01	6.8	110
E383955	38	38.5		1.61	0.9	205	10	0.21	3.85	0.32	<0.02	126	1140	2	0.09	1125	33.8	10.35	0.36	0.2	0.013	<0.01	89	12.9	0.31	534	106	<0.01	8.9	92.6
E383956	38.5	39		0.24	0.08	27.3	30	0.13	0.48	0.22	<0.02	12.15	240	3	<0.05	429	38.4	5.77	0.31	<0.1	0.024	<0.01	7.6	1.6	0.25	2210	18.1	<0.01	8.7	52.9
E383957	39	39.5		0.84	0.12	53.9	10	0.09	1.12	0.21	<0.02	15.75	436	<1	<0.05	488	35.7	5.01	0.29	<0.1	0.029	<0.01	10.3	1.8	0.46	3840	36.7	<0.01	9.2	55.3
E383958	39.5	40		1.1	0.29	107.5	10	0.12	2.17	0.19	<0.02	27.1	664	<1	0.05	716	38.8	5.82	0.41	<0.1	0.017	<0.01	16.5	1.7	0.3	2100	42.6	0.01	8.5	59.9
E383959	40	40.5		0.88	0.17	71.4	20	0.15	1.85	0.2	<0.02	20.3	436	<1	0.05	1125	37.8	5.53	0.41	<0.1	0.045	<0.01	11.6	1.1	0.33	3080	33.6	<0.01	8.9	58.6
E383960	40.5	41		0.55	0.11	57.8	10	0.15	1.15	0.27	<0.02	22.7	339	<1	<0.05	770	38.7	5.49	0.4	<0.1	0.049	<0.01	13.4	0.7	0.31	3210	36.7	<0.01	8.1	55.6
E383961	41	41.5		0.72	0.14	101	<10	0.13	1.57	0.33	<0.02	26.6	674	<1	<0.05	292	35	5.66	0.4	<0.1	0.038	<0.01	15.8	1.2	0.41	3840	95.4	<0.01	6.4	55.1
E383962	41.5	42		0.66	0.14	55.7	10	0.21	1.32	0.2	<0.02	21.7	293	<1	<0.05	490	38.4	5.47	0.42	<0.1	0.054	<0.01	12.4	0.9	0.21	2310	52.4	<0.01	6.3	47.7
E383963	42	42.5		0.77	0.09	42.3	30	0.19	1.42	0.25	<0.02	30.8	336	<1	<0.05	550	41.2	5.5	0.47	<0.1	0.031	<0.01	18.3	0.6	0.17	1725	75.6	<0.01	12.2	49.4
E383964			BLANK	0.01	0.12	8	20	0.14	0.02	45.6	0.33	1.93	1.7	2	<0.05	3.4	0.44	0.47	<0.05	0.1	<0.005	0.03	1.4	1.3	0.49	47	0.53	0.01	0.4	<0.2
E383965			STANDARD 2	1.13	2.26	121	220	0.72	10.25	2.46	<0.02	184	322	8	2.36	8700	27.4	10.3	0.47	0.8	0.234	0.64	114	20.4	1.54	5860	65.5	0.23	8	68.9
E383966	42.5	43.5		0.35	0.09	48.1	20	0.13	0.49	0.31	<0.02	36.5	252	<1	<0.05	232	37.8	6.66	0.41	<0.1	0.015	<0.01	22.4	0.8	0.32	2950	62.8	<0.01	10.7	54.7
E383967	43.5	44		0.43	0.36	42.5	330	0.15	0.73	0.21	<0.02	12.95	378	<1	<0.05	739	37.6	9.57	0.42	<0.1	0.022	<0.01	7.2	3.6	0.3	1960	56.9	<0.01	7.4	74.9
E383968	44	44.5		0.36	0.17	43.3	150	0.12	0.42	0.24	<0.02	12.35	221	<1	<0.05	364	42.6	9.01	0.45	<0.1	0.014	<0.01	6.8	1.6	0.24	1880	51.8	<0.01	7.4	65.6
E383969	44.5	45		0.32	0.08	33.7	300	0.11	0.61	0.24	<0.02	27.2	348	<1	<0.05	445	42.3	8.19	0.47	<0.1	0.007	<0.01	17.3	0.7	0.2	1870	36.2	<0.01	10.4	67
E383970	45	45.5		0.45	0.1	73.3	330	0.13	0.89	0.26	<0.02	33.2	467	<1	<0.05	346	39	7.53	0.43	<0.1	0.013	<0.01	21.9	0.9	0.22	1880	61.3	<0.01	10.4	66.3
E383971	45.5	46		0.95	0.27	208	50	0.13	2.97	0.24	<0.02	22.7	1075	<1	<0.05	457	39.7	9.1	0.49	<0.1	0.013	<0.01	13.9	2.6	0.23	1635	170.5	<0.01	8.9	63.8
E383972	46	46.5		0.78	0.45	137.5	340	0.12	1.36	0.25	<0.02	23.4	546	<1	0.05	347	37	10.65	0.44	0.1	0.011	<0.01	15	4.4	0.33	2190	107.5	<0.01	8.2	95.2
E383973	46.5	47		0.77	0.51	133.5	380	0.14	1.41	0.3	<0.02	28.7	520	<1	0.05	368	34.8	9.16	0.4	0.1	0.018	<0.01	19	4.7	0.36	2370	108	0.03	7.9	92.1
E383974	47	47.5		1.68	0.18	258	50	0.12	5.4	0.25	<0.02	16.65	1065	<1	<0.05	506	39.7	8.28	0.47	<0.1	0.018	<0.01	9.9	1.9	0.24	2270	161	<0.01	5.5	97.8
E383975	47.5	48		1.66	0.23	208	50	0.1	4.11	0.18	<0.02	25.4	716	<1	<0.05	267	43	9.65	0.49	<0.1	0.008	<0.01	16.6	2.2	0.19	1555	186	<0.01	6.9	107.5
E383976			BLANK	0.02	0.12	<5	30	0.13	<0.01	45.8	0.32	1.95	2.7	2	<0.05	3.1	0.41	0.51	<0.05	0.1	<0.005	0.03	1.4	1.4	0.49	44	1.3	0.01	0.3	<0.2
E383977	48	48.5		0.69	0.37	86.2	130	0.11	0.97	0.5	<0.02	43.3	256	<1	<0.05	356	33.2	9.08	0.42	<0.1	0.01	<0.01	30.2	4.1	0.26	1860	134.5	<0.01	5.6	83.7
E383978	48.5	49		0.87	0.98	138	80	0.2	1.35	0.23	<0.02	34.8	347	<1	0.1	329	32.3	9.7	0.38	0.1	0.01	0.01	23.3	11.1	0.42	1730	98	<0.01	3.7	82
E383979	49	49.5		1.06	1.18	150.5	110	0.18	1.79	0.3	<0.02	29.2	552	<1	0.11	421	31.2	9.98	0.4	0.1	0.011	0.01	17.6	15.3	0.47	1390	87.8	<0.01	3.3	88.4
E383980	49.5	50		1.37	4.36	140.5	170	0.66	2.43	0.31	<0.02	124	573	12	0.8	562	20.5	10.3	0.31	1.2	0.008	0.22	91.7	36.6	0.85	931	57.4	1.43	8.2	76.7
E383981	50	50.5		0.12	7.89	8.3	150	1.22	0.05	2.69	<0.02	13.4	48.2	16	1.09	517	5.2	10.5	0.09	2.3	0.015	0.85	7.4	31.2	1.2	2750	15.3	4.71	12.4	13.4
E383982	50.5	51		0.05	7.26	3	530	1.17	0.01	3.42	<0.02	15.8	61.7	25	0.8	65.2	4.06	10.85	0.08	2.3	0.009	0.52	9.4	17.8	1.2	2790	1.56	5.2	6.1	11.9
E383983	51	51.5		0.04	7.3	2.6	6310	1.3	0.01	3.83	<0.02	29.1	46.2	22	0.9	63	4.24	12.6	0.08	2.1	0.01	0.7	18.9	21.8	1.31	2600	1.96	4.82	5.8	10.9
E383984	51.5	52		0.06	6.83	4.1	1570	0.93	0.02	4.87	<0.02	66.5	99.6	21	0.82	109	5.41	11.75	0.1	2.2	0.008	0.37	45.7	12.8	1.69	3490	3.43	4.89	5.4	12.9
E383985	52	52.5		4.46	5.73	280	310	0.86	7.59	0.86	<0.02	9.13	1360	30	1.38	291	19.9	10.4	0.27	2.1	0.005	0.25	4.2	25	0.74	1225	69.3	3.23	26.6	79.8
E383986	52.5	53		3.96	3.38	254	60	0.6	5.85	2.79	<0.02	16.35	845	44	0.91	417	25.4	9.25	0.34	0.8	0.041	0.12	8.4	24.9	1.53	3430	37.2	1.32	7.8	95.2
E383987			BLANK	0.03	0.18	<5	30	0.14	0.02	>50	0.37	2.17	4.6	2	<0.05	3.7	0.31	0.56	<0.05	0.1	<0.005	0.03	1.6	1.6	0.57	67	0.59	0.03	0.4	<0.2
E383988			STANDARD 3	0.29	6.85	53.6	380	2.68	1.53	2.26	<0.02	84.5	112	39	6.09	1550	7.27	19.85	0.15	1.9	0.119	3.06	41.8	24.5	1.34	3270	20.9	0.58	2.6	29.1
E383989	53	53.5		1.76	5.85	95.4	240	0.76	2.47	4.85	<0.02	26.6	416	9	0.55	260	14.45	9.84	0.19	1.7	0.026	0.12	17.6	24.5	2.39	4570	13.55	3.25	11.6	59
E383990	53.5	54		1.21	4.44	86.3	330	0.67	2.12	3.46	<0.02	265	363	26	0.53	238	17.2	10.8	0.34	1.7	0.012	0.13	201	20.2	1.54	2730	16.25	2.43	13.8	61.2
E383991	54	54.5		0.88	6.09	56.2	130	0.75	1.37	5.8	<0.02	18.85	168	6	0.6	113	5.48	7.9	0.09	2.3	0.008	0.3	9.8	8.7	1.87	3280	14.5	4.42	14.4	16.3
E383992	54.5	55		0.65	6.2	52	880	0.89	1.32	4.09	<0.02	17.3	144	23	0.81	175.5	5.86	9.2	0.1	2.3	0.005	0.39	9.5	21.7	1.63	2200	13.3	4.06	4.2	25.7
E383993	55	55.5		1.8	6.13	93.2	200	0.76	2.76	2.42	<0.02	23.3	244	24	0.48	354	6.58	10.9	0.11	2.4	0.011	0.16	16.3	17.7	1.08	1610	12.05	4.4	3.8	32.7
E383994	55.5	56		0.74	7.82	34.4	490	0.87	0.58	1.94	0.03	40.1	99.1	41	0.67	432	7.47	14	0.17	2.5	<0.005	0.27	29.9	28.1	1.23	1360	20.2	4.73	4.8	38.5
E383995	56	56.5		2.23	4.24	169.5	40	0.41	2.57	0.96	<0.02	85.7	404	22	0.69	307	21.7	12.7	0.43	1.3	<0.005	0.34	52	23.8	0.86	692	63.2	1.96	3.5	73.5
E383996	62	63		1.4	6	205	60	2.88	3.76	1.86	<0.02	119.5	274	38	3.66	589	15.4	18.45	0.4	1.9	0.061	3.16	82.9	41.6	0.86	2450	47.6	0.12	5.8	51
E383997	63	63.5		3.03	3.5	468	30	1.45	7.89	1.39	0.05	314	781	22	1.73	3850	29.4	12.95	0.71	1.3	0.073	1.75	231	24.6	0.75	2320	93.6	0.11	8.3	83.1
E383998	63.5	64		0.52	0.34	33.4	300	0.2	0.72	0.67	0.02	307	150	<1	0.1	8370	48.4	8.49	0.78	0.2	0.069	0.06	234	2.3	0.29	1600	26.1	0.01	6.6	101
E383999			BLANK	0.02	0.13	<5	30	0.11	<0.01	49.1	0.41	2.75	1.2	9	<0.05	22	0.11	0.43	<0.05	0.1	<0.005	0.03	2.2	1.1	0.52	42	0.54	0.01	0.4	<0.2
E384000	64	64.5		1.46	0.27	173	20	0.18	3.41	1.49	0.05	272	497	<1	0.06	>10000	47.5	8.08	0.79	0.1	0.135	0.03	206	2.1	0.54	2480	62.9	0.01	6.4	96.6
E384001	64.5	65		0.11	0.27	9.9	110	0.11	0.22	0.12	<0.02	26.1	25.2	8	0.16	987	3.04	1.26	0.06	0.2	<0.005	0.09	17.9	2.7	0.05	237	4.84	0.01	0.8	6.7
E384002	65	65.5		1.1	0.11	135	180	0.25	3.01	1.15	0.03	158.5	434	<1	<0.05	>10000	45.1	5.88	0.68	0.1	0.093	0.01	118.5	0.8	0.46	2270	37.2	<0.01	7.8	84.9
E384003	65.5	66		2.91	1.2	333	40	0.83	7.12	0.96	0.06	154	588	9	0.49	5430	39.6	8.24	0.84	0.5	0.089	0.45	114.5	9.2	0.59	2390	111	0.01	8.3	102
E384004	66	67		4.27	3.96	496	40	1.58	9.03	0.96	0.03	188.5	596	29	1.97	364	26	13.25	0.56	1.2	0.046	1.95	138.5	29.2	0.76	2140	90	0.03	7.2	95.2
E384005	90	91		0.31	5.19	83.1	90	2.03	3.83	4.02	<0.02	83.8	161	27	2.88	1800	10.7	15.55	0.25	2	0.129	2.33	47.3	18.3	2.59	10700	21.6	0.03	3.2	40.4
E384006	91	91.5		0.29	6.32	123.5	80	2.27	8.09	6.25	<0.02	131	173.5	30	3.68	390	7.86	19.3	0.28	2.6	0.12	2.71	72.4	24.6	3.23	5230	32.9	0.04	4	49.4
E384007	91.5	92		1.32	4.37	247	40	2.05	12.9	6.08	<0.02	31.8	334	20	2.16	4490	10.3	11.3	0.28	1.9	0.154	1.78	7.8	23.6	3.15	7550	67.8	0.03	2.7	57.3
E384008	92	92.5		2.18	4.09	298	40	1.62	14.15	7.53	0.04	45.8	410	15	1.5	9510	10.85	8.9	0.26	1.7	0.127	1.45	19.5	22.5	3.86	6340	60.7	0.02	1.8	59.1
E384009	92.5	93		2.69	3.22	300	30	1.33	13.55	1.16	0.06	37.8	431	21	1.22	>10000	19.9	10.45	0.4	1.6	0.522	0.99	20.8	20.5	2.86	15250	151.5	0.01	2.2	67.8
E384010			BLANK	0.03	0.14	<5	70	0.12	0.03	49.5	0.4	2.27	1.3	7	<0.05	40.4	0.09	0.42	<0.05	0.1	<0.005	0.03	1.8	1.2	0.53	65	1.17	0.01	0.3	0.2
E384011			STANDARD 1	0.99	5.93	57	70	1.73	2.41	2.09	<0.02	55.8	154	36	3.35	8010	9.5	15.4	0.19	2	0.129	2.23	23.9	19.7	1.19	3180	65.5	1.06	3.2	36.2
E384012	93	93.5		5.88	3.18	576	20	1.15	23.4	0.25	0.09	23.3	694	17	1.49	>10000	23.2	10.8	0.49	1.5	0.624	1.25	10.4	14.8	2.36	16200	259	0.01	3.3	99.1
E384013	93.5	94		4.01	5.66	335	50	2.42	11	2.99	0.04	58.3	382	30	2.45	5830	9.54	17.5	0.26	1.7	0.176	2.54	18.5	19.8	2.37	5510	112	0.03	2.1	41.2
E384014	94	95		0.59	5.38	174.5	60	2.18	8.16	0.21	0.02	55.8	263	34	2.77	985	13.2	20.1	0.27	2	0.363	2.39	27.4	19.6	1.71	10050	17.9	0.03	2.2	38.1
E384015	104	105		1.52	3.77	11.4	600	0.96	0.45	0.42	<0.02	242	51.9	24	1.69	3130	16	12.9	0.34	1.3	0.248	1.39	185.5	36.1	1.31	7830	56.4	0.02	16.8	40.5
E384016	105	105.5		0.95	2.65	12.7	510	0.57	0.27	0.58	<0.02	221	52.8	17	0.92	1740	21.3	9.79	0.36	0.8	0.275	0.91	172	22.8	1.4	12950	53.2	0.01	16.6	44.5
E384017	105.5	106		1.73	2.95	9.4	310	0.69	0.4	0.77	<0.02	254	49.8	18	1.21	3600	21.2	11.35	0.44	0.9	0.337	1.1	188.5	26	1.25	10900	48.4	0.01	19.8	36.2
E384018	106	106.5		1.85	6.32	11.8	200	1.13	0.57	0.32	<0.02	269	62.3	37	2.08	7600	17.7	17.5	0.43	1.7	0.131	1.53	210	62.9	2	4870	54.8	0.01	9.1	72.7
E384019	106.5	107		3.12	3.16	10.2	120	0.57	0.69	0.51	<0.02	497	51.1	17	1.04	8810	18.7	11.45	0.52	1	0.246	0.81	355	31	1.28	11050	85.7	0.01	11	42.5
E384020	107	107.5		2.95	4.13	7.5	410	1.04	0.68	0.46	0.03	396	45.3	23	2.32	8900	16.85	14.55	0.47	1.4	0.261	1.67	294	33.1	1.22	11200	71.8	0.02	12.4	33.7

IG-2007-19

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Ra	S	Sb	Sc	Se	Sn	Sr	Te	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Be
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E383935	29.3	30		710	73.4	0.3	0.032	9.6	2.51	2.5	11	1.2	3	<0.05	0.91	2.4	0.007	0.47	480	16	7.6	4.1	15	1.3		0.048	
E383936	30	30.5		920	60.3	1	0.039	>10.0	2.15	5.2	11	1.4	5.3	<0.05	0.97	3.7	0.009	0.43	820	11	6.4	9.1	28	7.3		0.062	
E383937	30.5	31		1060	30.4	0.1	0.021	5.63	2.05	3.8	6	1.5	4	<0.05	0.52	1.6	0.006	0.29	338	16	8.5	5.7	14	2.2		0.037	
E383938	31	31.5		1370	17.1	0.1	0.028	6.23	3.98	4.1	5	2.5	5.6	<0.05	2.19	1.7	0.005	0.29	128	19	8.9	5.3	14	0.8		0.053	
E383939	31.5	32		1020	9.9	0.1	0.021	5.2	1.75	3.1	6	2.3	3.8	<0.05	1.28	0.7	0.006	0.22	69.9	21	6.1	4.2	18	1.5		0.036	
E383940	32	32.5		2640	31.5	1.4	0.018	7.77	2.94	5.3	5	2	8.4	0.3	1.8	6.1	0.021	0.49	520	15	4.3	12.9	39	19.8		0.054	
E383941			BLANK	110	0.6	0.5	0.003	0.07	0.05	0.4	3	<0.2	276	<0.05	<0.05	0.2	0.008	<0.02	1.8	6	0.1	2.8	32	3.4		0.001	
E383942			STANDARD 1	770	21.3	89.1	0.023	2.15	1.52	9.4	3	7.3	599	0.18	0.23	7.9	0.084	0.34	280	51	8.1	14.7	7	56.7		0.063	
E383943	32.5	33		1900	18.4	0.8	0.018	4.54	3.36	3	4	2	9.5	0.38	1.58	8	0.028	0.39	420	26	3.3	10.6	34	14.1		0.041	
E383944	33	33.5		970	21.7	0.2	0.016	6.03	3.6	2.9	4	1.6	7.5	0.1	3.08	3.2	0.013	1.58	226	34	2.8	5.7	15	3.3		0.056	
E383945	33.5	34		1150	28.5	0.6	0.013	7.43	3.2	3.4	6	2.1	5.3	0.09	2.16	2.1	0.01	1.25	251	19	3	6.5	22	4.1		0.05	
E383946	34	34.5		1390	9.6	0.3	0.025	6.37	1.37	3.3	7	1.5	6.1	0.26	0.88	5.3	0.017	0.81	34.8	21	3.2	6.3	18	10		0.027	
E383947	34.5	35		1420	7.5	0.2	0.023	4.38	1.36	5.2	4	2.2	5.4	0.07	0.48	2.5	0.008	0.54	40.1	18	4.4	5.5	12	2.6		0.022	
E383948	35	35.5		1100	6.8	0.2	0.01	2.8	1.75	3.6	3	1.8	4.4	0.06	0.2	1.3	0.007	0.53	38.9	21	8.4	4.8	5	2.3		0.013	
E383949	35.5	36		1840	8.6	0.2	0.009	2.16	1.6	3.3	3	2.9	6.4	0.06	0.15	1.5	0.007	0.14	63.7	25	9.2	7	3	2.2		0.015	
E383950	36	36.5		2110	10.9	0.2	0.012	4.11	2.93	3.9	4	2.7	7	0.06	0.38	1.8	0.007	1.9	68.3	28	10.2	8.3	4	2.7		0.017	
E383951	36.5	37		1430	5.8	0.1	<0.002	1.85	1.89	1.9	2	2.2	5.3	0.07	0.05	0.4	0.006	0.18	21.5	31	10.8	5.7	<2	0.8		0.006	
E383952	37	37.5		1470	5.5	0.3	0.011	4.2	1.99	1.9	3	2.2	5.9	0.08	0.43	0.4	0.01	0.79	10.8	42	6.2	5.7	6	3.6		0.012	
E383953			BLANK	130	0.7	0.5	<0.002	0.06	0.06	0.4	<1	<0.2	294	<0.05	<0.05	0.2	0.006	<0.02	0.9	2	0.1	2.7	50	4.3		<0.001	
E383954	37.5	38		1810	13.9	0.2	0.032	>10.0	2.75	1.9	8	1.8	6.8	0.09	1.75	1.2	0.012	1.31	52.1	28	6	7.2	16	9.4		0.025	
E383955	38	38.5		1580	11.7	0.1	0.019	6.33	3	1.9	5	1.7	6.2	0.06	0.51	2.1	0.009	0.68	51.4	26	16	7.5	14	6.1		0.022	
E383956	38.5	39		880	2.5	0.1	0.002	1.53	1.58	2.7	2	0.8	4.2	<0.05	<0.05	0.2	0.005	0.07	15.9	23	8.4	3.6	3	<0.5		0.003	
E383957	39	39.5		860	4.6	0.1	0.006	2.73	1.41	2.3	3	0.8	4.3	<0.05	0.06	<0.2	0.005	0.2	20.2	21	8.4	3.5	3	<0.5		0.007	
E383958	39.5	40		1050	8	0.3	0.01	3.91	2.68	2.5	2	1	3.8	0.07	0.26	0.3	0.006	0.51	56.8	27	15.6	4.2	4	1		0.012	
E383959	40	40.5		1110	7.1	0.2	0.008	2.81	2.44	3.3	2	1.4	4.4	0.06	0.14	0.2	<0.005	0.24	44.6	23	17.5	4.7	4	0.6		0.009	
E383960	40.5	41		1410	5.1	0.2	0.007	2.02	2.22	3.1	2	1.3	5.5	0.06	0.08	0.3	<0.005	0.21	37.3	27	13.9	5.2	<2	<0.5		0.008	
E383961	41	41.5		1670	6.2	0.1	0.015	3.97	2.43	3.6	3	1	6	0.05	0.24	0.2	<0.005	0.63	22.9	26	7.8	6.7	3	0.8		0.015	
E383962	41.5	42		1320	7.1	0.1	0.007	1.86	2.44	3.9	2	1.1	4.9	0.09	0.07	0.7	<0.005	0.1	89.5	40	17.8	5.2	4	0.9		0.005	
E383963	42	42.5		1410	7.2	0.1	0.007	1.59	2.41	3	2	2	5.5	0.09	<0.05	0.4	<0.005	0.08	79.9	34	16.6	5.5	3	0.7		0.006	
E383964			BLANK	160	0.7	0.6	<0.002	0.06	0.06	0.6	1	<0.2	276	<0.05	<0.05	0.2	0.006	<0.02	0.8	1	0.1	2.9	21	3.4		0.001	
E383965			STANDARD 2	2330	6.1	38.3	0.019	6.91	2.19	5	4	7.5	208	0.18	1.03	5.5	0.043	0.5	15	61	8.2	15.1	11	24.4		0.12	
E383966	42.5	43.5		1290	3.4	0.1	0.005	1.32	1.58	2.6	2	2.3	5.5	0.1	<0.05	0.3	0.005	0.02	44.6	40	7.2	5.5	<2	<0.5		0.004	
E383967	43.5	44		1020	3.6	0.1	0.007	2.34	1.47	2.2	2	1.2	7.6	0.07	0.06	0.3	0.008	0.04	37.7	40	6.5	4.3	5	1.9		0.008	
E383968	44	44.5		1090	4.9	0.1	0.008	1.24	1.45	1.4	1	0.9	6.3	0.07	0.07	0.3	0.013	0.21	39.5	52	4.5	4.6	2	<0.5		0.008	
E383969	44.5	45		1120	3.6	0.1	0.003	2.21	1.48	1.6	3	1.8	8.1	0.11	0.06	0.4	0.005	0.04	34.5	48	4.4	4.8	<2	<0.5		0.004	
E383970	45	45.5		1310	3.2	0.1	0.009	2.78	1.51	1.8	3	1.7	9.4	0.09	0.22	0.3	0.005	0.22	22.2	39	5.4	5	<2	<0.5		0.007	
E383971	45.5	46		1220	6	0.1	0.034	5.96	2.05	1.8	12	1	11.9	0.08	1.42	0.3	0.005	0.37	34.9	38	5.1	5.1	<2	0.8		0.031	
E383972	46	46.5		1240	5.2	0.1	0.019	3.19	2.87	1.7	4	1.2	11.2	0.06	0.46	0.3	0.005	0.88	35	38	4.9	5.3	5	1.6		0.014	
E383973	46.5	47		1450	5.2	0.4	0.028	3.29	2.21	1.6	4	1.2	11.9	0.05	0.45	0.4	0.006	0.6	33.8	35	4.1	5.9	6	1.9		0.013	
E383974	47	47.5		1190	15.4	0.2	0.063	7.54	2.98	1.1	7	1.1	17.7	<0.05	2.04	0.4	0.005	1.71	109.5	36	3.3	5.5	3	0.9		0.042	
E383975	47.5	48		850	11.2	0.1	0.068	5.58	2.01	0.9	6	1.3	38.2	<0.05	2.12	0.3	0.006	1.52	64.4	44	3.4	3.7	3	0.7		0.042	
E383976			BLANK	120	0.7	0.7	<0.002	0.09	0.08	0.5	1	<0.2	276	<0.05	<0.05	0.2	0.006	<0.02	0.8	2	0.1	2.9	21	2.9		<0.001	
E383977	48	48.5		890	4.6	0.1	0.04	1.75	1.35	1	3	1.3	37	<0.05	0.5	0.4	0.005	0.56	33.9	39	3.9	4	6	0.7		0.01	
E383978	48.5	49		990	5.9	0.8	0.029	2.67	2.26	2	4	1.8	69.9	<0.05	0.56	0.4	0.006	0.67	23.5	36	7.5	4.3	14	4.4		0.013	
E383979	49	49.5		1290	5	0.4	0.029	4.14	2.16	2.4	7	1.1	106	<0.05	0.98	0.2	0.006	0.43	12.5	40	5.9	4.9	19	2.6		0.022	
E383980	49.5	50		970	13	11.8	0.019	4.54	2.09	5	3	1.7	28.9	0.11	1.08	8.2	0.03	0.76	138.5	21	3.7	10.6	39	36.2		0.025	
E383981	50	50.5		970	5.5	34.9	0.002	0.07	1.22	7.6	<1	3.3	63.4	0.22	0.05	10.1	0.084	0.15	134.5	5	4.7	13	21	69.4		<0.001	
E383982	50.5	51		710	4.2	27.1	<0.002	0.16	0.97	7.6	<1	3.5	75.9	0.24	<0.05	6.8	0.057	0.07	38.8	10	4.7	11.6	7	71.2		<0.001	
E383983	51	51.5		690	2.9	40.1	<0.002	0.3	0.85	9.3	<1	4	169	0.25	<0.05	5.4	0.057	0.06	10.9	12	5.1	11	7	84.7		<0.001	0.69
E383984	51.5	52		720	4.5	20.2	<0.002	0.47	0.78	13.3	<1	3.6	101.5	0.21	<0.05	5.4	0.053	0.07	27.2	9	4.3	15.1	9	66.2		<0.001	
E383985	52	52.5		720	44.7	9.9	0.022	>10.0	4.59	9.8	7	2.5	53.1	0.48	3.69	9.4	0.058	1.38	175	23	6.4	18.6	27	64.3		0.085	
E383986	52.5	53		410	39.8	4.6	0.018	8.46	5.22	26.4	5	1.1	39.9	0.15	2.28	11.2	0.028	1.24	229	44	7.8	17.8	36	24.2		0.056	
E383987			BLANK	130	0.8	0.7	<0.002	0.12	0.12	0.7	1	<0.2	315	<0.05	<0.05	0.3	0.007	<0.02	1.4	2	0.1	3.2	23	3.5		<0.001	
E383988			STANDARD 3	760	2.8	144	0.006	1.3	1.08	11.4	1	7.6	475	0.14	0.19	13.3	0.103	0.36	17.7	64	7.9	11.4	2	57.5		0.017	
E383989	53	53.5		210	17.3	5.2	0.005	4.19	2.58	38.6	3	2	66.8	0.21	1.08	10	0.058	0.58	275	12	3.4	18.9	24	51		0.029	
E383990	53.5	54		810	12.6	6.7	0.003	3.74	2.58	24.1	3	2.4	54.4	0.2	0.9	11.9	0.057	0.42	178	19	7.8	21.1	19	52.8		0.027	
E383991	54	54.5		800	20	15.8	0.019	1.84	2.99	13.8	1	2.7	86.8	0.22	0.65	24.7	0.065	0.2	460	2	3.6	23.7	3	68.9		0.014	
E383992	54.5	55		840	13	21.7	0.018	1.56	2.22	12.9	1	3	82.6	0.13	0.84	16	0.059	0.18	263	10	2.8	18.9	8	68.6		0.018	
E383993	55	55.5		1060	13.8	5.6	0.005	2.64	2.9	12.1	3	3.2	74.9	0.16	1.46	9.6	0.052	0.92	102.5	14	2.9	16.1	12	76.4		0.039	
E383994	55.5	56		1460	7.2	11.7	0.008	0.63	1.42	8.7	1	3.6	246	0.19	0.37	3.2	0.088	0.25	42.1	32	3.9	12.9	32	82.1		0.005	
E383995	56	56.5		1540	10.9	16	0.018	3.47	3.12	6.7	4	2.7	269	0.09	1.37	4.5	0.041	0.94	18.2	58	2.2	10.6	31	47.3		0.029	
E383996	62	63		1560	9.9	130	0.015	3.51	2.28	10.1	2	21.7	51.6	0.16	0.64	6.8	0.107	1.03	48.5	69	11.6	16.5	19	61.4		0.034	
E383997	63	63.5		1320	18	79.9	0.034	7.99	4.03	6	6	14.7	25.2	0.16	1.59	16.2	0.067	1.28	182	55	9	18.9	25	42.3		0.085	
E383998	63.5	64		1290	2.6	2.6	0.008	1.95	1.81	0.3	3	2.3	14.9	0.12	0.12	4.3	0.013	0.05	13.2	47	6.5	11.6	3	6		0.051	
E383999			BLANK	110	0.7	0.6	<0.002	0.07	0.07	0.4	1	<0.2	290	<0.05	<0.05	0.2	0.006	<0.02	0.7	5	0.1	2.9	22	3.6		<0.001	
E384000	64	64.5		1550	7.9	1	0.02	5.55	2.4	0.7	5	2.4	30.1	0.07	0.69	3.4	0.008	1.16	29.7	39	6.3	13.2	<2	3	1.385	0.156	
E384001	64.5	65		120	2	3	0.002	0.31	0.28	1	<1	0.3	6.8	<0.05	0.05	2.3	0.016	0.1	2.5	5	0.4	2.5	4	6.3		0.008	
E384002	65	65.5		1530	6.4	0.5	0.019	4.86	1.99	0.3	6	1.7	13.9	0.07	0.61	2	0.007	0.52	17.9	41	3.5	9.6	<2	2.5	1.52	0.075	
E384003	65.5	66		1360	19.1	20.7	0.041	6.01	4.37	1.8	7	5.6	17.8	0.13	1	13.7	0.039	2.27	332	52	12.4	16.3	7	16.4		0.088	
E384004	66	67		1400	24	86.9	0.035	7.12	3.95	5	4	13.9	30.7	0.13	1.39	12.2	0.08	2.75	161	85	9	16.8	25	36.6		0.048	
E384005	90	91		1180	4	90.7	0.013	1.45	0.84	8.3	1	4.6	298	0.12	0.14	9.1	0.069	0.78	16.4	77	9.5	13	19	64.2		0.006	
E384006	91	91.5		680	5.9	106	0.025	2.73	1.2	10.6	1	4.6	135.5	0.22	0.15	11.9	0.114	0.79	26.8	74	11.4	15.1	21	63.3		0.007	
E384007	91.5	92		460	16.1	74.5	0.021	4.34	1.28	9.2	1	2.5	483	0.17	0.07	5.7	0.083	1.85	133.5	47	8.6	13.9	22	61.7		0.01	
E384008	92	92.5		470	13.7	55.5	0.013	5.33	1.09	8.3	<1	1.8	218	0.12	0.05	8.6	0.063	2.06	39.2	38	5.7	10.8	18	56.5		0.015	
E384009	92.5	93		670	14.5	43.7	0.072	5.29	1.08	8.4	1	3.2	146.5	0.11	0.12	6.5	0.054	2.43	160.5	55	5.9	11.6	29	54	1.53	0.035	
E384010			BLANK	100	1.4	0.7	<0.002	0.08	0.08	0.3	1	<0.2	293	<0.05	<0.05	0.2	0.007	<0.02	3.8	5	0.1	2.8	25	4		0.001	
E384011			STANDARD 1	830	20	87.5	0.023	2.27	1.54	8.3	2	7.2	670	0.18	0.24	8.3	0.083	0.39	294	57	8.3	14.5	7	64.6		0.055	
E384012	93	93.5		840	322	55	0.144	6.66	3.32	6.2	2	4.3	45.6	0.12	0.23	7.4	0.059	4.33	2780	53	8.1	29.1	12	49.8	2.81	0.067	
E384013	93.5	94		660	37.1	95.1	0.07	3.49	1.36	9	1	8.2	346	0.12	0.13	9.4	0.106	2.25	316	70	9.9	14.7	14	57.2		0.02	
E384014	94	95		780	12.8	106.5	0.018	2.37	1	8.9	<1	5.4	338	0.1	0.13	8.6	0.095	1.54	69	69	9.5	10.9	29	63.2		0.011	
E384015	104	105		1730	3	75	0.019	0.41	1.38	6.3	3	24.4	15.6	0.4	1.28	8.9	0.101	0.18	20.3	58	11.6	13.7	40	41.3		0.073	
E384016	105	105.5		2520	2.6	40.4	0.014	0.19	1.07	4.4	2	17.8	15	0.42	0.47	6.4	0.083	0.06	10.4	69	9.7	13.2	44	26.5		0.047	
E384017	105.5	106		3180	2.5	54	0.028	0.39	1.16	5.1	3	22.1	14.4	0.55	0.79	8.5	0.091	0.09	5.8	82	11.5	16.8	42	29.2		0.06	
E384018	106	106.5		1490	2.7	77.5	0.028	0.61	1.06	8.5	4	23.9	10.8	0.24	0.74	11.6	0.104	0.15	20	69	10.7	12.4	60	56.7		0.098	
E384019	106.5	107		2400	3.2	44.2	0.059	0.71	1.01	6.7	5	16.3	9.6	0.22	1.46	9.6	0.06	0.1	21.5	52	8.2	15.9	29	31.8		0.153	
E384020	107	107.5		2110	3.1	93.4	0.064	0.71	1.04	7.4	5	21.5	11	0.44	1.95	9.3	0.109	0.18	20.3	55	12.7	14.7	19	46.2		0.147	

IG-2007-19

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
E384021	107.5	108		0.42	3.51	8.2	880	0.78	0.23	0.39	<0.02	332	34.3	25	1.93	1320	18.5	12.45	0.43	1.2	0.293	1.56	268	25.5	1.33	10800	33	0.02	9.9	29.9
E384022			BLANK	0.03	0.14	<5	30	0.08	<0.01	49	0.4	2.92	0.7	5	<0.05	10.4	0.08	0.49	<0.05	0.1	<0.005	0.03	2.3	1.2	0.52	57	0.62	0.01	0.3	<0.2
E384023	108	108.5		0.43	2.18	10.4	290	0.48	0.13	0.46	<0.02	291	47.2	24	0.89	780	21	8.89	0.37	0.9	0.314	0.77	235	21.8	1.29	13750	51.9	0.01	11.9	35.6
E384024	108.5	109		0.64	3.52	11.2	210	0.5	0.22	0.52	<0.02	238	52.6	20	0.84	2610	21	8.81	0.38	1.3	0.263	0.64	195	35.1	1.77	13950	43.7	0.01	7.6	47.1
E384025	109	109.5		0.27	8.97	2.3	770	3.1	0.17	0.22	<0.02	142.5	29.6	58	5.09	1230	9.06	28.7	0.24	2.9	0.136	4.41	89.4	52.8	1.32	2820	11.4	0.04	3.6	42.4
E384026	109.5	110		0.13	9.1	3.4	1120	3.43	0.06	0.18	<0.02	170.5	21	61	6.18	292	7.28	29.6	0.24	3	0.091	4.56	92.7	53.5	1.14	843	6.59	0.05	4.9	38.2
E384027	110	110.5		0.31	8.88	3.5	740	2.75	0.52	0.2	<0.02	153.5	39	60	5.6	8110	9.16	28.2	0.23	2.9	0.134	4.29	92.8	49.6	1.26	3110	5.05	0.04	3.9	37.2
E384028	110.5	111		0.15	8.71	5.7	740	2.68	0.11	0.36	<0.02	142.5	46.5	56	5.26	1770	11.55	22	0.26	3	0.08	3.13	88.2	72.4	1.82	1510	6.01	0.03	2.8	56.9
E384029	111	111.5		0.07	7.57	3.6	2390	2.16	0.01	0.21	<0.02	123.5	62.1	48	4.13	474	14.6	21.3	0.27	2.6	0.122	2.67	74.4	74.6	1.91	6590	2.67	0.03	2	51.1
E384030	111.5	112		0.05	7.68	3.6	810	1.91	0.03	0.19	0.03	121.5	69.2	46	6.27	341	11.7	21	0.18	2.8	0.109	3.04	72.1	65	1.77	4820	1.42	0.03	2	44.5
E384031	112	112.5		0.07	8.77	7.4	2400	2.74	0.11	0.26	<0.02	126	32.6	60	10.25	237	6.48	25.9	0.15	3.4	0.075	3.99	74.2	64.6	1.56	219	1.95	0.03	3	34.9
E384032	112.5	113		0.08	8.87	7.6	830	3.13	0.2	0.25	<0.02	111.5	60.7	68	14.65	98	10.3	19.3	0.22	4.5	0.068	3.19	52.6	108	2.04	263	5.69	0.03	1.8	57.1
E384033			BLANK	0.02	0.14	<5	30	0.08	<0.01	47.1	0.37	2.21	0.9	5	<0.05	2.9	0.06	0.49	<0.05	0.1	<0.005	0.03	1.7	1.3	0.5	35	0.22	0.01	0.3	2.1
E384034			STANDARD 2	1.16	2.29	109	20	0.53	10.35	2.25	<0.02	211	324	10	2.58	8430	26.1	9.27	0.39	0.8	0.246	0.65	124	16.2	1.54	6160	61.2	0.24	5.5	60.2
E384035	113	113.5		0.2	9.05	8.8	9770	4.39	0.37	0.24	<0.02	97.8	30.9	65	9.5	199.5	4.52	37.4	0.09	3.7	0.082	4.63	55.6	85.7	1.36	109	61.5	0.06	3.3	31.2
E384036	113.5	114		0.49	8.83	126.5	110	3.55	1.84	0.22	<0.02	67.8	152	48	12.85	150	7.96	30.2	0.15	3.4	0.058	3.9	33.4	88.7	1.47	145	31.6	0.04	2	57.3
E384037	114	114.5		1.79	6.25	497	30	2.23	5.3	0.12	<0.02	81.7	215	36	6.24	438	13.8	20.6	0.31	2.5	0.058	2.58	38.8	53.6	1.29	300	41.3	0.03	2.5	66.6
E384038	114.5	115		0.18	6.98	67.9	340	2.86	0.61	0.21	<0.02	88.1	112.5	43	4.17	53.1	7.67	24.6	0.14	2.4	0.115	3.32	47.1	59	1.27	1195	4.34	0.04	2.9	37.1
E384039	115	115.5		0.17	7.02	110.5	260	2.97	0.86	0.22	<0.02	106.5	72.6	40	4.81	144.5	7.12	25.3	0.16	2.4	0.076	3.24	55.8	58.5	1.18	251	5.29	0.04	3.1	32.4
E384040	115.5	116		0.15	7.04	32.5	200	1.96	0.53	0.41	<0.02	135	110	44	3.39	182	8.66	23.9	0.17	2.3	0.091	2.65	80.4	86.3	1.74	266	9.39	0.03	4.1	38.9
E384041	116	116.5		0.15	7.72	49.9	130	2.25	0.82	0.21	<0.02	112.5	136	50	4.79	434	13.05	21.9	0.24	2.7	0.1	2.14	82.5	90.2	2.71	696	6.13	0.03	3.1	40.1
E384042	116.5	117		0.37	6.49	399	60	2.25	2.17	0.25	<0.02	127	127	34	9.94	660	12.8	19.15	0.26	2.4	0.049	2.35	85.5	56.4	1.61	272	13.55	0.02	3	44.7
E384043	117	117.5		1.07	5.21	342	850	1.42	4.09	0.16	<0.02	72.2	253	25	5.51	237	16.55	16.4	0.3	1.9	0.127	1.94	35.5	43.9	1.42	3390	53.3	0.02	2.9	52.1
E384044	117.5	118		0.32	6.84	116.5	50	2.54	2.08	0.19	<0.02	44.3	200	45	6.22	328	8.83	21.3	0.16	2.4	0.042	2.97	13.2	45.3	0.87	119	57.1	0.7	2.5	47.4
E384045			BLANK	0.02	0.14	<5	50	0.1	<0.01	48.6	0.4	2.49	1.1	5	<0.05	2.7	0.06	0.47	<0.05	0.1	<0.005	0.03	1.8	1.2	0.52	36	0.48	0.02	0.3	2.8
E384046	118	118.5		1.09	3.46	454	10	0.76	7.87	0.39	<0.02	19.2	417	19	1.39	1550	18.9	9.07	0.32	1.2	0.024	0.79	4.4	23.8	0.72	509	21.9	0.76	3.8	80.1
E384047	118.5	119		0.1	2.23	14.4	90	0.29	0.27	6.51	<0.02	112	48.4	8	0.32	266	17.2	5.46	0.16	0.5	0.107	0.18	74.9	11.2	2.97	9000	49.4	0.73	6	22.2
E384048	119	119.5		0.11	4.24	16.1	60	0.44	0.35	3.33	<0.02	40.3	155.5	18	0.87	209	13.95	11.15	0.16	1.3	0.032	0.29	19.8	24.5	1.89	3390	24.6	1.66	7.4	43.1
E384049	119.5	120		0.08	5.29	5.2	180	0.44	0.1	5.17	<0.02	15.25	81.7	23	1.15	27.2	12.4	8.46	0.1	1.7	0.038	0.3	8.9	12.6	2.02	4520	5.82	3.16	7.2	19.2
E384050	120	120.5		0.09	5.63	5.6	160	0.43	0.18	3.96	<0.02	93.6	55.2	25	0.52	16.3	11.85	10.3	0.13	1.8	0.035	0.2	57.4	15.7	1.75	3730	3.19	3.38	7.2	17.3
E384051	120.5	121		0.11	5.11	7.9	100	0.33	0.4	5.47	<0.02	47	77.8	23	0.37	93.9	11.25	10.05	0.11	1.7	0.093	0.19	27.6	13.8	2.27	5180	14.3	3.11	4.3	29.2
E384052	121	121.5		0.19	5.79	28.1	50	0.51	0.66	3.21	<0.02	128	145.5	27	0.77	52.3	8.78	10.9	0.14	2	0.038	0.43	74.4	15.5	1.45	3140	60.2	3.38	5	29.9
E384053	121.5	122		1.16	4.01	273	10	0.59	6.52	1.32	<0.02	133	442	20	2.16	640	20.4	10.3	0.38	1.5	0.059	0.7	40.3	36.9	1.64	1370	133	0.32	6.7	74.2
E384054	122	122.5		0.91	2.32	166	20	0.28	2.73	0.44	<0.02	142.5	240	14	0.7	2190	14.35	6.16	0.3	0.8	0.158	0.15	47.9	36.1	1.32	2900	184	0.01	4.9	57.7
E384055	122.5	123		1.21	4.34	228	20	0.66	3.71	0.33	<0.02	344	288	24	3.86	447	14.05	9.83	0.38	1.8	0.038	0.78	196	48.8	1.4	208	160	0.02	4.5	65.9
E384056			BLANK	0.03	0.13	5	80	0.07	0.01	46.2	0.37	2.64	1.5	5	<0.05	4.1	0.06	0.52	<0.05	0.1	<0.005	0.03	2	1.3	0.49	34	1.13	0.01	0.3	2.9
E384057			STANDARD 3	0.29	6.62	46.1	130	2.33	1.46	1.83	<0.02	85.8	99.1	37	8.44	1670	6.82	18.7	0.1	2.1	0.126	2.63	45.6	21.2	1.29	3040	20.5	0.58	3.3	24.9
E384058	123	123.5		1.07	5.33	436	120	0.93	3.86	0.28	0.02	70.7	341	29	3.8	387	19.4	11.85	0.34	1.8	0.035	0.82	37.6	54.7	1.71	187	66.8	0.06	6.7	109.5
E384059	123.5	124		0.48	7.27	211	40	1.29	1.6	0.41	<0.02	118.5	240	40	5.1	388	20.3	13	0.29	2.6	0.074	0.75	81.4	96.4	2.65	259	60.6	0.01	4.8	96.7

IG-2007-19

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E384021	107.5	108		1700	2.5	77.9	0.015	0.12	1.8	6.4	1	17.4	20.6	0.33	0.38	10.5	0.113	0.14	13.2	59	12.6	12.1	34	38.8		0.023	
E384022			BLANK	120	0.9	0.8	<0.002	0.07	0.07	0.3	1	<0.2	292	<0.05	<0.05	0.3	0.006	<0.02	0.7	5	0.1	2.8	23	4		<0.001	
E384023	108	108.5		1960	2.3	38.2	0.021	0.08	1.78	4.3	1	16.2	11.8	0.35	0.3	8.4	0.077	0.07	7	58	10.8	9.3	38	26.9		0.016	
E384024	108.5	109		2270	3.1	27.8	0.009	0.25	1.55	4.9	2	9.9	11.9	0.23	0.21	8.9	0.067	0.07	9.8	81	8.3	11.5	59	41.2		0.017	
E384025	109	109.5		950	2.5	209	0.012	0.12	0.87	15.3	1	10.6	7.2	0.18	0.14	19.4	0.2	0.34	17.4	92	20.9	15.1	42	94.4		0.005	
E384026	109.5	110		840	2.2	221	0.003	0.03	1.25	13.9	1	10.7	8.7	0.26	0.11	19.7	0.237	0.37	27.7	88	23.5	14.9	34	96.1		0.002	
E384027	110	110.5		930	2.8	203	0.011	0.71	1.14	13.5	3	9.4	6.2	0.21	0.15	18.7	0.207	0.43	32.8	98	20.3	14.6	23	94		0.003	
E384028	110.5	111		1620	2.4	144	0.005	0.12	1.06	12.1	1	6.5	12.7	0.16	0.13	16.6	0.145	0.3	43.3	90	11.1	17.3	74	98.3		0.004	
E384029	111	111.5		880	1.9	117.5	<0.002	0.06	0.9	11.2	<1	6.6	24.1	0.13	<0.05	17.1	0.138	0.21	16.8	78	9	13.6	76	84		<0.001	
E384030	111.5	112		760	3.1	124.5	<0.002	0.02	0.83	12.8	<1	5.8	14.6	0.15	<0.05	19	0.116	0.29	24.7	72	7.7	14.4	67	92.9		<0.001	
E384031	112	112.5		1160	2.6	164.5	0.015	0.18	1.16	16.5	<1	6.5	48.8	0.23	0.05	22.5	0.116	0.41	57.5	87	8	18.8	54	109.5		<0.001	
E384032	112.5	113		1200	2.1	73.7	0.027	0.03	1.07	17.2	<1	3.7	19.1	0.15	<0.05	27	0.054	0.4	140	64	4.4	24.8	96	146.5		<0.001	
E384033			BLANK	120	0.6	0.7	<0.002	0.07	0.07	0.5	1	<0.2	277	<0.05	<0.05	0.2	0.006	<0.02	0.8	5	0.1	2.8	22	4.4		<0.001	
E384034			STANDARD 2	2300	5.7	30.7	0.018	6.71	2.02	3.8	4	6.8	187.5	0.12	1.05	5.7	0.032	0.47	14.5	67	6.6	14.8	7	25.8		0.121	
E384035	113	113.5		1030	1.8	206	0.242	0.44	1	27.1	<1	16.7	291	0.21	0.13	17.8	0.145	0.42	30.5	136	15.2	16.5	35	119.5		0.007	1.1
E384036	113.5	114		880	5.5	185	0.145	3.77	1.27	12.7	2	13.2	389	0.12	1.09	16.3	0.101	0.48	78.6	91	11	14.9	36	111.5		0.029	
E384037	114	114.5		510	9.2	104.5	0.09	9.82	3.15	8.4	3	9.6	77.8	0.17	4.18	13	0.105	0.29	24.5	72	8.4	15.2	40	81.9		0.093	
E384038	114.5	115		780	2.2	145.5	0.007	2.38	0.76	13.5	1	15	97.3	0.19	0.45	14.9	0.152	0.25	8.4	77	13.2	11.6	28	79		0.008	
E384039	115	115.5		980	3.1	144	0.012	3.58	1.12	12.4	1	12.1	57.6	0.17	0.53	14.8	0.114	0.28	11.1	87	11.7	12.8	38	80.7		0.011	
E384040	115.5	116		1820	3	118	0.012	2.4	0.85	13.6	1	11.9	48.8	0.16	0.43	16.2	0.092	0.2	37.9	87	9	15.9	48	75.8		0.007	
E384041	116	116.5		940	2.9	105	0.008	2.94	1.06	13.6	1	10.2	86.4	0.19	0.29	16.9	0.131	0.19	20.6	81	9.8	13.6	100	90.6		0.006	
E384042	116.5	117		1030	5.7	82.2	0.008	8.47	1.49	9.6	1	8	15.8	0.14	0.7	16.1	0.077	0.34	54.3	62	8.4	16.1	57	82.4		0.022	
E384043	117	117.5		660	7	85.1	0.045	>10.0	1.85	10	2	11.2	79.6	0.13	2.36	9.1	0.07	0.25	35.2	62	10.8	10.4	44	60.8		0.046	
E384044	117.5	118		740	5.8	121	0.078	7.09	1.44	10.2	1	15	297	0.14	0.54	7.9	0.088	0.32	54.9	68	10.3	14.1	25	78.3		0.019	
E384045			BLANK	100	0.7	0.8	<0.002	0.07	0.07	0.4	1	<0.2	288	<0.05	<0.05	0.2	0.006	<0.02	0.7	5	0.1	2.9	33	4.1		<0.001	
E384046	118	118.5		730	5.1	36.3	0.014	>10.0	2.22	4	3	6.2	141.5	0.2	2.32	1.8	0.071	0.15	9.5	45	7.1	9.5	31	37.3		0.073	
E384047	118.5	119		1720	2.2	5.5	0.017	1.1	0.49	5.8	1	3.7	855	0.18	0.09	3.1	0.047	0.02	6.3	46	3	15.6	33	18.4		0.044	
E384048	119	119.5		940	2	10.4	0.005	1.69	0.75	5.7	3	6.3	745	0.33	0.12	6.2	0.106	0.07	7.3	50	4.9	11.8	43	43.6		0.008	
E384049	119.5	120		800	1.7	9.2	0.002	0.95	0.79	6.8	1	6.7	457	0.44	0.08	8.5	0.15	0.05	8.5	42	6.3	12	32	57.8		0.002	
E384050	120	120.5		1230	1.8	6.7	<0.002	0.81	0.79	5.5	1	8.8	576	0.46	0.07	9.8	0.16	0.05	6.1	52	7.6	12.4	33	58.6		0.005	
E384051	120.5	121		660	2.7	6.2	0.008	1.31	0.71	7.9	1	4.9	579	0.3	0.06	6.5	0.124	0.05	5.3	53	6.7	12	35	55.9		<0.001	
E384052	121	121.5		870	3	15.6	0.018	2.53	0.78	8.1	1	5.8	356	0.34	0.56	11.5	0.14	0.09	16.5	47	6.9	13.5	30	66.5		0.013	
E384053	121.5	122		1140	7.6	26.7	0.036	>10.0	1.67	5.6	4	7.1	122.5	0.3	2.42	6.2	0.118	0.19	22.2	80	11	12.1	55	49.7		0.071	
E384054	122	122.5		1530	6.2	5.5	0.085	7.15	1.26	4.1	3	2.7	221	0.18	1.44	6.4	0.084	0.09	31.2	43	4.5	9.7	49	25		0.044	
E384055	122.5	123		1580	7.7	29.9	0.077	9	1.76	4.3	4	4.6	164	0.24	2.81	13.9	0.102	0.22	46.1	45	7.6	12.8	55	59.3		0.073	
E384056			BLANK	100	0.7	0.6	<0.002	0.08	0.07	0.4	1	<0.2	274	<0.05	<0.05	0.2	0.006	<0.02	0.7	4	0.1	2.9	27	3.7		<0.001	
E384057			STANDARD 3	710	2.6	120	0.005	1.17	1.14	9.9	1	7.6	428	0.19	0.19	12.5	0.105	0.35	18.9	61	8.3	11.5	14	69.8		0.018	
E384058	123	123.5		1220	7.9	29.1	0.02	>10.0	2.63	6	4	8.2	88.8	0.35	3.25	7.9	0.129	0.16	23.6	74	12.5	9.8	68	60.6		0.071	
E384059	123.5	124		1870	5.6	33.6	0.023	7.15	1.9	9	3	9	95.5	0.29	1.02	15.9	0.146	0.13	27.6	69	7.9	15.7	112	87.9		0.03	

IG-2007-20

Sample No	From (m)	To (m)	Standard/Blank
E384060	22	23	
E384061	23	23.5	
E384062	23.5	24	
E384063	24	24.5	
E384064	24.5	25	
E384065	25	25.5	
E384066	25.5	26	
E384067	26	26.5	
E384068			Blank
E384069	26.5	27	
E384070	27	27.5	
E384071	27.5	28	
E384072	28	28.5	
E384073	28.5	29	
E384074	29	29.5	
E384075	29.5	30	
E384076	30	30.5	
E384077	30.5	31	
E384078	31	31.5	
E384079			Blank
E384080			Standard 1
E384081	31.5	32	
E384082	32	32.5	
E384083	32.5	33	
E384084	33	33.5	
E384085	33.5	34	
E384086	34	34.5	
E384087	34.5	35	
E384088	35	35.5	
E384089	35.5	36	
E384090	36	36.5	
E384091			Blank
E384092	36.5	37	
E384093	37	37.5	
E384094	37.5	38	
E384095	38	38.5	
E384096	38.5	39	
E384097	39	39.5	
E384098	39.5	40	
E384099	40	40.5	
E384100	40.5	41	
E384101	41	41.5	
E384102			Blank
E384103			Standard 2
E384104	41.5	42	
E384105	42	42.5	
E384106	42.5	43	
E384107	43	43.5	
E384108	43.5	44	
E384109	44	44.5	
E384110	44.5	45	
E384111	45	45.5	
E384112	45.5	46	
E384113	46	46.5	
E384114			Blank
E384115	46.5	47	
E384116	47	47.5	
E384117	47.5	48	
E384118	48	48.5	
E384119	48.5	49	
E384120	49	49.5	
E384121	49.5	50	
E384122	50	50.5	
E384123	50.5	51	
E384124	51	51.5	
E384125			Blank
E384126			Standard 3
E384127	51.5	52	
E384128	52	52.5	
E384129	52.5	53	
E384130	53	53.5	
E384131	53.5	54	
E384132	54	54.5	
E384133	54.5	55	
E384134	55	55.5	
E384135	55.5	56	
E384136	56	56.5	
E384137			Blank
E384138	56.5	57	
E384139	57	57.5	
E384140	57.5	58	
E384141	58	58.5	
E384142	58.5	59	
E384143	59	59.5	
E384144	59.5	60	
E384145	60	60.5	

Sample No	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
E384060	1.23	0.5	131.5	110	0.14	4.28	0.2	0.02	61.5	729	<1	0.15	1190	35.4	5.69	0.74	0.3	0.053	0.03	49.9	7	0.15	2030	43.4	<0.01	8.1	66.6
E384061	1.42	0.22	129	130	0.11	6.45	0.07	0.04	124.5	516	<1	0.1	678	36	5.47	0.75	0.3	0.055	0.02	87.6	1.8	0.03	1160	78.4	<0.01	6.9	41.1
E384062	3.59	0.08	353	130	0.16	11.05	<0.01	<0.02	408	23.7	<1	0.06	68.5	34	7.42	1.02	0.3	0.055	0.01	285	1.9	<0.01	266	67.5	<0.01	7.5	25.8
E384063	3.96	0.07	196	90	0.13	9.92	<0.01	0.04	106.5	39.7	<1	0.06	105.5	36.9	4.79	0.76	0.3	0.062	0.02	83.2	1.4	<0.01	702	82.7	0.01	9.3	26.7
E384064	4.05	0.47	207	80	0.3	9.58	0.02	0.03	>500	109	10	0.19	520	33.2	17.7	0.83	0.7	0.035	0.07	820	2.8	0.06	594	85.7	0.01	21.4	34.8
E384065	5.81	0.43	399	100	0.36	17.7	0.02	0.04	380	71.2	10	0.25	289	32.4	15.3	0.82	0.9	0.019	0.13	429	2.9	0.06	255	124	0.01	16.3	32.2
E384066	3.23	0.1	372	80	0.1	7.19	<0.01	0.04	417	33.1	<1	<0.05	179	36.4	7.26	1	0.2	0.034	0.02	305	1.1	<0.01	282	76	0.01	6.8	24.4
E384067	6.45	0.12	1220	170	0.1	20.3	<0.01	<0.02	>500	86.5	1	<0.05	301	40.7	38.7	4.56	0.5	0.058	0.03	3980	1.7	<0.01	203	72.5	0.01	6	18.6
E384068	0.02	0.14	10	20	0.07	0.05	49.8	0.45	9.23	2.4	4	<0.05	4.2	0.11	1.15	0.15	0.3	<0.005	0.04	6.7	1.7	0.53	37	0.56	0.01	0.5	<0.2
E384069	1.88	0.07	158.5	50	0.09	5.29	0.03	0.03	288	19.1	<1	0.05	80.7	38.1	7.2	0.91	0.3	0.02	0.02	208	1	<0.01	181	89.2	<0.01	12.5	23.8
E384070	6.7	0.06	444	80	0.1	11	0.01	0.02	438	20.3	<1	<0.05	111.5	38.9	8.14	1.01	0.3	0.032	0.03	310	0.8	<0.01	185	98.6	<0.01	8.7	25.2
E384071	4.91	0.12	250	40	0.12	5.94	<0.01	0.03	201	389	<1	<0.05	777	39.2	5.65	0.81	0.3	0.035	0.01	140	0.6	<0.01	378	101	<0.01	8.7	30.8
E384072	6.1	0.06	178.5	60	0.1	7.2	<0.01	0.04	314	1100	<1	<0.05	628	37.3	6.84	1	0.3	0.023	0.01	216	0.6	<0.01	183	114.5	<0.01	8.5	47.7
E384073	3.23	0.11	125	50	0.11	4.77	0.02	0.05	167.5	960	<1	0.06	2450	39.8	6.56	0.82	0.3	0.038	0.01	118	0.9	0.02	564	109	<0.01	7.6	57.5
E384074	2.97	0.1	111.5	30	0.06	5.18	0.15	0.07	117.5	814	<1	0.06	916	37.7	6.3	0.84	0.2	0.035	0.01	77.3	0.6	0.04	603	119.5	<0.01	5.3	39.6
E384075	1.42	0.11	87.5	270	0.05	3.05	0.31	0.07	149.5	646	<1	<0.05	761	35.4	5.89	0.78	0.2	0.056	<0.01	103.5	1.4	0.62	7280	113.5	<0.01	6.1	44.6
E384076	2.56	0.22	326	20	0.18	5.33	0.14	0.14	120.5	480	<1	0.06	1270	34.2	6.36	0.85	0.2	0.089	0.05	61.1	2.5	0.13	1590	207	<0.01	6.6	42.2
E384077	2.05	0.2	157	30	0.11	5.35	0.11	0.13	23	678	<1	0.07	1250	35.2	4.4	0.65	0.2	0.044	0.01	15.3	1.8	0.06	802	173	<0.01	5.7	41.9
E384078	1.79	1.11	109.5	30	0.1	3.35	0.41	0.05	49.6	636	<1	0.1	873	31	11	0.66	0.5	0.029	0.02	33.6	13.6	0.5	2020	102	<0.01	14	99.1
E384079	0.01	0.14	<5	40	0.06	0.02	48.7	0.39	2.46	2.6	5	<0.05	6.5	0.13	0.95	0.12	0.3	<0.005	0.03	1.9	1.3	0.53	41	1.35	0.01	0.4	<0.2
E384080	1.07	6.42	45.5	230	1.88	2.51	2.21	<0.02	54.2	169	36	3.79	8910	9.8	16	0.25	1.7	0.141	2.36	21.8	24.4	1.24	3420	63.7	1.13	4	39.6
E384081	1.87	1.36	68.4	70	0.07	5.09	0.29	0.02	13.3	825	<1	0.11	960	27.3	9.2	0.42	0.4	0.02	0.02	8.4	15.2	0.58	2180	60.6	<0.01	10.1	106.5
E384082	3.18	0.96	117	50	0.08	3.32	0.35	0.02	26.6	1605	<1	0.13	3070	30.8	7.45	0.61	0.6	0.043	0.02	11.5	10.3	0.53	3000	82.7	<0.01	9.7	101.5
E384083	3.58	1.06	136.5	50	0.11	5.12	0.31	0.04	23.3	1525	<1	0.12	1780	31.2	8.55	0.63	0.6	0.027	0.06	12.4	11.9	0.47	1870	103.5	<0.01	11.3	106
E384084	2.42	0.9	224	30	0.07	3.35	0.42	<0.02	51.9	1235	12	0.1	1100	30.4	8.37	0.41	1	0.025	0.02	35	9.6	0.38	1685	157.5	0.01	21.4	87.4
E384085	1.48	0.48	89.2	20	<0.05	2.47	0.32	<0.02	31.9	779	3	0.09	295	34.8	7.25	0.34	0.1	0.023	0.01	21.7	5.4	0.22	1030	219	0.01	7.8	65.6
E384086	0.3	0.18	40.1	20	0.06	0.58	0.36	<0.02	27.8	383	<1	0.05	776	38.3	6.01	0.35	<0.1	0.029	<0.01	17.9	1.8	0.24	1980	51.6	0.01	10.8	52.1
E384087	0.52	0.23	45	20	0.05	0.86	0.33	<0.02	32.9	431	2	0.05	589	33.6	5.08	0.31	0.1	0.046	<0.01	21.7	2.6	0.51	4320	72	0.01	6.9	48.9
E384088	1.02	0.68	60.1	30	0.05	1.77	0.33	<0.02	211	623	<1	0.08	851	28.2	7.99	0.36	0.2	0.036	0.01	150	8.7	0.53	2950	91.5	0.01	4.4	68
E384089	1.34	1.36	88.4	20	0.09	3.86	0.36	0.03	102	877	<1	0.08	714	29.3	12.35	0.33	0.2	0.018	<0.01	72.8	18.1	0.58	1360	153.5	0.01	4.7	103.5
E384090	1.23	0.96	77.4	10	0.14	2.85	0.26	0.03	48.6	780	<1	0.09	1125	30.1	10	0.32	0.1	0.013	<0.01	32.5	13.3	0.32	441	99.9	0.01	8.2	89.7
E384091	0.01	0.13	<5	30	0.05	0.03	45.6	0.38	1.99	1.5	6	<0.05	3.6	0.14	0.51	<0.05	0.1	0.005	0.03	1.5	1.5	0.5	36	0.76	0.02	0.3	0.9
E384092	0.83	0.41	50.2	10	0.07	1.3	0.24	<0.02	22.8	496	<1	0.05	496	35.3	7.62	0.32	0.1	0.012	<0.01	14.9	4.7	0.17	571	51.5	0.01	10.2	65.6
E384093	0.48	0.32	62.6	10	0.08	1.15	0.22	<0.02	22.4	693	<1	<0.05	636	35.2	6.57	0.31	<0.1	0.032	<0.01	14.4	3.6	0.33	2440	35.9	0.01	8.7	64.6
E384094	1.43	0.53	172.5	10	0.07	3.44	0.31	0.02	27.2	1540	<1	0.06	804	34	8.17	0.31	0.1	0.018	<0.01	17.4	7	0.3	1540	76.9	0.01	6	80.1
E384095	0.84	0.24	47.4	40	0.1	1.5	0.22	<0.02	22.5	616	<1	0.05	506	37.1	6.14	0.33	<0.1	0.042	<0.01	14.4	2.6	0.55	4400	42.6	0.01	6.5	55.7
E384096	0.69	0.18	72.7	20	0.07	1.84	0.3	0.02	22.9	755	<1	0.05	540	36.7	6.15	0.33	<0.1	0.036	<0.01	14.5	2.1	0.45	3950	58.8	0.01	7.4	57.4
E384097	1.3	0.17	115.5	10	0.11	3.25	0.31	0.02	20.3	1180	<1	0.06	1100	39.4	5.93	0.37	<0.1	0.031	<0.01	12.7	2	0.23	2140	97.2	0.01	5.5	62.4
E384098	0.9	0.13	53.9	100	0.15	2.19	0.27	<0.02	28.7	499	<1	0.06	804	40.4	5.82	0.33	<0.1	0.045	<0.01	18.4	1.4	0.25	2770	50.4	0.01	7.2	52.1
E384099	0.73	0.09	36.5	10	0.12	1.32	0.22	<0.02	29.8	364	1	0.06	642	38.5	5.38	0.38	<0.1	0.029	<0.01	19.6	0.9	0.13	1400	51.7	0.01	10.5	48.1
E384100	1.08	0.09	47.3	20	0.07	2.58	0.15	<0.02	21.8	472	<1	<0.05	690	38.2	5.1	0.34	<0.1	0.046	<0.01	13.6	0.9	0.44	3990	61	0.01	9.4	48
E384101	0.31	0.17	29.2	20	0.06	0.68	0.23	0.02	21.5	446	<1	<0.05	425	34.1	6.27	0.32	<0.1	0.024	<0.01	13.7	1.8	0.48	3920	53.3	0.01	8.2	52.4
E384102	0.01	0.13	<5	30	0.09	0.01	48	0.38	2	2.2	6	<0.05	3.7	0.14	0.54	<0.05	0.1	<0.005	0.03	1.6	1.4	0.5	42	0.56	0.02	0.3	1.1
E384103	1.2	2.47	77.4	10	0.63	10.7	2.32	<0.02	184	345	13	2.5	9210	28.8	10.2	0.31	0.8	0.254	0.7	114.5	22.2	1.84	6480	62.4	0.26	6.2	65.2
E384104	0.27	0.14	28.8	30	<0.05	0.69	0.24	<0.02	20.5	432	<1	<0.05	461	36.2	6.4	0.3	<0.1	0.023	<0.01	12.7	1.3	0.42	3510	41	0.01	7.8	51.7
E384105	0.36	0.2	34.6	20	0.07	0.84	0.19	<0.02	17.7	371	<1	0.05	843	41	8.44	0.34	<0.1	0.024	<0.01	11	1.8	0.27	2140	43.5	0.01	10.5	65
E384106	0.5	0.16	42.9	30	0.05	0.89	0.22	<0.02	12.2	398	<1	<0.05	479	47.3	8.36	0.35	<0.1	0.027	<0.01	7.4	1.5	0.2	1850	52.8	0.01	8	62.7
E384107	0.61	0.1	52.3	20	0.07	1.09	0.26	0.02	17.55	722	<1	<0.05	690	40.4	7.59	0.34	<0.1	0.019	<0.01	9.9	1.1	0.25	2230	120.5	0.01	10	64.4
E384108	0.32	0.1	40.2	30	<0.05	0.55	0.25	0.02	35.5	436	<1	<0.05	332	41.1	9	0.36	<0.1	0.023	<0.01	24.4	1	0.28	2840	79.4	0.01	8.7	69
E384109	0.36	0.08	66.2	50	<0.05	0.76	0.25	<0.02	42.2	304	<1	<0.05	287	38.9	8.71	0.35	<0.1	0.027	<0.01	29.1	0.7	0.13	1270	59.4	0.01	10.1	60.4
E384110	0.36	0.08	56.8	30	<0.05	1.12	0.26	<0.02	21	506	2	<0.05	395	37	7.55	0.33	<0.1	0.03	0.01	13.4	0.7	0.21	2300	53.4	0.01	8.6	60.5
E384111	0.23	0.06	48.2	230	<0.05	1.01	0.28	0.03	36.5	364	2	<0.05	275	36.3	7.49	0.36	<0.1	0.029	0.01	28.1	0.5	0.19	2230	76.9	0.01	7.1	59.1
E384112	1.68	0.11	124.5	20	0.05	3.43	0.29	0.03	74.1	970	<1	0.05	492	35.4	6.92	0.36	<0.1	0.03	0.01	60.6	1	0.29	2790	291	0.01	4.9	75.5
E384113	1.51	0.21	147.5	20	0.05	3.69	0.24	0.04	46.2	782	<1	0.06	371	34.1	7.14	0.31	<0.1	0.019	0.01	35.1	2.1	0.23	1830	141	0.01	5.1	71.8
E384114	0.01	0.13	<5	30	0.09	0.02	48	0.4	2.22	2	6	<0.05	3.1	0.11	0.53	<0.05	0.1	<0.005	0.03	1.7	1.4	0.52	41	1.38	0.02	0.3	1.2
E384115	1.48	0.54	85.5	20	0.16	1.89	0.23	0.06	64.7	774	<1	0.06	258	34.6	9.33	0.44	0.1	0.026	0.01	50.7	5.8	0.38	2430	531	0.01	4.1	91.1
E384116	1.36	1.35	88.4	20	0.14	2.17	0.25	0.02	140.5	825	3	0.23	765	32.5	11.5	0.3	0.3	0.016	0.02	107	16.7	0.52	1760	211	0.01	3.6	102
E384117	0.74	1.92	61.6	30	0.16	1.92	0.26	<0.02	198	363	<1	0.19	353	29.7	11.85	0.32	0.1	0.014	0.01	161	25.3	0.88	1200	78.2	0.01	4.2	105.5
E384118	1.13	2.31	78.7	30	0.22	2.15	0.26	0.03	131.5	415	14	0.28	378	28.7	9.73	0.29	0.3	0.022	0.05	105.5	25.8	0.75	1830	45.6	0.36	5.4	81.5
E384119	0.6	7.86	61.9	220	1.06	1.44	1.42	0.04	20.7	249	26	1.47	596	6.89	10.35	0.07	2.7	0.019	0.62	13.7	39	1.01	1470	31.3	4.24	17.5	28.8
E384120	0.05	7.76	5.3	400	1.03	0.06	3.15	0.03	10.65	54.4	36	0.68	156	3.86	10.4	<0.05	2.6	0.016	0.41	6.2	13.8	1.13	2840	5.84	5.71	6	11.7
E384121	0.09	7.66	3.9	4120	0.83	0.03	3.06	<0.02	70.2	56.2	36	0.76	136.5	4.91	11.2	0.08	2.2	0.02	0.41	55.5	16.8	1.24	2590	1.79	5.49	5.4	16
E384122	0.4	8.54	17.1	4480	1.45	0.78	2.6	<0.02	10.2	202	20	3.83	209	10.4	13.3	0.1	2.6	0.025	0.53	4.6	60.8	2.18	3030	6.26	3.54	41.9	64.3
E384123	2.67	7.03	268	30	0.87	6.39	0.75	0.02	32.2	1540	17	1.73	285	17.45	7.84	0.18	1.6	0.011	0.38	21.3	16.7	0.57	1460	57.8	4.34	8.4	67.7
E384124	1.15	4.21	96.5	40	0.33	3	9.57	0.03	8.04	608	5	0.47	311	13.4	5.1	0.13	1.2	0.024	0.13	3.4	7.9	3.22	5310	11.6	2.81	10.5	31.9
E384125	0.02	0.13	<5	30	0.07	0.02	48.4	0.39	2.09	2.1	6	<0.05	3.4	0.07	0.46	<0.05	0.1	<0.005	0.03	1.6	1.4	0.52	45	0.32	0.03	0.4	0.9
E384126	0.28	7.3	44.4	130	2.56	1.54	2.09	<0.02	75.7	114.5	48	6.19	1615	7.36	19.35	0.12	2	0.13	3.25	39.8	24.2	1.41	3430	21.2	0.82	4.8	26.2
E384127	1.2	4.67	102.5	110	0.45	2.79	8.02	<0.02	10.25	607	10	0.43	87.1	12.6	8.14	0.11	1.9	0.015	0.17	5.5	9.3	2.66	4540	20.1	3.28	36.2	30.6
E384128	1.78	2.02	88.3	150	0.25	2.42	1.95	<0.02	156.5	253	43	0.37	125	27.5	8.21	0.28	0.4	0.02	0.06	132.5	11.1	0.94	2140	61.5	0.98	7	50.2
E384129	0.85	5.27	58.3	340	0.76	1.73	2.59	<0.02	178	212	40	0.66	299	13.2	9.72	0.16	1.4	0.013	0.22	142.5	16.3	1.16	1880	29.2	3.12	9.2	42.6
E384130	1.87	5.47	86.3	50	0.72	2.48	3.65	0.02	46.9	261	27	0.65	653	12.7	10.05	0.11	2.1	0.025	0.21	32.9	29.9	1.8	2890	22.2	2.86	3.8	53.4
E384131	1.34	6.44	62.9	80	0.71	1.74	2.39	0.02	43.7	182.5	33	0.5	447	8.76	10.4	0.08	2	0.018	0.2	30.5	21.2	1.21	1620	48.6	3.92	3.8	37.8
E384132	0.36	7.39	30.6	450	0.62	0.28	1.6	<0.02	65.2	60.7	36	0.47	617	7.75	13.15	0.09	2	0.011	0.28	48.3	21.9	0.85	960	28.8	4.73	4.2	27.8
E384133	0.3	7.11	16.8	520	0.78	0.2	2.14	<0.02	79.3	58.2	37	0.52	589	8.47	13.5	0.1	1.8	0.013	0.31	60.6	20	0.99	1510	14.05	4.54	4.7	27.9
E384134	2.37	4.93	191.5	20	0.74	2.64	1	<0.02	335	460	22	0.88	1180	16.25	14.45	0.3	1.5	0.019	0.56	188.5	22.9	0.67	563	73.4	2.4	5.3	54.3
E384135	2.45	4.09	179.5	30	0.57	2.09	0.65	<0.02	134.5	388	25	0.78	1345	19.15	17.75	0.24	1.3	0.034	0.8	75.8	22.5	0.55	538	101.5	1.87	7	58.3
E384136	0.58	6.7	74.5	160	1.39	0.54	1.72	<0.02	86.3	115	39	1.27	2020	10.1	16.3	0.15	1.8	0.032	2.47	52.5	32.1	0.91	1420	48.4	1.94	5.8	27.6
E384137	0.01	0.14	5	60	0.11	0.01	>50	0.42	2.38	1.2	6	<0.05	4.8	0.06	0.53	<0.05	0.1	<0.005	0.03	1.8	1.5	0.55	41	0.43	0.02	0.3	1.1
E384138	0.06	6.9	4.1	2090	2.73	0.05	3.33	<0.02	57.5	21.5	38	2.49	172.5	5.7	17.25	0.06	1.9	0.041	2.96	35.7	47	1.3	3130	7.14	1.59	3.8	13.3
E384139	0.05	6.47	5.2	640	3.71	0.04	2.53	<0.02	75.4	48.2	39	3.24	151.5	8.04	17.55	0.11	1.6	0.043	3.06	46.3	48.4	1	2820	4.4	0.9	2.2	18.1
E384140	0.14	5.04	34.8	160	2.15	0.35	0.85	<0.02	150	107.5	29	2.01	292	11.25	12.35	0.18	1.4	0.03	2.44	57.7	21.8	0.47	931	12.9	0.58	2.1	26.8
E384141	0.23	6.76	55.9	1470	3.82	0.52	1.42	<0.02	126	28.6	43	4.29	207	6.41	19.4	0.11	2	0.075	3.26	75.3	46.1	0.75	1630	23.2	0.61	3.5	14.9
E384142	0.08	7.62	28	840	4.31	0.28	2.91	<0.02	82.4	44.1	47	4.23	273	8.9	20.5	0.13	1.9	0.081	3.99	49.1	51.9	1.19	3750	23.1	0.48	4	19.6
E384143	0.03	7.03	7	350	3.82	0.05	2.26	<0.02	132.5	68.3	42	3.55	158	8.83	18.1	0.18	1.8	0.066	3.71	79.2	44.7	1.02	2740	4.02	0.19	4.4	18.5
E384144	0.05	8.22	9.1	1350	5.15	0.09	1.52	<0.02	96.5	55.6	51	4.76	217	7.83	22.4	0.12	2.3	0.082	4.54	61.6	58.8	0.92	1790	4.26	0.18	6.9	17.7
E384145	0.3	8.17	53.5	1170	5.03	0.51	0.93	<0.02	64	80	52	5.52	515	6.4	22.9	0.11	2.3	0.062	4.19	42.3	58.1	0.77	1070	13.5	0.1	8.2	16.4

IG-2007-20

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Ra	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Be
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E384060	22	23		1770	8.4	1.2	0.01	5.55	2.25	6.7	9	1.4	12.8	0.09	1.08	1.8	0.01	0.23	21.6	44	3.9	6.4	16	2.5		0.042	
E384061	23	23.5		1330	9.7	1	0.01	3.81	3.61	3.9	10	1.6	8.3	0.06	1.69	1.7	0.009	0.16	13.1	37	5	5.2	14	3.2		0.058	
E384062	23.5	24		4240	21.8	0.4	0.002	0.09	5.58	15.3	11	5.2	12.6	<0.05	4.53	3.8	0.01	0.26	14.8	34	13.3	4	5	2.5		0.173	
E384063	24	24.5		1180	29.8	0.7	0.005	0.16	4.67	5	10	2.3	24.2	0.06	2.03	1.3	0.014	0.8	8.6	38	9	2.2	13	1.6		0.071	
E384064	24.5	25		1720	32.7	3	0.004	0.94	5.93	4.1	10	3.8	137.5	0.22	2.26	4.1	0.054	0.96	22.7	33	8.5	4.1	9	21.9		0.076	
E384065	25	25.5		1520	52.4	4.9	0.002	0.29	7.38	3.3	11	7.3	85.9	0.22	4.5	3.2	0.051	1.9	39.4	24	7.7	3.6	9	32.2		0.132	
E384066	25.5	26		2280	22.7	0.4	0.003	0.14	3.75	7.5	10	2.9	10.7	0.05	2.9	3.9	0.012	0.48	42.9	34	7.7	3.2	5	1.7		0.204	
E384067	26	26.5		>10000	29.2	0.5	0.013	0.71	4.88	34.1	15	8.8	21.9	0.07	5.87	27.6	0.01	0.33	84.8	27	10.3	24.2	9	2.6		0.522	
E384068			Blank	130	0.7	0.8	<0.002	0.07	0.09	0.7	3	<0.2	319	<0.05	<0.05	0.3	0.007	<0.02	0.8	10	0.1	3.1	25	4		<0.001	
E384069	26.5	27		1210	8.9	0.5	<0.002	0.11	3.95	3.8	10	3.1	7.8	0.05	1.46	2.8	0.012	0.12	18.8	32	9.5	7.2	4	2.8		0.065	
E384070	27	27.5		2800	43.2	0.3	0.002	0.13	4.42	8.7	11	2.9	14.1	<0.05	2.89	3.4	0.01	0.55	28.2	30	10.7	3.7	6	2.5		0.116	
E384071	27.5	28		930	85	0.2	0.007	2.31	3.73	4.1	13	2.2	5.1	<0.05	1.81	2.9	0.007	0.21	269	24	12	5.3	13	2.2		0.083	
E384072	28	28.5		1180	123	0.2	0.012	6.46	4.02	4.5	16	2.4	7.2	<0.05	2.2	5.2	0.007	0.41	470	22	14.6	8.2	7	2.9		0.113	
E384073	28.5	29		900	84.6	0.2	0.013	6.02	3.08	4.4	13	1.8	5.4	<0.05	1.41	5.5	0.007	0.36	1010	21	11.3	6.6	10	1.6		0.081	
E384074	29	29.5		1630	27.9	0.1	0.012	5.66	2.77	2.8	12	1.6	5.9	<0.05	1.08	1.7	0.006	0.69	170	20	6.8	4.5	10	1.1		0.05	
E384075	29.5	30		1420	13	0.1	0.012	4.21	2.01	5.4	11	2.5	6.2	<0.05	0.65	0.7	0.005	0.89	87.5	14	9.9	5	12	1		0.025	
E384076	30	30.5		2600	24.6	1.6	0.013	3.19	2.77	6.4	12	2.7	8.6	<0.05	1.1	3.2	0.005	0.9	123	19	8	4.6	15	1.8		0.044	
E384077	30.5	31		1390	15.7	0.2	0.015	4.83	1.86	4.4	11	1.8	3.7	<0.05	1.29	2.1	0.007	0.38	310	22	7.1	3	11	1.3		0.05	
E384078	31	31.5		2140	22.5	0.8	0.015	4.14	2.19	4.2	10	2	8	0.36	0.58	4.8	0.024	0.87	365	22	5	9	31	11.3		0.03	
E384079			Blank	120	0.7	0.5	<0.002	0.08	0.07	0.5	3	<0.2	312	<0.05	<0.05	0.2	0.007	<0.02	1.1	9	0.1	2.6	25	3		<0.001	
E384080			Standard 1	880	22.5	64.3	0.016	2.45	1.81	10.5	8	6.7	743	0.22	0.22	9.2	0.102	0.39	300	58	8.7	15.1	9	61.1		0.055	
E384081	31.5	32		1250	18.3	0.7	0.01	6.03	3.09	2.6	10	1.8	6.5	0.23	1.53	8.1	0.029	0.8	520	22	3.3	7.2	32	7.2		0.051	
E384082	32	32.5		1500	181	0.8	0.022	9.87	3.4	4.9	14	1.6	7.2	0.3	0.84	34.6	0.028	1.92	3720	14	4.6	34.3	44	13		0.055	
E384083	32.5	33		1530	100.5	2.4	0.026	9.37	3.23	5.2	12	1.8	8.3	0.22	0.85	13.8	0.022	1.53	1550	16	5.3	15.2	34	16		0.054	
E384084	33	33.5		1870	29	1.1	0.05	6.98	2.25	5.7	8	1.9	10.2	0.62	0.93	5.6	0.028	1.11	319	16	4.9	10.5	32	32.3		0.033	
E384085	33.5	34		1570	9.6	0.4	0.026	4.79	1.34	3.8	6	2.5	6.4	0.06	0.91	0.9	0.009	0.41	46.4	18	6.1	5.7	18	5.8		0.036	
E384086	34	34.5		1610	3.2	0.2	0.002	2.06	1.09	2.7	2	2.4	6.3	0.06	0.1	0.4	0.005	0.06	26.6	20	5.4	6.8	9	0.7		0.002	
E384087	34.5	35		1510	4	0.2	0.006	2.2	1.04	5	3	1.9	5.9	<0.05	0.14	0.5	<0.005	0.11	27.7	14	4.6	6	14	3.8		<0.001	
E384088	35	35.5		1480	6.8	0.3	0.017	3.63	1.4	4.7	3	1.4	6.8	<0.05	0.51	7.5	0.007	0.44	12.5	21	2.9	7.6	18	6.2		0.012	
E384089	35.5	36		1730	10	0.1	0.024	4.68	2	2.7	4	1.2	7.4	0.06	0.66	2.7	0.009	0.38	18.9	26	5.8	7.3	29	5.7		0.015	
E384090	36	36.5		1380	9.2	0.2	0.012	4.17	2.01	1.8	3	1.5	5.4	0.06	0.26	0.9	0.007	0.34	43.4	24	8.9	6.6	17	5		0.013	
E384091			Blank	130	0.8	0.8	<0.002	0.07	0.07	0.5	<1	<0.2	276	<0.05	<0.05	0.2	0.006	<0.02	0.7	5	0.1	2.7	24	3.8		<0.001	
E384092	36.5	37		1030	5.4	0.2	0.004	2.94	2.04	1.8	3	1.3	5.1	0.06	0.11	0.3	0.006	0.38	19.5	21	8.5	4.3	8	3		0.004	
E384093	37	37.5		1020	4.7	0.1	0.004	3.94	1.58	2.6	2	1.2	4.4	0.06	0.11	0.4	0.005	0.25	53.9	23	6.2	4.8	10	1.7		<0.001	
E384094	37.5	38		1480	12.6	0.1	0.015	8.36	3.67	2	5	1.4	6.4	0.06	0.53	0.4	0.006	1.52	46.3	25	8.6	6.6	11	3.8		0.015	
E384095	38	38.5		1010	5.7	0.1	0.004	3.58	2.44	3.4	3	0.9	4.8	0.05	0.16	0.2	<0.005	0.49	28.7	20	14.1	4.9	12	1.3		0.002	
E384096	38.5	39		1290	5.6	0.1	0.008	4.48	2.48	2.5	3	1.2	5.9	0.06	0.27	0.2	<0.005	0.67	14.1	27	8.3	5.2	8	0.8		0.007	
E384097	39	39.5		1640	10.3	0.1	0.014	6.7	4.25	2.5	5	1.2	6.1	<0.05	0.49	0.2	<0.005	1.42	32	26	13.6	6.4	7	1.2		0.011	
E384098	39.5	40		1410	8.7	0.1	0.004	2.67	3.09	2.6	3	1	5.9	0.06	0.13	0.5	<0.005	0.3	52.2	35	17.9	5.9	7	0.7		0.003	
E384099	40	40.5		1110	9.1	0.1	<0.002	2	2.48	2.3	2	1.6	4.7	0.09	0.06	1	<0.005	0.1	127.5	34	17.9	4.9	6	2.3		<0.001	
E384100	40.5	41		770	11.1	0.1	<0.002	2.45	2.06	3.1	3	1.4	4	0.08	0.11	1.7	<0.005	0.07	116.5	32	11.9	4	9	1.1		0.002	
E384101	41	41.5		990	3.1	0.1	<0.002	2.65	1.11	1.7	3	1.1	4.1	0.08	0.1	0.2	<0.005	0.03	19	27	4	4.3	9	1.1		<0.001	
E384102			Blank	100	0.8	0.6	<0.002	0.07	0.07	0.4	<1	<0.2	282	<0.05	<0.05	0.2	0.006	<0.02	0.8	5	0.1	2.8	23	4.6		<0.001	
E384103			Standard 2	2510	6.5	37.7	0.014	7.18	2.1	4.6	4	7.4	182.5	0.12	1.11	5.8	0.036	0.53	15	60	6.7	14.9	17	28.2		0.056	
E384104	41.5	42		1080	2.8	0.1	<0.002	2.53	1.09	1.6	3	1.3	4.5	0.07	0.07	0.3	<0.005	0.03	25.3	33	3.1	4.7	8	0.6		0.003	
E384105	42	42.5		910	4.5	0.1	<0.002	2.28	1.61	1.7	1	1	3.7	0.09	0.08	0.4	0.006	0.06	47.4	39	4.7	4.4	8	1.7		0.003	
E384106	42.5	43		1030	5.3	0.1	0.005	2.26	1.66	1.2	2	1	4	0.07	0.13	0.4	0.005	0.32	42.1	52	6.4	3.9	6	0.7		<0.001	
E384107	43	43.5		1260	7	0.2	0.014	4.05	1.61	1.7	5	2.2	24.6	0.08	0.28	0.3	0.005	0.32	59.8	42	5.7	5.1	6	1.4		0.008	
E384108	43.5	44		1190	2.9	0.1	0.006	2.52	1.39	1.5	3	2.3	30.4	0.06	0.17	0.3	0.005	0.13	20.9	41	4.7	4.6	6	<0.5		0.01	
E384109	44	44.5		1260	4.3	0.1	0.003	1.77	1.71	1.4	2	2.7	27.9	0.07	0.2	0.5	0.005	0.36	33.8	37	3.5	4.4	5	0.9		0.004	
E384110	44.5	45		1150	3.6	0.2	0.004	3.15	1.4	1.4	3	1.1	14.6	0.06	0.19	0.2	0.005	0.44	22	33	2.5	4.6	4	0.6		0.004	
E384111	45	45.5		1250	2	0.3	0.009	2.4	1.19	1	5	2.7	8.6	<0.05	0.26	0.2	0.005	0.14	9.7	32	3.1	4.5	4	0.5		0.002	
E384112	45.5	46		1270	11.5	0.2	0.067	6.84	1.96	0.9	7	3.1	10.9	<0.05	1.73	0.3	0.005	1.24	68.9	27	3.8	4.8	5	1.3		0.035	
E384113	46	46.5		1120	13.3	0.2	0.037	5.33	2.29	0.9	7	2	19	<0.05	1.37	0.4	0.008	0.96	109.5	27	4.5	4.6	7	1.3		0.024	
E384114			Blank	130	0.8	0.6	<0.002	0.08	0.07	0.4	<1	<0.2	292	<0.05	<0.05	0.2	0.006	<0.02	0.9	5	0.1	2.8	24	3.7		<0.001	
E384115	46.5	47		890	12	0.2	0.16	5.02	2.01	<0.1	9	5.7	64.2	<0.05	1.81	0.4	0.008	0.92	92.2	29	4.9	4	13	1.5		0.026	
E384116	47	47.5		1210	8.7	0.9	0.061	4.27	2.35	1.7	3	1.6	46.5	<0.05	0.76	2	0.008	1.1	53.7	33	6.4	6	26	11.1		0.021	
E384117	47.5	48		1200	4.5	0.6	0.02	3.12	1.79	1.6	3	1.1	19.6	<0.05	0.46	2.9	0.009	0.2	21	38	4.9	6.2	36	4.6		0.013	
E384118	48	48.5		1120	8.6	2	0.011	3.27	2.63	2.6	3	1.1	19.7	0.06	0.67	6.8	0.021	0.39	157	43	3.7	11	39	11.3		0.02	
E384119	48.5	49		750	12.8	32.3	0.012	1.95	2.24	6.1	2	3.1	52.9	0.24	0.55	17.9	0.077	0.7	266	5	4.1	13.8	36	97.2		0.009	
E384120	49	49.5		890	5.4	17.7	<0.002	0.15	1.1	5.8	1	2.5	73.9	0.17	<0.05	11.3	0.054	0.11	117.5	11	3.7	13.5	12	89.6		<0.001	
E384121	49.5	50		750	4.2	19	0.003	0.3	0.96	6.6	<1	3.5	125	0.25	<0.05	7.3	0.074	0.1	38.8	16	4.8	13.4	15	77.1		<0.001	
E384122	50	50.5		750	13	18.4	0.019	0.73	1.82	20.7	1	4.7	169	0.64	0.11	9.6	0.102	0.31	156.5	11	6.7	21.9	95	92.1		0.002	
E384123	50.5	51		850	30.7	12.9	0.026	>10.0	4.48	11.4	7	2	51.3	0.08	3.64	8.3	0.03	0.73	180	15	4.3	14.7	27	56		0.091	
E384124	51	51.5		780	13.8	4.4	0.006	6.39	1.97	58.4	3	1.2	92.9	0.18	1.7	0.4	0.018	0.46	36.1	6	1.6	21.5	14	41.5		0.046	
E384125			Blank	110	0.7	0.6	<0.002	0.08	0.07	0.5	<1	<0.2	284	<0.05	<0.05	0.2	0.006	<0.02	1.1	4	0.1	2.9	25	3.5		<0.001	
E384126			Standard 3	800	3.3	139.5	0.007	1.39	1.35	10.3	1	8.2	482	0.3	0.17	11.9	0.151	0.38	17.6	71	9.6	11.7	6	68.7		0.014	
E384127	51.5	52		900	14.7	7.9	0.009	6.02	1.98	28.8	3	2.9	87.3	0.74	1.64	0.5	0.058	0.68	20.2	10	3.2	16.9	10	64.1		0.037	
E384128	52	52.5		540	10.2	2.5	0.012	2.36	2.6	14.2	1	1.9	29.9	0.07	0.94	1.9	0.022	0.56	38.2	39	16.4	8.3	17	13.3		0.018	
E384129	52.5	53		1060	13.3	10	0.015	2.33	2.3	14.8	2	2.9	54.4	0.15	0.67	16	0.061	0.3	280	18	7	20.7	18	51.1		0.014	
E384130	53	53.5		1070	14.1	9.2	0.014	2.64	3.39	13.5	2	3	94.3	0.14	1.11	9.3	0.062	0.7	102	35	3.8	17	26	67.1		0.025	
E384131	53.5	54		1220	6.9	7.9	0.025	1.84	1.94	8.7	2	3	132.5	0.15	0.81	3.9	0.061	0.49	44.6	32	3.3	13.3	17	63.9		0.02	
E384132	54	54.5		1700	3.7	9.7	0.011	0.49	1.16	6.2	1	3.2	757	0.18	0.15	3.8	0.066	0.18	43.9	44	4.3	12	18	66.1		0.002	
E384133	54.5	55		1220	3.7	11.8	0.006	0.4	0.93	7.1	1	3	784	0.19	0.12	5	0.06	0.16	173	55	3.7	11	13	63		0.001	
E384134	55	55.5		2070	15.8	23.1	0.02	3.61	2.88	8.5	6	4	386	0.13	1.21	15.3	0.064	0.86	780	41	4.5	14.2	9	50.9		0.028	
E384135	55.5	56		2370	12.4	19.9	0.013	2.89	3.55	8.4	6	4.2	349	0.17	0.94	10.8	0.072	0.65	1240	44	4.6	11	10	46.5		0.021	
E384136	56	56.5		1740	4.8	74.5	0.007	1.04	1.35	13.4	2	9.6	637	0.27	0.34	7.5	0.108	0.49	135.5	65	6.5	11.5	11	61.7		0.006	
E384137			Blank	130	0.7	0.7	<0.002	0.07	0.07	0.4	<1	<0.2	301	<0.05	<0.05	0.2	0.007	<0.02	1.5	6	0.1	2.9	25	3.9		<0.001	
E384138	56.5	57		690	1.7	116.5	0.006	0.17	0.7	14.8	<1	15.1	765	0.2	<0.05	7.8	0.111	0.35	18.5	67	7	10.5	4	63.9		<0.001	
E384139	57	57.5		720	1.7	132.5	0.003	0.36	0.6	10.8	<1	16.4	1280	0.11	<0.05	9.8	0.101	0.42	23	67	8.3	11	3	55		<0.001	
E384140	57.5	58		880	3.2	94.4	0.004	0.76	1.01	6.9	1	7.9	1275	0.11	0.06	10.3	0.074	0.5	54.8	54	6.1	9.8	3	50.3		<0.001	
E384141	58	58.5		1040	6.5	151	0.004	0.23	1.57	10.8	<1	14.7	637	0.2	0.13	14.4	0.127	0.67	94.6	64	10.9	10.6	2	66.9		<0.001	
E384142	58.5	59		910	3.3	174	0.017	0.29	0.85	12.4	1	17.8	484	0.21	0.06	11.7	0.137	0.66	48.1	74	11.9	14.3	3	64.8		<0.001	
E384143	59	59.5		790	1.9	158	0.005	0.54	0.85	11.4	1	18.4	478	0.2	<0.05	10.6	0.126	0.54	8.1	68	10.8	13.7	4	58.7		<0.001	
E384144	59.5	60		840	1.7	200	0.005	0.46	1.04	13.3	<1	25.9	161	0.35	<0.05	14.2	0.184	0.71	10.7	78	15.4	12.9	3	77.2		<0.001	
E384145	60	60.5		980	3.7	198.5	0.005	0.54	1.19	12.6	1	26.1	123.5	0.29	0.13	14.8	0.186	0.94	41.6	78	16	11.6	4	73.4		0.006	

IG-2007-20

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
E384146	60.5	61		1.43	7.36	109.5	230	4.5	2.18	1.88	<0.02	159.5	243	48	4.4	240	8.19	20.1	0.15	2.2	0.067	4.06	114	58	0.91	2040	8.89	0.15	7.2	26.5
E384147	61	61.5		2.27	6.12	207	40	3.59	4.35	1.87	<0.02	209	323	36	3.49	212	11.9	16.8	0.2	1.7	0.085	3.19	144.5	49.8	0.84	2010	47.8	0.08	7.6	42.7
E384148			Blank	0.02	0.14	6	40	0.12	0.02	46	0.37	2.3	1.2	6	<0.05	5.2	0.06	0.5	<0.05	0.1	<0.005	0.04	1.7	1.5	0.51	39	0.33	0.02	0.3	1.4
E384149			Standard 1	1.11	6.18	51.7	50	1.95	2.65	2.23	<0.02	52.7	167	35	3.75	8510	9.86	16.25	0.12	1.8	0.152	2.29	19.7	23.6	1.27	3510	69.1	1.13	3.9	39.1
E384150	61.5	62		2.6	2.47	228	20	1.27	5.43	2.83	<0.02	156	557	12	1.04	2520	36.6	10.4	0.32	0.7	0.068	1.09	119.5	19.9	1.11	4190	58.8	0.1	6.7	87.6
E384151	62	62.5		1.39	0.34	87.2	110	0.27	3.22	2.08	<0.02	383	385	<1	0.1	>10000	45.1	7.35	0.46	0.1	0.105	0.06	308	3.2	0.7	3520	47.8	0.02	10.2	89.5
E384152	62.5	63		1.58	1.12	134	40	0.55	3.73	1.59	<0.02	358	572	3	0.28	>10000	37.8	8.49	0.42	0.3	0.093	0.25	274	11.1	0.72	2950	101.5	0.04	4.5	94.3
E384153	63	63.5		6.24	6.79	325	50	3.56	8.4	1.61	<0.02	30	510	38	3.55	986	15.25	17.6	0.16	2	0.081	3.5	18.6	63.9	1	2070	71	0.05	7.6	51.9
E384154	63.5	64		2.61	1.3	152.5	10	0.72	5.93	2	<0.02	188	685	6	0.49	>10000	35.4	7.84	0.36	0.4	0.125	0.48	138	13.4	0.93	3950	114.5	0.02	5.4	91.7
E384155	64	64.5		3.99	1.12	441	10	0.63	10.5	2.34	<0.02	422	840	5	0.46	9950	33.5	7.58	0.45	0.4	0.117	0.43	302	12.3	1.03	4140	114	0.01	6.2	101
E384156	64.5	65		4.08	2.7	298	20	1.31	8.78	1.01	<0.02	152	656	15	1.16	1795	30.9	10.15	0.32	0.8	0.05	1.16	113	28.2	0.76	2140	53.1	0.04	9	109
E384157	65	65.5		4.18	6.06	243	40	2.99	8.86	2.13	<0.02	51.7	423	39	2.99	332	17.85	15.45	0.18	1.6	0.082	3.15	33.5	46.4	1.07	2790	39.2	0.07	9.7	74.5
E384158	65.5	66		2.18	6.14	143	50	2.75	4.83	3.04	<0.02	18.3	213	39	3.1	378	14.4	15.7	0.15	1.7	0.059	3.12	10.4	39.9	1.25	3600	31	0.06	6.8	51.7
E384159	66	66.5		4.32	6.99	284	210	3.35	8.69	2.02	<0.02	37.1	473	41	3.88	241	11.55	17.65	0.13	2	0.084	3.88	22	42.3	0.96	2470	14.2	0.09	8.2	53.5
E384160			Blank	0.02	0.14	<5	30	0.11	0.03	47.1	0.37	2.23	1.8	7	<0.05	3.4	0.06	0.52	<0.05	0.1	<0.005	0.04	1.7	1.4	0.5	39	0.33	0.02	0.3	1.7
E384161	66.5	67		1.17	5.92	110.5	40	2.77	4.33	2.78	<0.02	65.8	213	35	2.8	406	12.55	14.4	0.14	1.8	0.054	3.06	30.8	35.3	1.1	3540	47.2	0.08	5.1	41.5
E384162	67	67.5		1.55	7.33	104	200	4.11	3.67	1.48	<0.02	45.5	175	47	4.55	1550	6.19	20.1	0.11	2.4	0.077	4.11	20.7	36.9	0.85	2010	17.5	0.05	6.7	32.2
E384163	67.5	68		2.32	4.65	470	20	2.38	18.1	2.06	0.03	4	702	24	2.84	1725	11.45	12.1	0.1	1.3	0.051	2.45	0.7	18.4	0.8	3140	29.9	0.04	3.2	82
E384164	68	68.5		4.38	4.84	1195	5410	1.9	36.9	1.25	0.02	12.5	1280	28	2.78	1355	16.9	13.5	0.3	1.5	0.055	2.29	4.4	13.6	0.58	1780	38.7	0.1	5.8	166
E384165	68.5	69		1.92	5.58	794	2000	2.33	19.25	1.11	<0.02	6.85	1065	33	2.5	299	12.45	13.8	0.18	1.7	0.05	2.92	2	13.9	0.51	1640	106	0.06	2.8	133.5
E384166	69	69.5		1.1	7.2	552	40	3.56	13.95	0.58	<0.02	27.5	807	44	3.23	362	11.25	16.25	0.14	2.1	0.057	3.84	7.7	19.2	0.45	855	53.2	0.06	4.2	185.5
E384167	69.5	70		7.04	5.58	1500	1570	3.15	35	0.31	<0.02	14.95	1890	41	2.46	>10000	17.95	13.45	0.36	1.6	0.137	2.76	6	8.1	0.29	295	543	0.05	4.2	388
E384168	70	70.5		7.31	3.48	1930	1250	1.52	48.3	1.18	<0.02	3.2	2220	22	1.77	9860	20.3	8.58	0.22	1	0.11	1.77	1.2	8.4	0.47	1470	209	0.06	2.7	498
E384169	70.5	71		11.05	3.25	3230	1240	1.58	55.3	0.73	<0.02	24.5	3950	25	1.58	2570	23.7	7.96	0.27	1.2	0.048	1.63	11.7	11.8	0.33	892	501	0.09	5	481
E384170	71	71.5		3.89	6.13	1340	1640	3.24	34.8	0.55	<0.02	8.33	1770	32	2.96	707	13.55	14.25	0.26	1.9	0.058	3.21	4.4	9.4	0.38	663	734	0.07	3.8	250
E384171			Blank	0.02	0.13	13	70	0.11	0.06	48.6	0.41	2.17	2.8	7	<0.05	5.3	0.06	0.47	<0.05	0.1	<0.005	0.03	1.7	1.5	0.52	39	1.74	0.02	0.3	2.3
E384172			Standard 2	1.2	2.36	83.8	70	0.56	9.49	2.17	<0.02	173	329	16	2.45	8960	26.8	9.12	0.28	0.7	0.242	0.67	96.4	17.5	1.58	6560	62.7	0.25	5.2	53.9
E384173	71.5	72		3.78	5.21	1380	630	2.61	39.4	1.58	<0.02	15.05	1725	29	2.58	3050	16	13.3	0.18	1.7	0.076	2.53	5.2	16.7	0.68	2700	145.5	0.17	3.2	236
E384174	72	72.5		1.26	5.58	330	30	2.97	15.6	2.47	<0.02	6.6	607	25	2.85	4240	11.7	14	0.11	1.6	0.08	2.65	1.6	15.1	0.84	4210	57.1	0.07	2.7	102
E384175	72.5	73		1.02	4.98	375	20	2.4	19.55	2.99	0.03	4.39	514	19	2.01	562	9.93	11.45	0.08	1.6	0.037	2.32	0.9	8.8	0.76	6030	22.2	0.29	2.1	73.2
E384176	73	73.5		1.14	5.12	176.5	40	2.86	13.05	2.91	0.02	16.3	338	18	2.44	4140	9.96	11.75	0.09	1.8	0.062	2.2	3.6	15.3	0.96	5820	32.7	0.09	3.4	67.2
E384177	73.5	74		0.91	4.88	157	30	2.79	9.47	1.61	<0.02	20.3	281	22	2.64	5640	10.4	12.35	0.12	1.8	0.076	2.16	4	17.1	0.87	3560	35.3	0.04	3.8	50.4
E384178	74	74.5		1.05	5.1	392	20	2.45	19	2.08	<0.02	27.9	622	21	2.22	843	11	10.6	0.11	1.7	0.067	2.52	6.3	12.7	1.06	7980	37.6	0.04	3.7	53.5
E384179	74.5	75		2.11	8.04	378	70	4.18	29.7	0.6	<0.02	10.05	595	28	4.18	1730	17.15	26.4	0.15	2.8	0.095	3.87	2.8	23	0.68	4700	40.2	0.06	4	87.8
E384180	75	75.5		0.85	3.99	122.5	40	1.84	10.9	1.97	<0.02	36	194	20	2.27	478	12.05	10.3	0.13	1.5	0.084	1.78	9.1	13.5	1.34	12750	46.6	0.03	5.1	35
E384181	75.5	76		1.24	3.62	239	20	1.55	19.1	0.34	<0.02	16.3	319	21	2.29	1295	15	8.96	0.12	1.3	0.089	1.65	3.9	13.5	0.79	12900	43.1	0.04	4	53.5

IG-2007-20

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E384146	60.5	61		670	9.1	183	0.013	1.78	1.92	11.9	1	26.1	72.6	0.35	0.43	11.7	0.181	1.22	5.6	75	14.8	13	3	71.2		0.015	
E384147	61	61.5		1190	14.6	145	0.023	4.2	2.2	9.5	2	22.4	106	0.27	0.71	10.6	0.133	1.31	19.1	86	11.9	15.5	5	57.2		0.037	
E384148			Blank	110	0.8	0.9	<0.002	0.07	0.06	0.4	<1	0.2	277	<0.05	<0.05	0.2	0.006	<0.02	0.7	5	0.1	2.8	24	3.2		<0.001	
E384149			Standard 1	890	21.3	94.7	0.023	2.4	1.87	9.9	2	8	815	0.21	0.26	8.3	0.094	0.43	305	59	8.7	15.7	16	61.2		0.057	
E384150	61.5	62		1120	16.6	46.4	0.017	6.33	3.2	4.3	4	7.9	35.4	0.13	0.82	14.4	0.058	1.13	105	41	6.7	18	8	25.9		0.05	
E384151	62	62.5		1360	7.7	2.2	0.016	5.18	2.23	1.2	4	1.8	26.7	0.1	0.43	6.5	0.01	0.52	26.9	28	5.8	16.5	18	4	1.255	0.046	
E384152	62.5	63		1440	9.1	11.1	0.029	6.06	2.53	1.8	6	3.3	24.5	0.07	0.66	13	0.023	0.75	68.2	32	4.6	18	10	11.4	1.025	0.098	
E384153	63	63.5		1190	31.9	160	0.03	7.04	4.32	11.1	3	28.6	45.7	0.19	1.65	3	0.129	3.17	92.9	70	12.6	13.7	5	69.4		0.047	
E384154	63.5	64		1310	16.4	21.8	0.042	7.75	3.48	2.8	7	5.5	31.2	0.06	0.86	12.3	0.032	1.18	147.5	28	7.5	17.2	14	17.9	1.43	0.096	
E384155	64	64.5		1380	27.1	20.3	0.042	>10.0	3.99	2.2	6	5.4	51.2	0.09	1.5	17.3	0.033	3.94	211	28	8.7	23	9	15.5		0.143	
E384156	64.5	65		1810	18	50.7	0.023	7.55	3.31	3.2	4	9	18.1	0.15	1.16	8.4	0.066	2.11	115	47	6.8	15.8	7	28.5		0.064	
E384157	65	65.5		1430	21.1	136	0.018	5.32	3.3	9.5	3	19.8	50.7	0.24	0.94	7.9	0.134	2.32	107.5	76	11.2	16	7	64.9		0.033	
E384158	65.5	66		1430	9.8	134.5	0.012	2.91	2.26	10.4	1	17.8	150	0.26	0.49	4.4	0.136	1.29	23.7	76	10.9	14	4	70.1		0.02	
E384159	66	66.5		980	17.8	163.5	0.006	5.27	2.71	11.7	2	20.7	77.6	0.28	0.9	3.7	0.167	2.42	9.3	76	12.7	13	4	77.9		0.029	
E384160			Blank	110	0.8	1	<0.002	0.06	0.06	0.4	<1	<0.2	278	<0.05	<0.05	0.2	0.006	<0.02	1.1	5	0.1	2.9	23	4.2		0.001	
E384161	66.5	67		980	8.5	128.5	0.019	2.71	1.92	9.5	1	15.2	409	0.21	0.35	6.9	0.131	1.09	68.8	64	10.3	14.4	5	71.4		0.018	
E384162	67	67.5		790	7.6	173.5	0.009	1.7	1.85	12	1	15.2	401	0.35	0.37	6.5	0.183	1.69	96.3	73	14	12.7	2	94		0.013	
E384163	67.5	68		590	16.5	103	0.007	7.48	1.35	7.4	1	6.8	200	0.17	0.14	0.7	0.103	5.1	25.5	54	8.4	10	2	51		0.04	
E384164	68	68.5		790	36.3	101	0.009	>10.0	2.26	7.7	1	6.9	231	0.19	0.48	2.3	0.109	8.21	44.7	55	10	9.9	2	47.2		0.095	6.46
E384165	68.5	69		650	27.4	99.8	0.011	8.47	1.45	11.7	1	7.1	192.5	0.16	0.17	2.2	0.111	4.3	15.7	54	10.2	7.6	<2	54.4		0.036	
E384166	69	69.5		810	18.8	150.5	0.026	4.92	1.53	11.9	1	9.8	347	0.22	0.1	5.7	0.165	5.14	18	75	12.6	9.9	4	85.4		0.019	
E384167	69.5	70		770	39.2	107	0.094	>10.0	2.87	9.9	2	8.9	171	0.16	0.32	3.5	0.125	6.89	88.9	89	12.2	9.9	<2	56.7	1.325	0.079	
E384168	70	70.5		510	55	59.8	0.035	>10.0	2.03	5.9	1	5.9	87.9	0.13	0.27	0.8	0.079	13.3	66.3	34	8	5	<2	31.1		0.102	
E384169	70.5	71		590	227	56.6	0.241	>10.0	5.82	8.8	4	7.5	66.2	0.25	4.93	7.3	0.092	15.8	1520	37	8.9	29.3	<2	37.4		0.167	
E384170	71	71.5		730	36.7	120	0.153	>10.0	2.98	10.6	2	11.1	162	0.18	0.55	5.3	0.125	6.96	83.3	53	11.6	8.9	<2	62.5		0.073	
E384171			Blank	120	0.8	0.8	<0.002	0.09	0.06	0.5	1	<0.2	293	<0.05	<0.05	0.2	0.006	<0.02	1	5	0.1	3	23	4		<0.001	
E384172			Standard 2	2360	5.8	30.4	0.017	7.02	2.04	4.3	4	6.7	154.5	0.14	1.11	6	0.035	0.45	16.2	59	6.6	13.4	5	23		0.135	
E384173	71.5	72		760	31.2	91.7	0.027	>10.0	2.12	10.1	1	9.7	137	0.16	0.43	2.9	0.1	6.51	47.8	49	9.6	9	<2	53.5		0.087	
E384174	72	72.5		640	13	110	0.01	8.02	1.4	9.6	1	7.6	275	0.14	0.15	2.4	0.103	3.09	27.7	53	9.2	10.2	2	62		0.024	
E384175	72.5	73		540	12	84.1	0.006	6.74	1.08	6.4	<1	3.3	189	0.12	<0.05	2.1	0.084	2.59	21.8	40	6.3	9.1	4	62.4		0.015	
E384176	73	73.5		710	7.6	86	0.007	3.95	1.33	7.3	1	3.9	459	0.21	0.06	4	0.103	1.83	46.7	45	8.8	10.7	4	70.3		0.013	
E384177	73.5	74		590	6.3	90	0.015	3.32	1.22	7	1	4.9	347	0.18	0.07	3.7	0.103	1.51	52.5	46	10.2	10.1	15	69.8		0.008	
E384178	74	74.5		670	12.6	81.9	0.02	6.15	1.51	6.5	1	6.3	207	0.21	0.16	5.9	0.144	2	196	51	12.1	13.2	5	73.8		0.015	
E384179	74.5	75		1110	11.2	156.5	0.011	>10.0	2.18	13.7	1	15.7	144.5	0.14	0.41	1.5	0.254	3.84	102	248	26.5	17.1	3	104		0.023	
E384180	75	75.5		900	6.1	76.5	0.01	3.27	1.01	7.3	1	7.7	547	0.19	0.15	4.3	0.104	1.8	27.7	77	13.9	11.2	5	58		0.012	
E384181	75.5	76		1130	10.3	69.7	0.008	6.05	1.25	6.9	1	8.6	228	0.18	0.35	2.3	0.09	2.73	26.1	66	14.7	10	6	52.4		0.018	

IG-2007-21

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
E384320	155	156		0.08	6.87	<0.2	2960	1.8	0.06	3.26	<0.02	86.5	18	36	5.03	38.9	8.51	17.75	0.23	1.9	0.085	1.66	55.3	45.7	1.62	3510	6.97	2.05	3.4	15.9
E384321			Blank	0.01	0.15	7	70	0.08	0.01	47.4	0.4	2.31	1.1	5	<0.05	1.9	0.06	0.95	0.19	0.1	<0.005	0.04	1.7	1.3	0.5	41	2.88	0.02	0.4	<0.2
E384322	156	156.5		0.05	6.96	<0.2	6890	1.15	0.11	2.28	<0.02	73	19.8	31	2.65	37.6	10.3	14.1	0.17	1.9	0.042	0.56	49.7	56	2.16	2240	2.34	2.17	2.8	23
E384323	156.5	157		0.05	4.86	5.5	360	0.81	0.09	2.54	<0.02	157	60.2	21	1.26	117	12.45	11.15	0.23	1.5	0.043	0.24	113	27.7	1.75	3490	10.9	1.99	2.9	24
E384324	157	157.5		0.18	3.3	4.5	730	0.42	0.24	2.35	0.02	325	31.6	15	0.6	207	21	12.9	0.45	1	0.037	0.05	237	22	1.58	2860	60.2	0.86	4.3	40.8
E384325	157.5	158		0.18	3.82	2.3	1390	0.45	0.22	2.38	<0.02	452	19.5	18	0.58	226	18.1	12.3	0.44	1.2	0.058	0.06	319	24.9	1.77	3490	53	1.01	4.3	34.2
E384326	158	158.5		0.08	7.75	<0.2	4000	1.26	0.08	0.51	<0.02	49.6	22.4	36	3.55	49.5	14.65	14.65	0.18	2.1	0.033	0.51	35.7	61.6	2.42	520	3.33	1.26	1.7	37.2
E384327	158.5	159		0.14	4.49	10.2	870	1.41	0.21	0.49	<0.02	264	17	27	4.73	53.6	12.5	13.3	0.24	1.3	0.061	1.61	201	32.7	1.03	948	18.05	0.04	4.4	15.8
E384328	159	159.5		0.13	4.48	10.2	680	1.37	0.14	0.84	<0.02	280	31.6	22	5.03	352	12.65	13.6	0.29	1.3	0.087	1.74	216	28.8	1.06	1590	13.4	0.03	5.9	17.3
E384329	159.5	160		0.12	5.1	10.3	1170	1.43	0.1	0.71	<0.02	156	39.9	27	5.63	476	12.7	15	0.21	1.6	0.134	2.02	129	28.3	0.96	2720	11.8	0.21	7.1	17.3
E384330	160	160.5		0.15	4.46	10.7	850	1.04	0.11	0.84	<0.02	339	26.6	21	3.81	416	11.65	12.9	0.29	1.3	0.079	1.4	275	25	0.85	1450	15	0.59	6.4	15.9
E384331	160.5	161		0.12	5.65	5.8	1500	1.27	0.08	0.69	<0.02	124	33.7	30	5	241	12.05	14.3	0.19	1.8	0.126	1.86	106.5	30.4	1.09	2730	10.05	0.87	7.9	16.8
E384332			Blank	0.01	0.15	6	160	0.05	0.01	42.8	0.38	2.41	1	5	<0.05	1.9	0.07	0.8	0.08	0.1	<0.005	0.03	1.8	1.3	0.48	39	0.44	0.02	0.4	<0.2
E384333			Standard 3	0.32	6.99	58.5	90	2.61	1.56	1.93	0.03	96.1	111	39	8.39	1520	7.2	19.05	0.17	2	0.136	2.99	48.8	25	1.33	3210	19.6	0.8	2.6	27
E384334	161	161.5		0.17	8.83	4.6	5860	4.16	0.12	0.59	<0.02	139	25	53	11.65	140	11.85	27.3	0.19	2.7	0.196	4.13	120.5	74.3	1.15	1480	10.25	0.34	13.1	21.2
E384335	161.5	162		0.09	3.87	8.3	880	1.71	0.14	0.53	<0.02	352	21.1	22	4.37	28.4	11.25	10.95	0.22	1.1	0.078	1.49	264	41.7	0.8	1585	15.55	0.04	5.5	13.2
E384336	162	162.5		0.12	2.14	12.9	1470	0.75	0.12	0.34	<0.02	300	20.6	16	1.22	36.1	15.75	5.6	0.22	0.7	0.05	0.45	254	30.6	0.73	2400	21.7	0.21	8.2	10.2
E384337	162.5	163		0.18	1.31	17.5	360	0.44	0.28	1.8	<0.02	389	59.8	10	0.69	213	16.25	4.26	0.25	0.4	0.054	0.18	284	21.8	1.09	2790	36.6	0.02	5.4	16.5
E384338	163	163.5		0.35	1.95	23	120	0.57	0.49	1.99	<0.02	264	128.5	11	1.32	86.6	16.1	5.5	0.25	0.7	0.075	0.4	153.5	28.9	1.33	3220	127	0.03	7.5	25.5
E384339	163.5	164		0.19	5.96	17.5	360	2.24	0.23	0.53	<0.02	153	86.3	44	6.96	35.3	15.05	17	0.2	1.7	0.099	2.61	134	55.6	1.02	537	27.7	0.03	14	16.7
E384340	164	164.5		0.12	6.53	11	410	2.13	0.27	0.48	<0.02	58.3	88.1	47	6.47	73.6	15.85	17.4	0.19	1.8	0.101	2.29	49.2	67.3	1.43	438	16.25	0.03	13.4	20.1
E384341	164.5	165		0.33	2.9	17.8	2560	0.62	0.82	1.18	<0.02	131	134	17	1.19	2240	13.7	6.32	0.18	0.7	0.034	0.35	74.5	45	1.43	1145	30.6	0.03	5.6	19
E384342	165	165.5		0.41	0.73	16.7	80	0.15	0.97	0.88	<0.02	94.2	216	3	0.15	2240	17.35	2.49	0.22	0.2	0.457	0.02	56	13.2	2.31	13650	48.9	0.01	5.4	21.8
E384343	165.5	166		0.58	0.41	9.1	370	0.08	2.14	3.51	<0.02	265	27.3	1	0.07	4800	16.85	2.31	0.26	0.1	0.253	0.01	208	7.2	2.87	13350	65.4	0.01	5.9	15
E384344			Blank	0.02	0.15	5	7800	0.08	0.04	40.5	0.39	10.4	6.9	6	<0.05	90.1	0.7	0.82	<0.05	0.1	0.022	0.03	9.5	1.8	0.53	501	1.95	0.07	0.5	1.5
E384345	166	166.5		0.13	0.16	18.3	1270	0.07	0.62	4.77	0.02	248	28	<1	0.05	1040	17.65	2.01	0.25	0.1	0.171	<0.01	178	3.4	2.6	8700	40.3	0.02	10.6	15.5
E384346	166.5	167		0.15	0.53	9.8	730	0.11	0.39	2.79	<0.02	225	47	2	0.09	301	17.15	2.58	0.23	0.2	0.191	<0.01	161.5	8.9	2.38	10400	36.7	0.01	5.9	21
E384347	167	167.5		0.17	0.78	10.2	2290	0.26	0.84	4.95	<0.02	377	20.6	3	0.59	735	18.9	3.36	0.29	0.2	0.15	0.18	315	9.7	3.05	8960	49.1	0.03	8.1	13.9
E384348	167.5	168		0.46	1.37	10.6	350	0.56	1.97	0.75	<0.02	352	40.6	7	1.22	3890	21.9	5.38	0.3	0.6	0.278	0.33	271	15.8	2.57	13750	55.9	0.02	7.5	26
E384349	168	168.5		0.08	2.49	14.2	220	0.58	0.31	2.99	<0.02	132.5	74.1	13	1.58	247	14.05	4.95	0.2	0.8	0.096	0.69	70	24.6	1.87	4950	20.9	0.21	7.1	21
E384350	168.5	169		0.01	6.4	8.5	3080	1.95	0.11	0.97	<0.02	45.8	12.1	45	6.27	79.5	11.4	14.4	0.14	2.1	0.089	2.95	39.4	37.8	0.98	828	6.52	0.22	11.6	11.7
E384351	169	169.5		0.2	2.7	15.1	2540	1.08	1.02	1.37	<0.02	120	83.6	11	2.85	1860	10.95	7.67	0.18	1.1	0.076	0.86	62.4	24.7	0.98	2730	40.8	0.22	5.9	21.8
E384352	169.5	170		0.09	5.03	3.3	1790	1.71	0.24	1.58	<0.02	96.8	10.9	33	7.3	313	9.21	14.2	0.16	1.7	0.107	2.15	78.2	46	1.19	2200	18.8	0.41	4.6	17.5
E384353	170	170.5		0.09	2.43	7.1	790	0.88	0.75	1.39	<0.02	129.5	15.3	17	3.08	731	10.55	8.07	0.2	0.7	0.078	0.95	81.7	25.6	1.03	3030	33.9	0.08	3.3	18.1
E384354	170.5	171		0.09	4.08	0.9	530	0.79	0.19	0.66	<0.02	30.9	15.7	27	2.56	2350	9.83	9.25	0.12	1	0.105	0.59	15.9	42.4	1.51	3780	4.83	1.14	1.9	18.9
E384355			Blank	0.01	0.26	7	470	0.07	<0.01	44.4	0.39	3.89	1.1	10	0.06	6.3	0.19	0.77	<0.05	0.1	<0.005	0.04	3	2.6	0.5	40	0.26	0.07	0.5	2.6
E384356			Standard 1	1.16	5.51	70.2	150	1.84	2.63	2.36	<0.02	58.1	154	28	3.43	7480	8.68	15.3	0.18	1.8	0.138	2.06	26.4	20	1.09	3060	72.3	1	4	35.3
E384357	171	171.5		0.03	8.17	1.1	7240	0.72	0.06	0.15	<0.02	137.5	13.8	29	1.7	1490	7.53	12.6	0.13	1.5	0.011	0.22	94.5	47.9	1.36	173	2.26	2.43	2.7	25.5
E384358	171.5	172		0.08	6.25	1	3480	0.75	0.1	0.13	<0.02	71.1	12.1	33	1.61	3020	7.73	12.25	0.14	1.4	0.016	0.22	50.1	44.5	1.24	172	1.75	2.66	3.2	23.3
E384359	172	172.5		0.09	6.83	1.4	7800	1.01	0.18	1.84	<0.02	68.3	17.5	24	4.18	2810	9.97	13.8	0.13	1.4	0.035	0.44	49.2	58.1	2.3	1740	1.72	2.05	2.8	30.9
E384360	172.5	173		0.86	4.4	56.5	80	0.53	4.91	5.3	<0.02	196.5	232	21	1.07	>10000	15.4	11	0.25	1.1	0.112	0.08	128.5	29.5	2.68	5630	32.9	1.99	3.8	44.3
E384361	173	173.5		0.87	4.04	31.8	140	0.77	1.99	2.84	<0.02	198.5	146	18	1.52	7330	13.55	11.2	0.24	1.1	0.127	0.28	102.3	36.1	1.95	4430	44.8	1.33	3.5	41.2
E384362	173.5	174		0.06	7.76	4.5	2310	0.96	0.16	1.14	<0.02	115	87.8	42	1.48	383	10.6	18.6	0.16	1.9	0.017	0.15	69.1	42.5	1.5	1045	3.45	4.25	1.8	31.5
E384363	174	174.5		0.02	6.89	3.9	1020	0.79	0.08	1.55	<0.02	93.8	135	34	1.56	56.3	12	15.95	0.16	1.6	0.018	0.11	56.6	48.2	1.88	1345	1.48	3.07	1.1	37.1
E384364	174.5	175		0.12	5.52	6	1290	0.89	0.84	2.59	<0.02	221	52.7	23	1.73	826	12	12.95	0.21	1.4	0.042	0.28	153	38.9	1.83	2410	32.5	2.31	3.7	30.8
E384365	175	175.5		0.01	7.46	2	>10000	1.41	0.16	1.42	<0.02	135.5	14.2	39	1.98	227	7.64	18.25	0.14	2.2	0.024	0.47	98.3	30.2	1.15	1280	15.25	4.15	3.4	27.2
E384366	175.5	176		0.01	7.45	1.9	5980	3.12	0.06	1.6	<0.02	128	26.6	50	7.5	97.3	7.37	20.6	0.16	2.1	0.119	2.47	86.5	58.7	1.48	2000	4.05	1.31	3.7	26
E384367			Blank	0.01	0.18	28	160	0.1	0.01	42	0.41	2.77	1.8	5	0.1	7.6	0.16	0.8	<0.05	0.1	<0.005	0.04	2.1	1.7	0.48	53	0.23	0.03	0.3	1
E384368	176	176.5		0.01	6.33	1.7	4520	2.86	0.04	2.33	<0.02	123	36.4	37	7.83	31.7	8.44	15.65	0.18	1.7	0.157	2.91	63	35.9	1.42	4280	4.48	0.33	3.3	20.1
E384369	176.5	177		0.02	6.75	2.4	9130	3.27	0.04	2.48	<0.02	64.7	39.8	38	8.91	45.7	8.35	20.7	0.15	2.1	0.188	3.12	41.8	47.7	1.83	4240	5.17	0.31	2.9	24.4
E384370	177	177.5		0.06	6.18	2.4	3860	2.85	0.04	4.37	<0.02	68.6	26.6	37	7.7	38.9	8.65	16.4	0.19	1.8	0.13	2.89	45.6	50.3	1.96	4750	3.77	0.62	3.3	23.1
E384371	177.5	178		0.05	4.42	1.6	780	1.82	0.09	2.19	0.02	33.5	31.6	23	4.5	732	9.38	11.5	0.15	1.2	0.148	1.48	20	43.4	1.83	5430	5.29	0.43	2.8	25.8
E384372	178	178.5		0.04	5.23	1.8	2360	2.57	0.09	2.9	<0.02	47.1	26.4	30	6.54	252	7.54	14.75	0.17	1.4	0.123	2.29	30.7	54.4	1.99	3430	5.74	0.07	3.4	25.3
E384373	178.5	179		0.03	6.11	1.7	>10000	3.13	0.06	3.65	0.02	59.1	38.2	38	7.93	94.3	7.75	17.1	0.18	1.9	0.141	3.07	36.1	55.5	2.19	3550	5.05	0.06	3.1	26.4
E384374	179	179.5		0.04	6.32	2.2	8560	2.79	0.24	2.44	<0.02	100.5	28.5	40	7.72	162	7.34	18.95	0.21	1.9	0.151	3.21	60.3	51.7	1.8	2910	6.95	0.07	3.8	31.1
E384375	179.5	180		0.12	3.94	5.9	820	1.58	0.71	2.77	0.02	61.3	42.3	22	4.51	338	8.97	12	0.17	1.1	0.13	1.68	32.7	28.7	1.97	4000	35.2	0.03	4.5	33.9
E384376	180	180.5		0.05	4.21	3.4	1150	1.68	0.17	1.7	<0.02	31.1	24.4	23	4.73	439	7.82	12.75	0.14	1.2	0.133	1.93	17.8	30.5	1.6	3080	5.69	0.03	3.2	30.3
E384377	180.5	181		0.04	5.75	3.5	4110	2.63	0.07	1.11	<0.02	41.1	22.1	37	7.29	206	8.46	17.2	0.18	1.6	0.19	2.85	24.8	34.4	1.57	5070	4.18	0.04	3.3	25.2
E384378			Blank	0.01	0.11	6	440	0.06	0.01	45	0.38	2.1	1.2	6	0.05	3.3	0.06	0.78	0.17	0.1	<0.005	0.04	1.5	1.6	0.49	48	0.22	0.02	0.3	<0.2
E384379			Standard 2	1.18	2.38	123	60	0.76	10.9	2.3	<0.02	195	339	15	2.52	8860	27.3	9.67	0.42	0.8	0.261	0.66	114.5	20.7	1.58	6300	82.2	0.25	6.3	63.3
E384380	181	181.5		0.06	3.63	2.1	1330	1.53	0.21	1.63	<0.02	52.2	17.7	21	4.58	472	8.9	10.85	0.13	1.2	0.184	1.83	30	25.9	1.88	6330	6.03	0.03	3.9	22.9
E384381	181.5	182		0.06	4.01	5.1	1470	1.6	0.23	1.98	<0.02	123	16.7	21	4.88	299	8.19	11.55	0.17	1.2	0.118	1.84	84.3	32.4	1.46	3180	9.21	0.03	5.8	22.4
E384382	182	182.5		0.09	4.06	14.5	650	1.71	0.22	4.5	<0.02	279	91	18	4.72	157	16.05	12	0.35	1.6	0.108	1.57	201	40.3	2.01	6050	26.9	0.36	5.8	29.8
E384383	182.5	183		0.05	8.99	2.2	5060	2.87	0.11	2.42	<0.02	93.8	25.2	42	8.27	121	8.88	19.05	0.19	1.9	0.148	3.11	65.5	53.3	2.14	3030	8.69	0.07	4.4	34.2
E384384	183	183.5		0.09	8.16	2.6	>10000	3.8	0.18	1.16	<0.02	64.6	29.6	57	9.63	171	9.96	22.9	0.19	2.6	0.17	4.07	42.2	68.4	2	3260	20.2	0.1	3.7	32.6
E384385	183.5	184		0.09	7.59	3	6230	3.09	0.35	1.59	<0.02	99.4	31.2	52	9.41	615	8.41	22.6	0.21	2.1	0.142	3.48	64.8	57	1.91	2470	16.4	0.06	4	30.5
E384386	184	184.5		0.08	4.26	4.9	780	1.76	0.34	1.87	<0.02	68.4	33.8	22	5.41	451	8.52	12.35	0.16	1.2	0.101	1.7	41.9	37	1.66	2620	12.8	0.03	4.5	20.8
E384387	184.5	185		0.07	5.37	4	910	2.19	0.33	2.19	<0.02	79.2	29.7	33	6.44	525	7.94	14.5	0.16	1.5	0.116	2.31	55	45.7	1.82	2570	10.85	0.04	5	21.1
E384388	185	185.5		0.07	5.26	4.4	1040	2.05	0.23	2.41	<0.02	97.6	36	30	5.9	498	9.95	13.75	0.18	1.4	0.113	2.19	70.3	50.8	2.05	2890	17.6	0.04	4.7	25.3
E384389	185.5	186		0.12	7.64	3.3	8890	3.08	0.45	1.99	<0.02	82.5	30.4	46	9.11	553	9.25	20.8	0.19	2	0.133	3.54	58.1	64.3	2.04	2020	33.1	0.07	4.5	29.7
E384390			Blank	0.02	0.11	13	260	0.11	0.01	44.6	0.4	2.52	1.2	6	0.06	3.7	0.08	0.8	0.17	0.1	<0.005	0.04	1.9	2	0.49	41	0.29	0.02	0.4	<0.2
E384391	186	186.5		0.12	7.23	3.1	8000	2.98	0.2	2.11	<0.02	112.5	36	43	9.28	140	10.15	22.1	0.21	2	0.148	3.46	74.3	56.6	2.15	3060	22.8	0.07	3.5	33.5
E384392	186.5	187		0.06	7.48	3.5	7080	2.91	0.14	1.39	<0.02	103	29.2	45	9.91	77.3	10.45	23.1	0.21	2.2	0.16	3.47	67.9	56.4	1.86	2850	8.72	0.06	3.9	32.3
E384393	187	187.5		0.07	7.81	3.2	>10000	3.08	0.15	1.35	<0.02	121.5	26	51	9.73	176	9.11	24.7	0.22	2.3	0.154	3.88	79.8	60.6	1.84	2220	11.95	0.09	5.1	32.6
E384394	187.5	188		0.06	7.12	2.9	>10000	2.78	0.17	1.47	<0.02	154	20.5	47	9.25	111	9.06	22.4	0.22	2	0.134	3.36	115	53	1.82	2220	10.6	0.06	6.1	31.2
E384395	188	188.5		0.06	6.8	2.4	3940	2.52	0.13	1.96	<0.02	161.5	48.9	38	8.86	73.4	9.56	18.8	0.24	2	0.082	2.08	98.8	85.7	2.28	2280	19.95	0.74	3	32.8
E384396	188.5	189		0.05	8.86	2.1	>10000	4.19	0.13	1.09	<0.02	127	21.6	65	10.15	88.7	7.43	30.1	0.25	2.6	0.109	4.82	83.3	79.9	1.19	1775	10.7	0.85	4.4	17.5
E384397	189	189.5		0.03	10.15	2.3	>10000	5.37	0.06	0.78	<0.02	112.5	20	71	12.2	45	6.59	40.9	0.24	2.6	0.132	5.67	79	89.8	1.18	1295	8.15	0.5	4.2	18.9
E384398	189.5	190		0.05	7.18	2.5	3710	3.96	0.09	0.92	<0.02	108.5	32.4	42	8.65	46.9	9.97	22.6	0.23	1.7	0.105	3.19	78	79.9	1.67	3150	22.4	0.45	3.3	20.6
E384399	190	190.5		0.18	5.02	3.8	530	1.83	0.07	0.85	0.2	83.3	24.6	19	5.4	82	10.2	13.35	0.18	1.1	0.061	1.47	45.8	58.2	1.79	3380	17.1	0.06	4.4	17.8
E384400	190.5	191		0.05	1.5	2.4	530	0.88	0.07	0.32	<0.02	44.7	50.3	11	1.62	136.5	9.37	5.49	0.13	0.5	0.066	0.5	20.7	19.8	1.07	4940	7.25	0.02	2.8	11.9
E384401			Blank	0.01	0.1	15	1330	0.09	0.01	44.6	0.41	2.29	1.2	7	<0.05	3	0.07	0.72	0.12	0.1	<0.005	0.03	1.7	1.9	0.49	49	0.25	0.02	0.3	<0.2
E384402			Standard 3	0.29	6.73	58.2	350	3.37	1.71	1.99	<0.02	90.3	121.5	48	6.36	1660	7.23	20.2	0.17	2.2	0.132	3.31	48.6	27.2	1.35	3270	20.8	0.58	3	28.6
E384403	191	191.5		0.04	7.54	2.6	6310	4.71	0.04	0.22	<0.02	96	23.2	52	8.77	26	11.45	23.5	0.19	2.2	0.089	3.38	72.8	91.8	1.53	1890	8.45	0.23	5.4	20
E384404	191.5	192		0.07	7.27	2.1	5880	4.54	0.05	2.4	<0.02	82.9	20.3	46	8.17	46.1	11.95	21	0.2	2	0.099	2.96	63.3	86.1	2.17	2730	12.95	0.22	5.4	19.5
E384405	192	192.5		0.07	5.03	3.1	850	2.91	0.14	0.64	<0.02	136	42.8	33	5.74	75.4	13	15.95	0.2	1.4	0.076	1.75	98.5	60.1	1.62	2630	8.54	0.18	4.2	26.1

IG-2007-21

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E384320	155	156		700	1.6	95.6	0.004	0.17	0.93	12.3	3	11	913	0.23	0.23	11.9	0.118	0.13	2.6	67	10.6	16.4	6	59.2		0.004	
E384321			Blank	120	0.8	0.9	<0.002	0.07	0.09	0.5	4	<0.2	294	<0.05	<0.05	0.2	0.007	<0.02	0.6	2	0.1	3.2	23	3.9		0.001	
E384322	156	156.5		690	2.2	32.7	<0.002	0.32	0.53	7.8	2	6.8	864	0.19	0.15	10.2	0.068	0.06	3.2	40	7.9	13.1	13	60.2		0.004	5.26
E384323	156.5	157		920	1.6	14.7	0.004	0.4	0.53	5.7	3	4.7	956	0.12	0.14	8.5	0.043	0.03	3.5	27	8.1	12.7	8	46.9		0.004	
E384324	157	157.5		2300	2.2	3	0.032	0.25	0.78	4.3	5	2.5	803	0.11	0.44	5.9	0.026	0.02	4.1	68	5.1	18.6	9	29.3		0.014	
E384325	157.5	158		2030	2.3	3.2	0.039	0.22	0.6	4.2	4	2.4	1135	0.12	0.33	9.2	0.03	0.02	14.7	56	5	20	10	33.7		0.011	
E384326	158	158.5		770	2.2	31.1	0.002	0.27	0.59	6.6	2	6.5	1070	0.09	0.1	8.5	0.037	0.06	4.2	43	4.9	12.1	22	61.6		0.003	
E384327	158.5	159		1100	2.5	90.7	0.004	0.18	1.37	6.6	3	13.7	1895	0.19	0.28	12.4	0.096	0.19	2.7	48	15.5	11	7	39.6		0.021	
E384328	159	159.5		1930	2.6	98.8	0.003	0.23	1.39	6.8	4	14.1	1880	0.22	0.33	11	0.1	0.16	2.3	59	18.9	13.3	6	40.3		0.008	
E384329	159.5	160		2220	2.2	117	0.003	0.2	1.39	7.4	4	16.2	1235	0.23	0.2	8.2	0.117	0.19	2.5	66	16.9	13.3	5	45.4		0.011	
E384330	160	160.5		2920	2.1	81.4	0.004	0.19	1.38	5.4	4	12.1	2180	0.2	0.3	11.9	0.09	0.14	2.6	66	16	14.7	5	38.6		0.01	
E384331	160.5	161		1520	1.7	107	0.005	0.15	1.36	8.5	4	15.2	1605	0.29	0.2	8.4	0.134	0.18	3.2	66	17.4	12.3	6	53.2		0.008	
E384332			Blank	100	0.9	0.9	<0.002	0.07	0.08	0.4	4	<0.2	299	<0.05	0.05	0.2	0.008	<0.02	0.6	2	0.1	3	21	3.5		0.001	
E384333			Standard 3	760	3.5	118	0.007	1.35	1.13	11.1	3	7.6	454	0.14	0.2	13.8	0.103	0.36	17	63	7.7	12.6	14	63.6		0.019	
E384334	161	161.5		1030	3	215	0.006	0.21	1.81	17.6	3	35.7	891	0.6	0.22	17	0.263	0.39	6.1	99	31.3	15.3	3	81.9		0.007	5.03
E384335	161.5	162		1200	1.8	87.9	0.002	0.23	1.56	7.3	2	15.4	2440	0.21	0.43	9.7	0.105	0.23	2.7	42	15.9	10.8	3	34.6		0.004	
E384336	162	162.5		1200	1.6	27	<0.002	0.16	2.55	4.2	2	11.6	2200	0.21	0.7	7.2	0.07	0.06	2.5	38	11.7	8.2	2	19.9		0.006	
E384337	162.5	163		1230	1.9	11.7	0.004	0.58	2.7	3.5	4	9.3	1870	0.16	1.01	6.8	0.05	0.35	3	32	10.8	10	2	13.2		0.013	
E384338	163	163.5		1150	2.2	24.3	0.011	1.46	2.2	3.9	10	13.2	866	0.24	1.62	5.3	0.066	0.07	5.7	28	13.4	9.9	3	19.4		0.027	
E384339	163.5	164		880	1.9	122.8	0.003	0.7	3.26	10.2	5	29	288	0.71	0.71	8.6	0.209	0.23	3.7	69	21.8	10	4	52.7		0.014	
E384340	164	164.5		670	1.8	105.6	<0.002	0.85	2.4	10.6	4	24.1	486	0.71	0.4	9.7	0.215	0.2	4.4	78	18.1	10	6	55.3		0.01	
E384341	164.5	165		800	1.7	19.5	<0.002	1.14	1.67	4.1	8	11.8	1020	0.25	0.77	4.7	0.089	0.04	3	29	11.7	6.8	6	22.9		0.027	
E384342	165	165.5		580	2.7	1.3	0.004	1.81	1	1.5	4	8.7	737	0.1	0.84	1.7	0.023	0.03	5.9	12	7.7	7.3	8	8.1		0.036	
E384343	165.5	166		1790	3.9	0.5	0.018	0.59	0.74	0.9	4	14	1010	0.08	1.42	1.1	0.009	0.02	6.6	18	5.8	11.5	5	3.9		0.042	
E384344			Blank	110	1	0.8	<0.002	0.32	0.11	0.3	3	0.6	385	<0.05	<0.05	0.3	0.007	<0.02	0.9	8	0.4	3.4	20	3.7		0.005	0.75
E384345	166	166.5		4800	1.8	0.2	0.016	0.26	0.76	0.9	4	10.9	853	0.19	0.44	1.6	<0.005	<0.02	2.4	43	3.5	18.8	2	1.6		0.011	
E384346	166.5	167		1840	2	0.2	0.012	0.4	0.87	1.6	4	10.5	1260	0.1	0.29	1.4	0.014	<0.02	1.9	25	8.4	10.6	5	4.8		0.01	
E384347	167	167.5		1860	1.5	11.2	0.017	0.2	1.39	1.5	3	21.1	520	0.14	0.57	2.2	0.025	0.03	4.5	25	18.6	12	<2	6.8		0.012	
E384348	167.5	168		1630	2.1	20.8	0.014	0.58	1.3	2.8	6	17.1	676	0.14	1.06	3.8	0.036	0.05	4.8	24	8.8	14.2	3	16.8		0.03	
E384349	168	168.5		1040	1.5	40.3	0.003	1.03	1.43	5.3	4	8	940	0.26	0.37	3.9	0.088	0.07	2.3	28	9.8	10.6	2	25.5		0.01	
E384350	168.5	169		570	1.8	141.5	<0.002	0.13	2.82	10.4	3	15	842	0.7	0.12	10.4	0.259	0.28	4	71	17.3	12.4	3	68		0.001	
E384351	169	169.5		1510	1.7	56.5	0.011	0.66	1.15	5.8	5	7.8	1840	0.16	0.95	4.8	0.056	0.1	3.2	36	11.6	12.5	2	35.8		0.015	
E384352	169.5	170		1070	1.5	123.5	0.004	0.24	1.3	7.9	2	14.8	1860	0.17	0.31	9.7	0.1	0.19	5.7	54	18.2	14	6	52.4		0.005	
E384353	170	170.5		1210	1.3	55.4	0.011	0.24	1.05	4.2	2	6.5	2360	0.11	0.58	5.5	0.048	0.09	3.5	39	9.9	9.9	5	23.3		0.01	
E384354	170.5	171		420	1.4	32.5	<0.002	0.38	0.85	4.6	2	5	2110	0.12	0.06	5.7	0.048	0.06	2.3	30	6.2	7.2	12	31.3		0.007	
E384355			Blank	120	0.6	1	<0.002	0.08	0.11	0.5	1	0.3	288	<0.05	<0.05	0.4	0.008	<0.02	0.7	4	0.3	3	22	4.6		0.001	
E384356			Standard 1	770	24.3	62.1	0.025	2.09	1.77	10.8	3	7.8	670	0.22	0.28	8.7	0.087	0.38	284	55	8.8	14.6	9	48.2		0.083	
E384357	171	171.5		710	1.4	10.3	<0.002	0.36	1.08	4.3	1	4.3	402	0.19	<0.05	11.2	0.062	0.04	2.9	27	6.1	8.3	13	41.3		0.005	2.45
E384358	171.5	172		610	1.3	10	<0.002	0.4	1.15	3.9	2	4.5	310	0.21	<0.05	8.6	0.07	0.04	2.7	33	6.9	7.2	11	42.3		0.005	
E384359	172	172.5		550	1.4	18.2	<0.002	0.53	1.05	5.6	2	3.9	489	0.16	0.05	8.7	0.051	0.07	4	32	5	9.2	18	43.5		0.007	2.54
E384360	172.5	173		2210	3.9	3.6	0.017	3.17	2.17	9.5	6	4.3	214	0.2	2.71	10.4	0.034	0.04	6.6	72	6.1	20.3	9	33.3	1.09	0.076	
E384361	173	173.5		1430	2.7	17.2	0.02	1.62	1.37	7.1	5	5.4	782	0.13	0.88	9.2	0.034	0.06	9.8	57	5.5	16.7	10	32.9		0.041	
E384362	173.5	174		730	1.8	7.7	<0.002	0.58	0.95	6.6	2	2.8	327	0.14	0.07	14.8	0.042	0.05	3.1	54	4.7	12	10	59.7		0.003	
E384363	174	174.5		640	1.5	5.4	<0.002	0.76	0.86	7.6	2	2.1	209	0.1	0.05	13.5	0.03	0.02	2.2	56	3.2	9.5	12	50.2		0.001	
E384364	174.5	175		1410	2	16.7	0.018	0.37	1.03	9	3	5.9	439	0.15	0.68	11.8	0.049	0.04	5.7	47	6.2	14.8	8	44.6		0.017	
E384365	175	175.5		910	2	27.2	0.011	0.29	0.92	20.1	2	10.1	228	0.14	0.11	16.6	0.075	0.05	2.8	60	8.1	13.8	5	88.5		0.002	1.06
E384366	175.5	176		710	1.8	139	0.002	0.19	1.16	20	2	17.9	298	0.21	0.07	13.9	0.119	0.21	3	71	12.6	13.9	6	67.1		0.002	2.07
E384367			Blank	110	1.3	1.8	<0.002	0.08	0.09	0.9	3	0.2	262	<0.05	<0.05	0.3	0.008	<0.02	0.7	9	0.1	3	22	3.3		0.001	
E384368	176	176.5		640	1.3	149.5	0.005	0.11	1.11	10.2	2	8.1	68.9	0.22	0.05	13	0.132	0.22	2	56	12.1	11.7	2	52.7		0.003	
E384369	176.5	177		620	1.5	187.5	0.003	0.26	1.1	11.8	2	11.2	136	0.17	<0.05	15.8	0.127	0.3	2.9	63	13.8	15.3	2	66.2		0.002	0.95
E384370	177	177.5		620	2.7	157	0.004	0.11	1.2	10.7	1	9.8	109.5	0.22	0.05	13.5	0.123	0.22	2.1	59	11.5	17	3	47.2		0.002	
E384371	177.5	178		530	1.8	85.4	0.006	0.43	0.82	6.8	1	6.7	2280	0.16	0.06	4.9	0.073	0.13	2.1	40	8	10.7	2	31.4		0.002	
E384372	178	178.5		530	1.8	135	0.006	0.28	1.04	9.3	1	11.4	1480	0.22	0.07	8.3	0.103	0.19	2.1	47	11.5	10.3	2	38		0.002	
E384373	178.5	179		580	1.7	163.5	0.01	0.36	1.05	10.8	1	10.7	195.5	0.21	<0.05	12.6	0.126	0.23	2.3	58	13.5	13.8	3	47.3		0.002	1.33
E384374	179	179.5		670	1.5	169.5	0.009	0.32	1.14	10.9	1	10.8	471	0.23	0.23	12.6	0.128	0.23	2.6	63	14.5	13.8	3	49.3		0.003	3.46
E384375	179.5	180		1020	1.5	93.5	0.019	0.32	0.82	6.7	2	5.9	1910	0.13	0.58	5.4	0.074	0.13	3.9	42	10.6	10.8	4	29.3		0.014	
E384376	180	180.5		730	1.5	102.5	0.003	0.29	0.84	6.7	1	7.4	2310	0.13	0.14	5.8	0.063	0.14	2.6	47	10.3	9.5	5	31.2		0.005	
E384377	180.5	181		660	1.2	164	0.004	0.24	0.9	9.4	1	9.9	1060	0.15	0.08	9.4	0.114	0.23	2.3	57	13.5	10.8	2	41.2		0.002	
E384378			Blank	110	1.1	1.2	<0.002	0.08	0.08	0.5	2	0.2	280	<0.05	<0.05	0.2	0.007	<0.02	0.7	4	0.2	2.9	19	2.5		<0.001	
E384379			Standard 2	2430	6.3	35.6	0.017	6.94	2.16	4	5	7.6	155	0.14	1.14	6.4	0.034	0.47	17	61	7.3	15.3	3	21.5		0.115	
E384380	181	181.5		450	1.4	95.8	0.002	0.27	0.94	5.7	1	9.1	2150	0.15	0.17	4.7	0.081	0.14	1.7	40	10.4	10.3	3	30.5		0.003	
E384381	181.5	182		880	1.4	103.5	0.003	0.24	1.37	6.3	1	12.8	2370	0.21	0.17	7	0.099	0.15	2.5	45	14.4	11.1	2	30.2		0.005	
E384382	182	182.5		2840	1.6	88.8	0.011	0.54	1.14	6.9	2	14	1010	0.18	0.22	11.2	0.087	0.12	3.5	61	15.6	23.2	<2	44.8		0.005	
E384383	182.5	183		780	1.4	164.5	0.005	0.32	1.48	10.6	1	12.4	1380	0.21	0.12	10.1	0.14	0.23	2.7	71	21.4	13.2	5	48.9		0.009	8.73
E384384	183	183.5		780	1.5	168.5	0.016	0.38	1.61	14.6	2	15	236	0.2	0.16	13.3	0.165	0.28	3.4	87	26.2	14.1	7	67.1		0.02	1.8
E384385	183.5	184		810	1.7	195.5	0.006	0.34	1.85	13.8	2	12.6	792	0.2	0.23	13.7	0.152	0.27	4.6	75	23.2	13.3	4	58.3		0.018	6.38
E384386	184	184.5		820	1.3	102.5	0.009	0.42	1.15	7.7	1	9.8	2220	0.17	0.14	5.7	0.089	0.14	2.5	46	14.5	10.2	3	31.6		0.01	
E384387	184.5	185		770	1.4	132	0.006	0.42	1.18	9.3	1	11.7	1940	0.2	0.13	7.9	0.109	0.18	3	53	16.7	11.8	4	39.5		0.021	
E384388	185	185.5		880	1.4	111	0.01	0.44	1.37	8.8	1	10.2	2070	0.19	0.13	7.8	0.107	0.16	2.5	54	16.3	11.7	5	36.2		0.009	
E384389	185.5	186		830	1.9	161	0.015	0.37	1.82	12.6	2	12.6	496	0.23	0.3	11.8	0.147	0.28	3.4	72	23.6	12.8	5	52.1		0.027	3.04
E384390			Blank	110	0.9	1.1	<0.002	0.07	0.16	0.4	3	0.2	281	<0.05	<0.05	0.3	0.007	<0.02	0.8	3	0.2	3.3	20	3.3		<0.001	
E384391	186	186.5		840	1.7	146.5	0.01	0.27	2.08	12.9	1	10.1	114	0.2	0.14	15	0.138	0.26	4.4	72	21.7	13.8	8	51.6		0.021	0.9
E384392	186.5	187		810	1.6	184.5	0.005	0.17	2.26	13.4	1	11.2	88.6	0.22	0.11	15	0.148	0.26	3.5	72	22.9	13.9	6	56.1		0.017	0.78
E384393	187	187.5		860	1.7	174	0.01	0.37	2.12	12.7	1	13.8	227	0.26	0.14	14.4	0.156	0.3	4.4	75	23.2	13.7	6	60.4		0.015	1.7
E384394	187.5	188		820	1.7	182	0.008	0.29	2.09	12.5	1	15.4	286	0.29	0.13	14.4	0.149	0.26	3.4	69	23	12.8	4	53.2		0.01	2.35
E384395	188	188.5		770	1.9	115	0.005	0.35	1.33	13.2	2	10.5	671	0.16	0.14	14.2	0.094	0.17	4.7	58	15.4	13.5	7	50.2		0.012	
E384396	188.5	189		900	1.8	216	0.008	0.4	1.8	18.7	1	23	395	0.27	0.12	15	0.172	0.32	4.2	88	22.4	15.6	<2	64.2		0.007	3.64
E384397	189	189.5		1050	1.6	236	0.008	0.46	1.84	22.5	1	28.9	376	0.19	0.09	13.1	0.173	0.4	4.1	89	23.9	16.1	<2	67.5		0.004	3.46
E384398	189.5	190		780	1.7	174.5	0.01	0.36	1.25	14	1	28	1040	0.14	0.1	11.3	0.116	0.23	5.8	63	18.1	13	4	44.5		0.006	
E384399	190	190.5		740	4.9	87.9	0.054	0.6	0.79	10.2	2	12.2	1890	0.22	0.07	5.2	0.092	0.66	2.1	68	8.2	8.8	44	28.7		0.193	
E384400	190.5	191		660	1.6	28.8	0.003	0.46	0.57	3.7	1	7.1	1700	0.11	0.07	2.3	0.033	0.04	0.8	24	6.6	5.7	5	12.2		<0.001	
E384401			Blank	120	0.8	0.9	<0.002	0.1	0.08	0.3	3	<0.2	295	<0.05	<0.05	0.2	0.008	<0.02	0.7	4	0.1	3	24	3		<0.001	
E384402			Standard 3	750	2.9	144.5	0.006	1.32	1.14	11.6	2	7.9	454	0.18	0.19	14.4	0.113	0.39	19.4	69	8.7	12.2	3	55.1		0.02	
E384403	191	191.5		860	1.6	187	0.002	0.27	1.55	14.5	1	41.1	650	0.29	0.05	14.8	0.143	0.23	3.4	74	19.3	12.9	6	57.9		<0.001	5.34
E384404	191.5	192		800	1.5	169.5	0.004	0.31	1.27	16.4	1	38.8	785	0.24	0.05	12.4	0.126	0.23	4	66	18.8	14.2	5	52		0.002	6.28
E384405	192	192.5		780	1.4	98.4	<0.002	0.45	1.23	8.4	1	22.6	1350	0.17	0.06	9.2	0.084	0.15	3.1	52	12.6	10.8	9	35.8		<0.001	

IG-2007-21

Sample No	From (m)	To (m)	Standard/Blank
E384406	192.5	193	
E384407	193	193.5	
E384408	193.5	194	
E384409	194	194.5	
E384410	194.5	195	
E384411	195	195.5	
E384412	195.5	196	
E384413			Blank
E384414	196	196.5	
E384415	196.5	197	
E384416	197	197.5	
E384417	197.5	198	
E384418	198	198.5	
E384419	198.5	199	
E384420	199	199.5	
E384421	199.5	200	
E384422	200	200.5	
E384423	200.5	201	
E384424			Blank
E384425			Standard 1
E384426	201	201.5	
E384427	201.5	202	
E384428	202	202.5	
E384429	202.5	203	
E384430	203	203.5	
E384431	203.5	204	
E384432	204	204.5	
E384433	204.5	205	
E384434	205	205.5	
E384435	205.5	206	
E384436			Blank
E384437	206	206.5	
E384438	206.5	207	
E384439	207	207.5	
E384440	207.5	208	
E384441	208	208.5	
E384442	208.5	209	
E384443	209	209.5	
E384444	209.5	210	
E384445	210	210.5	
E384446	210.5	211	
E384447			Blank
E384448			Standard 2
E384449	211	211.5	
E384450	211.5	212	
E384451	212	212.5	
E384452	212.5	213	
E384453	213	213.5	
E384454	213.5	214	
E384455	214	214.5	
E384456	214.5	215	
E384457	215	215.5	
E384458	215.5	216	
E384459			Blank
E384460	216	216.5	
E384461	216.5	217	
E384462	217	217.5	
E384463	217.5	218	
E384464	218	218.5	
E384465	218.5	219	
E384466	219	219.5	
E384467	219.5	220	
E384468	220	220.5	
E384469	220.5	221	
E384470			Blank
E384471			Standard 3
E384472	221	221.5	
E384473	221.5	222	
E384474	222	222.5	
E384475	222.5	223	
E384476	223	223.5	
E384477	223.5	224	
E384478	224	224.5	
E384479	224.5	225	
E384480	225	225.5	
E384481	225.5	226	
E384482			Blank
E384483	226	226.5	
E384484	226.5	227	
E384485	227	227.5	
E384486	227.5	228	
E384487	228	228.5	
E384488	228.5	229	
E384489	229	229.5	
E384490	229.5	230	
E384491	230	230.5	

Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
0.15	4.38	3	730	2.12	0.16	0.82	<0.02	68.3	43.4	24	5.85	61.5	10.65	16.1	0.16	1.5	0.077	1.71	46.1	48.3	1.21	2170	7.92	0.13	4	20.9
0.1	3.17	4.9	1280	0.74	0.25	1.94	<0.02	200	22.9	15	2.04	128	12.15	9.24	0.22	1.1	0.063	0.5	152	26.9	1.53	2640	24.8	0.86	5.2	19.7
0.1	2.63	6.9	780	0.38	0.2	2.2	<0.02	175	36.9	13	0.89	402	13.65	7.24	0.22	0.8	0.057	0.13	128.5	24.1	1.44	2590	26.1	0.75	5.6	25.2
0.09	5.49	3.5	1310	0.42	0.15	2.02	<0.02	101.5	38.7	24	0.86	387	8.86	11.15	0.17	1.8	0.029	0.13	71.6	27.2	1.25	1910	9.93	3.03	3.4	20.6
0.07	4.77	2.6	1000	0.49	0.12	2.22	<0.02	74.1	35.7	20	0.83	378	8.35	9.92	0.14	1.5	0.037	0.11	51	27.6	1.26	2160	9.27	2.55	2.9	18.4
0.05	5.43	1.8	1450	0.86	0.05	0.89	<0.02	76.6	32.4	28	2.27	344	7.86	13.65	0.15	1.9	0.017	0.51	52	37.9	1.12	726	1.81	2.15	2.6	19.5
0.05	4.88	1.7	820	0.37	0.05	0.42	<0.02	68.2	28	26	0.87	765	6.53	11.35	0.14	1.6	0.007	0.12	40.7	24.3	0.72	266	1.04	2.8	1.9	14.4
0.02	0.12	<5	150	0.06	<0.01	44.3	0.37	2.17	0.6	5	<0.05	3.5	0.05	0.56	0.13	0.1	<0.005	0.03	1.8	1.3	0.46	34	0.15	0.02	0.2	2.4
0.13	6.11	1.8	2140	0.47	0.15	1.39	<0.02	63.5	31.3	26	1.29	2850	8.43	11.85	0.12	1.9	0.016	0.11	42.8	29.5	1.35	1070	0.77	3.13	2	18.8
0.26	6.55	0.5	5640	0.56	0.15	2.02	<0.02	74.9	12.9	29	1.58	3870	8.25	13.45	0.15	1.8	0.033	0.11	50.5	33.8	1.77	1715	3.66	3.27	2.6	22.5
0.09	6.92	1.2	7820	0.7	0.1	1.95	<0.02	77	12.2	36	1.52	1870	7.68	14.55	0.15	2.2	0.03	0.12	52.8	31.2	1.61	1605	3.51	3.65	3.5	21.8
0.17	3.61	3	600	0.66	0.18	1.96	<0.02	89.9	26.7	18	2.1	1320	8.97	9.16	0.12	1.2	0.056	0.43	55.1	35.7	1.51	2130	11.7	0.96	4.3	23.1
0.27	3.02	5	730	0.71	0.25	1	<0.02	126	41.7	28	1.99	1000	11.65	9.29	0.16	1.1	0.047	0.34	80.6	49.9	1.38	1490	19.25	0.11	4.6	35.9
0.17	6.37	1.7	3130	0.59	0.15	0.29	<0.02	85.6	15.4	32	2.61	2520	8	12.85	0.12	2.1	0.018	0.21	57.7	48.2	1.41	460	4.8	2.56	3.4	20.8
0.21	5.31	3.8	1290	0.67	0.53	1.55	<0.02	96.7	30.2	31	2.23	3690	8.29	11.65	0.16	1.9	0.045	0.21	66.6	45	1.79	1450	17.6	1.97	2.8	25
0.14	5.62	2.9	2020	0.56	0.54	1.15	<0.02	71.3	25.1	35	1.77	3230	8.85	13.1	0.13	2	0.028	0.13	50	47.2	1.85	1105	5.46	2.15	1.8	29.2
0.6	5.75	9.7	150	0.64	1.32	1.25	<0.02	57.6	126.5	32	1.65	>10000	9.44	12.9	0.14	2	0.063	0.13	31.4	39.2	1.5	1470	17.7	2.63	1.7	31
1.04	5.49	14.2	360	0.51	2.8	2.34	<0.02	56.2	291	26	1.09	>10000	12.2	12.15	0.19	1.7	0.128	0.14	33.8	34.2	1.51	2890	4.56	2.8	1.2	41.4
0.04	0.13	<5	80	0.07	<0.01	46.6	0.38	2.15	0.8	6	<0.05	33.9	0.06	0.51	0.06	0.1	<0.005	0.03	1.8	1.4	0.48	37	0.21	0.02	0.2	3.2
1.01	5.7	68	140	1.72	2.46	2.03	<0.02	49.8	158	33	3.69	8080	9.23	16.05	0.14	2.1	0.142	2.18	16.3	22.9	1.14	3100	62.8	1.11	3	39.8
0.47	6.61	6.6	300	0.63	1.54	2.5	<0.02	77.5	99.2	44	1.44	7560	13.8	13.9	0.16	1.9	0.07	0.11	51.3	91.9	2.42	3610	15.25	1.87	0.9	54
0.32	6.85	5.8	230	0.83	1.65	1.72	<0.02	98.3	100.5	41	2.21	6210	15.4	14.85	0.24	2	0.056	0.13	62.1	93	2.65	2170	8.05	1.17	1.6	64.5
0.33	4.72	12.5	150	0.37	1.35	2.05	<0.02	91.2	105	29	1.09	5820	11.95	9.85	0.16	1.4	0.043	0.09	49.2	89.9	2.12	2500	17.05	0.69	1.1	39.7
0.86	4.87	27.5	220	0.4	3.42	0.48	<0.02	125.5	185	23	1.21	>10000	18.6	11.1	0.21	1.6	0.159	0.11	82.8	29.4	2.04	8050	55.2	2.03	2.1	52.9
1.52	0.28	118	70	0.12	11.2	4.9	0.02	307	458	<1	0.14	>10000	26.5	7.46	0.37	0.1	0.174	<0.01	213	2.9	1.84	8160	52.5	0.02	2.4	66.7
1.2	2.41	91.1	110	0.2	7.48	3.8	0.02	255	457	8	0.31	>10000	21.5	8.9	0.31	0.7	0.188	0.03	182	15.3	1.88	8050	59.9	0.97	2.6	70.9
0.95	2.16	28.8	60	0.16	2.63	6.58	0.04	142.5	176.5	7	0.28	>10000	20	8.26	0.23	0.7	0.204	0.02	93.2	24.3	2.56	12100	15.7	0.61	3.9	50.7
0.86	4.81	21	140	0.36	2.19	4.79	<0.02	179	134	18	0.87	>10000	13.25	11.25	0.27	1.7	0.161	0.07	118.5	16.9	2.01	5670	58.6	2.76	3.3	39.2
0.74	6.21	26.4	260	0.45	2.07	3.24	<0.02	144.5	141	33	1.19	>10000	11.6	13.8	0.19	2	0.117	0.11	102	39.6	2.12	4220	26.6	2.99	2.1	37.3
2.5	3.32	97.6	90	0.62	9.17	4.93	0.05	239	439	14	3.6	>10000	19.45	9.67	0.29	1.2	0.276	0.11	166.5	32.5	3.13	7040	237	0.65	4.4	78.9
0.03	0.13	<5	50	0.09	0.03	46.3	0.39	2.58	1.3	7	<0.05	62.3	0.07	0.54	<0.05	0.1	<0.005	0.03	2	1.4	0.48	44	1.22	0.02	0.2	3.7
2.04	3.67	29.3	90	0.72	4.98	3.22	0.02	148	291	18	3.68	>10000	22	10.55	0.29	1.6	0.38	0.16	103	38	2.12	4950	39.9	0.77	3.8	84.4
2.19	4.47	67.6	110	0.26	6.17	3.98	<0.02	51	380	19	0.59	>10000	14.55	9.81	0.16	1.4	0.294	0.09	25.9	30.9	1.6	5400	54.6	2.44	2.6	55.7
4.27	4.25	31.1	90	0.41	3.25	4.42	0.02	98.1	212	22	0.66	>10000	10.3	8.97	0.21	1.6	0.239	0.13	39.5	11.5	1.74	4810	367	2.63	4.7	34.8
0.17	4.83	3.4	960	0.46	0.28	3.87	<0.02	116.5	13.7	22	0.71	1600	5.74	9.51	0.12	1.6	0.049	0.12	83	15.6	1.28	4330	117.5	3.06	3.6	15.4
0.12	4.24	5.8	2510	0.48	0.32	3.75	0.02	126	23.2	20	0.81	885	10.55	9.5	0.15	1.3	0.047	0.09	93.8	14.2	1.3	4420	100	2.45	3.8	26.1
0.12	4.17	4.8	850	0.65	0.12	0.74	<0.02	100.5	27.2	18	0.63	814	8.3	9.15	0.28	1.2	0.029	0.12	68.5	31.3	0.64	788	8.97	2.04	4.9	15.5
0.09	1.94	8.6	850	0.34	0.11	1.68	<0.02	346	51	7	0.39	835	22.6	11.2	0.82	0.4	0.051	0.03	252	20.2	0.83	2520	15.05	0.58	2.9	32.4
0.14	4.02	5.2	2760	0.46	0.15	3.04	<0.02	272	14.8	16	0.46	1030	13.4	10.65	0.53	0.9	0.056	0.11	213	14.2	0.93	3430	72.1	2.49	4.3	18.1
0.05	4.97	3.4	1950	0.64	0.04	0.58	<0.02	180	25.1	34	0.89	232	9.56	12.3	0.39	1.5	0.018	0.24	144.5	22.6	0.49	400	6.09	2.9	5.2	15.6
0.07	4.55	4.7	1480	1	0.04	0.74	<0.02	141	23.4	30	1.33	286	10.75	11.75	0.38	1.3	0.029	0.45	111.5	32.1	0.55	706	4.99	2.16	4.2	14.7
0.02	0.14	<5	880	0.09	<0.01	39.8	0.37	3.95	1.9	7	<0.05	8.7	0.12	0.52	<0.05	0.1	0.007	0.03	3.2	1.8	0.44	34	0.35	0.03	0.3	2
1.07	2.1	106	170	0.63	9.39	1.95	<0.02	196	296	11	2.33	8120	24.8	9.47	0.82	0.7	0.236	0.62	117	21.6	1.36	5610	56.3	0.23	5.7	55
0.06	4.49	7.5	1020	1.76	0.11	0.6	<0.02	153.5	39.7	27	3.04	285	10.65	13.45	0.39	1.4	0.051	1.14	121.5	43	0.61	871	7.58	1.3	5	16.4
0.15	4.75	5.5	480	0.87	0.45	1.36	<0.02	89.3	34.3	25	1.33	2160	8.51	11.2	0.3	1.3	0.055	0.45	55.4	23.4	0.7	1685	27.9	2.59	3.5	17.2
1.73	4.21	119	430	0.39	8.98	3.11	<0.02	47.4	387	16	0.51	>10000	13	9.04	0.44	1.1	0.314	0.12	22.2	9.1	0.86	3680	70.6	2.88	4	43.1
1.1	5.15	15	300	0.56	1.44	2.57	<0.02	52.1	91.5	29	0.58	>10000	10.7	10.5	0.35	1.5	0.257	0.14	25.4	9.3	0.76	2940	76.9	3.68	3.3	19.3
0.17	4.8	2.6	780	0.51	0.24	1.37	<0.02	54	29.2	24	0.5	1325	6.27	9.34	0.22	1.2	0.069	0.09	35.3	14.4	0.84	2670	5.47	3.18	2.8	10
0.1	5.34	2.7	660	0.74	0.19	0.5	<0.02	78.1	46.4	31	0.54	1800	6.59	11.9	0.25	1.6	0.053	0.09	49.4	10.5	0.59	1760	1.72	3.67	2.3	13.8
0.19	4.14	5.3	510	1.32	0.24	0.3	<0.02	130.5	57.2	24	2.05	2640	10.85	12.3	0.41	1.2	0.09	0.38	78.3	45.1	1.08	1590	16.05	1.31	2.8	24.5
0.29	3.77	8.2	330	1.8	0.33	0.47	<0.02	193	119.5	29	3.77	4960	19	15.9	0.68	1.3	0.07	0.71	121	52.3	1.55	362	7.62	0.06	2.9	45.3
0.24	5.13	2.5	1020	1.13	0.19	0.5	<0.02	85.3	30.4	32	3.14	3410	11.3	12.4	0.38	1.6	0.058	0.25	63.5	67.6	2.06	491	29.5	1.14	2.5	32.3
0.62	5.12	7.4	260	0.72	0.52	2.32	<0.02	258	37.8	23	1.02	8540	9.86	11.5	0.44	1.3	0.116	0.08	169	45.4	1.72	1945	77.4	2.56	3	20.8
0.02	0.16	8	730	0.1	<0.01	43.9	0.39	3.34	2.2	7	0.06	41.8	0.15	0.58	<0.05	0.1	0.005	0.03	2.6	2.2	0.49	40	0.86	0.02	0.3	2
0.23	5.9	2.3	1780	1.06	0.15	0.77	<0.02	122.5	19	36	1.65	1870	7.14	13.3	0.29	1.9	0.035	0.23	94.5	48.4	1.17	583	44.1	2.85	4.2	18.6
0.12	5.22	8.9	1150	1.93	0.14	0.5	<0.02	170	52.1	32	5.9	365	10.2	14.95	0.4	1.6	0.047	0.85	131	68.5	1.22	257	3.75	1.25	3.6	21.2
0.17	5.89	5.8	1060	1.39	0.4	0.58	<0.02	147	25.2	42	2.12	2440	7.69	15.6	0.3	1.9	0.04	0.5	122.5	37.3	0.95	498	21.6	2.65	5	22.5
0.67	5.18	10	260	0.6	0.96	1.41	<0.02	94	58.2	30	0.97	7050	9.48	11.8	0.35	1.5	0.103	0.09	54.8	22	0.96	1495	32.3	3.06	4.3	25.9
0.48	5.07	2.6	670	0.75	0.28	1.98	<0.02	71.3	19.5	32	1.8	8390	10.65	12.95	0.38	1.6	0.098	0.11	51.5	34.5	1.56	1960	8.56	2.23	2.2	27
2.01	4.76	31.2	410	0.55	2.98	2.97	<0.02	70.5	342	23	1.28	>10000	15.55	11.35	0.52	1.2	0.397	0.08	45.9	26.1	1.53	3010	46.3	2.33	2.3	35.6
1.2	4.86	27.1	280	0.7	2.32	1.97	<0.02	58.4	203	33	1.78	>10000	13.65	13.05	0.46	1.5	0.186	0.07	37.5	37.5	1.79	2200	58.9	1.91	2.2	42.3
0.14	4.65	1.5	700	0.68	0.18	0.93	<0.02	78	19	27	0.77	2220	8.99	10.55	0.26	1.2	0.033	0.08	52.5	19.3	0.8	785	14.95	2.66	2.2	17
0.22	4.31	2.9	760	0.61	0.2	1.14	<0.02	85.5	30.1	19	0.44	1375	5.92	8.71	0.23	1.1	0.054	0.1	66.8	10.3	0.76	2430	89.8	2.87	4.2	9.3
0.08	3.9	5	560	0.54	0.1	0.84	<0.02	187.5	57.5	22	0.8	755	11.85	10.2	0.47	1.1	0.028	0.1	150	28.6	0.86	1290	6.7	1.77	2.3	17
0.02	0.12	8	220	0.07	<0.01	41.5	0.38	2.75	2	6	<0.05	19	0.09	0.46	<0.05	0.1	0.005	0.03	2.2	1.6	0.45	36	0.42	0.01	0.3	1
0.28	6.14	50.3	580	2.66	1.4	1.8	<0.02	85.2	102	39	5.7	1460	7.08	17.8	0.29	1.9	0.12	2.81	49.8	23	1.23	3000	18.9	0.53	3.6	23.9
0.06	0.92	5.6	2810	0.18	0.08	2.28	<0.02	134.5	38.6	4	0.28	436	20.3	7.68	0.64	0.2	0.05	0.03	105	9.8	1.03	2440	11.8	0.24	3.7	23
0.3	4.08	3.1	1090	0.8	0.13	0.45	<0.02	72.7	25.5	25	2.9	230	6.8	9.06	0.26	1.5	0.046	0.49	49.9	40.1	1	1170	5.18	0.95	3.1	15.1
1.17	3.1	28.9	160	0.49	2.99	0.49	<0.02	27.2	412	15	3.74	>10000	19.1	8.15	0.64	0.9	0.224	0.08	6.9	32	1.91	4040	74.9	0.63	3.8	43.7
0.29	4.23	8.6	270	0.47	0.27	1.97	<0.02	50.7	25.2	16	0.68	6050	11.55	9.15	0.36	0.9	0.123	0.18	32.9	17.4	1.11	3910	4.51	2.54	5.2	21
0.1	3.84	5.2	500	1.14	0.19	1.84	<0.02	105.5	47.6	22	4.52	349	10.8	12.15	0.37	1.1	0.128	1.59	60	42.8	1.66	3710	12.85	0.03	7.3	28.1
0.17	4.17	18.3	260	1.36	0.42	2.05	<0.02	111.5	204	21	4.08	287	12.35	12.8	0.44	1.5	0.14	1.64	60.5	36.3	1.7	5420	26.4	0.3	10.6	19.5
0.77	1.83	17.3	60	0.5	2.41	0.75	<0.02	89	219	9	1.49	1560	14.85	5.61	0.42	0.5	0.152	0.36	32.7	23	1.53	6530	59.5	0.11	4.9	22.6
0.54	1.39	15.6	90	0.37	1.38	0.87	<0.02	103.5	185	6	1.11	1530	13.3	4.52	0.4	0.4	0.127	0.22	33.2	18.3	1.34	5180	60	0.08	4.1	18.7
0.56	0.82	14.6	30	0.19	0.98	0.33	<0.02	63	239	3	0.38	2410	15.8	3.59	0.44	0.2	0.271	0.07	20.7	12.8	1.68	9970	67.5	0.01	3.1	28.8
0.49	0.32	16.5	80	0.1	1.21	0.98	<0.02	225	154	<1	0.13	1080	18.6	3.64	0.57	0.1	0.269	0.01	124.5	5.7	2.25	14050	72.2	0.01	2.6	25.1
0.04	0.12	<5	260	0.06	<0.01	43.1	0.37	2.69	1.6	6	<0.05	11.2	0.07	0.42	<0.05	0.1	0.006	0.03	2.1	1.5	0.47	46	0.48	0.01	0.2	<0.2
0.79	0.83	25.5	100	0.33	1.47	0.41	<0.02	>500	200	5	0.93	32.7	21.9	6.88	0.78	0.3	0.437	0.4	395	8	2.42	14600	112	0.01	6.2	34.1
0.32	0.69	9.8	380	0.16	0.92	0.24	<0.02	464	43.6	3	0.3	789	18.7	5.03	0.86	0.3	0.294	0.05	330	11.2	1.44	8910	41.8	0.01	5.3	25
0.24	2.77	13	70	0.59	0.32	0.26	<0.02	121	300	18	1.53	1210	20.7	10.45	0.51	0.9	0.313	0.54	82.5	37	2.38	11550	16.25	0.01	9.7	51
0.18	2.3	12.8	120	0.56	0.37	0.34	<0.02	167.5	157	13	1.72	460	17.85	9.17	0.51	0.7	0.29	0.65	103	31.5	1.86	9900	25.6	0.01	8.2	24
0.19	2.52	16.6	50	0.58	0.76	2.75	<0.02	106	310	14	2.2	477	16.1	8.29	0.45	1.1	0.082	0.63	54.9	34.6	2.06	3190	22.5	0.02	8.7	33
0.13	4.32	10.1	150	1.28	0.24	2.75	<0.02	108	133.5	26	4.84	548	12.7	12.8	0.38	1.3	0.143	1.77	61.9	57.8	2.08	2830	16.15	0.04	8.9	34.8
0.14	3.37	15.4	130	0.82	0.29	2.35	<0.02	111.5	113.5	18	3.58	954	12.35	10.25	0.38	1	0.159	1.33	53.8	39.3	1.69	4170	20.6	0.26	7.4	30.5
0.87	2.16	29	30	0.31	1.94	4.36	<0.02	178	159.5	9	0.73	>10000	18.95	7.67	0.54	0.6	0.241	0.19	102.5	12.1	1.8	6380	89.4	1.02	3.2	35.6
0.67	2.99	6.5	400	0.21	0.38	4.14	<0.02	324	22.9	14	0.4	>10000	21.3	9.46	0.85	0.7	0.237	0.04	247	12.5	1.7	5650	53.6	1.69	2.9	32.3

IG-2007-21

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Ra	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E384406	192.5	193		610	1.7	108	0.003	0.41	1.48	8.8	2	20.7	1380	0.19	0.08	7.1	0.078	0.15	4.3	45	11.7	9.2	7	38.8		0.004	
E384407	193	193.5		1820	1.8	28.1	0.009	0.26	1.38	5.8	2	10.8	1020	0.2	0.1	7.7	0.056	0.06	2.5	38	8.2	13	6	28.2		0.003	
E384408	193.5	194		1630	1.2	7.8	0.007	0.31	1.17	4	2	6.9	1040	0.2	0.1	6	0.051	<0.02	2.4	37	6.3	11.5	7	21.6		0.003	
E384409	194	194.5		910	1.4	6.2	0.003	0.35	0.82	6	2	4.2	862	0.2	0.05	10.7	0.048	0.02	2.3	36	6.9	11.3	7	46.8		<0.001	
E384410	194.5	195		740	1.4	5.1	0.003	0.36	0.8	6.3	2	3.4	1020	0.18	0.06	8	0.04	0.02	2.2	35	6.4	10.2	8	39.6		0.002	
E384411	195	195.5		570	1.2	28.7	<0.002	0.32	1.04	6.1	2	8.8	965	0.18	0.05	10	0.056	0.04	2	45	8.3	9.2	9	50.5		<0.001	
E384412	195.5	196		530	1.8	5.6	<0.002	0.35	0.79	3.6	1	3.5	1205	0.15	<0.05	8.9	0.042	0.02	2.1	41	6.5	7.5	6	40.8		<0.001	
E384413			Blank	140	0.6	0.6	<0.002	0.06	0.14	0.4	2	<0.2	257	<0.05	<0.05	<0.2	0.006	<0.02	0.5	1	0.1	2.7	21	2.8		<0.001	
E384414	196	196.5		670	1.6	4.9	<0.002	0.51	0.93	6.8	2	3.2	226	0.18	<0.05	10.8	0.046	<0.02	2.1	39	5.6	8.3	7	47.9		0.012	
E384415	196.5	197		840	2	5.7	0.004	0.53	1.01	7.8	2	3.2	149	0.2	0.06	11.4	0.06	<0.02	3.2	34	5.6	8.9	8	48.6		0.019	0.89
E384416	197	197.5		710	1.2	6.6	0.004	0.4	1.11	7.2	2	3.9	189.5	0.27	<0.05	12.4	0.068	<0.02	2.8	38	8.3	9.5	8	56.6		0.007	0.92
E384417	197.5	198		910	1.1	24.3	0.004	0.34	1.14	5.7	2	7.7	1520	0.19	0.09	5.8	0.069	0.03	2.9	36	6.3	9	8	32.2		0.006	
E384418	198	198.5		1280	1.3	19.9	0.006	0.34	1.34	5.8	2	7	1180	0.18	0.15	7.2	0.055	0.03	2.7	36	5.8	10.3	12	31.1		0.007	
E384419	198.5	199		830	1.5	11.6	0.005	0.35	1.41	3.6	2	4.1	286	0.24	<0.05	10.7	0.072	0.03	2.8	28	7.5	9.7	11	56.7		0.005	
E384420	199	199.5		960	3.2	12.5	0.01	0.55	1.28	5.6	2	4.5	244	0.18	0.09	9.6	0.052	0.03	9.3	33	5.7	10.1	10	51		0.02	
E384421	199.5	200		730	1.5	7.5	0.003	0.47	1.04	4.8	2	3.9	321	0.13	<0.05	9.8	0.049	<0.02	4.1	46	5.7	9.8	11	52.7		0.014	
E384422	200	200.5		710	1.9	9	0.012	2.54	1.13	5.4	6	4.3	280	0.14	0.29	8.8	0.034	0.03	11.8	36	5.2	10.2	14	51.6	1.415	0.067	
E384423	200.5	201		530	3.1	8	0.005	5.81	1.17	6.7	9	6.1	131.5	0.1	0.74	6.9	0.027	0.04	2.7	42	4	9.9	22	44.9	2.69	0.114	
E384424			Blank	100	0.8	0.8	<0.002	0.07	0.11	0.4	2	<0.2	270	<0.05	0.09	<0.2	0.006	<0.02	0.6	1	0.1	2.8	24	2.5		<0.001	
E384425			Standard 1	820	18.5	91.8	0.021	2.21	1.51	10.2	3	7.3	624	0.17	0.22	8	0.079	0.33	258	54	7.7	15.1	10	57.9		0.049	
E384426	201	201.5		600	2.6	6.4	0.014	2.51	1.26	7.4	3	3.7	128	0.08	0.3	7.9	0.026	0.02	3	59	3.2	10.2	33	51.6		0.036	
E384427	201.5	202		640	2.8	8.8	0.009	3.32	1.26	7	2	3.8	74	0.12	0.28	8.9	0.031	0.04	3.5	42	3.7	10.2	26	62.1		0.023	
E384428	202	202.5		680	1.8	5.1	0.012	1.78	1.2	5.7	3	2.5	427	0.06	0.8	6.5	0.02	0.02	7.8	34	2.7	8.5	14	35.6		0.034	
E384429	202.5	203		1120	5.9	5.8	0.035	3.72	1.25	6.6	8	5.2	183.5	0.09	1.17	9	0.022	0.08	126.5	42	2.3	18.1	3	41.2	3.25	0.144	
E384430	203	203.5		2520	5.2	0.3	0.023	6.71	1.48	5.4	8	3.7	112	0.12	14.2	4.8	<0.005	0.16	4	58	2.5	20.5	<2	2.2	1.795	0.323	
E384431	203.5	204		2450	4	1.4	0.028	6.29	1.21	5	9	2.7	101.5	0.12	8.35	7.1	0.012	0.04	16.8	50	2	20.6	3	18.9	2.37	0.187	
E384432	204	204.5		2080	4	0.9	0.022	3.73	0.96	7.2	8	3.8	216	0.19	0.75	6.2	0.02	0.03	6.2	78	3.2	21.9	17	18.4	2.04	0.108	
E384433	204.5	205		1370	4.3	2.9	0.056	3.34	1.2	9.2	7	5.5	84.5	0.17	0.8	11	0.031	0.06	58.6	44	4.8	21.5	9	49.9	2.83	0.089	
E384434	205	205.5		840	20.6	5.5	0.012	2.93	1.8	7.5	6	5.8	94.8	0.11	0.78	12.5	0.036	0.05	317	41	4.4	21.7	10	53.3	2.26	0.133	
E384435	205.5	206		1490	124.5	6.2	0.121	7.45	5.01	10	11	10.5	65.7	0.2	2.5	16.2	0.047	0.2	1670	56	6.8	51	7	32.7	3.71	0.279	
E384436			Blank	120	0.8	0.6	<0.002	0.06	0.14	0.4	2	<0.2	265	<0.05	0.05	0.2	0.006	<0.02	2.9	1	0.1	2.9	30	3		<0.001	
E384437	206	206.5		1160	12.9	8.4	0.021	7.6	2.36	6.6	7	22.4	55.7	0.13	0.82	10.4	0.027	0.1	233	49	3.4	21.3	26	42.8	5.5	0.195	
E384438	206.5	207		620	26.6	4	0.024	6.55	3.52	6.8	9	7.6	235	0.13	1.38	10.7	0.039	0.11	600	30	4.7	25.7	18	39.4	4.32	0.176	
E384439	207	207.5		540	115.5	5.9	0.283	4.07	4.57	10.4	8	8	321	0.23	0.73	13.4	0.075	0.35	1600	27	8.9	52.7	11	46.5	2.6	0.305	
E384440	207.5	208		710	3.2	5.7	0.111	0.38	1.04	10.3	2	5.1	1090	0.18	0.11	8.3	0.054	0.03	64.9	31	8.4	14.8	6	42.9		0.01	
E384441	208	208.5		1420	3	4.2	0.078	0.32	1.13	8.9	2	3.6	596	0.12	0.13	8.5	0.041	0.02	16.4	34	7.2	14.5	13	33.8		0.004	
E384442	208.5	209		1340	2.1	5.7	0.006	0.31	0.88	3	2	3.1	1250	0.17	0.06	6.5	0.039	0.04	3.6	36	6.3	10.8	12	35.1		0.004	
E384443	209	209.5		1670	1.9	1.4	0.005	0.41	0.89	4.1	2	1.9	846	0.09	0.1	6.7	0.016	0.02	3.9	42	5.7	12.8	8	11.6		0.001	
E384444	209.5	210		1930	3	4.8	0.061	0.29	0.98	7.1	2	2.6	642	0.14	0.11	7.9	0.03	0.03	10.5	27	8	16.1	8	27.8		0.008	
E384445	210	210.5		1190	2	12	0.003	0.29	1.04	7.9	2	6.2	885	0.23	0.07	8.2	0.063	0.04	3.6	57	9.4	12	8	45.5		<0.001	
E384446	210.5	211		1210	1.6	25.1	0.003	0.26	1.09	7.4	2	9	1200	0.2	0.09	7.7	0.073	0.06	3.5	56	10.1	11.3	9	42.1		<0.001	
E384447			Blank	110	0.8	0.7	<0.002	0.06	0.1	0.9	4	0.2	258	<0.05	0.06	0.3	0.007	<0.02	0.5	6	0.1	2.7	22	3.7		<0.001	
E384448			Standard 2	2130	5.7	30	0.018	6.27	2.11	4.1	5	7.2	159	0.13	0.96	6.2	0.033	0.44	14.4	60	6.8	13.4	7	21.1		0.109	
E384449	211	211.5		1340	1.7	69.3	0.003	0.33	1.55	8.4	2	18.4	1025	0.25	0.11	9.9	0.103	0.12	2.5	57	12.2	11.3	7	43.7		<0.001	
E384450	211.5	212		670	2	24.3	0.013	0.57	0.84	5.5	2	6.5	1085	0.18	0.12	7	0.06	0.09	7	36	7	11.4	9	39.8		0.007	
E384451	212	212.5		510	56.4	4.7	0.037	7.02	4.03	6.1	8	7.5	314	0.19	1.3	8.5	0.059	0.13	940	28	6	33.8	5	34.3	2.8	0.326	
E384452	212.5	213		480	35.1	5.8	0.038	3.07	3.03	6.9	6	7.7	392	0.24	0.22	11.3	0.076	0.11	890	41	8	31.1	7	45.6	2.54	0.176	
E384453	213	213.5		470	2.3	3.7	0.003	0.46	0.88	5.4	2	3.7	1480	0.17	0.07	5.2	0.051	0.03	14.4	34	8.7	9.1	8	38.6		0.007	
E384454	213.5	214		550	1.8	3.6	0.003	0.6	0.75	4.6	2	5	1205	0.15	0.06	7.1	0.052	0.02	7.4	44	8.6	9.3	8	49.4		0.005	
E384455	214	214.5		680	1.9	24.2	0.008	0.61	1.18	10.8	2	11.1	1180	0.13	0.07	8.4	0.053	0.05	19.1	63	7.9	9.8	17	38.3		0.009	
E384456	214.5	215		1270	1.9	41.1	0.002	1.05	1.58	19	3	16.7	888	0.1	0.08	8.3	0.065	0.06	3.4	118	9.7	10.9	23	39.4		0.024	
E384457	215	215.5		1000	1.8	13.7	0.017	0.85	0.81	7.7	2	6.6	1180	0.11	0.07	4.9	0.041	0.04	6.3	60	6.4	10.6	32	47.3		<0.001	
E384458	215.5	216		1190	2.4	3.7	0.043	1.41	0.99	9.1	3	4.5	626	0.11	0.12	11.1	0.032	0.04	33.9	37	7.5	13.8	16	38.9		0.035	
E384459			Blank	110	0.9	0.7	<0.002	0.09	0.08	1.1	4	0.2	280	<0.05	<0.05	0.3	0.008	<0.02	0.8	6	0.1	2.8	23	3.7		<0.001	
E384460	216	216.5		1050	1.9	12.6	0.023	0.43	0.98	10	2	6.7	794	0.21	0.07	10.1	0.068	0.05	13.3	38	10.3	12.4	18	56.6		0.005	
E384461	216.5	217		1800	1.7	49.8	0.003	0.47	1.12	7	2	11	967	0.16	0.07	9.2	0.059	0.12	5	62	10.6	11.7	22	49		0.001	
E384462	217	217.5		1210	1.9	27.9	0.008	0.55	1.2	14.3	2	13.2	938	0.22	0.15	9.2	0.082	0.07	15.1	83	13.9	12.2	16	56.9		0.012	
E384463	217.5	218		850	23.8	3.8	0.018	1.34	2.65	5.9	4	5.2	852	0.23	0.15	11.4	0.089	0.07	610	48	8.6	29.2	9	46		0.031	
E384464	218	218.5		740	6.2	5.3	0.008	1.1	1.56	7.9	3	5.5	315	0.14	0.07	7.7	0.042	0.04	201	52	5.8	16.2	15	47.9		0.038	
E384465	218.5	219		840	10.6	3.5	0.035	6.3	1.52	7.4	10	8.9	132.5	0.1	0.57	13	0.029	0.06	197.5	43	4.2	16.3	6	37.1	4.13	0.258	
E384466	219	219.5		640	5.9	3.3	0.031	3.32	1.43	8	5	5.4	263	0.09	0.45	9.3	0.035	0.05	94.8	49	5.3	11.1	15	45.7	2.15	0.121	
E384467	219.5	220		560	1.3	3.5	0.012	0.46	0.87	4.7	2	4.3	893	0.11	0.06	5.5	0.042	0.03	4.2	43	6.6	6.9	9	38.5		0.016	
E384468	220	220.5		660	1.8	4.5	0.067	0.41	0.91	5.2	2	3.8	1125	0.16	0.15	6.8	0.044	0.03	13.9	25	10.3	8.9	5	35.7		0.019	
E384469	220.5	221		1120	1.4	4.5	0.004	0.42	1.02	4.5	2	3.4	707	0.14	0.07	8	0.038	0.02	2.2	45	8.5	9.1	10	32.8		0.004	
E384470			Blank	100	0.8	0.5	<0.002	0.07	0.06	0.9	4	<0.2	258	<0.05	<0.05	0.3	0.007	<0.02	0.5	5	<0.1	2.6	22	3.3		<0.001	
E384471			Standard 3	700	2.8	125.5	0.007	1.26	1.16	9.9	2	7.4	453	0.23	0.21	12.8	0.117	0.34	16.9	64	8.5	11	6	59.8		0.019	
E384472	221	221.5		1730	1.5	1.3	0.005	0.33	1.12	3.6	2	1.7	397	0.12	<0.05	4.1	0.014	<0.02	5.1	46	13.4	9.5	6	7.3		0.002	
E384473	221.5	222		430	1.3	30.2	0.004	0.26	0.95	5.2	2	4.5	848	0.19	0.06	9	0.055	0.12	3.4	37	9.4	7.7	14	44.2		0.001	
E384474	222	222.5		1400	6.5	4.8	0.037	7.13	1.94	4.7	6	9.5	189.5	0.13	0.89	4.2	0.032	0.08	184.5	41	6.9	16	16	25.2	2.01	0.285	
E384475	222.5	223		1930	1.3	8.5	0.002	0.83	1.61	6.5	3	6.6	709	0.21	0.09	3.7	0.052	0.02	31	41	10.2	11.7	8	27.8		0.024	
E384476	223	223.5		740	1.7	85.6	0.003	0.43	1.67	6.5	2	9.7	1020	0.34	0.19	6.9	0.121	0.15	4	45	12.8	8.2	9	33.8		0.005	
E384477	223.5	224		1110	1.7	84.2	0.004	1.04	1.78	7.3	4	18.3	611	0.49	0.42	8.6	0.129	0.15	4.8	49	13.9	11	7	44.3		0.016	
E384478	224	224.5		830	2.8	19.4	0.056	1.92	1.04	3.1	4	11.9	648	0.17	1.26	1.9	0.056	0.07	11.5	20	11.4	5.9	2	14.7		0.034	
E384479	224.5	225		760	2.2	12.7	0.053	1.71	0.96	2.4	3	10	759	0.12	1.21	1.6	0.041	0.06	10.1	15	10.8	5.3	<2	10.9		0.033	
E384480	225	225.5		530	2.1	4.1	0.049	2.81	0.69	2.2	4	8	524	0.09	1.19	0.7	0.024	0.04	12.3	9	8.6	4.2	<2	6.3		0.047	
E384481	225.5	226		660	1.8	0.9	0.047	1.22	0.81	1.8	3	10.1	988	<0.05	1.23	0.7	0.008	0.04	7.3	7	12.1	5.3	<2	2.2		0.058	
E384482			Blank	120	0.7	0.6	<0.002	0.07	0.08	0.8	2	0.2	265	<0.05	0.05	0.2	0.006	<0.02	0.7	5	0.1	2.5	41	3.5		<0.001	
E384483	226	226.5		1210	3.7	19.8	0.06	1.11	1.16	3.1	4	15.9	471	0.13	2.12	2.1	0.032	0.08	18.3	10	13	9.5	<2	7.4		0.092	
E384484	226.5	227		970	1.8	2.8	0.013	0.36	1.66	1.7	1	18.5	1170	0.09	1.08	2.1	0.025	0.03	5.2	9	7.9	6.9	<2	7.4		0.042	
E384485	227	227.5		960	1.6	26	0.005	1.75	1.31	8	2	15.3	217	0.32	0.53	4	0.092	0.05	4.7	29	6.5	7.8	5	28.8		0.014	
E384486	227.5	228		1030	3	31.5	0.008	0.98	1.78	4.5	1	15.1	543	0.26	0.47	4.4	0.072	0.07	4.4	25	8.8	7.2	4	21.6		0.014	
E384487	228	228.5		1190	3	30.1	0.008	2.35	1.88	4.9	4	14.7	396	0.31	0.6	5.8	0.089	0.06	7.6	31	10.9	7.7	2	37.1		0.017	
E384488	228.5	229		1300	2	94.1	0.008	1.01	1.57	7.1	2	11.4	682	0.5	0.3	7.8	0.141	0.14	9.5	43	14.5	10.9	<2	40.8		0.011	
E384489	229	229.5		2020	1.8	68.1	0.004	0.95	1.33	5.5	2	9.2	825	0.36	0.22	6.5	0.102	0.11	7.8	39	12.2	12.2	<2	31.8		0.013	
E384490	229.5	230		2090	3.3	9.1	0.068	2.94	0.95	5.4	3	5.4	414	0.13	0.7	4.1	0.028	0.03	11.1	46	5.9	13.8	<2	17	1.625	0.153	
E384491	230	230.5		3330	2.3	1.5	0.034	1.26	0.87	7.6	2	4.9	148	0.13	0.28	6.2	0.017	<0.02	12.1	63	4.1	16.7	<2	21.3	1.415	0.082	

IG-2007-21

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
E384492	230.5	231		1.03	3.31	9.2	50	0.27	1.25	3.76	<0.02	125.5	34.6	20	0.93	>10000	15.15	7.81	0.4	0.8	0.227	0.06	82.1	17.3	1.54	4500	40.7	1.75	3.8	24.3
E384493			Blank	0.03	0.13	<5	140	0.07	<0.01	43.7	0.36	3.28	1.5	5	<0.05	67.2	0.07	0.46	<0.05	0.1	<0.005	0.03	2.7	1.6	0.46	41	0.54	0.02	0.2	<0.2
E384494			Standard 1	1.01	5.88	66.1	100	1.95	2.4	2.54	<0.02	50.2	150	33	3.56	7970	9.49	15	0.29	1.8	0.142	2.12	17.8	22.6	1.13	3050	62.3	1.07	3.3	36.3
E384495	231	231.5		0.79	2.81	13	80	0.22	1.91	2.89	<0.02	72.3	54.1	15	0.71	>10000	11.75	6.47	0.34	0.7	0.197	0.09	31.7	18.6	1.48	4440	33.2	1.1	4.9	22.9
E384496	231.5	232		0.99	3.42	9	80	0.41	0.99	5.3	<0.02	180	115.5	19	0.34	>10000	15.95	7.87	0.49	0.9	0.383	0.08	98.1	11.3	1.56	7170	131.5	1.8	6.3	29.1
E384497	232	232.5		1.23	2.97	10.5	80	0.51	1.43	4.74	<0.02	243	114.5	19	1.26	>10000	21.2	9.15	0.59	0.8	0.498	0.28	148	20.9	2.22	10850	127.5	0.95	5.6	42.8
E384498	232.5	233		0.23	4.51	7.3	300	1.4	0.43	1.85	<0.02	118.5	36.4	28	2.6	4440	12.9	12.3	0.38	1.1	0.157	1.31	80.6	37.2	1.56	4360	14.25	0.54	9.4	20.5
E384499	233	233.5		0.17	3.59	13.7	170	0.86	0.44	3.79	<0.02	97.7	151.5	20	1.81	1690	13	9.99	0.34	1	0.135	0.76	46.4	34.1	2.17	5260	20	0.75	8.7	31.4
E384500	233.5	234		0.15	4.87	7.6	240	1.04	0.3	2.07	<0.02	120.5	126	28	2.71	2550	14.55	13.85	0.41	1	0.176	1.43	83.6	47.9	1.82	5110	15.1	0.75	9.1	31.4
E384501	234	234.5		0.18	4.31	9	140	0.69	0.49	4.15	<0.02	190	172.5	23	1.72	1440	16.4	10	0.5	1.1	0.131	0.67	125	36.9	2.37	8030	19.7	1.24	8.6	35.4
E384502	234.5	235		0.1	4.49	6.8	220	0.91	0.33	2.03	<0.02	161	133	24	2.41	624	14.1	11.25	0.44	1.1	0.157	1.02	106	39.2	1.78	5780	18.15	1.12	7.7	27.1
E384503	235	235.5		0.08	6.81	3.1	300	1.35	0.15	2.91	<0.02	115	128	40	4.48	19.4	12.35	16.65	0.39	1.6	0.16	1.83	78.1	57	1.91	3510	16.3	1.58	10.1	33.9
E384504	235.5	236		0.09	6.57	4.4	280	1.28	0.18	2.96	<0.02	102.5	125	35	4.26	20.8	13.65	14.3	0.42	1.6	0.108	1.53	66.7	73.6	2.42	2710	26.5	0.92	8	33.3
E384505			Blank	0.42	0.17	<5	50	0.12	<0.01	46.7	0.41	3.86	0.9	6	0.06	2.3	0.08	0.85	0.1	0.1	<0.005	0.04	2.9	1.6	0.48	38	0.2	0.02	0.3	4.3
E384506	236	236.5		0.1	7.06	3.8	1510	2.41	0.14	0.96	<0.02	127	109.5	45	7.56	19.2	8.5	24.3	0.21	2.2	0.161	3.54	89	93.9	1.36	543	20.4	0.04	11.5	30.2
E384507	236.5	237		0.09	5.47	3.8	870	1.44	0.1	1.44	<0.02	116.5	91.5	30	4.3	45	10.95	15.45	0.19	1.8	0.084	1.85	85.5	79.3	2	942	21.4	0.02	8	29
E384508	237	237.5		0.08	5.36	4.2	1270	1.48	0.12	2.17	<0.02	106.5	83.9	29	4.66	14.8	10.7	15.8	0.19	1.5	0.117	2.04	77.1	69	2.01	1760	18.55	0.03	7.8	31.1
E384509	237.5	238		0.06	5.97	3.5	1980	1.87	0.13	2.33	<0.02	102.5	89.2	33	5.77	4.2	11.5	18.45	0.2	1.8	0.156	2.19	72.1	73.1	2.36	2290	11.5	0.03	8.8	45.6
E384510	238	238.5		0.12	6.24	3	4000	1.94	0.12	2	<0.02	133	87.6	34	5.75	2.2	11.1	17.7	0.23	1.8	0.145	2.55	89.8	85.7	2.11	2060	25.4	0.03	8	44.9
E384511	303	304		0.09	5.49	4.9	220	2.38	0.16	3.53	<0.02	134.5	93.5	24	7.05	124	10.75	14.95	0.26	1.7	0.057	2.32	79.5	34.7	2.32	3780	17.45	0.06	7.3	20.7
E384512	304	304.5		0.11	6.21	6.8	1010	2.4	0.45	2.57	0.02	48.9	80.9	32	10.85	97	9.88	15.8	0.17	1.9	0.074	2.03	33.1	49.9	2.74	2790	6.36	0.03	4.4	26.9
E384513	304.5	305		0.21	3.03	26	1480	1.26	1.8	10.55	0.02	32	37.7	11	6.78	521	9.18	8.53	0.16	1	0.25	1.33	18	17.3	5.38	8390	6.59	0.03	2.9	13
E384514	305	305.5		0.02	0.06	<5	580	0.06	0.04	17.9	0.02	3.29	17.2	<1	0.19	137	6.69	1.23	0.1	<0.1	0.174	0.02	1.4	0.7	9.56	11800	0.78	0.02	0.3	3.7
E384515	305.5	306		0.08	0.05	<0.2	570	0.06	0.09	5.99	0.02	3.7	25.4	<1	0.12	926	22.2	2.69	0.26	<0.1	1.03	0.01	1.7	0.8	7.39	33100	1.84	0.01	0.4	11.5
E384516			Blank	0.01	0.12	8	30	0.09	0.01	43.1	0.41	2.32	1	5	<0.05	5	0.1	0.76	<0.05	0.1	<0.005	0.03	1.7	1.4	0.49	107	0.25	0.01	0.3	2.3
E384517			Standard 2	1.27	2.2	115	40	0.74	10.8	2.03	0.02	182.5	292	13	2.72	8280	24	10.25	0.43	0.8	0.267	0.83	122.5	23.3	1.44	5460	60.1	0.23	4.9	61.3
E384518	306	306.5		0.11	0.08	16.2	460	0.05	0.2	0.74	0.02	1.27	85.7	<1	0.08	385	28.9	4.79	0.36	<0.1	0.939	<0.01	0.7	1.5	3.74	26500	12.5	0.01	0.9	24.4
E384519	306.5	307		0.05	0.03	1.2	90	0.06	0.03	4.26	0.02	1.41	27.3	<1	0.06	570	23.6	3.34	0.31	<0.1	0.938	<0.01	0.6	0.8	5.78	29200	3.09	0.01	0.4	20.9
E384520	307	307.5		0.05	0.02	28	30	0.12	0.09	12.5	0.02	1.49	66.1	<1	0.08	146.5	13.85	2.25	0.19	<0.1	0.362	<0.01	0.5	0.4	6.89	13400	7.58	0.01	1.1	8.1
E384521	307.5	308		0.06	0.02	12	80	0.06	0.2	15.25	0.03	1.76	18	1	0.09	194.5	10.15	1.78	0.11	<0.1	0.324	<0.01	0.5	0.5	7.99	13400	4.7	0.01	0.8	4.3
E384522	308	308.5		0.06	0.11	13	80	0.11	0.27	14.9	0.05	7.02	17.2	3	0.13	259	10.8	2.61	0.14	<0.1	0.42	0.03	3.3	1.6	8.02	13850	80.2	0.02	0.8	6.2
E384523	308.5	309		0.09	5.51	47.8	440	0.68	0.55	5.09	0.02	144	319	26	2.41	146	8.4	13.9	0.21	1.3	0.154	0.15	91.1	19.5	3.1	4320	18.65	3.42	1.4	26.8
E384524	309	309.7		0.26	4.14	14.1	400	0.58	0.43	9.79	<0.02	35.6	278	20	2.05	8850	7.65	9.35	0.08	1	0.208	0.18	21.8	13.6	4.76	6470	18.4	2.42	0.9	23.5
E384525	309.7	310.2		0.34	6.18	42.2	750	1.22	2.52	4.35	<0.02	177	120.5	30	4.74	2310	9.15	21.1	0.22	1.8	0.131	0.87	113.5	22.9	2.34	2950	31.4	3.01	5.2	46.8
E384526	310.2	311		0.19	6.59	4.9	410	1.88	0.13	3.59	<0.02	141	15	33	5.45	159.5	7.9	20.2	0.15	1.6	0.087	1.39	94.2	30.4	2.25	2290	15.35	2.58	5.2	37.5
E384527	311	312		0.07	6.58	5.4	160	1.42	0.04	4.37	<0.02	129.5	12.8	34	4.95	14.8	6.68	16.7	0.16	1.6	0.073	0.87	85.8	28.9	2.76	2490	10.85	3.18	3.4	20.8

IG-2007-21

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E384492	230.5	231		1510	8.1	2.2	0.041	1.94	1.2	6.2	3	4.7	706	0.12	0.44	4.1	0.025	0.03	76.6	34	5.7	13.1	<2	25.9	1.895	0.125	
E384493			Blank	120	0.6	0.6	<0.002	0.07	0.08	0.8	2	0.2	283	<0.05	<0.05	0.2	0.008	<0.02	0.8	5	0.1	2.6	15	3.5		<0.001	
E384494			Standard 1	810	20	84.4	0.021	2.21	1.55	10.2	3	7.3	638	0.2	0.25	8	0.088	0.38	283	53	8.3	14.4	5	56.5		0.056	
E384495	231	231.5		1340	7.4	4.9	0.024	2.01	1.28	4.5	3	5.9	1065	0.13	0.32	2	0.027	0.03	68.4	31	10.7	11	6	23.1	1.395	0.035	
E384496	231.5	232		2740	8.6	3.5	0.118	3.32	1.2	7.7	7	7.4	517	0.15	0.62	6.7	0.027	0.03	111	44	5.6	26.2	<2	31.8	2.07	0.126	
E384497	232	232.5		2680	7.4	14.8	0.094	3.11	1.3	7	7	9.9	591	0.19	0.64	7.5	0.042	0.06	79.1	56	6.5	24.4	6	29.3	2.28	0.13	
E384498	232.5	233		1190	3.3	76.2	0.002	0.65	1.9	6.4	4	23.5	696	0.46	0.21	8	0.135	0.1	5.1	50	13.3	10.4	16	39.3		0.017	
E384499	233	233.5		1330	3.1	41	0.003	1.18	1.95	5.9	3	14.1	1255	0.34	0.29	5.7	0.096	0.07	10.3	46	13.7	10.9	16	33		0.013	
E384500	233.5	234		1010	4.8	76.2	0.008	1.24	1.93	7.4	3	14.3	398	0.4	0.23	7.8	0.123	0.1	7.4	52	16.3	9.5	16	37.3		0.018	
E384501	234	234.5		2050	3.3	35.5	0.014	1.66	2.07	7.3	3	8.9	474	0.39	0.36	9.9	0.102	0.05	10.6	51	12.2	14.5	15	40		0.017	
E384502	234.5	235		1680	3	55.8	0.005	1.15	1.8	7.2	3	9.4	413	0.39	0.27	10.2	0.1	0.08	7.3	47	11.6	12.6	13	39.9		0.011	
E384503	235	235.5		780	3.1	99.2	0.002	1.16	1.78	10.6	3	9.9	339	0.58	0.16	12.3	0.176	0.14	8.6	57	31.8	13.2	14	58.2		0.005	
E384504	235.5	236		970	2.8	86.8	<0.002	1.22	1.68	9	3	7.9	386	0.5	0.16	11.3	0.152	0.13	7.8	56	19.4	12.1	18	55.9		0.006	
E384505			Blank	120	1.2	1	<0.002	0.06	0.09	0.5	2	<0.2	275	<0.05	<0.05	0.3	0.007	<0.02	0.6	2	0.1	2.7	22	3.5		<0.001	
E384506	236	236.5		1030	2.9	168.5	<0.002	0.99	2.35	10.8	2	12.9	235	0.87	0.26	14.7	0.195	0.21	11.9	68	19.4	12.9	8	68.6		0.011	
E384507	236.5	237		1030	2.7	101.5	0.004	0.76	1.83	8.3	3	7.1	265	0.47	0.26	10.4	0.13	0.12	10.9	47	11.9	11.6	14	54.7		0.008	
E384508	237	237.5		900	2.7	112.5	<0.002	0.68	2.01	8.1	2	7.2	267	0.45	0.22	9.3	0.132	0.12	8.4	51	12.7	10.6	11	46		0.022	
E384509	237.5	238		900	2.8	119.5	<0.002	0.76	2.03	9	2	8.9	218	0.56	0.17	9.8	0.166	0.14	9.6	54	14.4	13.2	16	54.5		0.004	
E384510	238	238.5		850	2.6	116.5	0.026	0.8	2	9.3	2	5.7	123	0.5	0.22	12.1	0.171	0.16	17	51	14.6	12.5	12	54.5		0.011	
E384511	303	304		1380	1.7	106.5	0.005	0.82	0.99	17.2	2	12.4	1030	0.43	0.12	13.9	0.168	0.28	5	65	10.8	13.7	12	50.1		0.002	
E384512	304	304.5		740	2.7	96.3	0.002	0.59	1.32	12.5	2	9.7	139.5	0.27	0.09	12.3	0.154	0.25	8.4	56	9.3	10.5	25	56.5		0.004	
E384513	304.5	305		340	5.8	78.7	0.003	0.6	1.54	6.9	2	4.2	127	0.18	0.08	6.9	0.071	0.27	2.9	34	8.1	12.4	9	30.5		0.006	
E384514	305	305.5		10	2.1	0.9	<0.002	0.07	0.17	3.5	2	0.3	46.6	<0.05	<0.05	<0.2	<0.005	0.02	0.2	2	0.5	5.2	8	<0.5		0.003	
E384515	305.5	306		<10	2.1	0.4	<0.002	0.13	0.18	3.4	1	0.4	27.4	<0.05	0.06	<0.2	<0.005	<0.02	0.2	4	0.4	5.3	11	0.8		0.001	
E384516			Blank	100	0.7	0.6	<0.002	0.06	0.07	0.8	2	<0.2	260	<0.05	<0.05	0.2	0.008	<0.02	0.7	6	0.1	2.7	21	4.1		<0.001	
E384517			Standard 2	2030	6.7	35.8	0.019	5.87	2.27	4.7	6	7.4	160.5	0.07	1.21	6.3	0.031	0.5	16.3	56	6.7	15.2	8	23.9		0.123	
E384518	306	306.5		10	1.9	0.3	0.01	0.23	0.39	1.4	1	1.5	20.5	<0.05	0.08	<0.2	<0.005	0.02	0.8	20	2.6	5.9	2	1.4		0.003	
E384519	306.5	307		10	1.7	0.3	<0.002	0.06	0.27	2.1	1	0.7	14.5	<0.05	<0.05	<0.2	<0.005	<0.02	0.4	11	0.7	5.9	2	<0.5		<0.001	
E384520	307	307.5		<10	2.2	0.2	0.002	0.31	0.44	2.8	2	1.6	28.3	<0.05	<0.05	<0.2	<0.005	<0.02	2.2	11	1.2	6.7	3	<0.5		0.001	
E384521	307.5	308		10	2.6	0.2	<0.002	0.05	0.29	3.2	2	1.1	43.3	<0.05	0.05	<0.2	<0.005	0.02	0.3	3	0.5	9.1	7	<0.5		<0.001	
E384522	308	308.5		10	2.9	2	0.028	0.09	0.23	3.4	3	1.1	48.3	<0.05	0.08	<0.2	<0.005	0.02	0.4	7	0.8	10.9	6	1.3		0.003	
E384523	308.5	309		710	2	5.8	0.002	1.41	0.85	8.3	3	1.7	49	0.05	0.12	11.2	0.026	0.06	5.6	41	2	8.2	8	39.5		0.004	
E384524	309	309.7		430	2.1	6.5	<0.002	2.13	0.76	8.8	6	1.5	60.8	<0.05	0.21	6.8	0.024	0.08	1.8	36	1.2	9.6	8	31		0.034	
E384525	309.7	310.2		1440	3.1	41.8	0.01	1.52	1.4	10.7	4	5.6	48.5	0.28	0.42	16.7	0.126	0.17	9.7	58	7.1	13.4	8	54.4		0.016	
E384526	310.2	311		890	1.9	72.1	0.009	0.07	0.92	11	3	5.4	34.8	0.3	0.23	15.3	0.157	0.19	7.9	54	6.5	10.3	10	50.6		0.003	
E384527	311	312		1010	2	40.8	0.006	0.03	0.72	11.2	3	4.5	38.6	0.18	0.65	15.9	0.148	0.12	11.1	53	5	9.3	18	47		0.001	

IG-2007-22

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	%	ppm	ppm
E385528			Blank	0.03	0.13	<5	80	0.08	<0.01	43	0.34	2.22	1.5	6	<0.05	19.5	0.06	0.42	<0.05	0.1	<0.005	0.03	1.8	1.5	0.45	38	0.67	0.01	0.2	<0.2
E385529	10	10.5		3.64	1.69	20.6	30	0.78	14.85	1.49	<0.02	123.5	78.6	10	0.32	>10000	16.75	6.34	0.48	0.7	0.439	0.08	48.2	9.8	0.35	1675	115.5	1.01	8.4	34
E385530	10.5	11		21.2	1	70.9	<10	0.45	347	0.87	<0.02	86.5	111.5	16	0.15	>10000	15.3	3.87	0.51	1	1.615	0.04	36.2	4.9	0.18	2050	291	0.7	21.1	28.4
E385531	11	11.5		10.3	0.83	42.5	30	0.6	440	1.71	<0.02	83.9	81.2	23	0.23	>10000	12.85	3.5	0.44	0.6	1.135	0.07	35.5	4.8	0.29	1710	248	0.48	15.2	24.7
E385532	11.5	12		8.82	1	28	<10	0.41	77.4	1.99	<0.02	115	79.5	25	0.31	>10000	16.55	4.14	0.46	0.7	1.35	0.12	42.8	9.3	0.42	1970	109.5	0.55	16.3	39
E385533	12	12.5		5.45	5.82	9.6	110	2.37	14.05	0.9	<0.02	44.8	54.1	34	3.23	>10000	13	26.1	0.39	1.8	0.671	1.53	28	29	0.38	1125	585	2.3	8.9	46.4
E385534	12.5	13		8.08	1.07	22	10	0.46	11.85	3.38	<0.02	98.7	100	5	0.21	>10000	27.4	5.54	0.65	0.6	1.375	0.05	47.4	4.5	0.84	4730	195	0.71	11.8	108
E385535	13	13.5		5.26	0.86	14.7	20	0.21	5.04	4	<0.02	93.5	80.6	2	0.13	>10000	34	5.47	0.73	0.4	1.78	0.03	60.6	2.1	0.93	6030	83.8	0.63	3	53.3
E385536	13.5	14		4.87	0.6	10.8	20	0.21	6.15	4.73	<0.02	185.5	99.5	1	0.13	>10000	35	5.43	0.8	0.4	1.445	0.02	127	2.9	1.1	6690	107.5	0.38	4.1	62.3
E385537	14	14.5		4.13	3.01	45.7	10	0.55	5.74	4.12	<0.02	83.5	64.5	19	0.21	>10000	22.3	10.85	0.56	1.1	1.17	0.08	41.8	3.7	0.89	5700	55.4	2.34	5	51.3
E385538	14.5	15		4.25	2.42	55.1	20	0.47	4.33	3.7	<0.02	45.7	74.9	11	0.18	>10000	19.85	8.77	0.5	0.8	1.065	0.06	17	2.8	0.8	4780	68.7	1.86	4	39.9
E385539			Blank	0.03	0.12	<5	80	0.08	0.01	41.9	0.35	2.22	1.5	5	<0.05	75	0.06	0.41	<0.05	0.1	<0.005	0.03	1.7	1.3	0.43	38	1.08	0.01	0.2	<0.2
E385540			Standard 3	0.3	6.71	56.5	1140	2.65	1.59	1.84	<0.02	76.2	107.5	48	6.37	1600	7.33	19.2	0.26	2	0.125	3.01	42.2	22.8	1.31	3140	20.2	0.62	2.9	25.6
E385541	15	15.5		6.12	1.31	31.4	10	0.35	9.48	3.18	<0.02	109	232	5	0.18	>10000	26.7	6.06	0.63	0.5	1.28	0.05	50.7	4.7	0.7	4210	67.3	0.91	3.6	59.7
E385542	15.5	16		4.08	0.88	15.8	20	0.3	3.5	4.92	<0.02	226	79.9	3	0.14	>10000	31.3	6.02	0.75	0.4	1.465	0.03	137.5	3.4	1.05	6260	58.9	0.61	4	68.5
E385543	16	16.5		4.96	0.99	11	30	0.26	4.18	5.54	<0.02	378	58.9	5	0.41	>10000	33.6	7.35	0.84	0.6	1.47	0.12	276	5.9	1.28	7090	89.8	0.55	8.2	87.9
E385544	16.5	17		1.94	5.07	18.7	70	1.53	3.03	1.93	<0.02	47.4	105.5	31	10.05	>10000	14.2	14.6	0.39	1.5	0.753	1.95	15.9	33.3	1.14	5660	63.3	0.73	3.1	30.2
E385545	17	17.5		6.07	6.09	7.6	1610	2.35	0.38	0.87	<0.02	259	112	38	15.8	2260	9.84	19.1	0.42	1.9	0.339	2.79	185.5	47.1	1.2	5910	19.25	0.13	4.9	21.1
E385546	17.5	18		0.45	2.88	58.3	40	0.94	6.42	0.72	<0.02	23.2	257	13	6.44	2390	17.8	9.46	0.45	0.8	0.408	1.16	7.2	21.2	4.23	10500	47.5	0.12	4.1	24.7
E385547	18	18.5		0.68	4.45	91	>10000	1.53	14.9	0.72	<0.02	65.5	483	21	9.91	889	20	12.8	0.56	1.2	0.373	1.8	38.2	32.4	3.21	9610	53.5	0.27	5.4	33.5
E385548	18.5	19		1.86	0.51	205	10	0.09	36.4	0.63	<0.02	170.5	914	<1	0.3	3050	28.8	3.43	0.8	0.1	0.312	0.02	96.3	4.5	3.27	9050	416	0.17	2	50
E385549	19	19.5		0.45	0.33	16.2	70	0.15	1.21	0.32	<0.02	361	135	<1	0.17	6500	21.3	4.96	0.72	0.2	0.471	0.01	218	5.4	3.28	17500	59.3	0.01	30.7	31
E385550	19.5	20		0.4	2.89	25.4	140	0.79	1.27	0.56	<0.02	66.1	312	13	4.56	1440	22.3	8.66	0.29	0.9	0.445	0.92	33.4	14.7	2.29	13550	47.7	0.09	5.9	47.5
E385551			Blank	0.02	0.12	5	50	0.06	<0.01	41.9	0.38	2.24	0.9	4	<0.05	4.1	0.05	0.42	<0.05	0.1	0.005	0.02	1.6	1.2	0.44	38	0.42	0.02	0.3	2
E385552	20	20.5		0.06	7.04	4.5	4240	2.23	0.07	0.32	<0.02	72.3	50.6	42	12.6	517	6.12	20.5	0.15	2.2	0.207	2.62	45.1	48.3	1.27	3800	9.13	0.09	3.1	49.7
E385553	20.5	21		0.05	6.37	4.4	6330	2.11	0.05	0.22	<0.02	154	36.5	38	12.5	227	6.63	19.15	0.16	2.1	0.299	2.67	86	24.8	1.12	4920	2.31	0.13	2.2	19.5
E385554	21	21.5		0.07	6.09	33.3	1560	2.13	0.02	0.17	<0.02	64.8	31.2	36	11.25	316	5.5	17.95	0.11	1.9	0.239	2.84	34.9	22.8	0.78	2460	0.97	0.09	2.5	17.4
E385555	21.5	22		0.03	6.56	2.9	>10000	1.98	0.01	0.21	<0.02	76.7	86.4	41	12.85	102	10.7	18.35	0.17	1.8	0.474	3.23	39.1	19.7	1.06	7540	0.87	0.16	1.7	25.1
E385556	22	22.5		0.16	6.32	1.7	5170	1.89	0.06	0.75	<0.02	75.3	88.2	39	11.75	1190	11.45	16.55	0.18	1.9	0.507	2.89	38.6	16.9	1.26	7940	1.16	0.12	1.7	24.6
E385557	22.5	23		0.2	6.19	1.2	>10000	2.34	0.08	0.2	0.03	72.7	81.7	39	12.15	329	10.35	17.75	0.14	1.7	0.485	3.03	37.5	21.7	1	8590	0.64	0.16	1.5	24.3
E385558	23	23.5		0.02	6.97	1.4	9050	2.57	0.01	0.21	<0.02	115	68.8	46	13.2	42.7	9.55	20.4	0.15	2.1	0.437	2.71	59.9	26.3	1.04	5980	0.94	0.14	2.2	26.1
E385559	23.5	24		0.05	6.02	2.7	7420	2.18	0.01	0.21	<0.02	72.1	86.4	39	10.75	91.9	10.95	16.35	0.14	1.8	0.473	2.66	36.8	19.9	1.06	6750	0.64	0.12	1.7	24.6
E385560	24	24.5		0.03	6.15	3.1	6740	2.32	<0.01	0.22	<0.02	85.6	89.1	40	11.9	78.1	11.3	17.45	0.16	1.9	0.527	2.61	43.4	20.3	1.09	7990	0.51	0.13	1.5	27
E385561	24.5	25		0.03	6.81	1.5	7530	2.1	<0.01	0.97	<0.02	85.4	51.3	44	12.65	37.3	8.77	18.55	0.17	2.1	0.387	3.17	44.7	20.2	1.53	8590	0.27	0.14	1.8	24.3
E385562			Blank	0.01	0.13	10	100	0.07	<0.01	40.3	0.35	2.14	0.7	5	<0.05	3.3	0.05	0.43	<0.05	0.1	<0.005	0.03	1.5	1.1	0.43	39	0.18	0.02	0.3	1.5
E385563			Standard 1	1.24	5.57	63.6	120	1.74	2.42	1.98	<0.02	44.4	154	34	3.57	8120	8.61	14.1	0.15	1.8	0.141	2.09	14.7	21.2	1.09	2650	67.5	0.96	3.6	38.1
E385564	25	25.5		0.04	6.56	1	8820	2.04	<0.01	1.34	<0.02	141	48	41	12.15	42.4	8.84	18.6	0.18	2	0.343	2.8	77.3	20.3	1.65	7360	0.81	0.15	1.5	21.9
E385565	25.5	26		0.03	6.46	1.1	7980	2.08	<0.01	1.78	<0.02	68.6	47.4	38	11.75	43.1	8.64	18.05	0.15	2	0.345	2.77	35.1	18.7	1.74	7650	0.82	0.14	1.8	21.7
E385566	26	26.5		0.04	6.93	1.3	>10000	1.89	<0.01	1.83	<0.02	94.1	47.7	40	10.05	51.4	9.33	16.6	0.14	1.8	0.278	2.85	48.2	19.3	1.79	7350	7.2	0.16	1.5	28.4
E385567	26.5	27		0.03	8.23	1.1	>10000	2.51	<0.01	2.52	<0.02	107.5	47	47	14.05	66.7	7.63	22.8	0.15	2.7	0.288	3.79	54.3	25.9	1.85	5850	2.37	0.18	2.8	31.4
E385568	27	27.5		0.05	6.89	2	>10000	2.04	0.01	0.46	<0.02	148	88.4	39	12.9	47.8	10.75	18.65	0.19	2.2	0.313	3.15	82.7	17.4	1.1	7190	10.7	0.18	2.2	31
E385569	27.5	28		0.05	6.79	2.1	>10000	2.29	0.02	0.3	<0.02	75.7	67.5	42	14.4	108	8.8	19.25	0.17	2.2	0.304	3.14	39.5	21.2	1.08	5890	3.55	0.15	2	28.1
E385570	28	28.5		0.04	6.82	1.4	7730	2.38	0.03	1.25	<0.02	85.8	54.1	40	17.65	137	8.83	18.4	0.16	2.1	0.297	3.21	46.3	24.1	1.56	6170	1.48	0.13	2.3	26.3
E385571	28.5	29		0.15	7.93	3.5	5130	2.81	0.82	1.12	<0.02	156	55.1	47	14.25	101	7.52	22.3	0.17	3.1	0.148	2.84	87.4	88.5	2.06	1470	13	0.09	3.6	49.9
E385572	29	29.5		0.09	6.13	8.3	3160	1.83	0.22	2.24	<0.02	157.5	55.6	32	7.94	88	10	17.2	0.18	2	0.127	1.85	96.3	80.9	2.68	2800	18.75	0.06	4.5	55.6
E385573	29.5	30		0.23	2.79	16.8	1420	0.42	0.26	2.67	<0.02	278	49.2	13	1.8	119	19.3	9.49	0.3	0.9	0.092	0.02	201	44.4	2.3	1820	35.4	0.02	16.1	70.7
E385574			Blank	0.01	0.12	8	50	0.06	<0.01	40.8	0.37	2.47	0.8	5	<0.05	2.1	0.05	0.43	<0.05	0.1	<0.005	0.03	1.8	1.3	0.44	29	0.37	0.02	0.3	2.2
E385575	30	30.5		0.7	5.07	11	4120	0.79	0.71	1.88	<0.02	113	66.2	22	3.34	330	16.5	14.45	0.24	2.5	0.108	0.04	81.7	91.8	3.05	1680	242	0.04	12.1	130.5
E385576	30.5	31		1.1	3.97	20.6	1200	0.79	0.67	1.88	<0.02	485	72.9	14	2.69	1840	17.45	13.35	0.35	2.1	0.155	0.05	381	72.9	2.7	2770	125.5	0.02	15.8	103
E385577	31	31.5		2.21	2.45	78.4	40	0.53	7.25	2.35	<0.02	62.4	315	15	0.85	>10000	20.3	7.38	0.29	0.8	0.285	0.07	20	36.1	1.57	2970	50	0.18	5.2	53.5
E385578	31.5	32		3.69	3.3	82.6	60	0.91	7.1	1.94	<0.02	63.7	362	17	2.8	>10000	20.1	8.74	0.29	1.3	0.255	0.23	19.5	52.5	1.76	2040	98.1	0.15	7.1	83.4
E385579	32	32.5		2.15	2.66	37.7	40	0.57	3.13	2.48	<0.02	114.5	145	12	0.91	>10000	17.15	7.13	0.27	0.8	0.287	0.11	47.5	26.3	1.17	2320	58.9	0.87	6.1	39.6
E385580	32.5	33		2.23	1.04	81.2	30	0.22	6.88	4.3	<0.02	>500	280	2	0.28	>10000	25	7.13	0.47	0.8	0.499	0.01	336	14	1.68	5200	27.9	0.05	7.3	55.2
E385581	33	33.5		5.19	0.96	203	30	0.2	19.3	4.24	<0.02	490	585	2	0.37	>10000	27.5	6.58	0.48	0.6	0.403	0.02	322	13	1.86	6040	55.6	0.02	8	62.4
E385582	33.5	34		3.41	2.74	132.5	40	0.61	12.05	2.77	<0.02	301	420	13	1.7	>10000	21.3	8.56	0.38	1.1	0.196	0.11	144	42.3	1.62	2290	100.5	0.02	6.9	63.7
E385583	34	34.5		2.28	1.55	159	50	0.26	11.9	3.54	<0.02	464	577	4	0.51	>10000	26.4	8.12	0.45	0.8	0.293	0.03	309	20	1.51	4360	84.1	0.09	4.8	62
E385584	34.5	35		1.42	1.9	123	30	0.26	16.5	3.95	<0.02	294	578	5	0.39	8070	21.6	6.52	0.35	0.6	0.167	0.04	163.5	16.8	1.37	3950	97.7	0.64	4.2	59.7
E385585			Blank	0.02	0.12	10	60	0.07	<0.01	42.6	0.39	2.57	1.4	4	<0.05	14.3	0.06	0.47	<0.05	0.1	<0.005	0.03	1.8	1.5	0.46	32	0.63	0.02	0.3	1.4
E385586			Standard 2	1.15	2.34	112.5	30	0.77	10.45	2.18	<0.02	218	316	12	2.59	8820	27.1	10.7	0.8	0.7	0.261	0.66	140.5	23.4	1.55	6090	61.6	0.25	5.7	60.2
E385587	35	35.5		0.37	6.69	37.7	140	0.74	3.13	0.97	<0.02	18.4	145	32	0.79	2130	7.48	11.2	0.21	1.8	0.031	0.23	10.2	29.3	0.72	771	8.92	4.33	3.4	21.3
E385588	35.5	36		0.3	5.39	65.8	50	0.59	5.84	2.58	<0.02	14.25	297	29	0.44	401	13.6	9.54	0.34	1.3	0.037	0.16	6.2	19.6	0.96	2200	14.35	3.49	3.3	31.6
E385589	36	36.5		0.26	3.68	74.1	30	0.41	6.57	4.06	<0.02	141	383	17	0.28	310	19.6	9.1	0.58	1	0.052	0.09	84.8	12.8	1.05	3210	14	2.46	2	37
E385590	36.5	37		0.3	4.11	70.3	40	0.42	5.91	3.18	<0.02	23.5	336	19	0.39	444	13.4	8.42	0.36	1	0.065	0.12	9.6	16.9	1.04	2940	12.75	2.65	1.3	27.9
E385591	37	37.5		0.31	5.35	50.9	50	0.6	5.74	2.29	<0.02	35.4	261	25	0.42	189.5	12.3	10.65	0.33	1.3	0.041	0.09	14.6	22.2	0.84	1725	21.7	3.56	2.2	28.6
E385592	37.5	38		0.35	5.73	36.6	70	0.62	3.41	3.29	<0.02	18.6	180.5	25	0.52	2190	10.45	12.25	0.27	1.5	0.071	0.11	9.7	19.1	1.17	2790	7.06	4.08	2.5	23.1
E385593	38	38.5		0.23	6.25	21.1	540	0.7	1.73	2.48	<0.02	15.65	113	23	0.41	87.3	5.16	12.5	0.17	1.8	0.042	0.14	10.5	14.8	0.87	2140	7.26	4.67	3.2	11.5
E385594	38.5	39		0.4	6.51	70.1	190	0.7	5.55	1.47	<0.02	5.2	372	32	0.56	326	9.32	15	0.24	2	0.023	0.09	2.3	32	0.95	909	6.88	4.22	2.9	32
E385595	39	39.5		0.54	7.12	100	290	0.79	7.48	0.9	<0.02	30.1	466	42	0.56	118.5	8.31	16.65	0.23	2.4	0.008	0.11	15	26.5	0.57	203	4.7	5.05	3.9	30.4
E385596	39.5	40		0.27	6.66	46.8	350	0.78	3.69	1.1	<0.02	29.5	201	40	0.41	74.8	5.18	15.65	0.16	2.1	0.006	0.14	18.1	13.6	0.42	628	4.3	5.12	4	17.1
E385597			Blank	0.02	0.12	<5	130	0.06	0.02	40.9	0.38	2.06	2.1	6	<0.05	3.4	0.05	0.48	<0.05	0.1	<0.005	0.03	1.6	1.4	0.43	31	0.27	0.02	0.2	<0.2
E385598	40	40.5		0.2	6.77	40.5	340	0.9	2.92	1.12	<0.02	36.3	160.5	37	0.58	208	5.76	18.6	0.19	2.1	0.019	0.17	22.3	18.3	0.55	575	8.88	5.01	3.2	20.5
E385599	40.5	41		0.3	6.79	46	360	0.79	3.61	1.66	<0.02	35.9	181.5	34	0.52	269	6.39	14.2	0.2	1.9	0.02	0.16	21.6	16.5	0.55	805	4.88	5.1	4.6	18.9
E385600	41	41.5		0.81	3.13	31.5	40	0.35	2.77	3.52	<0.02	41.9	196	23	0.46	>10000	18.4	8.25	0.47	0.8	0.149	0.07	27.3	17.2	1.08	2540	11.2	1.88	2.6	36.6
E385601	41.5	42		0.83	2.92	17	80	0.39	0.72	4	<0.02	56.6	83.5	25	0.53	>10000	19.55	8.54	0.52	0.6	0.151	0.05	36.2	25.5	1.46	3170	35.3	1.37	5	41.7
E385602	42	42.5		0.55	3.21	37.1	240	0.35	1.7	4.73	<0.02	135.5	179	20	0.57	7980	21.5	9.22	0.59	0.8	0.151	0.04	111.5	27.9	1.64	3500	128.5	1.47	5.2	46.8
E385603	42.5	43		0.77	2.28	100.5	20	0.22	9.95	6.33	<0.02	186	571	9	0.29	4090	24.4	8.46	0.67	0.8	0.1	0.04	144.5	12.1	1.38	4010	32	1.35	4.8	43.3
E385604	43	43.5		0.86	2.16	39.4	30	0.29	5.04	3.2	<0.02	13.8	157	17	0.18	>10000	12.7	5.46	0.35	0.4	0.181	0.03	4	10.4	0.87	2480	10.3	1.35	5.4	21.4
E385605	43.5	44		0.61	1.33	21.5	160	0.34	3.55	0.67	<0.02	5.36	97.5	7	0.18	5820	4.36	2.44	0.12	0.3	0.054	0.05	2.6	6.3	0.25	686	21.5	0.85	2.2	10.1
E385606	44	44.5		0.27	5.38	36.2	80	0.96	2.53	0.76	<0.02	17.15	190	28	0.85	1100	9.82	9.13	0.25	1.4	0.021	0.3	7.7	23.2	0.46	323	12.95	3.43	2.8	25.7
E385607	44.5	45		0.22	6.86	11.4	250	0.86	1.39	1.62	0.02	20.4	75	46	1.98	958	8.1	11.9	0.22	2.1	0.034	0.28	13.8	44.2	1.04	797	19.65	4.84	3.4	31.4
E385608			Blank	0.01	0.12	<5	110	0.09	0.02	42.5	0.38	2.14	1.6	6	<0.05	5.2	0.05	0.44	<0.05	0.1	<0.005	0.02	1.7	1.4	0.44	33	0.27	0.02	0.2	<0.2
E385609			Standard 3	0.25	6.82	54.9	480	2.51	1.54	1.84	<0.02	93.5	108.5	45	6.27	1570	7.41	20.3	0.28	1.9	0.128	3.03	54.5	23	1.31	3140	19.9	0.66	3.9	26.1
E385610	45	45.5		0.11	5.35	9.9	210	0.8	1.01	0.86	<0.02	14.9	73	31	1.51	225	8.24	9.93	0.23	1.5	0.016	0.2	9.8	35.7	0.76	788	6.35	3.82	2.5	26
E385611	45.5	46		0.1	5.5	8.5	300	0.78	0.89	0.91	<0.02	13.95	65.1	33	2.03	217	8.69	10.15	0.24	1.4	0.023	0.25	9.6	46.5	1.07	1235	2.79	3.81	2.3	28.9
E385612	46	46.5		0.09	6.3	6.3	740	0.83	0.55	0.87	<0.02	4.53	48.4	36	2.4	274	7.83	11.3	0.21	1.6	0.018	0.27	3.3	50.4	1	865	5.53	4.48	2.7	29.7
E385613	46.5	47		0.06	6.34	4.8	360	0.78	0.63	1.1	<0.02	4.85	40.1	30	1.06	362	6.16	10.2	0.18	1.5	0.016	0.17	3.5	23.3	0.74	1030	6.12	4.73	3.1	21.7

IG-2007-22

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba	U
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	%
E385528			Blank	110	0.9	0.8	<0.002	0.07	0.07	0.8	2	<0.2	257	<0.05	<0.05	0.2	0.006	<0.02	1.1	6	0.1	2.5	15	3.1		0.002		
E385529	10	10.5		2680	430	3.9	0.058	3.74	5.62	2.8	6	10	341	0.22	0.33	3	0.036	0.11	2830	52	125	32.3	<2	21.1	3.4	0.192		
E385530	10.5	11		2340	4110	2.2	0.033	9.18	29	2.4	6	13.5	129	0.28	1.14	5.7	0.044	0.14	>10000	29	950	65.5	2	38.5	13.45	0.694		2.01
E385531	11	11.5		2170	1250	3.5	0.075	7.43	9.93	2.6	4	9.8	250	0.2	0.83	3.2	0.039	0.09	6420	32	371	31.2	<2	18.9	10.1	0.446		0.63
E385532	11.5	12		2570	1540	6.8	0.017	7.28	13.15	3.7	4	12.7	178	0.21	0.57	2.6	0.043	0.11	9740	38	590	43.6	<2	21.1	10	0.431		0.96
E385533	12	12.5		1420	354	85.2	0.052	4.91	4.83	11	3	40.8	371	0.26	0.54	4.9	0.106	0.1	2470	209	81.5	19.7	<2	61.7	3.74	0.22		
E385534	12.5	13		2010	371	2.4	0.027	9.22	3.29	5.6	6	7.9	133.5	0.26	2.14	2.6	0.031	0.05	2340	51	57.6	38.3	<2	15.7	7.32	0.556		
E385535	13	13.5		1980	83.5	1.3	0.015	7.78	1.4	4.7	7	5.9	131.5	0.09	1.03	1.5	0.012	<0.02	530	63	18.5	23.3	<2	9.4	10.15	0.19		
E385536	13.5	14		2330	257	0.8	0.024	6.76	3.34	7	6	5.7	136	0.1	0.89	2.6	0.013	0.02	1660	63	47	34.1	<2	10.3	7.8	0.287		
E385537	14	14.5		2570	73.8	3.4	0.023	5.59	1.3	7.7	6	6.3	206	0.13	0.93	2.5	0.022	0.02	590	82	22.1	26.4	<2	30.7	5.96	0.079		
E385538	14.5	15		1680	98.8	2.6	0.025	5.47	1.65	7.5	6	5.7	270	0.12	0.8	2.5	0.025	0.02	890	58	21.3	22.9	<2	22.6	6.02	0.083		
E385539			Blank	100	0.9	0.5	<0.002	0.07	0.07	0.8	2	<0.2	253	<0.05	<0.05	0.2	0.006	<0.02	2.9	5	0.1	2.5	14	3		0.001		
E385540			Standard 3	750	2.9	134	0.005	1.34	1.12	11.5	2	7.8	447	0.18	0.16	11.9	0.116	0.38	19.1	63	8.5	11.3	<2	63.4		0.018		
E385541	15	15.5		1810	106.5	2.4	0.022	9.05	1.64	7.1	6	7.1	175.5	0.1	1	2.6	0.015	0.03	760	51	22.8	21.9	<2	13.9	7.86	0.684		
E385542	15.5	16		3140	36.6	1.1	0.019	7.72	0.75	8.9	7	5.8	161.5	0.11	0.99	3.2	0.013	<0.02	258	65	15.5	28.9	<2	12.2	6.6	0.272		
E385543	16	16.5		2980	128	5.3	0.027	6.91	1.91	15.4	9	7.5	122	0.13	1	4.9	0.037	0.06	1200	66	216	42.9	<2	17.4	7.36	0.312		
E385544	16.5	17		950	41.5	113	0.025	3.41	1.78	10.3	4	11.1	254	0.15	0.43	6.8	0.074	0.3	242	57	17.2	17.2	<2	44.3	3.46	0.112		
E385545	17	17.5		790	10.2	172	0.008	0.4	1.86	10.1	1	15.1	349	0.25	0.07	11.9	0.119	0.43	61.1	59	39	13.1	<2	57.2		0.008		
E385546	17.5	18		1250	4.1	66.4	0.004	4.23	2.45	6.5	1	8.5	271	0.17	0.4	2.2	0.069	0.5	10.4	40	8.8	9.5	<2	25.4		0.034		
E385547	18	18.5		1110	5.9	101	0.011	8.71	2.75	7.3	2	13.1	310	0.25	1.01	4.7	0.11	1.18	12.9	51	13.1	9.1	<2	36		0.072	3.52	
E385548	18.5	19		1490	13	1.2	0.041	>10.0	5.79	1.5	7	2.8	110	0.05	3.55	0.6	0.011	1.82	7.2	17	2.5	5.1	<2	3.2		0.182		
E385549	19	19.5		1060	1	0.8	0.002	1.38	0.46	0.8	2	2.8	501	0.15	0.24	0.7	0.01	0.09	3.9	20	5.5	6.2	<2	6		0.058		
E385550	19.5	20		880	3	51.4	0.019	1.25	1	5	3	3.8	474	0.12	0.31	3.8	0.046	0.17	38.8	45	7.1	8.8	9	28.9		0.029		
E385551			Blank	100	0.8	0.6	<0.002	0.07	0.11	0.3	2	<0.2	255	<0.05	<0.05	0.2	0.005	<0.02	0.5	4	0.1	2.6	19	3.5		0.001		
E385552	20	20.5		850	1.9	163.5	0.003	0.33	1.7	11.3	1	5.5	381	0.15	0.1	11.3	0.093	0.37	9.2	67	7.3	10.9	5	62.7		0.004		
E385553	20.5	21		660	1.7	180	<0.002	0.28	1.62	12	1	4.2	381	0.15	0.06	11.7	0.088	0.4	8	59	5.1	11.5	<2	61.4		0.002	3.97	
E385554	21	21.5		620	1.4	170.5	<0.002	0.31	1.35	10.8	1	4	1155	0.14	0.06	9.6	0.1	0.36	10.8	63	5.4	9.3	<2	62.2		0.01		
E385555	21.5	22		610	1.5	185.5	<0.002	0.27	1.25	11.1	1	3.8	238	0.11	0.06	9.9	0.095	0.38	4	65	4.3	10	<2	62.1		0.002	2.85	
E385556	22	22.5		600	1.7	185.5	<0.002	0.26	1.2	10.4	1	3.4	408	0.11	0.07	10.8	0.091	0.35	4.2	61	4.1	10.3	<2	60		0.01	4.13	
E385557	22.5	23		610	1.5	176	0.005	0.25	1.17	10.8	1	3.7	336	0.15	0.09	9.2	0.091	0.38	1.8	61	3.9	9.3	<2	54.8		0.01	3.82	
E385558	23	23.5		670	1.4	169	0.004	0.21	1.2	11.2	1	4.3	443	0.15	0.07	11.8	0.101	0.42	1.9	69	6	10.7	<2	60.6		0.004	4.71	
E385559	23.5	24		620	1.4	155	0.002	0.22	1.21	9.8	1	3.5	382	0.14	0.08	9.7	0.087	0.36	2	58	4.4	9.4	<2	58		0.003	3.83	
E385560	24	24.5		610	1.3	166.5	<0.002	0.19	1.16	10.8	1	3.7	537	0.12	0.07	10	0.082	0.37	2.4	60	3.9	9.9	<2	55.1		0.003	4.58	
E385561	24.5	25		660	1.3	182.5	<0.002	0.2	1.15	10.8	1	3.9	535	0.12	0.06	10.8	0.096	0.39	1.9	66	4.4	10.7	<2	66.6		0.003	4.49	
E385562			Blank	90	0.6	0.9	<0.002	0.05	0.08	0.3	1	<0.2	243	<0.05	<0.05	0.2	0.005	<0.02	0.5	3	0.1	2.5	16	3.2		0.001		
E385563			Standard 1	790	21.5	83.2	0.026	2.19	1.55	9.7	3	7	604	0.2	0.23	7.4	0.087	0.34	283	51	7.8	14.9	4	59.9		0.059		
E385564	25	25.5		680	1.5	174.5	<0.002	0.19	1.04	11.5	1	3.9	358	0.1	<0.05	11.7	0.081	0.39	2.2	61	4.1	11.5	<2	57.6		0.003	3.49	
E385565	25.5	26		610	1.2	175.5	<0.002	0.18	1.04	11.6	1	3.6	379	0.1	0.06	9.8	0.078	0.37	2.4	58	4.2	10.8	<2	58		0.025	3.7	
E385566	26	26.5		710	1.3	151.5	<0.002	0.23	0.92	10.8	1	3.3	193.5	0.09	0.09	10.8	0.084	0.32	2.8	66	4.4	10.2	<2	62		0.005	2.13	
E385567	26.5	27		800	1.8	211	<0.002	0.24	1.37	14	1	4.9	109.5	0.19	0.07	15.6	0.12	0.44	3.1	77	7.9	13.5	<2	87.4		0.002	1.26	
E385568	27	27.5		720	1.6	177.5	0.007	0.32	1.63	10.8	1	4.4	133.5	0.16	0.15	14.1	0.101	0.39	3.2	88	5.3	11	<2	71.4		0.008	1.52	
E385569	27.5	28		650	1.4	187	<0.002	0.3	1.38	11.1	1	4.2	304	0.14	0.08	11.5	0.094	0.4	5.4	65	4.4	10.9	<2	70.2		0.002	2.58	
E385570	28	28.5		650	1.5	189	<0.002	0.24	1.44	11.4	1	4.3	400	0.16	0.05	11.6	0.102	0.41	12	63	4.6	11.3	<2	68		0.002	3.08	
E385571	28.5	29		750	2.7	150.5	0.003	0.3	1.73	13	1	4.3	72	0.28	<0.05	16.9	0.13	0.38	20	78	9.1	14.5	14	93.7		0.007	0.56	
E385572	29	29.5		950	2.1	95	0.014	0.45	1.26	11	1	5.7	457	0.21	0.06	10.5	0.08	0.2	15.6	65	9.2	13.4	14	57.9		0.006		
E385573	29.5	30		3000	1.8	0.9	0.01	0.32	2.27	4.2	2	15.2	1170	0.42	0.53	5.6	0.072	0.03	4.6	73	24.7	16	14	32.7		0.017		
E385574			Blank	110	0.6	0.6	<0.002	0.05	0.07	0.3	2	<0.2	250	<0.05	<0.05	0.2	0.006	<0.02	0.5	4	0.1	2.6	17	4.3		0.004		
E385575	30	30.5		2450	3.1	2.4	0.065	0.39	2.38	4.8	3	13.8	845	0.39	0.83	9.4	0.09	0.09	23.1	63	14.9	19.3	29	77.3		0.029		
E385576	30.5	31		2410	79.5	3.4	0.029	0.49	3.66	4.5	4	21.4	343	0.49	1.88	9.7	0.082	0.14	680	57	14.7	32.5	21	62.1		0.049		
E385577	31	31.5		2240	6.9	3.8	0.016	5.12	2	2.9	3	9.7	343	0.11	0.51	1.9	0.021	0.33	29.6	53	4.9	12.9	10	25.9	2.38	0.206		
E385578	31.5	32		1660	216	12.3	0.046	7.99	4.24	4.5	5	15.1	387	0.19	0.76	7	0.051	0.79	2030	63	10.6	39.8	11	42.1	2.7	0.211		
E385579	32	32.5		2630	32.4	6	0.025	3.36	2.58	2.9	4	9	601	0.15	0.31	5	0.031	0.16	417	55	8.6	24.3	3	27	2.59	0.171		
E385580	32.5	33		7080	8.6	0.8	0.006	4.48	2.55	3.1	4	8.1	344	0.24	0.57	6.7	0.021	0.2	24.3	64	8.2	35.5	<2	26.4	1.96	0.156		
E385581	33	33.5		3570	27.8	1	0.013	8.53	4.13	3.8	4	9.9	216	0.22	3.92	7.7	0.022	1.02	60.8	67	12.2	25.3	4	18.3	2.19	0.361		
E385582	33.5	34		5050	14.2	5.8	0.014	5.48	2.89	3.1	5	8.4	230	0.2	2.44	7.8	0.031	0.54	50.7	70	8.2	30.7	14	37.7	1.795	0.22		
E385583	34	34.5		3390	15.9	1.6	0.017	6.45	2.89	3	6	6.2	148	0.15	3.54	6.9	0.015	0.55	12.4	73	5.2	24.9	14	19.3	1.65	0.16		
E385584	34.5	35		3320	7.4	2.1	0.025	7.95	3.15	3.7	3	4.4	241	0.11	5.66	5.2	0.014	0.04	7	56	7.3	24.4	5	19.2		0.152		
E385585			Blank	100	0.8	0.7	0.002	0.07	0.1	0.2	2	<0.2	265	<0.05	<0.05	0.2	0.006	<0.02	0.6	4	0.1	2.8	18	3.6		<0.001		
E385586			Standard 2	2320	6.7	32.5	0.019	6.71	2.23	4.7	5	7.6	195.5	0.13	1.05	6.2	0.033	0.51	15.5	59	6.9	14.2	3	23.9		0.112		
E385587	35	35.5		990	3.9	11.7	0.003	2.06	1.03	3.6	2	4.9	575	0.11	0.82	6.6	0.039	0.06	19.6	34	7.7	8.3	2	63.8		0.034		
E385588	35.5	36		1370	4.2	7.1	0.003	3.07	1.65	4.3	1	3.5	364	0.1	2.18	6	0.032	0.06	22	46	7.3	9.5	<2	46.5		0.04		
E385589	36	36.5		1630	4	3.9	0.004	3.68	1.58	4.7	2	2.3	264	0.06	2.66	6.6	0.013	0.04	5.2	55	4.1	16.5	<2	31.4		0.038		
E385590	36.5	37		970	3.9	5.3	0.003	3.29	1.13	3.9	2	2	336	0.05	3	4.1	0.012	0.05	10.4	40	8.4	10.5	<2	35.1		0.034		
E385591	37	37.5		1440	5.6	3.9	0.006	3.54	1.05	4.4	2	2.8	372	0.09	2.73	8	0.034	0.04	36.1	38	31.5	11.9	<2	44.8		0.037		
E385592	37.5	38		1200	3.7	4.9	<0.002	2.27	0.89	7.7	1	2.9	387	0.1	1.93	6.6	0.034	0.02	11.7	34	6.3	13.3	<2	53		0.045		
E385593	38	38.5		690	3.2	6.1	<0.002	1.14	1.08	7.5	1	3.1	806	0.16	0.94	6.8	0.05	0.04	9.2	18	9.7	11.5	<2	63.5		0.015		
E385594	38.5	39		860	4.9	3.8	<0.002	3.43	0.96	5.1	1	4	289	0.11	3.17	4.4	0.053	0.03	5	28	6.4	9.2	4	68.5		0.047		
E385595	39	39.5		900	10	4.9	<0.002	3.99	1.33	3.7	1	5.1	220	0.16	4.85	10.1	0.062	0.04	33.1	25	11.1	12	3	94.8		0.052		
E385596	39.5	40		760	4.9	6.4	0.002	2	1.31	5.2	1	4.8	677	0.21	1.51	6.9	0.071	0.04	23.8	27	14.1	11.3	<2	72.8		0.024		
E385597			Blank	100	0.8	0.5	<0.002	0.06	0.1	0.9	3	<0.2	254	<0.05	<0.05	0.2	0.006	<0.02	0.6	5	0.1	2.5	14	3.3		0.018		
E385598	40	40.5		720	3.9	8.7	0.002	1.46	1.14	4.9	1	6.1	784	0.19	1.26	8.9	0.084	0.04	14	47	13.4	10.7	<2	71.9		0.025		
E385599	40.5	41		980	4.5	6.8	0.003	1.94	1.33	5	1	5.4	615	0.21	1.88	9.8	0.083	0.04	12.5	33	13.9	12.8	<2	89.4		0.039		
E385600	41	41.5		1380	2.6	3.3	0.011	2.72	1.41	6.8	4	3.4	230	0.07	1.87	3.4	0.028	0.06	2.2	40	286	15.6	3	26.1	1.17	0.065		
E385601	41.5	42		2100	2.1	2.4	0.009	1.42	0.97	8.6	4	5.1	324	0.08	0.4	3.4	0.04	0.04	2.3	43	16.3	17.8	4	19.7	1.025	0.052		
E385602	42	42.5		2230	2.6	1.9	0.033	1.8	1.27	7.9	4	4.9	89.8	0.08	1.07	4.5	0.037	0.03	2.2	48	24.2	20.8	7	27.5		0.064		
E385603	42.5	43		1870	5.7	1.3	0.005	6.2	2.39	5.4	3	3.6	154	0.08	5.39	4.8	0.016	0.02	2.8	39	11.8	25.8	<2	18.2		0.12		
E385604	43	43.5		1150	5.1	0.9	<0.002	3.07	1.47	3.8	3	3.6	467	0.1	1.23	1	0.019	0.29	16.2	17	14.1	13.4	<2	13	1.48	0.07		
E385605	43.5	44		270	7	3.1	0.004	1.17	0.91	0.9	1	2.1	938	0.07	0.34	0.9	0.018	0.16	52.7	11	7.6	4.9	<2	13.5		0.028		
E385606	44	44.5		660	3.2	16.5	0.005	1.65	1.21	3.8	1	6.2	882	0.11	0.86	4.3	0.045	0.04	16.3	42	9.9	7.6	<2	49.3		0.022		
E385607	44.5	45		790	5	22.7	0.008	1.07	1.13	6.6	1	6	767	0.2	0.23	9.8	0.074	0.04	42	39	12.1	11.7	10	73.9		0.011		
E385608			Blank	100	0.8	0.5	<0.002	0.06	0.1	0.9	3	<0.2	262	<0.05	<0.05	0.2	0.006	<0.02	0.7	5	0.1	2.6	13	3.1		<0.001		
E385609			Standard 3	750	2.8	134.5	0.005	1.35	1.26	11.1	2	8	498	0.24	0.19	13.2	0.125	0.37	19.3	64	9.4	11.9	<2	66		0.017		
E385610	45	45.5		670	2.9	18.1	0.004	0.72	0.84	3.3	1	3.7	821	0.14	0.18	7.2	0.049	0.05	23.2	39	101	8.5	5	51.9		0.004		
E385611	45.5	46		750	2	23.1	0.003	0.65	0.8	4.8	1	4.3	766	0.13	0.17	5.5	0.051	0.05	15.6	37	95.7	7.3	6	48.5		0.003		
E385612	46	46.5		610	2	26	<0.002	0.56	0.68	4.5	1	4.9	975	0.16	0.13	6.2	0.058	0.03	12.7	38	9.9	7	5	55.4		0.004		
E385613	46.5	47		650	2.1	12	<0.002	0.62	0.66	3.9	1	4.8	1190	0.18	0.12	5.1	0.057	0.02	9	29	9.6	6.9	<2	51.1		0.004		

IG-2007-22

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
E385614	47	47.5		1.33	2.26	23.9	90	0.79	1.72	0.82	<0.02	3.57	110	16	0.91	7830	4.56	4.16	0.14	0.7	0.114	0.37	0.9	11.7	0.33	930	90.9	1.17	2.6	16.3
E385615	47.5	48		0.06	6.54	1.8	2280	1.77	0.06	2.62	<0.02	33	39.6	36	4.49	128.5	5.22	17	0.18	1.6	0.124	2.37	20.4	52.1	1.43	3280	4.1	1.75	2.3	22.7
E385616	48	48.5		0.02	6.36	2.8	3850	1.96	0.15	2.18	<0.02	114	71.3	36	6.18	29.8	8	17.15	0.29	1.6	0.144	2.25	72.1	62.3	1.66	3590	0.96	1.06	2.7	34.1
E385617	48.5	49		0.04	7.05	10.8	1700	2.42	0.06	3.37	<0.02	121.5	127.5	39	5.6	67.2	7.02	18.65	0.29	1.7	0.094	3.01	74	67.3	1.56	3310	1.74	1.31	2.5	27
E385618	49	49.5		0.04	6.62	2.1	2810	1.67	0.07	3.37	<0.02	76.3	49.6	37	2.84	71.6	7.92	15.7	0.27	1.6	0.049	1.16	48.5	51.3	1.49	2980	0.93	3.27	3	22.1
E385619	49.5	50		0.11	7.64	2.6	6010	2.8	0.25	2.64	<0.02	161.5	51.3	43	5.27	163.5	7.65	21.7	0.35	1.9	0.069	2.17	98.4	86.8	1.55	2110	1	2.52	2.3	28.6
E385620			Blank	0.02	0.12	<5	70	0.07	<0.01	42.6	0.39	2.41	1.7	6	<0.05	3.1	0.05	0.46	<0.05	0.1	<0.005	0.03	1.9	1.5	0.44	33	0.24	0.01	0.3	<0.2
E385621	50	50.5		0.06	6.98	1.8	6240	2.65	<0.01	2.76	<0.02	115	20.1	39	6.63	6.9	6.01	17.6	0.29	1.7	0.082	3.56	68.4	75.7	1.62	1985	1.52	0.45	2.4	26.6
E385622	50.5	51		0.35	8.09	2.8	9580	3.09	<0.01	2.97	0.02	53.2	21	45	7.48	8.2	6.83	17.55	0.23	2.1	0.096	3.81	33.8	90.6	1.69	2300	1.32	0.57	2.9	30.6
E385623	51	51.5		0.04	8.63	2.7	9620	3.33	<0.01	2.35	<0.02	72.1	29.4	49	7.14	21	7.23	19.7	0.26	2.1	0.106	4.03	43.9	91.6	1.67	1680	1.28	0.7	2.8	33.8
E385624	51.5	52		0.05	7.06	3.4	5890	2.55	<0.01	2.75	<0.02	79.2	36	43	5.35	6.1	6.58	20	0.27	1.8	0.103	3.39	48.2	89.5	1.79	2120	0.53	0.27	4	35.5
E385625	52	52.5		0.04	7	2.4	6560	2.57	<0.01	2.7	<0.02	72.8	28.2	41	4.95	11.1	6.08	22.3	0.24	1.8	0.091	3.36	43.3	97.2	1.73	2170	0.62	0.21	3.7	34
E385626	52.5	53		0.09	5.82	4	2570	1.81	0.03	3.4	<0.02	99.6	34.8	32	3.4	25.3	6.79	15.3	0.29	1.6	0.059	1.89	57.6	58.6	1.58	2700	0.89	1.7	2.8	24.6
E385627	53	53.5		0.07	6.33	3.6	1840	1.52	0.05	1.36	<0.02	104	62.9	39	1.87	156	7.07	17.15	0.27	1.6	0.023	0.65	63.8	39	0.79	973	0.83	3.48	3.4	23.1
E385628	53.5	54		0.03	8.58	4.2	>10000	2.58	0.04	1.27	<0.02	64.7	48	60	3.37	36.1	8.55	24.9	0.26	2.5	0.033	1.45	40.7	64.8	0.99	677	0.75	4.22	5.6	30.9
E385629	54	54.5		0.04	8.1	2.4	>10000	1.81	0.02	1.12	<0.02	101.5	18.5	54	1.95	33.1	6.67	21.3	0.26	2.3	0.021	0.75	65.8	43	0.83	434	0.47	4.66	4.8	27.3
E385630	54.5	55		0.07	7.82	1.6	>10000	1.05	0.01	0.98	<0.02	75.4	14.2	41	0.83	24.7	6.4	20.2	0.26	1.9	0.011	0.12	50.3	26.5	0.75	455	1.01	5.27	3.2	26.2
E385631			Blank	0.01	0.14	18	40	0.07	0.02	45.9	0.38	2.19	1.1	6	<0.05	3.3	0.06	0.57	0.1	0.1	0.007	0.03	1.7	1.6	0.47	34	0.2	0.02	0.4	0.9
E385632			Standard 1	1.18	6	70.5	480	2.01	2.63	2.15	<0.02	50.2	159	37	3.84	8430	9.73	15.8	0.23	1.9	0.154	2.35	20	25.1	1.2	3270	63.6	1.1	3.3	42.8
E385633	55	55.5		0.04	7.37	1.8	>10000	0.92	0.03	1.32	<0.02	66.6	12.9	43	1.04	82.8	6.67	18.7	0.17	1.8	0.013	0.16	43.1	27.8	0.79	572	2.22	5.17	2.9	23.8
E385634	55.5	56		0.05	8.14	2	>10000	1.23	0.09	1.1	<0.02	134	13.6	43	1.17	104.5	6.02	21.1	0.25	2	0.016	0.32	66	33	0.81	408	1.76	5.44	4.1	24.7
E385635	56	56.5		0.12	7.46	1.4	8180	1.08	0.02	1.64	<0.02	126	17.6	42	1.08	65.8	7.23	19.35	0.27	2	0.019	0.28	81.3	44.5	1.11	841	0.76	4.53	3.6	30.3
E385636	56.5	57		0.12	8.32	2	>10000	1.55	0.07	1.4	<0.02	108.5	16.4	49	1.7	542	7.04	22.3	0.26	2	0.028	0.55	68.2	45.6	0.96	727	0.83	5.05	4	27.8
E385637	57	57.5		0.06	7.47	3.7	2160	2.13	0.14	1.23	<0.02	183.5	73.7	48	2.96	183.5	9.37	23.3	0.37	1.9	0.028	1.36	113	63.6	0.95	773	1.06	3.47	3.5	28
E385638	57.5	58		0.07	7.95	4.8	4290	2.84	0.18	1.39	<0.02	83.6	65.8	50	3.69	521	9.21	26.5	0.29	2.1	0.043	2.02	51.2	84.3	1.13	949	1.3	2.83	3.9	31.6
E385639	58	58.5		0.04	7.65	3.6	9760	2.41	0.04	0.92	<0.02	175	46.4	55	3.05	97.8	8.16	23	0.36	2.1	0.026	1.39	113.5	65.4	0.85	300	0.81	3.66	4.7	25.4
E385640	58.5	59		0.09	6.4	3.5	1470	1.31	0.13	0.97	<0.02	270	91.1	39	1.67	418	8.65	18.15	0.44	1.9	0.028	0.52	164	37.5	0.78	509	1.41	3.79	2.4	33.4
E385641	59	59.5		0.03	9.18	7	4810	4.26	0.04	0.81	<0.02	57.4	69.7	65	5.33	132	6.9	32.4	0.24	2.7	0.055	3.5	32.5	123	0.9	283	0.66	2.46	5.1	29.3
E385642	59.5	60		0.04	8.2	5	4730	3	0.05	0.96	<0.02	89.3	61.1	57	3.91	120.5	8.02	26.4	0.31	2.3	0.04	2.07	55.3	89	0.93	349	0.72	3.09	5	29.1
E385643			Blank	0.01	0.13	<5	90	0.09	<0.01	45.2	0.41	2.38	1.2	6	<0.05	2.9	0.06	0.61	0.09	0.1	<0.005	0.03	1.8	1.9	0.48	33	0.19	0.02	0.4	1.2
E385644	60	60.5		0.04	7.12	3.3	4630	1.47	0.05	1.08	<0.02	107	58.5	44	3.36	178	7.42	20.1	0.25	2	0.022	0.87	64.9	66.4	0.84	627	0.99	4.16	4.1	25.1
E385645	60.5	61		0.04	6.78	3.6	1270	1.18	0.07	0.98	<0.02	182.5	74.9	43	3.17	138.5	8.37	18.35	0.33	1.8	0.015	0.53	109	53.4	0.73	580	0.99	4.41	3.2	25.3
E385646	61	61.5		0.04	6.05	3.7	1260	1.58	0.06	3.86	<0.02	126.5	78.9	34	2.39	82.9	8.57	15.15	0.28	1.5	0.056	0.96	75.8	49	1.53	3000	0.66	2.94	4.4	22.8
E385647	61.5	62		0.04	8.48	2	7740	0.91	<0.01	3.97	<0.02	26.9	18	31	0.98	95.2	6.34	11.55	0.16	1.7	0.03	0.32	17.6	25.2	1.45	2780	0.66	4.16	3.9	20.1
E385648	62	62.5		0.06	6.69	4.2	5760	0.91	0.04	2.62	<0.02	78.3	9.5	30	0.91	88.7	7.11	11.3	0.2	1.6	0.031	0.11	54.6	27.1	1.11	1495	10.05	4.44	3.5	22.4
E385649	62.5	63		0.35	3.9	8.7	170	0.45	0.49	1.84	<0.02	306	133	15	0.69	4650	22.8	11	0.61	0.8	0.056	0.05	221	24.3	0.95	1040	39.2	2.22	2.5	58.6
E385650	63	63.5		0.74	2.9	8.9	250	0.33	0.5	2.17	0.02	173.5	109	11	0.64	9160	32.8	11.65	0.75	0.6	0.237	0.04	134.5	21.9	0.98	1355	44	1.53	3.9	71.3
E385651	63.5	64		0.19	6.87	4.9	3140	0.69	0.1	2.07	0.02	192	34.4	35	1.82	2380	16.15	13.85	0.43	2.2	0.064	0.1	154	49.2	1.67	382	1.75	3.67	5.2	57.8
E385652	64	64.5		0.13	6.85	3.4	6670	0.8	0.12	1.71	<0.02	119	15.3	32	1.27	1200	8.37	10.9	0.25	1.9	0.032	0.15	92.3	31.6	1.12	723	16.85	4.21	5.3	27
E385653	64.5	65		0.08	7.6	1.6	8670	0.82	0.04	1.44	<0.02	190.5	13.7	35	1.3	519	8.84	13.65	0.32	1.8	0.029	0.09	149	35.7	1.08	707	11.2	4.66	4	29.1
E385654			Blank	0.01	0.13	18	70	0.06	<0.01	44.5	0.38	2.51	1.1	6	<0.05	5.2	0.06	0.54	0.06	0.1	<0.005	0.03	2	1.8	0.45	33	0.23	0.02	0.4	<0.2
E385655			Standard 2	1.25	2.36	128	60	0.71	10.6	2.31	<0.02	191.5	335	12	2.88	8820	29	10.35	0.56	0.8	0.266	0.67	123.5	24.7	1.57	6130	59.5	0.25	5.8	67.4
E385656	65	65.5		0.12	5.28	4.2	3810	0.59	0.14	1.32	<0.02	167.5	50.4	38	1.21	555	19.5	13.35	0.4	1.7	0.022	0.08	130.5	34.7	1.01	481	7.42	2.99	5.2	51.7
E385657	65.5	66		0.06	5.77	1.7	2670	0.73	0.01	1.12	<0.02	110.5	9.8	39	5.06	43.7	11.9	12.65	0.28	1.8	0.014	0.39	85.1	85.8	1.39	281	2.46	3.27	5.7	45.2
E385658	66	66.5		0.51	6.42	1.2	720	0.65	0.23	1.15	<0.02	127.5	13.6	31	5.22	5650	8.75	10.65	0.14	1.6	0.062	0.52	90	79.2	1.53	1130	1.43	4.01	5.4	28.8
E385659	66.5	67		0.12	5.9	1.8	4470	0.7	0.02	1.14	<0.02	126	11.9	37	4.88	1120	12.55	11.6	0.19	1.5	0.027	0.4	90.4	71.5	1.44	1020	1.53	3.53	4.8	36.3
E385660	67	67.5		0.1	5.29	2.7	4760	0.57	0.01	1.27	<0.02	192	10.4	27	1.67	670	12.15	11.45	0.2	1.3	0.026	0.12	137	32.8	1.05	906	3.21	3.12	4.9	33.6
E385661	67.5	68		0.05	5.59	2.1	5000	0.63	0.05	0.88	<0.02	122	11.6	27	1.69	121	14.6	11.75	0.19	1.2	0.024	0.19	85.3	27.3	0.84	965	2.95	3.66	4	33
E385662	68	68.5		0.03	6.35	1.2	4140	0.72	<0.01	0.76	<0.02	109.5	11.2	40	5.01	53	9.2	10.5	0.13	1.4	0.013	0.54	76.8	64.8	1.28	850	2.35	4.08	3.7	25.1
E385663	68.5	69		0.03	7.37	1.7	6360	1.31	<0.01	0.88	<0.02	134	10.6	49	4.17	41.5	10.4	15.1	0.16	2.1	0.017	0.59	91.7	52.6	0.78	195	2.69	4.45	4.5	27.6
E385664	69	69.5		0.03	7.95	1	>10000	0.9	<0.01	0.61	<0.02	179	7.7	43	1.58	38.2	6.58	14.6	0.13	2.2	0.013	0.2	124.5	24.4	0.59	497	1.64	5.84	3.9	16.6
E385665	69.5	70		0.1	3.12	4.7	220	0.42	0.1	0.7	<0.02	156.5	160	10	0.95	364	26.2	12.5	0.35	0.5	0.013	0.1	97.8	16.8	0.47	536	13.15	1.88	2.9	48
E385666			Blank	0.01	0.14	<5	60	0.06	<0.01	44.6	0.33	2.39	1	6	<0.05	2.1	0.1	0.5	<0.05	0.1	<0.005	0.03	1.7	1.4	0.45	34	0.38	0.03	0.3	<0.2
E385667	70	70.5		0.26	2.29	6.5	240	0.3	0.22	0.49	<0.02	149	212	8	0.82	2570	41.5	15.1	0.77	0.6	0.016	0.05	105.5	18.7	0.52	202	35.5	0.95	6	62.1
E385668	70.5	71		0.18	1.49	6.6	2400	0.24	0.16	0.6	<0.02	150.5	91.9	<1	0.85	986	47.2	16	0.7	0.3	0.013	0.03	106	20.2	0.59	168	28	0.19	7.4	66.9
E385669	71	71.5		0.25	2.5	6.3	220	0.31	0.37	0.54	<0.02	136	207	2	0.66	2680	40.6	15.5	0.69	0.6	0.021	0.03	92.6	19.1	0.55	255	15.1	1.14	6.4	62.7
E385670	71.5	72		0.09	2.88	5.7	1010	0.3	0.1	0.61	<0.02	146	140.5	5	0.43	306	39.3	15.15	0.63	0.7	0.014	0.04	102	10.5	0.39	631	14.2	1.8	5.6	58
E385671	72	72.5		0.04	6.26	3	2150	0.6	0.06	0.68	<0.02	219	84.7	27	0.68	109.5	17.75	15.75	0.25	1.4	0.012	0.05	144.5	17.6	0.58	568	7.11	4.24	3.3	35.9
E385672	72.5	73		0.15	7.6	1.4	9210	0.8	0.14	0.74	<0.02	183	35.7	37	0.88	403	9.16	16.1	0.17	1.9	0.011	0.06	119	24.4	0.69	357	1.85	5.12	3.1	22.5
E385673	73	73.5		0.05	6.75	1.5	8870	0.94	0.02	0.85	<0.02	140.5	12.1	41	3.54	201	10.35	18.65	0.14	2	0.012	0.39	88.2	49.9	0.86	202	5.99	4.44	3.7	23.4
E385674	73.5	74		0.08	6.23	1.8	5480	0.71	0.03	0.89	<0.02	77.3	10.6	37	4.85	722	14.55	17.4	0.17	1.8	0.011	0.37	48.5	58.3	0.72	305	8.71	4.32	2.5	30.3
E385675	74	74.5		0.05	7.33	0.9	6240	0.82	0.03	1.13	<0.02	106	10	44	4.03	408	10.3	19.2	0.15	1.8	0.007	0.33	66.1	52.1	0.85	394	4.51	5.02	2.9	24
E385676	74.5	75		0.05	7.01	0.8	6400	1.69	0.08	1.32	<0.02	162.5	12.4	47	4.27	131	11.15	21.6	0.16	2	0.031	0.91	99.3	63.7	0.98	776	2.06	3.82	3	25.3
E385677			Blank	0.01	0.15	<5	50	0.06	<0.01	43.7	0.33	2.28	0.9	6	<0.05	1.7	0.07	0.49	<0.05	0.1	<0.005	0.03	1.6	1.5	0.44	34	0.21	0.03	0.3	<0.2
E385678			Standard 3	0.27	6.7	40.6	540	2.65	1.56	1.96	<0.02	72.3	102	40	6.53	1540	6.95	19	0.12	2	0.123	2.96	36.8	26.1	1.28	3060	16.5	0.56	4.8	24.1
E385679	75	75.5		0.03	6.89	1.1	>10000	0.82	0.04	1.28	<0.02	140.5	13.3	38	1.51	179	8.83	16.55	0.13	2	0.013	0.17	89.1	30.6	0.84	595	7.89	4.36	4.7	25
E385680	75.5	76		0.1	4.45	8.2	150	0.41	0.22	2.01	<0.02	255	328	13	0.71	483	22.9	12.65	0.31	1	0.024	0.05	163.5	18.4	0.86	1865	15.9	2.77	2	43.9
E385681	76	76.5		0.06	3.41	5	120	0.43	0.26	1.24	<0.02	114	183	12	0.57	346	16.65	6.68	0.16	0.7	0.017	0.08	58.2	15.2	0.67	1575	12.45	1.95	4.4	20.6
E385682	76.5	77		0.39	0.31	8	240	0.66	0.69	0.47	<0.02	129.5	101	<1	0.06	11.9	12.45	3.33	0.16	0.1	0.024	<0.01	82.9	4.5	0.21	1315	228	0.03	7.6	15.1
E385683	77	77.5		0.09	2.41	6	200	0.37	0.1	0.86	<0.02	221	111.5	7	0.71	191	20.2	9.01	0.26	0.7	0.046	0.1	135.5	21.6	0.72	1990	17.05	1.09	3	34.2
E385684	77.5	78		0.15	2.14	11.4	170	0.36	0.18	0.86	<0.02	356	152	5	0.75	97.8	22.6	11	0.33	0.6	0.014	0.11	237	25.9	0.55	789	25.5	0.61	4	29.2
E385685	78	78.5		0.05	7.2	1.1	6940	2.21	0.01	0.57	<0.02	110.5	18.2	47	9.21	85.5	10.15	19.1	0.15	2.3	0.034	1.76	78.7	105.5	0.96	249	4.16	2.31	4.8	19.4
E385686	78.5	79		0.04	4.86	2.1	660	0.96	0.04	0.42	<0.02	109	39.1	22	1.14	31.5	11.25	10.55	0.14	1.6	<0.005	0.21	73.5	20.4	0.34	319	9.05	3.02	2.1	15.8
E385687	79	79.5		0.09	3.03	3.8	280	0.92	0.3	0.47	<0.02	131	84	14	0.55	33.3	14.7	8.34	0.2	0.9	0.008	0.1	68.1	13.7	0.31	417	58	1.89	3.1	17.1
E385688	79.5	80		0.06	8.31	2.1	730	1.4	0.08	0.38	<0.02	84.1	73.5	34	2.63	223	9	14.95	0.13	1.8	0.017	0.56	55.5	42.4	0.47	232	2.78	3.61	3.4	14.2
E385689			Blank	0.01	0.14	<5	90	0.05	<0.01	43.4	0.34	2.3	1	5	<0.05	1.8	0.07	0.5	<0.05	0.1	<0.005	0.03	1.7	1.4	0.44	34	0.27	0.03	0.3	<0.2
E385690	80	80.5		1.05	5.15	15.2	80	0.51	4.05	1.21	<0.02	228	182	23	0.95	5880	16.85	12.65	0.24	1.8	0.079	0.11	158.5	29.4	0.95	2060	210	3.01	6.8	32.2
E385691	80.5	81		2.59	1.09	45.3	20	0.2	16.85	1.7	<0.02	>500	321	<1	0.51	>10000	35.2	11.1	0.58	0.8	0.274	0.04	480	13.1	1.64	6810	479	0.35	3.1	64.8
E385692	81	81.5		0.06	3.53	2.8	2610	0.27	0.17	0.63	<0.02	134.5	23.5	4	0.59	284	22.9	9.22	0.24	1.3	0.175	0.05	103	7.8	1.37	6130	20.8	2.45	3.3	33.9
E385693	81.5	82		0.22	1.32	5.3	1060	0.22	0.97	2.69	<0.02	243	27.6	<1	0.77	1600	25.8	7.14	0.31	0.5	0.214	0.07	181.5	5.7	2.19	9680	29.3	0.75	5.5	26.6
E385694	82	82.5		0.33	1.52	10.6	110	0.39	0.84	1.25	<0.02	382	129	<1	1.56	5870	26.2	11.7	0.34	0.5	0.252	0.16	282	18	1.8	9730	35	0.09	7.5	41.2
E385695	82.5	83		0.19	6.45	3.9	990	1.25	0.36	0.39	<0.02	99.5	38.7	31	3.76	1990	12.45	15.9	0.17	1.6	0.1	0.58	67.6	32.9	1.16	3370	49.5	3.47	2.8	28.3
E385696	83	83.5		0.11	6.79	2	1150	1.89	0.15	1.67	<0.02	110.5	16.9	39	5.37	1770	9.03	19	0.17	2	0.067	1.2	74.3	59.7	1.18	1730	3.82	3.24	3.4	23.3
E385697	83.5	84		0.08	6.17	2.6	4840	1.98	0.08	2.36	<0.02	96.7	29.7	33	5.23	1360	7.93	16.25	0.17	1.7	0.112	1.45	64.7	56.7	1.28	2590	3.16	2.65	4.3	19
E385698	84	84.5		0.04	6.01	3	4060	2.48	0.06	0.49	<0.02	77.3	80.3	37	7.81	273	11.8	18.4	0.2	1.8	0.312	2.72	49.2	51.3	1.12	5560	11	0.6	3.5	23.6
E385699	84.5	85		0.04	6.85	3.5	9570	2.79	0.06	1.2	<0.02	123.5	64.5	38	10.15	144	9.06	22.6	0.24	2.1	0.299	3.13	73.7	47.3	1.23	4880	16.6	0.42	4.2	23.7

IG-2007-22

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba	U
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	%
E385614	47	47.5		250	40.6	24.3	0.038	1.28	1.6	4	2	5.3	849	0.1	0.2	2.6	0.041	0.16	520	21	20.7	9.1	<2	24		0.046		
E385615	47.5	48		600	1.8	127.5	<0.002	0.27	1.22	10.6	1	4.9	1470	0.14	0.05	9.4	0.091	0.25	7.1	64	19.2	9	<2	54.8		<0.001		
E385616	48	48.5		620	2.3	122	0.002	0.27	1.27	10.4	1	6.3	933	0.14	0.05	11.5	0.093	0.23	4.7	62	16.3	10.5	8	53.9		0.011		
E385617	48.5	49		790	2	155	<0.002	0.45	1.13	12.6	1	8.5	728	0.13	<0.05	12.8	0.113	0.25	4.4	70	16.4	11.9	<2	58.8		<0.001		
E385618	49	49.5		710	2	63.2	<0.002	0.33	0.91	12.3	1	9.5	843	0.2	0.07	10.3	0.101	0.1	2.3	58	11.1	12	<2	56.4		<0.001		
E385619	49.5	50		720	2.6	119	<0.002	0.38	1.2	14.7	1	16.4	486	0.14	<0.05	13.7	0.102	0.17	2.4	69	12.6	13.7	6	64		<0.001	3.37	
E385620			Blank	100	0.6	0.8	<0.002	0.06	0.09	0.9	3	0.2	264	<0.05	<0.05	0.2	0.006	<0.02	0.6	5	0.1	2.7	13	3.4		<0.001		
E385621	50	50.5		670	1.3	172.5	0.002	0.26	1.45	9.3	1	6.6	842	0.13	<0.05	11.8	0.133	0.25	2	59	18.1	11.1	<2	57.6		<0.001	6.06	
E385622	50.5	51		820	2	205	0.005	0.31	1.31	11.7	2	7.7	724	0.16	<0.05	13.5	0.151	0.28	2.1	69	18.2	12.4	8	66.1		<0.001	5.42	
E385623	51	51.5		830	1.4	208	0.005	0.34	1.2	13.2	2	8	678	0.15	<0.05	13	0.16	0.26	2.4	74	18.2	11.9	7	68.4		<0.001	5.26	
E385624	51.5	52		530	1.6	179	0.004	0.3	1.36	12.5	2	5.2	757	0.25	<0.05	11.1	0.141	0.21	2	64	12.1	12.1	8	58.2		<0.001	6.31	
E385625	52	52.5		590	1.5	185	0.004	0.28	1.31	14.2	2	5.5	801	0.23	<0.05	10.9	0.129	0.23	2.6	61	11.5	10.9	8	57.4		<0.001	6.34	
E385626	52.5	53		640	1.9	98.2	0.003	0.24	0.95	11.4	2	5.9	932	0.19	0.06	11.6	0.092	0.13	2.1	50	9.5	11.6	10	50.9		<0.001		
E385627	53	53.5		640	1.9	41.1	0.002	0.39	0.71	13.3	2	10.2	624	0.25	<0.05	9.8	0.124	0.05	1.8	50	7.6	10.4	8	51.1		<0.001		
E385628	53.5	54		740	2.2	83.3	0.006	0.57	0.8	23.9	2	22	514	0.42	<0.05	10.8	0.202	0.1	2.8	89	14.1	11.9	9	75.1		<0.001	4.16	
E385629	54	54.5		630	2.1	44.5	0.007	0.41	0.72	15.2	2	12.8	437	0.34	<0.05	14.8	0.133	0.05	2.9	68	9.8	11.2	11	72.7		<0.001	3.5	
E385630	54.5	55		540	2.1	5.8	0.008	0.46	0.61	6.5	2	4.8	418	0.21	<0.05	13.2	0.067	0.02	2.7	45	7.8	10.9	14	59.5		<0.001	3.41	
E385631			Blank	140	0.5	0.6	<0.002	0.06	0.07	0.6	3	<0.2	272	<0.05	<0.05	0.2	0.006	<0.02	0.6	1	0.1	2.9	21	4.2		<0.001		
E385632			Standard 1	850	20.9	94.7	0.023	2.35	1.52	10.9	4	7.2	520	0.17	0.24	8.3	0.083	0.39	299	57	8.1	16.2	5	59.8		0.052		
E385633	55	55.5		730	2.4	11.4	0.005	0.43	0.56	7.6	2	4.8	541	0.19	<0.05	11.9	0.065	0.02	2.8	47	5.5	10.8	11	55.3		<0.001	4.76	
E385634	55.5	56		710	3.3	20.4	0.005	0.45	0.6	11.3	2	8.4	554	0.28	<0.05	14	0.089	0.03	2.5	49	6.9	10.9	12	61.3		<0.001	5.04	
E385635	56	56.5		550	2.7	17	0.003	0.36	0.7	11.6	2	7.3	667	0.26	<0.05	12.3	0.088	0.02	2.5	52	6.4	14.4	12	63.3		<0.001	5.52	
E385636	56.5	57		720	2.4	34.8	0.004	0.42	0.79	14.1	2	10.8	464	0.27	<0.05	11.2	0.11	0.04	2.3	57	7.1	12.7	10	64.5		0.001	3.78	
E385637	57	57.5		600	2.1	77.7	0.002	0.49	1	16.8	3	13.8	578	0.26	0.41	14.5	0.145	0.08	2.3	72	7.9	11.3	6	59.9		0.004		
E385638	57.5	58		680	2.5	111.5	0.002	0.51	0.91	19.6	2	17.5	501	0.27	0.05	12.6	0.145	0.13	2.5	70	7.8	11.6	7	65.1		0.002		
E385639	58	58.5		730	2.2	80.7	0.004	0.47	0.99	15.2	2	18.4	411	0.35	<0.05	13.1	0.189	0.08	2.5	73	7.3	11.3	4	64.9		<0.001	3.64	
E385640	58.5	59		540	2.4	32.7	0.002	0.57	0.75	7.9	2	7.5	531	0.17	<0.05	14.1	0.074	0.04	3.8	49	4.7	11.4	6	57.8		0.06		
E385641	59	59.5		760	2.1	173.5	0.003	0.47	1.15	24.2	2	25	462	0.34	<0.05	13.7	0.187	0.22	3.5	77	11.7	11.5	2	83.7		<0.001		
E385642	59.5	60		790	2.6	117	0.002	0.45	0.92	20.2	2	16.5	614	0.37	0.06	12.7	0.199	0.13	3	76	8.1	12.8	8	71.1		<0.001		
E385643			Blank	110	0.7	0.8	0.002	0.05	0.08	0.6	3	<0.2	261	<0.05	<0.05	0.2	0.006	<0.02	0.6	1	0.1	2.9	21	3.5		<0.001		
E385644	60	60.5		550	2	62.2	0.002	0.46	0.74	13.1	2	10.2	578	0.32	<0.05	12	0.133	0.06	2.1	56	5.8	10.7	4	61.4		<0.001		
E385645	60.5	61		690	2.2	45.3	0.002	0.49	0.95	7	2	6.7	686	0.24	<0.05	11.1	0.117	0.04	1.9	55	5.1	11	7	55.7		<0.001		
E385646	61	61.5		670	2.1	62.4	<0.002	0.48	0.9	12.4	2	11.1	743	0.32	<0.05	12.9	0.13	0.07	1.8	56	10.2	13.2	6	49.5		<0.001		
E385647	61.5	62		560	1.8	19.4	0.003	0.34	0.9	8.2	2	6.9	573	0.27	<0.05	10.5	0.089	0.03	2.3	47	9.4	9.8	5	53.3		<0.001	5.02	
E385648	62	62.5		1020	2.3	7.4	0.009	0.33	0.54	6.9	2	5.1	780	0.15	<0.05	10.2	0.06	0.02	17.6	38	8.1	11.8	8	51.9		<0.001	8.74	
E385649	62.5	63		1740	2.3	2.3	0.016	1.68	0.72	6.1	5	3	407	0.07	0.22	11	0.021	0.02	6.2	70	3.7	14.4	<2	25		0.03		
E385650	63	63.5		2000	1.9	1.7	0.021	2.07	0.9	9.7	7	6.4	152	0.09	0.18	5.8	0.028	0.04	1.3	87	6.5	14.9	2	18.8		0.077		
E385651	63.5	64		1700	2	5.8	0.003	0.54	0.58	7.8	3	6.6	96.8	0.1	0.06	9.5	0.077	0.02	3.3	42	3.9	15.1	10	86.1		0.014		
E385652	64	64.5		1320	1.6	8.9	0.008	0.46	0.77	7.8	3	6.4	565	0.17	0.06	6.8	0.089	0.03	4.7	28	6.4	13	7	57.3		0.003	5.1	
E385653	64.5	65		1060	1.6	4.8	0.013	0.32	0.6	7.7	2	5	225	0.14	<0.05	11.6	0.052	<0.02	4.4	29	3.9	13.4	9	55.2		0.001	0.95	
E385654			Blank	130	0.8	0.8	<0.002	0.05	0.07	0.6	3	<0.2	281	<0.05	<0.05	0.2	0.006	<0.02	0.7	2	0.1	3	23	3.5		<0.001		
E385655			Standard 2	2340	6.3	37.9	0.019	8.87	2.07	5.1	6	7	185	0.13	1.1	5.9	0.032	0.48	14.2	80	6.5	15.8	<2	24.4		0.116		
E385656	65	65.5		1670	2.1	4	0.007	0.45	1.04	5.8	2	5.3	109	0.18	0.05	9.3	0.061	0.02	5	72	5.6	14.1	10	50.6		0.001		
E385657	65.5	66		1190	1.7	44.3	0.004	0.07	0.84	7	2	7.5	91.5	0.21	<0.05	7.1	0.08	0.03	4.4	43	4.7	11.5	18	55.2		<0.001		
E385658	66	66.5		990	2.5	51.4	<0.002	0.88	0.78	7.8	1	7.7	204	0.23	0.07	7.7	0.067	0.05	9.8	26	5.4	12.6	8	48.5		0.033		
E385659	66.5	67		1300	1.9	39.8	<0.002	0.27	0.84	6.7	<1	6.8	298	0.19	<0.05	6.2	0.072	0.04	2.4	44	5	10.9	10	45		0.005		
E385660	67	67.5		1390	1.9	8.5	0.002	0.2	1.02	4.9	<1	5.4	221	0.2	<0.05	9.2	0.055	0.02	2.5	42	5.3	12.1	10	39.3		0.005		
E385661	67.5	68		1240	1.7	15	0.002	0.17	0.9	4.3	<1	4.3	344	0.16	<0.05	7.4	0.045	0.02	5.2	53	5	9.6	6	36.3		0.002	2.75	
E385662	68	68.5		1000	1.5	50.7	<0.002	0.18	0.78	4.7	<1	5.3	498	0.15	<0.05	7.1	0.071	0.04	5.2	31	5.1	8.7	5	42.8		<0.001		
E385663	68.5	69		1040	1.8	47.9	0.002	0.24	0.85	9.4	<1	12.7	473	0.26	<0.05	11.9	0.087	0.06	9.2	64	8.7	12.2	4	60.2		<0.001	4.26	
E385664	69	69.5		1020	2.1	15.1	<0.002	0.36	0.83	4.9	<1	7	421	0.3	<0.05	16.2	0.085	0.02	7.2	43	10.1	13.1	3	62.6		<0.001	3.31	
E385665	69.5	70		1450	1.4	7.3	0.003	0.91	0.91	3.4	2	2.7	324	0.11	0.06	6.2	0.028	<0.02	2.5	71	3.6	13.1	4	15.3		0.001		
E385666			Blank	110	0.6	0.6	<0.002	0.06	0.07	0.3	1	0.3	261	<0.05	<0.05	0.2	0.006	<0.02	0.6	4	0.1	2.8	23	3		<0.001		
E385667	70	70.5		1310	1.9	2.2	0.004	1.36	1.33	2.1	3	3.6	58.5	0.13	0.19	5.6	0.034	0.02	7.6	86	7	9.4	6	16.6		0.017		
E385668	70.5	71		1840	1.4	1.4	0.003	0.58	1.36	1.9	1	2.3	52	0.11	0.15	4.2	0.024	<0.02	2.1	86	5.5	11.2	5	9.1		0.011		
E385669	71	71.5		1670	2.2	1.3	0.002	1.4	1.2	2.7	2	2.6	83.2	0.12	0.18	5.7	0.03	<0.02	2.7	90	4.2	11	4	16.7		0.028		
E385670	71.5	72		1840	1.6	1.4	0.002	0.74	1.08	2.6	1	2.1	78.8	0.15	0.13	6.1	0.023	<0.02	1.8	95	4.4	12.5	4	19.5		0.001		
E385671	72	72.5		1350	1.8	1.8	0.002	0.49	0.77	3.6	1	3.3	213	0.16	0.07	11	0.04	<0.02	2.3	56	4.5	12.9	4	39.3		<0.001		
E385672	72.5	73		870	2.4	2.3	<0.002	0.44	0.78	5	<1	4.7	231	0.22	0.18	14.7	0.059	<0.02	2.9	35	6.4	12.2	7	55.2		0.111	1.39	
E385673	73	73.5		920	2.1	31.5	<0.002	0.27	1.06	11.7	<1	8.1	158	0.28	<0.05	16	0.08	0.03	2.7	68	6	13.5	4	59.2		<0.001	0.93	
E385674	73.5	74		970	2	37.3	0.002	0.23	1.06	8.1	<1	4.8	127	0.17	0.05	13	0.065	0.04	2.7	79	4.6	13.6	3	53.7		0.002	0.59	
E385675	74	74.5		800	2	30.9	0.002	0.21	0.71	11.6	<1	5.8	138.5	0.2	<0.05	13.8	0.074	0.03	2.9	67	4.6	12.9	6	55		0.002	0.69	
E385676	74.5	75		680	1.9	58.7	<0.002	0.18	0.9	23.7	<1	16.3	119	0.24	<0.05	16.8	0.086	0.07	2.3	79	7.1	13.8	5	58.6		<0.001	0.72	
E385677			Blank	110	0.6	0.6	<0.002	0.05	0.07	0.2	1	<0.2	256	<0.05	<0.05	0.2	0.006	<0.02	0.6	5	0.1	2.7	22	3.1		<0.001		
E385678			Standard 3	710	2.6	129.5	0.006	1.26	1.36	10.4	1	7.6	444	0.32	0.17	12.2	0.136	0.36	17.7	62	9.2	11.4	6	59.9		0.016		
E385679	75	75.5		770	2.2	9.2	0.002	0.31	1.04	8.5	<1	6.8	192	0.27	<0.05	15.1	0.087	0.02	6.5	51	6.3	14.1	9	59.4		<0.001	1.23	
E385680	75.5	76		1430	2.3	2.1	0.004	1.75	0.64	5.6	2	2.5	188	0.1	0.23	9.5	0.033	0.02	1.6	40	3.3	16.9	7	29		0.005		
E385681	76	76.5		1540	1.2	3.5	0.003	1.04	0.58	3.5	1	3.7	692	0.08	0.16	4.2	0.034	<0.02	1.9	29	4.7	8.7	6	19.7		0.004		
E385682	76.5	77		2140	1.2	0.3	0.041	0.55	0.37	1.5	3	1.9	1230	<0.05	0.8	1	0.005	0.02	6.5	12	9	5.6	2	2.2		0.024		
E385683	77	77.5		2840	1.3	6	0.006	0.8	0.89	3.9	1	1.4	647	0.09	0.19	6.8	0.018	<0.02	3.4	56	4.2	15.4	8	18.9		0.004		
E385684	77.5	78		2910	1.4	6.8	0.009	0.74	0.89	3.4	1	2	562	0.08	0.36	6.4	0.024	<0.02	2.1	54	5.1	13.1	9	17.2		0.006		
E385685	78	78.5		920	3.5	107	0.002	0.23	1.1	22.1	<1	13.2	413	0.23	<0.05	14	0.093	0.14	4.2	80	8.7	14.4	17	65.6		0.001	4.24	
E385686	78.5	79		870	1.5	12.9	0.005	0.31	0.6	3.5	<1	2.9	866	0.11	0.06	6.3	0.039	0.03	3.1	43	7.4	10.1	6	46		0.002		
E385687	79	79.5		1020	1.1	5.4	0.026	0.51	0.56	2.9	2	1.8	1100	0.08	0.32	4.8	0.028	0.02	1.8	48	10	7.9	4	26.7		0.005		
E385688	79.5	80		580	1.5	35.8	0.004	0.44	1.06	17.2	<1	10.8	517	0.23	<0.05	10.1	0.08	0.06	2.3	64	8.2	9.6	6	52.3		<0.001		
E385689			Blank	100	0.6	0.6	<0.002	0.06	0.07	0.2	1	<0.2	255	<0.05	<0.05	0.2	0.006	<0.02	0.6	4	0.1	2.7	21	3.1		<0.001		
E385690	80	80.5		1720	4	5.6	0.312	2.59	1.97	7.3	2	4.6	154.5	0.2	2.04	12.6	0.059	0.04	19.9	49	7.9	14.7	11	46.8		0.083		
E385691	80.5	81		4040	8.2	2.3	0.381	6.28	3.65	9.7	4	2.5	188	<0.05	11.45	13.2	0.007	0.05	2.7	46	3.8	28.8	8	17.1	1.125	0.288		
E385692	81	81.5		1980	1.4	2.2	0.015	0.25	0.71	6.2	<1	1.5	251	0.07	0.06	4.6	0.016	<0.02	1.6	33	2.8	13.7	4	35		0.001		
E385693	81.5	82		2740	1.9	2.6	0.033	0.45	1.74	7.7	1	1	136.5	0.13	0.32	5.5	0.01	0.02	2.7	64	7.6	16.5	5	14.3		0.01		
E385694	82	82.5		3260	2.5	7.6	0.027	1.38	1.33	5.4	3	3.7	138.5	0.19	0.23	7.1	0.017	0.03	4.9	66	10.6	20	8	15.2		0.035		
E385695	82.5	83		590	2.3	32.9	0.059	0.42	1.42	8.4	2	7.7	74.6	0.2	0.07	13.1	0.079	0.07	8.3	52	7.9	11.3	10	49.7		0.006		
E385696	83	83.5		750	2.3	71.1	0.004	0.23	1.13	12.2	2	13.7	65.8	0.24	<0.05	15.1	0.105	0.09	2.3	61	11.5	14.1	6	56.9		0.003		
E385697	83.5	84		650	2	83.6	0.005	0.33	1.31	10.7	2	12	105.5	0.33	<0.05	13.3	0.119	0.1	1.9	51	14.2	12.6	4	45.6		0.003		
E385698	84	84.5		580	2.1	152	0.017	0.23	1.52	10.6	2	12.2	39.2	0.25	<0.05	12.5	0.134	0.22	2.4	60	15.9	10.6	4	48.6		0.001		
E385699	84.5	85		630	2.4	186	0.019	0.27	1.9	12.1	3	10.9	115	0.28	<0.05	15.1	0.147	0.27	3.7	60	19.8	12.7	4	57.1		0.001	1.06	

IG-2007-22

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	%	ppm	ppm
E385700			Blank	0.02	0.16	10	70	0.07	0.01	43.9	0.41	2.61	1.6	5	0.05	5.9	0.08	0.61	<0.05	0.1	<0.005	0.04	1.9	1.6	0.45	59	0.29	0.02	0.3	0.4
E385701			Standard 1	0.86	5.36	56.3	110	1.45	2.07	1.95	<0.02	43	140.5	32	3.03	7320	8.37	12.55	0.15	1.4	0.117	2.05	15	15.8	1.06	2910	54.1	0.99	2.9	30
E385702	85	85.5		0.08	8.16	7.1	1390	1.48	0.18	1.76	<0.02	120	64.4	32	5.51	230	6.72	15.2	0.19	2	0.11	1.67	73.4	24.7	1.1	4110	79.5	1.75	3.4	28.3
E385703	85.5	86		0.09	5.97	5.3	3890	2.07	0.12	3.04	<0.02	63.6	56.3	31	7.16	148	7.3	17.2	0.15	2	0.136	2.16	36.8	31.1	1.26	4480	60.6	1.17	3.1	22.6
E385704	86	86.5		0.11	6.59	1.6	>10000	2.1	0.03	4.42	<0.02	69.2	40.6	38	9.2	14.4	7.05	18.55	0.17	1.7	0.17	3.21	41.8	35.7	1.66	5290	1.06	0.3	3.6	16.7
E385705	86.5	87		0.1	6.09	1.3	5310	1.77	0.05	4.21	0.02	121	34.4	34	8.89	59.5	7.79	17	0.22	1.5	0.177	2.53	68.2	36.2	1.87	4790	3.01	0.15	3.6	16.9
E385706	87	87.5		0.05	6.62	1	7830	1.91	0.02	2.81	<0.02	44.6	35.2	41	9.16	6.1	8.41	18	0.18	1.7	0.175	3.09	26.6	37.5	1.4	4040	2.14	0.29	3.1	17
E385707	87.5	88		0.05	6.17	1.1	5040	1.89	0.02	3.42	<0.02	103	32.6	40	8.45	6.6	7.77	16.8	0.21	1.8	0.138	2.83	61.4	35.1	1.44	4040	2.52	0.38	3.1	16.1
E385708	88	88.5		0.05	6.1	0.9	6910	1.74	0.01	5.27	<0.02	38.6	19.4	33	8.6	7	7.07	15.5	0.16	1.5	0.091	2.7	22.2	34	1.92	4490	2.33	0.5	3.3	16.7
E385709	88.5	89		0.04	5.9	1.2	8430	1.87	0.01	5.42	<0.02	82.9	19.3	32	8.55	5	7.22	15.2	0.17	1.8	0.092	2.66	52.3	29.1	1.76	4840	0.81	0.28	3.5	15.9
E385710	89	89.5		0.04	6.25	0.8	8360	1.91	0.01	3.82	<0.02	148.5	18.8	38	9.29	30.6	7.57	17.3	0.23	1.5	0.1	3.1	87.1	33.4	1.47	3740	1.34	0.2	3.1	16.6
E385711	89.5	90		0.06	6.74	0.9	>10000	2.23	0.02	4.15	<0.02	81.3	16.3	42	10.7	7.8	7.2	18.15	0.19	1.6	0.105	3.59	48.1	37.5	1.56	3840	2.03	0.32	3.3	16.7
E385712			Blank	0.02	0.15	10	100	0.05	<0.01	46.9	0.36	1.95	0.9	5	<0.05	2.2	0.07	0.51	<0.05	0.1	<0.005	0.04	1.5	1.2	0.51	47	0.14	0.01	0.3	1.5
E385713	90	90.5		0.05	8.17	1	8290	1.89	0.01	4.8	<0.02	58.6	17.6	33	9.39	12.3	6.74	16.45	0.14	1.5	0.088	3.07	33.3	32.9	1.78	4330	0.92	0.3	3.3	15.4
E385714	90.5	91		0.06	6.48	3.1	5310	1.88	0.09	4.69	<0.02	35.5	22.5	34	9.8	5	6.58	17.6	0.15	1.6	0.1	2.81	19.9	34.2	1.81	4330	1.35	0.48	3.8	18.6
E385715	91	91.5		0.07	5.7	2.2	4530	1.42	0.1	4.8	<0.02	78.5	28.4	28	7.6	94.3	6.3	14.95	0.17	1.5	0.102	2.27	48.3	28.4	1.8	5450	16.85	0.81	2.8	16.6
E385716	91.5	92		0.12	6.43	7.6	2830	1.86	0.25	3.35	<0.02	81.3	60.6	37	9.76	234	7.89	17.75	0.2	1.7	0.16	2.68	49.5	39.4	1.65	5200	4.81	0.63	3	17.8
E385717	92	92.5		0.05	7.26	3.6	>10000	2.7	0.05	2.02	<0.02	93.4	44.8	49	11.5	356	8.16	21.7	0.21	2.1	0.203	3.71	59.5	48.2	1.59	5050	5.64	0.35	3.7	15.9
E385718	92.5	93		0.48	4.68	15.3	700	1.86	0.64	3.48	<0.02	110.5	63.8	28	7.28	5710	13.75	15	0.26	1.2	0.222	2.17	82.4	34.4	1.63	6710	29.1	0.25	2.4	19.1
E385719	93	93.5		0.86	3.17	27.5	500	0.25	1.09	3.21	<0.02	116	66.6	19	1.04	3470	21.3	8.45	0.31	0.9	0.098	0.17	90.7	9.8	1.42	6370	39.6	1.86	1.7	33.5
E385720	93.5	94		0.61	3.16	47.5	100	0.7	2.11	2.61	<0.02	226	143	15	2.37	1780	22.9	12.45	0.46	0.9	0.081	0.45	166	24.3	1.28	3950	48.6	1.02	3	36.9
E385721	94	94.5		0.33	6.35	5.6	220	1.56	0.69	0.83	<0.02	22.8	75.7	40	4.29	2770	10.35	17.3	0.17	2	0.063	1.1	13.7	42.4	1.05	2200	9.25	2.53	1.8	23.7
E385722	94.5	95		0.09	8.05	3.2	1540	3.65	0.15	0.62	<0.02	25.6	64	55	11.45	195	9.42	27.3	0.19	2.8	0.075	3.26	16.3	85.5	0.97	576	3.58	1.14	3.2	25.3
E385723			Blank	0.03	0.15	13	40	0.07	<0.01	49.7	0.4	2	1	6	<0.05	4.2	0.06	0.54	<0.05	0.1	<0.005	0.03	1.6	1.3	0.54	38	0.21	0.01	0.3	1.9
E385724			Standard 2	1.22	2.44	124.5	50	0.59	10.3	2.36	<0.02	193	331	15	2.48	9710	27.2	9.86	0.43	0.7	0.236	0.69	129.5	19	1.53	6700	60.6	0.23	5	55.3
E385725	95	95.5		0.1	7.24	2.6	3630	3.06	0.11	0.56	<0.02	52.6	49.4	53	9.37	523	10.35	22.8	0.22	2.2	0.057	2.58	33.3	70.4	0.8	502	3.98	1.51	2.4	23.4
E385726	95.5	96		0.1	7.09	1.8	2820	2.64	0.04	0.57	<0.02	146	29.8	49	7.01	102	9.34	21.5	0.23	2.1	0.046	1.9	92.6	59.4	0.74	887	5.77	2.47	2.3	20
E385727	96	96.5		0.07	7.36	1.8	4510	2.22	0.05	0.84	<0.02	89	28.5	49	6.41	29.3	7.13	21.8	0.18	2.1	0.041	1.46	58	54.7	0.93	1230	5.95	3.03	2.2	18
E385728	96.5	97		0.08	7.65	2.3	5190	2.18	0.08	1.25	<0.02	105	44.3	53	7.11	38.8	8.17	22.3	0.17	2.1	0.07	1.64	68.7	48.9	1.19	2440	12.1	3.27	2.2	18.2
E385729	97	97.5		0.07	7.15	1.8	5390	0.97	0.04	1.17	<0.02	104	38.1	40	2.41	404	7.91	17.15	0.18	2	0.045	0.58	72	19.3	0.94	2270	12.55	4.5	2.1	16.4
E385730	97.5	98		0.11	6.7	2.2	2510	0.78	0.07	1.27	<0.02	101.5	50.8	35	1.97	852	8.29	15.75	0.17	1.8	0.044	0.42	69.4	16.1	0.95	2290	14.4	4.22	1.9	16.6
E385731	98	98.5		0.06	6.2	2.1	3580	0.65	0.07	0.86	<0.02	186.5	39.1	30	1.72	955	7.79	14.55	0.19	1.9	0.031	0.23	129.5	19.1	0.9	1510	7.93	3.58	2.3	17
E385732	98.5	99		0.18	7.73	5.1	6080	0.77	0.47	2.16	<0.02	196.5	22.6	36	1.93	646	8.61	18.05	0.21	2.1	0.052	0.31	140.5	41.8	1.34	2560	14.25	4.01	1.8	18.5
E385733	99	99.5		0.74	6.41	4.7	5850	0.65	1.13	3.08	<0.02	173	19	31	1.3	1640	9.32	14.9	0.22	1.8	0.06	0.17	126.5	50	1.66	2940	118.5	3.06	2.1	19
E385734	99.5	100		0.32	6.63	7.2	4130	0.9	0.84	1.06	<0.02	137	38.8	42	2.31	698	10.8	16.4	0.21	1.7	0.035	0.36	98.8	71.7	1.45	1400	10.8	2.18	1.5	26.1
E385735			Blank	0.02	0.15	11	40	0.05	<0.01	>50	0.39	2.24	1.1	11	<0.05	4.4	0.06	0.48	<0.05	0.1	<0.005	0.03	1.8	1.3	0.55	39	0.3	0.01	0.3	1.8
E385736	100	100.5		0.42	6.09	15.7	660	1.26	1.53	0.9	<0.02	103.5	68.8	41	4.87	514	12.9	16.8	0.21	1.8	0.064	1.15	76.4	75.9	1.4	2650	12.5	0.89	2.9	28
E385737	100.5	101		0.89	5.21	88.6	140	1.77	7.27	0.43	<0.02	87.7	141	35	7	366	14.75	16	0.25	1.8	0.139	1.76	67.4	47	1.33	6550	41.3	0.03	4.5	26.8
E385738	101	101.5		2.53	1.82	140.5	40	0.84	14.45	0.55	0.03	196.5	247	15	2.48	7880	26.7	6.5	0.43	0.7	0.299	0.61	128	16.7	1.84	16400	142	0.04	5.3	37.7
E385739	101.5	102		2.87	2.28	260	30	0.66	21.5	0.55	0.02	151	502	16	2.6	7950	24.3	7.41	0.46	0.7	0.192	0.81	51.5	19.4	1.09	8760	114.5	0.13	5.8	45.7
E385740	102	102.5		1.85	2.44	68.8	40	0.66	6.71	0.4	0.07	89.5	207	7	3.06	8470	23.4	8.68	0.44	0.8	0.402	0.87	38.8	17.7	1.25	11350	85.1	0.16	3.7	46.7
E385741	102.5	103		0.13	5.86	11.8	1970	1.73	0.71	0.23	<0.02	77.2	78.4	33	8.15	125	11.05	18.15	0.26	1.7	0.271	2.56	50.1	36.8	0.9	5190	5.06	0.3	4.5	25
E385742	103	103.5		0.44	5.08	48.7	100	1.83	6.11	0.26	<0.02	64.3	233	27	7.33	836	16.9	15.65	0.32	1.5	0.306	2.2	27.4	31.8	1.08	7290	16.9	0.25	5	37.1
E385743	103.5	104		0.52	4.53	54.8	80	1.36	6.2	0.25	<0.02	60.7	228	23	6.58	1490	18.8	14.15	0.37	1.3	0.377	1.93	28.4	30.2	1.34	9580	20.6	0.18	4.3	40.9
E385744	104	104.5		0.1	5.47	8.9	500	1.66	1.55	0.22	<0.02	40	83.9	30	6.99	98.6	10.45	15.75	0.23	1.5	0.23	2.27	22.5	32.7	0.8	4830	9.74	0.5	3.1	23.9
E385745	104.5	105		0.1	5.71	8.6	850	2.13	0.88	0.19	<0.02	56.6	85.6	32	7.24	103.5	11.55	16.5	0.28	1.8	0.247	2.43	33.7	39	0.93	5140	6.84	0.37	3.6	25.7
E385746			Blank	0.02	0.13	<5	130	0.07	0.1	43.1	0.38	2.04	1.3	6	<0.05	6.2	0.07	0.56	<0.05	0.1	<0.005	0.03	1.5	1.3	0.44	42	0.25	0.02	0.3	1.9
E385747			Standard 3	0.28	6.82	55.4	330	2.28	1.47	1.92	<0.02	75.7	105.5	37	5.75	1390	7.15	19.4	0.19	1.9	0.116	2.76	40.5	21.3	1.26	3170	18.6	0.6	3	26.8
E385748	105	105.5		0.79	4.63	28	120	1.93	1.87	0.31	<0.02	106.5	95.1	23	4.95	539	11.45	13.6	0.26	1.3	0.125	1.38	40	51.4	1.1	2260	27.5	0.45	2.5	33
E385749	105.5	106		0.4	5.05	13.8	90	1.55	3.01	0.37	<0.02	75	97.7	23	3.13	6910	11.75	13.25	0.22	1.6	0.128	0.94	30.9	38.3	1.01	3500	17.95	1.98	4.9	28.2
E385750	106	106.5		0.58	4.18	55.9	60	0.88	12.7	0.35	0.03	29.4	370	15	1.34	4560	14.4	9.21	0.26	1.6	0.049	0.24	10.9	27.7	0.73	619	40.6	1.89	5.6	50.4
E385751	106.5	107		0.33	4.59	20.5	70	0.8	3.11	0.59	<0.02	66.8	105	16	0.78	5350	11.4	9.16	0.22	1.6	0.055	0.13	30.6	18.9	0.56	538	25.7	2.89	6.5	41.6
E385752	107	107.5		1.11	0.32	103	20	0.33	18.1	4.55	0.03	385	378	<1	0.1	6750	25.5	3.91	0.55	0.2	0.184	0.01	275	3.3	1.6	5270	58.4	0.02	36.1	72.7
E385753	107.5	108		1.54	0.06	56.2	50	0.1	4.25	3.34	0.06	120	231	<1	0.05	>10000	37.5	3.04	0.62	<0.1	0.486	<0.01	89.9	0.5	1.43	6240	67	0.01	6	88.3
E385754	108	108.5		2.33	0.04	24.2	40	0.13	3.88	3.83	0.04	95.2	78.5	<1	<0.05	>10000	37.2	3.06	0.58	<0.1	0.494	<0.01	62.6	0.4	1.24	4920	45.2	0.01	4.5	94.7
E385755	108.5	109		4.25	0.05	48	50	0.13	12.1	4.27	0.03	187.5	194.5	<1	0.05	>10000	34.3	3.62	0.41	<0.1	0.639	<0.01	140.5	0.8	1.34	5320	48.9	0.01	6.1	90.5
E385756	109	109.5		1.01	4.38	47.2	50	0.85	17.3	0.82	0.02	107.5	277	23	0.83	3100	17.7	8.88	0.33	1.3	0.072	0.12	51.6	27.4	0.96	1030	38	1.98	4.5	79.2
E385757	109.5	110		0.12	7.15	3.3	7060	0.68	0.5	0.36	<0.02	153.5	19.9	37	0.82	652	8.42	11.35	0.18	1.9	0.059	0.1	125	14.7	0.74	1670	16.35	4.85	6.7	24.5
E385758			Blank	0.03	0.13	<5	60	0.05	0.1	43.4	0.37	2.15	1.2	5	<0.05	14.6	0.06	0.52	<0.05	0.1	<0.005	0.02	1.6	1.2	0.44	36	0.3	0.02	0.3	1.3
E385759	110	110.5		0.76	3.36	56.6	60	0.85	16.35	0.42	0.02	79.8	326	12	0.39	3650	15.45	7.22	0.29	0.8	0.044	0.07	31.3	14.4	0.49	841	61.5	2	3.7	44.1
E385760	110.5	111		0.19	6.25	8.9	480	0.91	0.26	0.43	0.05	117.5	60.4	31	0.79	576	9.92	12.4	0.21	1.8	0.023	0.14	81.5	24.1	0.57	517	100	3.89	3.1	31.3
E385761	111	111.5		0.06	7.05	5.5	1640	1.81	0.14	0.52	<0.02	86	58.1	42	3.3	206	11.9	17.45	0.22	1.8	0.037	0.85	59.6	45.3	0.91	389	1.72	3.26	1.7	35.1
E385762	111.5	112		0.06	7.29	4.1	2320	2.18	0.13	0.76	<0.02	90.4	59.1	43	5.05	149	11.6	20.4	0.23	1.9	0.048	1.3	61.4	55.6	1.13	552	0.74	2.82	2.4	27.4
E385763	112	112.5		0.07	7.48	3.9	1290	3.76	0.16	0.44	<0.02	91.1	78.3	52	7.06	188	12.45	25.3	0.26	2.2	0.055	2.27	60.3	73	0.96	277	1.16	1.89	3.8	27.9
E385764	112.5	113		0.14	7.95	4	6770	3.52	0.18	0.46	<0.02	112	57.8	47	9.14	183	14.5	25.9	0.3	2.3	0.061	2.19	76.3	84.8	1.37	341	0.34	1.57	3	34.3
E385765	113	113.5		0.18	7.16	6.5	3420	2.57	0.42	0.75	<0.02	94.4	101	36	8.35	287	13.35	19.95	0.27	1.9	0.05	1.66	64.4	69.8	1.4	651	14.85	1.62	2.6	32.7
E385766	113.5	114		0.09	6.73	4.2	4070	2.74	0.15	0.43	<0.02	79.6	63.7	36	9.8	46.8	13.85	19.5	0.18	1.6	0.049	2.03	55.8	66.7	1.33	466	1.41	0.94	2.2	30.2
E385767	114	114.5		0.1	6.6	4.7	4890	3.23	0.1	0.55	<0.02	83.4	43.4	40	9.28	31.4	13.45	21.4	0.18	1.7	0.063	2.39	58.6	62.7	1.16	441	6.35	0.84	2.4	29.3
E385768	114.5	115		0.06	6.37	4.6	2130	2.25	0.13	0.95	<0.02	64.5	48.5	32	7.44	50.1	13.35	17.9	0.15	1.6	0.059	1.65	44.5	60.9	1.67	697	5.97	1.06	2.5	32.9
E385769			Blank	0.01	0.15	5	60	0.07	0.01	45.2	0.35	2.17	0.9	5	<0.05	2.6	0.08	0.53	0.09	0.1	<0.005	0.03	1.7	1.4	0.46	36	0.19	0.02	0.3	0.5
E385770			Standard 1	1.09	5.73	52.3	120	1.61	2.57	2.11	0.03	52.9	158.5	32	3.61	7960	9.2	15.1	0.13	1.7	0.139	2.14	26	19.9	1.14	3100	66.3	1.08	4.1	36.6
E385771	115	115.5		0.14	6.93	2.8	5880	1.18	0.05	1.33	<0.02	48	25.3	33	3.54	68.6	8.6	13.65	0.1	1.6	0.038	0.7	33.1	36.5	1.27	1025	1.74	3.36	2.6	21.2
E385772	115.5	116		0.07	6.91	3.2	6700	2.15	0.16	0.82	<0.02	77.9	38.8	37	6.16	103	9.72	18.1	0.14	1.6	0.046	1.5	52.9	51.9	1.2	660	1.5	2.15	2.1	21.5
E385773	116	116.5		0.06	7.22	2.7	7120	1.71	0.09	1.36	<0.02	86.1	41.9	39	5.33	130	10.8	18.5	0.15	1.6	0.053	1.54	58.2	54.9	1.47	1190	0.68	2.4	2.4	22.8
E385774	116.5	117		0.06	7.37	3.2	6850	2.34	0.07	0.73	<0.02	99.6	47.4	42	5.39	139	10.05	20.7	0.18	1.8	0.043	1.8	68.7	53	1.13	586	0.62	2.38	2.8	21.8
E385775	117	117.5		0.09	5.99	4.2	1260	0.75	0.17	1.62	<0.02	80.9	69.4	31	1.77	460	9.51	13.2	0.14	1.3	0.038	0.46	56.1	28.4	1.04	1490	1.19	3.29	2.4	18.7
E385776	117.5	118		0.08	7.14	3.8	2200	0.91	0.12	0.59	<0.02	99.6	71.5	36	2.18	531	10.1	16.2	0.15	1.6	0.019	0.4	70.7	29.9	0.87	466	0.72	4.04	2.4	23.2
E385777	118	118.5		0.08	6.36	3.5	1810	0.87	0.15	1.31	<0.02	95.6	52.5	28	1.91	506	11.7	14.4	0.15	1.6	0.027	0.31	66.1	27.3	1.13	1000	7.65	3.41	2.6	24.8
E385778	118.5	119		0.07	6.58	4.1	1570	2.23	0.26	0.71	<0.02	91.6	76.5	36	9.79	146.5	13.45	18	0.17	1.8	0.056	1.52	64.1	65.8	1.75	720	2.09	0.94	2.2	33
E385779	119	119.5		0.09	7.4	3.1	2650	1.8	0.3	0.23	<0.02	199	51.6	40	7.26	533	11.65	16.1	0.21	2	0.026	0.92	145.5	52.1	1.44	157	6.42	2.46	1.4	27.3
E385780	119.5	120		0.11	6.3	2.8	960	0.75	0.22	0.23	<0.02	102.5	48.5	41	1.36	703	10.95	13.2	0.17	1.7	0.016	0.17	74.6	45	1.14	161	17.2	2.81	1.5	23
E385781			Blank	0.01	0.15	<5	90	0.08	0.01	43.6	0.35	2.18	0.8	5	<0.05	4.6	0.07	0.47	0.05	0.1	<0.005	0.03	1.7	1.4	0.44	33	0.26	0.03	0.3	<0.2
E385782	120	120.5		0.12	6.13	3.1	990	0.69	0.23	0.79	<0.02	91.4	56.1	31	0.98	1560	13.75	13.8	0.16	1.3	0.046	0.1	65.8	47.6	1.28	620	33.1	2.68	1.3	25.9
E385783	120.5	121		0.15	5.57	4.1	940	0.71	0.32	0.85	<0.02	117	88.4	32	1.39	1280	15.2	13.45	0.17	1.5	0.046	0.13	86.1	64.6	1.74	652	41.7	1.43	1.2	32
E385784	121	121.5		0.16	6.22	2.3	940	0.71	0.52	0.55	<0.02	166.5	36.5	35	1.02	2830	10.95	12.75	0.16	1.6	0.026	0.13	127	46.1	1.1	276	4.18	2.96	1.3	22.7
E385785	121.5	122		1.03	4.35	62.3	110	0.56	18.25	1.16	0.02	238	522	20	0.81	4520	18.55	10.2	0.28	1.1	0.073	0.11	161.5	24.9	0.89	996	62.3	2.27	3.1	38.7

IG-2007-22

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba	U
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	%
E385700			Blank	100	1.3	1.3	<0.002	0.05	0.1	0.4	3	0.2	253	<0.05	<0.05	0.3	0.007	<0.02	0.7	5	0.2	2.9	21	3		0.001		
E385701			Standard 1	750	17.4	74.6	0.017	2.05	1.29	8	3	6	620	0.15	0.23	7	0.08	0.31	249	52	8.6	12.4	7	41.5		0.055		
E385702	85	85.5		820	2.2	98.7	0.005	0.32	1.5	7.5	2	6.2	578	0.18	0.11	13	0.091	0.15	8.8	46	14.3	11.6	4	56		0.004		
E385703	85.5	86		640	1.7	128	0.012	0.25	1.75	11	2	6.1	492	0.2	0.11	12.1	0.101	0.22	6.8	59	14.4	13.9	3	53.9		0.003		
E385704	86	86.5		660	1.7	178.5	<0.002	0.26	1.85	11	1	5.6	303	0.25	<0.05	12.7	0.145	0.29	2	61	14	14.7	3	57.6		0.002	1.93	
E385705	86.5	87		610	2	157.5	<0.002	0.19	1.6	9.9	1	4.5	799	0.25	0.05	11.5	0.129	0.27	1.7	52	12.3	13.9	4	51.7		0.001	5.36	
E385706	87	87.5		640	1.1	177.5	<0.002	0.17	1.82	10.3	1	4.7	555	0.22	<0.05	11.3	0.134	0.28	1.9	58	12	12.3	<2	56.9		<0.001	3.87	
E385707	87.5	88		610	1.2	163.5	0.002	0.16	1.34	9.9	1	4.4	650	0.22	<0.05	11.5	0.127	0.25	1.8	52	11.2	13.1	<2	52.3		0.001	4.73	
E385708	88	88.5		550	0.9	157	0.002	0.19	1.43	10.1	1	4.4	734	0.25	<0.05	9.7	0.126	0.24	1.5	54	11.2	13.7	<2	48.3		0.001	5.05	
E385709	88.5	89		570	1	155	<0.002	0.2	1.55	8.8	1	4.4	480	0.27	<0.05	12.5	0.131	0.24	1.7	51	11.7	15.5	<2	57.5		<0.001	2.76	
E385710	89	89.5		660	1.2	169.5	<0.002	0.18	1.55	10	1	5.1	467	0.23	<0.05	14	0.13	0.28	1.9	53	11.1	15.3	<2	51.6		<0.001	2.9	
E385711	89.5	90		640	1.4	195	0.002	0.22	1.6	11.4	1	6	450	0.25	<0.05	12.4	0.148	0.31	2.2	64	12.3	16.2	<2	54.9		0.001	2.97	
E385712			Blank	100	<0.5	1.2	<0.002	0.05	0.07	0.5	2	<0.2	268	<0.05	<0.05	0.2	0.006	<0.02	0.6	4	0.2	2.7	21	3.3		<0.001		
E385713	90	90.5		610	1	169.5	<0.002	0.18	1.63	10.4	1	5.2	522	0.25	<0.05	10.3	0.134	0.28	1.7	56	11.4	15.7	<2	49.5		<0.001	3.35	
E385714	90.5	91		580	1.1	174	<0.002	0.21	1.73	10.7	1	6.1	590	0.27	<0.05	10.5	0.134	0.3	1.9	56	13.3	15.3	<2	53.8		0.006	3.88	
E385715	91	91.5		590	1.2	134	0.005	0.2	1.41	9.2	1	5.8	641	0.19	<0.05	9.9	0.106	0.23	3.4	46	12.8	14.6	2	48.5		0.001		
E385716	91.5	92		630	2	158.5	0.003	0.31	1.42	10.2	1	9.4	577	0.2	0.07	11.7	0.117	0.28	2.6	55	15	15.5	4	57.3		0.004		
E385717	92	92.5		670	1	204	0.003	0.25	1.76	11.3	1	17.3	125.5	0.23	<0.05	14.4	0.166	0.34	2.4	70	20.8	14.9	4	70.5		0.003	1.13	
E385718	92.5	93		870	1.4	127	0.012	0.64	1.38	8.8	2	14.7	117.5	0.09	0.32	9.2	0.085	0.22	2.9	45	18.5	12.5	6	38.5		0.024		
E385719	93	93.5		1480	2.1	9.7	0.013	1.17	1.15	4.3	2	1.7	123	0.05	0.63	6.2	0.016	0.07	3.4	49	4.6	14.1	3	29.7		0.047		
E385720	93.5	94		2550	5.2	29.2	0.019	2.48	1.38	6.6	3	5.3	131.5	0.09	0.94	7.3	0.029	0.21	6.3	57	6.3	21.6	6	27.8		0.028		
E385721	94	94.5		860	2.2	70.7	0.003	1.13	1.16	11.3	2	10.3	440	0.11	0.12	12.2	0.065	0.12	4.1	54	10.5	12.4	12	67.6		0.01		
E385722	94.5	95		890	1.1	197	0.002	0.57	1.55	22.8	1	26.6	325	0.19	<0.05	11.3	0.144	0.28	3.5	76	20.5	14	11	90.4		0.006		
E385723			Blank	130	1.3	0.8	<0.002	0.06	0.15	0.5	2	<0.2	292	<0.05	<0.05	0.2	0.007	<0.02	0.6	4	0.2	2.9	25	3.3		0.001		
E385724			Standard 2	2460	6.2	37.5	0.016	7.09	2.07	4.6	5	7.3	202	0.11	0.98	5.9	0.032	0.53	14.7	57	7.1	14.6	13	24		0.107		
E385725	95	95.5		910	1.3	165.5	0.002	0.46	1.71	16.2	1	22.4	197.5	0.15	<0.05	12.2	0.112	0.23	2.8	69	16.1	14.5	7	72.6		0.006		
E385726	95.5	96		870	1.5	124	0.002	0.26	1.38	15.1	1	18	452	0.14	<0.05	12.5	0.097	0.16	2.7	74	13.9	13.6	5	69.9		0.005		
E385727	96	96.5		890	1.6	100.5	0.003	0.4	1.27	11.9	1	16.2	652	0.16	<0.05	11.7	0.089	0.14	3	64	15.4	13.7	11	69.3		0.004		
E385728	96.5	97		1200	1.8	103	0.011	0.57	1.29	14.1	1	20.4	397	0.14	<0.05	14.5	0.081	0.12	3.7	70	13.9	15.3	7	69.4		0.009	3.24	
E385729	97	97.5		770	1.5	35.1	0.012	0.53	1.34	7.4	1	7.4	159	0.16	<0.05	13.9	0.065	0.05	5.2	47	9.4	12.4	2	68.2		0.002	0.7	
E385730	97.5	98		690	1.6	25.7	0.015	0.63	1.25	6.6	1	5.6	144	0.15	<0.05	11.8	0.054	0.04	4.4	45	8.2	11.2	2	60.1		0.003		
E385731	98	98.5		780	1.4	13.5	0.007	0.5	1.42	4.7	1	4.3	126	0.16	<0.05	14.6	0.065	0.03	2.5	40	10.3	11.4	5	61.6		0.003		
E385732	98.5	99		1030	2.5	17	0.085	0.54	1.43	10	1	4.5	159.5	0.13	<0.05	17.6	0.053	0.07	10	50	8.7	15.1	11	68.9		0.004	0.71	
E385733	99	99.5		710	4.8	9.2	0.338	0.56	1.89	15.1	1	3.8	156	0.14	0.05	18.4	0.054	0.12	93.7	49	9.3	16.2	14	60.7		0.009	0.68	
E385734	99.5	100		810	3	20.8	0.055	0.69	1.45	8.2	1	6	116.5	0.11	0.05	13.1	0.058	0.1	8.4	61	8.7	10.8	18	53.7		0.007		
E385735			Blank	110	<0.5	0.6	<0.002	0.06	0.07	0.5	2	<0.2	305	<0.05	<0.05	0.2	0.006	<0.02	0.7	5	0.1	2.8	23	3.2		<0.001		
E385736	100	100.5		1050	4.5	65.7	0.023	0.85	1.63	8.4	2	13.1	154.5	0.13	0.12	11.7	0.081	0.3	10.8	88	12	11.4	18	55.4		0.008		
E385737	100.5	101		1370	7.5	116	0.004	3.01	2.28	7.3	4	28.7	172.5	0.11	0.53	8.2	0.09	1.19	15.3	65	17.9	11.2	8	52		0.02		
E385738	101	101.5		1390	7.8	36.1	0.022	5.85	2.7	3.5	5	11.9	177.5	0.09	1.61	4.2	0.041	0.48	14.7	26	21.2	10	11	21.6		0.068		
E385739	101.5	102		1690	17.1	48.7	0.029	>10.0	3.49	4.2	5	13	125.5	0.09	1.09	5.8	0.048	0.69	97.8	36	23.1	15.5	6	23.7		0.085		
E385740	102	102.5		1050	7.4	50.3	0.03	5.02	1.41	5.1	6	8	297	0.11	2.16	3.7	0.047	0.25	17	35	11	11.4	6	23		0.099		
E385741	102.5	103		610	2.2	150	0.006	0.31	1.55	10.5	<1	10.5	723	0.22	0.11	10.8	0.135	0.31	2.7	59	18.9	11	4	52.4		0.004		
E385742	103	103.5		650	3.2	128.5	0.013	2.25	3.66	9.7	1	11.2	318	0.2	0.87	8.1	0.117	0.25	5.8	55	17.3	10.9	4	47		0.035		
E385743	103.5	104		610	3.6	112.5	0.012	2.72	2.37	9.1	1	9.4	244	0.15	0.83	7.8	0.097	0.22	10.4	55	13.7	10.6	5	39.5		0.03		
E385744	104	104.5		520	1.6	131.5	0.01	0.45	1.65	9.3	<1	10.2	872	0.16	0.22	9.6	0.114	0.24	3.7	51	17.3	9.7	2	47.8		0.003		
E385745	104.5	105		500	1.8	135.5	0.009	0.41	1.22	10	<1	14	759	0.18	0.1	9.7	0.128	0.25	2.9	57	17.4	9.8	4	49.2		0.003		
E385746			Blank	100	0.6	0.8	<0.002	0.06	0.06	0.8	<1	0.2	248	<0.05	<0.05	0.2	0.006	<0.02	0.6	4	<0.1	2.6	21	8.7		<0.001		
E385747			Standard 3	680	3	125.5	0.007	1.2	1.02	11.2	1	7.2	424	0.17	0.18	11.9	0.107	0.37	14.5	62	7.7	11.7	5	58.6		0.024		
E385748	105	105.5		1160	5	79.8	0.017	1.63	1.18	10.9	1	13.4	820	0.08	0.28	7.8	0.066	0.19	7.1	48	13	12.4	8	39.3		0.012		
E385749	105.5	106		1400	2.5	54	0.013	1.58	1.83	11.5	1	13.8	552	0.17	0.36	7.2	0.071	0.09	3.4	55	15.1	11.4	7	46.9		0.033		
E385750	106	106.5		970	4.6	13	0.021	5.82	3.14	3.8	3	5.7	262	0.14	1.51	3	0.056	0.06	3.3	41	16.8	8.4	6	46.4		0.059		
E385751	106.5	107		1470	2.6	6.1	0.017	1.82	1.44	3.2	2	5.3	627	0.14	0.32	6	0.048	0.04	5.6	46	17.2	9	4	47.1		0.022		
E385752	107	107.5		5630	6	0.5	0.013	7.3	5.4	2.3	3	7.8	287	0.23	1.83	1.2	0.014	0.09	5.4	50	52.8	17.5	<2	4.2		0.087		
E385753	107.5	108		3890	3.7	0.3	0.025	4.36	1.87	1.8	5	7.3	233	0.08	0.99	0.4	<0.005	0.03	6	27	47.6	11.9	3	<0.5	2.3	0.091		
E385754	108	108.5		4830	4	0.2	0.015	4.87	1.36	2	6	7.8	232	0.07	1.43	0.4	<0.005	0.02	4.9	24	20.8	12.1	2	<0.5	4.25	0.183		
E385755	108.5	109		5760	17	0.2	0.014	7.82	2.01	4.7	13	16.4	190.5	0.08	3.08	0.7	<0.005	0.05	4.8	21	14.9	15.2	<2	<0.5	6.61	0.331		
E385756	109	109.5		2140	4.9	6.8	0.012	4.19	3.34	6.3	2	8.2	257	0.08	1.93	5.9	0.056	0.04	8.9	72	17.8	10.9	8	38.5		0.085		
E385757	109.5	110		1320	2.3	3.8	0.007	0.39	1.12	6.4	<1	6.1	305	0.17	0.08	8.9	0.073	0.02	12.3	52	15.5	9.7	4	53.9		0.004	2.31	
E385758			Blank	90	0.9	0.5	<0.002	0.06	<0.05	0.7	<1	<0.2	244	<0.05	<0.05	0.2	0.006	<0.02	0.6	3	<0.1	2.8	21	3.1		<0.001		
E385759	110	110.5		1360	4	3.4	0.03	4.65	4.27	3	4	4.7	233	0.07	2.02	4	0.041	0.05	14.3	41	16.4	8.9	4	24.4		0.062		
E385760	110.5	111		1430	2.1	7.1	0.05	0.51	1.09	3.6	<1	5.3	754	0.14	0.14	8.8	0.063	0.03	15.6	62	11.7	12.3	7	51.9		0.004		
E385761	111	111.5		670	4.2	50.4	0.003	0.4	1.02	10.9	<1	13.9	436	0.09	<0.05	9.8	0.067	0.09	2	58	9.8	11.5	10	54.3		0.002		
E385762	111.5	112		650	3.1	74.2	0.002	0.38	1.14	18.1	<1	18.6	389	0.15	<0.05	12.2	0.094	0.14	2.1	67	10.7	12.7	6	57.4		<0.001		
E385763	112	112.5		610	2.4	127	0.002	0.46	1.44	27.3	<1	33.6	208	0.24	<0.05	14.4	0.138	0.19	2.2	87	15	13.1	7	67.9		0.001		
E385764	112.5	113		650	2.9	124	<0.002	0.42	1.48	22.9	<1	30.2	158.5	0.19	0.05	14	0.129	0.22	2.3	80	12.7	14.7	15	67.6		<0.001	0.96	
E385765	113	113.5		860	4.2	86	0.01	0.61	1.43	13.6	1	19.5	99.3	0.16	0.28	14.2	0.106	0.2	3.6	60	11.2	14.7	20	58.4		0.005		
E385766	113.5	114		780	2.9	115.5	0.002	0.37	1.4	12.5	1	19.4	151.5	0.13	<0.05	13.3	0.096	0.26	2.7	62	10.2	12.8	19	53.5		<0.001		
E385767	114	114.5		860	1.9	142.5	0.004	0.3	1.39	15.1	1	24.7	104	0.12	<0.05	14.9	0.109	0.22	2.7	67	12.8	12.7	10	54.5		0.003		
E385768	114.5	115		860	2.2	92.8	0.004	0.3	1.24	11	1	16.5	338	0.13	0.08	13.3	0.091	0.15	2.5	52	11.1	12.9	18	51.7		0.001		
E385769			Blank	110	0.6	0.8	<0.002	0.06	0.07	0.8	<1	<0.2	266	<0.05	<0.05	0.3	0.007	<0.02	0.7	4	0.1	3	28	4.5		<0.001		
E385770			Standard 1	800	21.3	91	0.024	2.06	1.51	11	<1	7	629	0.19	0.2	9.2	0.092	0.39	284	53	8.3	15.5	10	56.1		0.057		
E385771	115	115.5		620	2.2	37.6	0.002	0.31	0.98	5.7	<1	6.5	436	0.16	<0.05	9.9	0.074	0.1	2.3	32	8	13	14	50.3		<0.001	2.72	
E385772	115.5	116		750	2.1	84.5	0.003	0.32	1.21	13.1	1	14.8	184	0.12	<0.05	14.1	0.083	0.18	2.8	52	8.9	12.7	19	53.2		0.008	1.07	
E385773	116	116.5		650	2.3	75.7	0.002	0.35	1.1	14.3	1	12.3	232	0.15	<0.05	14.2	0.091	0.16	2.2	58	9.4	13	24	52.1		0.001	1.57	
E385774	116.5	117		730	3.1	93.7	0.004	0.34	1.28	19.5	1	17.9	118.5	0.17	<0.05	15.8	0.113	0.18	2.3	66	10.4	13	21	57.7		0.001	0.77	
E385775	117	117.5		720	2.5	20.6	<0.002	0.43	1.11	8.9	1	5	236	0.16	<0.05	12.4	0.065	0.06	2.3	42	7.3	12.2	17	43.4		0.002		
E385776	117.5	118		710	2.8	19.5	0.002	0.44	1.14	7.9	1	6.5	186	0.16	<0.05	13.6	0.06	0.07	2.3	47	6.7	12.3	17	54		0.004		
E385777	118	118.5		930	2.8	15.2	0.004	0.41	1.14	8.2	1	4.7	373	0.14	<0.05	11.2	0.061	0.05	4.5	44	7.9	13.6	17	52.6		0.005		
E385778	118.5	119		720	2.6	78.9	0.002	0.45	1.48	15.5	1	13.1	236	0.12	<0.05	11.9	0.081	0.17	4	59	9.5	14.3	30	65.2		0.003		
E385779	119	119.5		830	2.4	41.4	0.006	0.4	1.11	8.1	1	7	345	0.08	<0.05	16	0.06	0.13	4	48	7.3	14.8	30	66.1		0.003		
E385780	119.5	120		760	2.3	8.3	0.016	0.44	1.01	5.2	1	4.4	543	0.08	<0.05	10.7	0.046	0.05	21.4	46	6.5	11.5	29	56		0.002		
E385781			Blank	110	0.7	0.8	<0.002	0.06	0.06	0.5	<1	<0.2	256	<0.05	<0.05	0.2	0.006	<0.02	0.7	5	0.1	2.9	21	3.4		0.003		
E385782	120	120.5		950	1.8	5	0.025	0.8	0.8	5.9	1	3.5	525	0.08	<0.05	6.3	0.03	0.03	7.4	59	5.1	11.8	23	41.8		0.003		
E385783	120.5	121		970	2.1	7	0.035	0.72	0.9	7.3	1	5.6	399	0.06	<0.05	9	0.044	0.04	11.2	56	4.4	13.8	29	48.4		0.004		
E385784	121	121.5		710	2.3	5.7	0.003	0.58	0.88	4	1	4.2	546	0.06	<0.05	9.9	0.041	0.03	5.9	41	5.2	13.5	21	52.6		0.004		
E385785	121.5	122		1120	9.3	5.6	0.02	7.93	3.79	6	6	4.8	219	0.09	2.57	12.2	0.03	0.05	33.9	38	8.2	12.9	11	35.7		0.086		

IG-2007-22

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
E385786	122	122.5		0.56	4.96	57.2	190	0.62	12.15	0.89	<0.02	190.5	419	26	1.16	2400	16.8	11.5	0.24	1.4	0.07	0.11	137.5	34.1	1.25	1240	28	2.27	2.7	39.6
E385787	122.5	123		0.1	8.48	1.9	2900	0.66	0.2	0.55	<0.02	136.5	23.9	39	0.98	1790	10.7	13.85	0.14	1.7	0.03	0.11	106	36.8	1.03	376	5.08	3.31	1.9	23.5
E385788	123	123.5		0.14	8.23	4.7	800	0.7	0.23	0.47	<0.02	128.5	62.6	35	0.85	2680	10.95	14.55	0.16	1.6	0.031	0.11	93.7	27	0.93	683	8.9	3.5	1.9	21
E385789	123.5	124		0.05	6.69	3.3	3050	0.64	0.07	0.35	<0.02	138.5	26.8	31	0.98	357	8.86	15.2	0.15	1.7	0.02	0.12	104	30.4	0.91	639	3.92	3.78	2.1	18.8
E385790	124	124.5		0.48	6.05	34.3	1480	1.04	5.72	0.31	<0.02	74.7	259	36	3.08	894	14.45	13.8	0.18	1.9	0.028	0.48	47.3	36.4	1.12	278	12.1	2.45	1.8	36.1
E385791	124.5	125		0.09	6.79	2.1	1270	0.78	0.26	0.36	<0.02	101	23.3	36	1.19	2920	8.4	13.9	0.14	1.9	0.029	0.2	81.2	14.9	0.73	1230	0.67	4.34	1.4	18.2
E385792			Blank	0.01	0.15	6	40	0.08	0.01	43.8	0.37	2.12	0.8	5	<0.05	7.6	0.08	0.43	<0.05	0.1	<0.005	0.03	1.7	1.3	0.44	35	0.25	0.03	0.3	<0.2
E385793			Standard 2	1.08	2.28	88.2	50	0.58	10.45	2.23	0.04	173	322	6	2.47	8340	27.2	9.3	0.3	0.7	0.239	0.64	108.5	18.9	1.5	6030	59.5	0.24	5.9	57.3
E385794	125	125.5		0.43	6.22	37.7	110	0.71	8.14	0.98	<0.02	140	235	34	0.76	1730	14.75	13.35	0.17	1.4	0.037	0.13	111	14.7	0.69	883	24	4.02	1.5	30.6
E385795	125.5	126		0.3	6.84	18.6	210	0.72	5.62	1.27	<0.02	131.5	143.5	36	0.58	3060	12.1	13.05	0.14	1.5	0.048	0.11	108	15.1	0.74	1075	8.77	4.35	2.1	25
E385796	126	126.5		0.47	8.35	26.3	180	0.74	6.27	0.97	<0.02	204	176	38	1.04	6380	13.6	13.1	0.19	1.7	0.051	0.13	169.5	29.5	0.96	641	12.8	3.5	1.4	29.2
E385797	126.5	127		0.57	4.92	55.8	90	0.57	8.78	1.17	<0.02	231	248	30	1.07	5270	19.35	11.8	0.27	1.3	0.05	0.11	207	25.8	1.03	947	29	2.41	2.6	36.9
E385798	127	127.5		0.61	4.19	90.8	100	0.44	11.2	2.35	<0.02	183	248	18	1.08	3700	18.25	9.26	0.23	1.1	0.061	0.11	146.5	23	1.35	2570	48.3	1.89	2.8	36.7
E385799	127.5	128		0.98	3.39	92.9	50	0.37	13.7	4.78	0.02	184	383	11	0.58	>10000	21.8	8.37	0.25	0.8	0.204	0.1	144	11.3	1.44	5290	48.3	1.84	4.2	40.8
E385800	128	128.5		0.76	2.34	66.7	50	0.21	12.05	5.75	0.02	306	330	3	0.39	5770	29.3	8.87	0.34	0.6	0.237	0.05	239	9.9	1.63	6990	39.6	1.24	2.5	42.7
E385801	128.5	129		0.48	3.42	33.6	180	0.28	4.99	3.87	<0.02	361	202	14	0.39	7450	19.95	9.71	0.31	1.1	0.121	0.07	298	9.5	0.96	3860	21.7	2.15	4.3	32.2
E385802	129	129.5		0.52	2.48	51.9	210	0.07	15.55	3.81	<0.02	386	351	9	0.33	563	22	7.91	0.44	0.7	0.106	0.05	284	10	1.25	3990	33.8	1.34	4	35.1
E385803	129.5	130		0.58	3.17	53.4	290	0.29	11.1	2.77	<0.02	286	318	13	1.13	5510	21.3	8.16	0.39	0.8	0.113	0.12	216	16.1	1.54	3150	45.4	1.31	2.3	34.8
E385804			Blank	0.03	0.12	8	40	<0.05	0.03	42.1	0.37	2.6	1.1	5	<0.05	8.4	0.06	0.46	0.08	0.1	0.005	0.02	1.9	1.1	0.45	35	0.36	0.01	0.3	1.9
E385805	130	130.5		0.57	4.37	50.3	1130	0.4	12.5	1.28	<0.02	136	297	25	1.21	4980	18.45	9.45	0.32	1.1	0.108	0.13	97.2	18.7	1.38	2850	31.4	2.14	3.3	34
E385806	130.5	131		1.25	2.91	82.8	720	0.32	22.2	1.53	<0.02	200	491	28	1	6770	22.1	8.76	0.38	1.2	0.121	0.09	146	19.3	1.66	2650	47.4	0.78	3.5	46.8
E385807	131	131.5		1.59	1.13	66.6	90	0.08	21.6	3.08	<0.02	415	408	4	0.28	>10000	27	5.4	0.51	0.5	0.428	0.03	293	5.4	2.59	8690	99.9	0.5	5.4	40.5
E385808	131.5	132		0.53	3.17	39.6	570	0.17	8.99	4.55	<0.02	225	185.5	12	0.41	3410	18.65	7.62	0.32	1.7	0.176	0.08	159	8.8	2.46	5790	31.4	1.99	3.9	29.1
E385809	132	132.5		0.53	2.09	55	160	0.11	18.5	3.68	<0.02	433	270	6	0.56	633	20.9	6.87	0.45	1.2	0.219	0.09	285	10.8	3.06	10400	30.1	0.97	5.5	33.1
E385810	132.5	133		0.52	2.64	56	200	0.17	14.55	4.39	<0.02	320	225	9	0.55	1460	17.75	6.61	0.34	0.6	0.186	0.08	248	13.6	3.17	7990	56	1.22	5.5	28.4
E385811	133	133.5		0.61	1.85	67.8	180	0.18	19.55	4.87	<0.02	423	307	5	0.81	806	18.45	5.24	0.35	0.6	0.232	0.12	320	11.9	3.7	9930	71.8	0.67	6.4	24.7
E385812	133.5	134		0.67	1.14	68.7	170	0.09	11.6	4.39	<0.02	>500	265	5	0.42	3250	23.9	7.95	0.5	0.7	0.193	0.04	590	10.6	2.97	7240	76.3	0.17	6.6	28.8
E385813	134	134.5		0.81	1.87	59.3	190	0.15	9.66	4.95	<0.02	>500	207	8	0.6	7670	21	7.96	0.49	0.5	0.2	0.06	550	12.5	3.04	6640	70.2	0.63	5.2	30
E385814	134.5	135		0.78	2.55	71.3	170	0.14	20.8	4.98	<0.02	430	289	7	0.68	2770	19.2	7.78	0.4	1	0.128	0.09	301	18.4	2.12	4560	58.2	0.87	4.5	39.6
E385815			Blank	0.02	0.12	7	30	0.05	0.06	43.5	0.42	3.28	1.3	6	<0.05	9.6	0.07	0.48	0.07	0.1	<0.005	0.02	2.5	1.3	0.46	40	0.47	0.01	0.3	0.5
E385816			Standard 3	0.29	6.58	44.2	2860	2.32	1.47	1.85	<0.02	76.6	100.5	40	6.17	1510	6.58	17.5	0.16	1.8	0.129	2.89	38.8	22.5	1.25	2970	19.6	0.56	3.4	22.9
E385817	135	135.5		0.62	2.79	35.8	330	0.16	10.65	7.28	<0.02	203	137.5	12	0.46	6780	16.85	6.6	0.28	1.1	0.193	0.1	148.5	8.2	2.13	7370	74.9	1.7	5.4	26.2
E385818	135.5	136		0.8	1.81	72	140	0.15	14.2	9.14	<0.02	265	238	7	0.44	6060	19.85	5.55	0.34	0.7	0.251	0.07	180.5	8.5	2.45	9810	56.6	0.96	5	38.4
E385819	136	136.5		0.85	2.31	62.9	170	0.45	11.3	7.54	<0.02	410	216	13	1.28	7770	20	8.22	0.4	1	0.356	0.36	260	19.8	2.36	9110	63.4	0.34	8.2	41.4
E385820	136.5	137		0.47	4.97	58.2	960	0.79	4.81	3.34	<0.02	429	131	27	1.98	5210	17.15	11.35	0.34	1.5	0.124	0.5	309	27.7	1.59	3220	46.6	1.94	6.5	39.1
E385821	137	137.5		1.01	6.16	140	470	1.72	12.95	1.15	<0.02	430	554	35	4.64	4870	15.5	14.85	0.37	1.9	0.08	1.41	290	34.3	0.88	867	46.3	2.06	9.4	44
E385822	137.5	138		0.79	5.23	108	380	0.49	12.5	2.09	<0.02	461	289	22	1.29	2810	17.6	11.05	0.4	1.3	0.091	0.29	330	27.6	1.32	1570	27.4	2.3	7.3	46.2
E385823	138	138.5		0.32	4.21	63.8	460	0.34	4.65	1.73	<0.02	194	146.5	18	0.81	3550	16.45	8.5	0.28	0.9	0.081	0.1	154	32.3	1.27	1350	10.45	1.45	5	38.9
E385824	138.5	139		1.83	1.19	167	250	0.05	31.5	6.19	0.02	92.3	455	3	0.3	6240	25.1	4.66	0.37	0.5	0.245	0.04	56.2	9.8	1.84	6110	43.6	0.2	4.9	55.3
E385825	139	139.5		1.45	1.1	110.5	160	<0.05	21.2	8.02	<0.02	500	333	3	0.25	>10000	23.3	5.39	0.45	0.4	0.211	0.04	332	6.5	1.8	7310	44.1	0.37	6.7	42.6
E385826	139.5	140		1.4	0.77	103	90	0.06	21.5	10.15	<0.02	159	281	2	0.18	>10000	19.35	3.11	0.31	0.2	0.325	0.01	106.5	6.2	2.77	10900	40.8	0.19	5.4	32.3
E385827			Blank	0.04	0.12	<5	40	0.06	0.04	44.4	0.42	2.51	1	7	<0.05	14.8	0.07	0.49	0.08	0.1	<0.005	0.03	2	1.3	0.46	43	0.29	0.01	0.3	<0.2
E385828	140	140.5		2.24	0.81	121	220	0.05	30	8.48	<0.02	>500	406	3	0.26	>10000	19.75	4.04	0.48	0.8	0.295	0.03	460	6.2	2.24	8750	37	0.28	17.3	44.7
E385829	140.5	141		0.99	2.75	75.9	270	0.22	12.7	7.13	<0.02	225	204	14	0.74	4580	18.8	7.14	0.31	1.6	0.166	0.17	144.5	12	2.25	8530	28.8	1.16	13.3	44
E385830	141	141.5		1.11	6.82	110.5	170	1.76	16	1.07	<0.02	196.5	388	44	4.48	7360	13.8	14.75	0.29	2.3	0.086	1.42	137	40.3	0.91	784	118	2.55	8.2	48.9
E385831	141.5	142		0.47	6.56	28.4	1560	1.63	3.37	4.07	<0.02	267	79.6	35	3.9	5070	9.72	13.75	0.24	2.2	0.142	1.26	197	30.4	1.53	4260	43.9	2.95	5.2	26.9
E385832	142	142.5		0.9	4.61	58.6	310	0.4	11.1	5.76	<0.02	247	223	21	0.95	6520	14.25	8.12	0.27	1.4	0.166	0.17	165	10.9	1.83	5350	34.8	2.94	5.8	35.6
E385833	142.5	143		1.28	1.66	89.7	290	0.09	19.25	7.14	<0.02	460	252	5	0.55	>10000	21.8	6.8	0.43	0.4	0.23	0.06	371	7.4	1.71	6730	44.9	0.88	4.7	47.2
E385834	143	143.5		1.38	2.12	123	260	0.36	34.6	7	<0.02	283	497	11	1.3	6460	21.5	5.72	0.35	0.7	0.27	0.35	191.5	12.8	2.18	6970	43	0.72	6.8	48.4
E385835	143.5	144		1.55	2.64	63	290	0.61	16.35	3.54	<0.02	284	588	13	1.92	>10000	25.4	7.93	0.43	0.9	0.365	0.47	197.5	16	1.42	3520	70.9	0.57	6.6	49.2
E385836	144	144.5		1.51	0.73	23.4	210	0.06	6.34	5.42	<0.02	195.5	247	1	0.3	>10000	29.7	4.8	0.44	0.2	0.673	0.03	135	5.4	1.42	6520	139	0.23	3.5	41.8
E385837	144.5	145		4.83	1.41	47.3	270	0.18	28.2	5.48	<0.02	358	369	6	0.48	>10000	24.4	5.41	0.42	0.6	0.599	0.08	249	11.9	1.53	5430	124	0.33	6.3	52.6
E385838			Blank	0.02	0.13	14	70	0.06	0.02	44.4	0.36	2.19	0.9	6	<0.05	7.2	0.06	0.56	0.12	0.1	<0.005	0.03	1.7	1.4	0.47	35	0.36	0.02	0.3	1.8
E385839			Standard 1	1.11	5.43	59.8	90	1.69	2.29	1.82	0.04	42.7	150.5	34	3.17	7900	8.73	13.6	0.18	1.7	0.126	2.15	15.6	20.3	1.05	2840	61.5	0.97	2.9	34.2
E385840	145	145.5		3.29	2.96	102	50	0.79	28.4	3.94	<0.02	229	553	16	1.08	>10000	22.5	8.07	0.43	1.2	0.511	0.33	176	26.9	1.66	4160	27.2	0.87	8.2	57.6
E385841	145.5	146		3.72	0.39	138.5	30	0.15	38.5	7.12	0.03	117.5	573	<1	0.23	>10000	29	2.85	0.38	0.2	0.833	0.03	85.6	5.1	1.88	7930	37.5	0.08	8.1	53.5
E385842	146	146.5		5.4	0.53	89	20	0.25	24.4	5.47	<0.02	124.5	519	18	0.29	>10000	26.7	4.04	0.41	0.3	1.035	0.02	89.4	7.8	1.74	6730	64.5	0.1	15.4	50.1
E385843	146.5	147		3.4	1.96	65.8	190	0.27	16.7	5.14	0.06	273	303	7	0.5	>10000	25	6.53	0.43	0.6	0.619	0.06	242	13.8	1.75	6490	105.5	0.94	6	45.9
E385844	147	147.5		0.94	3.9	11.5	80	0.63	0.73	2.67	<0.02	82.9	113	17	0.41	>10000	16.05	7.53	0.25	1	0.211	0.06	51.8	13.5	0.89	2560	11.1	2.43	2.3	27.2
E385845	147.5	148		3.65	2.6	33.8	50	0.47	3.64	4.24	<0.02	150.5	172	25	0.59	>10000	17.75	7.44	0.41	3	0.377	0.06	92.8	15.2	1.28	4270	66	1.43	14.4	28.1
E385846	148	148.5		2.78	1.49	50.4	30	0.26	4.77	5.67	<0.02	273	366	16	0.36	>10000	21.9	7.09	0.46	6.8	0.381	0.09	195.5	11.1	1.3	5170	52.4	0.81	20.4	30.4
E385847	148.5	149		3.57	2.96	37.8	40	0.45	3.52	3.19	<0.02	195	247	38	3.83	>10000	19.3	9.15	0.43	1.3	0.359	0.23	134.5	29.5	1.1	2720	104	1.77	10.5	36.5
E385848	149	149.5		0.84	3.94	9.8	730	0.34	0.48	2.04	<0.02	174	174	27	1.37	>10000	24.8	10.4	0.39	1.1	0.143	0.16	144.5	14.9	0.77	2150	5	2.53	2.3	43.5
E385849	149.5	150		1.11	3.63	9.6	290	0.3	0.89	3.1	0.08	278	150	20	1.14	>10000	21.9	9.07	0.41	1	0.152	0.11	219	12.7	0.85	2960	115.5	2.37	2.7	36.5
E385850			Blank	0.02	0.13	8	40	0.07	0.02	44.3	0.36	2.43	1.1	5	<0.05	28.6	0.1	0.51	0.07	0.1	<0.005	0.03	1.9	1.4	0.48	40	0.85	0.02	0.3	0.3
E385851	150	150.5		0.32	3.51	7.7	1050	1.01	0.42	1.56	<0.02	219	99.8	18	1.42	740	25.4	10.6	0.3	1	0.028	0.59	174.5	23.3	0.51	777	14.25	1.46	5.4	31.3
E385852	150.5	151		0.36	4.75	6.3	460	0.72	0.31	1.15	<0.02	136.5	93.2	29	0.63	705	17.5	11.05	0.27	1.3	0.015	0.13	100	20.7	0.51	396	8.83	2.79	2.7	32.8
E385853	151	151.5		0.18	3.87	7.5	260	0.56	0.56	2.37	0.02	179.5	139	20	0.81	341	22.6	10.5	0.36	1.2	0.022	0.15	131.5	15.9	0.66	1800	24.5	2.31	3.8	37.1
E385854	151.5	152		0.14	4.23	5.8	480	1.18	0.58	1.79	<0.02	120	58.7	28	1.18	90.8	15.2	10.55	0.26	1.3	0.022	0.31	86.2	23.7	0.83	1040	13.15	2.19	3.9	31.4
E385855	152	152.5		0.1	2.89	4.3	990	1.15	1.71	1.79	<0.02	105.5	33.1	13	1.25	64.1	11.85	6.18	0.2	0.9	0.045	0.4	73.7	26.7	0.86	2340	11.5	1	3.4	17.7
E385856	152.5	153		0.3	4.89	7.9	5020	1.75	0.44	3.35	<0.02	203	41.7	23	3.13	35.2	17.15	10.8	0.31	1.4	0.088	1.07	167	49.6	1.31	3350	21.6	1.25	6.4	24.2
E385857	153	153.5		1.07	3.5	9.8	2780	0.78	0.42	3.62	<0.02	217	51.6	17	1.16	25.9	18.4	7.47	0.33	1	0.041	0.34	174.5	34.2	0.93	2010	20.3	1.07	5.3	25.7
E385858	153.5	154		0.79	1.97	14.5	2360	0.29	0.77	2.89	<0.02	276	96.3	9	0.3	16.7	24.5	5.63	0.41	0.6	0.036	0.05	218	16.7	1.01	3240	35.5	0.6	5.9	29.9
E385859	154	154.5		0.16	1.48	16.9	2590	0.27	0.37	4.01	<0.02	>500	46.9	5	0.28	20.9	24	5.81	0.56	0.5	0.021	0.05	402	17.2	0.71	2310	38.5	0.21	6.1	31.5
E385860	154.5	155		1.31	1	21.6	1170	0.2	2.02	4.53	<0.02	398	121	4	0.22	20.9	30.4	5.12	0.55	0.4	0.033	0.04	309	10.4	0.61	3840	51.9	0.07	9	34
E385861			Blank	0.02	0.13	5	80	0.08	0.12	44.6	0.37	2.66	2.2	5	<0.05	3.8	0.11	0.54	0.09	0.1	0.011	0.03	2	1.5	0.47	45	0.46	0.02	0.3	1.2
E385862			Standard 2	1.21	2.28	115.5	40	0.59	10.65	2.18	0.03	178.5	324	11	2.45	8360	26.6	9.45	0.42	0.8	0.256	0.64	105.5	21.9	1.48	6180	63.1	0.23	5.5	59.7
E385863	155	155.5		2.01	0.72	21.8	980	0.16	3.01	4.78	0.02	311	138.5	1	0.15	138.5	29.8	3.41	0.55	0.3	0.075	0.02	225	7.8	1.21	7460	41.8	0.03	10.5	36
E385864	155.5	156		0.8	1.13	19	3510	0.18	0.95	3.47	<0.02	351	70.2	3	0.23	164	26.1	4.06	0.47	0.4	0.06	0.03	270	12.4	1.06	5350	48.1	0.06	11.7	31.4
E385865	156	156.5		0.3	1.25	16.2	2880	0.19	0.35	4.59	0.02	276	83.9	4	0.35	136	25.2	3.81	0.42	0.4	0.103	0.06	221	13.1	1.46	8150	48.2	0.06	8.2	32.9
E385866	156.5	157		0.6	1.38	17.4	3110	0.3	1.06	5.22	<0.02	329	81.3	5	0.92	936	22	4.5	0.42	0.8	0.158	0.18	248	18.1	1.62	9750	43.4	0.07	12.8	31.7
E385867	157	157.5		0.63	1.46	12	1380	0.22	0.27	6.34	<0.02	419	66.6	7	0.85	1700	22.4	5.9	0.48	0.7	0.211	0.17	305	13.8	1.8	11300	40.7	0.36	5.7	25.05
E385868	157.5	158		0.26	3.03	3.8	1360	0.98	0.22	4.83	<0.02	99.3	37	15	4.21	849	13.6	9.83	0.23	1.2	0.305	1.44	74.3	26.7	1.78	9650	13.05	0.29	4.9	17
E385869	158	158.5		0.12	3.26	4.2	1030	1.05	0.28	1.67	<0.02	113.5	40.3	17	3.88	152	13.1	9.68	0.22	1.1	0.153	1.35	73.6	23.7	0.72	3570	17.35	0.66	2	20.9
E385870	158.5	159		0.19	6.33	2.5	4450	2.02	0.07	1.36	<0.02	108	36.7	36	9.45	271	10.15	19.2	0.21	2	0.306	3.08	75.9	50.5	1.07	3700	10.35	0.52	2.7	19.4
E385871	159	159.5		0.44	2	22.7	220	0.35	0.31	3.44	<0.02	90.3	167.5	9	0.95	751	14.55	4.84	0.22	0.7	0.148	0.31	45.9	14.9	1.1	4860	18.7	0.79	4.2	17.1

IG-2007-22

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba	U
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	%
E385786	122	122.5		1380	6.8	6	0.011	6.04	1.87	8.2	4	5.1	110	0.08	1.5	12.8	0.034	0.04	25.6	34	4.8	14.5	17	45.4		0.048		
E385787	122.5	123		700	2.1	5.6	0.006	0.42	0.88	6	1	5.3	293	0.09	<0.05	10.9	0.052	0.03	3.9	39	5.4	13.1	20	54.8		0.004		
E385788	123	123.5		1120	1.8	5	0.007	0.68	0.89	7.2	2	4.7	313	0.11	<0.05	12.1	0.049	0.02	2.2	48	6.9	12.8	12	53.4		0.005		
E385789	123.5	124		940	1.6	5.7	0.004	0.32	0.81	6.3	1	4.3	463	0.11	<0.05	12.8	0.05	0.03	2.1	41	7	12.8	17	54.9		0.002		
E385790	124	124.5		790	9.7	18.9	0.012	4.41	1.66	7.3	2	6.9	174.5	0.1	0.57	12	0.07	0.13	14.5	49	5.9	12	22	60.5		0.026		
E385791	124.5	125		930	1.7	8.1	0.002	0.48	0.95	7.8	1	6.5	118	0.06	<0.05	15.6	0.06	0.04	2.6	33	5.7	11.4	6	60.6		0.005		
E385792			Blank	90	0.5	0.5	<0.002	0.06	0.06	0.5	<1	<0.2	254	<0.05	<0.05	0.2	0.006	<0.02	0.7	5	0.1	2.8	20	3.2		0.002		
E385793			Standard 2	2210	5.9	35.8	0.017	6.42	1.9	4.9	4	6.6	169.5	0.11	1	5.6	0.035	0.48	14.4	56	6.3	14.6	7	22.3		0.111		
E385794	125	125.5		880	4.4	4.7	0.01	3.91	1.62	6.6	2	4.5	125	0.05	0.96	12.1	0.033	0.05	13.4	50	4.2	10.9	5	45.1		0.034		
E385795	125.5	126		850	3.4	3.4	0.005	2.26	1.62	7.1	2	5.5	140.5	0.08	0.64	12	0.047	0.03	22.3	49	5.9	11.1	4	47.9		0.023		
E385796	126	126.5		790	4.8	4.5	0.008	3.2	1.53	7.6	3	4.8	113	0.05	0.64	14.8	0.036	0.04	48.2	38	4.5	13.8	11	54		0.035		
E385797	126.5	127		1160	4.4	4.4	0.007	5.09	2.04	7.5	3	5.9	90.3	0.06	0.77	9.9	0.053	0.05	19.8	55	5	12.3	7	42.4		0.045		
E385798	127	127.5		890	5.3	4.6	0.012	6.5	1.75	6.4	3	4.8	128	0.06	1.06	7.5	0.031	0.04	25.9	35	3.6	13.8	8	35.1		0.052		
E385799	127.5	128		2920	5.4	4.9	0.013	6.47	1.62	7.8	4	6.4	136	0.06	1.33	5.8	0.026	0.03	15.1	47	4.6	21.9	3	26.9	1.31	0.089		
E385800	128	128.5		3200	4.9	2.1	0.011	4.69	1.66	7.4	4	3.4	153	0.06	1	7.7	0.014	0.02	9.7	56	3.1	27.8	4	21		0.068		
E385801	128.5	129		4910	3	2.6	0.005	2.75	2	7.4	3	4.1	118.5	0.1	0.48	9.1	0.028	0.02	5	61	4.5	27.2	6	34.4		0.044		
E385802	129	129.5		2090	5.2	2.1	0.008	5.57	4.04	6.2	2	3.3	103.5	0.1	1.52	7.9	0.019	0.03	1.4	40	4.3	16	3	20.3		0.043		
E385803	129.5	130		2580	5.2	4.4	0.016	5.84	2.12	6	3	3.9	122	0.09	1.27	8	0.019	0.03	2.5	46	4.4	14.8	10	23.2		0.06		
E385804			Blank	90	0.7	0.4	0.002	0.07	0.08	0.4	1	<0.2	253	<0.05	0.15	0.2	0.005	<0.02	0.6	3	0.1	2.7	20	3.1		<0.001		
E385805	130	130.5		1430	5.8	4.3	0.01	5.33	2.65	6.8	2	6	85.5	0.1	0.99	6.1	0.044	0.05	9.2	45	4.7	11.1	5	34.2		0.062		
E385806	130.5	131		1210	9.4	3.6	0.014	9.1	3.38	8.5	4	8.9	47.1	0.11	1.8	11.4	0.071	0.05	71.8	40	7.3	13	11	35.3		0.121		
E385807	131	131.5		2120	9.4	1.3	0.027	9.72	2.52	5.2	4	7.4	45.5	0.1	1.54	4.8	0.015	0.03	36.8	27	5	16.7	8	14.2	1.39	0.14		
E385808	131.5	132		3270	4	2.9	0.01	3.3	1.57	7.9	2	5.3	72.2	0.14	0.59	6.2	0.04	0.02	17.7	59	4.9	22.7	2	54.8		0.044		
E385809	132	132.5		4940	6.1	3.3	0.008	5.39	3.11	7.6	2	4.5	77.6	0.21	1.4	7.3	0.028	0.03	11.7	45	6.6	30.1	7	38.9		0.045		
E385810	132.5	133		2590	4.7	2.5	0.011	4.45	4.19	7.3	1	4.2	63.5	0.13	1.68	4.6	0.026	0.03	1.6	42	5.6	16.9	7	23.8		0.037		
E385811	133	133.5		1270	6.3	4	0.012	5.72	4.84	8.8	1	3.8	83.2	0.1	2.68	3.8	0.021	0.04	3.2	19	6.3	13.1	8	19		0.04		
E385812	133.5	134		3970	5.1	1.8	0.021	4.35	3.07	4.8	2	4.4	66.7	0.18	1.27	7.3	0.022	0.03	2.6	39	9.5	22.3	6	18.8		0.043		
E385813	134	134.5		3140	4.8	2.4	0.015	4.28	3	7.2	3	4.5	78.2	0.1	1.26	8.5	0.022	0.03	2	42	8.8	19.7	7	13.6		0.042		
E385814	134.5	135		3780	5.7	2.9	0.014	4.74	3.44	6.9	2	4.5	89.5	0.13	1.93	7.7	0.022	0.03	7.6	63	5.5	23.5	4	28.7		0.076		
E385815			Blank	100	0.5	0.4	0.002	0.06	0.09	0.4	1	<0.2	264	<0.05	0.1	0.2	0.006	<0.02	0.6	3	0.1	2.8	20	3.1		0.001		
E385816			Standard 3	700	2.4	131.5	0.006	1.28	1.2	10.7	1	8	454	0.2	0.17	11.4	0.113	0.34	17.4	55	8.3	10.7	4	58.8		0.017		
E385817	135	135.5		3150	3.9	4	0.02	2.78	1.83	8.5	2	5.4	167.5	0.17	0.91	4.9	0.023	0.03	24.4	62	6	23.9	<2	31.9		0.054		
E385818	135.5	136		4210	4.4	2.8	0.017	4.06	2.19	9.4	3	5.3	219	0.13	1.09	3.8	0.021	0.02	6.8	74	5.7	33	<2	21.3		0.062		
E385819	136	136.5		3710	4.8	17.5	0.021	4.46	2.14	8.8	3	13.5	190.5	0.22	0.73	7.3	0.034	0.05	8.1	70	8.3	32.6	2	29.9		0.061		
E385820	136.5	137		3260	3.2	24.7	0.015	2.17	2.55	8.1	1	14.3	94.8	0.2	0.29	9.2	0.059	0.05	13.1	60	7.6	22.3	4	46.9		0.029		
E385821	137	137.5		2610	9.7	64.2	0.016	9.13	5.88	11.3	4	37.8	58.8	0.29	0.82	14	0.094	0.14	11	75	15.5	17.1	2	60.3		0.073		
E385822	137.5	138		3220	7.6	12.1	0.009	5.42	5.51	4.3	2	8.8	70.3	0.2	0.87	13.4	0.055	0.05	17.8	65	7.9	18.5	7	40.2		0.051		
E385823	138	138.5		2870	3.3	3.4	0.002	2.22	5.46	2.7	1	5.1	59.8	0.17	0.21	5.4	0.039	0.02	2.5	66	5.3	13.4	10	30.4		0.016		
E385824	138.5	139		2930	13	1.3	0.011	>10.0	3.42	3.5	3	3.6	179.5	0.14	1.79	2.7	0.018	0.03	15.6	60	8.3	20	10	16.8		0.15		
E385825	139	139.5		3760	10	1.3	0.011	9.22	2.61	6.2	3	5	135	0.14	0.92	7.6	0.014	0.03	23.4	72	4.9	34.8	4	11.8	1.32	0.103		
E385826	139.5	140		4540	9.2	0.3	0.009	7.75	3.07	7.6	3	5.7	145.5	0.12	1.01	2.6	0.009	0.02	33.4	53	4.8	25.7	<2	7.2	1.49	0.097		
E385827			Blank	120	0.5	0.4	<0.002	0.06	0.08	0.4	1	<0.2	271	<0.05	0.09	0.2	0.006	<0.02	0.7	3	0.1	2.8	21	3.5		<0.001		
E385828	140	140.5		7280	23.3	1.1	0.013	>10.0	3.4	6.4	6	8.5	141.5	0.4	1.47	16.3	0.031	0.05	309	44	9.5	50.8	4	25.9	1.685	0.149		
E385829	140.5	141		6940	7.4	5.8	0.027	4.97	2.35	5.8	2	8.6	143	0.4	0.56	7.4	0.058	0.07	38.1	76	8.6	41.4	2	52.2		0.045		
E385830	141	141.5		1890	7.6	69.3	0.145	8.22	2.27	10.4	3	35.8	69.3	0.18	0.81	8.6	0.108	0.14	30.1	76	12.2	16.7	2	68.8		0.089		
E385831	141.5	142		1860	4.2	68.9	0.023	1.83	1.5	11.7	1	30.2	129	0.19	0.18	16	0.095	0.09	76.1	62	9.9	22.5	2	68.6		0.028		
E385832	142	142.5		3270	4.8	8.4	0.01	3.77	1.57	5.6	2	8	153	0.19	0.65	9.2	0.049	0.02	3.4	45	3.9	26.4	2	42.8		0.073		
E385833	142.5	143		5470	6.7	3	0.012	5.84	2.52	3.1	3	7.1	140	0.14	0.7	10.3	0.023	0.02	2.1	69	3.9	38.2	3	11.5	1.575	0.077		
E385834	143	143.5		3070	11.7	18.3	0.014	9.44	3.87	4.8	3	12.4	146	0.16	1.28	6.2	0.04	0.11	6	56	7.5	23.4	<2	20.8		0.093		
E385835	143.5	144		3520	13.8	23.2	0.023	9.39	2.69	4.3	3	18.4	83.9	0.18	0.5	6.9	0.048	0.17	21.1	59	7.3	21.2	10	27.3	1.53	0.074		
E385836	144	144.5		3590	12.7	1.5	0.024	6.28	1.4	3	3	8.7	114.5	0.12	0.2	2	0.012	0.04	28.7	44	3.1	21.7	2	6.2	2.41	0.063		
E385837	144.5	145		4620	33.3	3.5	0.028	8.43	3.13	3	3	15.4	129	0.17	0.41	4.8	0.041	0.07	158.5	41	11.8	25.1	7	22.4	2.97	0.233		
E385838			Blank	110	1.5	0.6	<0.002	0.06	0.24	0.6	2	0.2	274	<0.05	<0.05	0.2	0.007	<0.02	0.6	3	0.1	2.7	25	2.7		<0.001		
E385839			Standard 1	770	19.2	79.5	0.019	2.11	1.48	9.9	3	6	636	0.15	0.28	7.5	0.08	0.33	271	53	7.1	13.3	6	45.1		0.051		
E385840	145	145.5		3080	65.2	17.6	0.017	>10.0	4.46	5.2	4	13.9	67.9	0.12	0.56	10.1	0.066	0.07	720	56	25.5	24.1	9	31.3	2.18	0.134		
E385841	145.5	146		4460	258	1.7	0.022	>10.0	6.23	2.1	5	5.9	122.5	0.07	1.01	1.7	0.008	0.05	2370	50	21.5	34.8	3	6.7	2.86	0.184		
E385842	146	146.5		2000	589	1.4	0.029	>10.0	13.35	2.8	9	11.5	95.2	0.11	0.91	2.8	0.018	0.07	5990	37	63.8	56.8	2	9.8	5.2	0.18		0.59
E385843	146.5	147		1410	113.5	2.6	0.035	6.44	3.65	4.3	6	7.8	110.5	0.07	1.28	4.6	0.029	0.04	940	39	20.7	22.5	2	19	3.03	0.104		
E385844	147	147.5		1770	7.5	2.8	0.008	1.82	0.9	3.7	3	4.3	452	0.06	0.1	2.8	0.023	0.02	30.3	44	7.9	12.5	4	26.5	1.17	0.025		
E385845	147.5	148		1210	1970	3.3	0.045	3.19	12	6.2	11	7.1	145	0.29	0.26	14	0.034	0.14	>10000	36	101	144.5	5	99.1	1.8	0.075		1.35
E385846	148	148.5		2110	1190	4.3	0.029	5	10.35	5.4	10	7.8	145.5	0.5	0.37	18.4	0.063	0.09	8960	41	297	85.8	2	261	2.37	0.069		0.92
E385847	148.5	149		1790	1460	23.7	0.108	3.93	9.26	4.1	11	7.6	109	0.17	0.43	10.6	0.046	0.17	>10000	40	830	94.1	3	39.1	2.51	0.095		1.03
E385848	149	149.5		1250	4.7	11	0.002	1.91	0.98	4.4	4	5.5	84.9	0.07	0.12	7.3	0.039	0.02	12.4	59	4.5	9.9	<2	28.3	1.07	0.019		
E385849	149.5	150		2440	6.3	7.6	0.097	2.29	1.05	4.8	7	4.6	103.5	0.09	0.18	9.5	0.033	0.02	26.4	55	4.5	19.1	<2	24.9	1.28	0.038		
E385850			Blank	110	0.6	0.5	<0.002	0.07	0.08	0.5	2	<0.2	271	<0.05	<0.05	0.2	0.006	<0.02	0.8	3	0.1	2.7	22	3		<0.001		
E385851	150	150.5		2410	3.2	28.6	<0.002	0.58	1.84	6.4	3	65.9	94.3	0.16	0.14	8.7	0.053	0.04	2.7	69	8	16.6	<2	25.9		0.005		
E385852	150.5	151		2150	2.7	6.9	<0.002	0.69	0.92	5.2	2	6.2	567	0.11	0.18	6.4	0.044	0.02	8.1	65	9.6	15.4	<2	34.7		0.003		
E385853	151	151.5		1730	2.1	8.8	0.008	0.78	0.92	5.4	3	5.6	558	0.12	0.29	6.6	0.043	0.02	8.3	65	20.8	18.5	<2	30.4		0.003		
E385854	151.5	152		1490	2.1	19.6	<0.002	0.45	0.91	6.7	2	8.9	1005	0.11	0.32	4.8	0.051	0.03	7.6	55	20.6	15.2	<2	35.2		0.003		
E385855	152	152.5		880	2	25	0.002	0.2	0.69	5.4	2	8.8	1850	0.1	0.88	3.5	0.035	0.03	3.9	36	10.5	10.1	<2	22.3		0.002		
E385856	152.5	153		2010	2.1	62.5	0.005	0.16	1.45	8.7	2	28.4	389	0.16	0.37	8.2	0.071	0.07	5.3	82	15.5	17.9	2	36.1		0.002	2.64	
E385857	153	153.5		3060	2	21.2	0.002	0.17	1.11	4.9	2	10.5	556	0.11	0.92	6.4	0.048	0.03	6.4	52	11.9	24.5	2	28.4		0.004		
E385858	153.5	154		4420	1.8	3	0.013	0.3	1.1	3.4	3	4.8	206	0.13	0.85	6.2	0.028	<0.02	4.3	56	8.4	25.8	<2	15.7		0.004		
E385859	154	154.5		>10000	1.8	3.4	0.006	0.13	1.06	2.9	3	4.5	347	0.14	0.27	7.3	0.021	<0.02	6.7	77	8	45.1	<2	11.4		0.003		
E385860	154.5	155		5790	1.6	2.4	0.008	0.33	1.15	2.7	3	4.7	241	0.18	2	5.9	0.019	<0.02	3.5	72	7	34.7	<2	9.2		0.005		
E385861			Blank	130	0.6	0.6	<0.002	0.07	0.09	1.1	2	<0.2	281	<0.05	<0.05	0.2	0.006	<0.02	0.7	3	0.1	2.9	21	3.2		<0.001		
E385862			Standard 2	2420	6.1	35.2	0.015	6.75	2.14	4.8	5	6.9	173.5	0.11	1.21	5.9	0.032	0.45	14.8	59	6.3	14.7	8	20.8		0.119		
E385863	155	155.5		5370	1.9	1.4	0.003	0.4	1.08	2.4	3	4.2	426	0.19	3.01	4.4	0.016	<0.02	3.2	64	9.2	29.6	<2	6.5		0.007		
E385864	155.5	156		5410	2	2.3	0.004	0.18	1.2	2.2	3	8.9	484	0.19	0.99	4.6	0.022	<0.02	4	64	5.8	25.6	<2	10.3		0.007		
E385865	156	156.5		4930	1.8	3.7	0.006	0.14	0.99	2.5	2	5.8	334	0.15	0.31	4.5	0.022	<0.02	3.8	56	5.2	24.2	<2	11.3		0.007		
E385866	156.5	157		5190	2.3	11.4	0.005	0.19	1.16	2.7	4	8.5	433	0.28	0.73	5.5	0.034	0.02	4.1	61	7.8	27.4	<2	20		0.014		
E385867	157	157.5		4320	2.2	9.6	0.013	0.23	1.12	3.8	4	3.9	614	0.14	0.26	9.1	0.02	0.02	4.8	57	9.7	32.2	<2	19.7		0.014		
E385868	157.5	158		720	3	75.4	0.003	0.17	1.53	7.9	2	11.9	1345	0.14	0.13	6.9	0.064	0.12	21.8	36	23.3	16.9	<2	30.8		0.004		
E385869	158	158.5		1070	1.7	72.1	0.005	0.21	1.24	5.2	2	7.7	3630	0.06	0.26	7.6	0.051	0.12	8.5	42	43.4	9.6	<2	27.7		0.003		
E385870	158.5	159		840	2.1	167	<0.002	0.18	1.97	9.9	2	14.4	976	0.11	0.13	13.2	0.115	0.25	4.1	62	18.4	13.3	<2	50.6		0.003		
E385871	159	159.5		1310	1.6	16.3	0.016	0.9	1.37	3.8	4	6.6	2720	0.11	0.41	3.6	0.04	0.04	3.5	28	7.8	11.1	<2	18.3		0.009		

IG-2007-22

Sample No	From (m)	To (m)	Standard/Blank
E385872	159.5	160	
E385873			Blank
E385874	160	160.5	
E385875	160.5	161	
E385876	161	161.5	
E385877	161.5	162	
E385878	162	162.5	
E385879	162.5	163	
E385880	163	163.5	
E385881	163.5	164	
E385882	164	164.5	
E385883	164.5	165	
E385884			Blank
E385885			Standard 3
E385886	165	165.5	
E385887	165.5	166	
E385888	166	166.5	
E385889	166.5	167	
E385890	167	167.5	
E385891	167.5	168	
E385892	168	168.5	
E385893	168.5	169	
E385894	169	169.5	
E385895	169.5	170	
E385896			Blank
E385897	170	170.5	
E385898	170.5	171	
E385899	171	171.5	
E385900	171.5	172	

Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
1.64	2.07	29.8	60	0.33	0.7	3.32	<0.02	101.5	244	9	1.14	>10000	16.15	5.98	0.31	0.7	0.351	0.34	47.5	16.2	1.18	5050	26.2	0.66	6.8	25.3
0.02	0.13	<5	120	0.08	0.01	45.7	0.4	2.45	1	6	<0.05	14.8	0.09	0.57	0.08	0.1	<0.005	0.03	1.9	1.5	0.48	47	0.39	0.02	0.3	1.1
0.26	1.72	24.3	160	0.26	0.52	2.27	<0.02	205	163	7	0.53	649	19.25	4.21	0.28	0.5	0.09	0.06	144.5	26.4	1.3	5490	41.7	0.1	6.8	23.6
0.13	3.22	18.5	190	0.59	0.26	1.99	<0.02	127.5	140	16	2.89	105	16.25	9.29	0.25	1	0.099	0.59	85.6	37.4	1.35	5690	31.5	0.49	7.5	24
0.15	3.44	12.8	1070	0.34	0.2	2.42	<0.02	168	66.9	17	1.29	482	14.3	6.98	0.23	1.2	0.084	0.28	131.5	24.4	1.19	3930	24.5	1.47	4.9	15.7
0.22	5.87	7.3	1440	0.59	0.23	3.15	<0.02	179	56.1	30	2.94	696	10.25	14.8	0.21	2.1	0.106	0.75	138	24	1.19	3680	30.7	2.92	8	23.7
0.48	1.55	25	1280	0.19	0.42	5.6	<0.02	279	98.1	5	0.32	1830	20.8	4.69	0.31	0.5	0.204	0.02	235	18.4	2.48	8760	38.9	0.17	8.8	21.8
0.27	4.07	8.2	950	0.48	0.23	5.05	<0.02	120	108	19	2.37	1840	14.4	10.7	0.2	1.4	0.167	0.65	91.8	29.3	2.03	6720	25.9	1.48	7	27.1
0.3	3.7	10.8	380	0.72	0.34	2.36	<0.02	166	167.5	19	3.52	2210	15.4	10.5	0.23	1.3	0.273	1.18	116	24.5	1.35	7650	19.35	0.93	6.6	37.8
0.06	5.01	3.7	7790	0.77	0.08	6.86	<0.02	101	53.8	27	3.45	36.4	7.91	11.7	0.17	1.3	0.178	1.22	66.6	17.6	2.67	7730	7.99	2.11	2.2	25.3
0.03	6.86	4.8	1970	1.92	0.07	4.83	<0.02	21.2	74.9	58	7.54	13.3	9.67	17.3	0.14	1.7	0.241	3.01	12.6	26	2.52	7600	4.98	0.92	1.3	47
0.02	5.72	3.6	1050	1.82	0.05	3.56	<0.02	20.2	98.7	46	7.01	8.1	12.1	14.9	0.18	1.4	0.338	2.72	10.7	17.8	2.96	9450	1.86	0.17	0.7	58.2
0.01	0.13	22	40	0.06	<0.01	45.4	0.36	2.06	1.1	6	<0.05	2.7	0.06	0.51	<0.05	0.1	<0.005	0.04	1.6	1.5	0.48	44	0.2	0.01	0.3	2
0.26	6.38	69.4	1890	2.35	1.49	1.83	<0.02	72.8	174	40	5.83	1460	7.68	16.95	0.14	2.1	0.114	2.95	37.3	22.8	1.32	2970	17.3	0.57	3.1	23.8
0.04	6.97	3.1	1540	2.12	0.06	3.8	<0.02	43.7	69.3	54	7.83	9.4	9.74	18	0.16	1.7	0.259	3.42	24.7	19.6	2.39	5690	3.36	0.35	1.3	44.1
0.05	6.11	3	4870	1.74	0.06	2.39	<0.02	65.5	49.1	39	6.66	6.3	9.32	16.9	0.14	1.8	0.154	2.86	36.7	20.8	1.7	4330	1.77	0.33	2.6	36
0.03	6.8	3.1	>10000	1.97	0.04	2.51	<0.02	93.8	49.5	40	7.49	4.8	8.79	18.45	0.17	2	0.153	3.17	54	17.1	1.49	3820	2.23	0.68	3.7	29.5
0.02	6.77	2.3	8340	1.85	0.01	3.63	<0.02	72.7	49.9	38	7	3.5	8.4	16.05	0.16	2.1	0.15	2.92	41.7	15	1.7	4430	1.13	1.16	3.3	26.4
0.01	6.66	2.6	8200	1.52	0.01	2.64	<0.02	46.6	41.3	39	5.57	2.2	9.12	12.8	0.12	1.5	0.127	3	30.2	13.4	1.59	4420	1.6	0.84	2.8	22.5
0.05	7.2	4.1	>10000	1.91	0.06	3.83	<0.02	113.5	36.2	43	8.52	3.6	8.67	18.5	0.15	1.9	0.132	3.89	78.9	23	1.71	4160	7.15	0.36	5.7	24.7
0.11	4.79	5.1	3670	1.53	0.14	4.18	<0.02	170	42	27	6.92	4	10.25	13.5	0.18	1.6	0.141	2.43	123.5	23.1	1.73	4890	20.2	0.12	7.1	26
0.12	4.42	6.8	1560	1.31	0.2	3.15	<0.02	136.5	70.5	27	6.29	8.6	14.2	12.25	0.21	1.5	0.164	2.19	97.3	28.4	1.75	5490	20.2	0.07	10.7	32.3
0.1	4.67	7.2	3030	1.33	0.18	2.46	<0.02	179.5	67	28	7.06	3.2	13.4	13.6	0.22	1.6	0.223	2.17	133	53.6	1.7	4780	40.3	0.15	8.3	28.2
0.08	6.17	4.3	7580	1.74	0.13	2.46	<0.02	179.5	45.5	35	7.59	2.1	10.05	16.9	0.19	2.1	0.148	2.56	116.5	62	1.68	2350	7.13	0.56	5.5	25.4
0.01	0.13	8	50	0.07	<0.01	45.3	0.28	2.02	0.8	6	<0.05	1.3	0.06	0.4	<0.05	0.1	<0.005	0.03	1.5	1.2	0.48	37	0.32	0.01	0.2	<0.2
0.06	6.99	3	4830	1.74	0.05	2.33	<0.02	77.2	38.2	42	8.25	3.2	10.6	18.15	0.15	2.2	0.191	2.92	52.7	63.7	1.74	2980	4.18	0.79	4.6	24
0.06	7.02	2.9	7960	1.9	0.23	2.47	<0.02	80.4	39.6	42	8.03	4.5	10.1	19.45	0.17	2.6	0.163	2.54	55	71.7	1.82	2550	4.11	1.17	4.7	28.1
0.05	6.23	4.1	5860	1.51	0.06	2.16	<0.02	103.5	20.1	38	8	2.3	9.65	20.7	0.17	2.5	0.076	1.94	73.1	66.2	1.41	1730	4.04	1.76	6.2	31.6
0.47	9.1	0.9	200	7.49	0.09	1.35	<0.02	64.5	7.4	13	3.8	8.8	2.16	24.1	0.08	4.6	0.037	1.23	29.1	18.1	0.47	210	264	4.64	16.8	10.9

IG-2007-22

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba	U
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	%
E385872	159.5	160		1430	2.6	18.6	0.008	2.4	2.01	4.4	9	11.3	784	0.18	0.79	4.1	0.045	0.04	5.6	31	7.3	11.8	5	18.4	1.155	0.052		
E385873			Blank	120	0.8	0.7	<0.002	0.08	0.13	1	2	<0.2	285	<0.05	<0.05	0.2	0.006	<0.02	0.8	3	0.1	2.9	22	3		0.001		
E385874	160	160.5		1860	2	4.1	0.007	0.86	1.81	2.8	3	12.9	846	0.16	0.44	4.5	0.034	0.03	4.1	31	7.6	10	2	13.7		0.01		
E385875	160.5	161		1540	2	39.1	0.002	0.81	1.9	5.3	3	11.7	580	0.25	0.31	6.8	0.069	0.07	4.6	41	8.1	11	3	26.3		0.006		
E385876	161	161.5		810	2.5	14.8	0.002	0.41	2.97	4.7	2	8.7	361	0.18	0.2	7.9	3.07	0.03	3.7	23	9	9.4	3	30.7		0.007		
E385877	161.5	162		1110	2.2	39.7	0.01	0.43	2.55	10.6	3	12.9	237	0.26	0.23	12.5	0.121	0.06	6.4	42	11.7	14.2	<2	52.2		0.011		
E385878	162	162.5		1870	2.2	1.2	0.019	0.57	1.85	2.6	2	17.6	330	0.16	0.51	3.6	0.032	<0.02	5	24	7.1	11	<2	12.6		0.02		
E385879	162.5	163		1200	1.7	33.4	0.009	0.71	1.79	6.4	2	10.1	289	0.26	0.38	7	0.096	0.06	5.5	38	11.1	13	2	35.2		0.019		
E385880	163	163.5		1410	2	59.8	0.005	0.85	1.48	6.2	2	7.8	549	0.23	0.36	7.8	0.077	0.12	6.5	36	9.3	12.9	<2	32.3		0.022		
E385881	163.5	164		650	2.4	61.9	0.005	0.27	1.66	11.5	<1	2.4	425	0.16	0.06	8.6	0.074	0.12	3.3	61	6.7	10.7	3	33.9		0.003	2.25	
E385882	164	164.5		340	2.2	149	0.002	0.1	4.87	29.3	<1	1.7	84.9	0.09	0.07	3.1	0.212	0.28	2.6	204	11.8	12.3	5	42.4		0.004		
E385883	164.5	165		230	1.6	137	<0.002	0.07	3.97	29.9	<1	0.6	50.6	0.05	0.05	0.8	0.177	0.23	1.8	224	7.3	10.4	4	34.4		0.002		
E385884			Blank	80	0.8	0.9	<0.002	0.06	0.11	0.4	1	<0.2	254	<0.05	<0.05	0.2	0.006	<0.02	0.7	2	0.1	2.7	21	3.1		<0.001		
E385885			Standard 3	820	2.7	119	0.008	2.24	1.08	10.2	1	7	391	0.17	0.21	11.1	0.111	0.34	17.5	60	7.5	10.3	4	52		0.015		
E385886	165	165.5		340	1.4	161.5	<0.002	0.07	3.46	30.1	<1	1.7	61.4	0.06	0.09	3.1	0.2	0.28	2.7	208	9.2	11.5	5	41.9		0.002		
E385887	165.5	166		560	1.5	135.5	<0.002	0.13	2.77	13.6	1	2.8	140	0.19	0.12	10.2	0.158	0.24	3.5	81	8.9	10.2	5	46		0.002		
E385888	166	166.5		740	1.5	148.5	<0.002	0.32	2.51	11.5	1	3.9	454	0.23	0.1	12.9	3.17	0.25	4.3	81	11.5	10.8	2	50.5		0.001	1.71	
E385889	166.5	167		610	1.3	136	<0.002	0.25	2.29	11.3	1	3.6	256	0.21	0.1	14.2	0.166	0.21	2.7	54	11.3	11.2	2	50		0.002	0.91	
E385890	167	167.5		720	1	111	<0.002	0.29	1.76	8.8	<1	3.1	704	0.18	0.06	9.5	0.159	0.18	2.3	58	9	7.8	2	36.7		0.004	2.84	
E385891	167.5	168		810	2.4	158.5	0.003	0.36	2.49	11.2	<1	5.7	313	0.31	0.19	12.6	0.201	0.26	16.7	88	16.4	11.8	3	49.3		0.01	1.21	
E385892	168	168.5		1110	1.9	124	0.009	0.25	2.13	8.3	1	6.5	462	0.3	0.27	11	3.14	0.2	6.9	50	14.7	14.5	2	39.4		0.02		
E385893	168.5	169		1250	1.8	111	0.008	0.32	1.98	7.6	2	9.5	495	0.32	0.31	8.7	3.13	0.18	5.8	53	15.8	12.9	3	37.2		0.016		
E385894	169	169.5		1450	1.9	119.5	0.021	0.28	2.06	8.3	2	10.4	287	0.28	0.3	10.9	0.124	0.18	5	60	16.5	13.8	4	40.8		0.072		
E385895	169.5	170		1060	1.9	129	0.003	0.4	2.11	10.3	1	6.6	136	0.26	0.2	14.8	0.161	0.22	7.6	84	17.5	14.2	7	50.7		0.025	0.92	
E385896			Blank	80	0.7	0.7	<0.002	0.05	0.06	0.3	1	<0.2	258	<0.05	<0.05	0.2	0.006	<0.02	1.1	1	0.1	2.2	20	2.4		<0.001		
E385897	170	170.5		920	1.8	143.5	<0.002	0.28	1.95	11.2	1	6.3	86.4	0.23	0.12	12	0.179	0.21	9	88	16.9	13.6	6	55.1		0.003		
E385898	170.5	171		840	2.5	130	0.002	0.33	2.09	11.5	1	6.5	153	0.25	0.15	13.4	0.175	0.22	9.4	85	17.6	15.2	9	62		0.003	0.89	
E385899	171	171.5		1150	1.9	103	0.002	0.23	2.26	12.2	1	10.5	123	0.33	0.18	14	0.185	0.15	6.9	82	16.8	16.1	5	60.1		0.002	0.65	
E385900	171.5	172		310	141	57.9	0.003	0.05	0.31	6.9	1	1.4	173	1.36	<0.05	74.6	3.19	0.32	295	34	1.9	48.5	32	89.3		0.002		

IG-2007-23

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
E385901	12.00	12.50		16.4	0.91	47.5	10	0.1	77.2	2.51	<0.02	235	56.6	11	0.21	>10000	21.7	5.97	0.79	0.7	1.855	0.05	98.6	5.9	0.43	2950	221	0.84	29.9	43.7
E385902	12.50	13.00		6.35	0.81	12.4	10	0.44	8.85	3.91	<0.02	330	109	12	0.14	>10000	30.4	7.09	0.64	0.5	1.45	0.03	238	7	0.87	5370	154.5	0.43	7.8	67.1
E385903	13.00	13.50		4.57	1.18	7	10	0.37	3.15	4.84	<0.02	252	66.2	10	0.19	>10000	26	5.99	0.36	0.5	1.43	0.05	163	3	1.08	6360	63.5	0.77	4	65.6
E385904	13.50	14.00		3.99	2.13	9.6	20	0.85	2.81	4.28	<0.02	122.5	33.9	16	0.17	>10000	23.8	9.17	0.43	0.7	1.21	0.05	84.9	4.9	0.89	5100	72.9	1.52	4.4	60
E385905	14.00	14.50		5	1.22	11.3	20	0.34	3.16	4.78	<0.02	253	52	7	0.08	>10000	27.8	6.52	0.38	0.4	1.475	0.02	161	2.4	0.99	6500	77.9	0.83	3.6	64.1
E385906	14.50	15.00		1.55	2.61	51.3	10	0.72	13.2	1.43	<0.02	65.5	463	18	6.23	>10000	19.6	7.93	0.32	0.7	0.563	1.06	18.8	16	2.41	6960	64.7	0.13	7.1	48.9
E385907	18.00	18.50		0.71	0.16	18.6	30	0.13	4.07	0.8	<0.02	183.5	192.5	<1	0.09	2990	19.4	2.46	0.35	<0.1	0.555	<0.01	99.5	2.2	4.17	19050	583	<0.01	2.7	33.6
E385908	18.50	19.00		0.54	2.43	55.5	20	0.6	9.39	0.62	<0.02	52.1	298	10	3.41	2700	14.7	8.13	0.25	0.7	0.317	0.77	14.4	15.3	2.85	8150	54.8	0.01	4.2	46.7
E385909	19.00	19.50		0.08	6.14	3.3	3570	1.7	0.19	1.51	<0.02	105	43.8	34	10.15	434	9.06	17.75	0.18	1.9	0.278	2.49	73	31.1	2.22	8590	11.1	0.09	4.5	29.9
E385910	19.50	20.00		0.17	7.12	16.1	1730	2.1	0.12	0.23	<0.02	53.3	51.4	46	13.3	574	8.27	20	0.17	1.9	0.341	2.94	48.4	26.8	1.08	4770	11.8	0.09	2.8	24.9
E385911			BLANK	0.02	0.15	9	100	0.07	0.02	43.3	0.4	2.54	1.1	6	0.05	7.2	0.06	0.43	<0.05	0.1	<0.005	0.03	1.9	1.2	0.51	39	0.38	0.01	0.3	<0.2
E385912	20.00	20.50		0.13	7.38	73.3	930	2.31	0.13	0.27	<0.02	158	44.9	48	14.85	507	8.06	21.4	0.19	2	0.295	3.27	94.5	28.5	0.86	3970	11.05	0.09	3.1	22
E385913	20.50	21.00		0.1	8.17	29.7	4830	2.39	0.12	0.3	<0.02	146	46.3	58	14.9	497	7.24	23.8	0.17	2.2	0.296	3.34	99	34.3	0.89	2330	4.25	0.13	3.5	32.8
E385914	21.00	21.50		0.06	6.75	14.1	2460	1.89	0.1	0.3	<0.02	116.5	87.9	42	12.2	305	12.65	18.7	0.22	1.8	0.444	3.02	74	24.9	1.34	6960	9.51	0.1	3.7	40.8
E385915	21.50	22.00		0.03	6.78	1.7	4560	1.8	0.03	0.22	<0.02	82.2	87.1	45	13.2	58.1	11.15	18.45	0.21	1.6	0.516	3.07	43	18.1	1.2	8050	0.78	0.13	1.5	27.6
E385916	22.00	22.50		0.04	7.53	2.4	5650	2.14	0.03	1.45	<0.02	73.8	65.7	49	14.8	151	8.71	20.9	0.19	2	0.39	3.49	38.8	25.5	1.56	6210	1.69	0.15	2.9	33.1
E385917	22.50	23.00		0.03	7.65	0.8	6520	2.15	0.02	3.08	<0.02	46.4	41	43	13.7	49.7	7.03	20.4	0.14	1.8	0.289	3.37	24.6	24.8	2.07	6420	1.02	0.17	2.8	26.8
E385918	23.00	23.50		0.02	7.08	0.7	4270	1.81	0.03	1.94	<0.02	80.5	58.3	41	12.6	31.2	9.5	18.8	0.17	1.7	0.377	3.24	44.9	18.4	1.86	7850	0.47	0.14	1.9	24
E385919	23.50	24.00		0.03	7.09	1.8	4430	1.92	0.03	1.69	<0.02	97.1	47.9	43	12.5	77.9	8.25	19.1	0.18	1.8	0.313	3.15	53.6	21.2	1.71	8700	4.11	0.13	2.1	24.4
E385920	24.00	24.50		0.12	6.74	1.4	6860	1.97	0.07	1.73	<0.02	65.9	46.3	39	12.15	69	8.09	17.7	0.15	1.9	0.295	2.9	35.2	19.4	1.68	6530	22.6	0.15	2.4	21.8
E385921	24.50	25.00		0.07	7.49	1.1	5910	2.1	0.06	0.97	<0.02	110	57.2	49	13.9	69.4	9.41	20.4	0.2	2	0.304	3.33	63.4	24.3	1.64	6950	7.2	0.14	2	27.9
E385922			BLANK	0.02	0.15	<5	90	0.06	0.01	48.4	0.41	2.72	1.1	6	0.06	9.3	0.06	0.47	<0.05	0.1	<0.005	0.03	2	1.3	0.56	43	0.24	0.01	0.3	<0.2
E385923			STANDARD 1	1.02	5.77	49.7	70	1.76	2.44	2.07	<0.02	56.4	154	35	3.82	8650	9.12	14.05	0.16	1.7	0.137	2.14	25.5	23.4	1.16	3070	60	1.1	3.9	34
E385924	25.00	25.50		0.05	6.36	1.7	3580	1.99	0.04	0.93	<0.02	107	69.2	38	11.8	63.2	9.67	17.25	0.19	2	0.311	2.78	61	19.4	1.52	7330	9.48	0.11	1.9	23
E385925	25.50	26.00		0.06	6.51	2.2	2150	1.79	0.05	0.25	<0.02	53.9	107.5	40	12.85	58.6	11.85	15.9	0.17	1.7	0.401	2.81	26.8	18.6	1.23	8050	8.64	0.09	1.9	27.4
E385926	26.00	26.50		0.07	7.38	1.6	4420	2.09	0.14	1.36	0.02	115	65	40	15.8	87.3	9.29	18.5	0.17	2.1	0.276	2.98	66.9	36.7	1.79	5540	4.5	0.12	3.1	32.2
E385927	26.50	27.00		0.83	6.33	41.2	140	1.58	8.31	1.26	<0.02	157.5	223	36	6.24	356	16	18.5	0.31	2	0.106	0.88	87.9	104	2.89	1140	29.3	0.02	9.6	117.5
E385928	27.00	27.50		0.49	5.36	36.2	190	1.21	6.11	2.06	<0.02	184.5	182	29	4.57	391	17.2	16.5	0.34	1.6	0.103	0.48	95.4	90.7	3.07	1545	30.1	0.01	10.5	116
E385929	27.50	28.00		0.42	4.06	20.4	80	0.6	1.94	1.98	<0.02	198.5	135	16	3.64	276	16.35	12.85	0.32	1.1	0.117	0.22	97.5	65.2	2.75	2770	54.1	<0.01	11.2	102.5
E385930	28.00	28.50		0.27	3.91	15.1	660	0.64	0.36	2.74	<0.02	225	54.9	16	2.35	95.8	17.9	12.25	0.3	1.7	0.128	0.02	174.5	63.4	3.08	2730	38.4	0.01	16.6	96.1
E385931	28.50	29.00		0.42	4.17	16.3	1040	0.59	0.4	2.9	<0.02	271	73.8	12	1.92	169.5	20.9	13.4	0.29	1.4	0.144	0.04	212	67.4	3.51	4540	78.3	<0.01	12.1	107.5
E385932	29.00	29.50		1.22	2.21	36.5	60	0.45	2.26	4.19	<0.02	148	220	5	1.06	9370	21.7	7.69	0.27	0.7	0.288	0.03	90.7	43.1	2.82	6640	52.9	<0.01	7	74.9
E385933	29.50	30.00		2.21	1.21	35.3	60	0.29	3.91	6.21	<0.02	185	139.5	<1	0.54	>10000	28.5	6.28	0.32	0.5	0.77	0.02	106.5	16.8	3.1	9860	52.3	0.01	6.1	66.7
E385934			BLANK	0.02	0.14	<5	110	0.05	<0.01	48.3	0.37	2.31	1	4	<0.05	33.9	0.09	0.48	<0.05	0.1	<0.005	0.03	1.8	1.5	0.52	51	0.5	0.01	0.3	<0.2
E385935			DUD	1.93	0.8	97.7	80	0.3	10.05	3.88	<0.02	161	395	<1	0.32	>10000	33.5	6.58	0.36	0.2	0.71	0.01	111	14.4	2.79	11100	31.8	<0.01	2.9	62.8
E385936	30.00	30.50		3.02	0.93	182	100	0.23	14.1	5.48	<0.02	171.5	628	<1	0.37	>10000	31.5	5.84	0.34	0.4	0.441	0.02	118.5	13.3	2.64	8010	51.2	0.01	5.1	68.4
E385937	30.50	31.00		1.24	0.82	64.4	90	0.28	8.24	4.72	<0.02	114	347	<1	0.32	>10000	31.2	5.88	0.36	0.3	0.541	0.02	68.7	14.6	2.64	9160	26.6	<0.01	3.1	61.7
E385938	31.00	31.50		1.17	2.26	129	80	0.76	23.8	1.54	<0.02	6.39	646	3	2.5	1240	20.8	5.44	0.19	0.6	0.067	0.15	1.7	38.3	1.33	2000	18.85	0.02	1.9	54.4
E385939	31.50	32.00		0.37	1.29	63.6	50	0.51	6.66	2.51	<0.02	5.58	418	6	0.31	332	15.45	4.22	0.14	0.1	0.044	0.02	1.5	19.4	1.22	2880	15.6	0.07	2.6	34.9
E385940	32.00	32.50		0.38	0.85	16.6	90	0.48	1.52	3.63	<0.02	37.4	103	2	0.14	5740	19.05	4.63	0.19	0.1	0.137	0.01	17.3	12.8	1.36	4730	14.3	0.15	1.9	30.8
E385941	32.50	33.00		0.07	2.9	9	310	0.69	0.33	2.31	<0.02	14.55	45.3	11	0.39	351	14	6.08	0.13	0.2	0.033	0.03	7.8	29.3	1.13	2570	33.2	1.07	2.2	28.7
E385942	33.00	33.50		0.05	3.84	5.3	1690	0.59	0.03	0.75	<0.02	16.1	27.2	29	0.72	115.5	21.3	10.25	0.19	0.2	0.019	0.04	12.2	58.4	1.41	280	2.45	0.47	1.7	56.1
E385943	33.50	34.00		0.06	2.5	9	950	0.55	0.02	0.39	<0.02	63.2	18.6	21	0.35	182	17.9	6.41	0.19	0.2	0.007	0.03	46.2	26.7	0.59	268	2.05	0.8	1.8	27.2
E385944	34.00	34.50		0.02	5.01	4.1	1530	0.73	0.02	1.07	<0.02	74.5	11.3	26	0.5	38.7	6.68	8.35	0.1	1.3	0.006	0.06	55.5	23.9	0.65	484	0.74	2.96	2.6	19.5
E385945	34.50	35.00		0.04	6.84	3.1	1450	0.64	0.06	2.43	<0.02	18.8	34.6	25	0.65	43.2	7.31	10.05	0.08	1.9	0.03	0.16	13.1	22.2	1.06	2130	12	4.38	1.6	17.9
E385946			BLANK	0.01	0.15	<5	120	0.05	<0.01	49.2	0.41	2.21	1	5	<0.05	9.4	0.05	0.5	<0.05	0.1	<0.005	0.03	1.8	1.8	0.54	40	0.3	0.01	0.3	<0.2
E385947			STANDARD 2	1.14	2.48	121.5	140	0.61	10.45	2.25	<0.02	190.5	341	5	2.53	8860	29.1	9.47	0.37	0.8	0.251	0.67	117.5	22	1.61	6130	61.4	0.25	5.5	62
E385948	35.00	35.50		0.1	6.47	2.5	1380	0.55	0.19	2.84	<0.02	12.35	50.5	24	0.5	148	8.15	8.82	0.09	1.9	0.064	0.17	8.3	17.1	1.07	2620	40.8	4.29	1.3	18.6
E385949	35.50	36.00		0.16	6.17	7.6	370	0.54	0.97	2.17	<0.02	13.2	75.4	21	0.5	674	7.76	9.35	0.08	1.8	0.064	0.14	8.3	25.1	1.07	1950	34	3.8	1.1	20.5
E385950	36.00	36.50		0.13	6.89	13.2	360	0.6	1.35	2.61	<0.02	16.5	113.5	21	0.5	91.4	7.77	10.8	0.08	1.7	0.029	0.14	10.3	20.6	0.9	1880	38.6	4.51	1.5	22.1
E385951	36.50	37.00		0.5	6.03	69.3	260	0.48	3.11	3.71	<0.02	21	336	25	0.43	833	10.4	9.74	0.13	1.7	0.074	0.12	11.7	14.2	1.15	2870	25.7	4.13	1.5	29.9
E385952	37.00	37.50		0.77	5.91	101.5	190	0.55	2.97	2.66	<0.02	36.9	355	24	0.44	741	11.7	10.6	0.16	1.7	0.047	0.12	19.3	14.2	0.85	2080	30.9	4.08	1	33.5
E385953	37.50	38.00		1.7	3.74	90.1	120	0.48	2.88	4.57	<0.02	165	318	12	0.22	>10000	18.65	8.82	0.29	1	0.226	0.08	93.3	8	0.94	3030	44.3	2.58	2.3	48.8
E385954	38.00	38.50		1.18	2.14	70.25	50	0.31	1.67	5.35	<0.02	229	233	2	0.16	8590	20.6	7.02	0.3	0.6	0.161	0.04	150.5	6.9	1.34	4770	81.4	1.36	4.8	47.3
E385955	38.50	39.00		0.76	2.54	99.3	70	0.3	2.61	5.09	<0.02	135	356	4	0.33	6750	18.1	8.8	0.25	0.7	0.164	0.06	88.3	18.2	1.69	5120	75.2	1.35	3	47.1
E385956	39.00	39.50		0.11	4.47	6.6	2620	0.44	0.14	4.76	<0.02	91.1	27.4	15	0.43	168.5	10.8	7.91	0.15	1.2	0.056	0.11	70.7	17.9	1.51	4040	79.4	2.74	2.8	27.8
E385957	39.50	40.00		0.03	6.73	4	3220	0.7	0.04	2.06	<0.02	159.5	15.1	25	0.69	85.4	5.17	10.95	0.13	1.9	0.016	0.12	119.5	27.7	1.01	1400	7.13	4.35	3.6	18.5
E385958			BLANK	0.01	0.15	<5	180	0.07	<0.01	46.5	0.42	2.56	1	4	<0.05	7.6	0.05	0.53	<0.05	0.1	<0.005	0.03	2	1.6	0.51	40	0.36	0.02	0.3	<0.2
E385959	40.00	40.50		0.13	6.09	5.2	3150	0.67	0.27	2.52	<0.02	170	14.6	27	0.65	123.5	6.43	10.3	0.15	1.6	0.013	0.1	130.5	28.6	1	1320	95.2	3.79	2.7	22.9
E385960	40.50	41.00		0.34	4.73	39.9	150	0.55	3.56	3.24	<0.02	54.4	204	15	0.56	465	9.75	8.91	0.13	1.3	0.088	0.14	30.6	21.6	1.29	2880	53.2	2.87	1.7	29.2
E385961	41.00	41.50		0.61	4.44	178	190	0.54	9.45	3.22	<0.02	20.6	615	12	0.4	505	13.15	8.42	0.15	1.2	0.044	0.12	9.3	12.8	0.98	2620	47.4	2.92	2.3	43.1
E385962	41.50	42.00		1.35	1.19	201	50	0.25	9.8	4.85	<0.02	153.5	788	<1	0.16	>10000	31.4	6.35	0.4	0.3	0.21	0.02	94.3	6.3	1.03	3680	130	0.64	2.3	73
E385963	42.00	42.50		1.77	1.21	163	30	0.48	11.15	4.39	<0.02	115.5	851	<1	0.15	>10000	23.1	5.19	0.3	0.4	0.161	0.02	62.4	5.3	1.03	3480	66.2	0.73	2.6	66.4
E385964	42.50	43.00		0.98	2.58	57.7	140	0.68	1.62	2.71	<0.02	15.35	318	7	0.44	>10000	11.05	6.45	0.15	0.6	0.189	0.09	3.7	10.2	0.95	2540	181	1.77	1.2	42.4
E385965	43.00	43.50		0.11	6.25	5.8	860	0.83	0.25	2.66	<0.02	49.1	30.9	21	0.78	545	4.21	12.75	0.07	1.5	0.016	0.18	35.9	21.9	1.06	2010	11.05	4.4	2.7	22.7
E385966	43.50	44.00		0.05	4.4	10.1	760	0.95	0.04	2.8	<0.02	29	36	17	1.16	257	9.15	8	0.11	1.3	0.016	0.55	19.7	21.1	0.89	2090	4.74	2.47	1.9	18.2
E385967	44.00	44.50		0.07	5.9	6.5	1410	1.49	0.09	3.5	<0.02	37.2	24.7	27	2.73	45.1	6.72	12.6	0.14	1.4	0.043	1.12	26.8	36.5	1.11	2760	50.2	2.47	3	14
E385968	44.50	45.00		0.02	6.92	2.8	2100	2.11	0.03	3.38	<0.02	53.9	32.1	34	4.27	156.5	5.22	16.8	0.15	1.6	0.052	2.59	31.1	45.3	1.49	2870	3.15	1.48	3	18.2
E385969			BLANK	0.01	0.16	5	180	0.08	0.01	48.6	0.34	2.09	1.2	5	<0.05	2.9	0.06	0.52	0.07	0.1	<0.005	0.03	1.6	1.1	0.51	41	0.22	0.02	0.2	<0.2
E385970			STANDARD 3	0.28	7.12	47.7	320	2.17	1.54	1.86	<0.02	70.1	104	41	5.75	1625	6.98	17.8	0.16	1.9	0.117	2.92	37.6	22	1.27	3220	19.25	0.6	2.5	23.7
E385971	45.00	45.50		0.01	6.57	2.5	1650	1.61	0.04	3.58	<0.02	36.4	32.4	29	3.25	34.2	4.18	12.1	0.11	1.4	0.057	2.02	22.5	31	1.46	3040	7.4	1.94	2.1	18.3
E385972	45.50	46.00		0.02	6.47	2	2930	2.02	0.06	2.57	<0.02	29.8	34.3	36	4.3	76.5	5.17	17.45	0.13	1.5	0.068	3.03	17.7	54	1.4	2560	1.3	0.47	2.2	20.5
E385973	46.00	46.50		0.01	6.1	1.7	2900	2.35	0.03	2.99	<0.02	47.9	22.1	31	4.53	13.9	5.01	18.25	0.13	1.4	0.073	2.92	26.3	62	1.47	2220	1.3	0.17	2.6	19.5
E385974	46.50	47.00		0.01	7.04	1.9	4710	2.64	0.02	2.97	<0.02	67.3	30.9	38	4.68	9.8	5.74	20.8	0.15	1.5	0.058	3	38.8	72	1.64	2130	0.84	0.76	3.4	22.3
E385975	47.00	47.50		0.04	6.39	2	3840	2.27	0.03	1.99	<0.02	64.5	26.4	37	3.85	9.9	5.48	19.1	0.17	1.5	0.035	2.08	39.2	62	1.21	1555	0.88	1.34	3.4	20.7
E385976	47.50	48.00		0.03	5.86	1.6	4480	1.04	0.02	2.95	<0.02	56.1	14	33	1.4	12.4	4.46	14.85	0.12	1.3	0.014	0.5	34.8	30	1.26	2300	0.73	3.07	2.6	22.6
E385977	48.00	48.50		0.02	6.95	2.7	5120	1.33	0.03	2.71	<0.02	131	27.7	40	1.74	95.4	5.65	17.5	0.21	1.6	0.021	0.84	80.9	30	1.17	2180	1	3.77	3	26.3
E385978	48.50	49.00		0.03	9.37	5.2	4640	4.06	0.08	1.36	<0.02	65.7	86.3	66	4.76	89.6	6.87	22.7	0.2	2.3	0.061	2.59	40.3	61	0.97	1295	0.41	2.92	4	31.3
E385979	49.00	49.50		0.05	9.13	3.4	5020	3.67	0.05	1.77	<0.02	165.5	61.5	61	4.37	139	7.12	21.5	0.24	2.3	0.068	2.28	99.6	52	1.05	1890	0.53	3.05	3.2	43.3
E385980	49.50	50.00		0.14	8.67	5.6	3040	3.89	0.08	1.97	<0.02	106	69.3	56	5.55	87.1	7.61	19.7	0.2	1.9	0.061	2.71	63.7	70	1.18	2440	0.55	1.91	2.9	38.8
E385981			BLANK	0.01	0.16	<5	160	0.11	0.01	47.1	0.38	2.21	1.5	5	<0.05	2.6	0.07	0.54	0.07	0.1	<0.005	0.03	1.7	1.3	0.51	42	0.19	0.02	0.2	<0.2
E385982	50.00	50.50		0.43	6.91	2	5140	1.81	0.03	1.49	0.02	115	21.3	46	3.08	119	7.13	18.95	0.18	1.7	0.038	1.17	73.8	64	1.07	1335	1.53	2.6	2.8	31.7
E385983	50.50	51.00		0.18	7	2.6	3830	2.39	0.03	2.44	<0.02	93.4	35.5	41	3.47	45.1	7.93	20.3	0.18	1.6	0.047	1.81	59.9	54	1.16	2380	1.81	2.02	3.4	26.9
E385984	51.00	51.50		0.01	6.63	1.7	4990	1.17	0.02	2.32	0.02	75.2	13.7	35	1.25	11.8	6.22	15.3	0.17	1.4	0.017	0.41	46.9	24	0.84	2080	0.47	3.74	3.3	23
E385985	51.50	52.00		0.08	7.06	3	5330	1.96	0.03	3.4	<0.02	125	28.9	37	2.41	32.3	8.1	16.35	0.21	1.5	0.044	1.02	77.3	35	1.31	3060	1.47	3.01	3.7	28.1
E385986	52.00	52.50		0.07	8.67	2.8	6340	2.76	0.05	1.26	<0.02	225	14.8	55	3.4	585	6.31	25.8	0.25	2.1	0.047	1.76	141	60	0.92	1065	0.58	3.44	3.2	23.7

IG-2007-23

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba	U
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	%
E385901	12.00	12.50		2380	4180	2.2	0.057	8.23	51.5	6.4	8	13.8	202	0.29	1.35	7.9	0.035	0.15	>10000	39	1000	140.5	<2	21	12.35	0.648		3.29
E385902	12.50	13.00		3070	518	1.4	0.024	6.39	5.87	6.3	8	7.8	136.5	0.15	1.19	7	0.02	<0.02	3530	54	40.7	59.2	2	15.4	8	0.332		
E385903	13.00	13.50		2820	31.4	2.2	0.012	5.31	1.02	6.6	5	13.5	190	0.1	0.94	3.4	0.015	<0.02	223	60	11.9	28.2	<2	17.4	7.04	0.138		
E385904	13.50	14.00		3990	15	2.2	0.035	4.07	0.81	9.4	4	10.6	267	0.14	0.8	2.9	0.019	<0.02	148.5	82	9.1	32.1	6	27.6	5.54	0.112		
E385905	14.00	14.50		3410	14.9	0.9	0.018	4.86	0.73	13.6	5	9.9	254	0.09	0.74	4.1	0.012	<0.02	173.5	73	8.5	29.8	4	13.9	7.22	0.084		
E385906	14.50	15.00		1630	39.9	62.8	0.015	8.47	3.88	5	3	10.7	173	0.18	1.27	2.6	0.065	0.79	282	47	11.7	15	4	25.9	1.43	0.088		
E385907	18.00	18.50		900	3.3	0.2	0.019	2.17	0.66	1.9	4	5.7	545	<0.05	0.69	0.3	<0.005	0.1	4.2	23	2	5.2	16	1.2		0.034		
E385908	18.50	19.00		1010	3.1	43.5	0.005	4.84	2.55	3.9	2	4.7	230	0.12	0.91	1.2	0.046	0.49	11	38	5.2	8.3	12	24.4		0.043		
E385909	19.00	19.50		780	1.9	154.5	0.004	0.22	1.91	10.7	<1	8	139	0.26	0.19	12.4	0.108	0.32	11.6	57	10.5	12.5	9	67.4		0.003		
E385910	19.50	20.00		810	1.7	188	0.002	0.3	1.72	12	<1	5.2	306	0.18	0.18	12.2	0.101	0.43	13.6	68	8.4	10.7	6	67.4		0.005		
E385911			BLANK	110	0.8	0.9	<0.002	0.07	0.12	0.4	1	<0.2	311	<0.05	<0.05	0.2	0.006	<0.02	0.7	4	0.1	2.7	23	3.8		<0.001		
E385912	20.00	20.50		810	1.9	200	<0.002	0.25	1.7	12.2	<1	5.1	590	0.19	0.09	14.7	0.112	0.42	12.2	74	6.9	12	8	71.8		<0.001		
E385913	20.50	21.00		840	1.6	209	<0.002	0.38	1.61	11.2	<1	5.5	347	0.19	0.1	13.7	0.125	0.45	11.9	81	8.1	13	6	82.2		<0.001		
E385914	21.00	21.50		1010	1.5	169.5	0.005	0.15	1.48	10.4	<1	5.5	246	0.2	0.15	13	0.112	0.34	10	72	7.2	12.5	10	65.1		0.003		
E385915	21.50	22.00		840	1.3	186	<0.002	0.09	1.32	10.9	<1	4.1	318	0.1	0.06	12.3	0.089	0.39	3.1	88	4.6	9.4	5	59		<0.001		
E385916	22.00	22.50		890	1.4	207	<0.002	0.22	1.63	11.8	<1	4.8	333	0.18	0.09	12.6	0.114	0.44	7.1	72	6.9	12.6	8	73.9		<0.001	3.01	
E385917	22.50	23.00		820	1.1	202	<0.002	0.16	1.55	12	<1	4.8	318	0.19	0.08	12.1	0.113	0.4	2.4	70	6.8	11.3	5	65.1		<0.001	2.96	
E385918	23.00	23.50		850	1.7	188	<0.002	0.1	1.4	11.4	<1	4.1	410	0.13	0.05	12.5	0.095	0.38	2	69	4.9	10.3	4	64.2		<0.001		
E385919	23.50	24.00		660	1.3	187	0.002	0.17	1.5	11.1	<1	4.1	467	0.14	0.07	12.2	0.096	0.37	4.4	70	5.4	11.7	5	66.8		0.001		
E385920	24.00	24.50		660	1.5	177.5	0.01	0.24	1.56	10.6	<1	4.1	388	0.17	0.14	10.6	0.098	0.38	4.8	64	5.7	10.4	5	65.9		0.007	3.18	
E385921	24.50	25.00		710	1.8	198	0.002	0.17	1.34	12.4	<1	4.8	366	0.13	0.17	13.3	0.095	0.42	3.1	72	5.1	10.9	7	73.5		0.001	2.87	
E385922			BLANK	110	1	1	<0.002	0.07	0.12	0.5	1	<0.2	329	<0.05	<0.05	0.2	0.006	<0.02	0.7	4	0.1	2.9	25	3.9		<0.001		
E385923			STANDARD 1	800	19.4	84.3	0.02	2.26	1.66	9.2	2	7.7	624	0.22	0.23	8.3	0.093	0.35	266	54	8.4	13.9	10	62.8		0.055		
E385924	25.00	25.50		610	1.6	173	<0.002	0.13	1.39	10.2	<1	3.9	287	0.13	0.11	14.3	0.081	0.36	4.4	61	3.6	10.8	5	70.4		0.002		
E385925	25.50	26.00		640	1.2	167.5	<0.002	0.15	1.43	9.6	<1	4.1	395	0.12	0.25	9.7	0.09	0.33	3.4	64	4.1	8.5	7	61.2		0.002		
E385926	26.00	26.50		640	2.1	179	0.012	0.2	1.74	10.6	<1	4.3	421	0.22	0.05	13.1	0.113	0.37	10.6	67	5.8	11.8	12	75.4		<0.001		
E385927	26.50	27.00		1650	5	32.1	0.025	4.96	2.26	9.3	2	9.5	304	0.33	1.08	9.7	0.1	0.23	17.1	88	12.2	14.7	31	72.9		0.064		
E385928	27.00	27.50		2370	3.1	28.3	0.015	3.79	2.25	8.8	2	10.8	409	0.34	0.78	8.7	0.098	0.1	9.9	85	15.3	18.2	31	61		0.042		
E385929	27.50	28.00		2340	2.6	12.6	0.03	1.31	1.83	5.2	2	11	633	0.26	0.55	5	0.089	0.09	13.7	69	14.1	15.2	28	43.5		0.025		
E385930	28.00	28.50		3160	2.3	1.7	0.012	0.31	2.22	4.9	1	14.6	621	0.5	0.58	7.1	0.095	0.02	14.2	74	23.6	19.5	28	65.7		0.016		
E385931	28.50	29.00		2300	3.6	2.4	0.021	0.38	2.09	4.9	3	14.9	383	0.32	0.96	9.5	0.083	0.02	28.6	73	11.6	16.1	26	47.5		0.026		
E385932	29.00	29.50		1920	25.6	1.8	0.01	3.31	2.1	4.4	4	10.7	534	0.18	0.86	4.8	0.036	0.19	181	52	9.3	21.5	11	23		0.089		
E385933	29.50	30.00		2650	8.3	1.2	0.009	5.51	1.67	4.2	4	11	316	0.15	0.5	2.8	0.018	0.14	39	86	8.9	22.7	7	16.3	3.27	0.159		
E385934			BLANK	110	1	0.6	<0.002	0.06	0.06	0.5	2	<0.2	288	<0.05	<0.05	0.2	0.006	<0.02	0.7	6	0.1	3	31	4		<0.001		
E385935			DUD	1750	11	0.9	0.006	6.33	2.43	3.3	4	7.3	221	0.06	0.53	2.7	0.01	0.32	23.2	85	4.3	15.2	10	7	1.81	0.127		
E385936	30.00	30.50		1600	18.2	1.1	0.008	9.33	3.26	4.2	4	9.4	203	0.12	1.06	4.1	0.018	0.54	67.5	64	9.5	18.2	<2	11.8	2.68	0.262		
E385937	30.50	31.00		2090	8.8	1.1	0.004	6.19	2.47	4	4	7.9	328	0.06	0.35	2.1	0.01	0.12	11.8	59	6	17	<2	9.1	1.36	0.148		
E385938	31.00	31.50		960	9	7.7	<0.002	9.27	3.26	3.1	2	2.5	179	<0.05	1.09	1	0.018	0.14	7.8	32	5.1	7	11	20.4		0.084		
E385939	31.50	32.00		820	4.3	1.4	<0.002	4.19	4.6	3.6	1	3	444	0.05	0.33	0.7	0.029	<0.02	2.8	29	14.4	4.2	5	4.9		0.033		
E385940	32.00	32.50		830	2.4	0.7	<0.002	1.56	1.37	2.8	3	3.2	924	<0.05	0.05	2.4	0.016	<0.02	2.7	29	9.1	5.1	4	2.5		0.027		
E385941	32.50	33.00		840	1.4	1.2	0.007	0.4	0.68	2.3	2	2.7	1490	0.05	<0.05	1.4	0.026	<0.02	3.9	28	8.1	4.2	6	5.9		0.001		
E385942	33.00	33.50		1050	1.4	2.4	<0.002	0.15	0.78	7	2	8.2	684	0.07	<0.05	2.4	0.077	<0.02	2.5	49	9	4.7	22	8.5		<0.001		
E385943	33.50	34.00		1140	1.2	1.7	<0.002	0.17	0.79	2.6	2	3.7	1030	0.07	<0.05	3.5	0.037	<0.02	1.2	36	6.2	4	7	7.3		<0.001		
E385944	34.00	34.50		800	1.3	3.2	<0.002	0.17	0.65	4.4	2	4.3	806	0.13	<0.05	5.9	0.052	<0.02	2.4	24	9.1	7.4	5	38.6		<0.001		
E385945	34.50	35.00		850	2	8.4	0.006	0.35	0.61	6.2	2	2.6	974	0.09	<0.05	7.2	0.031	0.02	12.8	36	6.3	10.4	4	60.6		0.001		
E385946			BLANK	110	0.8	0.6	<0.002	0.06	0.06	0.5	2	<0.2	308	<0.05	<0.05	0.2	0.006	<0.02	0.7	5	0.1	3	23	4.4		<0.001		
E385947			STANDARD 2	2400	8.6	36.1	0.015	6.99	2.12	4.3	5	7.3	186	0.11	1.11	5.7	0.034	0.48	14.4	65	6.5	15.1	5	25.7		0.118		
E385948	35.00	35.50		630	2.2	9.1	0.005	0.4	0.58	6.6	2	2.3	742	0.07	0.05	8.3	0.024	0.03	27.4	40	5.2	12	2	60.8		0.004		
E385949	35.50	36.00		620	2	7.1	<0.002	0.75	0.61	4.4	2	2.1	768	0.05	0.5	5.2	0.023	0.04	11	38	4.6	8.9	4	56.4		0.009		
E385950	36.00	36.50		940	2.3	7.1	<0.002	0.9	0.65	5.5	2	2.3	495	0.06	0.77	6.5	0.028	0.02	16.3	36	5.7	13.7	3	54.9		0.01		
E385951	36.50	37.00		1170	4.8	5.5	0.002	2.07	0.75	7.8	3	2.3	359	0.06	2.22	6.8	0.024	0.11	3.6	41	4.6	17.3	2	55.7		0.035		
E385952	37.00	37.50		830	7	5.7	0.002	2.2	0.73	6.5	2	1.7	365	<0.05	1.86	6.8	0.018	0.41	8.6	52	4.4	14	3	58.3		0.033		
E385953	37.50	38.00		3340	3.3	3.7	0.005	3.64	0.87	5.5	10	3.3	306	0.08	1.99	7	0.019	0.03	3.8	72	6.9	30.6	5	32.3	1.785	0.085		
E385954	38.00	38.50		1730	7.2	2.1	0.013	2.29	0.78	5.4	7	2.6	479	0.07	0.95	5.1	0.015	0.32	2.3	48	10.4	21.6	<2	20		0.058		
E385955	38.50	39.00		1140	4	3.2	0.014	2.52	0.92	5.4	5	2.1	414	0.06	1.39	4.9	0.016	0.02	2.6	42	9.1	14.5	7	24.2		0.046		
E385956	39.00	39.50		1080	1.8	6.1	0.024	0.22	0.72	6.4	2	2.2	889	0.09	0.07	6	0.027	0.02	2.9	54	9.3	16.2	8	39.3		0.002		
E385957	39.50	40.00		1120	3	6.6	<0.002	0.23	0.72	6.3	2	3.8	1060	0.12	0.07	10.3	0.051	0.02	25.3	25	10.7	14.7	10	59.6		<0.001		
E385958			BLANK	110	1.3	0.6	<0.002	0.06	0.06	0.5	2	<0.2	309	<0.05	<0.05	0.2	0.006	<0.02	0.7	6	0.1	3	23	4.2		<0.001		
E385959	40.00	40.50		1290	3.2	5.2	0.02	0.23	0.54	6.2	2	2.7	983	0.09	0.09	10.5	0.033	0.02	14	36	8.9	14.5	11	50.1		0.003		
E385960	40.50	41.00		780	5	7.3	0.004	1.85	0.73	7.1	2	2.1	589	0.06	1.64	7	0.021	0.04	11.5	48	6	13.2	7	41.8		0.023		
E385961	41.00	41.50		1180	7	5.7	0.005	4.34	1.2	5	3	2.6	304	0.06	3.8	3.6	0.021	0.07	7.4	55	7.1	14.6	4	38.2		0.062		
E385962	41.50	42.00		1960	4.5	1	0.019	7.24	1.84	4	9	3.8	237	<0.05	2.28	4.7	0.009	0.02	7.8	87	6.7	23.7	2	11.1	1.305	0.141		
E385963	42.00	42.50		1540	4.7	1.1	0.009	7.06	1.43	3.6	6	3.2	287	0.05	1.53	2.7	0.009	0.03	3.3	59	5.8	17.1	<2	12.9	1.17	0.12		
E385964	42.50	43.00		460	2.4	6.2	0.01	3.11	0.48	5.3	7	2.9	434	<0.05	0.43	1.7	0.02	<0.02	8	43	6.7	6.8	2	19	1.335	0.119		
E385965	43.00	43.50		540	2.3	11.4	<0.002	0.33	0.64	6.6	2	4.4	1020	0.15	0.09	7.9	0.062	<0.02	3.9	47	10.8	10.1	5	49		<0.001		
E385966	43.50	44.00		800	1.2	32.5	<0.002	0.26	0.55	6.3	2	5.6	1910	0.09	0.05	7.4	0.061	0.05	2.8	53	8.7	6.8	<2	42.9		<0.001		
E385967	44.00	44.50		830	2.3	68.4	0.01	0.25	0.9	10	1	8.7	1360	0.17	0.1	8	0.097	0.12	3.5	61	12.6	13.4	4	48.2		0.002		
E385968	44.50	45.00		670	2.3	136.5	<0.002	0.2	1.14	13.1	1	6.6	1570	0.21	0.06	11.8	0.124	0.2	3.7	88	13.3	13.3	4	53.6		<0.001		
E385969			BLANK	120	1	0.7	<0.002	0.08	0.07	0.6	2	<0.2	304	<0.05	<0.05	0.2	0.007	<0.02	0.7	4	0.1	2.8	27	4.2		<0.001		
E385970			STANDARD 3	770	2.7	128	0.006	1.34	1.01	11.1	1	7.2	464	0.15	0.18	13.2	0.107	0.35	17.5	64	7.6	10.5	5	62.3		0.016		
E385971	45.00	45.50		630	1.7	104.5	0.002	0.26	0.99	11.2	1	4.9	1825	0.15	0.08	8.1	0.069	0.18	3.1	57	13.4	12.2	2	44.6		<0.001		
E385972	45.50	46.00		570	1.5	154	<0.002	0.25	1.25	11.2	1	3.8	1330	0.15	<0.05	10.1	0.111	0.21	2.8	56	9.9	10.5	<2	49.2		0.001		
E385973	46.00	46.50		530	1.5	157	<0.002	0.17	1.18	11	1	5.1	987	0.17	<0.05	9.5	0.124	0.24	2.5	52	8.6	10.7	2	46.2		<0.001		
E385974	46.50	47.00		600	1.9	163	<0.002	0.25	1.15	12.9	1	7.1	706	0.23	<0.05	10.1	0.149	0.22	2.9	59	8.5	12	4	50.6		<0.001		
E385975	47.00	47.50		550	2	114.5	<0.002	0.19	1.02	15.1	1	9.4	420	0.24	<0.05	10.5	0.154	0.17	3.2	58	7	9.6	8	47.8		<0.001		
E385976	47.50	48.00		520	2	27.3	<0.002	0.2	0.84	13.3	1	5.8	476	0.19	<0.05	9.3	0.088	0.05	2.5	48	6.1	10.2	9	42.5		<0.001		
E385977	48.00	48.50		610	2.2	36.1	<0.002	0.3	0.76	13.5	1	9.5	569	0.23	<0.05	11.4	0.105	0.05	2.4	57	7.8	12.3	7	50.9		<0.001	4.38	
E385978	48.50	49.00		820	1.9	150	0.002	0.55	0.73	22.5	1	30	621	0.27	0.41	16.4	0.169	0.22	3.7	92	14.3	12.7	6	78.3		0.001		
E385979	49.00	49.50		810	2.3	129.5	<0.002	0.41	0.71	19.2	1	23.2	493	0.2	0.17	18.6	0.121	0.16	2.6	79	12.7	14.5	9	76.7		<0.001	3.99	
E385980	49.50	50.00		910	2.4	182.5	<0.002	0.46	0.72	18.2	1	25.7	904	0.17	0.1	13.5	0.117	0.28	2.3	77	14.3	14.3	11	63.7		<0.001		
E385981			BLANK	120	1	0.8	<0.002	0.08	0.07	0.7	2	<0.2	300	<0.05	<0.05	0.2	0.007	<0.02	0.7	3	0.1	2.8	25	3.9		<0.001		
E385982	50.00	50.50		890	2.5	70.3	<0.002	0.24	1.12	12.8	1	12.4	453	0.22	<0.05	11.5	0.136	0.12	2.3	66	8.2	10.9	16	56		0.01	3.78	
E385983	50.50	51.00		890	2.2	102.5	<0.002	0.27	0.88	21	1	16.9	654	0.25	0.06	11.5	0.136	0.17	2	75	9	11	9	54.6		0.007		
E385984	51.00	51.50		610	1.7	25.4	<0.002	0.22	0.71	9.5	1	8.8	551	0.27	<0.05	11	0.114	0.04	1.7	55	7.3	10.1	7	47.3		<0.001		
E385985	51.50	52.00		850	2.1	60.5	<0.002	0.28	0.65	12	1	13.8	670	0.28	0.05	12.4	0.113	0.1	1.8	65	9	12.5	10	51.6		0.001	6.13	
E385986	52.00	52.50		780	2	97.7	<0.002	0.36	0.89	21.6	1	18.1	658	0.24	<0.05	14.9	0.134	0.13	2.2	77	10.9	11.5	7	68.2		<0.001	5.21	

IG-2007-23

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
E385987	52.50	53.00		0.33	6.96	2.7	2040	1.94	0.26	1.48	<0.02	126.5	39.8	40	2.56	1390	7.22	20.5	0.24	1.8	0.056	0.89	150.5	60	1.2	1325	0.92	2.81	1.9	25.9
E385988	53.00	53.50		0.14	6.96	2.7	2590	1.48	0.13	1.34	<0.02	101	40.2	46	1.92	1670	7.48	19.1	0.19	1.7	0.042	0.6	66.6	41	0.97	749	51.8	3.42	1.9	24.8
E385989	53.50	54.00		0.81	2.05	16	190	0.43	0.37	0.83	<0.02	248	140.5	11	0.46	3500	31.7	8.28	0.56	0.5	0.023	0.05	150.5	11	0.42	157	170.5	0.84	2.8	61.4
E385990	54.00	54.50		0.55	0.85	17.1	80	0.16	0.31	2.18	<0.02	352	301	1	0.14	5090	39.6	7.39	0.7	0.2	0.075	0.01	197	4	0.58	1635	71	0.03	6.3	58.7
E385991	54.50	55.00		0.29	0.78	13.2	180	0.15	0.18	3.76	<0.02	451	228	<1	0.17	2170	43.1	8.16	1.06	0.3	0.049	0.01	299	5.4	0.67	1870	56.3	0.02	6.4	68
E385992			BLANK	0.02	0.14	6	140	0.08	0.01	44.8	0.36	2.67	1.8	7	<0.05	6.9	0.15	0.56	0.05	0.1	<0.005	0.03	2.1	0.8	0.48	41	0.5	0.02	0.2	<0.2
E385993			STANDARD 1	1.14	6.08	65.2	140	1.66	2.41	1.98	<0.02	45.6	161.5	40	3.4	8950	9.28	14.75	0.2	1.7	0.132	2.17	16.3	18	1.12	3230	67.4	1.01	2.8	38.3
E385994	55.00	55.50		0.49	0.77	61.9	100	0.16	1.65	4.44	<0.02	339	475	<1	0.23	3850	44.3	7.88	1.13	0.2	0.116	0.01	241	5.6	1.11	3970	161	0.02	3.9	78.9
E385995	55.50	56.00		0.59	0.54	256	60	0.17	4.54	4.16	<0.02	362	1395	<1	0.15	539	45.8	7.13	1.06	0.2	0.116	0.01	267	3.6	1.09	4400	87.8	0.02	3.6	96.7
E385996	56.00	56.50		0.54	0.22	96.7	40	0.27	3.23	4.73	<0.02	233	757	<1	0.09	1765	31.9	4.88	0.54	0.1	0.119	0.01	124	1.5	0.91	3980	77.5	0.01	3.2	61.3
E385997	56.50	57.00		0.2	0.12	16.2	130	0.12	0.85	1.51	<0.02	305	266	<1	<0.05	36.2	23.2	3.32	0.46	<0.1	0.017	<0.01	198.5	0.7	0.15	925	38.9	0.01	8.1	30.5
E385998	57.00	57.50		0.16	0.1	8.8	420	0.13	0.28	1.17	<0.02	155.5	115	<1	<0.05	10	28.1	3.09	0.45	<0.1	0.053	<0.01	101.5	0.5	0.37	3810	43.1	0.01	13.2	32.2
E385999	57.50	58.00		0.16	0.12	10.8	440	0.15	0.29	1.57	<0.02	282	78.5	<1	<0.05	65.7	28.1	3.78	0.5	<0.1	0.064	<0.01	201	0.6	0.42	3510	32.8	0.01	12.9	35.4
E386000	58.00	58.50		0.08	0.11	10.6	590	0.25	0.15	1.72	<0.02	257	23.6	<1	<0.05	23.6	17.8	2.72	0.37	<0.1	0.037	<0.01	167	0.5	0.22	1515	33.6	<0.01	8.2	24.1
E386001	58.50	59.00		0.09	0.09	13.3	120	0.18	0.32	1.43	<0.02	174.5	285	<1	<0.05	8.4	25.6	3.04	0.5	<0.1	0.113	<0.01	108	0.4	0.49	3780	17.05	0.01	8.3	38.7
E386002	59.00	59.50		0.45	0.09	12.4	100	0.13	0.27	1.26	<0.02	170.5	301	<1	<0.05	13.4	25.4	2.92	0.47	<0.1	0.115	<0.01	107	0.6	0.49	3590	18.65	0.01	8.9	36.4
E386003	59.50	60.00		0.13	0.1	17.8	130	0.14	0.17	2.42	<0.02	325	269	<1	<0.05	170.5	31.4	3.09	0.52	<0.1	0.112	0.01	212	1	0.38	2760	31.7	0.01	9.8	28.5
E386004			BLANK	0.03	0.15	<5	190	0.1	<0.01	48.1	0.39	2.6	1.9	6	<0.05	3	0.12	0.51	<0.05	0.1	<0.005	0.03	2.2	1.9	0.51	43	0.31	0.02	0.2	<0.2
E386005	60.00	60.50		0.15	0.08	16.6	110	0.17	0.19	1.81	<0.02	285	287	<1	<0.05	1300	30.6	3.23	0.51	<0.1	0.097	0.01	180	1	0.39	2530	28.5	0.01	8.5	28.9
E386006	60.50	61.00		0.27	0.11	17	90	0.16	0.3	2.7	<0.02	268	397	<1	<0.05	2840	40.4	4.62	0.56	<0.1	0.084	<0.01	172.5	1.2	0.42	2050	19.9	0.01	9.2	44
E386007	61.00	61.50		0.29	0.12	18.5	50	0.1	0.35	2.59	<0.02	431	523	<1	0.05	2590	48.8	5.93	0.74	<0.1	0.068	<0.01	297	1.3	0.43	1875	27.8	0.01	10.5	57.8
E386008	61.50	62.00		0.38	0.11	14.1	240	0.05	0.44	3.45	<0.02	486	253	<1	0.07	6310	>50	6.64	1.19	<0.1	0.108	<0.01	355	1.3	0.6	2510	24.8	0.01	8	61.8
E386009	62.00	62.50		0.84	0.15	8.1	470	0.08	0.83	8.61	<0.02	148	83	<1	0.16	>10000	38.8	4.97	0.57	0.1	0.237	0.01	116	2.2	2.03	8510	34.2	0.02	4.1	46.5
E386010	62.50	63.00		0.42	0.37	52.7	370	0.07	2.22	6.24	<0.02	260	574	<1	0.21	4860	42.1	6.54	0.66	0.2	0.13	0.01	201	5.2	1.51	8170	31.2	0.01	3.4	63.9
E386011	63.00	63.50		0.32	1.14	53.6	370	0.18	3.02	4.97	<0.02	>500	618	7	0.47	1180	34.5	9.07	0.7	0.7	0.105	0.02	600	18.2	1.52	4560	42.7	0.01	4.8	71.8
E386012	63.50	64.00		0.08	6.15	5.4	1960	0.78	0.49	1.85	<0.02	284	115	55	2.54	541	12.9	10.55	0.29	2.4	0.023	0.07	225	77.1	1.93	526	3.2	1.52	9.5	65.3
E386013	64.00	64.50		0.08	5.49	4.5	690	0.85	0.4	3.31	<0.02	221	78.8	45	1.83	683	12.85	9.98	0.29	1.9	0.029	0.09	169.5	55.9	1.74	1115	18.2	1.9	6.6	48
E386014	64.50	65.00		0.1	6.58	3.8	3640	1.76	0.05	0.99	<0.02	197	17.4	45	3.63	126.5	17.8	18.05	0.35	1.6	0.031	1.01	148	78.8	0.98	433	15.15	2.28	3.9	35
E386015			BLANK	0.01	0.15	8	120	0.07	<0.01	47.7	0.38	2.61	1.7	6	<0.05	4.3	0.1	0.5	<0.05	0.1	<0.005	0.03	2	2.1	0.51	39	0.26	0.02	0.2	<0.2
E386016			STANDARD 2	1.38	2.68	95.5	70	0.6	10.9	2.45	<0.02	191.5	359	14	2.95	9790	32.2	9.24	0.36	0.9	0.287	0.74	118.5	17.4	1.65	6630	70.3	0.26	6.1	64.4
E386017	65.00	65.50		0.05	5.53	2.9	1840	0.72	0.02	0.82	<0.02	242	20.2	35	0.89	107	17.05	12.9	0.35	1.3	0.01	0.05	179	47.1	0.89	454	9.37	2.48	3.4	36.8
E386018	65.50	66.00		0.02	5.83	3.3	2780	2.08	0.02	0.29	0.04	92.9	4.9	44	4.58	189	10.8	12.65	0.21	0.9	0.036	2.01	69.2	111.5	0.57	90	5.94	0.74	4.5	12.8
E386019	66.00	66.50		0.08	3.48	11.2	120	0.4	0.24	1.45	<0.02	107	381	19	1.05	339	30.4	12.85	0.47	0.9	0.046	0.11	66.4	46.1	1.23	1210	10.2	0.91	4.1	52.4
E386020	66.50	67.00		0.02	6.81	1.3	8540	0.88	0.01	0.85	<0.02	117.5	13.7	37	1.8	92.1	11.1	13.75	0.24	1.7	0.01	0.11	87.5	65.7	1.17	190	4.13	3.12	2.7	26.6
E386021	67.00	67.50		0.06	3.41	4.1	1060	0.35	0.06	2.66	<0.02	210	45.5	19	0.9	168.5	24.5	12.75	0.47	0.8	0.125	0.04	151.5	51.5	1.61	2020	14.85	0.68	2.3	45
E386022	67.50	68.00		0.04	4.92	7	900	0.45	0.06	1.56	<0.02	82.8	118.5	28	0.86	52.5	23.4	15.2	0.39	1.2	0.058	0.08	58.9	38.4	1.08	1045	5.4	2.11	3.9	47
E386023	68.00	68.50		<0.01	8.41	0.5	>10000	0.81	0.01	1.27	<0.02	90.5	11.4	47	0.89	39.1	7.13	17.25	0.16	2.1	0.013	0.09	63.9	32.6	0.8	555	1.21	5.13	4.3	19.8
E386024	68.50	69.00		<0.01	8.28	1.3	7360	0.89	0.01	1.41	<0.02	127	14.7	52	1.16	46.8	8.46	18.75	0.21	2.2	0.011	0.15	87.7	33.9	0.77	805	1.22	5.12	4.4	22.7
E386025	69.00	69.50		0.02	8.09	2.2	3460	1.27	0.04	1.31	0.02	106	49.5	60	2.25	47.8	10.7	20.8	0.26	2.2	0.013	0.42	70.3	47.2	0.82	815	1.46	4.88	3.7	28.5
E386026	69.50	70.00		0.02	7.67	2.4	4610	0.84	0.05	1.32	<0.02	69.9	51.4	53	1.14	99.1	11.75	18.35	0.26	2.1	0.013	0.18	46.2	34.4	0.83	1005	1.96	4.61	3	27
E386027			BLANK	0.01	0.16	<5	90	0.09	0.01	48.7	0.39	2.3	1.7	6	<0.05	3.7	0.08	0.52	0.05	0.1	0.008	0.03	1.8	2.3	0.52	40	0.21	0.03	0.2	<0.2
E386028	70.00	70.50		0.04	7.24	1.8	3010	1.65	0.06	2	<0.02	87.4	43.5	45	3.84	398	10.7	19.05	0.24	2	0.048	0.96	56.5	69.8	1	2030	4.16	3.48	2	22.8
E386029	70.50	71.00		0.03	7.13	3	2540	2.75	0.05	1.72	<0.02	33.1	77.1	46	7.22	138	12.1	19.95	0.23	1.8	0.093	2.2	20.4	123.5	1.2	1695	2.78	1.57	2.6	27
E386030	71.00	71.50		0.02	6.92	2	3680	3.24	0.04	1.18	<0.02	91.8	53.5	45	8.6	137	10.6	20.2	0.26	1.8	0.131	2.75	57.1	147	1.2	1190	3.32	0.57	2.4	25.4
E386031	71.50	72.00		0.01	7.35	1.7	7990	3.36	0.04	0.65	<0.02	158.5	41.7	47	9.5	63.3	11.55	22	0.29	1.9	0.142	3.09	102	154.5	1.18	1390	1.98	0.55	2.2	27.8
E386032	72.00	72.50		0.03	5.8	2.5	4000	2.1	0.03	0.76	<0.02	122	40.8	36	6.45	29.5	12.15	15.9	0.3	1.5	0.129	1.93	80.6	108	0.99	2140	4.48	0.93	2.2	27.4
E386033	72.50	73.00		0.03	7.39	1.8	5560	3.55	0.02	0.26	<0.02	135.5	50.1	50	8.77	45.6	11.7	21.4	0.28	1.9	0.166	3.06	91.2	80	0.93	2870	3.49	0.96	2.7	26.2
E386034	73.00	73.50		0.13	6.13	2.3	1510	2.59	0.08	0.34	<0.02	66.9	53.9	35	7.19	422	13.15	16.2	0.28	1.5	0.125	2.14	44.8	112	1.01	3260	5.87	0.89	3.4	28.5
E386035	73.50	74.00		0.32	2.71	7.2	220	0.64	0.83	0.49	<0.02	104	103	13	1.36	34.5	18.7	7.09	0.33	0.7	0.061	0.24	46.2	31.8	0.82	2580	13.8	0.96	5.6	31.3
E386036	74.00	74.50		0.52	5.28	6.6	110	0.6	0.49	0.73	<0.02	86.5	143	36	1.43	6610	12.8	13.15	0.28	1.4	0.077	0.25	42	28.6	0.78	2360	73.5	2.89	1.6	28.9
E386037	74.50	75.00		0.05	6.73	5	530	0.58	0.08	0.84	<0.02	100	133.5	40	0.9	383	13	17.1	0.32	1.7	0.025	0.13	68	22.4	0.73	1705	9.08	4.04	1	30.8
E386038			BLANK	0.01	0.16	<5	90	0.07	<0.01	48.2	0.39	2.31	1.7	6	<0.05	4.7	0.08	0.52	<0.05	0.1	<0.005	0.03	1.8	2.1	0.52	42	0.32	0.03	0.2	<0.2
E386039			STANDARD 3	0.18	7.12	38.4	300	1.84	1.04	1.94	<0.02	52.4	87	46	4.71	1720	7.31	13.8	0.13	1.5	0.094	2.99	26	18.7	1.35	3180	14.85	0.58	1.8	19.1
E386040	75.00	75.50		0.05	6.57	5	880	0.82	0.03	0.6	<0.02	96.3	116.5	36	0.71	26.5	12.8	17.45	0.25	1.8	0.02	0.1	60.9	15.4	0.52	1100	10.35	4.42	1.4	26.7
E386041	75.50	76.00		0.04	6.45	2.7	1280	0.67	<0.01	0.67	<0.02	69.8	50	38	0.73	43.7	13.15	15.15	0.2	1.6	0.026	0.1	44.7	14.7	0.6	1420	7.01	4.33	1.1	24.2
E386042	76.00	76.50		0.69	5.04	22.7	110	0.55	4.37	1.52	<0.02	99.5	259	24	0.84	2580	17.45	11.7	0.27	1.5	0.045	0.16	53.9	18.2	0.89	2110	101.5	3.11	1	31.4
E386043	76.50	77.00		2.23	3.84	47.2	90	0.35	16.15	1.75	<0.02	164.5	527	17	0.7	6800	26.8	12.85	0.41	1	0.149	0.07	118	21.4	1.43	4570	195.5	1.83	2.3	52.8
E386044	77.00	77.50		0.14	7.04	4	510	0.92	0.34	0.39	<0.02	63.2	106.5	35	2.04	915	11.25	13.7	0.2	2	0.076	0.44	44.5	30.8	0.98	3500	38.2	4.05	3.5	20.1
E386045	77.50	78.00		1.1	4.79	16.7	190	0.47	3.38	0.65	<0.02	239	94.6	19	1.4	>10000	20.2	12.5	0.34	1.4	0.217	0.15	180	34.9	1.9	9340	98	2.23	2.8	41.4
E386046	78.00	78.50		5.5	0.34	177.5	40	0.15	36.4	1.21	<0.02	400	763	<1	0.43	>10000	34	5.71	0.56	0.2	0.335	0.04	300	6.6	1.69	10700	115.5	0.04	3.4	66.7
E386047	78.50	79.00		2.01	2.75	103	70	0.82	19.3	2.32	<0.02	355	477	14	2.74	6310	28.1	13.1	0.48	0.9	0.148	0.52	265	36	1.79	4310	81.3	0.51	5.1	68.3
E386048	79.00	79.50		0.38	7.61	20.6	430	2.57	2.89	0.22	<0.02	152	141.5	54	7.81	348	9.49	15.05	0.19	1.8	0.043	2.16	97.7	89.7	1.1	225	19.85	1.72	3.6	31.9
E386049	79.50	80.00		0.28	7.77	12.3	710	3.62	1.46	0.61	<0.02	111.5	83.4	51	10.45	1565	10.85	20.9	0.23	2.2	0.094	2.48	69.2	116.5	1.09	578	29.7	1.66	2.3	24
E386050			BLANK	0.03	0.17	<5	60	0.13	<0.01	48.6	0.42	2.86	1.4	6	0.05	13.8	0.11	0.57	0.07	0.1	0.009	0.04	2.3	1.7	0.53	42	0.49	0.03	0.3	1.7
E386051	80.00	80.50		0.07	7.57	4.4	4970	3.52	0.07	1.27	<0.02	96.8	71.8	53	9.24	849	12	20.5	0.21	2.2	0.125	2.46	58.9	113	1.28	1680	8.12	1.51	2.1	26.9
E386052	80.50	81.00		0.05	6.47	2.8	4750	2.59	<0.01	1.21	<0.02	137.5	69.4	39	7.98	94	12.05	17.05	0.26	1.8	0.242	2.46	82.1	73.7	1.16	4860	13.7	1.18	1.7	22.9
E386053	81.00	81.50		0.01	6.71	2.5	8320	2.9	<0.01	0.44	<0.02	124.5	82.2	46	8.15	55.5	11.4	19.65	0.25	1.9	0.377	3.05	68.9	58.9	1.11	5820	2.45	0.54	3.1	23.5
E386054	81.50	82.00		0.03	6.22	2.1	6490	2.09	<0.01	4.73	<0.02	65.1	39.8	35	7.64	59.1	7.33	16.35	0.15	1.9	0.21	2.51	35.5	46.8	2.39	6500	5.71	0.75	3.1	19.5
E386055	82.00	82.50		0.06	6.29	5.1	3840	1.89	<0.01	3.97	<0.02	79.4	60.5	38	7.44	32.8	6.31	16.85	0.2	1.7	0.163	2.55	42.8	39.3	1.51	4540	21.6	0.86	4	18.1
E386056	82.50	83.00		0.04	6.36	2.3	4860	2.25	<0.01	4.38	<0.02	86.9	35.2	35	8.08	21	6.74	17.15	0.21	1.8	0.166	2.62	46.8	34.7	1.65	5360	6.81	0.79	4.4	18.2
E386057	83.00	83.50		0.07	8.4	5.9	5670	2.84	0.01	3.18	<0.02	136.5	59.6	49	11.6	24.4	6.77	22.1	0.25	2.7	0.184	3.56	75.7	39.9	1.32	3960	98.6	0.82	4.2	29.5
E386058	83.50	84.00		0.02	6.93	2.9	>10000	2.27	<0.01	2.34	<0.02	50	39.7	37	10.3	19.7	8	18.65	0.17	2	0.214	2.99	27.3	42.6	1.39	4230	20.2	0.36	3.2	22.8
E386059	84.00	84.50		0.04	6.79	4	6810	2.34	<0.01	3.46	<0.02	39.7	48.4	38	11.1	536	10.25	18.25	0.18	1.8	0.252	3.21	22	40.4	1.66	5490	4.16	0.31	2.1	22.4
E386060	84.50	85.00		0.02	7.01	1.2	9990	2.35	<0.01	2.73	<0.02	81.5	45.9	43	10.1	8.4	9.99	18.7	0.2	2	0.262	3.31	47.2	39.3	1.45	5160	2.32	0.45	2.5	23.5
E386061			BLANK	0.02	0.19	<5	110	0.1	<0.01	>50	0.43	2.98	1.1	7	0.06	4.5	0.1	0.64	0.08	0.1	<0.005	0.05	2.4	1.9	0.56	61	0.31	0.02	0.3	2
E386062			STANDARD 1	1.09	6.16	60.8	130	2.15	3.05	2.24	<0.02	64.3	176.5	36	3.93	8010	10.6	16.05	0.21	2	0.151	2.3	20.4	27	1.3	3660	70.5	0.96	3.5	39.5
E386063	85.00	85.50		0.03	6.83	1.4	9000	2.42	<0.01	2.59	<0.02	147	35.1	40	10.55	52.6	8.53	19.1	0.24	2.1	0.208	3.25	77.7	42.6	1.27	3920	2.64	0.27	3.1	19.3
E386064	85.50	86.00		0.01	7.81	1.3	>10000	2.6	<0.01	2.89	<0.02	42.2	34.8	45	11.9	11.7	9.18	20.5	0.18	2.2	0.219	3.91	22.1	47.3	1.4	4290	1.49	0.18	3.2	21.1
E386065	86.00	86.50		0.01	7.07	1.1	>10000	2.06	<0.01	3.83	<0.02	59.6	18.8	42	9.29	10.4	8.02	15.95	0.18	1.7	0.121	3.47	31.5	37.4	1.47	3720	1.01	0.23	2.8	16.9
E386066	86.50	87.00		0.01	6.72	1.8	8360	2.44	<0.01	4.16	<0.02	121	17.2	35	10.8	19.4	7.08	18.35	0.23	1.9	0.119	3.16	70.7	37.9	1.5	3840	1.07	0.32	4.2	18.5
E386067	87.00	87.50		0.03	6.06	1.8	6570	2.27	0.06	4.34	<0.02	86.5	19	35	9.41	74.5	7.44	16.45	0.18	1.8	0.105	2.56	51.5	38	1.54	3920	2.01	0.35	2.8	19.8
E386068	87.50	88.00		0.02	6.21	2.2	9350	2.37	<0.01	4.75	<0.02	74.5	17.9	34	9.99	17.2	7.4	16.5	0.18	1.7	0.115	2.77	40.4	38.1	1.67	4450	1.57	0.45	2.8	19.2
E386069	88.00	88.50		0.05	6.37	1.7	7760	2.01	<0.01	4.94	<0.02	73.7	17.5	34	10.5	39.9	7.15	16.45	0.16	1.8	0.115	2.95	40	43.4	1.76	4480	2.45	0.32	2.5	21.1
E386070	88.50	89.00		0.02	6.27	1.8	8170	1.9	<0.01	4.31	<0.02	63.5	16.8	33	11.45	15.1	7.05	16.25	0.16	1.7	0.099	2.88	36.4	43.8	1.71	3790	1.48	0.17	2.8	20.2
E386071	89.00	89.50		0.06	6.04	4.4	3780	2.06	0.21	4.41	<0.02	67.6	49.5	35	11	175	8.18	16.15	0.19	1.8	0.177	2.55	46.8	50.6	2.35	5840	3.14	0.14	2.4	19.1
E386072	89.50	90.00		0.07	6.51	8.9	2080	2.08	0.21	2.31	<0.02	67.9	72.1	41	9.7	345	9.9	15.75	0.19	1.7	0.205	2.88	47.3	42.3	1.36	5330	5.83	0.28	2.3	20.5

IG-2007-23

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba	U
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	%
E385987	52.50	53.00		540	4.2	57.4	<0.002	0.41	0.83	19.4	1	12.1	592	0.12	<0.05	11.2	0.088	0.08	3	60	10.2	10	18	60.1		0.005		
E385988	53.00	53.50		530	1.8	38.3	0.033	0.46	0.73	17.6	2	9.9	464	0.12	<0.05	9.9	0.064	0.06	2.3	59	10.3	9.5	5	57.7		0.001		
E385989	53.50	54.00		3240	1.8	3	0.104	0.99	0.79	2	5	3.2	771	0.07	0.28	3.7	0.019	0.05	21.5	74	3.8	14.3	4	14.9		0.027		
E385990	54.00	54.50		3980	1.2	0.4	0.013	1.89	0.8	2.4	4	3.8	418	0.11	0.26	3	0.012	<0.02	1.8	84	4.1	18.9	<2	5.9		0.029		
E385991	54.50	55.00		4360	1	0.5	0.015	1.36	0.77	3.1	4	4	297	0.13	0.11	3.5	0.015	<0.02	2	82	4.9	26.9	3	7.1		0.007		
E385992			BLANK	130	0.9	0.6	<0.002	0.07	0.07	0.7	2	<0.2	276	<0.05	<0.05	0.2	0.007	<0.02	0.7	4	0.1	2.7	24	4.4		<0.001		
E385993			STANDARD 1	840	19.3	85.9	0.025	2.32	1.5	10.6	3	6.9	592	0.15	0.22	7.6	0.085	0.36	280	57	7.5	14.1	12	59.7		0.051		
E385994	55.00	55.50		3110	2.6	0.7	0.029	2.82	0.98	5.5	5	2.9	267	0.09	0.84	3.6	0.012	0.06	1.8	70	2.1	25.7	3	6.5		0.025		
E385995	55.50	56.00		2000	4.6	0.5	0.022	6.53	1.56	3.6	4	3.3	89.8	0.06	2.41	4.1	0.011	0.05	1.9	56	3.7	21.5	6	4.2		0.027		
E385996	56.00	56.50		1600	3.8	0.2	0.019	4.46	1.27	2.7	5	3.5	333	0.06	1.41	1.8	0.007	0.06	2.8	33	3.7	21.8	3	2		0.022		
E385997	56.50	57.00		1520	0.9	0.1	0.003	1.1	0.85	0.6	3	5.9	763	0.14	0.14	1.1	0.005	<0.02	4.3	31	4.6	10.5	2	0.9		0.004		
E385998	57.00	57.50		2060	1.1	0.1	<0.002	0.53	0.78	1.4	3	2.5	654	0.3	0.06	1.6	<0.005	<0.02	4.5	71	4.4	11.6	4	1		<0.001		
E385999	57.50	58.00		2160	1.1	0.1	0.003	0.43	0.75	1.3	3	2.9	930	0.25	0.1	1.9	<0.005	<0.02	4.7	58	4.9	13.8	3	0.9		0.004		
E386000	58.00	58.50		1560	0.6	0.1	0.004	0.23	0.64	0.8	<1	6.4	1700	0.12	0.11	0.9	<0.005	<0.02	2.8	26	5	10.8	<2	0.7		0.002		
E386001	58.50	59.00		1540	0.6	0.1	0.005	1.26	0.72	1.3	2	4.6	761	0.24	0.07	1.2	<0.005	<0.02	2.8	51	5.2	10.3	2	0.7		0.002		
E386002	59.00	59.50		1730	0.8	0.1	0.003	1.33	0.73	0.9	2	3.7	693	0.25	0.17	1.3	<0.005	<0.02	4.9	54	9.4	10.1	2	0.6		<0.001		
E386003	59.50	60.00		1980	1.4	0.3	0.009	1.2	0.92	0.8	3	8.6	665	0.16	0.16	1.3	<0.005	<0.02	4	38	9.2	12.9	3	0.8		0.002		
E386004			BLANK	120	1	0.7	<0.002	0.07	0.07	0.7	2	<0.2	302	<0.05	<0.05	0.2	0.007	<0.02	0.7	3	0.1	2.7	32	3.6		<0.001		
E386005	60.00	60.50		1750	1.7	0.2	0.012	1.44	0.98	0.9	3	7.3	647	0.2	0.11	1.3	<0.005	<0.02	4	47	11.1	11.1	3	0.6		0.012		
E386006	60.50	61.00		2100	1.9	0.1	0.006	2.13	1.2	1.2	3	8.3	344	0.24	0.13	1.5	<0.005	<0.02	4.6	58	8.4	15.2	3	0.7		0.013		
E386007	61.00	61.50		2110	1.9	0.1	0.01	2.47	1.24	1.5	4	8.3	182	0.21	0.16	1.8	<0.005	<0.02	4.7	64	6.6	17.3	4	0.7		0.016		
E386008	61.50	62.00		2050	2.1	0.2	0.012	2.06	1.06	3	4	7.7	49.4	0.18	0.13	2.9	<0.005	<0.02	4	85	5	20.2	3	0.5		0.025		
E386009	62.00	62.50		2600	2.4	0.4	0.015	2.97	0.85	14.7	7	6.3	94.8	0.11	0.27	1.7	0.005	0.02	1.7	56	2.8	29.5	6	1	1.625	0.087		
E386010	62.50	63.00		2600	3.4	0.4	0.008	4.24	1.4	8.6	4	3.9	79.8	0.1	1.19	3.2	0.01	0.03	2.1	84	2.8	25.5	2	3.8		0.03		
E386011	63.00	63.50		2510	4	1.1	0.01	4.18	1.49	6.6	4	4.2	63.9	0.16	1.72	11.3	0.03	0.02	1.9	47	3	28	7	19.4		0.027		
E386012	63.50	64.00		900	2.2	4.6	<0.002	0.7	0.97	7.9	2	9.8	56.9	0.18	0.35	10.9	0.142	0.02	2.9	15	9.1	13.6	18	80.3		0.002		
E386013	64.00	64.50		1060	2.2	5.1	0.005	0.81	1.03	11.5	3	8.8	484	0.17	0.24	9	0.114	0.02	4.3	26	8.4	16.9	14	62.5		0.005		
E386014	64.50	65.00		1460	1.9	61.3	0.005	0.17	1.16	16.5	1	25.7	400	0.2	0.07	11.6	0.13	0.1	3.5	81	11.4	12.2	14	51.4		<0.001		
E386015			BLANK	110	0.9	0.6	<0.002	0.08	0.06	0.7	2	<0.2	295	<0.05	<0.05	0.2	0.007	<0.02	0.7	4	0.1	2.7	27	3.8		<0.001		
E386016			STANDARD 2	2620	7.2	38.3	0.021	7.56	3.08	4.5	5	8.3	181.5	0.16	1.23	6.6	0.04	0.52	18.6	64	8.2	16.2	11	27		0.109		
E386017	65.00	65.50		1390	2.6	2.5	0.003	0.19	0.86	3.6	2	3.9	713	0.13	0.07	8.9	0.046	<0.02	4.1	49	6.6	11.8	24	40.9		<0.001		
E386018	65.50	66.00		800	2.1	104	<0.002	0.14	1.45	16.3	2	23.6	573	0.25	<0.05	10.9	0.143	0.17	1.6	69	11	5.5	9	28.8		<0.001		
E386019	66.00	66.50		1520	2.4	5.1	0.002	1.96	1.04	5.7	3	3.5	323	0.11	0.11	6.5	0.036	0.02	5.3	77	6.2	10.5	15	27		0.003		
E386020	66.50	67.00		1160	2	4.9	<0.002	0.28	0.76	5.2	2	4.2	282	0.14	<0.05	11.4	0.049	0.02	2.6	37	5	10.6	18	55.4		<0.001	1.65	
E386021	67.00	67.50		1670	2.2	1.5	0.004	0.27	0.81	7.7	2	2.2	348	0.08	0.07	9.2	0.024	<0.02	3.6	90	6.3	14.7	15	25.4		<0.001		
E386022	67.50	68.00		1360	1.9	3.7	<0.002	0.58	0.85	8.2	3	4.3	154	0.16	0.07	7.9	0.052	<0.02	2.7	85	6.5	12.4	11	39.2		<0.001		
E386023	68.00	68.50		760	2.4	3.8	0.002	0.36	0.69	15.1	2	7.4	257	0.31	<0.05	14.4	0.095	<0.02	2.9	44	7.8	11.9	8	71.6		<0.001	1.45	
E386024	68.50	69.00		780	2.1	7.9	0.002	0.28	0.74	16	2	9.4	352	0.35	<0.05	15.9	0.1	<0.02	2.8	65	9.8	13.7	3	73.7		<0.001	2.71	
E386025	69.00	69.50		750	2.8	28.4	<0.002	0.36	0.78	29.9	2	14	337	0.32	<0.05	15.5	0.1	0.04	2.7	84	9.4	13.4	7	73.6		<0.001		
E386026	69.50	70.00		790	2.8	10.1	0.002	0.42	0.78	14.9	2	7.8	320	0.26	0.12	13	0.067	0.02	2.6	66	8.5	13.6	7	71.8		0.001		
E386027			BLANK	130	0.7	0.6	<0.002	0.08	0.07	0.8	3	<0.2	304	<0.05	<0.05	0.2	0.007	<0.02	0.7	3	0.1	2.8	28	4.1		<0.001		
E386028	70.00	70.50		850	2.5	80.4	0.002	0.33	0.77	17.8	3	15.6	218	0.18	0.05	15.4	0.089	0.09	2.6	57	5	18	6	67.5		0.002		
E386029	70.50	71.00		660	1.9	132.5	0.002	0.43	1.05	13.3	2	20.5	165.5	0.19	<0.05	12.4	0.099	0.16	2.3	61	7.8	12.2	6	62.5		<0.001		
E386030	71.00	71.50		630	2	163.5	<0.002	0.28	1.22	12.8	3	21.9	172	0.16	0.05	15.3	0.101	0.2	2.1	58	8.7	11	10	59		<0.001		
E386031	71.50	72.00		770	2.4	184.5	0.002	0.26	1.33	14.1	1	23.3	125	0.14	0.05	18.3	0.115	0.23	2	66	9.5	11.3	8	84		<0.001	0.85	
E386032	72.00	72.50		930	2	119	<0.002	0.17	1.17	11	2	14.9	200	0.14	0.06	13.4	0.081	0.14	1.8	54	7.7	10.7	6	52.2		<0.001		
E386033	72.50	73.00		810	2.4	188	<0.002	0.18	1.09	14.8	2	22.6	80.9	0.12	<0.05	14.6	0.114	0.22	1.9	72	11.1	11.1	6	63.7		<0.001	0.61	
E386034	73.00	73.50		850	2.3	132	0.002	0.23	0.88	13	2	17.6	708	0.07	0.17	7	0.07	0.15	2.1	55	9.5	9.8	14	49.5		0.003		
E386035	73.50	74.00		1770	1.4	15.2	0.003	0.54	0.6	3.6	2	2.7	1115	0.05	0.8	4.4	0.019	0.02	4.3	32	7.2	8.4	9	21.7		0.004		
E386036	74.00	74.50		960	2.1	16.1	0.091	1.32	0.77	7.6	5	3.1	523	0.08	0.4	8.5	0.029	0.04	2.8	41	5.8	11.6	9	45		0.015		
E386037	74.50	75.00		840	2.4	7.1	0.006	0.7	0.89	7.5	3	2.2	220	0.07	0.09	13	0.031	0.02	2.4	50	4.1	13.4	10	57.8		<0.001		
E386038			BLANK	120	0.8	0.6	<0.002	0.08	0.07	0.7	2	<0.2	306	<0.05	<0.05	0.2	0.007	<0.02	0.7	4	0.1	2.9	26	4.6		0.004		
E386039			STANDARD 3	730	2.6	123	0.005	1.26	0.76	7.7	<1	5.5	438	0.1	0.14	9.1	0.104	0.26	15.6	65	5.8	8.3	6	44.8		0.019		
E386040	75.00	75.50		770	2.3	5.2	0.011	0.6	0.73	7.7	<1	2.2	261	0.1	0.08	10.7	0.035	<0.02	2.5	55	4	12.9	6	55.9		0.002		
E386041	75.50	76.00		820	1.9	5.8	0.009	0.34	0.73	5.4	<1	1.7	400	0.07	<0.05	9.5	0.025	<0.02	2.8	58	3.7	13.4	5	48.9		0.001		
E386042	76.00	76.50		1390	3.6	9.3	0.108	2.76	1.08	7.4	2	2.5	264	<0.05	2.24	9.3	0.016	0.04	5.8	59	3.6	14	3	43		0.059		
E386043	76.50	77.00		1550	9.7	3.7	0.133	7.48	2.55	7.9	4	2.8	112	0.07	8.02	7.2	0.02	0.07	11.8	56	7	12.9	8	30		0.15		
E386044	77.00	77.50		850	1.9	26.7	0.061	0.85	1.48	8.4	1	8.2	204	0.22	0.1	12.7	0.074	0.06	3	44	11.7	10.9	9	61.9		0.005		
E386045	77.50	78.00		1310	5.6	7.2	0.074	2.18	1.68	7.5	2	2.6	97.8	0.09	1.17	9.3	0.026	0.06	11.6	39	5.5	13.4	33	42.7	1.155	0.084		
E386046	78.00	78.50		3100	20.7	2.8	0.052	>10.0	5.69	5.1	5	4.4	72.9	<0.05	18.9	4.1	0.008	0.18	2.2	31	24.7	15.9	8	5.2	1.815	0.535		
E386047	78.50	79.00		2460	8.7	34.2	0.046	7.91	4.77	8.4	4	8.7	45.4	0.09	7.85	7.1	0.039	0.12	5.1	63	11.2	15.4	12	26.3		0.182		
E386048	79.00	79.50		880	3.1	125.5	0.024	2.07	2.28	9.6	1	19.4	56.8	0.13	0.32	11.3	0.127	0.15	10	83	10.2	9.6	10	83.3		0.025		
E386049	79.50	80.00		810	2.6	158	0.05	1.12	2.01	13.8	1	28.5	57.6	0.12	0.2	12.6	0.122	0.22	18	77	12.3	12	8	66.8		0.016		
E386050			BLANK	130	0.7	0.4	0.002	0.07	0.09	0.5	1	<0.2	300	<0.05	0.13	0.2	0.007	<0.02	0.8	2	0.1	3.3	24	3.6		<0.001		
E386051	80.00	80.50		690	1.9	154	0.009	0.45	1.3	13.3	1	22.1	78	0.14	0.06	15.4	0.142	0.21	2.7	73	12.6	12.4	5	64.6		0.004		
E386052	80.50	81.00		710	1.7	149	0.015	0.22	1.18	10.4	<1	13.1	69.8	0.1	<0.05	14.8	0.109	0.2	7.8	80	11.6	12.7	2	53.4		<0.001		
E386053	81.00	81.50		850	1.4	179	0.004	0.26	1.39	10.8	<1	12.6	88.5	0.22	<0.05	14.4	0.151	0.27	1.9	64	15.8	10.6	3	58.9		<0.001	0.86	
E386054	81.50	82.00		820	1.4	148.5	0.007	0.19	1.23	10.3	<1	7.4	285	0.2	0.05	12.9	0.121	0.22	4.7	57	15.1	15.3	4	56.5		<0.001	1.78	
E386055	82.00	82.50		800	1.6	149	0.02	0.29	1.54	10.1	<1	5.5	609	0.27	0.09	11.6	0.138	0.22	9.1	61	15.6	14.6	4	53.5		0.001		
E386056	82.50	83.00		710	1.5	155.5	0.006	0.18	1.65	9.8	<1	5.4	641	0.31	0.11	11.7	0.149	0.24	1.9	60	15.7	13.9	3	53.4		0.004		
E386057	83.00	83.50		910	1.8	204	0.011	0.25	1.77	11.7	<1	6.2	490	0.23	0.07	18	0.151	0.34	5.1	53	18	14.5	3	60.9		0.002	3.56	
E386058	83.50	84.00		720	1.3	180	0.002	0.28	1.77	10.2	<1	5.3	318	0.21	0.06	13.7	0.131	0.3	2.8	57	13	12.2	4	58.4		<0.001	2.24	
E386059	84.00	84.50		730	1.4	189.5	0.004	0.16	1.44	10.9	<1	5.8	364	0.13	0.05	13.5	0.116	0.32	4.9	64	11.4	13.8	2	54.8		<0.001	2.27	
E386060	84.50	85.00		640	1.3	191.5	0.002	0.2	1.3	11.2	<1	4.6	418	0.16	<0.05	12.1	0.127	0.31	2.1	62	11.6	12	2	62.7		0.002	2.77	
E386061			BLANK	160	0.7	0.8	<0.002	0.06	0.08	0.5	1	<0.2	318	<0.05	0.11	0.3	0.008	<0.02	0.8	2	0.1	3.3	26	4.6		<0.001		
E386062			STANDARD 1	920	22.7	98.9	0.025	2.48	1.65	10	2	8.1	595	0.17	0.26	9	0.088	0.51	301	59	8.9	16.1	21	60.1		0.055		
E386063	85.00	85.50		870	1.6	196	0.002	0.18	1.63	10.5	<1	5.1	392	0.2	0.06	13.8	0.135	0.33	3.1	61	12.6	12.3	<2	61		0.001	2.51	
E386064	85.50	86.00		730	1.2	219	0.002	0.29	1.58	11.8	<1	5.4	268	0.2	<0.05	16.4	0.155	0.37	2.4	73	12.7	14	2	68.1		0.005	1.61	
E386065	86.00	86.50		710	1	180	<0.002	0.28	1.28	9.3	<1	4.3	354	0.19	<0.05	12.6	0.144	0.27	1.9	66	10.5	12.6	2	49.9		<0.001	2.15	
E386066	86.50	87.00		630	1.3	191	<0.002	0.16	1.8	10.9	1	5.1	462	0.33	0.07	11.1	0.149	0.29	1.8	62	12.7	14.9	<2	57.7		<0.001	2.95	
E386067	87.00	87.50		620	1.2	158	<0.002	0.19	1.33	9.9	<1	4.9	420	0.19	<0.05	10.7	0.114	0.28	1.9	57	10.3	14.8	2	52.8		<0.001	2.66	
E386068	87.50	88.00		550	1.2	172.5	0.002	0.22	1.3	10.4	<1	5.1	419	0.18	<0.05	11.6	0.113	0.27	1.8	58	10.9	16.2	2	52.1		<0.001	2.59	
E386069	88.00	88.50		840	1.2	175.5	0.002	0.16	1.5	10	<1	5.1	520	0.17	<0.05	13.4	0.117	0.31	2	58	10.4	15.1	3	53.1		<0.001	3.14	
E386070	88.50	89.00		640	1.1	171.5	<0.002	0.17	1.57	9.5	<1	5	427	0.17	<0.05	11.1	0.113	0.31	2.1	55	10	13.6	4	53.4		<0.001	2.78	
E386071	89.00	89.50		630	1.7	156	0.003	0.2	1.51	9.6	<1	8.8	435	0.16	0.05	12.3	0.109	0.27	2.7	54	13.1	15.4	7	56.1		0.001		
E386072	89.50	90.00		900	1.5	160	0.006	0.39	1.16	8.8	<1	9.6	353	0.13	0.15	10.9	0.115	0.26	2.2	65	13.6	13.4	3	53.2		0.007		

IG-2007-23

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
E386073			BLANK	0.03	0.15	<5	70	0.06	<0.01	45	0.36	2.46	0.9	7	0.07	3	0.07	0.51	0.06	0.1	<0.005	0.04	2	1.6	0.49	43	0.21	0.02	0.3	4.4
E386074	90.00	90.50		0.23	4.98	35.4	300	1.57	1.4	1.96	<0.02	123	117	26	7.3	1020	18.55	14.05	0.28	1.5	0.245	2.01	69.1	32.8	1.54	8380	33.4	0.65	2.2	31.1
E386075	90.50	91.00		0.49	4.4	26.7	130	1.11	1.77	4.8	<0.02	92.7	105	20	4.77	3600	17.55	12.3	0.27	1.3	0.215	1.47	60.5	26.2	2.58	9290	21.2	0.96	3.2	28.6
E386076	91.00	91.50		1.05	2.18	80.4	50	0.37	7.85	3.96	<0.02	157	289	6	1.27	3270	24.1	6.17	0.34	0.7	0.134	0.3	112	15.5	2.48	10200	55.7	0.85	5.4	40.3
E386077	91.50	92.00		0.06	6.2	5.3	3120	2.94	0.35	0.66	<0.02	92.7	58.3	38	9.42	47.5	10.45	18	0.22	1.7	0.193	3.07	61.1	52.2	1.01	4400	5.81	0.12	2.6	18.4
E386078	92.00	92.50		0.07	6.69	4	7750	2.54	0.07	1.81	<0.02	87	40.7	36	9.85	356	12.05	19.35	0.23	2.1	0.184	2.85	53.9	46.9	1.61	5730	10.7	0.24	2.3	24.9
E386079	92.50	93.00		0.06	7.44	3.9	8680	2.32	0.05	2.32	<0.02	91.3	21.6	41	10.55	338	8.57	20	0.22	2.1	0.132	3.29	54.7	41.7	1.34	4140	9.98	0.61	2.6	18.9
E386080	93.00	93.50		0.04	6.9	3.1	8690	2.03	0.03	3.27	<0.02	109.5	19.3	37	9.73	233	7.92	18.15	0.22	2	0.106	3.05	65.1	33.9	1.2	4160	4.42	0.52	2.4	16.1
E386081	93.50	94.00		0.05	6.58	5	1310	2.2	0.58	1.9	<0.02	114	39.4	38	9.75	121	9.69	18.15	0.26	1.9	0.129	3.01	67.5	34.9	1.11	4460	5.2	0.37	1.9	22.8
E386082	94.00	94.50		0.15	5.7	10.5	260	1.89	2.52	1.44	<0.02	149.5	73.7	34	8.36	79.7	11.05	18.25	0.28	1.8	0.122	2.37	86.9	34.9	1.06	4490	5.75	0.6	1.7	30.3
E386083	94.50	95.00		0.08	7.7	7.5	2450	2.24	0.88	2.62	<0.02	158.5	84.8	40	9.24	30.1	10.5	21.9	0.29	2.3	0.099	2.78	100.5	40.9	1.55	4880	5.31	1.43	2.3	39.2
E386084			BLANK	0.03	0.15	<5	70	0.12	<0.01	44.1	0.3	2.33	0.9	6	0.06	1.7	0.09	0.5	0.06	0.1	<0.005	0.04	1.9	1.4	0.49	53	0.18	0.02	0.3	<0.2
E386085			STANDARD 2	1.19	2.35	109.5	50	0.73	10.1	2.17	<0.02	176	316	13	2.48	8690	27.5	9.27	0.4	0.8	0.251	0.85	100	19.9	1.51	6100	60.2	0.24	5.5	57
E386086	95.00	95.50		0.05	7.01	5	3690	1.82	0.26	1.51	<0.02	86.4	36.9	37	7.66	54.2	9.02	17.75	0.22	2	0.099	2.31	52	35.4	1.61	5120	3.92	1.72	1.8	27.6
E386087	95.50	96.00		0.05	6.48	5.9	1030	1.64	0.53	1.23	<0.02	91.3	48.1	37	8.32	27.7	11.1	13.85	0.2	1.5	0.073	2.86	53.2	30.2	1.34	4310	6.09	0.85	1.3	23.7
E386088	96.00	96.50		0.13	7.64	9.8	1140	2.39	1.1	1.71	<0.02	147	73.3	41	9.68	524	13.05	21.3	0.29	2.3	0.124	3.08	92.1	45.2	1.6	5480	19.4	1.18	1.4	38
E386089	96.50	97.00		0.11	6.03	9.2	390	2.04	1.04	1.68	<0.02	116	53.2	34	8.44	170.5	8.48	18.3	0.24	1.9	0.099	2.49	69.8	40.8	1.2	3570	21	0.85	1.4	30.8
E386090	97.00	97.50		0.21	7.79	14.4	750	2.63	0.97	1.11	<0.02	175	50.2	44	11.15	636	7.81	22.8	0.27	2.4	0.074	2.54	111.5	87.8	1.49	1750	46.8	1.3	2	24.4
E386091	97.50	98.00		0.14	6.27	15.4	200	1.08	1.75	3.28	<0.02	23.7	65.1	29	3.74	647	9.34	13.35	0.14	1.3	0.052	1.19	14.4	28	1.43	3180	16.4	2.81	1.5	19.7
E386092	98.00	98.50		0.52	4.11	74.4	210	0.61	8.7	4.09	<0.02	110	227	16	2.27	2630	20.2	10.15	0.34	1.1	0.053	0.4	74.5	21.4	1.69	3640	31.6	1.86	3.3	47.9
E386093	98.50	99.00		0.35	4.98	27.9	160	1.23	2.85	1.58	<0.02	101.5	109	30	6.19	7260	15.35	11.4	0.25	1.7	0.051	0.68	89.3	43.4	1.57	1425	4.95	1.07	1.1	29.2
E386094	99.00	99.50		0.84	3.54	56.9	1780	1.45	12.65	4.9	<0.02	355	332	16	5.25	2330	24	14	0.5	1.3	0.168	1.24	253	40.7	1.96	4890	75.6	0.06	7	50.4
E386095	99.50	100.00		1.14	2.39	62.1	360	0.47	18.45	4.27	<0.02	328	369	11	1.77	4020	28.4	8.85	0.56	0.8	0.089	0.35	245	20.9	1.45	3420	89.7	0.62	6.9	61.3
E386096			BLANK	0.03	0.15	<5	120	0.09	0.06	44.6	0.34	3.35	2	7	0.05	19	0.16	0.52	0.05	0.1	<0.005	0.03	2.8	1.5	0.49	54	1.08	0.02	0.3	2.2
E386097	100.00	100.50		1.15	2.39	60.2	290	0.47	20.1	4.82	<0.02	414	491	13	1.62	5430	29.2	8.09	0.54	1	0.106	0.21	311	23	1.59	3800	95	0.62	8	62.6
E386098	100.50	101.00		1.11	3.53	55.4	400	0.75	20.4	3.79	<0.02	374	387	19	2.39	3860	28.1	10.6	0.53	1.3	0.07	0.49	286	29.9	1.35	2920	121	1.13	9.8	65.5
E386099	101.00	101.50		1.1	3.19	44	60	0.3	15	5.25	<0.02	293	302	12	0.92	6800	27.6	8.77	0.46	0.9	0.095	0.09	224	19	1.72	4720	110.5	1.42	4.5	45.7
E386100	101.50	102.00		1.31	1.88	64.5	290	0.44	25.4	3.74	<0.02	135.5	377	7	1.3	5120	33.7	5.94	0.42	0.9	0.074	0.27	102.5	18.2	1.2	3140	61.2	0.46	8.2	68.7
E386101	102.00	102.50		2.13	1	85.1	110	0.19	36.1	1.99	<0.02	353	628	2	0.59	4680	38.2	6.46	0.65	0.3	0.065	0.06	274	13.2	0.8	1740	141	0.04	5.7	92.4
E386102	102.50	103.00		1.68	1.27	52.9	50	0.23	20.8	4.73	<0.02	273	485	<1	0.77	>10000	33.3	7.09	0.47	0.2	0.155	0.06	199	15.5	1.74	4530	136	0.07	2.9	62.8
E386103	103.00	103.50		0.58	4.56	14.8	90	0.69	6	5.11	<0.02	243	122.5	24	4.67	935	16.7	12.3	0.36	1.3	0.127	0.45	156	54.6	2.76	6620	25.3	0.13	5.3	42
E386104	103.50	104.00		0.29	6.59	5.5	460	1.79	1.54	0.42	<0.02	44.3	78.8	38	8.66	551	11.95	17.3	0.14	1.7	0.038	1.49	22.7	78.2	1.46	860	2.09	0.39	1.7	31.7
E386105	104.00	104.50		0.09	8.08	3.5	2370	2.16	0.53	0.21	<0.02	83.2	48.3	55	8.37	182	9.77	22.3	0.17	2.4	0.04	1.52	49.2	56.4	1.06	513	9.07	2.81	2.3	35.3
E386106	104.50	105.00		0.05	7.05	3.3	1750	1.01	0.06	0.23	<0.02	70.1	31.3	44	2.76	456	9.3	16	0.18	2.1	0.027	0.53	43.3	29.6	0.93	1765	11.05	3.61	2.7	26.8
E386107			BLANK	0.01	0.16	<5	150	0.05	<0.01	45.7	0.4	2.75	0.9	7	<0.05	8.9	0.06	0.48	0.05	0.1	<0.005	0.03	1.8	1.3	0.48	40	0.44	0.03	0.3	2.1
E386108			STANDARD 3	0.28	7.1	48.4	600	2.28	1.66	1.84	<0.02	88.5	104	44	6.98	1610	6.89	19.25	0.15	2.2	0.119	2.98	40.5	19.2	1.31	3330	19.15	0.58	4.3	28.2
E386109	105.00	105.50		0.17	5.58	7.6	190	0.73	0.83	1.57	<0.02	108.5	77.1	29	1.82	1610	14.55	12.4	0.19	1.5	0.04	0.31	51	16.8	1.12	2440	20.6	3.05	2.5	27.4
E386110	105.50	106.00		0.29	2.77	11.5	90	0.46	0.79	2.69	<0.02	186	102	14	0.65	3340	22	8.9	0.35	0.8	0.027	0.07	91.3	13.8	1.11	2530	40.9	1.07	6.8	36.5
E386111	106.00	106.50		0.36	2.72	14.6	80	0.33	1.36	1.7	<0.02	182.5	158	12	1.04	4130	22.4	7.63	0.34	0.7	0.112	0.16	104	9.8	1.22	4590	88.5	1.29	3.1	29.1
E386112	106.50	107.00		0.56	3.17	18.8	90	0.21	2.76	4.15	<0.02	273	99.6	14	0.64	8200	20.8	7.82	0.33	1	0.11	0.09	206	6.6	1.5	5500	51.3	1.86	3.4	33.5
E386113	107.00	107.50		0.66	1.3	50.2	50	0.12	7.98	4.65	<0.02	>500	264	6	0.42	3100	29	8.02	0.59	0.6	0.067	0.06	490	5.7	1.44	5380	74.4	0.6	5.7	40.1
E386114	107.50	108.00		0.13	1.24	10.8	370	0.26	0.17	6.14	<0.02	415	34.1	4	0.48	891	22.9	7.5	0.44	0.4	0.07	0.06	320	7.3	2.04	7180	38.3	0.45	6.8	26.5
E386115	108.00	108.50		0.03	7.03	3	3800	2.38	0.07	0.43	<0.02	135	19.4	50	8.03	166.5	7.87	18.9	0.12	1.8	0.049	2.44	95.2	43.2	0.86	753	3.88	1.18	3.6	15.5
E386116	108.50	109.00		0.04	8.22	2.1	8500	2.36	0.06	0.4	<0.02	142	29.2	54	10.7	140.5	11.2	22.8	0.17	2	0.102	3.3	92	58.6	1.07	3320	1.44	0.88	2.6	18.6
E386117	109.00	109.50		0.04	9.81	1.5	>10000	2.95	<0.01	0.68	<0.02	103.5	23.6	68	12.7	73	10.15	30.2	0.15	2.4	0.113	4.5	66.3	77.5	1.28	1895	1.12	0.51	3.4	21.8
E386118	109.50	110.00		0.03	8.37	1.5	9240	2.35	0.01	1.28	<0.02	113.5	33.7	52	10.25	216	11.95	22.7	0.2	2.2	0.101	3.03	72.3	65.6	1.5	4480	2.44	1.47	2.9	23.3
E386119			BLANK	0.01	0.14	10	70	0.08	<0.01	46.1	0.4	2.79	0.9	6	0.05	4.7	0.05	0.51	0.07	0.1	<0.005	0.03	1.8	1.5	0.49	41	0.27	0.03	0.3	2.7
E386120	110.00	110.50		0.03	8.03	1.1	>10000	2.93	<0.01	1.13	<0.02	42.3	19.3	52	11.05	82	10	22.9	0.11	2.1	0.077	3.32	26.8	68.3	1.12	2090	2.01	0.77	3.7	16.6
E386121	110.50	111.00		0.06	9.26	1.9	>10000	3.17	0.01	0.36	<0.02	63.8	19.2	65	10.95	9.2	9.49	24.8	0.18	2	0.087	4.71	44.6	68.9	0.86	571	1.24	0.51	3.3	13.4
E386122	111.00	111.50		0.04	6.28	2.1	7410	1.71	0.02	1.15	<0.02	115	28.1	37	8.52	38.2	9.04	19.55	0.2	1.7	0.068	2.41	76	67.5	1.02	1360	1.81	0.98	2.4	16
E386123	111.50	112.00		0.06	7.47	3	9910	3.01	0.06	0.77	<0.02	140	26.6	53	11.65	72.3	10.3	22.6	0.26	2.1	0.095	3.36	98.3	80.3	0.91	631	3.81	0.84	3.6	16.2
E386124	112.00	112.50		0.04	6.47	3.7	6830	3.08	0.06	0.27	<0.02	188.5	25.4	49	11.4	20.4	9.18	21.1	0.24	2	0.078	2.96	149.5	73.3	0.74	391	2.62	0.47	5.4	15
E386125	112.50	113.00		0.04	5.14	6.7	480	1.7	0.08	0.9	<0.02	151	41.7	38	6.22	27.3	15.1	13	0.29	1.2	0.035	2.02	115.5	44.3	0.76	954	4.28	0.79	2.6	16.8
E386126	113.00	113.50		0.1	0.6	10.1	90	0.44	0.25	2.83	0.02	174.5	130	2	0.19	251	28	5.88	0.56	0.2	0.058	0.03	110.5	3.6	0.7	2700	12.65	0.21	2.6	20.8
E386127	113.50	114.00		0.04	6.38	4.5	310	1.91	0.13	1.14	<0.02	119.5	74.5	42	6.23	13.5	16.15	14.9	0.32	1.7	0.039	1.96	88.4	36.5	0.96	1040	4.93	1.57	3.5	21.1
E386128	114.00	114.50		0.02	8.93	2.9	7010	2.83	0.04	1.01	<0.02	22.1	33	51	5.2	42.3	8.82	21.2	0.13	1.8	0.033	2.09	15.4	39.7	1.62	893	2.28	1.52	2.7	49.8
E386129	114.50	115.00		0.07	6.59	5.7	500	2.34	0.16	1.29	<0.02	33.9	53.2	44	5.72	67.9	14.25	21	0.26	1.6	0.025	1.68	22.9	39.2	1.33	1250	8.01	1.02	2.8	46.4
E386130			BLANK	0.03	0.13	14	40	0.09	<0.01	44.8	0.36	2.05	0.7	5	<0.05	1.7	0.05	0.48	0.05	0.1	0.027	0.03	1.6	1.1	0.5	34	0.19	0.02	0.2	4
E386131			STANDARD 1	1.21	5.42	75.7	70	1.52	2.94	1.9	<0.02	56.9	155.5	31	3.72	7920	9.57	14.45	0.23	1.8	0.137	2.19	22	19.4	1.18	3330	70.4	0.89	3.1	36.9
E386132	115.00	115.50		0.05	6.08	4.2	1550	2.74	0.15	0.49	<0.02	23.8	22.8	40	9.11	51.4	7.77	18.25	0.12	1.9	0.066	2.51	15.8	51.8	0.82	641	4.39	0.62	3.7	19.3
E386133	115.50	116.00		0.04	7.42	3.9	5970	3.09	0.03	0.48	<0.02	48.9	24.1	44	11.4	19.2	8.6	20.7	0.18	2.4	0.088	3.43	32.5	64	0.88	1580	5.55	0.93	4.1	17.5
E386134	116.00	116.50		0.05	7.21	4	2980	2.89	0.03	0.44	<0.02	56.7	29.4	49	9.41	14.4	10.55	17.85	0.19	2.1	0.062	3.03	37.5	53.3	0.92	1985	4.3	0.75	2.9	17.5
E386135	116.50	117.00		0.04	6.26	3.4	2540	2.67	0.06	0.37	<0.02	67.8	27	43	10.85	8.8	10.95	18.75	0.23	2.1	0.076	3.11	44.2	59.8	0.85	1490	6.62	0.39	3.5	19.7
E386136	117.00	117.50		0.06	5.14	4.2	1550	1.89	0.06	0.49	<0.02	38.6	28.9	39	7.9	24.1	13.7	15.15	0.23	1.7	0.05	2.14	25.6	47.4	0.77	1075	6.91	0.57	3.1	20.3
E386137	117.50	118.00		0.05	8.04	3.7	4770	3.43	0.05	0.25	<0.02	48.6	48.9	52	7.47	13	11.35	31.4	0.24	2.2	0.058	1.99	32.3	54.8	1.65	1940	5.11	0.76	3.5	84.1
E386138	118.00	118.50		0.02	8.44	2.5	8920	3.05	0.06	0.26	<0.02	34.7	24.9	48	6.67	11.4	7.62	22.5	0.13	1.7	0.025	2.44	20.7	46.5	1.35	472	3.03	0.73	2.6	63.9
E386139	118.50	119.00		0.04	7.93	3.5	2970	2.14	0.07	0.47	<0.02	60.5	28	48	6.82	7.4	12.7	15.9	0.19	1.9	0.039	2.9	39.1	54.6	1.11	1555	4.8	1.54	2.6	16
E386140	119.00	119.50		0.08	6.9	4	2210	2.84	0.1	0.65	<0.02	110	29.9	49	11.05	6.4	12.1	20.3	0.32	2.3	0.057	2.77	69.7	64.8	0.82	1035	7.78	1.08	3.3	20.1
E386141	119.50	120.00		0.05	8.36	4.1	3320	3.46	0.08	0.46	<0.02	115	18.8	53	14.7	6	9.95	22.3	0.3	2.5	0.062	3.57	72	68.2	0.75	859	6.1	1.14	3.6	18.1
E386142			BLANK	0.01	0.14	<5	90	0.11	<0.01	43.6	0.3	1.86	0.6	5	<0.05	1.5	0.09	0.42	0.06	0.1	0.04	0.04	1.4	1	0.49	34	0.19	0.02	0.2	2.7
E386143	120.00	120.50		0.03	6.87	3.3	3050	2.69	0.05	0.53	<0.02	124	18	44	11	2.9	7.36	19.5	0.21	2.4	0.082	2.98	78	58.3	0.71	585	7.23	0.99	3.7	13.7
E386144	120.50	121.00		0.05	5.57	3.5	1610	2.01	0.06	0.67	<0.02	152.5	22	37	8.96	3.3	7.68	18.1	0.24	2	0.037	2.07	96	55.3	0.78	773	9.11	1	3.8	12.2
E386145	121.00	121.50		0.05	6.58	2.7	3700	2.37	0.03	0.59	<0.02	147.5	18.7	41	10.5	7.3	9.7	18.3	0.25	2.3	0.045	2.68	96.5	62.4	0.66	702	4.51	1.14	3.5	15
E386146	121.50	122.00		0.06	5.04	3.6	1800	1.86	0.06	0.79	<0.02	142.5	29.3	28	8.65	1.9	12.2	14.6	0.29	1.8	0.027	2.05	91	48.4	0.69	1055	11.2	0.39	3.2	18.4
E386147	122.00	122.50		0.04	6.35	2.5	4500	2.54	0.04	0.82	<0.02	139	18.4	41	11.25	3.1	10.2	18.1	0.31	2.1	0.045	3.03	91.2	55.4	0.69	931	7.95	0.84	3.7	15.7
E386148	122.50	123.00		0.02	6.4	2	4770	1.92	0.02	1.06	<0.02	91.3	15.9	36	7.89	2.9	9.02	13	0.16	1.6	0.01	3.04	59	44.4	0.76	1060	3.88	0.83	2.5	11.5
E386149	123.00	123.50		0.07	7.06	3.7	6060	3.22	0.09	0.78	<0.02	125	25	42	13.35	7.2	9.17	20.4	0.27	2.4	0.045	3.36	82	72.6	0.83	725	5.26	0.65	3.5	18.9
E386150	123.50	124.00		0.1	6.79	5.9	1200	2.34	0.17	0.99	<0.02	115	35.8	42	10.2	20.8	11.45	17.55	0.31	2	0.038	2.84	73.9	60.4	0.91	800	15.95	0.74	3.5	18.8
E386151	124.00	124.50		0.11	8.81	9.5	4910	3.65	0.14	0.92	<0.02	160	43.2	53	14.45	12.1	12.35	25.6	0.3	2.6	0.097	3.66	112.5	91	0.97	777	17	0.83	3.9	22.3
E386152	124.50	125.00		0.06	6.45	7.6	1080	2.38	0.1	1.01	<0.02	115	39	38	9.39	3.5	11.6	16.95	0.3	1.9	0.054	2.71	71.1	67.1	1.06	909	10.7	0.35	3.1	19.4
E386153			BLANK	0.02	0.13	13	110	0.11	<0.01	43.3	0.35	2.56	0.9	6	<0.05	6.8	0.07	0.53	0.07	0.1	0.033	0.03	1.9	1.2	0.48	36	0.3	0.02	0.3	4
E386154			STANDARD 2	1.36	2.22	113.5	50	0.46	11.3	2.09	0.02	205	308	12	2.82	8690	25.9	9	0.61	0.8	0.287	0.83	114	14.9	1.41	5790	64.2	0.23	5.4	56.4
E386155	125.00	125.50		0.06	6.07	3.8	1940	2.16	0.09	1.16	<0.02	128	24.1	41	10	34	9.2	18.1	0.25	2.2	0.046	2.31	80.3	61.6	1.02	1180	7.02	0.73	4.1	16.5
E386156	125.50	126.00		0.05	8.34	3.9	3510	2.84	0.1	1.23	<0.02	110.5	35.2	48	12.2	17	12.6	20.3	0.28	2.2	0.087	3.42	68.1	72.5	1.34	1060	9.03	0.72	2.8	25.7
E386157	126.00	126.50		0.07	8.74	3.3	>10000	3.5	0.07	1.08	<0.02	141	20.1	53	17.5	8.1	9.44	25.5	0.23	2.7	0.108	4.04	98.7	93.9	1.26	967	10.6	0.82	3.7	21.1
E386158	126.50	127.00		0.04	6.06	2.6	5940	2.83	0.14	1.45	<0.02	131	12.3	36	10.2	9.7	9.59	17.7	0.28	1.9	0.078	2.84	79.6	60.1	1	1320	7.18	0.7	3.3	15.6

IG-2007-23

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba	U
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	%
E386073			BLANK	110	0.8	0.5	<0.002	0.05	0.12	0.5	1	<0.2	276	<0.05	0.11	0.2	0.007	<0.02	0.7	2	0.2	3	22	3.5		<0.001		
E386074	90.00	90.50		1020	2.7	119.5	0.017	1.38	1.44	8	1	9	145.5	0.08	0.36	11.4	0.073	0.23	9.4	57	10.8	11.8	3	43.9		0.022		
E386075	90.50	91.00		1140	2.9	80.5	0.012	1.86	1.25	6.9	1	8.3	149	0.12	0.64	7.6	0.057	0.16	4.4	59	11.1	12.9	<2	38.9		0.034		
E386076	91.00	91.50		2250	4.8	15.5	0.024	6.16	1.26	3.3	2	4.1	88.6	0.11	2.22	4.8	0.022	0.04	8.5	55	9.9	13.8	3	20.5		0.069		
E386077	91.50	92.00		680	1.6	180	0.005	0.31	1.48	9.3	<1	16.8	182	0.09	0.06	10.5	0.108	0.3	2.1	70	15.7	10.2	3	51.3		0.002		
E386078	92.00	92.50		740	1.5	179.5	0.012	0.26	1.37	10.8	<1	12.6	276	0.13	<0.05	10.2	0.111	0.33	3	68	18	13.5	7	62		0.008	2.5	
E386079	92.50	93.00		740	1.3	190	0.013	0.25	1.49	9.8	<1	9.6	408	0.15	0.07	11.4	0.123	0.37	3.5	69	20.7	14.4	3	64.6		0.011	3.78	
E386080	93.00	93.50		790	1.2	173.5	0.005	0.24	1.54	8.5	<1	7	302	0.15	<0.05	10.3	0.111	0.36	2.7	62	19.3	15.2	3	59.6		0.005	2.48	
E386081	93.50	94.00		720	1.4	173	0.009	0.48	1.41	9.3	<1	7.3	316	0.09	<0.05	11.1	0.104	0.36	2.8	62	17.6	12.8	4	55.5		0.007		
E386082	94.00	94.50		690	2.5	143	0.014	1.57	1.98	8.5	<1	6.7	87.5	0.09	0.19	11.9	0.085	0.35	6.3	52	14.4	12.7	3	54.6		0.014		
E386083	94.50	95.00		830	2	160.5	0.031	0.68	1.59	14	<1	7.6	214	0.14	0.15	14.4	0.111	0.34	3.6	65	16.9	16.8	4	68.7		0.006		
E386084			BLANK	130	0.6	0.8	<0.002	0.05	0.06	0.4	<1	<0.2	274	<0.05	0.06	0.2	0.006	<0.02	0.6	2	0.1	2.6	22	3		<0.001		
E386085			STANDARD 2	2310	6	34.7	0.016	6.68	1.96	4.1	3	7.1	158.5	0.12	0.97	5.2	0.034	0.48	14.2	59	6.6	13.8	6	22.6		0.126		
E386086	95.00	95.50		720	1.4	136.5	0.022	0.38	1.34	11	<1	6.6	281	0.11	0.07	12.3	0.066	0.29	3.7	53	14.1	13.9	5	62.3		0.007		
E386087	95.50	96.00		740	1.4	140.5	0.049	0.65	1.22	8.1	<1	6.1	82.8	0.07	0.07	9.4	0.097	0.22	2.3	62	11.5	8.8	4	43.8		0.011		
E386088	96.00	96.50		750	1.9	177	0.21	0.86	1.38	12.2	1	8.7	84.9	0.07	0.1	13.7	0.101	0.34	4.6	67	15.6	11.6	3	66.3		0.016		
E386089	96.50	97.00		670	2	148	0.193	1.02	1.64	10.5	1	8.5	53	0.09	0.12	12.3	0.086	0.29	2.9	53	13.4	9.1	3	54.5		0.013		
E386090	97.00	97.50		990	3.7	150	0.057	0.98	1.78	12	<1	15.5	106	0.11	0.07	16.5	0.097	0.32	54.4	62	14.2	13	13	72.4		0.012		
E386091	97.50	98.00		690	2.6	56.9	0.021	2.26	1.13	8.1	<1	7.5	90.3	0.1	0.1	7	0.059	0.1	33.1	66	9.4	8.8	3	38.8		0.013		
E386092	98.00	98.50		1910	7.4	20	0.017	>10.0	1.56	6.2	1	4.6	85	0.15	0.42	7.6	0.046	0.09	9.1	80	10.3	15.9	2	32.9		0.046		
E386093	98.50	99.00		1240	3.3	31.5	<0.002	4.03	1.62	3.7	1	4.9	66.8	0.05	0.14	8.1	0.032	0.14	6.2	53	5.1	11.6	18	49.7		0.019		
E386094	99.00	99.50		2940	7.8	68.4	0.015	>10.0	2.38	11.3	3	19.4	97.5	0.11	0.88	10	0.082	0.26	22.5	83	13.5	24.9	3	37.4		0.059		
E386095	99.50	100.00		4500	7.8	19.9	0.012	>10.0	2.72	5.2	3	7.8	88.7	0.15	1.36	8	0.036	0.21	17.8	80	13.7	26.3	<2	24.4		0.093		
E386096			BLANK	180	0.7	0.4	<0.002	0.1	0.08	0.5	1	0.2	277	<0.05	0.11	0.2	0.006	<0.02	0.8	1	0.2	2.9	22	3.8		<0.001		
E386097	100.00	100.50		4580	7.8	11.3	0.013	>10.0	2.53	4.6	4	6.1	96.4	0.2	1.72	10.3	0.043	0.1	26.1	77	10.4	29.7	9	27.7		0.099		
E386098	100.50	101.00		3990	7.1	29.5	0.018	>10.0	2.34	5.2	4	12.2	76.3	0.2	1.1	8.8	0.054	0.15	14.4	81	10.5	24.4	<2	39.2		0.063		
E386099	101.00	101.50		4140	5.9	4.6	0.019	>10.0	2.25	5.4	4	5.9	102.5	0.11	1.15	7.7	0.032	0.15	28.5	75	5.8	24.5	13	28.5		0.079		
E386100	101.50	102.00		2540	8.2	15.5	0.009	>10.0	2.82	3.4	3	8.5	58.4	0.21	1.5	4.7	0.042	0.21	27.2	61	10.8	16.8	<2	28.6		0.063		
E386101	102.00	102.50		2510	10.2	3.4	0.029	>10.0	3.95	2.2	5	4.6	42	0.12	3.96	4.9	0.024	0.21	5.3	68	6.8	15	<2	8.7		0.161		
E386102	102.50	103.00		2870	7	2.6	0.035	>10.0	2.7	4.1	6	4.7	138	0.08	2.02	3.7	0.014	0.42	5.8	78	5	19.8	13	4.9	1.09	0.112		
E386103	103.00	103.50		1370	5.8	26.9	0.011	2.87	1.81	8.5	1	6.8	133.5	0.18	0.35	12.5	0.059	0.31	6.3	71	9.4	17.9	22	38.7		0.013		
E386104	103.50	104.00		710	3.6	96.7	<0.002	1.07	1.58	15.2	<1	20.3	182	0.14	0.08	15	0.086	0.24	3.3	84	14	9	25	52.5		0.002		
E386105	104.00	104.50		730	2	90.75	0.01	0.58	1.38	23.3	<1	22.2	538	0.16	<0.05	14.3	0.095	0.19	3.4	79	17.1	13.8	11	73.6		<0.001		
E386106	104.50	105.00		670	1.8	32.9	0.015	0.4	1.22	8.9	<1	8.3	844	0.19	<0.05	11.1	0.079	0.08	4.2	53	14.4	12.4	10	65.3		<0.001		
E386107			BLANK	120	0.7	0.8	<0.002	0.06	0.05	0.6	1	<0.2	279	<0.05	<0.05	0.3	0.008	<0.02	0.8	3	0.1	3	24	3.8		<0.001		
E386108			STANDARD 3	820	3	143	0.006	1.34	1.37	12.2	1	8.4	469	0.32	0.16	14.3	0.134	0.36	21.4	85	10.8	12.3	6	67		0.018		
E386109	105.00	105.50		1020	1.1	18.1	0.011	1.15	1.13	6.4	1	5.7	617	0.16	0.08	9.5	0.05	0.03	4.7	57	18.2	12.1	7	46.1		0.006		
E386110	105.50	106.00		2390	1.6	3.6	0.017	1.48	0.62	4.5	2	4.7	601	0.19	0.11	5.1	0.044	<0.02	7.1	55	23	17.6	7	25.3		0.016		
E386111	106.00	106.50		2310	2.1	10.2	0.026	2.09	1.2	4.7	2	3.9	434	0.09	0.14	5.6	0.023	0.02	3.7	57	21.9	12.7	6	21.1		0.023		
E386112	106.50	107.00		1690	4.4	4.4	0.018	2.37	1.75	4	2	2.7	182	0.09	0.31	6.6	0.025	0.05	13.4	41	26.9	15.4	8	28.1		0.031		
E386113	107.00	107.50		2090	7.2	3.2	0.023	4.76	4.21	3.6	4	2.8	169	0.11	0.94	6.9	0.027	0.09	14.3	28	31.8	17.7	5	18.2		0.045		
E386114	107.50	108.00		2990	2.5	3.6	0.01	0.34	1.79	4.1	1	2.7	674	0.12	<0.05	7.1	0.026	<0.02	2.8	48	52.1	17.5	7	11.2		0.003		
E386115	108.00	108.50		760	1.9	148.5	<0.002	0.23	1.61	13.5	<1	21.9	704	0.16	<0.05	12	0.113	0.22	3.2	70	22.2	9.5	4	54.6		<0.001		
E386116	108.50	109.00		820	2.2	199	<0.002	0.33	2.3	14.5	<1	18.5	486	0.17	<0.05	16.4	0.123	0.28	3.7	80	22.2	12.7	5	60.1		0.001	4.15	
E386117	109.00	109.50		810	2	250	<0.002	0.38	2.91	19.1	<1	23	494	0.23	0.05	16.9	0.162	0.38	3.6	94	25.8	15.2	6	74		<0.001	3.83	
E386118	109.50	110.00		790	2	179	<0.002	0.32	1.98	17.7	<1	18.8	273	0.18	0.06	17.8	0.124	0.26	4.7	74	22.2	18	6	70.7		0.005	2.1	
E386119			BLANK	120	0.9	1.1	<0.002	0.05	0.06	0.6	1	<0.2	283	<0.05	<0.05	0.2	0.006	<0.02	0.7	3	0.1	3.1	24	3.5		<0.001		
E386120	110.00	110.50		790	1.5	196.5	<0.002	0.37	1.98	16	<1	21	235	0.2	<0.05	14.6	0.131	0.3	3.1	71	21.2	12.4	5	63.9		0.001	1.78	
E386121	110.50	111.00		780	1.6	212	<0.002	0.3	2.17	13.1	2	20.9	144	0.18	<0.05	13.6	0.157	0.33	4.1	84	20	9.4	4	60.9		<0.001	1.55	
E386122	111.00	111.50		720	2.4	124	<0.002	0.28	2.46	12	1	11.6	236	0.13	<0.05	14.9	0.087	0.22	4.5	57	15.6	10.1	9	54.1		<0.001	1.8	
E386123	111.50	112.00		810	3	173	0.003	0.3	2.57	12.2	<1	19	166.5	0.17	0.07	14.3	0.121	0.32	4.1	75	18.4	12.8	7	64.1		0.007	1.47	
E386124	112.00	112.50		790	2.2	159	<0.002	0.21	2.44	12.6	1	27.1	214	0.18	0.07	13.3	0.119	0.26	3.1	70	23.3	11.2	6	65.8		0.003	2.01	
E386125	112.50	113.00		1110	1.9	109	<0.002	0.3	1.82	10.6	2	14.3	321	0.11	0.07	9.6	0.081	0.15	2.6	64	22.9	9.5	4	36.2		0.002		
E386126	113.00	113.50		1660	1.5	1.8	0.002	1.38	0.85	3.2	3	1.3	681	0.06	0.16	2.5	0.009	0.02	1.4	24	19.7	15.6	3	4.2		0.001		
E386127	113.50	114.00		1440	2.2	95.8	<0.002	0.63	1.45	13.3	2	21.8	144	0.12	0.05	11.9	0.088	0.13	4.5	68	18.2	12.5	9	51.5		<0.001		
E386128	114.00	114.50		990	1.8	84.4	<0.002	0.33	1.06	15.5	2	18.4	251	0.16	<0.05	11	0.14	0.13	4.9	73	12.6	10.2	14	59		0.001	1.37	
E386129	114.50	115.00		1040	2	89	0.002	0.39	1.69	13.8	2	13.2	330	0.16	0.14	12.2	0.109	0.13	4.2	73	20.8	10.7	13	48.2		0.004		
E386130			BLANK	110	0.8	0.8	<0.002	0.06	0.06	0.5	2	<0.2	290	<0.05	<0.05	0.2	0.006	<0.02	0.7	4	0.1	2.6	22	3.1		<0.001		
E386131			STANDARD 1	840	20.7	95.1	0.024	2.3	1.72	9	4	8.2	563	0.17	0.23	8.5	0.08	0.48	276	53	8.6	15	13	55		0.045		
E386132	115.00	115.50		780	2.4	148	0.002	0.15	2.31	9.2	2	15.1	488	0.22	<0.05	12.8	0.118	0.23	12.1	54	26.8	10.1	12	58.9		0.001		
E386133	115.50	116.00		750	2.7	174.5	0.002	0.17	2.37	12.1	2	17.4	161	0.22	<0.05	30.5	0.132	0.28	22.1	57	37.2	12.9	5	74.3		0.001	1.49	
E386134	116.00	116.50		840	1.7	172	<0.002	0.17	1.92	11.2	2	15.2	218	0.15	<0.05	19.5	0.119	0.24	9.7	60	25.6	10.6	4	64.4		0.001		
E386135	116.50	117.00		940	1.5	160	0.002	0.14	2.28	11.6	2	16.4	272	0.2	0.07	14.3	0.125	0.26	4.3	59	26.6	10.4	5	65		0.002		
E386136	117.00	117.50		1010	1.6	125.5	0.002	0.16	2.5	10	2	12.6	206	0.19	0.14	11.8	0.105	0.19	5.7	62	28.3	9.4	4	51.1		0.006		
E386137	117.50	118.00		800	2	122.5	<0.002	0.26	2.29	17.9	2	15.7	290	0.24	0.08	13.3	0.15	0.17	4.5	78	19	12.2	11	69.1		0.001		
E386138	118.00	118.50		810	2.7	96	<0.002	0.25	1.73	12.6	1	12.1	285	0.15	0.05	8.2	0.151	0.16	8.3	73	14.3	8.7	13	55.8		0.002	2.12	
E386139	118.50	119.00		970	2.6	131.5	0.002	0.25	1.44	9.4	2	15.9	365	0.14	<0.05	8.2	0.116	0.19	4.1	73	17.6	10.1	15	59.4		<0.001		
E386140	119.00	119.50		870	3.8	175.5	0.003	0.21	2.1	10.9	2	19.5	464	0.17	<0.05	13.1	0.106	0.28	6	70	23.8	11.9	8	73.4		<0.001		
E386141	119.50	120.00		960	3	196.5	0.002	0.18	2.02	11.5	2	21.1	499	0.18	<0.05	14.7	0.134	0.37	8.2	73	24.9	11.8	5	78.3		0.001		
E386142			BLANK	110	0.5	0.9	<0.002	0.06	0.07	0.4	2	<0.2	281	<0.05	<0.05	0.2	0.006	<0.02	0.6	4	0.1	2.2	22	2.4		<0.001		
E386143	120.00	120.50		880	2.2	163	0.002	0.13	2.21	9.2	2	16.5	385	0.22	<0.05	15.2	0.123	0.26	8.5	59	23.9	11.4	6	71.3		0.001		
E386144	120.50	121.00		750	2.7	139	0.002	0.17	2.15	7.7	2	11.5	376	0.23	<0.05	12.2	0.09	0.21	5.6	50	21.9	11.2	8	62.8		<0.001		
E386145	121.00	121.50		800	2.4	187	<0.002	0.15	2	9.2	2	14.4	283	0.19	<0.05	16.2	0.104	0.25	5.5	66	20.5	12.7	7	67.2		0.002		
E386146	121.50	122.00		890	2.2	135.5	0.002	0.18	2.45	7.6	2	10.8	234	0.17	0.08	12.8	0.09	0.18	3.8	60	23.7	11.3	6	49.7		0.001		
E386147	122.00	122.50		820	2.2	161	0.002	0.12	2.05	9.1	2	14.3	259	0.19	0.08	15.3	0.111	0.25	5.3	69	20.5	12.9	5	64.2		0.003		
E386148	122.50	123.00		760	1.5	135.5	<0.002	0.12	1.45	7.1	2	9.6	275	0.13	<0.05	9.8	0.109	0.17	3.6	64	13.6	9.9	3	48.2		0.004		
E386149	123.00	123.50		840	2.6	179.5	<0.002	0.18	2.31	11.5	2	15.8	154.5	0.2	0.06	15.6	0.125	0.31	5.7	71	21.2	14.1	4	72.6		0.007	1.39	
E386150	123.50	124.00		1080	3	162.5	0.002	0.32	2.02	9.4	2	14	306	0.18	0.21	14.8	0.113	0.23	35.4	74	22	13.3	5	62.6		0.005		
E386151	124.00	124.50		1370	3.5	201	0.002	0.4	2.04	12.1	1	23.7	217	0.13	0.18	14.6	0.137	0.3	29.4	79	28.2	16.5	5	84.6		0.003		
E386152	124.50	125.00		970	2.1	153	0.002	0.29	1.56	8.6	2	14	388	0.15	0.12	11.1	0.105	0.2	9.2	67	18.8	11.6	7	56.5		0.007		
E386153			BLANK	110	0.7	1	<0.002	0.06	0.08	0.5	3	0.2	270	<0.05	<0.05	0.2	0.006	<0.02	0.7	4	0.1	2.7	25	3.2		<0.001		
E386154			STANDARD 2	2300	6.8	37.1	0.019	6.58	2.47	3.7	6	8.3	176	0.14	1.57	6.2	0.031	0.48	17.7	57	7.3	14.9	2	23		0.1		
E386155	125.00	125.50		800	2.4	160.5	<0.002	0.16	2.19	8.5	2	14.2	727	0.24	0.05	13.1	0.105	0.22	6.2	60	21.4	13.2	6	68.1		0.006		
E386156	125.50	126.00		930	2	199	<0.002	0.33	1.19	11.3	2	16.5	411	0.12	0.11	13.7	0.121	0.26	8	73	20.1	12.7	7	68		0.003		
E386157	126.00	126.50		970	2.1	208	0.002	0.31	1.69	13	1	20.9	374	0.12	0.13	17.3	0.146	0.31	8.4	73	25.7	14.3	6	87.9		0.005	3.2	
E386158	126.50	127.00		840	1.9	139	<0.002	0.15	1.55	7.8	<1	11.3	265	0.15	0.18	13.1	0.095	0.24	4.8	66	16.2	12.2	2	56.5		0.004	2.41	

IG-2007-23

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
E386159	127.00	127.50		0.04	6.93	2.3	9360	2.52	0.02	0.85	<0.02	162.5	13	42	11	28.2	6.99	18.55	0.22	2	0.065	3.04	113.5	65.9	0.84	1140	2.94	1.09	3.2	12.9
E386160	127.50	128.00		0.05	8.02	2.8	8660	3.94	0.05	1.19	<0.02	161	34.1	47	12.3	4.3	10.1	24.3	0.25	2.6	0.072	2.97	116.5	77.7	1.01	1140	11.7	1.74	2.4	20.5
E386161	128.00	128.50		0.05	5.58	2.3	1130	0.98	0.04	1.01	<0.02	83	53.5	34	2.15	36.7	10.1	15.1	0.21	1.8	0.025	0.47	61.5	31.8	0.94	1460	4.01	2.73	1.3	18.6
E386162	128.50	129.00		0.07	5.66	2.9	1810	0.76	0.07	1.11	<0.02	75.9	68.5	30	1.98	129	13.7	15.55	0.23	2	0.02	0.26	58.6	47.6	1.49	951	3.58	2.17	1.1	27.2
E386163	129.00	129.50		0.03	5.87	2.7	890	0.88	0.03	1.08	<0.02	118	68.8	32	1.9	20.9	13.7	15.45	0.24	1.9	0.032	0.32	88.7	55	1.62	826	2.27	2.06	0.8	26.7
E386164	129.50	130.00		0.06	6.42	2.4	1480	0.8	0.03	0.66	<0.02	103	61.9	40	1.68	38.2	14.5	17.2	0.26	2.2	0.024	0.23	79.2	51.3	1.41	562	2.16	2.46	1.2	28.7
E386165			BLANK	0.02	0.13	<5	40	0.11	<0.01	43.2	0.41	2.5	1	5	<0.05	2.9	0.07	0.58	<0.05	0.1	<0.005	0.03	2	1.7	0.45	35	0.24	<0.01	0.2	<0.2
E386166	130.00	130.50		0.06	6.57	3.3	860	0.73	0.07	1.62	<0.02	112	104.5	34	0.76	16.8	12.35	17.75	0.24	2	0.019	0.15	85.3	20	0.68	974	3.18	3.97	1.1	21.5
E386167	130.50	131.00		0.08	8.35	4	290	0.85	0.11	0.95	<0.02	89	140	39	1.74	293	17.8	16.45	0.26	2.2	0.023	0.36	84.9	45.7	1.27	611	1.45	2.44	1	33.9
E386168	131.00	131.50		0.14	6.48	3.4	260	0.73	0.15	2.05	<0.02	109.5	117	36	0.77	1080	10.65	15.8	0.22	2.3	0.021	0.13	78.3	20.6	0.94	2070	0.85	3.71	2.2	20.1
E386169	131.50	132.00		0.37	4.21	13.5	180	0.36	0.42	2.94	<0.02	417	209	20	0.58	3440	19.8	13.4	0.45	1.3	0.047	0.08	300	14.4	1.05	2980	25.8	2.16	2.5	26.1
E386170	132.00	132.50		0.25	3.34	20.7	170	0.2	0.72	3.59	0.03	311	258	10	0.47	330	31.9	13.75	0.64	0.6	0.074	0.07	216	11.4	1.14	3680	126	1.62	2.9	36
E386171	132.50	133.00		0.2	2.92	15.7	100	0.13	0.46	6.53	0.02	251	178	10	0.27	1840	21.7	9.87	0.41	0.9	0.152	0.08	167.5	8.3	1.71	7170	45.8	1.55	3.8	23.3
E386172	133.00	133.50		0.43	4.45	14.3	130	1.42	1.62	4.06	<0.02	160	98.6	21	3.07	4500	14.05	12.35	0.32	1.4	0.134	0.82	105.5	50.7	1.84	4130	34.6	0.67	3.2	23.9
E386173	133.50	134.00		0.4	4.26	40.5	130	0.25	2.23	4.88	<0.02	136	178	17	0.37	2070	19.95	10.1	0.34	1	0.087	0.07	110.5	14.4	1.49	4420	15.35	2.26	4.2	24.4
E386174	134.00	134.50		0.52	2.91	94.4	60	0.23	3.56	2.83	<0.02	121.5	421	20	0.57	1970	24.8	10.5	0.39	1.1	0.063	0.05	98.9	22.8	1.21	2640	19.85	0.84	5.2	43.1
E386175	134.50	135.00		0.56	2.01	112.5	60	0.16	5.5	7.6	<0.02	228	235	7	0.87	1390	22.8	8.56	0.42	0.7	0.157	0.05	178	19.5	2.39	7140	26.9	0.48	4.7	30.8
E386176			BLANK	0.01	0.13	12	30	0.1	0.01	46.4	0.42	3.05	1.8	6	<0.05	7.7	0.08	0.59	<0.05	0.1	<0.005	0.03	2.5	1.6	0.49	43	0.42	<0.01	0.2	<0.2
E386177			STANDARD 3	0.34	6.75	55.8	210	2.52	1.66	1.91	<0.02	85.9	112	39	6.87	1500	7.07	19.6	0.19	2.2	0.132	2.87	46.4	26.1	1.26	3200	19.55	0.47	2.9	25.5
E386178	135.00	135.50		0.86	3.01	119	70	0.32	14.75	7.3	<0.02	411	387	11	0.76	3110	21.3	9.83	0.52	1.1	0.103	0.09	291	19.4	1.69	4710	51.9	1.13	5.9	39.3
E386179	135.50	136.00		1.59	0.46	178	40	0.07	30.5	11.85	<0.02	146.5	406	<1	0.38	5900	30.9	4.76	0.42	0.2	0.121	0.03	130.5	4.4	1.64	6160	32.8	0.11	3.1	33.2
E386180	136.00	136.50		0.83	4.43	122.5	80	0.51	12.7	4.01	<0.02	100.5	327	22	0.71	5670	20	10.75	0.38	1.1	0.056	0.11	86.9	15.7	0.71	1300	18.95	2.36	3.9	37.3
E386181	136.50	137.00		1.36	2.91	144.5	70	0.25	17.7	5.03	<0.02	175.5	440	13	0.47	9760	25.5	6.89	0.45	0.7	0.092	0.07	147.5	7.9	0.7	2320	38.4	1.7	4.2	40.4
E386182	137.00	137.50		1.63	2.43	205	40	0.34	35.8	5.43	<0.02	98.4	681	10	0.67	4170	31.1	6.96	0.44	0.9	0.097	0.13	84.1	8.3	1.08	4300	27.2	1.26	4.9	46.2
E386183	137.50	138.00		1.59	1.76	227	40	0.16	34.3	5.55	<0.02	258	577	12	0.41	7820	36.1	7.03	0.54	0.7	0.155	0.05	221	6.2	1	4510	72.6	0.68	5.8	45.5
E386184	138.00	138.50		1.77	1.6	251	60	0.13	57.1	4.37	0.02	239	816	4	0.36	3190	37.5	7.56	0.69	0.4	0.081	0.04	185	5.5	0.47	1490	80.3	0.78	4	62.4
E386185	138.50	139.00		1.61	3.81	149.5	50	0.32	27.7	4.6	<0.02	388	502	19	0.72	7410	25.4	10.8	0.53	1.1	0.129	0.12	306	15.4	1.09	3140	56.9	1.85	6.8	51.2
E386186	139.00	139.50		1.58	5.01	82.5	100	0.46	16.6	2.84	<0.02	187	316	28	0.75	9000	21.9	11.4	0.4	1.3	0.115	0.1	156	18.6	1.18	2770	59.1	2.6	3.4	47
E386187	139.50	140.00		0.88	7.26	60.7	100	1.1	11.7	1.36	<0.02	100	247	47	2.45	5070	19.05	15.15	0.34	2.5	0.068	0.57	80.2	34.3	1.08	649	20.4	3.25	3.8	53.8
E386188			BLANK	0.02	0.12	<5	20	0.06	0.04	42.9	0.41	2.05	1	6	<0.05	8	0.05	0.48	<0.05	0.1	<0.005	0.03	1.7	1.2	0.45	36	0.41	<0.01	0.2	<0.2
E386189	140.00	140.50		0.4	5.6	21.3	810	1	3.05	2.64	<0.02	124	106	30	1.88	866	20.5	12.75	0.21	1.3	0.054	0.44	99.8	27.2	1.2	2130	12.35	3.01	2.6	58
E386190	140.50	141.00		0.45	5.35	15	700	0.45	2.55	3.46	<0.02	133.5	99.7	32	0.73	4300	19.25	11.5	0.23	1.4	0.098	0.14	109	19.5	1.34	3120	10.15	3.45	3.2	49.8
E386191	141.00	141.50		0.25	6.32	16.4	1380	0.49	2.96	4.74	<0.02	118.5	89.9	28	0.8	1530	14.25	10.2	0.18	1.4	0.168	0.19	97.7	14.6	1.73	4810	11.75	4.54	3.5	28.8
E386192	141.50	142.00		1.46	6.95	23.5	420	0.94	4.17	0.97	<0.02	267	99.9	52	1.2	>10000	13.6	14.05	0.25	2.5	0.188	0.17	206	52.7	1.39	641	65.1	3.91	9.3	50.4
E386193	142.00	142.50		2.84	5.28	129.5	90	0.89	21.3	0.74	<0.02	207	479	45	1.05	>10000	17.2	13.45	0.35	1.9	0.177	0.13	152	43.3	1.08	371	23.5	2.73	11.5	70.9
E386194	142.50	143.00		2.43	5.34	123.5	130	0.63	40.8	3.15	<0.02	252	672	26	0.79	>10000	20.4	10.45	0.29	1.4	0.116	0.11	200	28	0.85	970	57.7	3.43	11.3	74
E386195	143.00	143.50		1.53	4.27	100.5	110	0.35	27.6	5.78	<0.02	135.5	435	15	0.81	4630	20.1	8.5	0.26	0.9	0.072	0.11	111.5	11.5	1.09	3320	39.4	3.1	7.3	59.9
E386196	143.50	144.00		0.92	10.35	33.5	210	6.12	6.7	0.8	<0.02	65.6	168.5	84	10.45	4800	8.27	29.7	0.14	2.7	0.132	4.89	41.4	97.4	1.13	226	50.7	1.41	15.2	37.5
E386197	144.00	144.50		1.83	5.21	93.7	80	0.82	23.1	3.31	<0.02	337	418	31	10.95	>10000	21.2	11.9	0.33	1.5	0.153	0.59	260	63.6	1.1	991	48.6	3.14	10.8	66.2
E386198	144.50	145.00		2.22	1	100	60	0.24	45.1	8.2	<0.02	377	507	<1	4.6	8170	37.1	8.7	0.49	0.4	0.224	0.24	289	25.4	1.04	4390	54	0.46	7.1	74.9
E386199			BLANK	0.01	0.14	<5	40	0.09	0.03	49.2	0.36	2.1	0.9	5	<0.05	12.1	0.11	0.52	0.06	0.1	<0.005	0.03	1.7	1.5	0.53	43	0.3	0.02	0.3	1.2
E386200			STANDARD 1	1.07	5.98	57	100	1.61	2.92	2.16	<0.02	62.3	176.5	36	3.66	7900	10.6	14.9	0.15	1.7	0.151	2.22	31.1	28.3	1.32	3890	64.4	0.97	3.9	43.6
E386201	145.00	145.50		1.43	1.42	89.2	70	0.18	36.7	9.38	<0.02	184.5	576	3	2.84	2810	33	5.89	0.27	0.5	0.166	0.22	152	15.4	1.69	8400	45.7	0.91	4.9	55.5
E386202	145.50	146.00		2.25	2.05	78.7	60	0.34	31.2	4.78	<0.02	278	492	12	11.35	>10000	36.4	10.1	0.42	0.8	0.294	0.51	210	52.1	1.41	4070	65.6	1.11	10.2	83.4
E386203	146.00	146.50		2.08	3.48	64.8	60	0.42	25.7	3.7	<0.02	261	651	15	8.35	>10000	33.2	9.6	0.31	0.9	0.296	0.5	207	43.4	1.12	2330	43.3	2.22	7.4	72.8
E386204	146.50	147.00		1.86	6.51	123	630	1.02	20.8	0.89	<0.02	219	626	35	34.6	8320	16.8	14.85	0.28	2.4	0.108	1.89	148	224	2.52	259	29.1	3.6	13.1	87.1
E386205	147.00	147.50		2.96	4.5	119	290	0.57	27.8	1.53	<0.02	348	673	30	20.6	>10000	28.2	13.2	0.42	1.5	0.248	0.96	247	114	1.29	424	89.7	2.69	10.9	96.2
E386206	147.50	148.00		2.21	3.78	47.5	230	0.42	9.44	3.54	<0.02	461	231	15	5.3	>10000	29.6	12.2	0.42	0.8	0.276	0.37	331	38.1	0.96	2170	58.4	2.51	3.7	63.4
E386207	148.00	148.50		0.8	7.53	52.4	520	0.65	12.15	0.89	<0.02	115.5	246	45	9.24	4820	13.5	14.15	0.18	2.2	0.058	0.72	89.5	72.1	0.9	554	6.28	5.53	4.2	45.5
E386208	148.50	149.00		0.34	5.58	11.1	1350	0.62	2.23	1.11	<0.02	363	68.2	47	9.24	2030	10.8	10.75	0.2	1.4	0.058	0.84	302	66.7	1.14	1815	46.6	3.58	1.9	30
E386209	149.00	149.50		0.48	5.88	10.8	820	0.51	1.64	1.1	<0.02	123	54	44	9.31	6620	11.7	9.83	0.14	1.2	0.066	0.82	97.3	74.4	1.18	1030	3.51	3.83	1.5	34.2
E386210	149.50	150.00		0.45	4.68	18.1	870	0.8	2.84	0.44	<0.02	261	83.4	45	28.4	4890	13.95	12.15	0.22	1.7	0.086	1.78	208	220	2.73	2300	3.03	2.3	4.5	60.8
E386211			BLANK	0.02	0.16	<5	40	0.2	0.02	>50	0.45	2.88	1.2	6	0.07	14.7	0.08	0.67	0.06	0.1	<0.005	0.03	2.2	2.2	0.56	43	0.38	0.02	0.3	1.4
E386212	150.00	150.50		1.31	5.49	87.3	130	0.52	24.9	2.59	<0.02	186	397	41	10.45	8460	21.1	12.15	0.27	1.2	0.107	0.68	146.5	72.1	1.16	1650	37	3.82	4.2	61.5
E386213	150.50	151.00		1.27	3.02	25.3	220	0.2	7.19	5	<0.02	156.5	230	13	3.73	>10000	26.9	6.55	0.19	0.5	0.178	0.35	126	25.7	1.63	4860	53.2	2.12	3.1	42
E386214	151.00	151.50		2.47	1.17	26.8	50	0.12	10.2	5.02	<0.02	195.5	332	1	3.26	>10000	35.9	5.96	0.27	0.2	0.536	0.26	160	25.5	1.66	5190	55.6	0.69	2.6	62.9
E386215	151.50	152.00		2.75	3.16	25.9	80	0.4	7.99	1.9	<0.02	162.5	249	22	11.7	>10000	30.7	10.55	0.35	0.8	0.453	0.73	129.5	91.2	1.33	1950	53.6	1.98	2.7	69.4
E386216	152.00	152.50		3.71	3.65	86.6	820	0.51	20.2	1	<0.02	136	785	20	12.95	>10000	28.6	9.47	0.32	1	0.33	0.8	107.5	93.8	1.23	812	185.5	2.14	5.4	94.4
E386217	152.50	153.00		0.6	5.08	3.7	420	0.8	0.47	1.32	<0.02	173.5	62.3	38	5.05	6620	18.9	11.05	0.21	1.3	0.153	0.32	143	64.3	1.44	586	59.7	2.55	3.2	54.5
E386218	153.00	153.50		0.32	2.12	8.8	800	0.31	0.45	0.94	<0.02	269	279	12	1.49	2610	45.4	11.4	1.05	0.5	0.03	0.09	220	22.7	0.6	268	32.4	0.93	3.3	65.7
E386219	153.50	154.00		0.32	1.56	7.8	1090	0.2	0.48	1.36	<0.02	300	248	6	0.49	292	46.3	9.83	0.73	0.3	0.013	0.04	252	12.3	0.45	367	39.4	0.67	3.6	57.1
E386220	154.00	154.50		0.38	1.62	6.1	1080	0.11	0.43	1.61	<0.02	252	248	4	0.26	103	40.3	6.72	0.58	0.3	0.026	0.03	224	9.3	0.67	1650	49.3	0.74	3.3	46.3
E386221	154.50	155.00		0.31	2.16	8.2	850	0.13	0.54	1.96	<0.02	265	237	7	0.58	366	41.9	8.62	0.75	0.6	0.03	0.06	214	9.4	0.47	1240	41.4	1.4	3.6	50.4
E386222			BLANK	0.01	0.14	<5	30	<0.05	0.01	49.8	0.27	1.82	1	5	<0.05	6.7	0.13	0.36	<0.05	0.1	<0.005	0.03	1.4	1.2	0.53	40	0.34	0.02	0.2	<0.2
E386223			STANDARD 2	1.13	2.36	91.6	40	0.76	10.65	2.31	<0.02	192	355	12	2.66	9390	28.1	9.94	0.32	0.7	0.255	0.68	117	22.2	1.56	6510	62.4	0.26	5.4	71.4
E386224	155.00	155.50		0.38	2.48	10.3	580	0.27	0.48	1.4	<0.02	319	208	7	4.35	783	45.3	11.2	1.12	0.8	0.014	0.32	240	37.6	0.54	191	37	1.51	3.8	69.5
E386225	155.50	156.00		0.14	4.4	6.1	2860	1.67	0.26	0.95	<0.02	345	109.5	29	10.95	249	26.5	13.85	0.34	1.4	0.084	1.89	282	94.8	1.08	691	22.5	0.89	3	53.5
E386226	156.00	156.50		0.06	6.03	1.8	7940	2.52	0.06	1.54	<0.02	121	34.6	35	11.5	79.8	11.7	16.55	0.22	2	0.214	3	88.9	101.5	1.11	3010	6.06	0.8	2.1	23.9
E386227	156.50	157.00		0.22	6.42	3.1	7370	2.35	0.11	1.97	<0.02	90.8	52.6	36	9.25	123	15.9	18.4	0.28	1.8	0.297	3.25	61.9	54.3	1.23	5090	10.75	0.61	2.3	29.1
E386228	157.00	157.50		0.06	6.8	1.9	4390	2.82	0.05	0.5	<0.02	111.5	45.5	42	12.05	42.1	10.45	21.5	0.26	1.9	0.368	3.67	75.7	56.8	1.09	3900	2.26	0.18	3.7	28.1
E386229	157.50	158.00		0.05	6.98	2.4	7930	2.7	0.07	0.74	0.02	107.5	41.1	44	12	27.8	10.8	21.9	0.26	2.2	0.317	3.82	73.7	58.4	1.03	3300	2.45	0.22	3.3	28.5
E386230	158.00	158.50		0.06	5.86	5.3	8600	2.28	0.31	0.89	<0.02	168	55	32	11.2	6.9	14.25	17.95	0.23	1.7	0.283	2.95	130.5	64.4	1.14	4760	8.45	0.25	4.7	37
E386231	158.50	159.00		0.08	4.73	7.2	5290	1.77	0.72	1.77	<0.02	217	88.7	24	9.38	41.7	18.6	16	0.29	1.3	0.299	2.35	169.5	59.8	1.37	7250	23.7	0.17	5.8	47.8
E386232	159.00	159.50		0.11	2.56	11.9	2000	1.01	0.65	1.94	<0.02	290	65	11	4.7	67.2	20.4	9.41	0.34	0.8	0.169	1.03	240	38.4	1.08	5440	31.7	0.11	9.2	31.4
E386233	159.50	160.00		0.11	2.23	25.8	120	0.36	0.35	2.48	<0.02	125.5	182	7	1.04	82.6	16.85	5.17	0.24	0.6	0.045	0.21	78	19.3	1.07	3910	34.1	0.77	5.3	21.7
E386234			BLANK	0.01	0.19	10	2980	0.07	0.02	45.7	0.4	7.44	7.1	7	0.07	5.1	0.74	0.69	0.06	0.1	0.005	0.04	6.4	2.2	0.5	136	1.2	0.05	0.5	<0.2
E386235	160.00	160.50		0.2	2.92	18	920	0.55	0.25	2.34	<0.02	204	90.6	14	2.58	272	17.55	7.38	0.25	0.8	0.104	0.55	176.5	29.5	1.14	3360	29.8	0.62	7.8	22.9
E386236	160.50	161.00		0.75	2.34	21.6	380	0.27	0.41	3.94	<0.02	188.5	122	9	0.97	3020	18.45	6.75	0.26	0.7	0.246	0.16	152.5	20.3	1.81	7210	55.5	0.84	8.1	41.3
E386237	161.00	161.50		0.29	4.09	12.2	670	0.77	0.42	2.24	0.03	199.5	98.8	19	3.73	446	14.35	11.5	0.24	1	0.203	1.08	161	26.6	1.36	7170	41.8	0.95	8.5	36
E386238	161.50	162.50		0.27	4.24	12.2	510	1.06	0.4	1.45	<0.02	154.5	149.5	27	6.57	1330	15.4	14.05	0.25	1.2	0.339	1.9	95.4	38.2	1.35	8150	16.6	0.29	8.1	42.3
E386239	179.00	180.00		0.04	6.44	1.5	5650	1.72	0.03	3.82	<0.02	112	27.4	35	7.6	52.3	7.75	18.1	0.19	1.9	0.107	2.51	69	39.1	1.61	3860	4.71	1.2	4	25.9
E386240	180.00	180.50		0.06	6.41	2.3	7900	1.45	0.1	3.85	<0.02	112	32.2	34	8.83	10.1	7.41	17.7	0.18	1.9	0.09	2.14	72.2	42.6	1.59	4080	4.27	1.63	3.9	25.6
E386241	180.50	181.00		0.33	4.82	27.4	430	0.71	2.58	1.98	<0.02	104	243	21	2.03	1110	17.85	13.65	0.25	1.2	0.034	0.52	65.6	21.5	1.05	1980	40.1	2.41	2.3	44.3
E386242	181.00	181.50		0.43	4.73	39.5	310	0.47	3.81	0.96	<0.02	195	195	22	0.96	275	18.1	14.05	0.3	1.3	0.016	0.14	133	23.6	0.93	1400	36.5	2.42	2.9	47.7
E386243	181.50	182.00		0.22	6.98	21.5	1050	0.89	2.33	0.45	<0.02	168.5	111.5	40	1.43	75.8	6.97	12.8	0.19	2.1	0.02	0.37	124	40.9	0.74	972	7.16	3.95	2.5	20
E386244	182.00	182.50		0.44	6.85	18.2	550	0.76	1.84	1.02	<0.02	92.2	131.5	38	0.91	118.5	5.95	11.55	0.15	2.2	0.011	0.21	65.2	24.9	0.75	638	86.7	4.42	4.2	17.7

IG-2007-23

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba	U
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	%
E386159	127.00	127.50		830	1.7	145.5	<0.002	0.22	1.69	8.1	1	15.1	291	0.15	0.08	12.4	0.113	0.22	5.1	68	18.7	12.7	2	88.3		0.002	2.77	
E386160	127.50	128.00		910	2	154.5	0.002	0.4	1.39	16.6	1	32.2	252	0.09	0.06	15.9	0.112	0.28	6.7	69	21.2	15	3	82.7		0.003	2.5	
E386161	128.00	128.50		640	2	28.5	<0.002	0.43	1.47	8.9	<1	8.5	187.5	0.06	<0.05	12.9	0.053	0.04	3.4	43	9.7	10.1	5	60.3		0.001		
E386162	128.50	129.00		860	2.7	12.2	<0.002	0.36	1.65	7.2	<1	5	141	0.06	0.05	12.9	0.047	0.03	5	45	6.2	10.1	11	67.6		<0.001		
E386163	129.00	129.50		740	2.9	15.2	<0.002	0.59	1.39	8.4	<1	5.3	188.5	0.05	<0.05	12.3	0.04	0.03	3.2	42	4.8	10.9	14	63.6		<0.001		
E386164	129.50	130.00		800	2.4	11.5	<0.002	0.57	1.31	7.9	1	5.4	170	0.07	<0.05	14.3	0.045	0.02	3.3	49	6.5	10.4	13	73.9		0.001		
E386165			BLANK	100	0.8	0.8	<0.002	0.08	0.16	0.2	1	<0.2	263	<0.05	<0.05	0.3	0.006	<0.02	0.7	10	<0.1	2.9	21	4.2		<0.001		
E386166	130.00	130.50		740	2.4	8.9	<0.002	0.95	1.21	6.2	<1	4.7	156	0.06	0.05	14.7	0.04	<0.02	7	52	8.1	14.4	4	66.6		<0.001		
E386167	130.50	131.00		780	2.4	18.1	0.002	1.29	1.36	9.1	1	7.7	154	0.05	<0.05	13.1	0.047	0.03	3.1	64	5.2	11.7	12	72.9		<0.001		
E386168	131.00	131.50		790	2.2	6.2	<0.002	1.16	1.01	8.8	1	6.5	260	0.13	0.05	12	0.059	<0.02	4.7	41	6.5	12.7	8	77.3		0.001		
E386169	131.50	132.00		2440	2.3	3.3	0.007	2.34	0.93	8.7	2	4.5	158	0.07	0.13	18.4	0.032	<0.02	2.4	56	3.9	20.2	3	41.1		0.009		
E386170	132.00	132.50		2840	3.5	3.2	0.03	2.85	1.06	8.9	2	2.8	133	0.09	0.29	12.2	0.024	0.02	18.5	74	4.1	23.4	6	23.9		0.007		
E386171	132.50	133.00		3110	3.5	3.3	0.024	2.05	0.77	8.5	2	1.9	242	0.12	0.18	8.3	0.018	0.02	3	49	4.7	29.1	6	30.3		0.006		
E386172	133.00	133.50		1630	4.9	48.8	0.008	1.94	1.15	8.5	2	12.7	313	0.1	0.48	8.4	0.043	0.09	8.1	47	7.9	16.5	13	41.5		0.013		
E386173	133.50	134.00		2310	4	2.1	0.006	3.03	1.25	8.5	2	3.4	170.5	0.08	0.45	6.7	0.019	0.02	19.1	86	4	16.2	6	32.6		0.008		
E386174	134.00	134.50		2210	5.2	2	0.004	5.68	2.1	3.6	2	5.4	89	0.07	0.52	5.4	0.03	0.02	10.2	96	5.7	14.9	11	34.6		0.015		
E386175	134.50	135.00		2300	6.3	2.2	0.01	5.69	1.55	7.4	2	3.2	190	0.08	0.65	5.8	0.018	0.02	9	56	7.4	19.8	9	21.8		0.02		
E386176			BLANK	120	0.7	0.7	<0.002	0.07	0.11	0.1	1	<0.2	284	<0.05	<0.05	0.2	0.006	<0.02	0.7	11	<0.1	3.1	24	3.6		<0.001		
E386177			STANDARD 3	790	2.8	120.5	0.006	1.32	1.29	10.7	2	8.9	434	0.17	0.21	14.1	0.103	0.37	19.4	64	9.3	11.6	5	66		0.021		
E386178	135.00	135.50		5150	7.5	4.5	0.027	7.18	2.13	5	3	4.7	155	0.1	1.68	9.5	0.032	0.03	14.8	69	8	34.6	6	30.2		0.058		
E386179	135.50	136.00		2550	10.5	1.5	0.011	>10.0	4.69	2	2	3	210	<0.05	1.41	1.9	0.01	0.03	13.7	47	21.8	30.5	5	5		0.085		
E386180	136.00	136.50		2430	9.4	5.3	0.018	6.72	4.14	3	2	7.2	112.5	<0.05	0.38	5.6	0.045	0.03	86.5	73	9.9	22.6	3	34.5		0.033		
E386181	136.50	137.00		2840	19.7	3.1	0.039	9.68	4.15	3.9	3	5.7	105	0.05	0.51	5.5	0.031	0.04	192	81	6.7	30.6	6	23.6		0.057		
E386182	137.00	137.50		1440	25.7	6.4	0.018	>10.0	6.12	4.2	2	7.4	106	0.07	0.86	5.3	0.039	0.03	243	53	7.2	26.1	3	27.4		0.048		
E386183	137.50	138.00		1780	21.6	2.2	0.044	>10.0	4.7	3.4	4	6.3	103	0.07	0.83	4.1	0.028	0.02	195	47	5.9	29.6	3	19.7		0.079		
E386184	138.00	138.50		2490	25	2.2	0.041	>10.0	6.38	2.2	3	4.7	66	0.07	0.95	3.5	0.022	0.03	120.5	48	5.3	32.5	<2	12.4		0.101		
E386185	138.50	139.00		3500	23.6	6.1	0.047	>10.0	6.37	5.2	3	10.8	108	0.12	0.55	9.8	0.062	0.03	300	78	9.1	36.3	4	36.3		0.057		
E386186	139.00	139.50		2260	16	4	0.054	6.67	3.71	4.4	3	7.9	133	0.05	0.33	7.8	0.047	0.03	137	61	5.6	18.2	10	40.3		0.043		
E386187	139.50	140.00		1910	12.3	32.5	0.035	4.64	3.82	6.5	2	23.5	85	0.08	0.24	10.7	0.094	0.06	140.5	64	8	16.5	8	76.4		0.032		
E386188			BLANK	100	0.6	0.6	<0.002	0.06	0.17	<0.1	1	<0.2	266	<0.05	<0.05	0.2	0.006	<0.02	0.6	10	<0.1	2.7	25	3.2		<0.001		
E386189	140.00	140.50		1910	6.8	25.7	0.019	1.56	1.85	9.3	2	17	99.5	0.07	<0.05	8.4	0.076	0.04	75.2	58	5.3	14.3	4	39.8		0.007		
E386190	140.50	141.00		1620	5.5	6.7	0.02	1.68	1.46	7.4	2	7.6	123	0.08	0.05	8.2	0.055	0.02	23.7	56	3.7	13.5	4	44.6		0.007		
E386191	141.00	141.50		1460	7.1	8.9	0.02	1.21	1.7	8.7	1	5.6	164	0.11	0.07	8.1	0.036	0.02	52.3	41	5.1	12.7	3	45.5		0.006		
E386192	141.50	142.00		1800	48.5	7.7	0.141	2.05	7.39	4.8	3	12.1	118.5	0.25	0.1	32	0.151	0.06	1680	44	13.4	48.6	10	79.9	0.962	0.021		
E386193	142.00	142.50		1930	370	7.3	0.037	7.26	12.05	3.3	6	10.6	91.3	0.35	0.5	15.8	0.127	0.07	4130	49	18.6	64.8	11	56.3	1.31	0.089		
E386194	142.50	143.00		2620	79	4.9	0.043	>10.0	11.05	3.4	4	10.2	118.5	0.3	0.8	12.9	0.115	0.06	1610	55	37.3	48.9	6	42.7	1.04	0.085		
E386195	143.00	143.50		2820	27.8	5.7	0.024	10	4.9	4.6	3	6.5	140	0.14	0.57	6.5	0.043	0.03	314	59	16.7	29.5	2	29.6		0.064		
E386196	143.50	144.00		1100	42.7	204	0.064	2.84	6.15	26.8	2	98	66.2	0.39	0.16	28.1	0.296	0.32	1810	141	64.9	29.1	2	88.1		0.015		
E386197	144.00	144.50		3360	61.5	61.9	0.025	8.88	6.45	6	4	14.3	103.5	0.22	0.6	15.2	0.115	0.11	920	68	23.2	40.5	3	49.8	1	0.064		
E386198	144.50	145.00		4120	93.2	28.4	0.038	>10.0	4.98	5	4	8.8	127.5	0.07	0.97	3.9	0.029	0.06	520	89	11.7	63.6	3	13.6		0.084		
E386199			BLANK	120	0.9	0.8	<0.002	0.1	0.08	0.7	1	<0.2	292	<0.05	<0.05	0.2	0.007	<0.02	0.8	3	0.1	2.7	24	3.5		<0.001		
E386200			STANDARD 1	920	22	92	0.021	2.49	1.83	9.7	3	9.3	509	0.2	0.23	8.5	0.099	0.45	345	57	9.8	16.8	10	56.1		0.061		
E386201	145.00	145.50		3480	23.1	19.2	0.017	9.62	6.5	4.7	3	5.1	146.5	0.08	0.7	3.3	0.031	0.06	98.3	73	7.7	43	3	16.3		0.064		
E386202	145.50	146.00		4760	55.4	61.4	0.024	8.24	4.94	4.5	5	11.9	101.5	0.18	0.7	7.2	0.061	0.17	480	96	8.2	41.2	<2	27.7	1.335	0.091		
E386203	146.00	146.50		4010	44.5	47.8	0.021	9.88	4.48	2.7	4	10.3	92.6	0.16	0.78	10.9	0.082	0.06	740	76	10.4	31.9	2	31.2	1.725	0.092		
E386204	146.50	147.00		1780	43.7	164.5	0.009	9.09	4.85	4.7	3	21.7	106.5	0.29	0.73	15.9	0.199	0.19	700	51	15.3	23.1	9	78.5		0.074		
E386205	147.00	147.50		5350	38.8	125	0.027	>10.0	3.82	3	6	15.1	100	0.26	1.06	12.7	0.105	0.12	412	104	18.2	32.2	7	49.1	1.965	0.142		
E386206	147.50	148.00		>10000	21.1	40	0.013	4.29	2.57	6	4	9.1	149.5	0.16	0.46	10.9	0.051	0.06	214	143	112.5	54.4	6	26.4	2.44	0.062		
E386207	148.00	148.50		890	16.4	76.3	0.002	3.32	4.31	2.7	1	11.6	93.4	0.16	0.48	9.8	0.099	0.06	69.3	62	16.4	13.7	3	70.8		0.03		
E386208	148.50	149.00		780	20.4	71.4	0.016	0.91	2.76	3.8	1	15.3	83	0.09	0.08	14.7	0.09	0.07	125.5	49	7.2	16.1	6	42.5		0.012		
E386209	149.00	149.50		720	12.8	73.2	<0.002	1.12	2.13	2.8	1	11.5	57.8	0.06	0.05	6.7	0.086	0.06	85.4	52	6.2	11.7	3	37.4		0.012		
E386210	149.50	150.00		1030	6.1	212	<0.002	1.32	3.09	5.5	1	19.6	42.3	0.15	0.15	10.8	0.152	0.14	27.9	55	17.1	8.9	5	55.6		0.013		
E386211			BLANK	130	0.8	1	<0.002	0.09	0.11	0.8	2	0.2	315	<0.05	<0.05	0.3	0.008	<0.02	1	3	0.1	3.5	26	4.6		<0.001		
E386212	150.00	150.50		1620	15.4	76.8	0.008	6.07	3.63	2.9	2	10.7	88	0.1	1.76	9.1	0.068	0.07	81.4	80	112	18.3	4	41		0.081		
E386213	150.50	151.00		4050	18.2	27.5	0.017	5.59	1.51	3.3	2	4.6	134.5	0.06	0.47	4.4	0.045	0.04	201	83	10.9	17.4	<2	16.1	1.79	0.067		
E386214	151.00	151.50		3230	67.9	26.3	0.017	8	1.57	3.2	6	5.1	135	<0.05	0.95	2.6	0.027	0.03	410	71	12.3	18.6	<2	6.7	3.66	0.121		
E386215	151.50	152.00		2630	12.7	92.7	0.021	4.7	1.39	2.9	5	9.5	76.6	0.06	0.89	4	0.055	0.07	36.6	80	23.1	14.8	<2	24.7	3.41	0.071		
E386216	152.00	152.50		1610	55.4	99.9	0.154	>10.0	3.56	2.9	7	13.6	60.4	0.15	1.82	10.1	0.087	0.09	480	52	12	18.3	<2	31.3	2.59	0.119		
E386217	152.50	153.00		1390	9	35	0.029	0.92	1.22	3.9	2	12.3	209	0.08	0.05	6.6	0.087	0.03	27.6	46	8.1	12.8	7	41.2		0.008		
E386218	153.00	153.50		2010	3.6	8.2	0.004	1.75	1.37	2.1	2	6.5	44.3	0.07	0.17	5.1	0.043	<0.02	4.2	77	12.2	14.5	2	15.5		0.004		
E386219	153.50	154.00		2730	2.7	2	0.008	1.33	1.1	1.6	1	4.4	39.1	0.08	0.27	5.2	0.036	<0.02	4.1	78	11.6	17.1	2	11		<0.001		
E386220	154.00	154.50		3740	1.7	1	0.014	1.2	0.79	1.6	1	2.2	36.4	0.06	0.3	5	0.024	<0.02	2.1	77	7.2	17.5	2	10.5		0.001		
E386221	154.50	155.00		4380	1.9	4	0.013	1.17	1.05	1.5	2	2.6	51.6	0.09	0.29	6.2	0.025	<0.02	2.4	85	13	24.6	2	26.2		0.002		
E386222			BLANK	120	<0.5	0.5	<0.002	0.09	0.05	0.4	<1	<0.2	298	<0.05	<0.05	0.2	0.007	<0.02	0.6	3	0.1	2	24	2.4		<0.001		
E386223			STANDARD 2	2430	6.2	36.9	0.018	7.19	2.26	4.5	4	8.8	178	0.11	1.14	5.8	0.034	0.46	15.4	58	6.9	15.2	6	23.4		0.12		
E386224	155.00	155.50		4020	1.9	35.2	0.013	1.06	1.19	1.9	2	5.6	58.8	0.09	0.4	7.8	0.043	0.03	2.2	92	17.8	24.7	<2	31.7		<0.001		
E386225	155.50	156.00		2110	2.6	134	0.006	0.5	1.75	7.6	1	20.8	66.5	0.1	0.3	15.2	0.099	0.13	4.8	89	12.9	16.3	2	46.7		<0.001		
E386226	156.00	156.50		860	2	154	<0.002	0.17	2.51	9.7	1	24.9	141.5	0.08	0.05	14.2	0.102	0.23	4.4	58	14.5	15.7	2	63.8		<0.001	0.87	
E386227	156.50	157.00		910	3.2	161.5	<0.002	0.16	1.88	8.9	2	14.4	150	0.11	0.07	15.2	0.112	0.24	2.7	86	18	14.5	2	55.5		0.001	0.76	
E386228	157.00	157.50		720	2.4	201	<0.002	0.07	2.68	11.4	2	17.4	60.9	0.22	<0.05	15	0.148	0.33	3.4	62	19.1	12.6	2	61.9		<0.001		
E386229	157.50	158.00		810	2.3	203	<0.002	0.16	2.58	11.3	2	17.7	147	0.18	0.09	17.2	0.142	0.32	4.6	68	18.5	13.2	2	67.8		0.001	0.83	
E386230	158.00	158.50		1380	2.1	164	0.006	0.2	2.38	9.3	2	22.8	190.5	0.16	0.21	14.5	0.12	0.26	6.7	62	17.9	14.4	3	54.6		0.001	0.92	
E386231	158.50	159.00		1550	1.9	130	0.013	0.15	1.72	7.6	2	22.5	488	0.15	0.39	10.8	0.098	0.23	7.7	57	14.6	18.5	2	41.8		0.002	1.58	
E386232	159.00	159.50		1820	1.7	59.8	0.01	0.12	1.73	4.3	2	19	1145	0.23	0.33	7.7	0.056	0.11	5	39	11.4	15	2	23.9		0.004		
E386233	159.50	160.00		1850	1.5	11.9	0.005	1.07	1.83	3.4	4	8.3	1310	0.15	0.3	4.1	0.033	0.03	3.3	38	7.1	10.9	2	19.5		0.005		
E386234			BLANK	150	0.9	1.1	<0.002	0.18	0.17	0.6	2	0.5	340	<0.05	<0.05	0.4	0.008	<0.02	0.8	6	0.4	3.1	29	3.7		<0.001		
E386235	160.00	160.50		1230	2.4	30	0.004	0.53	3.07	4.2	3	12.9	498	0.25	0.25	6.7	0.073	0.06	5.7	31	11.8	10.5	3	25.7		0.008		
E386236	160.50	161.00		1690	2.3	7.8	0.045	0.61	2.07	4	5	11.9	403	0.19	0.85	5.3	0.043	0.03	10.1	33	7.5	13.3	3	22.1		0.028		
E386237	161.00	161.50		1440	3	64	0.016	0.42	1.88	9.1	4	9.1	483	0.27	0.75	6.8	0.078	0.12	7.7	60	9.1	13.1	<2	33.4		0.022		
E386238	161.50	162.50		1200	3.2	84.6	0.003	0.65	2.31	7	3	9	230	0.32	0.31	8.3	0.107	0.16	4.3	50	11.6	12.7	4	38.8		0.021		
E386239	179.00	180.00		850	1.9	135.5	<0.002	0.32	1.3	10.9	2	5	264	0.27	0.08	12.2	0.163	0.19	6.4	59	13.2	15.6	<2	60		<0.001	1.43	
E386240	180.00	180.50		710	1.8	113	<0.002	0.47	1.32	11.3	2	5.3	251	0.27	0.14	12.2	0.149	0.19	5.7	61	13.2	17.4	2	59.6		0.001	1.5	
E386241	180.50	181.00		1140	4.2	25.8	0.022	3.36	1.78	8.1	3	5.3	265	0.11	0.39	8	0.053	0.18	23.2	61	6.7	14.7	3	42		0.025		
E386242	181.00	181.50		1260	4.9	6.7	0.021	3.35	1.88	6.4	3	2.8	237	0.11	0.59	9.6	0.045	0.27	7.4	52	4.8	13.6	7	41.9		0.026		
E386243	181.50	182.00		830	3.3	16.4	0.003	1.76	1.44	4	2	4.2	109	0.16	0.34	15.5	0.069	0.22	3.8	45	8	12.1	9	66.8		0.016		
E386244	182.00	182.50		740	7.7	8.2	0.033	1.47	1.92	4.1	2	3.7	485	0.23	0.32	17.9	0.073	0.13	141.5	30	11	15.6	5	72.1		0.01		

IG-2007-23

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
E386245			BLANK	0.01	0.12	<5	40	0.1	<0.01	42.9	0.37	2.63	1	5	<0.05	1.3	0.05	0.47	<0.05	0.1	<0.005	0.03	2	1.4	0.46	33	0.44	0.02	0.3	<0.2
E386246			STANDARD 3	0.27	6.93	51.5	1020	2.88	1.48	1.89	<0.02	89.6	103.5	46	6.61	1590	7.03	18.8	0.15	1.8	0.13	3.14	56.3	26.4	1.34	3230	19.65	0.58	3.6	23.2
E386247	182.50	183.00		0.24	5.12	31	180	0.47	2.09	1.71	<0.02	126	176.5	25	0.73	45.9	14.55	12.55	0.24	1.5	0.017	0.11	76.3	23.9	1.29	2030	43.9	2.89	3.3	37.4
E386248	183.00	183.50		0.45	2.43	84.8	120	0.53	3.66	2.02	<0.02	374	283	9	0.97	227	27.3	18.55	0.51	0.7	0.02	0.22	175.5	26.4	1.55	2680	75.7	0.26	4.5	78.7
E386249	183.50	184.00		0.54	0.86	86.4	110	0.12	3.97	1.3	<0.02	429	359	<1	0.23	146	26.5	16.05	0.55	0.2	0.022	0.01	211	7.1	1.15	3550	64	0.01	3.4	75.4
E386250	184.00	184.50		0.66	0.64	98.1	170	0.12	5.95	2.63	<0.02	209	608	1	0.15	142.5	27.6	10.75	0.41	0.1	0.023	<0.01	109	5.5	1.36	3580	87.7	0.02	2.4	55.6
E386251	184.50	185.00		0.7	2.12	78.1	90	0.38	6.35	1.56	<0.02	366	551	8	0.58	111.5	22.4	15.45	0.44	0.5	0.018	0.03	167.5	24.1	1.53	2090	64.3	0.03	5	75.3
E386252	185.00	185.50		0.26	5.19	22.9	220	1.37	1.47	2.92	<0.02	100	213	28	3.95	324	12.9	14.9	0.2	1.3	0.049	0.75	67.4	58	2.34	2870	24.5	1.12	2.4	35.1
E386253	185.50	186.00		0.11	4.98	8.1	510	1.28	0.64	4.97	<0.02	119	149.5	22	3.51	99.2	12.75	11.55	0.18	1	0.08	1.07	76.3	42.5	2.7	4780	13	1.25	2.5	20.5
E386254	186.00	186.50		0.56	6.42	45.3	2370	2.94	6.07	2.79	<0.02	112.5	255	31	8	160.5	12.75	16.45	0.2	1.5	0.083	2.22	72.7	69.8	2.1	2200	13.65	0.6	2.8	45.3
E386255	186.50	187.00		0.02	7.9	1.3	9800	4.27	0.08	3.34	<0.02	82.1	20.3	48	11.4	11.8	4.58	23.5	0.15	2	0.116	4.13	49.5	53.4	1.64	2650	2.7	0.15	3.4	17.7
E386256	187.00	187.50		0.02	6.73	1.2	9070	3.15	0.07	4.63	<0.02	153.5	21	37	9.61	8.8	5.88	18.85	0.2	1.8	0.11	3.24	67.4	41.4	2.09	4250	1.23	0.21	3.3	17.2
E386257			BLANK	0.01	0.12	5	50	0.09	<0.01	43.5	0.37	2.68	0.8	5	<0.05	0.9	0.06	0.49	<0.05	0.1	<0.005	0.03	2	1.6	0.46	40	0.19	0.01	0.3	<0.2
E386258	187.50	188.00		0.02	6.39	0.9	8540	2.46	<0.01	4.83	<0.02	84.7	21.1	33	8.79	6.6	5.89	17.3	0.17	1.9	0.094	2.95	46.9	30.2	1.91	4700	2.98	0.25	3.5	21.1
E386259	188.00	188.50		0.03	6.5	1.2	5500	2.54	0.01	4.22	<0.02	162.5	16.7	31	9.28	8.8	4.75	16.65	0.2	2	0.096	2.86	97.4	32	1.59	3550	2.27	0.12	3.6	16
E386260	188.50	189.00		0.02	6.41	1.1	>10000	2.42	0.08	4.24	0.04	72.9	17.9	33	9.02	5.9	5.05	17.4	0.14	1.9	0.109	3.01	41.5	31.1	1.73	3800	2.44	0.07	3.1	18.1
E386261	189.00	189.50		0.08	7.88	9.8	5550	3.28	0.81	4.1	<0.02	157.5	43.1	41	10.85	19.2	6.08	21.5	0.18	2.3	0.125	3.48	94.4	50.8	1.8	3600	5.79	0.12	3	19.9
E386262	189.50	190.00		0.22	5.71	67.8	500	2.1	2.75	3.13	<0.02	89.2	178	33	7.45	557	13.75	15.65	0.23	1.7	0.182	2.63	54.2	27.3	2.2	7150	13.1	0.07	2.8	41.3
E386263	190.00	190.50		0.07	8.43	18.6	4940	3.03	0.44	1.5	<0.02	122.5	41.7	53	10.25	87.1	10.3	24.8	0.21	2.6	0.215	4.11	83.1	34.9	1.82	5480	6.83	0.12	2.4	25.1
E386264	190.50	191.00		0.24	7	39.3	1430	2.43	3.5	0.67	<0.02	77.6	129	45	9.09	120	10.4	21.9	0.19	2.1	0.196	3.34	57.3	24.7	1.37	5890	11.9	0.09	2.2	33.2
E386265	191.00	191.50		0.08	6.43	16.4	4810	2.25	0.45	1.95	<0.02	109.5	78.1	39	8.45	49.7	9.29	18.75	0.21	1.9	0.167	3.03	64.7	23.2	1.73	6000	11.45	0.11	2.4	25.9
E386266	191.50	192.00		0.07	8.51	11.3	5430	3.11	0.38	1.61	<0.02	89.6	68.6	54	9.01	41.4	10.55	25.3	0.15	2.4	0.164	3.41	66.4	40.8	1.91	6090	8.19	0.08	1.6	27.7
E386267	192.00	192.50		0.06	8.26	10.2	4400	3.23	0.29	0.76	<0.02	70.2	74.9	52	8.17	43.2	17.75	24.6	0.19	2.4	0.165	3.5	53.3	45.7	2.28	8220	2.09	0.07	1.4	41.8
E386268			BLANK	0.01	0.18	<5	50	0.09	<0.01	45.8	0.37	2.04	0.9	8	<0.05	2.2	0.13	0.55	0.06	0.1	<0.005	0.03	1.5	1.8	0.51	75	0.25	0.01	0.3	2.5
E386269			STANDARD 1	1.08	5.84	65.9	150	2.07	2.47	2.02	<0.02	47.9	162	41	3.31	8300	9.67	15.5	0.11	1.9	0.132	2.23	15.3	24.6	1.18	3200	65.3	1.1	2.5	39.9
E386270	192.50	193.00		0.11	8.91	11.5	4550	3.67	0.49	1.45	<0.02	141	67	60	9	44.8	14.1	28.4	0.19	2.7	0.177	3.7	98.8	47.4	2.21	7180	2.56	0.13	1.2	37.2
E386271	193.00	193.50		0.07	6.23	11.5	2630	2.39	0.41	2.57	<0.02	91.1	50.7	39	6.12	423	9.26	18.45	0.12	2	0.121	2.56	56.2	42.3	2.19	5120	12.15	0.06	2	27.6
E386272	193.50	194.00		0.68	5.78	100.5	250	2.01	4.5	3.41	<0.02	34.4	339	35	5.29	6210	14.2	15.9	0.14	1.9	0.162	2.39	19.5	37.9	2.73	7070	30.7	0.05	2.5	45.8
E386273	194.00	194.50		1.05	6.08	154.5	820	2.36	8.41	2.63	<0.02	86.3	383	35	5.89	5410	17.75	14.8	0.17	2.2	0.194	2.32	39.5	44.3	2.5	6490	19.7	0.06	2.3	63.8
E386274	194.50	195.00		0.33	7	82.1	450	2.24	3.57	3.17	<0.02	88.5	171.5	38	7.48	2950	7.53	20.4	0.1	2.1	0.101	2.98	53	48.9	1.94	2450	16.15	0.07	2.6	33.6
E386275	195.00	196.00		0.03	6.92	3.1	2440	2.45	0.1	4.82	<0.02	70	12.5	36	8.1	256	5.6	19.65	0.07	2.2	0.097	2.78	39.3	36.4	2.17	4310	8.03	0.15	3.6	14.6
E386502	251.50	252.50		0.06	5.49	5.7	1700	1.17	0.26	5.18	<0.02	84.5	43.9	30	2.91	492	9.84	10.85	0.15	1.2	0.129	2.6	55.2	30.4	2.14	6520	7.75	0.05	3.4	25
E386503	252.50	253.00		0.26	3.76	55.2	340	0.86	0.32	3.94	<0.02	238	184.5	19	2.98	1760	15.45	12.35	0.32	1.3	0.144	1.74	168	41.2	2.12	5620	47.9	0.03	11.9	33.7
E386504	253.00	253.50		0.21	1.94	101	110	0.45	0.38	5.72	<0.02	231	292	9	1.26	1600	16.15	7.29	0.3	0.6	0.137	0.84	182	20.9	2.74	9120	39.1	0.02	8.7	28.4
E386505			BLANK	0.01	0.14	10	50	0.13	<0.01	48.7	0.49	3.28	1.7	8	<0.05	5.3	0.07	0.54	<0.05	0.1	0.008	0.03	2.3	1.5	0.52	49	0.33	0.02	0.3	0.9
E386506	253.50	254.00		0.28	3.1	86.1	130	0.8	0.54	2.56	<0.02	291	270	15	2.41	705	17.95	11.4	0.34	1.1	0.235	1.38	199.5	35.3	2.24	10350	45.7	0.03	9.9	33.1
E386507	254.00	254.50		0.21	2.58	35.4	280	0.58	0.31	1.58	<0.02	266	143	12	1.77	1810	19.6	9.03	0.38	0.8	0.209	1.09	204	27.3	2.09	12100	42.4	0.03	9.9	29.3
E386508	254.50	255.00		0.28	1.96	45.6	250	0.49	0.28	0.85	<0.02	250	174	10	1.56	763	19.85	8.09	0.36	0.7	0.222	0.87	176	25	1.8	12000	34.1	0.02	9.8	24.2
E386509	255.00	255.50		0.25	3.09	21.7	530	0.72	0.21	0.73	<0.02	233	115.5	16	2.66	1280	16.05	10.75	0.31	1.1	0.233	1.51	169.5	38.1	1.51	9740	25.6	0.03	9.5	23.8
E386510	255.50	256.00		0.25	2.16	15.6	550	0.6	0.17	0.51	<0.02	206	105.5	11	1.82	1010	19.4	8.88	0.41	0.8	0.233	1	151	28.4	1.51	11500	33.2	0.02	11.2	23.8
E386511	256.00	256.50		0.2	2.02	18.6	270	0.5	0.19	0.43	<0.02	215	105.5	12	1.28	1150	18	6.79	0.26	0.6	0.157	0.88	146.5	24	1.19	8810	29.3	0.02	9.8	20.4
E386512	256.50	257.00		0.25	1.93	14.5	410	0.36	0.19	0.45	<0.02	235	86.8	11	1.47	1310	17.8	7.62	0.38	0.7	0.181	0.83	157.5	22.4	1.23	9270	38.3	0.02	10.3	21.8
E386513	257.00	257.50		0.38	2.72	13.2	530	0.62	0.24	0.46	<0.02	275	83.3	16	2.23	1850	17.85	9.96	0.41	1	0.242	1.18	192.5	31.3	1.25	8490	35.6	0.03	12.7	26.8
E386514	257.50	258.00		0.33	2.8	12.1	430	0.7	0.27	0.42	<0.02	267	81.6	16	2.32	2410	18	10.1	0.37	1	0.204	1.29	181	32.6	1.23	8800	32.5	0.03	11.7	25.8
E386515	258.00	258.50		0.29	3.04	27	360	0.7	0.28	0.44	<0.02	244	129	16	2.48	1900	16.55	10.75	0.36	1	0.197	1.39	166.5	35.4	1.3	9410	33.5	0.03	10.5	27.4
E386516			BLANK	0.02	0.13	<5	50	0.12	<0.01	43.2	0.41	2.89	1.2	6	<0.05	6.8	0.06	0.5	<0.05	0.1	0.008	0.03	2	1.5	0.46	41	0.31	0.02	0.3	<0.2
E386517			STANDARD 2	1.07	2.27	115	30	0.58	9.24	2.06	<0.02	195.5	310	11	2.37	8310	25.9	8.8	0.43	0.7	0.247	0.81	117.5	17.5	1.42	6040	52.4	0.22	5	50.4
E386518	258.50	259.00		0.38	4.46	40.9	340	1.05	0.32	0.42	<0.02	238	177	27	3.89	1330	15.25	14.95	0.31	1.8	0.206	1.92	161	53.6	1.38	6440	41.4	0.03	13	39.8
E386519	259.00	259.50		0.17	1.88	12.8	580	0.35	0.13	0.51	<0.02	184.5	73	12	1.35	943	17	6.68	0.26	0.7	0.164	0.81	134	19.7	1.31	9320	22.6	0.02	8	18.3
E386520	259.50	260.00		0.26	5.76	32.9	780	1.46	0.29	1.54	<0.02	406	130	28	4.81	1820	12.6	18.7	0.32	1.9	0.161	2.79	277	61.4	1.46	2990	45.2	0.05	15.4	33.6
E386521	260.00	260.50		0.69	3.48	54.3	130	0.53	0.63	3.91	<0.02	259	197	19	2.38	7510	18.1	10.55	0.35	1	0.164	1.23	186.5	31.9	2.26	6700	83.5	0.03	7.9	35
E386522	260.50	261.00		0.37	2.51	23.4	410	0.62	0.32	3.09	<0.02	306	117.5	14	1.93	2960	18.25	9.35	0.43	0.8	0.126	0.88	223	24.6	1.78	6120	61.1	0.02	9.6	30.4
E386523	261.00	261.50		0.7	2.82	141	50	0.71	0.76	2.17	<0.02	165.5	549	16	2.12	8040	16.9	8.99	0.38	1	0.138	1.15	84.2	25.5	1.31	4120	36.5	0.02	11	34.4
E386524	261.50	262.00		0.92	2.44	43	60	0.48	0.71	2.66	<0.02	78.2	266	13	1.8	>10000	15.2	6.89	0.25	0.7	0.15	0.95	28.5	18.4	1.24	3800	36.1	0.02	8.9	32.7
E386525	262.00	262.50		0.72	2.83	8.4	140	0.72	0.22	2.79	<0.02	84.4	45.9	15	2.1	7160	10.75	7.78	0.13	0.8	0.259	1.33	32	22.8	1.09	3920	22.6	0.02	5.5	18.8
E386526	262.50	263.00		0.12	5.91	7.2	2560	1.41	0.15	2.47	<0.02	178.5	36.6	34	4.86	551	9.65	16.7	0.18	1.8	0.143	2.9	118.5	47.6	1.29	3210	11.9	0.06	8.9	23.8
E386527	263.00	263.50		0.02	6.52	3.7	8500	1.85	0.05	4.81	<0.02	95.3	29.9	36	5.59	133	8.82	18.75	0.25	1.8	0.172	3.83	64.9	47.7	2.01	5920	11.35	0.11	5.7	25.8
E386528			BLANK	0.04	0.12	<5	40	0.19	<0.01	40.3	0.43	2.32	0.8	5	<0.05	3.2	0.05	0.52	0.15	0.1	0.005	0.03	2.2	1.4	0.44	35	0.32	0.02	0.3	<0.2
E386529	263.50	264.00		0.05	6.37	5.3	3860	1.86	0.2	4.37	<0.02	116.5	38	35	6.75	178	8.86	19.15	0.23	1.9	0.188	3.31	77.5	52.2	2.11	5080	8.67	0.07	5.1	33.4
E386530	264.00	264.50		0.1	6.57	6.1	4160	1.84	0.53	4.46	<0.02	107	53.8	36	7.21	134	10.3	18.5	0.24	1.9	0.189	3.28	70.7	57	2.34	5010	12.65	0.07	6.4	36.3
E386531	264.50	265.00		0.03	6.01	3.5	3690	1.71	0.02	4.87	<0.02	113.5	32.3	35	5.45	153	8.34	16.95	0.22	1.8	0.151	3.34	75.9	42	1.7	6640	6.33	0.07	4.7	25.1
E386532	265.00	265.50		0.04	5.27	2.9	5510	1.46	0.08	5.25	<0.02	53.5	32.2	27	4.5	161.5	9.4	14.25	0.18	1.5	0.144	2.76	35	35	1.79	7250	6.23	0.08	3.5	23.9
E386533	265.50	266.00		0.12	4.77	12.6	2400	1.42	0.4	4.08	<0.02	261	45.1	25	4.09	382	10.95	14.3	0.33	1.2	0.118	2.32	175	35	1.42	5840	27.7	0.05	8.7	24.3
E386534	266.00	266.50		0.11	5.75	4	750	1.68	0.15	0.71	<0.02	160.5	27.5	36	4.73	894	6.68	17.4	0.25	1.8	0.104	2.64	91.7	40	0.72	1030	13.2	0.04	3.3	24.7
E386535	266.50	267.00		0.04	5.85	8	3280	1.76	0.12	1.58	<0.02	133	17.7	34	6.36	474	10.35	17.25	0.26	1.8	0.109	2.9	96.8	53.6	0.88	2190	14.65	0.06	10.3	20.7
E386536	267.00	267.50		0.05	7.37	7	3380	2.33	0.13	0.48	<0.02	77.7	57.9	48	6.58	450	11	19.6	0.26	2.1	0.184	3.83	47.1	50.5	1	3140	4.38	0.07	4.5	31
E386537	267.50	268.00		0.04	7.25	7.9	4830	2.14	0.05	0.3	<0.02	81.8	79.1	48	6.18	271	11.55	18.1	0.23	2.1	0.2	3.83	37.1	47	1.04	4460	3.72	0.08	4.2	31.3
E386538	268.00	268.50		0.06	7.24	8.8	8430	2.22	0.08	0.28	<0.02	35	85.7	46	5.71	126	11.45	18	0.2	2.3	0.174	3.78	21	48.9	1.11	4060	2.35	<0.01	3.5	30.3
E386539			BLANK	0.01	0.13	6	80	0.09	0.01	44.7	0.38	2.33	1	6	<0.05	1.9	0.06	0.44	<0.05	0.1	<0.005	0.03	1.6	1.5	0.47	36	0.17	0.01	0.3	3.4
E386540			STANDARD 3	0.32	6.42	51.9	380	2.29	1.35	1.86	<0.02	74.8	102.5	38	5.96	1400	6.95	17.35	0.15	2	0.103	2.85	41	22	1.25	3050	19.25	0.55	3	23.6
E386541	268.50	269.00		0.07	6.72	6.7	2610	2.32	0.07	0.48	<0.02	16.65	62.5	42	5.29	250	8.99	16.8	0.16	2	0.111	3.19	10.4	48	0.98	1340	1.5	0.03	3.7	23.6
E386542	269.00	269.50		0.13	3.37	11.8	380	1.17	0.22	1.39	<0.02	189	26.5	19	2.84	180.5	12.65	9.18	0.25	1.1	0.048	1.69	121.5	37.4	0.79	1490	24.7	0.02	8.1	15.2
E386543	269.50	270.00		0.13	3.82	9	2050	1.48	0.1	1.04	<0.02	222	16.5	23	3.29	83.9	10.75	10.45	0.26	1.3	0.059	2.03	167.5	47.8	0.74	1475	34.7	0.02	7.9	11.4
E386544	270.00	270.50		0.21	2.62	7.4	690	0.88	0.53	1.18	<0.02	263	35	16	1.85	837	17.15	7.84	0.36	0.9	0.063	0.97	185	29.6	1.18	3740	39.5	0.01	5.5	26.9
E386545	270.50	271.00		0.13	4.71	4.2	1520	1.47	0.1	2.55	<0.02	124.5	21.3	29	4.11	703	8.09	13.2	0.19	1.5	0.086	2.37	86.8	43.4	1.25	2240	5.92	0.03	7.1	14.6
E386546	271.00	271.50		0.09	4.13	6.9	980	1.43	0.08	0.57	<0.02	44.4	30.2	27	3.47	115.5	9.78	10.3	0.18	1.3	0.058	2.06	28.4	38	0.56	406	12.15	0.02	7.2	13.8
E386547	271.50	272.00		0.1	4.08	5.2	790	1.48	0.11	0.7	<0.02	37.8	24	24	3.48	178	8.89	10.4	0.17	1.2	0.066	1.91	23.1	43.2	0.74	587	13.55	0.02	8.1	14.3
E386548	272.00	272.50		0.11	2.23	8.2	370	0.79	0.27	0.36	<0.02	142.5	42	12	1.32	52.6	13.85	5.55	0.24	0.7	0.039	0.75	87.3	28.6	0.77	2260	33.4	0.01	6.5	17.7
E386549	272.50	273.00		0.12	2.74	6.9	480	0.87	0.16	0.24	<0.02	275	38.6	14	1.58	82.5	13.15	7.9	0.31	0.8	0.053	0.94	176	26.1	0.88	2370	27.6	0.01	6.4	19.9
E386550	273.00	273.50		0.11	8.27	2.5	5710	2.65	0.1	0.21	<0.02	45.5	12.9	63	5.31	314	5.85	23.7	0.14	2.8	0.072	4.09	28.9	37.9	0.76	163	31.4	0.02	4.1	20.3
E386551			BLANK	0.01	0.12	10	140	0.06	0.01	44.4	0.36	2.48	1	6	<0.05	1.8	0.05	0.45	<0.05	0.1	<0.005	0.03	1.8	1.5	0.46	33	0.32	0.01	0.3	3.3
E386552	273.50	274.00		0.01	5.11	4.3	1150	1.57	0.18	0.26	<0.02	121.5	16	34	3.04	181.5	8.18	13.05	0.25	1.1	0.049	2.47	83.1	36.8	0.56	364	3.21	0.02	7	12.4
E386553	274.00	274.50		0.35	2.95	7.1	250	0.99	0.22	0.68	<0.02	123	38.7	18	2.17	3390	13.05	8.8	0.23	1	0.06	1.35	68.2	31.1	0.87	2350	24.4	0.02	5.9	20.8
E386554	274.50	275.00		0.11	5.92	6.1	510	1.93	0.09	0.95	<0.02	42.6	76.9	38	4.71	292	10.55	15.25	0.19	1.8	0.059	2.58	23	52.6	1.21	1135	2.1	0.03	7.6	34.3
E386555	275.00	275.50		0.1	1.88	6.1	290	0.74	0.1	1.1	<0.02	162	68.4	11	1.27	111	17.85	6.28	0.31	0.8	0.026	0.74	86.9	18.1	0.89	2960	47.5	0.01	5.8	26.2
E386556	275.50	276.00		0.09	1.29	5.3	440	0.69	0.11	1.12	<0.02	147	41.7	5	0.97	35.2	25.4	5.39	0.45	0.4	0.024	0.61	99.9	11	0.69	2790	51.3	0.01	5.2	27.7

IG-2007-23

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba	U
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	%
E386245			BLANK	100	0.7	0.5	<0.002	0.06	0.1	0.4	2	<0.2	259	<0.05	<0.05	0.2	0.006	<0.02	0.7	15	0.1	2.8	20	3.1		<0.001		
E386246			STANDARD 3	730	2.7	121.5	0.006	1.28	1.19	10	2	7.8	508	0.22	0.17	12.1	0.122	0.36	17.9	68	8.8	12.1	4	83		0.018		
E386247	182.50	183.00		1470	2.6	4.3	0.026	2.51	1.25	8	3	1.9	436	0.13	0.38	6.8	0.032	0.09	25.4	45	5.9	16	7	48.8		0.018		
E386248	183.00	183.50		2900	5.6	11.4	0.077	4.82	1.91	13	7	4.1	305	0.06	0.63	5.5	0.033	0.41	2	77	6.2	21	9	24.3		0.032		
E386249	183.50	184.00		2100	6.3	0.4	0.04	5.04	2.12	6.6	6	1.5	391	0.05	0.64	3.9	0.032	0.46	2.5	82	11.3	14.1	4	6.2		0.03		
E386250	184.00	184.50		1680	7.4	0.2	0.094	8.62	2.17	10.3	7	1.4	178	<0.05	0.92	4	0.029	0.38	4.2	68	26.4	12	5	4.8		0.048		
E386251	184.50	185.00		1910	7.7	1.3	0.07	7.32	1.61	8.4	6	2.6	277	0.12	0.96	7.2	0.04	0.22	5.8	87	8.3	16	13	17.2		0.052		
E386252	185.00	185.50		1190	4.1	36.7	0.019	1.85	1.03	10.5	3	6.3	266	0.12	0.23	7.6	0.05	0.14	3.6	66	7.3	14.3	23	44.5		0.011		
E386253	185.50	186.00		1230	2.2	48	0.013	1.44	0.9	7.9	2	5.9	112	0.14	0.14	7.5	0.052	0.12	1.8	54	11.3	15.6	16	36.5		0.017		
E386254	186.00	186.50		840	8.5	101	0.012	6.22	2.11	11	3	13	53.2	0.15	0.47	10.1	0.084	0.27	5.4	72	8.5	13.6	12	53.2		0.046		
E386255	186.50	187.00		650	1.5	186	<0.002	0.32	0.99	12.8	1	8	147	0.26	0.05	14.2	0.134	0.42	3.1	76	9.8	15.3	<2	69.4		<0.001	1.09	
E386256	187.00	187.50		660	1.5	156	<0.002	0.29	1.06	11.1	1	5.7	137	0.26	<0.05	13.6	0.114	0.33	2.6	64	8.5	15.6	2	63.2		<0.001	0.89	
E386257			BLANK	110	0.6	0.8	<0.002	0.05	0.09	0.4	3	<0.2	255	<0.05	<0.05	0.2	0.006	<0.02	0.5	14	0.1	2.9	19	3.2		<0.001		
E386258	187.50	188.00		630	1.7	154.5	<0.002	0.26	1.01	11.3	1	4.5	375	0.29	<0.05	12.6	0.11	0.3	3	58	8.7	15.2	<2	61.5		<0.001	2.67	
E386259	188.00	188.50		650	1.9	167.5	<0.002	0.17	1.14	11.4	2	4.9	384	0.3	<0.05	14	0.106	0.36	2.7	60	9.5	14.4	<2	63		<0.001	3.12	
E386260	188.50	189.00		640	1.6	156	<0.002	0.31	0.97	11	1	4.7	233	0.24	<0.05	10	0.103	0.3	2.8	59	8.7	13.4	2	59.9		<0.001	1.89	
E386261	189.00	189.50		720	2	173	0.003	0.76	1.19	11.5	1	6	64.7	0.21	0.12	15.1	0.106	0.39	3.4	71	9.7	16.4	2	78		0.003	0.59	
E386262	189.50	190.00		1020	2.1	122	0.006	2.45	1.27	10	3	4.6	34.3	0.16	0.36	8.5	0.077	0.29	4.6	69	7.8	15.5	4	58		0.019		
E386263	190.00	190.50		1000	1.7	176.5	0.002	0.42	1.05	13.9	2	7.2	17.6	0.14	0.07	16.5	0.116	0.45	7.2	91	11.3	16.7	5	87.5		0.002	0.54	
E386264	190.50	191.00		760	3	157	0.005	1.5	1.34	12	2	6.2	28.6	0.13	0.16	11.4	0.096	0.37	7.1	77	10.4	11.8	3	70.7		0.017		
E386265	191.00	191.50		980	1.8	141	0.003	0.6	1.28	10.8	2	5.8	52.4	0.12	0.19	11.4	0.091	0.34	2.9	72	9.6	12.1	2	62.3		0.005		
E386266	191.50	192.00		770	2.7	204	0.003	0.49	0.99	13.2	1	6.5	45.2	0.09	0.08	14.9	0.11	0.47	4	85	10.4	11.9	4	82.6		0.003	0.6	
E386267	192.00	192.50		750	1.5	175	<0.002	0.45	0.63	13.4	1	5.9	16.4	0.07	0.08	13.6	0.086	0.44	3	84	7.4	11.6	5	73.7		0.001		
E386268			BLANK	120	0.7	0.8	<0.002	0.05	0.07	0.5	1	<0.2	283	<0.05	<0.05	0.2	0.006	<0.02	0.8	2	0.1	2.6	21	4.1		<0.001		
E386269			STANDARD 1	810	20.7	83.3	0.019	2.29	1.46	9.6	3	7.2	598	0.13	0.22	7.8	0.075	0.42	291	56	7.4	14.1	8	54.9		0.056		
E386270	192.50	193.00		830	2.6	200	<0.002	0.41	0.79	15.8	1	7.2	20.4	0.06	0.06	18.3	0.093	0.51	3.8	89	8.8	13	4	84.9		0.003		
E386271	193.00	193.50		910	1.5	141	0.008	0.38	1.06	9.9	1	5.2	20.4	0.11	0.08	12	0.084	0.31	2.5	65	8.6	11.3	4	56.6		0.003		
E386272	193.50	194.00		780	5.1	116.5	0.024	3.95	1.32	11	2	4.3	18.8	0.14	0.29	11.9	0.084	0.32	113.5	60	9.1	12.8	6	58.7		0.041		
E386273	194.00	194.50		670	83.4	113.5	0.023	6.86	3.34	9.6	2	3.5	21.7	0.15	0.27	12.9	0.081	0.36	1370	56	12.4	24.8	4	65.7		0.082		
E386274	194.50	195.00		710	2.8	157.5	0.016	2.88	1.37	10.8	1	5.7	24	0.18	0.13	12.6	0.101	0.36	22.2	67	11.4	11.6	<2	62.1		0.027		
E386275	195.00	196.00		720	2	170.5	0.003	0.05	1.04	11	1	5.4	43.9	0.27	<0.05	12.4	0.118	0.37	12.7	67	10.9	13.9	2	61.4		0.001		
E386502	251.50	252.50		750	1.5	91.1	0.007	0.28	0.93	7	2	5	272	0.17	0.15	9	0.159	0.19	3.4	58	10.9	12.2	6	38.7		0.008		
E386503	252.50	253.00		1070	2.4	88.8	0.026	0.68	1.49	7.5	6	21.5	188	0.34	0.84	8.6	0.092	0.19	7.2	59	19.1	17.5	6	39.2		0.031		
E386504	253.00	253.50		1750	1.8	39.9	0.02	0.97	1.06	6.1	5	12.1	210	0.24	0.9	6.4	0.059	0.09	5.1	51	10.4	15.1	5	19.8		0.027		
E386505			BLANK	110	0.8	0.7	<0.002	0.07	0.11	0.8	4	<0.2	300	<0.05	0.06	0.3	0.006	<0.02	0.8	2	0.1	3.5	23	4.1		<0.001		
E386506	253.50	254.00		1740	2.2	69.7	0.028	0.95	1.18	5.8	5	21.3	141.5	0.24	0.95	8	0.068	0.15	6.3	49	15.5	15.9	7	34.6		0.019		
E386507	254.00	254.50		1710	2.2	55.6	0.02	0.44	0.96	5.9	4	18.5	264	0.27	0.58	7.2	0.067	0.12	6.3	45	11.3	14.3	8	26.5		0.021		
E386508	254.50	255.00		1590	2.6	45.2	0.019	0.47	1.17	4.5	4	16.8	369	0.27	0.55	6.2	0.059	0.11	4.9	37	12.8	12.5	6	21.7		0.018		
E386509	255.00	255.50		1530	2	78.3	0.015	0.32	1.25	6.1	3	24.6	278	0.32	0.4	8.2	0.074	0.16	7.2	43	15.7	15.1	5	34.2		0.015		
E386510	255.50	256.00		1740	2.1	53.2	0.02	0.25	1.3	5.1	3	18	380	0.35	0.38	6.7	0.061	0.11	5.9	42	13.5	14.6	6	24.9		0.013		
E386511	256.00	256.50		1830	1.7	38.8	0.017	0.37	1.17	3.6	3	15.4	562	0.33	0.59	6	0.059	0.08	3	43	11.6	13	7	19.4		0.02		
E386512	256.50	257.00		1860	1.7	42.7	0.021	0.28	1.24	4	4	17	571	0.35	0.44	6.2	0.056	0.09	2.8	41	11.8	14.5	7	20.6		0.02		
E386513	257.00	257.50		2130	2.3	62.6	0.019	0.31	1.43	5.2	5	24.3	431	0.41	0.53	8.3	0.072	0.12	8.6	49	14.6	17.3	7	30.3		0.029		
E386514	257.50	258.00		1890	1.8	66.9	0.02	0.34	1.45	5.2	4	24.5	483	0.38	0.41	8.5	0.069	0.14	4.8	49	15.7	15.9	6	30.5		0.045		
E386515	258.00	258.50		1930	2	70.5	0.018	0.44	1.31	5.7	4	23.9	438	0.32	0.56	8.6	0.073	0.16	4.4	43	16	15.4	7	30.4		0.022		
E386516			BLANK	120	0.7	0.7	<0.002	0.07	0.08	0.6	4	0.2	286	<0.05	0.06	0.2	0.006	<0.02	0.7	4	0.1	3	22	3.5		0.001		
E386517			STANDARD 2	2350	5.3	28.9	0.019	6.86	2.2	3.7	6	7.4	181	0.12	0.98	5.3	0.032	0.47	14.2	59	8.5	13.9	7	22.3		0.12		
E386518	258.50	259.00		1830	1.9	101.5	0.018	0.58	1.41	7.1	5	33.2	416	0.39	0.74	9.4	0.098	0.23	11.9	50	19.4	16.7	8	49		0.029		
E386519	259.00	259.50		1630	1.7	35.2	0.011	0.24	1.19	3.5	2	13.4	710	0.26	0.32	5.8	0.058	0.08	5.7	37	10.9	11.3	9	21.5		0.009		
E386520	259.50	260.00		2040	2.1	132.5	0.024	0.47	1.75	7.5	5	40.9	310	0.52	0.43	16.7	0.144	0.29	7.5	63	24	19	6	59		0.025		
E386521	260.00	260.50		1600	2.1	55.4	0.031	1.18	1.44	7.4	8	25	167.5	0.21	1.17	6.9	0.075	0.12	38.3	54	13.6	14.7	7	31.7		0.087		
E386522	260.50	261.00		1760	1.7	42.3	0.027	0.47	1.54	5.9	5	25.4	303	0.25	0.83	6	0.082	0.1	5.7	47	13.7	13.9	8	24.6		0.042		
E386523	261.00	261.50		1640	1.3	51.1	0.022	2.33	1.5	4.9	7	24.5	399	0.27	1.48	4.9	0.068	0.11	5.3	42	12.2	12.2	3	26.9		0.126		
E386524	261.50	262.00		1590	1.1	39.1	0.016	2.2	1.11	3.9	7	12.6	765	0.19	0.55	3.4	0.046	0.09	3.9	37	9.8	10.2	5	20.4	1.33	0.144		
E386525	262.00	262.50		1760	1	58.4	0.01	0.82	1.14	5	5	9.8	1830	0.22	0.39	4.1	0.061	0.12	3.7	41	12.7	10.8	4	24.8		0.153		
E386526	262.50	263.00		1070	1.7	137.5	0.011	0.22	1.98	9	4	12.9	733	0.4	0.09	11.5	0.163	0.29	4.1	82	22.3	14.5	3	55.7		0.007		
E386527	263.00	263.50		890	1.6	166.5	0.01	0.24	1.52	12.8	3	11.2	205	0.25	0.2	16	0.183	0.33	10.1	64	21.9	17.4	4	62.6		0.003	0.9	
E386528			BLANK	110	0.9	0.9	0.005	0.06	0.08	0.5	3	<0.2	280	<0.05	0.19	0.2	0.005	<0.02	0.7	4	0.1	3	20	3.7		0.001		
E386529	263.50	264.00		950	1.8	156.5	0.008	0.18	1.76	11.9	2	11.1	95.9	0.23	0.13	16.8	0.183	0.32	5.6	82	22.3	18.4	7	66.1		0.004		
E386530	264.00	264.50		980	2.2	150	0.008	0.33	1.93	12.4	2	11.7	102	0.28	0.14	15.5	0.187	0.35	5.1	68	21.5	18.9	9	64		0.005		
E386531	264.50	265.00		730	1.9	149	0.007	0.1	1.54	10.6	2	9.4	117	0.23	0.12	15.4	0.176	0.28	4.5	58	18.7	17.4	4	61.5		0.001		
E386532	265.00	265.50		580	1.4	128	0.004	0.2	1.5	9.4	1	7.8	279	0.16	0.23	11.8	0.137	0.27	3.6	50	15.8	15.1	3	52.8		0.003	1.13	
E386533	265.50	266.00		1420	2	113	0.009	0.21	1.65	9.9	2	10.7	387	0.31	0.22	13.9	0.133	0.23	2.5	57	17.6	18.1	3	43.6		0.007		
E386534	266.00	266.50		850	1.8	138	0.005	0.41	1.72	10.9	2	8.3	2320	0.15	0.12	14.4	0.104	0.33	4.2	53	16	11.7	4	61.2		0.029		
E386535	266.50	267.00		1870	2.3	150	0.007	0.19	2.22	11.3	2	13.7	594	0.38	0.52	11.5	0.153	0.35	8.2	68	22.7	16.9	4	61.7		0.007		
E386536	267.00	267.50		730	1.8	179	0.002	0.31	1.71	15.2	2	10	611	0.22	0.09	16.1	0.192	0.38	5.1	73	22.3	11.9	6	71.8		0.012		
E386537	267.50	268.00		650	1.5	173	0.002	0.37	1.51	14.7	2	9.4	367	0.21	0.08	15.2	0.178	0.37	3.9	69	22	11.6	5	72		0.004		
E386538	268.00	268.50		650	1.5	178.5	<0.002	0.47	1.46	13.7	1	9.9	276	0.14	0.05	14.3	0.166	0.31	3	67	21.9	10.1	6	69.3		0.004	1.69	
E386539			BLANK	100	1.1	1.1	<0.002	0.06	0.07	0.6	1	<0.2	257	<0.05	<0.05	0.3	0.006	<0.02	0.6	5	0.1	2.8	22	3.6		0.001		
E386540			STANDARD 3	710	2.8	127.5	0.005	1.21	1.06	9.8	1	7.4	498	0.18	0.2	12.6	0.105	0.33	16	61	7.7	10.7	6	60.2		0.016		
E386541	268.50	269.00		570	1.5	156.5	<0.002	0.4	1.56	11.3	1	10.6	732	0.19	0.06	11.5	0.174	0.26	2.9	61	19.8	9.2	6	59.6		0.003		
E386542	269.00	269.50		1630	1.9	86.3	0.011	0.35	1.78	7	1	15.8	1205	0.24	0.24	8.6	0.104	0.16	3	58	16.8	11.7	4	30.5		0.007		
E386543	269.50	270.00		1250	1.9	104	0.018	0.15	1.72	8.5	1	20	1245	0.26	0.23	10.2	0.118	0.18	3	53	16.7	11.9	4	37.6		0.004		
E386544	270.00	270.50		1250	1.5	50.8	0.008	0.26	0.9	4.8	3	9.2	1485	0.15	0.47	7.3	0.058	0.08	3.7	35	9.7	10.9	6	24.7		0.017		
E386545	270.50	271.00		790	2.1	121.5	0.008	0.26	1.51	8.4	1	13.2	1320	0.28	0.09	11.2	0.153	0.2	11.1	49	18.9	11.4	11	46.5		0.004		
E386546	271.00	271.50		890	1.2	103	0.005	0.24	1.63	6.5	1	12.1	1575	0.35	0.13	6.8	0.135	0.18	2.4	50	15.8	8	4	38.8		0.003		
E386547	271.50	272.00		770	1.3	99	0.008	0.22	1.23	8.1	1	16.8	1745	0.32	0.25	4.6	0.127	0.18	3.5	49	15.2	8.2	6	35.7		0.005		
E386548	272.00	272.50		1320	1.9	38.6	0.008	0.36	0.96	4.1	1	12.1	1695	0.17	0.26	4.9	0.05	0.08	2.6	34	8.7	7.7	6	20.9		0.004		
E386549	272.50	273.00		1080	1.8	46.8	0.008	0.27	1.05	4.2	1	10.7	1600	0.16	0.72	7.9	0.059	0.09	2.8	35	10.6	8.8	8	23.6		0.004		
E386550	273.00	273.50		860	1.3	185	0.006	0.37	1.22	10.4	2	19.6	1240	0.18	0.07	13.8	0.175	0.4	6.1	74	18.8	11.3	7	81.9		0.001	11.6	
E386551			BLANK	90	0.9	0.9	0.003	0.06	0.06	0.5	2	<0.2	257	<0.05	<0.05	0.2	0.005	<0.02	0.6	5	0.1	2.8	26	3.4		0.002		
E386552	273.50	274.00		980	1.5	106.5	0.005	0.29	1.26	7.8	2	16.5	1400	0.34	0.05	6.5	0.165	0.22	1.7	57	14.5	8.2	4	40.1		0.004		
E386553	274.00	274.50		1110	1.9	70.4	0.008	0.51	1.21	7.8	2	14.3	1025	0.23	0.19	6	0.08	0.1	3.7	52	11.6	9.3	5	27.4		0.007		
E386554	274.50	275.00		550	1.1	130	<0.002	0.51	1.16	9.8	1	10.6	1280	0.41	0.18	12	0.174	0.21	2.6	54	14.9	10.6	7	51.4		0.003		
E386555	275.00	275.50		1400	1.3	38.1	0.009	0.53	0.64	3.3	1	8.5	1350	0.12	0.21	5.1	0.043	0.06	3.5	35	7.6	9.6	4	17.5		0.006		
E386556	275.50	276.00		1240	0.9	30.4	0.014	0.35	0.71	2.8	1	9.6	1100	0.05	0.27	4.2	0.025	0.05	3.1	35	6.8	8.8	2	12.2		0.005		

IG-2007-23

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
E386557	276.00	276.50		0.1	3.3	7.5	240	1.63	0.15	1.92	<0.02	290	61.5	19	2.57	58.3	11.6	5.76	0.3	1	0.024	1.54	168	27.5	0.83	1780	34.2	0.02	8.7	18.7
E386558	276.50	277.00		0.11	3.93	5.7	1780	1.43	0.25	1.68	<0.02	155.5	16.6	22	3.06	63.9	15.1	10.7	0.3	1.2	0.057	1.85	122	30.3	1.33	3670	35.4	0.02	8.6	18.3
E386559	277.00	277.50		0.13	3.91	7.8	460	1.39	0.37	1.39	<0.02	146	43.1	23	3	181.5	11.05	10	0.22	1.2	0.055	1.87	88.6	35.8	1.06	2290	31.4	0.02	7.1	20.1
E386560	277.50	278.00		0.12	4.96	6.1	990	1.63	0.42	0.22	<0.02	102.5	50	32	3.5	56.9	13.2	13.2	0.24	1.6	0.114	2.22	64.8	54.9	1.32	4140	6.26	0.03	7.6	29.3
E386561	278.00	278.50		0.15	5.81	5.1	2240	2.07	0.35	0.24	<0.02	134.5	21.5	40	4.54	69.6	10.25	15.6	0.22	1.8	0.063	2.86	89.1	61.9	0.84	564	14.75	0.02	9.8	22.8
E386562			BLANK	0.02	0.13	<5	160	0.08	0.01	45.4	0.4	2.67	1	6	<0.05	1.7	0.06	0.48	<0.05	0.1	<0.005	0.03	1.9	1.7	0.48	35	0.37	0.01	0.3	3
E386563			STANDARD 1	1.29	5.58	72.3	120	1.86	2.8	2.04	<0.02	62	160.5	33	3.74	7150	9.99	14.95	0.18	1.9	0.142	2.14	23.6	26	1.22	3510	67.2	0.82	3	35.9
E386564	278.50	279.00		0.11	5.86	7.3	2020	2.08	0.17	0.56	<0.02	148.5	41.6	38	4.52	210	11.9	15	0.22	1.8	0.071	2.61	117.5	55.6	1.04	1305	31.3	0.03	7.5	24.9
E386565	279.00	279.50		0.12	2.33	8	1680	1.02	0.2	0.66	<0.02	239	19.7	12	1.65	34.4	15.75	6.74	0.29	0.7	0.039	0.83	190	33.8	0.88	2980	38.9	0.01	8.6	18.4
E386566	279.50	280.00		0.22	2.44	7.8	880	1.21	0.36	1.88	<0.02	294	28.4	13	1.75	99.9	15.85	7.29	0.34	0.8	0.062	0.83	223	38.5	1.27	1775	53.4	0.07	8.6	19.9
E386567	280.00	280.50		0.15	3.04	7.5	850	1.5	0.31	2.28	<0.02	178.5	35.7	17	1.81	71.8	12.65	8.8	0.24	1	0.076	1.21	136	43.4	1.62	2430	43.1	0.02	8.2	21.5
E386568	280.50	281.00		0.19	2.98	9	930	0.94	0.42	6.48	<0.02	269	52.2	11	1.85	2.9	12.25	9.17	0.3	0.9	0.509	0.83	205	43.7	3.57	6510	38.3	0.02	9.6	34.1
E386569	281.00	281.50		0.11	5.16	8	1210	1.96	0.44	0.42	<0.02	100.5	42.7	39	4.12	7.2	11.7	13.85	0.23	1.7	0.192	2.34	80.7	78.1	1.66	5120	14.65	0.02	6.4	26.9
E386570	281.50	282.00		0.17	2.71	11.2	900	1.28	0.55	1.5	<0.02	267	67.7	14	2.02	15.4	16.1	7.87	0.33	1	0.307	1.36	210	34.1	2.01	10300	52.4	0.02	9.7	18.1
E386571	282.00	282.50		0.17	2.89	12.2	200	1.02	0.84	1.95	<0.02	134	99.1	14	1.81	13	19.2	7.47	0.29	0.8	0.34	1.41	103.5	20.8	2.62	12950	28.1	0.02	4.6	20.4
E386572	282.50	283.50		0.13	5.9	2.8	3270	2.17	0.03	0.89	<0.02	144.5	17.3	33	5.37	25	9.32	16.45	0.18	1.7	0.276	2.93	103	35.1	1.66	7610	8.96	0.04	3.5	12.9
E386573	294.20	295.00		0.1	6.69	23.2	450	1.31	3.94	3.06	<0.02	85.4	89.4	34	5.97	34.2	6.65	16.8	0.14	2	0.078	3.09	48.4	36.9	1.49	2380	3.93	0.06	3.3	20.1
E386574			BLANK	0.02	0.14	<5	50	0.07	<0.01	49.9	0.41	2.8	1.2	6	<0.05	2.1	0.05	0.43	<0.05	0.1	<0.005	0.03	2.1	1.7	0.54	41	0.22	0.02	0.3	<0.2
E386575	295.00	295.50		0.07	4.87	20	190	1.03	4.19	2.51	0.02	54	72.6	27	4.27	12.5	5.37	12.35	0.1	1.6	0.054	2.21	30	30.7	1.09	1770	2.71	0.05	2.8	18.5
E386576	295.50	296.00		0.06	5.39	25.8	500	0.91	3.87	1.81	<0.02	86	101	28	4.26	62.6	5.81	12.4	0.11	1.4	0.066	2.47	49.8	26.7	0.88	1310	3.01	0.05	2.2	22.2
E386577	296.00	296.50		0.1	7.32	33.7	920	1.26	6	3.98	<0.02	125	126.5	41	6.62	227	8.33	18.15	0.16	2.4	0.098	3.56	75.2	44.9	1.44	3430	9.06	0.06	3.9	31.3
E386578	296.50	297.00		0.11	7.8	46.1	870	1.42	5.3	3.06	<0.02	38.4	113.5	37	7.38	75.7	8.67	18.95	0.15	2.2	0.105	3.84	18.7	50.8	1.15	2670	14.75	0.07	4.2	34.8
E386579	297.00	297.50		0.02	7.51	12	790	1.33	1.7	4.91	<0.02	102	34.7	42	6.77	56.2	6.74	17.5	0.15	2.1	0.104	3.56	67.4	50.2	1.68	4130	16.05	0.08	5.8	12.4
E386580	297.50	298.00		0.15	5.8	57.2	3340	1.1	8.52	5.99	<0.02	183	157.5	27	5.18	156	12.35	12.8	0.19	1.9	0.097	2.79	129	45.5	1.85	5820	12	0.04	4.2	41.2
E386581	298.00	298.50		0.09	5.98	28.4	610	1.3	2.74	6.66	<0.02	126.5	58.6	27	5.94	108.5	9.6	14.2	0.14	1.7	0.142	2.85	91.1	54.8	2.6	5940	39.9	0.05	5.3	16.7
E386582	298.50	299.00		0.13	1.99	24	90	0.29	8.4	10.85	<0.02	88.7	115.5	9	2.76	164.5	17.7	4.47	0.19	0.5	0.115	0.99	65.3	32.4	3.36	10950	13.5	0.02	2.1	25.7
E386583	299.00	299.50		0.1	5.29	38.3	210	0.96	6.73	7.15	<0.02	126.5	98.1	25	5.89	92.4	11.95	11.5	0.18	1.6	0.12	2.56	95.6	55.4	2.64	6490	24	0.05	4.3	27.7
E386584	299.50	300.00		0.21	5.11	72.2	370	0.9	8.36	3.5	<0.02	144	98.8	25	5.36	395	15.2	11.8	0.2	1.5	0.173	2.46	109	43.8	2.49	10950	24.5	0.05	3.9	27.5
E386585			BLANK	0.01	0.13	8	20	0.05	<0.01	45.4	0.38	2.47	1.2	5	<0.05	2.3	0.05	0.41	<0.05	0.1	<0.005	0.03	1.9	1.7	0.48	41	0.28	0.01	0.3	<0.2
E386586			STANDARD 2	1.15	2.43	113	70	0.75	11.25	2.32	<0.02	196	343	12	2.97	9020	29.6	9.56	0.34	0.7	0.291	0.65	129	30.4	1.63	6360	61.9	0.25	6.5	64.1
E386587	300.00	300.50		0.24	4.5	61.9	450	0.79	12.25	6.27	<0.02	100	126.5	19	4.36	68.1	16.2	10.7	0.19	1.2	0.152	2.06	75.8	36.3	3.6	11550	11.5	0.04	3.4	30.2
E386588	300.50	301.00		0.1	3.33	40.9	190	0.54	5.89	5.84	<0.02	49.4	93.5	21	3.23	65	12.1	7.66	0.1	0.8	0.123	1.59	32.9	23.7	2.84	9960	7.48	0.03	3.7	15.7
E386589	301.00	301.50		0.07	5.86	31	400	1.14	4.39	10.7	<0.02	15.1	77.4	26	5.92	17.6	9.78	13.55	0.11	1.5	0.113	2.76	9.5	43.1	3.85	8460	4.21	0.08	3.4	15.1
E386590	301.50	302.00		0.17	4.3	31.1	140	0.82	6.83	6.91	<0.02	17.1	97.4	28	5.62	138	13.25	9.85	0.14	1.7	0.118	2.01	9.9	31.3	3.19	9220	5.61	0.05	1.9	18.9
E386591	302.00	302.50		0.06	2.61	29	370	0.61	1.92	11	<0.02	27.3	49.2	19	2.98	56	12	6.09	0.12	1.2	0.096	1.24	18.2	20.2	3.66	10400	5.61	0.04	2.2	13.4
E386592	302.50	303.00		0.05	3.86	6	2370	0.82	1.39	10.75	<0.02	38	28.7	25	4.17	77	9.99	8.87	0.11	1.4	0.088	1.81	26.6	24.6	3.16	8540	6.32	0.04	2.3	10.3
E386593	303.00	303.50		0.06	7.22	24.8	3510	1.56	2.11	4.44	<0.02	343	40.4	38	7.54	252	6.33	18.35	0.24	2.1	0.097	3.4	219	39.2	1.56	4210	8.97	0.07	3.4	14.4
E386594	303.50	304.00		0.16	8.15	17.8	5630	1.83	2.01	2.75	<0.02	134	38.5	41	9.15	385	7.55	20.5	0.15	2.2	0.138	3.91	91	50.1	1.61	5240	66.4	0.07	3.2	14.8
E386595	304.00	304.50		0.09	4.59	16.7	530	1.04	2.19	2.51	<0.02	56.1	50.4	25	5.37	349	5.96	11.95	0.12	1.4	0.057	2.13	37.4	27.3	1.04	2640	11.7	0.05	2.7	15.1
E386596	304.50	305.00		0.18	5.44	44	830	0.96	8	5.09	<0.02	65.1	86.9	26	5.53	78.6	7.18	11.9	0.11	1.5	0.064	2.59	39.3	27.7	1.93	3830	7.6	0.06	2	20.7
E386597			BLANK	0.01	0.13	7	30	0.1	0.01	45.8	0.39	2.42	1.2	6	<0.05	2.2	0.05	0.37	<0.05	0.1	<0.005	0.03	1.8	1.9	0.49	40	0.22	0.01	0.3	<0.2
E386598	305.00	305.50		0.26	4.76	82	480	0.97	13.55	10.2	<0.02	83.8	130.5	18	5.42	155.5	11.7	12.15	0.15	1.4	0.081	2.29	57.9	39.1	3.12	7490	13.55	0.05	3.3	29.2
E386599	305.50	306.00		0.33	4.49	88.2	510	0.91	20.1	9.06	<0.02	112	164	19	5.13	267	12.1	12.3	0.15	1.3	0.089	2.21	85.7	41.2	3.08	6870	16.25	0.05	3.7	41.6
E386600	306.00	306.50		0.21	3.6	63.5	110	0.85	8.97	9.39	<0.02	139	94.9	17	4.4	286	9.78	10.75	0.14	1	0.085	1.7	109.5	34.9	3.35	7790	13.55	0.04	2.9	25.7
E386601	306.50	307.00		0.2	4.65	44.9	410	1.05	2.98	7.07	<0.02	138.5	53.3	24	5.46	2100	8.48	13.2	0.15	1.3	0.105	2.16	111.5	38.1	2.77	8560	24.8	0.05	3.9	18.6
E386602	307.00	307.50		0.37	4.54	119	510	0.98	14.6	6.85	<0.02	156.5	164	21	5.32	679	10.6	13.35	0.16	1.4	0.075	2.03	118	38.6	2.51	5210	26.7	0.05	3.6	50.6
E386603	307.50	308.00		0.18	7.07	101	510	1.18	10.75	4.15	<0.02	146	104	36	7.57	59.8	8.89	19.3	0.38	2.3	0.06	3.57	84.3	37.1	1.29	2840	26.4	0.07	3.5	34.2
E386604	308.00	308.50		0.24	6.59	134.5	420	1.56	13.65	4.23	<0.02	99.1	135	34	9.33	136	11.9	18	0.18	2.1	0.096	3.39	60.9	51.4	1.19	2940	27.3	0.07	3	42.2
E386605	308.50	309.00		0.48	5.08	139	1590	0.98	22.2	2.5	<0.02	38.5	170.5	23	6.15	781	12.25	13.3	0.16	1.7	0.06	2.39	23.4	36.3	1.01	2010	27.5	0.05	2.3	44.8
E386606	309.00	309.50		0.29	4.77	62.4	590	1.14	10.9	4.44	<0.02	83.2	140	23	6.17	1260	9.97	12.9	0.15	1.6	0.089	2.17	55.6	39.6	1.48	4190	36.4	0.05	3	36.1
E386607	309.50	310.00		0.34	3.94	87.2	1330	0.95	17.9	5.97	<0.02	137.5	247	16	5.44	267	17.05	10.5	0.22	1.3	0.09	1.78	98.2	45.7	1.85	5770	40.4	0.04	5.3	59.3
E386608			BLANK	0.02	0.13	9	30	0.05	0.02	44.6	0.37	2.14	1.1	14	<0.05	2.7	0.05	0.52	<0.05	0.1	<0.005	0.03	1.7	1.4	0.48	35	0.24	0.01	0.3	6
E386609			STANDARD 3	0.3	7.12	43.9	1100	2.69	1.84	2.04	<0.02	75.3	118.5	45	6.37	1540	7.23	19.9	0.22	1.5	0.139	3.24	37.5	24.1	1.35	3290	20.3	0.61	3.9	28.7
E386610	310.00	310.50		0.12	4.47	20.2	220	0.97	2.18	6.84	<0.02	94.2	65.8	23	5.33	729	13.95	14.05	0.24	1.4	0.112	2.1	73.5	38.8	2.11	7490	16.5	0.04	6.1	28.25
E386611	310.50	311.00		0.17	1.66	32.9	70	0.29	6.62	5.89	<0.02	86.9	58.2	10	2.13	37.3	20.3	6.02	0.31	0.7	0.106	0.75	74	15.9	2.02	8830	52.7	0.02	6.2	39.55
E386612	311.00	311.50		0.61	3.19	136	300	0.81	25.8	6.48	<0.02	142.5	262	16	3.22	146	21.9	11.2	0.37	1.3	0.114	1.36	112.5	24.4	2.42	7010	70	0.03	11.2	98
E386613	311.50	312.00		0.5	2.54	96.9	210	0.71	23.5	2.48	<0.02	55.7	187.5	13	2.6	119	24.7	7.99	0.38	1	0.158	1.18	37.8	16.4	1.91	11950	63.3	0.02	7.4	79.7

IG-2007-23

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Be	U
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	%
E386557	276.00	276.50		1510	1.4	77	0.012	0.51	0.9	6.4	2	21.3	1110	0.12	0.23	9.2	0.08	0.15	3.6	41	12.2	13.7	4	30.3		0.006		
E386558	276.50	277.00		1450	1.4	87.5	0.013	0.25	1.27	7.8	1	19.8	872	0.19	0.13	8.2	0.098	0.16	2.9	64	14.5	10.5	6	33.8		0.005		
E386559	277.00	277.50		1130	1.9	89.6	0.014	0.4	1.44	6.8	1	11.4	1180	0.28	0.59	10.7	0.11	0.17	2.9	48	14.6	10	5	34.3		0.007		
E386560	277.50	278.00		750	1.8	111	0.011	0.47	1.87	8.8	1	9.3	353	0.4	0.21	12.7	0.155	0.21	2.3	56	14.9	9.7	8	47.2		0.005		
E386561	278.00	278.50		990	1.7	146.5	0.008	0.31	2.01	9.6	1	14.1	831	0.5	0.31	12.6	0.175	0.25	2.7	64	19.7	11.3	6	52.7		0.007		
E386562			BLANK	100	1	1	0.003	0.06	0.06	0.5	1	0.2	263	<0.05	<0.05	0.3	0.006	<0.02	0.8	6	0.2	2.9	22	3.9		0.002		
E386563			STANDARD 1	840	21.9	91.6	0.023	2.31	1.57	9.6	2	7.9	611	0.15	0.3	9.7	0.076	0.44	272	55	8.1	15	13	57		0.052		
E386564	278.50	279.00		1200	1.8	131	0.013	0.3	1.32	9.3	1	22.8	813	0.25	0.23	12	0.136	0.24	5.4	68	17.9	11.1	6	50.6		0.006		
E386565	279.00	279.50		1510	1.3	47.4	0.012	0.15	1.03	4.1	1	24.9	1040	0.2	0.25	5.6	0.05	0.07	2.1	30	9.5	8.4	6	20.8		0.004		
E386566	279.50	280.00		1490	1.6	46.1	0.017	0.18	1.25	4.3	1	28.7	837	0.18	0.44	6.6	0.049	0.07	3.1	35	12.4	10	8	21.5		0.007		
E386567	280.00	280.50		1600	1.7	60.9	0.013	0.29	1.07	5.8	1	35	773	0.17	0.32	5.1	0.067	0.1	2.3	45	12.4	8.2	8	28.9		0.009		
E386568	280.50	281.00		1470	2.6	42.4	0.015	0.45	1.2	5.8	1	14.5	41	0.28	0.37	6.8	0.062	0.09	3.7	47	12.4	21.4	21	24.9		0.015		
E386569	281.00	281.50		900	1.9	127	0.014	0.42	1.82	14.9	1	29.8	20.9	0.2	0.39	3.8	0.149	0.26	7.9	126	21.1	10.8	12	47.3		0.007		
E386570	281.50	282.00		1870	2.3	66.6	0.024	1.16	1.45	8.1	1	22.2	20.2	0.25	0.45	8.6	0.073	0.17	2.1	55	13.4	13	7	28		0.018		
E386571	282.00	282.50		1160	3.2	57	0.013	2.99	1.31	5.1	1	14.1	17	0.13	0.34	7	0.063	0.28	1.7	49	10.1	8.7	8	24.1		0.02		
E386572	282.50	283.50		870	3.5	138	0.002	0.11	0.89	10.4	1	12.3	23.9	0.21	<0.05	16	0.115	0.31	2.7	61	14.8	12.8	4	54.2		0.003		
E386573	294.20	295.00		810	2.7	127	<0.002	3.51	1.65	10.5	1	6.8	16.9	0.19	0.14	14.7	0.12	0.46	9	65	12	10.9	5	65.9		0.013		
E386574			BLANK	110	1.2	0.9	<0.002	0.07	0.07	0.5	2	<0.2	295	<0.05	<0.05	0.3	0.006	<0.02	0.8	5	0.2	2.9	24	3.3		0.001		
E386575	295.00	295.50		640	2.5	93.7	<0.002	2.8	1.35	7.8	1	5	22.7	0.18	0.13	10.1	0.094	0.28	13.7	39	9.7	8.2	4	49.4		0.011		
E386576	295.50	296.00		740	2.1	93.4	<0.002	3.71	0.83	6.1	1	5.7	22.1	0.11	0.18	11	0.1	0.23	5.2	41	9.7	8.1	4	45.2		0.016		
E386577	296.00	296.50		990	2.8	138.5	<0.002	4.29	1.02	14.3	1	8.9	61.4	0.2	0.28	16.4	0.135	0.36	21.8	83	15.5	16	3	76.2		0.02		
E386578	296.50	297.00		740	2.8	150	<0.002	5.32	0.9	12.5	2	11.8	61.3	0.17	0.3	14.5	0.137	0.42	11	71	16.9	13.1	3	71.1		0.018		
E386579	297.00	297.50		1120	2.4	150.5	0.002	1.3	1.34	16	1	12.5	76.8	0.22	0.09	14.2	0.136	0.41	6	81	18.4	14.4	2	66.1		0.006		
E386580	297.50	298.00		1300	3.4	111	0.003	7.06	1.17	15.4	2	9.7	73.8	0.23	0.58	15.5	0.11	0.28	20.7	75	14	19.1	3	60.6		0.036		
E386581	298.00	298.50		1540	2.9	123.5	0.009	3.44	2.26	15.2	2	12.5	46.6	0.2	0.13	9.2	0.104	0.54	14.8	74	15.9	15.9	3	55.9		0.013		
E386582	298.50	299.00		830	2.9	44	<0.002	4.92	1.28	9.9	2	2.9	187.5	0.09	0.27	4	0.036	0.11	9.6	39	8.2	12	5	15.3		0.016		
E386583	299.00	299.50		1190	2.3	111	0.003	4.23	1.33	12.9	2	11.8	60.1	0.17	0.25	9.1	0.098	0.27	11.6	57	16.4	15	3	51.2		0.015		
E386584	299.50	300.00		1610	2.6	108	0.005	4.32	1.28	10.4	2	12.1	21.9	0.12	0.27	9.7	0.087	0.29	14.2	68	15	14.5	3	47.7		0.023		
E386585			BLANK	110	0.8	0.7	<0.002	0.06	0.07	0.5	2	<0.2	263	<0.05	<0.05	0.2	0.006	<0.02	0.7	5	0.1	2.6	21	3		0.001		
E386586			STANDARD 2	2470	6.7	35.7	0.018	7.13	2.46	5.5	6	8.4	173	0.15	1.26	6.5	0.034	0.5	17.1	64	7.9	15.2	<2	23.4		0.137		
E386587	300.00	300.50		1030	3	87.1	0.002	5.6	2.38	9.8	1	9.7	24	0.12	0.21	8.8	0.075	0.37	8.9	80	12.8	10.5	5	36.9		0.028		
E386588	300.50	301.00		1090	1.5	64.1	0.002	1.89	1.38	8.1	1	7.1	24.1	0.12	0.13	8	0.067	0.18	2.3	74	11.8	8.2	4	30.4		0.01		
E386589	301.00	301.50		610	2.3	117.5	<0.002	1.67	0.97	12.5	1	10.9	86.8	0.19	0.1	12.2	0.101	0.32	2.9	87	14.3	10.7	5	46.2		0.006		
E386590	301.50	302.00		370	4.4	86.6	<0.002	3.06	1.55	8.8	1	6.9	53.9	0.1	0.12	11.1	0.072	0.36	4	64	11.1	11.6	10	52.7		0.012		
E386591	302.00	302.50		340	3.2	52.3	<0.002	1.34	1	8.4	1	3.3	80.1	0.12	0.05	7.8	0.056	0.15	3.7	54	7.4	11.7	7	38.2		0.004		
E386592	302.50	303.00		440	2.6	75.5	<0.002	0.64	0.99	9.4	1	3.9	107.5	0.13	0.05	11.1	0.071	0.22	5.4	59	7.9	12.8	5	46.2		0.003		
E386593	303.00	303.50		750	2.4	142.5	<0.002	0.57	1.49	12.8	2	7.7	55.4	0.16	0.08	16.6	0.116	0.42	13.1	74	13	15	3	66.9		0.003		
E386594	303.50	304.00		750	4	168.5	<0.002	0.62	1.51	14.1	1	10	23.3	0.15	0.07	14.5	0.134	0.48	95.4	77	17.2	14.9	3	74.3		0.004	0.79	
E386595	304.00	304.50		490	2.2	94.9	<0.002	1.18	1.58	9.6	2	6	30	0.19	0.06	8.7	0.094	0.29	27.1	49	12	9.3	3	46.6		0.004		
E386596	304.50	305.00		600	3.3	97.4	<0.002	3.44	1.51	8	1	7.2	32.5	0.13	0.15	9.9	0.094	0.29	14.5	46	9.7	10.3	4	47.2		0.011		
E386597			BLANK	100	1.3	0.8	<0.002	0.06	0.09	0.5	2	<0.2	274	<0.05	<0.05	0.2	0.006	<0.02	0.7	5	0.2	2.6	22	2.8		0.001		
E386598	305.00	305.50		920	3.3	96.7	<0.002	5.1	1.56	10.1	1	9.2	75.6	0.15	0.23	10.1	0.082	0.29	9.3	49	13.6	14.2	4	48.1		0.018		
E386599	305.50	306.00		1340	3.1	90.1	0.003	5.78	1.96	9.8	2	9.7	42.2	0.12	0.35	8.2	0.075	0.29	10.4	62	13.7	13.7	4	42.3		0.028		
E386600	306.00	306.50		1140	2.3	77.6	0.004	3.4	1.04	9.8	2	8.3	34	0.1	0.22	8	0.056	0.22	8.8	54	10.3	12.8	3	34		0.017		
E386601	306.50	307.00		1290	2.3	96.5	0.006	1.65	0.99	12.4	2	10.1	25.9	0.15	0.12	10.1	0.077	0.29	9.6	68	15	13.5	3	42.7		0.01		
E386602	307.00	307.50		1380	2.7	90	0.006	5.97	1.77	11.8	3	9.6	30.6	0.13	0.37	11.6	0.074	0.3	11.1	73	11.8	13.4	4	43.6		0.031		
E386603	307.50	308.00		1330	2.2	111	0.003	5.58	2.26	9.5	1	12.5	32.7	0.18	0.24	15.4	0.127	0.45	8.5	70	16.2	12.6	2	60.7		0.022		
E386604	308.00	308.50		1260	2.6	143	0.002	8.45	1.34	14.8	2	14	43	0.12	0.4	11.7	0.105	0.42	13.5	79	15.9	14.9	3	65.8		0.029		
E386605	308.50	309.00		560	3.6	104.5	0.003	>10.0	3.97	10.9	2	9	17.4	0.13	0.4	10.6	0.086	0.79	8.2	58	10.9	8.7	5	51		0.05		
E386606	309.00	309.50		850	2.8	99.9	0.003	5.73	1.5	13.3	2	10.1	51.5	0.14	0.28	11.8	0.085	0.34	9.4	64	10.9	13	4	49.6		0.028		
E386607	309.50	310.00		1850	3.2	79.8	0.006	>10.0	1.83	12.4	3	9.4	102	0.18	0.82	9.9	0.076	0.27	15.7	70	12.3	17.2	5	39.6		0.056		
E386608			BLANK	110	1.2	0.8	<0.002	0.06	0.13	0.5	2	<0.2	279	<0.05	<0.05	0.2	0.007	<0.02	0.7	4	0.1	2.8	23	3.5		0.001		
E386609			STANDARD 3	800	3.7	129.5	0.007	1.44	1.42	11.5	1	8	483	0.25	0.2	12	0.13	0.39	17.6	64	9.1	11.5	7	56.9		0.023		
E386610	310.00	310.50		1360	2.3	102.5	0.003	2.22	1.22	10.8	1	9.5	122.5	0.22	0.1	8.5	0.092	0.24	9.4	98	14	16.9	4	45.6		0.011		
E386611	310.50	311.00		2390	2.8	36.4	0.012	6.52	2.81	5.1	2	2.7	76.7	0.15	0.21	4.9	0.043	0.26	6.6	139	7.9	13.8	5	24.7		0.018		
E386612	311.00	311.50		3340	4.4	66.6	0.014	>10.0	5.31	7.3	6	7.8	51.5	0.28	1.66	9.1	0.089	0.52	18.1	209	16.1	17.9	7	41.9		0.069		
E386613	311.50	312.00		1870	3.2	58.7	0.003	>10.0	5.21	5.2	3	5.8	18	0.17	0.92	6.5	0.065	0.42	12.2	132	10.6	11.3	5	33.5		0.061		

IG-2007-24

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
E386614	144.0	145.0		0.87	5.26	53.5	80	0.4	1.8	2.3	<0.02	86.1	390	20	0.44	146	12.9	9.14	0.28	1.3	<0.005	0.34	47	11.7	1.1	3250	31.1	3.03	1.6	43.2
E386615	145.0	145.5		2.88	2.49	199.5	60	0.27	13.9	2.1	<0.02	121	599	10	0.45	184	23.2	9.38	0.45	0.6	<0.005	0.1	92.9	11.3	1.12	2760	83.6	1.12	5.2	87
E386616	145.5	146.0		2.17	3.16	160	90	0.25	6.89	2.16	<0.02	128.5	583	10	0.31	140	21.3	9.91	0.4	1.3	<0.005	0.09	108.5	10.2	0.92	2440	64.7	1.72	3.8	79
E386617	146.0	146.5		0.8	4.58	189.5	120	0.38	1.87	2.65	<0.02	188	639	18	0.35	609	17.3	9.78	0.38	1.1	<0.005	0.17	156.5	13.5	1.15	2950	49.9	2.64	2.7	71.5
E386618	146.5	147.0		3.05	1.16	317	80	0.21	8.88	0.24	<0.02	181	1470	4	0.28	1010	30.8	7.8	0.54	0.4	<0.005	0.04	153	10.8	0.83	4270	204	0.17	3.3	191.5
E386619	147.0	147.5		2.77	0.89	191.5	50	0.12	5.02	0.85	<0.02	244	992	9	0.23	1760	28	8.71	0.51	0.5	0.014	0.03	203	10	0.99	4270	230	0.03	1.8	117.5
E386620			BLANK	0.02	0.12	5	40	0.09	0.04	42.3	0.37	2.89	3.4	6	<0.05	6.8	0.15	0.55	<0.05	0.1	0.056	0.03	2	1.5	0.46	48	1.45	0.01	0.3	<0.2
E386621	147.5	148.0		2.3	3.1	153	60	0.37	5.48	3.43	<0.02	493	804	12	1.86	268	24.6	12.6	0.54	1	0.047	0.05	420	43.4	2.27	2810	95.2	0.05	2.1	123
E386622	148.0	148.5		1.74	3.49	181.5	70	0.4	4.7	2.46	<0.02	221	726	10	1.3	203	20.9	10.7	0.41	0.6	0.057	0.09	183	29.9	1.51	2190	105	1.08	1.3	82.5
E386623	148.5	149.0		1.27	3.72	100.5	50	0.33	4.35	1.09	<0.02	72.1	381	9	0.5	187.5	20.6	10.15	0.32	0.4	0.022	0.11	41.9	31	1.04	1130	52.7	1.08	1.6	83.5
E386624	149.0	149.5		1.35	2.05	105.5	30	0.24	4.73	2.73	<0.02	298	552	9	0.45	127	20.1	8.77	0.47	0.6	<0.005	0.04	184	28	1.66	2870	33.1	0.05	2.4	81.1
E386625	149.5	150.0		1.72	1.75	152.5	60	0.19	5.35	1.8	<0.02	170	970	5	0.37	137.5	24.7	8.22	0.43	0.4	0.043	0.02	141.5	22.4	1.66	5800	112.5	0.01	2.6	101.5
E386626	150.0	150.5		2.24	1.46	85.3	80	0.21	4.88	2.6	<0.02	219	916	4	0.39	1180	23.6	9.61	0.41	0.6	0.03	0.02	172.5	17.6	1.49	4290	155.5	0.01	3.5	108
E386627	150.5	151.0		2.33	1.87	87.4	80	0.26	3.8	4.12	<0.02	317	882	11	0.34	363	21.6	11.25	0.48	1.1	0.053	0.03	237	24.4	1.81	4090	125	0.05	4.8	103.5
E386628	151.0	151.5		2.62	2.12	176.5	70	0.28	6.28	4.16	<0.02	404	887	13	0.37	371	23.9	10.95	0.53	1.2	<0.005	0.09	313	19.2	1.82	3920	78.5	0.37	4	113.5
E386629	151.5	152.0		1.97	1.78	87.3	60	0.25	2.48	1.97	<0.02	114.5	1095	7	0.23	994	25.3	9.32	0.4	0.5	<0.005	0.08	73.7	17.6	1.15	2700	80.3	0.22	3.6	135
E386630	152.0	152.5		2.51	0.8	135	40	0.35	4.7	4.5	<0.02	315	908	2	0.14	2190	22.7	6.4	0.53	0.2	0.012	0.03	210	8.1	1.64	4540	59.1	0.1	2	136
E386631			BLANK	0.03	0.15	11	370	0.12	0.02	44.6	0.39	3.18	3.9	5	<0.05	11.3	0.17	0.53	<0.05	0.1	0.042	0.03	2.6	1.6	0.51	59	0.74	0.02	0.4	<0.2
E386632			STANDARD 1	1.12	5.89	53.4	190	2.11	2.9	2.06	<0.02	61.7	169	36	3.63	7420	10.35	15.4	0.19	2.2	0.225	2.19	30.6	28.1	1.28	3770	67	0.93	4.1	39.1
E386633	152.5	153.0		1.94	0.4	114	40	0.36	3.95	5.01	<0.02	351	752	3	0.11	683	20.4	5.03	0.48	0.4	0.072	0.04	216	4.1	1.69	5630	79.3	0.05	2.9	93.6
E386634	153.0	153.5		4.74	2.62	154.5	100	0.59	5.47	3.17	<0.02	101.5	395	11	0.37	208	16.95	7.56	0.31	0.7	0.046	0.33	52.6	16.1	1.19	3270	46.1	1.02	3	55.3
E386635	153.5	154.0		10.05	2.25	204	70	0.46	5.95	4.41	<0.02	133.5	489	10	0.35	429	19.35	7.04	0.33	0.7	0.059	0.26	75.6	15.7	1.61	4550	47.7	0.85	2.8	66.6
E386636	154.0	154.5		13.15	2.36	273	80	0.42	5.44	5.01	<0.02	135.5	413	10	0.3	358	20.7	6.64	0.35	0.6	0.006	0.22	75.4	10.3	1.69	4450	45.2	1.11	2.2	61
E386637	154.5	155.0		11.15	2.96	220	80	0.44	5.19	4.49	<0.02	88.7	298	12	0.36	255	18.45	8.52	0.31	0.8	0.068	0.31	40.5	12.1	1.87	4910	42.2	1.46	3.8	51.4
E386638	155.0	155.5		8.16	2.8	221	80	0.34	5.42	5.91	<0.02	128.5	273	12	0.26	169.5	19.2	8.18	0.34	0.9	0.037	0.16	70.6	7.4	1.99	5330	33.7	1.85	5.4	47.6
E386639	155.5	156.0		3.68	3.74	93.6	140	0.52	2.76	3.11	<0.02	47.2	261	17	0.37	212	15.3	6.57	0.22	0.9	0.077	0.37	23.7	8.6	1.07	3010	44.7	2.11	2	40.6
E386640	156.0	156.5		4.35	3.7	145	100	0.79	4.79	3.95	<0.02	30.4	266	15	0.52	119	14.55	7.26	0.24	1.1	0.045	0.55	12.7	11	1.4	3830	38.1	1.79	2.8	44.1
E386641	156.5	157.0		4.16	2.81	133.5	100	0.44	4.27	3.93	<0.02	121	290	13	0.29	152	19.9	8.55	0.31	0.8	0.037	0.17	77.9	9.2	1.33	4500	42.6	1.62	1.4	58.3
E386642	157.0	157.5		3.9	3.92	324	250	0.42	9.23	4.09	<0.02	290	480	16	0.27	114	21.6	8.66	0.43	1.1	0.016	0.12	249	9.7	1.42	3490	29	2.5	2.5	75
E386643			BLANK	0.02	0.14	14	60	0.1	0.01	44.9	0.39	2.44	1.8	4	<0.05	2	0.09	0.48	<0.05	0.1	0.065	0.03	1.9	1.6	0.5	46	0.42	0.02	0.3	<0.2
E386644	157.5	158.0		5.13	2.1	292	110	0.28	6.45	2.93	<0.02	294	457	8	0.24	140.5	25	8.69	0.46	0.5	0.065	0.09	212	11.5	1.04	3010	39	1.09	1.2	75.3
E386645	158.0	158.5		2.07	5.09	114.5	190	1.45	3.14	3.16	<0.02	186.5	324	31	1.27	121	15.6	12.1	0.28	1.3	0.081	1.17	153.5	25.1	1.82	3620	35.2	1.81	1.7	53.4
E386646	158.5	159.0		0.83	6.99	50.9	320	2.46	1.58	3.81	<0.02	118.5	286	45	1.77	98.1	11.4	15.5	0.2	1.8	0.11	2.1	99.9	32.3	1.92	3560	26.9	2.24	2.9	40.2
E386647	159.0	159.5		1.26	6.1	106.5	200	2.09	2.1	3.24	<0.02	112.5	378	35	1.92	66.2	12.5	14.9	0.22	1.8	0.1	1.8	95.1	33.4	1.91	2990	43.1	1.9	2.8	44.2
E386648	159.5	160.0		0.99	4.63	93.7	140	1.01	1.79	3.46	<0.02	108.5	328	27	1.88	66.4	18.55	11.35	0.31	1.3	0.048	0.55	89.4	39.4	2.76	2780	41.1	1.2	1.5	56.8
E386649	160.0	160.5		0.7	1.68	66.3	160	0.36	1.03	3.22	<0.02	80.3	250	9	1.26	42.6	25.8	10.05	0.37	0.6	0.059	0.07	67.8	25.3	2.38	4170	47.4	0.02	1	66.4
E386650	160.5	161.0		1.63	3.57	138	210	0.92	2.5	3.09	<0.02	86.1	370	18	3.68	46.6	22.7	11.15	0.33	0.9	0.04	0.27	73	50.6	3.35	3230	41.8	0.04	1.5	80.8
E386651	161.0	161.5		0.97	8.25	64.9	630	3.72	1.69	3.08	<0.02	39.9	201	55	5.6	30.5	13.45	20	0.22	2.6	0.075	3.18	33.2	57.6	3.16	2490	14.55	0.15	2.1	63.3
E386652	161.5	162.0		0.84	9.57	72.7	720	4.8	2.12	2.53	<0.02	12.85	267	81	6.31	46.5	11.6	24.2	0.2	2.9	0.158	4.28	9.2	64.6	2.82	1970	16.4	0.1	1.8	68.2
E386653	162.0	163.0		0.89	8.11	51	590	3.74	2.64	1.72	<0.02	47.4	304	60	6.21	40.9	12.2	22.4	0.23	2.6	0.125	2.73	35.1	89.7	3.36	2740	24.4	0.04	1.8	66.6
E386654			BLANK																											

IG-2007-24

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Au
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E386614	144.0	145.0		950	6.6	9.4	0.01	3.48	0.79	4.2	3	1.1	577	0.06	0.36	5.2	0.025	0.32	71.4	27	1.9	10.9	7	43	0.015
E386615	145.0	145.5		920	193	2.8	0.014	7.1	6.08	3	6	0.8	84.5	0.17	1.35	38.7	0.048	0.63	2240	45	5.2	54.8	9	25.8	0.071
E386616	145.5	146.0		840	38.6	2.4	0.01	6.43	3.51	3.1	5	0.9	84.1	0.12	1.07	17	0.032	0.6	570	38	2.6	27	7	39.1	0.052
E386617	146.0	146.5		1180	26.7	5	0.019	5.56	1.67	4.3	7	1.2	152.5	0.09	0.47	13.5	0.032	0.27	450	23	2.6	23.6	7	33.5	0.017
E386618	146.5	147.0		920	83.7	1.3	0.119	>10.0	2.97	1.9	8	0.8	19.4	0.08	1.81	11.7	0.025	0.79	650	33	4	23.6	8	10.6	0.084
E386619	147.0	147.5		900	30.4	0.9	0.117	8.83	2.41	2.3	6	0.8	35.9	<0.05	1.12	5.9	0.011	1.29	153	40	3.2	11.8	4	14.7	0.058
E386620			BLANK	120	0.8	0.6	<0.002	0.08	0.09	0.4	3	<0.2	247	<0.05	<0.05	0.2	0.006	<0.02	1.7	3	0.1	2.8	22	3.6	<0.001
E386621	147.5	148.0		2060	16	2	0.035	7.45	2.1	4.8	5	1.3	30.4	0.08	1.46	9	0.019	0.46	80.3	55	1.8	17.5	24	31.2	0.052
E386622	148.0	148.5		1720	12.9	3	0.032	7.89	1.27	3.5	5	1.1	94.9	<0.05	1.29	3.3	0.013	0.35	15.4	46	1.8	10.9	17	19.2	0.047
E386623	148.5	149.0		780	6.8	3.1	0.014	4.33	1.45	1.7	3	1	215	0.05	0.95	1.3	0.014	0.16	7	45	1.6	5.3	15	13.9	0.035
E386624	149.0	149.5		1380	8.5	1.3	0.008	5.92	1.19	3.5	5	1.2	301	0.07	1.2	5.1	0.019	0.21	48.4	43	2.2	12.8	15	18.2	0.043
E386625	149.5	150.0		1050	17	0.5	0.028	8.39	2.09	3.2	6	1.5	64.1	0.06	1.16	3.3	0.017	0.25	58.7	41	3.8	9.8	14	12.5	0.052
E386626	150.0	150.5		1300	21.5	0.6	0.038	7.59	2.29	4	6	1	116.5	0.09	1.11	12.6	0.025	0.38	258	43	2.7	16.9	15	18.9	0.059
E386627	150.5	151.0		1850	14.3	1.3	0.024	5.48	1.6	6.3	5	1.4	230	0.11	1.13	13	0.031	0.37	207	47	2.7	24.2	16	36.8	0.049
E386628	151.0	151.5		1800	12.4	2.9	0.017	8.23	1.01	7.2	6	1.4	209	0.12	3.24	8.8	0.019	0.09	83	46	2.3	19.4	10	40.5	0.106
E386629	151.5	152.0		1120	7.7	2.6	0.011	8.21	1.27	3.8	5	1.3	319	0.08	0.55	2.4	0.016	0.1	31.3	31	2.7	9.9	8	17.4	0.031
E386630	152.0	152.5		1600	12.1	1	0.017	9.13	1.55	6.1	6	1.1	315	<0.05	1.57	5	0.011	0.24	76.2	23	4	18.1	4	6.2	0.059
E386631			BLANK	110	0.9	0.6	<0.002	0.12	0.09	0.5	3	<0.2	297	<0.05	<0.05	0.2	0.006	<0.02	1.1	3	0.1	3	25	4.5	<0.001
E386632			STANDARD 1	900	22	84.8	0.024	2.47	1.88	9.8	4	8	548	0.23	0.23	8.6	0.093	0.47	294	57	9.1	15.4	11	58.9	0.05
E386633	152.5	153.0		1520	11.1	1.6	0.024	8.5	1.63	6.5	7	1.5	371	0.05	1.75	5.5	0.018	0.27	80.4	34	5.2	19.8	2	11.8	0.048
E386634	153.0	153.5		1450	12	11.6	0.01	6.71	1.99	6.5	3	3.3	367	0.06	1.34	1.9	0.041	0.43	16.6	53	3.9	10.9	5	21.5	0.068
E386635	153.5	154.0		1350	18.3	9.4	0.01	9.51	3.04	8.2	4	4	309	0.07	1.32	2.5	0.051	0.7	22.8	55	4.3	11.8	9	21.3	0.074
E386636	154.0	154.5		1810	18.3	7.4	0.007	>10.0	2.83	8.3	4	3	228	0.07	0.73	2.5	0.04	0.87	15.9	66	3.4	11.4	4	20.9	0.068
E386637	154.5	155.0		1250	17.7	10.2	0.007	>10.0	2.56	8.5	3	4.4	226	0.09	0.62	1.9	0.072	1.12	14	55	4.5	10.1	5	25.7	0.057
E386638	155.0	155.5		1270	17.7	4.8	0.006	>10.0	2.46	9	3	2.7	245	0.15	0.55	3	0.059	0.96	43.7	55	4.1	11.4	3	31.3	0.058
E386639	155.5	156.0		1080	6.3	10.6	0.009	4.93	1.32	4.9	3	3.8	660	0.1	0.32	1.2	0.086	0.29	4.8	51	3.4	8.2	4	30.6	0.036
E386640	156.0	156.5		1010	8.5	21	0.008	8.1	1.76	10.8	3	7.4	275	0.12	0.44	1.2	0.103	0.4	13	58	4.3	8.7	3	36.6	0.057
E386641	156.5	157.0		970	12.4	5.2	0.009	7.86	1.78	7.8	3	1.9	406	0.05	0.31	2.3	0.037	0.67	14	81	3.2	9.3	4	25.6	0.053
E386642	157.0	157.5		870	18.1	3.5	0.007	>10.0	3.01	8.1	3	2.4	111	0.09	0.61	4.6	0.052	0.89	10.9	76	4.3	12.1	4	34.7	0.127
E386643			BLANK	110	0.8	0.5	<0.002	0.1	0.07	0.5	3	<0.2	261	<0.05	<0.05	0.2	0.006	<0.02	0.7	3	0.1	2.8	21	4.3	0.001
E386644	157.5	158.0		1390	17	2.8	0.01	>10.0	3.3	5.2	4	1.8	175	<0.05	0.63	4	0.022	1.31	6.3	80	3.2	13.2	3	17.2	0.078
E386645	158.0	158.5		760	9.5	44.7	0.005	5.58	1.45	22	3	14.6	109	0.06	0.17	4.1	0.152	0.47	14.9	112	5	10.2	6	39.3	0.038
E386646	158.5	159.0		960	3.5	80.9	0.002	2.57	0.95	35.9	2	26.1	64.3	0.1	0.08	3.1	0.26	0.25	7.6	147	6.5	10.5	4	54	0.017
E386647	159.0	159.5		790	4.8	67.5	0.004	3.98	1.11	30.6	3	20.9	43.6	0.12	0.13	3	0.178	0.25	5.4	128	6.4	9.9	7	58.2	0.019
E386648	159.5	160.0		760	3.8	21.2	0.004	4.03	1.17	14.8	2	7.2	43.7	0.07	0.08	3.3	0.093	0.11	8.1	124	4.3	8.8	17	44.2	0.015
E386649	160.0	160.5		1400	4.3	2.9	0.004	2.66	1.15	4.4	3	1.7	17.1	<0.05	<0.05	2.6	0.026	0.14	4.2	105	3.8	9.6	14	21	0.009
E386650	160.5	161.0		1070	5.1	11	0.004	5.28	1.25	8.3	3	5.2	18.7	0.05	0.08	5.4	0.073	0.08	6.5	116	5.6	10	28	30.1	0.023
E386651	161.0	161.5		490	5.3	124	0.002	2.88	1.2	33.9	2	23.6	32	0.06	0.09	5.7	0.235	0.41	32.5	221	10.5	12	20	81.2	0.013
E386652	161.5	162.0		520	4.2	147.5	<0.002	3.22	1.26	40.2	2	25.2	16.2	0.09	0.08	4.3	0.264	0.54	25.1	295	13.4	12.4	23	85.7	0.014
E386653	162.0	163.0		580	4.8	109.5	0.003	3.17	1.34	32.9	2	15.8	17.6	0.1	0.11	6.1	0.167	0.39	14.4	194	10.1	13.1	38	77.8	0.017
E386654			BLANK																						

IG-2007-25

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
E386276	10	10.5		0.09	6.72	4.6	360	2.54	0.2	0.75	<0.02	46.4	81.3	46	2.52	164.5	9.48	16.55	0.16	1.7	0.046	2.85	29	43.7	1.23	651	18.55	0.12	6.9	19.2
E386277	10.5	11		0.07	5.8	4.5	790	2.61	0.07	2.54	<0.02	100.5	51.2	33	2.46	198	8.27	15.45	0.16	1.6	0.066	2.67	66.3	37.8	1.55	2680	9.56	0.04	6.5	15.8
E386278	11	11.5		0.1	3.98	14	280	1.69	0.36	2.64	<0.02	323	90.9	23	1.51	346	9.82	12.15	0.3	1	0.11	1.49	202	29.4	1.68	2310	19.05	0.03	6.8	30.8
E386279	11.5	12		0.06	6.43	5.5	660	2.71	0.1	0.71	<0.02	94.5	52.3	42	2.5	44.6	9.87	17.7	0.2	1.7	0.054	2.59	64.7	45.1	1.23	583	11.65	0.03	8.2	25.2
E386280			BLANK	0.02	0.14	<5	270	0.09	<0.01	45.1	0.37	2.47	1.2	5	<0.05	3.1	0.08	0.54	<0.05	0.1	<0.005	0.04	1.9	1.5	0.47	40	0.28	0.02	0.3	<0.2
E386281	12	12.5		0.08	3.34	9	500	1.3	0.17	1.71	<0.02	105	37.4	22	1.21	143.5	10.85	9.54	0.17	1	0.044	1.1	70	30.2	1.25	1435	16.95	0.04	4.9	26.1
E386282	12.5	13		0.08	5.36	5.5	430	2.34	0.13	1.71	<0.02	78.8	62.2	33	2.24	111.5	9.66	14.85	0.16	1.5	0.056	2.21	51.4	38.2	1.39	1530	16.7	0.03	6.7	27.4
E386283	13	13.5		0.1	4.66	8.8	830	1.92	0.18	2.11	<0.02	111	24.7	23	1.69	18.9	10.15	12.6	0.16	1.3	0.047	1.86	75	36.9	1.29	2240	38.5	0.03	7.2	21.6
E386284	13.5	14		0.08	5.5	5.3	510	2.55	0.1	2.18	<0.02	49.6	40.3	29	2.33	708	8.6	15.85	0.14	1.5	0.059	2.32	31.2	37	1.45	1985	8.59	0.04	7.6	29.2
E386285	14	14.5		0.07	5.24	6.2	340	2.27	0.13	2.38	<0.02	85.5	55.6	28	2.17	317	9.51	14.95	0.17	1.4	0.055	2.06	52.4	35.8	1.55	2290	13.4	0.03	6.8	34.3
E386286	14.5	15		0.06	6.09	5.4	310	2.22	0.13	1.03	<0.02	63.4	64.9	31	2.34	286	8.86	15.2	0.16	1.7	0.054	2.29	36.9	39.1	1.29	1070	10.2	0.03	5	33.5
E386287	15	15.5		0.05	5.06	4.9	990	1.88	0.05	1.75	<0.02	96.8	23.4	26	2.04	90.1	9.66	14.25	0.16	1.5	0.055	2.34	73.5	25.3	1.05	2210	42.2	0.04	4.4	22.1
E386288	15.5	16		0.46	8.4	16.5	100	2.29	0.85	1.85	<0.02	41.2	67.2	41	2.69	6920	7.57	17.4	0.14	2	0.062	3.02	21.6	30.2	1.06	2080	35.2	0.05	4.5	21.8
E386289	16	16.5		1.51	5.67	69.8	50	2.12	1.79	2.63	<0.02	92.6	231	34	2.25	5170	7.91	17.45	0.19	1.8	0.079	2.78	44.6	28	1.38	2810	40.1	0.06	4.5	32.1
E386290	16.5	17		0.46	5.43	49	70	1.86	0.91	3.53	<0.02	119	179.5	30	1.88	2400	7.92	15.25	0.2	1.5	0.073	2.64	64.8	25.3	1.45	3970	23	0.11	3.3	23.5
E386291			BLANK	0.02	0.12	<5	80	0.1	<0.01	43.4	0.37	2.13	1.2	4	<0.05	8.8	0.05	0.5	<0.05	0.1	<0.005	0.03	1.6	1.4	0.48	36	0.3	0.02	0.3	<0.2
E386292			STANDARD 2	1.15	2.25	73.4	<10	0.62	9.83	2.13	<0.02	176	310	11	2.27	8380	25.5	9.55	0.39	0.7	0.243	0.62	115	21	1.44	6040	60.2	0.23	5.9	60.1
E386293	17	17.5		0.19	5.22	21.8	180	1.85	0.3	2.96	<0.02	125.5	84.2	26	1.92	1445	8.35	14.45	0.18	1.5	0.053	2.29	74.9	27.2	1.28	3460	23.8	0.24	3.2	21.4
E386294	17.5	18		0.08	4.22	13.3	370	1.43	0.08	1.45	<0.02	106.5	26.2	22	1.44	1715	10.85	12.05	0.18	1.5	0.042	1.7	66.9	20.9	0.8	1975	11.25	0.25	2.6	22.7
E386295	18	18.5		0.08	5.75	12.9	300	2.22	0.16	1.55	<0.02	81.1	45.6	29	2.31	1305	6.46	16.1	0.14	2	0.056	2.68	51.4	25.4	0.93	1355	10.25	0.08	3.8	21.2
E386296	18.5	19		0.16	6.34	7.6	140	2.12	0.24	0.61	<0.02	30.4	80.6	41	2.51	4150	10.2	16.4	0.15	1.8	0.056	2.88	15.7	27.2	0.69	513	12.05	0.07	2.7	26.2
E386297	19	19.5		0.06	5.5	5.4	290	1.84	0.09	1.15	<0.02	7.89	42.1	31	2.36	1180	5.88	13.3	0.09	1.7	0.051	2.69	4.4	22.3	0.76	1005	4.75	0.04	2.7	16.2
E386298	19.5	20		0.06	5.87	5.6	290	2	0.1	0.65	<0.02	25.5	64	42	2.22	1005	7.32	17.1	0.12	1.8	0.049	2.58	14.8	27.2	0.73	564	3.53	0.03	2.5	20.1
E386299	20	20.5		0.05	8.82	17.4	980	2.74	0.07	0.23	<0.02	37.7	26.9	47	2.53	314	5.71	22.4	0.11	1.6	0.06	3.3	25.5	28.1	0.55	182	5.07	0.04	3.2	13.8
E386300	20.5	21		0.19	4.56	20.3	120	1.27	0.36	2.05	<0.02	150.5	107	28	1.18	2740	13.15	12.9	0.24	1.3	0.045	1.13	83.7	36.9	1.5	2160	17.45	0.22	2.4	38.1
E386301	21	21.5		0.3	3.4	14.9	80	0.98	0.53	1.07	<0.02	121	85.8	19	1.05	7820	15.75	12.8	0.25	0.9	0.063	0.89	72.6	22.1	1.09	3300	14.35	0.27	1.9	44.1
E386302	21.5	22		0.43	5.56	34.5	80	1.7	1.11	1.31	<0.02	39.7	172.5	27	1.99	371	9.95	13.3	0.14	1.6	0.04	1.83	19.3	31.8	1.1	1530	47.3	0.38	2.1	35.1
E386303			BLANK	0.02	0.12	<5	80	0.09	<0.01	43.9	0.38	2.11	1.2	5	<0.05	7.5	0.05	0.5	<0.05	0.1	<0.005	0.03	1.6	1.5	0.46	34	0.36	0.02	0.3	<0.2
E386304	22	22.5		0.1	5.51	13.9	230	2.03	0.15	2.07	<0.02	31.8	70.7	28	2.23	1085	9.43	14.4	0.14	1.7	0.057	2.22	19.1	32.6	1.27	2050	13.35	0.04	3.1	25.2
E386305	22.5	23		0.1	6.41	8.5	440	2.29	0.23	1.95	<0.02	49.7	46.8	35	2.56	798	8.5	18.65	0.14	1.8	0.076	2.78	33	33.2	1.38	1715	9.76	0.04	3.7	30.8
E386306	23	23.5		0.14	5.6	6.9	210	2.04	0.25	2.11	<0.02	81.1	62.8	29	2.45	1830	7.57	15.7	0.17	1.8	0.061	2.37	47.8	30.6	1.33	2040	16.4	0.03	3.2	26.5
E386307	23.5	24		0.3	6.24	27.3	150	2.05	0.67	1.13	<0.02	45.1	115.5	35	2.73	1090	8.37	17.6	0.15	1.8	0.055	2.4	26.1	37	1.25	1170	20.6	0.03	2.5	38.8
E386308	24	24.5		0.24	5.67	41.5	130	2.32	0.71	2.28	<0.02	167	174	31	2.78	413	7.98	17.1	0.21	1.7	0.059	2.29	96.3	30.4	1.31	2220	25.7	0.19	5.3	32
E386309	24.5	25		0.33	5.72	25.4	160	1.15	0.41	2.23	<0.02	55.2	94.7	26	2.35	1315	8.76	12.7	0.17	1.5	0.046	1.88	32.4	22.3	1.36	2270	15.05	0.74	2.7	26.8
E386310	25	25.5		1.53	4.84	145	40	1.17	2.24	2.66	<0.02	24.9	213	20	2.1	2910	11.5	12.4	0.2	1.2	0.061	1.66	7.3	23.4	1.67	2650	27.9	0.21	2.5	45.4
E386311	25.5	26		1.15	7.1	127	70	1.89	3	2.99	0.03	17.85	168.5	32	3.61	1390	9.91	15.9	0.18	1.7	0.07	2.83	8.5	31.9	1.86	2700	49	0.11	2.8	49.2
E386312	26	26.5		0.23	5.15	29.6	230	1.54	0.77	1.65	<0.02	80	76.1	15	2.79	273	6.02	11.3	0.15	2.5	0.041	2.18	27.3	24.4	0.98	1980	7.78	0.13	2.4	22.3
E386313	26.5	27		0.24	5.93	35.6	210	2.1	0.81	1.87	<0.02	52.1	74	22	3.06	400	5.28	14.7	0.14	2.5	0.064	2.72	24.5	26.2	1.18	1855	6.28	0.04	2.7	25.7
E386314			BLANK	0.02	0.14	13	150	0.05	<0.01	48.2	0.41	2.37	1.2	5	<0.05	5.5	0.06	0.57	0.12	0.1	<0.005	0.03	1.8	1.5	0.53	40	0.28	0.02	0.3	2.1
E386315			STANDARD 3	0.3	7.15	55.2	80	2.1	1.45	2.06	<0.02	73.1	110	43	6.5	1580	7.49	18.6	0.18	1.9	0.133	3.08	39.7	23.6	1.39	3330	19.7	0.6	2.5	26.4
E386316	27	27.5		1.93	4.98	68.6	80	1.78	4.01	2.09	<0.02	22	142	25	2.45	335	9.18	12.25	0.19	1.7	0.064	1.81	8.5	21.5	1.42	4510	30.9	0.56	2.3	24.1
E386317	27.5	28		2.21	3.49	74.8	90	0.44	4.87	3.81	<0.02	66.2	205	17	0.44	290	14.75	7.68	0.28	1	0.04	0.22	38.5	11.7	1.54	6150	45.6	1.73	1.5	32.4
E386318	28	28.5		0.42	4.08	27.2	30	0.65	1	3.67	<0.02	132	277	19	0.86	3470	20.1	13.25	0.35	1	0.082	0.57	96.8	21.7	1.96	3850	7.12	1.09	1.2	54.1
E386319	28.5	29		0.44	4.09	11.3	220	0.61	0.74	0.89	<0.02	40.9	72.6	19	1.27	567	6.2	6.92	0.16	1.4	0.027	1.06	23.2	18.7	0.75	1400	110.5	0.94	1.6	15.8
E386320	29	29.5		0.15	4.72	5.8	290	0.73	0.22	1.22	<0.02	116	55.4	17	0.73	941	8.49	9.07	0.23	1.1	0.025	0.54	74.7	16.4	0.78	1480	3.19	2.04	1.4	22.3
E386321	29.5	30		0.43	5.3	13	130	1.17	1	1.47	<0.02	101.5	127	26	1.27	1070	13.7	13.8	0.26	1.5	0.046	0.88	62.5	51	1.79	3180	5.99	0.31	1.8	60.4
E386322	30	30.5		0.55	4.6	22.2	170	0.83	2.15	0.21	<0.02	35.9	280	20	1.49	208	21.3	10.4	0.31	1.4	0.103	0.16	29.4	61.7	2.15	10150	12.1	0.03	1.3	97
E386323	30.5	31		1.73	7.02	26.1	350	2.09	4.12	0.32	<0.02	84.2	174	46	4.15	>10000	13.55	19.1	0.28	1.9	0.149	2.4	42.7	46.4	1.52	3820	19.55	0.03	2.7	90.1
E386324	31	31.5		0.51	7.46	29.6	750	1.77	1.54	0.19	<0.02	48.2	79.2	45	3.22	328	7.26	16.1	0.16	2.3	0.051	2.88	27.9	57	1.03	788	13.9	0.06	1.9	35.9
E386325	31.5	32		0.9	8.86	65.3	450	3.25	2.94	0.52	<0.02	62	178	65	4.28	592	8.49	29	0.08	2.8	0.092	3.91	36.4	42.4	1.25	1325	44.7	0.08	2.9	64.3
E386326			BLANK	0.03	0.15	<5	40	<0.05	<0.01	47	0.36	2.31	1.1	6	<0.05	8.9	0.07	0.48	0.07	0.1	<0.005	0.04	1.9	1.8	0.49	49	0.34	0.02	0.3	4.4
E386327	32	32.5		1.07	4.4	25.6	50	1.54	6.9	1.24	<0.02	81.9	168.5	25	2.34	7640	13.15	11.45	0.24	1.3	0.114	1.18	34.2	40.4	1.56	3860	29.6	0.02	8.8	62.7
E386328	32.5	33		0.36	4.88	11.2	120	1.86	1.81	0.37	<0.02	118	115	27	2.87	1260	13.95	12.85	0.3	1.6	0.107	1.66	62.2	40.5	1.15	7300	17.95	0.02	9.3	43.3
E386329	33	33.5		0.1	6.68	13	270	2.21	1.03	0.28	<0.02	144	66.4	43	3.3	215	13.05	15.65	0.28	2.1	0.049	1.91	89.5	62.6	1.44	525	6.32	0.02	5.7	45.3
E386330	33.5	34		0.27	3.4	17.4	260	0.99	0.69	0.28	<0.02	218	55.6	26	1.5	3870	13.2	10.25	0.33	1.3	0.082	0.73	137.5	32.8	0.99	1745	21.4	0.01	6.5	50.3
E386331	34	34.5		0.19	4.8	11.8	300	1.68	0.97	0.27	<0.02	166	102	25	2.88	541	12.25	11.95	0.27	1.6	0.082	1.3	104.5	47.6	1.18	2150	43.6	0.01	4.6	46
E386332	34.5	35		0.09	5.19	9	310	1.8	0.42	0.18	<0.02	88.9	173	21	4.11	245	14.7	11.85	0.26	1.5	0.092	1.03	56.7	66	1.51	3020	17.05	0.01	3.4	56.3
E386333	35	35.5		0.2	3.9	13.2	120	1.18	1.09	0.8	<0.02	51.6	379	21	3.2	657	20.6	10.5	0.34	1.1	0.121	0.58	29.9	42.8	1.84	4480	13.8	0.01	3.2	54.9
E386334	35.5	36		1.53	5.8	90.1	2470	1.8	6.36	0.83	<0.02	121.5	435	27	5.05	657	18.8	14.1	0.41	1.4	0.1	0.96	72.1	64	2.12	3080	32.6	0.01	3.3	63.6
E386335	36	36.5		1.04	4.97	73.5	1250	1.75	15	0.52	<0.02	87	377	30	3.44	185.5	16.9	14.95	0.35	1.7	0.165	1.85	47.8	35	1.28	6310	33.5	0.03	3.2	78.5
E386336	36.5	37		0.5	5.88	43	1010	2.15	6.02	0.76	<0.02	55.9	169.5	37	4.56	7170	14.4	16.2	0.35	1.8	0.166	2.78	31.4	32.5	0.96	13100	15.7	0.04	2.4	48.4
E386337			BLANK	0.02	0.14	<5	40	<0.05	0.01	46.9	0.34	2.37	1.3	6	<0.05	11.2	0.06	0.53	0.08	0.1	<0.005	0.03	2.2	1.5	0.49	51	0.37	0.01	0.3	<0.2
E386338			STANDARD 1	1.14	6.26	51.6	130	2.1	2.64	2.13	<0.02	51	167	37	3.92	8340	9.22	16	0.21	1.9	0.155	2.23	24	26	1.21	3360	66	1.1	3.9	40.8
E386339	37	37.5		0.48	5.72	49	250	2.12	6.46	0.28	<0.02	110	222	38	4.67	4750	12.85	15.5	0.3	2.2	0.205	2.85	60.9	35.6	0.98	10100	16.05	0.04	3.8	44.8
E386340	37.5	38		2.07	6.85	122	170	2.44	15.4	0.22	<0.02	45.4	656	43	3.47	1870	16.7	20.9	0.29	2.1	0.151	2.42	25.7	40.6	1.45	6340	35.7	0.03	3.5	114.5
E386341	38	38.5		1.02	5.63	69.1	430	1.86	11.85	0.29	<0.02	86.8	420	46	2.73	1870	18.5	20.6	0.34	2.1	0.202	2.01	46	39.4	1.57	12500	21.9	0.02	3.7	106
E386342	38.5	39.5		0.47	5.87	52.4	3440	2.06	8.8	0.32	<0.02	105	209	32	4.75	330	12.5	15.7	0.27	2	0.13	2.62	59.8	33.4	0.76	8320	27.2	0.04	3.8	57.6
E386343	57	58		0.55	4.51	86.5	110	0.89	10.55	1.69	<0.02	278	209	24	3.07	2720	12.9	12.55	0.39	1.4	0.131	1.57	206	33.8	1.85	6830	39.1	0.03	3.5	46.2
E386344	58	58.5		0.29	4.54	31.5	290	0.77	1.73	3.54	<0.02	168.5	318	15	0.93	129	18.1	10.75	0.34	1.2	0.064	0.29	133.5	53.3	3.17	4070	43.6	0.01	2.5	65.5
E386345	58.5	59		0.35	3.9	53.7	730	0.68	1.19	4.63	<0.02	176	197	17	1.4	751	17.6	10.2	0.3	1.1	0.076	0.57	125	33.8	2.96	5250	38.2	0.04	4	59.3
E386346	59	59.5		0.46	5.03	57.3	670	1.28	2.51	2.22	<0.02	238	206	25	1.99	953	14.9	14.75	0.33	1.4	0.063	1.31	167.5	32	2.08	2830	35.2	0.04	4.7	60.7
E386347	59.5	60		0.45	4.71	80.2	400	1.25	2.38	3.3	<0.02	121.5	361	24	1.55	1965	17.7	11.5	0.32	1.4	0.051	1.17	88.6	29.9	2.21	3430	51	0.04	4.6	52
E386348	60	60.5		0.3	2.3	49	420	0.39	0.95	4.8	<0.02	238	235	6	0.81	742	20.4	7.66	0.38	0.6	0.082	0.2	168.5	19.6	2.67	6390	46.6	0.02	3.7	43
E386349			BLANK	0.01	0.13	6	30	0.09	<0.01	43.2	0.36	2.78	1.5	5	<0.05	4.8	0.07	0.41	0.05	0.1	<0.005	0.03	1.9	1	0.47	41	0.42	0.02	0.3	1.9
E386350	60.5	61		0.67	3.29	78.1	140	1.17	4.09	2.88	<0.02	202	442	14	1.27	1215	18.1	9.45	0.33	0.8	0.063	0.9	146	28.1	1.96	3670	63.8	0.02	6	53.2
E386351	61	61.5		0.86	3.43	110.5	180	1.11	1.59	4.12	<0.02	103	385	20	1.43	292	15.85	10	0.28	1.2	0.083	0.94	68.3	23.8	2.21	4880	39.9	0.03	6.6	55.7
E386352	61.5	62		0.3	3.75	24.3	220	1.42	0.66	1.92	<0.02	252	96.4	18	1.56	2190	15.3	11.45	0.34	1.1	0.064	1.12	160	26.7	1.54	2800	28.3	0.03	10.4	39.3
E386353	62	62.5		0.21	5.7	55.1	800	2.06	0.84	2.35	<0.02	278	148	30	2.06	1145	11.45	16.25	0.3	1.8	0.054	1.71	185	40.1	1.95	2470	27	0.04	4.6	45.4
E386354	62.5	63		0.26	4.8	45.5	560	1.43	1.44	4.52	<0.02	145.5	179	22	1.76	385	15.2	13	0.28	1.3	0.097	1.28	98.7	36.6	2.66	4750	32.1	0.03	5.8	42.9
E386355	63	63.5		0.64	6.24	221	640	0.9	6.62	2.24	<0.02	322	219	29	1.46	528	18.15	12	0.4	2	0.032	0.51	209	56.3	3.06	1860	29.2	0.03	3.7	59.8
E386356	63.5	64		0.47	7.46	112	2460	1.6	6.54	1.55	<0.02	182	213	37	6.36	602	10.35	18.25	0.27	2.2	0.09	3.01	101	31.6	1.19	1685	28.9	0.09	4	52
E386357	64	64.5		0.86	4.24	172.5	330	1.32	10.3	1.24	<0.02	91.6	290	28	3.78	1530	10.85	10.85	0.22	1.6	0.059	1.72	53.3	17.1	0.64	764	50.2	0.05	4.1	68
E386358	64.5	65		0.36	4.94	57.5	170	1.54	2.2	3.2	0.02	156	161	24	2.64	320	14.6	13.65	0.28	1.4	0.08	1.26	101	35.4	2.17	3780	42.5	0.03	3.6	54.2
E386359	65	65.5		0.41	6.59	31.4	1470	2.1	1.03	3.15	0.02	265	131	32	2.85	732	12.75	19.7	0.31	1.9	0.075	2.17	181.5	38.5	2.21	3550	47.3	0.05	6.6	47.3
E386360			BLANK	0.01	0.14	6	40	0.07	<0.01	45.9	0.39	3.14	1.5	5	0.05	4.4	0.07	0.45	<0.05	0.1	<0.005	0.03	2.2	1.3	0.5	41	0.49	0.02	0.3	1.2
E386361			STANDARD 2	1.17	2.36	118.5	80	0.6	10.75	2.19	0.03	240	319	11	2.91	9140	26.6	9.26	0.49	0.8	0.276	0.64	134.5	19.5	1.48	6180	63.4	0.24	6.2	54.9

IG-2007-02

Sample No	From (m)	To (m)	Standard/B	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
E386276	10	10.5		760	1.7	123.5	0.012	0.55	1.06	9.8	2	15.4	620	0.36	0.35	9.6	0.202	0.27	11	64	12	7.4	7	57.9		0.005
E386277	10.5	11		720	1.6	116.5	0.008	0.23	1.17	9.8	1	13.6	500	0.32	0.13	9.6	0.183	0.24	6.8	56	13.3	9.3	5	53		0.002
E386278	11	11.5		1250	2.2	65.6	0.008	0.48	0.98	6.2	1	8.7	908	0.27	0.13	12.4	0.124	0.15	19.5	45	11.3	11.7	9	34.7		0.003
E386279	11.5	12		930	1.9	119	0.006	0.23	1.03	8.8	1	13.2	868	0.39	0.16	13	0.197	0.25	5.1	62	14.4	8.7	9	57.7		0.002
E386280			BLANK	120	0.9	1.1	<0.002	0.07	0.07	0.5	1	<0.2	276	<0.05	<0.05	0.3	0.007	<0.02	0.7	5	0.1	2.8	22	3.3		<0.001
E386281	12	12.5		830	1.6	50.5	0.006	0.21	1.26	5.1	1	7.2	1250	0.23	0.09	7.9	0.098	0.12	4.2	42	9.9	6.7	7	31.4		0.002
E386282	12.5	13		780	1.4	101	0.007	0.34	0.9	7.9	1	8.3	706	0.35	0.2	10.1	0.167	0.23	5.2	53	11.5	8.1	5	46.8		0.003
E386283	13	13.5		1310	1.5	85.2	0.012	0.14	1.1	7.3	1	8.9	1360	0.24	0.29	8.4	0.119	0.19	3.8	54	11	8.9	5	43.4		0.021
E386284	13.5	14		660	1.5	111.5	0.004	0.28	0.73	9.6	1	9.2	1500	0.35	0.09	8.5	0.16	0.24	12.5	57	11.9	7.8	5	48.7		0.005
E386285	14	14.5		870	2	98.5	0.007	0.35	0.74	8.3	1	7.5	1270	0.34	0.11	9.8	0.152	0.21	9.9	53	10.7	9	6	46		0.003
E386286	14.5	15		720	1.9	105	0.006	0.43	0.59	6.8	1	7.3	1140	0.27	0.1	11.1	0.153	0.23	16.7	49	10.4	8.1	6	56.3		0.009
E386287	15	15.5		810	1.4	101	0.017	0.14	0.84	8	1	8.9	1270	0.19	0.05	9.3	0.122	0.24	4	73	10.8	8.1	4	48.6		<0.001
E386288	15.5	16		930	6.4	128	0.02	1.12	1.41	12.4	4	11.5	1000	0.2	0.53	9.7	0.144	0.44	61.5	122	12.9	10.8	3	65.7		0.054
E386289	16	16.5		1000	9.7	119	0.016	2.32	1.62	14.2	4	10.7	619	0.2	1.8	8.4	0.121	0.73	68.4	142	10.8	11.8	4	59.6		0.08
E386290	16.5	17		1200	5.8	106.5	0.011	1.44	0.82	12.5	2	9.4	953	0.14	1.11	9.2	0.1	0.55	9.7	115	9.2	11	4	47.1		0.046
E386291			BLANK	110	0.7	0.8	<0.002	0.06	0.07	0.5	1	<0.2	264	<0.05	<0.05	0.2	0.006	<0.02	0.7	4	0.1	2.7	22	3.2		<0.001
E386292			STANDAR	2290	5.7	35.8	0.016	6.65	2.03	4.3	4	7	187.5	0.13	1.02	5.8	0.034	0.48	13.8	55	6.6	14.2	12	23.9		0.14
E386293	17	17.5		1360	2.7	95.4	0.008	0.59	0.76	12.1	1	8.2	1490	0.13	0.31	9.4	0.089	0.32	4.7	102	8.4	11	7	50.2		0.014
E386294	17.5	18		1100	1.7	71.3	0.004	0.3	0.77	9.8	1	8	1780	0.11	0.08	7.9	0.072	0.19	14.4	88	7.2	9.8	5	49.5		0.012
E386295	18	18.5		1070	2.1	118	0.005	0.4	0.73	10.8	1	9.6	1510	0.16	0.12	9.4	0.108	0.31	12.5	71	10.1	9.9	5	67.2		0.006
E386296	18.5	19		930	1.8	122.5	0.013	0.86	0.67	10	2	9.7	1380	0.11	0.11	10.8	0.105	0.34	15	83	10.4	7.4	5	60.2		0.03
E386297	19	19.5		590	1.6	109	0.004	0.39	0.76	8.8	1	8.1	1360	0.14	0.06	12	0.099	0.27	9.3	50	9.5	6.7	5	55.8		0.007
E386298	19.5	20		880	1.4	112	0.004	0.5	0.8	9	1	8.8	1190	0.15	0.06	8.4	0.108	0.3	11.8	61	9.4	7.6	7	59.8		0.01
E386299	20	20.5		690	2	146	<0.002	0.19	0.87	14.3	1	13.3	627	0.2	0.06	12.5	0.146	0.32	25.5	79	9.9	7.4	4	51.9		0.003
E386300	20.5	21		1200	2.1	50.9	0.006	0.83	0.77	7.2	2	5.3	1000	0.09	0.07	7.4	0.053	0.2	12.4	51	5.1	9.4	11	40.9		0.005
E386301	21	21.5		1020	2.6	38.2	0.005	1.11	0.79	4.7	3	4.5	758	0.06	0.09	5.7	0.044	0.19	9.1	51	4.4	7.5	11	28.7		0.02
E386302	21.5	22		700	5.5	73.9	0.009	1.24	0.96	7	1	7.4	795	0.06	0.18	9.7	0.072	0.32	34.5	43	6.7	7.4	12	51.5		0.011
E386303			BLANK	110	0.6	0.7	<0.002	0.07	0.07	0.5	1	<0.2	268	<0.05	<0.05	0.2	0.006	<0.02	0.7	4	0.1	2.7	22	3.1		<0.001
E386304	22	22.5		880	2.2	96.4	0.004	0.47	0.61	9.5	1	7.3	1430	0.14	0.07	8.2	0.095	0.26	10.1	70	8.4	8	8	55.5		0.002
E386305	22.5	23		740	2.2	119	0.004	0.37	0.69	11.7	1	9.9	1200	0.15	0.09	9.8	0.119	0.3	24.2	86	10.6	9.2	10	58.3		0.003
E386306	23	23.5		820	2.1	107	0.008	0.52	0.72	10.8	1	9.4	1360	0.14	0.08	7.8	0.099	0.31	16.6	63	9.4	9.1	7	50.8		0.006
E386307	23.5	24		680	4.2	106.5	0.007	0.75	0.87	10.6	1	9	1060	0.11	0.19	9.2	0.102	0.44	28.1	71	8.9	8.2	12	57.4		0.007
E386308	24	24.5		1930	4.3	105	0.007	1.04	1.03	15.9	1	13.3	1240	0.2	0.26	9.4	0.102	0.36	32.1	79	11.1	11.6	9	53.6		0.005
E386309	24.5	25		800	3.6	71.5	0.008	0.7	0.8	8.2	1	6	1410	0.14	0.15	8	0.083	0.25	14.7	47	8	7.5	9	52.6		0.009
E386310	25	25.5		760	10.4	67.8	0.013	2.09	1.27	8.4	2	7	1010	0.12	0.38	4.9	0.072	1.41	71	53	7.6	8.5	9	44.7		0.797
E386311	25.5	26		720	11.2	111	0.018	1.83	1.05	11.1	2	9.6	1110	0.15	0.37	6.3	0.106	1.37	57.3	59	10.8	8.8	13	59.6		0.02
E386312	26	26.5		360	3.8	81.9	0.006	0.81	0.74	8.9	<1	4.9	1140	0.15	0.07	11.5	0.072	0.41	23.5	34	7.8	12.1	9	79		0.002
E386313	26.5	27		510	3.5	103.5	0.004	0.82	0.68	9.4	1	6.9	853	0.14	0.1	11.9	0.099	0.47	26.5	41	9.4	12.4	9	81.6		0.004
E386314			BLANK	130	0.7	1	<0.002	0.06	0.08	0.6	1	<0.2	294	<0.05	<0.05	0.2	0.006	<0.02	0.8	5	0.1	2.8	24	4.1		<0.001
E386315			STANDAR	780	2.6	130	0.006	1.34	1.08	11.3	1	7.9	484	0.14	0.18	12.2	0.107	0.37	17.7	64	8	10.8	6	65.9		0.036
E386316	27	27.5		600	13.1	71.2	0.006	2.52	1.35	8.3	1	5.3	560	0.14	0.31	6.1	0.083	1.55	15.1	38	7.8	8.8	8	48.4		0.022
E386317	27.5	28		770	14.8	7.9	0.006	2.33	1.64	5.3	1	1.2	620	0.1	0.32	8.3	0.027	1.05	14.9	30	2.5	7.7	8	28.9		0.027
E386318	28	28.5		580	3.6	25.7	<0.002	2.63	1.27	7.6	1	2.6	186.5	0.06	<0.05	10.7	0.038	0.13	16.7	67	3.6	8.9	16	35.1		0.018
E386319	28.5	29		520	5.9	37	0.021	0.62	1.1	2.7	1	2.1	927	0.12	0.16	9.3	0.054	0.22	59.1	26	3.9	6	9	40.4		0.02
E386320	29	29.5		390	2.5	21.9	<0.002	0.54	0.57	2.6	1	2.3	1620	0.06	<0.05	8.7	0.039	0.1	13.2	34	3.7	5.9	10	30.3		0.002
E386321	29.5	30		810	4.2	36.2	0.002	1.15	0.85	8.6	1	3.5	810	0.09	<0.05	10.2	0.046	0.23	10.9	49	3.5	8.5	45	43.1		0.006
E386322	30	30.5		740	5	5.9	<0.002	2.38	1.46	5.2	1	1.3	136	0.1	0.14	8.1	0.033	0.24	9.4	44	2	6.1	67	39.7		0.012
E386323	30.5	31		960	4.2	89.7	0.006	2.82	1.04	10.8	3	6.7	280	0.12	0.26	7.7	0.09	0.48	31	74	7.4	8.9	36	52.9	1.07	0.203
E386324	31	31.5		800	3.3	104.5	0.006	0.8	0.73	10.3	1	4.7	441	0.12	0.18	10.6	0.077	0.54	42.1	56	4.8	7.6	23	63.6		0.007
E386325	31.5	32		930	11.6	123.5	0.025	1.53	1.11	17	2	11.7	222	0.18	0.97	18	0.13	0.74	53	107	10.6	10.8	33	85.3		0.016
E386326			BLANK	140	0.7	0.6	<0.002	0.07	0.05	0.4	1	<0.2	294	<0.05	<0.05	0.2	0.007	<0.02	0.8	5	0.1	2.9	23	3.6		<0.001
E386327	32	32.5		1640	4.1	47.9	0.011	2.4	2.03	7	3	11.8	490	0.4	0.18	8.3	0.1	0.35	94.1	63	8.8	13.3	21	37		0.024
E386328	32.5	33		1600	1.8	66.2	0.007	1.39	1.42	7.9	1	11	422	0.58	<0.05	11.3	0.128	0.3	19.5	67	8.9	12	19	44.5		0.007
E386329	33	33.5		1280	1.6	76	0.002	0.87	1.71	9.8	1	11.9	423	0.36	<0.05	12.1	0.172	0.26	10.7	89	11	9.1	30	58		0.001
E386330	33.5	34		1400	1.7	30	0.014	0.6	2.33	5.4	2	9.6	502	0.36	0.06	7	0.103	0.11	14.8	51	8.3	9.1	25	36.1		0.007
E386331	34	34.5		1310	1.8	54.3	0.02	0.57	1.02	6.9	1	10.8	928	0.17	0.06	7.3	0.071	0.17	35.8	39	7.5	9.7	28	45.1		0.004
E386332	34.5	35		720	2	44.3	0.016	0.85	0.89	6.9	1	9.9	493	0.17	0.07	5.5	0.068	0.14	29.1	39	6.2	8.4	43	43		0.003
E386333	35	35.5		700	1.8	24.4	0.008	2.45	1.16	4.8	1	5	179	0.16	0.11	6.1	0.048	0.13	9.7	45	4.8	6.2	42	30.8		0.003
E386334	35.5	36		1430	7.7	37.6	0.007	6.86	2.4	6.1	4	5	165	0.15	0.5	9.4	0.062	0.8	19.5	55	5.9	9.6	59	42.3		0.029
E386335	36	36.5		2400	5.3	78.4	0.008	7.87	2.42	11	3	6.8	53.2	0.14	0.39	8.9	0.094	0.7	12.4	67	13.6	13.1	20	49.6		0.041
E386336	36.5	37		3540	3.5	119.5	0.003	4.02	1.36	9	4	8.4	38.3	0.1	0.12	7.7	0.105	0.78	16.8	78	17	16.1	10	53.8		0.02
E386337			BLANK	120	0.7	0.5	<0.002	0.08	0.06	0.4	2	<0.2	292	<0.05	<0.05	0.2	0.007	<0.02	0.7	5	0.1	2.9	23	3.6		<0.001
E386338			STANDAR	900	22.7	89.8	0.024	2.34	1.62	10.4	3	7.7	598	0.23	0.21	8.3	0.092	0.42	319	55	9.1	15.5	2	59		0.056
E386339	37	37.5		1160	3.3	115.5	0.012	4.12	1.45	9.7	4	8.8	29	0.18	0.28	11.7	0.112	0.88	18.6	74	17.5	14.1	8	61.8		0.02
E386340	37.5	38		950	10	94.9	0.024	8.44	3.68	11.8	4	8.4	17.5	0.15	0.34	12.2	0.108	1.6	91.2	86	10.9	12.5	30	61.9		0.049
E386341	38	38.5		1230	6.5	72.8	0.017	6.12	2.34	12.5	3	9.2	59	0.16	0.23	12.3	0.101	0.86	44.4	81	10.2	11.5	35	61.2		0.028
E386342	38.5	39.5		1440	3.6	114	0.049	5.5	1.21	9.4	2	7.8	75.9	0.16	0.17	9.2	0.117	0.63	20.7	77	18	13.2	14	58		0.021
E386343	57	58		1580	2.7	67.7	0.013	3.81	1.03	8.3	2	9.4	15.7	0.11	0.37	8.6	0.062	0.36	17.7	79	11.1	11.5	13	38.5		0.03
E386344	58	58.5		1190	3.8	11.1	0.009	2.81	1.12	5.2	2	3.8	16.8	0.09	0.24	6.8	0.039	0.09	54.4	42	4.5	11.6	30	33.2		0.012
E386345	58.5	59		1200	3.7	23.5	0.011	1.54	1.3	7.2	1	7.3	24.4	0.13	0.28	7.9	0.081	0.13	34.3	50	5.3	11.9	25	36.7		0.007
E386346	59	59.5		950	4.2	54	0.008	1.92	1.8	6.9	2	9.1	14.2	0.18	0.29	11.2	0.092	0.25	46.5	56	6.4	11.1	23	46.1		0.012
E386347	59.5	60		1280	3.5	46.5	0.012	2.92	1.78	6.6	3	11.5	19.4	0.15	0.61	4.8	0.084	0.18	17.8	48	7.3	10.6	18	46.8		0.016
E386348	60	60.5		1080	2.7	8.1	0.008	1.79	1.04	4.9	2	2.7	17.2	0.09	0.27	4.9	0.028	0.06	9.2	30	3.4	9.9	14	18.1		0.006
E386349			BLANK	110	0.6	0.5	<0.002	0.07	0.07	0.4	1	<0.2	282	<0.05	<0.05	0.2	0.006	<0.02	0.7	2	0.1	2.8	22	5.5		<0.001
E386350	60.5	61		1180	3.8	35.4	0.009	4.29	1.9	5.2	3	11.4	15.8	0.23	1.02	8.2	0.073	0.22	10.8	47	7.7	9.3	13	26.5		0.031
E386351	61	61.5		1170	5.4	39.4	0.008	2.8	1.21	8.6	3	10.6	37.4	0.19	0.46	7.4	0.092	0.45	34.1	44	7	11.8	13	37.8		0.013
E386352	61.5	62		1880	2.1	49.2	0.011	0.86	1.15	5.8	2	15	152.5	0.26	0.16	11.7	0.084	0.11	18.6	46	8.5	11.4	12	36.9		0.009
E386353	62	62.5		910	2.5	72.4	0.008	1.23	1.01	9.6	2	13.1	29.7	0.16	0.16	12.4	0.097	0.16	26.2	66	8.5	10.6	16	53		0.009
E386354	62.5	63		1320	2.4	54.1	0.008	1.72	1.15	10	1	9.6	27.5	0.19	0.16	7	0.084	0.23	6.9	53	6.8	11.8	16	42.6		0.009
E386355	63	63.5		1260	3.5	21.3	0.008	4.6	1.39	3.3	1	3.7	24.8	0.14	0.42	13.9	0.041	0.16	13.4	47	3.5	12.1	26	68.1		0.031
E386356	63.5	64		1560	2.9	145.5	0.008	5.72	1.07	10.2	2	14.5	16.8	0.12	0.45	12.2	0.12	0.74	10.8	84	15.4	11.9	7	72.5		0.033
E386357	64	64.5		1970	7	84.8	0.014	8.22	1.79	6.9	2	8.7	18.8	0.13	0.54	7.5	0.089	0.79	52.5	80	10.7	12	5	53.6		0.047
E386358	64.5	65		1010	4.1	55.9	0.01	1.58	1.29	8.1	2	7.1	27.1	0.13	0.26	10.2	0.075	0.3	28.6	54	7.8	14.7	26	47.5		0.011
E386359	65	65.5		1020	4.4	88.4	0.009	0.86	1.04	11.5	2	11	46	0.26	0.19	13	0.122	0.27	35.2	64	9.5	16.6	29	63.8		0.009
E386360			BLANK	120	0.6	0.8	<0.002	0.07	0.07	0.4	1	<0.2	297	<0.05	<0.05	0.2	0.006	<0.02	1	3	0.1	2.8	23	3.9		<0.001
E386361			STANDAR	2380	6.1	34.4	0.017	7.26	2.32	4	4	7.8	192.5	0.12	1.13	6	0.036	0.51	15.3	58	6.8	14.5	<2	25.8		0.141

IG-2007-02

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
E386362	65.5	66		0.25	6.16	31.4	250	1.76	0.66	1.06	<0.02	252	291	28	1.99	236	15.5	15.5	0.34	1.7	0.073	1.78	160	48.3	1.99	4330	24.4	0.03	6.3	49.7
E386363	66	66.5		0.58	0.7	32.6	110	0.23	0.66	1.2	0.05	>500	298	1	0.31	242	22.7	7.46	0.9	0.3	0.18	0.15	800	4.8	1.57	12750	112.5	0.01	3	34.4
E386364	66.5	67		0.44	1.55	62.4	170	0.35	1.38	0.58	0.02	>500	618	4	0.44	382	24.5	8.57	0.69	0.5	0.197	0.28	441	12.5	1.96	15500	37.5	0.01	3.5	58.5
E386365	67	67.5		0.46	2.95	65.3	160	0.67	1.6	0.4	<0.02	302	365	13	0.77	387	20.2	10.35	0.41	0.9	0.076	0.47	191.5	27	1.59	7810	55.2	0.02	5.4	70.6
E386366	67.5	68		0.29	3.45	63.2	170	0.69	1.24	0.66	<0.02	129	400	15	0.96	366	18.85	10.6	0.33	1	0.06	0.74	85.3	29.6	1.61	7070	36.6	0.02	5.4	58.2
E386367	68	68.5		0.28	3.1	45.6	230	0.73	0.91	0.43	0.02	>500	254	13	0.87	380	20.7	13.45	0.64	0.9	0.107	0.63	436	26.6	1.64	8250	69.3	0.02	4.9	60.6
E386368	68.5	69		0.45	6.49	88.8	500	2.15	2	0.26	<0.02	246	360	37	2.01	226	15.25	19.25	0.35	2	0.05	1.85	172.5	48.5	1.59	2470	66.4	0.03	7.8	71.3
E386369	69	69.5		0.81	7.9	111.5	760	2.32	3.26	0.84	<0.02	252	266	48	3.11	185	13.7	25.5	0.38	2.5	0.068	2.47	168	51.4	1.83	1750	38.7	0.04	4.5	76.2
E386370	69.5	70		5.41	5.71	450	820	1.57	13.5	0.09	<0.02	72.5	548	44	1.76	992	16.05	14.15	0.35	2.4	0.035	1.15	35.9	61.3	1.56	200	14.85	0.04	4.1	106.5
E386371	70	71		0.33	6.53	18.6	610	2.66	0.69	0.91	<0.02	83.1	87.9	40	3.23	101	8.74	17.25	0.23	1.9	0.073	2.6	53.2	30.7	1.39	2660	9.13	0.04	2.4	34.8

IG-2007-02

Sample No	From (m)	To (m)	Standard/B	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
E386362	65.5	66		820	2.7	80.6	0.005	1.8	0.88	8.8	3	12.1	108.5	0.27	0.15	12.5	0.112	0.2	26.1	54	8	9.6	31	50.6		0.008
E386363	66	66.5		1390	3.5	7	0.026	1.73	0.72	4.6	4	2	304	0.06	0.37	6.3	0.012	0.08	7.8	13	7.1	11.3	15	7		0.013
E386364	66.5	67		1220	3.8	12.1	0.01	3.48	0.73	5	6	3.8	129.5	0.09	0.34	9.3	0.03	0.06	17.9	20	5.9	10.4	29	15.9		0.012
E386365	67	67.5		1760	3.1	21.2	0.017	2.56	0.95	6.4	3	7.2	117.5	0.15	0.42	6.4	0.059	0.08	17.5	34	6.1	9.6	32	30.8		0.012
E386366	67.5	68		1390	2.8	32.3	0.007	2.86	0.81	7.1	3	7.9	60.7	0.19	0.18	4.9	0.089	0.09	9.3	40	7.8	9.9	33	33.2		0.025
E386367	68	68.5		1560	2.8	27.7	0.017	1.86	0.82	6.1	2	6.9	55.6	0.12	0.17	17.9	0.046	0.07	22.4	45	10.1	12.9	31	27.6		0.009
E386368	68.5	69		1230	3.2	82.3	0.018	2.55	1.38	9	2	19	8.9	0.2	0.59	11	0.117	0.24	34.3	67	10.5	11.7	36	66.3		0.008
E386369	69	69.5		1150	6.6	104	0.012	2.45	1.29	13	2	10.5	15.5	0.16	0.53	19.3	0.122	0.48	56.2	84	8.4	12.9	37	63.5		0.015
E386370	69.5	70		380	61.1	57	0.018	7.75	4.53	7.8	2	7.8	31	0.31	1.27	32	0.152	2.82	1540	63	8.8	36.5	26	77.5		0.071
E386371	70	71		750	4.2	109.5	0.004	0.7	0.82	10.9	1	8.7	228	0.14	0.22	11.1	0.1	0.45	10	61	8	11.4	32	67.3		0.002

IG-2007-26

Sample No	From (m)	To (m)	Standard/Blank	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
E386654			BLANK	0.02	0.12	<5	40	0.05	0.23	40.8	0.36	1.96	0.9	5	<0.05	20.8	0.05	0.46	0.06	0.1	<0.005	0.03	1.5	1.3	0.42	34	0.19	0.02	0.3	<0.2
E386655			STANDARD 2	1.1	2.15	118.5	30	0.49	10.35	2.07	<0.02	170.5	297	10	2.34	8260	24.8	10.1	0.45	0.7	0.241	0.63	113.5	18.8	1.38	5800	59.8	0.24	5.9	58.9
E386656	14.5	15		8.92	2.39	7.9	30	1.11	12.7	3.82	<0.02	61.3	53.5	14	0.89	>10000	15.85	9.73	0.37	0.9	0.78	0.35	25	24.1	1.55	2160	599	0.95	6.4	47.1
E386657	17	17.5		6.59	0.76	18.4	40	0.47	48.8	1.58	<0.02	50.9	50.8	4	0.28	>10000	17.15	5.13	0.29	0.4	0.729	0.11	17.1	11	0.47	1540	183.5	0.17	5.4	43.8
E386658	17.5	18		6.5	0.7	23.8	40	0.47	256	2.18	<0.02	104.5	78.4	3	0.11	>10000	17.45	5.21	0.33	0.4	0.617	0.03	44	8.2	0.67	3520	181	0.23	10	59
E386659	18	18.5		5.02	0.5	11	30	0.67	310	2.09	<0.02	269	67	4	0.1	>10000	20.5	5.54	0.48	0.4	0.856	0.01	136.5	8.5	0.59	3380	62.3	0.07	7.4	74.4
E386660	18.5	19		5.77	0.3	17.1	20	0.59	165	1.17	<0.02	139.5	157.5	<1	0.08	>10000	24.1	3.53	0.53	0.2	0.965	0.01	72.9	4.2	0.94	10150	168.5	0.08	4.9	89.5
E386661	19	19.5		4.39	0.42	18.2	30	0.53	833	0.82	<0.02	164	186.5	<1	0.07	>10000	25.9	4.27	0.53	0.2	0.787	0.01	97	6.7	0.92	13450	110.5	0.1	7.4	100
E386662	19.5	20		5.96	0.43	23.9	20	0.36	1210	1.03	<0.02	47.3	182.5	<1	0.07	>10000	23.5	4.09	0.44	0.2	0.94	0.02	17.6	3	0.69	12750	87.3	0.26	7.3	73.5
E386663	20	20.5		8.02	0.11	30.3	20	0.33	2600	0.73	<0.02	47.8	243	<1	0.09	>10000	28.7	2.36	0.42	<0.1	1.1	0.01	19.3	2.4	0.71	14750	112	0.02	4.6	78.2
E386664	20.5	21		11.1	0.1	10.4	20	0.47	902	0.54	<0.02	11.7	103.5	<1	<0.05	>10000	19.75	1.73	0.37	<0.1	1.405	0.01	3.4	1.8	0.38	8540	66.3	0.03	3	50.3
E386665	21	21.4		7.95	0.77	5.3	20	0.59	28.8	0.53	0.03	25.2	42.4	3	0.14	>10000	18.7	3.76	0.38	0.3	1.86	0.03	8	11.1	0.31	1370	46.4	0.22	3.1	66.8
E386666			BLANK	0.04	0.13	<5	390	0.08	0.49	42	0.38	2.48	1.2	6	<0.05	231	0.1	0.53	<0.05	0.1	0.006	0.03	2	1.5	0.44	41	2.84	0.02	0.4	<0.2
E386667	21.4	22		0.15	5.71	30.4	190	2.11	6.37	2.76	<0.02	51.5	253	32	11.45	456	7.05	17.7	0.16	1.6	0.219	2.6	26.6	30	1.96	6210	7.29	0.09	5.2	26.1
E386668	22	22.5		0.06	4.58	7.9	1110	1.64	2.45	4.65	<0.02	131	63.4	23	8.31	296	7.13	13.8	0.22	1.5	0.21	2.04	74.7	20.7	2.97	7460	6.04	0.07	4.6	18.2
E386669	22.5	23		0.05	4.57	5.1	3420	1.58	1.06	4.78	<0.02	78.3	39	24	7.88	96	8.17	13.45	0.18	1.8	0.257	2.06	47	18.7	3.15	8380	4.97	0.06	4.8	20.8
E386670	23	23.5		0.03	5.81	25	500	2.16	1.14	2.56	<0.02	87.5	209	32	11	62.1	8.45	17.55	0.21	1.9	0.247	2.71	51.5	23.6	1.85	6230	7.03	0.09	3.9	31.1
E386671	23.5	24		0.03	5.22	14.4	450	1.8	0.65	3.97	<0.02	47.5	99	27	9.52	105.5	7.83	16	0.17	1.6	0.215	2.42	26.8	21.9	2.4	7550	6.73	0.08	3.2	23.7
E386672	24	24.5		0.02	4.85	2.5	3390	1.64	0.42	3.38	<0.02	87.5	48	26	9.59	36.8	9.46	15.6	0.22	1.4	0.265	2.34	51.5	21.1	2.71	10000	1.74	0.06	3.1	21.4
E386673	24.5	25		0.1	4.61	8.1	1550	1.48	0.39	0.44	<0.02	116.5	166.5	26	8.79	154	18.4	15.1	0.33	1.5	0.56	2.05	75.9	17.2	1.59	13950	50.3	0.06	2.9	44.7
E386674	25	25.5		0.08	5.37	5.3	6170	1.43	0.36	0.32	<0.02	93.8	91.6	31	10.55	98.6	16.25	15.95	0.27	1.5	0.39	2.59	63.9	16.7	1.19	10250	33.8	0.06	2.1	30.9
E386675	25.5	26		0.03	5.63	4.8	4870	1.8	0.19	0.17	<0.02	80.9	80.9	33	13.4	80.1	9.45	17.65	0.21	1.8	0.308	2.75	50.2	21.3	0.79	4970	4.47	0.06	2.1	23
E386676	26	26.5		0.07	6.64	1.8	7390	1.98	0.18	0.2	<0.02	113.5	92.9	42	15.25	47.2	11.4	18.95	0.17	1.9	0.398	2.97	64	22.9	0.99	6340	2.89	0.08	2.4	24
E386677			BLANK	0.01	0.13	8	50	0.08	0.01	45.5	0.41	2.06	0.8	6	<0.05	2.4	0.06	0.43	<0.05	0.1	<0.005	0.03	1.5	1.2	0.49	39	0.22	0.01	0.3	0.6
E386678			STANDARD 3	0.26	6.41	36.7	830	2.36	1.52	1.76	<0.02	82.8	97.6	42	8.07	1470	6.37	17.8	0.12	1.8	0.125	2.8	42.1	20.8	1.21	2970	19.4	0.57	3.4	21.4
E386679	26.5	27		0.02	6.73	6.2	>10000	2.2	0.09	0.18	<0.02	80.2	63.6	47	16.5	156	8.76	20.8	0.15	2.1	0.379	3.19	41.4	25.9	0.84	4290	2.52	0.08	2.4	20.1
E386680	27	27.5		0.03	3.17	0.4	3460	0.97	0.1	0.2	<0.02	67.2	47.7	19	7.06	659	15.8	9.8	0.23	0.9	0.545	1.44	36.5	12.3	4.65	12400	0.71	0.04	2	21.8
E386681	27.5	28		0.01	5.45	1.7	>10000	1.55	0.06	0.24	<0.02	158.5	79.8	37	12.3	79.8	14.55	16	0.22	1.5	0.464	2.48	84.2	19	1.87	8900	0.57	0.06	1.8	27.2
E386682	28	29		0.03	6.46	1.6	>10000	1.99	0.09	0.2	<0.02	79.3	82.2	43	14.9	32.6	11.1	18.5	0.16	1.8	0.408	2.93	42.2	22	0.97	5700	2.26	0.08	2.2	22.8
E386683	56	57		0.7	4.7	40.1	110	0.57	6.79	1.88	<0.02	157.5	330	21	1.6	1170	16.35	12.15	0.24	1.2	0.049	0.13	90.8	33.5	1.76	3110	32.6	2.05	8.4	47.3
E386684	57	57.5		0.9	4.72	39.2	90	0.65	4.2	1.69	<0.02	54.9	265	29	1.23	7780	14.15	10.7	0.2	1.4	0.095	0.2	26.3	55.6	1.78	1630	25.7	1.07	7.3	56.6
E386685	57.5	58		1.53	1.18	52.1	30	0.29	7.43	4.23	<0.02	220	708	3	0.27	>10000	28.9	7.3	0.37	0.5	0.301	0.02	132	13.9	2.37	6380	58.5	0.01	12.8	66
E386686	58	58.5		1.84	0.43	48.6	40	0.21	6.69	3.26	<0.02	126	455	2	0.14	>10000	24.8	4.81	0.45	0.2	0.188	0.01	75	5.9	1.52	4570	50.3	0.01	5.1	48
E386687	58.5	59		1.03	0.21	35.1	20	0.12	5.84	5.81	0.04	91.8	397	<1	0.08	8840	27.8	3.56	0.29	0.1	0.321	0.01	58.3	2.8	2.6	6830	77.1	0.01	2.6	38.1
E386688	59	59.5		1.05	2.52	33.5	40	0.48	5.95	1.96	<0.02	43.4	506	10	2.74	7420	28.7	11.15	0.34	0.9	0.198	0.1	20.7	32.2	2.32	4220	43.2	0.05	3.9	88
E386689			BLANK	0.02	0.13	7	80	0.08	0.02	45.8	0.4	2.15	1.3	7	<0.05	11.7	0.07	0.47	<0.05	0.1	<0.005	0.03	1.6	1.4	0.49	40	0.32	0.01	0.3	<0.2
E386690	59.5	60		0.82	2.66	34.2	40	0.48	4.54	0.78	<0.02	33	485	9	1.37	5640	18.05	7.63	0.22	0.8	0.074	0.07	10.1	31	1.09	1225	47.7	0.75	3.6	50.4
E386691	60	60.5		0.76	5.64	30.3	190	0.92	4.13	0.5	<0.02	99.8	421	31	3.38	2390	14.5	13.15	0.19	1.8	0.049	0.23	54.1	74.1	1.87	596	41.7	1.43	4.4	70.1
E386692	60.5	61		0.31	3.04	12.5	210	0.76	0.86	1.22	<0.02	64.5	80.2	16	2.15	2060	11.65	8.44	0.15	0.9	0.051	0.49	29.3	41.4	1.19	1280	50.9	0.58	6.3	23.4
E386693	61	61.5		0.2	3.57	10.4	540	0.72	0.4	0.5	<0.02	101	31.6	17	1.67	576	13.3	8.76	0.18	1.1	0.033	0.42	68.8	52.4	0.89	1050	34.8	0.87	6.1	16.9
E386694	61.5	62		0.05	3.12	9.2	1110	0.58	0.07	0.35	<0.02	203	11.9	14	1.51	75.9	15.4	7.41	0.22	0.8	0.023	0.26	150	45.5	0.83	760	14.95	0.83	7.1	15.9
E386695	62	62.5		0.15	4.77	11.9	510	1.2	0.35	0.72	<0.02	102	53.3	25	3.07	798	14.6	13.25	0.2	1.4	0.032	0.83	68.3	68.3	1.22	805	39.5	0.83	7.9	30.9
E386696	62.5	63		0.37	5.84	6.9	3130	1.74	0.6	0.28	<0.02	67.7	13.7	37	4.71	19.2	16.65	10.35	0.22	1.9	0.02	0.85	52.4	101.5	1.2	161	21.2	0.89	8.2	28.1
E386697	63	63.5		0.05	2.65	8.1	720	0.57	0.06	1.85	<0.02	117.5	22.5	10	0.55	143	15.5	6.16	0.21	0.6	0.034	0.06	79.3	45	1.51	2410	7.76	0.28	6.6	27.5
E386698	63.5	64		0.26	0.91	13.5	250	0.29	0.65	0.96	<0.02	282	66.4	4	0.26	589	20.8	4.68	0.31	0.3	0.045	0.02	192.5	12.8	0.83	2850	39.5	0.02	14.4	23.6
E386699	64	64.5		0.28	0.51	13.2	200	0.15	0.43	0.69	<0.02	257	135.5	1	0.13	631	23.3	4.66	0.34	0.2	0.028	0.01	171	7.4	0.47	1920	99.9	0.01	12.7	22.4
E386700			BLANK	0.02	0.12	<5	110	0.08	0.01	45.2	0.4	2.56	1	8	<0.05	4.4	0.07	0.47	<0.05	0.1	<0.005	0.03	1.9	1.4	0.49	37	0.48	0.01	0.3	<0.2
E386701			STANDARD 1	1.01	5.37	50.7	130	1.66	2.7	1.91	<0.02	55.4	153.5	36	3.61	7430	9.14	14.65	0.15	1.6	0.145	2	22.7	22.7	1.14	3330	64.2	0.94	4.1	31.7
E386702	64.5	65		0.28	0.99	11.4	100	0.2	0.41	1.22	<0.02	221	242	3	0.21	2830	29.4	7.89	0.37	0.3	0.023	0.01	144.5	12.4	0.45	811	78.4	0.04	8.6	41.8
E386703	65	65.5		0.32	2.61	6.3	160	0.34	0.45	0.98	<0.02	296	207	10	0.83	6970	32.1	10.25	0.44	0.7	0.025	0.02	216	33.9	1.01	257	50.3	0.28	5.3	55.6
E386704	65.5	66		0.44	4.8	3.6	290	0.64	0.6	0.74	<0.02	143.5	85.1	32	1.09	>10000	16.55	10.15	0.26	1.6	0.033	0.06	111.5	62.1	1.47	232	12.4	1.08	5.3	47.8
E386705	66	66.5		0.46	2.84	19.8	50	0.55	2.51	1.98	<0.02	222	1050	11	0.87	793	35.5	10.2	0.43	0.8	0.009	0.11	167.5	28.4	0.72	182	254	0.98	3.8	79.5
E386706	66.5	67		0.81	1.21	24	70	0.23	4.67	2.84	<0.02	193.5	912	15	0.38	1250	43.2	9.36	0.48	0.6	0.04	0.01	143.5	12.5	0.58	1295	442	0.26	6.8	65.3
E386707	67	67.5		0.79	4.62	31.6	690	0.63	6.32	1.39	<0.02	32.3	1105	37	1.32	961	25.3	11.7	0.34	2.8	0.045	0.06	19.6	59.2	1.94	945	117.5	0.73	8.1	71.8
E386708	67.5	68		0.17	2.84	8.2	120	0.26	0.95	1.68	<0.02	128	143	14	0.5	1030	19.7	8.6	0.25	0.8	0.052	0.03	74	34.3	1.32	2360	66.7	0.72	5.2	33.4
E386709	68	68.5		0.14	1.69	8	120	0.31	0.48	1.28	<0.02	157	146.5	10	0.39	253	26.1	9.5	0.36	0.4	0.024	0.02	91.1	15.7	0.76	1680	83.6	0.52	6.2	43
E386710	68.5	69		0.21	0.17	8.7	280	0.32	0.3	0.69	<0.02	305	76.1	4	0.06	96.8	29.4	6.09	0.39	0.1	0.042	<0.01	209	2	0.5	3990	92	0.01	10.4	25.1
E386711	69	69.5		0.18	1.06	7.1	210	0.23	0.55	0.83	<0.02	259	120.5	3	0.17	17.5	35.1	11.85	0.49	0.3	0.024	0.01	181.5	14.1	0.48	1925	85.7	0.13	7.2	59.3
E386712	69.5	70		0.18	0.59	6.1	220	0.18	0.22	0.55	<0.02	173	87	<1	0.15	7.5	41.5	12.45	0.48	0.2	0.022	0.01	117.5	5.6	0.31	1660	65	0.16	7.4	54.3
E386713	70	70.5		0.18	2.13	9.2	210	0.41	0.31	0.42	<0.02	278	121.5	9	0.61	15.9	24.9	11.2	0.33	0.6	0.01	0.03	188.5	22	0.66	920	100.5	0.7	4.2	40.5
E386714	70.5	71		0.11	4.25	8.3	320	0.47	0.2	0.54	<0.02	301	78	24	0.55	53.3	21	13.35	0.33	1	0.01	0.03	209	21.5	0.61	572	72.3	2.44	2.8	35.5
E386715	71	71.5		0.09	5.99	2.7	800	0.67	0.13	0.56	<0.02	179.5	51.7	44	1.11	211	12.5	13.3	0.19	1.8	0.013	0.09	129	38.1	1.04	1005	24.3	3.27	2.8	28.3
E386716	71.5	72		0.15	4.6	8.2	160	0.55	0.32	0.74	<0.02	138	200	23	0.82	318	19.1	12.6	0.28	1.1	0.006	0.04	81.8	24	0.52	393	43.6	2.78	3.2	33.7
E386717	72	72.5		0.04	6.38	0.9	4440	0.69	0.06	1.18	<0.02	110	9.9	46	1.11	37.7	9.84	12.8	0.15	1.8	0.007	0.11	78.8	28	0.75	495	10.1	4.13	3.4	21.2
E386718	72.5	73		0.16	3.34	8.3	200	0.44	0.29	1.03	<0.02	125.5	145.5	13	0.36	64.6	22.2	11.4	0.29	0.8	0.017	0.04	74.1	17.4	0.53	1360	40.7	1.99	3.8	34.6
E386719	73	73.5		0.06	8.15	1.5	2990	0.59	0.09	1.18	<0.02	67.9	10.2	42	0.63	17.9	13.6	13.7	0.18	1.6	0.011	0.1	43.9	22.7	0.67	880	22.2	4.06	2.6	24.4
E386720	73.5	74		2.28	7.76	1.5	5630	0.79	0.72	1.69	<0.02	60.8	10.1	42	1.09	46.4	8.42	14.6	0.16	1.9	<0.005	0.16	39.6	22.1	0.8	1300	506	5.61	2.8	17.7
E386721	74	75		0.05	7.2	1.8	5510	2.36	0.07	0.82	<0.02	100	34.1	46	4.75	111	10.2	20.4	0.13	2.3	0.047	1.36	64.3	57.8	0.67	798	17.4	3.74	2.9	23.4
E386722	80	81		0.1	6.92	1.5	1020	0.68	0.12	2.24	<0.02	118.5	25.6	37	1.12	712	8.34	18.5	0.14	2	0.037	0.2	74.2	29.1	1.28	2370	4.42	4.8	3.5	19
E386723	81	81.5		0.18	7.34	1.2	1160	0.72	0.09	2.49	<0.02	134.5	19.2	39	0.76	529	8.01	19.35	0.13	2	0.044	0.23	84	19.8	1.26	2820	23.1	5.27	3.7	17.7
E386724	81.5	82		0.84	4.87	25.5	60	0.41	1.44	4.49	<0.02	132	264	23	0.9	9310	17.1	15.2	0.25	1.3	0.127	0.14	81.1	27	2.11	4350	102.5	2.54	3.5	44.6
E386725	82	82.5		0.33	0.1	37	380	0.08	1.04	3.87	<0.02	83.4	51.4	<1	0.15	2950	41	10.85	0.45	<0.1	0.201	0.05	59.4	1.3	1.21	5040	9.37	0.02	7.7	58.5
E386726	82.5	83		1.05	1.23	46.3	40	0.23	2.04	3.87	<0.02	228	371	3	0.43	>10000	29.7	11.45	0.38	0.4	0.192	0.04	131	14.9	1.57	5180	110.5	0.08	6.6	64.7
E386727	83	83.5		0.26	2.89	3.9	170	0.38	0.23	2.53	<0.02	125	49	8	0.97	6540	23.3	16.55	0.3	0.8	0.163	0.07	69.9	35.7	1.76	3850	21.9	0.47	5.7	70.8
E386728	83.5	84		0.06	7.06	1.2	4220	0.67	0.06	2.66	<0.02	93.7	19.2	38	1.01	594	6.87	14.2	0.11	2.4	0.035	0.23	57.5	34.8	1.37	1920	3.08	4.51	3.3	18.9
E386729	84	85		0.07	5.81	3.5	1530	0.7	0.08	5.1	<0.02	96.2	33.3	25	1.17	64.4	6.11	13.75	0.13	1.5	0.041	0.36	52.6	18.2	1.91	4090	27.1	4.04	4.9	15.8
E386730			BLANK (ABOVE)	0.01	0.13	6	90	<0.05	0.01	46.9	0.44	2.5	1	7	<0.05	6.2	0.06	0.48	<0.05	0.1	<0.005	0.04	1.8	1.4	0.5	42	0.33	0.02	0.3	<0.2
E386731			STANDARD 2 (ABOVE)	1.18	2.34	114.5	30	0.63	11.05	2.22	<0.02	202	331	12	2.8	9220	29.8	9.83	0.38	0.7	0.28	0.67	117.5	19.5	1.52	6260	59.8	0.25	5.5	54.3
E386732	92	93		0.02	6.41	1	8050	2.41	0.04	4.23	<0.02	93.5	28.7	37	11.05	29.3	7.7	18.7	0.13	1.8	0.191	3.13	54.1	48.2	1.8	4800	0.66	0.06	3.1	19.5
E386733	93	93.5		0.05	5.97	4.9	5850	2.26	0.2	3.24	<0.02	166.5	51.2	35	10.55	26.6	11.2	17.6	0.2	1.8	0.239	2.86	102.5	43.2	1.53	5780	6.07	0.08	3.3	23.7
E386734			BLANK	0.01	0.13	<5	50	0.08	0.01	47.9	0.43	2.57	1.1	6	<0.05	3.5	0.06	0.49	<0.05	0.1	<0.005	0.03	1.9	1.5	0.52	42	0.24	0.02	0.3	<0.2
E386735			STANDARD 3	0.29	7.06	57.2	170	2.61	1.67	1.96	<0.02	82.2	113	42	6.92	1660	7.45	20.4	0.13	2	0.141	3.1	42.2	25.5	1.35	3350	19.15	0.61	2.9	24.1
E386736	93.5	94		0.07	4.71	8.2	1650	1.95	0.1	2.85	<0.02	90.2	73.8	25	8.42	29.9	15.05	14.2	0.21	1.4	0.208	2.05	57.4	47.5	1.6	8430	7.71	0.09	3.3	23.8
E386737	94	94.5		0.04	7.28	2.4	>10000	3.31	0.09	2.73	<0.02	241	29.8	44	13.6	17.6	7.89	22.7	0.16	2	0.208	3.52	144.5	75.9	1.78	3190	0.62	0.15	2.5	18.5
E386738	94.5	95		0.03	6.85	1.1	8630	2.69	0.04	4.6	<0.02	59	38.1	34	11.7	11.8	8.91	16.8	0.14	1.8	0.227	3.2	32.5	61	2.21	5230	0.98	0.05	3.1	18.4
E386739	95	95.5		0.04	6.06	2.1	7600	2.58	0.04	3.69	<0.02	31.3	26.9	36	10.1	8.6	8.21	17	0.12	1.8	0.18	3.01	16.7	69.1	1.8	3780	1.08	0.06	3.4	16.2

IG-2007-26

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E386654			BLANK	110	0.8	0.6	<0.002	0.06	0.06	0.4	2	<0.2	248	<0.05	<0.05	0.2	0.006	<0.02	0.7	6	0.1	2.9	20	3.6		<0.001	
E386655			STANDARD 2	2170	6.7	37.4	0.017	6.32	1.93	4	5	6.7	184	0.12	1.02	5.9	0.031	0.45	13.7	57	6.4	14.6	2	23.6		0.097	
E386656	14.5	15		1490	151.5	21.1	0.143	3.92	2.65	6.1	4	13.9	267	0.16	0.52	2.9	0.056	0.06	1080	76	49.5	20.7	6	29.1	4.52	0.26	
E386657	17	17.5		1540	488	7.6	0.041	4.19	4.81	3	4	11.1	306	0.11	0.67	1.8	0.023	0.06	3420	41	55.1	35.4	<2	11.5	5.17	0.282	
E386658	17.5	18		2570	418	1.8	0.033	3.59	7.41	3.7	5	8.9	432	0.18	0.7	2.3	0.017	0.06	2960	46	63.2	42.6	<2	11.1	4.18	0.149	
E386659	18	18.5		4550	126	0.9	0.015	4.35	3.28	5.1	6	9.4	347	0.14	0.68	2.7	0.017	<0.02	720	43	14.3	37.4	<2	11.9	6.16	0.145	
E386660	18.5	19		2770	79.2	0.8	0.037	4.61	2.43	2.9	7	5.9	329	0.1	0.41	1	0.008	<0.02	377	35	12.7	18.5	2	5.4	6.33	0.224	
E386661	19	19.5		2800	184	0.5	0.023	3.57	2.75	3	6	5.4	417	0.11	1	1.3	0.009	<0.02	428	42	8.4	15.7	<2	8.8	4.81	0.105	
E386662	19.5	20		2440	174.5	0.9	0.026	5.27	5.49	2.6	5	5	271	0.1	0.66	1	0.011	<0.02	660	45	34.1	18.1	3	7	7.96	0.25	
E386663	20	20.5		1360	66.3	0.8	0.033	6.02	5.72	2.3	5	3.6	340	0.16	0.74	0.9	<0.005	<0.02	209	41	5.5	10.3	<2	1.4	8.94	0.185	
E386664	20.5	21		910	99.4	0.4	0.019	6.49	3.56	2.4	5	4.8	253	0.08	0.63	0.3	<0.005	<0.02	500	27	8.4	9	<2	1.2	10.2	0.273	
E386665	21	21.4		570	89.4	2.5	0.018	7.72	2.04	3.3	6	12.2	201	0.07	0.96	1.2	0.021	<0.02	740	31	10.4	15.2	<2	10.4	12.4	0.254	
E386666			BLANK	110	1.5	0.7	<0.002	0.09	0.08	0.5	2	<0.2	256	<0.05	<0.05	0.2	0.006	<0.02	4	7	0.2	3.2	21	3.8		<0.001	
E386667	21.4	22		520	2.8	149	0.01	1.3	1.59	9.8	2	6.7	693	0.35	0.15	9.1	0.13	0.37	8.6	61	13.5	10.5	3	57.3		0.003	
E386668	22	22.5		690	4.5	111.5	0.005	0.31	1.48	9.6	1	5.6	772	0.29	0.05	12.5	0.104	0.29	24	57	10.9	13.1	6	50.8		<0.001	
E386669	22.5	23		730	3.1	111	0.006	0.14	1.49	9.7	1	4.9	421	0.29	<0.05	10.2	0.107	0.26	21.4	55	11	14.6	3	59.8		<0.001	
E386670	23	23.5		580	1.5	153.5	0.004	0.97	1.62	10	2	6.2	28.8	0.28	0.15	12.1	0.116	0.37	10.1	59	12.2	11.4	<2	60.7		0.001	
E386671	23.5	24		580	1.4	134	0.004	0.53	1.32	9.3	2	5.4	423	0.22	0.11	9.3	0.094	0.31	3.2	54	10	12.1	2	52.6		0.001	
E386672	24	24.5		500	1.5	125	<0.002	0.16	1.22	8.7	1	4.9	400	0.21	<0.05	9.6	0.089	0.29	2.3	48	9	10.5	3	45		<0.001	
E386673	24.5	25		770	1.9	104	0.004	0.39	1.32	8.3	2	3.9	82.4	0.16	0.1	10.3	0.074	0.27	8.4	59	7.8	11.4	5	46.5		0.018	
E386674	25	25.5		900	1.4	129.5	0.006	0.14	1.34	8.5	1	3.9	24.7	0.12	0.07	10.7	0.06	0.3	7	60	6.6	10.3	3	49.7		0.003	0.68
E386675	25.5	26		540	1.4	156	<0.002	0.18	1.61	9.4	2	4.2	185.5	0.14	0.07	11.4	0.086	0.37	6.4	52	7.1	10	2	57.6		<0.001	
E386676	26	26.5		650	2.3	190.5	0.002	0.2	1.73	10.7	1	4.8	194	0.17	0.06	12.9	0.103	0.44	4.1	60	8.1	11.2	6	66.2		<0.001	2.42
E386677			BLANK	120	0.9	0.7	<0.002	0.07	0.08	0.5	2	<0.2	280	<0.05	<0.05	0.2	0.007	<0.02	0.6	5	0.1	2.8	24	3.9		<0.001	
E386678			STANDARD 3	700	2.7	127	0.006	1.23	1.14	9.7	2	7.5	390	0.21	0.14	11.8	0.114	0.37	16.7	60	8.5	11.2	6	61.9		0.018	
E386679	26.5	27		630	1.4	204	0.003	0.27	1.62	11	1	5.1	70.6	0.17	<0.05	14.4	0.11	0.47	7.8	63	8.3	10.7	4	70.6		<0.001	1.37
E386680	27	27.5		330	2.1	90.4	<0.002	0.25	1.07	6.5	2	2.2	428	0.15	<0.05	5.2	0.064	0.24	2.6	32	4.5	8.2	7	30.9		<0.001	
E386681	27.5	28		600	1.5	157	0.003	0.27	1.28	9.2	1	3.4	123.5	0.12	0.07	12.2	0.084	0.35	4.6	55	5	10.8	5	52.9		<0.001	1.54
E386682	28	29		680	1.4	190	0.003	0.28	1.59	10.7	1	3.8	127	0.16	0.06	12.5	0.102	0.42	3.1	63	5.7	9.6	4	58.8		<0.001	1.65
E386683	56	57		1890	11.1	6.1	0.007	3.98	1.85	5.2	3	7.9	353	0.37	0.34	10	0.111	0.51	21.8	44	7.2	13.8	15	41.4		0.049	
E386684	57	57.5		1420	9.5	11.3	0.01	2.88	2.2	4.1	3	10	597	0.23	0.37	7.5	0.06	0.29	151.5	54	9.3	16.3	34	47.6		0.06	
E386685	57.5	58		2920	11.9	1.2	0.014	7.24	3.01	3.1	6	10	295	0.22	1.83	3.1	0.026	0.17	9	57	14	19	18	15.5	1.215	0.12	
E386686	58	58.5		3410	8.5	0.5	0.01	5.82	3.83	2.5	5	7.9	343	0.16	3.05	2.6	0.013	0.08	6.1	64	14.5	15.8	8	6.3	1.495	0.147	
E386687	58.5	59		2080	6.5	0.5	0.013	5.64	3.33	5.5	8	6.7	275	0.07	2.98	1.3	0.008	0.06	2.6	59	22.6	13.9	<2	2.4		0.09	
E386688	59	59.5		1580	7.3	5.1	0.011	5.68	3.65	2.7	7	6.8	319	0.1	3.08	3.8	0.03	0.08	20.8	59	26.4	12.6	19	30.4		0.104	
E386689			BLANK	110	1.1	0.6	<0.002	0.07	0.08	0.5	2	<0.2	283	<0.05	<0.05	0.2	0.006	<0.02	0.6	5	0.1	2.9	23	3.4		<0.001	
E386690	59.5	60		1500	5.7	3.4	0.016	4.54	2.43	2.1	5	4.5	365	0.09	2.61	1.7	0.024	0.05	5.3	44	15.6	9.4	21	24.8		0.079	
E386691	60	60.5		1180	7.8	9.8	0.014	3.88	1.45	5	3	7.7	603	0.13	2.09	7.7	0.064	0.08	12.2	32	8.1	11.9	29	58.3		0.059	
E386692	60.5	61		1310	3.9	27.6	0.008	0.64	1.26	5.1	3	8.4	1725	0.17	0.26	5.1	0.056	0.1	11.9	48	14.9	9.4	16	29.7		0.015	
E386693	61	61.5		930	2.4	23.8	0.009	0.27	1.36	3.9	2	9.6	1760	0.21	0.13	6.2	0.072	0.09	7	33	14.9	7.3	20	34.3		0.009	
E386694	61.5	62		1130	2.5	14.3	0.004	0.14	1.49	3.6	2	9.6	1485	0.22	0.1	6	0.062	0.05	3.8	28	21.5	7.3	13	28.7		<0.001	
E386695	62	62.5		1780	2.3	46.4	0.014	0.38	1.52	7.2	2	16.2	1280	0.28	0.14	7.4	0.104	0.12	3.4	66	19.6	12.1	20	45.9		0.004	
E386696	62.5	63		1260	3	50	0.006	0.15	1.47	6.7	3	34.3	578	0.44	0.11	11.8	0.204	0.11	4.1	53	20.2	10.7	26	64.7		<0.001	
E386697	63	63.5		1830	2.1	3.3	0.002	0.18	1.01	3.2	2	4.3	1720	0.13	0.08	4.5	0.028	0.02	2.8	44	10	11.4	18	19.5		<0.001	
E386698	63.5	64		2720	2.8	1.2	0.01	0.56	1.86	1.7	3	7.2	953	0.18	0.26	2.9	0.022	0.04	4.4	34	17	12.8	10	10.4		0.009	
E386699	64	64.5		2870	1.5	0.7	0.024	0.7	1.36	1.2	3	5.6	665	0.21	0.31	2.8	0.014	0.02	3.1	36	11.3	13	6	5.1		0.016	
E386700			BLANK	110	1.3	0.6	<0.002	0.07	0.07	0.4	2	<0.2	277	<0.05	<0.05	0.2	0.006	<0.02	0.6	5	0.1	2.9	23	3.2		<0.001	
E386701			STANDARD 1	820	20.9	83.7	0.021	2.29	1.62	8.9	3	7.7	548	0.21	0.25	8	0.089	0.45	269	52	8.7	14.7	7	56.5		0.049	
E386702	64.5	65		2610	2.1	0.8	0.011	1.52	1.3	1.2	4	5.2	320	0.13	0.28	3.2	0.016	0.02	3.6	42	5.8	14	5	11.1		0.024	
E386703	65	65.5		2670	147	1.1	0.004	1.67	1.21	2.4	5	3.8	103.5	0.11	0.2	6.3	0.031	0.03	2.7	63	4.2	16.8	18	22.3		0.057	
E386704	65.5	66		1890	9.2	3.4	0.002	1.32	1.12	4.7	7	6.1	92	0.13	0.13	4.3	0.06	0.03	17.7	28	6.8	14	30	52.5	1.09	0.065	
E386705	66	66.5		3080	13.1	7	0.083	8.57	1.43	3.3	8	5.9	43.7	0.07	0.91	4.3	0.037	0.1	2.9	62	4.5	23.7	13	27.2		0.027	
E386706	66.5	67		3700	11.2	0.7	0.107	8.06	1.88	2.2	8	2.7	41.5	0.14	2.54	3.7	0.017	0.23	3.1	83	3.1	29.1	8	22		0.06	
E386707	67	67.5		3970	11.9	1.4	0.032	9.24	2.63	6.6	8	7.8	64.8	0.18	3.37	1.2	0.078	0.12	3	34	3.9	23	22	93.7		0.076	
E386708	67.5	68		2360	4.4	1.3	0.02	1.17	1.36	5.4	3	4.1	502	0.14	0.37	5.1	0.033	0.03	4.1	47	7.9	15.1	16	27		0.012	
E386709	68	68.5		2010	5.7	0.7	0.027	1.06	1.3	6.2	4	3.7	685	0.15	0.34	4	0.023	0.02	2.4	69	8.8	14.4	9	14		0.015	
E386710	68.5	69		2120	5.4	0.1	0.015	0.46	1.2	2.5	4	8.1	1130	0.2	0.26	2.3	<0.005	0.02	4.2	52	13.9	15.1	5	2.2		0.005	
E386711	69	69.5		2580	2.9	0.2	0.034	0.7	1.03	2.2	4	1.5	431	0.21	0.22	4.4	0.01	<0.02	4.3	85	5.3	16.5	9	9.7		0.002	
E386712	69.5	70		2230	1.9	0.7	0.023	0.57	1.11	2.1	3	1.3	421	0.23	0.18	3.6	0.008	<0.02	3.5	106	4.8	14.1	7	5.6		0.004	
E386713	70	70.5		1970	1.7	2.1	0.022	0.71	1.03	3.3	4	3.6	666	0.09	0.17	5.3	0.024	0.02	5.6	50	7.7	13.1	10	19.3		0.003	
E386714	70.5	71		1810	1.2	1.2	0.049	0.52	0.67	2.7	3	2.7	503	0.07	0.14	8.2	0.021	0.02	3.2	52	4.2	15.3	10	34.4		0.005	
E386715	71	71.5		1840	1.7	2.8	0.014	0.31	0.56	5.7	2	4.3	620	0.1	0.09	9.5	0.04	0.02	5.5	42	3.7	14.3	15	60.3		0.002	
E386716	71.5	72		1540	1.3	2	0.022	1.01	0.79	3.9	4	3.5	402	0.11	0.23	6.8	0.032	0.02	3.6	52	3.8	13.1	13	36.8		0.004	
E386717	72	72.5		740	1.7	6.5	0.005	0.17	0.62	7	2	5.4	384	0.16	<0.05	11.3	0.059	0.02	3.9	49	4.3	11.8	12	61.2		<0.001	
E386718	72.5	73		2230	1.5	2.3	0.023	0.77	0.91	4.7	3	2.1	677	0.1	0.18	5.4	0.018	0.02	2.5	51	3.9	16.4	11	27.1		0.005	
E386719	73	73.5		1350	1.8	5.1	0.015	0.16	0.7	5.9	2	3.2	543	0.14	0.11	10.2	0.038	<0.02	3.2	77	4.1	15.3	15	52.6		0.035	
E386720	73.5	74		920	6.2	9.1	0.559	0.25	1.14	7.9	10	4.9	384	0.18	0.98	13.9	0.057	0.2	52.2	51	5.2	15.1	8	59		0.047	2.49
E386721	74	75		690	1.8	88.3	0.004	0.28	0.96	12.3	2	17.8	134.5	0.19	<0.05	15.4	0.085	0.12	3	66	7.6	13.6	6	78.9		<0.001	0.59
E386722	80	81		570	2	11.1	0.019	0.15	1.2	8.8	2	3.1	78.8	0.26	<0.05	14.3	0.082	0.02	3.2	49	8.7	13.9	17	64.6		0.001	
E386723	81	81.5		690	2.3	12.2	0.161	0.12	1.01	9.3	2	2.7	91.4	0.27	<0.05	15.4	0.066	0.02	6.5	49	6.8	14.9	11	66.3		0.003	
E386724	81.5	82		1440	3.9	7.3	0.145	3.28	1.05	11.1	9	2.8	186.5	0.14	0.29	11	0.02	0.05	19.3	55	4.1	19.3	24	44.6		0.057	
E386725	82	82.5		1600	4.3	3	0.004	0.73	1.48	3.9	3	2.1	101.5	0.08	0.17	0.9	<0.005	0.17	3.5	76	4.8	17.4	6	1.1		0.023	
E386726	82.5	83		3040	7.3	3	0.094	3.74	1.32	5.1	10	2.7	335	0.17	0.4	4.5	0.013	0.14	18.4	77	3.7	27.4	19	11.7	1.185	0.121	
E386727	83	83.5		2210	1.5	4.2	0.015	0.77	0.71	5.2	4	1.9	606	0.15	0.11	4.5	0.011	0.02	8.4	73	2.8	19.9	13	25.8		0.031	
E386728	83.5	84		720	1.8	14.2	0.002	0.28	0.8	9.9	2	3.2	592	0.17	0.05	8.7	0.04	0.02	4.2	24	7.9	16.4	9	76.4		0.002	
E386729	84	85		1000	1.4	22	0.018	0.28	1.17	9.2	2	4.1	916	0.33	0.13	9.6	0.091	0.03	3.9	49	11.5	15.7	5	48.8		0.002	
E386730			BLANK (ABOVE)	120	0.8	1.3	<0.002	0.06	0.07	0.4	2	<0.2	289	<0.05	<0.05	0.2	0.006	<0.02	0.6	5	0.1	3.2	24	3.7		0.003	
E386731			STANDARD 2 (ABOVE)	2450	6.4	38.3	0.019	7.32	2.25	3.9	6	8	172	0.11	1.3	5.9	0.032	0.53	16.9	63	6.7	16.3	13	25.1		0.139	
E386732	92	93		590	1.3	190.5	<0.002	0.17	1.48	10.4	1	7.4	309	0.2	<0.05	12.7	0.128	0.33	1.9	65	13.3	15.6	6	59.6		<0.001	1.76
E386733	93	93.5		1590	1.5	176.5	0.004	0.15	1.26	9.5	2	7	335	0.11	0.1	13	0.103	0.3	2.2	68	12.5	17.8	5	56		<0.001	2.31
E386734			BLANK	120	0.7	0.9	<0.002	0.08	0.07	0.4	2	<0.2	297	<0.05	<0.05	0.2	0.006	<0.02	0.7	5	0.1	3.2	24	4.4		<0.001	
E386735			STANDARD 3	770	3.1	144.5	0.005	1.38	1.16	10.8	2	8.6	440	0.16	0.18	13.7	0.111	0.4	19.3	68	8.8	12.6	7	68.5		0.018	
E386736	93.5	94		1540	1.2	128	0.003	0.15	1.29	7.8	2	7.8	325	0.1	0.12	10.6	0.079	0.21	2.1	64	11.4	16.1	7	46.5		<0.001	
E386737	94	94.5		720	1.8	215	<0.002	0.27	1.52	11.9	1	11.5	181	0.14	0.29	16.7	0.134	0.42	2.4	74	14.5	17.5	8	89.1		0.001	1.38
E386738	94.5	95		640	1.4	196.5	0.002	0.22	1.41	11.4	1	7.1	253	0.21	0.05	12.6	0.13	0.32	2.2	63	14.3	17.8	6	61.8		<0.001	1.59
E386739	95	95.5		650	1.2	176.5	<0.002	0.19	1.51	10	1	8.9	223	0.24	0.13	11.3	0.134	0.29	2	62	13.4	15.6	6	60.2		<0.001	1.69

IG-2007-26

Sample No	From (m)	To (m)	Standard/Blank
E386740	95.5	96	
E386741	96	96.5	
E386742	96.5	97	
E386743	97	97.5	
E386744	97.5	98	
E386745	98	98.5	
E386746			BLANK
E386747	98.5	99	
E386748	99	99.5	
E386749	99.5	100	
E386750	100	100.5	
E386751	100.5	101	
E386752	101	101.5	
E386753	101.5	102	
E386754	102	102.5	
E386755	102.5	103	
E386756	103	103.5	
E386757			BLANK
E386758			STANDARD 1
E386759	103.5	104	
E386760	104	104.5	
E386761	104.5	105	
E386762	105	105.5	
E386763	105.5	106	
E386764	106	106.5	
E386765	106.5	107	
E386766	107	107.5	
E386767	107.5	108	
E386768	108	108.5	
E386769			BLANK
E386770	108.5	109	
E386771	109	109.5	
E386772	109.5	110	
E386773	110	110.5	
E386774	110.5	111	
E386775	111	111.5	
E386776	111.5	112	
E386777	112	112.5	
E386778	112.5	113	
E386779	113	113.5	
E386780			BLANK
E386781			STANDARD 2
E386782	113.5	114	
E386783	114	114.5	
E386784	114.5	115	
E386785	115	115.5	
E386786	115.5	116	
E386787	116	116.5	
E386788	116.5	117	
E386789	117	117.5	
E386790	117.5	118	
E386791	118	118.5	
E386792			BLANK
E386793	118.5	119	
E386794	119	119.5	
E386795	119.5	120	
E386796	120	120.5	
E386797	120.5	121	
E386798	121	121.5	
E386799	121.5	122	
E386800	122	122.5	
E386801	122.5	123	
E386802	123	123.5	
E386803			BLANK
E386804			STANDARD 3
E386805	123.5	124	
E386806	124	124.5	
E386807	124.5	125	
E386808	125	125.5	
E386809	125.5	126	
E386810	126	126.5	
E386811	126.5	127	
E386812	127	127.5	
E386813	127.5	128	
E386814	128	128.5	
E386815			BLANK
E386816	128.5	129	
E386817	129	129.5	
E386818	129.5	130	
E386819	130	130.5	
E386820	130.5	131	
E386821	131	131.5	
E386822	131.5	132	
E386823	132	132.5	
E386824	132.5	133	
E386825	133	133.5	

Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
0.03	5.76	1.2	8620	2.54	0.03	3.91	<0.02	73.9	23.7	31	9.16	17.4	8.24	15.55	0.12	1.7	0.142	2.6	42.3	70.7	1.59	3850	1.33	0.27	2.4	14.9
0.01	7.06	1.3	7270	3.24	0.02	4.83	<0.02	75.2	22.9	37	11.7	15.2	8.41	19.2	0.13	1.8	0.157	3.19	44.6	116.5	2.2	4750	0.25	0.42	3.9	14.5
0.02	6.54	2	5270	2.86	0.03	4.83	<0.02	91.9	24.3	33	10.9	57.5	9.83	18.7	0.14	1.8	0.121	2.39	59	106.5	2.2	4500	0.24	0.95	2.3	14.6
0.09	5.1	7.3	1280	1.27	0.23	2.53	<0.02	131.5	85.9	25	4.85	2020	21.3	12.25	0.25	1.3	0.048	0.84	96.2	59.2	1.4	1900	15.25	1.53	2.2	24.1
0.09	2.71	14.7	320	0.47	0.37	1.23	<0.02	324	136.5	13	2.72	563	35	10.1	0.42	0.7	0.019	0.28	250	41.6	0.78	487	32.6	0.42	4.7	34.6
0.21	2.42	14.1	100	0.56	1.05	0.77	<0.02	306	186	15	3.5	6130	31.6	10.75	0.62	0.7	0.03	0.48	284	44.4	0.6	460	20.8	0.4	5.5	40.5
0.01	0.13	12	40	0.09	0.02	47	0.45	2.64	1.2	6	<0.05	9.3	0.06	0.48	<0.05	0.1	<0.005	0.03	2	1.6	0.51	36	0.27	0.02	0.3	<0.2
0.2	5.46	10.5	380	0.54	1.07	2.42	<0.02	93.2	119.5	27	1.84	5880	18.55	10.45	0.36	1.3	0.042	0.28	78	32.7	1.05	2120	82.4	2.87	4.6	27.9
0.83	1.61	48.6	60	0.27	10.1	4.39	<0.02	168	343	5	1.43	981	30.2	7.83	0.39	0.6	0.098	0.12	135.5	25.8	1.57	4510	49.8	0.35	4.4	46
0.04	6.81	3.7	>10000	3.32	0.19	0.72	<0.02	89	45.8	45	17.25	385	15.35	19.85	0.24	1.8	0.068	3.29	64.5	134.5	1.29	864	18.15	0.18	3.3	28.4
0.02	5.71	1.3	8780	2.81	0.11	3.43	<0.02	106	27	31	11.6	52.2	8.15	16.45	0.21	1.8	0.137	2.7	69.5	73.5	1.72	3450	4.06	0.32	3.2	16.8
0.02	6.47	0.9	>10000	2.82	0.03	3.49	<0.02	78.7	27.5	35	13.5	13.8	8.39	19.5	0.2	1.9	0.211	3.32	49.9	73.2	1.7	4020	4.11	0.09	3.5	18.9
0.02	6.75	1	>10000	2.95	0.05	2.49	<0.02	50.5	35.8	39	12.6	24.9	9.43	18.95	0.19	1.9	0.214	3.38	32.4	63	1.48	4000	4.61	0.06	3	18.2
0.03	5.8	0.6	8940	2.38	0.07	4.58	0.04	34.8	27.9	30	10.8	44.6	9.55	16.65	0.18	1.5	0.199	2.66	21.1	56.3	2.4	5070	2.18	0.05	3.4	19.2
0.01	6.67	0.6	>10000	2.6	0.03	2.46	<0.02	88.5	32.4	39	12.9	29.4	8.56	19.6	0.21	2	0.229	3.32	52.5	60.5	1.57	4360	2.5	0.05	2.9	18.6
<0.01	6.3	1.1	>10000	1.84	0.02	0.61	<0.02	93.7	38.3	41	9.12	15.9	10.85	15.1	0.2	1.4	0.296	3.15	56.5	39.9	1.26	5440	1.25	0.05	2.2	13.3
0.02	6.15	3.5	>10000	2.55	0.02	1.35	<0.02	56.3	53.1	36	11.3	9.6	11.45	17.8	0.21	1.8	0.342	3.18	35.3	47.9	1.21	5540	0.98	0.05	3	17.5
0.01	0.09	7	50	0.06	0.01	42.2	0.35	1.97	1.1	6	<0.05	3.5	0.06	0.49	<0.05	0.1	<0.005	0.03	1.8	1.8	0.47	41	0.19	0.01	0.3	<0.2
1.06	5.25	52.4	360	1.68	2.83	1.89	<0.02	49.7	152	31	3.33	7330	9.25	14	0.17	1.7	0.135	2.07	23.5	24.9	1.18	3340	61.2	0.66	3.7	35.5
0.02	5.18	1.9	>10000	1.76	0.04	1.28	<0.02	63.8	46.6	30	9.36	72	12.35	15.35	0.19	1.6	0.335	2.63	39.7	40.6	1.31	5470	2.4	0.04	2.2	17.7
0.01	6.54	1.4	9400	2.4	0.03	1.03	<0.02	78.4	55.6	42	11.75	9.6	12.1	19.3	0.21	2	0.372	3.41	48.3	50.3	1.19	5390	1.1	0.05	3.6	18.4
0.02	6.89	2.6	>10000	3.03	0.04	0.91	<0.02	67.7	60.5	43	13.55	26.7	11.3	20.1	0.21	1.9	0.386	3.49	55.5	58.8	1.21	5960	2.01	0.05	3.7	19.5
0.05	6.34	3	>10000	2.12	0.06	0.57	<0.02	72.8	64.4	40	11.1	118	10.55	18.7	0.19	1.8	0.309	3.19	47.1	50.1	1.08	6410	14.4	0.05	2.8	21.6
0.08	4.9	9	4360	1.79	0.18	1.24	<0.02	210	77.4	27	9.1	797	14.55	17.5	0.34	1.6	0.328	2.25	145.5	48.1	1.27	7690	17.7	0.04	4.2	35.6
0.15	1.61	17.6	230	0.62	0.4	1.53	<0.02	183.5	95.2	8	2.76	99	17.55	6.65	0.31	0.5	0.317	0.63	116.5	18.2	1.54	10400	51.4	0.02	5.4	29.3
0.11	1.96	12.8	470	0.55	0.53	1.88	<0.02	239	50.8	10	3.18	739	15.55	7.96	0.29	0.7	0.313	0.66	192.5	21.2	1.83	10050	38.6	0.02	6.8	30.5
1.15	1.46	72.8	40	0.59	10.25	1.39	<0.02	25.1	206	6	2.68	4740	18.75	5.14	0.26	0.5	0.277	0.54	8.2	16.6	1.24	8400	59.2	0.01	4.8	30.4
1.73	2.28	113	220	0.71	17.65	1.97	<0.02	160.5	235	11	4.09	5120	28.9	8.01	0.41	0.7	0.333	0.93	111.5	24.9	1.7	8790	68.6	0.02	7.8	52.5
1.11	3.06	76.7	1050	0.85	16.85	1.65	<0.02	307	233	14	5.26	5070	28.6	11.6	0.49	1.1	0.402	1.03	229	33.5	2.1	11800	73.8	0.02	7.5	60
0.01	0.08	<5	60	0.08	0.03	41.4	0.36	2.31	1.3	6	<0.05	6.9	0.07	0.46	<0.05	0.1	<0.005	0.03	1.8	1.8	0.46	44	0.38	0.01	0.3	<0.2
2.6	1.59	205	150	0.27	38.4	0.7	<0.02	301	421	7	1.46	5990	30.3	6.25	0.45	0.5	0.199	0.21	263	23.8	1.16	5740	50.4	0.01	14.3	72.2
1.87	1.16	107	110	0.34	32.1	0.64	<0.02	110.5	298	5	1.61	2540	31.7	4.86	0.39	0.5	0.359	0.31	91.3	13.8	1.8	13300	50.3	0.01	11.6	42
3.59	0.3	160.5	160	0.05	64.8	0.63	<0.02	193	371	<1	0.5	2800	36.5	2.08	0.44	0.1	0.251	0.08	172.5	4.5	0.97	9260	34.9	0.01	7.9	68.4
0.8	0.43	43.4	60	0.11	9.81	0.77	<0.02	386	99.5	<1	0.36	3070	31.7	3.31	0.48	0.2	0.622	0.05	342	8	2.72	21600	44.7	0.01	11.6	22
0.74	0.35	40.4	60	0.08	8.78	0.66	<0.02	344	103	1	0.29	2170	23.7	3.05	0.4	0.2	0.496	0.04	276	9.6	3.05	20300	78.9	0.01	14.1	24.4
0.62	1.51	47.9	80	0.37	7.17	0.58	<0.02	158	115.5	6	2.57	1460	25.4	5.52	0.36	0.6	0.501	0.55	130.5	14.4	2.19	18900	52.7	0.02	6.1	34.1
0.64	1.48	47.3	60	0.45	7.59	0.66	<0.02	216	115.5	7	2.67	2150	23.3	5.75	0.35	0.6	0.491	0.55	162.5	15.6	2.07	16850	54.1	0.02	7.9	33.6
0.42	4.67	49.7	1240	1.15	7.62	1.25	<0.02	135	131	24	7.82	956	17.8	13.5	0.26	1.6	0.217	2	105.5	30.2	1.92	7310	15.15	0.05	4.6	33.8
0.2	4.22	40.8	220	1.22	2.96	1.9	<0.02	283	86.8	23	7.53	89.8	18.05	13.7	0.32	1.3	0.186	2	221	25	1.48	8440	18.15	0.06	6.2	33.9
0.15	5.91	18	1040	1.65	1.15	0.71	<0.02	129.5	67	35	11.2	226	10.9	17.55	0.21	2.3	0.123	2.73	86.2	31.6	1.11	4480	7.05	0.07	2.4	28.5
0.01	0.09	<5	50	0.06	0.02	42.4	0.37	2.37	1.2	5	<0.05	4.6	0.06	0.52	<0.05	0.1	<0.005	0.03	1.9	2	0.47	42	0.29	0.01	0.3	<0.2
1.29	2.23	88.3	90	0.72	10.5	2.14	<0.02	179.5	325	10	2.59	9000	28	9.88	0.39	0.7	0.267	0.66	118.5	28	1.52	6140	61.5	0.24	6.1	62.5
0.12	5.48	14.8	1410	1.47	0.71	1.11	<0.02	105.5	56.9	33	10.1	306	13.25	15.65	0.22	1.8	0.157	2.65	77.3	25.7	1.36	6430	3.73	0.07	1.8	23.7
0.14	5.21	18.7	2850	1.44	0.64	0.82	<0.02	83.2	56.2	29	10.15	716	16.4	15.45	0.24	1.6	0.161	2.47	57.5	24.5	1.39	7170	4.59	0.07	3.1	23.5
0.14	6.13	18	4250	1.35	0.44	0.78	<0.02	96.6	51.6	34	13.2	321	13.25	19.05	0.23	2.1	0.16	3.15	66.1	22.3	1.43	6630	4.87	0.06	1.7	27.4
0.26	4.88	36.9	310	1.15	2.25	0.28	<0.02	77.7	67.9	34	11.35	72.8	10.05	15.45	0.18	1.9	0.234	2.38	50.9	23.2	1.53	8410	22.5	0.07	1.9	21.8
0.37	5.16	105.5	110	1.28	4.98	0.89	<0.02	104	86	30	10.25	203	10.7	16.4	0.23	1.9	0.096	2.43	70.3	23.6	1.02	3710	10.3	0.07	2.3	28.5
0.17	5.24	59.9	190	1.06	1.88	2	<0.02	137	55.2	28	9.34	165	12.1	16.15	0.26	1.7	0.139	2.49	84.7	22.9	1.42	5700	11.35	0.07	1.8	22.2
0.91	3.9	315	80	0.84	15.35	1.3	<0.02	243	196.5	23	7.04	2360	18.45	14.1	0.44	1.4	0.14	1.84	180.5	14.8	0.96	6350	67.4	0.05	5.6	56.6
1.38	0.8	441	30	0.17	26.4	1.62	<0.02	410	272	2	1.54	2480	30.8	5.46	0.63	0.5	0.221	0.35	310	4.1	1.04	10450	53.6	0.02	8.8	77.1
0.88	0.52	188.5	260	0.16	17.6	1.38	<0.02	327	276	<1	1.08	2050	29.3	4.4	0.57	0.3	0.274	0.24	258	3.4	1.27	15150	57.2	0.01	15.7	73.2
1.74	2.26	396	50	0.42	46.4	1.35	<0.02	466	617	13	4.06	6830	24.2	10.7	0.58	0.8	0.182	0.97	364	12.2	0.78	5330	103.5	0.03	17.7	82.2
0.03	0.12	<5	30	0.07	0.12	42.3	0.38	2.68	1.7	6	<0.05	16.7	0.07	0.52	<0.05	0.1	<0.005	0.03	2.1	1.3	0.44	42	1.16	0.01	0.4	<0.2
5.25	0.88	707	120	0.14	107	1.18	<0.02	207	781	2	1.59	>10000	34	4.53	0.53	0.3	0.189	0.35	181.5	5.8	0.71	3430	43.7	0.02	10.2	127.5
4.25	1.07	435	50	0.25	66.5	1.26	<0.02	>500	557	4	2.13	>10000	30.1	7.81	0.68	0.4	0.323	0.53	540	5.3	0.77	7950	88.8	0.02	15.2	78.7
2.06	2.2	434	40	0.47	47.5	1.41	<0.02	>500	538	12	4.09	6020	25.8	12.65	0.66	1.2	0.243	1.03	580	10.1	1.04	8210	133.5	0.03	31.4	70.4
2.27	1.43	500	40	0.33	50.6	1.2	<0.02	>500	574	6	2.79	>10000	29.8	11.4	0.84	0.6	0.26	0.68	890	6.6	0.75	8310	117.5	0.02	22.1	79.9
0.7	0.49	156.5	320	0.13	13.9	0.75	<0.02	260	116.5	<1	0.84	1100	36.2	4	0.49	0.2	0.445	0.2	241	3.8	1.88	21300	44.3	0.01	17.7	22.2
0.67	0.77	153.5	470	0.18	8.36	1.18	<0.02	>500	91.7	1	1.54	4610	33.6	6.81	0.64	0.5	0.47	0.34	540	4.9	1.87	20500	80.1	0.01	19	22.6
0.82	0.57	216	60	0.18	11.6	0.76	<0.02	250	117	<1	1.15	1230	34.2	4.41	0.49	0.4	0.513	0.24	204	4.5	1.9	21600	73.2	0.01	15.6	24.7
0.79	4.44	168.5	70	1.02	11.85	0.7	<0.02	321	114.5	24	9.15	987	19.4	16	0.44	1.5	0.296	2.09	243	19.4	1.37	11050	37	0.06	6.7	29.1
0.13	7.12	33.4	800	1.63	1.65	0.48	<0.02	129	68.1	48	13.9	144	12.5	23	0.28	2.1	0.144	3.49	86.2	27.2	1.11	5490	8.5	0.09	2.1	28.9
0.33	4.31	45.7	280	0.94	2.14	0.74	<0.02	169	72.1	27	9.07	318	19.35	12.8	0.34	1.4	0.249	1.93	124	21.4	1.4	10800	15.7	0.05	4.3	22.7
0.02	0.13	<5	30	0.08	0.04	45.5	0.41	2.7	1.4	6	<0.05	13.9	0.07	0.6	<0.05	0.1	<0.005	0.03	2.1	1.5	0.47	45	0.58	0.02	0.4	<0.2
0.28	6.32	56.6	150	2.52	1.59	1.88	<0.02	73.6	117	38	6.46	1480	6.96	19.85	0.19	1.9	0.129	2.9	40.1	26.5	1.21	3130	21.2	0.59	3.4	28.5
0.47	8.07	107	330	2.35	7.12	0.6	<0.02	254	132.5	53	14.45	1440	12.9	27.8	0.34	2.6	0.184	4.13	182	30.2	0.71	3520	35.5	0.1	8.9	25.6
1.17	3.1	120	30	0.76	14.3	2.2	<0.02	168	182.5	14	5.09	3290	25.6	10.9	0.44	0.9	0.296	1.4	126	13.8	1.78	11150	50.3	0.04	6.8	41.2
0.75	0.21	74.8	310	0.07	6.1	2.35	<0.02	117	95.2	<1	0.37	2870	35.1	1.9	0.44	0.1	0.38	0.06	99.7	2.8	2.37	17250	55.6	0.01	5	33.9
2.33	0.29	133.5	150	0.07	9.71	2.04	<0.02	66.5	120.5	<1	0.5	1640	36.7	2.01	0.45	0.1	0.309	0.11	55.9	2.4	1.82	13750	42.6	0.01	6.7	31.7
3.72	0.3	369	60	0.05	20.6	1.78	<0.02	101.5	273	3	0.48	2200	38.3	1.84	0.53	0.1	0.144	0.11	83.3	1.8	0.77	2950	20.8	0.01	3.4	45
3.07	0.51	388	90	0.09	19.7	1.53	<0.02	83.1	375	<1	0.91	2360	37.5	2.44	0.51	0.2	0.21	0.22	67.7	2.7	0.73	2870	30.4	0.01	5.1	53.7
0.42	6.18	76	730	1.84	4.92	0.38	<0.02	84	111	35	11.15	327	11.85	19.4	0.25	2	0.153	3.06	55.5	23.6	0.73	2700	15.15	0.07	5.8	23.3
0.18	5.52	21.8	1050	1.6	1.01	0.37	0.02	76.9	59.4	36	10.25	39.6	11.1	17.05	0.2	2	0.233	2.86	52.6	21.9	0.92	4850	7.61	0.07	3.5	18
0.09	5.88	16.5	3400	1.82	0.54	0.42	<0.02	101.5	41.2	33	10.7	88.8	9.52	17.45	0.21	1.9	0.193	2.82	70.7	24.7	0.93	4470	1.79	0.06	3.5	14.2
0.08	8.14	16.7	5480	2.38	0.43	0.47	<0.02	70.1	63.3	46	16.05	228	12.2	24	0.23	2.8	0.294	4.21	48.8	31.7	1.29	6600	3.07	0.08	4.5	21.2
0.01	0.13	<5	20	0.09	0.01	43.9	0.41	2.35	1.2	6	<0.05	7	0.05	0.57	<0.05	0.1	<0.005	0.03	1.8	1.5	0.46	39	0.24	0.02	0.4	<0.2
0.05	5.87	6.4	4220	1.66	0.11	0.52	<0.02	125	45.5	36	11.05	72.3	13.4	18.25	0.26	1.8	0.282	3.03	87.2	24.9	1.32	8150	1.52	0.07	3.1	17.7
0.08	4.2	10.5	3000	1.26	0.39	0.37	<0.02	106.5	36.9	29	8.11	189.5	11.15	12.5	0.21	1.4	0.185	2.06	77.4	17.2	0.9	5470	2.94	0.05	3.1	13.8
1.29	4.68	84	90	1.23	1.53	1.11	<0.02	396	59	32	8.58	>10000	12.25	15.3	0.43	1.7	0.208	2.25	266	19.9	1.19	5370	132.5	0.07	3.5	26
1.36	6.03	117	250	1.61	2.94	1	<0.02	184	78.2	40	10.1	8890	12.75	16.9	0.3	1.8	0.171	2.87	138	23	1.11	4810	110.5	0.11	3.6	30.9
1.8	1.86	99.9	290	0.57	5.7	0.34	<0.02	248	121.5	8	3.37	5120	24.5	5.89	0.38	0.4	0.146	0.92	192.5	7.2	1.25	9900	65.6	0.03	2	42.3
1.48	1.49	65	70	0.48	4.92	0.54	<0.02	265	125.5	7	2.83	4630	29.8	4.72	0.4	0.4	0.162	0.73	235	8.3	1.46	11850	71.9	0.03	2.7	37.1
0.35	2.79	20.1	500	0.87	1.31	1.2	<0.02	225	69.4	17	4.43	1060	32.9	7.8	0.49	0.9	0.229	1.38	185	11.4	2.52	18200	75.3	0.04	5	43.6
0.8	2.19	51	170	0.49	4.25	0.64	<0.02	222	110.5	11	3.26	1380	24.5	5.16	0.31	0.5	0.123	1.07	210	7	1.37	11200	61	0.03	3.7	40.9
0.56	0.25	26.1	80	0.07	3.37	0.35	<0.02	157	55.6	<1	0.43	254	37.2	1.81	0.4	0.1	0.354	0.1	135.5	3.2	2.23	20700	30.7	0.01	0.9	13
0.52	1.88	28.9	230	0.57	3.17	0.33	<0.02	166.5	56.5	12	3.53	795	25.9	6.23	0.37	0.8	0.266	0.92	126.5	9.2	1.5	13700	29.3	0.03	1.6	17.2

IG-2007-28

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E386740	95.5	96		790	1.1	163	0.002	0.21	1.39	8.8	1	9.3	162.5	0.17	<0.05	12.1	0.105	0.25	1.7	55	11.3	16.2	5	57.3		<0.001	0.99
E386741	96	96.5		850	1.2	199.5	<0.002	0.16	1.7	11.7	1	14.7	128.5	0.27	<0.05	12.9	0.141	0.3	1.7	66	14.5	17.9	6	61.6		<0.001	0.73
E386742	96.5	97		600	1.1	182	<0.002	0.15	1.32	12.7	1	13.6	140.5	0.15	<0.05	12.9	0.099	0.22	1.9	62	12.2	16.4	5	59.7		<0.001	0.55
E386743	97	97.5		2190	1.4	56.3	0.005	0.71	1.41	7	3	8.1	90.5	0.07	0.08	9.6	0.05	0.08	3.6	62	7.2	19.1	8	44.3		0.013	
E386744	97.5	98		4380	1.7	19.2	0.014	1.02	1.95	1.4	2	3.3	86.4	0.1	0.12	9.1	0.025	0.03	2.9	81	7.1	24.1	10	25		0.004	
E386745	98	98.5		2770	1.9	31.3	0.011	2.35	1.88	2.5	4	5.5	48.2	0.14	0.16	9.7	0.039	0.05	2.3	59	6.6	14.7	7	25.8		0.022	
E386746			BLANK	120	0.9	0.7	<0.002	0.07	0.09	0.4	2	<0.2	287	<0.05	<0.05	0.2	0.006	<0.02	0.7	5	0.1	3.1	24	3.8		<0.001	
E386747	98.5	99		1870	2.4	16.5	0.02	1.82	1.17	5.4	3	4.8	95.6	0.14	0.14	6.3	0.032	0.03	3	47	4.9	15.8	11	44.4		0.028	
E386748	99	99.5		2540	4.3	8.6	0.02	5.93	1.84	7.6	5	2.3	155	0.11	1.37	5.3	0.021	0.03	5.1	58	4.3	25.7	7	17.9		0.062	
E386749	99.5	100		1180	1.3	174.5	0.005	0.5	1.94	14.1	2	22.6	128.5	0.12	0.08	11.6	0.116	0.24	3.1	80	14.6	13.3	6	58.1		0.002	1.26
E386750	100	100.5		710	1.4	148	0.004	0.26	1.27	9.5	2	11.7	131.5	0.21	<0.05	14.5	0.121	0.24	2.2	53	13.5	17.3	4	53.2		<0.001	1.01
E386751	100.5	101		610	1.4	185	0.002	0.32	1.22	11.5	2	11.6	217	0.22	<0.05	12.5	0.14	0.3	1.9	59	16.2	17.2	3	57.9		<0.001	1.73
E386752	101	101.5		670	1.4	175.5	0.004	0.28	1.16	11.2	2	9.8	153.5	0.18	<0.05	14.9	0.145	0.31	2.2	61	14.6	14.2	5	59		0.001	1.38
E386753	101.5	102		530	4.1	145	0.002	0.24	1.21	10	2	8.3	266	0.21	<0.05	10.8	0.123	0.28	1.8	53	13.5	15	20	47.8		<0.001	2.33
E386754	102	102.5		670	1.7	173	0.002	0.24	1.1	11.9	2	9.1	146.5	0.17	<0.05	15.2	0.142	0.32	2.1	60	15.5	14.6	5	62.2		<0.001	1.46
E386755	102.5	103		980	1.3	127.5	<0.002	0.36	0.86	8.7	1	7	161	0.13	<0.05	10.2	0.144	0.25	1.6	58	11.3	9.1	3	43.5		<0.001	2.3
E386756	103	103.5		620	1.5	167	<0.002	0.21	1.1	10.6	2	9.3	121.5	0.18	<0.05	12	0.141	0.31	1.9	60	14.4	11.6	3	54.2		<0.001	1.35
E386757			BLANK	110	0.7	0.9	<0.002	0.06	0.06	0.5	3	<0.2	265	<0.05	<0.05	0.2	0.006	<0.02	0.6	2	0.1	2.9	29	3.8		<0.001	
E386758			STANDARD 1	850	19.4	74.5	0.021	2.35	1.49	9.1	3	6.8	556	0.2	0.22	8.3	0.089	0.4	253	52	7.9	14.8	4	53.6		0.057	
E386759	103.5	104		760	1.3	140.5	<0.002	0.24	1.12	9.2	2	7	125	0.13	<0.05	12.5	0.111	0.25	2	53	11.2	10.8	3	47.5		<0.001	1.4
E386760	104	104.5		870	1.9	182	<0.002	0.14	1.32	11.3	2	9.1	82.4	0.22	<0.05	13.8	0.155	0.34	2.4	64	14.5	13.7	3	66.5		<0.001	0.95
E386761	104.5	105		880	1.4	186	<0.002	0.21	1.25	11.1	2	12.1	91.1	0.21	0.07	13.1	0.163	0.35	2.1	66	17.8	12.1	3	59.9		<0.001	1.27
E386762	105	105.5		900	1.3	167	0.014	0.3	1.14	10.5	2	11.8	197.5	0.12	0.13	9.9	0.124	0.3	3	66	14.7	11.5	4	57.1		0.003	2.43
E386763	105.5	106		3500	1.6	129.5	0.014	0.26	1.1	9	3	11.1	404	0.16	0.14	11.6	0.088	0.24	4.3	80	14	24.9	3	51.7		0.005	
E386764	106	106.5		2550	2.3	43.7	0.023	0.64	0.71	3.4	4	3.8	908	0.14	0.8	4.7	0.033	0.1	6.7	37	10.4	15.2	5	17.1		0.01	
E386765	106.5	107		2930	1.5	45.3	0.017	0.33	0.71	3.8	2	6.5	881	0.12	0.15	4.4	0.039	0.09	2.6	40	9	15	5	20.6		0.007	
E386766	107	107.5		2400	4.1	36.7	0.012	7.78	2.23	2.3	6	8.7	132.5	0.08	1.92	1.3	0.03	0.3	6.9	33	10.4	9.7	<2	17.9		0.07	
E386767	107.5	108		2760	7.2	58.4	0.016	>10.0	3.4	4.1	5	14.4	65.6	0.12	0.89	5.7	0.04	0.31	15	68	10.5	15.2	<2	23.4		0.067	
E386768	108	108.5		5110	8.1	66.2	0.021	9.13	3.13	5.4	5	18.5	68	0.16	0.65	12.8	0.048	0.28	18.3	79	9.3	30.2	3	37.6		0.055	
E386769			BLANK	130	1	0.7	<0.002	0.06	0.07	0.5	3	<0.2	265	<0.05	<0.05	0.2	0.006	<0.02	0.7	2	0.1	2.9	22	3		<0.001	
E386770	108.5	109		2970	13.4	14.4	0.013	>10.0	7.5	1.8	5	8.6	63.4	0.15	0.85	3.8	0.03	0.31	4.4	52	9.9	12.5	<2	15		0.091	
E386771	109	109.5		2470	9.7	21.2	0.013	>10.0	7.55	2.7	4	10.9	40.6	0.15	0.58	3.3	0.028	0.16	5.5	58	8.6	11.3	4	15.6		0.094	
E386772	109.5	110		2660	18.9	5	0.007	>10.0	10.25	1	5	5.2	27.4	0.16	0.62	2.7	0.01	0.13	3.6	31	6.1	11.9	2	3.9		0.214	
E386773	110	110.5		2470	4.9	3.2	0.009	6.32	5.13	1.8	3	3.9	45.6	0.12	0.31	2.4	0.01	0.07	10.2	39	4.3	15.5	2	5.8		0.025	
E386774	110.5	111		3410	4.8	2.7	0.018	5.5	5.92	1.4	4	4.7	66.7	0.18	0.74	2.6	0.01	0.07	4.1	36	3.4	15.5	2	5.3		0.022	
E386775	111	111.5		2060	3.9	36	0.021	5.99	5.15	3.2	3	11	22.1	0.09	0.59	4.4	0.024	0.11	5.4	45	5.3	12.1	3	20.2		0.023	
E386776	111.5	112		2130	4.2	36.7	0.02	5.99	5.03	3	3	11.6	22.1	0.11	0.63	5.4	0.026	0.11	5.3	46	5.4	13.2	2	27.6		0.022	
E386777	112	112.5		1320	3.3	97.2	0.004	6.23	2.85	7.4	2	22	17.5	0.11	0.37	9.6	0.074	0.25	3.9	64	9.5	12	4	51.8		0.026	
E386778	112.5	113		5590	2.3	105	0.005	2.33	1.9	7	2	16	41.8	0.12	0.14	9	0.061	0.28	2.8	84	7.8	17	4	42.9		0.008	
E386779	113	113.5		1020	3.4	148.5	0.006	1.14	2.07	9.6	2	17.4	22.4	0.12	0.13	14.7	0.088	0.34	16.8	59	10.6	11.4	3	70.7		0.006	
E386780			BLANK	120	0.8	1	<0.002	0.06	0.07	0.5	3	<0.2	270	<0.05	<0.05	0.2	0.006	<0.02	0.7	1	0.1	3.1	21	3.7		<0.001	
E386781			STANDARD 2	2370	6.5	40.8	0.017	7.24	2.15	4.7	6	7.3	185	0.13	1.11	6.2	0.035	0.47	16.4	56	6.5	16	4	24.9		0.111	
E386782	113.5	114		780	1.9	138	0.003	0.95	1.45	9.2	2	13.3	24.4	0.07	0.14	12.4	0.074	0.32	5.8	54	8.7	9.7	2	56.2		0.011	
E386783	114	114.5		850	1.7	133.5	0.002	0.89	1.63	9	2	11.2	26.3	0.08	0.14	11	0.067	0.36	3	53	8.9	9.8	3	55.2		0.005	
E386784	114.5	115		1210	2.3	159	0.002	0.47	1.45	10.4	2	11.8	26.2	0.09	0.08	12.8	0.08	0.39	6.5	60	9.3	11.7	3	66.2		0.003	
E386785	115	115.5		660	3.5	126	0.012	1.47	2.76	7.8	3	15.9	26.6	0.12	0.36	11.1	0.071	0.31	8.9	42	9.2	10.3	5	58.9		0.015	
E386786	115.5	116		1300	4.9	131	0.003	3.51	3.36	7.8	2	20.6	19.8	0.09	0.22	11.8	0.067	0.33	6.9	58	10	11.6	2	59.1		0.015	
E386787	116	116.5		1370	3	121.5	0.004	1.93	2.35	8.4	2	18.7	28.2	0.07	0.2	11.7	0.061	0.28	6.1	60	8.8	10.6	3	54.7		0.011	
E386788	116.5	117		2300	6	96.5	0.025	9.42	7.12	5.9	5	20.5	27	0.12	1	8.4	0.051	0.27	6	79	10.2	14.3	2	43.2		0.046	
E386789	117	117.5		4550	12.7	22.5	0.016	>10.0	9.16	1.9	6	10	41.4	0.19	1.33	5	0.016	0.1	3.6	62	6.9	19.5	3	14.9		0.059	
E386790	117.5	118		4270	6.9	15.2	0.014	7.83	7.05	1.5	4	7	37	0.5	0.9	4.6	0.016	0.07	3.6	87	5.4	19.6	4	7.6		0.035	
E386791	118	118.5		4110	12.3	61	0.023	>10.0	7.95	3	6	25	36	0.3	1.2	8.3	0.048	0.19	6.1	71	12.3	23.8	2	25.2		0.091	
E386792			BLANK	110	0.9	0.9	<0.002	0.07	0.11	0.5	2	<0.2	254	<0.05	<0.05	0.2	0.006	<0.02	0.7	6	0.1	3	21	3.4		<0.001	
E386793	118.5	119		2070	34.6	22	0.007	>10.0	17.05	1.3	6	10.3	26	0.17	1.14	3.3	0.021	0.16	3	33	11.7	9.3	3	8.9	2.05	0.273	
E386794	119	119.5		4400	17.8	33.8	0.017	>10.0	15.8	1.7	8	17.2	41	0.18	1.61	5.3	0.022	0.25	7	63	15.1	18.6	<2	10.9	4.01	0.191	
E386795	119.5	120		4270	15	68.6	0.031	>10.0	10.45	2.5	7	33.9	38.5	0.35	1.02	8.2	0.058	0.26	35.8	85	16.2	24.7	2	38.5		0.095	
E386796	120	120.5		5210	12.7	45.3	0.031	>10.0	11.6	2.2	7	23.9	48.7	0.3	1.48	9.4	0.032	0.19	17.6	83	12.1	29.4	<2	19.7	1.235	0.107	
E386797	120.5	121		2450	5.6	12.6	0.012	3.96	4.96	1.4	2	5.7	18.6	0.16	0.34	1.7	0.013	0.15	3.6	64	6.3	9.9	8	6.8		0.02	
E386798	121	121.5		2900	5.1	22	0.02	3.35	2.02	2.3	4	8.9	28.6	0.2	0.39	4.6	0.019	0.13	4	67	5.8	17.5	7	17.6		0.014	
E386799	121.5	122		2210	8.5	16.4	0.019	5.12	3.24	2.2	3	5.9	55.6	0.19	0.63	2.4	0.016	0.12	7	57	5.1	12.4	8	12.5		0.022	
E386800	122	122.5		1530	10.3	102.5	0.011	4.76	2.87	7.8	3	12.2	23	0.12	0.37	10.2	0.055	0.36	7.4	67	9.1	14	6	47.5		0.02	
E386801	122.5	123		820	2.2	183	0.005	1.36	1.76	12.3	1	15.7	18.9	0.08	0.15	14.7	0.078	0.49	7.4	68	11.1	9.9	4	66		0.004	
E386802	123	123.5		1870	6.2	93.4	0.01	1.53	1.79	8.1	2	9.1	30	0.13	0.23	10.7	0.06	0.5	54.7	66	9.8	13.2	8	44.4		0.007	
E386803			BLANK	120	0.7	0.9	<0.002	0.07	0.09	0.5	2	<0.2	277	<0.05	<0.05	0.2	0.006	<0.02	0.8	7	0.1	3.3	24	3.5		<0.001	
E386804			STANDARD 3	690	3.1	125.5	0.006	1.29	1.18	11	2	8	445	0.2	0.19	12.7	0.106	0.35	18.6	63	8.4	12	5	65.1		0.017	
E386805	123.5	124		2410	4.2	203	0.013	5.98	3.17	11.7	4	42.1	27.1	0.17	0.8	17.6	0.119	0.72	16.4	136	17.3	18.8	2	83.1		0.033	
E386806	124	124.5		1750	8.8	87.3	0.011	9.73	2.41	4.5	3	17.3	74.6	0.1	0.87	8.9	0.041	0.28	13.4	72	8	13.9	5	30.2		0.046	
E386807	124.5	125		1230	4.6	3.5	0.009	4.9	1.14	1.6	2	1.8	24.7	0.05	0.83	1.4	<0.005	0.06	4.5	32	3.1	7.5	6	1.5		0.026	
E386808	125	125.5		1190	9.4	6.9	0.008	>10.0	3.1	1.7	2	3.8	15.9	0.05	0.72	0.8	0.006	0.07	4.8	31	5.7	6.3	5	3.4		0.03	
E386809	125.5	126		1500	23.6	7.4	0.004	>10.0	8.35	0.8	3	3.6	23.1	0.06	0.44	1.1	0.008	0.13	3.6	16	7.5	7	3	3.9		0.037	
E386810	126	126.5		1210	22	14.4	0.008	>10.0	8.23	1.1	3	5.2	18.7	0.12	0.48	1.6	0.014	0.13	5.2	20	8.1	8.5	3	5.9		0.068	
E386811	126.5	127		900	4.9	159.5	0.007	6.43	3.22	8.8	2	20.1	16	0.19	0.2	11	0.099	0.52	7.8	67	15.4	11.3	2	83.2		0.02	
E386812	127	127.5		800	4.9	148	0.005	0.78	2.53	9.6	1	15	18.5	0.19	0.05	12.2	0.1	0.63	71.5	62	18.4	11.6	3	82.6		0.004	
E386813	127.5	128		760	2.1	150	<0.002	0.51	2.14	8.4	1	15	16.8	0.22	<0.05	11.8	0.103	0.42	13.5	58	14.7	10.5	2	61		0.002	
E386814	128	128.5		930	1.9	210	0.002	0.4	2	15.4	2	19.8	22.3	0.26	0.07	16.8	0.143	0.51	7.9	83	19.4	12.8	2	88.4		0.002	0.59
E386815			BLANK	110	0.7	0.9	<0.002	0.06	0.09	0.5	2	<0.2	267	<0.05	<0.05	0.2	0.006	<0.02	0.7	8	0.1	3.2	27	4		0.001	
E386816	128.5	129		710	1.5	156.5	0.002	0.11	1.64	12	2	14.5	20.4	0.17	0.06	12.4	0.095	0.36	4.3	65	13.4	10.9	2	56.5		0.001	
E386817	129	129.5		610	1.6	108	0.003	0.34	2.12	8.8	2	10.6	15.3	0.16	0.1	9.6	0.077	0.26	5.5	51	11.4	8.5	2	45.9		0.004	
E386818	129.5	130		1140	3	118	0.028	2.93	1.87	9	8	14.1	20	0.12	1.48	16	0.064	0.31	14.2	67	11.8	15.7	<2	56.3	1.48	0.048	
E386819	130	130.5		1260	3.2	141	0.025	4.26	2.36	9.6	7	17.3	26.1	0.13	2.69	10.4	0.081	0.37	7.2	75	13.4	11.9	<2	58.3		0.058	
E386820	130.5	131		800	7.3	54.8	0.016	>10.0	2.59	5.4	9	6.9	11.7	0.07	5.02	6.5	0.03	0.15	8	39	7	7.6	<2	14		0.07	
E386821	131	131.5		880	4.7	40.9	0.019	9.63	2.24	3.7	7	6.4	14.5	0.07	4.23	4.4	0.026	0.18	9.7	36	12.6	8.3	2	13.5		0.064	
E386822	131.5	132		1390	3.1	76.6	0.032	2.05	1.15	6.1	3	10.8	15.7	0.15	0.81	7.4	0.05	0.2	25.5	79	8.4	12.3	7	30.5		0.014	
E386823	132	132.5		1630	4.8	51.6	0.016	9.82	3.06	3.2	4	11.5	14.6	0.08	2.39	3.9	0.038	0.24	7.7	50	7.6	6.7	3	17.3		0.036	
E386824	132.5	133		430	4.4	6	0.005	5.32	3.36	3.3	2	3.1	46	<0.05	0.33	0.7	0.005	0.36	5.7	22	2.9	5.1	9	2.3		0.016	
E386825	133	133.5		850	4.2	55.7	0.011	5.56	1.89	4.1	3	7	25.6	0.05	0.32	6.4	0.028	0.33	4.2	26	5.7	9.1	6	26.1		0.019	

IG-2007-26

Sample No	From (m)	To (m)	Standard/Blank	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
E386826			BLANK	0.02	0.09	<5	40	0.12	0.03	47.4	0.44	2.7	1.5	7	<0.05	4.1	0.1	0.52	<0.05	0.1	<0.005	0.05	2.2	1.8	0.53	60	0.42	0.02	0.3	<0.2
E386827			STANDARD 1	1.21	5.51	56.4	230	2.09	2.89	2.04	<0.02	62.9	161.5	34	3.83	7730	9.64	14.55	0.17	1.7	0.137	2.14	33.5	26.4	1.25	3530	84.6	0.9	3.9	38.6
E386828	133.5	134		0.35	5.73	20.9	1560	2	2.33	0.41	<0.02	65.6	69.2	37	9.17	268	19.1	14.75	0.27	1.6	0.158	2.58	47.2	28.2	1.38	8460	23.9	0.07	4.8	29.5
E386829	134	134.5		0.73	6.18	43.3	3210	1.95	7.36	1.15	<0.02	107	115.5	40	9.47	287	17.7	15.25	0.25	1.9	0.121	2.92	83.1	26.4	1.24	6030	257	0.06	6.2	43.5
E386830	134.5	135		1.57	4.36	110.5	1430	1.3	15.45	2.04	<0.02	105.5	213	28	7.11	649	23	10.85	0.32	1.4	0.05	2.11	86	16	0.68	1390	41.7	0.06	5.7	47.9
E386831	135	135.5		1.61	3.11	113	570	0.9	12.75	1.98	<0.02	78.6	178.5	21	5.21	663	26.4	7.67	0.37	1	0.036	1.52	65.4	13	0.61	1410	39.9	0.05	5.3	37.6
E386832	135.5	136		1.71	2.04	200	370	0.6	12.45	1.91	<0.02	224	159	13	3.37	1030	30.3	5.34	0.42	0.6	0.031	1.02	230	8.7	0.76	1495	55.6	0.03	4.8	31.3
E386833	136	136.5		0.55	5.34	50.9	1030	1.56	5.34	0.53	<0.02	261	61.1	31	8.68	188.5	11.9	12.7	0.25	1.3	0.054	2.67	221	20	0.44	1350	30.5	0.06	7.2	16.8
E386834	136.5	137		0.4	5.02	48.5	580	1.78	4.04	0.49	<0.02	445	83.2	36	8.75	113.5	9.15	13.85	0.32	1.5	0.06	2.49	348	19.9	0.44	1890	31.1	0.06	8.1	18.7
E386835	137	137.5		0.31	5.36	37.2	440	2.11	2.56	0.47	<0.02	234	71.3	37	9.36	131	9.83	15.2	0.25	1.7	0.09	2.57	186	23.5	0.69	3700	25.7	0.07	8.3	24.8
E386836	137.5	138		0.18	2.52	19.5	420	1.04	0.8	0.76	<0.02	213	36.8	14	4.28	470	24.8	7.11	0.35	0.6	0.195	1.26	198	11.2	1.5	13950	5.31	0.03	4.8	16.4
E386837	138	138.5		0.13	2	19	2040	0.85	0.25	0.72	<0.02	183	28.7	12	3.33	392	32.7	5.76	0.46	0.6	0.231	0.99	169.5	9.1	1.72	16600	5.33	0.03	5	15.8
E386838			BLANK	0.02	0.09	<5	50	0.07	0.01	47.5	0.41	2.8	1.2	7	<0.05	2.9	0.06	0.5	<0.05	0.1	<0.005	0.03	2.1	1.7	0.53	57	0.27	0.02	0.3	<0.2
E386839	138.5	139		0.09	2.04	28.4	310	0.68	0.14	1.7	<0.02	60.8	61.7	12	3.2	656	18.5	5.21	0.22	0.5	0.216	0.92	51.2	13.2	1.07	12550	4.61	0.02	4.4	21.9
E386840	139	139.5		0.23	3.95	15.4	840	1.54	0.51	1.73	<0.02	92.5	67.7	22	5.45	294	20.7	8.96	0.29	1	0.177	1.75	76.5	22.7	2.15	11450	16.95	0.05	4.5	30.9
E386841	139.5	140		0.47	5.92	17.4	690	2.27	1.06	2.47	<0.02	205	80.5	33	9.06	167.5	16.7	14.45	0.3	1.6	0.14	2.83	173.5	25.6	2.14	9280	65.9	0.08	3.4	28.2
E386842	140	140.5		0.48	5.56	12	1650	2.16	0.51	2.46	<0.02	201	45	33	8.16	363	15.85	13.25	0.28	1.5	0.151	2.65	172	23	2.13	8720	107	0.07	2.5	24.5
E386843	140.5	141		0.3	4.43	11.3	3080	1.46	0.19	0.69	<0.02	85	42	23	5.34	31.5	22.5	9.19	0.31	1	0.18	1.83	72.2	30	2.05	12450	21.8	0.05	3.5	23.6
E386844	141	141.5		0.24	2.89	10.3	380	1.17	0.47	2.86	<0.02	95.5	57.7	19	4.18	712	21.9	7.15	0.29	0.8	0.251	1.31	79.9	17.8	2.22	12450	14.8	0.04	7	31.5
E386845	141.5	142		0.45	1.78	26.4	70	0.66	2.26	2.31	<0.02	159.5	92.3	11	3.09	1800	21.4	4.99	0.31	0.5	0.213	0.91	129	8.4	1.66	11350	13.75	0.02	6.8	26.8
E386846	142	142.5		2.14	2.73	166.5	410	0.95	25	2.07	<0.02	118	419	15	4.59	709	22.6	6.82	0.32	0.9	0.054	1.36	100	11	0.95	2180	36.7	0.03	7.9	69.9
E386847	142.5	143		1.33	2.39	95.2	420	0.91	14.2	1.26	<0.02	114.5	266	12	4.27	363	23.4	6.79	0.34	0.7	0.111	1.19	93.1	12.8	1	5950	41.9	0.03	6.6	67
E386848	143	143.5		0.98	2.46	70.3	250	0.82	10.65	2.4	<0.02	74.3	206	13	3.98	263	19.3	6.32	0.27	0.9	0.086	1.2	58.5	11.3	1.28	5380	31.7	0.03	7.2	48.5
E386849			BLANK	0.02	0.07	<5	30	0.11	0.03	41.5	0.39	2.34	1.4	6	<0.05	2.8	0.06	0.49	<0.05	0.1	<0.005	0.03	1.9	1.8	0.46	39	0.3	0.01	0.3	<0.2
E386850			STANDARD 2	1.36	2.28	81.3	90	0.84	10.95	2.22	<0.02	183	330	12	2.75	9210	26.1	9.74	0.39	0.7	0.251	0.66	118.5	24.4	1.58	5920	63.2	0.23	6.2	63.5
E386851	143.5	144		0.92	5.24	72.9	1290	1.32	10	0.92	<0.02	102.5	202	32	8.33	451	19	14.1	0.22	1.8	0.092	2.46	79	16.7	0.64	2770	47.9	0.06	10.8	61.5
E386852	144	144.5		0.77	2.85	59	60	0.82	7.76	1.39	<0.02	96.3	185.5	18	4.56	491	27.1	7.8	0.27	0.8	0.165	1.26	72.2	14	1.38	10400	42.7	0.03	7	53.1
E386853	144.5	145		0.3	2.01	24.4	70	0.51	2.1	1.51	<0.02	57.2	83.1	11	2.93	247	26.9	5.62	0.25	0.5	0.252	0.84	47.4	12	1.96	16400	36	0.02	5.5	37.1
E386854	145	145.5		1.08	4.57	86.5	460	1.29	9.03	0.47	<0.02	78	185	32	7.37	585	20.1	12.55	0.23	1.4	0.071	2.16	58.7	15.9	0.49	2050	33.6	0.04	6.8	43.7
E386855	145.5	146		0.37	2.1	24.1	70	0.39	2.94	1.23	<0.02	84.6	94.2	12	2.2	1610	32.1	4.67	0.26	0.7	0.198	0.59	71.2	15.2	1.74	14500	32.2	0.31	4.6	33.7
E386856	146	146.5		0.16	2.94	12.7	480	0.97	0.96	1.11	<0.02	162	57.9	18	4.72	220	29.8	8.48	0.35	0.9	0.242	1.24	147.5	15.3	1.52	14850	37.9	0.09	5.9	24.7
E386857	146.5	147		0.49	1.16	33.9	60	0.37	5.17	4.27	<0.02	264	85.3	4	1.5	1510	31.5	3.91	0.32	0.4	0.226	0.39	238	10.5	1.48	13100	53.9	0.05	5	24.3
E386858	147	147.5		0.85	0.4	60.4	130	0.05	11.15	3.62	0.06	275	124	<1	0.34	2090	34.4	1.69	0.35	0.2	0.205	0.06	255	5.8	1.49	11700	70.9	0.01	4.9	34.7
E386859	147.5	148		2.4	2.02	127	130	0.83	29.3	2.36	<0.02	232	219	11	2.48	2940	34.6	6.67	0.68	0.7	0.134	0.72	202	16.2	1.22	5430	68.4	0.03	6.8	56.3
E386860	148	148.5		1.38	0.57	78.2	30	0.13	16.35	2.55	<0.02	148.5	140	<1	0.51	1520	39.3	3.07	0.68	0.1	0.212	0.11	132	6.9	1.86	12800	56	0.01	3.5	38.3
E386861			BLANK	0.04	0.15	5	30	0.07	0.04	45.4	0.39	2.36	1.7	6	<0.05	4.3	0.1	0.67	<0.05	0.1	0.006	0.03	1.8	1.7	0.54	49	0.39	0.02	0.3	1.6
E386862	148.5	149		0.86	0.2	47.9	40	0.06	7.96	2.94	<0.02	109.5	78.1	<1	0.19	528	37.7	2.26	0.58	0.1	0.24	0.03	99	2.6	2.22	14500	64	0.01	2.2	24.4
E386863	149	149.5		0.92	0.3	55	40	0.06	8.97	2.96	<0.02	223	86.6	<1	0.22	699	37.6	2.86	0.64	0.1	0.233	0.03	201	3.6	2.2	13200	42.9	0.01	3.1	24.5
E386864	149.5	150		0.98	0.14	63.3	20	0.07	9.04	2.31	<0.02	232	86.9	<1	0.1	399	39.4	2.65	0.66	<0.1	0.218	0.01	214	1.9	1.73	13250	59.1	0.01	3.6	21.6
E386865	150	150.5		1.12	0.06	67.2	80	0.09	8.86	3.17	<0.02	199	95.1	<1	0.08	1150	40.6	2.31	0.67	<0.1	0.196	0.01	176	1.5	1.37	12000	81	0.01	4.5	24.5
E386866	150.5	151		1.21	0.11	77.8	40	<0.05	11.25	2.41	<0.02	193.5	122.5	<1	0.09	889	41.1	2.33	0.71	<0.1	0.223	0.01	172.5	1.6	1.36	12400	69.1	0.01	4.2	33
E386867	151	151.5		1.37	0.21	79.2	60	0.09	10.9	2.98	<0.02	142.5	122.5	<1	0.1	1010	38.3	2.39	0.64	<0.1	0.209	0.01	122	2.4	1.53	10700	70.2	0.01	4.3	31.3
E386868	151.5	152		1.62	0.28	110	60	0.1	16.45	1.5	<0.02	187	158	<1	0.18	668	39.4	2.66	0.67	0.1	0.203	0.01	155.5	3.1	1.22	10050	57.1	0.01	5.8	38.3
E386869	152	152.5		1.14	0.48	72.8	70	0.12	17.25	1.61	<0.02	248	143	<1	0.36	488	37.8	3.48	0.73	0.1	0.237	0.03	200	5.8	1.49	12550	46.6	0.01	4.9	41.1
E386870	152.5	153		1.11	0.56	77.8	70	0.11	12.65	1.66	<0.02	149.5	136.5	<1	0.27	1080	38.7	3	0.83	0.2	0.216	0.03	119	7.8	1.32	12050	43.8	0.01	4.5	37.4
E386871	153	153.5		1.92	2.16	85.6	60	0.49	16.35	1.63	<0.02	460	252	8	1.73	5700	31.9	7.54	0.76	0.8	0.135	0.23	325	27.8	1.41	5700	74.1	0.02	9.8	66
E386872			BLANK	0.02	0.13	<5	30	<0.05	0.04	43.9	0.41	2.6	1.7	5	<0.05	7.8	0.07	0.46	<0.05	0.1	0.005	0.03	2	1.3	0.49	42	0.83	0.02	0.3	<0.2
E386873			STANDARD 3	0.3	6.76	37.3	450	2.51	1.54	1.98	<0.02	71.7	112.5	41	8.27	1600	6.97	20.7	0.17	2	0.133	3.13	37.3	25.4	1.37	3200	21.3	0.81	3.3	26.7
E386874	153.5	154		0.99	4.04	44.2	150	1.52	10.5	2.78	<0.02	430	181	21	4.21	6850	21.4	15.25	0.64	1.3	0.147	1.18	296	41.9	1.34	4680	97.7	0.04	9.8	50.6
E386875	154	154.5		1.3	2.4	73.2	80	0.64	26	2.01	<0.02	117	236	11	2.43	679	29.4	6.8	0.53	0.7	0.091	0.66	74.1	28.7	1.05	4680	46.6	0.1	3.9	57.1
E386876	154.5	155		1.14	1.82	87.5	50	0.39	25.6	2.08	<0.02	168.5	252	9	1.71	1350	32	5.11	0.8	0.4	0.131	0.43	120.5	17.9	1.11	8530	42.9	0.22	2.4	46.8
E386877	155	155.5		0.93	1.07	71.1	60	0.22	18.65	2.59	<0.02	191.5	152.5	2	0.77	282	34	4.06	0.63	0.3	0.156	0.16	156.5	10.1	1.23	10900	43.6	0.24	2.5	27.2
E386878	155.5	156		0.87	1.72	45.7	60	0.33	16.2	2.52	<0.02	226	181	9	1.15	5100	31.7	6.03	0.62	0.5	0.158	0.36	177.5	14.7	1.03	10450	49.2	0.45	2.3	31.6
E386879	156	156.5		0.83	2.71	50.1	100	0.64	16.9	2.32	<0.02	156.5	201	10	2.2	1450	29.6	7.78	0.57	0.6	0.139	0.76	114.5	18.5	0.96	9270	99	0.69	2.2	35.8
E386880	156.5	157		0.9	0.67	42.6	50	0.16	17.75	1.83	<0.02	239	181.5	<1	0.27	1230	35	4.26	0.69	0.2	0.167	0.03	199	8.8	1.59	11550	41.6	0.11	3	30
E386881	157	157.5		0.86	3.14	42.2	90	0.32	15.6	3.07	<0.02	494	297	12	0.69	1930	24.5	10	0.68	0.7	0.049	0.09	386	19.4	1.22	2850	76	1.61	4.2	44.9
E386882	157.5	158		1.13	5.16	37.9	160	0.44	11.4	2.14	<0.02	148.5	374	24	0.83	7100	20.6	10.15	0.43	1.3	0.031	0.15	119	19.6	0.63	607	70.4	3.28	5.1	44.5
E386883	158	158.5		0.63	4.55	22	110	0.36	6.06	5.1	<0.02	240	149	13	0.6	2940	17.35	9.52	0.42	0.8	0.067	0.08	187.5	13.3	1.22	3620	79.9	3.12	4.2	28.2
E386884			BLANK	0.02	0.13	7	30	0.12	0.03	44.8	0.39	2.56	1.8	6	<0.05	7.6	0.06	0.5	<0.05	0.1	0.005	0.03	1.9	1.4	0.48	40	0.75	0.02	0.3	0.8
E386885	158.5	159		0.64	4.12	20.5	60	0.36	6.01	4.15	<0.02	302	148.5	20	0.84	4530	18.75	9.88	0.47	1.1	0.077	0.07	227	23.5	1.53	3780	46.2	2.35	4.7	28.6
E386886	159	159.5		0.69	3.34	45.1	40	0.29	10.15	4.78	<0.02	344	205	12	0.87	940	20.5	8.69	0.53	0.8	0.084	0.14	267	15.9	1.44	4580	32.7	1.91	3.9	29.9
E386887	159.5	160		1.1	3.96	58.4	150	0.46	15.25	1.02	<0.02	244	409	25	1.25	716	24.6	9.41	0.56	1.2	0.023	0.15	192.5	31.9	0.99	690	25.3	1.74	4.5	52.6
E386888	160	160.5		0.9	1.83	44.3	40	0.23	11.4	2.98	<0.02	418	303	4	0.72	587	30.5	9.36	0.71	0.5	0.051	0.07	315	20.4	1.14	2990	35.5	0.47	4.1	49.1
E386889	160.5	161		0.38	0.7	19.5	60	0.06	3.03	5.38	<0.02	391	122	<1	0.26	510	32.4	7.49	0.59	0.1	0.063	0.01	356	7.8	1.59	4760	54.2	0.07	1.2	28.2
E386890	161	161.5		0.79	3.75	60.1	80	0.45	10.25	0.74	<0.02	198	389	27	1.4	544	25	9.88	0.5	1.2	0.014	0.08	152	47.4	1.33	382	26	0.91	2.8	48.8
E386891	161.5	162		0.23	3.97	12.9	190	0.58	1.95	2.8	<0.02	233	75.2	19	1.62	1150	22	12.2	0.51	0.9	0.076	0.05	183	67.2	2.58	2350	35.9	0.37	2	35
E386892	162	162.5		0.2	3.94	9.3	100	0.61	1.66	1.39	<0.02	217	111.5	18	2.2	675	24.6	13.05	0.56	0.9	0.053	0.05	164.5	78.9	2.43	1245	54.2	0.06	1.2	41.7
E386893	162.5	163		0.16	4.47	5.8	160	0.61	1.79	1.17	<0.02	216	148.5	20	2.41	371	24.6	14.65	0.6	1.1	0.067	0.07	160.5	84.2	2.49	1205	22	0.28	1.9	44
E386894	163	163.5		0.07	5.18	3.5	180	0.56	0.36	0.44	<0.02	196	98.9	32	1.5	20.5	22.6	13.75	0.45	1.3	0.015	0.1	102	59.9	1.69	257	24.7	1.69	1.1	33.9
E386895			BLANK	0.02	0.12	<5	30	0.06	<0.01	41.2	0.36	2.05	0.8	6	<0.05	4	0.05	0.49	<0.05	0.1	<0.005	0.03	1.6	1.4	0.45	33	0.41	0.01	0.3	0.8
E386896			STANDARD 1	1.11	5.22	58.7	170	1.8	2.92	1.95	<0.02	55.3	160.5	33	3.51	7090	9.16	15.1	0.18	1.7	0.142	2.01	25.3	24.2	1.16	3290	64.4	0.93	4	37.5
E386897	163.5	164		0.49	4.02	35.5	770	0.52	8.88	0.49	<0.02	206	294	26	1.82	1070	22.1	10.85	0.34	1.2	0.027	0.13	154	49.3	1.42	345	40.3	1.01	1.5	45.8
E386898	164	164.5		1.27	1.89	107.5	200	0.24	30.1	0.49	<0.02	143	602	9	0.84	2400	30.8	6.1	0.37	0.4	0.024	0.12	104.5	16.6	0.46	244	41.8	0.6	2.8	70.3
E386899	164.5	165		0.98	2.87	78.3	200	0.51	23.1	0.39	<0.02	108	606	21	1.35	1210	25.3	8.03	0.32	1	0.016	0.25	79	19.1	0.47	81	32.4	1.37	6.1	66.8
E386900	165	165.5		0.45	4.55	34.5	1030	0.47	7.38	2.45	<0.02	202	271	19	1.2	673	18.3	10.65	0.32	1	0.052	0.15	155.5	30	1.2	1200	35.1	2.24	3.7	39.8
E386901	165.5	166		0.24	5.83	4.2	1840	0.71	0.89	0.59	<0.02	179.5	28.9	39	1.38	1340	9.18	13.35	0.19	1.9	0.016	0.15	143.5	36	1.11	231	11.5	3.14	3.3	21.6
E386902	166	166.5		0.48	4.01	29	140	0.39	5.76	2.27	<0.02	414	155	11	0.98	1710	18.4	12.05	0.43	0.7	0.064	0.07	317	35.9	1.24	923	56.7	1.67	2.3	34.9
E386903	166.5	167		1.16	2.57	88.7	150	0.42	20.9	0.88	<0.02	216	458	14	1.27	522	25.3	8.02	0.43	0.7	0.031	0.26	159.5	23.7	0.66	473	49.1	1.01	4.7	56.7
E386904	167	167.5		1.84	1.2	160	140	0.3	37.2	0.64	<0.02	118.5	518	7	0.95	1240	32.7	4.72	0.38	0.4	0.019	0.22	67.9	13.5	0.35	196	19.65	0.22	5.4	71.7
E386905	167.5	168		1.42	1.42	98.4	140	0.25	23.2	0.7	<0.02	165.5	400	7	0.78	1550	32	6.57	0.44	0.3	0.019	0.08	123	16.8	0.56	241	22.3	0.25	4.4	67.1
E386906	168	168.5		0.78	3.08	56.5	160	0.62	13.1	0.66	<0.02	123	344	22	1.76	1090	23	10.2	0.34	1.2	0.027	0.18	91.4	29	1.01	315	39.9	0.98	9.7	56.8
E386907			BLANK	0.01	0.12	5	30	0.05	0.05	42.6	0.36	2.35	1.5	7	<0.05	5.7	0.07	0.55	<0.05	0.1	<0.005	0.03	1.8	1.4	0.46	33	0.85	0.01	0.4	0.8
E386908			STANDARD 2	1.13	2.13	77.5	70	0.52	10	2.07	<0.02	185.5	310	10	2.37	8310	24.5	9.76	0.38	0.7	0.24	0.63	123	18.1	1.45	5890	60.4	0.23	5.7	56.9
E386909	168.5	169		0.41	3.38	28.5	180	0.42	4.96	1.99	<0.02	292	161	8	1.63	606	29.7	12.65	0.69	0.5	0.044	0.04	227	40.7	1.43	517	87.2	0.87	4.4	55.7
E386910	169	169.5		0.52	2.44	33.7	110	0.32	8.07	1.41	<0.02	116	207	8	1.26	703	32.6	11.25	0.56	0.7	0.03	0.04	87.7	28.8	1.17	734	29.3	0.43	7.3	61.3
E386911	169.5	170		0.58	1.58	37.7	70	0.22	7.8	1.85	<0.02	169	258	6	0.58	307	34.6	8.35	0.43	0.5	0.023	0.03	129	17.6	0.9	1485	36.7	0.38	4.6	55.9

IG-2007-26

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Ra	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E386826			BLANK	110	2	1.6	<0.002	0.08	0.08	0.5	3	<0.2	299	<0.05	<0.05	0.2	0.007	<0.02	0.7	2	0.1	3.3	25	3.7		<0.001	
E386827			STANDARD 1	890	21.3	73.8	0.023	2.43	1.61	9.8	4	7.8	613	0.21	0.24	9.7	0.092	0.44	269	53	8.2	16.5	8	57.1		0.06	
E386828	133.5	134		850	3.3	108	0.013	3.45	1.97	9.7	3	17.5	27.1	0.19	0.54	8.9	0.104	0.44	7.8	69	14.7	11.3	5	52.2		0.019	
E386829	134	134.5		1140	6.1	132	0.092	7.97	2.59	11	4	17.7	22.9	0.22	1.03	12.7	0.114	0.4	24.7	87	16.8	14.4	4	60.3		0.033	
E386830	134.5	135		990	15.3	95.7	0.015	>10.0	4.78	5.2	5	13.8	16.4	0.22	2.39	9.3	0.097	0.31	7.5	61	16.1	12.8	<2	45.9		0.092	
E386831	135	135.5		830	12.9	84.1	0.013	>10.0	4.71	4.1	4	11	17.5	0.17	2.36	5	0.072	0.23	11.7	59	24.4	9.2	<2	31.7		0.091	
E386832	135.5	136		1510	13.7	55.8	0.02	>10.0	5.75	3.8	5	8.4	21.8	0.15	2.11	5.3	0.055	0.18	8.9	56	11	9.1	<2	19.6		0.091	
E386833	136	136.5		1680	5.9	121.5	0.017	>10.0	4.36	7.6	3	16.4	24.4	0.26	0.84	10.2	0.105	0.47	8.1	105	16	11	2	40.9		0.035	
E386834	136.5	137		1750	6.3	117.5	0.026	6.62	4.31	6.2	3	16.8	29.1	0.29	0.69	17.2	0.107	0.35	21.6	90	18.8	16.6	2	47.1		0.026	
E386835	137	137.5		1410	4.3	123	0.043	3.38	3.31	9.3	3	19.6	22.2	0.27	0.65	13.4	0.109	0.41	13.5	97	18.5	14.7	4	55.5		0.018	
E386836	137.5	138		940	3.3	73.2	0.004	1.42	1.48	4.7	2	10.9	14.6	0.11	0.51	6.7	0.052	0.16	1.8	49	8.5	10	7	20.1		0.009	
E386837	138	138.5		930	2.1	55.9	0.004	0.53	1.07	4	2	9.4	15.3	0.11	0.17	6.7	0.05	0.12	1.1	36	9.7	10.4	9	19.3		0.005	
E386838			BLANK	140	1.7	0.8	<0.002	0.06	0.07	0.5	3	<0.2	301	<0.05	<0.05	0.2	0.007	<0.02	0.7	2	0.1	3.2	24	3.7		0.001	
E386839	138.5	139		760	4.3	53.7	0.003	0.7	0.86	4.1	3	9.6	138.5	0.08	0.18	3.6	0.038	0.11	1.2	31	7.1	8.2	8	16.9		0.016	
E386840	139	139.5		840	3.1	78.2	0.007	1.21	1.12	7	3	14.3	21.9	0.11	1.03	7.4	0.062	0.24	3.4	48	10.1	10.6	5	33.3		0.019	
E386841	139.5	140		860	3.1	133	0.022	2.25	1.41	10.7	4	23.9	22.5	0.11	4.84	11.8	0.09	0.46	6	68	13.5	14.5	4	52.9		0.035	
E386842	140	140.5		750	2.9	120.5	0.034	0.67	1.13	10.7	5	21.5	29.4	0.09	8.16	11.1	0.08	0.35	4.3	61	11.9	15.4	4	49.6		0.041	
E386843	140.5	141		680	2	75.1	0.007	0.39	1.51	7	3	15.6	14.5	0.11	3.04	7.7	0.077	0.24	2.7	51	11.4	9.8	8	35.1		0.017	
E386844	141	141.5		690	3.2	71.9	0.003	0.76	1.3	5.7	2	13.5	139	0.12	0.43	8.7	0.057	0.19	6.2	51	9.6	11.2	7	27.6		0.009	
E386845	141.5	142		760	5.1	51.9	0.007	4.47	1.83	4.1	3	9.5	106.5	0.09	0.5	5.9	0.042	0.18	4.1	43	13.4	9.8	4	16.2		0.021	
E386846	142	142.5		1040	19.1	76.9	0.054	>10.0	6.33	3.6	5	14.8	17.3	0.18	1.51	6.7	0.072	0.25	17.1	45	13	9.2	<2	29		0.177	
E386847	142.5	143		1150	14.2	71	0.051	>10.0	3.75	4.6	4	14.3	14.8	0.12	0.98	6.5	0.053	0.35	11.9	49	9.9	9.5	4	24.6		0.098	
E386848	143	143.5		1010	11.6	65	0.044	>10.0	3.88	5	4	13.1	24.9	0.17	0.8	6	0.068	0.34	9.4	43	11	9.8	3	29.9		0.064	
E386849			BLANK	80	1.4	0.7	<0.002	0.07	0.09	0.5	3	<0.2	260	<0.05	<0.05	0.2	0.006	<0.02	0.7	2	0.1	3.2	22	3.8		0.004	
E386850			STANDARD 2	2420	7	38.7	0.017	7.46	2.25	4.7	6	7.3	183	0.14	1.18	6.6	0.037	0.48	16.8	58	6.6	16.3	<2	25.9		0.132	
E386851	143.5	144		1270	11.2	113.5	0.086	>10.0	4.41	7.7	6	28.2	17	0.24	1.14	9.5	0.115	0.39	20.5	85	17.5	12.9	<2	57.8		0.07	
E386852	144	144.5		1180	8.4	74.5	0.05	>10.0	3.14	6.5	4	15.8	18.2	0.13	0.82	6.4	0.057	0.24	12	70	9.6	10.4	3	28.3		0.052	
E386853	144.5	145		1110	3.6	48.4	0.037	4.16	1.31	6.7	3	11	22.5	0.1	0.22	4.6	0.04	0.15	8	60	7.1	9.7	6	18.1		0.016	
E386854	145	145.5		1030	10.5	100.5	0.053	>10.0	4.41	8.4	6	27.4	13.7	0.18	0.81	8.1	0.097	0.33	16.7	70	14.3	11.2	2	46.8		0.05	
E386855	145.5	146		930	3.9	33.6	0.035	4.59	1.59	5.4	3	7.7	16.4	0.09	0.31	5.9	0.036	0.09	17.2	44	8.8	10.2	7	22.5		0.014	
E386856	146	146.5		1270	2.1	75.2	0.046	1.22	0.97	6.5	3	20.3	20.3	0.09	0.15	7	0.053	0.16	12.9	63	11.7	13.9	6	32.7		0.007	
E386857	146.5	147		2010	5.2	23.1	0.03	5.33	3.91	2.7	4	9.1	37	0.06	0.53	3.2	0.023	0.24	5.3	26	59.7	17.6	7	13.5		0.036	
E386858	147	147.5		1690	8.4	3.4	0.03	>10.0	5.3	1.3	4	5.1	32.3	0.05	0.5	1.6	0.01	0.06	7.2	17	76.7	13.2	5	5.2		0.054	
E386859	147.5	148		970	20.7	38.4	0.018	>10.0	8.67	3.8	3	23.4	20	0.1	0.61	5.1	0.044	0.19	22	42	14	10.2	3	24.7		0.136	
E386860	148	148.5		1290	13.8	6.1	0.025	>10.0	5.95	1.5	2	5.7	20.2	<0.05	0.58	1.4	0.009	0.07	7.2	20	9.8	7.6	7	4.8		0.062	
E386861			BLANK	120	0.8	0.7	<0.002	0.09	0.12	0.8	2	<0.2	285	<0.05	<0.05	0.3	0.008	<0.02	0.9	9	0.1	2.9	24	4.3		0.001	
E386862	148.5	149		1110	10.2	1.6	0.034	>10.0	3.4	0.9	2	2.8	22	<0.05	0.67	0.6	<0.005	0.05	6.1	15	7.4	6.4	6	2		0.028	
E386863	149	149.5		740	10.5	1.3	0.026	>10.0	3.88	1	2	3.7	30.3	<0.05	0.67	0.8	0.005	0.06	9.3	13	5.6	6.5	7	2.6		0.03	
E386864	149.5	150		730	10.7	0.3	0.033	>10.0	4.67	0.7	2	3.4	20.7	<0.05	0.48	0.5	<0.005	0.04	9.5	12	7	6.6	5	1.3		0.033	
E386865	150	150.5		900	12.3	0.3	0.054	>10.0	4.25	0.9	2	2.9	27.3	<0.05	0.54	0.6	<0.005	0.05	11.9	15	7.9	8.7	6	1.1		0.041	
E386866	150.5	151		1240	12.7	0.3	0.048	>10.0	4.45	1	3	3.1	28.9	<0.05	0.72	0.8	<0.005	0.04	7.9	17	10.2	8	5	1.1		0.036	
E386867	151	151.5		1190	14.4	0.3	0.048	>10.0	4.53	1.2	3	4.8	29.2	<0.05	0.58	0.6	<0.005	0.09	10.9	20	29.6	8.6	4	1.6		0.048	
E386868	151.5	152		1360	15.7	0.7	0.043	>10.0	5.92	1.1	3	4.4	29.6	0.05	0.97	1	0.006	0.08	8.5	17	13.5	8.6	4	2.5		0.068	
E386869	152	152.5		1680	12.7	1.6	0.044	>10.0	7.43	1.3	2	5	42.8	0.05	0.68	1.6	0.007	0.05	8.6	20	9.2	8.2	6	4		0.055	
E386870	152.5	153		1530	11.2	1.3	0.036	>10.0	4.25	2	2	2.8	46.5	0.05	0.38	1.6	0.009	0.06	7.3	27	9.1	9.3	6	5.8		0.045	
E386871	153	153.5		2640	12.3	12.7	0.063	>10.0	5.22	4.1	5	9.4	97	0.14	0.84	8.2	0.03	0.08	27	48	11	17.1	7	25.4		0.082	
E386872			BLANK	120	0.6	0.6	<0.002	0.08	0.1	0.7	1	<0.2	285	<0.05	<0.05	0.2	0.006	<0.02	0.7	7	0.1	2.8	22	3.4		0.001	
E386873			STANDARD 3	740	2.9	140.5	0.006	1.28	1.15	11.6	1	7.9	450	0.19	0.18	12	0.111	0.38	19	63	8.5	11.8	6	66.3		0.019	
E386874	153.5	154		3280	7.3	65.2	0.093	>10.0	3.21	7	5	24.9	92	0.15	0.62	10.9	0.06	0.16	21.6	72	14.9	23.3	5	41.4		0.052	
E386875	154	154.5		1110	10.1	35.9	0.03	>10.0	4.8	4.7	2	11.1	62	0.09	0.74	4.8	0.034	0.11	11	33	10.3	11.4	8	22		0.076	
E386876	154.5	155		1080	9.7	21.9	0.028	>10.0	5.07	4.1	2	6.4	52.9	0.05	0.54	4.6	0.02	0.08	7.5	35	11.5	11.7	7	13.6		0.067	
E386877	155	155.5		960	8.4	8.4	0.023	>10.0	3.86	3.4	1	3.1	41.5	<0.05	0.28	3.7	0.013	0.07	6.2	24	41.4	11.9	7	11.2		0.045	
E386878	155.5	156		1220	6.9	18.5	0.033	>10.0	3.58	4	2	6	47.4	<0.05	0.33	4.7	0.017	0.08	6.6	30	61.2	14.4	7	15.7		0.042	
E386879	156	156.5		1290	5.8	36.8	0.176	>10.0	3.14	5.7	2	10.1	47.5	<0.05	0.32	4.7	0.026	0.1	9	37	18.2	14	8	21.3		0.048	
E386880	156.5	157		1250	9.8	1.7	0.013	>10.0	4.23	3.8	2	3.4	79.8	<0.05	0.34	2.2	0.012	0.09	3.7	27	17.1	9.4	7	8.2		0.034	
E386881	157	157.5		3460	7.8	4.2	0.042	>10.0	3.27	4.4	4	6.2	68.7	0.1	0.63	8.4	0.045	0.05	6.4	69	19.4	22.3	8	21.6		0.073	
E386882	157.5	158		3310	7.2	6	0.051	>10.0	2.02	3.2	6	7.6	88	0.19	0.58	6	0.062	0.06	19.2	60	9.1	23.2	6	40.2		0.044	
E386883	158	158.5		3550	4.9	2.5	0.061	6.8	1.54	7.2	3	3.1	137	0.15	0.3	9.8	0.029	0.04	29.6	69	6.8	27.1	5	27.2		0.071	
E386884			BLANK	110	0.6	0.6	<0.002	0.07	0.09	0.7	2	<0.2	277	<0.05	<0.05	0.2	0.006	<0.02	0.6	6	0.1	2.9	25	3.9		0.005	
E386885	158.5	159		2740	4.9	2.4	0.035	6.21	1.75	7.4	3	3.8	135.5	0.14	0.29	12.1	0.035	0.06	22.6	70	8	21.2	7	36.9		0.035	
E386886	159	159.5		3420	6	6.3	0.022	9.37	2.03	6.3	2	3.2	117.5	0.09	0.52	13.9	0.026	0.07	20	69	5.1	23.6	5	24.9		0.031	
E386887	159.5	160		1870	7.9	6.3	0.016	>10.0	2.05	3.6	4	6.6	60.4	0.15	0.96	9.2	0.053	0.25	14	54	6.8	15	8	41.2		0.047	
E386888	160	160.5		3470	6.4	2.9	0.034	>10.0	1.83	5.9	4	3.4	74.9	0.16	0.62	8.3	0.03	0.23	4.5	64	3.3	23	7	13.7		0.037	
E386889	160.5	161		2850	3.3	0.4	0.04	5.68	1.09	5.7	2	1	124.5	0.06	0.16	7.3	0.011	0.06	1.7	72	2.3	17.5	4	4		0.015	
E386890	161	161.5		2240	6.4	3.5	0.018	>10.0	1.88	2.8	3	5.1	50.9	0.09	0.59	7.9	0.051	0.25	6.5	53	4.3	14.5	11	40.1		0.035	
E386891	161.5	162		1770	2.6	2.1	0.033	2.32	1.43	6.5	2	4	69.5	0.05	0.09	9	0.043	0.12	4.2	70	3.9	14.2	15	28.8		0.009	
E386892	162	162.5		1390	2.8	2.4	0.055	3.09	1.68	6.4	1	3.4	63.4	0.06	0.06	11.9	0.029	0.03	16.8	68	3.8	12.4	18	32.8		0.005	
E386893	162.5	163		1410	3.1	2.9	0.032	3.34	1.68	5.2	1	3.9	79.8	0.08	<0.05	11.9	0.034	0.03	4	83	4.6	12.7	19	35.2		0.004	
E386894	163	163.5		1290	1.6	3.3	0.025	1.99	1.17	2.8	1	4.5	103	<0.05	<0.05	9.7	0.035	0.02	4.8	74	3.4	10.4	14	42.6		0.001	
E386895			BLANK	100	1.5	0.7	<0.002	0.06	0.12	0.4	1	<0.2	256	<0.05	<0.05	0.2	0.006	<0.02	0.7	7	0.1	2.8	23	3.3		0.001	
E386896			STANDARD 1	800	20.8	80.6	0.022	2.15	1.55	9.8	2	7.4	581	0.21	0.24	8.6	0.08	0.46	257	53	8.4	15.2	10	57.6		0.06	
E386897	163.5	164		1220	7.5	6.2	0.029	9.8	1.9	3.6	2	3.5	130	0.07	0.51	13.8	0.033	0.07	14.9	55	5.1	11.1	12	39.3		0.028	
E386898	164	164.5		1520	10.5	6.3	0.02	>10.0	2.22	2.2	4	3.4	46.1	0.1	2.09	6.4	0.024	0.05	7.4	53	5.3	9.5	5	13.3		0.108	
E386899	164.5	165		1510	13.2	14.1	0.015	>10.0	2.17	2.3	4	6.4	52	0.18	1.34	11.3	0.056	0.06	81.2	40	8.4	13.1	5	34		0.08	
E386900	165	165.5		1620	6.8	5.9	0.014	>10.0	1.51	5.9	2	3.2	107	0.14	0.29	14.3	0.036	0.04	20.6	74	5.8	15.3	8	33.7		0.026	
E386901	165.5	166		1220	2.4	7	0.011	1.09	1.16	3.1	1	6.6	104	0.14	<0.05	12.2	0.061	0.03	4	48	9.8	12.6	9	59.2		0.004	
E386902	166	166.5		2180	5.1	2.8	0.023	6.88	1.55	4.6	2	2.1	67.1	0.09	0.22	19.6	0.021	0.03	3.2	95	4.1	18.6	8	21		0.021	
E386903	166.5	167		2120	11.5	15.2	0.018	>10.0	2.73	2.9	4	5	60.6	0.17	1	12.1	0.036	0.07	18.1	53	7.3	14.5	5	22.9		0.058	
E386904	167	167.5		1310	15.3	13.2	0.008	>10.0	3.53	1	3	4.7	33.3	0.2	1.38	5.8	0.027	0.08	6.8	30	7.4	9.4	3	12.2		0.114	
E386905	167.5	168		1780	11.9	5.3	0.01	>10.0	2.75	1.1	3	3.4	36.7	0.19	1.18	7.5	0.029	0.05	4.5	64	4.8	11.4	5	10.9		0.073	
E386906	168	168.5		1140	8.6	11.5	0.015	>10.0	2.48	3.7	3	8.4	44.6	0.22	0.7	7.8	0.087	0.11	8.3	68	9.4	9.9	8	36.3		0.032	
E386907			BLANK	100	0.7	0.7	0.002	0.08	0.08	0.5	1	<0.2	260	<0.05	<0.05	0.2	0.006	<0.02	0.7	7	0.1	2.9	21	3.5		0.002	
E386908			STANDARD 2	2180	6.1	36.6	0.019	6.26	1.91	4	4	6.6	197.5	0.12	0.97	5.8	0.031	0.46	15.1	58	6.2	14.4	7	23.1		0.119	
E386909	168.5	169		2750	4.5	1.7	0.03	5.39	1.73	5.1	3	2.9	49.3	0.14	0.35	11.3	0.041	0.04	4.9	109	2.7	18.9	10	17.1		0.02	
E386910	169	169.5		1850	5.7	2.5	0.012	7.66	1.9	3.7	2	5.3	36.9	0.24	0.4	5.4	0.064	0.05	4.3	98	4.4	14.3	8	21.6		0.024	
E386911	169.5	170		1860	6.1	1.5	0.014	>10.0	1.73	3	2	3.1	56.6	0.16	0.44	6.4	0.036	0.03	9.5	90	2.8	14.3	5	15.1		0.02	

IG-2007-28

Sample No	From (m)	To (m)	Standard/Blank
E386912	170	170.5	
E386913	170.5	171	
E386914	171	171.5	
E386915	171.5	172	
E386916	172	172.5	
E386917	172.5	173	
E386918	173	173.5	
E386919			BLANK
E386920	173.5	174	
E386921	174	174.5	
E386922	174.5	175	
E386923	175	175.5	
E386924	175.5	176	
E386925	176	176.5	
E386926	176.5	177	
E386927	177	177.5	
E386928	177.5	178	
E386929	178	178.5	
E386930			BLANK
E386931			STANDARD 3
E386932	178.5	179	
E386933	179	179.5	
E386934	179.5	180	
E386935	180	180.5	
E386936	180.5	181	
E386937	181	181.5	
E386938	181.5	182	
E386939	182	182.5	
E386940	182.5	183	
E386941	183	183.5	
E386942			BLANK
E386943	183.5	184	
E386944	184	184.5	
E386945	184.5	185	
E386946	185	185.5	
E386947	185.5	186	
E386948	186	186.5	
E386949	186.5	187	
E386950	187	187.5	
E386951	187.5	188	
E386952	188	188.5	
E386953			BLANK
E386954			STANDARD 1
E386955	188.5	189	
E386956	189	189.5	
E386957	189.5	190	
E386958	190	190.5	
E386959	190.5	191	
E386960	191	191.5	
E386961	191.5	192	
E386962	192	192.5	
E386963	192.5	193	
E386964	193	193.5	
E386965			BLANK
E386966	193.5	194	
E386967	194	194.5	
E386968	194.5	195	
E386969	195	195.5	
E386970	195.5	196	
E386971	196	196.5	
E386972	196.5	197	
E386973	197	197.5	
E386974	197.5	198	
E386975	198	198.5	
E386976			BLANK
E386977			STANDARD 2
E386978	198.5	199	
E386979	199	199.5	
E386980	199.5	200	
E386981	200	200.5	
E386982	200.5	201	
E386983	201	201.5	
E386984	201.5	202	
E386985	202	202.5	
E386986	202.5	203	
E386987	203	203.5	
E386988			BLANK
E386989	203.5	204	
E386990	204	204.5	
E386991	204.5	205	
E386992	205	205.5	
E386993	205.5	206	
E386994	206	206.5	
E386995	206.5	207	
E386996	207	207.5	
E386997	207.5	208	

Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
0.27	3.37	16.4	140	0.47	3.33	0.85	<0.02	179	172	24	1.3	775	24.3	11.3	0.37	1.2	0.009	0.07	140.5	27.2	1.08	192	30.7	1.15	6.8	53.3
0.15	2.02	8.4	700	0.31	0.91	0.49	<0.02	184	84.8	12	1.44	997	32.3	12.15	1.41	0.7	0.015	0.06	147.5	24	0.97	598	33.5	0.23	3.8	50.8
0.11	3.85	5.6	530	0.61	0.62	0.68	<0.02	284	52	29	2.12	212	23.5	13.4	0.46	1.4	0.013	0.13	229	39.4	1.83	540	33.3	0.75	4.6	46.8
0.09	4.25	8.8	1490	0.62	0.59	0.66	<0.02	257	48.9	26	2.19	95.3	17.15	12.55	0.34	1.3	0.014	0.14	202	43.2	1.57	484	35.7	1.06	2.5	37.7
0.2	4.23	12	310	0.62	1.82	0.54	<0.02	277	107	31	1.8	122.5	22.9	13.55	0.47	1.4	0.014	0.11	217	39.6	1.5	314	34.7	1.1	2.6	46.5
0.27	3.55	12.9	480	0.4	2.94	0.67	<0.02	173	159	10	0.86	240	30.2	12.85	0.6	0.7	0.012	0.06	137	26.9	1.01	403	34.8	1.26	2.3	49.4
0.33	3.43	17.4	80	0.33	3.02	2.08	<0.02	158.5	160	12	2.67	116.5	29.1	12.35	0.44	0.8	0.041	0.05	121.5	30.1	1.31	1830	49.7	1.13	2.6	49.3
0.01	0.12	<5	40	0.05	<0.01	42.5	0.37	2.39	1.1	6	<0.05	2.5	0.07	0.54	<0.05	0.1	<0.005	0.03	1.9	1.4	0.46	34	0.53	0.02	0.3	0.4
0.21	3.7	9.8	150	0.44	2.08	2.85	<0.02	174	108.5	14	1.31	127.5	24.7	13.5	0.36	0.9	0.035	0.09	138	30.5	1.71	2470	37.5	1.27	2.7	48.7
0.45	2.64	21.9	100	0.34	6.2	1.59	<0.02	243	265	11	0.81	658	28.8	11.9	0.45	0.8	0.017	0.05	188	19.4	1.01	1550	42.2	1.02	3.3	55
0.31	3.4	15.7	110	0.55	4.15	2.44	<0.02	241	189.5	16	1.16	326	21.6	11.9	0.35	1	0.031	0.06	190	34.3	1.66	2250	25.6	0.94	3.5	47.5
0.17	2.56	7.9	200	0.33	1.93	4.69	<0.02	143.5	86.8	6	0.86	554	23	9.86	0.32	0.5	0.078	0.04	108	31	2.16	4520	42.1	0.53	2.5	39.8
0.07	3.55	2.1	970	0.51	0.58	2.63	<0.02	108	22.2	16	1.08	1190	8.8	7.64	0.15	1	0.043	0.1	79.3	35.4	1.46	2660	3.99	1.48	2.2	16
0.17	3.57	11.8	180	0.47	2.15	4.47	<0.02	271	83.6	15	0.91	684	16.15	10.85	0.33	1.1	0.062	0.07	202	25.8	1.85	4650	25.6	1.64	5.2	34.9
1	1.34	78.3	40	0.44	16.3	5.51	<0.02	115.5	299	4	1.11	2250	22.8	6.67	0.34	0.4	0.161	0.2	61.8	18.2	1.91	5760	51.6	0.17	3.5	56.9
0.52	5.42	42.6	>10000	2.57	7.97	2.44	<0.02	133.5	180	26	6.86	884	14.4	17.5	0.25	1.6	0.166	1.89	79.5	72.5	1.98	2510	31.4	0.05	5.5	44.7
0.07	5.64	4.9	1060	2.7	1.16	0.94	<0.02	134	37	31	7	73.1	8.12	17.95	0.18	1.7	0.139	2.26	92.2	69.7	1.33	1910	5.96	0.21	5.2	17.6
0.31	5.46	35	3560	2.47	6.88	1.02	<0.02	31.5	165	31	6.51	145	12	16.05	0.2	1.7	0.125	1.8	11.7	70.7	1.66	1310	12.55	0.07	4.2	31.7
0.01	0.12	<5	110	0.05	0.02	41.5	0.35	2.19	1.1	4	<0.05	2.9	0.05	0.54	<0.05	0.1	<0.005	0.03	1.7	1.5	0.45	33	0.32	0.01	0.3	1.1
0.36	6.36	52.8	830	2.45	1.54	1.66	<0.02	69.7	110	39	8.03	1540	7.01	18.35	0.28	1.8	0.129	2.99	37.3	23.5	1.3	3080	21	0.58	2.6	26
0.25	4.8	44.3	70	1.38	7.45	0.66	<0.02	12.2	151.5	24	4.48	163	12.35	12.6	0.34	1.5	0.158	1.51	3.5	46.5	1.16	3430	9.73	0.75	2.7	27.8
0.13	7.3	25.6	1390	3.27	3.52	0.84	<0.02	154.5	90.7	44	9.9	264	10	22.8	0.4	2.1	0.237	3.57	94.7	66.2	1.29	3380	2.31	0.2	4.9	22
0.11	6.26	29.8	650	3.04	1.74	0.54	<0.02	85.1	66.2	40	8.67	494	7.08	19.45	0.27	2	0.18	3.29	43	44.4	0.76	2510	4.44	0.15	5.1	19.1
0.11	6.55	30.3	1160	3.65	0.9	0.34	<0.02	140	71.1	43	9.41	144.5	8.13	21.1	0.35	2.1	0.238	3.61	101.5	49.4	0.9	3140	2.81	0.14	4.7	22.2
0.12	3.95	14.5	1050	1.51	0.99	0.96	<0.02	122.5	71.8	19	4.59	127	19.5	11.6	0.51	1.4	0.346	1.58	92.6	30.5	1.76	11200	5.85	0.47	3.4	28.9
0.05	4.44	2.6	3780	2.3	0.14	0.57	<0.02	152	39.5	24	6.46	28.9	13.55	14.65	0.43	1.6	0.301	2.18	117	34.9	1.31	7820	0.65	0.03	4.4	20
0.18	4.74	14.1	920	1.81	0.66	4.6	<0.02	136	69.4	22	5.1	786	11.4	13.9	0.37	1.5	0.228	1.66	105	41.1	2.58	4680	37.5	0.03	7	24.8
0.19	6	17.4	5080	2.37	0.96	2.61	<0.02	106	43.2	37	6.2	193	6.46	20	0.28	2.1	0.176	2.88	84.7	38.3	1.54	2210	10.65	0.02	7.5	18.5
0.14	7.91	10.2	8620	3.55	0.94	1.22	<0.02	16.6	30.6	64	9.01	209	3.75	28.7	0.17	2.8	0.136	4.33	12.7	45.8	0.99	772	2.86	0.01	7.1	15.8
0.18	7.58	19.5	2550	3.44	1.7	0.8	<0.02	35.8	44	52	9.07	818	6.85	27	0.26	2	0.121	3.69	25.6	59.4	1.3	867	5.83	0.04	3.5	22.7
0.02	0.14	6	50	0.05	0.01	43.4	0.41	2.25	2	6	<0.05	4.1	0.06	0.57	0.07	0.1	<0.005	0.03	1.7	1.8	0.47	36	0.21	0.01	0.3	2.8
0.1	7.65	5.3	9380	4.52	0.51	1.09	<0.02	50.4	21.9	49	9.07	230	6.72	27.7	0.23	1.9	0.105	3.75	38.8	83.8	1.42	913	2.41	0.02	3.2	19.4
0.38	6.95	56.9	300	1.84	5.53	2.58	<0.02	25.6	132.5	46	4.69	63	16.55	18.7	0.39	1.4	0.078	1.16	18.2	84.6	2.47	2370	14.15	1.39	1.8	44.3
0.63	5.56	55.4	170	0.95	4.85	5.73	<0.02	183.5	103	31	2.02	50.4	14	14.35	0.43	1.3	0.116	0.61	141.5	30.3	2.22	5260	412	2.69	2.7	33.5
0.43	4.47	70.9	460	0.43	6.3	6.5	<0.02	54.8	143.5	23	1.2	342	17	10.8	0.4	1.5	0.06	0.38	41.6	15.4	2.01	5700	59.7	2.6	2.7	35.7
0.42	7.24	46.9	140	3.08	4.02	1.42	<0.02	136.5	121	53	5.91	495	12.2	28.9	0.4	2	0.071	2.21	95.6	69.3	1.39	1200	18.35	2.03	2.1	44.9
1.13	6.6	41.8	120	1.63	4.11	1.72	<0.02	88	125.5	45	3.46	853	13.15	19.45	0.38	1.6	0.046	0.85	63.2	54.9	1.61	1530	12.45	2.85	2	42.9
0.84	5.58	67.1	90	0.74	5.88	1.23	<0.02	191	181	33	1.92	315	18.05	17.2	0.55	1.3	0.023	0.23	140.5	38.1	1.27	962	62.2	2.56	1.2	55.7
0.77	8.51	20.3	510	1.26	0.83	0.75	<0.02	191.5	94.1	41	2.51	110	10.05	18.35	0.42	1.9	0.025	0.61	143.5	37.4	0.96	520	13	3.4	2.1	38
0.05	6.03	3.5	870	1.32	0.11	0.67	<0.02	146	61.6	38	3.11	31.3	10.8	17.35	0.42	1.6	0.028	0.71	108.5	41.2	0.92	578	13.3	2.84	1.6	33.2
0.05	6.17	4.3	520	1.71	0.19	0.48	<0.02	161	81.2	42	4.59	99.4	12.85	20.3	0.45	1.8	0.036	0.8	123	48.3	1.05	348	12.1	2.71	1.5	43.2
0.01	0.13	<5	40	0.05	0.01	42.4	0.4	2.77	2.2	6	<0.05	3.1	0.08	0.85	0.06	0.1	<0.005	0.03	2.2	1.9	0.47	33	0.32	0.02	0.3	2.8
1.06	5.33	69.9	110	1.92	2.79	2.04	<0.02	48.3	165.5	30	3.4	7530	9.69	14.6	0.27	1.7	0.137	2.13	15.9	24.9	1.21	3380	66.7	0.9	3	38.4
0.03	5.97	3.1	640	0.97	0.14	0.3	<0.02	163	94.9	40	2.02	61.8	13.6	16.1	0.41	1.6	0.008	0.36	123.5	34.4	0.9	117	5.45	3.21	1.3	37.5
0.05	5.91	3	900	0.87	0.11	0.3	<0.02	133	87.8	40	2.46	90.3	14.15	15.7	0.43	1.7	0.013	0.56	101	45.2	1.19	202	6.36	2.49	1.2	37
0.05	6	3.3	540	0.93	0.17	0.33	<0.02	156	95.9	38	2.28	90.3	15.35	16.8	0.49	1.7	0.015	0.29	121	44.2	1.22	261	1.4	2.84	1.4	42.1
0.06	5.28	6.2	310	0.56	0.3	0.89	<0.02	141	138	27	0.89	228	17	14.55	0.49	1.6	0.017	0.1	111	21.9	0.76	575	6.34	3.17	1.5	38.1
0.47	5.72	64	140	0.64	7.06	0.51	<0.02	138.5	285	31	1	194	13.55	13.75	0.45	1.6	0.01	0.13	109	21.2	0.66	290	28.1	3.7	2.2	37.9
0.8	4.83	123	150	0.66	14.1	0.52	<0.02	110	527	32	1.22	744	17.6	12.05	0.53	1.7	0.012	0.23	86.1	16.3	0.49	182	20.4	3.02	3	48.4
0.44	5.64	63.6	160	1.36	6.18	1	<0.02	173.5	270	32	2.37	342	14.4	14.95	0.48	1.6	0.027	0.71	134.5	28.5	0.7	551	32.1	2.95	1.9	36.7
0.48	5.83	61.4	890	0.82	4.48	0.82	<0.02	158.5	236	33	3.02	274	15.3	14.2	0.46	1.4	0.021	0.36	124	54.1	1.31	427	22.3	2.11	1.4	43.9
0.11	6.94	8.9	870	3.93	0.72	0.58	<0.02	94.1	71.3	49	8.72	342	9.56	22	0.35	2.1	0.062	2.54	71.4	86.4	1.41	446	16.25	0.56	4.2	29.2
1.23	5.78	8.3	2170	0.92	1.46	0.73	<0.02	34.4	42.7	45	1.56	168	6.71	12.45	0.25	1.8	0.02	0.3	24.5	29.4	0.72	305	575	3.26	4.7	21.4
0.02	0.13	<5	30	<0.05	0.03	43.9	0.42	2.25	2.1	6	<0.05	3.5	0.06	0.54	0.06	0.1	<0.005	0.03	1.8	1.7	0.48	35	1.91	0.02	0.3	4.2
0.54	6.24	6.9	1450	0.7	0.99	0.91	<0.02	14.25	38	38	1.29	282	10.55	13.5	0.23	1.6	0.024	0.26	9.6	71.7	1.12	963	278	2.72	2.4	20.8
0.26	7.68	4.9	1960	2.24	0.68	0.68	<0.02	77.3	43.6	50	4.5	676	7	16.65	0.24	1.9	0.05	1.16	53.1	44.8	0.83	489	126	3.38	5.3	21.2
1.02	5.22	105.5	170	0.58	13.15	0.84	<0.02	144.5	382	27	1.01	826	19.35	9.92	0.44	1.2	0.027	0.13	98	15.1	0.57	563	23.9	3.13	2.7	49.9
0.55	5.66	51.4	250	0.62	7.2	0.9	<0.02	100	247	20	0.9	287	18.4	10.5	0.4	1.1	0.039	0.1	67	18.1	0.64	1150	15.3	3.44	2.4	37.6
0.84	5.48	66.9	370	0.75	9.68	0.4	<0.02	183	416	34	1.11	299	20.7	11.15	0.48	1.6	0.017	0.12	123	17.5	0.62	469	19.05	3.17	4.3	49.2
0.43	5.16	31.7	270	1.77	4.44	0.54	<0.02	165	261	29	3.2	156	17.95	12.8	0.43	1.3	0.046	0.97	104	26.9	0.66	771	23	2.1	3.9	37.8
0.2	5.66	16.4	240	3.56	1.66	0.42	<0.02	162	154.5	37	5.89	103	12.4	14.35	0.35	1.5	0.068	2.14	105	50	0.69	519	11	0.96	4.1	26.7
0.1	6.68	7.2	660	4.78	0.64	0.32	<0.02	154	72.6	47	8.04	23.2	7.57	17.55	0.28	1.7	0.081	3.13	101.5	57.6	0.67	219	8.86	0.58	6.2	17.4
0.04	6.35	4.4	440	4.26	0.17	0.21	<0.02	108.5	109	45	7.42	187.5	8.65	15.95	0.3	1.7	0.068	2.78	67.5	62.3	0.66	118	3.56	0.66	3.6	14
0.04	6.25	5	980	3.2	0.09	0.18	<0.02	127	23.6	38	5.07	311	5.7	13.85	0.25	1.6	0.044	1.79	83.9	50.7	0.53	65	0.95	2.04	3	9.5
0.02	0.14	<5	70	0.08	0.01	45.8	0.4	2.28	1.8	6	<0.05	3.2	0.06	0.49	<0.05	0.1	<0.005	0.02	1.5	1.6	0.49	33	0.23	0.02	0.3	<0.2
1.21	2.37	72.9	70	0.77	11.25	2.21	<0.02	210	337	12	2.89	9100	26.7	9.83	0.57	0.7	0.291	0.67	113	22.2	1.54	6240	64	0.24	6.2	62.2
0.05	5.89	4.4	250	2.76	0.27	0.61	<0.02	113	104.5	37	4.68	329	9.73	13.4	0.25	1.6	0.039	1.45	68	51.3	0.72	108	0.49	1.81	2	14.2
0.11	5.74	5.7	450	3.75	0.41	0.33	<0.02	88.9	55.4	37	7.96	1990	11.35	14.05	0.27	1.3	0.078	2.54	58.1	58.7	0.71	86	2.61	0.37	3.2	13.6
0.08	5.71	5.4	880	3.73	0.45	0.2	<0.02	98.1	41.4	39	8.61	734	10.45	13.65	0.27	1.5	0.071	2.42	66.2	80.5	0.77	95	3.69	0.38	3.7	13.7
0.06	6.29	5.4	540	2.09	0.39	0.67	<0.02	172	68.4	31	4.61	427	12.55	13	0.36	1.5	0.05	1.13	115.5	44.4	0.99	566	4.32	2.3	2.9	22
0.13	6.14	10.1	350	3.43	0.85	0.49	<0.02	106	102.5	36	6.65	767	13.15	15.8	0.32	1.5	0.068	1.81	65.6	72.9	1.48	444	12.7	0.58	3.6	31.2
0.08	5.07	5.5	280	0.8	0.68	0.56	<0.02	82.4	131.5	31	2.44	573	18.85	11.35	0.38	1.3	0.03	0.12	37.7	73.3	2.05	545	21.4	0.35	1.8	41.2
0.55	1.32	40.9	100	0.22	5.02	3.95	<0.02	251	261	2	0.72	4810	33	8.12	0.64	0.3	0.127	0.03	165	15.6	1.78	4810	67.2	0.21	3.3	47.9
0.83	3.03	58.9	70	0.95	11.25	2.62	<0.02	265	412	16	1.85	2420	25.3	10.6	0.57	0.8	0.095	0.47	175.5	19.2	1.18	3120	55.8	1.04	3.2	54.6
0.78	6.03	62.9	840	2.26	13.3	1.05	<0.02	106.5	408	30	3.56	685	17.15	15.35	0.37	1.8	0.081	1.24	69.7	32.1	1.13	2450	19.2	2.54	2.8	38.3
0.51	5.83	53.9	190	0.66	6.67	2.55	<0.02	151.5	254	28	1.24	756	17.05	12.9	0.37	1.4	0.097	0.15	106.5	27.8	1.75	2620	45.1	2.91	3.3	34.9
0.01	0.14	<5	50	0.08	0.03	46.6	0.43	2.36	2.1	6	<0.05	7.7	0.09	0.52	<0.05	0.1	<0.005	0.02	1.6	1.7	0.5	40	0.38	0.02	0.3	<0.2
0.05	6.12	4.5	480	1.09	0.41	2.43	<0.02	53.4	99.1	30	2	796	13.6	14.15	0.27	1.4	0.083	0.46	37.1	25.5	1.36	2220	4.84	3.39	3.4	22.8
0.12	5.88	4.1	380	0.95	0.62	0.91	<0.02	22.4	82	34	1.46	3150	12.85	14.4	0.25	1.4	0.042	0.3	15.2	25.7	0.86	713	66.9	3.27	2.1	22.1
0.05	7.02	4.1	1360	1.04	0.28	0.44	<0.02	54.1	48.5	39	1.49	557	10	16.2	0.24	1.9	0.023	0.34	36.2	24.6	0.64	300	12.4	4.2	2.6	18.2
0.08	6.81	2.9	830	1.07	0.15	1.37	<0.02	56.5	42.9	35	1.53	894	8.07	15.65	0.2	1.6	0.04	0.43	37.6	22.3	0.94	1045	6	4.14	2.3	13.8
0.22	5.05	5.9	140	0.63	1.01	0.96	<0.02	145.5	91.5	32	1.06	6070	14.8	12.35	0.34	1.2	0.109	0.13	93.5	32.6	1.05	1175	9.56	2.32	2.5	29.1
3.37	2.77	48.9	80	0.38	23.6	1.9	<0.02	170.5	605	12	0.68	>10000	23.5	7.32	0.49	0.6	0.384	0.07	89.9	22	0.92	1940	80.9	1.08	6.8	48.9
3.27	2.51	47.2	80	0.39	31.4	2.31	<0.02	205	408	12	0.42	>10000	22.7	5.98	0.53	0.6	0.602	0.05	108.5	10.3	0.7	2670	61.2	1.46	5.8	40
2.84	0.34	83.2	30	0.59	39.4	3.97	<0.02	67.1	374	3	0.11	>10000	24.6	2.41	0.49	0.1	0.331	<0.01	33.7	3.7	0.66	4060	49.7	0.1	3.5	48.7
2.7	1.14	38.6	40	0.65	20.2	2.84	<0.02	129	541	4	0.15	>10000	23.1	3.6	0.47	0.3	0.992	0.03	54.3	7.4	0.5	2100	48.5	0.58	3.3	61.2

IG-2007-26

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E386912	170	170.5		1640	3.3	3.6	0.013	5.2	1.24	3.8	2	7.7	43.8	0.19	0.28	8.5	0.092	0.03	16.7	76	4.4	13.7	8	39		0.016	
E386913	170.5	171		1390	1.7	2.6	0.012	1.58	1.18	2.4	1	4.6	30.6	0.1	0.08	7.3	0.055	0.02	1.6	100	4.5	10.3	7	22.1		0.005	
E386914	171	171.5		1850	2.1	4.4	0.011	1.21	1.21	3.7	1	6.9	42.6	0.14	0.06	12.9	0.092	0.02	4.1	90	5.3	14.3	13	43.1		0.005	
E386915	171.5	172		1890	2.2	4.6	0.011	1.04	1.15	3.9	1	4.9	65	0.06	0.08	13.2	0.057	0.02	9.8	59	3.8	15	13	41.7		0.007	
E386916	172	172.5		1620	2.7	3.5	0.013	2.96	1.34	3.6	1	5.4	58.1	0.08	0.16	12.5	0.087	0.02	3.7	75	4.5	14.5	13	45.1		0.008	
E386917	172.5	173		1730	3.8	2.2	0.013	4.03	1.39	2.3	2	3.2	61.2	0.08	0.24	9.3	0.045	0.04	20.2	102	3.5	13	11	21.5		0.01	
E386918	173	173.5		1530	5.7	2.3	0.018	4.45	1.57	3	2	3.6	99.9	0.09	0.25	8.2	0.047	0.11	18	88	3.7	14.5	13	24.8		0.011	
E386919			BLANK	100	0.6	0.6	<0.002	0.05	0.07	0.4	1	<0.2	263	<0.05	<0.05	0.2	0.006	<0.02	0.7	7	0.1	2.9	21	3.2		0.04	
E386920	173.5	174		1370	3.2	4	0.014	2.84	1.03	5.2	1	5.1	82.6	0.08	0.17	7.4	0.058	0.06	8.7	76	4.5	15.6	13	26.5		0.007	
E386921	174	174.5		1610	3.9	2.4	0.016	6.67	1.23	4.3	3	4.2	57.9	0.12	0.63	9.1	0.051	0.03	8.8	83	4.5	15.1	7	25.2		0.024	
E386922	174.5	175		1530	3.5	3	0.01	4.26	1.09	5.6	2	4.7	86.6	0.11	0.39	10	0.063	0.02	6.5	75	6.4	15.7	15	33.1		0.015	
E386923	175	175.5		1790	2.2	1.7	0.013	1.96	0.82	8.1	2	1.6	153.5	0.13	0.17	8.6	0.024	0.02	3.6	89	5.4	16.6	11	15.7		0.008	
E386924	175.5	176		700	1.3	4.9	0.002	0.53	0.85	5.2	<1	2.1	110	0.08	0.05	7	0.032	0.02	2.3	30	5.2	9.9	10	31.4		0.003	
E386925	176	176.5		2070	2.5	3.3	0.01	2.18	1.1	7.7	1	3.1	158.5	0.25	0.18	12.3	0.047	0.04	3.3	70	10.3	24	8	32.8		0.008	
E386926	176.5	177		1630	6.5	12.8	0.017	>10.0	2.54	6.8	4	2.5	210	0.21	1.19	4.4	0.022	0.06	3	52	6.6	21.4	5	13.1		0.054	
E386927	177	177.5		1030	4.7	94.7	0.011	6.99	2.81	8.5	2	10.8	252	0.18	0.46	12.9	0.098	0.2	10.1	61	16.3	17.6	11	54.2		0.026	2.67
E386928	177.5	178		690	1.9	116.5	0.002	0.53	1.77	8.6	<1	9.4	491	0.21	0.05	10.7	0.107	0.22	12.6	59	17.7	12.6	9	54.7		0.003	
E386929	178	178.5		850	3.7	97.9	0.005	4.64	1.78	9	1	7.8	330	0.16	0.3	7.3	0.091	0.19	24.4	83	14.9	12.8	12	53.4		0.024	
E386930			BLANK	100	0.6	0.8	<0.002	0.05	0.07	0.4	1	<0.2	257	<0.05	<0.05	0.2	0.005	<0.02	0.7	7	0.1	2.8	21	3.2		0.001	
E386931			STANDARD 3	750	3.4	126.5	0.006	1.27	1.09	10.4	1	7.5	446	0.18	0.2	12.2	0.103	0.37	17	65	7.9	10.9	6	60.7		0.019	
E386932	178.5	179		610	3.1	80.6	0.007	4.34	1.53	8.3	<1	5.1	245	0.14	0.24	3.2	0.074	0.16	12	46	13.7	9.3	6	47.7		0.019	
E386933	179	179.5		710	2.4	184	0.002	1.26	2.04	12.1	<1	13.2	323	0.27	0.14	17.9	0.165	0.32	4.5	73	24.9	13.3	6	66.6		0.015	
E386934	179.5	180		770	2.2	175	0.003	0.89	2.11	9.5	1	14	112.5	0.27	0.09	14.1	0.15	0.31	2.9	67	28	11.3	2	63.4		0.012	
E386935	180	180.5		720	1.8	183.5	<0.002	0.77	2.02	10.6	1	15.9	64.9	0.21	0.09	17.4	0.151	0.35	4	74	27.8	12.1	2	65.3		0.019	
E386936	180.5	181		1490	1.5	79.2	0.003	0.5	1.34	7.9	1	7.4	71.4	0.13	0.16	10.3	0.069	0.15	2.6	56	10.5	11	6	44.6		0.005	
E386937	181	181.5		580	1.3	115	<0.002	0.1	1.35	6.8	<1	11.5	29.4	0.15	<0.05	12.4	0.093	0.2	2.6	65	12.6	10.1	4	55.8		0.002	
E386938	181.5	182		1670	1.5	84.3	0.01	0.64	1.23	8.5	1	8.9	58.1	0.24	0.18	9.1	0.086	0.16	3	73	12.9	16.5	8	49		0.006	
E386939	182	182.5		1420	1.8	145	0.005	0.47	2.98	10	1	15.9	42.2	0.31	0.19	12.8	0.137	0.29	4.7	127	21.4	13.1	7	70.9		0.006	0.59
E386940	182.5	183		900	1.5	221	<0.002	0.37	2.62	14.1	1	19.7	62.6	0.44	0.13	17.1	0.199	0.39	4.3	90	29.5	11.5	3	94		0.004	0.93
E386941	183	183.5		690	1.6	167.5	0.002	0.65	2.42	13.1	1	18.4	61.5	0.18	0.3	17.4	0.141	0.35	2.3	93	23.5	9.1	9	65.7		0.007	
E386942			BLANK	100	0.6	0.9	<0.002	0.06	0.08	0.8	2	<0.2	259	<0.05	<0.05	0.3	0.006	<0.02	0.6	8	0.1	2.7	22	3.1		0.001	
E386943	183.5	184		620	1.3	179	<0.002	0.34	1.85	16.4	<1	24.2	116.5	0.17	0.09	16.2	0.14	0.33	2.8	97	21.5	10	8	63.4		0.003	1.06
E386944	184	184.5		820	2.5	59.5	0.009	3.05	2.52	11.4	1	11.1	85.7	0.07	0.64	3	0.076	0.12	6.4	92	12	10.7	16	44.9		0.026	
E386945	184.5	185		1810	6.1	30.5	0.035	2.97	1.93	12	1	6.7	147.5	0.11	0.46	12	0.056	0.1	85.7	62	8.3	24.2	7	43.3		0.023	
E386946	185	185.5		1250	4.8	18	0.012	4.15	1.7	10.6	1	4.2	146.5	0.13	0.64	7.3	0.049	0.06	31.4	60	8	21.5	5	49		0.029	
E386947	185.5	186		950	3.8	97.7	0.006	3.18	1.31	26.7	1	22.8	57.3	0.09	0.46	16.5	0.095	0.19	11	105	14.4	12.7	12	66.1		0.018	
E386948	186	186.5		970	3	43.1	0.01	3.18	1.08	16.2	1	10.9	105.5	0.09	0.43	14.6	0.069	0.08	3.7	70	13	13.5	17	60.1		0.022	
E386949	186.5	187		1430	4.2	11.3	0.006	5.28	2.06	5.9	2	3.7	67.9	0.07	0.67	11.8	0.04	0.05	18.2	87	6.4	15.4	16	41.4		0.031	
E386950	187	187.5		1360	2.5	31.8	0.012	1.24	1.13	8.3	1	7.1	110	0.1	0.1	14.7	0.065	0.1	2.2	52	14	15.3	11	63.5		0.005	
E386951	187.5	188		980	2.2	38.6	0.009	0.79	0.96	9.2	<1	8.2	283	0.09	<0.05	12.3	0.061	0.07	2	58	11.1	12.5	11	57		0.003	
E386952	188	188.5		1000	1.6	45.4	0.008	1.05	1.06	10.7	1	10.2	95.3	0.08	<0.05	12.5	0.062	0.08	1.9	69	10.7	12.7	14	59.1		0.002	
E386953			BLANK	110	0.5	0.7	<0.002	0.06	0.08	0.8	2	0.2	262	<0.05	<0.05	0.3	0.006	<0.02	0.7	8	0.1	2.7	23	3.9		0.006	
E386954			STANDARD 1	840	19.6	82.4	0.02	2.27	1.47	9.4	2	7.2	533	0.15	0.25	7.6	0.077	0.44	278	57	7.9	14.2	10	54.4		0.056	
E386955	188.5	189		910	1.9	16.5	0.003	1.04	0.95	6.7	1	4.8	175	0.08	<0.05	13.6	0.057	0.06	2.3	59	6.9	11.3	11	52.9		0.002	
E386956	189	189.5		890	1.7	22.2	0.003	0.88	0.96	8.8	<1	5.7	167.5	0.07	<0.05	12.3	0.056	0.06	2.1	60	5.1	11	15	54.4		0.002	
E386957	189.5	190		970	1.6	12.4	<0.002	1.13	0.97	7.6	1	4.9	115	0.07	<0.05	12.2	0.052	0.03	2.1	64	3.6	11	20	54.2		0.002	
E386958	190	190.5		1350	1.8	3.8	0.002	2.02	0.96	5.4	1	2.7	86.9	0.08	<0.05	13.2	0.043	0.02	2.2	69	4	12.5	9	51.8		0.002	
E386959	190.5	191		1050	5.8	5.2	0.009	7.76	2.54	4.5	1	4.4	73.2	0.12	0.61	11.7	0.081	0.1	7.5	42	6.7	10.5	9	57.5		0.031	
E386960	191	191.5		840	7.3	12.1	0.006	>10.0	2.42	5.2	2	5.7	56	0.15	1.3	11.9	0.084	0.14	11.2	44	8.4	9.9	8	54.7		0.045	
E386961	191.5	192		1180	4.5	36.2	0.012	8.96	2.63	13.2	2	10.5	58.2	0.11	0.52	13.8	0.062	0.22	8.1	72	6.9	12.6	7	52.6		0.026	
E386962	192	192.5		1330	4.1	15.1	0.01	5.87	1.95	6.2	1	5.5	67.3	0.06	0.3	11.4	0.051	0.36	4.4	54	4.6	12.1	25	44.6		0.013	
E386963	192.5	193		1180	2.2	122	0.01	0.85	1.93	16.4	1	28.4	73.8	0.22	0.09	13.1	0.12	0.32	9	95	16.3	12.3	20	67.2		0.009	
E386964	193	193.5		690	16	14.2	0.024	0.59	4.06	3.8	1	5.4	83.9	0.33	0.11	24.7	0.113	0.26	500	55	20.8	22.1	10	57.1		0.026	
E386965			BLANK	100	0.9	0.6	<0.002	0.06	0.12	0.8	2	<0.2	269	<0.05	<0.05	0.2	0.006	<0.02	1.1	8	0.1	2.7	22	3.6		0.001	
E386966	193.5	194		710	6.8	12.2	0.009	0.46	2.91	4.1	<1	3.9	83.8	0.2	0.1	20.7	0.067	0.14	200	75	12.1	11.8	20	53.2		0.014	
E386967	194	194.5		1050	4.3	64.5	0.017	0.54	2.83	12.5	<1	17.7	81.8	0.38	0.09	18	0.147	0.18	65.6	70	16.1	12	10	55.7		0.006	
E386968	194.5	195		1060	7	5.7	0.007	>10.0	3.62	3.7	<1	4.6	73.5	0.13	2.31	10	0.062	0.24	5.2	49	6.3	9.8	6	34.3		0.062	
E386969	195	195.5		1190	6.2	4.2	0.005	6.53	2.2	3.8	<1	3.1	82.8	0.1	1.17	7.5	0.043	0.12	10.3	59	5	9	8	32.6		0.034	
E386970	195.5	196		1370	7.2	6	0.006	9.08	2.64	3.1	2	5.7	83.5	0.18	1.48	14.5	0.079	0.09	25.1	57	7.6	11.6	7	46.6		0.042	
E386971	196	196.5		1210	4.7	52.1	0.007	5.04	2.3	9.3	1	15.9	80.4	0.18	0.59	13.6	0.082	0.13	13.7	63	11.8	10.3	5	38.3		0.017	
E386972	196.5	197		1310	3.8	117.5	0.006	2.32	1.87	8.1	<1	29.3	43.5	0.22	0.29	14.1	0.112	0.3	3.2	58	19	11.2	4	44.7		0.005	
E386973	197	197.5		1010	2.8	168	0.004	0.93	2.09	11.9	<1	40.5	85.6	0.32	0.12	16.5	0.163	0.32	3.7	72	26.3	11	5	55.4		<0.001	
E386974	197.5	198		630	1.7	152	0.002	0.96	1.82	10.8	<1	33.8	182.5	0.25	<0.05	16.3	0.13	0.27	2.6	63	17.7	9.6	4	50.7		<0.001	
E386975	198	198.5		600	1.5	103.5	<0.002	0.31	1.47	8.7	<1	19.3	565	0.2	<0.05	15.4	0.094	0.18	2.1	48	14.1	8.7	4	47.2		0.003	
E386976			BLANK	100	0.6	0.6	<0.002	0.07	0.08	0.6	1	0.2	282	<0.05	<0.05	0.2	0.006	<0.02	0.7	3	0.1	2.8	22	3		<0.001	
E386977			STANDARD 2	2400	8.5	35.2	0.02	6.92	2.47	4.5	3	8.4	182.5	0.15	1.3	6.2	0.038	0.57	16.3	58	7.6	14.8	7	20.2		0.094	
E386978	198.5	199		630	2.3	84	<0.002	1.07	1.47	8.4	<1	19.3	325	0.14	<0.05	13.8	0.077	0.16	2.1	47	10.3	10.6	8	48		<0.001	
E386979	199	199.5		740	2.8	140	<0.002	0.89	1.88	8.2	<1	27.2	76.1	0.23	<0.05	12.7	0.109	0.25	2	52	14.1	8.8	7	40.8		0.003	
E386980	199.5	200		730	2.1	134	<0.002	0.61	1.93	8.4	<1	27.2	71.3	0.26	<0.05	12.8	0.113	0.23	2.5	51	15	8.5	6	43.8		0.002	
E386981	200	200.5		1220	2.3	61.6	0.002	0.73	1.34	8	<1	15.7	148	0.14	0.05	13.1	0.062	0.13	2.6	50	8.4	9.6	9	43.2		0.001	
E386982	200.5	201		1250	2.2	99.2	0.006	1.26	1.7	14.3	<1	29.6	179.5	0.17	0.1	12	0.094	0.22	4.5	58	11.8	10.1	16	45.8		0.004	
E386983	201	201.5		1300	1.8	5.9	0.014	1.57	1.6	3.1	<1	3.5	144	0.07	0.07	9.5	0.041	0.03	6.6	59	5.9	9.2	21	37.2		0.002	
E386984	201.5	202		2180	3.8	1.7	0.036	5.19	1.97	4.9	3	2.7	61	0.11	0.39	5.9	0.016	0.03	2.9	42	3.6	15.6	3	7.2		0.028	
E386985	202	202.5		2600	7.5	25.3	0.067	9.29	2.8	7.9	3	11.5	80.4	0.09	0.73	8.7	0.036	0.09	7.1	46	6.3	16.8	4	24.7		0.052	
E386986	202.5	203		970	9.2	62.9	0.038	>10.0	2.49	13.7	2	25.8	55.8	0.13	1.93	9.6	0.071	0.8	18.8	80	10.6	12.3	4	49.7		0.055	
E386987	203	203.5		1370	6.3	7.4	0.036	5.12	1.82	7.2	2	4.2	107.5	0.14	1.34	10.8	0.041	0.67	10.8	56	8.1	12.7	7	42.5		0.037	
E386988			BLANK	100	0.6	0.6	<0.002	0.06	0.08	0.6	1	<0.2	269	<0.05	<0.05	0.2	0.006	<0.02	0.7	3	0.1	2.9	22	2.8		<0.001	
E386989	203.5	204		700	2	26	0.003	1.25	1.3	13.7	<1	10.1	112.5	0.17	0.05	9.6	0.051	0.06	5.2	55	11.5	10.2	5	45.3		0.002	
E386990	204	204.5		590	2.4	16.4	0.003	1.28	2.01	8	1	7.9	94.2	0.15	0.06	9	0.053	0.06	4.1	54	38.7	7.3	4	42.7		0.008	
E386991	204.5	205		740	2.5	19.6	0.003	0.74	1.83	8.5	<1	8.1	219	0.2	0.05	14.3	0.088	0.05	6.1	53	22.9	8.9	4	56.4		0.001	
E386992	205	205.5		750	2.4	24.3	0.002	0.58	1.29	8.8	<1	9.4	249	0.17	<0.05	11.1	0.058	0.04	4.2	53	14.3	8.8	3	51.1		<0.001	
E386993	205.5	206		1030	2.5	7.1	0.014	1.88	1.45	6.2	1	4.2	271	0.11	0.13	9.1	0.04	0.04	14.8	69	9.8	9.4	10	36.6		0.009	
E386994	206	206.5		1630	13.3	3.9	0.096	>10.0	3.13	4.5	5	7.9	128	0.13	10.55	6.3	0.031	0.14	96.7	40	10.5	12.2	9	17.4	2.81	0.239	
E386995	206.5	207		1390	15.3	2.5	0.078	>10.0	3.07	5.5	5	8.8	130	0.12	2.37	7	0.036	0.24	175	22	14.1	16.3	9	18.5	4.78	0.259	
E386996	207	207.5		1370	8.2	0.4	0.046	>10.0	2.1	5.8	2	4.7	108.5	0.05	1.9	0.7	0.006	0.16	18.7	16	9.8	15.8	<2	3.1	2.99	0.282	
E386997	207.5	208		1640	8.3	1.8	0.035	>10.0	1.9	2.8	2	7.6	156.5	0.06	1.85	1.7	0.014	0.07	35.9	15	37.5	10.4	6	9.4	3.74	0.183	

IG-2007-26

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
E386998	208	208.5		4.08	3.54	7.2	140	0.47	3.67	3.96	<0.02	108	69.9	19	0.73	>10000	15.2	7.24	0.35	1.2	0.994	0.18	61.9	12.7	1.11	5130	92.1	2.1	5.4	26
E386999			BLANK	0.01	0.14	<5	40	0.13	<0.01	42.8	0.4	2.28	1.7	6	<0.05	8.6	0.07	0.57	<0.05	0.1	<0.005	0.04	1.8	1.8	0.45	42	0.31	0.02	0.3	<0.2
E387000			STANDARD 3	0.38	8.57	42.5	1420	2.77	1.65	1.91	<0.02	101.5	110	48	6.9	1550	6.74	18.75	0.23	2.1	0.145	2.99	48	24.7	1.31	3190	20.8	0.56	4.4	26.2
E387001	208.5	209		0.73	2.32	6.3	150	0.61	0.53	2.17	<0.02	114	67.7	11	2.07	10000	15	7.02	0.32	0.8	0.312	0.56	49.6	18.6	0.89	4170	16.45	0.6	6.2	21.6
E387002	209	209.5		0.2	5.05	5.3	440	1.59	0.26	1.02	<0.02	138	40.4	33	6.83	1510	12.6	15.7	0.31	1.7	0.18	2.12	90.4	43.5	0.76	1285	17.9	0.62	12.3	18.3
E387003	209.5	210		0.25	1.48	20	220	0.23	0.48	5.81	<0.02	184.5	137	2	0.71	517	21.9	6.1	0.29	0.4	0.148	0.15	151.5	14.3	2.23	8920	41.5	0.15	13.4	36.1
E387004	210	210.5		0.28	1.96	21.5	720	0.22	0.64	2.04	<0.02	276	103.5	3	0.74	882	22.8	6.7	0.34	0.8	0.142	0.08	239	21.3	1.68	7200	54.1	0.18	10.3	29.8
E387005	210.5	211		0.26	2.16	17.4	980	0.21	0.43	4.83	<0.02	222	90.1	5	0.89	849	20.2	6.59	0.31	0.6	0.111	0.1	190.5	18.6	2.14	7090	35.9	0.49	10	22.1
E387006	211	211.5		0.22	3.57	19.2	170	0.38	0.53	3.58	<0.02	160.5	157	13	2.01	977	17.95	8.32	0.27	1	0.157	0.55	121.5	24.5	1.98	8250	32.3	1.06	9	22.7
E387007	211.5	212		0.18	6.28	10.3	450	1.49	0.49	1.13	<0.02	163	104.5	31	10.5	2080	11.2	18.55	0.23	1.9	0.193	2.74	125	53.7	1	1540	15.2	0.39	10.4	18.4
E387008	212	212.5		0.2	2.82	9.7	290	0.41	0.52	3.5	<0.02	73.6	50	9	2.81	552	18	7.46	0.21	0.8	0.126	0.82	50.8	22.9	1.41	5100	14.95	0.39	11.4	17.8
E387009	212.5	213		0.45	4.51	7.4	1030	0.55	0.38	4.96	<0.02	194	44.9	18	3.01	185.5	14.1	10.3	0.24	1.2	0.161	0.78	159.5	28.7	1.86	6350	51	1.54	8.8	22.3
E387010	213	213.5		0.2	5.27	5.9	1160	1.13	0.37	2.43	<0.02	172.5	55.5	25	6.89	1420	13.1	16.95	0.23	1.6	0.279	2.02	140	47.2	1.44	5350	30.1	0.51	7.9	29.2
E387011			BLANK	0.01	0.14	<5	70	0.06	0.01	>50	0.38	2.4	0.8	3	<0.05	3.8	0.08	0.51	0.06	0.1	0.005	0.04	1.8	1.3	0.53	51	0.34	0.02	0.4	3.6
E387012	213.5	214		0.27	4.53	6.7	990	1.02	0.52	2.28	<0.02	180.5	58.3	22	5.64	453	13.9	13.15	0.23	1.4	0.199	1.57	137	46.5	1.37	4400	59.1	0.31	8.2	28.2
E387013	214	214.5		0.16	5.58	6.2	6870	1.41	0.14	0.67	<0.02	132.5	49.1	29	8.74	23.9	14.65	17.65	0.23	1.8	0.258	2.62	95.5	47	1.04	4000	25.3	0.07	10.1	29.8
E387014	214.5	215		0.13	5.73	7.2	7080	1.42	0.12	0.64	<0.02	149.5	58	27	9.08	8	13.25	16.8	0.21	1.8	0.249	2.79	111.5	46.3	1.06	4090	21.7	0.04	9.8	30.3
E387015	215	215.5		0.17	4.93	8	1370	1.17	0.27	0.79	<0.02	144	70.6	26	7.81	12.5	15.3	15.4	0.26	1.5	0.252	2.35	104	37.1	1.13	5520	25.3	0.09	10.2	34.8
E387016	215.5	216.5		0.05	6.34	3.9	8630	1.56	0.07	3.22	<0.02	97.4	40.8	33	8.76	8.3	9.46	17.35	0.17	1.7	0.222	3.02	64.2	46.6	1.55	5580	7.34	0.2	3.6	25.4
E387017	287	288		0.02	7.35	2.7	4350	2.9	0.03	3.23	<0.02	76.6	31.6	40	8.66	9.7	7.05	20.2	0.14	2	0.167	3.47	44	22.5	1.31	4750	1.78	0.11	2.9	19.5
E387018	288	288.5		0.1	6.87	32.5	780	2.6	1.01	3.84	<0.02	41.5	212	48	7.55	83.3	9.27	18.8	0.14	1.9	0.179	3.05	23.4	19.2	1.43	6630	23.8	0.35	2.2	29.4
E387019	288.5	289		0.08	6.82	11.2	6320	2.51	0.3	5.84	<0.02	88.9	60.1	95	7.01	128	9.14	18.6	0.18	1.7	0.171	3.02	41.4	21	2.22	7340	17.85	0.3	1.9	24.7
E387020	289	289.5		0.11	5.22	26.7	810	1.33	0.9	9.26	<0.02	15.9	92.4	63	3.46	2480	8.41	12.65	0.1	1.4	0.16	1.77	8.2	15.7	2.87	8190	7.13	1.08	2.4	21.8
E387021	289.5	290		0.24	4.73	94.1	110	1.08	3.76	6.61	<0.02	219	255	36	3.85	3240	9.95	12.7	0.3	1.2	0.197	1.57	102	14.1	2.17	7120	12.4	0.97	3.1	41.4
E387022			BLANK	0.01	0.14	<5	50	0.07	<0.01	48.3	0.4	2.65	1	3	<0.05	6.3	0.06	0.52	0.08	0.1	<0.005	0.03	1.9	1.4	0.52	51	0.23	0.02	0.4	<0.2
E387023			STANDARD1	1.03	5.71	71.6	110	1.69	2.69	2.01	<0.02	52.4	157	31	3.66	8040	9.51	15.2	0.15	1.7	0.148	2.21	23.1	23.4	1.21	3560	64	0.92	3.3	35.8
E387024	290	290.5		0.43	4.73	94.5	150	1.39	10.4	6.59	<0.02	140.5	205	21	5.54	4310	9.08	14.55	0.21	1.3	0.13	2.12	73	15.5	2.03	5350	33.6	0.07	2.7	48.9
E387025	290.5	291		0.04	6.47	16.4	3580	1.76	0.44	5.35	<0.02	46.2	23.2	32	6.14	868	4.83	17.2	0.07	1.7	0.097	2.96	32.2	17.3	1.92	4340	0.76	0.07	3.4	16.2
E387026	291	291.5		0.99	5.26	163	1210	1.69	14.2	3.62	<0.02	127	232	29	5.7	>10000	12.2	15.85	0.38	2	0.166	2.39	63.6	16.1	1.5	4710	42.3	0.06	2.3	49
E387027	291.5	292		0.25	6.05	86.1	1810	1.66	6.09	5.79	<0.02	113.5	114.5	27	6.39	851	9.73	18.05	0.19	1.8	0.116	2.67	64.1	19.9	2.03	5540	52.3	0.07	2.9	35.1
E387028	292	292.5		0.1	7.61	17.7	5070	2.29	1.67	4.42	<0.02	60.1	32.1	41	8.51	318	4.96	22.4	0.09	2.2	0.094	3.54	40.8	24.8	1.57	3490	2.62	0.06	5.6	21.5
E387029	292.5	293		0.08	6.06	61.9	290	1.68	1.58	5.85	<0.02	46.5	131	27	8.14	136.5	6.26	16.95	0.1	1.7	0.079	2.73	30.3	16	1.78	4570	2.35	0.08	3.1	27
E387030	293	293.5		0.11	5.69	63.1	330	1.63	3.44	6.33	<0.02	110	131	27	5.84	63.9	7.58	16.75	0.17	1.8	0.067	2.61	58.4	14.1	1.86	5010	5.59	0.07	2.8	30.5
E387031	293.5	294		0.15	6.25	59.8	1350	1.61	1.74	6.68	<0.02	60	174.5	28	6.43	545	8.19	17.9	0.12	1.8	0.106	2.6	36.5	16.3	2.03	5440	1.77	0.08	2.9	33.3
E387032	294	294.5		0.27	3.54	74.2	100	0.91	3.92	7.46	<0.02	113.5	91.2	15	3.5	3550	13.7	10.75	0.2	1	0.379	1.49	71.8	15.4	3.58	12250	36.8	0.04	5.3	28.2
E387033	294.5	295		0.34	5.65	48.3	240	1.4	6.72	6.08	<0.02	33.8	87.7	28	6.45	3340	7.92	16.8	0.1	1.7	0.119	2.55	22.7	19.2	1.86	4780	132.5	0.1	3.8	25.7
E387034			BLANK	0.01	0.14	6	50	0.06	0.01	49.2	0.35	2.05	0.8	3	<0.05	7.4	0.07	0.44	<0.05	0.1	<0.005	0.04	1.5	1.2	0.52	49	0.57	0.02	0.4	<0.2
E387035	295	295.5		0.42	4.85	105	580	1.08	12.85	5.41	0.02	64.6	167.5	20	4.47	4680	10.65	12.15	0.18	1.4	0.127	1.88	39.1	15.3	1.71	4450	148	0.57	2.8	38.5
E387036	295.5	296		0.6	5.43	106	1700	1.24	12.4	4.3	<0.02	66	151	30	5.28	>10000	9.52	14.45	0.16	1.7	0.131	2.21	37.8	18.3	1.44	3390	279	0.34	3.1	40.4
E387037	296	296.5		0.11	5.92	18.6	3510	1.75	1.86	3.96	<0.02	90.8	28.3	39	6.36	894	4.26	17.1	0.15	2.1	0.089	2.86	53.5	19.5	1.28	2830	40.2	0.1	5.5	15.7
E387038	296.5	297		0.25	6.88	40.8	360	1.72	4.8	6.04	<0.02	93.3	55.3	36	8.2	4720	7.35	18.9	0.17	2.3	0.136	2.96	56.4	20.7	1.87	4260	90.2	0.27	2.6	29.9
E387039	297	297.5		0.37	5.83	94.5	890	1.73	9.79	5.94	<0.02	39.4	159.5	28	5.75	3430	9.32	14.65	0.15	1.8	0.114	2.3	22.4	22.3	1.88	4740	68.5	0.39	2.4	37.4
E387040	297.5	298		0.97	4.17	194	120	0.97	32.4	8.07	<0.02	73.8	399	21	3.2	>10000	14.2	8.67	0.2	1.1	0.153	1.36	42.4	13	2.21	5980	58.6	0.82	2.3	68.1
E387041	298	298.5		0.88	4.49	165	160	0.82	22.1	5.98	0.02	72.4	252	21	2.85	>10000	13.15	8.12	0.17	1.1	0.197	1.24	41.7	15.6	1.88	4940	63	1.19	2.3	62.3
E387042	298.5	299		0.41	5.59	85.9	400	1.33	9.98	7.24	<0.02	88.3	203	24	4.27	1180	11.8	11.7	0.16	1.5	0.103	1.84	50.6	19.3	2.11	6260	54.9	1.05	2.5	38.3
E387043	299	299.5		0.12	7.26	18.9	600	2.76	1.61	4.94	<0.02	41.5	98.5	39	8.76	106	9.04	19.25	0.15	2	0.138	3.16	21.2	31.9	1.59	5360	11.45	0.22	2.3	22.2
E387044	299.5	300		0.17	7.59	28.5	200	2.69	2.63	3.3	<0.02	54.1	144	44	8.44	89.3	10.4	18.55	0.16	2.2	0.122	2.56	26.5	42.4	1.52	3660	21	0.96	1.5	22.7
E387045			BLANK	0.02	0.13	<5	30	0.12	0.02	43.7	0.36	2.29	1.1	3	<0.05	6	0.06	0.5	0.07	0.1	<0.005	0.03	1.6	1.4	0.48	39	0.38	0.02	0.3	3.1
E387046			STARDARD2	1.16	2.45	109	40	0.62	9.67	2.27	0.02	200	327	12	2.32	9270	29.5	8.34	0.33	0.7	0.236	0.67	121.5	20.1	1.6	6130	58.8	0.24	5.4	54.5
E387047	300	300.5		0.1	7.76	29.3	140	2.88	2.54	4.19	<0.02	179.5	83.9	49	8.56	22.4	8.43	21.2	0.22	2.4	0.124	3.22	77.1	23.1	1.18	4560	12.45	0.89	1.9	20.6
E387048	300.5	301		0.1	8.68	25.5	260	2.76	2.18	3.3	<0.02	114	80.7	47	8.59	17.6	7.33	21.8	0.19	2.5	0.104	2.97	53	20.5	0.89	3300	14.4	1.59	2.4	18.9
E387049	301	301.5		0.15	8.49	33.4	260	2.8	3.48	4.19	<0.02	222	121.5	52	8.84	17	7.58	24.8	0.26	2.7	0.107	3.48	99.1	22.9	1.07	4100	16.85	1.13	2	17.5
E387050	301.5	302		0.06	6.5	18.5	370	1.59	1.88	8.44	<0.02	67.3	76.7	31	5.16	61.2	10.85	14.35	0.18	1.6	0.081	1.95	47.3	15.3	2.01	7240	7.31	1.61	1.3	16.1
E387101	302	302.5		0.05	7.19	19	1220	2.02	1.33	7.04	<0.02	75.5	43.1	36	6.35	44.1	7.73	16.05	0.16	1.7	0.082	2.73	38.3	16.9	1.77	5470	8.96	1	1.7	10.9
E387102	302.5	303		0.11	7.53	25.2	650	2.7	2.21	4.53	<0.02	156	41.2	47	8.59	25	6.52	19.2	0.2	2.1	0.102	3.35	83.8	20.5	1.27	3760	9.91	0.13	2.9	17.9
E387103	303	303.5		0.06	7.34	38.3	230	2.47	2.35	3.04	<0.02	214	37.1	43	8.33	24.2	8.04	18.35	0.22	2.2	0.122	3.32	111.5	18.6	1.13	3910	7.39	0.11	2.1	15.9
E387104	303.5	304		0.06	8.28	24.8	950	3.07	1.89	3.86	<0.02	77.2	38	48	9.04	33.6	7.92	21.2	0.17	2.4	0.126	3.7	41.7	21.6	1.44	4640	11.35	0.12	2.7	16.6
E387105	304	304.5		0.07	8.64	16.2	4330	2.61	1.34	4.3	<0.02	297	31.7	38	7.81	21	5.22	19.55	0.26	2.2	0.097	3.13	148	19.3	1.16	3520	10.95	0.22	2.7	14.8
E387106	304.5	305		0.09	5.59	30	400	1.86	1.74	7.66	<0.02	231	52.4	24	5.78	29.8	7.89	14.85	0.23	1.6	0.099	2.31	122.5	17.5	2.07	5830	16.7	0.22	3.3	18.8
E387107			BLANK	0.01	0.14	<5	30	0.1	0.01	46.2	0.4	2.54	1	4	<0.05	3	0.06	0.5	0.06	0.1	<0.005	0.03	1.7	1.5	0.51	49	1.45	0.02	0.4	3.4
E387108	305	305.5		0.15	5.95	30.1	1030	2.3	1.75	6.21	<0.02	61.4	79.8	32	7.28	38.8	8.91	18.95	0.14	1.7	0.099	2.66	35.1	26.9	1.97	5170	9	0.09	4.3	29.3
E387109	305.5	306		0.03	5.31	11.4	3210	2.14	0.21	6.85	<0.02	252	30.5	25	6.22	8.3	5.92	14.35	0.21	1.6	0.079	2.36	150	21	2.14	5610	4.8	0.06	2.5	20.7
E387110	306	306.5		0.03	8.42	8.4	4000	2.66	0.12	5.87	<0.02	61.1	23.3	33	7.92	13.1	4.88	16.4	0.14	1.7	0.078	3.01	37.8	24.2	1.83	4880	1.93	0.07	2.9	20.6
E387111	306.5	307		0.02	6.27	6.5	3750	2.62	0.08	6.23	<0.02	49.1	21.5	33	7.75	12.3	5.17	16.1	0.12	1.6	0.078	2.87	29.2	23.4	2.04	5130	2.75	0.07	2.9	21.4
E387112	307	307.5		0.03	5.54	9.5	3230	2.23	0.1	6.62	<0.02	117.5	19.6	28	6.63	151	5.24	13.65	0.15	1.5	0.081	2.6	65.3	18.9	2.16	5220	3.13	0.06	2.5	17.3
E387113	307.5	308		0.08	5.76	14.6	2350	2.33	0.31	6.31	<0.02	47.5	37.9	29	6.91	27.3	5.93	14.4	0.14	1.6	0.082	2.64	29.3	21.2	2.11	5120	1.99	0.09	2.5	22.7
E387114	308	308.5		0.03	6.61	3.5	3440	2.45	0.05	5.32	<0.02	184.5	20.2	35	8.27	9.1	6.22	17.65	0.21	1.8	0.093	2.96	96.5	25.4	1.7	4580	4.02	0.1	3.2	23.2
E387115	308.5	309		0.04	6.83	16.3	800	2.31	0.47	5.94	<0.02	100	130	43	8.12	37.6	7.1	18.3	0.16	1.7	0.101	3.16	50.5	28.7	1.86	5350	4.76	0.16	2.6	30.1
E387116	309	309.5		0.1	6.03	29.6	230	1.94	2.5	5.49	<0.02	80.2	90.1	34	6.53	119.5	7.67	18.15	0.14	1.7	0.112	2.7	40.6	20.3	1.63	5170	17	0.3	2.6	31.9
E387117	309.5	310		0.15	5.83	63.1	640	1.8	5.82	4.64	<0.02	112	183.5	30	6	807	9.27	15.15	0.19	1.5	0.098	2.64	53.5	21	1.53	5360	27.6	0.27	1.9	44.8
E387118			BLANK	0.02	0.13	<5	30	0.11	0.01	45.9	0.4	2.16	0.9	4	<0.05	2.7	0.05	0.47	0.08	0.1	<0.005	0.03	1.6	1.3	0.5	39	0.21	0.01	0.3	4.1
E387119			STARDARD3	0.28	8.67	51.1	290	2.68	1.47	1.91	<0.02	77.3	93.5	41	5.82	1580	7.12	16.65	0.14	1.8	0.124	2.87	41.1	22	1.3	3130	18.4	0.55	2.9	24.2
E387120	310	310.5		0.14	6.17	49.8	160	1.97	5.88	5.41	<0.02	76.8	177.5	32	6.85	560	8.39	17.2	0.16	1.7	0.103	2.82	38	20	1.63	4900	15.85	0.24	2.5	49.2
E387121	310.5	311		0.12	6.28	26.8	300	2.15	3.83	5.11	<0.02	124.5	80.6	34	8.83	112	6.4	18	0.17	1.7	0.085	3.09	65.7	21.8	1.73	4520	8.54	0.14	2.9	27.7
E387122	311	311.5		0.06	6.81	16.2	580	2.29	2.28	4.67	<0.02	101.5	42	38	7.15	109	5.59	19.25	0.14	1.8	0.069	3.28	50.6	22.3	1.45	3810	7.8	0.28	2.8	26.4
E387123	311.5	312		0.11	6.75	30.4	480	2.21	3.57	5.58	<0.02	69.5	93.9	38	8.85	81.6	6.72	18.2	0.16	1.9	0.108	3.21	35.9	21.5	1.71	4860	27.3	0.14	3.1	37.7
E387124	312	312.5		0.15	6.66	27.2	360	2.5	3.6	4.56	<0.02	127.5	104.5	38	7.48	37.5	6.17	20.1	0.17	2.1	0.106	3.24	66.1	24.1	1.39	4020	72.5	0.2	2.8	37
E387125	312.5	313		0.05	6.95	20.2	670	2.16	1.83	5.9	<0.02	76.1	78.5	37	7.07	45.3	6.46	18.35	0.24	1.9	0.108	3.04	43.6	23.9	1.59	5500	8.1	0.44	3.6	27
E387126	313	313.5		0.11	6.69	17.8	1080	2.35	0.96	5.82	<0.02	60.3	65.4	38	7.18	45.4	6.41	17.15	0.23	1.7	0.11	2.75	34.9	34.1	1.81	5710	22.5	0.43	4.1	23.9
E387127	313.5	314		0.09	6.74	14.7	1880	2.55	1	5.94	<0.02	67.8	73.6	38	7.57	43.2	6.23	17.75	0.21	1.7	0.098	2.84	40.4	33.6	1.83	5380	26.1	0.54	4.1	17.7
E387128	314	314.5		1.15	6.33	38.1	210	2.07	2.98	4.1	<0.02	131	188.5	36	6.66	222	9.56	16.55	0.3	1.9	0.084	2.21	59.4	38.7	1.41	4110	162	1.1	3.5	33.5
E387129	314.5	315		0.07	5.67	4.6	460	0.91	0.18	4.4	<0.02	98.2	62.8	26	2.94	53.1	9.84	12.85	0.27	1.7	0.046	0.85	85.6	33.2	1.47	4410	6.87	2.82	2.7	16.9
E387130			BLANK	0.02	0.14	<5	60	0.14	0.01	>50	0.42	2.47	1.7	7	<0.05	1.9	0.06	0.83	0.14	0.1	<0.005	0.03	1.8	2.1	0.53	42	0.38	0.02	0.3	<0.2
E387131	315	315.5		0.07	5.24	3.9	1210	0.3	0.15	4.51	<0.02	69.8	43.8	24	0.6	282	11	8.5	0.23	1.5	0.038	0.13	49.1	10.6	1.39	4170	21.4	3.71	1.9	17.8
E387132	315.5	316		0.12	2.83	10.2	70	0.15	0.72	3.25	<0.02	50.3	341	12	0.28	12.5	20	7.47	0.34	0.8	0.047	0.04	30.2	13.8	1.08	3620	11.2	1.64	1.3	47
E387133	316	316.5		0.06	4.59	8.3	60	0.47	0.76	0.54	<0.02	44.7	216	23	0.79	12.5	14.1	9.31	0.32	1.3	0.006	0.09	21.2	28.7	0.62	370	2.84	2.36	2	42.6

IG-2007-26

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E386998	208	208.5		910	290	9	0.138	3.84	6.38	5.7	2	8.4	301	0.2	0.49	7.8	0.053	0.16	2660	26	16.4	29.6	7	31	4.09	0.127	
E386999			BLANK	120	0.9	1	<0.002	0.06	0.06	0.5	1	0.2	272	<0.05	<0.05	0.3	0.006	<0.02	0.8	4	0.1	2.7	23	3.8		<0.001	
E387000			STANDARD 3	750	3.1	138	0.006	1.34	1.35	11.1	<1	7.5	459	0.29	0.19	15.8	0.131	0.4	18.6	62	9.9	12.1	4	59.5		0.016	
E387001	208.5	209		1120	2.1	33.4	0.004	1.48	1.67	4.4	<1	9.5	1385	0.18	0.31	4.4	0.055	0.07	6	29	12.3	9.1	9	20.6	1.035	0.035	
E387002	209	209.5		1190	3.9	117.5	0.004	0.48	2.69	8	<1	22.4	1040	0.54	0.18	13.9	0.183	0.23	80.2	58	23.5	12.7	3	47.3		0.013	
E387003	209.5	210		2120	2.3	8.7	0.008	0.93	1.79	2.2	3	13.3	555	0.27	0.38	4	0.04	0.02	6.9	43	7.4	14.5	4	14		0.007	
E387004	210	210.5		2040	2.3	4.7	0.014	0.57	2.09	2.8	3	17.1	405	0.25	0.43	4.9	0.043	0.02	7.1	32	7.5	12.2	6	18.3		0.009	
E387005	210.5	211		1640	2.3	5.8	0.017	0.56	2.03	3.2	2	15.2	364	0.28	0.46	5.1	0.057	0.03	5.6	37	7.5	12.1	5	19.6		0.011	
E387006	211	211.5		1560	2.4	30.6	0.024	1.18	1.96	4.5	2	9.4	280	0.34	0.4	7.4	0.091	0.06	5.8	41	9.8	12.8	5	32.2		0.02	
E387007	211.5	212		1080	3	148.5	0.002	1.05	2.79	8.9	3	14.7	110.5	0.48	0.3	15.2	0.16	0.26	18.7	54	19.9	13.9	2	59.1		0.021	
E387008	212	212.5		1350	3.4	37.7	0.002	0.59	2.79	4.6	2	8.8	885	0.36	0.3	5.1	0.075	0.07	4.1	57	12.3	10.6	5	24.9		0.02	
E387009	212.5	213		1420	3	45.6	0.028	0.28	1.79	6.2	2	8.6	437	0.32	0.77	9	0.115	0.1	16.6	50	12.3	17.5	7	40.3		0.024	
E387010	213	213.5		1170	2.4	104.5	0.011	0.33	1.91	9.6	3	11.5	307	0.37	0.46	12.2	0.138	0.2	5.9	54	14.9	15.5	8	50.8		0.019	
E387011			BLANK	120	1.1	0.9	<0.002	0.07	0.2	0.5	1	<0.2	299	<0.05	<0.05	0.2	0.007	<0.02	0.6	5	0.1	3	25	3.4		<0.001	
E387012	213.5	214		1310	2.5	84.9	0.02	0.28	2.11	7.1	4	9.4	367	0.36	0.49	10.4	0.115	0.15	6.8	45	13.5	14.3	6	44.1		0.019	
E387013	214	214.5		1440	2.4	140	0.007	0.25	2.78	9.3	1	9.6	164	0.47	0.36	12.3	0.158	0.21	8.2	59	18.8	13.1	4	50.8		0.008	1.07
E387014	214.5	215		1310	2.3	148.5	0.004	0.3	2.42	8.3	2	9.4	138.5	0.4	0.34	13.7	0.157	0.24	10	55	19.9	12.7	3	50.4		0.011	0.9
E387015	215	215.5		1560	2.2	127.5	0.007	0.27	2.21	8.2	2	9.3	309	0.4	0.38	10.6	0.134	0.2	8.9	54	18.5	13.6	3	48.2		0.01	
E387016	215.5	216.5		840	1.9	152.5	0.002	0.33	1.72	9.8	1	5.4	165.5	0.17	0.12	12.9	0.149	0.24	10.5	80	15.5	14.9	3	52.6		0.003	0.96
E387017	287	288		880	2.1	172.5	<0.002	0.09	1.03	11.4	1	3.7	36.6	0.19	<0.05	16.9	0.131	0.29	1.9	67	5.5	12.5	2	64.2		<0.001	
E387018	288	288.5		720	2	153	0.019	1.22	1.35	14.1	1	3.3	45.7	0.14	0.24	11.5	0.121	0.29	2.8	89	5.6	13.8	2	59.1		0.004	
E387019	288.5	289		710	1.9	147	0.014	0.44	2.43	29.9	1	3.3	102	0.11	0.05	3.4	0.241	0.29	4.9	223	11.5	14.8	4	58.3		<0.001	0.67
E387020	289	289.5		370	1.7	83.2	0.004	0.79	2.65	27	1	2.1	195.5	0.14	0.05	2.1	0.228	0.16	3.7	204	10	14	2	45.5		0.028	
E387021	289.5	290		630	2.8	76.9	0.007	3.05	1.53	13.4	2	2.4	292	0.16	0.18	9.6	0.115	0.15	5	107	8.3	13.9	2	39.9		0.043	
E387022			BLANK	120	1	0.9	<0.002	0.07	0.23	0.6	2	<0.2	296	<0.05	<0.05	0.2	0.007	<0.02	0.6	5	0.1	3.1	23	3.3		<0.001	
E387023			STANDARD1	890	21.9	86.1	0.021	2.39	1.79	9.4	2	7.3	592	0.16	0.25	8.2	0.083	0.42	272	55	7.8	15.6	4	56.2		0.051	
E387024	290	290.5		1250	5.2	109	0.016	4.55	1.26	8.9	5	4.5	57.4	0.17	0.42	11.2	0.071	0.24	6.3	86	8.3	18.5	2	43.7		0.024	
E387025	290.5	291		670	2	137	<0.002	0.62	0.84	10	1	5.1	43.7	0.22	<0.05	12.6	0.115	0.29	3.9	65	8.5	14.7	3	55.2		<0.001	
E387026	291	291.5		820	6.7	114.5	0.013	7.01	1.15	9.5	2	5.6	35	0.16	0.51	10.9	0.08	0.28	4.7	62	7.9	13.5	<2	58.9	1.64	0.092	
E387027	291.5	292		930	4.3	132.5	0.007	4.13	0.94	11.4	1	5.3	60.9	0.15	0.22	14.5	0.089	0.28	9.2	89	8.2	16.5	4	59.8		0.017	
E387028	292	292.5		720	2.3	173	0.003	0.57	1.14	12.3	1	6.8	49.7	0.39	0.06	13.4	0.162	0.36	2.6	83	12.1	15.8	3	73.6		0.001	0.52
E387029	292.5	293		630	2.1	131	0.002	1.81	0.91	9.8	1	5.1	55.5	0.22	0.06	10.6	0.102	0.26	2.2	61	8.1	14	3	53.4		0.001	
E387030	293	293.5		620	2.4	127	0.002	3.01	0.91	10.5	1	5.3	58.1	0.19	0.11	11.3	0.093	0.27	2.4	67	7.3	14.2	2	51.5		0.005	
E387031	293.5	294		620	2.1	138	<0.002	3.5	0.74	10.3	1	5.7	58.6	0.18	0.07	10.8	0.095	0.29	3.4	64	7.9	15.5	3	57.6		0.002	
E387032	294	294.5		1560	3.9	72.6	0.012	3.87	0.7	6.5	2	3.1	31.9	0.23	0.15	8	0.056	0.16	8.3	85	4.8	17.8	6	32.8		0.01	
E387033	294.5	295		770	3.7	129	0.017	3.26	1.05	9.7	1	5	52.7	0.21	0.18	9.5	0.1	0.29	16.9	85	8.8	14.1	3	56.6		0.016	
E387034			BLANK	130	1	0.9	<0.002	0.07	0.06	0.5	1	<0.2	297	<0.05	<0.05	0.2	0.007	<0.02	0.6	5	0.1	2.7	23	3.2		<0.001	
E387035	295	295.5		890	3.9	96	0.014	7.54	1	7.7	2	3.8	45.4	0.16	0.31	10	0.076	0.22	10.4	53	8.7	13.1	3	46.1		0.045	
E387036	295.5	296		800	3.6	110	0.024	6.1	1.19	8.6	3	4.6	41.8	0.18	0.38	10.5	0.089	0.25	8.4	66	8.4	12.8	<2	55.5	0.95	0.063	
E387037	296	296.5		830	3	124.5	0.003	0.57	1.61	11.5	2	5.3	39.8	0.38	0.07	12.6	0.133	0.3	7	89	13.1	12.9	5	69.4		0.006	
E387038	296.5	297		720	2.5	134	0.005	2.08	0.91	13.1	2	5	54.6	0.17	0.16	11.8	0.091	0.35	6.9	72	8.1	16.5	5	76.4		0.021	
E387039	297	297.5		780	3.7	96.5	0.015	4.54	0.98	9.7	1	4.4	52.7	0.15	0.18	10.2	0.08	0.3	15.3	83	7.3	12.9	5	51.1		0.027	
E387040	297.5	298		960	3.1	56.1	0.008	8.71	0.79	7.2	2	2.8	72.5	0.12	0.57	7.9	0.055	0.17	5.8	48	4.7	11.3	<2	36.9	1.125	0.131	
E387041	298	298.5		710	2.6	47.5	0.006	8.72	0.97	6.8	3	2.9	55	0.13	0.76	7.8	0.056	0.15	5.1	42	4.8	9.9	<2	35.2	1.805	0.135	
E387042	298.5	299		750	3.3	76.7	0.017	6.09	0.67	9.8	1	3.9	71.5	0.16	0.28	10.9	0.076	0.23	14	54	6	12.9	3	47.8		0.025	
E387043	299	299.5		670	1.6	136.5	0.005	1.44	0.79	10.1	<1	7.5	57.9	0.14	0.09	10.6	0.096	0.35	3	74	8.2	13.4	4	60.7		0.003	
E387044	299.5	300		700	2.4	95.7	<0.002	2.48	0.84	6.3	<1	5.7	64.3	0.08	0.14	14.8	0.069	0.3	3.7	65	5.8	11.3	14	70.9		0.005	
E387045			BLANK	100	0.7	0.7	<0.002	0.06	0.06	0.6	1	<0.2	270	<0.05	<0.05	0.2	0.006	<0.02	0.6	4	0.1	2.5	21	3.5		<0.001	
E387046			STARDARD2	2420	6.1	28.6	0.018	6.66	1.99	4.4	3	6.7	210	0.12	1.06	5.7	0.033	0.44	13.2	60	6.5	12.3	3	21.5		0.121	
E387047	300	300.5		770	2.4	115	<0.002	2.4	0.67	10.8	<1	6.8	258	0.11	0.14	16.6	0.067	0.39	4.1	80	6.6	12.5	3	73.3		0.005	
E387048	300.5	301		770	2	138	<0.002	2.45	0.82	10.1	<1	6.5	61.7	0.16	0.12	18	0.092	0.35	4.9	77	7.3	10.9	<2	76.9		0.003	
E387049	301	301.5		900	2.6	134.5	<0.002	2.54	0.82	15.3	<1	6.9	62.4	0.13	0.2	21.9	0.097	0.43	4	101	7.6	12.6	2	79.9		0.005	
E387050	301.5	302		590	1.5	85.3	<0.002	1.58	0.59	14.3	<1	3.9	101	0.09	0.13	11.8	0.058	0.22	2.1	56	4.8	13.4	2	51.5		0.004	
E387101	302	302.5		630	1.6	110	<0.002	1.14	0.88	13.8	<1	5.5	79	0.11	0.09	13.2	0.078	0.29	2.2	52	6.7	12.2	2	53.5		0.001	
E387102	302.5	303		780	1.9	148	<0.002	1.42	0.98	14.9	<1	6.8	52.2	0.19	0.15	16.3	0.107	0.35	3.3	54	9.7	13.1	<2	69		0.004	
E387103	303	303.5		820	2	143.5	<0.002	2.41	0.75	11.8	<1	6.4	32.8	0.12	0.16	18.6	0.096	0.35	3.8	63	8.5	13.5	<2	66.8		0.005	
E387104	303.5	304		760	1.5	163	<0.002	1.28	0.82	16.7	<1	7.5	39.8	0.17	0.16	16.4	0.109	0.42	4.4	82	10	12.9	<2	77.7		0.006	
E387105	304	304.5		780	1.9	136	0.002	0.6	0.92	15.1	<1	6.7	47.7	0.18	0.12	20.7	0.095	0.35	3.8	74	9.2	14	2	65.9		0.003	
E387106	304.5	305		950	2	99.1	0.003	1.22	0.75	10.4	<1	5.1	69.7	0.18	0.24	14.1	0.076	0.25	6.2	66	7.7	14	3	47.2		0.006	
E387107			BLANK	110	0.6	0.6	<0.002	0.06	0.06	0.7	1	<0.2	286	<0.05	<0.05	0.2	0.007	<0.02	0.7	5	0.1	2.8	21	4.1		<0.001	
E387108	305	305.5		750	1.8	121.5	0.005	0.9	1.09	10.8	<1	6.1	59.1	0.25	0.2	10.5	0.103	0.31	3.3	76	10.6	14.5	4	52.1		0.004	
E387109	305.5	306		680	1.6	106.5	0.002	0.41	0.75	9.1	<1	5.5	60.4	0.18	<0.05	19.4	0.083	0.27	3.1	54	7.9	15.2	2	48.4		<0.001	
E387110	306	306.5		630	1.2	135	<0.002	0.26	0.79	10.5	<1	7.4	50.1	0.22	<0.05	13.6	0.106	0.32	2.1	62	9.8	13	<2	51.6		<0.001	
E387111	306.5	307		640	1.1	131.5	0.002	0.21	0.8	10.7	<1	7.7	47.7	0.21	<0.05	12.8	0.102	0.3	1.9	61	9.4	13	<2	49		<0.001	
E387112	307	307.5		590	1.5	112	0.002	0.25	0.75	8.9	<1	6.9	43.7	0.2	<0.05	12	0.092	0.26	1.5	53	7.9	13.2	2	46.3		<0.001	
E387113	307.5	308		660	1.3	113.5	0.002	0.76	0.92	10	<1	6.8	43.4	0.18	0.08	10.4	0.089	0.28	1.6	56	7.7	13.3	3	49.6		0.001	
E387114	308	308.5		720	1.5	138.5	0.004	0.13	1.04	10.9	<1	7.4	41.6	0.24	<0.05	18.2	0.103	0.31	1.5	62	9.2	15.8	<2	55		<0.001	
E387115	308.5	309		610	1.6	140	0.002	1.24	0.91	11.9	<1	6.8	50.5	0.18	<0.05	14	0.1	0.33	2.2	56	10.2	16.1	3	55		<0.001	
E387116	309	309.5		550	1.9	116	0.018	2.47	0.95	11.1	<1	4.6	41	0.18	0.1	12.6	0.096	0.26	4.9	56	8.3	15.6	2	53.1		0.006	
E387117	309.5	310		510	2.2	111	0.027	3.63	0.94	10.8	<1	4	33.6	0.13	0.14	12.3	0.083	0.27	4.9	51	7.3	14.4	2	48.8		0.016	
E387118			BLANK	90	0.6	0.5	<0.002	0.06	0.06	0.6	1	<0.2	284	<0.05	<0.05	0.2	0.006	<0.02	0.6	5	0.1	2.6	23	2.6		<0.001	
E387119			STARDARD3	760	2.6	111.5	0.007	1.2	1.05	10.9	1	7	472	0.18	0.17	12.1	0.108	0.34	16.8	63	7.9	10.3	6	57.4		0.018	
E387120	310	310.5		550	1.8	121.5	0.006	3.67	1.01	11	<1	4.8	42	0.17	0.15	12.3	0.095	0.29	2.6	56	8.6	15.6	2	53.8		0.013	
E387121	310.5	311		560	2	128.5	0.007	2.25	1.18	12.4	<1	5.2	42	0.2	0.11	13.4	0.107	0.3	3.2	59	9.1	14.9	3	54.6		0.007	
E387122	311	311.5		630	1.7	140	0.008	1.38	1.15	11.8	<1	5.4	43.2	0.19	0.05	14.2	0.108	0.32	3.4	60	8.3	15.4	<2	58		0.003	
E387123	311.5	312		610	1.9	136	0.013	1.58	1.35	11.9	<1	5.7	57	0.19	0.14	13.3	0.108	0.3	11.1	63	9.5	17.1	2	59.8		0.005	
E387124	312	312.5		680	2.4	145	0.016	1.78	1.4	12.8	<1	6.5	41.5	0.18	0.17	16.6	0.103	0.34	20.4	64	9.4	17.9	<2	65.1		0.006	
E387125	312.5	313		640	3.1	154.5	0.005	1.09	1.45	12.3	2	6.7	69.8	0.28	0.12	13.4	0.12	0.33	4.3	66	9.8	17.1	8	60.1		0.003	
E387126	313	313.5		640	3.8	144.5	0.01	0.84	1.28	11.2	2	7	66.6	0.31	0.1	11.4	0.124	0.32	40	66	11.5	15.2	11	55.3		0.003	
E387127	313.5	314		650	3.7	151.5	0.01	0.79	1.24	12.1	2	7.5	67.6	0.3	0.09	10.8	0.124	0.35	38.9	69	12.3	14.1	8	54.9		0.003	
E387128	314	314.5		770	20.4	115	0.048	2.09	2.34	11.3	2	7.7	82.7	0.22	0.18	13.3	0.1	0.38	580	71	13	20.8	12	58		0.012	
E387129	314.5	315		630	3.5	46.6	0.006	0.72	0.98	12	2	5.9	234	0.21	<0.05	13.1	0.056	0.09	11.6	57	8.2	11.7	13	52.8		<0.001	
E387130			BLANK	100	0.9	0.7	<0.002	0.07	0.07	0.6	3	<0.2	300	<0.05	<0.05	0.2	0.007	<0.02	0.9	7	0.1	2.8	25	3.6		<0.001	
E387131	315	315.5		820	3.5	6	0.012	0.56	0.81	5.3	1	1.3	232	0.14	<0.05	9.8	0.037	<0.02	6.6	43	4	11.2	12	46.2		0.001	
E387132	315.5	316		1000	4.1	1.4	0.003	4	0.96	3.2	2	0.7	141	0.06	0.06	4.4	0.018	<0.02	8.1	44	2.2	9.3	18	24		0.002	
E387133	316	316.5		1210	4	4.9	<0.002	2.67	0.97	2	3	1.5	464	0.11	0.05	4.9	0.039	0.02	5.3	41	3.8	7.4	21	40.8		0.003	

IG-2007-26

Sample No	From (m)	To (m)	Standard/Blank
E387134	316.5	317	
E387135	317	317.5	
E387136	317.5	318	
E387137	318	318.5	
E387138	318.5	319	
E387139	319	319.5	
E387140	319.5	320	
E387141			BLANK
E387142			STANDARD1
E387143	320	320.5	
E387144	320.5	321	
E387145	321	321.5	
E387146	321.5	322	
E387147	322	322.5	
E387148	322.5	323	
E387149	323	323.5	
E387150	323.5	324	
E387151	324	324.5	
E387152	324.5	325	
E387153			BLANK
E387154	325	325.5	
E387155	325.5	326	
E387156	326	326.5	
E387157	326.5	327	
E387158	327	327.5	
E387159	327.5	328	
E387160	328	328.5	
E387161	328.5	329	
E387162	329	329.5	
E387163	329.5	330	
E387164			BLANK
E387165			STANDARD2
E387166	330	330.5	
E387167	330.5	331	
E387168	331	331.5	
E387169	331.5	332	
E387170	332	332.5	
E387171	332.5	333	
E387172	333	333.5	
E387173	333.5	334	
E387174	334	334.5	
E387175	334.5	335	
E387176			BLANK
E387177	335	335.5	
E387178	335.5	336	
E387179	336	336.5	
E387180	336.5	337	
E387181	337	337.5	
E387182	337.5	338	
E387183	338	338.5	
E387184	338.5	339	
E387185	339	339.5	
E387186	339.5	340	
E387187			BLANK
E387188			STANDARD3
E387189	340	340.5	
E387190	340.5	341	
E387191	341	341.5	
E387192	341.5	342	
E387193	342	342.5	
E387194	342.5	343	
E387195	343	343.5	
E387196	343.5	344	
E387197	344	344.5	
E387198	344.5	345	
E387199			BLANK
E387200	345	345.5	
E387201	345.5	346	
E387202	346	346.5	
E387203	346.5	347	
E387204	347	347.5	
E387205	347.5	348	
E387206	348	348.5	
E387207	348.5	349	
E387208	349	349.5	
E387209	349.5	350	
E387210			BLANK
E387211			STANDARD1
E387212	350	350.5	
E387213	350.5	351	
E387214	351	351.5	
E387215	351.5	352	
E387216	352	352.5	
E387217	352.5	353	
E387218	353	353.5	
E387219	353.5	354	

Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
0.05	3.52	7.5	130	0.61	0.35	0.53	<0.02	31.7	118.5	20	1.67	36.7	6.93	8.35	0.24	1.1	0.009	0.34	11.2	28.9	0.58	438	4.71	1.5	2.5	31.9
0.24	4.35	9.9	130	0.51	0.63	1.71	<0.02	26.9	121	25	1.71	92.8	11.2	8.77	0.23	1.4	0.037	0.33	13.1	27.7	0.94	1320	28.6	2.07	2.5	42.6
0.13	3.55	5.6	330	0.32	0.2	2.04	<0.02	61.3	86.5	24	0.74	7.8	12.6	6.95	0.25	1.2	0.013	0.08	41.5	24.5	0.76	1060	23.4	1.82	1.6	34.4
0.02	4.29	6.1	460	0.48	0.15	1.49	<0.02	8.17	47	20	0.83	15	8.96	6.95	0.21	1.2	0.006	0.18	4.2	16.5	0.65	982	3.18	2.7	2.1	22
0.05	5.38	2.8	1480	0.5	0.06	2.68	<0.02	67.6	11.2	27	0.89	4	7.44	8.71	0.22	1.4	0.007	0.2	63.6	13.4	0.86	1890	2.9	3.68	3.5	9.6
0.05	4.77	3.1	1120	0.32	0.06	5.39	<0.02	26.5	23.8	21	0.51	2.5	9.4	6.82	0.19	1.1	0.016	0.18	18.5	7.9	1.55	4500	2.69	3.48	2.7	9.8
0.04	4.64	2.8	1030	0.46	0.06	2.85	<0.02	149	16.5	23	0.68	4.6	7.81	6.6	0.26	1.2	0.011	0.18	111.5	11.4	0.88	2160	1.98	3.21	3.4	9.4
0.01	0.13	<5	140	0.12	0.01	44.4	0.34	2.21	1.5	6	<0.05	1.7	0.05	0.55	0.09	0.1	<0.005	0.03	1.7	1.7	0.47	36	0.2	0.02	0.3	<0.2
1.07	5.52	79.5	70	1.76	2.93	1.96	<0.02	57.7	159.5	31	3.34	7100	9.45	14.25	0.22	1.7	0.128	2.02	22.8	22.2	1.16	3590	61.2	0.93	3	35.2
0.11	4.74	2.8	1120	0.55	0.08	1.84	0.02	104	20.6	32	1.19	4.3	7.98	8.84	0.35	1.4	0.015	0.24	77.9	25.3	1.07	1405	1.87	2.71	3.4	19.1
0.06	4.44	3.8	1140	0.53	0.06	2.13	<0.02	142.5	12.7	27	0.91	3.3	7.42	7.48	0.37	1.3	0.011	0.19	105	19.5	0.98	1345	7.82	2.78	3.3	14.4
0.05	3.55	5.2	310	0.3	0.19	3.31	<0.02	70.8	47.9	16	0.83	4.1	10.8	7.3	0.33	0.9	0.017	0.21	38.5	15	1.12	2300	3.02	2.13	4.2	22.4
0.1	3	10.4	190	0.14	0.72	2.11	<0.02	63.6	126.5	11	0.45	5.1	20.9	9.29	0.43	0.7	0.014	0.09	42.6	12.2	0.81	2720	36.1	1.68	2.4	58.3
0.26	0.89	16.3	80	<0.05	1.42	0.66	0.15	73.5	197	3	0.18	5.2	30.9	8.6	0.4	0.2	0.024	0.01	38.6	9.4	0.44	3390	56.6	0.18	2.9	59.5
0.13	2.24	16.1	70	0.07	1.14	0.7	0.05	23.6	122	8	0.28	16.9	29.1	9.3	0.33	0.5	0.01	0.06	11.9	7.3	0.31	1700	60.7	1.31	2.9	53.9
0.08	4.74	11.1	150	0.14	0.55	2.92	<0.02	23.1	84.5	12	0.48	10.7	13.7	9.99	0.21	1	0.014	0.12	10.9	12.9	0.92	2580	24.2	3.01	4.1	30.7
0.04	7.35	1.8	4490	0.47	0.05	2.6	0.02	7.72	4	33	1.45	52.6	4.17	11.9	0.15	1.9	0.016	0.36	4.5	22.1	1.06	1880	11.45	4.76	5.3	18.1
0.09	8.3	2.1	6170	1.08	0.08	1.37	0.04	9.99	2.3	40	3.35	65.7	2.69	14.75	0.13	2.4	0.017	1.22	5.8	42	0.73	1150	43.9	4.75	6.9	7.7
0.05	7.86	1.8	8080	1.5	0.03	2.5	<0.02	25.9	5.2	42	4.85	8.4	3.51	16.75	0.16	2.5	0.022	1.7	16	61.3	1.15	2150	12.8	3.8	7.3	10.6
0.01	0.13	14	60	0.14	0.01	44	0.36	2.16	1.5	5	<0.05	3.2	0.05	0.54	0.09	0.1	<0.005	0.03	1.6	1.8	0.47	35	0.3	0.02	0.3	<0.2
0.07	5.19	4.6	1340	1.02	0.15	5.86	<0.02	61.7	31.2	23	3.79	7.2	8.41	12.05	0.2	1.5	0.049	1.43	37.2	34.4	2.03	5480	7.13	1.67	4.6	21.3
0.02	6.71	2.2	3570	1.81	0.05	4.7	<0.02	87.4	17.9	36	6.05	2.8	6.54	17.4	0.19	2.2	0.057	3.41	51.6	46.7	1.94	3620	4.39	0.45	4.1	20.7
0.02	5.1	2.1	1110	1.35	0.02	4.25	<0.02	157.5	5.5	23	4.55	2.8	5.78	12.65	0.24	1.8	0.039	2.19	91.8	35.1	1.57	3320	1.97	0.7	3.3	18.6
0.02	7.37	2.2	1450	2.55	0.03	3.8	<0.02	29	6	39	7.61	2.6	5.76	22.1	0.2	2.3	0.071	3.96	16.5	67	1.67	2520	1.67	0.1	4.6	25.8
0.08	7.5	4.3	1180	2.49	0.22	3.87	<0.02	121.5	8.9	39	9.84	13.4	5.86	21.3	0.27	2.7	0.089	3.85	65.8	64.2	2.07	2830	4.42	0.05	5.1	28.9
0.06	5.23	3.9	2250	1.58	0.15	6.05	0.02	123	9.4	22	6.71	138.5	7.17	12.6	0.25	2.1	0.084	2.36	69	42.6	2.67	4570	1.88	0.03	3.4	25.2
0.08	6.48	4.7	1220	2.1	0.12	5.34	<0.02	109	8.2	32	8.96	108	6.12	18.1	0.23	2.8	0.072	3.16	63.4	54.1	2.64	4140	2.35	0.04	5.5	27.7
0.07	5.28	5.8	550	1.74	0.13	5.58	<0.02	219	10.4	25	9.6	73.2	7.68	12.9	0.2	2.4	0.063	2.34	122	48.1	2.86	4540	2.2	0.03	4.1	31.8
0.08	4.71	4.6	3490	1.58	0.15	6.82	<0.02	144.5	10.4	22	12.15	25	8	9.98	0.16	2.1	0.062	1.93	83.3	39.5	3.39	5470	2.14	0.03	3.7	24.8
0.27	3.77	21.2	260	1.1	0.64	5.76	<0.02	128	21.2	22	11.4	78.6	11.05	6.18	0.18	1.7	0.033	0.78	65.1	39.1	3.35	4430	8.42	0.02	9.1	39.9
0.01	0.12	17	90	0.06	<0.01	44.4	0.36	2.39	0.9	6	<0.05	2.6	0.06	0.45	0.07	0.1	<0.005	0.03	1.7	1.3	0.48	41	0.2	0.01	0.3	4.5
1.16	2.32	109	30	0.67	10.45	2.19	0.02	215	324	11	2.47	8940	26.9	8.87	0.36	0.7	0.239	0.68	132	20.2	1.56	6180	60.2	0.23	6.1	57.7
0.16	2.48	17.1	180	0.57	0.45	5.83	<0.02	225	72.5	10	3.2	113.5	11.5	5.99	0.2	0.8	0.047	0.57	107	22.1	2.62	4380	10.55	0.01	6.7	30.3
0.07	4.52	9.6	460	1.54	0.11	5.18	<0.02	64.4	77	20	13.05	14.4	10.95	7.71	0.16	1.4	0.043	1.34	35.9	35.5	2.82	3900	2.4	0.02	4.4	30.5
0.16	6.09	9.9	2390	2.5	0.52	5.46	<0.02	69.9	23.4	33	17.85	186	9.22	12.75	0.15	2.1	0.054	2.21	42.6	44.6	3.15	4670	0.83	0.03	4.2	35
0.2	6.27	16.9	1290	2.5	0.38	4.01	<0.02	101.5	22.6	37	20.9	181	12.25	11.35	0.17	2.3	0.043	1.75	65.3	56.6	3.04	2850	12.95	0.02	8.5	45.2
0.08	5.98	6.5	2370	2.57	0.17	3.66	<0.02	105.5	11.3	37	8.78	114	6.03	15.1	0.13	1.8	0.068	2.86	60.1	31.8	2.11	3200	7.95	0.03	5.2	25.5
0.05	6	3.7	3270	2.74	0.09	4.38	<0.02	138.5	7	33	4.58	23.6	4.02	16.25	0.15	1.7	0.078	3.13	72.8	16.9	2.09	3670	0.85	0.04	3.8	13.8
0.22	6.11	3.1	5970	2.66	0.14	4.85	<0.02	42	6.9	31	6.25	72.3	4.25	15.45	0.11	1.8	0.099	3.22	21.8	17	2.35	3990	0.65	0.04	3.6	12.8
0.05	6.05	2.8	8920	3.16	0.16	6.82	<0.02	69.3	9.3	33	5.64	27	4.88	15.8	0.12	1.9	0.091	3.14	39.5	19.6	3.53	5560	9.18	0.03	4.8	14.4
0.02	5.94	1.6	2460	2.59	0.01	5.17	<0.02	28.7	4.9	32	3.43	27.1	5.59	12.45	0.09	1.4	0.063	3.16	16.5	15.9	3.07	6410	8.56	0.03	2.8	8.9
0.02	6.88	2.7	2500	3.64	0.01	4.36	<0.02	72.3	5.9	39	4.85	54.7	4.75	17.5	0.13	1.9	0.08	3.89	43.5	21.3	2.19	5110	4.45	0.04	4.1	11.1
0.01	0.13	<5	60	0.05	<0.01	44.8	0.37	2.25	1	6	<0.05	2.3	0.05	0.48	0.05	0.1	<0.005	0.04	1.6	1.3	0.49	44	0.21	0.01	0.3	4
0.03	6.73	3.1	2270	3.52	0.02	4.42	<0.02	69.3	6.6	40	5.18	105.5	5.82	17.2	0.13	1.9	0.083	3.53	41.7	22.7	2.33	5770	5.53	0.04	3.7	13.1
0.86	2.71	182.5	50	1.27	5.46	7.17	<0.02	36.6	487	13	2.12	7510	15.95	7.56	0.21	0.9	0.09	1.25	20.7	12.5	3.24	7430	56.1	0.02	2.6	60.1
0.13	5.52	40.8	430	2.63	1.5	5.1	<0.02	133	141.5	33	3.56	357	11.6	14.7	0.19	1.3	0.071	2.83	94	19	2.28	5140	20.9	0.04	4.2	26.3
0.11	5.05	15.8	480	2.23	0.57	4.81	<0.02	109.5	102	27	3.17	346	11.5	13.55	0.17	1.3	0.072	2.39	73	20.5	2.37	5220	28.4	0.03	4.2	24.9
0.06	6.04	11.4	930	2.87	0.32	3.6	<0.02	55.5	49.1	34	3.98	94.7	9.11	16.05	0.14	1.5	0.081	2.99	35.8	25.7	1.84	4540	17.25	0.05	4.7	19
0.1	4.8	21.7	370	1.84	0.83	5.81	<0.02	60.6	69.2	24	3.26	34.9	10.6	12.5	0.15	1.3	0.062	2.09	39.1	23.1	2.81	6440	25.2	0.3	4.3	21.7
0.13	5.48	22	740	2.19	1.09	5.84	<0.02	48.6	67.7	31	3.81	129	10.1	14.4	0.15	1.6	0.074	2.56	30.6	23.5	2.93	5900	17.05	0.03	3.8	23.6
0.06	4.87	17.6	1230	2.01	0.42	7.53	<0.02	52.6	52.2	25	3.08	167	8.79	12.55	0.14	1.4	0.12	2.45	30.9	19.5	3.21	8490	16.7	0.03	3.7	14.7
0.25	5.39	51.6	260	2.5	2.87	5.31	<0.02	131	111	31	3.88	1940	9.17	15.45	0.19	1.5	0.088	2.55	84.5	25.2	2.83	5530	30.8	0.03	4.3	28.1
0.94	4.14	143.5	80	1.37	10.2	7.07	<0.02	130.5	256	19	3.48	1340	16.1	9.85	0.21	1.3	0.057	1.05	90.5	26.8	3.78	6380	66.2	0.02	5.1	52.8
0.01	0.12	<5	30	0.07	0.04	43.8	0.38	2.3	1.4	5	<0.05	5.5	0.06	0.44	<0.05	0.1	<0.005	0.03	1.7	1.3	0.48	42	0.45	0.01	0.3	3.8
0.27	6.3	52.6	230	2.49	1.5	1.8	<0.02	67.7	100.5	38	5.7	1500	6.4	16.85	0.15	1.7	0.113	2.8	46.7	21.5	1.23	2960	17.1	0.51	3.2	24.2
1.44	2.46	231	120	0.48	14.3	7.35	0.02	171.5	357	9	1.4	2610	21.2	6.76	0.3	1	0.056	0.17	121	19.1	4.23	7340	70.4	0.01	4.5	60
1.51	2.19	264	100	0.46	13.1	8.36	0.02	218	332	7	1.22	2990	23.5	7.1	0.3	0.7	0.059	0.12	160.5	18.9	3.6	7300	67.3	0.01	4.1	57.5
1.04	2.26	128.5	170	0.52	5.77	6.21	0.02	83.4	173.5	9	2.1	4150	23.3	7.58	0.25	0.5	0.071	0.23	56.4	19	3.44	8200	52.3	0.04	2.3	44.8
1.07	4.02	152.5	200	1.85	7.6	7.81	<0.02	100.5	201	15	8.72	873	17.15	8.41	0.25	1.1	0.068	0.97	65.4	30.2	3.9	5970	47.1	0.03	4.1	46.6
0.88	4.03	197.5	220	1.73	8.4	8.81	0.03	135	213	19	7.54	582	15.85	7.96	0.23	1.2	0.063	0.95	90.3	29	4.33	7110	61.1	0.03	3.8	48.1
0.73	4.84	216	90	1.97	7.37	4.03	<0.02	26.7	182	24	3.4	157	10.7	12.65	0.14	1.4	0.059	1.97	15.8	20.7	2.14	3870	85.3	0.05	3.2	34.3
0.89	3.41	303	50	1.37	10.1	6.24	<0.02	96.7	254	18	2.54	166	14.1	9.34	0.19	1	0.064	1.44	56.3	16.5	3.28	7260	58.6	0.03	4.1	41.9
0.33	8.49	28.6	2290	3.54	1.14	4.89	<0.02	74.6	53.9	46	8.06	468	8.97	21.6	0.15	2.3	0.094	3.66	45.2	34.4	2.96	4400	13.75	0.04	3.3	35.6
0.42	8.12	123	1300	3.71	3.19	2.43	<0.02	68.1	92.5	41	8.17	35.3	7.72	25.7	0.26	2.2	0.091	3.79	55.6	29.1	1.49	2150	40.8	0.07	4.1	31.8
0.1	6.1	30.3	2060	3.04	0.53	6.18	<0.02	48.8	39.6	28	4.98	58.7	7.16	19.6	0.23	1.7	0.098	3.07	35.6	18.6	2.79	6560	8.05	0.04	5.2	17.3
0.02	0.14	11	40	0.15	<0.01	46.5	0.37	2.27	1.8	6	<0.05	3.5	0.06	0.7	0.1	0.1	<0.005	0.05	1.8	1.5	0.49	46	0.25	0.03	0.3	<0.2
0.76	2.87	126.5	210	1.11	6.08	7.76	<0.02	117	178.5	14	1.93	1190	15.3	9.67	0.32	0.8	0.098	1.17	82	14.6	2.99	8160	35.3	0.06	4.3	28.9
1.05	1.79	315	70	0.42	8.35	7.96	<0.02	91.5	211	7	1.05	2120	19	5.48	0.32	0.6	0.097	0.21	62.6	18.7	3.56	8000	35.9	0.03	5.4	34.2
1.22	2.01	414	110	0.47	10.7	7.39	<0.02	131	186.5	8	1.65	909	19.2	5.34	0.37	0.7	0.07	0.28	89.4	20.7	3.2	8730	41.9	0.02	6.9	38.1
1.11	4.37	280	200	1.58	9.54	5.19	<0.02	55.3	210	20	3.85	1810	18	12.05	0.32	1.3	0.073	1.52	39.5	25.9	2.54	4960	29.9	0.03	6.4	42.5
0.11	3.59	35.3	400	1.38	0.4	6.48	<0.02	167.5	72.9	16	2.52	800	11.95	12.7	0.28	0.9	0.077	1.83	119	15.7	2.22	7830	23.2	0.03	5.4	18.5
0.27	2.98	57.7	150	1.09	2.17	7.96	<0.02	155.5	181.5	14	1.88	986	16.3	10.75	0.31	0.8	0.08	1.15	116	18.1	3.16	9820	83.6	0.06	3.7	27
0.57	3.81	149	180	1.57	7.81	6.41	<0.02	175.5	265	18	2.7	120	17.6	12.5	0.36	1	0.067	1.66	130.5	19.6	2.7	7810	53.9	0.04	4.4	37.1
0.17	4.39	20	1870	1.95	0.94	8.99	<0.02	55.4	34.4	22	3.75	437	8.41	12.75	0.17	1.4	0.118	2.04	42.5	18	3.54	7870	18	0.04	3.3	14.7
0.03	5.36	9.3	3850	2.47	0.12	6	<0.02	89.9	22.2	27	5.42	28.4	9.85	16.2	0.24	1.6	0.088	2.51	64.1	21.9	2.56	6400	7.48	0.03	3.8	19.8
0.02	4.9	9.5	2970	2.07	0.06	6.94	<0.02	93.1	26.6	24	4.44	379	8.37	13.5	0.2	1.4	0.08	2.32	69.6	23.3	2.82	5850	13	0.07	4.5	15.1
0.01	0.12	6	50	0.12	<0.01	43.8	0.37	2.21	1.6	5	<0.05	4.2	0.06	0.55	0.08	0.1	<0.005	0.04	1.7	1.5	0.46	44	0.29	0.03	0.3	<0.2
1.06	5.29	72.8	120	2	2.83	1.81	<0.02	60.5	154.5	30	3.46	7270	9.56	15.2	0.23	1.6	0.136	1.96	28.9	22.6	1.06	3190	64	0.87	3.5	36.1
0.15	4.04	25.3	190	1.5	0.73	6.06	<0.02	131	102.5	20	3.37	1130	13.2	11.55	0.29	1.1	0.059	1.65	96.5	23.9	2.06	6840	63.3	0.35	3.6	21.7
0.19	4.43	48.7	330	1.76	1.95	6.3	<0.02	52.1	114.5	22	3.54	205	10.85	10.9	0.21	1.2	0.057	1.83	37.2	26.4	1.82	7240	18.95	0.44	3.3	19.6
0.09	4.01	13.8	340	1.49	0.19	4.82	<0.02	126.5	60	21	2.96	687	11.45	10.1	0.26	1	0.048	1.43	93.3	50.3	1.6	5790	8.3	0.1	2.5	15.5
0.62	7.1	50.2	410	3.11	3.13	2.66	<0.02	7.31	74.3	41	7	48.1	7.11	15.5	0.16	1.8	0.055	2.82	4.2	32.5	1.57	2470	11.8	0.31	4	23.3
0.51	7.85	120	270	4.09	7.12	2.71	<0.02	6.24	179.5	40	9.18	44.6	9.06	18	0.19	2	0.077	4.04	3	32.3	1.21	2460	90	0.15	3.3	33.4
0.08	6.25	22.2	1210	2.49	0.56	5.15	<0.02	51.5	45.4	35	6.14	428	11	11.1	0.23	1.4	0.058	2.69	38.3	26	1.99	4710	37.4	0.39	2.5	17.5
0.05	7.3	11.8	6490	3.23	0.09	4.24	<0.02	12.5	27	40	7.39	94.1	9.85	13.9	0.21	1.6	0.068	3.51	7.6	31.3	1.82	3940	19.7	0.07	2.6	16.7
0.06	5.59	12.6	2200	2.11	0.33	8.43	<0.02	24.8	44.3	26	5.68	950	13.9	10.4	0.22	1.2	0.055	2.2	17	22.4	2.06	6130	2.89	0.49	2.2	20

IG-2007-26

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E387134	316.5	317		780	2.5	23.7	<0.002	1.37	1.01	4.2	2	3.4	982	0.13	0.05	3.2	0.05	0.07	6.6	33	5.3	5.5	13	38.1		<0.001	
E387135	317	317.5		560	7.2	19.4	0.008	1.49	1.57	4.6	2	2.2	693	0.13	0.07	10.4	0.062	0.07	105	28	5.2	10.9	21	45.8		0.002	
E387136	317.5	318		490	2.8	4	0.006	0.96	1.1	3.2	2	1.7	414	0.09	<0.05	6.3	0.055	0.02	14.6	24	3.2	8.6	19	41		0.001	
E387137	318	318.5		480	1.4	10.8	<0.002	0.57	0.88	3	2	2.5	1260	0.15	0.06	5	0.061	0.04	4.2	30	5.1	6.1	12	38.9		<0.001	
E387138	318.5	319		680	2.4	12.1	<0.002	0.22	0.81	4.2	2	5.5	1070	0.31	0.05	8.7	0.143	0.04	3.6	44	4.7	8.8	12	44.1		<0.001	
E387139	319	319.5		640	1.9	9.6	<0.002	0.35	0.7	4.8	2	4.3	1210	0.25	<0.05	8.8	0.116	0.03	2.9	39	4.6	9.9	9	36.4		<0.001	
E387140	319.5	320		700	3.1	9.5	<0.002	0.29	0.67	3.5	2	5.4	1410	0.31	<0.05	9.9	0.138	0.04	2.4	35	4.5	8.5	14	36.5		<0.001	
E387141			BLANK	110	0.7	0.6	<0.002	0.07	0.07	0.5	3	<0.2	266	<0.05	<0.05	0.2	0.006	<0.02	0.6	6	0.1	2.5	22	3		<0.001	
E387142			STANDARD1	850	20.6	86.4	0.022	2.37	1.38	9.6	3	7.1	547	0.15	0.25	8.3	0.076	0.48	241	57	7.5	13.6	5	53.6		0.057	
E387143	320	320.5		720	3.9	12.7	<0.002	0.35	0.72	3.6	1	6.4	1135	0.23	0.12	7.6	0.16	0.05	2.9	38	4	7.6	23	40.1		<0.001	
E387144	320.5	321		780	2.5	10.6	<0.002	0.31	0.74	3.2	2	6.5	1330	0.22	0.05	7.1	0.161	0.04	3.5	35	3.8	8.4	14	37.2		<0.001	
E387145	321	321.5		1190	1.9	11.4	<0.002	0.59	0.81	3.4	2	3.9	1205	0.22	<0.05	5.6	0.085	0.04	2.2	43	3.7	11.5	8	27.2		0.001	
E387146	321.5	322		1080	2.4	4	0.006	1.91	1.03	2.1	2	2	373	0.07	0.1	5.1	0.044	0.02	2.8	46	3.3	7.5	13	21.9		0.003	
E387147	322	322.5		1210	6.8	0.2	0.008	3.73	1.28	1.2	1	1	254	0.06	0.14	2.8	0.013	<0.02	2.3	53	4.4	6.9	39	7.4		0.007	
E387148	322.5	323		1250	4.1	2.8	0.008	3.04	1.15	0.8	1	1.4	234	0.1	0.11	2.3	0.031	<0.02	4.8	63	2.7	6.4	13	17.5		0.008	
E387149	323	323.5		1180	1.5	4.5	0.005	1.79	0.96	3.5	1	2.7	802	0.22	0.1	7.1	0.068	0.03	5.4	40	4.6	10.8	7	34.3		0.003	
E387150	323.5	324		700	2.2	18.8	0.003	0.24	1.01	6.2	<1	4.1	709	0.29	<0.05	16.3	0.088	0.07	7.2	28	10.5	10.5	9	60.8		<0.001	4.42
E387151	324	324.5		820	4.6	56.2	0.003	0.17	1.91	8.6	<1	9.1	139.5	0.39	<0.05	19.3	0.128	0.18	27.8	41	13.2	10.8	20	76.7		0.002	0.65
E387152	324.5	325		740	2.5	89.7	0.011	0.23	1.95	13.1	1	14	189	0.57	<0.05	16.1	0.167	0.23	3.8	69	18.1	10.8	12	79.9		<0.001	0.89
E387153			BLANK	110	0.7	0.7	<0.002	0.07	0.07	0.6	3	<0.2	266	<0.05	<0.05	0.2	0.006	<0.02	0.7	6	0.1	2.6	21	3.3		<0.001	
E387154	325	325.5		740	2.4	74.5	0.002	0.39	1.11	8.4	2	5.7	170.5	0.27	0.1	9.8	0.119	0.19	4.3	52	9	15.3	12	48.7		0.002	
E387155	325.5	326		840	1.8	185	0.003	0.28	1.12	10.5	2	6	78	0.28	0.05	13.2	0.187	0.32	4	72	12	14.8	7	70.6		0.008	
E387156	326	326.5		660	1.6	121.5	<0.002	0.02	1.05	7.7	2	4.2	56.6	0.23	<0.05	13.4	0.134	0.25	7.3	49	9.5	15	6	56.6		<0.001	
E387157	326.5	327		710	1.6	227	<0.002	0.02	1.31	11.8	2	6.7	52.9	0.32	<0.05	16.4	0.195	0.42	6.5	67	14.9	15.2	6	73		<0.001	
E387158	327	327.5		740	3.2	212	0.002	0.19	1.67	11.3	2	6.5	45.7	0.36	0.05	19	0.197	0.45	9.5	66	14.7	17.7	12	89.8		0.002	
E387159	327.5	328		600	3.1	124	<0.002	0.16	1.09	7.2	2	4.4	132.5	0.25	<0.05	13.4	0.134	0.27	13.9	48	10.1	18.1	16	67.3		0.002	
E387160	328	328.5		600	2.6	174.5	<0.002	0.15	1.42	9.5	2	7.1	62.9	0.41	<0.05	14.3	0.178	0.34	8.7	58	13.7	17.8	15	89.8		<0.001	
E387161	328.5	329		650	4.4	110.5	<0.002	0.14	1.23	8.9	<1	6.2	52.6	0.31	0.05	15.2	0.146	0.24	7.4	49	11.7	19	18	79.1		<0.001	
E387162	329	329.5		590	3.8	86.8	<0.002	0.21	1.19	7.7	<1	5.2	118	0.26	<0.05	12.8	0.121	0.21	12.8	42	9.2	17.2	16	70.2		0.002	
E387163	329.5	330		1320	4.2	29.8	0.002	0.72	1.85	8.3	1	9.6	1480	0.36	0.18	7	0.122	0.14	7.9	55	12.4	16.2	29	72.1		0.003	
E387164			BLANK	100	0.8	0.7	<0.002	0.06	0.05	0.5	1	<0.2	263	<0.05	<0.05	0.2	0.006	<0.02	0.6	5	0.1	2.4	21	3		<0.001	
E387165			STANDARD2	2460	6.8	33.9	0.019	7.09	2.05	4.7	3	6.9	204	0.13	1.16	5.9	0.034	0.48	14.5	61	7.1	13.2	9	23.1		0.116	
E387166	330	330.5		1570	2.2	23.9	0.002	0.83	0.95	6.8	1	7.8	1670	0.17	0.42	3.1	0.07	0.08	3.6	69	7.7	11.7	14	27.7		0.005	
E387167	330.5	331		950	1.8	55.9	<0.002	0.61	1.38	6.9	1	2.6	1570	0.26	0.1	5.8	0.073	0.18	9.7	52	9.2	13	20	46.8		0.001	
E387168	331	331.5		900	3.1	84.3	<0.002	0.5	1.92	11.8	<1	8.4	778	0.25	0.07	9.1	0.095	0.28	22.2	63	10.3	18	21	71.2		0.001	
E387169	331.5	332		1670	3.8	69.4	0.004	0.66	2.18	9.4	<1	9.7	416	0.43	0.28	12.9	0.18	0.21	11.2	77	18.8	18	28	84.7		0.002	
E387170	332	332.5		970	2	116	0.004	0.32	0.84	11.1	<1	6.3	930	0.28	0.07	11.7	0.158	0.27	6	66	16.1	13.6	10	63.1		<0.001	
E387171	332.5	333		580	1.6	132.5	<0.002	0.26	0.72	11.4	<1	5.3	922	0.25	<0.05	13.1	0.141	0.31	2.7	59	11.7	13	4	59.2		<0.001	
E387172	333	333.5		510	1.6	132.5	<0.002	0.29	0.71	9.9	<1	5	572	0.24	<0.05	11	0.136	0.36	2.6	54	10.4	12.9	5	57.5		<0.001	3.06
E387173	333.5	334		710	1.2	129	0.004	0.28	0.85	10.6	<1	7.1	205	0.32	<0.05	10.8	0.137	0.3	7.7	62	11.8	13.2	5	66.5		<0.001	0.97
E387174	334	334.5		590	0.8	110	0.007	0.03	0.5	8.7	<1	6.8	32.5	0.18	<0.05	10.5	0.123	0.26	3.4	56	10.3	8.6	3	45.7		<0.001	
E387175	334.5	335		720	1	155.5	0.004	0.02	0.65	11.3	<1	9.3	39.8	0.27	<0.05	15.9	0.148	0.36	3.4	65	14.2	11.5	2	80.5		<0.001	
E387176			BLANK	120	0.6	1	<0.002	0.05	0.05	0.6	1	<0.2	266	<0.05	<0.05	0.2	0.006	<0.02	0.6	5	0.1	2.5	22	3.6		<0.001	
E387177	335	335.5		710	1	150	0.005	0.03	0.88	11	<1	9.2	35.4	0.24	<0.05	14.5	0.138	0.35	3.6	66	13.5	11.7	3	61.1		0.001	
E387178	335.5	336		1190	3.2	52.4	0.008	7.72	1.02	6.2	4	4.3	73	0.11	1.07	6.3	0.051	0.16	13.7	35	5.8	11.7	<2	29		0.094	
E387179	336	336.5		1190	2.1	108.5	0.005	1.7	0.89	9.5	1	12.2	48.5	0.13	0.37	11.3	0.101	0.29	5.3	66	12.4	11.9	4	46.7		0.014	
E387180	336.5	337		1100	1.7	94.3	0.007	1.1	0.95	8.1	<1	10.3	51.8	0.17	0.1	9.9	0.095	0.22	4.6	60	11.3	10.9	7	44.6		0.007	
E387181	337	337.5		1080	1.4	127	0.005	0.58	0.86	11.2	1	15.2	300	0.2	0.1	14	0.117	0.28	4.2	71	15.2	11.3	6	48.9		0.003	
E387182	337.5	338		1320	1.3	84.3	0.008	1.01	0.86	8.4	1	9.3	275	0.15	0.19	8.8	0.077	0.21	5	55	10	12.4	7	43.6		0.008	
E387183	338	338.5		1100	1.6	100	0.006	0.97	0.89	9.3	1	12.1	99.1	0.14	0.18	10.8	0.092	0.25	3.7	63	11.5	12.4	8	56		0.006	
E387184	338.5	339		1000	1.5	96.7	0.005	0.51	0.68	8.7	<1	12.1	402	0.14	0.05	8.8	0.091	0.25	3.1	58	11.7	13.3	5	45.7		0.003	
E387185	339	339.5		1320	2.4	109.5	0.011	2.07	1.02	10.3	2	15.9	35.7	0.13	0.28	12.3	0.092	0.3	7.5	57	14.5	13.4	6	53		0.013	
E387186	339.5	340		1630	5.1	43	0.013	6.93	1.66	6.6	2	6.2	59.4	0.16	1.01	8.8	0.053	0.18	7.7	49	7.5	14.4	15	41.8		0.047	
E387187			BLANK	110	0.6	0.7	<0.002	0.06	0.05	0.5	1	<0.2	263	<0.05	<0.05	0.2	0.005	<0.02	0.6	5	0.1	2.4	21	3.1		<0.001	
E387188			STANDARD3	800	2.7	124.5	0.006	1.21	1.03	10.4	1	7.2	439	0.2	0.17	11.5	0.103	0.34	16.4	59	8.1	10.7	5	58.3		0.015	
E387189	340	340.5		1490	8	6.9	0.013	>10.0	2	3.9	3	2	51.6	0.12	1.46	7	0.029	0.11	14.8	41	4.2	13.3	14	32.2		0.096	
E387190	340.5	341		1490	7.3	5.1	0.011	>10.0	1.83	3.1	3	1.6	49.5	0.11	1.77	6.2	0.025	0.13	9.1	62	4.2	12.8	12	23.7		0.086	
E387191	341	341.5		1630	4.5	8.4	0.009	6.65	1.31	3.9	2	1.2	48.4	0.07	0.48	4.6	0.017	0.07	4	61	3.3	12.6	13	17		0.027	
E387192	341.5	342		2330	5.8	37.9	0.009	7.76	1.89	6.3	1	2.2	75	0.15	0.62	6.4	0.033	0.16	10.5	43	4.6	17.4	16	37		0.044	
E387193	342	342.5		2190	5.7	35.2	0.012	6.76	1.53	7.8	2	2.5	70.6	0.14	0.77	9.6	0.035	0.22	7.2	39	5.1	18.9	17	40.5		0.054	
E387194	342.5	343		920	4.2	79.8	0.008	6.09	1.16	10.3	1	9.4	52.3	0.12	0.59	8.7	0.079	0.24	28.4	53	9.2	11.2	8	45.7		0.051	
E387195	343	343.5		1410	6.8	59.9	0.008	8.5	1.54	7.7	2	7.4	41.1	0.16	0.67	9	0.068	0.24	13.2	56	9.2	13.9	8	33.8		0.058	
E387196	343.5	344		870	2.3	143	<0.002	0.78	0.9	12.9	<1	15.8	37	0.18	0.08	20.2	0.143	0.35	9.8	70	17.5	13.7	14	76.4		0.004	
E387197	344	344.5		800	4.8	156	0.006	2.82	1.26	12.7	1	17.1	25.7	0.25	0.16	15.8	0.165	0.45	41.3	85	16.5	13.7	10	88.1		0.012	
E387198	344.5	345		760	2.4	124	0.003	0.58	0.84	12.4	<1	14.2	40.8	0.26	0.05	10.7	0.128	0.32	4.8	77	15	15.4	6	68.6		0.001	
E387199			BLANK	110	1.2	0.9	<0.002	0.07	0.06	1	1	<0.2	271	<0.05	<0.05	0.3	0.007	<0.02	0.8	7	0.1	3	23	4.6		<0.001	
E387200	345	345.5		1370	5.8	50.6	0.01	6.5	1.34	7.2	1	5.7	63.4	0.16	0.29	8.7	0.05	0.18	4.5	60	8	15.3	9	29.6		0.028	
E387201	345.5	346		1410	8.1	8.7	0.008	>10.0	1.54	4.1	1	1.7	51.5	0.12	0.5	6.1	0.031	0.07	4.4	41	4.1	12.9	16	26.7		0.036	
E387202	346	346.5		1570	9.2	11.8	0.011	>10.0	2.05	4.7	1	1.7	51.6	0.14	0.61	7.5	0.029	0.08	3.7	38	4.6	11.6	14	27		0.046	
E387203	346.5	347		1030	8.9	66.5	0.005	>10.0	1.72	7.3	1	8.2	39.8	0.21	0.43	8.8	0.083	0.2	9.9	53	9.8	11.8	16	46.8		0.031	
E387204	347	347.5		1730	2.1	72.6	0.008	0.74	0.52	7.1	1	9.1	128.5	0.21	0.06	8.8	0.067	0.18	3.1	69	11.1	17.1	7	36		0.002	
E387205	347.5	348		1220	3.9	48.5	0.01	2.78	0.66	5.8	1	6.4	72.6	0.11	0.22	8.3	0.049	0.14	11.3	60	7.3	14.3	13	32		0.013	
E387206	348	348.5		1430	4.8	70.7	0.122	6.58	1.14	7	2	10.2	80.9	0.28	0.87	9.8	0.068	0.22	7.9	63	9.5	13.5	9	38.8		0.034	
E387207	348.5	349		730	2.8	91.1	0.007	0.72	0.64	8.1	<1	10.7	59.2	0.15	0.1	10.5	0.084	0.23	4.6	48	10.4	14.8	9	48.8		0.003	
E387208	349	349.5		1280	1.4	106	0.002	0.21	0.78	9.6	<1	13.5	75.3	0.17	<0.05	13.6	0.102	0.27	4.1	66	13	15.2	8	60.6		<0.001	
E387209	349.5	350		1150	1.4	95	0.006	0.26	0.71	8.2	<1	12.2	293	0.18	0.06	11.3	0.067	0.25	3.1	58	10.2	13.4	7	48.1		0.004	
E387210			BLANK	110	0.8	0.8	<0.002	0.06	0.06	0.8	1	<0.2	249	<0.05	<0.05	0.2	0.006	<0.02	0.7	6	0.1	2.7	21	3.8		0.002	
E387211			STANDARD1	790	26.6	86.7	0.024	2.16	1.53	9.9	2	6.9	581	0.2	0.23	9.5	0.08	0.48	299	51	8	15.1	5	54.9		0.053	
E387212	350	350.5		1320	1.5	73.2	0.026	0.99	0.78	7	1	8.8	236	0.14	0.14	10.7	0.062	0.19	4.8	61	8.9	15.4	7	41		0.008	
E387213	350.5	351		950	1.6	79.6	0.006	1.4	0.81	7.5	<1	9.9	143	0.14	0.27	6.4	0.072	0.21	5.6	49	9.9	12.7	7	44.6		0.011	
E387214	351	351.5		1510	1.2	64.8	0.003	0.51	0.92	6.2	<1	8.2	326	0.11	<0.05	10.4	0.059	0.18	2.2	48	9.9	13.5	8	38.7		0.003	
E387215	351.5	352		670	3.1	125.5	0.003	1.24	1.83	12.8	<1	14.9	345	0.26	0.25	14.2	0.142	0.35	3.3	54	18.8	10.8	12	60.1		0.01	
E387216	352	352.5		890	3.2	178	0.005	4.1	1.53	14.8	1	19.3	66	0.22	0.61	16.5	0.157	0.55	6.4	80	22.4	13.8	6	65.8		0.024	
E387217	352.5	353		860	1.8	112	<0.002	0.51	1.17	8.9	<1	10.3	231	0.2	0.06	13.4	0.103	0.31	2.4	48	18.1	14.3	10	45.4		0.004	
E387218	353	353.5		890	1.3	152	<0.002	0.3	0.98	10.3	<1	14.8	310	0.21	<0.05	11.6	0.13	0.43	2.7	54	18.1	14.1	7	54.6		<0.001	2.05
E387219	353.5	354		220	1.5	97.1	<0.002	0.5	1.09	9.2	<1	8.8	158.5	0.19	<0.05	13.2	0.09	0.25	2.2	44	12.4	20.1	9	44.7		0.003	

IG-2007-28

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
E387220	354	354.5		0.65	4.34	201	190	1.67	9.89	6.63	<0.02	16.25	196	17	4.72	900	13.95	9.06	0.24	1	0.064	1.85	6.9	22.5	2.42	5650	23.4	0.07	2.4	29
E387221	354.5	355		1.13	3.21	337	150	1.38	13.1	5.06	<0.02	59.4	325	14	3.18	194.5	18.65	8.39	0.31	0.9	0.042	1.56	40.2	14.3	1.49	4440	42.6	0.08	2.7	35
E387222			BLANK	0.01	0.12	<5	60	0.09	0.04	42.7	0.35	2.13	2	5	<0.05	3.5	0.06	0.53	0.08	0.1	<0.005	0.04	1.7	1.4	0.44	40	0.35	0.02	0.3	<0.2
E387223	355	355.5		0.01	7.09	5.8	9470	2.9	0.04	5.28	<0.02	51.6	11.2	36	6.9	124	6.39	19.25	0.17	2.1	0.06	3.46	34.8	28.1	1.66	4560	10.35	0.54	3	6.2
E387224	355.5	356		0.03	5.16	4.9	2670	1.18	0.04	4.94	<0.02	60.6	20.2	23	3.18	339	6.84	11.3	0.17	1.4	0.03	1.56	45.7	14.4	1.32	4480	6.77	1.75	1.6	6
E387225	356	356.5		0.09	3.85	28.4	2100	1.02	0.61	5.81	<0.02	55	58.3	22	2.58	244	7.47	8.95	0.17	1.3	0.031	1.23	38.1	13	1.65	5170	13.1	1.18	2.2	10.6
E387226	356.5	357		0.17	4.43	85.3	460	1.56	2.07	5.21	<0.02	96.1	117.5	26	4.05	42.2	9.16	12.5	0.21	1.5	0.039	2.01	67.3	18.4	1.55	4850	9.6	0.51	2.2	17
E387227	357	357.5		0.23	4.57	105.5	210	1.23	2.48	4.61	<0.02	297	120.5	22	3.43	94.2	9.68	12	0.34	1.3	0.039	1.57	198.5	20.1	1.44	4440	22.5	1.16	1.7	20.8
E387228	357.5	358		0.33	5.2	65.7	230	1.74	3	4.13	<0.02	147.5	154	26	4.91	122	10.05	15.25	0.26	1.4	0.038	2.29	100.5	24.8	1.33	3690	20.7	0.64	2.6	29.5
E387229	358	358.5		0.1	5.21	16.4	270	1.22	0.5	2.36	<0.02	14.95	40.7	24	4.03	1210	7.18	10.25	0.12	1	0.026	2.26	7.9	16.2	0.81	2150	8.8	0.65	1.6	7.6
E387230	358.5	359		0.38	5.12	72.9	100	1.7	3.04	2.32	<0.02	40.4	117	25	6.55	884	8.36	13.35	0.2	1.5	0.033	2.16	14	23.4	0.89	2170	16.25	0.56	2.2	21.1
E387231	359	359.5		0.21	4.92	110	100	1.63	2.64	3.38	<0.02	29.6	109	24	5.77	245	8.56	13.5	0.19	1.4	0.038	2.47	13.6	19.4	1.01	2900	7.38	0.15	2.2	14.8
E387232	359.5	360		0.47	5.2	109	170	1.46	3.2	3.52	<0.02	135	136	23	4.87	872	9.11	13.35	0.26	1.4	0.037	2.34	79.2	18.1	1.02	3000	8.28	0.59	2	18.7
E387233			BLANK	0.02	0.27	<5	30	0.09	<0.01	44.9	0.43	2.36	0.9	6	0.15	2.6	0.08	0.87	<0.05	0.1	<0.005	0.19	1.6	1.8	0.47	39	0.25	0.04	0.4	2.8
E387234			STANDARD2	1.37	2.34	112	70	0.43	10.2	2.21	0.03	168.5	324	11	2.78	8850	28.3	10.1	0.47	0.8	0.267	0.66	100.5	14.3	1.48	5950	62.8	0.25	5.8	55.6
E387235	360	360.5		0.33	5.27	53.1	180	1.25	2.11	3.88	0.02	141.5	102.5	28	5.58	1340	11.5	15.6	0.26	1.6	0.043	2.65	86.7	18.5	1.2	3480	10.95	0.17	2.3	22
E387236	360.5	361		0.42	4.62	55.8	210	1.27	2.19	2.92	0.07	79.4	120.5	22	4.99	1780	7.69	12.9	0.13	1.5	0.036	2.26	45.4	16.9	0.89	2420	90.3	0.1	2.9	17.7
E387237	361	361.5		0.31	6.9	53	500	1.6	2.11	1.53	<0.02	46.4	129.5	33	8.24	2160	7.09	15.45	0.05	1.7	0.041	3.39	27.3	22	0.77	1320	26.3	0.08	3	18.7
E387238	361.5	362		0.38	7.96	52.9	960	2.31	2.35	2.45	<0.02	138.5	153.5	43	9.6	1660	8.6	22.7	0.2	2.6	0.059	3.85	87.8	35.1	1.03	2490	15.85	0.08	4.4	24.6
E387239	362	362.5		0.36	6.48	61.8	290	1.39	2.04	4.06	<0.02	163.5	186.5	29	6.66	4530	13.6	16.7	0.34	1.8	0.061	3.06	106	26.4	1.39	4210	20.6	0.23	4.3	25.3
E387240	362.5	363		0.48	5.54	98.5	120	1.3	3.45	5.2	<0.02	157.5	242	26	6.03	1170	17.05	18.4	0.39	1.9	0.093	2.71	103	21.3	1.71	5390	29.4	0.19	4.7	34.6
E387241	363	363.5		0.21	5.63	46.1	230	1.62	1.45	1.18	<0.02	183.5	76.1	34	7.09	160.5	4.67	17.8	0.2	2.5	0.053	2.63	108.5	21.8	0.64	1230	4.64	0.09	4.3	19
E387242	363.5	364		0.47	8.91	79.5	460	2.53	2.85	1.9	<0.02	137	169	50	10.75	3940	9.87	27.9	0.22	2.8	0.094	4.73	67.7	31.8	1.15	2750	10.5	0.1	4.3	27.8
E387243	364	364.5		0.34	7.14	47.1	280	2.03	1.7	1.21	<0.02	77.1	129	40	8.38	606	8.25	20.1	0.14	2.2	0.045	3.5	34.3	31.9	0.76	1280	7.89	0.13	4.3	20.9
E387244	364.5	365		0.28	6.9	53.6	230	1.84	1.66	2.75	<0.02	155	136	39	8.84	695	11.9	19.85	0.23	2.3	0.081	3.47	94.8	27.2	1.04	2660	10.55	0.14	4.2	22.7
E387245			BLANK	0.01	0.14	16	50	0.1	<0.01	45.2	0.43	2.51	1	5	<0.05	4.2	0.06	0.59	<0.05	0.1	<0.005	0.05	1.7	1.2	0.48	38	0.26	0.03	0.4	2.8
E387246	365	365.5		0.23	7.29	42	570	1.93	1.2	2.22	<0.02	45.9	116.5	42	8.39	448	19.25	21.8	0.27	2.2	0.067	3.79	28.6	28.5	1.04	2900	5.71	0.06	2.9	32.7
E387247	365.5	366		0.34	8.22	61.4	760	2.4	2.27	1.87	<0.02	130.5	158	45	9.8	460	9.74	23.5	0.19	2.7	0.061	4.29	81.5	30.5	0.83	1830	10.85	0.06	5.4	29
E387248	366	366.5		0.41	6.41	85.9	110	1.45	3.47	3.75	<0.02	118	273	31	7.58	3520	14.5	19.8	0.26	2	0.088	2.8	71.1	31.2	1.52	4970	23.8	0.06	4.3	39.3
E387249	366.5	367		0.27	5.74	41.5	190	1.5	1.94	3.6	<0.02	85.5	146	30	7.02	3190	12.7	15.65	0.21	1.8	0.073	2.52	47.5	27	1.64	4140	12.5	0.06	3.8	23.4
E387250	367	367.5		0.33	6.67	109.5	140	1.75	2.85	4.37	<0.02	75.3	282	33	7.29	246	13.25	18.7	0.24	1.9	0.051	3.38	34.1	26.6	1.46	4090	46.3	0.05	3.5	29.4
E387251	367.5	368		0.21	6.42	74.3	200	1.84	1	4.4	<0.02	61.4	126	32	7.89	600	10.35	18.15	0.17	1.9	0.064	3.32	43.1	27.4	1.42	4120	45.1	0.14	3.9	19.3
E387252	368	368.5		0.07	6.19	73.8	200	1.67	1.82	3.19	<0.02	50.9	87.8	31	6.07	748	9.8	15.95	0.15	1.6	0.044	3.17	22	28.3	1.08	2920	30.3	0.14	3.3	18.2
E387253	368.5	369		0.21	4.85	49	100	1.06	1.07	5.36	<0.02	32.5	150	23	4.77	1450	14.6	11.7	0.2	1.5	0.056	2.35	12.6	20.8	1.64	5070	21.4	0.31	2.1	29.9
E387254	369	369.5		0.13	6.73	32.8	250	2.06	0.47	2.51	<0.02	119	96.9	39	8.5	1150	8.62	17.55	0.2	2	0.052	3.47	59.2	26.5	0.91	2220	9.18	0.17	2.7	18.3
E387255	369.5	370		0.06	6.81	17.7	580	2.34	0.27	1.83	<0.02	64.4	50.6	40	9.05	368	5.65	17.5	0.08	1.9	0.056	3.48	33.8	25.2	0.85	1590	3.14	0.06	3	10.8
E387256			BLANK	0.01	0.14	<5	60	0.08	<0.01	45.6	0.41	2.29	0.8	16	<0.05	5	0.06	0.56	<0.05	0.1	<0.005	0.04	1.6	1.1	0.47	37	0.3	0.03	0.4	2.7
E387257			STANDARD3	0.37	7.05	55.8	190	2.34	1.57	2.01	<0.02	80.6	103.5	38	8.63	1580	7.66	19.85	0.14	2.1	0.14	3.01	38.3	20.8	1.3	3330	20.7	0.61	3.2	25.7
E387258	370	370.5		0.15	8.33	44.7	2340	2.99	1.2	2.2	<0.02	136	122	50	10.5	297	9.04	25.9	0.22	2.6	0.063	4.36	67.6	36.5	1.02	2170	4.11	0.07	5.6	20.3
E387259	370.5	371		0.24	8.33	59	2480	3.32	2.48	1.65	0.02	140	147	47	11.1	297	8.81	23.1	0.22	2.7	0.065	4.03	73.1	44.6	1.28	1790	4.27	0.07	6.1	18.4
E387260	371	371.5		0.49	4.45	87.3	90	1.14	3.88	4.09	<0.02	109.5	282	21	5.67	7290	20.6	12.35	0.36	1.3	0.085	1.93	64.4	27.2	1.58	4600	19	0.07	4.5	31.2
E387261	371.5	372		0.7	2.92	160	120	0.92	6.46	5.86	<0.02	189	349	13	3.98	7230	20.1	10	0.42	1	0.073	1.36	120	16.4	1.6	6160	35.8	0.11	4	35.2
E387262	372	372.5		0.7	4.19	211	130	1.33	8.85	5.12	<0.02	54.3	403	17	5.57	3640	19.15	12.85	0.3	1.2	0.076	1.99	31.9	23.8	1.62	5500	37.6	0.11	3.8	42.9
E387263	372.5	373		0.62	5.06	132.5	90	1.83	6.67	5.24	0.03	133	300	24	7.95	666	17.9	14.4	0.31	1.6	0.075	2.13	89.5	34.2	2	5220	56.5	0.21	3.9	36.8
E387264	373	373.5		0.7	5.29	147	70	1.7	6.45	4.88	<0.02	150.5	315	23	7.61	3170	18.3	14.6	0.36	1.6	0.078	2.14	110	37.6	2.26	4720	45.5	0.1	3.9	35.5
E387265	373.5	374		0.43	4.29	61.5	370	1.37	2.9	5.86	<0.02	51.9	155.5	19	5.64	2870	18.05	12.6	0.23	1.5	0.081	1.78	33.2	31.9	2.24	6060	55	0.26	3.5	28.4
E387266	374	374.5		0.61	3.06	61.6	350	0.68	3.04	6.75	0.02	56.7	183.5	13	3.04	7350	23.1	9.63	0.29	1	0.104	1.01	35.2	19.9	2.99	7210	52.9	0.42	2.8	31.7
E387267	374.5	375		0.77	4.18	102	60	1.4	8.16	4.08	<0.02	105.5	244	20	5.34	8500	19.75	12.7	0.32	1.3	0.101	1.85	69.5	29.9	2.37	5680	33.3	0.14	3.4	29.1
E387268			BLANK	0.05	0.14	7	20	0.08	<0.01	46.5	0.33	1.78	0.7	7	<0.05	2.8	0.05	0.42	<0.05	0.1	<0.005	0.04	1.4	1	0.48	36	0.19	0.03	0.2	2.3
E387269	375	375.5		1.4	2.98	290	180	1.23	29.9	4.33	<0.02	379	673	14	3.62	2750	22.6	9.24	0.42	0.9	0.056	1.15	284	30	1.43	4610	41.3	0.37	3.5	50.1
E387270	375.5	376		1	3.39	219	90	1.11	19.25	5.05	<0.02	58.5	512	14	3.77	6730	18.3	8.02	0.16	0.9	0.088	1.39	44.9	26.1	1.77	5740	39.1	0.34	2.6	41.5
E387271	376	376.5		1.75	3.38	284	150	1.45	32.3	5.43	<0.02	204	700	13	4.68	3050	17.55	9.66	0.27	1	0.072	1.4	159	31.1	2.01	5230	41.6	0.43	3.2	57.4
E387272	376.5	377		1.18	2.67	164.5	80	1.1	20.2	2.16	<0.02	66.5	457	13	3.36	5730	21.1	8.25	0.22	0.9	0.145	0.88	47.7	28.4	3.06	10600	40.5	0.53	3.2	46.7
E387273	377	377.5		0.88	1.83	71.2	230	0.43	5.9	1.42	0.02	60.1	216	5	1.3	>10000	29.3	7.01	0.31	0.4	0.212	0.18	44	19.1	3.63	13850	54.7	0.48	2	37.3
E387274	377.5	378		1.11	1.73	85.4	240	0.45	9.14	5.27	<0.02	99.7	254	5	1.14	>10000	29	7.12	0.32	0.4	0.167	0.17	73.8	24.1	2.97	9820	46.8	0.13	2.5	46
E387275	378	378.5		1.23	1.12	99.4	130	0.35	8.69	6.35	<0.02	158	291	3	0.68	>10000	27.7	6.67	0.36	0.3	0.164	0.05	122	13.8	2.38	9610	41.8	0.08	2.4	38.75
E387276	378.5	379		0.91	2.28	124	50	0.39	10.4	4.13	<0.02	470	234	5	0.76	>10000	24.2	8.82	0.56	0.4	0.103	0.03	369	22.5	1.89	6780	49.5	0.79	1.3	43.8
E387277	379	379.5		1.09	2.95	179.5	110	0.72	18.25	6.02	<0.02	356	376	13	2.07	>10000	20.8	8.44	0.39	0.8	0.113	0.36	273	30.4	2.28	7490	31.9	0.66	2	45.4
E387278	379.5	380		0.62	4.6	393	140	1.82	22.3	2.95	<0.02	172.5	308	24	10.2	2170	13.5	14.55	0.24	1.3	0.145	1.91	116.5	27.4	1.57	5070	43.8	0.06	9	74.7
E387279			BLANK	0.02	0.13	<5	50	0.1	0.08	45	0.33	2.86	1.6	7	<0.05	20.9	0.06	0.51	<0.05	0.1	<0.005	0.03	2.2	1.5	0.47	51	0.6	0.02	0.3	<0.2
E387280			STANDARD1	0.98	5.4	70.6	100	1.63	2.86	1.94	<0.02	55	152.5	30	3.58	7120	9.17	14.6	0.14	1.5	0.14	2.04	22.6	25.9	1.17	3470	59.4	0.83	3	33.4
E387281	380	380.5		0.12	7.58	44.3	1170	2.91	2.59	2.15	<0.02	114	61.1	48	13	174	3.92	23.5	0.13	2.1	0.111	3.63	70.8	40.9	1.12	1770	12.25	0.08	8.3	24
E387282	380.5	381		0.06	7.68	20.4	3620	2.73	0.6	3.03	<0.02	89.9	29.8	45	12.8	53.5	3.85	23.1	0.12	2.1	0.094	3.66	56.3	45	1.23	2970	9.25	0.08	8.5	17.4
E387283	381	381.5		0.02	8.54	0.8	3050	2.35	0.04	5.68	<0.02	78.2	6.4	36	10.7	49.2	5.01	18.45	0.1	1.6	0.123	3.22	49.1	36.4	2.31	6110	3.56	0.07	5.1	10.5
E387284	381.5	382		0.02	6.96	0.3	3060	2.41	0.01	5.22	<0.02	84.8	6.7	38	11.3	13.4	4.43	19.2	0.11	1.6	0.11	3.37	54.1	35.6	1.84	5280	0.93	0.08	5.1	10.8
E387285	382	382.5		0.03	6.46	2.1	2660	1.82	0.09	5.29	<0.02	64.1	8.5	35	9.29	29	4.52	15.9	0.09	1.4	0.113	3	40.5	30.2	2	5610	3.49	0.07	4.5	11.9
E387286	382.5	383		0.05	8.64	10.1	2780	2.13	0.65	4.43	<0.02	91.6	23.5	37	10.55	37.4	3.7	18.9	0.12	1.6	0.105	3.2	59	34.7	1.76	4660	8.4	0.08	5.5	14
E387287	383	383.5		0.1	8.77	43.9	710	2.28	2.62	4	<0.02	91.1	64.3	37	10.95	42.7	4.94	19.4	0.14	1.5	0.096	3.29	57.8	37.2	1.57	4330	8.95	0.08	6	20.8
E387288	383.5	384		0.04	5.87	3.8	7450	2.56	0.15	5.07	<0.02	104.5	18.3	31	9.51	9.5	5	16.5	0.15	1.6	0.094	2.63	58.8	30.9	1.65	6590	1.55	0.06	3.3	17.2
E387289	384	384.5		0.04	5.41	3.2	4930	2.37	0.11	5.26	<0.02	58.3	26.8	30	8.3	10.9	6.04	15.3	0.09	1.4	0.118	2.46	34.1	30.6	1.97	6700	4.06	0.05	2.8	19.3
E387290	384.5	385		0.04	7.13	3.9	1310	2.44	0.23	1.48	<0.02	77	40.2	43	10.3	14.1	8.58	18.55	0.14	1.6	0.094	3.33	42.2	37.9	0.88	2390	6.19	0.07	2.4	20.8
E387291			BLANK	0.01	0.15	<5	40	0.06	0.01	>50	0.37	2.56	1.1	6	<0.05	1.7	0.06	0.62	0.06	0.1	0.006	0.04	1.9	1.8	0.52	43	0.24	0.02	0.4	<0.2
E387292	385	385.5		0.05	7.28	7.4	1030	2.85	0.33	2.14	<0.02	82.2	71.3	43	11.05	43.4	8.1	20.8	0.15	1.8	0.109	3.25	44	42.7	1.04	3500	2.71	0.07	3.8	26.5
E387293	385.5	386		0.03	8.1	3.2	6260	3.28	0.02	1.84	<0.02	106	12.3	51	12.45	40.5	4.81	25.5	0.16	2.2	0.109	4.04	58.1	44.4	0.87	2320	4.04	0.08	4.8	17.4
E387294	386	386.5		0.08	7.77	33.8	790	2.61	1.23	1.35	<0.02	70	163	47	11.25	148	7.33	22.6	0.15	1.9	0.138	3.45	38.2	35.8	1.13	4260	3.74	0.07	4.5	24.7
E387295	386.5	387		0.11	7.14	29.1	1340	2.19	2.3	3.29	<0.02	80.2	71.1	41	10.65	170.5	6.01	20.5	0.14	1.8	0.135	3.16	48.2	43.4	1.76	4400	8.95	0.07	4.6	25.2
E387296	387	388		0.15	6.47	42.8	880	1.62	2.48	6.86	<0.02	51.7	58.7	33	8.41	121.5	5.62	15.6	0.08	1.4	0.139	2.93	32.3	24.6	2.99	5900	7.15	0.08	6.7	20.4

IG-2007-26

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E387220	354	354.5		330	7.1	78.7	0.003	7.8	2.14	8.8	1	7.6	134	0.16	0.37	7.3	0.082	0.24	10.9	36	9.7	10.7	11	37.4		0.049	
E387221	354.5	355		810	10.7	68.7	0.014	>10.0	2.18	8.5	1	6.7	73.1	0.16	0.49	8	0.073	0.23	34.6	59	10.3	12	6	33.8		0.075	
E387222			BLANK	110	0.9	0.7	<0.002	0.06	0.08	0.7	1	<0.2	242	<0.05	<0.05	0.2	0.006	<0.02	0.7	5	0.1	2.6	20	3.4		0.002	
E387223	355	355.5		670	1.3	149	0.003	0.29	0.8	7.8	<1	11	229	0.18	<0.05	14.9	0.12	0.42	3.7	56	15.2	11.8	4	70.4		<0.001	1.36
E387224	355.5	356		550	1.8	68.7	<0.002	0.23	0.89	7.5	<1	5	195	0.15	<0.05	11.2	0.072	0.19	2.6	47	10.7	8.5	4	46.1		0.001	
E387225	356	356.5		660	2.2	53.1	0.003	0.56	0.99	7.1	<1	3.6	113.5	0.15	0.07	10.5	0.083	0.15	3.4	46	7.9	9.6	5	50.2		0.005	
E387226	356.5	357		610	4	88.6	<0.002	1.84	1.32	9.1	<1	6.4	76.3	0.16	0.16	9.7	0.083	0.25	7.4	57	9	11.3	6	54.8		0.013	
E387227	357	357.5		620	6.1	71.2	0.008	2.66	1.16	7.2	1	5.6	92.4	0.13	0.19	18.4	0.083	0.2	11.9	50	6.7	15.4	10	49.5		0.019	
E387228	357.5	358		890	4.4	96.4	0.005	1.97	1.19	8.7	1	8.9	111.5	0.14	0.23	11.7	0.086	0.31	5.6	67	8.5	13.7	9	45.6		0.019	
E387229	358	358.5		580	1.4	81.3	<0.002	0.71	0.84	4.7	<1	6.6	794	0.11	0.05	9	0.088	0.24	3.7	45	6.3	6.4	5	39.8		0.006	
E387230	358.5	359		650	4.2	96.1	0.002	2.1	1.47	7.8	<1	8.8	468	0.14	0.17	7.1	0.087	0.37	10.6	52	8.1	10.3	7	51.7		0.021	
E387231	359	359.5		560	3.4	103.5	0.002	2.7	1.3	11.1	<1	8.3	275	0.16	0.13	8.4	0.097	0.33	5.5	63	7.9	8.6	5	47.5		0.019	
E387232	359.5	360		540	4.1	104.5	0.002	3.19	1.27	13.1	<1	8.2	299	0.15	0.15	10.3	0.088	0.32	4.2	53	7.3	11.8	5	44.4		0.026	
E387233			BLANK	110	1.1	6.9	<0.002	0.07	0.12	0.7	1	<0.2	259	<0.05	<0.05	0.2	0.009	0.02	0.8	9	0.1	3	23	4.3		0.001	
E387234			STANDARD2	2300	6.7	38.2	0.016	6.78	2.15	3.5	4	7.4	165.5	0.13	1.29	5.1	0.033	0.48	13.5	60	6.9	15.3	2	24.5		0.116	
E387235	360	360.5		720	2.8	117	0.002	1.75	1.32	9.7	1	9.5	247	0.14	0.14	11	0.097	0.29	6.1	69	7.9	13.5	6	49.7		0.024	
E387236	360.5	361		980	3.2	104.5	0.004	1.76	1.55	7.4	1	8.9	141	0.16	0.18	9.1	0.095	0.28	26.6	54	7.9	11.5	6	47.2		0.028	
E387237	361	361.5		940	2.3	130.5	0.003	2.13	1.2	9.1	1	12.4	76.3	0.14	0.19	11.2	0.128	0.33	11.6	71	9.4	8.3	8	52.2		0.03	
E387238	361.5	362		1150	2.9	182	0.004	1.81	1.34	14	1	20.8	90.5	0.2	0.2	14.2	0.15	0.47	13.7	97	13.5	14.8	9	77.6		0.026	
E387239	362	362.5		1430	2.4	141.5	0.006	2.61	1.24	12	2	17	162.5	0.19	0.19	16	0.117	0.36	4.7	84	9.6	20	8	55.9		0.036	
E387240	362.5	363		1570	3.1	125	0.007	3.47	1.17	12	2	14.8	131.5	0.16	0.31	10.4	0.094	0.31	3.9	83	9.2	25	11	58.1		0.037	
E387241	363	363.5		820	2.8	127	<0.002	1.01	1.76	7.5	1	12.4	375	0.24	0.11	16.2	0.117	0.35	10.7	46	10.6	13.1	9	74.2		0.01	
E387242	363.5	364		1120	3.1	200	0.002	3.59	1.16	16.3	1	26.4	271	0.17	0.26	14.5	0.172	0.62	21.5	88	14.4	16.4	10	86.9		0.052	
E387243	364	364.5		1050	2.3	168	0.003	2.02	1.34	11.7	1	19.1	429	0.22	0.18	11.3	0.145	0.45	16.2	66	11.2	12.1	10	68.7		0.023	
E387244	364.5	365		970	2.8	166.5	0.002	2.13	1.49	13	1	20.9	99.2	0.21	0.19	14.3	0.142	0.42	22.4	65	11	16.9	8	71.8		0.02	
E387245			BLANK	110	0.7	1	<0.002	0.07	0.12	0.6	1	0.2	255	<0.05	<0.05	0.2	0.006	<0.02	0.7	6	0.1	2.8	21	3.6		0.001	
E387246	365	365.5		770	2	177	0.002	1.57	1.36	14.6	1	20	54.4	0.12	0.1	5.3	0.129	0.51	14.9	80	10.8	15.3	7	69.1		0.011	
E387247	365.5	366		1240	3.2	192	0.004	2.3	1.49	14.3	1	23.5	49.4	0.25	0.24	14.8	0.171	0.46	54.8	79	13.3	16.8	4	82.7		0.019	
E387248	366	366.5		1730	2.6	137	0.01	3.04	1.37	13	2	18.9	90.7	0.18	0.25	11.3	0.111	0.35	4.3	82	10.9	20.5	11	60.4		0.037	
E387249	366.5	367		800	2	117.5	0.004	1.58	1.31	13.2	1	14.9	212	0.17	0.1	11.1	0.107	0.29	16.5	59	9.4	15.2	10	55.3		0.023	
E387250	367	367.5		610	2.7	155	0.003	3.31	1.07	16.4	<1	17.2	258	0.19	0.15	7.3	0.116	0.41	10.4	61	10.9	14.2	8	58.3		0.021	
E387251	367.5	368		540	2.4	159	<0.002	1.09	1.21	13.4	1	15.1	349	0.23	<0.05	13.5	0.114	0.41	49	57	10.6	15.9	4	59.5		0.019	
E387252	368	368.5		590	1.3	130	<0.002	1.06	1.23	11.2	2	12.1	718	0.19	<0.05	7.6	0.108	0.41	16.8	56	8.4	12.3	4	54.5		0.043	
E387253	368.5	369		560	1.8	105.5	0.002	1.56	1.09	9.2	1	9.7	387	0.13	0.06	6.3	0.089	0.29	12.8	46	5.4	17.1	6	42.2		0.015	
E387254	369	369.5		880	1.4	161	<0.002	0.97	0.91	10.2	1	11.5	509	0.14	<0.05	12.1	0.113	0.41	6.8	64	9.3	14.5	3	60		0.008	
E387255	369.5	370		660	1.2	186	<0.002	0.58	0.94	9.9	<1	10.5	547	0.17	<0.05	11.7	0.123	0.44	10	61	9.7	10.9	3	61.7		0.004	
E387256			BLANK	110	0.7	0.8	<0.002	0.06	0.22	0.6	1	<0.2	258	<0.05	<0.05	0.2	0.007	<0.02	0.6	6	0.1	2.9	22	3.1		0.001	
E387257			STANDARD3	720	2.9	138.5	0.007	1.29	1.11	10.6	1	7.8	445	0.19	0.17	12.4	0.113	0.4	18.8	66	8.3	11.5	7	63.3		0.019	
E387258	370	370.5		720	1.8	208	<0.002	1.86	0.96	16.5	1	18	309	0.36	0.07	14	0.192	0.62	9	84	12.2	15.7	5	79		0.01	
E387259	370.5	371		860	2.8	196	0.002	2.69	1.37	13.7	1	22.4	240	0.34	0.07	17.5	0.188	0.59	14.8	65	16.7	16.7	8	83.3		0.014	
E387260	371	371.5		1520	3	95.2	0.007	4.77	1.55	7.1	2	16.2	113	0.17	0.17	8.3	0.06	0.27	6.1	60	8	16.7	10	39.7		0.051	
E387261	371.5	372		2200	3.7	66.8	0.015	7.21	1.65	6.4	2	14.1	76	0.12	0.39	7	0.053	0.18	3.6	59	5.4	20.8	3	28.4		0.072	
E387262	372	372.5		1190	4	96.7	0.015	7.94	1.4	7.4	1	19.6	80.8	0.13	0.54	5.9	0.071	0.3	6.8	61	6.4	15.5	8	36.7		0.073	
E387263	372.5	373		1130	6.7	104	0.018	4.42	1.58	9.3	1	21.1	58	0.16	0.32	11.8	0.082	0.48	61.6	70	6.8	19.5	10	50.3		0.036	
E387264	373	373.5		1050	5.5	101	0.01	4.64	1.43	9.5	1	21.2	40	0.16	0.31	10.2	0.08	0.4	16.3	67	7.3	17.7	16	48.1		0.035	
E387265	373.5	374		1020	2.8	90.1	0.008	2.17	1.23	8.3	1	16.8	54.2	0.14	0.17	4.7	0.068	0.3	17.8	58	6	17.7	11	44.7		0.022	
E387266	374	374.5		970	3.6	47.6	0.004	3.06	1.37	5.7	1	10.9	47.3	0.1	0.18	6	0.046	0.19	25.4	59	4.1	17.5	8	30.8		0.033	
E387267	374.5	375		1130	3.6	90.5	0.008	5.35	1.21	7.8	1	19.7	28.4	0.12	0.49	6.4	0.069	0.34	9	70	5.6	15.2	9	37.7		0.049	
E387268			BLANK	120	1	0.7	<0.002	0.06	0.14	0.4	1	<0.2	264	<0.05	<0.05	0.2	0.006	<0.02	0.5	6	<0.1	2.4	22	2.6		<0.001	
E387269	375	375.5		1090	12.8	55.8	0.013	>10.0	2.25	6.3	2	14.1	47.3	0.17	1.7	14.1	0.052	0.4	18.2	51	4.6	20.3	6	32.3		0.093	
E387270	375.5	376		800	6.7	59.8	0.01	9.39	1.42	6.2	1	13.1	44.2	0.13	0.63	4.1	0.061	0.24	12	38	4.2	13	6	32.3		0.099	
E387271	376	376.5		910	9.3	69.3	0.013	>10.0	1.85	8.8	1	15.3	47.9	0.13	0.78	8.6	0.055	0.28	12.9	41	4.7	17.2	6	34.2		0.093	
E387272	376.5	377		730	6.7	46.8	0.011	7.61	1.49	6	1	10.1	25.1	0.13	0.47	4.3	0.041	0.24	8.6	36	3.7	12.1	10	30.9		0.078	
E387273	377	377.5		780	5.5	9.8	0.012	3.94	1.13	3.8	2	4	19.2	0.07	0.26	3.3	0.016	0.08	20.9	36	1.8	11.6	15	15.5	1.245	0.429	
E387274	377.5	378		1000	5.3	8.6	0.013	5.22	1.6	3.8	2	4.7	40.4	0.1	0.28	3.5	0.02	0.1	20.4	50	2.7	15.4	16	13.7	1.55	0.131	
E387275	378	378.5		1020	4.7	2.6	0.011	5.27	1.91	3.3	2	3.1	67.1	0.06	0.33	3.8	0.015	0.13	27.9	43	2.3	16.2	21	10.5	2.32	0.192	
E387276	378.5	379		1200	5	1.5	0.014	5.08	2.18	2.5	2	1.3	54.1	0.05	0.29	11.1	0.011	0.11	33.1	45	2	22.3	12	13.6	1.89	0.131	
E387277	379	379.5		1040	4.9	19.4	0.011	7.36	2.25	4.8	2	3.5	62.4	0.07	0.77	8.1	0.025	0.27	20.5	42	3.6	19.5	22	28.6	1.695	0.13	
E387278	379.5	380		1800	5.3	104.5	0.018	8.58	1.68	8.5	3	10.6	30.4	0.31	0.51	7.8	0.06	0.33	8.3	74	11.2	14.4	7	45		0.047	
E387279			BLANK	110	1.6	0.9	0.002	0.06	0.08	0.4	1	<0.2	263	<0.05	<0.05	0.2	0.006	<0.02	0.6	5	0.1	2.8	26	3.6		0.001	
E387280			STANDARD1	880	19.3	84.5	0.023	2.29	1.45	9.3	2	7.2	552	0.17	0.22	7.7	0.074	0.43	232	52	8.1	15.3	15	53.8		0.051	
E387281	380	380.5		790	1.9	185.5	0.008	1.51	1.52	11.5	1	18.9	21.4	0.52	0.11	14.9	0.136	0.61	4.9	79	19.5	12.8	4	71		0.006	
E387282	380.5	381		770	1.6	188.5	0.007	0.72	1.46	12.4	1	18.2	32.8	0.62	<0.05	19	0.151	0.55	3.7	76	21.1	13.6	3	68.6		0.003	
E387283	381	381.5		580	1.5	159	0.002	0.03	0.85	11.4	<1	13.1	44.4	0.37	<0.05	13.3	0.105	0.45	2.2	64	15.2	13.8	4	59.1		<0.001	
E387284	381.5	382		590	1.3	169.5	<0.002	0.01	0.9	11	1	13.2	47.2	0.38	<0.05	12.3	0.118	0.46	2.5	67	14.6	14.8	3	59.7		<0.001	
E387285	382	382.5		590	1.3	139	0.002	0.07	0.87	9.1	<1	10.1	33.4	0.34	<0.05	11.5	0.112	0.4	3.2	62	12.7	13.7	5	46.7		0.001	
E387286	382.5	383		650	1.6	164.5	0.01	0.41	0.95	11.1	1	12.8	32.2	0.42	<0.05	15.2	0.118	0.47	2.4	62	15.4	13.6	3	59.3		0.003	
E387287	383	383.5		670	1.8	163	0.004	1.24	0.95	11	1	13.5	40.6	0.42	0.1	14.1	0.116	0.48	3.7	66	15	14.5	3	55.5		0.006	
E387288	383.5	384		650	1.5	135.5	0.002	0.21	1.08	9.4	<1	5.2	100	0.24	0.05	13.6	0.102	0.42	2.9	56	10.4	14.9	4	54.7		0.001	0.66
E387289	384	384.5		590	1.3	124	0.002	0.33	1.08	8.9	<1	3.8	63.2	0.18	<0.05	11	0.095	0.37	1.8	53	11.2	14.3	5	49		<0.001	
E387290	384.5	385		700	1.2	154	<0.002	0.67	1.58	10.9	1	5.2	27.9	0.17	<0.05	12.8	0.13	0.4	2.2	62	14.8	10.9	4	57.8		<0.001	
E387291			BLANK	130	0.8	1	<0.002	0.07	0.08	0.5	2	<0.2	301	<0.05	<0.05	0.2	0.007	<0.02	0.7	6	0.1	3.2	24	3.6		<0.001	
E387292	385	385.5		690	1.8	164.5	<0.002	0.82	1.95	13.7	1	7	38.2	0.26	<0.05	14.3	0.14	0.43	2.3	65	17.5	12.8	5	65.6		0.001	
E387293	385.5	386		780	1.5	184.5	<0.002	0.08	1.74	14.6	1	10.1	35.3	0.3	<0.05	17.2	0.148	0.51	2.3	74	18.5	13.9	4	78.2		<0.001	0.71
E387294	386	386.5		690	1.8	178.5	0.002	1.09	1.32	12.7	1	9.3	18.5	0.23	0.05	14.2	0.113	0.46	3	69	13.6	12.2	6	68.1		0.001	
E387295	386.5	387		670	2.2	161	0.005	1.03	1.18	11.5	1	11.9	27.2	0.29	0.1	13.3	0.108	0.46	5.4	67	14.1	14.4	9	66.9		0.006	
E387296	387	388		660	2.4	132	0.002	1.42	0.92	9.4	1	13.1	28.7	0.43	0.13	10.4	0.127	0.37	4	69	16.1	12.9	6	52.7		0.008	

IG-2007-27

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
E387301	70.0	71.0		0.18	8.11	18.7	7860	1.56	0.61	2.78	<0.02	93.3	17.9	36	12.1	1630	8.58	16.3	0.17	1.7	0.218	2.44	61	35.3	1.73	6680	21.9	0.34	3	27.1
E387302	71.0	71.5		0.29	5.24	51.1	310	0.75	2.71	2.81	<0.02	83.5	50.9	31	10.4	3530	12.7	13.15	0.24	1.4	0.255	2.02	57.7	12.1	1.88	7580	25.5	0.37	1.7	30.8
E387303	71.5	72.0		0.24	2.5	54.2	920	0.4	2.27	2.12	<0.02	81.2	60.5	10	3.13	2240	25.1	4.89	0.37	0.7	0.409	0.56	55.8	25.8	2.72	14750	42.2	0.44	1.4	48.2
E387304	72.0	72.5		0.39	4.17	102.5	220	1.02	3.39	2.07	<0.02	154.5	108	25	8.92	2980	15	12.85	0.28	1.1	0.258	1.61	76.7	23.1	1.73	10150	23.9	0.17	1.5	55.3
E387305	72.5	73.0		0.18	6.18	31.4	1740	1.83	1.51	0.59	<0.02	155	45.9	41	14.4	288	6.67	20.5	0.2	1.7	0.194	2.51	104.5	26.1	0.89	4810	7.65	0.15	2.4	27
E387306	73.0	73.5		0.12	7.79	35.6	3860	2.4	1.49	0.22	<0.02	124	61.5	51	18.4	893	7.88	28.2	0.2	2	0.225	3.34	86.2	32.7	0.92	4480	9.83	0.19	1.7	29.6
E387307	73.5	74.0		0.14	7.23	18.1	7210	2.07	1.02	0.23	<0.02	337	37.8	47	17.65	3140	10.1	27.4	0.33	2.2	0.262	3.08	199	29.1	1.09	5700	6.29	0.19	4.1	34.7
E387308	74.0	74.5		0.25	4.52	85.5	660	1.22	4.01	0.47	<0.02	116.5	73.1	27	10.3	2220	21.7	13.2	0.37	1.4	0.379	1.69	76.8	23.7	2.11	10550	52.6	0.11	1.9	52.2
E387309	74.5	75.0		0.28	5.61	44.6	490	1.43	1.95	1.14	<0.02	232	42.8	36	14.65	8780	11.45	18.75	0.3	1.5	0.248	2.18	127	27.9	1.43	5560	12.4	0.16	2.6	32.3
E387310	75.0	75.5		0.1	7.32	9.1	>10000	2.13	0.46	0.16	<0.02	159	19.2	47	18.95	2580	5.24	26	0.19	1.9	0.183	3.15	102	31.6	0.72	3100	7.16	0.18	3.1	13.7
E387311			BLANK	0.01	0.13	6	50	0.07	<0.01	43.5	0.38	2.78	0.9	5	0.06	11.3	0.05	0.51	<0.05	0.1	0.005	0.03	2	1.2	0.46	39	0.29	0.01	0.3	0.3
E387312	75.5	76.0		0.28	5.16	16.4	1820	1.61	1.54	2.04	<0.02	61.9	24.4	35	15.05	5580	7.01	17	0.14	1.7	0.221	2.2	37.3	41	1.29	5260	11.9	0.11	2.5	17.3
E387313	76.0	76.5		0.37	6.1	13.3	1970	1.81	1.25	2.89	<0.02	155.5	27.1	40	16.45	7200	5.77	19.75	0.2	1.8	0.245	2.54	92.4	40.4	1.28	4850	4.27	0.13	3.1	16.7
E387314	76.5	77.0		0.04	6.09	8.3	>10000	1.78	0.13	2.26	<0.02	120.5	27.9	38	16.75	234	5.76	19.55	0.17	1.8	0.22	2.61	71.8	39.4	1.2	4990	6.03	0.14	2.5	18.1
E387315	77.0	77.5		0.04	5.1	5.7	>10000	1.47	0.09	2.55	<0.02	96.3	27.9	31	13.45	149.5	7	16.1	0.13	1.7	0.255	2.21	20.7	29.7	1.42	6430	4.15	0.11	2.1	18.6
E387316	77.5	78.0		0.07	4.79	5.4	7870	1.48	0.15	2.3	0.05	46.3	19.5	29	12.1	191	5.92	15.3	0.13	1.6	0.194	2.03	25.7	28.1	1.19	5290	6.05	0.11	2.4	16.4
E387317	78.0	79.0		0.04	5.7	10.4	8630	1.8	0.21	2.69	<0.02	100.5	30.5	34	14.6	172	7.2	17.85	0.17	1.8	0.22	2.41	55.3	32.4	1.41	5810	6.09	0.14	2.9	19.9
E387318	196.0	197.0		0.42	6.88	45.8	660	1.04	1.78	0.76	<0.02	110	56.7	32	8.13	685	15.15	21.6	0.28	2.5	0.181	3.16	66.3	6.1	1.13	9060	24.3	0.13	2.9	38.7
E387319	197.0	197.5		0.27	8.61	48.7	450	1.44	2.05	0.25	<0.02	15.45	67.7	30	10.15	579	10.6	29.7	0.18	3.7	0.145	4	8.1	8.2	0.68	4810	7.85	0.16	4	37.3
E387320	197.5	198.0		0.31	8.08	63.1	330	1.33	2.61	0.41	<0.02	30	91.7	28	9.5	429	10.65	28.8	0.2	3.8	0.118	3.76	16.4	7.5	0.63	4320	6.12	0.15	3.1	43.3
E387321	198.0	198.5		0.41	7.18	102	1180	1.15	4.25	0.39	<0.02	48.9	119.5	22	8.04	250	13.45	24	0.22	3	0.109	3.16	26.8	6	0.67	4630	6.34	0.13	3.7	61
E387322			BLANK	0.01	0.13	<5	40	0.08	0.01	44.9	0.4	2.67	1.1	7	<0.05	4.2	0.06	0.57	<0.05	0.1	<0.005	0.04	1.9	1.2	0.47	40	0.23	0.01	0.3	0.3
E387323			STANDARD 1	1.1	5.88	72.7	270	2.05	2.8	2.1	<0.02	58	160	36	4.29	8360	9.42	16.75	0.18	1.9	0.162	2.2	22.6	22.4	1.21	3330	67.2	1.14	3.8	37.2
E387324	198.5	199.0		1.4	3.97	176	410	0.83	10.25	0.19	<0.02	16.7	122.5	16	4.92	936	22.5	12.65	0.27	1.4	0.104	1.78	8.6	4	0.53	5460	8.39	0.08	2.3	111
E387325	199.0	199.5		0.56	7.25	131.5	940	1.25	5.54	0.56	<0.02	43.7	145.5	22	8.63	323	18.7	25.2	0.27	3.2	0.135	3.27	22.9	6.8	0.81	6080	6.92	0.14	3.1	83.6
E387326	199.5	200.0		0.41	7.14	87	420	1.23	3.29	0.19	<0.02	22	109.5	24	8.17	230	13.75	24.5	0.22	3	0.129	3.29	11.4	6.4	0.63	5860	5.81	0.13	2.9	54.2
E387327	200.0	200.5		0.46	8.38	89.9	300	1.45	3.84	0.19	<0.02	12.9	116.5	31	10.1	707	12.1	28.9	0.2	4	0.141	3.87	6	7.5	0.53	4140	7.48	0.16	3.7	53.2
E387328	200.5	201.0		0.44	9.11	105.5	440	1.63	3.67	0.21	<0.02	23.1	119.5	32	11.15	771	14.35	32	0.24	4.2	0.143	4.18	11.7	8.7	0.61	4860	7.84	0.17	3.7	63
E387329	201.0	201.5		1.83	5.4	248	430	0.76	9.36	0.17	<0.02	12.65	152.5	15	5.95	829	27.8	17.9	0.32	2.1	0.136	2.38	5.9	6.1	0.73	6940	27.6	0.1	2.3	122
E387330	201.5	202.0		0.34	7.42	81.8	130	1.33	2.84	0.53	<0.02	30.5	100	31	8.63	212	15.95	29.2	0.26	3.8	0.138	3.4	14.4	8.8	0.86	7680	9.17	0.15	3.5	59.4
E387331	202.0	202.5		0.32	6.48	85.6	220	1.04	3.27	0.34	<0.02	51.5	108	25	8	296	18.05	22.7	0.27	3	0.134	2.91	28	6.2	0.93	6790	7.43	0.12	2.3	62.1
E387332	202.5	203.0		0.28	7.64	85.3	230	1.2	3.18	0.3	<0.02	58.4	110	28	9.18	170.5	12.05	26.7	0.23	3.3	0.107	3.53	32.4	6.3	0.59	4300	6.14	0.15	2.4	56.8
E387333	203.0	203.5		0.49	5.75	98.5	140	0.92	3.3	0.64	<0.02	63.5	100	20	7.34	234	18.4	21.6	0.31	2.5	0.155	2.59	34.6	6.3	1.34	10250	16.25	0.11	3.2	66.8
E387334			BLANK	0.02	0.13	6	30	0.07	0.01	46.1	0.41	3.44	1.2	9	0.05	5.3	0.1	0.6	<0.05	0.1	<0.005	0.04	2.4	1.1	0.49	84	0.34	0.01	0.3	0.3
E387335	203.5	204.0		0.48	6.59	99.5	170	0.95	2.66	0.68	<0.02	72.5	106	21	8.4	111	16.55	22.5	0.22	2.8	0.145	2.94	37.6	10.2	1.03	7640	18	0.13	2.9	67.4
E387336	204.0	204.5		0.23	7.72	41.5	200	1.13	1.16	1.11	<0.02	30.1	57.3	25	9.18	90.4	14.5	25.5	0.15	2.9	0.125	3.51	15.7	9.3	0.96	7650	5.94	0.16	2.2	40.4
E387337	204.5	205.0		0.22	8.74	47.5	380	1.2	1.33	0.73	<0.02	33.6	61.6	26	10.4	29.9	15.35	29.2	0.16	3.1	0.144	3.92	18	11.6	1.04	7710	5.04	0.17	3.9	46.3
E387338	205.0	205.5		1.08	5.79	133.5	130	0.72	2.88	0.21	<0.02	121	97.2	16	7.8	359	20.8	19.35	0.29	2.3	0.132	2.61	59.3	7.8	0.81	8730	26	0.11	2.6	67.5
E387339	205.5	206.0		0.97	5.9	114	320	0.69	2.51	0.2	<0.02	28.8	75	15	7.1	451	21.7	19.4	0.21	2.2	0.133	2.64	13.1	8.4	0.81	9510	21.9	0.12	3	58.4
E387340	206.0	206.5		0.31	7.6	60.7	100	0.94	1.28	0.31	<0.02	24	61.8	24	9.38	107	16.6	26.8	0.19	2.9	0.141	3.49	10.2	8.9	0.85	8180	9.05	0.16	4.3	39.4
E387341	206.5	207.0		0.9	3.73	136	460	0.41	3.41	0.31	<0.02	9.68	66.1	9	4.7	259	28.6	11.95	0.29	1.4	0.142	1.6	4.6	6.5	1.01	11600	16.85	0.07	3.7	63.2
E387342	207.0	207.5		2.33	4.37	394	460	0.5	5.83	0.56	<0.02	10.4	117.5	35	5.82	826	30.9	12.6	0.31	1.1	0.108	1.89	4.7	6.1	0.63	4850	106	0.09	2	80.3
E387343	207.5	208.0		0.34	6.87	126.5	470	0.83	1.46	1.77	<0.02	58.9	60.3	34	10.9	72.8	9.05	19.15	0.1	2.1	0.075	3.04	29	9.9	0.8	1885	15.65	0.14	5	33.4
E387344	208.0	208.5		0.44	5.79	127.5	180	0.77	1.88	0.79	<0.02	139.5	74.4	34	10.1	220	9.36	16.3	0.16	1.8	0.066	2.47	68.2	11.8	0.49	1295	8.23	0.11	5.7	42.2
E387345			BLANK	0.01	0.15	<5	50	0.05	0.07	46.5	0.41	2.93	1	7	0.05	2.5	0.07	0.5	<0.05	0.1	<0.005	0.04	1.9	1.7	0.5	43	0.34	0.02	0.4	0.8
E387346			STANDARD 2	1.25	2.47	124.5	30	0.5	11.15	2.27	<0.02	204	346	12	3.11	9320	28	9.82	0.33	0.7	0.293	0.71	113	23.4	1.57	6580	59.8	0.25	6.3	56.3
E387347	208.5	209.0		0.43	7.39	147	170	1.08	2.21	0.87	<0.02	148.5	94.9	43	10.45	223	10.85	21.5	0.2	2.4	0.071	3.29	68.8	8.6	0.37	1060	12.65	0.16	4.8	47.4
E387348	209.0	209.5		0.39	8.79	116	70	1.38	1.45	0.39	<0.02	280	95	51	11.65	93.2	8.47	26.2	0.28	3	0.086	3.98	122.5	7.7	0.3	941	15.45	0.19	5.6	41.9
E387349	209.5	210.0		0.36	8.4	90.1	90	1.36	1.59	0.75	<0.02	45.7	64.6	41	11.1	96.1	7.3	25.2	0.09	2.7	0.078	3.9	21.7	9.7	0.41	1515	8.63	0.18	5.1	35.8
E387350	210.0	210.5		0.42	8.97	103	110	1.47	1.92	1.31	<0.02	92.3	73.2	48	11.2	177	7.83	26.4	0.14	2.6	0.097	4.08	41.8	12.3	0.51	1585	11	0.2	4	36.3
E387351	210.5	211.0		0.35	8.35	129	150	1.31	1.4	1.36	<0.02	176	84.3	58	10.45	124	10.4	28	0.26	2.4	0.115	3.85	78.3	10.1	0.85	3680	12.85	0.18	3.5	38.5
E387352	211.0	211.5		0.33	7.52	82.1	270	1.3	1.36	3.1	<0.02	129.5	63	36	9.68	58.4	6.98	23.1	0.16	2.4	0.074	3.39	63.9	8.5	0.86	2420	7.84	0.16	4	26.7
E387353	211.5	212.0		0.2	7.39	49	290	1.15	0.84	2.77	<0.02	85.1	37.5	45	8.86	81.4	8.88	21.5	0.12	2.1	0.097	3.3	44.4	8.1	1.16	4850	5.14	0.16	4.2	22
E387354	212.0	212.5		0.73	4.37	151.5	70	0.73	2.85	1.62	<0.02	184.5	70.9	23	6.34	889	20.4	12.95	0.28	1.4	0.148	1.94	128	8.3	1.46	10300	86.5	0.09	3.6	33.8
E387355	212.5	213.0		1.08	2.19	286	40	0.32	4.23	0.76	<0.02	218	111	13	3.06	802	25.8	6.81	0.33	0.7	0.127	0.97	144.5	4.5	1.32	10250	142.5	0.05	3	48.4
E387356	213.0	213.5		0.43	8.61	101.5	170	1.49	1.98	0.43	<0.02	171	71.5	49	11.8	160	10.95	25.2	0.16	2.6	0.088	3.9	105.5	10.2	0.61	3330	15.8	0.19	9.5	37.7
E387357			BLANK	0.01	0.14	8	20	0.08	0.19	45.4	0.44	3.02	1	6	<0.05	2.8	0.06	0.55	<0.05	0.1	<0.005	0.03	2.1	1.3	0.48	40	0.38	0.02	0.4	0.4
E387358	213.5	214.0		0.47	8.27	71.8	100	1.75	1.91	0.51	<0.02	135	59.4	48	12.25	391	9.48	25	0.16	2.9	0.108	3.65	75.9	10.7	0.62	3430	5.75	0.18	8.2	29.5
E387359	214.0	214.5		0.31	6.22	44.3	200	1.04	1.27	0.57	<0.02	64.6	44.2	41	8.05	901	14.8	17.6	0.15	1.9	0.183	2.69	39.6	8.4	1.06	7920	6.52	0.13	3.7	24.9
E387360	214.5	215.0		0.22	6	39	220	0.97	1.09	0.54	<0.02	38.2	43.8	34	7.39	250	15.3	16.9	0.14	1.7	0.141	2.67	24.2	7.7	1.03	7580	4.58	0.13	3.5	25.1
E387361	215.0	215.5		0.34	7.82	31.1	630	1.52	0.63	0.55	<0.02	108	26.4	47	9.83	404	4.8	23.6	0.08	2.7	0.091	3.49	65.6	8.7	0.38	1700	3.26	0.17	7.4	17.5
E387362	215.5	216.0		0.21	8.96	38.5	460	1.81	0.81	1.19	<0.02	484	44.9	56	11.35	564	9.1	29.9	0.46	3.1	0.145	4	234	11.8	0.96	4490	13.1	0.2	6.3	24.5
E387363	216.0	216.5		0.45	6.04	64.5	100	1.04	1.8	1.09	<0.02	18.1	64.2	27	7.98	349	15.3	19.15	0.17	2.1	0.118	2.82	8.9	10.5	1.32	7950	5.09	0.13	2.8	35.5
E387364	216.5	217.0		0.21	6.22	30	1430	1.26	0.71	0.84	<0.02	32.8	42.3	19	8.4	329	14.7	21.8	0.17	2.5	0.129	2.73	18.8	8.6	1.12	8200	5.03	0.12	2.8	29.1
E387365	217.0	217.5		0.13	7.73	18.8	1920	1.41	0.34	1.47	<0.02	17.9	27.7	24	8.54	81.4	13	25.9	0.13	3	0.151	3.3	9.7	11.8	1.34	7570	4.41	0.15	2.5	24.2
E387366	217.5	218.0		0.15	7.42	31.6	1850	1.46	0.48	1.55	<0.02	88.9	41.4	24	7.83	112	13.2	24	0.17	3	0.133	3.22	54.2	8.1	1.34	7420	4.4	0.15	2.8	30
E387367	218.0	218.5		0.22	6.36	53.8	620	1.23	1.1	1.19	<0.02	7.24	61.3	21	6.52	76.9	15.95	20.1	0.16	2.4	0.125	2.76	3.9	7.2	1.36	8440	4.71	0.14	1.7	37.3
E387368			BLANK	0.01	0.13	5	20	<0.05	<0.01	43.5	0.4	2.46	0.8	5	<0.05	2.3	0.05	0.53	<0.05	0.1	<0.005	0.03	1.7	1.1	0.46	38	0.2	0.01	0.3	<0.2
E387369			STANDARD 3	0.29	6.49	58.7	150	2.4	0.72	1.82	<0.02	78.6	108.5	39	8.89	1535	6.78	20.1	0.08	1.8	0.143	2.92	36.8	8.3	1.22	3050	20.3	0.56	2.9	23.4
E387370	218.5	219.0		0.28	7.12	75.4	380	1.54	2.27	1.37	<0.02	13.25	76.2	27	7.35	119.5	13.15	22.7	0.11	2.8	0.118	3.11	7.1	8.4	1.17	6400	6.82	0.16	2.6	41.3
E387371	219.0	219.5		0.27	7.47	59.7	300	1.6	2.01	0.41	<0.02	7.14	76.4	33	7.19	101.5	10.8	23.4	0.2	2.4	0.102	3.35	4	7.5	0.83	4340	7.03	0.17	4.2	42.9
E387372	219.5	220.0		0.27	8.33	45	700	1.66	1.98	1.21	<0.02	14.7	64.8	27	7.57	96.7	13.35	25.7	0.24	3.2	0.121	3.65	8.4	9.8	1.11	6590	7.18	0.19	3.3	40.8
E387373	220.0	220.5		0.28	7.51	42.8	440	1.48	1.53	1.19	<0.02	77.9	54.8	32	6.89	130	16	23.7	0.31	2.4	0.12	3.36	47.4	8.4	1.28	8180	53.3	0.17	4	37.4
E387374	220.5	221.0		0.39	5.58	56.3	280	1.08	2.28	0.5	<0.02	28.1	76	25	4.95	85.5	15	18.9	0.26	1.9	0.1	2.35	15.4	7.7	0.98	7660	76.4	0.12	2.9	42.6
E387375	221.0	221.5		0.48	8.61	72.3	280	1.38	3.66	0.96	<0.02	10.1	108	23	6.23	207	13.85	20.5	0.25	2.5	0.102	2.88	5	9.7	1.04	5880	7	0.15	2	56.9
E387376	221.5	222.0		0.33	5.14	51.6	160	0.97	2.65	1	<0.02	6.38	85	21	4.61	121	18.95	15.7	0.29	1.9	0.117	2.22	3.2	7.1	1.22	8500	7.09	0.12	1.2	46.5
E387377	222.0	222.5		0.36	5.45	44.6	180	0.99	2.32	2.24	<0.02	5.9	67.2	21	4.63	86.8	16.6	15.9	0.26	1.9	0.109	2.31	3.1	6.2	1.57	9080	6.31	0.13	1.7	43.3
E387378	222.5	223.0		0.7	5	111.5	710	1.02	5.87	1.72	<0.02	23.2	139	19	4.48	250	18.15	14.9	0.3	1.7	0.102	2.12	13.3	6.2	1.14	6640	10.35	0.11	1.6	76.6
E387379	223.0	223.5		0.32	6.84	36.1	270	1.42	2.01	2.26	<0.02	59.4	68.5	22	6.08	127.5	15.5	21.7	0.29	2.5	0.122	2.96	32.4	7.4	1.43	8030	4.72	0.16	2.4	50.7
E387380			BLANK	0.02	0.13	18	20	0.08	<0.01	43	0.4	2.54	0.9	6	<0.05	2	0.05	0.53	0.05	0.1	<0.005	0.03	1.8	1.7	0.46	39	0.21	0.01	0.3	<0.2
E387381	223.5	224.0		0.26	6.55	31.3	280	1.45	1.92	2.62	<0.02	110	56.3	19	6.06	69.8	13.9	22.5	0.29	2.6	0.11	2.84	53.5	9.7	1.32	7530	4.69	0.15	2.4	41.8
E387382	224.0	224.5		0.52	8.52	68.4	150	1.92	3.7	3.24	<0.02	146.5	92.4	24	8.43	321	9.85	29.8	0.31	3.5	0.103	3.88	67.3	12.2	1.01	4040	5.77	0.2	3.8	60.5
E387383	224.5	225.0		0.43	7.89	67.8	190	1.78	3.28	2.4	<0.02	147	107	23	7.79	194	11.35	27	0.33	3.2	0.1	3.47	66.3	8.5	1.05	4830	5.51	0.19	3	62.1
E387384	225.0	225.5		0.16	6.5	20.3	1420	1.37	0.83	2.17	<0.02	11.35	44.2	17	6.14	31.2	15.15	21.3	0.22	2.5	0.119	2.8	5.8	7.3	1.88	9100	3.64	0.14	2.3	37.8
E387385	225.5	226.0		0.24	8.07	28.9	440	1.12	1.47	2.57	<0.02	49.9	58.9	17	5.15	47.4	15.75	19.5	0.28	2.1	0.127	2.83	23.7	6.3	1.7	9270	5.75	0.14	2.6	46.2
E387386	226.0	226.5		0.14	7.39	12.8	1740	1.38	0.6	3.65	<0.02	72.8	29.1	19	6.48	273	11.8	24	0.24	2.8	0.111	3.17	35.2	7.9	1.41	7700	3.26	0.17	3.8	29.9

IG-2007-27

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E387301	70.0	71.0		1160	1.9	145.5	0.013	0.26	1.54	11.9	2	4.4	37.8	0.15	0.05	14.2	0.084	0.49	8.3	74	7.7	12.7	<2	57.1		0.006	0.85
E387302	71.0	71.5		1170	2.7	106	0.005	1.54	1.56	8.3	3	3.7	31.4	0.15	0.28	13	0.053	0.4	14	62	6.8	10.4	6	45.3		0.021	
E387303	71.5	72.0		1500	2.5	33.1	0.007	1.25	1.41	6.3	1	1.2	24.6	0.06	0.2	9.9	0.017	0.15	21.3	33	3.2	11	7	26.7		0.014	
E387304	72.0	72.5		810	2.6	89.6	0.004	2.84	1.97	9.8	1	3.4	22.6	0.09	0.22	9.9	0.044	0.34	4.5	52	6.1	9.9	3	35.9		0.019	
E387305	72.5	73.0		690	2	146	<0.002	0.56	1.71	11.7	<1	5.5	24.1	0.16	0.15	11.5	0.076	0.52	2.8	68	8.9	9.2	2	54.6		0.006	
E387306	73.0	73.5		670	1.6	199.5	<0.002	0.8	1.34	17.7	<1	7.2	26.9	0.11	0.12	10.3	0.077	0.63	5.2	94	9.4	9.6	2	64		0.006	
E387307	73.5	74.0		720	2.1	183	0.004	0.5	1.97	16.8	1	8.8	34.7	0.24	0.07	21.4	0.105	0.59	4.4	86	13.6	11.4	2	69.6		0.007	1.17
E387308	74.0	74.5		1530	1.9	95.8	0.014	1.57	1.61	9.7	1	4.8	19.9	0.07	0.2	7.7	0.037	0.41	6.4	68	5.6	9.4	9	47		0.012	
E387309	74.5	75.0		1130	1.9	134	0.003	1.2	1.61	10.9	3	6	25.1	0.13	0.1	12.3	0.063	0.42	2.3	72	8.7	11.3	6	48.1		0.02	
E387310	75.0	75.5		530	1.5	186.5	<0.002	0.28	2.13	14.4	1	8.3	51.6	0.21	<0.05	11	0.097	0.6	3.5	90	12.5	9.1	<2	58.6		0.005	1.47
E387311			BLANK	100	0.7	1	<0.002	0.06	0.06	0.3	1	<0.2	258	<0.05	<0.05	0.2	0.006	<0.02	0.6	5	0.1	2.9	20	3		<0.001	
E387312	75.5	76.0		1080	1.8	134	0.005	0.43	3.93	9.6	2	5.7	60.7	0.16	<0.05	9.9	0.071	0.42	7.3	58	11.5	13.1	<2	51.2		0.013	
E387313	76.0	76.5		740	2.1	157.5	0.002	0.53	3.35	10.4	2	6.3	41	0.22	<0.05	13.6	0.087	0.48	3.4	66	13	14.7	2	61		0.027	
E387314	76.5	77.0		820	2.8	156.5	0.002	0.05	1.79	10.1	<1	6	44.7	0.17	<0.05	13.6	0.085	0.46	3.3	65	11.9	13.2	2	56.4		<0.001	1.07
E387315	77.0	77.5		700	1.4	126	<0.002	0.11	1.44	9.2	<1	4.9	64.6	0.14	<0.05	7.9	0.071	0.38	1.9	52	10.1	11.9	3	51.7		<0.001	1.12
E387316	77.5	78.0		630	1.9	117	<0.002	0.06	1.8	8.6	<1	4.6	37	0.18	<0.05	9.6	0.078	0.37	4.1	51	11	11	11	48.4		<0.001	0.84
E387317	78.0	79.0		660	1.5	141.5	<0.002	0.15	1.43	10.2	<1	5.6	38	0.2	<0.05	11.3	0.085	0.45	3.2	62	11.9	13.2	2	57.6		0.007	0.99
E387318	196.0	197.0		720	6	128.5	0.005	2.79	2.07	31.5	2	3.4	26.8	0.15	0.33	6.5	0.252	0.55	37	390	6.7	17.4	6	83.1		0.006	
E387319	197.0	197.5		500	3	164.5	0.002	3.14	2.8	47	1	4.3	26.3	0.25	0.23	1.4	0.872	0.72	7	562	14	22.8	6	117		0.005	
E387320	197.5	198.0		370	3.2	153.5	<0.002	4.26	3.12	58.2	1	4.1	27.1	0.21	0.07	1.3	0.597	0.7	5.1	584	6.6	21.3	5	103		0.005	
E387321	198.0	198.5		440	3.4	128.5	0.002	7.28	4.06	50.7	1	3.8	21.7	0.24	0.1	1.4	0.822	0.59	3.9	504	9.6	17.1	5	86.6		0.009	
E387322			BLANK	100	0.9	1	<0.002	0.06	0.09	0.5	1	<0.2	267	<0.05	<0.05	0.2	0.007	<0.02	0.7	6	0.1	3	21	3.5		0.001	
E387323			STANDARD 1	860	21.1	85.4	0.024	2.38	1.73	10.7	2	8.1	622	0.21	0.28	8.9	0.086	0.39	268	56	8.9	16.3	7	59.1		0.051	
E387324	198.5	199.0		290	5.2	72.9	<0.002	>10.0	10.25	24.8	1	2.3	13.9	0.16	0.2	1.9	0.216	0.35	2.9	236	4.4	11.5	6	42.2		0.023	
E387325	199.0	199.5		410	4	135.5	0.002	9.21	5.85	43.5	1	4.2	23.8	0.21	0.13	1.6	0.583	0.6	3.8	496	7.9	18.8	5	94		0.009	
E387326	199.5	200.0		500	3.2	132.5	0.003	5.8	3.53	41.8	1	4.1	23	0.2	0.15	1.2	0.537	0.59	4.2	482	9.9	17.7	6	93.4		0.008	
E387327	200.0	200.5		470	3.6	160.5	0.003	5.93	4.24	51.1	1	5.2	29.2	0.27	0.19	1	0.676	0.7	4.5	551	11.9	23.8	5	121		0.007	
E387328	200.5	201.0		450	4.7	172	0.003	7.29	4.77	51.7	1	5.2	30.4	0.27	0.1	1.4	0.689	0.77	9.6	574	13	27.5	6	126		0.005	
E387329	201.0	201.5		320	7.9	82.2	0.005	>10.0	12.7	31.5	1	2.9	14.7	0.15	0.2	0.6	0.436	0.45	3.2	381	8.1	15.4	9	67.8		0.021	
E387330	201.5	202.0		440	3.9	111	0.003	5.55	3.71	47.4	1	4.7	23.9	0.24	0.16	1.3	0.584	0.68	18	572	9.4	17.6	7	116		0.005	
E387331	202.0	202.5		380	3.2	116	0.002	5.9	3.63	41.8	1	3.8	20.1	0.14	0.15	1.4	0.434	0.55	4.9	456	6.4	18.4	7	92.8		0.005	
E387332	202.5	203.0		480	3.1	141.5	<0.002	5.73	3.06	42.3	1	4.4	25.1	0.16	0.16	1.9	0.428	0.65	4.5	529	6	18.8	5	99.2		0.005	
E387333	203.0	203.5		470	3.6	84.2	0.005	7.21	4.5	33.3	1	3.9	21.3	0.17	0.28	1.3	0.439	0.53	4.8	394	8.2	15.6	8	79.2		0.006	
E387334			BLANK	110	0.8	1	<0.002	0.06	0.1	0.4	1	<0.2	266	<0.05	<0.05	0.2	0.007	<0.02	0.7	5	0.1	3.1	21	3.5		0.003	
E387335	203.5	204.0		590	5.4	134	0.006	7.2	3.48	35.1	3	4.3	23.3	0.16	0.28	1.9	0.395	0.6	6.9	426	6.8	17.2	6	84.2		0.007	
E387336	204.0	204.5		490	3.6	146.5	0.002	3.11	2.42	44.8	2	4.8	31.7	0.18	0.14	1.3	0.358	0.65	4.4	500	4.9	17.4	6	90.1		0.003	
E387337	204.5	205.0		520	3	178.5	0.002	3.2	2.95	49.2	2	5.7	31.2	0.28	0.22	1.7	0.644	0.75	4.4	558	8.1	19.2	5	101		0.003	
E387338	205.0	205.5		380	5.8	110.5	0.002	9.7	5.27	31.4	2	3.8	19.9	0.19	0.32	2.6	0.484	0.53	4	398	12.6	14	7	75.4		0.006	
E387339	205.5	206.0		240	5.2	117.5	<0.002	8.63	4.77	34.4	2	3.6	19	0.2	0.09	1.4	0.524	0.52	4.1	407	9.9	14	7	72.4		0.005	
E387340	206.0	206.5		440	3.2	148.5	0.002	4.76	3.72	42.9	2	4.8	27.2	0.27	0.08	1.6	0.598	0.68	5.4	499	20.5	16.5	6	98		0.002	
E387341	206.5	207.0		440	9.3	71.2	0.002	>10.0	7.77	21.2	2	2.5	13.8	0.17	0.11	1.6	0.286	0.4	4.4	221	10.5	10.5	7	45.4		0.006	
E387342	207.0	207.5		310	22.8	80.7	0.002	>10.0	9.32	14.8	2	2.4	15.7	0.11	0.07	1.6	0.159	0.55	3	151	6.9	13.3	6	35.8		0.014	
E387343	207.5	208.0		740	5.6	139	0.002	8.34	2.81	7.9	1	4.2	31.2	0.38	0.07	16.2	0.131	0.62	9.2	61	8	15.5	3	70.6		0.005	
E387344	208.0	208.5		660	8.5	115	0.004	8.99	2.78	5.9	2	3.9	26.1	0.41	0.09	13.1	0.129	0.57	7.8	49	7.7	15.1	3	62.5		0.008	
E387345			BLANK	120	0.8	1	<0.002	0.06	0.09	0.3	2	<0.2	292	<0.05	<0.05	0.3	0.007	<0.02	0.8	7	0.1	3.2	23	4.4		<0.001	
E387346			STANDARD 2	2540	6.7	37.6	0.018	7.36	2.33	4.1	5	7.8	184.5	0.13	1.19	8.3	0.035	0.52	16.1	63	7	16.2	6	24.2		0.11	
E387347	208.5	209.0		890	5.7	153	0.007	>10.0	2.84	8.2	2	5.1	31.8	0.34	0.16	19.3	0.118	0.65	9.3	47	8.5	19.3	2	81.4		0.009	
E387348	209.0	209.5		1120	4.7	182	0.021	7.59	3.28	12.8	2	6.3	35.2	0.36	0.13	18.2	0.136	0.75	15.2	81	9.1	18.5	2	99.1		0.008	
E387349	209.5	210.0		890	3.4	178.5	0.009	5.35	3.29	12.1	2	6.1	35.4	0.34	0.11	14.3	0.128	0.71	9.8	62	7.5	16.3	3	91.1		0.008	
E387350	210.0	210.5		850	4.4	178.5	0.005	6.32	2.95	11.6	2	6.2	37.4	0.25	0.11	16.7	0.109	0.74	10.5	68	7	15.9	3	85		0.008	
E387351	210.5	211.0		760	4.6	159	0.002	5.66	2.67	17.1	2	6.1	35.2	0.21	0.14	16.8	0.097	0.72	10.1	86	5.9	13.9	4	79.3		0.007	
E387352	211.0	211.5		810	4.3	157.5	<0.002	4.8	2.89	10.5	2	5.5	50.2	0.26	0.12	16.1	0.098	0.62	17.2	61	6.2	16.8	3	81.7		0.006	
E387353	211.5	212.0		700	2.9	147	<0.002	2.57	1.97	12.7	2	5.1	42.6	0.29	0.11	13.5	0.102	0.58	8.9	65	6	13.3	4	72.2		0.008	
E387354	212.0	212.5		720	8.6	87.8	0.007	7.34	3.15	9.6	2	4.9	29.2	0.19	0.16	8.6	0.071	0.45	7.6	67	8	11.5	6	48.5		0.013	
E387355	212.5	213.0		710	9.6	47.1	0.007	>10.0	3.94	7.4	2	3.5	13.8	0.14	0.26	5.4	0.038	0.26	5.6	41	5.7	8.2	7	24.3		0.012	
E387356	213.0	213.5		1010	5.4	181.5	0.005	5.67	2.84	11.8	2	10.5	34.1	0.62	0.2	18.1	0.2	0.76	9.5	66	11.6	14.5	3	91.6		0.009	
E387357			BLANK	140	0.7	1	<0.002	0.06	0.09	0.4	2	<0.2	282	<0.05	<0.05	0.3	0.007	<0.02	0.7	7	0.1	3.4	23	4		0.001	
E387358	213.5	214.0		850	6.3	176.5	0.002	4.42	2.54	15	2	9.8	33.3	0.61	0.16	17.7	0.169	0.75	13.1	78	10.5	14.7	4	95.3		0.009	
E387359	214.0	214.5		700	4.2	127.5	0.003	2.53	1.95	13.8	2	6.2	24.1	0.25	0.12	13.8	0.086	0.55	13.1	68	5.6	13.3	6	65.9		0.008	
E387360	214.5	215.0		550	2.2	125	0.003	2.31	1.7	13	2	5.7	22.5	0.23	0.12	11.4	0.077	0.5	9.8	66	5.3	11.6	5	57.7		0.006	
E387361	215.0	215.5		730	2.9	168.5	<0.002	1.59	1.82	14.2	2	7.8	35.7	0.6	0.1	14.7	0.172	0.66	15.2	88	11.7	14	2	87		0.005	
E387362	215.5	216.0		980	3.2	188	0.01	2.07	1.75	19.8	2	8.6	37.8	0.44	0.1	21.5	0.233	0.78	10.5	127	16.4	18.7	4	95.9		0.006	
E387363	216.0	216.5		520	4	125.5	<0.002	3.85	2.18	29	2	4.8	24.5	0.18	0.11	5.7	0.211	0.55	5.7	240	8.2	15.1	8	68.5		0.007	
E387364	216.5	217.0		330	2.5	132	<0.002	1.13	2.24	43.5	2	4.7	23.4	0.21	0.05	1.9	0.531	0.56	5.3	418	11.5	19.6	6	80.6		0.004	
E387365	217.0	217.5		400	1.7	158.5	<0.002	0.42	1.62	44.3	2	5.1	26.2	0.19	<0.05	2.2	0.489	0.64	5.9	469	12.3	22.8	7	96.5		0.002	
E387366	217.5	218.0		300	2.7	154	0.002	0.64	2	39.6	2	4.9	29	0.23	<0.05	4.4	0.485	0.61	11	404	13.1	22.2	6	99.4		0.003	
E387367	218.0	218.5		280	2.3	131	0.002	1.31	2.16	35.9	2	4.1	23.1	0.13	0.06	2.2	0.266	0.53	7.6	344	12	15.7	6	78		0.004	
E387368			BLANK	120	2	0.8	<0.002	0.06	0.16	0.3	2	<0.2	270	<0.05	<0.05	0.2	0.007	<0.02	0.7	6	0.1	3.1	26	3.3		0.001	
E387369			STANDARD 3	740	2.9	139	0.007	1.33	1.17	11.4	3	7.8	441	0.16	0.2	12.6	0.101	0.36	18.6	62	7.9	12.4	6	60.8		0.023	
E387370	218.5	219.0		410	2.5	145.5	<0.002	2.37	3.27	35.6	2	4.7	27.2	0.19	0.05	4.3	0.329	0.56	5	370	17	16.2	6	87.1		0.009	
E387371	219.0	219.5		290	3.7	150.5	<0.002	2.69	3.72	30.9	2	5	24.9	0.36	0.08	5.4	0.328	0.64	3.6	290	12.7	11.9	5	75.4		0.009	
E387372	219.5	220.0		400	3.2	185.5	<0.002	2.14	3.84	41.2	2	5.4	30.7	0.24	0.1	2.9	0.411	0.68	4.8	425	29.8	18.6	5	100.5		0.008	
E387373	220.0	220.5		570	3.5	148.5	0.002	2.32	3.04	34.9	2	5.3	29.5	0.29	0.11	5.4	0.31	0.63	5.8	361	21.1	13.2	6	75.2		0.007	
E387374	220.5	221.0		440	2.9	105	0.015	3.18	3.45	25	2	3.5	17.2	0.25	0.1	6.1	0.213	0.45	7.6	250	11	10.5	6	61.6		0.008	
E387375	221.0	221.5		330	3.3	131	<0.002	4.71	4.03	31.9	2	3.7	22	0.19	0.06	2.8	0.293	0.55	3	301	12.2	14.6	6	80.8		0.014	
E387376	221.5	222.0		210	2.8	100.5	<0.002	3.16	3.07	24.6	2	2.7	20.2	0.14	<0.05	3	0.151	0.42	2.5	225	7.7	12.4	7	64.9		0.01	
E387377	222.0	222.5		260	2.9	100.5	<0.002	3.48	3.23	24.6	2	2.7	23.5	0.17	0.05	2.6	0.22	0.42	2.1	242	7.4	13.2	6	62.8		0.008	
E387378	222.5	223.0		250	5.1	94.5	<0.002	9.2	5.84	23.2	2	2.4	22.2	0.19	0.05	4.3	0.213	0.41	1.8	213	6.2	10.2	5	53.8		0.025	
E387379	223.0	223.5		430	3.5	134	<0.002	2.78	3.29	38.7	2	3.1	34.8	0.19	0.05	3.6	0.327	0.56	2.5	366	8.5	16.4	6	77		0.007	
E387380			BLANK	110	0.8	0.9	<0.002	0.06	0.09	0.4	2	<0.2	270	<0.05	<0.05	0.2	0.006	<0.02	0.7	7	0.1	3	22	3.8		<0.001	
E387381	223.5	224.0		370	3.2	133.5	<0.002	2.33	2.97	41.6	2	2.9	39.5	0.18	<0.05	2.1	0.402	0.55	2.4	404	8	17	5	78.3		0.006	
E387382	224.0	224.5		500	4.1	157	0.002	5.01	5.14	42.3	2	4.2	49.6	0.3	0.05	3.8	0.706	0.73	3	499	14.9	20.1	5	106		0.013	
E387383	224.5	225.0		480	3.4	155	0.002	4.68	4.32	44.3	2	3.8	40.7	0.23	0.05	3.8	0.566	0.66	2.9	481	8	19.9	5	98.6		0.015	
E387384	225.0	225.5		310	2.8	127	<0.002	1.3	2.32	43.9	2	2.7	30.8	0.17	<0.05	1	0.462	0.53	3.6	396	7.2	17.9	7	75.6		0.004	
E387385	225.5	226.0		290	2.8	115	<0.002	2.03	2.76	34.8	2	2.2	28.5	0.19	<0.05	1.6	0.522	0.49	3.8	376	14.9	16.5	8	69.3		0.008	
E387386	226.0	226.5		420	2.2	144.5	<0.002	0.74	1.76	43.2	2	2.7	47.2	0.27	<0.05	2.4	0.741	0.57	3.4	442	9.6	17	4	80.3		0.003	

IG-2007-27

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
E387387	226.5	227.0		0.29	7.25	34.1	340	1.35	1.89	2.06	<0.02	36.7	61.1	20	6.57	184	12.6	22.6	0.25	2.4	0.1	3.14	17.2	6.7	1.02	6320	4.16	0.17	2.9	46.4
E387388	227.0	227.5		0.45	6.38	65.6	150	1.27	3.01	2.33	<0.02	157.5	85	18	6.18	134.5	15	22.7	0.42	2.4	0.106	2.74	63.9	5.7	1.16	6780	6.49	0.16	2.5	59.7
E387389	227.5	228.0		0.22	7.31	32.9	380	1.41	1.67	2.87	<0.02	20.6	66.8	22	6.86	69.2	12.4	24.1	0.24	2.8	0.097	3.18	10.2	7.4	1.22	6530	5.38	0.18	3.1	45.3
E387390	228.0	228.5		0.26	6.6	42.6	280	1.25	1.98	1.71	<0.02	115.5	69.4	17	6.17	57.7	12.45	21.8	0.3	2.1	0.103	2.85	54.9	6.8	1.23	6440	4.55	0.16	2.7	46.8
E387391			BLANK	0.01	0.13	<5	50	0.06	0.02	42.5	0.38	2.73	1	6	<0.05	4.6	0.06	0.55	0.06	0.1	<0.005	0.03	1.9	0.5	0.45	44	0.21	0.01	0.4	<0.2
E387392			STANDARD 1	1.12	5.86	51.1	110	1.81	3	1.96	<0.02	69.2	157	34	3.74	7500	9.7	15.9	0.21	1.7	0.159	2.19	27	28.5	1.19	3580	68.5	0.87	4.6	33.4
E387393	228.5	229.0		0.25	6.9	39.9	410	1.32	1.51	1.85	<0.02	90.1	72.8	20	6.39	64.8	13.85	22.5	0.29	2.2	0.115	2.97	46.6	6.8	1.17	7120	4.66	0.17	2.7	45.7
E387394	229.0	230.0		0.19	6.17	16.1	1360	1.12	0.8	2.1	<0.02	75.8	39.9	16	5.38	48.5	14.5	20.3	0.29	2.1	0.123	2.59	37.9	5.5	1.49	8760	4.57	0.14	2.5	35.5
E387395	244.0	245.0		0.39	5.08	93.1	90	0.78	7.09	7.69	<0.02	21.5	98.6	9	4.95	117.5	11.85	16.8	0.22	1.9	0.084	2.08	9.8	9.5	2.27	6790	6.39	0.13	1.8	55.5
E387396	245.0	245.5		0.37	6.16	95.7	610	1.02	6.99	7.45	<0.02	33.1	102.5	13	5.84	162.5	12.4	20.4	0.24	2.5	0.079	2.5	15.7	7.9	1.86	6180	9.52	0.16	1.7	56
E387397	245.5	246.0		0.44	5.05	95	90	0.89	7.09	7.86	<0.02	20.2	105.5	9	5.01	609	13.45	16.6	0.23	1.9	0.099	2.06	9.5	7.8	2.02	7070	11.2	0.13	1.8	62.4
E387398	246.0	246.5		1.01	3.89	234	80	0.67	8.65	7.73	<0.02	19.85	88.7	6	3.64	1065	17.35	12.25	0.26	1.5	0.101	1.53	9.2	5.7	1.7	6380	28.7	0.1	1.3	69.2
E387399	246.5	247.0		0.25	5.76	73.4	100	1.11	6.33	7.86	<0.02	12.15	87.7	12	5.21	75.3	12.3	19.45	0.21	2.2	0.07	2.37	6	6.1	1.52	6830	7.9	0.16	2.7	45.9
E387400	247.0	248.0		0.31	6.11	95.3	460	1.11	8.37	6.64	<0.02	51.3	102	14	4.86	65.8	13.35	19.55	0.25	2.4	0.073	2.52	25.4	6.1	2.05	8750	6.03	0.17	2.8	52.6

IG-2007-27

Sample No	From (m)	To (m)	Standard/Blank
E387387	226.5	227.0	
E387388	227.0	227.5	
E387389	227.5	228.0	
E387390	228.0	228.5	
E387391			BLANK
E387392			STANDARD 1
E387393	228.5	229.0	
E387394	229.0	230.0	
E387395	244.0	245.0	
E387396	245.0	245.5	
E387397	245.5	246.0	
E387398	246.0	246.5	
E387399	246.5	247.0	
E387400	247.0	248.0	

P	Pb	Rb	Re	S	Sb	Sc	Be	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
350	2.9	145	<0.002	2.55	2.42	44.6	2	2.5	39	0.21	<0.05	1.4	0.562	0.59	2	462	4.7	16.3	5	72.8		0.008	
330	3.5	132.5	<0.002	5.07	3.83	41.1	2	2.3	36.7	0.16	<0.05	2.5	0.434	0.53	1.9	433	3.8	16.5	5	72.5		0.013	
440	3.3	149	<0.002	2.26	2.71	43.7	2	2.5	43.7	0.22	<0.05	1.2	0.564	0.61	1.8	478	5.2	17.4	5	80		0.005	
400	3.4	132.5	<0.002	2.54	2.8	40	2	2.2	29.7	0.18	<0.05	2.3	0.513	0.58	1.5	434	8.7	14.6	5	64.4		0.008	
100	0.7	1	<0.002	0.06	0.08	0.4	2	<0.2	285	<0.05	<0.05	0.2	0.006	<0.02	0.8	7	0.1	3	21	3.7		0.001	
570	21.2	94.6	0.022	2.34	1.77	10.2	4	9.2	661	0.24	0.23	9.3	0.095	0.49	275	54	9.5	18.8	8	58.7		0.075	
310	3	142	<0.002	2.12	2.58	42.4	2	2.2	34.7	0.18	<0.05	2	0.54	0.58	2.2	425	5.2	15.8	5	69.8		0.007	
300	2.1	123.5	<0.002	1.09	1.7	40.4	2	1.9	29.3	0.18	<0.05	1.8	0.501	0.51	2.7	369	19.2	14.4	5	65.9		0.004	
270	3.6	104	<0.002	7.17	3.67	29	2	1.8	93	0.12	<0.05	1	0.359	0.44	3.1	307	8	12.3	5	61.5		0.02	
310	3.6	129	<0.002	7.77	3.86	34	2	2.2	73.4	0.12	<0.05	1.3	0.348	0.53	3.4	348	5.6	14.3	4	77.9		0.022	
250	3.5	106	<0.002	7.82	4.1	25.6	2	1.9	89	0.13	<0.05	0.9	0.404	0.44	3	286	5.7	12.9	5	59.8		0.014	
200	5.3	77.9	<0.002	>10.0	3.79	19.6	2	1.4	67.6	0.08	0.05	0.7	0.235	0.35	2.3	221	4.1	9.6	6	47.1		0.028	
320	3.1	122	0.002	5.95	3.07	30.7	2	2.2	86.6	0.18	<0.05	0.9	0.515	0.48	3.5	349	5.3	12.8	4	69.4		0.014	
250	5	122	0.002	8.45	3.41	34.1	2	2.1	58	0.2	<0.05	1.4	0.571	0.49	3.9	362	6.4	14.1	5	74.9		0.018	

IG-2007-28

Sample No	From (m)	To (m)	Standard/Blank	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
E387401	84	85		0.12	4.47	10.3	8110	1.04	0.67	1.37	<0.02	129	107	23	9.77	19.2	16.05	11.35	0.3	1.3	0.314	1.84	93.3	26.3	1.37	9700	5.46	0.1	2.7	26.7
E387402	85	85.5		0.81	2.51	17.3	900	0.46	1.06	0.73	2.9	230	299	11	3.16	111.5	22.8	6.53	0.47	0.9	0.366	0.63	209	21.2	1.36	15050	19.2	0.03	4.2	29.4
E387403	85.5	86		0.15	1.1	14.8	790	0.14	0.82	1.8	0.07	313	85.3	3	0.22	61.7	19.35	3.86	0.39	0.4	0.144	0.03	243	13.4	0.86	8200	28.7	0.01	9.9	19.8
E387404	86	86.5		0.32	0.61	9.8	1710	0.09	0.75	1.02	<0.02	243	36.5	1	0.25	10.6	19.35	2.66	0.35	0.2	0.112	0.03	184.5	5.9	0.73	7860	16.45	0.02	9.7	14.3
E387405	86.5	87		0.1	0.05	7.4	2940	0.05	0.3	0.29	<0.02	312	29.2	<1	0.09	22	20.5	1.52	0.36	<0.1	0.12	<0.01	246	0.3	0.54	5850	24.6	0.02	8.2	7.8
E387406	87	87.5		0.1	0.03	5.4	7020	0.06	0.27	0.66	<0.02	104	63.3	<1	0.17	32	28.2	1.27	0.38	<0.1	0.256	<0.01	84.3	0.2	1.3	13800	24.2	0.05	10.4	19.5
E387407	87.5	88		0.14	0.46	18.7	3110	0.09	0.69	2.42	<0.02	242	93	<1	0.43	38.8	23.5	2.54	0.39	0.2	0.266	<0.01	196	4.1	0.78	10600	40	0.03	12.9	32.3
E387408	88	88.5		0.23	0.47	13.7	3570	0.11	0.78	1.56	<0.02	308	43.4	1	0.18	39.2	23.9	2.51	0.42	0.2	0.093	<0.01	268	4.1	0.49	4060	76.5	0.02	13.2	18.2
E387409	88.5	89		0.17	1.13	11.5	1370	0.23	0.57	0.95	<0.02	337	63.9	5	0.45	23.3	21.8	3.84	0.39	0.5	0.086	0.01	269	12.5	0.6	3350	70.4	0.01	14.1	28.9
E387410	89	89.5		0.14	0.2	10.7	3320	0.06	0.32	2.64	<0.02	280	67.1	<1	0.16	38.8	23.8	2.15	0.39	0.1	0.208	<0.01	237	1.3	0.72	10750	66.6	0.02	9.1	17.2
E387411			BLANK	0.01	0.11	<5	170	0.09	0.04	42.6	0.33	2.5	0.8	5	<0.05	2.6	0.11	0.42	0.05	0.1	<0.005	0.03	2	0.9	0.48	59	0.9	0.02	0.4	<0.2
E387412	89.5	90		0.29	0.9	9.2	1570	0.17	0.66	4.62	<0.02	500	81.8	1	0.4	3870	24.5	3.44	0.46	0.3	0.374	0.01	421	8.9	0.85	9180	104.5	0.02	4.5	23.1
E387413	90	90.5		0.16	1.83	9.8	2040	0.34	0.29	1.2	<0.02	332	107	5	1.05	3380	28.3	4.63	0.44	0.4	0.3	0.13	286	20.4	1.05	7420	31.7	0.02	5.5	22.6
E387414	90.5	91		0.1	1.01	6	1080	0.43	0.28	1.16	<0.02	176	84.3	4	0.67	106	16.7	2.44	0.25	0.3	0.126	0.08	140	12.5	0.57	4060	28.6	0.01	6.3	9.6
E387415	91	91.5		0.39	0.18	5	1050	0.25	0.4	2.17	<0.02	236	53.9	<1	0.07	5.4	20.3	1.37	0.31	0.1	0.093	<0.01	190	1.8	0.43	3310	44.5	0.01	9.9	7.9
E387416	91.5	92		0.13	0.2	9.8	1680	0.16	0.45	1.2	<0.02	357	48.8	<1	0.08	20.5	16.3	2.02	0.33	0.2	0.146	<0.01	291	1.9	0.59	4990	28.4	0.01	8.8	8.8
E387417	92	92.5		2.03	0.57	32.2	110	0.16	11.85	1.43	<0.02	290	438	<1	0.36	>10000	22.8	3.04	0.43	0.3	0.499	0.01	173.5	4.4	1.29	9500	108	0.01	6.4	26.3
E387418	92.5	93		0.31	2.89	10.7	600	0.84	2.23	0.95	<0.02	243	124	16	5.14	2320	18.5	8.88	0.32	1.1	0.47	1.12	184.5	19	1.63	11800	47.3	0.03	4.7	20.1
E387419	93	94		0.06	6.06	2.1	>10000	1.78	1.03	0.58	<0.02	97.8	77.6	36	10.9	62.4	12.45	15.85	0.22	1.8	0.284	2.69	68.1	42.1	1.21	4950	6.18	0.17	2.4	18.3
E387420	174	175		0.05	5.86	8.8	5780	1.18	0.18	3.05	<0.02	67.6	29	34	3.06	23.7	8.21	14.15	0.18	1.8	0.081	3.78	46.5	29	1.46	3370	12.2	0.07	6.6	16.9
E387421	175	175.5		0.07	6.53	5	9250	1.37	0.22	2.06	<0.02	112.5	28.1	38	3.73	381	8.12	16.2	0.2	2.1	0.086	3.42	75.7	32.3	1.38	2230	13.3	0.38	8.3	19.1
E387422			BLANK	0.01	0.12	<5	50	0.06	0.04	43	0.35	2.05	0.7	5	<0.05	3	0.05	0.41	<0.05	0.1	<0.005	0.03	1.6	1	0.46	39	0.27	0.01	0.3	<0.2
E387423			STANDARD 1	0.98	5.4	48.3	1090	1.68	2.9	1.89	<0.02	54.8	156	30	3.51	7210	9.07	13.6	0.18	1.7	0.144	2.01	24	21.5	1.17	3410	62.4	0.86	4	33.3
E387424	175.5	176		0.06	7.42	5.6	5420	1.3	0.14	2.16	<0.02	66.2	25	42	4.03	139	8.3	21.4	0.37	2.3	0.095	4.46	43.3	41.1	1.48	2490	10.7	0.06	7.4	19.4
E387425	176	176.5		0.06	7.36	4	3520	1.32	0.14	1.56	<0.02	106	35.5	47	4.09	281	7.77	20.2	0.42	2.6	0.083	4.47	66.6	49.8	1.49	2080	6.22	0.05	4.6	25.3
E387426	176.5	177		0.06	5.64	4.9	6970	1.67	0.08	6.36	<0.02	118	33.8	29	3.15	211	9.34	16.55	0.34	1.9	0.124	3.15	82.2	46.2	2.7	6890	16.6	0.01	7.2	20.4
E387427	177	177.5		0.07	7.38	3.7	4880	2.38	0.17	4.74	<0.02	56.8	32.8	40	4.18	560	7.57	23.3	0.27	2.5	0.144	4.25	36.1	45.7	2.22	4890	14.9	0.02	8.5	25.4
E387428	177.5	178		0.07	5.85	4.8	2240	1.47	0.17	4.26	<0.02	124	26.7	31	3.07	1230	8.25	17	0.34	1.7	0.118	3.16	82.9	36.9	1.8	4920	18.3	0.02	7.4	18.1
E387429	178	178.5		0.06	6.5	8	3460	2.12	0.31	3.08	<0.02	142.5	25.7	41	3.38	277	7.9	22.2	0.34	2.2	0.124	3.64	98.3	41.9	1.49	3580	13.4	0.02	9.6	19.2
E387430	178.5	179		0.03	6.93	5.1	5330	1.85	0.09	2.14	<0.02	141	22.1	41	3.34	23.9	7.78	20.3	0.34	2.4	0.11	4.17	96.2	44.4	1.19	2530	11.55	0.02	12.9	17.4
E387431	179	179.5		0.05	6.72	7.6	9000	1.83	0.23	3.05	<0.02	231	24.9	37	3.49	183.5	8.97	19.75	0.41	2.2	0.107	3.86	157	44	1.53	3050	18.75	0.01	12.5	18.7
E387432	179.5	180		0.04	6.12	9	3500	1.49	0.23	2.93	<0.02	152.5	27.4	37	3.32	38.8	8.68	17.8	0.37	2.1	0.097	3.73	107	40	1.37	3350	27.4	0.03	9.9	18.2
E387433	180	180.5		0.06	5.62	5.1	2350	1.04	0.21	2.53	<0.02	170.5	27.4	32	3.16	158.5	9.26	13.55	0.22	1.7	0.091	3.1	107	26.9	1.58	4020	15.4	0.03	5.1	19.9
E387434			BLANK	<0.01	0.14	<5	70	0.14	<0.01	48.7	0.39	2.35	0.8	6	<0.05	2.8	0.06	0.51	0.05	0.1	<0.005	0.03	1.7	1.4	0.53	45	0.25	0.02	0.3	0.9
E387435	180.5	181		0.07	4.67	8.3	3250	1.1	0.22	3.14	<0.02	87.1	21.2	27	2.1	157.5	8.12	13.05	0.21	0.9	0.078	2.61	56.3	28.7	1.46	3560	20.5	0.05	6	15.3
E387436	181	181.5		0.06	7.63	8.9	5740	1.56	0.31	0.91	0.05	99.7	16.9	46	4.52	35.9	6.39	21.1	0.17	2.3	0.077	4.69	61.6	38.1	0.81	1040	6.85	0.08	6.1	16.9
E387437	181.5	182		0.05	6.89	3.1	1780	1.04	0.09	6.61	0.03	103.5	31.1	34	2.86	6.9	8.68	16.25	0.19	2.3	0.121	4.64	60.2	21.9	2.57	7480	8.78	0.06	4.7	17.5
E387438	182	182.5		0.05	7.17	3.8	2210	0.88	0.07	4.81	<0.02	45.5	22.3	38	2.49	19.2	8.55	13.9	0.17	2.2	0.082	5.76	26.2	19.7	2.03	4830	7.57	0.07	4.6	15
E387439	182.5	183		0.04	6.07	3.7	3530	0.77	0.08	4.43	<0.02	54.6	23.6	36	2.32	3.9	7.22	12.8	0.28	2	0.07	4.64	32.4	23.2	1.89	4310	9.02	0.05	3.8	13.3
E387440	183	183.5		0.06	7.37	4.9	>10000	1.14	0.12	2.84	<0.02	106.5	21.5	43	3.63	20.5	8.33	16.75	0.21	2.3	0.089	5.01	88.3	24.6	1.37	3470	8.52	0.07	4.8	14.1
E387441	183.5	184		0.03	5.37	3.2	3450	0.72	0.07	9.23	<0.02	79.5	34.4	24	2.21	98.7	9.84	10.95	0.2	1.6	0.147	2.77	44.7	22	3.72	11100	5.26	0.18	3.1	20.5
E387442	184	184.5		0.03	6.28	1.9	5170	0.98	0.21	7.25	<0.02	88.9	32.4	28	2.45	58.7	8.63	15.05	0.31	1.9	0.113	4.1	40.6	30.1	3.2	6910	4.1	0.03	3.8	19.9
E387443	184.5	185		0.03	7.65	4.3	7340	0.81	0.11	4.94	<0.02	94.4	25.9	39	2.7	9.4	9.78	13.55	0.19	2.3	0.074	5.53	53.2	26.6	2.62	4630	5.17	0.06	3	19.5
E387444	185	185.5		0.06	7.09	3.4	>10000	1.07	0.13	4.68	<0.02	87.7	26.6	35	3.07	165.5	9.13	15.85	0.19	2.1	0.102	4.19	38.1	32.3	2.4	5790	9.15	0.06	3.8	21.2
E387445			BLANK	<0.01	0.14	<5	40	0.08	<0.01	49.5	0.34	1.88	0.6	6	<0.05	1.8	0.06	0.43	<0.05	0.1	<0.005	0.04	1.4	1.2	0.53	45	0.15	0.01	0.2	8.1
E387446			STANDARD 2	1.28	2.5	114.5	70	0.55	11	2.33	<0.02	207	358	12	2.94	9190	28.6	9.31	0.43	0.8	0.28	0.67	118	21.2	1.81	6750	62.1	0.24	5.3	58.5
E387447	185.5	186		0.07	4.2	4.5	1180	0.96	0.2	2.87	<0.02	66.3	19.4	21	2.05	839	7.04	12.7	0.16	1.3	0.07	1.98	32.5	25.2	1.49	3130	9.69	0.02	4.3	19.8
E387448	186	186.5		0.06	8.26	2.9	5940	1.87	0.17	2.69	<0.02	122.5	21.1	51	5.1	423	6.02	25.5	0.18	2.7	0.133	5.11	65.3	36.1	1.44	3570	4.84	0.05	4.9	20.5
E387449	186.5	187		0.6	8.03	9.4	1460	2.15	4.55	0.44	<0.02	111.5	32.7	59	9.02	>10000	9.65	24.7	0.2	2.9	0.15	4.36	71.7	44.5	0.93	1820	16.15	0.04	9.7	29.8
E387450	187	187.5		0.55	6.71	12.5	970	1.57	3.76	2.48	0.02	143	33.3	44	9.25	>10000	12.85	16.45	0.25	2.3	0.152	3.38	95.1	36.5	1.81	4640	21.9	0.03	12.9	32.3
E387451	187.5	188		0.22	7.88	4.3	1140	1.49	0.89	1.76	<0.02	130	32.8	50	4.96	5640	9.88	20.2	0.2	2.5	0.132	4.23	78.8	36	1.75	4680	8.2	0.04	4.7	37
E387452	188	188.5		0.1	8.15	5.8	2390	1.43	0.21	2.33	0.02	80.3	16.9	44	3.71	938	5.61	19.8	0.15	2.1	0.089	4.5	45.8	29.3	1.42	2830	7.15	0.04	3.5	19.1
E387453	188.5	189		0.07	5.75	2.2	6540	1.18	0.11	1	<0.02	81	29.3	35	3.06	474	10	16.2	0.16	1.7	0.188	3.27	44.1	22	1.65	10400	8.53	0.04	2.4	24.3
E387454	189	189.5		0.03	7.92	5.2	>10000	1.12	0.15	2.62	<0.02	126.5	17.4	48	3.05	82.2	6.21	18.4	0.16	2.3	0.083	5.45	68.3	23.7	1.44	2640	3.31	0.06	3.1	16.5
E387455	189.5	190		0.05	6.14	3.8	4980	1.07	0.17	4.51	<0.02	149	21.4	35	3.26	522	8.04	15.85	0.22	2	0.1	3.73	82.6	24.7	2.32	5620	4.83	0.04	3.8	18.9
E387456	190	190.5		0.02	6.73	2.6	1730	1.46	0.05	4.05	<0.02	123	21.6	41	3.45	33.4	8.29	20	0.29	2.2	0.1	4.51	69.5	32.8	1.84	4030	5.03	0.04	4	15.9
E387457			BLANK	<0.01	0.14	<5	20	0.08	<0.01	49.7	0.29	1.77	0.6	6	<0.05	2.2	0.05	0.36	<0.05	0.1	<0.005	0.03	1.2	1.1	0.54	43	0.16	0.01	0.2	7.3
E387458	190.5	191		0.09	5.41	8	1830	1.35	0.2	4.45	0.03	235	26.2	29	3.06	280	12.2	15.65	0.27	1.6	0.162	3.04	138.5	32	2.39	8650	24	0.03	7.9	22.1
E387459	191	191.5		0.79	4.6	8.6	3580	1.01	1.27	7.43	0.03	59.5	33	25	3.16	4390	12.7	11.2	0.18	1.5	0.199	2.41	42.8	23	4.03	13100	150	0.03	4.2	25.2
E387460	191.5	192		0.14	4.51	12.1	1810	0.92	0.6	6.81	<0.02	99.6	20.2	22	2.35	2180	9.22	12.4	0.18	1.3	0.112	2.59	67.4	26.3	2.89	6550	30.7	0.03	7.6	16.1
E387461	192	192.5		1.35	5.05	11.4	2980	1.04	2.65	5.74	<0.02	80	27	26	3.06	3200	8.3	12.95	0.17	1.5	0.106	2.66	55.1	31.5	2.73	5440	344	0.03	6.8	20.9
E387462	192.5	193		0.04	6.49	4.6	8910	1.25	0.17	5.07	<0.02	72.8	25.2	34	3.25	813	8.34	16.8	0.15	1.8	0.117	3.53	48.2	32.1	2.57	5360	5.96	0.04	5.5	25.8
E387463	193	193.5		0.17	4.03	14.8	3270	0.86	0.56	5.71	<0.02	164.5	24.8	19	2.66	1340	11.55	11.6	0.22	1.2	0.119	2.2	123.5	25.3	2.71	6610	32.7	0.03	9.3	21.8
E387464	193.5	194		0.06	3.43	14.2	6030	0.82	0.24	2.17	<0.02	273	25.2	18	2.21	614	14.8	10.25	0.29	0.9	0.15	1.9	206	25.3	1.83	9630	26.3	0.03	11	23.4
E387465	194	194.5		0.11	2.49	10.6	1670	0.51	0.37	5.91	<0.02	140	22.5	12	1.16	1160	14.45	7.09	0.22	0.8	0.125	1.4	107	16.7	2.87	8520	33.9	0.02	10.6	16.3
E387466	194.5	195		0.02	3.29	11.8	3420	0.67	0.16	4.53	<0.02	129	16.8	18	1.39	300	13.65	8.02	0.2	0.7	0.106	1.84	99.3	19.2	2.04	7200	20.7	0.03	11	14.5
E387467	195	195.5		0.19	1.71	10.9	200	0.4	0.88	3.47	<0.02	142	42.9	8	0.88	4580	20.4	5.55	0.28	0.4	0.218	0.98	98.6	12	2.76	15650	17.6	0.02	8.8	22.2
E387468			BLANK	0.01	0.12	<5	50	0.07	<0.01	45.1	0.35	2.38	0.8	6	<0.05	10.3	0.06	0.49	0.05	0.1	<0.005	0.03	1.8	1.2	0.48	47	0.34	0.01	0.3	1.2
E387469			STANDARD 3	0.27	8.78	53.6	430	2.28	1.56	1.82	<0.02	74.5	109	43	6.12	1425	7.03	18.15	0.15	1.8	0.119	2.84	41.8	21.8	1.31	3170	18.25	0.58	2.4	24.6
E387470	195.5	196		0.12	1.8	15.4	440	0.42	0.45	1.83	<0.02	127.5	44.1	9	0.92	3490	21.1	6.02	0.26	0.6	0.262	1.04	92.2	13.8	2.64	18100	22.8	0.02	9.4	26.9
E387471	196	196.5		0.09	3.85	10.4	2440	0.79	0.54	5.8	<0.02	124.5	19.5	20	2.07	650	12.6	10.4	0.21	1	0.156	2.15	91.9	25.9	2.47	7810	22	0.03	10.8	16
E387472	196.5	197		0.08	3.57	12.1	6650	0.84	0.3	6.66	<0.02	176	14.7	18	2.28	518	13.15	9.91	0.26	0.9	0.162	1.97	130.5	23	2.81	8570	32	0.04	12.2	14.8
E387473	197	197.5		0.04	3.24	14.6	3620	0.75	0.31	5.77	<0.02	132.5	19.4	16	1.81	74.9	13.3	8.96	0.22	0.8	0.124	1.78	102	22.3	2.45	7630	27.7	0.03	10.6	15.5
E387474	197.5	198		0.05	4.07	10.6	3020	0.94	0.49	5.4	<0.02	100	22.3	20	2.22	1430	11.4	11.7	0.2	1.1	0.112	2.27	71.7	26.5	2.35	6490	21.4	0.03	10	19.2
E387475	198	198.5		0.03	4.37	11.2	6120	1.01	0.23	5.06	<0.02	109	22.8	22	2.43	51.6	12.8	12.15	0.22	1.2	0.132	2.44	79.5	27.7	2.3	7180	25.2	0.04	12.6	22.2
E387476	198.5	199		0.04	4.93	10.9	4270	1.18	0.21	4.95	<0.02	140	15.9	24	3.09	30.2	9.92	13.65	0.22	1.6	0.12	2.77	104.5	29.2	2.03	5640	22.5	0.04	11.3	15.9
E387477	199	199.5		0.19	5.39	14.4	600	1.22	2.12	4.55	<0.02	116.5	35.9	26	2.81	38.6	11.55	14.45	0.23	1.6	0.108	3.05	85.3	33.1	2.14	5150	26.8	0.03	11.8	22
E387478	199.5	200		0.64	3.9	28	320	0.91	6.81	6.34	<0.02	67.9	71.8	16	2.12	61.5	17.2	11.2	0.24	1.1	0.133	2.2	46.4	22.2	2.71	6000	21.4	0.03	11	23.1
E387479	200	200.5		0.03	6.46	7.8	2620	1.44	0.25	4.51	<0.02	66.5	17.9	35	3.67	44	8.79	17	0.16	1.6	0.129	3.57	45.7	32.8	2.1	5170	14.8	0.04	8.2	20.9
E387480			BLANK	0.02	0.13	<5	40	0.07	<0.01	46	0.37	2.23	0.8	6	<0.05	3.3	0.06	0.5	<0.05	0.1	<0.005	0.03	1.6	1.4	0.49	40	0.29	0.01	0.3	1.3
E387481	200.5	201		0.1	6.65	9.1	4610	1.19	0.32	3.11	<0.02	75.3	93.7	39	2.89	1215	9.61	16.5	0.18	1.6	0.1	4.26	47.8	27.1	1.55	3810	16.3	0.05	7.6	24.4
E387482	201	201.5		0.04	6.92	3.6	5570	1.16	0.16	2.72	<0.02	79.1	42.6	42	2.8	999	9.37	16.3	0.19	1.7	0.084	4.45	49	24.3	1.39	3290	22.9	0.05	8.3	22.6
E387483	201.5	202		0.07	7.61	5	6620	1.44	0.21	0.5	<0.02	150.5	61.8	47	2.93	1375	11.2	16.65	0.26	1.8	0.105	4.82	94	28.8	1.03	3350	27.9	0.05	8.6	30.2
E387484	202	202.5		0.06	6.62	4.8	4840	1.41	0.12	2.69	<0.02	92.6	56.1	39	2.75	426	10.25	16.7	0.2	1.6	0.076	3.75	57.9	32.9	1.59	2680	68.2	0.04	9.3	25.8
E387485	202.5	203		0.13	6.21	6.7	1750	1.19	0.5	1.87	<0.02	24.9	97.6	35	2.66	1510	11.95	13.2	0.17	1.7	0.081	3.28	15.2	37.2	1.5	3320	33	0.12	7.8	25.7
E387486	203	203.5		0.08	6.87	3.9	4150	1.26	0.25	2.26	<0.02	38.4	41.3	38	2.66	632	11.95	15.3	0.17	1.8	0.073	3.66	25.8	34.8	1.65	2830	54.9	0.04	10	27.1

tG-2007-28

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E387401	84	85		1100	2.3	91	0.005	0.29	1.26	7.4	1	10.2	322	0.13	0.54	7.9	0.066	0.23	2.2	53	9.5	11.7	8	34.1		0.005	3.07
E387402	85	85.5		1230	204	36.1	0.005	0.9	1.37	4.3	6	10	278	0.13	0.66	2.8	0.035	0.16	1.8	33	6	11.4	1525	24.1		0.022	
E387403	85.5	86		4100	9.3	1.4	0.005	0.25	0.86	2	2	6.9	1120	0.21	0.46	3	0.016	0.02	2.1	48	7.6	20.2	50	11.9		0.004	
E387404	86	86.5		2550	1.6	1.8	0.005	0.15	0.96	1.1	1	8.7	1260	0.11	1.58	1.6	0.01	0.02	2.3	31	8	9	6	5.7		0.004	
E387405	86.5	87		1230	1.3	0.1	0.007	0.18	0.89	0.1	1	16.4	935	<0.05	0.49	0.3	<0.005	<0.02	2.3	8	10	5.5	3	0.5		0.002	
E387406	87	87.5		2240	2.2	0.1	0.008	0.19	0.77	0.2	1	3.7	264	0.1	0.29	0.7	<0.005	<0.02	2.9	29	6.6	9.7	6	0.5		<0.001	1.93
E387407	87.5	88		4500	1.7	0.2	0.01	0.17	0.88	0.6	1	11.9	834	0.18	0.63	2.5	0.01	<0.02	3.7	39	8.6	19.1	6	5.7		0.002	
E387408	88	88.5		2480	1.8	0.2	0.025	0.17	1.35	0.5	2	32.3	755	0.13	0.67	1.8	0.015	0.03	4.6	38	22.5	12.8	5	5.4		0.003	
E387409	88.5	89		3110	1.4	0.5	0.016	0.14	1.49	0.8	2	12.9	1440	0.21	0.67	2.7	0.033	0.02	4.2	36	16.4	14.4	5	12.2		0.002	
E387410	89	89.5		3550	1.6	0.1	0.01	0.17	0.63	0.6	1	10.9	850	0.13	0.19	1.4	<0.005	<0.02	4.1	34	9.7	17.3	6	1.9		<0.001	
E387411			BLANK	110	1.5	0.6	<0.002	0.06	0.07	0.4	1	<0.2	253	<0.05	0.06	0.2	0.006	<0.02	0.6	8	0.2	2.8	21	2.9		<0.001	
E387412	89.5	90		2580	1.9	0.2	0.015	0.4	0.89	0.9	2	8.6	423	0.06	0.15	3.9	0.01	0.02	6.8	47	10.1	26.5	8	8.2		0.005	
E387413	90	90.5		2790	1.5	7.8	0.006	0.47	1.12	1	2	11.4	238	0.11	0.11	4.8	0.017	0.02	1.8	80	8	14.5	9	10.5		0.003	
E387414	90.5	91		1640	1	4.9	0.007	0.18	0.63	0.9	1	8.3	2140	0.07	0.13	1.6	0.011	0.02	3.4	23	11	7.8	4	7.5		<0.001	
E387415	91	91.5		1360	1	0.1	0.012	0.2	0.47	0.4	1	6.8	2520	<0.05	0.58	0.5	<0.005	0.02	3.5	12	24.2	10.2	2	3.8		0.001	
E387416	91.5	92		3040	1.6	0.1	0.009	0.23	0.6	0.3	1	8.7	1720	0.11	0.32	1.2	<0.005	0.02	2.9	20	27.1	11.4	3	5		0.001	
E387417	92	92.5		2740	2.3	0.6	0.026	4.25	1.34	0.8	8	7.5	411	0.11	1.14	1.6	0.008	0.07	3.9	29	8	14.5	<2	8.7	2.06	0.114	
E387418	92.5	93		1390	1.6	64.1	0.011	0.64	1.2	4.6	2	12.1	736	0.1	0.37	5	0.043	0.14	2.4	34	8.9	13	8	29.1		0.011	
E387419	93	94		840	1.6	144.5	0.002	0.32	1.71	9.1	1	17.2	589	0.12	0.77	11.5	0.083	0.29	2.2	72	11.6	11.8	5	48		0.001	4.18
E387420	174	175		1310	2.4	137	0.002	0.15	2.02	7.3	1	6.9	109.5	0.35	0.22	12.3	0.172	0.21	21.9	61	15	12.3	4	49.3		0.001	0.62
E387421	175	175.5		990	2.9	141.5	0.004	0.31	1.65	7.7	1	7.9	284	0.42	0.12	15	0.187	0.23	16.1	61	16.4	13.1	5	57.8		0.001	1.73
E387422			BLANK	100	0.9	0.6	<0.002	0.06	0.1	0.4	1	<0.2	250	<0.05	<0.05	0.2	0.006	<0.02	0.6	8	0.1	2.7	25	2.6		<0.001	
E387423			STANDARD 1	820	21.9	77.9	0.022	2.23	1.55	8.7	2	7.2	526	0.23	0.25	8.7	0.082	0.45	279	51	8.2	15	8	47.6		0.05	
E387424	175.5	176		840	1.4	191	0.003	0.2	1.93	10.9	2	8	229	0.4	0.05	11.8	0.216	0.25	6.6	68	17.5	11.3	3	71.5		<0.001	1.24
E387425	176	176.5		790	1.7	186.5	<0.002	0.21	1.52	9.1	2	6.2	470	0.23	0.07	13.6	0.182	0.27	6.3	56	14.1	12.3	5	61.1		0.001	2.92
E387426	176.5	177		900	2	146.5	0.002	0.25	1.54	11.1	2	8.4	264	0.35	0.1	11.7	0.164	0.21	8.6	59	17.8	14	<2	56.1		0.002	1.31
E387427	177	177.5		890	2.3	196.5	<0.002	0.3	1.87	13.2	2	7.5	731	0.53	0.17	14.2	0.21	0.3	16.8	69	18.7	14.7	2	74		0.001	4.25
E387428	177.5	178		830	3.7	144.5	0.002	0.3	1.62	10.2	2	8.1	929	0.37	0.17	10.4	0.164	0.23	11.1	57	15.5	12.2	2	51		0.002	
E387429	178	178.5		920	2.4	174.5	0.003	0.27	2.01	11.5	3	9.7	527	0.48	0.15	13.8	0.193	0.25	18.4	68	19.9	14.2	<2	65.7		0.005	
E387430	178.5	179		850	2.1	176.5	0.002	0.16	1.7	9.8	2	10.6	93.2	0.88	0.07	13.7	0.23	0.23	17.9	64	20.6	15.5	<2	74.1		0.005	0.59
E387431	179	179.5		1270	2.2	167	0.003	0.34	1.91	10.2	2	10.9	173	0.6	0.1	15.5	0.209	0.23	12.2	64	19.2	15.8	<2	65.2		0.004	1.09
E387432	179.5	180		1290	1.8	155.5	0.007	0.1	2.09	9.7	2	9.5	60.4	0.47	0.14	13.3	0.202	0.24	10	61	17.2	14.1	<2	62		0.007	
E387433	180	180.5		910	2.1	127	0.004	0.29	1.92	7.6	1	7.9	1670	0.3	0.12	10	0.171	0.19	11.7	56	12.5	10.4	3	51.3		0.005	
E387434			BLANK	150	0.9	0.8	<0.002	0.07	0.1	0.1	2	<0.2	290	<0.05	<0.05	0.2	0.007	<0.02	0.7	5	0.1	2.7	25	3.4		<0.001	
E387435	180.5	181		670	2.4	114	0.003	0.14	2.66	9.5	2	9.1	692	0.36	0.42	9.9	0.153	0.16	12.4	44	14.3	7.4	2	28.9		0.014	
E387436	181	181.5		840	2.4	186	<0.002	0.14	2.61	9.2	2	8.8	90.1	0.33	0.29	14.6	0.215	0.3	8.9	62	14.7	9.1	2	72		0.006	0.61
E387437	181.5	182		720	1.9	162.5	<0.002	0.04	1.57	10.5	1	4.4	52.5	0.32	0.05	14.7	0.206	0.3	15.3	66	10.3	11.9	2	70.8		0.002	
E387438	182	182.5		680	2.2	160	<0.002	0.05	1.66	7.7	1	4.6	43.1	0.36	0.09	13.1	0.221	0.25	9.5	69	10.8	11.7	3	71.1		0.002	
E387439	182.5	183		620	1.8	140	<0.002	0.09	1.41	6.5	1	3.7	63.9	0.24	0.12	13.5	0.167	0.25	8.2	54	9.1	10.6	2	62.4		0.002	
E387440	183	183.5		830	2.2	170.5	<0.002	0.32	1.82	7.7	2	5.7	168	0.27	0.13	13.6	0.207	0.31	6.7	71	12.5	12.3	3	73.3		0.003	1.23
E387441	183.5	184		580	1.8	101	<0.002	0.11	1.1	11.8	1	3.1	87.4	0.19	0.1	9.9	0.142	0.23	7	59	7.7	12.4	5	49.7		0.002	
E387442	184	184.5		560	1.5	138.5	<0.002	0.16	1.11	13	1	3.3	108	0.24	0.17	11.5	0.163	0.26	9.8	58	10.3	12.7	3	60.1		0.01	0.58
E387443	184.5	185		700	1.9	125.5	<0.002	0.2	1.45	9.7	1	3.6	123	0.22	0.09	12.3	0.196	0.24	7.5	64	9.3	11.2	6	71		0.002	0.8
E387444	185	185.5		690	2	147.5	0.002	0.36	1.61	14.8	1	4.7	237	0.22	0.19	12.1	0.178	0.29	17	70	10.8	11.8	5	67.3		0.002	1.32
E387445			BLANK	110	0.7	0.7	<0.002	0.07	0.08	<0.1	2	<0.2	291	<0.05	<0.05	0.2	0.006	<0.02	0.6	5	0.1	2.4	25	3.5		<0.001	
E387446			STANDARD 2	2550	8.4	35.9	0.019	7.38	2.55	3.5	5	8.9	175.5	0.12	1.4	5.5	0.033	0.51	14.7	63	7.2	15.2	5	26.2		0.125	
E387447	185.5	186		540	2.2	93.6	0.002	0.25	1.7	8.2	2	4.6	1940	0.26	0.07	8.2	0.123	0.17	9.4	46	8.8	7.6	8	43.6		0.002	
E387448	186	186.5		780	2.4	180	<0.002	0.19	1.63	14.8	1	6.6	103.5	0.31	0.14	15.8	0.216	0.47	13.2	82	15.1	13.1	4	85.4		0.002	0.63
E387449	186.5	187		1270	2.5	198	0.004	1.67	2.98	10.3	7	12.8	83.3	0.47	0.2	14.9	0.247	0.42	20.8	82	21.5	14.3	8	90	1.69	0.035	
E387450	187	187.5		1640	2.5	148	0.007	2	2.73	8.4	8	13.4	48	0.58	0.21	13.4	0.193	0.34	9.5	87	22	15.2	9	59.8	1.54	0.032	
E387451	187.5	188		880	2.2	179.5	<0.002	0.6	1.51	9.6	3	7.9	24.1	0.24	0.16	17.2	0.196	0.33	7	76	13.7	12.1	6	78.9		0.01	
E387452	188	188.5		570	2.3	172	<0.002	0.15	1.57	11	2	5.5	34.1	0.19	0.2	12.7	0.18	0.4	6.6	72	11.4	10.9	5	68.9		0.005	
E387453	188.5	189		460	2.2	128	<0.002	0.24	1.41	7.9	1	4.4	278	0.13	0.32	9.2	0.114	0.23	4.1	51	8.3	8.4	6	52.6		0.004	1.93
E387454	189	189.5		720	2.1	159.5	<0.002	0.39	1.48	9.1	1	4.8	401	0.2	0.11	14.2	0.183	0.32	9.4	67	10.4	12.6	4	75.1		0.003	1.87
E387455	189.5	190		570	2.2	142	<0.002	0.21	1.51	9.6	2	5.1	536	0.24	0.12	13.2	0.166	0.25	6.5	60	11.2	11.2	5	58.7		0.002	
E387456	190	190.5		660	1.6	163	<0.002	0.05	1.21	12.9	1	4.8	35.2	0.21	<0.05	13.3	0.184	0.29	4.4	68	12.9	12.1	2	66.7		0.001	
E387457			BLANK	140	0.8	0.6	<0.002	0.07	0.07	<0.1	2	<0.2	294	<0.05	<0.05	0.2	0.006	<0.02	0.5	5	0.1	2.1	25	2.7		<0.001	
E387458	190.5	191		1240	2.5	132.5	0.006	0.09	1.63	9	2	9.8	37.9	0.32	0.2	13.9	0.148	0.22	14.9	61	15.9	14.3	3	48.6		0.006	
E387459	191	191.5		760	8.5	96.5	0.039	0.62	1.83	9.7	4	5.1	73.8	0.23	0.44	11.9	0.133	0.28	146	57	11.1	14.9	17	48.3		0.091	
E387460	191.5	192		1330	8.6	113	0.006	0.43	3.12	12.2	3	8.8	47.8	0.31	0.14	13.2	0.126	0.36	102	53	15.5	15.4	9	44.8		0.019	
E387461	192	192.5		1120	17.1	120	0.09	0.47	2.93	10.2	6	8.3	108.5	0.3	0.69	14.2	0.135	0.43	207	54	18.8	16.6	20	53.6		0.119	
E387462	192.5	193		850	2.2	156	0.002	0.36	1.26	11.2	2	7.2	273	0.28	0.13	9.9	0.168	0.25	14.5	64	14.9	12.5	5	60.5		0.006	1.71
E387463	193	193.5		1480	2.9	99.2	0.007	0.28	1.87	10.1	2	10.3	63.1	0.37	0.28	7.6	0.119	0.19	18.3	60	18.2	13.8	6	38.8		0.024	
E387464	193.5	194		1620	1.8	87.8	0.007	0.26	2.13	5.9	2	11.8	120	0.35	0.19	7.3	0.097	0.15	6.1	51	18.6	11.8	4	29.5		0.009	0.83
E387465	194	194.5		1060	2.2	64.5	0.009	0.31	2.01	4.4	2	10	522	0.34	0.36	5.7	0.082	0.11	6.8	43	21.6	10.6	2	23.1		0.015	
E387466	194.5	195		1140	1.7	72.7	0.007	0.15	1.98	4.7	2	9.7	314	0.38	0.25	7.2	0.108	0.13	6.7	50	17	11	3	24.9		0.006	
E387467	195	195.5		1120	3.3	46.2	0.005	1.25	1.91	3.2	3	8.1	381	0.26	0.23	4.2	0.058	0.11	4.5	38	17.2	9.9	7	15.2		0.015	
E387468			BLANK	110	0.9	0.7	<0.002	0.06	0.1	0.5	2	<0.2	264	<0.05	<0.05	0.2	0.006	<0.02	0.6	5	0.1	2.9	37	3.1		0.001	
E387469			STANDARD 3	710	3	128	0.008	1.35	1.05	10.2	2	7.4	430	0.14	0.19	12	0.098	0.33	17.4	83	7.4	11.1	5	58.7		0.019	
E387470	195.5	196		1510	2.5	49.4	0.008	0.53	1.43	3.5	2	9	312	0.27	0.27	4.6	0.06	0.09	7.1	38	15.5	10.6	6	18.4		0.012	
E387471	196	196.5		1120	2.8	93.5	0.008	0.27	2.55	6.2	2	9.7	249	0.41	0.29	8.8	0.119	0.52	22.9	57	19.2	15.1	3	33.7		0.009	
E387472	196.5	197		1140	2.3	89.5	0.013	0.26	2.12	5.9	2	11.2	124.5	0.47	0.28	8.7	0.118	0.16	8.7	55	21.7	16.3	4	31.2		0.008	0.73
E387473	197	197.5		1170	2	81.2	0.009	0.13	2.21	5.3	2	9.4	303	0.42	0.45	6.9	0.109	0.14	7	50	20.5	13.4	3	27.4		0.007	
E387474	197.5	198		870	2.1	101	0.008	0.29	1.69	6.9	2	8.4	476	0.46	0.41	8.2	0.138	0.18	10.3	61	19.1	13.5	4	36.3		0.006	
E387475	198	198.5		1370	1.8	110.5	0.008	0.21	1.89	7.3	2	10.2	157	0.49	0.27	8.8	0.138	0.17	9	60	19.7	15.7	3	42.1		0.007	1.14
E387476	198.5	199		1060	2.4	125.5	0.004	0.16	2.18	7.7	2	9.4	73	0.59	0.2	12.2	0.17	0.23	12.6	75	20.4	15.6	3	53.3		0.005	
E387477	199	199.5		1290	4.9	131	0.008	1.96	2.35	8.3	2	9.9	38.6	0.61	0.26	11.3	0.181	0.87	13.5	87	22.8	14.4	3	54.6		0.007	
E387478	199.5	200		960	12.2	94.3	0.01	>10.0	3.08	7.1	2	9.6	59.3	0.45	0.3	8.3	0.143	5.31	12.8	61	18.9	12.7	4	38		0.01	
E387479	200	200.5		890	2.2	153	0.006	0.17	1.48	9.8	1	7.3	53.5	0.47	0.09	11.8	0.227	0.29	9.9	70	19.7	12.2	3	55.6		0.002	
E387480			BLANK	110	1.3	0.8	<0.002	0.06	0.22	0.4	2	<0.2	268	<0.05	<0.05	0.2	0.006	<0.02	0.7	6	0.1	2.9	22	3.3		0.001	
E387481	200.5	201		760	2.7	151.5	0.003	0.69	1.1	10.7	3	5.4	93.2	0.53	0.23	12.9	0.207	0.35	18.6	61	16.1	10.9	3	56.3		0.017	
E387482	201	201.5		610	1.9	160	<0.002	0.4	0.88	11.7	2	5.1	86.3	0.63	0.1	13.7	0.22	0.33	10.6	60	14.2	10.3	2	56.4		0.012	0.63
E387483	201.5	202		680	2.1	173.5	0.002	0.66	0.84	11.3	2	5.2	161.5	0.6	0.15	14.8	0.22	0.33	13	61	12.6	10.6	3	58.8		0.015	1.16
E387484	202	202.5		630	2.9	155	0.007	0.4	0.95	12.3	2	6.4	192	0.57	0.12	10.9	0.198	0.28	26.8	59	15.6	10.5	3	53.1		0.006	
E387485	202.5	203		630	2.5	131	0.006	0.67	1.22	7.9	3	5	164.5	0.56	0.18	11.6	0.187	0.26	13.5	48	12.5	9.2	6	55.6		0.019	
E387486	203	203.5		600	1.9	151	0.01	0.32	0.84	10.8	2	6.8	61.2	0.68	0.11	14.8	0.213	0.26	8.2	58	15.1	11.1	5	61.1		0.016	

IG-2007-28

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
E387487	203.5	204		0.06	6.06	3.3	1800	1.3	0.14	1.73	<0.02	43.8	53.3	38	2.41	662	11.6	15.45	0.17	1.6	0.106	3.18	27.8	33.1	1.4	5010	21.7	0.03	8.5	22.9
E387488	204	204.5		0.03	5.99	5.2	3440	1.18	0.13	1.56	<0.02	232	48.2	38	2.33	633	9.85	15.85	0.29	1.5	0.088	3.31	146.5	33.2	1.18	1990	4.79	0.04	8.8	21.8
E387489	204.5	205		0.05	7.52	3.5	7000	1.58	0.31	1.57	<0.02	335	42.5	43	2.86	660	10.45	18.25	0.36	2	0.089	4.06	213	37.2	1.41	1590	3.52	0.05	9.9	26.1
E387490	205	205.5		0.09	7.6	6.5	3730	1.68	0.22	0.91	<0.02	148.5	80.5	45	2.86	1025	10.9	20.3	0.26	1.8	0.088	4.47	96.7	35	1.15	2510	2.75	0.04	9.3	30.3
E387491			BLANK	0.01	0.13	6	50	0.06	<0.01	45.8	0.31	2.28	0.8	6	<0.05	4.8	0.06	0.44	<0.05	0.1	<0.005	0.04	1.6	1.1	0.49	40	0.22	0.01	0.3	1.2
E387492			STANDARD 1	1.09	5.52	70.4	180	1.92	2.73	1.93	<0.02	55.9	153.5	33	3.6	6920	9.57	14.85	0.18	1.6	0.143	2.07	22.5	23.4	1.2	3500	61.5	0.89	2.7	36.1
E387493	205.5	206		0.31	5.55	6.5	3380	1.15	0.34	2.5	<0.02	68.2	71.7	31	2.3	1210	13.15	14.5	0.19	1.2	0.108	2.71	45.4	33.5	1.59	4640	4.79	0.04	9.2	33.2
E387494	206	206.5		0.09	1.84	14.7	920	0.4	0.5	2.76	<0.02	84.7	23.1	10	0.74	113	15.55	5.38	0.22	0.3	0.122	0.71	57.1	15.9	1.08	6390	22.4	0.02	11.5	16.2
E387495	206.5	207		0.03	6.14	3.9	8050	1.59	0.22	1.49	<0.02	221	43	49	3.24	1085	10.4	21.7	0.3	2.1	0.079	4.75	142	46.2	1.18	1700	5.21	0.14	11.5	26.7
E387496	207	207.5		0.11	7.57	7.8	2350	1.58	0.61	1.36	<0.02	425	96.3	46	3.42	1065	11.85	20.8	0.38	1.9	0.094	4.48	256	48.1	1.31	2400	6.58	0.07	10.3	37.3
E387497	207.5	208		0.21	6.67	6.2	990	1.34	1.75	2.11	<0.02	85.9	53.1	45	2.84	3580	11.3	17.95	0.2	1.7	0.108	3.73	55.5	41.5	1.46	3600	19.95	0.03	9.7	37.5
E387498	208	208.5		0.1	5.83	5.6	1340	1.21	0.63	2.61	<0.02	188	47.6	34	2.6	2430	11.25	16.65	0.28	1.5	0.115	3.02	121.5	42.4	1.72	4750	8.83	0.05	10.4	42.7
E387499	208.5	209		0.13	4.92	4.7	910	1.02	0.43	0.57	<0.02	84.3	28.3	33	1.97	3430	12.2	13.45	0.21	1.3	0.114	2.58	54.5	33.5	1.09	4390	46	0.03	10.1	29.8
E387500	209	209.5		0.24	5.87	5.2	390	1.21	0.94	2.5	<0.02	152	54.9	36	2.56	7920	10.85	16.7	0.24	1.5	0.171	3.32	84.5	37.2	1.53	5600	14.6	0.03	7.7	35.6
E387501	209.5	210		0.09	5.79	3.2	4670	1.62	0.28	3.51	<0.02	48.2	24.3	34	3.19	1710	9.47	17.05	0.18	1.6	0.11	3.16	34.7	51.8	1.45	4900	18.6	0.05	9.4	27.7
E387502	210	210.5		0.32	5.24	6.9	460	1.01	1.77	2.62	<0.02	116	55.9	33	3.22	5980	10.95	15.65	0.21	1.3	0.099	2.44	77.9	51.4	1.64	3710	46.3	0.03	8.1	42
E387503			BLANK	0.02	0.13	<5	70	0.06	0.02	44.5	0.39	2.38	1.1	6	<0.05	7.5	0.05	0.51	0.05	0.1	<0.005	0.03	2	1.6	0.48	37	0.4	0.01	0.3	1
E387504	210.5	211		0.7	4.48	6	180	0.7	3.86	0.56	<0.02	81.2	25	29	1.93	8830	13.2	10.7	0.21	1.4	0.098	1.74	43.2	37.2	0.83	1980	20.6	0.46	7.6	17.3
E387505	211	211.5		0.17	6.64	4.3	6700	1.07	0.33	0.49	<0.02	133.5	25.2	37	2.49	392	10.4	17	0.18	2.1	0.055	3.31	96.4	50.7	1.07	1870	34.6	0.35	10.4	21.3
E387506	211.5	212		0.18	5.26	3.5	3300	0.8	0.37	2.73	<0.02	109.5	17.8	32	1.82	191	8.2	13.25	0.16	1.7	0.063	2.64	76.3	21.7	1.34	3430	77.3	0.88	7.9	14.5
E387507	212	212.5		0.07	6.51	4.4	1280	1.13	0.18	2.96	<0.02	93.6	21.1	31	2.5	365	8.59	18.85	0.17	2.1	0.077	3.67	65	27.6	1.46	3440	8.93	0.63	8.7	18.7
E387508	212.5	213		0.08	5.27	8.9	4340	0.63	0.26	4.86	<0.02	94.8	22.2	26	1.54	715	10.45	11.7	0.18	1.6	0.069	1.86	63.7	24.5	2.23	5720	7.78	1.46	5.7	14.7
E387509	213	213.5		0.05	5.09	7.7	2080	0.58	0.17	4.38	<0.02	107	43.7	29	1.41	306	8.92	11.25	0.19	1.7	0.045	1.48	71.3	28.8	2.1	4540	5.67	1.67	4.9	17.8
E387510	213.5	214		0.06	5.35	4	5240	0.67	0.22	5.53	<0.02	58.4	33.2	26	2.16	51	8.74	12	0.16	1.7	0.07	2.72	39.5	32.2	2.58	6430	5.45	0.65	3.2	15
E387511	214	214.5		0.11	3.27	3.4	690	0.37	0.2	3.42	<0.02	26	22.2	14	1.31	980	6.22	6.28	0.11	1	0.08	0.99	15.9	21.4	1.5	5290	2.59	0.9	2.4	7.5
E387512	214.5	215		0.3	5.23	9	2910	0.78	0.18	3.37	<0.02	84.8	42	34	2.09	100.5	7.82	13.55	0.16	1.6	0.063	3.63	54.2	25.4	1.88	4120	8.87	0.08	5.1	16.4
E387513	215	215.5		0.15	5.08	16.8	380	0.95	0.33	3.72	<0.02	67	162.5	25	1.94	531	7.26	15.6	0.17	1.5	0.078	2.77	30.8	29.6	2.07	5050	2.7	0.08	3.8	27.5
E387514			BLANK	0.02	0.13	9	70	0.07	0.02	45.1	0.38	2.34	1.1	6	<0.05	4.2	0.05	0.51	<0.05	0.1	0.005	0.03	2	1.5	0.49	39	0.25	0.01	0.3	3
E387515			STANDARD 3	1.12	2.37	114.5	70	0.62	10.7	2.26	0.02	205	332	12	2.64	8480	27.5	9.42	0.38	0.7	0.259	0.67	120.5	21.7	1.6	6300	61.3	0.25	5.1	59.1
E387516	215.5	216		0.06	6.97	8.6	3980	0.92	0.47	3.42	<0.02	71.8	42.9	38	2.39	195.5	8.7	19.3	0.15	2.2	0.063	5.28	43.7	20.9	1.35	3960	5.26	0.33	5	15.2
E387517	216.5	217		0.15	5.36	4.6	1650	0.66	0.24	3.72	<0.02	51.7	21.2	30	1.8	35.8	5.32	12.95	0.13	1.8	0.052	4.37	30.5	16.5	1.37	4130	4.45	0.26	3.2	11.6
E387518	248	249		0.02	5.09	2.4	840	1.32	0.06	5.04	<0.02	57.5	17.9	23	2.62	6.4	5.81	12.7	0.14	1.8	0.097	2.81	31.5	21.8	2.08	4610	5.59	0.03	3.4	15.1
E387519	249	249.5		0.02	5.82	2	1120	1.57	0.03	6.22	<0.02	43.1	24.9	28	3.2	20	7.85	15.8	0.15	2	0.115	3.45	24.8	31.1	2.4	6260	1.84	0.03	5	19.9
E387520	249.5	250		0.03	6.81	5.7	3730	2.27	0.08	3.54	<0.02	92.9	57	40	3.68	45.1	8.28	20.4	0.16	2	0.106	3.94	67	45.4	1.53	3810	6.07	0.03	10.2	19.6
E387521	250	250.5		0.1	4.61	7.7	660	1.33	0.33	5.36	<0.02	44.8	60.7	24	2.74	214	9.58	12.65	0.14	1.4	0.124	2.42	27.3	30.3	2.37	5270	12.2	0.03	7.3	23.8
E387522	250.5	251		0.05	4.65	7.7	520	1.36	0.21	4.4	<0.02	111	69.8	25	2.85	27	10	13	0.19	1.3	0.098	2.44	73.3	30.5	1.58	6080	17.35	0.03	6.1	26.6
E387523	251	251.5		0.09	4.87	19	330	1.51	0.16	3.38	<0.02	84.4	128	29	2.74	484	10.85	13.55	0.18	1.4	0.098	2.49	52.4	35.3	1.42	4580	13.05	0.03	8.6	26.3
E387524	251.5	252		0.1	4.47	27.2	210	1.39	0.22	3.47	<0.02	83.3	174	24	2.5	409	11.6	12.55	0.2	1.3	0.092	2.23	43.5	31.8	1.42	4880	15.85	0.03	8.9	28.6
E387525	252	252.5		0.84	2.25	27.8	90	0.6	0.98	3.8	<0.02	264	200	10	1.18	5550	16.9	8.14	0.31	0.7	0.098	0.85	146.5	20.6	1.54	7100	33.6	0.02	10.6	50.9
E387526			BLANK	0.02	0.13	5	70	0.07	0.01	46.2	0.4	2.57	1.3	6	<0.05	5.4	0.06	0.52	0.05	0.1	<0.005	0.03	2.2	1.5	0.5	42	0.33	0.01	0.3	2
E387527	252.5	253		0.4	3.52	10.8	140	1.16	0.42	1.84	<0.02	15	70.6	19	2.01	3750	5.99	9.75	0.16	1	0.075	1.83	3.6	25	0.96	2820	6.11	0.02	4.4	20.3
E387528	253	253.5		0.07	7.52	3.3	5010	2.51	0.04	2.34	<0.02	55.7	46.6	39	3.95	986	6.25	19.5	0.13	2.4	0.105	3.76	41.4	55.5	1.59	2420	3.09	0.03	4.1	23.4
E387529	253.5	254		0.81	4.06	43.9	110	1.42	0.76	1.64	<0.02	164.5	283	24	2.29	7340	11.8	11.65	0.28	1.3	0.084	1.89	87.3	29.5	1.08	2280	29.5	0.03	5.9	32.8
E387530	254	254.5		0.13	7.81	4.4	5620	3.1	0.11	0.24	<0.02	34.7	27.7	56	4.47	998	5.13	20.9	0.12	2.5	0.109	4.27	25.1	54.7	0.79	470	26.1	0.03	5.3	16.1
E387531	254.5	255		1.66	7.06	5.1	1350	3.05	0.37	0.23	<0.02	51.8	53.5	43	4.02	6750	5.6	19.3	0.16	1.9	0.183	3.96	31.2	38	0.67	1440	9.95	0.06	5.3	13.5
E387532	255	255.5		0.22	4.86	17.3	1840	1.97	0.14	0.49	<0.02	344	72.5	24	2.75	661	13.35	14.65	0.32	1.1	0.062	2.35	261	29.8	0.69	1060	46.9	0.07	13.3	21.3
E387533	255.5	256		0.38	3.5	40.6	450	1.41	0.32	0.52	<0.02	379	181.5	20	1.9	251	15.9	11.4	0.36	0.9	0.041	1.61	258	22.9	0.62	957	89	0.02	12	20.4
E387534	256	256.5		0.33	6.12	29.5	2990	2.47	0.16	0.74	<0.02	142	114	30	3.88	221	11	17.15	0.22	1.8	0.082	3.13	110.5	36	1	2320	39.1	0.06	13.8	15.7
E387535	256.5	257		0.77	3.5	53.4	390	1.32	0.32	3.82	<0.02	146	221	19	2.07	74.6	13.65	10.65	0.25	0.9	0.094	1.89	90.7	22.6	2.16	5260	30.8	0.03	6.1	23.5
E387536	257	257.5		0.24	5.02	28.1	1060	1.67	0.15	3.43	<0.02	115.5	132.5	28	2.58	25.5	11.7	12.65	0.19	1.2	0.08	2.81	84.2	24.2	1.66	5130	21.7	0.04	7.1	18.2
E387537			BLANK	0.02	0.14	<5	150	0.08	<0.01	47.6	0.37	2.83	1.1	5	<0.05	3	0.08	0.56	0.05	0.1	<0.005	0.05	2	1.2	0.51	48	0.29	0.02	0.3	<0.2
E387538			STANDARD 3	0.31	6.67	61.6	640	3.02	1.82	1.83	<0.02	109.5	110.5	38	6.31	1520	6.84	24.1	0.22	2	0.166	2.99	58.6	25.4	1.31	3170	22.7	0.54	3.7	27.2
E387539	257.5	258		0.25	5.4	22.4	1220	2.1	0.1	2.72	<0.02	115.5	104.5	26	3.24	67.6	10.7	15.75	0.2	1.3	0.092	3.13	84	31.3	1.41	4520	22.6	0.04	6.4	19.7
E387540	258	258.5		0.35	4.54	12.3	1780	1.58	0.26	2.1	<0.02	201	89.9	21	2.74	149.5	12.95	13.8	0.22	1.2	0.085	2.03	144	26.3	1.58	3490	40.6	0.04	8.9	22.8
E387541	258.5	259		0.49	4.56	13.8	1690	1.79	0.08	1.47	<0.02	345	54.1	24	2.68	131	11.15	13.85	0.28	1.2	0.075	2.5	246	28.7	0.99	3120	41.7	0.04	10.8	15.1
E387542	259	259.5		0.36	3.62	11.7	1020	1.37	0.04	1.38	<0.02	167.5	60.2	17	2.02	52.8	12.1	10.5	0.22	0.9	0.05	1.99	107.5	22.6	0.88	2740	25.2	0.03	5.6	16.9
E387543	259.5	260		0.23	2.97	12.9	680	1.13	0.11	1.39	<0.02	140.5	74.4	14	1.56	789	12.45	8.37	0.2	0.7	0.046	1.41	76.8	17.9	0.76	2730	23.6	0.02	4.7	18.1
E387544	260	260.5		0.94	2.47	7.3	1110	1.09	0.02	1.77	<0.02	218	46.9	13	1.36	58.4	12.8	7.51	0.23	0.6	0.041	1.3	137.5	15.1	0.67	2580	16.5	0.02	4.3	15
E387545	260.5	261		0.15	2.15	6.5	920	1.01	0.02	1.52	<0.02	137	48.7	10	1.19	57.5	12.1	6.59	0.18	0.5	0.037	1.07	80.4	13.7	0.64	2530	14.85	0.02	4.2	14.3
E387546	261	261.5		0.35	3.37	9.4	1450	1.47	0.01	1.61	<0.02	210	42.8	17	1.87	39.1	12.05	10.05	0.24	0.8	0.049	1.88	136.5	20.8	0.88	1930	16.5	0.03	6.6	14
E387547	261.5	262		0.18	4.52	17.2	2080	1.86	0.02	1.2	<0.02	220	66.8	24	2.43	154	12.25	12.9	0.24	1	0.063	2.36	162	24.3	0.88	1520	19	0.04	11.1	14.8
E387548	262	262.5		0.12	5.22	12.7	2690	2.01	0.01	0.82	<0.02	191.5	59.6	24	2.81	72.7	12.15	14.75	0.22	1.3	0.075	2.81	144.5	28.6	0.87	1980	17.85	0.05	12.2	16.2
E387549			BLANK	0.01	0.13	6	120	0.09	<0.01	43.3	0.37	2.87	1	10	<0.05	3.4	0.09	0.55	0.06	0.1	<0.005	0.05	2	1.2	0.47	42	0.3	0.01	0.4	1.7
E387550	262.5	263		0.14	5.54	5.2	2350	2.52	0.02	0.99	<0.02	146	46.1	26	2.7	129	10	14.8	0.18	1.2	0.071	2.92	110.5	34.8	0.8	1590	19.8	0.05	5.8	15.8
E387551	263	263.5		0.19	4.2	10.2	1190	1.69	0.12	1.22	<0.02	251	54.4	21	2.38	94.3	10.95	12.4	0.23	1	0.062	2.27	180	28.3	0.85	2080	29.5	0.04	8.2	14.1
E387552	263.5	264		0.25	3.61	15.8	1750	1.58	0.12	1.77	<0.02	223	64.2	19	2.04	116.5	10.9	11.05	0.2	1	0.052	1.97	151.5	23.3	0.88	1470	30.3	0.04	8.1	14.8
E387553	264	264.5		0.23	5.4	14.6	2520	2.44	0.64	1.11	<0.02	79	49.5	26	3.04	140	9.21	15.95	0.2	1.4	0.08	2.8	135	33	0.86	895	33.9	0.05	9	13.8
E387554	264.5	265		0.17	4.46	9.1	2490	1.78	0.07	0.39	<0.02	201	57.7	21	2.5	89.2	12.85	13.75	0.23	1.1	0.067	2.31	153.5	25.7	0.99	3840	31	0.04	7.9	16.3
E387555	265	265.5		0.11	6.01	7.2	2210	2.55	0.07	0.72	<0.02	121.5	43.8	28	3.52	196.5	8.34	16.8	0.18	1.5	0.084	3.08	91.4	35.5	0.78	1540	26.2	0.05	7.2	17
E387556	265.5	266		0.11	5.17	7.4	1730	2.2	0.15	1.62	<0.02	212	49.2	27	2.89	65.5	8.99	14.4	0.23	1.2	0.078	2.6	157	32.1	0.9	2740	44.3	0.04	5.6	17.1
E387557	266	266.5		0.07	3.09	9	820	1.32	0.05	1.79	<0.02	239	47.6	13	1.78	139	6.71	9.51	0.2	0.8	0.1	1.7	151	19	0.96	3560	15.7	0.03	4.2	10
E387558	266.5	267		0.1	6.47	6.3	5270	2.92	0.04	1.84	<0.02	178.5	45.3	35	3.47	102	8.04	17.8	0.2	1.6	0.091	3.51	137	38.8	1.03	2770	26.1	0.06	6.8	17.5
E387559	267	267.5		0.27	2.81	14.2	1820	1.43	0.12	0.57	<0.02	195	49.1	12	1.78	409	13.35	8.8	0.23	0.7	0.087	1.57	142.5	21.8	0.66	3110	31.7	0.03	12.4	17.4
E387560			BLANK	0.02	0.13	<5	110	0.06	<0.01	45.7	0.36	2.78	0.9	5	<0.05	2.7	0.07	0.47	<0.05	0.1	<0.005	0.04	1.9	1.1	0.49	43	0.32	0.01	0.3	<0.2
E387561			STANDARD 1	1.06	5.53	72.5	310	2.06	2.67	1.96	<0.02	64.7	161.5	30	4.07	7830	9.52	16.35	0.18	1.6	0.158	2.25	25.6	23.5	1.21	3450	63.8	0.91	3.6	34.7
E387562	267.5	268		0.63	2.42	25.4	250	1.19	0.64	0.42	<0.02	164.5	119	12	1.6	2430	13.7	7.93	0.25	0.7	0.067	1.28	82.5	20.3	0.74	3810	23.5	0.02	11.2	20.5
E387563	268	268.5		0.77	2.46	12.6	1670	1.1	0.06	0.43	<0.02	182.5	53.6	10	1.51	231	15.4	7.81	0.25	0.6	0.07	1.25	129.5	18	0.86	4950	42.2	0.03	11	18
E387564	268.5	269		0.31	3.15	10.8	1890	1.43	0.1	0.86	<0.02	228	41.5	14	2.02	301	12.65	9.87	0.24	0.9	0.054	1.79	160.5	25	0.68	2230	35.7	0.03	12.6	19
E387565	269	269.5		0.28	2.97	13.8	1240	1.51	0.05	0.49	<0.02	157.5	39.7	13	1.95	92.1	11.6	8.95	0.22	0.8	0.046	1.67	106	21.7	0.42	958	27.5	0.03	13.9	15.1
E387566	269.5	270		0.15	2.75	12.6	1160	1.23	0.05	0.62	<0.02	224	34.1	10	1.74	100.5	11.75	8.14	0.22	0.7	0.039	1.38	152	18.5	0.47	902	19.4	0.03	12.8	16
E387567	270	270.5		0.34	2.42	12.2	940	1.21	0.12	1.41	<0.02	192.5	37	9	1.32	62	14	7.13	0.2	0.7	0.033	1.13	142.5	19.6	0.82	2150	24.7	0.03	9.9	17.3
E387568	270.5	271		2.22	3.91	11.6	2110	1.78	3.27	1.93	<0.02	207	38.2	22	2.02	232	11.9	10.4	0.25	1.3	0.047	1.98	155.5	31.9	0.88	2740	28.2	0.03	12	19.9
E387569	271	271.5		1.31	3.97	11.6	2160	1.79	0.67	1.68	<0.02	176	32.5	23	2.06	201	11.7	10.75	0.24	1.2	0.049	2	135	29.9	0.91	2830	28.4	0.03	10.8	18
E387570	271.5	272		1.08	5.08	12.3	3740	2.22	0.32	1.81	<0.02	152.5	33.6	28	2.51	89.4	10.95	13.2	0.22	1.6	0.064	2.53	118	35.9	0.98	2830	26.5	0.04	13.1	16
E387571	272	272.5		1.4	5.28	10.8	4470	2.25	0.42	2.38	<0.02	132	31.2	29	2.64	118	9.54	13.6	0.2	1.7	0.066	2.67	104.5	35.4	1	3020	28.8	0.04	13.1	14.4
E387572			BLANK	0.02	0.13	5	90	0.06	0.01	45.4	0.36	2.08	0.7	5	<0.05	2.2	0.06	0.53	0.11	0.2	<0.005	0.03	1.6	1.3	0.49	39	0.29	0.01	0.3	0.3

IG-2007-28

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E387487	203.5	204		500	2.3	141.5	0.007	0.34	0.83	10.8	2	6.2	566	0.59	0.16	11.2	0.174	0.32	7.8	53	12.7	10.6	5	54.3		0.011	
E387488	204	204.5		620	4.5	140.5	0.003	0.37	1.36	9.3	2	6	407	0.61	0.1	13.9	0.178	0.25	51.5	52	14.4	12.4	5	51		0.004	
E387489	204.5	205		700	4.9	175.5	<0.002	0.44	1.35	10.3	2	5.7	108	0.74	<0.05	19.5	0.203	0.28	59.3	57	13.3	14.2	5	63.4		0.009	0.78
E387490	205	205.5		640	4.9	190	0.002	0.53	1.2	11.3	2	6.2	296	0.82	0.1	14.8	0.2	0.31	67.2	59	14.5	13.3	4	61.4		0.013	
E387491			BLANK	100	0.9	1	<0.002	0.06	0.07	0.4	2	<0.2	264	<0.05	<0.05	0.2	0.006	<0.02	0.7	6	0.1	2.5	22	3		0.001	
E387492			STANDARD 1	830	20.2	86.4	0.022	2.34	1.48	9.7	3	7.4	559	0.13	0.24	8.4	0.074	0.42	269	54	7.4	15.3	7	53.2		0.057	
E387493	205.5	206		700	4.3	122	0.002	0.54	1.34	7.8	2	6.4	88.1	0.49	0.31	13.7	0.158	0.24	43.6	60	15.6	11.2	7	43.1		0.012	
E387494	206	206.5		1060	5	36	0.004	0.38	2.02	3.1	2	8.3	327	0.29	0.12	4.7	0.052	0.11	37.4	42	16.8	10.2	6	10.5		0.016	
E387495	206.5	207		610	3	186	0.002	0.51	1.03	13	2	6.9	107	0.66	0.08	15.1	0.239	0.41	24.1	66	15.8	11.8	3	66.4		0.009	0.9
E387496	207	207.5		740	5.3	185.5	0.004	0.88	1.48	10.9	2	6.8	187	0.71	0.17	16	0.243	0.41	45.3	66	17.6	14.1	2	58.9		0.015	
E387497	207.5	208		890	4.3	158	0.005	1.35	1.2	11	3	7.6	171.5	0.58	0.09	10.5	0.222	0.39	15	73	25.3	11.5	<2	50.2		0.011	
E387498	208	208.5		820	4	134	0.005	0.63	1.14	9	2	6.3	351	0.54	0.12	11.3	0.169	0.31	30.7	65	20	13.7	3	45.7		0.011	
E387499	208.5	209		680	3.7	116.5	0.012	0.48	1.12	7.2	2	6.6	965	0.51	0.13	7.2	0.16	0.22	24.8	57	16.2	8.9	<2	39.8		0.01	
E387500	209	209.5		760	2.2	146	0.005	1.27	1.13	10	4	6.5	718	0.4	0.15	14.5	0.179	0.28	9.9	61	29	12.3	<2	45.6		0.023	
E387501	209.5	210		710	2.5	152.5	0.016	0.35	1.02	9.9	3	6.9	190.5	0.55	0.18	12	0.212	0.26	27	58	19.5	13.9	<2	45		0.035	
E387502	210	210.5		690	4.8	114.5	0.038	1.08	1.27	9.2	4	7.6	289	0.44	0.19	10	0.152	0.3	29.1	54	15.7	10.9	<2	40.5		0.028	
E387503			BLANK	100	0.7	0.7	0.002	0.06	0.08	0.5	3	<0.2	272	<0.05	0.08	0.2	0.006	<0.02	0.7	7	0.1	3.1	19	3.5		0.002	
E387504	210.5	211		520	3.8	91.3	0.004	1.7	1.67	5.3	5	6.1	317	0.49	0.28	7.7	0.151	0.29	4	43	13.3	7	<2	42.2		0.02	
E387505	211	211.5		830	1.9	141.5	0.007	0.29	1.24	7.5	2	7.3	216	0.61	0.43	13.7	0.191	0.4	10.3	53	13.8	10.9	3	66		0.023	1.5
E387506	211.5	212		770	1.8	102	0.013	0.15	1.31	10	2	4.5	65.8	0.45	0.26	12.2	0.174	0.21	6.3	46	11.7	9.8	<2	52.8		0.022	
E387507	212	212.5		710	1.5	145.5	0.002	0.14	1.32	12.9	2	6.3	40	0.63	0.07	15.8	0.208	0.29	5.6	59	19.7	10.8	<2	62.3		0.01	
E387508	212.5	213		600	1.8	75.5	0.002	0.26	1.4	9.2	2	4.1	121.5	0.42	<0.05	11.9	0.184	0.2	4.2	52	11.9	9	<2	50		0.012	
E387509	213	213.5		600	1.7	61.1	0.002	0.17	1.43	8.9	2	3.8	54.2	0.37	0.09	12.2	0.179	0.14	5.3	53	9.3	10.3	<2	52.7		0.01	
E387510	213.5	214		600	1.7	92.9	<0.002	0.25	1.32	10.2	2	3.2	112.5	0.24	0.07	10.3	0.158	0.27	9.7	59	10	12.1	2	54.2		0.005	0.57
E387511	214	214.5		380	1.6	38.5	0.002	0.28	1.04	4.3	2	1.9	1430	0.16	0.08	4.8	0.101	0.14	6.1	28	6.1	9.2	2	30.3		0.004	
E387512	214.5	215		550	1.9	123.5	0.011	0.32	1.16	9.4	2	4.7	704	0.34	0.23	9.9	0.153	0.31	11.2	51	10.1	10.5	<2	48.9		0.007	
E387513	215	215.5		540	2.4	117.5	<0.002	0.73	0.9	10.4	3	5.3	1330	0.23	0.3	12.4	0.13	0.26	8.5	52	8.2	10.5	4	47.9		0.029	
E387514			BLANK	110	0.9	0.8	0.003	0.06	0.08	0.5	3	<0.2	278	<0.05	0.08	0.2	0.006	<0.02	0.7	7	0.1	3.1	21	3.3		0.001	
E387515			STANDARD 3	2400	11.5	37.6	0.019	6.82	2	4.4	5	7	183.5	0.11	1.07	6	0.031	0.52	15.1	62	6	15.5	<2	22.7		0.115	
E387516	215.5	216		740	1.7	133.5	0.002	0.21	1.58	12.5	2	6.2	72.5	0.38	0.16	16.3	0.204	0.38	6.3	65	11	13.3	<2	70.2		0.012	
E387517	216.5	217		550	1.5	120.5	<0.002	0.06	1.54	7.2	1	3.2	40.8	0.22	0.09	12.4	0.141	0.28	5.7	45	8.7	10	<2	56.2		0.016	
E387518	248	249		560	1.2	124.5	0.002	0.03	1.26	7.8	1	3.3	31	0.23	0.07	12.1	0.157	0.24	6.1	44	13.1	12.5	<2	57.1		0.006	
E387519	249	249.5		610	1	151.5	0.002	0.03	1.03	10.3	1	6.3	44.7	0.27	<0.05	14.3	0.188	0.25	4.8	55	15.3	12.7	<2	62.7		0.002	
E387520	249.5	250		860	1.4	187.5	0.005	0.43	1.07	12.1	2	11.7	741	0.5	0.16	14	0.226	0.29	9.5	70	20.6	13.6	<2	60.9		0.005	
E387521	250	250.5		910	2.3	113.5	0.006	0.66	1.09	8.2	2	7.8	829	0.38	0.11	8.5	0.157	0.23	6	56	15.8	12.7	<2	44.2		0.005	
E387522	250.5	251		810	1.5	116.5	0.009	0.57	0.81	8.2	2	8.1	949	0.27	0.17	8.1	0.148	0.2	4.7	48	17.2	14	<2	42.4		0.005	
E387523	251	251.5		1150	1.5	122	0.007	0.71	1.06	8.4	2	10.8	737	0.4	0.17	8.6	0.156	0.19	4.8	54	16.1	15.3	<2	43.8		0.008	
E387524	251.5	252		1290	1.8	108.5	0.008	0.85	1.05	7.7	3	10.1	745	0.38	0.27	7.9	0.139	0.16	5.2	52	15.1	16.2	<2	40		0.008	
E387525	252	252.5		2030	2.2	42.8	0.013	1.66	1.47	4.4	5	7.7	723	0.24	0.46	6.8	0.058	0.12	5	39	8.3	18.9	<2	21.6		0.031	
E387526			BLANK	110	0.7	0.8	<0.002	0.06	0.07	0.5	3	<0.2	287	<0.05	0.09	0.2	0.007	<0.02	0.7	7	0.1	3.2	19	3.3		0.004	
E387527	252.5	253		780	2	81.2	0.002	2.3	1.89	5.3	4	8.7	820	0.16	0.13	2.8	0.077	0.28	17	33	11	9.1	<2	33.2		0.015	
E387528	253	253.5		940	1.3	176	<0.002	0.26	1.16	11.4	2	15.5	105.5	0.1	0.08	12.9	0.131	0.3	10.8	46	16	12.2	<2	74.5		0.006	0.54
E387529	253.5	254		1380	2.3	93.3	0.014	1.88	1.31	5	8	13.8	833	0.15	0.71	8.5	0.08	0.17	3.3	38	15.1	12.9	<2	39.4		0.067	
E387530	254	254.5		790	1.4	201	0.009	0.27	1.8	7.9	2	26.3	106.5	0.17	0.12	11.6	0.172	0.34	15.5	55	23.9	9.3	<2	80.2		0.012	0.61
E387531	254.5	255		670	3.5	154.5	0.006	0.7	1.59	6.1	10	27	1400	0.14	0.31	8.9	0.135	0.27	7.4	50	21.7	8.3	6	66.4		0.049	
E387532	255	255.5		2140	2.4	96.9	0.021	0.25	1.83	4.5	3	27.2	460	0.29	0.38	9.6	0.096	0.18	9.6	53	19.3	15.2	2	37.3		0.018	
E387533	255.5	256		2370	2.7	65.8	0.053	0.68	1.7	4	5	27.8	759	0.23	0.73	8.8	0.089	0.13	15.5	37	19.8	15.7	3	28.9		0.028	
E387534	256	256.5		1570	1.8	129.5	0.012	0.51	1.84	8.9	3	35.2	61.2	0.39	0.65	8.4	0.149	0.22	5.8	60	24.5	12.3	<2	49.7		0.017	
E387535	256.5	257		1130	2	70.5	0.011	0.92	1.19	9.4	4	15.7	864	0.18	0.98	7	0.076	0.13	5.7	52	14.9	11.1	3	29.2		0.021	
E387536	257	257.5		1120	1.8	93.4	0.009	0.59	1.33	9.1	3	17.5	310	0.25	0.52	8.5	0.125	0.16	5.2	59	17.4	12.2	<2	37.1		0.016	
E387537			BLANK	120	0.8	0.7	<0.002	0.07	0.09	0.5	2	<0.2	288	<0.05	0.05	0.2	0.008	<0.02	0.8	18	0.1	3.2	26	3.5		0.002	
E387538			STANDARD 3	720	3.2	140.5	0.008	1.21	1.35	12.1	3	9.7	485	0.21	0.23	13.8	0.106	0.42	21.4	65	9.8	14.5	3	68.2		0.018	
E387539	257.5	258		1130	1.8	118	0.008	0.4	1.38	10	3	20.6	409	0.21	0.36	9	0.107	0.2	5.2	63	19.9	13.8	2	42.6		0.01	
E387540	258	258.5		1420	2.3	83.2	0.012	0.25	1.42	7.9	2	21.3	806	0.28	0.49	9.3	0.099	0.18	6.1	55	18.6	15.1	7	40.2		0.011	
E387541	258.5	259		1590	1.7	100.5	0.011	0.22	1.34	7.7	2	27.4	1220	0.26	0.66	8.6	0.105	0.18	8.6	51	19.7	15.1	3	39		0.011	
E387542	259	259.5		1150	1.2	74.6	0.008	0.22	0.86	5.9	2	18.7	2610	0.13	0.35	5.2	0.065	0.13	5.3	45	15	10.8	3	28.9		0.008	
E387543	259.5	260		1020	1.2	57.1	0.007	0.43	0.7	4.5	3	15.4	3100	0.11	0.37	5	0.049	0.11	4.9	38	12.9	9.7	<2	22.4		0.01	
E387544	260	260.5		1140	1.1	53.6	0.004	0.23	0.69	4.8	2	15.5	3830	0.09	0.66	6	0.045	0.1	3	35	20.4	11.1	<2	19.3		0.006	
E387545	260.5	261		900	0.9	45.9	0.004	0.26	0.67	4.1	2	13.1	3990	0.09	0.23	3.6	0.039	0.09	2.5	31	13.6	9.5	<2	17.3		0.005	
E387546	261	261.5		1360	1.1	73.6	0.005	0.17	1.16	6.4	2	18.9	2760	0.19	0.38	6.7	0.076	0.13	3	42	25.3	11.7	<2	26.7		0.005	
E387547	261.5	262		1730	1.3	93.6	0.004	0.2	1.59	7.4	2	23.4	1670	0.34	0.19	8.5	0.117	0.17	5	47	31	13.5	<2	31.8		0.008	
E387548	262	262.5		1580	1.2	106.5	0.004	0.2	1.66	8.4	2	24.4	1310	0.41	0.15	8.1	0.134	0.2	4.2	51	24.9	13.7	2	40.3		0.005	
E387549			BLANK	120	0.7	0.8	<0.002	0.07	0.11	0.4	2	0.2	265	<0.05	<0.05	0.2	0.007	<0.02	0.6	16	0.1	3	23	4.1		0.003	
E387550	262.5	263		1130	1.2	109.5	0.005	0.26	1.04	8.8	2	22.1	1870	0.17	0.15	9.4	0.103	0.2	6.3	52	18.7	11	2	38.9		0.005	
E387551	263	263.5		1410	1.6	88.4	0.008	0.31	1.37	8.3	2	20.8	1250	0.25	0.2	7.8	0.097	0.19	6.5	46	17.4	11.9	2	32.8		0.007	
E387552	263.5	264		1550	2.9	76.1	0.011	0.22	1.38	8.3	2	18.8	2020	0.25	0.26	7	0.092	0.15	6.4	48	17.4	15.3	12	32.2		0.007	
E387553	264	264.5		1290	1.6	118	0.014	0.22	1.37	10.7	2	25.9	1730	0.27	0.25	9.5	0.122	0.23	6.2	46	21.7	13.4	<2	42.7		0.009	
E387554	264.5	265		1240	1.5	95.2	0.011	0.18	1.25	9.3	2	21.8	974	0.23	0.21	9	0.099	0.19	4.6	45	17.8	12	2	34.4		0.007	
E387555	265	265.5		1050	1.5	127.5	0.007	0.32	1.23	10.6	2	25.6	2180	0.22	0.13	9.9	0.111	0.28	6.3	52	20.8	10.3	<2	46.4		0.004	
E387556	265.5	266		1370	1.6	107.5	0.008	0.28	0.99	9.3	2	20.5	2060	0.15	0.25	10.3	0.089	0.21	8.8	49	18.6	13	2	37.3		0.007	
E387557	266	266.5		740	1.9	67	0.004	0.21	0.82	7.1	1	13	2620	0.13	0.11	8.3	0.059	0.12	3.2	29	13.8	10.9	2	25.2		0.003	
E387558	266.5	267		1320	1.6	134.5	0.007	0.22	1.22	10.8	2	24.8	854	0.2	0.1	11.8	0.117	0.26	8.9	54	26.1	13.9	<2	49.2		0.005	3.78
E387559	267	267.5		1610	1.3	63.5	0.016	0.19	1.49	4.9	2	16.1	1200	0.32	0.27	5.3	0.073	0.12	3	44	15.4	10.4	<2	22.2		0.01	
E387560			BLANK	100	0.5	0.7	<0.002	0.07	0.07	0.4	2	<0.2	282	<0.05	<0.05	0.2	0.006	<0.02	0.5	15	0.1	2.8	22	3		0.001	
E387561			STANDARD 1	840	22.1	79.7	0.024	2.27	1.69	9.5	3	7.8	610	0.19	0.24	6.3	0.083	0.44	274	59	8.6	16.7	11	53.2		0.061	
E387562	267.5	268		1670	2.2	52.8	0.012	0.89	1.78	4.4	4	14.1	1130	0.31	0.61	4.8	0.066	0.16	4.4	41	16.6	10.4	<2	21.9		0.026	
E387563	268	268.5		1430	1.4	53.6	0.017	0.17	1.28	5.2	2	15.5	1250	0.27	0.7	4.4	0.059	0.11	5.4	38	13.7	10.8	<2	19.6		0.014	
E387564	268.5	269		1550	1.5	71.2	0.019	0.19	1.37	5.7	3	18.9	1710	0.36	0.34	6.6	0.089	0.13	5.5	44	16.1	12.2	<2	27.1		0.01	
E387565	269	269.5		1930	1.4	68.7	0.015	0.19	1.47	4.3	2	18.4	2590	0.34	0.25	5	0.082	0.13	5.3	46	16.8	9.5	<2	25.6		0.009	
E387566	269.5	270		1830	1.1	58.5	0.009	0.18	1.47	3.9	2	16	2490	0.32	0.21	5.7	0.072	0.11	3.8	43	15.6	9.7	<2	21.1		0.007	
E387567	270	270.5		1870	1.5	58	0.012	0.18	1.13	3.6	2	12.4	2640	0.28	0.27	5.1	0.065	0.09	4	37	15	9.8	11	20		0.008	
E387568	270.5	271		1520	2.8	95.1	0.017	0.2	1.3	6.2	6	15.9	1610	0.39	0.65	8.5	0.109	0.15	4.6	47	17.2	14	<2	39.2		0.012	
E387569	271	271.5		1540	2.1	96.2	0.021	0.19	1.27	6.1	3	14.7	1610	0.34	0.76	8.6	0.112	0.17	8.1	49	17.8	12.5	2	35.9		0.01	
E387570	271.5	272		1450	1.7	124.5	0.013	0.17	1.47	7.9	2	17.7	893	0.5	0.61	9.8	0.151	0.22	5.5	56	20.5	13.6	2	49.9		0.009	
E387571	272	272.5		1520	1.7	127	0.016	0.17	1.43	8.4	2	17.5	748	0.54	0.86	11	0.156	0.23	5.2	57	20	14.5	2	53.6		0.006	
E387572			BLANK	120	0.7	0.8	<0.002	0.06	0.06	0.4	<1	<0.2	270	<0.05	<0.05	0.2	0.007	<0.02	0.6	4	0.1	2.6	23	3.5		0.003	

IG-2007-28

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	%	ppm	ppm
E307573	272.5	273		1.2	3.71	9	2160	1.54	0.77	3.17	<0.02	109	26.5	20	1.83	169	12.3	9.71	0.23	1.2	0.052	1.85	83	26.2	1.3	4290	33.5	0.03	10.7	20.2
E307574	273	273.5		0.77	1.46	10.9	650	0.83	0.1	1.42	<0.02	215	38.3	7	0.73	583	13.8	5.02	0.25	0.5	0.034	0.69	134	11	1	3750	36.2	0.01	7.6	20.7
E307575	273.5	274		0.36	0.42	12.1	290	0.35	0.11	2.77	<0.02	196.5	102.5	<1	0.15	164	18.35	2.62	0.3	0.2	0.032	0.14	116	4.4	1.47	5390	41.8	<0.01	7.6	29.6
E307576	274	274.5		0.16	1.63	7.1	930	0.78	0.06	2.19	<0.02	236	43.1	9	0.7	238	16.85	6.49	0.33	0.6	0.023	0.77	156	12.2	0.73	3140	38.6	0.01	6.6	28.3
E307577	274.5	275		0.14	4.03	5.1	740	1.66	0.1	2.62	<0.02	128	40.8	23	1.74	37.1	11.6	11.2	0.2	1.3	0.054	1.99	80.1	25.2	1.13	4200	28.6	0.02	6.4	19.4
E307578	275	275.5		0.11	5.11	3.9	1960	1.88	0.06	2.85	<0.02	75.3	33.6	28	2.1	284	8.06	12.6	0.16	1.8	0.053	2.55	52	28.6	1.22	3750	13.3	0.03	4.9	14.1
E307579	275.5	276		0.06	5.28	3.7	2780	2.05	0.05	2.96	<0.02	73.6	30.3	32	2.23	190	7.69	13.2	0.16	1.8	0.055	2.69	49.4	30.6	1.25	3810	12.2	0.03	4.9	14.9
E307580	276	276.5		0.53	3.9	15.2	280	1.46	0.26	3.61	<0.02	179.5	148.5	19	1.64	4050	14.4	10.35	0.27	1.2	0.06	1.86	122	26.2	1.38	5370	31	0.02	7.9	22.5
E307581	276.5	277		0.22	1.45	19.3	130	0.53	0.23	4.28	<0.02	218	373	4	0.57	473	17.8	6.38	0.35	0.5	0.047	0.54	115	12.2	1.53	7180	56.7	0.01	6.2	40.8
E307582	277	277.5		0.15	3.46	5.2	2550	1	0.1	3.75	<0.02	131	34.3	18	1.16	433	13.1	7.51	0.18	0.9	0.034	1.56	99.1	19.1	1.37	5350	25.6	0.02	7.9	15.9
E307583			BLANK	0.01	0.15	<5	120	0.08	0.01	49.9	0.41	2.68	1	7	<0.05	3.8	0.07	0.6	0.12	0.2	<0.005	0.03	2.1	1.5	0.54	47	0.39	0.02	0.4	0.7
E307584			STANDARD 2	1.16	2.38	108.5	110	0.59	10.5	2.28	<0.02	202	338	12	2.43	8660	27.5	9.31	0.4	0.8	0.234	0.63	132	19.1	1.53	6300	59.3	0.23	5.5	61.8
E307585	277.5	278		0.15	6.77	5.8	7790	2.77	0.13	2.95	<0.02	53.5	30.4	36	4.5	317	10.05	16.15	0.17	2.1	0.075	3.39	39.4	32.7	1.23	3820	10.35	0.05	11.9	13.2
E307586	278	278.5		0.17	2.88	8.7	1060	1.2	0.25	2.5	<0.02	160	38	14	1.5	168.5	12.35	9.01	0.22	0.9	0.064	1.27	101	19.7	1.55	4270	34.1	0.02	8.5	22
E307587	278.5	279		0.11	5.53	7.2	4170	2.17	0.14	3.07	<0.02	126	25.6	30	2.79	192.5	10.7	14.15	0.21	1.7	0.071	2.64	69.2	30.3	1.57	2940	20.8	0.04	10.8	17.8
E307588	279	279.5		0.63	2.83	13	370	0.93	1.47	2.77	<0.02	169.5	90	11	1.71	5030	18.2	9.92	0.3	0.7	0.066	0.94	102.5	22.8	1.98	5170	53.4	0.02	15.1	39.7
E307589	279.5	280		0.24	5.52	8.3	2080	2.09	0.5	1.93	<0.02	211	35.8	31	3.59	851	11.5	15.05	0.24	1.7	0.06	2.44	143	33.8	1.4	2180	57.4	0.03	9.3	27.8
E307590	280	280.5		0.1	4.51	9.7	4640	2.02	0.13	2.56	<0.02	182	21.9	25	2.66	367	10.5	12.2	0.22	1.4	0.061	2.23	128.5	23.7	1.37	3340	21.2	0.03	7.8	14.9
E307591	280.5	281		0.06	5.46	7.2	5000	2.36	0.13	2.76	<0.02	193.5	25.9	32	3.08	221	9.09	14.8	0.2	1.6	0.073	2.78	136.5	28.5	1.32	3490	16.1	0.04	6.8	14.4
E307592	281	281.5		0.19	5.11	8.9	1420	1.86	0.25	4.2	<0.02	105.5	46.1	27	2.98	294	10.95	13.45	0.19	1.4	0.081	2.2	72.4	35.1	2.67	3840	18.7	0.03	5.8	26.4
E307593	281.5	282		0.13	6.41	3.4	5430	2.78	0.12	4.15	<0.02	61.8	24.2	38	4.8	506	8.23	16.5	0.16	1.9	0.088	3.16	41.5	31.3	2.15	4750	5.85	0.04	4.1	18.6
E307594	282	282.5		0.05	6.45	2	>10000	2.77	0.03	4.4	<0.02	65.3	13	34	4.68	48.3	6.24	16.5	0.16	2	0.1	3.24	42.8	30.5	2.33	4560	3.12	0.05	3.6	15.5
E307595			BLANK	0.01	0.14	<5	70	0.05	0.01	49.4	0.38	2.31	0.8	7	<0.05	3.3	0.06	0.59	0.1	0.2	<0.005	0.03	1.8	1.4	0.53	43	0.25	0.01	0.3	0.7
E307596	282.5	283		0.4	5.5	4.4	1700	2.26	0.29	5.12	<0.02	90.7	22.5	32	3.94	2840	10.1	14.45	0.18	1.7	0.1	2.54	60.7	30.3	2.75	5180	9.25	0.03	4.5	20.3
E307597	283	283.5		0.12	6.32	6.7	4650	2.77	0.04	2.6	<0.02	96.6	22.7	38	3.97	263	8.7	16.2	0.18	1.9	0.077	3.11	69.3	30.4	1.44	3020	8.98	0.04	9.6	15.4
E307598	283.5	284		0.21	4.39	8.2	2950	1.8	0.04	2.94	<0.02	84.1	20.1	24	2.44	528	11.85	11.7	0.19	1.2	0.07	2.17	57.7	22.7	1.46	3310	12.9	0.03	7.8	13.7
E307599	284	284.5		0.29	6.28	19.6	1830	2.24	0.58	3.94	<0.02	61.9	68	35	3.52	142.5	11	15.7	0.18	1.9	0.086	2.63	43.6	38.9	2.46	4320	8.2	0.03	6.2	25.1
E307600	284.5	285		1.2	5.13	36.9	220	1.85	1.16	2.21	<0.02	75.3	119	33	2.44	>10000	11.7	13.3	0.21	1.6	0.073	2.19	32.1	34.5	1.6	2570	31.8	0.02	5.8	30.4
E307601	285	285.5		0.26	4.39	7.5	2730	1.76	0.11	3.61	<0.02	124.5	30	20	2.27	1670	12.05	11.6	0.21	1.2	0.07	2.2	90.4	25.8	1.74	4950	32.3	0.03	8.7	18.1
E307602	285.5	286		0.15	4.5	8.6	4370	1.82	0.08	2.99	<0.02	285	26.2	24	2.17	613	11.5	12.85	0.27	1.4	0.053	2.23	181.5	28.9	1.31	3180	30.8	0.03	11.3	17.2
E307603	286	286.5		0.34	4.39	10	1440	1.75	0.18	4.47	<0.02	149	61.9	24	2.12	2210	12.75	12.8	0.24	1.4	0.089	2.08	95.7	27.1	2.03	5000	23.3	0.03	8.2	21.3
E307604	286.5	287		0.06	6.35	2.7	3540	2.88	0.03	5.09	<0.02	69	20.5	38	3.57	224	9.31	20.2	0.18	2.1	0.152	3.39	49.5	37.3	2.37	6300	8.54	0.06	12.4	18.3
E307605	287	287.5		0.08	2.19	6.4	1200	0.98	0.04	5.62	0.03	259	17.7	9	1.47	376	12.4	8.74	0.29	0.7	0.126	1.01	147.2	18.5	2.41	6650	24.7	0.02	9.1	21.1
E307606			BLANK	0.02	0.14	<5	90	0.07	0.02	46.6	0.38	2.4	0.9	6	<0.05	5.8	0.06	0.61	0.06	0.1	<0.005	0.03	1.8	1.4	0.51	44	0.33	<0.01	0.3	<0.2
E307607			STANDARD 3	0.31	6.3	61.9	180	2.43	1.57	1.76	<0.02	96.4	110	37	5.87	1510	8.54	19.65	0.2	1.9	0.133	2.79	51.4	22.1	1.21	3020	21.1	0.52	3.1	26.5
E307608	287.5	288		0.25	3.35	8.3	970	1.61	0.13	2.35	<0.02	173.5	28.4	19	2.16	2560	12.65	11.7	0.25	0.9	0.08	1.66	111	21.9	1.37	3460	28.3	0.01	13	19.6
E307609	288	288.5		0.23	3.26	11.8	990	1.37	0.18	2.84	<0.02	274	25.8	15	2.42	741	12.9	11.2	0.29	0.9	0.066	1.47	174.5	21.9	1.29	2510	66.8	0.02	13.4	20.1
E307610	288.5	289		0.09	3.94	12.4	2500	1.66	0.11	2.12	<0.02	245	21.3	20	2.75	331	12.55	12.8	0.28	1.2	0.103	1.87	163.5	25.8	1.47	5000	45	0.03	15.8	18.5
E307611	289	289.5		0.08	4.06	12	3400	1.82	0.05	2.74	<0.02	223	19.5	20	2.63	266	11.1	12.8	0.26	1.2	0.087	1.94	149.5	29.1	1.28	3490	44.1	0.03	14.1	17.7
E307612	289.5	290		0.06	3.75	11	3220	1.32	0.03	2.74	<0.02	77.4	18.8	20	2.38	103.5	11.75	11.5	0.2	1	0.111	1.63	47.6	31.6	1.39	3820	29.6	0.03	13	20.4
E307613	290	291		0.13	5.81	6.1	3480	2.61	0.16	2.4	<0.02	84.6	33.2	36	4.23	209	9.54	17.45	0.18	1.6	0.085	2.63	55.7	35.3	1.62	4140	13.45	0.05	7.8	20.1
E307614	331.0	332.0		0.02	6.5	9.8	2250	3.87	0.11	3.31	<0.02	113.5	45.3	32	4.37	7.5	4.38	22.5	0.2	2.1	0.055	2.97	57.9	48.2	1.53	3180	5.23	0.84	4.8	30.8
E307615	332.0	332.5		0.05	5.45	9.6	2090	2.4	0.08	3.69	<0.02	50.4	74.7	28	4.78	5.5	5.76	13.4	0.14	1.4	0.037	1.9	28.4	38	1.98	3860	17.85	1.06	3.1	22.4
E307616	332.5	333.0		0.08	7.76	9.8	8400	5.16	0.09	2.86	<0.02	74	70.3	44	10	21	6.33	25.7	0.17	2.2	0.073	3.75	44	78.2	2.46	2870	10	0.14	4.4	29
E307617	333.0	333.5		0.05	7.46	3.9	2420	5.59	0.09	2.69	<0.02	63.1	36.4	44	6.32	3.9	4.89	27.9	0.16	2.2	0.079	3.92	35.8	66.8	1.67	2560	3.35	0.52	5.2	23.8
E307618			BLANK	0.02	0.13	<5	70	0.08	0.02	43.7	0.37	2.26	1	7	<0.05	3.8	0.05	0.67	0.05	0.1	<0.005	0.03	1.7	1.6	0.48	38	0.26	<0.01	0.3	<0.2
E307619	333.5	334.0		0.15	6.67	22.2	430	3.2	0.49	4.11	<0.02	62.1	116.5	35	12.6	6.3	7.54	21	0.2	2.1	0.057	2.43	32.6	64.4	3.08	3910	39.4	0.27	5.4	30.2
E307620	334.0	334.5		0.13	4.29	14	520	1.52	0.48	4.72	<0.02	71.5	94.1	22	4.93	3.7	11.05	12.95	0.22	1.3	0.055	0.94	29.4	64.3	3.47	5520	2.93	0.22	7.3	25.4
E307621	334.5	335.0		0.4	1.83	31.1	380	0.36	1.29	2.93	<0.02	0.78	165	9	1.25	5.7	13.05	4.58	0.15	0.6	0.038	0.08	<0.5	28.5	2	4710	3.43	0.22	3.3	20.9
E307622	335.0	335.5		0.26	2.56	10.2	170	0.41	0.38	5.52	<0.02	18.4	172	12	0.64	29.3	10.5	5.12	0.14	0.9	0.026	0.13	5.8	20.7	2.19	5050	37.9	1.2	3.9	31.5
E307623	335.5	336.0		0.29	3.5	16.3	180	0.52	1.29	6.51	<0.02	10.05	123.5	17	0.9	10.7	12.8	7.09	0.14	1.1	0.046	0.15	4.5	27.7	2.85	5690	17.65	1.49	5.2	29.6
E307624	336.0	336.5		0.17	5.14	11	920	2.08	0.63	5.2	<0.02	25.6	112	24	11.65	4	12.35	9.45	0.15	1.5	0.023	1.16	14.7	28.8	2.56	4320	19.1	1.29	4.9	28.2
E307625	336.5	337.0		0.06	5.66	13.9	800	3.02	0.07	4.85	<0.02	29.9	106	31	24	9.8	12.6	10.95	0.2	2.5	0.037	1.92	15.6	25.7	2.68	3960	11.5	0.39	5.4	29.5
E307626	337.0	337.5		0.17	5.44	11.7	430	0.8	0.89	5.67	<0.02	12.85	159.5	26	2.42	3.9	11.8	12.15	0.14	1.5	0.032	0.22	8.6	25.8	2.73	4910	19.4	2.95	7.6	33.1
E307627	337.5	338.0		0.08	7.19	4.9	3320	2.11	0.13	3.04	<0.02	28.3	50.5	50	2.57	2.1	9.32	19.2	0.15	2.4	0.03	1.19	17.4	36.3	1.56	2650	6.84	3.73	7.5	14.1
E307628	338.0	338.5		0.15	6.91	10.8	4910	2.04	0.17	3.55	<0.02	25.2	87.5	49	2.84	2.4	9.27	18	0.13	2.4	0.024	1	14.8	28.3	1.56	2940	9.19	3.97	7.8	15.6
E307629			BLANK	0.01	0.13	<5	60	0.08	0.02	45.5	0.41	2.34	1.1	6	<0.05	2.7	0.06	0.62	<0.05	0.1	<0.005	0.03	1.8	1.6	0.5	39	0.26	<0.01	0.3	0.3
E307630			STANDARD 1	1.1	5.68	47.5	560	2.12	3.02	2	<0.02	64.3	156.5	36	3.83	7710	9.72	15.75	0.18	1.7	0.149	2.13	33.7	27.7	1.24	3550	64.5	0.89	4.3	36.8
E307631	338.5	339.0		0.41	5.52	10.6	1440	1.3	1.49	5.81	<0.02	6.46	127	29	6.26	16.7	10.85	11.3	0.14	1.7	0.091	0.49	3.4	57.8	3.75	5200	36.1	1.54	7.3	34.7
E307632	339.0	339.5		0.13	7.28	6.3	450	2.57	0.52	5.88	<0.02	7.64	81.9	39	19.5	4.2	11.75	14.6	0.15	2.5	0.108	1.72	3.8	80.7	5.44	5820	40.2	0.04	7.9	30
E307633	339.5	340.0		0.11	6.54	7.2	330	2.2	0.18	5.04	<0.02	7.9	120	31	16.35	2.7	13.85	12.75	0.16	2.3	0.074	1.61	4.2	64.1	4.63	4910	25.1	0.02	5.2	25.4
E307634	340.0	340.5		0.15	6.86	7.8	300	3.75	0.3	4.34	<0.02	10.85	106	38	16	4.4	11.9	16.75	0.16	2.6	0.064	2.58	6.4	80.5	3.3	3950	27.3	0.02	7.9	27.4
E307635	340.5	341.0		0.12	4.4	4.2	310	1.97	0.13	7.24	<0.02	30.6	88.1	22	10.2	2.5	13.5	8.94	0.16	1.6	0.07	1.37	19.7	34.6	3.71	6730	13	0.14	6.2	24
E307636	341.0	341.5		0.22	6.02	28	300	1.98	0.55	4.73	<0.02	162	138	33	5.77	3.7	13.95	16.1	0.25	2.2	0.086	1.23	114.5	94	4.22	4520	8.94	0.01	11.3	33.3
E307637	341.5	342.0		0.19	4.88	15	360	2.06	0.89	4.16	<0.02	132.5	41.9	28	2.98	2.1	10.3	14.7	0.21	1.7	0.137	1.85	103.5	53.9	2.64	3860	13.8	0.02	10	19.7
E307638	342.0	342.5		0.21	4.75	12.9	670	2.03	0.72	4.46	<0.02	122.5	39.1	26	2.8	7.8	10.8	14	0.21	1.5	0.131	1.91	86.5	50.2	2.65	3870	9.38	0.01	10	21.2
E307639	342.5	343.0		0.16	5.13	12.8	2220	2.32	0.36	3.64	<0.02	141	21.7	28	3.98	2.4	9.48	15.7	0.2	1.8	0.103	2.48	92	40.6	2.11	3190	8.58	0.03	10	20.9
E307640	343.0	343.5		0.33	5.58	12.2	4160	2.72	0.51	4.22	<0.02	134	27.7	29	3.61	2.4	9.42	15.65	0.22	1.9	0.103	2.75	96.6	42.2	2.21	3390	37.6	0.07	11.1	22.5
E307641			BLANK	0.02	0.14	5	70	0.11	0.02	47.1	0.42	2.64	1.7	7	<0.05	3.9	0.07	0.65	0.05	0.1	<0.005	0.04	2	1.8	0.47	42	0.3	<0.01	0.3	3.4
E307642	343.5	344.0		0.1	4.7	6.2	6860	1.97	0.17	4.87	0.02	152	18.5	25	3.05	3.6	9.58	13.2	0.19	1.5	0.105	2.19	112	33.7	2.38	3920	14.85	0.09	8.4	21.9
E307643	344.0	344.5		0.05	4.82	7.2	6680	2.35	0.21	5.5	<0.02	126	14.9	27	3.51	182	10.7	14.65	0.21	1.5	0.138	2.48	93.6	31.3	2.53	4790	10.1	0.1	11.9	19.2
E307644	344.5	345.0		0.12	4.3	14.8	600	1.64	1.09	5.25	<0.02	267	28.1	22	2.43	4.4	12.95	11.9	0.26	1.3	0.132	1.93	193.5	29.4	2.4	5300	18.95	0.01	13	26
E307645	345.0	345.5		0.12	4.59	19.9	520	2	1.19	3.91	<0.02	152.5	27.6	25	3.18	4.7	10.45	12.95	0.21	1.6	0.129	2.07	101	30.6	2.07	4250	14.2	0.01	12.2	21.3
E307646	345.5	346.0		0.26	4.93	17.8	500	2.25	1.82	4.23	<0.02	128.5	42.6	27	3.48	55.7	10.1	15.05	0.21	1.8	0.107	2.35	64.2	32.7	2.13	3200	33.4	0.01	12.4	21.3
E307647	346.0	346.5		0.27	4.18	20.5	230	1.42	1.8	1.62	<0.02	187.5	45	22	2.14	18.2	10.75	11.4	0.25	1.4	0.062	1.47	79.2	36.7	1.49	1290	16.15	<0.01	8.5	23.1
E307648	346.5	347.0		0.06	3.96	9.2	5610	1.47	0.17	5.16	<0.02	119.5	19.9	21	2.14	1.9	10.7	10.9	0.2	1.2	0.091	1.73	87.9	29.8	2.57	3710	12.2	0.07	9.5	19.2
E307649	347.0	347.5		0.11	3.45	11.6	980	1.28	0.81	5.85	<0.02	102.5	24	17	1.9	2.9	10.95	9.53	0.19	1.1	0.08	1.5	71.3	27.6	2.78	3870	11.6	0.01	9.6	20.3
E307650	347.5	348.0		0.11	4	13.2	640	1.13	1.13	4.9	<0.02	135	34.6	18	1.78	2.4	12.4	10.45	0.23	1.3	0.06	1.3	96.9	37.5	2.75	3590	17.85	0.01	10	25
E307651	348.0	348.5		0.08	2.34	20.6	290	0.37	0.92	3.68	<0.02	283	29.4	11	0.5	3.4	14.95	6.15	0.28	0.9	0.043	0.19	171	31.8	1.89	2890	14.45	0.03	13.9	19.7
E307652			BLANK	0.02	0.14	<5	140	0.11	0.03	49	0.46	2.83	1.7	7	<0.05	4	0.08	0.68	<0.05	0.1	<0.005	0.04	2.1	1.7	0.49	44	0.3	<0.01	0.3	3.6
E307653			STANDARD 2	1.1	2.24	74.9	270	0.57	10.25	2.24	<0.02	218	336	13	2.53	8780	26.4	9.29	0.42	0.7	0.252	0.67	130	18.1	1.45	5980	60.8	0.21	5.6	58.5
E307654	348.5	349.0		0.13	2.58	14.2	240	0.28	0.98	3.57	<0.02	49.4	30.9	10	0.42	10.2	16.3	7.75	0.25	0.8	0.017	0.05	25.6	39	1.67	2660	25.4	0.05	4.1	32.2
E307655	349.0	349.5		0.19	0.86	14.7	220	0.16	0.86	1.99	<0.02	38	32.1	7	0.14	4.9	22.3	8.85	0.31	0.9	0.019	0.02	22.6	9.9	0.98	3760	28.2	<0.01	11.5	39.7
E307656	349.5	350.0		0.1	0.64	11.4	1140	0.09	0.19	1.21	<0.02	44.1	52.1	3	0.14	2.5	23.9	9.98	0.32	0.6	0.028	0.01	28.3	6	0.67	5220	37.9	<0.01	15	44.6
E307657	350.0	350.5		0.06	2.44	6	1370	0.21	0.17	2.87	<0.02	27.6	19.3	9	0.29	3.4	17.4	7.44	0.23	0.6	0.016	0.05	20.7	25.2	1.6	5170	46.3	0.81	2.5	29.3
E307658	350.5	351.0		0.21	2.07	12.4	170	0.18	1.31	3.24	<0.02	26.6	37.1	9	0.32	4.8	17.9	8.12	0.23	0.5	0.014	0.05	14.4	20.5	1.36	3460	49.3	0.3	4.6	38.6

IG-2007-28

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E307573	272.5	273		1380	4.3	86.5	0.011	0.17	1.19	6	5	14	1530	0.39	0.55	8	0.112	0.15	7.3	48	14.4	14	2	36.9		0.007	
E307574	273	273.5		1630	1.7	34.1	0.01	0.26	0.6	2.6	3	9.1	2920	0.14	0.6	3	0.04	0.07	9	24	8	10.6	2	13.8		0.014	
E307575	273.5	274		1550	1.5	7.5	0.009	0.52	0.47	1.2	2	7.7	2440	0.06	0.48	1.2	0.011	0.02	5.5	18	8.9	11.7	3	3.8		0.014	
E307576	274	274.5		1470	1.1	36.5	0.021	0.26	0.62	2.8	2	7.9	2550	0.09	0.12	4.9	0.033	0.06	3.6	31	7.8	13.1	2	15.3		0.009	
E307577	274.5	275		1390	1.3	89.5	0.012	0.35	0.95	6.5	1	12.3	1740	0.16	0.07	7.8	0.082	0.22	3.3	54	12.6	12.2	3	37.8		0.007	
E307578	275	275.5		890	1.2	113	0.004	0.28	1.09	9.3	1	10.6	1760	0.17	0.07	9.2	0.116	0.22	4.6	48	13.9	11.2	3	49.8		0.005	
E307579	275.5	276		820	1.2	120	0.004	0.24	1.19	10.3	1	11.1	1750	0.19	0.06	10.4	0.121	0.23	4.9	49	14.7	11.6	3	55		0.004	
E307580	276	276.5		1950	1.6	81.3	0.012	1.09	1	7.3	5	12.4	361	0.2	0.24	8.3	0.085	0.16	2.7	50	12.6	14.4	3	37.9		0.036	
E307581	276.5	277		2050	2	24.6	0.013	1.83	0.67	3.1	3	4.4	750	0.16	0.28	9	0.028	0.05	4.7	37	6.3	21.3	6	12.7		0.013	
E307582	277	277.5		1470	1.1	55.9	0.005	0.22	0.87	4.9	2	8.5	703	0.2	0.12	4.3	0.099	0.11	1.8	50	9.4	10.1	4	27.9		0.009	
E307583			BLANK	120	0.8	0.8	<0.002	0.08	0.08	0.4	1	<0.2	306	<0.05	<0.05	0.2	0.007	<0.02	0.7	6	0.1	3	25	4.3		0.001	
E307584			STANDARD 2	2420	6.3	33.8	0.016	7.02	1.98	4.1	5	6.8	204	0.11	1.06	5.7	0.034	0.48	13.6	61	6	14.4	5	24.7		0.111	
E307585	277.5	278		860	1.5	147	0.002	0.29	1.63	9.6	1	15	273	0.46	0.14	9.9	0.225	0.32	4.9	63	20.2	11.2	4	66.5		0.005	1.43
E307586	278	278.5		2010	1.6	59.3	0.005	0.18	0.8	6.1	1	7.6	1390	0.23	0.11	7.8	0.07	0.13	3	52	18	13.8	7	27		0.006	
E307587	278.5	279		1660	1.2	116.5	0.004	0.2	1.28	8.6	1	13	526	0.39	0.09	10.9	0.173	0.24	2.9	65	20.5	13.9	4	51.3		0.003	
E307588	279	279.5		3220	2.6	42.3	0.009	0.75	1.59	4.6	2	7.4	610	0.62	0.26	8.3	0.072	0.11	5.3	74	13.7	20.5	9	22.3		0.041	
E307589	279.5	280		2710	1.7	111.5	0.013	0.3	1.31	6.8	2	13.3	714	0.31	0.13	12.4	0.132	0.27	7.5	89	15.9	17.8	7	51.9		0.009	
E307590	280	280.5		2450	1.2	103.5	0.007	0.22	1.33	7.2	1	9.7	564	0.28	0.09	10.7	0.13	0.2	2.7	57	15.7	14.5	4	41.7		0.005	
E307591	280.5	281		1400	1.8	129.5	0.003	0.23	1.14	8.2	3	10.8	500	0.26	0.08	12	0.154	0.25	3.8	82	17.7	12.8	3	49.2		0.004	3.32
E307592	281	281.5		1210	1.6	100	0.005	0.38	1.14	8.1	2	8.5	436	0.23	0.08	9.5	0.127	0.23	3	58	14.3	13.5	18	44.4		0.006	
E307593	281.5	282		720	1.4	149	0.002	0.28	0.97	10.4	2	9.3	483	0.16	0.07	11.2	0.157	0.28	5.1	62	16	13.3	6	58.9		0.004	2.36
E307594	282	282.5		600	1.2	150.5	0.003	0.31	0.83	9.6	2	8.4	231	0.18	<0.05	11.5	0.165	0.3	4.9	58	15.8	12.8	6	61.3		<0.001	1.19
E307595			BLANK	110	0.6	0.9	<0.002	0.07	0.06	0.3	2	<0.2	291	<0.05	<0.05	0.2	0.007	<0.02	0.7	5	0.1	2.9	28	3.6		<0.001	
E307596	282.5	283		1010	1.9	115	0.003	0.43	1.16	9	3	9.5	516	0.16	0.11	9.4	0.136	0.24	3.9	59	15.1	12.9	9	51.5		0.009	
E307597	283	283.5		1640	1.1	146.5	0.003	0.24	0.95	9.7	2	17	642	0.28	<0.05	12.1	0.123	0.26	3.4	79	16.7	13.2	4	58.1		0.001	
E307598	283.5	284		1910	1.2	99	0.003	0.24	1.01	8.7	2	12.7	878	0.24	0.07	9.1	0.109	0.19	2.3	66	14.5	11.2	3	37.9		0.004	
E307599	284	284.5		1210	2.3	120	0.002	0.74	0.95	9.7	2	13.4	112	0.2	0.09	11.9	0.13	0.24	4.2	66	13	12.2	13	57.7		0.006	
E307600	284.5	285		1240	2.4	99.9	0.007	1.99	1.25	8.2	5	11.8	602	0.19	0.53	7.6	0.103	0.21	3.4	61	14.2	11.3	14	47.6	1.205	0.084	
E307601	285	285.5		1560	1.3	98.2	0.007	0.26	1.15	7.2	2	13.2	307	0.27	0.08	7.6	0.11	0.18	3.2	64	15.9	12	3	38.1		0.012	
E307602	285.5	286		2890	1.4	102	0.006	0.2	1.22	7.4	3	15.2	436	0.37	0.06	11.1	0.128	0.18	3	77	16.6	17.9	3	42.6		0.005	
E307603	286	286.5		2620	1.7	94.1	0.004	0.43	1.01	7.2	3	13.4	773	0.25	0.13	8.9	0.12	0.16	3.1	72	14.8	18.7	6	43.4		0.01	
E307604	286.5	287		1010	4.1	153	0.004	0.11	1.25	10.3	2	21	104	0.47	0.05	10.4	0.172	0.27	4.5	91	22.3	17.2	7	62.4		<0.001	
E307605	287	287.5		1640	4.2	55	0.007	0.14	1.02	5.1	2	8.7	1360	0.3	0.07	9	0.059	0.09	2.6	55	10.7	19.2	7	21		0.002	
E307606			BLANK	110	1.6	0.9	<0.002	0.07	0.12	0.5	3	<0.2	302	<0.05	<0.05	0.2	0.007	<0.02	0.7	<1	0.1	3.2	23	3.4		<0.001	
E307607			STANDARD 3	730	3.7	141	0.006	1.3	1.14	12.3	2	7.5	469	0.19	0.19	14.4	0.107	0.38	19.6	60	8	12.8	5	58.7		0.015	
E307608	287.5	288		1640	1.9	76.5	0.008	0.34	1.38	5.5	3	12.7	1020	0.41	0.12	8.5	0.101	0.14	2.8	48	18.7	13.8	9	29.7		0.01	
E307609	288	288.5		2120	2.4	80.4	0.02	0.17	1.51	6.9	2	13.3	708	0.43	0.18	9.6	0.1	0.15	2.9	51	17.5	16.8	5	30.7		0.009	
E307610	288.5	289		2020	2	101	0.013	0.14	1.33	8.2	2	15.6	603	0.48	0.26	10.3	0.123	0.19	3.4	59	17.8	15.9	7	38.3		0.005	
E307611	289	289.5		2040	1.9	100.5	0.012	0.14	1.36	8.2	2	16.1	241	0.43	0.25	10.9	0.12	0.19	3.1	60	17.4	16.9	8	37		0.008	
E307612	289.5	290		1920	1.7	86.9	0.008	0.11	1.55	7.3	2	14.4	276	0.38	0.15	10.9	0.105	0.16	3	56	15.3	15.4	12	34.4		0.004	
E307613	290	291		1150	1.9	120.5	0.004	0.29	1.45	9.2	2	11	1440	0.3	0.12	10.5	0.137	0.27	5.1	61	13.5	13.6	12	50.8		0.002	
E307614	331.0	332.0		610	1.8	167	<0.002	0.31	1.06	13.5	2	8	602	0.36	0.07	16	0.152	0.36	5.4	58	10.7	16.8	3	61		0.001	
E307615	332.0	332.5		550	1.7	89.6	0.003	0.32	0.81	7	2	4.7	828	0.26	0.08	11.5	0.125	0.21	10	42	6.5	12.4	8	44		<0.001	
E307616	332.5	333.0		740	1.8	181	<0.002	0.42	1.19	12.6	2	10.8	238	0.31	0.05	16.8	0.185	0.44	5.7	67	11.4	15	13	63.9		<0.001	0.92
E307617	333.0	333.5		750	1.3	171	<0.002	0.16	1.03	13.7	2	12.8	88.7	0.34	<0.05	15.3	0.187	0.46	3.8	69	12.7	13.7	5	66.8		<0.001	
E307618			BLANK	100	0.8	1.1	<0.002	0.07	0.11	0.5	2	<0.2	285	<0.05	<0.05	0.3	0.007	<0.02	0.7	<1	0.1	3.3	22	4.7		<0.001	
E307619	333.5	334.0		670	3	138.5	0.004	1.25	1.82	15.8	2	10.3	218	0.41	0.05	16.4	0.172	0.43	11.9	60	13.1	16.9	16	64.4		0.006	
E307620	334.0	334.5		440	3	50.3	<0.002	2.41	2.76	10.4	2	13.2	657	0.57	<0.05	8	0.157	0.23	5.6	43	10.7	11.8	20	40.2		0.016	
E307621	334.5	335.0		270	4.1	4.2	<0.002	6.63	7.98	2.8	2	3.5	144	0.26	0.08	1.1	0.074	0.36	2.6	19	3.5	4.7	14	18.1		0.056	
E307622	335.0	335.5		490	3.1	5.3	0.003	1.64	1.09	4.5	2	5.9	662	0.32	0.51	6.3	0.101	0.07	16.3	26	6.3	8.2	8	27.9		0.016	
E307623	335.5	336.0		480	4.3	5.9	<0.002	2.76	2.79	5	2	8.1	366	0.43	0.07	7.9	0.139	0.16	8.9	32	7.4	9	12	33.3		0.017	
E307624	336.0	336.5		600	4.3	40.2	<0.002	1.17	1.65	5.9	2	9.3	161	0.43	0.05	11	0.177	0.21	22.5	36	6.6	10.3	13	46.8		0.003	
E307625	336.5	337.0		620	2.6	77.2	<0.002	0.62	1.19	8.9	2	10.5	232	0.53	0.05	16.7	0.209	0.26	16	43	7	14.9	15	75.9		<0.001	
E307626	337.0	337.5		560	3.1	8.6	<0.002	1.67	1.27	6.6	2	8.6	255	0.64	0.07	11.4	0.168	0.09	12.6	39	5.8	11.7	13	44.2		0.005	
E307627	337.5	338.0		580	1.8	49.1	<0.002	0.34	0.9	19.9	2	20.4	97.8	0.86	0.05	14.8	0.234	0.17	7.3	58	8.3	10.7	7	72.1		<0.001	
E307628	338.0	338.5		620	2.1	36.6	<0.002	0.53	0.92	15.7	2	17.5	142	0.64	<0.05	17.7	0.24	0.16	6.5	58	7.1	11.1	6	69.7		0.002	
E307629			BLANK	110	0.9	0.7	<0.002	0.07	0.09	0.5	3	<0.2	295	<0.05	<0.05	0.3	0.006	<0.02	0.7	<1	0.1	3.3	23	3.4		<0.001	
E307630			STANDARD 1	870	22.7	88	0.023	2.26	1.74	9.3	3	7.9	613	0.24	0.27	9.7	0.092	0.44	298	54	9.4	16.3	7	51.7		0.055	
E307631	338.5	339.0		820	4.7	20.5	0.002	1.74	2.23	6.7	2	9.6	81.4	0.59	0.07	13.6	0.188	0.16	9.2	43	7.2	12.7	25	48.4		0.013	
E307632	339.0	339.5		790	3.1	82.4	0.003	0.68	1.52	9.7	2	12.3	49.6	0.71	0.05	18.1	0.233	0.36	18	52	6	15	37	72.8		0.004	
E307633	339.5	340.0		720	2.6	74.5	<0.002	0.7	1.29	7.5	2	9.8	42	0.52	0.05	15.4	0.204	0.31	13.5	44	4.9	13.2	33	70.3		0.089	
E307634	340.0	340.5		710	2.3	115	<0.002	0.65	1.28	16.7	2	17.6	42.8	0.85	0.05	17.9	0.225	0.36	16.1	57	9.9	13.7	19	76.3		0.004	
E307635	340.5	341.0		750	2.1	53.3	<0.002	0.36	1.07	6.8	2	9	68.4	0.5	0.07	11.7	0.175	0.22	16.4	45	8.6	12.9	16	48.8		0.001	
E307636	341.0	341.5		1580	2.8	58.8	0.002	0.8	1.39	9.6	4	11.4	35.5	0.61	0.16	14.8	0.189	0.16	6.5	86	10.1	17.3	31	63.9		0.005	
E307637	341.5	342.0		1380	2.5	83.7	0.003	1.06	1.48	7.4	2	9.4	29	0.49	0.11	10.8	0.152	0.27	4.9	69	9.9	13.7	13	46.4		0.007	
E307638	342.0	342.5		1380	2.3	89.6	0.002	0.84	1.44	7.5	2	9.1	181	0.49	0.33	10	0.146	0.26	4.4	92	11.1	13.5	11	45.2		0.007	
E307639	342.5	343.0		1240	2.4	125.5	0.003	0.51	1.2	9.4	2	11.4	94.2	0.5	0.32	12.9	0.17	0.35	5.3	113	12.9	14.1	9	54.3		0.006	
E307640	343.0	343.5		1130	2.5	134.5	0.043	0.86	1.23	10.3	2	12.3	85.3	0.51	0.74	10.1	0.179	0.34	7.7	115	14.6	13.5	8	57.4		0.019	
E307641			BLANK	110	0.9	1	<0.002	0.06	0.07	0.7	3	<0.2	274	<0.05	<0.05	0.2	0.008	<0.02	0.8	4	0.1	3.1	24	3.6		<0.001	
E307642	343.5	344.0		1130	1.8	105.5	0.008	0.26	1.17	8.2	2	9.5	116	0.38	0.47	10.4	0.153	0.29	7.4	79	12.7	12.5	8	44.6		0.01	0.76
E307643	344.0	344.5		1110	2	120	0.003	0.31	1.32	9	2	12.6	246	0.51	0.2	8.8	0.166	0.31	4.1	75	14.8	13	7	46.2		0.002	1.32
E307644	344.5	345.0		2100	2.6	84.8	0.004	0.9	1.83	8.6	2	12	328	0.47	0.19	10.6	0.143	0.29	3.9	84	13.3	15.1	11	39.3		0.007	
E307645	345.0	345.5		1290	2.7	101	0.004	1.46	1.73	8.9	2	12.4	351	0.5	0.23	9.4	0.147	0.33	14.8	70	12.7	12.3	11	45.9		0.013	
E307646	345.5	346.0		1020	2.9	122	0.022	1.31	1.97	9.1	2	13.3	417	0.51	0.84	8.9	0.154	0.45	8.7	80	13.8	12	8	47.25		0.022	
E307647	346.0	346.5		1310	3.2	72.5	0.005	1.5	2	6.1	2	8.6	538	0.35	2.85	7.9	0.113	0.35	10.6	101	11.3	9.9	14	40		0.036	
E307648	346.5	347.0		1040	1.8	80.6	0.004	0.26	1.02	7.1	2	9	287	0.32	0.28	8.2	0.12	0.21	5.5	63	10.5	9.9	9	35		0.005	1.66
E307649	347.0	347.5		1210	2.5	67.7	0.003	0.67	1.28	7.1	2	8.5	286	0.34	0.34	6.4	0.101	0.24	3.3	65	7.9	9.4	9	31.1		0.012	
E307650	347.5	348.0		1430	2.4	57.7	0.006	1.12	1.46	7.4	2	9.3	177.5	0.35	0.51	7.3	0.112	0.24	5.9	80	8.1	10.3	14	37		0.005	
E307651	348.0	348.5		2750	2.1	8.6	0.005	0.74	1.43	3.2	2	6.5	1060	0.51	0.12	4.6	0.082	0.07	5.6	144	5.7	13.7	13	28		0.007	
E307652			BLANK	110	1.2	0.8	<0.002	0.08	0.1	0.7	4	0.2	287	<0.05	<0.05	0.2	0.007	<0.02	0.8	4	0.1	3.3	25	4.1		<0.001	
E307653			STANDARD 2	2140	6.2	35.3	0.016	6.25	2.05	4.4	5	7	161.5	0.12	1.17	5.9	0.033	0.51	15.1	58	8.6	14.2	8	21.9		0.115	
E307654	348.5	349.0		2420	2.7	2.4	0.007	0.84	1.15	5.8	2	4.7	1120	0.17	0.1	5.7	0.055	0.06	15.2	89	7.7	11.9	14	24.6		0.005	
E307655	349.0	349.5		2350	2.5	0.8	0.007	0.84	1.3	4	2	2.9	495	0.5	0.05	4.3	0.039	0.06	11.4	160	3.4	12.8	8	27.4		0.003	
E307656	349.5	350.0		2260	1.7	0.5	0.008	0.47	0.91	3.4	2	1.5	419	0.48	0.05	2.4	0.02	0.02	11.4	158	2.9	12.9	9	21		0.001	
E307657	350.0	350.5		1120	1.3	1.9	0.005	0.23	0.66	5.5	2	2.4	770	0.1	0.05	9.8	0.034	0.03	4.4	52	3.8	8.6	13	18.5		0.001	
E307658	350.5	351.0		1340	2.3	2.1	0.007	1.19	2.04	4.9	1	2	489	0.15	0.07	4	0.027	0.12	8.2	57	4.1	7.3	12	15.5		0.015	

IG-2007-28

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
E307659	351.0	351.5		0.2	2.15	9.9	310	0.19	0.99	4.16	<0.02	29.1	27.1	11	0.3	2.9	19.05	8.79	0.28	0.6	0.021	0.04	16.9	18.8	1.44	3970	26.2	0.82	3.1	38.1
E307660	351.5	352.0		0.16	3.08	11.6	1780	0.31	0.45	4.82	<0.02	57.8	50	19	1.19	7.1	18.2	8.02	0.27	1.3	0.112	0.07	40.6	36.1	2.6	8990	24.2	0.47	3.2	32.9
E307661	352.0	352.5		0.18	2.35	23.7	560	0.42	0.22	1.86	<0.02	364	98.4	10	0.98	2.9	22.1	8.27	0.41	0.8	0.198	0.13	284	24.3	2.35	13500	52.1	0.2	6.9	45.2
E307662	352.5	353.0		0.19	2.22	33.8	940	0.49	0.22	2.24	<0.02	>500	45	11	1.17	1.6	19.45	9.42	0.45	0.6	0.11	0.07	540	21	2.05	7510	55.3	0.1	6.3	55.5
E307663	353.0	353.5		0.13	3.53	25.5	430	0.68	0.29	5.27	<0.02	382	67.7	13	4.71	2.5	18	8.89	0.34	1.1	0.136	0.35	302	32.6	3.36	8870	46.5	0.06	5	33.1
E307664			BLANK	0.01	0.13	9	50	0.1	0.02	45.6	0.4	2.58	1.8	6	<0.05	3.5	0.09	0.56	<0.05	0.1	<0.005	0.03	2	1.5	0.47	54	0.42	<0.01	0.3	2.4
E307665	353.5	354.0		0.18	5.44	17.7	150	0.76	0.82	4.34	<0.02	145	94	25	4.06	3.5	12.35	10.75	0.21	1.6	0.039	0.47	113.5	41.8	2.56	3840	14.7	1.49	4.3	17.8
E307666	354.0	354.5		0.25	5.02	17.9	1060	0.71	0.29	3.58	<0.02	185	85	23	1.85	4.5	11.4	10.7	0.22	1.5	0.038	0.49	137.5	70.2	2.3	3520	17.8	0.8	4.1	21.2
E307667	354.5	355.0		0.14	4.59	15.9	930	1.27	1.37	3.01	<0.02	128	42.6	24	2.49	3	11.25	12.65	0.2	1.5	0.04	1.28	95	40.3	2.06	2780	10.85	0.04	5.7	22.7
E307668	355.0	355.5		0.22	5.14	21.5	900	1.84	0.95	2.61	<0.02	157	96.1	28	3.41	5.3	9.7	16.3	0.21	1.6	0.071	1.75	117.5	43.7	1.79	2560	15.9	0.03	5.1	22.5
E307669	355.5	356.0		0.14	5.4	10.7	1460	2.22	0.64	1.54	<0.02	109.5	38.5	31	4.15	5.9	8.62	18.95	0.18	1.9	0.071	2.09	79.6	43.9	1.36	1480	13	0.03	6.3	18.9
E307670	356.0	356.5		0.21	5.37	17	6980	1.62	3.44	3.63	<0.02	135.5	54.9	28	2.82	13.3	12.55	16.25	0.22	1.6	0.082	1.91	102	39	2.16	3270	18.7	0.12	6.1	24.3
E307671	356.5	357.0		0.12	4.51	14.6	1020	1.05	1.25	4.63	<0.02	163	51.8	22	1.94	3.8	13.95	13.4	0.24	1.3	0.08	1.11	125.5	43.6	2.73	4910	20	0.02	7.4	21.75
E307672	357.0	357.5		0.27	5.18	28.1	430	1.06	3.9	1.96	<0.02	121	142	26	1.8	26.8	16.45	14.25	0.26	1.9	0.037	0.76	94.3	67.5	2.19	2200	29.5	0.01	6.9	34.4
E307673	357.5	358.0		0.43	4.65	57.6	1040	0.68	7.49	1.43	<0.02	326	137.5	19	1.51	133.5	24.4	11.65	0.43	1.6	0.083	0.48	248	58.1	2.34	7570	39.5	0.01	6.6	34.3
E307674	358.0	358.5		0.38	0.84	60.9	80	0.16	6.25	1.08	<0.02	247	269	2	0.25	11.5	31.3	4.93	0.47	0.3	0.148	0.06	195	9.8	2.02	15850	51.1	<0.01	3.2	30.9
E307675			BLANK	0.02	0.14	<5	40	0.06	0.05	45.5	0.44	3.49	2	5	<0.05	4	0.17	0.67	<0.05	0.1	<0.005	0.03	2.7	1.9	0.46	78	0.75	<0.01	0.3	3.4
E307676			STANDARD 3	0.28	6.76	52	190	2.69	1.48	1.88	<0.02	75.4	109.5	40	5.8	1620	6.92	17.3	0.19	1.8	0.117	2.83	40.2	19.9	1.31	3190	19.1	0.56	3	24.7
E307677	358.5	359.0		0.27	1.81	52.3	210	0.22	2.93	1.42	<0.02	246	231	5	0.37	26.8	27.3	7.83	0.47	0.4	0.187	0.03	201	17.4	2.61	20100	58.7	0.02	2.2	33.9
E307678	359.0	359.5		0.15	4.1	9.2	3640	0.52	0.35	1.57	<0.02	189	31.7	20	2.05	6.7	18.35	8.83	0.35	1	0.087	0.17	151.5	46.6	2.74	10550	55.8	0.16	2.1	23.9
E307679	359.5	360.0		0.24	6.11	35.9	250	1.99	0.62	3.49	<0.02	125.5	194.5	33	4.11	236	10.35	15.55	0.25	1.5	0.057	1.94	87.5	43	1.83	4450	25.8	0.9	4	17.9
E307680	360.0	360.5		0.21	6.72	7.3	970	2.72	0.4	1.57	<0.02	167	33.3	39	5.39	65.8	6.2	18.5	0.22	2	0.06	2.57	110.5	30.1	0.94	2660	111.5	0.91	2.9	15.6
E307681	360.5	361.0		0.1	7.13	2.9	3460	3.04	0.13	1.57	<0.02	153.5	11.2	43	4.97	12.3	5.78	20.9	0.21	2.1	0.063	2.95	98.8	31.1	0.87	2560	26.5	0.77	2.8	16.3
E307682	361.0	361.5		0.07	6.63	2.5	2960	2.66	0.07	1.76	<0.02	93.9	10.4	40	4.24	15.6	5.55	18.15	0.18	1.7	0.052	2.72	57.9	27.4	0.82	2630	9.24	0.73	2.1	15.5
E307683	361.5	362.0		0.1	8.05	3.9	5280	3.78	0.27	1.87	<0.02	191	15.8	47	5.95	30.7	7	24.7	0.26	2.1	0.076	3.6	115.5	40.1	1.27	2420	17.75	0.18	2.6	23.8
E307684	362.0	362.5		0.12	6.68	3.8	2920	3.29	0.16	1.48	<0.02	147.5	10.8	39	5.03	11.7	5.95	22.2	0.21	1.8	0.07	3.02	90.9	32.2	0.86	2220	12.3	0.19	3.3	20.4
E307685	362.5	363.0		0.08	7.33	2.7	2720	3.45	0.1	4.41	<0.02	134	12.9	39	5.84	2.1	6.48	22	0.2	1.9	0.081	3.36	81	25.7	1.55	6680	5.72	0.5	3	18.6
E307686	363.0	363.5		0.06	7.72	2.9	6510	3.8	0.08	3.06	<0.02	117	10.6	44	6.65	3.3	6.19	25.3	0.22	2.2	0.085	3.81	67.4	27.6	1.3	4110	2.73	0.15	3.6	18.8
E307687			BLANK	0.01	0.16	18	40	0.05	0.01	46.8	0.36	2.23	2.5	10	0.05	9.7	0.08	0.7	0.09	0.1	<0.005	0.05	1.7	1.5	0.49	37	1.11	0.03	0.4	1
E307688	363.5	364.0		0.06	7.14	3.4	3320	4.27	0.07	2.01	<0.02	115.5	8.9	39	6.4	2.1	5.06	27.3	0.18	2.2	0.08	3.52	67.3	27.3	0.96	2700	1.65	0.11	3.1	18.9
E307689	364.0	364.5		0.05	8.36	3.9	2990	5.55	0.06	0.31	<0.02	168	7.8	54	7.58	2.5	5.02	40.5	0.23	2.7	0.08	4.04	96	28.6	0.53	256	1.44	0.13	3.4	27.4
E307690	364.5	365.0		0.06	8.27	3.8	4040	5.24	0.08	0.44	<0.02	146	8.7	54	7.74	2.1	5.38	42.8	0.22	2.4	0.084	4.11	84.3	26.3	0.59	743	1.91	0.13	3.5	28.2
E307691	365.0	365.5		0.11	7.32	5.1	8070	4.03	0.16	2.43	<0.02	91.5	13.5	38	6.66	30.6	7.48	35.1	0.21	2	0.079	3.08	53.8	24.1	0.95	3950	3.32	0.52	4.8	20.7
E307692	365.5	366.0		0.05	7.38	2.9	9830	4.11	0.06	4.26	<0.02	110.5	14	38	6.48	8.1	6.81	23.7	0.2	2.1	0.088	3.6	64.6	28.4	1.52	6270	3.7	0.25	2.9	21
E307693	366.0	366.5		0.05	6.12	4.1	4710	3.51	0.04	4.75	<0.02	75	14.8	32	5.48	3	6.51	18.1	0.18	1.7	0.074	3	43	21.6	1.48	6870	0.62	0.2	3	20.9
E307694	366.5	367.0		0.05	6.91	3.3	4010	3.9	0.06	4.7	<0.02	85.5	15.1	37	6.15	7.9	6.49	19.35	0.19	1.9	0.092	3.5	47.9	23.4	1.55	6520	0.63	0.15	3.2	22.6
E307695	367.0	367.5		0.05	6.46	2.9	6970	3.17	0.06	5.73	<0.02	81.4	17	36	5.17	8.9	7.37	16.95	0.21	1.8	0.087	3.16	46	20.3	1.76	8770	0.94	0.26	2.6	27.1
E307696	367.5	368.0		0.04	6.92	2.3	2970	3.46	0.05	5.97	<0.02	81	15.9	36	6.4	30.2	6.39	17.8	0.19	1.9	0.092	3.34	45.8	18.5	1.67	9330	1.8	0.11	2.5	25
E307697	368.0	368.5		1.15	6.12	37.2	1470	2.6	0.96	7.9	<0.02	74.7	72	29	5.58	788	6.94	12.9	0.18	1.7	0.1	2.71	43.4	13.9	2.31	12450	78.4	0.43	2.1	25.1
E307698			BLANK	0.01	0.16	<5	50	0.06	0.02	45.2	0.35	2.36	2.3	15	<0.05	10.5	0.07	0.66	0.06	0.1	0.005	0.05	1.8	1.4	0.48	43	0.57	0.03	0.4	6
E307699	368.5	369.0		2.64	7.53	450	290	3.47	6.75	3.51	0.06	16.55	472	41	5.69	4070	6.84	15.5	0.17	1.8	0.119	3.75	9.5	17.7	1.34	5270	35.1	0.12	3.3	35.7
E307700	369.0	370.0		0.08	6.15	11.4	7300	2.55	0.22	5.16	<0.02	63.3	22.8	32	5.34	39.6	7.27	14.65	0.16	1.7	0.115	2.63	36.8	24.6	2.34	6890	5.31	0.13	2.1	27.5

IG-2007-28

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E307659	351.0	351.5		2140	2.3	1.6	0.004	0.75	1.08	5.7	2	2.3	695	0.14	0.07	4.8	0.029	0.07	4.8	57	4.8	10.6	9	17.7		0.006	
E307660	351.5	352.0		4100	1.8	3	0.007	0.47	0.93	5.4	2	3.9	207	0.12	0.2	8.9	0.048	0.04	4.2	58	5.3	20.1	18	38.7		0.008	
E307661	352.0	352.5		3440	1.8	6.6	0.016	0.5	0.69	3.5	3	7	29.7	0.18	0.4	5.7	0.038	0.03	7	57	4.4	16.7	16	23.5		0.024	
E307662	352.5	353.0		3370	1.7	3.6	0.015	0.1	0.81	3.4	2	10.8	38.6	0.19	0.7	6.1	0.041	0.02	5.9	46	3	17.8	17	16.9		0.029	
E307663	353.0	353.5		2040	2.1	18.5	0.017	0.26	0.96	6.8	3	10.2	35.1	0.19	0.84	8.2	0.069	0.08	8.4	46	4	14.5	22	32.9		0.026	
E307664			BLANK	100	0.8	0.6	<0.002	0.06	0.09	0.5	3	0.2	277	<0.05	<0.05	0.2	0.007	<0.02	0.7	4	0.1	2.8	23	3		0.001	
E307665	353.5	354.0		830	3.2	21.7	0.004	0.99	1.19	7.4	3	6	35.9	0.29	0.36	12	0.149	0.12	7.8	43	4.8	9.2	23	52.1		0.008	
E307666	354.0	354.5		830	2	23.7	0.006	0.44	1.08	5.7	2	6.7	35.6	0.27	0.26	10.9	0.124	0.11	7.9	44	6	9.7	19	44.2		0.012	
E307667	354.5	355.0		740	2.3	58.4	<0.002	1.84	1.65	6.8	2	10	34.5	0.33	0.18	9.8	0.142	0.24	8.3	52	8	8.6	16	44.6		0.014	
E307668	355.0	355.5		860	2.3	97.4	0.004	1.19	1.45	9.1	3	11.9	65	0.25	0.51	10.5	0.125	0.33	8.3	52	9.6	10.3	12	46.5		0.021	
E307669	355.5	356.0		710	1.9	122	0.002	0.75	1.66	10.3	2	13.4	134	0.34	0.14	10.9	0.159	0.35	6.5	55	12	10	13	48.3		0.006	
E307670	356.0	356.5		840	3.3	92.9	<0.002	3.3	2.62	10.2	2	13.7	144	0.37	0.29	10.7	0.151	0.58	16.1	66	9.7	11.3	16	46.5		0.02	1.07
E307671	356.5	357.0		1240	2.1	55.9	0.003	1.5	1.44	8.6	2	11.4	48.2	0.3	0.21	8.5	0.102	0.25	5.1	59	7.9	11.8	16	38.5		0.012	
E307672	357.0	357.5		1060	4.5	40.7	0.011	4.28	2.11	7.8	4	13	27.4	0.33	0.36	12.2	0.134	0.3	7.9	49	6.8	10.1	26	54.6		0.023	
E307673	357.5	358.0		1820	8.1	24.7	0.008	8.63	4.53	5.8	3	10.3	33.9	0.31	0.23	9.6	0.12	0.59	4.7	41	4.9	13.8	26	47.8		0.027	
E307674	358.0	358.5		1240	7	4.2	0.007	>10.0	5.76	3.8	3	3.6	20.1	0.08	0.79	3	0.016	0.88	3.8	21	2	8.8	10	8.4		0.046	
E307675			BLANK	100	1.2	0.8	<0.002	0.07	0.11	0.6	4	0.2	264	<0.05	<0.05	0.3	0.007	<0.02	0.8	4	0.1	3	22	3.5		0.004	
E307676			STANDARD 3	750	2.8	127.5	0.006	1.36	1.06	10.3	1	7	456	0.18	0.21	12.7	0.109	0.34	15.7	63	7.6	10.8	6	58		0.022	
E307677	358.5	359.0		1580	3.8	1.7	0.006	4.74	1.67	2.9	2	1.5	23.1	0.06	0.35	4.9	0.019	0.27	3.9	32	1.6	11	18	15.3		0.024	
E307678	359.0	359.5		1880	1.9	9.1	0.006	0.38	0.84	4.7	<1	2.4	72.4	0.11	0.1	10.2	0.039	0.06	8.9	42	1.9	11.5	24	36.3		0.007	
E307679	359.5	360.0		880	2	93.5	0.002	1.18	1.24	12.2	5	6.3	131	0.23	0.2	12.9	0.119	0.34	13.2	63	7.8	11.9	11	50.6		0.018	
E307680	360.0	360.5		750	1.5	125.5	0.002	0.27	1.04	11.8	2	7.6	588	0.17	0.18	14.8	0.132	0.42	4.8	60	8.3	12.8	6	63.4		0.011	
E307681	360.5	361.0		710	1.2	147.5	0.007	0.14	1.06	12.5	1	7.7	781	0.17	0.05	13.8	0.149	0.49	6.8	67	9.5	12.8	5	68		0.007	
E307682	361.0	361.5		670	1.1	133.5	0.003	0.13	0.89	10.9	<1	6.3	963	0.12	0.05	11.5	0.118	0.45	4.8	60	8.2	9.8	4	54.7		0.019	
E307683	361.5	362.0		840	1.8	177	0.007	0.28	0.99	13.8	1	8.2	361	0.14	0.06	14.7	0.144	0.56	5.1	77	10.7	13.5	9	68.8		0.024	2.7
E307684	362.0	362.5		720	1.5	147	0.002	0.13	1.01	11.4	<1	6.1	542	0.17	0.26	12.8	0.119	0.51	8.7	64	9.3	12.2	6	58.8		0.055	
E307685	362.5	363.0		750	1.5	155	<0.002	0.07	1.04	11.9	<1	5	111	0.19	0.11	14.1	0.137	0.52	7.4	65	8.8	14.5	5	60.5		0.029	
E307686	363.0	363.5		740	1.5	182.5	<0.002	0.16	1.18	13	<1	5.7	128	0.21	0.1	15.6	0.182	0.6	4.4	69	10.6	13.9	4	70.2		0.064	0.7
E307687			BLANK	130	0.8	1.5	<0.002	0.07	0.1	0.8	2	<0.2	285	<0.05	<0.05	0.2	0.007	<0.02	0.6	8	0.1	3.1	24	3.6		<0.001	
E307688	363.5	364.0		720	1.3	175.5	<0.002	0.06	1.15	12	<1	5.5	73.6	0.18	0.05	14.7	0.17	0.57	4.5	60	9.6	13.8	3	69.3		0.019	
E307689	364.0	364.5		900	1.5	201	<0.002	0.04	1.17	15.1	<1	6.2	40.6	0.18	0.07	19.6	0.203	0.88	5.2	80	11.9	14.8	2	82.9		0.002	
E307690	364.5	365.0		900	2.2	202	<0.002	0.07	1.21	19.4	<1	6	57	0.2	0.05	18	0.181	0.66	26.5	85	10.9	14.1	3	78.4		0.002	
E307691	365.0	365.5		800	3.6	164.5	0.002	0.2	1.35	18.7	<1	4.8	186.5	0.29	<0.05	16	0.125	0.55	133	76	9.2	16.4	3	68.7		0.01	0.89
E307692	365.5	366.0		750	1.3	175.5	0.003	0.25	0.82	13.2	<1	4.5	271	0.16	<0.05	14.5	0.12	0.6	3.8	72	8	14.7	4	65.5		0.001	1.09
E307693	366.0	366.5		710	1.3	148.5	<0.002	0.1	1.05	10.4	<1	3.8	202	0.19	<0.05	12.9	0.141	0.5	3.7	61	7.4	12.3	4	55.6		<0.001	
E307694	366.5	367.0		660	1.4	166	<0.002	0.07	1.04	11.4	<1	4.1	155.5	0.21	<0.05	14.6	0.145	0.57	4.1	67	7.9	13.3	4	62.9		<0.001	
E307695	367.0	367.5		650	1.2	144.5	0.002	0.16	0.97	10.4	<1	3.3	249	0.18	<0.05	14.5	0.12	0.52	3.8	63	6.2	13.7	5	58.1		<0.001	0.73
E307696	367.5	368.0		670	1.1	157	<0.002	0.05	0.89	11.1	<1	3.4	161	0.17	<0.05	13.7	0.119	0.56	3.9	64	6	13.7	5	60.9		<0.001	
E307697	368.0	368.5		610	6.1	119	0.032	0.43	0.77	9.6	1	2.4	172.5	0.14	0.06	10.4	0.09	0.75	28.2	52	4.7	14.1	5	56.3		0.013	
E307698			BLANK	100	0.8	1.5	<0.002	0.07	0.09	0.7	2	<0.2	278	<0.05	<0.05	0.2	0.007	<0.02	0.6	8	0.1	3	24	3.8		0.001	
E307699	368.5	369.0		630	33.4	174	0.02	3.28	1.88	13	4	4.8	60.3	0.2	0.47	14	0.159	4.4	213	66	8.8	14	4	57.3		0.088	
E307700	369.0	370.0		640	1.9	118	0.004	0.3	0.68	10.1	<1	3.5	134	0.13	<0.05	12.1	0.101	0.62	11.4	57	5.2	12.9	10	54.3		0.001	0.78

IG-2007-29

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	%	ppm	ppm
E307701	43.0	44.0		0.05	6.21	1.5	8900	1.63	0.05	0.22	<0.02	113	64.6	40	17.95	25	9.39	20.2	0.21	1.9	0.372	2.97	64.8	51.4	0.85	5750	19.75	0.04	1.5	22.4
E307702	44.0	44.5		0.04	5.84	0.9	8050	1.44	0.01	0.2	<0.02	68.3	72.3	37	15.5	4.5	11.25	17.6	0.19	1.6	0.335	2.62	38.8	41.5	0.92	6280	1.28	0.04	1.4	24.3
E307703	44.5	45.0		0.05	5.48	1.5	4130	1.33	0.03	0.23	<0.02	86.4	72.3	34	14.6	3	12.1	16.25	0.22	1.5	0.336	2.43	46.7	40	0.97	6720	1.47	0.06	1.6	25.5
E307704	45.0	45.5		0.04	5.67	1	8100	1.32	0.02	0.22	<0.02	133.5	75.2	35	15.3	10.7	12.55	17	0.24	1.5	0.365	2.47	75	37	1.03	7460	1.45	0.05	1.3	24.9
E307705	45.5	46.0		0.05	5.61	1.5	6410	1.33	0.02	0.21	<0.02	176	61.4	39	14.85	8.7	10.85	16.7	0.25	1.5	0.336	2.56	109	37.8	0.9	6100	1.34	0.05	2.2	21.6
E307706	46.0	46.5		0.08	2.82	3.7	1210	0.67	0.15	0.36	<0.02	65.7	77	15	8.14	4.7	17.45	9.39	0.27	0.7	0.334	1.25	38.8	22.6	1.08	9000	5.18	0.04	2.3	33.6
E307707	46.5	47.0		0.19	4.97	1.8	4870	1.35	0.06	0.24	<0.02	98.2	76.9	29	15.85	3.5	13.4	13.3	0.21	1.4	0.339	2.17	53	36	0.9	6710	1.9	0.05	1.8	27.8
E307708	47.0	47.5		0.06	5.23	0.6	7680	1.35	0.03	2.83	<0.02	91	42.4	33	17.4	1	8.99	13.75	0.17	1.3	0.219	2.38	49.7	38	1.23	5070	1.04	0.04	2	23.4
E307709	47.5	48.0		0.04	6.05	0.9	9000	1.65	<0.01	4.83	<0.02	119	19.9	31	18.45	1.7	5.66	15.25	0.16	1.5	0.132	2.77	58.2	33.2	1.64	4360	0.69	0.05	2.6	18.6
E307710	48.0	48.5		0.04	5.58	3	3580	1.56	0.03	4.83	<0.02	180	58.8	32	17.1	2.1	7.7	14.9	0.22	1.4	0.18	2.44	93.3	35.7	1.63	5620	4.33	0.07	2.1	23
E307711			Blank	0.02	0.14	<5	50	<0.05	<0.01	47.1	0.39	3.15	0.9	6	0.05	2.8	0.06	0.48	0.07	0.1	<0.005	0.03	2.1	1.8	0.5	41	0.22	0.02	0.4	<0.2
E307712	48.5	49.0		0.03	5.54	2	5310	1.66	0.02	4.19	<0.02	95.9	51.7	33	16.9	1.8	7.36	14.9	0.16	1.5	0.187	2.5	48.9	36.9	1.45	5390	1.76	0.06	2.6	21.1
E307713	49.0	49.5		0.02	6.31	0.6	>10000	2.1	<0.01	4.41	<0.02	64.6	23.9	35	19.8	<0.2	5.47	16.95	0.12	1.7	0.145	2.83	33.8	49.6	1.46	4270	1.21	0.02	3	19.6
E307714	49.5	50.0		0.02	5.44	0.6	9310	1.81	<0.01	4.39	<0.02	80.5	24.6	29	16.3	0.8	6.48	15.15	0.14	1.4	0.138	2.43	42.1	37.3	1.42	4310	1.69	0.03	2.5	21.4
E307715	50.0	50.5		0.02	6.04	0.4	9840	1.98	<0.01	3.64	<0.02	113	37.8	35	18.5	2.1	6.72	16.55	0.18	1.8	0.199	2.71	59.6	36.7	1.27	5020	0.82	0.04	3.9	17.9
E307716	50.5	51.0		0.03	5.95	0.5	7320	1.81	<0.01	4.13	<0.02	82.1	44.9	32	18	3.5	7.18	16.3	0.16	1.6	0.226	2.71	44.1	36.8	1.52	5890	1.36	0.06	2.9	19.2
E307717	51.0	51.5		0.02	5.99	0.2	6960	1.96	<0.01	4.66	<0.02	86.3	25.7	33	17.6	5.2	5.63	16.25	0.15	1.7	0.174	2.61	45.8	33.5	1.45	4920	2.43	0.06	3.4	16.8
E307718	51.5	52.0		0.03	4.83	0.8	5390	1.42	0.03	5.39	<0.02	68.5	34.8	25	12.9	4.3	6.49	13	0.16	1.5	0.166	2.09	36.1	28.7	1.82	5930	8.31	0.05	2.1	16.1
E307719	52.0	52.5		0.06	5.33	24	140	1.57	1.3	5.32	<0.02	60	219	26	14.25	10	10.7	14.5	0.2	1.5	0.209	2.3	29.4	29.9	1.81	6410	6.3	0.09	2	68.5
E307720	52.5	53.0		0.11	5.9	23.4	2290	1.84	1.74	4.79	<0.02	76.7	202	29	16.7	11.2	9.59	16.8	0.2	1.8	0.179	2.47	39.1	38.3	1.57	5140	9.71	0.08	2.5	62.4
E307721	53.0	53.5		0.28	5.13	47.3	1880	1.63	4.62	6.4	<0.02	64.9	163	22	14.15	44	11.05	14.8	0.21	1.6	0.175	2.23	33.5	34.6	2.24	6080	28.2	0.08	2.4	56
E307722			Blank	0.02	0.14	<5	50	0.05	0.02	44.6	0.41	2.97	1.4	5	0.07	2.1	0.07	0.48	0.06	0.1	<0.005	0.04	2	1.8	0.48	51	0.33	0.01	0.4	<0.2
E307723			Standard 1	1.16	5.8	74.4	70	2.12	3.19	2.06	<0.02	68.9	163	34	4.35	6040	9.89	15.85	0.16	1.7	0.177	2.24	25	28.4	1.24	3680	71.3	0.82	3.2	37.9
E307724	53.5	54.0		0.06	6.55	6.2	470	2.27	0.81	5.36	<0.02	83	66	33	16.3	28.5	6.73	17.85	0.15	1.8	0.186	2.74	43.7	44.1	1.71	5640	3.9	0.1	3	26.4
E307725	54.0	54.5		0.03	6.85	1	7950	2.63	0.04	4.81	<0.02	116.5	20.9	38	19.55	13.1	5.09	19.95	0.16	2.2	0.17	2.91	61.7	50.8	1.45	4470	1.52	0.06	3.6	17.6
E307726	54.5	55.0		0.03	6.38	1.3	8490	2.19	0.06	3.63	<0.02	99.9	50.9	39	20.3	19.2	7.46	18.65	0.17	1.8	0.279	2.83	54	46.2	1.4	5710	2.32	0.06	2.6	19.5
E307727	55.0	55.5		0.04	6.13	3.8	8170	2.03	0.29	4.58	<0.02	140.5	43.9	35	19.3	40.2	7.4	17.45	0.17	1.8	0.24	2.72	79.6	49.2	1.8	5770	8.31	0.05	4.2	20.7
E307728	55.5	56.0		0.02	5.59	0.3	9590	2	0.01	5.84	<0.02	109.5	21.3	33	17.1	23.2	5.3	15.6	0.14	1.6	0.161	2.49	59	51.6	1.87	5070	0.95	0.03	3.1	15.3
E307729	56.0	56.5		0.02	4.76	1	6860	1.67	0.01	6.29	<0.02	71.6	30.7	24	14.55	5.1	5.96	13	0.13	1.3	0.14	2.1	39	41.9	1.71	5680	2.36	0.04	2.9	14.7
E307730	56.5	57.0		0.02	5.28	0.6	7160	1.93	0.03	7.33	<0.02	99.5	29.2	27	17.2	11.1	6.96	14.7	0.15	1.4	0.163	2.29	55.4	52	1.87	6460	14.45	0.05	3.3	16
E307731	57.0	57.5		0.03	6.24	0.8	8140	2.1	0.03	7.32	<0.02	91.9	27.1	32	19.7	13.8	7.37	16.7	0.15	1.6	0.196	2.68	51.9	60.3	2.1	6600	5.43	0.07	4.7	18.8
E307732	57.5	58.0		0.13	3.48	8.9	130	1.07	1.54	5.06	<0.02	108.5	65	18	11	18.8	16.9	9.82	0.26	0.9	0.287	1.35	65.9	45.9	2.02	9440	19.75	0.06	2.8	31.5
E307733	58.0	58.5		0.12	3.06	7.1	380	0.85	1.38	1.67	<0.02	178	71.4	15	10.4	16.6	23.5	9.66	0.37	0.8	0.464	1.22	118	40.2	1.79	11950	15.85	0.04	2.1	34.7
E307734			Blank	0.02	0.13	<5	40	<0.05	<0.01	43.4	0.39	3.04	1	6	<0.05	2.9	0.07	0.45	<0.05	0.1	<0.005	0.03	2.1	1.7	0.46	45	0.25	0.02	0.4	<0.2
E307735	58.5	59.0		0.04	5.66	1.7	>10000	1.75	0.05	0.65	<0.02	96.5	89.7	34	20.1	3	15.35	17.05	0.22	1.5	0.424	2.53	57.7	57.7	1.08	8140	1.58	0.01	2.8	25.3
E307736	59.0	59.5		0.03	5.56	2	4840	1.69	0.04	0.34	<0.02	95.7	84.5	35	18.3	1.5	14.3	16.25	0.2	1.4	0.359	2.34	58.4	59.7	0.88	6770	1.41	0.07	1.9	23.2
E307737	59.5	60.0		0.04	5.83	2.7	2800	1.83	0.05	0.36	<0.02	81.3	108.5	38	21.2	1.4	13.9	16.95	0.21	1.5	0.357	2.5	47.8	63.1	0.92	6510	6.84	0.07	3.4	22.9
E307738	60.0	60.5		0.12	3.75	8.8	160	1.13	1.11	2.46	<0.02	228	139	19	12.05	13.1	20	11.55	0.31	1.1	0.396	1.42	133	45.1	1.7	11000	32.8	0.06	2.7	36
E307739	60.5	61.0		0.31	1.79	21.1	310	0.47	3.26	3.03	<0.02	209	118.5	7	5	61.6	26.9	8.73	0.37	0.5	0.368	0.55	139.5	22.5	1.98	14500	60	0.15	2.2	55
E307740	61.0	61.5		0.13	2.42	10.4	710	0.58	1.06	3.1	<0.02	182	91.2	9	6.49	52	23	7.65	0.32	0.6	0.376	0.78	121.5	24.2	1.98	13500	47.1	0.22	2.2	47.2
E307741	61.5	62.0		0.3	1.69	33	90	0.47	3.35	2.22	<0.02	229	188.5	8	4.84	84.5	29.7	7.54	0.45	0.5	0.386	0.62	134.5	18.5	1.96	14600	69.6	0.05	1.8	59.8
E307742	62.0	62.5		0.05	6.18	1.6	7750	1.9	0.07	3.45	<0.02	86.7	36.7	35	20.9	11.9	7.54	17.25	0.16	1.7	0.237	2.81	48.2	48	1.44	5580	19.85	0.05	2.6	22.4
E307743	62.5	63.0		0.02	6.6	1.4	7840	2.54	0.04	4.19	<0.02	395	39.3	35	19.2	4.7	6.5	20	0.28	1.9	0.201	2.93	228	55.8	1.58	5050	1.91	0.18	3.7	18.6
E307744	63.0	63.5		0.03	6.51	3.9	7140	2.25	0.03	5.64	<0.02	54.3	32.3	30	17.55	4.7	6.47	18.25	0.14	1.8	0.156	2.91	30.5	52.6	1.95	5600	1.78	0.18	5	20.1
E307745			Blank	0.01	0.16	<5	50	0.1	0.02	>50	0.41	2.51	1	4	0.05	5	0.07	0.62	0.06	0.1	<0.005	0.05	1.9	1.8	0.57	49	0.27	<0.01	0.4	<0.2
E307746			Standard 2	1.06	5.81	55.5	80	1.96	2.97	2.12	<0.02	58.1	169.5	32	3.82	7920	9.67	15.8	0.18	1.8	0.147	2.12	29.7	24.9	1.27	3540	66.4	0.9	3.9	35.6
E307747	63.5	64.0		0.03	6.6	4.9	6760	2	0.04	5.64	<0.02	109.5	37.6	30	16.6	11.6	6.35	17.75	0.16	1.9	0.144	2.91	63.3	51.8	2.01	5140	1.43	0.17	6.9	20.6
E307748	64.0	64.5		0.02	7.38	1.5	7260	2.06	0.02	5.27	<0.02	118.5	26.2	33	17.8	5	5.59	19.25	0.16	2	0.141	3.25	71	54.7	1.97	4580	0.61	0.2	5.9	19.1
E307749	64.5	65.0		0.02	7.6	0.7	8310	2.21	0.02	4.31	<0.02	131.5	19.9	36	19	3.7	4.51	20.8	0.17	2	0.133	3.33	78.2	56.5	1.8	3780	0.47	0.2	7.3	18
E307750	65.0	65.5		0.03	7.38	1.1	7140	2.2	0.02	4.97	<0.02	102	30.6	33	18.75	5	5.5	20.2	0.14	2	0.143	3.25	57.5	53.9	1.83	4570	0.71	0.19	6.2	19.6
E307751	65.5	66.0		0.02	7.69	1.6	7330	2.3	0.03	3.31	<0.02	130	32.7	42	18.15	4.6	5.72	21.7	0.17	2	0.153	3.44	73.6	53.3	1.56	4040	0.51	0.2	6	19.9
E307752	66.0	66.5		0.03	7.63	1.3	>10000	2.21	0.02	4.37	<0.02	64.8	24.1	37	18.45	3.7	4.99	20.8	0.13	2.1	0.151	3.28	33.6	52.7	1.77	4020	0.91	0.22	7.2	18.7
E307753	66.5	67.0		0.04	7.58	8.1	4130	2.55	0.14	5.12	<0.02	14.2	44	28	17.6	4.1	5.94	20.5	0.12	2.4	0.134	3.14	7.6	47.7	2.18	4480	7.43	0.15	4.7	21.7
E307754	67.0	67.5		0.09	6.45	8.7	310	2.13	0.25	6.64	<0.02	79	96.5	28	16.05	5.4	6.76	17.5	0.16	1.8	0.131	2.84	45	41.6	2.32	5760	2.28	0.08	5.2	28.1
E307755	67.5	68.0		0.04	4.82	2.8	910	1.58	0.13	7.96	<0.02	47	54.7	23	11.85	7.2	7.84	13.25	0.14	1.4	0.135	1.92	27.5	32.3	2.6	7200	0.67	0.06	4.5	20.7
E307756	68.0	68.5		0.05	5.5	8.6	180	1.71	0.25	5.8	<0.02	46	191	25	12.5	7.2	9.82	14.5	0.16	1.5	0.169	2.09	24.4	36.3	2.61	6680	0.8	0.06	5.3	36.3
E307757			Blank	0.01	0.16	<5	30	0.08	0.01	>50	0.41	2.35	1	5	<0.05	3	0.07	0.62	0.07	0.1	<0.005	0.04	1.8	1.6	0.57	50	0.21	<0.01	0.4	<0.2
E307758	68.5	69.0		0.11	3.52	11.4	5890	1.22	0.11	1.14	<0.02	67.1	41.1	22	8.42	25.7	23.1	10.15	0.3	1.1	0.301	1.34	47.3	25.3	1.66	13350	5.35	0.11	13.7	25.3
E307759	69.0	69.5		0.06	8.99	3.8	>10000	2.91	0.06	2.66	<0.02	32.3	31.5	51	20.5	8.3	6.06	24.6	0.14	2.1	0.16	3.89	17	45.6	1.65	3300	9.66	0.29	3.9	21.6
E307760	69.5	70.0		0.12	5.67	8	8290	1.63	0.14	1.57	<0.02	46.7	37.8	31	12.65	42.1	12.7	15.85	0.2	1.5	0.212	2.44	25.7	39	1.63	7060	31.3	0.19	5.2	28.1
E307761	70.0	70.5		0.05	9.18	2.8	8150	2.76	0.06	2.85	<0.02	120	50.5	52	21.1	2.5	6.82	25.2	0.2	2.5	0.184	4.22	62.6	59.4	1.6	4200	2.86	0.21	8.7	26.2
E307762	70.5	71.0		0.04	8.01	1.2	8690	2.48	0.04	3.58	<0.02	126.5	30.2	44	18.05	1.9	5.71	21.8	0.18	2.2	0.153	3.48	71.2	60.1	1.91	3680	2.22	0.2	6.4	24.6
E307763	71.0	71.5		0.03	6.92	0.9	8890	2.01	0.02	4.96	<0.02	71.3	22.1	36	15.65	6.8	6.47	18.8	0.14	2	0.185	2.92	39.1	53	2.28	4330	1.49	0.15	5.8	25.3
E307764	71.5	72.0		0.15	5.23	8.8	220	1.68	1.3	3.69	<0.02	82.9	149.5	26	12.9	1240	15.25	15.5	0.24	1.5	0.319	2.07	53.8	47.8	2.53	11000	14.8	0.04	4.8	35
E307765	72.0	72.5		0.06	7.45	5	1340	2.39	0.21	3.23	<0.02	80.2	93.8	37	16.85	17.9	6.57	20.8	0.15	2.1	0.236	3.12	45	51	2.17	6280	3.25	0.08	4.2	26.9
E307766	72.5	73.0		0.05	7.05	19.7	220	2.45	0.3	4.14	<0.02	77.2	291	34	17	12.1	6.16	19.35	0.15	2	0.163	3.11	41.4	44.1	1.99	5430	1.2	0.07	3.6	33.5
E307767	73.0	73.5		0.09	8.63	20.1	210	2.19	0.87	4.72	<0.02	91.9	322	39	15.3	12.3	5.54	17.95	0.15	1.9	0.123	2.95	51	39.8	1.87	4270	5.83	0.06	4.5	32.8
E307768			Blank	0.01	0.14	14	30	0.08	0.01	46.3	0.38	2.25	1.2	4	<0.05	2.2	0.06	0.56	0.05	0.1	<0.005	0.04	1.7	1.4	0.5	44	0.2	<0.01	0.3	<0.2
E307769			Standard 3	0.28	7.17	39.6	150	2.51	1.58	1.96	<0.02	72.3	109.5	41	6.56	1510	7.01	19.25	0.16	2	0.131	3.05	39.4	22.2	1.37	3250	20.7	0.54	3.6	23.2
E307770	73.5	74.0		0.09	8.98	23.6	180	2.17	0.44	5.01	<0.02	108	330	32	14.7	11.2	5.38	18.8	0.16	1.9	0.156	3.14	57.8	40.5	2.09	4270	3.94	0.07	5.8	32.7
E307771	74.0	74.5		0.06	8.04	37.7	190	2.69	0.48	4.35	<0.02	139	527	39	17.25	7.1	5.96	22.1	0.18	2.2	0.119	3.56	74.9	47	1.64	3310	1.84	0.08	5.8	42.6
E307772	74.5	75.0		0.05	6.86	20.9	210	2.25	0.37	6.49	<0.02	101.5	301	31	14.5	6	6.43	18.1	0.16	1.8	0.113	3.07	56.5	37.5	2.26	4910	0.49	0.07	5.2	31.7
E307773	75.0	75.5		0.05	6.65	10.7	800	2.07	0.36	5.88	<0.02	59.8	143	32	14.25	8.9	6.46	18.3	0.15	1.7	0.139	2.81	35.2	40.5	2.2	4880	2.76	0.07	5.1	31.5
E307774	75.5	76.0		0.03	7.58	3.4	7170	2.47	0.05	5.33	<0.02	145	38.6	38	15.95	9.5	5.18	20.8	0.16	2.1	0.137	3.33	92.1	40.5	2	4650	1.43	0.17	5.8	19.5
E307775	76.0	76.5		0.06	8.1	16.3	430	2.56	0.34	4.97	<0.02	48.6	288	42	17.4	3.6	5.59	21.2	0.13	2.1	0.135	3.62	26.3	46.8	2.12	4070	0.59	0.08	5.8	32.3
E307776	76.5	77.0		0.03	7.39	5.5	5300	2.42	0.14	3.94	<0.02	288	106	36	16.5	4	5.89	20.8	0.24	1.9	0.141	3.15	177	41.1	1.94	4510	0.91	0.14	4.3	23.9
E307777	77.0	77.5		0.03	6.41	2.7	5790	2.11	0.04	5.45	<0.02	49	25.4	27	14.4	7.9	6.53	17.4	0.14	1.7	0.142	2.83	25.6	36.2	2.51	5650	2.59	0.14	4.2	21
E307778	77.5	78.0		0.03	7.29	2.6	6040	2.17	0.02	5.5	<0.02	85.2	20.4	34	16	8.6	6.24	19.6	0.15	1.8	0.131	3.35	44.8	39.9	2.2	5090	2.2	0.15	4.1	20.1
E307779	78.0	78.5		0.13	7.03	1.4	6130	1.91	0.02	5.38	<0.02	193.5	17.1	38	15.7	5	5.81	19.6	0.26	1.8	0.129	3.41	113	34.8	2.06	4950	2.09	0.08	4.8	22.9
E307780			Blank	0.03	0.15	7	10	0.09	<0.01	49.6	0.42	2.37	0.7	6	<0.05	2.8	0.05	0.56	0.07	0.1	0.006	0.04	1.8	1.3	0.54	40	0.35	0.02	0.3	2.6
E307781	78.5	79.0		0.05	7.33	4.7	7350	2.06	0.03	5.58	0.02	44	43.7	41	18.25	8.8	5.66	19.7	0.13	2	0.143	3.57	23.4	40.7	2.06	4750	0.7	0.08	5	26
E307782	79.0	79.5		0.01	8.39	1.6	>10000	1.66	0.01	6.74	<0.02	109.5	24.6	32	14.8	6.8	6.02	16.95	0.17	1.7	0.125	3.03	63.2	32.4	2.12	5170	0.33	0.06	4.9	23.1
E307783	79.5	80.0		0.03	8.84	1.4	>10000	1.81	0.01	5.85	<0.02	158	18.9	37	16.65	8	5.57	18.65	0.22	1.6	0.125	3.27	67.2	37.2	2.09	4800	0.2	0.06	4.5	25.2
E307784	80.0	80.5		0.02	8.47	1.6	>10000	1.7	0.01	7.24	<0.02	133.5	23.7	32	15.45	13.1	6.76	17.7	0.22	1.6	0.143	3.1	71.9	34.6	2.49	6250	0.28	0.06	4.6	27.2
E307785	80.5	81.0		0.03	8.66	1.8	>10000	1.54	0.02	7.62	<0.02	92.2	25.8	32	15.45	9.7	6.66	17.35	0.17	1.7	0.133	3.08	48.8	33.5	2.53	6050	0.4	0.06	4.6	27.2
E307786	81.0	81.5		0.01	8.55	1.6	>10000	1.5	0.04	6.27	<0.02	45.7	17	32	16.45	15.8	7.01	17.3	0.14	1.8	0.119	3.17	25	33.8	2.2	5160	0.59	0.06	3.8	27.7

IG-2007-29

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E307701	43.0	44.0		710	1.4	190.5	0.012	0.22	1.65	11.5	1	4.8	431	0.08	0.05	12.8	0.069	0.53	2.7	60	4.8	10.9	3	62.9		0.002	4.93
E307702	44.0	44.5		540	1.4	173.5	0.002	0.21	1.48	10.2	1	4.3	442	0.08	0.05	10	0.061	0.47	2	54	3.9	9.2	4	53.7		<0.001	4.49
E307703	44.5	45.0		690	1.3	160.5	0.002	0.16	1.42	9.7	1	4.4	924	0.08	0.07	9.4	0.06	0.42	1.8	53	4.2	9.8	4	52		<0.001	
E307704	45.0	45.5		620	1.4	166.5	0.002	0.17	1.41	10.2	1	4.4	645	0.07	0.06	10.9	0.06	0.44	2.3	54	4.3	9.8	3	49.2		<0.001	6.45
E307705	45.5	46.0		740	1.6	166.5	<0.002	0.17	1.79	9.6	1	5.3	578	0.12	0.09	13.4	0.073	0.46	2.2	55	6.1	10	3	50.3		0.001	6.28
E307706	46.0	46.5		1000	1.2	82.3	0.002	0.21	1.16	5.6	1	3.3	1300	0.08	0.55	4.8	0.041	0.24	2.3	37	4.7	7.6	4	25		0.01	
E307707	46.5	47.0		760	3.6	129.5	<0.002	0.13	1.49	8.4	1	4.5	555	0.11	0.15	10.6	0.061	0.38	1.8	51	4.8	9	4	48.6		<0.001	
E307708	47.0	47.5		540	2.2	140.5	<0.002	0.13	1.68	8.4	1	4.7	287	0.14	<0.05	10	0.075	0.41	1.4	52	5.2	10.5	3	45		<0.001	2.87
E307709	47.5	48.0		590	1.8	162	<0.002	0.16	1.97	9.2	1	5.6	318	0.19	<0.05	11.3	0.093	0.46	1.5	57	6.2	14.3	3	50.4		<0.001	2.91
E307710	48.0	48.5		670	2.3	147.5	0.002	0.21	1.89	9.1	2	5.6	330	0.14	0.09	12.2	0.075	0.43	7.3	54	6.1	15.2	3	48.6		<0.001	
E307711			Blank	130	1	1	<0.002	0.07	0.09	0.4	2	<0.2	290	<0.05	<0.05	0.2	0.007	<0.02	0.6	7	0.1	3.1	23	3.8		<0.001	
E307712	48.5	49.0		710	1.9	150.5	<0.002	0.17	1.84	9.1	2	5.7	211	0.17	<0.05	10.2	0.084	0.43	3.6	55	6.6	13.3	3	51.6		<0.001	2.1
E307713	49.0	49.5		590	1.4	170	<0.002	0.27	2.15	10.1	1	6.6	185	0.22	<0.05	12.1	0.1	0.5	1.8	59	7.9	14	2	57.8		<0.001	1.77
E307714	49.5	50.0		570	1.4	143.5	<0.002	0.18	1.79	8.9	1	5.6	96.6	0.18	<0.05	10.5	0.087	0.43	1.5	53	7	11.9	3	47.3		<0.001	1.13
E307715	50.0	50.5		640	2.2	165	<0.002	0.15	2.49	9.6	1	8.9	77.5	0.29	<0.05	12.8	0.113	0.5	1.8	57	9	13	3	59		<0.001	1.09
E307716	50.5	51.0		570	1.6	160.5	<0.002	0.09	1.81	9.9	1	6.4	62.5	0.21	<0.05	10.7	0.097	0.48	1.8	57	7.8	13.6	3	54.1		<0.001	0.84
E307717	51.0	51.5		600	1.3	158.5	<0.002	0.04	2.04	9.4	1	6	64.3	0.27	<0.05	11.7	0.108	0.49	2.1	56	9.8	14.2	3	57.8		0.001	0.79
E307718	51.5	52.0		630	1.3	122	0.006	0.15	1.46	8	1	4.5	69.1	0.18	<0.05	10.9	0.075	0.35	1.9	42	8.9	13.7	3	50.5		<0.001	0.62
E307719	52.0	52.5		530	1.8	131	0.003	5.08	1.35	8.7	3	5	58.2	0.14	0.1	9.4	0.073	0.43	2.5	47	6.9	14	4	51.1		<0.001	
E307720	52.5	53.0		620	1.8	151.5	0.005	5.15	1.67	9.9	3	5.9	48	0.18	0.13	10.6	0.087	0.52	3.9	52	8.5	14.8	2	60.8		0.002	
E307721	53.0	53.5		560	6.6	128	0.006	6.98	2.34	9.6	2	5.1	44.1	0.15	0.23	12.6	0.081	0.46	61.5	48	7.9	17	3	54.7		0.008	
E307722			Blank	120	0.8	1.3	<0.002	0.08	0.08	0.5	2	<0.2	275	<0.05	<0.05	0.2	0.006	<0.02	0.8	7	0.1	3.1	22	4.3		<0.001	
E307723			Standard 1	900	24	92.1	0.024	2.48	1.77	10.4	3	7.9	590	0.18	0.28	8.6	0.079	0.47	287	56	8.4	17.1	7	59.2		0.047	
E307724	53.5	54.0		640	2.3	161.5	0.002	1.19	1.7	10.1	2	7	62.9	0.23	<0.05	11.5	0.103	0.5	3.3	58	10.2	16.4	5	62.8		<0.001	
E307725	54.0	54.5		690	1.8	184.5	<0.002	0.14	1.94	11	1	8.5	69.6	0.27	<0.05	13.9	0.115	0.55	2.6	61	12.8	17.6	4	74.9		<0.001	0.81
E307726	54.5	55.0		610	1.6	174.5	<0.002	0.21	1.65	10.5	1	8.2	65.6	0.18	<0.05	13.7	0.095	0.54	2.4	59	10	14	4	60.5		<0.001	0.92
E307727	55.0	55.5		850	1.7	160.5	0.003	0.29	1.92	10.3	2	10.2	71.6	0.27	<0.05	13.6	0.113	0.47	3.1	64	11.9	14.8	4	58.7		<0.001	0.9
E307728	55.5	56.0		570	1.3	151	<0.002	0.19	1.87	9.3	1	8.8	119.5	0.23	<0.05	13.3	0.099	0.44	1.7	51	10.4	15.4	4	54.1		<0.001	1.1
E307729	56.0	56.5		480	1.1	127	<0.002	0.19	1.76	8	1	7.2	98.4	0.22	<0.05	9.6	0.089	0.36	1.6	44	9.2	13.8	2	43.7		<0.001	0.78
E307730	56.5	57.0		500	1.5	142	0.014	0.18	1.75	8.6	2	8	120.5	0.24	<0.05	13	0.096	0.42	2.4	46	11.4	17.5	3	48.6		<0.001	0.77
E307731	57.0	57.5		670	1.7	161	0.004	0.11	2	10.2	2	9	112.5	0.32	<0.05	13.5	0.126	0.45	2.8	57	15.4	18	4	55.7		<0.001	0.85
E307732	57.5	58.0		1040	1.9	78.6	0.007	1.82	1.44	6	2	6	68	0.13	0.39	6.4	0.054	0.25	1.7	54	7.6	12.3	7	32.5		0.008	
E307733	58.0	58.5		780	2.1	70.8	0.01	1.03	1.45	5.6	2	5.6	38.4	0.1	0.29	6.4	0.048	0.23	5.8	53	6.6	9.6	9	27.4		0.003	
E307734			Blank	110	1.1	0.8	<0.002	0.06	0.09	0.4	2	<0.2	271	<0.05	<0.05	0.2	0.006	<0.02	0.6	7	0.1	3.1	22	4.7		<0.001	
E307735	58.5	59.0		610	1.8	157.5	<0.002	0.39	1.89	9.4	1	9.5	136	0.19	<0.05	11.3	0.097	0.44	1.8	56	11.2	10.2	5	51.2		0.001	1.77
E307736	59.0	59.5		660	1.4	146.5	<0.002	0.19	1.59	8.8	1	9.8	367	0.12	<0.05	10.2	0.073	0.44	1.5	58	8.9	8.9	4	45.2		<0.001	
E307737	59.5	60.0		690	1.4	159.5	0.006	0.34	1.86	9.2	2	10.4	253	0.18	0.05	8.1	0.083	0.44	1.6	62	11.9	9.4	5	51.3		<0.001	
E307738	60.0	60.5		1250	2.4	84	0.013	1.65	1.27	7.3	2	7	71.8	0.09	0.37	7.1	0.046	0.24	1.5	59	6.4	12.9	10	35.8		0.003	
E307739	60.5	61.0		1640	2.7	32.6	0.01	1.67	1.44	4.2	3	3	83.1	0.1	1.61	5.1	0.025	0.15	1.6	49	3.1	13	10	16.2		0.018	
E307740	61.0	61.5		1440	1.9	45.2	0.007	0.72	1.24	4.9	2	3.3	70.9	0.08	0.61	4.7	0.028	0.18	1.5	47	3.7	12.1	9	20.4		0.008	
E307741	61.5	62.0		1400	2.5	36	0.015	2.65	1.86	4.1	4	2.4	37	0.09	1.58	6.1	0.022	0.19	2.3	41	2.7	10.4	8	16.5		0.022	
E307742	62.0	62.5		640	1.5	166.5	0.004	0.07	1.85	10	1	8.9	66.9	0.17	0.07	12.6	0.093	0.48	3	80	9.5	12.9	4	56.4		<0.001	0.89
E307743	62.5	63.0		790	2.4	185.5	0.003	0.04	2.21	11.5	1	8.8	77	0.28	<0.05	22.6	0.125	0.52	2	83	12.7	16.3	4	63		<0.001	0.86
E307744	63.0	63.5		940	1.8	178.5	0.003	0.04	2.44	11	2	8	98.3	0.32	<0.05	13.3	0.135	0.47	2.1	83	15	15.3	2	60.2		<0.001	0.74
E307745			Blank	110	1.1	1	<0.002	0.08	0.11	0.7	2	<0.2	317	<0.05	<0.05	0.3	0.008	<0.02	0.8	3	0.1	3.3	37	4.1		<0.001	
E307746			Standard 2	900	22	91.7	0.023	2.38	1.64	10.1	5	7.5	552	0.2	0.26	8.5	0.089	0.44	296	54	8.6	15.9	2	60.7		0.057	
E307747	63.5	64.0		670	1.7	176	0.003	0.11	3	10.2	2	7.4	90	0.46	<0.05	14.5	0.165	0.48	2.2	64	17.4	15.9	<2	65.6		<0.001	0.72
E307748	64.0	64.5		750	1.7	193.5	0.003	0.04	2.96	10.5	1	6.8	94.4	0.43	<0.05	14.8	0.171	0.49	2.8	67	17	16.8	<2	70.1		<0.001	0.75
E307749	64.5	65.0		650	1.9	206	0.002	0.08	3.31	11	1	7.2	79.5	0.55	<0.05	15.1	0.193	0.55	2.3	85	17.9	14.6	<2	69.6		<0.001	0.89
E307750	65.0	65.5		610	1.7	200	0.002	0.08	2.96	11.7	1	7.2	81.2	0.45	0.11	12.9	0.174	0.53	2.4	83	16	15.6	<2	68.2		<0.001	0.76
E307751	65.5	66.0		800	2	195.5	0.003	0.07	2.92	12	1	7.1	59	0.44	<0.05	14.1	0.167	0.55	2.4	87	15	14.6	2	70.5		<0.001	0.75
E307752	66.0	66.5		780	1.8	205	0.003	0.15	3.26	12.2	2	7.1	251	0.54	<0.05	13.2	0.187	0.53	2.6	65	16.7	15.4	<2	71.2		<0.001	1.96
E307753	66.5	67.0		750	1.6	189	0.002	0.41	2.18	15.1	2	7.6	84	0.36	0.1	18	0.128	0.52	5.7	72	12	16.6	2	76.9		0.003	
E307754	67.0	67.5		660	1.7	168	<0.002	0.97	2.48	11.3	4	6.5	103	0.38	0.55	13.6	0.145	0.44	2.9	82	12.8	16.1	2	62.2		0.005	
E307755	67.5	68.0		510	1.3	120	<0.002	0.38	2.26	8.8	2	5.1	177	0.32	0.06	9.4	0.122	0.33	2	48	10.9	12.8	2	48.2		<0.001	
E307756	68.0	68.5		560	1.4	131	<0.002	1.7	2.38	8.9	3	6.2	67.3	0.34	0.45	10.1	0.126	0.35	1.9	55	12.4	11.9	4	51.7		0.003	
E307757			Blank	160	0.7	1	<0.002	0.08	0.09	0.6	2	<0.2	324	<0.05	<0.05	0.5	0.007	<0.02	0.8	3	0.1	3.3	25	4		<0.001	
E307758	68.5	69.0		980	1.2	81.5	0.003	0.2	1.76	8.2	1	4.2	60.2	0.27	0.05	9.2	0.089	0.22	2.2	55	10.1	9.9	9	37.6		<0.001	0.61
E307759	69.0	69.5		800	1.2	222	0.007	0.33	2.44	13.6	2	4.7	170	0.3	0.07	16.9	0.13	0.66	3.7	79	8.7	12	3	70.4		<0.001	1.72
E307760	69.5	70.0		950	1.3	149.5	0.008	0.21	2.11	9.2	1	3.8	118	0.18	0.06	10.4	0.088	0.38	9.1	61	5.9	10.3	5	51.3		0.003	0.86
E307761	70.0	70.5		1030	2.6	257	0.003	0.24	4.01	13.8	4	5.7	201	0.5	<0.05	16.1	0.198	0.62	3.2	83	9.5	16.6	4	82.3		0.001	1.65
E307762	70.5	71.0		770	1.8	217	0.003	0.18	3.83	12.1	2	4.8	229	0.48	0.05	15.2	0.179	0.52	3	69	10.9	16.1	3	75.2		<0.001	1.91
E307763	71.0	71.5		750	1.4	180.5	0.002	0.11	3.35	11.1	2	5	364	0.44	<0.05	12.4	0.159	0.45	2.2	66	11.6	16.6	5	67.8		<0.001	2.82
E307764	71.5	72.0		890	2.3	130.5	0.005	0.85	2	9	3	5.1	180.5	0.24	0.1	9.9	0.096	0.34	3	54	11	14.6	5	51.8		0.006	
E307765	72.0	72.5		720	1.6	193.5	0.003	0.31	2.26	12.3	2	7.4	258	0.3	0.05	13.7	0.139	0.47	4.1	67	12.1	14.3	4	68.7		<0.001	
E307766	72.5	73.0		730	1.3	194	<0.002	1.47	2.1	11.5	3	7	54.2	0.26	0.18	13.7	0.125	0.45	2.3	62	11.5	13.7	<2	67.2		<0.001	
E307767	73.0	73.5		640	1.8	181	0.004	1.6	2.35	10.5	2	6.2	65.2	0.33	0.14	12.9	0.136	0.45	4.5	61	12.2	14.6	<2	64.4		0.002	
E307768			Blank	110	0.7	1	<0.002	0.06	0.08	0.8	2	<0.2	287	<0.05	<0.05	0.2	0.008	<0.02	0.8	3	0.1	3	26	4.1		<0.001	
E307769			Standard 3	770	2.7	137	0.008	1.36	1.19	10.6	2	7.9	448	0.22	0.18	12.3	0.12	0.37	18	62	8.6	11.8	3	67.1		0.018	
E307770	73.5	74.0		760	1.7	188.5	0.002	1.83	2.81	9.9	3	6.3	114.5	0.44	0.19	13.7	0.168	0.46	2.1	62	13	14.7	<2	64.3		0.001	
E307771	74.0	74.5		820	1.9	219	<0.002	2.75	2.86	11.9	3	7.4	64.4	0.45	0.23	16.1	0.178	0.54	2.6	72	13.9	16.1	<2	74.4		0.003	
E307772	74.5	75.0		740	1.5	185	<0.002	1.57	2.44	10.4	2	6.2	92.6	0.39	0.19	12.8	0.157	0.43	2.1	62	12.5	14.3	<2	62.1		0.001	
E307773	75.0	75.5		650	2	173.5	<0.002	0.74	2.69	10.9	3	6	127.5	0.37	0.07	13.7	0.151	0.4	27	65	12.9	16	2	60.5		<0.001	
E307774	75.5	76.0		790	1.9	206	0.003	0.13	2.57	11.3	2	6.4	90.5	0.42	0.05	15.1	0.167	0.48	3	70	13.7	15.5	<2	70.1		<0.001	0.73
E307775	76.0	76.5		680	1.8	219	<0.002	1.33	3.09	12.7	3	7.1	66.6	0.45	0.3	15	0.181	0.52	2.9	74	13.5	14.4	<2	69.9		<0.001	
E307776	76.5	77.0		800	1.9	202	0.002	0.42	2.51	11.7	2	6.7	67	0.32	<0.05	18.2	0.136	0.48	2.3	64	10	14.7	<2	64.3		<0.001	0.73
E307777	77.0	77.5		650	1.3	179.5	0.003	0.05	2.5	10.6	1	8.3	72.9	0.32	<0.05	11.5	0.13	0.42	2.2	58	8.9	13	<2	55		0.001	0.82
E307778	77.5	78.0		700	1.3	206	0.002	0.02	2.54	11.4	2	7.2	91	0.31	<0.05	14.7	0.141	0.45	2.2	67	9.4	14.7	<2	63.1		<0.001	0.63
E307779	78.0	78.5		740	2.4	183.5	<0.002	0.03	2.8	11	1	7.6	90.8	0.37	<0.05	16.2	0.162	0.46	2.2	68	8.9	15.3	<2	60.4		<0.001	0.65
E307780			Blank	130	0.8	1	<0.002	0.07	0.1	0.5	2	<0.2	307	<0.05	<0.05	0.2	0.006	<0.02	0.7	6	0.1	3	24	4.2		<0.001	
E307781	78.5	79.0		730	1.8	201	<0.002	0.2	3.31	11.4	2	8.1	110	0.4	0.08	14.7	0.167	0.48	5.2	78	11.2	14.9	<2	66.7		<0.001	0.74
E307782	79.0	79.5		760	1.5	164.5	<0.002	0.2	2.84	9.2	2	6.2	202	0.38	<0.05	15	0.159	0.38	2.1	61	10.1	16.8	<2	58.3		<0.001	1.1
E307783	79.5	80.0		760	1.4	179	<0.002	0.28	2.88	10	1	6.2	264	0.34	<0.05	14	0.154	0.4	2	67	9.9	15.7	<2	55.3		0.001	1.73
E307784	80.0	80.5		690	1.3	167	<0.002	0.25	2.77	10.6	1	5.6	343	0.33	<0.05	14.2	0.148	0.37	1.9	61	9.7	17	<2	54.5		<0.001	2.06
E307785	80.5	81.0		700	1.3	182.5	<0.002	0.32	2.7	10.8	2	5.4	290	0.33	0.14	12.3	0.149	0.36	2	63	9	17.1	<2	56.1		0.001	1.57
E307786	81.0	81.5		700	1.2	175.5	<0.002	0.3	2.66	10.3	1	4.9	310	0.29	0.16	11.5	0.137	0.38	1.6	61	8.2	14.9	<2	54.1		<0.001	1.57

IG-2007-29

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	%	ppm	ppm
E307787	81.5	82.0		0.01	6.67	1.6	>10000	1.4	<0.01	6.13	<0.02	43	13.3	33	13	1.7	6.36	14	0.12	1.2	0.098	3.24	22.4	28.6	2.16	5060	0.44	0.07	3.3	19.5
E307788	82.0	82.5		0.02	7.38	1.6	>10000	1.79	<0.01	5.06	<0.02	81.6	14.7	39	18.65	2	6.31	19.7	0.16	1.8	0.121	3.5	44.8	40.9	1.85	4110	0.62	0.08	4.5	25.6
E307789	82.5	83.0		0.01	7.44	1.9	>10000	2.03	0.01	5.16	<0.02	232	17.6	41	19.7	23	5.77	22.2	0.25	2.2	0.135	3.53	134	43.6	1.94	4260	0.63	0.08	5	26.2
E307790	83.0	83.5		0.01	6.85	1.8	9800	1.47	<0.01	5.56	<0.02	83.2	16.1	35	13.2	1.1	4.93	14.9	0.11	1.5	0.095	3.25	51.3	30.1	1.9	4420	0.66	0.07	4.5	15.7
E307791			Blank	0.01	0.15	6	50	0.1	<0.01	49.4	0.41	2.39	0.8	6	0.06	2.3	0.05	0.58	0.05	0.1	<0.005	0.04	1.9	1.3	0.52	48	0.22	0.02	0.3	3
E307792			Standard 1	1.15	6.01	62.6	100	1.54	3.12	2.15	<0.02	65.9	173	38	3.98	7890	10.35	16.2	0.22	1.8	0.156	2.22	28.8	22	1.26	3860	69.4	0.95	4.3	41
E307793	83.5	84.0		0.02	6.99	1.9	6740	1.95	0.03	5.28	<0.02	71	24.9	37	16.2	14.4	5.89	19.6	0.15	1.9	0.134	3.24	41.5	39.6	2.39	4740	1.61	0.07	3.8	37.7
E307794	84.0	84.5		0.02	7.11	1	>10000	1.79	0.01	6.8	<0.02	107.5	19.7	31	16.2	11.4	6.75	18.9	0.17	1.7	0.139	3.1	61.3	36	2.78	6090	1.28	0.08	3.3	30
E307795	84.5	85.0		0.02	6.53	0.7	>10000	1.6	<0.01	6.74	<0.02	140	17.8	30	15.25	1.3	6.06	17.15	0.18	1.7	0.124	3.08	82.7	30.7	2.41	5600	0.96	0.07	4.1	21.6
E307796	84.5	85.0		0.02	6.41	0.7	>10000	1.52	0.01	6.83	<0.02	141	17.7	28	15.05	1.1	6.02	17.05	0.18	1.7	0.12	3.02	84.1	30.1	2.37	5510	0.95	0.07	4.2	21.6
E307797	85.0	85.5		0.01	6.47	0.7	>10000	1.6	0.01	5.83	<0.02	75.5	14.9	30	14.8	8.2	5.84	16.4	0.14	1.7	0.114	3.01	45.4	29.2	2.16	5080	0.44	0.07	4	20.4
E307798	85.5	86.0		0.02	6.56	0.8	>10000	1.53	0.01	5.54	<0.02	68.1	15.9	32	15.7	17	6.58	17.4	0.15	1.7	0.123	3.09	37.4	32.2	2.09	4940	0.56	0.07	3.8	22.7
E307799	86.0	86.5		0.05	6.35	0.8	7890	1.67	<0.01	5.57	<0.02	140	14.3	32	14.6	28.7	5.74	16.95	0.19	1.6	0.121	2.95	80.6	30.2	2.13	4910	0.78	0.07	4	18.7
E307800	86.5	87.0		0.02	6.74	0.9	>10000	1.71	0.01	5.71	<0.02	92.2	19.3	33	16.4	1.4	7.16	17.7	0.18	1.8	0.128	3.17	54.7	33.9	2.04	4970	1.14	0.06	4.1	21.4
E307801	87.0	87.5		0.02	6.98	1.1	>10000	1.83	0.03	4.52	<0.02	130	16.3	36	17.65	14.1	6.99	18.2	0.18	1.7	0.12	3.3	77.5	38.9	1.76	3880	2.14	0.07	3.6	20.2
E307802	87.5	88.0		0.03	6.35	1.3	>10000	1.6	0.03	5.94	<0.02	24.8	19.9	32	15.95	27.7	8.19	16.35	0.13	1.6	0.135	2.84	14.5	34.8	2.17	5560	3.24	0.06	4	21.7
E307803			Blank	0.01	0.15	7	50	0.1	<0.01	49.2	0.39	2.21	0.8	6	<0.05	2	0.05	0.56	0.06	0.1	<0.005	0.04	1.7	1.1	0.52	44	0.22	0.02	0.4	3.6
E307804	88.0	88.5		0.02	5.84	0.3	6400	1.67	0.01	3.85	<0.02	95.6	18.4	30	14.45	21.6	8.4	16.15	0.19	1.5	0.156	2.84	52.3	34.1	2.08	6800	1.21	0.06	2.8	20.8
E307805	88.5	89.0		0.03	6.52	0.6	6300	1.92	0.01	5.32	<0.02	98.5	14.7	33	16.6	25.3	6	18.05	0.18	1.6	0.135	3.03	58.2	41.7	2.18	4430	0.82	0.06	4.4	21.3
E307806	89.0	89.5		0.02	6.52	0.8	6530	1.96	0.01	4.51	<0.02	76.7	15.3	34	17.35	2.5	6.69	18.15	0.18	1.8	0.146	3.04	45.1	42.7	1.7	4180	2.36	0.06	2.8	21
E307807	89.5	90.0		0.01	6.7	0.9	6110	1.49	0.01	3.97	<0.02	65.9	11.8	37	13.4	10.1	6.75	14.55	0.12	1.3	0.104	3.11	36.2	37.1	1.56	3470	0.6	0.06	2.5	16.2
E307808	90.0	90.5		0.02	6.56	0.9	9630	2.07	0.03	4.28	<0.02	29	17.4	34	18.25	8.2	6.98	18.65	0.12	1.7	0.148	3.09	16.7	45.5	1.66	4010	1.16	0.08	2.7	21.2
E307809	90.5	91.0		0.04	6.56	2.4	9840	1.81	0.06	4.51	<0.02	46.3	30.3	33	16.05	14.3	9.26	17.3	0.15	1.6	0.154	2.85	28.9	45.7	1.95	4550	1.9	0.05	2.9	24.7
E307810	91.0	91.5		0.04	7.15	4.9	>10000	1.88	0.11	4.05	<0.02	92.3	64.6	38	17.3	9.6	10.8	21.4	0.19	1.8	0.232	2.97	62.9	54.1	2.14	5740	2.47	0.05	3.1	30.6
E307811	91.5	92.0		0.09	5.37	9.7	4940	1.3	0.24	1.24	<0.02	238	143.5	30	13.05	12.8	16.65	18.1	0.34	1.5	0.356	2.06	168.5	37.8	1.73	8770	4.5	0.04	3.5	35.6
E307812	92.0	92.5		0.1	4.61	12.5	1890	1.16	0.59	1.06	<0.02	185.5	167	26	10.85	17.3	15.5	14.25	0.28	1.2	0.309	1.72	132	30.8	1.44	7990	4.73	0.04	2.6	42.3
E307813	92.5	93.0		0.11	3.44	12.2	1320	0.89	0.32	0.95	<0.02	158.5	170.5	19	8.59	24.1	16.8	11.7	0.32	1	0.327	1.4	110.5	23.1	1.48	10400	7.13	0.03	3.8	34.4
E307814			Blank	0.01	0.14	7	30	0.1	<0.01	>50	0.42	2.32	0.9	5	<0.05	2	0.06	0.56	<0.05	0.1	<0.005	0.03	1.9	1.1	0.53	48	0.2	0.02	0.4	3.6
E307815			Standard 2	1.09	2.31	92	30	0.41	9.99	2.2	<0.02	202	351	13	2.53	8910	28	9.85	0.39	0.7	0.244	0.66	125	13.8	1.44	6280	60.8	0.24	6.1	57.7
E307816	93.0	93.5		0.05	6.4	2.9	9000	1.6	0.27	0.28	<0.02	61.2	84.9	42	15.05	38	13.7	17.45	0.21	1.7	0.35	2.56	38.6	42.4	1.37	7640	1.73	0.04	3.1	30
E307817	93.5	94.0		0.05	6.65	2.1	>10000	1.72	0.06	0.24	<0.02	144.5	72.7	41	14.9	16	12.95	16.85	0.23	1.9	0.339	2.65	91	41.5	1.18	6910	2.42	0.04	2.8	28.4
E307818	94.0	94.5		0.07	6.35	1.5	>10000	1.5	0.09	0.21	<0.02	75.8	85.5	39	14.35	12.5	12.85	18.25	0.22	1.7	0.367	2.62	48.3	37.4	1.13	6790	5.74	0.03	2.2	26
E307819	94.5	95.0		0.06	6.31	1.5	>10000	1.64	0.07	0.27	<0.02	67.9	83.4	40	14.5	7.3	13.95	18.05	0.18	1.7	0.408	2.63	43.6	38.1	1.25	8490	3.77	0.03	3.3	27.6
E307820	95.0	95.5		0.06	6.43	1.5	>10000	1.65	0.06	0.41	<0.02	113	80.7	40	14.45	17.4	13.45	18.85	0.23	1.8	0.37	2.75	70	41	1.24	8220	3.39	0.04	2.9	28.1
E307821	95.5	96.0		0.05	5.6	3.4	6770	1.64	0.12	0.37	<0.02	176.5	70.5	36	13.05	12.3	11.85	17.35	0.27	1.6	0.286	2.35	126	39.5	1.07	5720	4.43	0.04	2.8	24.7
E307822	96.0	96.5		0.07	4.27	6.2	3830	1.17	0.22	1.67	0.02	206	55.4	22	9.28	98.4	12.25	12.9	0.26	1.3	0.215	1.56	154	32.9	1.26	5410	3.37	0.03	2.6	23.2
E307823	96.5	97.0		0.04	5.68	2.4	8370	1.67	0.03	3.19	<0.02	88.1	60.2	30	12.95	10.9	11.1	15.45	0.22	1.7	0.295	2.29	54.5	41.8	1.61	7780	3.35	0.04	2.9	23.5
E307824	97.0	97.5		0.04	5.67	1.5	8470	1.56	0.04	3.03	<0.02	53.2	67.6	33	11.95	10.6	11.45	14.25	0.15	1.3	0.286	2.36	33.7	37.2	1.62	8050	1.35	0.04	2.5	21
E307825	97.5	98.0		0.05	6.42	2.3	7620	2.05	0.06	1.1	<0.02	53.6	75.7	38	14.95	19.1	11.45	17.75	0.18	1.7	0.274	2.6	33.4	45.1	1.21	5550	2.04	0.04	2.3	26.9
E307826			Blank	0.01	0.15	<5	70	0.14	0.01	>50	0.39	2.11	1	6	<0.05	2.1	0.06	0.49	<0.05	0.1	<0.005	0.03	1.7	1.2	0.53	48	0.2	0.02	0.3	2.9
E307827	98.0	98.5		0.03	5.46	1	6770	1.65	0.08	3.61	<0.02	100.5	56.1	29	12.35	9.2	9.6	14.4	0.18	1.6	0.223	2.21	62.4	38.4	1.47	5740	2.29	0.04	2.1	23.5
E307828	98.5	99.0		0.04	5.32	1.1	5200	1.69	0.04	3.54	<0.02	106	48.3	30	11.95	7	8.48	14.35	0.17	1.6	0.185	2.1	65	38.7	1.57	5490	2.3	0.04	2.4	22.6
E307829	99.0	99.5		0.03	6.01	1.8	6710	1.73	0.07	3.73	<0.02	81.4	55	33	13.95	26.3	8.43	15.8	0.16	1.6	0.217	2.6	52.2	44.9	1.58	5860	1.74	0.05	3.2	24.7
E307830	99.5	100.0		0.09	2.9	8.7	2220	0.91	2.65	1.56	<0.02	101.5	93.3	15	6.52	13.3	14.45	9.36	0.24	0.8	0.263	1.11	64.3	22.2	1.01	8790	19.95	0.03	3.1	31.8
E307831	100.0	100.5		0.2	2.25	6.2	1120	0.68	1.08	1.66	<0.02	339	99.8	11	4.89	33.4	13.65	7.91	0.34	0.6	0.277	0.79	249	18.9	1.27	8620	129	0.02	3.7	31.8
E307832	100.5	101.0		0.15	0.31	12.6	770	0.15	1.18	0.5	<0.02	490	100.5	<1	0.68	9.4	16.25	3.42	0.38	0.1	0.234	0.07	363	3.7	0.93	10450	115.5	0.01	3.7	26.8
E307833	101.0	101.5		0.47	1.94	9.2	760	0.63	4.16	1.4	<0.02	167.5	109	9	4.48	99	15.3	6.45	0.27	0.6	0.299	0.73	106.5	16.4	1.01	8740	154.5	0.02	3.2	32.9
E307834	101.5	102.0		0.41	2.54	6.7	1120	0.88	1.61	2.05	<0.02	180	102	12	5.9	106	14.25	8.11	0.26	0.8	0.278	1.02	114.5	19.5	1.15	8220	112.5	0.03	3.5	32
E307835	102.0	102.5		0.12	0.56	5.8	1530	0.18	0.31	0.81	<0.02	157	102.5	<1	1.06	15.7	23.3	4.88	0.3	0.2	0.245	0.13	113	4.8	0.87	8620	15.6	0.01	5.9	36.2
E307836	102.5	103.0		0.22	0.56	7.2	1480	0.18	0.53	0.49	<0.02	76.9	154.5	<1	0.7	18.6	25.5	4.12	0.36	0.2	0.336	0.09	51.5	5.3	0.76	10250	12	0.01	6.4	51
E307837			Blank	0.01	0.14	8	180	0.11	0.02	49.8	0.36	2.26	1	6	<0.05	3.4	0.1	0.52	<0.05	0.1	<0.005	0.02	1.8	2.6	1.09	80	0.28	0.02	0.3	2.8
E307838			Standard 3	0.28	8.91	42.2	710	2.45	1.58	1.98	<0.02	69.2	106.5	43	6.19	1580	7	19.15	0.16	2	0.118	3.03	38.5	19.3	1.32	3410	20.7	0.62	3.9	25.5
E307839	103.0	103.5		0.58	3.71	4.2	2770	1.06	1.95	1.62	<0.02	124.5	136.5	19	8.42	272	19.85	10.8	0.32	0.9	0.467	1.55	79	23.6	1.39	11650	9.55	0.04	3.9	43.8
E307840	103.5	104.0		0.08	6.32	1.8	9860	1.93	0.07	3.12	<0.02	59.3	58.1	37	15.85	5.4	9.48	18.95	0.15	1.6	0.286	2.98	39.2	41.1	1.36	5470	0.97	0.04	3.2	18.9
E307841	104.0	104.5		0.07	6.28	1.6	8550	1.98	0.04	2.95	<0.02	94.3	57.3	37	15.75	5.5	10.3	17.6	0.19	1.6	0.281	2.9	58.3	40.9	1.28	5460	0.98	0.04	3.2	19.6
E307842	104.5	105.0		0.04	5.4	1.7	6410	1.78	0.04	4.38	<0.02	87.8	38.8	27	13.25	6.8	7.95	14.6	0.15	1.6	0.194	2.41	55.7	36.2	1.48	5050	1.02	0.04	3.2	15.4
E307843	105.0	105.5		0.04	5.43	1.2	6180	1.64	0.02	3.29	<0.02	77.3	41.8	26	12	10.8	8.06	13.8	0.15	1.5	0.196	2.48	46	35.5	1.24	4530	0.93	0.04	2.4	15.7
E307844	105.5	106.0		0.06	5.73	1.7	6120	1.95	0.03	2.46	<0.02	51.2	71.5	33	14.85	10.3	9.81	16.15	0.17	1.6	0.265	2.51	30.2	42.6	1.25	5140	2.24	0.04	2.6	25.6
E307845	106.0	106.5		0.2	2.55	5.9	1710	0.84	0.13	0.47	<0.02	169.5	107.5	14	6.15	164	17.9	9.59	0.32	0.7	0.37	1.01	103.5	17.7	1.06	9280	8.76	0.02	3.8	31.3
E307846	106.5	107.0		0.48	1.85	4.1	240	0.82	0.55	1.2	<0.02	117	58.5	11	4.78	5620	12.85	6.84	0.26	0.6	0.285	0.72	54	14.3	0.94	5940	8.71	0.02	3.7	16.4
E307847	107.0	107.5		0.03	5.51	1.3	5350	1.53	0.03	2.57	<0.02	37.1	48.7	29	13.55	31.6	8.75	15.35	0.14	1.4	0.244	2.33	22.6	37.7	1.34	4740	1.15	0.04	3.4	20
E307848	107.5	108.0		0.06	4.99	1.7	5650	1.73	0.03	1.91	<0.02	56.2	70.3	31	13.3	16.8	10.7	15.3	0.19	1.6	0.322	2.38	34	37	1.02	5910	2.21	0.04	3	21.5
E307849			Blank	0.01	0.13	<5	60	0.09	0.01	47.3	0.36	2.06	0.8	5	<0.05	2.2	0.04	0.46	<0.05	0.1	<0.005	0.02	1.8	1	0.51	32	0.2	0.02	0.3	3.1
E307850	108.0	108.5		0.11	5.72	1.9	7490	1.8	0.04	2.53	<0.02	73.1	83.7	34	14.3	20.8	10.7	16.2	0.17	1.6	0.289	2.71	43.5	38	1.1	5400	3.02	0.05	3.1	21.6
E307851	108.5	109.0		0.19	6.42	2.2	6400	1.83	0.07	2.15	<0.02	45.6	82.6	37	14.4	17.5	12.55	17.95	0.2	1.5	0.29	2.89	28.9	40.8	1.22	6440	4.81	0.1	2.1	26.6
E307852	109.0	109.5		0.1	6.06	1.5	5050	1.8	0.05	1.17	<0.02	73.4	104	36	15.7	16.4	12.25	19.1	0.25	1.6	0.341	2.71	42.6	42	0.95	6590	1.12	0.08	1.9	32.8
E307853	109.5	110.0		0.14	6.15	1.9	5040	1.88	0.03	0.6	<0.02	41.6	100	37	12.85	4.9	12.75	15.45	0.19	1.2	0.276	2.79	24.4	33.8	0.85	6650	0.92	0.08	1.4	24.1
E307854	110.0	110.5		0.06	5.64	2.3	5230	1.85	0.06	0.77	<0.02	67.5	115	33	15.7	15.9	13.65	19.55	0.28	1.7	0.412	2.47	40.9	40.2	1.05	7560	1.68	0.06	2.3	31.9
E307855	110.5	111.0		0.05	6.24	2	6130	2.06	0.04	0.96	<0.02	64.9	92.2	40	16	9	12.65	20.5	0.28	1.7	0.353	2.86	39.5	44.4	1.02	6330	3.11	0.09	2.6	24.7
E307856	111.0	111.5		0.15	6.07	2.1	5260	1.87	0.04	1.72	<0.02	81.7	81.4	35	15.8	17.6	12.75	20.7	0.27	1.6	0.372	2.81	50	42	1.21	6890	2.88	0.08	2	23.3
E307857	111.5	112.0		0.15	6.1	2.9	6070	1.77	0.07	1.83	<0.02	126.5	84.8	34	16.25	34.2	15	20.7	0.34	1.7	0.339	2.72	79.1	43.6	1.3	6050	6.13	0.06	2.5	27.1
E307858	112.0	112.5		0.12	6.25	2	6210	1.89	0.05	3.15	<0.02	109	83.8	34	16.65	12.1	13.55	21.2	0.32	1.7	0.354	2.92	65.2	41.2	1.4	6990	4.22	0.1	2.4	28.6
E307859	112.5	113.0		0.17	6.23	1.7	7680	2.13	0.05	2.11	<0.02	64.4	87.9	37	16.7	12.7	12.3	21.2	0.27	1.7	0.355	3.01	39.1	42	1.27	6800	3.86	0.1	2.4	24.1
E307860			Blank	0.01	0.14	13	70	0.09	0.03	45.2	0.36	2.14	0.9	5	<0.05	2.6	0.08	0.63	0.09	0.1	0.007	0.04	1.7	1.2	0.47	53	0.2	0.02	0.3	1
E307861			Standard 1	1.2	5.92	49.7	80	1.9	3.02	2.12	0.03	61.7	177	39	3.9	7870	9.86	17.9	0.25	1.9	0.152	2.2	30.5	23.1	1.25	3690	72.4	0.99	4.6	41.4
E307862	113.0	113.5		0.09	6.54	2.4	7270	2.33	0.05	2.14	<0.02	23.2	86.4	39	18.05	32.05	11.9	22.3	0.23	1.9	0.384	3.11	14.2	48.4	1.32	6560	3.74	0.1	2.9	25.1
E307863	113.5	114.0		0.08	6.01	2.3	6360	2.09	0.06	1.87	<0.02	88.9	85.1	36	15.45	25.1	11.55	20.6	0.26	1.8	0.353	2.76	58.6	43.6	1.3	6400	1.77	0.09	2.6	23.3
E307864	114.0	114.5		0.06	5.71	1.8	5170	1.44	0.06	3	<0.02	44.7	58.3	32	9.79	34.35	11.1	12.9	0.15	1.2	0.223	2.56	28.8	30.2	1.74	6480	2.82	0.08	2.5	15
E307865	114.5	115.0		0.23	2.31	5.4	1310	0.78	0.2	0.79	<0.02	81.1	106	11	4.87	23.5	21.1	7.31	0.28	0.6	0.327	1	54	15.3	1.06	9750	13.95	0.08	3.3	26.7
E307866	115.0	115.5		0.1	2.81	5.1	1450	0.8	0.13	0.8	<0.02	89	99.2	12	5.31	14.1	17.6	7.21	0.26	0.8	0.278	1.04	60.7	19.5	1	8570	5.41	0.28	2	23.3
E307867	115.5	116.0		0.21	4.19	3.3	4950	1.17	0.2	0.53	<0.02	394	96.9	26	9.88	38.5	14.95	12.75	0.38	1.2	0.33	1.81	262	29.1	0.96	7580	36.5	0.09	3.7	24.7
E307868	116.0	116.5		0.27	7.22	2.5	7240	2.15	0.43	1.67	<0.02	194	92.9	42	16.85	103.5	11.6	25.4	0.35	2.2	0.367	3.08	129.5	50	1.6	6580	93.8	0.1	3.6	35
E307869	116.5	117.0		0.11	7.23	0.9	6850	2.2	0.14	2.21	<0.02	161	67	46	17.55	29.6	8.72	24.3	0.3	2.1	0.352	3.32	101.5	48.1	1.42	5620	34.9	0.1	4.1	24.5
E307870	117.0	117.5		0.12	5.49	3.3	4140	1.84	0.12	0.6	<0.02	78.1	93.7	34	13.25	14.2	13.25	19.5	0.29	1.5	0.321	2.37	50.7	38.4	1.07	6430	18.9	0.07	3	29.8
E307871	117.5	118.0		0.13	5.24	2.7	4610	1.71	0.06	0.38	<0.02	369	101.5	30	12.9	56.8	16.2	21.4	0.56	1.5	0.333	2.34	229	33.8	0.88	6250	4.92	0.07	2.9	29.8
E307872			Blank	0.02	0.15	<5	140	0.1	0.02	47.4	0.39	2.63	1.1	5	<0.05	5	0.1	0.88	0.07	0.1	0.006	0.04	2	1.4	0.5	61	0.32	0.02	0.4	4

IG-2007-29

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E307787	81.5	82.0		670	1	133.5	<0.002	0.24	2.2	8.3	1	3.8	248	0.26	0.08	12.6	0.145	0.33	1.4	61	6.7	11.5	<2	43.2		0.001	1.38
E307788	82.0	82.5		710	1.3	206	<0.002	0.32	3.07	11	2	5.4	280	0.34	0.08	14.9	0.155	0.45	1.8	68	9.1	14.9	<2	61.5		<0.001	1.71
E307789	82.5	83.0		770	1.5	215	<0.002	0.21	3.29	11.7	2	5.8	220	0.38	0.09	18	0.16	0.48	2.5	69	11.1	16.9	<2	69.2		<0.001	1.29
E307790	83.0	83.5		780	1	137.5	<0.002	0.11	2.56	8.2	1	4	130	0.35	0.05	11.1	0.174	0.32	2.3	62	9.4	11.7	<2	51.1		<0.001	0.88
E307791			Blank	120	0.9	1.2	<0.002	0.06	0.09	0.5	2	<0.2	286	<0.05	<0.05	0.2	0.008	<0.02	0.7	4	0.1	3	21	3.2		<0.001	
E307792			Standard 1	960	22	96.6	0.022	2.63	1.76	9.9	4	8.2	653	0.22	0.26	9.5	0.096	0.47	296	57	9.4	16.8	5	60.9		0.061	
E307793	83.5	84.0		730	1.5	176.5	<0.002	0.14	2.14	10.6	1	5.2	114.5	0.26	0.06	15.3	0.136	0.41	3.5	65	10	14.2	<2	62.2		0.001	0.9
E307794	84.0	84.5		720	1.5	181.5	<0.002	0.35	2.14	10.8	2	5.1	324	0.22	0.06	12.5	0.119	0.39	2.3	61	9.2	17	<2	56.9		0.001	1.68
E307795	84.5	85.0		590	1.3	167.5	<0.002	0.2	2.52	9.8	1	4.5	218	0.3	0.06	12.5	0.14	0.38	2	59	9.9	17.1	<2	59.1		<0.001	1.2
E307796	84.5	85.0		600	1.2	166.5	<0.002	0.2	2.54	9.7	1	4.5	216	0.3	0.18	12.5	0.136	0.37	1.9	57	9.9	17.1	<2	58.9		<0.001	1.21
E307797	85.0	85.5		620	1.2	164.5	<0.002	0.23	2.53	9.1	1	4.5	224	0.3	0.07	11.1	0.137	0.36	1.8	55	9.3	15.5	<2	55.3		<0.001	1.34
E307798	85.5	86.0		570	1.3	173	<0.002	0.29	2.56	9.9	1	4.5	267	0.28	0.12	10.5	0.129	0.39	1.6	58	9.4	14.6	<2	55.3		<0.001	1.53
E307799	86.0	86.5		610	1.4	160	<0.002	0.14	2.48	9.1	1	4.3	594	0.3	<0.05	12.6	0.137	0.37	2	56	9.8	14.5	<2	53.3		<0.001	3.51
E307800	86.5	87.0		610	1.2	173	<0.002	0.28	2.73	10	2	4.7	308	0.32	0.21	13	0.143	0.39	2	63	10.9	16.3	<2	61.3		0.001	1.71
E307801	87.0	87.5		740	1.6	183	<0.002	0.2	2.43	9.9	1	5.2	424	0.26	0.11	15	0.133	0.39	2	63	11.2	15.4	<2	57.8		<0.001	2.49
E307802	87.5	88.0		650	1	160	<0.002	0.17	2.39	9.7	2	5.4	398	0.27	0.06	10.9	0.132	0.37	2.2	56	11.4	15	<2	54.6		<0.001	2.07
E307803			Blank	130	0.7	0.8	<0.002	0.06	0.08	0.4	2	<0.2	295	<0.05	<0.05	0.2	0.007	<0.02	0.7	4	0.1	3	21	3.3		<0.001	
E307804	88.0	88.5		650	1.2	149.5	<0.002	0.17	1.85	8.6	2	5.1	501	0.19	<0.05	10	0.103	0.33	1.7	48	8.5	12.7	<2	50.7		<0.001	3.51
E307805	88.5	89.0		620	1.1	168.5	<0.002	0.2	2.59	10.3	1	6.4	832	0.31	0.05	10.6	0.144	0.36	2	60	11.2	14.4	<2	54.7		<0.001	4.41
E307806	89.0	89.5		720	1.2	177.5	<0.002	0.1	2.02	9.9	1	6.9	138	0.19	0.06	14.7	0.113	0.39	2.2	60	9.9	15.6	<2	60.6		0.001	0.93
E307807	89.5	90.0		690	0.9	130.5	<0.002	0.17	1.68	7.8	1	5.8	750	0.17	0.05	9	0.122	0.31	1.7	63	8.4	10.5	<2	43.2		<0.001	4.83
E307808	90.0	90.5		790	1	179	<0.002	0.19	2.04	10.2	1	7.9	520	0.17	0.06	12.4	0.107	0.38	2.1	62	10.3	14.5	<2	55		0.001	3.18
E307809	90.5	91.0		800	1.1	153	<0.002	0.21	1.79	9.4	1	8	414	0.17	0.13	10.5	0.106	0.33	2.3	65	10.8	13.8	<2	51.6		0.001	2.44
E307810	91.0	91.5		1040	1.2	173	<0.002	0.35	2.01	11.8	2	8.7	317	0.14	0.2	14.1	0.099	0.37	2.9	66	11	15.1	<2	60.2		0.001	2.02
E307811	91.5	92.0		1180	1.8	131.5	0.002	0.32	1.82	10	3	7.3	610	0.14	0.46	10	0.085	0.27	2.4	55	10.8	12.4	5	49.4		0.01	
E307812	92.0	92.5		1210	1.6	107.5	<0.002	0.28	1.6	7.6	3	6.4	787	0.09	0.47	7.1	0.068	0.22	2	54	8.1	11.2	2	40.2		0.005	
E307813	92.5	93.0		1500	1.8	88.1	<0.002	0.32	1.75	6.4	4	4.3	543	0.14	1.34	10.4	0.069	0.19	1.8	42	8.5	11	<2	32.6		0.007	
E307814			Blank	120	0.7	0.7	<0.002	0.05	0.07	0.4	2	<0.2	301	<0.05	<0.05	0.2	0.007	<0.02	0.7	5	0.1	3	21	3.6		<0.001	
E307815			Standard 2	2470	6.1	35.6	0.013	7.47	2.23	3.5	5	7.3	183	0.14	1.11	5.9	0.038	0.45	14.1	59	6.8	15.1	9	24.6		0.122	
E307816	93.0	93.5		770	1.4	140	<0.002	0.36	2.06	9.2	2	6.8	252	0.19	0.1	10.6	0.111	0.36	2.1	61	11.2	10.2	3	58.3		0.001	2.35
E307817	93.5	94.0		640	1.7	149.5	<0.002	0.26	2.06	9.3	2	6.1	121	0.19	0.09	15.4	0.12	0.39	1.8	61	10.4	10.6	2	62		<0.001	1.37
E307818	94.0	94.5		650	2.5	149.5	0.006	0.28	1.93	9.3	2	6.4	299	0.14	0.32	11	0.095	0.36	2.2	59	9.6	9.9	<2	57.5		0.006	2.78
E307819	94.5	95.0		610	1.6	150	0.002	0.31	2.41	9.8	2	6	194	0.23	0.11	12.4	0.121	0.37	1.8	58	11.1	10.1	<2	57.4		0.002	1.91
E307820	95.0	95.5		640	1.7	154.5	0.002	0.3	2.12	10.3	2	6.3	169.5	0.18	0.14	13.2	0.111	0.39	2	59	10.2	11	2	61.8		0.002	1.68
E307821	95.5	96.0		820	1.7	148	<0.002	0.16	1.94	9.4	2	6.5	537	0.15	0.32	12.4	0.094	0.32	2.1	54	9.8	10.8	2	54.3		0.005	4.62
E307822	96.0	96.5		960	1.6	96.9	<0.002	0.13	1.72	7.1	1	7	676	0.12	0.52	9.2	0.071	0.2	1.9	42	8.9	11.5	2	43.2		0.003	
E307823	96.5	97.0		730	1.6	141.5	<0.002	0.17	1.8	8.4	2	9	349	0.18	0.2	12.8	0.1	0.29	2	52	11	14.4	2	58.7		0.001	2.94
E307824	97.0	97.5		580	1.6	134	<0.002	0.18	1.56	8	1	7.1	399	0.16	0.1	8.8	0.1	0.27	1.7	52	9.8	11.3	<2	45.8		<0.001	3.25
E307825	97.5	98.0		660	1.8	162	<0.002	0.16	1.81	9.6	2	8.3	523	0.14	0.09	9.7	0.099	0.33	1.7	61	10.8	10.5	<2	56.3		<0.001	4.52
E307826			Blank	130	0.6	0.8	<0.002	0.06	0.08	0.5	2	<0.2	304	<0.05	<0.05	0.2	0.007	<0.02	0.7	4	0.1	2.9	21	3.7		<0.001	
E307827	98.0	98.5		680	1.4	136.5	<0.002	0.18	1.75	7.7	2	7.6	752	0.14	0.06	12.6	0.09	0.26	1.6	51	10.3	12.5	<2	53.6		0.001	5.41
E307828	98.5	99.0		680	1.4	129	<0.002	0.14	1.81	7.8	2	7.7	729	0.17	<0.05	12.5	0.095	0.26	1.8	48	10.1	12.3	<2	50.8		<0.001	6.17
E307829	99.0	99.5		570	1.2	154.5	<0.002	0.16	1.89	8.5	2	9.9	627	0.21	0.13	11.1	0.116	0.31	1.8	57	12.4	12.3	<2	52.7		0.001	5.27
E307830	99.5	100.0		1260	1.3	70.2	0.005	0.12	1.13	4.6	2	6	1250	0.1	1.33	5.4	0.051	0.15	2.1	31	7.4	8.8	<2	26.3		0.006	
E307831	100.0	100.5		1360	1.6	51.2	0.05	0.16	0.98	4.5	4	6.5	1880	0.09	0.85	4.4	0.041	0.14	5.9	44	7	9	<2	21.4		0.011	
E307832	100.5	101.0		1920	1	6.6	0.044	0.22	0.41	2.5	3	4.4	2090	<0.05	0.58	0.9	0.006	0.02	2.5	32	9.5	7.5	<2	3.1		0.009	
E307833	101.0	101.5		1770	2.6	48	0.082	0.22	0.88	3.3	5	7.1	1950	0.08	1.49	5.2	0.032	0.11	5.1	40	11.5	8.9	<2	19.6		0.016	
E307834	101.5	102.0		1500	1.5	65.5	0.045	0.2	1.11	4.1	4	8.5	1960	0.1	0.35	7.1	0.046	0.13	4	43	10.1	10.1	<2	26.9		0.027	
E307835	102.0	102.5		1750	0.8	9.7	0.003	0.18	0.87	1	2	2.1	1530	0.14	0.11	2	0.011	0.02	1.7	26	4.1	7.6	<2	5.4		0.002	
E307836	102.5	103.0		1940	1	6.7	<0.002	0.2	0.87	0.8	2	1.7	1790	0.15	0.25	2	0.009	<0.02	2	33	4.9	7.7	<2	5.5		0.002	
E307837			Blank	120	0.7	0.7	<0.002	0.07	0.07	0.4	2	<0.2	311	<0.05	<0.05	0.2	0.007	<0.02	0.7	4	0.1	3	27	4.1		<0.001	
E307838			Standard 3	800	2.6	134.5	0.004	1.41	1.2	10	2	7.8	466	0.25	0.2	12.3	0.128	0.34	18.3	64	9.1	11.4	<2	65.3		0.016	
E307839	103.0	103.5		1270	1.2	95	0.002	0.18	1.34	5.9	4	8.4	926	0.16	0.41	7	0.069	0.19	1.5	46	9.5	10.5	<2	30.7		0.004	
E307840	103.5	104.0		610	1.1	162.5	<0.002	0.2	2	8.6	1	12.1	445	0.21	0.05	9.9	0.12	0.34	1.8	62	13.3	11.2	<2	53.3		<0.001	2.79
E307841	104.0	104.5		630	1.3	168.5	<0.002	0.18	2.1	8.8	1	11	608	0.22	0.05	12.7	0.121	0.35	1.7	63	13.5	11.1	<2	54.6		<0.001	3.75
E307842	104.5	105.0		570	1.3	151.5	<0.002	0.12	2.06	7.5	2	8.7	517	0.23	<0.05	11.8	0.112	0.27	1.8	50	12	12.6	<2	52.5		<0.001	3.14
E307843	105.0	105.5		510	1	139	<0.002	0.15	1.71	8.6	1	7.4	892	0.17	0.05	11.1	0.102	0.26	1.7	48	10.4	11.3	<2	52.1		<0.001	4.8
E307844	105.5	106.0		640	1.1	163.5	<0.002	0.15	2	8.8	2	9.7	826	0.16	0.06	9.2	0.102	0.32	1.7	55	12.4	10.7	<2	53.1		<0.001	5.59
E307845	106.0	106.5		1270	1.1	85.9	0.003	0.15	1.26	4.4	2	5.4	1410	0.14	0.3	6.9	0.049	0.13	1.7	34	7.4	8.7	<2	23.5		0.003	
E307846	106.5	107.0		860	1.1	50.9	<0.002	0.58	1.63	3.6	4	4.4	1490	0.11	0.34	3.8	0.04	0.1	1.9	27	8.2	7.3	<2	21.4		0.007	
E307847	107.0	107.5		550	1	147	<0.002	0.18	2.06	8.1	1	8.4	943	0.23	<0.05	9	0.118	0.29	1.9	53	12.5	10.2	<2	49.7		<0.001	7.11
E307848	107.5	108.0		620	1.2	153.5	<0.002	0.11	2.15	8.5	2	8.5	744	0.22	0.05	11.2	0.109	0.29	1.8	49	11.9	9.5	<2	52.9		<0.001	5.07
E307849			Blank	120	0.5	0.8	<0.002	0.06	0.07	0.3	2	<0.2	297	<0.05	<0.05	0.2	0.006	<0.02	0.7	4	0.1	2.8	21	3.2		<0.001	
E307850	108.0	108.5		620	1.2	166.5	<0.002	0.16	2.17	8.4	2	9.8	623	0.22	0.06	11.6	0.117	0.32	1.9	55	12.8	10.2	<2	53.6		<0.001	4.1
E307851	108.5	109.0		700	1.2	157	0.002	0.12	1.7	8.7	1	11.7	608	0.13	0.12	9.7	0.1	0.33	1.9	63	12.4	9.9	<2	48.4		0.003	4.27
E307852	109.0	109.5		590	1.2	163	<0.002	0.1	1.82	9.3	2	12.5	749	0.11	0.15	8.9	0.09	0.34	1.7	59	13.4	8.6	<2	51.3		<0.001	5.43
E307853	109.5	110.0		610	0.9	138.5	<0.002	0.11	1.45	7.3	1	9.9	777	0.08	0.12	6.3	0.092	0.27	1.4	60	10.6	7	<2	40		<0.001	5.82
E307854	110.0	110.5		570	1.3	163	0.002	0.06	2.02	10.1	2	13.5	639	0.14	0.11	11.4	0.089	0.35	2.1	55	14.1	10	<2	56.4		<0.001	4.44
E307855	110.5	111.0		630	1.1	172	<0.002	0.07	2.15	9.9	2	13.6	563	0.17	0.1	11.7	0.108	0.36	1.9	61	14.7	9.8	<2	56.9		<0.001	3.87
E307856	111.0	111.5		610	1.1	175	<0.002	0.09	1.96	10.1	2	13.2	701	0.13	0.23	10	0.094	0.35	1.6	60	13.4	10.5	<2	52.8		<0.001	4.65
E307857	111.5	112.0		670	1.6	167	0.002	0.09	2.15	9.6	2	14.8	656	0.12	0.21	13.5	0.094	0.35	3.5	71	14.9	11.8	<2	53.8		<0.001	4.29
E307858	112.0	112.5		660	1.4	180.5	0.003	0.14	2.22	9.7	2	15.1	445	0.15	0.12	13.5	0.096	0.36	1.9	65	14.6	13	<2	56.7		<0.001	2.8
E307859	112.5	113.0		580	1.2	183	0.002	0.13	2.23	10.2	2	15.4	505	0.15	0.13	11.7	0.101	0.38	2.2	63	14.7	11.3	<2	55.8		<0.001	3.41
E307860			Blank	120	0.7	0.8	<0.002	0.07	0.09	0.4	2	<0.2	273	<0.05	<0.05	0.2	0.007	<0.02	0.7	16	0.1	2.8	22	3.3		<0.001	
E307861			Standard 1	910	20.1	105	0.027	2.4	1.88	9.7	4	9	619	0.24	0.29	8.8	0.09	0.46	269	58	10.1	15.9	7	62.3		0.055	
E307862	113.0	113.5		610	1.2	196.5	0.002	0.11	2.34	10.2	2	18.5	478	0.19	0.08	10.8	0.109	0.43	2.4	66	16.8	11.9	<2	61.3		0.001	3.27
E307863	113.5	114.0		570	1.4	170	<0.002	0.11	2.14	9.2	2	16.9	552	0.16	0.07	11.9	0.099	0.37	2.3	61	14.3	11.4	<2	56.4		<0.001	3.85
E307864	114.0	114.5		760	0.9	124.5	<0.002	0.07	1.7	8.8	1	11.8	811	0.15	0.12	6.9	0.107	0.22	1.5	65	10.4	7.8	<2	38.4		<0.001	3.51
E307865	114.5	115.0		980	1.6	57.4	0.003	0.27	1.39	5.3	1	8.3	1900	0.12	0.31	2.9	0.049	0.15	2.1	53	9.9	7.2	5	17.7		0.002	
E307866	115.0	115.5		850	1.4	61.5	0.002	0.29	1.08	8	1	5.7	1860	0.09	0.21	2.9	0.046	0.17	1.6	80	7.8	7.5	5	22.3		0.003	
E307867	115.5	116.0		1190	2.5	94.5	0.029	0.21	1.79	7.3	1	8.6	987	0.17	0.49	13	0.078	0.24	4	60	11.5	12	6	33.8		0.005	
E307868	116.0	116.5		900	1.9	186	0.063	0.17	2.28	11.3	2	10	268	0.2	0.26	15.7	0.114	0.43	6.1	77	18.2	14.6	<2	68.4		0.006	1.67
E307869	116.5	117.0		690	1.5	198	0.035	0.12	2.51	11.1	2	8.9	447	0.28	0.1	15.9	0.126	0.42	3	74	19.1	14.5	<2	67.3		0.005	2.99
E307870	117.0	117.5		880	1.3	159	0.017	0.09	1.94	8.3	2	10.3	726	0.15	0.21	9.6	0.091	0.33	2.7	61	14.2	9.8	<2	49.3		0.003	
E307871	117.5	118.0		1000	1.9	150.5	0.003	0.1	2.06	7.6	2	13.9	633	0.12	0.15	15.7	0.082	0.32	2.2	64	14.2	12.1	<2	48.2		0.001	
E307872			Blank	110	0.8	1.1	<0.002	0.08	0.12	0.4	2	0.2	282	<0.05	0.05	0.2	0.007	<0.02	0.8	16	0.2	3	23	3.9		<0.001	

IG-2007-29

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	%	ppm	ppm
E307873	118.0	118.5		0.06	6.89	1.2	6780	2.33	0.05	0.53	<0.02	300	94.6	44	16.7	28.6	13.35	24	0.44	2	0.372	3.27	186	41	0.95	6460	1	0.1	2.8	23.6
E307874	118.5	119.0		0.07	5.93	1	6860	2.13	0.04	0.54	<0.02	137.5	114.5	36	14.3	24.2	15.35	21.7	0.36	1.7	0.433	2.83	89	33.9	1.08	8120	1.19	0.09	2.3	26.8
E307875	119.0	119.5		0.06	6.47	1.7	6770	1.82	0.05	0.47	<0.02	126	99.1	41	11.55	87.1	13.45	17.5	0.26	1.4	0.31	3.11	81.4	29.6	0.98	7180	0.87	0.09	1.9	18.7
E307876	119.5	120.0		0.07	5.57	1.7	4300	2.12	0.05	1	<0.02	24.7	106.5	34	13.55	87.6	15.95	17.85	0.26	1.4	0.4	2.63	15.3	32.2	1.12	8470	1.37	0.07	2.2	26.2
E307877	120.0	120.5		0.07	6.67	1.8	5530	2.32	0.04	0.43	<0.02	56.8	88.9	39	15.25	50.1	13.65	22.3	0.27	1.7	0.327	2.98	35.4	40.9	0.88	5730	1.04	0.09	2.5	24.2
E307878	120.5	121.0		0.07	6.91	1.4	7710	2.52	0.05	0.33	<0.02	32	107.5	44	16.35	25.3	14.9	23.4	0.26	1.9	0.386	3.15	19.8	43.9	1.02	6780	0.52	0.09	2.7	27
E307879	121.0	121.5		0.05	5.85	1.5	4890	2.08	0.03	0.37	<0.02	52.2	101.5	34	12.75	27.8	14.15	19.9	0.27	1.7	0.379	2.64	32.2	37	1.08	7190	0.59	0.08	2.4	26.8
E307880	121.5	122.0		0.15	5.13	3.1	3730	1.81	0.34	0.33	<0.02	149	93	36	10.95	1910	16.05	15.5	0.29	1.3	0.318	2.28	96.4	30.5	0.93	6140	3.43	0.07	2.9	30.2
E307881	122.0	122.5		0.04	4.4	1.2	3300	1.43	0.07	1.73	<0.02	37.1	72.9	24	10.25	117.5	11.5	12.05	0.18	1	0.326	2.02	23.4	25.4	1.34	6740	1.19	0.06	2.5	20.7
E307882	122.5	123.0		0.11	3.48	2.4	1610	1.07	0.15	3.14	<0.02	130	55.5	19	8.65	169	10.15	10	0.22	0.9	0.217	1.5	83.5	25	1.46	5730	4.49	0.04	3.6	20
E307883			Blank	0.01	0.16	9	180	0.09	0.02	48.3	0.41	2.66	1.5	6	0.06	6.7	0.11	0.77	<0.05	0.1	0.007	0.04	2	1.4	0.51	85	0.32	0.02	0.5	2
E307884			Standard 2	1.42	2.51	82.7	30	0.56	11.6	2.33	0.05	188.5	359	10	2.85	9220	28.4	11.8	0.54	0.8	0.279	0.7	111.5	16.6	1.63	6750	67.1	0.25	6.5	61.5
E307885	123.0	123.5		0.1	4.71	2.4	3150	1.19	0.07	4.05	<0.02	70.3	64.5	23	10.55	93.8	10.9	14.4	0.18	1.2	0.274	2.05	44.9	28.3	2	7430	4.33	0.05	3.6	28.4
E307886	123.5	124.0		0.04	4.36	0.9	2100	1.24	0.03	0.76	<0.02	96.4	69	26	9.89	60.2	9.93	13.5	0.21	1.1	0.346	1.86	55.6	24.7	0.9	5590	1.14	0.04	1.6	19.9
E307887	124.0	124.5		0.07	4.3	3.7	1740	1.28	0.11	2.29	<0.02	81.5	63.6	22	10.45	82.5	10.4	12.8	0.19	1	0.283	1.74	48.5	29.9	1.34	5700	7.88	0.04	3.2	24
E307888	124.5	125.0		0.03	5.66	2.1	4860	1.42	0.06	4.42	<0.02	92.6	51.8	32	15.55	12.8	8.75	16	0.2	1.4	0.253	2.45	52.7	38.8	1.83	5850	3.13	0.06	4	22.7
E307889	125.0	125.5		0.03	6.23	1.6	8200	1.84	0.02	1.88	<0.02	48.9	71.4	38	16.4	8.6	11.45	16.95	0.19	1.5	0.357	2.87	30.2	38	1.24	6120	1.15	0.07	2.1	22.8
E307890	125.5	126.0		0.01	6.99	<0.2	>10000	2.39	0.03	2.31	<0.02	132.5	49.1	42	18.9	11	8.68	20.3	0.32	1.8	0.287	3.4	79.8	51.6	1.28	4570	2.39	0.12	4.1	17.2
E307891	126.0	126.5		0.03	7.13	2.2	7590	2.02	0.03	2.53	<0.02	85.3	42.7	43	16.25	12.9	9.06	18.85	0.17	1.3	0.243	3.17	51.9	44.4	1.35	4460	1.77	0.07	3.3	17.7
E307892	126.5	127.0		0.1	5.31	5.1	2510	2.08	0.05	1.74	<0.02	62.7	79.9	34	12.4	52.7	12.75	15.45	0.18	1.3	0.299	2.32	38.8	37.6	1.21	6500	2.77	0.05	2.4	31.9
E307893	127.0	127.5		0.04	6.5	1.3	6010	2.05	0.02	2.77	<0.02	104	47.5	38	16.65	8	9.55	18.3	0.23	1.5	0.282	2.82	61.9	44.1	1.42	4830	1.42	0.06	3.1	22.9
E307894	127.5	128.0		0.03	6.68	1.4	5690	2.14	0.03	2.99	<0.02	83.3	46.3	41	17.75	15.7	8.7	18.5	0.2	1.6	0.302	2.88	52.7	47.1	1.7	4740	2.14	0.06	3.9	22.1
E307895			Blank	0.01	0.14	10	80	0.13	0.01	45	0.4	2.35	1.1	6	<0.05	4.2	0.06	0.63	<0.05	0.1	<0.005	0.03	1.8	1.3	0.48	43	0.21	0.02	0.3	2
E307896	128.0	128.5		0.02	6.07	<0.2	8350	2.23	0.03	2.57	<0.02	48	55.5	35	14.7	23.4	9.23	17.85	0.31	1.6	0.28	2.93	32.4	40.1	1.36	5510	1.88	0.1	2.8	19.5
E307897	128.5	129.0		0.03	5.23	0.7	7360	1.82	0.03	0.51	<0.02	64.6	65.7	33	12.35	31.8	10.45	15.75	0.32	1.3	0.301	2.42	41.9	32.1	0.88	5530	1.48	0.08	2.6	21.6
E307898	129.0	129.5		0.02	5.75	0.2	8200	2	0.03	2.69	<0.02	129.5	46.1	31	12.95	33.2	7.99	17.05	0.33	1.5	0.249	2.7	79	38.7	1.4	4860	1.01	0.09	3.5	15.7
E307899	129.5	130.0		0.02	5.94	0.6	8150	2.1	0.03	2.79	<0.02	54.6	43.4	35	14.05	25.9	8.4	17.35	0.28	1.5	0.25	2.78	33.4	41.6	1.35	4590	1.19	0.09	3.8	17.6
E307900	130.0	130.5		0.02	4.99	<0.2	3800	1.76	0.02	3.58	<0.02	40	32	26	10.95	33.9	7	14.5	0.25	1.3	0.213	2.24	25.7	33.5	1.42	4280	1.07	0.06	3.5	15
E307901	130.5	131.0		0.14	4.05	3.3	1350	1.24	0.32	1.47	<0.02	51.9	56.7	22	9.03	238	10.05	12.1	0.27	1.1	0.249	1.7	29.1	26.3	1.12	5130	8.87	0.05	2.7	24.4
E307902	131.0	131.5		0.03	6.26	2.5	7510	1.95	0.09	0.96	<0.02	40.4	53.2	37	13.35	34	9.75	18.05	0.26	1.6	0.362	2.92	25.5	38	1.21	4490	2.37	0.07	2.5	24.4
E307903	131.5	132.0		0.04	4.78	1.7	4350	1.6	0.09	0.43	<0.02	114	61.3	32	9.82	72	10.95	13.85	0.18	1	0.306	2.01	72.3	27.5	1	5320	7.27	0.03	3.1	21.8
E307904	132.0	132.5		0.04	5.16	2.6	6160	1.9	0.09	2.51	<0.02	82.3	61.1	29	12.45	73.2	11.25	15.25	0.18	1.2	0.305	2.31	55.2	37.4	1.47	7370	12.5	0.03	3.6	25.4
E307905	132.5	133.0		0.04	6.33	1.3	>10000	2.36	0.02	3.38	<0.02	53.5	54.3	37	15.2	19.1	8.7	18.85	0.13	1.5	0.257	3.1	34	42.8	1.53	1905	1.72	0.03	3.5	19.2
E307906			Blank	0.01	0.09	<5	70	0.06	<0.01	15.1	0.29	1.74	0.8	7	<0.05	6.3	0.05	0.47	<0.05	<0.1	<0.005	0.03	1.4	1.2	0.31	28	0.26	0.01	0.3	1.6
E307907			Standard 3	0.33	6.3	29.6	1720	2.57	1.64	1.85	<0.02	87.2	105.5	42	5.84	1490	6.68	19.85	0.11	1.6	0.118	2.88	52.2	22.9	1.28	3050	19.05	0.8	3	28.1
E307908	133.0	133.5		0.06	5.72	1.5	>10000	2.36	0.06	4.13	<0.02	78.1	46.5	32	15.65	13.6	7.91	17.6	0.09	1.6	0.261	2.89	46.1	42.3	2.06	5650	1.5	0.02	3.5	19.4
E307909	133.5	134.0		0.05	5.46	1	>10000	2.17	0.03	5.3	<0.02	40.1	19.3	27	14.15	3.5	6.29	15.95	0.05	1.6	0.184	2.93	23.5	38.4	2.51	4980	0.84	0.02	3.1	15.9
E307910	134.0	134.5		0.05	5.27	1	9380	2.17	0.03	5.39	<0.02	49.4	25.7	26	15.05	30.4	6.41	15.9	0.05	1.5	0.204	2.71	28.4	36.7	2.45	5180	0.94	0.03	3.1	15.6
E307911	134.5	135.0		0.06	4.68	1.1	1880	1.96	0.07	2.5	<0.02	50.6	24.8	22	11.3	67.9	5.32	14.45	0.05	1.1	0.18	2.33	30.1	29	1.66	4020	3.45	0.04	2.6	15.3
E307912	135.0	135.5		0.03	4.39	0.6	2400	1.78	0.02	1.01	<0.02	48.9	14.4	24	10.95	69.4	5.11	14.15	<0.05	1.1	0.184	2.19	28.8	29.9	1.03	3750	1.97	0.04	2.4	14.3
E307913	135.5	136.0		0.05	6.62	1.1	9940	2.8	0.03	1.22	<0.02	142.5	55.8	39	16.85	32	9	21.3	0.21	1.7	0.296	3.41	74.4	47.8	1.09	5520	2	0.03	2.3	19
E307914	136.0	136.5		0.06	6.5	0.9	>10000	2.95	0.04	3.19	<0.02	109	32.3	36	16.4	5.9	6.67	20.8	0.16	1.5	0.236	3.48	64.1	49.2	1.47	4500	3.07	0.02	2.8	16.1
E307915	136.5	137.0		0.04	5.73	1.7	>10000	2.1	0.05	3.74	<0.02	65.9	43	31	12.85	4.5	7.89	15.5	<0.05	1.3	0.209	2.97	40.9	42.3	1.59	5350	0.65	0.02	2.5	19.5
E307916	137.0	137.5		0.05	5.84	1.5	>10000	2.76	0.05	4.67	<0.02	90.9	29.4	30	16.2	6	6.66	18.9	0.09	1.8	0.223	3.13	53.7	52.8	1.85	5210	1.35	0.02	3.6	19
E307917			Blank	0.03	0.12	<5	120	0.09	0.01	36.4	0.33	1.91	0.9	6	<0.05	5.6	0.06	0.53	<0.05	<0.1	<0.005	0.03	1.5	1.3	0.39	39	0.2	0.02	0.3	2.3
E307918	137.5	138.0		0.06	6.23	1.1	>10000	2.61	0.03	2.06	<0.02	74.1	21.3	35	16.1	20.5	6.33	19.4	0.05	1.7	0.244	3.32	44.1	47.8	1.56	4970	2.94	0.02	2.4	16.5
E307919	138.0	138.5		0.05	5.09	0.3	3520	1.92	0.01	3.12	<0.02	43.3	17.2	28	12.2	129.5	5.82	15.9	<0.05	1.2	0.189	2.51	26.1	37.4	1.85	4060	1.92	0.04	2.6	17.4
E307920	138.5	139.0		0.07	5.37	0.4	>10000	2.18	0.02	2.7	<0.02	52.6	61.6	29	14	2.6	9.01	17	0.07	1.4	0.338	2.78	31.3	42.9	1.81	6940	2.28	0.01	1.9	21.2
E307921	139.0	139.5		0.07	4.31	0.3	3790	1.77	0.02	5.22	<0.02	18.3	23.8	21	9.86	715	9.18	13.15	<0.05	1	0.256	2.2	10.5	28.7	3.3	9530	1.99	0.03	2.1	18.3
E307922	139.5	140.0		0.05	6.72	0.5	>10000	2.84	0.01	2.66	<0.02	70.6	12.4	38	16.3	17.3	4.96	22	0.09	1.8	0.182	3.53	44.1	45.5	1.64	2760	1.89	0.03	3.5	15.9
E307923	140.0	140.5		0.2	4.32	0.9	1860	1.74	0.02	1.89	<0.02	105.5	17.5	23	10.2	289	6.02	14.7	0.11	1.2	0.191	2.19	56.2	32.8	1.57	5570	0.6	0.03	2.1	18.6
E307924	140.5	141.0		0.04	5.83	1	5180	2.3	0.02	1.14	<0.02	46.5	20	35	14.05	40	6.48	18	0.05	1.2	0.234	2.96	28.3	41	1.27	5490	2.11	0.04	2.7	18.8
E307925	141.0	141.5		0.05	5.4	0.9	7860	2.36	0.03	0.23	<0.02	73	90.1	36	13.55	58.7	10.7	18.35	0.13	1.3	0.318	2.71	42.8	41.7	0.88	6660	0.82	0.02	1.7	29.8
E307926	141.5	142.0		0.06	5.81	1.2	9040	2.65	0.04	0.91	<0.02	126.5	104.5	34	14.7	129.5	11.2	20.1	0.21	1.5	0.383	2.81	72.2	46.5	1.22	7280	1.17	0.02	1.6	39.5
E307927			Blank	0.03	0.13	<5	150	0.16	<0.01	43	0.4	2.39	1.2	6	0.05	4.9	0.07	0.62	<0.05	<0.1	<0.005	0.04	1.8	1.5	0.46	47	0.24	0.02	0.3	3.9
E307928			Standard 1	1.4	5.53	42.8	930	2.15	3.03	2.11	<0.02	60.8	166	34	3.72	7770	9.96	16.5	0.13	1.6	0.151	2.13	29.2	24.6	1.27	3560	68.7	0.99	3.5	39.6
E307929	142.0	142.5		0.06	5.98	1.5	>10000	2.45	0.06	0.25	<0.02	53.2	135.5	38	14.85	283	13.55	19.9	0.17	1.4	0.42	2.99	31	46.1	0.83	8320	0.7	0.01	1.3	35.3
E307930	142.5	143.0		0.07	5.84	1.2	>10000	2.5	0.03	0.24	<0.02	160.5	124	37	14.7	96	13.95	19.9	0.24	1.4	0.399	2.88	95	43.3	0.94	8190	0.74	0.01	1.6	33.5
E307931	143.0	143.5		0.07	5.72	1.1	>10000	2.65	0.03	0.24	<0.02	52.7	120	36	14.65	32.4	14.35	18.4	0.16	1.3	0.407	2.88	28.4	41.6	0.9	7860	1.08	<0.01	1.5	33.2
E307932	143.5	144.0		0.06	5.89	1.4	>10000	2.55	0.03	0.22	<0.02	171.5	112.5	39	15.4	44.9	14	19.6	0.28	1.5	0.394	3.02	101	41	0.88	7860	1.71	0.01	1.7	32.7
E307933	144.0	144.5		0.05	5.72	1.3	>10000	2.48	0.03	0.26	<0.02	122.5	107.5	35	15.25	63	13.25	18.5	0.22	1.4	0.395	2.94	71.1	38.4	0.89	7280	1.79	<0.01	1.6	31
E307934	144.5	145.0		0.05	5.86	0.8	>10000	2.7	0.02	0.38	<0.02	240	98.1	36	15.6	16.3	12.15	20.1	0.3	1.7	0.413	2.98	136.5	39.6	0.98	7260	2.17	0.02	2.2	28.8
E307935	145.0	145.5		0.05	4.13	1.6	1250	1.69	0.02	3.25	<0.02	41.4	29.8	20	8.96	31.7	3.78	13.1	<0.05	1	0.142	1.93	26.2	29.8	1.7	3390	3.24	0.04	3.2	15.6
E307936	145.5	146.0		0.04	1.31	0.6	850	0.57	0.03	1.69	<0.02	45.8	18.1	7	2.83	233	3.82	4.95	<0.05	0.3	0.121	0.58	27.8	8.2	1.23	4580	1.03	0.01	1.3	8.9
E307937	146.0	146.7		0.05	5.71	1	9160	2.46	0.02	4.27	<0.02	62.6	18.2	31	13.6	3	5.01	18.1	0.06	1.5	0.162	2.97	38.7	38.1	2.2	3900	2.34	0.03	3.3	14.1
E307938			Blank	0.03	0.14	<5	190	0.13	0.01	42.8	0.37	2.43	1.2	6	0.05	10.7	0.08	0.61	<0.05	<0.1	<0.005	0.04	1.9	1.6	0.47	49	0.31	0.02	0.4	2.3
E307939	146.5	147.0		0.05	3.98	0.5	1660	1.66	0.01	3.84	<0.02	94.5	13.5	20	9.15	221	4.25	12.55	0.05	0.9	0.149	1.94	52.5	28.2	2.01	4290	1.37	0.03	3.1	11.7
E307940	147.0	147.5		0.06	6.33	0.6	>10000	2.32	0.01	4.39	<0.02	180	13.3	37	14.9	35.5	4.58	19.9	0.12	1.6	0.251	3.27	103.5	47.3	2.27	4150	1.9	0.03	4.2	17.6
E307941	147.5	148.0		0.04	5.36	0.5	4860	2.29	0.01	3.2	<0.02	79.5	12	30	13.3	51.8	4.74	17.1	0.06	1.4	0.198	2.76	46.9	38.3	1.7	3610	2.21	0.04	3	13.1
E307942	148.0	148.5		0.05	5.13	1	4350	2.31	0.03	3.47	<0.02	63.9	14.9	31	12.35	37.9	5.15	16.4	<0.05	1.3	0.157	2.55	39.3	37.6	1.93	3840	1.98	0.03	3.3	15.4
E307943	148.5	149.0		0.13	5.61	1.3	3470	1.85	0.03	2.09	<0.02	141.5	18.4	30	13.3	90.9	5.43	19	0.21	1.6	0.167	2.79	84.2	40.6	1.42	3130	3.43	0.04	3	18.8
E307944	149.0	149.5		0.05	4.73	2	2050	1.67	0.04	3.34	<0.02	49.6	18.2	26	11.65	81.6	5.48	14.65	0.08	1.3	0.169	2.35	30	32.1	1.86	4130	2.4	0.04	3	14.9
E307945	149.5	150.0		0.05	4.59	0.9	1800	1.73	0.03	0.26	<0.02	45.8	16.6	26	12.2	75.9	6.22	15.25	0.11	1.1	0.186	2.28	24.8	35.5	0.89	4550	1.93	0.04	1.8	17.2
E307946	150.0	150.5		0.1	5.05	0.8	2030	1.79	0.01	0.54	<0.02	47.6	17.9	31	10.95	108	7.33	16.3	0.11	1.2	0.206	2.52	27.8	34.7	1.29	6880	0.87	0.04	2.4	18.1
E307947	150.5	151.0		0.05	5.14	0.9	5550	1.78	0.02	3.53	<0.02	60.3	13.3	30	12.8	73.7	5.97	15.7	0.11	1.4	0.173	2.66	36.8	37.4	1.95	4020	2.16	0.03	3.2	14.1
E307948			Blank	0.01	0.12	<5	140	0.11	<0.01	41.1	0.34	2.09	1	5	<0.05	3.8	0.06	0.49	<0.05	0.1	<0.005	0.03	1.6	1.5	0.44	40	0.2	0.02	0.3	1.5
E307949			Standard 2	1.21	2.2	79.4	170	0.58	10.8	2.12	<0.02	201	309	11	2.53	8250	24.8	10.15	0.36	0.7	0.259	0.62	124	21.5	1.49	5840	59	0.24	5.8	54.9
E307950	151.0	151.5		0.05	5.67	0.6	5960	2.05	0.04	3.22	<0.02	81.4	18.1	33	13.7	78.5	6.48	17.9	0.13	1.6	0.222	2.8	49	42.2	1.84	4490	3.7	0.03	3.3	19.6
E307951	151.5	152.0		0.04	5.4	0.4	5870	2.04	0.02	4.16	<0.02	66	28.8	27	12.95	15.9	6.9	16.15	0.1	1.5	0.218	2.63	40.2	39.5	1.71	5190	1.99	0.03	3.4	17.5
E307952	152.0	152.5		0.06	4.88	1.2	9450	1.72	0.02	5.17	<0.02	64.2	38.5	24	12.25	7	7.55	14.7	0.11	1.4	0.222	2.5	37.3	36.6	1.97	6210	2.43	0.02	3	18.9
E307953	152.5	153.0		0.05	6.38	6.4	3670	2.2	0.04	3.29	<0.02	20.5	58.5	34	11.7	18.6	4.48	19.2	<0.05	1.6	0.147	3.29	12	38.1	1.79	2970	7.13	0.06	5.5	18.3
E307954	153.0	153.5		0.04	6.07	2.3	5940	2.12	0.02	3.05	<0.02	107	24.1	36	12.05	21.4	5.77	19.55	0.18	1.6	0.153	3.09	57.6	37.7	1.88	3110	1.2	0.04	4.8	22.7
E307955	153.5	154.0		0.04	6.14	4.9	5960	2.34	0.03	3.48	<0.02	91.5	22.3	34	14.45	109.5	6.99	20.4	0.18	1.6	0.207	3.12	58.7	48.9	2.16	4390	1.72	0.04	5.4	21.4
E307956	154.0	154.5		0.04	6.35	1.6	9940	2.36	0.01	4.6	<0.02	178.5	24.6	34	13.05	12.5	4.46	20.9	0.22	1.9	0.155	3.27	102	43.8	2.21	3780	0.72	0.03	6.9	19.6
E307957	154.5	155.0		0.04	6.91	0.9	>10000	2.6	<0.01	5.1	<0.02	67.9	20.3	36	14.45	8.6	4.98	22.2	0.13	1.9	0.179	3.55	39	50.5	2.53	4060	0.62	0.03	8.5	21.6
E307958	155.0	155.5		0.03	5.09	0.5	6740	1.92	0.02	3.66	<0.02	27.9	17.1	28	10.5	18.3	5.02	16.1	0.07	1.3	0.158	2.6	18.4	35.2	1.93	4320	0.62	0.02	4.6	17.4

IG-2007-29

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E307873	118.0	118.5		700	1.7	198	<0.002	0.13	2.17	9.2	2	16.9	277	0.17	0.05	18.8	0.114	0.41	2	68	16.3	11.8	<2	60.3		<0.001	1.9
E307874	118.5	119.0		560	1.3	176	<0.002	0.11	2	9.3	2	13.4	386	0.13	<0.05	13.1	0.095	0.38	2	59	13.8	10	<2	53.9		<0.001	2.41
E307875	119.0	119.5		640	1	165.75	<0.002	0.17	1.59	7.1	2	11.1	324	0.11	0.06	10.1	0.105	0.27	1.6	62	11.4	8	<2	42.7		0.001	2.09
E307876	119.5	120.0		550	0.9	153	<0.002	0.1	1.85	8.1	2	12.5	704	0.13	0.05	9.1	0.092	0.3	1.9	57	13	10.4	<2	45.3		<0.001	
E307877	120.0	120.5		620	1.1	184.5	<0.002	0.11	2.06	9	2	14.4	855	0.15	0.05	11	0.104	0.36	2	64	14.8	9.5	<2	54.4		<0.001	4.9
E307878	120.5	121.0		610	1.2	193.5	<0.002	0.14	2.15	9.9	2	15.1	523	0.18	<0.05	10.2	0.112	0.41	2.2	67	15.5	9.5	<2	59.2		<0.001	3.35
E307879	121.0	121.5		590	1.2	162	<0.002	0.11	1.87	8.6	2	12.2	718	0.16	<0.05	11.1	0.093	0.32	1.9	56	12.9	9.2	<2	51.1		<0.001	
E307880	121.5	122.0		830	2.1	116	0.002	0.36	1.56	7.4	3	8.7	1150	0.18	0.17	9.5	0.091	0.3	1.9	59	11.4	10.4	5	36.6		0.018	
E307881	122.0	122.5		510	2.1	113	<0.002	0.23	1.42	6.7	1	6.6	1550	0.16	0.08	8.3	0.08	0.25	1.5	45	9.3	9.8	5	29.6		0.001	
E307882	122.5	123.0		950	1.9	87.2	0.002	0.21	1.45	6.4	1	5.1	1960	0.17	0.37	8.1	0.07	0.19	1.9	42	8.8	12.7	5	26.4		0.004	
E307883			Blank	130	0.9	1.3	<0.002	0.06	0.12	0.4	2	0.2	292	<0.05	<0.05	0.3	0.007	<0.02	0.6	17	0.2	3.1	26	4		0.001	
E307884			Standard 2	2540	6.3	42.4	0.021	7.5	2.62	3.6	6	8.8	188.5	0.15	1.25	6	0.034	0.54	18	61	7.8	16	9	26.4		0.106	
E307885	123.0	123.5		860	2.2	116.5	<0.002	0.16	1.45	8.4	1	8.1	1385	0.17	0.09	7.7	0.089	0.28	1.7	56	11	10.4	2	43.4		0.001	
E307886	123.5	124.0		500	1.5	111	<0.002	0.13	1.04	6.8	1	5.5	1750	0.07	0.05	6.1	0.067	0.26	1.2	45	8.2	10.1	<2	36.7		<0.001	
E307887	124.0	124.5		950	1.3	121	0.006	0.14	1.85	7	<1	5.9	2020	0.2	0.08	7.1	0.084	0.24	1.9	47	11.6	11.7	4	32.9		0.003	
E307888	124.5	125.0		580	1.5	164.5	<0.002	0.13	2.51	9.3	<1	7.3	1075	0.28	<0.05	11.3	0.123	0.34	2	57	13.7	13.1	3	47.4		<0.001	
E307889	125.0	125.5		700	1.3	189	<0.002	0.14	1.98	9.6	<1	7.6	354	0.11	0.05	11.1	0.099	0.36	1.9	59	11.9	11.1	2	51.1		<0.001	2.26
E307890	125.5	126.0		600	1.5	196.5	0.002	0.2	2.32	10.8	<1	7.4	186	0.26	0.07	15.5	0.15	0.39	1.8	66	12.8	13	3	59.3		0.001	1.32
E307891	126.0	126.5		720	1.4	190.5	<0.002	0.14	1.99	9.3	<1	7.4	532	0.22	0.06	10.8	0.138	0.37	1.8	68	13	10.9	3	46.7		<0.001	3.93
E307892	126.5	127.0		1060	4.8	150	<0.002	0.13	1.45	9.5	2	6.9	1120	0.1	0.34	8.2	0.081	0.31	1.9	58	10.3	10.9	3	42.5		<0.001	
E307893	127.0	127.5		610	1.4	179.5	<0.002	0.12	2.2	10	<1	7.9	820	0.19	0.15	10.9	0.111	0.39	2	61	13.3	11.7	3	50.7		<0.001	4.31
E307894	127.5	128.0		640	1.5	197	<0.002	0.1	2.22	10.6	<1	8.6	748	0.24	<0.05	11.2	0.126	0.37	2.2	63	14.5	12.5	4	54.9		<0.001	4.54
E307895			Blank	110	0.7	0.9	<0.002	0.07	0.11	0.2	<1	<0.2	275	<0.05	<0.05	0.2	0.007	<0.02	0.7	1	0.1	2.8	22	3.1		<0.001	
E307896	128.0	128.5		610	1.3	165.5	<0.002	0.16	1.73	9.5	<1	7.8	554	0.15	0.21	11.3	0.107	0.34	1.8	59	11.3	10.9	4	52.7		<0.001	3.43
E307897	128.5	129.0		650	1.3	139	<0.002	0.15	1.71	8.1	<1	8.3	577	0.13	0.06	10	0.094	0.3	1.7	51	9.8	8.4	3	43.5		<0.001	4.19
E307898	129.0	129.5		600	1.5	156	<0.002	0.16	2.1	9	1	6.8	485	0.22	0.12	15	0.117	0.33	1.9	55	11.1	10.7	3	50.3		<0.001	2.75
E307899	129.5	130.0		610	1.3	161.5	<0.002	0.16	2.02	9.3	1	7.7	556	0.23	0.08	11.8	0.116	0.33	2.4	59	11.6	10.9	3	50.1		<0.001	3.8
E307900	130.0	130.5		480	1	125	<0.002	0.17	1.8	7.5	<1	6.1	1385	0.22	0.05	8.1	0.107	0.26	1.5	49	10.1	12.9	4	40.3		<0.001	
E307901	130.5	131.0		690	1.9	112.5	0.002	0.14	1.4	6.9	2	5.7	1670	0.14	0.14	10	0.076	0.2	1.9	45	8.9	9.4	4	36.5		0.001	
E307902	131.0	131.5		600	1.7	150.5	<0.002	0.2	1.66	10.2	1	7.7	557	0.14	0.11	8.8	0.105	0.31	2.2	62	11.3	10.5	5	51.5		<0.001	4.13
E307903	131.5	132.0		710	1.2	125.5	<0.002	0.19	1.76	7.1	2	5.8	998	0.18	0.14	7.9	0.096	0.25	1.6	47	10.5	8.1	4	35.9		0.001	
E307904	132.0	132.5		740	1.4	148.5	0.002	0.19	1.73	8.6	2	6.2	883	0.21	0.26	8.5	0.104	0.3	1.7	53	12.4	10.6	5	40.8		0.001	5.2
E307905	132.5	133.0		580	1.2	181.5	<0.002	0.26	2.01	9.4	1	7.3	473	0.23	0.05	10.2	0.136	0.34	2	66	13.8	11.1	4	49.9		<0.001	3.39
E307906			Blank	60	0.5	0.6	<0.002	0.1	0.06	0.4	2	<0.2	154	<0.05	<0.05	0.2	0.006	<0.02	0.6	6	0.1	2.1	18	2.5		<0.001	
E307907			Standard 3	700	4.7	128.5	0.006	1.31	1.17	10.5	2	7.5	462	0.17	0.19	12	0.111	0.36	19.8	61	7.9	10.9	8	51.1		0.018	
E307908	133.0	133.5		580	2.3	155.5	0.002	0.3	2.2	9.7	1	6.6	486	0.24	0.05	11.1	0.128	0.34	3.8	57	13.1	12.9	4	46.3		<0.001	2.94
E307909	133.5	134.0		520	1.7	164	<0.002	0.28	1.9	9	2	5	325	0.23	<0.05	10.4	0.122	0.32	2.8	51	11.9	12.8	3	46.9		<0.001	2.02
E307910	134.0	134.5		540	1.3	161.5	<0.002	0.25	2.08	9.2	1	5	442	0.23	0.16	10.2	0.117	0.33	4.6	49	11.7	13.7	3	46.4		<0.001	2.95
E307911	134.5	135.0		480	1.3	136.5	<0.002	0.24	1.54	7.3	1	4	1160	0.17	0.1	6.4	0.093	0.26	3.9	44	9	8.6	3	33.4		0.001	
E307912	135.0	135.5		480	1.8	138	<0.002	0.15	1.64	7.2	2	3.8	1690	0.16	0.05	7.9	0.092	0.26	1.9	40	8.6	7.5	4	33.7		<0.001	
E307913	135.5	136.0		670	2	188	<0.002	0.18	1.87	11.4	2	5	153.5	0.14	<0.05	16.9	0.133	0.39	3.7	58	11.4	10.7	2	52.6		<0.001	1.1
E307914	136.0	136.5		610	1.8	179.5	0.003	0.31	1.97	11.8	2	5	442	0.19	0.22	12.8	0.142	0.38	2.6	60	12.1	12	2	49.7		<0.001	2.69
E307915	136.5	137.0		540	1.4	162.5	<0.002	0.29	1.88	8.8	2	5.7	296	0.22	<0.05	10.1	0.121	0.3	1.8	57	10.2	10.8	3	42.3		<0.001	2.04
E307916	137.0	137.5		550	2.2	191	<0.002	0.29	2.29	10.8	2	6.4	279	0.27	0.05	13.4	0.136	0.38	2	59	12.6	15.5	3	56.7		<0.001	1.49
E307917			Blank	90	1.2	0.9	<0.002	0.06	0.13	0.5	2	<0.2	216	<0.05	<0.05	0.2	0.006	<0.02	0.6	6	0.1	2.3	19	2.5		<0.001	
E307918	137.5	138.0		630	1.9	177.5	0.002	0.25	1.91	10.7	2	6.2	172	0.16	<0.05	13.5	0.124	0.37	2.2	56	11	10.8	3	51.1		<0.001	1.31
E307919	138.0	138.5		470	1.5	153	<0.002	0.23	1.7	8.3	2	4.9	1265	0.19	<0.05	8.9	0.102	0.27	2.2	49	9.7	8.8	3	38.1		<0.001	
E307920	138.5	139.0		560	1.6	169.5	<0.002	0.28	1.57	10.1	1	5.5	283	0.13	<0.05	12.1	0.103	0.34	1.8	50	9.7	10.2	2	45.1		<0.001	1.49
E307921	139.0	139.5		440	2.5	128	<0.002	0.18	1.36	7.9	2	3.9	632	0.14	<0.05	7.1	0.081	0.24	1.9	40	7.6	8.1	6	32.2		0.001	
E307922	139.5	140.0		660	1.6	191	<0.002	0.31	2.52	10.8	2	7.7	328	0.23	<0.05	12.8	0.134	0.4	2.9	64	13	11.4	2	57.2		0.001	2.58
E307923	140.0	140.5		550	1.7	132	<0.002	0.21	1.32	7.3	1	6.5	1395	0.11	0.08	9.7	0.072	0.25	1.9	42	7.6	8.6	3	37.7		<0.001	
E307924	140.5	141.0		630	1.5	173	<0.002	0.25	1.71	9.6	1	7.5	1235	0.15	<0.05	9	0.108	0.31	1.9	56	10.4	9	3	40.7		<0.001	9.08
E307925	141.0	141.5		580	1.6	169	<0.002	0.2	1.42	9.4	2	8.2	461	0.09	<0.05	11	0.092	0.32	2	57	10	8.3	3	43.4		<0.001	3.45
E307926	141.5	142.0		580	1.6	178	0.002	0.29	1.36	10.8	2	8.3	668	0.09	<0.05	12.1	0.09	0.35	2.2	57	10.2	10.3	4	45.9		<0.001	5.43
E307927			Blank	110	1.1	1.1	<0.002	0.06	0.1	0.6	2	0.2	255	<0.05	<0.05	0.2	0.007	<0.02	0.7	7	0.1	2.9	22	3		<0.001	
E307928			Standard 1	890	22.1	90.4	0.021	2.28	1.59	9.9	4	7.8	557	0.18	0.28	9.1	0.087	0.42	285	57	8.5	15.5	8	50.7		0.051	
E307929	142.0	142.5		600	1.5	184.5	0.002	0.39	1.36	10.5	2	7.9	350	0.06	0.05	12.2	0.095	0.35	2	59	10.2	8.8	3	43.1		0.002	2.1
E307930	142.5	143.0		630	1.7	178.5	<0.002	0.33	1.45	10.6	2	7.3	385	0.09	<0.05	13.8	0.101	0.34	1.7	58	10.4	9.3	3	42.5		<0.001	2.44
E307931	143.0	143.5		590	1.3	169	0.002	0.42	1.41	10.6	1	6.8	370	0.08	<0.05	10.1	0.097	0.34	1.7	58	10.2	7.9	2	41.8		<0.001	2.11
E307932	143.5	144.0		620	1.7	184.5	<0.002	0.25	1.52	10.8	2	6.7	203	0.09	<0.05	15.8	0.107	0.36	1.7	61	10.2	9.9	3	48.7		<0.001	1.27
E307933	144.0	144.5		550	1.7	178.5	0.002	0.38	1.34	10.5	2	6.4	383	0.08	<0.05	13.4	0.102	0.34	1.7	58	9.7	9	3	44.8		<0.001	2.12
E307934	144.5	145.0		590	2	186.5	<0.002	0.22	1.6	11.1	2	6.4	186	0.13	0.05	17.2	0.112	0.37	1.9	57	10.9	10.8	3	54.4		<0.001	1.2
E307935	145.0	145.5		380	1.5	120	0.002	0.24	1.85	7.4	1	7.2	1945	0.21	0.05	5.8	0.096	0.23	1.5	41	10.2	9.3	4	31.9		<0.001	
E307936	145.5	146.0		160	1.8	40.9	<0.002	0.19	0.62	2.7	1	1.7	1920	0.06	<0.05	3.7	0.032	0.09	0.8	14	3.1	4	6	11.9		0.001	
E307937	146.0	146.7		640	1.1	176.5	0.002	0.24	2.01	10.1	1	5.9	420	0.23	<0.05	11.9	0.117	0.34	1.7	58	11.2	10.8	2	45.8		<0.001	3.06
E307938			Blank	110	0.8	1.1	<0.002	0.07	0.11	0.6	2	0.2	260	<0.05	<0.05	0.3	0.007	<0.02	0.9	7	0.1	2.8	22	3.3		<0.001	
E307939	146.5	147.0		430	1.7	118	<0.002	0.18	1.5	6.5	1	5	1345	0.18	<0.05	6.6	0.09	0.23	1.3	40	8.5	8.3	4	30.7		<0.001	
E307940	147.0	147.5		740	1.4	190.5	<0.002	0.26	2.2	10.3	1	7.7	349	0.25	0.05	13.4	0.137	0.35	2.1	63	13.3	14.2	3	51.7		<0.001	2.92
E307941	147.5	148.0		610	1.4	168	<0.002	0.21	1.97	9	2	6.2	1015	0.2	0.05	10.1	0.112	0.32	2.1	53	11.1	10.3	2	43.4		<0.001	
E307942	148.0	148.5		590	1.4	159	0.002	0.21	1.99	8.7	2	6.2	1100	0.21	0.1	9.5	0.106	0.32	1.7	51	10.5	9.4	2	41.1		<0.001	
E307943	148.5	149.0		620	2.4	163.5	<0.002	0.16	1.8	9.6	2	5.9	1360	0.21	<0.05	13.3	0.113	0.33	2	57	10.8	9.7	3	54.2		<0.001	
E307944	149.0	149.5		530	1.8	132	<0.002	0.23	1.67	8	1	4.4	1515	0.2	<0.05	8.9	0.104	0.29	1.9	47	9.3	9	3	45.8		<0.001	
E307945	149.5	150.0		460	1.7	135.5	<0.002	0.16	1.28	7.8	1	5.3	1860	0.11	<0.05	7.2	0.082	0.29	1.8	46	7.9	8.2	3	39.9		<0.001	
E307946	150.0	150.5		560	1.5	142.5	<0.002	0.27	1.46	8.6	1	4.4	2050	0.17	0.11	8.9	0.099	0.33	1.6	49	8.6	8.1	3	42.1		<0.001	
E307947	150.5	151.0		540	1.4	146	<0.002	0.23	1.97	9.1	1	4.4	1095	0.22	<0.05	10.2	0.121	0.3	1.9	54	9.9	10	2	48.6		<0.001	6.71
E307948			Blank	100	0.7	0.8	<0.002	0.06	0.09	0.5	2	<0.2	233	<0.05	<0.05	0.2	0.008	<0.02	0.6	7	0.1	2.6	42	3.1		<0.001	
E307949			Standard 2	2210	6.1	32.1	0.017	6.26	2.14	4.1	5	7.2	166	0.13	1.22	6.1	0.035	0.47	14.2	56	6.2	14.5	5	23.6		0.125	
E307950	151.0	151.5		580	1.5	160	0.002	0.18	1.93	9.5	1	5.6	592	0.23	<0.05	10.6	0.124	0.34	2.5	55	10.9	12.2	3	52.8		<0.001	5
E307951	151.5	152.0		520	1.3	153	<0.002	0.14	2.06	9.1	2	4.8	575	0.24	<0.05	11.3	0.126	0.3	2	49	10.6	11.8	3	51		<0.001	3.56
E307952	152.0	152.5		490	1.4	138	<0.002	0.22	2.01	8.4	1	4	340	0.23	0.05	10.3	0.118	0.28	1.9	48	10.2	13	3	50.3		<0.001	1.72
E307953	152.5	153.0		710	2.2	176	0.002	0.27	3.17	9.7	2	6.1	533	0.41	<0.05	11.8	0.175	0.49	1.9	62	14.8	10.3	3	54.5		<0.001	
E307954	153.0	153.5		630	1.8	169	<0.002	0.18	2.75	10.5	2	5.8	408	0.34	<0.05	14.4	0.149	0.39	2.3	61	12.8	10.8	3	58.2		<0.001	2.66
E307955	153.5	154.0		950	1.6	183	0.002	0.19	2.57	11.8	2	8.4	647	0.34	<0.05	13.4	0.149	0.39	3	64	14.6	12.5	4	60.3		<0.001	4.62
E307956	154.0	154.5		560	1.6	182.5	<0.002	0.26	3.32	11.5	2	6.2	293	0.53	<0.05	17.5	0.193	0.42	2.5	63	15.6	14.5	2	66.6		0.002	2.05
E307957	154.5	155.0		620	1.3	206	<0.002	0.3	3.22	12.5	2	6.5	344	0.49	<0.05	12.9	0.188	0.44	2.2	67	14.7	15.3	2	66.8		<0.001	1.97
E307958	155.0	155.5		410	1.1	145.5	<0.002	0.25	2.29	8.9	1	4.6	824	0.33	<0.05	7.7	0.138	0.34	2.1	51	11	10.9	3	48.5		<0.001	6.54

IG-2007-29

Sample No	From (m)	To (m)	Standard/Blank	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
E307959			Blank	0.01	0.14	<5	110	0.12	<0.01	43.5	0.39	2.23	1	6	<0.05	4.1	0.06	0.58	<0.05	0.1	<0.005	0.03	1.7	1.6	0.46	42	0.21	0.02	0.3	1.8
E307960	155.5	156.0		0.06	5	1.1	3070	1.79	0.01	0.57	<0.02	36.2	26	28	10.05	51.3	8.63	16.65	0.11	1.3	0.244	2.42	21.7	33.6	1.8	9510	1.22	0.03	3.2	20.3
E307961	156.0	156.5		0.05	5.66	0.9	7600	2.17	0.02	3.49	<0.02	53.3	27.2	33	12.25	9.5	6.76	18	0.11	1.6	0.209	3.08	29.6	34.7	2.09	5950	1.17	0.03	4.2	19.8
E307962	156.5	157.0		0.08	5.56	1.2	2620	2.69	0.06	1.45	<0.02	42.8	21.3	36	9.43	491	6.51	19.75	0.12	1.5	0.153	2.96	25.1	41.6	1.52	4360	3.07	0.04	3.8	29.1
E307963	157.0	157.5		0.05	4.98	3.5	1880	2.07	0.06	0.55	<0.02	60.8	30.2	28	8.58	526	7.72	17.15	0.13	1.3	0.187	2.55	39.8	36.7	1.34	6500	2.41	0.03	3.2	24
E307964	157.5	158.0		0.11	3.69	4.5	1120	1.39	0.04	0.31	<0.02	76.4	29.3	21	6.59	346	10.6	13.35	0.13	0.9	0.212	1.62	49.9	29.3	1.43	8060	14.25	0.03	4.2	32
E307965	158.0	158.5		0.03	2.13	0.5	1290	0.95	0.01	0.84	<0.02	30.4	9.1	11	3.73	264	3.56	7.5	<0.05	0.6	0.08	1.04	17.8	14.5	0.84	2970	1	0.01	2.3	8.8
E307966	158.5	159.0		0.04	5.25	1.1	4950	1.93	0.04	5.31	<0.02	22.2	15.5	26	10.95	225	5.13	15.6	0.07	1.4	0.137	2.63	12.7	35.5	2.67	4130	1.8	0.04	5.1	15.1
E307967	159.0	159.5		0.05	5.76	0.8	9190	2.45	0.02	4.42	<0.02	49.7	20.5	33	13.2	113	6.61	19	0.12	1.8	0.194	3.1	28.6	42.6	2.49	4680	1.92	0.02	5.4	20.8
E307968	159.5	160.0		0.04	5.9	0.8	>10000	1.91	0.02	4.73	<0.02	154	19.3	34	12.9	24.7	5.05	18.85	0.23	1.8	0.15	3.04	87.4	45.7	2.35	3730	1.86	0.02	5.9	18
E307969			Blank	0.01	0.15	<5	140	0.14	<0.01	40.9	0.36	2.43	1.1	7	0.11	4.8	0.08	0.73	<0.05	0.1	0.005	0.04	1.8	1.9	0.45	42	0.27	0.02	0.4	1.2
E307970			Standard 3	0.32	6.6	46.4	950	2.59	1.62	1.93	<0.02	75	117	42	6.42	1525	7.06	20.3	0.14	1.8	0.137	2.98	40.4	23.8	1.34	3160	20.2	0.6	3.1	25
E307971	160.0	160.5		0.06	5.82	0.9	>10000	1.84	0.03	5.86	<0.02	93.4	20	30	12.15	21.7	5.75	17.7	0.14	1.6	0.17	2.91	53.6	42.1	2.79	4670	2.65	0.02	4.9	16.3
E307972	160.5	161.0		0.05	6.46	1.1	9960	2.08	0.02	4.4	<0.02	76.3	15.7	35	13.55	63.3	5.52	19.85	0.11	1.7	0.184	3.41	43.9	47	2.2	3590	0.66	0.03	4.3	18.3
E307973	161.0	161.5		0.03	3.79	0.9	1880	0.99	0.01	5.18	<0.02	32.2	19.9	17	6.77	75.1	4.91	10.45	0.06	1.1	0.123	1.82	17.5	25.5	2.18	4610	0.78	0.04	3.6	17.3
E307974	161.5	162.0		0.06	2.97	1.8	880	1.2	0.02	0.41	<0.02	36.6	34.3	16	5.08	325	12.2	10.6	0.14	0.8	0.264	1.43	20.5	19.9	1.95	12450	2.82	0.02	3.3	30.6
E307975	162.0	162.5		0.04	4.18	1.5	1340	1.27	0.02	2.75	<0.02	45.5	14.3	19	5.7	165.5	5.36	11	0.05	0.8	0.083	2.07	26.7	21.1	1.5	2660	2.38	0.03	4.2	15.5
E307976	162.5	163.0		0.05	5.94	1.1	6800	2.53	0.02	4.86	<0.02	70.4	25.2	32	9.66	123	6.82	18.9	0.13	1.6	0.197	3.06	43	43.5	2.44	4710	1.66	0.02	4.6	28.2
E307977	163.0	163.5		0.05	5.56	0.8	5580	2.25	0.04	6.01	<0.02	30.5	21.7	27	10.65	434	5.87	17.85	0.09	1.5	0.203	2.96	17.5	38.8	2.77	5530	1.59	0.03	5	21.9
E307978	163.5	164.0		0.06	5.24	2.4	4730	2.15	0.03	2.83	<0.02	79.1	20.8	32	7.98	344	7.43	17.7	0.13	1.3	0.142	2.83	49.8	34.8	1.79	4350	3.36	0.03	5.4	26
E307979	164.0	164.5		<0.01	6.47	0.6	4580	1.89	0.04	3.06	<0.02	81	16.8	35	12.1	26.6	4.7	18.5	0.15	1.6	0.148	3.13	44.3	37.7	1.66	3550	1.72	0.07	4.6	17.2
E307980			Blank	0.01	0.14	6	120	0.07	0.02	39.6	0.33	2.29	0.8	5	<0.05	3.8	0.06	0.57	0.13	0.1	<0.005	0.03	1.7	1.3	0.44	42	0.2	0.02	0.3	3.3
E307981	164.5	165.0		0.02	6.9	0.6	>10000	2.32	0.03	4.83	<0.02	71.2	22.2	35	13.45	11	6.39	19.1	0.14	1.8	0.172	3.33	40.8	46.1	2.03	4660	0.98	0.06	4.7	23.2
E307982	165.0	165.5		0.01	5.35	0.4	1410	1.7	0.03	3.62	<0.02	38	13.6	27	9.66	240	5.26	14.9	0.13	1.4	0.131	2.56	21.4	33.7	1.73	3880	0.61	0.05	4	18
E307983	165.5	166.0		0.04	3.36	0.3	650	1.2	0.02	2.22	<0.02	22.6	17.9	17	6.06	354	7.24	10.15	0.1	0.9	0.153	1.62	11.2	18.7	1.78	7140	1.01	0.03	2.8	21
E307984	166.0	166.5		0.01	5.41	<0.2	1070	1.99	0.03	2.83	<0.02	30.6	10.8	28	9.36	161	4.26	15.3	0.11	1.3	0.115	2.61	15.6	31.3	1.61	3040	0.78	0.05	4.5	14.6
E307985	166.5	167.0		0.03	7.23	0.6	3610	3.28	0.03	3.37	<0.02	73	15.7	39	7.36	27.8	6.11	21.9	0.16	2	0.156	3.69	41.3	51.5	1.93	4550	6.02	0.05	4.2	27.2
E307986	167.0	167.5		0.02	5.9	0.7	2880	2.47	0.04	3.15	<0.02	85.6	19.9	32	6.56	196	6.29	16.75	0.17	1.7	0.123	2.77	45.9	50.4	2.07	3970	3.5	0.07	3.4	27
E307987	167.5	168.0		0.02	8	1.4	3680	3.16	0.07	1.6	<0.02	106	26.5	50	11.15	110.5	6.37	24.8	0.19	2.1	0.164	3.84	60.4	53.7	1.54	2970	2.95	0.06	5.1	28
E307988	168.0	168.5		0.01	5.4	1	4090	2.44	0.04	3.28	<0.02	83.5	17.6	33	6.79	297	6.84	18.45	0.14	1.4	0.16	2.9	38.1	35.1	2.07	5480	1.95	0.04	4.1	26.6
E307989	168.5	169.0		0.06	3.34	7.5	1620	1.25	0.15	3.05	<0.02	135	20.4	19	5.56	29.1	10.1	11.35	0.19	0.8	0.098	1.53	88.7	21.3	1.56	3620	6.49	0.03	6.2	25.8
E307990	169.0	169.5		0.03	5.07	0.2	3100	1.85	0.06	4.15	<0.02	25.4	14.1	29	9.41	251	5.08	15.4	0.11	1.3	0.137	2.56	15.7	30.4	2.06	4450	1.17	0.05	4	19.5
E307991			Blank	0.01	0.12	13	120	0.09	0.01	42.9	0.37	2.27	0.7	6	<0.05	2.2	0.05	0.58	0.13	0.1	<0.005	0.03	1.7	1.7	0.47	36	0.18	0.03	0.3	3.8
E307992			Standard 1	1.19	5.3	51.3	330	2.01	3.14	1.99	<0.02	62.2	158	34	3.66	7060	9.24	15.3	0.17	1.6	0.14	2.04	27.6	26.9	1.22	3480	67.6	0.84	3.8	38.6
E307993	169.5	170.0		0.02	4.72	0.4	2110	1.6	0.03	3.01	<0.02	64.2	12.6	25	8.04	174.5	4.69	14.45	0.13	1.3	0.138	2.42	32.1	30.6	1.61	4230	1.13	0.05	3.6	16.1
E307994	170.0	170.5		0.04	4.96	0.8	1670	2.25	0.07	2.68	<0.02	199	20.4	27	6.68	367	5.4	16.2	0.21	1.4	0.133	2.43	104.5	39.3	1.56	3630	2.47	0.05	3.5	22.2
E307995	170.5	171.0		0.03	5.56	1.9	4990	1.96	0.03	4.41	<0.02	94.4	43.4	31	5.04	93.7	8.61	16.1	0.17	1.4	0.111	2.08	58.7	66.4	2.73	4210	2.16	0.48	3.9	43.1
E307996	171.0	171.5		0.04	6.99	2.2	9170	3.08	0.05	2.88	<0.02	142.5	37.8	42	7.07	37	7.19	24.7	0.21	1.9	0.145	3.66	84.7	82.6	1.62	2670	15.85	0.03	6.9	47
E307997	171.5	172.0		0.01	6.05	0.6	>10000	2.34	0.02	4.79	<0.02	106.5	15.2	35	10.9	11.1	5.36	18.65	0.15	1.7	0.144	3.15	58.4	43.2	2.12	4010	0.64	0.04	5.2	18.3
E307998	172.0	172.5		0.03	4.75	1.4	810	2.37	0.06	2.14	<0.02	91	29.6	27	5.06	376	6	15.65	0.16	1.3	0.09	2.06	45.5	41.6	1.57	2340	2.95	0.04	3.6	26.3
E307999	172.5	173.0		0.01	6.34	0.7	>10000	2.06	0.02	4.68	<0.02	106.5	21.3	33	5.85	22.4	6.46	15.1	0.18	1.8	0.083	2.14	56.5	40.7	2.36	4160	1.42	1.53	2.9	24.4
E308000	173.0	173.5		0.16	1.33	<0.2	170	0.67	0.06	1.22	<0.02	7.78	8	11	1.84	7820	2.47	4.34	0.08	0.4	0.07	0.55	3.2	15.2	0.65	1145	0.38	0.02	1.1	7.1
E308001	173.5	174.0		0.1	2.06	2	290	0.97	0.2	3.38	<0.02	33.7	57.1	11	1.82	1780	7.92	6.92	0.12	0.5	0.109	0.88	12.1	18.9	1.62	4260	23.6	0.03	3.9	25.9
E308002			Blank	0.01	0.14	<5	160	0.06	0.01	48.2	0.38	2.51	0.8	6	<0.05	4.7	0.05	0.6	0.07	0.1	<0.005	0.03	1.8	1.9	0.54	40	0.24	0.03	0.4	4.2
E308003	174.0	174.5		0.03	5.39	0.7	7070	1.92	0.02	4.8	<0.02	35.2	15.5	30	10.05	10.9	5.39	16.1	0.1	1.4	0.175	2.69	22.2	48.5	2.3	4760	1.38	0.04	5.3	18.7
E308004	174.5	175.0		0.05	5.2	0.7	3640	2.01	0.06	4.8	<0.02	71	15	28	10	848	5.11	16.45	0.12	1.4	0.178	2.65	43.6	46.2	2.3	4970	1.02	0.05	5.1	18
E308005	175.0	175.5		0.05	4.34	2.5	1120	1.58	0.12	3.83	<0.02	87.5	54.1	23	5.61	446	8.65	12.65	0.16	1.1	0.158	1.93	51.4	45.4	2.37	5780	8.62	0.04	4.9	26
E308006	175.5	176.0		0.1	2.29	6	240	0.85	0.18	2.19	<0.02	70.3	112.5	17	2.77	316	12.55	7.8	0.19	0.7	0.18	1.05	34.1	22.1	1.92	7570	14.75	0.03	5.1	31.1
E308007	176.0	176.5		0.05	5.61	5.7	2050	2.02	0.14	3.24	<0.02	98.7	85.9	35	9.41	68.7	7.7	18.45	0.16	1.6	0.164	2.54	61.9	45.8	1.99	4160	11.7	0.07	4.4	49.5
E308008	176.5	177.0		0.02	5.83	0.8	1340	2.62	0.02	5.32	<0.02	113	16.1	33	3.87	8	5.61	16	0.16	1.7	0.091	2.56	58.7	29.7	2.15	4890	1.29	1.14	3.1	21.9
E308009	177.0	177.5		0.02	5.78	0.5	2220	3.04	0.02	4.65	<0.02	77.1	14.1	34	4.75	13.8	5.51	18.65	0.14	1.8	0.105	3.09	41.9	35.8	1.96	4360	1.38	0.28	3.7	22.5
E308010	177.5	178.0		0.02	5.4	1	>10000	3.12	0.03	2.52	<0.02	67.1	10.4	36	4.63	239	7.51	18.9	0.14	1.6	0.212	3.03	35.7	37.7	1.82	6670	1.25	0.02	2.3	21.6
E308011	178.0	178.5		0.05	3.74	2.2	1100	1.83	0.08	0.65	<0.02	46	23.8	24	4.13	406	8.81	12.45	0.14	1	0.221	1.83	23.4	29	1.23	7410	13.4	0.04	2.6	20.5
E308012			Blank	0.01	0.12	5	110	0.07	0.01	41.9	0.36	2.32	0.7	5	<0.05	3.9	0.05	0.56	0.1	0.1	<0.005	0.03	1.7	1.7	0.46	38	0.21	0.02	0.3	4
E308013			Standard 2	1.25	2.34	82.1	130	0.64	10.9	2.26	<0.02	205	334	15	2.57	8970	28.5	10.35	0.37	0.7	0.258	0.67	124	24.3	1.57	6270	60.7	0.25	5.8	63
E308014	178.5	179.0		0.06	3.07	2.4	410	1.03	0.12	1.22	<0.02	44.5	35.3	22	4.33	1690	10.55	9.24	0.13	0.8	0.238	1.4	21.7	28.9	1.69	9340	5.24	0.04	3.3	26.6
E308015	179.0	179.5		0.06	6.43	1.2	9100	3.3	0.04	2.71	<0.02	77.7	10.4	47	5.98	128.5	6.46	21.2	0.14	1.7	0.119	3.18	43.5	58.6	1.83	3190	2.02	0.41	2.7	24.9
E308016	179.5	180.0		0.05	4.04	2.4	590	1.35	0.06	4.27	<0.02	41.8	27	24	2.44	1150	6.64	10.25	0.11	1	0.102	1.37	18.8	29.7	1.85	4580	3.87	0.94	2.6	21
E308017	180.0	180.5		0.05	5.96	1.9	5980	2.38	0.06	3.46	<0.02	118	23.1	39	4.48	886	8.13	17.3	0.16	1.6	0.146	2.47	67.9	63.2	2.16	5610	2.53	0.78	3.3	28.9
E308018	180.5	181.0		0.01	5.78	1.3	5490	3.19	0.04	3.28	<0.02	62.7	22.8	40	6.1	100.5	6.62	20.4	0.14	1.7	0.167	2.91	36.7	57.5	1.89	4760	2.19	0.26	3.7	29.6
E308019	181.0	181.5		0.04	5.06	3.6	2510	1.78	0.1	5.55	<0.02	99.5	56.3	28	3.73	65.6	9.21	13.95	0.17	1.3	0.143	1.95	54.9	69.5	2.54	6600	5.52	0.53	4.1	39.7
E308020	181.5	182.0		0.01	6.07	1.7	>10000	2.02	0.05	2.17	<0.02	134.5	16.6	41	10.5	95	5.91	17.85	0.17	2.2	0.184	2.94	90.3	51.7	1.39	2650	1.36	0.05	5	30.9
E308021	182.0	182.5		0.02	4.03	1.5	1790	1.39	0.04	3.03	<0.02	121	16.8	21	3.99	488	7	11.95	0.16	1.2	0.122	1.3	73.8	44.5	1.61	3770	2.38	0.61	3.5	32.7
E308022	182.5	183.0		0.01	7	0.9	8120	2.34	0.06	2.38	<0.02	149	21.5	43	7.56	155.5	6.13	21.4	0.16	2.2	0.123	2.57	90.6	53.2	1.59	2480	2.41	1.11	4.8	43.8
E308023			Blank	0.03	0.13	<5	80	0.06	0.02	45.4	0.41	2.5	0.7	7	<0.05	2.5	0.05	0.56	0.13	0.1	0.005	0.03	1.8	1.6	0.5	36	0.19	0.03	0.3	3.7
E308024	183.0	183.5		0.05	3.21	4.7	800	0.95	0.08	2.09	<0.02	118.5	23.9	19	6.95	403	8.68	10.7	0.13	1	0.167	1.55	66.4	30.2	1.42	5040	4.73	0.04	4.9	20
E308025	183.5	184.0		0.04	3.74	4.1	470	1.25	0.1	2.28	<0.02	79.2	25.8	23	5.26	870	7.25	10.7	0.12	1.1	0.063	1.55	38.9	33.7	1.43	1770	14.1	0.09	4.5	20.5
E308026	184.0	184.5		0.11	6.18	2.8	2860	0.82	0.12	2.8	<0.02	108.5	27.7	34	3.19	570	7.22	15.5	0.15	1.7	0.044	0.91	62.7	39.3	1.81	2060	5.83	2.76	5.6	28.5
E308027	184.5	185.0		0.06	4.16	1.9	600	0.49	0.03	1.5	<0.02	79.5	17.2	29	0.75	969	6.2	8	0.12	1.3	0.016	0.16	45.7	17.7	0.82	1185	2.27	2.57	3.7	12.2
E308028	185.0	185.5		0.06	4.61	4.5	560	1	0.09	0.53	<0.02	83.1	41.9	27	4.08	1100	8	11.6	0.13	1.5	0.151	1.24	50.8	31.4	1	3940	8.37	1.34	5.1	20.5
E308029	185.5	186.0		0.04	5.38	2.1	5140	1.82	0.08	4.81	<0.02	75.7	26.5	31	3.98	456	7	14.95	0.13	1.5	0.113	1.97	42.6	34.9	2.34	4420	2.9	1.24	4.7	24.8
E308030	186.0	186.5		0.05	6.36	0.8	2900	3.1	0.03	4.56	<0.02	107.5	21.9	41	3.59	18.5	5.84	20.5	0.15	2	0.097	2.64	53.8	39.4	1.94	3850	3.17	1.55	3.1	24.3
E308031	186.5	187.0		0.02	6.23	0.6	2560	3.1	0.02	4.15	<0.02	105.5	9.9	37	3.29	30.6	4.78	18.5	0.15	1.9	0.088	2.04	52.8	33.6	1.76	3370	2.5	2.35	2.8	20.6
E308032	187.0	187.5		0.03	3.92	2.8	870	1.31	0.07	3.46	<0.02	78.7	19.7	24	4.61	361	8.39	12.55	0.14	1.2	0.117	1.42	46.8	40.8	2.06	3880	3	0.3	4.6	24.7
E308033			Blank	0.02	0.12	7	120	0.09	0.01	43.1	0.4	2.46	0.7	6	<0.05	2.6	0.05	0.56	0.1	0.1	<0.005	0.03	1.7	1.7	0.47	37	0.2	0.02	0.3	4.2
E308034			Standard 3	0.28	6.81	54	1780	2.78	1.86	2.04	<0.02	83.7	131	43	6.85	1560	7.02	19.5	0.15	2.1	0.144	2.95	45.4	25.3	1.38	3280	20.3	0.59	3.8	30.3
E308035	187.5	188.0		0.09	4.22	4	870	1.37	0.1	2.83	<0.02	133	27.7	28	8.32	536	6.98	12.15	0.14	1.5	0.165	2.05	84.2	43.3	1.53	3400	4.23	0.06	7	18.4
E308036	188.0	188.5		0.03	4.4	1.2	950	1.64	0.03	4.01	<0.02	50.4	18.4	25	5.74	194	5.97	12.65	0.1	1.3	0.099	1.88	28.1	40.6	2.14	3380	2.28	0.06	3.3	24.4
E308037	188.5	189.0		0.03	4.68	1	1060	2.36	0.03	2.35	<0.02	44.4	15.3	28	5.51	296	5.8	15.65	0.11	1.3	0.131	2.46	21.6	36	1.38	3150	2.58	0.05	3.3	20.7
E308038	189.0	189.5		0.04	5.87	2.5	5390	1.94	0.06	3.67	<0.02	58.2	22.8	38	10.65	662	7.24	16.6	0.12	1.6	0.163	2.55	35.9	40.3	2.11	4300	4.22	0.45	4.6	30.6
E308039	189.5	190.0		0.03	5.47	2.6	2720	2.12	0.06	3.96	<0.02	88	27.5	34	8.92	297	6.68	17.6	0.15	1.6	0.146	2.46	50.1	42.9	2.15	3490	8.16	0.28	5.8	30.2
E308040	190.0	190.5		0.05	4.55	5.8	770	1.37	0.15	1.9	<0.02	61.5	35.2	26	8.83	296	7.29	13.6	0.12	1.3	0.165	2.2	37.9	34.6	1.47	3720	7.03	0.04	5.6	22.2
E308041	190.5	191.0		0.03	4.24	5.4	450	1.39	0.18	2.21	<0.02	51.7	43.3	27	6.02	225	6.87	12.9	0.12	1.2	0.124	2.06	22.9	36.2	1.42	2160	6.66	0.04	6.3	25.3
E308042	191.0	191.5		0.03	5.14	2.3	1050	1.84	0.06	2.85	<0.02	66.9	31.2	33	4.63	418	8.04	14.15	0.14	1.6	0.107	2.09	39.1	49.2	2	2500	4.69	0.04	5.2	31.9
E308043	191.5	192.0		0.06	5.52	4.5	1180	1.81	0.13	1.15	<0.02	219	38.6	35	10.2	1450	8.16	18.35	0.22	1.6	0.218	2.8	135.5	43.3	1.35	4360	9.33	0.05	7.3	32
E308044			Blank	0.01	0.13	15	140	0.07	0.01	46	0.4	2.57	0.8	7	<0.05	3.3	0.06	0.56	0.1	0.1	<0.005	0.03	1.8	1.6	0.5	38	0.19	0.03	0.3	4.4

IG-2007-29

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E307959			Blank	110	0.7	0.8	<0.002	0.07	0.11	0.6	2	<0.2	260	<0.05	<0.05	0.2	0.007	<0.02	0.7	8	0.1	2.8	22	3.4		<0.001	
E307960	155.5	156.0		450	1.3	143	<0.002	0.22	1.77	8.7	1	4.3	1120	0.22	<0.05	8.1	0.107	0.31	2	48	9.8	8.3	4	45.5		<0.001	
E307961	156.0	156.5		440	1.3	167.5	<0.002	0.15	2.28	9.8	1	3.9	121.5	0.32	0.1	11.4	0.154	0.35	2.6	56	12.1	11	2	58.6		<0.001	0.87
E307962	156.5	157.0		590	1.7	160	<0.002	0.28	1.81	10.1	2	4.8	1565	0.24	0.11	9.5	0.145	0.29	9.6	65	12.3	10.3	4	54.3		0.001	
E307963	157.0	157.5		700	1.4	142.5	<0.002	0.25	1.45	8.7	2	6.6	1270	0.19	0.08	8	0.114	0.27	3.6	50	10.8	8.7	3	45.2		<0.001	
E307964	157.5	158.0		1130	1.5	97.2	0.003	0.25	1.58	6.5	2	5.4	1840	0.18	0.15	5.2	0.072	0.2	1.7	43	8.6	9	5	31.8		0.005	
E307965	158.0	158.5		180	1.3	63.4	<0.002	0.18	0.97	4.1	1	1.9	2610	0.15	<0.05	4.1	0.068	0.11	2.8	23	5.3	4.1	2	21		<0.001	
E307966	158.5	159.0		600	1.3	147	<0.002	0.15	2.55	9.6	2	4.1	557	0.38	<0.05	9.5	0.146	0.3	2.9	53	11.3	10.6	2	49.4		<0.001	
E307967	159.0	159.5		590	1.4	174.5	<0.002	0.24	2.77	11.2	2	5	321	0.42	0.06	12.4	0.159	0.35	3.4	61	13.5	11.4	2	60.9		<0.001	1.88
E307968	159.5	160.0		540	1.6	174.5	<0.002	0.35	3.18	10.8	1	4.7	312	0.45	0.09	14.9	0.173	0.35	2.5	61	12.9	14.6	2	63.8		<0.001	1.73
E307969			Blank	110	0.8	1.6	<0.002	0.06	0.12	0.6	2	0.2	240	<0.05	<0.05	0.3	0.007	<0.02	0.8	8	0.1	2.8	21	4.2		0.004	
E307970			Standard 3	720	2.8	126	0.006	1.31	1.12	10.7	2	7.8	441	0.19	0.2	12.7	0.117	0.35	18.9	63	7.6	11.5	6	63.2		0.02	
E307971	160.0	160.5		620	1.6	167	<0.002	0.35	2.79	10.8	1	4.7	346	0.38	0.08	13.1	0.153	0.35	2.2	63	12.4	15	2	53.7		<0.001	1.77
E307972	160.5	161.0		630	1.7	176.5	<0.002	0.29	2.72	11.6	2	5.5	573	0.34	0.05	12.6	0.147	0.4	2.4	66	12.5	12.7	3	57.1		<0.001	2.93
E307973	161.0	161.5		420	1.4	102	<0.002	0.19	1.98	8.3	1	3	1640	0.27	<0.05	7.9	0.107	0.21	1.4	34	7.5	10.6	3	37.6		<0.001	
E307974	161.5	162.0		550	1.3	83.1	<0.002	0.21	1.22	5.7	1	3.9	1920	0.17	0.07	4.2	0.072	0.18	2.1	33	7.1	7	5	26.4		<0.001	
E307975	162.0	162.5		560	0.9	93.1	<0.002	0.2	1.5	5.9	1	4.7	1940	0.23	<0.05	5.4	0.114	0.17	2.2	45	9.5	8.8	2	31		0.002	
E307976	162.5	163.0		560	1.5	162	<0.002	0.23	1.94	10.8	2	4.8	539	0.29	0.07	11.4	0.152	0.28	5.5	81	12.5	14.2	3	57.8		<0.001	3.68
E307977	163.0	163.5		520	1.2	157.5	<0.002	0.23	2.33	10.3	1	4.1	646	0.37	<0.05	9.7	0.152	0.28	3.1	55	12.6	12.7	2	53.7		<0.001	4.91
E307978	163.5	164.0		950	1.2	143	<0.002	0.27	1.9	9.1	2	6.2	797	0.29	0.09	9.7	0.133	0.24	4.2	59	12.4	11.1	2	47.1		0.001	
E307979	164.0	164.5		580	2.2	163	<0.002	0.22	2.42	10.3	1	6.1	400	0.34	0.08	11.6	0.134	0.35	2.4	59	11.9	11.2	3	47.4		<0.001	
E307980			Blank	90	1.3	1	<0.002	0.06	0.09	0.7	3	<0.2	241	<0.05	<0.05	0.2	0.006	<0.02	0.7	4	0.1	2.8	20	3.2		<0.001	
E307981	164.5	165.0		640	1.9	174	<0.002	0.36	2.4	11.6	2	7.6	316	0.35	0.08	12.6	0.145	0.38	2.1	64	13.4	13.6	3	54.9		<0.001	1.57
E307982	165.0	165.5		480	1.9	129	<0.002	0.25	1.83	8.6	1	7.2	1585	0.28	0.06	9	0.128	0.29	2.1	51	11.6	9.8	3	41.7		<0.001	
E307983	165.5	166.0		360	1.7	80.5	<0.002	0.23	1.24	6.4	1	3.8	2200	0.16	0.06	5	0.071	0.18	1.2	34	7.1	6.1	2	28		<0.001	
E307984	166.0	166.5		480	1.9	133	<0.002	0.26	2.05	8.9	1	4.9	2750	0.32	0.06	8.3	0.129	0.28	1.7	50	11.7	8	2	38.9		<0.001	
E307985	166.5	167.0		610	2.2	175	<0.002	0.27	1.47	12.7	2	5.9	851	0.27	0.11	12.5	0.164	0.24	6.2	68	18.8	14.2	2	59.7		0.005	
E307986	167.0	167.5		530	1.8	130.5	<0.002	0.21	1.51	9.9	1	4.6	648	0.21	0.1	10.5	0.128	0.2	7.5	49	14.4	12.7	4	50.8		0.004	
E307987	167.5	168.0		650	2.2	191.5	<0.002	0.29	2.08	13.2	2	6.8	510	0.34	0.08	15	0.18	0.36	6.9	75	19.2	12.3	3	63.4		<0.001	
E307988	168.0	168.5		640	1.8	131.5	<0.002	0.29	1.27	10.5	1	5.4	1180	0.2	0.07	9	0.132	0.21	4.3	61	14	10.9	2	43.4		<0.001	
E307989	168.5	169.0		1320	1.8	77.6	0.003	0.2	1.99	6.1	2	8	1240	0.19	0.31	6.7	0.074	0.16	1.8	42	13.3	9.4	3	27		0.009	
E307990	169.0	169.5		500	2.2	127.5	<0.002	0.26	1.85	9.1	1	5.4	1660	0.25	0.08	8.1	0.115	0.27	1.8	51	10.3	9.2	2	41.1		<0.001	
E307991			Blank	100	1.2	0.8	<0.002	0.06	0.07	0.6	2	<0.2	257	<0.05	<0.05	0.2	0.006	<0.02	0.7	4	0.1	2.9	21	3.1		<0.001	
E307992			Standard 1	850	21.5	70.7	0.024	2.23	1.59	9.9	3	7.5	568	0.19	0.28	9.1	0.087	0.45	290	55	9.7	16.1	9	52.3		0.058	
E307993	169.5	170.0		500	2.2	117.5	<0.002	0.19	1.72	7.9	1	5	2120	0.26	0.07	8.6	0.113	0.26	2.2	47	9.6	8.6	2	39.8		<0.001	
E307994	170.0	170.5		720	2.3	116	<0.002	0.27	1.33	8.6	2	5.3	1710	0.2	0.1	12.9	0.111	0.21	5.6	52	11.4	11.1	2	43.3		<0.001	
E307995	170.5	171.0		800	1.9	92	<0.002	0.38	1.4	9.8	2	5.2	704	0.25	0.09	10.3	0.134	0.15	10.6	53	11.2	13.5	7	43.3		0.001	
E307996	171.0	171.5		910	2.2	168.5	0.004	0.41	1.81	13.1	2	8.9	301	0.33	0.26	14.2	0.195	0.27	9.7	76	17.6	14.4	5	56.5		0.004	2.2
E307997	171.5	172.0		620	1.8	154.5	<0.002	0.34	2.15	10.8	1	7.7	398	0.35	0.06	12.7	0.158	0.31	2	60	12.8	13.3	2	52.2		<0.001	2.41
E307998	172.0	172.5		570	2	96.9	0.002	0.35	1.12	9.1	1	5.6	2070	0.21	0.1	8	0.123	0.16	4	55	10.5	8.9	4	37.3		<0.001	
E307999	172.5	173.0		520	2	91.9	<0.002	0.39	1.15	9	1	3.5	359	0.21	0.05	14	0.127	0.18	7.7	50	11.3	14.6	5	54.1		<0.001	1.85
E308000	173.0	173.5		140	2	34.9	<0.002	0.72	0.39	2.8	2	2	1800	0.07	0.05	2.4	0.035	0.05	3	15	3.5	3.7	<2	12.3		0.001	
E308001	173.5	174.0		490	2.2	47.6	0.008	0.7	1.05	4.1	2	4	2450	0.13	0.14	2.9	0.061	0.05	2.5	30	7.7	7.7	4	17.2		0.004	
E308002			Blank	120	1.2	0.7	<0.002	0.07	0.07	0.6	2	<0.2	307	<0.05	<0.05	0.2	0.007	<0.02	0.7	5	0.1	3.2	23	3.4		<0.001	
E308003	174.0	174.5		560	1.7	131.5	<0.002	0.25	2.11	9.2	1	14.8	669	0.31	<0.05	8.4	0.133	0.28	2	57	12	11.9	2	43		<0.001	4.95
E308004	174.5	175.0		540	2	133	<0.002	0.3	1.86	8.6	1	15.5	1410	0.29	0.07	10	0.123	0.29	2.4	55	11.5	12.4	2	43.7		<0.001	
E308005	175.0	175.5		690	1.9	91.5	0.002	0.48	1.4	7.4	2	8.9	1300	0.21	0.13	8.5	0.092	0.17	3.9	42	11.4	11.5	3	34.3		0.005	
E308006	175.5	176.0		880	2.1	58.6	0.005	0.76	1.4	4.9	3	6.5	1840	0.18	0.21	4.9	0.06	0.08	2.2	35	9.8	8	4	22		0.008	
E308007	176.0	176.5		760	2.1	127	0.007	0.48	1.61	10.1	2	8.5	404	0.23	0.14	12.9	0.12	0.26	3.7	56	13.2	13.6	4	50.6		0.002	
E308008	176.5	177.0		540	2	113	<0.002	0.04	1.42	9.6	1	3.5	74.5	0.21	0.09	14.1	0.147	0.17	7.4	54	13.6	15.1	<2	52.2		<0.001	
E308009	177.0	177.5		520	1.9	138.5	<0.002	0.06	1.51	11.5	1	4.2	85	0.25	0.11	12.6	0.155	0.2	5.6	80	15.5	14	<2	52.5		<0.001	
E308010	177.5	178.0		530	2.2	133	<0.002	0.29	1.19	11.1	1	4.9	184.5	0.13	0.08	11.7	0.132	0.18	5.3	58	12.5	12	5	49.3		<0.001	1.13
E308011	178.0	178.5		490	2.3	86.9	0.003	0.27	1	7.2	2	4.4	1850	0.13	0.11	6.1	0.088	0.15	3.2	41	9.2	8.1	7	30.4		0.003	
E308012			Blank	100	1.1	0.7	<0.002	0.06	0.06	0.6	2	<0.2	257	<0.05	<0.05	0.2	0.006	<0.02	0.7	4	0.1	2.9	20	2.9		<0.001	
E308013			Standard 2	2400	7.1	36.6	0.016	6.69	2.1	4.7	5	7.3	184.5	0.12	1.13	6.1	0.035	0.5	16.6	61	6.4	15.7	9	22.6		0.114	
E308014	178.5	179.0		590	2.4	68.4	<0.002	0.4	1.15	5.6	2	4.6	1740	0.15	0.1	5.1	0.066	0.14	2.2	35	6.6	7.3	5	26.1		0.002	
E308015	179.0	179.5		870	1.8	139.5	<0.002	0.37	1.21	12.2	1	7.1	814	0.17	0.05	11.1	0.137	0.24	9	75	12.9	14.2	5	48.5		<0.001	4.34
E308016	179.5	180.0		550	2.2	62.8	<0.002	0.45	1.16	6.4	1	3.7	2280	0.14	0.1	7.1	0.081	0.13	5.8	36	8.2	10.9	5	29		0.001	
E308017	180.0	180.5		690	2.2	115	<0.002	0.33	1.38	10.2	2	5.7	495	0.2	0.09	12.2	0.119	0.21	9.3	57	10.8	14.1	4	48		0.002	2.9
E308018	180.5	181.0		630	1.5	145	<0.002	0.35	1.4	12.3	2	7.9	899	0.25	0.07	11.5	0.133	0.23	7	67	13	13.9	2	48.9		0.003	5.91
E308019	181.0	181.5		670	1.6	94.6	0.002	0.48	1.47	8.7	2	5.2	630	0.22	0.09	9.8	0.117	0.17	6.8	46	12.8	15.4	4	39.8		0.016	
E308020	181.5	182.0		890	1.4	152	<0.002	0.32	2	9.5	2	13.1	236	0.27	0.15	15.2	0.126	0.28	3.9	70	13.7	14.9	4	60.1		<0.001	1.67
E308021	182.0	182.5		880	1.5	65.8	<0.002	0.28	1.17	6.1	1	6.1	1940	0.17	0.1	9.1	0.074	0.12	3.8	46	7.7	12.1	5	33.4		0.002	
E308022	182.5	183.0		790	1.7	123.5	<0.002	0.25	1.57	11	1	8.8	141.5	0.28	0.28	16.4	0.154	0.24	5.7	66	13.4	15.1	5	61.2		0.003	0.96
E308023			Blank	100	1.4	0.8	<0.002	0.06	0.12	0.5	2	<0.2	272	<0.05	<0.05	0.2	0.006	<0.02	0.7	4	0.1	3.1	20	3.3		<0.001	
E308024	183.0	183.5		1310	1.8	85.6	0.002	0.23	1.37	5.3	2	9.8	3090	0.15	0.34	6.4	0.057	0.17	1.9	47	8.9	11.3	3	27.8		0.008	
E308025	183.5	184.0		690	1.7	72.9	0.006	0.37	1.84	6.8	2	6.3	2940	0.19	0.16	7.7	0.087	0.14	4.2	45	11.4	7.7	3	30.6		0.005	
E308026	184.0	184.5		660	3.4	46.7	0.002	0.43	2.61	8.3	2	4.7	1330	0.36	0.09	11.5	0.142	0.06	7.3	48	9	10.7	6	47.8		0.003	
E308027	184.5	185.0		560	1.8	7.9	<0.002	0.47	1.24	4.1	1	3.3	3050	0.27	0.06	7.8	0.116	0.03	2.2	35	4.5	7.3	3	39.6		0.001	
E308028	185.0	185.5		920	1.4	72	0.003	0.45	1.72	5.2	2	6.7	1560	0.22	0.22	7.7	0.09	0.11	2.8	36	6.8	9	5	42.5		0.004	
E308029	185.5	186.0		590	1.7	91	<0.002	0.32	1.55	9.5	1	5.4	359	0.28	0.07	10.2	0.118	0.16	5	57	10.3	12.2	4	43.2		0.002	1.66
E308030	186.0	186.5		700	1.8	114.5	<0.002	0.16	1.35	11.6	2	5.2	120	0.24	0.06	14.8	0.146	0.2	6.5	71	9.5	15.2	2	57.3		0.001	
E308031	186.5	187.0		620	2.6	87.6	<0.002	0.08	1.2	10.4	1	4.6	86.8	0.19	0.06	13.5	0.116	0.17	5.4	56	8.8	14.5	2	53.6		0.001	
E308032	187.0	187.5		1110	2.1	68	<0.002	0.36	1.6	8.5	1	7.1	2900	0.21	0.13	8	0.078	0.12	5.3	57	9.1	12.5	5	34.2		0.005	
E308033			Blank	110	0.8	0.9	<0.002	0.06	0.07	0.6	2	<0.2	262	<0.05	<0.05	0.2	0.006	<0.02	0.7	4	0.1	3.1	22	3		0.004	
E308034			Standard 3	790	3	120	0.006	1.67	1.55	11.2	3	8.2	482	0.22	0.24	13.2	0.123	0.39	18.5	65	8.8	12.6	5	59.4		0.018	
E308035	187.5	188.0		1000	1.9	109.5	0.002	0.37	2	6.9	2	12.5	2530	0.26	0.23	8.1	0.095	0.22	2.7	55	11.7	11.9	2	41.3		0.004	
E308036	188.0	188.5		600	1.9	93.2	<0.002	0.34	1.33	8	1	6.1	3570	0.2	0.07	8.1	0.098	0.17	3.5	45	9.6	11.3	4	38		<0.001	
E308037	188.5	189.0		500	1.5	116.5	<0.002	0.35	1.17	8.5	1	8.4	2400	0.21	0.08	8.3	0.125	0.18	3	55	11.1	9.7	3	37.9		0.001	
E308038	189.0	189.5		620	1.7	123.5	<0.002	0.34	1.92	10.4	1	6.5	867	0.23	0.12	9.1	0.117	0.26	4	62	10.6	12.5	4	46.5		0.003	4.05
E308039	189.5	190.0		680	1.9	124.5	0.002	0.37	1.82	10.6	2	6.8	1610	0.29	0.11	10	0.131	0.22	4.9	61	13.3	13.8	3	47.9		0.002	
E308040	190.0	190.5		700	1.4	111.5	0.003	0.44	1.71	7.7	2	8.7	1480	0.25	0.18	7.2	0.105	0.21	4	48	13.5	9.1	2	37.4		0.006	
E308041	190.5	191.0		580	1.9	101	0.002	0.54	1.72	6.9	2	6.3	1850	0.3	0.18	6.8	0.132	0.15	5.1	44	12.8	8.2	2	36.1		0.005	
E308042	191.0	191.5		690	1.7	97.8	0.002	0.45	1.55	7.8	2	5.4	1940	0.28	0.17	9.6	0.135	0.14	5.9	53	12.8	10.7	4	42.8		0.003	
E308043	191.5	192.0		1440	2	142.5	0.002	0.51	2.18	9.1	2	10.6	1480	0.31	0.86	12.3	0.126	0.25	3.7	59	16.8	12.9	2	44.4		0.008	
E308044			Blank	120	0.7	0.9	<0.002	0.07	0.08	0.6	3	<0.2	275	<0.05	<0.05	0.2	0.006	<0.02	0.7	4	0.1	3.1	21	3.5		0.003	

IG-2007-29

Sample No	From (m)	To (m)	Standard/Blank
E308045	192.0	192.5	
E308046	192.5	193.0	
E308047	193.0	193.5	
E308048	193.5	194.0	
E308049	194.0	194.5	
E308050	194.5	195.0	
E308051	195.0	195.5	
E308052	195.5	196.0	
E308053	196.0	196.5	
E308054			Blank
E308055			Standard 1
E308056	196.5	197.0	
E308057	197.0	197.5	
E308058	197.5	198.0	
E308059	198.0	198.5	
E308060	198.5	199.0	
E308061	199.0	199.5	
E308062	199.5	200.0	
E308063	200.0	200.5	
E308064	200.5	201.0	
E308065			Blank
E308066	201.0	201.5	
E308067	201.5	202.0	
E308068	202.0	202.5	
E308069	202.5	203.0	
E308070	203.0	203.5	
E308071	203.5	204.0	
E308072	204.0	204.5	
E308073	204.5	205.0	
E308074	205.0	205.5	
E308075			Blank
E308076			Standard 2
E308077	205.5	206.0	
E308078	206.0	206.5	
E308079	206.5	207.0	
E308080	207.0	207.5	
E308081	207.5	208.0	
E308082	208.0	208.5	
E308083	208.5	209.0	
E308084	209.0	209.5	
E308085	209.5	210.0	
E308086			Blank
E308087	210.0	210.5	
E308088	210.5	211.0	
E308089	211.0	211.5	
E308090	211.5	212.0	
E308091	212.0	212.5	
E308092	212.5	213.0	
E308093	213.0	213.5	
E308094	213.5	214.0	
E308095	214.0	214.5	
E308096			Blank
E308097			Standard 3
E308098	214.5	215.0	
E308099	215.0	215.5	
E308100	215.5	216.0	
E308101	216.0	216.5	
E308102	216.5	217.0	
E308103	217.0	217.5	
E308104	217.5	218.0	
E308105	218.0	218.5	
E308106	218.5	219.0	
E308107			Blank
E308108	219.0	219.5	
E308109	219.5	220.0	
E308110	220.0	220.5	
E308111	220.5	221.0	

Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
0.04	5.66	2.9	2860	2.14	0.07	4.02	<0.02	76.2	36.1	35	10.7	90.8	5.99	17.1	0.12	1.6	0.162	2.67	44.5	38	1.94	3660	31.5	0.05	7	23.5
0.01	6.94	0.8	>10000	2.72	0.03	4.47	<0.02	105.5	23.7	43	13.45	3.8	3.75	21.8	0.13	2	0.175	3.7	56.5	44.3	2.07	3570	16.5	0.05	7	18.3
0.06	5.05	4.7	1040	1.6	0.13	1.96	<0.02	77.5	55.2	30	7.44	1480	9.03	15.65	0.14	1.5	0.212	2.59	47.7	42.8	1.71	4780	9.78	0.04	9.2	31.8
0.03	4.84	3.8	750	1.54	0.07	1.93	<0.02	84.5	35.4	32	7.33	1040	7.4	15	0.14	1.4	0.168	2.48	43.9	42.4	1.33	3080	5.95	0.04	8.1	23.3
0.02	5.83	1.6	3110	2.23	0.05	4.2	<0.02	102.5	26.5	37	7.34	486	8.22	16.3	0.16	1.7	0.111	2.36	54.9	62.6	2.59	3460	3.13	0.25	3.8	32.8
0.06	6.06	0.6	2500	3.45	0.1	4.1	<0.02	79.1	13.9	42	5.67	3250	6.44	18.6	0.15	1.7	0.137	2.8	42.9	53.9	2.19	3340	1.81	0.43	3.9	26.3
0.07	6.71	1	5740	4.03	0.09	5.41	<0.02	63.6	34	39	6.05	1840	7.07	19.4	0.14	2	0.158	3.61	36.7	40.7	2.57	4720	15.35	0.05	4.7	28.9
0.05	7.38	2.2	6880	5.11	0.15	4.91	<0.02	68.5	29.4	40	13.95	57.4	6.64	22.1	0.16	2.2	0.159	4.01	48.9	42.8	2.42	4550	2.46	0.05	4.9	27.1
0.05	5.58	0.6	2510	2.49	0.08	6.53	<0.02	107.5	30.9	26	4.91	418	8	13.5	0.16	1.7	0.125	2.27	56.7	54.4	3.44	5610	16.4	0.04	3.2	31.7
0.01	0.14	<5	80	0.05	0.01	47.6	0.45	2.92	0.9	6	<0.05	3.7	0.06	0.58	0.08	0.1	<0.005	0.04	2.2	2	0.53	42	0.27	0.03	0.4	6
1.14	5.98	58.1	210	2.15	3.31	2.23	<0.02	61.9	174.5	39	4	8250	10.25	16.7	0.16	2.1	0.143	2.3	31.5	31.9	1.33	3700	69.3	0.99	4.4	44.4
0.02	7.68	0.4	7760	4.53	0.05	4.73	<0.02	84	12.4	43	7.92	423	6.75	21.6	0.15	2.2	0.156	3.97	47.4	48.6	2.47	4420	2.44	0.04	4.2	28.3
0.26	3.88	13.5	300	1.12	0.71	3.15	<0.02	154.5	97.5	17	2.8	689	14.65	12.45	0.22	1.1	0.087	0.73	98.2	41.3	2.76	3510	65.7	0.02	11.7	77.2
0.15	2.58	14.5	1410	0.29	0.45	1.07	<0.02	98.9	66.3	9	0.79	275	20.7	9.36	0.24	0.6	0.132	0.03	70.6	27.5	2.27	7750	40	0.01	9.7	83.2
0.16	1.59	11.4	570	0.2	0.63	0.64	<0.02	114.5	53.9	9	0.49	117.5	21.8	6.12	0.21	0.5	0.228	0.03	79.7	16.6	2.17	14100	39.8	0.02	10.2	55.9
0.17	1.39	10.9	730	0.21	0.55	0.66	<0.02	142.5	43.2	7	0.42	73	22.4	5.38	0.22	0.3	0.235	0.01	99.2	13.4	2.21	12650	46.2	0.02	10.7	51.7
0.27	2.88	15.7	860	0.24	0.83	1.16	<0.02	232	58.5	11	0.99	102.5	20.6	9.65	0.23	0.6	0.113	0.04	167	22.8	2.26	5640	70.3	0.02	12.3	80.1
0.34	2.81	20.6	220	0.4	0.86	2.37	0.02	264	96.2	12	1.36	26.1	18.85	9.5	0.28	0.7	0.089	0.01	180	25	2.72	3870	46.5	0.01	10.9	89.1
0.38	2.55	18.7	390	0.35	1.12	3.19	<0.02	267	61	10	1.72	88.2	19.25	8.55	0.26	0.8	0.08	0.11	187	22.2	2.79	4120	83	0.01	10.7	64.7
0.16	4.12	8.2	210	0.91	0.24	3.25	<0.02	70.8	80.5	18	3.59	193.5	12.65	11.75	0.16	1.2	0.111	1.2	33.5	37.7	2.51	2610	23.9	0.02	11.3	37.4
0.06	0.13	<5	110	0.07	<0.01	43.8	0.38	2.5	1	3	<0.05	3.8	0.07	0.52	0.06	0.1	<0.005	0.03	2.2	1.3	0.5	42	0.44	0.02	0.4	1.9
0.19	5.17	7	190	1.37	0.44	3.34	<0.02	111	121	26	5.8	131.5	12.45	18.65	0.15	1.7	0.13	1.99	68.8	44.1	2.59	2440	15.4	0.02	11.5	44.6
0.14	6	5.1	470	1.61	0.22	4.11	<0.02	111	95.9	31	6.99	38.9	12.25	20.6	0.18	1.8	0.174	2.78	75.6	47	2.75	3330	12.15	0.03	10.6	36.8
0.11	4.49	5.4	150	1.15	0.8	3.83	<0.02	132	144.5	22	5.54	438	12.2	14.55	0.19	1.3	0.143	1.6	69.2	45.1	2.76	4120	18.2	0.03	10.4	43.4
0.06	3.35	6.2	310	0.98	0.43	2.69	<0.02	120.5	59.8	16	3.81	113	11.95	10.85	0.17	1	0.126	1.09	89.1	34.2	2.23	4280	16.75	0.02	7.9	40.8
0.06	4.06	4.8	530	1.11	0.3	2.28	<0.02	98.6	45.5	20	4.54	360	11.85	11.7	0.14	1.2	0.118	1.33	52.8	36.7	2.23	4110	13.95	0.03	7.5	42
0.11	3.88	7.9	190	1	0.53	1.61	<0.02	105	125	17	3.31	322	11.85	11.35	0.17	1.2	0.134	1.15	48.5	45.1	2.04	4800	24.4	0.03	7.1	47.2
0.11	2.96	7.2	140	0.82	0.47	0.71	<0.02	103	149	18	3.04	627	13	9.93	0.18	0.9	0.18	1.03	43.1	32.5	1.51	7380	15.4	0.03	7.3	34.5
0.3	4.04	9.8	140	0.95	0.98	0.82	<0.02	104.5	184.5	23	3.8	9200	12.85	12.55	0.19	1.2	0.226	1.28	54.9	46.1	1.87	7440	11.4	0.03	6	48.3
0.13	4.88	7.6	1280	1.2	0.22	1	<0.02	160.5	46.3	25	4.26	47.9	13.45	14.45	0.19	1.3	0.204	1.37	116.5	57.5	2.38	6060	20.4	0.03	7.5	66.2
0.01	0.14	17	90	0.08	0.01	48.7	0.48	2.8	0.9	6	<0.05	6.9	0.06	0.52	0.05	0.1	<0.005	0.03	2.1	2	0.55	43	0.37	0.03	0.4	4.7
1.26	2.36	126.5	60	0.53	11.65	2.28	<0.02	200	352	13	2.76	9600	29.3	11.35	0.56	0.8	0.283	0.7	107	17.5	1.56	6520	71.3	0.23	6	53.8
0.16	4.47	8.3	2130	1.2	1.14	0.72	<0.02	132	39.6	24	4.56	429	15.3	12.85	0.16	1.6	0.36	1.39	104	52.2	2.6	11450	12.15	0.03	8.8	52.4
0.25	4.26	12.8	470	0.97	2.76	1.34	<0.02	135.5	68.1	23	3.66	297	16.7	11.85	0.17	1.4	0.275	1.11	98.5	56.4	2.58	11000	11.55	0.03	6.4	38.7
0.13	3.1	9.6	800	0.65	0.54	0.59	<0.02	116.5	52.6	15	2.63	82.4	19.1	9.59	0.2	1.1	0.35	0.75	83.3	35.3	2.54	14100	10.75	0.02	7.6	45.6
0.13	5.54	21.2	580	1.61	1.63	0.6	<0.02	144	73.6	35	6.2	341	13.75	17.8	0.17	1.9	0.222	2.45	111.5	47.3	1.78	6210	13.9	0.04	12.5	37.6
0.86	3.39	46.3	120	0.54	7.85	0.52	<0.02	91.3	332	17	2.6	8650	19.9	10.05	0.24	0.9	0.284	0.6	48.9	41	2.42	10850	104.5	0.02	8.2	76.7
0.35	2.7	8.5	190	0.5	1.51	0.54	<0.02	124.5	126.5	12	2.11	2850	23.2	8.67	0.26	0.8	0.514	0.35	77.8	38.4	3.48	21400	48.4	0.02	5.6	49.3
0.2	3.64	12.4	240	0.45	2.07	0.44	<0.02	70	108	18	2.42	1160	20.6	10.95	0.2	1.2	0.435	0.65	47.5	47	3.44	20300	17.15	0.03	5.8	45.3
0.15	1.88	8.7	200	0.27	0.47	0.42	<0.02	98.2	130	9	0.83	361	20.2	5.61	0.2	0.6	0.346	0.13	54.2	28.8	2.56	13800	23.3	0.02	4.6	43.8
0.11	2.33	8.2	230	0.36	0.37	0.32	<0.02	86.3	127	13	1.39	777	18.4	7.35	0.19	1	0.314	0.33	51.5	29.1	2.41	12950	19.2	0.02	6	43.9
0.02	0.15	9	140	0.06	0.02	48.7	0.49	3.2	1.2	6	<0.05	7	0.09	0.57	<0.05	0.1	<0.005	0.04	2.4	2	0.55	57	0.42	0.03	0.4	4.6
0.26	4.47	22.5	180	0.46	3.58	0.34	0.02	107	184.5	16	1.38	184	20.3	10.7	0.26	1.5	0.24	0.19	77.5	54.6	3.46	10950	8.59	0.01	4.3	58.3
0.58	2.42	39.6	70	0.27	6.56	1.51	0.02	98.5	179	6	0.95	1640	23.3	6.85	0.28	0.8	0.48	0.18	67.6	26.6	3.96	18950	26.9	0.01	4.1	53.3
1.04	3.53	39.7	70	0.45	7.9	0.72	<0.02	127.5	195.5	17	1.22	5340	18.5	8.17	0.25	1.1	0.28	0.15	89.6	44.7	2.83	8940	37.1	0.01	8.7	47.9
0.73	3.42	41.1	60	0.56	7.02	0.5	<0.02	51.4	321	21	1.76	2650	15.5	8.24	0.16	1.3	0.157	0.4	15.2	40.9	2.12	5480	29.7	0.01	7.1	50.4
0.16	2.97	9	190	0.57	0.42	1.77	<0.02	76.8	80.1	13	2.3	951	10.95	7.9	0.14	0.9	0.073	0.74	29.8	31.9	1.81	2190	13.95	0.01	6.9	31.3
0.2	4.01	11.9	160	1.01	1.47	2.46	<0.02	69	53.2	15	3.56	2880	8.96	11.15	0.14	1.1	0.087	1.25	25.7	37.4	1.84	2440	14.5	0.19	6	25.5
0.27	1.96	11.9	280	0.28	0.55	6.75	<0.02	182.5	48.6	5	1.2	823	14.35	6.15	0.21	0.5	0.101	0.33	112	23.5	3.62	6750	69.8	0.02	7.5	24.8
0.15	3.61	10.8	230	0.8	0.38	1.92	<0.02	94.7	77.8	14	1.78	509	12.2	9.17	0.16	0.9	0.069	0.46	46	28.3	1.87	4490	19.9	1.12	7.9	30.5
0.13	3.31	7	260	0.61	0.4	2.45	<0.02	73.2	54.5	13	2.22	1040	10.5	8.66	0.14	0.8	0.07	0.59	32.9	24.7	1.85	4680	12.95	0.82	5.1	26
0.06	0.14	<5	130	<0.05	<0.01	46.6	0.43	2.59	1.1	4	<0.05	6.2	0.07	0.57	0.06	0.1	<0.005	0.03	2.9	1.3	0.54	48	0.44	0.02	0.4	3
0.3	6.85	47.7	1240	2.47	1.54	1.97	<0.02	72.9	110.5	47	6.45	1650	6.75	19.85	0.14	1.9	0.118	3.04	35.5	23	1.31	3140	19.95	0.61	4	26.9
0.14	2.57	10.8	190	0.61	0.7	0.91	<0.02	93.8	70.8	12	2.88	837	12.3	8.24	0.16	0.8	0.075	0.59	39.5	32.1	1.54	3680	15	0.1	6.3	28.9
0.13	4.08	8.8	180	1.06	0.58	1.86	<0.02	69.3	67.3	19	3.65	1310	8.4	11.3	0.12	1.1	0.077	1.31	29.8	34.2	1.41	2210	11.4	0.48	4.5	22.1
0.38	4.5	25.7	80	1.39	5.03	3.79	<0.02	38.9	146	16	10.8	3300	11.75	9.58	0.16	1.4	0.095	1.13	12.2	37.5	2.15	4760	14.9	0.4	4.7	32.1
0.19	6	12.2	210	0.97	3.04	3.71	<0.02	41.8	92.7	23	2.16	1210	8.35	14	0.11	1.9	0.051	0.8	23.8	30.4	1.82	4140	4.16	2.79	3.6	22.3
0.3	5.78	17.8	350	0.96	3.01	2.77	0.06	54.4	98.9	23	1.93	487	7.41	13.6	0.12	1.6	0.038	0.73	29.7	26	1.25	3190	7.28	2.8	3.8	22.1
0.09	5.04	7.6	730	0.64	0.68	4.63	<0.02	56.6	45.6	19	1.21	403	8.66	11.7	0.12	1.4	0.036	0.45	34.5	15.3	1.49	5730	2.32	2.98	2.3	18.2
0.11	5.47	14	380	1.53	1.25	3.95	<0.02	92.7	80.8	25	3.38	299	14	17.9	0.19	1.5	0.057	1.38	58.5	26.3	1.42	4970	3.47	2.09	2.2	29.5
0.2	6.25	22.8	520	2.21	2.24	1.84	0.03	79.3	107.5	33	4.46	36.5	7.92	18.55	0.13	1.7	0.057	1.98	43.5	39.8	1.21	2110	7.35	1.87	3.2	34.8
0.12	6.68	7	1380	2.93	0.48	2.25	0.02	93.9	42.6	40	5.98	94.2	6.71	20.2	0.14	2.3	0.091	2.31	63.2	49.9	1.16	2820	4.29	1.77	3.6	21
0.03	0.13	6	30	0.11	0.01	44.2	0.37	2.04	0.8	3	<0.05	1	0.05	0.41	<0.05	0.1	<0.005	0.03	1.8	1.5	0.49	36	0.57	0.02	0.3	2
0.13	5.35	14.9	120	0.89	2.89	4.39	<0.02	28.5	93.2	21	1.62	45.1	8.58	11.95	0.16	2.3	0.06	0.59	16.8	19	1.97	5140	8.32	3.03	3.4	21
0.03	6.95	1.9	6000	2.96	0.14	2.51	0.02	94.1	27.9	40	6.11	168.5	6.81	19.55	0.15	2.2	0.09	2.44	62.9	53.6	1.52	2570	2.12	1.57	3	19.5
0.03	7.33	3	3620	3.47	0.24	2.08	<0.02	157	31.3	46	6.28	228	7.1	22.3	0.21	2.3	0.089	2.73	104	56.1	1.47	2230	2.8	1.54	2.9	21.3
0.11	5.34	12.8	210	0.88	1.03	4.04	<0.02	72.2	66.4	23	1.68	473	8.1	10.9	0.15	1.8	0.04	0.57	39.5	21.2	1.65	4230	19.4	2.84	4.1	22.2

IG-2007-29

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Ra	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E308045	192.0	192.5		730	1.5	147	0.009	0.39	2.12	10	2	6.6	1020	0.4	0.18	10.3	0.152	0.26	5.3	60	15.2	12.3	<2	44.3		0.004	
E308046	192.5	193.0		580	1.7	149	<0.002	0.33	2.49	11.5	2	6.5	268	0.52	0.06	12.9	0.196	0.37	3	75	18.9	14.2	<2	58.9		0.002	2.72
E308047	193.0	193.5		780	1.6	126.5	0.003	0.63	1.85	8.2	2	9.2	771	0.42	0.19	9.6	0.146	0.2	6	53	16.5	9.7	2	41.1		0.005	
E308048	193.5	194.0		790	1.8	125.5	0.002	0.5	2.25	7.6	2	9.2	2590	0.43	0.12	8.4	0.146	0.21	4.4	55	15.3	9.6	2	39.9		0.003	
E308049	194.0	194.5		810	1.7	110	<0.002	0.4	1.22	9.3	2	5.3	1380	0.22	0.1	11	0.118	0.19	6	54	11.4	14	6	47.6		0.003	
E308050	194.5	195.0		610	1.9	132	<0.002	0.49	1.31	11.1	2	6	1120	0.23	0.1	11.4	0.143	0.2	5.8	63	11.9	14	4	51.6		0.003	
E308051	195.0	195.5		820	2.3	177	<0.002	0.45	1.61	12.5	2	5.8	181.5	0.29	0.19	16.2	0.181	0.24	9.3	71	14.7	15.2	3	63.4		0.006	0.59
E308052	195.5	196.0		630	3.1	193	<0.002	0.31	1.61	14.5	2	4.8	462	0.32	0.05	18.1	0.193	0.37	12.9	74	16.2	18.4	5	74.9		0.002	1.87
E308053	196.0	196.5		580	1.7	109	0.002	0.22	1.26	9.9	2	3.1	684	0.16	0.12	12.8	0.115	0.15	10.4	46	9.5	15.4	7	49.1		0.016	
E308054			Blank	110	0.6	1.2	<0.002	0.06	0.09	0.6	3	<0.2	295	<0.05	<0.05	0.3	0.007	<0.02	0.8	4	0.1	3.5	22	4.6		0.002	
E308055			Standard 1	960	22.6	87.8	0.024	2.45	1.74	11.1	4	6.6	551	0.22	0.26	9.6	0.1	0.48	307	61	9.3	18.5	7	66.7		0.015	
E308056	196.5	197.0		710	1.6	194	<0.002	0.24	1.39	13.7	2	5.2	204	0.27	0.05	16.9	0.193	0.25	11.9	77	15.6	15.8	3	69.8		0.002	0.78
E308057	197.0	197.5		1760	1.9	45.5	0.009	0.68	2.85	8	5	10.6	678	0.26	0.85	6.7	0.078	0.08	9.5	47	12.4	12.2	14	34.9		0.025	
E308058	197.5	198.0		1940	1.3	1.8	0.008	0.43	3.06	3.2	3	8.8	144	0.23	0.44	4.5	0.045	<0.02	3.3	46	11.2	9.5	15	20.1		0.015	
E308059	198.0	198.5		1660	1.1	1.9	0.007	0.36	2.43	3.1	3	7.6	589	0.19	0.58	4.5	0.038	0.02	3.8	37	21.9	8.8	12	16		0.017	
E308060	198.5	199.0		1790	1.1	0.6	0.005	0.27	2.53	2.9	3	7.7	691	0.16	0.58	3.6	0.03	<0.02	3.3	33	23.1	9.4	10	11.7		0.016	
E308061	199.0	199.5		2580	1.1	2.5	0.011	0.35	2.77	2.8	3	10.9	394	0.28	0.83	5.6	0.05	0.02	4.9	49	10.6	11.1	16	21.2		0.023	
E308062	199.5	200.0		2300	1.3	0.1	0.009	0.75	2.4	2.9	3	9.9	859	0.25	0.76	5.4	0.056	0.04	4.1	50	9.7	9.8	17	21.7		0.024	
E308063	200.0	200.5		3030	1.2	5.4	0.038	0.49	2.42	3.6	2	11.3	639	0.25	1.34	5.9	0.055	0.04	4.7	48	11.9	10.9	13	23.1		0.025	
E308064	200.5	201.0		1570	1	65.9	0.011	0.74	1.31	6.5	2	12.2	954	0.39	0.29	5.5	0.117	0.11	2.8	45	9.4	9.5	10	36.4		0.008	
E308065			Blank	80	0.9	0.4	<0.002	0.07	0.1	0.5	1	<0.2	282	<0.05	0.14	0.2	0.007	<0.02	0.7	4	0.1	2.9	22	3.4		0.002	
E308066	201.0	201.5		930	1.7	112.5	0.008	1.16	1.46	8.5	2	14	767	0.52	0.22	10.8	0.157	0.17	5.7	55	13.3	11	11	51.1		0.008	
E308067	201.5	202.0		780	2.2	153.5	0.002	0.88	1.35	10.9	1	16.6	440	0.54	0.16	11.8	0.184	0.23	10.3	58	16.7	11.2	7	53.9		0.003	
E308068	202.0	202.5		1070	1.5	84.7	0.003	1.21	1.36	8.9	3	13	949	0.47	0.35	8.3	0.138	0.16	4.6	48	15.1	13	7	44.1		0.007	
E308069	202.5	203.0		1100	1.1	70.8	0.004	0.46	1.46	6.2	2	10.1	1750	0.29	0.26	7.3	0.089	0.14	2.8	37	11.7	11.8	8	34.8		0.006	
E308070	203.0	203.5		1300	1.1	82.7	0.002	0.35	1.29	7.1	3	11.1	1900	0.25	0.21	7	0.107	0.12	3.5	44	13.2	11.8	10	38.9		0.006	
E308071	203.5	204.0		1210	1.5	71.7	0.007	1.13	1.41	6.1	3	9.6	959	0.29	0.32	6.3	0.087	0.11	4.6	39	10.2	9.9	11	37.6		0.006	
E308072	204.0	204.5		1300	1.5	68.2	0.008	1.33	1.12	5.4	3	9.9	958	0.3	0.23	5.2	0.08	0.1	2.4	33	9.7	9.2	8	29.1		0.008	
E308073	204.5	205.0		760	2.2	73.7	0.003	1.93	1.49	7	8	12.8	426	0.23	0.27	7	0.092	0.15	4.2	40	13.5	10.6	5	39.7		0.011	
E308074	205.0	205.5		1610	1.4	85.1	0.006	0.31	1.42	6.6	3	13.8	509	0.2	0.27	8.4	0.09	0.13	7.1	58	11.5	13.1	16	45.4		0.009	
E308075			Blank	130	0.5	0.9	<0.002	0.06	0.07	0.5	3	<0.2	308	<0.05	<0.05	0.3	0.007	<0.02	0.8	5	0.1	3.6	22	4		0.003	
E308076			Standard 2	2490	6.7	40.1	0.019	7.42	2.52	4.2	6	8.2	161	0.14	1.32	6	0.036	0.56	18.6	62	7	15.5	<2	25.8		0.134	
E308077	205.5	206.0		1510	2.6	88.1	<0.002	0.3	1.51	7.2	2	13.8	173	0.19	0.25	8.9	0.083	0.16	13.7	59	12.7	13.7	14	52		0.012	
E308078	206.0	206.5		1200	3.4	66.6	0.002	0.56	1.6	6.3	2	12.1	271	0.25	0.24	6.9	0.105	0.16	16.6	63	11.8	13.8	16	43.9		0.012	
E308079	206.5	207.0		1340	1.9	48.9	<0.002	0.33	1.52	5.4	2	10.2	356	0.24	0.2	6.7	0.078	0.08	7.6	43	12.2	12.1	13	37.5		0.009	
E308080	207.0	207.5		1640	2.6	126	0.003	0.8	2.11	9.1	2	21.4	84.7	0.49	0.32	10.9	0.157	0.22	27	76	19.3	15.4	9	62.3		0.019	
E308081	207.5	208.0		1800	5.8	39.9	0.023	4.51	1.72	6.5	6	9.2	171.5	0.2	0.9	6	0.061	0.13	30.3	41	8.4	13.5	4	32.4		0.066	
E308082	208.0	208.5		1730	3.5	23.2	0.02	1.09	1.38	5.9	3	6.9	592	0.18	0.25	5.7	0.049	0.07	20.1	37	8	13.1	17	25.6		0.015	
E308083	208.5	209.0		890	2.6	39.2	0.003	1.05	1.12	6.6	3	8.7	445	0.25	0.22	6.9	0.068	0.07	8.7	38	7.8	10.7	15	39		0.017	
E308084	209.0	209.5		1590	2.1	7.9	0.005	0.91	0.95	4.6	3	4.9	713	0.16	0.22	4.6	0.037	<0.02	3.8	31	9.7	10	13	18.9		0.013	
E308085	209.5	210.0		1160	1.9	21.2	0.003	0.81	1.2	5.2	3	6.7	484	0.23	0.18	6.1	0.058	0.03	5.9	34	7.8	8.9	12	29.2		0.012	
E308086			Blank	110	0.7	0.9	<0.002	0.06	0.1	0.6	3	0.2	312	<0.05	<0.05	0.3	0.007	<0.02	0.9	5	0.2	3.7	22	4.1		<0.001	
E308087	210.0	210.5		790	2.3	10.2	0.003	1.58	1.07	6.2	2	5.4	166.5	0.15	0.27	5.1	0.045	0.03	10.5	36	6.5	9	22		44.3		0.023	
E308088	210.5	211.0		1370	5.1	8.5	0.017	2.49	1.37	5.6	2	5.2	97.1	0.11	0.45	4.7	0.036	0.05	8.8	35	7.7	10.6	17	24.4		0.054	
E308089	211.0	211.5		1840	21	7.9	0.012	2.26	3.88	3.7	3	8.7	158	0.24	0.79	7.4	0.078	0.07	710	42	13.1	26.4	2	35.4		0.052	
E308090	211.5	212.0		1180	7.8	21.2	0.015	3.11	2.83	4.8	3	7.6	372	0.24	0.63	5.6	0.081	0.08	361	40	11.6	16.9	15	40.8		0.046	
E308091	212.0	212.5		1090	1.7	38.2	0.005	0.71	1.47	4.4	2	7.8	1280	0.26	0.14	4.7	0.077	0.07	7.1	35	10.1	7.2	10	25.6		0.009	
E308092	212.5	213.0		1020	2.6	71.9	0.008	0.87	1.72	6.3	2	11.9	1060	0.22	0.4	6.4	0.095	0.1	12.3	47	11.8	9.1	11	35.3		0.01	
E308093	213.0	213.5		1450	2.3	16.7	0.018	0.53	1.42	4.9	2	11.3	1055	0.2	0.35	5.1	0.05	0.03	4.8	40	21.5	10.9	9	16.2		0.014	
E308094	213.5	214.0		1350	2.1	24.8	0.007	0.82	1.51	4.1	2	9.4	984	0.31	0.21	5.6	0.088	0.04	4.5	39	9.5	9.7	11	27.3		0.008	
E308095	214.0	214.5		860	2	32.1	0.008	0.5	1.37	4.3	2	5.6	1065	0.2	0.15	5.9	0.077	0.06	3.4	36	7.7	8.7	9	26.5		0.006	
E308096			Blank	110	1	0.6	0.003	0.08	0.09	0.4	1	0.2	305	<0.05	0.21	0.3	0.007	<0.02	0.8	5	0.1	3.1	24	3.8		<0.001	
E308097			Standard 3	700	2.9	137.5	0.005	1.25	1.25	11.1	2	8.2	468	0.23	0.17	12.2	0.132	0.34	19.2	64	8.8	10.7	7	61.7		0.018	
E308098	214.5	215.0		1210	2.6	33	0.004	0.67	1.49	3.9	2	8.7	1850	0.21	0.22	4.7	0.06	0.05	3.7	39	9.5	7.9	13	24.1		0.008	
E308099	215.0	215.5		860	2.5	76.5	0.005	0.7	1.33	6.8	1	12.1	1050	0.18	0.16	6.5	0.079	0.1	10.2	44	9.4	9.1	10	33.9		0.006	
E308100	215.5	216.0		980	6.3	61.7	0.009	2.3	1.84	7	2	9.6	602	0.2	0.22	5.6	0.063	0.15	42.9	49	8.4	14.2	24	43.1		0.024	
E308101	216.0	216.5		720	3.8	43	0.002	1.4	1.8	7.8	1	10.1	495	0.2	0.07	12.5	0.078	0.08	6.2	51	11.1	11.1	12	56		0.011	
E308102	216.5	217.0		800	4.5	39.2	0.005	1.6	1.56	6.8	1	8.2	511	0.22	0.11	11.2	0.088	0.1	9.2	47	11.4	10.6	13	49.9		0.011	
E308103	217.0	217.5		610	3	22.6	0.002	0.62	1	5.4	1	4.3	300	0.14	0.06	10.7	0.051	0.06	2.8	43	6.3	11.9	10	46		0.003	
E308104	217.5	218.0		1010	4.2	79.9	0.003	1.13	1.34	9.4	1	12.6	167	0.12	0.09	12.2	0.069	0.15	2	64	7.9	16.2	8	45		0.005	
E308105	218.0	218.5		690	4.4	89.7	0.005	1.78	1.24	12	1	17.6	372	0.16	0.22	11.9	0.104	0.16	3.5	66	10.3	12.2	18	52.9		0.009	
E308106	218.5	219.0		690	3.5	130.5	0.004	0.61	1.69	13.1	<1	24.7	364	0.28	0.06	12.8	0.123	0.22	2.9	68	15.3	13.7	11	66.3		0.001	
E308107			Blank	100	1	0.9	<0.002	0.06	0.09	0.3	<1	<0.2	272	<0.05	<0.05	0.2	0.006	<0.02	0.6	4	0.1	2.5	21	3.7		<0.001	
E308108	219.0	219.5		520	4.1	39	0.007	1.65	1.22	6.8	<1	6.8	350	0.29	0.27	10.5	0.064	0.06	6.7	47	8.3	12.5	8	62.6		0.006	
E308109	219.5	220.0		870	3.4	142	0.003	0.4	1.31	12.4	<1	24.4	172.5	0.24	0.05	12.8	0.122	0.18	2.1	75	14.2	13.7	14	65.1		<0.001	1.2
E308110	220.0	220.5		890	3.4	136	0.004	0.44	1.28	14.6	<1	28.6	252	0.21	<0.05	15.8	0.129	0.19	2.1	94	15.1	13.8	16	66.7		<0.001	
E308111	220.5	221.0		940	4	34.8	0.007	1.1	1.23	6.6	1	6.9	550	0.26	0.17	9.1	0.077	0.06	7.1	62	9.9	12	13	49.6		0.008	

IG-2007-02

Sample No	From (m)	To (m)	Standard/Blank	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
E918734	6	6.5		1.2	5.91	109	200	3.52	5.36	4.78	<0.02	215	173	38	3.24	7180	10.4	15.6	0.26	1.6	0.115	3.01	167.5	28.4	1.66	4840	28.2	0.04	5.2	44.9
E918735	6.5	7		0.92	7.47	68	780	4.44	4.83	4.68	<0.02	84.6	228	62	9.45	8790	11.05	18.25	0.23	1.7	0.204	3.46	66.7	45.4	2.22	5320	13.3	0.04	3.8	81.4
E918736	7	7.5		3.44	1.77	228	90	0.62	20.9	0.65	<0.02	320	418	11	1.18	>10000	25	6.98	0.45	0.3	0.049	0.2	243	32.1	0.47	150	80	0.01	2.8	109
E918737	7.5	8		3.89	2.32	207	60	0.99	23.4	1.44	<0.02	298	506	15	1.57	>10000	22.4	8.63	0.39	0.7	0.093	0.71	198	22.3	0.58	790	53.3	0.02	5.2	91.3
E918738	8	8.5		1.97	5.85	172	70	2.65	10.4	4.93	<0.02	306	372	33	2.67	>10000	17.75	15.25	0.34	1.3	0.274	2.32	245	40.4	2.43	6160	85.3	0.03	6.5	77.9
E918739	8.5	9		3.42	1.27	185.5	20	0.53	11.55	6.6	<0.02	368	396	7	0.47	>10000	22.7	4.96	0.44	0.3	0.444	0.27	315	13.1	2.61	7150	128	0.01	2.8	75.6
E918740	9	9.5		4.65	1.34	142	20	0.27	18.45	6.44	<0.02	346	527	6	0.37	>10000	25.1	4.65	0.46	0.3	0.362	0.14	250	18.1	2.32	8100	159.5	0.01	7.7	89.3
E918741	9.5	10		5.9	0.24	289	130	0.12	18.75	5.5	<0.02	307	837	<1	0.19	>10000	31.8	1.91	0.49	0.1	0.293	0.03	230	2.7	1.66	4820	113.5	0.01	4.2	87.9
E918742	10	10.5		4.26	0.46	211	30	0.26	15.5	7.39	<0.02	357	392	<1	0.28	>10000	30.6	3.28	0.49	0.1	0.298	0.13	310	4.9	2.38	7440	94.3	0.01	3.5	81.7
E918744	10.5	11		2.37	0.24	121.5	30	0.11	10.45	8.95	<0.02	355	198	<1	0.13	>10000	24.1	3.3	0.42	0.1	0.282	0.02	303	3.5	3.17	8460	99.8	0.01	5.1	43.6
E918745	11	11.5		6.03	1.23	263	60	0.09	18.7	1.97	<0.02	305	393	3	0.37	>10000	33.2	5.04	0.44	0.2	0.179	0.06	233	17.1	1.15	5550	99.1	0.01	7	90.1
E918746	11.5	12		2.96	2.4	287	30	0.57	14.6	2.41	<0.02	349	479	9	0.89	>10000	31.7	6.43	0.5	0.6	0.135	0.3	249	32.6	1.07	3280	81.2	0.01	6.3	111
E918747	12	12.5		1.99	0.49	245	170	0.17	6.8	6.24	<0.02	182.5	203	<1	0.14	>10000	32.1	3.47	0.41	0.1	0.261	0.03	146.5	6.6	2.24	7780	113	0.01	1.6	46.4
E918748	12.5	13		1.67	1.03	279	50	0.4	7.92	7.83	<0.02	216	226	2	0.31	6120	24.6	3.19	0.37	0.3	0.166	0.15	189	12.6	3.22	12750	38.9	0.01	2.9	41
E918749	13	13.5		1.53	2.25	310	40	0.96	8.17	6.51	<0.02	118	350	9	0.78	4990	24.7	4.63	0.31	0.7	0.105	0.62	98.1	22.7	2.38	7000	36.5	0.01	5.7	56.1
E918750	13.5	14		2.22	0.99	326	50	0.2	8.33	6.94	<0.02	183.5	636	2	0.32	7020	28.7	4.6	0.42	0.3	0.091	0.04	154	14.7	2.22	7510	86.9	0.01	3.4	58.5
E918751	14	14.5		2.03	0.82	308	60	0.17	7.73	8.4	<0.02	104	479	<1	0.22	1390	31.9	4.17	0.37	0.2	0.108	0.02	87.5	11.3	2.8	9920	60.3	0.01	3	52.9
E918752	14.5	15		2.99	0.62	387	60	0.16	9.24	6	<0.02	141	600	<1	0.22	852	32.6	5.18	0.41	0.1	0.057	0.04	122.5	8.9	1.86	8510	115	0.01	2.3	60.4
E918754			STANDARD 1	1.05	6.02	74.7	70	2.06	2.54	1.91	<0.02	43.3	164.5	31	3.52	7850	9.56	14.7	0.16	1.7	0.142	2.15	15.7	24.8	1.15	3370	62.1	0.98	3.4	37
E918755	15	15.5		3.12	0.99	435	90	0.23	11.15	7.31	<0.02	147	507	2	0.26	5010	33.6	4.36	0.36	0.3	0.081	0.04	124.5	13.3	2.31	7550	81.4	0.01	3.2	64.3
E918756	15.5	16		3.51	1.07	524	80	0.24	12.35	7.65	<0.02	113	652	<1	0.37	901	36.4	5.29	0.43	0.3	0.1	0.04	96.3	14.7	2.29	7860	102.5	0.01	3.9	76.6
E918757	16	16.5		1.66	1.57	194	110	0.34	7.39	6.17	<0.02	167.5	430	5	0.47	1690	32.7	6.25	0.41	0.5	0.085	0.07	139.5	17.5	2.03	7600	44.5	0.27	7.1	63.6
E918758	16.5	17		0.91	1.31	186	40	0.31	4.94	5.73	<0.02	199.5	300	4	0.35	574	29.6	6.06	0.38	0.3	0.037	0.06	166	16.4	1.89	8630	41.6	0.11	2.8	55.8
E918759	17	17.5		0.86	0.55	281	40	0.21	4.95	6.85	<0.02	202	724	<1	0.21	1450	34.6	5.89	0.41	0.1	0.044	0.03	171	7.8	2.21	7790	65.1	0.01	0.8	54.8
E918760	17.5	18		1.49	0.72	440	50	0.2	11.85	4.25	<0.02	232	706	<1	0.22	1610	36.1	5.21	0.47	0.1	0.03	0.05	200	8.1	1.35	4620	97.4	0.15	1.5	84.8
E918761	18	18.5		0.52	3.83	80.3	200	0.46	1.82	7.75	0.02	198	152.5	12	0.31	353	15.6	5.62	0.26	1	0.022	0.14	167	9.1	2.11	6930	19.45	2.34	8	33.1
E918762	18.5	19		0.49	3.08	97.5	240	0.33	3.84	7.21	<0.02	227	282	9	0.41	167.5	20.9	5.96	0.32	0.7	0.026	0.15	190	12	2.22	7700	44.2	1.65	3.1	39
E918763	19	19.5		0.65	4.67	115.5	120	0.43	4.18	6.12	<0.02	209	268	18	0.79	149.5	17.4	7.51	0.27	1.1	0.025	0.87	179.5	13.6	2	5580	38.1	2.19	4.7	35.1
E918765	19.5	20		1	1.97	110	120	0.44	6.59	2.73	<0.02	175.5	488	9	0.76	247	23.9	6.65	0.34	0.5	0.02	0.1	158.5	18.9	1.05	2660	42.8	0.52	1.5	47.4
E918766	20	20.5		0.65	4.29	78.1	200	0.66	4.73	3.78	<0.02	163.5	282	20	0.81	304	15.9	7.2	0.27	1.1	0.02	0.16	180.5	23.2	1.43	3720	47.9	2.05	3.9	39.5
E918767	20.5	21		0.5	2.86	97.9	110	0.43	3.62	3.29	<0.02	212	323	14	0.88	148.5	20.3	8.91	0.33	0.7	0.023	0.13	196.5	21.3	1.3	3630	57.3	1.05	1.6	41
E918768	21	21.8		0.49	1.86	106.5	60	0.34	3.68	3.46	<0.02	273	310	13	0.55	149	21.8	8.52	0.35	0.5	0.02	0.12	245	18.4	1.25	4020	58.3	0.52	1.7	41.1
E918769	21.8	22.8		0.37	6.81	54.3	180	2.38	3.54	6.39	<0.02	92.8	137	31	2.41	572	13.25	12.5	0.22	1.5	0.054	2.73	75.3	25.8	2.14	6300	27.4	1.43	4	38.3
E918770	22.8	23.8		0.24	5.34	25.5	180	2.61	1.96	6.44	<0.02	79.8	80.1	26	2.48	391	9.63	12.35	0.15	1.4	0.053	2.3	60.4	24.4	1.99	6140	18.15	0.95	3.3	32.5
E918771	23.8	24.8		0.19	6.29	34.3	200	3.57	3.05	5.11	<0.02	87	112.5	32	3.32	220	11.35	15.25	0.19	1.8	0.053	2.92	62.5	34.8	1.68	4990	16.6	0.54	3.7	41.9
E918772	24.8	25.8		0.12	6.7	34.8	610	4.61	1.44	4.44	<0.02	86.9	50.4	38	4.76	105	8.85	18.25	0.18	2	0.066	3.35	58.1	42.6	1.83	4270	8.93	0.07	4.2	33.6
E918773	25.8	26.8		0.15	6	46.2	470	3.98	1.61	4.92	<0.02	101	57.1	30	3.71	1360	11.9	15.85	0.21	1.6	0.076	2.96	64.6	39.3	1.67	4680	11.65	0.07	3.4	47.7
E918775			STANDARD 2	1.2	2.48	130.5	50	0.85	10.15	2.24	<0.02	174.5	355	14	2.62	9420	27.5	10.1	0.46	0.7	0.272	0.69	116	23.7	1.53	6730	61.8	0.23	6.6	64.4
E918776	26.8	27.8		0.13	6.07	25.3	430	4.16	1.29	4.76	<0.02	152	50.6	35	3.94	418	12.15	16.6	0.23	1.7	0.07	2.85	100.5	43.8	1.78	4190	8.78	0.08	3.2	48.3
E918777	27.8	28.8		0.12	5.69	26	300	3.71	1.38	4.75	<0.02	182.5	79.4	31	3.75	351	12.6	17	0.3	1.6	0.094	2.77	116.5	39.1	1.84	4800	9.56	0.04	3.6	48.1
E918778	28.8	29.8		0.15	6.99	16	900	4.46	1.18	4.56	<0.02	109	87	40	5.5	309	10.4	18.4	0.23	2	0.077	2.89	75.7	62	2.31	4110	11.45	0.07	3.1	42.5
E918779	29.8	30.8		1.37	4.83	70.2	200	0.98	5.43	4.1	<0.02	302	237	22	2.96	129	14.85	8.23	0.29	1.3	0.058	0.36	253	38.1	2.22	5970	63.2	1.79	2.7	62.9
E918780	30.8	31.8		0.39	8.81	70.2	390	2.06	4.34	6.73	<0.02	73.6	125.5	43	5.2	179.5	11	14.95	0.19	1.9	0.102	2.39	56	37.7	2.76	5460	123	0.29	3.8	67.7
E918781	31.8	32.8		0.18	6.99	55.4	1660	2.6	1.97	5.65	<0.02	33.3	72.8	53	4.12	442	7.28	18.75	0.13	1.7	0.114	3.54	25.2	14.4	2.14	6400	27.9	0.05	2.2	43.2
E918782	32.8	33.8		0.33	3.21	95.7	130	1.1	7.67	7.77	<0.02	227	133	21	1.95	709	18.65	10.05	0.45	0.7	0.09	1.49	202	9.7	3.09	10700	38.6	0.05	3.4	75.7
E918783	33.8	34.8		0.59	2.76	102	90	0.62	12.7	7.5	<0.02	366	165.5	16	1.5	372	22.4	10.5	0.62	0.7	0.082	1.21	316	10.1	2.21	8330	98.1	0.03	6	88.2
E918784	34.8	35.8		0.24	1.89	55.4	480	0.61	4.93	4.21	<0.02	479	103	25	0.92	312	21.3	8.12	0.63	0.5	0.087	0.79	403	5.2	2.48	11000	32.9	0.02	3.9	58.6
E918786	35.8	36.8		0.17	8.05	41.2	370	2.65	9.11	5.82	<0.02	31.1	91.1	65	5.53	36.1	7.38	23	0.2	2.3	0.107	4.39	25.6	19.3	2.19	5140	5.89	0.05	3.4	44.9
E918787	36.8	37.8		0.09	6.23	25.7	1590	1.85	2.35	7.98	<0.02	87.8	61.9	41	3.6	363	10.55	15.9	0.26	1.7	0.095	3.04	73.4	13	2.67	7560	12.85	0.04	2.8	37.8
E918788	37.8	38.8		0.18	5.63	58.6	260	1.72	6.12	6.9	<0.02	143	95.4	42	3.44	482	12.7	15.5	0.33	1.6	0.092	2.84	121	11.1	2.5	7960	23.8	0.04	5.3	52
E918789	38.8	39.8		0.27	6.6	59.4	420	1.85	5.8	4.72	<0.02	190.5	94.7	42	3.51	530	11.5	19.5	0.36	2.3	0.107	3.08	139.5	14.1	1.88	8330	66.8	0.04	7	52.8
E918790	39.8	40.8		0.39	6.9	67.7	170	1.84	11.95	3.5	<0.02	12.35	140.5	36	3.81	58	9.98	18.75	0.23	2.2	0.094	3.18	7.5	14.8	1.39	4210	62.4	0.05	8.5	57.4
E918791	40.8	41.8		0.26	6.31	63.4	220	1.86	11.8	2.06	<0.02	22.8	124.5	35	3.59	55.9	9.8	18.45	0.24	1.9	0.095	3.1	14.7	10.2	1.15	4900	14.35	0.05	6.6	44.1
E918792	41.8	42.8		0.35	7.84	97.4	610	1.96	15	0.79	<0.02	31.6	147.5	51	4.31	51.6	11.1	21.4	0.23	2.4	0.106	3.84	18	12.1	0.72	4210	18.6	0.05	7.2	46.7
E918793	42.8	43.8		0.08	7.6	12.9	2290	2.04	1.32	2.9	<0.02	77.5	21.4	40	4	839	4.87	21.7	0.17	2.4	0.086	3.72	47.7	7.1	1.22	3620	57.1	0.05	9.2	15.1
E918794	43.8	44.8		0.09	8.56	7.9	2730	2.2	0.92	5.28	<0.02	66.7	13	47	3.98	1640	5.52	24.5	0.2	2.8	0.099	4.34	39	7.9	1.92	5970	43.5	0.06	10.7	12.4
E918796			STANDARD 3	0.24	7.2	43.2	180	2.68	1.61	1.87	<0.02	75.8	110	42	6.7	1605	6.9	20.2	0.22	2.1	0.129	3.04	41.6	22.9	1.35	3300	19.8	0.6	3.7	26.5
E918797	44.8	45.8		0.2	8.62	8.4	2020	1.7	0.91	7.97	<0.02	29.9	13.1	27	2.79	1470	5.77	18.2	0.17	2.1	0.092	3.14	17.3	7.7	2.94	8160	17.25	0.05	8	10.3
E918798	45.8	46.8		0.21	7.76	33.3	1180	2.02	3.86	4.63	<0.02	83.1	65.2	43	3.76	475	6.48	23.1	0.22	2.6	0.098	3.62	49.1	10.7	1.95	5980	17.3	0.05	10.4	24
E918799	46.8	47.8		0.17	8.24	39.5	430	2.28	5.38	2.45	<0.02	84.7	87.3	46	4.44	896	7.4	23.5	0.23	2.4	0.084	3.92	50.2	11.1	1.23	4050	7.93	0.06	9.4	28.5
E918800	47.8	48.8		0.05	9.66	22.5	3370	3.07	2.86	2.14	<0.02	93.2	43.1	61	5.08	70.7	8.7	28.5	0.26	3	0.08	4.7	57.1	12.2	1.07	3360	6.06	0.06	9.9	27.3
E918801	48.8	49.8		0.04	7.62	16.4	2640	2.35	1.91	3.66	<0.02	30.4	35	38	3.82	366	6.43	21.7	0.18	2.3	0.081	3.71	18.5	9.8	1.09	4180	9.66	0.06	7.5	17.2
E918802	49.8	50.8		0.01	8.17	11.7	3180	2.65	1.02	2.42	<0.02	36	24.3	45	4.44	508	6.25	24.5	0.19	2.4	0.075	4.04	22.7	12.1	0.93	2900	4.82	0.06	7	17.4
E918803	50.8	51.8		0.03	8.13	8.6	3080	2.61	0.7	2.22	<0.02	18.75	15.5	49	4.27	1870	6.89	23.9	0.18	2.5	0.072	4.11	11.4	11.3	1	3150	22.1	0.05	6.6	13.7
E918804	51.8	52.8		0.06	10.95	15	4910	3.5	1.09	1.4	<0.02	22.3	25.2	69	5.59	425	5.42	32.9	0.16	3.5	0.075	5.41	14.6	17.9	0.56	1485	23.7	0.07	6.5	15.4
E918805	52.8	53.8		0.07	8.66	12.2	3490	2.19	1.11	2.56	<0.02	14.95	26.5	38	3.53	355	9.07	20.7	0.19	2.1	0.058	3.4	9.9	14.9	1.15	3790	10.9	0.05	4.4	16.2
E918807	53.8	54.8		0.07	8.61	21.2	4660	2.74	1.7	2.55	<0.02	42	44	51	4.82	480	11.3	25.9	0.27	2.5	0.064	4.17	29.3	24.9	1.19	3630	15.35	0.06	4.6	23.4
E918808	54.8	55.8		0.25	7.66	29.5	290	2.65	4.29	2.81	<0.02	77.4	89.3	47	3.9	138.5	12.6	25.1	0.33	2.2	0.061	3.58	54.2	25.9	1.19	3890	18.75	0.05	4.6	34.4
E918809	55.8	56.8		0.16	8.77	21	1630	3.22	2.69	2.76	<0.02	52.4	59.6	53	5.25	136	8.42	30	0.24	2.7	0.066	4.47	37.2	21.9	1.07	3750	18.75	0.05	5.5	21.6
E918810	56.8	57.8		0.16	9.11	24.1	2080	3.24	2.65	2.94	<0.02	66.2	52.4	56	4.82	175	9.06	29.7	0.25	2.8	0.068	4.64	48.7	19.7	0.9	3330	8.9	0.09	5.6	20.2
E918811	57.8	58.8		0.14	7.66	22.7	1480	2.24	2.08	3.17	<0.02	125.5	40.4	44	3.17	435	15.45	21.6	0.39	1.8	0.046	4.69	92.2	14.9	0.78	3870	11.25	0.12	3.4	26.7
E918812	58.8	59.8		0.1	4.93	19.2	780	0.87	2.04	3.83	<0.02	110.5	43	23	1.36	175	21.2	12.6	0.46	1.1	0.031	3.45	85.9	8.5	0.78	4940	11	0.37	1.4	32.6
E918813	59.8	61.2		0.2	8.2	38.8	400	3.02	3.43	4	<0.02	107	119.5	52	4.7	24.7	13.35	24.3	0.36	2.4	0.064	4.76	83.7	25.9	1.12	5320	33.1	0.36	4.3	28.8
E918814	61.2	61.7		0.21	5.73	34.5	170	1.49	3.57	5.21	<0.02	118.5	99.1	27	2.06	92.5	18.7	14.95	0.43	1.5	0.055	2.54	87.4	19	1.38	6620	31.2	0.8	2.4	30.4
E918815	61.7	62.2		0.22	6.85	31.4	300	1.65	2.94	5.23	<0.02	147	100.5	28	2.53	131	14	16.8	0.36	1.4	0.059	2.71	114	21.3	1.87	5870	28.1	1.35	2.8	28.1
E918817			STANDARD 1	1.05	6.23	59.9	160	2.03	2.97	2	<0.02	58.3	174	36	3.91	8000	9.99	16.3	0.26	2	0.136	2.29	23.6	25.3	1.22	3590	65.7	0.92	4.6	40.5
E918818	62.2	62.7		0.43	6.33	45.5	210	1.89	5.82	4.94	<0.02	200	155.5	30	3.47	229	13.5	17.45	0.39	1.8	0.059	2.98	146.5	27.2	1.7	5820	45.2	0.5	3.9	35.2
E918819	62.7	63.2		0.31	5.67	45.6	190	1.78	5.64	4.14	<0.02	198	155	28	2.72	126.5	11.5	16	0.37	1.7	0.044	2.93	147	20.5	1.38	4930	37.8	0.28	4.1	33.1
E918820	63.2	63.7		0.42	6.76	39.3	150	2.36	4.77	2.65	<0.02	120	152.5	38	3.21	228	12.35	20.5	0.34	2.3	0.042	3.93	87.8	24.8	1.07	2940	39.9	0.51	5.3	36.2
E918821	63.7	64.2		0.35	6.29	28.4	150	2.01	3.09	2.38	<0.02	133	160	35	3.25	213	13	17.75	0.33	2.3	0.039	2.59	92.5	25.3	1.08	3590	33.2	0.74	4.1	34
E918822	64.2	64.7		0.28	5.11	15.2	200	1.32	2.48	2.56	<0.02	62.3	105.5	28	2.42	851	10.95	12.9	0.22	1.6	0.031	2.62	45.2	23.2	0.98	3140	50.1	0.4	2.3	28.5
E918823	64.7	65.2		0.07	7.6	5.7	1020	2.89	0.29	1.57	<0.02	98	47.6	40	3.07	238	11.6	22.8	0.25	2.3	0.045	4.37	71.8	21.5	0.69	1750	11.75	0.14	2.4	22.4
E918824	65.2	65.7		0.09	4.96	8.4	410	1.3	0.65	2.16	<0.02	97	71.5	25	1.56	160	12.9	13.05	0.24	1.6	0.027	2.94	71.1	19	0.82	2570	7.11	0.31	1.4	29.6
E918825	65.7	66.2		0.15	4.93	10.4	450	0.83	1.5	2.67	<0.02	42.5	78.6	23	1.4	380	10	11.15	0.2	1.5	0.021	2.68	31.4	25.1	0.88	3020	30	0.7	1.3	24.1
E918826	66.2	66.7		0.19	5.04	15.7	340	0.67	1.73	4.3	<0.02	89.2	86.9	24	1.13	228	10.45	11.2	0.22	1.4	0.024	0.41	67.1	62.3	1.52	3920	23	1.99	1.8	22.7
E918828	66.7	67.2		0.4	5.02	30.4	480	0.83	2.3	3.85	<0.02	101.5	134.5	20	0.79	220	11.7	11.35	0.25	1.3	0.024	0.34	76.7	16.9	1.32	3700	53.5	2.86	3.1	28.2
E918829	67.2	67.7		0.27	6.59	26.5	330	0.52	2.07	4.03	<0.02	94	95.6	21	0.4	68.8	7.53	10.55	0.16	1.5	0.011	0.22	71.1	8.2	1.17	3260	30	4.78	2.8	16.7
E918830	67.7	68.2		0.17	6.35	21.5	330	0.62	1.77	4.47	<0.02	171	94.2	22	0.69	92.7	10.4	12.4	0.27	1.4	0.022	0.27	136.5	11.9	1.42	4210	21.4	4.15	2.9	20
E918831	68.2	68.7		0.54	4.76	51.9	120	0.51	4.01	6.12	<0.02	226	146	25	1.08	99.8	14.3	11.3	0.34	1.3	0.052	0.38	180	19.2	2.19	6180	28.5	2.38	3.4	37.9
E918832	68.7	69.2		1.86	4.4	184.5	140	0.58	12.75	3.55	0.02	80.4	399	16	1.56	233	20.1	9.75	0.3	1.2	0.037	0.49	61.8	25.9	1.6	3940	25.7	1.64	2.8	69.2
E918833	69.2	69.7		0.49	6.42	59.3	100	0.73	4.38	2.69	<0.02	117	157	29	0.86	49.6	12	12.9	0.24	1.7	0.018	0.25	90.4	12.5	1.02	2900	32.4	4.26	2.9	35.5
E918834	69.7	70.2		0.5	4.67	51.7	120	0.52	4.74	1.94	<0.02	63.4	176.5	28	0.53	191.5	16.4	11.8	0.26	1.2	0.024	0.18	47.7	10.2	0.76	1800	32.8	2.95	3.3	44.9

IG-2007-02

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Ra	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
E918734	6	6.5		1650	5.1	111.5	0.017	3.92	1.93	17.7	2	23.6	42.6	0.17	0.64	7.7	0.126	0.42	13.9	136	12.3	18.1	11	47.1		0.071
E918735	6.5	7		640	3.7	129.5	0.006	3.11	2.63	29.5	1	25.2	25.9	0.1	0.4	3.3	0.219	0.44	29.2	224	17.7	18.2	28	52.5		0.055
E918736	7	7.5		2630	11.2	7.6	0.032	>10.0	7.8	3.9	3	5.9	35.6	0.06	1.13	2.7	0.029	0.12	69.5	102	17.2	13.5	27	11.2	1.46	0.186
E918737	7.5	8		2800	12.3	28	0.022	>10.0	7.19	6.1	3	12.4	69.7	0.19	1.76	4.7	0.047	0.21	116.5	90	12.9	16	23	21.2	1.42	0.161
E918738	8	8.5		3600	6.1	84.7	0.012	7.56	4.15	18.9	3	36.7	34.8	0.12	1.28	4.8	0.098	0.32	39	169	13.2	24.3	28	38	1.12	0.124
E918739	8.5	9		2560	9.2	10.3	0.036	>10.0	3.09	7.8	12	15.9	48.5	0.08	1.93	2.6	0.023	0.17	39.6	83	8.8	18.7	15	9.9	3.31	0.392
E918740	9	9.5		3190	12.4	5.4	0.072	>10.0	4.9	5.5	10	17.5	75.5	0.12	3.61	3.2	0.024	0.22	44.9	45	9.2	20	27	10.5	4.48	0.456
E918741	9.5	10		2320	16.3	1.3	0.06	>10.0	3.62	4.5	17	15.3	51.5	0.09	5.03	1.5	0.008	0.4	29.3	17	4.9	13.2	9	2.5	2.68	0.243
E918742	10	10.5		1870	14.6	5.2	0.046	>10.0	3.64	3.7	10	10.2	39.1	0.08	3.1	2	0.008	0.31	19.4	36	6	16.4	8	3.8	2.77	0.49
E918744	10.5	11		2840	11.3	0.8	0.039	>10.0	3.92	3.8	3	8.8	48.4	0.13	1.07	2	0.007	0.07	13.5	52	6	21.6	8	2.6	2.62	0.392
E918745	11	11.5		3110	14.9	3.2	0.042	>10.0	4.35	4.5	7	15.6	22.2	0.14	1.71	2.7	0.019	0.25	15.6	41	12.7	16	24	10.8	4.36	0.567
E918746	11.5	12		3440	12.5	11.7	0.028	>10.0	4.19	6.1	3	10.2	49.2	0.12	2.3	4.9	0.027	0.14	33.7	47	11.4	18.4	40	21.7	1.24	0.202
E918747	12	12.5		1270	7.9	1.2	0.019	9.5	2.91	5.8	4	8.6	27.5	<0.05	1.19	1.5	0.008	0.1	19.8	40	11	12.1	14	3.3	2.44	0.287
E918748	12.5	13		980	9.8	5.9	0.007	>10.0	2	3.7	1	5.7	26.5	0.05	0.63	2.8	0.013	0.11	12.2	16	3.7	12.2	17	11.5		0.149
E918749	13	13.5		1230	9.6	24	0.006	>10.0	1.8	5.4	1	14.6	28.9	0.15	0.55	4.5	0.037	0.17	20.5	36	7.6	13	18	23		0.14
E918750	13.5	14		1320	12.6	1.4	0.01	>10.0	2.51	4.9	3	3.9	29.6	0.09	0.57	3.9	0.015	0.19	22.8	35	4.2	13.7	16	11		0.144
E918751	14	14.5		1020	13.1	0.8	0.006	>10.0	2.71	5.4	2	1.6	40.7	0.08	0.51	3.1	0.011	0.12	17.7	29	4.8	12.8	18	8		0.1
E918752	14.5	15		940	19	1.5	0.007	>10.0	3.25	4.8	2	1.8	38.9	0.05	0.8	2	0.008	0.62	19.8	32	3.8	10.9	15	5.7		0.126
E918754			STANDARD 1	870	19.7	87.2	0.022	2.39	1.59	9.5	2	7.5	518	0.18	0.26	7.3	0.085	0.44	276	53	8.4	15.5	8	58.3		0.049
E918755	15	15.5		1150	18.4	1.5	0.01	>10.0	3.81	4.9	3	3.3	33.2	0.08	0.76	3.2	0.014	0.89	23.8	33	4.8	12.6	16	11.7		0.189
E918756	15.5	16		1380	28.5	1.3	0.008	>10.0	5.95	5.1	2	3	39.6	0.07	1.02	2.2	0.013	1.57	21.5	30	5.6	13.8	23	9.9		0.173
E918757	16	16.5		1630	12.9	2.3	0.003	9.38	4.83	5.9	1	3.6	36.9	0.16	0.6	3.8	0.02	0.19	25.6	35	4.3	15	24	19.6		0.084
E918758	16.5	17		1390	8	2.2	0.005	7.03	3.77	5.2	1	2.3	53.4	0.07	0.43	3	0.012	0.11	10.9	35	3.2	12.2	21	12.3		0.089
E918759	17	17.5		1920	8.7	1.1	0.01	9.27	3.85	4.3	3	1.8	41.3	<0.05	0.49	2.5	0.006	0.18	8.8	33	3.1	15.1	12	2		0.065
E918760	17.5	18		1950	13.8	1.7	0.017	>10.0	6.16	3.2	3	4	30	<0.05	1.42	3.3	0.007	0.13	14.5	28	5.4	12.8	10	5.5		0.107
E918761	18	18.5		2190	8.3	3.9	<0.002	2.61	4.34	7.1	<1	2.1	89.7	0.23	0.21	9.3	0.028	0.27	10.5	28	2.9	17	13	35.6		0.022
E918762	18.5	19		1950	6.3	4.3	0.005	5.15	6.31	6.7	3	2.8	56.1	0.11	1.04	5.5	0.019	0.12	11.4	37	3.4	16	12	27		0.083
E918763	19	19.5		1550	7.9	24.6	0.004	5.19	4.83	7.8	3	5.6	55.7	0.11	0.52	7.3	0.03	0.26	10.4	30	4.7	17.6	13	37.3		0.043
E918765	19.5	20		700	12.2	3.3	0.007	7.77	7.7	3.6	2	2.2	21.7	0.05	0.72	4	0.018	0.17	12.7	25	6.8	8.5	20	17.6		0.071
E918766	20	20.5		680	9.5	5	0.003	4.41	5.73	5.5	2	2.2	38.4	0.14	0.62	5.3	0.027	0.08	11.4	23	3.7	8.9	19	39.7		0.062
E918767	20.5	21		810	8.2	3.8	0.003	4.75	6.32	4.2	1	1.8	26.2	0.06	0.39	5.3	0.023	0.18	9.2	33	5.5	7.6	19	21.6		0.041
E918768	21	21.8		710	6.9	4	0.003	4.9	6.38	4.6	1	1.9	32.8	0.07	0.43	5.6	0.022	0.11	8.1	35	8.2	8.1	16	17.9		0.04
E918769	21.8	22.8		1020	4.9	82.9	0.003	4.89	3.83	12.9	1	15.9	49.8	0.17	0.52	8.2	0.061	0.23	10.5	58	7.9	12.1	10	54.3		0.039
E918770	22.8	23.8		820	2.9	83.8	0.002	2.92	2.47	8.7	1	11	56.9	0.16	0.21	10.1	0.061	0.25	4.8	49	7.8	13	4	51.5		0.023
E918771	23.8	24.8		810	3.7	107.5	0.002	3.92	1.97	10	<1	13.2	46.1	0.18	0.27	9.8	0.103	0.28	5.8	60	9.1	15.4	6	58.7		0.027
E918772	24.8	25.8		830	2.6	134.5	<0.002	1.51	2.04	11.2	<1	13.3	42.1	0.23	0.35	10.8	0.125	0.3	4.5	67	11.5	15.8	5	71.3		0.012
E918773	25.8	26.8		1290	2.3	116.5	<0.002	1.76	1.84	9.9	1	10.1	47.5	0.21	0.44	11.8	0.103	0.29	5.2	70	10	21.1	5	54.3		0.019
E918775			STANDARD 2	2490	7	36.8	0.02	7.39	2.3	4.8	5	7.8	188	0.14	1.35	5.9	0.038	0.5	16.4	61	7.2	15.5	9	25.8		0.112
E918776	26.8	27.8		1100	2.5	115	<0.002	1.38	1.44	9.9	1	11.1	50.5	0.16	0.25	13.6	0.1	0.32	4.7	66	10.2	18.9	7	56.4		0.012
E918777	27.8	28.8		1300	2.6	118.5	<0.002	1.7	1.41	10.5	1	12.4	63.4	0.16	0.28	13.2	0.099	0.31	5.8	56	14.6	19.6	7	58.9		0.014
E918778	28.8	29.8		810	2.7	120	<0.002	1.46	1.37	11.6	1	13.2	35	0.17	0.13	13.8	0.114	0.45	6	61	11.8	17.3	20	68.9		0.009
E918779	29.8	30.8		940	9.8	12.8	0.002	5.27	5.4	7.2	1	2.5	32.4	0.12	0.78	13.3	0.039	0.14	12.6	26	6.3	12.2	18	45.7		0.043
E918780	30.8	31.8		770	4.2	80.4	<0.002	2.47	2.26	22.4	<1	8.6	29.6	0.13	0.23	4.9	0.146	0.26	12.6	185	16.1	13	19	59.7		0.023
E918781	31.8	32.8		950	2	119.5	<0.002	1.03	1.8	30.3	<1	8.6	19.6	0.08	0.05	1.8	0.214	0.35	8.2	280	22.3	14.1	3	54.6		0.007
E918782	32.8	33.8		2670	8.3	46.8	0.003	3.13	1.99	18	3	7.1	29.9	0.09	0.41	2.3	0.067	0.25	8.3	189	12.9	18.7	6	24		0.027
E918783	33.8	34.8		3630	5.2	42.3	0.017	4.22	2.39	14.6	6	9.4	40.7	0.09	0.79	2.7	0.062	0.18	10.6	112	13	21.7	7	24.7		0.045
E918784	34.8	35.8		1590	2.9	27.7	0.008	2.22	1.89	9.7	4	8.7	17.2	0.05	0.4	4	0.042	0.21	6.5	68	8.6	16.6	3	16.6		0.024
E918786	35.8	36.8		480	2.2	118.5	0.004	2.65	1.74	32.1	3	28.1	19.7	0.15	0.48	1	0.226	0.44	7.4	233	21.9	14.5	2	74.5		0.026
E918787	36.8	37.8		740	1.8	97	<0.002	0.91	1.14	27.2	3	15.9	21.6	0.11	0.21	2	0.161	0.33	4.9	210	16.2	15	4	58.1		0.009
E918788	37.8	38.8		1030	2.2	88.1	0.004	2.28	1.54	26.1	3	14.1	19.6	0.1	0.62	2.6	0.169	0.29	6.4	204	16.9	15.4	4	52.9		0.023
E918789	38.8	39.8		1130	3	99.6	0.005	2.11	1.74	12.2	3	11.8	20.1	0.28	1.45	11.8	0.135	0.39	9.3	89	13.8	15.9	6	76.8		0.032
E918790	39.8	40.8		640	5.3	106.5	<0.002	3.66	2.36	10.2	3	9.1	12	0.41	1.14	10.3	0.14	0.36	16.6	65	12.7	11.6	5	73		0.032
E918791	40.8	41.8		520	3.6	101	0.004	3.39	1.71	11.6	2	7.7	10.6	0.33	0.69	10.7	0.124	0.36	20.6	55	10.6	9.1	3	64.6		0.027
E918792	41.8	42.8		680	6.3	117.5	0.019	4.49	2.5	11.5	2	8.2	9.7	0.36	0.9	11.8	0.159	0.45	35.3	66	12.1	10.6	3	78.9		0.035
E918793	42.8	43.8		820	1.9	110.5	<0.002	0.37	1.33	12.4	2	8.6	13.2	0.57	0.26	12.6	0.171	0.36	8.8	66	12.2	10.9	<2	75.3		0.012
E918794	43.8	44.8		730	2.1	118.5	0.011	0.34	0.99	15.1	4	6.3	17.7	0.68	0.27	15.3	0.202	0.43	6.9	81	13.2	24.8	3	91		0.017
E918796			STANDARD 3	790	2.6	122.5	0.005	1.34	1.16	11.4	3	7.9	493	0.22	0.2	11.7	0.116	0.38	17.4	62	8.6	11.7	6	70.3		0.018
E918797	44.8	45.8		570	3.3	91.7	<0.002	0.34	0.82	12.3	3	4.3	19.7	0.45	0.2	11.8	0.144	0.33	8.1	63	9.2	33.2	6	72.5		0.015
E918798	45.8	46.8		720	3.6	114	0.006	1.26	1.49	14	3	5.1	17.8	0.56	0.43	13.4	0.172	0.39	11.9	70	11.5	24.5	6	83.8		0.023
E918799	46.8	47.8		710	3.3	116	0.005	1.72	1.9	13.1	3	5.4	13.1	0.51	0.41	13.6	0.171	0.42	7.5	73	11.3	11.7	5	77.6		0.032
E918800	47.8	48.8		740	2.3	150.5	<0.002	0.95	1.82	20.1	2	8.9	18.3	0.43	0.23	18.2	0.187	0.49	8.2	99	12.6	14.9	3	94		0.02
E918801	48.8	49.8		700	1.8	111	<0.002	0.67	1.08	14.7	2	5.5	26.8	0.43	0.14	12.6	0.163	0.36	7.1	67	10.4	15.3	3	73.8		0.01
E918802	49.8	50.8		710	1.7	120.5	<0.002	0.36	1.33	16.2	2	6.7	22.4	0.44	0.06	13.7	0.188	0.37	8.4	74	12.8	10.5	3	76.4		0.009
E918803	50.8	51.8		770	1.5	121	<0.002	0.37	1.12	14.4	3	7.1	13.9	0.41	0.05	16.1	0.19	0.39	6.1	75	12.8	10.3	2	79.4		0.017
E918804	51.8	52.8		910	1.9	164	<0.002	0.52	1.48	19.4	2	12.2	28.1	0.37	0.08	22.8	0.246	0.51	7.7	105	16.9	12.5	5	109		0.009
E918805	52.8	53.8		750	1.8	103	<0.002	0.46	1.7	12.6	2	7.5	21.9	0.24	0.08	14.9	0.146	0.32	7.2	69	11.2	9.9	5	71.3		0.009
E918807	53.8	54.8		900	2.5	124	<0.002	0.77	2.86	14.2	3	9.1	49.7	0.24	0.13	15.3	0.159	0.36	8.2	85	12.9	12.7	10	83.4		0.008
E918808	54.8	55.8		770	3.6	113.5	<0.002	1.9	3.39	14.4	6	11.2	33.9	0.24	0.34	11.9	0.144	0.41	8	82	13.5	12.4	10	74.3		0.022
E918809	55.8	56.8		880	2.6	152.5	<0.002	1.13	2.54	16.8	4	13.5	51.7	0.32	0.21	17.8	0.191	0.48	8.1	82	17.2	12.8	5	89.9		0.013
E918810	56.8	57.8		1000	2.7	145	<0.002	1.14	3.16	18	3	14.2	57.9	0.33	0.17	16.2	0.198	0.51	7.3	87	17.6	12.4	4	91		0.013
E918811	57.8	58.8		670	3	124	0.003	1.02	3.66	12.3	3	10.3	47.8	0.18	0.15	12.4	0.127	0.47	6.5	77	11.9	11.7	3	84.7		0.016
E918812	58.8	59.8		550	2.6	74.1	<0.002	0.84	3.19	5.8	2	3.3	80.6	0.07	0.12	8.4	0.038	0.22	6.6	58	4.7	9.5	4	42.3		0.009
E918813	59.8	61.2		1200	3.4	117.5	0.003	2.54	2.43	21.4	3	17.8	67.3	0.19	0.3	17.3	0.143	0.41	10	79	14.8	17.8	6	84.9		0.015
E918814	61.2	61.7		870	3.4	67.8	<0.002	2.19	3.1	9.4	3	7.1	121	0.1	0.25	11.3	0.063	0.21	6.2	56	7.1	13.8	8	54.3		0.012
E918815	61.7	62.2		980	3.6	76.1	<0.002	1.95	2.86	11.1	3	8.1	71.9	0.13	0.19	8.4	0.076	0.24	7.7	53	8.4	13.7	9	51.2		0.012
E918817			STANDARD 1	930	21.1	80.8	0.021	2.4	1.75	10.6	4	8	620	0.23	0.27	8.5	0.099	0.45	287	56	9.2	15.9	10	65.5		0.05
E918818	62.2	62.7		1260	6.7	87.5	0.005	3.46	3.37	12.2	3	10.4	97.1	0.16	0.46	11.3	0.096	0.27	13.3	65	10.8	16.8	9	64.5		0.02
E918819	62.7	63.2		1210	4.8	86.3	0.006	3.59	2.47	11.2	3	10.5	41.9	0.16	0.47	12.6	0.097	0.23	10.6	60	9.9	13.4	5	59.8		0.027
E918820	63.2	63.7		1800	5	99.2	0.005	3.51	1.92	11.6	3	14.2	43.1	0.2	0.36	11.6	0.117	0.52	15.8	82	11.8	13.4	6	76.2		0.025
E918821	63.7	64.2		1830	5.2	80.8	0.005	2.98	1.76	8.9	3	11.1	54	0.18	0.25	12	0.097	0.31	24.5	65	9.8	15.6	10	75		0.021
E918822	64.2	64.7		1010	4.3	79.9	0.002	2.46	1.45	5.9	1	7.2	105.5	0.13	0.17	12	0.067	0.23	20.3	48	7.1	10.9	10	50.4		0.014
E918823	64.7	65.2		1140	2.2	147	<0.002	1.46	1.04	9.9	1	17	44.5	0.12	<0.05	13.8	0.122	0.32	11.5	87	11.5	12	7	72		0.002
E918824	65.2	65.7		770	1.9	80.5	<0.002	2.11	1.02	4.4	1	5.3	37.5	0.1	<0.05	11.7	0.051	0.2	10.9	42	5.9	10.2	11	50.4		0.011
E918825	65.7	66.2		700	2.9	69.8	<0.002	1.57	1.25	5.1	1	3.5	45.2	0.09	0.09	12.2	0.038	0.2	12.7	38	4.3	9.1	10	48.3		0.008
E918826	66.2	66.7		940	2.2	13.6	<0.002	1.32	1.19	7.9	1	1.1	104.5	0.11	0.12	12	0.03	0.08	10.2	30	3.5	10.4	14	44.7		0.004
E918828	66.7	67.2		1220	5.1	9.9	<0.002	2.33	1.68	7	2	1.5	47.4	0.16	0.16	11.9	0.044	0.07	14.9	41	6.4	12.3	10	41.6		0.017
E918829	67.2	67.7		1480	3.2	2.8	<0.002	1.82	1.16	5.6	1	1.4	49.7	0.17	0.14	14	0.054	0.03	8.3	22	5	10.3	7	47.7		0.017
E918830	67.7	68.2		1040	3.1	7.1	<0.002	1.4	2.39	6.2	1	1.3	52.5	0.16	0.11	12.4	0.042	0.05	9.1	36	6.9	12.6	8	46.1		0.006
E918831	68.2	68.7		1270	8.9	12.1	0.004	2.96	2.22	9.1	1	1.5	49.4	0.18	0.24	13.1	0.04	0.1	19.3	47	8.6	15.9	15	38.6		0.021
E918832	68.7	69.2		740	28.9	13.8	0.005	>10.0	2.92	8.1	2	1.3	35.3	0.15	0.61	6.8	0.037	0.19	35.9	44	9	11.8	29	36.2		0.09
E918833	69.2	69.7		1400	8.9	6.4	0.017	3.51	1.98	5.1	1	1.4	45.2	0.16	0.25	12.6	0.043	0.1	12.4	41	6.6	12.2	12	51.2		0.024
E918834	69.7	70.2		1270	8.2	4.7	0.006	4.08	2.36	3.6	2	1.5	87.5	0.17	0.24	10.6	0.041	0.1	10.4	72	7.9	9.5	10	36.8		0.033

IG-2007-02

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
E918835	70.2	70.7		1.19	6.17	127	160	0.71	9.05	2.51	<0.02	96.7	330	21	0.85	65.8	13.75	12.1	0.25	1.8	0.015	0.25	76.7	15.1	0.94	2450	44	3.89	3.8	52.7
E918836	70.7	71.2		0.26	6.39	46.3	140	0.63	3.82	2.36	<0.02	142	144	27	0.39	35.1	11.15	12.85	0.26	1.6	0.008	0.13	111	8.2	0.73	1960	37.3	4.55	2.4	31.6
E918838			STANDARD 2	1.15	2.36	70.3	50	0.81	10.55	2.15	<0.02	229	344	13	2.77	9200	27	8.31	0.39	0.7	0.256	0.86	130	23.8	1.48	6030	61.5	0.24	5.4	59.3
E918839	71.2	71.7		0.37	6.95	58.1	150	0.79	3.38	3.52	<0.02	128	130.5	12	0.73	87.3	8.04	12.95	0.2	1.7	0.016	0.27	94.9	13.7	1.13	3240	20	4.76	2.1	27.3
E918840	71.7	72.2		0.45	6.49	108.5	90	0.53	4.11	4.93	<0.02	191.5	180	14	0.47	47.7	9.04	11.8	0.26	2.3	0.008	0.17	146.5	7.9	1.36	3720	12.7	4.48	3	34.1
E918841	72.2	72.7		0.67	4.1	75	240	0.5	4.74	3.87	<0.02	106.5	246	21	0.75	135	15.8	9.88	0.26	1.4	0.019	0.22	81.7	15.4	1.43	3420	45	2.29	2.6	43.1
E918842	72.7	73.5		0.86	4.02	196.5	90	0.45	8.48	3.95	<0.02	62.5	275	17	0.85	252	17.45	10.2	0.27	1.3	0.021	0.22	46.6	17.5	1.44	3400	29.7	2.14	2.7	53.3
E918843	73.5	74.5		0.16	7.14	16.2	1530	2.13	0.79	4.86	<0.02	45.7	38.7	36	3.41	176.5	5.6	18.25	0.14	2.1	0.049	2.09	30.7	26.8	1.67	4610	5.98	2.32	3.9	18.3
E918844	74.5	75.5		0.29	6.12	25.9	1480	2.61	0.87	4.04	<0.02	62.2	35.8	28	3.89	234	4.58	17.95	0.15	2.4	0.053	2.83	42	16.8	1.53	4010	80.1	0.66	4.5	27.3
E918845	75.5	76.5		0.13	5.36	22.1	1580	2.44	0.97	5.63	<0.02	88.9	31	25	3.46	825	6.87	14.9	0.16	1.8	0.066	2.65	60.4	14.1	2.15	6570	12.9	0.12	4.6	14.3
E918846	76.5	77.5		0.06	5.34	18.9	1730	1.95	0.94	6.7	<0.02	89.7	28.6	23	2.66	114	6.47	11.8	0.16	1.7	0.062	2.72	80	10.8	2.41	6610	10.85	0.07	4.6	11.2
E918847	77.5	78.5		0.68	3.77	97.4	90	1.6	8.5	5.63	<0.02	126	146	16	2.49	333	13.85	10.85	0.3	1.6	0.052	1.81	94.6	13.6	1.93	7430	29.5	0.09	5.3	38.7
E918849	78.5	79.5		0.17	6.27	37.1	630	2.4	2.43	3.59	<0.02	88.4	55.1	32	3.92	637	7	15.4	0.16	2.2	0.064	3.14	60.2	16.1	1.23	4400	14.8	0.04	3.8	17.6
E918850	79.5	80.5		0.11	6.99	23.6	2100	2.86	1.49	5.42	<0.02	87.9	28.7	32	4.86	238	5.61	18.35	0.18	2.4	0.07	3.58	55.8	16.3	2.02	5250	20.6	0.05	4.8	13.6
E918901	80.5	81.5		1.35	3.8	107.5	290	1.22	10.25	5.71	<0.02	99.9	153.5	17	1.96	209	17.35	8.83	0.25	1.1	0.039	1.85	77	11.6	1.88	6800	29.4	0.12	3.5	41.8
E918902	81.5	82.5		0.54	5.66	70.3	150	2.1	4.43	5.77	<0.02	71.5	77.7	30	3.75	176.5	11.05	14.35	0.2	1.6	0.065	2.69	57.3	25.4	1.67	7420	28.1	0.08	3.4	30.3
E918903	82.5	83.5		0.86	2.09	74.6	120	0.52	10.2	5.2	<0.02	152	186	6	1.15	1170	24.4	7.28	0.36	0.5	0.082	0.37	129.5	24.6	2.11	7630	36.5	0.06	2	60.8
E918904	83.5	84.5		0.71	0.99	77.1	130	0.28	8.61	3.44	<0.02	113.5	211	5	0.57	2080	27.6	5.84	0.38	0.3	0.04	0.23	100	9.3	1.03	4790	39.7	0.01	1.9	51.4
E918905	84.5	85.5		0.5	5.45	61.5	260	2.3	4.08	5.48	<0.02	150	116.5	30	3.95	205	10.9	14.35	0.24	1.5	0.065	2.7	112	27.9	1.88	6270	38.3	0.04	4.2	40.5
E918906	85.5	86.5		0.21	3.03	24.7	740	1.14	1.06	6.92	<0.02	148.5	39.9	19	2.1	957	18.25	9.91	0.33	0.9	0.067	1.36	106	17.5	1.77	9710	19	0.08	3.9	48.6
E918907	86.5	87.5		0.16	6.4	27.7	2740	2.85	0.8	7.01	<0.02	332	26.1	35	4.78	100	6.95	17.55	0.33	1.9	0.068	3.28	230	25.6	2.13	6760	11.5	0.06	4.2	22.7
E918909			STANDARD 3	0.26	6.6	41.1	790	2.37	1.58	1.93	<0.02	78.9	105.5	46	5.94	1570	6.62	17.7	0.17	1.7	0.115	2.95	45.3	20.3	1.27	3160	20.6	0.57	3.4	24.4
E918910	87.5	88.5		0.15	7.09	36.4	1690	3.38	1.43	4.01	<0.02	70	37.3	42	5.84	446	5.92	19.3	0.19	2.1	0.076	3.66	45.3	29.7	1.27	5240	4.92	0.05	3.6	21.5
E918911	88.5	89.5		0.22	6.36	39.4	680	3.06	2.11	4.8	<0.02	57.8	58.4	37	5.43	254	7.8	17.25	0.17	2	0.074	3.29	39.5	29.8	1.39	6330	20.7	0.05	3.7	28
E918912	89.5	90.5		0.45	6.78	43.9	440	3.07	2.07	3.12	<0.02	444	71.3	40	5.02	107	7.75	20.5	0.53	1.8	0.065	3.46	331	42.2	1.17	3820	17.2	0.04	5.9	30.3
E918913	90.5	91.5		0.3	8.23	30	1060	3.89	1.88	3.08	<0.02	91.6	68.8	46	7.37	340	6.74	23.2	0.27	2.4	0.063	4.16	58	46.8	1.34	3730	12.8	0.06	4.8	26.3
E209558	116.4	116.9		0.39	8.49	121	250	4.25	10.25	0.63	<0.02	21.1	218	52	7.65	309	9.91	22.7	0.18	2.7	0.12	4.18	11.6	47	0.96	8180	20.2	0.07	8.7	39.8
E209559	116.9	117.4		0.85	4.64	81.9	100	2.27	10.55	2.13	<0.02	61	149	29	3.94	5820	18.1	13.8	0.3	1.5	0.248	2.2	40.9	25.5	1.84	12850	35	0.04	9.7	34.5
E209561	117.4	117.9		1.44	4.03	115.5	80	1.91	16.2	1.06	0.02	101.5	247	26	3.62	>10000	20.9	12.3	0.36	1.3	0.208	1.97	76.2	20.8	1.3	11650	61	0.04	10.1	44.5
E209562	117.9	118.4		1.57	4.39	193.5	160	1.99	20.4	0.34	0.03	225	337	29	4.26	5000	19.35	14.8	0.42	1.3	0.16	2.04	173	18.8	1	11850	33.3	0.04	6.8	50.1
E209563	118.4	118.9		0.74	4.26	116.5	130	1.85	16.4	0.42	<0.02	108.5	207	23	3.66	668	20.8	13.5	0.35	1.4	0.191	1.97	74.1	18	1.02	16900	36.6	0.04	4.3	39.4
E209564	118.9	119.4		0.89	2.25	128	60	0.98	23.3	0.68	<0.02	180	319	10	2.04	2320	30.2	8.7	0.51	0.6	0.219	1.09	138	7.9	1.08	22700	53.1	0.03	4.6	55
E209765	260.3	260.8		0.44	5.92	116.5	110	2.43	9.55	3.93	<0.02	66	160	29	5.78	643	9.29	17.25	0.23	1.7	0.153	2.74	32.7	29.4	1.86	8300	21.1	0.05	5.9	39.5
E209766	260.8	261.3		1.49	4.74	209	1190	1.79	37.3	1.59	<0.02	451	381	28	4.21	4610	16.45	18.7	0.59	1.5	0.165	2.05	331	24.9	1.2	8350	69	0.04	11.8	98.3
E209767	261.3	261.8		1.26	5.84	245	2100	2.03	33.4	1.74	<0.02	326	548	30	5.23	1580	18.75	19.45	0.43	1.8	0.183	2.51	262	28.3	1.36	6400	66.4	0.04	17.3	116
E209769			STANDARD 2	1.19	2.49	61.6	50	0.6	11	2.27	<0.02	171.5	359	13	2.71	9860	28.3	10.55	0.48	0.7	0.28	0.7	103.5	22.6	1.58	6420	87.9	0.24	6.4	63.2
E209770	261.8	262.3		1.1	3.33	167.5	50	1.35	17.8	5.6	<0.02	357	337	21	3.04	>10000	15.45	13.4	0.46	0.9	0.227	1.42	263	17.6	2.38	9260	68.9	0.03	10	86.9
E209771	262.3	262.8		1.29	4.17	275	590	1.54	29.4	3.7	<0.02	280	492	19	3.78	1490	15.65	16.5	0.45	1.2	0.144	1.75	208	23.1	1.55	5610	61.5	0.03	9.9	104
E209772	262.8	263.3		1.08	4.38	204	1700	1.93	27.5	3.85	<0.02	>500	432	21	4.56	226	15.15	19.25	0.59	1.3	0.129	1.82	470	22.2	1.88	6420	89.3	0.04	25.3	87.9
E209773	263.3	263.8		0.52	6.24	75	250	2.92	8.07	1.14	<0.02	194	163	40	6.5	534	12.8	21.2	0.3	1.6	0.124	2.9	143.5	21.2	1.11	7430	19.25	0.05	13.2	40.2
E209774	263.8	264.3		1.7	2.48	305	100	0.91	33	4.39	<0.02	271	608	10	2.25	1140	18.6	10.3	0.47	0.9	0.122	0.95	182.5	12.9	1.69	7360	90.2	0.03	14.5	126.5
E209775	264.3	264.8		3.12	4.95	381	1260	1.66	58.7	0.78	0.03	347	874	30	4.71	1890	23.3	18.85	0.56	1.4	0.099	2.04	233	20.8	0.84	3530	80.5	0.04	18.8	160.5
E209776	264.8	265.6		0.93	5.56	130.5	180	1.64	15.9	3.34	<0.02	233	249	27	5.19	3080	13.15	16.95	0.37	1.4	0.117	1.53	183	42.1	2.16	4500	44.2	0.04	12.9	72.3
E209778	265.6	266.6		0.03	6.79	7.7	3270	3.37	0.29	0.87	<0.02	109.5	17.7	42	8.26	153.5	4.74	27.7	0.2	1.8	0.114	3.15	68.4	36.5	0.59	1020	0.69	0.06	3.1	17.8
E209779	265.6	266.6	DUPLICATE	0.03	6.98	7.7	3150	3.54	0.18	0.7	<0.02	94.1	17.7	43	8.44	112.5	4.51	27.8	0.21	1.9	0.116	3.3	58.3	36.6	0.64	1020	0.43	0.06	3.4	17

/G-2007-02

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr	Cu	Au
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
E918835	70.2	70.7		1160	19.8	5.7	0.007	7.6	2.59	5.2	2	1.8	43.5	0.22	0.5	12	0.054	0.1	22.3	36	7.3	11.9	18	55.4		0.06
E918836	70.7	71.2		1040	4.8	3	0.006	3.09	1.57	4.3	1	1.4	46.6	0.13	0.22	11.5	0.035	0.06	8.3	42	5.1	9.6	8	44.5		0.024
E918838	#REF!	#REF!	STANDARD 2	2420	6	34.4	0.015	7.68	2.29	3.8	5	7.4	166	0.13	1.29	6.6	0.034	0.48	14.5	57	6.4	14.2	10	22.4		0.114
E918839	71.2	71.7		730	6.6	6.3	0.002	2.95	1.19	6.2	1	1.3	53.6	0.13	0.21	13.2	0.035	0.08	12.1	16	3.9	10.2	13	50.6		0.023
E918840	71.7	72.2		850	7.4	3.9	0.002	5.21	1.56	9.9	1	1.4	58.8	0.18	0.29	16.9	0.045	0.06	8.4	10	4	12.4	7	65.8		0.036
E918841	72.2	72.7		830	11.1	6	0.005	6.36	2.2	5.8	1	1.3	36.1	0.15	0.22	11.8	0.041	0.1	13.5	53	7.3	10.2	13	39.6		0.03
E918842	72.7	73.5		550	11.6	6.3	0.002	6.35	1.93	8.4	2	1.1	38.2	0.17	0.31	9.9	0.04	0.1	16.6	53	6.3	9.5	14	40.6		0.051
E918843	73.5	74.5		580	3.1	79.4	<0.002	0.59	1.14	11.7	1	6.2	44.3	0.3	0.09	14.5	0.112	0.26	8.9	48	9.6	14.8	11	63		0.004
E918844	74.5	75.5		500	3.4	108.5	0.021	0.63	1.3	10.9	1	7.6	28.3	0.34	0.09	20	0.123	0.32	6	51	10.6	14.6	9	89		0.006
E918845	75.5	76.5		740	2.5	101	0.003	0.98	0.76	8.6	1	6.6	20.3	0.27	0.14	12.1	0.112	0.27	5.8	48	10.6	14.7	7	54.4		0.011
E918846	76.5	77.5		720	1.7	82.8	<0.002	0.61	0.78	6.3	<1	6.2	24.4	0.25	0.11	12.1	0.114	0.23	4.4	48	9.8	13.2	4	49.6		0.005
E918847	77.5	78.5		1320	5.5	74.1	0.004	5.9	1.81	7	2	6.6	45	0.21	0.64	10.4	0.078	0.3	9.2	47	10.1	16	6	45.8		0.041
E918849	78.5	79.5		660	2.4	116.5	0.004	1.83	0.84	9.9	1	9.3	30.1	0.24	0.15	12.9	0.129	0.34	9.2	54	12.2	14	3	65.2		0.012
E918850	79.5	80.5		620	2	130	0.007	1.08	2.2	14.8	1	8.6	20.9	0.34	0.12	13.5	0.265	0.39	7.5	115	22.5	15.4	4	89		0.007
E918901	80.5	81.5		840	5.4	57.9	0.004	9.86	1.98	6	1	6	51.1	0.13	0.69	7.8	0.077	0.34	9.1	51	7.7	11.6	5	34		0.041
E918902	81.5	82.5		720	3.7	100.5	0.004	4.06	1.39	8.9	1	11.9	65.6	0.15	0.29	12.2	0.104	0.44	8.8	55	12	13.2	7	48.1		0.017
E918903	82.5	83.5		630	8.6	14.9	0.003	7.39	3.15	2.9	2	2.3	32.9	0.07	0.83	5.5	0.026	0.22	12.2	33	10.3	14	20	15.3		0.041
E918904	83.5	84.5		630	5.7	9.2	0.003	6.17	3.44	1.8	2	2	36.6	0.06	0.87	3.4	0.022	0.1	8.6	35	6.6	11	10	10.4		0.047
E918905	84.5	85.5		1020	4.2	105	0.004	3.4	2.42	9.5	2	11	67.4	0.18	0.49	12.1	0.108	0.34	8.1	65	12.5	16	8	46.4		0.016
E918906	85.5	86.5		830	3.1	56.2	0.003	1.11	1.17	5.4	2	4.8	108	0.1	0.18	10.5	0.06	0.18	7.4	49	7	19.9	13	28.3		0.006
E918907	86.5	87.5		970	2.1	126.5	0.002	0.9	1.04	10.4	1	8.2	84	0.24	0.17	19.8	0.14	0.35	4.9	65	13.3	18.8	5	55.8		0.003
E918909			STANDARD 3	980	2.6	122	0.005	1.39	1.07	10	1	7.2	503	0.21	0.17	13.1	0.12	0.33	18.6	60	8.8	11.5	6	52.2		0.015
E918910	87.5	88.5		700	2.2	147	<0.002	1.32	1.11	11.8	1	9.1	53	0.24	0.18	14.7	0.154	0.43	7.2	68	15.5	14.7	4	83		0.006
E918911	88.5	89.5		750	2.5	134	0.004	1.83	1.21	11.3	1	8.6	71	0.22	0.23	12.1	0.136	0.38	10.5	63	13.5	16.1	5	60.9		0.011
E918912	89.5	90.5		1410	3.2	134.5	0.006	1.59	3.11	11.8	2	12	56.2	0.23	0.23	12.8	0.138	0.39	7.5	83	13.6	19.7	10	59.9		0.006
E918913	90.5	91.5		760	2.5	169.5	0.009	1.54	2.65	13.8	2	10	45.6	0.26	0.21	12.3	0.17	0.64	8.2	77	15	16	11	74.9		0.004
E209556	116.4	116.9		1030	2.1	174.5	0.006	3.67	1.29	12	1	29.9	12.5	0.26	0.26	3.1	0.133	1.22	9.2	84	14.7	14	10	82.4		0.028
E209559	116.9	117.4		1340	3.3	96	0.006	3.56	1.19	7.7	2	15.5	13.3	0.32	0.18	4	0.071	0.83	15.5	53	9.6	16.9	15	47.1		0.033
E209561	117.4	117.9		1120	6	84.9	0.011	5.87	1.44	5.7	3	12.8	11	0.37	0.26	5.3	0.061	1.07	30.5	45	9	13	17	41.1	1.145	0.041
E209562	117.9	118.4		1040	7.2	91.8	0.008	6.48	1.54	5.9	2	11.9	12.4	0.23	0.35	9.3	0.069	1.74	16.9	46	9.4	12.5	8	45.4		0.037
E209563	118.4	118.9		1040	4.1	84	0.009	4.23	1.24	6.9	2	9.3	12.8	0.14	0.33	9.3	0.067	0.8	16.5	49	10.7	12.8	10	45.7		0.016
E209564	118.9	119.4		1880	4.1	48.9	0.016	7.28	1.95	4.7	5	7.2	14.3	0.08	1.06	4.9	0.035	0.57	5	41	9.9	13.5	10	19.4		0.029
E209765	260.3	260.8		1190	4.2	120.5	0.014	4.33	1.09	10	3	12.8	227	0.23	0.44	8.3	0.102	0.55	11.3	77	14.8	16.6	7	53.9		0.018
E209766	260.8	261.3		3490	6.1	92.2	0.038	9.97	2.73	7.9	7	21.6	28.5	0.21	1.53	10.6	0.061	0.73	32.9	116	14.7	22.3	12	44.6		0.056
E209767	261.3	261.8		3290	3.7	107	0.029	>10.0	1.83	7.8	7	29.4	32.9	0.28	1.87	10.4	0.108	0.5	19	104	17.6	20.3	12	58.4		0.065
E209769			STANDARD 2	2540	5.9	37.8	0.019	7.75	2.17	4.6	5	7.7	171	0.13	1.02	5.2	0.038	0.46	15.8	61	6.9	15.3	7	24.2		0.114
E209770	261.8	262.3		2560	3.1	65.9	0.046	9.04	1.44	8.5	8	16.8	23.9	0.22	0.96	5.9	0.07	0.29	12.7	105	12.9	25.4	10	30.9	1.365	0.068
E209771	262.3	262.8		2400	5.8	77.6	0.041	>10.0	2.19	7.3	8	19.7	43.4	0.21	1.09	7.3	0.082	0.33	16.9	88	14.8	21	11	39.7		0.075
E209772	262.8	263.3		3000	5.4	84.1	0.025	>10.0	4.41	7	8	43.7	55.7	0.34	1.36	9.4	0.084	0.38	13.4	89	15.1	21.9	11	42.6		0.048
E209773	263.3	263.8		1460	2.4	127.5	0.009	2.97	1.25	8.1	3	49.1	50.9	0.29	0.4	11	0.099	0.51	12.2	98	14.9	13.2	8	51.8		0.014
E209774	263.8	264.3		2530	5	43.2	0.024	>10.0	2.86	5.6	9	18.5	70.2	0.25	1.44	6.2	0.062	0.24	11.6	65	11	16.8	11	27.1		0.064
E209775	264.3	264.8		2650	7.4	69.9	0.021	>10.0	3.28	6.2	8	32.6	49.8	0.35	1.81	9.3	0.087	0.53	18.1	105	14	18	16	45.3		0.125
E209776	264.8	265.6		2400	3.7	70.5	0.018	6.44	1.76	8.6	4	15.3	43.2	0.42	0.43	11.9	0.106	0.39	15	94	11.9	17.7	27	45.8		0.033
E209778	265.6	266.6		730	1.1	152.5	0.003	0.26	1.1	12.3	1	8.2	399	0.16	<0.05	10.5	0.138	0.54	4.2	67	13.1	9.2	5	60.6		0.004
E209779	265.6	266.6	DUPLICATE	720	1.1	154	0.002	0.23	1.08	12.5	1	8.4	389	0.19	<0.05	10	0.147	0.58	2.8	69	14	8.7	5	61.2		0.008

IG-2007-03

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	%	ppm	ppm
E210024	147.15	148.15		0.06	7.39	6.5	2660	1.9	0.02	3.02	<0.02	14.45	35.6	48	3.28	6.5	8.19	14.5	0.13	2	0.055	2.85	8.9	23.8	1.12	3480	1.12	1.46	6.9	10.1
E210025	148.15	149.15		0.29	7	4.8	750	1.99	0.06	2.19	<0.02	99.9	74.9	42	2.68	4	7.73	16.85	0.16	2	0.046	2.88	60.1	27.2	1.04	2440	5.56	0.95	5.5	12.8
E210026	149.15	150.15		0.03	7.79	2.3	3330	2.05	0.02	2.17	<0.02	56.9	56.2	41	3.24	12.3	7.78	19.95	0.16	2.2	0.059	3.29	34.9	25.7	0.97	2470	4.97	0.96	4.6	22.2
E210027	150.15	151.15		0.16	8.17	2.8	3470	2.18	0.02	1.83	<0.02	114	73.8	49	3.82	10.9	7.76	20.8	0.18	2.3	0.062	3.53	72.4	27.9	0.89	2170	5.55	1.08	5.9	15.6
E210028	151.15	152.15		0.09	8.09	2.6	6800	2.48	0.03	1.29	<0.02	92.8	51.3	51	4.56	6.5	6.92	22.9	0.16	2.4	0.06	3.68	59.9	29.1	0.63	1610	0.63	0.77	7	10.8
E210029	152.15	153.15		0.13	6.71	2.5	1140	1.68	0.04	1.85	<0.02	88.4	61.7	41	2.66	6.2	8.13	17	0.16	1.9	0.05	2.57	61	22.2	0.72	2180	1.06	1.4	5.3	11.3
E210030	153.15	154.15		0.06	7.44	2.8	6000	2.54	0.02	0.89	<0.02	57.8	43.1	49	3.96	1.8	6.74	21.4	0.14	2.3	0.055	3.42	37.8	26.8	0.57	886	1.14	0.82	7.1	9.4
E210031	154.15	155.15		0.07	7	2.6	5040	1.48	0.02	2.23	<0.02	307	47	43	2.84	2.2	7.34	18.4	0.25	2.1	0.032	1.94	190	18.9	0.86	1930	1.47	2.72	4.6	9.6
E210032	155.15	156.3		0.16	6.85	3.5	3250	1.15	0.06	2.72	<0.02	115	39.4	35	2.37	54.8	6.9	13.45	0.16	1.8	0.02	1.27	77.3	15.2	1.02	2490	1.43	3.26	2.7	13
E210033			BLANK	0.01	0.13	<5	60	0.06	<0.01	45.8	0.38	2.46	1	6	<0.05	<0.2	0.05	0.54	<0.05	0.1	<0.005	0.03	1.9	0.9	0.49	35	0.22	0.02	0.3	0.6
E210034			STANDARD 2	1.14	2.33	73	70	0.54	10.1	2.21	0.03	163	315	11	2.46	8590	25.1	9.92	0.42	0.7	0.253	0.63	97.4	18.3	1.45	6070	66.3	0.23	5.9	56.2
E210035	156.3	156.8		0.13	8.3	6.2	1060	2.4	0.09	1.46	<0.02	5.05	46.2	51	4.81	16.6	7.01	19.45	0.13	2	0.058	3.5	2.6	27.8	0.78	1660	0.44	1.11	5.3	13.2
E210036	156.8	157.3		0.07	7.35	5.5	1130	1.91	0.03	1.77	<0.02	6.13	40.2	41	3.34	6.8	5.83	16.15	0.12	1.7	0.049	2.99	3.1	20.8	0.77	2060	0.32	1.2	4.5	11.2
E210037	157.3	157.8		0.15	8.55	13.4	4140	2.89	0.49	1.2	<0.02	5.06	34.4	60	5.75	19.8	4.21	21.8	0.11	2.3	0.07	4.15	2.6	31.8	0.66	1420	24.3	0.57	5	13.4
E210038	157.8	158.3		0.18	7.15	13.1	1830	2.29	0.92	1.54	<0.02	4.77	30.8	40	3.88	16.8	4.3	15.9	0.12	1.7	0.05	3.11	2.7	26.5	0.69	1790	35.2	0.85	3.3	10.2
E210039	158.3	158.8		15.55	6.18	77.9	550	2.52	33.9	0.82	<0.02	77.8	114	43	3.4	57.1	3.88	15.15	0.27	2.1	0.027	2.77	38.5	26.9	0.51	919	1005	0.35	5	20.8
E210040	158.8	159.3		0.1	8.25	5.6	1810	2.87	0.3	1.24	<0.02	3.33	34.2	52	3.79	8.7	4.3	20.6	0.12	2.1	0.055	3.66	1.8	22.7	0.67	1350	14.5	0.75	4	13.9
E210041	159.3	159.8		0.05	7.22	7.4	920	2.45	0.09	2.17	<0.02	3.82	31.6	40	1.59	8	5.07	12.55	0.12	1.6	0.024	1.35	2	8.7	0.77	2350	2.16	3.26	3.8	17.2
E210042	159.8	160.3		0.04	7.06	7.2	2250	2.21	0.04	1.66	<0.02	7.89	17.5	47	2.82	2.3	7.29	14.3	0.16	1.7	0.045	2.43	4.3	15	0.79	1640	2.67	1.39	4.5	16.3
E210043	160.3	160.8		0.05	7.03	5.4	2200	2.16	0.04	0.92	<0.02	9.25	24.7	49	3.28	3.3	5.06	13.95	0.12	1.7	0.041	2.73	4.9	18.9	0.72	843	3.84	1.02	4.1	14.4
E210045			BLANK	0.01	0.14	11	150	0.06	<0.01	42.5	0.39	1.95	0.9	6	<0.05	5.5	0.06	0.5	0.09	0.1	<0.005	0.03	1.6	1.4	0.45	36	0.34	0.02	0.3	<0.2
E210046	160.8	161.3		0.05	7.81	7	2220	2.65	0.04	0.21	<0.02	7.72	65.1	53	10.25	7.5	9.76	15.8	0.18	2	0.037	2.52	3.8	60.2	1.94	158	0.57	0.1	3.7	31.5
E210047	161.3	161.7		0.07	7.43	8	1110	2.57	0.14	0.56	<0.02	20.1	34.7	52	4.73	4.6	7.98	18.45	0.17	1.8	0.057	3.04	11	47.7	1.36	518	1.76	0.06	5.6	21.7
E210048	161.7	162.7		0.11	7.22	8.9	2730	2.59	0.09	0.22	<0.02	11.5	41.5	45	6.01	4.7	8.19	16.1	0.14	1.9	0.043	2.52	6.5	72.3	1.97	236	1.86	0.04	2.7	19.7
E210049	162.7	163.7		0.06	6.1	5.2	1800	2.15	0.04	0.21	<0.02	12.95	55.9	42	7.15	4.8	11.65	14.45	0.18	1.8	0.03	1.33	6.7	91.5	2.74	277	1.46	0.05	3.2	20.8
E210050	163.7	164.7		0.23	7.48	5.2	1340	2.78	0.12	0.42	<0.02	275	56.9	52	6.09	21.6	6.62	24.1	0.33	2.3	0.043	3.08	154	50.9	1.17	298	75.2	0.38	4.3	16.1
E210051	164.7	165.7		0.09	6.81	3.8	1180	1.77	0.07	0.77	<0.02	92.2	55	42	4.5	9.8	7.05	16.1	0.18	1.6	0.031	2.49	51.9	37.8	0.92	744	11.1	0.66	3.3	18
E210052	165.7	166.7		0.1	5.62	5.7	470	1.31	0.1	1.66	<0.02	176	63.3	30	2.52	15.8	6.8	13.7	0.26	1.4	0.028	1.7	101	29.2	0.91	1730	8.49	1.14	3.3	16.7
E210053	166.7	167.7		0.06	7.48	6.2	1620	1.86	0.06	1.86	<0.02	35.5	52.8	42	2.68	6.2	7.07	20.4	0.17	2.1	0.044	3.02	20.6	22.8	0.76	2180	5.87	1.44	4.4	12.4
E210054	167.7	168.7		0.14	7.4	9	360	2	0.14	1.03	<0.02	57.5	78.1	44	3.55	22.9	6.04	21.6	0.17	2	0.044	3.05	27.8	31.3	0.61	1250	4	0.87	3.5	11.2
E210055			BLANK	0.01	0.14	<5	70	0.09	<0.01	45.9	0.4	2.14	1	7	<0.05	2.2	0.05	0.58	0.1	0.1	<0.005	0.03	1.7	1.6	0.49	37	0.23	0.02	0.4	1.2
E210056			STANDARD 3	0.29	6.91	44.2	650	2.55	1.56	1.93	<0.02	72.9	117.5	40	8.43	1525	6.66	20.7	0.19	1.8	0.13	2.99	37.3	25.1	1.3	3180	21.4	0.6	3.5	26.7
E210057	168.7	169.7		0.06	8.19	17	1290	3.55	0.1	0.43	<0.02	58.8	63.4	60	5.99	17.7	6.2	30.2	0.18	2.6	0.067	3.83	32.7	35.7	0.63	418	5.07	0.24	3.8	21.9
E210058	169.7	170.7		0.07	8.17	9.3	1350	2.14	0.04	2.04	<0.02	64	76.1	44	7.24	3.4	7.54	18.75	0.18	2.2	0.039	2.8	32.4	30.8	1.33	2080	1.73	1.87	2.2	25.9
E210059	170.7	171.7		0.08	8.2	13	870	2.72	0.24	1.47	<0.02	25	41.9	46	3.81	17.2	4.89	23.7	0.15	2.3	0.06	3.12	13	23.4	0.73	1585	4.54	1.59	3.9	13.1
E210060	171.7	172.7		0.06	8.54	12.5	2420	2.74	0.14	1.05	<0.02	96.8	47.8	53	4.09	6.2	4.31	24.5	0.2	2.4	0.055	3.63	52.2	24.5	0.58	1155	3.39	1.36	3.3	11.6
E210061	172.7	173.7		0.09	8.93	3.1	2870	3.03	0.03	0.83	<0.02	151	36.6	57	5.31	16.3	5.19	29.3	0.24	2.5	0.056	3.69	84.1	27.1	0.51	879	7.45	1.26	3.8	11.9
E210062	173.7	174.7		0.05	7.65	2.6	3520	2.6	0.02	1.29	<0.02	98.9	29.6	48	7.71	10.6	4.57	23.4	0.2	2.1	0.041	3.02	53.9	23.9	0.73	1180	4.91	1.25	3.1	13.1
E210063	174.7	175.7		0.05	7.56	1.8	4100	2.29	0.02	1.31	<0.02	47.1	23.9	46	3.35	50.5	4.48	22.3	0.17	2	0.048	2.76	25.4	21.5	0.6	1350	5.58	1.7	3.9	10.6
E210064	175.7	176.7		0.07	7.88	2	1940	2.29	0.02	1.48	<0.02	158	48.9	44	3.21	4.5	5.79	26.2	0.25	2	0.046	3.48	85.1	22.2	0.63	1695	11.25	1.25	3.1	15.2
E210065	176.7	177.7		0.06	7.3	2.3	6330	1.81	0.01	2.4	<0.02	98.8	14	41	2.42	25.7	4.04	20.6	0.2	2	0.039	2.29	51	16.3	0.72	2960	8.35	2.61	3.7	8.8
E210067			BLANK	0.01	0.14	<5	50	0.07	<0.01	45.5	0.39	2.14	0.9	5	<0.05	2.2	0.05	0.57	0.11	0.1	<0.005	0.03	1.6	1.5	0.48	37	0.22	0.02	0.4	1.1
E210068	177.7	178.7		0.06	7.21	2.1	2880	1.7	0.01	3.68	<0.02	85.7	35.5	37	2.02	40.7	6.33	19.45	0.19	2.1	0.045	2.64	47.5	19.8	1.03	4420	8.91	1.94	2.4	15
E210069	178.7	179.7		0.08	8.39	2.2	3820	2.89	0.02	1.74	<0.02	64	26.2	50	3.87	14.7	4.29	25.3	0.17	2.3	0.081	3.75	34.8	26.2	0.72	1960	15.65	1.03	3.5	11
E210070	179.7	180.7		0.04	8.22	2.5	2560	2.6	<0.01	0.87	<0.02	68.5	32.8	55	4.52	2.5	4.71	26.2	0.18	2.4	0.052	3.8	38.8	22.3	0.53	817	7.5	0.72	3.8	11.1
E210071	180.7	181.7		0.05	7.9	2.1	2100	2.45	<0.01	0.66	<0.02	56	29.8	53	3.43	4.1	4.61	24	0.17	2.2	0.048	3.62	30.9	24	0.45	611	1.51	0.75	3.9	9.9
E210072	181.7	182.7		0.05	8.5	3.5	1220	2.77	0.03	0.42	0.02	74.1	30	56	6.29	24.4	4.88	23.8	0.14	2.5	0.045	3.63	42.7	24	0.5	298	1.54	0.75	3.4	8.7
E210073	182.7	183.7		0.03	7.81	3.9	430	2.83	0.04	0.2	0.02	62.6	75.4	46	11.55	12.3	6.43	20.6	0.15	2.6	0.029	3.54	31.3	24	0.57	66	1.35	0.36	2.7	13.3
E210074	183.7	184.7		0.01	7.7	3.3	1810	2.76	0.09	0.21	0.02	45.4	42.7	56	9.16	15.5	4.98	23.1	0.14	2.2	0.038	3.67	30.2	29.3	0.47	54	1.35	0.57	5.9	9
E210075	184.7	185.2		0.02	8.39	4.5	730	1.92	0.09	1.67	<0.02	94.5	97.3	55	6.31	10.7	7.21	23.2	0.24	2.5	0.023	1.74	66.4	14.7	0.89	1190	12	4.05	8.5	8.5
E210076	185.2	185.7		0.03	7.88	13	540	1.09	0.21	1.66	<0.02	37.4	87.1	40	5.82	8.4	8.06	16.6	0.19	2.2	0.009	0.94	27	5.5	0.59	1150	6.73	4.68	5.6	8.8
E210078			STANDARD 1	1.07	5.89	60.5	130	1.8	2.85	1.98	<0.02	55.7	167.5	34	3.73	7850	9.4	15.5	0.23	1.7	0.145	2.14	24.1	25.3	1.19	3440	67.5	0.97	4.4	37.7
E210079	185.7	186.2		0.04	5.08	22.2	210	0.71	0.27	2.31	<0.02	54.6	129.5	24	2.78	11.3	8.89	10.45	0.21	1.6	<0.005	0.55	29.2	3.2	0.7	1560	6.54	2.98	6.2	11.7
E210080	186.2	186.7		3.98	3.75	49.3	90	0.58	3.04	2.95	<0.02	32.9	237	18	0.6	99.2	10.7	7.18	0.54	1.3	0.008	0.28	15.4	3	0.6	2400	1400	2.37	4	30.7
E210081	186.7	187.2		0.13	7.03	3.8	910	0.54	0.11	1.88	<0.02	18.75	42.3	34	1.18	4.7	7.83	11.35	0.18	1.6	<0.005	0.34	14.5	2.4	0.56	1430	173	4.87	2.3	5.5
E210082	187.2	187.7		0.1	6.79	4.6	460	0.56	0.1	1.87	<0.02	77.6	62.4	32	0.56	15.7	8.23	11.5	0.24	1.7	0.013	0.29	60.7	5.2	0.7	2040	151.5	4.75	2.6	5.5
E210083	187.7	188.2		0.21	8.51	4.5	420	0.63	0.25	2.78	<0.02	72.6	100.5	33	0.68	7.8	8.27	12.05	0.25	1.8	0.017	0.33	58.9	2.8	1.01	2780	395	4.56	4.2	8.4
E210084	188.2	188.7		0.08	5.99	4.3	1400	0.62	0.04	3.55	<0.02	108.5	19.6	27	0.33	7.6	8.29	12.35	0.26	1.2	0.011	0.23	90.5	2.8	0.97	2880	24.1	4.14	3.7	7.2
E210085	188.7	189.2		0.04	4.13	9.1	200	0.48	0.08	4.1	<0.02	176.5	96	20	0.69	3	8.87	11.3	0.34	0.9	0.014	0.35	133	7.3	1.53	2900	3.43	2.36	1.8	20.9
E210086	189.2	189.7		0.04	2.31	13.5	210	0.28	0.07	2.16	<0.02	391	87.5	14	0.33	3.2	14.55	12.5	0.59	0.6	0.013	0.18	276	11.8	0.97	1310	3.97	0.97	1.6	48.7
E210087	189.7	190.2		0.07	3.97	4.9	210	0.49	0.1	3.1	<0.02	101.5	175.5	20	0.62	3.6	8.04	7.64	0.26	1.1	0.01	0.19	60	3.9	1.01	2590	8.23	2.6	1.6	16.1
E210088	189.7	190.2	DUPLICATE	0.11	4.23	7.8	120	0.5	0.18	4.01	<0.02	97.3	329	22	0.89	3.1	10.8	8.55	0.29	1.1	0.008	0.27	56.8	5.4	1.3	3340	6.83	2.55	2	25.6
E210090	190.2	190.7		0.04	7.55	7.5	380	0.99	0.06	3.48	<0.02	17.25	137	40	1.09	19.8	9.73	14.95	0.18	1.8	0.018	0.69	13.1	4.6	1.76	4780	4.83	4.7	3.2	13.9
E210091	190.7	191.2		0.14	7.2	6.8	970	0.77	0.19	3.19	<0.02	24.2	85.8	35	0.76	24	8.06	13.25	0.19	1.5	0.021	0.35	17.2	8.3	1.55	4510	10.9	4.98	2.4	10.2
E210092	191.2	191.7		1.02	8.36	17.7	110	1.71	1.02	1.63	<0.02	14.6	572	48	2.4	48.8	8.49	19.2	0.26	2.5	0.021	0.63	6.2	12.3	1.15	1100	87.9	4.4	6.9	58.3
E210093	191.7	192.2		0.03	7.85	3.8	1880	1.18	0.08	4.48	<0.02	8.84	82.5	47	1.55	4.2	4.02	16.25	0.15	1.7	0.026	0.34	5.3	5.6	2.09	2560	7.73	5.4	7.1	14.3
E210094	192.2	192.9		0.01	7.07	5.3	360	0.94	0.06	3.07	<0.02	2.8	43.2	41	0.85	3.4	2.4	15.65	0.12	1.7	0.018	0.21	1.3	4.3	1.3	1860	5.35	5.47	4.8	10.2
E210095	192.9	193.9		0.05	8.29	8.6	1670	1.83	0.09	2.68	0.05	2.92	38.3	55	0.82	10.5	4.18	16.95	0.13	1.9	0.016	0.41	1.5	7.2	1.27	2290	1.5	5.46	4.8	19.7
E210096	193.9	194.9		0.04	8.26	20.3	790	1.79	0.23	3.06	<0.02	2.3	125	55	1.07	6.3	4.57	16.65	0.15	1.9	0.026	0.55	1.1	6.3	1.53	2640	0.37	5.68	5.7	19.4
E210097	194.9	195.9		0.11	8.08	26.6	1310	1.01	0.51	4.12	<0.02	10.55	109.5	31	2.33	25.6	4.13	14.95	0.09	1.5	0.022	0.52	6.9	18.3	1.6	3030	7.76	4.64	2.7	17.7
E210098	195.9	196.9		0.4	8.04	111.5	560	1.07	2.35	3.58	<0.02	3.38	235	40	0.69	87.4	5.09	14.6	0.11	1.6	0.023	0.37	1.5	8.5	1.56	2780	2.92	5.26	2.4	25.1
E210099			BLANK	0.01	0.18	6	70	0.05	0.01	>50	0.43	2.35	2	5	<0.05	3.2	0.06	0.57	<0.05	0.1	<0.005	0.04	1.8	2.3	0.55	44	0.22	0.03	0.2	<0.2
E210100			STANDARD 2	1.24	2.58	118.5	40	0.61	10.75	2.25	<0.02	197	364	13	2.77	>10000	29.3	9.74	0.52	0.8	0.29	0.71	117.5	25.8	1.54	6700	62.4	0.25	4.9	58.9
E210101	196.9	197.9		0.06	8.67	36.4	1470	4.25	0.4	0.32	<0.02	3.93	32.6	56	3.71	23.4	2.76	31.7	0.08	2.2	0.031	3.06	2.4	82.9	0.82	209	1.07	1.97	3.9	11.9
E210102	197.9	198.9		0.22	8.56	117.5	1030	4.47	0.98	0.49	<0.02	13.55	59.8	58	5.22	151	4.06	29	0.11	2.7	0.041	3.85	6.2	91.5	0.85	365	7.65	0.62	3.5	19
E210103	198.9	199.9		0.4	6.88	262	520	2.63	1.6	2.8	<0.02	114	141.5	44	6.85	49.7	4.27	20.2	0.14	2	0.036	2.6	76.8	48.2	0.98	985	12.55	1.2	3.3	17
E210104	199.9	200.9		0.98	7.26	617	1250	3.69	3.69	1.53	<0.02	24.9	409	46	13.15	140.5	8.1	18.35	0.12	2.8	0.036	3.27	17.1	43.7	1.17	875	33.9	0.42	3	33.4
E210105	200.9	201.9		0.85	8.85	318	200	3.67	2.41	0.82	<0.02	60.4	313	50	11.85	88.6	5.78	24.7	0.13	2.8	0.022	3.47	48.3	44.1	0.8	439	55.8	1.96	2.5	28.9
E210106	201.9	202.9		0.17	8.86	33.2	890	2.15	0.66	0.84	<0.02	60.5	73.5	44	6.14	39.2	2.85	21.8	0.12	2.5	0.019	2.22	51.6	30.1	0.71	491	140.5	2.35	4.8	12.9
E210107	202.9	203.9		0.23	8.01	19.4	1290	1.27	0.8	1.64	<0.02	58.7	134	46	1.17	10.9	3.69	20.6	0.12	2.8	0.013	0.82	44.1	8.1	0.69	939	198.5	5.55	5.6	7.7
E210108	203.9	204.9		0.3	5.93	46.3	440	1.05	1.24	2	<0.02	132	168.5	45	0.67	28.8	4.88	15.4	0.16	2.1	0.024	0.53	105	12.2	1.02	1930	217	3.85	4.3	14.5
E210109	204.9	205.9		0.31	8.09	72.2	280	1.39	1.71	2.33	<0.02	81.9	207	45	0.7	25.3	6.41	18.15	0.14	2.4	0.013	0.75	61.8	6.2	0.95	1415	28.8	5.9	8.4	16.8
E210111			BLANK	0.01	0.15	10	40	0.09	<0.01	50	0.43	2.24	1.5	7	<0.05	8.9	0.06	0.63	<0.05	0.1	<0.005	0.04	1.9	1.9	0.54	41	0.54	0.02	0.3	<0.2
E210112	205.9	206.9		0.67	7.14	298	270	1.16	4.33	1.81	<0.02	101	374	43	0.47	47.3	9.03	17.4	0.16	2.1	0.016	0.57	80.7	6.5	0.67	964	29.2	5.05	4.4	31.7
E210113	206.9	207.9		0.71	4.86	264	100	0.62	5.42	2.03	<0.02	218	216	23	0.2	20.2	8.25	9.94	0.32	1.1	0.013	0.14	129.5	4.3	0.65	1335	21.8	3.42	7.3	24.3
E210114	207.9	208.9		0.79	6.38	204	350	1.01	4.59	1.79	<0.02	48.1	288	40	0.35	36.1	8.65	15.25	0.12	1.9	0.027	0.3	34.4	8.4	0.81	1850	30	4.45	5.5	29.2

IG-2007-03

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E210024	147.15	148.15		910	1.4	131	<0.002	0.41	0.89	10.1	1	8.5	620	0.42	0.05	16.3	0.238	0.3	5.7	58	11.1	12.6	3	63.6		0.001	
E210025	148.15	149.15		750	2.1	127	<0.002	0.7	1.11	11.3	1	8.3	451	0.32	0.11	15.3	0.197	0.29	11.2	62	9.9	11.5	5	85		0.002	
E210026	149.15	150.15		890	1.3	147.5	<0.002	0.59	0.86	13.3	<1	7.3	74.2	0.23	<0.05	14.6	0.131	0.32	5.8	72	9.5	11.2	6	71.6		0.002	
E210027	150.15	151.15		720	1.4	154	<0.002	0.75	0.84	14.1	1	9.1	120.5	0.34	<0.05	17	0.205	0.35	6.4	79	9.2	11.2	4	74.7		0.002	
E210028	151.15	152.15		720	1.3	163	<0.002	0.58	1.04	15.5	1	10	157.5	0.43	0.07	12.9	0.234	0.37	5.8	71	10.3	11	2	77.1		0.001	1.02
E210029	152.15	153.15		670	1.8	110.5	<0.002	0.56	0.79	12.7	1	8.2	349	0.34	0.05	12.3	0.199	0.27	7	65	9.1	9.3	4	61		0.001	
E210030	153.15	154.15		670	1.2	151.5	<0.002	0.47	1.23	13.2	1	10.8	106.5	0.49	0.1	15	0.241	0.33	6.7	64	11.3	9.7	2	71.2		<0.001	0.66
E210031	154.15	155.15		820	1.3	80.5	<0.002	0.43	0.81	12.6	1	7.2	124.5	0.38	0.06	16.5	0.195	0.2	4.6	66	7.2	12.2	4	66.7		0.001	0.56
E210032	155.15	156.3		750	1.3	50.8	<0.002	0.4	0.75	8.6	1	3.8	543	0.21	0.05	12.4	0.114	0.17	3.9	47	4.9	11.5	6	56.3		0.008	
E210033			BLANK	140	0.6	0.8	<0.002	0.06	0.06	0.5	1	<0.2	281	<0.05	<0.05	0.2	0.006	<0.02	0.7	<1	0.1	2.7	22	3.1		<0.001	
E210034			STANDARD 2	2330	8.6	36.1	0.019	6.66	2.13	4.4	5	7.2	159.5	0.13	1.05	5.4	0.033	0.51	14.9	55	6.5	15	11	21.8		0.042	
E210035	156.3	156.8		840	1.9	185	<0.002	0.42	0.86	11.9	2	9.1	734	0.35	0.08	11.3	0.229	0.46	4.5	62	10.2	12	4	64.6		<0.001	
E210036	156.8	157.3		820	1.4	138	<0.002	0.4	0.83	10.1	2	7.4	786	0.3	0.08	12.5	0.2	0.37	4.3	51	8.8	11.2	3	56.5		0.001	
E210037	157.3	157.8		820	2.3	184	<0.002	0.31	1.44	13.4	2	9.2	389	0.23	0.05	13.5	0.178	0.5	12	65	13.3	12.6	3	76		0.003	
E210038	157.8	158.3		850	2	142	<0.002	0.25	1.46	9.8	2	6.8	720	0.19	0.06	9.7	0.146	0.36	19.3	45	10.4	11.7	5	55.7		0.005	
E210039	158.3	158.8		590	205	127.5	0.845	0.58	7.72	12.1	4	7.6	596	0.34	1.11	21.7	0.171	1.19	3480	42	20.8	63.2	7	63.9		0.378	
E210040	158.8	159.3		740	2.5	188	0.003	0.36	1.29	14.4	1	8.1	800	0.19	0.07	6.4	0.159	0.42	26.1	61	11.3	9.3	3	69.4		0.005	
E210041	159.3	159.8		860	1.6	59.9	<0.002	0.36	0.91	11	2	4.7	1005	0.2	<0.05	2	0.132	0.19	6.4	36	6.4	8.3	3	53.2		0.001	
E210042	159.8	160.3		990	1.2	110.5	<0.002	0.22	0.93	11.9	2	7.6	676	0.33	<0.05	6.4	0.216	0.28	6.9	59	12.6	8.3	3	55.1		<0.001	
E210043	160.3	160.8		820	1.1	127	<0.002	0.32	1.16	11.1	2	7.1	781	0.23	<0.05	4.9	0.171	0.32	5.1	50	12.8	7.5	4	56.5		<0.001	
E210045			BLANK	90	0.8	0.7	<0.002	0.07	0.11	0.5	2	<0.2	271	<0.05	<0.05	0.2	0.006	<0.02	0.7	4	0.1	2.7	21	3.2		0.001	
E210046	160.8	161.3		700	1.4	117.5	<0.002	0.61	1.04	15.2	2	7.7	514	0.26	0.05	6.4	0.207	0.34	7	50	7.8	8.2	42	66.4		0.001	
E210047	161.3	161.7		720	1.8	148.5	<0.002	0.38	1.52	12.4	2	9.3	574	0.29	0.06	5.5	0.211	0.33	10	60	12.6	9.2	27	60.8		0.003	
E210048	161.7	162.7		630	1.9	118	<0.002	0.39	1.46	8.1	2	7.7	222	0.14	0.06	4.3	0.157	0.27	15.2	51	9.9	9.8	48	63.7		0.002	
E210049	162.7	163.7		760	1.6	22.8	<0.002	0.32	1.56	7.7	2	7	425	0.19	0.05	4.2	0.153	0.17	6	48	8.4	8.3	49	60.2		0.001	
E210050	163.7	164.7		1070	1.8	145	0.016	0.49	1.41	12	2	10	297	0.24	0.12	18.1	0.169	0.34	9.8	70	10.7	13.3	18	80.7		0.008	
E210051	164.7	165.7		1080	1.8	95.9	<0.002	0.5	0.99	9.6	2	6.4	324	0.21	0.05	12.6	0.149	0.26	5.7	68	7.2	9.8	16	53.6		0.002	
E210052	165.7	166.7		1140	1.6	72.5	<0.002	0.52	1.17	7.4	2	5.2	272	0.21	0.06	13	0.104	0.23	3.4	51	7.4	11.1	13	47.5		0.002	
E210053	166.7	167.7		810	1.3	122.5	<0.002	0.61	0.95	12.4	2	7.6	211	0.3	0.13	14.4	0.171	0.31	7.4	75	9.6	10.8	7	67.2		0.004	
E210054	167.7	168.7		820	1.8	134.5	<0.002	0.93	1.02	11.3	2	7.4	394	0.22	0.09	13.7	0.151	0.4	6.5	63	8.5	9.8	6	66.9		0.004	
E210055			BLANK	120	0.6	0.6	<0.002	0.07	0.07	0.5	2	<0.2	291	<0.05	<0.05	0.2	0.007	<0.02	0.7	5	0.1	2.9	23	3.4		0.001	
E210056			STANDARD 3	740	2.8	141	0.003	1.35	1.21	11.1	2	8.2	452	0.21	0.18	12.1	0.116	0.37	17.1	63	8.7	11.7	5	59		0.025	
E210057	168.7	169.7		760	1.6	183	<0.002	0.54	1.45	14.8	2	10.1	355	0.19	0.15	17.7	0.131	0.38	9.3	69	10.9	11.1	10	84.8		0.005	
E210058	169.7	170.7		810	1.3	85.8	<0.002	0.67	0.72	8.3	1	4.1	256	0.15	0.08	13.5	0.079	0.27	8	70	5.3	10.9	17	75.2		0.003	
E210059	170.7	171.7		760	1.5	141	<0.002	0.69	1.48	9.5	2	6.8	206	0.25	0.16	16	0.128	0.28	6.9	66	8.5	11.1	5	74.8		0.005	
E210060	171.7	172.7		820	1.2	158.5	<0.002	0.71	1.01	8.5	2	6.8	165	0.19	0.12	17.4	0.126	0.36	8	64	7.9	12.3	4	78.3		0.006	
E210061	172.7	173.7		800	1.5	172.5	<0.002	0.38	1.28	15.3	2	9.2	320	0.22	<0.05	17	0.144	0.43	5.6	86	10.3	12.8	4	81.3		0.002	
E210062	173.7	174.7		760	1.5	130.5	<0.002	0.33	1.22	16.7	1	5.6	305	0.2	<0.05	15	0.105	0.33	11.1	87	6.9	11.9	6	70.1		0.001	
E210063	174.7	175.7		670	1.2	123.5	<0.002	0.35	1.18	13.5	1	6.1	422	0.28	<0.05	14	0.122	0.3	5	57	7.8	10.2	5	64		0.001	
E210064	175.7	176.7		760	1.3	144.5	<0.002	0.54	0.89	19.7	1	6.6	188.5	0.22	0.05	14.1	0.119	0.38	4.2	81	6.5	11.6	5	68.4		0.002	
E210065	176.7	177.7		720	1.6	86.8	<0.002	0.27	0.94	13.3	1	4.1	247	0.26	<0.05	13.6	0.106	0.28	7.2	63	6.2	9.5	4	67.4		0.001	1.54
E210067			BLANK	110	0.7	0.6	<0.002	0.06	0.07	0.5	2	<0.2	289	<0.05	<0.05	0.2	0.006	<0.02	0.7	4	0.1	2.9	23	3.3		<0.001	
E210068	177.7	178.7		740	1.5	105.5	<0.002	0.34	0.84	15.4	1	4.3	218	0.16	0.07	15.3	0.086	0.25	6.5	66	5.5	12.7	5	65.5		0.002	
E210069	178.7	179.7		840	1.9	159.5	<0.002	0.32	1.17	13.9	2	7.3	478	0.25	0.06	16.2	0.136	0.38	5.1	72	8.5	10.6	4	74.4		0.002	
E210070	179.7	180.7		790	1.5	166	<0.002	0.38	1.02	12.7	2	8	542	0.27	<0.05	15.5	0.156	0.41	5.8	75	7.8	11	5	78.8		0.001	
E210071	180.7	181.7		730	1.2	163	<0.002	0.35	0.89	7.2	2	8.4	625	0.25	0.05	15.4	0.17	0.39	6.2	59	7.3	9.8	3	72.1		0.001	
E210072	181.7	182.7		800	2.1	156	<0.002	0.32	0.98	7	2	9.2	904	0.21	<0.05	15.8	0.185	0.39	6.2	63	8.3	11.1	7	87.3		0.001	
E210073	182.7	183.7		740	1.7	146.5	<0.002	0.74	0.88	8.7	3	8.6	1610	0.18	0.06	13.6	0.18	0.37	6.5	64	5.4	12	9	87.4		0.001	
E210074	183.7	184.7		800	1.5	144.5	0.002	0.47	1.09	12	1	13.1	1155	0.37	<0.05	12.7	0.21	0.4	8.3	71	7.8	8.9	5	75.7		0.006	
E210075	184.7	185.2		880	1.4	73	0.003	0.79	0.48	27	1	18.3	777	0.57	<0.05	12.2	0.239	0.22	8.6	88	4.7	10.4	4	82.8		0.002	
E210076	185.2	185.7		750	1.4	34.3	0.002	0.96	0.4	11.3	2	8.8	445	0.45	0.07	9.7	0.2	0.14	8.7	58	2.5	9.2	5	74.8		0.005	
E210078			STANDARD 1	880	21.8	88.5	0.025	2.49	1.64	10	3	7.7	589	0.22	0.22	7.7	0.095	0.44	295	55	8.9	15.6	8	57.3		0.056	
E210079	185.7	186.2		840	2.2	17.5	0.002	1.45	0.46	8	2	5.7	1240	0.42	0.1	4.7	0.149	0.11	17.1	47	2.9	8.2	4	51.8		0.005	
E210080	186.2	186.7		730	147.5	10.2	0.132	3.85	1.85	5.6	7	4.9	897	0.26	0.47	12.6	0.107	0.41	1760	45	4.3	36.2	4	44.1		0.09	
E210081	186.7	187.2		770	1.4	13.1	0.012	0.46	0.39	4.5	2	6.7	1060	0.24	<0.05	4.7	0.172	0.09	5.9	60	3.5	8	3	52.3		0.007	
E210082	187.2	187.7		840	1.3	11	0.018	0.83	0.36	5.7	2	6.8	1130	0.27	0.07	4.6	0.183	0.08	8.4	56	3.1	9.2	4	53.3		0.005	
E210083	187.7	188.2		940	1.6	11.7	0.058	0.9	0.33	8.3	3	6.6	807	0.43	0.11	10	0.164	0.08	4.9	49	2.4	10.6	4	61.9		0.01	
E210084	188.2	188.7		1100	1.2	7.9	0.007	0.29	0.4	7.8	2	5.8	1315	0.31	0.1	6.7	0.127	0.06	2.9	46	2.5	9	4	41.8		0.005	
E210085	188.7	189.2		1740	1.4	11.5	0.003	0.79	0.8	9.5	2	3.9	1055	0.12	0.05	7.3	0.068	0.08	1.8	57	3.1	10	8	28.9		0.002	
E210086	189.2	189.7		2720	1.8	8.5	0.003	0.71	0.81	4.9	2	2.2	1590	0.08	0.07	12.6	0.034	0.04	3.3	99	2.9	12.8	8	19.3		0.003	
E210087	189.7	190.2		510	4.3	7.1	0.004	1.32	0.45	6.5	2	2.6	1405	0.16	<0.05	6.3	0.068	0.06	33.6	48	3.6	10.4	5	34.3		0.005	
E210088	189.7	190.2	DUPLICATE	680	7.1	9.2	0.003	2.48	0.55	7.7	3	3.1	1070	0.19	0.06	9.1	0.074	0.07	42.2	62	3.6	11.6	7	35.2		0.002	
E210090	190.2	190.7		730	1.7	27.3	0.002	1.11	0.3	19.1	2	8.8	269	0.4	<0.05	13.9	0.204	0.09	5.7	57	2.6	8.3	6	58.4		0.004	
E210091	190.7	191.2		620	18.7	11.9	0.006	0.7	0.96	9.7	2	6.7	488	0.35	<0.05	18.6	0.184	0.11	308	45	3.2	13.9	10	49.4		0.004	
E210092	191.2	191.7		690	110.5	19	0.028	5.46	2.96	20.7	15	7.3	162	0.54	0.19	4.2	0.222	0.17	1380	63	7.7	29.7	21	76.9		0.025	
E210093	191.7	192.2		790	1.6	8.4	0.003	0.59	1.49	12.5	2	4.2	119	0.39	<0.05	15.4	0.126	0.05	23.8	35	5.5	8.2	5	52.1		0.003	
E210094	192.2	192.9		670	1.3	4.8	0.002	0.33	1.73	8.9	1	3.6	68.6	0.41	<0.05	15.3	0.108	0.03	6.5	17	5.5	6.5	3	50.2		0.002	
E210095	192.9	193.9		720	3.4	9.3	0.002	0.34	1.62	13.6	2	5.9	101.5	0.43	<0.05	12.6	0.172	0.07	13.4	48	5.8	7.3	15	59.4		0.003	
E210096	193.9	194.9		560	1.8	13	<0.002	0.87	1.81	14	2	7.1	92	0.41	<0.05	15.9	0.187	0.09	11.3	40	7.4	7.3	6	61		0.004	
E210097	194.9	195.9		730	2.2	16.5	0.002	0.79	1.12	9.1	2	2	89.3	0.18	0.19	10	0.055	0.08	26.1	14	3.1	9.3	8	53.8		0.005	
E210098	195.9	196.9		730	3.5	11	<0.002	2.83	1.18	11.7	3	2.9	91.2	0.2	0.81	13.7	0.077	0.09	3.7	27	4	7.7	4	54.6		0.023	
E210099			BLANK	130	0.9	0.7	<0.002	0.09	0.08	0.7	3	<0.2	325	<0.05	<0.05	0.3	0.007	<0.02	0.7	3	0.1	3.1	27	4.1		0.002	
E210100			STANDARD 2	2590	6.6	35.8	0.019	7.63	2.33	4.7	6	7.9	182.5	0.11	1.18	6.1	0.034	0.49	18.7	61	6.4	14.9	10	26.2	0.901	0.113	
E210101	196.9	197.9		520	1.9	154	<0.002	0.63	1.07	24.8	2	25.5	35.2	0.3	0.06	17.2	0.157	0.26	14.6	101	9.8	7.9	3	76.2		0.004	
E210102	197.9	198.9		830	4.5	181	<0.002	1.06	1.5	19.6	2	24.3	123.5	0.25	0.08	10.8	0.17	0.36	102	96	11.2	10.7	9	90		0.008	
E210103	198.9	199.9		8080	5.5	108	0.003	2.07	1.57	16.3	2	10.6	91.2	0.21	0.16	13.9	0.095	0.28	69.5	77	8.7	26.1	8	68.7		0.011	
E210104	199.9	200.9		1600	8	125	0.004	5.62	1.78	13.4	2	10.3	104.5	0.21	0.44	16	0.084	0.43	52.8	69	9.3	14.8	10	98		0.029	
E210105	200.9	201.9		1250	5.5	132.5	0.006	3.49	1.28	18	2	12.5	86.8	0.18	0.44	10.6	0.111	0.39	42.6	94	7.3	13.3	8	95.2		0.02	
E210106	201.9	202.9		1210	3.4	77.5	0.02	0.69	1.37	23.4	2	8.8	135.5	0.35	0.15	20	0.105	0.21	59.2	93	9.1	11.8	8	83		0.009	
E210107	202.9	203.9		1150	2.9	25.1	0.029	1.3	1.04	11.5	3	5.8	103	0.53	0.16	12.1	0.118	0.12	22.3	63	9.2	11	3	80.7		0.008	
E210108	203.9	204.9		1240	4.3	20.8	0.036	1.7	1.01	14.6	6	4.3	56.7	0.31	0.22	22	0.124	0.09	26.7	62	7.2	11.1	6	70.3		0.01	
E210109	204.9	205.9		1250	3.7	25	0.003	2.72	0.96	16.5	<1	7.4	67.8	0.37	0.35	10.1	0.188	0.12	19.7	82	8.2	11.9	<2	82.6		0.014	
E210111			BLANK	120	0.8	0.7	<0.002	0.07	0.07	0.7	1	<0.2	318	<0.05	<0.05	0.3	0.007	<0.02	0.8	5	0.1	3.3	26	4.4		0.002	
E210112	205.9	206.9		1180	5.8	18.1	0.003	6.43	1.25	14.8	2	6.7	83.3	0.28	1.6	20.2	0.158	0.16	11.2	79	7	10.4	<2	71.5		0.05	
E210113	206.9	207.9		970	5.5	4.5	0.003	7.18	1.48	5.1	2	1.8	244	0.39	2.71	10.1	0.048	0.17	15.8	14	5.9	11.2	3	41		0.066	
E210114	207.9	208.9		920	8	13.3	0.003	5.92	1.28	20.8	2	4.2	283	0.35	1.7	7.3	0.12	0.16	7.2	74	7	9.9	4	68.5		0.047	

IG-2007-03 Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
E210115	208.9	209.9		0.59	7.04	234	120	0.7	2.91	2.92	<0.02	58.3	136.5	40	0.25	63.4	7.72	14.75	0.12	2.2	0.02	0.21	50.9	5.1	1.08	1865	25.4	5.42	4.2	21.8
E210116	209.9	210.9		0.47	5.77	214	100	0.95	2.44	1.26	<0.02	27.9	155	35	0.7	39.1	7.53	13.75	0.12	1.8	0.018	0.61	13.1	10.8	0.77	1425	15.65	3.3	3.4	22.6
E210117	210.9	211.9		0.4	6.68	223	100	0.9	2.32	1.86	<0.02	44.1	215	43	0.41	48.2	6.83	16.9	0.11	1.8	0.012	0.4	33.3	13.7	0.86	1270	26.3	4.42	4.5	28
E210118	211.9	212.9		0.24	7.59	68.5	140	0.99	1.91	2.23	<0.02	37.1	276	51	0.34	27.3	6	21	0.1	2	0.011	0.4	28.5	8.1	0.86	1260	20.7	5.41	5.6	22
E210119	212.9	213.9		0.3	6.83	128	60	1.56	2.23	1.82	<0.02	45.7	287	41	0.68	20.8	7.02	23.5	0.11	2	0.019	0.96	34.5	19.4	0.81	1210	22	3.94	3.4	35.3
E210120	213.9	214.9		0.29	7.01	171.5	70	0.85	1.71	2.22	<0.02	14.85	221	35	0.37	32.3	6.96	16.95	0.09	2.1	0.012	0.4	9.1	5.1	0.81	1520	25.1	5.06	3	37.6
E210121			BLANK	0.01	0.15	12	40	0.11	<0.01	>50	0.41	2.16	1.3	7	<0.05	4.4	0.05	0.56	<0.05	0.1	<0.005	0.03	1.9	1.7	0.55	39	0.29	0.02	0.3	<0.2
E210122			STANDARD 3	0.27	6.82	47.6	840	3.3	1.62	2.1	<0.02	64.9	120	45	6.57	1630	7.25	20.1	0.17	2.1	0.139	3.18	40.3	27.8	1.32	3220	24.4	0.57	3.2	27.7
E210123	214.9	215.9		0.53	6.25	331	100	0.38	3.47	2.56	<0.02	24.5	327	36	0.22	32.3	10.65	13.45	0.12	1.7	0.013	0.18	19.9	3.4	0.9	1930	28.3	4.65	3.5	34.8
E210124	215.9	216.9		0.8	6.22	331	480	0.58	4.92	2.55	<0.02	37.3	343	40	0.38	61.7	9.12	14.65	0.12	1.7	0.015	0.31	25.8	5.4	0.79	1930	22.9	4.43	4.1	36.7
E210125	216.9	217.9		0.6	7.87	456	210	1.7	2.77	2.65	<0.02	15.25	250	49	0.76	60.3	7.76	20.6	0.11	2.2	0.03	1.06	10.9	9.5	0.9	1995	20.7	4.58	5	33.5
E210126	217.9	218.9		0.62	7.4	187.5	120	0.56	2.08	3.22	<0.02	56.3	219	29	0.23	122	6.13	17.45	0.13	1.9	0.026	0.23	45.5	5.4	0.95	2560	36.7	5.69	4.4	34.3
E210127	218.9	219.9		0.48	7.13	240	250	0.46	2.07	3.82	<0.02	25.8	255	29	0.22	46	7.91	15.1	0.19	1.6	0.018	0.2	18.3	2.3	1.13	2960	31.9	5.28	4.3	36.1
E210128	219.9	221		0.31	9.35	196	340	1.6	1.5	1.29	<0.02	140	114	50	1.27	18.3	4.67	26.6	0.27	3.1	0.024	1.26	106	13.1	0.56	1130	20.3	5.37	5.1	19.2
E210129	221	221.5		0.62	8.89	781	110	1.31	3.13	1.52	<0.02	60.7	306	45	0.93	43	6.63	24.3	0.2	2.8	0.019	0.9	46.1	10.7	0.61	1010	29.4	5.68	3.8	38.3
E210130	222.1	222		0.7	8.85	662	100	1.72	3.38	1.63	<0.02	113	368	51	1.51	52.4	7.42	26.3	0.28	2.9	0.028	1.49	82.8	14.8	0.74	1070	37.4	4.5	3.3	49.4
E210131	223.2	222.5		0.38	7.06	266	210	0.5	1.08	3.25	<0.02	53	167	29	0.3	25.4	6.31	15.05	0.22	1.9	0.031	0.21	40.5	9.9	1.64	4280	19.6	4.91	2.9	31.2
E210132	223.2	222.5	DUPLICATE	0.37	6.6	143	250	0.48	0.83	3.35	<0.02	58.2	133.5	30	0.29	24.2	7.19	14.7	0.19	1.8	0.03	0.21	45.9	9.2	1.5	3580	20.2	4.72	2.7	26.5
E210134	222.5	223		0.58	6.22	467	170	0.54	2.76	2.28	<0.02	112.5	307	36	0.27	43.1	7.67	15.3	0.26	1.7	0.01	0.21	90.4	6.6	0.75	1610	20.8	4.3	4.2	52.1
E210135	223	223.5		0.93	6.46	206	160	1.09	3.21	0.69	<0.02	10.1	465	42	0.7	86.4	6.34	19.95	0.16	1.8	0.012	0.69	5.2	18.6	0.4	466	90.2	3.7	5	71.2
E210136	223.5	224		1.21	3.84	187	170	0.28	2.15	3.08	0.02	28.5	981	18	0.25	74.4	16.9	10.9	0.27	1	0.07	0.11	18	7.3	1.38	4360	10.85	2.55	3.1	91.3
E210137	224	224.5		4.35	3.97	288	210	0.37	3.7	3.05	<0.02	30.2	1220	17	0.31	66.1	21	12	0.34	1	0.123	0.13	16.2	9.4	1.72	5470	13.9	2.42	1.7	109
E210138	224.5	225		2.18	4.13	245	90	0.4	4.86	5.59	<0.02	143	645	23	0.3	63.1	15.45	10.95	0.44	1	0.115	0.13	89.5	8.8	2.52	6070	18.1	2.57	2.3	71.2
E210139	225	225.6		2.97	5.99	231	180	0.8	6.33	2.9	<0.02	79.4	975	19	0.68	162	13.55	13.95	0.37	1.7	0.028	0.3	48.2	10.2	1.1	2520	168.5	3.76	2.7	130.5
E210140	225.6	226.6		1.84	6.26	228	340	0.45	2.96	4.37	<0.02	74.6	610	34	0.19	37.6	10.45	14.35	0.28	1.4	0.034	0.12	53.3	6.6	1.71	3580	11.2	4.28	1.8	57.1
E210141	226.6	227.6		1.2	6.55	219	290	0.55	1.96	3.83	<0.02	125.5	394	26	0.21	16.9	9.74	14.1	0.2	1.5	0.037	0.17	102	5.7	1.34	3610	26.1	4.81	2.1	33.8
E210142	227.6	228.6		0.64	7.12	192.5	110	0.5	1.62	2.86	<0.02	26.6	233	29	0.18	9.8	7.89	15.95	0.1	2	0.015	0.13	22.1	3.7	0.83	2190	22.7	5.42	2	21.2
E210143			BLANK	0.01	0.14	8	30	0.12	<0.01	46.9	0.36	1.94	1.1	7	<0.05	2.2	0.05	0.52	<0.05	0.1	<0.005	0.03	1.6	1.7	0.52	36	0.24	0.02	0.3	<0.2
E210144			STANDARD 1	1.04	5.55	59.9	60	1.93	2.92	2.07	<0.02	50	166	36	3.46	7590	9.76	14.75	0.17	1.8	0.14	2.07	25.4	26.4	1.19	3400	67.3	0.93	4	38.2
E210145	228.6	229.6		0.75	6.35	154	720	0.52	0.97	4.66	<0.02	124	159.5	28	0.19	17.3	9.25	13.25	0.18	1.4	0.021	0.16	105.5	3.7	1.41	4230	39.3	4.72	1.2	24.7
E210146	229.6	230.6		2.16	6.2	459	520	0.74	3.8	1.37	<0.02	84.1	568	40	0.65	144.5	7.78	15.55	0.14	2.4	0.018	0.49	58.8	7.4	0.54	1085	21.3	4.28	5.4	58.6
E210147	230.6	231.6		1.96	6.66	466	110	0.42	3.63	4.02	<0.02	187	689	9	0.27	322	7.47	13.35	0.16	2.2	0.026	0.12	138	3.9	1.52	2340	30.2	5.25	5.9	42
E210148	231.6	232.6		0.68	6.95	232	590	0.9	1.7	2.03	<0.02	26.2	304	41	0.7	1040	3.76	18.95	0.09	2.5	0.025	0.61	17.2	7.2	0.84	1350	17.75	5.45	5.3	23.8

IG-2007-03

Sample No	From (m)	To (m)	Standard/Blank
E210115	208.9	209.9	
E210116	209.9	210.9	
E210117	210.9	211.9	
E210118	211.9	212.9	
E210119	212.9	213.9	
E210120	213.9	214.9	
E210121			BLANK
E210122			STANDARD 3
E210123	214.9	215.9	
E210124	215.9	216.9	
E210125	216.9	217.9	
E210126	217.9	218.9	
E210127	218.9	219.9	
E210128	219.9	221	
E210129	221	221.5	
E210130	222.1	222	
E210131	223.2	222.5	
E210132	223.2	222.5	DUPLICATE
E210134	222.5	223	
E210135	223	223.5	
E210136	223.5	224	
E210137	224	224.5	
E210138	224.5	225	
E210139	225	225.6	
E210140	225.6	226.6	
E210141	226.6	227.6	
E210142	227.6	228.6	
E210143			BLANK
E210144			STANDARD 1
E210145	228.6	229.6	
E210146	229.6	230.6	
E210147	230.6	231.6	
E210148	231.6	232.6	

P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
930	6.5	5.9	0.003	3.91	0.84	9.8	2	4.3	56.8	0.36	0.84	22.9	0.136	0.06	66.7	59	5.9	11.2	3	67.7		0.03	
670	5.4	25.1	0.003	3.5	0.82	14.4	<1	5.6	620	0.27	0.92	4.4	0.113	0.09	30.2	81	6.6	7.7	10	63.5		0.027	
880	4.4	15.7	0.002	4.36	1.18	12.8	1	4.7	55.2	0.3	0.66	14.3	0.118	0.09	9.5	59	8.3	8.2	7	63.9		0.026	
990	3.7	14.8	<0.002	3.84	1.6	17.5	<1	5.1	61.9	0.4	0.27	13.1	0.156	0.08	4.8	78	7.9	8.3	3	71		0.014	
1060	4.7	35.3	0.002	4.38	1.2	25.4	1	7.3	68.6	0.27	0.19	15.7	0.118	0.14	5.3	91	6.9	8.5	7	69		0.017	
980	4.9	11.9	0.002	3.52	0.86	10.1	2	4.3	333	0.26	0.38	12.7	0.119	0.06	73.3	59	7.5	9.3	3	73.3		0.022	
120	0.7	0.6	<0.002	0.07	0.07	0.6	1	<0.2	320	<0.05	<0.05	0.2	0.007	<0.02	0.8	5	0.1	3.2	39	4.2		0.001	
770	2.9	136	0.009	1.35	1.08	12.8	2	7.7	438	0.22	0.19	13.3	0.113	0.41	19.9	64	8.1	12.4	6	83		0.022	
760	6.4	5.7	0.003	6.6	0.98	7.3	2	4	43.5	0.27	1.2	6.8	0.12	0.07	21.7	57	6.1	7.7	2	55.6		0.043	
820	9.5	10.4	0.003	6.24	1.31	10.6	2	3.6	142.5	0.28	1.63	6.3	0.101	0.12	19.9	47	7.1	8.3	8	60.5		0.047	
1030	6.4	42.1	0.002	5.04	0.94	35	2	9	51.8	0.29	1.06	17.3	0.131	0.12	18	74	9.5	9.9	4	75.8		0.03	
1020	7.1	8.7	0.005	3.03	0.9	7.1	2	2.7	411	0.26	0.75	16.7	0.092	0.05	78.1	38	6.8	11.7	5	69.7		0.026	
800	5.1	6.3	0.004	4.32	0.94	9.3	2	3.3	131	0.29	0.71	5.9	0.111	0.05	16.1	39	5.7	7.8	5	53.1		0.03	
1250	4.2	56	0.006	2.15	0.84	19.6	2	11.5	101	0.32	0.47	25.6	0.141	0.14	34.9	81	10.9	11.7	5	97.4		0.023	
1140	5.7	39.9	0.005	6.33	0.9	14.8	3	6.9	52.2	0.25	0.55	23.4	0.113	0.09	13.5	66	9.9	10.1	3	89.4		0.044	
1160	6.9	67.5	0.007	6.66	0.88	28.4	3	12.7	43	0.2	0.59	16.2	0.121	0.15	36	85	10.1	10.1	4	93.2		0.046	
1000	3.6	7.1	0.005	3.01	0.64	9.3	2	2.7	84	0.21	0.19	9	0.075	0.03	30.9	34	4.8	8.7	8	61.3		0.014	
930	2.7	7.6	0.004	2.05	0.6	9.1	2	2.8	80.6	0.21	0.14	6.5	0.076	0.03	16.8	36	5	8.4	7	57.4		0.01	
1020	5.7	9.2	0.004	6.4	1.23	8.5	2	2.8	43.6	0.27	0.58	7.8	0.089	0.09	11.9	45	8.1	8.3	5	51.9		0.025	
660	15	33.3	0.024	6.26	1.95	20.8	2	6.8	38	0.28	0.59	15.6	0.107	0.13	306	62	9.2	11.6	10	58.2		0.023	
380	12.4	3.8	0.007	8.37	1.1	6.3	4	2.4	131	0.17	0.47	7	0.057	0.11	160	47	6.4	8.4	8	31.5		0.018	
370	40.8	5.1	0.005	>10.0	1.66	8	5	2.6	88.9	0.13	0.9	9.3	0.048	0.41	438	61	6.5	13.8	12	33.6		0.035	
420	114.5	4.8	0.003	8.09	2.78	9.6	4	3.9	140	0.2	0.82	33.2	0.077	0.25	1410	53	14.9	33.9	10	33.6		0.03	
610	447	11	0.093	>10.0	5.07	6.4	7	2.6	116	0.28	1.12	33.2	0.07	0.39	4420	37	10.6	65.1	16	47.7		0.056	
630	14	3.7	0.002	7.75	0.66	6.9	2	1.7	185	0.15	0.83	5.7	0.039	0.58	48.9	24	2.6	7.7	5	46.8		0.025	
590	13.4	5.2	0.002	4.86	0.65	7.1	1	2.3	172	0.19	0.62	9.4	0.082	0.54	31.3	26	3	8.7	5	52.4		0.015	
770	10.6	3.8	<0.002	3.25	0.53	5.5	2	2.9	73.4	0.28	0.51	9.2	0.101	0.5	14.4	33	2.4	7.6	2	70		0.013	
120	0.8	0.6	<0.002	0.07	0.06	0.5	1	<0.2	308	<0.05	<0.05	0.2	0.008	<0.02	0.8	5	0.1	2.9	25	3.6		0.003	
850	20.4	90.6	0.02	2.26	1.49	10.5	2	7.2	535	0.23	0.25	8	0.085	0.48	269	52	8.3	15.5	9	54		0.05	
820	11.8	5	0.002	2.72	0.54	8.1	1	2.1	168	0.12	0.33	9.8	0.048	0.59	5.7	32	2.7	8.3	2	42.7		0.01	
940	13	21.3	0.007	7.68	1.15	14.8	3	5.9	106.5	0.36	1.03	12.8	0.101	0.51	19.5	36	9.1	10.8	7	73.7		0.039	
1010	22.2	3.7	0.007	7.4	1.42	9.5	4	2.5	68.3	0.4	0.96	19.1	0.082	0.99	107	8	7.4	12.2	5	67.8		0.03	
900	9.9	21.4	<0.002	3.05	1.35	12.9	1	8.6	51.5	0.33	0.36	13.4	0.119	0.52	36.2	29	11.9	8.9	2	75.3		0.018	

IG-2007-04

Sample No	From (m)	To (m)	Standard/Blank
E383776	69	70	
E383777	70	70.5	
E383778	70.5	71	
E383779	71	71.5	
E383780			Blank
E383781			Standard 3
E383782	71.5	72	
E383783	72	72.5	
E383784	72.5	73	
E383785	73	73.5	
E383786	73.5	74	
E383787	74	74.5	
E383788	74.5	75	
E383789	75	75.5	
E383790	75.5	76	
E383791	76	76.5	
E383792			Blank
E383793	76.5	77	
E383794	77	78	
E383795	187	188	
E383796	188	188.5	
E383797	188.5	189	
E383798	189	189.5	
E383799	189.5	190	
E383800	190	190.5	
E383801	190.5	191	
E383802	191	191.5	
E383803			Blank
E383804			Standard 1
E383805	191.5	192	
E383806	192	192.5	
E383807	192.5	193	
E383808	193	193.5	
E383809	193.5	194	
E383810	194	194.5	
E383811	194.5	195.5	
E383812	195.5	196.5	
E383813	196.5	197	
E383814	197	197.5	
E383815			Blank
E383816	197.5	198	
E383817	198	198.5	
E383818	198.5	199	
E383819	199	199.5	
E383820	199.5	200	
E383821	200	200.5	
E383822	200.5	201	
E383823	201	201.5	
E383824	201.5	202	
E383825	202	202.5	
E383826			Blank
E383827			Standard 2
E383828	202.5	203	
E383829	203	203.5	
E383830	203.5	204	
E383831	204	204.5	
E383832	204.5	205	
E383833	205	205.5	
E383834	205.5	206	
E383835	206	206.5	
E383836	206.5	207	
E383837	207	207.5	
E383838			Blank
E383839	207.5	208	
E383840	208	208.5	
E383841	208.5	209	
E383842	209	209.5	
E383843	209.5	210	
E383844	210	210.5	
E383845	210.5	211	
E383846	211	211.5	
E383847	211.5	212	
E383848	212	212.5	
E383849			Blank
E383850			Standard 3
E383851	212.5	213	
E383852	213	213.5	
E383853	213.5	214	
E383854	214	214.5	
E383855	214.5	215	
E383856	215	215.5	
E383857	215.5	216	
E383858	216	216.5	
E383859	216.5	217	
E383860	217	217.5	
E383861			Blank
E383862	217.5	218	
E383863	218	218.5	
E383864	218.5	219	
E383865	219	219.5	

Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
0.7	6.59	24.3	380	1.81	5.54	5.01	0.54	45.2	109	32	9.1	147	9.16	17.7	0.11	2	0.244	2.93	29.8	44.6	1.77	6150	17.3	0.21	1.3	36.2
0.3	6.08	47	610	1.68	8.56	5.48	0.18	88.3	185	27	8.44	216	9.76	17.15	0.15	1.9	0.15	2.69	57.5	46.1	1.84	6140	23.9	0.17	1.4	45
0.5	5.53	46.8	370	1.52	8.56	5.19	0.26	52.5	243	23	8.39	505	13.25	15.6	0.14	1.7	0.273	2.46	32.4	37.4	1.78	7590	27.5	0.16	1.8	46
0.23	5.35	43.7	160	1.64	7.26	3.21	0.05	58.6	269	24	8.53	348	15.15	15.4	0.18	1.7	0.335	2.42	35.4	32.3	1.3	8290	52.7	0.1	1.6	46.6
0.04	0.15	<5	50	0.08	0.03	44.8	0.45	2.2	0.9	4	0.05	2.2	0.07	0.49	<0.05	<0.1	<0.005	0.03	1.9	1.4	0.46	57	0.36	0.02	0.2	2.2
0.26	7.05	52.5	390	2.65	1.51	1.64	0.02	76.6	110	39	6.41	1580	7.17	19.55	0.13	2.2	0.131	3	44.7	23.5	1.27	3240	20.7	0.56	2.7	26.1
0.46	5.32	72.9	240	1.63	14.65	2.75	0.13	45.5	373	22	8.35	653	18.7	15.3	0.16	1.7	0.282	2.35	25.8	33.5	1.09	6410	31.5	0.08	2.2	54.8
0.4	5.33	72.6	390	1.63	13.25	3.45	<0.02	92.4	268	23	7.59	426	13.95	15.2	0.17	1.6	0.247	2.15	62.8	33.6	1.27	6160	31.7	0.3	5.1	47.1
3.3	2.8	196.5	80	0.55	28.1	3.15	0.35	184.5	508	5	2.29	6490	23	7.09	0.25	0.7	0.358	0.62	136.5	13.4	1.24	9020	47.4	0.9	5.5	73.6
2.16	3.59	127	70	0.81	22	2.76	0.05	122.5	430	11	3.36	8530	21.5	9.8	0.25	1.1	0.391	0.85	73.4	23.6	1.17	8500	41.6	0.9	7.2	77.9
1.02	3.66	78.2	70	0.68	21	1.4	0.14	53.6	348	13	3.07	3070	20.8	9.09	0.2	1	0.351	0.9	22.6	16.1	0.91	8910	23.9	1.19	2.4	65.9
1.08	3.9	43.6	80	0.7	9.94	2.35	0.07	59	239	13	3.4	8840	17.85	9.33	0.2	1.1	0.384	1.01	30.2	16.6	1.02	7390	50.6	1.2	2.9	46.9
0.61	5.23	26.2	180	1.34	5.69	2.12	0.12	28.1	132.5	24	5.98	568	12.4	12.55	0.14	1.6	0.284	1.93	15.9	34.5	1.14	6670	8.3	0.75	3.1	29.4
0.52	7.83	20.9	970	2.01	3.39	1.87	0.04	55.9	122.5	42	8.63	2330	10.25	22.8	0.13	2.7	0.305	3.14	37.1	43.9	1.07	4930	16.25	0.91	1.7	28.8
0.39	8.6	18.6	870	1.55	3.03	2.76	0.09	60.7	116	29	6.76	1090	10.95	16.3	0.12	2.3	0.285	2.38	43.3	38.4	1.27	6230	12.55	0.99	1.4	29.4
0.61	5.7	41.1	190	1.67	6.92	1.27	0.08	55.3	183.5	29	7.61	805	12.75	16.6	0.15	2.2	0.305	2.33	36.4	41.5	1.41	6230	14.9	0.1	1.8	37.7
0.02	0.14	<5	40	0.08	0.01	41.5	0.37	2.08	0.8	3	0.05	6	0.07	0.49	<0.05	<0.1	0.006	0.03	1.8	1.3	0.43	54	0.27	0.02	0.2	1.3
0.43	5.85	21.4	290	1.61	4.66	1.49	0.03	43.2	140	27	7.84	4310	11.85	16.1	0.13	2.1	0.317	2.45	29.8	38.8	1.2	5660	15	0.23	1.3	31.7
0.21	5.46	11.1	1640	1.52	1.55	1.77	0.04	65.8	78.6	28	6.13	983	10.2	15.15	0.11	1.6	0.313	2.42	47.6	30.5	1.14	5980	6.39	0.19	1.7	24.5
0.18	3.78	36.3	180	0.97	0.58	6.25	0.02	130	155	18	1.33	1550	12.8	9.41	0.16	1	0.145	1.42	98.4	30.5	3.06	6230	34.6	0.03	3.2	36
0.11	4.57	9.7	840	1.49	0.18	3.47	0.02	98.5	60.1	26	1.78	928	10.7	13.3	0.13	1.3	0.177	2.31	74.8	27.6	2.19	6430	12.15	0.03	2.1	28.8
0.53	2.85	39.3	170	0.78	1.35	3.92	0.02	177	110	11	0.93	3660	14.25	8.95	0.19	0.7	0.247	1.13	118	21.5	2.74	9920	20	0.03	2.2	37.8
1.62	1.99	72	70	0.41	4.62	8.06	0.03	187	248	6	0.65	9240	13.7	5.38	0.23	0.5	0.13	0.43	97.3	23.5	3.73	5960	38.2	0.02	3.6	57.6
1.12	1.78	49.2	80	0.38	2.63	6.29	0.05	367	154	3	0.44	6610	15.75	5.93	0.31	0.4	0.274	0.41	249	20.9	3.7	10050	50	0.02	2.8	42.1
0.5	2.47	16.7	290	0.56	0.38	4.84	<0.02	208	63	16	0.72	6560	14.5	7.45	0.19	0.8	0.221	0.82	146.5	23.6	2.81	7420	29.6	0.02	3.8	28.3
0.21	2.16	18.4	1130	0.49	0.25	2.93	0.05	206	69.3	8	0.7	1790	16.9	7.11	0.19	0.5	0.333	0.72	162	28	2.46	9990	37.8	0.02	3	30.7
0.41	6.81	36.7	550	1.82	1.26	1.13	<0.02	268	154	51	4.98	1850	13	19.05	0.23	2	0.086	2.02	194	72.8	1.99	1465	27.4	0.03	2.1	61.7
0.03	0.13	<5	40	0.08	<0.01	40.1	0.37	2.33	0.8	6	<0.05	6.8	0.07	0.42	<0.05	<0.1	<0.005	0.03	2	1.3	0.42	45	0.32	0.02	0.2	2.2
1.08	5.7	59.7	150	1.81	2.35	1.93	0.04	46.7	149	32	3.36	7790	9.07	14.5	0.13	1.8	0.125	2.08	16.9	20.9	1.08	3020	63.6	0.97	2.5	36.1
1.84	6.64	370	1520	2.49	11.45	2.8	<0.02	60.4	383	41	5.29	218	14.85	18.1	0.18	2.1	0.073	2.36	47.4	48.4	1.74	3030	42	0.35	2.2	141.5
1.12	3.89	147.5	110	0.89	8.14	8.05	0.05	88.3	160.5	15	1.07	153	13.2	8.27	0.15	1.1	0.06	1.13	78.1	9.8	2.1	9290	25.4	1.02	2.3	59.1
0.99	3.32	186	100	0.78	7.52	8.82	0.03	87.7	181	13	0.83	159.5	15.7	7.28	0.17	0.9	0.057	0.97	77.6	9.8	2.14	10400	26.9	0.91	2	66.9
0.63	3.39	138	150	0.69	4.09	9.7	0.02	87.4	103.5	18	0.8	190.5	11.8	7.2	0.14	0.9	0.075	0.84	76.1	10.2	2.71	10900	22.3	1.03	2.4	50.9
1.66	3.99	340	390	1.08	12.9	8.35	0.02	103.5	341	15	1.38	355	16.3	9.21	0.16	1.2	0.056	1.16	87.8	28.5	2.73	6090	34	0.41	3	89.8
0.52	4.21	50	120	1.07	3.59	7.85	<0.02	77.2	191	21	1.08	155	12.7	9.63	0.14	1.1	0.061	1.17	49	30.9	3.36	7520	31.7	0.45	3.8	57.5
0.21	4.01	26.2	190	1.09	0.42	6.11	<0.02	85.2	98	18	1.1	1680	15.3	10.25	0.15	1	0.064	1.09	69.1	30.7	2.89	6490	20.9	0.31	1.9	48
0.54	4.44	45	120	1.15	1.01	7.26	<0.02	86.1	217	24	1.45	2800	14.2	9.61	0.17	0.9	0.084	1.26	56.7	17	2.41	8440	24.9	1.05	2.2	58.2
0.18	7.03	8.3	2740	1.51	0.29	7.09	<0.02	21.8	47.4	46	2.66	992	7.98	14.1	0.08	1.2	0.099	2.21	15	14.2	2.59	7290	7.38	2.17	1.1	38.9
0.06	7.33	3.4	5210	1.87	0.12	4.13	<0.02	33.5	24.3	47	2.29	311	10.4	15.95	0.12	1.5	0.124	2.32	24.8	13.9	2.23	8290	6.8	2.29	0.7	38.8
0.02	0.14	<5	100	0.05	<0.01	41.8	0.35	2.67	0.7	4	0.05	3.8	0.11	0.45	<0.05	<0.1	<0.005	0.03	2.1	1.2	0.44	60	0.22	0.03	0.2	2.3
0.13	5.91	50.2	190	1.24	0.45	5.7	<0.02	80.6	215	42	1.46	238	12.45	12.5	0.15	1.2	0.088	1.45	55.7	15.1	2.23	8720	16.35	2.02	2.4	85.8
0.13	5.23	29.3	320	1.13	0.31	4.71	<0.02	159	119	29	1.55	177.5	13.65	11.8	0.17	0.8	0.163	1.45	114.5	17.9	2.68	7440	22	1.45	2.7	44.7
0.15	5.83	46.1	240	1.5	0.43	4.86	<0.02	180	213	35	3.45	450	14.45	13.75	0.22	1.3	0.185	1.66	118	34.8	2.99	5720	22.6	0.47	1.9	58.6
0.13	3.6	19.2	900	0.68	0.36	2.47	<0.02	159.5	78.6	15	1.44	257	20.3	8.27	0.22	0.6	0.42	0.9	110	32	3.14	12650	25	0.03	3.1	45.1
0.17	4.25	15	780	1.3	0.2	1.59	<0.02	53.9	66.5	24	4.42	1520	19.9	9.23	0.21	1	0.414	1.56	39.2	26.6	2.93	14750	10.8	0.05	1.4	46.2
0.08	7.84	29.9	2320	2.28	0.42	4.15	<0.02	90.7	117	61	4.54	23.6	10.15	18.6	0.13	2.1	0.114	2.8	70.1	30	2.26	3950	14.5	1.66	1.3	46.3
0.06	5.09	27.4	1770	1.17	0.29	6.81	<0.02	106.5	106	32	1.31	16.3	13.8	10.3	0.14	0.9	0.084	1.77	87.3	18.9	3.02	6300	20.2	0.86	1.5	49.8
0.07	5.55	26.2	1310	1.31	0.37	6.76	<0.02	107.5	109	35	1.67	8.3	13.15	11.85	0.15	1.2	0.107	1.73	88.3	21.7	3.06	6850	23.5	1.21	1.4	50.4
0.11	4.35	23.8	340	1.01	0.4	5.82	<0.02	134.5	92	24	1.91	388	15.35	10.8	0.15	0.9	0.133	1.18	101	38.2	3.4	6710	26.3	0.15	1.5	64.1
0.1	1.32	10.5	4070	0.28	0.17	2.05	<0.02	177.5	17.5	<1	0.62	396	23.4	3.89	0.23	0.1	0.45	0.23	137	17.3	3	16350	18.1	0.02	3.6	31.3
0.03	0.13	<5	40	0.06	<0.01	42	0.36	2.38	0.7	4	0.05	2.7	0.09	0.43	<0.05	<0.1	<0.005	0.03	1.8	1.3	0.45	69	0.27	0.02	0.3	2
1.32	2.5	115	60	0.72	10.4	2.3	<0.02	190.5	327	4	2.74	9300	29.4	9.48	0.31	0.7	0.281	0.89	106.5	19.4	1.55	6420	65.6	0.25	5.1	61.4
1.84	3.18	184.5	100	0.85	12.2	3.65	<0.02	43.6	353	14	1.45	1110	19.8	8.25	0.21	0.8	0.064	0.96	12.8	21.8	1.98	3950	57.3	0.18	3.4	116
1.88	2.58	194	110	0.48	12.9	2.54	0.02	114	321	7	0.79	1150	21.7	5.8	0.24	0.6	0.068	0.53	57.3	15	2.33	6870	43.3	0.8	4.7	86.6
1.26	1.39	108.5	30	0.18	5.92	6.83	<0.02	145.5	186.5	<1	0.26	2350	17.5	3.35	0.23	0.1	0.077	0.14	73.1	10.5	2.71	8730	44.5	0.34	3.5	86.5
1.25	2.06	111	40	0.28	5.95	7.61	<0.02	135	270	5	0.51	3110	17.85	4.04	0.22	0.3	0.087	0.22	87.1	14.8	2.92	9630	49	0.45	3.8	87
0.25	2.97	22.4	130	0.62	0.72	7.2	<0.02	168	79.6	13	0.99	908	16.15	8.21	0.19	0.6	0.133	0.74	88.3	23.9	4	9860	61.6	0.04	3.8	59
0.26	1.15	17.3	300	0.21	0.46	2.76	<0.02	343	58.1	<1	0.24	622	24.1	3.75	0.26	0.1	0.214	0.08	241	15.5	3.11	15800	53.6	0.03	4.5	36.1
0.4	3.24	29.8	160	0.54	0.5	1.05	<0.02	156.5	69.9	20	1.7	4070	17.4	7.72	0.18	0.7	0.108	0.76	99.1	28.3	2.18	9300	56.7	0.02	5	41.7
0.69	5.62	49.2	210	0.82	0.93	1.98	<0.02	154.5	115	29	2.37	6150	18.3	13.8	0.22	1.6	0.076	0.81	104.5	65.5	2.63	4360	36.5	0.02	3.6	84.2
0.57	5.99	34.8	300	0.82	1.04	2.55	<0.02	370	150	31	2.08	3950	18.25	15.25	0.27	1.5	0.089	0.79	268	68.8	2.85	2860	45.9	0.02	4.1	89.5
0.55	2.6	49.9	80	0.51	1.52	1.18	<0.02	268	117	9	0.95	1670	16.85	7.98	0.26	0.6	0.118	0.34	133.5	32.5	1.83	7380	33.5	0.02	4	73.1
0.02	0.13	<5	110	0.11	0.01	40.8	0.35	2.59	0.7	4	<0.05	5.9	0.06	0.44	<0.05	<0.1	<0.005	0.03	1.9	1.2	0.43	49	0.39	0.02	0.2	2.6
0.28	2.1	16.3	150	0.3	0.34	3.09	<0.02	291	55.2	6	0.74	3050	20.4	5.72	0.23	0.5	0.139	0.24	196	24.8	2.71	9650	29.8	0.02	5.2	42
0.12	1.66	13.2	2590	0.17	0.22	2.89	<0.02	285	31.8	2	0.39	239	18.75	4.05	0.21	0.2	0.109	0.07	226	18.3	2.42	10100	31.7	0.39	5.4	22.9
0.11	3.72	24.2	300	0.31	0.3	6.12	0.02	270	103.5	15	0.57	99.9	14.7	7.57	0.2	0.6	0.038	0.13	198.5	17.2	2.79	5320	38.5	1.76	4.5	21.9
0.13	5.2	23	540	0.51	0.37	5.15	<0.02	204	100.5	28	1.45	8.5	14.75	11.25	0.19	1.2	0.027	0.46	159.5	31.2	2.78	3850	31.4	1.67	3.6	56.8
0.15	5.03	16.9	570	0.45	0.36	4.36	<0.02	227	97.7	25	1.14	102.5	19.8	11.15	0.25	1.3	0.032	0.17	177	63.3	3.6	3780	37	0.05	4.1	80.5
0.08	5.37	12.3	550	0.41	0.18	4.75	<0.02	106.5	102.5	29	0.66	8.9	14.7	9.77	0.16	1.2	0.021	0.15	78.4	28.7	2.52	3730	18.9	2.18	3.2	46.6
0.04	4.89	11.9	240	0.36	0.19	4.14	<0.02	76.3	85.3	25	0.48	14.3	12.4	8.67	0.14	1	0.017	0.18	50.9	14.1	1.66	3510	20.2	2.72	3.4	20.3
0.26	4.66	31.8	90	0.4	1.3	4.27	<0.02	32	175.5	26	0.59	56.3	12.95	7.72	0.14	1.1	0.019	0.2	17.4	14.7	1.88	4490	55.2	2.85	3	27.2
1.41	2.8	293	120	0.25	7.59	2.14	0.04	198	578	4	0.49	113	23	6.41	0.29	0.6	0.034	0.12	142.5	12	1.63	7340	39.1	1.34	1.7	82.3
0.81	2.35	95.8	120	0.28	3.35	4.48	<0.02	176.5	443	5	0.27	179.5	24	8.17	0.29	0.5	0.011	0.05	145.5	11.6	1.69	4070	39.7	1.1	1.6	62.4
0.04	0.12	<5	70	0.12	0.01	44.7	0.4	2.37	1.5	6	0.05	3.2	0.07	0.5	0.14	0.1	<0.005	0.03	2	1.4	0.48	41	0.33	0.01	0.3	<0.2
0.29	7.15	50	290	2.52	1.49	2.08	<0.02	79.5	106.5	44	5.76	1565	7.48	17.6	0.21	1.9	0.12	3.11	42.4	21.8	1.43	3520	20.5	0.62	2.8	25.1
1.42	1.57	178	150	0.31	4.64	3.28	<0.02	203	560	6	1.33	147	31.3	7.82	0.35	0.5	0.007	0.18	178.5	12.4	1.55	4240	47.1	0.18	4.8	72.5
1.07	2.31	94.9	160	0.34	3.44	3.72	<0.02	207	537	6	1.4	233	28.7	8.27	0.35	0.4	0.005	0.22	180.5	13	1.56	3850	38.7	0.88	3.2	65.8
2.2	1.68	258	70	0.32	7.65	2.56	<0.02	245	738	4	1.03	216	32.7	8.11	0.39	0.5	<0.005	0.13	211	11.5	1.18	3070	88.4	0.37	5.5	61.2
2.08	2.3	235	220	0.27	8.75	2.74	<0.02	238	578	11	1.39	127	25.5	7.65	0.31	0.7	0.007	0.16	193.5	10.6	1.29	3370	50.5	1.04	2.7	75.5
0.47	4.05	51	60	0.36	1.82	3.58	<0.02	232	289	13	0.28	61	16.6	7.72	0.26	0.9	0.034	0.1	174.5	6.1	1.67	7720	38.7	2.84	1.1	35
0.05	3.66	11.9	90	0.35	0.16	3.06	<0.02	82.9	172.5	19	0.62	10.1	14.55	6.31	0.21	1	0.018	0.24	50.5	8.4	1.34	4380	20.2	2.34	1.3	18.4
0.13	1.99	19.3	100	0.32	0.5	2.18	<0.02	69.3	146.5	11	1.22	173	14.15	5.14	0.2	0.4	0.033	0.39	25	11.5	1.08	3300	8.45	0.51	2.1	28.9
0.1	2.52	15.1	130	0.32	0.29	3.66	<0.02	117	124	14	0.41	46.2	15.15	5.73	0.21	0.6	0.033	0.19	60	14.2	1.76	3870	14.6	1.07	4.2	22.6
0.08	3.71	9.4	150	0.51	0.2	5.4	<0.02	106	96.9	18	0.35	13.1	13.55	8.72	0.18	0.9	0.028	0.16	66.2	9.8	2.14	4320	21.5	2.27	4.7	16.2
0.02	3.88	7.4	200	0.53	0.11	4.78	<0.02	74.2	98.8	21	0.32	5.4	12.5	7.23	0.17	1.1	0.024	0.24	45.8	7	1.85	3950	20.4	2.49	3.2	13.5
0.01	0.12	<5	70	0.18	0.02	42.2	0.34	2.09	1.1	6	0.05	2.1	0.05	0.44	0.17	0.1	0.005	0.03	1.7	1.2	0.45	35	0.23	0.01	0.2	<0.2
0.08	3.32	7.9	190	0.52	0.12	4.15	<0.02	76.1	80.8	18	0.84	33.8	12.75	6.4	0.19	0.9	0.019	0.35	34.6	10.8	1.58	3830	23.7	1.82	2.9	10.8
0.13	4.19	7	160	1.05	0.12	4.4	<0.02	59.6	88.2	24	1.41	10.4	12.4	9.29	0.16	1.2	0.021	0.69	34.7	11.4	1.91	3300	18.15	1.67	4	14
0.09	3.82	12	60	0.64	0.26	5.95	<0.02	142.5	183.5	21	0.78	21.7	14.4	8.37	0.21	1	0.035	0.27	93.7	19.1	2.75	4730	28.5	1.78	4.4	26
0.25	4.04	11.3	100	0.58	0.31	4.87	<0.02	177	135	24	0.84	2080	17.6	11.9	0.23	1.2	0.041	0.51	127	49.3	3.26	4210	30.2	0.04	4.5	36.4

IG-2007-04

Sample No	From (m)	To (m)	Standard/Blank
E383776	69	70	
E383777	70	70.5	
E383778	70.5	71	
E383779	71	71.5	
E383780			Blank
E383781			Standard 3
E383782	71.5	72	
E383783	72	72.5	
E383784	72.5	73	
E383785	73	73.5	
E383786	73.5	74	
E383787	74	74.5	
E383788	74.5	75	
E383789	75	75.5	
E383790	75.5	76	
E383791	76	76.5	
E383792			Blank
E383793	76.5	77	
E383794	77	78	
E383795	187	188	
E383796	188	188.5	
E383797	188.5	189	
E383798	189	189.5	
E383799	189.5	190	
E383800	190	190.5	
E383801	190.5	191	
E383802	191	191.5	
E383803			Blank
E383804			Standard 1
E383805	191.5	192	
E383806	192	192.5	
E383807	192.5	193	
E383808	193	193.5	
E383809	193.5	194	
E383810	194	194.5	
E383811	194.5	195.5	
E383812	195.5	196.5	
E383813	196.5	197	
E383814	197	197.5	
E383815			Blank
E383816	197.5	198	
E383817	198	198.5	
E383818	198.5	199	
E383819	199	199.5	
E383820	199.5	200	
E383821	200	200.5	
E383822	200.5	201	
E383823	201	201.5	
E383824	201.5	202	
E383825	202	202.5	
E383826			Blank
E383827			Standard 2
E383828	202.5	203	
E383829	203	203.5	
E383830	203.5	204	
E383831	204	204.5	
E383832	204.5	205	
E383833	205	205.5	
E383834	205.5	206	
E383835	206	206.5	
E383836	206.5	207	
E383837	207	207.5	
E383838			Blank
E383839	207.5	208	
E383840	208	208.5	
E383841	208.5	209	
E383842	209	209.5	
E383843	209.5	210	
E383844	210	210.5	
E383845	210.5	211	
E383846	211	211.5	
E383847	211.5	212	
E383848	212	212.5	
E383849			Blank
E383850			Standard 3
E383851	212.5	213	
E383852	213	213.5	
E383853	213.5	214	
E383854	214	214.5	
E383855	214.5	215	
E383856	215	215.5	
E383857	215.5	216	
E383858	216	216.5	
E383859	216.5	217	
E383860	217	217.5	
E383861			Blank
E383862	217.5	218	
E383863	218	218.5	
E383864	218.5	219	
E383865	219	219.5	

P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr	Au
ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
610	44.5	153	0.005	1.87	1.56	10.2	1	5.7	85.7	0.09	0.33	12.5	0.078	0.33	22.7	61	8.6	14	79	55.7	0.018
600	14.2	145.5	0.009	3.16	1.66	9.6	1	5.6	80.7	0.09	0.26	12.1	0.077	0.31	27	58	9.7	14.1	18	54.1	0.027
540	21	136	0.013	4.94	1.89	9.3	3	6	89.1	0.11	0.84	10.4	0.083	0.26	28.6	56	9.4	15.2	33	50.8	0.029
610	6.2	134	0.011	4.47	1.41	9.1	4	6.5	47.3	0.09	0.82	10.5	0.078	0.26	15.6	51	8.2	12.7	7	46.9	0.024
100	1.5	0.9	<0.002	0.06	0.11	0.3	2	<0.2	264	<0.05	0.08	0.2	0.007	<0.02	0.7	5	0.1	2.9	30	2.9	0.002
730	3.3	139.5	0.005	1.28	1.22	10.6	2	7.4	461	0.16	0.19	14.8	0.109	0.35	17.6	64	7.8	11.6	7	61.5	0.02
590	12.2	126.5	0.008	8.62	1.89	7.8	4	7.1	47	0.11	1.24	9.1	0.084	0.3	19.8	54	8.7	12.5	16	48.7	0.047
820	11	120.5	0.06	5.99	2.52	7.6	3	8.2	66.4	0.19	0.66	12.4	0.101	0.44	58.9	82	13.9	15.8	6	45.4	0.036
1260	37.7	35.4	0.027	8.88	3.63	3.6	4	4.4	75.9	0.1	0.51	7.4	0.037	0.72	46.7	41	11.3	15.1	41	23.1	0.069
1510	31.5	50.8	0.016	8.79	3.71	5.2	3	7.5	144.5	0.13	0.43	7.4	0.044	0.29	116	56	10.8	21.2	6	33	0.062
1660	14.7	53.8	0.019	6.23	2.15	5.9	2	5.5	159	0.07	0.44	5.2	0.033	0.26	53.5	49	7.7	13.9	20	31.3	0.054
1240	6.6	58.4	0.047	4.37	1.78	4.5	3	5.2	167	0.06	0.29	6	0.035	0.14	73.5	48	11	12.9	5	33.2	0.049
520	19.1	105	0.005	1.46	2.95	8.7	1	6.5	177.5	0.07	0.11	13.6	0.075	0.33	44.7	57	14.2	18.7	12	45.6	0.014
760	5.6	170	0.008	1.12	1.96	12.3	2	10.4	142	0.07	0.1	17.4	0.087	0.37	17	72	10.8	16.3	6	71.7	0.012
670	6.5	130.5	0.005	1.08	1.59	10	1	7.7	80.5	0.07	0.12	15.4	0.087	0.3	13.7	55	8.6	14.7	11	60	0.012
620	6.2	130	0.004	2.55	2.61	10.3	2	8.6	49.1	0.07	0.2	13.2	0.066	0.34	19.3	59	8.8	12.5	14	59.8	0.023
100	1	0.9	<0.002	0.05	0.1	0.3	2	<0.2	244	<0.05	0.06	0.2	0.006	<0.02	0.6	4	0.1	2.7	26	2.6	0.002
550	5.1	137	0.003	2.06	2.11	9.8	2	8.2	30.1	0.06	0.18	13.4	0.066	0.29	21.4	52	7.8	11.8	6	54.5	0.023
540	3	132.5	0.007	0.63	2.08	8	1	8.9	51.8	0.07	<0.05	10.7	0.071	0.25	6.8	53	8.5	10.9	7	46.2	0.004
970	3.2	62.2	0.006	1.62	0.98	13.7	3	9.2	265	0.1	0.29	3.3	0.144	0.13	5.1	108	10.9	11.3	12	30.1	0.008
520	1.8	98.2	0.002	0.67	0.84	16.4	2	10.7	121.5	0.08	0.14	3.5	0.16	0.19	6.1	123	11	9.7	6	38.4	0.002
600	4.6	52.5	0.006	2.07	0.82	11.6	3	7.7	403	0.07	0.31	3.1	0.087	0.1	4.4	71	6.8	8.6	10	22.4	0.017
1150	5.1	19.1	0.014	6.01	1.03	9	6	5.4	498	0.08	1.07	3	0.06	0.06	20.8	48	5.9	10.6	13	17.8	0.062
1140	4.7	17.8	0.024	3.38	0.81	10.1	7	4.7	221	0.06	1.12	4.2	0.036	0.05	8.2	49	5.8	9.2	9	13.7	0.036
1110	2.3	36.9	0.01	1.05	1.04	12.4	5	7.1	387	0.08	0.29	2.6	0.069	0.08	8.5	68	7.4	11.1	12	19.4	0.008
1150	2	32.9	0.013	0.66	1.19	10.4	3	5.9	146	0.06	0.46	2.7	0.051	0.07	8.3	61	7	10.7	9	18.7	0.009
1030	4.2	93.7	0.008	1.78	1.27	25	3	10.7	63.4	0.07	0.22	4.2	0.15	0.24	9.4	209	11.6	16.2	33	55.9	0.012
80	1	0.6	<0.002	0.06	0.08	0.4	2	<0.2	238	<0.05	<0.05	0.2	0.006	<0.02	0.6	5	0.1	2.5	21	2.7	0.001
790	19.1	86.4	0.021	2.21	1.46	8	2	6.5	574	0.13	0.21	8	0.072	0.34	272	52	7	14.8	10	50.7	0.056
750	17.9	111.5	0.007	9.54	2.76	24.9	2	12.3	92	0.12	0.53	4.5	0.12	0.54	14.9	200	15	12.3	22	56.6	0.067
590	11.7	49.5	0.004	7.11	2.19	9	1	4.8	106.5	0.12	0.35	4.9	0.052	0.18	9.4	54	6.8	10	5	34.1	0.038
620	10.8	41.1	0.003	6.72	1.8	8.6	2	5	134.5	0.09	0.3	4	0.046	0.12	7	59	7.7	9.3	6	28.4	0.038
830	7.4	39.4	0.004	4.17	1.4	9.2	1	5.6	248	0.07	0.17	3	0.057	0.13	12.9	78	11.2	10.8	9	26.9	0.019
540	13.3	52.8	0.004	>10.0	2.26	9.8	2	8.1	121.5	0.14	0.59	4.5	0.091	0.17	16.7	77	12.6	9.5	9	34.3	0.071
720	4.7	50.5	0.006	3.84	1.49	10.6	2	9.1	372	0.13	0.19	4.5	0.107	0.1	19.7	89	14.1	10.2	10	33.2	0.019
510	1.7	50.7	0.002	1.3	0.88	12.2	2	12.7	315	0.08	<0.05	3	0.11	0.1	2.2	100	10.7	8.9	10	30.4	0.008
670	2.8	57.1	0.003	2.72	1	15.6	2	9.1	280	0.07	0.21	2.5	0.114	0.16	5.9	127	11.9	10.3	7	31.4	0.017
320	1.9	96.1	<0.002	0.6	1.08	23.3	1	6.9	270	0.08	0.09	1	0.215	0.26	3.5	235	13.7	9.9	4	36.5	0.003
360	1.4	110	<0.002	0.35	0.72	24.4	1	6.6	102	<0.05	<0.05	1.5	0.182	0.23	5.4	224	10.1	9.4	<2	42.7	0.001
110	0.8	0.7	<0.002	0.05	0.07	0.3	2	<0.2	252	<0.05	<0.05	<0.2	0.006	<0.02	0.6	6	0.1	2.6	20	2.4	0.001
1010	2	64.6	0.004	1.63	1.02	20.9	2	8	253	0.07	0.29	1.7	0.233	0.16	4.4	201	12.6	11.7	7	34	0.005
1200	1.7	63.9	0.005	0.66	0.76	16.8	2	7.7	164	<0.05	0.22	1.7	0.099	0.13	5.1	143	10	10.6	6	27	0.003
1140	1.6	78.2	0.006	1.59	0.83	22.4	3	10.4	261	<0.05	0.43	1.7	0.119	0.16	10.2	162	11.5	13.8	21	36.8	0.007
1290	1.8	37.7	0.007	0.52	0.87	13.4	2	5.8	119	0.05	0.28	1.8	0.06	0.08	3.2	97	9.5	10.9	16	26.4	0.005
510	1.9	65	0.002	0.61	0.89	17.8	2	6.7	138	<0.05	0.11	1.2	0.102	0.14	3	134	9.8	10.6	15	33.9	0.004
580	1.8	123.5	0.003	0.89	1.47	39.5	2	13.1	113.5	0.06	0.19	1.5	0.25	0.24	7.3	256	17.2	15.2	10	60	0.004
630	1.3	63.5	0.004	0.94	1.24	20.4	2	8	56	<0.05	0.18	1.5	0.194	0.13	5.1	188	12.1	10.4	6	29.1	0.004
860	1.6	72.7	0.005	1.05	1.27	23.9	2	9.7	76.3	<0.05	0.16	1.5	0.185	0.16	4.8	181	14.2	12.1	6	35.3	0.003
1000	1.5	55.3	0.004	1	1.13	18.3	2	8.8	177	<0.05	0.17	1.5	0.127	0.13	3.4	149	9.2	11	12	28.3	0.005
1210	1.8	9.6	0.005	0.18	0.93	5.6	1	3.6	223	0.05	0.08	1.2	0.04	0.02	1.9	59	5.7	7.9	10	9.5	0.002
110	0.6	0.5	<0.002	0.05	0.06	0.3	2	<0.2	256	<0.05	<0.05	<0.2	0.007	<0.02	0.6	5	0.1	2.8	22	2.6	<0.001
2480	6	37.4	0.019	7.24	2.1	4.4	5	7.4	172	0.12	1.1	6	0.034	0.42	14.5	61	6.9	15.5	6	24.5	0.119
1230	6.9	45.3	0.011	>10.0	1.32	10	3	12.8	105	0.08	1.05	0.9	0.1	0.3	8.6	117	11.8	9.7	7	25.5	0.085
920	11	23.5	0.011	>10.0	1.51	9.6	3	8.3	137	0.1	0.91	1.3	0.081	0.14	7.5	101	9.6	9.5	8	22.6	0.095
1210	5.7	5.5	0.014	9.41	0.85	5	4	3.3	256	0.05	0.7	1.2	0.022	0.09	7	59	4.4	9.7	6	10.3	0.058
1220	6.2	8.7	0.009	6.94	0.91	4.8	3	4.3	282	0.07	0.69	1.3	0.038	0.08	9.4	82	6.7	10.5	11	15	0.058
1280	2	32.1	0.011	1.86	0.83	8.7	3	12.9	552	0.07	0.27	1.4	0.069	0.08	9.3	125	9.6	10.9	11	22.2	0.012
1380	2.3	3.4	0.024	1.05	0.86	4	3	16.9	294	0.05	1.03	1.2	0.019	<0.02	4.9	47	5.6	9.4	10	10.2	0.022
1470	2.5	28.6	0.018	1.34	0.66	10.8	3	11.5	419	0.07	0.33	1.6	0.066	0.08	10.5	102	5.4	10.3	17	23.9	0.023
1830	2.7	36.8	0.014	1.92	1.03	23	4	14.4	183.5	0.08	0.24	2.6	0.087	0.09	7.6	142	9	16.1	45	46.9	0.015
1800	2.7	34.1	0.018	2.41	1.11	23.1	4	20.1	68.4	0.1	0.25	3.1	0.165	0.1	10.3	185	10.7	16.7	33	46.5	0.018
2180	3.3	16.1	0.009	2.5	0.95	10.8	2	9.3	602	0.06	0.31	2.7	0.047	0.06	7.5	64	4.1	10	18	22.9	0.02
100	0.6	0.5	<0.002	0.05	0.06	0.3	2	<0.2	247	<0.05	<0.05	<0.2	0.006	<0.02	0.6	5	0.1	2.7	19	2.3	0.002
2310	2.2	9.4	0.014	1.06	0.83	8.9	2	10.8	387	0.06	0.16	2.8	0.044	0.03	2.8	64	5.6	9.7	14	19.6	0.006
1570	2.3	2.6	0.013	0.42	1.02	5.2	2	9.5	255	0.09	0.26	2.2	0.056	<0.02	5.3	55	5.3	8.2	10	13	0.006
1420	2	4.4	0.014	1.43	1.07	10	3	12.3	268	0.1	0.31	3.2	0.121	0.02	4.2	88	6.4	10.8	8	27.4	0.007
1160	2.2	16.9	0.011	1.34	1.11	13.7	2	20.3	166.5	0.11	0.3	3	0.183	0.06	6.7	141	8	11.6	15	36.7	0.006
1330	2	6.8	0.016	1.38	1.12	9.9	3	17.1	158	0.13	0.18	4.1	0.161	0.03	4.8	156	7.1	12.6	29	41.1	0.006
950	1.5	5	0.004	1.31	0.84	9.2	2	18	254	0.12	0.07	2.5	0.239	0.02	3	134	7.1	10.8	14	36.2	0.003
700	1.2	6.2	0.005	0.93	0.5	8.9	2	14	620	0.11	0.11	1.7	0.225	0.04	2.5	107	4.7	7.9	5	31.5	0.002
840	2.5	6.8	0.006	1.98	0.48	9.2	2	13.2	474	0.1	0.14	0.8	0.218	0.04	3.6	103	3.8	7.9	7	34.4	0.014
850	8.9	4.3	0.011	>10.0	1	7.5	4	3.4	126	<0.05	1.1	2.5	0.059	0.07	4.9	57	2.8	8.6	7	22.2	0.098
1390	6.5	1.7	0.017	6.25	1.03	6.5	4	1.7	54.9	0.05	0.45	2.6	0.022	0.04	8.2	66	2.5	11.1	11	15.9	0.046
100	1.3	0.6	0.002	0.07	0.14	0.5	3	<0.2	260	<0.05	0.07	<0.2	0.006	<0.02	0.6	2	0.1	2.8	23	2.8	<0.001
780	2.8	126.5	0.007	1.36	1	10.5	3	7.1	452	0.16	0.19	13.7	0.11	0.33	18.7	68	7.7	11.1	5	58.7	0.017
1700	10.6	6.1	0.019	>10.0	1.4	5.4	5	1.8	24.8	0.1	0.7	3.3	0.026	0.08	14.8	79	4.7	12.7	15	15	0.074
1600	7.1	6.8	0.015	9.23	1.18	5.9	5	1.7	26	0.06	0.55	3.2	0.022	0.06	15.9	68	4.4	12.5	12	13.1	0.084
1820	12.4	4.2	0.023	>10.0	1.9	4	6	1.5	27.5	0.11	1.28	3.7	0.02	0.22	9.7	81	4.1	12.4	11	17.4	0.122
1110	10.6	5.2	0.012	>10.0	1.6	4.4	5	2.5	57.6	0.08	1.51	3.8	0.04	0.15	7.7	103	4.4	10.2	10	21.5	0.144
1010	2.9	2.4	0.012	3.6	0.56	8	3	1.9	207	0.05	0.27	4	0.034	0.02	4.1	52	3.2	10.5	7	27.8	0.027
800	1.5	7.6	0.007	2.06	0.85	7.5	3	7.7	691	0.07	0.06	2	0.136	0.05	2.7	59	3.6	7.4	4	30.2	0.004
1240	2.2	13.5	0.006	2.05	0.88	4.1	3	5.7	701	0.07	0.09	1.3	0.073	0.11	3.1	56	4.5	8.4	9	13	0.007
1160	2.1	6	0.008	1.73	0.95	5	3	11.4	831	0.12	0.14	2	0.095	0.04	3.9	62	5.5	9.6	13	18.9	0.007
990	2.1	4.9	0.011	1.7	1.07	7.3	3	18.7	792	0.17	0.1	3.4	0.147	0.02	2.9	85	7.8	9.2	9	26.8	0.007
850	1.4	8.2	0.006	1.36	0.76	8.7	3	15.7	1030	0.17	0.11	2.5	0.169	0.03	3.1	87	6.3	8.1	6	32.9	<0.001
100	1.2	0.6	0.002	0.07	0.09	0.4	3	<0.2	244	<0.05	0.05	<0.2	0.006	<0.02	0.6	3	0.6	2.6	21	2.8	0.002
710	1.8	12.2	0.007	1.02	0.91	8.2	2	13	1150	0.15	0.08	2.6	0.155	0.08	3.6	80	9.4	7.5	6	25.1	0.004
710	1.8	35.3	0.005	1.34	0.86	15.7	2	18.3	1065	0.18	0.09	2.9	0.194	0.12	3.7	100	11	7.4	6	33.6	0.006
1060	2.1	8.7	0.013	2.87	0.85	10.8	4	11.5	398	0.18	0.27	4.3	0.148	0.04	4.5	79	8	9.5	11	29.3	0.008
1100	2	20.5	0.017	2.08	1	12.5	5	17.8	203	0.14	0.48	4.6	0.15	0.05	5.4	115	9	10.8	19	34	0.018

IG-2007-04

Sample No	From (m)	To (m)		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
E383866	219.5	220		0.13	3.02	9.1	130	0.54	0.24	2.18	<0.02	108	78.8	19	0.6	34.2	13.05	8.75	0.19	0.9	0.026	0.33	47.3	40.4	2	2830	27.9	0.04	3.9	23.3
E383867	220	220.5		0.12	2.89	7.8	190	0.31	0.17	2.06	<0.02	145.5	65.8	14	0.56	36.5	15.2	7.67	0.22	0.9	0.036	0.15	79.9	38.5	2.23	5130	37.5	0.15	3.1	20.5
E383868	220.5	221		0.15	3.41	10.2	140	0.44	0.19	5.19	<0.02	232	90.1	18	0.96	31.8	16.15	8.61	0.24	1	0.037	0.26	162	49.2	3.24	4110	39.5	0.02	4.8	22.4
E383869	221	221.5		0.1	3.48	15.2	130	0.4	0.26	5.26	<0.02	257	101.5	20	1.63	14.8	15.15	8.36	0.25	0.9	0.032	0.29	176	43.7	3.15	4090	52	0.26	4.2	18.6
E383870	221.5	222		0.14	3.5	9.5	160	0.65	0.16	4.58	<0.02	218	81	22	0.75	31.8	16	9.55	0.25	0.9	0.049	0.36	144.5	42	3.27	5800	45.1	0.18	4.8	25.3
E383871	222	222.5		0.09	3.2	11.8	110	0.47	0.16	3.7	<0.02	62.6	158.5	16	0.42	7.4	13.75	6.73	0.2	0.8	0.018	0.31	30.5	6.7	1.2	3320	27.6	1.87	5.1	17.6
E383872			Blank	0.03	0.12	<5	140	0.08	<0.01	42.6	0.36	2.16	1.4	6	<0.05	2.1	0.06	0.46	0.17	0.1	<0.005	0.03	2.1	1.3	0.46	37	0.32	0.01	0.3	0.7
E383873			Standard 1	1.09	5.64	59.2	140	1.98	2.45	1.91	<0.02	46.2	150	33	3.28	7910	9.02	13.35	0.18	1.7	0.133	2.14	19.9	21.2	1.14	3100	61.6	1.08	2.8	37.5
E383874	222.5	223		0.06	3.32	8.9	180	0.64	0.06	4.7	<0.02	68.9	101.5	15	0.61	34.4	14.7	8.44	0.21	0.9	0.01	0.57	36.9	5.3	1.27	4250	21.3	1.77	4.1	12.9
E383875	223	223.5		0.07	5.34	17.8	1500	0.48	0.1	6.56	<0.02	172.5	66.9	28	0.21	47.6	12.5	9.64	0.22	1.3	0.012	0.15	145.5	6.1	1.78	6010	36.2	4.01	3.3	14.3
E383876	223.5	224		0.41	3.48	202	80	0.5	2.17	5.32	<0.02	296	416	16	0.14	1150	14.05	7.46	0.27	0.8	0.016	0.06	187	5.4	1.23	4860	66.9	2.59	2.1	57.5
E383877	224	224.5		0.74	0.98	126	60	0.48	2.95	4.05	<0.02	35.7	272	3	0.2	1365	14.4	2.59	0.18	0.3	0.01	0.14	10.3	3.8	0.94	4420	23.4	0.43	1.4	50.7
E383878	224.5	225		0.73	0.92	129.5	50	0.37	2.78	3.82	<0.02	35.5	279	4	0.2	1620	14.05	2.58	0.2	0.2	0.009	0.14	11.1	4	0.91	4310	22.7	0.41	1.4	51.1
E383879	225	225.5		0.52	0.14	111.5	30	0.24	2.41	7.22	0.02	117	225	<1	0.06	230	17.6	2.76	0.24	0.1	0.024	0.01	63.6	1.1	2.35	6080	21	0.03	1.4	40.7
E383880	225.5	226		0.36	0.19	104.5	30	0.24	1.7	4.1	<0.02	139.5	268	<1	0.05	415	26.9	4.95	0.31	0.1	0.015	<0.01	86.9	1.5	1.23	5040	36.8	0.04	1	65.1
E383881	226	226.5		0.26	3.38	148.5	100	0.78	1	4.49	<0.02	90.8	223	15	0.62	504	17.3	8.15	0.26	0.6	0.014	0.58	56.5	6.8	1.02	4220	27.6	1.58	2.5	61
E383882	226.5	227		0.26	3.15	167	60	0.62	1.11	4.65	<0.02	97.7	236	13	0.51	715	19.15	8.05	0.24	0.5	0.015	0.5	60.6	6.5	1.03	4350	29.8	1.5	2.2	65.4
E383883	227	227.5		0.22	2.39	60.8	110	0.34	0.84	9.61	0.02	258	110	10	0.08	167.5	14.15	4.24	0.27	0.4	0.013	0.05	201	3.1	2	8970	26.8	1.78	1.2	31.6
E383884			Blank	0.02	0.13	7	220	0.05	0.01	43.1	0.35	2.46	1	6	<0.05	2.4	0.07	0.42	<0.05	0.1	<0.005	0.03	2	1.5	0.44	45	0.27	0.02	0.3	0.3
E383885	227.5	228		0.43	4.71	97	80	0.91	1.58	6.6	<0.02	184.5	155	26	0.97	131.5	12.45	8.38	0.24	1	0.024	0.88	148	7.9	1.49	6100	40.9	2.27	13.3	37.1
E383886	228	228.5		0.37	6.57	49.3	200	1.99	1.44	5.22	<0.02	38.7	128	48	2.08	59.6	11.8	13.55	0.16	1.9	0.036	2.18	34	14.8	1.45	5270	38	1.9	15.7	32.6
E383887	228.5	229		0.11	4.64	131	200	0.5	0.33	5.6	<0.02	144	125	28	0.49	72.2	13.4	6.81	0.22	1.2	0.011	0.43	123	6.8	1.31	5010	22	2.76	4.4	24.1
E383888	229	229.5		0.25	6.16	103	170	1.62	0.71	5.04	<0.02	123	148.5	47	1.89	307	11.65	12.25	0.19	1.9	0.032	1.73	107.5	14.9	1.35	4660	39.9	2.06	20.3	46
E383889	229.5	230		0.91	5.65	138	260	1.59	3.67	4.8	<0.02	99	501	39	1.76	78.5	14.45	11.65	0.24	2.1	0.033	1.83	86.7	14.3	1.38	4610	141	1.81	25.3	104
E383890	230	230.5		1.36	2.67	245	70	0.24	6.28	5.5	<0.02	123	860	18	0.23	414	20.9	4.84	0.33	0.7	0.013	0.11	102	6.8	1.52	5600	125	1.58	5.6	232
E383891	230.5	231		0.98	0.57	125.5	30	0.33	2.73	2.22	<0.02	10.8	654	3	0.09	3770	18.8	3.23	0.25	0.1	0.017	0.03	2.7	3	0.69	2710	158.5	0.23	1	192
E383892	231	231.5		2.27	2.27	319	90	0.39	7.94	2.97	<0.02	76.2	1025	11	0.28	629	20.1	4.19	0.32	0.6	0.012	0.1	28.1	8.5	1	2570	144.5	1.28	2.4	197
E383893	231.5	232		0.74	3.03	276	70	0.46	4.19	4.14	0.04	133	441	9	0.22	127.5	13.35	5.1	0.26	0.7	0.013	0.1	82.8	5.2	1.41	3830	23.4	2.04	1.8	97.8
E383894	232	232.5		0.58	5.16	82.6	130	0.33	2.71	4.93	0.04	71.9	233	21	0.34	27.7	13.3	7.17	0.21	1.5	0.013	0.2	62.9	7.1	1.51	4550	24.3	3.53	1.8	43
E383895			Blank	0.02	0.12	<5	90	0.08	0.02	42.5	0.43	2.04	1.6	5	<0.05	2.1	0.06	0.37	<0.05	0.1	<0.005	0.03	1.6	1.4	0.45	39	0.25	0.01	0.2	1
E383896			Standard 2	1.15	2.41	106	60	0.63	10.8	2.26	0.06	212	335	12	2.7	6700	28	9.37	0.39	0.7	0.253	0.66	138.5	20.8	1.59	5950	60.7	0.24	5.7	62.8
E383897	232.5	233		0.22	5.24	49.9	220	0.36	2.44	5.78	0.15	97	212	25	0.24	19.7	12.85	7.19	0.17	1.5	0.009	0.18	84.8	3	1.66	4920	24.5	3.79	1.8	27.4
E383898	233	233.5		0.1	6.27	21.8	810	0.43	0.77	1.98	0.29	102.5	123	20	0.4	11.5	11.4	9.07	0.18	1.5	0.041	0.22	92.1	9.8	1.14	6030	19.85	4.32	1.8	15.5
E383899	233.5	234		0.11	6.4	22.8	1260	0.67	0.89	2.79	0.06	75.2	133.5	32	1.14	11.2	13.15	9.3	0.18	1.8	0.023	0.55	70.3	12.1	1.36	5720	19.25	3.86	4.3	21.8
E383900	234	234.5		0.07	4.85	47.3	260	0.35	0.6	8.13	0.03	178	123	27	0.36	7.9	13.2	7.74	0.24	1.2	0.012	0.17	153	8.2	1.77	4310	28.5	3.33	2.7	24.9
E383901	234.5	235		0.14	3.87	47	80	0.31	0.52	4.89	0.04	165.5	186	19	0.33	11.8	14.35	5.96	0.26	0.9	0.007	0.14	115.5	7.1	1.5	3960	22	2.41	3.4	20.8
E383902	235	235.5		0.11	1.66	17.3	120	0.25	0.3	1.88	<0.02	149.5	175.5	8	0.38	39.8	15.95	3.46	0.27	0.4	0.021	0.14	80.3	16.3	0.9	2570	22.9	0.57	4.6	22.7
E383903	235.5	236		0.08	1.01	9.7	5040	0.11	0.11	0.85	0.02	382	23.1	4	0.27	64.3	18.85	3.34	0.35	0.3	0.166	0.02	330	20.5	1.77	10700	28.6	0.02	5.3	9.9
E383904	236	237		0.11	2.26	11	1930	0.23	0.27	4.36	<0.02	285	35.8	11	0.76	187.5	16.15	5.35	0.33	0.8	0.067	0.03	252	41	2.43	4510	38.5	0.01	7.3	16.8
E383905	273	274		0.36	5.1	63.4	400	1.43	5.04	3.43	0.03	81.4	106.5	26	2.85	162	6.21	11.25	0.16	1.7	0.068	1.44	54.9	18.6	1.36	5090	4.97	1.39	2	26.7
E383906	274	274.5		0.67	6.7	77.4	450	2.29	6.67	0.85	<0.02	94.6	142.5	40	5.32	1260	10.9	17.15	0.23	2.3	0.077	2.05	60.6	59.2	1.33	1120	53.6	0.07	1.4	55.5
E383907			Blank	0.01	0.12	<5	60	0.07	0.02	41	0.35	2.17	1.4	6	<0.05	3.1	0.05	0.36	<0.05	0.1	<0.005	0.03	1.7	1.4	0.43	37	0.3	0.01	0.2	1
E383908	274.5	275		1.24	6.94	123.5	5820	2	12.45	0.6	<0.02	129.5	219	35	5.58	1170	15.3	15.85	0.26	2.3	0.075	1.89	85.4	63.3	1.5	2560	22.4	0.04	1.8	71.3
E383909	275	275.5		1.61	2.97	160.5	50	0.61	15.75	0.97	<0.02	184	353	12	1.66	2910	23.6	6.48	0.44	0.8	0.114	0.47	65.8	35.3	1.34	12350	31.3	0.01	2.3	70
E383910	275.5	276		1.05	1.02	122	30	0.27	10	5.48	0.02	40.9	230	<1	0.74	2260	21.8	3.31	0.31	0.3	0.205	0.24	14.7	10.3	2.54	12450	40.2	0.01	2	44.7
E383911	276	276.5		0.74	1.18	98.1	40	0.33	7.45	7.32	<0.02	64.2	184.5	4	0.81	1460	18.6	3.82	0.29	0.4	0.167	0.3	32.7	10.7	3.09	12400	41.1	0.04	2.2	43.3
E383912	276.5	277		0.87	3.24	93.9	100	0.85	9.86	8.62	<0.02	111	185.5	14	2.45	874	14.7	8.26	0.26	0.9	0.093	1.22	79	11.4	2.83	13200	18.25	0.6	2	37.7
E383913	277	277.5		1.61	3.43	204	250	0.87	25.9	6.9	<0.02	130.5	350	15	2.61	435	16.7	7.87	0.3	1.1	0.075	1.3	93.1	13.5	2.38	8120	26.1	0.7	3.1	55.7
E383914	277.5	278		1.26	2.66	154.5	100	0.48	17.95	8.72	<0.02	54.4	258	11	1.57	261	14.45	5.05	0.23	0.7	0.088	0.9	34.3	9.8	3.2	9250	30.8	0.63	2.6	40.5
E383915	278	278.5		1.53	3.06	183	150	0.84	17.75	8.19	<0.02	71.8	295	12	2.25	1990	16.3	6.94	0.26	0.9	0.088	1.06	44.1	15.2	2.65	11100	29.2	0.6	2.1	47.2
E383916	278.5	279		0.79	3.54	101.5	80	0.68	10.9	9.4	<0.02	95.7	167.5	15	2.73	393	12.55	8.64	0.21	1	0.086	1.28	69	15.8	2.79	12200	21.5	0.75	2	34.5
E383917	279	279.5		0.87	3.82	123.5	150	1.24	12.05	9.71	<0.02	143	215	16	3.84	676	12.55	8.79	0.24	1.2	0.098	1.6	107	24.3	3.31	11250	41.3	0.39	2.6	39.8
E383918			Blank	0.02	0.13	<5	50	<0.05	0.07	41	0.37	2.14	4.9	6	<0.05	3.5	0.06	0.44	<0.05	0.1	<0.005	0.03	1.7	1.5	0.44	49	0.58	0.01	0.2	2
E383919			Standard 3	0.25	6.77	47.1	390	2.36	1.55	2.18	<0.02	75.6	107.5	42	6.14	1500	6.97	17.7	0.16	1.8	0.123	2.91	42.5	21.9	1.29	3110	18.35	0.55	2.5	24.8
E383920	279.5	280		0.93	0.35	150.5	130	0.08	8.02	6.5	0.06	173.5	204	<1	0.36	3670	29.8	3.24	0.4	0.1	0.208	0.09	130.5	3.9	3.08	32300	38.2	0.04	2	45.6
E383921	280	280.5		2.15	1.83	211	20	0.42	17.1	10.65	0.02	122.5	332	6	1.76	855	18.55	5.2	0.28	0.6	0.115	0.8	86.4	12	3.62	15700	29	0.12	3.3	46
E383922	280.5	281		2.02	1.44	156	30	0.31	14.5	12.15	0.03	136.5	239	4	1.19	3980	15.75	4	0.25	0.4	0.133	0.54	103.5	10.2	4.66	12050	24.1	0.14	2	33.3
E383923	281	281.5		1.53	2.57	137	30	0.59	10.45	11.45	0.03	119	206	9	2.22	883	14.7	6.29	0.21	0.8	0.11	1.03	88.6	21.4	4.05	13950	23.1	0.21	2.3	33.5
E383924	281.5	282		1.66	0.72	168	30	0.14	10.85	8.61	0.04	87.7	282	<1	0.52	3390	22.9	2.78	0.26	0.2	0.187	0.16	65.9	7.2	4	23200	40.3	0.02	2.1	43.4
E383925	282	282.5		2.48	0.85	249	900	0.24	15.2	6.62	0.04	107.5	337	1	0.95	3870	28.9	4.04	0.31	0.2	0.204	0.33	78.1	7	3.05	23400	22.3	0.03	1.6	45.2
E383926	282.5	283		2.32	2.33	196.5	70	0.86	20.2	9.8	0.03	134.5	239	10	2.7	611	18.8	6.94	0.27	0.8	0.117	0.93	95.5	20.1	3.82	14400	19.8	0.05	3.7	43.6
E383927	283	283.5		3.83	6.93	307	540	2.23	21.5	3.9	0.03	199.5	393	33	8.96	400	18.2	18.9	0.32	2.4	0.126	3.21	134	45.4	1.93	5180	43	0.06	3.2	62.5
E383928	283.5	284		1.23	5.5	102.5	90	1.51	7.86	5.54	<0.02	78.7	203	22	6.22	774	11.5	12.4	0.19	1.7	0.104	2.17	52.7	42	2.5	5980	20.8	0.09	2	33.4
E383929	284	284.5		0.65	5.51	54.6	130	1.34	3.86	5.42	<0.02	147.5	112	24	5.08	226	9.35	14.05	0.21	1.4	0.107	2.43	102.5	35.1	2.29	8040	12.75	0.09	1.9	20.2
E383930			Blank	<0.01	0.14	9	30	0.06	0.05	47.5	0.4	2.17	0.9	6	<0.05	8.6	0.07	0.47	0.1	0.1	0.019	0.03	1.6	1.4	0.51	53	0.26	0.01	0.3	1
E383931	284.5	285		0.55	5.04	0.2	100	1.41	3.95	7.96	<0.02	143.5	136	22	4.74	171	12.25	11	0.22	1.6	0.177	1.87	99.1	47.7	3.5	10000	13.35	0.04	1.8	28.8
E383932	285	285.5		0.08	5.89	18.1	420	1.48	0.49	5.85	<0.02	169	52.2	25	5.03	92.7	9.23	13.4	0.22	1.6	0.129	2.18	121.5	49.2	2.81	7470	25	0.05	2.6	19.9
E383933	285.5	286		0.03	5.12	7.8	1640	1.18	0.21	5.05	<0.02	54.3	24.8	24	4.12	66.6	7.83	9.45	0.12	1.8	0.099	1.56	37.6	50.9	2.95	6950	11.3	0.04	1.6	12.2
E383934	286	287		3.03	5.06	216	60	1.41	8.16	1.12	0.03	65	357	28	4.65	168.5	18.45	13.95	0.26	1.5	0.182	1.7	27.8	35.7	1.74	14600	24.9	0.04	1.4	62.3

IG-2007-04

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Au
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E383866	219.5	220		830	2.2	13.7	0.019	1.36	0.82	6.2	4	12.2	715	0.11	0.86	2.9	0.121	0.03	9.7	77	6.7	8.9	19	26.8	0.009
E383867	220	220.5		1000	2.2	5.2	0.026	1.02	0.73	6.2	4	7.8	693	0.11	0.89	3.4	0.091	0.02	5.1	89	4.8	9	21	24.7	0.008
E383868	220.5	221		1210	2.1	8.9	0.031	1.29	1.11	9.3	4	11.8	347	0.14	0.82	4.4	0.116	0.03	7.7	82	8.4	11.8	21	28.7	0.005
E383869	221	221.5		1300	1.9	10.8	0.029	1.39	1.08	8.8	5	10.6	447	0.12	1.12	4.8	0.111	0.05	5.9	77	8.3	11	21	26.7	0.01
E383870	221.5	222		1150	1.6	13.6	0.026	1.19	0.9	11.1	4	13.9	654	0.12	1.28	4	0.131	0.03	8.2	95	9.8	10	19	27.6	0.013
E383871	222	222.5		1040	1.4	10.8	0.019	1.93	0.94	6.7	4	11.4	801	0.18	0.24	2.2	0.14	0.07	4.6	72	11.7	9.4	5	23.2	0.006
E383872			Blank	90	0.7	0.6	<0.002	0.07	0.06	0.5	3	<0.2	248	<0.05	0.05	<0.2	0.006	<0.02	0.6	3	0.2	2.6	22	2.6	0.003
E383873			Standard 1	760	20.6	82.2	0.023	2.2	1.37	9	3	6.6	615	0.15	0.25	7.8	0.078	0.38	292	54	8.4	13.5	6	49.9	0.055
E383874	222.5	223		860	1.2	20.1	0.008	0.91	0.8	10.7	3	11.7	1225	0.2	0.06	2.6	0.132	0.11	3.8	72	9.5	8.5	3	27.3	0.003
E383875	223	223.5		1330	2.1	4.3	0.017	0.59	0.51	13.4	3	8	217	0.15	0.11	4.4	0.19	0.02	5.8	114	6.6	12.9	7	37.8	0.004
E383876	223.5	224		1350	3.5	2.4	0.027	4.76	0.8	8.2	5	4.6	521	0.09	0.52	4.7	0.096	0.03	8.7	74	2.8	17.1	6	24.2	0.047
E383877	224	224.5		1190	6.9	5.3	0.007	5.39	1.22	3.4	3	2.8	380	0.07	0.81	0.8	0.036	0.21	20.9	38	3.2	7.9	<2	7.7	0.047
E383878	224.5	225		1150	7.1	5.1	0.007	5.24	1.26	3.5	3	2.8	371	0.06	0.84	0.8	0.036	0.21	22.6	38	3.6	8.2	3	7.4	0.051
E383879	225	225.5		1090	5.7	0.2	0.005	4.63	1.77	5.8	3	1.8	650	<0.05	0.51	1.4	0.007	0.06	8.8	51	3.7	10.1	7	1.7	0.031
E383880	225.5	226		1190	8.3	0.2	0.011	3.82	1.83	4	3	1.3	621	<0.05	0.3	2.3	0.006	0.05	44.2	84	8	10.9	6	1.5	0.023
E383881	226	226.5		1070	3.1	24.7	0.006	3.22	0.67	11.1	3	10	571	0.05	0.22	1.7	0.096	0.07	12.1	81	5.8	11.3	6	16	0.022
E383882	226.5	227		1180	3.4	20.5	0.008	3.49	0.73	10	4	8.4	586	0.05	0.23	1.7	0.085	0.07	12.5	82	4.4	12.3	6	13.5	0.026
E383883	227	227.5		1190	2.4	1.5	0.003	1.59	0.59	8.1	3	4.7	646	<0.05	0.17	3	0.074	<0.02	2.5	55	3.9	15.2	6	12.3	0.012
E383884			Blank	90	0.8	0.6	<0.002	0.07	0.13	0.5	1	<0.2	256	<0.05	<0.05	0.2	0.006	<0.02	0.6	8	0.1	2.7	21	3.4	0.002
E383885	227.5	228		1030	3.2	38.9	0.006	3.4	1.08	15.1	2	13.8	311	0.14	0.28	4.3	0.129	0.1	36.4	80	7.3	13.8	4	31.5	0.026
E383886	228	228.5		640	3	95.3	0.004	2.81	1.12	33.1	2	29.9	112.5	0.23	0.23	2.8	0.246	0.23	41.8	151	10.9	9.4	2	59.5	0.028
E383887	228.5	229		1530	1.5	16.5	0.005	1.51	0.61	11.2	2	13.1	364	0.15	0.11	2.1	0.221	0.05	2.7	87	5.5	11.2	4	38.1	0.013
E383888	229	229.5		1130	2.6	77.5	0.006	1.84	1.07	29.7	2	29.7	297	0.34	0.21	3.7	0.26	0.15	39.5	121	10.3	11.2	3	62.1	0.017
E383889	229.5	230		820	7.1	73.4	0.013	6.7	1.83	29.5	3	27	72.9	0.42	0.71	7.2	0.209	0.15	121	107	10	13.2	3	66.6	0.054
E383890	230	230.5		880	9.3	4	0.012	>10.0	2.27	7.7	4	6.9	136.5	0.13	1.39	1.8	0.14	0.03	7	57	4.1	7.9	4	23.4	0.068
E383891	230.5	231		540	4.3	1.1	0.015	7.98	1.66	2.5	3	1.4	232	<0.05	0.52	0.3	0.014	0.02	30.2	28	4.7	4	2	4.2	0.068
E383892	231	231.5		1220	24.8	3.6	0.027	>10.0	3.51	4.5	4	3.5	201	0.1	1.68	3.9	0.069	0.11	353	40	4.9	17.9	6	24.1	0.11
E383893	231.5	232		1350	6.3	4.3	0.005	6.52	1.51	6.5	4	4.3	470	0.1	0.77	3.3	0.08	0.06	9.6	40	4.3	10.6	5	24.4	0.043
E383894	232	232.5		740	4.1	7.1	0.005	3.04	1.03	7.9	3	5.2	109	0.11	0.45	2.6	0.12	0.07	5.9	61	3.5	8	6	50.9	0.025
E383895			Blank	90	1.1	0.6	<0.002	0.06	0.06	0.5	4	<0.2	251	<0.05	<0.05	0.2	0.006	<0.02	0.7	3	0.1	2.6	22	3.2	0.001
E383896			Standard 2	2440	6.9	35.6	0.018	7.28	2.06	4.4	6	7	197	0.12	1.16	6.4	0.033	0.49	15.5	62	6.7	15	10	24.1	0.117
E383897	232.5	233		1070	2.9	5.9	0.005	2.31	1.04	8.3	3	6.3	107.5	0.12	0.49	3.2	0.144	0.03	2.4	69	3.1	8.3	4	50.1	0.019
E383898	233	233.5		950	2.3	8.2	0.005	1.02	0.46	7.1	3	5.5	89.9	0.13	0.12	3.5	0.109	0.04	2.4	48	2.6	8.5	7	50	0.006
E383899	233.5	234		760	1.7	21.8	0.005	1.31	0.55	14.7	3	9.8	64.8	0.18	0.15	2.7	0.203	0.07	3.3	77	3.8	8.4	7	56.3	0.008
E383900	234	234.5		1210	1.9	5.8	0.008	1.6	0.45	10.4	3	8.3	185	0.14	0.16	4.9	0.185	0.02	2.5	84	3.1	13.7	5	42.8	0.011
E383901	234.5	235		1330	1.9	4.7	0.012	1.99	0.7	8.3	3	8.9	601	0.16	0.17	4.1	0.15	0.03	2.5	65	4.7	10.4	7	27.2	0.01
E383902	235	235.5		990	1.9	5.5	0.023	1.97	0.98	3.7	3	8.4	1065	0.1	0.28	2	0.053	0.06	3.6	34	5.6	7.2	9	11.8	0.01
E383903	235.5	236		1280	1.6	0.6	0.023	0.23	0.86	3.5	3	8.7	315	0.09	0.32	2.5	0.029	<0.02	4	30	4.6	9.4	14	8.6	0.01
E383904	236	237		1300	1.6	0.9	0.045	0.35	1.27	5.3	3	12.3	601	0.16	0.52	3.5	0.075	0.02	6.1	50	6.8	11.3	25	16.7	0.009
E383905	273	274		650	8.8	85.8	0.005	2.21	0.95	5.5	2	5.7	55.1	0.12	0.09	11	0.063	0.89	24.5	45	5.9	8.5	9	56.3	0.016
E383906	274	274.5		960	10.8	95.2	0.045	3.24	0.99	9.1	3	7.5	139	0.08	0.14	16.9	0.069	1.02	94.2	70	5.9	12.7	31	75.5	0.033
E383907			Blank	100	0.7	0.7	<0.002	0.06	0.06	0.5	4	<0.2	249	<0.05	<0.05	0.2	0.006	<0.02	0.7	3	0.1	2.5	20	3	<0.001
E383908	274.5	275		2260	12.7	85.8	0.05	6.39	1.13	7.7	3	8.6	117	0.08	0.21	15.2	0.061	1.36	44.7	88	5.6	14.6	35	72.8	0.05
E383909	275	275.5		4140	14	22.5	0.021	9.7	1.25	6.2	4	4	144.5	0.08	0.49	7.6	0.024	1.02	15.2	50	3.7	18.2	26	26.4	0.059
E383910	275.5	276		3020	13.9	11.1	0.008	7.96	1.41	5.4	3	2.4	290	0.08	0.19	1.8	0.013	0.99	8.8	40	4.2	15.3	10	9.4	0.048
E383911	276	276.5		3260	11.3	13.8	0.007	5.19	1.01	5.1	4	2.7	340	0.07	0.15	2.8	0.016	0.74	8	47	4.5	16.6	10	13.3	0.035
E383912	276.5	277		2030	7.3	54.2	0.008	8.24	0.94	6.3	3	7.1	87.9	0.07	0.23	6.8	0.038	0.51	17.6	54	6.5	13.3	5	29.4	0.044
E383913	277	277.5		1760	15.7	59	0.01	>10.0	1.17	6.5	3	6.8	71.2	0.11	0.56	7.2	0.05	1.72	16.7	67	6	12	6	36.7	0.08
E383914	277.5	278		1070	11.3	39.5	0.013	>10.0	0.78	4.7	3	5.4	123	0.1	0.38	4.5	0.035	0.78	28.6	42	4.4	9.9	4	24	0.064
E383915	278	278.5		1820	14.8	49	0.008	>10.0	0.91	5.6	3	6.7	246	0.08	0.26	5.2	0.038	1.39	13.4	49	5.4	12.8	4	26	0.066
E383916	278.5	279		1470	7.1	59.7	0.01	5.56	0.66	5.9	3	7.9	149	0.09	0.24	7.1	0.04	0.63	17.8	57	5.6	12.7	5	33	0.039
E383917	279	279.5		1590	9.7	74.7	<0.013	6.16	0.91	8.8	3	11.8	129	0.07	0.25	7.5	0.046	0.88	28.5	54	6.6	13.8	7	39.1	0.041
E383918			Blank	110	0.9	0.7	<0.002	0.09	0.06	0.5	4	<0.2	249	<0.05	<0.05	0.2	0.006	<0.02	0.9	3	0.1	2.5	20	3.3	0.004
E383919			Standard 3	720	2.5	128.5	0.007	1.35	1.01	9.8	3	7.2	434	0.14	0.17	12.4	0.1	0.34	17.3	62	7.5	11.1	5	59.4	0.018
E383920	279.5	280		3150	13.4	3.2	0.006	3.48	1.18	5.7	4	1.7	72.7	0.05	0.13	1.4	0.005	1.71	3	42	2	16	9	3.9	0.029
E383921	280	280.5		1850	15.3	31.2	0.01	9.64	1.36	5.7	3	6.9	151.5	0.06	0.31	3.3	0.026	1.31	11.9	43	4.9	16.3	4	20.9	0.056
E383922	280.5	281		1410	10.7	20.9	0.009	8.79	1.42	3.6	3	4.7	83.2	0.05	0.24	3.5	0.017	0.58	6.9	29	3.5	16.5	6	15.4	0.065
E383923	281	281.5		1460	10.3	38.6	0.009	7.12	1.03	4.5	2	6.7	106	0.07	0.34	4.8	0.033	0.69	12.2	42	5.4	16.1	6	28.3	0.045
E383924	281.5	282		1890	11	5.8	0.009	7.51	1.09	2.7	3	2.4	42.5	0.05	0.35	2.2	0.006	0.95	3.6	33	3	13.5	8	8.7	0.05
E383925	282	282.5		1770	19.7	13.2	0.008	8.85	1.86	2.1	4	3.6	56.5	<0.05	0.39	2.7	0.017	2.49	10.3	36	4.4	12.9	7	8.6	0.067
E383926	282.5	283		1780	19.9	48.8	0.008	8.21	1.65	3.2	3	6.4	62.4	0.1	0.58	6.1	0.035	2.04	13.8	50	6.9	15.9	6	27.8	0.065
E383927	283	283.5		1990	26.6	136	0.014	8.91	1.92	7.9	3	20.1	30.4	0.12	0.79	13.5	0.097	4.19	27.9	92	15.5	16.2	6	83.7	0.07
E383928	283.5	284		870	6.5	93.6	0.007	4.71	1.45	5.6	2	10.7	51.2	0.11	0.36	9.5	0.073	0.81	27.8	48	10	11.1	11	64.1	0.036
E383929	284	284.5		740	3.6	98.9	0.01	3.01	1.03	9.2	2	11.4	98.2	0.09	0.31	11.8	0.065	0.56	11.8	58	11.9	11	6	48.4	0.021
E383930			Blank	120	0.7	0.5	<0.002	0.08	0.07	0.5	2	<0.2	295	<0.05	<0.05	0.2	0.007	<0.02	0.6	15	0.1	2.9	24	5.3	0.001
E383931	284.5	285		660	3.4	76.5	0.008	3.43	0.82	10.4	2	9.2	89.3	0.08	0.53	10.8	0.067	0.39	8.1	53	11.1	13.7	11	54.3	0.02
E383932	285	285.5		1190	1.8	91	0.011	0.56	0.9	9.4	2	10.8	305	0.11	0.11	11	0.08	0.43	6.2	58	13.8	13.6	12	55.9	0.004
E383933	285.5	286		760	1.5	67.1	0.006	0.22	0.69	6.3	1	6.3	659	0.09	0.05	10.4	0.061	0.32	6.9	48	8.8	11.5	23	66.8	0.001
E383934	286	287		5	5.2	130.5	0.06	0.79	8.1	0.062	1.5	64.1	58	6.5	13.1	18	53	0.055							

IG-2007-05

Sample No	From (m)	To (m)	Standard/Blank
E385222	6	7	
E385223	7	7.5	
E385224	7.5	8	
E385225	8	8.5	
E385226	8.5	9	
E385227	9	9.5	
E385228	9.5	10	
E385229	10	10.5	
E385230	10.5	11	
E385231	11	11.5	
E385232			BLANK
E385233			STANDARD 1
E385234	11.5	12	
E385235	12	12.5	
E385236	12.5	13	
E385237	13	13.5	
E385238	13.5	14	
E385239	14	14.5	
E385240	14.5	15.5	Im interval by accident.
E385241	15.5	16	
E385242	16	16.5	
E385243	16.5	17	
E385244			BLANK
E385245	17	17.5	
E385246	17.5	18	
E385247	18	18.5	
E385248	18.5	18.9	
E385249	18.9	19.8	
E385250	19.8	20.5	
E385251	20.5	21	
E385252	21	21.5	
E385253	21.5	22	
E385254			BLANK
E385255			STANDARD 2
E385256	22	22.5	
E385257	22.5	23	
E385258	23	23.5	
E385259	23.5	24	
E385260	24	24.5	
E385261	24.5	25	
E385262	25	25.5	
E385263	25.5	26	
E385264	26	26.5	
E385265			BLANK
E385266	26.5	27	
E385267	27	27.5	
E385268	27.5	28	
E385269	28	28.5	
E385270	28.5	29	
E385271	29	29.5	
E385272	29.5	30	
E385273	30	30.5	
E385274	30.5	31	
E385275			BLANK
E385276			STANDARD 3
E385277	31	31.5	
E385278	31.5	32	
E385279	32	32.5	
E385280	32.5	33	
E385281	33	33.5	
E385282	33.5	34	
E385283	34	34.55	
E385284	34.5	35	
E385285	35	35.5	
E385286			BLANK
E385287	35.5	36	
E385288	36	36.5	
E385289	36.5	37	
E385290	37	37.5	
E385291	37.5	38	
E385292	38	38.5	
E385293	38.5	39	
E385294	39	40	
E385295	93	94	
E385296			BLANK
E385297			STANDARD 1
E385298	94	94.5	
E385299	94.5	95	
E385300	95	95.5	
E385301	95.5	96	
E385302	96	96.5	
E385303	96.5	97	
E385304	97	97.5	
E385305	97.5	98	
E385306	98	98.5	
E385307			BLANK

Sample No	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
E385222	4.45	1.43	86.7	40	0.8	12.2	5.89	0.05	237	316	10	0.87	>10000	19.1	4.94	0.24	0.5	0.408	0.64	186	11.3	1.7	8210	64.3	0.02	7	67.4
E385223	6.65	0.27	89.3	30	0.17	14.6	7.63	0.02	150	263	2	0.22	>10000	22	1.78	0.27	0.2	0.432	0.06	123	4.6	2.34	6560	43.8	0.01	9.4	71.9
E385224	4.21	0.17	88.6	60	0.1	15.75	7.33	<0.02	234	257	12	0.14	>10000	27.5	1.78	0.27	0.1	0.278	0.03	198.5	2.2	2.09	7330	82.7	0.01	7.9	77.1
E385225	4.42	0.33	247	30	0.3	15.65	5.12	0.05	229	238	<1	0.21	>10000	33.9	2.85	0.33	0.1	0.26	0.06	186	4.1	1.58	6170	87	0.01	1.6	88
E385226	5.31	1.02	277	40	0.45	14.65	4.89	<0.02	378	266	6	0.48	>10000	30.4	4.25	0.35	0.6	0.187	0.36	289	9.5	1.8	5040	69.5	0.01	7.5	80.4
E385227	3.74	1.09	246	30	0.54	12.15	6.22	0.05	213	233	16	0.69	>10000	31.4	4.86	0.28	0.3	0.141	0.36	176.5	11.5	2.51	7790	95.2	0.01	2.9	62
E385228	4.04	4.48	429	1050	2.26	13.7	3.87	<0.02	130	391	27	2.66	1950	24.7	10.45	0.23	1.4	0.097	2.27	106	28.9	1.73	4200	84.9	0.03	13	76.7
E385229	4.98	2.01	437	50	0.96	14.65	5.93	0.03	221	386	12	1.36	3070	32.6	5.71	0.32	0.5	0.08	0.51	173	31.2	2.28	7580	87.5	0.01	5.5	80.7
E385230	6.81	0.48	409	90	0.15	12.75	7.29	0.07	334	278	11	0.26	9030	30.6	3.74	0.34	0.1	0.095	0.03	275	7	2.53	10300	100	0.01	3	60.6
E385231	2.92	0.48	420	30	0.2	15.2	7.59	0.04	204	343	2	0.25	7830	31.2	3.13	0.28	0.1	0.115	0.07	169	6.1	2.55	9750	140	0.01	2.7	65.9
E385232	0.02	0.13	<5	30	0.06	0.02	45.9	0.35	2.39	0.8	6	<0.05	22.6	0.08	0.46	<0.05	0.1	<0.005	0.03	1.9	1.7	0.51	47	0.81	0.01	0.3	2.2
E385233	1.02	5.41	50.4	90	1.85	2.28	1.96	<0.02	50.4	155.5	37	3.79	8220	9.08	14.95	0.11	1.8	0.137	2.28	20.1	28.1	1.14	3040	84.9	0.84	4.1	40.2
E385234	1.1	1.45	98.3	40	0.44	9.47	7.1	0.05	214	292	7	0.64	1930	24.5	4.56	0.25	0.4	0.09	0.25	178	21.3	3.07	8180	42.4	0.01	4.3	58.2
E385235	0.85	0.6	54.2	70	0.18	5.16	7.36	<0.02	255	214	10	0.15	3770	22.3	3.76	0.25	0.3	0.071	0.03	208	9.3	2.74	8120	43.9	0.01	4.6	44.4
E385236	0.79	0.66	85.5	60	0.18	4.6	7.62	<0.02	363	183.5	4	0.15	3710	23.8	4.64	0.28	0.3	0.101	0.03	318	10.7	2.86	9820	63.4	0.01	4.4	48.2
E385237	0.97	0.74	82.3	60	0.16	6.83	8.9	<0.02	245	298	4	0.19	2720	21.5	3.56	0.26	0.4	0.11	0.05	200	11.5	3.19	10200	17.25	0.01	4.9	54.8
E385238	0.81	0.44	66.1	30	0.16	3.32	7.77	0.03	244	348	6	0.14	667	24.8	4.53	0.29	0.1	0.199	0.02	188.5	6.9	3.13	12800	25.3	0.01	1.8	46.6
E385239	0.66	0.68	81.3	30	0.24	7.94	9.34	0.03	491	433	2	0.48	983	22.6	5.5	0.33	0.2	0.179	0.02	430	12.7	3.26	10050	47.4	0.01	2.3	58.6
E385240	0.29	3.08	42.5	310	1.21	2.65	9	<0.02	144	176.5	14	8.05	321	19.55	6.07	0.2	1	0.192	0.06	118	91.2	4.77	9400	27.5	0.01	5.4	44
E385241	1.71	4.43	131.5	240	1.73	6.35	5.71	0.04	267	326	20	10.8	889	20.1	8.86	0.26	1.5	0.165	0.06	207	123	4.53	6220	143	0.01	2.9	74
E385242	1.78	2.85	68.4	50	0.92	6.03	4.94	0.02	143	509	9	6.31	1185	22	6.45	0.22	0.9	0.09	0.23	107	62.4	2.96	4740	35.6	0.01	2.3	55.5
E385243	0.53	4.46	27.6	460	1.39	2.04	5.78	<0.02	432	117	17	9.2	401	16.7	8.7	0.27	1.4	0.104	0.59	323	86.5	4.14	6210	17.25	0.02	3.2	39.6
E385244	0.02	0.14	12	30	0.08	0.02	46.3	0.37	2.73	0.9	6	<0.05	6.8	0.09	0.49	<0.05	0.1	0.01	0.03	2.2	1.8	0.53	49	0.28	0.01	0.3	3
E385245	1.3	3.23	103	140	0.74	6.89	4.05	<0.02	252	342	14	4.68	1590	24.2	8.71	0.31	0.9	0.055	0.32	202	50.8	2.73	4170	48.6	0.01	1.5	60.2
E385246	1.09	3.38	102.5	90	0.8	6.05	3.87	<0.02	296	354	28	5.9	533	22.2	8.17	0.29	1	0.054	0.3	229	51.2	2.67	3710	61.4	0.02	2.2	61.9
E385247	0.95	3.57	75.8	60	0.85	8.6	7.84	<0.02	314	236	17	3.12	1140	18.45	7.67	0.28	1.2	0.072	0.62	233	34.3	3.2	7000	61.4	0.32	2.9	74
E385248	0.47	4.33	41.9	100	1.63	4.14	3.77	<0.02	246	189.5	26	1.94	156	15.6	10.8	0.22	1.3	0.039	2.07	182	29.1	1.55	3430	20.9	0.13	3	49.1
E385249	0.16	6.11	17.2	120	2.89	2.22	4.55	<0.02	82.1	64.5	36	3.76	258	7.95	15.4	0.15	1.9	0.054	3.85	53.9	29.6	1.56	4000	24.2	0.19	3.2	28.3
E385250	0.26	6.49	32.8	230	3.47	2.88	5.39	<0.02	179.5	72.4	36	4.56	152	11.95	17.95	0.19	2.1	0.072	3.42	112.5	39.4	1.9	4760	35.6	0.28	4	41.8
E385251	0.13	7.42	14.2	2700	4.9	1.15	3.46	<0.02	92.1	26.1	44	5.1	451	6.5	21	0.14	2.3	0.08	3.96	55	39.7	1.26	2840	6.79	0.07	3.5	26.8
E385252	0.2	5.73	22.4	260	3.47	3.8	3.86	<0.02	105.5	73.1	37	3.87	519	7.82	15.8	0.14	1.9	0.076	2.95	83.5	30.4	1.32	3370	11.5	0.04	3.1	34.1
E385253	0.18	6.14	28.7	410	3.62	2.78	4.67	<0.02	159	67.3	36	4.04	129	10.65	17.05	0.2	2	0.072	3.21	95.3	35.3	1.59	4140	12.65	0.05	3.2	45.2
E385254	0.01	0.15	<5	40	0.09	0.03	46.3	0.38	2.73	1.3	6	<0.05	4	0.08	0.58	<0.05	0.1	<0.005	0.04	2	1.6	0.52	47	0.3	0.01	0.3	2
E385255	1.16	2.25	119	60	0.59	10.9	2.21	<0.02	204	345	14	2.72	9010	26.9	9.61	0.33	0.8	0.246	0.65	113	20.2	1.52	5970	63.4	0.23	6.2	65.9
E385256	0.02	7.75	2.7	3340	5.55	0.15	2.33	<0.02	165	9.6	49	5.32	738	5.09	22	0.16	2.3	0.083	4.16	96.6	41	0.94	1925	2.22	0.07	3.1	21.1
E385257	0.03	6.84	2.3	3240	4.61	0.07	3.73	<0.02	95.5	7.1	45	4.79	1120	6.7	19.6	0.15	2.4	0.084	3.71	55	38.7	1.29	3300	3.59	0.07	3.3	25.6
E385258	0.14	8.28	14.1	760	6.11	2.04	3.56	<0.02	124.5	46.5	53	5.56	776	7.69	23.6	0.16	2.7	0.094	4.44	71.6	46.8	1.33	3210	6.24	0.06	4.4	32.2
E385259	0.32	5.43	43.5	200	2.74	8.02	5.53	<0.02	12.95	151.5	34	3.29	361	12.8	13.4	0.17	1.8	0.076	2.71	7.9	24.1	1.81	5130	20.3	0.07	3.8	56
E385260	>100	3.03	59.2	90	1.52	8.41	6.67	0.07	161	136.5	24	1.72	5310	13.45	9.24	0.31	1.4	0.122	1.35	134	19.6	2.16	6920	142	0.03	59.3	101
E385261	0.22	6.38	16.1	250	2.67	2.42	6.01	<0.02	43.3	105.5	30	3.52	65	10.75	18.2	0.16	1.7	0.071	2.67	30.1	26.8	2.36	5570	13.65	0.98	4	42.9
E385262	0.6	6.07	37.8	360	1.84	8.57	4.15	<0.02	26.4	228	29	2.57	37.7	18.2	14.2	0.19	1.8	0.047	2.16	18.4	87.5	1.82	4150	17.15	0.82	2.5	70
E385263	3.71	8.05	18.8	610	2.64	2.65	3.92	<0.02	29.4	114.5	39	3.16	62.2	10.9	18.8	0.17	2	0.046	3.36	20.1	87.2	1.66	3780	92.5	1.22	3.1	44.8
E385264	0.62	6.12	16.1	500	0.73	2.16	5.17	<0.02	61.5	117	24	0.87	169	9.72	11.15	0.13	1.9	0.041	0.79	45.4	70	1.76	4540	346	3.16	2.4	28.6
E385265	0.01	0.16	5	40	0.06	0.02	48.6	0.4	2.73	1.4	8	<0.05	4.2	0.08	0.57	<0.05	0.1	<0.005	0.03	2.1	1.8	0.55	50	1.36	0.02	0.3	1.5
E385266	0.37	7.13	15.8	940	0.86	1.95	4.27	<0.02	131	71.5	47	1.3	493	7.85	12.8	0.11	2.4	0.031	0.75	99.1	57	1.42	3730	43.1	4.22	2.6	19.2
E385267	1.62	7.41	42	1120	0.85	6.03	3.26	<0.02	65.9	150.5	33	1.95	5670	9.21	10.65	0.14	2.6	0.081	1.92	47.5	44.4	1.03	3030	33.2	3.85	3	33.3
E385268	0.23	7.09	30.6	550	0.7	3.14	4.55	<0.02	38.2	89.3	30	0.45	42.9	7.13	9.05	0.1	2.5	0.012	0.64	28.8	4.3	1.2	2920	10.6	5.22	3.3	18.5
E385269	0.26	4.09	43.8	220	0.36	2.79	4.81	<0.02	234	107	25	0.29	86.6	15.25	8.03	0.2	1.1	0.02	0.09	192.5	6.8	1.53	4000	47.45	2.98	1.4	31.9
E385270	0.29	0.81	34.4	230	0.11	3.05	3.17	<0.02	>500	181.5	3	0.17	88	29.4	8.35	0.44	0.1	0.013	0.02	620	8.3	1.26	3440	73.8	0.09	1.1	47.8
E385271	0.59	2.44	76.5	80	0.26	8.48	4.15	<0.02	366	350	7	0.39	188	24.4	6.82	0.33	0.7	0.018	0.06	291	12.5	1.36	3740	59.5	1.28	0.9	64.8
E385272	0.87	1.45	107	70	0.2	14.65	2.82	<0.02	242	481	37	0.41	114	19.5	3.68	0.26	0.8	0.009	0.07	200	9.2	0.73	1875	64.6	0.75	2.3	63.9
E385273	0.4	2.54	53.2	80	0.3	5.73	4.52	<0.02	444	257	33	0.49	32	15.5	5.53	0.25	1.1	0.016	0.06	340	9.2	1.3	3370	44.1	1.53	3	38
E385274	0.45	5.41	55.7	70	0.56	6.02	2.86	<0.02	213	232	24	0.81	59.7	11.95	8.33	0.16	1.2	0.012	0.13	173	12.6	0.93	2220	61.4	3.64	2.6	32.5
E385275	0.01	0.14	8	30	0.09	0.03	46.4	0.38	2.96	1.5	6	<0.05	3.3	0.07	0.51	<0.05	0.1	<0.005	0.03	2.2	1.6	0.53	41	0.42	0.02	0.3	1
E385276	0.28	6.82	62.1	240	2.76	1.7	2	<0.02	71.8	136	41	6.82	1580	7.35	19.3	0.13	2.2	0.126	3	36.6	27.4	1.36	3180	21	0.6	3.5	29.1
E385277	0.85	3.86	71.7	120	0.53	5.81	3.06	<0.02	84.5	217	33	1.13	320	18.75	7.85	0.23	1.1	0.023	0.19	66.8	18.1	1.22	2940	73.8	2.06	2.4	57.1
E385278	0.45	7	98.1	210	0.78	3.74	4.8	<0.02	35.5	142	30	0.64	249	7.75	8.78	0.1	2.1	0.024	0.31	27.2	9.8	1.43	3380	163.5	5.17	7	33.3
E385279	0.31	9.36	83.7	470	2.98	3.29	3.49	<0.02	42	130.5	75	4.63	157.5	8	23	0.13	2.6	0.068	3.77	29.4	27.5	1.49	2780	156	2.02	1.1	64.3
E385280	0.25	7.28	70.1	520	2.59	4.38	3.42	<0.02	47.4	103.5	63	8.16	500	12.3	17.45	0.14	1.9	0.095	3.34	31.9	35.6	2.18	6450	9.24	0.43	0.9	78.9
E385281	0.33	6.03	88.6	370	2.2	4.99	5.13	<0.02	94.3	126.5	52	5.48	162.5	10.95	15.2	0.15	1.3	0.116	3.29	62.9	12	2.23	6880	69.4	0.05	1.3	72.9
E385282	0.3	4.65	79.5	410	1.63	4.29	8.09	<0.02	138.5	114.5	45	3.7	84.4	11.9	12.1	0.17	1	0.102	2.31	97.2	9.7	2.64	7340	50	0.04	2.5	62.3
E385283	0.3	4.8	96	1000	2.14	2.9	5.76	<0.02	83.8	152	42	3.54	2570	17.9	14.4	0.23	1.1	0.081	2.26	58.8	14.8	1.75	5440	29.8	0.18	1.4	109
E385284	0.25	4.71	40.8	1060	1.88	0.84	6.89	<0.02	38.2	85.4	42	2.64	7080	15.55	12.55	0.2	1	0.083	2.21	27	12.4	2.04	8590	14.7	0.42	0.9	78.8
E385285	0.22	3.38	70.5	860	1.44	2.56	6.66	<0.02	76.1	151	34	2.15	454	17.75	9.74	0.21	0.8	0.063	1.48	55.2	16.4	1.96	6680	24.9	0.06	1.6	91.2
E385286	0.02	0.16	6	30	0.1	<0.01	48.3	0.39	2.58	1.4	8	<0.05	21.1	0.11	0.54	<0.05	0.1	<0.005	0.04	1.9	1.8	0.55	61	0.3	0.02	0.4	3
E385287	0.2	5.81	93.2	1370	2.69	1.82	6.34	<0.02	123	166.5	49	3.1	152.5	9.11	14	0.16	1.4	0.1	3.2	86.3	16.9	2.07	5860	7.34	0.07	1.4	74.2
E385288	0.18	5.44	73	1560	2.53	1.75	6.1	<0.02	44.7	145	46	2.99	961	10.2	12.7	0.13	1.3	0.12	2.8	31	14.6	2.35	5550	11.5	0.05	0.9	68.3
E385289	0.07	4.5	16.4	2650	2.15	0.45	6.19	<0.02	20.9	46.3	43	3.57	998	14.65	11.7	0.17	1	0.114	2.08	12.7	17.9	2.55	6800	6.04	0.05	0.7	77.3
E385290	0.17	6.85	35.7	1830	2.97	1.71	6.13	<0.02	51.8	74.8	57	4.47	1400	8.74	16.85	0.15	1.5	0.136	3.45	33.5	15.1	2.45	6480	10.4	0.08	1.8	58.8
E385291	0.14	5.25	41.5	4370	2.05	1.23	2.8	<0.02	18.85	86.8	52	2.87	1070	16.55	13.2	0.19	1.2	0.179	2.7	10.8	9.7	2.44	14000	2.01	0.08	1.1	58.4
E385292	0.18	5.96	28.9	1610	1.96	1.65	3.89	<0.02	23.2	54.6	51	4.43	816	8.05	16.45	0.13	1.5	0.106	2.91	13.4	10	1.8	5640	11.55	0.05	4.4	33.1
E385293	0.18	5.66	9.5	1620	1.64	0.96	3.48	<0.02	8.37	16.3	36	3.37	1250	5.1	16.1	0.09	1.5	0.101	2.9	4.3	7.6	1.48	4060	37	0.05	6.2	17.3
E385294	0.25	8.36	22.9	2300	2.46	2.59	3	<0.02	39.3	30.8	55	5.56	3500	5.51	26.2	0.14	2.5	0.118	4.47	22.5	10.6	1.1	3110	31	0.07	10.8	23.7
E385295	0.22	7.46	51.9	2290	3.7	2.58	1.73	<0.02	226	71.3	53	7.07	2000	11.95	21	0.21	2	0.125	3.7	145	23.7	1.12	7700	15.9	0.1	9.2	26.4
E385296	0.02	0.15	5	30	0.1	<0.01	48.8	0.42	2.64	1.2	7	0.05	4.5	0.07	0.48	<0.05	0.1	<0.005	0.04	1.9	1.7	0.54	44	0.24	0.01	0.4	1.6
E385297	1.11	5.68	69.1	110	2.21	2.75	2.31	<0.02	54.8	163.5	34	3.84	8410	9.63	15.45	0.13	1.7	0.152	2.24	20.9	24.6	1.22	3250	63.3	1.05	3.5	40
E385298	0.96	2.53	140	120	1.2	13.55	6.54	<0.02	370	133.5	13	2.34	1710	20.6	9.86	0.34	0.7	0.132	1.07	248	16.9	2.02	10350	40.1	0.03	12.3	54.7
E385299	0.53	3.9	95.9	250	1.81	7.65	6.13	<0.02	273	102.5	21	4.1	2340	18.05	12.3	0.27	1.1	0.143	1.72	179	22	2.15	9780	35.4	0.05	9	38.9
E385300	0.62	5.77	125.5	180	2.9	10.85	4.22	<0.02	92.1	133.5	37	5.25	2640	9.98	14.35	0.17	1.6	0.078	2.66	66.1	27.1	1.42	5210	22	0.08	7.6	34.4
E385301	0.92	3.44	199.5	90	1.77	21.3	5.39	<0.02	178	240	19	3.82	1910	16.8	10.45	0.24	1.1	0.105	1.61	137.5	19.1	2.05	8440	28.2	0.04	8.6	58.2
E385302	1.33	4.09	270	100	2.04	17.3	5.99	<0.02	126.5	242	28	4.33	5730	16.5	11.95	0.24	1.3	0.168	1.87	83.7	25.7	1.92	7900	30.4	0.05	9.5	58.8
E385303	2.16	3.06	435	100	1.62	28.2	3.43	0.02	178	400	18	3.5	7390	23.6	9.58	0.31	0.9	0.135	1.39	114	20.8	1.42	7000	50.3	0.04	12.1	99.5
E385304	0.94	9.03	421	90	5.81	19.75	1.68	<0.02	61.4	361	61	9.78	756	12.5	25	0.2	3.1	0.085	4.61	31.9	45.5	0.94	2380	9.78	0.12	17.2	80.6
E385305	0.25	7.17	83.2	490	4.12	4.52	3.57	<0.02	82.7	88	44	7.25	90.5	8.88	19.05	0.16	2.1	0.087	3.42	50.1	31.7	1.49	7140	13.4	0.09	6.4	26.9
E385306	0.09	7.37	23.7	3160	3.15	1.17	4.35	<0.02	139.5	24.5	41	7.97	57.3	4.6	19.15	0.21	2.8	0.059	3.81	91	26.5	1.16	4230	13.4	0.09	3.6	13.9
E385307	0.01	0.15	<5	30	0.06	0.02	48.5	0.41	2.24	0.8	6	<0.05	2.8	0.06	0.55	0.24	0.1	0.007	0.04	1.7	1.1	0.49	46	0.29	0.01	0.3	<0.2

IG-2007-05

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr	Ag	Cu	Au
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
E385222	6	7		1260	71	25.4	0.021	>10.0	3.14	8	7	10.1	36.6	0.08	0.99	2.6	0.035	0.3	880	59	10.2	39.5	13	17.2		4.7	0.751
E385223	7	7.5		1180	130.5	2.6	0.008	>10.0	3.45	3.6	6	7.4	36.4	0.08	0.97	1.2	0.009	0.21	770	15	7.1	22	8	10		6.17	0.58
E385224	7.5	8		1250	103.5	0.9	0.032	>10.0	2.69	2.6	7	5	28.9	0.06	1.85	0.9	<0.005	0.12	590	24	6.1	18.5	8	6.7		4.64	0.471
E385225	8	8.5		2760	17	2.5	0.017	>10.0	2.48	3.3	5	7.1	27.3	<0.05	0.83	1.3	0.006	0.4	115.5	39	2.9	16.5	7	3.7		3.19	0.335
E385226	8.5	9		3210	24.3	14	0.013	>10.0	2.8	3.7	5	9.8	38	0.11	1.11	4.7	0.026	1.06	85.9	38	4.5	23.5	14	21.1		2.39	0.361
E385227	9	9.5		1040	17.8	14.9	0.012	>10.0	3.27	4.3	5	11.8	31.4	0.05	0.95	2.2	0.017	0.84	40.5	44	5.7	12.8	12	9.6		2.29	0.252
E385228	9.5	10		980	20.8	93.6	0.005	>10.0	2.25	10.6	4	44.9	32.5	0.16	0.92	7	0.09	1.88	44	55	12.9	13.3	19	46.9			0.162
E385229	10	10.5		1480	29.8	21.7	0.012	>10.0	2.99	4.5	6	12.1	44.4	0.07	1.71	3.5	0.027	2.46	45.6	38	6	14.8	29	16.4			0.121
E385230	10.5	11		1140	28.5	1.4	0.016	>10.0	3.16	3.2	5	5.4	24.6	0.05	1.21	2.2	0.008	1.87	23.5	24	4.6	14.2	11	4.6			0.237
E385231	11	11.5		1310	18.6	2.7	0.022	>10.0	3.12	2.9	6	6.4	36.8	<0.05	1.87	1.3	0.009	0.68	20.5	20	8.9	14.2	11	4.7			0.2
E385232			BLANK	110	0.7	0.7	<0.002	0.09	0.08	0.3	3	<0.2	278	<0.05	<0.05	0.2	0.007	<0.02	0.9	5	0.1	2.8	37	3.7			<0.001
E385233			STANDARD 1	810	19.9	96.2	0.023	2.15	1.67	9.5	4	7.5	630	0.2	0.18	8.2	0.092	0.4	294	54	9.1	15.3	11	60.8			0.056
E385234	11.5	12		1340	8.9	9.7	0.006	9.31	5.19	4.2	3	8	29.2	0.09	0.5	5.3	0.021	0.2	18	30	8.6	14.7	22	18.1			0.078
E385235	12	12.5		1660	5.1	0.9	0.012	5.74	5.8	3.5	3	4.7	26.3	0.06	0.31	2.4	0.012	0.1	5.9	24	5.6	13.4	11	8.9			0.081
E385236	12.5	13		1600	4.8	1	0.018	4.4	7.44	3.8	3	5.6	23.7	0.06	0.29	2.9	0.012	0.18	5.1	23	5.2	15.9	14	9.1			0.069
E385237	13	13.5		1160	6.7	1.8	0.007	8.22	7.67	4.4	2	8	23.8	0.07	0.61	2.4	0.015	0.1	5.8	18	7.6	14.9	12	13.8			0.112
E385238	13.5	14		5050	6.9	0.7	0.006	3.54	2.62	4.9	3	2.1	30.6	<0.05	0.25	2.4	0.008	0.35	5.7	34	10.8	22.1	13	3.3			0.035
E385239	14	14.5		2120	8.7	0.8	0.013	8.22	7.86	5	3	3	72.3	<0.05	0.85	5.5	0.008	0.58	9.8	29	7.3	19.9	16	5.2			0.09
E385240	14.5	15.5	Im interval by accident.	1500	4.7	3.9	0.015	2.93	5.26	7.2	3	2.7	49.4	0.14	0.24	6.6	0.023	0.12	14.9	31	3.3	19.3	59	32.5			0.025
E385241	15.5	16		1490	12.1	4.1	0.018	5.98	3.12	7.3	3	2.1	33.8	0.09	0.52	8.4	0.019	0.62	24.2	27	4.2	19.6	84	53			0.067
E385242	16	16.5		1350	10.5	13	0.013	6.8	3.5	7.1	5	2.8	58.9	0.07	0.52	4.1	0.018	0.39	16.5	28	7.5	13	47	29.9			0.085
E385243	16.5	17		1140	6.4	24.7	0.005	1.88	3.29	8	4	2.5	32.9	0.11	0.2	11.7	0.028	0.35	15.1	36	4.1	17.3	71	47.9			0.027
E385244			BLANK	120	0.7	0.6	<0.002	0.08	0.08	0.4	4	<0.2	294	<0.05	<0.05	0.2	0.007	<0.02	0.7	5	0.1	3	23	3.8			<0.001
E385245	17	17.5		990	12.9	10.7	0.006	5.65	6.09	5.9	3	2.3	32.9	0.06	0.55	5.7	0.02	0.35	21	35	5.5	13.5	50	30.5			0.063
E385246	17.5	18		720	11.4	10.4	0.007	6.27	7.5	6.2	3	2.5	34.5	0.1	0.77	6.9	0.022	0.26	19.1	31	5.5	12.2	53	36			0.076
E385247	18	18.5		1800	9.5	25.5	0.008	6.87	5.95	9.3	3	7.2	77.8	0.09	0.97	7.4	0.037	0.2	23	42	5.5	18.6	36	40.3			0.074
E385248	18.5	18.9		760	5.1	75	0.007	5.37	3.46	9.5	2	14.5	164.5	0.12	0.65	8.2	0.067	0.23	8.5	60	8.9	13.5	13	44.6			0.044
E385249	18.9	19.8		720	2.6	128	0.003	2.45	1.96	10.6	2	15.1	194.5	0.17	0.2	10.7	0.102	0.35	8.4	59	9.8	13.9	<2	60.5			0.013
E385250	19.8	20.5		900	3.6	135	0.005	2.77	5.38	11.8	2	16.1	56.7	0.2	0.31	14.6	0.116	0.39	7.8	70	11.6	18.9	<2	66.5			0.016
E385251	20.5	21		740	2.1	164.5	0.003	0.88	3.34	12.2	2	13.6	42.4	0.22	0.11	16.2	0.155	0.43	5.5	69	16.5	15.5	<2	73			0.005
E385252	21	21.5		640	3.1	120	0.004	2.47	1.94	9.3	2	11.8	42.9	0.18	0.28	12.3	0.119	0.35	6.9	57	13.3	13.6	<2	59			0.022
E385253	21.5	22		770	4.1	128	0.003	2.21	4.79	10.9	2	11.6	47.5	0.17	0.33	12.5	0.116	0.58	6.6	61	12	17.2	<2	64.1			0.014
E385254			BLANK	110	0.9	1	<0.002	0.08	0.13	0.5	2	0.2	286	<0.05	<0.05	0.2	0.007	<0.02	0.7	4	0.1	3	24	3.6			<0.001
E385255			STANDARD 2	2320	6.5	37.3	0.018	6.6	2.17	4.3	5	7.2	195	0.13	1.13	6	0.034	0.51	15.6	59	8.6	15.9	6	25.9			0.125
E385256	22	22.5		760	1.6	175.5	0.002	0.16	0.87	11.7	1	12.2	37.3	0.18	<0.05	18.4	0.156	0.44	3.9	70	16.3	15.4	<2	71.3			0.001
E385257	22.5	23		630	1.5	153	0.002	0.14	0.98	11.2	2	12.1	55.5	0.2	<0.05	14.1	0.142	0.39	4.8	64	15.3	17.4	<2	77.4			0.004
E385258	23	23.5		760	3	187.5	0.003	1.39	2.07	13.7	2	15.5	61.1	0.24	0.25	15.3	0.172	0.47	5.2	79	20	17.8	<2	84			0.008
E385259	23.5	24		670	25.6	109	0.005	6.35	3.94	8.7	3	14	51.7	0.17	0.76	12	0.112	0.33	8.7	59	14.7	10.9	<2	56.9			0.05
E385260	24	24.5		1130	7.8	55.3	0.028	5.75	5.62	6.9	4	14.9	54.1	0.27	1.1	8.6	0.062	0.36	32.8	74	1270	13.1	3	43.3	145		0.07
E385261	24.5	25		970	2.3	111.5	0.004	4.56	1.3	11.6	2	18.4	35.9	0.18	0.83	7.8	0.103	0.29	4.7	96	13.4	9.9	<2	54.7			0.018
E385262	25	25.5		930	5.3	76.4	0.005	>10.0	2.09	9.5	4	12.5	26.9	0.12	1.41	6.4	0.072	0.25	10.4	71	9	7.4	<2	53.4			0.055
E385263	25.5	26		1070	18.1	110	0.011	3.83	2.02	14.8	2	16.3	37.4	0.15	0.34	9.2	0.1	0.31	7.8	79	43.9	9.5	<2	62.6			0.015
E385264	26	26.5		760	5	22.4	0.028	3.2	2.04	8.9	2	2.4	44.4	0.15	0.25	11.8	0.048	0.14	9.5	32	4.7	11.6	<2	61.8			0.016
E385265			BLANK	110	0.8	0.8	<0.002	0.08	0.09	0.5	2	<0.2	306	<0.05	<0.05	0.3	0.008	<0.02	0.7	4	0.1	3.3	23	4.1			<0.001
E385266	26.5	27		760	3.2	21.8	0.005	1.5	2.05	8.3	2	2.8	52.1	0.17	0.21	12.2	0.054	0.14	9.6	40	4.9	11.6	<2	76.4			0.013
E385267	27	27.5		1030	22.9	49.8	0.014	5.21	2.45	8.4	3	4	77.1	0.13	0.68	16.6	0.046	0.21	108	26	5.2	14.8	3	87			0.06
E385268	27.5	28		700	4.4	15.6	0.003	3.26	1.84	9.2	2	4.7	69.6	0.24	0.5	12.4	0.101	0.13	6.5	26	3.9	8.5	<2	80.2			0.026
E385269	28	28.5		1100	4.1	2.7	0.004	3.2	2.23	6.6	3	1.8	56.6	0.06	0.35	5.3	0.025	0.04	4.5	29	3.6	10.8	<2	36.6			0.026
E385270	28.5	29		890	4.8	0.7	0.005	5.16	2.75	3.8	3	1.6	19.6	<0.05	0.25	12.2	0.005	0.02	5	36	7.1	14.7	<2	4.2			0.024
E385271	29	29.5		550	8.3	1.6	0.006	>10.0	4.84	6.1	3	1	38.7	<0.05	1.12	8	0.01	0.05	5.6	25	4.3	9.1	5	24			0.067
E385272	29.5	30		920	14.1	2.4	0.006	>10.0	6.05	3.8	3	2	26.3	0.09	2.35	6.8	0.022	0.06	5.8	22	5.4	7.1	2	28			0.167
E385273	30	30.5		1090	7.6	2.6	0.005	6.29	4.35	6.7	2	2.5	42.3	0.13	0.8	12.1	0.037	0.1	7.1	36	4.4	12.6	<2	37.2			0.053
E385274	30.5	31		720	8.7	3.7	0.006	5.15	6.35	3.7	2	2.2	43.3	0.11	0.71	8.4	0.034	0.09	9.7	26	4	9	<2	40			0.043
E385275			BLANK	120	0.7	0.6	<0.002	0.08	0.1	0.5	2	<0.2	297	<0.05	<0.05	0.2	0.006	<0.02	0.7	4	0.1	3	28	4			0.001
E385276			STANDARD 3	760	2.6	138.5	0.007	1.5	1.2	10.6	2	8.3	426	0.21	0.24	12.2	0.118	0.4	19.7	65	8.9	12.2	<2	58.3			0.017
E385277	31	31.5		1370	10	5.8	0.007	4.71	4.98	3.9	2	1.7	36.1	0.09	0.71	3.8	0.025	0.09	8.6	62	10.6	9.2	7	36.9			0.045
E385278	31.5	32		690	5.1	9.1	0.003	2.98	1.85	8	2	3.2	69.2	0.32	0.29	3.3	0.071	0.1	7.3	29	5.8	9.5	<2	66.7			0.024
E385279	32	32.5		440	3.4	138	0.002	2.44	1.79	36.2	2	18.9	35.8	0.06	0.09	2.3	0.204	0.45	5.4	322	16.4	12.9	<2	76.5			0.022
E385280	32.5	33		430	3.5	118	0.003	1.77	1.16	29.8	2	9	24.9	<0.05	0.13	1.6	0.149	0.41	8.6	268	13.2	12.3	5	59.5			0.015
E385281	33	33.5		890	4.1	114	0.013	2.22	1.18	23.9	2	7.7	52.2	<0.05	0.36	1.6	0.15	0.38	5.9	240	15.5	13.1	<2	41.4			0.02
E385282	33.5	34		1370	3.9	87.2	0.007	2.14	1.33	23.9	3	6.7	29.7	0.07	0.48	1.5	0.12	0.33	5.5	191	15.1	14	<2	31.4			0.015
E385283	34	34.55		870	2.7	87.6	0.004	1.72	2.05	23.7	3	6.8	42.1	0.05	0.23	1.1	0.126	0.31	7.2	256	12.2	13.2	<2	36.2			0.03
E385284	34.5	35		440	2	76.9	0.003	1.19	1.27	21.3	3	5.6	51.4	<0.05	0.07	0.8	0.12	0.24	4.9	231	10.1	10.4	6	33.7			0.054
E385285	35	35.5		570	2.3	54.9	0.005	1.94	1.26	15.4	2	5.1	48.8	<0.05	0.23	1.4	0.084	0.18	6.1	151	8.3	12.1	3	25.9			0.02
E385286			BLANK	130	0.9	1	<0.002	0.07	0.09	0.5	2	<0.2	303	<0.05	<0.05	0.2	0.008	<0.02	0.7	6	0.1	3.1	23	3.2			0.003
E385287	35.5	36		430	1.8	109	0.002	1.44	1.29	28.2	1	8.7	38.3	0.06	0.14	1.5	0.194	0.31	3.9	210	15.3	13	<2	42.6			0.014
E385288	36	36.5		310	2.5	94.3	0.002	1.13	1.21	25	2	5.7	19.7	0.05	0.11	0.9	0.169	0.27	5.3	211	11.8	11.8	<2	41.4			0.015
E385289	36.5	37		230	1.3	73.8	<0.002	0.27	1.12	19.8	1	3.5	31	<0.05	<0.05	0.8	0.126	0.23	7	190	11.4	10.6	3	33.2			0.006
E385290	37	37.5		400	1.9	119.5	0.002	0.53	1.23	30.6	2	4.7	13.5	0.08	0.06	1.3	0.204	0.5	5.4	247	11.3	13.6	<2	48			0.009
E385291	37.5	38		220	1.6	90.9	<0.002	0.57	0.62	25.7	1	1.8	39.9	<0.05	<0.05	0.8	0.139	0.29	4.7	211	6.7	9.8	<2	35.7			0.007
E385292	38	38.5		430	2.1	105.5	<0.002	0.43	1.17	18.3	1	3.8	11.9	0.25	0.12	6.4	0.149	0.35	9.5	120	8.4	11.2	<2	47.9			0.007
E385293	38.5	39		520	1.8	93.6	0.002	0.26	1.2	9.7	2	4.4	11.9	0.35	0.12	10.6	0.13	0.3	6.9	53	8.2	8.3	<2	46.8			0.02
E385294	39	40		730	2.1	147.5	0.002	0.62	1.22	12.7	3	6.5	13.3	0.67	0.31	17.4	0.2	0.54	13.1	77	13.1	12.8	<2	76.7			0.059
E385295	93	94		1410	2.6	142.5	0.007	1.11	1.31	13.7	2	15	24.3	0.36	0.17	18.8	0.119	0.58	13.2	79	12.6	16.6	<2	63.6			0.015
E385296			BLANK	110	1.2	0.9	<0.002	0.07	0.16	0.5	2	<0.2	299	<0.05	<0.05	0.3	0.008	<0.02	0.7	5	0.1	3.1	24	3.2			0.001
E385297			STANDARD 1	840	20.9	92.6	0.025	2.32	1.66	9.8	3	7.9	640	0.18	0.28	8.4	0.085	0.41	279	55	8.6	16	10	53.7			0.068
E385298	94	94.5		2950	4.1	48.4	0.008	3.71	2.27	8.9	3	10.4	60.1	0.27	0.61	11.1	0.045	0.35	6.4	96	8.7	26	<2	24.4			0.031
E385299	94.5	95		2350	3.9	76.2	0.012	2.95	2.03	9.2	3	14.1	46.7	0.2	0.33	11.1	0.071	0.42	14.4	81	21.4	24.3	<2	36.7			0.021
E385300	95	95.5		900	4.2	114	0.006	4.4	2.06	10.1	2	15.8	36.8	0.3	0.41	11	0.108	0.72	17	69	12.4	12.6	<2	51.5			0.039
E385301	95.5	96		2160	4.2	71.4	0.008	7.2	4.45	6.6	2	10.5	42.5	0.2	0.74	9.2	0.07	0.45	6.2	62	11	17.5	<2	35.1			0.052
E385302	96	96.5		1450	8.2	80	0.012	6.65	2.51	7.2	3	12.4	43.2	0.27	0.41	8.6	0.088	1.23	14.4	73	12.2	21.1	6	42.4			0.049
E385303	96.5	97		1330	10.5	88	0.012	>10.0	3.43	4.6	3	10.3	31.5	0.33	0.75	7.6	0.063	1.47	13.4	59	10.4	18.5	7	28			0.104
E385304	97	97.5		1180	7.3	169.5	0.004	>10.0	3.23	12.5	2	22.9	23.2	0.52	0.52	22.9	0.177	1.36	187	87	22.1	18.6	<2	96.3			0.057
E385305	97.5	98		980	2.8	149.5	0.006	1.9	1.66	10.5	1	14.1	44.5	0.26	0.1	15.9	0.106	0.61	26.7	71	12.6	16.1	<2	64.3			0.011
E385306	98	98.5		690	2.2	142.5	0.006	0.49	1.28	9.8	2	11.9	64.6	0.21	<0.05	16.8	0.105	0.71	10.5	69	12.3	17.2	<2	77.9			0.004
E385307			BLANK	110	1	0.7	<0.002	0.06	0.08	0.6	3	<0.2	274	<0.05	<0.05	0.2	0.007	<0.02	0.7	2	0.1	2.8	22	3.3			0.002

IG-2007-06

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
E385308	98.5	99		0.09	7.76	23.2	3330	3.33	1.01	4.69	<0.02	106.5	21.6	41	8.58	22	4.71	19.65	0.18	2.7	0.072	3.79	66.7	26.6	1.29	4290	4.94	0.09	3.7	15.2
E385309	99	100		0.23	5.97	50.2	460	2.49	2.27	4.05	<0.02	161.5	56.5	33	8.09	390	8.77	15.3	0.26	2	0.071	2.67	95.2	18.7	1.54	7280	11.75	0.07	3	26.6
E385310	106.9	107.5		0.53	5.78	195.5	220	1.87	17.5	1.6	<0.02	88.3	184	32	6.19	173	14.75	14.3	0.23	1.7	0.074	2.71	40.4	12.6	1.1	5280	13.35	0.08	3.2	89
E385311	107.9	108.4		0.31	4.64	71.6	120	1.39	5.24	1.97	<0.02	140	103.5	33	4.83	780	17.7	11.8	0.29	1.5	0.116	2.18	96.7	8.5	1.78	11050	18.7	0.07	4.2	47.1
E385312	108.4	108.9		0.37	6.58	98	120	1.81	5.47	1.57	0.02	161.5	108.5	39	7.1	262	13.6	16	0.31	1.9	0.103	3.12	111	10.2	1.24	7280	25.1	0.09	5.5	40
E385313	114.1	114.6		0.51	5.31	172.5	120	1.27	5.98	0.42	<0.02	218	111.5	34	7.37	894	16.8	16.3	0.35	1.8	0.122	2.53	143	12.5	1.25	9510	13.6	0.06	4.9	43.5
E385314	114.6	115.1		0.89	1.45	144	100	0.39	10.7	0.86	0.03	135.5	139.5	11	2.38	5180	31.7	5.51	0.45	0.5	0.236	0.67	104	4.3	2.16	19000	25.6	0.03	4.7	60.5
E385315	115.1	115.6		1.99	0.29	461	10	0.06	27.4	0.53	0.03	467	246	<1	0.51	7750	36.8	3.29	0.68	0.1	0.266	0.13	369	1.1	1.74	14800	50.3	0.01	3.9	100.5
E385316	115.6	116.1		1.71	0.84	318	20	0.19	19.4	0.78	0.03	82.9	244	4	1.34	>10000	36.4	3.41	0.48	0.3	0.281	0.4	62.1	2.5	1.71	17000	43.6	0.02	9.1	87.5
E385317			BLANK	0.02	0.13	<5	40	0.06	0.04	45.3	0.39	2.27	1	5	<0.05	15.3	0.34	0.41	<0.05	0.1	<0.005	0.03	1.8	0.9	0.47	165	0.3	0.01	0.3	5
E385318			STANDARD 2	1.06	2.22	100.5	20	0.48	10.5	2.62	<0.02	185	309	11	2.48	8330	27.1	8.17	0.42	0.7	0.257	0.63	115	13.9	1.46	5570	59.2	0.22	5.1	55.3
E385319	116.1	116.6		0.86	0.31	166.5	140	0.12	11.2	0.69	0.03	56.5	160.5	2	0.54	6020	36.2	1.93	0.42	0.1	0.309	0.13	43.8	1.5	1.98	19750	42.1	0.01	7	53.9
E385320	116.6	117		1.05	0.59	257	70	0.17	19.1	0.59	0.05	40.8	212	1	1	3230	36.6	2.66	0.44	0.1	0.29	0.28	33.2	2.3	1.98	19350	33.9	0.02	3.7	72.9
E385321	117	117.5		0.29	7.03	109.5	200	1.66	3.53	0.28	<0.02	191	85.2	53	9.91	1750	10.9	19.1	0.27	2.3	0.115	3.2	128.5	17.1	0.91	5440	10.55	0.1	5.6	31.6
E385322	117.5	118.5		0.06	6.71	8.1	2720	1.8	0.34	3.69	<0.02	107.5	27.2	38	10.4	24.8	6.93	18.9	0.2	2.1	0.086	3.09	61.6	19.5	1.61	5200	0.63	0.11	2.6	12.4

IG-2007-09

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Ag	Cu	Au
E385308	98.5	99		710	1.9	140.5	0.007	0.45	1.33	10.7	2	11.2	71.6	0.21	<0.05	18	0.107	0.71	13.2	66	13.5	18.9	2	82.3			0.003
E385309	99	100		910	2.7	125.5	0.007	1.23	1.42	8.7	2	7.1	55.3	0.14	0.15	14.5	0.08	0.58	11.1	59	10.2	14.9	2	61.1			0.006
E385310	106.9	107.5		800	3.1	103	0.006	8.23	1.96	6	2	6.9	19.9	0.13	0.34	11.6	0.065	0.51	8.5	67	8.2	10.9	3	56.2			0.004
E385311	107.9	108.4		1180	2.1	95.2	0.007	2.68	1.42	7.3	3	6.9	15.9	0.15	0.25	9	0.058	0.39	9.7	82	7.8	11.1	3	46.6			0.014
E385312	108.4	108.9		1600	2.9	116.5	0.009	3.31	1.34	8.8	3	11.3	20.2	0.19	0.3	14.8	0.073	0.58	13.1	90	8.5	13.5	4	62.9			0.019
E385313	114.1	114.6		1200	4.2	120.5	0.007	2.52	1.61	7.3	2	14.3	13.9	0.18	0.27	14.3	0.059	0.76	5.7	82	8.8	12.9	5	53.9			0.009
E385314	114.6	115.1		2730	5	32.4	0.012	3.49	1.7	3.5	4	5.1	21.2	0.15	0.34	4.5	0.021	0.34	6.8	83	4.7	14.2	6	16.8			0.021
E385315	115.1	115.6		1820	10.3	6.3	0.017	>10.0	3.99	1.1	5	3.2	13.7	<0.05	0.79	2.3	0.006	0.46	10.4	29	4.2	8.1	14	4.4			0.05
E385316	115.6	116.1		2560	8.7	18.6	0.022	>10.0	2.82	1.2	5	5.9	14.4	0.12	0.76	1.3	0.015	0.97	30.3	56	5	8.5	10	9.7		1.085	0.046
E385317			BLANK	120	1	0.5	<0.002	0.15	0.06	0.5	2	<0.2	260	<0.05	<0.05	0.2	0.006	<0.02	0.7	2	0.1	2.6	21	3			0.001
E385318			STANDARD 2	2180	6.5	31.7	0.018	6.66	2.11	3.6	6	7.2	169	0.11	1.12	5.8	0.03	0.48	15.3	57	6.2	13.5	6	21.9			0.113
E385319	116.1	116.6		1810	5.2	6.3	0.01	5.95	2.61	0.9	4	2.6	10.7	0.1	0.59	0.8	0.008	0.37	12.1	37	3.5	6.2	16	3.7			0.027
E385320	116.6	117		1370	6.7	13.1	0.006	7.93	4.6	1.9	3	3.6	10.4	0.1	0.61	0.8	0.008	0.45	3.9	36	5.1	6.6	5	4.2			0.032
E385321	117	117.5		930	2.4	136	0.013	2.5	1.66	8.2	2	13.9	18.3	0.21	0.19	14.6	0.078	0.6	5.1	76	10.1	12.3	5	72.1			0.009
E385322	117.5	118.5		650	1.5	139	<0.002	0.64	1.16	9.4	1	7.8	52.6	0.21	<0.05	15.5	0.084	0.6	3.1	62	8.3	12.9	6	67.5			0.001

IG-2007-06

Sample No	From (m)	To (m)	Standard/Blank	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ce ppm	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
E210201	57.35	58.35		0.11	5.1	2.8	1680	0.43	0.19	2.59	<0.02	95	8.7	28	0.85	64.7	8.74	14.7	0.18	1.4	0.04	0.11	68.7	20.3	1.32	2460	8.11	3.04	6.2	11.2
E210202	58.35	58.55		0.14	3.58	8	640	1.09	0.62	1.84	<0.02	245	44.4	14	7.68	201	14.45	12.65	0.28	1.2	0.053	0.31	175.5	42.8	1.8	1900	38.8	0.76	10.5	19.7
E210203	58.55	59.35		0.25	2.06	20.5	190	0.8	2.34	2.69	<0.02	222	212	9	4.08	91.3	19.35	7.27	0.33	0.8	0.068	0.17	163.5	39.2	1.67	2610	56.2	0.01	12.3	40.1
E210204	59.35	60.30		0.18	2.35	47.6	100	0.73	1.24	3.16	<0.02	239	516	11	3.87	626	17.25	8.43	0.38	0.9	0.081	0.41	152.5	46.9	1.98	3090	17.6	0.01	12.6	43.3
E210205	60.30	60.80		0.69	1.69	8.5	330	0.37	0.66	0.66	<0.02	63.4	100.5	8	0.82	529	10.95	4.22	0.16	0.6	0.114	0.21	33.7	17.2	1.04	6250	44.1	0.37	5.2	32.4
E210206	60.80	61.30		3.63	1.6	16.1	220	0.3	3.87	1.83	<0.02	117	205	6	0.54	606	12.95	3.47	0.17	0.6	0.158	0.16	60.3	8.4	1.45	9670	306	0.81	7.1	38.1
E210207	61.30	61.80		0.06	2.79	2	760	1.31	0.23	0.68	<0.02	58.9	47.2	18	3.48	218	6.33	9.6	0.14	0.9	0.134	1.32	37.4	22.3	0.62	3110	9.49	0.08	4	12.5
E210208	61.80	62.30		0.03	5.73	3.7	4420	2.15	0.34	0.55	0.02	151	83.6	37	6.54	113.5	9.89	19.8	0.22	1.9	0.306	2.75	113.5	40.1	0.8	5500	6.01	0.03	8.1	19.6
E210209	62.30	62.80		0.03	5.9	6.4	3310	2.28	0.39	0.67	0.02	144	122.5	40	6.84	73.6	10.5	20.2	0.21	2	0.326	2.87	107	39.9	0.86	6760	36.1	0.09	5	23.8
E210210			BLANK	0.11	0.32	6	140	0.1	0.03	18.45	0.15	5.76	2.2	8	0.18	6.2	0.27	1.05	0.25	0.1	0.013	0.05	3.1	3.6	10.55	242	1.79	0.02	0.6	7.6
E210211	62.80	63.45		0.49	4.66	14.3	550	1.85	1.72	1.19	<0.02	171.5	183	29	5.31	1570	13.1	16.95	0.27	1.7	0.333	2.24	127.5	32.3	1.23	9630	103.5	0.08	4.8	29.2
E210212	63.45	63.95		0.6	3.36	22.9	220	0.97	3.09	1.44	<0.02	270	297	19	4.62	5480	20.2	13	0.43	1.1	0.379	1.3	184.5	22.5	1.53	13750	52.7	0.41	4.6	46.3
E210213	63.95	64.45		0.2	3.66	13.4	1060	1.24	1.87	0.8	<0.02	257	191	22	4.16	491	15.8	13.75	0.34	1.3	0.308	1.62	195	22.8	1.19	12300	18.5	0.27	3.9	25.5
E210214	64.45	64.95		0.09	3.4	14.1	1700	1	0.85	1.3	<0.02	196	107.5	16	3.5	260	15.15	11.5	0.29	1	0.213	1.35	156	23.8	1.15	7890	6.41	0.27	5.8	23.8
E210215	64.95	65.45		0.07	1.9	14	1760	0.38	1.02	0.96	<0.02	267	152.5	8	1.26	69.6	21	6.75	0.39	0.7	0.238	0.41	216	13.8	1.25	12400	8.85	0.47	7.5	32
E210216	65.45	65.95		0.25	2.06	16.5	760	0.48	2.65	0.95	<0.02	308	154.5	9	1.79	2000	21.1	7.81	0.41	0.7	0.241	0.54	241	17.7	1.15	10850	13.2	0.33	6.9	29.2
E210217	65.95	66.80		0.36	2.53	19	340	0.68	2.73	0.85	<0.02	349	131.5	14	2.74	4330	18.6	10.5	0.44	0.9	0.201	0.92	257	24	0.87	6550	14.7	0.16	8.1	29.7
E210218	66.80	67.80		0.09	0.61	9.8	300	0.25	2.22	0.52	<0.02	182	189.5	1	0.3	524	19.45	2.85	0.29	0.2	0.205	0.07	126.5	5.3	0.85	12400	13.35	0.22	4.6	17.5
E386401	67.80	69.00		0.17	1.29	29.5	430	0.5	0.77	0.74	0.19	85.7	162	5	0.99	312	20	5.13	0.26	0.2	0.151	0.54	50.8	11.4	0.72	10250	12.25	0.07	6.2	12.4
E386402	69.00	70.00		0.11	2.05	10.5	480	0.46	0.87	0.8	0.05	102	173	11	1.24	115	15.9	6.69	0.24	0.6	0.247	0.54	64.4	13.1	0.99	11600	6.31	0.57	3.8	20.3
E386403	70.00	71.00		0.12	1.1	12.5	520	0.27	1.13	0.96	0.03	116	163.5	5	0.46	32	15	3.68	0.24	0.3	0.191	0.16	71.8	10.3	0.9	11400	11.3	0.36	4.1	22.8
E386404	71.00	72.00		0.12	0.98	18.3	550	0.24	1.18	1.23	0.03	114.5	190	2	0.31	178.5	19.7	2.66	0.16	0.3	0.21	0.09	75.9	10.1	1.08	13550	11.1	0.29	3.2	24.6
E386405	72.00	73.00		0.1	1.29	21.3	530	0.24	0.64	1.17	0.03	101	194	4	0.4	66.3	19.8	3.23	0.18	0.5	0.225	0.13	67	9.8	1.18	14450	7.01	0.49	2.4	27.2
E386406	73.00	74.00		0.09	1.95	12.9	780	0.51	0.73	1.13	0.03	105	180	10	1.89	104	19.1	5.42	0.19	0.8	0.23	0.89	73.2	17.8	1.3	14450	7.09	0.14	3.3	26.5
E386407	74.00	75.00		0.11	0.82	11.6	740	0.22	0.71	1.7	0.02	100.5	179	3	0.48	23	21.4	2.7	0.17	0.3	0.272	0.09	74.8	9.9	1.29	16000	11.7	0.17	3.6	23.7
E386408	75.00	76.00		0.13	0.84	10.2	480	0.19	0.89	0.81	<0.02	83.1	166	4	0.23	38.6	18.75	2.59	0.15	0.3	0.186	0.06	56.2	10.3	0.9	13150	19.3	0.13	3.6	26.2
E386409	76.00	77.00		0.17	1.57	21.3	1540	0.19	1.72	2.77	0.02	146	176.5	3	0.35	126.5	23.9	4.36	0.24	0.5	0.317	0.1	111	23.4	1.82	14550	24.7	0.01	6.8	34.1
E386410	77.00	78.00		0.21	2.25	21.1	840	0.45	2.02	2.32	<0.02	188	183	6	1.13	280	20.9	6.27	0.26	0.9	0.32	0.41	142.5	30.4	1.78	13400	32.9	0.01	7.8	37.4
E386411			BLANK	0.01	0.13	<5	130	0.06	0.01	46.1	0.38	2.38	1	4	<0.05	2.1	0.06	0.48	0.06	0.1	<0.005	0.02	1.9	1.3	0.48	52	0.32	0.01	0.3	1.4
E386412	78.00	79.00		0.12	2.46	15.3	1900	0.71	1.13	1.27	<0.02	161.5	143.5	9	2.37	86.3	20.8	7.5	0.23	1	0.276	0.96	123	24.1	1.33	12150	16.25	0.02	9.8	46.8
E386413	79.00	80.00		0.08	5.03	13.3	3110	1.5	0.91	0.65	<0.02	101	166.5	30	5.22	45.8	17.9	13.25	0.18	1.7	0.271	2.28	77.4	42.9	1.55	12050	16.85	0.03	6.2	38.8
E386414	80.00	81.00		0.14	1.75	9.2	3360	0.41	3.14	0.94	<0.02	101.5	175.5	9	1.48	68.2	24.5	4.23	0.23	0.5	0.304	0.32	70.5	22.9	1.76	16900	14.55	0.01	5.6	34.7
E386415	81.00	82.00		0.15	0.6	12.2	960	0.17	2.18	0.56	0.03	130	160	<1	0.31	16.1	30.6	3.33	0.26	0.2	0.264	0.05	66.7	7.5	1.1	19350	22.5	0.01	6.8	41.2
E386416	82.00	83.00		0.22	0.98	9.5	1600	0.18	2.49	1	0.03	106.5	169.5	2	0.33	9.4	28	4.98	0.5	0.3	0.303	0.03	72.9	17.5	1.67	19500	16.75	0.01	9.2	49.8
E386417	83.00	84.00		0.16	2.6	12.3	760	0.84	3.01	1.37	<0.02	134	170	14	2.56	135	20.7	9.23	0.45	0.9	0.341	0.98	96.9	33.9	1.78	15300	14.45	0.02	7.8	46.5
E386418	84.00	85.00		0.1	4.79	8.7	2570	1.51	1.11	0.64	<0.02	155.5	130	27	4.52	77.9	15.05	14.8	0.36	1.5	0.217	1.95	113	49.4	1.33	8980	9.72	0.03	5.2	46.9
E386419	85.00	86.00		0.11	4.64	9.8	1900	1.63	1.15	1.21	<0.02	95.6	121.5	24	4.63	82.4	13.35	13.4	0.31	1.4	0.185	2	67.3	48.7	1.47	8280	6.64	0.04	2.7	49
E386420	86.00	87.00		0.09	4.65	5.7	1810	1.54	0.82	1.21	<0.02	51.6	63.3	25	5.27	96.8	8.35	12.95	0.23	1.5	0.111	1.98	34.6	43.2	1.14	3640	4.1	0.14	2.8	21.8
E386421	87.00	88.00		0.06	4.57	7.2	2220	1.11	0.31	1.53	<0.02	111	65.6	24	3.38	144.5	9.83	11.55	0.26	1.5	0.096	1.53	76.9	38.6	1.09	4960	4.89	0.82	3.8	23.5
E386422			BLANK	0.02	0.14	<5	90	0.09	<0.01	46.1	0.44	2.29	1.3	6	<0.05	2.6	0.07	0.48	0.05	0.1	0.005	0.03	1.8	1.8	0.49	52	0.23	0.01	0.3	2
E386423			STANDARD 1	0.98	5.65	62.4	80	1.81	2.55	1.96	0.02	39.9	148	32	3.24	7920	9.03	13.6	0.2	1.5	0.139	2.12	16	23.1	1.11	3050	60.5	1.02	2.5	33.8
E386424	88.00	89.00		0.1	4.86	5.1	2750	1.77	0.62	0.69	0.03	131	83.2	28	5.35	48.9	9.27	16.45	0.28	1.7	0.149	2.35	93	41.4	0.87	5070	24.6	0.05	1.6	31.7
E386425	89.00	90.00		0.08	5.59	4.2	3670	2.15	0.36	1.21	<0.02	146.5	65.1	31	6.15	37.3	8.81	18.1	0.25	2.1	0.14	2.6	105.5	47.8	1.17	3660	13.9	0.05	2.4	21.2
E386426	90.00	91.00		0.18	5.43	9.7	3500	1.93	1.36	0.83	<0.02	97.3	110	26	5.56	151.5	12.2	17.05	0.26	1.8	0.186	2.24	89.9	46.6	1.25	6840	14.45	0.27	2.5	47.4
E386427	91.00	92.00		0.05	5.91	8.2	4030	2.1	0.45	0.55	<0.02	96.3	93.6	35	6.06	67.5	13.3	18.2	0.29	1.7	0.178	2.46	67.2	60	1.23	5950	5.63	0.1	3.6	43.2
E386428	92.00	93.00		0.12	5.37	10.9	4040	1.67	1.11	0.52	<0.02	122	106.5	28	5.17	136.5	16.05	13.45	0.33	1.7	0.231	1.46	86	79.3	2.2	8080	20	0.06	4.9	42.4
E386429	93.00	93.50		0.08	8.38	6.9	9330	3.52	0.77	0.84	<0.02	173	63.1	56	9.53	32.3	10.85	28.3	0.31	2.6	0.155	3.69	119	88.3	1.52	1460	9.04	0.06	8	40.9
E210219	93.50	94.50		0.06	5.71	5.7	2500	1.98	0.79	0.28	<0.02	110.5	86.2	34	6.73	40.5	10.65	19.3	0.22	2.2	0.17	2.18	74.8	41.9	1.19	3890	7.41	0.03	4.1	42
E210220			BLANK	0.11	0.31	<5	30	0.14	0.01	18.8	0.14	4.96	2	7	0.16	5.5	0.24	1.04	0.28	0.1	0.011	0.05	2.6	3.2	10.15	232	0.42	0.02	1	7.4
E210221			STANDARD 1	1.1	5.26	56	120	1.78	2.82	1.82	<0.02	61.2	157	34	3.7	6770	9.07	15.9	0.21	1.8	0.141	1.93	25.1	19	1.11	3420	64.8	0.81	3.7	36.7
E210222	94.50	95.30		0.13	1.86	8.6	800	0.41	1.3	0.66	<0.02	172.5	166.5	6	1.44	523	18.3	6.5	0.3	0.6	0.267	0.27	118.5	21.4	1.45	13300	18.95	0.01	4.3	39.2
E210223	95.30	96.30		0.04	4.93	2.8	4530	1.63	0.22	3.49	<0.02	92.1	63.9	27	6.06	76.1	8.1	17.15	0.21	1.6	0.241	1.93	67.2	39.9	2.54	6340	2.13	0.27	3.6	20.4
E210224	96.30	96.80		7.99	2.12	38.9	90	0.67	13.6	1.12	<0.02	69.7	175	24	1.53	7200	13.5	7.26	0.37	1.2	0.438	0.33	16	25.8	2.18	15500	228	0.63	15.6	40.4
E210225	96.80	97.30		7.41	0.78	41.9	40	0.31	26.6	1.2	<0.02	42.8	276	14	0.34	>10000	20.6	3.99	0.5	0.6	0.895	0.06	9	6	1.95	23200	116	0.43	12.7	43.7
E210226	97.30	97.80		6.29	0.76	45.8	50	0.26	38.1	1.51	<0.02	31.8	265	12	0.2	>10000	20.2	3.92	0.53	0.5	0.774	0.04	6	3	1.96	22600	111.5	0.51	10.7	45.4
E210227	97.80	98.30		4.73	0.75	33.9	40	0.21	92.5	2.23	<0.02	18	293	14	0.18	>10000	22.5	3.89	0.52	0.4	1.01	0.04	4	2	2.14	24100	67.3	0.55	7.8	39.4
E210228	98.30	98.80		4.46	0.72	59.8	40	0.19	270	2	<0.02	22.2	295	13	0.16	>10000	22.9	3.92	0.55	0.4	0.974	0.03	6.6	1.9	2.18	23600	83.4	0.53	8.3	44.2
E210229	98.80	99.30		3.94	0.74	33	80	0.22	379	2.26	<0.02	34.4	315	17	0.22	>10000	22.8	4.09	0.53	0.4	0.985	0.04	14.1	3.2	1.85	23500	81.4	0.5	7.5	48.4
E210230			BLANK	0.09	0.32	8	40	0.12	0.01	18.25	0.15	4.85	2.3	7	0.16	6.2	0.25	1.05	0.3	0.1	0.009	0.05	2.6	3.2	10.4	242	0.76	0.02	0.5	7.6
E210231	99.30	99.80		5.4	0.77	37.7	30	0.3	217	1.03	0.02	45.8	280	14	0.26	>10000	21.6	4.38	0.54	0.4	0.998	0.05	16.5	2.2	1.82	22500	129.5	0.53	9.6	44.3
E210232	99.80	100.30		9.52	2.39	40.2	70	0.98	29.2	2.63	<0.02	61.9	186	29	1.94	>10000	11.85	11.6	0.37	1.2	0.437	0.72	14.1	12.1	1.62	11750	424	0.78	14.2	34.7
E210233	100.30	100.80		1.94	2.71	10.9	380	0.87	5.28	1.51	<0.02	54.2	183.5	15	2.04	2440	12.75	9.84	0.15	0.8	0.328	0.74	28	12.8	1.52	15900	153.5	0.88	5	30.4
E210234	100.80	101.30		0.65	1.98	7.6	390	0.58	2.48	1.46	<0.02	57.7	160.5	13	1.7	1645	12.85	6.72	0.19	0.7	0.318	0.56	32.3	8.4	1.42	15450	53	0.88	2.2	27.3
E210235	101.30	102.10		0.3	2.83	6.8	930	0.53	1.16	1.53	<0.02	70.8	172.5	20	1.79	190.5	14	7.98	0.21	1	0.281	0.63	49.8	8.6	1.49	16600	42	1.24	2.6	29.1
E210236	102.10	102.60		0.04	2.75	5	1750	0.76	0.53	0.81	<0.02	117	147	16	2.91	28.4	16.85	9.86	0.27	1	0.275	0.97	84.1	14.9	0.89	11200	10.95	0.54	3.9	30
E210237	102.60	103.10		0.11	3.43	6.6	1480	0.91	1.14	0.5	0.02	168	139	18	3.78	92.9	14.45	12.2	0.28	1.3	0.285	1.1	124.5	26.7	1	9470	13	0.33	3.6	32
E210238	103.10	103.60		0.12	2.89	6.9	1630	0.72	1.48	0.54	<0.02	220	171	14	2.82	25.8	18.1	9.58	0.34	0.8	0.347	0.81	168	32.1	1.1	14600	13.7	0.3	3.9	37.2
E210239	103.60	104.10		0.74	1.82	5.8	1410	0.51	3.77	0.56	<0.02	162.5	191.5	8	1.67	48.9	20.7	6.16	0.28	0.6	0.376	0.36	127	26.8	1.53	18500	50.1	0.25	5.5	45.3
E210240			BLANK	0.14	0.31	<5	30	0.08	0.02	18.6	0.15	4.6	2.2	7	0.15	6.4	0.25	1.03	0.31	0.1	0.01	0.05	2.4	3.1	10	230	1.08	0.02	0.6	7.8
E210241			STANDARD 2	1.17	2.42	67.2	80	0.65	10.8	2.23	<0.02	209	335	12	2.85	8900	28.7	10.2	0.39	0.7	0.284	0.63	127.5	23.1	1.55	6450	62.7	0.23	5.3	59.2
E210242	104.10	104.90		1.78	2.67	10.7	160	0.91	6.01	3.67	<0.02	166	139	12	2.6	7670	16.35	7.52	0.31	1	0.362	0.53	95.1	39.5	2.16	12250	77.7	0.19	7.2	38.2
E210243	104.90	105.90		0.05	5.85	1.9	7600	2.43	0.17	4.79	<0.02	28.1	63.6	30	9.4	175	6.46	17.65	0.15	1.7	0.199	2.63	16.3	42.4	2.05	7260	5.73	0.03	3	23
E386430	105.90	107.00		0.04	6.37	1.8	>10000	2.51	0.09	4.77	<0.02	69.7	63.2	33	8.6	71.5	7.17	17.4	0.17	1.7	0.17	2.8	39.3	54.7	2.28	7090	1.03	0.06	3.5	27
E386431	107.00	108.00		0.3	2.48	48.6	510	0.66	0.93	6.76	<0.02	55.2	228	8	1.33	2280	15.95	6.18	0.25	0.7	0.327	0.31	39.5	50.6	4.78	17400	17.85	0.01	4.8	39.3
E386432	108.00	109.00		0.2	2.76	13.8	720	0.82	1.03	3.02	<0.02	130.5	152.5	13	2.85	302	15.65	5.98	0.29	0.8	0.217	0.49	95.2	43	2.95	13150	44.2	0.01	4.3	37.6
E386433	109.00	110.00		0.09	4.9	6.8	5080	2.06	0.37	2.76	<0.02	48.6	106.5	28	7.91	171	10.75	14	0.2	1.4	0.214	2.03	33.5	40.5	2.25	9420	22.6	0.05	3.5	37.1
E386434			BLANK	0.02	0.15	<5	100	0.06	<0.01	45.8	0.42	2.27	1.4	6	0.05	3	0.07	0.59	<0.05	0.1	<0.005	0.04	1.8	2	0.49	59	0.3	0.01	0.3	2
E386435	110.00	111.00		0.04	7.13	1.2	9560	3.2	0.12	2.52	<0.02	281	46.8	44	11.6	29.9	5.36	21.7	0.29	2	0.152	3.36	154	52.1	1.43	4450	4.04	0.07	4.2	25.7
E386436	111.00	112.00		0.03	7.38	0.8	>10000	3.52	0.09	3.83	<0.02	140.5	33.6	44	12.1	16.8	3.97	21.7	0.19	2.1	0.124	3.53	86.7	53	1.57	4200	0.84	0.08	4.1	22.8
E386437	112.00	113.00		0.02	7.51	0.5	8860	3.53	0.07	3.95	<0.02	29.9	28.9	41	12.35	13.3	3.97	20.7	0.12	2	0.124	3.67	16.1	50.2	1.64	4280	0.36	0.08	4.8	17.3
E386438	113.00	114.00		0.05	7.01	1	8140	3.37	0.15	4.95	<0.02	41.4	32.7	38	11.8	3.2	4.73	19.4	0.13	2	0.111	3.55	27.1	49.7	2	4930	0.83	0.07	5.8	15.7
E386439	114.00	115.00		0.05	5.95	0.5	>10000	2.88	0.07	6.3	<0.02	39.1	36.1	32	9.91	4.7	5.38	16.2	0.14	1.7	0.11	2.97	24.3	42	2.45	6570	0.73	0.07	4.5	15
E386440	115.00	116.00		0.02	6.14	0.4	>10000	2.78	0.11	6.54	<0.02	30	39.9	31	9.87	2.9	5.86	15.85	0.14	1.6	0.105	2.96	19.2	43.4	2.51	6710	0.84	0.07	3.1	17.1
E386441	116.00	117.00		0.03	6.55	0.5	>10000	3.16	0.14	5.18	<0.02	67.1	34.8	35	10.85	7.7	4.96	17.85	0.16	1.8	0.112	3.21	50.6	46.7	2.03	5390	0.59	0.08	3.4	17.3
E386442	117.00	118.00		0.04	7.69	0.7	>10000	3.79	0.09	3.17	<0.02	124	29.7	43	12.7	9.7	4.15	21.9	0.18	2	0.111	3.73	73	54.1	1.4	3370	0.4	0.08	4.7	18.1
E386443	118.00	119.00		0.02	7.43	0.8	>10000	3.58	0.03	4.63	<0.02	42.1	34.7	40	11.85	9.3	4.57	20.1	0.13	1.8	0.112	3.56	26.5	46.8	1.78	4900	0.34	0.08	3.6	17.9

IG-2007-06

Sample No	From (m)	To (m)	Standard/B	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr	Cu	Au	U	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	%
E210201	57.35	58.35		1070	2	5.2	0.002	0.23	1.65	4.7	1	10.3	1260	0.28	0.15	8.6	0.118	0.03	3.6	44	16	11.7	10	45.9		0.005		
E210202	58.35	58.55		2210	3.8	21.9	0.003	0.36	3.49	4.6	2	16.2	1425	0.32	0.45	9.4	0.074	0.1	17.4	52	36.9	15.1	22	36.2		0.013		
E210203	58.55	59.35		2570	2.9	11.5	0.003	0.97	3.09	3.9	5	17.1	357	0.27	0.7	5.5	0.053	0.07	20	49	52.3	15.7	17	25.5		0.013		
E210204	59.35	60.30		2740	3.4	27.7	0.004	2.2	2.29	4.2	4	13.1	435	0.32	0.42	6.6	0.066	0.11	22.5	45	21.7	19	22	31.1		0.011		
E210205	60.30	60.80		1260	5.5	12.8	0.004	0.49	1.1	2.7	2	3.6	3320	0.16	0.21	1.9	0.041	0.18	38.6	26	9.1	7.7	18	20.1		0.017		
E210206	60.80	61.30		1750	40.3	8.7	0.062	0.7	1.3	2.6	3	3.3	2580	0.18	0.88	3.9	0.034	0.13	203	28	13.3	14.3	9	18.1		0.062		
E210207	61.30	61.80		420	2.5	86.3	0.004	0.24	0.85	4.8	1	8.5	3340	0.2	0.11	5.2	0.093	0.14	22.3	33	10.9	6.6	6	29.9		0.002		
E210208	61.80	62.30		1140	4.9	178	0.003	0.18	1.83	9.3	2	18.1	771	0.32	0.08	12.5	0.139	0.29	22.1	63	17.3	12.5	6	59		0.003		
E210209	62.30	62.80		1350	3.3	182	0.002	0.22	1.46	9.7	1	19.9	879	0.18	0.14	11.2	0.115	0.3	46.3	70	17.4	14.5	7	62.7		0.002		
E210210			BLANK	400	1.6	1.5	<0.002	0.03	0.33	1.3	2	0.2	110.5	<0.05	0.06	0.5	0.017	<0.02	0.3	5	0.6	3.9	10	4.4		0.003		
E210211	62.80	63.45		1490	6	139.5	0.007	0.35	1.37	8.3	3	16.1	1015	0.14	0.52	10.3	0.084	0.25	55.8	58	14.3	14.5	9	50.1		0.011		
E210212	63.45	63.95		2050	7.1	85.8	0.01	0.86	1.3	5.8	5	12.2	963	0.11	0.45	9.5	0.055	0.23	20.1	53	18.2	16.2	9	32.6		0.024		
E210213	63.95	64.45		1360	5.2	107	0.006	0.23	0.92	6.4	2	14.6	1170	0.1	0.36	9.2	0.072	0.18	45.5	48	14.2	13.1	8	40.2		0.008		
E210214	64.45	64.95		2200	6.8	83.7	0.002	0.12	1.4	5.3	1	14	925	0.15	0.27	6.4	0.076	0.14	23.3	45	15.6	13.1	14	32.3		0.004		
E210215	64.95	65.45		2410	4	26.2	0.003	0.14	1.2	3.7	2	7.7	1010	0.14	0.73	5.1	0.035	0.06	13.9	38	15.8	14.7	10	21.5		0.005		
E210216	65.45	65.95		2430	5.7	35	0.004	0.33	1.24	3.8	3	11.4	998	0.15	0.61	6.6	0.043	0.06	35.4	39	16	14.4	10	23.7		0.006		
E210217	65.95	66.80		2830	7.2	59.1	0.003	0.46	1.86	4.8	5	21.2	795	0.16	0.53	8	0.053	0.13	63.5	50	18.9	15.9	11	29.9		0.017		
E210218	66.80	67.80		1250	4	4.4	0.004	0.3	0.54	1	2	3.6	2840	0.06	0.27	1.4	0.01	0.03	39.4	19	7.7	6.3	9	6		0.005		
E386401	67.80	69.00		1500	8.4	31	0.004	0.29	0.8	1.9	2	13.3	3780	0.06	0.17	1.4	0.023	0.06	26.1	46	13.9	6	25	7.2		0.005		
E386402	69.00	70.00		1110	4.1	33.1	0.002	0.3	1.03	3.9	1	7.3	3790	0.1	0.19	3.7	0.032	0.1	12.6	35	8.8	7.8	14	18.1		0.004		
E386403	70.00	71.00		1590	3.1	10.4	0.003	0.27	0.61	2.1	2	3.1	3960	0.06	0.34	2.2	0.016	0.03	17.6	27	5.9	7.5	12	10.3		0.004		
E386404	71.00	72.00		2210	3.5	5.4	0.003	0.31	0.43	1.6	2	1.9	3900	0.07	0.36	2.3	0.01	0.02	21.1	32	6	9.4	17	10.9		0.008		
E386405	72.00	73.00		2290	4.7	7.5	0.004	0.32	0.51	2.1	2	1.7	3410	0.06	0.21	2.7	0.011	0.05	24.3	29	6.7	10.1	17	14.4		0.003		
E386406	73.00	74.00		1790	3.6	35.6	0.004	0.25	0.74	3.1	1	5.9	2840	0.07	0.25	4.4	0.028	0.14	22.7	36	8.1	9.6	15	24.4		0.004		
E386407	74.00	75.00		1580	2.5	4.1	0.003	0.26	0.46	1.8	1	1.9	3970	0.07	0.27	2.3	0.01	0.02	18.6	34	5	8.5	13	10.5		0.003		
E386408	75.00	76.00		1130	2.8	3.2	0.004	0.28	0.45	1.4	1	2.2	4290	0.1	0.29	2.1	0.013	0.02	14.8	34	4.7	7.1	15	9		0.004		
E386409	76.00	77.00		2000	3.2	5.3	0.002	0.15	1.02	4.5	2	5.4	1200	0.25	0.37	4	0.029	0.03	15.1	44	13.8	12.1	14	16.1		0.007		
E386410	77.00	78.00		2300	3.1	22.4	0.005	0.21	1.07	4.8	3	6.4	1365	0.27	0.42	5.8	0.043	0.06	18	43	8.7	14.2	14	26.8		0.009		
E386411			BLANK	120	0.9	0.6	<0.002	0.06	0.07	0.3	2	0.3	267	<0.05	0.05	0.2	0.006	<0.02	0.7	5	0.1	3	39	3.9		0.001		
E386412	78.00	79.00		2030	2.2	50.1	0.003	0.11	1.86	4.2	2	9.8	916	0.35	0.36	6.5	0.06	0.11	11.6	49	12.4	13.5	11	30		0.003		
E386413	79.00	80.00		1340	2.3	115	0.003	0.15	1.72	12.4	2	13.1	541	0.19	0.22	6.2	0.106	0.29	18.1	96	14.3	12.5	13	48.1		0.003		
E386414	80.00	81.00		1530	3.2	17.7	0.002	0.15	1.22	5.8	2	3.3	1030	0.13	0.24	2.4	0.045	0.06	6.1	51	14.7	11.1	19	15.8		0.004		
E386415	81.00	82.00		1740	2.7	3.2	0.004	0.31	2	1.8	1	1	727	0.11	0.21	2.1	0.012	0.57	12.2	44	7.9	11.8	11	5.8		0.003		
E386416	82.00	83.00		1620	3.7	1.8	0.007	0.32	1.66	2	2	1.4	748	0.14	0.82	1.6	0.018	0.43	19.6	38	7.7	9.8	11	8.6		0.003		
E386417	83.00	84.00		1590	3.1	52.6	0.003	0.21	1.73	5.1	2	10.4	658	0.22	1.09	6.2	0.065	0.27	22.8	46	10.9	11.5	12	26.5		0.003		
E386418	84.00	85.00		1640	2.4	104	0.002	0.15	1.71	7	2	10.3	751	0.18	0.28	9.5	0.1	0.27	20.2	63	13.3	11.2	14	43.5		0.003		
E386419	85.00	86.00		1760	2.6	113	0.002	0.17	1.66	7.2	2	7.6	645	0.13	0.19	8.9	0.092	0.39	16	50	12.6	10.3	14	38.6		0.005		
E386420	86.00	87.00		810	2.9	113	0.002	0.16	1.76	6.6	2	7	1630	0.15	0.11	8.6	0.101	0.3	12.5	43	14.5	8.3	13	45.7		0.003		
E386421	87.00	88.00		1150	2.5	83.5	0.002	0.16	1.53	6.1	2	6.7	1210	0.17	0.08	8.1	0.101	0.21	11.1	43	13.9	9.4	10	43.1		0.002		
E386422			BLANK	110	0.8	0.7	<0.002	0.07	0.2	0.5	3	0.2	285	<0.05	<0.05	0.2	0.006	<0.02	0.6	4	0.1	2.7	23	3.5		0.001		
E386423			STANDARD	780	19.6	80.7	0.02	2.17	1.44	9.3	3	6.8	609	0.12	0.24	5.9	0.072	0.37	280	51	6.9	13.3	7	47.9		0.059		
E386424	88.00	89.00		740	3.1	139.5	0.002	0.13	1.5	7.7	2	6.9	766	0.08	0.13	10.5	0.09	0.33	30.4	47	11	7.9	10	53.4		0.004		
E386425	89.00	90.00		700	2	156	0.002	0.16	1.46	8.9	2	8.8	739	0.1	0.09	11.3	0.107	0.34	23	50	12.2	8.4	9	64.3		0.001		
E386426	90.00	91.00		1120	1.4	133	0.002	0.14	1.42	8.3	2	7.1	561	0.17	0.23	10.7	0.094	0.29	16.9	56	12.6	8.9	9	53.8		0.005		
E386427	91.00	92.00		1360	1.8	145	0.002	0.16	2.06	9.5	2	10.2	614	0.22	0.11	10.9	0.138	0.31	30.2	62	15.5	10.5	12	52.4		0.002		
E386428	92.00	93.00		1810	3	81.7	0.005	0.18	1.61	8.2	2	7.7	478	0.25	0.32	10.7	0.114	0.18	15.8	51	15.8	12.3	28	50.3		0.004		
E386429	93.00	93.50		1390	2.8	198.5	0.002	0.3	2.18	13.7	2	16.6	570	0.4	0.26	17.6	0.218	0.47	21.2	91	25.5	15.8	18	76.2		0.005		3.43
E210219	93.50	94.50		1110	3.1	141.5	0.002	0.23	1.76	9.8	2	10.2	1550	0.2	0.31	10.9	0.125	0.32	19.2	83	15.9	11	17	65.7		0.002		
E210220			BLANK	390	1.5	1.4	<0.002	0.03	0.33	1.3	2	0.2	102	<0.05	<0.05	0.4	0.018	<0.02	0.2	5	0.7	3.7	10	4		0.005		
E210221			STANDARD	830	19.9	89.4	0.022	2.27	1.81	9.6	3	8	546	0.18	0.25	8.7	0.084	0.43	260	50	8.5	15	5	61.1		0.052		
E210222	94.50	95.30		1580	4.1	18.3	0.004	0.17	0.95	2.9	2	3.1	1710	0.12	0.32	4.9	0.025	0.04	26.3	32	8.4	9.8	16	20.1		0.005		
E210223	95.30	96.30		700	5.9	123	0.003	0.16	1.43	8.2	1	14.5	462	0.18	0.07	11.7	0.102	0.22	21.4	55	15.7	10.6	14	51		<0.001		
E210224	96.30	96.80		1370	1770	21.2	0.119	1.58	18.4	3.6	3	6.3	1140	0.25	0.58	3.8	0.047	0.38	>10000	39	93.7	63.4	14	43.3		0.111	1.26	
E210225	96.80	97.30		670	1880	3.8	0.043	3.52	18.2	1.9	4	5.8	701	0.17	0.46	1.3	0.028	0.22	>10000	20	102	62.5	10	19.6	3.35	0.12	1.37	
E210226	97.30	97.80		820	1580	2.7	0.03	2.83	12.85	2.1	4	4.9	868	0.17	0.34	1.3	0.026	0.16	>10000	24	91.2	51.1	9	17.3	2.45	0.044	1.12	
E210227	97.80	98.30		590	755	2.3	0.024	3.33	8.17	2	4	5.8	573	0.14	0.38	1	0.026	0.06	5520	21	79.8	26	11	12.7	4.11	0.048	0.54	
E210228	98.30	98.80		720	822	1.6	0.031	3.19	6.87	2.1	4	4.8	581	0.14	0.66	1	0.025	0.06	5210	22	91	24.6	6	14.5	4	0.065	0.51	
E210229	98.80	99.30		890	748	2.5	0.024	3.22	5.49	1.7	4	5.2	876	0.15	0.58	1.4	0.022	0.06	4040	22	224	19.6	8	12.8	3.83	0.069		
E210230			BLANK	400	1.5	1.2	<0.002	0.03	0.29	1.3	1	<0.2	104	<0.05	0.07	0.4	0.016	<0.02	0.3	5	0.4	3.7	10	4.1		0.006		
E210231	99.30	99.80		860	1300	4.1	0.039	3.28	8.85	2	4	5.1	611	0.14	0.52	1	0.022	0.06	8390	25	178.5	36.3	8	15.2	4.21	0.07	0.83	
E210232	99.80	100.30		830	2220	47.4	0.177	1.61	12.4	6.3	4	10.3	1030	0.2	0.52	3.1	0.069	0.34	>10000	69	301	61.6	2	40.5	1.415	0.079	1.35	
E210233	100.30	100.80		700	289	43	0.046	0.42	3.58	8.3	2	6.7	2110	0.16	0.16	4.4	0.051	0.17	1610	63	74.8	16.4	4	30.3		0.018		
E210234	100.80	101.30		740	27.9	37	0.024	0.29	0.99	5.9	3	4.9	2330	0.07	0.19	2.6	0.036	0.1	78.1	55	16.7	7.2	5	23.6		0.009		
E210235	101.30	102.10		900	10.4	38.3	0.011	0.19	1.16	7.8	2	5.6	2470	0.1	0.13	3.6	0.058	0.1	38.5	72	15.3	9.2	6	32.1		0.005		
E210236	102.10	102.60		1370	1.9	63	0.002	0.12	1.07	5.5	1	8.7	1515	0.08	0.15	6.6	0.043	0.11	16.7	49	12.3	10.4	5	30.6		0.005		
E210237	102.60	103.10		1890	3.7	75.6	0.003	0.15	1.19	5.9	2	10.7	1145	0.1	0.29	8.4	0.049	0.15	37.1	49	11.2	14.1	11	39.2		0.005		
E210238	103.10	103.60		2070	2.6	55.1	0.002	0.19	0.99	5.3	1	8.6	1560	0.1	0.48	7.1	0.035	0.1	24.6	46	7.9	13.7	9	28		0.003		
E210239	103.60	104.10		1490	6	21.6	0.014	0.21	0.97	3.4	2	6.1	1655	0.15	0.79	4.8	0.031	0.06	33.8	42	6.8	10.5	13	19.2		0.015		
E210240			BLANK	370	1.6	1.3	<0.002	0.03	0.3	1.3	1	<0.2	99.7	<0.05	0.06	0.4	0.017	<0.02	0.2	5	0.4	3.6	10	3.8		<0.001		
E210241			STANDARD	2440	6.4	37.3	0.017	7.41	2.15	4.6	5	7.3	183.5	0.12	1.06	6.6	0.033	0.47	16.2	61	6.1	15.6	6	24.7		0.12		
E210242	104.10	104.90		1470	150	34	0.04	0.83	5.13	6.4	6	4.4	1140	0.22	0.43	6.7	0.056	0.25	1150	38	23.8	35.4	14	30.8		0.033		
E210243	104.90	105.90		540	2.6	155.5	0.003	0.21	1.37	10	1	7.2	341	0.22	<0.05	9.8	0.116	0.37	45	60	14	13.3	7	55.5		0.001		
E386430	105.90	107.00		620	3.4	164.5	<0.002	0.25	1.49	10.5	1	7.1	314	0.21	0.09	10.7	0.114	0.35	14.4	60	14.3	12.3	11	49		0.001		1.9
E386431	107.00	108.00		910	2.4	17.3	0.004	0.51	0.9	4.6	3	2	278	0.12	0.34	4	0.039	0.08	11.9	28	7.2	11.7	26	21.3		0.008		
E386432	108.00	109.00		1200	2	27.6	0.019	0.2	1.02	4.5	2	2.5	1860	0.13	0.44	4.8	0.042	0.1	12.4	39	8.5	8.9	20	24.2		0.005		
E386433	109.00	110.00		700	1.8	129	0.008	0.15	1.7	8.6	2	5.2	291	0.18	0.12	7.2	0.069	0.3	13	55	12.1	9.4	12	42		0.001		2
E386434			BLANK	110	2.8	0.9	<0.002	0.06	0.1	0.6	3	0.2	281	<0.05	<0.05	0.2	0.007	<0.02	0.6	4	0.1	2.8	23	3.3		<0.001		
E386435	110.00	111.00		710	1.9	206	<0.002	0.19	1.85	11.6	1	6.9	137	0.27	0.05	17.2	0.139	0.45	11.8	89	16	12.4	6	59.6		0.001		1.11
E386436	111.00	112.00		730	1.9	221	<0.002	0.2	1.93	12.7	2	6.2	174	0.29	0.08	16.2	0.139	0.48	8.2	87	14.4	12.8	4	65.8		<0.001		1.14
E386437	112.00	113.00		660	1.3	224	<0.002	0.16	2.27	12.1	1	6	140.5	0.36	0.07	11.7	0.158	0.48	5.6	67	14.2	11.4	2	58.5		<0.001		1
E386438	113.00	114.00		620	1.6	215	<0.002	0.17	2.53	11.6	1	5.5	126.5	0.44	0.08	11	0.174	0.49	5.9	84	15.3	11.5	3	59.7		<0.001		0.94
E386439	114.00	115.00		570	1.8	182.5	<0.002	0.23	2.06	10.3	1	4.6	193.5	0.33	0.11	11.5	0.142	0.4	5.7	56	12.7	11.5	3	53		<0.001		1.17
E386440	115.00	116.00		570	2.1	178	<0.002	0.29	1.6	10.6	1	4.4	238	0.21	0.06	9.8	0.119	0.4	5.5	55	11	10.7	4	46.6		<0.001		1.37
E386441	116.00	117.00		640	1.8	194.5	<0.002	0.28	1.89	11.4	1	4.9	217	0.25	0.12	13.4	0.128	0.44	6	60	11.8	11.8	3	52.5		<0.001		1.42
E386442	117.00	118.00		770	1.8	230	<0.002	0.22	2.36	12.8	1	5.7	184	0.34	0.06	14.3	0.163	0.5	6.1	69	14.2	11.9	3	61.3		<0.001		1.3
E386443	118.00	119.00		770	1.4	218	<0.002	0.22	1.99	12.1	1	5.3	202	0.26	0.05	12.2	0.134	0.47	5.2	65	11.6	12.1	3	54.9		<0.001		1.19

IG-2007-06

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	%	ppm	ppm
E386444	119.00	120.00		0.02	6.55	0.5	7020	3.32	0.03	3.87	<0.02	57.4	30.7	37	10.8	6.8	3.7	18.55	0.13	1.9	0.093	3.19	33.8	41.1	1.45	4060	0.27	0.07	3.2	15.7
E386445			BLANK	0.02	0.16	<5	60	0.11	<0.01	49.8	0.45	2.31	1.3	5	0.05	2.8	0.06	0.57	<0.05	0.1	0.005	0.04	1.8	2	0.53	49	0.2	0.01	0.3	0.2
E386446			STANDARD 2	1.2	2.4	116	30	0.8	11.9	2.26	0.02	192.5	332	12	2.55	8890	26.8	9.73	0.44	0.7	0.273	0.66	124	28.5	1.54	5910	64.4	0.24	5.2	59.9
E386447	120.00	121.00		0.06	5.14	0.8	9880	2.34	0.17	5.37	<0.02	60.4	45.7	26	7.54	47.4	7.33	14.1	0.16	1.5	0.145	2.22	36.7	48.9	2.85	8640	0.7	0.06	2.1	23.5
E386448	121.00	122.00		0.03	6.09	1.4	>10000	3	0.09	2.88	<0.02	44.4	26.2	34	9.47	33.8	5.95	17.7	0.15	1.7	0.2	2.81	28.9	47.5	2.09	7220	0.71	0.06	2.2	18.8
E386449	122.00	123.00		0.03	4.8	1.4	4540	2.46	0.1	2.45	<0.02	114	33.5	27	7.45	23.7	8.43	15.1	0.22	1.2	0.31	2.12	55.4	42.4	2.36	11100	3.21	0.05	1.2	19.1
E386450	123.00	124.00		0.02	6.99	0.5	9870	3.59	0.07	3.83	<0.02	79.7	24.2	37	11.35	23.8	3.87	19.95	0.14	1.9	0.123	3.34	53.4	44.1	1.82	4190	0.66	0.07	2.9	16.3
E386451	124.00	125.00		0.03	6.2	0.6	>10000	3.32	0.03	4.06	<0.02	42	24.3	34	9.92	12.9	4.4	17.9	0.12	1.6	0.139	2.97	25.6	41	2.1	5540	1.21	0.07	2.5	14.9
E386452	125.00	126.00		0.06	7.13	1.7	7030	3.35	0.08	3.96	<0.02	193	26.2	39	11.1	38	4.54	19.8	0.24	1.9	0.188	3.37	91.5	49.2	2.37	5190	5.2	0.07	4	17.8
E386453	126.00	127.00		0.04	8.46	1.1	5770	4.28	0.11	0.73	<0.02	183	23.6	54	13.4	53.5	5.77	24.8	0.22	2.2	0.211	3.99	96.1	63.4	1.44	4660	6.26	0.08	3.9	22.5
E386454	127.00	128.00		0.04	8.37	1.2	7480	4.8	0.03	0.88	<0.02	101.5	21.2	53	14.8	82.8	5.33	28.4	0.19	2.1	0.248	4.3	50.4	62.7	1.41	5280	0.87	0.08	4.1	19.8
E386455	128.00	129.00		0.17	8.57	1.3	9420	3.09	0.06	3.97	<0.02	170.5	35.7	35	9.45	36.3	5.84	17.55	0.22	1.8	0.183	2.88	86.6	54.5	2.5	5600	0.76	0.06	3.2	22.4
E386456	129.00	130.00		0.06	6.87	1	4310	3.48	0.14	4.85	<0.02	88.4	59.2	36	9.23	191	6.64	17.8	0.16	1.9	0.156	2.58	43.8	73.1	2.52	5440	5.43	0.06	3.6	25
E386457			BLANK	0.02	0.16	<5	50	0.09	<0.01	49	0.42	2.57	1.4	6	0.06	2.6	0.06	0.56	<0.05	0.1	0.005	0.04	1.9	1.9	0.53	51	0.2	0.02	0.2	0.2
E386458	130.00	131.00		0.07	5.57	1	2950	2.68	0.08	5.23	<0.02	65.7	57.3	30	7.31	402	6.31	14.05	0.16	1.6	0.156	2.2	34.3	55.2	2.52	6010	1.26	0.05	3.3	21.6
E386459	131.00	132.00		0.05	7.27	1	4760	3.5	0.04	3.95	<0.02	319	38.1	40	10.85	115	4.52	20.5	0.29	2	0.164	3.25	156.5	57	2.06	4380	0.83	0.07	4.6	18.9
E386460	132.00	133.00		0.11	5.77	1.7	2790	2.46	0.18	8.27	<0.02	35.8	58.2	27	8	892	6.5	13.45	0.15	1.7	0.143	2.12	18.8	65.5	3.37	6940	1.32	0.05	2.9	20
E386461	133.00	134.00		0.06	8.26	1.2	3250	3.12	0.05	5.98	<0.02	102.5	52.4	32	9.52	277	5.67	16.3	0.19	1.7	0.135	2.68	50.6	59.9	2.82	6670	0.6	0.06	3.1	18.3
E386462	134.00	135.00		0.13	7.16	1.9	3630	3.81	0.29	5.03	<0.02	117	61.7	37	11.7	1270	5.96	19.6	0.19	2	0.149	3.03	61.8	79.4	2.67	5570	1.82	0.06	2.8	24.7
E386463	135.00	136.00		0.06	7.11	1.8	9240	3.76	0.07	4.53	<0.02	176.5	50	38	12.35	198.5	5.01	18.6	0.19	2.1	0.128	3.19	103.5	67.7	2.24	4930	2.44	0.07	3	21.1
E386464	136.00	137.00		0.06	7.13	1	7380	3.96	0.01	4.5	<0.02	49.4	47.5	35	12.9	133	4.7	19.75	0.13	1.8	0.127	3.3	26.3	64.1	1.99	4890	0.27	0.07	3	19.8
E386465	137.00	137.75		0.29	7.26	2	4190	3.85	0.78	5.2	<0.02	97.7	58.5	41	13.15	1720	5.43	19.6	0.16	2.1	0.15	3.27	48	67.5	2.42	5550	0.28	0.07	3.8	21.2
E210244	137.75	138.75		0.25	6.07	2.4	3150	2.99	0.84	5.08	<0.02	115.5	49.4	33	11.8	2020	5.03	17.9	0.21	1.8	0.138	2.71	65.6	52.7	2.12	5760	1.47	0.04	3.6	19.5
E210245	138.75	139.25		1.59	6.89	1.6	1320	3.1	1.78	6.11	<0.02	86	53.6	45	12.7	>10000	7.2	18.9	0.23	1.8	0.259	2.96	52.2	51.4	2.56	7050	6.91	0.06	3.6	24.6
E210246	139.25	140.00		0.17	6.53	1.3	4030	3	0.26	6.06	<0.02	60.9	48.6	34	12.75	1285	5.89	18.3	0.15	1.9	0.153	2.82	35.5	57.7	2.99	6780	1.52	0.05	3.8	22.7
E210247	140.00	140.50		1.26	4.97	2.7	650	1.92	1.31	3.63	<0.02	70.8	117	27	6.37	8090	11.75	13.1	0.2	1.4	0.305	1.25	44.7	57.1	2.59	9670	6.36	0.52	2.9	32.9
E210248	140.50	141.00		2.88	3.97	10	140	1.16	2.86	4.01	<0.02	74.6	150.5	24	3.47	>10000	15.15	9.99	0.25	1.3	0.5	0.81	39.4	29.7	2.83	14450	10.65	1.17	4.4	35.4
E210249	141.00	141.50		7.98	3.4	11	120	1	6.69	3.47	<0.02	106	168	16	2.84	>10000	18.05	8.51	0.26	1	0.731	0.68	66.7	26.8	2.42	13100	18.85	0.99	5.6	43.9
E210250			BLANK	0.15	0.34	<5	50	0.09	0.03	20.4	0.16	5.3	2.1	7	0.17	7.8	0.28	1.09	0.32	0.1	0.012	0.05	2.8	3.2	11.1	252	0.81	0.02	0.6	8.5
E210251	141.50	142.00		3.86	3.32	8.1	100	0.95	2.67	2.88	<0.02	35.8	229	14	3.83	>10000	22.5	6.01	0.27	0.6	0.696	0.96	21.5	20	2.52	19750	28.8	0.45	3.1	49
E210252	142.00	142.50		5.92	1.26	12.1	60	0.48	3.83	2.93	0.02	52.4	177	5	1.43	>10000	17.4	4.3	0.24	0.4	0.527	0.32	20.6	14.6	1.95	13050	35.7	0.04	2.8	42.5
E210253	142.50	143.00		0.13	0.52	1.1	1050	0.13	0.12	0.09	<0.02	15.5	6.8	8	0.43	787	1.13	1.48	0.06	0.3	0.019	0.2	7.4	3.9	0.09	532	1.13	0.02	1	3.2
E210254	143.00	143.75		6.15	4.9	7.9	240	1.77	3.79	5.06	<0.02	94.4	143	29	6.8	>10000	15.8	9.94	0.3	1.4	0.571	0.97	63.3	67.6	4.31	10950	28.1	0.03	4.6	38.9
E210255	143.75	144.25		8.02	6.05	5.5	1590	2.48	2.4	5.81	<0.02	188	70.5	35	9.89	>10000	8.08	18	0.36	1.6	0.253	2.33	97.2	50.2	3.11	8130	63.7	0.06	4.4	19.9
E210256	144.25	144.75		0.37	7.23	3.5	5690	2.86	0.29	5.18	<0.02	61.1	64.3	37	12.15	384	5.55	20.2	0.17	1.7	0.186	3.1	34	49	2.45	6330	12	0.1	4	15.9
E210257	144.75	145.25		2.77	6.25	5.7	690	2.48	2.3	7.08	<0.02	121.5	122	38	9.87	>10000	9.04	17.25	0.29	1.6	0.425	2.17	68.2	61.8	3.72	9180	18.7	0.05	4.7	25.5
E210258	145.25	145.75		0.39	6.54	2.6	4980	2.67	0.44	5.71	<0.02	99.3	53.4	34	11	101	5.47	18.85	0.19	1.8	0.212	2.71	61.2	52.2	2.81	7070	44.1	0.08	4.2	14
E210259	145.75	146.25		0.29	6.23	0.7	3140	2.65	0.39	5.87	<0.02	64.4	56.8	30	10.7	50.3	5.61	17.8	0.15	1.8	0.153	2.66	41	50	2.74	7380	50	0.07	3.4	15.5
E210260			BLANK	0.19	0.33	<5	60	0.09	0.02	19.8	0.16	5.23	2	8	0.17	6.8	0.26	1.13	0.36	0.1	0.013	0.05	2.7	3.1	10.65	247	0.41	0.02	0.6	7.9
E210261			STANDARD 3	0.25	7.06	43.9	580	2.47	1.62	1.82	<0.02	73.2	107	43	6.45	1450	6.63	19.05	0.18	1.9	0.128	2.92	44.6	20.9	1.34	3250	20.8	0.56	3.5	24.9
E210262	146.25	146.75		0.16	5.9	0.8	6570	2.46	0.21	6.92	<0.02	25.3	51.4	27	10.1	110	5.58	16.95	0.13	1.5	0.243	2.55	14.3	48.1	3.16	8550	16.95	0.09	3.8	14.9
E210263	146.75	147.25		0.29	6.21	1	3080	2.51	0.32	6.5	<0.02	60.8	67.8	30	10.05	39.2	6.26	17.65	0.16	1.5	0.179	2.59	35.4	50.2	2.93	8080	68.1	0.07	3.4	18.8
E210264	147.25	147.75		0.33	6.13	2.2	2950	2.41	0.39	6.38	0.03	73.8	75.5	30	10.15	29.5	6.45	17.05	0.17	1.6	0.166	2.56	46.6	46.8	2.67	8300	54.5	0.07	3.4	19.6
E210265	147.75	147.25		0.25	4.57	<5	7480	1.75	0.33	11.7	<0.02	147	86.8	20	7.25	141.5	7.38	12.75	0.24	1.3	0.167	1.79	88.1	41.2	5.4	15900	24.3	0.09	3.1	15.1
E210266	147.25	148.75		0.16	6.47	2.2	3580	2.56	0.28	6.16	<0.02	89.7	87.5	36	12.1	20.4	7.27	17.95	0.21	1.8	0.16	2.45	56	60.3	2.97	7990	13.7	0.07	4	19
E210267	148.75	149.25		0.25	6.73	1.7	>10000	2.47	0.29	5.9	<0.02	171	108	36	10.95	987	9.48	18.3	0.26	1.8	0.222	2.54	97.7	58	3.28	10600	6.99	0.14	4.1	22.8
E210268	149.25	149.75		0.2	5.23	2	6620	1.88	0.28	4.55	<0.02	70.4	133.5	26	7.11	197	10.6	11.3	0.19	1.3	0.182	1.35	42	62.6	3.46	8800	12.45	0.08	2.2	25.5
E210269	149.75	150.25		0.27	5.53	2.3	9520	2.08	0.33	3.97	0.04	68	144	28	8.33	981	12.1	14.25	0.21	1.4	0.257	1.81	40.3	52.4	3.16	11700	2.27	0.1	2	25.9
E210270	150.25	150.75		1.17	6.56	2	3750	2.57	1.09	3.75	0.04	87	141.5	44	10.95	7930	12.9	19.45	0.25	1.7	0.315	2.59	55.8	45.8	2.82	11900	4.48	0.07	2.5	27.3
E210271			BLANK	0.11	0.3	<5	40	0.09	0.01	18.25	0.15	4.67	1.9	6	0.15	5.4	0.23	1.01	0.32	0.1	0.008	0.05	2.5	2.7	9.85	225	0.26	0.02	0.6	7
E210272	150.75	151.25		5.43	3.77	7.7	90	1.11	3.69	3.63	<0.02	127	203	20	4.82	>10000	19.1	8.62	0.33	1.1	0.581	0.55	63	49.3	3.48	11950	30.8	0.02	3.8	42.2
E210273	151.25	151.75		6.61	3.84	13.4	170	1.35	4.52	3.19	<0.02	142	221	21	4.54	>10000	19.1	8.68	0.32	1.2	0.607	0.36	77.3	60.3	3.72	11100	23.7	0.02	4.3	48.2
E210274	151.75	152.25		10.45	5.19	43.7	150	1.85	6.37	5.45	0.03	78.9	278	25	6.18	>10000	18.25	9.83	0.3	1.5	0.805	0.45	50	93.9	4.77	8490	14.85	0.02	6.2	50.1
E210275	152.25	152.75		10.1	4.12	27.2	80	2.2	10.9	4.77	0.02	85.5	196.5	24	5.94	>10000	13.75	13.95	0.33	1.3	0.618	0.98	35	61.6	3.25	7930	16.7	0.03	7	34.6
E210276	152.75	153.25		4.51	3.67	15.4	140	1.55	5.38	4.52	<0.02	95.6	233	20	4.92	>10000	18.45	11.95	0.28	1.1	0.644	0.91	64.2	45.2	3.53	16350	20.4	0.03	3.8	36.7
E210277	153.25	153.75		7.27	2.97	15	70	1.15	10.55	7.7	0.04	137.5	230	16	3.21	>10000	16.6	8.75	0.31	1.1	0.885	0.39	97.4	46.7	4.93	15400	22.7	0.02	8.5	38.1
E210278	153.75	154.25		32.1	2.21	42.8	20	0.78	80.9	3.75	0.07	94.9	193	15	2.51	>10000	21.5	7.3	0.38	0.7	1.75	0.44	82.8	26.4	2.44	7060	32.1	0.04	2.3	25.6
E210279	154.25	155.75		3.26	6.53	14.3	1270	2.39	10.75	6.51	<0.02	114	224	42	6.9	>10000	15.15	16.75	0.22	2	0.537	0.84	79.7	114	6.11	7810	9.03	0.04	4.7	57
E210280	155.75	155.25		12.4	5.06	28.5	80	1.85	20.1	7.13	<0.02	92.2	204	29	5.96	>10000	15.75	13.55	0.24	1.5	0.553	0.53	49.5	92.6	5.4	8970	107.5	0.02	5.7	41.1
E210281			BLANK	0.07	0.31	<5	30	0.1	0.01	18.65	0.14	4.78	2	9	0.15	6.9	0.25	1.04	0.36	0.1	0.009	0.05	2.3	2.6	9.98	229	0.25	0.02	0.5	8.4
E210282			STANDARD 1	1	5.66	69.2	60	1.7	2.63	1.93	<0.02	51.7	164.5	36	3.57	7190	9.83	15.15	0.16	1.7	0.139	2.05	17.3	26.1	1.22	3310	63.2	0.98	2.5	36.6
E210283	155.25	155.75		2.71	5.67	8.9	190	2.15	5.56	8.12	<0.02	90.8	140.5	38	7.47	>10000	11.45	16.35	0.18	1.5	0.296	1.22	56.9	89.3	4.4	8070	4.78	0.04	4.3	26
E210284	155.75	156.25		0.38	5.12	2	4660	2.17	0.82	3.83	<0.02	71	66.4	33	8.37	1070	5.82	17.45	0.13	1.3	0.132	1.77	45	65.7	2.37	4460	1.68	0.07	3.4	11.7
E210285	156.25	156.75		5.67	3.64	405	80	1.58	143	6.34	<0.02	47	475	26	5.08	>10000	12.25	11	0.17	1	0.317	1.09	17	52.8	3.4	11000	16.1	0.03	4	29.3
E210286	156.75	157.25		8.66	0.96	793	30	0.48	589	5.11	0.05	86.9	916	5	0.91	>10000	20.2	3.3	0.3	0.4	0.419	0.21	45.4	14.1	2.36	17200	43.7	0.07	5.8	71
E210287	157.25	157.75		3.8	2.82	106	80	0.43	52.2	4.71	0.02	87.2	292	17	1.41	>10000	14.5	7.49	0.18	0.9	0.304	0.4	45	14	2.13	16100	29.1	1.46	3.8	35
E210288	157.75	158.25		9.16	2.54	162	20	0.83	90.1	3.72	<0.02	105	406	16	1.59	>10000	22.4	9.33	0.39	0.9	0.55	0.45	65.2	18.1	2.26	22800	35	1.14	5.1	47
E210289	158.25	158.75		11.6	0.67	170.5	10	0.27	226	2.03	0.03	49.4	444	6	0.29	>10000	25.6	3.97	0.33	0.3	0.637	0.1	27.6	6.3	1.7	24900	36.3	0.46	2.9	45
E210290	158.75	159.25		5.44	4.37	50.5	40	2.03	43.5	5.88	0.02	68	167.5	28	4.71	>10000	11.45	15.4	0.19	1.6	0.286	1.28	26.8	56.9	2.78	9120	15	0.41	8.7	38.7
E210291	159.25	159.75		5.05	6.39	50	110	3.21	31.8	4.59	0.02	125	186.5	38	9.31	>10000	9.9	24.1	0.2	2.2	0.298	2.07	79.5	78.1	2.76	5960	15.7	0.41	7	35.2
E210292			BLANK	0.1	0.31	7	30	0.11	0.01	19.1	0.16	5.12	1.9	7	0.15	6.7	0.25	1.03	0.34	0.1	0.009	0.05	2.5	2.5	10.3	237	0.26	0.02	0.5	7.4
E210293	159.75	160.25		14.05	2.71	169.5	20	1.8	304	2.91	0.1	27.3	332	17	3.86	>10000	15.4	11.3	0.37	1	0.441	0.89	7.5	34.2	2.07	7660	38.8	0.03	5.1	41.8
E210294	160.25	161.00		16.45	1.74	816	10	1.43	241	2.22	<0.02	64.2	883	13	1.96	>10000	19.9	6.06	0.4	0.8	0.397	0.32	27.3	29.3	1.91	10350	47.8	0.02	4.3	55.5
E210295	161.00	162.00		0.58	4.65	4.4	4890	1.25	2.92	0.49	<0.02	42.7	46.2	27	8.26	292	10.55	12.55	0.14	1.9	0.346	1.88	26.9	24.3	1.54	8230	34.6	0.09	1	20.2

IG-2007-06

Sample No	From (m)	To (m)	Standard/B	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	U	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	ppm
E386444	119.00	120.00		580	1.4	196.5	<0.002	0.11	1.98	10.9	1	4.8	128.5	0.24	<0.05	10.9	0.12	0.44	4.7	56	10.4	11.3	2	55.8		<0.001		0.78
E386445			BLANK	130	0.7	1	<0.002	0.07	0.09	0.6	3	<0.2	304	<0.05	<0.05	0.2	0.007	<0.02	0.6	5	0.1	3	26	3.6		0.001		
E386446			STANDARD	2410	6.5	35.1	0.016	7.04	2.31	4.9	6	7.8	182	0.11	1.16	5.3	0.031	0.48	13.6	57	6.2	14.6	12	22.4		0.113		
E386447	120.00	121.00		520	1.7	137	<0.002	0.24	1.36	8.8	1	3.5	202	0.15	0.06	10.5	0.085	0.31	8.2	43	7.3	11.6	11	45.1		0.001		1.09
E386448	121.00	122.00		610	2.1	176.5	<0.002	0.26	1.59	10.5	1	5.1	176	0.16	0.06	11.1	0.094	0.41	9.7	55	9.2	10.4	8	50.7		<0.001		1.4
E386449	122.00	123.00		480	3.2	141	<0.002	0.17	1.17	9.1	1	3.6	596	0.08	<0.05	8.5	0.061	0.34	8.3	45	6	10.5	12	36.2		0.001		
E386450	123.00	124.00		650	1.4	211	0.002	0.19	1.71	12.3	1	4.6	145.5	0.21	0.13	12.7	0.114	0.47	5.2	62	9.9	11.9	4	55.1		0.001		1.11
E386451	124.00	125.00		640	1.6	188.5	<0.002	0.22	1.57	11.6	1	4.1	235	0.18	0.07	10.8	0.096	0.43	5.6	55	8.4	11.3	5	47.9		<0.001		1.7
E386452	125.00	126.00		730	3.2	200	0.002	0.11	2.13	12.2	1	4.7	87.7	0.31	<0.05	15.4	0.141	0.47	6.9	66	12.3	13	10	54.5		0.001		0.77
E386453	126.00	127.00		620	3	229	<0.002	0.08	2.04	13.9	2	5.8	40.9	0.29	<0.05	17.8	0.153	0.57	10.5	84	13.9	11.1	10	64.6		0.001		0.82
E386454	127.00	128.00		830	2	244	<0.002	0.1	2.09	15.3	1	6	67.4	0.28	<0.05	16.8	0.16	0.61	6.4	85	13.6	10.4	7	63.3		<0.001		0.81
E386455	128.00	129.00		660	2.3	168.5	0.003	0.21	1.86	10.9	1	4	201	0.24	<0.05	14.8	0.123	0.4	7.8	58	10.1	12.1	13	52.3		0.001		1.55
E386456	129.00	130.00		710	2.4	157.5	0.007	0.07	2	10.6	1	4.6	104.5	0.26	<0.05	13.8	0.12	0.41	12.6	62	14.1	12.9	18	54.3		0.001		
E386457			BLANK	130	0.6	1	<0.002	0.07	0.08	0.5	2	0.2	301	<0.05	<0.05	0.2	0.007	<0.02	0.6	5	0.1	2.8	23	3.6		<0.001		
E386458	130.00	131.00		570	2	129	0.002	0.07	1.93	8.8	2	3.2	96.2	0.26	<0.05	11.2	0.111	0.33	12.3	50	11.1	11.8	16	46.2		<0.001		
E386459	131.00	132.00		750	2.8	194.5	<0.002	0.06	2.26	11.6	2	4.7	78	0.35	<0.05	19.7	0.156	0.48	8.9	69	14.5	13.3	11	57		<0.001		
E386460	132.00	133.00		630	2.9	127	<0.002	0.11	1.85	8.9	2	2.9	95.7	0.24	<0.05	11.7	0.102	0.31	21	48	9.9	12.9	20	49.3		0.001		
E386461	133.00	134.00		630	2.2	160	<0.002	0.06	1.87	10.2	1	3.6	109.5	0.23	<0.05	12.6	0.112	0.4	14	55	11	13.3	12	50.4		<0.001		
E386462	134.00	135.00		740	1.8	187	<0.002	0.15	1.89	12.9	2	4.3	106.5	0.2	<0.05	15.1	0.109	0.43	10.6	65	10.8	14.7	13	60.6		0.001		
E386463	135.00	136.00		650	2.4	192	0.002	0.2	2.05	12.1	2	4	199.5	0.22	<0.05	16.2	0.112	0.45	12.7	62	10.2	14.3	11	68.9		0.001		0.98
E386464	136.00	137.00		700	3.2	204	<0.002	0.13	1.97	12.5	1	4.4	168.5	0.21	<0.05	13.3	0.116	0.48	8.3	64	10.2	12.8	7	56.3		<0.001		0.8
E386465	137.00	137.75		680	2	204	<0.002	0.21	2.26	12.8	2	4.3	119.5	0.28	<0.05	14.4	0.131	0.48	10.9	64	11.5	13.6	9	63.2		0.003		
E210244	137.75	138.75		600	3.8	169	0.002	0.26	2.21	10.8	2	3.6	108.5	0.3	<0.05	13.5	0.132	0.44	33.3	60	10.7	14.2	10	54.8		0.005		
E210245	138.75	139.25		620	3.1	179.5	0.002	1.36	1.98	11.9	11	4	124	0.29	0.26	13.7	0.14	0.45	8.7	69	11.6	15	7	57.5	1.635	0.019		
E210246	139.25	140.00		640	2.1	172.5	0.002	0.16	2.07	11.5	2	3.8	107	0.29	0.07	13.7	0.14	0.42	4.9	64	11.1	14.4	13	57.1		0.004		
E210247	140.00	140.50		530	4.5	83.5	0.008	0.83	1.88	9.1	2	3.2	348	0.2	0.12	11.2	0.077	0.24	35	39	10.3	11.9	19	46.8		0.01		
E210248	140.50	141.00		630	83.7	53.6	0.006	1.54	4.51	6.7	2	5.2	456	0.2	0.17	7.1	0.067	0.2	1170	38	17.9	21.5	16	41.2	1.885	0.022		
E210249	141.00	141.50		640	176.5	40.2	0.009	3.15	6.62	5.2	3	6.4	84.1	0.21	0.49	7.5	0.061	0.18	2130	41	22.8	29.8	11	31.6	4.21	0.046		
E210250			BLANK	410	1.7	1.6	<0.002	0.04	0.33	1.3	2	0.2	112	<0.05	0.05	0.5	0.018	<0.02	0.2	5	0.4	3.9	11	4.5		0.002		
E210251	141.50	142.00		850	9	56.3	0.01	2.23	1.33	4.5	2	7.4	418	0.1	0.25	2.7	0.041	0.2	75.7	44	7.6	7.9	16	20.1	2.91	0.029		
E210252	142.00	142.50		820	60.8	20.3	0.014	2.64	2.83	2.2	3	3.9	882	0.06	0.35	2	0.022	0.09	690	31	9.6	13.1	10	12.3	3.78	0.053		
E210253	142.50	143.00		40	1.6	8.1	0.002	0.11	0.28	0.8	1	0.4	24.9	<0.05	<0.05	2	0.031	0.05	6.4	6	0.4	2	2	8.5		<0.001		
E210254	143.00	143.75		610	26.2	57.4	0.03	2.85	3.69	7.1	8	3.4	77.7	0.28	0.34	9.2	0.093	0.21	404	45	17.9	15.3	31	45.7	3.64	0.033		
E210255	143.75	144.25		640	42.7	134	0.06	1.02	4.37	10	6	4	107.5	0.34	0.25	16.7	0.135	0.42	590	61	26.7	22.4	12	53.3	1.1	0.019		
E210256	144.25	144.75		550	3	180	0.02	0.22	2.43	10.8	1	4.7	159.5	0.31	0.05	10.9	0.141	0.61	34.9	71	19	12.3	17	55.6		0.002		
E210257	144.75	145.25		650	7.3	125.5	0.023	1.07	2.84	10.7	5	4.3	257	0.35	0.16	10.3	0.132	0.38	21	59	20.6	15	21	53	1.04	0.014		
E210258	145.25	145.75		580	3	159	0.041	0.09	2.07	10.1	1	5	123.5	0.34	0.06	12.7	0.138	0.44	10.5	62	17.5	12.8	18	53.2		0.003		
E210259	145.75	146.25		560	2.6	152.5	0.036	0.02	1.89	10	1	4.7	119.5	0.25	0.06	12	0.115	0.41	7	59	13.9	12.8	17	50.2		0.003		
E210260			BLANK	420	1.8	1.5	<0.002	0.02	0.31	1.4	2	0.2	109	<0.05	0.06	0.4	0.017	<0.02	0.3	5	0.5	3.8	11	4.5		<0.001		
E210261			STANDARD	760	2.5	126.5	0.006	1.36	1.12	10.7	2	7.1	479	0.21	0.16	12.3	0.121	0.36	19.8	66	8.2	11.3	11	62.1		0.017		
E210262	146.25	146.75		500	2.9	148.5	0.014	0.13	1.82	9.7	1	4.8	196	0.28	0.06	8.7	0.12	0.38	8.2	56	14.4	12.8	19	48.5		<0.001		
E210263	146.75	147.25		580	2.3	152	0.044	0.02	1.71	10.1	1	5.2	126	0.23	0.09	9.6	0.113	0.41	8.4	61	14.5	14.8	18	50.4		0.002		
E210264	147.25	147.75		530	3	147	0.033	0.01	1.85	11	1	4.8	132	0.25	0.11	13	0.113	0.42	7.8	62	14.3	15.5	20	52.6		0.002		
E210265	147.75	147.25		590	4.5	105	0.02	0.21	1.33	7.6	1	3.5	467	0.23	0.1	10.1	0.09	0.29	16.2	43	12	18	22	40.8		<0.001		
E210266	147.25	148.75		850	3.4	147	0.013	0.02	2.38	11.1	1	5.5	147.5	0.3	0.07	13.3	0.13	0.38	14.4	65	17.8	16.5	25	58.2		<0.001		
E210267	148.75	149.25		720	2.7	140.5	0.01	0.36	1.98	12.1	1	5.3	337	0.32	0.05	15.7	0.138	0.4	18.4	78	20	16.3	27	57.5		0.001		
E210268	149.25	149.75		460	2.7	79.4	0.01	0.24	1.37	7.9	1	2.9	671	0.17	0.05	7.9	0.073	0.23	31.7	50	8.7	12.3	41	42.7		0.001		
E210269	149.75	150.25		480	7.1	104	0.007	0.3	1.62	9	1	4.7	232	0.14	0.06	12.1	0.08	0.31	104	60	10	14.2	38	48.6		0.003		
E210270	150.25	150.75		590	5.5	148.5	0.01	0.73	1.3	11	2	7.9	85.6	0.16	0.09	13.4	0.096	0.44	16.1	70	11.2	14	23	57.2		0.006		
E210271			BLANK	370	1.7	1.3	<0.002	0.03	0.34	1.2	1	<0.2	100	<0.05	0.07	0.5	0.016	<0.02	0.2	5	0.5	3.5	10	4.2		0.001		
E210272	150.75	151.25		910	7.5	35.6	0.02	2.73	1.84	5.6	6	5.5	705	0.16	0.35	7.4	0.056	0.14	35.4	39	9.2	12.8	32	36.4	3.31	0.03		
E210273	151.25	151.75		760	17.1	23.3	0.023	2.68	3.25	5.8	6	4.6	488	0.21	0.33	7.8	0.067	0.13	383	38	14.2	17.2	37	39	3.57	0.035		
E210274	151.75	152.25		470	40.6	29	0.013	4.08	5.14	6.9	6	5.1	214	0.3	1.04	9.7	0.1	0.18	1010	35	24.2	25.2	45	50.3	5.07	0.061		
E210275	152.25	152.75		570	234	69	0.017	3.04	10.4	7.4	5	8.9	460	0.27	0.35	9.7	0.088	0.34	2990	44	40.2	45	21	44.9	3.85	0.067		
E210276	152.75	153.25		760	26.4	54.7	0.01	2.22	2.71	6.6	3	8.2	254	0.18	0.22	5.9	0.066	0.2	419	49	14.9	17.5	25	36.7	2.72	0.029		
E210277	153.25	153.75		600	43.1	24.3	0.009	3.34	4.52	5	2	8	206	0.25	0.37	7.2	0.08	0.18	1150	37	24	27.7	29	37.3	4.38	0.046		
E210278	153.75	154.25		640	17.7	26.7	0.029	>10.0	2.15	4.1	5	12	101.5	0.1	3.58	5.2	0.03	0.12	144	21	6.9	8.8	24	23.4	17.75	0.189		
E210279	154.25	155.75		590	10.3	48.3	0.008	2.24	2.44	9.8	2	10.9	101	0.25	0.24	12.4	0.097	0.19	185	75	12.9	16.4	68	66.9	2.53	0.021		
E210280	155.75	155.25		510	91.9	32.9	0.063	3.92	8.15	7.7	5	9.7	321	0.27	0.57	9.4	0.087	0.24	1550	41	32.3	28.7	39	53.6	4.56	0.106		
E210281			BLANK	380	1.6	1.2	<0.002	0.03	0.33	1.3	2	0.2	99.6	<0.05	0.07	0.4	0.015	<0.02	0.2	5	0.4	3.8	10	4.8		0.002		
E210282			STANDARD	850	21.6	85.8	0.027	2.3	1.61	9.6	3	7.8	555	0.12	0.23	8.3	0.072	0.44	267	54	7.6	14.2	10	58.8		0.049		
E210283	155.25	155.75		590	17.3	77.8	0.013	1.28	3.22	9.1	2	8.8	367	0.23	0.13	9.3	0.069	0.25	297	55	21.4	16	33	54.8	1.37	0.009		
E210284	155.75	156.25		530	2.7	108	0.005	0.18	2.01	9.4	1	6.6	190	0.24	0.05	9.5	0.095	0.31	15.8	55	17.6	9.5	16	47.2		0.001		
E210285	156.25	156.75		610	82.9	62	0.007	2.05	3.98	6.3	3	5.9	899	0.16	0.42	5.9	0.059	0.24	860	43	22.5	16.7	23	35.3	2.29	0.018		
E210286	156.75	157.25		1100	114.5	12.8	0.025	2.77	5.24	2.7	3	9	868	0.14	0.57	2.2	0.021	0.13	1100	37	42.8	18.6	10	11.9	3.2	0.031		
E210287	157.25	157.75		1140	23.3	21.5	0.019	1.73	1.77	4.1	3	6	1750	0.14	0.22	4.9	0.034	0.17	111.5	44	25	10	20	29.7	1.72	0.014		
E210288	157.75	158.25		990	99.3	24	0.012	4.62	4.81	5.4	3	8	265	0.16	0.51	5.9	0.045	0.14	1180	34	50.7	17.4	10	31.7	5.66	0.039		
E210289	158.25	158.75		1080	60.3	5.1	0.026	5.86	3.12	2.2	4	4.8	320	0.07	0.29	1.6	0.015	0.1	580	19	66.2	11	6	13.1	8.11	0.053		
E210290	158.75	159.25		990	60.8	66.9	0.013	3.32	6.19	7.3	2	8.7	431	0.26	0.16	8.3	0.103	0.3	1410	55	58.5	21.6	21	55.3	3.98	0.044		
E210291	159.25	159.75		860	24.2	116	0.029	2.64	5.33	9.8	2	11.3	244	0.26	0.16	13	0.128	0.45	740	69	38.7	19.1	27	74	3.1	0.017		
E210292			BLANK	390	1.4	1.3	<0.002	0.03	0.26	1.2	2	<0.2	102.5	<0.05	0.05	0.4	0.016	<0.02	0.2	4	0.4	3.7	14	4.1		0.001		
E210293	159.75	160.25		1180	59.3	53.3	0.037	6.73	5.14	5.8	5	8.9	340	0.15	0.48	2.6	0.061	0.2	750	39	23.9	13.6	16	35.4	8.96	0.071		
E210294	160.25	161.00		1330	19	19.2	0.031	7.53	3.06	4.8	6	10.1	446	0.1	0.81	2.1	0.035	0.16	163.5	31	14.8	11.4	25	28.4	10	0.109		
E210295	161.00	162.00		570	3.6	115	0.011	0.24	1.5	7.2	2	3.1	90.3	0.07	0.12	11.2	0.053	0.37	20.4	43	5.2	8.7	11	63.9		0.009		

IG-2007-07

Sample No	From (m)	To (m)	Standard/Blank	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
E385001	108.00	109.00		0.08	5.67	15.3	990	1.71	0.38	2.16	0.03	105	142.5	32	5.01	65	12.3	17.1	0.25	1.8	0.243	2.29	79.3	65.9	2.35	7040	13.55	0.03	10	27.7
E385002	109.00	109.50		0.16	5.88	25.4	430	1.82	0.79	1.46	0.03	153	209	38	5.02	87.1	15.05	17.1	0.29	1.9	0.211	2.06	115	73.5	2.54	7030	25.4	0.03	12.5	41.5
E385003	109.50	110.00		0.22	5.64	72.3	1580	1.86	0.9	3.32	<0.02	95	415	31	4.92	746	15.45	17.4	0.28	1.8	0.122	1.89	71.5	67.5	2.7	2720	15.75	0.03	16	37.7
E385004	110.00	110.50		0.43	2.85	20.7	420	0.78	0.92	5.87	<0.02	323	81.7	15	2.4	4560	17.9	7.59	0.36	1.3	0.176	0.39	229	45.9	3.43	5600	31.6	0.01	11.1	19.4
E385005	110.50	111.00		0.29	3.25	17.6	1000	0.78	1.29	8.59	<0.02	268	88.4	12	2.26	2030	16.7	9.24	0.33	1.6	0.248	0.63	208	43.3	4.84	8680	21.9	0.02	15.7	24.8
E385006	111.00	111.50		0.13	1.82	12	3770	0.45	0.4	10.1	<0.02	189.5	64.4	7	0.87	128	17.65	5.39	0.29	0.6	0.335	0.23	143.5	24.9	5.36	12900	18.25	0.03	12.6	21.6
E385007	111.50	112.00		0.21	1.1	19.4	1700	0.3	1.43	5.04	0.03	204	101.5	2	0.6	599	21.6	4.3	0.33	0.4	0.483	0.13	155.5	15	4.47	24300	13.45	0.03	9	16.5
E385008	112.00	112.50		0.25	1.23	27	3080	0.41	0.79	11.6	<0.02	162.5	43.1	6	0.78	602	15.6	4.05	0.26	0.5	0.316	0.23	131	16.5	5.4	12350	15.7	0.03	8	11.4
E385009	112.50	113.00		0.5	2.96	10.9	1920	0.77	0.9	6.7	0.02	212	108	9	2.71	2810	17.9	7.05	0.32	0.9	0.283	0.18	159.5	45.2	5.06	15000	10.45	0.03	7.8	30.4
E385010	113.00	113.50		0.34	3.36	9.8	1570	0.84	0.88	6.07	0.03	124.5	85.9	12	3.13	3100	20.5	7.96	0.29	1.1	0.432	0.25	97.7	51	5.38	18800	9.71	0.03	8	30.1
E385011			BLANK	0.03	3.13	1.1	1950	0.43	<0.01	0.26	<0.02	16.4	1.1	49	0.6	28.3	0.44	6.35	0.06	0.3	0.007	2.28	9.7	7.7	0.06	196	0.34	0.86	1.8	1.4
E385012	113.50	114.00		0.27	3.28	11.6	2070	0.97	0.88	9.17	0.03	66.2	101.5	11	3.25	1840	15.95	7.93	0.2	1	0.268	0.5	49.8	44.8	5.21	9750	8.57	0.03	10	30.1
E385013	114.00	114.50		0.2	2.3	6.8	1450	0.75	0.41	8.69	0.03	33.8	81	16	2.69	1855	15.2	6.99	0.18	0.7	0.269	0.75	23.7	27	3.94	12350	6.05	0.03	9.5	20.7
E385014	114.50	115.00		0.09	4.02	7.7	2870	1.18	0.18	6.35	0.02	71.2	79.4	19	3.76	58	15.05	13.15	0.21	1.2	0.233	1.65	54.5	38.9	2.92	10650	7.43	0.17	12.7	22.4
E385015	115.00	115.50		0.15	3.18	10.5	5310	0.5	0.79	8.51	0.02	157	89.5	14	1.42	287	16.9	7.74	0.28	0.9	0.219	0.75	133	17.7	3.22	13600	13.8	1.12	9.3	18.1
E385016	115.50	116.00		0.5	1.2	18.7	2220	0.35	1.67	9.86	0.03	238	134	3	0.62	884	16.8	3.7	0.31	0.4	0.338	0.05	180	20.4	5.1	15550	55.8	0.03	6.9	13.7
E385017	116.00	116.50		0.12	3.62	12.3	4210	0.97	0.53	8.29	<0.02	168	97.3	16	2.23	155	15.75	9.07	0.28	1.1	0.226	1.14	139.5	29.2	3.2	12150	8.78	0.68	9.4	20.6
E385018	116.50	117.00		0.09	2.58	9.4	4540	0.84	0.58	4.37	0.02	136	114	14	2.05	52	18.1	8.5	0.26	0.7	0.279	0.98	109	27.2	2.36	14150	7.54	0.11	10.2	34
E385019	117.00	117.50		0.14	1.84	5.8	3720	0.48	0.83	7.39	0.03	117	123.5	7	1.18	182.5	16.35	5.43	0.28	0.5	0.285	0.46	91	17.2	3.32	17600	9.58	0.27	9.5	27.7
E385020	117.50	118.00		0.21	0.82	7.2	3910	0.23	1.16	7.61	0.02	78.7	142	5	0.55	263	20	3.41	0.26	0.2	0.304	0.17	56.5	9.3	3.18	19650	15.8	0.11	6.8	33.5
E385021			BLANK	0.11	0.33	18	90	0.08	<0.01	20.1	0.15	4.7	2.2	8	0.14	5	0.29	0.89	0.15	0.1	0.008	0.05	2.8	3.4	10.75	274	0.33	0.02	0.5	5.1
E385022			STANDARD 1	1.04	5.83	50.5	120	1.85	2.77	1.91	<0.02	59.4	163.5	35	3.46	7590	9.48	15.05	0.19	1.8	0.137	2.12	26	21.4	1.18	3540	65.3	0.91	3.9	34.3
E385023	118.00	118.50		0.1	3.85	8.9	5990	1.33	0.81	4.84	<0.02	121	116	17	4.19	250	17.2	12.45	0.29	1.3	0.295	1.24	89.9	32.6	2.79	13900	7.94	0.37	11.4	44.3
E385024	118.50	119.00		0.13	1.81	8.9	2430	0.22	0.87	3.72	0.03	108.5	169.5	8	0.36	208	19.45	4.28	0.28	0.5	0.314	0.09	78.4	20.8	2.16	17500	11.9	0.81	7.5	37.3
E385025	119.00	119.50		0.11	2.32	8.3	3070	0.58	1.15	2.68	<0.02	108	164.5	9	1.52	120	19.4	6.44	0.29	0.6	0.32	0.17	81.7	38.4	2.5	15450	11.05	0.25	11	38.3
E385026	119.50	120.00		0.21	2.62	9	3000	0.52	1.2	2.53	<0.02	120.5	180.5	9	1.68	151.5	19.6	7.07	0.27	0.8	0.29	0.2	90.9	33.4	2.36	15400	12.7	0.43	9.9	45.8
E385027	120.00	120.50		0.09	1.89	8.6	3320	0.49	0.93	1.48	0.02	96.2	214	8	1.62	50.8	21.7	5.65	0.29	0.6	0.322	0.04	73.7	30.3	2.22	16150	5.37	0.03	8.4	51.2
E385028	120.50	121.00		0.23	2.02	9.4	2030	0.61	3.15	1.35	0.02	110	188	6	1.41	673	21	6.58	0.29	0.7	0.359	0.21	83.3	31.7	2.25	16950	7.16	0.03	8.3	47.9
E385029	121.00	121.50		0.09	1.5	14.9	4730	0.46	0.87	1.02	0.02	91.1	166.5	4	0.77	9.7	23.5	4.88	0.3	0.4	0.255	0.14	67.7	27.3	1.94	17950	5.71	0.04	11.7	47.7
E385030	121.50	122.00		0.12	4.66	8.7	5860	2.18	0.9	1.35	<0.02	131	112	29	5.44	128	13.1	17.25	0.27	1.7	0.22	1.79	94.3	56.1	2.15	9760	6.19	0.06	8.3	42.6
E385031			BLANK	0.11	0.33	8	110	0.06	<0.01	19.65	0.15	5.44	2.3	7	0.15	4	0.29	0.91	0.13	0.1	0.008	0.05	3	3.8	10.6	266	0.32	0.02	0.5	5.5
E385032	122.00	122.50		0.19	6.87	9.3	>10000	2.65	1.01	0.47	<0.02	169.5	105	35	6.89	257	15	21.4	0.28	2.1	0.171	2.43	120	70.8	2.12	5330	11	0.11	11.2	45.1
E385033	122.50	123.00		0.15	6.73	7.7	8520	2.59	1.04	0.7	<0.02	109	87.9	44	6.52	518	15.25	19.15	0.27	2.6	0.166	1.82	76.2	87.8	2.57	3820	8.64	0.09	13.4	41.5
E385034	123.00	123.50		0.11	4.77	9.3	5120	1.61	0.77	2.64	<0.02	172	107.5	20	3.79	321	17.5	12.85	0.32	1.6	0.211	0.96	125	74.5	3.39	7780	8.59	0.05	10.6	44.2
E385035	123.50	124.00		0.19	8.57	5.4	9990	3.65	0.56	0.76	<0.02	184.5	97.1	53	9	1375	12.85	28.7	0.28	3.3	0.15	3.03	111	99.8	2.63	1590	5.83	0.1	11.8	47.2
E385036	124.00	124.50		0.26	4.34	8.1	4130	1.67	1.49	0.46	<0.02	121	116.5	25	4.35	397	19.1	15.2	0.29	1.5	0.302	1.37	87.9	47.9	2.44	14900	16.2	0.05	7.1	57.9
E385037	124.50	125.00		0.14	1.08	11.6	3030	0.35	0.33	1.13	0.02	139.5	165.5	1	0.6	41.6	24.7	5.44	0.32	0.3	0.312	0.06	108.5	21.1	2.52	24200	5.75	0.03	5.6	80.9
E385038	125.00	125.50		0.12	0.6	9.8	1810	0.18	0.37	1.02	0.02	106	187.5	5	0.26	243	25	4.57	0.29	0.2	0.278	0.03	84.2	11.7	1.89	23100	5.28	0.02	5.1	83.2
E385039	125.50	126.00		0.11	1.97	15.3	2850	0.75	0.44	0.53	<0.02	136.5	182	8	1.81	131.5	22.3	8.17	0.33	0.7	0.267	0.49	106	32.1	1.8	17400	6.1	0.03	6.5	95.3
E385040			BLANK	0.14	0.34	9	350	0.06	0.02	20.2	0.15	5	3.1	11	0.15	5.5	0.38	0.88	0.07	0.1	0.011	0.05	2.8	4.2	10.95	348	0.36	0.02	0.5	5.9
E385041			STANDARD 2	1.18	2.46	74.8	50	0.67	10.55	2.15	<0.02	177	339	12	2.45	9310	27.7	9.74	0.38	0.7	0.234	0.7	107	22.7	1.5	6120	62.6	0.24	5.8	59
E385042	126.00	126.50		0.1	1.9	18.9	3370	0.53	0.49	0.84	<0.02	156.5	215	7	1.32	86.9	23.4	6.15	0.31	0.8	0.289	0.08	121	37.8	2.37	19150	7.92	0.03	8.2	89
E385043	126.50	127.00		0.1	1.73	13.6	3830	0.49	0.52	0.92	0.02	129	228	5	1.25	55.1	23.3	5.52	0.32	0.5	0.259	0.04	96.2	33.5	2.17	17550	8.42	0.03	5.9	84
E385044	127.00	127.50		0.08	3.45	10.9	3660	1.34	0.88	3.29	<0.02	116	134.5	20	3.41	131.5	15.9	10.65	0.25	1	0.233	1.14	87.4	48	2.5	12050	9.19	0.04	5.5	47.1
E385045	127.50	128.00		0.18	3.99	11.3	2120	1.62	1.64	3.4	<0.02	267	131	18	3.84	462	15.95	12.2	0.33	1.2	0.232	1.39	223	54.2	2.68	9590	19.9	0.04	7.9	37.9
E385046	128.00	128.50		0.2	4.4	12.2	2230	1.85	1.98	2.36	<0.02	376	126	26	4.58	505	16.8	15.15	0.35	1.4	0.257	1.77	305	54.1	2.11	8480	22.9	0.04	14.1	39.5
E385047	128.50	129.00		0.23	4.47	14.2	5430	1.86	2.02	1.39	<0.02	462	153.5	20	4.42	686	16.75	15.45	0.42	1.4	0.266	1.83	374	55	1.86	10150	33.7	0.06	17.2	43.5
E385048	129.00	129.50		0.24	4.58	15.7	7500	1.83	2.48	1.7	<0.02	409	119.5	21	4.16	421	16.85	15.9	0.39	1.6	0.249	1.92	323	44.5	1.6	9320	44.8	0.3	18.9	37.3
E385049	129.50	130.00		0.13	0.99	10.5	2640	0.22	0.61	2.66	<0.02	119	162.5	5	0.44	99.6	21.5	4.1	0.32	0.3	0.374	0.09	88.6	18.5	2.77	19750	11.6	0.13	10.4	45.1
E385050	130.00	130.50		0.19	2.71	12	2080	0.95	0.89	2.33	<0.02	128.5	145	10	2.58	585	18	7.92	0.28	0.8	0.273	0.78	97.4	41.6	2.34	12350	18.3	0.06	8.8	44
E385051			BLANK	0.09	0.34	10	280	0.1	0.04	19.9	0.14	5.49	3	8	0.16	6.6	0.36	0.92	0.1	0.1	0.008	0.05	3.1	4.5	10.85	304	0.42	0.02	0.8	6.6
E385052	130.50	131.00		0.18	3.73	11.3	4300	1.52	0.85	1.84	<0.02	189	122	18	4.11	583	16.95	12.15	0.33	1.2	0.288	1.33	141	51.9	2.29	11700	19.45	0.05	10.9	45.7
E385053	131.00	131.50		0.11	4.87	10.7	7260	1.95	0.62	1.21	<0.02	158.5	97.8	27	5.12	236	14.15	16.85	0.25	1.5	0.224	2.19	117	53.3	1.4	8940	16.25	0.06	13.5	45.6
E385054	131.50	132.00		0.19	4.4	11.1	4400	1.79	0.71	1.23	<0.02	149	136.5	35	4.59	796	16.25	15.7	0.28	1.6	0.279	1.75	110.5	53.6	1.81	11100	14.95	0.05	11.9	57.7
E385055	132.00	132.50		0.14	1.89	15.3	2350	0.63	0.47	0.84	<0.02	231	92.9	9	1.37	232	19.3	7.01	0.34	0.7	0.332	0.44	159.5	32.8	1.91	15950	15.8	0.03	8.8	36.8
E385056	132.50	133.00		0.22	2.84	11.7	1880	1.05	0.65	1.26	<0.02	169.5	61.9	16	2.41	932	16.95	10.75	0.32	1	0.281	1.04	120.5	37.1	1.99	14500	15.75	0.03	11.1	44
E385057	133.00	133.50		0.36	0.9	14.8	4450	0.25	1	0.97	<0.02	165	108.5	8	0.33	259	24.7	3.89	0.38	0.3	0.364	0.02	116	18.4	2.43	27000	27.5	0.04	9.3	49
E385058	133.50	134.00		0.19	1.41	19.8	4020	0.32	1.07	1.84	<0.02	198.5	134.5	5	0.67	370	22.4	4.45	0.38	0.5	0.247	0.03	138.5	28.4	2.3	18400	28.2	0.04	10.9	51.6
E385059	134.00	134.50		0.18	2.19	23.5	4340	0.55	1.16	3.38	<0.02	245	146	7	1.47	146	22.7	4.91	0.32	0.6	0.159	0.03	180.5	40.3	2.76	12300	27.8	0.04	11	54.6
E385060	134.50	135.00		0.18	2.5	19.5	4300	0.71	1.11	2.02	<0.02	235	139	13	2.46	87.4	19.85	5.73	0.33	0.7	0.147	0.06	167.5	62.3	2.45	9110	26.2	0.04	10	51.6
E385061			BLANK	0.15	0.34	5	120	0.09	0.02	20.1	0.14	5.13	2.5	8	0.15	3.7	0.31	0.69	0.11	0.1	0.009	0.05	2.9	4.4	11	278	0.36	0.02	0.6	6.9
E385062			STANDARD 3	0.27	7.11	39.1	530	2.59	1.49	1.86	<0.02	70.9	106.5	45	6.06	1480	6.76	19.25	0.2	2	0.123	2.97	37.7	25.2	1.28	3250	19.8	0.56	3.4	23.9
E385063	135.00	135.50		0.17	1.73	18	4370	0.52	1.1	4.63	<0.02	196.5	143.5	5	1.28	137.5	22.1	4.83	0.34	0.5	0.219	0.03	144.5	36.7	3	15550	25.7	0.04	11.9	51.6
E385064	135.50	136.00		0.18	3.4	12.9	2500	0.99	0.81	2.19	<0.02	149	133	24	2.74	407	16.95	9.88	0.27	1	0.196	0.91	109.5	48	1.9	10700	23.6	0.03	8.4	50.5
E385065	136.00	136.50		0.13	5.6	13.4	2320	1.7	0.48	1.89	<0.02	88.3	219	41	5.09	445	17.3	14	0.28	1.4	0.307	1.89	68	75.8	2.54	12200	16.2	0.04	9.5	58.8
E385066	136.50	137.00		0.19	2.02	11.9	6810	0.91	0.61	1.84	<0.02	76.8	111.5	22	2.2	504	19.25	8.7	0.25	0.5	0.267	0.82	59.9	28.2	1.57	9430	19.9	0.06	6.8	34.1
E385067	137.00	137.50		0.4	4.3	9.8	4320	1.55	0.66	1.8	<0.02	90.6	160	29	4.97	1430	17.35	12.95	0.3	1.3	0.375	1.92	88.6	48.4	1.95	12450	13.55	0.05	5.9	50.1
E385068	137.50	138.00		0.27	3.32	14.3	6050	1.3	0.82	1.32	<0.02	235	160	27	3.86	788	19.95	11	0.36	1.1	0.352	1.48	175.5	34.7	1.45	12450	17.15	0.06	8.6	59.4
E385069	138.00	138.50		0.2	5.71	8.8	2960	2.21	0.45	1.52	0.02	114.5	179	44	6.62	1160	18	15.75	0.32	1.8	0.331	2.15	77.9	81.2	2.84	13500	11.65	0.04	3.7	62
E385070	138.50	139.00		0.93	3.16	8.8	4560	1.12	0.33	1.75	<0.02	226	140	25	3.28	425	18.55	9.5	0.31	0.8	0.274	1.26	178	42.2	1.9	11750	19.05	0.05	5.8	44.7
E385071			BLANK	0.14	0.34	8	80	0.08	0.07	19.8	0.19	5.26	2.7	10	0.16	6	0.33	0.92	0.1	0.1	0.009	0.05	2.8	4.5	10.7	284	0.39	0.02	0.5	6.9
E385072	139.00	139.50		0.13	1.3	12	5290	0.59	0.18	3.08	<0.02	357	52.1	10	1.7	23.8	18.75	4.99	0.26	0.3	0.13	0.49	279	18	1.78	6530	11.05	0.02	9.4	21
E385073	139.50	140.00		0.41	5.35	13.5	3320	2.13	0.93	2.88	0.02	116.5	188	38	8.11	318	17.3	16.9	0.27	1.6	0.371	2	79.5	75.5	3.54	13250	38.3	0.05	2.7	58.1
E385074	140.00	140.50		0.28	4.97	11.8	5870	1.63	0.93	1.29	<0.02	86.3	206	41	6.69	1730	21.6	16.25	0.3	1.4	0.388	1.76	54.7	64.3	2.93	14050	16.15	0.07	2.8	78
E385075	140.50	141.00		0.14	3.86	14	5430	1.29	0.36	1.86	0.02	86.9	192	26	4.7	305	21.2	13.25	0.29	1.1	0.334	1.25	55.8	44.4	2.54	14900	12.3	0.06	4.3	65.9
E385076	141.00	141.50		0.13	4.08	18.4	4830	1.13	0.31	2.19	0.02	66.8	256	31	4.24	13.6	23	13.3	0.31	1.3	0.339	1.29	43.2	53.8	2.91	16300	12.65	0.05	4.3	70.4
E385077	141.50	142.00		0.1	3.99	19.5	1430	1.27	0.34	1.91	0.02	75.7	237	29	4.94	15.7	22.3	13.9	0.29	1.2	0.336	1.49	50.8	49.6	2.76	15450	10.55	0.03	5.1	63.8
E385078	142.00	142.50		0.15	2.4	33.8	720	0.69	0.6	2.72	<0.02	97.3	295	14	3.11	159	25.6	8.34	0.33	0.8	0.371	0.64	62.7	35.3	2.95	17100	19.15	0.02	6.7	70.1
E385079	142.50	143.00		0.24	3.18	67.8	200	0.92	1.21	3.77	<0.02	70.7	494	14	3.57	372	21.4	10.4	0.29	0.9	0.332	1	37.2	38.7	2.95	13900	17.1	0.02	8	60.1
E385080	143.00	143.50		0.12	3.85	27.4	1680	1.32	0.6	1.64	<0.02	314	202	25	4.99	55.3	19.5	15.6	0.33	1.4	0.294	1.72	205	41.6	1.83	10150	15.9	0.03	9.3	55.8
E385081			BLANK	0.02	0.32	11	180	0.11	0.07	20.3	0.13	5.21	3.3	8	0.18	5.1	0.4	0.94	0.06	0.1	0.007	0.05	2.8	4.1	11	308	0.34	0.02	0.5	9.9
E385082			STANDARD 1	1.1	5.75	81.3	130	2.02	2.56	1.98	<0.02	65.1	164	33	3.75	7420	10.25	16.25	0.19	1.8	0.135	2.11	27.3	24.1	1.22	3420	63.6	0.87	3.2	39.1
E385083	143.50	144.00		0.23	2.47	52.9	740	0.86	1.33	2.38	0.02	161	313	11	2.72	456	23.7	8.71	0.34	0.9	0.303	0.81	104	32.4	2.3	13300	23.4	0.02	9.1	66.5
E385084	144.00	145.00		0.15	2.82	21.9	2040	0.78	0.61	2.81	<0.02	138	197.5	18	3.53	103.5	23.5	8.09	0.32	0.9	0.278	0.67	93	45.2	3.14	13000	19	0.03	7.6	60.7
E385085	179.00	180.00		0.06	8.44	8	4730	2.19	0.06	0.74	0.02	267	32.5	60	5.67	24.8	7.14	27.8	0.22	2.8	0.097	4.85	131	28.1	0.62	966	1.17	0.18	8.8	14.3
E385086	180.00	180.50		0.06	5.81	7.5	1610	1.43	0.11	0.96	<0.02	314	29	49	4.14	45	7.35	17.55	0.25	2.1	0.05	3.18	149	20.9	0.61	1380	2.14	0.12	4.4	13.1

IG-2007-02

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
E385001	108.00	109.00		1050	2.4	129	0.006	0.39	1.91	10.8	2	12.6	23.6	0.48	0.13	11.2	0.156	0.22	8.4	58	16	12.8	21	59	0.004	
E385002	109.00	109.50		2100	2.2	109	0.009	0.58	1.81	10.2	3	14.3	17.3	0.53	0.34	12	0.16	0.19	7.2	66	21.1	15.2	31	59.5	0.007		
E385003	109.50	110.00		1850	1.9	107	0.009	0.8	1.97	9.8	3	17.9	66.7	0.55	0.22	9.2	0.164	0.18	6.9	75	27.9	14.5	27	58.4	0.012		
E385004	110.00	110.50		5750	2.5	22.2	0.022	0.54	2.4	4.7	3	11	256	0.36	0.1	9.4	0.094	0.06	8.9	59	19.9	25.9	26	41.2	0.017		
E385005	110.50	111.00		3390	2.8	33.3	0.007	0.38	2.58	5.2	3	14.5	165	0.44	0.31	9.4	0.102	0.17	9.5	61	21.1	22.1	27	50.6	0.013		
E385006	111.00	111.50		3550	2.2	11.8	0.005	0.17	2.05	2.9	2	10.5	328	0.33	0.2	5.7	0.055	0.04	7.8	45	20	19.9	20	24.6	0.007		
E385007	111.50	112.00		2840	2.6	7.5	0.004	0.27	1.66	2	2	8.5	279	0.19	0.35	3.1	0.029	0.14	11.2	35	17.3	15	17	13.5	0.006		
E385008	112.00	112.50		1890	2.5	11.5	0.004	0.19	2.14	2.2	2	14.2	194	0.18	0.17	2.4	0.04	0.06	9.4	29	18	17.4	16	14.3	0.007	0.97	
E385009	112.50	113.00		2210	3.7	9.3	0.006	0.37	1.61	5.5	2	7.9	56.1	0.23	0.11	7.4	0.063	0.05	11.8	39	22.1	18.4	37	26.2	0.039		
E385010	113.00	113.50		1900	3.2	14	0.005	0.37	1.69	4.3	2	8.5	46.9	0.22	0.09	2.8	0.06	0.07	10.2	40	15.3	17.8	41	33.6	0.036		
E385011			BLANK	70	10.8	58.9	<0.002	<0.01	0.3	0.4	1	0.3	221	0.13	<0.05	2	0.012	0.26	0.4	2	0.3	2	3	7.1	0.003		
E385012	113.50	114.00		1630	3.9	27.9	0.004	0.32	2.06	4	2	10.7	248	0.28	0.13	2.8	0.087	0.15	11.7	47	15	17.5	34	30.8	0.006		
E385013	114.00	114.50		1610	4	41.3	0.005	0.24	1.89	6.3	2	12.3	435	0.23	0.15	1.9	0.07	0.07	9.4	40	18.4	17.5	17	22.4	0.006		
E385014	114.50	115.00		1750	2.5	85.1	0.005	0.09	1.75	6.4	2	17.7	90.7	0.35	0.08	4.8	0.119	0.15	8.3	57	20.4	15.2	13	37.6	0.004		
E385015	115.00	115.50		1950	3.2	35.2	0.006	0.19	1.98	4.7	2	11	160.5	0.25	0.29	5.5	0.078	0.1	10.3	47	18.1	15.2	10	29.7	0.007	0.52	
E385016	115.50	116.00		2040	3.6	2.8	0.012	0.32	1.76	2.8	3	8.3	255	0.18	0.16	5.7	0.032	0.03	13.8	29	13.8	16.8	20	11.8	0.016		
E385017	116.00	116.50		1680	2.5	52.8	0.004	0.15	1.93	5.1	2	11.9	134	0.29	0.15	7.1	0.093	0.11	9.6	44	17.4	16	13	34.3	0.002		
E385018	116.50	117.00		1850	2.4	48.7	0.004	0.14	1.83	4.7	2	10	240	0.26	0.17	4.9	0.084	0.08	12.7	47	13.7	13.8	12	22.9	0.005	1.11	
E385019	117.00	117.50		1350	3.2	23.4	0.006	0.15	1.57	3.4	2	6	555	0.21	0.25	3.3	0.047	0.04	16.9	45	11.7	13.5	12	14.4	0.006	2.43	
E385020	117.50	118.00		1270	3	9.2	0.005	0.19	1.26	2.3	2	4.1	835	0.12	0.19	1.6	0.019	0.03	14.3	40	9.7	12.3	9	6.6	0.005	3.63	
E385021			BLANK	430	1.5	1.3	<0.002	0.03	0.35	1.2	2	0.2	110.5	<0.05	<0.05	0.4	0.014	<0.02	0.2	4	0.4	3.4	12	3.2	0.003		
E385022			STANDARD 1	900	18.8	82.1	0.025	2.34	1.5	9.6	3	7.3	621	0.19	0.22	8.6	0.086	0.44	283	54	8.4	14.7	14	57.4	0.056		
E385023	118.00	118.50		2030	1.9	60.5	0.005	0.21	1.37	5.7	2	12.6	272	0.35	0.14	5.6	0.086	0.14	15	56	19.4	18.3	15	39.3	0.006	1.31	
E385024	118.50	119.00		1450	2.5	4.2	0.005	0.15	1.35	3.1	1	4.5	965	0.21	0.18	3.4	0.046	0.02	13.4	35	14.4	12	13	16	0.006	5.49	
E385025	119.00	119.50		1500	3.1	9.2	0.004	0.13	1.58	4	2	6.2	541	0.22	0.31	3.9	0.057	0.04	17.6	43	18.5	11.8	24	19.9	<0.001	3.17	
E385026	119.50	120.00		1790	3.1	10.8	0.004	0.15	1.54	3.6	2	5.8	718	0.28	0.23	4.6	0.052	0.04	17.7	41	13	12.1	25	25.7	0.006	4.28	
E385027	120.00	120.50		1540	2.5	2.3	0.003	0.18	1.25	2.8	2	3.7	793	0.25	0.28	3.6	0.035	<0.02	15.6	40	13.6	8.8	28	17.4	0.008		
E385028	120.50	121.00		1660	3.4	12.7	0.005	0.18	1.51	3.3	2	8	959	0.22	0.33	4.9	0.038	0.04	38.2	40	15.5	9.6	20	22	0.002		
E385029	121.00	121.50		2230	1.4	7.8	0.003	0.14	2.19	2.7	1	9	263	0.13	0.23	2.9	0.032	0.02	13.4	24	22.1	9.6	25	12.8	0.002	1.71	
E385030	121.50	122.00		1430	2.2	110.5	0.004	0.18	2.43	10	2	22.8	247	0.2	0.2	10.6	0.084	0.25	29.3	51	17.9	13.2	23	53	<0.001	1.53	
E385031			BLANK	410	1.1	1.4	<0.002	0.03	0.32	1.2	2	0.2	107	<0.05	<0.05	0.5	0.015	<0.02	0.3	4	0.5	3.3	11	3.4	0.003		
E385032	122.00	122.50		2010	3.4	139	0.011	0.35	2.8	9.8	2	25.5	304	0.38	0.22	14.2	0.144	0.29	43.3	78	21.2	14.3	31	63.9	0.003	1.53	
E385033	122.50	123.00		1600	4	110	0.005	0.32	2.8	8.7	2	23.9	320	0.41	0.25	12.5	0.17	0.23	30.2	75	21.6	15.7	41	78.1	0.009	1.68	
E385034	123.00	123.50		2150	2.1	53.6	0.004	0.2	2.03	6	2	14.1	238	0.32	0.15	8	0.105	0.13	12	83	16.5	17	39	49.6	0.008	1.65	
E385035	123.50	124.00		1580	1.8	145	0.012	0.43	2.17	9.6	2	31.3	178.5	0.3	0.14	12.1	0.191	0.38	19.7	95	25.3	18.3	39	101	0.006	1.23	
E385036	124.00	124.50		1610	3.1	78.9	0.015	0.22	1.58	6.5	2	16.7	425	0.29	0.17	8.2	0.096	0.18	24.1	64	19.2	13.5	26	47.9	0.007		
E385037	124.50	125.00		2600	3.7	4.3	<0.002	0.15	1.03	2.3	2	3.2	604	0.33	0.07	3.5	0.021	<0.02	10	47	10	10.1	18	8.9	0.002		
E385038	125.00	125.50		2480	2.5	2.1	0.003	0.13	0.86	1.4	1	1.8	643	0.29	0.06	2.8	0.012	<0.02	6.1	54	11.6	8.8	11	5.9	0.001		
E385039	125.50	126.00		2210	1.5	29.7	0.003	0.13	1.65	3.4	1	7.5	565	0.38	0.09	5.5	0.046	0.05	10.7	51	13.7	9.7	15	19.6	0.002		
E385040			BLANK	440	1.5	1.5	<0.002	0.04	0.35	1.2	2	0.2	115	<0.05	<0.05	0.4	0.015	<0.02	0.2	4	0.5	3.4	12	3.4	<0.001		
E385041			STANDARD 2	2510	5.7	34.9	0.016	7.21	2.09	4.3	5	7.3	179	0.12	0.97	5.6	0.035	0.47	15	61	8.5	13.9	6	23	0.115		
E385042	126.00	126.50		2340	1.6	4.9	0.003	0.14	1.57	2.6	1	4.4	505	0.33	0.08	5.3	0.039	<0.02	8.8	40	10.6	8.8	23	17.8	0.004		
E385043	126.50	127.00		2660	2.1	2.8	0.004	0.16	1.49	2.7	2	3.7	524	0.3	0.12	4.6	0.038	<0.02	7.4	40	7.5	9.8	24	15.3	0.005		
E385044	127.00	127.50		1990	2.3	84	0.003	0.16	1.5	5.2	1	10.3	558	0.23	0.31	6.6	0.078	0.11	10.9	45	12.7	12.6	17	31	0.005		
E385045	127.50	128.00		2050	2.6	74.4	0.005	0.11	2.19	5.7	2	15.7	49.6	0.26	0.49	9.4	0.107	0.13	11.9	50	16.9	14.7	20	39.9	0.007		
E385046	128.00	128.50		2320	2.8	101	0.006	0.11	2.66	6.7	3	20	41.7	0.42	0.67	11.6	0.127	0.19	6.6	60	20.7	18.4	15	43.8	0.008		
E385047	128.50	129.00		2720	2.9	101.5	0.009	0.2	2.84	5.9	3	20.1	98	0.48	0.71	12.1	0.121	0.2	8.7	62	20.1	16.9	18	43.3	0.006	0.54	
E385048	129.00	129.50		3100	2.7	106	0.012	0.24	2.73	5.7	3	21.4	203	0.59	0.96	12.2	0.133	0.21	7.5	69	22.4	18.4	11	47.6	0.006	0.9	
E385049	129.50	130.00		1590	1.9	5.3	0.003	0.15	1.88	1.9	2	4	1100	0.23	0.22	3.3	0.026	<0.02	4.7	40	9.3	11.2	12	9.7	0.002		
E385050	130.00	130.50		1850	1.9	44.9	0.004	0.16	1.94	4.1	2	8.7	826	0.23	0.25	6	0.081	0.08	6.9	43	12	11.8	17	24.7	0.004		
E385051			BLANK	430	2.4	1.6	<0.002	0.04	0.36	1.2	2	0.3	116.5	<0.05	<0.05	0.4	0.015	<0.02	0.2	4	0.5	3.5	12	3.5	0.001		
E385052	130.50	131.00		2120	1.9	77.8	0.005	0.17	2.11	5.6	2	14	227	0.33	0.22	8.9	0.105	0.12	7.3	55	18.3	14.7	16	36.4	0.003		
E385053	131.00	131.50		1990	1.9	123.5	0.005	0.21	2.3	6.9	2	20.4	151	0.43	0.15	9.2	0.143	0.2	9.4	68	21.2	14.6	11	47	0.004	1.04	
E385054	131.50	132.00		1730	2	99.1	0.002	0.2	1.91	6.6	2	16	201	0.47	0.11	8.7	0.131	0.18	10.9	68	19.6	14.2	15	45.6	0.004	1.12	
E385055	132.00	132.50		3820	1.9	26.2	0.006	0.13	2.1	4	2	10.7	520	0.2	0.11	8.1	0.06	0.05	6.5	40	14.1	17.9	14	20.5	0.005		
E385056	132.50	133.00		2830	1.8	59.4	0.007	0.18	1.93	4.9	2	13.8	590	0.35	0.19	6.4	0.064	0.09	12.9	52	15.4	15.9	12	31.1	0.01		
E385057	133.00	133.50		4060	1.7	1	0.016	0.17	1.98	1.6	2	8	446	0.29	0.36	3.1	0.024	<0.02	9.5	47	10.6	16.4	13	8.6	0.007		
E385058	133.50	134.00		5440	1.6	1.5	0.018	0.18	2.13	2.3	2	8.4	611	0.32	0.33	4	0.036	<0.02	7.5	47	12.2	19.4	17	14.2	0.009		
E385059	134.00	134.50		7280	1.6	2	0.017	0.18	2.64	2.8	2	8.5	605	0.33	0.4	5.3	0.048	<0.02	8.7	53	11.8	21.5	24	17.8	0.004		
E385060	134.50	135.00		5320	1.8	4.6	0.013	0.19	2.91	3.3	3	9.7	770	0.3	0.4	6.7	0.05	<0.02	8.6	43	12.3	19.2	29	22.5	0.009		
E385061			BLANK	450	1.3	1.3	<0.002	0.04	0.36	1.2	2	0.2	114.5	<0.05	0.05	0.4	0.015	<0.02	0.2	4	0.4	3.5	13	3.8	<0.001		
E385062			STANDARD 3	780	2.4	132.5	0.005	1.3	1.17	10.5	2	8.1	469	0.2	0.14	12.1	0.113	0.35	19	61	8.1	10.5	6	61	0.018		
E385063	135.00	135.50		4610	1.7	1.9	0.014	0.19	2.91	2.8	2	11.7	538	0.31	0.46	4.6	0.046	<0.02	7.7	47	14.1	18.3	21	16.7	0.007		
E385064	135.50	136.00		3130	1.3	52.2	0.008	0.18	2.51	7.3	2	11.6	583	0.23	0.31	4.8	0.066	0.11	8.6	70	15.8	15.2	17	29.4	0.012		
E385065	136.00	136.50		860	2.2	107	<0.002	0.28	3.16	19.4	3	8	45.3	0.11	0.2	2.6	0.199	0.21	13.6	162	25.5	13.9	21	42.3	0.006		
E385066	136.50	137.00		1380	1.9	46	0.003	0.23	3.32	7.9	2	8.3	168.5	0.16	0.2	2.5	0.073	0.09	5.7	68	17.1	8.7	9	17.7	0.009	0.96	
E385067	137.00	137.50		1510	2	109	0.003	0.26	2.45	14.6	3	7.9	95.3	0.19	0.28	4.4	0.124	0.21	8.2	116	16	13.7	10	38.9	0.013		
E385068	137.50	138.00		3350	1.9	83.6	0.003	0.23	2.84	10.7	3	7.6	196.5	0.32	0.46	7.9	0.089	0.17	4.8	105	14.2	17.1	8	33.6	0.009	0.88	
E385069	138.00	138.50		1220	2.1	124	0.002	0.18	3.02	22.4	3	6.6	65.3	0.13	0.16	4.1	0.159	0.28	17.3	182	16.5	15.5	22	49.7	0.007		
E385070	138.50	139.00		1280	1.7	73.1	<0.002	0.17	2.59	14.9	2	7	253	0.1	0.09	7	0.101	0.13	2.8	118	15.4	11.5	11	25.4	0.004		
E385071			BLANK	430	1.3	1.7	<0.002	0.03	0.41	1.2	2	0.2	107.5	<0.05	<0.05	0.4	0.015	<0.02	0.2	4	0.5	3.3	12	3.6	<0.001		
E385072	139.00	139.50		1320	2.2	27.2	0.003	0.14	2.82	5.7	4	9.7	114.5	0.12	0.08	9.8	0.053	0.07	4.9	60	20.9	10	10	11	0.002	0.52	
E385073	139.50	140.00		910	5.8	120.5	0.01	0.12	2.92	19.9	3	6.3	93.8	0.1	0.24	4.2	0.131	0.29	188.5	167	17.9	20.8	23	48.6	0.011		
E385074	140.00	140.50		780	2.7	102	0.003	0.31	2.73	19	4	6.2	172.5	0.09	0.24	2.4	0.13	0.21	14.3	173	16.6	13.5	24	42	0.01	0.67	
E385075	140.50	141.00		1060	1.5	77.6	0.003	0.27	2.69	15	3	5.9	138	0.11	0.17	2.5	0.117	0.17	3.7	126	14.7	14.8	16	33	0.003	0.7	
E385076	141.00	141.50		930	1.3	76.7	0.002	0.32	2.13	13.8	3	6.6	105	0.11	0.17	2.3	0.127	0.19	2.8	137	13.8	13.7	18	39.3	0.004		
E385077	141.50	142.00		1050	1.3	89	0.003	0.24	2.36	13	3	7.6	43.4	0.12	0.29	2	0.125	0.19	2.6	125	13.5	13	16	35.7	0.002		
E385078	142.00	142.50		1370	1.7	38	0.004	0.45	2.71	6.6	4	6.7	297	0.18	0.33	2.6	0.079	0.09	2.5	72	12.4	13.1	17	24.8	0.004		
E385079	142.50	143.00		1150	2	56.5	0.003	1.11	2.66	7.2	5	6.8	620	0.19	0.41	3	0.081	0.13	2.7	61	12.8	13.3	19	26.6	0.006		
E385080	143.00	143.50		2100	1.9	100	0.004	0.34	3.27	8.9	3	13.6	170.5	0.29	0.28	9.3	0.101	0.18	3.1	78	16.5	15.9	12	42.2	0.004		
E385081			BLANK	400	1.4	1.7	<0.002	0.04	0.37	1.2	3	1.5	115.5	<0.05	<0.05	0.4	0.014	<0.02	0.2	6	0.4	3.5	11	3.5	<0.001		
E385082			STANDARD 1	860	20.1	81.8	0.023	2.34	1.57	9.1	4	9.4	602	0.16	0.31	7.8	0.078	0.42	273	54	8.4	14.5	10	53.8	0.055		
E385083	143.50	144.00		1790	2.1	42.8	0.005	0.56	3.08	4.9	4	9.2	414	0.23	0.38	5.1	0.066	0.1	2.9	50	13.2	13.5	15	25	0.012		
E385084	144.00	145.00		1650	1.6	37.6	0.004	0.28	3.03	5.9	3	7.1	418	0.18	0.3	3.7	0.076	0.08	4.4	59	10.8	13.6	23	26.4	0.005		
E385085	179.00	180.00		760	1.8	194	<0.002	0.27	1.28	13	2	5.3	594	0.5	0.07	12.7	0.275	0.44	23	71	21.2	12.6	2	83	0.003		
E385086	180.00	180.50		630	1.9	132	0.002	0.2	1.57	9.2	2	3.9	909	0.22	0.06	12.8	0.186	0.33	17.6	73	16.9	11.5	3	59.2	0.006		

IG-2007-02

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
E385087	180.50	181.00		0.04	6.56	7.2	3020	1.76	0.03	0.44	0.02	231	25.1	48	4.61	9.2	5.54	21.4	0.21	2.3	0.071	3.57	109	22.6	0.42	534	0.63	0.11	5.8	11
E385088	181.00	181.50		0.04	9.85	8.1	6410	2.51	0.03	0.62	<0.02	354	33.9	73	5.96	9.7	6.06	32.3	0.24	3.3	0.111	5.56	171	33.2	0.6	679	0.88	0.12	10.2	14.3
E385089	181.50	182.00		0.05	10.4	9.3	7630	2.57	0.02	0.41	0.02	242	41.6	78	6.21	3.4	5.85	33.3	0.2	3.7	0.122	5.86	115.5	35.7	0.57	370	0.5	0.11	9.7	15
E385090	182.00	182.50		0.06	9.22	9.6	5240	2.26	0.04	0.67	<0.02	328	52.5	70	5.51	3.8	7.2	28.8	0.25	3.3	0.103	5.06	162.5	32.4	0.58	721	0.46	0.09	9.3	14
E385091			BLANK	0.02	0.33	7	70	0.1	0.01	20.3	0.15	5.22	1.9	8	0.17	3.7	0.28	0.86	<0.05	0.1	0.005	0.06	2.4	3.8	11.05	230	0.32	0.02	0.5	7.5
E385092	182.50	183.00		0.05	8.54	7.6	3270	2.19	0.04	0.81	0.02	272	48.6	66	5.05	28.9	7.38	27.2	0.21	2.6	0.099	4.71	133.5	31.5	0.57	956	0.83	0.07	8.8	13.8
E385093	183.00	183.50		0.09	8.75	7.5	4810	2.22	0.07	0.59	<0.02	337	42.3	63	5.63	124	8.51	26.5	0.27	2.7	0.088	4.64	165.5	40.3	0.8	944	0.84	0.11	8	20.4
E385094	183.50	184.00		0.2	8.82	9.9	3010	2.28	0.18	0.47	0.02	488	52.7	68	4.81	218	7.46	26.6	0.32	2.8	0.088	4.81	245	40.2	0.63	500	0.81	0.07	8.8	17
E385095	184.00	184.50		0.08	8.41	8.2	2980	2.4	0.04	0.42	<0.02	376	31.9	59	4.67	75	5.74	26.8	0.28	2.9	0.09	4.6	184.5	39.8	0.54	456	0.84	0.08	6.8	15.8
E385096	184.50	185.00		0.08	7.12	8.6	750	1.79	0.06	1.01	<0.02	321	69.4	48	3.51	22.1	7.82	19.9	0.28	2.3	0.073	3.78	154.5	31.3	0.67	1490	0.57	0.17	6.8	17.3
E385097	185.00	185.50		0.08	7.9	9.6	1130	2.01	0.04	0.65	<0.02	190.5	70.9	67	4.05	28.6	7.75	22	0.19	2.4	0.06	4.18	90.5	35.2	0.8	1115	0.51	0.15	8.8	16.8
E385098	185.50	186.00		0.12	8.48	9.5	4120	2.36	0.13	0.3	0.02	401	53.6	60	4.64	104.5	6.81	24.9	0.25	2.8	0.093	4.69	204	37.2	0.49	393	1.87	0.1	10.2	14.2
E385099	186.00	186.50		0.08	8.48	8.8	3270	2.38	0.05	0.35	<0.02	307	52.8	62	4.63	25.4	8.09	25.6	0.28	2.8	0.087	4.67	155.5	35.6	0.48	389	1.44	0.1	10.3	15.3
E385100	186.50	187.00		0.07	8.77	8.3	5630	2.14	0.04	0.24	0.03	500	53.5	69	5.15	19.1	8.25	27.5	0.39	2.9	0.099	4.77	277	37.9	0.46	205	1.15	0.1	11	15.2
E385101			BLANK	0.02	0.34	9	70	0.07	0.01	20.4	0.16	5.59	1.9	6	0.15	3.7	0.29	0.83	<0.05	0.1	0.006	0.06	2.6	3.8	11.1	229	0.21	0.02	0.5	7.4
E385102			STANDARD 2	1.29	2.51	133	70	0.57	10.35	2.38	<0.02	231	353	12	2.94	9360	29.6	10.65	0.39	0.8	0.28	0.73	135.5	22	1.68	6850	68.4	0.26	5.7	59
E385103	187.00	187.50		0.07	6.19	6.8	2790	1.61	0.07	0.53	<0.02	>500	38.3	43	3.68	36.8	7.09	20.5	0.33	2.2	0.063	3.41	279	25.2	0.38	775	1.45	0.11	7	13.9
E385104	187.50	188.00		0.07	7	7.4	3250	1.54	0.08	3.01	0.02	305	33	50	3.2	39.3	8.97	16.8	0.25	2.2	0.069	3.5	156	24.1	0.89	4880	0.88	0.49	6.9	17.3
E385105	188.00	188.50		0.04	7.37	7.8	2590	1.48	0.02	5.81	<0.02	111	41.1	38	2.74	38	9.95	18.35	0.18	2.1	0.074	3.68	58.1	23.8	1.48	10100	0.8	0.67	6	19.4
E385106	188.50	189.00		0.17	7.16	10.8	4060	2.26	0.02	2.27	<0.02	51	43.4	43	4.19	11.3	5.29	22.3	0.16	2.1	0.079	3.91	31.2	27.3	0.96	3410	0.56	0.28	4.1	16.4
E385107	189.00	189.50		0.26	8.29	14.4	6980	2.53	0.04	1.33	<0.02	31.1	42	56	5.15	5.5	5.79	25.9	0.14	2.5	0.092	4.82	18.4	31.6	0.77	1890	0.51	0.21	4.5	15.9
E385108	189.50	190.00		0.1	8.57	15.2	>10000	2.62	0.11	1.27	0.03	40.7	30.8	59	5.57	16.6	6.12	27.2	0.18	2.6	0.094	4.97	25.9	30.8	0.79	1870	1.19	0.21	5.3	16.6
E385109	190.00	190.50		0.17	7.63	12.5	7850	2.24	0.07	2.22	<0.02	71.4	33	51	4.82	11	6.4	23.6	0.2	2.2	0.082	4.5	42.3	26.5	1.2	2550	0.54	0.11	5.1	15.5
E385110	190.50	191.00		0.06	9.06	12.1	>10000	2.15	0.07	1.02	<0.02	22.6	20.1	59	4.67	17.1	5.51	21.8	0.11	2.1	0.074	5.16	13.3	24.8	0.69	1250	0.75	0.16	4.4	12.5
E385111			BLANK	0.09	0.36	<5	140	0.1	<0.01	20.7	0.17	4.99	2.4	8	0.2	5.2	0.29	1.05	0.06	0.1	0.009	0.06	2.5	3.2	11.85	246	0.22	0.02	0.5	11
E385112	191.00	191.50		0.11	7.99	13.9	4960	2.33	0.08	2.11	<0.02	19.9	22	59	4.93	395	5.69	23.2	0.14	2.5	0.088	4.17	11.7	28.6	1.07	3230	0.84	0.46	4.1	20
E385113	191.50	192.00		0.05	6.89	11.3	3500	1.71	<0.01	3.18	<0.02	15.2	18.3	40	3.86	19.7	5.87	18.65	0.13	2	0.074	3.43	8.8	20.3	1.17	4810	1.98	0.81	3	12.1
E385114	192.00	192.50		0.09	6.79	12.7	5480	1.78	0.02	2.39	<0.02	15	20.9	40	3.84	3.3	6.47	18.95	0.14	1.9	0.075	3.74	6.7	22.1	0.98	3630	2.22	0.38	2.8	13
E385115	192.50	193.00		0.1	7.34	10	5210	2.03	<0.01	2.56	<0.02	14.5	25.7	45	3.76	5.8	6	20.2	0.13	2.1	0.075	3.93	8.4	24.2	0.85	3990	1.39	0.46	3.8	14.7
E385116	193.00	193.50		0.08	7.42	9.1	3620	1.98	<0.01	3.01	<0.02	8.07	28.7	45	3.68	3.3	7.92	19.2	0.15	2	0.079	3.8	4.5	24.6	1.01	4450	1.47	0.65	4.9	14.6
E385117	193.50	194.00		0.08	7.53	9.5	5710	2.06	0.01	1.65	<0.02	14	15.2	47	4.11	38.6	9.72	20.6	0.18	2.1	0.08	4.28	8.2	25.6	0.74	2310	0.87	0.26	5.4	18.2
E385118	194.00	194.50		0.1	4.96	5.6	3450	1.18	0.03	3.38	<0.02	13.9	27.3	27	1.84	19.7	12.85	11.35	0.21	1.2	0.053	2.27	8.4	16	0.99	5350	2.37	0.68	4.1	27.4
E385119	194.50	195.00		0.07	6.72	9.5	3430	2.24	0.01	2.16	<0.02	17.45	35.8	45	3.18	6.3	8.63	17.4	0.18	1.8	0.065	3.52	10.4	21.5	0.82	3100	1.23	0.31	6	21.5
E385120	195.00	195.50		0.11	7.15	7.8	2110	2.61	0.01	2.31	<0.02	9.58	48.7	47	2.54	18.5	8.64	19.2	0.16	1.7	0.059	3.5	5.7	22.7	1	3390	1.75	0.59	7.7	30.8
E385121			BLANK	0.06	0.35	6	100	0.08	0.02	21.3	0.15	4.92	2.1	9	0.16	4.8	0.29	0.88	0.05	0.1	0.006	0.06	2.5	3.4	12	241	0.25	0.02	0.5	10
E385122			STANDARD 3	0.35	7.02	57.3	170	2.63	1.83	1.83	<0.02	91.9	116	43	7.03	1595	7.31	20.9	0.2	2.1	0.127	3.28	49.8	22.1	1.4	3190	22.7	0.63	2.8	28.9
E385123	195.50	196.00		0.09	8.7	12.2	1960	3.33	0.02	0.99	<0.02	8.26	45.8	64	4.06	7.7	8.15	23.3	0.14	2.3	0.077	4.45	4.7	31	0.73	1270	1.07	0.46	10.1	26
E385124	196.00	196.50		0.12	7.82	10.4	1400	2.9	0.03	1.62	<0.02	16.15	54.4	51	3.5	270	6.15	20.1	0.16	1.8	0.076	3.9	9.5	28	0.9	1910	1.02	0.28	8.3	25.1
E385125	196.50	197.00		0.08	6.81	11.1	1370	2.68	<0.01	1.66	<0.02	23.8	37.7	44	2.94	107	7.15	18.3	0.15	1.7	0.065	3.37	14	25.7	0.86	2260	1.43	0.22	6.7	25.6
E385126	197.00	197.50		0.12	5.9	9.9	840	2.33	0.02	1.55	<0.02	16.85	34.3	36	2.42	72.9	6.51	15.9	0.14	1.5	0.054	2.77	9.4	20.8	0.72	2040	0.75	0.36	4.3	19.8
E385127	197.50	198.00		0.12	7.03	7.4	3200	2.42	0.02	3.36	<0.02	5.37	17.2	39	2.43	92.8	4.6	16.95	0.1	1.9	0.067	3	3.3	22.8	1.26	4560	17.1	1.17	3.5	15
E385128	198.00	198.50		0.12	7.27	40	500	2.19	0.29	3.59	<0.02	4.93	65.8	36	2.77	26.2	5.46	15.7	0.12	1.8	0.068	3.09	2.9	22.9	1.13	5080	7.73	1.55	2.8	15.7
E385129	198.50	199.00		0.19	6.24	106.5	280	2.14	0.57	2.32	<0.02	19.55	133	36	2.72	19.5	4.74	14.35	0.12	1.6	0.06	2.82	12.5	22.8	0.89	3000	3.47	0.97	1.9	14.4
E385130	199.00	199.50		0.16	7.57	57	380	2.5	0.38	3.11	<0.02	105	137	47	2.6	16.3	6.38	19.45	0.2	2.1	0.067	3.46	69.1	30.4	1.08	4390	11.05	1.25	3.9	19.5
E385131			BLANK	0.03	0.31	<5	20	0.06	0.02	21	0.13	4.48	2.1	8	0.15	4.3	0.27	0.84	0.06	0.1	0.005	0.05	2.2	3.5	11.75	228	0.23	0.02	0.5	10.7
E385132	199.50	200.00		0.09	5.54	51	320	2.37	0.38	2.87	<0.02	26.8	58.8	34	2.22	7	5.9	15.4	0.13	1.7	0.054	2.55	18.3	23.2	0.96	3820	2.98	0.82	2.8	19.8
E385133	200.00	200.50		0.14	7.5	107.5	330	1.96	0.39	2.8	<0.02	7.44	128	45	2.27	19.2	6.9	14.25	0.1	1.6	0.054	3.67	3.9	23.3	1.23	3150	5.19	0.93	2.5	18
E385134	200.50	201.00		0.21	7.3	130	460	2.39	0.64	2.4	<0.02	24.2	152.5	38	2.67	54.1	7.84	18.85	0.17	1.8	0.064	3.45	16	31.8	0.96	3040	6.15	0.99	3.2	27.5
E385135	201.00	201.50		0.23	6.86	80.1	1700	2.74	0.41	2.25	<0.02	9.22	110	41	2.82	47.3	7.13	17.3	0.14	1.9	0.075	3.43	4.3	32.5	1.03	3420	30.3	0.54	4.7	23
E385136	201.50	202.00		0.18	6.11	52	620	2.88	0.32	1.91	<0.02	10.45	102	38	2.79	77.1	6.78	17.3	0.13	1.8	0.066	3.32	6.2	32.9	0.93	2400	2.9	0.09	5.8	20.8
E385137	202.00	202.50		0.16	8.06	40.8	940	3.51	0.26	2	<0.02	7.49	156	47	2.9	11.7	8.68	24.4	0.17	2	0.078	4.6	4.3	43	0.96	2480	6.39	0.2	8.4	20.6
E385138	202.50	203.00		<0.01	8.59	13.6	9470	3.58	0.03	2.55	<0.02	12.15	40.8	47	2.81	18	8.09	25.1	0.2	1.9	0.095	4.82	6.8	44.5	1.04	3340	4.29	0.16	13.1	12.9
E385139	203.00	203.50		0.13	3.72	34.5	160	1.27	0.57	2.42	<0.02	47.8	86.3	26	1.15	84.3	9.95	9.71	0.23	1.1	0.045	1.82	21.7	20.2	0.76	3490	11.05	0.11	7.7	17.2
E385140	203.50	204.00		0.05	3.79	17.1	230	1.43	0.11	1.9	<0.02	19.1	125	22	1.19	184.5	13.2	10.4	0.26	1.1	0.039	1.91	7.1	22.8	0.62	2710	18.35	0.08	9.2	24
E385141			BLANK	0.01	0.34	<5	430	0.08	0.02	20.7	0.16	5.07	2.9	10	0.15	5.5	0.34	0.91	0.08	0.1	0.008	0.07	2.4	4.3	11.3	258	0.42	0.02	0.6	1.3
E385142			STANDARD 1	1.1	5.55	53.6	110	1.7	3.03	1.98	<0.02	67.9	166.5	36	3.66	7180	9.8	13.85	0.26	1.5	0.154	2.08	26.3	24.7	1.19	3480	62.3	0.9	3.5	36.8
E385143	204.00	204.50		0.09	5.08	16.7	330	1.52	0.15	3.06	<0.02	22	101	25	1.55	23.1	12.25	11.8	0.21	1.2	0.047	2.2	12.6	26.2	1.03	4070	27.2	0.43	10	21.5
E385144	204.50	205.00		0.54	2.84	36	90	0.7	1.05	3.81	<0.02	22.2	414	13	0.72	27.3	19.6	8.33	0.28	0.7	0.046	1.18	6.1	17.9	1.46	6030	31.7	0.04	11.5	44
E385145	205.00	205.50		0.53	2.02	18.6	100	0.55	0.91	4.95	<0.02	45.3	233	7	0.57	33	21.2	7.29	0.32	0.5	0.08	0.77	24.3	16.6	2.07	9390	25.5	0.02	9.9	43.8
E385146	205.50	206.00		0.04	3.93	6.8	2740	1.32	0.05	3.3	<0.02	98.1	22.4	20	1.3	7.7	13.7	10.8	0.23	1	0.051	1.86	68.5	24.6	1.21	4320	22.3	0.03	12.3	19.9
E385147	206.00	206.50		0.02	4.62	11.4	2000	1.65	0.05	2.84	<0.02	119	33.3	25	1.4	6.8	13.6	11.25	0.24	1.3	0.045	2.15	85.3	30.4	1.04	3460	28.1	0.04	15.5	15.1
E385148	206.50	207.00		0.02	5.2	14.3	2040	1.55	0.06	2.26	<0.02	131.5	38.6	28	1.8	3.4	11.85	12.6	0.23	1.4	0.054	2.57	95.5	30.3	1.01	2410	30.4	0.09	15.1	10.5
E385149	207.00	207.50		0.05	4.63	14.9	2110	1.78	0.08	2.06	<0.02	160	18	27	1.72	8	12.8	11.65	0.23	1.3	0.052	2.33	117.5	26.9	0.87	2690	50.7	0.11	14	8.9
E385150	207.50	208.00		0.03	4.8	12.6	3640	1.82	0.05	1.93	<0.02	183.5	13.9	28	1.75	9.4	12.5	12.75	0.24	1.4	0.053	2.4	134.5	28.7	0.91	2140	44.7	0.15	14.9	9
E385151			BLANK	0.01	0.33	<5	300	0.09	0.02	20.2	0.16	5.58	2.2	11	0.16	3.9	0.33	0.82	<0.05	0.1	0.007	0.06	2.8	4	11	243	0.88	0.02	0.6	<0.2
E385152	208.00	208.50		0.07	3.89	12	1380	1.53	0.06	2.66	<0.02	152	13.2	20	1.32	18.9	12.65	10.1	0.21	1	0.049	1.77	110	22.1	1.12	3040	51.9	0.22	11.8	10.4
E385153	208.50	209.00		0.01	4.6	11.3	2440	1.58	0.04	2.67	<0.02	142.5	18.5	24	1.18	3	13.9	10.95	0.23	1.2	0.04	2.03	107	24.8	0.95	3540	49	0.39	13.4	10.2
E385154	209.00	209.50		0.03	5.25	9.8	1120	1.96	0.05	2.52	<0.02	98.2	44.5	26	1.54	5.7	14.25	12.7	0.22	1.5	0.053	2.46	73.8	30.2	0.97	4080	44.2	0.22	14.9	11.2
E385155	209.50	210.00		0.03	4.39	13.2	1080	1.99	0.06	1.09	<0.02	142	45.6	24	1.49	9.2	13.35	12.4	0.22	1.1	0.047	2.25	104.5	29.7	0.82	2180	44.3	0.04	15.2	9.9
E385156	210.00	210.50		0.06	4.92	13.5	300	2.08	0.11	1.24	<0.02	170	125	31	1.77	42.7	15.15	13.15	0.25	1.2	0.044	2.47	122.5	29.9	0.74	2190	33.2	0.07	12.9	14.6
E385157	210.50	211.00		0.01	4.4	11.2	470	1.62	0.08	2.17	<0.02	171.5	86.2	26	1.32	19.1	13.95	11.15	0.23	1	0.034	2.06	124	21.8	0.86	2640	33.5	0.37	11.1	11.3
E385158	211.00	211.50		0.05	4.37	12.2	180	1.56	0.16	2.67	<0.02	451	233	24	1.18	8.5	14.75	12.75	0.34	1.2	0.035	1.98	332	23.4	0.94	3110	40.4	0.43	13	18.1
E385159	211.50	212.00		0.1	2.33	12	90	0.44	0.32	2.59	<0.02	>500	555	14	0.27	7.2	18.85	8.04	0.56	0.7	0.015	0.45	860	9.4	0.84	2810	35.8	0.93	8.9	30.8
E385160	212.00	212.50		0.02	5.3	4	1340	0.77	0.05	4.3	0.02	77.4	58.3	24	0.53	4	9.51	9.22	0.16	1.5	0.019	0.74	57.5	7.1	1.21	4390	9.64	3.23	5.4	5.9
E385161			BLANK	0.04	0.32	<5	110	0.1	0.02	20	0.14	6.65	3.1	10	0.14	3.9	0.29	0.72	<0.05	0.1	0.005	0.05	3.5	3.9	11.05	239	0.4	0.02	0.5	<0.2
E385162			STANDARD 2	1.23	2.22	55.6	40	0.66	11	2.06	<0.02	195	299	11	2.57	8300	25.1	8.84	0.42	0.7	0.287	0.62	109	20	1.45	5670	60	0.23	5.9	57.5
E385163	212.50	213.00		0.03	6.29	7.3	600	0.99	0.1	3.98	<0.02	83.2	101.5	31	0.8	13.5	10.35	11.1	0.13	1.5	0.026	1.2	61.4	9.8	1.25	3870	26	3.39	8.3	7.7
E385164	213.00	213.50		0.01	6.75	7.6	1230	1.29	0.07	3.35	<0.02	83.4	86.1	34	1.02	7.6	10.35	11.85	0.12	1.8	0.028	1.4	62.4	11.9	1.1	3090	16.55	3.47	7.9	6.8
E385165	213.50	214.00		0.03	5.24	8.6	340	0.98	0.1	2.85	<0.02	148	126.5	31	0.78	9.9	11.15	10.25	0.14	1.3	0.022	1.32	110.5	12.1	0.98	2570	28.4	2.19	7.3	10.9
E385166	214.00	214.50		0.06	2.6	6	900	0.41	0.04	3.31	<0.02	285	32.8	13	0.26	6.8	15.2	5.82	0.23	0.5	0.01	0.4	209	9.1	1.25	3570	36	1.08	5.3	10.6
E385167	214.50	215.00		0.04	3	7.6	470	0.4	0.13	4.44	<0.02	217	47	14	0.38	6.9	16.25	6.33	0.22	0.7	0.012	0.44	150.5	10.8	1.67	4830	28.3	1.28	5.2	13.7
E385168	215.00	215.50		0.04	4.05	6.4	2030	1.06	0.07	3.51	<0.02	161.5	33.2	22	1.83	3.7	13.2	8.7	0.16	1	0.036	1.41	130.5	12.9	1.34	3940	19.45	0.87	6.1	11.7
E385169	215.50	216.00		1.05	5.29	18.1	320	1.33	0.16	4.09	0.03	143	184.5	30	1.2	4.2	11.7	10.6	0.12	1.4	0.039	2.08	109	16.2	1.31	4280	22.7	1.1	7.6	14.9
E385170	216.00	216.50		0.25	4.83	17.4	180	1.35	0.19	3.78	<0.02	97.5	194	25	1.36	8.7	10.55	9.6	0.12	1.2	0.038	2.05	62.7	17	1.32	4630	24.3	0.76	7.1	16.9
E385171			BLANK	0.05	0.37	<5	220	0.08	0.02	20.3	0.16	6.82	3.4	11	0.15	4.7	0.37	0.79	<0.05	0.1	0.007	0.07	3.7	3.9	11.05	280	0.73	0.03	0.5	0.6
E385172	216.50	217.00		0.04	4.94	19.6	420	1.64	0.12	2.9	<0.02	138	96.2	27	1.73	21.7	10.1	10.35	0.1	1.1	0.047	2.36	96.7	20.6	1.08	3470	30.4	0.37	8	8.7

IG-2007-02

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
E385087	180.50	181.00		620	1.5	154	<0.002	0.2	1.28	11.4	2	4.3	907	0.3	<0.05	10.3	0.205	0.38	9.7	67	16.8	9.8	2	65.1	0.004	
E385088	181.00	181.50		940	1.7	223	<0.002	0.32	1.18	15.6	2	5.7	196.5	0.41	<0.05	15.4	0.257	0.52	16.3	82	24.1	14.5	<2	97.4	0.004	0.91
E385089	181.50	182.00		1050	1.5	235	<0.002	0.35	1.05	16.8	3	5.8	175.5	0.38	0.05	12.6	0.258	0.55	9.4	86	24.3	13.3	<2	103	0.006	0.82
E385090	182.00	182.50		980	2.3	204	<0.002	0.37	1.4	15.9	3	5.5	295	0.41	0.05	17.1	0.286	0.48	10.8	84	22.6	13.9	<2	91.1	0.011	1.56
E385091			BLANK	400	1.3	1.8	<0.002	0.03	0.32	1	2	0.2	112.5	<0.05	<0.05	0.4	0.014	<0.02	0.2	6	0.5	3.4	11	3.5	<0.001	
E385092	182.50	183.00		760	1.7	188	0.002	0.32	1.56	14.9	3	5.3	403	0.46	0.06	14.1	0.285	0.41	7.4	82	20.3	11.4	<2	73.1	0.002	
E385093	183.00	183.50		790	2	184	<0.002	0.33	1.12	13.6	2	6.2	418	0.34	0.05	16.3	0.257	0.43	15.1	81	20.6	13.5	6	77.3	0.003	
E385094	183.50	184.00		850	2.6	189	<0.002	0.43	1.17	13.1	3	7.3	348	0.41	0.17	20.3	0.257	0.44	18.3	78	21.5	15.6	3	80.3	0.006	
E385095	184.00	184.50		720	2.2	189	<0.002	0.26	1.23	13.9	2	6.7	630	0.27	1	17.5	0.198	0.45	20.6	71	22	13.8	3	81.5	0.005	
E385096	184.50	185.00		690	2.2	146	<0.002	0.42	1.28	11.4	2	4.9	607	0.35	0.12	16.6	0.219	0.33	18	66	18.2	12.3	3	64.1	0.005	
E385097	185.00	185.50		730	1.9	164	<0.002	0.41	1.25	13.1	2	5.3	430	0.43	0.12	10.5	0.241	0.38	15.3	74	20.3	10.6	3	68.1	0.015	
E385098	185.50	186.00		820	5.6	185.5	0.002	0.38	1.85	13.5	3	5.5	227	0.44	0.08	25.9	0.263	0.4	94.5	77	22.8	16.6	3	78.9	0.007	
E385099	186.00	186.50		780	3	189.5	<0.002	0.35	1.66	14.1	3	5.5	362	0.55	0.07	15.7	0.286	0.44	27.8	85	21.9	12.3	<2	79.4	0.008	
E385100	186.50	187.00		850	2.8	199.5	<0.002	0.4	1.43	15.1	3	5.8	295	0.59	0.06	20.7	0.289	0.45	13.1	90	23	14.5	<2	82.1	0.007	1.25
E385101			BLANK	400	1.9	2	<0.002	0.03	0.46	1	2	0.2	113	<0.05	<0.05	0.4	0.015	<0.02	0.4	6	0.5	3.3	11	3.4	<0.001	
E385102			STANDARD 2	2520	8	35.8	0.021	7.31	2.32	3.6	7	8.4	200	0.12	1.32	6	0.032	0.51	14.8	63	7.3	15.6	6	23.1	0.118	
E385103	187.00	187.50		580	2.2	139.5	<0.002	0.26	2.36	11.1	3	4	243	0.35	0.09	16.3	0.21	0.32	10.1	67	15.4	13.3	2	61.8	0.004	
E385104	187.50	188.00		640	2.3	135	<0.002	0.24	1.53	14	2	4.1	585	0.36	0.07	11.8	0.217	0.3	7.3	75	16.2	11.3	2	63.7	0.002	
E385105	188.00	188.50		670	1.4	136.5	<0.002	0.21	0.81	13.1	2	3.9	146.5	0.35	0.06	13.2	0.211	0.26	5	80	14.6	10.3	2	62	0.002	
E385106	188.50	189.00		640	4.7	167	<0.002	0.32	1.84	12.3	1	4	438	0.28	<0.05	14.4	0.185	0.35	14.7	67	15	8.7	3	68.4	0.003	
E385107	189.00	189.50		750	8.5	188	<0.002	0.39	1.62	12	1	4.2	485	0.29	0.06	17	0.244	0.4	20.5	83	16.7	9.8	2	80.9	0.004	2
E385108	189.50	190.00		760	5.3	195	<0.002	0.4	1.56	13.1	1	4.4	310	0.31	0.06	32.4	0.257	0.43	78.7	91	20.5	11.1	3	83.7	0.003	1.37
E385109	190.00	190.50		700	6.1	169	<0.002	0.36	1.38	12.1	<1	4	442	0.32	0.05	14	0.245	0.36	42.2	83	18	9.6	3	70.4	0.003	1.99
E385110	190.50	191.00		800	3.3	172	<0.002	0.4	1.16	10.6	<1	3.7	590	0.21	0.05	11	0.245	0.34	37.5	87	15.6	8.3	2	67.8	0.018	2.2
E385111			BLANK	420	3.4	3	<0.002	0.03	0.47	1.4	1	0.2	120.5	<0.05	<0.05	0.5	0.018	<0.02	0.4	4	0.5	4	12	4.4	<0.001	
E385112	191.00	191.50		680	2.4	171.5	<0.002	0.28	1.28	12.1	<1	3.6	925	0.26	<0.05	13.2	0.196	0.39	8.4	72	16.1	9.6	7	82.2	0.004	
E385113	191.50	192.00		600	2.1	137	<0.002	0.2	1.3	10	<1	2.8	1180	0.2	<0.05	13.9	0.17	0.32	6.6	62	13	8.1	5	85	0.003	
E385114	192.00	192.50		620	2.7	145.5	<0.002	0.23	1.55	10.3	<1	3.3	651	0.2	<0.05	12.4	0.201	0.31	6.3	79	13.1	7.6	3	61.5	0.002	2.49
E385115	192.50	193.00		600	1.6	150	<0.002	0.27	1.26	10.8	<1	4	815	0.23	0.06	14.1	0.198	0.3	8.6	66	14.6	7.8	2	67.2	0.003	3.12
E385116	193.00	193.50		680	1.9	154.5	<0.002	0.25	1.02	10.8	<1	4.6	1080	0.44	<0.05	14.2	0.245	0.3	7.3	78	14.3	8	3	64.8	0.003	
E385117	193.50	194.00		620	1.7	161	<0.002	0.27	1.56	11.5	<1	5.1	506	0.56	<0.05	15.6	0.277	0.33	6.1	113	15.5	7.2	4	66.2	0.002	2.02
E385118	194.00	194.50		300	1.7	89.8	<0.002	0.17	1.15	9.3	<1	4.3	701	0.38	<0.05	9.2	0.181	0.17	3.1	103	11.4	5.7	7	38.1	0.002	
E385119	194.50	195.00		720	1.8	136.5	<0.002	0.26	1.45	13	<1	4.8	619	0.42	0.05	15.1	0.242	0.28	5.5	85	12.9	6.8	4	52.4	0.002	
E385120	195.00	195.50		580	2	132.5	<0.002	0.35	0.97	17.8	<1	5.6	1070	0.56	0.06	13.2	0.259	0.26	6.1	59	14.3	7.2	5	55.5	0.003	
E385121			BLANK	410	1.9	2.4	<0.002	0.03	0.32	1.2	1	<0.2	115.5	<0.05	<0.05	0.5	0.016	<0.02	0.2	3	0.4	3.8	10	3.7	0.003	
E385122			STANDARD 3	740	2.9	137	0.006	1.3	1.17	10.9	1	8.1	456	0.18	0.18	15.1	0.115	0.38	21.5	68	8.7	12.5	6	66.6	0.021	
E385123	195.50	196.00		820	1.9	177	<0.002	0.38	1.27	16.9	1	6.8	1380	0.67	0.07	16.4	0.317	0.34	9.4	63	16.8	8.4	3	72	0.005	
E385124	196.00	196.50		700	1.9	158	<0.002	0.43	1.25	15.5	1	6.4	1090	0.54	0.09	15.8	0.276	0.28	6.6	59	15.7	7.6	3	59.2	0.008	
E385125	196.50	197.00		740	1.8	136	<0.002	0.31	1.38	14	<1	5.2	1430	0.44	0.06	15.7	0.231	0.26	7.3	53	12.5	7.4	3	55.5	0.006	
E385126	197.00	197.50		820	1.9	116	<0.002	0.33	1.4	14	<1	4.7	2400	0.29	0.21	10.4	0.212	0.21	4.7	63	11.6	6.4	2	50.1	0.009	
E385127	197.50	198.00		520	1.5	118.5	<0.002	0.21	1.53	13.6	<1	5.1	1240	0.25	0.12	10.8	0.152	0.21	4.9	74	15.4	8	2	60.1	0.005	
E385128	198.00	198.50		700	2.4	120.5	<0.002	0.75	1.46	9.6	<1	4.7	500	0.2	0.19	13.2	0.126	0.22	16	66	13.2	8.3	3	57	0.011	
E385129	198.50	199.00		590	3.5	115	<0.002	1.54	1.69	9.1	<1	5	448	0.13	0.48	10.5	0.102	0.2	31.8	54	11.1	6.8	3	49.2	0.037	
E385130	199.00	199.50		660	3.2	137	<0.002	1.01	1.63	12.5	1	7.7	453	0.3	0.37	16.2	0.161	0.25	31.7	82	14.6	10.9	4	68	0.028	
E385131			BLANK	400	1.7	1.7	<0.002	0.04	0.31	1.2	1	<0.2	111	<0.05	<0.05	0.4	0.015	<0.02	0.2	2	0.4	3.7	10	3.4	<0.001	
E385132	199.50	200.00		500	2.3	102.5	<0.002	0.85	2.08	14.3	<1	6	234	0.21	0.26	13	0.126	0.17	17.6	72	13.9	7.5	4	54.4	0.018	
E385133	200.00	200.50		580	3.7	110	<0.002	1.87	1.25	11.7	<1	6.3	108.5	0.15	0.44	15.1	0.135	0.19	86.1	76	10.9	7.4	3	50.2	0.051	
E385134	200.50	201.00		670	4.1	141	<0.002	1.69	1.42	8.9	1	9.3	118	0.19	0.94	15.1	0.11	0.24	74.5	66	13.2	9.7	4	58.1	0.089	
E385135	201.00	201.50		670	7.5	136.5	<0.002	0.96	1.91	11.7	<1	8.7	65.2	0.26	0.31	16.6	0.135	0.23	213	60	15.8	11	4	58.7	0.035	
E385136	201.50	202.00		720	5.3	138.5	<0.002	0.91	1.75	10.8	<1	11.5	280	0.36	0.19	11.1	0.153	0.23	51.7	63	17.1	8.7	3	56.8	0.018	
E385137	202.00	202.50		730	3.9	176.5	<0.002	1.37	1.03	14.7	1	19.3	130.5	0.42	0.42	8.2	0.211	0.27	47.8	93	17.9	9.2	4	61.2	0.057	
E385138	202.50	203.00		750	2.2	171.5	0.002	0.43	1.09	16.4	1	24.9	244	0.78	0.12	4.9	0.238	0.32	30.8	99	19.6	8.7	3	58.7	0.002	1.16
E385139	203.00	203.50		1140	12.3	76.3	0.003	1.23	1.82	5.9	2	11.6	533	0.45	0.61	12.4	0.124	0.15	117.5	58	14.4	10.9	4	33.6	0.047	
E385140	203.50	204.00		1850	4.6	79.3	0.005	0.81	1.35	8.1	2	13.5	1140	0.35	0.3	7	0.113	0.16	32.4	53	12.2	7.8	3	34.5	0.011	
E385141			BLANK	410	1.9	2.1	<0.002	0.05	0.37	1.2	1	0.3	123	<0.05	0.05	0.5	0.017	<0.02	0.9	3	0.7	3.6	11	3.5	0.001	
E385142			STANDARD 1	860	19.8	81.7	0.024	2.24	1.8	9.5	3	8.3	577	0.21	0.34	9.4	0.082	0.48	274	52	9	15	10	48.5	0.054	
E385143	204.00	204.50		1630	5	86.4	0.007	0.8	1.14	8	2	14.7	685	0.35	0.28	7.3	0.118	0.19	69.2	69	14.7	10	4	40.4	0.011	
E385144	204.50	205.00		3180	20.8	43.2	0.009	4.73	1.39	4.3	4	10.4	309	0.24	1.68	6.5	0.058	0.11	250	63	12.3	19.4	7	24.2	0.058	
E385145	205.00	205.50		1390	10.4	30	0.009	2.16	0.96	3.3	3	7.2	320	0.24	0.69	5.1	0.044	0.1	80.2	42	9.8	14.3	13	17.9	0.031	
E385146	205.50	206.00		1440	2.3	73.5	0.006	0.15	0.94	6.6	1	15.5	641	0.31	0.09	8.8	0.109	0.15	12.3	56	13.3	10	6	32.3	0.002	
E385147	206.00	206.50		1400	2	85.4	0.006	0.18	1.21	7.3	1	19.5	945	0.44	0.11	9.3	0.135	0.17	11.3	54	16.9	9.3	5	39.9	0.009	
E385148	206.50	207.00		1590	2.3	100.5	0.008	0.23	1.6	8.3	1	21.7	729	0.52	0.1	10.1	0.162	0.21	11.6	56	18	9.3	4	44.7	0.005	
E385149	207.00	207.50		1660	3	95	0.009	0.13	1.97	7.8	1	21.5	754	0.54	0.1	10.7	0.155	0.19	15.3	53	18.3	9.9	3	41	0.006	
E385150	207.50	208.00		1440	3.6	98.7	0.012	0.14	1.9	9.1	2	23.9	617	0.53	0.1	10.4	0.166	0.2	20.1	58	19.7	10.3	4	43.3	0.005	
E385151			BLANK	390	1.7	2	<0.002	0.04	0.43	1.1	2	0.3	116.5	<0.05	<0.05	0.5	0.016	<0.02	0.3	3	0.5	3.4	12	5.4	<0.001	
E385152	208.00	208.50		1280	4.7	72.9	0.012	0.17	1.27	7.4	1	17.8	1590	0.41	0.1	8.8	0.117	0.16	27.6	43	15.1	9.5	4	31.1	0.004	
E385153	208.50	209.00		1220	3.6	76.8	0.012	0.17	1.15	6.5	2	21.3	1190	0.45	0.11	7.3	0.14	0.18	21.3	47	14.7	8.6	3	36.3	0.004	
E385154	209.00	209.50		1230	2.3	93.6	0.009	0.23	1.17	10.6	1	25.8	784	0.5	0.12	5.7	0.155	0.2	11	54	14.9	8.2	3	46.1	0.006	
E385155	209.50	210.00		1430	2	90.3	0.013	0.27	1.87	11.7	2	30.3	891	0.41	0.12	5.5	0.14	0.2	8.3	55	17.8	8.4	4	35	0.011	
E385156	210.00	210.50		1340	2	92.9	0.009	0.92	2.06	12.9	3	30.5	491	0.4	0.19	5.9	0.177	0.19	8.6	61	17.4	8.7	4	37.8	0.006	
E385157	210.50	211.00		1250	1.8	73.3	0.007	0.62	2.32	12.7	2	23.1	568	0.4	0.13	6.8	0.149	0.17	8.6	54	15.6	8.1	4	32.7	0.007	
E385158	211.00	211.50		1400	2.3	73.1	0.011	1.62	2.4	20.2	3	25.7	232	0.58	0.24	14.4	0.156	0.17	7.3	55	17.7	11.9	4	38.1	0.006	
E385159	211.50	212.00		1480	3.5	15.3	0.012	3.91	3.43	9	4	13.3	306	0.4	0.32	30.4	0.091	0.05	3.8	35	11.5	17.2	5	20.1	0.009	
E385160	212.00	212.50		700	2.8	25.6	0.003	0.4	0.92	10.6	1	12.3	439	0.42	0.07	7.5	0.154	0.08	11.7	42	7.8	7.5	3	46.9	0.002	
E385161			BLANK	400	1.8	1.5	0.002	0.04	0.38	1.1	2	0.3	112	<0.05	<0.05	0.5	0.015	<0.02	0.2	2	0.5	3.5	11	2.9	0.002	
E385162			STANDARD 2	2200	6	32.8	0.02	6.19	2.41	3.9	6	8	173	0.15	1.36	5.9	0.032	0.5	15	52	7.4	15.3	3	21.2	0.119	
E385163	212.50	213.00		1120	2.5	40.3	0.006	0.75	1.09	11.4	1	15.5	234	0.48	0.15	8.1	0.184	0.11	9.2	47	9.4	8.1	3	47.4	0.004	
E385164	213.00	213.50		1190	2.3	46.2	0.004	0.82	1.12	11.6	1	17.6	181	0.59	0.1	5.8	0.206	0.13	7.2	52	10.2	9.2	2	58.7	0.003	
E385165	213.50	214.00		1150	4.2	41	0.008	0.82	1.75	12.3	2	16.3	318	0.41	0.2	7.1	0.177	0.13	22.4	55	9.6	8.6	4	39.1	0.006	
E385166	214.00	214.50		1320	2.2	9.9	0.011	0.21	1.27	5.4	1	8.6	1450	0.26	0.07	6.5	0.077	0.05	11.1	37	5.3	8.4	5	17.8	0.003	
E385167	214.50	215.00		1320	4.8	10.8	0.007	0.43	1.11	6.4	1	8.6	1080	0.23	0.15	6	0.087	0.06	60.5	37	4.5	9.9	6	22.2	0.005	
E385168	215.00	215.50		1150	2.1	53.6	0.004	0.23	1.83	8.7	1	9.5	783	0.28	0.06	5.2	0.118	0.14	12.9	46	7.1	9.4	6	32.3	0.002	
E385169	215.50	216.00		1250	25.7	67.7	0.005	1.47	2.65	13.1	2	18.6	182	0.38	0.27	4.9	0.179	0.21	5.8	64	10.9	8.6	8	43.4	0.006	
E385170	216.00	216.50		1150	7.8	69.8	0.005	1.84	1.27	9.8	3	14.7	615	0.34	0.51	5.1	0.141	0.19	16.2	57	10.8	8	4	37.4	0.011	
E385171			BLANK	410	1.9	2.1	<0.002	0.04	0.37	1.2	1	0.4	112	<0.05	<0.05	0.5	0.016	<0.02	0.3	4	0.5	3.3	11	3.3	0.002	
E385172	216.50	217.00		1100	3.3	83.4	0.005	0.68	1.5	8.3	2	16.3	1090	0.37	0.26	7	0.189	0.19	16.6	56	16	8	4	35.5	0.008	

E385173	217.00	217.50		0.03	4.52	17.9	230	1.73	0.26	3.14	0.04	96.7	138	27	1.79	9.8	10	8.57	0.11	1.3	0.048	2.15	58.7	21.8	1.18	3600	28.3	0.15	9.5	13.1

E385173	217.00	217.50		1450	2.6	82.1	0.006	1.31	1.83	7.7	3	14.9	897	0.45	0.35	9.9	0.157	0.19	11.7	50	17.6	6.9	4	40.1	0.01

IG-2007-02

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
E385174	217.50	218.00		0.1	5.25	23.4	560	2.28	0.06	2.85	<0.02	179	79.6	29	2.38	9.9	11.45	16	0.4	1.5	0.058	2.7	135.5	27.2	1.23	3100	29.5	0.05	13.3	13
E385175	218.00	218.50		0.04	6.26	8.6	3170	2.66	0.06	3.06	<0.02	76.9	56.4	36	3.12	2.6	9.99	16.35	0.28	2	0.066	2.88	58.8	44.8	1.99	3340	15.6	0.05	9.7	12.4
E385176	218.50	219.00		0.08	4.18	12.4	2650	1.88	0.14	2.18	<0.02	282	22.1	24	1.65	10.1	13.1	13.5	0.42	1.1	0.05	1.95	225	26.8	1.17	3300	41.1	0.04	9.1	12.8
E385177	219.00	219.50		0.04	3.66	10.1	420	1.76	0.06	2.03	<0.02	138.5	86.9	21	1.26	21.8	10.5	12.15	0.36	1.1	0.047	1.76	88.3	25.6	1	2710	26.1	0.05	7.5	15.7
E385178	219.50	220.00		0.04	5.35	17.8	160	2.23	0.22	1	<0.02	46.1	321	28	1.86	7.6	9.47	15.1	0.3	1.2	0.048	2.6	14.8	25.3	0.67	1230	15.3	0.21	9	18.5
E385179	220.00	220.50		0.05	4.9	12.3	160	1.47	0.11	3.12	<0.02	63.5	213	25	1.22	45.8	11.2	13.75	0.33	1.3	0.05	1.67	32.4	16.5	1.04	4740	12.7	1.08	7.1	21.2
E385180	220.50	221.00		0.01	5.98	4.3	550	2.47	0.06	4.71	<0.02	42.8	118.5	30	2.39	22.9	7.72	19.6	0.28	2.1	0.097	3.23	28.6	23.2	1.78	5790	3.85	0.23	9	13.6
E385181			BLANK	0.02	0.34	<5	850	0.08	0.02	20.1	0.16	5.44	3.6	9	0.16	3.6	0.32	1.08	0.09	0.1	0.006	0.06	2.8	3.5	11.05	256	0.37	0.02	0.5	<0.2
E385182			STANDARD 3	0.29	6.81	40.3	630	2.83	1.56	1.8	<0.02	76.6	117.5	45	6.51	1570	6.63	22.1	0.25	2.2	0.132	3.03	40	22.5	1.24	3010	20.2	0.57	3.3	25.7
E385183	221.00	221.50		0.02	5.05	7.1	320	1.89	0.1	3.29	<0.02	89.9	102.5	27	2.5	9.5	8.99	14.9	0.29	1.9	0.079	2.2	53.2	38	2.05	2950	9.51	0.05	6.8	21.7
E385184	221.50	222.00		0.15	7.11	6	1050	2.46	0.15	2.9	<0.02	145.5	73.3	42	3.22	5.7	10.1	19.4	0.34	2.3	0.083	3.37	89.8	38	2.05	2440	27.8	0.04	8.8	25.1
E385185	222.00	222.50		0.06	5.7	4.8	910	1.89	0.19	6.42	<0.02	131	87	33	2.59	10.2	10.05	16.25	0.33	1.9	0.116	2.94	79	26.3	3.1	5100	20.2	0.04	7.3	15.5
E385186	222.50	223.00		0.05	5.83	2.8	900	2.03	0.16	6.32	<0.02	92.9	38.9	37	2.44	7.8	7.54	16.7	0.25	1.9	0.116	3.07	58.4	17.7	2.7	5990	15.65	0.04	6	10.8
E385187	223.00	223.50		0.07	6.42	2.6	4750	2.59	0.11	7.54	<0.02	81.2	34.4	33	3.44	90.1	7.73	19.6	0.25	2	0.144	3.5	49.6	26.8	3.69	6440	24.5	0.05	6.6	15.7
E385188	223.50	224.00		0.43	6.41	2.5	2640	2.79	0.11	5.08	<0.02	55.2	34.4	37	5.08	10.6	7.59	19.35	0.25	2.2	0.12	3.31	32.1	25.5	2.59	4620	16.9	0.05	5.4	16.5
E385189	224.00	224.50		0.27	3.17	20.7	180	1.2	0.55	2.99	<0.02	90.6	153	17	3.61	180	16.35	11.4	0.39	0.9	0.179	1.46	46.5	20.7	2.77	13050	19.05	0.03	7	41.6
E385190	224.50	225.00		0.05	6	38.7	1080	2.26	0.38	4.51	<0.02	207	156.5	31	3	33.6	9.86	17.15	0.36	1.8	0.1	3.01	151	29.7	2.39	4680	30.2	0.13	8.1	24.2
E385191			BLANK	0.02	0.36	<5	360	0.1	0.03	20.4	0.15	5.79	3.5	11	0.2	5.5	0.43	1.19	0.07	0.1	0.006	0.07	3	4	11.2	347	0.59	0.02	0.6	<0.2
E385192	225.00	225.50		0.08	6.7	35.9	450	2.57	0.57	4.9	<0.02	118.5	137.5	43	3.69	50.2	9.56	19.2	0.28	2.9	0.097	3.14	91.6	39.4	2.89	4130	32.3	0.04	8	24.2
E385193	225.50	226.00		0.02	7.08	8.9	1200	2.9	0.08	1.53	0.02	93.9	18.3	45	2.75	750	10.9	22.5	0.3	2.4	0.086	3.7	71.1	29.4	1.05	1285	8.42	0.04	14.7	14.1
E385194	226.00	226.50		0.08	8.38	11.4	810	3.64	0.14	1.38	<0.02	247	17.9	52	3.76	824	11.05	26.9	0.39	2.9	0.107	4.66	190.5	34.6	0.95	1040	63.5	0.05	13.7	15.5
E385195	226.50	227.00		0.19	3.76	39.9	180	1.17	0.59	3.37	<0.02	164	228	20	1.36	2300	16.25	11.3	0.45	1.1	0.105	1.6	120.5	28.9	3.19	11150	21.2	0.02	6.9	35
E385196	227.00	227.50		0.16	4.45	43.3	720	1.73	0.35	1.57	<0.02	130.5	282	23	1.96	1730	15.1	15.1	0.44	1.4	0.12	2.16	97.6	29.4	1.66	8770	34.6	0.03	11	34
E385197	227.50	228.00		0.11	4.42	53	160	1.33	0.55	6.51	<0.02	169	233	24	1.59	1020	13.55	12.6	0.4	1.3	0.103	2.06	115	29	3.18	8450	32.9	0.03	9.8	36.1
E385198	228.00	228.50		0.2	4.44	45.4	130	1.39	0.45	4.57	<0.02	52.2	286	27	1.56	1240	11.65	11.8	0.31	1.5	0.105	2.04	28.6	27.9	2.65	8020	68	0.03	8.7	31.7
E385199	228.50	229.00		0.32	5.2	11.6	390	1.62	0.23	4.9	<0.02	107.5	139	28	1.89	4080	11.1	14.75	0.34	1.9	0.109	2.31	72.7	36.6	2.7	4800	26.1	0.03	7.9	29
E385200	229.00	229.50		0.18	6.14	12.1	3820	1.92	0.17	3.54	<0.02	177	82	31	2.27	1760	12.15	18.4	0.35	2.1	0.111	2.74	127	35.6	2.44	4530	24.4	0.04	9.6	30.5
E385201			BLANK	0.02	0.38	<5	150	0.09	0.02	20.1	0.16	6.46	3.3	11	0.18	46	0.36	1.2	0.07	0.1	0.007	0.06	3.6	3.5	11.05	282	0.72	0.02	0.6	<0.2
E385202			STANDARD 1	1.13	5.63	58.2	120	1.84	2.88	1.99	<0.02	62	188	36	3.63	7440	9.6	16.3	0.3	1.9	0.142	2.19	26.5	24.4	1.22	3590	63.2	0.89	3.6	36.6
E385203	229.50	230.00		0.62	5.87	16.7	1350	1.78	0.31	3.42	<0.02	271	121	28	2.19	6170	13.85	18.75	0.44	2.2	0.131	2.5	192	35.4	2.52	5170	27.6	0.03	10.5	36.7
E385204	230.00	230.50		0.28	3.85	16.6	1070	1.27	0.16	5.09	0.02	246	91.2	20	1.45	2270	13.9	13.9	0.47	1.4	0.126	1.86	173	19.6	2.74	6290	26.8	0.03	9.6	26.9
E385205	230.50	231.00		0.3	6.43	14.5	510	2.1	0.26	3.36	<0.02	164	134.5	36	2.83	3540	11.4	20	0.34	2.3	0.122	3.17	116.5	28.3	2	3680	19.6	0.03	10.9	24.3
E385206	231.00	231.50		0.23	5.47	8.9	850	1.65	0.17	5.97	<0.02	88.2	104	30	2.15	3050	11.35	14.75	0.32	1.9	0.106	2.37	61.2	35.2	3.18	4510	12.6	0.03	5.8	28.8
E385207	231.50	232.00		0.25	4.93	14.1	1170	1.35	0.17	5.17	<0.02	148	111.5	24	2	1830	12.85	13.95	0.4	1.6	0.158	2.15	105	29.1	3.29	7480	21.1	0.03	6.4	31.5
E385208	232.00	232.50		0.38	5.02	12.7	790	1.42	0.29	4.6	<0.02	174.5	107	29	2.05	3230	12.1	14.35	0.42	1.8	0.112	2.3	124	23.9	2.62	4690	24.2	0.03	7.2	27.9
E385209	232.50	233.00		0.74	4.34	11.2	250	1.17	0.42	4.9	<0.02	120	94	26	1.58	6260	13.3	12.5	0.36	1.4	0.158	2.01	84.1	21.8	2.8	6330	23.7	0.02	6.9	27
E385210	233.00	233.50		1.43	4.47	13.5	400	1.38	0.41	4	<0.02	124.5	33.3	28	1.92	9220	13.1	12.6	0.37	1.3	0.17	2	91.9	25.6	2.55	5220	20.3	0.02	7.2	33
E385211			BLANK	0.03	0.32	<5	170	0.13	0.02	19.75	0.14	6.86	2.6	15	0.16	73.1	0.35	0.96	<0.05	<0.1	0.008	0.07	3.6	4	10.65	280	0.58	0.02	0.5	9.8
E385212	233.50	234.00		1.93	3.91	38	200	1.17	0.64	4.26	<0.02	171.5	191	27	1.85	8060	14.2	11.35	0.42	1.3	0.232	1.71	122	25.9	2.95	6960	59.5	0.02	7.4	35.9
E385213	234.00	234.50		0.45	5.18	11.9	2940	1.5	0.21	4.62	<0.02	188.5	27.9	35	2.24	3110	13.15	14.4	0.39	1.8	0.196	2.54	144.5	25.7	2.89	6230	20.4	0.03	7.8	29.6
E385214	234.50	235.00		0.59	4.35	12.9	1030	1.53	0.34	0.5	<0.02	254	21.8	34	2.23	5120	13.25	13.3	0.44	1.3	0.208	2.2	184	18.7	1.26	5270	18.2	0.02	9.2	20.9
E385215	235.00	235.50		0.48	6.65	14.5	1390	2.52	0.31	0.41	<0.02	155	35	50	3.41	5660	10.05	20.4	0.35	2.2	0.146	3.52	113.5	26.8	0.91	2100	18.25	0.03	14.1	16.5
E385216	235.50	236.00		0.55	6.44	10.8	2630	2.3	0.23	0.31	<0.02	156.5	13.2	44	3.3	3650	10.6	16.85	0.35	2.3	0.145	3.34	112.5	25.9	0.91	2210	27.4	0.03	13.9	15.2
E385217	236.00	236.50		0.16	5.09	12.9	4800	1.89	0.14	1.17	<0.02	169.5	16.4	30	2.63	1560	12.25	15.1	0.37	1.7	0.219	2.44	122	30.1	1.68	4200	13.25	0.03	10.9	19.4
E385218	236.50	237.00		0.21	6.05	11.4	880	1.9	0.54	5.43	<0.02	213	79.4	29	4.25	1830	12.25	18.1	0.43	2.2	0.207	2.36	143.5	53	4.02	4230	12.75	0.03	7.4	31.3
E385219	237.00	237.50		0.06	4	8.5	1640	1.36	0.13	4.34	<0.02	103	25.6	28	2.31	91.3	9.78	11.8	0.25	1.2	0.201	2.06	66.5	17.3	2.18	4150	20.3	0.02	6	16.6
E385220	237.50	238.00		<0.01	7.48	4.7	850	3.55	0.04	3.25	<0.02	29.3	16.5	48	4.88	48.4	7.47	24.8	0.17	1.8	0.116	2.14	17.5	57.4	3.19	2080	0.85	1.46	6.7	37.8

IG-2007-02

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Ti	U	V	W	Y	Zn	Zr	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
E385174	217.50	218.00		2380	2.3	112.5	0.009	0.41	1.9	9.6	2	18.9	502	0.53	0.15	10.3	0.154	0.2	5.3	58	19.7	12.5	4	38.8	0.003	
E385175	218.00	218.50		900	1.9	114	0.003	0.31	1.47	11.4	2	16.2	277	0.5	0.07	8.7	0.213	0.21	8.9	65	18.7	10.5	14	53.2	0.003	
E385176	218.50	219.00		1390	2	83.3	0.008	0.14	2.3	8	2	13.7	900	0.31	0.06	8.5	0.131	0.16	3.6	47	21.4	11.2	5	28.2	0.005	
E385177	219.00	219.50		910	1.9	76.9	0.006	0.44	1.25	7.1	2	10.5	2090	0.32	0.06	6.7	0.126	0.13	8.1	38	19.2	9.3	7	28	0.003	
E385178	219.50	220.00		970	1.4	108	0.003	1.58	0.86	8.6	3	11.8	1770	0.41	0.62	5	0.142	0.2	3.1	42	18.7	7.5	4	32.7	0.009	
E385179	220.00	220.50		1050	1.6	74.5	0.004	1.68	0.89	7.6	2	7.3	1440	0.36	0.35	6.2	0.125	0.14	4	47	18.9	9.9	3	32.8	0.008	
E385180	220.50	221.00		620	1.8	136	0.002	0.65	1.09	11.1	2	9.1	353	0.53	0.12	13.6	0.196	0.24	10.5	60	17.5	13	2	52.6	0.003	
E385181			BLANK	400	1.7	2	<0.002	0.08	0.32	1.3	2	0.2	138	<0.05	<0.05	0.5	0.015	<0.02	0.2	3	0.5	3.7	11	3.3	0.001	
E385182			STANDARD 3	730	3.1	129	0.007	1.21	1.2	12.2	3	8	428	0.2	0.2	13.7	0.112	0.39	22.4	61	8.8	12.5	5	57.6	0.019	
E385183	221.00	221.50		860	1.7	98.7	0.003	0.81	1.51	8.1	2	7.4	865	0.42	0.2	10.4	0.154	0.18	6.3	52	14.7	12.1	11	49.2	0.004	
E385184	221.50	222.00		950	2.2	143.5	0.006	0.57	1.29	11.5	2	8.8	237	0.55	0.2	13.7	0.214	0.28	18.6	65	17.2	12.5	10	59.3	0.008	
E385185	222.00	222.50		770	1.8	119	0.003	0.55	1.2	10.4	1	7.3	253	0.5	0.22	13	0.201	0.23	10.1	59	15.5	13.6	5	52.7	0.009	
E385186	222.50	223.00		600	1.9	130	0.003	0.16	1.72	11.8	1	7	28.7	0.4	0.13	10.9	0.198	0.23	18.4	54	16.4	13.6	3	50.9	0.007	
E385187	223.00	223.50		720	2.8	148.5	0.008	0.24	1.09	12.5	2	7.9	130	0.44	0.1	12.5	0.209	0.27	49.7	61	18.5	18.7	8	55.3	0.005	
E385188	223.50	224.00		680	2.2	141.5	0.012	0.21	1.23	11.7	1	8	68	0.37	<0.05	11.5	0.216	0.26	25.7	64	17.3	14.5	7	58.7	0.004	
E385189	224.00	224.50		1110	4.7	64.7	0.007	0.96	0.88	6.4	2	5	332	0.23	0.36	11.9	0.078	0.13	73.4	35	10.3	14.4	10	25.9	0.011	
E385190	224.50	225.00		1700	2.3	118.5	0.009	1.2	1.29	8.8	3	11.5	36.2	0.33	0.41	16.6	0.158	0.23	18.7	60	15.5	13.5	7	48.9	0.013	
E385191			BLANK	410	2.1	2.4	<0.002	0.06	0.33	1.4	2	0.2	125	<0.05	<0.05	0.6	0.015	0.02	1	3	0.6	3.9	12	3.5	0.001	
E385192	225.00	225.50		1370	2.5	131.5	0.01	1.24	1.54	9.7	2	12.7	18	0.3	0.25	16	0.161	0.25	28.2	64	17.9	14.7	10	76.1	0.009	
E385193	225.50	226.00		940	2.4	147	0.004	0.13	2.57	12.4	2	21.6	22.5	0.84	0.07	12.3	0.26	0.23	8.8	88	27.4	11.4	3	62.3	0.01	
E385194	226.00	226.50		2010	2.3	187	0.019	0.12	2.14	15.1	2	24	16.5	0.71	0.08	11.8	0.29	0.32	7.6	116	32.7	18.7	2	77.9	0.012	
E385195	226.50	227.00		1270	3.8	67.9	0.007	1.98	0.89	8.2	3	7.9	45	0.24	0.39	7.4	0.083	0.13	25.8	43	15.9	12.9	7	29.9	0.035	
E385196	227.00	227.50		2020	2	95.5	0.009	1.46	1.08	9.1	3	11.3	49.3	0.41	0.36	7.5	0.11	0.17	5.2	55	22	14.5	4	38.9	0.028	
E385197	227.50	228.00		2340	3	82.3	0.006	1.95	0.94	9.3	2	9	240	0.31	0.63	7.7	0.09	0.15	26.4	60	19.6	18.3	7	33.3	0.026	
E385198	228.00	228.50		1100	4	80.7	0.005	1.83	1.08	7.3	2	7	444	0.24	0.59	6.4	0.092	0.17	44.8	39	17.3	11.2	4	41.4	0.027	
E385199	228.50	229.00		1240	3.8	94.5	0.005	1.06	1.24	9.1	3	8.3	151	0.33	0.25	15	0.113	0.18	76.7	50	13.3	13.8	3	52	0.044	
E385200	229.00	229.50		1580	2	111.5	0.005	0.62	0.76	10.7	2	11.2	82	0.42	0.18	13.2	0.148	0.2	11.5	62	14	16.1	7	56.1	0.025	
E385201			BLANK	420	2.1	2.7	<0.002	0.04	0.35	1.4	2	0.2	119.5	<0.05	<0.05	0.6	0.016	<0.02	0.9	4	0.6	3.9	12	5.8	0.002	
E385202			STANDARD 1	870	22.5	80.4	0.025	2.28	1.81	10.3	3	7.8	572	0.19	0.25	8.8	0.087	0.49	292	54	9	16.3	8	49.7	0.048	
E385203	229.50	230.00		2180	2.5	109	0.006	1.09	0.89	10.1	3	11.4	41.1	0.45	0.3	14.4	0.131	0.19	12.8	66	14.4	20.5	9	59.1	0.079	
E385204	230.00	230.50		3180	2	77.9	0.007	0.61	0.94	8.1	3	8.6	38	0.4	0.21	10.7	0.103	0.15	7	67	12.2	23.1	4	35.5	0.029	
E385205	230.50	231.00		1820	2	133	0.006	0.99	1.07	12.5	3	13.2	112	0.5	0.3	13.1	0.163	0.26	10.9	71	17.5	16.9	<2	61.5	0.059	
E385206	231.00	231.50		870	2	95.9	0.004	0.83	0.82	10.2	2	8.3	217	0.28	0.17	10.3	0.159	0.21	15.4	56	12.3	13.5	4	52.6	0.056	
E385207	231.50	232.00		1630	1.9	86.2	0.005	0.69	0.88	8.5	2	7.6	64.9	0.25	0.22	9.1	0.106	0.18	12.9	51	10.9	15.3	8	43	0.025	
E385208	232.00	232.50		1160	4.2	92.3	0.006	0.86	1.39	8.8	3	8.9	91.8	0.3	0.26	10.6	0.139	0.21	75.5	52	13	14	5	48.4	0.045	
E385209	232.50	233.00		1180	11.3	78.2	0.005	0.96	1.14	7.4	3	8.5	195	0.28	0.3	8.8	0.104	0.17	29.9	45	12.1	11.8	5	37.6	0.095	
E385210	233.00	233.50		1250	3.2	88.9	0.005	1.05	1.33	7.7	5	10.3	69.6	0.31	0.38	8.7	0.109	0.18	61.8	47	11.2	11.2	7	41.7	0.068	
E385211			BLANK	390	1.6	2.3	<0.002	0.04	0.34	1.2	2	0.2	100.5	<0.05	<0.05	0.5	0.016	<0.02	0.5	4	0.5	3.2	10	3.9	<0.001	
E385212	233.50	234.00		1070	5.9	76	0.006	1.53	1.62	7.6	6	9.2	76.9	0.32	1.27	11.8	0.103	0.18	177.5	45	12.9	13.7	5	41.9	0.118	
E385213	234.00	234.50		1130	2.2	100.5	0.004	0.43	1.16	9.2	3	11.3	86.7	0.32	0.16	6.3	0.149	0.21	32.9	59	13.3	12.3	<2	54.7	0.025	
E385214	234.50	235.00		1200	1.7	95.5	0.009	0.54	1.56	7.3	3	13.8	106	0.39	0.27	10.2	0.143	0.19	10.7	49	14.3	9.9	<2	41.9	0.047	
E385215	235.00	235.50		1000	2	157	0.009	0.61	1.62	11.8	4	20.9	180.5	0.57	0.27	9.2	0.204	0.31	16.7	70	18.7	12.7	<2	67.9	0.041	
E385216	235.50	236.00		1220	1.9	147	0.01	0.43	1.44	10.7	4	20	165.5	0.57	0.25	9.5	0.202	0.29	16.6	73	18.1	12.6	<2	66.1	0.024	
E385217	236.00	236.50		1170	1.8	108.5	0.004	0.28	1.54	9.4	2	16.2	94.2	0.45	0.16	8.2	0.159	0.21	13.3	60	13.7	11.3	5	52.4	0.012	
E385218	236.50	237.00		1220	2.2	101	0.005	0.64	1.06	10.5	2	11.9	34.8	0.31	0.15	10.3	0.171	0.23	11.7	68	12.1	15.7	17	63.5	0.02	
E385219	237.00	237.50		1130	1.5	87.2	0.009	0.18	1.16	7.5	2	8.6	356	0.29	0.08	7.3	0.131	0.2	8.8	53	11.8	11.7	3	36.7	0.003	
E385220	237.50	238.00		700	1.5	117	<0.002	0.03	1.3	14.5	1	3.5	40.8	0.59	<0.05	12.2	0.212	0.19	6.5	73	4.7	10.5	24	55.2	0.001	

IG-2007-08

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
E385467	112	113		0.15	7.66	11.5	2520	1.16	1.96	4	0.04	160	28.2	42	6.47	185	6.76	19.25	0.22	2.2	0.097	3.44	97.1	9.5	1.18	4270	29.4	0.08	6.2	35.95
E385468	113	113.5		0.13	7.66	13.7	1670	1.2	1.78	4.35	0.02	111	28.3	43	6.41	312	6.39	18.6	0.21	2.2	0.105	3.4	67.6	10.5	1.19	4170	6.95	0.07	6.4	18.6
E385469	113.5	114		0.11	6.92	13.4	980	1.06	1.97	4.44	<0.02	93	31	40	5.44	338	7.25	16.1	0.19	2	0.122	2.96	56.9	11	1.31	4660	4.33	0.07	5.5	17.4
E385470	114	114.5		0.11	8.16	11.2	3010	1.3	1.41	4.56	<0.02	167	25.3	45	6.89	370	7.26	20.4	0.23	2.4	0.118	3.69	107.5	11.4	1.32	4250	7.98	0.08	7.7	15.9
E385471			BLANK	0.03	0.15	5	70	0.06	0.01	46.8	0.39	2.48	0.9	6	0.05	2.3	0.06	0.58	0.06	<0.1	<0.005	0.04	2	1.5	0.49	45	0.21	0.01	0.4	4.1
E385472	114.5	115		0.11	7.83	11.4	2730	1.17	1.48	3.71	<0.02	140.5	27.3	45	6.84	120.5	8.12	19.45	0.2	2.3	0.119	3.52	89.5	11.8	1.39	4810	5.37	0.07	6	16.4
E385473	115	115.5		0.11	6.96	9.1	2570	1.17	1.46	3.63	<0.02	123.5	21.8	38	6.03	902	8.75	17.2	0.21	1.9	0.11	3.13	81.5	10.6	1.47	4630	3.8	0.07	5.3	15.8
E385474	115.5	116		0.09	7.48	8.3	2870	1.29	1.2	3.44	<0.02	122.5	24	41	6.38	193	8.7	19.1	0.19	2	0.108	3.38	80.2	11.5	1.4	4820	4.66	0.07	4.9	15.4
E385475	116	116.5		0.19	6.89	7.7	3160	1.17	1.26	3.97	0.02	92	25.4	40	5.82	41.7	8.85	17.5	0.19	1.9	0.102	3.12	60.8	11.3	1.37	4660	5.41	0.07	4.6	18.3
E385476	166.5	117		0.09	7.2	9.4	1470	1.11	1.39	3.92	<0.02	91.6	21.5	42	5.84	17.5	8.73	18.45	0.19	1.9	0.093	3.29	59.8	12.8	1.04	3950	6.94	0.07	3.6	17.8
E385477	117	117.5		0.08	7.92	6.3	4980	1.16	1.15	4.22	<0.02	159.5	16.5	44	6.32	11.1	8	20	0.19	2.3	0.093	3.56	105	14	1.18	4080	9.95	0.08	4.7	13.4
E385478	117.5	118		0.11	7.64	7.4	2300	1.32	1.24	4.16	<0.02	106	17.7	46	6.5	25.2	8.49	19.7	0.19	2.2	0.103	3.45	71.2	16.1	1.57	4690	11.55	0.07	4.3	14.4
E385479	118	118.5		0.12	7.21	11.3	620	1.22	2.68	3.76	<0.02	87.1	27.4	41	6.11	15.5	9.21	18.3	0.18	2.1	0.102	3.14	56	18.6	1.41	5040	7.78	0.07	4.8	19.1
E385480	118.5	119		0.19	7.23	15.1	430	1.27	4.06	4.32	<0.02	112	40	43	6.55	34	9.75	18.4	0.2	2.1	0.101	3.17	70.7	22.8	1.54	4820	17.55	0.07	6	22.6
E385481			BLANK	0.02	0.15	8	70	0.08	0.02	46.3	0.36	2.38	0.9	6	<0.05	2	0.07	0.55	0.05	<0.1	<0.005	0.03	1.8	1.5	0.5	46	0.24	0.01	0.3	2.8
E385482			STANDARD 2	1.11	2.41	84.3	100	0.56	10.3	2.28	<0.02	204	334	19	2.66	8730	27.8	9.43	0.41	0.7	0.248	0.65	125.5	21.6	1.54	5950	61.8	0.23	6.8	66.8
E385483	119.5	120		0.43	6.64	26.5	3260	1.27	8.16	1.93	<0.02	172.5	72	39	5.9	1730	12.6	16.4	0.25	2	0.105	2.83	118.5	20.8	0.96	3560	56.3	0.06	5.8	32.8
E385484	120	120.5		0.09	8.74	7.2	1160	1.44	1.19	1.2	<0.02	208	17.3	38	6.23	165	9.06	16.4	0.21	1.8	0.123	2.93	149	21.6	0.95	4320	9.77	0.06	5	15.1
E385485	120.5	121		0.17	7.19	11.7	1290	1.41	2.23	2.02	<0.02	96.1	23.1	42	6.15	57.9	8.19	16.25	0.17	1.9	0.126	2.97	67.2	26	1.27	3750	35	0.06	6	19.9
E385486	121	121.5		0.13	7.78	13.6	1180	1.66	2.58	2.56	<0.02	136	24.2	50	7.49	15.7	7.78	19.4	0.18	2.3	0.113	3.43	102.5	29.2	1.56	3830	17.1	0.08	8.3	18.5
E385487	121.5	122		0.37	4.97	87.4	320	1.1	7.86	3.46	<0.02	286	103	30	5.65	599	11.85	12.55	0.26	1.3	0.104	2.2	208	25.3	1.25	4580	28.3	0.05	6.6	33.3
E385488	122	122.5		0.4	5.36	81.2	2360	1.12	13.8	1.99	<0.02	179	144	29	8.01	161	11.6	12.8	0.22	1.7	0.105	2.48	127.5	27.9	1.1	3430	16.65	0.05	6.9	37
E385489	122.5	123		0.29	6.98	55.5	1420	1.53	10.4	2.6	<0.02	242	132.5	39	7.41	111.5	9.55	16.7	0.24	2.1	0.1	3.26	153.5	36.8	0.8	2410	38.3	0.06	6.8	28.7
E385490	123	123.5		0.3	7.33	30.1	3850	1.82	4.65	4.15	<0.02	96.6	45.5	40	7.72	27.1	7.75	17.1	0.18	2.3	0.11	3.34	54.4	36.3	1.5	3800	157	0.07	6.1	18.7
E385491			BLANK	0.06	0.13	<5	70	<0.05	0.03	43.6	0.35	2.47	0.9	6	0.05	2.2	0.06	0.5	<0.05	<0.1	<0.005	0.03	1.9	1.6	0.45	39	0.53	0.01	0.3	2.8
E385492	123.5	124		0.2	7.07	37.3	2390	1.75	5.01	1.56	<0.02	64.7	60.3	40	7.57	109.5	9.26	17.55	0.17	2.1	0.152	3.21	40.1	40.1	1.24	4800	24.7	0.06	4.2	24.3
E385493	124	125		0.34	5.13	45.5	700	1.47	8.16	0.36	<0.02	85.9	96.8	30	5.45	611	13.15	15.2	0.23	1.4	0.189	2.31	51.8	29.7	1.32	9630	18.7	0.04	4.1	37.4
E385494	189	190		0.14	7.25	4.6	4550	1.71	0.09	4.82	<0.02	109	10.5	39	10.75	84.1	7.16	21	0.18	2.2	0.18	3.42	65.8	65.2	1.71	4070	7.85	0.06	4.4	19.4
E385495	190	190.5		0.14	6.09	6	5800	1.53	0.17	3.45	<0.02	125	35.9	36	9.92	403	6.78	16.8	0.17	2	0.23	2.77	81	59.6	1.6	4290	11.15	0.07	3.5	15.5
E385496	190.5	191		0.88	5.63	34.5	990	1.88	6.14	0.63	<0.02	110	189.5	21	9.75	348	10.2	15.35	0.22	3.1	0.282	2.62	61.4	52.6	0.86	4120	7.52	0.06	3.9	25
E385497	191.5	192		0.43	4.25	24.7	240	1.06	3.87	1.15	<0.02	70.7	153.5	15	7.19	130	11.1	11.4	0.19	2.3	0.285	1.97	40.7	38.2	1.01	6250	5.66	0.05	2.5	21.2
E385498	192	192.5		0.05	6.3	5.9	3660	1.1	0.09	1.12	<0.02	101	61.9	28	8.37	760	8.42	13.75	0.15	1.9	0.244	3.04	69	47.5	1.08	4840	1.1	0.07	2.7	12.1
E385499	192.5	193		0.1	5.49	9.3	1920	1.41	0.15	2.17	<0.02	111.5	78.5	25	10.25	1200	11.65	15.35	0.23	1.8	0.333	2.54	61.9	56.1	1.46	6770	3.21	0.06	3.7	19.3
E385500	193	193.5		0.08	5.27	7.3	2600	1.31	0.12	1.91	<0.02	155.5	43.8	22	8.48	471	8.51	14.8	0.21	2.3	0.238	2.41	113.5	52.2	1.18	4070	1.9	0.05	3.8	15.1
E384751	193.5	194		0.09	5.33	8	1530	1.39	0.07	2.45	<0.02	112.5	46.8	17	8.95	708	8.43	14.05	0.18	2.4	0.239	2.4	81.2	47.2	1.24	4200	1.75	0.05	3.8	13.4
E384752			BLANK	0.01	0.12	<5	40	0.06	<0.01	43.6	0.4	2.28	0.9	6	<0.05	3.2	0.05	0.51	<0.05	0.1	<0.005	0.03	1.8	1.6	0.44	35	0.19	0.01	0.3	<0.2
E384753	194	194.5		0.05	6.01	3.6	>10000	1.72	0.03	0.67	<0.02	93.5	30.8	22	10.15	145	6.51	15.95	0.14	2.9	0.28	2.78	65.5	54.6	0.87	3790	2.92	0.06	3.6	11.8
E384754	194.4	195		0.21	6.01	12.1	1010	1.95	1.05	2.09	<0.02	85.6	76.7	33	10.55	153.5	7.55	16.9	0.18	2	0.295	2.76	52.3	59.2	1.31	4220	10.8	0.06	3.5	18.5
E384755	195	195.5		0.07	6.19	3.3	3000	1.66	0.04	4.21	<0.02	90.2	55	35	9.77	167.5	7.64	14.9	0.15	1.5	0.229	2.84	56.1	51.4	1.67	5070	6.45	0.07	3.4	15.9
E384756	195.5	196		0.09	5.7	6.1	4930	1.92	0.13	3.72	<0.02	143.5	67.3	35	8.98	521	10.1	15.2	0.21	1.5	0.282	2.29	91.8	50.4	1.69	7230	12.95	0.2	3.7	22.1
E384757	196	196.5		0.47	4.91	70.7	190	1.43	1.92	3.05	<0.02	140	322	23	6.98	288	15.9	13.1	0.28	1.4	0.311	1.8	86.5	46.8	1.85	10050	23.7	0.41	3.4	34.1
E384758	196.5	197		0.45	3.36	56.4	100	1.11	0.89	5.2	<0.02	160	336	15	4.79	890	14.85	10.15	0.31	0.9	0.222	1.14	105	38.9	2.09	8540	27.6	0.08	5	35.4
E384759	197	197.5		0.34	4	27.8	200	1.22	0.42	6.2	<0.02	117.5	352	18	5.63	1630	16.25	11.8	0.3	1.2	0.191	1.18	77.8	52	2.53	7820	24.1	0.03	5.5	37.2
E384760	197.5	198		0.93	0.51	74.2	150	0.14	3.18	5.39	<0.02	134.5	393	<1	0.35	416	21.5	5.15	0.35	0.2	0.228	0.04	96.2	9.3	2.02	9300	25.1	0.01	3	40.4
E384761	198	198.5		0.31	3.18	39.5	260	1.05	1.02	4.24	<0.02	164.5	206	14	4.36	861	18.4	9.99	0.3	0.9	0.257	1.03	108	34	2.11	10600	14.85	0.1	3.3	41.5
E384762	198.5	199		0.86	3.87	57.7	180	1.5	2.13	5.76	<0.02	110	232	19	5.96	886	13.6	12	0.27	1.1	0.246	1.69	63.5	26.3	2.23	10250	61.3	0.05	4	31.5
E384763			BLANK	0.02	0.13	<5	40	0.06	0.02	45.7	0.4	2.24	1	6	<0.05	3	0.05	0.52	<0.05	0.1	0.005	0.03	1.7	1.7	0.47	42	0.27	0.01	0.3	<0.2
E384764			STANDARD 2-37	1.05	2.22	86	100	0.56	9.27	2.16	<0.02	184	302	11	2.2	8050	24.4	8.2	0.33	0.6	0.216	0.61	116.5	18.9	1.43	5330	52.9	0.23	5.1	49
E384765	199	199.5		0.04	6.16	4.5	6370	2.69	0.03	5.81	<0.02	88.5	46.5	34	10	18.3	6.56	16.85	0.15	1.8	0.187	2.84	49.7	40.1	1.84	8440	2.15	0.08	3.2	18.3
E384766	199.5	200		0.04	5.48	5.1	8650	2.16	0.03	5.22	<0.02	72.6	38.7	29	8.77	15.9	7.56	14.3	0.16	1.8	0.164	2.48	40.6	35.7	1.64	5640	2.77	0.08	2.5	18.9
E384767	200	200.5		0.04	6.36	3.1	>10000	2.53	0.04	3.66	<0.02	80.3	22	34	10.2	10.6	6.87	17.35	0.16	1.8	0.166	2.84	50.3	38.4	1.21	4000	2.51	0.1	2.9	18.7
E384768	200.5	201		0.03	6.58	5	>10000	2.69	0.02	3.74	<0.02	104.5	47.8	37	10.95	9.1	7.41	18.55	0.19	1.8	0.183	3.16	57.6	38.4	1.15	3810	1.75	0.1	2.8	20.1
E384769	201	201.5		0.02	6.47	9.5	6310	2.75	0.03	3.02	<0.02	96.2	90	39	10.6	4.4	8.44	18.7	0.18	1.7	0.175	3.1	54.1	37.5	0.95	3240	3.13	0.06	2.3	21.7
E384770	201.5	202		0.03	6.74	4.8	6310	2.9	0.02	4.31	<0.02	87.5	51.4	37	10.65	22.6	7.99	18.8	0.16	2	0.181	3.12	49	37.3	1.25	4610	2.45	0.09	3.1	21.7
E384771	202	202.5		0.53	5.93	44.6	650	2.59	0.5	7.11	<0.02	122.5	103	32	8.29	2660	9.21	16.6	0.23	1.7	0.26	2.73	77.2	36.5	2.15	8580	27	0.18	5.3	18.8
E384772	202.5	203		0.09	6.4	18.5	5300	2.42	0.23	5.39	<0.02	96.9	62.8	35	8.26	166	7.19	15.6	0.17	1.9	0.201	2.79	63	42.5	1.69	6320	3.96	0.52	5.2	14.3
E384773	203	203.5		0.24	5.39	44.6	950	2.08	0.61	6.76	<0.02	113.5	99.9	25	5.62	282	10	12.15	0.21	1.7	0.22	1.74	73	53.2	2.3	7650	6.26	0.47	6.2	21.1
E384774	203.5	204		0.06	6.88	20.2	5430	3.06	0.11	4.73	<0.02	115	46.3	36	9.81	49.9	5.94	18.25	0.15	2.1	0.197	2.96	71.4	50.6	1.69	5060	2.46	0.2	5.2	15
E384775			BLANK	0.01	0.13	<5	40	0.07	0.01	43.5	0.38	2.08	1.4	5	<0.05	3.1	0.04	0.55	<0.05	0.1	<0.005	0.03	1.8	1.5	0.46	40	0.21	0.01	0.2	<0.2
E384776	204	204.6		1.58	4.47	133.5	460	1.62	5.84	6.99	<0.02	143.5	285	21	5.62	1720	13.8	11.35	0.25	1.2	0.192	1.69	89.9	25.7	2.24	8990	69.2	0.06	6.5	37.6
E384777	204.6	205.6		0.06	7.29	2.2	>10000	2.85	0.04	3.74	<0.02	93.6	21.5	42	11.25	8.8	5.89	19.8	0.16	2.1	0.154	3.37	54.1	29.1	1.15	3620	2.88	0.11	5.8	18.7

IG-2007-08

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
E385467	112	113		800	4.1	135	0.03	0.77	1.64	14.3	4	6	23.4	0.37	0.29	14.6	0.137	0.55	10	71	10.7	15.9	9	62.5	0.026	
E385468	113	113.5		780	2.4	134.5	0.008	0.8	1.46	13.2	3	6.1	23	0.38	0.26	13.7	0.137	0.48	17.3	71	10.3	14.6	4	63.8	0.02	
E385469	113.5	114		700	2.7	120	0.006	0.95	1.51	11.2	3	5.6	25.5	0.34	0.25	12.3	0.122	0.41	10.6	66	9.6	13.9	6	57.4	0.02	
E385470	114	114.5		840	2.3	149	0.013	0.73	1.61	14.1	3	6.9	26	0.44	0.2	14.6	0.153	0.49	21.7	76	12	16	4	68.5	0.012	
E385471			BLANK	100	1.1	0.9	<0.002	0.07	0.13	0.5	3	<0.2	278	<0.05	<0.05	0.2	0.006	<0.02	0.6	4	0.1	3	22	2.8	0.001	
E385472	114.5	115		790	2.3	139.5	0.007	0.78	1.47	12.9	2	6.4	22.7	0.36	0.18	13.9	0.136	0.47	17.6	72	10.8	15	4	65.7	0.026	
E385473	115	115.5		690	2.4	125	0.004	0.69	1.35	12	3	5.8	19.4	0.32	0.15	12.3	0.126	0.4	16.6	63	10.3	13.6	3	55.9	0.049	
E385474	115.5	116		760	2.3	138	0.004	0.64	1.33	12.9	3	6.1	20.7	0.28	0.12	12.6	0.127	0.44	14.1	68	10.5	14.1	3	60.5	0.013	
E385475	116	116.5		660	2.7	125	0.012	0.75	1.57	12.3	3	5.9	37.4	0.27	0.11	11.4	0.123	0.42	9.7	61	10.5	13.3	3	56.6	0.011	
E385476	166.5	117		700	2.4	128	0.004	0.63	1.33	12.8	2	6	63.6	0.21	0.13	12.6	0.118	0.43	6.4	65	9.6	13.7	3	57.7	0.014	
E385477	117	117.5		790	2.4	140.5	0.006	0.86	1.33	13.4	2	6.8	62.7	0.29	0.11	15.6	0.137	0.46	7.3	71	11.3	15.2	3	65	0.009	
E385478	117.5	118		740	2.8	141.5	0.011	0.76	1.24	13.7	2	6.9	35.4	0.24	0.1	13.2	0.12	0.46	9	68	11.2	15.1	3	63.9	0.008	
E385479	118	118.5		680	2.4	129	0.008	1.47	1.39	12.5	3	6.7	39.4	0.28	0.15	11.3	0.12	0.44	10.3	65	12.3	14.5	4	60.1	0.02	
E385480	118.5	119		670	3.5	131.5	0.009	2.2	1.73	12.2	3	6.9	41.9	0.38	0.22	12.6	0.133	0.47	19.6	65	13.2	15.9	4	61.4	0.019	
E385481			BLANK	130	1.3	0.8	<0.002	0.06	0.09	0.4	3	<0.2	275	<0.05	<0.05	0.2	0.006	<0.02	0.6	4	0.1	3	22	3.2	0.002	
E385482			STANDARD 2	2480	6.6	36.4	0.019	7.13	2.09	4.8	5	6.9	180	0.15	1.16	5.8	0.036	0.47	13	56	7.1	15.5	12	22.8	0.125	
E385483	119.5	120		720	4	118	0.013	4.92	2.23	10.8	6	7.4	29.6	0.3	0.6	13.1	0.114	0.51	26.4	59	13	13.8	4	56.5	0.084	
E385484	120	120.5		740	2	128.5	0.004	0.73	1.29	11.5	2	8.4	17.6	0.23	0.09	12.8	0.102	0.4	10.4	62	12.9	13.1	5	51.5	0.009	
E385485	120.5	121		810	3.1	125.5	0.009	1.01	1.64	12.6	3	8.7	17	0.31	0.11	11.8	0.117	0.42	40.5	70	14.2	13.2	7	55.8	0.012	
E385486	121	121.5		820	2.7	148.5	0.005	1.09	2.3	13.9	2	10.3	34.1	0.43	0.14	12	0.139	0.46	21.7	76	16	16.9	4	64.4	0.012	
E385487	121.5	122		1680	3.2	97.4	0.011	4.66	2.2	9.1	3	8.6	71.1	0.22	0.43	12.6	0.085	0.33	4.2	57	11.8	17.2	6	39.2	0.062	
E385488	122	122.5		1230	3.2	112	0.008	6.73	2.7	9.4	3	9.4	32.6	0.28	0.88	8.4	0.099	0.35	5	57	12.7	13.3	4	46	0.067	
E385489	122.5	123		950	3.6	142.5	0.005	5.11	2.67	11.1	2	9.9	66.8	0.34	0.49	14.5	0.124	0.46	15.6	61	16.1	15.7	2	61.4	0.051	
E385490	123	123.5		750	2.7	147.5	0.007	3.04	2.1	11.7	2	9.8	63.7	0.36	0.16	13.3	0.148	0.5	15.9	63	17.1	15.5	4	66	0.019	
E385491			BLANK	110	20.2	0.8	<0.002	0.07	0.12	0.4	3	<0.2	268	<0.05	<0.05	0.2	0.006	<0.02	0.6	4	0.1	2.8	21	2.6	<0.001	
E385492	123.5	124		820	2.9	149	0.01	3.35	1.74	11.4	2	10	20	0.24	0.17	11.9	0.118	0.5	11.1	61	14.7	13.3	9	59.4	0.018	
E385493	124	125		1230	2.8	112	0.008	3.88	1.72	9.6	2	8.2	15.4	0.18	0.23	9.1	0.09	0.37	7.2	66	10.1	11.5	14	49.8	0.025	
E385494	189	190		700	1.7	170.5	<0.002	0.08	1.89	11.7	2	4.3	140	0.32	0.32	13.9	0.157	0.57	4	66	24.3	15.5	9	74	0.01	
E385495	190	190.5		850	1.9	161.5	0.004	0.34	1.97	10	2	8.3	102.5	0.21	0.18	15	0.126	0.48	3.5	64	19.9	13.6	6	67	0.006	0.6
E385496	190.5	191		460	4.9	157.5	<0.002	4.04	4.3	7.3	3	7.2	25.3	0.2	0.56	14.6	0.087	0.5	15.1	36	12.7	16.6	5	93.6	0.051	
E385497	191.5	192		410	3	114.5	<0.002	2.61	3.11	6.6	2	5.4	92.3	0.12	0.21	11.4	0.063	0.38	2.7	30	8.9	13.2	5	71.2	0.028	
E385498	192	192.5		770	1.2	139.5	<0.002	0.51	1.21	6.6	2	6.5	63.3	0.13	<0.05	11.8	0.101	0.36	1.8	46	10.7	10.7	4	58.4	0.006	
E385499	192.5	193		1380	1.7	151.5	<0.002	0.55	1.44	9.4	2	8.6	91.7	0.15	<0.05	14.2	0.09	0.42	2.5	54	12.3	14.5	5	62.6	0.012	
E385500	193	193.5		970	2	143	<0.002	0.3	1.61	7.4	2	8	282	0.18	<0.05	14.8	0.087	0.38	2.5	44	11.5	14.2	5	72.2	0.005	
E384751	193.5	194		1040	1.5	140	<0.002	0.37	1.37	7.3	2	8.1	301	0.16	0.05	13.3	0.08	0.38	4.9	41	10.7	16.2	5	76.6	0.007	
E384752			BLANK	110	0.8	0.8	<0.002	0.06	0.07	0.5	2	<0.2	269	<0.05	<0.05	0.2	0.006	<0.02	0.7	5	0.1	2.9	22	3.8	<0.001	
E384753	194	194.5		460	1.6	159	<0.002	0.23	1.49	8	2	8.6	230	0.19	<0.05	14.9	0.094	0.46	3.2	40	10.8	15.3	6	67.2	0.002	2.01
E384754	194.4	195		660	2.7	161	0.004	0.67	2.56	10.2	2	8.5	445	0.21	0.15	12.3	0.117	0.54	17.5	55	12.7	12.8	7	66.9	0.009	
E384755	195	195.5		740	1.4	147	0.004	0.36	1.4	8.9	2	7.4	534	0.22	<0.05	10.6	0.126	0.39	2.4	60	10.7	12.9	5	51.6	0.002	
E384756	195.5	196		920	1.7	133.5	0.007	0.33	1.4	9	2	6.8	148	0.18	0.07	13.5	0.099	0.38	2.3	55	9.5	13.8	15	51.8	0.005	
E384757	196	196.5		970	2.6	105.5	0.01	3.22	2.2	7.9	4	5.6	113	0.13	0.88	11.3	0.089	0.29	5.8	48	7.3	12.2	12	46.1	0.029	
E384758	196.5	197		1410	2.4	64.9	0.016	3.79	2.54	5.3	5	3.9	198	0.19	0.73	10.4	0.054	0.2	7.3	44	6.2	16	12	30.6	0.026	
E384759	197	197.5		1380	2.4	66.9	0.019	2.66	1.77	6.4	3	4.8	196.5	0.22	0.11	8.9	0.062	0.21	2.8	66	6.9	17.2	16	40.8	0.019	
E384760	197.5	198		1560	3.1	2.4	0.011	5.71	4	1.9	5	0.6	245	0.28	0.8	4.6	0.01	0.04	1.5	49	4	18.4	7	5.9	0.042	
E384761	198	198.5		1280	1.8	57.5	0.006	1.97	2.27	5.1	3	3.6	143.5	0.14	0.34	7.6	0.046	0.18	4.1	47	4.9	13.8	14	29.8	0.018	
E384762	198.5	199		1210	2.4	97.4	0.023	2.96	5.14	6.9	6	3.7	164.5	0.16	0.91	8.2	0.069	0.27	3.5	50	5.6	15.6	7	39.2	0.04	
E384763			BLANK	110	0.9	0.6	<0.002	0.07	0.08	0.5	2	<0.2	282	<0.05	<0.05	0.2	0.006	<0.02	0.7	6	0.1	2.9	22	3.5	<0.001	
E384764			STANDARD 2-3?	2180	5.4	30.3	0.012	6.26	1.98	3.6	5	6.6	169	0.12	0.97	5.3	0.033	0.41	13.6	53	6	12.5	8	21.5	0.151	
E384765	199	199.5		600	1.9	159	<0.002	0.19	1.6	10.3	1	5.8	186.5	0.22	<0.05	13.5	0.118	0.48	2.5	59	7.2	15.1	4	63.1	<0.001	0.7
E384766	199.5	200		560	1.6	134	<0.002	0.26	1.41	8.4	1	4.8	214	0.17	<0.05	11.6	0.101	0.38	1.9	51	6	13.3	5	56	0.001	0.97
E384767	200	200.5		640	3.9	163	<0.002	0.3	1.58	9.7	2	5.6	237	0.21	<0.05	14.4	0.116	0.45	2.1	56	6.9	12.2	4	59.7	<0.001	1.58
E384768	200.5	201		690	1.9	173.5	<0.002	0.34	1.43	10.5	2	6.1	262	0.2	<0.05	15.4	0.128	0.49	2.3	61	6.8	13.1	3	61.3	0.001	1.36
E384769	201	201.5		660	1.3	169.5	<0.002	0.4	1.22	10.2	2	6.4	119.5	0.16	<0.05	14.8	0.119	0.5	2.2	61	6.4	11.8	4	59.3	<0.001	0.73
E384770	201.5	202		650	1.4	172.5	<0.002	0.2	1.39	10.3	2	6.5	156.5	0.22	<0.05	13.7	0.128	0.48	2.2	64	6.8	13.7	4	67.3	<0.001	0.65
E384771	202	202.5		1030	2.4	123.5	0.015	1.13	3.05	9.7	4	6.6	259	0.25	0.3	12.7	0.115	0.4	10.5	66	7.2	18.4	11	56.9	0.032	
E384772	202.5	203		820	1.8	117	0.004	0.47	1.72	9.3	2	9.4	213	0.26	0.12	13.5	0.128	0.38	3.4	75	7.2	14.1	13	61.4	0.002	0.56
E384773	203	203.5		980	1.9	81.6	0.006	0.9	1.67	7.4	3	6.6	246	0.2	0.33	11.2	0.079	0.27	5	50	5.6	16	19	54.2	0.009	
E384774	203.5	204		700	1.9	137.5	0.006	0.29	1.75	10.2	2	8.6	153	0.28	0.08	15.5	0.129	0.43	3.3	65	8.2	13.6	8	66.7	0.002	0.56
E384775			BLANK	100	0.6	0.6	<0.002	0.06	0.1	0.5	4	<0.2	262	<0.05	<0.05	0.2	0.006	<0.02	0.6	8	0.1	2.7	21	4.8	<0.001	
E384776	204	204.6		1360	4.1	102.5	0.03	5.53	7.7	6.6	5	3.7	200	0.22	4.04	9.2	0.082	0.25	4.6	42	5.5	16.8	10	37.6	0.064	
E384777	204.6	205.6		640	1.4	192.5	<0.002	0.33	1.95	10.3	2	5	431	0.46	<0.05	15.6	0.169	0.51	3	63	7.1	13.5	3	65.8	<0.001	2.3

IG-2007-09

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	%	ppm	ppm
E383667	7.0	7.5		2.36	1.75	147	40	0.7	8.59	6.51	0.03	323	212	8	0.81	>10000	21.8	6.78	0.4	0.5	0.189	0.67	256	10.1	1.71	8200	38.7	0.03	2.8	63.3
E383668	7.5	8.0		3.65	1.75	368	30	0.69	9.53	7	0.03	247	260	3	0.99	>10000	31	5.86	0.41	0.5	0.128	0.74	208	8.5	2.2	8750	84.7	0.05	4.5	51.2
E383669	8.0	8.5		3.96	0.37	425	130	0.09	8.03	7.22	0.05	412	244	<1	0.14	>10000	30.8	4.39	0.45	0.1	0.131	0.03	347	3.3	2.37	8470	92.5	0.01	2.3	48.3
E383670	8.5	9.0		4.86	0.21	441	50	0.09	8.15	7.94	0.04	325	236	<1	0.12	>10000	28.1	3.72	0.38	0.1	0.131	0.02	286	1.9	2.71	9050	89.5	0.01	2	44.9
E383671	8.5	9.0	Duplicate	0.04	8.1	9.5	2300	2.1	1	4.74	<0.02	80.7	59.9	41	10.95	119.5	6.77	19.15	0.14	2.1	0.159	3.34	50.9	49.9	1.62	4980	16.95	0.47	3.6	20.8
E383672	9.0	9.5		4.41	0.17	403	70	0.05	9.8	6.94	0.06	222	272	<1	0.14	>10000	34.9	3.28	0.38	<0.1	0.111	0.02	196	1.4	2.74	9180	127.5	0.01	1.3	43.5
E383673	9.5	10.0		1.57	0.58	284	90	0.1	9.4	7.1	0.06	252	207	<1	0.28	>10000	32.6	4.13	0.39	0.2	0.11	0.06	217	5.1	2.9	9200	108.5	0.01	2.6	44.6
E383674	10.0	10.5		1.05	1.23	91.4	200	0.19	5.63	8.45	<0.02	98	200	<1	0.38	8560	27.8	4.63	0.3	0.4	0.104	0.06	80.6	13.9	3.42	9080	27.2	0.02	4.5	52.3
E383675	10.5	11.0		0.9	1.49	58.6	60	0.19	6.27	7.42	0.02	236	217	<1	0.3	3910	24.2	4.61	0.33	0.4	0.074	0.12	202	15.1	3.5	8260	26.1	0.01	4.3	43.5
E383676	11.0	11.5		0.85	1.71	68.1	50	0.29	6.9	6.66	0.02	136	283	4	0.36	2220	27.1	4.91	0.32	0.7	0.052	0.19	114	16.8	2.72	6460	20.6	0.01	9.4	50.9
E383677			Blank	<0.01	0.14	8	30	0.07	0.05	48.4	0.39	2.37	1.2	5	<0.05	8.7	0.11	0.44	0.07	0.1	0.007	0.03	1.8	1.5	0.54	53	0.33	0.01	0.3	0.4
E383678	11.5	12.0		1.08	0.71	90.4	40	0.17	8.14	6.2	0.02	134	332	<1	0.22	6310	33.1	4.69	0.3	0.3	0.069	0.07	115	7.1	1.92	6130	37.7	0.01	3	48.8
E383679	12.0	12.5		0.57	4.62	97.3	130	1.24	1.58	5.05	<0.02	251	203	19	1.37	3630	20.6	9.59	0.35	1.1	0.06	2.55	192	16.7	1.63	5700	73	0.43	3	40.1
E383680	12.5	13.0		0.95	4.1	92.9	110	1.02	2.55	4.31	<0.02	175	172	16	1.26	>10000	19.8	8.33	0.31	1	0.105	2.58	123	11.7	1.42	4990	60.6	0.2	2.6	38.3
E383681	13.0	13.5		1.5	2.73	155	60	0.4	5.03	5.54	0.02	207	231	11	0.83	>10000	20.9	5.96	0.33	0.8	0.101	1.69	160	11	1.91	6300	89.7	0.09	4	42.3
E383682	13.5	14.0		1.92	1.55	190	50	0.27	8.7	8.78	<0.02	399	449	4	0.87	>10000	22.8	5.5	0.44	0.5	0.072	0.47	326	9.6	1.96	6150	46.1	0.18	2.2	51.5
E383683	14.0	14.5		0.69	3.27	47.4	230	0.29	2.23	7.65	<0.02	221	226	6	0.57	>10000	13.1	5.12	0.24	1.3	0.073	0.26	188.5	10.5	2.5	6310	35.3	1.77	2.8	23.8
E383684	14.5	15.0		1.18	2.39	98.4	100	0.26	1.96	6.35	0.02	>500	247	6	0.66	1110	19.7	8.3	0.47	0.5	0.039	0.2	480	10.5	2.32	6040	24.5	1.01	2.6	59.8
E383685	15.0	15.5		0.86	1.17	125	40	0.14	5.59	6.66	0.03	353	396	2	0.42	352	23.3	5.63	0.37	0.3	0.047	0.09	324	11.6	2.22	6610	87.2	0.1	1.3	48.1
E383686	15.5	16.0		0.31	0.67	37.5	20	0.09	2.36	3.05	0.02	142	204	<1	0.15	207	29.1	4.83	0.31	0.1	0.036	0.02	132	6.8	1.32	3580	51.8	0.01	0.8	30.2
E383687	16.0	16.5		0.77	0.67	65.6	30	0.11	7.19	5.81	0.03	447	417	<1	0.24	1205	26.2	5.72	0.45	0.2	0.039	0.03	384	7.6	2.06	5020	33.2	0.01	2	41.1
E383688			Blank	0.01	0.15	9	30	0.05	0.01	49.1	0.43	2.42	1.3	6	<0.05	2.6	0.06	0.58	<0.05	0.1	<0.005	0.04	1.8	1.5	0.54	40	0.21	0.01	0.3	2
E383689			Standard 2	1.17	2.37	123	40	0.6	10.45	2.17	<0.02	193.5	334	9	2.64	9300	27.4	10.1	0.48	0.7	0.266	0.85	116	20	1.52	6290	85.1	0.24	5.2	62.2
E383690	16.5	17.0		0.78	0.64	202	30	0.14	7.99	2.52	0.04	327	755	<1	0.23	600	31.5	6.7	0.54	0.1	0.06	0.02	264	8.1	1.45	6340	52.2	0.01	1.7	48.1
E383691	17.0	17.5		0.73	0.67	192	20	0.12	6.88	2.26	0.04	>500	842	<1	0.17	656	29.9	10.5	0.92	0.1	0.041	<0.01	940	9.3	1.07	4480	63.5	0.01	0.9	50.2
E383692	17.5	18.0		0.67	1.74	62.3	210	0.63	6.64	4.97	<0.02	>500	413	4	1.19	1085	24.2	8.99	0.58	0.5	0.064	0.45	394	16.8	2.02	5380	50.9	0.01	1.6	51
E383693	18.0	18.5		0.18	5.11	38.2	210	2.71	1.99	5.27	<0.02	340	131	26	3.41	144.5	14.65	15.85	0.41	1.3	0.083	2.32	224	31.1	2.58	5310	15.55	0.03	2.9	50.5
E383694	18.5	19.0		0.05	6.24	8.5	2370	3.84	0.52	3.76	<0.02	135.5	69.5	34	5.39	804	9.04	17.65	0.25	1.7	0.06	3.12	89.5	34.9	1.58	3700	10.3	0.04	3.4	30.5
E383695	19.0	19.5		0.11	4.11	18.2	1320	2.27	1.02	5.72	<0.02	195	40.4	18	3.22	1065	15.85	13.75	0.35	1.1	0.122	1.86	149	27.8	2.45	7240	31.9	0.03	2.5	53.8
E383696	19.5	20.0		0.16	1.46	33.8	770	0.72	1.26	4.46	<0.02	>500	55.5	6	0.88	150	24.8	10.05	0.65	0.3	0.09	0.62	412	10.6	1.87	7160	59.2	0.02	1.2	69.8
E383697	20.0	21.0		0.07	7.21	16.3	1020	4.63	1.11	4.05	<0.02	167	33	39	4.71	304	7.01	19.7	0.25	1.9	0.078	3.77	108	38.2	1.4	3530	16.85	0.04	3.4	28
E383698	24.0	25.0		0.47	7.47	40.6	1220	1.76	6.15	5.36	<0.02	82	228	31	2.13	129	10.3	14.6	0.25	1.9	0.031	3.83	58.4	16.7	1.48	3910	14.15	1.99	3.2	45.1
E383699	25.0	25.5		0.83	2.72	104.5	60	0.34	11.5	4.41	<0.02	440	360	7	0.77	289	22.5	7.88	0.54	0.7	0.025	0.21	330	16.3	1.47	3580	46.1	1.09	2.5	72.3
E383700			Blank	0.01	0.14	<5	30	<0.05	0.02	46.6	0.4	2.83	1.5	6	<0.05	3.5	0.08	0.54	<0.05	0.1	<0.005	0.03	2	1.5	0.51	44	0.29	0.01	0.3	1.3
E383701	25.5	26.0		0.36	0.67	46.8	60	0.19	4.47	0.52	<0.02	>500	299	1	0.34	613	34.4	8.22	0.71	0.2	0.035	0.05	550	9.5	0.7	4450	53.8	0.01	1.4	45.9
E383702	26.0	26.5		0.19	0.5	21.1	50	0.1	1.99	0.61	<0.02	433	122	<1	0.2	975	30.5	7.26	0.55	0.1	0.028	0.01	340	6.8	0.66	3910	44.8	0.01	0.9	35.2
E383703	26.5	27.0		0.8	0.86	35.6	200	0.23	9.65	1.76	<0.02	331	218	<1	0.61	1405	32.2	7.74	0.54	0.1	0.055	0.07	257	10.7	0.84	3250	55.8	0.01	0.9	47.1
E383704	27.0	27.5		0.48	2.64	35.1	140	0.34	4.85	4.63	<0.02	192.5	283	17	0.76	126	16.55	5.51	0.35	0.9	0.024	0.18	159.5	15.9	1.47	3740	29	1.12	2.2	37.1
E383705	27.5	28.0		0.46	4.66	38.3	130	0.58	4.86	2.67	<0.02	103.5	185.5	23	0.83	73.6	14.65	8.16	0.28	1.2	0.023	0.22	85.9	35.3	1.16	2500	33.3	2.05	3	36.8
E383706	28.0	28.5		0.34	5.79	37	1320	2.44	1.46	3.32	<0.02	137.5	89.9	52	3.46	390	10.05	16.75	0.22	1.7	0.06	2.52	111.5	48.6	1.46	3350	21.6	2.41	1.3	42.8
E383707	28.5	29.0		0.09	7.39	32.5	1480	1.82	0.84	5.95	<0.02	39	74.8	48	2.29	797	6.91	15.25	0.16	1.5	0.074	2.27	27.4	18.4	2.02	4920	26.7	2.57	1.1	37.3
E383708	29.0	29.5		0.13	7.27	22.5	1720	2.36	0.95	5.47	<0.02	29.3	53.8	55	3.61	2910	7.31	17.05	0.16	1.4	0.123	3.23	19.2	21.3	1.91	4420	16.2	0.72	1	51.3
E383709	29.5	30.0		0.05	7.05	20.1	1810	2.89	0.35	6.7	<0.02	51.3	55	54	3.66	1525	9.5	16.65	0.19	1.4	0.136	3.26	35.1	18.4	1.86	6080	4.51	0.13	1.4	65.4
E383710	30.0	30.5		0.04	6.91	10.7	1870	2.84	0.31	6.96	<0.02	37.4	36.1	54	3.39	1645	10.15	15.75	0.2	1.4	0.115	3.32	24.4	17.5	1.88	6580	6.65	0.13	1.2	59.9
E383711			Blank	0.01	0.15	7	30	0.06	0.01	48.8	0.43	2.44	1.4	6	<0.05	4.8	0.07	0.59	<0.05	0.1	<0.005	0.04	1.9	1.6	0.53	48	0.24	0.01	0.3	1.1
E383712			Standard 3	0.28	7.35	53.5	180	2.47	1.58	1.93	<0.02	91.4	109	45	6.41	1680	7.45	20.3	0.21	1.8	0.127	3.09	46.9	25.2	1.34	3250	20.7	0.83	3.1	28.9
E383713	30.5	31.0		0.03	5.87	23.1	1690	2.64	0.27	7.85	<0.02	25.8	62.8	43	2.99	790	10.05	14.25	0.2	1.3	0.109	2.89	17	12.7	2.14	6730	3.85	0.08	1	56.4
E383714	31.0	31.5		0.03	7.37	24.4	2450	3.04	0.32	5.11	<0.02	6.41	92.1	57	3.47	194.5	10.7	17.6	0.18	1.4	0.101	3.74	3.8	16.6	1.43	4480	9.26	0.07	0.7	71.3
E383715	31.5	32.0		0.15	6.43	21.6	2150	2.64	1.28	6.17	<0.02	5.37	80.5	50	3.8	4690	15.1	18.2	0.26	1.4	0.14	3.13	3.1	17.7	2.09	6850	3.17	0.14	0.8	92.2
E383716	32.0	32.5		0.06	5.58	35.2	2330	1.77	1.41	7.43	<0.02	19.1	94.5	37	2.6	831	15.1	13.8	0.25	1.1	0.089	2.44	12.3	23.9	2.57	6190	6.51	0.56	0.8	100
E383717	32.5	33.0		0.09	6.27	48.1	1520	2.46	1.44	6.76	<0.02	16.7	98.8	47	2.92	290	11.85	15.85	0.21	1.4	0.125	2.65	10.2	27.7	2.76	7690	2.55	0.06	0.7	78.8
E383718	33.0	34.0		0.07	6.84	42.3	1810	2.86	1.3	6.83	<0.02	24	76.3	52	3.01	332	10.3	17.15	0.2	1.6	0.153	3.32	13.8	10.6	1.77	7530	4.35	0.08	0.9	64.5
E383719	76.0	77.0		0.29	5.81	66.7	130	2.05	1.64	4.47	<0.02	45.4	95.1	29	4.72	2350	10.05	13.75	0.21	1.4	0.085	2.71	25.7	25.1	1.4	5240	43.6	0.05	2.4	27.7
E383720	77.0	77.5		0.3	4.71	82.9	260	1.68	1.98	5.6	<0.02	166.5	86.7	27	3.88	2790	15.3	13.45	0.32	1.3	0.078	2.26	119.5	24.9	1.63	6310	49.2	0.04	3.5	41.9
E383721	77.5	78.0		2.01	6.46	105.5	110	2.94	5.7	3.18	<0.02	193	108	37	8.71	8310	10.6	17.7	0.26	2.2	0.12	2.82	129.5	49.7	1.26	3680	40.1	0.06	4.9	46.4
E383722	78.0	78.5		5.17	2.89	383	130	1.14	15.55	5.42	<0.02	37.9	357	13	2.99	>10000	21.6	8.6	0.34	1	0.21	1.32	16.6	19.6	2.04	8500	95.1	0.03	3.7	92
E383723			Blank	0.01	0.13	9	40	<0.05	0.02	44	0.39	2.1	1.2	5	<0.05	13.2	0.07	0.48	<0.05	0.1	<0.005	0.03	1.6	1.4	0.48	46	0.34	0.01	0.2	0.9
E383724	78.5	79.0		1.01	6.47	91.4	4440	2.56	5.27	4.33	<0.02	38.6	137	36	7.34	4420	11	15.95	0.2	1.6	0.112	2.94	21.2	37.8	1.55	5450	60.3	0.08	3.7	43.1
E383725	79.0	79.5		0.15	7.19	42.9	3050	2.7	0.55	5.13	<0.02	46.3	71.7	37	6.26	630	7.9	16.7	0.15	2	0.087	3.36	31.9	32.1	1.45	5290	27.3	0.2	3.1	23.3
E383726	79.5	80.0		0.09	4.83	38.8	1760	1.54	0.56	7.48	<0.02	18.4	81.5	24	3.38	180	11.5	9.73	0.18	1.2	0.067	1.85	12.2	21.8	1.94	7840	12.8	0.68	2.1	28.8
E383727	80.0	81.0		0.17	5.37	49.3	1770	1.9	0.99	7.15	<0.02	67.2	87.4	25	4.51	1095	12.15	11.9	0.21	1.4	0.078	2.14	53.9	25.7	1.95	7410	6.18	0.55	3.2	34.9
E383728	114.0	115.0		0.34	7.81	48.1	600	1.78	2.67	1.31	<0.02	123.5	69.2	54	9.39	2860	6.53	20.3	0.19	2.4	0.091	3.8	77.4	27.8	1.05	3720	53.6	0.1	3.5	28.5
E383729	115.0	115.5		0.67	2.18	135.5	110	0.51	12.45	0.5	<0.02	128.5	148.5	10	3.3	3180	24.2	7.32	0.4	0.8	0.252	0.81	94.2	18.3	1.92	16950	45	0.03	4.3	64.1
E383730	115.5	116.0		0.99	2.06	180.5	190	0.49	21.9	0.55	<0.02	141	204	7	2.88	1210	31.5	7.2	0.53	0.8	0.239	0.63	119	18.5	2.03	17100	37.1	0.02	6.2	80.4
E383731	116.0	116.5		0.51	0.79	133	70	0.16	9.09	0.59	<0.02	101.5	148.5	<1	1.11	130	33.2	3.37	0.42	0.2	0.251	0.31	74.6	5	2.15	23600	42.2	0.02	3.9	45.7
E383732	116.5	117.0		0.56	1.35	173	70	0.39	11.8	0.55	<0.02	155.5	203	3	2.02	555	30.9	4.76	0.42	0.5	0.176	0.58	119	5.9	1.82	17850	51.8	0.02	6.6	63.5
E383733	117.0	117.5		0.32	0.6	59.2	190	0.2	3.14	0.52	<0.02	211	57.6	<1	0.89	5360	31.4	3.37	0.46	0.2	0.32	0.23	181.5	3.8	2.47	25000	25	0.01	3.8	30.2
E383734			Blank	0.01	0.13	<5	30	0.1	0.05	45.3	0.44	2.93	1.9	6	0.05	10.8	0.18	0.47	<0.05	0.1	0.005	0.03	2.3	1.5	0.51	132	0.46	0.01	0.4	1.9
E383735			Standard 1	1.04	5.46	47	200	1.95	2.4	1.8	<0.02	49.8	151	33	3.39	7850	8.88	14.25	0.18	1.5	0.133	2.01	20.7	21.6	1.08	2970	62.9	0.92	3.7	37.5
E383736	117.5	118.0		0.44	2.53	111.5	90	0.66	7.21	0.47	<0.02	88.9	120	7	3.95	601	22.8	7.93	0.35	1.1	0.143	1.16	65.2	11.2	1.7	15750	37.2	0.04	4.2	45.9
E383737	118.0	118.5		0.21	5.14	48.5	520	1.42	3.31	0.28	<0.02	17.5	56.6	27	6.87	149	14.8	14.8	0.23	1.8	0.104	2.34	11.6	20.1	1.35	14300	21.3	0.08	3.7	26.2
E383738	118.5	119.0		0.13	4.2	26.2	410	1.1	2.26	0.31	<0.02	36.3	48.3	26	5.64	164.5	17.45	12	0.28	1.1	0.127	1.89	26.5	16	1.89	16400	19.2	0.06	2.9	20.5
E383739	119.0	119.5		0.05	5.97	8.5	2700	1.44	0.54	0.3	<0.02	45.9	18.1	38	7.91	111	13.55	16.55	0.24	1.8	0.099	2.76	27.4	20.6	1.49	14700	10.2	0.09	2.2	12.2
E383740	119.5	120.0		0.13	5.1	43.6	390	1.32	2.63	0.26	<0.02	114.5	49.6	34	6.87	188	11.5	14.1	0.22	1.5	0.074	2.26	78.4	15.4	1.16	9450	12.85	0.08	2.4	20.4
E383741	120.0	120.5		0.16	6.26	64.4	1180	1.71	4.44	0.19	<0.02	65.5	67.4	41	7.83	94	11.9	16.8	0.22	1.9	0.061	2.8	40.9	21.3	1.02	9720	8.47	0.09	2.7	33.1
E383742	120.5	121.0		0.18	6.57	77.3	1550	1.61	5.37	0.21	<0.02	119	97.3	36	8.53	109.5	12.6	17.55	0.27	2.1	0.059	2.74	73	25.5	1.09	7390	17.1	0.09	2.7	44.7
E383743	121.0	121.5		0.2	4.02	65.2	620	0.97	6.31	0.35	<0.02	170.5	91.2	22	7.79	484	18.5	11.85	0.35	1.4	0.12	1.67	118.5	17.7	1.62	12350	27	0.06	6.1	39
E383744	121.5	122.0		0.18	4.03	77.2	690	0.89	4.46	0.32	<0.02	55	84.8	24	7.47	791	19.15	11.2	0.3	1.4	0.112	1.75	39.2	13.4	1.65	12400	24	0.07	4.9	32.4
E383745	122.0	122.5		0.16	3.97	78.7	580	0.83	5.95	0.33	<0.02	83.7	96.8	22	6.21	328	19.1	12.2	0.31	1.3	0.106	1.73	59.8	12.5	1.56	11750	31.3	0.07	4.4	35.8
E383746			Blank	0.01	0.12	9	20	0.09	0.02	42.4	0.37	2.23	1.4	5	<0.05	3	0.09	0.43	<0.05	0.1	<0.005	0.03	1.7	1.3	0.46	65	0.31	0.01	0.3	2.1
E383747	122.5	123.0		0.19	4.06	85.6	700	0.77	8.8	0.28	<0.02	86.1	96.2	26	6.54	72.8	18.65	12.95	0.32	1.3	0.105	1.77	59.2	13.3	1.48	10900	24	0.07	3.2	39.9
E383748	123.0	123.5		0.18	4.87	81.1	1140	1.03	6.59	0.26	<0.02	85.2	100.5	27	7.89	65.4	20.4	14	0.34	1.6	0.127	2.12	60.8	16.1	1.71	12000	19.05	0.09	3.3	43.8
E383749	123.5	124.0		0.16	4.8	71.9	920	0.92	5.59	0.25	<0.02	102	97.2	27	7.64	53.9	17.85	13.55	0.27	1.7	0.096	2.1	76	14.1	1.37	9580	26.9	0.08	4.6	39
E383750	124.0	124.5		0.18	3.37	56.4	280	0.72	5.27	0.5	<0.02	110	93.1	16	5.43	208	21.8	10.5	0.34	1.2	0.124	1.48	84.2	10.5	1.69	13700	47.6	0.06	7.1	43.7
E383751	124.5	125.0		0.31	1.08	100.5	90	0.25	9.21	0.74	<0.02	147	153.5	5	1.72	435	26.5	4.21	0.43	0.5	0.12	0.47	117.5	4.3	1.67	15900	92.8	0.02	8.7	88.8
E383752	125.0	125.5		0.38	4.31	141	1390	0.86	14.2	0.42	<0.02	241	176.5	14	6.53	383	23.3	15.15	0.44	1.6	0.098	1.86	196	14	1.2	9980	76.5	0.07	7.3	96

IG-2007-02

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr	Cu	Au
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
E383667	7.0	7.5		2530	19.1	18.2	0.011	7.58	3.23	7.4	5	7.1	60.1	0.07	0.78	3.2	0.033	0.23	132.5	79	7.9	32	16	16.3	2.73	0.166
E383668	7.5	8.0		1360	13.5	22.6	0.009	>10.0	2.81	6.8	4	19.6	39.8	0.05	0.91	2.8	0.027	0.52	50.7	48	6.4	19.2	11	16.2	1.425	0.172
E383669	8.0	8.5		1540	19.3	0.8	0.015	>10.0	2.74	4.7	5	8.6	29.4	<0.05	0.75	2.1	0.007	1.58	20.7	36	4.4	17.9	7	3.2	1.53	0.179
E383670	8.5	9.0		1450	18.3	0.6	0.016	>10.0	3.14	4.7	5	8	29	<0.05	0.74	1.3	0.005	1.14	17.2	31	4.5	16.2	9	2	1.62	0.186
E383671	8.5	9.0	Duplicate	790	2.5	157	0.004	0.58	1.88	11.7	2	7.7	75.1	0.25	0.22	15.9	0.134	0.41	8.5	74	14.7	15.6	2	74.4		0.007
E383672	9.0	9.5		1390	22.8	0.6	0.02	>10.0	3.36	4.1	4	7.1	21.8	<0.05	0.69	1.2	0.005	1.51	16.7	26	4.8	12.3	<2	1.2	1.215	0.177
E383673	9.5	10.0		1510	9.9	1.8	0.016	>10.0	4.78	3.3	4	7.2	22.2	<0.05	0.52	2.3	0.009	0.29	15.4	25	4.4	15	13	5.2	1.03	0.176
E383674	10.0	10.5		1570	5.3	2.6	0.007	5.93	7.24	3.9	3	6.4	32.2	0.11	0.29	1.6	0.018	0.11	13.2	37	3.6	14.2	23	13.4		0.137
E383675	10.5	11.0		1370	6.8	3.5	0.004	6.68	5.68	4	2	5.4	36.6	0.06	0.46	2.8	0.014	0.08	10.7	25	4.1	19.6	23	13		0.076
E383676	11.0	11.5		1450	6.7	5.4	0.002	7.3	6.97	3.8	2	7.2	43.2	0.13	0.52	1.8	0.023	0.07	16.2	27	4.3	16.4	25	23.6		0.065
E383677			Blank	130	0.7	0.5	<0.002	0.09	0.08	0.5	2	<0.2	321	<0.05	<0.05	0.2	0.007	<0.02	0.6	16	<0.1	2.9	25	3.8		0.002
E383678	11.5	12.0		1100	6.7	2	0.006	9.66	6.7	2.6	3	4.7	25.9	<0.05	0.93	1.3	0.013	0.09	19.9	26	4.2	14.1	12	8.6		0.135
E383679	12.0	12.5		1840	3.8	60.5	0.01	3.33	1.74	7.1	5	20.1	98.4	0.05	0.71	6.3	0.041	0.33	12.3	49	4.9	16.7	9	37.5		0.049
E383680	12.5	13.0		1570	5.9	60.4	0.01	4.87	1.54	6.7	4	18	143	0.05	0.4	7.1	0.037	0.51	30.9	38	4.2	15.5	8	36.9	1.565	0.224
E383681	13.0	13.5		2010	11.8	32.7	0.043	6.75	2.55	5	4	5.9	37.5	0.09	0.61	11.1	0.028	0.71	27.7	28	2.3	20.6	14	26.2	1.5	0.212
E383682	13.5	14.0		1380	10.4	9.8	0.013	>10.0	5.04	6.6	4	5.6	44.7	<0.05	1.24	6.1	0.013	0.33	24	29	3.3	16.8	12	17	1.165	0.217
E383683	14.0	14.5		830	4.3	5.3	0.006	4.23	2.07	10.4	4	3.4	57.6	0.07	0.3	4.4	0.02	0.18	12.1	12	2.3	13.2	6	46.3	1.355	0.251
E383684	14.5	15.0		2540	12.1	4.3	0.003	3.53	4.05	5.7	3	1.4	36.6	<0.05	0.24	8.6	0.012	1.25	8.2	38	3.1	18.1	14	18.8		0.037
E383685	15.0	15.5		800	9.8	2.3	0.014	8.04	5.65	4.8	3	1.4	31.1	<0.05	0.7	4.3	0.008	0.4	6.1	23	7	10.9	15	10.7		0.097
E383686	15.5	16.0		270	4.1	0.8	0.003	4.01	3.64	2.2	2	1.4	7.4	<0.05	0.17	1.3	0.007	0.11	3.9	20	14.5	4.3	10	2.7		0.031
E383687	16.0	16.5		1870	7.3	0.8	0.005	6.99	5.9	6.5	3	1.8	28	<0.05	0.46	5.5	0.008	0.11	12.8	32	10	12.8	10	5.8		0.049
E383688			Blank	120	1	0.7	<0.002	0.08	0.12	0.8	3	<0.2	317	<0.05	<0.05	0.2	0.008	<0.02	0.7	15	0.1	2.9	28	3.9		0.001
E383689			Standard 2	2420	6.1	34.9	0.02	7.12	2.23	4.4	7	7.5	176.5	0.12	1.33	5.7	0.031	0.47	15.1	63	8.9	14.5	4	22.4		0.109
E383690	16.5	17.0		1310	7.9	1	0.01	9.82	7.13	4.3	5	1.4	12.9	<0.05	0.77	3.6	0.007	0.16	14	33	6.5	9.4	11	3.6		0.056
E383691	17.0	17.5		590	7.8	0.2	0.009	9.66	8.21	3.6	6	1	10	<0.05	0.59	14.8	0.005	0.21	12.6	31	5.5	17.2	12	1.2		0.049
E383692	17.5	18.0		640	6.7	17.9	0.007	6.27	6.52	7.1	4	3.1	19.1	0.05	0.46	8.4	0.026	0.12	11.1	40	11.8	12.3	14	17.4		0.041
E383693	18.0	18.5		990	4	92.5	0.004	2.78	3.28	9.5	4	9.2	15.4	0.14	0.17	13.2	0.089	0.28	6.9	57	12.6	14.1	9	45.4		0.019
E383694	18.5	19.0		750	1.9	127.5	0.002	0.8	1.23	11.1	2	11.4	38.3	0.2	<0.05	13.3	0.113	0.3	9.2	59	12.6	14.6	5	59.8		0.003
E383695	19.0	19.5		950	2.1	75.6	0.003	0.78	2.27	6.8	3	8.7	38.3	0.08	0.12	7.2	0.074	0.19	12.8	46	12.7	17.8	9	35.5		0.003
E383696	19.5	20.0		1060	2.5	25.7	0.003	1.25	3.88	3.6	3	3.6	34.3	<0.05	0.17	11.2	0.027	0.1	4.2	33	4.4	19.2	4	10.8		0.006
E383697	20.0	21.0		750	2.2	154.5	0.003	0.99	2.24	11.8	3	15.2	98.9	0.18	0.18	14.9	0.145	0.4	6.5	71	16.4	15.3	2	66.5		0.005
E383698	24.0	25.0		840	6	102.5	0.005	5.77	3.89	12.9	3	13.3	70.4	0.22	0.56	13.2	0.099	0.25	8	54	8.7	12.2	3	67.9		0.053
E383699	25.0	25.5		1360	10.5	6.1	0.009	>10.0	7.64	5.8	5	2.8	127	0.08	1.77	7.8	0.013	0.57	5.3	26	5.4	12.6	10	22.3		0.094
E383700			Blank	110	0.7	0.6	<0.002	0.09	0.08	0.6	3	<0.2	297	<0.05	<0.05	0.2	0.007	<0.02	0.6	14	0.1	2.8	23	3.9		<0.001
E383701	25.5	26.0		1280	5.5	1.8	0.008	9.31	3.13	2.5	4	1.7	37.4	<0.05	0.41	14.7	0.007	0.14	8.8	57	6.9	13.5	5	5.1		0.025
E383702	26.0	26.5		560	3.3	0.4	0.004	4.14	2.34	1.6	3	1.7	29.1	<0.05	0.11	7.1	0.009	0.23	9.8	42	6.5	7.7	5	2.8		0.009
E383703	26.5	27.0		460	9.2	2.6	0.005	5.32	3.92	2.7	3	1.2	13.9	<0.05	0.29	3.7	0.011	0.11	17.9	48	17.5	7.4	9	5.8		0.023
E383704	27.0	27.5		1110	5.8	5.2	0.003	6.79	3.97	7	3	2	34.1	0.06	0.53	5.9	0.024	0.07	5.1	24	5.4	8.8	9	33.7		0.031
E383705	27.5	28.0		640	6	6.7	0.002	3.87	5.49	4.5	3	2.2	28.5	0.12	0.43	5.7	0.033	0.08	8.7	31	5	9.2	13	40.8		0.029
E383706	28.0	28.5		610	3.5	87.6	<0.002	1.28	1.79	25.5	2	20.6	38.2	0.06	0.12	3.7	0.103	0.31	6.5	204	9.8	10.6	8	55.3		0.007
E383707	28.5	29.0		600	1.4	69.6	0.002	0.67	1.62	23.5	3	8.6	48.5	0.05	0.15	1.1	0.13	0.19	3.6	198	10.5	11	6	50.6		0.006
E383708	29.0	29.5		350	1.5	106.5	0.002	0.44	1.88	32.6	4	8.1	42.7	0.07	0.05	0.9	0.216	0.39	5.3	295	13.3	12.2	5	47.6		0.023
E383709	29.5	30.0		290	1.3	110	<0.002	0.32	1.21	30.4	3	4.1	59.4	0.07	<0.05	1.3	0.186	0.32	3.8	254	8.2	11.9	5	47.4		0.011
E383710	30.0	30.5		290	1	110.5	0.002	0.18	0.96	31.3	2	4.1	66.1	0.07	<0.05	1.1	0.173	0.3	4.1	261	7.1	11.5	5	48.3		0.011
E383711			Blank	130	0.8	0.7	<0.002	0.08	0.07	0.6	3	<0.2	312	<0.05	<0.05	0.2	0.007	<0.02	0.7	16	0.1	3	27	3.5		0.002
E383712			Standard 3	790	2.9	138	0.006	1.34	1.2	11.1	3	8.2	475	0.19	0.19	14	0.119	0.36	18.7	69	9.1	11.8	4	64		0.016
E383713	30.5	31.0		380	0.8	96.4	0.002	0.32	1.21	29.4	2	4.5	93.3	0.06	<0.05	0.9	0.181	0.26	2.4	238	7.7	11.6	3	43.1		0.005
E383714	31.0	31.5		310	0.8	119	<0.002	0.52	0.97	31.2	2	7.7	50.6	<0.05	<0.05	0.8	0.171	0.32	2.1	248	9.5	8.9	4	46.8		0.002
E383715	31.5	32.0		250	1.9	100	<0.002	0.82	1.16	31.3	3	7.8	40.4	<0.05	<0.05	0.9	0.145	0.3	6.8	245	11.2	10	5	48.5		0.03
E383716	32.0	32.5		230	2	69.6	0.002	0.67	0.97	21.8	2	5	63.8	<0.05	0.05	0.9	0.102	0.18	3.6	183	7.2	10.2	12	37.7		0.013
E383717	32.5	33.0		260	1.2	91.4	<0.002	0.57	1.44	30	2	4.9	16.5	0.05	0.05	0.9	0.174	0.25	4.7	242	7.3	11.2	9	47.8		0.007
E383718	33.0	34.0		300	1.5	109.5	0.003	0.44	1.53	30.6	3	3.2	128	0.06	<0.05	1.1	0.219	0.33	3	259	6.5	10.2	4	53		0.006
E383719	76.0	77.0		830	3.9	103.5	0.002	1.56	1.31	11.5	2	8.6	156	0.11	0.21	10.6	0.103	0.41	17.2	59	13.2	11.7	2	46.5		0.02
E383720	77.0	77.5		2070	3.5	87.7	0.007	1.87	1.35	10.2	4	10.8	83.1	0.11	0.38	11.4	0.085	0.39	10.6	94	11.7	19	2	41.9		0.029
E383721	77.5	78.0		1880	18.6	114.5	0.01	3.79	3.49	9.7	4	15.2	50.5	0.21	0.34	14.5	0.128	0.83	29.5	101	15.7	23.2	4	76.5		0.057
E383722	78.0	78.5		1050	32.1	52.1	0.021	>10.0	3.98	5.9	4	8.1	55.4	0.13	0.67	5.2	0.067	1.59	315	53	9.5	17.6	10	36.3	1.62	0.18
E383723			Blank	120	0.8	0.6	<0.002	0.08	0.07	0.4	3	<0.2	280	<0.05	<0.05	0.2	0.006	<0.02	0.8	14	0.1	2.6	22	2.9		0.001
E383724	78.5	79.0		1110	8.4	120.5	0.007	3.57	1.72	13	3	10.7	120	0.14	0.2	11.2	0.104	1.27	43	65	10.8	16.8	5	59.3		0.056
E383725	79.0	79.5		1010	2.8	133.5	<0.002	0.48	1.16	13.9	2	9.1	58.4	0.16	<0.05	14.5	0.113	0.59	16	68	11.1	16.6	4	64.3		0.005
E383726	79.5	80.0		930	2.5	74.3	<0.002	0.45	1.13	9.7	2	6.6	89.4	0.11	0.07	6.3	0.069	0.34	12.2	58	8	11.8	3	41.5		0.003
E383727	80.0	81.0		1160	2.9	89.8	0.002	0.88	1.25	11.9	2	9.8	82	0.14	0.13	9.6	0.078	0.38	8.1	66	8.5	17.3	3	45.8		0.014
E383728	114.0	115.0		890	2.4	166	0.015	1.55	1.61	10.4	2	12.2	27.6	0.17	0.14	17	0.114	0.72	11.6	76	15.1	13.5	3	77		0.009
E383729	115.0	115.5		1260	4.1	47.5	0.011	6.24	2.04	4.5	4	11.7	34.3	0.11	0.5	5.9	0.037	0.41	7.7	39	8.3	10.8	13	24.5		0.015
E383730	115.5	116.0		1920	6.6	35.6	0.014	9.57	2.28	3.6	3	11.5	30.8	0.17	0.66	4.2	0.043	0.24	10.4	55	7.4	13.2	19	24.9		0.022
E383731	116.0	116.5		1970	4.5	16	0.005	6.53	1.59	1.9	3	4.8	17.2	0.08	0.53	1.9	0.013	0.12	7.9	36	3.2	9.6	8	7.1		0.014
E383732	116.5	117.0		1870	4.4	32.3	0.007	8.68	2.2	2.2	4	8.4	13.6	0.13	0.85	4.3	0.025	0.21	9.8	40	5.1	9.7	7	15.2		0.022
E383733	117.0	117.5		1670	3.1	12.7	0.005	4.92	1.38	0.9	3	5.1	17.5	0.05	0.3	1.7	0.01	0.28	3.8	15	4.1	9.6	8	5.5		0.011
E383734			Blank	100	1.2	0.8	<0.002	0.1	0.09	0.5	3	0.2	286	<0.05	<0.05	0.2	0.007	<0.02	0.7	14	0.1	3.1	22	3.5		0.001
E383735			Standard 1	780	21.4	85.4	0.022	2.15	1.56	9.2	4	7	640	0.2	0.24	8.3	0.067	0.4	280	50	8.1	14.9	6	48.9		0.05
E383736	117.5	118.0		1530	3.6	64.7	0.009	5.68	2.11	3	3	12.4	18.2	0.09	0.52	5.7	0.03	0.49	7.4	39	5.5	11	6	32.9		0.016
E383737	118.0	118.5		1030	2.1	127	0.004	2.78	1.33	7.8	2	19.2	13.4	0.15	0.3	11.2	0.068	0.55	4.7	51	9.1	10.6	9	51.6		0.008
E383738	118.5	119.0		960	2	102.5	0.006	1.47	1.39	7.3	2	14.3	12.1	0.13	0.23	8.3	0.054	0.42	6.5	55	7.6	9	8	35.2		0.005
E383739	119.0	119.5		1090	1.7	142	0.007	0.29	0.99	9.6	2	12.3	13.8	0.15	0.1	13.7	0.079	0.57	9.9	56	9	12.3	9	56.8		0.002
E383740	119.5	120.0		910	2.1	119.5	0.009	1.86	1.23	8.4	2	9.2	13	0.14	0.27	11.6	0.067	0.48	7.8	51	8.6	10.5	6	46.6		0.01
E383741	120.0	120.5		740	2.4	145	0.003	3.78	1.25	11.5	2	9.6	14.8	0.19	0.23	12.8	0.093	0.56	8.1	60	10.4	10.4	7	58.8		0.012
E383742	120.5	121.0		840	2.9	145	0.005	5.09	1.54	9.2	2	10.9	13.3	0.16	0.31	15.7	0.079	0.57	10.8	60	9.5	12.1	10	65.2		0.014
E383743	121.0	121.5		1140	3.4	97.2	0.006	4.56	1.39	8.7	3	9.8	15.7	0.2	0.38	10.1	0.066	0.43	14.6	62	10.7	10.9	9	44		0.02
E383744	121.5	122.0		930	2.8	97.2	0.005	4.1	1.13	8.7	2	10	18.6	0.17	0.34	7.8	0.062	0.41	11.8	58	9.6	10.3	6	43.6		0.021
E383745	122.0	122.5		1030	2.7	99.2	0.006	4.7	1.24	7	2	10.5	15.6	0.17	0.34	7.9	0.059	0.39	13.1	55	9.5	9.7	4	41.9		0.02
E383746			Blank	100	0.7	0.7	<0.002	0.07	0.06	0.4	3	<0.2	289	<0.05	<0.05	0.2	0.006	<0.02	0.6	13	0.1	2.8	21	3		<0.001
E383747	122.5	123.0		720	2.9	105.5	0.004	5.39	1.29	8.3	2	11.2	10.9	0.14	0.41	8.3	0.052	0.4	12.1	54	9	8.5	3	40.8		0.024
E383748	123.0	123.5		620	2.3	114.5	0.002	5.86	1.17	7.6	2	12.4	11.5	0.16	0.41	9.1	0.063	0.47	12.9	51	9	9.2	3	46.8		0.021
E383749	123.5	124.0		720	2.4	119	0.003	5.52	1.24	8.4	2	11.8	11.2	0.19	0.34	11	0.071	0.48	13.4	58	11	10.8	2	51.4		0.019
E383750	124.0	124.5		1720	2.3	87	0.012	4.6	1.19	7	3	9.5	11.4	0.2	0.47	7.8	0.05	0.34	18.3	79	8.5	12.9	4	36.2		0.023
E383751	124.5	125.0		2770	3.2	27	0.037	8.87	1.51	8.1	6	3.9	11.5	0.24	0.98	3.1	0.029	0.13	11.6	91	5.9	11.8	7	14.6		0.04
E383752	125.0	125.5		1740	3.6	103	0.013	>10.0	2.28	9.2	4	12.9	19.4	0.16	0.8	6.8	0.102	0.45	11.6	151	17.6	14.4	6	44.7		0.044

IG-2007-02

Sample No	From (m)	To (m)	Standard/Blank	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
E383753	125.5	126.0		0.87	1.3	273	270	0.25	25.4	0.37	<0.02	120	219	1	1.97	333	32.3	4.82	0.46	0.5	0.106	0.55	94.7	4.9	1.27	11850	77.6	0.02	6	102.5
E383754	126.0	126.5		0.75	0.79	182.5	20	0.22	22.3	0.36	<0.02	106.5	167	<1	0.99	192	37.4	3.37	0.51	0.3	0.221	0.27	104.5	4.5	1.81	17050	84.9	0.01	7.4	78.9
E383755	126.5	127.0		0.35	0.68	85.1	40	0.2	9.22	0.75	<0.02	133.5	119.5	<1	1.08	129.5	34.8	3.22	0.53	0.2	0.214	0.28	99.3	3.1	1.97	21500	80	0.02	7.1	50.8
E383756	127.0	127.5		0.35	1.31	92.8	90	0.38	6.57	0.74	<0.02	182.5	170	1	2.19	661	31	5.15	0.51	0.4	0.189	0.56	144.5	5	1.79	17700	79.7	0.03	8.3	54.7
E383757			Blank	0.01	0.12	<5	30	0.1	0.03	43.1	0.36	2.3	1.3	6	<0.05	2.3	0.11	0.46	<0.05	0.1	<0.005	0.03	1.9	1.3	0.47	74	0.43	0.01	0.3	2.1
E383758			Standard 2	1.09	2.18	76.1	80	0.84	10.2	1.96	<0.02	194	310	9	2.49	8640	24.9	9.02	0.43	0.7	0.249	0.81	124	18.5	1.4	5680	59.4	0.22	5.5	58.3
E383759	127.5	128.0		0.23	1.85	69	230	0.45	2.72	0.77	<0.02	173.5	119.5	7	3.18	1565	31.7	6.99	0.53	0.7	0.185	0.8	133	6.6	2.07	20900	71.4	0.04	11	38
E383760	128.0	128.5		0.2	3.77	103	360	0.63	7.36	0.68	<0.02	155	116	22	5.16	1370	21.6	10.8	0.25	1	0.107	1.6	126	9.4	1.46	12700	57.1	0.07	7.5	55.8
E383761	128.5	129.0		0.29	1.54	95.5	110	0.28	9.75	0.51	0.02	101.5	115	7	2.42	900	32.9	4.85	0.31	0.4	0.228	0.85	79.2	4.3	2.21	21700	46.7	0.03	3.8	60.6
E383762	129.0	129.5		0.19	0.58	76.9	280	0.12	5.82	0.61	<0.02	58.3	92.5	<1	0.92	85.3	37.7	2.23	0.27	<0.1	0.191	0.25	43.6	2.3	2.33	25000	36.7	0.01	6.1	53.5
E383763	129.5	130.0		0.28	1.73	188.5	100	0.32	9.99	0.52	<0.02	146.5	137	4	2.42	139	35.7	5.35	0.31	0.3	0.166	0.73	120.5	4.3	2.11	20100	43.6	0.03	3.8	71.1
E383764	130.0	130.5		0.18	2.2	49.5	390	0.41	2.53	0.87	<0.02	181	63.3	8	2.97	418	32.6	6.5	0.32	0.9	0.169	0.92	146	5.1	2.29	21600	60.6	0.05	7.7	40.9
E383765	130.5	131.0		0.29	6.3	83.2	600	1.17	1.55	0.79	<0.02	152.5	74.3	33	8.3	2970	16.9	17.1	0.22	2.7	0.178	2.57	118	11.6	1.51	12650	51.5	0.12	11.2	38.3
E383766	131.0	131.5		0.8	6.15	651	1450	1.08	22.9	1.04	<0.02	275	385	35	7.48	1140	18.3	18.65	0.31	1.9	0.046	2.51	202	10.4	0.22	264	201	0.12	11.8	161
E383767	131.5	132.0		0.45	6.07	281	1910	1.14	10.5	0.57	<0.02	174	150	25	7.38	1480	20.2	17.65	0.25	1.9	0.125	2.46	118	11.3	1.23	9900	66.9	0.12	5.9	75.1
E383768	132.0	132.5		16.85	5.36	64.8	1340	1.13	4.68	0.76	<0.02	159.5	80.8	21	6.72	2050	23.2	15.25	0.3	1.5	0.174	2.17	131.5	10.2	1.9	16200	43.4	0.1	6.8	48.5
E383769			Blank	0.06	0.13	7	60	<0.05	0.03	42.8	0.33	2.26	0.8	6	<0.05	3.6	0.08	0.45	<0.05	<0.1	<0.005	0.03	1.9	1.2	0.46	54	0.39	0.01	0.2	2.7
E383770	132.5	133.0		0.32	4.77	26.1	2380	1.03	1.27	0.63	<0.02	110	35.6	21	6.31	693	25.5	13.6	0.38	1.7	0.226	1.89	93.9	10.8	2.35	21300	42.9	0.09	7.6	28.2
E383771	133.0	133.5		0.25	6.38	59.5	750	1.55	4.96	0.41	<0.02	71	63.8	25	8.25	1190	20.8	18.65	0.21	2.3	0.218	2.56	51.7	12.4	1.58	15150	35.7	0.13	6.1	31.1
E383772	133.5	134.0		0.37	5.36	54	960	1.25	5.76	0.28	<0.02	84.5	83.5	38	7.77	1150	19	14.8	0.2	1.7	0.284	2	56.4	16.4	1.58	15450	21.5	0.1	4	39.2
E383773	134.0	134.5		0.22	3.28	21.6	240	0.82	2.24	0.2	<0.02	64.9	49.1	17	4.61	161	16.9	8.66	0.18	1.1	0.231	1.21	32	13.7	1.57	18200	1.14	0.06	2.2	20.6
E383774	134.5	135.0		0.13	4.29	10.2	1540	0.83	0.3	0.23	0.02	65.3	21.5	25	5.03	40.8	13.55	10.4	0.16	1.3	0.144	1.69	35.8	9.6	1.24	11050	1.27	0.1	2.2	18
E383775	135.0	136.0		0.08	4.41	8.4	1540	0.84	0.25	0.21	<0.02	58.4	26	26	5.06	26.8	13.3	10.5	0.14	1.5	0.127	1.71	31.3	8.7	1.12	10750	1.61	0.1	3.8	13.9

KG-2007-02

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Ti	U	V	W	Y	Zn	Zr	Cu	Au
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
E383753	125.5	126.0		1180	4.2	31.7	0.017	>10.0	3.76	5.7	4	6.3	8.8	0.14	1.28	3.4	0.026	0.15	4.8	57	6.4	6.4	5	14.5		0.073
E383754	126.0	126.5		1050	7.1	15.6	0.028	>10.0	1.83	3.7	4	4	33.7	0.11	1.49	1.6	0.018	0.19	3	44	4.2	5.2	9	8.2		0.045
E383755	126.5	127.0		2780	4	16.4	0.021	8.16	1.64	3.3	4	3.4	19.6	0.19	1.19	2	0.012	0.1	10.8	67	2.9	10	7	5.4		0.033
E383756	127.0	127.5		2850	3.1	34	0.027	7.13	1.09	4.3	7	4.1	25.6	0.23	2.88	4.4	0.024	0.17	15.8	78	4.7	12.1	5	14		0.051
E383757			Blank	110	0.9	0.6	<0.002	0.06	0.06	0.4	3	<0.2	273	<0.05	<0.05	0.2	0.006	<0.02	0.7	14	0.1	2.7	23	3		0.001
E383758			Standard 2	2200	6.3	33.9	0.016	6.45	2.08	4	6	7.1	175.5	0.12	1.21	5.8	0.031	0.47	14.2	55	8.2	14.4	<2	21.2		0.116
E383759	127.5	128.0		2820	2.4	50.4	0.021	3.36	0.8	5.7	7	5.3	18.4	0.26	3.01	5.4	0.034	0.2	10.1	91	8.2	14	5	20.4		0.038
E383760	128.0	128.5		2550	2.8	90	0.015	6.17	1.77	7.4	4	8.2	15.4	0.23	0.92	9.3	0.052	0.33	19	103	10.2	12.5	6	30.3		0.047
E383761	128.5	129.0		1520	5.7	36.5	0.011	6.53	2.01	6.7	3	3.2	19.3	0.11	0.78	4.6	0.022	0.16	3.4	61	4.6	8.6	8	15.7		0.039
E383762	129.0	129.5		1740	3	13.9	0.006	3.98	1.36	4	2	2	10.4	0.2	0.34	1.7	0.011	0.06	1.8	63	5.1	7.2	8	3.7		0.016
E383763	129.5	130.0		1590	4.3	40.6	0.007	8.96	3.78	8.4	2	3.2	11.6	0.1	0.75	3.7	0.043	0.16	5	88	8.4	7.9	7	11.7		0.033
E383764	130.0	130.5		3040	2.1	51.3	0.015	2.33	1.16	6.7	2	3.6	16	0.25	0.51	6.7	0.045	0.19	5.7	106	7	13	7	30.7		0.013
E383765	130.5	131.0		3080	2	146	0.017	2.36	1.23	13.5	3	9.8	21.2	0.36	0.26	13.6	0.144	0.52	24	195	15.2	17.8	3	77.6		0.018
E383766	131.0	131.5		4860	5	136	0.021	>10.0	5.05	6.7	6	11.7	29	0.39	1.36	12.6	0.134	0.56	18.3	207	16.9	24.1	<2	54.2		0.085
E383767	131.5	132.0		2220	3	117.5	0.011	8.1	2.64	13.2	3	8.6	17.7	0.18	0.67	6.8	0.183	0.54	17.2	224	14.1	14.4	3	51.7		0.037
E383768	132.0	132.5		2710	1.9	124	0.013	3.28	1.58	17.5	3	6.8	18.2	0.29	0.42	7	0.168	0.45	12.3	214	13.8	14.8	5	42		0.026
E383769			Blank	100	0.9	0.7	<0.002	0.06	0.06	0.3	2	<0.2	245	<0.05	0.06	<0.2	0.005	<0.02	0.6	4	0.1	2.7	22	2.1		<0.001
E383770	132.5	133.0		1640	2.9	106.5	0.011	0.97	1.1	16.5	2	6	19.2	0.25	0.08	6.9	0.248	0.41	18.7	192	16.4	13.4	10	45.2		0.007
E383771	133.0	133.5		1100	3.6	95.2	0.007	3.74	2.25	15.7	2	8	17.9	0.22	0.19	4.6	0.368	0.57	21.1	245	21.3	12.2	7	58.6		0.014
E383772	133.5	134.0		640	4.8	116.5	0.009	3.37	1.77	13.4	2	5.9	23.7	0.28	0.26	6	0.177	0.44	55.6	98	12.4	12.6	12	47.7		0.017
E383773	134.0	134.5		430	3.3	72.2	<0.002	2.45	1.99	8.5	1	2.4	57.5	0.14	0.05	8.2	0.061	0.33	12.2	50	5.2	8.3	15	33.1		0.004
E383774	134.5	135.0		500	1.7	95.9	<0.002	0.5	0.84	9.3	1	2.7	14.2	0.18	<0.05	8.9	0.088	0.33	2.5	62	8.4	7.7	9	36.9		0.002
E383775	135.0	136.0		430	1.8	98.6	0.003	0.35	0.85	8.7	1	3.2	15.2	0.29	0.05	10.2	0.099	0.35	11	85	5.8	7.6	9	41.9		<0.001

IG-2007-10

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
E210296	80.4	81.4		0.4	6.81	15.9	7730	1.92	3.67	3.44	<0.02	74.3	83.1	34	4.14	1270	14.6	16.3	0.22	1.9	0.102	1.06	49.6	97.8	4.8	3990	18.7	0.03	4.6	46.9
E210297	81.4	81.9		1.35	0.56	70.5	30	0.23	17.85	2.36	0.16	39	138	2	0.89	679	24.5	2.14	0.27	0.2	0.301	0.08	18.1	7.4	2.33	16750	24.8	0.01	17.7	27.9
E210298	81.9	82.3		1.51	0.24	71.2	20	0.09	25.7	1.39	<0.02	75.7	188.5	<1	0.43	912	32.2	1.56	0.36	0.1	0.382	0.04	45.6	3.7	2.16	19050	37.9	0.02	16.5	40
E210299	82.3	82.8		0.72	0.12	51.7	20	<0.05	11.8	1.52	<0.02	83.2	155	<1	0.36	696	35.6	1.33	0.4	<0.1	0.473	0.03	51.6	2.2	2.18	19950	41.7	0.02	9.6	43.7
E210300	82.8	83.3		0.85	0.14	61	20	0.05	12.75	1.5	<0.02	86.6	187.5	<1	0.27	780	37.2	1.48	0.42	0.1	0.471	0.02	49.7	2.8	2.18	21300	41.8	0.01	11	57.8
E210301	83.3	83.8		1.35	0.54	123	10	0.13	22	0.57	<0.02	99.8	219	<1	0.51	208	35	2.32	0.4	0.2	0.314	0.03	58	6.9	1.67	14650	98.2	0.01	10.8	52.6
E210302			BLANK	0.12	0.35	7	30	0.1	0.02	20.3	0.14	4.75	2.3	8	0.17	3.8	0.28	0.86	0.09	0.1	0.006	0.05	2.5	4.2	11.05	247	0.32	0.02	0.5	6.5
E210303			STANDARD 2	0.28	6.91	50.3	100	2.16	1.6	1.87	<0.02	72.5	112	42	6.1	1630	7.07	19.1	0.17	2	0.12	2.99	39.7	21.3	1.33	3260	22.5	0.55	3	28.4
E210304	83.8	84.3		1.51	0.39	126.5	10	0.11	21.9	0.82	<0.02	98.5	274	<1	0.44	809	37.2	2.13	0.42	0.1	0.323	0.03	55.1	5.1	1.63	15950	87.4	0.01	9	65
E210305	84.3	84.4		3.25	0.51	146	10	0.11	47.7	1.21	<0.02	176.5	375	<1	0.49	1670	36.1	2.91	0.47	0.2	0.389	0.03	97.3	6.1	2.05	18300	86.4	0.02	9.3	79.5
E210306	84.4	85.3		1.21	1.39	67.6	40	0.47	16.75	1.11	<0.02	76.8	177	6	1.96	1280	31.4	4.91	0.35	0.5	0.451	0.23	40	19.1	2.18	17800	56.1	0.02	5.9	49.8
E210307	85.3	85.8		1.1	6.79	58.4	80	2.77	15.3	0.83	<0.02	124.5	183.5	47	13.25	1610	14.55	20.6	0.24	2.3	0.171	2.01	73.4	62.6	1.73	6610	37.6	0.06	4.2	66.1
E210308	85.8	86.8		0.08	6.72	5.5	5250	2.85	0.39	3.26	<0.02	101	37.1	40	10.05	109.5	7.68	18.55	0.19	2.2	0.114	3.21	60.3	32	2.05	4490	9.41	0.04	4.7	29.4
E210309	135.8	136.8		0.06	6.55	9.6	8030	0.85	0.15	2.95	<0.02	186	18.4	36	0.94	87.5	2.82	15.85	0.18	1.4	0.009	0.42	145	6.8	0.9	1965	5.54	4.38	2.3	5.3
E210310	136.8	137.3		0.05	9.12	14.7	2930	1.58	0.24	1.89	<0.02	49.1	27.3	47	1.47	36.4	1.88	20.5	0.1	2.5	0.009	1.03	37.6	12.1	0.85	1235	0.61	5.96	4.7	6.3
E210311	137.3	137.8		0.27	8.32	27.3	2650	1	0.51	2.32	<0.02	113	89.5	43	0.86	57.8	4.67	16.95	0.17	1.6	0.007	0.39	90.8	6.5	0.7	1600	30.8	5.84	2.9	11.8
E210312	137.8	138.3		1.12	6.98	50.2	210	0.71	1.57	2.28	<0.02	85.7	248	34	0.31	129.5	9.88	14.95	0.21	1.1	0.011	0.19	64.7	8.9	0.79	1820	313	4.74	5	31.3
E210313			BLANK	0.01	0.36	5	60	0.1	0.05	19.45	0.14	5.89	3.2	8	0.15	5.1	0.32	0.96	0.07	0.1	<0.005	0.05	3.2	4	11.1	256	2.7	0.05	0.5	8.7
E210314	137.8	138.3	DUPLICATE	0.75	7.06	35.9	350	0.87	1.23	2.44	<0.02	96.2	218	31	0.25	130	9.28	14.4	0.17	0.9	0.006	0.16	76.9	8.5	0.83	1890	360	4.77	2.4	26.6
E210315	138.3	138.8		0.22	6.75	181	50	0.85	1.69	2.62	<0.02	64.8	336	24	0.7	67.7	10.2	12.6	0.16	0.3	0.01	0.3	49.4	9.3	0.94	2100	43.7	4.34	1	30.1
E210316	138.8	139.3		0.34	6.49	157.5	50	0.55	1.54	1.49	<0.02	16.7	358	18	0.3	83.6	11.1	13.25	0.14	0.3	0.012	0.24	10.9	11	0.61	1390	47.8	4.08	1	36.5
E210317	139.3	139.8		0.25	5.57	114	50	0.46	1.2	2.66	<0.02	66.7	307	22	0.3	16.7	10.55	10.45	0.16	0.5	0.007	0.21	49.8	14.8	0.91	2290	50.2	3.41	0.8	31.4
E210318	139.8	140.3		0.03	6.43	4.5	5120	0.7	0.04	3.56	<0.02	77.6	18.2	26	0.34	19	5.66	11.75	0.13	1.3	0.005	0.27	63.6	7.6	1.03	3000	7.28	4.36	1.9	9
E210319	140.3	140.8		0.03	9.07	2.1	7060	1.82	0.03	1.81	<0.02	5.2	36.3	46	1.19	42.5	2.84	20.4	0.09	2	0.008	1.09	3	11.8	0.56	1240	3.98	5.75	5.2	4.5
E210320	140.8	141.3		0.04	4.82	5.1	750	0.55	0.06	4.36	<0.02	139	56.2	41	0.33	14.1	7.47	11.4	0.18	1.4	0.011	0.19	110.5	8.6	1.38	3230	4.39	3.18	2	15.5
E210321	141.3	141.8		0.18	8.83	4	2530	2.12	0.05	2.17	<0.02	35.9	53.9	46	1.85	18.8	3.29	23.3	0.1	2.5	0.021	1.98	27.6	18.9	0.75	1535	11.7	4.28	3.8	8.6
E210322	141.8	142.3		0.1	7.71	8.2	2780	1.2	0.1	2.46	<0.02	64	73	40	0.66	10.2	5.08	18.2	0.13	2.5	0.007	0.56	53.7	7.9	0.73	1675	18.1	5.17	2.9	9.1
E210323			BLANK	0.01	0.34	<5	50	0.07	0.01	19.95	0.13	5.13	2.2	7	0.15	4.4	0.3	0.97	0.06	0.1	<0.005	0.05	2.6	4.1	11.35	253	0.35	0.03	0.5	8.7
E210324			STANDARD 3	0.27	7.08	51.8	110	2.35	1.62	1.93	<0.02	63.8	115	43	6.4	1640	7.31	19.25	0.16	2	0.123	3.01	34.2	23.5	1.36	3310	21.7	0.6	3	27.4
E210325	142.3	142.8		0.04	7.82	4	4500	0.98	0.06	3.61	<0.02	6.96	23.4	41	0.48	171.5	6.03	14.45	0.1	2.5	0.017	0.39	4.4	6.1	1.08	2500	0.93	5.43	1.8	8.7
E210326	142.8	143.3		0.09	4.6	17.8	650	0.54	0.24	2.97	<0.02	18.35	65.9	22	1.09	39.2	13.8	11.25	0.17	1.3	0.03	0.31	14	20.1	1.47	3010	3.65	2.16	1.5	40.5
E210327	143.3	143.8		0.26	5.83	148	80	0.58	1.22	2.63	<0.02	17.75	299	24	1.52	42.7	13.9	12.15	0.17	1.6	0.033	0.45	13.1	18.2	1.35	2380	41.7	3.01	1.7	53.6
E210328	143.8	144.3		0.19	7.12	91.8	300	0.9	1.07	2.07	<0.02	19.75	185	34	0.88	51.6	6.75	14.05	0.11	2.6	0.027	0.3	14.8	10.1	0.83	1430	41.2	4.56	5.3	27.8
E210329	144.3	144.8		0.75	4.58	143.5	40	0.39	1.53	3.46	<0.02	6.79	509	17	0.63	129.5	14.6	9.65	0.18	1	0.028	0.29	3.6	14.5	1.49	3360	69.9	2.47	1.6	51.7
E210330	144.8	145.3		0.21	5.36	90.9	200	0.42	0.66	4.83	<0.02	14.55	261	22	0.35	96.2	13.2	10.95	0.16	2.3	0.029	0.14	10.5	14.7	1.62	4110	32.3	3.16	1.2	42.7
E210331	145.3	145.8		0.45	5.51	332	40	0.38	1.55	3.19	<0.02	67.7	636	17	0.53	126	15.1	10.75	0.21	1.2	0.027	0.25	54.8	12.5	1.24	2470	202	3.23	1.4	60.9
E210332	145.8	146.3		0.34	5.44	182.5	50	0.48	1.18	3.05	<0.02	28.3	242	15	0.64	104	14.25	9.42	0.17	1.2	0.028	0.25	21.2	15.1	1.67	5100	38.2	3.05	1.8	45.9
E210333	146.3	146.8		0.22	5.91	38.3	900	0.44	0.65	3.75	<0.02	326	81.7	25	0.37	103.5	10.6	11.1	0.33	1.5	0.016	0.18	277	10.5	1.46	2750	20.9	3.59	1.3	29.7
E210334			BLANK	0.01	0.35	12	100	0.09	0.03	19.25	0.13	5.22	2	8	0.16	3.5	0.43	0.94	0.06	0.1	0.009	0.05	2.9	3.3	10.5	255	0.47	0.04	0.5	6
E210335			DUPLICATE	0.17	6.2	29.2	1770	0.35	0.52	4.01	<0.02	149	42.4	21	0.4	44.8	9.57	10.45	0.21	1.7	0.02	0.19	128	10.7	1.59	2920	20.5	3.82	1.3	25.4
E210336	146.8	147.3		0.79	6.08	129	110	0.39	1.43	2.98	<0.02	109	202	24	0.38	118.5	9.62	9.55	0.2	1.4	0.013	0.25	83.9	9.7	1.13	2340	52.5	3.71	1.3	31.3
E210337	147.3	147.8		0.61	6.24	131.5	100	0.47	2.06	2.03	<0.02	239	271	21	0.64	149	10.05	11.5	0.29	1.3	0.013	0.27	181.5	11.2	1.04	1710	27.6	3.71	2.3	36.2
E210338	147.8	148.3		0.42	6.19	70.3	170	0.54	1.09	1.4	<0.02	34.2	193.5	23	0.88	177	10.15	10.95	0.19	1.3	0.032	0.31	25	8.4	0.95	2870	28.7	3.82	3	28.8
E210339	148.3	148.8		0.41	5.62	97.5	140	0.48	1.27	2.09	<0.02	45.7	210	28	1.06	169.5	13.45	10.05	0.22	0.8	0.025	0.32	36.8	10.4	1.04	2130	39	3.25	1.4	40.3
E210340	148.8	149.3		0.55	6.13	254	110	0.41	1.77	4.44	<0.02	77.3	348	14	0.29	83.9	10.3	8.23	0.2	0.8	0.033	0.2	59.8	10.3	1.56	3470	35.7	3.85	1	28.3
E210341	149.3	149.8		0.33	4.79	222	100	0.35	1.04	4.23	<0.02	66.6	251	21	0.45	51.2	13.8	8.59	0.23	0.6	0.034	0.24	51.6	9	1.54	3490	53.4	2.91	1.3	32.9
E210342	149.8	150.3		0.34	5.04	246	130	0.34	1.39	3.44	<0.02	144.5	388	22	0.44	54.9	13.85	8.97	0.25	0.6	0.028	0.23	122.5	7.8	1.36	3940	130	3.11	1.2	38.2
E210343	150.3	150.8		0.26	4.46	157	160	0.34	0.89	2.85	<0.02	32.9	233	22	0.36	80	16	9.44	0.23	0.6	0.017	0.21	25.8	8	1.1	2930	59.5	2.66	2.2	39.1
E210344			BLANK	0.01	0.41	11	150	0.1	0.02	20.1	0.12	5.21	3.2	8	0.14	5.2	0.44	0.98	0.05	0.1	<0.005	0.05	2.8	3.3	11	280	1.34	0.04	0.5	6.5
E210345			STANDARD 1	0.97	5.61	77.6	90	1.46	2.83	1.93	<0.02	54.2	150.5	30	3.36	7340	9.66	14	0.19	1.5	0.123	2.01	22.2	18.9	1.2	3480	64.3	0.85	3	34.1
E210346	150.8	151.3		0.45	6.07	102.5	160	0.48	0.94	3.24	<0.02	118	484	16	1.13	254	10.75	9.56	0.23	1.3	0.036	0.37	95.7	6.9	1.31	2710	107.5	3.76	3.8	29.8
E210347	151.3	151.8		0.22	5.55	62.5	370	0.49	0.57	1.25	<0.02	20.7	218	24	0.63	49.6	15.7	11.85	0.22	1.5	0.017	0.26	17.1	8	0.71	1730	65.8	3.37	3.5	37.9
E210348	151.8	152.3		0.16	9.2	12.7	270	1.69	0.29	0.51	<0.02	22.3	261	54	1.39	163	3.22	21.4	0.11	2.8	0.016	1.25	16.2	10.8	0.27	233	106	5.58	6.2	12.7
E210349	152.3	152.8		0.34	6.63	147	120	0.42	1.59	1.93	<0.02	44.8	269	28	0.36	95.7	9.21	9.92	0.18	2	0.011	0.15	33.6	7.7	0.75	1415	38.1	4.41	1.5	24.7
E210350	152.8	153.3		0.12	4.2	62.8	280	0.32	0.25	3.02	<0.02	117	119	20	0.43	36.8	14.85	7.24	0.27	0.9	0.067	0.2	95.1	7.1	2.38	9990	111	2.6	1	17.9
E210351	153.3	153.8		0.08	4.07	58.2	710	0.27	0.18	6.62	<0.02	111.5	67.6	23	0.21	57.8	13.05	7.08	0.24	1.1	0.037	0.13	95.3	5	3.21	7320	119	2.63	1	19.7
E210352	153.8	154.3		0.11	2.92	13.4	630	0.25	0.17	3.76	<0.02	175.5	132.5	12	0.3	113	19.45	8.89	0.34	0.5	0.048	0.14	156	6.1	2.59	8530	66.9	1.64	1.7	34
E210353	154.3	154.8		0.15	2.17	55.9	230	0.18	0.28	3.61	<0.02	98.6	210	7	0.26	22.6	22.7	9.62	0.37	0.4	0.044	0.11	83	6.6	2.28	7120	66.2	1.06	2.2	48.3
E210354	154.8	155.3		0.1	3.95	83.6	130	0.33	0.23	3.51	<0.02	61.9	212	21	0.29	40.1	17.1	8.48	0.28	0.8	0.016	0.16	46.9	7.6	1.66	4170	71.3	2.31	1.2	36.6
E210355			BLANK	<0.01	0.33	8	50	0.1	0.01	20.6	0.13	4.88	2	10	0.14	4.2	0.28	0.87	0.06	0.1	<0.005	0.05	2.5	3.1	11.25	251	0.85	0.02	0.4	6.1
E210356	154.8	155.3	DUPLICATE	0.08	3.61	78.7	140	0.25	0.22	3.32	<0.02	48.3	178.5	21	0.33	11.6	16.7	8.16	0.25	0.5	0.018	0.15	35.5	8.4	1.7	4260	82.5	2.01	1	34.6
E210357	155.3	155.8		0.1	5	42.1	90	0.32	0.33	6	<0.02	330	219	20	0.19	14.2	11.15	8.37	0.34	1.3	0.013	0.12	255	4.5	2.15	4760	89.2	3.42	1	21.3
E210358	155.8	156.3		0.09	2.36	11.4	130	0.17	0.14	2.6	<0.02	274	158	8	0.2	6.8	20.8	6.83	0.43	0.3	0.044	0.08	231	7.3	2.08	8280	55.8	1.21	1.4	41.8
E210359	156.3	156.8		0.21	0.7	27.7	60	0.1	0.52	3.04	<0.02	83.8	478	7	0.11	7.6	31.5	8.65	0.46	0.1	0.055	0.02	66.6	4.2	2.03	7060	90	0.18	2.1	66.8
E210360	156.8	157.3		0.09	0.75	9.5	3120	0.1	0.1	3.03	<0.02	389	63.2	4	0.12	15	28.8	9.22	0.59	0.1	0.112	0.02	334	5.9	1.96	8140	32.6	0.15	1.5	36.2
E210361	157.3	157.8		0.1	1.48	7	1730	0.19	0.12	4.18	<0.02	174	25.4	5	0.49	19.1	29.7	10.15	0.46	0.2	0.16	0.09	135.5	17	3.18	12650	31	0.07	1.1	45.1
E210362	157.8	158.3		0.22	4.93	63	120	0.7	1.09	0.52	<0.02	247	75.9	28	1.74	13.4	14.75	12.3	0.36	1.2	0.073	0.35	165	34.1	1.58	4980	16.15	1.55	1.1	47.4
E210363	158.3	158.8		0.19	4.28	118.5	240	0.44	1.61	0.36	<0.02	>500	96.3	30	0.93	7.7	19	13.3	0.64	1.6	0.153	0.27	550	30.4	1.67	7800	46.2	1.2	1	55.6
E210364	158.8	159.3		0.25	3.99	174.5	600	0.46	1.59	3.56	<0.02	455	113	25	1	14.8	17.95	11.35	0.53	0.9	0.209	0.32	365	25.2	2.82	7590	52	1.24	1.2	53.6
E210365			BLANK	<0.01	0.33	<5	40	0.05	0.02	20.6	0.13	6.46	2.2	9	0.15	5.2	0.3	0.92	<0.05	0.1	<0.005	0.05	3.9	4	11.25	255	0.72	0.02	0.5	7.7
E210366			STANDARD 2	1.24	2.51	72.1	60	0.85	11.45	2.37	<0.02	180.5	334	11	2.51	9000	29	10.3	0.38	0.7	0.255	0.7	100	19.3	1.66	6590	63.9	0.26	6.2	63.2
E210367	159.3	159.8		1.55	3.44	168.5	70	0.38	8.33	3.19	<0.02	415	327	11	1.01	125.5	20.3	9.22	0.45	1.4	0.213	0.37	266	10.1	2.45	6720	377	1.6	1.6	60.2
E210368	159.8	160.3		1.25	3.19	172.5	100	0.46	6.35	0.35	<0.02	304	400	9	1.23	59.8	23.3	9.54	0.44	0.5	0.17	0.4	204	11.7	1.49	7380	45.4	1.27	1.8	60.4
E210369	160.3	160.8		0.44	3.85	388	70	0.53	2.48	0.39	<0.02	>500	409	11	1.76	42.7	22.6	11.3	0.54	0.6	0.189	0.39	338	22	1.38	6400	19.5	1.55	1.4	61.4
E210370	160.8	161.3		0.26	4.98	132.5	110	0.87	1.66	1.41	<0.02	121	133.5	36	1.64	14.7	15.2	13.45	0.31	2.1	0.043	0.45	77.9	30.7	1.19	1175	14.95	1.81	1.4	66.1
E210371	161.3	161.8		0.32	4.89	203	30	0.58	1.97	1.25	<0.02	283	129.5	31	1.49	24.6	16.2	12.7	0.38	1.3	0.011	0.52	184.5	27.5	1.08	978	13.9	1.63	1.5	56.3
E210372	161.8	162.3		0.8	3.12	301	30	0.33	4.83	4.48	0.18	303	325	6	0.99	144	22.5	11	0.47	0.5	0.022	0.34	209	20.2	2.27	4120	42.6	0.91	3.1	72.2
E210373	162.3	162.8		0.7	2.28	248	30	0.3	3.89	3.57	0.26	491	285	6	0.74	154	22.9	10.65	0.59	0.4	0.033	0.21	326	16.7	1.98	5260	45.7	0.83	3.7	65.2
E210374	162.8	163.3		0.13	2.75	120	390	0.29	0.6	4.74	<0.02	466	141.5	10	0.7	8.5	19.6	9.7	0.47	0.6	0.029	0.22	323	12.3	2.26	5450	42.3	1.19	2.4	48.9
E210375	163.3	163.8		0.27	2.74	144	50	0.3	1.22	4.17	<0.02	>500	265	11	0.77	13.2	21.4	10.7	0.57	0.7	0.043	0.25	412	14.8	2.25	7070	21.1	1.08	1.9	55
E210376			BLANK	0.01	0.32	<5	20	0.09	0.03	19.35	0.16	6.64	3.2	6	0.17	4.5	0.29	0.92	<0.05	0.1	<0.005	0.05	3.2	4.1	10.7	241	0.56	0.02	0.5	6.7
E210377	163.3	163.8	DUPLICATE	0.19	2.77	101.5	50	0.29	0.8	4.43	<0.02	>500	205	9	0.76	7.2	18.45	10.45	0.52	0.7	0.038	0.25	404	15.4	2.2	6150	23.1	1.11	1.8	48.6
E210378	163.8	164.3		0.07	0.84	30.4	400	0.13	0.18	2.99	<0.02	500	89.4	3	0.21	21.3	24.3	9.69	0.55	0.3	0.022	0.05	395	6.9	1.34	4310	12.95	0.21	1.7	44.1
E210379	164.3	164.8		0.27	7.29	134	190	1.93	1.48	2.52	<0.02	194	212	45	2.51	25.8	12.05	18.4	0.28	2.2	0.024	1.68	133.5	21.1	1.22	1980	21.2	2.6	6.1	51.6
E210380	164.8	165.3		0.21	5.43	188	30	0.61	1.13	2.83	<0.02	220	342	29	0.8	14.5	14.85	13.55	0.34	1.8	0.017	0.28	140.5	23	1.62	2770	4.44	2.59	1.7	64.2
E210381	165.3	165.8		0.21	4.91	126.5	80	0.47	1.3	1.63	<0.02	462	395	25	0.5	10.9	15.4	11.55	0.42	2.2	0.015	0.19	318	11.4	1.03	3120	6.88	2.96	3	54.8

IG-2007-10

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr	Au
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E210296	80.4	81.4		950	14.7	56.7	0.003	0.48	1.43	10.3	2	5.2	141.5	0.3	0.15	15.2	0.16	0.3	77.5	69	13	17.2	73	62.9	0.014
E210297	81.4	81.9		950	18.2	4.9	0.006	3.6	3.62	1.8	3	4.6	310	0.15	1.07	1.3	0.021	0.33	25.3	50	13.1	10.9	38	5.9	0.013
E210298	81.9	82.3		1660	13.3	2.3	0.012	5.97	3.72	1	3	4.2	227	0.2	1.02	1.7	0.011	0.31	11	51	8	12.3	36	2.5	0.013
E210299	82.3	82.8		2320	7.2	1.5	0.008	4.99	2.27	0.9	3	2.5	209	0.18	0.68	1.4	0.005	0.13	5.2	52	4.5	14.1	40	1.4	0.01
E210300	82.8	83.3		2520	8.2	1	0.008	5.54	2.46	1.1	3	2.8	216	0.21	0.65	2	0.005	0.24	8.8	62	6	14.8	38	1.6	0.011
E210301	83.3	83.8		1430	11.2	1.8	0.02	>10.0	5.31	1.3	5	5.8	194	0.12	1.83	1.1	0.013	0.29	20.9	54	6.7	10.4	40	5.9	0.021
E210302			BLANK	410	1.5	1.7	<0.002	0.03	0.65	1.3	1	0.2	102.5	<0.05	<0.05	0.4	0.016	<0.02	1	4	0.4	3.4	11	3.5	
E210303			STANDARD 2	750	2.7	131	0.008	1.32	1.07	11.2	3	7.1	432	0.18	0.17	14.2	0.117	0.37	20.3	66	8.7	11.8	16	63	0.024
E210304	83.8	84.3		1980	11.8	2.2	0.017	>10.0	4.38	0.9	5	5.1	240	0.13	1.45	1.1	0.01	0.3	22.8	57	9.8	11.3	36	4	0.025
E210305	84.3	84.4		2050	20.8	2.1	0.022	>10.0	4.26	1.3	5	4.8	204	0.17	1.31	1.9	0.014	0.43	26.3	66	5	14.3	42	6.5	0.026
E210306	84.4	85.3		1460	9.5	11.9	0.014	2.97	2.76	2.6	3	6.6	311	0.12	0.63	3.3	0.026	0.17	46.7	70	7.8	14.4	45	14.9	0.014
E210307	85.3	85.8		1250	10.1	115	0.271	2.01	2.55	12.6	3	13.9	206	0.2	0.35	14.2	0.107	0.76	59.6	109	15.4	22.1	50	73.7	0.019
E210308	85.8	86.8		750	2.6	154.5	0.005	0.22	1.61	11.5	2	4.5	149.5	0.28	0.07	15.3	0.178	0.39	15.8	67	13.2	16.6	21	69.1	0.004
E210309	135.8	136.8		800	3.1	15.7	<0.002	0.31	0.97	7.5	1	3.3	179	0.22	<0.05	10.6	0.075	0.06	18.8	22	5.6	11	14	43	0.002
E210310	136.8	137.3		860	2	38.4	0.002	0.26	1.32	20.4	1	8.1	128.5	0.35	0.06	6.8	0.105	0.1	27.4	25	8.9	10.8	11	78.2	0.002
E210311	137.3	137.8		910	6.8	12	0.008	0.71	1.27	7.4	2	2.9	130.5	0.32	0.12	47.2	0.091	0.11	247	23	5.4	18.9	17	52.2	0.005
E210312	137.8	138.3		480	15.9	4.8	0.068	2.03	1.85	5.1	3	1.5	85.2	0.62	0.21	77.5	0.069	0.19	550	45	10.1	23.8	21	34.4	0.014
E210313			BLANK	400	1.9	1.7	<0.002	0.04	0.28	1.3	2	0.2	106	<0.05	<0.05	0.9	0.016	<0.02	4	5	0.5	3.7	13	3.8	0.001
E210314	137.8	138.3	DUPLICATE	510	6.7	4	0.091	1.75	1.06	4.5	3	1.6	89.7	0.28	0.18	29.5	0.045	0.21	229	42	5.7	12.5	19	26.3	0.011
E210315	138.3	138.8		540	4.3	8.2	0.003	2.99	0.57	4.9	2	1.4	147.5	0.09	0.17	4.3	0.028	0.13	13.8	38	2.3	6.8	22	10.7	0.011
E210316	138.8	139.3		470	6.2	6.5	<0.002	3.03	0.87	3.4	2	1.4	207	0.1	0.31	2.7	0.028	0.58	29.8	46	2.6	5	21	10	0.016
E210317	139.3	139.8		560	5.3	5.2	0.002	2.6	0.68	4.7	2	1.8	206	0.08	0.25	5.3	0.033	0.48	12.5	55	2.7	6.5	20	16.5	0.014
E210318	139.8	140.3		530	1.5	8.2	<0.002	0.27	0.46	9.2	1	3.8	277	0.2	<0.05	8.8	0.06	0.03	3	32	3.8	8.9	13	39.9	0.001
E210319	140.3	140.8		950	1.5	40.8	<0.002	0.41	0.57	30	1	10.9	203	0.4	<0.05	14.5	0.12	0.1	4.6	50	8	8.8	12	61.4	0.001
E210320	140.8	141.3		780	1.9	5	<0.002	0.38	0.6	9.8	2	2.4	285	0.18	<0.05	12.5	0.052	0.03	2.5	60	6.5	11.1	16	43.2	<0.001
E210321	141.3	141.8		1020	1.7	70.8	<0.002	0.43	0.81	33.5	2	12.6	259	0.32	<0.05	18.4	0.111	0.2	6.7	65	8.2	10.3	13	77.5	<0.001
E210322	141.8	142.3		700	1.9	21.5	0.002	0.53	0.53	16.3	2	6.7	115.5	0.3	<0.05	9.3	0.122	0.06	3.3	54	4.4	9	12	77.6	0.002
E210323			BLANK	400	1.8	1.7	<0.002	0.03	0.3	1.4	2	0.2	107	<0.05	<0.05	0.5	0.016	<0.02	0.2	6	0.5	3.7	9	3.8	0.001
E210324			STANDARD 3	850	2.6	131.5	0.008	1.4	1.05	11	3	7.7	453	0.19	0.17	13.5	0.118	0.35	19.4	68	8.9	11.9	16	62.5	0.018
E210325	142.3	142.8		720	1.4	13.6	<0.002	0.28	0.4	13.4	2	5.2	176.5	0.19	<0.05	1.2	0.119	0.04	2.9	43	3.7	8.1	14	72.7	0.001
E210326	142.8	143.3		380	2.5	8.4	0.002	0.48	0.68	3.9	2	1.8	214	0.14	<0.05	2.4	0.036	0.06	7.6	71	4.5	6.7	28	41.3	0.003
E210327	143.3	143.8		540	4.2	11.1	0.006	2.44	0.92	4.7	2	2.1	85.6	0.15	0.2	5.9	0.042	0.09	17.6	62	7.7	7.8	28	49.6	0.016
E210328	143.8	144.3		830	2.8	7.3	0.005	1.41	0.67	2.6	2	1.7	95.4	0.29	0.29	5	0.046	0.06	17.2	20	3.3	9.6	16	80.5	0.011
E210329	144.3	144.8		450	7.5	7.9	0.005	3.98	0.9	4.7	3	1.6	287	0.11	0.37	2.9	0.03	0.24	15.5	42	3.7	7.4	25	31.2	0.018
E210330	144.8	145.3		660	3.4	3.7	0.003	2.33	0.67	5.9	2	1	84.2	0.1	0.2	6.5	0.023	0.04	33	38	2.7	11.8	27	72.6	0.01
E210331	145.3	145.8		880	6.3	6.9	0.009	6.32	1	3.4	4	1.5	86.3	0.09	1.05	7.6	0.027	0.06	15.4	39	2.7	9.4	27	36.6	0.035
E210332	145.8	146.3		670	6.1	6.6	0.002	2.86	0.57	6.2	2	2.1	225	0.13	0.33	3.2	0.036	0.12	23.9	28	2.9	8	27	38.5	0.014
E210333	146.3	146.8		650	2.9	4.6	<0.002	0.69	0.54	4.2	1	1.9	215	0.09	0.14	7.5	0.036	0.05	8.4	25	2.5	10.7	12	54	0.006
E210334			BLANK	400	1.6	1.5	<0.002	0.05	0.24	1	1	<0.2	99.5	<0.05	<0.05	0.4	0.015	<0.02	0.2	5	0.4	3.2	11	3.5	0.001
E210335			DUPLICATE	660	2.5	4.8	<0.002	0.53	0.48	4.3	1	1.9	222	0.1	0.13	3.3	0.033	0.05	3.8	23	2.3	9.2	12	58.6	0.006
E210336	146.8	147.3		630	5.6	6.1	<0.002	2.03	0.72	3.8	1	2	384	0.09	0.41	3.9	0.036	0.16	20.5	22	2.3	8.5	11	50.4	0.013
E210337	147.3	147.8		790	10.9	6.6	<0.002	2.52	1.14	3.2	2	1.7	405	0.11	0.47	14.8	0.037	0.3	136.5	27	3.6	11.1	13	47.1	0.018
E210338	147.8	148.3		490	6.8	8	<0.002	1.73	1.16	2.6	1	1.8	490	0.13	0.26	8.1	0.037	0.16	110	27	2.9	8	10	46.7	0.01
E210339	148.3	148.8		700	4.7	8.1	<0.002	2.25	0.71	3.2	1	2	229	0.1	0.27	2.5	0.038	0.11	12.2	55	4.3	7	12	28.8	0.012
E210340	148.8	149.3		820	8.7	5.6	<0.002	3.64	0.54	5.6	<1	2	218	0.06	0.68	3.4	0.037	0.13	10.9	18	2.2	8.1	13	29.4	0.023
E210341	149.3	149.8		570	4.2	6.3	<0.002	2.43	0.6	4.9	1	1.4	254	0.09	0.35	2.6	0.029	0.06	7.3	46	2.8	8.9	10	23	0.015
E210342	149.8	150.3		820	5	5.9	0.004	3.56	0.63	4.9	2	1.1	98	0.07	0.35	4.7	0.025	0.05	5.2	36	2.2	8.3	12	21.2	0.02
E210343	150.3	150.8		640	3.7	5.5	<0.002	1.9	0.75	2.7	2	1.3	149	0.11	0.23	2.5	0.03	0.07	13.4	54	2.7	7.3	10	22.4	0.016
E210344			BLANK	420	1.6	1.4	<0.002	0.05	0.26	1.1	1	<0.2	105.5	<0.05	<0.05	0.4	0.016	<0.02	0.2	5	0.4	3.3	11	3.4	0.002
E210345			STANDARD 1	870	20.7	78.3	0.02	2.34	1.39	8.5	2	6.8	559	0.14	0.21	7	0.078	0.43	251	54	7.4	14.1	7	50.7	0.053
E210346	150.8	151.3		760	6.8	9.8	0.011	3.76	0.8	3.5	2	1.4	114.5	0.19	0.15	11.1	0.034	0.12	78.9	25	2.8	10.7	8	45.3	0.013
E210347	151.3	151.8		590	2.9	6.7	0.005	1.65	0.73	2.5	2	1.4	71.2	0.17	0.12	3.9	0.037	0.06	19.9	54	3.6	7.2	8	55.1	0.008
E210348	151.8	152.3		930	2.9	52.7	0.01	1.94	0.53	32.5	1	11.2	98.7	0.21	<0.05	5.2	0.064	0.14	31.4	43	5.3	9.1	6	91.6	0.007
E210349	152.3	152.8		940	2.7	3.5	<0.002	2.44	0.46	2.7	1	2.3	196	0.1	0.4	1.9	0.065	0.06	3.1	27	2.5	8.5	6	69.8	0.016
E210350	152.8	153.3		600	2.1	5.4	0.004	1.15	0.34	6.9	1	1.7	188.5	0.06	0.06	3.9	0.033	0.04	4	27	2.5	7.3	9	33.9	0.012
E210351	153.3	153.8		650	2.1	3.1	0.007	0.75	0.37	9.5	1	1.7	208	0.07	0.05	3.4	0.032	0.02	4.6	33	3.6	8.1	7	40.7	0.014
E210352	153.8	154.3		770	3.7	3.3	0.002	1.04	0.56	5.6	2	1.5	82.9	0.07	<0.05	5.3	0.025	0.02	11.1	53	4.6	9.8	12	19.3	0.004
E210353	154.3	154.8		720	4.3	2.8	0.003	1.72	0.76	3.9	2	1.4	132.5	0.06	0.05	3.2	0.024	0.03	12.7	69	9.9	8.6	12	15.6	0.008
E210354	154.8	155.3		460	4.2	4	0.007	1.87	0.52	4.8	2	1.9	307	0.05	0.07	2.1	0.03	0.04	9	52	3.5	5.9	12	22.1	0.019
E210355			BLANK	420	1.5	1.3	<0.002	0.03	0.31	1	1	<0.2	104	<0.05	<0.05	0.3	0.015	<0.02	0.2	4	0.4	3.3	12	3.3	0.001
E210356	154.8	155.3	DUPLICATE	560	3.6	3.8	0.01	1.6	0.54	4.3	2	1.7	349	0.05	0.06	1.9	0.026	0.03	10.2	51	3.3	5.9	11	19.3	0.017
E210357	155.3	155.8		1000	3.9	2.7	0.012	2.07	0.31	8.1	2	2.5	432	0.05	0.11	6.9	0.043	0.04	4.7	24	2.4	12.5	9	44.9	0.019
E210358	155.8	156.3		970	3.3	1.8	0.003	1.55	0.46	5.4	1	1.3	265	<0.05	<0.05	4.9	0.019	0.02	8.3	51	4.3	9	15	9.7	0.004
E210359	156.3	156.8		550	4.6	0.6	0.005	4.3	0.76	3.1	2	0.7	70.9	0.05	0.1	1.8	0.01	<0.02	12.4	97	8.4	6.1	11	5	0.006
E210360	156.8	157.3		1660	4.1	0.5	0.003	0.57	0.93	1	<1	0.7	86.1	<0.05	<0.05	6.5	0.009	<0.02	24.7	91	14.2	12.2	13	3.3	0.001
E210361	157.3	157.8		900	3	2.5	0.002	0.19	0.82	3.2	1	1.6	376	<0.05	<0.05	3.1	0.028	0.02	8.6	91	19.1	10.7	21	6.4	0.003
E210362	157.8	158.3		1120	2.1	13.9	<0.002	1.61	0.59	5.3	2	2.4	576	<0.05	0.21	4.3	0.046	0.06	17.5	54	3.3	10.4	25	40.6	0.02
E210363	158.3	158.8		1660	2.7	8.6	0.008	2	0.62	6.3	2	3.1	72.8	<0.05	0.24	8.5	0.053	0.05	5.6	83	4.8	14.1	26	51.1	0.012
E210364	158.8	159.3		1720	3.4	9.3	0.012	2.48	0.88	5.1	2	3.1	45.1	<0.05	0.24	8	0.058	0.07	8.4	51	5.9	14.3	22	30	0.015
E210365			BLANK	420	1.5	1.4	<0.002	0.04	0.38	1.1	1	<0.2	106	<0.05	<0.05	0.4	0.015	<0.02	0.2	5	0.4	3.4	12	3.3	0.002
E210366			STANDARD 2	2540	6.4	37.9	0.021	7.35	2.26	4.4	5	7.6	181	0.16	1.21	8.4	0.037	0.48	17.5	56	7.4	15.4	14	23.4	0.11
E210367	159.3	159.8		1410	10.5	11.7	0.095	8.59	1.33	6.3	2	4.3	44.3	<0.05	2.59	11.5	0.061	0.16	22.2	41	9.1	16.5	11	43.8	0.089
E210368	159.8	160.3		1390	10.1	12.1	0.013	7.81	1.54	3.4	2	3.3	37.6	<0.05	1.94	5.5	0.037	0.13	8.4	52	8.9	11.3	13	16.5	0.062
E210369	160.3	160.8		1260	7.2	12.7	0.008	7.11	1.29	4.3	2	2.5	42.1	0.05	1.03	8	0.03	0.11	6.5	56	8.5	11.9	17	19.1	0.024
E210370	160.8	161.3		800	5.1	15.4	0.004	3.72	1.21	3.7	1	4.2	46.1	0.07	0.47	2.7	0.071	0.1	15.7	46	6.6	14.1	19	63.2	0.017
E210371	161.3	161.8		1250	4.8	17.6	0.004	3.78	1.06	3.9	1	4.1	164	0.06	0.92	3.9	0.064	0.12	11.9	46	6.3	12.6	18	39.9	0.026
E210372	161.8	162.3		1480	15.7	10.8	0.012	6.29	1.57	6	2	3.5	72.4	0.1	1.74	3.2	0.041	0.13	5.2	58	9.7	13.3	45	17.6	0.054
E210373	162.3	162.8		1440	14.8	7	0.013	5.3	1.48	5.5	2	3.1	61.6	0.13	1.56	5.2	0.036	0.09	4.7	57	10.4	13.1	51	13.7	0.049
E210374	162.8	163.3		1780	2.8	7.5	0.012	2.02	0.83	4.9	1	2.8	42.8	0.06	0.32	5.4	0.034	0.06	5.4	64	7	15.1	9	18.2	0.015
E210375	163.3	163.8		1570	3.4	8.5	0.007	4.02	0.84	6.2	2	3.3	84.3	0.06	0.71	7	0.043	0.06	3.1	47	7.4	15.7	11	22.6	0.023
E210376			BLANK	420	1.8	1.7	<0.002	0.03	0.36	1.3	<1	0.2	113	<0.05	<0.05	0.4	0.014	<0.02	0.2	5	0.4	3.9	9	3.8	0.002
E210377	163.3	163.8	DUPLICATE	1780	2.5	8.9	0.006	2.88	0.76	6.7	2	3.5	91.5	0.05	0.47	6.9	0.041	0.06	3.2	43	6.7	17.1	10	25.3	0.017
E210378	163.8	164.3		1410	1.6	1.8	0.005	0.93	1.1	3.8	1	2.7	82.7	<0.05	0.12	5.9	0.031	0.02	3	63	6.3	13.1	5	8.8	0.005
E210379	164.3	164.8		1120	4.8	74.4	0.007	3.97	0.88	39.3	2	21.4	85.3	0.14	0.38	4.1	0.122	0.21	49.2	128	8	15.9	7	66.7	0.013
E210380	164.8	165.3		730	2.5	9.5	<0.002	4.87	0.74	7.6	3	4.2	164.5	0.06	0.69	4.1	0.067	0.05	9.6	25	4.4	11.1	14	55	0.022
E210381	165.3	165.8		860	2.7	6.3	0.002	4.92	0.65	5.8	3	5.1	46.6	0.07	0.62	6.8	0.101	0.04	4.3	23	5.9	13.5	6	67.5	0.02

IG-2007-10

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
E210382	165.6	166.3		0.06	2.13	332	180	0.18	1.29	1.56	<0.02	480	434	6	0.47	33.6	24.4	11.5	0.59	0.6	0.023	0.11	394	16.1	1.14	3500	55	0.69	5.4	69.6
E210383	166.3	166.8		0.46	1.93	339	50	0.21	1.32	0.59	<0.02	487	479	5	0.43	20.5	25.8	11.7	0.6	0.5	0.02	0.11	339	16.1	0.84	3640	63.2	0.45	4.6	74.9
E210384	166.8	167.3		0.2	2.38	70.8	80	0.29	0.46	1.27	<0.02	398	293	7	0.52	19.1	23.9	12.45	0.53	0.7	0.03	0.16	281	18.5	1.11	4180	54.8	0.74	4.9	64.6
E210385	167.3	167.8		0.16	3.39	17	60	0.36	0.17	0.76	<0.02	410	124.5	10	0.91	40.4	20.7	13.5	0.48	0.7	0.024	0.26	260	21	1.05	4110	81.9	1.19	5.7	52.7
E210386			BLANK	0.01	0.31	<5	20	0.08	0.01	19.5	0.16	6.39	2.7	9	0.16	4.6	0.3	0.95	<0.05	0.1	<0.005	0.05	3.1	3.9	10.75	242	1.05	0.03	0.5	8.7
E210387			STANDARD 3	0.31	7.07	56.8	100	2.51	1.82	1.97	<0.02	56.9	118.5	40	5.91	1620	7.21	20.6	0.21	2.1	0.128	2.87	31.3	26.5	1.33	3270	18.8	0.56	2.9	28.4
E210388	167.8	168.3		0.27	1.85	104.5	140	0.28	0.72	1.41	<0.02	470	348	9	0.73	31.1	22.9	12.25	0.56	0.6	0.028	0.18	376	21.7	1.14	3400	118	0.2	4.5	76.6
E210389	168.3	168.8		0.13	1.75	70.8	530	0.21	0.33	2.52	<0.02	394	150	11	0.49	59.2	23.1	10.9	0.5	0.6	0.035	0.13	277	20.4	1.25	3550	98.9	0.18	4.1	58.6
E210390	168.8	169.3		0.37	3.55	100	320	0.32	1.35	5.26	<0.02	481	214	15	0.61	168.5	16.5	10.85	0.48	2	0.021	0.21	350	14.7	2.06	4770	266	1.71	3	52.7
E210391	169.3	169.8		0.98	3.6	230	100	0.41	3.7	2.69	<0.02	>500	503	11	1.17	143.5	20.2	11.75	0.57	1.2	0.031	0.31	480	22.1	1.53	3650	143	1.27	4.2	86.5
E210392	169.8	170.3		0.14	5.5	86.8	90	0.57	0.42	2.92	<0.02	323	144.5	15	0.94	5.9	14.9	12.05	0.34	1.3	0.027	0.3	234	18.8	1.6	3350	68.2	2.88	3.3	43.2
E210393	170.3	170.8		0.11	4.38	59.4	70	0.43	0.3	3.75	<0.02	406	180.5	15	0.7	9.4	14.3	11.2	0.38	0.9	0.039	0.23	287	15.5	1.84	3180	70.3	2.36	2.5	36.4
E210394	170.8	171.3		0.11	3.26	68.7	210	0.37	0.33	4.96	<0.02	470	149	24	0.55	13.4	14.9	10.7	0.45	1.5	0.039	0.16	365	14.5	2.35	3730	75.7	1.5	3.1	34.8
E210395	171.3	171.8		0.17	3.22	336	240	0.36	0.85	2.55	<0.02	363	252	15	0.7	12.5	17.6	11.1	0.43	1.4	0.029	0.21	239	19	1.39	2470	64.4	1.25	3.4	60.7
E210396	171.8	172.3		0.12	2.57	68.8	160	0.28	0.29	0.57	<0.02	366	136	12	0.9	9.9	19.85	11.8	0.46	1.4	0.049	0.14	225	29.1	1.2	3550	89.4	0.26	4.9	61.7
E210397			BLANK	0.01	0.3	<5	30	0.08	0.01	19.55	0.16	6.1	2.6	6	0.16	4.6	0.29	0.88	<0.05	0.1	<0.005	0.05	2.6	3.6	10.8	233	1.18	0.02	0.5	6.8
E210398	171.8	172.3	DUPLICATE	0.1	2.86	53.4	220	0.37	0.2	0.59	<0.02	343	103	13	0.79	22.2	20.2	12.5	0.44	1.4	0.057	0.14	207	33.1	1.25	3490	74.2	0.39	3.9	61.8
E210399	172.3	172.8		0.18	2.71	177	60	0.27	0.54	3.36	<0.02	125	193.5	8	0.82	42	20.7	11.4	0.4	1	0.129	0.13	71	25.6	2.65	5970	70.9	0.41	5.7	59
E210400	172.8	173.3		0.18	4.16	96	340	0.52	0.63	3.38	<0.02	208	176	8	1.88	4.2	18.3	11.95	0.41	0.8	0.064	0.42	130	22.8	2.2	4950	69.2	1.49	4.2	47.2
E210401	173.3	173.8		0.2	1.96	16.8	130	0.31	0.32	3.8	<0.02	161	209	15	0.91	4	20.7	9.2	0.41	0.5	0.092	0.11	98.1	22.6	1.9	3460	84.8	0.31	4.1	50.2
E210402	173.8	174.3		0.09	5.27	7.8	460	0.83	0.08	5.02	<0.02	290	78.2	22	1.81	3.9	12.7	11.45	0.32	1.5	0.043	0.28	194.5	31.2	2.5	3660	62.7	2.39	2.8	23.4
E210403	174.3	174.8		0.11	6.37	13.2	610	0.81	0.22	3.7	<0.02	299	87.3	23	3.82	126.5	12.75	13.2	0.32	2.2	0.047	0.43	204	45.7	2.73	2540	49.5	2.31	6.4	29.7
E210404	174.8	175.3		0.12	3.15	3.2	310	0.41	0.08	3.12	<0.02	140.5	45.8	11	3.42	440	12.3	7.52	0.25	0.7	0.084	0.22	65.2	44.8	2.5	2820	27	0.02	3.1	24.9
E210405	175.3	175.8		0.18	3.69	10.8	80	0.48	0.24	3.52	<0.02	305	239	13	1.86	112.5	17.5	11.7	0.38	0.8	0.068	0.19	214	42.4	2.39	2760	84.4	0.68	4.3	53.7
E210406	175.8	176.3		0.11	4.11	9.7	80	0.44	0.24	3.06	<0.02	148.5	340	12	1.7	22.7	17.1	10.75	0.34	1.1	0.061	0.24	108	38.3	2.33	3290	28.8	1.07	2.7	53.1
E210407			BLANK	0.02	0.32	6	1000	0.1	0.04	19.25	0.15	5.73	3	5	0.17	24.8	0.31	0.9	<0.05	0.1	<0.005	0.05	2.9	4.5	10.75	245	0.69	0.02	0.5	6
E210408			STANDARD 1	1.04	5.76	72.6	70	2.1	2.81	1.99	<0.02	62.9	164	31	3.81	7650	9.75	15.8	0.23	1.8	0.152	2.09	27.9	28.2	1.21	3470	64.4	0.96	3.1	37.8
E210409	176.3	176.8		0.08	4.15	8.7	80	0.46	0.19	3.41	<0.02	242	288	16	0.98	39.8	15.7	9.99	0.37	1.2	0.05	0.16	174.5	44.3	2.32	3180	15.05	1.08	2.6	48.7
E210410	176.8	177.3		0.18	4.17	10.4	90	0.36	0.65	2.08	0.05	119.5	412	11	0.66	15.5	15.9	9.29	0.31	0.8	0.057	0.15	87.8	30.5	1.43	3630	32.4	1.88	4	60
E210411	177.3	177.8		0.12	4.34	31.8	220	0.44	0.4	3.9	<0.02	131.5	182.5	14	0.94	43.5	14.8	9.9	0.3	1.2	0.033	0.16	96.3	27.4	2	4330	54.3	2.09	3.7	34.3
E210412	177.8	178.3		0.08	3.72	43.6	510	0.83	0.36	3.92	<0.02	105.5	253	7	5.26	15.4	21.5	12.55	0.39	0.8	0.048	0.13	78.8	60.8	3.4	3420	38.1	0.11	4.4	59.8
E210413	178.3	178.8		0.25	5.01	382	100	0.63	1.72	2.93	<0.02	264	358	17	2.4	19.5	15.05	10.85	0.35	1.6	0.048	0.26	196	20	1.66	2260	78.4	2.65	5.1	64.4
E210414	178.8	179.3		0.7	3.13	473	30	0.31	7.62	3.76	<0.02	338	415	11	0.88	61.9	22.3	9.7	0.47	0.6	0.074	0.11	243	36.7	1.77	4590	60.4	1.25	3.1	68.9
E210415	179.3	179.8		1.43	4.76	1560	50	1.41	9.97	1.47	0.19	481	643	33	2.2	242	20.6	13.7	0.55	1.1	0.064	1.21	324	44.2	1.07	2390	142.5	1.28	5.1	98
E210416	179.8	180.3		0.59	7.93	442	110	2.86	2.62	1.03	<0.02	206	362	61	4.23	69	11.25	21.3	0.3	2.4	0.059	2.3	131.5	58.7	1.12	667	43.5	2.28	6.5	65.1
E210417	180.3	180.8		0.71	6.71	945	190	1.77	2.98	1.44	<0.02	185	651	40	2.23	79	14.5	15.75	0.38	1.9	0.034	1.31	127	44.1	1.1	907	70.3	2.54	3.7	92.2
E210418			BLANK	0.01	0.42	5	40	0.12	0.09	19	0.15	12.2	8.6	7	0.21	5.4	0.61	1.12	<0.05	0.1	<0.005	0.06	7.7	4.6	10.55	279	2.86	0.07	0.7	6
E210419	180.3	180.8	DUPLICATE	0.62	6.63	932	300	2.04	2.76	1.34	<0.02	156	608	41	2.5	65.8	14.3	16.1	0.34	1.8	0.034	1.51	108	54	1.2	784	56.6	2.07	3	95.5
E210420	180.8	181.3		0.59	8.42	936	40	1.4	2.68	0.77	<0.02	191	609	39	3.16	74.8	14.45	13.85	0.34	1.8	0.024	0.94	136	36.6	0.85	571	57.3	2.71	2.7	88.7
E210421	181.3	181.8		0.39	6.19	412	150	0.74	1.77	2.73	<0.02	>500	251	28	1.16	48.3	10.8	13.6	0.46	1.2	0.033	0.38	570	24.4	1.46	1865	76.9	3.51	2	58.8
E210422	181.8	182.3		0.67	7.46	471	50	1.55	2.53	1.02	0.17	127.5	252	59	2.78	52.5	12.1	16.45	0.26	2.4	0.027	1.06	78.3	26.8	0.81	640	55.4	3.56	4.8	55.6
E210423	182.3	182.8		0.58	6.45	637	50	0.79	3.56	1.5	0.12	107.5	355	32	1.08	44.5	12.85	12.7	0.26	2.1	0.055	0.31	68.3	21.9	1.08	1885	47.5	3.75	3.3	59.6
E210424	182.8	183.3		0.31	7.4	249	320	0.66	1.18	1.87	<0.02	>500	205	31	1.02	20	9.8	20.4	0.38	2.9	0.019	0.23	402	29.5	1.29	1195	42.9	4.14	4.7	43
E210425	183.3	183.8		1.31	2.3	296	40	0.34	3.59	4.75	<0.02	376	560	6	0.68	120.5	23.9	12.75	0.53	0.6	0.054	0.1	260	20.4	2.3	3980	82.6	0.62	6.1	94.4
E210426	183.8	184.7		0.78	3.79	50.4	60	0.82	1.32	2.45	<0.02	>500	274	11	3.8	1390	17.55	18.6	0.55	0.9	0.077	0.41	428	35.4	1.84	3780	73.3	0.96	5.9	80.7
E210427	184.7	185.2		0.06	5.78	7.9	530	1.82	0.16	3.64	<0.02	104	29.9	26	8.03	42.5	8.54	16.8	0.21	1.3	0.075	2.14	69.7	43.8	2.67	2480	9.33	0.19	4.1	28.3
E210428			BLANK	0.01	0.34	<5	30	0.08	0.04	18.9	0.16	6.06	2.7	6	0.17	6.9	0.32	0.95	<0.05	0.1	0.005	0.05	2.8	4.3	10.5	238	0.75	0.02	0.5	4.7
E210429			STANDARD 2	1.16	2.35	122	20	0.77	10.55	2.26	<0.02	214	336	10	2.94	8810	26.6	10.35	0.5	0.8	0.277	0.64	119	23	1.56	5900	63.9	0.23	5.7	62.3
E210430	185.2	185.7		0.05	5.2	4	2480	1.89	0.14	4.4	<0.02	86.2	14	27	3.45	76.1	6.83	17.85	0.16	1.3	0.087	2.5	50.4	32.6	2.52	3040	3.68	0.04	5.1	17.5
E210431	185.7	186.2		0.04	5.3	3.3	2860	2.09	0.12	5.23	<0.02	21.4	12.2	28	7.32	7.4	7.57	14.85	0.17	1.3	0.1	2.2	13	36.5	3.07	3670	1.49	0.16	5	19.2
E210432	186.2	186.7		0.05	6.63	7.7	3660	2.61	0.21	2.48	<0.02	38	17.9	35	9.95	7.8	9.34	17.2	0.18	1.6	0.055	2.24	23.9	58.3	2.4	1755	1.07	0.04	3.5	30.9
E210433	186.7	187.2		0.12	5.5	11.8	1050	1.46	0.73	0.85	<0.02	90.9	29.4	29	5.6	23.2	11.85	15.7	0.24	1.4	0.034	1.52	49.1	63.3	1.97	760	11.45	0.02	4.7	24.7
E210434	187.2	187.7		0.07	5.28	11.1	620	0.78	0.15	0.61	<0.02	135	38.3	28	3.75	21.2	13.9	12.4	0.3	1.4	0.024	0.47	75.4	91.3	2.5	733	17.3	0.01	5.3	28.8
E210435	187.7	188.2		0.15	7.15	13.8	230	1.62	0.63	0.39	<0.02	82.3	37.9	35	16.35	5	14.6	16.4	0.3	2	0.015	1.27	48.9	89.9	2.73	358	35.2	0.01	5.6	33
E210436	188.2	188.7		0.21	6.32	9	2600	2.32	0.37	3.53	<0.02	84.6	16.7	28	20.7	783	9.34	17.5	0.23	1.6	0.042	2.46	52.9	36.3	2.45	2790	21.4	0.03	4.7	12.5
E210437	188.7	189.2		0.14	6.64	6.8	5030	2.5	0.11	3.5	<0.02	65.4	18.5	29	14.4	62.3	8.12	19.85	0.19	1.7	0.074	2.37	43.2	37.4	2.39	2880	6.6	0.43	4.6	14.2
E210438			BLANK	0.01	0.36	<5	40	0.13	0.03	19.25	0.16	5.03	2.2	6	0.27	4.4	0.34	1.01	<0.05	0.1	<0.005	0.06	2.4	4.6	10.65	241	0.57	0.02	0.5	3.8
E210439	188.7	189.2	DUPLICATE	0.14	6.78	5.6	4420	2.64	0.16	3.03	<0.02	82.3	14.3	31	14.15	18.7	7.7	23.4	0.2	1.7	0.059	2.67	54.8	40.6	2.33	2180	7.12	0.26	4.5	18
E210440	189.2	189.7		0.06	5.85	7.7	5110	2.08	0.1	2.83	<0.02	44.1	17.6	29	19.15	28.9	8.84	21.8	0.19	1.7	0.036	2.32	29.8	48.8	2.67	1755	8.49	0.33	5.7	20.1
E210441	189.7	190.2		0.22	7.43	15.3	450	2.12	0.61	2.18	<0.02	49.8	26.3	39	26.6	8.6	10.15	20.1	0.15	1.8	0.044	2.54	36.5	50.3	2.8	1425	11.4	0.03	6.3	17.6
E210442	190.2	190.7		0.44	5.12	26.4	370	1.75	1.49	3.11	<0.02	21.2	46.2	29	18.05	25.9	11.5	12.75	0.15	1.4	0.042	1.87	15.1	26	2.05	2050	14.55	0.34	4.6	14.5
E210443	190.7	191.2		0.16	7.08	14.6	350	2.17	0.37	2.61	<0.02	29.2	25.2	33	28.7	17.3	10.05	19.85	0.15	1.8	0.054	2.75	22.2	40.6	2.55	1645	11.8	0.03	5.3	14.5
E210444	191.2	191.7		0.15	5.75	22.7	810	1.85	0.59	2.78	<0.02	43.9	36.3	33	17.85	35.1	8.45	14.6	0.12	1.8	0.056	2.17	31.9	36.7	2.23	1950	20.9	0.03	4.8	15.6
E210445	191.7	192.2		0.04	6.35	3.6	130	2.63	0.09	4.81	<0.02	37.5	7.1	32	22.3	164	7.16	15.1	0.13	1.5	0.045	2.76	26.6	29.1	2.83	2970	2.76	0.03	2.5	10.3
E210446	192.2	192.7		1.26	5.47	54.4	2440	1.03	2.83	2.12	<0.02	26.8	68.5	32	5.01	3290	10.4	15.8	0.22	1.5	0.046	0.77	18.1	82.1	3.23	1750	51.6	0.03	4.7	24.2
E210447	192.7	193.2		3.83	7.22	10.2	50	0.88	7.13	4.6	<0.02	15.95	54.2	35	1.65	4740	19	22.6	0.43	1.4	0.039	0.06	9.1	117.5	5.8	2650	19.35	0.03	6.7	40.9
E210448			BLANK	0.04	0.35	<5	20	0.08	0.05	20.5	0.16	4.09	3	13	0.17	26.5	0.38	0.86	<0.05	0.1	0.006	0.04	2.1	3.9	11.15	239	0.36	0.03	0.6	9.2
E210449	192.7	193.2	DUPLICATE	6.96	7.85	12.6	40	0.79	12.5	4.2	<0.02	16.7	60.7	34	1.9	3600	19	24.8	0.52	1.5	0.038	0.06	9.2	127	5.96	2520	32.7	0.02	7.7	46.1
E210450	193.2	193.7		2.74	5.26	11.2	120	1.11	4.32	3.17	<0.02	21.3	23.4	30	6.49	9120	12.85	12.55	0.29	1.4	0.053	0.81	14.1	76.3	3.59	2050	9.2	0.02	4.3	18.2
E210451	193.7	194.2		3.01	5.48	17.7	610	1.2	5.86	3.42	<0.02	22.4	35.1	35	4.79	7060	11.85	14.55	0.3	1.5	0.051	1.05	14.6	73.3	3.43	2290	24.1	0.02	5.1	20.3
E210452	194.2	194.7		0.43	4.71	10	170	1.1	0.95	2.94	<0.02	67.5	20.3	30	2.82	584	10.75	13.8	0.16	1.6	0.04	0.82	48.5	73.3	3.15	2090	11.8	0.02	5.7	17
E210453	194.7	195.2		0.23	4.16	17.3	1240	0.74	0.67	1.96	<0.02	73.7	82	27	1.61	242	10.75	11.75	0.18	1.2	0.03	0.43	52.5	76.4	2.69	1445	37.9	0.02	6.7	21.7
E210454	195.2	195.7		0.48	4.77	19.5	1290	0.77	1.21	1.88	<0.02	41.4	54.1	27	1.47	150	12.05	14.15	0.16	1.4	0.081	0.76	31	72.8	2.38	1675	30.1	0.02	7.9	27.8
E210455	195.7	196.2		0.35	3.81	33.8	710	0.84	0.98	0.93	<0.02	40.2	137	24	1.52	422	12.9	11.65	0.19	1.3	0.089	1.32	28.4	43.2	1.07	1115	48.6	0.02	10.1	24.3
E210456	196.2	196.7		0.27	4.07	23	340	0.59	0.72	0.49	<0.02	43.4	71.5	19	0.9	44.8	14.35	12.1	0.2	1.3	0.071	0.16	32.2	70.8	2.02	758	35.5	0.01	9.1	34.9
E210457	196.7	197.2		0.15	4.64	10.3	310	1.25	0.35	0.57	<0.02	78.5	33.4	29	2.33	51.5	12.35	16.8	0.19	1.6	0.098	1.16	53.6	55.9	1.59	1405	23.1	0.03	9	25.9
E210458			BLANK	0.01	0.31	12	20	0.09	0.02	20	0.15	4.87	2.3	7	0.15	5.2	0.27	0.82	<0.05	0.1	0.005	0.05	2.4	3.8	10.85	234	0.43	0.02	0.5	6.6
E210459			STANDARD 3	0.28	7.05	58.8	250	2.7	1.52	1.86	<0.02	70.6	113	43	6.39	1590	7.16	19.5	0.17	2.1	0.134	2.97	38.6	23.8	1.32	3220	19.55	0.59	3.1	26.6
E210460	197.2	197.7		0.26	7.4	9	330	2.21	0.6	0.26	<0.02	34.4	45	48	6.46	149	12.85	26.3	0.23	2.4	0.065	2.21	24.4	77.5	2.44	2930	15.5	0.02	8	35.9
E210461	197.7	198.2		0.78	7.05	20.5	80	1.46	1.66	0.32	<0.02	20.4	45.3	49	4.56	128	16	21.1	0.24	1.8	0.047	0.81	13	95.8	3.6	2850	11.9	0.01	4.6	61.4
E210462	198.2	198.7		0.26	5.33	12.4	160	0.95	0.63	2.02	<0.02	52.1	29.7	25	3.04	69	14.05	13.55	0.19	2	0.076	0.7	37.9	73.5	3.31	2080	22.4	0.01	6.2	24.9
E210463	198.7	199.2		0.29	7.47	8.8	130	1.49	0.25	2.69	<0.02	32	27	36	8.17	39.4	12.8	27.4	0.18	2.1	0.089	1.89	23.3	75.2	3.88	1840	9.66	0.01	5.7	25.8
E210464	199.2	199.7		0.42	5.83	21.3	300	1.45	1.35	2.81	<0.02	44.7	83.1	29	3.39	29.2	13.5	18.1	0.19	1.7	0.06	1.28	34.4	63.8	3.27	2420	14.85	0.08	5.4	35
E210465	199.7	200.7		0.11	7.57	5.8	1320	2.69	0.33	0.58	<0.02	101	17	46	7.2	121.5	7.03	18.45	0.17	2.4	0.088	3.88	56.5	22	0.64	921	1.68	0.05	8	12.6
E210467	236	237		0.36	5.4	71.7	1190	1.58	1.2	6.47	0.02	31.8	90.1	26	2.37	14.7	5.55	14	0.11	2	0.037	1.33	16	12.8	2.33	5950	4.55	2.03	2.2	23.2
E210469			BLANK	0.01	0.31	<5	20	0.11	0.02	19.8	0.15	4.55	2.5	7	0.14	5.9	0.26	0.87	<0.05	0.1	0.006	0.05	2.2	3.7	10.8	236	0.23	0.02	0.5	7.4

IG-2007-10

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Au
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E210382	165.8	166.3		1520	4.7	3.8	0.013	5.23	1.25	2.8	4	2.2	24.5	0.14	0.67	7.7	0.025	0.05	11	50	7.6	13.5	12	16.9	0.024
E210383	166.3	166.8		2090	4.6	4.1	0.018	5.55	1.05	2	4	2.1	18.7	0.12	0.6	7.7	0.023	0.04	21.3	51	5.9	13.1	14	15.9	0.026
E210384	166.8	167.3		1850	2.6	6.1	0.011	2.6	0.9	3.4	3	3	22.7	0.12	0.4	8.5	0.031	0.04	19.8	52	4.5	14.2	14	22.4	0.013
E210385	167.3	167.8		1790	2.2	9	0.017	0.99	0.72	2.8	2	3.2	23.1	0.22	0.12	4.6	0.042	0.05	14	49	3.8	12	15	23.4	0.005
E210386			BLANK	410	2.7	1.8	<0.002	0.03	0.34	1.3	1	0.2	112	<0.05	<0.05	0.4	0.014	<0.02	0.2	4	0.4	3.7	9	3.6	0.001
E210387			STANDARD 3	790	3	145	0.007	1.41	1.16	11.5	1	8.2	409	0.18	0.21	12.8	0.11	0.4	20.1	64	8.2	13	4	88.1	0.02
E210388	167.8	168.3		2160	2.8	6.7	0.027	3.59	0.88	2.5	6	2.9	19.9	0.14	0.56	9.8	0.031	0.05	8.5	56	5.5	15.2	14	21.8	0.023
E210389	168.3	168.8		2900	2.3	4.9	0.021	1.65	0.82	2.9	3	2.5	33.7	0.12	0.27	6.3	0.028	0.03	2.8	69	5.5	17.8	15	21	0.016
E210390	168.8	169.3		2450	3.8	5.4	0.052	2.41	0.84	8.2	2	2.5	53.9	0.12	0.86	8	0.045	0.07	15.6	39	4.8	20.5	10	64.3	0.03
E210391	169.3	169.8		2270	7.2	10.4	0.026	5.57	1.18	4.6	4	3	35.3	0.15	3.24	10.8	0.043	0.11	10.6	40	10.1	18.3	17	38.9	0.068
E210392	169.8	170.3		1870	2.3	10.3	0.015	1.57	0.6	4.4	2	3.1	47.8	0.15	0.31	8.8	0.048	0.06	7	44	4.4	14.1	12	42.7	0.023
E210393	170.3	170.8		1660	2	7.8	0.014	1.77	0.65	5.6	2	3.5	39.8	0.13	0.3	8.1	0.052	0.05	3.1	47	4.4	14.3	8	29.7	0.017
E210394	170.8	171.3		1960	2.4	5.3	0.018	1.46	0.7	7.6	1	3.2	39.8	0.18	0.17	10.4	0.064	0.04	4.8	48	4.9	17.1	8	49.9	0.014
E210395	171.3	171.8		1320	2.5	6.9	0.013	3.01	0.75	3.6	2	2.3	38.3	0.16	0.46	7.6	0.03	0.04	6.1	62	5.9	12.4	11	43.9	0.023
E210396	171.8	172.3		1580	1.7	5	0.018	1.24	0.84	2.4	1	2.7	69.2	0.23	0.17	8.4	0.038	0.04	3.4	61	7.1	13.3	18	44.8	0.02
E210397			BLANK	400	1.8	1.8	<0.002	0.03	0.32	1.2	1	0.3	110.5	<0.05	<0.05	0.4	0.014	<0.02	0.2	4	0.4	3.7	9	3.5	0.001
E210398	171.8	172.3	DUPLICATE	1510	1.8	4.9	0.014	0.89	0.88	2.5	1	3.8	162	0.17	0.13	6.9	0.045	0.04	4.1	71	9.7	12.8	19	45.3	0.01
E210399	172.3	172.8		1260	3	4.7	0.014	2.24	0.83	2.6	2	2.2	66.8	0.21	0.34	5.9	0.036	0.04	14.9	72	8.7	13.3	19	33.5	0.014
E210400	172.8	173.3		1550	3	14.2	0.017	1.86	0.85	3.6	2	2.4	42.5	0.18	0.25	5.4	0.044	0.09	15.1	63	4.9	12.5	17	27.7	0.015
E210401	173.3	173.8		2020	3.4	4	0.028	1.71	0.93	3.5	2	2.3	61.1	0.22	0.23	3.9	0.03	0.03	7.2	86	10.2	13.7	19	18.3	0.006
E210402	173.8	174.3		1610	1.9	10.2	0.025	0.6	0.52	10.8	1	3.8	245	0.16	0.07	6.9	0.054	0.07	4	38	2.1	14.3	18	49.5	0.004
E210403	174.3	174.8		1340	2.2	16.6	0.017	0.73	0.64	7.7	1	5.4	128	0.51	0.12	7.9	0.148	0.09	14.3	54	4	16.7	30	70.9	0.005
E210404	174.8	175.3		880	2.1	10.3	0.012	0.42	0.47	4.7	<1	3.8	1250	0.18	0.08	3.8	0.073	0.05	11.3	46	4.7	10.9	32	23.7	0.003
E210405	175.3	175.8		2420	2.7	7.2	0.03	1.94	0.79	3.2	2	2.6	102	0.18	0.28	8.8	0.037	0.04	5.8	78	3.5	15.7	31	24.5	0.004
E210406	175.8	176.3		1460	1.9	8.7	0.008	2.86	0.63	4.4	2	2.3	52.9	0.13	0.1	3.2	0.035	0.05	2.9	56	2.9	11.3	24	36	0.003
E210407			BLANK	410	1.5	1.8	<0.002	0.05	0.33	1.3	1	<0.2	123.5	<0.05	<0.05	0.4	0.015	<0.02	1.3	5	0.4	3.7	9	4	0.001
E210408			STANDARD 1	880	19.8	93	0.023	2.4	1.53	9.8	2	7.5	577	0.17	0.24	8.6	0.081	0.44	283	54	7.6	15.6	5	60.2	0.052
E210409	176.3	176.8		1660	1.9	6.1	0.004	2.45	0.56	5	2	2.8	86	0.14	0.13	5.7	0.056	0.04	3.8	45	2.4	11.9	21	38.7	0.003
E210410	176.8	177.3		1320	4	5.5	0.01	3.24	0.65	3	3	2.5	47.3	0.17	0.06	3.4	0.046	0.05	4.2	46	3.1	9.2	19	26.8	0.004
E210411	177.3	177.8		1750	2	5.7	0.014	1.66	0.62	4.8	2	2.4	70.9	0.17	0.16	4	0.043	0.03	6.1	50	3	12	12	37.2	0.012
E210412	177.8	178.3		1120	1.6	6.5	0.012	2.06	0.91	5	2	1.7	23.2	0.15	0.14	2.6	0.031	0.03	5.1	93	3.6	10.2	51	27.5	0.008
E210413	178.3	178.8		1440	2.6	11.6	0.025	5.67	0.77	4	3	2.6	41.8	0.3	0.66	5.9	0.072	0.08	7.4	62	4.5	12.6	10	52.2	0.028
E210414	178.8	179.3		1270	9	4.1	0.022	>10.0	1.13	3.7	4	1.9	39.1	0.06	1.19	4.9	0.047	0.1	12.2	100	5.9	13.2	10	19.6	0.037
E210415	179.3	179.8		1870	37.6	57.7	0.078	>10.0	2.42	26.3	12	12.8	41.9	0.06	7.66	12.5	0.135	0.22	368	138	10	25.9	35	34.9	0.152
E210416	179.8	180.3		1250	10.3	117.5	0.02	4.71	1.71	52.2	4	26.9	46.6	0.11	0.75	7.9	0.267	0.26	298	220	11.7	22.6	11	73.3	0.033
E210417	180.3	180.8		1770	6.2	75	0.024	9.28	1.02	27.7	7	17.2	57.6	0.1	1.46	3	0.197	0.16	64.7	160	8.5	18.6	12	57.7	0.05
E210418			BLANK	420	1.5	2.1	<0.002	0.13	0.37	1.4	1	<0.2	108	<0.05	<0.05	0.6	0.017	<0.02	0.8	6	5.7	3.7	9	4.8	0.002
E210419	180.3	180.8	DUPLICATE	1550	5.1	87.8	0.019	8.81	0.85	32.4	6	19.9	44.9	0.08	1.37	2	0.197	0.17	23.9	179	8.1	13.6	13	56.8	0.045
E210420	180.8	181.3		1460	8.6	49.5	0.021	8.74	0.84	17.2	6	12.4	65.3	0.08	1.3	3.4	0.207	0.14	42.3	166	6.6	14.8	14	55.5	0.048
E210421	181.3	181.8		2030	6.1	16.6	0.038	4.17	0.86	9.4	3	4.7	64.8	0.06	0.83	7.8	0.095	0.1	55.1	90	6.4	19.7	14	38.9	0.025
E210422	181.8	182.3		1160	10.5	48.6	0.03	4.16	1.05	28.4	4	14.8	62.8	0.1	0.94	2.4	0.301	0.22	45.6	176	8.3	15.4	24	71.9	0.03
E210423	182.3	182.8		1360	18.6	12.2	0.018	8.15	1.12	5.9	4	4.5	68	0.09	1.25	4.6	0.11	0.13	69.7	84	6.9	17.4	19	62.8	0.052
E210424	182.8	183.3		1710	4.9	8.5	0.016	2.78	0.88	5.2	2	4.3	55.7	0.15	0.46	10.4	0.098	0.08	70.8	42	6.3	21.9	14	85.3	0.023
E210425	183.3	183.8		2190	13.4	3.8	0.03	8.68	1.6	5.2	4	1.8	69.1	0.12	0.68	8.1	0.037	0.14	103.5	104	8.4	16.5	14	22.9	0.028
E210426	183.8	184.7		1780	8.3	20	0.037	2.48	1.68	4.7	3	2.7	148	0.12	0.18	16.8	0.046	0.35	90.4	58	7.6	17	26	30.5	0.013
E210427	184.7	185.2		750	1.7	113	0.007	0.15	0.9	9.5	1	3.3	29.9	0.26	0.08	12.7	0.13	0.23	18.7	51	5.2	10.4	19	42.7	0.003
E210428			BLANK	390	1.5	1.9	<0.002	0.03	0.39	1.3	1	<0.2	110.5	<0.05	<0.05	0.5	0.014	<0.02	0.3	4	0.4	3.6	9	4	0.001
E210429			STANDARD 2	2360	5.9	39	0.018	7.13	2.28	4.6	4	7.6	177.5	0.12	1.32	5.7	0.032	0.48	14.6	56	6.4	15.9	5	26	0.118
E210430	185.2	185.7		600	1.8	132.5	0.003	0.16	0.89	10.4	1	4.3	70	0.37	0.1	11.5	0.158	0.19	8.6	58	7.9	9.8	6	42.5	0.003
E210431	185.7	186.2		600	1.7	118.5	<0.002	0.26	0.88	11.5	<1	3.1	58.4	0.33	0.07	11.6	0.152	0.22	8.8	49	5.5	9.8	14	42.5	0.003
E210432	186.2	186.7		770	1.8	112.5	<0.002	0.44	1.09	14.4	<1	2.9	78	0.27	0.07	14.7	0.138	0.27	9	54	4.3	9.7	31	54.1	0.006
E210433	186.7	187.2		950	3	76.9	0.005	0.85	1.5	9.1	1	5.9	26.4	0.31	0.18	12.3	0.134	0.19	8	54	6.9	7.5	29	44.9	0.011
E210434	187.2	187.7		1200	1.7	22.2	0.006	0.13	1.31	6.4	1	6.3	32.2	0.28	0.18	12.3	0.11	0.1	9.2	44	5.4	7.8	45	44.8	0.017
E210435	187.7	188.2		1320	2.3	64.6	0.017	0.31	1.67	7.8	2	7	21.4	0.33	0.55	13.9	0.126	0.28	19.6	54	6.5	8.9	47	67.9	0.024
E210436	188.2	188.7		890	3.2	125.5	0.011	0.2	1.61	10.4	2	6.1	320	0.24	0.2	11.6	0.126	0.42	35.9	53	7.7	9.8	19	50.9	0.037
E210437	188.7	189.2		790	2	120	0.005	0.16	1.27	11.2	1	4.8	88.9	0.3	0.13	12.7	0.145	0.38	22.3	52	8.6	10.7	20	54	0.021
E210438			BLANK	400	2.2	2.2	<0.002	0.02	0.37	1.3	1	<0.2	106.5	<0.05	<0.05	0.5	0.016	<0.02	0.3	4	0.5	3.5	9	4.2	0.003
E210439	188.7	189.2	DUPLICATE	780	1.9	131	0.006	0.12	1.21	11.8	1	5.4	85.6	0.28	0.11	13.1	0.146	0.39	20.9	58	8.8	9	19	58.3	0.029
E210440	189.2	189.7		870	2.9	116	0.008	0.16	1.18	10	1	4.3	120	0.37	0.11	12.6	0.155	0.35	18.3	54	7.3	7.9	27	54.4	0.023
E210441	189.7	190.2		970	4.4	133.5	0.01	0.2	1.39	9.4	3	4.5	29.9	0.45	0.19	16.1	0.163	0.43	29.5	57	6.1	9.3	36	55.8	0.049
E210442	190.2	190.7		800	4	90.4	0.017	0.61	1.29	9.3	4	10.8	19.5	0.34	0.3	11.8	0.129	0.36	22.1	75	14	8.2	19	43.8	0.15
E210443	190.7	191.2		870	3.6	137.5	0.008	0.14	1.34	11	3	5.1	20.6	0.31	0.15	14.1	0.143	0.49	29	55	7.6	8.7	29	54	0.032
E210444	191.2	191.7		960	3.5	108.5	0.016	0.34	1.29	11.4	3	5.3	25.1	0.28	0.2	15	0.133	0.48	28.2	49	8.2	8.9	25	53.3	0.031
E210445	191.7	192.2		580	2.5	134.5	0.003	0.03	1.14	15.1	2	3.1	19.6	0.18	0.06	13.1	0.107	0.44	11	59	4.4	7	12	47	0.003
E210446	192.2	192.7		800	16.7	40.9	0.045	0.48	1.45	8.6	19	4.5	36.2	0.27	0.29	11.8	0.114	0.37	374	49	9	15.3	60	46.3	0.002
E210447	192.7	193.2		580	22	2.4	0.006	0.53	1.37	14.5	50	4.5	15.1	0.43	0.71	14	0.155	0.02	640	76	11.7	22	68	43.1	0.398
E210448			BLANK	390	1.7	1.4	<0.002	0.12	0.31	1.6	2	0.2	104	<0.05	<0.05	0.4	0.02	<0.02	0.5	6	0.5	3.8	12	3.5	0.213
E210449	192.7	193.2	DUPLICATE	570	30.3	2.5	0.009	0.42	1.69	14.7	74	4.3	15.9	0.47	0.85	21.5	0.169	0.02	860	74	3.7	26.3	74	48.2	0.471
E210450	193.2	193.7		670	14.7	35.1	0.006	1.08	1.36	9.7	43	4.1	13.8	0.26	0.44	15.4	0.123	0.11	251	54	9.9	11.9	41	43.8	0.257
E210451	193.7	194.2		610	20.2	42.4	0.029	1	1.61	9.9	45	4.4	21.3	0.34	0.57	17.6	0.138	0.22	440	53	10.6	15.4	34	45.5	0.673
E210452	194.2	194.7		1060	5.1	39.2	0.013	0.09	1.37	8.7	6	6	21.9	0.31	0.22	10.7	0.122	0.1	91	42	5	9.4	48	51.2	0.182
E210453	194.7	195.2		820	7.7	19.3	0.01	0.55	1.44	6	5	5.6	34.8	0.33	0.41	9.5	0.11	0.07	141.5	35	5.4	9.6	49	36.7	0.136
E210454	195.2	195.7		1120	10.6	40.1	0.019	0.33	1.36	7.4	6	8.5	38.8	0.27	0.48	10.2	0.097	0.15	152	44	6.9	12.3	44	42.6	0.035
E210455	195.7	196.2		1590	4	69.9	0.024	1.28	1.05	6.9	10	14	21.6	0.33	2.67	8.5	0.105	0.12	35.2	46	12.8	12.2	17	39.4	0.153
E210456	196.2	196.7		1610	5.2	7.8	0.019	0.48	1.08	4.2	7	4.5	17	0.37	2.33	10	0.067	0.03	70.6	31	6.5	10.2	46	39.6	0.152
E210457	196.7	197.2		1270	4.7	64.5	0.014	0.14	1.28	8.5	4	7.2	17.7	0.45	0.38	17	0.14	0.13	93.7	47	9.7	13	35	48.2	0.076
E210458			BLANK	400	1.7	1.7	<0.002	0.03	0.32	1.5	2	<0.2	104.5	<0.05	<0.05	0.4	0.015	<0.02	0.3	5	0.4	3.7	11	3.3	0.002
E210459			STANDARD 3	780	2.7	137	0.006	1.31	1.08	11.8	2	7.7	449	0.17	0.2	14.6	0.109	0.37	18.5	66	7.9	12.4	6	65.3	0.022
E210460	197.2	197.7		610	10.4	110.5	0.017	0.36	1.4	13.6	13	9.7	13	0.42	0.28	16.6	0.186	0.27	269	75	14.2	15.2	54	69	0.408
E210461	197.7	198.2		450	15.3	21	0.011	0.47	1.65	11.1	13	5.3	9.3	0.24	0.42	8.3	0.14	0.11	382	91	17.2	12.3	63	55.1	0.988
E210462	198.2	198.7		930	5.6	32.7	0.02	0.14	1.41	8.4	6	7.5	13.8	0.22	0.4	8.2	0.138	0.1	119.5	71	19.8	19.4	50	59.7	0.117
E210463	198.7	199.2		1040	5.8	85.5	0.01	0.18	1.36	14.3	3	8.5	16.5	0.27	0.34	18.4	0.132	0.21	196.5	61	10.5	15.8	63	63.7	1.055
E210464	199.2	199.7		880	6.8	63.8	0.011	1.26	1.46	11.9	5	5.2	19.7	0.2	0.46	15.2	0.109	0.18	142	52	7.7	13	50	54.8	0.072
E210465	199.7	200.7		700	2.3	201	0.003	0.2	1.63	8.8	2	5.2	13.8	0.46	0.08	16.4	0.206	0.46	20.8	57	13.2	10.6	6	73.5	0.008
E210467	236	237		620	7.6	68.7	<0.002	1.36	1.6	10.6	2	3	52.8	0.17	0.06	13.7	0.072	0.75	6.5	55	4.3	10.3	6	83.3	0.008
E210469			BLANK	390	1.6	1.8	<0.002	0.04	0.3	1.8	2	<0.2	106.5	<0.05	<0.05	0.5	0.014	0.02	0.2	4	0.5	3.7	12	3.7	<0.001

IG-2007-10

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
E210470	236	237	DUPLICATE	0.37	5.47	85.2	1230	1.71	1.24	6.25	0.03	28.4	101	27	2.54	13.6	5.88	14.4	0.12	2.1	0.044	1.34	15.1	15.9	2.36	7010	5.14	2.06	2.5	30.6
E210471	237	237.5		0.14	8.2	41.9	2760	5.16	0.72	3.79	<0.02	160.5	74.6	43	7.22	12.3	4.88	25.5	0.18	2.6	0.087	3.43	90.1	36.8	1.48	4060	7.11	1.19	3.2	28
E210472	237.5	238		0.05	7.55	17.5	2150	4.12	0.3	4.52	<0.02	117.5	46	38	5.92	7.3	4.95	20.4	0.14	2.4	0.082	2.88	68.8	29.1	1.64	4710	9.23	1.43	3.3	23
E210473	238	238.5		0.14	6.61	18.1	1590	2.76	0.59	3.8	<0.02	124.5	55.8	34	5.69	21.8	9.88	17	0.19	2.1	0.149	1.69	73.2	48	3.07	7100	8.97	1.23	1.9	35
E210474	238.5	239		0.57	3.72	113	110	0.41	2.35	5.79	0.02	71.7	346	17	0.36	25	15.6	8.67	0.23	1.1	0.048	0.09	46.6	8	2.4	5950	20.3	2.38	2.2	48.2
E210475	239	239.5		0.48	5.55	58.7	460	1.45	2.39	5.97	<0.02	170	116	22	1.96	14	7.16	12.4	0.19	1.7	0.028	0.93	102	17.7	2.18	5160	14.15	2.69	3	29.4
E210476	239.5	240		0.04	6.88	13.3	1350	3.41	0.09	5.91	<0.02	74.1	40.6	33	3.93	4.2	5.46	17.35	0.12	2.3	0.053	1.97	45.2	28.6	2.23	5510	1.62	1.99	4	25.2
E210477	240	240.5		0.23	7.42	34.1	470	3.28	1.39	5.39	<0.02	37.4	95.4	33	3.58	9.6	6.4	19.9	0.12	2.3	0.045	1.91	21.5	24.9	2.02	4890	8.31	2.63	3.4	29.4
E210478	240.5	241		0.53	6.46	64.9	190	1.2	2.36	5.52	<0.02	52.3	144	24	2.22	15.5	9.63	13.55	0.16	2.1	0.021	0.6	31.1	11.3	1.97	4290	18	3.76	3.6	29.1
E210479			BLANK	0.12	0.33	8	20	0.11	0.02	21.3	0.15	4.86	2.3	13	0.15	4.2	0.27	0.85	0.15	0.1	0.008	0.05	2.6	4.1	11.85	244	0.36	0.02	0.5	6.4
E210480			STANDARD 1	1.12	5.8	67.2	130	1.52	2.32	1.97	<0.02	54.2	162.5	34	3.21	7470	9.89	13.85	0.16	1.7	0.12	2.01	19.3	19	1.21	3570	60	0.87	3.3	37.1
E210481	241	241.5		0.4	5.57	46.9	220	0.35	1.34	6.51	<0.02	43.3	93.6	27	0.43	82.1	8.27	8.73	0.13	1.5	0.014	0.21	26.7	3.5	2.15	4940	12.95	3.81	2.7	22.4
E210483	241.5	242		0.5	6.27	51.5	150	0.66	1.34	5.39	<0.02	50	132	41	1.06	16.8	9.8	11.3	0.15	1.9	0.013	0.34	33.9	6.7	1.84	3670	17.6	3.99	2	27.3
E210484	242	242.6		0.38	6	75.7	230	0.87	1.37	4.79	<0.02	46.5	166.5	23	2.91	35.1	8.24	9.87	0.11	1.5	0.01	0.42	31.1	5.4	1.66	3550	8.66	3.65	2.9	29.5
E210485	242.6	243.1		0.44	1.74	68.9	40	0.11	1.42	4.91	0.02	90.3	434	6	0.16	57.6	23.2	10.95	0.33	0.5	0.015	0.02	67.1	6.5	1.88	4880	40.3	0.85	1.6	64.1
E210486	243.1	243.6		0.67	1.39	94.8	20	0.13	1.51	3.74	0.02	81.1	514	5	0.17	118	30.1	12.4	0.33	0.4	0.01	0.01	61.4	7.3	1.51	3980	45.5	0.45	1.3	74.1
E210487	243.6	244.1		0.65	2.28	82.1	50	0.17	1.29	4.65	<0.02	25.7	482	6	0.22	31	23.1	11.05	0.29	0.5	0.012	0.03	19.1	8.9	1.91	4730	39.2	0.93	1.8	59.6
E210488	244.1	244.6		0.96	2.57	126	30	0.13	1.38	3.76	<0.02	117.5	548	8	0.16	48.5	21.6	11.1	0.3	0.6	0.014	0.04	87.8	9	1.57	3950	52.1	1.22	2	59.6
E210489	244.6	245.1		0.52	2.37	83.8	20	0.14	1.4	3.65	<0.02	130	421	7	0.14	187	22.3	11	0.32	0.5	0.01	0.02	98.3	7.4	1.48	3850	51.6	1.18	1.1	61
E210490			BLANK	0.01	0.33	11	20	0.07	0.03	20.2	0.14	4.91	3.9	9	0.13	5.8	0.42	0.88	<0.05	0.1	0.005	0.05	2.6	3.1	11	266	0.8	0.02	0.5	7.1
E210491	244.6	245.1	DUPLICATE	0.73	2.27	117.5	20	0.1	1.36	3.55	<0.02	124.5	566	8	0.15	234	23.9	10.55	0.31	0.5	0.007	0.02	93.4	7.3	1.4	3680	68.7	1.12	1.2	65.3
E210492	245.1	245.6		0.01	6.02	7.4	190	0.55	0.06	3.45	<0.02	54.9	44.7	32	0.4	147	5.39	9.88	0.1	1.6	0.006	0.19	37	5.5	1.16	2060	1.06	4.05	4.9	9.9
E210495	245.6	246.1		0.02	6.8	10.5	130	0.45	0.06	3.2	<0.02	51.4	64.5	27	0.29	12	6.7	11.45	0.12	1.6	0.007	0.14	35.3	3.8	1.03	2190	3.08	4.78	2.8	17
E210496	246.1	246.6		0.64	2.04	66.3	80	0.19	2.1	2.59	0.03	198	313	9	0.19	233	28.8	11.6	0.37	0.5	0.013	0.04	148	5.6	0.99	2750	30.7	1.13	1	64
E210497	246.6	247.1		0.28	2.73	28	90	0.23	0.51	5.38	<0.02	65.9	218	13	0.24	102	21.8	10.2	0.26	0.7	0.041	0.06	50.5	6.8	1.86	5650	40	1.59	1.6	49.8
E210498	247.1	247.6		0.81	3.62	107.5	130	0.22	2.34	4.33	<0.02	20.3	318	14	0.23	27.1	20.3	9.89	0.27	0.7	0.014	0.05	15.2	5.1	1.57	3750	25.6	2.34	1.4	53.8
E210499	247.6	248.1		1.2	4.09	252	120	0.26	5.48	3.25	<0.02	56	693	19	0.26	42.1	20	8.93	0.26	1	0.019	0.07	43.2	6.8	1.27	3020	15.95	2.51	1.7	72.7
E210500			BLANK	0.01	0.31	5	20	0.06	0.03	19.6	0.14	4.41	3	9	0.14	4.3	0.31	0.85	<0.05	0.1	0.005	0.05	2.2	2.8	10.65	251	0.55	0.02	0.4	7.1
E147001			STANDARD 2	1.18	2.52	110	20	0.61	10.3	2.25	<0.02	211	356	13	2.66	9610	30.8	8.88	0.42	0.8	0.259	0.71	117.5	17.4	1.54	6730	62.9	0.24	5	59.6
E147048	248.1	248.8	Out of order	1.85	3.35	216	90	0.28	6.39	4.39	<0.02	50.3	904	13	0.3	254	21.5	8.3	0.3	0.9	0.022	0.09	35	4.4	1.52	3710	60	2.14	1.2	99
E147049	248.8	249.3	Out of order	1.12	5.09	95.6	40	0.54	2.27	6.92	<0.02	153.5	477	23	0.44	23	11.55	8.92	0.28	1.4	0.031	0.15	96.3	7.1	2.3	5010	18.45	3.27	1.7	46.9
E147002	249.3	249.8	48.3-249.3 appea	0.31	5.82	35.9	660	0.8	0.36	5.54	<0.02	43	67.8	31	0.92	39.9	7.27	12.15	0.25	2.1	0.016	0.26	27.5	11.8	2.1	3710	0.73	3.82	1.7	24.4
E147003	249.8	250.3		0.06	6.82	6	510	1	0.32	3.99	<0.02	66.8	15.4	42	1.44	7.4	5.03	15.25	0.25	2.6	0.017	0.32	40.8	18.6	1.88	2830	1.35	4.12	4.3	25.1
E147004	250.3	250.8		0.01	6.79	3.9	140	1.03	0.14	4.87	<0.02	13	14.2	29	0.5	5.8	5.27	14.5	0.14	2.2	0.006	0.18	7.3	12.4	1.9	3570	3.73	4.21	3.6	19
E147005	250.8	251.3		0.21	5.85	63.7	770	0.96	0.32	4.45	<0.02	29.4	135	25	0.49	13.4	5.48	13.1	0.12	1.9	<0.005	0.19	16.8	10.4	1.72	3150	4.12	3.81	2.1	22.1
E147006	251.3	251.8		0.01	5.14	2.8	1060	0.48	0.05	4.8	<0.02	28.3	13.3	35	0.52	4.9	5.38	8.94	0.06	1	<0.005	0.4	16.6	7.4	1.93	3610	2.2	2.71	1.1	11.5
E147007	251.8	252.3		0.49	5.62	64.4	1240	1.04	1.24	4.93	<0.02	57.9	136	31	1.29	6	7.45	13.85	0.13	1.8	0.009	0.71	33.1	22.4	2.18	3880	5.7	2.39	1.8	33.8
E147008	252.3	252.8		0.7	5.9	159.5	1000	1.82	1.19	5.61	<0.02	50.3	204	29	2.28	7.8	7.62	14.8	0.13	1.9	0.022	1.88	28.8	28.4	2.32	4570	6.54	1.19	1.7	38.2
E147009	252.8	253.3		0.39	5.55	38.5	670	2.07	0.58	5.55	<0.02	66.6	82.6	33	1.94	8.8	6.18	13.4	0.13	2	0.025	1.49	40.7	22.7	2.15	4370	4.67	1.75	2.8	22.5
E147010	253.3	253.8		0.16	5.44	12.7	1200	1.28	0.24	5.97	<0.02	63.3	49.8	24	1.54	29.7	6.58	11.4	0.11	1.6	0.032	1.16	38.2	17.9	2.33	4780	4.64	1.93	2	21.2
E147011			BLANK	0.02	0.35	<5	30	0.09	0.01	19.75	0.13	4.81	2.1	7	0.13	3.9	0.28	0.86	0.09	0.1	<0.005	0.06	2.3	3.6	10.95	264	0.29	0.03	0.5	6.9
E147012	253.8	254.3		0.23	5.54	66.1	430	1.74	0.33	5.39	<0.02	76.8	123.5	34	1.82	42.9	6.32	12.75	0.14	2	0.024	1.15	42.7	21.2	2.11	4280	13.2	2.12	2	24.2
E147013	254.3	254.8		0.84	6.75	216	170	1.82	2.35	4.61	<0.02	18.35	484	31	1.96	30.3	8.8	15.45	0.11	2.1	0.017	1.18	10.5	21.1	1.91	3710	12.2	2.87	2.2	38.7
E147014	254.8	255.3		1.19	6.13	305	330	0.89	3.51	6.02	<0.02	68.8	594	26	0.83	859	10.4	10.9	0.15	1.9	0.018	0.54	40.8	10.9	2.21	5270	28.5	3.38	2.1	39.1
E147015	255.3	255.8		0.65	3.59	147.5	240	0.48	2.38	7.15	<0.02	11.85	758	20	0.71	275	17.15	8.54	0.2	1.1	0.056	0.29	6.5	13	3.37	9260	44.2	1.45	0.9	57.8
E147016	255.8	256.3		0.85	3.59	240	210	0.27	3.07	7.2	<0.02	30.7	756	12	0.38	44.6	17.4	7.88	0.2	1.1	0.043	0.13	18.7	10.9	2.83	7270	32.4	1.83	1.1	71.7
E147017	256.3	256.8		1.86	4.25	422	90	0.97	5.38	3.23	0.02	233	892	17	1.2	119	11.8	9.52	0.26	1.9	0.032	0.71	113	13.9	1.46	2850	190.5	1.51	2.2	97.2
E147018	256.8	257.3		0.18	6.57	30.6	570	2.19	0.32	6.61	<0.02	72.5	240	41	4.21	9.2	11.95	19.3	0.2	2.6	0.026	1.3	43.8	55.8	1.96	1935	6.5	0.15	1.3	71.5
E147019	257.3	257.8		1.8	4.43	230	110	0.66	6.37	1.83	0.02	77.8	797	23	1.54	23.5	19.2	11.7	0.25	1.4	0.038	0.19	49.8	28.7	1.7	4030	87.4	1.26	2	100
E147020	257.8	258.3		1.7	6.39	228	180	1.05	6.32	0.63	<0.02	61.7	803	33	2.77	24	9.5	8.45	0.15	1.7	0.008	1.65	48.6	13.5	0.72	673	24.3	1.31	1.7	64.4
E147021			BLANK	0.04	0.39	<5	20	0.11	0.07	20.4	0.14	5.59	7	10	0.16	4.2	0.37	0.98	0.09	0.1	<0.005	0.06	2.9	3.9	11.35	263	0.71	0.02	0.5	7.7
E147022			STANDARD 3	0.29	7.01	52	240	2.82	1.47	1.84	<0.02	79.7	105	42	5.12	1570	6.84	18.8	0.16	2.1	0.113	2.86	42.7	22.8	1.27	3210	21.8	0.58	2.5	27.8
E147023	258.3	258.8		0.09	6.01	15.1	1330	2.34	0.32	0.26	<0.02	113	49.7	22	3.26	25.3	2.61	13.8	0.16	2.5	0.02	2.34	52.1	17.2	0.57	564	9.96	0.06	2.5	21.1
E147024	258.8	259.3		0.06	4.11	4	1380	1.75	0.15	0.42	<0.02	31	31.2	21	2.8	47.8	2.95	11.2	0.14	2.3	0.011	1.44	17.1	24.6	0.6	506	5.43	0.06	2.1	23.5
E147025	259.3	259.8		0.01	7.19	2.9	1340	3.99	0.06	0.07	<0.02	330	9.4	27	4.76	31.7	1.09	22.4	0.31	3.7	0.019	2.75	154.5	24.7	0.31	43	3.5	0.97	6.2	10.4
E147026	259.8	260.3		0.01	7.91	2.6	1820	4.77	0.07	0.07	<0.02	292	9.8	30	8.38	12.1	1.53	23.8	0.29	3.6	0.023	3.51	130	21.7	0.42	86	3.39	0.23	4.8	12
E147027	260.3	260.8		0.05	6.62	8.2	1980	3.35	0.24	0.05	<0.02	77.6	22.1	56	4.85	16.1	1.45	17.85	0.11	3.5	0.017	2.86	42	16.2	0.31	62	9.38	0.33	4.4	12.8
E147028	260.8	261.3		<0.01	7.84	1	1460	3.67	0.03	0.04	<0.02	75.3	3	29	4.77	9.2	1.23	20.6	0.15	3.5	0.02	3.07	40.4	18.3	0.33	49	4.95	0.78	5.8	8.5
E147029	261.3	261.8		0.05	7.72	2	1280	3.64	0.1	0.08	<0.02	58.6	45.6	27	4.65	12.1	1.89	20.2	0.13	3.3	0.012	2.93	31.3	26	0.44	81	6.13	0.98	3.5	14.8
E147030	261.8	262.3		0.44	6.12	59.1	400	1.82	2.22	3.34	0.03	193	254	47	3.42	31	7.33	13.5	0.26	2.5	0.032	0.94	102.5	41.3	1.78	3200	2.45	2.03	1.5	58.4
E147031	262.3	262.8		1.72	6.22	317	70	0.55	7.76	2.41	0.02	226	1080	37	0.44	26	13.9	10.6	0.27	2.4	0.018	0.12	129.5	13.7	0.88	2620	15.1	3.82	3.2	171.5
E147032			BLANK	0.04	0.36	<5	20	0.09	0.03	19.85	0.13	5.36	4.6	9	0.13	4.2	0.28	0.84	0.1	0.1	<0.005	0.06	2.7	3.5	11.05	244	0.34	0.03	0.5	6.8
E147033	262.8	263.3		1.94	6.49	275	120	0.51	9.38	1.57	0.06	32.9	933	47	0.64	24.5	12.95	9.83	0.19	2.1	0.01	0.15	17.1	14.6	0.73	1845	11.15	3.87	2.3	121
E147034	263.3	263.8		1.17	6.49	203	160	0.47	6.23	2.74	<0.02	169	745	41	0.73	21.6	11.25	10.8	0.24	1.8	0.019	0.15	94.6	14.6	1.14	2730	33.6	3.79	1.7	102.5
E147035	263.8	264.3		1.8	6.7	262	200	0.41	6.95	1.33	<0.02	43.6	801	41	0.74	16.3	12.75	10.8	0.18	1.6	<0.005	0.15	24.9	11.8	0.81	1720	17.9	3.93	1.8	108.5
E147036	264.3	264.8		2.03	6.52	361	180	0.53	8.79	2.09	<0.02	56.1	867	29	0.56	25	10.6	9.83	0.2	1.8	0.006	0.15	31.9	8.2	0.77	2130	55.7	4.17	2.3	79.7
E147037	264.8	265.3		2.29	4.22	392	100	0.3	8.28	6.13	<0.02	243	690	11	0.58	30.3	13.2	8.19	0.3	1	0.02	0.1	118.5	11.2	2.31	5980	40.3	2.37	1.3	80
E147038	265.3	265.8		0.17	1.87	13	240	0.19	0.5	13.75	0.04	5.1	36.6	4	0.61	3.5	14.05	5.49	0.23	0.2	0.061	0.04	2.6	11.1	4.97	12650	0.96	0.64	0.3	42.1
E147039	265.8	266.3		2.24	6.28	153.5	80	0.36	8.22	3.29	0.06	31.9	983	21	0.7	16.6	12.65	9.62	0.23	1.6	0.033	0.12	17.8	8.8	1.4	2950	4.57	4.03	1.5	105.5
E147040	266.3	266.8		1.15	3.95	70.7	120	0.29	4.48	7.99	0.02	14.1	572	19	0.77	18.3	13.6	6.73	0.21	0.7	0.108	0.09	8.8	11	4.09	8060	2.16	2.25	1.1	75.1
E147041	266.8	267.3		0.2	1.34	24	100	0.16	0.44	13.8	0.03	15.7	223	8	0.24	15	11.95	2.54	0.17	0.2	0.084	0.03	8.6	3.5	5.63	11750	0.45	0.84	0.3	31.5
E147042			BLANK	0.16	0.32	<5	20	0.09	0.02	20	0.14	4.31	2.4	8	0.12	3.7	0.26	0.89	0.23	0.1	0.009	0.05	2.3	3.6	10.8	254	0.25	0.02	0.5	6.4
E147043			STANDARD 1	1.08	5.86	53.1	70	1.96	2.74	1.88	<0.02	59.1	161	36	3.38	7550	9.47	14.7	0.25	1.8	0.137	2.16	25.9	23	1.16	3500	60.5	0.85	3.2	37.1
E147044	267.3	267.8		1.24	2.07	65	20	0.29	3.6	9.5	0.03	28	766	14	0.91	673	14.65	4.49	0.27	1	0.228	0.09	13.1	13.5	4.59	8870	8.41	0.78	1.4	87.4
E147045	267.8	268.3		2.16	5.18	82	20	0.4	6.46	4.9	<0.02	81.2	919	21	1.35	32	16.25	10.05	0.32	1.3	0.07	0.15	43.1	22.1	2.44	4660	42.6	2.44	2.4	120.5
E147046	268.3	269.1		1.89	3.93	29.1	70	0.86	1.78	5.99	0.02	52.9	583	21	2.42	15.9	14.55	10.9	0.25	1.1	0.056	1.01	26.1	14.7	2.37	5920	7.26	0.9	1.6	67.6
E147047	269.1	270.1	EOH	0.47	8.16	10	2350	3.08	0.99	0.06	0.03	180.5	44.2	52	5.49	17.4	1.48	20.3	0.25	3.8	0.039	3.58	82.2	11.9	0.27	64	1.67	0.4	6.7	13.7

IG-2007-10

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Ti	U	V	W	Y	Zn	Zr	Au
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E210470	236	237	DUPLICATE	600	8.1	72	<0.002	1.37	1.62	11.2	2	3.4	58.5	0.19	0.08	13.3	0.076	0.95	7.1	51	3.6	11.3	7	65.9	0.008
E210471	237	237.5		800	5	172	0.002	1.13	1.57	14.7	2	7.9	44	0.23	0.1	22.5	0.117	0.97	4	73	5.7	17.6	6	79.7	0.005
E210472	237.5	238		680	2.6	147	0.002	0.61	1.14	12.8	1	6.3	50	0.24	0.05	18.8	0.109	0.45	3.5	62	5.3	16.1	5	71.3	0.002
E210473	238	238.5		680	3.2	88.8	0.002	0.72	1	11.9	2	4.8	34.8	0.13	<0.05	16.5	0.064	0.31	6.9	57	3.3	15.7	31	64.5	0.004
E210474	238.5	239		690	7.9	3.7	0.01	6.49	2.25	8.4	2	0.9	45.7	0.1	0.11	7.7	0.027	0.37	22	40	4.5	14.4	8	36.6	0.016
E210475	239	239.5		900	4.5	47.3	0.005	3.27	1.96	9.8	2	3.1	70.7	0.16	0.18	14.6	0.056	0.21	7.8	37	3.8	14.3	5	55.3	0.024
E210476	239.5	240		650	1.5	103	<0.002	0.64	0.79	13.1	1	7.9	54.7	0.29	<0.05	15.3	0.105	0.24	4.2	58	7.4	15.6	7	68.6	0.005
E210477	240	240.5		630	2.2	102	0.003	2.78	1.4	13.2	2	8.9	58.7	0.26	0.1	14.4	0.099	0.25	4.8	67	7.1	14.9	4	70.4	0.019
E210478	240.5	241		710	5.1	28.1	0.007	6.42	1.7	9.5	2	4.2	67.5	0.25	0.25	14.3	0.09	0.11	25.1	44	4.9	14.2	7	62.7	0.036
E210479			BLANK	420	1.5	1.7	<0.002	0.03	0.33	1.1	1	0.2	108	<0.05	0.05	0.4	0.015	<0.02	0.9	5	0.4	3.4	11	3.3	
E210480			STANDARD 1	890	19.3	79.6	0.023	2.36	1.39	9.5	3	7.1	584	0.16	0.25	8.1	0.081	0.39	234	55	8.2	14.5	3	55.3	0.052
E210481	241	241.5		610	4	7.7	0.006	3.96	0.83	7.7	3	3.1	76.8	0.19	0.23	8.4	0.082	0.05	7.3	42	4	10.3	8	47.8	0.029
E210483	241.5	242		1170	4.9	12.7	0.008	4.61	0.87	7.4	2	3.9	80.8	0.13	0.43	7.7	0.084	0.06	6.7	82	3.3	13	8	60.3	0.037
E210484	242	242.6		650	7.2	14.2	0.005	3.3	1.1	6.5	2	2	82	0.16	0.37	7.8	0.054	0.77	21.8	24	2.9	9.4	7	48.9	0.019
E210485	242.6	243.1		930	4.8	0.7	0.015	5.53	1.2	8.1	3	0.5	41.6	<0.05	0.44	10.9	0.015	0.1	83.1	43	1.6	11.5	10	15.5	0.022
E210486	243.1	243.6		850	5.5	0.4	0.013	4.79	1.27	7.6	3	0.5	29.4	<0.05	0.49	5.4	0.012	1.04	30.7	43	1.3	8.5	15	11.7	0.014
E210487	243.6	244.1		860	5.4	0.8	0.008	4.7	1.15	8.7	3	0.8	37.6	0.05	0.48	2.5	0.014	0.85	20.6	32	1.2	8.1	16	16.9	0.023
E210488	244.1	244.6		770	13.7	1.3	0.015	6.24	1.52	6.4	3	1.1	31	0.06	0.76	9.8	0.019	1.35	71.3	29	1.5	10	15	17.9	0.024
E210489	244.6	245.1		890	5.5	0.8	0.016	4.84	1.08	5.4	3	0.8	30.8	<0.05	0.58	5.7	0.011	0.49	17.1	38	0.8	8	14	15.5	0.021
E210490			BLANK	430	1.7	1.4	<0.002	0.05	0.49	1.2	2	<0.2	102.5	<0.05	<0.05	0.4	0.015	0.02	0.3	5	0.2	3.4	13	3.3	<0.001
E210491	244.6	245.1	DUPLICATE	900	7	0.5	0.02	6.47	1.37	5.2	3	1.1	30.3	<0.05	0.9	5.9	0.012	0.6	22.3	39	0.8	7.8	15	14.4	0.031
E210492	245.1	245.6		650	1.7	7.6	<0.002	0.58	0.68	6.8	1	2.8	58.7	0.23	<0.05	6.5	0.064	0.04	27.5	12	4.1	9.6	5	52.4	0.008
E210495	245.6	246.1		650	1.8	5.2	<0.002	0.74	0.69	6.3	2	1.7	60.7	0.15	<0.05	8	0.037	0.02	22.5	19	2.7	9.2	7	49.9	0.004
E210496	246.1	246.6		590	7.8	1.1	0.01	4.5	2.46	4.4	3	0.6	65	0.05	0.97	8.8	0.012	0.17	8.4	56	1.5	7.7	12	16.4	0.034
E210497	246.6	247.1		670	4.6	1.9	0.012	2.09	1.8	9.4	2	0.9	54.3	0.08	0.17	4.6	0.018	0.07	10.6	55	1.6	12.3	13	22.7	0.011
E210498	247.1	247.6		770	6.6	1.5	0.013	4.95	1.67	7.4	3	0.8	50.5	0.06	1.12	1.8	0.016	0.38	5.4	48	1.4	8.4	11	21.7	0.035
E210499	247.6	248.1		790	11.1	2.3	0.025	9.91	1.36	5.1	3	1	45.2	0.08	2.6	5.2	0.024	0.61	31.4	38	2.2	8.3	12	31.5	0.076
E210500			BLANK	400	1.9	1.4	<0.002	0.04	0.46	1.9	2	<0.2	103	<0.05	<0.05	0.4	0.014	0.02	0.2	4	0.2	3.4	12	3.5	0.004
E147001			STANDARD 2	2580	6.6	32.3	0.018	7.63	2.48	3.9	4	8.4	179	0.14	1.34	5.5	0.035	0.5	13.5	71	8.4	13.5	3	24.1	0.113
E147048	248.1	248.8	Out of order	470	10.2	3.2	0.069	>10.0	1.4	5.4	3	1.2	55.6	0.08	3.07	4.3	0.023	0.73	34.1	40	2.5	8	8	30.2	0.098
E147049	248.8	249.3	Out of order	510	14.2	5.7	0.013	5.03	1.09	9	2	3.8	146	0.14	0.9	9.4	0.056	1.27	115	18	5.5	12	8	47.6	0.024
E147002	249.3	249.8	48.3-249.3 appear	630	4.6	11.6	<0.002	1.06	0.66	10.8	2	3.6	183	0.16	0.19	6.3	0.068	0.67	5.3	23	4.7	10.2	8	57.4	0.005
E147003	249.8	250.3		700	2.8	14	<0.002	0.27	0.96	12.1	1	3.2	77.5	0.29	<0.05	13	0.091	0.09	7.8	21	6.3	11.8	12	68.5	0.001
E147004	250.3	250.8		620	2.5	7.7	0.004	0.08	1.01	9.4	<1	3.1	75.1	0.27	<0.05	11.6	0.086	0.03	9.3	37	4.9	10.5	9	73.1	0.001
E147005	250.8	251.3		580	3.4	8	0.002	1.02	1.12	8.6	<1	3.6	76.3	0.19	0.11	11.9	0.083	0.27	3	37	4.2	9	8	61.8	0.005
E147006	251.3	251.8		530	1.1	10.4	<0.002	0.15	0.44	5.1	<1	2.2	56.9	0.09	<0.05	6	0.078	0.02	2.6	38	1.8	5.2	9	33.9	<0.001
E147007	251.8	252.3		600	3.1	28.8	0.005	1.11	1.78	9.5	<1	6	57.3	0.18	0.14	9.2	0.117	0.22	3.1	54	3.9	10.4	17	58.6	0.006
E147008	252.3	252.8		570	3.7	84.1	0.005	1.66	1.49	9.6	<1	7.5	51.9	0.14	0.12	9.7	0.085	1.48	6.7	57	2.5	11.7	15	62.4	0.01
E147009	252.8	253.3		600	2.6	72.2	0.003	0.64	1.38	8.7	<1	7.3	56.1	0.23	0.06	12.4	0.082	0.31	4.4	46	3	12.4	7	62.8	0.001
E147010	253.3	253.8		560	1.8	46.7	0.003	0.43	1.45	6.8	<1	5	63.2	0.16	<0.05	8.5	0.075	0.16	6.5	45	3.5	10.4	10	50.8	0.003
E147011			BLANK	400	1.7	1.9	0.003	0.03	0.43	1.2	<1	0.2	108.5	<0.05	<0.05	0.4	0.015	<0.02	0.2	5	0.4	3.4	13	4	<0.001
E147012	253.8	254.3		570	4.1	55.7	0.011	0.95	1.66	7.8	<1	5.3	58.3	0.16	<0.05	13.3	0.065	0.36	68	42	3.4	12.6	8	63.3	0.007
E147013	254.3	254.8		670	5	55.7	0.013	5.01	2.14	10.4	<1	6.6	68.4	0.18	0.14	9.2	0.071	0.48	34.6	54	3.4	10.6	8	67.9	0.031
E147014	254.8	255.3		570	6.7	24.5	0.031	5.45	2.6	6.7	<1	4.2	74	0.2	0.16	12	0.066	0.73	52	36	3	13.3	7	63.3	0.033
E147015	255.3	255.8		310	4.1	12.1	0.021	7.46	1.55	4.6	<1	2.6	39.8	0.08	0.07	5.8	0.03	0.5	12.8	30	2.7	9.2	14	36	0.027
E147016	255.8	256.3		340	6.5	5.2	0.028	8.33	1.77	6.8	<1	1.9	65.8	0.1	0.23	5.2	0.04	1.93	7.9	29	4	14.5	12	35.5	0.029
E147017	256.3	256.8		400	13.1	31.3	0.114	9.17	4.48	10.2	1	4.3	37.9	0.18	0.86	13.7	0.071	3.86	48.7	33	4.8	17.2	12	59.7	0.045
E147018	256.8	257.3		490	2.7	59.6	0.007	2.15	1.13	6.5	<1	5.7	9.8	0.11	0.06	13.3	0.068	0.23	23.2	51	4.6	11.7	47	80.9	0.005
E147019	257.3	257.8		990	16.9	7.2	0.035	8.71	4.4	7.2	1	1.7	24.6	0.17	0.87	18.5	0.041	3.73	141.5	58	4.3	15.7	34	45	0.047
E147020	257.8	258.3		480	12.3	46	0.016	8.4	1.78	3.9	<1	2.3	14	0.12	0.73	14.1	0.074	1.17	50.3	34	3.3	9.2	16	54.8	0.078
E147021			BLANK	430	1.9	2.2	0.003	0.06	0.41	1.2	<1	0.2	108.5	<0.05	<0.05	0.5	0.016	<0.02	0.7	5	0.5	3.5	12	4.6	0.002
E147022			STANDARD 3	770	2.8	131	0.01	1.34	1.14	11	1	8.8	457	0.14	0.25	13.8	0.101	0.38	18.4	63	8.3	11.1	6	66.4	0.017
E147023	258.3	258.8		200	2	98.1	0.009	0.58	0.93	5	<1	4.2	8.1	0.19	0.05	16.4	0.096	0.29	9.3	35	4.3	9.8	9	71.9	0.005
E147024	258.8	259.3		330	2.2	65.7	0.007	0.28	0.88	4.2	<1	3.6	17.7	0.16	<0.05	10.8	0.072	0.18	7	27	3.5	8.1	16	69.9	0.003
E147025	259.3	259.8		350	2.4	137.5	0.004	0.08	0.98	8.1	<1	11.4	12.8	0.53	<0.05	25.7	0.16	0.35	11.6	43	8.1	14.2	5	105.5	0.002
E147026	259.8	260.3		270	2.3	163	0.005	0.07	0.95	7.4	<1	10.1	10.1	0.4	<0.05	25.9	0.144	0.43	12.9	44	6.8	14.1	6	105	0.004
E147027	260.3	260.8		120	2.1	126	0.008	0.33	0.87	5	<1	8.3	17.2	0.38	0.05	20	0.136	0.32	8.8	35	6.3	8.4	6	101	0.004
E147028	260.8	261.3		100	1.8	142.5	0.006	0.02	0.83	6.2	<1	9	10.3	0.49	<0.05	19	0.164	0.35	6.7	41	7.3	8.8	6	104	<0.001
E147029	261.3	261.8		170	2.3	133	0.007	0.33	0.82	8.4	<1	10.6	13.4	0.26	<0.05	18.6	0.122	0.31	14.1	43	5.4	9.3	8	97.9	<0.001
E147030	261.8	262.3		310	6.6	44.7	0.006	3.14	1.1	16.3	<1	4.6	46.8	0.1	0.35	17.2	0.04	0.27	12.3	39	2.2	13	36	78.9	0.014
E147031	262.3	262.8		840	14.6	4.2	0.014	>10.0	2.93	3.2	2	1	64.9	0.24	3.18	24.2	0.064	0.36	111	53	3.4	15.4	16	78.9	0.097
E147032			BLANK	420	1.8	1.8	0.003	0.06	0.4	1.2	<1	0.2	106	<0.05	<0.05	0.5	0.015	<0.02	0.5	4	0.4	3.3	12	4.5	0.001
E147033	262.8	263.3		480	18.5	5.9	0.01	>10.0	3.37	2.2	2	1	63.8	0.16	3.28	9	0.053	1.3	17.6	40	2.9	9.1	21	65.1	0.096
E147034	263.3	263.8		690	10.1	5.2	0.011	8.81	2.24	3.8	1	1	62.3	0.13	1.58	13.1	0.071	1.12	18.4	45	3.3	11	21	57	0.063
E147035	263.8	264.3		610	13.7	5.5	0.008	9.97	3	2.3	1	1.3	55.7	0.13	2.32	7.4	0.088	1.12	10	52	2.9	7.4	16	54.6	0.073
E147036	264.3	264.8		460	13.4	5.2	0.009	9.31	2.37	2.7	1	0.8	75.4	0.16	1.97	11.6	0.044	5.01	31.9	26	2.9	9.3	15	58.7	0.101
E147037	264.8	265.3		520	17.1	3.9	0.007	7.52	2.17	6.8	1	0.8	80.1	0.1	1.58	12	0.028	8.04	12.7	28	2.9	11.2	25	32.5	0.095
E147038	265.3	265.8		60	2.7	1.4	<0.002	0.51	0.61	17.9	<1	0.3	102.5	<0.05	0.06	2.9	0.009	0.12	1.4	44	2	12.9	32	4.9	0.005
E147039	265.8	266.3		410	10.8	4.1	<0.002	>10.0	1.96	4.6	2	0.7	69.3	0.13	2	9.9	0.034	1.15	3.9	38	2.3	7.1	19	48.9	0.094
E147040	266.3	266.8		140	6	3.3	<0.002	7.24	1.77	16.5	3	0.9	50.6	0.1	0.84	3.7	0.041	0.37	2.6	87	4.2	9.3	30	23.4	0.041
E147041	266.8	267.3		80	2.4	0.7	<0.002	2.64	0.35	17.4	1	0.2	79.5	<0.05	0.12	1.8	0.008	0.04	0.7	45	1.6	11.7	13	7.2	0.005
E147042			BLANK	410	1.7	1.4	<0.002	0.04	0.25	1.2	<1	0.2	105	<0.05	0.05	0.4	0.015	<0.02	0.2	5	0.4	3.3	11	3.6	<0.001
E147043			STANDARD 1	880	18.9	85.9	0.018	2.36	1.39	9.7	2	7.1	625	0.17	0.23	8.7	0.083	0.47	256	52	7.8	14	11	59	0.046
E147044	267.3	267.8		640	6.5	3.6	0.002	9.5	0.98	17.1	4	0.9	89.9	0.13	0.6	3.5	0.046	0.33	3.3	75	2.9	11	30	32.1	0.023
E147045	267.8	268.3		480	9.8	5.6	0.003	9.42	1.65	9.1	2	1.5	52.5	0.22	1.48	9.6	0.083	0.9	4	206	6.7	8.9	42	39.9	0.047
E147046	268.3	269.1		200	4.9	47	0.002	4.58	0.89	14.3	2	3	48.8	0.13	0.15	7.7	0.065	0.26	3.3	203	7.5	9.3	24	33.2	0.008
E147047	269.1	270.1	EOH	220	4.7	168.5	0.003	0.53	0.86	8.9	<1	4.3	13.9	0.55	<0.05	23.2	0.181	0.64	9.2	50	7.6	11.4	17	105.5	<0.001

IG-2007-02

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
E384657	79.9	80.9		0.3	6.89	76.9	600	2.27	1.86	5.33	<0.02	118	142.5	31	5.01	277	12.3	19.5	0.25	2.4	0.065	2.89	75.5	27.9	1.5	5670	29.4	0.31	2.9	33.7
E384658	80.9	81.4		0.64	1.83	70.2	100	0.69	2.66	3.4	<0.02	292	153	13	1.48	>10000	24.6	10.85	0.5	0.7	0.077	0.65	185	12.2	1.01	4610	28	0.03	1.7	59.3
E384659	81.4	81.9		0.36	2.6	47.8	490	1.06	1.61	4.48	<0.02	184.5	69	13	2.04	3890	23.9	12.3	0.44	0.8	0.067	0.83	112.75	22.5	1.38	5590	34.8	0.09	1.8	56.2
E384660	81.9	82.4		0.4	2.63	73.5	130	0.99	2.78	4.31	<0.02	278	117	15	2.25	2150	24.4	12.4	0.49	0.9	0.058	0.99	180	16.9	1.25	5620	27.9	0.09	2	54.1
E384661			BLANK	0.04	0.36	<5	30	0.11	0.04	21.7	0.16	6.82	2.7	8	0.18	42.8	0.45	1	<0.05	0.1	0.008	0.06	3.7	4.3	11.6	295	0.71	0.02	0.5	6.4
E384662			STANDARD 3	0.26	7.09	48.1	330	2.66	1.61	2.06	0.03	87.4	117	43	6.61	1660	7.77	21	0.18	2.4	0.132	3.04	48.1	26	1.35	3250	20.4	0.59	4.8	27.4
E384663	82.4	82.9		0.29	4.23	80.4	210	1.53	1.94	4.07	<0.02	189	131.5	26	3.64	981	21.4	15.4	0.4	1.4	0.068	1.89	116.5	21	1.33	4780	17.2	0.06	2.3	49.3
E384664	82.9	83.9		0.72	5.19	156	90	1.86	6.6	3.47	<0.02	54.3	287	32	4.6	5450	20.1	16.9	0.36	1.7	0.073	2.19	34.7	23.4	1.3	3510	31.3	0.07	2.5	62.9
E384666	83.9	84.4		0.54	4.69	112.5	100	1.62	4.41	5.22	<0.02	143.5	148.5	25	4.19	3360	15.4	15.15	0.32	1.7	0.087	1.92	90.5	20.9	1.9	4960	17.45	0.06	3.2	44.4
E384667	84.4	84.9		0.52	6.35	126.5	130	2.25	5.51	4.32	<0.02	115.5	201	38	5.93	1790	16.5	18.35	0.31	2.1	0.059	2.68	78.3	27.8	1.51	4390	21.6	0.08	3.7	50.2
E384668	84.9	85.4		0.47	7.27	156	500	2.66	5.93	2.37	<0.02	51.1	205	44	7.66	504	8.55	21.1	0.2	2.7	0.063	3.37	32.3	30.6	1.06	2030	16.15	0.1	3.4	43.7
E384669	85.4	86.4		0.48	4.21	136.5	120	1.29	4.33	4.59	<0.02	45.1	176.5	20	4.11	178.5	14.1	13.15	0.25	1.6	0.097	1.62	30.9	26.1	2.28	6490	36.4	0.06	2.4	47.3
E384670	117.6	118.7		0.61	6.27	90.1	920	0.89	12.35	0.35	<0.02	151	146.5	41	10.05	8000	15.45	19.65	0.33	2.4	0.138	2.67	107	20.4	1.15	8370	23.9	0.13	5	34.5
E384671	118.7	119.2		0.97	6.17	178.5	980	0.9	15.05	0.42	<0.02	99.9	208	32	9.8	9120	17.8	19.45	0.34	2	0.14	2.48	66.3	21.8	0.86	5320	78.1	0.13	10.9	60.5
E384672			BLANK	0.02	0.34	<5	40	0.12	0.09	20.7	0.15	5.16	2.7	8	0.19	38.3	0.29	1.01	<0.05	0.1	0.005	0.06	2.7	4.1	11.2	253	0.63	0.02	0.5	6.9
E384673	119.2	120		2.32	2.43	385	50	0.45	25.2	0.9	<0.02	328	291	12	4.29	6500	31.3	8.52	0.57	0.9	0.175	1.02	246	9	1.55	15250	56	0.06	9	80.9
E384674	120	120.5		1.82	0.17	667	80	0.07	25	0.72	<0.02	267	302	<1	0.4	>10000	39.2	2.4	0.67	0.1	0.233	0.06	235	1.8	1.53	17550	70.5	0.01	4.7	108.5
E384675	120.5	121		3.13	0.16	1455	30	<0.05	38.4	1.15	0.02	275	388	<1	0.39	9190	39.7	1.5	0.68	0.1	0.069	0.06	240	1.1	0.44	4490	53.8	0.01	5.5	140
E384676	121	121.5		1.88	0.17	1515	40	<0.05	38.9	0.65	0.04	363	399	<1	0.36	6320	37.7	1.43	0.64	0.1	0.029	0.06	323	1.5	0.19	1670	55.7	0.01	4.1	172.5
E384677	121.5	122		2.61	2.69	831	240	0.44	54.5	0.67	<0.02	493	517	16	4.13	5890	30.3	8.99	0.59	1.1	0.027	1.12	412	6.6	0.19	780	84.5	0.06	16.1	149.5
E384678	122	122.5		3.43	1.48	933	240	0.23	69.3	0.57	<0.02	113	502	8	2.19	>10000	32.8	5	0.55	0.5	0.057	0.81	105	3.2	0.06	364	204	0.04	8.1	194
E384679	122.5	123		2.74	3.13	455	260	0.51	39.1	0.87	<0.02	294	377	22	4.05	>10000	21.4	10.25	0.43	1.3	0.043	1.31	255	5.8	0.12	112	77.7	0.08	18.9	124.5
E384680	123	123.5		4.21	2.79	540	240	0.4	63.6	0.66	0.02	361	480	18	3.56	8410	30.5	8.56	0.54	1	0.04	1.13	276	3.9	0.08	132	47.8	0.07	7	176.5
E384681			BLANK	0.04	0.34	6	30	0.06	0.29	21.1	0.14	6.49	3.7	8	0.18	70.9	0.37	0.95	<0.05	0.1	0.005	0.06	4.1	4	11.45	238	0.78	0.02	0.6	8.1
E384682			STANDARD 1	1.07	5.49	60.8	120	2.15	2.91	1.98	<0.02	61.2	166.5	33	3.89	7650	9.47	16.05	0.2	2	0.14	2.07	30.2	26.3	1.18	3310	63.6	0.89	3.9	38.5
E384683	123.5	124		2.24	2.08	468	320	0.32	54.2	0.69	<0.02	204	390	14	2.76	1190	24.2	6.36	0.46	0.9	0.015	0.88	157	3.7	0.06	127	71.7	0.06	6	142
E384684	124	124.5		3.47	3.29	575	410	0.55	68.6	0.63	<0.02	151.5	585	20	4.54	5380	25.4	9.61	0.47	1.3	0.026	1.35	112.5	5.9	0.11	203	86.3	0.08	6.9	154
E384685	124.5	125		0.73	5.88	104.5	140	1.15	11.75	0.26	0.03	113.5	128	27	8.31	2410	13.4	15.85	0.26	2.4	0.172	2.14	61.5	13.9	0.9	7060	14.35	0.12	4.5	44.9
E384686	129	130		0.18	6.81	543	1180	1.59	0.6	0.11	0.03	137.5	24.6	32	7.41	214	6.99	18.2	0.23	2.9	0.067	2.49	65.1	11.5	0.81	4660	9.58	0.17	5	20.6
E384687	130	130.5		2.04	1.88	322	50	0.33	35.4	0.46	<0.02	199.5	346	9	2.82	9610	27.7	6.52	0.48	0.7	0.207	0.77	164.5	9	1.29	11750	64.1	0.04	7.5	108.5
E384688	130.5	131		2.31	2.89	381	100	0.41	29	0.99	<0.02	>500	374	17	3.73	>10000	21.1	11	0.79	1.1	0.099	1.15	670	8.2	0.57	3360	84.1	0.06	11.8	165.5
E384689	131	131.5		2.84	2.87	701	280	0.4	51.3	0.6	<0.02	352	569	20	3.77	>10000	23.6	8.51	0.62	1.2	0.05	1.21	357	6.5	0.17	441	107	0.06	9.9	185
E384690	131.5	132		2.72	3.12	628	140	0.47	42.1	0.43	<0.02	200	505	19	4	>10000	24.5	9.1	0.58	1.1	0.213	1.27	150	6.3	0.55	4090	91.1	0.07	5.1	177.5
E384691			BLANK	0.03	0.33	7	30	0.1	0.2	21.3	0.15	5.31	3.4	8	0.18	120.5	0.33	0.87	0.13	0.1	0.011	0.06	3.1	3.9	11.3	250	0.62	0.02	0.5	<0.2
E384692	132	132.5		3.32	4.28	453	250	0.64	50.8	0.56	<0.02	186.5	529	26	5.4	>10000	19.75	10.55	0.47	1.7	0.087	1.77	149.5	9.3	0.25	206	56.5	0.08	6.2	178
E384693	132.5	133		2.17	4.71	322	120	0.74	41.4	3.26	<0.02	474	316	26	7.2	>10000	17.05	14.1	0.64	2	0.157	2.04	355	13.7	0.87	4180	46.9	0.08	7.4	102.5
E384694	133	134		0.34	6.44	49.3	310	1.02	3.4	2.68	0.02	72.6	52.7	33	8.49	802	11.4	15.6	0.28	2.1	0.171	2.62	47.6	18.1	1.96	8630	8.88	0.12	3.3	21.9
E384695	236.9	237.5		1.53	4.66	150	170	0.9	7.38	4.31	0.12	50.9	78.3	20	3.04	2570	8.62	10.65	0.22	2	0.059	1.94	29.9	9	1.83	3810	14.85	0.07	7.1	35.1
E384696	237.5	238		0.93	6	87.3	140	1.07	7.21	7.53	<0.02	86	80.2	25	3.87	3390	9.51	14.05	0.29	2.6	0.109	2.55	46	13.9	2.86	5890	10.35	0.08	8.4	55.6
E384697	238	238.5		1.03	3.92	92.3	70	0.68	7.53	4.71	<0.02	137.5	88.5	19	2.46	1750	19.8	10.5	0.46	1.4	0.164	1.63	109	8.3	2.24	9350	24.9	0.06	8.6	52.4
E384698	238.5	239		0.81	5.69	135.5	130	1.1	9.18	7.06	<0.02	186	97.8	23	3.5	1860	10	14.8	0.39	2.2	0.096	2.46	129.5	14.5	2.86	5730	18.95	0.06	11	58
E384699	239	239.5		0.83	4.4	202	120	0.85	11.35	3.62	<0.02	125.5	102	20	2.67	446	12.55	10.95	0.36	1.8	0.072	1.82	81.3	9.2	1.64	4620	15.25	0.07	6.2	78.6
E384700	239.5	240		0.31	5.71	42.9	590	1.07	3.28	5.36	<0.02	47.8	39.1	28	3.24	74.2	7.85	13.5	0.22	2.3	0.067	2.31	30.6	7.3	2.3	5640	7.72	0.1	7.1	11.9
E384701			BLANK	0.07	0.33	<5	30	0.1	0.04	20.7	0.15	4.87	2.6	8	0.16	7.8	0.28	0.97	0.21	0.1	0.012	0.05	2.5	4.1	11.25	246	0.33	0.02	0.6	<0.2
E384702			STANDARD 2	1.31	2.52	86.4	40	0.68	11.2	2.39	<0.02	185.5	338	12	2.68	9290	29.9	10.5	0.68	0.9	0.266	0.88	114	20.2	1.65	6210	63.3	0.25	6.1	66.7
E384703	240	240.5		0.29	6.22	30.3	1170	1.33	2.16	3.49	<0.02	72.5	25.3	30	3.8	1040	7.51	15.45	0.26	2.5	0.103	2.64	46	9.7	1.74	5060	7.91	0.1	7.4	10.7
E384704	240.5	241		0.22	6.16	16.3	1520	1.12	0.96	5.27	<0.02	60.1	12.8	30	3.71	1520	5.98	14.4	0.22	2.4	0.075	2.6	35.7	8.8	2.03	4560	5.33	0.1	7.5	7.2
E384705	241	241.5		0.21	7.47	20.8	1920	1.55	1.1	5.52	<0.02	60.6	15.8	35	5.31	774	5.39	18.6	0.24	3.1	0.084	3.22	35.5	10.1	1.71	3890	6.05	0.13	10.1	7.8
E384706	241.5	242		0.68	5.71	52.6	230	1.14	4.1	4.09	<0.02	54.9	57.5	26	3.9	1340	8.34	13.9	0.26	2.5	0.071	2.38	32.3	7.3	1.55	3860	13.5	0.1	6.6	21.8
E384707	242	242.5		0.44	7.04	47.8	1420	1.44	4.93	4.37	<0.02	103	59.2	37	4.89	569	10.3	19.55	0.57	2.7	0.082	3.1	63.7	10.3	1.61	4720	15.2	0.12	7.4	19.5
E384708	242.5	243		3.06	2.9	297	80	0.53	43.6	1.7	0.02	33.2	223	17	2.03	>10000	27.3	7.76	0.51	1	0.43	1.25	17	4.9	1.47	8500	12.4	0.05	2.4	123.5
E384709	243	243.5		0.28	5.89	44.5	930	1.18	3.29	2.91	<0.02	40.8	36.2	29	4.14	251	7.44	14.55	0.24	2.5	0.06	2.41	25.7	7.6	0.92	3020	10	0.1	6.4	13.6
E384710	243.5	244		0.29	5.54	51.2	660	1.02	4.42	5.95	<0.02	82.1	50.1	26	3.65	802	11.2	15.1	0.33	2.1	0.082	2.27	53.6	7.2	2.01	6140	12.4	0.11	6.4	20.2
E384711			BLANK	0.1	0.34	5	30	0.1	0.04	20.9	0.17	6.63	2.3	7	0.16	7.3	0.28	1.01	0.19	0.1	0.012	0.06	3.5	4	11.3	247	0.32	0.02	0.5	<0.2
E384712	244	244.5		0.28	3.16	70.9	410	0.66	3.77	0.79	<0.02	24.3	65.6	30	2.42	270	15.9	7.84	0.31	1.6	0.114	1.36	15	4.6	0.96	7320	3.73	0.06	3.3	22.2
E384713	244.5	245		0.2	6.42	44.5	1500	1.2	3.22	7.45	<0.02	101.5	36	28	4.58	33.9	9.06	16.45	0.3	2.6	0.071	2.56	71.2	7.9	2.14	5960	7.65	0.11	9	12.8
E384714	245	245.5		0.24	6.11	54.2	940	1.06	3.22	3.68	<0.02	104.5	43	34	4.32	151	8.17	16	0.33	2.4	0.076	2.66	72.7	8	1.49	4650	4.93	0.1	7.2	15.2
E384715	245.5	246		0.11	6.56	56.9	1440	1.36	2.17	7.33	<0.02	35.8	80.6	18	4.77	4.9	7.27	20.4	0.22	2.4	0.088	2.89	23.2	8.8	2.6	5070	8.52	0.11	5.9	21.4
E384716	246	246.5		0.33	6.77	69.6	1200	1.31	5.02	8.5	<0.02	42.5	110	15	4.43	332	7.57	19.6	0.23	2.4	0.066	2.91	28.4	8.6	2.86	5360	53.5	0.11	4	28.2
E384717	246.5	247		0.32	6.26	72.5	330	1.22	4.58	6.6	<0.02	128.5	66.5	23	4.25	353	11.25	18.25	0.36	2.5	0.105	2.63	99.1	15.7	2.86	7940	14.2	0.1	7.7	28.9
E384718	247	247.5		0.48	1.62	103.5	60	0.27	6.36	2.49	<0.02	151	107.5	7	1.32	702	29.1	6.36	0.65	0.6	0.202	0.69	120	3.8	1.94	11850	15.4	0.03	7	46.5
E384719	247.5	248		0.19	7.6	33.5	1930	1.49	2.32	4.76	<0.02	107	20.6	38	5.81	62	9.14	18.4	0.31	2.7	0.082	3.2	85.1	15.3	2.23	4610	4.39	0.13	12.1	16.4
E384720	248	248.5		0.83	4.06	152.5	70	0.7	13.9	4.62	<0.02	144	107	21	3.2	2900	18.45	11.9	0.53	1.5	0.18	1.83	108	7	2.41	8470	17.1	0.07	14.2	40.9
E384721			BLANK	0.01	0.33	<5	20	0.1	0.07	20.9	0.16	5.29	2.5	6	0.16	10	0.3	1	0.18	0.1	0.016	0.05	2.7	4.1	11.35	253	0.35	0.02	0.6	<0.2
E384722			STANDARD 3	0.28	7	40.9	590	2.65	1.49	2.04	<0.02	75.2	112	42	6.18	1660	7.15	19.1	0.29	2.1	0.131	3.14	39.8	23.2	1.33	3210	19.25	0.83	3.6	26.8
E384723	248.5	249		0.32	3.85	58.3	410	0.7	2.99	1.63	<0.02	106.5	49.4	18	2.73	1290	28	10.9	0.61	1.3	0.169	1.62	87.3	5.8	1.39	10000	16.75	0.06	6.1	22.2
E384724	249	249.5		0.36	3.58	64.4	960	0.81	2.99	1.29	<0.02	112.5	48	19	2.82	614	22.3	10.9	0.51	1.3	0.139	1.6	96.5	6.3	1.44	8530	13.55	0.08	5.1	23.9
E384725	249.5	250		0.36	1.43	86.7	320	0.33	3.36	1.09	<0.02	103.5	31.9	5	1.11	1280	29.8	5.4	0.56	0.6	0.212	0.61	94	6.5	1.48	11900	22.9	0.02	6	23.5
E384726	250	250.5		0.22	4.81	89.7	350	1.11	4.05	3.65	<0.02	207	50.9	29	3.99	264	13.3	13.5	0.42	2	0.094	2.15	183.5	10.4	2.13	5900	10.4	0.06	9.9	17.7
E384727	250.5	251		0.33	3.4	121	110	0.74	5.22	3.61	<0.02	181.5	65.7	19	3.03	874	20	9.1	0.43	1.4	0.107	1.54	140.5	9.6	2.14	6960	11.5	0.06	5.7	30.1
E384728	251	251.5		0.49	0.47	150.5	130	0.14	6.15	2.66	<0.02	185.5	71	4	0.53	1300	25.6	2.77	0.52	0.4	0.121	0.21	167	2.3	1.73	8140	27	0.01	3.6	28.5
E384729	251.5	252		0.59	0.12	150	30	0.06	8.82	3.58	<0.02	97.9	80.4	<1	0.15	923	28.5	1.74	0.51	0.2	0.151	0.05	110.5	1.1	2.26	9150	39.7	0.01	2.7	26.7
E384730	252	253		0.26	5.16	98.4	380	1.41	4.94	7.4	<0.02	47.2	46.8	27	4.6	187	9.27	13.55	0.19	1.8	0.052	2.46	38.9	16	2.65	4300	12.4	0.1	3.2	32.4
E384731			BLANK	0.05	0.3	<5	20	0.1	0.06	16.4	0.14	4.28	1.9	8	0.14	5.1	0.25	0.66	<0.05	0.1	0.007	0.05	2.2	3.6	10.65	224	0.35	0.02	0.5	1.3

IG-2007-02

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
E384657	79.9	80.9		690	4.5	127.5	0.003	1.18	2.12	16.6	1	7.9	61.6	0.15	0.14	13.2	0.092	0.53	68.8	64	9.3	17.9	3	73		0.019
E384658	80.9	81.4		740	5.8	29.6	0.002	2.8	2.21	5	3	2.9	36.4	0.09	0.16	12.8	0.035	0.18	16.2	48	4	17.8	6	24.4	1.405	0.066
E384659	81.4	81.9		930	9.1	38.3	0.002	1.18	2.3	6.1	2	3.7	46.3	0.06	0.06	11.9	0.04	0.21	35.8	45	4.9	16.3	9	27.4		0.025
E384660	81.9	82.4		900	7.5	44	0.003	2.11	2.27	5.6	2	4.3	47	0.06	0.14	12.7	0.041	0.19	17.2	49	6.2	16.9	7	31.2		0.037
E384661			BLANK	420	3.7	2	<0.002	0.04	0.4	1.3	2	0.2	118.5	<0.05	<0.05	0.5	0.015	<0.02	0.5	5	0.5	3.8	11	4.1		<0.001
E384662			STANDARD 3	780	3.9	143.5	0.006	1.28	1.38	11.3	2	8.7	450	0.3	0.22	13.8	0.132	0.39	19.6	67	10.6	12.7	6	72.3		0.017
E384663	82.4	82.9		1090	4.6	74.3	0.003	1.7	2.14	9.1	2	7.6	46.6	0.1	0.1	9.9	0.06	0.64	12.5	70	7.3	17	7	47.3		0.013
E384664	82.9	83.9		740	5.2	98.3	0.002	4.96	2.72	11.5	2	9.5	30.2	0.11	0.32	8.7	0.075	0.38	18.4	72	8.3	12.5	4	55.3		0.079
E384666	83.9	84.4		1070	7.6	92.6	0.003	3.61	2.18	11.1	2	10.1	35.6	0.13	0.23	7.8	0.073	0.35	9.6	80	9.3	15.5	2	54.1		0.061
E384667	84.4	84.9		1410	5.4	122.5	0.004	4.24	2.41	13.8	3	12.9	42.5	0.14	0.25	7.1	0.091	0.47	11.7	117	11.1	14.8	5	63.1		0.042
E384668	84.9	85.4		1040	6.1	157	0.003	4.02	2.36	16.1	2	15.4	25.5	0.18	0.37	10.2	0.118	0.6	17.4	107	13.7	12.8	4	82.8		0.043
E384669	85.4	86.4		780	8.3	75.4	0.004	3.43	2.15	12.1	2	8.2	27.4	0.13	0.26	5.3	0.069	0.31	8.5	83	8.7	13	6	50		0.027
E384670	117.6	118.7		1220	7.6	159	0.008	5.41	4.01	11.4	2	18.5	17.9	0.25	0.36	13.9	0.071	1.23	43	70	12.3	12	6	72.9		0.013
E384671	118.7	119.2		1710	16.4	154	0.01	>10.0	5.38	10.7	3	20.2	15.7	0.29	0.76	11.4	0.083	1.88	382	96	19.4	19.5	6	65.7		0.025
E384672			BLANK	400	2	2.3	<0.002	0.05	0.36	1.3	2	0.2	115.5	<0.05	<0.05	0.5	0.014	<0.02	0.8	5	0.5	3.7	11	4		<0.001
E384673	119.2	120		3720	21.6	64	0.019	>10.0	7.8	8.5	3	8.6	34.7	0.22	1.8	5.4	0.029	1.82	38	93	6.7	15.7	7	25.9		0.021
E384674	120	120.5		2880	20.6	4	0.015	>10.0	7.77	5.1	6	4.9	20.9	0.16	3.08	1.2	<0.005	1.34	8.2	57	2.1	9.8	11	2.1	2.08	0.046
E384675	120.5	121		5410	25.1	3.7	0.009	>10.0	15.55	2.1	5	9.7	35.3	0.21	2.86	1.8	0.005	0.39	12.3	14	2.1	16.8	7	3.8		0.048
E384676	121	121.5		3170	23.5	3.8	0.009	>10.0	10.85	1.1	5	9.4	28.9	0.1	2.33	1.5	<0.005	0.4	8.8	8	2	10	2	2.6		0.038
E384677	121.5	122		3330	24.9	70.3	0.013	>10.0	12.9	4.5	4	12.2	31.5	0.21	1.86	6.3	0.048	1.03	25.9	109	12.2	18.3	<2	34.6		0.042
E384678	122	122.5		2650	25.8	38.2	0.008	>10.0	17.15	2.3	6	9.5	17.6	0.11	2.57	4.4	0.025	0.66	18.4	59	7.8	9.1	5	14.8	1.64	0.076
E384679	122.5	123		4130	20.5	78.6	0.01	>10.0	11.55	5.2	4	11.8	31.8	0.29	1	9.3	0.067	1.08	25.4	130	14.2	15.1	5	39.3	1.33	0.043
E384680	123	123.5		3210	30.2	66.7	0.007	>10.0	12.6	3.6	4	7.9	21.4	0.19	1.83	8	0.044	0.8	11	93	9.4	14.9	2	31.7		0.073
E384681			BLANK	430	2.1	2.1	<0.002	0.15	0.42	1.3	2	0.2	117.5	<0.05	<0.05	0.5	0.015	<0.02	0.3	5	0.5	3.8	11	4		0.002
E384682			STANDARD 1	530	21.2	92.1	0.024	2.15	1.85	9.8	3	8	547	0.2	0.26	8.6	0.082	0.47	285	52	9	15.5	8	61.2		0.05
E384683	123.5	124		3270	26.9	50.3	0.014	>10.0	9.74	2.6	3	5.8	23.9	0.16	1.34	5.5	0.037	0.42	13	64	10	16.6	3	25.9		0.076
E384684	124	124.5		2900	26.9	78.8	0.015	>10.0	12.25	4.3	4	10.1	22.4	0.18	2.06	6.6	0.049	0.9	19.6	82	12.9	16.5	3	38.6		0.096
E384685	124.5	125		930	8.5	129.5	0.005	5.38	3.35	9.4	2	6.9	32.3	0.23	0.28	12.7	0.068	0.65	18.8	65	8.5	13.6	5	71.8		0.018
E384686	129	130		300	2.9	145.5	<0.002	0.17	2.99	10.2	1	2.6	21.4	0.37	0.09	18.7	0.098	0.57	6.2	43	4.4	11	26	88		0.001
E384687	130	130.5		1890	19.4	45.5	0.009	>10.0	10.6	5.8	3	9.2	43	0.18	1.29	5.1	0.038	0.42	10.2	54	8.3	8.8	9	22		0.044
E384688	130.5	131		4880	14.7	72.7	0.02	>10.0	11.4	7.6	7	12.5	47.4	0.3	1.04	8.5	0.05	0.59	13.2	96	11.6	19.6	8	34.6	3.55	0.062
E384689	131	131.5		2860	16.4	71.6	0.015	>10.0	16.75	6.7	5	12.6	19.7	0.26	1.29	5.9	0.059	0.71	13.3	95	11.9	14.5	5	36.3	3.3	0.092
E384690	131.5	132		1930	16.5	74.3	0.008	>10.0	12.1	8.1	4	9.8	13.9	0.18	0.88	7.7	0.045	0.5	9.3	67	8	11.6	9	34.1	3.01	0.074
E384691			BLANK	430	2	2	<0.002	0.09	0.38	1.5	1	0.2	111.5	<0.05	<0.05	0.4	0.015	<0.02	0.2	5	0.4	3.5	11	4		<0.001
E384692	132	132.5		2560	22.7	95.8	0.012	>10.0	11.35	4.3	5	16.9	35.6	0.23	0.9	8.4	0.066	0.78	10.7	89	10.6	16.4	4	51.7	5.27	0.109
E384693	132.5	133		>10000	23.5	114.5	0.011	>10.0	10.95	9.6	5	15.2	60.7	0.39	0.94	22.1	0.069	0.99	29	99	12	40.1	9	62.3	1.88	0.04
E384694	133	134		820	15.5	135.5	0.006	1.99	2.08	11.6	1	8.4	24.3	0.23	0.09	12.4	0.076	0.73	5.6	58	9.3	12.5	13	67.3		0.005
E384695	236.9	237.5		580	86.8	80.8	0.005	5.14	7.01	8	2	6.3	41.2	0.48	0.38	9.3	0.141	0.42	47	44	24.5	10.7	5	84.6		0.038
E384696	237.5	238		740	8.6	104	0.004	3.67	3.1	10.4	2	8.1	185.5	0.59	0.19	13.1	0.168	0.41	10.2	58	19.3	14	10	80.4		0.031
E384697	238	238.5		1660	8.8	89.1	0.009	8.7	3.9	7.1	4	5.9	19.9	0.32	0.16	7.3	0.088	0.53	6	41	14.3	9.9	6	44.9		0.058
E384698	238.5	239		1360	7.4	101	0.006	5.04	3.46	8.9	2	8.5	34.9	0.59	0.37	13.5	0.173	0.42	5.6	87	24.5	13.7	12	67.9		0.062
E384699	239	239.5		840	17.8	75.1	0.003	7.17	3.18	6.8	2	5.8	15.2	0.36	0.42	10.1	0.108	0.26	4.7	46	17.1	8.9	5	57.6		0.055
E384700	239.5	240		630	14.4	97	0.002	1.33	1.88	9.5	2	5.6	18.9	0.55	0.16	12.4	0.143	0.33	15.7	51	28.1	11.2	4	75.2		0.017
E384701			BLANK	400	2	2	0.002	0.04	0.33	1.6	1	0.2	114.5	<0.05	0.05	0.5	0.015	<0.02	0.2	4	0.5	3.8	11	4		0.003
E384702			STANDARD 2	2480	6.3	39	0.021	6.93	2.17	5.4	6	7.2	179	0.15	1.13	6.1	0.036	0.51	20	59	7.2	15.9	10	27.1		0.122
E384703	240	240.5		710	8.5	112	0.002	0.93	1.46	10.3	2	6	22.1	0.58	0.1	14.3	0.159	0.35	7.4	53	30.6	12.8	4	77.6		0.02
E384704	240.5	241		680	7.1	108	0.003	0.5	1.32	10.6	1	5.5	22.4	0.59	0.06	10.8	0.175	0.33	6.9	54	20.4	12.3	4	76.9		0.023
E384705	241	241.5		830	8.5	139	0.002	0.57	1.63	12.3	2	7.8	30.5	0.8	0.11	15.9	0.222	0.45	37.3	66	26.9	14.3	2	97.2		0.018
E384706	241.5	242		670	12.6	104	0.002	2.01	2.17	9.7	1	6.4	20.6	0.52	0.6	16	0.132	0.33	25.7	54	28.1	9.9	2	80.1		0.056
E384707	242	242.5		750	10.1	135	<0.002	1.52	2.27	14.4	<1	8.2	25.5	0.62	0.45	11.5	0.153	0.51	17.8	76	23.8	12	3	86.3		0.03
E384708	242.5	243		300	27.2	53.2	0.002	>10.0	10.8	6.4	2	3.7	17	0.17	1.16	4.6	0.047	0.18	6.4	33	11.9	6.4	10	32.5	1	0.432
E384709	243	243.5		730	10.6	110.5	0.003	1.04	1.96	8.7	1	8.6	21	0.5	0.09	13.6	0.124	0.34	13.4	53	18.5	9.4	2	78.4		0.02
E384710	243.5	244		640	5.1	99.5	0.005	1.31	1.84	12.1	2	6.3	24.7	0.46	0.12	11.3	0.128	0.3	11.9	60	15.9	11.3	2	67.6		0.017
E384711			BLANK	400	1.9	2.1	<0.002	0.03	0.33	1.6	1	0.2	112	<0.05	0.06	0.7	0.014	<0.02	0.2	5	0.5	3.6	11	3.9		0.003
E384712	244	244.5		540	8	58.3	0.002	1.57	2.23	6.3	1	4.1	12	0.24	0.06	9	0.072	0.18	2.7	47	9	7	2	51.6		0.011
E384713	244.5	245		810	5.5	119	0.003	0.99	1.74	12.6	2	7.8	23.1	0.68	0.06	14.7	0.173	0.37	6.8	58	16.4	13.7	<2	79.7		0.008
E384714	245	245.5		730	6.5	113.5	0.002	1.15	2.05	10.5	2	7.3	21.7	0.55	0.12	13.7	0.16	0.35	6.5	52	11.7	12.5	3	76		0.009
E384715	245.5	246		550	6.4	128.5	<0.002	0.95	2.21	30.6	2	8.1	24.2	0.48	0.1	5.2	0.554	0.4	3	267	34.5	17.3	3	68.4		0.007
E384716	246	246.5		550	6.9	123	0.005	1.24	2.89	34.3	3	9.2	22.7	0.27	0.12	1.8	0.716	0.38	2.5	337	44.8	18.7	4	69.5		0.014
E384717	246.5	247		960	5.7	119	0.007	1.88	2.78	21.1	2	11.3	26.5	0.47	0.15	9.2	0.26	0.37	4.8	188	33	15.8	9	74.1		0.013
E384718	247	247.5		1070	4.7	32.3	0.006	8.4	2.35	4.1	2	4.1	10.1	0.17	0.25	4.2	0.037	0.16	2.7	39	7.2	9.7	4	17.5		0.023
E384719	247.5	248		900	3.3	150.5	0.004	0.89	2.8	10.8	2	13.7	24.4	0.72	0.11	16.4	0.192	0.47	8.4	76	26.4	16.9	5	84.8		0.011
E384720	248	248.5		1340	7.6	82.2	0.006	4.78	4.35	7.8	3	7.3	17.1	0.28	0.52	10.9	0.08	0.29	11.4	59	12.3	13.8	5	48.5		0.077
E384721			BLANK	420	3.1	1.9	0.002	0.04	0.34	1.7	1	0.2	115	<0.05	<0.05	0.5	0.015	<0.02	0.2	5	0.5	3.7	11	4.5		0.003
E384722			STANDARD 3	760	2.8	144	0.006	1.23	1.13	12	2	7.6	466	0.23	0.18	13.7	0.123	0.38	17.8	84	8.9	11.5	6	68.7		0.021
E384723	248.5	249		1110	3	72.3	0.005	1.71	1.43	7.8	2	6.3	15.7	0.22	0.16	8.3	0.065	0.24	5	43	13	11.2	7	42.7		0.022
E384724	249	249.5		1000	3.8	76.6	0.003	1.62	1.87	7.6	1	6.6	14.9	0.19	0.21	6.8	0.059	0.23	2.9	46	9.4	9.6	7	39		0.018
E384725	249.5	250		1080	5.6	28.6	<0.002	4.66	3.14	3.8	2	3.5	8.4	0.13	0.16	4	0.03	0.18	3.5	29	8.1	7	11	17		0.027
E384726	250	250.5		1220	5.2	95	0.003	2.89	3.37	8.7	2	10	20	0.41	0.24	10.7	0.107	0.3	9.7	67	19.4	13.2	6	56.9		0.018
E384727	250.5	251		1370	4.8	99.8	0.004	6.12	2	6.2	2	6.9	21.4	0.22	0.31	7.4	0.052	0.24	6.3	52	8.9	11.6	6	42		0.036
E384728	251	251.5		1240	6.6	9.9	0.003	7.36	2.34	1.5	3	1.8	10.5	0.09	0.36	4.4	0.021	0.12	2.3	37	14.4	7.1	6	10.1		0.029
E384729	251.5	252		680	7.5	2.4	0.003	7.02	2.84	0.7	2	1.1	7.3	0.05	0.23	2.2	0.01	0.11	3.1	17	4.9	5.1	6	4.5		0.029
E384730	252	253		610	6.1	107	0.008	3.44	2.26	9.9	2	6.5	73.3	0.17	0.08	9.6	0.064	0.32	20.8	49	8.5	11	5	54.3		0.013
E384731			BLANK	360	2.5	1.9	<0.002	0.04	0.46	1.4	2	0.2	97.9	<0.05	<0.05	0.4	0.013	<0.02	0.2	4	0.4	3	10	3.7		0.002

IG-2007-12

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
E147051	5	5.5		0.52	5.14	27.1	200	1	1.03	2.46	0.02	98.2	160.5	26	1.77	4350	10.7	12	0.21	1.5	0.192	1.07	52.6	19.3	1.56	8460	18.7	2.28	2.6	28.8
E147052	5.5	6		2.03	3.81	23.1	40	0.76	2.97	1.47	0.03	70.1	273	28	1.01	>10000	16.3	8.07	0.28	1.2	0.357	0.47	24.5	14.8	1.42	9630	39.4	1.95	3	53.5
E147053	6	6.5		0.63	5.29	10.5	120	0.96	1.58	2.73	0.05	120	153.5	29	2.61	>10000	13.2	13.3	0.24	1.7	0.273	0.68	61.2	46	2.4	5850	16.4	1.36	4.7	47.8
E147054	6.5	7		0.08	7.24	3.5	3240	0.9	0.6	2.75	0.02	80.3	37	37	1.67	775	7.11	16.5	0.16	2	0.08	0.44	48.3	39.4	2.03	3410	3.65	3.66	4.9	31.3
E147055	7	7.5		0.04	7.11	1.4	2480	0.84	0.16	2.56	0.02	142.5	33.3	53	1.04	302	6.61	17.35	0.16	2	0.074	0.33	90.3	23.6	1.51	3930	2.98	4.25	5.2	25.7
E147056	7.5	8		0.39	4.21	3.1	530	0.48	0.42	4.1	0.03	86.9	47.5	24	0.59	4490	8.66	9.61	0.17	1.3	0.091	0.22	51.6	11.3	1.48	5220	20.1	2.64	4.7	22.6
E147057	8	8.5		0.55	3.38	8.7	280	0.7	0.4	2.17	<0.02	105	86.2	15	0.31	4150	12.85	9.04	0.26	1	0.096	0.13	48.6	11.2	1.21	5170	9.79	2.07	2.8	34.7
E147058	8.5	9		0.1	3.51	3.9	820	0.95	0.29	2.48	0.02	105	63.3	13	1.81	759	11.85	11.3	0.25	1	0.209	0.11	61.9	63.2	2.86	8150	3.04	0.79	1.9	45.7
E147059	9	9.5		1.02	2.51	8.6	130	0.5	0.9	1.91	0.02	149	92.9	11	0.44	>10000	24.5	10.8	0.37	0.7	0.232	0.09	71.6	17.5	1.85	8080	16.35	1.14	3.7	60.3
E147060	9.5	10		1.03	2.54	8.4	100	0.38	0.92	2.5	0.02	138	98.5	10	0.53	>10000	24.5	10.05	0.34	0.7	0.234	0.09	69.7	18.7	1.94	8730	15.25	1.01	3.9	57.6
E147061			BLANK	0.01	0.37	<5	280	0.08	0.02	23.5	0.16	5.27	2	9	0.13	14.2	0.33	0.86	<0.05	0.1	0.005	0.06	2.3	3.4	12.1	282	0.25	0.02	0.4	7.6
E147062	10	10.5		1.06	6.63	9.4	200	0.76	1.73	2.04	0.02	92.8	148.5	36	0.95	7630	11.7	16.4	0.2	1.9	0.171	0.33	46.8	22.7	1.71	7170	58.2	3.87	4.7	28.8
E147063	10.5	11		0.13	6.75	1.9	2150	0.85	0.18	1.34	<0.02	103.5	61.1	38	1.02	1200	8.69	19.25	0.15	2.1	0.105	0.35	58.6	25.9	1.29	5120	7.65	3.96	5.4	25.7
E147064	11	11.5		0.25	6.54	1.8	590	0.79	0.38	2.27	0.03	82.1	58.3	56	0.84	4650	9.57	15.15	0.16	1.8	0.169	0.33	45.7	15.5	1.59	7580	7	4.23	4.4	20.8
E147065	11.5	12		3.3	2.51	22.9	40	0.51	171.5	1.53	0.07	51.3	322	17	0.52	>10000	16.55	6.37	0.25	0.9	0.423	0.09	14.8	18.8	1.43	8170	112.5	1.09	4.2	42.3
E147066	12	12.5		1.42	2.44	10.4	130	0.6	11.25	0.66	<0.02	56.4	93.8	14	0.38	>10000	10.85	5.88	0.17	1	0.205	0.1	16.7	18.3	0.98	5460	50.3	1.07	3.4	34.8
E147067	12.5	13		0.08	2.9	8.1	600	0.64	0.57	0.77	<0.02	132	98.5	20	0.28	495	13.4	7.82	0.24	1	0.1	0.13	68.4	11.4	1.13	7700	7.81	1.85	1.9	43.6
E147068	13	13.5		0.59	1.53	12.8	200	0.57	1.58	1.04	<0.02	88.5	148	8	0.25	4080	16.05	4.63	0.23	0.6	0.182	0.05	24.5	8.3	1.2	9580	33.5	0.86	2.3	46.6
E147069	13.5	14		0.44	2.64	9.5	180	0.84	1.11	1.18	<0.02	78.7	109.5	11	0.84	6330	13.4	6.36	0.21	1	0.117	0.08	28.3	27.7	1.48	4900	17.05	1.09	3.8	44
E147070	14	14.5		0.23	2.41	7.9	310	1.11	0.5	2.59	<0.02	76.4	95.3	13	1.56	2640	13.8	7.13	0.22	0.7	0.077	0.16	32.8	50.1	2.45	2640	13.4	0.07	6.1	42
E147071			BLANK	0.01	0.33	<5	200	0.08	0.03	21.4	0.16	4.93	2.2	10	0.12	8.7	0.28	0.84	<0.05	0.1	0.005	0.05	2.2	3.6	11.2	245	0.35	0.02	0.5	7.9
E147072			STANDARD 1	1.1	6.29	71.3	50	2.11	3.07	2.11	<0.02	69	179	36	3.71	5300	10.35	16	0.2	2	0.144	2.3	26.1	25.8	1.31	3860	73.6	0.98	3.5	38.8
E147073	14.5	15		0.75	4.16	21.8	80	2.18	2.25	2.27	<0.02	40.1	269	27	2.52	5170	12.9	12.35	0.2	1.3	0.134	0.98	10.3	56	1.93	3110	27.5	0.89	4.5	33.9
E147074	15	15.5		0.31	3.22	10.9	230	0.79	0.61	3.02	0.02	186.5	91	22	1.13	2880	13.45	7.88	0.25	1.1	0.176	0.12	98.5	42.5	2.86	10950	17.4	1.18	2.9	43.6
E147075	15.5	16		0.63	4.41	6.2	120	0.99	0.87	1.39	0.03	36.5	78.5	34	1.06	9850	12.35	8.68	0.16	1.5	0.151	0.11	12.7	46	1.88	3930	4.47	1.84	2.4	32.1
E147076	16	16.5		0.95	4.78	6.8	220	0.82	1.51	2.33	0.08	91.3	89.7	18	0.59	6400	9.59	11.3	0.15	1.6	0.168	0.12	45.2	25.7	1.37	4400	10.4	3.08	2.5	22.2
E147077	16.5	17		0.49	4.15	5.6	600	1.08	1.66	1.52	0.02	125	38.8	20	1.04	2530	8.57	9.36	0.14	1.4	0.06	0.14	73.3	40.3	1.19	1700	63.1	2.05	3.3	21.3
E147078	17	17.5		0.26	3.12	8.3	450	0.52	0.62	1.11	<0.02	197	41.7	23	0.61	3440	20.1	11.65	0.25	1	0.044	0.05	132.5	35.6	0.87	708	9.82	1.5	1.4	50.9
E147079	17.5	18		0.26	4.45	5.4	690	1.05	0.62	2.64	<0.02	108.5	37.5	25	1.55	2960	14.15	11.6	0.16	1.2	0.065	0.54	75.4	32.7	1.22	2600	9.95	2.18	1.8	31.1
E147080	18	18.5		0.03	7.6	4	8850	4.77	0.2	1.75	<0.02	14.8	19.5	78	8.21	30.7	6.79	22.9	0.08	1.9	0.083	3.78	10.8	80.5	1.31	1560	2.68	0.87	0.9	21.9
E147081			BLANK	0.04	0.32	5	130	0.09	0.02	19.9	0.12	4.63	1.7	10	0.14	9.1	0.26	0.86	<0.05	0.1	<0.005	0.06	2.4	4.2	11.2	234	0.27	0.02	0.5	6.6
E147082	18.5	19		0.29	5.21	8.3	2140	1.64	1.69	2.33	<0.02	164.5	50.5	34	2.76	770	12.95	13.5	0.19	1.4	0.064	0.93	119.5	64	1.77	3130	14.5	1.48	2.5	28.3
E147083	19	19.5		0.15	3.14	9.4	480	0.71	0.73	2.1	<0.02	125	60.2	15	0.49	1340	15	8.84	0.21	1	0.032	0.08	75.9	31.6	1.1	2060	9.7	1.46	2.2	29.1
E147084	19.5	20		0.17	3.46	7.5	570	0.79	0.68	1.95	<0.02	140.5	54.4	23	1.03	1930	14.65	9.64	0.21	1.1	0.028	0.1	89.2	42.5	1.32	1860	14	1.49	1.9	29.3
E147085	20	20.5		0.17	4.04	7.5	960	0.73	0.68	1.86	<0.02	189	61.3	20	0.62	1300	16.75	12	0.21	1.2	0.018	0.08	133.5	32.3	0.94	1570	14.15	2.28	2.5	36
E147086	20.5	21		0.18	4.1	7.2	810	0.86	0.54	1.57	<0.02	212	77.5	22	1.37	1740	17.3	12.5	0.23	1.3	0.018	0.1	154.5	45.4	1.03	844	16.8	2.15	1.9	40.7
E147087	21	21.5		0.19	4.74	5.4	1250	0.7	0.48	1.82	<0.02	208	74.9	29	1.37	1860	17.35	13.15	0.23	1.5	0.014	0.12	151	44.7	1.02	850	13.85	2.6	2	40.7
E147088	21.5	22		0.08	4.55	7.2	710	1.24	0.39	1.52	<0.02	134	100.5	28	2.11	700	15.9	12.1	0.19	1.4	0.015	0.42	92.2	52.8	1.15	906	12.75	1.87	1.9	38.9
E147089	22	22.5		0.1	4.52	7	500	0.75	0.42	2.15	<0.02	128	110	24	1.53	991	18.5	11.05	0.23	1.3	0.036	0.14	82	31.2	0.9	1790	14.4	2.71	3	46.6
E147090	22.5	23		0.76	5.15	9.9	650	0.93	2.04	1.16	<0.02	192.5	101.5	39	1.73	217	15	12.85	0.24	1.8	0.051	0.2	123.5	40.1	0.97	1550	123	2.94	4	48
E147091			BLANK	0.01	0.35	<5	690	0.07	0.02	22.1	0.16	5.42	2.1	8	0.13	8.8	0.36	0.76	<0.05	0.1	0.007	0.05	2.8	3.8	12	262	0.69	0.03	0.5	7.5
E147092			STANDARD 2	1.07	2.41	89.7	80	0.72	10.85	2.25	<0.02	197	370	15	2.77	9600	27.3	9.85	0.37	0.8	0.284	0.69	115	20.9	1.54	6540	63.5	0.24	6.7	65.7
E147093	23	23.5		0.26	1.45	11.9	140	0.97	0.81	2.66	<0.02	103	266	7	0.46	1650	16.85	5.48	0.22	0.4	0.042	0.07	43.9	28.2	1.23	2990	40.1	0.43	2.4	48
E147094	23.5	24		0.24	2.62	11.9	130	0.66	0.79	2	<0.02	129	346	17	0.68	1380	21.2	7.83	0.28	0.7	0.045	0.1	60.1	41.7	1.41	2340	46.2	0.93	3.1	52.3
E147095	24	24.5		0.06	3.91	7	720	0.87	0.32	0.99	<0.02	197	99.9	23	2.11	306	23.7	10.2	0.28	1.2	0.04	0.19	129	78.2	2.48	698	16.75	0.18	2.2	51.2
E147096	24.5	25		0.06	3.95	8.3	990	1.13	0.19	0.9	<0.02	189.5	70.5	24	3.24	370	23.4	9.87	0.29	1.4	0.059	0.11	132.5	97.5	3.1	684	18.1	0.01	2.2	50.1
E147097	25	25.5		0.07	3.58	7	710	1.27	0.29	1.86	<0.02	146.5	101	22	3.46	112	25.2	9.35	0.28	1	0.077	0.07	98.9	86.4	3.28	2150	15.95	0.01	2.3	52.3
E147098	25.5	26		0.06	3.22	7.7	600	1.04	0.29	1.96	<0.02	173.5	120	20	2.74	390	25.6	8.53	0.32	1	0.07	0.05	115.5	78.2	3.03	2150	16.7	0.01	3.3	52.4
E147099	26	26.5		0.21	2.48	9.3	280	0.79	0.58	1.31	<0.02	213	115.5	13	1.66	2140	29.9	8.07	0.39	0.8	0.055	0.02	133	53.7	2.2	1240	17.55	0.01	3.9	56.1
E147100	26.5	27		0.19	2.22	11.1	270	0.83	0.71	1.78	<0.02	212	186.5	14	1.33	1410	28.9	8.87	0.39	0.7	0.075	0.02	129.5	48.6	2.19	2940	21.6	0.01	4.7	57.9
E147151			BLANK	0.01	0.36	6	270	0.08	0.02	22.5	0.17	5.86	2.1	9	0.14	10.4	0.36	0.82	<0.05	0.1	0.005	0.05	2.8	3.5	12.25	266	0.4	0.02	0.5	7.8
E147152	27	27.5		0.14	2.41	10.6	500	0.87	0.39	3.24	<0.02	256	105.5	14	1.53	962	28	8.96	0.39	0.8	0.074	0.04	163.5	41.8	2.48	5150	21.3	0.01	4.3	55.4
E147153	27.5	28		0.13	2.69	8.6	680	0.98	0.44	1.38	0.02	286	117	18	1.95	541	28.7	9.97	0.41	0.9	0.093	0.02	194	50.3	2.37	3880	38.1	0.01	4.6	59.8
E147154	28	28.5		0.11	2.56	9.4	780	1.13	0.36	1.8	0.02	359	95.8	14	1.87	86.3	27.6	9.77	0.38	0.8	0.062	0.03	246	51.5	2.39	3080	32.7	0.01	4.4	51.9
E147155	28.5	29		0.08	1.13	15.6	430	0.91	0.47	1.95	<0.02	182	182.5	5	0.45	141	19.15	4.13	0.26	0.4	0.147	0.01	113	21.3	2	11450	20.9	0.01	4.7	34.5
E147156	29	29.5		0.13	1.42	17.8	350	0.66	0.86	2.96	<0.02	183.5	202	7	0.65	280	24.6	5.61	0.29	0.4	0.193	0.01	123	22	2.6	13550	27.3	0.01	4.5	44.5
E147157	29.5	30		0.2	1.52	12.6	630	0.42	0.99	2	<0.02	260	149	4	0.45	959	27	5.68	0.34	0.5	0.19	0.01	193.5	20.1	2.01	12850	31.7	0.01	7.7	43.5
E147158	30	30.5		0.29	2.25	12.2	2080	0.81	1.54	0.82	<0.02	337	110.5	11	1.01	249	22.2	6.79	0.34	0.7	0.122	0.04	254	37.8	1.59	6140	27.9	0.02	11.2	38.1
E147159	30.5	31		0.19	2.03	17	1240	0.48	1.37	2.6	<0.02	267	201	13	0.39	89.7	24.3	8.04	0.32	0.6	0.207	0.03	194.5	28.9	2.29	12250	27.6	0.01	10.5	52.3
E147160	31	31.5		0.17	1.98	20.6	2000	0.52	1.19	6.79	0.02	159.5	261	5	0.61	546	22.6	7.37	0.27	0.5	0.247	0.01	113.5	30.9	3.75	13150	29.6	0.02	8.4	51.2
E147161			BLANK	0.01	0.35	8	220	<0.05	0.02	21.6	0.15	6.39	2.5	7	0.13	6.6	0.39	0.89	<0.05	0.1	<0.005	0.05	3.3	3.4	11.75	281	0.49	0.02	0.6	7.1
E147162			STANDARD 3	0.24	7.18	42.1	370	2.24	1.5	2.01	<0.02	77.8	114	45	6.37	1580	7.16	18.95	0.18	2.1	0.13	2.86	39.9	19.5	1.37	3350	19.8	0.58	4.3	27.3
E147163	31.5	32		0.11	3.09	19	760	0.94	0.93	4.68	<0.02	235	281	14	0.89	74	23.5	9.56	0.34	0.9	0.231	0.08	169	48.6	3.83	12800	30.3	0.02	5.5	59.8
E147164	32	32.5		0.24	2.13	16.3	140	0.43	1.17	1.42	<0.02	273	346	8	0.65	2300	25.9	8.64	0.36	0.6	0.054	0.06	179.5	25.5	1.89	4070	43.2	0.04	6.9	53.7
E147165	32.5	33		0.12	3.33	8.6	740	1.07	0.54	1.88	<0.02	157.5	127.5	15	1.84	848	24.6	10.15	0.3	1	0.04	0.01	108.5	60.5	2.53	2110	26.8	0.01	4.3	50
E147166	33	33.5		0.05	5.09	7.9	3160	1.83	0.46	0.69	<0.02	207	123	35	2.93	48.8	19.2	13.4	0.28	1.5	0.09	0.39	145	99.2	3.13	2620	22.3	0.02	5.2	44.4
E147167	33.5	34		0.1	4.82	9.4	4110	2.38	0.98	0.57	<0.02	209	149	23	5.28	63.6	23.9	13.35	0.33	1.6	0.138	0.49	146.5	81	3.17	5470	28.4	0.02	6.5	55.5
E147168	34	34.5		0.11	2.76	10.1	2840	1.1	1.33	0.53	<0.02	203	158	13	2.58	64.2	29	8.87	0.36	0.9	0.152	0.02	142	42.4	2.36	8890	28.6	0.02	5.1	57.8
E147169	34.5	35		0.09	2.83	10.9	2460	1.28	0.86	1.21	<0.02	240	148.5	16	1.96	47.4	24.2	9.67	0.38	0.9	0.211	0.32	187.5	45.9	2.32	11400	22.5	0.02	9.2	55.9
E147170	35	35.5		0.2	3.52	13.8	3130	1.42	1.35	1.29	<0.02	164.5	139	17	2.22	140	20.6	11.3	0.29	1.2	0.233	0.59	114.5	52.3	2.29	9180	22.3	0.02	11.2	55.6
E147171			BLANK	0.01	0.36	<5	180	0.08	0.02	21.8	0.15	5.58	2.4	8	0.13	7.2	0.41	0.95	<0.05	0.1	0.005	0.05	2.8	3.4	11.9	266	0.43	0.02	0.5	8.3
E147172	35.5	36		0.27	2.9	14	4920	1.07	1.32	1.54	<0.02	143.5	102.5	11	1.89	613	24	9.97	0.36	1	0.362	0.41	109.5	46.2	3.16	16650	24.9	0.01	8.6	40.8
E147173	36	36.5		0.47	3.3	17.6	5540	1.14	2.03	3.26	<0.02	139	122.5	15	1.64	1725	24.5	11.65	0.39	1.2	0.349	0.37	91.5	46.8	3.81	13950	27.9	0.01	11	46.9
E147174	36.5	37		0.18	1.58	11.2	7070	0.53	1.09	5.22	0.03	279	111.5	5	0.45	45.7	27.1	5.64	0.42	0.6	0.264	0.01	207	23.5	3.49	15350	22.7	0.01	11	52.3
E147175	37	37.5		0.13	1.59	12.5	2680	0.54	0.53	1.07	<0.02	139.5	131.5	4	0.47	17.6	23.9	5.83	0.34	0.6	0.203	0.01	105	24.7	2.17	14450	21.6	0.01	11.7	42.8
E147176	37.5	38		0.21	0.91	10.6	2250	0.36	0.71	0.79	0.03	139.5	76.8	<1	0.37	379	25.5	5.12	0.37	0.2	0.105	0.01	90.75	13.3	1.23	6690	26.8	<0.01	6.4	36.4
E147177	38	38.5		0.11	1.13	8.9	2430	0.42	0.37	1.42	<0.02	90.3	107.5	7	0.35	214	28.6	6.76	0.57	0.3	0.214	0.01	58.6	20.9	1.95	13400	19.8	0.02	5.8	69.4
E147178	38.5	39		0.11	1.41	13.2	3440	0.35	0.83	1.56	<0.02	170.5	189	3	0.48	24.6	30.8	7.58	0.68	0.4	0.365	0.01	111.5	23	2.86	22300	3.57	0.03	6.8	63.3
E147179	39	39.5		0.08	2.12	7.2	4660	0.5	0.24	1.14	<0.02	114.5	120	5	0.5	19.5	29.4	9.78	0.6	0.5	0.177	0.01	73.9	31.7	2.33	12150	4.34	0.03	7.4	68.5
E147180	39.5	40		0.16	2.03	8.9	6340	0.52	1.11	1.69	<0.02	460	128	15	0.55	50.2	25.5	11	0.88	0.9	0.151	0.01	362	30.7	2.45	12550	8.95	0.04	15.9	60.7
E147181			BLANK	0.01	0.36	7	80	0.05	0.02	21.8	0.15	6.24	2.8	8	0.14	4.6	0.36	0.98	<0.05	0.1	0.005	0.05	2.8	3.9	11.9	299	0.32	0.02	0.5	8
E147182			STANDARD 1	1.21	6.41	59.3	140	1.84	3.14	2.14	<0.02	67	176.5	37	3.82	5330	9.99	17.1	0.26	2.1	0.149	2.2	28.8	28	1.3	3720	75.2	1.03	4.3	40.8
E147183	40	40.5		0.1	2.44	8.6	2910	0.71	0.46	1.16	<0.02	74.8	136.5	8	1.05	33.5	29.8	9.06	0.55	0.8	0.171	0.02	46.5	39.5	2.31	10450	15.15	0.02	6.4	66.4
E147184	40.5	41		0.19	3.8	11.2	2520	1.44	0.82	1.15	<0.02	>500	166	16	3.19	61.8	22.1	11.45	0.86	1.2	0.239	0.05	401	69.7	3.24	8720	3.64	0.02	5.5	65.8
E147185	41	41.5		0.07	6.06	5.9	5290	2.44	0.29	0.49	<0.02	229	129	30	6.23	85.6	20.3	14.3	0.55	1.7	0.137	0.78	148	96.7	3.11	3580	2.27	0.05	4.5	55.6
E147186	41.5	42		0.05	8.99	5.5	>10000	3.38	0.22	0.48	<0.02	390	81.7	53	8.42	14.6	13.9	25.3	0.43	2.7	0.105	2.2	245	111.5	2.44	1000	11.65	1.01	5.5	31.8
E147187	42	42.5		0.08	3.58	8.6	3070	0.86	0.89	0.98	0.02	223	95.7	19	1.5	13.6	20.9	10.75	0.41	1	0.149	0.52	157	31.9	1.39	8050	15.2	1.17	3.8	38.7
E147188	42.5	43		0.08	1.34	8.1	5000	0.24	0.3	1.7	<0.02	80.9	87.4	2	0.31	18.9	33.1	5.39	0.38	0.4	0.148	0.04	58	16.7	1.81	11300	17.95	0.16	4.8	47.3
E147189	43	43.7		0.09	4	13.2	2410	1.23	1.18	1.41	<0.02	154.5	125.5	19	2.73	38.7	20.9	12.35	0.39	1.3	0.153	0.81	111	54.1	1.86	8420	7.15	0.2	5.8	49.1
E147190	43.7	44.2		0.87	1.14	13.1	1000	0.27	2.7	1.29	0.02	97.4	191.5	6	0.55	4220	25.9	4.6	0.39	0.4	0.371	0.09	66.2	15.9	2.06	17350	8.29	0.01	8.3	45.1
E147191	44.2	44.7		0.2	0.5	10.6	5150	0.16	0.86	0.78	<0.02	206	137.5	<1	0.14	317	29.2	3.94	0.47	0.2	0.428	0.02	141	8.7	1.79	19500	14.25	0.02	11.5	39.7

IG-2007-11

Sample No	From (m)	To (m)	Standard/Blank
E147051	5	5.5	
E147052	5.5	6	
E147053	6	6.5	
E147054	6.5	7	
E147055	7	7.5	
E147056	7.5	8	
E147057	8	8.5	
E147058	8.5	9	
E147059	9	9.5	
E147060	9.5	10	
E147061			BLANK
E147062	10	10.5	
E147063	10.5	11	
E147064	11	11.5	
E147065	11.5	12	
E147066	12	12.5	
E147067	12.5	13	
E147068	13	13.5	
E147069	13.5	14	
E147070	14	14.5	
E147071			BLANK
E147072			STANDARD 1
E147073	14.5	15	
E147074	15	15.5	
E147075	15.5	16	
E147076	16	16.5	
E147077	16.5	17	
E147078	17	17.5	
E147079	17.5	18	
E147080	18	18.5	
E147081			BLANK
E147082	18.5	19	
E147083	19	19.5	
E147084	19.5	20	
E147085	20	20.5	
E147086	20.5	21	
E147087	21	21.5	
E147088	21.5	22	
E147089	22	22.5	
E147090	22.5	23	
E147091			BLANK
E147092			STANDARD 2
E147093	23	23.5	
E147094	23.5	24	
E147095	24	24.5	
E147096	24.5	25	
E147097	25	25.5	
E147098	25.5	26	
E147099	26	26.5	
E147100	26.5	27	
E147151			BLANK
E147152	27	27.5	
E147153	27.5	28	
E147154	28	28.5	
E147155	28.5	29	
E147156	29	29.5	
E147157	29.5	30	
E147158	30	30.5	
E147159	30.5	31	
E147160	31	31.5	
E147161			BLANK
E147162			STANDARD 3
E147163	31.5	32	
E147164	32	32.5	
E147165	32.5	33	
E147166	33	33.5	
E147167	33.5	34	
E147168	34	34.5	
E147169	34.5	35	
E147170	35	35.5	
E147171			BLANK
E147172	35.5	36	
E147173	36	36.5	
E147174	36.5	37	
E147175	37	37.5	
E147176	37.5	38	
E147177	38	38.5	
E147178	38.5	39	
E147179	39	39.5	
E147180	39.5	40	
E147181			BLANK
E147182			STANDARD 1
E147183	40	40.5	
E147184	40.5	41	
E147185	41	41.5	
E147186	41.5	42	
E147187	42	42.5	
E147188	42.5	43	
E147189	43	43.7	
E147190	43.7	44.2	
E147191	44.2	44.7	

P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Be
ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
810	9.4	53.1	0.011	0.71	1.85	8.5	<1	6.3	658	0.19	0.38	7.9	0.057	0.25	28.6	46	11.3	9.6	17	44.3		0.023	
1140	67.8	22.7	0.02	2.51	4.54	4.3	2	4.6	500	0.17	0.47	6.8	0.04	0.44	550	38	21.7	20.7	4	36.1	1.725	0.065	
1500	24	34.7	0.005	1.82	2.87	8.7	1	6.7	309	0.33	0.43	8.6	0.094	0.13	133	57	16.9	19.7	13	51.9	1.65	0.031	
580	6.9	20.7	0.002	0.21	2.31	8.9	<1	6.5	588	0.43	0.06	10.8	0.125	0.06	17	46	15.7	13.5	17	58.4		0.008	
770	6.6	16.5	<0.002	0.17	1.88	10.4	<1	7.1	674	0.42	0.05	12.8	0.13	0.05	12.7	51	17.4	12	10	61.6		<0.001	
890	6.3	11.4	0.006	0.48	1.77	7	<1	4	526	0.29	0.15	7.8	0.085	0.04	24.4	46	12.5	9.8	14	39.8		0.022	
1630	3.6	6.9	0.002	0.58	0.99	4.8	<1	2.6	1230	0.14	0.3	5.6	0.032	0.03	18.5	48	8.9	10.4	14	30.4		0.01	
590	5.5	5.5	0.002	0.26	0.92	4.6	<1	2.1	1930	0.12	0.13	5.5	0.025	0.06	14.1	36	5.6	7.8	30	27.6		0.003	
2510	8	4.4	0.006	1.28	1.77	4.7	1	3.5	702	0.16	0.29	5.4	0.034	0.06	44.2	91	11.3	15.2	8	22	1.28	0.056	
2520	6.4	4.2	0.006	1.42	1.71	4.6	1	3.6	762	0.15	0.26	4.8	0.035	0.06	46.8	86	10	14.2	10	20.3	1.285	0.04	
450	2	1.5	<0.002	0.03	0.36	1.2	<1	0.2	124	<0.05	<0.05	0.4	0.016	<0.02	0.3	7	0.4	3.4	15	3.6		0.002	
590	27	15.2	0.023	1.02	2.98	9.5	1	5.9	429	0.4	0.24	12.5	0.13	0.06	153.5	61	22	17.5	<2	57.5		0.04	
670	5.1	18	0.002	0.2	2.04	11.8	<1	6.5	484	0.47	0.07	11.8	0.142	0.05	15.5	66	17.1	10.2	13	62.3		0.004	
890	3.9	16.8	0.002	0.49	1.71	10.1	<1	4.9	550	0.38	0.12	9.5	0.107	0.04	13.9	43	13.9	10.2	14	55.1		0.013	
860	103.5	4.5	0.036	3.03	3.87	3.6	4	5.6	478	0.21	1.41	3.6	0.058	0.13	405	27	19.8	17.3	8	27.9	2.22	0.208	
940	117	4.9	0.006	0.87	3.79	3.4	<1	3.5	1410	0.14	0.26	3.7	0.034	0.05	416	36	16.4	17.6	6	31	1.14	0.066	
1580	4.6	6.9	0.002	0.27	0.7	4.3	<1	3.1	1840	0.09	0.13	4.9	0.021	0.03	18.2	54	5.4	9.4	7	30.8		0.006	
1450	16.4	2.8	0.006	0.67	0.96	3.4	<1	2.4	1480	0.12	0.21	2.9	0.018	0.06	158.5	39	6.3	9.3	13	17.6		0.018	
1390	3.7	4.6	0.004	0.92	0.73	3.8	1	4.9	1430	0.21	0.22	3.7	0.043	0.06	44.9	43	8.1	8.5	7	29.5		0.026	
1250	4.3	10.4	0.003	0.6	0.9	5.9	<1	8.3	2190	0.24	0.16	3.1	0.072	0.05	27.3	85	12.9	8.6	17	23.2		0.011	
430	2	1.5	<0.002	0.04	0.37	1.1	<1	0.2	119.5	<0.05	<0.05	0.4	0.014	<0.02	0.2	7	0.4	3.4	12	3.6		0.001	
980	21.9	91.8	0.027	2.62	1.81	9.6	1	8.8	563	0.21	0.27	8.4	0.091	0.49	292	61	8.5	15.2	16	62.6		0.055	
910	79.3	61	0.022	1.61	2.81	11.6	1	14.7	851	0.16	0.23	2.3	0.124	0.17	292	119	17.1	19.9	18	39.6		0.04	
1720	10.9	8.4	0.022	0.56	1.32	9.6	<1	4.6	1070	0.1	0.17	3.9	0.069	0.06	185	81	9.6	17.2	17	32.2		0.012	
710	7.6	5.3	0.004	1.2	1.16	6.1	<1	3.8	1110	0.14	0.21	4.8	0.047	0.05	159	39	7.8	8.7	16	46.8		0.05	
820	30.8	6.5	0.007	1.01	2.31	10	2	3	764	0.14	0.16	13	0.047	0.1	157.5	31	15.9	25.7	4	55.6		0.056	
1390	9.8	6.6	0.042	0.47	1.13	5.8	2	2.6	1490	0.14	0.19	6.7	0.037	0.06	50.5	28	9.4	14	14	48.3		0.023	
2380	3.2	2.8	0.004	0.5	0.94	3	2	2	1100	0.08	0.12	5	0.019	<0.02	19.2	68	5.5	15.2	14	33.4		0.022	
1360	3.3	33.4	0.004	0.47	0.9	10.8	2	8	955	0.06	0.12	3.7	0.039	0.07	18.6	89	8	13.8	3	42.2		0.015	
360	2.1	220	<0.002	0.31	1.68	39.9	1	46.2	681	0.07	0.09	1.1	0.234	0.45	3.8	261	23.9	9.5	4	56.8		<0.001	5.03
380	2	2.1	<0.002	0.03	0.35	1.2	1	0.3	107	<0.05	<0.05	0.4	0.015	<0.02	0.2	4	0.7	3.4	12	3.9		<0.001	
1590	5	55	0.002	0.27	1.34	15.1	2	11.4	1010	0.12	0.13	6.2	0.065	0.15	13	110	12	17.3	22	44.1		0.009	
2440	2.2	4.1	0.002	0.41	0.9	9.8	1	1.8	1380	0.13	0.11	5.1	0.02	0.03	14	60	7.2	18.2	10	34.9		0.011	
2250	4	6.1	0.003	0.4	0.93	7.4	2	2.1	1160	0.12	0.11	5.3	0.025	0.03	12.6	82	6.8	17.3	10	36.5		0.01	
2320	3.2	4.4	0.002	0.38	0.81	6.6	2	2.2	1035	0.12	0.13	7	0.023	0.02	10	68	6.3	19.6	7	41.6		0.011	
2240	3.1	7.1	0.003	0.43	0.7	3.9	2	2.6	949	0.09	0.13	7.9	0.027	0.02	12.7	67	4.8	18.7	8	42		0.014	
1740	3.5	8.4	0.008	0.4	0.71	4.2	2	2.9	797	0.1	0.09	9.5	0.033	0.03	15.4	65	5.5	16.5	8	49.1		0.01	
2020	2.4	29.1	0.005	0.42	0.67	7.6	1	7.5	1220	0.09	0.11	5.9	0.035	0.07	17.2	61	6	16.5	9	48.6		0.004	
2180	2.9	12.7	0.005	0.45	0.74	5.6	1	2.7	1075	0.12	0.14	7.2	0.032	0.03	15.9	69	6.8	21	6	44.6		0.006	
2520	7.8	19.5	0.049	0.38	1.12	4.5	4	3.7	1285	0.15	0.46	9.8	0.047	0.09	40.2	60	9	22.4	8	57.8		0.023	
450	1.7	1.8	<0.002	0.06	0.37	1.3	2	0.2	127	<0.05	<0.05	0.5	0.016	<0.02	0.3	6	0.8	3.7	12	3.7		<0.001	
2440	6.4	37.1	0.019	7.24	2.29	4.6	6	7.9	185.5	0.14	1.49	6.2	0.039	0.51	15.6	63	7.2	16.2	10	26.6		0.113	
1460	3.3	9	0.009	1.21	0.85	5.3	4	1.8	1760	0.07	0.36	3.2	0.02	0.03	14.3	60	6.1	12.4	8	13.5		0.02	
1900	2.7	11.8	0.015	1.47	0.81	5.3	4	2.1	1100	0.1	0.34	4.7	0.026	0.03	13.1	73	4.8	14.6	13	25.6		0.017	
2490	2.7	9.9	0.003	0.45	0.86	6.2	3	1.8	1490	0.09	0.17	5.4	0.019	0.04	14.3	76	3.9	17.2	35	40.1		0.007	
2530	4.2	5	0.007	0.41	0.86	5.8	2	1.8	1815	0.09	0.11	5.2	0.018	0.04	18.4	86	3.8	17.1	41	44.4		<0.001	
2190	3.5	4.7	0.005	0.35	0.98	6.6	2	1.7	1540	0.09	0.11	4.7	0.02	0.05	14.4	96	4	18.7	36	34.6		0.007	
2330	3.4	2.5	0.006	0.41	1.09	5.8	3	1.9	1280	0.1	0.16	4.6	0.025	0.03	19.9	111	4.8	19	33	33.4		0.006	
3070	9.7	1.5	0.005	0.5	1.15	3.3	4	1.8	1140	0.11	0.16	5.8	0.017	0.02	16.3	83	3.6	20.2	29	28.1		0.015	
3950	3.1	1.6	0.005	0.83	1.21	4.4	4	2.4	971	0.14	0.23	6.5	0.021	0.02	9.2	68	4.4	28.9	25	22.8		0.022	
470	2.8	1.7	<0.002	0.04	0.51	1.3	2	<0.2	124.5	<0.05	<0.05	0.4	0.016	<0.02	0.2	5	0.5	3.9	14	3.9		<0.001	
8310	2.9	3	0.007	0.3	1.09	6.6	4	2.9	1025	0.16	0.16	8.9	0.032	0.02	8.8	78	5.5	56	28	24.5		0.009	
2410	2.8	1.8	0.009	0.3	1.09	6.3	3	2.4	891	0.13	0.22	7	0.022	0.02	10.5	80	6.8	19.2	34	27		0.01	
3670	2.7	2.4	0.01	0.22	1.11	5.9	3	3.6	1130	0.11	0.17	7.4	0.033	0.02	13.1	68	6.6	23.1	32	26.3		0.01	
2650	4	0.9	0.004	0.37	0.56	3	3	2	2270	0.08	0.47	2.9	0.012	<0.02	5.2	41	6.1	12.8	16	12.6		0.009	
2200	2.1	0.7	0.005	0.4	0.67	3.8	4	2.4	1450	0.1	0.28	3.5	0.018	<0.02	7	49	5.9	14.3	24	14.2		0.013	
3010	2.8	0.6	0.002	0.23	0.95	3.1	3	3.5	834	0.14	0.2	4.2	0.023	0.03	6.8	45	7.3	17.7	18	16.1		0.022	
3010	5	2.3	0.006	0.12	1.64	3.2	3	10.9	555	0.24	0.3	6.4	0.052	0.03	10.1	43	12	16.5	28	24.6		0.012	
2730	370	2.1	0.002	0.3	1.53	3.2	3	8	242	0.21	0.26	5.4	0.041	0.05	27.9	53	15.4	16.9	27	22		0.01	
1910	2.6	0.7	0.011	0.74	1.14	4.7	5	3	74.8	0.15	0.38	4.5	0.022	0.02	9.2	55	13.9	17.7	58	16.4		0.032	
430	1.8	1.5	<0.002	0.04	0.36	1.2	2	0.2	116.5	<0.05	<0.05	0.4	0.016	<0.02	0.2	5	0.5	3.7	13	3.7		<0.001	
800	3	133.5	0.005	1.41	1.24	10.8	3	7.9	470	0.26	0.19	12.9	0.131	0.37	18.2	86	9	12.1	6	66.7		0.017	
2200	2	4.9	0.008	0.77	0.83	5.8	5	4.6	121.5	0.15	0.4	8.6	0.032	0.02	10.5	47	6.7	18.7	66	30.2		0.013	
2670	2.1	3.1	0.014	1.11	1.08	5	4	3	347	0.19	0.31	7.1	0.031	0.03	11	71	6.2	20.1	22	20.5		0.032	
2320	1.7	0.8	0.006	0.34	1.02	5.1	3	2.4	502	0.14	0.14	6	0.026	<0.02	11.1	61	4.7	17.7	44	32.6		0.008	
1910	2.2	26.2	0.004	0.19	1.5	9.6	3	12.1	361	0.16	0.18	9.9	0.078	0.06	9.4	72	10	16.4	63	48.9		0.012	
2550	2.7	34.7	0.01	0.2	1.45	11.6	3	16.3	360	0.19	0.35	9.7	0.081	0.07	14.4	73	8.7	19.4	52	50.2		0.008	
2380	2.6	1.9	0.01	0.16	1.28	4.8	3	10.9	526	0.13	0.56	6.8	0.028	0.02	7	64	5.9	16.2	39	29.7		0.006	
2500	2.6	20.2	0.004	0.12	1.25	4.9	2	15.7	632	0.22	0.35	7.6	0.05	0.05	8.1	55	9	16.9	33	30.3		0.006	
2180	6.6	36.2	0.008	0.12	1.88	6	3	20.5	323	0.29	0.37	8.7	0.077	0.1	68.7	62	12.8	15.5	40	37.7		0.01	
440	2.1	1.8	<0.002	0.03	0.34	1.2	2	0.2	119	<0.05	<0.05	0.5	0.015	<0.02	0.3	4	0.4	3.8	14	3.9		0.002	
1820	2.6	26	0.004	0.18	2.41	5.4	3	15	104.5	0.27	0.42	6.8	0.087	0.06	9.5	53	13.8	14.4	58	35.7		0.015	
1820	3.9	23.9	0.005	0.32	2.59	6.4	5	16	151	0.33	0.35	7	0.084	0.09	23.6	75	18.1	16.7	60	42.9		0.025	0.58
2980	3	0.7	0.003	0.22	1.69	2.6	2	5.8	190.5	0.33	0.47	5.8	0.032	0.09	5.6	67	9.2	18.9	41	18.3		0.006	0.74
2180	1.6	0.7	0.004	0.13	1.39	2.9	2	5.7	563	0.26	0.15	3.1	0.036	0.04	4.3	49	7.9	12.6	33	20.1		0.005	
1950	1.7	0.7	0.008	0.15	1.39	1.4	2	1.5	838	0.12	0.2	2.4	0.01	0.02	4.5	50	10.2	11.4	20	7.8		0.009	
2060	1.7	0.7	0.002	0.13	1.26	2.7	3	1.3	668	0.14	0.14	1.6	0.011	<0.02	3.9	46	7.9	12.6	21	7.3		0.008	
2390	2.1	0.7	<0.002	0.22	0.94	4.2	3	1.9	275	0.14	0.17	3.3	0.016	0.02	7.5	41	5.7	13.6	29	12.7		0.005	
1680	1.6	0.5	<0.002	0.15	1.42	3.3	2	2.1	300	0.16	0.13	2.2	0.021	<0.02	6	57	8.2	10.9	30	14.8		0.003	
2390	4.1	0.5	0.003	0.2	1.5	4.9	3	3.3	244	0.37	0.28	12.4	0.031	0.02	17.3	47	12.5	20	30	26.1		0.005	1.02
450	1.6	1.8	<0.002	0.04	0.41	1.4	3	<0.2	121.5	<0.05	<0.05	0.4	0.015	<0.02	0.2	4	0.5	3.7	12	3.8		0.002	
980	21.8	94.5	0.023	2.63	1.88	11.3	4	8.6	614	0.24	0.28	8.8	0.1	0.42	282	67	9.7	16.7	10	62.8		0.064	
2300	2.3	1.1	0.002	0.15	1.23	4.4	3	2	520	0.15	0.15	3.9	0.021	0.02	28.5	51	5.5	14.3	32	24.4		0.003	
2630	206	3.6	0.012	0.22	1.73	7.5	3	2.4	781	0.16	0.17	27.2	0.028	0.04	105.5	38	5.7	25	52	35.3		0.006	
2090	10.4	50.3	0.032	0.32	1.74	9.4	2	15.9	744	0.17	0.11	10.7	0.084	0.13	20.7	79	9.8	15.9	63	53.8		0.003	4.66
2390	4.9	138.5	0.003	0.33	2.01	15	3	40.5	360	0.22	0.07	20.6	0.167	0.26	8.8	99	17.2	20.6	47	78.6		0.002	1.84
1890	2.1	32.1	0.008	0.14	1.12	5.2	2	9.7	779	0.12	0.28	8.7	0.055	0.06	6	53	10.7	13.7	14	29.4		0.003	
1570	1.6	2.6	0.009	0.17	1.12	2.6	2	1.9	640	0.13	0.12	2.6	0.016	<0.02	6.5	62	9.5	11.1	13	11.6		0.002	3.69
3780	1.8	47.3	0.005	0.13	1.33	5.4	2	15	776	0.16	0.58	8.8	0.082	0.09	11.4	69	16.1	20.9	26	40.3		0.002	
1250	2.3	5.1	0.005	0.48	0.91	2.6	4	2.8	895	0.19	0.18	2.7	0.019	0.02	26.1	36	7.2	9.9	14	13.6		0.024	
1660	1.8	1	0.005	0.22	0.91	1.1	2	1.7	739	0.24	0.14	2.7	0.008	<0.02	16.1	38	6.9	11.9	7	5.8		0.014	4.14

IG-2007-11

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	%	ppm	ppm
E147192	44.7	45.2		0.47	4.99	19.7	780	2.24	3.4	3.51	<0.02	117	138.5	22	3.81	2850	19.05	15.5	0.35	1.5	0.257	0.8	78.1	93.4	4.07	8080	12.7	0.02	6.1	44.7
E147193	45.2	45.7		3.09	1.59	16.3	100	0.82	15.45	8.24	<0.02	33	102.5	6	0.87	>10000	13.35	4.65	0.22	0.4	0.403	0.12	11.1	27.3	3.66	12300	57.9	0.02	3.1	30.2
E147194	45.7	46.2		2.35	1.45	26.9	180	0.8	215	6.89	0.02	39.9	82	4	0.71	5360	9.67	4.31	0.17	0.4	0.351	0.07	17.5	28.2	4.56	13060	32.3	0.02	3.6	22.2
E147195	46.2	46.7		1.62	1.01	6.5	270	0.57	178.5	3.98	<0.02	29.6	69	3	0.59	9780	8.01	3.14	0.18	0.3	0.239	0.03	10.4	21.5	1.78	6280	15.7	0.01	2.2	26
E147196	46.7	47.2																												
E147197	47.2	48.1		6.06	0.77	20.7	140	0.44	334	2.07	<0.02	4.08	48.9	4	0.6	>10000	12.55	2.44	0.14	0.3	0.5	0.03	0.5	15.4	1.91	9910	50.9	0.01	3.4	34.1
E147198	48.1	48.6		6.06	3.58	23.7	150	1.9	21.1	4.15	<0.02	37.6	74.2	19	3.63	>10000	14.4	8.42	0.3	1.1	0.545	0.52	11.9	59.6	4.14	11850	90.4	0.02	3.9	42.2
E147199	48.6	49.1		1.08	3.53	<5	1200	1.45	3.05	10.45	0.02	35.8	61.9	11	3.7	6580	9.99	8.13	0.19	1.1	0.257	0.51	20	57.1	6.16	10350	12.35	0.03	1.6	30
E147200	49.1	49.6		0.92	4.82	3.2	430	2.21	1.81	7.35	<0.02	26.8	67.9	27	6.37	5480	9.56	12.25	0.19	1.3	0.187	1.32	14.5	56	3.78	8200	9.68	0.04	1.8	24.5
E147251			BLANK	0.21	0.33	5	90	0.08	0.05	20.8	0.17	5.06	2.4	7	0.17	30.5	0.29	0.98	0.06	0.1	0.014	0.05	2.6	4.8	11.45	254	0.37	0.02	0.5	6.6
E147252			STANDARD 2	1.15	2.45	113	100	0.64	11.1	2.36	<0.02	182	332	11	2.85	9140	29.7	10.55	0.47	0.7	0.272	0.86	112	23.2	1.62	5880	60.2	0.25	5.6	58.8
E147253	49.6	50.1		0.82	5.31	3.8	3220	2.37	1.28	8.23	<0.02	153.5	74.6	22	6.76	4220	10.4	13.7	0.29	1.5	0.193	1.38	83.8	67.2	4.35	10150	10.95	0.04	2.6	26.7
E147254	50.1	50.6		3.83	5.37	15.3	510	2.56	6.77	7.33	0.02	75.2	115.5	27	6.76	>10000	14.55	14.2	0.27	1.6	0.479	0.56	46.5	96	5.49	9620	13.75	0.03	3.1	40.7
E147255	50.6	51.1		5.82	3.99	16.6	110	1.96	8.82	8.12	<0.02	108	120	19	5.07	>10000	17.6	11.3	0.32	1.3	0.655	0.35	74.9	71.3	4.77	11700	72.8	0.02	7.2	46.8
E147256	51.1	51.6		9.76	3.63	26.1	140	1.69	25.1	5.07	<0.02	105.5	105	18	4.33	>10000	18.7	9.19	0.3	1.3	0.748	0.29	59.3	85.5	4.22	9630	223	0.02	8.4	55.8
E147257	51.6	52.1		9.57	5.06	23.4	470	2.4	45.2	4.8	<0.02	101.5	105.5	29	5.61	>10000	15.15	14.2	0.31	1.7	0.562	0.86	51.8	83.4	4.15	10850	184.5	0.03	4.6	49.6
E147258	52.1	52.6		1.07	5.96	9.9	1360	2.86	7.52	5.68	<0.02	112.5	82.8	28	8.53	5610	14	17.7	0.27	1.7	0.374	1.46	69.3	87.7	5.02	12000	8.65	0.04	4	42.3
E147259	52.6	53.1		1.69	4.49	12.9	860	2.1	12.9	9.87	<0.02	53.6	60.4	19	6.26	7270	11.05	13.6	0.22	1.3	0.432	1.06	32.7	69.3	5.31	12400	19.2	0.04	3.9	33.5
E147260	53.1	53.6		0.33	6.95	12.7	2650	2.26	2.32	5.95	<0.02	58.3	118.5	42	13.45	1060	9.83	19.3	0.23	1.8	0.235	2.51	34.2	58.6	3.15	7280	14.75	0.1	2.9	40.9
E147261			BLANK	0.2	0.33	<5	70	0.12	0.04	20	0.16	5.21	2.8	10	0.19	36.8	0.31	0.97	0.05	0.1	0.01	0.05	2.7	4.9	10.9	257	0.65	0.02	0.5	6.4
E147262	53.6	54.5		0.57	5.22	34.2	180	1.82	8.31	5.4	<0.02	158.5	94	28	9.2	1330	11.85	15.75	0.31	1.7	0.212	1.7	93.9	50.3	2.84	8410	30.1	0.06	4.8	38.1
E147263	54.5	55		0.16	6.24	10.6	8350	2.33	0.9	4.05	<0.02	91.1	22.8	36	6.49	520	12.25	17.6	0.27	1.9	0.133	3.04	57.6	33.3	1.94	4580	18.7	0.05	9.5	20.1
E147264	55	55.5		0.25	7.26	11.7	4330	2.69	1.2	1.75	<0.02	107	17.8	46	8.82	45.8	12.6	19.2	0.27	2.1	0.078	3.47	71.3	36.6	1.25	1890	25.4	0.05	12.2	22.1
E147265	55.5	56		0.11	7.43	12.1	3900	3.26	0.74	2.04	<0.02	154.5	35.3	41	11	177.5	12.05	22	0.32	2.8	0.1	3.32	103	51.4	1.78	2250	16.45	0.04	9.9	33
E147266	56	56.5		0.23	5.08	18.8	2800	1.86	0.74	4.04	<0.02	128	32.4	28	4.43	469	13.55	16.4	0.33	1.9	0.093	2.55	85.7	30	1.87	3900	32.5	0.03	13.1	22.8
E147267	56.5	57		0.11	6.84	10.5	5540	1.75	0.45	1.56	<0.02	157	26.7	43	4.09	201	8.63	20.7	0.3	2.2	0.065	4.1	96.8	38	1.18	1575	14.9	0.06	8.7	25.7
E147268	57	57.5		0.08	7.95	10.1	3180	2.14	0.48	1.73	<0.02	81.2	42.1	58	5.03	54	6.78	25	0.26	2.7	0.083	5.62	48.7	28.9	1.12	1760	17.6	0.06	6.1	21.7
E147269	57.5	58		0.04	7.48	8.3	8260	1.95	0.23	1.19	<0.02	162.5	26.5	46	3.84	342	7	26.3	0.31	2.1	0.098	5.11	88.7	26.8	0.94	2150	8.84	0.05	3.7	21.5
E147270	58	58.5		0.06	7.13	8.2	7020	1.83	0.22	3.17	<0.02	127	31.8	40	3.58	5590	8.1	19.85	0.32	2.3	0.085	4.9	72.1	25.3	1.54	3380	6.89	0.06	3.9	19.8
E147271			BLANK	0.18	0.34	<5	50	0.1	0.22	20.2	0.38	5.04	2.5	8	0.18	11	0.3	1.07	0.1	0.1	0.015	0.07	2.8	4.4	10.95	238	0.69	0.02	0.5	6.5
E147272			STANDARD 3	0.28	6.88	57.9	550	2.74	1.7	2.06	0.02	80.6	107	41	6.47	1590	7.53	20.8	0.23	1.9	0.133	2.97	43.2	24.7	1.37	3290	20.3	0.58	2.4	25.7
E147273	58.5	59		0.07	6.37	8.1	1720	1.39	0.3	5.41	0.03	129	59.8	36	3.1	63.2	8.92	17.55	0.3	2.1	0.114	3.71	78.8	23.6	2.31	6160	11.25	0.04	4.5	21.7
E147274	59	59.5		0.1	6.71	14.1	3450	2.22	0.48	2.43	<0.02	133.5	105.5	40	4.36	222	8.93	25.1	0.21	2.7	0.1	3.69	83.2	25.2	1.39	2790	13.2	0.04	9.5	27.7
E147275	59.5	60		0.11	6.33	9.9	3870	1.83	0.53	2.5	<0.02	98.6	42.2	33	4.15	274	11.05	17.9	0.21	2.7	0.073	3.2	55.2	29.2	1.69	2580	17.6	0.04	7.6	27.4
E147276	60	60.5		0.07	5.22	5.4	720	1.07	0.2	3.39	<0.02	132	23.8	24	2.11	45.9	7.3	11.65	0.21	2.7	0.07	2.87	71.1	29.9	2.1	3320	9.24	0.04	5	17.3
E147277	60.5	61		0.13	7.39	5.6	1560	1.5	0.31	1.41	<0.02	273	20.4	57	3.94	50.1	6.35	22.5	0.29	2.7	0.059	3.91	153.5	28.1	1.32	1370	14.8	0.05	4.4	19.2
E147278	61	61.5		0.18	6.86	5.6	1880	1.28	0.25	1.39	<0.02	178.5	33.9	46	2.83	46.2	5.98	19.1	0.23	2.5	0.048	4.3	99.6	31.2	1.45	1330	15.45	0.05	3.3	22.6
E147279	61.5	62		0.09	7.85	18.1	1970	2.05	0.44	0.35	<0.02	102.5	191	53	5.82	64.1	10.95	26.2	0.22	2.9	0.042	3.26	58.2	88.2	2.46	376	7.99	0.03	3.5	49.3
E147280	62	62.5		0.28	6.84	11.1	4340	1.78	0.95	0.76	<0.02	158	87.9	52	4.2	2330	9.56	25.7	0.26	2.6	0.073	3.66	88.8	46.8	1.69	1310	15.3	0.03	6.4	42.3
E147281			BLANK	0.02	0.32	<5	30	0.11	0.02	20.4	0.16	5.56	2.2	8	0.18	6.6	0.27	1	0.05	0.1	<0.005	0.06	2.6	3.4	11.05	229	0.29	0.02	0.5	3.8
E147282	62.5	63		0.22	6.68	10.2	1810	2.7	0.64	0.75	<0.02	138	59.3	36	6.54	734	10.75	21.8	0.25	2.9	0.12	2.67	89.3	62.1	1.93	2290	21	0.03	9.3	44.4
E147283	63	63.5		0.21	5.84	7.6	5380	1.76	0.42	2.97	<0.02	128	48.7	29	4.78	184	10.85	18.15	0.22	2.2	0.116	2.57	79.9	37.4	2.31	3770	40.8	0.03	8.7	32.6
E147284	63.5	64		3.46	5.09	12.6	610	1.49	2.05	3.01	<0.02	60.3	99.7	41	3.22	1070	9.12	14.6	0.17	2.1	0.129	2.16	32.2	41.7	2.4	3480	276	0.03	6.9	43.8
E147285	64	64.5		0.11	5.48	6.1	1750	1.4	0.2	2.7	<0.02	66.3	57.8	32	3.1	215	8.95	14.9	0.18	2.2	0.084	2.81	39.2	32	1.77	2580	9.46	0.03	7.2	28.4
E147286	64.5	65		0.17	7.03	7	3950	2.08	0.31	3.51	<0.02	57.4	86.6	35	4.83	288	9.61	20.3	0.17	2.7	0.096	2.83	33.2	41.6	2.38	3090	8.39	0.44	7.9	35.9
E147287	65	65.5		0.23	5.99	9.5	7810	2.23	0.37	5.05	<0.02	193	28.8	32	8.07	37.8	10.85	19.45	0.24	2.4	0.175	2.91	138.5	39.3	2.9	5100	36.3	0.04	10.4	25.5
E147288	65.5	66		0.14	4.03	12.5	4270	1.11	0.15	4.88	<0.02	192	20	20	3.11	40.8	14.05	14.55	0.25	1.6	0.129	2.13	122	24.8	2.17	4360	27.6	0.03	9.8	19.6
E147289	66	66.5		0.07	5.52	9.2	9000	1.46	0.12	3.91	<0.02	195	27.5	35	3.36	22.1	9.74	20.8	0.23	1.8	0.089	3.09	131	29.4	1.83	3870	33.4	0.04	11.3	22.4
E147290	66.5	67		0.09	5.64	10.5	2810	1.58	0.16	4.78	<0.02	104.5	113	33	3.41	427	7.88	20.5	0.19	1.9	0.112	3.28	66.3	28.1	2.05	5370	19.4	0.04	7.4	19.4
E147291			BLANK	0.01	0.32	5	120	0.08	0.01	19.5	0.16	5.4	2.1	8	0.16	5	0.26	1.01	<0.05	0.1	<0.005	0.06	2.6	3.1	10.55	225	0.32	0.02	0.5	3.3
E147292			STANDARD 1	1.13	5.19	56.4	300	1.98	2.76	1.61	<0.02	66.5	155.5	31	3.74	6790	9.09	16.5	0.19	1.8	0.139	2.02	31	20.9	1.09	3110	63.8	0.86	4.1	32.4
E147293	67	67.5		0.07	5.51	3.9	5490	1.73	0.1	4.52	<0.02	69.8	32.8	29	3.37	535	6.58	19.2	0.18	1.8	0.112	3.22	44.2	30.8	1.95	4670	11.25	0.04	5.2	16
E147294	67.5	68		0.13	5.73	8	2860	1.84	0.19	4.94	<0.02	133.5	79.8	31	3.83	100	7.29	20.1	0.2	1.9	0.128	3.28	86.5	33.9	2.24	4800	18.95	0.04	7	19.3
E147295	68	68.5		0.03	3.98	3.8	6540	1.24	0.08	7.66	<0.02	20.8	48.8	20	2.12	27.2	7.88	12.1	0.13	1.6	0.094	2.28	52.9	24.8	3.08	5800	4.92	0.03	4.6	17.8
E147296	68.5	69		0.04	3.99	5.8	5910	1.25	0.07	6.21	<0.02	134.5	39.1	25	2.1	12.4	7.67	14.35	0.17	1.9	0.092	2.32	92	23.2	2.47	6520	4.82	0.03	8.8	16.3
E147297	69	69.5		0.18	7.04	8.9	3350	1.81	0.13	2.98	<0.02	121.5	52.3	42	4.85	8.9	8.34	21.7	0.2	2.5	0.089	3.85	33.4	33.1	1.99	3140	25.95	0.05	5.6	23.2
E147298	69.5	70		0.11	7.52	8	6450	1.79	0.12	3.66	<0.02	50.4	46.2	43	3.75	197	8.75	22.1	0.17	2.5	0.089	3.85	33.4	33.1	1.99	3140	25.95	0.05	5.6	23.2
E147299	70	70.5		0.04	7.07	6	5440	1.77	0.07	5.2	<0.02	142	38.1	44	4.3	90	7.19	24	0.21	2.3	0.113	3.66	91.6	30.8	2.48	4870	2.24	0.08	5.5	16.6
E147300	70.5	71		0.06	7.51	6.6	1960	1.87	0.06	4.42	<0.02	142.5	43.7	43	5.47	195.5	7.56	24.6	0.19	2.3	0.107	2.85	88.2	36.4	2.57	3930	1.13	0.06	5.1	18.9
E147351			BLANK	0.01	0.31	8	40	0.1	0.01	19.45	0.15	5.38	2	8	0.15	4.7	0.26	0.94	<0.05	0.1	<0.005	0.06	2.5	3.1	10.55	222	0.28	0.02	0.5	3.8
E147352	71	71.5		0.04	7.9	3.8	1430	2.17	0.04	3.76	<0.02	167	23.7	44	7.28	21.2	8.11	26.3	0.22	2.5	0.107	2.86	94.5	42.8	2.54	3390	1.2	0.05	8	23.2
E147353	71.5	72		0.03	7.51	3.7	3170	2.12	0.06	4.67	<0.02	103.5	22.8	42	5.99	15.6	6.97	25.3	0.18	2.4	0.139	2.83	58.6	30.1	2.42	3810	0.86	0.04	5.6	15.8
E147354	72	72.5		0.02	6.11	5	2100	1.89	0.05	5.46	<0.02	55.7	20.4	33	5.01	10.1	7.05	19.7	0.17	2.2	0.127	2.7	30.1	22.6	2.55	4780	0.79	0.03	6	13.5
E147355	72.5	73		0.05	5.68	4.3	5230	1.42	0.08	6.29	<0.02	42.2	27	30	3.87	70.1	7.58	17.65	0.18	1.9	0.104	3.38	22.4	20.8	2.59	6230	1.14	0.04	5.6	14.3
E147356	73	73.5		0.05	5.77	3.3	8690	1.53	0.04	6.18	<0.02	94.4	20.3	29	3.89	143	7.7	18.65	0.19	1.9	0.127	3.42	51.6	21.3	2.62	5940	0.66	0.04	5.6	13.5
E147357	73.5	74		0.06	5.82	5.3	4770	1.43	0.04	2.56	<0.02	75.8	16.1	38	4.1	163.5	7.41	15.85	0.17	2.1	0.072	3.23	39.8	24.7	1.52	2250	1.07	0.04	4.8	13.6
E147358	74	74.5		0.13	3.16	7.6	450	0.79	0.15	1.82	0.02	72.7	83.6	15	3.25	90.2	13.55	10.95	0.19	1.1	0.05	1.05	40.7	29.8	1.67	2790	21.9	0.02	3.4	28.8
E147359	74.5	75		0.17	2.06	7	350	0.61	0.11	2.47	<0.02	214	75.1	10	1.92	336	15.85	9.39	0.28	0.9	0.068	0.5	123.5	19.3	2.12	6510	52.7	0.06	3.4	28.8
E147360	75	75.5		0.09	4.54	9.1	390	1.94	0.09	2.03	<0.02	168	70.6	40	3.48	121	14.05	14.6	0.25	1.4	0.04	1.91	97.3	35.8	1.34	1930	25.1	0.18	5.1	21.2
E147361			BLANK	0.02	0.35	<5	610	0.09	<0.01	21	0.14	6.33	2.4	8	0.16	6.2	0.32	0.97	<0.05	0.1	0.007	0.06	2.9	4.7	11.5	263	0.46	0.02	0.5	4.5
E147362			STANDARD 2	1.29	2.46	131	50	0.76	11.35	2.44	<0.02	185.5	376	13	2.73	9720	30.3	10.05	0.37	0.8	0.286	0.68	92	23.4	1.88	6680	64.1	0.25	5.6	49.6
E147363	75.5	76		0.07	7.4	12	630	2.46	0.13	1.41	<0.02	36.8	135.5	69	4	24.5	13	18.55	0.19	2.3	0.042	2.92	22.7	43.6	1.08	1205	21.2	1.19	3.1	19.6
E147364	76	76.5		0.07	9.2	10.2	1780	3.49	0.14	0.85	<0.02	82	134	97	4.09	39.6	12	23.5	0.2	2.7	0.062	4.15	45.7	45.3	0.82	743	19.45	1.41	3.4	17
E147365	76.5	77		0.09	8.31	8.2	1430	2.94	0.14	0.83	<0.02	43.3	119	83	4.69	38.3	11.95	21.3	0.19	2.2	0.056	4.61	29.2	39.8	0.77	671	26.7	0.72	4.4	15.4
E147366	77	77.5		0.05	5.27	7.1	3880	1.4	0.04	2.28	<0.02	305	18.5	37	2.96	3.8	16.2	14.65	0.32	1.7	0.035	1.74	227	28.5	1.24	1975	32	1.19	6.7	24.5
E147367	77.5	78		0.06	6.08	9.7	390	1.96	0.19	1.48	<0.02	78.5	116.5	57	3.02	27.5	11.9	15.95	0.2	1.9	0.041	2.88	51.2	34	0.84	1320	27.2	1.19	5.7	15.4
E147368	78	78.5		0.05	5.82	9.3	540	1.82	0.12	1.87	<0.02	67.6	90.3	42	2.48	22.2	10.95	13.75	0.18	1.7	0.031	2.32	46.1	29.9	0.91	1550	23	1.1	5	12.3
E147369	78.5	79		0.06	8.3	11.4	530	1.84	0.06	2.09	0.02	59.6	105.5	46	5.29	17.7	11.65	14.6	0.17	2.1	0.035	2.86	39.1	51.6	1.78	1855	15.3	0.2	4.3	20.2
E147370	79	79.5		0.04	5.05	9.3	500	2.09	0.08	1.16	<0.02	108	68.7	32	4.25	38.3	11.2	14.7	0.2	1.6	0.03	2.07	68.4	48.6	1.31	1075	11.7	0.11	6.9	15.7
E147371			BLANK	0.02	0.31	<5	160	0.15	<0.01	21	0.13	5.9	2.5	7	0.15	6.3	0.27	0.96	<0.05	0.1	0.006	0.06	2.7	4.5	11.45	250	0.4	0.02	0.5	4.7
E147372	79.5	80		0.04	6.45	17.8	330	2.67	0.41	0.66	<0.02	50.3	97.3	56	5.75	83.6	8.18	16.7	0.15	1.9	0.031	2.96	28	42.6	0.84	408	10.85	0.25	7.7	16
E147373	80	80.5		0.03	7.02	14.6	530	2.84	0.22	1.28	<0.02	83.1	75.6	47	4.26	36.5	9.91	18.05	0.18	2.1	0.04	3.26	46.5	40.1	1.03	993	19.3	0.41	8.5	12.2
E147374	80.5	81		0.05	7.36	26.2	400	3.57	0.73	0.45	<0.02	26.1	96.6	59	4.18	71	7.43	22.4	0.14	2.2	0.054	3.8	13	45.7	0.8	287	11.25	0.07	8.9	12.5
E147375	81	81.5		0.89	7.37	42.3	490	3.81	2.46	0.79	<0.02	33.3	257	51	4.16	76.2	9.73	22.3	0.16	2.3	0.053	3.81	13	63.4	1.31	594	107	0.05	10	25.6
E147376	81.5	82		0.64	6.52	28.9	2170	2.87	3.77	1.03	<0.02	34.4	237	42	3.58	88.1	10.45	20.3	0.17	2	0.055	3.01	12.4	50.5	1.16	846	118	0.04	8.7	24.6
E147377	82	82.5		1.66	5.98	8.1	610	1.36	0.4	2.62	0.04	27.7	82.3	51	2.02	154	6.82	17.95	0.26	2.1	0.041	2.04	17.6	19.1	1.17	2220	15.55	1.85	6.8	12.7
E147378	82.5	83		0.01	5.32	5.3	930	1.55	0.06	2.23	<0.02	39.1	56.1	40	2.54	20.3	9.06	14	0.15	1.8	0.024	2.19	26.7	33.2	1.46	1840	10.95	0.74	7.1	15.5
E147379	83	83.5		0.05	4.8	7.4	490	2.07	0.18	1.81	<0.02	39.3	56.4	52	1.9	587	6.75	14	0.12	1.6	0.035	2.44	22.2	28.1	0.96	1515	13.55	0.3	7.8	10.7
E147380	83.5	84		0.97	4.74	26.1	180	2.15	1.52	0.7	0.02	16.65	134.5	34	3.28	1645	7.34	12.15	0.14	1.6	0.033	2.03	3.7	25	0.61	509	117	0.38	7	19.9
E147381			BLANK	0.02	0.31	<5	310	0.12	<0.01	20.8	0.14	5.74	2.4	7	0.13	7.5	0.28	0.9	<0.05	0.1	0.006	0.06	2.5	4.6	11.15	242	0.48	0.02	0.5	4.6
E147382			STANDARD 3	0.29	6.77	57.2	210	2.73	1.6	2	<0.02	111.5	110.5	42	6.45	1590	7.36	20	0.19	2.1	0.139	2.86	55.1	25.7	1.32	3360	19.75	0.57	3.4	24

IG-2007-11

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E147192	44.7	45.2		2640	2.4	44.4	0.007	0.39	1.67	7.5	3	15.2	907	0.18	0.54	9.1	0.088	0.12	58.2	62	13.1	16.7	47	45.6		0.013	
E147193	45.2	45.7		730	38.8	7.4	0.016	1.9	1.87	5.2	4	4.3	1200	0.08	0.18	2.2	0.022	0.09	340	25	12.5	14.6	22	13.9	1.89	0.053	
E147194	45.7	46.2		600	144.5	3.8	0.011	0.9	4.29	2.3	2	2.6	1660	0.06	0.11	2.3	0.021	0.08	341	21	15.1	18	37	13.7		0.029	
E147195	46.2	46.7		420	35.4	1.7	0.005	1.03	1.88	1.8	2	1.8	1540	0.07	0.14	1.4	0.014	0.04	382	17	11.4	7.3	17	9.9		0.029	
E147196	46.7	47.2																									
E147197	47.2	48.1		220	265	1.9	0.01	2.55	11.4	1.1	3	1.7	812	0.07	0.3	0.5	0.019	0.10	2500	11	38.9	23.9	18	9.9	2.46	0.078	
E147198	48.1	48.6		380	252	30.9	0.02	1.42	12.85	5.8	6	2.4	403	0.13	0.26	7	0.05	0.22	700	29	30.7	38.8	42	33.8	2.43	0.086	
E147199	48.6	49.1		360	8.2	31.6	0.01	0.58	1.64	5.1	2	1.2	229	0.12	0.1	7.9	0.044	0.11	74.1	26	5.6	13.5	40	33.3		0.015	
E147200	49.1	49.6		460	3	78.8	0.007	0.58	1.5	7.5	2	2.5	370	0.13	0.09	9	0.065	0.19	36.7	44	7.1	10.4	30	42.3		0.011	
E147251			BLANK	400	2.2	1.5	0.003	0.03	0.46	1.4	2	<0.2	111.5	<0.05	0.08	0.5	0.014	<0.02	0.7	4	0.4	3.6	11	3.4		0.001	
E147252			STANDARD 2	2410	5.7	35.8	0.019	0.83	2.24	4.1	6	7.7	175.5	0.12	1.09	5.9	0.035	0.46	16.3	62	6.7	14.7	10	22.9		0.115	
E147253	49.6	50.1		550	3	80.3	0.005	0.41	1.76	7.8	2	2.4	421	0.16	0.05	13.3	0.08	0.21	48.6	42	9.1	12	37	48.2		0.006	
E147254	50.1	50.6		580	11.2	34.4	0.009	1.71	3.32	8.4	3	3.7	182.5	0.19	0.12	10.5	0.072	0.14	150	52	12.2	14.2	62	51.1	1.995	0.017	
E147255	50.6	51.1		1020	32.1	21.6	0.025	2.5	4.1	6.3	3	5.7	227	0.25	0.15	7.8	0.073	0.18	429	50	15	17.7	53	38.7	3.03	0.028	
E147256	51.1	51.6		1040	102.5	16.8	0.039	4.23	7.22	5.4	4	5.6	177.5	0.22	0.29	8.4	0.064	0.28	2140	45	22.4	25.6	49	40	5.01	0.067	
E147257	51.6	52.1		710	48.8	52.7	0.045	3.21	4.16	8.4	3	5	201	0.21	0.3	11.1	0.061	0.47	490	52	14.6	22.2	45	52.9	4.1	0.07	
E147258	52.1	52.6		840	10.9	81.7	0.013	0.55	1.89	9.1	2	6.2	409	0.22	0.11	10.1	0.094	0.41	146.5	59	12.9	16.8	51	54.8		0.013	
E147259	52.6	53.1		580	7.7	61.8	0.046	1.04	1.94	7.9	2	4.6	258	0.23	0.11	8	0.089	0.3	316	50	10.9	19.5	34	43.4		0.013	
E147260	53.1	53.6		660	3.2	144	0.017	0.72	2.14	19.1	3	4.3	146	0.19	0.06	7.5	0.123	0.58	77.7	136	10.1	18.6	16	57.3		0.009	
E147261			BLANK	380	1.5	1.5	<0.002	0.04	0.38	1.5	2	<0.2	108.5	<0.05	0.05	0.4	0.016	<0.02	0.8	5	0.4	3.5	10	3.7		0.003	
E147262	53.6	54.5		1090	5.6	95.2	0.046	1.76	1.93	9.8	3	6.1	297	0.22	0.23	10.3	0.065	0.42	48.2	68	7.1	19.1	20	50.8		0.011	
E147263	54.5	55		810	2.2	136.5	0.006	0.32	2.42	11.6	2	7.5	139.5	0.55	0.16	13.8	0.224	0.38	28.9	84	22.5	16.7	6	59.3		0.004	0.92
E147264	55	55.5		810	2.1	159	0.004	0.13	2.89	10.4	2	8.6	69.3	0.76	0.39	16.8	0.253	0.39	19.5	88	25.3	11.6	4	61.5		0.014	
E147265	55.5	56		1060	2.3	154	0.007	0.16	2.78	11.7	2	9.5	76.4	0.53	0.13	16.7	0.251	0.44	31.7	74	21.8	16.1	10	78.7		0.007	
E147266	56	56.5		2150	2.4	109.5	0.004	0.15	2.8	16.1	3	11.3	53.6	0.52	0.62	11.7	0.178	0.26	25.1	82	19.4	16.6	5	55.2		0.014	
E147267	56.5	57		1190	2.1	147	0.004	0.17	1.89	10.7	2	8.7	75.3	0.35	0.2	15.8	0.208	0.36	21	68	12.7	13.4	8	67.3		0.008	0.57
E147268	57	57.5		800	1.6	187	0.004	0.14	1.49	11.4	2	6.7	48.9	0.36	0.09	16.8	0.236	0.42	19	75	14.8	12	3	81.2		0.006	
E147269	57.5	58		720	1.8	180	0.005	0.27	1.14	11.4	2	6.2	258	0.2	<0.05	15.9	0.207	0.36	20.1	71	12.2	11.8	3	65.5		0.003	2.12
E147270	58	58.5		700	1.8	161.5	0.005	0.22	1.27	15.1	2	5.1	126.5	0.27	<0.05	14.7	0.208	0.36	23	71	16.7	14.2	5	89.9		0.004	0.71
E147271			BLANK	380	1.6	2.3	<0.002	0.03	0.6	1.4	2	0.2	104.5	<0.05	0.1	0.5	0.016	<0.02	0.1	4	0.5	3.5	11	4.1		0.002	
E147272			STANDARD 3	770	2.3	131	0.007	1.3	1.13	10.7	3	8	463	0.13	0.19	13	0.106	0.36	18.2	66	7.8	11.3	5	59		0.022	
E147273	58.5	59		680	1.7	137.5	0.004	0.15	1.18	12.3	2	4.6	49.4	0.29	0.07	16.2	0.201	0.35	24.9	67	19	15.1	5	84.8		0.006	
E147274	59	59.5		870	3.7	142	<0.002	0.34	2.16	15.8	3	8.2	68.9	0.61	0.13	17.8	0.21	0.32	38.3	67	16.2	15.9	7	75		0.008	
E147275	59.5	60		880	4.7	107	<0.002	0.16	2.82	14.1	2	5.6	72.5	0.52	0.08	15.2	0.176	0.28	63.6	67	18.6	15.4	13	78.5		0.008	
E147276	60	60.5		650	5.1	90.4	<0.002	0.03	2.27	8.2	3	2.5	34.2	0.39	<0.05	16.3	0.168	0.21	82.6	43	11.6	17.1	13	76.3		0.005	
E147277	60.5	61		750	5.9	116.5	<0.002	0.06	2.39	12.9	3	5	36.2	0.37	0.06	26.3	0.186	0.36	96.4	56	10.4	20.5	11	78		0.011	
E147278	61	61.5		880	5.3	109	<0.002	0.09	2.44	12	2	4.2	39.3	0.28	0.07	16.6	0.16	0.3	115.25	54	10.2	17.7	14	73.5		0.01	
E147279	61.5	62		960	4.2	113.5	0.004	0.49	2.54	17.4	3	6.8	38	0.29	0.07	19	0.201	0.29	124	77	11.6	14.5	30	83.3		0.005	
E147280	62	62.5		750	3.3	125	0.011	0.5	2.21	19.6	5	6.9	77.2	0.4	0.16	17.1	0.178	0.32	93.3	66	10	13.8	23	74.9		0.153	
E147281			BLANK	390	2.6	1.6	<0.002	0.02	0.45	1.4	3	0.2	116.5	<0.05	<0.05	0.4	0.014	<0.02	0.3	3	0.5	3.6	13	3.6		0.002	
E147282	62.5	63		810	6.2	121	0.056	0.23	2.59	14.1	4	8.7	54	0.61	0.15	17.1	0.203	0.28	186.5	67	20.7	16.7	21	86.3		0.02	
E147283	63	63.5		1090	7.3	110.5	0.059	0.28	1.87	10.9	4	7.5	103.5	0.54	0.27	13	0.185	0.22	139	57	21	16.7	13	67.7		0.024	0.57
E147284	63.5	64		630	20	87.4	0.191	0.54	2.29	8.9	7	5.7	247	0.47	0.98	12.2	0.16	0.6	560	44	20.1	20.6	21	85.4		0.301	
E147285	64	64.5		730	3.3	102	<0.002	0.29	1.53	8.3	3	7.3	437	0.5	0.16	10	0.187	0.22	39.9	51	18.5	13.3	11	66.1		0.014	
E147286	64.5	65		870	4.8	123.5	0.103	0.43	1.33	14.8	4	8.7	84.8	0.55	0.12	17	0.196	0.28	116.5	62	21	16.6	13	79.6		0.009	
E147287	65	65.5		1190	5.2	128.5	0.024	0.28	2.19	10.5	3	11.3	149	0.55	0.28	15.5	0.19	0.32	53.3	66	24.7	21.9	10	73		0.017	0.85
E147288	65.5	66		1200	2.6	85.9	0.008	0.15	2.7	8.3	3	12.2	213	0.45	0.2	10.2	0.126	0.19	21.3	53	26.5	15.7	8	45.6		0.007	
E147289	66	66.5		1410	2.2	120	0.008	0.27	2.15	11	3	11.4	147	0.57	0.16	12.8	0.177	0.2	14.9	68	19.1	16	7	53.7		0.007	1.12
E147290	66.5	67		850	2.1	134	0.007	0.47	1.49	10.4	4	9.2	112	0.34	0.12	12.6	0.165	0.21	15.5	63	18.8	14.7	3	56		0.008	
E147291			BLANK	390	1.8	1.7	<0.002	0.03	0.4	1.3	3	0.2	112	<0.05	<0.05	0.4	0.015	<0.02	0.2	3	0.6	3.7	12	3.9		<0.001	
E147292			STANDARD 1	790	22.3	76.3	0.02	2.05	1.83	10.4	4	8.3	557	0.23	0.29	9.5	0.084	0.42	283	50	8.9	16	16	56.9		0.053	
E147293	67	67.5		690	1.7	129.5	<0.002	0.28	1.31	10.1	2	8	298	0.27	0.18	10.6	0.155	0.2	11.8	57	18.1	13.4	3	53.9		0.006	2.71
E147294	67.5	68		970	2.1	136	<0.002	0.32	1.89	11.2	4	9.1	229	0.35	1.82	12.8	0.186	0.22	14.2	58	20.1	16	6	57.9		0.057	
E147295	68	68.5		520	1.7	86.8	<0.002	0.23	1.42	7.5	2	5.1	145	0.27	<0.05	9.9	0.136	0.13	12.8	40	12.3	13.1	7	49.9		0.003	0.71
E147296	68.5	69		730	1.8	92.3	<0.002	0.21	2.05	8.8	2	7	132.5	0.52	0.11	10.3	0.134	0.14	10.5	51	14.2	15.4	5	54.2		0.002	0.85
E147297	69	69.5		900	2.6	144	0.005	0.2	1.64	13.4	3	10.5	71.6	0.45	0.13	17	0.215	0.35	38.8	89	21.8	16.9	7	72.5		0.008	
E147298	69.5	70		790	2.8	151.5	0.008	0.32	1.32	15.7	3	11.8	116	0.35	0.18	15.7	0.195	0.35	53.2	89	22.1	13.9	8	77.6		0.007	0.7
E147299	70	70.5		680	1.7	152.5	<0.002	0.22	1.1	16.3	2	7.7	110.5	0.37	<0.05	14.4	0.208	0.32	21.1	75	15.6	15.7	6	71.2		0.003	0.6
E147300	70.5	71		610	1.8	131.5	<0.002	0.16	1.14	15.8	2	7.1	49.5	0.31	<0.05	16.4	0.22	0.31	29.9	76	15.2	16.6	10	70.1		0.001	
E147351			BLANK	400	1.5	1.6	<0.002	0.03	0.36	1.2	3	0.2	110.5	<0.05	<0.05	0.4	0.015	<0.02	0.2	3	0.5	3.6	11	3.4		<0.001	
E147352	71	71.5		710	2.1	145	<0.002	0.06	1.15	15.6	2	7.3	45.1	0.53	<0.05	18.9	0.227	0.34	29.8	87	15.3	14.2	13	75.7		<0.001	
E147353	71.5	72		690	1.8	132.5	<0.002	0.13	1.19	14.5	2	8.3	93.8	0.35	<0.05	16.2	0.21	0.39	20.8	87	13.2	17.2	7	72.1		0.011	
E147354	72	72.5		610	1.8	119	<0.002	0.09	1.43	13.2	3	5.6	77.5	0.43	<0.05	13.4	0.2	0.32	13.4	59	11.4	15.4	5	65.3		0.003	
E147355	72.5	73		580	1.8	120	<0.002	0.29	1.1	12.3	2	4.8	250	0.42	<0.05	11.7	0.185	0.29	8.3	56	8.8	14.9	5	56.5		0.004	1.33
E147356	73	73.5		630	1.9	128	<0.002	0.29	1.14	12.2	3	5.3	295	0.39	<0.05	13.1	0.181	0.32	8.7	58	10.8	16.7	6	58.6		0.002	1.52
E147357	73.5	74		710	1.8	114.5	<0.002	0.23	1.22	9.4	2	5.2	764	0.33	<0.05	12.4	0.178	0.32	8.1	55	10.2	11.3	8	63		<0.001	
E147358	74	74.5		1120	2.3	39.4	0.005	0.39	1.24	5.7	3	3.7	1275	0.16	0.06	6.2	0.076	0.11	22	39	8.6	10.7	17	32.7		0.009	
E147359	74.5	75		980	2.4	15.8	0.006	0.48	1.04	5.6	3	4.6	1500	0.13	0.1	6.4	0.061	0.06	30.2	35	8	12.6	15	28.1		0.004	
E147360	75	75.5		930	2.1	78.6	0.005	0.53	2.19	22.3	1	19.3	1235	0.16	0.1	6.1	0.221	0.24	4.9	121	13.9	11.9	14	48.1		0.001	
E147361			BLANK	420	2.2	2.1	<0.002	0.05	0.39	1.4	1	0.2	132	<0.05	<0.05	0.5	0.016	<0.02	0.4	5	0.6	4	11	4.1		<0.001	
E147362			STANDARD 2	2620	6.9	38.8	0.019	7.72	2.3	4.8	5	7.9	151	0.12	1.34	6.6	0.032	0.56	16.7	68	6.6	16.9	9	25.8		0.118	
E147363	75.5	76		930	1.9	120	0.003	0.9	1.5	27.2	2	21.5	509	0.19	0.14	4.2	0.358	0.35	9.1	227	13.7	12.7	12	73.5		0.003	
E147364	76	76.5		710	2.4	160	0.004	0.93	1.45	34.3	2	27.7	150	0.13	0.16	7.9	0.426	0.39	39.8	294	18.6	14.2	8	78.6		0.003	
E147365	76.5	77		890	2	152.5	0.008	0.83	1.5	41.8	2	27.8	184	0.15	0.24	3.8	0.365	0.36	17.4	246	15.4	12.4	6	67.8		0.002	
E147366	77	77.5		1710	2.1	65	0.012	0.16	1.49	20	1	13.7	290	0.29	0.08	13.6	0.167	0.19	15.8	113	12.1	16.4	16	57.2		0.002	
E147367	77.5	78		970	2.2	99.4	0.008	0.83	1.82	27.8	2	19.3	243	0.27	0.13	6.8	0.291	0.26	5.9	159	12.8	11	9	62.1		0.002	
E147368	78	78.5		990	2	83.8	0.005	0.67	1.68	21.8	2	16	298	0.26	0.11	7.6	0.238	0.24	5.2	131	11.2	9.7	9	55.5		0.003	
E147369	78.5	79		1060	2.1	98.4	0.003	0.75	1.05	17.7	2	11.1	558	0.38	0.08	12.1	0.199	0.33	9.2	94	7.2	11.5	22	89.4		0.002	
E147370	79	79.5		1200	2.9	82.1	0.004	0.53	1.27	13.1	1	13.3	806	0.44	0.08	13	0.159	0.25	12.2	65	9.6	9.9	20	51.3		0.001	
E147371			BLANK	440	2	2.1	<0.002	0.04	0.52	1.4	1	0.2	123	<0.05	<0.05	0.5	0.014	<0.02	0.3	4	0.5	4.1	11	3.9		<0.001	
E147372	79.5	80		1070	3.3	118.5	0.004	1	1.2	13.1	1	15.7	983	0.52	0.25	13	0.208	0.37	18.6	72	10.7	9.8	13	83.3		0.003	
E147373	80	80.5		1110	3.3	127.5	0.006	0.75	1.08	15.8	1	16.9	1120	0.59	0.14	14.9	0.236	0.35	17.4	83	11.5	11	11	88.2		0.002	
E147374	80.5	81		930	1.9	152.5	0.005	0.95	1.25	20.1	1	22.2	704	0.57	0.19	11.9	0.236	0.4	12.1	77	12.3	9.3	9	69		0.003	
E147375	81	81.5		1130	57.5	130	0.039	2.36	1.8	20.9	3	20.5	362	0.61	0.42	19.7	0.218	0.41	620	77	14.5	19.4	29	73.2		0.018	
E147376	81.5	82		1060	75.2	122	0.024	2.29	1.94	23.8	3	19.3	460	0.47	0.37	26.2	0.207	0.37	750	73	12.9	21.4	25	64.1		0.019	
E147377	82	82.5		640	3.3	68.3	0.007	0.5	1.02	15.5	1	12.1	747	0.61	0.15	8.1	0.214	0.27	18.4	64	8.8	8.9	8	62.2		0.001	
E147378	82.5	83		770	2.9	71.4	0.003	0.39	0.84	28.3	1	13.5	689	0.42	0.06	15.6	0.178	0.2	11.1	65	7.7	9.6	20	58.4		<0.001	
E147379	83	83.5		650	2.6	88.3	0.003	0.49	1.19	18.1	1	17.5	1145	0.44	0.07	12.2	0.194	0.18	7.1	83	9.7	7.5	9	51		0.002	
E147380	83.5	84		780	32.8	78.9	0.028	1.13	1.99	11	3	12.3	1160	0.42	0.33	6.2	0.155	0.31	570	47	15.7	15.4	6	50.8		0.032	
E147381			BLANK	430	2.5	1.9	<0.002	0.04	0.37	1.3	1	0.2	123	<0.05	<0.05	0.5	0.014	<0.02	0.8	5	0.5	3.9	11	3.7		0.001	
E147382			STANDARD 3	780	3.1	132	0.007	1.27	1.21	12.2	2	8.2	450	0.21	0.23	16.3	0.112	0.41	17.6	66	8.8	12.6	6	68		0.016	

IG-2007-11

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	%	ppm	ppm
E147383	84	84.5		0.04	3.44	23	240	1	1.39	2.22	<0.02	24.1	124.5	18	1.24	472	6.22	6.75	0.13	1.3	0.038	0.9	5.5	10.3	0.83	1860	106	1.33	5.2	13.4
E147384	84.5	85		0.04	6.19	6.1	330	2.03	0.05	2.2	<0.02	75.6	93.4	41	2.41	90.9	8.49	14.6	0.15	2.2	0.043	2.07	47.8	20.8	0.9	1970	9.09	1.88	7.3	10.3
E147385	85	85.5		0.02	4.61	13.7	440	1.63	0.06	1.76	<0.02	98.6	59	26	1.72	233	9.22	11.7	0.18	1.7	0.035	1.73	55.5	16.6	0.68	1440	13.45	1.19	8.4	9.1
E147386	85.5	86		0.02	3.83	12.1	330	1.68	0.03	1.74	<0.02	159	64.5	19	1.37	37.9	9.8	11.35	0.2	1.2	0.032	1.86	84.5	16.4	0.72	1875	15.05	0.35	9.4	12.3
E147387	86	86.5		0.07	5.54	7.7	670	2.56	0.08	2.58	<0.02	54.5	67	39	2.43	234	9.41	15.95	0.17	1.9	0.049	2.43	36.4	25.6	1	2700	10.15	0.71	10.5	13.4
E147388	86.5	87		0.04	4.43	9.7	470	1.92	0.06	2.96	<0.02	53.2	62.1	24	1.96	531	9.64	12.1	0.15	1.6	0.048	1.94	34.5	21.4	1.21	3480	9.01	0.67	9.2	11.5
E147389	87	87.5		0.07	5.5	10.4	1300	2.28	0.03	3.12	<0.02	86	55.9	30	2.65	26.1	10.8	15.5	0.17	1.9	0.061	2.51	58.4	32.1	1.35	3180	9.12	0.4	11	13.9
E147390	87.5	88		0.16	4.85	10.1	520	2.06	0.05	3.32	<0.02	67.6	70.6	36	1.86	58.1	9.69	13.2	0.18	1.7	0.054	1.97	44	20.5	1.09	3410	11.7	1.03	9.2	11.1
E147391			BLANK	0.02	0.3	<5	320	0.1	<0.01	20.3	0.12	5.67	2.3	7	0.13	7	0.27	0.89	<0.05	0.1	0.005	0.05	2.5	4.4	11.05	244	0.33	0.02	0.5	4.5
E147392	88	88.5		0.03	5.75	5.9	2320	2.91	0.03	3.72	<0.02	80.4	49.7	36	2.11	20.8	9.13	17.1	0.17	1.9	0.07	2.49	42	27.6	1.38	3910	7.74	0.97	10.1	10.7
E147393	88.5	89		0.06	5.75	9.6	1340	2.91	0.03	2.96	<0.02	294	61.6	42	2.17	41.4	8.96	18.75	0.28	2.1	0.068	2.8	199.5	30.6	1.1	3220	8.09	0.73	9.8	12.3
E147394	89	89.5		0.07	6.84	9.8	420	2.24	0.05	2.74	<0.02	490	105.5	36	2.83	502	9.98	18.95	0.45	2.3	0.063	2.59	375	27.4	1.24	3850	20.7	1.5	6.9	19.4
E147395	89.5	90		0.18	4.87	21.4	150	0.95	0.22	2.95	<0.02	39.8	145.5	33	0.71	1130	10.2	9.13	0.16	1.6	0.035	1.2	22.1	10.5	0.95	4670	52.2	2	3.3	22.3
E147396	90	90.5		0.35	4.68	10.1	120	0.44	0.18	5.17	<0.02	74.9	127.5	17	0.32	3540	12.7	6.83	0.26	1.5	0.055	0.65	51.1	6.8	1.46	7810	20.8	2.69	2	33.5
E147397	90.5	91		0.22	5.48	8.5	230	1.3	0.17	4.29	<0.02	380	86	28	1.33	2320	10.6	14.9	0.37	1.6	0.059	2.05	229	18.7	1.51	4970	18.35	1.36	5.3	22.8
E147398	91	91.5		0.18	5.45	6.2	230	0.92	0.12	4.44	<0.02	187	80.8	20	0.9	2960	11.6	12	0.25	1.8	0.057	1.21	132.5	12.8	1.47	6800	10.5	2.44	3.5	23
E147399	91.5	92		0.2	5.9	9.6	250	1.43	0.13	4.09	<0.02	257	81.2	26	1.3	1905	10.6	15.5	0.31	1.8	0.063	2.13	173	18.7	1.43	4800	23.6	1.49	5.9	20.6
E147400	92	92.5		0.07	6.6	10	700	2.35	0.12	0.7	<0.02	189	56.2	45	2.51	169	8.91	19.55	0.25	2.3	0.044	2.95	137	26.1	0.44	545	28.3	0.84	8.3	14.7
E384501			BLANK	0.16	0.33	6	30	0.09	0.04	20.4	0.15	4.45	1.9	8	0.18	15.9	0.28	0.84	0.11	0.1	0.01	0.05	2.3	4	11.1	229	0.26	0.02	0.5	6.1
E384502			STANDARD 1	1.16	6.04	77.7	50	2.1	2.97	2.12	<0.02	64.1	173.5	35	3.87	8150	10.5	15.4	0.22	1.9	0.144	2.27	26	26.9	1.31	3990	68.8	0.93	2.5	39.1
E384503	92.5	93		0.11	5.6	9.3	280	2.62	0.22	0.46	<0.02	63.4	55.6	36	2.29	1010	8.7	15.7	0.24	1.9	0.067	2.56	49	22.2	0.37	311	24.3	0.65	8	15
E384504	93	93.5		0.13	3.78	11.4	450	1.33	0.12	2	<0.02	136	22	22	1.4	823	10.8	10.85	0.27	1.3	0.035	1.39	81.2	18.2	0.85	1835	35	0.75	7.6	20.4
E384505	93.5	94		0.14	4.2	14.5	340	1.13	0.14	2.62	<0.02	167.5	39.1	22	1.35	784	10.75	10.75	0.34	1.5	0.038	1.25	111	13.9	1.07	2570	29	1.33	8.2	15.9
E384506	94	94.5		0.1	5.56	8.2	540	2.21	0.16	0.34	<0.02	109.5	36.5	42	2.32	85.1	8.39	15.2	0.25	2.2	0.037	2.37	72.5	21.1	0.36	491	39.5	0.9	8.8	14.2
E384507	94.5	95		0.08	6.29	12.8	230	2.84	0.13	0.28	<0.02	198.5	90	41	2.92	24.8	9.23	19.4	0.38	2.4	0.033	2.9	119	25.4	0.31	50	24.9	0.79	10.4	17.9
E384508	95	95.5		0.07	6.69	15.7	160	2.79	0.12	0.34	<0.02	114.5	122	54	2.72	11.5	10.95	18.65	0.35	2.5	0.039	2.88	67.8	25.8	0.32	74	23.1	1.06	10.3	16.8
E384509	95.5	96		0.08	10.2	13.7	260	5.02	0.13	0.21	<0.02	12.35	189	80	5.18	55.8	12.75	32.1	0.29	4.2	0.075	4.97	7.1	49.2	0.52	39	1.48	1.02	14.1	30.4
E384510	96	96.5		0.05	8.12	11.2	160	3.59	0.13	0.2	<0.02	19.7	175	61	3.97	74.5	10.55	22.9	0.3	3.2	0.052	3.37	12.1	34	0.41	54	3.15	1.49	9.7	27.4
E384511			BLANK	0.1	0.37	13	180	0.11	0.02	21.2	0.13	4.47	2.4	9	0.17	4.6	0.31	0.93	0.12	0.2	0.009	0.07	2.5	4.3	11.45	236	0.29	0.02	0.4	7.9
E384512	96.5	97		0.07	4.87	5.3	230	1.25	0.07	0.36	<0.02	61.1	80.3	43	2.18	277	7.82	10.75	0.19	1.9	0.024	1.52	30.8	14	0.28	224	3.52	1.49	4.4	12
E384513	97	97.5		0.09	5.96	4.8	210	0.98	0.1	0.4	<0.02	29.9	79.5	35	1.31	581	7.72	10.2	0.19	2.4	0.014	1.16	16.4	8.4	0.2	224	1.71	2.89	3.9	7.8
E384514	97.5	98		0.1	6	5.2	350	1.71	0.12	1.96	<0.02	280	51.5	48	2.04	312	8.67	15.35	0.4	2.3	0.035	1.75	201	19.3	0.83	1900	9.12	1.95	5.5	13
E384515	98	98.5		0.21	7.18	6.8	340	3	0.2	1.07	<0.02	296	76.8	53	4.35	49	11.2	23.7	0.42	2.9	0.062	2.95	209	54.5	1.14	1075	25.6	0.65	8	24.4
E384516	98.5	99		0.19	7.53	9	220	2.24	0.3	0.96	<0.02	36.2	148.5	48	4.58	1440	11.9	18.85	0.28	2.6	0.036	2.09	24.3	53.7	1.2	1050	12.8	1.93	5.8	29.9
E384517	99	99.5		0.14	6.23	12.7	180	2.79	0.21	2.11	<0.02	123	114	34	4.99	36.9	13.7	17	0.32	2.1	0.045	2.58	89.5	49.7	1.61	2130	43.7	0.22	8.7	29.9
E384518	99.5	100		0.08	5.36	9.4	1000	2.29	0.09	2.14	<0.02	150	26.8	32	1.95	28.5	11.5	14.4	0.3	1.7	0.041	2.17	118	30	1.19	1935	27.8	0.63	9.4	17.1
E384519	100	100.5		0.11	4.19	9.7	710	1.52	0.1	1.99	<0.02	173.5	27.3	23	1.23	518	11.55	11.85	0.33	1.5	0.027	1.52	132	21.4	0.95	1995	23.6	0.79	7.7	19.5
E384520	100.5	101		0.48	2.38	12.1	210	0.85	0.28	0.7	<0.02	108.5	78.1	25	0.92	2710	15.8	7.97	0.31	1	0.059	0.73	86.2	17.4	0.78	2700	88.1	0.36	4.5	38.2
E384521			BLANK	0.21	0.33	<5	460	0.1	0.02	20.2	0.14	5.36	2.2	8	0.16	12.9	0.32	0.89	0.08	0.1	0.011	0.05	3.1	4.2	11.05	234	0.87	0.02	0.5	7.6
E384522			STANDARD 2	1.24	2.37	126.5	20	0.77	10.4	2.25	<0.02	191	330	13	2.63	9420	27.6	10.45	0.51	0.8	0.258	0.69	117.5	22.9	1.56	6070	63.8	0.23	5.3	65.7
E384523	101	101.5		0.37	2.14	6.8	230	0.49	0.32	3.85	<0.02	152.5	34.1	13	0.41	5400	18.35	7.4	0.35	0.7	0.076	0.3	104.5	11.7	2.16	6180	42.7	0.84	3	38
E384524	101.5	102		0.44	1.71	5.5	240	0.37	0.23	2.26	<0.02	161.5	26.6	9	0.21	5420	17.85	6.34	0.33	0.6	0.073	0.18	107.5	8	1.55	6390	33.4	0.72	2	36.3
E384525	102	102.5		0.15	3.96	11.9	300	1.25	0.13	0.94	<0.02	97.1	68.1	30	1.19	855	15.2	10	0.26	1.2	0.061	1.4	60.5	14.5	0.98	4070	34.7	0.77	5.2	24.7
E384526	102.5	103		0.21	2.92	11.5	300	1.16	0.19	1.88	<0.02	174.5	53.6	23	0.83	1710	16.2	9.19	0.32	0.9	0.036	1.01	109.5	13.9	1.06	2920	39.9	0.49	4.3	30.3
E384527	103	103.5		0.09	8.24	9.3	330	4.3	0.14	0.23	<0.02	23.7	150	85	4.09	47	13.6	24.3	0.24	2.2	0.059	4.4	17.3	36.3	0.53	343	18.15	0.17	8.4	24.7
E384528	103.5	104		0.1	6.91	9.3	510	3.56	0.14	0.8	<0.02	36.4	75.4	74	2.87	195	15.55	18.4	0.26	2.1	0.051	3.47	28.5	29.3	0.62	968	30.3	0.3	8.7	19.1
E384529	104	104.5		0.14	2.22	7	480	0.84	0.09	1.64	<0.02	145	22	12	0.46	1190	14.9	5.89	0.28	0.8	0.017	0.68	104	12.8	0.9	2780	39	0.34	3.5	24.3
E384530	104.5	105		0.06	3.51	10	1460	1.4	0.06	2.03	<0.02	128.5	23.4	26	1.16	59.1	16.7	8.51	0.27	1	0.033	1.32	106.5	20.5	1.06	2610	42	0.36	6.6	21.3
E384531			BLANK	0.08	0.34	12	1040	0.11	0.01	20.9	0.13	5.54	2.1	7	0.16	8.4	0.4	0.89	0.07	0.1	0.007	0.06	3.3	4.2	11.3	252	0.8	0.02	0.5	7.3
E384532	105	105.5		0.12	2.53	8.3	620	1.03	0.07	1.44	<0.02	101	31.2	21	0.84	237	17.45	7.22	0.31	0.7	0.034	1.1	71.3	13.5	0.9	2860	37.2	0.09	4.7	23.4
E384533	105.5	106		0.1	3.39	8.7	1680	1.36	0.14	2.27	<0.02	127.5	20.4	21	1.63	47.6	16.15	9.21	0.25	1	0.049	1.42	105	19	1.3	3630	36.2	0.11	6.3	23.8
E384534	106	106.5		0.15	3.82	9.7	950	1.74	0.14	2.01	<0.02	121.5	35.7	31	2.2	272	17.2	10.15	0.28	1.2	0.045	1.72	82.5	20.9	1.21	3280	35.4	0.08	7.5	24.3
E384535	106.5	107		0.06	4.07	12.2	1450	1.85	0.09	1.89	<0.02	115	25.1	26	2.09	24.7	14.95	10.55	0.27	1.3	0.04	1.8	90.1	21.7	1.09	2470	32.1	0.13	8.1	20.4
E384536	107	107.5		0.06	4.2	14.3	1050	1.76	0.08	1.87	<0.02	99.2	23.1	28	1.68	91.8	14.15	10.05	0.24	1.4	0.039	1.94	74.1	17.8	1.02	2620	33.9	0.18	7.6	18.9
E384537	107.5	108		0.15	2.47	8.6	800	0.75	0.07	2.35	<0.02	191.5	17.3	15	0.82	109.5	14.3	6.14	0.25	0.7	0.027	0.86	141	12.4	1.22	3820	41.7	0.19	5	20.9
E384538	108	108.5		0.12	2.43	7.5	660	0.72	0.07	1.97	<0.02	164.5	26.3	23	0.72	320	14.7	6.82	0.26	0.8	0.023	0.82	118	13.2	1.06	3140	36	0.16	4.3	26.9
E384539	108.5	109		0.06	3.94	9.7	1270	1.41	0.06	2.09	<0.02	145.5	14.7	26	1.46	133.5	11.8	10.25	0.23	1.4	0.041	1.75	110.5	14.3	0.86	2930	29.8	0.16	8.7	14.8
E384540	109	109.5		0.06	3.38	10.8	1260	1.1	0.05	2.73	<0.02	318	13.8	25	1.21	51	12.7	9.3	0.32	1	0.046	1.57	237	11.9	1.09	3620	31.5	0.07	6	15.3
E384541			BLANK	0.02	0.29	6	290	0.08	0.02	18.7	0.16	5.09	1.8	8	0.16	3.3	0.26	0.71	<0.05	0.1	0.008	0.05	2.6	3.3	9.91	212	0.66	0.02	0.5	5.6
E384542			STANDARD 3	0.3	6.63	52.9	90	2.39	1.59	1.88	<0.02	74.5	97.7	41	6.15	1530	7	18.25	0.17	2.2	0.127	2.97	37.8	21.2	1.28	3020	21.6	0.6	3.2	26.1
E384543	109.5	110		0.12	5.17	27.2	100	1.49	0.37	1.23	<0.02	81	42.6	33	2.14	115	9.02	12.95	0.19	1.9	0.04	2.11	41.8	12	0.5	1345	9.77	1.08	6.6	12.1
E384544	110	110.5		0.08	6.25	15.7	160	1.98	0.36	0.58	<0.02	9.83	77.2	38	2.75	446	5.69	17.25	0.15	2.4	0.053	2.71	3.8	13.3	0.36	493	6.27	1.03	4.6	16.9
E384545	110.5	111		0.08	6.94	7.2	600	2.44	0.08	0.2	<0.02	17.7	59	34	3.4	529	5.56	19.2	0.14	2.5	0.057	3.06	8.4	15.8	0.25	92	3.54	1.06	5	12.9
E384546	119.4	119.9		0.09	5.76	7.5	1040	1.21	0.27	6.41	<0.02	16.35	57.3	28	1.89	818	8.64	11.5	0.14	2.1	0.099	1.66	7.8	11.1	2.72	9570	4.51	2.07	2.1	21.8
E384547	119.9	120.4		0.13	6.19	35.8	110	1.35	0.87	2.64	<0.02	4.92	229	39	2.6	1750	7.2	11.75	0.12	2.1	0.104	1.7	2.4	15.2	1.48	3980	6.05	2.16	2.1	30
E384548	120.4	121		0.38	7.13	10.7	190	3.16	2	1.6	<0.02	6.88	60.3	43	5.36	6400	7.91	21.5	0.18	2.5	0.136	3.57	2.8	16.6	1.1	2820	3.49	0.25	2.7	31
E384549	121	121.5		0.42	7.42	53.3	90	2.57	14.55	1.5	<0.02	26.6	175.5	49	8.76	1370	6.17	18.6	0.16	2.9	0.096	2.66	12.1	23.6	1.05	1815	54.4	1.55	2.4	37.7
E384550	121.5	122		0.13	7.67	29.3	150	1.72	1.33	0.28	<0.02	9.18	79.1	45	8.73	114	4.08	19.4	0.11	2.9	0.033	1.79	3.1	12.8	0.33	140	9.64	3.64	2	12.1
E384551			BLANK	0.01	0.32	<5	450	0.07	0.02	20.1	0.15	4.48	1.9	10	0.19	5.5	0.26	0.73	<0.05	0.1	<0.005	0.05	2.1	3.2	10.55	219	0.41	0.02	0.4	6.6
E384552	122	122.5		0.11	3.15	15.7	150	0.72	1.32	0.24	<0.02	19.75	49.1	21	2.01	80.8	4.44	9.17	0.1	1.3	0.074	0.57	4.4	6.4	0.55	2780	11.7	1.45	1.6	10.9
E384553	122.5	123		0.09	3.24	5.3	140	0.44	0.81	0.19	<0.02	60.9	80.9	15	0.43	400	5.97	7.77	0.18	1.3	0.136	0.3	20.2	3.6	0.79	5700	13.45	2.04	1.9	10.8
E384554	123	123.5		0.06	3.44	5.1	290	0.52	0.2	2.89	<0.02	32	37.7	28	1.08	17.6	10.35	8.55	0.17	1.5	0.13	0.46	14.4	19.5	2.05	4580	18.55	1.26	2.9	19.3
E384555	123.5	124		0.09	2.18	7.7	260	0.42	0.29	0.51	<0.02	26	33.6	16	0.85	124	11.8	8.57	0.2	1	0.042	0.54	11.1	12.4	0.81	1410	14	0.4	4.6	16.5
E384556	124	124.5		0.17	1.75	10	280	0.47	0.43	0.47	<0.02	27.9	21.5	16	0.87	102	8.41	4.72	0.14	0.7	0.042	0.41	10.7	8.7	0.53	2090	16.4	0.52	3.5	8.8
E384557	124.5	125		0.16	4.59	7.6	250	1.15	0.23	0.67	<0.02	278	60.4	30	1.93	1260	13.45	11.75	0.32	1.4	0.065	1.05	166.5	37.1	1.5	1960	35.5	0.57	6.1	24.7
E384558	125	125.5		0.83	5.18	7.8	80	1.54	0.99	1.6	<0.02	260	59.5	37	1.88	>10000	15.55	13.85	0.35	1.8	0.172	1.2	157	31.2	2.04	4680	73.7	0.98	8.6	25.8
E384559	125.5	126		0.58	4.27	11.8	80	0.58	0.74	2.07	<0.02	308	142.5	25	1.33	4880	15.6	9.44	0.35	1.5	0.096	0.3	194.5	33.5	2.22	3460	45.1	1.27	6.8	30.5
E384560	126	126.5		0.29	3.65	18.1	70	0.44	0.44	0.42	<0.02	246	185.5	29	1.52	1855	20.3	8.16	0.37	1.2	0.199	0.33	148	27.7	2.13	9070	38.2	0.79	5.7	32.2
E384561			BLANK	0.02	0.3	<5	60	0.08	0.02	20	0.14	5.12	1.9	9	0.16	9.9	0.26	0.71	<0.05	0.1	0.005	0.05	2.5	3.5	10.6	223	0.77	0.02	0.5	6.7
E384562			STANDARD 1	1.02	5.33	69.3	40	1.59	3.02	1.94	<0.02	59.2	155.5	33	3.43	7340	9.56	13.45	0.19	1.8	0.133	2.04	22.1	22.5	1.17	3310	63.9	0.9	2.8	37.8
E384563	126.5	127		0.74	2.68	65.9	30	0.45	1.05	2	<0.02	305	399	21	1.72	6220	22.3	7.51	0.42	0.9	0.128	0.18	200	31.2	2.36	4670	66.1	0.98	5.7	44.2
E384564	127	127.5		0.53	2.22	23.2	30	0.3	0.84	2.13	<0.02	126.5	184.5	10	0.69	4000	21.5	5.82	0.31	0.7	0.205	0.1	87.4	28.4	2.97	10050	45.3	0.02	4.3	37.7

IG-2007-11

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Ra	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E147383	84	84.5		570	38.9	35.1	0.015	0.95	2.09	5.9	2	4.5	1365	0.36	0.28	6.8	0.122	0.17	910	27	14.3	20	4	41.9		0.032	
E147384	84.5	85		770	2.3	83.1	0.004	0.64	0.88	13	2	11.8	821	0.49	0.09	12.7	0.197	0.22	12.4	47	10.2	9.9	4	70.2		0.003	
E147385	85	85.5		1230	2.6	71.4	0.005	0.45	1.52	8.5	2	11.4	1160	0.51	0.1	9.6	0.162	0.16	10.5	45	11.7	9.9	6	56.9		0.002	
E147386	85.5	86		1230	3	72.6	0.008	0.47	1.02	9.4	1	11.9	1310	0.46	0.11	8	0.123	0.19	13.6	50	11.9	9.9	4	37.7		0.002	
E147387	86	86.5		770	3.8	104	0.005	0.5	1.36	12.9	1	15.6	637	0.55	0.1	10.1	0.179	0.28	20.8	63	14.1	11	5	59.6		0.002	
E147388	86.5	87		990	3.4	75.8	0.004	0.47	1.4	9.4	1	12.1	838	0.53	0.1	10.5	0.161	0.2	14.9	57	11.6	11	5	51.6		0.002	
E147389	87	87.5		1080	5.3	99.4	0.004	0.36	1.59	11.7	1	15.5	465	0.6	0.12	12.3	0.198	0.27	29.6	72	14.8	13.9	9	58.8		0.003	
E147390	87.5	88		1000	5.6	77.9	0.005	0.49	1.78	10.5	2	13.1	386	0.58	0.13	12.3	0.183	0.2	24.6	59	14.3	11.9	4	53		0.005	
E147391			BLANK	420	1.7	1.9	<0.002	0.04	0.43	1.3	1	0.2	117.5	<0.05	<0.05	0.5	0.015	<0.02	0.4	4	0.5	3.8	11	3.9		<0.001	
E147392	88	88.5		790	2.6	104.5	0.005	0.35	1.47	13.8	1	15.5	211	0.6	0.08	13.6	0.216	0.21	12.5	67	14.4	12.3	4	58.5		0.004	
E147393	88.5	89		1000	4.8	115	0.003	0.41	1.35	14.2	2	16.1	254	0.59	0.13	18.6	0.219	0.24	19.9	70	15.5	15.9	5	65.2		0.004	
E147394	89	89.5		490	3.1	108	0.003	0.87	0.56	12.7	2	12.7	655	0.48	0.09	22.3	0.148	0.3	11.2	53	11.9	20.8	6	69.7		0.007	
E147395	89.5	90		500	5.6	44.7	0.004	1.13	0.61	8.5	2	4.8	722	0.28	0.49	8.2	0.084	0.15	49.7	35	6.5	12	6	52.7		0.033	
E147396	90	90.5		440	4.4	22.1	0.002	1.23	0.83	5.5	4	2.9	564	0.18	0.24	8.8	0.051	0.06	28	31	4.4	11.7	5	44.9		0.042	
E147397	90.5	91		560	14.1	83.1	0.003	0.85	0.59	9.1	3	10.5	1095	0.36	0.13	20.8	0.122	0.18	104.5	43	9.8	17	2	46.8		0.021	
E147398	91	91.5		470	3.8	47.8	<0.002	0.85	0.5	8.7	3	7.2	731	0.25	0.11	11	0.098	0.12	16.7	34	7.3	12.8	4	47.3		0.034	
E147399	91.5	92		640	8.3	89.6	0.003	0.78	0.55	9.2	3	11.1	1090	0.42	0.11	13.7	0.143	0.2	58.9	48	11.3	13.9	3	53.7		0.019	
E147400	92	92.5		1110	4.5	123.5	0.011	0.42	1.6	11.1	3	15.1	1040	0.53	0.15	13.1	0.203	0.28	21.6	59	15.8	11.6	2	56.6		0.007	
E384501			BLANK	410	2.7	1.7	<0.002	0.04	0.64	1.3	1	0.2	113	<0.05	0.1	0.4	0.013	<0.02	0.2	3	0.5	3.5	13	3.7		0.002	
E384502			STANDARD 1	940	22.3	95.1	0.021	2.55	1.55	9.7	3	7.6	608	0.13	0.27	8.4	0.075	0.5	300	57	7.9	15	8	53.6		0.056	
E384503	92.5	93		840	2.8	110.5	0.004	0.52	1.53	9	2	12.3	1585	0.43	0.15	9	0.184	0.28	10.5	56	15.4	8	2	54.9		0.007	
E384504	93	93.5		1880	2.1	57.6	0.008	0.26	1.21	7.7	2	8.5	1820	0.29	0.13	6.8	0.106	0.12	5.6	53	10.8	11	3	35.6		0.008	
E384505	93.5	94		2570	2.3	51.2	0.008	0.37	1.65	7.4	2	8.8	913	0.34	0.17	7.3	0.123	0.11	5.2	53	10.2	13.6	2	43.3		0.014	
E384506	94	94.5		870	2.5	99.7	0.006	0.34	1.74	9.3	2	11	1475	0.45	0.14	9.7	0.193	0.24	8.6	58	11.6	8.8	3	61		0.009	
E384507	94.5	95		1020	2.4	127	0.004	0.61	1.96	11.4	2	13.6	1325	0.53	0.18	13.4	0.218	0.29	5.5	65	13.8	10.5	<2	66.6		0.006	
E384508	95	95.5		1310	2.7	122.5	0.004	0.63	1.8	11.1	2	14.9	924	0.57	0.17	14.7	0.243	0.29	6.5	65	14.4	10.4	2	70.7		0.006	
E384509	95.5	96		920	1.9	194.5	<0.002	1.29	0.92	24	2	24.5	300	0.73	0.13	20.9	0.386	0.45	9	97	24.5	9.7	<2	119		0.007	
E384510	96	96.5		820	1.8	149	<0.002	1.19	0.92	17.9	2	17.5	428	0.52	0.11	15.1	0.283	0.32	8.1	89	18.1	8.2	2	92.1		0.003	
E384511			BLANK	410	1.5	2.3	<0.002	0.04	0.35	1.4	1	0.2	115	<0.05	0.07	0.5	0.014	<0.02	0.2	3	0.5	3.3	12	3.7		0.002	
E384512	96.5	97		650	1.9	63.1	<0.002	0.82	1.09	5.7	2	7.2	1170	0.32	0.05	9.6	0.181	0.19	6.4	40	9.1	6.8	3	53.6		0.004	
E384513	97	97.5		790	1.3	42.7	<0.002	0.88	0.78	5.3	2	6.8	998	0.33	0.07	10.5	0.213	0.14	7.8	45	9.2	8.1	<2	86.2		0.005	
E384514	97.5	98		700	2.3	72.1	<0.002	0.38	1.31	13.1	2	9.1	680	0.36	0.05	15.9	0.196	0.19	12.5	60	8.7	12.5	4	62.9		0.003	
E384515	98	98.5		980	2.8	127	0.003	0.45	1.45	21.4	2	18.6	452	0.41	0.09	17.5	0.252	0.32	26.8	86	14.8	16.4	18	83.3		0.008	
E384516	98.5	99		890	2	91.6	<0.002	1.09	0.95	13.3	2	11.3	244	0.36	0.18	11.5	0.209	0.26	13.8	51	11.5	10.7	23	73.7		0.017	
E384517	99	99.5		1300	2.4	111.5	0.011	0.73	1.4	13.3	2	14.8	533	0.39	0.18	10.7	0.177	0.25	15.1	86	14.2	12.1	21	56.8		0.006	
E384518	99.5	100		1250	1.7	90.7	0.009	0.24	1.37	11.9	2	16.4	1155	0.41	0.08	9.2	0.171	0.19	10.8	59	14.6	10.6	3	49.9		0.006	
E384519	100	100.5		1170	2.2	60.4	0.008	0.3	1.41	9.4	2	12	1090	0.33	0.14	8.7	0.137	0.14	9.9	46	11.9	9.9	3	40.5		0.009	
E384520	100.5	101		920	7.9	29.2	0.012	0.84	1.46	4.5	3	8.2	968	0.21	0.33	6.8	0.081	0.1	77.1	33	9.3	8.9	5	27.7		0.038	
E384521			BLANK	400	1.4	1.7	<0.002	0.05	0.36	1.2	2	0.2	121.5	<0.05	0.07	0.4	0.014	<0.02	0.4	3	0.5	3.4	12	3.4		0.002	
E384522			STANDARD 2	2390	6.2	37.7	0.017	7.17	2.2	4.7	6	7.3	181	0.12	1.18	5.4	0.031	0.51	15.2	62	6.5	14.8	7	23.3		0.097	
E384523	101	101.5		890	3.1	10.5	0.009	0.74	1.01	4.8	4	4	1025	0.13	0.2	4.6	0.046	0.03	20	35	9.7	9.3	2	18.8		0.031	
E384524	101.5	102		670	4.4	5.7	0.005	0.67	0.89	3.6	3	3.3	1070	0.1	0.16	5.5	0.039	0.02	32.4	27	7.3	8.4	<2	15.9		0.047	
E384525	102	102.5		1040	1.6	53.9	0.005	0.58	1.44	10.5	2	10.2	1055	0.21	0.17	4.2	0.148	0.14	6.3	65	13	8.4	2	34.7		0.01	
E384526	102.5	103		1180	1.9	38	0.005	0.57	1.69	8.4	3	8.4	1565	0.13	0.18	4.9	0.12	0.1	4.8	72	14	9.7	2	23.6		0.009	
E384527	103	103.5		430	2	170.5	0.002	1.01	1.69	42	3	27.4	326	0.21	0.36	4.7	0.472	0.36	42.5	232	23.7	10.1	<2	55.7		0.01	
E384528	103.5	104		800	2.4	142	0.003	0.5	2.51	34.2	2	23.6	401	0.27	0.22	4.9	0.431	0.31	40.2	189	23.8	9.9	<2	53.9		0.006	
E384529	104	104.5		890	1.7	21.7	0.005	0.29	1.45	5.1	2	6.7	1680	0.1	0.12	3.2	0.082	0.08	6.8	47	16.4	6.3	4	15.3		0.016	
E384530	104.5	105		1130	1.4	50.3	0.006	0.19	2.17	10.2	2	12.7	1215	0.2	0.14	3.8	0.161	0.11	5.3	64	22.9	8.3	4	27		0.007	
E384531			BLANK	400	1.5	1.8	<0.002	0.06	0.63	1.2	2	0.2	131.5	<0.05	0.07	0.4	0.014	<0.02	0.2	3	0.6	3.6	11	3.4		0.001	
E384532	105	105.5		830	1.6	40.4	0.004	0.25	1.83	7.2	2	9.1	1565	0.14	0.14	3.3	0.122	0.09	5.7	55	25.6	6.4	2	17.5		0.01	
E384533	105.5	106		970	1.8	56.2	0.004	0.15	2.11	10.2	2	12.1	1140	0.2	0.11	4.3	0.155	0.12	6	62	25	8.3	5	28		0.008	
E384534	106	106.5		1050	2.4	68.2	0.008	0.24	2.34	11.3	2	13.9	1155	0.24	0.15	5.4	0.165	0.15	7.2	67	31	8.5	6	31		0.008	
E384535	106.5	107		1110	1.9	73.6	0.005	0.15	2.22	10.9	2	13.3	1160	0.27	0.1	5.3	0.165	0.16	5.4	64	23.2	8.1	6	35.6		0.004	
E384536	107	107.5		1380	1.6	78.1	0.006	0.16	1.88	9.6	2	12.2	1715	0.26	0.1	5	0.151	0.17	5.1	56	22.6	8.3	4	39		0.005	
E384537	107.5	108		920	2.8	33.3	0.006	0.14	1.67	4.9	2	8.4	1670	0.15	0.13	4.9	0.091	0.09	5.8	41	16.5	7.7	8	22.4		0.007	
E384538	108	108.5		920	1.8	31.5	0.006	0.17	1.29	4.9	2	7.2	1790	0.13	0.12	4.3	0.079	0.08	5.7	42	15.7	7.3	7	24.6		0.006	
E384539	108.5	109		930	1.5	75.3	0.006	0.12	2.01	8.2	2	14.8	1210	0.31	0.13	4.9	0.17	0.14	3.9	56	16.2	7.5	4	42		0.004	
E384540	109	109.5		1130	1.4	63.6	0.006	0.1	1.92	8.8	2	12.7	1160	0.25	0.12	8.4	0.128	0.14	2.9	49	15.5	8.9	4	31.2		0.003	
E384541			BLANK	370	2.3	1.7	<0.002	0.04	0.39	1	2	0.2	111	<0.05	<0.05	0.4	0.013	<0.02	0.2	3	0.5	3.2	12	3.5		0.001	
E384542			STANDARD 3	700	4	136	0.007	1.19	1.22	9.8	3	8.2	453	0.2	0.19	11.8	0.111	0.37	16.5	64	8.3	10.8	8	68.1		0.021	
E384543	109.5	110		1520	2.3	91.6	0.002	0.81	1.7	5.1	2	9.1	963	0.27	0.18	7.3	0.16	0.22	2.4	58	13	6.8	4	60.7		0.005	
E384544	110	110.5		870	2.3	125	<0.002	0.73	1.28	4.8	2	6.9	939	0.27	0.14	11.5	0.176	0.28	8.1	67	11.5	5.4	4	77.6		0.006	
E384545	110.5	111		770	1.9	141	<0.002	0.3	1.51	5	2	6.9	867	0.31	0.09	13.4	0.229	0.29	4.5	62	10.9	5.2	5	81.2		0.008	
E384546	119.4	119.9		550	2.1	67.5	0.002	0.4	0.63	8.1	2	2.4	152.5	0.16	0.08	13.7	0.074	0.15	5.6	54	5.1	8.3	11	64.2		0.004	
E384547	119.9	120.4		580	2.5	68.9	0.002	1.37	0.77	8.7	2	2.5	496	0.14	0.07	8.3	0.096	0.16	7.1	30	5.3	7.3	13	66.6		0.007	
E384548	120.4	121		710	2.5	153	0.002	0.88	1.23	11.7	2	5.7	175.5	0.13	0.09	18.7	0.119	0.32	10.7	65	11.7	9.3	12	79.6		0.032	
E384549	121	121.5		840	4.8	120.5	0.017	1.26	1.15	9.2	2	4.7	537	0.15	0.18	15.3	0.105	0.31	27.7	57	6.8	11.2	15	94.5		0.021	
E384550	121.5	122		820	2.8	84	0.005	1.22	0.73	4	2	7	1295	0.15	0.14	12.1	0.101	0.24	47	62	7.5	9	8	96.1		0.005	
E384551			BLANK	380	1.7	1.9	<0.002	0.05	0.34	1	2	0.2	119	<0.05	0.05	0.5	0.014	<0.02	0.3	3	0.5	3.3	11	3.9		0.001	
E384552	122	122.5		380	2.1	26.7	0.005	0.91	0.61	3	2	2.4	1595	0.09	0.13	3.5	0.043	0.09	41.9	29	4.3	5.8	9	42		0.002	
E384553	122.5	123		520	2.9	10.8	0.006	0.74	0.43	3.3	2	1.8	1730	0.14	0.1	4.8	0.053	0.06	22.3	23	4	6.1	7	41.1		0.003	
E384554	123	123.5		820	1.8	14.7	0.007	0.32	0.7	6.2	2	3.8	1525	0.2	0.13	5.7	0.094	0.07	11.3	37	4.1	6.2	16	45.7		0.003	
E384555	123.5	124		830	3.5	17.8	0.005	0.37	1.12	3.6	2	4.6	2080	0.2	0.15	3	0.069	0.09	37.5	34	7.6	5.6	10	29.4		0.003	
E384556	124	124.5		640	8.9	16.2	0.006	0.39	0.92	3.2	2	4.7	2190	0.14	0.16	2	0.056	0.06	83.3	26	7	5.1	8	23.5		0.003	
E384557	124.5	125		1180	8.9	44.1	0.01	0.54	1.24	6.1	4	12.3	980	0.29	0.24	9.8	0.126	0.12	32.5	47	15	10.2	24	43.4		0.015	
E384558	125	125.5		1250	5.9	50.6	0.02	1.56	1.15	9	6	19.3	368	0.35	0.32	9.2	0.147	0.12	36.8	54	13.1	11.6	22	49.9	1.175	0.034	
E384559	125.5	126		1400	13.5	10.3	0.015	1.55	1.08	6.1	6	12.4	245	0.31	0.4	9.8	0.118	0.06	36.3	43	8.5	11.3	30	44.7		0.053	
E384560	126	126.5		1200	4.2	9.6	0.009	1.58	0.83	6.1	4	9.7	373	0.28	0.47	8.9	0.107	0.05	30.9	44	5.5	6.8	26	37		0.024	
E384561			BLANK	420	1.7	1.6	<0.002	0.03	0.33	1.1	3	0.2	110.5	<0.05	0.1	0.4	0.013	<0.02	0.2	3	0.5	3.3	10	3.6		<0.001	
E384562			STANDARD 1	840	18.5	85.7	0.022	2.28	1.52	8.5	4	7.4	571	0.15	0.24	7.5	0.075	0.44	274	54	7.7	13.7	18	56.4		0.054	
E384563	126.5	127		1450	10.3	5.3	0.023	3.71	1.04	4.9	11	8.9	177.5	0.21	1.09	7.3	0.057	0.04	22.4	52	6.7	9.4	32	26.3		0.108	
E384564	127	127.5		1020	5.9	2.8	0.02	2.43	0.89	3.6	7	4.8	153	0.14	0.76	4.5	0.035	0.03	16.5	34	4.7	7.4	25	21		0.054	

IG-2007-11

Sample No	From (m)	To (m)	Standard/Blank
E384565	127.5	128	
E384566	128	128.5	
E384567	128.5	129	
E384568	129	129.5	
E384569	129.5	130	
E384570	130	130.5	
E384571			BLANK
E384572	130.5	131	
E384573	131	131.5	
E384574	131.5	132	
E384575	132	132.5	
E384576	132.5	133	
E384577	133	133.5	
E384578	133.5	134	
E384579	134	134.5	
E384580	134.5	135	
E384581			BLANK
E384582			STANDARD 2
E384583	135	135.5	
E384584	135.5	136	
E384585	136	136.5	
E384586	136.5	137	
E384587	137	137.5	
E384588	137.5	138	
E384589	138	138.5	
E384590	138.5	139	
E384591			BLANK
E384592	139	139.5	
E384593	139.5	140	
E384594	140	140.5	
E384595	140.5	141	
E384596	141	141.5	
E384597	141.5	142	
E384598	142	142.5	
E384599	142.5	143	
E384600	143	143.5	
E384601			BLANK
E384602			STANDARD 3
E384603	143.5	144	
E384604	144	144.5	
E384605	144.5	145	
E384606	145	145.5	
E384607	145.5	146	
E384608	146	146.5	
E384609	146.5	147	
E384610	147	147.5	
E384611			BLANK
E384612	147.5	148	
E384613	148	148.5	
E384614	148.5	149	
E384615	149	149.5	
E384616	149.5	150	
E384617	150	150.5	
E384618	150.5	151	
E384619	151	151.5	
E384620	151.5	152.2	
E384621			BLANK
E384622			STANDARD 1
E384623	152.2	153.1	
E384624	161.4	161.9	
E384625	161.9	162.4	
E384626	162.4	163	
E384627	163	163.5	
E384628	163.5	164	
E384629	164	164.5	
E384630	164.5	165	
E384631			BLANK
E384632	165	165.5	
E384633	165.5	166	
E384634	166	166.5	
E384635	166.5	167	
E384636	167	167.5	
E384637	167.5	168	
E384638	168	168.5	
E384639	168.5	169	
E384640	169	169.5	
E384641			BLANK
E384642			STANDARD 2
E384643	169.5	170	
E384644	170	170.4	
E384645	170.4	171.4	
E384646	190.4	191.4	
E384647	191.4	192	
E384648	192	192.5	
E384649	192.5	193	
E384650	193	193.5	
E384651			BLANK
E384652	193.5	194	
E384653	194	194.5	
E384654	194.5	195	
E384655	195	195.6	
E384656	195.6	196.6	

Sample No	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
E384565	0.42	2.23	16.6	70	0.3	0.61	0.4	<0.02	122	116.5	19	0.78	3230	23	6.07	0.33	0.8	0.273	0.1	79.3	29.1	2.84	13950	38.7	0.06	4	39.2
E384566	0.17	4.09	8.6	90	1.26	0.27	1.32	<0.02	84.1	107	29	1.76	292	16.7	10.2	0.27	1.2	0.206	1.37	43.8	22.1	2.16	9280	17.75	0.37	3.5	28.6
E384567	0.32	2.24	10.8	70	0.59	0.34	0.16	<0.02	83.7	99.4	23	1.05	1785	17	6.54	0.28	0.6	0.172	0.54	28.3	19.8	2.06	9740	25.2	0.01	3.2	31.3
E384568	0.45	2.22	9.5	120	0.38	0.32	0.27	<0.02	129	86.8	16	0.87	2780	22.7	6.83	0.36	0.6	0.313	0.34	74.3	24.3	3.35	16050	23.7	0.01	5.5	37.8
E384569	0.36	2.01	4.4	220	0.38	0.23	0.2	<0.02	278	37	21	0.68	1725	20.2	6.15	0.39	0.6	0.291	0.24	157	24.5	2.76	11950	19.15	0.01	4.8	31.2
E384570	0.58	5.33	8.2	80	1.57	0.86	0.76	<0.02	82.9	94.7	44	3.7	5460	17.7	17.95	0.28	1.5	0.255	1.99	44.6	35.9	2.5	7660	17.8	0.02	6.9	38.3
E384571	0.02	0.32	<5	130	0.08	0.02	19.7	0.15	5.03	2	7	0.17	24.5	0.3	0.85	<0.05	0.1	0.005	0.06	2.5	4	10.35	241	0.58	0.02	0.5	5.7
E384572	0.3	3.09	6.7	1370	0.41	0.22	2.21	<0.02	92.6	28	17	1.54	1725	18.25	7.11	0.3	1	0.423	0.06	65.7	30.1	3.13	8670	42.1	0.92	7	24.2
E384573	0.56	3.24	4	200	0.25	0.37	4.22	<0.02	119.5	24.4	16	0.31	4650	15.35	8.94	0.46	0.9	0.265	0.1	78.2	10.2	2.61	7410	30	1.95	5.6	14.5
E384574	0.58	2.78	4.9	100	0.19	0.42	5.14	<0.02	93.7	40.5	19	0.23	4570	14.05	7.54	0.41	0.8	0.219	0.11	60.4	6.7	2.8	5920	25.7	1.81	5.3	14.7
E384575	0.73	3.15	6.5	70	0.3	0.6	2.27	<0.02	119	75.5	16	0.45	6370	16.95	9.76	0.47	0.9	0.353	0.2	79.2	10.4	2.54	12450	25	1.75	5.5	21.7
E384576	0.46	4.63	7.1	70	0.78	0.45	0.35	<0.02	114	145	31	1.79	2760	19.05	14	0.53	1.6	0.335	0.7	77.4	27.6	2.45	12350	21.1	1.35	6.7	38.5
E384577	0.27	2.11	3.7	490	0.34	0.16	4.42	<0.02	86	42	10	0.75	541	17.65	8.02	0.4	0.7	0.437	0.13	74.5	27.9	3.88	9980	26.9	0.07	5.4	26.9
E384578	0.48	5.28	16	1830	0.86	0.2	2.06	<0.02	185.5	53.9	25	4.06	4.8	19.5	15.2	0.58	1.5	0.175	0.24	153.5	70.4	3.87	2800	109.5	0.01	5.8	49.4
E384579	0.31	4.85	28.1	110	0.73	0.35	0.93	<0.02	309	148	25	4.71	4.9	21.2	14.8	0.75	1.5	0.061	0.04	218	60.5	2.95	1910	69.4	0.01	10.1	52.8
E384580	0.28	2.89	10.7	130	0.57	0.32	1.26	<0.02	147.5	102	18	1.2	262	17.25	10.85	0.48	0.9	0.14	0.23	95.7	39.9	2.05	3200	28.5	0.01	7.3	38.4
E384581	0.04	0.29	<5	30	0.08	0.1	19.3	0.14	4.16	2.3	7	0.14	3.3	0.26	1.25	0.26	0.1	0.008	0.05	2.1	3.9	10.1	211	0.27	0.02	0.6	5
E384582	1.29	2.26	123.5	10	0.68	10.3	2.17	<0.02	205	325	13	2.52	9100	28.1	12.5	0.8	0.8	0.248	0.64	129	22.1	1.48	5640	59.1	0.24	5.9	69.6
E384583	0.28	3.61	26.9	60	0.53	0.55	1.84	<0.02	172.5	171	18	1.55	19.3	18	13.65	0.56	1.2	0.025	0.21	85	48.8	2.19	1485	30.5	0.33	7.3	51.8
E384584	0.54	4.65	46.9	70	1.11	1.44	2.18	<0.02	122	157	24	4.05	58.1	15.35	14.9	0.43	1.3	0.075	0.84	76.5	61.1	2.58	1895	26	0.06	4.9	48.9
E384585	0.07	7.41	4.7	2320	1.7	0.05	2.29	<0.02	40.6	15.1	45	6.79	5.7	7.21	19.5	0.23	1.6	0.032	1.6	25	43	2.41	1400	0.57	1.64	3.6	32.4
E384586	0.06	6.73	4.1	3160	1.66	0.02	3.15	0.03	73.7	16.4	39	8.31	114.5	8.39	16.3	0.27	1.4	0.041	1.68	41.9	49.5	3.11	1765	0.44	0.87	2.2	23.1
E384587	0.05	5.84	3.6	1230	1	0.06	4.67	<0.02	20.4	10.6	27	4.68	9.7	6.06	11.6	0.14	1.1	0.086	1.17	11.5	29.9	2.93	2780	0.28	1.52	2.2	16.2
E384588	0.09	6.43	9.3	360	1.13	0.22	4.46	<0.02	34.8	13.6	36	4.12	12.2	5.55	14.2	0.19	1.4	0.055	1.37	19.5	28.5	2.88	2690	0.24	2.17	3.2	16.1
E384589	0.1	6.58	6.7	560	1.2	0.14	5.04	<0.02	56.9	13.4	34	5.26	5	6.39	15.2	0.21	1.5	0.052	1.43	33.8	29.6	2.94	3190	0.24	2.17	3.4	16.9
E384590	0.08	5.71	2.9	200	1.37	0.07	5.18	<0.02	74.8	11.9	28	6.02	3.3	6.9	15.75	0.22	1.4	0.078	1.88	47.8	30.2	3.16	3340	0.65	1	3.2	16.8
E384591	0.01	0.26	<5	10	0.07	0.01	18.9	0.14	4.26	2.2	7	0.14	3.3	0.25	1.28	0.24	0.1	0.005	0.05	2.2	4.1	9.9	208	0.23	0.02	0.6	5.7
E384592	0.08	4.84	1.1	410	0.93	0.11	7.46	<0.02	45.8	10.3	23	2.99	253	6.87	12.05	0.13	1.2	0.177	1.14	30.2	26.8	3.56	6150	0.67	1.35	3.7	15
E384593	0.62	5.23	16.5	370	1.63	1.5	4.55	<0.02	155	75.3	28	4.57	559	10.75	16.05	0.36	1.9	0.21	1.37	116	63.2	3.15	4680	22.3	0.08	6.6	37.5
E384594	0.35	4.54	5.5	240	1.12	0.95	7.13	<0.02	16.15	120.5	26	5.89	39.7	11.95	9.6	0.25	1.7	0.092	0.62	10.7	60.5	5.21	5460	10.9	0.02	1.4	126.5
E384595	1.03	3.8	27.3	30	1.22	2.9	5.85	<0.02	101.5	209	17	5.01	1135	9.68	9.75	0.26	1.3	0.098	1.04	65.4	48	3.4	5070	47.2	0.05	1.8	43.8
E384596	0.23	5.02	7.3	1800	1.42	0.38	6.08	<0.02	81.7	24.6	23	6.83	14.4	7.56	12.65	0.15	1.4	0.105	1.81	39.7	37.7	3.72	4450	82.9	0.02	1.7	18.5
E384597	0.06	5.94	0.8	520	1.51	0.02	7.32	<0.02	60.4	12.7	28	9.15	8.7	7.07	13.85	0.12	1.6	0.114	2.61	33.5	29.1	4.13	4730	7.07	0.03	1.4	17.9
E384598	0.05	4.91	<0.2	150	1.42	0.03	7.02	<0.02	54.7	9.8	22	8.41	5.7	5.59	12.65	0.12	1.2	0.092	2.11	36	22.5	3.71	4250	1.17	0.03	1.3	14.7
E384599	0.11	5.98	3.6	160	1.45	0.06	4.32	<0.02	61.9	15.2	23	3.87	<0.2	6.15	15.45	0.19	2.1	0.088	2.53	62.8	43.5	3.09	2770	27.3	0.03	3.6	16.5
E384600	0.09	6.78	7	250	1.89	0.26	2.66	<0.02	47.5	83.1	37	6.45	34.6	8.95	19.8	0.23	2.4	0.065	2.26	36	82.8	3.27	1725	15.2	0.03	4.6	29.3
E384601	0.06	0.31	<5	30	0.06	0.01	19.35	0.15	4.44	2.2	8	0.15	3.5	0.26	1.3	0.25	0.1	<0.005	0.06	2.3	4.2	10.1	220	0.39	0.02	0.6	5.6
E384602	0.26	6.04	47.4	120	2.08	1.32	1.73	<0.02	86	84.7	38	5.44	1445	6.31	17.55	0.2	1.8	0.111	2.73	37.4	20.8	1.19	2610	15.4	0.55	2.3	25.2
E384603	0.08	4.23	2	220	1.01	0.16	6.35	<0.02	40.3	28.7	19	2.16	12.2	7.27	11.85	0.1	1.2	0.135	1.34	27.3	41.1	4.82	5210	3.34	0.03	2.5	33.2
E384604	0.18	3.31	36.8	370	0.81	0.19	2.62	<0.02	160.5	113.5	33	1.76	149.5	11.5	12.15	0.29	1.3	0.246	1.72	134.5	27.2	1.7	4790	47.6	0.02	10.2	24.3
E384605	0.71	1.83	102.5	10	0.48	3.23	4.14	<0.02	139	279	10	0.82	443	19.8	9.11	0.49	0.7	0.517	0.86	88.6	19	3.5	12800	90.8	0.02	9.6	40.7
E384606	0.14	4.84	8.5	80	1.06	0.29	2.82	<0.02	56.1	92.5	26	2.01	27.7	12.15	14	0.25	1.4	0.221	1.98	25.4	42.2	2.43	5450	16.75	0.11	8.2	24.5
E384607	0.17	1.56	15.9	50	0.46	0.31	0.83	<0.02	54.7	87.2	8	0.58	157.5	15.5	5.88	0.31	0.5	0.044	0.52	20.7	16.1	1.25	3770	37.3	0.01	7.9	24.3
E384608	0.19	0.78	16.9	50	0.22	0.7	0.23	<0.02	22.2	70.3	5	0.21	66.3	13.1	3.01	0.22	0.2	0.016	0.14	6.2	8.3	0.78	2320	32.7	0.01	5.1	17.9
E384609	0.39	0.63	31.7	60	0.28	0.6	0.23	<0.02	33.2	76.6	5	0.17	553	15.15	2.85	0.26	0.2	0.039	0.11	12	6.5	0.82	2820	33.2	0.01	7.4	28.1
E384610	0.88	1.25	229	50	0.47	3.74	0.45	<0.02	0.89	254	7	0.36	203	18.35	3.53	0.31	0.4	0.021	0.32	<0.5	13	0.74	1560	100.5	0.01	6.5	42.1
E384611	0.07	0.3	7	160	0.09	0.01	19.7	0.14	4.38	2.2	8	0.14	6.5	0.45	0.88	<0.05	0.1	<0.005	0.06	2.2	3.3	10.55	226	1.01	0.02	0.5	9.3
E384612	0.18	2.28	20.5	80	0.46	0.66	1.26	<0.02	8.99	51.5	12	0.6	51.8	18.85	5.41	0.29	0.6	0.349	0.37	3.7	28.2	3.45	10900	66.2	0.02	5.8	35
E384613	0.13	2.92	11.2	110	0.97	0.47	0.48	<0.02	80	62.5	18	1.24	119	18	9.89	0.34	0.9	0.417	1.46	53.9	24	2.62	11350	28.6	0.02	11.4	23.7
E384614	0.19	5.78	20.6	350	1.78	1.41	0.42	<0.02	5.55	95.9	35	2.85	131	12	17.5	0.2	1.8	0.288	2.81	2.8	35.1	1.96	7490	69	0.04	11	32
E384615	0.49	5.43	97.4	1900	1.72	5.97	0.31	<0.02	2.25	180.5	29	2.58	138	14.25	17.05	0.26	1.8	0.159	2.51	0.9	33	1.38	4660	78.9	0.04	11.7	45
E384616	0.09	0.95	17.8	80	0.28	0.34	0.54	<0.02	10.95	56.3	3	0.28	34.9	19.45	3.03	0.31	0.2	0.274	0.28	3.6	7.8	3.03	13150	44.8	0.01	4.8	38.2
E384617	0.1	1.44	20.4	260	0.47	0.28	0.86	<0.02	80.7	42.8	10	0.59	32.6	16.9	5.48	0.31	0.3	0.168	0.66	40.4	12.1	2.02	7690	27.1	0.01	8.6	26.2
E384618	0.1	2.56	25.3	1400	0.65	0.09	3.43	<0.02	115.5	48.7	14	0.97	8.3	16.25	8.5	0.31	0.5	0.139	1.25	97.6	18.8	2.24	6770	30	0.02	12.6	25.1
E384619	0.12	2.64	32	4390	0.89	0.09	2.65	<0.02	220	52.5	11	1.01	13.8	18.5	10.1	0.41	0.6	0.263	1.21	184.5	20.8	2.69	8990	42.1	0.02	15.1	36.2
E384620	0.12	2.86	24	660	0.79	0.1	0.78	<0.02	259	36.6	18	1.24	69	19	10.2	0.45	0.6	0.268	1.23	209	18.1	2.21	8260	45.9	0.03	12.9	36.5
E384621	0.03	0.31	<5	40	0.07	<0.01	20.4	0.15	5.66	2	8	0.14	4.1	0.26	0.91	0.05	0.1	<0.005	0.05	2.8	3.3	11.05	236	0.49	0.02	0.5	6.4
E384622	1	5.84	79.6	90	1.87	2.62	1.98	<0.02	54.3	158.5	30	3.42	7610	9.77	15.6	0.22	1.8	0.136	2.13	23.4	19.8	1.16	3290	62.3	1	3.4	41.5
E384623	0.11	9.31	8.7	1100	2.69	0.12	0.25	<0.02	315	52.3	60	5.2	321	10.4	28.6	0.37	2.6	0.103	4.69	217	36.6	0.85	676	30.8	0.05	14.3	24.3
E384624	0.06	8.72	4.3	1410	2.28	0.03	0.18	<0.02	44.1	17.8	54	4.29	175	9.83	25.7	0.21	1.7	0.085	3.82	30.2	57	1.5	173	4.91	0.07	11.4	50.6
E384625	0.14	8.24	4.3	7120	2.04	0.09	0.22	<0.02	44.9	20.5	46	4.31	417	10.05	21.7	0.21	1.8	0.057	3.58	35.7	53.4	1.44	187	5.09	0.03	12.3	39.3
E384626	0.16	8.28	4.7	850	2.06	0.08	0.18	<0.02	51.1	20.9	50	4.83	419	10.45	22.2	0.21	1.9	0.078	3.8	40.2	54.2	1.38	160	72.1	0.03	9.2	34.1
E384627	0.11	7.72	3.9	1110	2.15	0.04	0.18	<0.02	37.4	16.1	48	4.41	38.3	8.96	21.4	0.18	2	0.085	3.5	28.7	47.1	1.14	163	62.1	0.04	7.2	28.7
E384628	0.15	1.25	11.7	5920	0.29	0.07	0.32	<0.02	48.9	16.7	9	0.37	14.6	20.5	4.16	0.36	0.4	0.343	0.26	39	14.5	2.19	10500	50.8	0.01	7.9	26.9
E384629	0.29	2.71	14.7	940	0.48	0.11	0.61	<0.02	117.5	32.7	10	0.55	13.1	23.3	6.9	0.46	0.7	0.516	0.34	87.7	29.1	3.43	14450	80.7	0.01	15	52.2
E384630	0.24	2.23	11	2620	0.3	0.07	0.57	0.02	55.5	35.9	8	0.29	23	23.5	5.29	0.44	0.6	0.508	0.11	39.3	26.4	3.43	14200	73.8	0.01	14	46.1
E384631	0.01	0.32	<5	40	0.1	<0.01	20.1	0.15	4.44	1.9	7	0.14	4.2	0.26	0.92	<0.05	0.1	<0.005	0.05	2.2	3.4	10.9	239	0.66	0.02	0.5	6.6
E384632	0.3	4.79	8	170	0.88	0.14	0.48	<0.02	80.3	45.4	22	1.23	1080	18.25	9.99	0.32	1.4	0.278	0.88	62.6	50.2	3.07	8200	48.6	0.02	5.8	55.8
E384633	0.21	6.19	5.2	330	1.42	0.1	0.53	<0.02	58.8	25.1	33	2.52	266	10.9	15.95	0.21	1.7	0.174	2.39	45.1	47.8	1.84	3830	49.3	0.02	8	27.3
E384634	0.26	7.73	6.8	370	1.94	0.25	0.19	<0.02	32.1	42.7	50	3.55	748	9.32	21.7	0.19	2.4	0.05	3.17	24.9	53.8	1.53	185	21.7	0.03	7.4	26.8
E384635	0.14	8.8	5.1	420	1.89	0.1	0.87	<0.02	66.1	18.1	40	3.16	216	9.91	17.9	0.21	2	0.086	2.76	52.7	50.4	1.83	904	23.8	0.03	10.8	26.4
E384636	0.51	4.75	8.9	3670	1.65	0.13	1.82	<0.02	282	24.9	26	2.84	1080	12.65	16	0.39	1.3	0.238	2.13	213	31.3	1.79	7030	50.3	0.03	7.9	20.6
E384637	0.97	3.27	15	2110	0.88	0.29	1.05	<0.02	234	44.4	15	1.11	3480	19.05	10.4	0.45	0.8	0.217	1.01	187	26.9	2.21	9010	83.5	0.02	8.4	34.7
E384638	0.49	4.69	13	570	1.36	0.23	1.81	<0.02	197	59.5	23	1.85	1860	14.75	14.65	0.39	1.2	0.209	1.71	149.5	37	2.27	7550	49.5	0.02	9.2	36.4
E384639	0.19	6.95	15.7	860	2.1	0.13	1.63	<0.02	109.5	109	38	3.46	361	11.85	20.7	0.27	1.9	0.157	2.61	82.7	54	2.16	3980	23.7	0.04	6.2	34.3
E384640	0.37	5.5	18	1010	1.6	0.54	0.85	<0.02	229	83.4	26	3.4	46.9	15.4	17.95	0.41	1.8	0.054	1.12	155.5	67.6	2.13	1280	18.55	0.03	7.1	62.8
E384641	0.24	0.31	<5	30	0.1	<0.01	20.6	0.15	4.99	2.1	7	0.15	5	0.27	0.89	0.05	0.1	<0.005	0.05	2.8	3.5	11.1	232	0.41	0.02	0.5	6.7
E384642	1.09	2.34	120	50	0.58	9.96	2.19	0.02	182	319	11	2.33	8590	26.6	9.92	0.56	0.7	0.231	0.84	116.5	15.7	1.5	6090	61.5	0.23	5.6	85.8
E384643	0.49	6.86	12.7	620	2.45	0.79	1.1	<0.02	150.5	107	39	4.33	52	9.8	23.5	0.29	2.2	0.094	2.47	99.2	44.3	1.65	1945	9.49	0.05	7.9	67.8
E384644	0.16	5.33	6.4	240	1.45	0.24	1.56	<0.02	125.5	114	30	2.93	6.3	11.85	14.25	0.32	1.7	0.103	1.77	75.9	34.9	1.8	3470	18.3	0.02	6.4	57.5
E384645	0.09	6.7	5.4	990	2.43	0.25	3.41	<0.02	93.5	53.2	42	5.25	5.3	7.72	19.2	0.22	2	0.105	3.02	55.5	29.5	1.9	3510	4.77	0.04	5.2	37.2
E384646	0.06	7.05	2.7	530	1.81	0.05	5.31	<0.02	54.3	37.6	40	2.07	42.9	6.75	16.1	0.16	2.1	0.036	1.43	33.9	12.6	1.77	4400	6.04	3.35	3.5	18.5
E384647	1.01	5.79	156	120	0.66	2.85	5.22	0.04	61	647	24	0.68	88.2	11.45	9.9	0.21	1.7	0.021	0.25	36.4	6.6	1.73	4300	17.25	3.85	3.1	37.7
E384648	0.07	7.39	25.2	80	0.91	0.32	4.62	<0.02	49.5	94.1	37	0.58	10.7	6.56	13.5	0.15	2.1	0.012	0.24	31.6	5.8	1.53	3320	5.75	5.25	3	15.1
E384649	1.86	5.14	131.5	150	0.75	9.39	4.31	0.02	61.1	482	25	0.67	54.4	10.6	9.77	0.2	1.6	0.016	0.28	38.6	6	1.43	2780	20.1	3.44	3.4	63.4
E384650	1.95	4.05	194.5	210	0.52	8.19	6.53	0.02	59.1	455	21	0.58	73.6	13	8.7	0.24	1.5	0.057	0.1	39.2	16.7	2.79	5120	16.25	2.18	3.1	95
E384651	0.02	0.3	<5	20	0.08	0.06	19.45	0.15	5.11	2.4	8	0.16	4	0.24	0.93	<0.05	0.1	<0.005	0.05	2.5	3.6	10.5	220	0.31	0.02	0.5	7.6
E384652	0.72	6.03	95.7	300	0.71	2.54	4.82	0.02	184	178	24	0.91	49.9	9.06	12.7	0.23	2	0.033	0.

IG-2007-11

Sample No	From (m)	To (m)	Standard/Blank	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Tl ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Cu %	Au ppm	Ba %
E384565	127.5	128		1030	3.5	3	0.014	1.47	0.63	4	5	4.4	179.5	0.14	0.51	4.8	0.035	0.03	8.8	35	3.6	7.5	27	24.7		0.035	
E384566	128	128.5		670	2.4	57.5	0.004	1.3	0.64	12.9	3	22.5	434	0.12	0.18	2.4	0.151	0.12	5.8	91	10.5	8.1	15	35.4		0.009	
E384567	128.5	129		460	2.6	23.9	0.006	1.34	0.83	8.1	3	15.4	910	0.07	0.31	1	0.104	0.05	5.1	61	11.1	5	20	17.5		0.02	
E384568	129	129.5		740	3.2	13.8	0.006	0.86	0.77	6.2	3	11.6	596	0.12	0.31	2.6	0.089	0.04	15.8	54	12.1	6.9	28	18.1		0.039	
E384569	129.5	130		610	3.6	10	0.006	0.45	0.95	4.3	3	14.6	760	0.11	0.26	2.6	0.091	0.03	7.5	44	18.5	6.8	27	17.9		0.014	
E384570	130	130.5		640	5.8	84.8	0.005	1.57	1.41	16.9	5	35.2	228	0.17	0.48	8.9	0.21	0.16	164.5	96	12.2	15.1	32	44		0.033	
E384571			BLANK	360	1.6	2	<0.002	0.04	0.36	1.2	2	0.4	110.5	<0.05	0.05	0.4	0.015	<0.02	0.8	3	0.6	3.4	10	3.9		0.002	
E384572	130.5	131		1060	2.7	2.7	0.01	0.26	1	4.7	3	10.2	47.4	0.24	0.23	4.9	0.081	0.02	12.6	36	5.3	8.7	28	29.6		0.023	
E384573	131	131.5		770	2.7	3.2	0.007	0.61	0.95	5.6	4	11.1	685	0.22	0.3	4.4	0.103	0.02	14.3	39	6.1	8.2	12	30.3		0.032	
E384574	131.5	132		770	3.3	3.8	0.005	0.82	1.02	5.4	5	10.4	626	0.19	0.5	4.8	0.087	0.02	15.8	38	6	8	10	27.4		0.053	
E384575	132	132.5		850	2.8	6.6	0.008	1.27	0.81	5.9	5	11.3	230	0.21	0.49	5.2	0.086	0.03	8.4	36	7.9	8.5	13	32.3		0.053	
E384576	132.5	133		680	4.3	28.8	0.007	1.56	0.82	9.1	5	17.8	146	0.32	0.42	10.8	0.132	0.09	66.7	45	7.2	12	26	57.1		0.019	
E384577	133	133.5		660	2.9	5.5	0.007	0.37	1.23	5.7	3	10.1	532	0.18	0.1	3.4	0.057	0.02	10.7	31	7	10.3	22	24.2		0.006	
E384578	133.5	134		1880	3.5	11.6	0.028	0.32	1.42	7.2	4	10.4	69.9	0.29	0.33	10.1	0.088	0.04	46.2	58	7.1	14.7	69	53.4		0.014	
E384579	134	134.5		1940	3.1	2.4	0.018	1.2	1.23	4.4	5	11.1	155.5	0.39	0.55	7.9	0.113	<0.02	20.1	54	7.6	14.5	55	50.2		0.016	
E384580	134.5	135		840	3.7	10.4	0.007	0.84	1.36	4.8	4	11.3	807	0.26	0.19	4.8	0.078	0.04	13	40	9.5	8.2	30	33.2		0.008	
E384581			BLANK	360	1.5	1.4	<0.002	0.03	0.29	1.3	2	<0.2	105.5	<0.05	<0.05	0.4	0.013	<0.02	0.2	3	0.4	3.3	10	3.8		<0.001	
E384582			STANDARD 2	2360	6.1	37	0.019	6.6	2.15	5.3	7	7.4	175.5	0.12	1.2	8.2	0.03	0.49	14.9	62	6.7	15.4	8	28.4		0.119	
E384583	135	135.5		1700	2.9	8.1	0.02	1.36	1.13	4.3	4	5.7	940	0.27	0.29	6.4	0.075	0.04	15.1	56	7	12.1	34	40.9		0.006	
E384584	135.5	136		1500	8	41	0.013	1.41	1.72	7.9	3	5.1	355	0.22	0.38	8.7	0.077	0.16	25.2	59	7.2	11.5	45	47.2		0.013	
E384585	136	136.5		760	1.3	73.6	<0.002	0.1	1	12.8	2	2.7	81.2	0.31	<0.05	13.5	0.157	0.22	10.8	67	5.5	7.4	27	56.5		0.001	
E384586	136.5	137		630	2.1	72.9	<0.002	0.12	0.77	12	2	2.1	102.5	0.17	<0.05	13.4	0.125	0.23	18	62	3.1	7.3	37	51.2		0.001	
E384587	137	137.5		660	1.7	44.6	<0.002	0.21	0.73	11.1	2	1.6	45.9	0.18	<0.05	11.5	0.104	0.16	13.9	45	3.4	8.3	20	39.5		<0.001	
E384588	137.5	138		600	2.2	53.3	<0.002	0.76	0.91	13.1	2	2.1	33.5	0.26	<0.05	12.1	0.133	0.18	18.6	50	4.8	8.1	17	49.1		0.001	
E384589	138	138.5		620	2.6	59.7	0.002	0.26	0.77	13.8	2	2.2	46	0.26	<0.05	13.3	0.133	0.19	21.6	48	4.4	9	20	53		0.003	
E384590	138.5	139		590	2	58.8	<0.002	0.11	0.74	11.1	2	2.4	44.4	0.23	0.14	11.8	0.119	0.21	14.4	49	3.8	8.2	19	48.2		0.003	
E384591			BLANK	360	1.4	1.6	<0.002	0.03	0.35	1.4	2	0.2	105	<0.05	<0.05	0.4	0.014	<0.02	0.2	3	0.4	3.3	10	4		0.001	
E384592	139	139.5		430	2	51	<0.002	0.06	0.61	9.6	2	2	54.7	0.31	0.88	9.6	0.103	0.15	6.7	38	3.1	11.2	18	41		0.002	
E384593	139.5	140		910	7	64.9	0.013	0.81	1.36	10.2	3	10.2	111	0.29	0.26	11.1	0.117	0.26	36	59	7.4	17.1	39	65.9		0.016	
E384594	140	140.5		770	4.9	33.3	0.032	3.16	0.64	13.3	10	4	30.2	0.12	0.25	9.3	0.095	0.11	10.9	56	2.4	12	39	59.9		0.009	
E384595	140.5	141		1000	11.4	45.7	0.031	4.05	1.49	8	6	4	137.5	0.07	1.91	7.8	0.043	0.3	30.9	45	3.8	12.3	30	45.9		0.032	
E384596	141	141.5		690	2.1	86.3	0.017	0.11	0.68	9.1	2	3	40.4	0.09	0.37	10.7	0.075	0.24	8.7	42	4.9	9.4	21	49.8		0.017	
E384597	141.5	142		680	1.3	96.7	0.003	0.03	0.56	10.2	2	2.6	30.2	0.07	0.1	11.8	0.077	0.29	9.1	46	4.5	9.5	16	54.5		0.003	
E384598	142	142.5		490	1.4	88.2	<0.002	0.09	0.59	10	1	2.5	25.7	0.06	0.07	9.3	0.068	0.24	13.3	40	4.8	7.4	7	43		0.003	
E384599	142.5	143		680	1.5	95.3	0.005	0.14	0.76	9.4	2	4.4	31.8	0.16	0.28	12.7	0.071	0.2	12.8	36	6.4	8.5	17	73.5		0.01	
E384600	143	143.5		710	1.7	93.7	0.004	0.87	0.72	11.4	3	15.3	12.1	0.19	0.19	11.6	0.126	0.19	7.8	57	8.7	9.2	33	84.2		0.007	
E384601			BLANK	380	1.5	1.9	<0.002	0.03	0.29	1.3	2	0.2	104	<0.05	<0.05	0.4	0.014	<0.02	0.2	3	0.5	3.3	11	5.7		0.003	
E384602			STANDARD 3	580	2.2	108.5	0.003	1.14	0.9	9.9	2	6.9	462	0.13	0.15	11.1	0.093	0.32	16.8	56	7	9.9	7	65		0.02	
E384603	143.5	144		400	1.7	56.2	0.005	0.43	0.54	8.7	2	3.9	24.9	0.11	<0.05	6.9	0.089	0.11	7.4	35	4.4	8.7	17	41.6		0.004	
E384604	144	144.5		1310	2.8	80.4	0.014	1.35	1.31	5.2	7	32.3	25.9	0.24	0.7	7	0.093	0.18	10.1	61	12.7	11.3	7	44.3		0.012	
E384605	144.5	145		1380	6.7	41.3	0.015	6.1	1.09	4.1	8	22.9	141	0.21	3.66	5.5	0.043	0.11	18	56	9.6	11	9	24		0.067	
E384606	145	145.5		1060	1.8	97.3	0.008	1.42	0.55	7.4	4	34.2	711	0.26	0.17	7.5	0.093	0.14	5	57	12.3	9	12	51		0.004	
E384607	145.5	146		1560	1.5	25.6	0.01	1.49	0.68	3.4	3	20.3	796	0.16	0.33	1.9	0.031	0.05	5.1	49	7.8	7.3	6	17.3		0.011	
E384608	146	146.5		1010	1.3	7.5	0.008	1.81	0.75	1.4	3	8.8	827	0.08	0.42	0.9	0.017	0.06	5.2	28	5.3	4	4	7.4		0.014	
E384609	146.5	147		1010	3	7.3	0.005	1.86	0.82	1.6	3	7.8	928	0.06	0.6	1	0.013	0.06	4.2	25	6.5	4.7	3	5.7		0.041	
E384610	147	147.5		1290	4.4	17.9	0.008	9.46	1.69	2.6	5	10.7	145	0.1	5.62	<0.2	0.026	0.09	7.9	40	12.5	5.3	4	11.4		0.091	
E384611			BLANK	400	2.2	1.8	<0.002	0.04	0.36	1.3	2	0.3	113	<0.05	<0.05	0.4	0.013	<0.02	0.2	4	0.5	3.3	10	3.8		0.003	
E384612	147.5	148		1850	2.4	18	0.007	1.69	0.7	2.8	2	9	566	0.11	1.16	2.4	0.041	0.04	10.9	45	7.1	10	11	18.3		0.018	
E384613	148	148.5		1110	2.6	77.1	0.005	1.23	1.1	5.9	2	30.7	415	0.25	0.19	4.6	0.073	0.14	3.1	80	12.2	10.1	4	28.7		0.007	
E384614	148.5	149		880	3.1	144	0.014	2.46	0.92	11.8	3	31.8	317	0.39	1.6	8.9	0.158	0.24	18	68	18.4	9.6	5	56.3		0.025	
E384615	149	149.5		1140	4.8	134	0.015	8.82	2.09	11.3	5	29.1	228	0.31	9.9	1.9	0.132	0.45	17	89	16	9.8	4	55.6		0.133	
E384616	149.5	150		1580	1.6	13.5	0.008	1.32	0.47	2.9	2	5.7	1035	0.11	0.46	0.5	0.022	0.03	2.1	29	6.1	8	4	8.7		0.009	
E384617	150	150.5		2000	1.9	33.5	0.006	0.44	0.81	3.1	2	12.5	1180	0.22	0.21	3.4	0.043	0.06	5.3	48	8.1	10.2	3	10.7		0.006	
E384618	150.5	151		2210	1.8	59.8	0.003	0.17	0.91	4.2	3	18.7	384	0.31	0.23	5.8	0.069	0.08	7.5	65	11.2	11.5	4	16.9		0.005	
E384619	151	151.5		3200	1.8	57.8	0.005	0.2	0.98	4.3	3	18.9	128.5	0.36	0.25	7.1	0.083	0.08	6.5	75	12.7	18.4	5	16.9		0.009	
E384620	151.5	152.2		1720	2.1	59.1	0.004	0.1	1.28	4.7	2	12.3	16.9	0.37	0.2	7.9	0.093	0.09	12.1	56	14	12.5	7	20.3		0.007	
E384621			BLANK	420	1.8	1.8	<0.002	0.03	0.33	1.3	2	0.2	114.5	<0.05	<0.05	0.4	0.014	<0.02	0.2	4	0.5	3.5	11	3.4		0.001	
E384622			STANDARD 1	860	18.8	96.9	0.02	2.19	1.46	9.9	4	7.4	566	0.17	0.25	7.3	0.079	0.45	282	55	8.1	14.2	8	65.4		0.051	
E384623	152.2	153.1		1020	1.9	238	<0.002	0.3	1.14	15	3	22.4	15.7	0.9	0.38	24.1	0.306	0.43	7.7	84	27.2	20.8	3	89.9		0.017	
E384624	161.4	161.9		730	1.8	158.5	<0.002	0.1	0.95	12.5	2	23.4	26.3	0.49	0.06	10.8	0.229	0.34	7.5	71	22.3	7.2	17	52.6		0.005	
E384625	161.9	162.4		990	1.7	180	<0.002	0.29	0.88	11	3	18.7	86.3	0.89	0.07	6.1	0.214	0.33	12.6	67	18.3	10.6	17	53.8		0.006	0.77
E384626	162.4	163		840	2	191.5	<0.002	0.16	1.02	12.6	3	20.1	16.9	0.52	0.13	19.8	0.242	0.36	12.9	74	21.8	10.3	17	61.7		0.012	
E384627	163	163.5		820	1.7	181.5	<0.002	0.07	1.08	13.5	2	20.1	24.7	0.38	0.11	16.4	0.23	0.32	5.8	89	22.2	9	13	63.7		0.007	
E384628	163.5	164		1140	2.2	13.3	0.008	0.17	1.55	3.5	2	11.1	133.5	0.21	0.25	2.7	0.05	0.03	3.8	32	23.4	6	11	13.1		0.009	0.83
E384629	164	164.5		2580	2.1	17.4	0.008	0.08	0.97	4.2	3	10.8	36.8	0.38	1.08	5.9	0.063	0.03	8.2	36	7.1	14.6	24	20.9		0.021	
E384630	164.5	165		2320	1.9	5.4	0.008	0.13	1.15	3.5	2	7.9	180.5	0.34	0.41	3.8	0.056	0.02	2.5	36	5.4	12.3	22	19.4		0.016	
E384631			BLANK	400	1.7	1.7	<0.002	0.03	0.31	1.2	2	0.2	113.5	<0.05	<0.05	0.4	0.014	<0.02	0.2	4	0.5	3.3	10	3.4		0.003	
E384632	165	165.5		900	2.3	43.8	0.005	0.21	0.97	5.9	4	7.3	17.2	0.17	0.17	7.8	0.056	0.07	8	40	6.9	9.9	29	44.3		0.013	
E384633	165.5	166		820	1.9	120	0.006	0.06	1.11	9.3	2	15.3	14.1	0.21	0.12	10.5	0.087	0.2	12	63	12.9	8.4	20	56.2		0.013	
E384634	166	166.5		790	3.3	162.5	0.005	0.27	1.19	12.1	4	25.6	9.8	0.38	0.19	12.5	0.18	0.3	34.7	69	17.9	11.6	21	78.5		0.014	
E384635	166.5	167		830	1.9	135.5	0.008	0.06	1.07	9.8	2	21.8	14.8	0.36	0.16	10.3	0.161	0.23	19.4	62	13.2	10.9	17	66.1		0.016	
E384636	167	167.5		1630	2.4	121	0.032	0.21	0.7	8.7	4	20.6	108.5	0.19	0.75	13.4	0.101	0.19	17.3	50	12.5	14.5	8	42.5		0.026	
E384637	167.5	168		1860	1.8	51	0.028	0.41	0.72	5.5	6	13.1	47.3	0.14	1.13	6.2	0.041	0.08	6.9	42	8.5	11.3	13	28.3		0.032	
E384638	168	168.5		1720	1.9	89	0.018	0.35	0.89	8.2	5	17.9	14.8	0.18	0.84	9.8	0.059	0.14	8.3	57	10.4	13	14	40.8		0.018	
E384639	168.5	169		1020	1.6	150.5	0.005	0.53	1.04	12.8	3	24.7	20.8	0.21	0.32	13.3	0.096	0.26	10.2	74	14.6	10.7	16	59.5		0.014	
E384640	169	169.5		2870	9.4	54.2	0.014	0.68	1.37	7.4	3	8.6	32.7	0.24	0.23	16	0.095	0.17	197.5	55	10.2	19.9	47	58		0.011	
E384641			BLANK	410	1.8	1.8	<0.002	0.03	0.32	1.3	2	0.2	114.5	<0.05	<0.05	0.4	0.014	<0.02	0.4	4	0.5	3.4	10	3.5		0.003	
E384642			STANDARD 2	2320	6.1	36.1	0.017	6.44	1.99	4.3	6	6.8	190.5	0.12	1.18	5.5	0.031	0.48	15.7	80	8.7	13.9	10	21.6		0.113	
E384643	169.5	170		1210	9.9	124.75	0.008	1.62	1.63	12.4	4	8.3	24.2	0.37	0.26	17.5	0.159	0.34	308	66	10.7	21	18	72.6		0.015	
E384644	170	170.4		1250	2.1	93.6	0.008	1.62	0.73	9.2	3	5.1	80.4	0.28	0.23	9.8	0.104	0.2	10.5	49	5.9	12.5	19	50.6		0.011	
E384645	170.4	171.4		770	2.4	141	<0.002	0.85	0.91	10.6	2	6	31.4	0.37	0.13	13.9	0.161	0.31	15.4	63	8.5	12.9	9	63.1		0.007	
E384646	190.4	191.4		770	2.6	81.5	0.007	0.24	0.78	11	1	7.5	74.7	0.31	<0.05	13	0.105	0.15	17.2	60	5.4	13.8	4	66.8		0.003	
E384647	191.4	192		540	20.1	8.7	0.047	4.36	1.67	6.5	3	5.8	80	0.29	0.31	12.6	0.109	0.89	243	35	6.3	14.6	6	55.7		0.033	
E384648	192	192.5		540	2.9	8.4	0.004	0.51	0.79	7.7	1	4.9	80.9	0.28	0.06	10.2	0.107	0.04	10.1	50	4.5	11.1	4	84.9		0.005	
E384649	192.5	193		740	14.8	11.2	0.031	8.07	1.8	7	3	3.3	68.7	0.22	1.38	10.9	0.074	0.14	41	27	3.8	11.1	4	48.3		0.119	
E384650	193	193.5		610	18.7	3.6	0.028	5.82	1.4	7.3	4	2.3	66	0.17	0.65	7.3	0.049	0.87	39.2	27	4	10.9	14	45.4		0.068	
E384651			BLANK	400	1.6	1.5	<0.002	0.03	0.33	1.1	1	0.2	110	<0.05	<0.05	0.4	0.013	<0.02	0.2	4	0.4	3.6	10	3.8		0.001	
E384652	193.5	194		610	9.3	5	0.014	2.66	1.24	7.9	3	2.6	66.4	0.27	0.34	16.6	0.053	0.81	58.3	35	4	14.6	15	62.6		0.022	
E384653	194	194.5		590	5.1	4.5	0.009	1.19	1.05	10.5	2	2.3	86.3	0.17	0.18	10.9	0.041	0.16	18.9	62	6.3	16	6	50.3		0.014	
E384654	194.5	195		530	9.1	4.9	0.022	3.36	1.34	7.7	2	2.7	109.5	0.17	0.86	8.7	0.048	0.64	48.1	54	5.4	12.7	7	58.4		0.028	
E384655	195	195.6		570	7.5	4.5	0.016	1.77	0.97	8.7	2	3.2	157.5	0.14	0.29	10.5	0.045	0.6	38.8	59	4.9	12.9	5	51.4		0.013	
E384656	195.6	196.6		580	2.1	11.2	<0.002	0.26	0.74	10.9	1	2.2	101.5	0.22	<0.05	12.1	0.06	0.05	3.9	43	3.4	11	4	65.3		0.004	

IG-2007-13

Sample No	From (m)	To (m)	Standard/Blank	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
E383507	4.9	5.5		0.057	1.67	1.13	115.5	260	0.14	4.35	4.28	0.02	272	356	3	0.6	645	26.3	6.56	0.36	0.6	0.055	0.08	199.5	17.7	1.54	5420	80.8	0.09	13.6	53.7
E383508	5.5	6		0.034	2.41	1.13	139	420	0.14	4.53	2.23	<0.02	369	467	14	0.43	1130	26.6	7.52	0.44	0.6	0.043	0.05	275	17.5	0.86	3750	118.5	0.04	12.1	62.9
E383509	6	6.5		0.019	1.06	1.71	48	210	0.28	2.28	2.47	0.02	187.5	234	6	0.66	330	24.1	7.23	0.32	0.5	0.027	0.25	116.5	26.1	1.19	3610	42	0.06	8.7	64.9
E383510	6.5	7		0.005	0.52	0.41	23.4	230	0.09	0.7	1.79	0.02	196	239	<1	0.2	261	31.1	5.81	0.39	0.2	0.018	0.05	144.5	7	0.65	1930	3.98	0.02	12.8	71.6
E383511	7	7.5		0.004	0.4	0.23	20.4	200	0.07	0.5	2.42	<0.02	91.8	256	<1	0.08	229	30.8	4.57	0.32	0.1	0.029	0.01	56.8	5.1	1.1	2810	7.45	0.01	9.5	72.5
E383512	7.5	8		0.008	0.78	0.62	26	180	0.15	1.22	3.06	<0.02	196	247	12	0.4	569	29	5.45	0.39	0.2	0.03	0.07	129	10	1.31	3620	22.5	0.05	10.5	59.2
E383513	8	8.5		0.028	0.67	3.79	47.5	460	0.46	2.38	0.56	<0.02	357	90.7	12	1.32	1500	18.3	9.63	0.36	1	0.011	0.82	203	30.3	0.6	125	43.3	0.82	6	38.2
E383514	8.5	9		0.037	0.75	4.57	41.9	690	0.58	2.84	0.67	<0.02	319	97.1	17	1.85	2080	18.1	9.86	0.35	1.1	0.022	1.33	183.5	33.9	0.83	603	43.9	0.83	3.7	36.7
E383515	9	9.5		0.031	0.5	5.18	35	520	0.63	3.21	0.52	<0.02	47.8	121	24	1.67	808	14.65	9.25	0.19	1.8	0.014	1.2	18.4	35	0.84	733	32	1.34	4.1	43.3
E383516			BLANK	0.001	0.09	0.13	<5	160	0.12	0.03	43.4	0.36	2.12	1.2	10	<0.05	3.1	0.07	0.59	0.12	0.1	<0.005	0.03	1.9	1.7	0.47	36	0.26	0.02	0.4	2.1
E383517	9.5	10		0.028	0.49	3.69	38	270	0.45	3.04	1.55	<0.02	28.4	134	31	1.15	792	17	8.54	0.19	1.6	0.011	0.8	10.1	29	0.91	1330	60.1	0.92	4.6	43.5
E383518	10	10.5		0.002	0.1	5.7	4	2750	0.72	0.04	2.58	0.02	16	15.9	23	1.19	100	5.35	8.43	0.07	1.8	0.013	0.78	10.6	25.9	1.3	2670	12	2.61	4.7	18.8
E383519	10.5	11		0.01	0.24	3.16	24.9	320	0.58	0.9	0.52	<0.02	75.8	102	8	1.34	61.8	19.3	9.31	0.24	0.5	0.008	1.16	29.8	15.1	0.38	276	50.8	0.4	5.3	41.4
E383520	11	11.5		0.007	0.29	1.43	17.4	310	0.36	0.39	0.51	<0.02	358	104.5	30	0.52	555	23.1	9.66	0.37	0.7	0.008	0.35	221	19	0.44	618	32.2	0.07	7.8	49.3
E383521	11.5	12		0.037	0.89	2	45.9	190	0.41	3.46	0.82	<0.02	35	202	11	0.9	1020	20.9	8.5	0.24	0.7	0.015	0.78	10.6	16.7	0.4	363	78.8	0.07	5.7	53.1
E383522	12	12.5		0.018	0.41	1.41	23.6	310	0.33	0.73	0.7	<0.02	240	52.5	7	0.44	1430	17.1	7.2	0.32	0.6	0.011	0.56	101.5	7.7	0.3	418	55.9	0.02	7.1	31.8
E383523	86	87		0.014	0.43	4.26	64.9	420	1.22	6.8	2.07	<0.02	160	95.7	29	3.7	53.7	17.3	12.2	0.26	1	0.124	1.89	130.5	13.7	1.43	9610	61.3	0.05	5.5	28.8
E383524	87	87.5		0.012	0.3	4.95	74	500	1.31	4.18	1.57	<0.02	125	94.6	26	3.9	855	14.85	14.1	0.2	1.3	0.137	2.24	92.5	13.2	1.18	8450	26.9	0.05	5.4	32.7
E383525	87.5	88		0.036	0.56	2.19	127.5	410	0.64	9.28	0.55	<0.02	327	148.5	9	1.53	1550	25.4	7.84	0.37	0.6	0.195	0.78	246	15.4	1.45	15500	23.8	0.02	3.4	64
E383526	88	89		0.021	0.41	2.5	58.1	650	0.68	6.67	0.78	<0.02	261	130	22	1.7	1300	23.4	8.3	0.36	0.5	0.181	0.72	206	29.2	1.49	14150	25.8	0.02	3.1	46.9

IG-2007-13

Sample No	From (m)	To (m)	Standard/Blank
E383507	4.9	5.5	
E383508	5.5	6	
E383509	6	6.5	
E383510	6.5	7	
E383511	7	7.5	
E383512	7.5	8	
E383513	8	8.5	
E383514	8.5	9	
E383515	9	9.5	
E383516			BLANK
E383517	9.5	10	
E383518	10	10.5	
E383519	10.5	11	
E383520	11	11.5	
E383521	11.5	12	
E383522	12	12.5	
E383523	86	87	
E383524	87	87.5	
E383525	87.5	88	
E383526	88	89	

P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr
ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
4780	14.1	3.3	0.018	6.34	2.51	4.5	5	3	155.5	0.32	0.85	6.7	0.031	0.19	9	53	5.7	32.3	23	24.6
4160	16.4	2.3	0.021	6.5	2.69	2.6	6	2.6	191.5	0.29	0.72	10.3	0.026	0.19	13.3	51	5	25.4	21	19
2910	8.4	9.8	0.008	3.62	2.04	3.6	4	4.5	396	0.18	0.43	4.4	0.037	0.14	9.1	51	10.3	18.3	24	16.1
3250	4.3	2.4	0.003	3.11	1.86	1.8	3	3.2	179.5	0.23	0.11	2.7	0.023	0.03	4.7	57	6.6	14.9	9	6.8
3780	3.2	0.7	0.002	2.66	1.47	2.1	3	2.2	412	0.21	0.15	1	0.013	0.02	2.9	60	6.3	15.8	10	3.8
3890	5.6	3.3	0.005	2.6	1.72	3	3	2.1	482	0.27	0.16	3	0.019	0.05	7.6	52	8.4	18.4	14	6.9
2540	5.7	35.8	0.012	3.03	1.53	2.3	3	4.1	514	0.15	0.51	12.6	0.058	0.29	11.4	43	6.7	15.4	20	31.7
1840	6	58.3	0.01	3.26	1.44	2.7	4	5.1	448	0.12	0.48	15.6	0.053	0.33	11.9	44	5.2	13	24	32.3
1920	5.2	50.1	0.013	3.21	1.7	2.9	3	5.4	485	0.14	0.39	4.6	0.084	0.3	13.2	46	5.5	11.2	25	53.7
110	1.1	0.6	0.004	0.07	0.14	0.4	3	<0.2	260	<0.05	0.06	0.2	0.007	<0.02	0.7	6	0.1	2.7	23	3.4
2610	4.8	33.2	0.016	4.03	1.47	3.5	4	4.5	364	0.15	0.62	3.4	0.065	0.22	16.3	50	5.2	14.1	21	46.7
970	3	33	0.003	0.32	0.69	4.3	1	4.7	1730	0.2	<0.05	6.5	0.075	0.18	4.7	22	5.1	10.1	23	51.2
2450	3.4	42.8	0.018	1.74	1.47	1.8	3	3.4	1050	0.16	0.28	2.6	0.044	0.22	11.2	65	6.2	9.8	13	14.1
2400	3.4	13.9	0.007	1.37	1.95	1.8	3	4.1	960	0.18	0.11	9.4	0.048	0.06	4.7	65	8	14	14	20.3
3330	5.3	32.9	0.018	5.81	1.8	2.4	5	4.8	350	0.14	0.87	1.3	0.059	0.18	8.7	53	8.1	14.9	10	21.9
3340	2.4	24.2	0.01	1.52	1.36	1.3	5	3.8	1050	0.15	0.31	4.4	0.033	0.13	3.1	42	7.8	17.2	6	18.8
980	3.1	72.7	0.006	2.7	2.83	10.3	2	10.7	27.5	0.2	0.44	6.2	0.077	0.25	16.2	53	10.7	9.4	10	30.3
1020	2.7	84.8	0.007	2.27	1.76	8.5	2	10.6	20.4	0.2	0.24	7.3	0.082	0.25	7.1	58	10.5	9.5	9	40.4
1170	3.8	29.5	0.005	3.42	2.51	5.8	3	4.7	25.6	0.11	0.29	7.9	0.043	0.13	13.9	40	8	9.4	17	18.2
780	3.2	27.8	0.004	2.41	2.56	5.4	2	5.4	12.5	0.12	0.23	7.2	0.051	0.11	8.3	46	9	8	19	18.5

IG-2007-15

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
E384778	6.00	6.50		0.1	4.23	6.1	2300	1.36	0.72	4.1	<0.02	115.5	68.4	24	3.06	268	12.3	9.9	0.16	1.2	0.162	1.32	75.8	27.2	2.13	8070	22.2	0.66	3.7	34.6
E384779	6.50	7.00		5.93	3.39	22.3	170	1.2	6.69	2.5	0.05	53	257	18	1.5	>10000	16.6	10.45	0.31	1	1.385	0.87	24.8	22.6	1.14	5130	31.8	1.27	4.7	26.5
E384780	7.00	7.50		4.03	4.2	31.8	220	1.02	5.52	1.81	<0.02	132	282	22	1.54	>10000	16.6	9.76	0.31	1.5	0.713	0.57	69.3	27.3	1.48	7720	48.4	1.67	5.1	35.5
E384781	7.50	8.00		4.04	3.72	37.8	70	0.8	5.61	2.91	<0.02	45.4	492	20	0.94	>10000	17.85	7.66	0.18	1.1	0.95	0.42	15.8	22.8	1.88	8370	37.2	2.01	2.7	64.2
E384782	8.00	8.50		4.12	3.92	20.7	60	0.66	5.61	1.91	<0.02	96.5	220	24	0.78	>10000	17.3	9.19	0.21	1.2	0.928	0.39	45	17.3	1.37	8100	36.4	2.43	2.2	41.4
E384783	8.50	9.00		0.71	5.05	7.8	270	0.75	0.72	1.89	<0.02	80.6	94.5	26	0.77	7720	8.23	11.55	0.14	1.3	0.177	0.34	38.5	15.4	1.22	5190	14.1	3.23	4.8	18
E384784	9.00	9.50		0.11	5.35	2.8	3530	0.95	0.13	2.34	<0.02	105	58.7	31	2.4	786	9.83	16	0.13	1.5	0.082	0.36	64.7	70.8	2.88	2920	3.44	1.52	3.1	34.8
E384785	9.50	10.00		0.08	6.07	1.9	4750	1	0.11	3.37	0.02	74.9	59.5	30	1.55	212	8.55	16.35	0.2	1.4	0.078	0.47	47.6	39.2	1.96	4910	2.91	3.21	5.1	21
E384786	10.00	10.50		0.03	7.24	1.5	4780	2.63	0.09	2.16	<0.02	48.9	67.1	38	3.48	74.8	8.45	23.4	0.17	1.7	0.108	1.88	30.6	70.9	1.55	4130	2.21	2.8	4.7	20.4
E384787			BLANK	0.01	0.15	<5	70	<0.05	0.01	47.2	0.39	2.22	0.9	6	<0.05	22.6	0.05	0.47	<0.05	0.1	0.005	0.04	1.7	1.3	0.51	41	0.5	0.02	0.3	<0.2
E384788	10.50	11.00		0.07	6.97	2.8	4550	2.34	0.07	2.6	0.02	77	53.5	35	3.39	236	8.6	19.8	0.22	1.6	0.094	1.67	49.2	64.6	1.55	3870	2.94	2.59	4.8	17.8
E384789	11.00	11.50		0.05	6.93	3.6	3350	3	0.1	1.54	<0.02	83.8	53.9	39	4.47	136	8.91	22	0.2	1.5	0.074	2.1	54.4	90.8	1.31	1355	2.71	1.64	4	20
E384790	11.50	12.00		0.08	6.69	3.4	1520	1.84	0.19	2.89	<0.02	88.7	89.1	35	2.97	895	9.33	17.1	0.22	1.4	0.087	1.19	43.5	59.8	1.55	2850	2.7	2.92	5.2	18.5
E384791	12.00	12.50		0.23	6.09	2.6	1510	1.4	0.85	2.68	<0.02	131.5	62.6	33	1.74	2090	9.37	15.85	0.24	1.3	0.085	0.88	61.8	53.2	1.42	2540	18.45	2.75	5.1	24.7
E384792	12.50	13.00		0.38	6.41	3.7	1260	0.76	0.83	2.92	<0.02	97.3	112.5	35	0.68	4640	9.56	16.3	0.24	1.3	0.107	0.21	64.6	22	1.18	2690	22	4.07	5.4	27.6
E384793	13.00	13.50		0.2	6.04	2.6	1040	0.74	0.3	2.89	0.02	77.9	90.8	32	0.59	2660	8.95	15.55	0.2	1.3	0.079	0.16	51.8	22.3	1.18	2280	7.28	3.81	4.5	24
E384794	13.50	14.00		0.22	6.45	2.9	2650	0.77	0.28	3.29	<0.02	125.5	98.8	28	0.73	3750	10.7	17.35	0.22	1.2	0.115	0.19	64.6	29.5	1.37	2750	7.39	3.92	5.4	31.2
E384795	14.00	14.50		0.7	2.86	11.4	110	0.24	0.49	2.94	<0.02	175	210	13	0.27	>10000	21.6	11.25	0.32	0.7	0.196	0.06	112.5	10	1.18	3600	12.25	1.88	3	50
E384796	14.50	15.00		0.46	3.79	6.1	490	0.59	0.39	2.53	<0.02	132	83.3	17	0.54	2690	11.65	10.35	0.19	1.5	0.084	0.08	84.9	27.2	1.27	2250	19.25	1.95	6.9	31.4
E384797			BLANK	0.01	0.11	6	50	0.07	0.01	40.7	0.34	1.93	0.8	4	<0.05	7.7	0.04	0.39	<0.05	0.1	<0.005	0.02	1.5	1.2	0.44	32	0.23	0.01	0.2	<0.2
E384798			STANDARD 1	0.97	5.42	58	140	1.83	2.03	1.88	<0.02	56.3	149	33	3.14	7590	8.77	14.55	0.15	1.5	0.127	1.98	21.4	23.2	1.11	3010	56.1	0.99	3.2	34.1
E384799	15.00	15.50		0.12	5.57	2.5	3570	0.88	0.18	2.36	<0.02	103	47	26	1.85	1470	11.75	12.95	0.22	1.1	0.043	0.17	68.8	58.8	1.98	2180	4.6	2.53	4.4	35.9
E384800	15.50	16.00		0.03	5.92	0.5	3430	1	0.03	2.68	<0.02	52.5	24.1	26	0.96	110.5	7.8	12	0.15	1.1	0.033	0.15	36.3	32.2	1.39	2720	2.83	3.55	2.6	21.6
E384801	16.00	16.50		1.22	4.2	6.2	140	0.7	1.16	3.07	<0.02	175	41.6	18	0.71	>10000	11.85	10.9	0.23	1.1	0.134	0.15	95.1	20.7	1.41	3620	58.1	2.64	5.5	30.1
E384802	16.50	17.00		0.26	1.51	23.4	170	0.91	0.59	0.82	<0.02	140	229	4	1.05	2190	16.2	5.62	0.23	0.5	0.131	0.15	73.6	32.6	1.68	7230	36.7	0.03	3.3	34.1
E384803	17.00	17.50		0.08	2.13	10.8	580	1.06	0.32	0.73	<0.02	176	69	7	1.92	387	17.55	6.9	0.25	1	0.057	0.19	110.5	46.9	1.64	3150	27.6	0.05	2.6	38.8
E384804	17.50	18.00		0.09	1.43	9.8	470	0.84	0.4	0.85	<0.02	129.5	46.2	4	0.93	378	16.1	6.82	0.24	0.5	0.043	0.03	63.5	30.8	1.31	2110	31.3	0.01	2.8	38.8
E384805	18.00	18.50		0.13	0.48	5.1	350	0.32	0.56	0.94	0.02	75.7	35.1	<1	0.26	594	13.95	3.61	0.16	0.1	0.22	<0.01	42.9	9.2	1.67	11800	30.8	0.01	1.3	18.5
E384806	18.50	19.00		0.27	1.45	11	170	0.93	3.35	3.93	<0.02	195	71.5	7	1.03	1285	19.9	7.51	0.34	0.5	0.089	0.02	105	35.3	2.23	6250	20.4	0.01	5.4	41.4
E384807	19.00	19.50		0.07	0.81	7.8	340	0.97	0.98	2.56	<0.02	102	46.2	4	0.52	381	14.8	3.87	0.17	0.2	0.057	0.01	63.6	18.9	1.61	5350	41.8	0.01	3.3	26.9
E384808	19.50	20.00		0.15	1.58	7	320	1.08	0.45	1.79	<0.02	145.5	64.6	8	1.15	591	13.95	5.54	0.18	0.4	0.077	0.02	90.5	37.4	2.08	4750	28.4	0.01	3.2	30
E384809			BLANK	<0.01	0.13	<5	110	0.09	0.01	45.3	0.37	2.03	1.4	5	<0.05	3	0.06	0.56	<0.05	0.1	<0.005	0.03	1.7	1.3	0.49	36	0.25	0.01	0.3	1.8
E384810	20.00	20.50		0.3	4.93	2	920	1.96	0.26	0.47	0.02	75.8	56.9	28	5.11	2910	17.1	12.15	0.16	1.3	0.105	0.07	53.8	141	4.16	2580	4.1	0.01	4.7	30.2
E384811	20.50	21.00		0.08	5.11	1.5	1440	2.13	0.08	0.39	<0.02	96	65.1	28	5.96	761	13.85	13.3	0.14	1.5	0.067	0.12	67.7	162	4.16	728	2.55	0.02	4.4	25.4
E384812	21.00	21.50		0.03	5.56	4	2640	2.35	0.08	0.19	0.02	104	97.8	34	7.43	117	13.9	15.1	0.17	1.7	0.052	0.76	67.9	139.5	3.4	311	1.91	0.11	2.5	25.5
E384813	21.50	22.00		0.2	4.7	3.6	320	0.72	0.12	0.64	<0.02	83.3	67.7	22	1.15	2350	8.58	11.35	0.11	1.5	0.087	0.15	56.8	40.5	1.22	2080	2.34	2.44	2.1	12.4
E384814	22.00	22.50		0.07	5.22	2.7	940	0.7	0.12	0.85	0.02	79.9	70.9	25	0.79	816	8.23	12.45	0.11	1.4	0.104	0.2	56.5	26.8	1.17	3720	2.73	3.1	2.5	14
E384815	22.50	23.00		0.77	4.69	5.3	300	0.86	0.64	0.64	<0.02	99.8	105.5	22	1.39	1565	8.35	11.1	0.13	1.5	0.094	0.15	66.6	37.8	1.35	2340	67.4	2.42	4.4	17.3
E384816	23.00	23.50		0.54	1.34	12.9	120	0.72	0.55	1.37	<0.02	176.5	186.5	8	0.79	3070	24.6	8.93	0.28	0.5	0.093	0.02	95.3	34.4	1.62	3480	37.2	0.02	5.2	57.6
E384817	23.50	24.00		0.7	0.68	12.3	110	0.34	0.6	5.3	<0.02	146.5	132	<1	0.2	3890	17.8	5.16	0.25	0.2	0.156	0.01	86.3	12.8	2.51	7760	33	0.02	6.1	31.6
E384818	24.00	24.50		0.43	0.64	9.8	140	0.5	0.43	3.17	<0.02	124	114.5	<1	0.31	3540	14.45	4.3	0.22	0.2	0.082	0.01	63.5	10.8	1.47	3650	24.1	0.02	3.4	26.7
E384819	24.50	25.00		0.47	5.68	50.6	230	2.09	0.69	3.55	<0.02	147.5	545	26	5.51	3220	15.5	14.7	0.29	1.4	0.177	1.24	93.6	109.5	4.23	3690	52.7	0.02	8.3	43.4
E384820			BLANK	0.06	0.14	9	100	0.12	<0.01	46	0.43	2.31	1.4	4	0.06	8.3	0.06	0.6	0.19	0.1	<0.005	0.03	2.2	1.4	0.49	38	0.39	0.01	0.4	1
E384821			STANDARD 2	1.25	2.39	88.3	40	0.81	11.35	2.21	<0.02	175	331	11	2.5	8670	29.1	9.21	0.37	0.7	0.255	0.68	106	15.4	1.55	6020	56.8	0.25	6	53.7
E384822	25.00	25.50		0.14	5.49	5.4	2490	1.96	0.09	2.32	<0.02	221	50.8	28	5.67	739	12.25	15.65	0.29	1.6	0.177	1.88	186.5	82.6	2.6	2940	5.53	0.02	7.6	21.9
E384823	25.50	26.00		0.27	5.92	10	970	2.17	0.27	3.3	<0.02	187.5	125	30	5.85	1990	13.1	18.1	0.29	1.5	0.194	2.49	139	75.1	2.66	3790	6.76	0.03	8.6	22.5
E384824	26.00	26.50		0.21	5.52	21.9	1200	2.01	0.28	2.59	<0.02	210	243	29	5.14	1065	14.05	16.35	0.29	1.5	0.237	2.37	181.5	69	2.38	4630	7.52	0.02	9.5	22.1
E384825	26.50	27.00		1.23	3.33	46.1	60	1.04	1.59	1.63	<0.02	92.2	668	15	2.66	8680	20.5	7.88	0.33	0.9	0.282	0.65	47.7	55	2.69	6200	14.1	0.01	8.3	43.2
E384826	27.00	27.50		0.26	5.24	8	700	1.89	0.28	2.32	<0.02	207	114	30	4.86	1250	12.55	15.5	0.28	1.4	0.2	2.1	154	62	2.26	3900	9.78	0.02	10.1	23.4
E384827	27.50	28.00		0.25	5.48	4.3	950	1.99	0.25	2.67	<0.02	113.5	76.3	28	5.19	1395	10.1	16.45	0.23	1.4	0.157	2.18	81.7	66	2.34	3070	4.55	0.02	8.6	16.9
E384828	28.00	28.50		0.81	3.54	12.8	230	1.13	0.88	1.56	<0.02	167.5	114	16	2.41	4410	15.8	10.05	0.29	1	0.186	1.19	111.5	43.6	1.79	3930	12.15	0.02	10.5	22.2
E384829	28.50	29.00		0.36	3.75	7.2	810	1.23	0.39	1.45	<0.02	148	72.3	19	3.65	1810	11.65	10.8	0.24	1.2	0.149	1.4	111.5	46.1	1.69	3410	13.45	0.02	7.8	17.1
E384830	29.00	29.50		0.18	4.77	10.7	1670	1.64	0.37	2.08	<0.02	207	94	24	4.49	88.7	14.85	14.75	0.28	1.4	0.17	1.79	167	59.2	2.23	3620	17.25	0.02	12.1	22.4
E384831	29.50	30.00		0.14	5.75	9.2	1190	1.98	0.24	2.43	<0.02	164.5	128	29	5.27	27.3	12.4	18.6	0.23	1.7	0.168	2.33	127.5	65.9	2.42	3500	17.75	0.02	14.2	20.4
E384832			BLANK	0.04	0.14	<5	100	0.07	<0.01	45.2	0.39	2.42	1	7	0.05	2.8	0.07	0.57	0.15	0.1	<0.005	0.03	2.1	1.3	0.49	40	0.27	0.01	0.4	3
E384833	30.00	31.00		0.16	2.45	16.5	1310	0.88	0.43	1.7	<0.02	190	79.5	10	2.01	22.1	18.15	8.45	0.27	0.7	0.159	0.88	156	31.2	1.41	5180	20.5	0.01	11.4	20.1
E384834	46.50	47.50		0.86	5.33	5.4	4980	2.26	0.86	9.52	<0.02	31.3	89.2	28	3.51	3140	13.1	11.9	0.19	1	0.308	0.83	18.1	75.6	8.68	12850	30.4	<0.01	3.1	40.1
E384835	47.50	48.00		2.11	3.88	18.3	110	1.61	3	9	<0.02	35.1	148.5	24	2.39	>10000	13.7	9.84	0.19	0.9	0.316	0.54	20	58.3	5.18	12700	22	0.02	4.3	44.5
E384836	48.00	48.50		1.65	2.99	12.2	210	1	2.94	8.78	<0.02	66.4	99.1	13	1.36	5380	13.65	7.93	0.21	0.8	0.282	0.23	39.5	41.8	4.79	11350	15.1	0.02	6.8	41.3
E384837	48.50	49.00		0.31	0.46	3.5	610	0.25	0.7	3.39	<0.02	31.9	42.1	6	0.12	605	9.38	1.9	0.12	0.1	0.106	0.03	20.4	4.8	1.31	5740	11	<0.01	4	21.4
E384838	49.00	49.50		3.95	0.35	9.7	100	0.19	9.18	4.54	<0.02	14.5	92.6	<1	0.18	>10000	10.05	1.6	0.14	0.1	0.259	0.03	3.5	4.3	1.85	9130	26.4	0.01	3.9	27.3
E384839	49.50	50.00		1.61	0.13	27	100	0.08	6.82	10.6	0.02	9.34	93.7	<1	0.08	>10000	9.04	0.97	0.13	<0.1	0.263	0.01	3.2	1.5	3.63	13900	15.4	0.02	2	13.8
E384840	50.00	50.50		1.37	0.1	16	610	0.11	6.06	16.15	0.03	33.5	66.5	<1	0.1	6500	9.82	1.02	0.13	0.1	0.316	<0.01	21.2	1.4	6.81	19400	5.03	0.02	1.1	11.4
E384841	50.50	51.00		1.65	3.61	15.6	450	1.38	7.31	2.1	<0.02	137	158	13	2.45	4710	19.3	11.7	0.3	1.1	0.294	0.41	92.1	49.1	3.14	10900	40	0.01	6.1	50
E384842	51.00	52.00		0.37	2.12	15.3	780	0.9	1.43	0.67	<0.02	99.6	161.5	11	1.97	789	19.15	7.69	0.3	0.6	0.257	0.3	71.3	31.1	2.21	14100	15.1	0.01	5.1	41.3
E384843			BLANK	0.01	0.12	<5	140	0.19	0.01	43.2	0.36	2.24	0.8	7	0.05	2.2	0.07	0.52	0.11	<0.1	<0.005	0.03	1.8	1.4	0.44	52	0.23	0.01	0.3	<0.2
E384844			STANDARD 3	0.29	7	47.2	1330	2.38	1.48	1.96	<0.02	74.9	118	46	6.16	1550	6.97	19.25	0.15	1.7	0.123	2.96	41.4	21.6	1.3	3270	20.3	0.56	4.2	31.1
E384845	95.00	95.50		0.18	5.48	12.5	980	1.59	0.26	2.04	<0.02	59.3	54.6	36	1.36	683	9.37	11.4	0.12	1.2	0.052	2.31	49.2	16.5	0.85	2190	10.5	0.71	5.9	12.7
E384846	95.50	96.00		0.2	7.44	10.3	2030	2.39	0.26	1.17	<0.02	26.3	55.7	61	2.26	1420	7.21	18	0.12	1.5	0.048	2.97	20.9	20.3	0.62	1130	12.5	1.43	4.2	14.5
E384847	96.00	96.50		0.49	9.53	7.1	1340	3.58	0.4	0.14	<0.02	13.7	55.6	120	3.59	4150	9.23	24.6	0.14	2.2	0.072	4.16	9.5	28	0.45	98	7.93	0.77	2	25.7
E384848	96.50	97.00		0.19	5.4	17.4	560	1.01	0.81	1.78	<0.02	47.1	122	43	0.87	632	8.54	11.45	0.14	1.3	0.016	1.14	27.8	5.8	0.83	1305	13.9	2.53	1.8	19.6
E384849	97.00	97.50		0.08	2.04	271	210	0.7	3.59	0.7	<0.02	130.5	63.3	15	0.35	159	13.45	5.45	0.2	0.4	0.011	0.42	68.1	3	0.29	787	19.2	0.89	1.5	28.8
E384850	97.50	98.00		0.05	0.57	43.9	730	0.47	0.28	0.6	<0.02	264	9	4	0.09	16.1	18.85	3.19	0.29	<0.1	0.012	0.12	204	1.5	0.25	970	32.8	0.16	2.1	19
E384851	98.00	98.50		0.35	0.18	4.9	190	0.57	0.49	0.45	<0.02	71	58.1	<1	0.06	3630	14.6	1.51	0.21	<0.1	0.031	0.03	42.8	1.3	0.21	920	25	0.02	2	33.1
E384852	98.50	99.00		0.19	0.06	7.4	190	0.53	0.4	0.68	<0.02	89.3	60.8	<1	<0.05	686	13.7	1.47	0.2	<0.1	0.011	<0.01	52.9	0.5	0.31	1445	23.4	<0.01	2.2	33.2
E384853	99.00	99.50		0.2	1.42	7.9	380	0.68	0.27	0.93	<0.02	343	29.2	8	0.34	563	17	3.92	0.3	0.2	0.013	0.33	268	7.9	0.51	1355	21.8	0.21	7.3	16.6
E384854	99.50	100.00		0.15	0.83	7.1	1200	0.36	0.05	1.33	<0.02	388	14.3	3	0.12	52.2	22.3	3.94	0.39	0.2	0.031	0.09	309	5.5	0.78	3500	48.7	0.19	8.2	24
E384855			BLANK	0.01	0.12	<5	190	0.17	0.01	44.4	0.37	2.97	0.8	6	<0.05	2.4	0.09	0.45	<0.05	<0.1	<0.005	0.03	2.4	1.2	0.45	40	0.36	0.01	0.3	<0.2
E384856	100.00	100.50		0.14	0.34	5.2	710	0.27	0.06	0.93	0.02	206	17.1	1	0.07	196	20	3.44	0.3	<0.1	0.044	0.03	184	3.6	0.83	4550	47.6	0.02	6	27.5
E384857	100.50	101.00		0.14	0.51	6.8	270	0.27	0.06	0.98	0.02	456	59.7	1	0.09	22	22.3	5.63	0.4	<0.1	0.038	0.04	329	4.8	1.02	6360	41.2	0.06	5.6	35
E384858	101.00	101.50		0.16	1.2	9	150	0.5	0.14	1.76	0.02	253	175.5	5	0.36	18.7	19.7	5.63	0.33	0.3	0.037	0.32	150.5	7.9	1.13	4800	49.8	0.17	7.1	33.3
E384859	101.50	102.00		0.09	4.01	7.2	270	0.89	0.09	2.91	<0.02	46.7	86.7	20	0.77	34.9	12.35	8.18	0.15	1	0.042	0.95	28.6	13	1.17	2450	25.9	1.3	6.6	15.8
E384860	102.00	102.50		0.14	4.16	2.8	460	0.69	0.07	3.03	0.02	67.1	70.5	20	0.54	182.5	13.55	7.83	0.17	1.1	0.024	0.65	68.4	11.5	1.17	2590	59.1	1.77	5.2	16.8
E384861	102.50	103.00		0.09	3.29	29.1	2090	0.36	0.33	3.95	0.03	227	8.9	9	0.27	61.3	14.65	7.59	0.24	0.5	0.036	0.2	184.5	8.4	1.68	4500	86.2	1.74	1.6	21.4
E384862	103.00	103.50		0.12	4.53	2.9	920	0.49	0.17	1.74	<0.02	133.5	53.9	12	0.7	5.4	13.7	8.73	0.19	0.7	0.036	0.38	110	18.3	1.39	3740	73.2	1.82	1.3	32.5
E384863	103.50	104.00		0.06	6.59	2.6	3390	0.61	0.05	3.65	<0.02	117.5	41.5	24	0.29	61.8	8.64	8.98	0.15	1.4	0.015	0.21	99.6	8.3	1.2	3100	22	4.38	1.3	14.7

IG-2007-15

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E384778	6.00	6.50		1160	3.4	71.2	0.005	0.16	1.38	7.3	1	3.9	1050	0.12	0.36	8.1	0.075	0.13	13.6	47	14.6	11.3	8	38.5		0.021	
E384779	6.50	7.00		710	174.5	44.4	0.02	9.91	5.46	6	7	15.3	196.5	0.18	1.71	4.5	0.068	0.09	940	50	28.5	23.1	4	28.9	10.65	0.295	
E384780	7.00	7.50		720	296	30.2	0.03	4.54	10.4	6	8	8.7	179	0.23	0.89	10.6	0.082	0.25	2850	44	46.1	55.1	9	41.3	4.41	0.174	
E384781	7.50	8.00		620	58.3	21	0.02	7.86	3.21	5.8	4	9.2	162	0.12	1.39	6.5	0.049	0.1	900	45	26.8	22.2	7	34.3	5.78	0.287	
E384782	8.00	8.50		850	34.5	19.9	0.01	5.71	2.37	6.4	7	11.8	188	0.09	1.05	7.9	0.041	0.07	327	52	13.7	17	<2	35.7	7.37	0.163	
E384783	8.50	9.00		590	10.2	17.9	0.005	0.97	1.98	5.6	2	5.1	1200	0.28	0.21	7.9	0.1	0.05	47.8	36	16.7	9.5	6	37.3		0.024	
E384784	9.00	9.50		600	5.2	16.7	<0.002	0.34	1.51	8	1	4	635	0.22	<0.05	9.1	0.091	0.11	29.4	62	9.3	9.7	25	45		0.004	
E384785	9.50	10.00		680	6.7	26	<0.002	0.35	1.81	11.4	2	5.9	587	0.34	<0.05	10.3	0.124	0.14	30.2	56	12.8	11.4	13	43.6		0.002	
E384786	10.00	10.50		690	4.5	101	<0.002	0.22	1.54	19	2	12.9	510	0.35	<0.05	11.6	0.145	0.13	17	82	16	11.3	9	50.7		0.008	
E384787			BLANK	130	0.7	0.8	<0.002	0.07	0.1	0.5	2	0.2	281	<0.05	<0.05	0.2	0.007	<0.02	1.1	15	0.1	2.6	29	3.4		0.001	
E384788	10.50	11.00		850	5.4	99.3	0.002	0.25	1.3	11.5	3	12	720	0.3	0.05	11.8	0.147	0.13	20.7	88	14.8	12.3	10	46.9		0.002	
E384789	11.00	11.50		960	5.4	129	<0.002	0.26	1.27	13.7	3	14.3	782	0.26	<0.05	10.3	0.153	0.17	12	74	16.6	12.6	12	44.3		0.002	
E384790	11.50	12.00		740	5	69.9	<0.002	0.36	1.28	11.4	3	10.9	771	0.34	0.07	11.6	0.165	0.1	16.1	83	12.9	14.8	8	44.9		0.005	
E384791	12.00	12.50		900	6.4	42.2	0.005	0.37	1.54	9.8	3	8.4	993	0.33	0.14	13	0.133	0.06	45.2	59	15.7	15.3	12	40.5		0.015	
E384792	12.50	13.00		750	5.2	9.6	0.009	0.74	1.54	8.1	4	5.6	458	0.36	0.19	9.7	0.12	0.03	44.9	62	16.1	14	7	41.6		0.025	
E384793	13.00	13.50		750	3.6	7.6	0.002	0.53	1.1	7.4	3	5.1	1055	0.31	0.11	9.4	0.102	<0.02	31.8	62	10.5	13	8	39.5		0.02	
E384794	13.50	14.00		960	3.6	9.5	0.002	0.59	1.27	7.8	3	5.8	407	0.35	0.12	9.5	0.1	0.03	43.5	57	10.8	15.9	11	39.1		0.02	
E384795	14.00	14.50		1950	6.1	2.4	0.003	1.49	0.95	4.1	3	3.8	360	0.12	0.28	6.6	0.033	0.02	41.6	48	5.6	15	8	19.8	1.18	0.065	
E384796	14.50	15.00		1920	5.1	3.7	0.007	0.51	1.17	5.7	2	3.3	1210	0.25	0.15	6.1	0.061	0.03	23.3	44	8.9	15.2	11	46.7		0.024	
E384797			BLANK	90	0.5	0.4	<0.002	0.06	0.07	0.4	2	<0.2	241	<0.05	<0.05	0.2	0.006	<0.02	0.5	13	0.1	2.2	21	2.3		0.002	
E384798			STANDARD 1	770	18	75.8	0.022	2.19	1.45	9.8	3	6.8	633	0.17	0.21	7.7	0.079	0.36	256	52	7.2	12	6	45.5		0.053	
E384799	15.00	15.50		1130	3.7	8.9	0.002	0.33	1.01	6.8	3	4.4	890	0.26	0.07	8.1	0.075	0.03	20.8	54	9.8	12.4	22	32.6		0.008	
E384800	15.50	16.00		820	3.6	8.8	0.002	0.22	0.9	6.5	2	4.2	1045	0.22	<0.05	6.2	0.077	0.02	13.7	47	8.9	11.1	9	34.7		0.001	
E384801	16.00	16.50		2050	11.7	7.8	0.022	1.1	1.86	8.4	5	3.7	1030	0.19	0.89	8.4	0.063	0.05	89.9	43	15	18.3	4	29.4	1.065	0.072	
E384802	16.50	17.00		1920	3	8.7	0.009	0.82	0.69	3	2	5.2	1570	0.06	0.27	2.6	0.016	0.03	25.5	35	8.1	7.9	10	13.9		0.016	
E384803	17.00	17.50		2470	2.1	12.1	0.005	0.28	0.6	3.4	2	3.9	1830	0.05	0.15	3.2	0.02	0.04	17.2	56	6	11.8	12	29.8		0.006	
E384804	17.50	18.00		2370	2	1.9	0.006	0.28	0.52	2.3	1	2.9	1920	<0.05	0.16	2.1	0.021	0.04	12.8	43	5.6	9.3	11	14.4		0.005	
E384805	18.00	18.50		960	3.7	0.4	0.003	0.38	0.72	1.7	1	1	2320	<0.05	0.12	1.2	0.006	0.16	16.3	27	3.1	5.9	12	4.4		0.006	
E384806	18.50	19.00		2050	3.3	1.8	0.004	0.54	3.45	9	3	2.9	1295	0.14	0.19	4.1	0.019	0.99	27.4	51	7.3	16.7	14	15.2		0.01	
E384807	19.00	19.50		1750	1.8	0.8	0.009	0.32	0.61	4.2	2	1.8	1985	0.07	0.15	1.8	0.011	0.17	12.1	34	6.5	8.8	9	7.2		0.006	
E384808	19.50	20.00		1700	3.1	1.8	0.007	0.29	0.71	3.5	2	1.8	1675	0.1	0.17	3.3	0.017	0.05	11.8	36	6.8	11.7	17	13.3		0.006	
E384809			BLANK	110	0.7	0.6	<0.002	0.06	0.06	0.5	3	<0.2	279	<0.05	<0.05	0.2	0.006	<0.02	0.7	5	0.1	2.7	23	3.1		0.001	
E384810	20.00	20.50		700	7.7	6.5	0.015	0.6	1.7	5.7	2	3.6	1310	0.28	0.11	6.6	0.06	0.05	20.9	49	11	12.6	46	40		0.015	
E384811	20.50	21.00		670	5.5	8.6	0.005	0.44	1.66	4.5	2	3.8	1450	0.28	0.07	7.8	0.087	0.04	18.6	42	9.4	13.3	48	44.6		0.004	
E384812	21.00	21.50		830	4.9	26.8	0.003	0.46	1.31	4.9	2	4.7	1000	0.17	0.07	10.8	0.075	0.15	19	64	6.5	10.3	40	52.8		0.003	
E384813	21.50	22.00		590	2.7	7.4	<0.002	0.43	0.86	4	3	5	962	0.18	0.06	10.5	0.087	0.02	10.8	43	5.2	8.2	10	45.9		0.005	
E384814	22.00	22.50		530	2.5	10.5	<0.002	0.29	0.8	5	2	4.8	836	0.18	0.05	9.8	0.064	0.03	13	36	5.7	8	7	44.2		0.007	
E384815	22.50	23.00		840	12.4	8.5	0.027	0.49	1.81	4.6	3	5	906	0.25	0.2	16.2	0.071	0.12	133	28	11	13.5	12	46.4		0.045	
E384816	23.00	23.50		2630	3.3	1.3	0.006	0.87	0.75	2.6	4	2.9	1270	0.1	0.44	3.1	0.015	0.03	25.9	58	4.8	15.4	12	16.6		0.034	
E384817	23.50	24.00		1810	24.9	0.8	0.012	0.86	1.19	1.3	3	2.8	1340	0.1	0.38	1.5	0.012	0.1	42	38	8.4	16.9	13	6.7		0.041	
E384818	24.00	24.50		1550	2.3	0.8	0.005	0.83	0.59	1.6	3	1.7	1935	0.05	0.37	1.4	0.01	0.03	7.2	28	6.5	12	6	5.3		0.03	
E384819	24.50	25.00		1220	4.9	72.4	0.023	2.06	1.59	8.9	6	11.7	324	0.3	0.37	8.3	0.118	0.31	15.8	50	11.8	19	37	48.6		0.024	
E384820			BLANK	120	0.6	0.5	0.003	0.07	0.13	<0.1	2	<0.2	274	<0.05	0.19	0.2	0.007	<0.02	0.7	7	0.1	2.8	22	3.4		0.002	
E384821			STANDARD 2	2340	6	33.8	0.018	7.13	2.3	3.4	5	7.7	162.5	0.13	1.13	5.1	0.037	0.43	14.7	60	6.8	13.3	7	22.7		0.114	
E384822	25.00	25.50		1150	4.3	113.5	0.007	0.19	1.85	8.9	2	17.2	352	0.44	0.09	11.9	0.167	0.18	7.8	57	14.5	15.1	23	54.4		0.007	
E384823	25.50	26.00		1170	3.3	147	0.011	0.55	2.06	11.1	4	19.6	236	0.43	0.22	11.3	0.183	0.24	11.4	87	16.5	14.5	18	52.9		0.017	
E384824	26.00	26.50		1160	2.1	139	0.003	0.72	1.84	9.6	4	20.1	126	0.47	0.19	11.6	0.167	0.2	10.3	62	15.5	13.6	15	49.9		0.019	
E384825	26.50	27.00		1580	4.2	39.1	0.01	2.88	1.54	3.9	14	10.3	678	0.27	0.78	4.6	0.092	0.07	23.6	36	12.8	10.8	20	30.3		0.118	
E384826	27.00	27.50		1160	2.4	127.5	0.028	0.37	1.6	8.6	3	21.9	845	0.44	0.16	10.5	0.156	0.18	14.4	59	16.1	13.1	17	49.7		0.014	
E384827	27.50	28.00		810	2	135	0.05	0.39	1.59	8.9	3	20.8	980	0.39	0.11	8.8	0.169	0.21	9.3	57	13.9	11.2	17	50.3		0.013	
E384828	28.00	28.50		1830	3	62.9	0.01	0.73	2.11	5.1	8	14.7	980	0.32	0.32	6.4	0.1	0.1	18.9	43	15.8	10.9	16	34.4		0.049	
E384829	28.50	29.00		1280	2.8	85.2	0.007	0.32	1.96	4.9	5	16.2	1125	0.26	0.17	7.5	0.115	0.15	8	38	13.6	10.4	16	41.1		0.022	
E384830	29.00	29.50		1770	2.2	104.5	0.004	0.2	2.11	7	2	25.8	888	0.4	0.34	8	0.131	0.18	14.4	53	17.8	13.9	22	46.1		0.011	
E384831	29.50	30.00		1040	2.2	138.5	0.002	0.32	1.71	8.4	3	31.3	764	0.46	0.23	9.5	0.166	0.23	14.6	58	16.7	13.7	22	58.4		0.052	
E384832			BLANK	120	0.6	0.6	0.003	0.06	0.09	<0.1	2	0.2	278	<0.05	0.11	0.2	0.007	<0.02	0.7	7	0.1	2.7	22	3.7		0.003	
E384833	30.00	31.00		2040	1.8	50.4	0.003	0.21	2.32	3.4	2	19.6	1650	0.28	0.38	4.6	0.066	0.09	7.5	46	21.7	10.1	13	22		0.007	
E384834	46.50	47.50		270	4.5	46	0.011	0.5	4.93	19.5	2	2.1	281	0.1	0.06	0.9	0.259	0.12	67.2	165	26	15.7	72	34.6		0.019	
E384835	47.50	48.00		570	11.4	29.9	0.004	1.27	3.95	14.1	2	2.6	611	0.13	0.1	1.8	0.161	0.09	114.5	122	21.3	14.4	40	32.1	1.155	0.059	
E384836	48.00	48.50		1020	7.9	11.7	0.002	0.83	2.37	8.6	2	5	1200	0.18	0.13	3	0.095	0.05	68.8	76	16.3	14.6	41	29.1		0.026	
E384837	48.50	49.00		470	4.7	1.5	0.003	0.24	0.54	0.4	1	1.4	3290	0.07	0.09	0.6	0.006	<0.02	12.3	18	6	5.2	6	4.1		0.004	
E384838	49.00	49.50		430	68.1	1.7	0.003	1.44	1.6	1	3	2.1	1525	0.06	0.11	0.5	0.01	0.06	211	19	10.5	11.4	6	3	1.38	0.051	
E384839	49.50	50.00		220	21.5	0.2	0.002	1.29	0.53	2.4	2	0.7	1520	<0.05	0.1	0.3	<0.005	0.04	71.2	17	5.3	9.9	12	1	1.13	0.041	
E384840	50.00	50.50		250	68.1	<0.1	0.006	0.58	1.76	2.5	2	1.6	557	<0.05	0.06	1.5	<0.005	0.03	219	28	10.6	22.8	11	1.7		0.009	
E384841	50.50	51.00		1550	17.5	19.5	0.013	0.51	1.92	4.5	4	12.3	1085	0.19	0.28	6.1	0.058	0.13	165.5	52	19.9	14.4	55	36.3		0.016	
E384842	51.00	52.00		1240	2.8	17	0.004	0.27	1.36	3.7	2	7.2	1545	0.15	0.19	3.6	0.041	0.07	30.5	38	10.3	8.6	30	17.7		0.004	
E384843			BLANK	110	0.8	0.7	<0.002	0.06	0.06	0.8	2	<0.2	257	<0.05	<0.05	0.2	0.006	<0.02	0.7	1	0.1	2.6	21	2.6		0.001	
E384844			STANDARD 3	770	2.6	144	0.008	1.36	1.23	10.6	3	7.9	474	0.26	0.23	12	0.127	0.36	18.8	63	9.3	11.4	5	51.7		0.02	
E384845	95.00	95.50		920	3.8	83.4	0.003	0.6	1.22	9.4	2	12	534	0.34	0.26	8.6	0.192	0.17	2.9	68	11.4	7.6	12	34.4		0.014	
E384846	95.50	96.00		800	3.5	111	0.002	0.71	1.15	19.8	3	16.8	610	0.24	0.23	6	0.23	0.26	21	137	13.5	9.4	4	43.8		0.013	
E384847	96.00	96.50		440	4	169.5	<0.002	0.92	0.86	36.8	4	28.5	470	0.07	0.26	3.8	0.435	0.43	41.9	264	22	12.4	<2	57.7		0.029	
E384848	96.50	97.00		680	4.8	42.9	0.003	1.44	1.07	10.8	2	9.5	862	0.13	0.62	2.1	0.221	0.12	3.4	152	10.7	7.9	3	35.3		0.017	
E384849	97.00	97.50		490	1.8	17.2	0.002	1.05	0.86	4.6	2	6.8	1410	0.06	0.19	2	0.093	0.05	1.9	83	10.6	5.4	2	12.3		0.007	
E384850	97.50	98.00		590	0.7	4.1	<0.002	0.2	0.75	1.3	1	3.3	2570	<0.05	<0.05	1.8	0.024	0.02	1	66	11.6	4.8	<2	2.6		0.002	
E384851	98.00	98.50		410	5	1.4	0.004	0.95	0.39	1.1	3	2.2	1810	<0.05	0.15	0.2	<0.005	<0.02	77	18	9.3	3.5	<2	1		0.042	
E384852	98.50	99.00		220	5.2	0.2	0.002	1	0.43	0.9	2	1.7	1575	<0.05	0.16	0.2	<0.005	<0.02	82.4	18	8	3.9	<2	0.8		0.011	
E384853	99.00	99.50		650	4.4	12.8	0.003	0.42	1.59	4.9	2	17.3	1805	0.08	0.16	1.5	0.052	0.05	41.2	29	26.1	6.9	3	8.7		0.01	
E384854	99.50	100.00		1230	1.8	3	0.008	0.17	1.39	2.6	1	8.9	1480	0.08	0.09	2.1	0.029	0.02	6.7	34	23.9	9.1	5	6.4		0.005	
E384855			BLANK	140	0.6	0.6	<0.002	0.07	0.07	0.5	2	<0.2	260	<0.05	<0.05	0.2	0.006	<0.02	0.7	1	0.2	2.7	22	2.3		0.002	
E384856	100.00	100.50		920	1.5	1.2	0.007	0.2	0.94	1.2	2	3.7	1720	0.06	0.07	1.4	0.01	<0.02	5.6	28	14.2	6.3	6	3.2		0.006	
E384857	100.50	101.00		1340	1.8	1.4	0.008	0.45	0.91	1.5	2	4.3	1170	0.08	0.08	3.5	0.011	<0.02	5	24	7.9	10.3	6	3.4		0.003	
E384858	101.00	101.50		1320	2	13.8	0.007	1.29	1.38	4.6	2	10	943	0.16	0.18	3.5	0.034	0.03	4.5	30	12.8	9.5	6	9.7		0.005	
E384859	101.50	102.00		600	2.2	40.1	0.003	0.78	0.6	13.8	2	15.7	888	0.32	0.12	2.3	0.114	0.06	4.4	39	10.4	6.7	7	30.5		0.003	
E384860	102.00	102.50		580	3	24.4	0.004	0.68	0.52	9.2	2	10.5	873	0.32	0.05	3.6	0.11	0.07	12.8	33	7.1	6.7	8	32.4		0.003	
E384861	102.50	103.00		650	2.1	5.4	0.008	0.2	0.64	4.6	1	3.1	808	0.1	<0.05	4.4	0.04	0.03	5.2	25	6.4	9.6	7	16.1		0.002	
E384862	103.00	103.50		590	2.7	10.1	0.008	0.5	0.48	3.5	2	2.2	743	0.09	<0.05	4.3	0.033	0.06	7.3	22	5.9	6.9	16	21.5		0.003	
E384863	103.50	104.00		640	2.1	5	0.003	0.49	0.39	4.6	2	2.8	514	0.12	<0.05	2.9	0.052	0.03	7.3	19	2.6	7.1	7	40.6		0.001	

IG-2007-15

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	%	ppm	ppm
E384864	104.00	104.50		0.06	3.28	4.3	2470	0.35	0.06	2.22	<0.02	360	28.3	11	0.43	6.9	16.55	9.21	0.35	0.5	0.014	0.14	288	14.9	1.16	2670	57.1	1.42	1.2	32.6
E384865	104.50	105.00		0.07	2.4	5.8	200	0.37	0.1	3.81	0.02	276	85.4	10	0.88	5.7	17.35	7.41	0.32	0.6	0.017	0.19	190	26.2	1.85	3480	33.4	0.1	1.5	35
E384866			BLANK	0.01	0.12	10	130	0.17	0.01	44.4	0.39	2.6	0.7	6	<0.05	0.8	0.07	0.42	<0.05	<0.1	0.005	0.03	2.1	1.2	0.45	37	0.32	0.01	0.3	<0.2
E384867			STANDARD 1	1.05	5.65	45.2	490	1.58	2.31	1.95	<0.02	51.2	155	36	3.47	8070	9.03	13.5	0.14	1.6	0.129	2.09	21.9	18.5	1.11	3160	65.8	0.98	3.8	33.8
E384868	105.00	105.50		0.13	0.89	9.1	80	0.28	0.27	1.17	0.02	105.5	259	3	0.2	65.1	18.95	4.06	0.26	0.2	0.021	0.1	50.2	6.6	0.85	3520	25.4	0.13	1.8	37.3
E384869	105.50	106.00		0.11	1.54	8.6	110	0.34	0.3	0.35	<0.02	71	201	5	0.34	73.6	15.75	5.11	0.2	0.2	0.011	0.24	29.7	12	0.51	1305	18.35	0.03	1.7	35.5
E384870	106.00	106.50		0.06	1.61	8.7	220	0.34	0.09	0.86	<0.02	443	83.7	6	0.31	9.8	17.4	6.7	0.38	0.3	0.013	0.2	298	11.8	0.73	2070	20.7	0.12	1.8	34.4
E384871	106.50	107.00		0.12	2.18	13.1	100	0.39	0.33	0.66	<0.02	179	282	5	0.28	7.8	17.55	7.3	0.28	0.3	0.008	0.21	99.2	18.8	0.85	1115	30.4	0.21	1.3	60.3
E384872	107.00	107.50		0.17	1.21	11.5	80	0.31	0.39	1.12	<0.02	73.2	302	4	0.2	35.1	19.7	5.68	0.25	0.2	0.015	0.12	32.3	10.6	0.79	2260	25.3	0.04	1.2	44.5
E384873	107.50	108.00		0.19	0.59	7.3	100	0.26	0.29	0.28	0.02	64.4	282	1	0.09	136	23.2	6.95	0.27	<0.1	0.029	0.02	31.8	5.8	0.83	3210	28.1	0.01	1.1	52.3
E384874	108.00	108.50		0.17	0.37	17.9	70	0.2	0.32	0.84	0.03	49.4	324	<1	0.07	12.9	28	6.43	0.35	<0.1	0.057	0.01	35.9	3.6	0.71	3430	46.2	0.01	1.3	51.8
E384875	108.50	109.00		0.28	0.36	32.4	130	0.18	0.62	0.99	0.04	33.4	851	<1	0.05	28.9	28.2	6.21	0.36	<0.1	0.064	0.01	19.6	3.8	0.76	3630	65.3	0.01	0.9	66.4
E384876	109.00	109.50		0.06	0.49	9.3	650	0.22	0.06	0.83	<0.02	299	48.5	1	0.09	43.5	26.8	7.03	0.41	<0.1	0.042	0.03	237	6.1	0.8	4080	28.4	0.01	3	36.6
E384877	109.50	110.00		0.12	3.55	14.5	240	1.07	0.19	2.54	<0.02	188.5	125	17	1.11	18.7	17.5	9.83	0.29	0.8	0.041	1.13	133	22	1.19	2420	53.5	0.51	10.5	20.6
E384878			BLANK	0.02	0.12	5	30	0.05	0.05	41.8	0.34	2.05	1.2	6	<0.05	2.5	0.06	0.5	<0.05	0.1	<0.005	0.03	1.6	1.3	0.43	44	0.21	0.01	0.3	<0.2
E384879	110.00	110.50		0.09	4.17	14.3	240	1.59	0.13	2.96	<0.02	144.5	94.5	23	1.34	15.7	15.85	10.8	0.22	1.2	0.043	1.64	109.5	22.7	1.17	2180	46.2	0.68	12.5	14.9
E384880	110.50	111.50		0.07	3.33	12.6	400	1.35	0.09	1.55	<0.02	139.5	42.9	18	1.21	26	14.6	9.47	0.22	0.9	0.029	1.05	97.4	21.2	0.85	1470	37.5	0.5	10.1	14.8
E384881	128.00	129.00		0.15	1.57	15.5	1160	0.32	0.12	2.66	<0.02	196.5	11.2	32	0.25	34	16.95	6.22	0.24	1.1	0.007	0.2	156.5	8.6	0.75	2360	39.6	0.56	7.5	14.4
E384882	129.00	129.50		0.08	5.98	13.5	380	1.28	0.21	1.91	0.03	123	38.3	33	1.61	14.6	11.8	14.75	0.18	1.7	0.019	1.24	90.6	10.1	0.64	1580	27.2	2.55	6.6	14.1
E384883	129.50	130.00		0.01	9.23	9.7	1980	3.61	0.15	1.34	<0.02	3.03	16.6	58	3.65	7.8	9.73	26.5	0.12	2.5	0.054	3.4	1.7	17.4	0.67	1010	5.66	2.11	12.4	8.3
E384884	130.00	130.50		0.03	8.62	6.3	2530	2.81	0.05	1.79	<0.02	3.48	26.8	48	2.56	7	8.84	23	0.11	2.4	0.048	2.58	2	12.4	0.74	1440	19.6	2.92	8.6	6.5
E384885	130.50	131.00		0.27	7.29	33.4	740	1.41	0.32	0.33	0.03	121	195	41	1.66	84.9	7.76	15.85	0.15	2.7	0.02	1.16	74.1	9.7	0.17	121	40	4.07	5.9	12.7
E384886	131.00	131.50		0.03	6.3	8.6	820	2.04	0.06	0.43	<0.02	96.6	70.6	40	2.01	23.5	5.48	18.15	0.13	2.3	0.034	2.5	68	22	0.36	285	0.83	1.54	4.5	12.1
E384887	131.50	132.00		0.03	5.54	9.7	1950	2.13	0.05	0.42	<0.02	8.36	51.6	41	2	32.5	3.17	15.75	0.06	1.9	0.035	2.55	5	18.8	0.34	301	2.57	0.88	3.8	7.6
E384888	132.00	132.50		0.03	5.87	4.6	610	1.11	0.07	0.57	<0.02	27	65	44	1.23	5.8	6.79	12.65	0.12	2.2	0.021	1.35	17.3	7.5	0.26	428	1.18	2.75	2.4	10.2
E384889			BLANK	0.05	0.14	<5	60	0.05	0.01	46.8	0.37	2.52	0.7	6	0.06	2.2	0.05	0.55	0.09	0.1	0.005	0.03	2.4	1.2	0.51	35	0.24	0.02	0.3	2
E384890			STANDARD 2	1.29	2.29	105.5	80	0.49	10.45	2.15	<0.02	197.5	325	9	2.59	9110	28.8	6.38	0.29	0.7	0.252	0.86	123.5	16.8	1.53	6120	57.2	0.23	5.3	52
E384891	132.50	133.00		0.25	7.68	13.3	2520	1.79	0.38	0.27	<0.02	6.55	79.3	51	3.91	33.7	4.53	16	0.09	2.5	0.03	2.19	2.7	13.4	0.28	86	62.1	3.14	6.1	10.7
E384892	133.00	133.50		0.19	6.6	25.2	490	1.27	0.57	1.38	<0.02	7.03	191.5	41	1.47	12.6	6.25	14.35	0.1	2.2	0.022	1.69	3.3	6.9	0.54	1150	81.7	2.93	3.1	14.5
E384893	133.50	134.00		0.06	6.34	22.7	840	1.52	0.69	0.99	<0.02	2.35	133.5	44	1.83	16.4	4.39	14.2	0.09	2.1	0.031	2.23	1	9	0.4	751	4.73	2.15	2.8	8.9
E384894	134.00	134.50		0.08	5.84	19.6	530	0.83	0.18	1.09	<0.02	4.84	149.5	33	0.69	7.2	6.09	10.6	0.11	1.9	0.012	0.93	2.4	3.4	0.36	904	4.15	3.4	2.5	11.5
E384895	134.50	135.00		0.06	7.05	7.4	630	0.94	0.08	1.34	<0.02	2.38	71.8	36	1.4	3	7.16	14.25	0.12	2.1	0.021	1.2	1.2	4.9	0.49	1090	5.33	3.89	2	8.3
E384896	135.00	135.50		0.07	4.19	10	390	0.96	0.2	0.61	<0.02	6.94	81.6	46	1.24	6.6	6.63	9.8	0.11	1.7	0.018	1.37	3.6	6.2	0.31	440	4.63	1.35	2.2	9.3
E384897	135.50	136.00		0.06	5.02	4.5	750	1.19	0.84	0.86	<0.02	2.74	44.2	44	1.42	37.3	5.69	11.45	0.09	1.7	0.021	1.24	1.5	9.1	0.32	521	5.13	2.18	2.9	6.9
E384898	136.00	137.00		0.03	6.74	8	860	2.36	0.12	1.02	<0.02	1.95	74	39	2.53	47.4	6.95	17.6	0.12	1.7	0.039	2.63	0.9	12.5	0.55	862	7.65	1.4	4.4	9.9
E384899	140.00	141.00		0.05	4.38	2.1	1950	0.37	0.03	3.95	<0.02	113	8.8	23	0.21	268	10.3	6.46	0.2	1.2	0.017	0.18	86.6	3.7	1.27	3360	9.09	3.01	2.5	8.8
E384900	141.00	141.50		0.13	4.74	4.5	1110	0.43	0.06	1.69	<0.02	11.5	18.2	22	0.22	20	8.58	7.5	0.14	1.3	0.007	0.2	7.7	4	0.57	1590	28.5	3.22	10	11
E384901			BLANK	0.06	0.12	<5	110	0.07	0.01	44.6	0.36	2.11	0.7	7	0.05	1.9	0.05	0.45	0.08	0.1	0.005	0.03	2	1	0.48	35	0.28	0.02	0.3	3
E384902	141.50	142.00		0.16	4.79	3.1	1070	0.46	0.07	1.31	<0.02	39.2	10.9	23	0.15	301	7.75	6.82	0.13	1.1	0.011	0.14	26.6	2.3	0.41	1090	4.8	3.46	3.1	7.4
E384903	142.00	142.50		0.06	5.77	2.3	4110	0.43	0.02	1.95	<0.02	106	5.2	20	0.24	137	8.72	8.66	0.18	1.2	0.013	0.14	83.4	5.9	0.7	2050	4.62	4.04	3.6	11.6
E384904	142.50	143.00		0.1	5.97	1.7	2400	0.42	0.06	2.22	<0.02	97.9	3.1	20	0.16	798	9.11	7.88	0.17	1.2	0.019	0.16	76.9	1.6	0.65	1920	2.66	4.43	2.4	5.1
E384905	143.00	143.50		0.04	5.38	1.6	5840	0.52	0.01	3.59	<0.02	83.7	3.1	24	0.2	22.4	9.88	7.54	0.19	1.3	0.013	0.19	66.8	2.5	1.03	3120	2.9	3.9	2.8	5.7
E384906	143.50	144.00		0.06	2.4	4.3	2550	0.26	0.03	3.51	<0.02	87.2	4.2	26	0.24	92.7	9.84	4.87	0.16	1.2	0.021	0.15	66.8	5.8	1.19	2900	12.5	1.45	4.6	10.3
E384907	144.00	144.50		0.06	1.81	5.3	1100	0.43	0.05	1.48	<0.02	7.78	19	40	0.47	838	5.79	4.2	0.09	2.1	0.016	0.35	5.2	7.2	0.58	1220	9.46	0.67	4.8	7
E384908	144.50	145.00		0.08	5.55	6.1	360	1.11	0.1	1.68	<0.02	3.84	68.8	36	1.23	311	6.26	11.2	0.1	1.8	0.025	1.03	2.1	6	0.68	1340	6.73	2.66	2.7	9.8
E384909	145.00	145.50		0.12	7.83	9.5	400	3.03	0.3	0.3	<0.02	26.1	61.8	48	2.89	424	6.16	22.4	0.12	2.2	0.041	2.71	12.4	15.1	0.37	146	6.1	2.31	3.4	12.4
E384910	145.50	146.00		0.04	8.65	7.6	530	2.93	0.14	0.39	<0.02	3.71	81.6	55	5.86	75.8	6.55	24.1	0.13	2.3	0.044	3.05	1.7	16.3	0.48	244	6.77	2.7	2.5	13.4
E384911	146.00	146.50		0.1	10.2	10.3	1010	3.34	0.52	0.39	0.02	3.85	41.4	61	11.85	102.5	5.93	27.6	0.12	2.8	0.042	3.32	1.6	26.8	0.56	182	9.52	2.99	2.9	13.2
E384912			BLANK	0.06	0.15	<5	90	0.09	0.11	45.5	0.39	2.38	0.8	5	0.1	2.7	0.06	0.54	0.09	0.1	0.005	0.04	2.3	1.3	0.5	36	0.46	0.02	0.3	2
E384913			STANDARD 3	0.25	7.17	56.4	410	2.5	1.64	1.99	<0.02	76.3	102.5	44	6.37	1680	7.27	19.85	0.19	1.8	0.132	3.17	44.1	23	1.38	3330	20.2	0.58	3.7	24.4
E384914	146.50	147.00		0.17	4.79	4.3	710	0.8	0.21	2.02	0.02	2.26	51.2	28	0.69	1270	4.5	12.9	0.08	1.4	0.022	0.52	0.8	7.1	0.97	1470	12	2.77	2.2	11
E384915	147.00	147.50		0.26	7.66	7.7	910	1.9	0.29	0.3	<0.02	4.49	103.5	34	5.36	2660	6.07	20.9	0.11	2.1	0.028	1.86	2.1	19.2	0.49	330	10.7	3.06	3	17.9
E384916	147.50	148.00		0.06	2.22	8.7	330	0.38	0.06	1.03	<0.02	132	55.9	10	0.37	21.8	11.2	6.04	0.21	0.4	0.005	0.24	67.3	9.7	0.54	968	5.81	0.95	4.8	11.8
E384917	148.00	149.00		0.11	3.56	5.4	510	0.77	0.13	1.86	<0.02	38	43	20	1.36	188	10.45	9	0.15	1	0.016	0.71	24.5	7.9	0.82	1755	13.75	1.45	5.4	8.1
E384918	174.00	175.00		0.07	7.86	4.1	2180	2.96	0.06	1.48	0.03	113	11.3	50	6.43	1240	7.44	22.1	0.18	2.3	0.078	3.2	64.1	44.7	1.53	1635	13.2	0.09	1.9	50.6
E384919	175.00	175.50		2.48	7.92	300	120	3.12	4.66	0.21	<0.02	86.3	648	61	6.02	6280	14.95	24.2	0.25	2.7	0.086	2.78	39.6	67.5	1.48	192	112.5	0.06	2.8	112
E384920	175.50	176.00		3.96	6.13	556	80	1.91	12.35	2.06	0.37	111.5	818	29	4.04	1800	22.4	16.3	0.31	1.9	0.113	1.76	57.8	50.7	2.16	4710	56.9	0.07	1.9	137
E384921	176.00	176.50		0.08	6.23	6.4	1850	2.65	0.12	5.79	<0.02	81.4	16.9	31	5.03	477	5.68	17.7	0.17	2	0.085	2.8	44.8	18	1.88	6900	4.63	0.58	3.2	22.1
E384922	176.50	177.00		0.05	6.74	4.4	1790	2.81	0.07	5.19	<0.02	94.1	13	37	5.64	81.3	5.07	19.2	0.19	2.2	0.089	2.98	51.6	21	1.78	6160	2.38	0.74	3.6	22.2
E384923	177.00	177.50		0.03	6.53	3.5	1600	2.37	0.04	8.1	<0.02	82.1	23	34	4.78	140.5	6.03	16.9	0.18	2	0.077	2.68	44	17.4	1.92	7230	5.12	1.05	2.7	23.8
E384924			BLANK	0.07	0.16	6	50	0.08	0.01	49.7	0.43	2.57	1.2	8	0.07	3.5	0.07	0.57	0.11	0.1	0.005	0.04	2.1	1.6	0.53	53	0.28	0.02	0.3	1
E384925	177.50	178.00		0.02	6.98	2.7	1730	2.73	0.04	6.37	<0.02	94.3	22.3	35	5.36	7.3	6.3	19.1	0.19	2.1	0.083	3.02	50.9	21.1	2.01	7360	2.41	1.09	2.6	24.9
E384926	178.00	178.50		0.02	7.57	2.1	1870	3.24	0.02	5.78	<0.02	112.5	23.4	40	6.34	10.5	5.89	21.6	0.19	2.2	0.082	3.3	61.5	25.3	2.01	6800	1.62	1	2.9	24.1
E384927	178.50	179.00		0.06	6.61	2.2	1500	2.15	0.02	6.67	<0.02	87.1	16.7	31	4.43	10.9	5.96	16.15	0.16	1.9	0.061	2.49	47.8	16.7	2.02	7600	5.44	1.47	2.8	20.5
E384928	179.00	179.50		0.03	6.99	2.3	1580	2.64	0.01	6.75	<0.02	97.6	14.6	34	5.2	53.9	6.02	19.85	0.17	2.1	0.07	2.81	53.6	19.2	2.03	8050	1.77	1.34	2.9	21.7
E384929	179.50	180.00		0.11	6.21	2.3	2090	1.76	0.04	7.61	<0.02	77.7	11.1	30	3.22	1200	6.38	15.1	0.13	1.8	0.073	2.03	43	13.5	2.34	7780	1.79	1.82	2.7	15.9
E384930	180.00	180.50		1.81	5.49	318	340	0.75	3.89	7.29	0.23	63.1	472	23	1.26	317	11.1	11.2	0.19	1.6	0.047	0.68	37.2	9.2	2.27	7100	12.5	3.08	2.2	41.8
E384931	180.50	181.00		1.33	3.56	204	110	0.2	4.16	7.38	0.07	93	487	12	0.44	464	20.4	9.05	0.22	0.8	0.049	0.12	60.4	11.1	2.5	8170	38.5	2.04	1.9	70.8
E384932	181.00	181.50		0.32	7.81	30.1	1400	2.81	1.55	4.56	<0.02	51.9	93.6	42	6.04	23.4	6.41	22.3	0.17	2.3	0.079	2.88	30.5	29.9	1.93	3980	10.15	2.03	2.9	30.9
E384933	181.50	182.00		0.24	8.51	23.8	780	1.34	1.21	5.56	<0.02	27.4	116	33	3.03	18.4	9.31	14.5	0.15	1.9	0.055	1.42	16.1	16.5	2.22	5080	37.6	2.88	1.9	35.6
E384934	182.00	182.50		0.39	9.29	29.7	1910	3.63	1.56	2.25	<0.02	71.9	80.8	60	9.91	20.5	6.76	29.8	0.19	3	0.088	3.7	40.9	47.6	1.52	2560	99.3	1.94	3.3	39
E384935			BLANK	0.05	0.16	<5	30	0.05	0.01	49.3	0.43	2.41	1.1	5	0.08	2.4	0.07	0.67	0.1	0.1	<0.005	0.04	2.3	1.7	0.53	45	0.55	0.02	0.4	<0.2
E384936			STANDARD 1	1.22	6.25	61.7	170	1.96	2.82	2.27	<0.02	60.7	176	35	4.05	8700	10.5	16.95	0.18	1.9	0.167	2.42	29.7	26	1.28	3430	70.8	1.12	4.2	42.4
E384937	182.50	183.00		0.43	8.97	63.5	540	2.85	2.75	5.16	0.02	70.2	106	49	6.55	23	8.88	25.2	0.18	2.7	0.078	3.11	39.6	35	2.24	4610	14.7	2.36	3.2	37.3
E384938	183.00	183.50		0.98	7.56	120.5	440	2.15	3.85	4.63	<0.02	239	221	33	4.5	48.2	10.4	19.05	0.25	2.2	0.062	2.09	144.5	23.9	1.8	4140	72.3	2.62	3.2	45
E384939	183.50	184.00		0.89	7.6	80	480	2.63	1.83	5.3	<0.02	112.5	154.5	37	6.83	31.1	8.65	20.7	0.2	2.2	0.077	2.58	65.3	32	2.19	5250	44.3	1.85	2.7	43.7
E384940	184.00	184.50		3.33	4.5	619	250	1.39	12.45	4.81	0.14	172	636	19	2.87	85.1	15.55	11.95	0.24	1.4	0.034	1.39	105.5	13.5	1.49	4930	88.6	1.4	1.8	103.5
E384941	184.50	185.00		0.27	5.86	84.9	1630	2.51	0.96	4.96	<0.02	21.4	72.9	29	4.85	16.1	6.23	17.05	0.13	1.9	0.045	2.45	11.7	20.4	1.58	5630	3.44	0.89	2.1	29.2
E384942	185.00	185.50		0.17	7.78	36.6	2520	3.7	0.66	4.69	<0.02	72.6	77.6	41	7.03	13.2	7.73	23	0.18	2.3	0.073	3.56	39.3	33.1	1.81	5590	8.83	0.86	2.7	33.9
E384943	185.50	186.00		0.07	7.85	17.6	2680	3.63	0.16	4.11	<0.02	132.5	47	40	8.01	13.7	6.37	23.5	0.2	2.2	0.086	3.63	73.4	30.8	1.88	5670	12.1	0.85	2.6	24.9
E384944	186.00	186.50		0.06	7.27	8.7	2320	3.25	0.11	3.9	<0.02	110	36.6	39	6.54	10.9	8.05	20.1	0.22	2.1	0.151	3.07	61	25	1.82	9320	5.92	1.1	2.1	26.2
E384945	186.50	187.00		0.06	6.53	10	2340	3	0.08	2.89	<0.02	99.8	49.2	37	5.75	54.4	10.5	19	0.22	1.9	0.188	2.8	54.9	20	1.79	12250	5.94	0.87	1.8	33
E384946	187.00	187.50		0.09	7.14	20	2130	3.02	0.23	4.93	<0.02	114	36.5	36	5.5	79.4	6.9	20.1	0.2	2	0.101	2.72	63.4	20.5	1.87	8890	7.49	1.47	2.1	23.9
E384947			BLANK	0.05	0.15	<5	40	0.06	0.01	45.1	0.4	2.55	1.1	5	0.07	2.9	0.09	0.55	0.1	0.1	<0.005	0.04	2.3	1.5	0.48	59	0.31	0.02	0.3	<0.2
E384948	187.50	188.00		0.09	7.16	16	2130	3.03	0.22	5.15	<0.02	113.5	34.6	36	5.45	75.5	6.8	19.05	0.16	1.9	0.098	2.72	63.6	22.2	1.93	8820	8.59	1.5	2.1	23.1
E384949	188.00	188.50		0.42	7.86	99.4	1480	3.37	1	5.02	0.04	133.5	82.1	42	5.97	23	6.17	21.5	0.2	2.3	0.053	2.95	75.3	23	1.84	6270	10.5	1.77	2.7	32.7

K0-2007-15

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E384864	104.00	104.50		930	3.3	4	0.008	0.3	0.79	3.3	1	2.8	528	0.09	<0.05	7.7	0.033	0.02	12.8	34	3.9	9.5	12	17		0.002	
E384865	104.50	105.00		1180	2.7	5.2	0.006	0.8	0.86	4.7	2	3.3	905	0.1	0.05	5.1	0.046	0.03	4.6	27	3.8	9.6	16	20.3		0.007	
E384866			BLANK	130	0.5	0.6	<C.002	0.07	0.07	0.5	2	<0.2	258	<0.05	<0.05	0.2	0.006	<0.02	0.6	2	0.1	2.6	22	2.6		0.005	
E384867			STANDARD 1	810	21.5	67.3	0.023	2.17	1.61	8.1	3	7.1	587	0.21	0.24	8.3	0.092	0.38	307	54	8.6	14.6	4	43.8		0.059	
E384868	105.00	105.50		970	4.8	2.6	0.006	2.28	0.8	1.4	2	2.4	742	0.07	0.1	2.1	0.018	0.02	26	15	5.6	6.2	8	6.9		0.006	
E384869	105.50	106.00		900	4.4	6.2	0.005	1.66	0.82	1.3	2	2.7	872	0.07	0.08	1.5	0.023	0.04	30.1	13	5.4	5.3	9	8.1		0.004	
E384870	106.00	106.50		1300	2.1	5.6	0.006	0.77	0.65	2.3	2	3	1385	0.08	0.07	6	0.027	0.03	5	16	4.7	9.9	7	10		0.003	
E384871	106.50	107.00		1050	3.5	5.9	0.007	2.37	0.83	2.2	3	3.1	606	0.07	0.15	3.3	0.026	0.04	12.5	17	5.8	7	12	11.4		0.005	
E384872	107.00	107.50		650	5.9	3.2	0.007	2.48	0.86	2.2	2	2.7	614	0.06	0.13	2.2	0.023	0.03	71.2	20	6.1	6	9	7.9		0.006	
E384873	107.50	108.00		570	6.6	0.7	0.003	2.24	0.76	1.1	2	1.3	678	<0.05	0.09	1.5	0.008	<0.02	67.3	22	8.3	4.6	9	3		0.005	
E384874	108.00	108.50		590	3	0.4	0.004	2.64	0.9	1.3	2	1.4	330	<0.05	0.13	1.1	0.006	0.02	9.9	28	9.9	4.9	8	2.7		0.006	
E384875	108.50	109.00		510	4.8	0.3	0.006	5.39	0.77	1.3	3	1.1	204	<0.05	0.25	0.9	<0.005	<0.02	16.7	26	8.7	4.7	8	2.3		0.006	
E384876	109.00	109.50		1420	2	1.1	0.005	0.36	0.92	2.4	2	2.9	966	0.05	0.06	3.2	0.013	<0.02	7.1	29	8.2	8.1	6	3.3		0.002	
E384877	109.50	110.00		1200	2.9	42.6	0.012	1.04	1.84	14.2	3	22.2	526	0.34	0.25	4.9	0.117	0.11	5.3	61	18.8	9.8	9	23.2		0.011	
E384878			BLANK	90	0.9	0.6	<C.002	0.07	0.23	0.4	3	<0.2	241	<0.05	0.05	0.2	0.006	<0.02	0.6	7	0.1	2.7	19	4		0.001	
E384879	110.00	110.50		1170	3.2	57.4	0.014	0.83	1.95	18.1	3	24.5	385	0.39	0.16	5.5	0.151	0.18	6	70	19.7	10.6	7	40.9		0.007	
E384880	110.50	111.50		1180	2.8	42	0.008	0.36	1.51	12.2	2	18.3	1385	0.25	0.13	4.2	0.104	0.13	9.6	54	17.9	8.9	7	31.1		0.005	
E384881	128.00	129.00		1490	6.6	6.4	0.004	0.18	1.5	4.7	2	7.8	1335	0.41	0.13	14	0.137	0.05	72.1	93	5.3	9.8	9	38.1		0.004	
E384882	129.00	129.50		1420	3.8	47.5	0.004	0.55	0.83	15.2	2	11.7	882	0.35	0.06	11.1	0.151	0.14	10.4	72	5.7	9.2	6	57		0.004	
E384883	129.50	130.00		990	2.5	144	<0.002	0.34	0.77	43	2	27.9	917	0.85	0.06	17.3	0.245	0.35	6	107	10.2	7.5	<2	81.4		0.002	
E384884	130.00	130.50		900	1.9	106	0.003	0.25	0.43	30.7	2	18.9	806	0.53	0.06	13.1	0.233	0.27	8.8	90	9.1	7.2	<2	76.2		0.002	
E384885	130.50	131.00		760	15.7	44.8	0.017	1.38	1.22	8.1	2	8.3	561	0.41	0.05	13.9	0.192	0.21	400	38	9.8	19.7	14	86.8		0.005	
E384886	131.00	131.50		760	4.9	92.9	<0.002	0.45	1.1	9.3	2	7.1	496	0.27	<0.05	11.2	0.126	0.28	82	45	6.2	9.3	10	70.3		0.001	
E384887	131.50	132.00		630	1.8	91.4	<0.002	0.35	1.03	7.9	1	6.2	693	0.21	<0.05	12.1	0.117	0.25	5.6	47	5.2	5.6	7	61		0.003	
E384888	132.00	132.50		590	2.3	48.8	<0.002	0.53	0.77	5	1	4.4	772	0.17	<0.05	6	0.129	0.17	5.1	48	5.3	6.3	4	66		0.002	
E384889			BLANK	110	0.7	0.4	0.002	0.07	0.1	0.4	1	<0.2	276	<0.05	0.21	0.3	0.007	<0.02	0.7	15	0.1	2.8	23	3.1		0.002	
E384890			STANDARD 2	2350	6.4	32.1	0.018	6.81	2.1	3.6	4	6.7	187.5	0.13	1.07	6.7	0.034	0.48	15	61	6.5	13.4	5	21.6		0.127	
E384891	132.50	133.00		830	8.3	81.5	0.011	0.63	1.05	7.5	1	5.8	555	0.46	0.06	21.8	0.174	0.34	218	44	8.4	12.9	7	78.7		0.006	
E384892	133.00	133.50		660	6.6	56.8	0.007	1.32	0.78	10.9	1	4.7	602	0.3	<0.05	11.3	0.169	0.23	114	57	8	10.5	7	67.8		0.006	
E384893	133.50	134.00		810	2.9	74.6	<0.002	0.79	0.84	12.2	1	4.6	598	0.22	0.05	8.1	0.133	0.25	17.9	50	5.9	7.7	5	67.9		0.005	
E384894	134.00	134.50		580	2.9	28.2	<0.002	1.29	0.53	6	1	3	905	0.38	<0.05	8.5	0.156	0.13	9.6	51	3.6	7.3	5	61.7		0.003	
E384895	134.50	135.00		940	2	42	<0.002	0.77	0.42	9	1	5.2	1005	0.23	<0.05	13.3	0.176	0.14	4.7	64	4	6.8	4	61		0.003	
E384896	135.00	135.50		740	2.3	48.5	<0.002	0.71	0.96	10.2	1	4.4	950	0.27	<0.05	10.5	0.15	0.18	7.4	63	4.7	5.8	5	54.4		0.003	
E384897	135.50	136.00		580	2.3	47.8	<0.002	0.45	0.81	9.9	1	4.8	1025	0.25	<0.05	12.6	0.153	0.15	8.9	59	5.7	5.4	4	54.5		0.003	
E384898	136.00	137.00		630	2.2	98.7	<0.002	0.78	0.59	16.2	1	10.2	1605	0.38	0.05	10.3	0.17	0.28	20.2	71	7.5	5.5	3	53.6		0.003	
E384899	140.00	141.00		640	2.2	5	0.005	0.29	0.34	8.2	1	4.3	1490	0.26	<0.05	5.8	0.098	0.03	8	40	3.4	7.4	5	39.1		0.003	
E384900	141.00	141.50		540	6.4	6.3	0.011	0.35	0.54	3	1	3.2	1615	0.89	<0.05	14.6	0.075	0.06	139.5	36	3.2	10.9	6	41.8		0.003	
E384901			BLANK	110	0.6	0.3	0.003	0.07	0.08	0.4	1	<0.2	265	<0.05	0.19	0.2	0.005	<0.02	0.7	14	0.1	2.6	22	3.2		0.003	
E384902	141.50	142.00		560	20.8	4	0.004	0.35	0.56	1.8	1	2.8	1550	0.31	<0.05	16.6	0.068	0.04	258	35	5	9.2	6	35.6		0.003	
E384903	142.00	142.50		540	2.2	3.5	0.002	0.27	0.34	3	1	4.1	946	0.5	<0.05	5.1	0.065	0.03	10.6	37	4.3	6.7	6	38.2		0.003	
E384904	142.50	143.00		490	2.8	4.4	0.002	0.29	0.35	3.6	1	5.8	1205	0.3	<0.05	6.5	0.12	0.03	15	38	5.2	6.7	3	35.8		0.003	
E384905	143.00	143.50		660	3.2	5.7	0.003	0.25	0.36	6.4	1	6.9	893	0.35	<0.05	9	0.131	0.02	12.5	43	3.5	7.9	4	42.6		0.002	5.26
E384906	143.50	144.00		790	2.1	4.9	0.003	0.18	0.68	4.7	1	4.8	1115	0.33	<0.05	5.8	0.093	0.03	9.4	46	4.9	7.4	6	37.6		0.001	
E384907	144.00	144.50		710	2.8	12.9	0.002	0.3	1.24	2.4	1	5	1165	0.32	<0.05	5.1	0.133	0.05	9.2	46	5.2	7.9	8	68.7		0.002	
E384908	144.50	145.00		840	2.4	41	0.002	0.75	0.6	12.7	1	7.7	1105	0.23	<0.05	7.3	0.139	0.11	22.3	58	4.7	6	3	56.9		0.002	
E384909	145.00	145.50		740	4.2	111	<0.002	1.08	0.54	10.6	1	13.9	1205	0.33	<0.05	13.1	0.195	0.27	34.3	63	9.8	7.9	3	69.6		0.003	
E384910	145.50	146.00		770	2	121	<0.002	0.94	0.38	8.5	1	13.6	606	0.23	<0.05	13.1	0.199	0.27	11	73	8.7	6.4	3	70.9		0.003	
E384911	146.00	146.50		1030	4.1	135	<0.002	0.65	0.79	8.7	2	13.6	454	0.21	0.08	20.7	0.203	0.33	41.1	84	9	8.6	13	97.6		0.002	
E384912			BLANK	100	1.5	0.8	<C.002	0.07	0.17	0.4	2	0.4	269	<0.05	0.26	0.3	0.006	<0.02	0.7	14	0.2	2.8	23	3.5		0.002	
E384913			STANDARD 3	760	9.2	131	0.005	1.28	1.33	9.9	2	8.5	457	0.21	0.16	13	0.122	0.35	18.2	67	9.6	11.3	6	68.9		0.023	
E384914	146.50	147.00		330	4	21.9	0.002	0.85	0.91	5.9	1	2.6	1410	0.14	<0.05	7.2	0.047	0.1	65	32	5.3	6.8	5	40.5		0.003	
E384915	147.00	147.50		780	3.3	75.2	0.002	1.11	0.74	9.7	2	8.4	1085	0.2	<0.05	9.7	0.119	0.24	48.6	61	7.5	6.8	8	58.2		0.004	
E384916	147.50	148.00		1010	1.9	9.4	<0.002	0.47	0.63	3.1	2	5.1	1665	0.22	<0.05	5	0.049	0.05	10.3	23	6.9	6	6	13.9		0.002	
E384917	148.00	149.00		570	2.1	31	0.002	0.41	0.73	13.5	2	8.9	2060	0.33	<0.05	6.8	0.116	0.12	13.8	44	6.8	5.3	3	29.9		0.002	
E384918	174.00	175.00		950	4.3	151.5	0.036	0.15	0.97	13.6	2	4.7	39	0.12	<0.05	14.9	0.102	0.46	5.7	78	4.5	14.4	29	78.5		0.006	
E384919	175.00	175.50		1010	23.9	86.6	0.172	6.05	3.07	14	6	7.8	22.5	0.17	1.36	10.4	0.108	2.49	133.5	84	5.4	15.8	47	94.9		0.127	
E384920	175.50	176.00		680	28.3	60.2	0.05	>10.0	9.2	9.4	6	4.6	22.1	0.12	2.19	11.5	0.067	6.31	43.7	60	3.1	13.6	39	82.9		0.194	
E384921	176.00	176.50		600	1.8	135.5	0.006	0.15	1.05	10.3	1	4.2	77	0.22	0.05	11.1	0.112	0.46	5.9	60	4.4	14.3	5	85.8		0.004	
E384922	176.50	177.00		610	2.6	145.5	0.002	0.08	1.06	11	1	4.3	63.4	0.25	<0.05	12.7	0.123	0.44	3.6	68	4.9	14	5	89.5		0.003	
E384923	177.00	177.50		680	1.7	129.5	0.003	0.14	0.77	10.4	1	3.7	76.5	0.15	<0.05	12.2	0.094	0.38	3.3	62	4	15.9	4	63.4		0.003	
E384924			BLANK	120	0.7	0.8	0.003	0.08	0.13	0.5	2	<0.2	292	<0.05	0.15	0.2	0.007	<0.02	0.7	6	0.1	3.3	23	3.7		0.002	
E384925	177.50	178.00		690	1.8	142	0.002	0.11	0.9	11.3	1	4.4	76.9	0.17	<0.05	13.4	0.108	0.42	3.4	67	4.3	16.5	4	68.4		0.002	
E384926	178.00	178.50		720	1.6	162.5	0.002	0.12	0.92	12.9	1	5.5	63	0.2	<0.05	14.4	0.12	0.45	4.2	75	4.9	16.4	4	73.4		0.002	
E384927	178.50	179.00		650	2.3	114.5	0.002	0.08	0.89	9.9	1	3.9	84.6	0.2	<0.05	12.4	0.103	0.32	4.3	58	4.3	13.9	3	58.7		0.003	
E384928	179.00	179.50		690	1.5	135.5	<0.002	0.07	0.87	12.2	1	5	83.6	0.2	<0.05	13.3	0.109	0.38	3.3	69	4.8	15.4	2	68.9		0.002	
E384929	179.50	180.00		630	1.9	86.1	<0.002	0.21	0.91	9.8	1	3.9	98.2	0.18	<0.05	11.2	0.09	0.29	3.5	57	3.7	14.2	4	60.1		0.002	
E384930	180.00	180.50		590	18.6	29.6	0.01	4.99	5.26	7.6	2	2.4	93.4	0.14	0.34	9.5	0.048	2.7	23	40	2	13.3	6	54.2		0.043	
E384931	180.50	181.00		1200	10.7	4.2	0.015	6.84	2.41	5	2	1.4	75.8	0.08	0.28	5.6	0.025	1.75	13	44	4.9	12.2	11	27.3		0.044	
E384932	181.00	181.50		730	3.3	125.25	0.008	1.82	1.67	15.7	2	9.9	45.8	0.19	0.15	14.2	0.107	0.44	9.1	75	6.6	16.3	6	78.6		0.01	
E384933	181.50	182.00		690	4	84.6	0.022	1.96	1.44	10.6	2	5.7	54.1	0.15	0.12	11.4	0.069	0.23	21.4	58	5.9	14.2	7	64.9		0.009	
E384934	182.00	182.50		970	4.7	150	0.042	1.48	2.12	16.8	2	13.1	30.6	0.2	0.12	19.3	0.129	0.59	26.9	98	7.9	18.2	15	100.5		0.015	
E384935			BLANK	140	0.8	0.9	0.003	0.07	0.11	0.5	2	<0.2	295	<0.05	0.19	0.3	0.007	<0.02	0.7	5	0.1	3.1	26	3.9		<0.001	
E384936			STANDARD 1	900	23.9	97.4	0.024	2.53	1.9	11.3	3	8.2	689	0.21	0.25	8.7	0.1	0.45	331	60	9.6	17.3	8	64.2		0.06	
E384937	182.50	183.00		810	4.8	150	0.004	2.58	2.41	16.5	2	11.8	51	0.23	0.2	17.4	0.122	0.59	7.1	88	7.1	17.2	7	93.4		0.02	
E384938	183.00	183.50		790	18.4	100	0.037	5.68	2.91	10.8	4	7.8	51.6	0.22	0.32	17	0.094	1.19	67.4	65	6.9	17	4	69.6		0.041	
E384939	183.50	184.00		740	12.5	131	0.012	2.44	2.24	13.3	2	7.6	56.7	0.18	0.18	13	0.096	1	20.6	68	5.7	16.1	7	78.8		0.018	
E384940	184.00	184.50		830	31.6	65.4	0.007	>10.0	6.81	7.4	3	3.8	52.3	0.12	0.82	11	0.058	4.15	46.9	59	4.5	12.5	5	46.3		0.103	
E384941	184.50	185.00		660	7.1	118	0.002	1.07	1.96	10.2	1	4.9	58.9	0.15	0.08	12.2	0.093	1.81	3.6	63	5	11.9	3	63.4		0.007	
E384942	185.00	185.50		830	5.3	174.5	0.006	1.04	2.21	13.9	2	7	50.7	0.18	0.09	13.1	0.125	0.88	3.9	86	6.9	15.4	4	72.6		0.006	
E384943	185.50	186.00		730	2	184	0.007	0.61	1.03	13.7	2	6.5	46.3	0.18	<0.05	14.8	0.119	0.58	3.4	73	7.2	16.8	3	70.6		0.004	
E384944	186.00	186.50		650	2	153	0.003	0.28	0.86	12.2	1	4.8	45.3	0.15	<0.05	13.9	0.101	0.47	3.4	67	5.7	12.7	4	65.9		0.004	
E384945	186.50	187.00		630	1.7	137.5	0.003	0.24	0.84	12.5	1	4	38.1	0.12	<0.05	12.7	0.092	0.45	2.5	64	5.3	10.8	3	61.3		<0.001	
E384946	187.00	187.50		640	2.2	134.5	0.003	0.46	1.1	11.8	1	3.9	53.9	0.14	<0.05	13.3	0.092	0.53	3.5	66	5	12.5	3	66.5		0.004	
E384947			BLANK	110	1.1	0.9	0.002	0.06	0.12	0.5	2	<0.2	263	<0.05	0.06	0.2	0.007	<0.02	0.6	5	0.1	2.8	22	3.4		0.001	
E384948	187.50	188.00		640	2.6	132	0.003	0.37	1.09	11.8	1	3.9	53.3	0.15	<0.05	14.2	0.093	0.51	3.9	65	4.8	12.5	4	67.6		<0.001	
E384949	188.00	188.50		700	13.5	142	0.003	1.41	2.07	12.7	1	5.1	58.3	0.19	<0.05	13.8	0.109	1.85	4.9	74	5.9	14.3	3	70.3		0.008	

IG-2007-15

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	%	ppm	ppm
E384950	188.50	189.00		2.18	4.1	511	200	0.7	7.01	5.17	0.1	39.9	513	17	1.29	88.8	10.6	8.93	0.21	1.5	0.023	0.59	21.1	6.3	1.51	6250	29	2.3	2.5	81.3
E384951	189.00	189.50		1.06	5.46	327	140	1.06	3.39	6.94	<0.02	109.5	467	24	1.53	135.5	10.1	12.8	0.24	1.9	0.031	0.81	67.6	7.1	1.83	8530	33.4	3.1	2.8	76.5
E384952	189.50	190.00		1.22	4.76	322	130	2.07	3.49	6.46	0.02	70.1	451	22	2.87	41.5	13.5	14.85	0.29	1.5	0.035	1.41	42.7	14.1	1.84	7690	38.3	1.81	2.3	71.4
E384953	190.00	190.50		0.07	6.45	13.8	2400	4.07	0.18	5.77	<0.02	93.2	36.5	32	6.08	4.7	5.41	18.5	0.18	2.1	0.048	2.75	52.5	25	1.79	7990	6.32	0.77	3	21.6
E384954	190.50	191.00		0.02	6.86	4.4	4450	4.71	0.02	5.2	<0.02	95.8	25.5	38	6.89	1.4	5.88	19.2	0.22	2.2	0.051	3.24	53.4	29.6	1.72	6880	3.53	0.46	3.1	24.3
E384955	191.00	191.50		0.02	7.44	4	7390	5.18	0.01	4.79	<0.02	88.1	23	38	7.46	0.4	5.01	21	0.19	2.2	0.061	3.51	48.4	33.9	1.96	6130	0.43	0.42	3.4	20.8
E384956	191.50	192.00		0.02	6.53	2.7	>10000	4.29	0.01	5.98	<0.02	91.3	15.8	31	6.21	2.4	4.89	16.15	0.19	2	0.052	2.91	50.4	28.3	2.22	6750	1.12	0.73	3.1	19
E384957	192.00	192.50		0.02	6.79	2.8	8710	4.94	0.02	5.11	<0.02	91.2	20	33	7.12	8.8	5.08	20.3	0.2	2.1	0.053	3.21	50.2	33.8	1.88	6330	0.62	0.34	3.3	21.8
E384958			BLANK	0.02	0.14	<5	60	0.09	0.01	44.5	0.4	2.26	1.5	5	0.05	1.4	0.07	0.52	0.05	0.1	<0.005	0.04	1.7	1.5	0.47	51	0.24	0.01	0.3	<0.2
E384959			STANDARD 2	1.11	2.32	113	50	0.72	10.25	2.22	<0.02	195.5	322	9	2.62	6780	29.8	10.1	0.5	0.8	0.241	0.65	121.5	23.3	1.51	6160	57	0.23	5.4	62.4
E384960	192.50	193.00		0.02	6.72	4.6	6760	4.67	0.04	5	<0.02	99.5	23.7	35	6.68	17.3	4.89	19.55	0.17	2.2	0.05	2.96	54.5	30.8	2.06	5250	1.73	0.78	2.8	22
E384961	193.00	193.50		0.07	6.19	6.2	1720	3.13	0.17	5.62	<0.02	87.7	18	31	4.07	18.2	4.48	17.05	0.16	2	0.041	1.88	49.8	22.8	2	5780	4.66	2.14	3	15.5
E384962	193.50	194.00		0.78	5.56	201	320	0.74	2.11	5.59	<0.02	58.1	264	24	0.55	58.6	8.16	10.55	0.15	1.6	0.012	0.21	36.6	4.1	1.77	3750	14.45	3.99	3.1	36.4
E384963	194.00	194.50		0.4	2.48	147.5	70	0.4	0.66	5.76	<0.02	73.4	257	12	0.24	114.5	24	12	0.41	0.7	0.011	0.05	50.8	5.6	1.88	4360	40.7	1.58	1.3	56
E384964	194.50	195.00		2.34	3.21	490	70	0.42	2.51	3.66	<0.02	82.7	494	10	0.36	232	24.4	12.75	0.4	0.9	0.014	0.05	59.3	9.7	1.39	3240	52.3	1.85	1.7	80
E384965	195.00	195.50		0.58	6.6	98.3	570	1.75	1.14	2.29	<0.02	89.8	154	36	1.25	22.1	5.95	19	0.2	2.1	0.008	0.55	57.2	23.1	0.88	1430	3.82	3.96	3.6	24.8
E384966	195.50	196.00		0.54	6.57	162.5	370	2.67	1.83	2.27	<0.02	124	171.5	34	2.14	43.7	7.19	19.3	0.25	2.1	0.017	1.07	79.8	31.8	0.92	1390	10	3.3	2.7	27.9
E384967	196.00	196.50		2.47	2.63	372	100	0.34	6.05	5.64	<0.02	62.5	691	9	0.43	140.5	21.3	8.51	0.35	0.8	0.011	0.08	43.4	7	1.78	4130	60.5	1.67	1.3	80.4
E384968	196.50	197.00		1.74	1.46	384	60	0.33	4.34	4.27	0.02	19.5	1115	4	0.25	648	32.8	9.56	0.45	0.4	0.031	0.04	12.6	5.8	1.52	4500	55	0.85	0.8	136
E384969	197.00	197.50		0.94	2.8	188	70	0.16	1.76	6.96	<0.02	14.35	651	11	0.2	57.1	22.2	10.6	0.34	0.7	0.013	0.04	8.8	7.3	2.17	4850	42.6	1.79	1.3	60.8
E384970			BLANK	0.02	0.13	<5	30	0.07	0.01	46.4	0.4	2.25	2.5	5	<0.05	1.5	0.16	0.5	<0.05	0.1	<0.005	0.03	1.7	1.6	0.48	51	0.44	0.02	0.3	2
E384971	197.50	198.00		1.22	2.84	222	120	0.25	1.9	6.97	0.02	11.55	771	9	0.24	142.5	20.7	10.15	0.29	0.7	0.017	0.04	5.6	12	2.29	5220	64.2	1.56	2.1	62.5
E384972	198.00	198.50		0.34	1.89	77.9	70	0.2	0.74	5.54	<0.02	7.62	489	5	0.21	29.8	28.9	12.9	0.36	0.4	0.013	0.02	4.6	8.1	1.94	4450	37.7	1.03	0.9	57.6
E384973	198.50	199.00		0.38	1.89	96.2	30	0.26	1.17	3.26	<0.02	10.65	381	6	0.15	40.2	36.7	15.9	0.47	0.5	0.007	0.03	7.6	7.3	1.19	3220	25.9	1.01	0.9	63.85
E384974	199.00	199.50		0.48	2.23	126.5	40	0.29	1.62	4.1	<0.02	15.6	537	7	0.17	421	30.5	13.25	0.39	0.5	0.01	0.03	11.5	8.5	1.42	3470	37.1	1.21	1	72.2
E384975	199.50	200.00		0.83	2.35	178.5	110	0.38	1.96	3.8	<0.02	16.4	686	11	0.27	422	31.8	12.75	0.4	0.8	0.011	0.09	11.2	8.1	1.31	3200	48.1	1.33	1.1	78.7
E384976	200.00	200.50		1.4	3.27	218	80	0.3	2.03	5.1	<0.02	46.8	641	13	0.29	122.5	19.95	10.75	0.33	1.1	0.011	0.05	32.2	16.8	1.85	3680	55	1.59	1.3	61.3
E384977	200.50	201.00		1.17	3.13	264	70	0.31	1.82	3.47	<0.02	6.08	763	12	0.24	367	22.1	12.4	0.31	0.9	0.014	0.05	3.1	10.7	1.22	2760	72.6	1.78	0.9	82.5
E384978	201.00	201.50		0.51	3.97	90.4	360	0.4	0.73	3.58	<0.02	34.6	351	18	0.22	482	24.8	13.85	0.21	0.9	0.015	0.06	22.6	5.9	1.22	2650	51.1	2.58	1.5	74.9
E384979	201.50	202.00		0.56	5.64	124.5	170	0.59	1.45	6.27	<0.02	108	379	17	0.33	23.6	11.55	10.95	0.23	1.7	0.013	0.15	72.2	3.7	2.22	4250	30.1	4.1	1	31
E384980	202.00	203.00		0.38	4.77	72.1	130	0.55	0.9	6.97	<0.02	110	246	15	0.32	27.3	14	10.7	0.29	1.2	0.008	0.08	72.3	3.8	2.26	4260	30.7	3.5	0.8	39.3
E384981			BLANK	0.02	0.14	<5	50	0.06	0.01	47	0.41	2.41	1.8	5	<0.05	1.2	0.11	0.51	<0.05	0.1	<0.005	0.03	1.8	1.7	0.49	47	0.34	0.02	0.3	<0.2
E384982			STANDARD 3	0.27	6.73	52.2	220	2.46	1.49	1.93	<0.02	86.1	101.5	40	6.29	1580	7.19	20.1	0.2	2	0.123	2.88	45.8	25.1	1.26	3100	19.1	0.55	3	28.4
E384983	210.00	210.50		0.12	7.72	10.5	950	1.55	0.29	3.85	<0.02	84.7	102	37	7.84	25.1	12.05	18.55	0.24	2.4	0.078	1.23	42.8	98.3	3.89	3140	5.85	0.51	1.4	85
E384984	210.50	211.00		0.99	8.2	111	240	1.29	1.86	0.3	<0.02	107.5	217	49	2.2	81	12.4	16.6	0.31	2.5	0.019	0.53	54	122	2.93	503	51.3	0.03	1.9	90.5
E384985	211.00	211.50		0.11	6.22	12.5	6150	0.94	0.33	1.5	<0.02	97.2	67.5	35	2.51	16.8	11.1	14.55	0.25	2.2	0.053	0.46	55.4	114	3.23	1750	4.24	0.02	1.4	72.5
E384986	211.50	212.00		0.66	6.04	58.2	150	1.22	1.54	0.17	<0.02	85.9	112.5	40	3.63	7.9	10.4	14.1	0.15	2.4	0.008	0.61	47.5	95.1	2.53	235	17.1	0.02	2.3	61.8
E384987	212.00	212.50		0.18	6.36	25.8	170	1.39	0.58	0.7	<0.02	87.2	98.2	41	3.12	5	10.05	15.8	0.12	2.4	0.039	0.91	51.1	103.5	2.7	728	3.47	0.02	1.8	62.7
E384988	212.50	213.00		0.76	5.84	130	150	1.8	3.78	4.23	0.02	105	278	25	9.06	33.8	11.75	12.35	0.17	2.3	0.083	1	57.4	55.4	2.83	3250	33.1	0.78	1.2	77
E384989	213.00	213.50		0.54	4.24	74.7	120	0.58	2.26	7.43	<0.02	38.9	147.5	19	0.75	19.8	10.25	9.22	0.13	1.7	0.05	0.16	24.1	14.2	2.66	5330	17.25	2.57	0.8	42.9
E384990	213.50	214.00		0.7	5.35	88.1	110	0.86	2.07	4.98	0.03	111	119.5	24	1.38	164	7.17	12.4	0.14	1.9	0.035	0.19	68.6	20.7	2.02	3750	6.19	3.17	1.2	29.3
E384991	214.00	214.50		0.09	7.19	13.9	560	2.06	0.47	1.54	<0.02	75.8	61.4	43	3.75	11.4	6.17	21.3	0.1	2.4	0.048	0.97	45.3	57.2	1.44	1900	0.87	2.91	4.4	32.9
E384992	214.50	215.00		0.06	4.86	5.9	340	1.42	0.27	4.58	<0.02	85.2	44.2	29	2.69	10.6	8.26	12.35	0.14	1.8	0.048	0.99	51.3	35.5	1.86	3330	1.73	1.95	3.4	23.7
E384993			BLANK	0.02	0.13	<5	20	0.06	0.01	47.3	0.4	2.37	1.3	9	<0.05	2.3	0.06	0.56	<0.05	0.1	<0.005	0.03	1.9	1.5	0.48	42	0.2	0.02	0.3	<0.2
E384994	215.00	215.50		0.03	6.47	3.4	810	2.21	0.06	4.08	<0.02	156.5	20.5	37	3.58	33.3	7.17	17.95	0.17	2.1	0.06	1.77	98.9	43.5	1.72	3220	0.49	2.08	3	27.9
E384995	215.50	216.00		0.22	6.46	90.2	960	2.12	1.47	2.67	<0.02	88.6	132	35	3.8	114	6.96	18.1	0.21	1.9	0.052	1.95	52.2	44.4	1.48	2330	4.45	1.49	2.4	42.3
E384996	216.00	216.50		1.71	5.48	466	160	2.11	7.86	2.43	<0.02	95.1	532	28	3.53	30.6	10.15	17.4	0.27	1.9	0.045	1.46	52.2	41.6	1.35	2020	55.1	1.4	2.2	95.3
E384997	216.50	217.00		2.79	5.4	732	100	1.3	13.8	2.42	<0.02	52	941	22	2.44	47.1	13.05	14.8	0.24	1.9	0.033	0.73	30.2	34.2	1.29	2000	100	2.45	2.1	149.5
E384998	217.00	217.50		1.36	5.51	430	140	1.27	8.41	2.33	0.02	21.1	565	26	2.21	35.5	11.65	14.55	0.2	1.9	0.031	0.65	11.4	37.8	1.32	1895	53.5	2.62	2	115
E384999	217.50	218.00		2.95	4.78	792	90	0.97	11.2	2.7	<0.02	91.8	1045	24	1.71	43.2	15.3	13.55	0.31	1.9	0.032	0.27	52.6	28.5	1.73	2650	74.3	2.21	1.9	178
E385000	218.00	218.50		1.18	5.04	299	220	1.19	5.95	3.62	0.02	92.7	403	27	3.02	25.9	10.75	15.75	0.27	1.9	0.077	0.59	53.4	39	2.29	2880	20	1.97	2.5	111
E383501	218.50	219.00		1.42	6.96	234	230	1.77	8.24	1	<0.02	96.3	446	35	2.66	14.9	8.65	22.1	0.23	2.5	0.037	1.17	49.7	44.6	1.03	1045	3.96	2.81	3.3	105
E383502	219.00	219.50		0.63	7.16	161.5	330	2.78	4.18	0.95	<0.02	62.3	318	42	3.59	11.1	4.92	24.8	0.18	2.7	0.037	1.87	35	49.8	0.79	960	6.01	2.38	3.2	79.5
E383503	219.50	220.00		17.2	5.45	2060	240	1.66	27.7	0.34	0.16	81.9	2240	31	2.69	88.8	14.65	14.95	0.34	1.9	0.024	1.31	46.1	21.1	0.35	311	102	2.1	2.9	250
E383504			BLANK	0.08	0.14	<5	30	0.06	0.03	43.3	0.43	2.35	2.2	5	0.06	2.7	0.06	0.53	<0.05	0.1	<0.005	0.03	1.8	1.7	0.45	34	0.31	0.01	0.3	1
E383505			STANDARD 1	1.03	5.89	70.2	100	2.01	2.65	2.1	<0.02	54.2	160.5	31	3.91	8340	9.74	16.7	0.2	1.9	0.149	2.2	22.9	24.5	1.17	3200	63.3	1.05	3.4	41.8
E383506	220.00	221.00		0.37	7.59	76.6	1940	2.54	1.53	0.1	<0.02	82.7	124	29	5.26	42	1.79	20.2	0.13	3.6	0.023	3.25	46.4	12.5	0.32	77	17.3	0.69	6.4	29.8

IG-2007-15

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Ti	U	V	W	Y	Zn	Zr	Cu	Au	Be
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E384950	188.50	189.00		450	27.2	27.9	0.002	8.26	3.02	6.7	2	1.9	59.3	0.15	0.25	9.9	0.052	3.04	16.8	31	3.5	7.8	<2	49.8		0.075	
E384951	189.00	189.50		700	16.5	36.3	0.005	5.52	2.14	8.8	2	3.2	80.9	0.19	0.12	12.7	0.06	1.7	14.3	49	3.5	11.7	<2	62.9		0.038	
E384952	189.50	190.00		670	18.7	70.2	0.007	6.04	5.18	10.2	3	5.6	89.3	0.14	0.41	10.3	0.057	1.78	45.2	62	3.9	14.7	<2	49.4		0.047	
E384953	190.00	190.50		620	3.5	141	0.002	0.37	1.42	11.1	2	6	62.4	0.22	<0.05	14	0.103	0.57	5.3	57	6.3	13.6	<2	68.1		0.005	
E384954	190.50	191.00		620	2	157	<0.002	0.18	0.95	11.2	1	6.3	80.1	0.23	<0.05	14.3	0.117	0.49	3.7	64	6.6	14	<2	70.7		0.002	
E384955	191.00	191.50		640	1.9	160.5	<0.002	0.26	1	12.5	2	7.1	283	0.26	<0.05	14.2	0.123	0.56	3	65	7.4	13.8	<2	70.8		<0.001	1.69
E384956	191.50	192.00		640	2	147	<0.002	0.3	0.9	10.8	2	6.3	196	0.23	<0.05	13.2	0.108	0.46	2.6	59	6.7	12.6	<2	64.1		<0.001	1.29
E384957	192.00	192.50		620	2	169	<0.002	0.22	0.97	11.8	2	8.1	272	0.25	<0.05	13.1	0.114	0.55	2.9	61	7.7	13.5	<2	68.7		0.002	1.91
E384958			BLANK	100	0.8	1	<0.002	0.07	0.09	0.8	3	<0.2	266	<0.05	<0.05	0.2	0.007	<0.02	0.7	5	0.1	2.7	19	3.4		0.032	
E384959			STANDARD 2	2320	6.2	33.8	0.015	7.06	2.3	4.8	6	7.8	174	0.12	1.23	6.1	0.032	0.52	16.4	61	6.6	14.5	8	23.7		0.115	
E384960	192.50	193.00		650	1.8	151.5	<0.002	0.26	0.92	11.8	1	7.8	109	0.21	<0.05	13.9	0.106	0.48	3.1	63	7.1	12.9	<2	70.5		0.003	0.75
E384961	193.00	193.50		640	2	88	<0.002	0.18	1.11	11.5	2	8.7	59.3	0.24	<0.05	12.9	0.092	0.32	3.3	57	6.8	12.4	<2	64.8		<0.001	
E384962	193.50	194.00		800	13.4	9.1	0.012	4.02	2.14	8.4	2	2.6	76.9	0.17	0.43	13.5	0.056	1.78	73.8	28	3.9	11.7	<2	53.9		0.03	
E384963	194.00	194.50		1000	5.9	1.8	0.018	2.59	1.41	8.1	2	1.1	52.5	<0.05	0.12	4.4	0.015	1.6	24.3	46	1.3	8.9	3	20.4		0.011	
E384964	194.50	195.00		780	39.6	1.9	0.048	5.38	4.11	5.4	3	1.1	38.3	0.08	0.43	9	0.021	5.57	281	42	2.2	11.5	10	28.1		0.034	
E384965	195.00	195.50		660	11.8	29.4	0.003	2.03	1.69	15.2	2	6.2	62.5	0.19	0.26	13.6	0.061	2.16	81	42	5.3	12.1	6	66.6		0.01	
E384966	195.50	196.00		720	8.5	55.9	0.007	3.8	1.67	17.3	2	11.3	57.4	0.19	0.34	14.3	0.08	1.44	15	50	5.6	11.8	4	65.8		0.022	
E384967	196.00	196.50		820	22.8	3.4	0.051	>10.0	3.17	8.6	4	2	58.7	0.07	1.18	4.3	0.024	2.34	23.3	28	2.5	9.9	7	26.1		0.096	
E384968	196.50	197.00		420	18.2	1.4	0.059	>10.0	2.09	8.1	5	1.4	43.6	<0.05	0.92	2.7	0.012	1.34	39.7	29	3.9	6.7	7	13		0.076	
E384969	197.00	197.50		1140	9.8	1.2	0.022	6.02	1.48	8	3	1	55.9	0.06	0.35	5.5	0.018	1.41	79	24	1.5	11.9	7	22.9		0.026	
E384970			BLANK	110	0.8	0.6	<0.002	0.08	0.09	0.8	2	<0.2	273	<0.05	<0.05	0.2	0.006	<0.02	0.8	4	0.1	2.8	27	3.7		0.003	
E384971	197.50	198.00		900	14	1.3	0.039	6.83	1.89	8.5	4	1.1	54.9	0.1	0.37	14.9	0.027	1.46	244	19	2.3	15.9	15	22.1		0.027	
E384972	198.00	198.50		510	5.6	0.7	0.006	4.24	1.23	8.6	3	0.6	40	<0.05	0.16	4.2	0.013	0.18	70.5	23	1.3	8.9	9	12.9		0.008	
E384973	198.50	199.00		620	4.2	0.6	0.007	3.85	1.31	5.5	3	0.9	28.4	<0.05	0.19	1.3	0.014	0.29	14.4	42	1.1	5.4	8	16.1		0.012	
E384974	199.00	199.50		740	5.4	1.1	0.012	4.77	1.35	6.4	3	0.9	34	0.05	0.32	1.5	0.014	0.55	17.8	37	1.3	6.7	7	15.8		0.021	
E384975	199.50	200.00		640	8.7	3.8	0.023	5.7	1.51	6.5	4	1.1	35.8	0.05	0.46	5.1	0.02	1.86	74.8	40	1.5	7.9	5	26.3		0.022	
E384976	200.00	200.50		870	11.5	1.7	0.043	5.05	1.62	8.2	4	1	70	0.06	0.79	6.5	0.021	1.66	89.6	28	1.5	10.7	10	36.2		0.025	
E384977	200.50	201.00		440	13.4	1.8	0.071	5.47	1.57	5.5	6	0.9	60.4	0.06	0.7	7.7	0.018	1.49	156	40	2	8.7	7	30.2		0.032	
E384978	201.00	201.50		460	10.8	2.6	0.024	2.66	1.6	5.4	4	1	60.3	0.11	0.22	22.2	0.036	0.33	313	53	1.4	15.7	5	30.8		0.013	
E384979	201.50	202.00		590	13	5.3	0.021	3.15	0.87	9.5	3	2.1	72.4	0.09	0.56	10.9	0.038	0.94	67.5	19	2	9.7	<2	52.6		0.016	
E384980	202.00	203.00		610	5.6	2.7	0.013	2.34	0.64	10	3	2.2	89.3	0.07	0.42	8.2	0.029	0.61	9	27	4.6	9.3	<2	38		0.012	
E384981			BLANK	100	0.8	0.5	<0.002	0.07	0.08	0.8	2	<0.2	277	<0.05	<0.05	0.2	0.006	<0.02	0.9	5	0.1	2.9	19	3.5		0.002	
E384982			STANDARD 3	750	2.7	130.5	0.006	1.25	1.2	11.3	3	8.1	435	0.18	0.19	12.6	0.106	0.36	18.1	82	8.4	11.3	<2	64.7		0.017	
E384983	210.00	210.50		750	2.7	56.2	0.01	0.49	1.01	19.6	2	2.8	26.6	0.12	0.05	13.1	0.057	0.2	33.1	82	4.1	14.5	66	77.4		<0.001	
E384984	210.50	211.00		830	15.3	6.6	0.005	1.35	3.32	10.6	3	2.3	12.7	0.18	0.32	24.5	0.068	1.79	447	55	5.2	16.2	51	85.4		0.006	
E384985	211.00	211.50		610	2.1	19	0.005	0.42	1.23	15.1	1	2.1	71.5	0.12	<0.05	15.2	0.046	0.12	9.1	58	4.5	11.7	48	70.5		0.002	0.86
E384986	211.50	212.00		650	5.3	26	0.041	0.86	1.98	7.1	2	3.8	7.7	0.2	0.1	16.7	0.091	0.98	89.6	50	6.8	12.6	51	75.6		0.004	
E384987	212.00	212.50		720	2.9	40.7	0.011	0.63	1.68	10	2	3.8	7.3	0.15	<0.05	13.5	0.081	0.24	12.8	56	6.3	11.8	46	75.4		0.003	
E384988	212.50	213.00		570	8.2	45.2	0.019	3.85	1.6	8.9	4	2.7	59.5	0.1	1.34	15.7	0.039	1.7	63.4	38	3.3	14.9	34	73.7		0.019	
E384989	213.00	213.50		500	5.5	5.4	0.014	2.18	0.87	7.3	2	3	76.8	0.07	0.82	9.1	0.043	1.05	6.3	31	3.3	12.9	13	53.8		0.009	
E384990	213.50	214.00		570	9.5	7.5	0.007	1.7	1.07	7.2	2	3.1	66	0.12	0.41	13.3	0.054	1.35	9.5	18	3.2	11.9	17	59.7		0.008	
E384991	214.00	214.50		690	3.5	55.3	<0.002	0.67	1.08	15.6	2	8.9	35.2	0.35	<0.05	14.7	0.13	0.26	3.1	57	9	11.7	22	74.3		0.001	
E384992	214.50	215.00		600	2.2	54.5	<0.002	0.4	0.91	7.7	2	6.5	51.3	0.29	<0.05	11.1	0.129	0.14	2.2	42	4.7	13.5	10	56.2		<0.001	
E384993			BLANK	100	1	0.7	<0.002	0.06	0.1	0.4	3	<0.2	266	<0.05	<0.05	0.2	0.007	<0.02	0.7	8	0.1	3	22	3.9		<0.001	
E384994	215.00	215.50		690	2.5	85.3	<0.002	0.1	0.73	10.7	2	6.9	51.8	0.22	<0.05	17.8	0.122	0.21	2.2	58	4.4	15.9	17	66.4		<0.001	
E384995	215.50	216.00		630	3	95.6	<0.002	1.44	1.54	12.5	2	9	30.5	0.17	0.06	12.8	0.101	0.35	3	60	3.9	11.3	16	60.4		0.009	
E384996	216.00	216.50		620	10.3	81.8	0.027	4.98	3.42	11	2	8.1	35.1	0.16	0.31	14.8	0.081	0.98	67.5	49	4.2	13	14	60.5		0.067	
E384997	216.50	217.00		670	15.4	43.3	0.037	9.55	3.74	7.6	2	3.5	45.6	0.18	0.44	10.1	0.073	1.92	32.2	47	4.2	13.2	14	59.2		0.121	
E384998	217.00	217.50		620	10.2	38.1	0.009	7.43	4.35	6.7	2	2.9	58.5	0.17	0.15	11	0.068	1.17	18.5	47	3.7	9.2	10	58.8		0.047	
E384999	217.50	218.00		500	34.9	15.7	0.01	9.2	3.77	5.2	3	2.4	51.8	0.15	0.15	13.2	0.061	3.62	22.5	42	5.4	12.2	17	58.5		0.066	
E385000	218.00	218.50		510	14.3	31.3	0.002	4.61	3.09	11.6	3	3.5	43.1	0.18	0.07	11.6	0.064	2.51	27	91	4.7	12.7	23	59.6		0.026	
E383501	218.50	219.00		530	9	66	<0.002	5.46	2.1	16.9	2	8.4	37.4	0.25	0.07	13.3	0.102	0.32	12.8	66	6.3	9.9	22	76.4		0.034	
E383502	219.00	219.50		840	6	112	<0.002	2.67	1.68	16.9	2	11.8	35.6	0.22	0.05	14.2	0.102	0.66	20.2	73	6.5	12.9	9	64.6		0.014	
E383503	219.50	220.00		540	69.2	70.3	0.006	>10.0	3.87	8.3	3	6.5	25.5	0.17	0.27	9.9	0.071	21	26.5	48	4.5	15.4	17	58.4		0.237	
E383504			BLANK	110	2.2	1	<0.002	0.06	0.22	0.7	3	<0.2	256	<0.05	<0.05	0.2	0.006	<0.02	0.7	4	0.1	2.9	18	3.4		<0.001	
E383505			STANDARD 1	820	22.5	95.5	0.025	2.32	1.7	10.9	4	8.1	602	0.18	0.26	8.4	0.082	0.42	315	55	8.5	15.5	13	80.4		0.056	
E383506	220.00	221.00		230	5.4	145.5	0.002	0.85	1.39	8.4	2	5.3	14.4	0.49	<0.05	19.2	0.177	0.84	28.8	53	7.6	12.3	4	106		0.003	

IG-2007-18

Sample No	From (m)	To (m)	Standard/Blank
E385323	46	47	
E385324	47	47.5	
E385325	47.5	48	
E385326	48	48.5	
E385327	48.5	49	
E385328	49	49.5	
E385329	49.5	50	
E385330	50	50.5	
E385331			BLANK
E385332	50.5	51	
E385333	51	52	
E385334	110	111	
E385335	111	11.5	
E385336	111.5	112	
E385337	112	112.5	
E385338	112.5	113	
E385339	113	113.5	
E385340	113.5	114	
E385341			BLANK
E385342			STANDARD 3
E385343	114	114.5	
E385344	114.5	115	
E385345	115	115.5	
E385346	115.5	116	
E385347	116	116.5	
E385348	116.5	117	
E385349	117	117.5	
E385350	117.5	118	
E385351			BLANK
E385352	118	118.5	
E385353	118.5	119	
E385354	119	119.5	
E385355	119.5	120	
E385356	120	120.5	
E385357	120.5	121	
E385358	121	121.5	
E385359	121.5	122	
E385360	122	122.5	
E385361			BLANK
E385362			STANDARD 1
E385363	122.5	123	
E385364	123	123.5	
E385365	123.5	124	
E385366	124	124.5	
E385367	124.5	125	
E385368	125	125.5	
E385369	125.5	126	
E385370	126	126.5	
E385371			BLANK
E385372	126.5	127	
E385373	127	127.5	
E385374	127.5	128	
E385375	128	128.5	
E385376	128.5	129	
E385377	129	129.5	
E385378	129.5	130	
E385379	130	130.5	
E385380	130.5	131	
E385381			BLANK
E385382			STANDARD 2
E385383	131	131.5	
E385384	131.5	132	
E385385	132	132.5	
E385386	132.5	133	
E385387	133	133.5	
E385388	133.5	134	
E385389	134	134.5	
E385390	134.5	135	
E385391			BLANK
E385392	135	135.5	
E385393	135.5	136	
E385394	136	136.5	
E385395	136.5	137	
E385396	137	137.5	
E385397	137.5	138	
E385398	138	138.5	
E385399	138.5	139	
E385400	139	140	
E385401			BLANK
E385402			STANDARD 3
E385403	176	177	
E385404	177	177.5	
E385405	177.5	178	
E385406	178	178.5	
E385407	178.5	179	
E385408	179	179.5	

Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
0.05	6.07	3.4	4800	2.05	0.06	4.33	0.05	25.7	55.5	31	9.11	103	8.09	16.35	0.24	1.9	0.217	2.6	13.5	27	2.31	6630	4.05	0.1	3.3	24.6
0.13	7.06	3.2	5870	2.43	0.11	2.9	0.05	73.6	32.2	38	10.85	752	7.39	19.45	0.3	2.1	0.212	3.1	38.4	34.2	2.28	6940	4.01	0.1	3.4	20.9
1.78	5.9	12.1	520	2.01	1.32	3.37	<0.02	103	47.4	32	11.5	>10000	13.6	16.6	0.24	1.7	0.463	2.44	57.3	23.4	2.03	6550	77.5	0.1	3.5	22.2
0.21	5.94	6.1	4650	2.07	0.21	5.06	<0.02	45.2	32.4	31	10.7	1490	8.99	17.1	0.15	1.9	0.256	2.6	28.8	21.9	2.5	7980	7.3	0.1	5.5	24
0.14	6.33	2.2	5020	1.96	0.1	4.83	0.02	35.5	14.5	31	10.15	1070	6.85	16.3	0.12	1.8	0.196	2.77	22.7	18.8	2.25	6880	5.35	0.11	5.1	16.3
0.7	3.85	11.7	3010	1.29	0.47	3.32	<0.02	74.9	41.7	13	6.43	5440	17.8	11.7	0.27	1	0.52	1.59	47.5	14.3	2.21	11150	30.8	0.07	3.3	35.9
0.45	5	7.8	4110	1.4	0.3	3.76	<0.02	57.1	30.8	22	6.96	3150	13.95	12.15	0.16	1.1	0.281	2.11	35.4	15.9	2.05	8720	19.3	0.08	3.1	24.7
0.16	7.91	2.2	6320	2.59	0.15	3.97	<0.02	88.4	20.9	40	12.65	1370	5.81	21	0.17	2.3	0.196	3.46	50.3	28.4	1.85	4050	3	0.12	5.7	16.4
0.01	0.15	5	40	0.1	0.01	47	0.42	2.67	1.1	12	0.05	8.9	0.07	0.63	<0.05	<0.1	<0.005	0.04	1.9	1.6	0.48	53	0.32	0.01	0.4	<0.2
0.08	6.09	1.9	4800	2.19	0.09	6.03	<0.02	176.5	24.95	26	10.4	244	6.74	17.8	0.24	1.9	0.162	2.65	99.5	25	2.07	5390	3.12	0.1	4.5	18.4
0.06	6.37	1.7	4990	2.16	0.1	5.19	<0.02	125	24.6	29	10.5	153	6.28	17.9	0.21	2	0.169	2.69	89.7	29.6	2.12	4890	2.9	0.1	4.2	19.8
0.58	6.71	101.5	1940	2.04	3.25	3.68	<0.02	72.7	171.5	25	2.82	750	8.61	17.25	0.19	2.5	0.074	3.37	48.5	19.5	1.43	3800	19.5	0.92	2.8	31.9
0.92	6.27	187.5	570	2.09	2.92	5.78	<0.02	98.4	124.5	27	2.72	4260	8.97	16.75	0.2	2.1	0.241	2.91	58.2	21.4	2.41	6120	68.5	0.12	2.4	52.1
0.92	6.11	377	950	2.36	5.14	0.44	<0.02	84	184	28	2.67	6160	12.05	17.15	0.23	2.1	0.559	3.04	45	13	0.75	5080	30.1	0.04	3.3	42.5
1.23	6.51	639	870	2.67	9.51	0.19	0.02	61.1	261	34	3.03	515	12.75	17.95	0.23	2.1	0.378	3.22	33.1	12.2	0.35	1160	12.75	0.04	4.1	46
0.84	8	567	850	3.12	5.88	0.28	<0.02	164	184	47	3.3	433	7.38	22	0.23	2.8	0.093	4.05	101.5	10.6	0.28	80	16.85	0.06	5.1	42.6
1.87	5.32	1450	740	1.98	14.75	0.21	<0.02	148	448	33	2.11	555	15.4	14.55	0.29	1.7	0.067	2.68	89.1	7.9	0.2	41	21.2	0.04	4.3	70.4
0.99	7.6	352	390	3.29	6.6	0.98	<0.02	146.5	185	38	3.72	899	7.51	23.8	0.27	2.9	0.137	3.94	89.2	14.9	0.83	1160	151	0.05	4.9	37.6
0.01	0.16	<5	50	0.05	0.02	48.2	0.41	2.27	1.2	4	<0.05	4.2	0.07	0.53	<0.05	<0.1	<0.005	0.04	1.7	1.5	0.49	40	0.29	0.01	0.4	<0.2
0.29	7.1	63.3	1660	2.72	1.66	2.04	<0.02	70.5	120	37	6.68	1590	7.58	21	0.2	2	0.134	3.02	38.6	25.5	1.36	3320	20.9	0.6	3.7	27.5
0.79	6.04	242	670	1.9	5.26	3.71	<0.02	88.9	178.5	22	2.27	492	10.4	15.15	0.17	1.9	0.103	3.11	53.9	9.8	1.19	3930	6.73	0.04	2.8	31.3
0.58	6.42	248	800	2.65	5.98	4.01	0.03	125.5	139.5	28	3.1	165	9.09	18.9	0.22	2.3	0.099	3.26	78.1	13.1	1.36	4390	6.72	0.05	3.5	29.6
0.34	5.58	189.5	330	2.17	3.88	3.37	<0.02	83.7	82.3	23	2.71	154	9.83	15.85	0.19	1.9	0.083	2.68	54.3	14.8	1.27	4750	8.79	0.08	2.2	22.7
0.38	8.29	115.5	1100	2.91	2.73	4.26	<0.02	45.9	71.1	40	3.14	377	10.15	22.4	0.19	2.8	0.092	4.02	29.5	25.7	1.83	4760	11.55	0.12	2.7	22.4
0.84	5.05	339	700	1.74	6.02	4.27	<0.02	84.9	181.5	17	2.15	604	16.4	14.15	0.24	1.6	0.095	2.43	44.3	16.3	1.91	5920	20.5	0.04	2.6	34.9
2.25	7.75	318	820	3.03	3.7	4.77	<0.02	57.3	238	33	3.37	1490	8.4	21.8	0.18	2.5	0.071	4.03	42.8	18.1	1.98	5350	60.7	0.05	3.6	55.5
1.26	6.45	471	900	2.33	5.9	3.55	<0.02	45.4	260	23	2.69	1600	9.75	17.65	0.17	2.2	0.075	3.32	29.3	12.8	1.61	3620	22.4	0.05	3.3	46.4
0.14	5.96	50.9	1240	1.99	0.66	3.01	<0.02	43.5	37.5	26	2.53	457	5.68	15.05	0.12	1.9	0.089	3.03	27.5	11.4	1.45	4980	7.72	0.04	2.7	13.7
0.01	0.14	<5	30	0.07	0.02	45	0.36	2.06	1.1	3	<0.05	3.5	0.06	0.52	<0.05	<0.1	<0.005	0.04	1.6	1.3	0.46	49	0.22	0.01	0.3	<0.2
0.57	3.54	106.5	540	1.21	1.66	0.94	<0.02	116	93.4	15	1.31	982	18.2	12.65	0.3	1	0.071	1.27	68.2	27.2	1.05	9080	23.2	0.03	2.9	41.2
0.45	5.72	131	420	2.14	2.18	2.77	<0.02	74.3	97.8	26	3.28	406	11.1	17.05	0.19	2	0.103	2.72	44.3	16.2	1.46	5800	8.87	0.04	2.4	28.9
0.28	7.98	80.9	250	2.54	1.39	3.13	0.11	117.5	64.8	42	3.58	229	9.71	18.05	0.32	3.4	0.09	3.41	61.1	35.2	1.65	5610	9.55	0.11	3.1	39.3
0.29	8.8	65.4	250	3.02	1.61	4.59	0.07	130	75.1	43	3.71	95.1	6.28	22.8	0.27	3.5	0.092	4.18	67.8	19.6	1.93	4190	9.39	0.15	4.8	27.4
0.45	8.88	92	160	3.14	2.3	3.6	0.09	79.9	127.5	48	4.43	73.4	7.7	23.2	0.28	3.7	0.097	4.25	49.1	23.2	1.76	3160	15.6	0.07	3.5	47.8
0.49	7.9	85	150	2.63	2.2	2.59	0.07	69.2	120.5	45	4.37	211	9.12	18.7	0.23	3.4	0.087	3.65	40.4	27	1.53	3430	11	0.05	3.5	39.3
0.23	8.1	43.1	400	2.33	0.99	2.44	0.05	94.7	71.5	43	4.03	452	6.61	16.95	0.19	3	0.081	3.77	56.7	19.8	1.44	4090	8.86	0.04	2.7	23.5
0.2	7.23	45.9	720	3.08	0.95	4.18	0.1	67.6	65.4	36	3.66	363	5.99	18.95	0.31	2.7	0.111	3.64	41.5	17.2	1.99	5230	11.8	0.04	3.5	15.7
0.65	8.06	116.5	150	2.4	2.5	3.5	0.05	113.5	133.5	42	3.55	550	7.89	17.8	0.21	2.8	0.077	3.98	78.5	18.3	1.62	4270	13.7	0.05	3.1	26.9
0.03	0.16	<5	30	0.08	0.07	49.1	0.55	2.37	0.9	5	<0.05	1.8	0.07	0.48	0.13	0.3	0.026	0.04	1.8	1.3	0.52	46	0.38	0.01	0.4	2.5
1.02	5.84	61.2	320	1.49	2.45	2.08	0.03	50.8	150	33	3.48	8000	9.21	13.85	0.2	2.2	0.141	2.13	20.5	20.2	1.14	3030	64.2	1.06	3.3	36.7
0.48	7.96	88.7	310	3.22	2.02	3.38	0.03	158.5	106	43	4.33	326	6.3	22.6	0.23	3.5	0.085	3.94	106.5	22.4	1.43	3740	12.35	0.05	3.9	27.4
0.56	4.71	122.5	80	1.89	2.52	5.25	0.03	137.5	134	26	2.26	480	10.65	12.35	0.21	2.2	0.082	2.35	93.1	20.4	2.14	7700	13	0.03	2.6	32.5
0.53	5.48	143	70	1.65	1.66	1.3	0.04	176.5	158.5	30	2.54	434	14.6	12.15	0.25	2.2	0.088	2.26	110	26.3	1.56	9880	14.85	0.03	2.2	34
0.59	4.98	110	100	1.39	1.98	0.53	0.02	210	176.5	26	2.58	489	19.15	10.85	0.3	2.1	0.097	1.8	132.5	28.4	1.79	15050	35	0.02	1.9	43.2
1.89	3.63	423	10	1	9.16	0.27	0.06	71	613	18	1.92	1190	25.7	7.83	0.31	1.9	0.09	1.29	39	22	1.42	18100	51.1	0.01	1.6	85.8
0.51	5.9	61.4	120	2.11	1.17	0.29	0.06	189.5	277	34	3.41	4300	15.8	14.3	0.29	2.8	0.103	2.33	124	32.4	1.24	12250	42.2	0.02	2.5	42
0.94	4.81	211	40	1.37	3.54	0.25	0.05	189	601	30	2.49	2430	21.9	10.85	0.3	2.7	0.087	1.53	119	34.7	1.43	16650	47.7	0.02	1.6	59.6
0.15	6.18	19.8	300	2.43	0.3	0.26	0.05	46.9	84.4	33	2.65	572	11.1	13.6	0.17	2.7	0.082	2.77	29.6	18.6	0.96	10300	7.49	0.03	2.4	23.7
0.02	0.15	<5	30	0.06	0.02	>50	0.5	2.39	0.9	5	<0.05	2.1	0.07	0.49	0.06	0.2	0.011	0.03	1.9	1.2	0.56	56	0.31	0.01	0.3	1.8
0.07	7.57	6.3	2780	2.63	0.1	0.37	<0.02	141.5	57.6	41	5.28	148	13.55	18.9	0.23	3.5	0.056	2.32	96.3	71.1	1.51	4470	4	0.03	2.1	40.9
1.03	8.1	195.5	230	2.64	3.57	0.38	0.02	158	284	44	6.55	1090	19	12.75	0.27	3.5	0.047	1.7	103	110.5	1.85	917	21.6	0.02	1.7	81
0.77	6.78	113.5	70	2.37	2.24	0.31	0.02	101.5	151.5	38	3.97	1390	12.45	16.35	0.19	3	0.091	2.78	63.9	31.3	1.22	8900	10.45	0.03	2	56.8
0.81	7.16	49.8	190	2.29	2.8	4.67	0.04	74.9	119	45	4.21	774	12.35	15	0.19	2.7	0.1	3.28	55	22	2.3	11200	13.3	0.04	1.4	61.2
0.14	7.24	14.8	1810	2.67	0.66	5.98	0.03	36.9	36.5	45	3.36	1880	9.81	15.2	0.15	2.6	0.096	3.66	22.4	9.7	2.56	9400	6.75	0.05	0.8	45.7
0.14	6.76	16.4	1670	2.5	0.65	5.65	0.02	56.6	42.8	40	3.19	1820	8.83	14.4	0.16	2.3	0.099	3.28	35	7.2	2.35	9180	9.11	0.05	1.2	37.8
0.29	6.09	57.7	400	2.15	1.42	8.34	0.04	68.5	81.8	32	2.6	1240	8.28	12.95	0.17	2.2	0.086	2.87	45.5	7.4	2.47	7990	13.3	0.04	3.7	50.8
0.35	6.22	21.8	350	1.97	2.38	3.14	0.02	58.2	55.6	41	3.26	5670	12.8	13.8	0.18	2.2	0.124	3.02	35.9	9.6	1.81	10550	21.1	0.04	1.9	45.2
0.26	5.18	20.9	660	1.63	1.8	5.59	0.03	43.1	49.4	32	2.27	2150	13.15	10.35	0.16	1.9	0.119	2.38	27.7	7.4	2.16	13100	5.2	0.19	1.1	39.6
0.02	0.14	8	20	0.07	0.01	>50	0.46	2.19	0.9	5	<0.05	4.1	0.07	0.49	0.06	0.2	0.01	0.03	1.7	1.3	0.53	59	0.26	0.01	0.3	2.1
1.24	2.49	108.5	10	0.5	11.05	2.37	0.05	199	350	12	3.01	9380	29.3	8.01	0.34	1	0.266	0.69	123.5	17.9	1.62	5850	65.8	0.24	5.4	53.3
0.32	7.68	26.8	690	2.7	2.4	7	<0.02	26.8	70.8	49	3.27	1480	9.59	17.1	0.15	2.7	0.087	3.83	17.7	14.2	2.24	8700	3.47	0.15	0.7	55.6
0.26	7.7	18.5	1400	2.55	1.41	6.72	<0.02	21.2	44.8	44	3.42	1470	8.82	15.2	0.14	2.7	0.081	3.21	13.2	13.8	2.45	7920	5.69	1.04	0.8	37.9
0.3	7.6	30.4	1240	2.62	1.62	7.84	0.02	24.8	66.7	48	3.2	2820	8.15	16	0.14	2.6	0.09	3.58	15.6	13	2.68	7010	5.96	0.32	0.9	43.5
0.28	7.4	44.2	370	2.84	1.02	7.21	0.02	52.3	123	49	3.29	1950	10	15.65	0.15	2.4	0.091	3.55	35.7	15.6	2.37	6760	14	0.2	1.6	56.1
0.09	6.95	13.1	1600	2.27	0.39	6.64	<0.02	26.8	50	41	3.11	147	10.7	15.35	0.14	2.4	0.09	3.4	19.6	17	2.17	7150	8.77	0.05	1.2	39.6
0.11	5.61	8.8	2040	2.12	0.3	6.29	0.02	79.5	41.2	36	2.72	865	10.45	13.25	0.18	2.1	0.084	2.91	60.4	14.9	2.27	5690	10.45	0.05	1.5	38.9
0.57	6.06	60.1	80	1.94	2.48	6.74	0.02	74.4	106	32	2.76	3960	11	13.4	0.16	2.2	0.091	2.77	54	14.2	2.64	7010	23	0.1	2	42.9
0.21	4.64	51.3	1230	1.49	1.29	5.07	<0.02	77.3	93.5	25	1.9	1180	14	13.1	0.23	1.4	0.113	1.79	55.9	35.3	2.89	9510	16.65	0.1	2.4	60.1
0.01	0.13	7	30	0.11	0.01	48.1	0.4	2.05	1.6	5	<0.05	4.2	0.06	0.5	<0.05	0.1	<0.005	0.03	1.6	1.7	0.49	49	0.23	0.01	0.3	<0.2
0.4	8.06	60.8	770	3.43	2.75	3.09	<0.02	54.7	118.5	55	5.72	1600	9.38	22.9	0.19	2.4	0.082	4	39.3	39.5	1.58	3360	10.45	0.19	1.6	58.8
0.19	8.17	50.1	2520	3.62	1.2	2.5	<0.02	38.6	98.2	59	4.69	786	5.74	23	0.13	2.5	0.086	4.54	28.9	24.4	1.16	2950	12.25	0.08	1.6	41.7
0.26	6.44	70.8	750	2.31	1.6	4.29	<0.02	105	105	37	2.99	866	11.25	18.2	0.23	1.7	0.084	3.08	52.9	27.5	1.82	4220	36.5	0.29	2.7	55
1.23	4.45	132.5	110	1.43	3.51	4.83	<0.02	182.5	181.5	23	1.78	4180	16.4	13.7	0.35	1.3	0.08	2	134	28.4	1.96	4680	36.5	0.28	1.9	90.2
0.75	5.01	91	180	1.74	1.83	3.75	<0.02	110	142.5	31	2.13	6670	15.5	14.75	0.28	1.4	0.073	2.43	84.8	25	1.36	4070	43.6	0.19	2.2	68.1
0.38	4.73	60.8	220	1.24	1.44	4.08	<0.02	132	101.5	22	1.84	5380	15.7	13.45	0.28	1.2	0.058	2.3	104.5	22.9	1.3	4710	38.2	0.4	1.7	66.7
0.91	3.74	199	80	1.05	7.43	4.89	<0.02	121.5	257	18	1.5	2080	16.9	12.05	0.33	1	0.062	1.7	84.7	25.8	1.76	5200	35.9	0.06	2.5	96.9
0.4	7.02	93.9	250	2.42	3.32	3.9	<0.02	56.7	138	52	2.96	1100	11.2	18.25	0.21	1.5	0.072	3.35	43.2	22.3	1.49	4040	15.65	0.7	1.6	65.5
0.15	9.62	25.2	2290	3.73	0.64	3.56	<0.02	38.8	67.1	65	4.72	1410	6.65	24	0.16	2.2	0.092	4.49	27.4	23.2	1.49	4020	3.33	1.65	1.2	38.8
0.01	0.14	<5	20	0.1	0.01	49.8	0.42	2.23	1.7	6	<0.05	6.1	0.08	0.5	<0.05	0.1	<0.005	0.03	1.7	1.7	0.53	48	0.4	0.01	0.3	<0.2
0.24	6.97	57.4	200	2.43	1.58	1.95	<0.02	72.5	115.5	41	6.15	1580	7.19	18.65	0.19	1.9	0.128	3.19	39.1	26.1	1.34	3310	20.3	0.62	3.1	25.4
0.48	3.04	98.7	80	0.95	10.65	0.42	<0.02	91.5	123.5	16	2.1	128.5	27.5	8.79	0.38	0.9	0.18	1.16	60	22.3	1.64	20900	51.3	0.03	4	50
0.5	2.22	101.5	60	0.78	10.05	0.9	<0.02	58.5	123	9	1.64	482	26	6.75	0.35	0.6	0.211	0.88	39.6	14.4	1.95	20600	42.2	0.02	3.2	42.6
0.48	3.45	109.5	60	1.19	8.5	0.41	<0.02	20	120.5	23	2.72	954	21.1	9.55	0.29	1.1	0.146	1.49	11.5	20.5	1.45	17200	36.7	0.03	3.6	40
0.87	7.66	243	550	2.57	16.45	0.41	<0.02	13.65	197	25	5.85	134.5	17.25	22.5	0.27	3	0.102	3.48	6.1	42.2	1.05	6680	17.9	0.06	4.1	70.8
1.03	4.52	290	230	1.51	19.25	0.51	<0.02	57.6	212	10	3.58	1040	25	14.15	0.44	1.9	0.134	1.97	37.3	24.8	1.41	15350	26.8	0.03	3.6	87.7
0.76	2.29	212	60	0.79	18.15	0.45	<0.02	112	192	4	1.81	536	31.8	7.42	0.45	1.3	0.158	0.92	75.8	15.9	1.67	19450	29.7	0.02	6.2	63

IG-2007-16

Sample No	From (m)	To (m)	Standard/Blank
E385323	46	47	
E385324	47	47.5	
E385325	47.5	48	
E385326	48	48.5	
E385327	48.5	49	
E385328	49	49.5	
E385329	49.5	50	
E385330	50	50.5	
E385331			BLANK
E385332	50.5	51	
E385333	51	52	
E385334	110	111	
E385335	111	111.5	
E385336	111.5	112	
E385337	112	112.5	
E385338	112.5	113	
E385339	113	113.5	
E385340	113.5	114	
E385341			BLANK
E385342			STANDARD 3
E385343	114	114.5	
E385344	114.5	115	
E385345	115	115.5	
E385346	115.5	116	
E385347	116	116.5	
E385348	116.5	117	
E385349	117	117.5	
E385350	117.5	118	
E385351			BLANK
E385352	118	118.5	
E385353	118.5	119	
E385354	119	119.5	
E385355	119.5	120	
E385356	120	120.5	
E385357	120.5	121	
E385358	121	121.5	
E385359	121.5	122	
E385360	122	122.5	
E385361			BLANK
E385362			STANDARD 1
E385363	122.5	123	
E385364	123	123.5	
E385365	123.5	124	
E385366	124	124.5	
E385367	124.5	125	
E385368	125	125.5	
E385369	125.5	126	
E385370	126	126.5	
E385371			BLANK
E385372	126.5	127	
E385373	127	127.5	
E385374	127.5	128	
E385375	128	128.5	
E385376	128.5	129	
E385377	129	129.5	
E385378	129.5	130	
E385379	130	130.5	
E385380	130.5	131	
E385381			BLANK
E385382			STANDARD 2
E385383	131	131.5	
E385384	131.5	132	
E385385	132	132.5	
E385386	132.5	133	
E385387	133	133.5	
E385388	133.5	134	
E385389	134	134.5	
E385390	134.5	135	
E385391			BLANK
E385392	135	135.5	
E385393	135.5	136	
E385394	136	136.5	
E385395	136.5	137	
E385396	137	137.5	
E385397	137.5	138	
E385398	138	138.5	
E385399	138.5	139	
E385400	139	140	
E385401			BLANK
E385402			STANDARD 3
E385403	176	177	
E385404	177	177.5	
E385405	177.5	178	
E385406	178	178.5	
E385407	178.5	179	
E385408	179	179.5	

P	Pb	Rb	Ra	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
590	2.1	144	0.002	0.03	1.22	10.5	2	2.3	30.3	0.29	0.06	10.9	0.101	0.38	3	58	4.3	12	5	57.6		0.001	
650	2.1	170	0.004	0.09	1.49	11.3	3	2.7	33.8	0.3	0.1	13.4	0.115	0.47	5.3	70	14.1	13.1	7	65.5		0.011	0.6
1610	2.1	144	0.133	1.89	1.24	11.8	5	2.8	30.3	0.27	0.51	16.6	0.092	0.36	173.5	67	5	14.3	7	54	1.45	0.067	
790	1.4	153.5	0.034	0.3	1.39	13.3	2	3	47.1	0.36	0.07	12.6	0.138	0.39	5.5	65	7.2	14.2	4	56.3		0.009	
680	1.1	147	0.009	0.12	1.44	11.4	2	2.8	39.2	0.36	<0.05	12	0.148	0.37	3.3	70	6.7	11.9	3	49.1		0.007	0.53
2400	2	96.7	0.005	0.45	1.19	11.2	3	1.9	38	0.28	0.24	13.3	0.068	0.23	5.1	64	4	15.3	3	31.2		0.025	
1910	1.6	105	0.004	0.3	1.05	8.7	3	2	33.8	0.25	0.12	12.5	0.092	0.26	4.9	67	4.6	12.3	5	37.3		0.024	
700	1.4	193.5	0.002	0.1	1.8	12.6	2	3.5	41.2	0.42	0.05	13.4	0.174	0.45	4	76	8.7	14.4	3	65.8		0.007	0.65
120	0.6	1.1	<0.002	0.07	0.08	0.6	2	<0.2	276	<0.05	<0.05	0.6	0.007	<0.02	0.8	4	0.1	2.9	22	3.6		0.001	
640	1.5	163.5	<0.002	0.03	1.58	11.2	2	2.8	66.8	0.33	<0.05	17.2	0.133	0.36	3.3	55	7.5	15.5	3	56.6		0.001	
690	1.8	161	<0.002	0.03	1.48	11	2	3.1	50.1	0.32	<0.05	15.3	0.135	0.38	3.9	56	7.7	14	6	60.2		0.002	
840	3.4	116	0.003	4.87	0.95	13.4	2	8.2	40.8	0.18	0.15	14.3	0.099	0.27	14.4	64	8.3	11.2	8	73		0.029	
820	2.7	114	0.007	3.96	1.15	13.1	2	6.8	22.8	0.14	0.09	14.9	0.104	0.27	16.1	68	9.2	13.5	10	60.8		0.033	
880	4	124	0.004	7.35	1.17	11.5	2	7.9	8	0.18	0.09	14.3	0.134	0.29	14.3	57	11.7	10.5	7	62.9		0.059	
700	6.7	137.5	0.007	>10.0	1.68	9.8	2	8.3	7.1	0.24	0.06	11.4	0.146	0.31	12.9	57	13.7	10.5	3	62.3		0.076	
1220	4.8	162.5	0.003	6.44	0.99	10.3	2	9.4	10.2	0.27	<0.05	17	0.177	0.31	10.6	74	15.5	16.5	<2	80.3		0.021	
950	8.6	109	0.009	>10.0	1.11	6.5	2	7.5	8.9	0.21	0.19	10.9	0.129	0.22	15.5	62	12	11.9	<2	50		0.077	
1020	5.2	174.5	0.008	5.71	0.96	12.5	2	11	10.5	0.26	0.08	20.6	0.161	0.37	26.8	69	17.3	15.7	<2	86.2		0.041	
110	0.6	0.6	<0.002	0.09	0.08	0.6	2	0.2	283	<0.05	<0.05	0.3	0.008	<0.02	0.7	4	0.1	2.6	25	3.2		0.033	
750	2.7	148	0.006	1.43	1.21	12.4	3	8.2	451	0.22	0.18	13.6	0.126	0.39	20.2	65	9.2	11.4	6	62.2		0.018	
720	4	95.9	0.002	7.86	0.79	10.4	2	6.4	19.1	0.16	0.12	11.6	0.119	0.23	8.6	73	10.1	11.6	3	55.9		0.037	
740	4.5	136.5	0.002	5.73	0.93	12.4	2	8.3	26.3	0.19	0.12	15.6	0.125	0.35	13.6	66	12.5	14.9	3	68.8		0.019	
690	3.5	112	0.002	4.17	0.73	10.7	2	7.7	15.2	0.11	0.12	10.3	0.094	0.32	15.1	53	9.9	10.8	5	58.5		0.018	
710	3.1	134.5	<0.002	3.15	0.73	13.8	2	12.6	18.9	0.11	0.13	16.5	0.135	0.51	5.4	74	13.7	10.9	9	79.6		0.015	
870	6.9	98.1	0.005	9.84	0.98	9.5	2	9	17.5	0.14	0.38	9	0.102	0.27	5.8	58	11.9	10.3	7	48.2		0.033	
860	27.2	157	0.012	4.19	1.11	12.5	2	11.4	29.6	0.17	0.44	15.6	0.138	1.78	26	81	15.1	12.6	2	72.7		0.061	
760	9.7	113.5	0.004	7.45	1.1	10.3	2	8.7	13.7	0.19	0.36	11	0.13	0.61	14.7	66	13.2	11.6	2	63.5		0.104	
710	1.5	110.5	0.003	0.82	0.53	9.9	2	6.7	14.5	0.17	0.11	12.6	0.127	0.28	8	56	12.3	12.1	5	57.7		0.019	
100	0.6	0.7	<0.002	0.06	0.07	0.5	2	<0.2	264	<0.05	<0.05	0.2	0.007	<0.02	0.6	4	0.1	2.5	21	2.7		<0.001	
2800	3.4	55.1	0.004	1.86	1.18	7.5	2	5.6	18	0.1	0.13	8.1	0.084	0.16	22.2	60	10.3	13.5	24	32.9		0.02	
1220	3.8	112	0.005	2.98	0.86	10.6	2	7.9	18	0.13	0.2	13.2	0.103	0.32	13.4	57	13.2	13.1	9	57.3		0.037	
1360	3	126	0.003	1.84	0.95	11.4	1	10.2	29.2	0.31	0.28	13.6	0.114	0.42	9.8	72	15.2	15	18	96		0.02	
1230	3	151.5	0.003	2.01	0.99	12.2	2	10.7	22.2	0.39	0.24	17.1	0.161	0.46	6.3	89	18.8	17.8	4	94.1		0.03	
1210	3.5	155.5	0.004	2.39	1.17	12.8	2	12	18.3	0.34	0.4	25.5	0.147	0.83	8.6	100	18.3	16.5	8	96.5		0.026	
1040	3.4	129.5	0.004	2.29	1.18	10.2	2	9.3	22.7	0.31	0.25	13	0.138	0.42	5.5	82	16.3	14.4	15	89		0.025	
960	2.1	120	0.005	1.26	0.77	9.8	1	8	18.4	0.23	0.17	15.9	0.131	0.38	5.7	76	11.8	13.5	8	80.2		0.015	
850	1.6	140	0.003	1.2	0.86	13.6	2	8.5	17.6	0.37	0.25	14.6	0.132	0.42	6	68	14.7	15.3	4	81.9		0.012	
1410	5.8	126.5	0.003	2.41	0.76	10.3	1	8.7	17.7	0.19	0.27	17.4	0.131	0.48	5.9	80	14.4	14.3	5	78.1		0.039	
120	0.9	0.8	<0.002	0.06	0.19	0.3	2	0.2	316	0.13	0.15	0.3	0.007	0.1	0.8	5	0.1	3	24	3.4		0.011	
930	21	86.1	0.023	2.27	1.6	9	3	7.4	633	0.22	0.29	8.7	0.081	0.39	302	53	8.2	15.4	13	62		0.056	
1210	4.2	148.5	0.005	1.71	0.83	11	2	10.1	21.1	0.25	0.27	17.4	0.135	0.49	7.2	79	16.8	16.1	4	93.7		0.031	
1180	4.3	87.9	0.004	2.13	0.84	8.4	1	7.6	26.8	0.17	0.19	14	0.077	0.35	5	63	10.5	14.9	12	61.5		0.035	
1230	4.5	77.9	0.002	1.84	0.74	6.8	1	6.7	27.3	0.14	0.14	14.5	0.071	0.39	8.2	61	9.9	13.2	23	60.7		0.019	
1320	4.4	61.3	0.005	1.81	0.78	5.9	1	5.6	28.2	0.14	0.17	14.7	0.057	0.36	10.3	57	8	13.2	30	55.3		0.024	
760	12.3	43.6	0.011	>10.0	1.67	4.9	1	4.2	23	0.15	0.56	8.5	0.049	0.3	18.3	38	6.1	9.6	29	47.8		0.111	
1130	2.7	90	0.011	1.94	0.91	9.7	2	8.5	17.9	0.19	0.14	15.3	0.089	0.34	14.3	48	12	14.8	27	72		0.043	
920	7.3	55.7	0.013	3.93	1.47	7.1	2	4.9	13.9	0.18	0.31	15.8	0.06	0.27	54.9	49	7.4	15.1	36	69		0.044	
860	2.1	93.6	0.004	0.51	0.68	9.2	1	10.5	196.5	0.14	0.11	8.9	0.096	0.29	12	47	10.3	11.4	17	66.2		0.006	
120	0.8	0.7	<0.002	0.07	0.13	0.3	2	0.2	309	0.07	0.06	0.3	0.007	0.04	0.8	3	0.1	3	25	3.7		0.001	
1350	1.4	90.6	0.002	0.59	0.78	11.9	1	9	35.2	0.18	<0.05	21.3	0.077	0.23	5.7	58	8.7	17.2	43	93.3		0.003	
1710	7.8	56.2	0.007	4.75	1.43	14.1	2	6.2	36.4	0.18	0.37	18.6	0.053	0.44	7.2	63	6.3	18.7	66	95.4		0.039	
1170	3.2	108.5	0.004	1.78	0.86	10.6	2	11.6	61	0.11	0.18	14.6	0.084	0.42	7.3	64	10.6	13.8	22	78.5		0.028	
990	4.1	100	0.021	1.76	0.95	20.5	1	6	42.7	0.13	0.18	6.4	0.118	0.43	13.5	229	7	15.5	19	67.5		0.019	
350	1.6	112.5	0.002	0.54	0.68	24.9	2	2.9	16.6	0.07	0.05	3.3	0.15	0.36	8	282	6	14.1	5	67		0.008	
440	1.4	106.5	0.005	0.5	0.77	21.2	2	3	15.7	0.09	0.05	4.9	0.14	0.35	7.8	223	6.7	12.6	2	60.4		0.008	
840	2.1	91.8	0.005	1.52	0.8	15.4	2	3.6	19.2	0.23	0.2	7.9	0.125	0.32	7.8	147	7.1	12.9	3	59.1		0.015	
590	2.1	94.4	0.014	1.48	1.31	15.8	1	3.9	12.9	0.11	0.13	7.8	0.111	0.33	17.3	167	6.1	11.3	3	56.6		0.024	
410	1.9	74.8	0.005	1.05	0.72	16.3	1	2.8	33.7	0.08	0.1	5.4	0.09	0.25	6.7	174	5.1	10.6	5	48		0.012	
140	0.9	0.7	<0.002	0.06	0.12	0.3	2	0.2	292	0.05	0.06	0.2	0.008	0.03	0.8	4	0.1	2.9	22	3.2		0.002	
2540	6.9	33.2	0.022	7.24	2.56	3.5	4	8.7	175.5	0.16	1.11	6.4	0.032	0.54	15.5	61	7.1	14.2	12	25.2		0.175	
350	1.6	118.5	0.003	1.34	0.85	29.8	2	3.7	34.1	0.06	0.1	2	0.161	0.34	6.2	334	8.1	15	7	69.3		0.014	
380	1.6	105.5	0.002	0.76	1.06	28.8	1	3.3	49.3	0.06	0.07	1.7	0.15	0.34	4.6	311	8.9	13.7	5	67.1		0.009	
430	1.5	119	0.003	1.14	0.97	27.8	2	4.3	36.2	0.06	0.06	1.9	0.165	0.38	5.6	289	9.1	14.7	4	68.7		0.014	
710	1.6	114.5	0.004	1.42	1.05	25.2	2	5.9	37.5	0.1	0.12	3.7	0.177	0.35	7.2	264	10.7	15.3	6	84.5		0.011	
590	1.6	107	0.003	0.71	0.84	21	1	6.7	55.8	0.09	0.07	4.4	0.147	0.31	3.4	227	10.5	13.9	10	59.5		0.003	
730	1.4	95.2	0.003	0.7	0.8	18.1	2	6.6	30.1	0.09	0.05	5.8	0.124	0.27	8.7	191	10.3	13.3	9	53.6		0.004	
840	2.5	93.1	0.005	2.32	0.9	15.8	2	7.8	27.3	0.13	0.27	7.6	0.114	0.31	10.4	165	10.9	13.2	7	58.8		0.031	
780	2	60.4	0.005	1.02	1.03	16.6	3	4.3	27.5	0.11	0.11	8.7	0.08	0.21	7.2	130	7.5	14.4	24	49.6		0.017	
100	0.8	0.6	<0.002	0.06	0.09	0.7	4	<0.2	278	<0.05	<0.05	0.2	0.007	<0.02	0.7	8	0.1	3.1	22	3.3		0.001	
660	3	132	0.004	1.57	1.25	33.4	3	11.3	37.2	0.08	0.15	5.5	0.161	0.45	6.5	271	14.7	18	18	78.6		0.018	
590	1.7	144.5	0.004	0.99	0.95	35.6	3	13.5	17.2	0.1	0.1	5	0.209	0.41	6.1	279	16.9	13.4	7	80		0.011	
1230	1.9	104	0.01	1.21	1.18	21.4	3	9.7	64.7	0.11	0.13	6.4	0.122	0.31	5.9	173	13	14.4	11	57.1		0.022	
1770	4.5	63.6	0.011	2.4	1.32	10.4	4	5.3	153	0.08	0.55	8.3	0.056	0.31	5	119	7.6	15.4	18	42.7		0.052	
1830	2.5	78.6	0.012	1.94	1.23	12.8	5	7.4	58.8	0.09	0.25	6.2	0.079	0.27	5.9	128	9.5	13.8	9	46		0.049	
1340	2.3	66.8	0.009	1.77	1.22	8.3	4	5.1	52.9	0.07	0.18	8	0.052	0.31	3.6	82	8.4	12	16	40.3		0.051	
1010	5	53.6	0.009	6.67	1.65	9.2	4	5.2	60.3	0.09	0.72	6.4	0.052	0.19	9.6	77	8.8	12.5	17	34		0.061	
900	2.7	106.5	0.006	2.69	1.29	27.7	3	8.5	39.5	0.07	0.25	3.7	0.115	0.31	7.4	224	10.6	12.3	12	47.1		0.026	
410	1	134	0.002	0.74	1.36	45	3	11	36.8	0.07	0.05	1.9	0.257	0.44	2.3	337	20.3	13.6	7	68.5		0.01	
110	0.6	0.7	<0.002	0.07	0.08	0.8	4	<0.2	302	<0.05	<0.05	0.2	0.007	<0.02	0.7	9	0.1	3.2	24	3.9		0.001	
740	2.7	125.5	0.006	1.32	1.05	11.5	3	7.5	450	0.18	0.18	12.2	0.115	0.36	17.7	68	8.1	12.1	6	64.3		0.019	
1080	3.5	42.5	0.015	5.07	1.97	10.4	3	15.4	14.7	0.11	0.29	4.3	0.084	0.16	8.1	85	15	9.5	27	30.3		0.011	
1010	3.2	32.7	0.017	4.59	1.35	9.1	2	11.2	14.5	0.1	0.25	4.5	0.08	0.13	4.4	68	14	10.1	21	20.4		0.01	
490	3.3	55	0.016	4.47	1.06	14.1	2	18.3	10.6	0.15	0.19	4.4	0.076	0.2	13.8	101	11	7.6	23	34.6		0.011	
620	5.2	120.5	0.008	8.22	2.46	25.7	3	37.4	9.7	0.17	0.24	1	0.809	0.49	4.7	391	34.7	17.5	23	91.3		0.017	
1380	6.2	72.3	0.019	>10.0	3.17	16.8	3	22.4	10.1	0.1	0.3	1	0.354	0.3	3.4	241	27.4	15	19	56.4		0.015	
1420	5.4	33.5	0.022	8.49	3.1	11.4	3	14.3	16	0.1	0.37	1.8	0.253	0.16	17.2	124	21.8	14.3	19	40.5		0.013	

IG-2007-18

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
E385409	179.5	180		0.67	2.87	151	50	0.98	17.35	1.51	<0.02	82.5	142.5	8	2.36	47.7	28.1	9.26	0.35	1	0.13	1.23	56.9	17.9	1.65	16000	21.7	0.03	3.7	49.7
E385410	180	180.5		0.29	4.35	53	130	1.61	7.08	4.53	<0.02	53.4	59.9	9	3.67	19.1	17.65	13.2	0.26	1.6	0.129	1.97	43.8	18.1	2.29	12300	8.26	0.04	3.4	28.3
E385411	180.5	181		0.54	1.35	129	70	0.49	9.62	0.99	<0.02	62.6	84.9	1	1.21	169	33.9	4.88	0.48	0.5	0.217	0.58	50.4	9.7	1.62	17800	16.9	0.02	2.3	36.6
E385412	181	181.5		0.8	0.96	219	60	0.38	16.7	1.09	<0.02	56	124.5	<1	0.74	66.2	38.9	4	0.46	0.5	0.168	0.35	54.1	8.3	1.7	17700	32.3	0.01	3.2	49.1
E385413	181.5	182		0.6	5.1	156	70	1.98	10.95	3.75	<0.02	73.9	100.5	15	4.35	522	17.9	15.9	0.28	1.8	0.105	2.47	59.9	20.2	1.83	8430	10.4	0.05	3.7	37.7
E385414	182	182.5		0.69	7.05	197.5	3140	2.81	10.9	4.65	<0.02	16.4	135.5	17	6.28	326	10.15	21.9	0.17	2.6	0.102	3.58	10.7	24.4	2.23	4860	8.84	0.09	3.2	39.5
E385415	182.5	183		0.46	5	113	150	1.89	5.84	6.9	<0.02	21.8	105	10	4.57	1790	12	15.65	0.18	1.7	0.134	2.51	13.9	15.4	3.31	8760	10.8	0.05	2.9	28.7
E385416	183	183.5		0.9	8.43	169.5	840	3.08	9.58	2.86	<0.02	31.6	157	24	7.17	1380	10.1	26	0.18	3.5	0.126	4.3	19.8	22.8	1.84	4400	20.5	0.09	4	44.6
E385417	183.5	184		0.33	8.51	83.4	460	3.26	4.15	2.69	<0.02	56.4	92.6	23	7.84	1200	7.82	26.9	0.2	3.5	0.129	4.3	39.3	21.7	1.54	3760	22.5	0.09	3.2	31
E385418	184	184.5		0.29	9.78	73.2	190	4.08	4.01	1.34	<0.02	91.1	140.5	34	8.95	582	7.62	33.3	0.2	4.6	0.135	5.15	62	24.6	0.89	2290	13.65	0.1	5.3	45.8
E385419	184.5	185		0.33	9.75	72.9	240	3.75	5.19	2.27	<0.02	16.9	104.5	31	8.73	1330	8.13	29.6	0.15	3.9	0.132	5.08	10.5	23.8	1.3	3290	13.3	0.1	4.1	36.6
E385420	185	185.5		0.39	6.54	93.9	160	2.58	5.81	4.33	<0.02	25	82.2	17	6.07	2510	10.9	18.85	0.18	2.6	0.151	3.24	18.6	15.5	2.01	6350	8.31	0.07	4	27.6
E385421			BLANK	0.02	0.14	<5	30	0.08	0.03	47.9	0.41	2.24	1.6	5	<0.05	5	0.06	0.54	<0.05	0.1	<0.005	0.04	1.7	1.8	0.51	50	0.23	0.01	0.2	<0.2
E385422			STANDARD 1	1.04	6	72	90	1.86	2.67	2.11	<0.02	52.3	164.5	33	3.8	8470	9.64	15.55	0.21	1.7	0.154	2.32	22.1	25.2	1.23	3390	65.5	1.11	3.4	36.9
E385423	185.5	186		0.65	1.25	87.6	140	0.4	5.72	6.86	<0.02	233	56.7	1	1.4	8250	24.7	4.47	0.43	0.4	0.195	0.52	204	6.8	2.57	11150	28.9	0.02	2.6	38.4
E385424	186	186.5		0.51	0.35	112	80	0.13	5.48	7.8	<0.02	162	47.4	<1	0.33	4110	23.5	3.09	0.38	0.2	0.178	0.1	144.5	3.3	2.7	9660	24.1	0.01	2.8	27
E385425	186.5	187		0.73	2.89	118	60	1.04	10.2	5.81	<0.02	89.9	91.3	5	2.74	4190	20.8	9	0.32	1	0.143	1.29	75.1	11.8	2.8	9510	20.1	0.04	2.7	40.7
E385426	187	187.5		0.97	6.21	157	40	1.61	16.25	5.16	0.03	13.15	120.5	15	5.35	1770	13.7	14.45	0.17	3.1	0.13	2.85	7.8	13.6	2.07	5390	5.38	0.07	3.4	47.4
E385427	187.5	188		0.54	6.89	76.1	60	1.86	7.22	4.61	<0.02	21.6	84.7	20	5.51	431	11.4	16.4	0.15	3.1	0.112	3.01	13.2	13.7	2.46	5880	5.38	0.07	3.4	32.7
E385428	188	188.5		0.55	6.93	91.9	110	1.95	8.75	4.86	<0.02	21.8	75.9	19	6.32	215	11.8	17.75	0.15	3.6	0.12	3.1	12.7	16.9	2.66	5670	5.49	0.07	3.1	37.8
E385429	188.5	189		0.3	7.4	34.5	510	2	3	6.03	<0.02	44	44.6	17	6.63	2140	8.51	19.1	0.13	3.5	0.125	3.5	29.4	18.5	2.76	5050	18.75	0.06	3.5	24.8
E385430	189	189.5		0.27	7.65	46.9	250	2.16	3.81	7.06	<0.02	33.4	54	19	6.77	748	8.33	19.65	0.13	3.7	0.12	3.63	21.8	16	3.02	5400	6.09	0.06	3.6	26
E385431			BLANK	0.02	0.14	<5	30	0.05	<0.01	48	0.4	2.02	0.9	5	0.05	3.5	0.07	0.44	<0.05	0.1	<0.005	0.03	1.8	1.1	0.5	50	0.45	0.01	0.3	2.6
E385432	189.5	190		0.38	6.25	64.1	90	1.74	6.08	4.72	<0.02	26.6	56.4	17	6.29	1030	10.1	17.5	0.16	3	0.129	2.91	16.1	13.4	2.24	5300	12.9	0.07	2.8	39.7
E385433	190	190.5		0.49	8.65	76.1	60	1.78	9.65	6.7	<0.02	31.2	62.6	17	5.75	321	11.95	17.65	0.17	3.1	0.117	2.99	18.9	12.8	2.16	6150	5.98	0.07	3.1	46.5
E385434	190.5	191		0.78	7.29	96.8	110	1.88	20.5	6.38	<0.02	70.5	85.8	19	6.55	337	12.2	20.1	0.2	3.6	0.101	3.4	43.2	12.3	1.58	4930	6.26	0.06	2.9	67.9
E385435	191	191.5		0.36	6.94	89	140	1.81	8.54	6	<0.02	69.8	72	17	6.06	226	10.35	19.85	0.19	3.4	0.101	3.28	43.8	11.9	2.14	5500	13.35	0.06	3	46.7
E385436	191.5	192		0.38	5.85	98.3	60	1.92	10.6	5.72	<0.02	41.8	86.2	11	5.46	521	13.7	18.5	0.2	2.2	0.107	2.82	24.2	11.6	2.95	7130	7.03	0.06	2.3	58.4
E385437	192	192.5		0.47	3.95	135.5	40	1.36	11.55	4.82	<0.02	34.7	85.7	4	3.75	188	19.35	12.75	0.2	1.4	0.124	1.95	19.7	9.1	2.86	9470	9.27	0.04	2.6	63.6
E385438	192.5	193		0.2	4.03	30.4	160	1.26	2.92	6.03	0.02	35.6	38.3	4	3.72	1585	17.2	12.65	0.17	1.5	0.164	1.97	22.7	7.6	3.26	10050	6.65	0.04	1.7	38.4
E385439	193	193.5		0.19	5.02	48.6	100	1.81	4.77	5.49	<0.02	44.4	58.6	9	4.46	184	13.4	16.3	0.17	1.8	0.103	2.47	27.3	8.9	3.16	8370	7.42	0.05	1.8	39.4
E385440	193.5	194		0.3	5.63	83.4	70	1.9	9.29	6.06	<0.02	55.3	91.2	11	5.1	256	12.55	16.45	0.21	2.2	0.09	2.66	32.8	11.7	3.19	7030	6.16	0.05	2.4	52
E385441			BLANK	0.02	0.14	10	20	0.09	0.02	45.8	0.42	2.24	1	5	<0.05	2.5	0.08	0.61	0.05	0.1	<0.005	0.03	1.8	1.5	0.51	48	0.2	<0.01	0.3	0.3
E385442			STANDARD 2	1.3	2.44	125	20	0.71	12.05	2.33	<0.02	216	367	11	2.85	9480	29.8	10.9	0.32	0.8	0.272	0.72	135.5	23.3	1.69	6440	71.7	0.25	5.6	69.4
E385443	194	194.5		0.16	5.45	29	320	1.89	3.78	7.32	<0.02	39.5	51.5	11	4.99	456	10.5	17.7	0.16	2.2	0.097	2.72	24.5	12.9	3.68	8210	4.54	0.05	2.5	29.3
E385444	194.5	195		6.28	6.36	25.8	380	2.22	2.46	6.35	<0.02	25.9	57.7	13	5.44	177.5	11.05	20.2	0.15	2.4	0.094	3.17	17.1	12.9	3.3	8150	4.44	0.06	2.8	28.7
E385445	195	195.5		0.08	6.9	16.2	2280	2.51	1.39	2.11	<0.02	33.8	43.8	14	5.95	24	16	22.4	0.19	2.5	0.139	3.37	23.6	15.1	2.23	12350	4.93	0.06	2.8	27.6
E385446	195.5	196		0.3	5.8	23.3	200	1.94	3.31	5.3	<0.02	17.75	51.4	13	5.41	5790	11.75	18.45	0.16	2.2	0.158	2.87	13	11.9	2.71	7990	5.72	0.05	3	28.9
E385447	196	196.5		0.2	7.09	29.9	210	2.29	4.03	3.42	<0.02	26.3	68.4	17	6.27	909	12.4	22.9	0.15	2.7	0.122	3.35	17.9	17.3	2.54	8210	5.85	0.07	3.7	37.3
E385448	196.5	197		0.56	4.84	104	30	1.86	10.55	0.89	<0.02	60.4	127.5	10	4.07	202	20.2	17.25	0.22	2	0.165	2.15	40.4	16	1.92	16750	20.9	0.04	4	56.5
E385449	197	197.5		0.86	6.9	72	70	2.38	7.46	1.52	<0.02	56.3	120	24	6.38	9050	11.9	22.8	0.2	2.6	0.192	3	42.2	25.2	1.57	8870	17.2	0.06	3.5	53.6
E385450	197.5	198		0.44	8.16	83.8	170	2.8	4.98	4.15	<0.02	26.3	104	20	6.82	1360	10.95	27.1	0.17	2.9	0.136	3.47	15.9	38.5	2.22	5470	10.85	0.07	2.4	53.1
E385451			BLANK	0.02	0.14	<5	30	0.1	0.02	43.1	0.41	2.21	1	5	<0.05	8.5	0.07	0.58	<0.05	0.1	<0.005	0.03	1.7	1.5	0.47	51	0.33	<0.01	0.3	<0.2
E385452	198	198.5		0.71	8.64	78.8	220	2.96	7.09	4.68	<0.02	20.1	89.3	24	8.18	165	8.27	29.3	0.16	3.2	0.117	4.08	12	26.1	2.01	4140	10.35	0.09	0.8	51
E385453	198.5	199		1.1	7.92	169	70	2.68	14.7	0.5	<0.02	25.4	188	16	7.7	869	12.55	27.8	0.18	3.4	0.122	3.55	12.6	30	1	4060	11.4	0.07	0.8	98.5
E385454	199	199.5		0.97	9.1	180	90	3.2	15.35	0.32	<0.02	31	168	7	8.46	929	13.05	30.7	0.19	4.6	0.095	3.7	15.4	54.2	1.06	1640	10.65	0.07	1.2	102
E385455	199.5	200		0.77	8.48	134.5	90	3.26	10.6	0.29	<0.02	50.4	155	15	7.75	844	12.55	30.4	0.19	4	0.134	3.66	26.5	39.4	1	4090	14.8	0.07	2.5	95.5
E385456	200	200.5		1.2	8.17	137.5	170	3.03	12.35	0.22	<0.02	35.2	150	23	7.07	2160	13.7	28.2	0.2	3.2	0.16	3.63	17.8	26.3	0.91	5390	9.41	0.07	2.5	86.9
E385457	200.5	201		0.65	5.5	107.5	110	1.95	10.6	0.17	<0.02	25.9	101	11	4.58	671	19.45	19.9	0.21	2.1	0.324	2.24	14.6	28.1	1.71	12900	6.34	0.04	1.2	67.2
E385458	201	201.5		0.8	7.84	160.5	90	2.58	11.05	0.19	<0.02	21.9	107.5	22	6.07	199	15.75	27	0.21	2.9	0.162	3.24	10.4	37.8	1.27	6320	11.9	0.06	1.2	73.4
E385459	201.5	202		0.81	7.74	81.3	120	2.71	8	0.39	<0.02	39.6	99.9	21	6.31	616	14.75	26.5	0.22	2.6	0.167	3.24	22.6	37.5	1.4	6670	6.37	0.06	1.2	82.2
E385460	202	202.5		0.83	7.33	142	60	2.61	9.83	1.07	<0.02	71.8	222	20	6.25	2750	12.4	25.7	0.22	2.7	0.164	3.39	42.4	18.9	1.27	6300	29.3	0.06	2	85
E385461			BLANK	0.02	0.14	5	30	0.09	0.03	44.1	0.4	2.32	1.2	4	<0.05	7.4	0.07	0.63	<0.05	0.1	<0.005	0.03	1.8	1.6	0.49	48	0.26	<0.01	0.3	<0.2
E385462			STANDARD 3	0.3	6.69	52.36	4980	2.58	1.52	1.79	<0.02	115	105	41	5.87	1370	7.11	19.3	0.19	1.6	0.118	2.73	64.5	24.2	1.25	3070	18.55	0.57	3.3	25.9
E385463	202.5	203		0.53	6.37	86.3	1290	2.35	6.79	5.95	<0.02	52	129.5	15	5.15	1560	9.05	20.7	0.17	2	0.139	2.93	32.9	12.4	2.6	7470	14.3	0.07	2.6	46.9
E385464	203	203.5		0.35	8.6	48.6	1160	3.4	5.57	4.71	<0.02	59.5	83.45	32	6.95	61.6	6.95	20.3	0.18	1.9	0.109	2.94	33.9	27	2.04	5170	6.04	0.07	3.8	30
E385465	203.5	204		0.13	5.57	26.7	3500	3.06	2.86	5.89	<0.02	79.4	39.2	28	5.98	21.2	4.68	16	0.15	1.5	0.122	2.57	46.7	23.2	2.25	5340	2.93	0.06	3.2	12.2
E385466	204	205		0.19	6.35	30.6	3880	3.32	3.11	4.51	<0.02	87.9	45.7	35	7.14	26.9	6.74	17.85	0.17	1.6	0.145	2.77	54.2	31	2.16	5840	5.22	0.07	4.7	20.2

IG-2007-16

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%
E385409	179.5	180		1030	4	44.5	0.009	7.09	3.33	13.8	2	15.2	16.1	0.08	0.25	1.3	0.178	0.21	4.7	153	17.5	12.5	15	31.9		0.015	
E385410	180	180.5		770	2.4	72.6	0.005	2.24	3.86	22.3	3	19.7	35.4	0.12	0.15	1.1	0.365	0.3	8.9	275	23.9	16	7	49.5		0.004	
E385411	180.5	181		910	3.4	20.1	0.006	3.64	3.28	13.1	2	7.1	20.5	<0.05	0.18	1	0.067	0.1	3.2	109	9.3	9.8	14	16.6		0.006	
E385412	181	181.5		880	4	13.3	0.006	6.95	6.19	12.2	3	5.5	16.7	<0.05	0.26	0.6	0.056	0.1	1.4	87	10.1	8.8	12	15		0.01	
E385413	181.5	182		880	3.2	67	0.003	5.43	2.52	22.8	3	18.6	24.5	0.12	0.15	1.2	0.396	0.33	4.1	324	19.8	15.4	7	54.8		0.009	
E385414	182	182.5		620	4	118.5	0.003	4.79	1.71	31.2	3	21.8	22.3	0.18	0.1	1.3	0.604	0.54	6.2	459	22.4	16.9	8	80.2		0.011	
E385415	182.5	183		590	3.2	86.1	0.003	2.46	1.38	30.4	3	14.8	28.9	0.14	0.07	1.2	0.429	0.35	6.7	348	16.8	13.1	8	53		0.007	
E385416	183	183.5		660	5.1	140.5	0.004	3.36	1.5	35.9	3	20.6	31.7	0.2	0.13	1.8	0.566	1.15	10.4	573	21.5	18.3	6	103.5		0.01	
E385417	183.5	184		640	2.3	143	0.003	1.88	1.46	38.6	3	19.6	19.7	0.19	0.07	2	0.565	0.67	16.2	552	23.4	19.6	5	105		0.005	
E385418	184	184.5		650	2.7	178	0.004	2.4	2.15	43.5	4	25.5	20.2	0.35	0.07	2.4	0.998	0.79	11.1	873	30.8	23.6	4	135.5		0.003	
E385419	184.5	185		600	2.1	161.5	0.003	2.12	1.88	41	3	22.3	20.8	0.27	0.08	1.1	0.815	0.72	7.9	638	24.9	21.1	5	117.5		0.005	
E385420	185	185.5		630	2.7	110	0.002	2.58	1.7	32.9	3	16	22.9	0.2	0.07	1.5	0.637	0.48	17.1	412	21.2	17.3	5	77.8		0.007	
E385421			BLANK	120	0.7	0.7	<0.002	0.07	0.07	0.6	4	<0.2	293	<0.05	<0.05	0.3	0.007	<0.02	0.7	9	0.1	3	25	4.5		0.001	
E385422			STANDARD 1	680	23.4	86.2	0.022	2.32	1.55	10.7	4	7.7	646	0.18	0.26	8	0.089	0.39	325	58	8.2	16.3	9	58.1		0.056	
E385423	185.5	186		1210	3.4	18	0.004	3.24	1.41	10.4	3	6	30.9	<0.05	0.1	2	0.063	0.1	16	130	12.7	10.9	6	14		0.011	
E385424	186	186.5		1590	3.9	3.4	0.004	3.82	1.92	7.5	3	1.9	59.3	<0.05	0.1	0.9	0.026	0.05	9.9	79	14.4	10.6	11	5.7		0.013	
E385425	186.5	187		650	4	45.5	0.002	5.02	2.08	17	3	7.4	34.8	0.09	0.13	1.1	0.27	0.26	10.5	198	22	10.5	10	33.5		0.011	
E385426	187	187.5		420	4.3	98.4	0.002	6.94	2.27	23.7	2	10.6	20.2	0.24	0.13	1.2	0.657	0.55	4.6	399	19.1	14.4	6	73.5		0.014	
E385427	187.5	188		460	3	104	0.002	3.54	2.09	23.3	2	8.9	20.3	0.26	0.05	1.6	0.696	0.48	3.2	415	21.7	15.2	5	76.2		0.005	
E385428	188	188.5		480	3	108	0.002	3.7	1.96	24.1	2	8.8	21.1	0.22	0.06	1.4	0.629	0.52	2.7	411	26.5	17.1	6	83.4		0.006	
E385429	188.5	189		590	2	118	0.003	0.97	2.87	33.2	2	8.1	27.2	0.27	<0.05	1.7	0.737	0.49	3.1	463	27.2	20.5	6	82.9		0.003	
E385430	189	189.5		560	2.2	121.5	0.002	1.29	2.45	28.7	2	7.5	36.7	0.27	0.05	1.6	0.782	0.5	2.7	465	24.2	19.7	4	89.6		0.003	
E385431			BLANK	120	0.6	0.8	<0.002	0.07	0.09	0.3	2	<0.2	273	<0.05	<0.05	0.2	0.007	<0.02	0.7	4	0.1	2.8	23	3.2		0.001	
E385432	189.5	190		360	2.8	109.5	0.002	2.41	2.13	28.9	2	5.2	23.8	0.21	<0.05	1.2	0.604	0.44	2.6	412	19.4	16.3	5	72.5		0.005	
E385433	190	190.5		320	3.6	109.5	0.002	3.64	2.56	35	2	4.5	73.1	0.24	0.05	1.4	0.679	0.45	2.6	409	19.1	18.7	6	72.9		0.005	
E385434	190.5	191		340	5	123.5	0.002	5.64	3.12	37.2	2	4.7	90.5	0.22	0.07	2.1	0.643	0.48	2.9	414	15.5	18.2	4	85.1		0.007	
E385435	191	191.5		360	2.7	118	0.002	3.14	2.3	37.5	1	4.4	58.4	0.24	<0.05	2.3	0.648	0.47	3.9	416	16.5	18.3	4	80.6		0.004	
E385436	191.5	192		340	2.8	108	0.002	4.46	1.98	40.1	2	4	24.1	0.15	<0.05	1.5	0.507	0.45	3.5	376	13.4	16.3	9	66.3		0.006	
E385437	192	192.5		490	3.1	73.9	0.002	5.02	1.79	25	2	3.4	23.6	0.13	<0.05	1.1	0.404	0.34	2	295	11.1	12.5	15	45.4		0.006	
E385438	192.5	193		390	3.2	74.1	0.002	1.34	1.19	26	2	3.1	27.7	0.1	<0.05	1	0.324	0.3	2	285	8.9	12.8	15	45.3		0.001	
E385439	193	193.5		430	2.6	93	<0.002	1.97	1.33	32.8	2	3.8	20.4	0.12	<0.05	1.5	0.375	0.4	2.4	358	10.4	15.7	10	55.2		0.003	
E385440	193.5	194		460	2.9	104	0.002	3.85	1.78	36.3	2	4.7	20.5	0.14	<0.05	1.8	0.487	0.43	2.7	405	13.7	17.8	9	67.8		0.004	
E385441			BLANK	110	0.6	0.7	<0.002	0.07	0.09	<0.1	2	<0.2	272	<0.05	<0.05	0.2	0.007	<0.02	0.7	4	0.1	3.1	22	3.6		<0.001	
E385442			STANDARD 2	2440	6.8	40.5	0.02	7.66	2.34	4.6	6	8.1	182	0.13	1.3	6.7	0.033	0.57	17.1	62	6.9	16.6	8	25.8		0.122	
E385443	194	194.5		440	2.6	103.5	0.002	1.24	1.85	36.2	2	5.1	25.4	0.16	<0.05	1.6	0.533	0.42	3.1	382	14.3	18.8	11	65.8		0.002	
E385444	194.5	195		510	2.5	115	<0.002	1.14	1.64	39.4	2	6.7	25.5	0.17	<0.05	1.3	0.58	0.44	2.9	438	15.7	19.9	10	74.3		0.002	
E385445	195	195.5		450	2.8	128.5	0.002	0.57	1.5	44.9	2	9.5	18.6	0.17	<0.05	1.7	0.518	0.51	3.3	500	21.8	19.7	17	76.7		0.001	
E385446	195.5	196		270	3.1	110	0.002	1.7	1.65	36.1	3	8.4	24.3	0.18	0.05	1.2	0.534	0.45	3.8	418	19.7	16.8	13	67.9		0.012	
E385447	196	196.5		340	2.2	126.5	0.003	1.38	1.99	42.9	2	9.7	23	0.22	<0.05	1.4	0.645	0.53	4	501	25.6	20.7	13	82.3		0.004	
E385448	196.5	197		1050	3.3	88	0.004	5.14	2	30.8	2	9.2	15.5	0.15	0.21	2.3	0.348	0.37	5	333	16.8	17.1	24	61.3		0.01	
E385449	197	197.5		650	2.6	124	0.005	3.27	2.38	37.6	3	9.1	18.9	0.18	0.1	3.9	0.427	0.48	5.9	386	18.3	19.2	14	79.5		0.016	
E385450	197.5	198		530	1.9	135	0.003	1.77	2.53	50.1	2	4.3	25.4	0.17	<0.05	1.5	0.857	0.53	4.3	539	20.7	22	19	85.6		0.006	
E385451			BLANK	110	0.6	0.8	<0.002	0.07	0.07	0.1	3	<0.2	252	<0.05	<0.05	0.2	0.008	<0.02	0.7	5	0.1	2.8	22	3.3		<0.001	
E385452	198	198.5		600	1.6	163.5	0.002	2.51	1.9	47.7	2	3.1	23.4	0.06	<0.05	1.9	0.24	0.61	4.7	476	10	17.3	12	93.7		0.008	
E385453	198.5	199		1040	3.8	146.5	0.006	5.93	2.04	51.4	3	2.8	14.6	0.06	0.08	1.7	0.23	0.61	5.3	479	10.4	22.7	20	101		0.014	
E385454	199	199.5		1290	4.2	153.5	0.008	5.8	2.49	58.2	3	2.8	16.4	0.09	0.1	2.3	0.416	0.61	7.1	615	16.5	31.5	30	133		0.015	
E385455	199.5	200		1100	3.4	150.5	0.011	4.5	2.64	60.2	3	2.4	17.9	0.17	0.11	2.3	0.867	0.58	8.5	618	14.6	32.4	25	118.5		0.01	
E385456	200	200.5		890	3.5	145.5	0.005	5.78	2.63	52.7	3	2.3	16.1	0.16	0.07	1.4	0.627	0.56	12.5	542	13	24.8	21	94.9		0.013	
E385457	200.5	201		390	2.5	93.3	0.002	4.79	2.05	35.2	2	1.4	12.2	0.08	0.05	1.2	0.37	0.35	2.8	373	8.1	16.6	22	64.9		0.009	
E385458	201	201.5		580	2.6	130.5	0.003	5.18	2.06	49.2	2	2.1	13.8	0.08	<0.05	1.5	0.44	0.5	3	535	7.5	18.9	27	80		0.009	
E385459	201.5	202		560	2.2	137.5	0.003	3.07	2.2	50	2	2.3	14.8	0.08	<0.05	1.5	0.405	0.52	3.8	515	9.1	18.9	27	73.7		0.009	
E385460	202	202.5		570	2.4	138	0.003	3.62	2.76	50.1	3	3.1	17.5	0.14	0.07	1.7	0.597	0.53	3.5	541	15.5	20.1	18	76.6		0.015	
E385461			BLANK	110	0.7	0.8	<0.002	0.06	0.07	0.2	2	<0.2	263	<0.05	<0.05	0.2	0.007	<0.02	0.7	5	0.1	3	21	3.5		<0.001	
E385462			STANDARD 3	740	2.8	133	0.006	1.38	1.17	11.7	2	7.6	452	0.2	0.2	14.5	0.115	0.37	16.9	60	8.1	11.6	7	55.4		0.019	
E385463	202.5	203		440	2.3	119.5	0.002	2.16	2.58	43.8	2	2.9	26.4	0.17	<0.05	1.5	0.887	0.42	4	415	13.9	23.4	7	64.3		0.012	
E385464	203	203.5		570	2	142	0.003	1.87	1.96	20.2	2	5.9	46.7	0.24	0.06	10.6	0.29	0.49	4.2	158	12.6	16.9	7	64.8		0.008	
E385465	203.5	204		580	1.8	123	0.003	0.81	1.38	10.4	2	5.3	50.7	0.21	0.05	10.7	0.106	0.41	3.3	52	8.3	14.9	4	53		0.002	
E385466	204	205		720	1.8	133.5	0.004	0.86	1.62	11.3	2	6.4	50.7	0.29	0.1	14.5	0.118	0.42	8.1	64	9.4	14.1	8	57.7		0.003	

IG-2007-17

Sample No	From (m)	To (m)	Standard/Blank	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
E383527			BLANK	0.02	0.13	6	30	0.08	0.01	41.6	0.35	2.31	0.9	6	0.05	1.9	0.07	0.68	0.15	0.1	<0.005	0.03	1.7	1.4	0.42	36	0.22	0.01	0.3	0.8
E383528			STANDARD 2	1.31	2.49	120.5	70	0.58	10.9	2.35	<0.02	205	333	12	2.85	8710	26.5	10.2	0.43	0.8	0.255	0.67	128	19.4	1.58	6680	64.2	0.25	5.5	58.1
E383529	0	0.5		0.29	4.41	63.1	950	0.94	1.41	2.29	<0.02	73.7	130	36	2.1	397	11.7	10.85	0.22	2	0.037	1.93	45.8	14.4	0.8	2950	32.9	1	4.7	37.6
E383530	0.5	1		0.39	0.48	70.5	220	0.15	1.11	0.09	<0.02	59.3	72.8	1	0.19	567	38	4.95	0.44	0.1	0.075	0.19	43	1.6	0.05	587	44.3	0.08	7.3	36.7
E383531	1	1.5		0.59	1.91	79	1030	0.46	1.8	0.39	<0.02	73.9	127.5	22	0.53	980	27	7.15	0.34	0.5	0.062	1	57.3	8.4	0.21	1270	91.2	0.28	5.6	35
E383532	1.5	2		2.01	1.94	162	100	0.41	3.64	0.11	<0.02	89.9	129	10	3.53	1030	27.9	10.05	0.27	1.2	0.074	0.37	101	14.4	0.43	1260	82.6	0.02	7.2	46.8
E383533	2	2.5		0.57	2.69	74.3	470	0.42	1.49	0.49	<0.02	44	147	17	1.04	799	26.2	7.13	0.23	0.8	0.039	0.48	31.9	24.8	0.53	1455	42.6	0.32	5	59.3
E383534	2.5	3		0.88	0.28	149	170	0.12	2.71	0.19	<0.02	80.8	41.5	2	0.12	199	33.6	4.73	0.3	0.1	0.032	0.09	85	1.8	0.09	582	48.1	0.03	5.8	26.1
E383535	3	3.5		1.09	1.3	234	70	0.17	4.58	1.5	<0.02	78.1	210	22	0.32	352	24	7.78	0.25	0.8	0.026	0.06	59.6	15.9	0.78	2600	65.2	0.01	6.6	56.1
E383536	3.5	4		0.92	3.89	124.5	70	0.24	4.22	3.94	<0.02	102.5	354	13	0.41	324	19.9	8.08	0.25	1.1	0.035	0.19	81.8	50.7	2.3	6120	23.9	0.02	4.1	103
E383537	4	4.5		0.62	7.43	83	280	0.6	3.43	0.35	<0.02	17.2	359	45	0.76	322	20.9	15	0.24	2.4	0.008	0.5	10.6	124	2.45	524	39.5	0.04	3.3	167.5
E383538	4.5	5		0.57	6.79	43.6	110	0.63	1.29	2.97	<0.02	10.5	156	33	0.6	113.5	9.41	11.55	0.13	1.8	0.008	0.36	6.6	36.7	1.64	2790	16	3.1	2	43.2
E383539			BLANK	0.05	0.13	<5	20	<0.05	0.02	43.7	0.36	2.17	1.1	5	0.05	2.8	0.09	0.51	0.07	0.1	<0.005	0.03	2.1	1.3	0.45	36	0.33	0.02	0.3	<0.2
E383540	5	5.5		0.04	7.2	4.1	920	2.16	0.03	2.89	<0.02	12.6	66.7	42	1.6	130.5	6.6	14.95	0.11	1.9	0.025	1.34	8.8	39.1	1.37	2510	1.98	2.97	2.4	16.8
E383541	5.5	6		0.04	6.02	8.4	1050	3.75	0.1	3.28	<0.02	94.1	96.9	36	2.81	206	7.31	14.75	0.18	1.7	0.043	2.49	64.1	37.9	1.26	3770	4.74	0.92	3.8	20.5
E383542	6	6.5		0.02	6.33	5.9	3320	5.01	0.04	3.99	<0.02	36.1	52.5	34	3.72	147.5	8.32	16.85	0.16	1.8	0.054	3.25	24.3	39.3	1.38	4660	1.09	0.33	2.8	16.9
E383543	6.5	7		0.04	5.59	7	690	3.56	0.05	4.62	<0.02	114.5	89.1	34	2.84	308	8.92	14.3	0.18	1.5	0.051	2.55	71	34.7	1.49	5040	12.45	0.55	2.7	24.8
E383544	7	7.5		0.21	5.31	58.9	1550	3.45	0.59	2.14	<0.02	114	72.2	32	2.85	467	12.8	15.45	0.22	1.5	0.053	2.78	77	28.4	0.79	2560	13.35	0.46	3.2	22.2
E383545	7.5	8		0.47	2.51	111	1480	0.7	1.12	1.06	<0.02	187	51.6	21	0.59	412	24.8	9.09	0.26	0.8	0.046	1.3	150	4.5	0.22	1270	31.9	0.59	5.5	18.5
E383546	8	8.5		1.23	0.21	309	90	0.07	2.62	0.03	<0.02	188	48.3	<1	0.05	464	39.4	6.41	0.36	<0.1	0.065	0.01	129.5	0.5	0.05	786	40.6	0.01	4.6	20.7
E383547	8.5	9		1.07	0.24	297	30	0.11	3.01	0.02	<0.02	228	60.8	1	<0.05	823	40.1	6.48	0.38	<0.1	0.113	0.01	161.5	0.5	0.06	982	47.6	<0.01	4	21
E383548	9	9.5		1.19	0.17	308	40	0.11	2.41	0.02	<0.02	93.8	40.6	<1	<0.05	499	39.4	5.75	0.32	<0.1	0.067	0.01	66.5	0.6	0.04	557	40.4	0.01	3.2	20.4
E383549	9.5	10		0.84	0.25	275	20	0.06	1.78	0.02	<0.02	480	61.4	3	<0.05	968	34.6	7.89	0.42	<0.1	0.074	<0.01	330	0.7	0.05	820	27.9	<0.01	2.9	18.5
E383550			BLANK	0.06	0.13	7	40	0.08	0.02	45.5	0.35	4.28	0.9	5	<0.05	5.8	0.23	0.5	0.06	0.1	<0.005	0.03	3.7	1.1	0.46	38	0.4	0.01	0.3	<0.2
E383551			STANDARD 3	0.29	6.44	40.7	980	2.16	1.55	1.89	<0.02	64.8	102	41	5.91	1480	6.59	17.85	0.15	1.8	0.122	2.85	36.3	21	1.21	2880	18.35	0.55	3.5	25
E383552	10	10.5		1.09	0.42	282	80	0.11	2.3	0.03	<0.02	256	79.5	<1	0.06	1155	34.2	9.15	0.32	0.1	0.086	0.01	179	1.1	0.05	801	38.3	0.01	1.8	19.6
E383553	10.5	11		1.6	0.29	378	40	0.07	4.89	0.02	<0.02	144.5	68.5	4	0.07	659	36.9	8.61	0.31	0.1	0.065	0.01	127	0.9	0.02	981	50.6	0.01	3	18.5
E383554	11	11.5		2.01	0.17	307	50	0.07	5.46	0.02	<0.02	147	57.2	<1	0.05	421	37.5	3.03	0.34	0.1	0.044	0.02	115	0.8	<0.01	917	58.3	0.01	4.2	18.3
E383555	11.5	12		2.05	0.11	243	20	0.08	4.36	0.02	<0.02	>500	14	9	0.06	89.5	31.9	11.65	1.19	0.3	0.009	0.01	1380	0.7	0.01	101	47.2	<0.01	11.8	21.1
E383556	12	12.5		0.86	4.17	103.5	120	0.35	2.1	0.38	<0.02	279	140.5	16	0.52	280	21.2	13.4	0.31	1.6	0.01	0.13	202	58.3	1.2	423	45.5	0.01	8.6	117.5
E383557	12.5	13		1.84	1.23	123.5	40	0.15	7.52	2.6	<0.02	>500	552	7	0.31	230	21.5	11.7	0.99	0.5	0.049	0.04	2180	18.1	0.99	4070	106	0.01	2.9	81.9
E383558	13	13.5		1.22	1.84	82	100	0.18	4.81	4.46	<0.02	193.5	336	2	0.3	144.5	23.3	5.61	0.26	0.3	0.066	0.07	147.5	24.9	1.8	6090	62.8	0.01	4.8	47.7
E383559	13.5	14		1.2	6.25	67.1	160	1.98	2.47	1.31	<0.02	57.4	388	37	1.77	182.5	17	11.8	0.21	1.4	0.047	1.26	40.1	74.7	1.72	3700	44.7	0.04	2.1	48
E383560	14	14.5		0.09	6.68	6.6	1340	5.4	0.09	1.78	<0.02	64	84	39	3.78	333	7.76	17.4	0.16	1.7	0.055	3.12	40.7	59.7	1.1	2400	3.91	0.18	3.5	20.8
E383561	14.5	15		0.09	6.25	4.1	1550	5.15	0.05	2.59	<0.02	61.9	105	36	3.72	435	6.97	17.25	0.17	1.8	0.055	3.15	37.7	36.9	1.01	3960	1.33	0.24	3.9	18.3
E383562			BLANK	0.04	0.14	<5	210	0.08	0.01	41.5	0.38	2.79	1.3	5	0.05	3.3	0.09	0.54	0.05	0.1	<0.005	0.04	2.4	1.4	0.43	49	0.27	0.01	0.3	<0.2
E383563	15	15.5		0.1	7.17	7.3	7040	5.25	0.05	2.86	<0.02	21.9	80.9	36	3.77	450	8.96	18.8	0.16	2	0.058	3.78	14.5	42.1	1.23	4120	6.48	0.59	2.8	19.6
E383564	15.5	16		0.48	6.8	19.1	1230	3.57	0.48	3.29	<0.02	74.1	136.5	39	2.88	2400	8.42	15.4	0.15	1.8	0.056	2.85	53.8	40.9	1.4	5210	37.9	1.07	3.2	22.6
E383565	16	16.5		1.69	1.36	107.5	60	0.26	6.83	5.8	<0.02	105	466	3	0.38	205	28.9	5.92	0.24	0.3	0.03	0.12	83.8	8.3	1.7	6110	42.2	0.44	1.7	46.5
E383566	16.5	17		1.09	3.38	84.9	100	0.67	5.13	5.61	<0.02	54.9	313	17	0.66	280	19	7.31	0.2	0.8	0.041	0.44	41.2	13.6	1.68	8410	29.8	1.52	3.2	40.5
E383567	17	17.5		0.82	5.19	74.5	320	0.81	1.69	4.78	<0.02	221	137.5	27	0.95	251	9.21	7.56	0.19	1.6	0.018	2.08	180.5	14.1	1.55	4000	40.9	1.87	4.9	23.3
E383568	17.5	18		1.45	2.37	147	100	0.53	6.97	3.59	<0.02	56	330	15	0.41	643	21.3	6.86	0.33	0.8	0.04	0.16	39.6	10.9	1.07	4140	32.4	1.14	2.9	57.3
E383569	18	18.5		1.6	2.64	159.5	80	0.5	8.75	3.18	<0.02	81.1	397	11	0.51	544	22.6	6.89	0.36	0.7	0.024	0.14	62.1	8.7	1.04	4040	52.7	1.41	2.6	57.1
E383570	18.5	19		2.55	3.24	202	80	0.56	7.32	4.87	<0.02	500	470	15	0.55	271	16.5	7.93	0.47	1.1	0.033	0.18	437	6.9	1.51	4980	49.7	1.97	4.8	47.9
E383571	19	19.5		1.51	3.02	129.5	120	0.55	5.16	5.64	<0.02	83.9	271	17	0.45	235	18.05	7.28	0.29	1	0.036	0.19	59	9.3	1.82	5160	48.5	1.67	5.1	45.2
E383572	19.5	20		1.25	2.09	102.5	150	0.46	3.81	4.43	<0.02	215	218	10	0.4	394	16.2	6.36	0.29	0.7	0.037	0.15	156.5	7.7	1.47	4400	39.2	1.05	4.2	37.4
E383573			BLANK	0.01	0.09	<5	20	0.05	0.04	31.8	0.29	2.8	1.8	5	<0.05	2.8	0.15	0.47	0.11	0.1	<0.005	0.02	2	1.1	0.33	44	0.52	0.01	0.3	2.1
E383574			STANDARD 1	1.01	5.75	55.4	180	2.05	2.88	2.09	<0.02	60.4	145.5	35	4.05	7570	9.38	15.3	0.21	1.9	0.164	2	25.8	24.4	1.1	3100	65.7	1.08	5	39.2
E383575	20	20.5		1.39	2.93	138.5	60	0.36	3.69	5.95	<0.02	177	318	11	0.38	1050	17.85	5.37	0.26	0.8	0.057	0.15	130	21	2.37	6000	59.5	0.68	4.1	40.2
E383576	20.5	21		2.91	3.98	132.5	170	0.92	3.67	2.5	<0.02	190.5	315	23	1.44	4130	18.1	10.85	0.33	1.1	0.04	0.59	136.5	55.4	1.65	2610	59	0.02	4.1	71.3
E383577	21	21.5		2.29	1.82	255	90	0.49	10.05	1.46	<0.02	187	825	12	0.98	968	22.9	7.63	0.42	0.4	0.036	0.06	136	34.4	0.74	3600	50.6	0.01	8.3	93.2
E383578	21.5	22		1.6	2.79	282	100	0.73	8.53	1.14	<0.02	150.5	1050	12	3.38	944	23.7	8.3	0.41	0.5	0.023	0.36	100	45.4	0.81	2610	48.9	0.01	5.9	115
E383579	22	22.5		1.24	0.54	240	40	0.18	5.53	0.16	<0.02	18.85	826	15	0.18	555	29	4.01	0.33	0.1	0.023	0.03	12.3	7.1	0.14	463	39.5	0.01	9.3	71.3
E383580	22.5	23		1.74	3.97	485	90	1.19	6.59	0.2	<0.02	220	309	8	6.09	578	23.7	16.05	0.42	1.6	0.042	0.97	170	45.7	0.54	504	58.1	0.02	13.9	72.4
E383581	23	23.5		0.82	0.23	157.5	40	0.13	6.02	0.04	<0.02	45.9	100.5	11	0.14	385	34.7	4.04	0.48	<0.1	0.048	0.02	30.7	2.8	0.04	873	76.6	<0.01	12.8	39.4
E383582	23.5	24		0.78	0.86	307	40	0.32	5.8	0.04	<0.02	144.5	112.5	<1	1.41	447	31.7	4.72	0.48	0.3	0.056	0.3	102	5.7	0.06	1530	74	0.01	8.9	37.4
E383583	24	24.5		1.31	0.11	194.5	60	0.07	8.35	0.05	<0.02	302	57.8	7	0.07	239	33.5	4.62	0.6	<0.1	0.047	0.02	197.5	0.7	0.01	983	83.9	0.02	7.1	31
E383584	24.5	25		1.03	0.15	178	30	0.09	5.75	0.01	<0.02	98.3	84.5	<1	0.06	555	33.7	3.1	0.42	<0.1	0.062	0.01	66	1.3	0.02	1555	72.7	<0.01	6.1	27.5
E383585			BLANK	0.02	0.12	<5	20	0.11	0.06	42.2	0.41	3.9	2	6	<0.05	5.3	0.29	0.8	0.07	0.1	<0.005	0.03	2.6	1.4	0.43	41	1.06	0.01	0.4	2.2
E383586	25	25.5		1.81	0.11	83.6	40	0.11	7.74	0.04	<0.02	>500	65.4	14	0.07	227	32.9	5.23	0.73	0.1	0.042	0.02	387	1.4	<0.01	477	69.8	0.01	13.6	24.6
E383587	25.5	26		2.5	0.05	113	30	0.1	8.77	0.01	<0.02	406	17.3	<1	0.06	85.2	36.3	5.38	0.64	<0.1	0.027	0.01	257	0.6	<0.01	284	70.5	0.01	12	30.7
E383588	26	26.5		4.07	0.07	128	100	0.1	10.85	0.01	<0.02	>500	21.3	12	0.07	107.5	32.2	8.12	1.05	0.2	0.025	0.02	640	0.8	<0.01	214	129	<0.01	11.7	24.8
E383589	26.5	29		12.35	0.05	174.5	130	0.13	8.38	0.01	<0.02	>500	4.2	<1	<0.05	16.1	37.2	7.87	0.85	0.1	0.048	0.01	670	0.5	<0.01	56	61	<0.01	9.5	26.2
E383590	29	29.5		6.65	0.12	386	20	0.08	9.84	0.01	<0.02	49.8	570	8	0.05	789	36	4.21	0.51	<0.1	0.057	<0.01	31.3	0.4	<0.01	468	116.5	<0.01	7.6	40.9
E383591	29.5	30		2.62	0.18	188	20	0.08	4.26	0.04	<0.02	25.1	1490	<1	0.06	2100	38.6	3.11	0.38	<0.1	0.041	<0.01	14.7	0.5	0.04	1535	104	<0.01	3.2	43.5
E383592	30	30.5		7.46	0.47	310	30	0.19	9.58	0.14	<0.02	37.7	2440	12	0.18	2750	35.6	7.56	0.6	0.2	0.073	0.01	19.3	5.1	0.1	1035	156.5	<0.01	4.7	66.8
E383593	30.5	31		3.74	0.59	257	10	0.16	5.42	0.19	<0.02	62	1280	<1	0.1	1800	33.2	6.19	0.51	0.1	0.077	0.01	35.9	6.4	0.2	1630	219	<0.01	4.4	64.2
E383594	31	31.5		2.48	0.45	159.5	20	0.14	9.07	0.35	<0.02	94.1	1005	7	0.09	1150	32.5	5.44	0.47	<0.1	0.063	<0.01	53.9	4.8	0.46	4480	140	<0.01	5.1	57.2
E383595	31.5	32		1.2	0.76	102.5	10	0.07	3.84	0.35	<0.02	31	903	<1	0.05	1020	31.6	4.94	0.31	0.1	0.032	0.01	17.8	6	0.56	3750	135.5	<0.01	3.5	55.7
E383596			BLANK	0.01	0.12	<5	20	0.09	0.02	42.3	0.4	2.54	2.1	7	<0.05	3.5	0.13	0.5	0.05	0.1	<0.005	0.03	1.8	1.3	0.43	39	0.78	0.01	0.3	2.3
E383597			STANDARD 2	1.11	2.32	92.1	50	0.68	11.05	2.2	<0.02	239	313	12	2.88	8540	26	9.55	0.45	0.8	0.276	0.64	143.5	21.5	1.46	5710	83.4	0.23	7.2	59.2
E383598	32	32.5		2.94	3.4	205	90	0.28	8.73	0.54	<0.02	24.4	1245	11	0.32	1165	25.9	22.5	0.46	0.8	0.036	0.03	12.2	52	1.05	1325	95.3	<0.01	16.1	218
E383599	32.5	33		1.63	1.73	131.5	30	0.17	5.29	0.39	<0.02	17.25	702	2	0.17	915	25.3	9.9	0.38	0.5	0.023	0.02	8.8	25	0.62	1570	73.9	<0.01	17.1	110.5
E383600	33	33.5		1.44	0.27	138	20	0.08	2.91	0.25	<0.02	11.25	617	9	0.05	776	30	4.29	0.44	0.1	0.066	<0.01	5.4	3.2	0.57	4690	57.4	<0.01	5.5	55.4
E383601	33.5	34		2.84	1.15	202	20	0.11	4	0.37	<0.02	20.1	1065	5	0.1	841	27.4	8.13	0.39	0.3	0.025	0.01	10.5	13.8	0.5	1830	67	<0.01	10.1	93.1
E383602	34	34.5		0.97	0.47	96.9	10	0.09	1.51	0.26	<0.02	50.1	696	18	0.08	136.5	26.4	5.28	0.4	0.2	0.016	0.01	29.8	5.5	0.2	847	125.5	<0.01	11.1	54.8
E383603	34.5	35		4.32	0.57	148.5	10	0.15	13.05	0.33	<0.02	119.5	807	13	0.14	426	31.3	6.95	0.5	0.2	0.028	0.01	99.2	6.6	0.2	750	417	<0.01	15.5	71.4
E383604	35	35.5		3.16	0.32	88.4	10	0.18	9.77	0.22	0.17	84.8	470	<1	0.1	933	30	5.43	0.49	0.2	0.049	0.01	59.6	2.9	0.13	825	202	<0.01	8	41.6
E383605	35.5	36		0.71	0.23	61	10	0.08	1.3	0.27	0.07	74.9	451	18	0.08	624	30.2	5.4	0.46	0.1	0.034	0.01	48	2.6	0.1	536	63.9	<0.01	9.3	46
E383606	36	36.5		1.2	0.5	143	10	0.13	2.26	0.29	0.07	104	683	<1	0.17	534	27.5	6.91	0.43	0.1	0.014	0.01	65.3	6.6	0.15	254	63.7	<0.01	7	47.6
E383607	36.5	37		0.78	0.34	92.6	<10	0.11	1.3	0.28	0.06	75.6	616	15	0.08	618	28.4	5.28	0.41	0.1	0.026	0.01	47.2	3.7	0.18	1075	54.4	<0.01	6.4	48.9
E383608			BLANK	0.02	0.12	<5	30	0.08	0.02	43.2	0.43	2.78	3.6	6	<0.05	4.7	0.25	0.47	<0.05	0.1	0.012	0.03	1.9	1.4	0.45	37	0.58	0.01	0.3	0.5
E383609	37	37.5		1.03	1	132	10	0.08	1.84	0.39	0.06	51.9	874	9	0.1	884	25.8	9.09	0.38	0.2	0.028	0.01	32.8	12.8	0.47	1740	64.8	<0.01	4.5	66.9
E383610	37.5	38		1.67	1.29	192.5	10	0.11	3.31	0.36	0.09	80.8	1565	<1	0.12	1170	25.5	10.05	0.4	0.3	0.016	0.01	52.4	18	0.48	862	123.5	<0.01	4.4	84.8
E383611	38	38.5		1.67	1.29	127	10	0.21	3.79	0.29	0.07	141.5	997	8	0.17	1550	24.8	10.85	0.39	0.2	0.03	0.01	93.2	15.2	0.48	1220	97.8	<0.01	4.8	82.2
E383612	38.5	39		0.3	0.18	23.5	10	0.07	0.42	0.2	<0.02	19.4	265	<1	0.05	308	29.1	5.35	0.4	<0.1	0.024	<0.01	11.2	2.1	0.25	1920	19.15	<0.01	7.6	40.3

IG-2007-17

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
E383527			BLANK	110	0.9	0.6	<0.002	0.06	0.07	0.5	3	<0.2	250	<0.05	<0.05	0.2	0.006	<0.02	0.6	5	<0.1	2.6	23	3.2	0.001	
E383528			STANDARD 2	2520	6.3	36.7	0.018	6.93	2.12	4.6	6	7.4	187	0.12	1.19	6.1	0.031	0.47	14.6	82	6.6	15.7	7	24.1	0.121	
E383529	0	0.5		730	4.3	65	0.002	0.92	1.17	6.2	3	2.9	51.3	0.4	0.16	12.5	0.117	0.23	10.7	43	2.8	11.9	19	60.1	0.013	
E383530	0.5	1		560	5.3	4.8	0.003	0.28	1.84	2.3	3	5.4	3.9	0.06	0.09	1.8	0.009	0.14	11.5	36	22.6	2.5	7	3.3	0.012	
E383531	1	1.5		850	4.9	27.7	0.004	0.96	1.93	3.8	4	3.4	12.2	0.06	0.66	5	0.02	0.25	11.8	40	11.8	5	13	15.7	0.028	
E383532	1.5	2		1730	9	13.3	0.006	0.81	1.96	4.1	2	3.9	30.1	0.11	0.58	5.9	0.028	1.12	37.1	24	9	12.4	20	40.6	0.051	
E383533	2	2.5		1010	4.8	13.5	0.007	1.07	1.39	3.5	2	4.1	12.5	0.07	0.18	3	0.017	0.26	25.6	28	10.9	6.3	31	26.4	0.017	
E383534	2.5	3		590	6.1	3.2	0.004	0.26	2.46	2.2	2	1.9	5.6	0.08	0.4	0.9	0.015	0.18	9.6	43	6.9	2.2	6	4.3	0.026	
E383535	3	3.5		1360	10.8	2.8	0.009	1.66	2.87	4.3	2	2.2	16.3	0.12	0.82	2.6	0.019	0.85	39	36	3	7.7	31	24.1	0.05	
E383536	3.5	4		910	8.6	8	0.007	4.79	1.86	6	3	1.9	29.3	0.07	0.76	5.4	0.021	0.33	31.6	13	2.3	12.8	84	35.1	0.052	
E383537	4	4.5		920	7.4	5.5	0.027	3.54	1.35	8.8	2	4.8	11.9	0.09	0.6	9.2	0.044	0.34	201	18	2.1	5.9	181	77.2	0.042	
E383538	4.5	5		830	8.1	14.2	0.005	1.5	1.25	8.3	1	2.4	44.2	0.09	0.35	5.9	0.036	0.55	16.7	28	2.6	8.2	67	60.5	0.015	
E383539			BLANK	100	0.7	0.4	0.002	0.06	0.08	0.5	1	<0.2	258	<0.05	0.18	0.2	0.006	<0.02	0.7	5	0.1	2.7	21	3.5	0.001	
E383540	5	5.5		660	1.2	51.5	<0.002	0.12	0.72	10.8	1	11.1	49.9	0.17	<0.05	9.2	0.068	0.23	7.1	51	4.8	9.5	35	63.1	<0.001	
E383541	5.5	6		740	1.3	102	<0.002	0.47	0.61	10.2	1	19.5	349	0.27	0.05	8.3	0.127	0.4	9.4	54	7.7	13	13	53.8	0.003	
E383542	6	6.5		630	1.2	133	0.002	0.26	0.57	10.9	1	21	747	0.17	<0.05	10.4	0.121	0.4	7.4	61	10.6	12.7	7	55.9	0.002	
E383543	6.5	7		920	1.4	104.5	0.002	0.54	0.54	8.9	1	14	649	0.15	<0.05	12.2	0.088	0.29	6.7	51	7.4	16.5	12	50.4	0.005	
E383544	7	7.5		780	2.2	106.5	0.003	0.37	0.98	9.8	1	13.7	208	0.13	0.08	10.5	0.081	0.33	7.8	54	8.5	10.8	10	47.4	0.007	
E383545	7.5	8		1170	3.9	35.5	0.003	0.45	1.53	4.2	1	4.4	20.3	0.07	0.19	6.7	0.028	0.26	7.7	34	8.5	6.2	6	20.1	0.011	
E383546	8	8.5		2100	6.6	0.5	0.006	0.44	2.67	2.1	3	2.7	10.8	0.05	0.47	2.2	0.007	0.47	11.6	28	7.3	5.1	10	1.3	0.026	
E383547	8.5	9		2160	5.9	0.4	0.006	0.5	3.31	2.4	3	3	9.8	<0.05	0.51	2.3	0.007	0.31	12.2	28	7.1	7.7	11	1	0.026	
E383548	9	9.5		2060	6	0.2	0.006	0.41	2.44	1.8	2	2.6	12.4	<0.05	0.47	1.3	0.006	0.56	12.1	29	6.8	2.9	7	1.2	0.025	
E383549	9.5	10		2420	6.1	0.1	0.005	0.46	1.98	1.8	2	2.7	8.6	<0.05	0.32	5.8	0.006	0.38	14.4	23	5.1	5.5	7	1	0.021	
E383550			BLANK	130	0.5	0.4	0.003	0.07	0.07	0.3	1	<0.2	269	<0.05	0.11	0.2	0.006	<0.02	0.6	5	0.1	2.5	21	2.8	<0.001	
E383551			STANDARD 3	670	2.5	126	0.006	1.29	1.15	9.9	2	7.2	428	0.22	0.16	12	0.12	0.36	17.2	58	8.5	10.2	6	56.4	0.017	
E383552	10	10.5		2790	8.5	0.5	0.004	0.57	1.88	3	2	3.4	15.2	<0.05	0.43	3.2	0.005	0.87	18.7	16	4.5	4.5	10	2.4	0.026	
E383553	10.5	11		1970	12.2	0.5	0.006	0.49	2.65	2.1	3	5.8	22.9	<0.05	1.06	1.6	0.007	0.84	10.6	20	6.1	8.6	11	2.7	0.052	
E383554	11	11.5		1130	12	0.8	0.004	0.32	3.03	1.9	2	2.8	8.3	0.06	1.09	1.5	0.01	0.51	6.8	23	6	7	8	3.8	0.058	
E383555	11.5	12		1420	13.2	0.8	0.005	0.2	3.57	1.1	3	3.6	19.5	0.17	0.83	28.4	0.018	0.33	6.7	34	9	24.4	2	6	0.046	
E383556	12	12.5		1540	6.1	5.9	0.009	1.25	1.81	4.8	2	3.2	11.3	0.13	0.55	11.1	0.029	0.55	64.9	28	3.3	12.9	77	52.4	0.026	
E383557	12.5	13		1290	14.3	1.7	0.017	6.65	3.75	3.4	6	2.3	30.1	0.06	2.69	50.7	0.008	0.87	15.4	19	4.4	47.2	26	12.7	0.085	
E383558	13	13.5		1140	7.6	2.7	0.008	4.82	3.29	3.9	3	2.6	40.6	0.09	1.51	2.7	0.014	0.31	11.1	25	3.5	15.6	40	8.8	0.054	
E383559	13.5	14		940	7.4	53	0.005	2.99	2.43	9	3	12.1	40.2	0.06	0.92	5.5	0.052	1.4	17	42	4.7	12.4	83	48.3	0.025	
E383560	14	14.5		630	1.7	140	<0.002	0.49	0.7	13.4	1	28.5	380	0.23	<0.05	10.1	0.154	0.72	7.2	81	10.8	11.6	23	55.7	<0.001	
E383561	14.5	15		580	1.2	138	<0.002	0.36	0.66	10.7	1	28.2	726	0.24	<0.05	11	0.148	0.49	8.3	58	11.2	13.6	10	58.1	0.004	
E383562			BLANK	100	0.5	1	<0.002	0.07	0.07	0.4	1	0.2	255	<0.05	0.14	0.2	0.006	<0.02	0.7	4	0.1	2.6	20	3	0.001	
E383563	15	15.5		710	1.5	144	0.002	0.45	0.65	12.4	1	29.1	223	0.17	<0.05	12	0.134	0.86	11.2	65	12.4	14.2	11	64.3	0.002	1.38
E383564	15.5	16		980	3	113	0.002	0.81	1.28	13	2	23.1	156.5	0.18	0.07	9.1	0.11	0.9	15.5	59	9	15.4	21	61.8	0.021	
E383565	16	16.5		860	9.9	4.3	0.005	6.73	6.76	4.2	3	2.1	57.5	<0.05	0.87	2.3	0.011	0.57	17.5	36	3.5	12.4	16	12	0.076	
E383566	16.5	17		1600	8.6	16.5	0.003	5.08	4.33	5.5	3	4.3	61.4	0.08	0.61	5.9	0.026	0.26	21.9	34	4.7	14.1	18	27.2	0.056	
E383567	17	17.5		730	8.7	52.1	0.003	2.5	1.96	7.1	2	5.1	59.9	0.13	0.27	16.3	0.051	0.44	20.2	25	5.3	14.2	16	50.8	0.025	
E383568	17.5	18		2210	11	5.8	0.007	5.97	6.04	4.7	4	2.6	49.2	0.1	0.99	2.1	0.012	0.31	28.5	54	3.6	15.3	17	16.5	0.081	
E383569	18	18.5		1340	12	5.4	0.009	6.85	7.75	5.6	4	3.6	46.6	0.09	1.36	1.9	0.015	0.36	27.7	55	5	12.5	16	21.4	0.107	
E383570	18.5	19		2000	18.7	7	0.008	6.4	8.93	7.9	5	3.9	71.1	0.14	1.37	12.7	0.025	1.27	25.6	37	4.9	20.9	12	28.5	0.1	
E383571	19	19.5		1870	10.2	7.3	0.009	4.83	5.86	8.4	4	4	80.5	0.16	0.93	2.2	0.025	0.54	13.4	54	5	15.5	16	26.1	0.061	
E383572	19.5	20		1190	8.6	5.6	0.01	3.66	4.43	6	4	3.5	56.3	0.12	0.84	4.5	0.021	0.7	12.3	47	4.8	13.2	14	17.8	0.058	
E383573			BLANK	80	0.6	0.4	<0.002	0.07	0.14	0.3	3	<0.2	184.5	<0.05	<0.05	<0.2	<0.005	<0.02	0.5	3	0.1	2.2	15	2	<0.001	
E383574			STANDARD 1	830	22.5	91.7	0.028	2.13	2.04	10.9	4	9	615	0.29	0.28	11	0.092	0.39	276	53	9.6	17.1	11	52.2	0.052	
E383575	20	20.5		1730	8.5	5	0.015	5.08	2.7	5.6	4	3.4	54.6	0.13	0.78	3.2	0.023	0.78	9.9	29	3	13.7	44	21.3	0.058	
E383576	20.5	21		1610	18.4	29	0.028	4.48	2.65	11.3	7	10.4	30.4	0.11	1.07	4.2	0.03	1.29	23	40	5.4	13.2	55	29.6	0.064	
E383577	21	21.5		3130	23.2	4	0.024	6	4.64	8.7	7	3.2	35.5	0.19	1.87	3.5	0.019	0.76	33.9	43	7.9	17.8	36	9.9	0.061	
E383578	21.5	22		3470	11.3	14.8	0.039	7.63	4.09	8.3	9	3	26.6	0.14	2.31	3.3	0.017	0.69	30	47	4.8	16.6	42	14.4	0.054	
E383579	22	22.5		1440	11.7	1.2	0.029	5.97	2.73	4	7	1.4	9.6	0.1	1.39	0.7	0.01	0.45	15.6	59	10.1	3.7	14	1.8	0.048	
E383580	22.5	23		3680	17.1	32	0.019	2.48	4.8	11.2	8	5.2	89.4	0.17	2.33	8.3	0.033	1.23	135	24	4.5	10.4	30	44.1	0.039	
E383581	23	23.5		790	10.8	0.8	0.011	0.44	5.59	3.9	5	2.8	5.7	0.13	1.72	0.7	0.01	0.1	13.3	49	13.5	3.7	12	1.2	0.052	
E383582	23.5	24		1570	17.2	9	0.011	0.4	4.96	7.4	6	2.8	23.5	0.06	2.1	3.4	0.015	0.24	51.3	35	7.1	5.6	20	9.1	0.033	
E383583	24	24.5		1740	14.6	0.8	0.004	0.16	4.56	6.1	6	2.3	9	<0.05	2.43	3.6	0.008	0.15	7.7	42	6.9	4.2	7	1	0.051	
E383584	24.5	25		990	11	0.4	0.007	0.36	3.35	3.8	5	1.9	5	<0.05	1.71	1.3	0.007	0.14	10.5	38	8	3.4	11	1.1	0.046	
E383585			BLANK	110	0.7	0.6	<0.002	0.06	0.12	0.4	3	<0.2	257	<0.05	<0.05	0.2	0.006	<0.02	0.7	5	0.2	3.1	20	2.7	<0.001	
E383586	25	25.5		770	19.2	1.1	0.007	0.34	6.48	2.5	6	3.2	13.4	0.17	3.1	5.4	0.017	0.39	8.7	43	8.3	6.8	8	2.3	0.075	
E383587	25.5	26		800	32.2	0.4	0.003	0.08	6.15	2.4	8	3.4	13.2	0.11	4.25	3	0.011	0.51	7.1	49	10.4	4	5	0.8	0.053	
E383588	26	26.5		1060	33.1	0.9	0.003	0.06	8.38	4.1	12	7	10.3	0.07	6.47	12.4	0.011	0.15	79.4	33	13.3	12.9	6	5.9	0.187	
E383589	26.5	29		2850	7.8	0.2	0.002	0.06	4.84	6.2	14	6.7	8	<0.05	8.19	6.6	0.009	0.1	21.2	36	14.3	8.3	<2	2.2	0.427	
E383590	29	29.5		2080	36	0.2	0.024	4.23	4.68	8.8	9	2.5	2	<0.05	3.89	1.2	0.007	0.57	77.4	25	7.8	2.2	9	1.2	0.063	
E383591	29.5	30		1030	39.2	0.1	0.028	9.76	1.99	3.5	11	1	2.3	<0.05	0.93	1.7	<0.005	0.31	410	15	4.5	3.5	19	0.7	0.064	
E383592	30	30.5		1860	152.5	0.5	0.043	>10.0	6.01	7.6	24	2.1	9.3	<0.05	2.47	17.5	0.014	0.9	2050	12	9.5	20.5	16	6.4	0.096	
E383593	30.5	31		2610	48.8	0.3	0.045	7.91	3.21	7	13	2.1	7.6	<0.05	1.37	5.8	0.008	0.64	660	16	7.7	9.8	19	3.7	0.065	
E383594	31	31.5		2230	17.1	0.1	0.024	7.19	4.64	5.3	7	2.8	7.7	<0.05	3.25	1.8	<0.005	0.46	136.5	18	7.9	7.2	14	1	0.073	
E383595	31.5	32		1870	27.9	0.3	0.02	6.31	1.83	3.1	6	1.5	5.5	0.05	1.09	4	0.008	0.26	660	22	4.8	7.3	16	3.2	0.048	
E383596			BLANK	110	0.8	0.6	<0.002	0.07	0.14	0.4	3	<0.2	256	<0.05	<0.05	0.2	0.006	<0.02	1.5	5	0.1	2.9	22	2.2	0.001	
E383597			STANDARD 2	2370	6.4	36.7	0.02	6.45	2.61	4.5	6	6.8	212	0.17	1.24	6.6	0.036	0.46	13.1	58	7.4	16.1	8	21.3	0.109	
E383598	32	32.5		3170	36.6	1.5	0.023	8.92	4.96	5.3	7	2.3	15.2	0.53	3.53	21.8	0.037	0.73	880	13	2.8	21.6	71	21	0.074	
E383599	32.5	33		2040	15.5	1.1	0.018	4.91	3.83	3.2	5	2.2	9.6	0.53	2.07	11.7	0.033	0.43	405	23	2.9	11.8	39	13.2	0.046	
E383600	33	33.5		1040	24.2	0.2	0.02	4.03	2.27	5.7	4	1.2	8.2	0.12	0.82	5.4	0.012	1.54	373	28	2.5	9.7	19	2.3	0.026	
E383601	33.5	34		1690	28.2	0.7	0.023	6.15	2.55	3.7	7	1.6	7	0.24	1.52	4.4	0.015	2.01	259	18	2.3	9.9	30	8.3	0.033	
E383602	34	34.5		1230	6.2	0.4	0.027	3.86	1.49	4	7	1.6	5.4	0.22	0.88	2.2	0.014	0.45	21.6	17	2.9	5.8	15	4.1	0.02	
E383603	34.5	35		1830	30.3	0.3	0.048	4.39	4.62	4.6	7	3.3	19.9	0.2	1.54	3	0.013	0.83	42.6	19	4.8	8.8	19	4.8	0.075	
E383604	35	35.5		1450	24	0.7	0.017	2.51	2.59	5.1	4	2.5	8.2	0.08	0.77	1.6	0.008	0.65	57.3	17	5.9	7.6	18	3.9	0.04	
E383605	35.5	36		1480	5.2	0.3	0.006	2.35	1.41	2.9	4	2.1	5.3	0.09	0.14	0.8	0.005	0.14	34.9	20	7.7	6.5	8	1.2	0.004	
E383606	36	36.5		1430	10.9	0.5	0.006	3.67	2.87	1.6	3	2.2	5.6	0.08	0.5	1	0.006	1.47	24.3	21	9.6	6.9	11	3	0.012	
E383607	36.5	37		1540	5.8	0.4	0.006	3.42	1.46	1.9	3	1.3	5.6	0.09	0.3	0.6	0.005	0.47	23.4	26	5.7	6.9	8	1.5	0.012	
E383608			BLANK	100	0.8	0.6	<0.002	0.06	0.08	0.3	3	<0.2	260	<0.05	<0.05	0.2	0.005	<0.02	0.8	5	0.1	2.9	32	2.4	0.001	
E383609	37	37.5		1470	7.1	0.4	0.012	4.89	1.96	2.4	4	1.7	6.2	0.07	0.71	0.9	0.007	1.06	10.6	20	3.1	6.7	19	6	0.013	
E383610	37.5	38		1760	11.5	0.4	0.026	8.66	2.06	1.8	6	2.3	7.6	0.08	1.21	1.1	0.007	1.37	21.5	16	3.6	7.9	24	8.6	0.025	
E383611	38	38.5		1370	10.7	0.4	0.019	5.27	2.63	2.5	4	1.5	5.3	0.06	0.54	2.5	0.006	0.52	37.4	17	9.5	7.6	26	6.3	0.021	
E383612	38.5	39		820	2.3	0.1	0.002	1.59	1.18	1.8	3	0.8	3.9	0.06	0.07	0.2	<0.005	0.07	7.6	17	5.6	3.6	7	0.5	<0.001	

IG-2007-17

Sample No	From (m)	To (m)	Standard/Blank	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
				ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
E383613	39	39.5		0.76	0.23	29	10	0.1	1.29	0.23	0.05	22	336	11	0.07	589	28.7	4.88	0.38	<0.1	0.038	<0.01	12.6	2.6	0.46	3500	37.1	<0.01	6.5	38
E383614	39.5	40		0.89	0.25	67.9	20	0.07	1.99	0.25	0.04	24.2	857	<1	0.06	783	30.6	5.61	0.41	<0.1	0.043	<0.01	13.7	2.8	0.55	4470	44.6	<0.01	5	53
E383615	40	40.5		1.62	0.14	71	20	0.14	3.35	0.21	0.04	32.1	623	8	0.06	1945	31	4.78	0.43	<0.1	0.04	<0.01	18.3	1.4	0.32	2840	45	<0.01	5.7	45
E383616	40.5	41		1.42	0.34	174	10	0.3	3.67	0.23	0.06	31.4	764	<1	0.07	1410	32	7.7	0.45	<0.1	0.085	0.01	18.7	2.4	0.18	1435	75.8	<0.01	5.4	51.5
E383617	41	41.5		0.75	0.07	43.7	<10	0.11	1.61	0.23	0.04	23.7	535	8	0.05	362	29.6	4.7	0.42	<0.1	0.039	<0.01	13.4	0.8	0.29	2670	47.6	<0.01	5.5	38.7
E383618	41.5	42		0.86	0.09	45	<10	0.15	1.76	0.2	0.05	25.7	343	13	0.06	444	35.4	5.44	0.48	<0.1	0.028	<0.01	15	0.7	0.12	1225	55.3	<0.01	7.6	39
E383619			BLANK	0.02	0.12	9	20	0.07	<0.01	45.6	0.42	2.51	2.8	8	<0.05	4.3	0.25	0.47	<0.05	0.1	<0.005	0.03	1.7	1.4	0.47	41	0.69	0.01	0.4	<0.2
E383620			STANDARD 2	0.32	6.81	38.3	1060	2.96	1.68	1.9	0.03	62.1	126.5	45	6.74	1550	7.16	20.3	0.13	2.1	0.141	2.95	43.9	25.4	1.27	3200	20.9	0.57	3.9	25.2
E383621	42	42.5		0.84	0.14	34.6	40	0.24	1.45	0.18	0.03	34.7	292	<1	0.09	578	38.5	6	0.49	<0.1	0.035	0.01	20.1	1.3	0.09	798	64.6	<0.01	7.8	38.1
E383622	42.5	43		0.83	0.09	34.3	20	0.09	1.11	0.26	0.04	49.8	446	12	0.05	346	32.9	5.64	0.43	<0.1	0.046	<0.01	30.3	0.8	0.36	3330	74.1	<0.01	9.7	44.1
E383623	43	43.5		0.31	0.07	25.3	10	0.09	0.45	0.27	0.02	45.3	230	<1	0.05	217	37.8	8.54	0.47	<0.1	0.034	<0.01	27.6	0.6	0.25	2420	38.2	<0.01	8.9	43.9
E383624	43.5	44		0.47	0.15	29	200	0.06	0.5	0.23	0.04	25.1	184	12	0.06	439	31.6	6.74	0.4	<0.1	0.026	<0.01	13.7	1.5	0.14	1125	53.5	<0.01	9.9	42
E383625	44	44.5		0.29	0.12	22.7	60	0.09	0.27	0.26	0.02	26.1	87.5	<1	0.05	245	38.3	8.29	0.5	<0.1	0.025	<0.01	14.6	1.1	0.17	1395	51.3	<0.01	9.9	46.6
E383626	44.5	45		0.52	0.09	34.8	340	0.07	0.76	0.22	0.04	36.9	257	12	0.05	401	37.9	8.25	0.49	<0.1	0.024	<0.01	22.7	0.9	0.18	1660	52.2	<0.01	8	49.4
E383627	45	45.5		0.6	0.15	50.2	480	0.05	0.87	0.27	0.04	128.5	401	<1	0.05	373	30	6.85	0.42	<0.1	0.039	<0.01	83.7	1.4	0.23	1940	46.2	<0.01	8.1	50.7
E383628	45.5	46		0.35	0.21	32.3	660	0.06	0.68	0.3	0.06	55.7	292	<1	0.06	326	35.9	8.47	0.49	<0.1	0.042	<0.01	36.7	1.8	0.28	2270	48.6	0.01	9.9	57.3
E383629	46	46.5		0.62	0.53	46.8	260	0.09	1.08	0.31	0.07	30.8	434	<1	0.08	210	28	9.95	0.35	0.1	0.034	<0.01	16.6	4.8	0.37	2590	84.2	<0.01	6.3	72.3
E383630	46.5	47		0.85	0.49	50.9	550	0.13	1.69	0.23	0.06	32.5	363	<1	0.11	468	29.7	9.81	0.41	0.1	0.015	0.01	20.3	4.9	0.2	802	50.2	<0.01	8.1	65.2
E383631			BLANK	0.02	0.12	7	40	0.07	<0.01	45.3	0.41	2.5	2.2	8	<0.05	4.8	0.2	0.45	<0.05	0.1	<0.005	0.03	1.8	1.4	0.47	38	0.66	0.01	0.3	<0.2
E383632	47	47.5		1.7	0.32	146	130	0.08	4.06	0.34	0.08	19	746	<1	0.07	628	42.2	11	0.54	0.1	0.026	0.01	10.7	3.3	0.27	2120	85.5	<0.01	5.4	96.4
E383633	47.5	48		1.65	0.12	118	60	0.06	3.74	0.22	0.06	36.6	606	<1	0.07	329	40.6	9.3	0.55	<0.1	0.018	<0.01	23	1.2	0.16	1595	127	<0.01	5.1	81.4
E383634	48	48.5		1.06	0.31	66.9	100	0.12	2.3	0.24	0.06	35.4	472	3	0.08	339	31.5	7.85	0.4	0.1	0.022	0.01	23	3.2	0.24	1825	101	<0.01	4.1	86.2
E383635	48.5	49		1.55	2.09	116.5	50	0.17	3.69	0.36	0.05	24.3	1255	2	0.36	593	25.8	6.81	0.25	0.3	0.02	0.04	11.9	23.7	0.66	1510	122.5	0.01	1.6	73.6
E383636	49	49.5		1.17	1.06	98.8	70	0.13	1.91	0.24	0.06	47.8	545	3	0.16	180.5	26.2	7.66	0.31	0.2	0.028	0.02	30.5	12.9	0.46	2010	102	0.01	2.3	84.1
E383637	49.5	50		2.92	4.58	162.5	100	0.55	4.69	0.2	0.04	62.9	901	21	0.95	557	20.3	9.05	0.25	1.4	0.016	0.17	44.3	55.2	1.09	894	58.2	0.85	7.8	88.8
E383638	50	50.5		0.21	8.41	18.3	1570	1.23	0.18	0.55	0.03	11.7	39.8	21	1.54	340	9.74	10.7	0.09	2.4	0.021	0.5	7.3	73.3	1.28	829	8.36	3.3	8.6	23.3
E383639	50.5	51		0.32	7.75	14.5	200	1.39	0.47	2.9	0.03	8.75	155.5	26	0.92	103.5	4.92	10.95	0.07	2.3	0.018	0.47	3.9	24.5	1.14	2500	6.77	5.17	7.2	15.5
E383640	51	51.5		0.08	6.9	5.6	160	1.05	0.03	4.05	0.03	8.1	197.5	35	0.66	96.8	4.99	10.25	0.08	2.2	0.017	0.47	4.2	14.1	1.29	2850	2.8	5.17	4.1	10.7
E383641	51.5	52		0.66	7.06	102	360	0.89	1.82	4.63	0.1	31.9	419	26	0.75	257	6.79	10.6	0.13	2.2	0.018	0.37	22.2	15.9	1.58	3000	28.5	4.77	4.7	18.3
E383642			BLANK	0.01	0.14	<5	30	0.05	<0.01	46.9	0.35	1.89	1.6	6	<0.05	2.5	0.08	0.43	<0.05	<0.1	<0.005	0.03	1.5	1.1	0.49	45	4.03	0.03	0.2	<0.2
E383643			STANDARD 1	0.94	5.71	45.5	180	1.82	2.36	2.04	0.04	54.8	151.5	35	3.54	7650	9.37	14.55	0.18	1.8	0.14	2.12	25.5	21.7	1.14	3140	62.9	1.05	3.5	32.7
E383644	52	52.5		0.06	6.12	3.2	260	0.96	0.03	4.28	<0.02	18	44.8	25	0.72	222	3.9	9.37	0.08	1.9	0.012	0.35	10.9	14	1.38	2770	3.25	4.42	7.2	8.5
E383645	52.5	53		2.48	6.31	122	560	1.17	4.12	1.73	0.02	21.8	523	21	1.45	1020	8.39	9.17	0.15	2.8	0.019	0.35	13.9	33.6	0.86	1530	34.7	3.51	27.7	42.9
E383646	53	53.5		4.44	5.89	119	380	1.13	3.89	2.55	0.03	>500	453	11	1.2	782	11.05	11.6	0.89	2.6	0.042	0.23	1370	19.2	1.05	2180	17.6	3.66	43	42
E383647	53.5	54		0.89	4.34	42	210	0.55	1.02	10.4	0.04	80	140.5	3	0.62	291	7.83	5.16	0.14	2.5	0.022	0.22	62.3	6	3.33	6990	24.3	2.99	20.4	14.8
E383648	54	54.5		0.73	5.95	39.9	100	0.67	1.41	6.29	<0.02	17.8	230	21	0.51	94.2	7.05	7.95	0.11	2.5	0.013	0.25	10.7	5.6	1.92	3530	14.4	4.24	8	14.5
E383649	54.5	55		2.31	6.85	98.7	120	0.85	2.57	4.46	0.03	22.7	269	27	0.74	273	6.8	9.43	0.11	2.9	0.019	0.32	12.2	12.5	1.52	2390	17.9	4.72	16.4	25
E383650	55	55.5		2.93	6.75	116	310	0.81	3.47	1.91	<0.02	72.5	293	42	0.9	478	10.75	10.85	0.16	2.2	0.01	0.28	57.2	32.5	1.23	1200	31.4	3.96	5.8	47.2
E383651	55.5	56		0.49	7.17	32.8	2150	0.85	0.63	0.98	0.03	73	76.8	36	0.61	324	6.91	12.05	0.13	2.3	0.005	0.24	56.5	23.7	0.7	545	43.5	4.48	4.2	30
E383652	56	56.5		2.24	5.6	152.5	130	0.63	3.21	2.04	0.03	30.2	353	23	0.8	145.5	16	10.4	0.23	1.7	0.008	0.21	21.3	22.4	1.14	1440	56.1	3.26	2.5	52.5
E383653	56.5	57		0.06	5.42	1.6	6210	0.55	0.02	2.21	<0.02	30.6	13.6	24	0.34	129.5	5.58	8.36	0.09	1.4	0.007	0.22	21.9	9.1	0.82	1555	9.92	3.73	2.7	11.6
E383654			BLANK	0.03	0.13	10	60	0.07	<0.01	45.1	0.42	2.43	1.1	7	<0.05	2.6	0.06	0.54	<0.05	<0.1	<0.005	0.03	1.9	1.4	0.47	37	0.43	0.02	0.3	<0.2
E383655	57	57.5		0.57	5.19	38.6	490	0.84	0.77	2.89	<0.02	72.7	144.5	23	0.78	84.6	13.45	10.7	0.19	1.3	0.012	0.48	53.4	24.7	1.25	1905	31.9	2.79	2.4	34.5
E383656	57.5	58		2.12	3.18	141	80	0.64	2.25	1.72	0.06	147.5	394	16	0.76	259	19.9	9.98	0.31	0.9	0.013	0.77	74.5	17	0.79	1920	145	0.98	3.1	50.4
E383657	58	58.5		0.07	6.66	3.1	5800	3.03	0.05	3.17	<0.02	98.8	19	42	2.85	145	5.27	17.75	0.11	2.1	0.039	3.18	63.2	46.4	1.21	2970	14.85	1.55	2.8	12.9
E383658	58.5	59		0.04	6.85	4.2	5730	4.09	0.02	3.03	<0.02	68	25.2	39	3.57	206	5.25	18.35	0.11	2.1	0.057	3.41	42.2	47.6	1.19	3240	5.1	0.81	2.9	14.3
E383659	59	59.7		0.09	6.36	13.8	3180	3.54	0.05	2.59	<0.02	64.9	46.3	38	3.8	391	7.75	16.45	0.14	2	0.06	3.1	54.7	40.6	1.01	3080	142	0.55	2.7	20.5

IG-2007-17

Sample No	From (m)	To (m)	Standard/Blank	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Y	Zn	Zr	Au	Ba
				ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
E383613	39	39.5		900	5.7	0.1	0.007	1.92	1.67	3	2	0.8	4.3	0.05	0.09	0.2	<0.005	0.16	21.4	16	10.7	4	11	<0.5	0.006	
E383614	39.5	40		1100	7.6	0.1	0.011	5.05	1.82	3.1	5	0.9	5.3	<0.05	0.34	0.2	<0.005	0.53	28.4	18	6.7	4.7	9	0.6	0.013	
E383615	40	40.5		1130	11.1	0.1	0.012	3.56	2.5	3.2	4	1	4.9	<0.05	0.3	0.4	<0.005	0.42	131.5	15	15	5.1	7	0.8	0.011	
E383616	40.5	41		2050	12.8	0.1	0.013	4.11	3.08	5.2	5	1.1	8.6	0.05	0.33	2.1	<0.005	0.56	396	18	15.2	6	7	1.1	0.014	
E383617	41	41.5		1090	5.7	<0.1	0.009	3.09	1.93	2.2	3	1.1	4.2	0.06	0.18	0.2	<0.005	0.41	15.5	20	10	4.6	4	<0.5	0.009	
E383618	41.5	42		1100	6.7	0.1	0.01	1.82	2.69	2	3	1.1	4.3	0.09	0.13	0.5	<0.005	0.21	61.4	29	16.4	4.7	5	0.7	0.004	
E383619			BLANK	130	0.7	0.6	<0.002	0.07	0.08	0.3	3	<0.2	271	<0.05	<0.05	0.2	0.006	<0.02	1.1	5	0.2	3	22	3	0.003	
E383620			STANDARD 2	750	4	142	0.008	1.37	1.22	10.7	3	7.4	459	0.24	0.24	12.7	0.119	0.39	17.8	63	8.9	12.8	9	63	0.019	
E383621	42	42.5		1010	9	0.3	0.007	1.47	2.97	2.1	3	1.7	5.2	0.07	0.05	0.6	<0.005	0.07	94.6	31	18.9	4.8	6	1.1	0.002	
E383622	42.5	43		1200	4.5	0.1	0.007	2.42	1.74	2.8	4	2.1	5.1	0.09	0.08	0.4	<0.005	<0.02	49.4	26	7.9	5.4	6	<0.5	0.003	
E383623	43	43.5		1270	2.7	0.1	0.004	1.3	1.79	2.1	2	2.5	4.7	0.08	0.05	0.3	0.005	<0.02	19	38	6.7	5.5	5	<0.5	<0.001	
E383624	43.5	44		1150	8.3	0.1	0.007	0.93	1.73	1.9	2	1.3	7.1	0.1	0.05	1.3	<0.005	<0.02	228	37	5.6	5	6	0.5	0.003	
E383625	44	44.5		1230	3.5	0.1	0.006	0.45	1.67	1.4	2	1.4	5.1	0.1	0.06	0.7	<0.005	<0.02	84.8	45	4.5	5.4	6	<0.5	0.002	
E383626	44.5	45		1060	4.8	0.1	0.008	1.36	2.12	1.4	3	1.2	8.8	0.08	0.17	0.7	0.006	0.31	44.9	41	4.5	4.9	4	0.9	0.004	
E383627	45	45.5		1230	7.3	0.1	0.007	2.49	1.98	1.3	3	1.8	13	0.06	0.21	1.9	<0.005	0.54	38	25	4.3	5.5	4	0.6	0.006	
E383628	45.5	46		1380	4.3	0.1	0.007	1.64	1.6	1.3	3	2.5	12.5	0.08	0.19	0.3	0.005	0.05	17.7	31	4.9	5.7	9	0.6	0.005	
E383629	46	46.5		1330	5	0.1	0.017	2.51	1.88	1.1	3	1	18.8	0.06	0.43	0.3	<0.005	0.67	29.3	24	2.4	6.1	12	2.4	0.006	
E383630	46.5	47		1120	10	0.4	0.013	2.04	2.62	1.3	3	1.2	16.2	0.06	0.41	0.7	0.006	0.68	69.9	31	5.2	5.2	16	2.6	0.011	
E383631			BLANK	120	0.9	0.5	<0.002	0.07	0.08	0.2	3	<0.2	270	<0.05	<0.05	0.2	0.006	<0.02	0.9	5	0.1	3	22	2.7	0.001	
E383632	47	47.5		1080	18.6	0.2	0.045	5	4.58	0.9	4	1	15.2	<0.05	1.64	0.5	0.006	2.04	101.5	41	1.9	5.7	11	2.7	0.022	
E383633	47.5	48		1000	12.5	0.1	0.044	4.44	2.19	0.6	6	1.2	58.9	<0.05	1.8	0.3	0.005	1.22	63.7	39	2.9	4.5	7	0.5	0.026	
E383634	48	48.5		1050	8.4	0.4	0.031	3.32	1.83	0.9	4	0.8	26.9	<0.05	1.14	0.4	0.005	0.66	41.4	36	3	5.2	10	2.2	0.024	
E383635	48.5	49		1670	9.1	1.6	0.039	8.49	2.97	2.7	5	1.2	133.5	<0.05	1.94	0.3	0.005	0.51	14.9	18	2.9	5.7	40	9.3	0.054	
E383636	49	49.5		1040	7.5	0.7	0.037	3.98	2.5	1.9	3	1.2	252	<0.05	0.82	0.5	0.006	0.42	38.4	30	4.3	5.1	23	6	0.029	
E383637	49.5	50		840	21.9	9.1	0.025	6.77	2.36	5.1	5	1.6	24.6	0.14	2.81	1.7	0.019	1.48	30.4	13	1.6	8.4	86	39.1	0.048	
E383638	50	50.5		770	4.6	30.4	0.002	0.14	0.85	6.5	1	2.1	59	0.11	0.06	2.7	0.026	0.11	57.8	4	1.9	8.7	73	68.3	0.002	
E383639	50.5	51		660	7.8	22.2	0.006	0.87	1.14	7.2	2	2.9	74.9	0.21	0.27	7.6	0.051	0.16	98.1	7	3.3	12.8	19	66.2	0.006	
E383640	51	51.5		640	4.9	15.8	<0.002	0.74	0.8	7.9	2	3.3	69.3	0.2	<0.05	5.9	0.041	0.06	22.5	12	3.5	9.7	11	60.8	0.002	
E383641	51.5	52		720	20.2	17.3	0.012	2.79	1.59	12.2	4	3	73.9	0.19	0.73	9.6	0.042	0.77	60.3	7	3.6	14	31	61.6	0.018	
E383642			BLANK	120	0.9	0.5	<0.002	0.06	0.06	0.2	2	<0.2	279	<0.05	<0.05	0.2	0.006	<0.02	0.5	4	0.1	2.4	23	2.5	<0.001	
E383643			STANDARD 1	830	20.2	61.6	0.021	2.18	1.53	8.7	3	7.1	675	0.21	0.24	9.1	0.086	0.37	261	53	8	14.4	9	52.3	0.05	
E383644	52	52.5		710	7.5	12.8	0.003	0.17	1.23	12.5	2	3.2	68.3	0.2	<0.05	10.8	0.053	0.11	61.1	6	4.1	12.3	13	55.6	0.001	
E383645	52.5	53		740	29.4	16.1	0.012	4.38	3.21	13	5	3	56.3	0.61	1.39	18.2	0.069	0.62	311	5	4.3	19	26	75.9	0.042	
E383646	53	53.5		660	77.1	6.3	0.111	4.11	11.65	18.9	5	2.3	66.8	0.76	1.56	116.5	0.174	0.93	2560	9	8.6	87.1	26	65.3	0.047	
E383647	53.5	54		630	21.7	8.4	0.009	1.34	3.05	18.7	2	2.2	99.7	0.32	0.53	31.9	0.072	0.22	620	3	3.6	33.4	12	68.3	0.013	
E383648	54	54.5		800	17.9	11.7	0.011	2.19	2.28	12.2	3	2.8	76.7	0.18	0.87	22.1	0.051	0.17	372	7	3.2	20	6	67	0.02	
E383649	54.5	55		1000	27.3	10.6	0.046	2.99	4.17	9.6	3	3.3	73.8	0.33	1.33	26.9	0.073	1.17	520	9	4.1	25.9	9	75.9	0.035	
E383650	55	55.5		1950	21.4	16	0.016	3.46	5.04	10.7	4	3.8	52.6	0.13	1.82	13.1	0.08	1.48	155	27	3.5	19.6	19	61.3	0.047	
E383651	55.5	56		1870	7.8	8.8	0.012	0.65	1.16	4.9	3	2.8	186.5	0.14	0.28	3.8	0.05	0.25	38.1	29	3.3	12.5	18	65.3	0.007	
E383652	56	56.5		1330	14.1	8.8	0.014	3.61	3.18	7.7	4	2.7	172	0.09	1.71	1.9	0.041	0.96	14.1	44	2.3	11.9	16	47	0.04	
E383653	56.5	57		980	3.6	8.8	0.005	0.25	0.64	4.4	1	1.9	389	0.14	<0.05	5	0.027	0.05	45.3	20	2.2	10.7	5	38.8	0.002	2.51
E383654			BLANK	120	0.8	0.6	<0.002	0.06	0.09	0.3	3	0.2	269	<0.05	<0.05	0.2	0.006	<0.02	0.7	5	0.1	3	22	3.1	0.001	
E383655	57	57.5		1370	5	23.2	0.01	1.03	1.38	9	3	3.1	510	0.09	0.38	4.2	0.035	0.32	21.2	33	2	12.9	12	38.6	0.007	
E383656	57.5	58		1230	18	26.1	0.049	3.09	3.12	5.4	6	3.4	409	0.13	1.17	16.8	0.039	1.15	134	37	2.2	13.8	12	26.5	0.023	
E383657	58	58.5		700	3	111.5	0.01	0.28	0.7	14.8	2	13.6	775	0.17	0.06	11.5	0.088	0.39	10.3	62	6.9	11.7	6	57	0.001	4.51
E383658	58.5	59		680	2	135	<0.002	0.27	0.68	12.4	2	16.3	693	0.17	0.05	10.7	0.097	0.47	19.4	58	9	12.3	4	57.8	<0.001	4.2
E383659	59	59.7		740	2.6	127.5	0.005	0.33	0.64	10.4	2	13.4	730	0.17	0.07	12.6	0.097	0.51	38.5	57	9.2	12.6	5	54.6	<0.001	

Whitehorse Office
34 Laberge Rd.
Whitehorse, Yukon Y1A 5Y9
Phone (867) 668-7672
Fax: (867) 393-3577

www.aurorageosciences.com
aurora@klondiker.com

MEMORANDUM

To: Geordie Mark, Cash Resources LTD. **Date:** 22/10/2007

From: Andre Lebel

Re: CHX-7530 Wernecke Gravity and Magnetics – Field report

This memorandum is a field report describing the gravity survey conducted on the Vic, NAD, Flunk, Tar, Igor and Curie grids in the Yukon Territory. The gravity and total magnetic field surveys were conducted from July 26th 2007 to Oct 7th 2007.

Crew and equipment:

The surveys were conducted by the following personnel:

Andre Lebel	Crew Chief	26/07/2007-17/08/2007, 11/09/2007 - 07/10/2007
Dan Shorty	Helper	26/07/2007 -17/08/2007
Genivieve Hetu	Crew Chief	16/08/2007 -11/09/2007
Lucas Haliday	Helper	16/08/2007 - 07/10/2007

The crew was equipped with the following instruments and equipment:

Gravity
- 1 CG-5 Autograv Gravimeter (S/N: 9188)
- 1 Topcon RTK GPS system

Magnetics
- 3 Gem 19T Overhauser Magnetometers
- 3 Non-differential GPS receivers
- 1 Iridium satellite phone

The project was staged out of Cash Resources camps at Bear River from July 26th to Aug 24th and at Igor from Aug 24th to Oct 7th.

Survey specifications:

The gravity survey was conducted according to the following specifications:

Readings	Standard deviation< 0.05 mGal otherwise repeated 3 times
Seismic Filter	On
Base readings	Repeated 3 times regardless of error and, minimum of twice daily
GPS repeats	Repeats once daily at a chosen control point
Near terrain	20m surrounding in 6 zones with a clinometer
Datum	NAD 83 Zone 8N, elevations were calculated using the geoid World EGM96 15'
Grid	Local Grid marked Pickets and Flagging every 50m, the gravity reading are marked with flagging and tags at their exact location

The total magnetic field survey was conducted to the following specifications:

Station spacing	12.5 meters
Base station	Installed on each grid and cycled at a 3 second interval throughout the survey. The base station magnetometer and field magnetometers were synchronized daily.
Corrections	Temporal geomagnetic variation was removed by linear interpolation of drift from the base station magnetometer.

Survey notes:

Gravity QAQC:

Gravity base readings were taken at the locations in table 1. Figures 1 – 6 are the graphs of the readings taken at the gravity base for each survey. These base readings are used to correct the readings for the drift of the spring inside the gravimeter. The discontinuity in figure #1 on July 28th is when Andre dropped the gravimeter on the way to the grid. He went back due the gravimeter being dropped and resurveyed the point to find the difference to shift the drift data to correct the day's data. The discontinuity in figure #4 on Aug 29th is when Lucas dropped the gravimeter. Genevieve resurveyed the point afterwards and found there was difference of approximately 0.800 mGal. She subtracted the difference for all the points that occurred afterwards. The discontinuity in figure #5 on Sept 12th is when Andre bumped the gravimeter. He went back and resurveyed the point to find the difference due to it being dropped to correct the data. The Drift files are included in this report are CG-5 drifts_Vic.xls, CG-5 drifts_NAD.xls,

CG-5 drifts_Flunk.xls, CG-5 drifts_Tar.xls, CG-5 drifts_Igor.xls, and CG-5 drifts_Curie.xls.

Grid	Name in raw data	GPS Location	Drift Datum Used	Dates used
Vic	L99 Stn99	511649.20E 7171303.84N	5104.48 mGal	July 28th – Aug 5th
NAD	L98 Stn98	467272.44E 7209761.67N	5144.7 mGal	Aug 11th – Aug 16th
Flunk	L98 Stn 98	497466E 7224834N	5230.7 mGal	Aug 17th – Aug 31st
Tar	L198 Stn198	506001E 7225983N	5230.7 mGal	Aug 30th – Sept 8th
Igor	L99 Stn99	517643.75 7214078.61	5198.3 mGal	Sept 8th – Sept 13th
Curie	L99 Stn99	517643.75 7214078.61	5140.8 mGal	Sept 13th – Oct 6th

Table 1: Locations and dates of all the gravity base readings by grid name.



Figure 1: Vic CG5 drift graph, shows the drift of the readings taken at the control

location 99 99 on the Vic property. The units are gravity in mGal vs. Time in days.



Figure 2: NAD CG5 drifts graph, shows the drift readings taken at the control location 98 98 on the NAD property. The units are gravity in mGal vs. time in days.



Figure 3: Tar CG5 drifts graph, shows the drift readings taken at the control location 99 9 on the Tar property. The units are gravity in mGal vs. time in days.



Figure 4: Flunk CG5 drifts graph, shows the drift readings taken at the control location 99 99 on the Flunk property. The units are gravity in mGal vs. time in days.



Figure 5: Igor CG5 drifts graph, shows the drift readings taken at the control location 99 99 on the Igor property next to camp. The units are gravity in mGal vs. time in days.



Figure 6: Curie CG5 drifts graph, shows the drift readings taken at the control location 99 99 on Igor property next to camp. The units are gravity in mGal vs. Time in days.

GPS QAQC:

GPS Control points were installed close to all the bases on each property that were surveyed daily. The range on the elevation for any control point was <5cm for the entire survey, except for the Curie which has a range <20cm which was may have been affected by the presence of fresh snow making the control point difficult to locate. This is an accurate representation of the RTKGPS maximum error taken at the gravity stations for the gravity survey. The standard deviation shown in the tables is a representation of the RTKGPS error of the GPS points taken at the gravity stations. The tables for the GPS Control points are below in tables 3 to 8.

Property	RTK GPS base Location	Projection and datum used	Dates used
Vic	511649.20E	NAD 83, UTM	July 28th – Aug

	7171303.84N 1,561.77 m h. a. e.	Zone 8N	5th
NAD	467272.44E 7209761.67N 1,136.288 m h. a. e.	NAD 83, UTM Zone 8N	Aug 11th – Aug 16th
Flunk	505944E 7226120N 1300.92 m h. a. e.	NAD 83, UTM Zone 8N	Aug 17th – Aug 30th
Tar	497472.58E 7224841.85N 1130.641 m h. a. e.	NAD 83, UTM Zone 8N	Aug 30th –Sept 8th
Igor	517451.15E 7212813.30N 1407.507m h. a. e.	NAD 83, UTM Zone 8N	Sept 8th – Sept 13th
Curie	509778.80 7232088.31 1277.61 m h. a. e.	NAD 83, UTM Zone 8N	Sept 13th – Oct 6th

Table 2: The locations of the RTKGPS base stations installed in the field.

Date	NAD83Z8UTME	NAD83Z8UTME	ellipse h.
29-Jul-07	511648.359	7171306.451	1552.519
30-Jul-07	511648.381	7171306.436	1552.510
31-Jul-07	511648.369	7171306.434	1552.499
1-Aug-07	511648.367	7171306.436	1552.509
2-Aug-07	511648.371	7171306.427	1552.474
3-Aug-07	511648.375	7171306.434	1552.498
4-Aug-07	511648.376	7171306.442	1552.511
5-Aug-07	511648.373	7171306.447	1552.496
Average	511648.372	7171306.437	1552.498
Stdev	0.003	0.007	0.013

Table 3: The GPS readings taken with the Topcon RTK GPS system at a control location next to the base on the Vic property.

Date	Nad83Z8UTME	Nad83Z8UTMN	ellipse h.
11-Aug-07	467274.581	7209758.901	1127.874
12-Aug-07	467274.551	7209758.932	1127.885
13-Aug-07	467274.552	7209758.926	1127.864
15-Aug-07	467274.546	7209758.932	1127.870
16-Aug-07	467274.550	7209758.932	1127.866
Average	467274.556	7209758.925	1127.872

Stdve	0.014	0.013	0.008

Table 4: The GPS readings taken with the Topcon RTK GPS system at a control location next to the base on the NAD property.

Date	NAD83Z8UTME	NAD83Z8UTMN	ellipse h.
Aug-17	505944.8837	7226120.865	1300.924
Aug-18	505944.9281	7226120.826	1300.922
Aug-22	505944.9096	7226120.872	1300.902
Aug-23	505944.9136	7226120.892	1300.925
Aug-25	505944.7763	7226120.75	1300.905
Aug-26	505944.8729	7226120.89	1300.920
Aug-27	505944.8737	7226120.847	1300.929
Aug-28	505944.8599	7226120.784	1300.938
Aug-29	505944.8614	7226120.853	1300.899
Average	505944.8755	7226120.842	1300.918
Stdev	0.04437872	0.048101746	0.013

Table 5: The GPS readings taken with the Topcon RTK GPS system at a control location next to the base on the Flunk property.

Date	NAD83Z8UTME	NAD83Z8UTMN	ellipse h.
Aug-30	497465.7664	7224834.154	1130.517
Aug-31	497465.6915	7224834.219	1130.517
Sep-03	497465.7654	7224834.154	1130.524
Sep-04	497465.782	7224834.157	1130.531
Sep-06	497465.7424	7224834.137	1130.507
Sep-07	497465.7695	7224834.157	1130.533
Sep-08	497465.7348	7224834.235	1130.551
Average	497465.7503	7224834.173	1130.526
Stdev	0.030609042	0.037718459	0.014

Table 6: The GPS readings taken with the Topcon RTK GPS system at a control location next to the base on the Tar property.

Date	NAD83Z8UTME	NAD83Z8UTMN	ellipse h.
Sep-09	517448.5872	7212860.968	1406.096
Sep-10	517448.6366	7212860.991	1406.084
Sep-11	517448.6086	7212860.924	1406.101
Sep-12	517448.6733	7212861.004	1406.116
Sep-13	517448.6722	7212860.903	1406.097

Average	517448.6356	7212860.958	1406.099
Stdev	0.038190549	0.043327584	0.012

Table 7: The GPS readings taken with the Topcon RTK GPS system at a control location next to the base on the Igor property.

Date	NAD83Z8UTME	NAD83Z8UTMN	Ellipse h.
Sep-25	509782.95	7232093.2	1271.584
Sep-26	509782.91	7232093.3	1271.593
Sep-29	509782.99	7232093.3	1271.602
Sep-14	509782.96	7232093.5	1271.455
Sep-15	509782.95	7232093.5	1271.425
Sep-23	509783.03	7232093.3	1271.598
Sep-24	509782.86	7232093.4	1271.586
Sep-29	509782.9	7232093.3	1271.606
Oct-01	509782.88	7232093.4	1271.576
Oct-04	509782.93	7232093.4	1271.61
Oct-05	509782.9	7232093.3	1271.595
Oct-06	509782.96	7232093.4	1271.576
Average	509782.93	7232093.4	1271.567
Stdev	0.0492706	0.086986	0.060631

Table 8: The GPS readings taken with the Topcon RTK GPS system at a control location next to the base on the Curie property.

Total magnetic field processing:

A base magnetometer was setup on the Vic property at 511648.381 (UTM Zone 8, NAD 83) 7171306.436 (UTM Zone 8, NAD 83) 1552.510 (ellipse h.) and on the NAD property at 467255.1E (UTM Zone 8, NAD 83) 7209767N (UTM Zone 8, NAD 83) 1126.845 (ellipse h.) to diurnally correct the readings. The data was diurnally corrected using the proprietary software GPS Track Mag developed by Aurora Geosciences Ltd. This software removes the temporal variations in the readings by adjusting the data to the base magnetometer readings. The base magnetometer readings are included in raw data. The data was leveled daily as well to remove the effects of the different operators. The leveling data consists of two lines one which is parallel and the other is perpendicular to the grid lines which were surveyed in both directions. The tables for the leveling data for the Vic and the NAD are included in this report as Vic_leveling.pdf and NAD_leveling.pdf.

Gravity processing:

The tide corrections were done by the Scintrex on board tide corrections using the parameters in table 9. The proprietary software Gravred 2.1 developed by Amerok

Geosciences was used to calculate the corrections for each gravity station. The corrections that were performed on the data were 1) the drift correction which removes the drift of the gravimeter on a daily basis by linear interpolation, 2) the latitude correction which removes the effect of the latitude on the data, 3) the Free Air correction which removes the effect of elevation on the data, 4) the Bouguer correction which corrects for a effects of a uniform slab on the data, 5) the Bullard B correction which corrects for the curvature of the earth, 6) near terrain corrections which corrects for near terrain effects on the data, and 7) the far terrain corrections which removes the effects the terrain from the data. The Free Air, Bouguer, Bullard B, and the terrain corrections use a density of 2.67g/cm^3. The gravity data from the Vic, Igor and the Curie was leveled to the previous gravity surveys conducted on those properties by resurveying a few existing points and leveling this year's data to those points. The outer digital terrain models exclude the area that is covered by the inner digital terrain models. All the digital terrain models were corrected using the RTKGPS data, which included adding all the points that were surveyed into digital terrain model and deleting any points in the digital terrain model that were not consistent with the RTKGPS data. The parameters of the digital terrain models that were used are located in table 10.

Property	Lat	Long	GMT diff
Vic	64.7N	134.8W	+7 hours
NAD	65N	135.4W	+7 hours
Flunk	65N	134.3W	+7 hours
Tar	65N	134.3 W	+7 hours
Igor	65N	134.3 W	+7 hours
Curie	65.2N	134.8 W	+7 hours

Table 9: The latitude, longitude and time entered in to the gravimeter for the on board tide corrections.

Name	Upper right	Lower left	Cell size	Projection
Vic_inner_dtm	517500E 7176500N	505500E 7164500N	20m	NAD 83 UTM Zone 8N
Vic_outer_dtm	818000E 7477000N	206000E 6864000N	1000m	NAD 83 UTM Zone 8N
NAD_inner_dtm	474000E 7216000N	461000E 7204000N	20m	NAD 83 UTM Zone 8N
NAD_outer_dtm	774000E 7516000N	161000E 6904000N	1000m	NAD 83 UTM Zone 8N
Flunk_inner_dtm	510000E 7230000N	502000E 7224000N	20m	NAD 83 UTM Zone 8N
Flunk_outer_dtm	610000E 7330000N	402000E 7124000N	1000m	NAD 83 UTM Zone 8N
Igor_inner_dtm	521000E 7216000N	513750E 7209500N	20m	NAD 83 UTM Zone 8N
Igor_outer_dtm	621000E	413000E	1000m	NAD 83 UTM Zone 8N

	7316000N	7109000N		
Tar_inner_dtm	500750E 7228800N	493600E 7221700N	20m	NAD 83 UTM Zone 8N
Tar_outer_dtm	601000E 7329000N	393000E 7121000N	1000m	NAD 83 UTM Zone 8N
Curie_inner_dtm	514000E 7236000N	505000E 7227000N	20m	NAD 83 UTM Zone 8N
Curie_outer_dtm	614000E 7336000N	405000E 7327000N	1000m	NAD 83 UTM Zone 8N

Table 10: The parameters of the digital terrain models that were used to correct the gravity readings.

Products:

The following data files are appended to the digital version of this report

Raw Vic gravity data	Raw/Vic/Gravity
Raw Vic total magnetic field data	Raw/Vic/Magnetics
Raw NAD gravity data	Raw/NAD/Gravity
Raw NAD total magnetic field data	Raw/NAD/Magnetics
Raw Flunk gravity data	Raw/Flunk/Gravity
Raw Tar gravity data	Raw/Tar/Gravity
Raw Igor gravity data	Raw/Igor/Gravity
Raw Curie gravity data	Raw/Curie/Gravity
Final Vic gravity data	Final/Vic gravity.xyz
	Final/Vic gravity.gdb
Final Vic total magnetic field data	Final/Vic mag.xyz
	Final/Vic mag.gdb
Final NAD gravity data	Final/Nad gravity.xyz
	Final/Nad gravity.gdb
Final NAD total magnetic field data	Final/ Nad mag.xyz
	Final/Nad mag.gdb
Final Flunk gravity data	Final/Flunk gravity.xyz
	Final/Flunk gravity.gdb
Final Tar gravity data	Final/Tar gravity.xyz
	Final/Tar gravity.gdb
Final Igor gravity data	Final/Igor gravity.xyz
	Final/Igor gravity.gdb

Final Curie gravity data	Final/Curie gravity.xyz
	Final/Curie gravity.gdb
Vic Bouguer anomaly map	Figures/Field Bouuger Anomaly/Curie gravity.pdf
NAD Bouguer anomaly map	Figures/Field Bouuger Anomaly/NAD gravity.pdf
Flunk Bouguer anomaly map	Figures/Field Bouuger Anomaly/Flunk gravity.pdf
Tar Bouguer anomaly map	Figures/Field Bouuger Anomaly/Tar gravity.pdf
Igor Bouguer anomaly map	Figures/Field Bouuger Anomaly /Igor gravity.pdf
Curie Bouguer anomaly map	Figures/Field Bouuger Anomaly /Curie gravity.pdf
Vic total magnetic field map	Figures/Total Magnetic field /Curie gravity.pdf
NAD total magnetic field map	Figures/Total Magnetic field /NAD gravity.pdf
Field Report	Wernecke Geophysics Field Report.pdf
Field Project Log	Wernecke Geophysics Field Project Log.pdf

Respectfully submitted,
AURORA GEOSCIENCES LTD.

Andre Lebel

3D Uncontrained Inversions of magnetics and gravity surverys over the Igor prospect, Yukon, Canada.

By

Dr Laurent Aillères

PostGraduate Niche
geoscience

- Contracting
- Recruitment
- Consulting

20 Oakbank Street
Newport VIC 3015
Australia

Telephone
+61 3 9399 1140

Facsimile
+61 3 9399 1143

e-mail
pgn@skilledgeoscience.com

Mobile service
Jim Finlay 0409 281 813
Mike Raetz 0402 215 368

PostGraduate Niche
is a division of
Global Discovery Pty Ltd
ABN 85 087 836 628

Interim Report for Cash Minerals
January 19, 2007
PGN Report 2/2007



Executive Summary

PGN Geoscience was contracted to produce inversions of the gravity and magnetic potential field data over the Igor prospect of Cash Minerals, Yukon, Canada.
The input data consist of:

- a DTM built from elevation information in the gravity database,
- free air gravity measurements, spatially coinciding with the elevation measurements,
- magnetics measurements

The aim of the inversions was to provide a depth constraint on the boundary between cover and potential host to mineralisation (referred to as basement). "Basement inversions" type inversions were carried out. These inversions are unconstrained since no geological or petrophysical data/knowledge were a model input. The inversions are used to find the boundary between two homogeneous volumes of rocks of contrasting densities and magnetic susceptibilities.

The inversions were carried out within the Gocad – VPmg environment and utilising the MIRA Geoscience Potential Fields Utilities. "VPmg is a gravity, gravity gradients and magnetics 3D modelling and inversion" package (Fullagar et al., 2000). VPmg stands for Vertical Prisms Magnetic and Gravity 3D Modelling and Inversion. This means that the 3D volume to be inverted is discretised using infinite (depth wise) rectangular vertical prisms. The vertical discretisation varies from one prism to the next depending on the depth at which different geological units intersect the prisms.

The advantage of VPmg with respect to other systems is the speed at which inversions can be performed allowing to investigate the density spatial distribution & variation in great details. We ran 12 "basement inversion" type inversions and two statistical inversions during which density values are assigned to each voxel (model volume discretised with 10x10x14m^3 voxels) of the model to decrease the misfit between calculated and observed free air gravity data.

Table 1: List of Free Air inversions model. Cover and Basement refer to the homogeneous density values assigned to both the cover and basement volumes. RMS misfit is the residual misfit after the inversions stalled. This misfit is also given as a percentage of the initial range of Free Air gravity values. The initial geometry is a flat boundary between cover and basement at different elevation (asl). Models 4, 5, 6 & 9 failed to produce any significant change in the topography of the boundary between cover and basement. Models 1, 2, 3, 7 & 8 were satisfying but geologically meaningless as the cover density was set to 0.

Model #	Cover	Basement	Initial Geometry	RMS Misfit (mGal)	Misfit as a % of Free Air range
1	0	2.7	Flat 724m	1.75	4.2%
2	0	3	Flat 724m	1.52	3.6%
3	0	3.3	Flat 724m	1.44	3.4%
~~**4**~~	~~2.4~~	~~2.7~~	~~Flat 724m~~	~~1.77~~	~~4.2%~~
~~**5**~~	~~2.4~~	~~3~~	~~Flat 724m~~	~~1.9~~	~~4.5%~~
~~**6**~~	~~2.7~~	~~3~~	~~Flat 724m~~	~~1.73~~	~~4.1%~~
7	0	3	Flat 1024m	0.7	1.7%
8	0	3.3	Flat 1024m	0.69	1.6%
~~**9**~~	~~3~~	~~3.3~~	~~Flat 1024m~~	-	-
10	2.4	3.5	Flat 724m	1.16	2.8%
11	2.6	4	Flat 724m	1.5	3.6%
12	2.6	4.5	Flat 724m	1.74	4.1%

Model 10, 11 & 12 (Table 1) were the only satisfying models. Model 10 however is predicting a very shallow (below DTM) boundary which should have been intersected during exploration drilling. Model 11 and 12 are preferred and one of the main outcome is to constrain the high density contrast between basement (greater than 4g/cm^3) and cover (about 2.6g/cm^3). The

geometries produced and density contrast needed to obtain a satisfactory low misftit was supported during the statistical inversions.

Magnetics inversions were also carried out. Acceptable results were more difficult to obtain. However, basement/cover boundary geometries similar to these predicted during gravity inversions were obtained. These necessitated the introduction of remanence in the basement.

Recommendations:
Further investigations are needed to refine the modelling. In particular, quality of the results would be greatly increase in constraining the inversions by integrating petrophysical core data (magnetic susceptibility and density logging) and geometrical information about the basement/cover boundary (logging of basement pierce points).