

OPERATOR: KESTREL GOLD INC.

2011 Soil Geochemistry Survey Program – GULF PROPERTY

SCRIB 1-162 Quartz Claims. Grant Numbers: YD06961-66, YD09341-76,
YD31625-46, YD134585-682

REGISTERED CLAIM OWNERS: BERNARD KREFT
Dawson Mining District, Yukon, CANADA;
NTS 115-0/10
63° 37' North 138° 42' West

Author: Len Gal, P.Geo.
Work Performed: June 1 – January 15, 2012

Contents

Introduction	3
Property Location, Access and Physiography	3
Claim Status	4
Exploration History	7
Geology	7
Regional Geology	7
Property Geology	9
2011 Exploration Program	10
Exploration Objective	10
Procedures	10
Sample Preparation, Analysis and Security	13
2011 Soil Sampling Results	14
Gold	14
Silver	17
Arsenic	17
Lead	17
Zinc	21
Copper	21
Summary, Interpretations and Conclusions	24
Statement of Expenditures	26
Statement of Qualifications	26
References Cited	27
APPENDIX I	28
Gulf Property Claim Status	28
APPENDIX II	28
Gulf Property Soil Sample Descriptions	28
APPENDIX III	28
Assay Certificates	28

Introduction

This report was written at the request of the management of Kestrel Gold Inc. It describes a soil geochemistry survey carried out at their Gulf Property, 60 km southeast of Dawson City in Yukon, Canada. The soil geochemistry survey was carried out with the objectives of: expanding previously discovered soil anomalies and exploring for new soil geochemical anomalies. The overall goal is to discover an economic gold deposit on the property. Costs associated with the work described here are being applied for assessment work credits on the claims.

Property Location, Access and Physiography

The Gulf Property comprises 161 quartz claims with a total area of about 32.5 km² (3248 ha, 8026 acres). The property is centred about 60 km southeast of Dawson City, Yukon where Dominion, Australia and Wounded Moose creeks converge to form the Indian River. The Gulf Project is within the Dawson Mining District, covered by NTS map sheet 115O/10, and is centred at approximately latitude 63° 37' north and longitude 138° 42' west (Figures 1, 2). The northwest half of the property, northwest of Dominion Creek and Indian River, covers much of the catchment area of Scribner Creek, a minor placer creek. To the southeast, the claims cover parts of the ridges flanking the lower courses of Australia and Wounded Moose creeks.

Road access from Dawson City to the property, a distance of about 81 km, is via Yukon Highway 2 and the government-maintained Hunker Creek and Sulphur Creek roads. From the junction of Sulphur Creek and Dominion roads, an unmaintained gravel road (the “Maisy-Mae road”) leads southwest along the north side of Dominion Creek, traversing the Gulf Project. At a point 5.4 km from the junction, a rough track leads a short distance northwestward along Scribner Creek, which gives road and then foot access to the main showing on the property. A few other overgrown roads and tracks cross the project area, including the ones along the ridge northeast of Scribner Creek, and along lower Wounded Moose Creek.

The property was unaffected by the most recent continental glaciations. It lies on the Klondike Plateau, which is characterized by low rolling hills dissected by deeply incised stream valleys. At the western end of the claims, the highest point is about 940 m above sea level (asl) on a ridge between Scribner Creek and Indian River. Elevations range down to a low of less than 520 m asl on Indian River. The majority of the property is forested. Higher elevations are covered by mixed spruce and brush, and the amount of tree cover increases at lower elevations and on south facing slopes. In Scribner Creek valley, the southwest facing slope is dominated by poplar trees.

The unglaciated Klondike Plateau region experienced strong surface weathering during the early and mid-Tertiary, with the effects of surface weathering extending to depths of as much as 80 metres or more (Kreft, 2009). Regolithic material in the vicinity of the claims averages 2-3 metres in thickness. Bedrock outcrops are very rare and mainly restricted to roadcuts. The main showing on the southwestern facing slope of Scribner Creek is in an area of less overburden, and regolith with less weathered subcrop was encountered after digging less than 1 m. Permafrost is present on some north facing slopes, and sporadically occurs in other areas.

Claim Status

The 161 quartz claims comprising the Gulf Project are owned 100% by Bernie Kreft and are subject of a 2010 option agreement with Kestrel Gold Inc. The specifics of this option agreement are beyond the scope of this report. A listing of claims and their status is attached in Appendix I.




Figure 1. Location Map of Kestrel Gold Inc. properties including Gulf. Note that the Gulf Property surrounds a single quartz claim which is not part of the property. Also shown are creeks with historic placer workings (in yellow) and mineral showings from Yukon MINFILE (grey boxes).




Figure 2. Claim map of Gulf Property (outlined), comprised of the Scrib claims (not including Gina 1).




Figure 3. Gulf Property showing property outline, topography, geographic features and soil sampling lines. Grid coordinates are UTM (NAD 83).

Exploration History

Dominion Creek and Indian River are important historic and active placer creeks in the Dawson district. Scribner Creek itself has seen a small amount of placer development, consisting of several small hand dug shafts from the turn of the 20th century, and some bulldozer cuts and road building dating from the 1980s (Kreft, 2010).

Although hard-rock exploration in the vicinity of Scribner Creek was likely underway shortly after the first placer operations of the Klondike gold rush began, the first reported work was in 1991 by Arbor Resources/Wealth Resources who collected samples (1 silt, 51 soils, 8 rock) and did some geological mapping along Scribner Creek. Two of the soil samples yielded values of 95 and 110 ppb Au (Tomlinson, 1992).

B. Kreft re-staked the claims and followed up the earlier soil geochemistry results in 2009 with a small scale soil sampling and prospecting program. Kreft confirmed the earlier anomalous soil results and discovered a new zone of anomalies 350 m to the northwest. Maximum values from soil and rock samples were 965 ppb Au and 4.30 g/t Au, respectively (Kreft, 2010).

Kreft continued exploration work in 2010, with the collection of 246 soil samples and 11 rock samples. The maximum soil geochemistry result was 296 ppb Au. Rock sampling, as composite chips from hand dug pits, yielded values of up to 51.2 g/t Au. This recent rock and soil sampling suggested a northwest trending zone (or two parallel zones) on the northeast side of Scribner Creek. The nature of the mineralization was not wholly understood, although the high grade rock samples were from quartz vein fragments collected from shallow test pits.

Geology

Regional Geology

Descriptions of regional and property geology are taken largely from Mortensen (1996) and his collaborators (e.g., Mackenzie et al., 2007). Debicki (1985) also produced regional geology maps of the area. Figure 3 is a regional geology map.

The Gulf Project is on the southwest side of the Tintina Fault, within the Yukon-Tanana Terrane (YTT). Yukon-Tanana Terrane is comprised of largely upper Paleozoic and older, polyphase deformed metasedimentary, metavolcanic and metaplutonic rocks. In the area south and southeast of Dawson City, the YTT is dominantly composed of two supracrustal (metasedimentary) assemblages and three metaplutonic suites. The younger supracrustal assemblage is named Klondike Schist and is of Late Permian age. Klondike Schist can be further subdivided into felsic and mafic schists and meta-clastic units.

The metaplutonic suites include the Jim Creek pluton and the Sulphur Creek orthogneiss, the latter of which forms much of the bedrock of the Gulf property according to Mortensen (1996). Sulphur Creek orthogneiss is a biotite-bearing orthogneiss of quartz monzonitic affinity, and may be partly coeval with certain lithologies of the Klondike Schist.

Klondike schist lithologies are interlayered on the 1-100 m scale and are pervasively foliated and recrystallized, with few primary features recognizable. The Klondike Schist forms the upper

thrust slices of a stacked pile of supracrustal rocks and local intercalated slices of ultramafic rocks of probable Slide Mountain Terrane origin (Mortensen, 1996).




Figure 4. Regional geology of the Klondike area, from Mackenzie et al., 2007. DM= Dominion Mountain, KSD= King Solomon Dome, SC= Scribner Creek.

Property Geology

Mapping by Mortensen (in Mackenzie et al., 2007) shows the Gulf Property to be underlain by Late Permian Sulphur Creek orthogneiss. Debicki (1985) mapped Klondike Schist on the southwest side of a contact with Sulphur Creek orthogneiss along Scribner Creek.

Examination of a few hand dug pits by the author in 2011 confirms feldspar-quartz foliated meta-intrusive rock as a lithology, although quartz-chlorite schist was also present in the main

showing area. Roadcut outcrops along the Maisy-Mae road were mainly felsic meta-intrusive rocks (orthogneiss) showing varying degrees of strain, with minor greenstone, schist and pegmatite / aplite dykes.

2011 Exploration Program

Exploration Objective

An economic gold deposit is the exploration target for Kestrel Gold Inc. on the Gulf Property. Lode gold mineralization in the Klondike area is generally considered to be of the orogenic type (Mackenzie et al., 2007), with gold occurring in quartz (+/- carbonate) veins, and locally in the altered wall rock adjacent to veins. From examination of mineralized veins and vein envelopes in the King Solomon Dome area north of Gulf Property, alteration typically involves increased chlorite, carbonate, epidote, sericite (muscovite), and pyrite; depending on the original rock constituents. However, the bedrock at Gulf Property is considered to be dominantly orthogneiss, rather than Klondike Schist as at King Solomon Dome.

Detailed geochemical surveys have proven to be effective in the area, as evidenced by recent discoveries to the south at White Gold and the Coffee Property. The region is generally blanketed by deeply weathered, oxidized soils in an unglaciated, periglacial environment (Fekete, 2011). Therefore the best representation of underlying bedrock will be from relatively deeper soils. Solifluction and similar freeze-thaw mechanisms may be important agents, in this permafrost area, in the transport of certain elements from bedrock sources (B. Kreft, pers. comm., 2011).

A soil geochemistry program was devised to follow up on known geochemical anomalies on the property, and expand these zones and search for new ones. Geophysical surveys were also completed in 2011, which will be reported on separately.

Procedures

This section on sampling procedures, and the following section on sample preparation, analysis and security, are taken largely from a memorandum written by Carl Schulze, P.Geo., principal of All Terrane Mineral Exploration Services of Whitehorse, YT (All-Terrane). All-Terrane conducted the soil sampling program under the direction of management of Kestrel Gold Inc. Mr. Schulze designed and oversaw the quality assurance-quality control (QA-QC) procedures outlined here, in consultation with Kestrel management.

Soil sampling lines were spaced at 200 metre intervals, with samples collected every 50 m. Lines in the Scribner Creek area were oriented approximately northeast, to cross the regional geological trends (Figure 3). In the southeastern part of the property, northeast of Australia Creek, lines were oriented north-south. Sampling lines covered the northwest half and southeast corner of the property, avoiding the broad flat valleys. No soil samples were collected in the area southwest of Australia Creek. A small area northwest of the previous soil sampling at the main showing was sampled with 100 m line spacing and 25 m sample spacing (Figure 3). This tighter spacing was designed to test for extensions of the anomalies to the northwest. The soil sampling grid layout is shown in Figure 3.

A total of 1334 soils were collected (Figure 5). Soil sampling was completed during the period June 1 to July 31, 2011 by employees of All Terrane, under the direction of Mr. Carl Schulze, P.Geo. Sampling crew members navigated by means of handheld GPS units and compass. Sampling lines were flagged every 25 m utilizing orange flagging tape; actual sample stations were marked with orange and blue flagging displaying the respective sample number. GPS coordinates were recorded every 200 m for sample line control, and every 100 m in areas having 25 m station spacing. Soil samples were collected by means of hand operated soil augers (“dutch augers”) from the “C” soil horizon where possible. Sample depths ranged from 5 to 151 cm, averaging 38 cm. Permafrost was noted at about 17% of sample sites, primarily along north and east-facing slopes. Three duplicate samples were taken during the course of the program.

Information recorded at each sample site included: location (UTM – NAD 83), traverse line number, soil horizon, depth, slope angle, colour, presence of permafrost, vegetation type, surficial geology where determined, percent organics, date, sampler and comments, where applicable. Samples with significant coarse rock chips were also noted, to facilitate later examination of the coarse reject fraction if desired.

Where “C” horizon material was unavailable, the “B” horizon was sampled. The minimum sample weight was 0.25 kg, before drying and preparation for analysis. Samples were placed in standard “kraft” paper envelopes. Unique sample number tags supplied by Eco Tech Laboratory Ltd. (a subsidiary of Stewart Group, now an ALS Group Company) placed in the sample bag, and the sample number written on both sides of the bag with felt pen. The sample number was also written with felt pen on blue flagging tape and attached at the sample site area. Samples were transported to All-Terrane’s camp at Scribner Creek, where they were then dried as much as possible before shipping.




Figure 5. Soil sample locations (crosses) on Gulf property grid. Grid coordinates are UTM values (NAD 83).

Sample Preparation, Analysis and Security

All individual soil samples in kraft bags were sealed with a locking plastic tie (“Zap Strap”); samples were then placed in labelled rice bags which were also sealed with a “Zap Strap”. The sample stream included systematic insertion of a pair of “standard” and “blank” samples at a frequency of roughly one pair per 100 field samples. Standard and blank samples are discussed below. The sealed rice bags were then transported by All-Terrane personnel and delivered directly to a Whitehorse-based preparatory lab owned by Eco Tech Laboratory Ltd., a member of the Stewart Group with ISO 17025: 2005 accreditation. The majority of samples were shipped from Whitehorse directly to the main Eco Tech facility in Kamloops, BC, although a few shipments underwent drying and screening in the Whitehorse prep lab prior to shipping.

At either Whitehorse or Kamloops preparatory facility, soil samples were screened to 180 μ size (minus-80 mesh). At Eco Tech’s Kamloops lab, the fine fraction then underwent gold analysis by 30-gram fire assay with inductively coupled plasma – atomic emission spectroscopy (ICP – AES) finish, providing a detection limit of 0.005 g/t Au. All samples also underwent multi-element analysis by (ICP-AES), after digestion of a sample aliquot in aqua regia. A suite of 35 elements were analyzed, consisting of: Ag, Al, As, Ba, Be, Bi, Ca, Cd, Co, Cr, Fe, Hg, K, La, Li, Mg, Mn, Mo, Na, Ni, P, Pb, S, Sb, Se, Sn, Sr, Ti, U, V, W, Y, Zn.

As the Stewart Group (parent company of Eco Tech Lab) was acquired by ALS Laboratories Inc. during the field season, some of the samples were analysed at ALS in North Vancouver BC. ALS laboratory techniques were similar, however, the suite of elements analysed by aqua regia digestion and ICP-AES were: Ag, Al, As, B, Ba, Be, Bi, Ca, Cd, Co, Cr, Cu, Fe, Ga, Hg, K, La, Mg, Mn, Mo, Na, Ni, P, Pb, S, Sb, Sc, Sr, Th, Ti, Tl, U, V, W, Zn.

All-Terrane Services provided a comprehensive quality assurance – quality control (QA-QC) regimen, consisting of the use of duplicate sampling, and insertion of pairs of standard and blank samples. Standards are utilized to determine the accuracy of analysis; blanks test for any contamination from neighbouring samples during analysis. Two sets of standard samples provided by CDN Resource Laboratories of Langley, British Columbia, Canada, were utilized: standard CDN-GS-P2 had an average gold content from 30 gram fire assay of 0.214 +/- 0.020 g/t; CDN-GS-P4A, had an average gold analysis of 0.438 +/- 0.032 g/t. Eight of the first and six of the second standard were inserted throughout the program.

Information from CDN Resource Laboratories website (www.cdnlabs.com) indicates that the CDN-GS-P2 standard was prepared utilizing ore from Barrick Gold Inc.’s “Carlin-style” Bald Mountain Mine in Nevada, U.S.A. The reject material was dried, crushed, pulverized and passed through a 270 mesh screen; the sample utilized the minus 270 fraction only. This was mixed for five days in a double-cone blender, with splits sent to 14 commercial laboratories for round-robin assaying. Standard deviations per individual lab varied from 0.0042 to 0.0114.

The CDN-GS-P4A standard was prepared utilizing ore from Barrick’s “Carlin-style” Cortez Hill Mine in Nevada. To prepare the standard, 42 kg of ore was combined with 730 kg of a blank, granitic rock. The reject material was prepared in the same manner as the CDN-GS-P2 blank, with splits sent to 15 commercial laboratories for round-robin assaying. Standard deviations per individual lab ranged from 0.0053 to 0.0208.

The eight CDN-GS-P2 samples analyzed by Eco Tech Labs (7 of the 8) and/or ALS Labs returned gold values of 205 to 240 ppb, average of 221.25 ppb. The low value of 205 ppb was the sample analysed by ALS Labs. Two of the seven samples analysed by Eco Tech Labs exceeded the range of 0.214 +/- 0.020 g/t provided by CDN Resource Laboratories. These were 235 ppb and the aforementioned 240 ppb Au.

The six CDN-GS-P4A analyzed by Eco Tech Labs (5 of the 6) and/or ALS Labs returned gold values of 393 to 435 ppb, average of 418.8 ppb. The low value of 393 ppb was the sample analysed by ALS Labs. Eco Tech Labs also had one sample yielding 400 ppb; and these two low values were the only two to lie outside the range of 0.438 +/- 0.032 ppm provided by CDN Labs.

The blank samples provided by All-Terrane consisted of dolomitic sand commonly utilized in gardens, purchased at Canadian Tire Corporation. No analytical data is available. All 13 blank samples (including 2 analysed at ALS Labs) returned sub-detection (<0.005 ppb) gold values, and un-elevated values of all other elements, except for calcium and magnesium, the main elements comprising dolomite, which both exceeded 10% per volume. These indicate that the analytical procedure is clean, with individual samples free of contamination from adjacent samples in a batch. Supported by repeatability of results from the standards, the analytical results from this program may be relied upon.

Duplicate samples test for the distribution of gold at a particular site, focusing on the presence of coarse, nugget-style gold. During this program, five sets of duplicate samples were taken; two of the sets were analysed at ALS Labs. Gold values within both the "original" and duplicate samples ranged from <5 ppb to 10 ppb, too low to indicate a significant difference. Values of other elements showed a limited range between the two samples in each set.

Eco-Tech Labs, as part of their in-house QA-QC regimen, reanalysed submitted samples at a rate of approximately 12%. In addition, the lab inserted their own standards at a rate of approximately 3%. These values are included in the assay certificates. For samples analysed by ALS, the lab reanalysed submitted samples at a rate of about 3%, inserted their own standards at a rate of about 7.5%, and added about 3% of blank samples. A visual inspection of their repeat analysis data showed good agreement between original values and the repeat analysis.

Assay certificates for all soil samples collected during the program are in Appendix III.

2011 Soil Sampling Results

Assay results are listed in Appendix II. Maps of the grid with symbolically plotted Au, Ag, As, Pb, Zn, and Cu values are shown in Figures 6-12. Soil geochemistry values of these elements are discussed below.

Gold

Gold values reached a high of 190 parts per billion (ppb), although over 58% of samples were below detection limit (<5 ppb). The average was 4.8 ppb, calculated after reported values of <5 ppb were assigned a value of 2.5 ppb. The median value was 2.5 ppb, i.e., detection limit. Standard deviation was 6.7 ppb. A threshold of 18 ppb (average plus two standard deviations) for anomalous values can be thus estimated. The 95th percentile value is 10 ppb.

The northwest trending gold in soil was not obviously expanded to the northwest by the current soil sampling. However, there are two single anomalous sites west of the forks of Scribner Creek, one or both of which might indicate a continuation of the previously defined gold in soil anomaly.

There are two areas with scattered spot gold anomalies on the property: one area is in the extreme northern part, where streams drain toward Sulphur Creek; the other is in the southeast part of the property, where two single anomalous samples were collected from a small stream catchment that drains into Australia Creek.

Figure 6 illustrates gold in soil sample results from the current survey, and Figure 7 shows this data along with previous sampling (historic data).




Figure 6. Gold in soil results from current geochemical survey outlining. Grid coordinates are UTM, NAD 83.




Figure 7. Compilation of current gold in soil results with previous sampling which was concentrated around the main showing. Grid coordinates are UTM, NAD 83.

Silver

Silver in soil values were generally very low across the grid, with over 91% of analyses reporting less than detection limit. Maximum value was only 0.6 parts per million (ppm). The average and median values were both 0.1 ppm, which was the value assigned to all results below the analytical detection limit 0.2 ppm. Standard deviation was 0.4 ppm. A threshold of 1.0 ppm (average plus two standard deviations) for anomalous values can be thus estimated. The 95th percentile value is 0.2 ppm; and only 13 samples exceeded this.

There were a several widely scattered single spot high values for silver, with no recognizable pattern of distribution (Figure 8).

Arsenic

The maximum value was 33 ppm, and the average was 7.1 ppm, calculated after reported values (from Eco-Tech Labs) of <5 ppm were assigned a value of 2 ppm, and reported values (from ALS Labs) of <2 ppm were assigned a value of 1 ppm. The median value was 5 ppm, and the standard deviation was 3.15 ppm. A threshold of 13 ppm (average plus two standard deviations) for anomalous values can be thus estimated. The 95th percentile value is 10 ppm.

There was one area where anomalous arsenic values were clustered: at the forks of Scribner Creek, and these occurrences may be related to, or indicative of, an extension of the northwest trending gold anomalies found near the main showing. However, it has not been demonstrated that gold and arsenic values are related on this property.

Other anomalous arsenic values were scattered through the ridge between Scribner and Sulphur Creeks, and on the hill north of Australia Creek (Figure 9).

Lead

The maximum value was 345 ppm. The average was 12.5 ppm, calculated after reported samples below detection limits of <2 ppm (Eco-Tech Labs) and <3 ppb (ALS Labs) were assigned a values of 1, and 1.5 ppm, respectively. The median value was 12 ppm and standard deviation was 11.9 ppm. A threshold of 36 ppm (average plus two standard deviations) for anomalous values can be thus estimated. The 95th percentile value is 21 ppm.

High lead in soil values were found concentrated on the northeast slope above the headwaters of Scribner Creek, at the northwest corner of the claim (Figure 10). There were a few scattered spot anomalies between Scribner and Sulphur Creek, and north of Australia Creek, but overall lead values seemed higher on the southwest side of Scribner Creek. This might indicate an underlying lithological influence, because mapping by Debicki (1985) showed Klondike Schist southwest of Scribner Creek, and Sulphur Creek orthogneiss to the northeast. The main area of lead anomalies at the head of Scribner Creek corresponds to an area of high copper (see below).




Figure 8. 2011 soil sample results for Ag. Grid coordinates are UTM, NAD 83.




Figure 9. 2011 soil sample results for As. Grid coordinates are UTM, NAD 83.




Figure 10. 2011 soil sample results for Pb. Grid coordinates are UTM, NAD 83.

Zinc

The maximum value was 264 ppm. The average value was 39 ppm, the median 36 ppm, and the standard deviation was 18 ppm. A threshold of 79 ppm (average plus two standard deviations) for anomalous values can be thus estimated. The 95th percentile value is 64 ppm.

More so than lead, zinc in soil values illustrated an apparent lithological-based increase in zinc on the southwest side of Scribner Creek. Generally higher zinc values occur on the ridge between Indian River and Scribner Creek, and continue up into the headwaters of Scribner (where there are also Cu and Pb highs), suggesting the entire area might have increased base metal content due to a lithological change.

A second area notable for a concentration of zinc in soil anomalies is the catchment of a small creek lying north of Australia Creek and draining into Dominion Creek.

Copper

The maximum value was 43 ppm. The average value was 14 ppm, the median 12 ppm, and the standard deviation was 8.4 ppm. A threshold of 31 ppm (average plus two standard deviations) for anomalous values can be thus estimated. The 95th percentile value is 28 ppm.

Of the three base metals considered here, copper shows the strongest localization of anomalous values on the slope northeast of the headwaters of Scribner Creek (Figure 12). The anomalous area is wedge-shaped, about 100 to 500 m wide and 600 m long. This area corresponds with Pb and Zn anomalies, and a spot Ag high.

A second area of high copper value concentrations is at the headwaters of a small creek north of Australia Creek, corresponding to zinc anomalies.




Figure 11. 2011 soil sample results for Zn. Grid coordinates are UTM, NAD 83.




Figure 12. 2011 soil sample results for Cu. Grid coordinates are UTM, NAD 83.

Summary, Interpretations and Conclusions

1631 soil samples were collected on Gulf Property during the period June 1 to July 31, 2011. Samples were collected on a flagged grid consisting of about 81 line km of largely 200 m-spaced lines (Figures 3, 5). Some more detailed sampling was done northwest of the previous soil sampling grid (Kreft, 2020). Samples were from the “C” soil horizon in most cases. Soil samples were analysed for gold and 35 other elements. The suite of 35 elements differed slightly between Eco Tech Labs and ALS Labs, the two testing organizations.

From analysis of the geochemical data, the following interpretations and conclusions are reached:

- The existing anomalous areas in previous rock and soil samples (Kreft, 2010) were not definitely expanded in the current geochemical survey, although a few gold spot highs west of the forks of Scribner Creek might represent a continuation of the anomalous trend to the northwest.
- No significant anomalous silver was found.
- There was a clustering of anomalous arsenic at the forks of Scribner Creek which might be associated with the northwest trending gold in soil anomaly in the main showing area. However, an arsenic-gold association has not been established by previous rock or soil sampling.
- Base metal (lead, copper, zinc) anomalies seem to concentrate southwest of Scribner Creek, which suggests an underlying lithological cause, particularly if Debicki’s (1985) mapping of Klondike Schist here is correct.
- Notwithstanding the broad zone of elevated base metals southwest of Scribner Creek, there is a marked copper anomalous area on the slope northeast above the headwaters of Scribner Creek. This wedge-shaped area, about 600 m long, is associated with elevated lead, zinc, and a spot silver anomaly.
- Copper and zinc anomalies are also concentrated in the catchment of a small unnamed stream which lies north of Australia Creek and drains into Dominion Creek.
- Three areas which should have some follow-up are: the forks area of Scribner Creek where elevated arsenic was found, and continuing north and westward to the two spot gold highs; the slope northeast of the headwaters of Scribner Creek; and the headwaters of the small Creek north of Australia Creek. Work in these areas might include prospecting with additional soil samples or regolith samples collected by auger. At a minimum, the coarse fractions of the soils collected during this program should be examined for rock chips which should reflect underlying bedrock. Spot gold anomalies on the ridge between Scribner and Sulphur Creeks at the north margin of the property should also be examined.

Figure 13 is a compilation map of geochemical anomalous areas and targets for follow-up work.




Figure 13. Summary map of the main soil geochemistry anomalous areas and suggestions for follow-up work. The gold anomalous areas shown in shades of yellow and orange incorporate historic and new data. Areas for follow-up include: A= the north-northwest trending gold anomaly that includes the main showing area; B= an area of arsenic anomalies that are perhaps associated with the gold anomaly; C= two spot gold anomalies on the ridge above Sulphur Creek; D= area of copper, and lesser lead and zinc anomalies, and including a spot silver high; E= copper anomaly area. The priority areas are A and B. Grid coordinates are UTM, NAD 83.

Statement of Expenditures

Item and Service Providers	Cost
Soil geochemical survey: All Terrane Mineral Exploration Services, Eco Tech Labs Ltd., ALS Labs Ltd.	\$95,368.40
Drafting, digitizing, GIS: Luminai Drafting Ltd.	\$750.00
Report Writing: Len Gal, P.Geo.	\$3,840.00
TOTAL	\$99,958.40

Statement of Qualifications

I, Len Gal, of Courtenay, British Columbia hereby certify that:

- I am a Professional Geoscientist registered in good standing of the Association of Professional Engineers and Geoscientists of British Columbia (Registration No. 110007)
- I am a graduate of the University of British Columbia, with a B.Sc. in Geology (1986).
- I am a graduate of the University of Calgary, with a M.Sc. in Geology (1990).
- I have been engaged in geological work more or less continuously since 1986, in North and South America and Australasia, both in private industry and in the public service.
- The information in this report is based upon review of analytical results, unpublished and published reports and maps, and materials supplied by the operator.
- I visited the Gulf Property on three occasions between May and September, 2011.

Signed this _____ day of February, 2012.

Len Gal P.Geo.

References Cited

- Debicki, R.L., 1985. Bedrock geology and mineralization of the Klondike area (west), 115O/9, 10, 11, 14, 15, 16, and 116B/2, scale 1:50,000. Indian and Northern Affairs Canada, Exploration and Geological Services Division, Open File map with marginal notes.
- Fekete, M., 2011. Surface Work Performed from August 25 to December 10, 2010, on the Portland Property. Yukon Assessment Report.
- Kreft, B., 2009. Summary Report on the Ion and Dom Claims. Yukon Assessment Report.
- Kreft, B., 2010. Geochemical Report on the Scrib 1-42 Quartz Claims. Unpublished Yukon Assessment Report.
- MacKenzie, D.J., Craw, D., Mortensen, J.K., and Liverton, T., 2007. Structure of schist in the vicinity of the Klondike goldfield, Yukon. In: Yukon Exploration and Geology 2006, D.S. Emond, L.L. Lewis and L.H. Weston (eds.), Yukon Geological Survey, p. 197-212.
- Mortensen, J.K., 1996. Geological compilation maps of the northern Stewart River map area, Klondike and Sixtymile districts (115N/15, 16; 115O/13, 14 and parts of 115O/15, 16). Scale 1:50,000. Indian and Northern Affairs Canada Open File 1996-1(G).
- Tomlinson, S., 1992. Geological, Geophysical, Geochemical and Trenching Report on the Dawson Property. Yukon Assessment Report #93026.

APPENDIX I

Gulf Property Claim Status

Grant Numbers	Claim Names	Owner, share	Number of Claims	Recording Date	Anniversary Date	Expiry Date*	NTS Map Sheet
YD06961 - YD06966	SCRIB 1-6	Bernard Kreft 100%	6	03/09/2009	Mar-26	26/03/2017*	115O/10
YD09341 - YD03976	SCRIB 7-42	Bernard Kreft 100%	36	26/03/2010	Mar-26	26/03/2017*	115O/10
YD31625 - YD31646	SCRIB 43-64	Bernard Kreft 100%	22	31/08/2010	Aug-31	31/08/2016*	115O/10
YD134585 -							
YD134682	SCRIB 65-162	Bernard Kreft 100%	97	11/01/2011	Jan-11	11/01/2017*	115O/10

*on acceptance of current work program for assessment purposes.

APPENDIX II

Gulf Property Soil Sample Descriptions

As separate attachment

APPENDIX III

Assay Certificates

As separate attachment


APPENDIX II

[illegible]

[illegible]

[illegible]

[illegible]



APPENDIX III

Eco Tech Laboratory Ltd.
10041 Dallas Drive
Kamloops, BC
V2C 6T4 Canada
Tel + 250 573 5700
Fax + 250 573 4557
Toll Free + 1 877 573 5755
www.stewartgroupglobal.com



StewartGroup
Geochemical & Assay

CERTIFICATE OF ANALYSIS AK 2011-8070

Kestrel Gold Corp.
#8-46225 Ranchero Drive
Chilliwack, BC
V4Z 0A5
Attn: Kevin Nephin

13-Jul-11

No. of samples received: 180
Sample Type: Soil
Project: Dawson Area
Submitted by: All Terrane Mineral Expl

ET #.	Tag #	Au (ppb)
1	S8R287001	10
2	S8R287002	5
3	S8R287003	5
4	S8R287004	10
5	S8R287005	10
6	S8R287006	5
7	S8R287007	5
8	S8R287008	10
9	S8R287009	10
10	S8R287010	5
11	S8R287011	5
12	S8R287012	5
13	S8R287013	<5
14	S8R287014	5
15	S8R287015	5
16	S8R287016	<5
17	S8R287017	10
18	S8R287018	5
19	S8R287019	<5
20	S8R287020	5
21	S8R287021	<5
22	S8R287022	5
23	S8R287023	<5
24	S8R287024	<5
25	S8R287025	15
26	S8R287026	<5
27	S8R287027	5
28	S8R287028	<5
29	S8R287029	<5
30	S8R287030	<5

Eco Tech Laboratory Ltd.
 10041 Dallas Drive
 Kamloops, BC
 V2C 6T4 Canada
 Tel + 250 573 5700
 Fax + 250 573 4557
 Toll Free + 1 877 573 5755
 www.stewartgroupglobal.com



StewartGroup
 Geochemical & Assay

Kestrel Gold Corp. AW11-8070

13-Jul-11

ET #.	Tag #	Au (ppb)
31	S8R287031	5
32	S8R287032	5
33	S8R287033	5
34	S8R287034	5
35	S8R287035	<5
36	S8R287036	5
37	S8R287037	5
38	S8R287038	<5
39	S8R287039	<5
40	S8R287040	<5
41	S8R287041	<5
42	S8R287042	<5
43	S8R287043	<5
44	S8R287044	<5
45	S8R287045	<5
46	S8R287046	<5
47	S8R287047	5
48	S8R287048	<5
49	S8R287049	5
50	S8R287050	<5
51	S8R286401	5
52	S8R286402	5
53	S8R286403	5
54	S8R286404	<5
55	S8R286405	5
56	S8R286406	10
57	S8R286407	5
58	S8R286408	<5
59	S8R286409	5
60	S8R286410	5
61	S8R286411	<5
62	S8R286412	<5
63	S8R286413	<5
64	S8R286414	5
65	S8R286415	<5
66	S8R286416	5
67	S8R286417	<5
68	S8R286418	5
69	S8R286419	5
70	S8R286420	10
71	S8R286421	5
72	S8R286422	5
73	S8R286423	<5
74	S8R286424	190

Eco Tech Laboratory Ltd.
 10041 Dallas Drive
 Kamloops, BC
 V2C 6T4 Canada
 Tel + 250 573 5700
 Fax + 250 573 4557
 Toll Free + 1 877 573 5755
 www.stewartgroupglobal.com



StewartGroup
 Geochemical & Assay

Kestrel Gold Corp. AW11-8070

13-Jul-11

ET #.	Tag #	Au (ppb)
75	S8R286425	5
76	S8R286426	5
77	S8R286427	<5
78	S8R286428	<5
79	S8R286429	<5
80	S8R286430	<5
81	S8R286431	<5
82	S8R286432	<5
83	S8R286433	5
84	S8R286434	5
85	S8R286435	5
86	S8R286436	5
87	S8R286437	5
88	S8R286438	5
89	S8R286439	5
90	S8R286440	<5
91	S8R286441	<5
92	S8R286442	10
93	S8R286443	5
94	S8R286444	45
95	S8R286445	5
96	S8R286446	5
97	S8R286447	10
98	S8R286448	5
99	S8R286449	<5
100	S8R286450	5
101	S8R286451	5
102	S8R286452	<5
103	S8R286453	5
104	S8R286454	<5
105	S8R286455	<5
106	S8R286456	5
107	S8R286457	15
108	S8R286458	<5
109	S8R286459	<5
110	S8R286460	<5
111	S8R286461	10
112	S8R286462	5
113	S8R286463	<5
114	S8R286464	<5
115	S8R286465	5
116	S8R286466	<5
117	S8R286467	<5
118	S8R286468	20

Eco Tech Laboratory Ltd.
 10041 Dallas Drive
 Kamloops, BC
 V2C 6T4 Canada
 Tel + 250 573 5700
 Fax + 250 573 4557
 Toll Free + 1 877 573 5755
 www.stewartgroupglobal.com



StewartGroup
 Geochemical & Assay

Kestrel Gold Corp. AW11-8070

13-Jul-11

ET #.	Tag #	Au (ppb)
119	S8R286469	10
120	S8R286470	<5
121	S8R286471	20
122	S8R286472	<5
123	S8R286473	10
124	S8R286474	10
125	S8R286475	10
126	S8R286476	5
127	S8R286477	20
128	S8R286478	20
129	S8R286479	25
130	S8R286480	15
131	S8R286481	20
132	S8R286482	30
133	S8R286483	<5
134	S8R286484	<5
135	S8R286485	<5
136	S8R286486	<5
137	S8R286487	<5
138	S8R286488	<5
139	S8R286489	<5
140	S8R286490	<5
141	S8R287051	<5
142	S8R287052	5
143	S8R287053	<5
144	S8R287054	<5
145	S8R287055	<5
146	S8R287056	<5
147	S8R287057	<5
148	S8R287058	<5
149	S8R287059	<5
150	S8R287060	<5
151	S8R287061	<5
152	S8R287062	<5
153	S8R287063	<5
154	S8R287064	<5
155	S8R287065	<5
156	S8R287066	<5
157	S8R287067	<5
158	S8R287068	5
159	S8R287069	5
160	S8R287070	5
161	S8R287071	<5
162	S8R287072	<5

Eco Tech Laboratory Ltd.
 10041 Dallas Drive
 Kamloops, BC
 V2C 6T4 Canada
 Tel + 250 573 5700
 Fax + 250 573 4557
 Toll Free + 1 877 573 5755
 www.stewartgroupglobal.com



StewartGroup
 Geochemical & Assay

Kestrel Gold Corp. AW11-8070

13-Jul-11

ET #.	Tag #	Au (ppb)
163	S8R287073	15
164	S8R287074	<5
165	S8R287075	<5
166	S8R287076	<5
167	S8R287077	<5
168	S8R287078	<5
169	S8R287079	<5
170	S8R287080	10
171	S8R287081	5
172	S8R287082	10
173	S8R287083	<5
174	S8R287084	<5
175	S8R287085	<5
176	S8R287086	<5
177	S8R287087	<5
178	S8R287088	5
179	S8R287089	<5
180	S8R287090	<5

QC DATA:

Repeat:

1	S8R287001	10
15	S8R287015	10
23	S8R287023	<5
33	S8R287033	5
41	S8R287041	<5
51	S8R286401	5
60	S8R286410	<5
63	S8R286413	<5
73	S8R286423	5
84	S8R286434	5
93	S8R286443	5
100	S8R286450	<5
107	S8R286457	15
119	S8R286469	15
125	S8R286475	20
137	S8R286487	<5
142	S8R287052	5
155	S8R287065	<5
161	S8R287071	<5
175	S8R287085	<5
178	S8R287088	<5

Eco Tech Laboratory Ltd.
10041 Dallas Drive
Kamloops, BC
V2C 6T4 Canada
Tel + 250 573 5700
Fax + 250 573 4557
Toll Free + 1 877 573 5755
www.stewartgroupglobal.com



StewartGroup
Geochemical & Assay

Kestrel Gold Corp. AW11-8070

13-Jul-11

ET #.	Tag #	Au (ppb)
Standard:		
OXE86		595
OXG83		995
OXE86		615
OXG83		1000
OXE86		605
OXG83		990

FA Geochem/AA Finish

NM/cr/el
XLS/11


ECO TECH LABORATORY LTD.
Norman Monteith
B.C. Certified Assayer

1-Jul-11

Stewart Group
ECO TECH LABORATORY LTD.
 10041 Dallas Drive
KAMLOOPS, B.C.
 V2C 6T4
www.stewartgroupglobal.com

ICP CERTIFICATE OF ANALYSIS AW 2011-8070

Kestrel Gold Corp.
 #8-46225 Ranchero Drive
Chilliwack, BC
 V4Z 0A5
 Attn: Kevin Nephin

Phone: 250-573-5700
 Fax : 250-573-4557

No. of samples received: 180
 Sample Type: Soil
Project: Dawson Area
 Submitted by: All Terrane Mineral Expl

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
1	S8R287001	<0.2	1.05	10	328	<1	<5	0.21	<1	7	20	20	2.09	<5	0.03	10	8	0.34	240	2	0.02	16	410	15	<0.01	<5	3	<10	<5	18	0.03	<5	34	<5	5	46
2	S8R287002	<0.2	1.01	10	352	<1	<5	0.26	<1	9	18	22	2.03	<5	0.03	12	8	0.34	380	2	0.02	17	550	12	<0.01	<5	3	<10	<5	22	0.04	<5	34	<5	8	48
3	S8R287003	<0.2	1.05	10	368	<1	<5	0.30	<1	7	20	24	2.08	<5	0.04	12	10	0.37	250	1	0.02	20	550	12	<0.01	<5	3	<10	<5	24	0.04	<5	34	<5	8	48
4	S8R287004	0.2	1.01	10	302	<1	<5	0.26	<1	7	18	22	1.97	<5	0.04	12	10	0.37	205	2	0.02	17	530	12	<0.01	<5	3	<10	<5	22	0.04	<5	30	<5	7	50
5	S8R287005	<0.2	1.11	10	332	<1	<5	0.32	<1	9	18	18	2.12	<5	0.04	10	10	0.38	365	2	0.02	16	490	12	0.01	<5	2	<10	<5	26	0.03	<5	34	<5	5	52
6	S8R287006	<0.2	1.10	10	388	<1	<5	0.33	<1	8	18	24	2.11	<5	0.05	12	10	0.34	345	2	0.02	17	520	15	0.01	<5	2	<10	<5	28	0.03	<5	36	<5	7	54
7	S8R287007	<0.2	0.97	5	258	<1	<5	0.31	<1	7	16	18	1.77	<5	0.04	10	8	0.34	250	1	0.02	14	560	12	0.01	<5	2	<10	<5	26	0.03	<5	30	<5	5	48
8	S8R287008	<0.2	0.92	5	208	<1	<5	0.24	<1	6	16	12	1.62	<5	0.03	10	8	0.31	180	1	0.02	11	500	9	<0.01	<5	2	<10	<5	18	0.04	<5	28	<5	5	40
9	S8R287009	<0.2	0.92	5	306	<1	<5	0.35	<1	6	16	16	1.59	<5	0.04	10	8	0.30	275	1	0.02	13	510	9	0.02	<5	1	<10	<5	30	0.03	<5	26	<5	6	44
10	S8R287010	<0.2	0.81	5	252	<1	<5	0.32	<1	6	14	12	1.52	<5	0.04	10	6	0.28	255	1	0.02	10	420	12	0.02	<5	1	<10	<5	28	0.03	<5	26	<5	5	42
11	S8R287011	<0.2	0.89	5	304	<1	<5	0.35	<1	8	16	18	1.63	<5	0.04	12	8	0.31	530	2	0.02	14	520	12	0.02	<5	1	<10	<5	28	0.03	<5	28	<5	7	46
12	S8R287012	0.2	0.96	5	512	<1	<5	0.62	<1	7	18	16	1.98	<5	0.06	26	8	0.42	700	1	0.02	13	480	15	0.08	<5	2	<10	<5	42	0.03	<5	26	<5	17	52
13	S8R287013	0.2	1.09	<5	546	<1	<5	0.17	<1	6	14	14	1.94	<5	0.21	18	6	0.33	455	3	0.02	10	180	15	<0.01	<5	2	<10	<5	14	0.02	<5	24	<5	7	44
14	S8R287014	0.2	1.30	5	368	<1	5	0.18	<1	8	28	8	2.43	<5	0.46	46	8	0.64	260	2	0.02	13	170	9	<0.01	<5	4	<10	<5	16	0.04	<5	28	5	16	48
15	S8R287015	<0.2	0.99	5	274	<1	<5	0.18	<1	7	16	12	2.07	<5	0.24	22	6	0.31	700	2	0.02	12	310	9	<0.01	<5	2	<10	<5	18	0.03	<5	26	<5	10	36
16	S8R287016	<0.2	0.74	5	134	<1	5	0.08	<1	3	8	6	2.26	<5	0.26	26	4	0.20	320	1	0.02	6	230	9	<0.01	<5	1	<10	<5	8	0.02	<5	14	<5	14	34
17	S8R287017	<0.2	0.93	5	278	<1	<5	0.13	<1	5	12	8	1.91	<5	0.10	18	4	0.18	605	2	0.02	10	250	9	<0.01	<5	1	<10	<5	12	0.02	<5	24	<5	9	28
18	S8R287018	<0.2	1.05	10	240	<1	<5	0.08	<1	5	16	14	1.90	<5	0.07	30	8	0.24	150	1	0.02	12	120	12	<0.01	<5	2	<10	<5	10	0.03	<5	28	<5	11	34
19	S8R287019	0.2	1.39	10	328	<1	<5	0.09	<1	10	20	10	2.38	<5	0.08	8	8	0.30	835	2	0.02	15	270	15	<0.01	<5	2	<10	<5	10	0.03	<5	42	<5	2	38
20	S8R287020	0.2	1.14	10	240	<1	<5	0.11	<1	7	20	12	2.21	<5	0.12	12	6	0.35	255	1	0.02	16	140	12	<0.01	<5	3	<10	<5	14	0.05	<5	34	5	4	42
21	S8R287021	<0.2	0.92	5	250	<1	<5	0.16	<1	4	14	8	2.07	<5	0.18	44	6	0.26	385	2	0.02	9	400	12	<0.01	<5	3	<10	<5	14	0.03	<5	20	<5	19	34
22	S8R287022	<0.2	0.94	5	272	<1	<5	0.22	<1	5	20	12	2.15	<5	0.19	38	6	0.30	290	2	0.02	14	250	12	<0.01	<5	3	<10	<5	18	0.03	<5	24	5	23	32
23	S8R287023	<0.2	1.00	10	214	<1	<5	0.19	<1	8	18	22	2.06	<5	0.04	12	8	0.36	230	1	0.02	20	580	9	<0.01	<5	3	<10	<5	18	0.04	<5	36	<5	6	38
24	S8R287024	0.2	1.08	10	344	<1	<5	0.26	<1	9	20	22	2.24	<5	0.04	10	10	0.39	315	2	0.02	21	380	12	<0.01	<5	3	<10	<5	22	0.04	<5	38	<5	7	50
25	S8R287025	<0.2	0.68	15	218	<1	<5	0.18	<1	5	14	16	1.61	<5	0.06	20	6	0.25	260	1	0.02	14	350	9	<0.01	<5	2	<10	<5	16	0.02	<5	26	<5	15	44
26	S8R287026	<0.2	0.57	<5	140	<1	<5	0.12	<1	4	10	12	1.71	<5	0.12	20	<2	0.14	285	1	0.02	6	240	9	<0.01	<5	4	<10	<5	8	0.02	<5	12	<5	9	30
27	S8R287027	<0.2	0.58	5	136	<1	<5	0.08	<1	4	8	8	1.90	<5	0.09	8	2	0.12	250	2	0.02	7	140	9	<0.01	<5	3	<10	<5	6	0.01	<5	14	<5	8	26
28	S8R287028	<0.2	0.87	10	332	<1	<5	0.42	<1	7	16	18	1.82	<5	0.06	10	8	0.35	270	1	0.02	18	370	9	<0.01	<5	2	<10	<5	24	0.02	<5	30	<5	6	42
29	S8R287029	<0.2	0.62	5	190	<1	<5	0.21	<1	4	10	8	1.27	<5	0.05	16	6	0.26	150	1	0.02	8	450	9	0.02	<5	1	<10	<5	18	0.02	<5	20	<5	8	30
30	S8R287030	<0.2	1.09	5	332	<1	<5	0.17	<1	6	16	16	1.75	<5	0.03	16	10	0.33	165	1	0.02	13	540	12	0.02	<5	1	<10	<5	18	0.02	<5	30	<5	8	44

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
31	S8R287031	0.2	0.97	5	248	<1	<5	0.17	<1	6	16	16	1.74	<5	0.03	14	10	0.32	155	1	0.02	12	560	12	<0.01	<5	2	<10	<5	16	0.03	<5	28	<5	7	46
32	S8R287032	<0.2	1.00	<5	210	<1	<5	0.15	<1	5	14	12	1.42	<5	0.04	14	8	0.31	125	1	0.02	10	440	12	0.01	<5	1	<10	<5	14	0.03	<5	26	<5	5	40
33	S8R287033	<0.2	0.98	5	252	<1	<5	0.20	<1	6	16	14	1.68	<5	0.03	14	10	0.32	165	1	0.02	12	600	12	0.01	<5	2	<10	<5	18	0.03	<5	30	<5	6	46
34	S8R287034	<0.2	1.17	5	284	<1	<5	0.08	<1	8	20	18	2.03	<5	0.09	44	8	0.49	235	2	0.02	17	90	18	<0.01	<5	3	<10	<5	10	0.06	<5	28	<5	18	48
35	S8R287035	<0.2	1.29	10	308	<1	<5	0.13	<1	8	22	24	2.22	<5	0.06	38	10	0.44	260	2	0.02	17	150	15	<0.01	<5	4	<10	<5	14	0.06	<5	34	5	20	52
36	S8R287036	<0.2	0.97	10	474	<1	<5	0.32	<1	13	22	20	2.07	<5	0.06	24	8	0.49	475	1	0.02	18	570	15	<0.01	<5	3	<10	<5	16	0.04	<5	36	<5	13	50
37	S8R287037	<0.2	1.17	10	288	<1	<5	0.20	<1	11	30	24	2.26	<5	0.05	34	8	0.45	325	1	0.02	20	240	12	<0.01	<5	3	<10	<5	14	0.05	<5	48	<5	13	40
38	S8R287038	<0.2	1.50	5	422	<1	<5	0.21	<1	14	44	16	2.27	<5	0.23	28	8	0.93	330	2	0.02	31	240	18	<0.01	<5	3	<10	<5	12	0.08	<5	38	<5	6	52
39	S8R287039	<0.2	0.84	5	406	<1	<5	0.12	<1	6	16	6	1.85	<5	0.10	6	8	0.32	285	1	0.02	9	210	15	<0.01	<5	1	<10	<5	8	0.04	<5	42	<5	3	38
40	S8R287040	<0.2	1.61	<5	348	<1	<5	0.16	<1	10	24	2	2.22	<5	0.47	8	6	1.18	865	2	0.02	12	200	9	<0.01	<5	2	<10	<5	10	0.08	<5	34	<5	5	46
41	S8R287041	<0.2	1.62	<5	198	<1	<5	0.11	<1	11	38	4	1.76	<5	0.10	60	8	1.33	185	1	0.02	19	90	6	<0.01	<5	1	<10	<5	8	0.05	<5	28	<5	8	18
42	S8R287042	<0.2	0.58	5	138	<1	<5	0.03	<1	3	8	6	1.79	<5	0.05	34	2	0.12	60	3	0.02	4	260	12	0.03	<5	<1	<10	<5	4	0.02	<5	22	<5	8	14
43	S8R287043	<0.2	1.42	<5	214	<1	<5	0.12	<1	9	24	8	1.94	<5	0.21	22	6	0.98	300	2	0.02	9	240	12	<0.01	<5	2	<10	<5	8	0.07	<5	28	<5	10	56
44	S8R287044	<0.2	1.57	5	230	<1	<5	0.09	<1	9	54	12	2.27	<5	0.10	14	8	0.90	330	2	0.02	10	200	12	<0.01	<5	2	<10	<5	8	0.08	<5	50	<5	6	50
45	S8R287045	<0.2	1.22	<5	170	<1	<5	0.10	<1	6	12	6	1.55	<5	0.19	8	4	0.97	220	2	0.02	6	190	12	<0.01	<5	1	<10	<5	6	0.07	<5	28	<5	5	46
46	S8R287046	0.2	0.93	<5	428	<1	<5	0.16	<1	7	18	16	1.46	<5	0.11	26	4	0.45	200	2	0.02	10	280	12	0.02	<5	1	<10	<5	12	0.04	<5	34	<5	10	34
47	S8R287047	<0.2	1.26	10	298	<1	<5	0.13	<1	7	20	10	1.97	<5	0.07	20	10	0.53	185	2	0.02	10	270	15	<0.01	<5	1	<10	<5	10	0.05	<5	40	<5	6	48
48	S8R287048	<0.2	0.97	<5	234	<1	<5	0.14	<1	7	18	10	1.56	<5	0.09	24	8	0.50	160	1	0.02	9	280	12	<0.01	<5	2	<10	<5	10	0.06	<5	34	<5	7	38
49	S8R287049	<0.2	1.24	10	300	<1	<5	0.20	<1	7	22	14	1.93	<5	0.05	20	10	0.46	155	2	0.02	12	470	12	<0.01	<5	2	<10	<5	14	0.05	<5	40	<5	7	46
50	S8R287050	<0.2	1.27	10	366	<1	<5	0.22	<1	8	20	18	2.02	<5	0.05	20	8	0.39	165	2	0.02	12	590	12	0.01	<5	2	<10	<5	18	0.04	<5	44	<5	9	44
51	S8R286401	<0.2	1.06	10	286	<1	5	0.53	<1	11	22	20	2.12	<5	0.04	10	12	0.49	325	2	0.03	20	770	12	<0.01	<5	2	<10	<5	26	0.04	<5	46	<5	6	54
52	S8R286402	<0.2	1.12	10	484	<1	<5	0.44	<1	18	22	16	2.09	<5	0.04	16	10	0.40	1435	2	0.02	15	610	9	0.03	<5	2	<10	<5	28	0.03	<5	46	<5	8	44
53	S8R286403	<0.2	1.16	10	344	<1	5	0.36	<1	15	22	18	2.12	<5	0.04	12	12	0.48	670	2	0.03	17	680	12	0.02	<5	2	<10	<5	26	0.03	<5	46	<5	6	58
54	S8R286404	<0.2	1.02	10	328	<1	<5	0.37	<1	8	18	12	1.65	<5	0.04	12	10	0.40	270	1	0.02	13	600	9	0.02	<5	1	<10	<5	24	0.03	<5	38	<5	6	46
55	S8R286405	<0.2	0.95	5	262	<1	<5	0.24	<1	8	18	12	1.64	<5	0.04	18	10	0.37	250	1	0.02	11	450	12	0.01	<5	1	<10	<5	16	0.03	<5	36	<5	7	40
56	S8R286406	<0.2	0.95	5	270	<1	<5	0.32	<1	10	18	10	1.54	<5	0.04	20	8	0.36	380	2	0.02	11	460	9	0.03	<5	1	<10	<5	22	0.02	<5	36	<5	7	40
57	S8R286407	<0.2	1.17	10	400	<1	<5	0.37	<1	10	20	16	1.94	<5	0.05	28	10	0.42	255	2	0.02	14	620	12	0.01	<5	2	<10	<5	22	0.03	<5	42	<5	11	48
58	S8R286408	0.2	0.99	10	328	<1	<5	0.31	<1	9	20	16	1.83	<5	0.04	16	10	0.40	255	1	0.02	15	670	9	0.01	<5	2	<10	<5	20	0.03	<5	40	<5	7	48
59	S8R286409	<0.2	0.78	5	210	<1	<5	0.25	<1	6	14	6	1.34	<5	0.03	18	6	0.27	195	1	0.02	8	550	6	0.01	<5	<1	<10	<5	16	0.02	<5	32	<5	7	30
60	S8R286410	<0.2	0.84	5	302	<1	<5	0.26	<1	7	20	16	1.68	<5	0.04	14	8	0.36	170	1	0.02	13	610	9	<0.01	<5	2	<10	<5	16	0.04	<5	42	<5	8	36
61	S8R286411	<0.2	0.84	10	350	<1	<5	0.31	<1	9	22	20	2.00	<5	0.04	12	8	0.38	275	1	0.03	19	790	9	<0.01	<5	2	<10	<5	18	0.04	<5	48	<5	7	44
62	S8R286412	<0.2	0.74	5	202	<1	<5	0.28	<1	6	16	12	1.43	<5	0.04	10	6	0.30	150	1	0.02	11	600	6	<0.01	<5	2	<10	<5	20	0.04	<5	32	<5	6	32
63	S8R286413	<0.2	0.83	5	146	<1	<5	0.17	<1	6	18	10	1.47	<5	0.05	10	8	0.33	140	1	0.02	12	440	9	<0.01	<5	2	<10	<5	12	0.04	<5	34	<5	4	32
64	S8R286414	<0.2	0.99	10	268	<1	<5	0.18	<1	8	22	18	1.73	<5	0.04	12	8	0.36	210	1	0.02	15	350	9	<0.01	<5	3	<10	<5	12	0.04	<5	38	<5	7	32
65	S8R286415	<0.2	1.04	5	442	<1	<5	0.35	<1	10	30	14	1.88	<5	0.06	22	8	0.50	655	2	0.02	13	570	12	0.02	<5	2	<10	<5	20	0.03	<5	40	<5	11	46
66	S8R286416	<0.2	0.94	10	352	<1	<5	0.41	<1	9	18	12	1.82	<5	0.04	22	8	0.42	370	2	0.02	13	560	9	0.04	<5	1	<10	<5	24	0.03	<5	38	<5	10	38
67	S8R286417	<0.2	0.86	5	274	<1	5	0.37	<1	7	16	8	1.84	<5	0.04	18	8	0.37	230	1	0.02	10	580	9	0.03	<5	2	<10	<5	22	0.03	<5	32	<5	9	34
68	S8R286418	<0.2	1.02	5	536	<1	<5	0.85	<1	9	20	14	1.69	<5	0.07	28	10	0.47	675	2	0.03	13	550	12	0.11	<5	2	<10	<5	54	0.03	<5	32	<5	17	48
69	S8R286419	<0.2	0.98	5	424	<1	5	0.63	<1	8	18	12	1.58	<5	0.06	36	8	0.41	360	2	0.03	11	490	12	0.06	<5	2	<10	<5	46	0.03	<5	32	<5	20	46
70	S8R286420	0.2	0.92	15	532	<1	5	1.24	<1	18	18	18	2.57	<5	0.10	66	6	0.31	2260	3	0.03	15	750	9	0.07	<5	1	<10	<5	70	0.02	<5	32	<5	50	26

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
71	S8R286421	<0.2	1.21	15	350	<1	5	0.59	<1	8	22	14	1.88	<5	0.09	36	10	0.36	660	2	0.03	14	480	9	0.04	<5	2	<10	<5	34	0.03	<5	36	<5	22	30
72	S8R286422	<0.2	1.35	10	196	<1	<5	0.12	<1	8	22	14	2.19	<5	0.14	14	8	0.35	205	2	0.02	15	120	9	<0.01	<5	2	<10	<5	10	0.05	<5	44	<5	5	34
73	S8R286423	<0.2	1.44	10	206	<1	<5	0.08	<1	7	18	8	2.24	<5	0.18	14	8	0.28	255	2	0.02	11	200	9	<0.01	<5	2	<10	<5	8	0.04	<5	40	<5	7	32
74	S8R286424	<0.2	0.81	10	230	<1	<5	0.08	<1	5	10	12	1.51	<5	0.10	6	4	0.13	205	2	0.02	9	100	9	<0.01	<5	1	<10	<5	8	0.02	<5	20	<5	7	14
75	S8R286425	<0.2	1.27	10	266	<1	<5	0.13	<1	9	24	12	2.18	<5	0.08	16	10	0.38	455	2	0.02	16	140	9	<0.01	<5	2	<10	<5	12	0.05	<5	50	<5	5	38
76	S8R286426	<0.2	1.09	5	370	<1	<5	0.21	<1	9	20	8	2.05	<5	0.12	14	8	0.29	1355	2	0.02	14	400	9	<0.01	<5	2	<10	<5	16	0.03	<5	44	<5	5	48
77	S8R286427	<0.2	1.16	5	332	<1	5	0.19	<1	9	20	8	2.13	<5	0.10	10	6	0.31	750	2	0.02	13	480	9	<0.01	<5	2	<10	<5	14	0.04	<5	48	<5	3	50
78	S8R286428	<0.2	1.13	<5	298	<1	<5	0.28	<1	5	18	22	1.86	<5	0.19	10	6	0.60	490	1	0.02	10	270	6	<0.01	<5	3	<10	<5	16	0.03	<5	28	<5	7	112
79	S8R286429	<0.2	1.30	10	296	<1	5	0.19	<1	10	24	14	2.16	<5	0.15	10	10	0.41	535	2	0.02	16	260	12	<0.01	<5	3	<10	<5	14	0.05	<5	48	<5	5	54
80	S8R286430	<0.2	1.10	5	316	<1	<5	0.17	<1	8	22	18	1.73	<5	0.12	20	8	0.42	260	1	0.02	14	110	15	<0.01	<5	3	<10	<5	10	0.04	<5	38	<5	7	48
81	S8R286431	<0.2	1.43	15	468	<1	5	0.33	<1	12	32	30	2.48	<5	0.13	38	10	0.56	330	2	0.03	25	110	12	<0.01	<5	5	<10	<5	20	0.06	<5	56	<5	26	54
82	S8R286432	<0.2	1.54	<5	406	<1	<5	0.23	<1	11	40	36	2.17	<5	0.50	22	10	0.87	570	2	0.02	16	170	12	<0.01	<5	4	<10	<5	10	0.04	<5	32	<5	11	76
83	S8R286433	<0.2	1.12	10	282	<1	<5	0.38	<1	7	20	14	1.78	<5	0.04	12	10	0.39	180	2	0.03	13	520	9	<0.01	<5	2	<10	<5	22	0.04	<5	42	<5	5	38
84	S8R286434	<0.2	1.21	10	342	<1	<5	0.43	<1	9	22	16	2.03	<5	0.04	14	10	0.41	225	2	0.03	14	530	9	<0.01	<5	3	<10	<5	26	0.04	<5	48	<5	6	40
85	S8R286435	<0.2	1.15	10	314	<1	<5	0.44	<1	9	22	16	1.97	<5	0.05	14	10	0.42	215	2	0.03	15	570	9	<0.01	<5	3	<10	<5	26	0.05	<5	46	<5	6	42
86	S8R286436	<0.2	1.20	10	346	<1	5	0.44	<1	10	22	20	2.11	<5	0.05	16	10	0.43	285	2	0.03	17	590	9	<0.01	<5	3	<10	<5	26	0.05	<5	48	<5	7	46
87	S8R286437	<0.2	1.11	10	380	<1	<5	0.45	<1	9	20	18	1.84	<5	0.05	16	10	0.38	260	2	0.03	15	550	9	<0.01	<5	3	<10	<5	28	0.04	<5	40	<5	8	38
88	S8R286438	<0.2	1.35	10	580	<1	5	0.45	<1	11	24	24	2.14	<5	0.05	28	12	0.46	370	2	0.03	19	480	12	<0.01	<5	3	<10	<5	28	0.05	<5	48	<5	14	48
89	S8R286439	<0.2	1.30	10	480	<1	<5	0.45	<1	10	22	18	2.02	<5	0.05	28	10	0.45	305	2	0.03	16	430	12	<0.01	<5	3	<10	<5	24	0.05	<5	44	<5	12	46
90	S8R286440	<0.2	1.40	10	488	<1	5	0.45	<1	11	26	26	2.36	<5	0.06	22	14	0.52	255	2	0.03	21	540	12	<0.01	<5	4	<10	<5	24	0.06	<5	52	<5	10	60
91	S8R286441	<0.2	1.41	10	368	<1	<5	0.20	<1	9	26	12	2.12	<5	0.07	38	10	0.47	155	2	0.03	13	210	18	<0.01	<5	3	<10	<5	14	0.06	<5	50	<5	8	54
92	S8R286442	<0.2	1.19	10	568	<1	<5	0.24	<1	9	24	16	1.83	<5	0.04	28	10	0.42	175	1	0.02	14	130	9	<0.01	<5	3	<10	<5	18	0.06	<5	48	<5	12	34
93	S8R286443	0.2	1.25	10	436	<1	<5	0.21	<1	9	20	12	1.98	<5	0.05	14	10	0.36	185	3	0.03	14	280	9	<0.01	<5	2	<10	<5	14	0.05	<5	44	<5	5	38
94	S8R286444	<0.2	1.05	5	960	<1	<5	0.23	<1	6	14	4	1.80	<5	0.11	10	4	0.21	220	2	0.02	8	200	15	0.01	<5	1	<10	<5	18	0.02	<5	36	<5	4	24
95	S8R286445	<0.2	1.26	10	364	<1	<5	0.27	<1	11	18	14	1.82	<5	0.05	36	8	0.37	360	2	0.03	13	460	12	0.01	<5	3	<10	<5	14	0.04	<5	40	<5	15	42
96	S8R286446	<0.2	1.32	10	352	<1	<5	0.32	<1	11	22	12	2.03	<5	0.05	20	10	0.42	400	2	0.03	14	600	12	0.02	<5	2	<10	<5	16	0.04	<5	48	<5	8	48
97	S8R286447	<0.2	1.32	10	380	<1	<5	0.31	<1	14	22	14	2.15	<5	0.04	18	10	0.41	620	2	0.03	15	610	12	<0.01	<5	2	<10	<5	16	0.04	<5	48	<5	8	48
98	S8R286448	<0.2	1.38	10	498	<1	5	0.47	<1	16	24	16	2.33	<5	0.04	14	12	0.46	840	2	0.03	17	620	15	0.01	<5	3	<10	<5	22	0.04	<5	54	<5	8	54
99	S8R286449	<0.2	0.90	10	402	<1	<5	0.54	<1	10	18	18	1.93	<5	0.04	10	10	0.48	335	1	0.03	20	840	9	<0.01	<5	2	<10	<5	22	0.05	<5	42	<5	6	50
100	S8R286450	<0.2	1.05	10	246	<1	<5	0.33	<1	9	18	12	1.91	<5	0.05	10	10	0.38	255	2	0.03	14	680	9	<0.01	<5	2	<10	<5	16	0.04	<5	44	<5	4	42
101	S8R286451	0.2	1.24	10	366	<1	<5	0.34	<1	12	20	12	2.07	<5	0.04	14	10	0.41	505	2	0.03	15	640	12	0.02	<5	2	<10	<5	16	0.04	<5	50	<5	6	48
102	S8R286452	<0.2	1.28	10	364	<1	<5	0.34	<1	9	22	12	1.94	<5	0.04	14	10	0.40	305	2	0.03	13	570	12	<0.01	<5	2	<10	<5	16	0.04	<5	46	<5	6	46
103	S8R286453	<0.2	1.40	10	476	<1	<5	0.34	<1	10	22	20	2.04	<5	0.05	18	10	0.41	295	2	0.03	17	550	12	<0.01	<5	3	<10	<5	18	0.04	<5	46	<5	9	48
104	S8R286454	<0.2	1.15	10	260	<1	<5	0.25	<1	9	18	12	1.84	<5	0.04	14	10	0.36	225	1	0.03	12	480	9	<0.01	<5	2	<10	<5	12	0.05	<5	44	<5	5	38
105	S8R286455	<0.2	1.20	10	380	<1	<5	0.33	<1	12	22	20	1.97	<5	0.06	16	10	0.43	455	2	0.03	18	580	12	<0.01	<5	3	<10	<5	16	0.05	<5	42	<5	8	48
106	S8R286456	<0.2	1.28	10	350	<1	<5	0.29	<1	11	22	22	1.92	<5	0.08	20	8	0.44	220	1	0.02	18	350	12	<0.01	<5	3	<10	<5	14	0.07	<5	48	<5	10	40
107	S8R286457	<0.2	1.54	10	204	<1	<5	0.16	<1	10	24	18	2.28	<5	0.06	12	10	0.49	180	2	0.02	16	340	15	<0.01	<5	2	<10	<5	10	0.08	<5	54	<5	5	46
108	S8R286458	<0.2	1.59	5	220	<1	5	0.12	<1	14	30	14	2.21	<5	0.22	36	10	0.97	265	2	0.02	17	160	15	<0.01	<5	2	<10	<5	8	0.09	<5	46	<5	9	50
109	S8R286459	<0.2	1.80	5	264	<1	5	0.15	<1	14	38	18	2.97	<5	0.17	44	10	1.17	270	2	0.02	18	190	21	<0.01	<5	4	<10	<5	8	0.08	<5	54	<5	7	56
110	S8R286460	<0.2	1.60	5	214	<1	<5	0.15	<1	11	32	14	2.27	<5	0.05	14	12	0.67	195	1	0.02	17	140	12	<0.01	<5	2	<10	<5	10	0.09	<5	52	<5	4	40

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
111	S8R286461	<0.2	1.36	5	226	<1	<5	0.17	<1	9	24	16	2.11	<5	0.04	18	10	0.48	180	2	0.02	15	190	12	<0.01	<5	3	<10	<5	10	0.06	<5	48	<5	7	38
112	S8R286462	<0.2	1.51	10	214	<1	<5	0.20	<1	10	28	14	2.07	<5	0.04	10	10	0.55	175	2	0.02	19	260	12	<0.01	<5	2	<10	<5	12	0.07	<5	52	<5	4	38
113	S8R286463	<0.2	1.36	10	364	<1	<5	0.34	<1	11	22	24	2.18	<5	0.04	14	12	0.47	265	2	0.03	20	450	12	<0.01	<5	3	<10	<5	18	0.06	<5	50	<5	8	46
114	S8R286464	<0.2	1.38	10	360	<1	<5	0.27	<1	8	22	18	1.80	<5	0.04	12	10	0.39	170	2	0.02	16	430	12	0.01	<5	1	<10	<5	16	0.03	<5	44	<5	5	40
115	S8R286465	<0.2	1.45	10	326	<1	<5	0.23	<1	10	22	12	2.07	<5	0.05	12	10	0.42	215	2	0.02	15	470	12	<0.01	<5	2	<10	<5	14	0.05	<5	50	<5	5	44
116	S8R286466	<0.2	1.41	10	302	<1	<5	0.23	<1	10	22	12	2.06	<5	0.05	12	10	0.41	235	2	0.02	15	520	12	<0.01	<5	2	<10	<5	14	0.05	<5	48	<5	5	44
117	S8R286467	<0.2	1.35	10	358	<1	<5	0.29	<1	10	26	16	2.02	<5	0.05	14	10	0.46	225	2	0.02	17	550	15	0.01	<5	2	<10	<5	16	0.04	<5	48	<5	6	44
118	S8R286468	<0.2	1.31	10	454	<1	<5	0.37	<1	13	28	16	2.03	<5	0.04	14	10	0.52	425	2	0.03	19	550	12	0.02	<5	2	<10	<5	18	0.04	<5	46	<5	7	44
119	S8R286469	<0.2	1.10	10	412	<1	<5	0.88	<1	12	20	26	2.13	<5	0.05	12	12	0.61	405	2	0.03	24	730	12	<0.01	<5	3	<10	<5	26	0.05	<5	46	<5	7	52
120	S8R286470	<0.2	1.17	5	372	<1	<5	0.42	<1	10	18	12	1.78	<5	0.04	16	10	0.43	400	2	0.03	14	470	9	0.04	<5	2	<10	<5	20	0.04	<5	40	<5	7	36
121	S8R286471	<0.2	1.13	10	408	<1	<5	0.32	<1	11	20	20	1.93	<5	0.05	22	10	0.47	340	2	0.03	16	450	12	<0.01	<5	3	<10	<5	16	0.05	<5	42	<5	12	36
122	S8R286472	<0.2	0.98	<5	216	<1	<5	0.18	<1	5	10	6	1.22	<5	0.22	36	6	0.71	145	1	0.02	6	140	18	<0.01	<5	1	<10	<5	8	0.06	<5	18	<5	10	38
123	S8R286473	0.2	0.81	5	276	<1	<5	0.09	<1	4	10	6	1.49	<5	0.09	24	4	0.23	140	3	0.02	6	130	12	0.01	<5	1	<10	<5	6	0.04	<5	38	<5	5	18
124	S8R286474	<0.2	0.98	<5	298	<1	<5	0.11	<1	5	14	6	1.48	<5	0.10	8	6	0.36	125	2	0.02	8	70	9	<0.01	<5	1	<10	<5	6	0.04	<5	28	<5	5	20
125	S8R286475	<0.2	0.88	<5	196	<1	<5	0.04	<1	3	6	4	1.43	<5	0.13	12	4	0.30	60	1	0.02	4	90	9	<0.01	<5	1	<10	<5	2	0.03	<5	18	<5	6	14
126	S8R286476	<0.2	1.40	10	286	<1	<5	0.07	<1	8	18	10	2.14	<5	0.09	8	10	0.36	135	2	0.02	12	100	12	<0.01	<5	2	<10	<5	6	0.03	<5	42	<5	4	26
127	S8R286477	<0.2	1.22	10	246	<1	<5	0.09	<1	6	16	8	1.89	<5	0.05	10	8	0.34	115	2	0.02	10	110	12	<0.01	<5	2	<10	<5	6	0.04	<5	46	<5	3	24
128	S8R286478	<0.2	1.40	10	400	<1	<5	0.15	<1	8	14	6	1.85	<5	0.12	38	10	0.70	225	2	0.02	9	200	9	<0.01	<5	2	<10	<5	8	0.05	<5	30	<5	8	30
129	S8R286479	<0.2	1.34	10	726	<1	<5	0.29	<1	9	20	14	1.94	<5	0.08	96	10	0.51	190	2	0.03	13	330	15	0.01	<5	3	<10	<5	16	0.05	<5	40	<5	34	40
130	S8R286480	<0.2	1.06	5	664	<1	<5	0.55	<1	10	16	16	1.72	<5	0.06	28	10	0.37	390	2	0.03	15	530	9	0.03	<5	2	<10	<5	28	0.03	<5	32	<5	13	38
131	S8R286481	<0.2	1.27	10	592	<1	<5	0.36	<1	9	20	18	1.98	<5	0.05	34	12	0.43	205	2	0.03	16	460	12	<0.01	<5	3	<10	<5	18	0.04	<5	40	<5	16	42
132	S8R286482	<0.2	1.48	10	926	<1	<5	0.67	<1	9	20	18	2.03	<5	0.07	42	12	0.46	305	2	0.03	16	560	12	0.02	<5	2	<10	<5	36	0.04	<5	40	<5	19	50
133	S8R286483	<0.2	1.08	5	528	<1	<5	0.47	<1	7	16	8	1.56	<5	0.05	16	8	0.35	190	2	0.02	10	380	9	<0.01	<5	2	<10	<5	24	0.04	<5	34	<5	7	32
134	S8R286484	<0.2	1.25	10	416	<1	<5	0.30	<1	10	20	12	2.15	<5	0.08	14	8	0.32	525	2	0.02	14	430	12	<0.01	<5	2	<10	<5	16	0.04	<5	52	<5	7	42
135	S8R286485	<0.2	1.31	10	336	<1	<5	0.29	<1	10	24	20	2.50	<5	0.06	16	14	0.46	205	2	0.03	22	560	12	<0.01	<5	3	<10	<5	16	0.05	<5	56	<5	8	56
136	S8R286486	<0.2	1.33	10	350	<1	5	0.22	<1	9	22	16	2.22	<5	0.07	28	10	0.38	335	2	0.02	17	250	12	<0.01	<5	3	<10	<5	14	0.04	<5	50	<5	12	40
137	S8R286487	<0.2	1.19	10	330	<1	<5	0.19	<1	8	22	14	1.95	<5	0.05	14	10	0.36	340	2	0.02	14	140	12	<0.01	<5	3	<10	<5	14	0.04	<5	46	<5	7	34
138	S8R286488	<0.2	1.12	5	260	<1	<5	0.17	<1	7	18	12	1.71	<5	0.07	18	8	0.29	340	1	0.02	12	140	9	<0.01	<5	2	<10	<5	12	0.04	<5	42	<5	9	28
139	S8R286489	<0.2	1.61	10	238	<1	<5	0.13	<1	10	26	14	2.37	<5	0.06	16	12	0.37	245	2	0.02	16	140	12	<0.01	<5	3	<10	<5	10	0.06	<5	58	<5	6	42
140	S8R286490	<0.2	1.06	10	236	<1	<5	0.20	<1	8	18	12	1.71	<5	0.06	14	8	0.29	520	1	0.02	12	140	9	<0.01	<5	2	<10	<5	12	0.04	<5	40	<5	5	32
141	S8R287051	<0.2	1.00	5	220	<1	<5	0.20	<1	7	16	10	1.69	<5	0.04	20	8	0.32	165	2	0.02	9	500	9	<0.01	<5	1	<10	<5	10	0.03	<5	38	<5	7	34
142	S8R287052	<0.2	1.30	10	288	<1	<5	0.21	<1	13	34	22	2.32	<5	0.06	8	8	0.52	365	2	0.02	22	110	9	<0.01	<5	4	<10	<5	10	0.05	<5	56	<5	5	36
143	S8R287053	<0.2	1.18	<5	230	<1	<5	0.28	<1	9	16	6	2.41	<5	0.44	24	6	0.49	480	<1	0.02	11	630	9	<0.01	<5	3	<10	<5	14	0.06	<5	20	<5	9	48
144	S8R287054	<0.2	1.23	5	296	<1	<5	0.24	<1	12	48	28	2.27	<5	0.16	36	6	0.62	410	2	0.02	25	190	18	<0.01	<5	6	<10	<5	10	0.03	<5	40	<5	24	54
145	S8R287055	<0.2	0.70	<5	204	<1	<5	0.10	<1	5	18	10	1.13	<5	0.14	6	4	0.26	140	1	0.02	8	90	6	<0.01	<5	1	<10	<5	4	0.02	<5	20	<5	5	20
146	S8R287056	<0.2	1.02	10	248	<1	<5	0.21	<1	8	16	8	1.90	<5	0.11	16	8	0.32	255	1	0.02	10	330	9	<0.01	<5	2	<10	<5	12	0.04	<5	38	<5	8	24
147	S8R287057	<0.2	1.13	10	268	<1	<5	0.15	<1	9	16	10	2.03	<5	0.12	14	8	0.30	225	2	0.02	12	180	12	<0.01	<5	2	<10	<5	10	0.04	<5	34	<5	6	24
148	S8R287058	<0.2	0.73	5	198	<1	<5	0.12	<1	6	12	6	1.39	<5	0.09	12	6	0.20	140	1	0.02	8	160	9	<0.01	<5	1	<10	<5	8	0.03	<5	24	<5	6	14
149	S8R287059	<0.2	1.10	10	304	<1	<5	0.14	<1	8	18	10	1.83	<5	0.04	16	10	0.30	185	1	0.02	12	130	9	<0.01	<5	2	<10	<5	10	0.03	<5	42	<5	8	26
150	S8R287060	<0.2	1.18	10	384	<1	<5	0.20	<1	10	20	22	2.18	<5	0.06	24	8	0.33	300	2	0.02	16	210	12	<0.01	<5	3	<10	<5	14	0.04	<5	40	<5	17	30

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
151	S8R287061	<0.2	1.01	10	330	<1	<5	0.31	<1	7	16	16	1.82	<5	0.07	28	6	0.27	180	2	0.02	13	250	12	0.01	<5	1	<10	<5	20	0.03	<5	38	<5	13	22
152	S8R287062	<0.2	0.99	10	274	<1	<5	0.11	<1	7	16	10	1.74	<5	0.07	16	6	0.24	120	1	0.02	11	70	12	<0.01	<5	2	<10	<5	8	0.03	<5	36	<5	10	20
153	S8R287063	<0.2	0.83	5	194	<1	<5	0.08	<1	6	10	6	1.55	<5	0.17	12	4	0.22	135	1	0.02	7	120	9	<0.01	<5	1	<10	<5	8	0.04	<5	26	<5	8	12
154	S8R287064	<0.2	1.23	10	290	<1	<5	0.17	<1	9	22	10	2.32	<5	0.13	6	8	0.35	165	2	0.02	15	190	12	<0.01	<5	2	<10	<5	12	0.04	<5	50	<5	2	30
155	S8R287065	<0.2	0.90	<5	254	<1	<5	0.13	<1	5	14	2	1.57	<5	0.13	8	6	0.23	210	1	0.02	7	140	9	<0.01	<5	<1	<10	<5	8	0.03	<5	28	<5	3	14
156	S8R287066	<0.2	0.60	5	200	<1	<5	0.11	<1	5	10	4	1.18	<5	0.11	6	4	0.14	115	1	0.02	7	190	9	<0.01	<5	<1	<10	<5	10	0.02	<5	18	<5	5	12
157	S8R287067	<0.2	1.10	10	290	<1	<5	0.20	<1	8	16	10	1.94	<5	0.12	30	8	0.29	165	2	0.02	12	140	15	<0.01	<5	2	<10	<5	12	0.04	<5	34	<5	9	26
158	S8R287068	<0.2	1.30	10	244	<1	<5	0.21	<1	9	24	18	2.26	<5	0.09	60	10	0.36	195	2	0.02	16	210	15	<0.01	<5	4	<10	<5	12	0.04	<5	46	<5	32	30
159	S8R287069	<0.2	1.09	10	182	<1	<5	0.14	<1	9	22	16	2.04	<5	0.07	10	8	0.32	180	2	0.02	16	140	15	<0.01	<5	3	<10	<5	10	0.04	<5	42	<5	5	30
160	S8R287070	<0.2	1.10	10	322	<1	<5	0.22	<1	9	22	20	2.14	<5	0.08	30	8	0.35	280	2	0.02	16	200	12	<0.01	<5	4	<10	<5	14	0.04	<5	42	<5	23	30
161	S8R287071	<0.2	1.16	5	248	<1	<5	0.12	<1	7	16	6	2.03	<5	0.11	14	6	0.24	165	2	0.02	10	430	12	<0.01	<5	1	<10	<5	8	0.02	<5	42	<5	8	26
162	S8R287072	<0.2	0.49	<5	148	<1	<5	0.06	<1	3	6	2	0.96	<5	0.11	12	2	0.10	60	<1	0.02	4	140	3	<0.01	<5	<1	<10	<5	6	0.02	<5	16	<5	7	8
163	S8R287073	<0.2	1.68	10	724	1	<5	0.59	<1	9	24	30	2.68	<5	0.26	72	8	0.39	545	2	0.03	21	800	18	0.02	<5	4	<10	<5	36	0.04	<5	42	<5	47	38
164	S8R287074	0.4	2.33	15	848	2	5	0.55	<1	14	36	38	4.05	<5	0.32	110	10	0.52	1070	3	0.03	24	590	33	0.01	<5	6	<10	<5	34	0.04	<5	64	<5	64	44
165	S8R287075	<0.2	1.01	10	270	<1	<5	0.22	<1	8	18	12	1.85	<5	0.05	22	8	0.28	285	1	0.02	10	430	9	<0.01	<5	3	<10	<5	12	0.04	<5	38	<5	10	28
166	S8R287076	<0.2	0.96	10	306	<1	<5	0.21	<1	8	18	14	1.77	<5	0.05	18	6	0.28	215	1	0.02	12	230	9	<0.01	<5	3	<10	<5	12	0.04	<5	40	<5	12	26
167	S8R287077	<0.2	1.06	10	260	<1	<5	0.19	<1	8	18	12	1.86	<5	0.06	20	6	0.27	215	1	0.02	11	280	9	<0.01	<5	2	<10	<5	12	0.04	<5	40	<5	11	28
168	S8R287078	<0.2	0.99	10	280	<1	<5	0.20	<1	8	18	12	1.74	<5	0.05	20	8	0.29	355	1	0.02	10	270	12	<0.01	<5	2	<10	<5	12	0.03	<5	38	<5	13	26
169	S8R287079	<0.2	0.82	5	138	<1	<5	0.10	<1	5	14	6	1.51	<5	0.06	10	6	0.24	140	1	0.02	8	150	6	<0.01	<5	1	<10	<5	6	0.03	<5	32	<5	5	22
170	S8R287080	<0.2	0.88	10	206	<1	<5	0.15	<1	9	14	8	1.68	<5	0.07	22	6	0.22	395	1	0.02	8	390	9	<0.01	<5	1	<10	<5	8	0.03	<5	34	<5	10	22
171	S8R287081	<0.2	0.84	5	236	<1	<5	0.17	<1	8	18	12	1.64	<5	0.05	16	6	0.27	220	1	0.02	11	210	9	<0.01	<5	2	<10	<5	10	0.03	<5	34	<5	11	24
172	S8R287082	<0.2	1.25	10	230	<1	<5	0.16	<1	10	34	10	2.20	<5	0.08	20	8	0.39	235	2	0.02	19	180	12	<0.01	<5	2	<10	<5	10	0.04	<5	40	<5	10	26
173	S8R287083	<0.2	1.13	10	284	<1	<5	0.14	<1	9	22	20	2.22	<5	0.05	20	8	0.32	220	2	0.02	14	110	12	<0.01	<5	4	<10	<5	10	0.05	<5	46	<5	13	34
174	S8R287084	<0.2	1.36	10	228	<1	<5	0.13	<1	9	24	20	2.32	<5	0.06	30	10	0.35	230	2	0.02	16	110	12	<0.01	<5	3	<10	<5	10	0.04	<5	46	<5	13	38
175	S8R287085	<0.2	1.19	10	294	<1	<5	0.16	<1	9	26	24	2.22	<5	0.05	28	8	0.36	205	2	0.02	15	140	12	<0.01	<5	5	<10	<5	10	0.04	<5	46	<5	19	32
176	S8R287086	<0.2	0.77	5	190	<1	<5	0.09	<1	4	14	8	1.57	<5	0.07	12	6	0.22	360	<1	0.02	9	210	15	<0.01	<5	<1	<10	<5	10	0.03	<5	36	<5	5	30
177	S8R287087	<0.2	0.65	<5	90	<1	<5	0.03	<1	2	8	8	1.32	<5	0.06	8	4	0.08	150	1	0.02	4	60	9	<0.01	<5	<1	<10	<5	4	0.02	<5	16	<5	6	18
178	S8R287088	<0.2	0.73	<5	148	<1	<5	0.05	<1	3	10	6	1.29	<5	0.11	16	6	0.15	135	1	0.02	6	90	9	<0.01	<5	1	<10	<5	6	0.02	<5	18	<5	6	24
179	S8R287089	<0.2	0.72	5	110	<1	<5	0.05	<1	3	10	6	1.28	<5	0.04	10	4	0.13	125	1	0.02	6	100	9	<0.01	<5	<1	<10	<5	6	0.02	<5	26	<5	5	18
180	S8R287090	<0.2	0.51	<5	234	<1	<5	0.09	<1	3	10	6	0.87	<5	0.04	24	2	0.10	410	1	0.02	5	120	15	<0.01	<5	1	<10	<5	12	0.02	<5	20	<5	19	14

QC DATA:**Repeat:**

1	S8R287001	<0.2	1.09	10	338	<1	<5	0.21	<1	7	20	18	2.06	<5	0.03	10	10	0.35	240	1	0.02	16	410	12	<0.01	<5	3	<10	<5	18	0.04	<5	34	<5	5	44
10	S8R287010	<0.2	0.84	5	248	<1	<5	0.31	<1	6	14	12	1.44	<5	0.05	10	8	0.29	245	1	0.02	10	410	12	0.02	<5	2	<10	<5	28	0.03	<5	26	<5	5	40
19	S8R287019	0.2	1.45	5	328	<1	<5	0.09	<1	10	22	10	2.49	<5	0.08	8	8	0.32	805	2	0.02	16	280	15	<0.01	<5	2	<10	<5	12	0.04	<5	44	5	3	40
28	S8R287028	<0.2	0.90	10	344	<1	<5	0.45	<1	7	16	18	1.88	<5	0.06	10	8	0.37	280	2	0.02	19	370	12	0.01	<5	2	<10	<5	24	0.03	<5	32	<5	6	44
36	S8R287036	<0.2	1.02	10	488	<1	5	0.32	<1	13	22	20	2.06	<5	0.07	26	8	0.52	490	2	0.02	19	570	15	<0.01	<5	3	<10	<5	16	0.05	<5	38	<5	13	50
45	S8R287045	<0.2	1.26	<5	170	<1	<5	0.10	<1	6	12	6	1.56	<5	0.20	8	4	0.99	225	2	0.02	6	200	12	<0.01	<5	1	<10	<5	6	0.08	<5	28	<5	5	46
54	S8R286404	<0.2	1.09	10	340	<1	<5	0.39	<1	9	20	12	1.77	<5	0.04	12	10	0.42	280	1	0.03	13	610	9	0.02	<5	2	<10	<5	26	0.03	<5	40	<5	6	48
63	S8R286413	<0.2	0.88	5	148	<1	<5	0.18	<1	6	18	12	1.49	<5	0.05	10	8	0.34	140	1	0.02	12	440	9	<0.01	<5	2	<10	<5	12	0.04	<5	36	<5	4	34
71	S8R286421	<0.2	1.22	10	350	<1	<5	0.59	<1	8	22	14	1.91	<5	0.09	34	10	0.36	695	2	0.03	14	480	9	0.04	<5	2	<10	<5	32	0.03	<5	36	<5	22	30
80	S8R286430	<0.2	1.14	10	324	<1	<5	0.17	<1	8	22	20	1.74	<5	0.13	20	8	0.43	265	1	0.02	15	110	15	<0.01	<5	3	<10	<5	10	0.04	<5	38	<5	7	50
89	S8R286439	<0.2	1.29	10	468	<1	<5	0.44	<1	9	20	18	2.00	<5	0.05	28	10	0.44	285	2	0.03	16	410	12	<0.01	<5	3	<10	<5	20	0.05	<5	44	<5	12	44
98	S8R286448	<0.2	1.38	10	480	<1	5	0.47	<1	15	22	16	2.27	<5	0.04	16	12	0.46	815	2	0.03	17	610	12	0.01	<5	3	<10	<5	22	0.04	<5	54	<5	8	54

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
106	S8R286456	<0.2	1.29	10	344	<1	<5	0.27	<1	11	22	22	1.88	<5	0.08	18	10	0.44	215	1	0.02	17	330	12	<0.01	<5	3	<10	<5	14	0.08	<5	48	<5	10	38
115	S8R286465	<0.2	1.38	5	346	<1	<5	0.25	<1	8	22	18	1.89	<5	0.04	12	10	0.38	190	2	0.02	16	440	12	0.01	<5	2	<10	<5	14	0.04	<5	44	<5	5	40
124	S8R286474	<0.2	1.05	5	304	<1	<5	0.12	<1	5	14	6	1.52	<5	0.11	10	6	0.37	125	2	0.02	8	80	9	<0.01	<5	2	<10	<5	6	0.04	<5	28	<5	5	22
133	S8R286483	<0.2	1.11	5	518	<1	<5	0.46	<1	7	16	8	1.60	<5	0.05	18	8	0.35	190	2	0.02	10	370	9	<0.01	<5	2	<10	<5	22	0.04	<5	34	<5	7	32
141	S8R287051	<0.2	1.04	10	224	<1	<5	0.22	<1	7	16	10	1.75	<5	0.04	22	8	0.33	160	2	0.02	10	530	9	<0.01	<5	1	<10	<5	12	0.04	<5	38	<5	7	36
150	S8R287060	<0.2	1.25	10	390	<1	<5	0.22	<1	11	22	24	2.21	<5	0.06	24	10	0.35	320	2	0.02	17	220	15	<0.01	<5	3	<10	<5	14	0.04	<5	42	<5	18	34
159	S8R287069	<0.2	1.13	10	180	<1	<5	0.15	<1	9	22	16	2.03	<5	0.07	10	8	0.32	170	1	0.02	17	140	15	<0.01	<5	3	<10	<5	10	0.04	<5	42	<5	5	30
168	S8R287078	<0.2	1.01	10	276	<1	<5	0.21	<1	9	18	12	1.81	<5	0.05	22	8	0.29	365	1	0.02	10	280	12	<0.01	<5	2	<10	<5	12	0.03	<5	38	<5	13	26
176	S8R287086	<0.2	0.78	5	188	<1	<5	0.09	<1	4	14	6	1.54	<5	0.08	12	6	0.22	360	1	0.02	9	210	12	<0.01	<5	1	<10	<5	10	0.03	<5	36	<5	5	28

Standard:

TILL3	1.4	1.08	80	36	<1	<5	0.56	<1	12	62	22	1.97	<5	0.07	12	16	0.58	310	1	0.03	29	440	18	0.01	<5	3	<10	<5	14	0.05	<5	38	<5	5	38
TILL3	1.4	1.06	85	40	<1	<5	0.54	<1	14	64	20	2.01	<5	0.07	12	16	0.59	310	1	0.03	30	450	21	0.01	<5	3	<10	<5	14	0.05	<5	36	<5	5	40
TILL3	1.4	1.13	85	40	<1	<5	0.55	<1	14	62	20	1.99	<5	0.07	14	16	0.59	305	1	0.02	30	450	18	<0.01	<5	3	<10	<5	12	0.06	<5	36	<5	6	40
TILL3	1.4	1.13	85	40	<1	<5	0.55	<1	15	62	20	1.90	<5	0.08	14	16	0.59	315	1	0.03	31	450	18	<0.01	<5	3	<10	<5	14	0.06	<5	36	<5	6	40
TILL3	1.4	1.05	85	40	<1	<5	0.55	<1	14	62	20	1.92	<5	0.08	12	14	0.57	320	1	0.03	30	440	21	<0.01	<5	3	<10	<5	12	0.06	<5	38	<5	5	40
TILL3	1.4	1.05	85	38	<1	<5	0.56	<1	14	62	22	2.00	<5	0.08	12	14	0.58	315	1	0.03	29	430	18	<0.01	<5	3	<10	<5	14	0.05	<5	38	<5	5	40

ICP: Aqua Regia Digest / ICP- AES Finish.

NM/cr/el

dt/1_8070AS/1_8070BS/1_8070CS

XLS/11



ECO TECH LABORATORY LTD.
Norman Monteith
B.C. Certified Assayer

Eco Tech Laboratory Ltd.
 10041 Dallas Drive
 Kamloops, BC
 V2C 6T4 Canada
 Tel + 250 573 5700
 Fax + 250 573 4557
 Toll Free + 1 877 573 5755
 www.stewartgroupglobal.com



StewartGroup
 Geochemical & Assay

CERTIFICATE OF ANALYSIS AK 2011-8071

Kestrel Gold Corp.
 #8-46225 Ranchero Drive
Chilliwack, BC
 V4Z 0A5
 Attn: Kevin Nephin

12-Jul-11

No. of samples received: 169

Sample Type: Soil

Project: Dawson Area

Submitted by: All Terrane Mineral Exploration

ET #.	Tag #	Au (ppb)
1	S8R288051	5
2	S8R288052	<5
3	S8R288053	<5
4	S8R288054	<5
5	S8R288055	<5
6	S8R288056	<5
7	S8R288057	5
8	S8R288058	5
9	S8R288059	<5
10	S8R288060	<5
11	S8R288061	<5
12	S8R288062	5
13	S8R288063	5
14	S8R288064	5
15	S8R288065	5
16	S8R288066	<5
17	S8R288067	<5
18	S8R288068	5
19	S8R288069	5
20	S8R288070	<5
21	S8R288071	<5
22	S8R288072	<5
23	S8R288073	<5
24	S8R288074	15
25	S8R288075	<5
26	S8R288076	<5
27	S8R288077	<5
28	S8R288078	<5
29	S8R288079	<5
30	S8R288080	<5
31	S8R288081	<5

Eco Tech Laboratory Ltd.
 10041 Dallas Drive
 Kamloops, BC
 V2C 6T4 Canada
 Tel + 250 573 5700
 Fax + 250 573 4557
 Toll Free + 1 877 573 5755
 www.stewartgroupglobal.com



StewartGroup
 Geochemical & Assay

Kestrel Gold Corp. AW11-8071

12-Jul-11

ET #.	Tag #	Au (ppb)
32	S8R288082	<5
33	S8R288083	<5
34	S8R288084	<5
35	S8R288085	<5
36	S8R288086	<5
37	S8R288087	5
38	S8R288088	<5
39	S8R288089	<5
40	S8R288090	<5
41	S8R288091	5
42	S8R288092	5
43	S8R288093	<5
44	S8R288094	<5
45	S8R288095	5
46	S8R288096	5
47	S8R288097	5
48	S8R288098	<5
49	S8R288099	5
50	S8R286551	5
51	S8R286552	5
52	S8R286553	10
53	S8R286554	5
54	S8R286555	5
55	S8R286556	<5
56	S8R286557	<5
57	S8R286558	<5
58	S8R286559	<5
59	S8R286560	<5
60	S8R286561	5
61	S8R286562	<5
62	S8R286563	10
63	S8R286564	5
64	S8R286565	<5
65	S8R286566	5
66	S8R286567	5
67	S8R286568	<5
68	S8R286569	<5
69	S8R286570	<5
70	S8R286571	5
71	S8R286572	5
72	S8R286573	<5
73	S8R286574	10
74	S8R286575	<5
75	S8R286576	<5

Eco Tech Laboratory Ltd.
 10041 Dallas Drive
 Kamloops, BC
 V2C 6T4 Canada
 Tel + 250 573 5700
 Fax + 250 573 4557
 Toll Free + 1 877 573 5755
 www.stewartgroupglobal.com



StewartGroup
 Geochemical & Assay

Kestrel Gold Corp. AW11-8071

12-Jul-11

ET #.	Tag #	Au (ppb)
76	S8R286577	<5
77	S8R286578	<5
78	S8R286579	<5
79	S8R286580	<5
80	S8R286581	<5
81	S8R286582	<5
82	S8R286583	5
83	S8R286584	5
84	S8R286585	<5
85	S8R286586	<5
86	S8R286587	10
87	S8R286588	<5
88	S8R286589	5
89	S8R286590	<5
90	S8R286591	10
91	S8R286592	15
92	S8R286593	5
93	S8R286594	<5
94	S8R286595	<5
95	S8R286596	<5
96	S8R286597	<5
97	S8R286598	<5
98	S8R286599	<5
99	S8R286600	<5
100	S8R286601	<5
101	S8R286602	<5
102	S8R286603	<5
103	S8R286604	<5
104	S8R286605	<5
105	S8R286606	5
106	S8R286607	5
107	S8R286608	<5
108	S8R286609	5
109	S8R286610	5
110	S8R287451	<5
111	S8R287452	<5
112	S8R287453	<5
113	S8R287454	<5
114	S8R287455	10
115	S8R287456	<5
116	S8R287457	5
117	S8R287458	<5
118	S8R287459	<5
119	S8R287460	<5

Eco Tech Laboratory Ltd.
10041 Dallas Drive
Kamloops, BC
V2C 6T4 Canada
Tel + 250 573 5700
Fax + 250 573 4557
Toll Free + 1 877 573 5755
www.stewartgroupglobal.com



StewartGroup
Geochemical & Assay

Kestrel Gold Corp. AW11-8071

12-Jul-11

ET #.	Tag #	Au (ppb)
120	S8R287461	<5
121	S8R287462	<5
122	S8R287463	<5
123	S8R287464	<5
124	S8R287465	<5
125	S8R287466	<5
126	S8R287467	<5
127	S8R287468	5
128	S8R287469	5
129	S8R287470	15
130	S8R287471	<5
131	S8R287472	<5
132	S8R287473	<5
133	S8R287474	<5
134	S8R287475	<5
135	S8R287476	<5
136	S8R287477	<5
137	S8R287478	<5
138	S8R287479	<5
139	S8R287480	<5
140	S8R287481	5
141	S8R287482	<5
142	S8R287483	15
143	S8R287484	<5
144	S8R287485	10
145	S8R287486	<5
146	S8R287487	5
147	S8R287488	5
148	S8R287489	<5
149	S8R287490	<5
150	S8R287491	5
151	S8R287492	5
152	S8R287493	10
153	S8R287494	5
154	S8R287495	5
155	S8R287496	<5
156	S8R287497	5
157	S8R287498	<5
158	S8R287499	<5
159	S8R287500	<5
160	S8R287501	<5
161	S8R287502	<5
162	S8R287503	<5
163	S8R287504	<5

Eco Tech Laboratory Ltd.
10041 Dallas Drive
Kamloops, BC
V2C 6T4 Canada
Tel + 250 573 5700
Fax + 250 573 4557
Toll Free + 1 877 573 5755
www.stewartgroupglobal.com



StewartGroup
Geochemical & Assay

Kestrel Gold Corp. AW11-8071

12-Jul-11

ET #.	Tag #	Au (ppb)
164	S8R287505	<5
165	S8R287506	<5
166	S8R287507	5
167	S8R287508	5
168	S8R287509	5
169	S8R287510	10

QC DATA:

Repeat:

1	S8R288051	<5
17	S8R288067	<5
22	S8R288072	<5
30	S8R288080	<5
38	S8R288088	5
52	S8R286553	5
55	S8R286556	<5
67	S8R286568	<5
79	S8R286580	<5
83	S8R286584	5
92	S8R286593	10
98	S8R286599	<5
109	S8R286610	<5
123	S8R287464	<5
128	S8R287469	5
133	S8R287474	<5
146	S8R287487	5
158	S8R287499	<5
159	S8R287500	<5
168	S8R287509	5

Standard:

OXE86	620
OXG83	995
OXE86	605
OXG83	985
OXG83	1000

NM/cr/el
XLS/11


ECO TECH LABORATORY LTD.
Norman Monteith
B.C. Certified Assayer

Stewart Group
ECO TECH LABORATORY LTD.
 10041 Dallas Drive
KAMLOOPS, B.C.
 V2C 6T4
www.stewartgroupglobal.com

ICP CERTIFICATE OF ANALYSIS AW 2011-8071

Kestrel Gold Corp.
 #8-46225 Ranchero Drive
Chilliwack, BC
 V4Z 0A5
 Attn: Kevin Nephin

Phone: 250-573-5700

Fax : 250-573-4557

No. of samples received: 169

Sample Type: Soil

Project: Dawson Area

Submitted by: All Terrane Mineral Exploration

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
1	S8R288051	<0.2	1.35	10	286	<1	<5	0.20	<1	8	26	24	2.33	<5	0.05	18	12	0.36	300	1	0.02	18	410	15	<0.01	<5	4	<10	<5	18	0.05	<5	44	<5	10	42
2	S8R288052	<0.2	0.77	5	152	<1	<5	0.10	<1	4	12	14	1.32	<5	0.06	12	4	0.21	145	1	0.02	10	100	6	<0.01	<5	2	<10	<5	10	0.03	<5	22	<5	7	22
3	S8R288053	<0.2	1.35	10	282	<1	<5	0.20	<1	9	28	22	2.59	<5	0.09	22	10	0.42	400	2	0.02	16	320	15	<0.01	<5	4	<10	<5	20	0.06	<5	40	<5	11	50
4	S8R288054	<0.2	1.38	5	186	<1	<5	0.09	<1	6	28	10	2.09	<5	0.22	20	8	0.47	360	1	0.02	10	150	21	<0.01	<5	2	<10	<5	10	0.06	<5	30	<5	5	60
5	S8R288055	<0.2	0.46	<5	52	<1	<5	0.02	<1	1	6	4	0.89	<5	0.06	4	<2	0.06	80	<1	0.01	<1	230	6	<0.01	<5	<1	<10	<5	2	0.02	<5	18	<5	2	18
6	S8R288056	<0.2	0.93	5	382	<1	<5	0.50	<1	6	14	10	1.42	<5	0.07	30	8	0.29	405	1	0.02	10	580	9	0.04	<5	1	<10	<5	40	0.03	<5	24	<5	11	44
7	S8R288057	<0.2	0.62	<5	234	<1	<5	0.31	<1	4	10	6	1.16	<5	0.07	16	4	0.24	195	<1	0.02	6	340	6	0.03	<5	1	<10	<5	22	0.03	<5	18	<5	8	26
8	S8R288058	<0.2	1.02	10	282	<1	<5	0.42	<1	8	18	14	1.77	<5	0.08	18	10	0.38	385	1	0.02	13	530	9	0.03	<5	2	<10	<5	28	0.05	<5	32	<5	8	48
9	S8R288059	<0.2	1.17	15	492	<1	<5	0.39	<1	14	20	26	2.55	<5	0.06	28	10	0.36	1230	2	0.02	18	740	12	0.04	<5	2	<10	<5	32	0.03	<5	36	<5	16	52
10	S8R288060	<0.2	1.15	10	542	<1	<5	0.35	<1	24	12	16	2.09	<5	0.06	18	12	0.40	3470	2	0.02	16	710	9	0.03	<5	1	<10	<5	28	0.03	<5	32	<5	8	38
11	S8R288061	<0.2	0.74	10	688	<1	<5	2.33	<1	8	12	18	2.74	<5	0.07	32	6	0.37	3345	2	0.14	14	880	18	0.29	<5	1	<10	<5	164	0.02	<5	18	<5	24	60
12	S8R288062	<0.2	1.06	10	290	<1	<5	0.28	<1	5	14	16	1.61	<5	0.11	56	8	0.23	320	1	0.02	13	200	9	0.02	<5	3	<10	<5	20	0.03	<5	24	<5	31	30
13	S8R288063	<0.2	1.23	10	310	<1	<5	0.18	<1	7	20	12	1.97	<5	0.13	28	8	0.28	510	1	0.02	15	240	12	<0.01	<5	3	<10	<5	16	0.04	<5	36	<5	13	36
14	S8R288064	<0.2	1.36	10	364	<1	<5	0.21	<1	9	22	18	2.23	<5	0.13	28	10	0.32	1095	1	0.02	16	400	12	<0.01	<5	3	<10	<5	18	0.05	<5	40	<5	12	42
15	S8R288065	<0.2	1.45	10	304	<1	<5	0.22	<1	9	26	26	2.48	<5	0.08	22	10	0.40	450	2	0.02	20	290	12	<0.01	<5	5	<10	<5	20	0.06	<5	46	<5	13	46
16	S8R288066	<0.2	1.00	10	172	<1	<5	0.08	<1	5	16	18	1.75	<5	0.08	26	6	0.23	165	<1	0.02	12	110	9	<0.01	<5	4	<10	<5	10	0.04	<5	26	<5	16	32
17	S8R288067	<0.2	0.82	<5	128	<1	<5	0.08	<1	2	6	2	1.16	<5	0.06	16	4	0.10	75	<1	0.01	3	180	6	<0.01	<5	1	<10	<5	6	0.01	<5	16	<5	8	18
18	S8R288068	<0.2	1.41	15	248	<1	<5	0.23	<1	10	30	28	2.74	<5	0.07	20	12	0.44	395	1	0.03	24	380	12	<0.01	<5	5	<10	<5	22	0.07	<5	50	<5	12	48
19	S8R288069	<0.2	1.04	5	256	<1	<5	0.20	<1	5	14	12	1.80	<5	0.26	30	8	0.32	310	1	0.02	11	350	9	<0.01	<5	2	<10	<5	18	0.04	<5	22	<5	13	34
20	S8R288070	<0.2	0.98	<5	320	<1	<5	0.16	<1	4	12	4	1.57	<5	0.22	20	6	0.22	435	<1	0.02	5	220	6	<0.01	<5	2	<10	<5	14	0.03	<5	20	<5	12	24
21	S8R288071	<0.2	0.82	5	154	<1	<5	0.14	<1	5	14	8	1.46	<5	0.13	10	6	0.22	330	<1	0.02	9	140	6	<0.01	<5	1	<10	<5	12	0.04	<5	24	<5	5	26
22	S8R288072	<0.2	1.12	5	218	<1	<5	0.09	<1	6	20	6	1.77	<5	0.08	10	8	0.26	280	<1	0.02	10	150	9	<0.01	<5	2	<10	<5	10	0.04	<5	38	<5	3	28
23	S8R288073	<0.2	1.42	5	298	<1	<5	0.17	<1	11	42	10	2.24	<5	0.33	18	10	0.56	785	1	0.02	25	160	9	<0.01	<5	3	<10	<5	16	0.07	<5	36	<5	9	34
24	S8R288074	<0.2	0.71	<5	220	<1	<5	0.19	<1	4	12	4	1.43	<5	0.13	22	6	0.19	570	<1	0.02	6	270	9	<0.01	<5	1	<10	<5	16	0.03	<5	26	<5	8	22
25	S8R288075	<0.2	1.35	10	182	<1	<5	0.09	<1	6	18	8	2.00	<5	0.09	14	10	0.27	290	1	0.02	11	220	15	<0.01	<5	2	<10	<5	10	0.04	<5	40	<5	4	34
26	S8R288076	<0.2	0.82	5	318	<1	<5	0.17	<1	3	6	8	1.60	<5	0.18	28	4	0.15	535	<1	0.02	4	210	6	<0.01	<5	1	<10	<5	18	0.02	<5	16	<5	10	18
27	S8R288077	<0.2	1.09	10	176	<1	<5	0.08	<1	5	14	14	1.82	<5	0.10	36	6	0.22	155	1	0.02	9	140	15	<0.01	<5	2	<10	<5	10	0.03	<5	30	<5	21	26
28	S8R288078	<0.2	0.93	5	160	<1	<5	0.07	<1	5	16	18	1.70	<5	0.07	20	8	0.25	130	<1	0.02	11	80	9	<0.01	<5	2	<10	<5	10	0.04	<5	30	<5	10	26
29	S8R288079	<0.2	0.96	5	232	<1	<5	0.10	<1	4	12	10	1.56	<5	0.09	22	8	0.23	305	1	0.02	8	150	15	<0.01	<5	2	<10	<5	10	0.02	<5	26	<5	8	22
30	S8R288080	<0.2	1.22	10	224	<1	<5	0.11	<1	7	22	12	2.20	<5	0.08	16	10	0.35	285	1	0.02	15	130	12	<0.01	<5	3	<10	<5	14	0.05	<5	40	<5	6	38

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
31	S8R288081	<0.2	1.14	10	272	<1	<5	0.12	<1	9	20	16	2.06	<5	0.06	18	14	0.36	440	1	0.02	14	190	12	<0.01	<5	2	<10	<5	14	0.04	<5	34	<5	9	42
32	S8R288082	<0.2	1.00	10	312	<1	<5	0.15	<1	6	14	10	1.73	<5	0.08	14	10	0.28	445	<1	0.02	12	230	9	<0.01	<5	2	<10	<5	16	0.03	<5	30	<5	6	34
33	S8R288083	<0.2	1.08	5	186	<1	<5	0.12	<1	5	16	6	1.95	<5	0.09	10	8	0.28	160	1	0.02	10	480	9	<0.01	<5	1	<10	<5	12	0.05	<5	38	<5	2	34
34	S8R288084	<0.2	0.99	5	150	<1	<5	0.08	<1	4	12	4	1.96	<5	0.15	20	6	0.23	285	<1	0.02	6	380	6	<0.01	<5	1	<10	<5	10	0.03	<5	26	<5	5	32
35	S8R288085	<0.2	0.93	5	148	<1	<5	0.09	<1	4	10	4	1.71	<5	0.18	12	8	0.20	140	<1	0.02	7	480	6	<0.01	<5	1	<10	<5	12	0.04	<5	24	<5	5	28
36	S8R288086	<0.2	1.50	10	312	<1	<5	0.22	<1	14	24	16	2.31	<5	0.15	42	12	0.34	475	1	0.03	17	400	18	<0.01	<5	4	<10	<5	26	0.09	<5	50	<5	11	36
37	S8R288087	<0.2	1.23	5	236	<1	<5	0.23	<1	7	18	14	2.01	<5	0.19	38	10	0.33	165	1	0.03	12	180	15	<0.01	<5	3	<10	<5	24	0.10	<5	38	<5	14	22
38	S8R288088	<0.2	1.51	10	282	<1	<5	0.22	<1	9	24	16	2.36	<5	0.14	32	12	0.37	305	1	0.03	14	240	21	<0.01	<5	4	<10	<5	24	0.10	<5	52	<5	13	28
39	S8R288089	<0.2	1.20	10	216	<1	<5	0.20	<1	6	18	12	1.90	<5	0.11	28	8	0.27	225	1	0.02	12	260	18	<0.01	<5	3	<10	<5	20	0.07	<5	38	<5	13	24
40	S8R288090	<0.2	1.14	5	166	<1	<5	0.18	<1	6	20	10	1.72	<5	0.09	14	8	0.25	185	1	0.02	11	290	12	<0.01	<5	2	<10	<5	20	0.09	<5	46	<5	4	26
41	S8R288091	<0.2	1.22	10	250	<1	<5	0.18	<1	8	22	14	2.00	<5	0.15	36	10	0.34	290	1	0.03	13	250	15	<0.01	<5	3	<10	<5	20	0.09	<5	40	<5	14	26
42	S8R288092	<0.2	0.98	5	208	<1	<5	0.24	<1	7	20	14	1.72	<5	0.15	34	8	0.31	180	<1	0.03	12	200	12	<0.01	<5	3	<10	<5	24	0.08	<5	34	<5	16	24
43	S8R288093	<0.2	1.68	10	298	<1	<5	0.20	<1	17	26	18	2.57	<5	0.14	28	10	0.35	455	2	0.03	15	440	21	<0.01	<5	4	<10	<5	22	0.10	<5	60	<5	10	36
44	S8R288094	<0.2	2.00	10	658	2	<5	0.37	<1	9	26	28	2.73	<5	0.30	82	10	0.33	575	2	0.03	19	790	24	0.03	<5	4	<10	<5	40	0.06	<5	44	<5	41	42
45	S8R288095	<0.2	1.38	10	320	<1	<5	0.28	<1	8	20	12	2.02	<5	0.22	40	10	0.31	365	1	0.02	12	460	18	0.01	<5	4	<10	<5	28	0.08	<5	36	<5	19	30
46	S8R288096	<0.2	1.56	10	394	<1	<5	0.41	<1	7	20	14	1.98	<5	0.21	48	10	0.31	275	1	0.03	13	460	18	0.03	<5	4	<10	<5	38	0.07	<5	36	<5	26	28
47	S8R288097	<0.2	0.99	<5	206	<1	<5	0.17	<1	6	14	8	1.60	<5	0.19	32	8	0.23	150	<1	0.02	8	270	15	<0.01	<5	3	<10	<5	22	0.08	<5	28	<5	14	18
48	S8R288098	<0.2	2.27	15	574	2	<5	0.42	<1	9	28	26	2.93	<5	0.51	100	14	0.35	640	2	0.03	19	390	30	0.02	<5	6	<10	<5	36	0.07	<5	44	<5	92	24
49	S8R288099	<0.2	1.35	10	362	<1	<5	0.37	<1	8	20	14	1.99	<5	0.18	28	12	0.35	205	1	0.04	14	370	15	0.01	<5	3	<10	<5	38	0.10	<5	44	<5	14	32
50	S8R286551	<0.2	1.05	<5	100	<1	<5	0.09	<1	7	16	8	1.55	<5	0.10	16	6	0.24	110	1	0.02	7	200	15	<0.01	<5	2	<10	<5	10	0.06	<5	28	<5	7	22
51	S8R286552	<0.2	1.29	5	228	<1	<5	0.19	<1	8	32	16	2.04	<5	0.23	24	8	0.46	280	1	0.03	12	200	24	<0.01	<5	5	<10	<5	18	0.08	<5	36	<5	8	42
52	S8R286553	<0.2	0.94	10	170	<1	<5	0.14	<1	8	18	20	1.78	<5	0.12	18	6	0.30	205	1	0.03	12	150	12	<0.01	<5	4	<10	<5	16	0.07	<5	32	<5	10	26
53	S8R286554	<0.2	1.08	5	222	<1	<5	0.15	<1	8	20	18	1.75	<5	0.12	20	8	0.32	260	1	0.02	13	120	24	<0.01	<5	4	<10	<5	16	0.08	<5	34	<5	9	38
54	S8R286555	<0.2	1.27	10	240	<1	<5	0.21	<1	9	34	16	2.01	<5	0.12	22	10	0.45	205	1	0.03	16	210	15	<0.01	<5	4	<10	<5	20	0.10	<5	42	<5	8	36
55	S8R286556	<0.2	0.77	<5	146	<1	<5	0.11	<1	7	12	10	1.26	<5	0.08	18	4	0.18	120	1	0.02	7	140	12	<0.01	<5	2	<10	<5	12	0.05	<5	20	<5	6	18
56	S8R286557	<0.2	1.11	5	244	<1	<5	0.19	<1	8	20	18	1.97	<5	0.09	22	8	0.29	180	1	0.02	15	250	15	<0.01	<5	4	<10	<5	20	0.08	<5	36	<5	11	30
57	S8R286558	<0.2	0.99	10	160	<1	<5	0.26	<1	3	10	4	1.46	<5	0.16	62	10	0.15	195	2	0.02	5	110	12	<0.01	<5	2	<10	<5	30	0.03	<5	18	<5	32	16
58	S8R286559	<0.2	1.42	10	194	<1	<5	0.15	<1	7	18	14	2.00	<5	0.17	32	8	0.26	530	2	0.02	12	210	15	<0.01	<5	3	<10	<5	16	0.06	<5	36	<5	14	26
59	S8R286560	<0.2	1.47	10	316	<1	<5	0.30	<1	7	18	8	2.19	<5	0.28	30	8	0.31	450	1	0.02	11	290	15	<0.01	<5	4	<10	<5	28	0.05	<5	36	<5	17	30
60	S8R286561	<0.2	1.16	5	246	<1	<5	0.24	<1	8	20	10	2.12	<5	0.22	30	10	0.31	375	1	0.03	13	420	12	<0.01	<5	3	<10	<5	22	0.09	<5	40	<5	14	28
61	S8R286562	<0.2	1.31	10	274	<1	<5	0.28	<1	9	24	18	2.25	<5	0.18	30	10	0.35	350	1	0.03	16	390	15	<0.01	<5	4	<10	<5	24	0.09	<5	46	<5	14	32
62	S8R286563	<0.2	0.93	5	168	<1	<5	0.18	<1	6	12	14	1.81	<5	0.25	42	6	0.25	350	1	0.02	10	300	12	<0.01	<5	4	<10	<5	14	0.05	<5	22	<5	19	22
63	S8R286564	<0.2	1.40	10	296	<1	<5	0.20	<1	8	24	18	2.08	<5	0.19	40	10	0.37	280	1	0.03	15	140	15	<0.01	<5	5	<10	<5	20	0.08	<5	40	<5	14	32
64	S8R286565	<0.2	1.06	10	250	<1	<5	0.19	<1	8	18	28	1.91	<5	0.17	28	8	0.30	240	1	0.03	17	150	15	<0.01	<5	5	<10	<5	18	0.06	<5	32	<5	20	28
65	S8R286566	<0.2	1.22	10	310	<1	<5	0.35	<1	9	24	18	2.10	<5	0.10	36	12	0.40	270	2	0.03	14	520	15	<0.01	<5	4	<10	<5	30	0.10	<5	48	<5	15	36
66	S8R286567	<0.2	1.14	10	332	<1	<5	0.48	<1	10	20	14	1.98	<5	0.09	22	10	0.39	430	1	0.03	13	550	15	0.01	<5	3	<10	<5	38	0.08	<5	44	<5	8	34
67	S8R286568	<0.2	1.00	10	290	<1	<5	0.39	<1	10	18	16	1.84	<5	0.09	24	10	0.34	360	1	0.03	12	570	12	0.01	<5	3	<10	<5	32	0.08	<5	42	<5	9	34
68	S8R286569	<0.2	0.93	5	216	<1	<5	0.31	<1	8	18	10	1.65	<5	0.07	24	8	0.31	260	1	0.03	10	560	12	0.01	<5	2	<10	<5	26	0.09	<5	40	<5	7	30
69	S8R286570	<0.2	1.08	10	246	<1	<5	0.33	<1	9	18	10	1.74	<5	0.09	22	10	0.38	220	1	0.03	10	480	12	0.02	<5	3	<10	<5	28	0.08	<5	40	<5	8	34
70	S8R286571	<0.2	1.25	10	458	<1	<5	0.73	<1	11	24	30	2.26	<5	0.09	18	14	0.50	435	1	0.05	25	790	15	0.02	<5	4	<10	<5	46	0.09	<5	52	<5	9	46

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
71	S8R286572	0.2	1.22	5	314	<1	<5	0.31	<1	8	20	12	1.96	<5	0.09	24	10	0.44	240	2	0.03	12	540	15	0.02	<5	3	<10	<5	14	0.08	<5	42	<5	9	40
72	S8R286573	<0.2	1.33	10	306	<1	<5	0.26	<1	9	22	18	2.26	<5	0.10	24	12	0.44	265	2	0.03	14	530	18	0.01	<5	3	<10	<5	12	0.08	<5	48	<5	10	42
73	S8R286574	<0.2	1.06	10	256	<1	<5	0.27	<1	7	18	12	1.93	<5	0.09	22	8	0.39	195	1	0.03	12	460	15	<0.01	<5	3	<10	<5	12	0.08	<5	40	<5	9	36
74	S8R286575	0.2	1.35	10	380	<1	<5	0.28	<1	9	22	18	2.29	<5	0.15	34	12	0.55	260	2	0.03	14	450	21	<0.01	<5	3	<10	<5	12	0.09	<5	44	<5	12	50
75	S8R286576	0.2	1.66	10	226	<1	<5	0.17	<1	9	28	16	2.62	<5	0.09	20	12	0.50	200	2	0.03	16	230	18	<0.01	<5	3	<10	<5	10	0.09	<5	58	<5	6	40
76	S8R286577	<0.2	1.63	10	346	<1	<5	0.32	<1	12	38	24	2.80	<5	0.13	36	12	0.69	305	1	0.04	22	430	18	<0.01	<5	5	<10	<5	14	0.11	<5	58	<5	17	44
77	S8R286578	0.2	1.20	10	268	<1	<5	0.28	<1	9	22	16	2.25	<5	0.12	24	10	0.50	295	2	0.03	14	500	18	<0.01	<5	3	<10	<5	12	0.09	<5	44	<5	10	44
78	S8R286579	<0.2	1.08	10	310	<1	<5	0.33	<1	9	18	20	2.55	<5	0.12	24	10	0.47	350	2	0.04	16	510	18	<0.01	<5	3	<10	<5	14	0.07	<5	38	<5	12	46
79	S8R286580	0.2	1.45	10	386	<1	<5	0.27	<1	11	30	16	2.63	<5	0.25	34	10	0.77	295	2	0.03	15	440	21	<0.01	<5	4	<10	<5	12	0.08	<5	44	<5	14	54
80	S8R286581	<0.2	1.41	10	284	<1	<5	0.20	<1	11	26	22	2.56	<5	0.13	32	10	0.52	230	2	0.03	16	240	24	0.02	<5	4	<10	<5	10	0.08	<5	46	<5	9	52
81	S8R286582	0.2	1.73	10	466	<1	<5	0.49	<1	14	34	34	2.99	<5	0.11	28	14	0.68	530	1	0.05	29	470	21	<0.01	<5	5	<10	<5	20	0.10	<5	62	<5	14	50
82	S8R286583	0.2	1.24	10	442	<1	<5	0.60	<1	13	26	22	2.53	<5	0.10	20	12	0.51	580	2	0.04	19	800	18	0.01	<5	4	<10	<5	20	0.08	<5	56	<5	9	52
83	S8R286584	0.2	1.48	10	448	<1	<5	0.48	<1	12	28	30	2.63	<5	0.11	22	14	0.57	310	1	0.04	24	720	18	<0.01	<5	5	<10	<5	18	0.09	<5	60	<5	11	54
84	S8R286585	<0.2	1.34	10	454	<1	<5	0.42	<1	12	24	24	2.42	<5	0.10	26	12	0.46	590	1	0.03	21	610	21	0.01	<5	4	<10	<5	16	0.07	<5	50	<5	12	48
85	S8R286586	0.2	1.34	10	354	<1	<5	0.43	<1	10	26	28	2.30	<5	0.11	28	10	0.44	405	1	0.03	21	580	21	<0.01	<5	4	<10	<5	16	0.08	<5	48	<5	12	54
86	S8R286587	0.2	1.46	10	438	<1	<5	0.51	<1	12	26	28	2.60	<5	0.12	28	14	0.52	425	2	0.04	23	670	21	<0.01	<5	4	<10	<5	18	0.08	<5	54	<5	12	58
87	S8R286588	0.2	1.63	10	386	<1	<5	0.37	<1	12	36	26	2.76	<5	0.14	34	14	0.58	400	2	0.04	25	370	27	<0.01	<5	5	<10	<5	16	0.09	<5	56	<5	15	52
88	S8R286589	0.2	1.56	15	544	<1	<5	0.57	<1	13	30	32	2.94	<5	0.13	26	16	0.58	450	1	0.04	29	720	24	0.01	<5	4	<10	<5	20	0.08	<5	56	<5	11	68
89	S8R286590	<0.2	1.41	15	372	<1	<5	0.24	<1	11	30	26	2.78	<5	0.22	40	12	0.51	395	1	0.03	25	280	30	<0.01	<5	4	<10	<5	12	0.08	<5	48	<5	17	54
90	S8R286591	<0.2	1.23	10	218	<1	<5	0.11	<1	5	16	12	1.95	<5	0.17	48	8	0.26	175	<1	0.02	11	110	15	<0.01	<5	3	<10	<5	6	0.04	<5	26	<5	18	22
91	S8R286592	0.2	1.06	5	136	<1	<5	0.06	<1	8	16	8	2.06	<5	0.18	14	6	0.21	340	1	0.02	9	140	12	<0.01	<5	2	<10	<5	4	0.04	<5	28	<5	7	22
92	S8R286593	<0.2	1.05	10	152	<1	<5	0.08	<1	4	16	8	1.65	<5	0.16	34	6	0.24	180	<1	0.02	7	90	12	<0.01	<5	3	<10	<5	4	0.03	<5	22	<5	15	22
93	S8R286594	<0.2	1.70	10	204	<1	<5	0.13	<1	9	30	28	2.68	<5	0.15	38	12	0.46	225	2	0.03	21	150	18	<0.01	<5	6	<10	<5	8	0.09	<5	54	<5	23	44
94	S8R286595	<0.2	0.91	5	104	<1	<5	0.06	<1	5	10	12	1.57	<5	0.14	44	4	0.15	135	<1	0.02	6	180	15	<0.01	<5	3	<10	<5	4	0.03	<5	20	<5	23	18
95	S8R286596	<0.2	1.73	10	200	<1	<5	0.10	<1	7	24	14	2.34	<5	0.16	18	12	0.33	210	2	0.02	17	160	21	<0.01	<5	4	<10	<5	6	0.05	<5	46	<5	10	36
96	S8R286597	<0.2	1.29	10	134	<1	<5	0.10	<1	7	34	16	2.02	<5	0.14	44	8	0.40	185	1	0.02	14	100	12	<0.01	<5	4	<10	<5	6	0.06	<5	38	<5	21	26
97	S8R286598	0.2	1.64	5	210	<1	<5	0.10	<1	7	22	12	2.19	<5	0.12	16	10	0.28	165	1	0.02	12	130	15	<0.01	<5	3	<10	<5	6	0.05	<5	44	<5	8	30
98	S8R286599	<0.2	1.08	5	228	<1	<5	0.11	<1	6	12	6	1.70	<5	0.19	20	6	0.19	420	<1	0.02	8	170	12	<0.01	<5	2	<10	<5	6	0.05	<5	28	<5	10	22
99	S8R286600	0.2	1.70	10	194	<1	<5	0.16	<1	9	28	20	2.40	<5	0.14	28	12	0.39	250	1	0.02	19	200	18	<0.01	<5	3	<10	<5	8	0.07	<5	50	<5	7	38
100	S8R286601	<0.2	1.28	10	152	<1	<5	0.08	<1	9	16	6	1.93	<5	0.14	28	10	0.20	260	1	0.02	8	260	15	<0.01	<5	3	<10	<5	4	0.04	<5	38	<5	12	24
101	S8R286602	0.2	1.98	10	250	<1	<5	0.11	<1	9	28	14	2.75	<5	0.14	16	14	0.39	265	2	0.02	19	310	24	0.01	<5	4	<10	<5	8	0.08	<5	62	<5	11	50
102	S8R286603	0.2	1.72	10	216	<1	<5	0.11	<1	7	20	10	2.81	<5	0.23	14	16	0.32	365	1	0.02	12	360	18	<0.01	<5	3	<10	<5	6	0.07	<5	48	<5	4	38
103	S8R286604	<0.2	1.18	10	172	<1	<5	0.13	<1	7	20	22	1.88	<5	0.09	24	10	0.33	175	<1	0.02	15	150	15	<0.01	<5	3	<10	<5	8	0.06	<5	42	<5	10	30
104	S8R286605	<0.2	1.83	15	150	<1	<5	0.11	<1	9	26	22	2.40	<5	0.12	24	12	0.37	185	2	0.02	17	160	21	<0.01	<5	3	<10	<5	6	0.06	<5	48	<5	9	34
105	S8R286606	0.2	0.88	<5	80	<1	<5	0.04	<1	2	6	4	1.10	<5	0.10	8	2	0.09	75	<1	0.02	3	50	9	<0.01	<5	2	<10	<5	2	0.02	<5	18	<5	5	10
106	S8R286607	<0.2	1.59	10	216	<1	<5	0.16	<1	8	26	22	2.20	<5	0.08	28	12	0.38	175	1	0.02	17	150	18	<0.01	<5	4	<10	<5	8	0.07	<5	48	<5	13	32
107	S8R286608	<0.2	1.92	10	152	<1	<5	0.11	<1	9	26	12	2.71	<5	0.11	18	16	0.36	205	2	0.02	15	240	21	<0.01	<5	4	<10	<5	6	0.06	<5	52	<5	13	32
108	S8R286609	<0.2	1.78	10	182	<1	<5	0.14	<1	8	26	16	2.49	<5	0.13	30	14	0.38	225	2	0.02	15	240	21	<0.01	<5	4	<10	<5	8	0.07	<5	48	<5	15	34
109	S8R286610	0.2	1.89	10	236	<1	<5	0.15	<1	10	32	18	2.76	<5	0.08	18	16	0.43	220	2	0.03	19	160	21	<0.01	<5	4	<10	<5	8	0.09	<5	64	<5	6	38
110	S8R287451	0.2	1.85	5	668	<1	<5	0.34	<1	10	70	16	2.36	<5	0.19	42	10	0.60	380	2	0.03	20	670	24	0.01	<5	4	<10	<5	14	0.09	<5	54	<5	14	38

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
111	S8R287452	0.2	1.29	5	374	<1	<5	0.18	<1	7	20	10	1.87	<5	0.13	20	10	0.40	240	1	0.02	9	370	18	<0.01	<5	3	<10	<5	8	0.07	<5	38	<5	7	32
112	S8R287453	0.2	1.27	5	434	<1	<5	0.23	<1	6	22	10	1.87	<5	0.12	22	8	0.37	215	1	0.02	9	380	18	<0.01	<5	3	<10	<5	10	0.07	<5	42	<5	6	32
113	S8R287454	0.2	1.60	10	432	<1	<5	0.22	<1	6	22	10	2.08	<5	0.15	20	12	0.36	255	2	0.02	10	390	21	<0.01	<5	3	<10	<5	10	0.06	<5	48	<5	7	34
114	S8R287455	0.2	1.70	5	454	<1	<5	0.20	<1	9	22	10	2.41	<5	0.25	24	12	0.53	365	2	0.02	10	630	21	0.01	<5	4	<10	<5	10	0.08	<5	52	<5	8	38
115	S8R287456	0.2	1.11	5	270	<1	<5	0.15	<1	5	16	8	1.50	<5	0.11	12	8	0.32	135	1	0.02	8	160	12	<0.01	<5	2	<10	<5	8	0.06	<5	36	<5	4	24
116	S8R287457	0.2	1.24	5	204	<1	<5	0.09	<1	5	18	6	1.47	<5	0.11	8	8	0.41	120	1	0.02	7	130	12	<0.01	<5	2	<10	<5	6	0.06	<5	34	<5	5	18
117	S8R287458	<0.2	1.50	5	306	<1	<5	0.13	<1	7	20	12	1.99	<5	0.12	22	10	0.37	150	1	0.02	11	130	18	<0.01	<5	3	<10	<5	10	0.07	<5	44	<5	7	28
118	S8R287459	0.2	1.53	10	258	<1	<5	0.12	<1	7	24	14	2.08	<5	0.09	20	10	0.35	150	1	0.02	13	140	18	<0.01	<5	3	<10	<5	8	0.07	<5	52	<5	6	28
119	S8R287460	0.6	1.84	10	326	<1	<5	0.14	<1	8	28	14	2.51	<5	0.09	18	14	0.36	165	2	0.02	15	170	21	<0.01	<5	4	<10	<5	8	0.09	<5	68	<5	4	30
120	S8R287461	0.2	1.26	5	318	<1	<5	0.12	<1	7	22	8	1.96	<5	0.10	10	12	0.35	290	1	0.02	11	230	12	<0.01	<5	3	<10	<5	6	0.06	<5	46	<5	6	36
121	S8R287462	0.2	1.30	5	820	<1	<5	0.30	<1	9	24	8	1.92	<5	0.17	16	10	0.37	445	1	0.03	14	220	15	<0.01	<5	3	<10	<5	12	0.08	<5	44	<5	4	32
122	S8R287463	0.2	1.66	10	734	<1	<5	0.36	<1	11	34	14	2.41	<5	0.28	22	14	0.62	420	2	0.03	18	220	21	<0.01	<5	4	<10	<5	14	0.10	<5	52	<5	8	40
123	S8R287464	<0.2	1.92	10	776	<1	<5	0.46	<1	12	36	20	2.55	<5	0.41	56	14	0.79	695	2	0.03	18	580	24	0.03	<5	5	<10	<5	16	0.08	<5	48	<5	21	58
124	S8R287465	0.2	1.51	10	544	<1	<5	0.38	<1	11	28	14	2.41	<5	0.28	22	12	0.48	535	2	0.04	17	210	18	<0.01	<5	5	<10	<5	14	0.09	<5	54	<5	7	44
125	S8R287466	<0.2	1.32	<5	762	<1	<5	0.55	<1	8	16	16	1.77	<5	0.56	46	6	0.59	935	1	0.03	9	600	18	0.03	<5	3	<10	<5	18	0.06	<5	26	<5	15	56
126	S8R287467	0.2	1.18	5	386	<1	<5	0.26	<1	9	20	10	1.95	<5	0.30	28	8	0.50	410	1	0.03	12	220	15	<0.01	<5	3	<10	<5	12	0.08	<5	38	<5	10	36
127	S8R287468	0.2	1.40	5	548	<1	<5	0.45	<1	10	20	12	2.02	<5	0.37	26	8	0.58	705	1	0.03	12	330	18	0.02	<5	4	<10	<5	16	0.08	<5	36	<5	9	48
128	S8R287469	<0.2	1.54	10	550	<1	<5	0.55	<1	12	26	22	2.38	<5	0.45	32	10	0.75	425	2	0.04	21	450	18	0.01	<5	4	<10	<5	18	0.10	<5	50	<5	16	48
129	S8R287470	<0.2	0.76	5	222	<1	<5	0.34	<1	8	18	10	1.51	<5	0.10	18	8	0.32	225	<1	0.03	12	790	9	0.01	<5	2	<10	<5	12	0.07	<5	32	<5	8	30
130	S8R287471	<0.2	1.95	5	450	<1	<5	0.54	<1	18	54	24	3.25	<5	0.72	42	10	1.19	720	2	0.03	22	610	27	0.02	<5	6	<10	<5	16	0.12	<5	62	<5	16	68
131	S8R287472	0.2	1.63	15	326	<1	<5	0.41	<1	13	32	20	2.67	<5	0.32	24	12	0.53	365	1	0.03	22	270	21	<0.01	<5	5	<10	<5	14	0.10	<5	58	<5	9	48
132	S8R287473	0.2	1.60	10	370	<1	<5	0.35	<1	11	30	16	2.53	<5	0.41	42	10	0.55	365	2	0.03	16	400	24	<0.01	<5	5	<10	<5	12	0.09	<5	42	<5	14	52
133	S8R287474	0.2	1.26	5	244	<1	<5	0.30	<1	8	20	30	1.88	<5	0.29	30	8	0.62	240	1	0.03	12	250	24	0.04	<5	3	<10	<5	12	0.08	<5	36	<5	9	42
134	S8R287475	0.2	2.09	5	312	<1	<5	0.49	<1	21	70	20	2.75	<5	0.19	14	12	1.14	395	2	0.03	23	500	18	<0.01	<5	6	<10	<5	16	0.16	<5	72	<5	7	44
135	S8R287476	0.2	1.50	10	492	<1	<5	0.48	<1	13	30	28	2.61	<5	0.27	30	16	0.62	405	2	0.04	27	490	21	<0.01	<5	5	<10	<5	18	0.09	<5	56	<5	16	56
136	S8R287477	0.2	0.96	<5	796	<1	<5	0.12	<1	3	6	4	1.24	<5	0.25	38	4	0.16	175	1	0.02	4	140	12	<0.01	<5	1	<10	<5	10	0.02	<5	18	<5	5	18
137	S8R287478	<0.2	1.19	<5	782	<1	<5	0.10	<1	4	8	4	1.68	<5	0.19	26	6	0.14	345	1	0.02	4	230	9	0.01	<5	1	<10	<5	6	0.02	<5	28	<5	4	24
138	S8R287479	<0.2	1.17	5	458	<1	<5	0.19	<1	7	20	14	1.74	<5	0.07	26	12	0.33	150	<1	0.02	13	140	15	<0.01	<5	3	<10	<5	10	0.08	<5	44	<5	11	26
139	S8R287480	0.2	1.57	10	434	<1	<5	0.21	<1	8	24	18	2.20	<5	0.12	20	12	0.40	175	1	0.02	14	270	18	<0.01	<5	3	<10	<5	12	0.09	<5	56	<5	7	34
140	S8R287481	0.2	1.55	10	426	<1	<5	0.24	<1	9	26	20	2.20	<5	0.11	26	14	0.40	185	1	0.03	16	250	21	<0.01	<5	4	<10	<5	12	0.09	<5	52	<5	8	36
141	S8R287482	<0.2	0.94	<5	346	<1	<5	0.21	<1	6	14	10	1.38	<5	0.16	34	6	0.34	150	<1	0.02	8	260	12	<0.01	<5	2	<10	<5	10	0.07	<5	28	<5	13	26
142	S8R287483	0.2	1.57	10	630	<1	<5	0.47	<1	8	24	22	2.20	<5	0.12	32	10	0.41	230	2	0.03	16	720	21	0.05	<5	3	<10	<5	20	0.05	<5	42	<5	17	48
143	S8R287484	0.2	1.43	5	422	<1	<5	0.33	<1	7	22	16	1.93	<5	0.11	24	10	0.38	165	1	0.03	13	500	18	0.02	<5	3	<10	<5	14	0.07	<5	44	<5	10	42
144	S8R287485	0.2	1.77	10	520	<1	<5	0.38	<1	8	26	24	2.24	<5	0.12	26	12	0.44	180	2	0.03	15	510	21	0.02	<5	3	<10	<5	18	0.07	<5	48	<5	11	48
145	S8R287486	<0.2	1.62	10	488	<1	<5	0.17	<1	9	24	14	2.18	<5	0.08	16	12	0.33	700	2	0.02	14	140	18	<0.01	<5	3	<10	<5	10	0.07	<5	56	<5	4	34
146	S8R287487	0.2	1.34	5	376	<1	<5	0.32	<1	8	24	20	1.89	<5	0.09	30	12	0.41	190	1	0.03	14	520	15	<0.01	<5	4	<10	<5	14	0.08	<5	44	<5	13	42
147	S8R287488	0.2	1.56	10	448	<1	<5	0.29	<1	10	26	24	2.23	<5	0.12	32	12	0.42	260	2	0.03	14	550	21	<0.01	<5	4	<10	<5	12	0.07	<5	48	<5	19	48
148	S8R287489	<0.2	1.35	5	262	<1	<5	0.26	<1	7	22	12	1.93	<5	0.09	20	12	0.39	165	1	0.02	12	470	18	<0.01	<5	3	<10	<5	10	0.08	<5	46	<5	6	40
149	S8R287490	0.2	1.38	10	436	<1	<5	0.34	<1	10	20	16	1.87	<5	0.13	20	8	0.34	410	2	0.03	12	670	18	0.02	<5	2	<10	<5	14	0.05	<5	42	<5	9	42
150	S8R287491	0.2	1.28	10	386	<1	<5	0.24	<1	8	20	12	1.92	<5	0.11	18	8	0.31	225	1	0.02	10	440	15	0.01	<5	3	<10	<5	12	0.06	<5	42	<5	7	34

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
151	S8R287492	0.2	1.48	5	716	<1	<5	0.53	<1	12	26	22	2.09	<5	0.17	26	8	0.40	520	1	0.03	16	540	21	0.02	<5	3	<10	<5	22	0.07	<5	46	<5	12	44
152	S8R287493	0.2	1.21	5	374	<1	<5	0.26	<1	8	20	12	1.77	<5	0.10	18	8	0.36	465	1	0.02	10	380	15	<0.01	<5	3	<10	<5	10	0.07	<5	38	<5	7	30
153	S8R287494	<0.2	1.16	5	364	<1	<5	0.26	<1	8	20	14	1.68	<5	0.09	22	10	0.32	210	1	0.02	11	380	15	<0.01	<5	3	<10	<5	10	0.07	<5	38	<5	9	30
154	S8R287495	0.2	1.45	10	344	<1	<5	0.27	<1	9	22	18	2.00	<5	0.10	24	12	0.39	210	1	0.03	14	390	18	<0.01	<5	3	<10	<5	12	0.08	<5	46	<5	7	36
155	S8R287496	<0.2	1.06	5	320	<1	<5	0.23	<1	6	16	12	1.52	<5	0.17	36	8	0.38	155	<1	0.03	9	300	15	<0.01	<5	3	<10	<5	10	0.07	<5	32	<5	11	28
156	S8R287497	<0.2	1.18	5	500	<1	<5	0.27	<1	9	18	16	1.88	<5	0.33	44	6	0.49	635	2	0.03	14	210	21	<0.01	<5	3	<10	<5	12	0.07	<5	34	<5	16	46
157	S8R287498	<0.2	1.59	5	486	<1	<5	0.34	<1	11	22	12	2.35	<5	0.43	42	10	0.65	490	2	0.03	13	340	27	<0.01	<5	4	<10	<5	12	0.08	<5	44	<5	15	56
158	S8R287499	0.2	1.34	5	458	<1	<5	0.33	<1	9	20	12	1.98	<5	0.30	24	8	0.43	555	1	0.03	12	240	24	0.01	<5	4	<10	<5	12	0.07	<5	38	<5	8	60
159	S8R287500	0.2	1.40	5	416	<1	<5	0.25	<1	7	16	16	2.04	<5	0.36	38	8	0.50	400	2	0.02	10	250	27	0.01	<5	3	<10	<5	14	0.06	<5	32	<5	13	102
160	S8R287501	0.2	1.37	<5	604	<1	<5	0.23	<1	9	16	12	2.07	<5	0.40	32	8	0.53	735	2	0.03	9	280	39	<0.01	<5	3	<10	<5	12	0.08	<5	36	<5	9	174
161	S8R287502	0.2	1.29	5	500	<1	<5	0.20	<1	9	22	12	1.95	<5	0.20	22	10	0.37	315	2	0.02	14	220	18	<0.01	<5	3	<10	<5	10	0.08	<5	44	<5	5	50
162	S8R287503	0.2	1.43	<5	794	<1	<5	0.24	<1	10	16	6	1.81	<5	0.18	22	10	0.30	970	1	0.02	10	360	18	<0.01	<5	2	<10	<5	12	0.06	<5	42	<5	4	68
163	S8R287504	<0.2	1.37	5	300	<1	<5	0.15	<1	9	18	22	2.11	<5	0.16	30	10	0.51	200	1	0.02	14	140	18	<0.01	<5	3	<10	<5	10	0.08	<5	44	<5	12	40
164	S8R287505	0.2	1.61	10	294	<1	<5	0.17	<1	9	22	20	2.37	<5	0.15	20	12	0.45	205	2	0.03	15	290	18	<0.01	<5	4	<10	<5	10	0.08	<5	54	<5	7	36
165	S8R287506	0.2	1.26	5	302	<1	<5	0.24	<1	8	20	18	1.85	<5	0.12	24	10	0.40	155	1	0.03	13	280	15	<0.01	<5	3	<10	<5	12	0.09	<5	44	<5	9	36
166	S8R287507	0.2	1.44	10	484	<1	<5	0.48	<1	12	24	30	2.43	<5	0.12	22	14	0.50	365	2	0.04	24	730	18	<0.01	<5	4	<10	<5	16	0.08	<5	52	<5	11	54
167	S8R287508	0.2	1.53	10	508	<1	<5	0.48	<1	12	24	30	2.47	<5	0.11	20	14	0.48	390	2	0.04	24	660	18	<0.01	<5	4	<10	<5	18	0.08	<5	56	<5	10	56
168	S8R287509	<0.2	1.72	10	470	<1	<5	0.43	<1	13	26	32	2.49	<5	0.11	22	14	0.50	455	2	0.03	23	520	21	<0.01	<5	4	<10	<5	18	0.08	<5	56	<5	11	50
169	S8R287510	0.2	1.38	10	372	<1	<5	0.41	<1	11	22	22	2.02	<5	0.11	20	12	0.42	415	2	0.03	17	510	18	0.01	<5	3	<10	<5	16	0.08	<5	48	<5	7	46

QC DATA:**Repeat:**

1	S8R288051	<0.2	1.29	10	280	<1	<5	0.19	<1	8	22	24	2.25	<5	0.05	16	12	0.34	280	1	0.02	17	390	12	<0.01	<5	4	<10	<5	18	0.05	<5	42	<5	9	40
10	S8R288060	<0.2	1.20	10	534	<1	<5	0.34	<1	25	20	18	2.18	<5	0.05	20	10	0.38	3495	2	0.02	18	730	15	0.03	<5	2	<10	<5	28	0.04	<5	34	<5	13	42
19	S8R288069	<0.2	1.00	5	248	<1	<5	0.18	<1	5	14	10	1.84	<5	0.25	28	6	0.32	290	<1	0.02	11	340	9	<0.01	<5	2	<10	<5	16	0.04	<5	22	<5	12	32
28	S8R288078	<0.2	0.93	5	158	<1	<5	0.07	<1	5	16	14	1.74	<5	0.07	18	8	0.26	130	<1	0.02	11	80	9	<0.01	<5	2	<10	<5	10	0.04	<5	30	<5	9	26
36	S8R288086	<0.2	1.49	10	310	<1	<5	0.22	<1	15	24	18	2.21	<5	0.15	42	12	0.33	485	1	0.03	17	420	15	<0.01	<5	4	<10	<5	26	0.09	<5	48	<5	11	34
45	S8R288095	<0.2	1.38	10	324	<1	<5	0.28	<1	9	20	12	2.01	<5	0.22	40	10	0.31	385	1	0.02	12	450	15	0.01	<5	4	<10	<5	28	0.07	<5	36	<5	19	32
54	S8R286555	<0.2	1.25	5	236	<1	<5	0.21	<1	9	34	16	1.99	<5	0.12	22	10	0.44	205	1	0.03	15	200	15	<0.01	<5	4	<10	<5	20	0.10	<5	42	<5	8	34
63	S8R286564	<0.2	1.35	10	290	<1	<5	0.20	<1	8	24	18	2.06	<5	0.19	44	10	0.36	275	1	0.03	15	150	15	<0.01	<5	5	<10	<5	20	0.08	<5	40	<5	16	30
71	S8R286572	0.2	1.24	5	320	<1	<5	0.32	<1	8	20	12	1.89	<5	0.09	26	10	0.44	245	1	0.03	12	530	15	0.02	<5	3	<10	<5	14	0.07	<5	42	<5	9	40
80	S8R286581	0.2	1.40	10	284	<1	<5	0.21	<1	10	26	22	2.44	<5	0.12	32	10	0.51	230	2	0.03	16	240	24	0.02	<5	4	<10	<5	10	0.08	<5	46	<5	9	50
89	S8R286590	<0.2	1.42	15	382	<1	<5	0.23	<1	12	30	26	2.71	<5	0.23	38	12	0.52	425	1	0.03	26	260	30	<0.01	<5	4	<10	<5	12	0.09	<5	50	<5	16	56
98	S8R286599	<0.2	1.06	<5	224	<1	<5	0.11	<1	5	12	6	1.59	<5	0.19	20	6	0.18	430	<1	0.02	8	160	12	<0.01	<5	2	<10	<5	6	0.05	<5	28	<5	10	20
106	S8R286607	0.2	1.60	10	220	<1	<5	0.15	<1	9	26	22	2.25	<5	0.08	28	14	0.40	175	1	0.02	17	150	18	<0.01	<5	4	<10	<5	8	0.07	<5	50	<5	13	32
115	S8R287456	0.4	1.14	<5	278	<1	<5	0.15	<1	5	16	8	1.49	<5	0.11	12	8	0.32	130	1	0.02	8	170	12	<0.01	<5	2	<10	<5	8	0.06	<5	36	<5	4	24
124	S8R287465	0.2	1.54	10	542	<1	<5	0.37	<1	12	28	14	2.41	<5	0.28	22	12	0.49	545	2	0.04	17	210	18	<0.01	<5	5	<10	<5	14	0.09	<5	54	<5	7	44
133	S8R287474	0.2	1.29	5	248	<1	<5	0.26	<1	8	22	30	1.93	<5	0.30	32	8	0.64	255	1	0.02	12	250	24	<0.01	<5	3	<10	<5	10	0.08	<5	36	<5	9	44
141	S8R287482	<0.2	0.94	5	350	<1	<5	0.20	<1	6	14	10	1.37	<5	0.16	36	6	0.35	155	<1	0.02	8	290	12	<0.01	<5	2	<10	<5	10	0.07	<5	28	<5	13	24
150	S8R287491	0.2	1.31	10	392	<1	<5	0.25	<1	8	20	12	1.91	<5	0.11	20	8	0.32	235	1	0.02	10	460	15	0.01	<5	3	<10	<5	12	0.06	<5	42	<5	8	36
159	S8R287500	0.2	1.39	5	414	<1	<5	0.25	<1	7	16	16	2.07	<5	0.36	38	8	0.50	405	2	0.02	10	250	24	0.01	<5	3	<10	<5	14	0.06	<5	32	<5	13	106

Standard:

TILL3	1.4	1.11	85	40	<1	<5	0.56	<1	14	62	22	2.00	<5	0.10	16	18	0.60	310	1	0.05	32	450	18	0.01	<5	4	<10	<5	16	0.12	<5	40	<5	7	38
TILL3	1.4	1.11	90	40	<1	<5	0.55	<1	14	64	22	2.02	<5	0.11	16	18	0.59	315	1	0.05	32	450	21	0.01	<5	4	<10	<5	16	0.12	<5	38	<5	7	38
TILL3	1.6	1.05	85	40	<1	<5	0.55	<1	14	62	22	1.97	<5	0.09	16	18	0.60	310	1	0.05	33	450	21	0.02	<5	4	<10	<5	14	0.10	<5	36	<5	8	40

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
TILL3		1.6	1.08	85	40	<1	<5	0.54	<1	14	62	22	1.98	<5	0.09	14	18	0.60	310	2	0.04	33	470	18	0.01	<5	4	<10	<5	14	0.10	<5	38	<5	8	38
TILL3		1.6	1.12	85	40	<1	<5	0.56	<1	14	60	22	1.95	<5	0.09	14	18	0.61	305	1	0.04	33	460	18	0.01	<5	4	<10	<5	14	0.09	<5	40	<5	8	38

ICP: Aqua Regia Digest / ICP- AES Finish.

NM/cr/el
dt/2_8071AS/2_8071BS
XLS/11


ECO TECH LABORATORY LTD.
Norman Monteith
B.C. Certified Assayer



CERTIFICATE OF ANALYSIS AW 2011-8087

Kestrel Gold Corp.
 #8-46225 Ranchero Drive
Chilliwack, BC
 V4Z 0A5
 Attn: Kevin Nephin

13-Jul-11

No. of samples received: 184

Sample Type: Soil

Project: Dawson Area

Shipment #: 2

Submitted by: All Terrane Mineral Exploration

ET #.	Tag #	Au (ppb)
1	S8R287091	<5
2	S8R287092	5
3	S8R287093	5
4	S8R287094	5
5	S8R287095	5
6	S8R287096	5
7	S8R287097	<5
8	S8R287098	5
9	S8R287099	220
10	S8R287100	*
11	S8R287101	10
12	S8R287102	5
13	S8R287103	10
14	S8R287104	5
15	S8R287105	10
16	S8R287106	5
17	S8R287107	5
18	S8R287108	5
19	S8R287109	5
20	S8R287110	5
21	S8R287111	5
22	S8R287112	5
23	S8R287113	5
24	S8R287114	<5
25	S8R287115	5
26	S8R287116	10
27	S8R287117	5

*** Insufficient Sample**

Eco Tech Laboratory Ltd.
 10041 Dallas Drive
 Kamloops, BC
 V2C 6T4 Canada
 Tel + 250 573 5700
 Fax + 250 573 4557
 Toll Free + 1 877 573 5755
 www.stewartgroupglobal.com



StewartGroup
 Geochemical & Assay

Kestrel Gold Corp. AW11-8087

13-Jul-11

ET #.	Tag #	Au (ppb)
28	S8R287118	5
29	S8R287119	5
30	S8R287120	5
31	S8R287121	5
32	S8R287122	<5
33	S8R287123	5
34	S8R287124	5
35	S8R287125	5
36	S8R287126	<5
37	S8R287127	<5
38	S8R287128	<5
39	S8R287129	<5
40	S8R287130	5
41	S8R287131	5
42	S8R287132	<5
43	S8R287133	<5
44	S8R287134	5
45	S8R287135	<5
46	S8R287136	<5
47	S8R287137	<5
48	S8R287138	<5
49	S8R287139	5
50	S8R287140	5
51	S8R287141	5
52	S8R287142	10
53	S8R287143	<5
54	S8R287144	<5
55	S8R287145	<5
56	S8R287146	<5
57	S8R287147	<5
58	S8R287148	<5
59	S8R287149	<5
60	S8R287150	<5
61	S8R287151	5
62	S8R287152	5
63	S8R287153	<5
64	S8R287154	5
65	S8R287155	5
66	S8R287156	<5
67	S8R287157	5
68	S8R287158	<5
69	S8R287159	<5
70	S8R287160	<5
71	S8R287161	<5

Eco Tech Laboratory Ltd.
 10041 Dallas Drive
 Kamloops, BC
 V2C 6T4 Canada
 Tel + 250 573 5700
 Fax + 250 573 4557
 Toll Free + 1 877 573 5755
 www.stewartgroupglobal.com



StewartGroup
 Geochemical & Assay

Kestrel Gold Corp. AW11-8087

13-Jul-11

ET #.	Tag #	Au (ppb)
72	S8R287162	<5
73	S8R287163	<5
74	S8R287164	<5
75	S8R287165	5
76	S8R287166	10
77	S8R287167	5
78	S8R287168	<5
79	S8R287169	5
80	S8R287170	5
81	S8R287171	<5
82	S8R287172	<5
83	S8R287173	5
84	S8R287174	10
85	S8R287175	<5
86	S8R287176	<5
87	S8R287177	<5
88	S8R287178	5
89	S8R287179	10
90	S8R287180	<5
91	S8R287181	<5
92	S8R287182	5
93	S8R287183	10
94	S8R287184	5
95	S8R287185	<5
96	S8R287186	10
97	S8R287187	<5
98	S8R287188	<5
99	S8R287189	5
100	S8R287190	<5
101	S8R287191	5
102	S8R287192	5
103	S8R287193	<5
104	S8R287194	<5
105	S8R287195	5
106	S8R287196	10
107	S8R287197	5
108	S8R287198	10
109	S8R287199	240
110	S8R287200	<5
111	S8R287201	15
112	S8R287202	10
113	S8R287203	35
114	S8R287204	25
115	S8R287205	10

Eco Tech Laboratory Ltd.
 10041 Dallas Drive
 Kamloops, BC
 V2C 6T4 Canada
 Tel + 250 573 5700
 Fax + 250 573 4557
 Toll Free + 1 877 573 5755
 www.stewartgroupglobal.com



StewartGroup
 Geochemical & Assay

Kestrel Gold Corp. AW11-8087

13-Jul-11

ET #.	Tag #	Au (ppb)
116	S8R287206	5
117	S8R287207	15
118	S8R287208	20
119	S8R287209	10
120	S8R287210	5
121	S8R287211	5
122	S8R287212	10
123	S8R287213	100
124	S8R287214	80
125	S8R287215	15
126	S8R287216	10
127	S8R287217	<5
128	S8R287218	<5
129	S8R287219	<5
130	S8R287220	<5
131	S8R287221	<5
132	S8R287222	<5
133	S8R287223	<5
134	S8R287224	<5
135	S8R287225	<5
136	S8R287226	<5
137	S8R287227	<5
138	S8R287228	<5
139	S8R287229	5
140	S8R287230	<5
141	S8R287231	5
142	S8R287232	<5
143	S8R287233	<5
144	S8R287234	<5
145	S8R287235	<5
146	S8R287236	<5
147	S8R287237	10
148	S8R287238	15
149	S8R287239	15
150	S8R287240	5
151	S8R287241	10
152	S8R287242	5
153	S8R287243	30
154	S8R287244	<5
155	S8R287245	<5
156	S8R287246	<5
157	S8R287247	5
158	S8R287248	<5
159	S8R287249	15



Kestrel Gold Corp. AW11-8087

13-Jul-11

ET #.	Tag #	Au (ppb)
160	S8R287251	<5
161	S8R287252	5
162	S8R287253	5
163	S8R287254	<5
164	S8R287255	<5
165	S8R287256	5
166	S8R287257	10
167	S8R287258	<5
168	S8R287259	<5
169	S8R287260	<5
170	S8R287261	5
171	S8R287262	<5
172	S8R287263	<5
173	S8R287264	<5
174	S8R287265	<5
175	S8R287266	5
176	S8R287267	<5
177	S8R287268	<5
178	S8R287269	<5
179	S8R287270	<5
180	S8R287271	<5
181	S8R287272	<5
182	S8R287273	<5
183	S8R287274	<5
184	S8R287250	10

QC DATA:

Repeat:

4	S8R287094	5
13	S8R287103	10
23	S8R287113	5
29	S8R287119	<5
43	S8R287133	5
45	S8R287135	5
58	S8R287148	<5
68	S8R287158	<5
71	S8R287161	5
82	S8R287172	5
90	S8R287180	<5
100	S8R287190	5
107	S8R287197	10
117	S8R287207	20
127	S8R287217	<5

Eco Tech Laboratory Ltd.
10041 Dallas Drive
Kamloops, BC
V2C 6T4 Canada
Tel + 250 573 5700
Fax + 250 573 4557
Toll Free + 1 877 573 5755
www.stewartgroupglobal.com



StewartGroup
Geochemical & Assay

Kestrel Gold Corp. AW11-8087

13-Jul-11


ET #.	Tag #	Au (ppb)
133	S8R287223	<5
141	S8R287231	10
150	S8R287240	<5
162	S8R287253	10
168	S8R287259	<5
177	S8R287268	<5

Standard:

OXE86	605
OXG83	995
OXE86	595
OXG83	1000
OXE86	615
OXG83	1000

FA Geochem/AA Finish

NM/cr/el
XLS/11


ECO TECH LABORATORY LTD.
Norman Monteith
B.C. Certified Assayer

Stewart Group
ECO TECH LABORATORY LTD.
 10041 Dallas Drive
KAMLOOPS, B.C.
 V2C 6T4
www.stewartgroupglobal.com

ICP CERTIFICATE OF ANALYSIS AW 2011-8087

Kestrel Gold Corp.
 #8-46225 Ranchero Drive
Chilliwack, BC
 V4Z 0A5
 Attn: Kevin Nephin

Phone: 250-573-5700

Fax : 250-573-4557

No. of samples received: 184

Sample Type: Soil

Project: Dawson Area**Shipment #: 2**

Submitted by: All Terrane Mineral Exploration

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
1	S8R287091	<0.2	1.30	10	356	<1	<5	0.36	<1	11	24	22	2.27	<5	0.06	18	12	0.40	270	1	0.03	18	470	15	<0.01	<5	4	<10	<5	26	0.07	<5	48	<5	7	44
2	S8R287092	<0.2	1.20	10	374	<1	<5	0.43	<1	12	24	24	2.23	<5	0.06	20	10	0.39	395	1	0.03	19	620	12	<0.01	<5	4	<10	<5	30	0.08	<5	48	<5	9	46
3	S8R287093	<0.2	1.25	10	400	<1	<5	0.50	<1	11	24	26	2.32	<5	0.06	20	12	0.43	285	1	0.03	22	620	12	<0.01	<5	4	<10	<5	32	0.08	<5	48	<5	9	46
4	S8R287094	<0.2	1.17	10	318	<1	<5	0.42	<1	10	22	22	2.13	<5	0.06	18	10	0.42	225	2	0.03	18	600	12	<0.01	<5	3	<10	<5	28	0.08	<5	42	<5	8	48
5	S8R287095	<0.2	1.29	10	352	<1	<5	0.51	<1	13	24	20	2.34	<5	0.07	16	12	0.42	395	2	0.03	18	580	15	<0.01	<5	3	<10	<5	32	0.07	<5	50	<5	7	50
6	S8R287096	<0.2	1.17	10	354	<1	<5	0.46	<1	11	22	22	2.14	<5	0.07	16	10	0.36	315	1	0.03	16	570	12	0.01	<5	3	<10	<5	30	0.06	<5	46	<5	7	48
7	S8R287097	<0.2	1.12	10	276	<1	<5	0.48	<1	10	22	18	1.97	<5	0.06	16	10	0.38	260	1	0.03	15	640	12	<0.01	<5	3	<10	<5	32	0.07	<5	42	<5	6	46
8	S8R287098	<0.2	1.14	10	242	<1	<5	0.42	<1	9	22	16	1.94	<5	0.06	18	10	0.36	215	1	0.02	13	580	12	<0.01	<5	3	<10	<5	26	0.07	<5	40	<5	6	42
9	S8R287099	<0.2	0.18	420	1968	<1	<5	0.99	4	2	20	62	3.79	<5	0.07	<2	2	0.02	105	18	0.03	17	50	21	0.14	30	<1	<10	<5	32	<0.01	<5	10	<5	2	16
10	S8R287100	<0.2	0.89	10	272	<1	<5	0.51	<1	10	16	14	1.77	<5	0.06	16	6	0.28	320	1	0.02	10	460	12	0.02	<5	2	<10	<5	34	0.05	<5	36	<5	6	38
11	S8R287101	<0.2	1.07	10	414	<1	<5	0.72	<1	15	20	24	2.08	<5	0.07	20	8	0.36	910	2	0.03	17	710	15	0.04	<5	2	<10	<5	46	0.05	<5	44	<5	10	48
12	S8R287102	<0.2	1.10	10	560	<1	<5	0.90	<1	10	22	18	2.20	<5	0.09	34	10	0.45	805	1	0.03	14	570	15	0.09	<5	3	<10	<5	50	0.05	<5	34	<5	19	50
13	S8R287103	<0.2	1.31	<5	596	<1	<5	0.27	<1	9	18	16	2.10	<5	0.28	24	6	0.36	490	3	0.02	11	210	18	<0.01	<5	3	<10	<5	18	0.04	<5	32	<5	9	42
14	S8R287104	<0.2	1.56	5	412	<1	<5	0.29	<1	12	36	8	2.73	<5	0.56	54	8	0.73	290	1	0.02	15	220	9	<0.01	<5	5	<10	<5	20	0.06	<5	40	<5	19	46
15	S8R287105	<0.2	1.17	5	302	<1	<5	0.29	<1	10	20	14	2.19	<5	0.29	26	8	0.34	790	1	0.02	13	370	15	<0.01	<5	3	<10	<5	22	0.05	<5	36	<5	11	32
16	S8R287106	<0.2	0.89	5	152	<1	<5	0.11	<1	4	8	6	2.37	<5	0.32	28	4	0.23	340	1	0.02	6	270	9	<0.01	<5	2	<10	<5	10	0.02	<5	18	<5	16	30
17	S8R287107	<0.2	1.14	5	280	<1	<5	0.19	<1	7	14	10	2.00	<5	0.15	22	6	0.21	590	1	0.02	11	280	9	<0.01	<5	2	<10	<5	16	0.03	<5	30	<5	10	28
18	S8R287108	<0.2	1.39	10	278	<1	<5	0.15	<1	8	22	16	2.20	<5	0.11	36	10	0.30	180	2	0.02	15	150	12	<0.01	<5	3	<10	<5	14	0.05	<5	40	<5	11	36
19	S8R287109	<0.2	1.71	10	356	<1	<5	0.19	<1	16	28	12	2.69	<5	0.11	16	10	0.36	1085	2	0.02	18	330	15	<0.01	<5	3	<10	<5	18	0.07	<5	60	<5	4	42
20	S8R287110	<0.2	1.02	5	198	<1	<5	0.17	<1	8	18	10	1.81	<5	0.12	16	6	0.28	220	1	0.02	13	130	9	<0.01	<5	3	<10	<5	14	0.06	<5	34	<5	5	30
21	S8R287111	<0.2	1.20	5	308	<1	<5	0.28	<1	6	18	10	2.47	<5	0.24	54	8	0.32	490	2	0.02	10	480	12	<0.01	<5	5	<10	<5	20	0.05	<5	30	<5	23	36
22	S8R287112	<0.2	1.24	5	312	<1	<5	0.36	<1	8	24	14	2.41	<5	0.25	48	8	0.34	320	2	0.02	16	320	12	<0.01	<5	5	<10	<5	24	0.04	<5	36	<5	26	32
23	S8R287113	<0.2	1.18	10	248	<1	<5	0.37	<1	13	26	26	2.37	<5	0.06	18	10	0.43	275	1	0.03	22	700	12	<0.01	<5	3	<10	<5	26	0.08	<5	50	<5	7	40
24	S8R287114	<0.2	1.25	10	370	<1	<5	0.45	<1	13	26	24	2.46	<5	0.07	18	12	0.44	345	2	0.03	23	450	12	<0.01	<5	4	<10	<5	30	0.08	<5	54	<5	9	50
25	S8R287115	<0.2	0.89	20	250	<1	<5	0.35	<1	8	20	20	1.90	<5	0.10	30	8	0.31	295	1	0.03	17	460	12	<0.01	<5	3	<10	<5	24	0.05	<5	40	<5	17	44
26	S8R287116	<0.2	0.66	<5	140	<1	<5	0.16	<1	5	12	12	1.77	<5	0.14	20	2	0.15	300	1	0.01	6	260	9	<0.01	<5	4	<10	<5	8	0.02	<5	14	<5	10	28
27	S8R287117	<0.2	0.76	5	156	<1	<5	0.13	<1	5	10	8	2.04	<5	0.14	12	4	0.14	275	2	0.02	8	180	9	<0.01	<5	4	<10	<5	8	0.02	<5	20	<5	9	26
28	S8R287118	<0.2	1.03	10	354	<1	<5	0.65	<1	10	20	20	2.06	<5	0.08	16	10	0.40	305	1	0.03	20	430	9	<0.01	<5	3	<10	<5	32	0.06	<5	46	<5	8	42
29	S8R287119	<0.2	0.82	5	242	<1	<5	0.37	<1	7	16	10	1.54	<5	0.07	24	8	0.31	185	1	0.02	10	540	9	0.02	<5	2	<10	<5	24	0.06	<5	30	<5	10	32
30	S8R287120	<0.2	1.38	10	374	<1	<5	0.32	<1	10	22	18	2.15	<5	0.06	24	12	0.39	195	1	0.02	15	650	12	0.02	<5	3	<10	<5	24	0.06	<5	46	<5	9	48

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
31	S8R287121	<0.2	1.16	10	274	<1	<5	0.33	<1	9	20	18	2.03	<5	0.06	22	12	0.37	185	1	0.02	14	650	12	<0.01	<5	3	<10	<5	24	0.08	<5	42	<5	8	46
32	S8R287122	<0.2	1.17	<5	228	<1	<5	0.29	<1	8	20	12	1.65	<5	0.06	20	10	0.36	155	1	0.02	12	520	12	0.01	<5	2	<10	<5	22	0.07	<5	38	<5	7	40
33	S8R287123	<0.2	1.18	10	286	<1	<5	0.37	<1	9	22	16	2.02	<5	0.06	22	12	0.38	200	1	0.03	15	680	15	0.01	<5	3	<10	<5	26	0.08	<5	46	<5	8	48
34	S8R287124	<0.2	1.41	10	334	<1	<5	0.17	<1	12	28	22	2.38	<5	0.13	56	10	0.56	275	1	0.02	20	120	21	<0.01	<5	5	<10	<5	16	0.09	<5	40	<5	21	52
35	S8R287125	<0.2	1.53	10	342	<1	<5	0.23	<1	11	28	26	2.52	<5	0.09	44	10	0.48	275	2	0.02	19	170	18	<0.01	<5	5	<10	<5	20	0.08	<5	48	<5	21	54
36	S8R287126	<0.2	1.10	10	462	<1	<5	0.37	<1	14	22	22	2.21	<5	0.10	30	10	0.50	465	1	0.03	19	500	18	<0.01	<5	4	<10	<5	22	0.07	<5	40	<5	15	52
37	S8R287127	<0.2	1.27	10	264	<1	<5	0.26	<1	11	28	26	2.29	<5	0.08	38	10	0.42	290	1	0.02	20	250	15	<0.01	<5	4	<10	<5	20	0.08	<5	48	<5	13	40
38	S8R287128	<0.2	1.55	5	400	<1	<5	0.24	<1	14	42	20	2.37	<5	0.26	30	8	0.86	310	1	0.02	31	220	21	<0.01	<5	3	<10	<5	16	0.10	<5	38	<5	7	50
39	S8R287129	<0.2	1.02	5	394	<1	<5	0.18	<1	7	16	8	1.99	<5	0.14	12	10	0.33	280	1	0.02	9	220	18	<0.01	<5	2	<10	<5	12	0.06	<5	44	<5	4	42
40	S8R287130	<0.2	1.87	<5	360	<1	<5	0.26	<1	11	26	6	2.51	<5	0.53	12	8	1.20	940	1	0.02	13	220	12	<0.01	<5	3	<10	<5	20	0.11	<5	36	<5	7	48
41	S8R287131	<0.2	1.89	5	214	<1	<5	0.22	<1	11	42	6	2.08	<5	0.14	66	10	1.44	215	1	0.02	22	100	12	<0.01	<5	3	<10	<5	18	0.07	<5	30	<5	10	22
42	S8R287132	<0.2	0.79	10	138	<1	<5	0.05	<1	4	10	8	1.95	<5	0.07	36	2	0.15	65	4	0.02	5	280	12	0.03	<5	1	<10	<5	6	0.03	<5	22	<5	9	20
43	S8R287133	<0.2	1.67	<5	238	<1	<5	0.18	<1	10	26	10	2.30	<5	0.27	30	6	1.03	330	1	0.02	10	250	15	<0.01	<5	3	<10	<5	16	0.09	<5	30	<5	13	64
44	S8R287134	<0.2	1.88	5	242	<1	<5	0.16	<1	11	60	18	2.51	<5	0.14	18	8	0.99	355	2	0.02	11	210	15	<0.01	<5	3	<10	<5	14	0.12	<5	48	<5	8	56
45	S8R287135	<0.2	1.24	<5	172	<1	<5	0.13	<1	6	14	6	1.56	<5	0.21	12	6	0.83	200	1	0.02	6	210	12	<0.01	<5	2	<10	<5	10	0.10	<5	28	<5	7	42
46	S8R287136	<0.2	1.04	<5	404	<1	<5	0.19	<1	8	18	18	1.60	<5	0.16	30	4	0.48	215	2	0.02	10	300	15	0.02	<5	2	<10	<5	14	0.06	<5	34	<5	11	38
47	S8R287137	<0.2	1.38	5	280	<1	<5	0.18	<1	8	20	12	2.08	<5	0.11	24	10	0.50	180	2	0.02	11	280	15	<0.01	<5	2	<10	<5	14	0.08	<5	42	<5	7	48
48	S8R287138	<0.2	1.11	5	234	<1	<5	0.20	<1	8	20	12	1.78	<5	0.11	30	8	0.49	170	1	0.02	9	300	15	<0.01	<5	2	<10	<5	16	0.09	<5	36	<5	9	42
49	S8R287139	<0.2	1.41	10	290	<1	<5	0.27	<1	8	24	16	2.15	<5	0.07	26	12	0.46	165	1	0.02	14	460	15	<0.01	<5	3	<10	<5	20	0.09	<5	42	<5	8	48
50	S8R287140	<0.2	1.56	10	430	<1	<5	0.30	<1	11	26	26	2.46	<5	0.09	30	10	0.40	185	2	0.02	15	750	21	0.02	<5	3	<10	<5	26	0.07	<5	48	<5	12	50
51	S8R287141	<0.2	1.17	10	292	<1	<5	0.63	<1	12	22	24	2.29	<5	0.07	16	12	0.49	320	2	0.04	21	760	12	<0.01	<5	3	<10	<5	36	0.08	<5	50	<5	7	54
52	S8R287142	<0.2	1.27	10	446	<1	<5	0.49	<1	17	22	18	2.27	<5	0.06	22	12	0.41	1215	2	0.03	16	650	12	0.03	<5	3	<10	<5	36	0.06	<5	48	<5	9	46
53	S8R287143	<0.2	1.23	10	316	<1	<5	0.44	<1	15	22	18	2.22	<5	0.06	16	12	0.46	595	2	0.03	18	690	12	0.02	<5	3	<10	<5	32	0.07	<5	48	<5	7	56
54	S8R287144	<0.2	1.21	10	382	<1	<5	0.52	<1	11	22	18	2.06	<5	0.06	18	10	0.42	380	2	0.03	15	650	12	0.03	<5	3	<10	<5	38	0.06	<5	44	<5	8	50
55	S8R287145	<0.2	1.14	10	260	<1	<5	0.31	<1	9	20	14	1.89	<5	0.07	26	10	0.37	255	2	0.02	12	470	12	0.01	<5	3	<10	<5	22	0.07	<5	40	<5	8	42
56	S8R287146	<0.2	1.13	5	250	<1	<5	0.38	<1	11	20	12	1.74	<5	0.06	26	10	0.36	365	2	0.02	12	490	12	0.03	<5	2	<10	<5	28	0.05	<5	40	<5	7	42
57	S8R287147	<0.2	1.42	10	376	<1	<5	0.44	<1	11	22	18	2.23	<5	0.07	34	12	0.44	250	2	0.03	16	650	15	0.01	<5	3	<10	<5	30	0.07	<5	46	<5	11	52
58	S8R287148	<0.2	1.17	10	326	<1	<5	0.41	<1	11	22	20	2.10	<5	0.06	22	12	0.42	265	1	0.03	17	730	12	0.01	<5	3	<10	<5	30	0.07	<5	44	<5	8	52
59	S8R287149	<0.2	0.97	10	212	<1	<5	0.33	<1	7	16	10	1.55	<5	0.05	26	8	0.29	200	1	0.02	10	600	9	0.01	<5	2	<10	<5	22	0.06	<5	36	<5	8	34
60	S8R287150	<0.2	0.98	10	296	<1	<5	0.35	<1	8	22	18	1.87	<5	0.06	22	10	0.36	175	1	0.02	14	600	12	<0.01	<5	3	<10	<5	24	0.08	<5	44	<5	9	38
61	S8R287151	<0.2	0.92	10	330	<1	<5	0.41	<1	10	24	24	2.16	<5	0.06	18	10	0.38	280	1	0.03	20	800	9	<0.01	<5	3	<10	<5	26	0.08	<5	50	<5	8	46
62	S8R287152	<0.2	0.82	5	200	<1	<5	0.36	<1	7	16	14	1.53	<5	0.05	14	8	0.30	150	1	0.02	12	620	9	<0.01	<5	2	<10	<5	28	0.06	<5	34	<5	6	34
63	S8R287153	<0.2	1.01	5	154	<1	<5	0.26	<1	8	20	14	1.72	<5	0.07	16	10	0.35	150	1	0.02	13	460	12	<0.01	<5	2	<10	<5	18	0.07	<5	38	<5	5	38
64	S8R287154	<0.2	1.14	10	260	<1	<5	0.24	<1	9	22	20	1.91	<5	0.06	16	10	0.37	210	1	0.02	17	360	12	<0.01	<5	4	<10	<5	18	0.07	<5	40	<5	8	36
65	S8R287155	<0.2	1.30	10	470	<1	<5	0.43	<1	11	32	20	2.19	<5	0.09	30	10	0.52	715	2	0.02	15	600	15	0.02	<5	4	<10	<5	28	0.05	<5	44	<5	13	50
66	S8R287156	<0.2	1.05	10	318	<1	<5	0.45	<1	9	18	12	1.89	<5	0.06	26	10	0.40	310	1	0.02	13	570	12	0.03	<5	2	<10	<5	28	0.05	<5	38	<5	11	38
67	S8R287157	<0.2	0.98	10	270	<1	<5	0.43	<1	8	16	10	2.01	<5	0.06	24	10	0.37	225	1	0.02	11	550	12	0.03	<5	2	<10	<5	28	0.06	<5	34	<5	10	36
68	S8R287158	<0.2	1.07	5	490	<1	<5	0.82	<1	9	20	16	1.74	<5	0.09	32	10	0.44	595	1	0.03	14	540	15	0.10	<5	3	<10	<5	58	0.05	<5	30	<5	16	46
69	S8R287159	<0.2	1.12	5	440	<1	<5	0.70	<1	8	20	16	1.73	<5	0.10	42	10	0.42	350	2	0.02	13	470	15	0.07	<5	3	<10	<5	54	0.05	<5	34	<5	21	48
70	S8R287160	<0.2	0.86	15	526	<1	<5	1.39	<1	18	16	20	2.62	<5	0.11	70	6	0.28	2495	3	0.03	15	750	12	0.08	<5	2	<10	<5	82	0.03	<5	28	<5	52	26

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
76	S8R287166	<0.2	1.18	10	394	<1	<5	0.29	<1	10	18	12	2.21	<5	0.15	20	8	0.29	1550	2	0.02	15	460	12	<0.01	<5	2	<10	<5	24	0.05	<5	42	<5	7	50
77	S8R287167	<0.2	1.21	5	330	<1	<5	0.24	<1	11	20	12	2.25	<5	0.13	14	8	0.30	955	2	0.02	13	520	12	<0.01	<5	3	<10	<5	18	0.06	<5	44	<5	4	54
78	S8R287168	<0.2	<0.01	<5	<2	<1	<5	<0.01	<1	<1	<2	<2	<0.01	<5	<0.01	<2	<2	<0.01	<5	<1	<0.01	<1	<10	<3	<0.01	<5	<1	<10	<5	<2	<0.01	<5	<2	<5	<1	<2
79	S8R287169	<0.2	1.30	10	284	<1	<5	0.23	<1	10	22	16	2.23	<5	0.17	12	10	0.40	505	2	0.02	16	260	12	<0.01	<5	3	<10	<5	18	0.07	<5	46	<5	5	56
80	S8R287170	<0.2	1.16	10	310	<1	<5	0.21	<1	9	22	22	1.91	<5	0.14	22	8	0.42	240	1	0.02	16	120	18	<0.01	<5	4	<10	<5	14	0.06	<5	38	<5	7	50
81	S8R287171	<0.2	<0.01	<5	<2	<1	<5	<0.01	<1	<1	<2	<2	<0.01	<5	<0.01	<2	<2	<0.01	<5	<1	<0.01	<1	<10	<3	<0.01	<5	<1	<10	<5	<2	<0.01	<5	<2	<5	<1	<2
82	S8R287172	<0.2	1.68	5	424	<1	<5	0.27	<1	12	38	46	2.46	<5	0.61	28	12	0.93	585	2	0.02	18	170	15	<0.01	<5	5	<10	<5	14	0.06	<5	32	<5	13	80
83	S8R287173	<0.2	1.16	10	272	<1	<5	0.43	<1	8	20	18	1.95	<5	0.06	16	10	0.40	175	1	0.03	14	540	12	<0.01	<5	3	<10	<5	28	0.06	<5	42	<5	6	40
84	S8R287174	<0.2	1.25	10	326	<1	<5	0.47	<1	9	22	18	2.15	<5	0.06	18	12	0.42	205	2	0.03	15	520	12	<0.01	<5	3	<10	<5	30	0.07	<5	46	<5	7	42
85	S8R287175	<0.2	1.20	10	302	<1	<5	0.48	<1	10	22	20	2.12	<5	0.06	16	12	0.43	210	1	0.03	17	560	12	<0.01	<5	3	<10	<5	32	0.07	<5	46	<5	7	44
86	S8R287176	<0.2	1.26	15	366	<1	<5	0.57	<1	12	22	26	2.31	<5	0.07	22	12	0.44	350	2	0.03	19	610	15	<0.01	<5	3	<10	<5	36	0.07	<5	48	<5	9	48
87	S8R287177	<0.2	1.14	10	358	<1	<5	0.49	<1	9	20	20	1.93	<5	0.06	20	10	0.38	240	1	0.03	16	570	12	<0.01	<5	3	<10	<5	32	0.06	<5	40	<5	8	42
88	S8R287178	<0.2	1.43	10	564	<1	<5	0.50	<1	13	24	28	2.41	<5	0.07	34	14	0.47	440	2	0.03	20	480	15	<0.01	<5	4	<10	<5	36	0.07	<5	50	<5	15	50
89	S8R287179	<0.2	1.34	10	470	<1	<5	0.50	<1	10	22	24	2.10	<5	0.07	34	12	0.44	300	1	0.02	17	420	15	<0.01	<5	3	<10	<5	32	0.07	<5	44	<5	14	44
90	S8R287180	<0.2	1.46	10	478	<1	<5	0.51	<1	12	26	30	2.54	<5	0.08	24	14	0.51	250	2	0.03	22	520	15	<0.01	<5	4	<10	<5	30	0.08	<5	54	<5	11	64
91	S8R287181	<0.2	1.41	10	344	<1	<5	0.23	<1	9	24	16	2.15	<5	0.09	40	12	0.46	150	2	0.02	13	200	21	<0.01	<5	3	<10	<5	18	0.08	<5	46	<5	9	54
92	S8R287182	<0.2	1.20	5	530	<1	<5	0.27	<1	9	22	18	1.89	<5	0.06	30	10	0.40	175	1	0.02	14	130	12	<0.01	<5	4	<10	<5	22	0.08	<5	46	<5	12	36
93	S8R287183	<0.2	1.28	10	378	<1	<5	0.22	<1	10	20	14	1.98	<5	0.07	18	10	0.35	190	3	0.02	14	270	12	<0.01	<5	3	<10	<5	18	0.06	<5	44	<5	6	38
94	S8R287184	<0.2	1.17	5	1016	<1	<5	0.24	<1	6	14	6	1.82	<5	0.14	12	6	0.23	235	2	0.02	8	200	15	0.02	<5	2	<10	<5	26	0.03	<5	36	<5	4	26
95	S8R287185	<0.2	1.30	10	388	<1	<5	0.30	<1	15	20	16	1.90	<5	0.07	38	10	0.36	420	2	0.02	13	500	15	0.02	<5	3	<10	<5	22	0.05	<5	40	<5	17	42
96	S8R287186	<0.2	1.37	10	334	<1	<5	0.36	<1	12	24	14	2.10	<5	0.07	22	12	0.43	390	2	0.03	14	620	15	0.02	<5	3	<10	<5	24	0.06	<5	48	<5	9	48
97	S8R287187	<0.2	1.31	10	344	<1	<5	0.34	<1	13	22	16	2.13	<5	0.06	22	12	0.40	585	2	0.02	15	610	12	<0.01	<5	3	<10	<5	22	0.06	<5	50	<5	9	46
98	S8R287188	<0.2	1.35	10	424	<1	<5	0.47	<1	15	22	18	2.22	<5	0.06	18	12	0.44	740	2	0.03	17	580	15	0.01	<5	3	<10	<5	30	0.06	<5	52	<5	8	52
99	S8R287189	<0.2	0.90	10	428	<1	<5	0.58	<1	10	20	20	1.97	<5	0.06	14	10	0.47	320	1	0.03	20	840	9	<0.01	<5	3	<10	<5	32	0.07	<5	42	<5	7	48
100	S8R287190	<0.2	1.04	10	228	<1	<5	0.36	<1	9	20	14	1.90	<5	0.06	12	10	0.38	230	1	0.03	14	640	9	<0.01	<5	3	<10	<5	22	0.07	<5	44	<5	5	42
101	S8R287191	<0.2	1.20	10	322	<1	<5	0.36	<1	12	20	14	2.05	<5	0.05	18	12	0.40	470	1	0.03	14	610	12	0.01	<5	3	<10	<5	24	0.06	<5	48	<5	7	46
102	S8R287192	<0.2	1.28	10	348	<1	<5	0.36	<1	11	22	14	2.01	<5	0.06	18	10	0.40	385	1	0.02	14	550	12	<0.01	<5	3	<10	<5	24	0.07	<5	46	<5	7	46
103	S8R287193	<0.2	1.45	10	466	<1	<5	0.37	<1	11	24	24	2.15	<5	0.07	22	12	0.42	315	1	0.02	18	550	15	<0.01	<5	4	<10	<5	26	0.07	<5	48	<5	10	48
104	S8R287194	<0.2	1.15	10	244	<1	<5	0.27	<1	9	20	14	1.89	<5	0.05	18	10	0.35	220	1	0.02	13	450	12	<0.01	<5	3	<10	<5	18	0.07	<5	44	<5	6	40
105	S8R287195	<0.2	1.24	10	392	<1	<5	0.38	<1	14	24	24	2.18	<5	0.08	20	12	0.44	580	1	0.03	19	610	15	<0.01	<5	4	<10	<5	26	0.07	<5	46	<5	9	52
106	S8R287196	<0.2	1.84	60	154	<1	<5	0.58	<1	25	66	98	3.61	<5	0.03	8	24	1.29	930	2	0.02	45	700	21	0.02	<5	6	<10	<5	28	0.03	<5	74	5	10	54
107	S8R287197	<0.2	1.67	20	136	<1	<5	0.57	<1	21	58	24	2.86	<5	0.03	8	22	1.50	405	2	0.02	39	780	18	0.02	<5	4	<10	<5	26	0.04	<5	56	<5	4	60
108	S8R287198	<0.2	1.54	25	206	<1	<5	0.68	<1	14	18	22	2.91	<5	0.04	10	20	0.89	495	2	0.02	14	570	18	0.03	<5	4	<10	<5	40	0.02	<5	48	<5	7	60
109	S8R287199	<0.2	0.16	475	1870	<1	<5	1.06	<1	3	20	70	3.81	<5	0.06	<2	2	0.02	100	17	0.02	16	50	18	0.13	30	<1	<10	<5	28	0.01	<5	12	<5	2	16
110	S8R287200 I/S																																			
111	S8R287201	<0.2	1.35	25	186	<1	<5	0.63	<1	14	10	18	2.59	<5	0.03	8	16	0.76	605	1	0.02	10	800	66	0.02	<5	4	<10	<5	26	0.03	<5	46	<5	8	96
112	S8R287202	0.4	1.48	55	260	<1	<5	0.43	1	14	16	28	2.56	<5	0.05	12	16	0.65	470	1	0.02	14	630	96	0.01	<5	4	<10	<5	22	0.03	<5	48	<5	9	154
113	S8R287203	0.6	1.63	110	96	<1	<5	0.29	<1	15	12	42	3.23	<5	0.06	10	30	1.05	550	2	0.02	10	600	144	0.01	<5	5	<10	<5	18	0.03	<5	56	<5	10	204
114	S8R287204	0.4	1.30	75	118	<1	<5	0.18	<1	10	14	24	2.46	<5	0.06	12	16	0.65	360	2	0.02	11	460	237	0.01	<5	3	<10	<5	14	0.04	<5	48	<5	5	104
115	S8R287205	0.4	1.59	155	136	<1	<5	0.21	<1	15	16	34	3.50	<5	0.08	10	20	0.97	545	3	0.02	12	530	228	0.02	<5	5	<10	<5	16	0.04	<5	76	<5	7	146
116	S8R287206	0.2</																																		

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
121	S8R287211	<0.2	1.48	110	90	<1	<5	0.13	<1	18	14	28	3.45	<5	0.06	10	18	0.86	945	3	0.02	11	520	111	0.01	<5	2	<10	<5	10	0.03	<5	54	<5	5	84
122	S8R287212	0.4	1.31	85	84	<1	<5	0.19	<1	12	16	24	2.88	<5	0.05	8	16	0.72	465	2	0.02	11	430	90	0.01	<5	3	<10	<5	12	0.03	<5	52	<5	5	88
123	S8R287213	0.4	1.62	130	104	<1	<5	0.15	<1	16	22	26	3.40	<5	0.06	10	18	0.69	645	2	0.02	13	400	81	0.01	<5	3	<10	<5	12	0.05	<5	66	<5	4	66
124	S8R287214	1.4	1.74	355	122	<1	<5	0.30	<1	27	14	68	3.89	<5	0.07	8	22	1.43	900	2	0.02	18	490	270	<0.01	<5	5	<10	<5	18	0.04	<5	52	5	5	174
125	S8R287215	0.4	1.43	55	150	<1	<5	0.24	<1	11	20	32	2.40	<5	0.04	8	18	0.65	300	2	0.02	16	420	45	<0.01	<5	3	<10	<5	16	0.03	<5	54	<5	4	60
126	S8R287216	1.0	1.83	230	148	<1	<5	0.37	<1	18	18	52	3.55	<5	0.06	8	22	1.26	485	2	0.02	17	330	75	0.01	<5	4	<10	<5	22	0.04	<5	64	<5	5	84
127	S8R287217	<0.2	0.98	10	242	<1	<5	0.24	<1	9	22	8	1.96	<5	0.22	12	8	0.32	250	2	0.02	14	210	9	<0.01	<5	3	<10	<5	16	0.06	<5	34	<5	4	28
128	S8R287218	<0.2	1.10	15	218	<1	<5	0.26	<1	11	26	22	2.24	<5	0.13	22	8	0.36	205	1	0.02	23	230	12	<0.01	<5	5	<10	<5	16	0.07	<5	44	<5	10	36
129	S8R287219	<0.2	1.07	5	218	<1	<5	0.24	<1	10	18	10	2.22	<5	0.34	12	6	0.43	330	1	0.02	13	400	9	<0.01	<5	3	<10	<5	18	0.06	<5	28	<5	5	28
130	S8R287220	<0.2	1.06	<5	432	<1	<5	0.21	<1	9	20	4	1.98	<5	0.23	10	6	0.39	395	1	0.02	13	320	9	<0.01	<5	2	<10	<5	18	0.06	<5	32	<5	3	38
131	S8R287221	<0.2	0.92	5	268	<1	<5	0.20	<1	9	16	6	1.85	<5	0.20	14	8	0.29	460	1	0.02	11	290	12	<0.01	<5	2	<10	<5	16	0.05	<5	36	<5	4	38
132	S8R287222	<0.2	1.04	5	244	<1	<5	0.22	<1	9	16	6	2.00	<5	0.28	12	8	0.32	275	1	0.02	12	440	9	<0.01	<5	2	<10	<5	20	0.07	<5	32	<5	3	42
133	S8R287223	<0.2	1.11	5	260	<1	<5	0.19	<1	10	18	8	2.01	<5	0.18	16	8	0.31	235	1	0.02	14	400	9	<0.01	<5	2	<10	<5	18	0.05	<5	36	<5	9	36
134	S8R287224	<0.2	1.19	5	196	<1	<5	0.25	<1	14	46	28	2.30	<5	0.49	18	8	0.66	275	1	0.02	36	430	21	<0.01	<5	3	<10	<5	16	0.09	<5	32	<5	8	60
135	S8R287225	<0.2	0.90	5	158	<1	<5	0.12	<1	6	12	14	1.84	<5	0.27	20	6	0.27	160	<1	0.02	9	160	9	<0.01	<5	2	<10	<5	12	0.06	<5	26	<5	6	26
136	S8R287226	<0.2	0.96	10	130	<1	<5	0.06	<1	5	14	10	1.58	<5	0.09	8	6	0.19	85	1	0.02	8	110	9	<0.01	<5	2	<10	<5	10	0.02	<5	26	<5	5	20
137	S8R287227	<0.2	0.62	5	136	<1	<5	0.11	<1	5	10	4	1.31	<5	0.11	32	4	0.15	255	<1	0.02	5	350	9	<0.01	<5	1	<10	<5	10	0.03	<5	32	<5	5	16
138	S8R287228	<0.2	0.92	5	236	<1	<5	0.17	<1	7	20	10	1.66	<5	0.24	36	4	0.33	190	<1	0.02	13	160	12	<0.01	<5	3	<10	<5	18	0.04	<5	20	<5	17	26
139	S8R287229	<0.2	1.57	5	214	<1	<5	0.20	<1	20	56	10	2.83	<5	0.47	12	8	0.70	455	1	0.02	24	390	12	<0.01	<5	4	<10	<5	14	0.09	<5	36	<5	5	34
140	S8R287230	<0.2	0.76	<5	276	<1	<5	0.18	<1	5	12	6	1.43	<5	0.17	24	2	0.21	70	<1	0.02	8	130	9	<0.01	<5	3	<10	<5	20	0.02	<5	18	<5	12	16
141	S8R287231	<0.2	1.00	5	162	<1	<5	0.13	<1	7	18	10	1.83	<5	0.09	16	8	0.30	150	1	0.02	11	220	12	<0.01	<5	2	<10	<5	12	0.06	<5	34	<5	5	30
142	S8R287232	<0.2	1.02	5	162	<1	<5	0.12	<1	7	22	8	1.88	<5	0.11	14	8	0.36	130	1	0.02	14	140	9	<0.01	<5	2	<10	<5	10	0.05	<5	34	<5	5	28
143	S8R287233	<0.2	0.99	5	240	<1	<5	0.18	<1	7	22	8	1.87	<5	0.15	18	8	0.39	170	1	0.03	11	340	345	<0.01	<5	2	<10	<5	12	0.06	<5	32	<5	7	30
144	S8R287234	<0.2	0.76	5	182	<1	<5	0.25	<1	6	16	10	1.52	<5	0.10	14	6	0.26	155	<1	0.02	10	470	9	<0.01	<5	2	<10	<5	16	0.04	<5	28	<5	5	28
145	S8R287235	<0.2	1.06	<5	308	<1	<5	0.22	<1	6	14	8	1.98	<5	0.42	42	4	0.38	165	1	0.02	8	420	9	<0.01	<5	4	<10	<5	18	0.06	<5	22	<5	21	20
146	S8R287236	<0.2	0.97	<5	232	<1	<5	0.19	<1	7	14	6	1.95	<5	0.46	38	4	0.35	115	1	0.02	7	390	6	<0.01	<5	3	<10	<5	14	0.06	<5	18	<5	20	20
147	S8R287237	<0.2	1.02	<5	356	<1	<5	0.34	<1	4	18	12	1.26	<5	0.13	54	6	0.24	70	<1	0.02	10	520	9	0.02	<5	4	<10	<5	26	0.04	<5	28	<5	23	18
148	S8R287238	<0.2	1.08	10	238	<1	<5	0.39	<1	8	24	16	2.17	<5	0.14	44	6	0.33	170	2	0.02	13	450	9	0.01	<5	5	<10	<5	24	0.05	<5	36	<5	23	24
149	S8R287239	<0.2	1.11	5	280	<1	<5	0.23	<1	8	26	16	1.89	<5	0.25	34	6	0.36	150	1	0.02	14	280	12	<0.01	<5	4	<10	<5	16	0.07	<5	30	<5	21	24
150	S8R287240	<0.2	1.40	5	274	<1	<5	0.45	<1	13	72	12	2.56	<5	0.15	20	8	0.74	285	1	0.02	30	250	9	0.01	<5	5	<10	<5	22	0.05	<5	50	<5	9	26
151	S8R287241	<0.2	1.19	5	200	<1	<5	0.34	<1	12	62	14	2.30	<5	0.08	16	8	0.62	230	2	0.02	28	220	9	<0.01	<5	4	<10	<5	16	0.06	<5	48	<5	10	28
152	S8R287242	<0.2	1.42	<5	202	<1	<5	0.86	<1	13	82	20	2.06	<5	0.08	10	8	1.09	180	1	0.02	32	430	9	0.06	<5	6	<10	<5	38	0.04	<5	46	<5	8	30
153	S8R287243	<0.2	0.84	<5	204	<1	<5	0.19	<1	5	12	10	1.70	<5	0.32	30	2	0.20	145	<1	0.02	7	420	9	<0.01	<5	3	<10	<5	10	0.03	<5	20	<5	15	12
154	S8R287244	<0.2	1.91	<5	152	<1	<5	0.39	<1	23	148	28	2.89	<5	0.04	4	8	1.42	420	1	0.03	52	130	9	<0.01	<5	7	<10	<5	16	0.05	<5	54	<5	4	28
155	S8R287245	<0.2	1.46	5	280	<1	<5	0.32	<1	14	122	10	2.48	<5	0.15	12	10	0.98	160	1	0.02	43	130	12	<0.01	<5	4	<10	<5	18	0.07	<5	42	<5	4	32
156	S8R287246	<0.2	1.74	5	206	<1	<5	0.33	<1	19	108	22	2.93	<5	0.03	8	10	1.22	420	1	0.02	43	210	12	<0.01	<5	4	<10	<5	18	0.06	<5	48	<5	5	36
157	S8R287247	<0.2	1.45	<5	144	<1	<5	0.21	<1	15	80	26	2.25	<5	0.02	6	8	0.87	230	1	0.02	26	70	9	<0.01	<5	3	<10	<5	10	0.09	<5	44	<5	2	26
158	S8R287248	<0.2	1.63	5	150	<1	<5	0.24	<1	18	78	16	2.82	<5	0.05	6	8	1.00	255	1	0.02	40	180	12	<0.01	<5	3	<10	<5	14	0.07	<5	60	<5	2	36
159	S8R287249	<0.2	1.14	10	180	<1	<5	0.15	<1	7	18	14	2.00	<5	0.08	14	8	0.28	135	1	0.02	12	190	12	<0.01	<5	2	<10	<5	12	0.06	<5	40	<5	7	36
160	S8R287251	<0.2	0.85	5	122	<1	<5	0.10	<1	6	14	8	1.55	<5	0.08	12	6	0.20	110	<1	0.02	9	220	9	<0.01	<5	1	<10	<5	10	0.05	<5	30	<5	5	26

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
166	S8R287257	<0.2	1.24	10	344	<1	<5	0.30	<1	10	26	24	2.42	<5	0.08	20	10	0.41	310	1	0.03	19	280	12	<0.01	<5	5	<10	<5	22	0.07	<5	48	<5	13	36
167	S8R287258	<0.2	1.11	<5	296	<1	<5	0.22	<1	9	20	8	1.96	<5	0.23	14	8	0.36	375	1	0.02	13	180	12	<0.01	<5	3	<10	<5	16	0.07	<5	38	<5	7	26
168	S8R287259	<0.2	1.23	5	340	<1	<5	0.16	<1	8	18	6	2.42	<5	0.39	10	10	0.43	140	1	0.02	13	210	12	<0.01	<5	2	<10	<5	12	0.07	<5	36	<5	6	22
169	S8R287260	<0.2	0.66	5	126	<1	<5	0.08	<1	3	6	8	1.24	<5	0.17	8	4	0.15	85	<1	0.01	7	60	12	<0.01	<5	1	<10	<5	8	0.03	<5	12	<5	8	14
170	S8R287261	<0.2	1.35	10	292	<1	<5	0.21	<1	10	24	24	2.30	<5	0.09	10	10	0.33	225	2	0.02	20	180	15	<0.01	<5	3	<10	<5	18	0.05	<5	46	<5	4	36
171	S8R287262	<0.2	1.36	10	248	<1	<5	0.15	<1	10	22	12	2.32	<5	0.08	10	8	0.30	335	2	0.02	14	270	18	<0.01	<5	2	<10	<5	14	0.05	<5	50	<5	5	36
172	S8R287263	<0.2	1.23	10	320	1	<5	0.07	<1	7	8	10	2.96	<5	0.30	90	6	0.33	115	1	0.02	6	160	39	<0.01	<5	6	<10	<5	8	0.05	<5	20	<5	39	12
173	S8R287264	<0.2	0.86	5	184	<1	<5	0.13	<1	5	16	8	1.69	<5	0.08	24	6	0.22	140	1	0.02	10	160	15	<0.01	<5	2	<10	<5	10	0.04	<5	34	<5	8	22
174	S8R287265	<0.2	1.60	10	338	1	<5	0.09	<1	11	16	16	3.54	<5	0.64	80	10	0.51	190	1	0.02	13	180	18	<0.01	<5	8	<10	<5	10	0.11	<5	30	<5	34	20
175	S8R287266	<0.2	1.01	5	166	<1	<5	0.09	<1	7	18	8	1.84	<5	0.13	8	8	0.27	160	1	0.02	13	110	12	<0.01	<5	2	<10	<5	8	0.04	<5	30	<5	4	24
176	S8R287267	<0.2	1.28	5	116	<1	<5	0.07	<1	7	18	8	2.60	<5	0.17	16	6	0.30	175	1	0.02	11	170	12	<0.01	<5	3	<10	<5	6	0.05	<5	38	<5	8	20
177	S8R287268	<0.2	1.29	5	152	<1	<5	0.11	<1	8	22	8	2.62	<5	0.15	16	10	0.35	150	2	0.02	12	170	12	<0.01	<5	2	<10	<5	8	0.04	<5	36	<5	6	24
178	S8R287269	<0.2	1.11	5	124	<1	<5	0.11	<1	7	18	10	2.20	<5	0.12	16	6	0.28	125	<1	0.02	11	170	9	<0.01	<5	2	<10	<5	8	0.04	<5	36	<5	8	20
179	S8R287270	<0.2	1.24	5	242	<1	<5	0.32	<1	11	16	10	2.28	<5	0.13	22	8	0.33	330	1	0.02	11	330	12	<0.01	<5	3	<10	<5	18	0.04	<5	34	<5	8	24
180	S8R287271	<0.2	1.21	5	180	<1	<5	0.28	<1	8	26	10	2.41	<5	0.19	24	10	0.43	245	1	0.02	13	280	12	<0.01	<5	3	<10	<5	16	0.05	<5	32	<5	10	48
181	S8R287272	<0.2	1.39	5	204	<1	<5	0.17	<1	11	20	12	2.63	<5	0.16	16	10	0.55	285	1	0.02	17	160	15	<0.01	<5	3	<10	<5	10	0.06	<5	50	<5	5	40
182	S8R287273	0.6	1.20	5	182	<1	<5	0.16	<1	8	14	6	2.73	<5	0.29	42	8	0.36	320	1	0.02	12	210	15	<0.01	<5	3	<10	<5	10	0.06	<5	28	<5	9	34
183	S8R287274	<0.2	1.39	<5	264	<1	<5	0.28	<1	9	26	6	2.76	<5	0.36	22	6	0.52	310	1	0.02	13	410	15	<0.01	<5	3	<10	<5	12	0.05	<5	34	<5	7	40
184	S8R287250	<0.2	1.09	5	132	<1	<5	0.12	<1	6	16	12	1.93	<5	0.05	14	6	0.23	120	1	0.02	11	240	30	<0.01	<5	2	<10	<5	8	0.04	<5	40	<5	6	28

QC DATA:**Repeat:**

1	S8R287091	<0.2	1.26	10	348	<1	<5	0.35	<1	11	24	20	2.19	<5	0.06	16	10	0.39	260	1	0.03	17	470	15	<0.01	<5	3	<10	<5	26	0.07	<5	46	<5	7	40
10	S8R287100	<0.2	0.86	10	274	<1	<5	0.52	<1	9	16	14	1.75	<5	0.06	14	6	0.27	320	1	0.02	10	460	12	0.02	<5	2	<10	<5	36	0.05	<5	34	<5	6	38
19	S8R287109	<0.2	1.80	10	374	<1	<5	0.20	<1	16	28	14	2.81	<5	0.11	16	10	0.37	1120	2	0.02	20	340	15	<0.01	<5	3	<10	<5	18	0.08	<5	64	<5	4	44
28	S8R287118	<0.2	1.04	10	358	<1	<5	0.66	<1	10	20	20	2.05	<5	0.09	16	10	0.40	305	1	0.03	20	420	9	<0.01	<5	3	<10	<5	32	0.06	<5	46	<5	8	42
36	S8R287126	<0.2	1.08	10	454	<1	<5	0.37	<1	13	22	22	2.15	<5	0.10	30	10	0.48	455	1	0.03	19	520	15	<0.01	<5	4	<10	<5	22	0.07	<5	38	<5	15	50
45	S8R287135	<0.2	1.27	<5	174	<1	<5	0.13	<1	6	14	6	1.58	<5	0.21	12	6	0.85	200	1	0.02	6	200	15	<0.01	<5	2	<10	<5	10	0.10	<5	28	<5	7	42
54	S8R287144	<0.2	1.21	10	378	<1	<5	0.52	<1	11	22	16	2.09	<5	0.06	18	10	0.42	370	1	0.03	15	650	12	0.03	<5	3	<10	<5	36	0.06	<5	44	<5	8	52
63	S8R287153	<0.2	1.02	5	154	<1	<5	0.25	<1	7	20	14	1.70	<5	0.07	16	10	0.35	150	1	0.02	13	450	12	<0.01	<5	2	<10	<5	18	0.07	<5	38	<5	5	38
71	S8R287161	<0.2	1.13	15	358	<1	<5	0.73	<1	9	20	18	1.96	<5	0.10	42	10	0.35	705	2	0.02	14	510	12	0.06	<5	2	<10	<5	44	0.03	<5	32	<5	27	32
80	S8R287170	<0.2	1.15	10	306	<1	<5	0.20	<1	9	22	22	1.88	<5	0.14	22	8	0.42	240	1	0.02	16	110	18	<0.01	<5	4	<10	<5	14	0.06	<5	38	<5	7	50
89	S8R287179	<0.2	1.33	10	450	<1	<5	0.48	<1	10	22	22	2.07	<5	0.07	32	12	0.44	275	1	0.03	16	410	15	<0.01	<5	3	<10	<5	30	0.07	<5	44	<5	13	44
98	S8R287188	<0.2	1.36	10	430	<1	<5	0.48	<1	15	24	18	2.27	<5	0.06	18	12	0.45	760	2	0.03	17	590	15	0.01	<5	3	<10	<5	32	0.07	<5	54	<5	8	52
106	S8R287196	<0.2	1.84	65	162	<1	<5	0.61	<1	26	68	100	3.72	<5	0.04	10	26	1.34	950	2	0.02	46	700	21	0.02	<5	6	<10	<5	28	0.03	<5	76	5	10	56
115	S8R287205	0.4	1.60	155	138	<1	<5	0.22	<1	15	16	36	3.52	<5	0.08	10	22	0.98	550	3	0.02	11	540	231	0.02	<5	5	<10	<5	16	0.04	<5	78	5	7	146
124	S8R287214	1.4	1.79	375	126	<1	<5	0.33	<1	28	16	66	4.11	<5	0.08	8	22	1.46	930	1	0.02	19	510	288	<0.01	5	5	<10	<5	18	0.05	<5	54	<5	6	180
133	S8R287223	<0.2	1.13	5	266	<1	<5	0.20	<1	10	18	8	2.05	<5	0.19	16	8	0.32	240	1	0.02	14	400	12	<0.01	<5	2	<10	<5	18	0.05	<5	38	<5	9	38
141	S8R287231	<0.2	1.02	5	166	<1	<5	0.14	<1	7	20	10	1.88	<5	0.09	16	8	0.31	155	1	0.02	11	220	12	<0.01	<5	2	<10	<5	12	0.06	<5	36	<5	5	32
150	S8R287240	<0.2	1.42	10	278	<1	<5	0.47	<1	13	74	12	2.64	<5	0.15	18	8	0.73	285	1	0.02	30	280	9	0.01	<5	5	<10	<5	24	0.05	<5	50	<5	9	26
159	S8R287249	<0.2	1.13	10	178	<1	<5	0.15	<1	7	18	14	1.98	<5	0.07	16	8	0.27	135	<1	0.02	12	190	12	<0.01	<5	2	<10	<5	12	0.06	<5	40	<5	7	34
168	S8R287259	<0.2	1.25	5	344	<1	<5	0.17	<1	8	18	6	2.50	<5	0.40	10	10	0.43	145	1	0.02	13	210	12	<0.01	<5	3	<10	<5	14	0.08	<5	36	<5	6	22
176	S8R287267	<0.2	1.26	10	114	<1	<5	0.07	<1	7	18	8	2.55	<5	0.17	16	6	0.30	170	1	0.02	11	180	12	<0.01	<5	3	<10	<5	6	0.04	<5	38	<5	8	18

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
TILL3		1.4	1.05	90	44	<1	<5	0.55	<1	15	64	24	2.00	<5	0.09	16	16	0.56	310	1	0.04	32	470	18	0.02	<5	3	<10	<5	16	0.08	<5	38	<5	7	40
TILL3		1.4	1.13	85	44	<1	<5	0.55	<1	14	62	24	2.03	<5	0.07	14	16	0.57	305	1	0.03	31	450	18	0.01	<5	3	<10	<5	12	0.06	<5	38	<5	6	40

ICP: Aqua Regia Digest / ICP- AES Finish.

NM/cr/el
df/2_8087S/2_8088BS
XLS/11



ECO TECH LABORATORY LTD.
Norman Monteith
B.C. Certified Assayer

Eco Tech Laboratory Ltd.
 10041 Dallas Drive
 Kamloops, BC
 V2C 6T4 Canada
 Tel + 250 573 5700
 Fax + 250 573 4557
 Toll Free + 1 877 573 5755
 www.stewartgroupglobal.com



StewartGroup
 Geochemical & Assay

CERTIFICATE OF ANALYSIS AW 2011-8088

Kestrel Gold Corp.
 #8-46225 Rancho Drive
Chilliwack, BC
 V4Z 0A5
 Attn: Kevin Nephin

13-Jul-11

No. of samples received: 187
Sample Type: Soil
Project: Dawson Area
Shipment #: 2
Submitted by: All Terrane Mineral Expl

ET #.	Tag #	Au (ppb)
1	S8R286611	5
2	S8R286612	<5
3	S8R286613	10
4	S8R286614	<5
5	S8R286615	<5
6	S8R286616	5
7	S8R286617	<5
8	S8R286618	<5
9	S8R286619	<5
10	S8R286620	5
11	S8R286621	<5
12	S8R286622	<5
13	S8R286623	<5
14	S8R286624	5
15	S8R286625	5
16	S8R286626	<5
17	S8R286627	5
18	S8R286628	<5
19	S8R286629	5
20	S8R286630	5
21	S8R286631	<5
22	S8R286632	<5
23	S8R286633	<5
24	S8R286634	<5
25	S8R286635	<5
26	S8R286636	5
27	S8R286637	15
28	S8R286638	<5
29	S8R286639	<5

Eco Tech Laboratory Ltd.
10041 Dallas Drive
Kamloops, BC
V2C 6T4 Canada
Tel + 250 573 5700
Fax + 250 573 4557
Toll Free + 1 877 573 5755
www.stewartgroupglobal.com



StewartGroup
Geochemical & Assay

Kestrel Gold Corp. AW11-8088

13-Jul-11

ET #.	Tag #	Au (ppb)
30	S8R286640	5
31	S8R286641	<5
32	S8R286642	<5
33	S8R286643	<5
34	S8R286644	5
35	S8R286645	<5
36	S8R286646	<5
37	S8R286647	<5
38	S8R286648	5
39	S8R286649	240
40	S8R286650	<5
41	S8R286651	<5
42	S8R286652	<5
43	S8R286653	5
44	S8R286654	<5
45	S8R286655	5
46	S8R286656	<5
47	S8R286657	5
48	S8R286658	5
49	S8R286659	5
50	S8R286660	<5
51	S8R286661	<5
52	S8R286662	<5
53	S8R286663	<5
54	S8R286664	5
55	S8R286665	5
56	S8R286666	<5
57	S8R286667	<5
58	S8R286668	<5
59	S8R286669	5
60	S8R286670	<5
61	S8R286671	<5
62	S8R286672	<5
63	S8R286673	<5
64	S8R286674	<5
65	S8R286675	<5
66	S8R286676	<5
67	S8R286677	<5
68	S8R286678	<5
69	S8R286679	<5
70	S8R286680	<5
71	S8R286681	<5
72	S8R286682	<5
73	S8R286683	5

Eco Tech Laboratory Ltd.
10041 Dallas Drive
Kamloops, BC
V2C 6T4 Canada
Tel + 250 573 5700
Fax + 250 573 4557
Toll Free + 1 877 573 5755
www.stewartgroupglobal.com



StewartGroup
Geochemical & Assay

Kestrel Gold Corp. AW11-8088

13-Jul-11

ET #.	Tag #	Au (ppb)
74	S8R286684	<5
75	S8R286685	20
76	S8R286686	15
77	S8R286687	10
78	S8R286688	15
79	S8R286689	5
80	S8R286690	20
81	S8R286691	<5
82	S8R286692	<5
83	S8R286693	<5
84	S8R286694	10
85	S8R286695	10
86	S8R286696	5
87	S8R286697	<5
88	S8R286698	<5
89	S8R286699	<5
90	S8R286700	<5
91	S8R286701	<5
92	S8R286702	<5
93	S8R286703	<5
94	S8R286704	<5
95	S8R286705	<5
96	S8R286706	<5
97	S8R286707	<5
98	S8R286708	5
99	S8R286709	<5
100	S8R286710	5
101	S8R286711	<5
102	S8R286712	<5
103	S8R286713	<5
104	S8R286714	5
105	S8R286715	10
106	S8R286716	10
107	S8R286717	10
108	S8R286718	20
109	S8R286719	15
110	S8R286720	50
111	S8R286721	15
112	S8R286722	10
113	S8R286723	30
114	S8R286724	30
115	S8R286725	20
116	S8R286726	20
117	S8R286727	25

Eco Tech Laboratory Ltd.
 10041 Dallas Drive
 Kamloops, BC
 V2C 6T4 Canada
 Tel + 250 573 5700
 Fax + 250 573 4557
 Toll Free + 1 877 573 5755
 www.stewartgroupglobal.com



StewartGroup
 Geochemical & Assay

Kestrel Gold Corp. AW11-8088

13-Jul-11

ET #.	Tag #	Au (ppb)
118	S8R286728	15
119	S8R286729	15
120	S8R286730	35
121	S8R286731	35
122	S8R286732	25
123	S8R286733	25
124	S8R286734	15
125	S8R286735	20
126	S8R286736	105
127	S8R286737	25
128	S8R286738	<5
129	S8R286739	<5
130	S8R286740	<5
131	S8R286741	<5
132	S8R286742	<5
133	S8R286743	<5
134	S8R286744	<5
135	S8R286745	<5
136	S8R286746	<5
137	S8R286747	<5
138	S8R286748	25
139	S8R286749	425
140	S8R286750	<5
141	S8R286751	<5
142	S8R286752	<5
143	S8R286753	<5
144	S8R286754	5
145	S8R286755	<5
146	S8R286756	<5
147	S8R286757	<5
148	S8R286758	<5
149	S8R286759	<5
150	S8R286760	<5
151	S8R286761	5
152	S8R286762	<5
153	S8R286763	<5
154	S8R286764	5
155	S8R286765	<5
156	S8R286766	<5
157	S8R286767	10
158	S8R286768	5
159	S8R286769	5
160	S8R286770	15
161	S8R286771	15

Eco Tech Laboratory Ltd.
 10041 Dallas Drive
 Kamloops, BC
 V2C 6T4 Canada
 Tel + 250 573 5700
 Fax + 250 573 4557
 Toll Free + 1 877 573 5755
 www.stewartgroupglobal.com



StewartGroup
 Geochemical & Assay

Kestrel Gold Corp. AW11-8088

13-Jul-11

ET #.	Tag #	Au (ppb)
162	S8R286772	5
163	S8R286773	5
164	S8R286774	<5
165	S8R286775	15
166	S8R286776	5
167	S8R286777	10
168	S8R286778	<5
169	S8R286779	5
170	S8R286780	<5
171	S8R286781	5
172	S8R286782	5
173	S8R286783	<5
174	S8R286784	<5
175	S8R286785	5
176	S8R286786	<5
177	S8R286787	<5
178	S8R286788	<5
179	S8R286789	5
180	S8R286790	<5
181	S8R286791	5
182	S8R286792	<5
183	S8R286793	<5
184	S8R286794	5
185	S8R286795	5
186	S8R286796	<5
187	S8R286797	10

QC DATA:

Repeat:

7	S8R286617	<5
15	S8R286625	5
24	S8R286634	<5
28	S8R286638	5
36	S8R286646	<5
45	S8R286655	<5
55	S8R286665	5
63	S8R286673	<5
71	S8R286681	<5
82	S8R286692	<5
90	S8R286700	<5
98	S8R286708	<5
106	S8R286716	10
115	S8R286725	95

Eco Tech Laboratory Ltd.
10041 Dallas Drive
Kamloops, BC
V2C 6T4 Canada
Tel + 250 573 5700
Fax + 250 573 4557
Toll Free + 1 877 573 5755
www.stewartgroupglobal.com



StewartGroup
Geochemical & Assay

Kestrel Gold Corp. AW11-8088

13-Jul-11

ET #.	Tag #	Au (ppb)
124	S8R286734	20
133	S8R286743	<5
141	S8R286751	<5
150	S8R286760	<5
167	S8R286777	5
168	S8R286778	5
180	S8R286790	5

Standard:

OXE86	615
OXG84	935
OXE86	600
OXG84	935
OXE86	615
OXG84	920

FA Geochem/AA Finish

NM/cr/el
XLS/11


ECO TECH LABORATORY LTD.
Norman Monteith
B.C. Certified Assayer

13-Jul-11

Stewart Group
ECO TECH LABORATORY LTD.
 10041 Dallas Drive
KAMLOOPS, B.C.
 V2C 6T4
www.stewartgroupglobal.com

ICP CERTIFICATE OF ANALYSIS AW 2011-8088

Kestrel Gold Corp.
 #8-46225 Ranchero Drive
Chilliwack, BC
 V4Z 0A5
 Attn: Kevin Nephin

Phone: 250-573-5700
 Fax : 250-573-4557

No. of samples received: 187

Sample Type: Soil

Project: Dawson Area**Shipment #: 2**

Submitted by: All Terrane Mineral Expl

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
1	S8R286611	<0.2	1.91	10	216	<1	<5	0.10	<1	10	28	16	2.72	<5	0.06	24	14	0.40	215	2	0.02	17	140	18	<0.01	<5	3	<10	<5	8	0.06	<5	56	<5	9	38
2	S8R286612	<0.2	1.46	10	158	<1	<5	0.10	<1	6	18	8	2.12	<5	0.08	24	8	0.27	150	1	0.02	9	210	15	<0.01	<5	3	<10	<5	8	0.06	<5	50	<5	11	28
3	S8R286613	<0.2	1.31	10	166	<1	<5	0.15	<1	7	18	8	2.15	<5	0.11	18	10	0.34	195	1	0.02	11	270	12	<0.01	<5	2	<10	<5	10	0.06	<5	40	<5	7	30
4	S8R286614	<0.2	1.43	15	186	<1	<5	0.15	<1	8	22	6	3.26	<5	0.09	20	8	0.35	335	2	0.02	11	800	15	<0.01	<5	2	<10	<5	12	0.08	<5	92	<5	6	36
5	S8R286615	<0.2	1.23	10	176	<1	<5	0.10	<1	6	16	6	2.00	<5	0.11	24	6	0.27	380	1	0.02	8	330	12	<0.01	<5	2	<10	<5	8	0.06	<5	42	<5	6	26
6	S8R286616	<0.2	2.00	10	212	<1	<5	0.11	<1	9	30	16	3.03	<5	0.09	18	14	0.40	235	2	0.02	17	190	18	<0.01	<5	3	<10	<5	8	0.06	<5	58	<5	6	42
7	S8R286617	<0.2	1.72	10	246	<1	<5	0.13	<1	7	24	12	2.32	<5	0.06	20	12	0.38	150	2	0.02	13	190	15	<0.01	<5	3	<10	<5	10	0.05	<5	52	<5	6	40
8	S8R286618	<0.2	1.50	10	260	<1	<5	0.18	<1	12	22	16	2.55	<5	0.24	26	12	0.59	280	1	0.02	15	370	15	<0.01	<5	3	<10	<5	10	0.08	<5	50	<5	10	48
9	S8R286619	<0.2	1.44	10	286	<1	<5	0.19	<1	12	20	22	2.41	<5	0.23	34	8	0.54	270	1	0.02	16	160	15	<0.01	<5	4	<10	<5	14	0.10	<5	48	<5	15	46
10	S8R286620	<0.2	1.53	10	218	<1	<5	0.14	<1	9	20	16	2.35	<5	0.10	20	10	0.39	195	1	0.02	13	200	15	<0.01	<5	3	<10	<5	10	0.08	<5	50	<5	6	40
11	S8R286621	<0.2	1.31	5	200	<1	<5	0.12	<1	10	18	12	2.34	<5	0.24	28	8	0.46	225	1	0.02	11	210	15	<0.01	<5	3	<10	<5	8	0.08	<5	42	<5	7	46
12	S8R286622	<0.2	1.24	5	260	<1	<5	0.21	<1	9	18	14	2.24	<5	0.12	24	10	0.40	235	1	0.02	12	370	12	<0.01	<5	3	<10	<5	12	0.07	<5	42	<5	9	44
13	S8R286623	<0.2	1.23	5	332	<1	<5	0.26	<1	9	18	16	2.09	<5	0.09	24	10	0.39	210	1	0.02	13	390	12	<0.01	<5	3	<10	<5	16	0.07	<5	40	<5	11	42
14	S8R286624	<0.2	1.29	5	340	<1	<5	0.27	<1	9	20	16	2.06	<5	0.09	22	10	0.41	205	1	0.02	14	410	12	<0.01	<5	3	<10	<5	16	0.07	<5	40	<5	9	42
15	S8R286625	<0.2	1.14	10	398	<1	<5	0.74	<1	11	20	20	2.07	<5	0.06	14	10	0.47	270	1	0.03	20	650	12	0.01	<5	3	<10	<5	34	0.06	<5	46	<5	7	46
16	S8R286626	<0.2	1.00	10	292	<1	<5	0.66	<1	11	20	26	2.07	<5	0.06	12	10	0.53	370	1	0.03	24	760	12	<0.01	<5	3	<10	<5	22	0.05	<5	40	<5	7	46
17	S8R286627	<0.2	1.16	10	402	<1	<5	1.41	<1	13	22	30	2.35	<5	0.07	12	12	0.68	440	1	0.07	26	690	12	0.10	<5	3	<10	<5	40	0.06	<5	50	<5	8	52
18	S8R286628	<0.2	1.04	10	280	<1	<5	0.55	<1	11	20	20	2.24	<5	0.06	14	10	0.45	285	1	0.04	22	710	12	<0.01	<5	3	<10	<5	22	0.06	<5	46	<5	7	48
19	S8R286629	<0.2	1.09	10	278	<1	<5	0.44	<1	9	20	14	2.13	<5	0.05	14	10	0.41	275	1	0.03	16	760	15	0.01	<5	3	<10	<5	22	0.05	<5	48	<5	6	40
20	S8R286630	<0.2	1.04	5	302	<1	<5	0.47	<1	9	16	12	1.63	<5	0.05	20	8	0.39	315	1	0.02	12	600	12	0.01	<5	2	<10	<5	22	0.04	<5	36	<5	8	36
21	S8R286631	<0.2	1.31	5	334	<1	<5	0.39	<1	15	22	16	1.96	<5	0.05	16	10	0.42	505	2	0.02	15	510	12	0.01	<5	3	<10	<5	22	0.06	<5	40	<5	7	36
22	S8R286632	<0.2	1.19	10	248	<1	<5	0.30	<1	8	20	14	1.91	<5	0.05	18	10	0.36	160	1	0.02	13	520	12	<0.01	<5	3	<10	<5	16	0.06	<5	44	<5	8	34
23	S8R286633	<0.2	1.12	10	284	<1	<5	0.38	<1	9	18	16	1.89	<5	0.05	16	10	0.39	450	1	0.02	14	600	9	0.01	<5	2	<10	<5	20	0.05	<5	38	<5	7	40
24	S8R286634	<0.2	1.25	10	282	<1	<5	0.56	<1	10	20	18	1.97	<5	0.05	10	14	0.50	195	1	0.03	18	670	12	0.01	<5	3	<10	<5	26	0.05	<5	44	<5	6	50
25	S8R286635	<0.2	1.23	5	326	<1	<5	0.46	<1	8	18	14	1.82	<5	0.06	16	10	0.39	245	1	0.02	12	480	12	0.01	<5	2	<10	<5	24	0.05	<5	40	<5	6	38
26	S8R286636	<0.2	1.07	5	248	<1	<5	0.41	<1	7	20	10	1.60	<5	0.05	12	10	0.41	220	<1	0.02	12	620	9	0.01	<5	2	<10	<5	18	0.05	<5	40	<5	5	40
27	S8R286637	<0.2	1.01	10	296	<1	<5	0.41	<1	10	18	12	1.83	<5	0.05	12	10	0.39	375	1	0.02	12	600	9	0.01	<5	2	<10	<5	20	0.04	<5	38	<5	6	38
28	S8R286638	<0.2	0.91	5	260	<1	<5	0.44	<1	8	16	10	1.62	<5	0.04	12	10	0.36	325	1	0.02	12	700	9	0.01	<5	2	<10	<5	20	0.05	<5	36	<5	5	36
29	S8R286639	<0.2	1.00	5	194	<1	<5	0.18	<1	7	14	8	1.81	<5	0.13	42	8	0.28	130	2	0.02	10	120	12	<0.01	<5	3	<10	<5	12	0.04	<5	30	<5	23	26
30	S8R286640	<0.2	1.22	10	170	<1	<5	0.19	<1	7	22	16	2.04	<5	0.07	42	10	0.35	155	1	0.02	15	260	12	<0.01	<5	3	<10	<5	12	0.05	<5	40	<5	20	30

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
31	S8R286641	<0.2	1.36	5	316	<1	<5	0.18	<1	9	20	8	2.10	<5	0.08	12	8	0.30	380	1	0.02	12	320	12	<0.01	<5	2	<10	<5	12	0.04	<5	48	<5	3	32
32	S8R286642	<0.2	1.21	10	232	<1	<5	0.18	<1	9	20	14	2.03	<5	0.07	22	8	0.31	225	1	0.02	16	160	12	<0.01	<5	3	<10	<5	12	0.05	<5	44	<5	9	32
33	S8R286643	<0.2	1.14	5	336	<1	<5	0.37	<1	8	16	6	2.04	<5	0.16	12	8	0.27	320	1	0.02	10	340	12	<0.01	<5	2	<10	<5	20	0.05	<5	38	<5	7	26
34	S8R286644	<0.2	1.53	10	390	1	<5	0.18	<1	8	18	10	2.59	<5	0.22	94	8	0.39	150	1	0.02	13	190	12	<0.01	<5	4	<10	<5	12	0.04	<5	34	<5	14	24
35	S8R286645	<0.2	1.20	5	324	<1	<5	0.19	<1	10	22	6	2.21	<5	0.13	14	8	0.34	250	1	0.02	12	190	12	<0.01	<5	2	<10	<5	10	0.07	<5	46	<5	6	30
36	S8R286646	<0.2	1.34	10	380	<1	<5	0.19	<1	8	14	6	2.75	<5	0.36	18	8	0.32	150	1	0.02	10	230	15	<0.01	<5	3	<10	<5	12	0.07	<5	32	<5	8	24
37	S8R286647	<0.2	1.29	15	246	<1	<5	0.15	<1	7	14	6	2.24	<5	0.25	8	8	0.27	145	2	0.02	9	180	12	<0.01	<5	2	<10	<5	12	0.04	<5	30	<5	6	22
38	S8R286648	<0.2	0.99	5	314	<1	<5	0.13	<1	6	10	4	2.09	<5	0.19	18	4	0.19	115	1	0.02	7	130	153	<0.01	<5	3	<10	<5	8	0.03	<5	22	<5	14	16
39	S8R286649	<0.2	0.19	460	1806	<1	<5	1.10	<1	3	20	60	4.02	<5	0.06	<2	2	0.02	105	16	0.02	16	50	18	0.13	30	<1	<10	<5	24	0.01	<5	12	5	2	14
40	S8R286650	<0.2	0.21	<5	62	<1	<5	>10	<1	1	4	2	0.41	<5	0.12	<2	4	>10	185	<1	0.02	3	570	<3	<0.01	<5	<1	<10	<5	40	<0.01	<5	2	<5	1	14
41	S8R286651	<0.2	1.58	10	378	<1	<5	0.23	<1	10	26	14	2.31	<5	0.11	54	8	0.35	245	2	0.02	14	160	12	<0.01	<5	4	<10	<5	12	0.05	<5	40	<5	10	26
42	S8R286652	<0.2	1.36	10	330	<1	<5	0.22	<1	9	22	20	2.20	<5	0.06	18	10	0.38	195	1	0.02	16	280	12	<0.01	<5	4	<10	<5	14	0.06	<5	44	<5	10	34
43	S8R286653	<0.2	1.20	5	294	<1	<5	0.22	<1	7	20	14	1.92	<5	0.05	22	10	0.32	155	1	0.02	12	310	9	<0.01	<5	3	<10	<5	12	0.06	<5	40	<5	12	30
44	S8R286654	<0.2	1.07	5	316	<1	<5	0.24	<1	7	18	18	1.73	<5	0.07	22	8	0.30	145	1	0.02	12	330	9	<0.01	<5	3	<10	<5	14	0.06	<5	36	<5	14	28
45	S8R286655	<0.2	1.04	5	232	<1	<5	0.24	<1	6	16	12	1.60	<5	0.07	20	8	0.25	105	<1	0.02	9	450	9	<0.01	<5	2	<10	<5	14	0.05	<5	32	<5	8	24
46	S8R286656	<0.2	1.19	5	330	<1	<5	0.33	<1	8	18	16	1.80	<5	0.10	18	8	0.34	150	1	0.02	14	470	9	0.01	<5	3	<10	<5	24	0.06	<5	36	<5	10	36
47	S8R286657	<0.2	1.19	5	244	<1	<5	0.33	<1	8	18	12	1.78	<5	0.04	12	10	0.37	150	1	0.02	13	460	9	<0.01	<5	2	<10	<5	18	0.05	<5	40	<5	4	34
48	S8R286658	<0.2	1.23	10	284	<1	<5	0.39	<1	11	22	18	2.12	<5	0.05	12	12	0.45	325	1	0.03	18	620	12	<0.01	<5	3	<10	<5	20	0.06	<5	46	<5	5	42
49	S8R286659	<0.2	1.23	10	374	<1	<5	0.74	<1	12	18	18	2.11	<5	0.04	10	12	0.43	670	2	0.03	16	790	9	0.04	<5	2	<10	<5	32	0.03	<5	42	<5	6	40
50	S8R286660	<0.2	1.11	10	280	<1	<5	0.42	<1	10	16	12	1.96	<5	0.05	12	10	0.34	325	1	0.02	12	610	9	0.02	<5	2	<10	<5	22	0.04	<5	36	<5	5	34
51	S8R286661	<0.2	1.06	5	242	<1	<5	0.46	<1	6	16	10	1.55	<5	0.04	10	10	0.38	130	<1	0.02	12	610	9	0.02	<5	2	<10	<5	22	0.04	<5	34	<5	4	34
52	S8R286662	<0.2	1.10	10	244	<1	<5	0.43	<1	7	18	16	1.74	<5	0.04	12	12	0.41	130	1	0.03	14	690	9	0.02	<5	2	<10	<5	22	0.05	<5	44	<5	5	40
53	S8R286663	<0.2	1.02	10	366	<1	<5	1.62	<1	11	18	26	2.07	<5	0.06	12	10	0.76	345	1	0.03	23	710	12	<0.01	<5	3	<10	<5	36	0.06	<5	42	<5	7	50
54	S8R286664	<0.2	1.76	5	406	<1	<5	0.29	<1	11	16	6	3.08	<5	0.55	34	4	0.56	205	1	0.02	14	330	12	<0.01	<5	3	<10	<5	18	0.11	<5	24	<5	12	18
55	S8R286665	<0.2	1.49	10	280	<1	<5	0.30	<1	11	24	18	2.53	<5	0.16	30	8	0.43	230	2	0.02	20	230	12	<0.01	<5	4	<10	<5	16	0.07	<5	48	<5	12	32
56	S8R286666	<0.2	1.74	5	332	<1	<5	0.38	<1	12	18	6	2.58	<5	0.60	30	4	0.63	335	2	0.02	13	480	9	<0.01	<5	3	<10	<5	20	0.08	<5	28	<5	10	30
57	S8R286667	<0.2	1.49	5	310	<1	<5	0.29	<1	10	22	8	2.32	<5	0.26	22	6	0.45	265	1	0.02	14	190	9	<0.01	<5	3	<10	<5	16	0.07	<5	38	<5	10	30
58	S8R286668	<0.2	1.32	5	356	<1	<5	0.24	<1	9	20	8	2.07	<5	0.20	16	8	0.39	250	1	0.02	13	270	9	<0.01	<5	3	<10	<5	12	0.06	<5	36	<5	5	26
59	S8R286669	<0.2	1.32	10	270	<1	<5	0.24	<1	10	26	16	2.30	<5	0.16	18	8	0.36	255	1	0.02	18	360	12	<0.01	<5	4	<10	<5	14	0.07	<5	44	<5	7	32
60	S8R286670	<0.2	1.68	10	446	<1	<5	0.22	<1	12	16	14	3.12	<5	0.60	26	8	0.51	205	1	0.02	19	280	12	<0.01	<5	4	<10	<5	14	0.12	<5	34	<5	10	20
61	S8R286671	<0.2	1.20	5	420	<1	<5	0.29	<1	9	18	6	1.84	<5	0.14	12	8	0.30	360	1	0.02	12	410	9	<0.01	<5	3	<10	<5	16	0.05	<5	38	<5	3	24
62	S8R286672	<0.2	1.41	<5	480	<1	<5	0.27	<1	9	16	4	2.00	<5	0.32	14	6	0.40	275	1	0.02	10	280	9	<0.01	<5	2	<10	<5	18	0.06	<5	28	<5	5	18
63	S8R286673	<0.2	1.82	<5	624	<1	<5	0.24	<1	15	34	4	2.63	<5	0.51	14	6	0.73	355	1	0.02	14	270	9	<0.01	<5	3	<10	<5	14	0.09	<5	38	<5	5	24
64	S8R286674	<0.2	1.88	10	404	<1	<5	0.14	<1	12	22	8	2.67	<5	0.16	10	12	0.50	225	1	0.02	16	260	12	<0.01	<5	2	<10	<5	12	0.08	<5	54	<5	2	38
65	S8R286675	<0.2	1.30	5	202	<1	<5	0.10	<1	7	14	4	2.18	<5	0.15	10	8	0.29	155	1	0.02	8	140	12	<0.01	<5	2	<10	<5	8	0.05	<5	40	<5	3	20
66	S8R286676	<0.2	0.98	5	134	<1	<5	0.06	<1	4	8	2	1.45	<5	0.20	6	4	0.15	70	<1	0.01	4	80	9	<0.01	<5	2	<10	<5	6	0.04	<5	14	<5	6	8
67	S8R286677	<0.2	0.87	<5	136	<1	<5	0.05	<1	3	6	2	1.41	<5	0.20	8	4	0.12	65	<1	0.01	3	100	6	<0.01	<5	2	<10	<5	6	0.03	<5	12	<5	7	8
68	S8R286678	<0.2	1.50	5	190	<1	<5	0.08	<1	7	12	6	2.41	<5	0.27	12	6	0.30	155	1	0.02	8	190	9	<0.01	<5	2	<10	<5	10	0.04	<5	28	<5	4	18
69	S8R286679	<0.2	1.73	<5	262	<1	<5	0.21	<1	10	4	<2	3.20	<5	0.64	22	4	0.44	230	1	0.02	3	440	9	<0.01	<5	3	<10	<5	12	0.08	<5	18	<5	8	28
70	S8R286680	<0.2	1.22	5	324	<1	<5	0.12	<1	7	14	6	1.73	<5	0.18	16	4	0.36	130	<1	0.02	10	180	9	<0.01	<5	2	<10	<5	14	0.06	<5	24	<5	6	18

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
71	S8R286681	<0.2	1.45	10	222	<1	<5	0.11	<1	7	20	8	2.20	<5	0.10	14	10	0.33	135	1	0.02	11	190	15	<0.01	<5	2	<10	<5	10	0.06	<5	48	<5	3	22
72	S8R286682	<0.2	1.75	5	306	<1	<5	0.15	<1	10	14	6	2.58	<5	0.45	8	10	0.44	155	1	0.02	12	370	9	<0.01	<5	2	<10	<5	12	0.09	<5	30	<5	3	18
73	S8R286683	<0.2	1.85	10	284	<1	<5	0.11	<1	9	20	10	2.42	<5	0.08	12	16	0.34	170	2	0.02	14	260	12	<0.01	<5	3	<10	<5	10	0.04	<5	46	<5	3	26
74	S8R286684	<0.2	1.38	<5	202	<1	<5	0.12	<1	9	46	6	1.84	<5	0.17	16	6	0.47	115	1	0.01	19	80	9	<0.01	<5	2	<10	<5	8	0.07	<5	30	<5	6	18
75	S8R286685	<0.2	1.15	10	198	<1	<5	0.08	<1	6	18	18	2.05	<5	0.09	16	6	0.22	175	2	0.02	12	100	12	<0.01	<5	3	<10	<5	6	0.04	<5	36	<5	10	28
76	S8R286686	<0.2	1.52	10	220	1	<5	0.16	<1	11	68	16	2.65	<5	0.16	62	6	0.60	325	2	0.02	9	80	18	<0.01	<5	6	<10	<5	8	0.05	<5	38	<5	38	28
77	S8R286687	<0.2	1.31	10	312	<1	<5	0.18	<1	9	22	14	2.16	<5	0.08	12	10	0.33	195	1	0.02	17	110	12	<0.01	<5	4	<10	<5	12	0.05	<5	48	<5	6	32
78	S8R286688	<0.2	1.46	10	298	<1	<5	0.20	<1	9	22	16	2.13	<5	0.07	24	12	0.37	160	1	0.02	15	160	12	<0.01	<5	3	<10	<5	12	0.05	<5	50	<5	14	28
79	S8R286689	<0.2	1.30	5	310	<1	<5	0.47	<1	7	18	14	1.60	<5	0.12	42	10	0.34	245	1	0.02	13	500	12	0.03	<5	3	<10	<5	24	0.03	<5	32	<5	30	28
80	S8R286690	<0.2	1.79	10	214	1	<5	0.16	<1	7	24	26	2.36	<5	0.16	42	10	0.35	150	2	0.02	20	220	12	<0.01	<5	5	<10	<5	10	0.05	<5	44	<5	15	30
81	S8R286691	<0.2	1.24	10	212	<1	<5	0.15	<1	6	18	8	1.75	<5	0.14	22	8	0.27	145	1	0.02	12	140	9	<0.01	<5	3	<10	<5	10	0.04	<5	34	<5	10	24
82	S8R286692	<0.2	0.96	5	252	<1	<5	0.14	<1	6	14	6	1.37	<5	0.10	14	6	0.21	220	1	0.02	9	160	9	<0.01	<5	2	<10	<5	8	0.03	<5	32	<5	8	20
83	S8R286693	<0.2	1.17	<5	198	<1	<5	0.17	<1	5	14	6	1.94	<5	0.28	30	8	0.29	205	1	0.02	7	320	9	<0.01	<5	3	<10	<5	10	0.04	<5	30	<5	13	24
84	S8R286694	<0.2	1.37	10	184	<1	<5	0.19	<1	8	22	16	2.16	<5	0.11	16	10	0.37	210	1	0.02	17	300	12	<0.01	<5	4	<10	<5	14	0.06	<5	46	<5	10	34
85	S8R286695	<0.2	1.11	10	206	<1	<5	0.16	<1	6	14	10	1.68	<5	0.14	50	6	0.23	245	1	0.02	10	250	12	<0.01	<5	4	<10	<5	12	0.03	<5	28	<5	54	24
86	S8R286696	<0.2	1.59	15	162	<1	<5	0.11	<1	9	28	22	2.61	<5	0.08	38	10	0.39	225	2	0.02	20	200	15	<0.01	<5	6	<10	<5	10	0.08	<5	54	<5	25	38
87	S8R286697	<0.2	1.36	10	190	<1	<5	0.09	<1	6	18	10	2.03	<5	0.11	28	8	0.25	240	1	0.02	12	150	12	<0.01	<5	3	<10	<5	8	0.05	<5	34	<5	14	26
88	S8R286698	<0.2	0.85	10	186	<1	<5	0.06	<1	4	10	4	1.28	<5	0.10	22	4	0.12	340	1	0.01	5	140	9	<0.01	<5	1	<10	<5	4	0.02	<5	22	<5	11	14
89	S8R286699	<0.2	0.73	10	102	<1	<5	0.07	<1	3	8	4	1.01	<5	0.11	4	4	0.10	75	3	0.01	5	70	18	<0.01	<5	<1	<10	<5	6	0.01	<5	16	<5	9	8
90	S8R286700	<0.2	0.74	<5	96	<1	<5	0.07	<1	4	8	4	1.09	<5	0.07	16	4	0.15	90	<1	0.01	5	90	9	<0.01	<5	1	<10	<5	4	0.02	<5	20	<5	13	14
91	S8R286701	<0.2	1.34	5	128	<1	<5	0.05	<1	6	12	12	2.03	<5	0.16	48	6	0.20	175	1	0.02	9	90	12	<0.01	<5	3	<10	<5	4	0.03	<5	22	<5	15	22
92	S8R286702	<0.2	1.44	10	176	<1	<5	0.09	<1	7	24	12	2.09	<5	0.04	28	10	0.31	160	1	0.02	12	90	12	<0.01	<5	3	<10	<5	6	0.05	<5	48	<5	12	30
93	S8R286703	<0.2	1.57	10	168	<1	<5	0.08	<1	8	20	10	2.50	<5	0.19	14	8	0.32	170	1	0.02	12	120	12	<0.01	<5	2	<10	<5	8	0.06	<5	40	<5	5	26
94	S8R286704	<0.2	2.04	10	246	<1	<5	0.11	<1	11	30	16	2.85	<5	0.04	12	16	0.39	265	2	0.02	15	210	15	<0.01	<5	3	<10	<5	8	0.07	<5	68	<5	3	36
95	S8R286705	<0.2	1.57	10	220	<1	<5	0.14	<1	9	24	16	2.35	<5	0.04	16	12	0.36	190	1	0.02	16	190	15	<0.01	<5	3	<10	<5	10	0.05	<5	50	<5	6	34
96	S8R286706	<0.2	1.19	5	126	<1	<5	0.08	<1	7	14	8	1.75	<5	0.16	20	8	0.23	315	1	0.02	7	210	9	<0.01	<5	2	<10	<5	6	0.05	<5	36	<5	7	42
97	S8R286707	<0.2	1.10	<5	150	<1	<5	0.06	<1	5	8	4	1.68	<5	0.29	48	4	0.21	215	<1	0.02	5	120	12	<0.01	<5	2	<10	<5	6	0.06	<5	18	<5	15	24
98	S8R286708	<0.2	1.33	5	186	<1	<5	0.10	<1	7	18	14	2.03	<5	0.10	32	10	0.30	175	1	0.02	12	110	12	<0.01	<5	3	<10	<5	8	0.06	<5	36	<5	13	30
99	S8R286709	<0.2	1.48	10	262	<1	<5	0.15	<1	9	22	16	2.40	<5	0.12	34	10	0.34	200	1	0.02	15	160	15	<0.01	<5	4	<10	<5	12	0.07	<5	44	<5	14	36
100	S8R286710	<0.2	1.27	5	182	<1	<5	0.12	<1	7	16	10	2.07	<5	0.14	42	8	0.27	155	1	0.02	10	140	12	<0.01	<5	3	<10	<5	8	0.07	<5	36	<5	16	26
101	S8R286711	<0.2	1.35	5	128	<1	<5	0.10	<1	6	16	10	1.80	<5	0.09	18	8	0.27	110	1	0.02	10	220	12	<0.01	<5	2	<10	<5	8	0.06	<5	40	<5	6	26
102	S8R286712	<0.2	1.53	10	170	<1	<5	0.12	<1	7	18	12	2.07	<5	0.05	16	8	0.29	130	1	0.02	11	140	12	<0.01	<5	3	<10	<5	10	0.07	<5	50	<5	6	28
103	S8R286713	<0.2	1.57	10	186	<1	<5	0.12	<1	7	20	12	2.04	<5	0.08	18	10	0.30	135	1	0.02	12	190	15	<0.01	<5	3	<10	<5	10	0.07	<5	46	<5	6	30
104	S8R286714	<0.2	1.64	5	210	<1	<5	0.17	<1	8	18	14	2.18	<5	0.17	24	10	0.34	160	1	0.02	13	270	30	<0.01	<5	3	<10	<5	12	0.08	<5	42	<5	11	34
105	S8R286715	0.4	1.91	70	130	<1	<5	0.65	<1	17	24	40	3.01	<5	0.04	8	20	1.37	545	1	0.02	18	590	33	0.02	<5	5	<10	<5	26	0.03	<5	64	<5	6	60
106	S8R286716	0.4	1.97	70	124	<1	<5	0.60	<1	17	20	36	3.03	<5	0.04	8	20	1.39	545	2	0.02	17	610	33	0.02	<5	5	<10	<5	24	0.03	<5	64	<5	6	64
107	S8R286717	0.6	1.92	95	158	<1	<5	0.89	<1	16	20	38	2.83	<5	0.05	6	20	1.20	515	2	0.02	17	550	48	0.04	<5	5	<10	<5	36	0.03	<5	60	<5	6	78
108	S8R286718	0.4	2.26	130	148	<1	<5	0.71	<1	19	20	36	3.39	<5	0.05	6	26	1.42	570	2	0.03	17	410	63	0.03	<5	5	<10	<5	28	0.03	<5	72	5	5	76
109	S8R286719	1.0	2.29	115	148	<1	<5	0.80	<1	20	26	60	3.37	<5	0.05	8	24	1.54	575	2	0.03	20	620	51	0.03	<5	7	<10	<5	34	0.03	<5	72	5	10	72
110	S8R286720	0.6	2.11	145	192	<1	<5	0.46	<1	18	22	46	3.06	<5	0.05	6	26	1.30	555	2	0.02	18	460	63	0.02	<5	5	<10	<5	20	0.03	<5	64	<5	6	78

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
111	S8R286721	0.6	2.11	155	170	<1	<5	0.27	<1	18	24	62	3.25	<5	0.04	8	24	1.41	565	2	0.02	19	490	75	<0.01	<5	6	<10	<5	12	0.03	<5	70	<5	8	80
112	S8R286722	0.6	2.10	135	190	<1	<5	0.22	<1	19	20	34	3.17	<5	0.06	10	22	0.95	650	2	0.03	14	330	90	0.01	<5	4	<10	<5	14	0.04	<5	78	<5	5	68
113	S8R286723	0.2	1.93	140	226	<1	<5	0.20	<1	14	16	38	2.95	<5	0.05	8	22	1.04	400	2	0.02	14	360	57	0.02	<5	3	<10	<5	12	0.03	<5	74	<5	4	68
114	S8R286724	0.6	2.01	165	104	<1	<5	0.12	<1	12	16	30	3.38	<5	0.04	8	26	0.94	300	3	0.02	11	320	84	0.01	<5	3	<10	<5	8	0.04	<5	82	5	3	72
115	S8R286725	<0.2	2.16	315	66	<1	<5	0.18	<1	24	14	78	4.04	<5	0.04	6	32	1.38	775	2	0.02	14	660	96	<0.01	<5	4	<10	<5	6	0.03	<5	68	5	5	102
116	S8R286726	<0.2	2.17	260	126	<1	<5	0.14	<1	15	20	38	3.81	<5	0.05	8	30	1.13	440	2	0.02	15	440	99	<0.01	<5	3	<10	<5	8	0.03	<5	72	5	3	94
117	S8R286727	0.6	2.12	175	180	<1	<5	0.16	<1	18	24	64	3.54	<5	0.05	14	24	1.14	520	2	0.02	22	340	135	<0.01	<5	5	<10	<5	10	0.05	<5	64	5	8	106
118	S8R286728	0.6	1.92	145	150	<1	<5	0.12	<1	11	20	36	3.01	<5	0.05	10	20	0.75	260	2	0.02	14	320	102	0.01	<5	3	<10	<5	8	0.04	<5	64	<5	4	78
119	S8R286729	<0.2	1.76	90	126	<1	<5	0.13	<1	12	22	38	2.78	<5	0.05	10	20	0.69	325	2	0.02	15	370	102	0.01	<5	2	<10	<5	8	0.03	<5	58	<5	4	80
120	S8R286730	1.8	2.23	170	186	<1	<5	0.20	<1	20	26	86	3.61	<5	0.05	14	24	1.19	575	2	0.02	22	350	258	<0.01	<5	6	<10	<5	12	0.04	<5	74	5	8	166
121	S8R286731	2.4	2.45	335	150	<1	<5	0.21	<1	25	26	108	4.49	<5	0.06	12	26	1.69	760	3	0.02	23	480	348	0.01	<5	6	<10	<5	12	0.04	<5	78	5	8	236
122	S8R286732	8.6	2.34	805	70	<1	<5	0.24	<1	27	28	98	4.86	<5	0.09	8	32	1.79	845	3	0.02	25	890	459	0.01	10	4	<10	<5	8	0.03	<5	54	5	4	362
123	S8R286733	4.2	2.54	415	108	<1	<5	0.27	<1	39	22	94	4.76	<5	0.07	8	30	2.37	1030	2	0.03	24	450	318	<0.01	5	8	<10	<5	12	0.06	<5	74	5	7	218
124	S8R286734	5.8	2.23	245	152	<1	<5	0.22	<1	27	34	104	4.28	<5	0.05	12	26	1.78	720	2	0.02	28	180	393	<0.01	10	8	<10	<5	10	0.06	<5	76	5	6	276
125	S8R286735	0.8	2.21	130	112	<1	<5	0.12	<1	16	34	34	3.89	<5	0.06	10	26	0.84	395	2	0.02	23	290	111	0.01	<5	4	<10	<5	8	0.06	<5	76	5	3	104
126	S8R286736	0.6	2.85	430	136	<1	<5	0.14	<1	38	26	80	5.66	<5	0.09	8	26	2.09	800	2	0.03	26	300	141	<0.01	<5	8	<10	<5	8	0.07	<5	82	10	3	106
127	S8R286737	0.6	3.47	660	126	<1	<5	0.25	<1	55	16	144	7.37	<5	0.12	6	36	3.08	1140	2	0.03	27	380	120	<0.01	<5	10	<10	<5	10	0.07	<5	92	10	6	148
128	S8R286738	<0.2	1.71	10	426	1	<5	0.29	<1	14	32	8	2.91	<5	0.64	16	6	0.68	310	1	0.02	16	250	9	<0.01	<5	4	<10	<5	20	0.11	<5	36	<5	8	26
129	S8R286739	<0.2	1.23	5	324	<1	<5	0.24	<1	9	20	4	2.23	<5	0.42	10	4	0.42	160	1	0.02	15	180	9	<0.01	<5	3	<10	<5	14	0.08	<5	24	<5	6	14
130	S8R286740	<0.2	1.45	<5	478	<1	<5	0.28	<1	12	32	12	2.47	<5	0.42	16	4	0.51	270	2	0.02	15	160	9	<0.01	<5	3	<10	<5	16	0.08	<5	26	<5	8	20
131	S8R286741	<0.2	1.27	<5	240	<1	<5	0.26	<1	10	30	6	2.08	<5	0.36	30	6	0.49	255	1	0.02	20	230	9	<0.01	<5	3	<10	<5	18	0.06	<5	26	<5	7	22
132	S8R286742	<0.2	1.21	10	234	<1	<5	0.25	<1	10	24	18	2.36	<5	0.17	18	8	0.35	235	1	0.02	20	270	12	<0.01	<5	4	<10	<5	14	0.07	<5	46	<5	7	36
133	S8R286743	<0.2	1.44	10	224	<1	<5	0.24	<1	10	26	10	2.58	<5	0.30	34	8	0.39	270	2	0.02	18	270	12	<0.01	<5	4	<10	<5	16	0.07	<5	38	<5	10	36
134	S8R286744	<0.2	1.60	<5	258	<1	<5	0.29	<1	14	46	8	2.84	<5	0.42	16	6	0.71	390	<1	0.02	27	320	12	<0.01	<5	4	<10	<5	16	0.09	<5	38	<5	6	34
135	S8R286745	<0.2	1.09	5	166	<1	<5	0.18	<1	7	14	8	1.97	<5	0.28	16	4	0.29	215	<1	0.03	11	140	12	<0.01	<5	2	<10	<5	14	0.06	<5	22	<5	5	46
136	S8R286746	<0.2	1.15	<5	180	<1	<5	0.19	<1	9	22	8	2.02	<5	0.30	12	6	0.35	235	<1	0.02	15	160	9	<0.01	<5	2	<10	<5	14	0.06	<5	26	<5	4	38
137	S8R286747	<0.2	1.19	<5	372	<1	<5	0.26	<1	11	26	4	1.74	<5	0.22	6	6	0.39	440	<1	0.02	11	200	9	<0.01	<5	1	<10	<5	14	0.05	<5	30	<5	2	36
138	S8R286748	<0.2	1.80	5	212	<1	<5	0.17	<1	13	30	12	3.00	<5	0.31	8	12	0.61	310	2	0.02	16	230	21	<0.01	<5	2	<10	<5	14	0.10	<5	46	<5	3	60
139	S8R286749	<0.2	1.28	50	118	<1	<5	1.30	<1	11	28	50	3.12	<5	0.10	6	8	0.59	420	10	0.09	34	730	9	0.10	<5	4	<10	<5	34	0.12	<5	60	<5	8	46
140	S8R286750	<0.2	0.20	<5	64	<1	<5	>10	<1	2	4	2	0.41	<5	0.12	<2	4	>10	190	<1	0.03	4	600	<3	<0.01	<5	<1	<10	<5	50	<0.01	<5	2	<5	1	16
141	S8R286751	<0.2	1.84	5	158	<1	<5	0.15	<1	13	40	10	2.91	<5	0.31	8	10	0.68	285	1	0.02	18	140	18	<0.01	<5	2	<10	<5	12	0.12	<5	38	<5	3	58
142	S8R286752	<0.2	1.01	<5	94	<1	<5	0.07	<1	7	10	4	1.79	<5	0.33	28	4	0.24	285	<1	0.02	7	200	9	<0.01	<5	1	<10	<5	6	0.06	<5	20	<5	7	32
143	S8R286753	<0.2	1.24	<5	162	<1	<5	0.11	<1	7	16	6	2.11	<5	0.19	12	6	0.29	160	<1	0.02	10	80	9	<0.01	<5	2	<10	<5	10	0.06	<5	30	<5	4	28
144	S8R286754	<0.2	0.95	5	232	<1	<5	0.16	<1	8	20	12	1.80	<5	0.15	32	6	0.28	175	<1	0.02	13	110	9	<0.01	<5	3	<10	<5	12	0.05	<5	26	<5	14	26
145	S8R286755	<0.2	1.27	5	226	<1	<5	0.17	<1	9	22	14	2.31	<5	0.13	34	8	0.34	165	1	0.02	16	160	12	<0.01	<5	3	<10	<5	12	0.06	<5	38	<5	11	36
146	S8R286756	<0.2	1.07	5	266	<1	<5	0.25	<1	8	20	14	2.10	<5	0.09	24	8	0.33	175	1	0.02	14	310	12	<0.01	<5	3	<10	<5	14	0.06	<5	36	<5	11	34
147	S8R286757	<0.2	1.28	5	284	<1	<5	0.25	<1	10	24	8	2.41	<5	0.40	32	4	0.43	180	<1	0.02	13	310	9	<0.01	<5	3	<10	<5	14	0.07	<5	26	<5	13	20
148	S8R286758	<0.2	1.21	5	236	<1	<5	0.23	<1	9	24	10	2.19	<5	0.13	26	8	0.38	195	<1	0.02	14	370	9	<0.01	<5	3	<10	<5	12	0.06	<5	38	<5	9	26
149	S8R286759	<0.2	1.49	<5	270	<1	<5	0.27	<1	11	18	4	3.14	<5	0.66	36	4	0.48	240	1	0.02	13	630	9	<0.01	<5	2	<10	<5	14	0.08	<5	20	<5	10	20
150	S8R286760	<0.2	1.38	5	218	<1	<5	0.17	<1	8	22	6	2.39	<5	0.14	14	10	0.39	145	1	0.02	12	190	12	<0.01	<5	2	<10	<5	10	0.07	<5	42	<5	4	28

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
151	S8R286761	<0.2	1.22	<5	286	<1	<5	0.36	<1	9	26	6	2.15	<5	0.22	16	8	0.47	195	1	0.02	15	320	9	<0.01	<5	2	<10	<5	20	0.08	<5	32	<5	5	22
152	S8R286762	<0.2	1.15	5	260	<1	<5	0.27	<1	7	28	6	2.01	<5	0.10	18	8	0.37	180	1	0.02	13	300	9	<0.01	<5	3	<10	<5	14	0.05	<5	36	<5	6	24
153	S8R286763	<0.2	1.27	5	284	<1	<5	0.13	<1	8	20	6	2.37	<5	0.29	14	6	0.32	135	1	0.02	11	110	9	<0.01	<5	2	<10	<5	10	0.06	<5	30	<5	5	20
154	S8R286764	<0.2	1.38	5	350	<1	<5	0.31	<1	11	38	8	2.33	<5	0.17	24	8	0.55	205	<1	0.02	20	260	9	<0.01	<5	3	<10	<5	14	0.08	<5	38	<5	10	32
155	S8R286765	<0.2	1.88	10	294	<1	<5	0.14	<1	9	20	12	3.03	<5	0.29	32	10	0.36	265	2	0.02	12	200	18	<0.01	<5	3	<10	<5	10	0.07	<5	44	<5	14	32
156	S8R286766	<0.2	1.51	10	262	<1	<5	0.17	<1	9	20	10	2.88	<5	0.29	38	8	0.33	245	1	0.02	12	220	15	<0.01	<5	3	<10	<5	10	0.08	<5	36	<5	15	30
157	S8R286767	<0.2	2.48	5	400	2	<5	0.53	<1	25	196	26	3.81	<5	0.39	44	20	1.60	470	1	0.03	157	150	24	<0.01	<5	9	<10	<5	24	0.10	<5	52	<5	34	42
158	S8R286768	<0.2	1.32	5	210	<1	<5	0.17	<1	9	24	12	2.15	<5	0.10	38	8	0.31	310	1	0.02	15	180	15	<0.01	<5	3	<10	<5	10	0.05	<5	40	<5	20	26
159	S8R286769	<0.2	1.07	5	176	<1	<5	0.11	<1	5	16	8	1.55	<5	0.09	46	6	0.20	95	1	0.02	9	80	18	<0.01	<5	3	<10	<5	8	0.03	<5	24	<5	30	22
160	S8R286770	<0.2	0.89	5	156	<1	<5	0.12	<1	6	12	6	1.68	<5	0.13	26	6	0.19	240	1	0.02	8	210	15	<0.01	<5	2	<10	<5	8	0.05	<5	28	<5	16	20
161	S8R286771	<0.2	1.37	10	266	<1	<5	0.18	<1	11	26	20	2.56	<5	0.06	24	10	0.36	225	1	0.02	19	180	15	<0.01	<5	4	<10	<5	12	0.07	<5	52	<5	15	36
162	S8R286772	<0.2	1.34	10	282	<1	<5	0.19	<1	9	24	18	2.43	<5	0.06	22	10	0.36	215	1	0.02	17	150	15	<0.01	<5	4	<10	<5	14	0.07	<5	50	<5	14	36
163	S8R286773	<0.2	1.46	10	294	<1	<5	0.23	<1	12	28	22	2.74	<5	0.07	34	10	0.41	280	1	0.03	17	290	15	<0.01	<5	5	<10	<5	14	0.07	<5	54	<5	33	38
164	S8R286774	<0.2	0.55	5	136	<1	<5	0.09	<1	3	6	8	1.13	<5	0.10	40	2	0.09	60	<1	0.01	4	70	15	<0.01	<5	3	<10	<5	6	0.02	<5	12	<5	38	12
165	S8R286775	<0.2	1.23	5	280	<1	<5	0.26	<1	7	16	6	2.16	<5	0.22	40	6	0.32	180	1	0.02	10	230	12	<0.01	<5	3	<10	<5	14	0.04	<5	28	<5	26	20
166	S8R286776	<0.2	1.24	5	238	<1	<5	0.09	<1	8	18	12	2.34	<5	0.19	18	6	0.28	150	2	0.02	12	110	12	<0.01	<5	4	<10	<5	8	0.06	<5	36	<5	14	24
167	S8R286777	<0.2	1.45	10	236	<1	<5	0.19	<1	11	28	18	2.56	<5	0.11	12	10	0.40	190	1	0.02	22	190	12	<0.01	<5	4	<10	<5	14	0.07	<5	52	<5	4	38
168	S8R286778	<0.2	1.26	10	264	<1	<5	0.29	<1	10	26	24	2.43	<5	0.06	30	10	0.40	230	1	0.02	20	560	12	<0.01	<5	5	<10	<5	16	0.07	<5	52	<5	25	42
169	S8R286779	<0.2	1.28	10	250	<1	<5	0.15	<1	8	22	12	2.30	<5	0.09	16	8	0.30	155	1	0.02	15	150	15	<0.01	<5	3	<10	<5	12	0.05	<5	46	<5	7	32
170	S8R286780	<0.2	1.21	10	268	<1	<5	0.16	<1	8	16	8	2.00	<5	0.15	26	6	0.24	155	1	0.02	10	300	12	<0.01	<5	2	<10	<5	12	0.04	<5	36	<5	12	22
171	S8R286781	<0.2	1.27	5	194	<1	<5	0.08	<1	6	16	10	1.71	<5	0.06	10	8	0.21	135	1	0.02	11	80	15	<0.01	<5	2	<10	<5	6	0.04	<5	32	<5	6	20
172	S8R286782	<0.2	1.36	5	250	<1	<5	0.12	<1	9	20	14	2.04	<5	0.11	22	8	0.26	235	1	0.02	14	110	18	<0.01	<5	4	<10	<5	10	0.05	<5	40	<5	11	26
173	S8R286783	<0.2	1.80	10	190	<1	<5	0.08	<1	8	24	12	2.63	<5	0.08	8	10	0.28	170	2	0.02	14	180	18	<0.01	<5	2	<10	<5	8	0.04	<5	52	<5	5	34
174	S8R286784	<0.2	0.92	5	172	<1	<5	0.08	<1	5	12	6	1.85	<5	0.07	6	4	0.12	145	1	0.02	7	310	12	<0.01	<5	1	<10	<5	6	0.04	<5	44	<5	6	20
175	S8R286785	<0.2	1.31	15	324	<1	<5	0.30	<1	11	26	30	2.55	<5	0.06	18	10	0.43	335	1	0.02	24	570	12	<0.01	<5	4	<10	<5	16	0.06	<5	52	<5	12	44
176	S8R286786	<0.2	1.59	10	258	<1	<5	0.17	<1	10	22	18	2.26	<5	0.07	22	8	0.29	150	1	0.02	15	120	18	<0.01	<5	4	<10	<5	12	0.06	<5	48	<5	13	30
177	S8R286787	<0.2	1.45	5	304	<1	<5	0.20	<1	10	22	18	2.28	<5	0.10	28	8	0.35	180	1	0.02	14	120	15	<0.01	<5	4	<10	<5	12	0.07	<5	42	<5	15	30
178	S8R286788	<0.2	1.40	10	314	<1	<5	0.32	<1	10	26	24	2.46	<5	0.07	28	10	0.38	260	1	0.02	18	430	15	<0.01	<5	5	<10	<5	18	0.07	<5	50	<5	16	40
179	S8R286789	<0.2	1.57	10	390	1	<5	0.32	<1	12	28	24	2.72	<5	0.08	28	10	0.42	300	1	0.03	20	330	15	<0.01	<5	5	<10	<5	18	0.07	<5	54	<5	18	40
180	S8R286790	<0.2	1.61	10	372	<1	<5	0.37	<1	12	34	20	2.65	<5	0.06	22	10	0.48	280	1	0.02	20	440	15	<0.01	<5	4	<10	<5	20	0.07	<5	54	<5	11	38
181	S8R286791	<0.2	1.49	10	338	<1	<5	0.23	<1	10	26	16	2.47	<5	0.10	26	10	0.40	235	1	0.02	16	270	12	<0.01	<5	4	<10	<5	14	0.06	<5	48	<5	13	32
182	S8R286792	<0.2	1.27	5	264	<1	<5	0.21	<1	8	26	10	2.15	<5	0.07	20	8	0.37	185	1	0.02	14	220	12	<0.01	<5	3	<10	<5	12	0.06	<5	44	<5	6	30
183	S8R286793	<0.2	1.48	10	348	<1	<5	0.28	<1	9	28	12	2.48	<5	0.06	20	10	0.41	190	1	0.02	14	250	15	<0.01	<5	4	<10	<5	16	0.07	<5	54	<5	9	34
184	S8R286794	<0.2	1.09	5	284	<1	<5	0.18	<1	6	16	8	1.90	<5	0.10	40	8	0.28	150	1	0.02	10	300	12	<0.01	<5	3	<10	<5	10	0.05	<5	32	<5	11	24
185	S8R286795	<0.2	1.19	5	220	<1	<5	0.15	<1	9	18	12	2.07	<5	0.12	44	8	0.34	185	1	0.02	12	220	12	<0.01	<5	2	<10	<5	10	0.05	<5	32	<5	6	26
186	S8R286796	<0.2	1.54	10	284	<1	<5	0.20	<1	10	24	12	2.55	<5	0.10	22	10	0.41	210	2	0.02	15	270	15	<0.01	<5	3	<10	<5	12	0.06	<5	46	<5	8	36
187	S8R286797	<0.2	1.33	5	218	<1	<5	0.21	<1	9	28	8	2.35	<5	0.11	16	10	0.45	215	1	0.02	14	280	12	<0.01	<5	3	<10	<5	10	0.06	<5	42	<5	6	32

QC DATA:**Repeat:**

1	S8R286611	<0.2	1.86	10	214	<1	<5	0.09	<1	10	28	16	2.66	<5	0.06	24	14	0.40	210	2	0.02	16	140	18	<0.01	<5	3	<10	<5	8	0.06	<5	54	<5	9	38
10	S8R286620	<0.2	1.56	10	230	<1	<5	0.15	<1	10	20	16	2.51	<5	0.10	22	10	0.39	205	1	0.02	14	210	15	<0.01	<5	3	<10	<5	10	0.08	<5	52	<5	6	42
19	S8R286629	<0.2	1.11	10	284	<1	<5	0.45	<1	10	20	14	2.12	<5	0.05	12	12	0.42	270	2	0.03	16	790	12	0.01	<5	2	<10	<5	22	0.05	<5	46	<5	5	42
28	S8R286638	<0.2	0.91	5	266	<1	<5	0.44	<1	8	16	12	1.65	<5	0.04	12	10	0.37	330	1	0.02	12	690	9	0.01	<5	2	<10	<5	20	0.05	<5	36	<5	5	38

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
36	S8R286646	<0.2	1.27	5	376	<1	<5	0.18	<1	8	14	6	2.66	<5	0.34	16	8	0.29	145	1	0.02	10	210	12	<0.01	<5	3	<10	<5	10	0.07	<5	32	<5	7	24
45	S8R286655	<0.2	1.09	5	242	<1	<5	0.25	<1	6	14	12	1.58	<5	0.08	20	8	0.27	105	<1	0.02	9	440	9	<0.01	<5	2	<10	<5	16	0.06	<5	34	<5	8	24
54	S8R286664	<0.2	1.72	5	396	<1	<5	0.30	<1	11	16	6	2.95	<5	0.54	32	4	0.53	195	1	0.02	12	350	9	<0.01	<5	3	<10	<5	18	0.10	<5	24	<5	12	16
63	S8R286673	<0.2	1.80	<5	610	<1	<5	0.25	<1	14	34	4	2.63	<5	0.50	14	6	0.71	355	1	0.02	14	270	9	<0.01	<5	3	<10	<5	16	0.10	<5	40	<5	5	24
71	S8R286681	<0.2	1.53	10	222	<1	<5	0.12	<1	8	20	8	2.17	<5	0.11	14	10	0.34	135	1	0.02	11	190	12	<0.01	<5	2	<10	<5	10	0.07	<5	48	<5	3	22
80	S8R286690	<0.2	1.80	10	218	1	<5	0.16	<1	8	24	26	2.37	<5	0.16	42	10	0.35	150	2	0.02	20	230	15	<0.01	<5	5	<10	<5	10	0.05	<5	46	<5	16	30
89	S8R286699	<0.2	0.76	10	108	<1	<5	0.07	<1	3	8	4	1.09	<5	0.11	4	4	0.10	80	3	0.01	5	70	9	<0.01	<5	<1	<10	<5	6	0.01	<5	16	<5	10	10
98	S8R286708	<0.2	1.36	5	184	<1	<5	0.10	<1	7	18	16	1.99	<5	0.10	32	10	0.32	175	1	0.02	12	120	12	<0.01	<5	3	<10	<5	8	0.06	<5	38	<5	13	30
106	S8R286716	0.4	1.88	70	126	<1	<5	0.60	<1	17	20	36	2.95	<5	0.04	8	20	1.34	550	2	0.02	16	590	33	0.02	<5	5	<10	<5	24	0.03	<5	62	<5	6	64
115	S8R286725	<0.2	2.06	305	66	<1	<5	0.17	<1	23	14	76	3.96	<5	0.04	6	30	1.32	760	2	0.02	14	630	93	<0.01	<5	4	<10	<5	6	0.02	<5	68	5	4	102
124	S8R286734	6.0	2.17	245	150	<1	<5	0.22	<1	27	34	102	4.32	<5	0.05	12	26	1.75	710	2	0.02	27	190	390	<0.01	10	8	<10	<5	10	0.05	<5	76	5	6	278
133	S8R286743	<0.2	1.41	5	222	<1	<5	0.23	<1	10	26	10	2.62	<5	0.30	34	6	0.39	275	1	0.02	18	260	12	<0.01	<5	4	<10	<5	14	0.07	<5	38	<5	10	36
141	S8R286751	<0.2	1.88	5	166	<1	<5	0.14	<1	14	42	10	3.08	<5	0.33	8	10	0.71	300	1	0.02	19	140	15	<0.01	<5	2	<10	<5	10	0.13	<5	38	<5	3	62
150	S8R286760	<0.2	1.32	5	210	<1	<5	0.16	<1	8	20	6	2.33	<5	0.13	12	10	0.37	140	1	0.02	11	180	9	<0.01	<5	2	<10	<5	10	0.07	<5	40	<5	3	26
159	S8R286769	<0.2	1.06	5	178	<1	<5	0.11	<1	5	16	8	1.59	<5	0.08	46	6	0.19	100	<1	0.02	9	80	15	<0.01	<5	3	<10	<5	8	0.03	<5	24	<5	30	22
168	S8R286778	<0.2	1.22	10	258	<1	<5	0.28	<1	10	26	24	2.34	<5	0.05	28	10	0.38	220	1	0.02	19	540	12	<0.01	<5	5	<10	<5	16	0.06	<5	50	<5	24	40
176	S8R286786	<0.2	1.63	10	270	<1	<5	0.18	<1	10	24	18	2.33	<5	0.07	24	8	0.30	155	1	0.02	16	120	15	<0.01	<5	4	<10	<5	14	0.07	<5	50	<5	13	32
185	S8R286795	<0.2	1.20	5	222	<1	<5	0.16	<1	9	18	12	2.08	<5	0.12	44	8	0.35	185	1	0.02	12	230	12	<0.01	<5	2	<10	<5	10	0.05	<5	32	<5	6	26

Standard:


TILL3	1.4	1.09	85	40	<1	<5	0.55	<1	14	58	22	1.99	<5	0.08	14	18	0.59	310	1	0.03	30	440	18	0.01	<5	3	<10	<5	14	0.07	<5	38	<5	6	38
TILL3	1.4	1.08	85	38	<1	<5	0.55	<1	14	54	20	1.98	<5	0.08	14	18	0.58	310	1	0.03	29	430	21	<0.01	<5	3	<10	<5	14	0.07	<5	36	<5	6	38
TILL3	1.4	1.09	85	40	<1	<5	0.55	<1	14	58	22	1.88	<5	0.09	14	18	0.59	300	1	0.04	30	440	21	0.01	<5	3	<10	<5	16	0.08	<5	38	<5	6	36
TILL3	1.4	1.08	85	40	<1	<5	0.56	<1	14	54	20	2.06	<5	0.08	14	16	0.57	315	1	0.03	31	440	21	0.01	<5	3	<10	<5	14	0.08	<5	40	<5	6	40
TILL3	1.4	1.11	85	42	<1	<5	0.55	<1	15	56	20	2.06	<5	0.08	14	16	0.58	305	1	0.03	33	450	18	<0.01	<5	3	<10	<5	14	0.08	<5	38	<5	6	42
TILL3	1.6	1.14	85	42	<1	<5	0.57	<1	15	58	20	2.02	<5	0.08	16	16	0.60	320	<1	0.04	33	460	18	<0.01	<5	3	<10	<5	16	0.08	<5	38	<5	7	40

ICP: Aqua Regia Digest / ICP- AES Finish.

NM/cr/el

dt/2_8088AS/2_8088BS

XLS/11



ECO TECH LABORATORY LTD.
Norman Monteith
B.C. Certified Assayer

Eco Tech Laboratory Ltd.
 10041 Dallas Drive
 Kamloops, BC
 V2C 6T4 Canada
 Tel + 250 573 5700
 Fax + 250 573 4557
 Toll Free + 1 877 573 5755
 www.stewartgroupglobal.com



StewartGroup
 Geochemical & Assay

CERTIFICATE OF ANALYSIS AW 2011-8089

Kestrel Gold Corp.
 #8-46225 Ranchero Drive
Chilliwack, BC
 V4Z 0A5
 Attn: Kevin Nephin

14-Jul-11

No. of samples received: 228

Sample Type: Soil

Project: Dawson Area

Shipment #: 2

Submitted by: All Terrane Mineral Exploration

ET #.	Tag #	Au (ppb)
1	S8R287511	5
2	S8R287512	5
3	S8R287513	<5
4	S8R287514	5
5	S8R287515	10
6	S8R287516	<5
7	S8R287517	10
8	S8R287518	<5
9	S8R287519	5
10	S8R287520	<5
11	S8R287521	<5
12	S8R287522	<5
13	S8R287523	<5
14	S8R287524	<5
15	S8R287525	<5
16	S8R287526	<5
17	S8R287527	<5
18	S8R287528	5
19	S8R287529	<5
20	S8R287530	5
21	S8R287531	5
22	S8R287532	<5
23	S8R287533	<5
24	S8R287534	5
25	S8R287535	5
26	S8R287536	15
27	S8R287537	5
28	S8R287538	<5
29	S8R287539	<5

Eco Tech Laboratory Ltd.
 10041 Dallas Drive
 Kamloops, BC
 V2C 6T4 Canada
 Tel + 250 573 5700
 Fax + 250 573 4557
 Toll Free + 1 877 573 5755
 www.stewartgroupglobal.com



StewartGroup
 Geochemical & Assay

Kestrel Gold Corp. AW11-8089

14-Jul-11

ET #.	Tag #	Au (ppb)
30	S8R287540	<5
31	S8R287541	<5
32	S8R287542	<5
33	S8R287543	5
34	S8R287544	5
35	S8R287545	<5
36	S8R287546	<5
37	S8R287547	5
38	S8R287548	<5
39	S8R287549	<5
40	S8R287550	220
41	S8R287551	<5
42	S8R287552	5
43	S8R287553	5
44	S8R287554	<5
45	S8R287555	<5
46	S8R287556	5
47	S8R287557	<5
48	S8R287558	<5
49	S8R287559	<5
50	S8R287560	5
51	S8R287561	<5
52	S8R287562	<5
53	S8R287563	<5
54	S8R287564	<5
55	S8R287565	<5
56	S8R287566	5
57	S8R287567	5
58	S8R287568	<5
59	S8R287569	5
60	S8R287570	<5
61	S8R287571	5
62	S8R287572	5
63	S8R287573	10
64	S8R287574	10
65	S8R287575	5
66	S8R287576	<5
67	S8R287577	<5
68	S8R287578	<5
69	S8R287579	<5
70	S8R287580	5
71	S8R287581	<5
72	S8R287582	<5
73	S8R287583	<5

Eco Tech Laboratory Ltd.
 10041 Dallas Drive
 Kamloops, BC
 V2C 6T4 Canada
 Tel + 250 573 5700
 Fax + 250 573 4557
 Toll Free + 1 877 573 5755
 www.stewartgroupglobal.com



StewartGroup
 Geochemical & Assay

Kestrel Gold Corp. AW11-8089

14-Jul-11

ET #.	Tag #	Au (ppb)
74	S8R287584	<5
75	S8R287585	<5
76	S8R287586	<5
77	S8R287587	<5
78	S8R287588	<5
79	S8R287589	<5
80	S8R287590	<5
81	S8R287591	<5
82	S8R287592	<5
83	S8R287593	<5
84	S8R287594	<5
85	S8R287595	<5
86	S8R287596	<5
87	S8R287597	<5
88	S8R287598	<5
89	S8R287599	<5
90	S8R287600	225
91	S8R287601	<5
92	S8R287602	<5
93	S8R287603	<5
94	S8R287604	<5
95	S8R287605	<5
96	S8R287606	5
97	S8R287607	<5
98	S8R287608	<5
99	S8R287609	5
100	S8R287610	<5
101	S8R287611	<5
102	S8R287612	<5
103	S8R287613	<5
104	S8R287614	10
105	S8R287615	5
106	S8R287616	5
107	S8R287617	5
108	S8R287618	<5
109	S8R287619	10
110	S8R287620	5
111	S8R287621	15
112	S8R287622	5
113	S8R287623	5
114	S8R287624	5
115	S8R287625	10
116	S8R287626	5
117	S8R287627	<5

Eco Tech Laboratory Ltd.
10041 Dallas Drive
Kamloops, BC
V2C 6T4 Canada
Tel + 250 573 5700
Fax + 250 573 4557
Toll Free + 1 877 573 5755
www.stewartgroupglobal.com



StewartGroup
Geochemical & Assay

Kestrel Gold Corp. AW11-8089

14-Jul-11

ET #.	Tag #	Au (ppb)
118	S8R287628	5
119	S8R287629	15
120	S8R287630	<5
121	S8R287631	5
122	S8R287632	5
123	S8R287633	20
124	S8R287634	10
125	S8R287635	5
126	S8R287636	20
127	S8R287637	15
128	S8R287638	20
129	S8R287639	20
130	S8R287640	15
131	S8R287641	25
132	S8R287642	30
133	S8R287643	15
134	S8R287644	10
135	S8R287645	40
136	S8R287646	35
137	S8R287647	15
138	S8R287648	15
139	S8R287649	30
140	S8R287650	45
141	S8R287651	30
142	S8R287652	50
143	S8R287653	90
144	S8R287654	15
145	S8R287655	30
146	S8R287656	10
147	S8R287657	35
148	S8R287658	5
149	S8R287659	10
150	S8R287660	20
151	S8R287661	5
152	S8R287662	10
153	S8R287663	5
154	S8R287664	5
155	S8R287665	40
156	S8R287666	25
157	S8R287667	30
158	S8R287668	25
159	S8R287669	20
160	S8R287670	30
161	S8R287671	25

Kestrel Gold Corp. AW11-8089

14-Jul-11

ET #.	Tag #	Au (ppb)
162	S8R287672	<5
163	S8R287673	5
164	S8R287674	10
165	S8R287675	<5
166	S8R287676	5
167	S8R287677	<5
168	S8R287678	<5
169	S8R287679	<5
170	S8R287680	<5
171	S8R287681	<5
172	S8R287682	5
173	S8R287683	<5
174	S8R287684	5
175	S8R287685	<5
176	S8R287686	5
177	S8R287687	40
178	S8R287688	<5
179	S8R287689	<5
180	S8R287690	<5
181	S8R287691	<5
182	S8R287692	<5
183	S8R287693	<5
184	S8R287694	<5
185	S8R287695	<5
186	S8R287696	<5
187	S8R287697	<5
188	S8R287698	<5
189	S8R287699	430
190	S8R287700	<5
191	S8R287701	10
192	S8R287702	<5
193	S8R287703	<5
194	S8R287704	10
195	S8R287705	5
196	S8R287706	5
197	S8R287707	<5
198	S8R287708	<5
199	S8R287709	<5
200	S8R287710	<5
201	S8R287711	<5
202	S8R287712	<5
203	S8R287713	<5
204	S8R287714	<5
205	S8R287715	<5



Kestrel Gold Corp. AW11-8089

14-Jul-11

ET #.	Tag #	Au (ppb)
206	S8R287716	5
207	S8R287717	10
208	S8R287718	<5
209	S8R287719	5
210	S8R287720	5
211	S8R287721	5
212	S8R287722	<5
213	S8R287723	<5
214	S8R287724	5
215	S8R287725	15
216	S8R287726	<5
217	S8R287727	5
218	S8R287728	<5
219	S8R287729	5
220	S8R287730	10
221	S8R287731	<5
222	S8R287732	5
223	S8R287733	5
224	S8R287734	15
225	S8R287735	5
226	S8R287736	<5
227	S8R287737	10
228	S8R287738	10

QC DATA:

Repeat:

3	S8R287513	<5
12	S8R287522	<5
21	S8R287531	<5
31	S8R287541	<5
41	S8R287551	<5
51	S8R287561	5
55	S8R287565	<5
64	S8R287574	5
73	S8R287583	<5
80	S8R287590	5
94	S8R287604	<5
98	S8R287608	<5
114	S8R287624	5
118	S8R287628	<5
129	S8R287639	20

Eco Tech Laboratory Ltd.
 10041 Dallas Drive
 Kamloops, BC
 V2C 6T4 Canada
 Tel + 250 573 5700
 Fax + 250 573 4557
 Toll Free + 1 877 573 5755
 www.stewartgroupglobal.com



StewartGroup
 Geochemical & Assay

Kestrel Gold Corp. AW11-8089

14-Jul-11

ET #.	Tag #	Au (ppb)
138	S8R287648	30
141	S8R287651	20
153	S8R287663	5
159	S8R287669	20
170	S8R287680	<5
176	S8R287686	10
185	S8R287695	<5
195	S8R287705	<5
203	S8R287713	<5
211	S8R287721	<5
222	S8R287732	10

Standard:

OXG84	935
OXE86	620
OXG84	915
OXE86	595
OXG84	915
OXE86	610
OXG84	925

FA Geochem/AA Finish

NM/EL
 XLS/11


ECO TECH LABORATORY LTD.
 Norman Monteith
 B.C. Certified Assayer

Stewart Group
ECO TECH LABORATORY LTD.

10041 Dallas Drive

KAMLOOPS, B.C.

V2C 6T4

www.stewartgroupglobal.com**ICP CERTIFICATE OF ANALYSIS AW 2011-8089****Kestrel Gold Corp.**

#8-46225 Ranchero Drive

Chilliwack, BC

V4Z 0A5

Attn: Kevin Nephin

Phone: 250-573-5700

Fax : 250-573-4557

No. of samples received: 228

Sample Type: Soil

Project: Dawson Area**Shipment #: 2**

Submitted by: All Terrane Mineral Exploration

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
1	S8R287511	<0.2	1.28	10	324	<1	5	0.42	<1	9	22	18	2.22	<5	0.06	12	12	0.44	330	2	0.03	19	600	15	0.02	<5	3	<10	<5	32	0.05	<5	42	<5	6	64
2	S8R287512	<0.2	1.15	10	460	<1	5	0.98	<1	10	22	26	2.40	<5	0.05	14	10	0.57	475	2	0.03	26	730	12	0.01	<5	3	<10	<5	40	0.05	<5	40	<5	8	64
3	S8R287513	<0.2	1.19	10	396	<1	5	0.76	<1	10	24	22	2.52	<5	0.06	14	12	0.58	405	1	0.03	26	750	12	<0.01	<5	3	<10	<5	32	0.07	<5	44	<5	7	68
4	S8R287514	<0.2	1.04	10	388	<1	5	1.03	<1	9	20	22	2.13	<5	0.05	12	10	0.45	520	2	0.03	24	790	12	0.03	<5	2	<10	<5	44	0.05	<5	36	<5	7	78
5	S8R287515	<0.2	0.85	10	276	<1	5	1.18	<1	18	16	16	2.27	<5	0.04	12	8	0.38	1305	2	0.02	16	750	9	0.07	<5	2	<10	<5	50	0.03	<5	32	<5	6	50
6	S8R287516	<0.2	1.06	10	402	<1	<5	0.95	<1	8	18	20	1.92	<5	0.05	14	10	0.43	455	2	0.03	19	720	12	0.05	<5	2	<10	<5	46	0.04	<5	34	<5	8	68
7	S8R287517	<0.2	1.10	5	338	<1	5	0.55	<1	8	20	18	2.00	<5	0.06	14	8	0.37	360	1	0.02	18	620	12	0.03	<5	2	<10	<5	32	0.05	<5	34	<5	7	60
8	S8R287518	<0.2	0.98	10	276	<1	<5	0.45	<1	6	18	10	1.87	<5	0.04	12	8	0.35	240	1	0.02	14	610	12	0.02	<5	2	<10	<5	28	0.05	<5	36	<5	5	54
9	S8R287519	<0.2	1.12	10	460	<1	5	0.81	<1	9	20	22	2.06	<5	0.04	14	8	0.39	535	2	0.03	21	770	12	0.06	<5	2	<10	<5	46	0.04	<5	34	<5	7	58
10	S8R287520	<0.2	1.02	5	276	<1	5	0.63	<1	7	20	14	1.90	<5	0.04	12	10	0.38	320	2	0.03	16	730	9	0.02	<5	2	<10	<5	32	0.05	<5	36	<5	5	64
11	S8R287521	<0.2	1.17	10	336	<1	5	0.46	<1	9	22	20	2.31	<5	0.05	14	10	0.41	335	1	0.03	19	770	12	0.02	<5	3	<10	<5	28	0.05	<5	40	<5	7	64
12	S8R287522	<0.2	1.71	10	208	<1	10	0.30	<1	13	60	18	3.14	<5	0.41	18	12	0.66	325	2	0.02	38	250	15	<0.01	<5	5	<10	<5	18	0.10	<5	52	<5	7	60
13	S8R287523	<0.2	1.80	10	200	<1	10	0.25	<1	13	76	16	3.09	<5	0.32	26	12	0.77	315	2	0.02	45	250	18	<0.01	<5	5	<10	<5	16	0.10	<5	50	<5	9	58
14	S8R287524	<0.2	1.65	10	366	<1	10	0.51	<1	14	36	20	3.65	<5	0.49	32	10	0.81	895	2	0.03	26	510	24	0.01	<5	5	<10	<5	28	0.10	<5	52	<5	15	92
15	S8R287525	<0.2	1.86	5	412	<1	10	0.39	<1	15	26	12	4.06	<5	0.60	24	10	0.74	640	2	0.02	18	360	21	<0.01	<5	6	<10	<5	26	0.09	<5	64	<5	10	82
16	S8R287526	<0.2	1.50	5	574	<1	5	0.28	<1	9	38	8	2.65	<5	0.25	24	8	0.62	420	2	0.02	15	240	12	0.01	<5	4	<10	<5	14	0.07	<5	40	<5	8	44
17	S8R287527	<0.2	1.52	<5	652	<1	5	0.25	<1	9	40	10	2.45	<5	0.20	20	8	0.67	500	2	0.02	14	210	12	0.01	<5	3	<10	<5	12	0.06	<5	38	<5	6	40
18	S8R287528	<0.2	1.48	10	986	<1	5	0.16	<1	9	24	12	2.52	<5	0.06	52	8	0.33	1115	2	0.02	15	240	15	<0.01	<5	3	<10	<5	14	0.06	<5	50	<5	7	52
19	S8R287529	<0.2	1.33	<5	336	<1	5	0.14	<1	9	36	14	2.37	<5	0.17	18	6	0.63	345	1	0.02	12	250	24	<0.01	<5	3	<10	<5	10	0.07	<5	38	<5	7	54
20	S8R287530	<0.2	1.17	5	256	<1	<5	0.13	<1	7	22	18	1.82	<5	0.07	36	6	0.41	160	1	0.02	14	90	12	<0.01	<5	4	<10	<5	12	0.07	<5	34	<5	16	40
21	S8R287531	<0.2	1.05	<5	162	<1	5	0.08	<1	6	12	8	1.87	<5	0.35	10	4	0.45	310	2	0.01	9	280	21	<0.01	<5	2	<10	<5	6	0.08	<5	28	<5	6	80
22	S8R287532	<0.2	0.83	<5	246	<1	<5	0.09	<1	3	10	6	1.28	<5	0.10	14	4	0.23	85	1	0.01	6	90	18	<0.01	<5	1	<10	<5	8	0.03	<5	18	<5	7	24
23	S8R287533	<0.2	1.61	5	418	<1	10	0.18	<1	11	56	12	2.26	<5	0.13	74	10	0.71	295	2	0.02	16	190	21	<0.01	<5	3	<10	<5	14	0.07	<5	44	<5	11	54
24	S8R287534	<0.2	1.29	10	476	<1	5	0.39	<1	9	24	22	2.13	<5	0.06	24	10	0.39	340	2	0.03	20	460	15	<0.01	<5	3	<10	<5	26	0.06	<5	40	<5	10	64
25	S8R287535	<0.2	1.30	5	510	<1	5	0.37	<1	7	24	20	2.03	<5	0.05	32	10	0.37	230	2	0.02	17	350	18	<0.01	<5	3	<10	<5	22	0.06	<5	38	<5	11	60
26	S8R287536	<0.2	1.33	10	598	<1	5	0.36	<1	7	22	16	1.90	<5	0.05	34	10	0.34	250	1	0.02	16	380	15	<0.01	<5	3	<10	<5	22	0.06	<5	36	<5	12	52
27	S8R287537	<0.2	0.99	5	464	<1	<5	0.50	<1	6	18	10	1.53	<5	0.05	16	8	0.27	270	1	0.02	12	480	12	0.01	<5	2	<10	<5	30	0.05	<5	30	<5	5	52
28	S8R287538	<0.2	1.09	5	404	<1	5	0.49	<1	5	18	8	1.56	<5	0.04	12	8	0.30	185	1	0.02	11	420	9	0.02	<5	2	<10	<5	28	0.05	<5	32	<5	4	36
29	S8R287539	<0.2	1.09	5	432	<1	5	0.73	<1	7	20	24	1.64	<5	0.04	22	8	0.30	225	1	0.02	17	520	9	0.03	<5	2	<10	<5	40	0.04	<5	32	<5	11	38
30	S8R287540	<0.2	1.25	5	420	<1	5	0.55	<1	8	20	20	1.82	<5	0.05	18	10	0.34	315	1	0.02	19	580	12	0.02	<5	3	<10	<5	32	0.05	<5	34	<5	9	44

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
31	S8R287541	<0.2	1.29	10	370	<1	5	0.41	<1	8	22	18	2.01	<5	0.05	18	10	0.37	260	2	0.02	17	560	12	0.01	<5	3	<10	<5	26	0.05	<5	40	<5	8	48
32	S8R287542	<0.2	1.11	10	364	<1	<5	0.51	<1	8	18	14	1.77	<5	0.04	14	8	0.32	405	1	0.02	13	570	9	0.03	<5	2	<10	<5	32	0.04	<5	36	<5	6	40
33	S8R287543	<0.2	1.20	5	312	<1	5	0.37	<1	7	20	16	1.77	<5	0.05	16	10	0.33	225	1	0.02	13	530	12	0.02	<5	2	<10	<5	26	0.04	<5	36	<5	7	42
34	S8R287544	<0.2	1.10	5	236	<1	5	0.33	<1	6	18	14	1.76	<5	0.04	16	8	0.32	190	1	0.02	12	540	9	0.01	<5	2	<10	<5	22	0.05	<5	34	<5	5	42
35	S8R287545	<0.2	1.41	10	652	<1	10	0.39	<1	9	22	12	2.33	<5	0.19	28	8	0.31	670	2	0.02	16	230	15	0.01	<5	4	<10	<5	26	0.06	<5	40	<5	10	40
36	S8R287546	<0.2	1.18	5	694	1	10	0.49	<1	6	16	8	2.18	<5	0.22	36	6	0.21	440	2	0.02	10	210	12	0.01	<5	4	<10	<5	28	0.03	<5	30	<5	17	26
37	S8R287547	<0.2	1.64	<5	1252	1	10	0.46	<1	8	16	10	2.26	<5	0.25	32	6	0.24	1095	2	0.03	12	490	15	0.01	<5	3	<10	<5	30	0.03	<5	32	<5	13	30
38	S8R287548	<0.2	1.50	5	632	<1	10	0.33	<1	9	22	8	2.41	<5	0.20	18	8	0.32	990	2	0.02	14	590	15	<0.01	<5	2	<10	<5	22	0.06	<5	44	<5	9	42
39	S8R287549	<0.2	0.20	<5	64	<1	5	>10	<1	1	4	4	0.46	<5	0.12	<2	10	>10	225	<1	0.03	4	550	<3	<0.01	<5	<1	<10	<5	58	<0.01	<5	<2	<5	1	14
40	S8R287550	0.2	0.20	470	1612	<1	10	1.17	<1	3	24	72	4.15	<5	0.07	<2	2	0.05	120	20	0.03	19	50	18	0.14	35	<1	<10	<5	30	0.01	<5	12	5	2	16
41	S8R287551	<0.2	1.68	5	526	<1	10	0.27	<1	8	24	10	2.51	<5	0.10	16	10	0.37	515	2	0.02	16	410	15	<0.01	<5	2	<10	<5	20	0.06	<5	56	<5	5	54
42	S8R287552	<0.2	1.48	10	450	<1	5	0.28	<1	9	26	20	2.37	<5	0.09	48	10	0.44	255	1	0.03	17	260	15	<0.01	<5	4	<10	<5	20	0.08	<5	46	<5	30	38
43	S8R287553	<0.2	1.19	5	274	<1	5	0.34	<1	6	22	10	1.94	<5	0.15	24	8	0.39	160	1	0.03	13	350	9	<0.01	<5	3	<10	<5	24	0.07	<5	34	<5	9	24
44	S8R287554	<0.2	1.50	10	408	<1	10	0.27	<1	8	26	16	2.35	<5	0.17	50	10	0.39	265	2	0.02	19	140	12	<0.01	<5	4	<10	<5	22	0.06	<5	38	<5	14	30
45	S8R287555	<0.2	1.32	5	270	<1	10	0.23	<1	6	22	10	2.11	<5	0.11	26	10	0.40	170	1	0.02	14	160	9	<0.01	<5	3	<10	<5	18	0.07	<5	36	<5	8	28
46	S8R287556	<0.2	1.70	10	298	<1	10	0.21	<1	9	28	12	2.57	<5	0.10	20	10	0.51	205	1	0.03	18	140	12	<0.01	<5	3	<10	<5	18	0.08	<5	52	<5	6	42
47	S8R287557	<0.2	1.73	5	268	<1	10	0.14	<1	6	16	8	2.84	<5	0.34	22	8	0.37	140	2	0.02	10	100	12	<0.01	<5	3	<10	<5	16	0.08	<5	32	<5	12	22
48	S8R287558	<0.2	1.32	5	258	<1	5	0.18	<1	6	16	8	1.96	<5	0.12	16	6	0.27	155	2	0.02	10	150	9	<0.01	<5	2	<10	<5	18	0.07	<5	38	<5	5	24
49	S8R287559	<0.2	1.06	5	180	<1	<5	0.16	<1	5	16	8	1.70	<5	0.08	12	8	0.26	125	1	0.02	10	140	9	<0.01	<5	2	<10	<5	14	0.05	<5	34	<5	4	22
50	S8R287560	<0.2	1.29	10	308	<1	10	0.23	<1	8	22	16	2.12	<5	0.09	36	10	0.35	230	1	0.02	15	250	9	<0.01	<5	4	<10	<5	20	0.06	<5	38	<5	17	30
51	S8R287561	<0.2	1.29	5	238	<1	5	0.27	<1	6	20	10	2.06	<5	0.15	28	8	0.40	140	1	0.02	12	310	9	<0.01	<5	2	<10	<5	18	0.08	<5	36	<5	10	26
52	S8R287562	<0.2	1.32	5	234	<1	10	0.20	<1	6	18	10	1.99	<5	0.15	40	8	0.34	140	1	0.02	11	230	9	<0.01	<5	2	<10	<5	16	0.08	<5	34	<5	13	28
53	S8R287563	<0.2	2.01	15	548	1	15	0.37	<1	16	36	24	4.79	<5	0.21	40	6	0.48	535	3	0.03	24	1290	33	0.01	<5	4	<10	<5	34	0.09	<5	82	<5	12	58
54	S8R287564	<0.2	1.08	5	204	<1	5	0.21	<1	6	20	8	1.87	<5	0.11	26	6	0.35	140	1	0.02	12	380	6	<0.01	<5	2	<10	<5	18	0.06	<5	30	<5	8	26
55	S8R287565	<0.2	1.22	5	320	<1	10	0.33	<1	6	20	12	1.94	<5	0.11	24	8	0.36	140	2	0.02	13	470	12	<0.01	<5	2	<10	<5	22	0.07	<5	34	<5	9	36
56	S8R287566	<0.2	1.23	5	304	<1	5	0.28	<1	7	20	10	1.96	<5	0.07	20	8	0.34	165	2	0.02	14	420	12	<0.01	<5	2	<10	<5	18	0.07	<5	36	<5	7	38
57	S8R287567	<0.2	1.39	10	376	<1	10	0.39	<1	8	24	16	2.13	<5	0.07	20	8	0.36	245	2	0.02	16	520	12	<0.01	<5	3	<10	<5	24	0.08	<5	40	<5	7	44
58	S8R287568	<0.2	1.09	5	234	<1	10	0.38	<1	6	24	8	1.95	<5	0.16	12	6	0.37	150	2	0.02	14	380	9	<0.01	<5	2	<10	<5	24	0.07	<5	32	<5	5	30
59	S8R287569	<0.2	1.75	10	484	<1	10	0.73	<1	10	30	22	2.69	<5	0.09	24	10	0.46	415	3	0.03	23	530	15	0.04	<5	4	<10	<5	50	0.07	<5	46	<5	12	50
60	S8R287570	<0.2	1.33	5	372	<1	5	0.72	<1	8	22	16	2.09	<5	0.06	14	10	0.40	250	2	0.02	18	570	12	0.04	<5	3	<10	<5	48	0.05	<5	38	<5	6	50
61	S8R287571	<0.2	1.30	10	358	<1	10	0.47	<1	9	22	22	2.35	<5	0.05	16	10	0.40	290	2	0.03	23	630	15	<0.01	<5	3	<10	<5	26	0.06	<5	42	<5	7	58
62	S8R287572	<0.2	1.39	10	346	<1	10	0.72	<1	11	26	26	2.57	<5	0.06	18	10	0.48	415	2	0.03	25	700	12	0.02	<5	3	<10	<5	34	0.07	<5	46	<5	9	62
63	S8R287573	<0.2	1.21	15	360	<1	10	0.68	<1	16	20	14	2.92	<5	0.05	14	8	0.35	390	2	0.02	17	670	12	0.03	<5	2	<10	<5	34	0.05	<5	38	<5	6	50
64	S8R287574	<0.2	1.07	10	318	<1	10	0.51	<1	9	22	26	2.31	<5	0.05	16	10	0.45	395	2	0.03	26	680	12	<0.01	<5	3	<10	<5	24	0.06	<5	40	<5	8	60
65	S8R287575	<0.2	1.31	10	312	<1	10	0.68	<1	9	24	16	2.34	<5	0.05	12	10	0.44	330	2	0.02	20	480	12	0.01	<5	3	<10	<5	30	0.05	<5	48	<5	4	56
66	S8R287576	<0.2	1.61	5	340	<1	10	0.43	<1	8	24	8	2.53	<5	0.34	26	6	0.44	270	2	0.02	15	240	12	0.01	<5	3	<10	<5	26	0.07	<5	34	<5	10	38
67	S8R287577	<0.2	1.73	5	516	<1	10	0.59	<1	10	34	12	2.75	<5	0.45	32	6	0.52	660	2	0.02	19	470	12	0.02	<5	4	<10	<5	32	0.07	<5	36	<5	14	44
68	S8R287578	<0.2	1.58	10	394	<1	10	0.37	<1	10	32	12	2.68	<5	0.37	26	8	0.47	505	2	0.02	19	310	12	<0.01	<5	4	<10	<5	22	0.08	<5	40	<5	12	40
69	S8R287579	<0.2	1.62	10	396	<1	10	0.44	<1	11	36	16	2.79	<5	0.33	28	8	0.48	515	1	0.02	22	480	12	0.02	<5	4	<10	<5	28	0.08	<5	44	<5	12	46
70	S8R287580	<0.2	1.80	10	472	<1	10	0.42	<1	12	36	14	2.91	<5	0.32	24	8	0.57	395	2	0.02	24	490	12	<0.01	<5	4	<10	<5	24	0.10	<5	44	<5	9	40

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
71	S8R287581	<0.2	1.08	<5	522	<1	<5	0.20	<1	9	18	6	1.66	<5	0.12	8	6	0.26	715	<1	0.02	12	550	12	<0.01	<5	2	<10	<5	20	0.03	<5	32	<5	2	36
72	S8R287582	<0.2	1.03	5	348	<1	<5	0.15	<1	9	20	8	1.67	<5	0.11	6	8	0.31	330	<1	0.02	13	110	12	<0.01	<5	2	<10	<5	14	0.05	<5	34	<5	1	34
73	S8R287583	<0.2	0.83	<5	164	<1	<5	0.06	<1	5	10	4	1.49	<5	0.14	4	6	0.22	155	<1	0.01	6	130	9	<0.01	<5	<1	<10	<5	8	0.05	<5	26	<5	2	20
74	S8R287584	<0.2	1.09	5	146	<1	<5	0.05	<1	5	12	4	1.66	<5	0.18	6	8	0.29	130	<1	0.01	7	100	9	<0.01	<5	1	<10	<5	6	0.05	<5	26	<5	2	22
75	S8R287585	<0.2	0.97	5	146	<1	<5	0.08	<1	5	16	6	1.66	<5	0.06	6	8	0.24	140	1	0.02	9	150	12	<0.01	<5	<1	<10	<5	10	0.04	<5	36	<5	2	26
76	S8R287586	<0.2	1.32	<5	204	<1	<5	0.09	<1	8	32	4	2.36	<5	0.31	6	6	0.54	180	<1	0.02	16	160	9	<0.01	<5	2	<10	<5	12	0.08	<5	36	<5	2	30
77	S8R287587	<0.2	1.85	10	242	<1	<5	0.06	<1	8	26	10	2.83	<5	0.21	10	12	0.38	225	2	0.02	16	340	15	<0.01	<5	2	<10	<5	8	0.06	<5	44	<5	3	40
78	S8R287588	<0.2	1.09	<5	294	<1	<5	0.27	<1	6	16	8	1.90	<5	0.32	28	4	0.32	890	1	0.02	7	370	9	0.01	<5	2	<10	<5	28	0.06	<5	28	<5	11	22
79	S8R287589	<0.2	1.13	5	298	<1	<5	0.11	<1	11	22	4	1.84	<5	0.11	8	10	0.44	570	<1	0.02	11	320	12	<0.01	<5	2	<10	<5	10	0.05	<5	36	<5	3	26
80	S8R287590	<0.2	1.13	5	302	<1	<5	0.08	<1	6	16	4	1.79	<5	0.18	10	8	0.32	155	<1	0.02	9	180	9	<0.01	<5	1	<10	<5	8	0.06	<5	30	<5	3	20
81	S8R287591	<0.2	1.23	<5	334	<1	<5	0.10	<1	7	24	4	2.28	<5	0.16	6	6	0.37	215	1	0.02	10	340	12	<0.01	<5	1	<10	<5	12	0.06	<5	40	<5	2	26
82	S8R287592	<0.2	1.80	10	306	<1	<5	0.06	<1	8	28	14	2.39	<5	0.05	10	10	0.36	230	2	0.02	14	100	18	<0.01	<5	3	<10	<5	8	0.06	<5	56	<5	3	32
83	S8R287593	<0.2	1.69	10	280	<1	<5	0.06	<1	7	30	16	2.24	<5	0.05	12	12	0.37	200	2	0.02	14	100	15	<0.01	<5	3	<10	<5	8	0.06	<5	48	<5	3	32
84	S8R287594	<0.2	0.70	<5	136	<1	<5	0.05	<1	2	6	<2	0.77	<5	0.04	4	4	0.06	95	<1	0.01	1	80	9	<0.01	<5	<1	<10	<5	6	0.02	<5	24	<5	1	8
85	S8R287595	<0.2	0.60	<5	116	<1	<5	0.08	<1	2	8	<2	1.15	<5	0.11	4	<2	0.10	65	1	0.01	<1	130	6	<0.01	<5	<1	<10	<5	8	0.02	<5	18	<5	6	6
86	S8R287596	<0.2	1.31	5	260	<1	<5	0.14	<1	7	26	10	2.05	<5	0.12	16	8	0.45	155	1	0.02	15	160	9	<0.01	<5	2	<10	<5	14	0.06	<5	38	<5	7	28
87	S8R287597	<0.2	1.19	<5	160	<1	<5	0.07	<1	5	20	6	1.85	<5	0.14	14	8	0.32	130	1	0.02	10	150	12	<0.01	<5	2	<10	<5	8	0.05	<5	32	<5	5	26
88	S8R287598	<0.2	0.74	5	84	<1	<5	0.04	<1	3	10	4	1.31	<5	0.07	6	4	0.13	105	<1	0.01	5	90	12	<0.01	<5	1	<10	<5	4	0.03	<5	22	<5	5	14
89	S8R287599	<0.2	0.16	<5	48	<1	<5	>10	<1	<1	4	2	0.36	<5	0.10	<2	4	>10	195	<1	0.02	2	570	<3	<0.01	<5	<1	<10	<5	54	<0.01	<5	<2	<5	1	12
90	S8R287600	<0.2	0.16	435	1392	<1	<5	1.03	<1	2	22	62	3.61	<5	0.06	<2	<2	0.03	110	16	0.02	15	40	21	0.11	25	<1	<10	<5	24	<0.01	<5	10	<5	2	14
91	S8R287601	<0.2	0.87	5	144	<1	<5	0.10	<1	4	14	8	1.57	<5	0.05	18	6	0.22	160	<1	0.02	7	170	12	<0.01	<5	1	<10	<5	10	0.04	<5	34	<5	8	22
92	S8R287602	<0.2	1.24	5	182	<1	<5	0.06	<1	5	18	10	2.07	<5	0.05	16	8	0.26	210	1	0.02	10	140	15	<0.01	<5	2	<10	<5	8	0.03	<5	38	<5	7	32
93	S8R287603	<0.2	1.51	10	172	<1	<5	0.07	<1	7	24	12	2.63	<5	0.07	12	12	0.36	220	1	0.02	15	190	15	<0.01	<5	2	<10	<5	10	0.05	<5	48	<5	4	40
94	S8R287604	<0.2	1.16	5	254	<1	<5	0.12	<1	6	22	12	1.85	<5	0.04	22	10	0.36	170	<1	0.02	13	130	12	<0.01	<5	3	<10	<5	12	0.04	<5	36	<5	9	30
95	S8R287605	<0.2	1.63	5	232	<1	<5	0.10	<1	8	62	14	2.53	<5	0.09	18	12	0.67	305	1	0.02	36	110	12	<0.01	<5	3	<10	<5	12	0.07	<5	40	<5	7	32
96	S8R287606	<0.2	1.64	10	274	<1	<5	0.11	<1	7	34	8	2.64	<5	0.11	20	12	0.44	280	1	0.02	19	230	15	<0.01	<5	2	<10	<5	12	0.05	<5	50	<5	6	40
97	S8R287607	<0.2	1.49	10	214	<1	<5	0.07	<1	7	24	10	2.37	<5	0.05	8	10	0.31	220	1	0.02	13	170	15	<0.01	<5	2	<10	<5	8	0.04	<5	50	<5	2	40
98	S8R287608	<0.2	1.15	5	198	<1	<5	0.10	<1	5	20	14	1.89	<5	0.05	18	10	0.32	170	<1	0.02	12	190	12	<0.01	<5	2	<10	<5	10	0.03	<5	36	<5	9	32
99	S8R287609	<0.2	1.09	5	116	<1	<5	0.07	<1	5	18	6	2.29	<5	0.06	8	8	0.22	215	1	0.02	9	290	15	<0.01	<5	<1	<10	<5	8	0.04	<5	50	<5	2	34
100	S8R287610	<0.2	1.47	10	184	<1	<5	0.06	<1	7	22	8	2.62	<5	0.06	8	10	0.30	325	1	0.02	12	260	15	<0.01	<5	1	<10	<5	6	0.04	<5	54	<5	2	36
101	S8R287611	<0.2	1.76	15	188	<1	<5	0.06	<1	7	28	18	2.83	<5	0.05	12	14	0.37	205	2	0.02	18	240	18	<0.01	<5	2	<10	<5	8	0.04	<5	54	<5	3	50
102	S8R287612	0.6	1.63	10	198	<1	<5	0.05	<1	7	26	12	2.73	<5	0.04	8	10	0.30	225	1	0.02	14	170	15	<0.01	<5	1	<10	<5	6	0.04	<5	56	<5	2	34
103	S8R287613	<0.2	1.62	10	170	<1	<5	0.06	<1	6	26	14	2.65	<5	0.10	14	10	0.33	185	1	0.02	13	130	15	<0.01	<5	2	<10	<5	8	0.05	<5	46	<5	4	34
104	S8R287614	<0.2	1.37	10	166	<1	<5	0.07	<1	6	22	12	2.19	<5	0.09	30	10	0.30	130	1	0.02	13	110	15	<0.01	<5	2	<10	<5	8	0.04	<5	36	<5	6	32
105	S8R287615	<0.2	1.71	5	210	<1	<5	0.12	<1	8	24	8	2.79	<5	0.38	12	12	0.50	225	1	0.02	15	230	12	<0.01	<5	2	<10	<5	12	0.10	<5	40	<5	5	30
106	S8R287616	<0.2	1.33	10	214	<1	<5	0.12	<1	6	20	10	2.42	<5	0.10	16	10	0.35	160	1	0.02	12	160	12	<0.01	<5	2	<10	<5	12	0.05	<5	40	<5	5	32
107	S8R287617	<0.2	1.08	<5	164	<1	<5	0.12	<1	5	22	8	1.82	<5	0.19	22	8	0.36	150	<1	0.02	12	190	12	<0.01	<5	2	<10	<5	10	0.06	<5	28	<5	8	24
108	S8R287618	<0.2	0.88	<5	164	<1	<5	0.15	<1	4	16	6	1.41	<5	0.09	18	6	0.23	115	<1	0.02	9	190	9	<0.01	<5	1	<10	<5	14	0.05	<5	24	<5	8	22
109	S8R287619	0.2	1.29	5	210	<1	<5	0.16	<1	6	18	14	2.13	<5	0.10	24	6	0.28	155	1	0.02	10	280	15	<0.01	<5	2	<10	<5	16	0.05	<5	38	<5	9	32
110	S8R287620	<0.2	1.06	5	198	<1	<5	0.15	<1	5	16	10	1.76	<5	0.09	18	8	0.29	135	<1	0.02	9	240	12	<0.01	<5	2	<10	<5	14	0.05	<5	32	<5	7	30

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
111	S8R287621	<0.2	1.20	5	262	<1	<5	0.18	<1	6	18	14	1.91	<5	0.11	20	6	0.28	190	1	0.02	11	260	12	0.01	<5	1	<10	<5	18	0.05	<5	34	<5	10	36
112	S8R287622	<0.2	1.05	5	152	<1	<5	0.13	<1	4	14	8	1.70	<5	0.11	14	6	0.25	110	<1	0.02	8	260	12	<0.01	<5	1	<10	<5	12	0.05	<5	30	<5	5	28
113	S8R287623	<0.2	0.90	5	136	<1	<5	0.15	<1	4	14	8	1.49	<5	0.08	12	6	0.23	120	<1	0.02	7	290	9	<0.01	<5	1	<10	<5	12	0.05	<5	28	<5	5	30
114	S8R287624	<0.2	0.96	5	164	<1	<5	0.15	<1	5	14	10	1.52	<5	0.10	18	6	0.26	125	<1	0.02	8	290	12	<0.01	<5	2	<10	<5	14	0.06	<5	28	<5	7	28
115	S8R287625	<0.2	1.00	5	190	<1	<5	0.17	<1	6	14	10	1.76	<5	0.10	14	4	0.20	265	<1	0.02	8	360	12	<0.01	<5	1	<10	<5	16	0.04	<5	34	<5	6	36
116	S8R287626	<0.2	1.02	5	130	<1	<5	0.15	<1	5	16	10	1.83	<5	0.08	16	8	0.27	160	<1	0.02	10	430	12	<0.01	<5	1	<10	<5	12	0.05	<5	34	<5	7	36
117	S8R287627	<0.2	0.85	5	138	<1	<5	0.20	<1	5	14	10	1.61	<5	0.06	14	6	0.28	160	<1	0.02	10	490	9	<0.01	<5	2	<10	<5	16	0.04	<5	30	<5	6	36
118	S8R287628	<0.2	0.88	10	218	<1	<5	0.25	<1	6	18	18	1.97	<5	0.04	14	8	0.34	180	1	0.02	15	620	9	<0.01	<5	2	<10	<5	20	0.04	<5	38	<5	6	48
119	S8R287629	<0.2	0.86	5	156	<1	<5	0.24	<1	5	16	8	1.85	<5	0.05	14	8	0.31	190	1	0.02	10	560	9	<0.01	<5	2	<10	<5	18	0.04	<5	34	<5	6	36
120	S8R287630	<0.2	0.91	5	308	<1	<5	0.27	<1	5	14	10	1.66	<5	0.12	18	4	0.24	290	<1	0.02	10	230	12	<0.01	<5	2	<10	<5	24	0.03	<5	28	<5	11	24
121	S8R287631	<0.2	1.11	5	304	<1	<5	0.22	<1	6	18	12	2.05	<5	0.09	22	6	0.32	395	1	0.02	14	160	15	<0.01	<5	3	<10	<5	20	0.04	<5	36	<5	9	32
122	S8R287632	<0.2	1.25	5	408	<1	<5	0.27	<1	8	22	12	2.41	<5	0.12	22	8	0.38	355	1	0.03	15	230	15	<0.01	<5	3	<10	<5	24	0.05	<5	38	<5	10	32
123	S8R287633	0.4	1.72	50	150	<1	<5	0.63	<1	12	20	42	2.94	<5	0.04	6	18	1.27	505	1	0.03	17	430	30	0.02	<5	4	<10	<5	34	0.03	<5	54	<5	5	62
124	S8R287634	0.4	1.67	65	184	<1	<5	0.44	<1	11	20	40	2.71	<5	0.04	8	16	1.09	600	1	0.02	16	400	33	0.02	<5	3	<10	<5	26	0.02	<5	50	<5	7	68
125	S8R287635	0.4	1.71	45	164	<1	<5	0.41	<1	12	20	44	2.93	<5	0.04	8	16	1.29	350	<1	0.02	18	460	27	0.01	<5	4	<10	<5	24	0.03	<5	50	<5	6	72
126	S8R287636	0.4	1.59	75	174	<1	<5	0.69	<1	12	18	34	2.75	<5	0.05	6	16	1.03	705	1	0.03	13	440	39	0.04	<5	3	<10	<5	42	0.02	<5	50	<5	5	78
127	S8R287637	0.6	1.52	70	186	<1	<5	0.81	<1	12	16	34	2.63	<5	0.04	6	16	0.95	710	1	0.02	13	520	45	0.04	<5	3	<10	<5	48	0.02	<5	48	<5	6	78
128	S8R287638	0.4	1.51	65	212	<1	<5	0.90	<1	11	16	30	2.47	<5	0.03	6	16	0.85	670	1	0.02	13	350	45	0.04	<5	3	<10	<5	54	0.02	<5	44	<5	5	68
129	S8R287639	0.8	1.62	100	176	<1	<5	0.53	<1	12	18	40	2.82	<5	0.04	8	18	1.07	415	1	0.02	15	540	51	0.02	<5	4	<10	<5	30	0.03	<5	48	<5	6	80
130	S8R287640	0.6	1.59	75	184	<1	<5	0.73	<1	11	14	40	2.65	<5	0.04	6	18	0.96	610	1	0.02	14	530	45	0.03	<5	3	<10	<5	42	0.02	<5	48	<5	6	74
131	S8R287641	1.6	1.84	205	224	<1	<5	1.20	<1	13	14	76	2.95	<5	0.04	8	18	0.98	910	2	0.03	14	670	66	0.06	<5	2	<10	<5	64	0.02	<5	46	<5	13	86
132	S8R287642	1.6	1.72	210	222	<1	<5	1.03	<1	12	12	58	2.82	<5	0.04	8	20	0.97	755	2	0.02	11	690	60	0.05	<5	3	<10	<5	54	0.01	<5	42	<5	10	76
133	S8R287643	1.0	1.21	270	176	<1	<5	0.76	<1	7	8	44	2.17	<5	0.04	6	12	0.55	280	1	0.02	8	440	39	0.05	<5	1	<10	<5	42	0.02	<5	34	<5	5	46
134	S8R287644	0.6	1.31	375	98	<1	<5	0.08	<1	6	10	22	2.37	<5	0.04	4	12	0.49	205	1	0.02	6	260	42	0.02	<5	1	<10	<5	8	0.02	<5	54	<5	1	46
135	S8R287645	1.8	1.91	765	282	<1	<5	0.43	<1	22	14	58	3.86	<5	0.04	8	20	0.77	1535	2	0.03	13	590	132	0.03	<5	2	<10	<5	30	0.02	<5	54	<5	8	88
136	S8R287646	0.6	1.74	320	98	<1	<5	0.10	<1	12	14	44	3.40	<5	0.04	4	20	0.90	510	2	0.02	14	440	72	<0.01	<5	3	<10	<5	6	0.02	<5	48	<5	3	80
137	S8R287647	0.4	1.51	185	110	<1	<5	0.12	<1	11	14	42	2.85	<5	0.04	6	18	0.77	450	2	0.02	13	400	66	0.01	<5	2	<10	<5	10	0.02	<5	46	<5	3	70
138	S8R287648	0.4	1.88	340	148	<1	<5	0.09	<1	14	22	42	3.22	<5	0.05	8	18	0.78	485	2	0.02	20	270	81	<0.01	<5	3	<10	<5	8	0.03	<5	50	<5	4	82
139	S8R287649	0.4	1.71	475	100	<1	<5	0.09	<1	16	18	54	4.51	<5	0.05	6	20	1.23	655	3	0.03	18	370	108	<0.01	<5	3	<10	<5	8	0.03	<5	58	<5	3	108
140	S8R287650	1.2	1.79	285	132	<1	<5	0.13	<1	18	18	58	3.59	<5	0.04	8	18	1.04	695	2	0.02	18	350	162	<0.01	<5	3	<10	<5	10	0.03	<5	52	<5	5	128
141	S8R287651	1.0	2.17	235	210	<1	10	0.19	<1	17	28	62	3.99	<5	0.07	16	20	1.12	625	2	0.03	25	310	75	<0.01	<5	7	<10	<5	18	0.07	<5	68	<5	9	86
142	S8R287652	0.4	2.41	305	102	<1	15	0.15	<1	19	18	58	5.36	<5	0.06	8	28	1.74	750	2	0.02	17	330	63	<0.01	<5	8	<10	<5	10	0.04	<5	88	<5	4	98
143	S8R287653	0.4	2.73	1040	96	<1	20	0.09	<1	28	28	72	6.69	<5	0.10	10	28	1.54	760	3	0.03	21	380	132	0.01	<5	7	<10	<5	10	0.08	<5	72	<5	5	144
144	S8R287654	0.2	1.87	80	120	<1	<5	0.12	<1	6	30	22	2.92	<5	0.07	14	14	0.58	190	1	0.03	16	380	105	0.01	<5	2	<10	<5	14	0.05	<5	58	<5	4	72
145	S8R287655	0.4	2.02	65	136	<1	10	0.12	<1	12	32	26	3.78	<5	0.07	18	16	0.79	405	2	0.03	21	270	90	<0.01	<5	4	<10	<5	14	0.09	<5	66	<5	4	118
146	S8R287656	1.4	1.92	65	156	<1	10	0.13	<1	16	32	22	4.59	<5	0.06	14	14	0.79	820	3	0.03	17	460	60	0.01	<5	4	<10	<5	12	0.08	<5	90	<5	2	138
147	S8R287657	2.4	2.55	205	148	<1	10	0.12	<1	15	58	46	4.90	<5	0.07	16	20	1.44	500	3	0.03	27	400	186	<0.01	5	6	<10	<5	12	0.11	<5	80	<5	4	184
148	S8R287658	0.4	1.65	15	160	<1	5	0.26	<1	7	24	20	2.42	<5	0.04	12	12	0.40	160	2	0.03	15	370	24	0.01	<5	2	<10	<5	20	0.06	<5	52	<5	4	36
149	S8R287659	0.6	2.14	80	150	<1	10	0.17	<1	12	32	44	3.33	<5	0.07	14	20	0.81	385	2	0.03	21	170	114	<0.01	<5	7	<10	<5	16	0.09	<5	80	<5	4	126
150	S8R287660	0.4	1.85	120	132	<1	10	0.10	<1	7	24	26	3.33	<5	0.06	14	14	0.55	250	2	0.03	11	250	84	0.01	<5	3	<10	<5	14	0.09	<5	82	<5	3	70

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
151	S8R287661	0.4	2.13	50	208	<1	5	0.20	<1	10	28	34	3.21	<5	0.06	12	22	0.78	340	2	0.03	16	310	111	0.01	<5	3	<10	<5	18	0.05	<5	74	<5	4	64
152	S8R287662	0.4	2.43	150	138	<1	10	0.10	<1	20	32	58	4.50	<5	0.08	16	26	1.48	645	2	0.03	25	230	90	<0.01	<5	6	<10	<5	10	0.06	<5	68	<5	5	274
153	S8R287663	0.2	1.85	20	142	<1	5	0.16	<1	10	26	28	3.19	<5	0.06	14	16	0.78	295	2	0.03	16	380	30	0.01	<5	4	<10	<5	16	0.07	<5	82	<5	4	48
154	S8R287664	<0.2	2.49	55	132	<1	10	0.10	<1	14	26	40	4.87	<5	0.07	12	26	1.26	495	2	0.03	17	270	51	<0.01	<5	7	<10	<5	12	0.07	<5	128	<5	3	66
155	S8R287665	5.4	2.52	100	94	<1	15	0.20	6	27	22	136	5.34	<5	0.10	12	38	2.13	1250	3	0.03	20	520	591	<0.01	5	11	<10	<5	14	0.04	<5	92	<5	12	462
156	S8R287666	1.2	2.12	105	170	<1	10	0.12	<1	10	26	38	3.71	<5	0.08	14	26	0.81	380	2	0.03	15	340	234	0.01	<5	4	<10	<5	14	0.05	<5	68	<5	5	186
157	S8R287667	1.0	1.99	200	148	<1	10	0.11	<1	11	18	42	3.69	<5	0.09	14	24	0.94	545	2	0.03	13	360	210	0.01	<5	4	<10	<5	12	0.04	<5	64	<5	6	168
158	S8R287668	0.6	1.39	90	94	<1	<5	0.05	<1	4	14	16	1.99	<5	0.06	10	8	0.31	140	1	0.02	6	460	123	0.02	<5	1	<10	<5	10	0.03	<5	46	<5	4	44
159	S8R287669	0.2	1.81	155	142	<1	5	0.11	<1	7	20	28	3.56	<5	0.07	12	22	0.68	300	2	0.03	12	390	204	0.02	<5	3	<10	<5	14	0.05	<5	62	<5	6	102
160	S8R287670	0.4	1.67	130	202	<1	5	0.16	<1	10	22	30	3.11	<5	0.07	18	18	0.72	470	2	0.03	15	350	114	<0.01	<5	5	<10	<5	18	0.07	<5	56	<5	10	102
161	S8R287671	0.4	1.69	120	204	<1	5	0.16	<1	11	24	30	3.12	<5	0.07	18	18	0.71	470	2	0.03	16	330	114	<0.01	<5	5	<10	<5	18	0.07	<5	58	<5	9	98
162	S8R287672	<0.2	1.07	<5	142	<1	<5	0.19	<1	5	14	4	1.53	<5	0.28	24	6	0.27	240	1	0.02	8	150	9	<0.01	<5	2	<10	<5	28	0.06	<5	18	<5	8	38
163	S8R287673	<0.2	1.13	<5	214	<1	<5	0.38	<1	5	8	4	1.98	<5	0.41	22	6	0.28	385	1	0.02	6	370	9	<0.01	<5	3	<10	<5	42	0.07	<5	12	<5	8	60
164	S8R287674	<0.2	1.57	5	238	<1	5	0.26	<1	9	24	10	2.58	<5	0.47	18	6	0.46	335	1	0.03	16	260	12	<0.01	<5	4	<10	<5	28	0.12	<5	30	<5	7	52
165	S8R287675	<0.2	1.25	<5	220	<1	<5	0.22	<1	6	16	6	2.07	<5	0.30	12	6	0.28	275	1	0.02	11	200	12	<0.01	<5	3	<10	<5	24	0.06	<5	24	<5	6	36
166	S8R287676	<0.2	1.36	5	252	<1	5	0.25	<1	7	22	8	2.05	<5	0.21	18	8	0.31	320	1	0.03	13	190	12	<0.01	<5	3	<10	<5	28	0.08	<5	36	<5	5	36
167	S8R287677	<0.2	1.87	<5	316	<1	<5	0.32	<1	14	46	10	2.89	<5	0.56	16	10	0.75	325	1	0.03	27	300	12	<0.01	<5	4	<10	<5	26	0.18	<5	40	<5	6	36
168	S8R287678	<0.2	1.71	<5	266	<1	<5	0.29	<1	16	62	6	2.23	<5	0.37	8	8	0.63	245	<1	0.02	23	130	12	<0.01	<5	3	<10	<5	24	0.19	<5	38	<5	3	30
169	S8R287679	<0.2	1.20	<5	172	<1	<5	0.17	<1	6	18	4	1.99	<5	0.28	12	8	0.33	215	1	0.02	9	150	9	<0.01	<5	2	<10	<5	26	0.09	<5	24	<5	5	28
170	S8R287680	0.2	0.97	<5	282	<1	<5	0.28	<1	6	8	4	1.71	<5	0.33	10	2	0.25	625	<1	0.02	5	570	9	<0.01	<5	2	<10	<5	38	0.07	<5	18	<5	3	18
171	S8R287681	<0.2	1.38	<5	202	<1	<5	0.15	<1	6	22	10	2.00	<5	0.13	16	10	0.36	150	1	0.02	13	120	9	<0.01	<5	3	<10	<5	20	0.08	<5	32	<5	5	24
172	S8R287682	<0.2	1.19	<5	196	<1	<5	0.20	<1	6	24	8	1.76	<5	0.19	18	8	0.40	170	<1	0.03	13	430	9	<0.01	<5	3	<10	<5	22	0.08	<5	30	<5	8	24
173	S8R287683	<0.2	0.90	5	164	<1	<5	0.07	<1	3	12	4	1.44	<5	0.16	28	4	0.18	70	<1	0.02	8	120	6	<0.01	<5	4	<10	<5	12	0.03	<5	14	<5	15	10
174	S8R287684	<0.2	1.24	<5	192	<1	<5	0.16	<1	5	20	6	1.98	<5	0.19	28	8	0.35	135	<1	0.02	10	270	9	<0.01	<5	3	<10	<5	18	0.07	<5	28	<5	11	22
175	S8R287685	<0.2	0.89	<5	166	<1	<5	0.18	<1	4	16	4	1.37	<5	0.20	24	6	0.26	100	<1	0.02	8	230	9	<0.01	<5	3	<10	<5	20	0.07	<5	18	<5	10	14
176	S8R287686	<0.2	0.80	<5	202	<1	<5	0.15	<1	4	12	10	1.56	<5	0.14	22	6	0.26	85	<1	0.02	8	450	9	<0.01	<5	2	<10	<5	14	0.04	<5	20	<5	10	22
177	S8R287687	<0.2	1.44	5	690	<1	<5	0.43	<1	6	18	14	2.02	<5	0.16	72	6	0.33	225	1	0.03	13	610	12	0.03	<5	2	<10	<5	46	0.02	<5	26	<5	30	30
178	S8R287688	<0.2	0.79	<5	186	<1	<5	0.13	<1	4	14	8	1.48	<5	0.18	18	4	0.24	110	<1	0.02	9	330	6	<0.01	<5	2	<10	<5	14	0.05	<5	18	<5	8	18
179	S8R287689	<0.2	1.08	5	222	<1	5	0.09	<1	7	20	10	1.95	<5	0.05	8	10	0.32	140	<1	0.02	13	130	9	<0.01	<5	2	<10	<5	10	0.04	<5	32	<5	3	28
180	S8R287690	<0.2	0.78	<5	326	<1	<5	0.37	<1	5	14	8	1.34	<5	0.11	32	4	0.23	310	<1	0.02	8	510	9	0.03	<5	2	<10	<5	34	0.03	<5	18	<5	15	16
181	S8R287691	<0.2	1.24	<5	242	<1	5	0.16	<1	12	44	14	2.10	<5	0.05	4	6	0.48	450	1	0.02	22	170	9	<0.01	<5	1	<10	<5	14	0.03	<5	40	<5	1	26
182	S8R287692	<0.2	1.52	<5	214	<1	<5	0.17	<1	15	78	8	2.26	<5	0.15	2	6	1.01	280	<1	0.02	35	150	9	<0.01	<5	2	<10	<5	14	0.07	<5	40	<5	<1	26
183	S8R287693	<0.2	0.87	<5	360	<1	<5	0.10	<1	5	18	4	1.62	<5	0.13	6	4	0.27	130	<1	0.02	8	790	9	<0.01	<5	1	<10	<5	10	0.04	<5	20	<5	2	18
184	S8R287694	<0.2	1.40	5	354	<1	<5	0.14	<1	12	34	8	2.40	<5	0.11	6	8	0.44	480	1	0.02	22	260	12	<0.01	<5	2	<10	<5	14	0.05	<5	44	<5	1	30
185	S8R287695	<0.2	1.10	5	134	<1	<5	0.07	<1	7	32	16	1.95	<5	0.05	6	8	0.41	140	1	0.02	19	250	9	<0.01	<5	1	<10	<5	8	0.03	<5	34	<5	1	26
186	S8R287696	<0.2	0.98	5	172	<1	5	0.06	<1	5	18	6	1.87	<5	0.10	6	6	0.29	140	1	0.02	11	140	9	<0.01	<5	1	<10	<5	8	0.05	<5	30	<5	2	20
187	S8R287697	<0.2	1.57	5	178	<1	5	0.09	<1	9	52	10	2.54	<5	0.04	6	10	0.62	225	1	0.02	24	140	12	<0.01	<5	2	<10	<5	10	0.04	<5	44	<5	1	34
188	S8R287698	<0.2	0.94	5	228	<1	<5	0.09	<1	5	18	6	1.89	<5	0.06	6	8	0.26	140	<1	0.02	12	180	9	<0.01	<5	1	<10	<5	10	0.03	<5	36	<5	1	24
189	S8R287699	<0.2	1.16	45	102	<1	5	1.07	<1	8	24	48	3.08	<5	0.09	4	8	0.55	410	10	0.08	32	690	9	0.09	<5	4	<10	<5	32	0.08	<5	54	<5	7	46
190	S8R287700	<0.2	0.19	<5	50	<1	<5	>10	<1	<1	4	2	0.40	<5	0.11	<2	8	>10	190	<1	0.03	3	560	<3	<0.01	<5	<1	<10	<5	58	<0.01	<5	<2	<5	1	12

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
191	S8R287701	<0.2	1.35	<5	138	<1	<5	0.15	<1	9	72	18	2.14	<5	0.03	6	8	0.67	190	<1	0.02	30	80	9	<0.01	<5	2	<10	<5	8	0.05	<5	36	<5	2	26
192	S8R287702	<0.2	0.95	<5	116	<1	<5	0.11	<1	6	36	12	1.76	<5	0.03	4	4	0.44	130	<1	0.02	18	150	9	<0.01	<5	1	<10	<5	10	0.05	<5	42	<5	1	18
193	S8R287703	<0.2	1.32	<5	264	<1	<5	0.14	<1	7	14	10	2.36	<5	0.20	10	8	0.48	180	1	0.02	12	150	9	<0.01	<5	2	<10	<5	12	0.06	<5	36	<5	4	22
194	S8R287704	<0.2	1.20	5	230	<1	5	0.08	<1	7	18	6	2.11	<5	0.11	12	8	0.27	430	1	0.02	11	180	12	<0.01	<5	2	<10	<5	8	0.04	<5	38	<5	4	28
195	S8R287705	<0.2	0.86	<5	300	<1	<5	0.10	<1	4	12	6	1.73	<5	0.08	14	6	0.21	230	1	0.02	9	110	9	<0.01	<5	1	<10	<5	12	0.03	<5	34	<5	5	20
196	S8R287706	<0.2	0.93	5	296	<1	5	0.15	<1	8	16	10	1.89	<5	0.08	10	6	0.27	825	1	0.02	14	130	12	<0.01	<5	2	<10	<5	16	0.04	<5	34	<5	5	26
197	S8R287707	<0.2	1.03	<5	308	<1	<5	0.07	<1	5	16	6	1.90	<5	0.08	26	6	0.23	295	1	0.02	10	160	9	<0.01	<5	2	<10	<5	8	0.03	<5	36	<5	10	24
198	S8R287708	<0.2	0.91	5	224	<1	<5	0.10	<1	7	16	8	1.82	<5	0.12	14	6	0.24	490	<1	0.02	11	130	9	<0.01	<5	2	<10	<5	10	0.04	<5	34	<5	6	22
199	S8R287709	<0.2	1.09	<5	292	<1	<5	0.13	<1	7	14	8	1.74	<5	0.07	30	6	0.25	1020	1	0.02	11	190	12	<0.01	<5	2	<10	<5	12	0.03	<5	30	<5	10	22
200	S8R287710	<0.2	0.92	5	244	<1	<5	0.11	<1	5	14	8	1.70	<5	0.07	16	6	0.24	325	<1	0.02	11	220	9	<0.01	<5	1	<10	<5	10	0.03	<5	32	<5	5	24
201	S8R287711	<0.2	0.92	5	240	<1	<5	0.13	<1	5	16	6	1.79	<5	0.09	22	6	0.29	355	1	0.02	11	150	9	<0.01	<5	2	<10	<5	12	0.04	<5	32	<5	10	24
202	S8R287712	<0.2	1.02	5	212	<1	<5	0.08	<1	6	20	12	1.85	<5	0.08	12	8	0.31	420	<1	0.02	14	130	12	<0.01	<5	2	<10	<5	10	0.04	<5	30	<5	8	28
203	S8R287713	<0.2	1.07	5	242	<1	<5	0.07	<1	5	18	8	1.80	<5	0.06	10	8	0.25	535	<1	0.02	12	130	12	<0.01	<5	2	<10	<5	10	0.04	<5	34	<5	4	26
204	S8R287714	<0.2	0.95	<5	182	<1	<5	0.06	<1	4	12	8	1.64	<5	0.05	6	6	0.19	240	<1	0.02	9	100	9	<0.01	<5	1	<10	<5	8	0.03	<5	30	<5	2	20
205	S8R287715	<0.2	1.37	5	162	<1	<5	0.05	<1	5	18	8	2.18	<5	0.06	8	8	0.23	155	1	0.02	11	130	12	<0.01	<5	1	<10	<5	6	0.04	<5	42	<5	2	26
206	S8R287716	<0.2	1.64	10	246	<1	10	0.07	<1	7	26	18	2.82	<5	0.07	10	10	0.36	225	1	0.02	19	190	18	<0.01	<5	2	<10	<5	8	0.05	<5	50	<5	5	42
207	S8R287717	<0.2	1.14	10	172	<1	<5	0.05	<1	5	16	8	2.27	<5	0.05	8	8	0.21	340	1	0.02	10	280	12	<0.01	<5	1	<10	<5	6	0.04	<5	42	<5	3	32
208	S8R287718	<0.2	1.02	5	88	<1	<5	0.03	<1	3	12	6	1.47	<5	0.03	6	6	0.14	110	1	0.02	6	110	9	<0.01	<5	1	<10	<5	4	0.02	<5	22	<5	4	18
209	S8R287719	<0.2	1.37	10	144	<1	5	0.06	<1	6	22	20	2.32	<5	0.04	16	10	0.34	170	1	0.02	15	150	12	<0.01	<5	3	<10	<5	8	0.04	<5	38	<5	5	34
210	S8R287720	<0.2	1.13	5	120	<1	<5	0.07	<1	5	16	8	1.90	<5	0.05	14	8	0.28	145	<1	0.02	10	160	12	<0.01	<5	2	<10	<5	8	0.05	<5	34	<5	6	26
211	S8R287721	<0.2	1.32	10	266	<1	<5	0.11	<1	7	22	20	2.22	<5	0.04	18	10	0.35	215	1	0.02	15	110	12	<0.01	<5	4	<10	<5	14	0.06	<5	38	<5	11	36
212	S8R287722	<0.2	1.35	5	198	<1	5	0.09	<1	8	22	10	2.26	<5	0.19	32	8	0.38	380	<1	0.02	13	160	15	<0.01	<5	3	<10	<5	10	0.08	<5	34	<5	14	26
213	S8R287723	<0.2	1.05	5	154	<1	<5	0.09	<1	5	18	10	1.80	<5	0.09	20	8	0.32	180	<1	0.02	11	150	12	<0.01	<5	2	<10	<5	10	0.07	<5	32	<5	11	28
214	S8R287724	<0.2	1.40	10	174	<1	5	0.06	<1	9	20	16	2.51	<5	0.08	16	6	0.27	265	1	0.02	13	530	15	0.01	<5	2	<10	<5	8	0.07	<5	42	<5	6	36
215	S8R287725	<0.2	1.12	5	146	<1	<5	0.08	<1	6	16	10	1.88	<5	0.05	14	6	0.22	245	1	0.02	9	250	12	<0.01	<5	2	<10	<5	10	0.05	<5	32	<5	6	28
216	S8R287726	<0.2	1.14	5	142	<1	<5	0.06	<1	4	14	8	1.83	<5	0.05	20	6	0.20	120	<1	0.02	9	180	12	<0.01	<5	2	<10	<5	8	0.05	<5	30	<5	7	28
217	S8R287727	<0.2	1.05	5	166	<1	<5	0.10	<1	4	16	10	1.70	<5	0.05	24	6	0.23	135	<1	0.02	9	240	12	<0.01	<5	2	<10	<5	10	0.05	<5	30	<5	10	28
218	S8R287728	<0.2	1.12	5	160	<1	<5	0.10	<1	4	16	10	1.72	<5	0.04	22	8	0.24	100	<1	0.02	9	300	12	<0.01	<5	2	<10	<5	10	0.04	<5	30	<5	9	32
219	S8R287729	<0.2	1.28	5	272	<1	5	0.21	<1	6	18	16	2.08	<5	0.05	30	8	0.27	145	<1	0.02	12	420	15	<0.01	<5	3	<10	<5	20	0.04	<5	34	<5	14	38
220	S8R287730	<0.2	1.40	5	266	<1	<5	0.12	<1	6	20	16	2.18	<5	0.07	30	8	0.27	185	1	0.02	11	320	15	<0.01	<5	3	<10	<5	14	0.05	<5	38	<5	13	36
221	S8R287731	<0.2	0.88	<5	136	<1	<5	0.10	<1	4	12	6	1.45	<5	0.08	20	4	0.17	105	<1	0.02	7	230	9	<0.01	<5	2	<10	<5	10	0.04	<5	24	<5	8	24
222	S8R287732	<0.2	1.02	<5	154	<1	<5	0.11	<1	4	14	10	1.65	<5	0.12	26	6	0.24	170	<1	0.02	9	310	12	<0.01	<5	2	<10	<5	10	0.05	<5	24	<5	12	26
223	S8R287733	<0.2	1.50	5	214	<1	<5	0.13	<1	5	20	12	2.18	<5	0.11	28	8	0.30	125	1	0.02	12	420	15	0.01	<5	2	<10	<5	14	0.05	<5	32	<5	10	36
224	S8R287734	<0.2	1.44	5	210	<1	5	0.12	<1	5	18	12	2.03	<5	0.13	28	6	0.28	140	1	0.02	11	320	15	0.01	<5	2	<10	<5	12	0.05	<5	30	<5	10	38
225	S8R287735	<0.2	1.12	5	258	<1	<5	0.20	<1	6	16	12	1.86	<5	0.09	16	8	0.27	150	1	0.02	11	270	12	<0.01	<5	2	<10	<5	18	0.05	<5	30	<5	7	32
226	S8R287736	<0.2	1.03	5	244	<1	<5	0.21	<1	5	16	14	1.66	<5	0.10	26	6	0.24	165	<1	0.02	10	330	12	0.01	<5	2	<10	<5	18	0.04	<5	26	<5	17	32
227	S8R287737	<0.2	0.88	5	172	<1	<5	0.14	<1	5	14	10	1.57	<5	0.07	20	6	0.22	145	<1	0.02	10	270	12	<0.01	<5	2	<10	<5	12	0.05	<5	26	<5	13	26
228	S8R287738	<0.2	0.96	5	198	<1	<5	0.13	<1	5	16	10	1.74	<5	0.04	14	8	0.26	135	1	0.02	11	230	12	<0.01	<5	2	<10	<5	12	0.04	<5	30	<5	11	28

QC DATA:

Repeat:

1	S8R287511	<0.2	1.25	10	330	<1	5	0.47	<1	9	24	18	2.41	<5	0.06	12	12	0.42	335	2	0.03	20	640	12	0.02	<5	3	<10	<5	30	0.05	<5	42	<5	6	66
10	S8R287520	<0.2	1.06	10	280	<1	5	0.66	<1	8	22	16	1.88	<5	0.04	10	10	0.40	340	1	0.03	18	750	9	0.03	<5	2	<10	<5	34	0.05	<5	38	<5	5	66

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
19	S8R287529	<0.2	1.36	<5	348	<1	5	0.14	<1	9	38	12	2.42	<5	0.17	18	6	0.64	355	2	0.02	13	240	24	<0.01	<5	3	<10	<5	10	0.07	<5	40	<5	7	52
28	S8R287538	<0.2	1.11	5	394	<1	5	0.51	<1	5	18	8	1.61	<5	0.04	12	8	0.31	175	1	0.02	11	390	9	0.02	<5	2	<10	<5	28	0.05	<5	34	<5	4	38
36	S8R287546	<0.2	1.24	5	704	1	10	0.51	<1	7	18	8	2.30	<5	0.24	38	6	0.23	465	2	0.02	11	230	15	0.01	<5	4	<10	<5	30	0.04	<5	32	<5	18	28
45	S8R287555	<0.2	1.25	5	264	<1	5	0.21	<1	6	20	10	2.00	<5	0.10	24	10	0.38	155	1	0.02	13	150	9	<0.01	<5	2	<10	<5	16	0.07	<5	34	<5	7	26
54	S8R287564	<0.2	1.08	5	214	<1	10	0.23	<1	6	22	8	1.85	<5	0.11	26	6	0.35	150	1	0.02	13	400	9	<0.01	<5	2	<10	<5	16	0.06	<5	32	<5	8	28
63	S8R287573	<0.2	1.23	15	366	<1	10	0.70	<1	16	20	14	3.06	<5	0.05	14	8	0.36	410	2	0.03	16	680	12	0.03	<5	2	<10	<5	34	0.05	<5	40	<5	6	46
71	S8R287581	<0.2	1.08	<5	524	<1	<5	0.20	<1	9	18	6	1.68	<5	0.12	8	6	0.27	725	<1	0.02	12	530	12	<0.01	<5	2	<10	<5	18	0.03	<5	32	<5	2	36
80	S8R287590	<0.2	1.16	5	308	<1	<5	0.08	<1	5	16	4	1.93	<5	0.18	10	8	0.34	160	<1	0.02	9	170	12	<0.01	<5	1	<10	<5	10	0.06	<5	32	<5	3	20
89	S8R287599	<0.2	0.18	<5	52	<1	<5	>10	<1	<1	4	<2	0.37	<5	0.11	<2	4	>10	200	<1	0.02	2	570	<3	<0.01	<5	<1	<10	<5	54	<0.01	<5	<2	<5	1	14
98	S8R287608	<0.2	1.17	10	200	<1	<5	0.10	<1	5	18	16	1.93	<5	0.05	20	10	0.33	160	<1	0.02	13	190	15	<0.01	<5	2	<10	<5	10	0.04	<5	36	<5	9	32
106	S8R287616	<0.2	1.38	10	216	<1	<5	0.13	<1	6	22	12	2.51	<5	0.11	16	10	0.35	165	1	0.02	12	150	15	<0.01	<5	2	<10	<5	14	0.06	<5	42	<5	5	34
115	S8R287625	<0.2	1.06	5	194	<1	<5	0.18	<1	6	14	10	1.84	<5	0.10	14	6	0.22	265	1	0.02	8	370	12	<0.01	<5	1	<10	<5	16	0.05	<5	34	<5	6	38
124	S8R287634	0.4	1.59	60	178	<1	<5	0.42	<1	11	18	38	2.56	<5	0.04	6	18	1.04	585	1	0.02	16	400	30	0.02	<5	3	<10	<5	24	0.02	<5	46	<5	6	64
133	S8R287643	1.0	1.25	270	186	<1	<5	0.86	<1	7	8	44	2.22	<5	0.04	6	12	0.53	305	1	0.02	8	460	42	0.05	<5	2	<10	<5	44	0.02	<5	36	<5	6	50
141	S8R287651	1.0	2.08	230	204	<1	10	0.18	<1	17	28	60	3.92	<5	0.07	14	20	1.09	615	2	0.03	24	300	72	<0.01	<5	7	<10	<5	18	0.07	<5	64	<5	9	82
150	S8R287660	0.4	1.75	120	128	<1	5	0.09	<1	7	24	24	3.21	<5	0.06	14	14	0.52	245	2	0.03	10	240	81	<0.01	<5	3	<10	<5	12	0.08	<5	80	<5	3	68
159	S8R287669	0.4	1.78	160	140	<1	10	0.11	<1	8	20	28	3.66	<5	0.07	12	22	0.69	300	2	0.03	12	390	207	0.02	<5	3	<10	<5	12	0.05	<5	62	<5	6	108
168	S8R287678	<0.2	1.65	<5	260	<1	<5	0.29	<1	15	60	6	2.16	<5	0.35	8	8	0.61	240	1	0.02	23	130	12	<0.01	<5	3	<10	<5	22	0.18	<5	36	<5	3	28
176	S8R287686	<0.2	0.80	<5	204	<1	<5	0.14	<1	4	12	10	1.56	<5	0.14	22	6	0.26	85	<1	0.02	8	440	9	<0.01	<5	2	<10	<5	14	0.04	<5	20	<5	10	22
185	S8R287695	<0.2	1.13	5	140	<1	<5	0.07	<1	7	32	18	2.01	<5	0.05	6	8	0.43	145	1	0.02	19	260	9	<0.01	<5	1	<10	<5	8	0.03	<5	36	<5	2	28
194	S8R287704	<0.2	1.20	5	232	<1	10	0.08	<1	7	18	6	2.14	<5	0.11	12	8	0.28	440	1	0.02	11	180	15	<0.01	<5	2	<10	<5	8	0.04	<5	38	<5	3	30
203	S8R287713	<0.2	1.03	<5	236	<1	<5	0.07	<1	5	16	8	1.76	<5	0.06	8	8	0.25	525	<1	0.02	11	120	9	<0.01	<5	2	<10	<5	8	0.03	<5	32	<5	4	26
211	S8R287721	<0.2	1.30	5	266	<1	<5	0.11	<1	7	22	20	2.26	<5	0.04	18	10	0.35	215	1	0.02	15	110	12	<0.01	<5	4	<10	<5	14	0.06	<5	38	<5	11	36
220	S8R287730	<0.2	1.42	10	270	<1	5	0.12	<1	6	20	16	2.23	<5	0.07	30	8	0.27	190	1	0.02	12	330	15	<0.01	<5	3	<10	<5	14	0.05	<5	38	<5	13	36

Standard:

TILL3	1.4	1.12	75	38	<1	<5	0.55	<1	11	62	20	1.99	<5	0.08	14	14	0.54	305	1	0.03	31	450	21	0.01	<5	3	<10	<5	16	0.07	<5	36	<5	6	40
TILL3	1.4	1.02	80	40	<1	<5	0.58	<1	12	66	20	2.07	<5	0.08	12	14	0.56	315	1	0.03	33	440	21	0.01	<5	3	<10	<5	16	0.08	<5	36	<5	6	40
TILL3	1.4	1.07	75	38	<1	<5	0.57	<1	11	58	20	1.92	<5	0.07	14	14	0.56	310	<1	0.03	30	450	18	<0.01	<5	3	<10	<5	14	0.06	<5	38	<5	5	38
TILL3	1.6	1.08	80	40	<1	<5	0.54	<1	11	60	20	1.92	<5	0.06	14	14	0.56	305	<1	0.03	31	460	18	0.01	<5	3	<10	<5	14	0.06	<5	38	<5	6	38
TILL3	1.6	1.13	80	40	<1	<5	0.55	<1	12	64	20	2.10	<5	0.01	12	16	0.58	315	1	0.04	32	440	18	<0.01	<5	4	<10	<5	16	0.07	<5	36	<5	7	38
TILL3	1.6	1.07	80	40	<1	<5	0.53	<1	11	60	20	1.94	<5	0.06	12	14	0.58	305	<1	0.03	29	420	21	0.01	<5	3	<10	<5	14	0.06	<5	40	<5	5	40
TILL3	1.4	1.12	80	42	<1	<5	0.54	<1	11	60	20	2.03	<5	0.07	14	16	0.54	300	<1	0.03	31	430	21	0.01	<5	3	<10	<5	14	0.06	<5	38	<5	6	38

ICP: Aqua Regia Digest / ICP- AES Finish.

NM/EL

dl/1_8089AS/2_8089BS/1_8089CS

XLS/11



ECO TECH LABORATORY LTD.
Norman Monteith
B.C. Certified Assayer



CERTIFICATE OF ANALYSIS AW 2011-8090

Kestrel Gold Corp.
#8-46225 Ranchero Drive
Chilliwack, BC
V4Z 0A5
Attn: Kevin Nephin

14-Jul-11

No. of samples received: 175
Sample Type: Soil
Project: Dawson Area
Shipment #: 2
Submitted by: All Terrane Mineral Expl

ET #.	Tag #	Au (ppb)
1	S8R288100	5
2	S8R288101	<5
3	S8R288102	<5
4	S8R288103	5
5	S8R288104	5
6	S8R288105	<5
7	S8R288106	<5
8	S8R288107	<5
9	S8R288108	<5
10	S8R288109	5
11	S8R288110	15
12	S8R288111	10
13	S8R288112	<5
14	S8R288113	<5
15	S8R288114	<5
16	S8R288115	5
17	S8R288116	10
18	S8R288117	5
19	S8R288118	<5
20	S8R288119	5
21	S8R288120	5
22	S8R288121	10
23	S8R288122	<5
24	S8R288123	<5
25	S8R288124	5
26	S8R288125	<5
27	S8R288126	<5
28	S8R288127	<5
29	S8R288128	<5



Kestrel Gold Corp. AW11-8090

14-Jul-11

ET #.	Tag #	Au (ppb)
30	S8R288129	<5
31	S8R288130	<5
32	S8R288131	<5
33	S8R288132	10
34	S8R288133	<5
35	S8R288134	<5
36	S8R288135	5
37	S8R288136	5
38	S8R288137	10
39	S8R288138	<5
40	S8R288139	5
41	S8R288140	<5
42	S8R288141	<5
43	S8R288142	<5
44	S8R288143	<5
45	S8R288144	<5
46	S8R288145	<5
47	S8R288146	<5
48	S8R288147	<5
49	S8R288148	<5
50	S8R288149	235
51	S8R288150	<5
52	S8R288151	<5
53	S8R288152	<5
54	S8R288153	<5
55	S8R288154	<5
56	S8R288155	<5
57	S8R288156	<5
58	S8R288157	<5
59	S8R288158	<5
60	S8R288159	<5
61	S8R288160	<5
62	S8R288161	10
63	S8R288162	5
64	S8R288163	<5
65	S8R288164	10
66	S8R288165	5
67	S8R288166	<5
68	S8R288167	5
69	S8R288168	10
70	S8R288169	<5
71	S8R288170	<5
72	S8R288171	5
73	S8R288172	<5

PDFill PDF Editor with Free Writer and Tools

Eco Tech Laboratory Ltd.
 10041 Dallas Drive
 Kamloops, BC
 V2C 6T4 Canada
 Tel + 250 573 5700
 Fax + 250 573 4557
 Toll Free + 1 877 573 5755
 www.stewartgroupglobal.com



StewartGroup
 Geochemical & Assay

Kestrel Gold Corp. AW11-8090

14-Jul-11

ET #.	Tag #	Au (ppb)
74	S8R288173	<5
75	S8R288174	<5
76	S8R288175	<5
77	S8R288176	<5
78	S8R288177	<5
79	S8R288178	<5
80	S8R288179	10
81	S8R288180	<5
82	S8R288181	5
83	S8R288182	5
84	S8R288183	<5
85	S8R288184	<5
86	S8R288185	<5
87	S8R288186	<5
88	S8R288187	<5
89	S8R288188	<5
90	S8R288189	<5
91	S8R288190	<5
92	S8R288191	-

PDFfill PDF Editor with Free Writer and Tools

Eco Tech Laboratory Ltd.
 10041 Dallas Drive
 Kamloops, BC
 V2C 6T4 Canada
 Tel + 250 573 5700
 Fax + 250 573 4557
 Toll Free + 1 877 573 5755
 www.stewartgroupglobal.com



StewartGroup
 Geochemical & Assay

Kestrel Gold Corp. AW11-8090

14-Jul-11

ET #.	Tag #	Au (ppb)
123	S8R288222	<5
124	S8R288223	<5
125	S8R288224	<5
126	S8R288225	<5
127	S8R288226	<5
128	S8R288227	<5
129	S8R288228	<5
130	S8R288229	<5
131	S8R288230	<5
132	S8R288231	5
133	S8R288232	<5
134	S8R288233	<5
135	S8R288234	5
136	S8R288235	<5
137	S8R288236	<5
138	S8R288237	<5
139	S8R288238	<5
140	S8R288239	<5
141	S8R288240	5
142	S8R288241	<5
143	S8R288242	<5
144	S8R288243	5
145	S8R288244	<5
146	S8R288245	10
147	S8R288246	<5
148	S8R288247	20
149	S8R288248	10
150	S8R288249	<5
151	S8R288250	215
152	S8R288251	<5
153	S8R288252	<5
154	S8R288253	<5
155	S8R288254	<5
156	S8R288255	<5
157	S8R288256	5
158	S8R288257	<5
159	S8R288258	5
160	S8R288259	<5
161	S8R288260	<5

PDFfill PDF Editor with Free Writer and Tools



Kestrel Gold Corp. AW11-8090

14-Jul-11

ET #.	Tag #	Au (ppb)
162	S8R288261	<5
163	S8R288262	<5
164	S8R288263	5
165	S8R288264	<5
166	S8R288265	<5
167	S8R288266	<5
168	S8R288267	<5
169	S8R288268	<5
170	S8R288269	<5
171	S8R288270	5
172	S8R288271	<5
173	S8R288272	<5
174	S8R288273	20
175	S8R288274	<5

QC DATA:

Repeat:

1	S8R288100	<5
18	S8R288117	5
19	S8R288118	5
33	S8R288132	5
36	S8R288135	5
45	S8R288144	<5
60	S8R288153	<5
66	S8R288165	5
71	S8R288170	<5
87	S8R288186	5
89	S8R288188	5

124	S8R288223	<5
133	S8R288232	<5
141	S8R288240	5
153	S8R288249	<5
161	S8R288260	<5
173	S8R288272	<5

Standard:

OXE86	615
OXG84	935

Eco Tech Laboratory Ltd.
10041 Dallas Drive
Kamloops, BC
V2C 6T4 Canada
Tel + 250 573 5700
Fax + 250 573 4557
Toll Free + 1 877 573 5755
www.stewartgroupglobal.com



StewartGroup
Geochemical & Assay

Kestrel Gold Corp. AW11-8090

14-Jul-11

ET #.	Tag #	Au (ppb)
OXE86		605
OXG84		920
OXE86		610

FA Geochem/AA Finish

NM/cr/el
XLS/11

ECO TECH LABORATORY LTD.

Norman Monteith
B.C. Certified Assayer

PDFill PDF Editor with Free Writer and Tools

Stewart Group
ECO TECH LABORATORY LTD.

10041 Dallas Drive

KAMLOOPS, B.C.

V2C 6T4

www.stewartgroupglobal.com**ICP CERTIFICATE OF ANALYSIS AW 2011-8090****Kestrel Gold Corp.**

#8-46225 Ranchero Drive

Chilliwack, BC

V4Z 0A5

Attn: Kevin Nephin

Phone: 250-573-5700

Fax : 250-573-4557

No. of samples received: 175

Sample Type: Soil

Project: Dawson Area**Shipment #: 2**

Submitted by: All Terrane Mineral Expl

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
1	S8R288100	0.2	2.15	10	248	<1	<5	0.43	<1	15	30	30	4.12	<5	0.80	32	14	0.99	600	1	0.03	19	790	21	0.01	<5	5	<10	<5	14	0.12	<5	74	<5	15	70
2	S8R288101	0.2	1.77	10	326	<1	<5	0.34	<1	15	36	18	3.22	<5	0.33	26	12	0.58	445	1	0.03	23	400	18	<0.01	<5	5	<10	<5	14	0.10	<5	68	<5	9	52
3	S8R288102	<0.2	1.55	<5	524	<1	<5	0.27	<1	10	18	8	2.99	<5	0.26	42	8	0.42	475	1	0.03	12	670	18	<0.01	<5	4	<10	<5	14	0.06	<5	48	<5	11	56
4	S8R288103	0.2	1.79	10	302	<1	<5	0.18	<1	9	24	8	2.95	<5	0.11	12	12	0.49	300	1	0.02	12	430	15	<0.01	<5	3	<10	<5	10	0.07	<5	66	<5	3	56
5	S8R288104	0.2	1.28	5	250	<1	<5	0.14	<1	7	20	12	2.28	<5	0.10	24	8	0.32	200	1	0.02	11	160	15	<0.01	<5	3	<10	<5	10	0.07	<5	46	<5	8	40
6	S8R288105	0.2	1.52	10	172	<1	<5	0.12	<1	8	22	10	2.67	<5	0.10	12	8	0.31	205	1	0.02	10	250	15	<0.01	<5	3	<10	<5	8	0.07	<5	62	<5	4	42
7	S8R288106	0.2	1.41	5	168	<1	<5	0.10	<1	8	20	14	2.43	<5	0.10	16	8	0.30	170	1	0.02	11	140	15	<0.01	<5	3	<10	<5	8	0.07	<5	50	<5	5	42
8	S8R288107	0.4	1.54	10	252	<1	<5	0.18	<1	10	24	20	2.70	<5	0.10	26	8	0.34	330	1	0.02	16	250	18	<0.01	<5	3	<10	<5	12	0.07	<5	54	<5	9	54
9	S8R288108	<0.2	1.37	10	344	<1	<5	0.41	<1	10	24	20	2.45	<5	0.07	26	12	0.38	280	1	0.03	15	450	15	<0.01	<5	3	<10	<5	20	0.07	<5	50	<5	10	56
10	S8R288109	<0.2	1.36	10	434	<1	<5	0.47	<1	10	24	22	2.27	<5	0.07	24	10	0.36	435	1	0.03	18	550	15	<0.01	<5	4	<10	<5	22	0.07	<5	48	<5	11	54
11	S8R288110	0.2	1.42	10	330	<1	<5	0.34	<1	9	24	14	2.38	<5	0.06	22	12	0.34	265	1	0.03	14	450	15	<0.01	<5	3	<10	<5	18	0.07	<5	52	<5	7	52
12	S8R288111	<0.2	1.22	5	440	<1	<5	0.38	<1	9	20	14	2.02	<5	0.06	26	8	0.31	285	1	0.02	13	430	12	<0.01	<5	3	<10	<5	20	0.07	<5	42	<5	12	42
13	S8R288112	<0.2	1.45	10	440	<1	<5	0.48	<1	10	24	18	2.23	<5	0.07	20	12	0.38	325	1	0.03	17	590	15	0.01	<5	3	<10	<5	26	0.06	<5	46	<5	8	56
14	S8R288113	0.2	1.31	10	368	<1	<5	0.42	<1	8	24	14	2.10	<5	0.05	16	10	0.36	260	1	0.03	14	520	12	<0.01	<5	3	<10	<5	20	0.06	<5	50	<5	6	50
15	S8R288114	0.2	1.03	5	288	<1	<5	0.50	<1	8	20	16	1.90	<5	0.06	14	10	0.34	270	1	0.03	16	560	9	<0.01	<5	2	<10	<5	24	0.06	<5	46	<5	6	48
16	S8R288115	<0.2	1.14	10	364	<1	<5	1.08	<1	12	22	24	2.07	<5	0.06	10	12	0.42	385	2	0.03	19	730	12	0.02	<5	2	<10	<5	36	0.05	<5	48	<5	6	48
17	S8R288116	0.2	1.12	10	330	<1	<5	0.54	<1	11	20	18	1.89	<5	0.06	10	14	0.40	300	2	0.03	18	560	12	0.01	<5	2	<10	<5	24	0.05	<5	48	<5	4	52
18	S8R288117	<0.2	1.09	5	314	<1	<5	0.38	<1	9	18	14	1.74	<5	0.06	12	12	0.35	220	1	0.02	14	490	9	<0.01	<5	2	<10	<5	18	0.05	<5	42	<5	5	44
19	S8R288118	<0.2	1.07	10	224	<1	<5	0.32	<1	8	20	10	1.74	<5	0.05	14	12	0.34	195	1	0.02	13	550	9	<0.01	<5	2	<10	<5	16	0.05	<5	44	<5	5	44
20	S8R288119	<0.2	1.02	5	278	<1	<5	0.48	<1	9	20	14	1.60	<5	0.08	14	14	0.41	195	1	0.03	15	640	9	0.02	<5	2	<10	<5	20	0.05	<5	40	<5	6	46
21	S8R288120	<0.2	1.06	10	408	<1	<5	0.78	<1	9	20	16	1.81	<5	0.08	16	14	0.42	315	1	0.03	16	700	12	0.02	<5	2	<10	<5	30	0.05	<5	42	<5	7	50
22	S8R288121	<0.2	1.08	5	274	<1	<5	0.38	<1	8	20	12	1.77	<5	0.07	14	12	0.37	220	1	0.02	13	450	12	<0.01	<5	2	<10	<5	18	0.06	<5	44	<5	5	38
23	S8R288122	<0.2	1.07	10	346	<1	<5	0.63	<1	10	20	16	1.83	<5	0.07	12	14	0.46	470	1	0.03	19	700	12	0.03	<5	2	<10	<5	26	0.05	<5	42	<5	6	54
24	S8R288123	<0.2	1.07	10	360	<1	<5	0.66	<1	10	20	16	1.88	<5	0.08	12	16	0.48	340	1	0.03	19	720	12	0.02	<5	2	<10	<5	28	0.05	<5	44	<5	6	56
25	S8R288124	<0.2	0.96	10	334	<1	<5	0.47	<1	13	18	14	1.74	<5	0.06	14	14	0.39	865	1	0.03	17	680	9	0.02	<5	2	<10	<5	20	0.05	<5	40	<5	6	44
26	S8R288125	<0.2	1.05	5	620	<1	<5	0.64	<1	8	16	14	1.59	<5	0.20	18	10	0.37	285	1	0.02	14	570	9	0.01	<5	2	<10	<5	34	0.05	<5	30	<5	13	38
27	S8R288126	<0.2	1.07	5	386	<1	<5	0.29	<1	8	18	8	1.88	<5	0.20	42	8	0.37	300	1	0.02	11	290	9	<0.01	<5	2	<10	<5	16	0.06	<5	30	<5	17	22
28	S8R288127	<0.2	1.13	5	368	<1	<5	0.21	<1	8	20	12	1.70	<5	0.09	24	8	0.30	230	<1	0.02	13	170	9	<0.01	<5	3	<10	<5	14	0.06	<5	36	<5	7	26
29	S8R288128	<0.2	1.21	5	252	<1	<5	0.20	<1	8	12	6	2.18	<5	0.39	38	6	0.33	145	1	0.02	7	190	9	<0.01	<5	2	<10	<5	16	0.08	<5	26	<5	12	24
30	S8R288129	<0.2	1.35	10	354	<1	<5	0.20	<1	11	30	16	2.43	<5	0.09	22	12	0.40	310	2	0.02	18	210	12	<0.01	<5	4	<10	<5	14	0.07	<5	54	<5	8	38

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
31	S8R288130	<0.2	1.87	15	388	<1	<5	0.20	<1	13	36	20	2.98	<5	0.10	24	14	0.46	315	2	0.02	20	240	15	<0.01	<5	5	<10	<5	14	0.08	<5	68	<5	12	52
32	S8R288131	<0.2	1.68	10	484	<1	<5	0.22	<1	10	26	24	2.45	<5	0.11	32	12	0.37	270	2	0.02	19	200	15	<0.01	<5	4	<10	<5	16	0.05	<5	50	<5	13	34
33	S8R288132	<0.2	1.47	10	328	<1	<5	0.22	<1	10	28	14	2.43	<5	0.05	16	12	0.38	235	1	0.02	16	250	12	<0.01	<5	3	<10	<5	14	0.06	<5	56	<5	6	34
34	S8R288133	<0.2	1.24	10	294	<1	<5	0.26	<1	8	24	16	2.13	<5	0.05	18	10	0.35	130	<1	0.02	15	330	12	<0.01	<5	3	<10	<5	14	0.06	<5	48	<5	6	30
35	S8R288134	<0.2	1.06	5	288	<1	<5	0.27	<1	7	20	12	1.70	<5	0.08	16	10	0.31	125	1	0.02	13	400	12	<0.01	<5	3	<10	<5	16	0.06	<5	40	<5	6	28
36	S8R288135	<0.2	1.17	10	310	<1	<5	0.33	<1	8	24	18	2.04	<5	0.06	20	10	0.35	180	1	0.02	15	480	9	<0.01	<5	3	<10	<5	18	0.07	<5	44	<5	7	34
37	S8R288136	<0.2	1.27	10	250	<1	<5	0.20	<1	9	22	12	2.01	<5	0.04	12	12	0.29	180	1	0.02	14	310	12	<0.01	<5	2	<10	<5	14	0.05	<5	50	<5	3	32
38	S8R288137	<0.2	0.93	10	328	<1	<5	0.62	<1	5	16	18	1.46	<5	0.04	12	10	0.28	85	<1	0.02	10	550	9	0.03	<5	2	<10	<5	26	0.04	<5	44	<5	6	28
39	S8R288138	<0.2	1.10	10	410	<1	<5	0.56	<1	12	20	16	1.89	<5	0.06	12	14	0.40	560	1	0.03	17	600	9	0.02	<5	2	<10	<5	28	0.05	<5	42	<5	7	42
40	S8R288139	<0.2	0.82	10	348	<1	<5	1.43	<1	10	18	20	1.87	<5	0.06	12	10	0.70	320	1	0.03	19	740	9	<0.01	<5	2	<10	<5	32	0.05	<5	38	<5	6	48
41	S8R288140	<0.2	0.96	10	266	<1	<5	0.63	<1	10	18	10	1.79	<5	0.06	12	12	0.40	360	1	0.03	15	580	9	0.02	<5	2	<10	<5	24	0.05	<5	40	<5	5	38
42	S8R288141	<0.2	1.37	10	516	<1	<5	0.63	<1	13	26	26	2.55	<5	0.07	16	16	0.47	480	2	0.04	23	730	12	0.02	<5	3	<10	<5	28	0.05	<5	52	<5	9	50
43	S8R288142	<0.2	0.91	10	300	<1	<5	0.70	<1	11	20	18	1.84	<5	0.06	14	12	0.51	335	<1	0.03	19	760	9	0.02	<5	3	<10	<5	26	0.05	<5	40	<5	7	48
44	S8R288143	<0.2	1.13	10	394	<1	<5	0.70	<1	12	22	26	2.11	<5	0.07	14	14	0.47	385	1	0.03	24	750	12	0.02	<5	3	<10	<5	28	0.05	<5	46	<5	7	54
45	S8R288144	<0.2	0.98	10	332	<1	<5	0.64	<1	10	20	22	1.92	<5	0.06	14	12	0.46	335	1	0.03	20	710	9	0.02	<5	3	<10	<5	24	0.05	<5	42	<5	7	50
46	S8R288145	<0.2	1.03	<5	552	<1	<5	0.38	<1	6	10	8	1.78	<5	0.22	16	6	0.23	355	1	0.02	7	210	9	<0.01	<5	2	<10	<5	20	0.03	<5	26	<5	8	20
47	S8R288146	<0.2	1.16	<5	470	<1	<5	0.34	<1	8	18	6	1.88	<5	0.24	14	6	0.31	455	1	0.02	10	280	9	<0.01	<5	2	<10	<5	16	0.05	<5	34	<5	5	26
48	S8R288147	<0.2	1.30	5	522	<1	<5	0.41	<1	11	22	10	2.10	<5	0.17	14	8	0.32	750	1	0.02	13	190	12	<0.01	<5	3	<10	<5	20	0.06	<5	46	<5	4	32
49	S8R288148	<0.2	1.32	<5	518	<1	<5	0.41	<1	9	16	6	2.14	<5	0.50	20	6	0.38	455	1	0.02	9	320	9	0.01	<5	2	<10	<5	20	0.07	<5	26	<5	6	26
50	S8R288149	0.2	0.19	485	1612	<1	<5	1.18	<1	3	24	66	4.24	<5	0.06	2	2	0.02	120	17	0.03	17	50	18	0.12	30	<1	<10	<5	26	0.01	<5	12	<5	2	14
51	S8R288150	<0.2	0.22	<5	70	<1	<5	>10	<1	2	6	2	0.42	<5	0.12	22	4	>10	220	<1	0.03	4	600	<3	<0.01	<5	<1	<10	<5	44	<0.01	<5	2	<5	1	16
52	S8R288151	<0.2	1.34	5	516	<1	<5	0.39	<1	12	30	8	2.22	<5	0.38	14	8	0.55	410	1	0.02	14	210	9	<0.01	<5	2	<10	<5	18	0.08	<5	38	<5	4	26
53	S8R288152	<0.2	1.23	5	570	<1	<5	0.22	<1	9	20	8	2.04	<5	0.15	10	10	0.32	420	1	0.02	13	240	9	<0.01	<5	2	<10	<5	16	0.05	<5	42	<5	3	28
54	S8R288153	<0.2	1.28	<5	638	<1	<5	0.26	<1	11	34	4	1.86	<5	0.16	8	10	0.42	470	<1	0.02	14	210	9	<0.01	<5	2	<10	<5	14	0.06	<5	42	<5	2	26
55	S8R288154	<0.2	1.62	5	870	1	<5	0.33	<1	11	20	16	2.35	<5	0.20	60	10	0.36	740	1	0.02	15	440	12	<0.01	<5	4	<10	<5	22	0.05	<5	46	<5	18	30
56	S8R288155	<0.2	1.07	5	384	<1	<5	0.18	<1	10	24	8	1.93	<5	0.15	22	8	0.32	490	<1	0.02	13	210	9	<0.01	<5	2	<10	<5	12	0.06	<5	38	<5	7	24
57	S8R288156	<0.2	0.85	5	210	<1	<5	0.25	<1	6	16	6	1.56	<5	0.10	20	8	0.30	115	<1	0.02	9	350	6	<0.01	<5	2	<10	<5	14	0.06	<5	32	<5	7	18
58	S8R288157	<0.2	1.18	5	558	<1	<5	0.36	<1	14	18	12	2.02	<5	0.17	80	8	0.33	1815	1	0.02	15	270	9	<0.01	<5	3	<10	<5	22	0.06	<5	40	<5	28	26
59	S8R288158	<0.2	1.33	10	196	<1	<5	0.13	<1	9	24	8	2.34	<5	0.10	10	12	0.36	185	1	0.02	13	190	12	<0.01	<5	2	<10	<5	10	0.06	<5	52	<5	3	28
60	S8R288159	<0.2	1.29	5	228	<1	<5	0.10	<1	10	20	6	2.19	<5	0.07	10	12	0.30	510	1	0.02	12	220	12	<0.01	<5	2	<10	<5	8	0.06	<5	56	<5	2	32
61	S8R288160	<0.2	1.09	5	218	<1	<5	0.11	<1	6	16	6	1.75	<5	0.06	10	10	0.27	135	1	0.02	9	140	9	<0.01	<5	2	<10	<5	8	0.04	<5	38	<5	3	22
62	S8R288161	<0.2	1.07	5	192	<1	<5	0.17	<1	7	22	10	1.89	<5	0.05	12	10	0.38	145	1	0.02	12	260	9	<0.01	<5	2	<10	<5	10	0.06	<5	42	<5	4	26
63	S8R288162	<0.2	1.12	5	226	<1	<5	0.15	<1	8	20	14	1.93	<5	0.08	12	8	0.31	165	1	0.02	13	230	9	<0.01	<5	2	<10	<5	12	0.06	<5	40	<5	5	28
64	S8R288163	<0.2	1.18	5	292	<1	<5	0.19	<1	7	22	8	1.91	<5	0.05	18	10	0.34	155	1	0.02	11	270	9	<0.01	<5	2	<10	<5	12	0.06	<5	42	<5	5	28
65	S8R288164	<0.2	1.09	5	314	<1	<5	0.88	<1	5	16	12	1.45	<5	0.20	28	8	0.25	190	2	0.02	10	280	9	0.02	<5	2	<10	<5	44	0.05	<5	24	<5	28	18
66	S8R288165	<0.2	1.26	5	288	<1	<5	0.32	<1	9	28	10	2.36	<5	0.44	22	8	0.45	205	2	0.03	13	180	9	<0.01	<5	3	<10	<5	20	0.10	<5	38	<5	12	22
67	S8R288166	<0.2	1.35	10	322	<1	<5	0.38	<1	8	22	14	1.98	<5	0.21	50	12	0.34	230	1	0.02	15	230	15	<0.01	<5	3	<10	<5	24	0.05	<5	38	<5	40	24
68	S8R288167	<0.2	0.96	10	252	<1	<5	0.24	<1	7	16	10	1.72	<5	0.13	18	8	0.28	210	1	0.02	11	170	9	<0.01	<5	2	<10	<5	14	0.05	<5	34	<5	8	26
69	S8R288168	<0.2	2.19	10	600	1	<5	0.51	<1	11	28	28	2.97	<5	0.32	36	12	0.38	725	2	0.03	22	560	21	0.01	<5	4	<10	<5	32	0.06	<5	60	<5	21	40
70	S8R288169	0.2	1.16	5	178	<1	<5	0.12	<1	6	16	6	1.78	<5	0.07	12	8	0.22	150	1	0.02	10	260	15	<0.01	<5	2	<10	<5	8	0.04	<5	44	<5	4	24

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
71	S8R288170	<0.2	1.61	5	320	<1	<5	0.19	<1	10	28	6	2.40	<5	0.08	20	10	0.33	360	1	0.02	15	640	12	<0.01	<5	3	<10	<5	12	0.07	<5	56	<5	7	42
72	S8R288171	<0.2	1.06	5	294	<1	<5	0.24	<1	10	20	10	2.01	<5	0.10	14	8	0.29	350	1	0.02	14	220	9	<0.01	<5	2	<10	<5	14	0.06	<5	50	<5	4	28
73	S8R288172	<0.2	1.26	<5	334	<1	<5	0.26	<1	9	30	8	2.12	<5	0.19	32	8	0.41	535	1	0.02	13	350	12	<0.01	<5	3	<10	<5	16	0.06	<5	42	<5	14	28
74	S8R288173	<0.2	0.87	<5	370	<1	<5	0.28	<1	8	14	6	1.53	<5	0.15	14	6	0.23	530	<1	0.02	11	380	9	<0.01	<5	1	<10	<5	18	0.03	<5	34	<5	5	22
75	S8R288174	<0.2	1.38	10	322	<1	<5	0.26	<1	11	24	14	2.19	<5	0.10	16	10	0.35	365	1	0.02	18	250	12	<0.01	<5	3	<10	<5	18	0.06	<5	52	<5	5	36
76	S8R288175	<0.2	1.14	10	282	<1	<5	0.20	<1	9	20	12	1.91	<5	0.10	20	10	0.32	315	1	0.02	15	190	9	<0.01	<5	3	<10	<5	14	0.06	<5	44	<5	8	28
77	S8R288176	<0.2	0.96	5	248	<1	<5	0.18	<1	6	14	8	1.74	<5	0.18	16	6	0.25	250	<1	0.02	9	130	9	<0.01	<5	2	<10	<5	12	0.05	<5	34	<5	9	20
78	S8R288177	<0.2	1.39	10	270	<1	<5	0.19	<1	10	28	10	2.30	<5	0.15	20	12	0.47	280	1	0.02	17	150	12	<0.01	<5	3	<10	<5	14	0.06	<5	46	<5	7	32
79	S8R288178	<0.2	1.53	5	370	<1	<5	0.17	<1	11	22	6	2.21	<5	0.08	12	10	0.30	725	1	0.02	14	200	12	<0.01	<5	2	<10	<5	10	0.05	<5	56	<5	3	30
80	S8R288179	<0.2	1.49	10	364	1	<5	0.63	<1	9	20	18	2.08	<5	0.21	34	12	0.33	335	3	0.03	16	300	15	0.01	<5	3	<10	<5	40	0.06	<5	40	<5	28	30
81	S8R288180	<0.2	1.03	10	388	<1	<5	2.43	<1	5	14	18	1.38	<5	0.13	28	6	0.25	210	2	0.03	16	630	9	0.08	<5	2	<10	<5	118	0.03	<5	24	<5	23	20
82	S8R288181	<0.2	1.45	10	570	<1	<5	0.52	<1	11	20	22	2.16	<5	0.16	28	12	0.32	570	2	0.03	17	360	15	0.02	<5	3	<10	<5	30	0.05	<5	46	<5	13	30
83	S8R288182	0.2	1.23	5	262	<1	<5	0.15	<1	7	22	8	1.98	<5	0.08	10	10	0.28	325	1	0.02	12	230	12	<0.01	<5	2	<10	<5	10	0.05	<5	52	<5	3	30
84	S8R288183	<0.2	0.88	5	282	<1	<5	0.28	<1	8	16	8	1.68	<5	0.15	16	8	0.26	545	<1	0.02	11	320	9	<0.01	<5	2	<10	<5	16	0.05	<5	40	<5	7	26
85	S8R288184	<0.2	1.00	10	276	<1	<5	0.21	<1	8	22	10	1.89	<5	0.10	18	8	0.30	290	1	0.02	13	160	12	<0.01	<5	2	<10	<5	12	0.06	<5	44	<5	7	32
86	S8R288185	<0.2	1.30	5	400	<1	<5	0.22	<1	12	22	8	2.10	<5	0.12	10	10	0.30	625	1	0.02	14	250	12	<0.01	<5	2	<10	<5	14	0.06	<5	54	<5	3	36
87	S8R288186	<0.2	0.77	<5	186	<1	<5	0.20	<1	4	14	4	0.34	<5	0.09	12	8	0.19	130	1	0.02	8	120	9	<0.01	<5	1	<10	<5	12	0.04	<5	38	<5	5	20
88	S8R288187	<0.2	1.00	5	238	<1	<5	0.20	<1	8	20	10	1.70	<5	0.07	18	10	0.29	325	1	0.02	12	230	9	<0.01	<5	2	<10	<5	12	0.05	<5	42	<5	7	26
89	S8R288188	<0.2	1.06	5	284	<1	<5	0.18	<1	8	20	6	1.85	<5	0.10	20	8	0.29	380	1	0.02	11	130	9	<0.01	<5	3	<10	<5	12	0.07	<5	46	<5	8	28
90	S8R288189	<0.2	1.06	<5	580	<1	<5	0.32	<1	7	16	6	1.62	<5	0.23	68	8	0.26	1175	<1	0.02	8	450	9	<0.01	<5	2	<10	<5	18	0.04	<5	30	<5	21	30
91	S8R288190	<0.2	1.18	<5	284	<1	<5	0.19	<1	6	16	4	1.64	<5	0.17	14	8	0.32	305	1	0.02	7	150	9	<0.01	<5	2	<10	<5	12	0.04	<5	30	<5	7	34
92	S8R288191	<0.2	1.00	5	282	<1	<5	0.16	<1	10	20	8	0.74	<5	0.09	12	8	0.19	130	1	0.02	11	230	9	<0.01	<5	2	<10	<5	12	0.05	<5	42	<5	7	26
93																																				
94																																				
95																																				
96																																				
97																																				
98																																				
99																																				
100																																				
101																																				
102																																				
103																																				
104																																				
105																																				
106																																				
107																																				
108																																				
109																																				
110																																				

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
111	S8R288210	0.4	1.67	35	188	<1	<5	0.72	<1	16	14	26	3.15	<5	0.05	10	20	0.75	880	2	0.03	11	840	45	0.04	<5	2	<10	<5	80	0.03	<5	20	<5	11	388
123	S8R288222	<0.2	0.74	5	254	<1	<5	0.74	<1	6	12	6	1.46	<5	0.19	20	4	0.27	280	1	0.02	8	580	9	0.01	<5	2	<10	<5	46	0.04	<5	20	<5	9	18
124	S8R288223	<0.2	0.99	5	406	<1	<5	1.30	<1	7	16	8	1.73	<5	0.29	30	4	0.38	390	2	0.03	12	590	9	0.02	<5	3	<10	<5	80	0.05	<5	20	<5	16	24
125	S8R288224	<0.2	1.42	10	470	<1	<5	1.22	<1	24	18	2.51	<5	0.24	32	8	0.50	385	2	0.03	20	480	12	0.02	<5	4	<10	<5	80	0.06	<5	38	<5	19	32	
126	S8R288225	<0.2	1.11	5	354	<1	<5	0.35	<1	9	18	8	2.03	<5	0.20	12	6	0.26	510	2	0.03	11	170	12	<0.01	<5	2	<10	<5	18	0.05	<5	38	<5	4	22
127	S8R288226	<0.2	1.23	5	216	<1	<5	0.23	<1	10	18	8	2.30	<5	0.48	12	6	0.49	295	2	0.02	14	210	12	<0.01	<5	3	<10	<5	16	0.08	<5	26	<5	6	28
128	S8R288227	<0.2	1.67	5	310	<1	<5	0.43	<1	13	38	10	2.68	<5	0.35	12	8	0.59	495	2	0.03	16	390	12	<0.01	<5	3	<10	<5	20	0.09	<5	50	<5	4	40
129	S8R288228	<0.2	1.07	5	226	<1	<5	0.24	<1	9	20	8	1.99	<5	0.18	12	6	0.31	420	1	0.02	12	280	9	<0.01	<5	2	<10	<5	12	0.06	<5	40	<5	3	28
130	S8R288229	<0.2	1.12	<5	356	<1	<5	0.32	<1	8	14	6	1.87	<5	0.35	12	6	0.27	665	1	0.02	9	460	9	<0.01	<5	2	<10	<5	18	0.06	<5	30	<5	4	48
131	S8R288230	<0.2	0.94	5	272	<1	<5	0.26	<1	6	14	6	1.58	<5	0.15	12	6	0.22	335	1	0.02	9	180	9	<0.01	<5	2	<10	<5	12	0.03	<5	30	<5	4	22
132	S8R288231	<0.2	1.16	5	226	<1	<5	0.24	<1	9	18	8	2.03	<5	0.17	12	6	0.29	430	2	0.02	13	360	12	<0.01	<5	2	<10	<5	12	0.05	<5	40	<5	4	34
133	S8R288232	<0.2	1.25	<5	302	<1	<5	0.23	<1	8	14	4	2.13	<5	0.32	12	6	0.34	380	1	0.02	10	330	12	<0.01	<5	2	<10	<5	14	0.05	<5	28	<5	4	44
134	S8R288233	0.2	1.30	5	308	<1	<5	0.26	<1	12	26	8	2.06	<5	0.17	10	8	0.38	500	1	0.02	17	310	12	<0.01	<5	2	<10	<5	14	0.05	<5	42	<5	3	42
135	S8R288234	<0.2	1.74	10	224	<1	<5	0.14	<1	9	32	12	2.69	<5	0.11	8	12	0.44	385	2	0.02	15	360	15	<0.01	<5	2	<10	<5	8	0.07	<5	60	<5	2	40
136	S8R288235	<0.2	1.04	15	132	<1	<5	0.05	<1	4	10	6	2.04	<5	0.17	8	4	0.16	200	1	0.02	6	90	9	<0.01	<5	3	<10	<5	6	0.02	<5	20	<5	7	22
137	S8R288236	<0.2	1.10	5	190	<1	<5	0.12	<1	8	16	12	1.81	<5	0.12	12	8	0.28	200	1	0.02	11	190	9	<0.01	<5	2	<10	<5	10	0.05	<5	30	<5	6	28
138	S8R288237	<0.2	1.04	5	126	<1	<5	0.11	<1	5	12	6	1.90	<5	0.11	8	6	0.19	290	1	0.02	10	240	12	<0.01	<5	1	<10	<5	8	0.04	<5	36	<5	3	34
139	S8R288238	<0.2	1.75	10	176	<1	<5	0.09	<1	10	28	12	2.83	<5	0.16	10	10	0.39	180	2	0.02	17	200	15	<0.01	<5	3	<10	<5	6	0.07	<5	50	<5	4	30
140	S8R288239	<0.2	1.11	<5	212	<1	<5	0.15	<1	10	28	10	1.87	<5	0.20	38	6	0.47	140	1	0.02	20	50	9	<0.01	<5	3	<10	<5	10	0.07	<5	24	<5	17	20
141	S8R288240	<0.2	1.19	10	110	<1	<5	0.11	<1	6	16	6	2.22	<5	0.21	20	8	0.31	135	1	0.02	9	390	9	<0.01	<5	2	<10	<5	8	0.06	<5	44	<5	5	24
142	S8R288241	<0.2	1.38	5	216	<1	<5	0.20	<1	9	26	10	2.21	<5	0.20	16	6	0.44	180	2	0.02	13	240	9	<0.01	<5	3	<10	<5	12	0.07	<5	40	<5	6	22
143	S8R288242	<0.2	0.97	5	130	<1	<5	0.13	<1	6	16	4	1.59	<5	0.17	14	4	0.29	115	<1	0.02	8	170	9	<0.01	<5	2	<10	<5	8	0.07	<5	30	<5	4	14
144	S8R288243	<0.2	0.90	<5	146	<1	<5	0.16	<1	6	10	2	1.54	<5	0.29	8	2	0.28	165	1	0.02	6	250	9	<0.01	<5	1	<10	<5	10	0.09	<5	28	<5	2	14
145	S8R288244	<0.2	1.60	5	260	<1	<5	0.09	<1	8	16	4	3.00	<5	0.51	8	6	0.40	135	1	0.02	9	290	9	<0.01	<5	3	<10	<5	6	0.07	<5	30	<5	5	16
146	S8R288245	<0.2	1.71	10	194	<1	<5	0.21	<1	17	88	16	2.68	<5	0.05	12	12	0.79	860	2	0.03	35	340	12	<0.01	<5	2	<10	<5	10	0.06	<5	58	<5	4	44
147	S8R288246	<0.2	1.77	5	148	<1	<5	0.26	<1	14	22	8	3.14	<5	0.17	4	8	0.82	280	2	0.03	17	200	9	<0.01	<5	3	<10	<5	10	0.08	<5	80	<5	2	24
148	S8R288247	<0.2	1.15	5	230	<1	<5	0.21	<1	9	22	10	2.04	<5	0.16	24	8	0.39	275	2	0.02	12	310	12	<0.01	<5	3	<10	<5	10	0.05	<5	36	<5	9	30
149	S8R288248	<0.2	1.14	10	180	<1	<5	0.17	<1	6	16	8	1.80	<5	0.11	14	8	0.32	120	2	0.02	10	250	9	<0.01	<5	2	<10	<5	10	0.05	<5	34	<5	5	24
150	S8R288249	<0.2	0.20	<5	58	<1	<5	>10	<1	1	4	2	0.35	<5	0.12	<2	6	>10	175	<1	0.03	4	630	<3	<0.01	<5	<1	<10	<5	38	<0.01	<5	<2	<5	1	16

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
151	S8R288250	0.2	0.17	460	1344	<1	5	1.11	<1	3	18	60	3.50	<5	0.08	<2	2	0.06	95	16	0.03	16	50	18	0.11	30	<1	<10	<5	24	<0.01	<5	10	<5	2	16
152	S8R288251	<0.2	1.12	5	260	<1	<5	0.22	<1	7	16	8	1.87	<5	0.12	24	10	0.31	195	2	0.02	9	250	12	<0.01	<5	2	<10	<5	10	0.04	<5	32	<5	7	24
153	S8R288252	<0.2	0.92	5	194	<1	<5	0.15	<1	6	12	6	1.63	<5	0.19	12	6	0.25	140	1	0.02	7	210	9	<0.01	<5	2	<10	<5	8	0.04	<5	22	<5	6	18
154	S8R288253	<0.2	1.06	10	234	<1	<5	0.21	<1	7	16	10	1.86	<5	0.19	32	6	0.31	140	1	0.02	10	290	9	<0.01	<5	2	<10	<5	12	0.05	<5	30	<5	8	22
155	S8R288254	<0.2	1.41	5	232	<1	<5	0.23	<1	8	20	8	2.17	<5	0.29	16	8	0.44	160	2	0.02	12	310	12	<0.01	<5	3	<10	<5	10	0.05	<5	30	<5	6	18
156	S8R288255	<0.2	1.54	10	200	<1	<5	0.14	<1	9	24	14	2.08	<5	0.05	14	12	0.38	160	1	0.02	14	110	12	<0.01	<5	3	<10	<5	10	0.05	<5	46	<5	7	30
157	S8R288256	<0.2	1.45	10	242	<1	<5	0.18	<1	9	24	20	2.08	<5	0.06	22	12	0.39	185	1	0.02	15	140	12	<0.01	<5	4	<10	<5	10	0.06	<5	46	<5	12	28
158	S8R288257	<0.2	1.51	10	128	<1	<5	0.08	<1	9	22	18	2.20	<5	0.07	10	10	0.34	165	1	0.02	15	140	12	<0.01	<5	3	<10	<5	6	0.05	<5	44	<5	5	28
159	S8R288258	<0.2	1.10	10	228	<1	<5	0.18	<1	9	18	14	1.78	<5	0.08	10	10	0.34	195	1	0.02	15	90	12	<0.01	<5	3	<10	<5	10	0.05	<5	38	<5	6	26
160	S8R288259	<0.2	1.26	10	208	<1	<5	0.18	<1	8	20	14	1.90	<5	0.06	12	10	0.37	145	1	0.02	14	120	12	<0.01	<5	3	<10	<5	10	0.05	<5	44	<5	5	30
161	S8R288260	<0.2	1.43	10	138	<1	<5	0.11	<1	11	28	24	2.33	<5	0.08	16	12	0.41	235	1	0.02	20	110	15	<0.01	<5	4	<10	<5	8	0.07	<5	50	<5	6	38
162	S8R288261	<0.2	1.18	10	212	<1	<5	0.12	<1	7	18	10	1.72	<5	0.06	10	10	0.28	155	1	0.02	12	110	12	<0.01	<5	2	<10	<5	8	0.04	<5	40	<5	3	26
163	S8R288262	<0.2	1.63	10	384	<1	<5	0.14	<1	14	24	10	2.24	<5	0.07	14	12	0.35	280	2	0.02	16	190	15	<0.01	<5	3	<10	<5	8	0.05	<5	54	<5	4	32
164	S8R288263	<0.2	0.86	5	112	<1	<5	0.11	<1	6	14	8	1.56	<5	0.09	14	10	0.29	165	1	0.02	10	140	9	<0.01	<5	2	<10	<5	6	0.05	<5	32	<5	5	22
165	S8R288264	<0.2	1.13	10	228	<1	<5	0.18	<1	18	14	14	1.76	<5	0.12	20	8	0.30	245	1	0.02	14	130	12	<0.01	<5	3	<10	<5	12	0.05	<5	36	<5	13	24
166	S8R288265	<0.2	1.21	5	206	<1	<5	0.21	<1	6	12	18	1.89	<5	0.24	16	8	0.24	165	1	0.02	8	470	12	<0.01	<5	1	<10	<5	14	0.04	<5	28	<5	6	24
167	S8R288266	<0.2	1.22	10	214	<1	<5	0.17	<1	8	20	18	1.92	<5	0.07	16	12	0.36	160	1	0.02	15	110	12	<0.01	<5	3	<10	<5	10	0.05	<5	44	<5	7	32
168	S8R288267	<0.2	1.24	10	240	<1	<5	0.22	<1	8	16	14	1.98	<5	0.11	10	10	0.30	220	2	0.02	14	230	12	<0.01	<5	2	<10	<5	12	0.04	<5	42	<5	4	30
169	S8R288268	<0.2	0.96	10	136	<1	<5	0.11	<1	5	14	8	1.48	<5	0.07	6	8	0.22	90	1	0.02	9	120	9	<0.01	<5	1	<10	<5	6	0.03	<5	34	<5	3	20
170	S8R288269	<0.2	0.82	5	104	<1	<5	0.10	<1	5	10	6	1.19	<5	0.06	8	6	0.15	85	1	0.02	7	90	9	<0.01	<5	1	<10	<5	6	0.03	<5	24	<5	4	16
171	S8R288270	<0.2	1.39	10	384	<1	<5	0.32	<1	8	18	14	2.04	<5	0.13	46	8	0.32	540	1	0.03	12	410	15	<0.01	<5	3	<10	<5	20	0.05	<5	38	<5	40	30
172	S8R288271	<0.2	1.05	10	162	<1	<5	0.17	<1	7	14	10	1.74	<5	0.10	14	10	0.29	130	1	0.02	11	210	12	<0.01	<5	2	<10	<5	10	0.04	<5	34	<5	8	26
173	S8R288272	<0.2	1.13	10	250	<1	<5	0.16	<1	8	16	8	1.77	<5	0.10	32	8	0.29	350	2	0.02	9	260	15	<0.01	<5	2	<10	<5	10	0.05	<5	40	<5	21	22
174	S8R288273	<0.2	0.99	5	154	<1	<5	0.15	<1	6	14	12	1.50	<5	0.15	32	10	0.29	125	1	0.02	9	200	12	<0.01	<5	2	<10	<5	10	0.06	<5	28	<5	19	22
175	S8R288274	<0.2	1.27	5	214	<1	<5	0.13	<1	6	16	6	1.79	<5	0.06	10	10	0.27	135	1	0.02	9	180	12	<0.01	<5	2	<10	<5	8	0.04	<5	42	<5	3	22

QC DATA:

Repeat:

1	S8R288100	0.2	2.20	10	254	<1	<5	0.43	<1	20	30	32	4.21	<5	0.82	30	14	1.02	620	1	0.03	19	760	21	0.01	<5	5	<10	<5	14	0.13	<5	76	<5	15	74
10	S8R288109	<0.2	1.28	10	426	<1	<5	0.45	<1	10	20	20	2.18	<5	0.08	22	14	0.38	410	1	0.03	17	530	15	<0.01	<5	3	<10	<5	20	0.06	<5	44	<5	9	50
19	S8R288118	<0.2	1.02	5	218	<1	<5	0.30	<1	8	18	10	1.68	<5	0.05	12	12	0.34	185	1	0.02	12	530	9	<0.01	<5	2	<10	<5	14	0.05	<5	42	<5	4	40
28	S8R288127	<0.2	1.07	5	364	<1	<5	0.20	<1	8	20	10	1.70	<5	0.09	24	8	0.29	225	<1	0.02	13	160	9	<0.01	<5	2	<10	<5	12	0.06	<5	34	<5	7	26
36	S8R288135	<0.2	1.09	5	308	<1	<5	0.32	<1	8	22	16	1.95	<5	0.06	18	10	0.34	175	1	0.02	15	470	9	<0.01	<5	3	<10	<5	18	0.06	<5	42	<5	7	32
45	S8R288144	<0.2	1.02	10	332	<1	<5	0.65	<1	12	20	22	1.97	<5	0.06	14	12	0.47	350	1	0.03	21	710	12	0.02	<5	3	<10	<5	26	0.06	<5	42	<5	7	50
54	S8R288153	<0.2	1.29	<5	650	<1	<5	0.26	<1	11	34	4	1.95	<5	0.16	8	10	0.43	490	<1	0.02	14	220	9	<0.01	<5	2	<10	<5	14	0.06	<5	44	<5	2	28
63	S8R288162	<0.2	1.12	5	224	<1	<5	0.16	<1	8	20	14	1.91	<5	0.08	12	8	0.31	160	<1	0.02	13	230	9	<0.01	<5	2	<10	<5	10	0.06	<5	40	<5	5	28
71	S8R288170	<0.2	1.55	<5	312	<1	<5	0.18	<1	9	26	6	2.29	<5	0.08	18	10	0.32	350	1	0.02	14	620	12	<0.01	<5	2	<10	<5	10	0.06	<5	52	<5	7	40
80	S8R288179	<0.2	1.41	10	356	<1	<5	0.62	<1	9	20	18	2.01	<5	0.20	34	12	0.32	320	3	0.03	16	280	15	0.01	<5	3	<10	<5	38	0.06	<5	38	<5	27	30
89	S8R288188	<0.2	1.08	5	290	<1	<5	0.18	<1	8	20	8	1.93	<5	0.10	20	8	0.30	405	1	0.02	11	130	9	<0.01	<5	3	<10	<5	12	0.07	<5	46	<5	9	28
98	S8R288197	0.4	1.53	100	140	<1	<5	0.44	<1	15	30	32	2.00	<5	0.08	14	26	1.11	670	2	0.03	18	740	24	<0.01	<5	5	<10	<5	24	<0.01	<5	50	<5	7	74
106																																				
115	S8R288214	<0.2	1.57	60	178	<1	<5	0.26	<1	11	22	26	2.79	<5	0.05	12	14	0.60	420	2	0.03	16	570	57	<0.01	<5	4	<10	<5	14	0.06	<5	58	<5	7	86
124	S8R288223	<0.2	0.99	<5	402	<1	<5	1.31	<1	7	16	8	1.71	<5	0.29	30	4	0.39	380	2	0.02	12	590	9	0.02	<5	3	<10	<5	80	0.05	<5	20	<5	16	22
133	S8R288232	<0.2	1.31	<5	308	<1	<5	0.25	<1	8	14	4	2.19	<5	0.35	12	8	0.36	405	1	0.02	10	350	12	<0.01	<5	2	<10	<5	16	0.05	<5	30	<5	4	46
141	S8R288240	<0.2	1.22	10	112	<1	<5	0.13	<1	7	16	6	2.26	<5	0.21	22	8	0.31	140	1	0.02	9	410	12	<0.01	<5	2	<10	<5	10	0.06	<5	46	<5	6	24
150	S8R288249	<0.2	0.21	<5	60	<1	<5	>10	<1	1	4	2	0.38	<5	0.11	<2	6	>10	180	<1	0.03	4	610	<3	<0.01	<5	<1	<10	<5	40	<0.01	<5	<2	<5	1	14

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
159	S8R288258	<0.2	1.19	10	230	<1	<5	0.18	<1	9	22	14	1.93	<5	0.07	12	8	0.32	215	1	0.03	15	90	12	<0.01	<5	3	<10	<5	12	0.06	<5	42	<5	7	28
168	S8R288267	<0.2	1.24	10	234	<1	<5	0.22	<1	8	18	14	1.98	<5	0.10	10	10	0.29	225	2	0.02	14	230	12	<0.01	<5	2	<10	<5	12	0.04	<5	44	<5	4	30

Standard:																																				
TILL3		1.4	1.09	85	40	<1	<5	0.54	<1	14	64	20	1.90	<5	0.09	14	18	0.58	305	<1	0.04	31	440	18	<0.01	<5	3	<10	<5	14	0.08	<5	38	<5	6	40
TILL3		1.4	1.12	90	40	<1	<5	0.55	<1	15	66	22	1.93	<5	0.08	14	18	0.57	310	<1	0.04	31	450	18	<0.01	<5	3	<10	<5	14	0.08	<5	38	<5	6	40
TILL3		1.4	1.09	85	40	<1	<5	0.54	<1	14	64	20	1.99	<5	0.09	14	18	0.56	305	<1	0.04	31	440	21	<0.01	<5	3	<10	<5	16	0.08	<5	40	<5	6	38
TILL3		1.4	1.10	85	40	<1	<5	0.56	<1	14	62	22	2.01	<5	0.08	14	18	0.60	310	1	0.04	30	450	18	<0.01	<5	3	<10	<5	14	0.08	<5	38	<5	6	38
TILL3		1.4	1.05	85	38	<1	<5	0.57	<1	14	60	20	1.99	<5	0.09	14	18	0.60	300	1	0.04	30	450	21	<0.01	<5	3	<10	<5	14	0.07	<5	38	<5	6	38

ICP: Aqua Regia Digest / ICP- AES Finish.

NM/cr/el
dt/2_8090AS/1_8090BS
XLS/11



ECO TECH LABORATORY LTD.
Norman Monteith
B.C. Certified Assayer

PDFill PDF Editor with Free Writer and Tools



CERTIFICATE OF ANALYSIS AW 2011-8100

Kestrel Gold Corp.
#8-46225 Ranchero Drive
Chilliwack, BC
V4Z 0A5
Attn: Kevin Nephin

15-Jul-11

No. of samples received: 303

Sample Type: Soil

Project: Dawson Area

Shipment #: 3

Submitted by: All Terrane Mineral Exploration

ET #.	Tag #	Au (ppb)
1	S8R286491	5
2	S8R286492	<5
3	S8R286493	<5
4	S8R286494	5
5	S8R286495	<5
6	S8R286496	<5
7	S8R286497	5
8	S8R286498	5
9	S8R286499	435
10	S8R286500	<5
11	S8R287275	10
12	S8R287276	5
13	S8R287277	5
14	S8R287278	<5
15	S8R287279	<5
16	S8R287280	10
17	S8R287281	5
18	S8R287282	<5
19	S8R287283	<5
20	S8R287284	<5
21	S8R287285	<5
22	S8R287286	<5
23	S8R287287	<5
24	S8R287288	<5
25	S8R287289	<5
26	S8R287290	<5
27	S8R287291	<5
28		
29		

PDFfill PDF Editor with Free Writer and Tools

Eco Tech Laboratory Ltd.
10041 Dallas Drive
Kamloops, BC
V2C 6T4 Canada
Tel + 250 573 5700
Fax + 250 573 4557
Toll Free + 1 877 573 5755
www.stewartgroupglobal.com



StewartGroup
Geochemical & Assay

Kestrel Gold Corp. AW11-8100

15-Jul-11

ET #.	Tag #	Au (ppb)
30		
31		
32		
33		
34		
35		
36		
37		
38		
39		
40		
41		
42		
43		
44		
45		
46		
47		
48		
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		
61		
62		
63		
64		
65		
66		
67		
68		
69		
70		
71		
72		
73		

PDFill PDF Editor with Free Writer and Tools

Eco Tech Laboratory Ltd.
10041 Dallas Drive
Kamloops, BC
V2C 6T4 Canada
Tel + 250 573 5700
Fax + 250 573 4557
Toll Free + 1 877 573 5755
www.stewartgroupglobal.com



StewartGroup
Geochemical & Assay

Kestrel Gold Corp. AW11-8100

15-Jul-11

ET #.	Tag #	Au (ppb)
74		
75		
76		
77		
78		
79		
80		
81		
82		
83		
84		
85		
86		
87		
88		
89		
90		
91		
92		
93		
94		
95		
96		
97		
98		
99		
100		
101		
102		
103		
104		
105		
106		
107		
108		
109		
110		
111		
112		
113		
114		
115		
116		
117		

PDFill PDF Editor with Free Writer and Tools



Kestrel Gold Corp. AW11-8100

15-Jul-11

ET #.	Tag #	Au (ppb)
118		
119		
120		
121		
122		
123		
124		
125		
126		
127	S8R286798	<5
128	S8R286799	<5
129	S8R286800	15
130	S8R286801	<5
131	S8R286802	5
132	S8R286803	5
133	S8R286804	<5
134	S8R286805	10
135	S8R286806	<5
136		
137		
138		
139		
140		
141		
142		
143		
144		
145		
146		
147		
148		
149		
150		
151		
152		
153		
154		
155		
156		
157		
158		
159		
160		
161		

PDFill PDF Editor with Free Writer and Tools

Eco Tech Laboratory Ltd.
 10041 Dallas Drive
 Kamloops, BC
 V2C 6T4 Canada
 Tel + 250 573 5700
 Fax + 250 573 4557
 Toll Free + 1 877 573 5755
 www.stewartgroupglobal.com



StewartGroup
 Geochemical & Assay

Kestrel Gold Corp. AW11-8100

15-Jul-11

ET #.	Tag #	Au (ppb)
162		
163		
164		
165		
166		
167		
168		
169		
170	S8R288275	<5
171	S8R288276	5
172	S8R288277	<5
173	S8R288278	<5
174	S8R288279	5
175	S8R288280	100
176	S8R288281	10
177	S8R288282	<5
178	S8R288283	5
179	S8R288284	<5
180	S8R288285	<5
181	S8R288286	<5
182	S8R288287	<5
183	S8R288288	<5

PDFill PDF Editor with Free Writer and Tools

Eco Tech Laboratory Ltd.
10041 Dallas Drive
Kamloops, BC
V2C 6T4 Canada
Tel + 250 573 5700
Fax + 250 573 4557
Toll Free + 1 877 573 5755
www.stewartgroupglobal.com



StewartGroup
Geochemical & Assay

Kestrel Gold Corp. AW11-8100

15-Jul-11

ET #.	Tag #	Au (ppb)
206		
207		
208		
209		
210		
211		
212		
213		
214		
215		
216		
217		
218		
219		
220		
221		
222		
223		
224		
225		
226		
227		
228		
229		
230		
231		
232		
233		
234		
235		
236		
237		
238		
239		
240		
241		
242		
243		
244		
245		
246		
247		
248		
249		

PDFill PDF Editor with Free Writer and Tools

Eco Tech Laboratory Ltd.
 10041 Dallas Drive
 Kamloops, BC
 V2C 6T4 Canada
 Tel + 250 573 5700
 Fax + 250 573 4557
 Toll Free + 1 877 573 5755
 www.stewartgroupglobal.com



StewartGroup
 Geochemical & Assay

Kestrel Gold Corp. AW11-8100

15-Jul-11

ET #.	Tag #	Au (ppb)
250		
251		
252		
253		
254		
255		
256		
257		
258		
259		
260		
261		
262		
263		
264		
265		
266		
267		
268		
269		
270		
271		
272		
273		
274		
275		
276		
277		
278		
279		
280		
281		
282		
283		
284		
285	S8R287239	30
286	S8R287240	15
287	S8R287241	25
288	S8R287242	10
289	S8R287243	15
290	S8R287244	15
291	S8R287245	20
292	S8R287246	15
293	S8R287247	5

PDFfill PDF Editor with Free Writer and Tools



Kestrel Gold Corp. AW11-8100

15-Jul-11

ET #.	Tag #	Au (ppb)
294	S8R287248	15
295	S8R287249	15
296	S8R287250	5
297	S8R287251	<5
298	S8R287252	5
299	S8R287253	10
300	S8R287254	<5
301	S8R287255	75
302	S8R287256	5
303	S8R287257	5

QC DATA:

Repeat:

4	S8R286494	5
12	S8R287276	5
26	S8R287290	<5
28		
38		
48		
55		
69		
78		
87		
90		
105		
106		
121		
130	S8R286801	5
133	S8R286804	<5
144		
151		
160		-
171	S8R288276	<5
179	S8R288284	<5
188		
201		
206		
217		
222		
227		
235		
238		
247		

PDFill PDF Editor with Free Writer and Tools

Eco Tech Laboratory Ltd.
10041 Dallas Drive
Kamloops, BC
V2C 6T4 Canada
Tel + 250 573 5700
Fax + 250 573 4557
Toll Free + 1 877 573 5755
www.stewartgroupglobal.com



StewartGroup
Geochemical & Assay

Kestrel Gold Corp. AW11-8100

15-Jul-11

ET #.	Tag #	Au (ppb)
255		
268		
279		
286	S8R287240	20
290	S8R287244	20
299	S8R287253	5

Standard:

OXE86	610
OXG84	920
OXE86	595
OXG84	935
OXE86	600
OXG84	915
OXE86	605
OXG84	930
OXE86	620

FA Geochem/AA Finish

NM/EL
XLS/11


ECO TECH LABORATORY LTD.
Norman Monteith
B.C. Certified Assayer

PDFfill PDF Editor with Free Writer and Tools

15-Jul-11

Stewart Group
ECO TECH LABORATORY LTD.
 10041 Dallas Drive
KAMLOOPS, B.C.
 V2C 6T4
www.stewartgroupglobal.com

ICP CERTIFICATE OF ANALYSIS AW 2011-8100

Kestrel Gold Corp.
 #8-46225 Ranchero Drive
Chilliwack, BC
 V4Z 0A5
 Attn: Kevin Nephin

Phone: 250-573-5700
 Fax : 250-573-4557

No. of samples received: 303

Sample Type: Soil

Project: Dawson Area**Shipment #: 3**

Submitted by: All Terrane Mineral Exploration

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
1	S8R286491	0.2	1.38	10	188	<1	<5	0.13	<1	1	24	20	2.28	<5	0.07	20	10	0.33	245	2	0.02	15	120	15	<0.01	<5	3	<10	<5	10	0.07	<5	48	<5	8	34
2	S8R286492	<0.2	1.05	5	166	<1	<5	0.10	<1	5	16	10	1.65	<5	0.07	22	8	0.22	150	1	0.02	10	110	12	<0.01	<5	2	<10	<5	8	0.05	<5	38	<5	11	22
3	S8R286493	<0.2	0.64	<5	128	<1	<5	0.12	<1	4	12	6	1.16	<5	0.06	12	4	0.12	150	1	0.02	6	120	9	<0.01	<5	1	<10	<5	8	0.06	<5	36	<5	5	14
4	S8R286494	0.2	1.74	10	258	<1	<5	0.14	<1	14	28	12	2.53	<5	0.05	12	12	0.36	590	2	0.02	15	220	15	<0.01	<5	2	<10	<5	10	0.07	<5	68	<5	4	44
5	S8R286495	0.2	2.27	5	208	<1	<5	0.10	<1	16	68	14	1.6	<5	0.20	20	12	1.05	305	2	0.03	30	80	18	<0.01	<5	4	<10	<5	8	0.12	<5	50	<5	22	34
6	S8R286496	<0.2	0.84	<5	126	<1	<5	0.07	<1	3	8	4	1.43	<5	0.10	12	6	0.15	105	<1	0.02	6	80	9	<0.01	<5	2	<10	<5	6	0.03	<5	20	<5	7	16
7	S8R286497	<0.2	1.35	10	170	<1	<5	0.14	<1	7	20	8	2.49	<5	0.13	10	10	0.41	245	2	0.02	11	250	15	<0.01	<5	2	<10	<5	10	0.07	<5	50	<5	4	32
8	S8R286498	<0.2	1.20	5	152	<1	<5	0.11	<1	5	14	10	2.04	<5	0.10	10	8	0.24	135	1	0.02	9	170	12	<0.01	<5	3	<10	<5	8	0.04	<5	32	<5	14	22
9	S8R286499	0.2	1.32	55	122	<1	<5	1.34	<1	11	32	52	3.23	<5	0.09	10	8	0.61	455	10	0.09	34	730	9	0.09	<5	5	<10	<5	32	0.13	<5	58	<5	9	48
10	S8R286500	<0.2	0.22	<5	66	<1	<5	>10	<1	1	6	4	0.44	<5	0.10	<2	>10	>10	205	<1	0.03	5	610	<3	<0.01	<5	<1	<10	<5	46	<0.01	<5	<2	<5	1	16
11	S8R287275	<0.2	0.86	5	196	<1	<5	0.34	<1	6	16	10	1.66	<5	0.04	12	6	0.27	115	1	0.02	10	520	9	<0.01	<5	1	<10	<5	14	0.05	<5	42	<5	4	26
12	S8R287276	<0.2	1.25	10	250	<1	<5	0.23	<1	10	26	14	2.18	<5	0.07	18	8	0.33	195	1	0.02	13	310	12	<0.01	<5	3	<10	<5	12	0.08	<5	48	<5	5	30
13	S8R287277	<0.2	1.27	10	278	<1	<5	0.24	<1	10	28	18	2.28	<5	0.05	24	8	0.37	220	1	0.02	16	350	12	<0.01	<5	4	<10	<5	12	0.07	<5	50	<5	14	30
14	S8R287278	<0.2	1.20	10	334	<1	<5	0.24	<1	8	22	12	2.13	<5	0.09	40	8	0.36	205	1	0.02	13	240	12	<0.01	<5	3	<10	<5	12	0.06	<5	42	<5	19	26
15	S8R287279	<0.2	1.36	5	290	<1	<5	0.18	<1	11	24	14	2.67	<5	0.28	26	6	0.44	345	1	0.03	14	190	9	<0.01	<5	4	<10	<5	14	0.10	<5	38	<5	17	40
16	S8R287280	<0.2	1.39	10	308	<1	<5	0.19	<1	10	24	14	2.31	<5	0.06	16	10	0.35	255	2	0.02	15	290	12	<0.01	<5	2	<10	<5	12	0.05	<5	50	<5	5	28
17	S8R287281	<0.2	1.20	5	392	<1	<5	0.27	<1	6	14	12	1.92	<5	0.13	26	4	0.22	165	1	0.02	9	470	12	0.01	<5	<1	<10	<5	18	0.03	<5	32	<5	11	16
18	S8R287282	<0.2	1.33	10	396	<1	<5	0.22	<1	10	22	24	2.68	<5	0.24	28	8	0.39	360	1	0.03	18	290	12	<0.01	<5	4	<10	<5	14	0.08	<5	42	<5	19	28
19	S8R287283	<0.2	1.78	10	308	<1	<5	0.17	<1	11	48	16	2.47	<5	0.08	20	14	0.61	175	2	0.03	26	110	15	<0.01	<5	4	<10	<5	10	0.06	<5	52	<5	7	30
20	S8R287284	<0.2	1.10	5	196	<1	<5	0.18	<1	7	22	14	1.76	<5	0.08	26	10	0.36	135	<1	0.02	12	210	12	<0.01	<5	2	<10	<5	10	0.06	<5	36	<5	13	22
21	S8R287285	<0.2	1.30	10	162	<1	<5	0.15	<1	7	22	8	2.23	<5	0.11	16	8	0.31	160	1	0.02	10	160	12	<0.01	<5	2	<10	<5	10	0.07	<5	42	<5	8	20
22	S8R287286	<0.2	1.62	10	228	<1	<5	0.19	<1	9	24	14	2.56	<5	0.10	20	12	0.39	200	2	0.03	14	280	12	<0.01	<5	3	<10	<5	10	0.06	<5	50	<5	8	30
23	S8R287287	<0.2	1.20	10	200	<1	<5	0.12	<1	5	16	8	2.00	<5	0.12	18	8	0.27	135	2	0.02	9	120	12	<0.01	<5	2	<10	<5	8	0.05	<5	36	<5	11	20
24	S8R287288	<0.2	1.00	5	150	<1	<5	0.11	<1	6	12	6	1.63	<5	0.09	18	8	0.22	150	1	0.02	9	140	12	<0.01	<5	1	<10	<5	6	0.04	<5	28	<5	13	20
25	S8R287289	<0.2	0.99	<5	112	<1	<5	0.09	<1	4	10	8	1.57	<5	0.08	14	6	0.17	90	1	0.02	7	100	15	<0.01	<5	2	<10	<5	6	0.03	<5	24	<5	16	18
26	S8R287290	<0.2	1.17	5	168	<1	<5	0.16	<1	6	18	8	1.90	<5	0.06	16	8	0.29	130	1	0.02	10	260	12	<0.01	<5	2	<10	<5	10	0.06	<5	44	<5	5	22
27	S8R287291	<0.2	1.65	10	222	<1	<5	0.13	<1	7	26	10	2.47	<5	0.05	18	12	0.35	130	2	0.02	12	120	15	<0.01	<5	3	<10	<5	10	0.07	<5	58	<5	9	26
28	S8R287292																																			
29	S8R287293																																			
30	S8R287294																																			

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zr
31	§	0.4	0.10	10	004	1	5	0.14	1	00	10	50	1.05	5	0.00	10	10	1.00	000	0	0.00	10	500	15	0.04	5	0	10	5	10	0.04	5	00	5	7	00
32	§																																			
33	§																																			
34	§																																			
35	§																																			
36	§																																			
37	§																																			
38	§																																			
39	§																																			
40	§																																			
41	§																																			
42	§																																			
43	§																																			
44	§																																			
45	§																																			
46	§																																			
47	§																																			
48	§																																			
49	§																																			
50	§																																			
51	§																																			
52	§																																			
53	§																																			
54	§																																			
55	§																																			
56	§																																			
57	§																																			
58	§																																			
59	§																																			
60	§																																			
61	§																																			
62	§																																			
63	§																																			
64	§																																			
65	§																																			
66	§																																			
67	§																																			
68	§																																			
69	§																																			
70	§																																			

PDFfill PDF Editor with Free Writer and Tools

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zr
71	SEP087225	0.0	1.88	5	148	11	15	0.04	11	11	16	16	0.78	15	0.04	8	10	0.75	0.00	0	0.02	11	0.00	10	0.04	15	1	10	15	10	0.05	5	50	5	1	00
72																																				
73																																				
74																																				
75																																				
76																																				
77																																				
78																																				
79																																				
80																																				
81																																				
82																																				
83																																				
84																																				
85																																				
86																																				
87																																				
88																																				
89																																				
90																																				
91																																				
92																																				
93																																				
94																																				
95																																				
96																																				
97																																				
98																																				
99																																				
100																																				
101																																				
102																																				
103																																				
104																																				
105																																				
106																																				
107																																				
108																																				
109																																				
110																																				

PDFill PDF Editor with Free Writer and Tools

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zr
111																																				
112																																				
113																																				
114																																				
115																																				
116																																				
117																																				
118																																				
119																																				
120																																				
121																																				
122																																				
123																																				
124																																				
125																																				
126																																				
127	S8R286798	<0.2	1.23	5	296	<1	<5	0.37	<1	10	20	10	1.87	<5	0.10	22	10	0.38	230	<1	0.02	18	540	12	<0.01	<5	3	<10	<5	18	0.07	<5	38	<5	11	40
128	S8R286799	<0.2	1.16	10	352	<1	<5	0.58	<1	10	20	22	1.97	<5	0.07	18	10	0.39	300	<1	0.03	20	600	12	<0.01	<5	3	<10	<5	24	0.07	<5	40	<5	11	42
129	S8R286800	<0.2	1.05	5	264	<1	<5	0.37	<1	7	18	14	1.70	<5	0.04	14	10	0.34	165	<1	0.02	14	630	9	<0.01	<5	2	<10	<5	18	0.04	<5	36	<5	6	36
130	S8R286801	<0.2	1.00	10	176	<1	<5	0.21	<1	9	18	12	1.78	<5	0.05	12	10	0.34	155	1	0.02	17	520	9	<0.01	<5	2	<10	<5	10	0.05	<5	38	<5	4	36
131	S8R286802	<0.2	1.20	5	272	<1	<5	0.33	<1	8	20	14	1.73	<5	0.08	20	8	0.33	200	<1	0.02	13	420	9	<0.01	<5	3	<10	<5	16	0.06	<5	34	<5	11	30
132	S8R286803	<0.2	1.18	10	340	<1	<5	0.54	<1	11	22	20	2.07	<5	0.06	12	12	0.45	380	1	0.03	19	660	9	0.01	<5	3	<10	<5	28	0.05	<5	44	<5	6	52
133	S8R286804	<0.2	0.84	5	178	<1	<5	0.28	<1	7	16	14	1.50	<5	0.04	12	8	0.32	135	<1	0.02	14	660	6	<0.01	<5	2	<10	<5	14	0.05	<5	32	<5	5	34
134	S8R286805	<0.2	0.73	5	126	<1	<5	0.27	<1	8	14	14	1.45	<5	0.04	10	8	0.32	220	<1	0.02	15	670	6	<0.01	<5	2	<10	<5	12	0.05	<5	30	<5	5	34
135	S8R286806	<0.2	1.12	5	168	<1	<5	0.16	<1	6	12	10	1.51	<5	0.03	12	8	0.40	110	<1	0.02	10	300	6	<0.01	<5	2	<10	<5	8	0.03	<5	28	<5	5	26
136																																				
137																																				
138																																				
139																																				
140																																				
141																																				
142																																				
143																																				
144																																				
145																																				
146																																				
147																																				
148																																				
149																																				
150																																				

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
151	S8R286822	<0.2	1.16	<5	38	<1	<5	0.10	<1	0	4	0	1.74	<5	0.04	2	6	0.65	345	<1	0.02	6	220	6	<0.01	<5	1	<10	<5	4	0.04	<5	18	<5	3	22
152	S8R286823																																			
153	S8R286824																																			
154	S8R286825																																			
155	S8R286826																																			
156	S8R286827																																			
157	S8R286828																																			
158	S8R286829																																			
159	S8R286830																																			
160	S8R286831																																			
161	S8R286832																																			
162	S8R286833																																			
163	S8R286834																																			
164	S8R286835																																			
165	S8R286836																																			
166	S8R286837																																			
167	S8R286838																																			
168	S8R286839																																			
169	S8R286840																																			
170	S8R288275	<0.2	1.21	10	372	<1	<5	0.69	<1	11	20	24	2.09	<5	0.06	12	12	0.52	315	1	0.03	22	610	12	0.02	<5	3	<10	<5	28	0.05	<5	44	<5	6	54
171	S8R288276	<0.2	1.01	10	306	<1	<5	0.43	<1	10	18	24	1.92	<5	0.05	12	10	0.44	365	<1	0.03	22	560	9	<0.01	<5	3	<10	<5	14	0.05	<5	38	<5	7	42
172	S8R288277	<0.2	1.17	5	310	<1	<5	0.45	<1	11	20	20	1.93	<5	0.06	14	10	0.42	380	1	0.04	17	640	12	0.02	<5	3	<10	<5	24	0.06	<5	40	<5	8	46
173	S8R288278	<0.2	1.29	10	408	<1	<5	0.55	<1	12	22	22	2.17	<5	0.05	16	12	0.48	475	2	0.04	20	720	12	0.01	<5	3	<10	<5	28	0.06	<5	44	<5	10	48
174	S8R288279	<0.2	1.18	5	298	<1	<5	0.44	<1	9	20	18	1.97	<5	0.07	20	10	0.39	255	<1	0.03	17	670	9	<0.01	<5	3	<10	<5	20	0.06	<5	38	<5	10	46
175	S8R288280	<0.2	1.17	5	268	<1	<5	0.29	<1	6	16	10	1.71	<5	0.08	20	10	0.33	110	1	0.02	12	480	12	0.02	<5	2	<10	<5	18	0.05	<5	32	<5	10	40
176	S8R288281	<0.2	1.14	10	272	<1	<5	0.25	<1	7	20	16	1.88	<5	0.07	22	8	0.34	15	<1	0.02	15	460	12	<0.01	<5	3	<10	<5	14	0.07	<5	38	<5	13	36
177	S8R288282	<0.2	1.13	<5	168	<1	<5	0.15	<1	7	20	8	1.63	<5	0.13	16	8	0.34	120	1	0.02	10	250	9	<0.01	<5	2	<10	<5	8	0.06	<5	30	<5	8	22
178	S8R288283	<0.2	1.20	5	174	<1	<5	0.14	<1	7	18	8	1.81	<5	0.09	18	8	0.31	130	<1	0.02	10	250	9	<0.01	<5	2	<10	<5	8	0.05	<5	34	<5	8	26
179	S8R288284	<0.2	1.12	5	210	<1	<5	0.19	<1	7	18	12	1.69	<5	0.05	16	8	0.30	165	<1	0.02	11	230	9	<0.01	<5	3	<10	<5	10	0.06	<5	36	<5	7	26
180	S8R288285	<0.2	1.28	5	196	<1	<5	0.15	<1	7	18	10	1.93	<5	0.05	14	8	0.27	145	1	0.02	11	250	12	<0.01	<5	2	<10	<5	10	0.05	<5	42	<5	6	28
181	S8R288286	<0.2	1.22	5	182	<1	<5	0.15	<1	7	20	10	1.84	<5	0.05	14	8	0.32	145	<1	0.02	12	220	12	<0.01	<5	2	<10	<5	10	0.06	<5	44	<5	4	30
182	S8R288287	<0.2	1.40	5	162	<1	<5	0.12	<1	7	22	16	1.94	<5	0.04	14	10	0.33	140	1	0.02	13	100	12	<0.01	<5	3	<10	<5	8	0.06	<5	44	<5	6	28
183	S8R288288	<0.2	1.27	5	154	<1	<5	0.12	<1	7	18	14	1.83	<5	0.05	16	10	0.32	135	<1	0.02	13	160	12	<0.01	<5	2	<10	<5	8	0.06	<5	36	<5	7	26
184																																				
185																																				
186																																				
187																																				
188																																				
189																																				
190																																				

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zr
191	000000000	0.0	1.50	0.0	100	1	0.00	1	10	00	00	0.01	0.0	0.00	0.00	10	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
192																																				
193																																				
194																																				
195																																				
196																																				
197																																				
198																																				
199																																				
200																																				
201																																				
202																																				
203																																				
204																																				
205																																				
206																																				
207																																				
208																																				
209																																				
210																																				
211																																				
212																																				
213																																				
214																																				
215																																				
216																																				
217																																				
218																																				
219																																				
220																																				
221																																				
222																																				
223																																				
224																																				
225																																				
226																																				
227																																				
228																																				
229																																				
230																																				

PDFill PDF Editor with Free Writer and Tools

PDFill PDF Editor with Free Writer and Tools

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zr
271																																				
272																																				
273																																				
274																																				
275																																				
276																																				
277																																				
278																																				
279																																				
280																																				
281																																				
282																																				
283																																				
284																																				
285	S8R287239	<0.2	1.11	<5	244	<1	<5	0.15	<1	6	16	8	2.28	<5	0.23	32	6	0.30	465	1	0.02	10	420	18	<0.01	<5	3	<10	<5	16	0.09	<5	34	<5	10	64
286	S8R287240	<0.2	0.94	<5	130	<1	<5	0.11	<1	5	14	6	2.03	<5	0.15	14	6	0.30	215	1	0.02	10	270	9	<0.01	<5	3	<10	<5	12	0.08	<5	32	<5	6	32
287	S8R287241	<0.2	1.03	<5	196	<1	<5	0.10	<1	5	14	6	2.07	<5	0.21	24	6	0.29	295	1	0.02	8	210	12	<0.01	<5	3	<10	<5	14	0.08	<5	30	<5	8	42
288	S8R287242	<0.2	1.15	5	156	<1	<5	0.10	<1	5	20	6	2.09	<5	0.07	16	8	0.29	150	1	0.02	10	230	9	<0.01	<5	2	<10	<5	14	0.07	<5	44	<5	4	26
289	S8R287243	<0.2	1.33	5	206	<1	<5	0.11	<1	6	18	6	2.11	<5	0.13	14	8	0.36	230	2	0.03	11	240	12	<0.01	<5	3	<10	<5	16	0.07	<5	42	<5	5	32
290	S8R287244	<0.2	1.81	10	298	<1	<5	0.11	<1	8	30	16	3.06	<5	0.08	18	10	0.37	180	2	0.03	18	240	15	<0.01	<5	4	<10	<5	18	0.09	<5	62	<5	5	32
291	S8R287245	<0.2	1.31	10	180	<1	<5	0.11	<1	6	22	10	2.69	<5	0.09	20	12	0.36	170	2	0.03	13	170	12	<0.01	<5	3	<10	<5	16	0.09	<5	52	<5	5	32
292	S8R287246	<0.2	1.47	5	220	<1	<5	0.14	<1	7	26	8	2.72	<5	0.19	6	6	0.50	215	2	0.03	12	270	12	<0.01	<5	3	<10	<5	20	0.12	<5	48	<5	5	26
293	S8R287247	<0.2	1.45	10	338	<1	<5	0.11	<1	7	24	14	2.67	<5	0.14	44	8	0.40	195	2	0.03	15	100	12	<0.01	<5	4	<10	<5	18	0.10	<5	46	<5	17	26
294	S8R287248	<0.2	1.76	10	338	<1	<5	0.11	<1	9	26	14	3.41	<5	0.12	56	8	0.60	245	2	0.03	17	200	12	<0.01	<5	5	<10	<5	16	0.11	<5	60	<5	16	32
295	S8R287249	<0.2	1.28	10	200	<1	<5	0.13	<1	7	22	14	2.35	<5	0.08	26	10	0.36	160	2	0.03	15	210	12	<0.01	<5	3	<10	<5	16	0.09	<5	46	<5	9	30
296	S8R287250	<0.2	1.27	5	232	<1	<5	0.15	<1	7	26	12	2.29	<5	0.11	28	8	0.38	195	2	0.03	14	180	12	<0.01	<5	3	<10	<5	18	0.09	<5	40	<5	11	26
297	S8R287251	<0.2	1.39	5	252	1	<5	0.21	<1	8	24	14	2.68	<5	0.17	40	8	0.35	225	2	0.03	13	320	15	<0.01	<5	4	<10	<5	24	0.10	<5	44	<5	23	30
298	S8R287252	<0.2	1.14	10	390	<1	<5	0.36	<1	8	24	22	2.55	<5	0.05	20	10	0.40	360	2	0.03	21	590	12	<0.01	<5	4	<10	<5	30	0.08	<5	48	<5	10	50
299	S8R287253	<0.2	1.08	10	306	<1	<5	0.27	<1	9	22	18	2.55	<5	0.05	18	10	0.38	330	2	0.03	17	620	12	<0.01	<5	3	<10	<5	28	0.08	<5	46	<5	8	56
300	S8R287254	<0.2	1.53	10	368	<1	<5	0.35	<1	9	26	22	2.78	<5	0.10	24	10	0.44	310	2	0.04	19	520	15	<0.01	<5	4	<10	<5	38	0.10	<5	56	<5	14	50
301	S8R287255	<0.2	1.62	10	372	<1	<5	0.26	<1	17	24	16	2.83	<5	0.08	22	10	0.35	1090	3	0.03	14	570	15	0.02	<5	4	<10	<5	34	0.09	<5	58	<5	12	42
302	S8R287256	<0.2	1.35	5	332	<1	<5	0.33	<1	8	24	18	2.51	<5	0.07	20	10	0.39	275	1	0.03	17	460	12	<0.01	<5	4	<10	<5	32	0.10	<5	50	<5	9	42
303	S8R287257	<0.2	1.21	10	408	<1	<5	0.59	<1	11	26	24	3.01	<5	0.06	18	12	0.47	415	2	0.04	23	640	12	0.01	<5	4	<10	<5	52	0.09	<5	60	<5	9	62

QC DATA:**Repeat:**

1	S8R286491	<0.2	1.37	10	186	<1	<5	0.13	<1	11	26	20	2.35	<5	0.06	20	10	0.31	265	2	0.02	15	110	15	<0.01	<5	3	<10	<5	10	0.07	<5	50	<5	9	32
10	S8R286500	<0.2	0.24	<5	68	<1	<5	>10	<1	1	4	2	0.46	<5	0.11	<2	6	>10	215	<1	0.03	4	650	<3	<0.01	<5	<1	<10	<5	38	<0.01	<5	<2	<5	1	14
19	S8R287283	<0.2	1.82	10	312	<1	<5	0.18	<1	11	52	16	2.69	<5	0.07	20	14	0.61	190	2	0.02	26	120	15	<0.01	<5	4	<10	<5	10	0.06	<5	56	<5	8	30
28	-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
36																																				
45																																				
54																																				
63																																				

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zr
71	S8R287205	<0.2	1.00	5	180	<1	<5	0.31	<1	7	16	14	1.60	<5	0.04	14	8	0.34	140	<1	0.02	15	680	9	<0.01	<5	2	<10	<5	14	0.06	<5	36	<5	6	34
80																																				
89																																				
98																																				
106																																				
115																																				
124																																				
133	S8R286804	<0.2	0.86	5	184	<1	<5	0.31	<1	7	16	14	1.60	<5	0.04	14	8	0.34	140	<1	0.02	15	680	9	<0.01	<5	2	<10	<5	14	0.06	<5	36	<5	6	34
141																																				
150																																				
159																																				
168	S8R288281	<0.2	1.11	5	262	<1	<5	0.25	<1	7	18	16	1.85	<5	0.07	22	8	0.33	160	<1	0.02	14	470	9	<0.01	<5	3	<10	<5	14	0.06	<5	36	<5	13	36
176	S8R288281	<0.2	1.11	5	262	<1	<5	0.25	<1	7	18	16	1.85	<5	0.07	22	8	0.33	160	<1	0.02	14	470	9	<0.01	<5	3	<10	<5	14	0.06	<5	36	<5	13	36
185	S8R288280	<0.2	1.80	5	160	<1	<5	0.26	<1	11	12	14	2.71	<5	0.03	6	8	0.03	225	<1	0.03	8	270	8	<0.01	<5	3	<10	<5	12	0.04	<5	58	<5	2	46
194																																				
203																																				
211																																				
220																																				
229																																				
238																																				
246																																				
255																																				
264																																				
273																																				
281																																				
290	S8R287244	<0.2	1.76	10	290	<1	<5	0.11	<1	8	28	16	2.97	<5	0.08	18	10	0.36	175	2	0.03	18	240	15	<0.01	<5	3	<10	<5	16	0.09	<5	60	<5	5	32
299	S8R287253	<0.2	1.05	10	298	<1	<5	0.28	<1	9	22	18	2.54	<5	0.05	18	12	0.37	325	2	0.03	16	610	12	<0.01	<5	3	<10	<5	28	0.08	<5	48	<5	7	54

Standard:

TILL3	1.4	1.14	85	40	<1	<5	0.54	<1	14	64	22	1.97	<5	0.07	14	16	0.59	310	1	0.04	30	440	18	<0.01	<5	3	<10	<5	14	0.08	<5	38	<5	6	38
TILL3	1.4	1.16	85	42	<1	<5	0.56	<1	14	62	20	1.93	<5	0.07	14	16	0.61	305	1	0.04	30	440	21	<0.01	<5	3	<10	<5	14	0.08	<5	38	<5	6	38
TILL3	1.4	1.03	80	44	<1	<5	0.56	<1	15	66	22	2.04	<5	0.09	14	18	0.66	310	2	0.05	31	460	21	<0.01	<5	4	<10	<5	16	0.06	<5	40	<5	7	36
TILL3	1.4	1.14	75	36	<1	<5	0.56	<1	13	58	20	1.98	<5	0.08	16	16	0.60	305	<1	0.04	31	440	18	<0.01	<5	3	<10	<5	14	0.08	<5	36	<5	7	38
TILL3	1.4	1.02	80	38	<1	<5	0.55	<1	14	62	20	1.98	<5	0.09	16	16	0.61	305	<1	0.04	32	450	21	<0.01	<5	4	<10	<5	14	0.09	<5	38	<5	7	40
TILL3	1.4	1.08	80	38	<1	<5	0.56	<1	14	64	22	2.04	<5	0.08	16	16	0.59	315	1	0.04	33	470	21	<0.01	<5	4	<10	<5	14	0.09	<5	38	<5	7	36
TILL3	1.4	1.07	80	40	<1	<5	0.54	<1	12	62	22	2.12	<5	0.08	16	16	0.62	315	2	0.04	33	450	18	<0.01	<5	4	<10	<5	14	0.07	<5	40	<5	7	40
TILL3	1.4	1.09	80	40	<1	<5	0.54	<1	12	68	22	2.03	<5	0.08	16	14	0.59	300	1	0.04	33	460	18	<0.01	<5	4	<10	<5	16	0.07	<5	38	<5	8	40
TILL3	1.4	1.09	80	40	<1	<5	0.54	<1	12	68	22	2.13	<5	0.08	16	14	0.59	315	1	0.04	33	440	18	<0.01	<5	4	<10	<5	14	0.07	<5	38	<5	8	38

ICP: Aqua Regia Digest / ICP- AES Finish.

NM/EL

dt/1_8100AS/2_8100BS/1_8100CS

XLS/11


 ECO TECH LABORATORY LTD.
 Norman Monteith
 B.C. Certified Assayer

Eco Tech Laboratory Ltd.
10041 Dallas Drive
Kamloops, BC
V2C 6T4 Canada
Tel + 250 573 5700
Fax + 250 573 4557
Toll Free + 1 877 573 5755
www.stewartgroupglobal.com



StewartGroup
Geochemical & Assay

CERTIFICATE OF ANALYSIS AW 2011-8123

Kestrel Gold Corp.
#8-46225 Ranchero Drive
Chilliwack, BC
V4Z 0A5
Attn: Kevin Nephin

14-Jul-11

No. of samples received: 144
Sample Type: Soil
Project: Dawson Area
Shipment #: 4
Submitted by: All Terrane Mineral Expl

ET #.	Tag #	Au (ppb)
-------	-------	-------------

PDFill PDF Editor with Free Writer and Tools

Eco Tech Laboratory Ltd.
10041 Dallas Drive
Kamloops, BC
V2C 6T4 Canada
Tel + 250 573 5700
Fax + 250 573 4557
Toll Free + 1 877 573 5755
www.stewartgroupglobal.com



StewartGroup
Geochemical & Assay

Kestrel Gold Corp. AW11-8123

14-Jul-11

ET #.	Tag #	Au (ppb)
-------	-------	-------------

PDFill PDF Editor with Free Writer and Tools

Eco Tech Laboratory Ltd.
10041 Dallas Drive
Kamloops, BC
V2C 6T4 Canada
Tel + 250 573 5700
Fax + 250 573 4557
Toll Free + 1 877 573 5755
www.stewartgroupglobal.com



StewartGroup
Geochemical & Assay

Kestrel Gold Corp. AW11-8123

14-Jul-11

ET #.	Tag #	Au (ppb)
-------	-------	-------------

PDFill PDF Editor with Free Writer and Tools

Eco Tech Laboratory Ltd.
 10041 Dallas Drive
 Kamloops, BC
 V2C 6T4 Canada
 Tel + 250 573 5700
 Fax + 250 573 4557
 Toll Free + 1 877 573 5755
 www.stewartgroupglobal.com



StewartGroup
 Geochemical & Assay

Kestrel Gold Corp. AW11-8123

14-Jul-11

ET #.	Tag #	Au (ppb)
125	S8R280965	5
126	S8R280966	5
127	S8R280967	5
128	S8R280968	5
129	S8R280969	5
130	S8R280970	<5
131	S8R280971	<5
132	S8R280972	<5
133	S8R280973	5

PDFill PDF Editor with Free Writer and Tools

QC DATA:

Repeat:

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
210

Eco Tech Laboratory Ltd.
10041 Dallas Drive
Kamloops, BC
V2C 6T4 Canada
Tel + 250 573 5700
Fax + 250 573 4557
Toll Free + 1 877 573 5755
www.stewartgroupglobal.com



StewartGroup
Geochemical & Assay

Kestrel Gold Corp. AW11-8123

14-Jul-11


ET #.	Tag #	Au (ppb)
123	S8R280963	5
132	S8R280972	<5

Standard:

OXE86	610
OXG83	995
OXE86	600
OXG83	990
OXE86	615

FA Geochem/AA Finish

NM/cr/el
XLS/11


ECO TECH LABORATORY LTD.

Norman Monteith
B.C. Certified Assayer

PDFill PDF Editor with Free Writer and Tools

14-Jul-11

Stewart Group
ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4
www.stewartgroupglobal.com

ICP CERTIFICATE OF ANALYSIS AW 2011-8123

Kestrel Gold Corp.
#8-46225 Ranchero Drive
Chilliwack, BC
V4Z 0A5
Attn: Kevin Nephin

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 144
Sample Type: Soil
Project: Dawson Area
Shipment #: 4
Submitted by: All Terrane Mineral Expl

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
1																																				
2																																				
3																																				
4																																				
5																																				
6																																				
7																																				
8																																				
9																																				
10																																				
11																																				
12																																				
13																																				
14																																				
15																																				
16																																				
17																																				
18																																				
19																																				
20																																				
21																																				
22																																				
23																																				
24																																				
25																																				
26																																				
27																																				
28																																				
29																																				
30																																				

PDFill PDF Editor with Free Writer and Tools

PDFfill PDF Editor with Free Writer and Tools

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn	
125	S8R280965	<0.2	1.27	10	296	1	<5	0.13	<1	6	20	16	2.37	<5	0.14	46	10	0.34	160	2	0.03	14	120	12	<0.01	<5	5	<10	<5	14	0.06	<5	32	<5	47	30	
126	S8R280966	<0.2	1.15	<5	190	<1	<5	0.15	<1	6	20	12	2.23	<5	0.14	22	8	0.31	165	1	0.03	11	220	12	<0.01	<5	3	<10	<5	18	0.09	<5	36	<5	11	26	
127	S8R280967	<0.2	1.60	5	394	1	<5	0.22	<1	7	22	12	3.96	<5	0.40	62	6	0.41	260	1	0.03	14	440	12	<0.01	<5	6	<10	<5	22	0.11	<5	38	<5	29	26	
128	S8R280968	<0.2	1.68	5	230	1	<5	0.12	<1	8	22	12	3.37	<5	0.24	22	8	0.40	170	2	0.03	13	120	12	<0.01	<5	4	<10	<5	18	0.09	<5	44	<5	10	30	
129	S8R280969	<0.2	1.32	5	226	<1	<5	0.15	<1	7	24	18	2.50	<5	0.08	24	10	0.37	210	2	0.03	15	180	12	<0.01	<5	4	<10	<5	20	0.09	<5	44	<5	11	38	
130	S8R280970	<0.2	1.69	5	242	<1	<5	0.15	<1	9	34	14	3.35	<5	0.29	38	12	0.57	245	2	0.03	19	170	15	<0.01	<5	4	<10	<5	20	0.11	<5	44	<5	14	44	
131	S8R280971	<0.2	1.20	5	146	<1	<5	0.10	<1	6	18	10	2.31	<5	0.18	18	8	0.35	145	2	0.03	11	140	12	<0.01	<5	3	<10	<5	12	0.08	<5	36	<5	8	28	
132	S8R280972	<0.2	0.86	<5	102	<1	<5	0.09	<1	4	12	8	1.59	<5	0.09	30	8	0.20	115	1	0.02	7	130	15	<0.01	<5	2	<10	<5	10	0.06	<5	24	<5	18	22	
133	S8R280973	<0.2	0.77	<5	166	<1	<5	0.10	<1	4	12	8	1.61	<5	0.15	34	6	0.19	155	<1	0.02	7	110	15	<0.01	<5	3	<10	<5	12	0.06	<5	22	<5	27	20	

QC DATA:
Repeat:
1
10
19
28
36
45
54

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
133	S8R280973	<0.2	0.76	<5	168	<1	<5	0.10	<1	4	10	8	1.57	<5	0.15	32	6	0.19	155	1	0.02	7	120	15	<0.01	<5	2	<10	<5	12	0.05	<5	20	<5	26	20

Standard:

TILL3	1.4	1.10	75	38	<1	<5	0.56	<1	14	58	20	1.99	<5	0.10	16	18	0.58	305	1	0.04	31	460	21	<0.01	<5	4	<10	<5	18	0.09	<5	36	<5	7	40
TILL3	1.4	1.11	80	38	<1	<5	0.58	<1	14	62	20	2.03	<5	0.10	16	18	0.60	310	1	0.04	32	450	18	<0.01	<5	4	<10	<5	18	0.08	<5	38	<5	7	42
TILL3	1.4	1.10	75	40	<1	<5	0.55	<1	12	64	22	2.10	<5	0.09	16	16	0.60	315	2	0.05	33	460	18	0.01	<5	4	<10	<5	18	0.07	<5	38	<5	7	38
TILL3	1.6	1.07	75	38	<1	<5	0.54	<1	12	62	22	2.04	<5	0.09	16	16	0.59	320	1	0.05	32	440	21	<0.01	<5	4	<10	<5	16	0.09	<5	38	<5	7	40
TILL3	1.4	1.08	75	40	<1	<5	0.57	<1	12	60	22	2.03	<5	0.09	16	16	0.59	310	1	0.05	33	450	21	<0.01	<5	4	<10	<5	16	0.08	<5	38	<5	7	38

ICP: Aqua Regia Digest / ICP- AES Finish.

NM/cr/el
dt/2_8123AS/1_8123BS
XLS/11


ECO TECH LABORATORY LTD.
Norman Monteith
B.C. Certified Assayer

PDFill PDF Editor with Free Writer and Tools



CERTIFICATE OF ANALYSIS AW 2011-8124

Kestrel Gold Corp.
#8-46225 Ranchero Drive
Chilliwack, BC
V4Z 0A5
Attn: Kevin Nephin

08-Aug-11

No. of samples received: 296

Sample Type: Soil

Project: Dawson Area

Shipment #: 4

Submitted by: Darwin Wreggit

ET #.	Tag #	Au (ppb)
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		
29		

PDFill PDF Editor with Free Writer and Tools

Eco Tech Laboratory Ltd.
10041 Dallas Drive
Kamloops, BC
V2C 6T4 Canada
Tel + 250 573 5700
Fax + 250 573 4557
Toll Free + 1 877 573 5755
www.stewartgroupglobal.com



StewartGroup
Geochemical & Assay

Kestrel Gold Corp. AW11-8124

08-Aug-11

ET #.	Tag #	Au (ppb)
30		
31		
32		
33		
34		
35		
36		
37		
38		
39		
40		
41		
42		
43		
44		
45		
46		
47		
48		
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		
61		
62		
63		
64		
65		
66		
67		
68		
69		
70		
71		
72		

PDFill PDF Editor with Free Writer and Tools

Eco Tech Laboratory Ltd.
 10041 Dallas Drive
 Kamloops, BC
 V2C 6T4 Canada
 Tel + 250 573 5700
 Fax + 250 573 4557
 Toll Free + 1 877 573 5755
 www.stewartgroupglobal.com



StewartGroup
 Geochemical & Assay

Kestrel Gold Corp. AW11-8124

08-Aug-11

ET #.	Tag #	Au (ppb)
73		
74		
75		
76		
77		
78		
79		
80		
81		
82		
83		
84		
85		
86		
87		
88		
89		
90		
91		
92		
93	S8R281243	<5
94	S8R281244	<5
95	S8R281245	10
96	S8R281246	5
97	S8R281247	<5
98	S8R281248	5
99	S8R281249	430
100	S8R281250	<5
101	S8R281251	<5
102	S8R281252	<5
103	S8R281253	<5
104	S8R281254	<5
105	S8R281255	10
106	S8R281256	5
107	S8R281257	5
108	S8R281258	5
109		-
110	:	
111	:	
112	:	
113	:	
114	:	
115	:	

PDFill PDF Editor with Free Writer and Tools



Kestrel Gold Corp. AW11-8124

08-Aug-11

ET #.	Tag #	Au (ppb)
116		
117		
118		
119		
120		
121		
122		
123		
124		
125		
126		
127		
128		
129		
130		
131		
132		
133		
134		
135		
136		
137		
138		
139		
140		
141		
142		
143		
144		
145		
146		
147		
148		
149		
150		
151		
152		
153		
154		
155		
156		
157		
158		

PDFill PDF Editor with Free Writer and Tools



Kestrel Gold Corp. AW11-8124

08-Aug-11

ET #.	Tag #	Au (ppb)
159		
160		
161		
162		
163		
164		
165		
166		
167		
168		
169		
170		
171		
172		
173		
174		
175		
176		
177		
178		
179		
180		
181		
182		
183		
184		
185		
186		
187		
188		
189		
190		
191		
192		
193		
194		
195		
196		
197		
198		
199		
200	S8R286932	<5
201	S8R286933	<5

PDFill PDF Editor with Free Writer and Tools



Kestrel Gold Corp. AW11-8124

08-Aug-11

ET #.	Tag #	Au (ppb)
202	S8R286934	5
203	S8R286935	5
204	S8R287750	5
205		
206		
207		
208		
209		
210		
211		
212		
213		
214		
215		
216		
217		
218		
219		
220		
221		
222		
223		
224		
225		
226		
227		
228		
229		
230		
231		
232		
233		
234		
235		
236		
237		
238		
239		
240		
241		
242		
243		
244		

PDFill PDF Editor with Free Writer and Tools



Kestrel Gold Corp. AW11-8124

08-Aug-11

ET #.	Tag #	Au (ppb)
245		
246		
247		
248		
249		
250		
251		
252		
253		
254		
255		
256		
257		
258		
259		
260		
261		
262		
263		
264		
265		
266		
267		
268		
269		
270		
271		
272		
273		
274		
275		
276		
277		
278		
279		
280		
281		
282		
283		
284		
285		
286		
287		

PDFill PDF Editor with Free Writer and Tools



Kestrel Gold Corp. AW11-8124

08-Aug-11

ET #.	Tag #	Au (ppb)
288		
289		
290		
291		
292	S8R287846	5
293	S8R287847	10
294	S8R287848	5
295	S8R287849	10
296	S8R287850	<5

QC DATA:

Repeat:

1		
10		
20		
29		
36		
45		
55		
63		
74		
82		
89		
98	S8R281248	5
109		
115		
124		
133		
141		
151		
176		
185		
195		
203	S8R286935	<5
214		
221		
229		
238		
249		
256		
267		
273		

PDFill PDF Editor with Free Writer and Tools

Eco Tech Laboratory Ltd.
10041 Dallas Drive
Kamloops, BC
V2C 6T4 Canada
Tel + 250 573 5700
Fax + 250 573 4557
Toll Free + 1 877 573 5755
www.stewartgroupglobal.com



StewartGroup
Geochemical & Assay

Kestrel Gold Corp. AW11-8124

08-Aug-11

ET #.	Tag #	Au (ppb)
-------	-------	-------------

Standard:

OXE86	610
OXG83	990
OXE86	600
OXG83	1000
OXE86	620
OXG83	985
OXE86	610
OXG83	1000
OXE86	615

FA Geochem/AA Finish

NM/mb
XLS/11

PDFfill PDF Editor with Free Writer and Tools


ECO TECH LABORATORY LTD.
Norman Monteith
B.C. Certified Assayer

8-Aug-11

Stewart Group
ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4
www.stewartgroupglobal.com

ICP CERTIFICATE OF ANALYSIS AW 2011-8124

Kestrel Gold Corp.
#8-46225 Ranchero Drive
Chilliwack, BC
V4Z 0A5
Attn: Kevin Nephin

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 296
Sample Type: Soil
Project: Dawson Area
Shipment #: 4
Submitted by: Darwin Wreggit

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
1	000001151	0.0	1.15	10	0.00	1	5	0.17	1	0.00	0.01	0.00	0.05	5	0.00	0.1	10	0.15	0.05	0	0.00	0.0	100	15	0.01	5	5	10	5	10	0.07	5	50	5	1	1
2																																				
3																																				
4																																				
5																																				
6																																				
7																																				
8																																				
9																																				
10																																				
11																																				
12																																				
13																																				
14																																				
15																																				
16																																				
17																																				
18																																				
19																																				
20																																				
21																																				
22																																				
23																																				
24																																				
25																																				
26																																				
27																																				
28																																				
29																																				
30																																				

PDFfill PDF Editor with Free Writer and Tools

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
71	S8R281201	<0.2	1.00	10	148	<1	5	0.16	<1	5	12	14	2.20	<5	0.07	14	6	0.55	240	1	0.02	13	570	9	<0.01	<5	2	<10	<5	8	0.02	<5	26	<5	5	46
72																																				
73																																				
74																																				
75																																				
76																																				
77																																				
78																																				
79																																				
80																																				
81																																				
82																																				
83																																				
84																																				
85																																				
86																																				
87																																				
88																																				
89																																				
90																																				
91	S8R281241	<0.2	1.17	10	148	<1	5	0.16	<1	5	12	14	2.20	<5	0.07	14	6	0.55	240	1	0.02	13	570	9	<0.01	<5	2	<10	<5	8	0.02	<5	26	<5	5	46
92	S8R281242	<0.2	1.42	10	204	<1	5	0.24	<1	5	8	14	2.94	<5	0.04	22	6	0.62	250	1	0.03	7	500	9	<0.01	<5	3	<10	<5	12	0.02	<5	22	<5	8	38
93	S8R281243	<0.2	1.57	10	150	<1	5	0.08	<1	6	28	10	2.44	<5	0.14	14	8	0.33	180	2	0.03	13	90	18	<0.01	<5	3	<10	<5	10	0.07	<5	44	<5	8	32
94	S8R281244	<0.2	1.06	<5	184	1	<5	0.08	<1	3	8	4	2.01	<5	0.27	18	6	0.65	120	1	0.02	5	170	15	<0.01	<5	2	<10	<5	8	0.04	<5	22	<5	17	14
95	S8R281245	<0.2	1.69	10	226	<1	<5	0.10	<1	9	32	18	2.66	<5	0.06	20	12	0.36	215	2	0.03	21	100	15	<0.01	<5	5	<10	<5	12	0.09	<5	64	<5	11	44
96	S8R281246	<0.2	1.62	10	178	<1	<5	0.12	<1	5	16	6	1.94	<5	0.12	6	8	0.21	205	2	0.02	9	130	12	<0.01	<5	2	<10	<5	12	0.03	<5	36	<5	7	24
97	S8R281247	<0.2	1.57	10	136	<1	<5	0.08	<1	5	20	10	2.07	<5	0.07	24	8	0.21	140	2	0.02	11	90	21	<0.01	<5	3	<10	<5	10	0.05	<5	42	<5	15	28
98	S8R281248	<0.2	1.70	10	160	<1	5	0.10	<1	6	22	12	2.25	<5	0.07	18	10	0.25	150	4	0.02	13	100	21	<0.01	<5	3	<10	<5	10	0.06	<5	46	<5	8	30
99	S8R281249	<0.2	1.29	50	116	<1	5	1.33	<1	9	30	48	2.99	<5	0.11	6	8	0.58	425	11	0.10	35	730	9	0.09	<5	5	<10	<5	42	0.14	<5	60	<5	7	52
100	S8R281250	<0.2	0.09	<5	20	<1	<5	>10	<1	<1	<2	<2	0.39	<5	0.05	<2	4	>10	200	<1	0.02	2	210	<3	<0.01	<5	<1	<10	<5	38	<0.01	<5	<2	<5	<1	14
101	S8R281251	<0.2	1.13	10	194	<1	<5	0.26	<1	6	22	14	1.88	<5	0.05	18	8	0.35	160	1	0.03	16	390	9	<0.01	<5	3	<10	<5	18	0.07	<5	42	<5	7	32
102	S8R281252	<0.2	1.16	5	138	<1	<5	0.10	<1	4	14	6	1.73	<5	0.10	10	6	0.21	165	1	0.02	8	120	9	<0.01	<5	2	<10	<5	10	0.05	<5	36	<5	5	20
103	S8R281253	<0.2	1.86	10	222	<1	<5	0.11	<1	7	28	16	2.56	<5	0.06	14	10	0.33	195	2	0.03	18	170	18	<0.01	<5	3	<10	<5	12	0.08	<5	62	<5	3	38
104	S8R281254	<0.2	0.71	<5	138	<1	<5	0.13	<1	3	12	4	1.10	<5	0.06	12	2	0.13	120	<1	0.02	5	200	6	<0.01	<5	1	<10	<5	14	0.07	<5	40	<5	2	14
105	S8R281255	<0.2	1.44	5	188	<1	<5	0.06	<1	3	14	6	1.73	<5	0.12	6	4	0.15	80	1	0.02	6	90	12	<0.01	<5	5	<10	<5	6	0.02	<5	22	<5	16	12
106	S8R281256	<0.2	1.52	5	168	<1	<5	0.08	<1	7	26	10	2.73	<5	0.31	16	10	0.48	150	1	0.02	12	100	9	<0.01	<5	4	<10	<5	10	0.08	<5	38	<5	5	30
107	S8R281257	<0.2	4.33	10	578	3	<5	0.13	<1	20	84	12	9.16	<5	1.69	32	20	2.55	545	2	0.04	7	240	24	<0.01	<5	13	<10	5	14	0.25	<5	88	<5	19	42
108	S8R281258	<0.2	1.90	10	218	<1	<5	0.13	<1	9	34	12	2.74	<5	0.08	16	14	0.44	225	2	0.03	17	160	15	<0.01	<5	3	<10	<5	14	0.08	<5	56	<5	4	46
109																																				
110																																				

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
111																																				
112																																				
113																																				
114																																				
115																																				
116																																				
117																																				
118																																				
119																																				
120																																				
121																																				
122																																				
123																																				
124																																				
125																																				
126																																				
127																																				
128																																				
129																																				
130																																				
131																																				
132																																				
133																																				
134																																				
135																																				
136																																				
137																																				
138																																				
139																																				
140																																				
141																																				
142																																				
143																																				
144																																				
145																																				
146																																				
147																																				
148																																				
149																																				
150																																				

PDFfill PDF Editor with Free Writer and Tools

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
151																																				
152																																				
153																																				
154																																				
155																																				
156																																				
157																																				
158																																				
159																																				
160																																				
161																																				
162																																				
163																																				
164																																				
165																																				
166																																				
167																																				
168																																				
169																																				
170																																				
171																																				
172																																				
173																																				
174																																				
175																																				
176																																				
177																																				
178																																				
179																																				
180																																				
181																																				
182																																				
183																																				
184																																				
185																																				
186																																				
187																																				
188																																				
189																																				
190																																				

PDFfill PDF Editor with Free Writer and Tools

Et #	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
191																																				
192																																				
193																																				
194																																				
195																																				
196																																				
197																																				
198																																				
199	S8R286931	<0.2	1.18	5	140	<1	<5	0.28	<1	6	10	16	2.42	<5	0.06	24	4	0.36	305	<1	0.02	7	740	6	<0.01	<5	3	<10	<5	14	0.02	<5	20	<5	15	50
200	S8R286932	<0.2	1.28	10	388	<1	<5	0.59	<1	10	28	26	2.59	<5	0.07	16	14	0.54	420	2	0.05	23	750	12	<0.01	<5	4	<10	<5	34	0.07	<5	54	<5	9	76
201	S8R286933	<0.2	0.93	5	266	<1	<5	0.40	<1	6	22	16	1.76	<5	0.05	14	8	0.35	140	<1	0.03	15	630	9	<0.01	<5	3	<10	<5	22	0.06	<5	42	<5	6	44
202	S8R286934	<0.2	0.97	10	330	<1	<5	0.40	<1	8	24	12	2.13	<5	0.05	16	10	0.38	225	1	0.03	16	700	9	<0.01	<5	3	<10	<5	24	0.07	<5	50	<5	7	52
203	S8R286935	<0.2	1.00	10	282	<1	<5	0.46	<1	9	22	16	2.40	<5	0.05	16	10	0.40	205	1	0.04	16	740	9	<0.01	<5	3	<10	<5	26	0.07	<5	46	<5	8	58
204	S8R286936	<0.2	1.07	110	148	<1	<5	0.60	<1	14	32	48	4.71	<5	0.04	28	8	0.33	505	2	0.03	52	620	20	<0.01	<5	5	<10	<5	8	0.04	<5	44	<5	12	250
205																																				
206																																				
207																																				
208																																				
209																																				
210																																				
211																																				
212																																				
213																																				
214																																				
215																																				
216																																				
217																																				
218																																				
219																																				
220																																				
221																																				
222																																				
223																																				
224																																				
225																																				
226																																				
227																																				
228																																				
229																																				
230																																				

PDFfill PDF Editor with Free Writer and Tools

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
271	S8R287825	0.6	2.34	20	238	<1	5	0.08	<1	10	38	26	3.17	<5	0.04	16	14	0.68	315	3	0.02	27	280	33	<0.01	<5	4	<10	<5	10	0.08	<5	76	<5	6	158

PDF FILED BY
Free Writer and Tools

292	S8R287846	<0.2	1.17	10	444	<1	<5	0.42	<1	8	22	20	1.94	<5	0.06	14	10	0.37	255	2	0.03	22	560	12	<0.01	<5	3	<10	<5	26	0.06	<5	48	<5	6	58
293	S8R287847	<0.2	1.13	10	278	<1	<5	0.36	<1	8	26	22	1.98	<5	0.06	18	8	0.36	320	1	0.03	22	640	12	<0.01	<5	3	<10	<5	26	0.07	<5	48	<5	9	52
294	S8R287848	<0.2	0.95	10	188	<1	<5	0.36	<1	8	20	20	1.73	<5	0.05	16	8	0.33	285	2	0.03	18	630	9	<0.01	<5	3	<10	<5	26	0.06	<5	38	<5	7	44
295	S8R287849	<0.2	1.34	5	278	<1	<5	0.64	<1	7	20	12	1.71	<5	0.06	20	8	0.28	225	1	0.03	13	510	12	0.01	<5	3	<10	<5	38	0.05	<5	34	<5	13	44
296	S8R287850	<0.2	1.41	10	328	<1	<5	0.44	<1	8	22	18	1.81	<5	0.07	20	10	0.28	385	2	0.03	16	430	15	0.01	<5	3	<10	<5	32	0.06	<5	40	<5	12	42

QC DATA:**Repeat:**

1
10
19
28
36
45
54
63
71
80
89
98
106
115
124
133
141

98	S8R281248	<0.2	1.73	10	166	<1	<5	0.10	<1	6	24	12	2.33	<5	0.07	16	10	0.26	155	4	0.02	13	100	18	<0.01	<5	3	<10	<5	10	0.06	<5	44	<5	8	32
106	S8R281256	<0.2	1.50	5	168	<1	<5	0.08	<1	7	26	10	2.74	<5	0.30	16	10	0.47	150	1	0.03	12	90	9	<0.01	<5	4	<10	<5	10	0.08	<5	38	<5	5	32
115	S8R282247	<0.2	1.34	5	188	<1	<5	0.36	<1	8	20	20	1.73	<5	0.05	16	8	0.33	285	2	0.03	18	630	9	<0.01	<5	3	<10	<5	26	0.06	<5	38	<5	7	44


Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
203	S8R286935	<0.2	0.96	10	272	<1	<5	0.46	<1	9	22	16	2.35	<5	0.05	18	10	0.39	205	1	0.04	15	730	9	<0.01	<5	3	<10	<5	28	0.07	<5	46	<5	8	54

Standard:

Till3	1.4	1.14	85	40	<1	<5	0.53	<1	11	70	20	2.05	<5	0.10	16	18	0.58	315	2	0.04	33	450	18	<0.01	<5	4	<10	<5	14	0.09	<5	40	<5	7	40
Till3	1.6	1.13	90	40	<1	<5	0.55	<1	11	66	24	1.94	<5	0.09	14	18	0.57	320	1	0.04	32	440	21	<0.01	<5	4	<10	<5	14	0.08	<5	40	<5	7	38
Till3	1.4	1.17	90	40	<1	5	0.55	<1	12	70	20	2.07	<5	0.10	16	16	0.59	310	2	0.04	34	460	21	<0.01	<5	4	<10	<5	14	0.08	<5	38	<5	7	38
Till3	1.4	1.09	80	38	<1	<5	0.54	<1	11	68	22	1.98	<5	0.10	14	16	0.61	315	1	0.05	30	450	21	<0.01	<5	3	<10	<5	14	0.09	<5	38	<5	6	42
Till3	1.6	1.10	85	36	<1	<5	0.53	<1	11	66	22	1.90	<5	0.10	14	16	0.58	315	<1	0.04	30	430	18	<0.01	<5	4	<10	<5	12	0.09	<5	38	<5	7	38
Till3	1.4	1.15	90	38	<1	<5	0.56	<1	12	70	20	2.01	<5	0.10	16	16	0.60	310	2	0.04	32	440	21	<0.01	<5	4	<10	<5	14	0.09	<5	38	<5	7	40
Till3	1.4	1.13	90	40	<1	<5	0.53	<1	12	68	20	1.99	<5	0.09	14	16	0.56	305	2	0.04	32	460	21	<0.01	<5	4	<10	<5	16	0.09	<5	38	<5	7	38
Till3	1.6	1.13	90	40	<1	<5	0.54	<1	12	68	20	1.99	<5	0.09	16	16	0.56	305	2	0.04	32	460	21	<0.01	<5	4	<10	<5	16	0.09	<5	38	<5	7	38
Till3	1.4	1.18	85	38	<1	<5	0.55	<1	11	66	22	2.04	<5	0.09	16	16	0.53	315	2	0.04	30	440	21	<0.01	<5	3	<10	<5	14	0.09	<5	36	<5	6	38

ICP: Aqua Regia Digest / ICP- AES Finish.

NM/mb
dl/1_8124AS/1_8124BS/1_8124CS
XLS/11


ECO TECH LABORATORY LTD.
Norman Monteith
B.C. Certified Assayer



CERTIFICATE OF ANALYSIS AW 2011-8151

Kestrel Gold Corp.
 #8-46225 Ranchero Drive
Chilliwack, BC
 V4Z 0A5
 Attn: Kevin Nephin

15-Aug-11

No. of samples received: 240

Sample Type: Soil

Project: Dawson Area

Submitted by: Darwin Wreggit

ET #.	Tag #	Au (ppb)
1	S8R280974	<5
2	S8R280975	5
3	S8R280976	10
4	S8R280977	<5
5	S8R280978	5
6	S8R280979	5
7	S8R280980	<5
8	S8R280981	5
9	S8R280982	10
10	S8R280983	<5
11	S8R280984	10
12	S8R280985	<5
13	S8R280986	20
14	S8R280987	10
15	S8R280988	5
16	S8R280989	<5
17	S8R280990	5
18	S8R280991	10
19	S8R280992	<5
20	S8R280993	5
21	S8R280994	10
22	S8R280995	<5
23	S8R280996	5
24	S8R280997	5
25	S8R280998	5
26	S8R280999	5
27	S8R281000	<5
28	S8R281001	<5
29	S8R281002	<5
30	S8R281003	10



Kestrel Gold Corp. AW11-8151

15-Aug-11

ET #.	Tag #	Au (ppb)
31	S8R281004	5
32	S8R281005	5
33	S8R281006	<5
34	S8R281007	<5
35	S8R281008	<5
36	S8R281009	<5
37	S8R281010	5
38	S8R281011	<5
39	S8R281012	15
40	S8R281013	<5
41	S8R281014	<5
42	S8R281015	<5
43	S8R281016	5
44	S8R281017	<5
45	S8R281018	10
46	S8R281019	<5
47	S8R281020	5
48	S8R281021	5
49	S8R281022	5
50	S8R281023	<5
51	S8R281024	5
52	S8R281025	<5
53	S8R281026	5
54	S8R281027	<5
55	S8R281028	<5
56	S8R281029	10
57	S8R281030	5
58	S8R281031	<5
59	S8R281032	5
60	S8R281033	<5
61	S8R281034	<5
62	S8R281035	<5
63	S8R281036	10
64	S8R281037	<5
65	S8R281038	10
66		
67		
68		
69		
70		
71		
72		
73		
74		

PDFill PDF Editor with Free Writer and Tools

Eco Tech Laboratory Ltd.
10041 Dallas Drive
Kamloops, BC
V2C 6T4 Canada
Tel + 250 573 5700
Fax + 250 573 4557
Toll Free + 1 877 573 5755
www.stewartgroupglobal.com



StewartGroup
Geochemical & Assay

Kestrel Gold Corp. AW11-8151

15-Aug-11

ET #.	Tag #	Au (ppb)
75		
76		
77		
78		
79		
80		
81		
82		
83		
84		
85		
86		
87		
88		
89		
90		
91		
92		
93		
94		
95		
96		
97		
98		
99		
100		
101		
102		
103		
104		
105		
106		
107		
108		
109		
110		
111		
112		
113		
114		
115		
116		
117		
118		

PDFill PDF Editor with Free Writer and Tools



Kestrel Gold Corp. AW11-8151

15-Aug-11

ET #.	Tag #	Au (ppb)
119		
120		
121		
122		
123		
124		
125		
126		
127		
128		
129		
130	S8R286936	<5
131	S8R286937	<5
132	S8R286938	<5
133	S8R286939	<5
134	S8R286940	<5
135	S8R286941	5
136	S8R286942	5
137	S8R286943	<5
138	S8R286944	<5
139	S8R286945	5
140	S8R286946	5
141	S8R286947	15
142	S8R286948	10
143	S8R286949	400
144	S8R286950	5
145	S8R286951	5
146	S8R286952	10
147	S8R286953	5
148	S8R286954	5
149	S8R286955	10
150	S8R286956	25
151	S8R286957	10
152	S8R286958	35
153	S8R286959	15
154	S8R286960	10
155	S8R286961	5
156	S8R286962	10
157	S8R286963	5
158	S8R286964	10
159	S8R286965	5
160	S8R286966	5
161	S8R286967	5
162	S8R286968	5

PDFfill PDF Editor with Free Writer and Tools



Kestrel Gold Corp. AW11-8151

15-Aug-11

ET #.	Tag #	Au (ppb)
163	S8R286969	5
164	S8R286970	5
165	S8R286971	5
166	S8R286972	<5
167	S8R286973	5
168	S8R286974	5
169	S8R286975	5
170	S8R286976	5
171	S8R286977	5
172	S8R286978	20
173	S8R286979	10
174	S8R286980	10
175	S8R286981	5
176	S8R286982	5
177	S8R286983	5
178	S8R286984	10
179	S8R286985	<5
180	S8R286986	5
181	S8R286987	20
182	S8R286988	<5
183	S8R286989	<5
184	S8R286990	5
185	S8R286991	<5
186	S8R286992	10
187	S8R286993	<5
188	S8R286994	<5
189	S8R286995	<5
190	S8R286996	<5
191	S8R286997	<5
192		
193		
194		
195		
196		
197		
198		
199		
200		
201		
202		
203		
204		
205		
206		

PDFill PDF Editor with Free Writer and Tools

Eco Tech Laboratory Ltd.
 10041 Dallas Drive
 Kamloops, BC
 V2C 6T4 Canada
 Tel + 250 573 5700
 Fax + 250 573 4557
 Toll Free + 1 877 573 5755
 www.stewartgroupglobal.com



StewartGroup
 Geochemical & Assay

Kestrel Gold Corp. AW11-8151

15-Aug-11

ET #.	Tag #	Au (ppb)
207		
208		
209		
210		
211		
212		
213		
214		
215		
216		
217		
218		
219		
220		
221		
222		
223		
224		
225		
226		
227		
228		
229		
230		
231		
232		
233		
234		
235		
236		
237		
238		
239		
240		

PDFill PDF Editor with Free Writer and Tools

QC DATA:

Repeat:

4	S8R280977	5
10	S8R280983	<5
19	S8R280992	5
28	S8R281001	<5
36	S8R281009	<5
45	S8R281018	<5

Eco Tech Laboratory Ltd.
 10041 Dallas Drive
 Kamloops, BC
 V2C 6T4 Canada
 Tel + 250 573 5700
 Fax + 250 573 4557
 Toll Free + 1 877 573 5755
 www.stewartgroupglobal.com



StewartGroup
 Geochemical & Assay

Kestrel Gold Corp. AW11-8151

15-Aug-11

ET #.	Tag #	Au (ppb)
55	S8R281028	<5
63	S8R281036	5
66		
68		
71		
74		
79		
81		
89		
98		
106		
115		
124	S8R281037	<5
133	S8R286939	<5
141	S8R286947	10
150	S8R286956	15
159	S8R286965	5
168	S8R286974	5
176	S8R286982	10
186	S8R286992	10
192		
195		
197		
211		
221		
229		
233		


PDFfill PDF Editor with Free Writer and Tools

Standard:

OXX86	590
OXX68	605
OXE86	590
OXE86	605
OXX86	615
OXX86	610
OXE86	600

FA Geochem/AA Finish

NM/mb/el
 XLS/11


ECO TECH LABORATORY LTD.
 Norman Monteith
 B.C. Certified Assayer

15-Aug-11

Stewart Group
ECO TECH LABORATORY LTD.
 10041 Dallas Drive
KAMLOOPS, B.C.
 V2C 6T4
www.stewartgroupglobal.com

ICP CERTIFICATE OF ANALYSIS AW 2011-8151

Kestrel Gold Corp.
 #8-46225 Ranchero Drive
Chilliwack, BC
 V4Z 0A5
 Attn: Kevin Nephin

Phone: 250-573-5700
 Fax : 250-573-4557

No. of samples received: 240

Sample Type: Soil

Project: Dawson Area

Submitted by: Darwin Wreggit

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
1	S8R280974	<0.2	1.18	<5	118	1	<5	0.10	<1	5	14	8	1.96	<5	0.06	16	8	0.19	150	1	0.02	8	120	24	<0.01	<5	3	<10	<5	8	0.05	<5	26	<5	17	26
2	S8R280975	<0.2	1.00	<5	152	<1	<5	0.11	<1	5	16	8	1.28	<5	0.02	16	6	0.11	115	1	0.02	5	140	12	<0.01	<5	2	<10	<5	12	0.07	<5	42	<5	4	20
3	S8R280976	<0.2	1.32	10	240	2	<5	0.12	<1	7	22	24	2.65	<5	0.05	142	10	0.23	205	2	0.02	13	90	27	<0.01	<5	7	<10	<5	12	0.07	<5	42	<5	158	30
4	S8R280977	<0.2	0.94	5	182	<1	<5	0.18	<1	6	14	8	2.05	<5	0.08	46	8	0.22	245	<1	0.02	9	210	15	<0.01	<5	3	<10	<5	14	0.08	<5	28	<5	31	22
5	S8R280978	<0.2	1.34	5	268	1	<5	0.09	<1	8	16	8	0.78	<5	0.16	86	8	0.28	220	2	0.02	9	150	12	<0.01	<5	4	<10	<5	10	0.09	<5	28	5	36	20
6	S8R280979	<0.2	1.31	5	198	<1	<5	0.16	<1	7	14	6	2.60	<5	0.14	30	8	0.31	240	2	0.02	9	280	12	<0.01	<5	3	<10	<5	12	0.09	<5	30	<5	11	24
7	S8R280980	<0.2	1.17	<5	108	<1	<5	0.11	<1	6	14	6	2.12	<5	0.10	22	8	0.28	185	1	0.02	8	230	9	<0.01	<5	2	<10	<5	10	0.09	<5	30	<5	10	18
8	S8R280981	<0.2	1.06	5	170	<1	<5	0.20	<1	6	18	12	1.96	<5	0.08	32	8	0.30	190	<1	0.03	11	240	9	<0.01	<5	3	<10	<5	16	0.09	<5	36	<5	16	26
9	S8R280982	<0.2	1.34	5	194	<1	<5	0.22	<1	10	44	12	2.40	<5	0.09	36	10	0.51	285	1	0.02	23	230	12	<0.01	<5	4	<10	<5	18	0.11	<5	46	<5	20	30
10	S8R280983	<0.2	0.98	5	170	<1	<5	0.21	<1	7	16	12	1.80	<5	0.06	30	8	0.23	205	<1	0.02	10	240	12	<0.01	<5	3	<10	<5	16	0.10	<5	36	<5	15	26
11	S8R280984	<0.2	1.44	10	212	<1	<5	0.16	<1	8	22	16	2.52	<5	0.08	26	12	0.32	240	2	0.03	14	260	18	<0.01	<5	3	<10	<5	16	0.09	<5	50	<5	10	36
12	S8R280985	<0.2	1.34	5	124	<1	<5	0.14	<1	8	26	8	2.24	<5	0.07	16	10	0.32	240	1	0.02	13	170	12	<0.01	<5	3	<10	<5	12	0.09	<5	40	<5	9	28
13	S8R280986	<0.2	1.22	5	180	<1	<5	0.21	<1	9	26	12	2.11	<5	0.07	24	12	0.35	235	1	0.02	15	290	12	<0.01	<5	3	<10	<5	16	0.09	<5	38	<5	9	36
14	S8R280987	<0.2	1.23	5	210	<1	<5	0.21	<1	8	20	12	2.09	<5	0.05	26	10	0.28	205	1	0.03	12	200	12	<0.01	<5	3	<10	<5	16	0.09	<5	44	<5	10	40
15	S8R280988	<0.2	1.46	10	254	<1	<5	0.22	<1	9	24	14	2.27	<5	0.03	22	12	0.33	235	1	0.03	14	330	12	<0.01	<5	3	<10	<5	18	0.09	<5	48	<5	8	46
16	S8R280989	<0.2	1.26	10	282	<1	<5	0.22	<1	8	22	14	2.27	<5	0.04	26	12	0.30	205	2	0.03	14	440	12	0.01	<5	3	<10	<5	18	0.07	<5	44	<5	12	46
17	S8R280990	0.2	1.28	10	400	<1	<5	0.44	<1	11	22	18	2.24	<5	0.03	18	12	0.35	475	2	0.03	16	570	12	0.01	<5	3	<10	<5	26	0.07	<5	48	<5	8	52
18	S8R280991	<0.2	1.35	10	418	<1	<5	0.44	<1	11	24	18	2.53	<5	0.04	28	14	0.35	435	2	0.03	17	620	15	0.01	<5	4	<10	<5	30	0.07	<5	50	<5	15	60
19	S8R280992	<0.2	1.05	10	308	<1	<5	0.51	<1	11	22	24	2.21	<5	0.03	14	14	0.40	370	2	0.04	23	760	12	<0.01	<5	3	<10	<5	28	0.07	<5	48	<5	8	58
20	S8R280993	<0.2	1.17	10	360	<1	<5	0.39	<1	10	22	18	2.14	<5	0.03	16	14	0.36	330	2	0.03	17	570	12	<0.01	<5	3	<10	<5	24	0.07	<5	48	<5	7	56
21	S8R280994	<0.2	1.10	10	180	<1	<5	0.18	<1	9	20	10	1.99	<5	0.04	26	10	0.25	415	1	0.03	12	440	12	<0.01	<5	2	<10	<5	14	0.06	<5	42	<5	10	42
22	S8R280995	<0.2	0.78	5	134	<1	<5	0.29	<1	6	16	8	1.49	<5	0.02	14	8	0.30	200	<1	0.03	11	620	6	<0.01	<5	2	<10	<5	20	0.07	<5	38	<5	5	38
23	S8R280996	<0.2	1.04	5	156	<1	<5	0.15	<1	6	18	12	1.84	<5	0.04	28	10	0.24	210	1	0.02	11	190	9	<0.01	<5	3	<10	<5	14	0.07	<5	36	<5	12	28
24	S8R280997	<0.2	1.24	5	152	<1	<5	0.09	<1	6	18	12	1.98	<5	0.04	20	10	0.23	205	1	0.02	11	100	12	<0.01	<5	2	<10	<5	10	0.06	<5	38	<5	8	28
25	S8R280998	<0.2	1.46	10	262	<1	<5	0.10	<1	10	24	12	2.63	<5	0.02	10	14	0.27	1325	2	0.02	13	290	15	<0.01	<5	3	<10	<5	10	0.07	<5	68	<5	3	44
26	S8R280999	<0.2	1.51	5	196	<1	<5	0.06	<1	5	18	10	2.65	<5	0.12	120	4	0.22	190	2	0.02	6	110	9	<0.01	<5	4	<10	<5	8	0.03	<5	18	<5	59	26
27	S8R281000	<0.2	1.38	10	190	<1	<5	0.16	<1	11	30	16	2.80	<5	0.04	12	14	0.43	325	2	0.03	21	210	15	<0.01	<5	3	<10	<5	14	0.08	<5	60	<5	3	50
28	S8R281001	<0.2	1.37	10	158	<1	<5	0.11	<1	9	28	26	2.56	<5	0.05	24	12	0.37	220	2	0.02	21	140	12	<0.01	<5	4	<10	<5	14	0.08	<5	52	<5	9	48
29	S8R281002	<0.2	1.48	5	324	<1	<5	0.16	<1	8	18	6	2.32	<5	0.09	12	12	0.28	335	2	0.02	12	240	12	<0.01	<5	2	<10	<5	16	0.06	<5	40	<5	4	32
30	S8R281003	<0.2	1.35	10	152	<1	<5	0.12	<1	10	28	20	2.59	<5	0.05	28	12	0.37	255	2	0.03	20	140	12	<0.01	<5	4	<10	<5	14	0.09	<5	52	<5	8	40

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
31	S8R281004	0.4	1.31	10	480	<1	<5	0.50	<1	7	22	20	2.22	<5	0.10	74	12	0.38	720	2	0.03	15	470	18	0.02	<5	4	<10	<5	28	0.05	<5	36	<5	47	38
32	S8R281005	<0.2	1.40	10	242	<1	<5	0.36	<1	11	28	20	2.95	<5	0.15	12	12	0.69	665	2	0.03	17	380	15	<0.01	<5	5	<10	<5	18	0.09	<5	48	<5	8	78
33	S8R281006	0.2	2.42	10	290	<1	<5	0.15	<1	21	156	28	3.53	<5	0.14	8	20	2.09	560	3	0.03	69	210	39	<0.01	<5	4	<10	<5	12	0.19	<5	70	<5	3	184
34	S8R281007	<0.2	1.43	5	212	<1	<5	0.19	<1	14	92	20	2.41	<5	0.04	14	14	1.13	275	2	0.02	46	170	24	<0.01	<5	3	<10	<5	12	0.13	<5	54	<5	4	60
35	S8R281008	<0.2	1.42	5	398	<1	<5	0.21	<1	10	28	14	2.28	<5	0.03	22	14	0.62	210	1	0.03	16	130	12	<0.01	<5	3	<10	<5	18	0.10	<5	48	<5	9	38
36	S8R281009	<0.2	1.42	10	244	<1	<5	0.18	<1	12	42	16	2.39	<5	0.02	12	16	0.61	205	2	0.03	22	270	15	<0.01	<5	2	<10	<5	14	0.08	<5	50	<5	3	46
37	S8R281010	<0.2	1.42	5	486	<1	<5	0.21	<1	11	28	16	2.32	<5	0.02	22	14	0.57	215	2	0.03	17	130	12	<0.01	<5	4	<10	<5	20	0.09	<5	50	<5	10	40
38	S8R281011	0.2	1.46	5	974	<1	<5	0.32	<1	7	18	12	1.82	<5	0.05	46	10	0.58	170	2	0.02	14	370	12	0.04	<5	3	<10	<5	26	0.06	<5	30	<5	24	36
39	S8R281012	<0.2	1.22	10	376	<1	<5	0.29	<1	10	20	16	2.06	<5	0.03	22	12	0.37	190	2	0.03	15	350	12	0.02	<5	3	<10	<5	20	0.07	<5	42	<5	10	40
40	S8R281013	0.2	1.28	5	230	<1	<5	0.25	<1	5	18	14	1.57	<5	0.05	38	8	0.38	130	2	0.02	11	420	18	0.03	<5	2	<10	<5	16	0.06	<5	30	<5	14	42
41	S8R281014	<0.2	1.24	5	188	<1	<5	0.12	<1	8	22	12	1.96	<5	0.05	14	10	0.46	215	1	0.02	14	120	12	<0.01	<5	2	<10	<5	12	0.07	<5	38	<5	5	46
42	S8R281015	<0.2	1.32	5	250	<1	<5	0.07	<1	7	22	12	1.92	<5	0.08	12	8	0.67	235	1	0.02	8	110	21	<0.01	<5	2	<10	<5	6	0.06	<5	26	<5	6	70
43	S8R281016	<0.2	1.27	10	404	<1	<5	0.26	<1	13	30	28	2.77	<5	0.05	26	10	0.61	345	2	0.03	19	350	12	<0.01	<5	5	<10	<5	22	0.11	<5	52	<5	18	48
44	S8R281017	<0.2	1.21	<5	158	<1	<5	0.06	<1	5	10	6	1.48	<5	0.06	26	8	0.71	240	1	0.02	7	150	24	<0.01	<5	1	<10	<5	6	0.05	<5	20	<5	10	96
45	S8R281018	<0.2	1.43	10	268	<1	<5	0.14	<1	10	24	18	2.35	<5	0.04	40	12	0.66	250	1	0.02	16	100	21	<0.01	<5	3	<10	<5	12	0.08	<5	42	<5	15	54
46	S8R281019	<0.2	0.86	<5	328	<1	<5	0.06	<1	3	4	6	1.27	<5	0.09	42	4	0.59	205	2	0.02	3	70	12	<0.01	<5	2	<10	<5	8	0.04	<5	6	<5	28	52
47	S8R281020	<0.2	1.45	5	244	<1	<5	0.06	<1	6	16	8	2.15	<5	0.04	24	10	0.39	155	2	0.02	10	90	15	<0.01	<5	2	<10	<5	10	0.04	<5	30	<5	9	38
48	S8R281021	<0.2	1.27	5	196	<1	<5	0.07	<1	7	18	8	2.48	<5	0.05	12	12	0.44	210	2	0.02	9	130	18	<0.01	<5	2	<10	<5	8	0.07	<5	46	<5	5	44
49	S8R281022	<0.2	1.34	10	304	<1	<5	0.15	<1	9	28	16	2.56	<5	0.04	28	14	0.45	210	2	0.03	15	100	18	<0.01	<5	3	<10	<5	14	0.07	<5	50	<5	10	46
50	S8R281023	<0.2	1.38	10	270	<1	<5	0.12	<1	8	22	14	2.32	<5	0.03	20	12	0.38	180	2	0.02	13	170	15	<0.01	<5	3	<10	<5	12	0.07	<5	46	<5	6	38
51	S8R281024	<0.2	1.14	5	336	<1	<5	0.15	<1	6	18	10	1.79	<5	0.04	24	10	0.35	155	1	0.02	10	230	12	<0.01	<5	2	<10	<5	12	0.06	<5	34	<5	8	34
52	S8R281025	<0.2	1.10	10	246	<1	<5	0.16	<1	7	20	8	1.90	<5	0.03	16	10	0.34	195	1	0.02	10	270	12	<0.01	<5	2	<10	<5	12	0.06	<5	38	<5	5	36
53	S8R281026	<0.2	1.26	5	332	<1	<5	0.20	<1	8	22	12	2.06	<5	0.03	26	10	0.38	180	2	0.02	13	270	12	<0.01	<5	3	<10	<5	14	0.07	<5	42	<5	8	42
54	S8R281027	<0.2	1.10	5	338	<1	<5	0.25	<1	7	24	12	1.76	<5	0.06	40	10	0.47	180	2	0.02	11	310	18	<0.01	<5	3	<10	<5	16	0.07	<5	34	<5	15	50
55	S8R281028	<0.2	1.19	5	366	<1	<5	0.29	<1	8	22	12	1.85	<5	0.04	30	12	0.42	185	2	0.02	12	370	15	<0.01	<5	3	<10	<5	18	0.07	<5	38	<5	10	50
56	S8R281029	0.2	1.47	10	770	<1	<5	0.59	<1	12	22	12	2.12	<5	0.05	64	14	0.42	720	3	0.03	13	600	18	0.03	<5	3	<10	<5	34	0.06	<5	42	<5	24	58
57	S8R281030	<0.2	1.27	10	296	<1	<5	0.29	<1	10	30	28	2.41	<5	0.05	24	14	0.47	255	2	0.03	23	150	21	<0.01	<5	4	<10	<5	20	0.09	<5	52	<5	10	58
58	S8R281031	0.4	1.24	5	398	<1	<5	0.36	<1	12	48	14	2.17	<5	0.09	12	10	0.56	670	1	0.03	16	330	21	<0.01	<5	3	<10	<5	22	0.09	<5	44	<5	5	88
59	S8R281032	0.2	1.11	5	252	<1	<5	0.21	<1	9	32	20	1.91	<5	0.05	14	10	0.52	220	1	0.02	17	100	18	<0.01	<5	2	<10	<5	14	0.07	<5	36	<5	6	52
60	S8R281033	<0.2	1.03	5	246	<1	<5	0.21	<1	6	16	18	1.82	<5	0.07	16	10	0.39	205	1	0.02	11	150	15	<0.01	<5	2	<10	<5	16	0.06	<5	38	<5	5	42
61	S8R281034	<0.2	1.43	10	308	<1	<5	0.45	<1	13	44	42	2.75	<5	0.14	32	14	1.09	455	2	0.03	26	580	15	<0.01	<5	5	<10	<5	24	0.10	<5	46	<5	18	74
62	S8R281035	<0.2	1.25	5	208	<1	<5	0.32	<1	9	16	16	1.96	<5	0.14	32	10	0.51	415	2	0.02	11	680	12	<0.01	<5	3	<10	<5	20	0.06	<5	30	<5	16	68
63	S8R281036	<0.2	1.26	10	192	<1	<5	0.30	<1	12	30	36	2.60	<5	0.04	20	12	0.48	320	2	0.03	25	250	15	<0.01	<5	5	<10	<5	20	0.09	<5	52	<5	12	54
64	S8R281037	0.2	1.43	10	252	<1	<5	0.30	<1	11	26	20	2.56	<5	0.05	10	12	0.39	510	2	0.03	20	450	15	<0.01	<5	3	<10	<5	20	0.08	<5	54	<5	4	50
65	S8R281038	<0.2	1.43	10	288	<1	<5	0.32	<1	15	68	24	3.11	<5	0.07	16	14	0.81	400	2	0.03	23	240	15	<0.01	<5	5	<10	<5	22	0.13	<5	60	<5	7	68
66																																				
67																																				
68																																				
69																																				
70																																				

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
71	SRB291044	1.4	1.64	100	144	1.1	1.5	0.46	1.1	1.7	1.0	60	2.44	1.5	0.02	6.04	1.07	450	2	0.02	10	160	174	0.02	1.5	4	10	1.5	20	0.06	1.5	70	1.5	4	106	
72																																				
73																																				
74																																				
75																																				
76																																				
77																																				
78																																				
79																																				
80																																				
81																																				
82																																				
83																																				
84																																				
85																																				
86																																				
87																																				
88																																				
89																																				
90																																				
91																																				
92																																				
93																																				
94																																				
95																																				
96																																				
97																																				
98																																				
99																																				
100																																				
101																																				
102																																				
103																																				
104																																				
105																																				
106																																				
107																																				
108																																				
109																																				
110																																				

PDFill PDF Editor with Free Writer and Tools

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
111	S8R286934	<0.2	1.03	10	234	<1	<5	0.38	<1	7	18	16	2.03	<5	0.01	10	8	0.34	205	2	0.02	17	700	12	<0.01	<5	2	<10	<5	18	0.03	<5	46	<5	6	42
112																																				
113																																				
114																																				
115																																				
116																																				
117																																				
118																																				
119																																				
120																																				
121																																				
122																																				
123																																				
124																																				
125																																				
126																																				
127																																				
128																																				
129	S8R286936	<0.2	1.03	10	246	<1	<5	0.31	<1	7	18	16	2.03	<5	0.01	10	8	0.34	205	2	0.02	17	700	12	<0.01	<5	2	<10	<5	18	0.03	<5	46	<5	6	42
130	S8R286936	<0.2	1.03	10	246	<1	<5	0.31	<1	7	18	16	2.03	<5	0.01	10	8	0.34	205	2	0.02	17	700	12	<0.01	<5	2	<10	<5	18	0.03	<5	46	<5	6	42
131	S8R286937	<0.2	1.01	10	234	<1	<5	0.38	<1	9	20	24	2.08	<5	0.01	10	10	0.38	295	2	0.02	21	730	12	<0.01	<5	3	<10	<5	20	0.04	<5	44	<5	7	50
132	S8R286938	0.2	1.15	15	488	<1	<5	0.96	<1	12	22	30	2.47	<5	0.01	10	12	0.69	455	2	0.03	27	850	15	<0.01	<5	3	<10	<5	28	0.04	<5	50	<5	8	68
133	S8R286939	<0.2	0.98	10	234	<1	<5	0.47	<1	8	16	12	1.80	<5	<0.01	8	8	0.33	320	1	0.02	13	600	12	0.01	<5	2	<10	<5	24	0.03	<5	40	<5	6	50
134	S8R286940	<0.2	1.07	10	340	<1	<5	0.40	<1	7	20	16	1.93	<5	0.01	10	10	0.38	155	1	0.02	16	620	12	<0.01	<5	2	<10	<5	22	0.03	<5	46	<5	6	46
135	S8R286941	<0.2	0.98	10	324	<1	<5	0.49	<1	8	20	12	2.00	<5	<0.01	10	8	0.39	330	2	0.02	17	780	12	<0.01	<5	2	<10	<5	24	0.03	<5	44	<5	5	46
136	S8R286942	<0.2	1.01	10	292	<1	<5	0.47	<1	10	20	20	2.08	<5	0.01	12	10	0.42	265	2	0.03	20	860	12	<0.01	<5	2	<10	<5	24	0.04	<5	48	<5	7	50
137	S8R286943	0.2	0.85	10	238	<1	<5	1.77	<1	10	16	22	1.92	<5	0.02	8	8	0.63	335	1	0.03	22	810	12	<0.01	<5	3	<10	<5	44	0.04	<5	38	<5	6	52
138	S8R286944	<0.2	1.04	10	216	<1	<5	0.36	<1	7	18	12	1.94	<5	<0.01	8	8	0.35	200	2	0.02	14	620	12	<0.01	<5	2	<10	<5	18	0.03	<5	44	<5	4	44
139	S8R286945	<0.2	0.95	10	230	<1	<5	0.40	<1	9	18	24	2.19	<5	0.01	10	10	0.40	375	2	0.03	22	790	12	<0.01	<5	2	<10	<5	20	0.04	<5	40	<5	7	56
140	S8R286946	<0.2	1.04	10	264	<1	<5	0.52	<1	7	20	14	1.98	<5	0.01	8	8	0.39	240	2	0.03	17	700	12	0.01	<5	2	<10	<5	24	0.04	<5	44	<5	5	50
141	S8R286947	<0.2	1.15	5	254	<1	<5	0.31	<1	7	18	12	1.88	<5	0.01	12	10	0.35	200	1	0.02	14	560	12	<0.01	<5	2	<10	<5	18	0.04	<5	40	<5	7	46
142	S8R286948	<0.2	1.11	5	248	<1	<5	0.34	<1	5	16	8	1.61	<5	0.02	16	8	0.29	135	1	0.02	11	400	12	<0.01	<5	2	<10	<5	18	0.04	<5	32	<5	7	34
143	S8R286949	0.2	1.20	45	106	<1	<5	1.45	<1	10	28	50	3.05	<5	0.03	4	8	0.62	425	11	0.09	35	760	9	0.10	<5	4	<10	<5	36	0.09	<5	60	<5	8	52
144	S8R286950	<0.2	0.10	<5	26	<1	<5	>10	<1	<1	<2	8	0.46	<5	0.02	<2	4	>10	190	<1	0.01	3	210	<3	<0.01	<5	<1	<10	<5	36	<0.01	<5	<2	<5	<1	14
145	S8R286951	<0.2	1.00	5	248	<1	<5	0.42	<1	5	16	8	1.59	<5	0.02	12	6	0.29	175	2	0.02	10	420	9	<0.01	<5	2	<10	<5	20	0.04	<5	32	<5	6	34
146	S8R286952	<0.2	1.21	5	316	<1	<5	0.36	<1	7	18	14	1.94	<5	0.02	18	8	0.31	175	2	0.02	13	430	12	<0.01	<5	3	<10	<5	18	0.05	<5	40	<5	10	40
147	S8R286953	<0.2	1.29	5	266	<1	<5	0.22	<1	7	18	12	1.81	<5	0.02	16	6	0.26	220	2	0.02	11	220	12	<0.01	<5	2	<10	<5	14	0.05	<5	44	<5	6	36
148	S8R286954	0.2	1.43	10	268	<1	<5	0.26	<1	6	20	14	2.05	<5	0.01	16	8	0.33	165	2	0.02	13	330	12	<0.01	<5	3	<10	<5	16	0.05	<5	46	<5	7	42
149	S8R286955	<0.2	1.18	10	254	<1	<5	0.24	<1	7	20	14	1.86	<5	0.02	22	8	0.31	195	1	0.02	13	320	12	<0.01	<5	3	<10	<5	14	0.05	<5	42	<5	10	38
150	S8R286956	<0.2	1.09	5	252	<1	<5	0.26	<1	6	18	14	1.75	<5	0.01	22	8	0.31	170	2	0.02	12	380	12	<0.01	<5	2	<10	<5	14	0.04	<5	38	<5	10	36

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
151	S8R286957	<0.2	1.28	10	206	<1	<5	0.16	<1	7	22	18	2.05	<5	0.01	24	8	0.33	185	2	0.02	14	200	15	<0.01	<5	3	<10	<5	12	0.06	<5	48	<5	11	38
152	S8R286958	<0.2	1.46	10	170	<1	<5	0.13	<1	6	20	14	2.09	<5	0.01	16	8	0.31	165	2	0.02	13	190	15	<0.01	<5	2	<10	<5	10	0.06	<5	52	<5	6	38
153	S8R286959	<0.2	1.40	10	210	<1	<5	0.16	<1	8	24	20	2.23	<5	0.02	26	10	0.37	240	2	0.02	16	260	15	<0.01	<5	4	<10	<5	12	0.06	<5	50	<5	15	42
154	S8R286960	<0.2	1.87	10	294	<1	<5	0.15	<1	10	28	20	2.69	<5	0.01	26	10	0.40	275	2	0.02	19	120	15	<0.01	<5	4	<10	<5	12	0.07	<5	62	<5	13	46
155	S8R286961	<0.2	1.43	10	232	<1	<5	0.09	<1	7	24	14	2.31	<5	0.01	22	10	0.32	180	2	0.02	13	140	15	<0.01	<5	3	<10	<5	8	0.04	<5	50	<5	9	34
156	S8R286962	<0.2	1.64	10	364	<1	<5	0.26	<1	13	46	32	3.12	<5	0.01	20	10	0.59	415	2	0.02	23	230	18	<0.01	<5	8	<10	<5	14	0.05	<5	74	<5	17	60
157	S8R286963	0.2	2.17	10	134	<1	<5	0.09	<1	10	84	40	3.82	<5	0.03	4	10	1.14	530	2	0.02	31	250	30	<0.01	<5	4	<10	<5	6	0.08	<5	92	<5	5	76
158	S8R286964	0.2	1.55	10	168	<1	<5	0.06	<1	7	20	12	2.31	<5	0.01	8	8	0.27	235	2	0.02	13	240	39	<0.01	<5	2	<10	<5	6	0.04	<5	56	<5	3	58
159	S8R286965	<0.2	1.08	5	102	<1	<5	0.06	<1	6	8	10	1.46	<5	0.03	52	4	0.44	205	2	0.01	9	300	12	<0.01	<5	1	<10	<5	6	0.03	<5	16	<5	14	24
160	S8R286966	<0.2	1.12	10	136	<1	<5	0.04	<1	8	14	12	2.79	<5	0.01	92	6	0.18	390	4	0.02	10	350	21	<0.01	<5	2	<10	<5	6	0.03	<5	32	<5	70	30
161	S8R286967	<0.2	0.70	<5	74	<1	<5	0.01	<1	2	6	2	0.90	<5	0.03	20	2	0.17	115	3	0.01	4	150	9	<0.01	<5	<1	<10	<5	<2	0.01	<5	12	<5	12	20
162	S8R286968	<0.2	1.05	<5	70	<1	<5	0.03	<1	4	8	6	1.39	<5	0.06	12	4	0.43	225	1	0.01	5	80	12	<0.01	<5	1	<10	<5	2	0.04	<5	14	<5	8	40
163	S8R286969	<0.2	1.98	5	278	<1	<5	0.13	<1	25	64	22	3.16	<5	0.13	18	6	1.39	515	2	0.02	33	240	12	<0.01	<5	2	<10	<5	8	0.15	<5	48	<5	6	46
164	S8R286970	<0.2	1.54	5	258	<1	<5	0.12	<1	8	18	8	2.47	<5	0.03	44	6	0.82	225	2	0.02	10	210	12	<0.01	<5	3	<10	<5	8	0.10	<5	36	<5	22	32
165	S8R286971	<0.2	1.74	5	144	<1	<5	0.07	<1	16	54	2.75	<5	0.03	46	8	0.80	340	4	0.02	11	250	240	0.01	<5	2	<10	<5	8	0.06	<5	26	<5	15	264	
166	S8R286972	<0.2	2.18	<5	666	1	5	0.24	<1	18	74	36	3.40	<5	0.18	80	6	1.98	820	3	0.02	28	140	18	<0.01	<5	4	<10	<5	16	0.13	<5	52	<5	48	246
167	S8R286973	<0.2	1.46	<5	136	<1	<5	0.06	<1	5	12	10	2.01	<5	0.07	44	8	0.86	250	2	0.02	7	160	36	<0.01	<5	2	<10	<5	4	0.07	<5	18	<5	15	74
168	S8R286974	<0.2	1.74	5	140	<1	<5	0.06	<1	7	14	8	1.97	<5	0.11	86	6	1.38	315	2	0.02	7	130	21	<0.01	<5	2	<10	<5	6	0.09	<5	24	<5	15	62
169	S8R286975	<0.2	1.72	10	184	1	<5	0.11	<1	7	20	14	2.50	<5	0.02	62	12	0.70	240	2	0.02	13	190	30	<0.01	<5	2	<10	<5	8	0.08	<5	46	<5	30	88
170	S8R286976	0.4	1.58	10	310	<1	<5	0.15	<1	8	20	18	2.55	<5	0.08	56	10	0.80	260	2	0.02	11	380	21	<0.01	<5	2	<10	<5	10	0.08	<5	44	<5	20	72
171	S8R286977	<0.2	1.55	5	574	<1	<5	0.19	<1	8	24	18	2.50	<5	0.02	32	12	0.63	205	2	0.02	14	370	18	<0.01	<5	3	<10	<5	14	0.08	<5	50	<5	14	60
172	S8R286978	<0.2	1.63	10	402	<1	<5	0.21	<1	9	24	20	2.67	<5	0.02	26	10	0.51	215	2	0.02	17	490	21	<0.01	<5	2	<10	<5	14	0.06	<5	54	<5	12	68
173	S8R286979	<0.2	1.29	10	298	<1	<5	0.22	<1	8	20	14	2.34	<5	0.02	30	12	0.46	235	2	0.02	14	490	15	<0.01	<5	2	<10	<5	14	0.05	<5	46	<5	10	58
174	S8R286980	<0.2	1.29	10	450	<1	<5	0.36	<1	8	24	26	2.39	<5	0.01	22	12	0.49	250	2	0.03	21	720	15	<0.01	<5	3	<10	<5	20	0.05	<5	50	<5	11	66
175	S8R286981	<0.2	1.37	10	426	<1	<5	0.28	<1	7	22	14	2.44	<5	0.01	20	12	0.46	170	2	0.02	16	500	15	<0.01	<5	2	<10	<5	18	0.05	<5	54	<5	9	58
176	S8R286982	<0.2	1.28	10	226	<1	<5	0.19	<1	6	18	10	2.00	<5	0.01	24	8	0.39	155	2	0.02	12	510	15	<0.01	<5	2	<10	<5	12	0.04	<5	42	<5	8	48
177	S8R286983	<0.2	1.38	15	384	<1	<5	0.27	<1	6	20	12	2.54	<5	0.02	60	10	0.39	155	3	0.02	12	600	18	0.01	<5	2	<10	<5	16	0.04	<5	50	<5	20	48
178	S8R286984	<0.2	1.03	5	534	<1	<5	0.48	<1	8	24	12	2.15	<5	0.03	54	8	0.47	390	3	0.02	15	760	24	<0.01	<5	3	<10	<5	24	0.05	<5	44	<5	16	84
179	S8R286985	<0.2	1.71	5	646	<1	<5	0.45	<1	13	94	14	2.69	<5	0.12	22	8	1.08	375	2	0.02	12	400	15	<0.01	<5	4	<10	<5	20	0.09	<5	38	<5	8	52
180	S8R286986	<0.2	1.20	10	370	<1	<5	2.44	<1	10	32	32	2.15	<5	0.03	42	8	0.70	590	2	0.03	24	550	69	<0.01	<5	3	<10	<5	50	0.04	<5	34	<5	14	116
181	S8R286987	<0.2	1.62	5	426	<1	<5	0.33	<1	10	50	48	2.40	<5	0.05	42	10	1.01	325	2	0.03	24	150	45	<0.01	<5	5	<10	<5	18	0.08	<5	40	<5	31	76
182	S8R286988	<0.2	1.75	10	168	<1	<5	0.06	<1	6	22	14	2.12	<5	0.02	10	8	0.34	180	2	0.02	15	170	57	<0.01	<5	2	<10	<5	6	0.04	<5	46	<5	4	68
183	S8R286989	0.2	1.40	10	180	<1	<5	0.04	<1	4	14	18	1.85	<5	0.02	16	6	0.20	130	2	0.01	10	210	39	0.02	<5	1	<10	<5	6	0.03	<5	32	<5	6	46
184	S8R286990	0.2	1.88	5	156	<1	<5	0.16	<1	6	22	66	2.70	<5	0.09	22	6	1.04	715	2	0.02	14	520	15	<0.01	<5	2	<10	<5	6	0.07	<5	30	<5	8	128
185	S8R286991	0.6	1.63	10	244	<1	<5	0.18	<1	8	24	62	2.55	<5	0.06	14	8	0.69	1220	3	0.02	20	740	15	<0.01	<5	2	<10	<5	8	0.06	<5	40	<5	6	86
186	S8R286992	<0.2	1.34	5	302	<1	<5	0.22	<1	7	24	98	2.42	<5	0.03	50	6	0.65	470	2	0.02	23	270	12	<0.01	<5	5	<10	<5	10	0.05	<5	30	<5	30	76
187	S8R286993	<0.2	1.87	<5	262	<1	<5	0.26	<1	8	18	14	3.50	<5	0.11	10	8	0.89	740	2	0.02	11	790	12	<0.01	<5	4	<10	<5	12	0.06	<5	44	<5	15	114
188	S8R286994	<0.2	1.42	<5	160	<1	<5	0.16	<1	7	16	22	2.09	<5	0.05	16	6	0.75	320	1	0.02	10	140	15	<0.01	<5	2	<10	<5	8	0.08	<5	28	<5	5	68
189	S8R286995	<0.2	1.67	5	286	<1	<5	0.24	<1	7	16	20	3.09	<5	0.05	8	8	0.65	360	2	0.02	12	310	15	<0.01	<5	4	<10	<5	12	0.05	<5	38	<5	9	96
190	S8R286996	<0.2	1.28	5	156	<1	<5	0.24	<1	6	28	68	1.71	<5	0.04	24	6	0.86	280	2	0.01	11	140	9	<0.01	<5	2	<10	<5	12	0.06	<5	18	<5	8	102

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
191	S8R286997	<0.2	1.30	10	166	<1	<5	0.18	<1	8	26	34	2.24	<5	0.07	18	8	0.53	255	2	0.02	16	260	15	<0.01	<5	3	<10	<5	12	0.06	<5	42	<5	7	64
192																																				
193																																				
194																																				
195																																				
196																																				
197																																				
198																																				
199																																				
200																																				
201																																				
202																																				
203																																				
204																																				
205																																				
206																																				
207																																				
208																																				
209																																				
210																																				
211																																				
212																																				
213																																				
214																																				
215																																				
216																																				
217																																				
218																																				
219																																				
220																																				
221																																				
222																																				
223																																				
224																																				
225																																				
226																																				
227																																				
228																																				
229																																				
230																																				

PDFill PDF Editor with Free Writer and Tools

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
1	S8R280974	<0.2	1.18	<5	116	<1	<5	0.08	<1	5	12	6	1.86	<5	0.07	16	8	0.20	140	1	0.02	8	130	24	<0.01	<5	3	<10	<5	8	0.05	<5	26	<5	16	24
10	S8R280983	<0.2	0.96	5	168	<1	<5	0.17	<1	11	16	12	1.73	<5	0.06	30	8	0.22	200	1	0.02	10	220	12	<0.01	<5	3	<10	<5	16	0.09	<5	34	<5	15	26
19	S8R280992	<0.2	1.02	10	300	<1	<5	0.40	<1	11	22	22	2.15	<5	0.03	14	14	0.39	360	1	0.04	22	710	12	<0.01	<5	3	<10	<5	28	0.07	<5	48	<5	8	56
28	S8R281001	<0.2	1.38	10	162	<1	<5	0.09	<1	9	24	26	2.54	<5	0.05	24	12	0.38	220	2	0.02	21	150	12	<0.01	<5	4	<10	<5	14	0.08	<5	52	<5	8	48
36	S8R281009	<0.2	1.28	10	250	<1	<5	0.15	<1	12	44	18	2.51	<5	0.02	14	16	0.61	215	2	0.03	22	270	12	<0.01	<5	3	<10	<5	16	0.08	<5	52	<5	4	48
45	S8R281018	<0.2	1.39	5	264	<1	<5	0.11	<1	10	22	18	2.27	<5	0.04	40	12	0.65	240	1	0.02	16	100	18	<0.01	<5	3	<10	<5	12	0.08	<5	42	<5	14	52
54	S8R281026	<0.2	1.09	5	332	<1	<5	0.21	<1	8	24	12	1.81	<5	0.06	40	10	0.44	180	2	0.02	10	300	18	<0.01	<5	3	<10	<5	16	0.08	<5	34	<5	16	50
63	S8R281036	<0.2	1.27	10	194	<1	<5	0.25	<1	13	30	38	2.60	<5	0.05	20	12	0.50	320	1	0.03	25	250	15	<0.01	<5	5	<10	<5	22	0.09	<5	54	<5	12	54
71	S8R281044	<0.2	1.30	100	140	<1	<5	0.30	<1	17	30	30	2.30	<5	0.06	30	8	0.37	370	2	0.03	10	150	177	<0.01	<5	4	<10	<5	10	0.07	<5	70	<5	1	100
80																																				
89																																				
98																																				
106																																				
115																																				
124	S8R281057	<0.2	1.20	5	110	<1	<5	0.12	<1	5	20	22	2.00	<5	<0.01	8	4	0.30	300	2	0.02	12	300	12	<0.01	<5	1	<10	<5	8	0.03	<5	30	<5	2	20
133	S8R286939	<0.2	1.02	10	240	<1	<5	0.49	<1	8	18	12	1.90	<5	<0.01	10	8	0.35	340	1	0.02	14	630	12	<0.01	<5	2	<10	<5	24	0.03	<5	40	<5	6	52
141	S8R286947	<0.2	1.20	5	266	<1	<5	0.34	<1	8	20	12	1.94	<5	0.02	14	10	0.36	205	1	0.02	15	580	12	<0.01	<5	2	<10	<5	20	0.04	<5	40	<5	7	48
150	S8R286956	<0.2	1.08	5	246	<1	<5	0.26	<1	6	18	14	1.81	<5	0.01	24	8	0.30	170	1	0.03	12	360	12	<0.01	<5	2	<10	<5	14	0.04	<5	38	<5	10	36
159	S8R286965	<0.2	1.17	5	106	<1	<5	0.06	<1	6	8	10	1.62	<5	0.03	54	4	0.45	215	2	0.02	9	310	12	<0.01	<5	1	<10	<5	6	0.03	<5	20	<5	14	26
168	S8R286974	<0.2	1.68	<5	136	<1	<5	0.06	<1	7	14	8	1.90	<5	0.11	86	6	1.30	305	2	0.01	7	120	21	<0.01	<5	2	<10	<5	6	0.09	<5	22	<5	15	60
176	S8R286982	<0.2	1.27	10	226	<1	<5	0.19	<1	6	18	10	2.00	<5	0.01	22	8	0.39	155	2	0.02	11	510	15	<0.01	<5	1	<10	<5	12	0.04	<5	42	<5	8	48
185	S8R286991	0.4	1.65	10	246	<1	<5	0.16	<1	8	24	64	2.62	<5	0.06	14	8	0.69	1210	2	0.02	20	720	15	<0.01	<5	2	<10	<5	8	0.06	<5	42	<5	6	86
194	S8R287000	5.4	0.30	205	120	<1	<5	1.00	<1	25	30	110	1.00	<5	0.03	6	20	1.00	810	2	0.03	20	500	525	<0.01	<5	4	<10	<5	10	0.03	<5	70	<5	6	250
203																																				
211																																				
220																																				
229																																				
238																																				

Standard:

Ti113	1.8	1.14	75	38	<1	<5	0.55	<1	15	62	22	1.90	<5	0.04	12	20	0.57	310	1	0.04	32	450	18	0.01	<5	3	<10	<5	20	0.05	<5	36	<5	6	38
Ti113	1.6	1.15	80	40	<1	<5	0.52	<1	16	64	22	1.94	<5	0.04	14	22	0.61	310	1	0.04	32	440	21	0.01	<5	3	<10	<5	18	0.05	<5	38	<5	6	40
Ti113	1.4	1.10	75	34	<1	<5	0.53	<1	14	52	20	1.98	<5	0.04	12	20	0.56	305	1	0.04	31	440	21	0.01	<5	3	<10	<5	18	0.05	<5	38	<5	5	40
Ti113	1.6	1.10	80	36	<1	<5	0.56	<1	13	62	20	1.96	<5	0.02	12	16	0.59	315	1	0.03	32	460	18	0.01	<5	3	<10	<5	14	0.05	<5	38	<5	5	38
Ti113	1.6	1.12	80	36	<1	<5	0.52	<1	13	64	20	1.96	<5	0.02	12	16	0.59	310	1	0.03	32	460	18	<0.01	<5	3	<10	<5	16	0.06	<5	40	<5	6	38

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
Till3		1.4	1.06	75	34	<1	<5	0.52	<1	12	62	20	1.90	<5	0.02	12	16	0.57	315	2	0.03	31	450	18	0.01	<5	3	<10	<5	14	0.05	<5	38	<5	5	40
Till3		1.4	1.05	80	34	<1	<5	0.50	<1	12	62	20	1.91	<5	0.02	12	16	0.57	300	2	0.03	32	450	21	0.01	<5	3	<10	<5	14	0.05	<5	36	<5	5	38

ICP: Aqua Regia Digest / ICP- AES Finish.

NM/mb
dt/1_8151AS/1_8151BS
XLS/11


ECO TECH LABORATORY LTD.
Norman Monteith
B.C. Certified Assayer

PDFill PDF Editor with Free Writer and Tools



CERTIFICATE OF ANALYSIS AW 2011-8152

Kestrel Gold Corp.
 #8-46225 Ranchero Drive
Chilliwack, BC
 V4Z 0A5
 Attn: Kevin Nephin

17-Aug-11

No. of samples received: 245

Sample Type: Soil

Project: Dawson Area

Submitted by: All Terrane Mineral Expl.

ET #.	Tag #	Au (ppb)
1	S8R281259	5
2	S8R281260	<5
3	S8R281261	<5
4	S8R281262	<5
5	S8R281263	<5
6	S8R281264	5
7	S8R281265	5
8	S8R281266	10
9	S8R281267	5
10	S8R281268	5
11	S8R281269	10
12	S8R281270	<5
13	S8R281271	<5
14	S8R281272	<5
15	S8R281273	5
16	S8R281274	5
17	S8R281275	10
18	S8R281276	15
19	S8R281277	5
20	S8R281278	5
21	S8R281279	5
22	S8R281280	<5
23	S8R281281	15
24	S8R281282	10
25	S8R281283	5
26	S8R281284	5
27	S8R281285	10
28	S8R281286	5
29	S8R281287	5



Kestrel Gold Corp. AW11-8152

17-Aug-11

ET #.	Tag #	Au (ppb)
30	S8R281288	5
31	S8R281289	5
32	S8R281290	<5
33	S8R281291	5
34	S8R281292	10
35	S8R281293	10
36	S8R281294	<5
37	S8R281295	10
38	S8R281296	5
39	S8R281297	5
40	S8R281298	5
41	S8R281299	5
42	S8R281300	5
43	S8R281301	5
44		
45		
46		
47		
48		
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		
61		
62		
63		
64		
65		
66		
67		
68		
69		
70		
71		
72		
73		

PDFill PDF Editor with Free Writer and Tools



Kestrel Gold Corp. AW11-8152

17-Aug-11

ET #.	Tag #	Au (ppb)
74		
75		
76		
77		
78		
79		
80		
81		
82		
83		
84		
85		
86		
87		
88		
89		
90		
91		
92		
93		
94		
95		
96	S8R287851	5
97	S8R287852	<5
98	S8R287853	<5
99	S8R287854	5
100	S8R287855	5
101	S8R287856	<5
102	S8R287857	5
103	S8R287858	5
104	S8R287859	5
105	S8R287860	5
106	S8R287861	<5
107	S8R287862	5
108	S8R287863	5
109	S8R287864	5
110	S8R287865	5
111	S8R287866	30
112	S8R287867	5
113	S8R287868	5
114	S8R287869	15
115	S8R287870	5
116	S8R287871	5
117	S8R287872	5

PDFfill PDF Editor with Free Writer and Tools



Kestrel Gold Corp. AW11-8152

17-Aug-11

ET #.	Tag #	Au (ppb)
118	S8R287873	5
119	S8R287874	<5
120	S8R287875	5
121	S8R287876	10
122	S8R287877	5
123	S8R287878	<5
124	S8R287879	20
125	S8R287880	<5
126	S8R287881	5
127	S8R287882	<5
128	S8R287883	<5
129	S8R287884	5
130	S8R287885	5
131	S8R287886	5
132	S8R287887	10
133	S8R287888	<5
134	S8R287889	<5
135	S8R287890	<5
136	S8R287891	5
137	S8R287892	5
138	S8R287893	5
139	S8R287894	5
140	S8R287895	5
141	S8R287896	<5
142	S8R287897	<5
143	S8R287898	5
144	S8R287899	210
145	S8R287900	<5
146	S8R287901	<5
147	S8R287902	<5
148	S8R287903	<5
149	S8R287904	<5
150	S8R287905	<5
151	S8R287906	<5
152	S8R287907	<5
153	S8R287908	<5
154	S8R287909	<5
155	S8R287910	<5
156	S8R287911	<5
157	S8R287912	<5
158	S8R287913	<5
159	S8R287914	5
160	S8R287915	5
161	S8R287916	<5

PDFfill PDF Editor with Free Writer and Tools



Kestrel Gold Corp. AW11-8152

17-Aug-11

ET #.	Tag #	Au (ppb)
162	S8R287917	<5
163	S8R287918	<5
164	S8R287919	5
165		
166		
167		
168		
169		
170		
171		
172		
173		
174		
175		
176		
177		
178		
179		
180		
181		
182		
183		
184		
185		
186		
187		
188		
189		
190		
191		
192		
193		
194		
195		
196		
197		
198		
199		
200		
201		
202		
203		
204		
205		

PDFill PDF Editor with Free Writer and Tools

Eco Tech Laboratory Ltd.
10041 Dallas Drive
Kamloops, BC
V2C 6T4 Canada
Tel + 250 573 5700
Fax + 250 573 4557
Toll Free + 1 877 573 5755
www.stewartgroupglobal.com



StewartGroup
Geochemical & Assay

Kestrel Gold Corp. AW11-8152

17-Aug-11

ET #.	Tag #	Au (ppb)
206		
207		
208		
209		
210		
211		
212		
213		
214		
215		
216		
217		
218		
219		
220		
221		
222		
223		
224		
225		
226		
227		
228		
229		
230		
231		
232		
233		
234		
235		
236		
237		
238		
239		
240		
241		
242		
243		
244		
245		

PDFill PDF Editor with Free Writer and Tools



Kestrel Gold Corp. AW11-8152

17-Aug-11

ET #.	Tag #	Au (ppb)
-------	-------	-------------

QC DATA:

Repeat:

1	S8R281259	5
10	S8R281268	5
19	S8R281277	5
28	S8R281286	10
36	S8R281294	<5
44		
45		
54		
56		
71		
77		
80		
89		
98	S8R287853	5
106	S8R287861	<5
111	S8R287866	30
115	S8R287870	10
124	S8R287879	30
133	S8R287888	5
141	S8R287896	<5
150	S8R287905	<5
159	S8R287914	<5
168		
170		
176		
185		
188		
194		
203		
211		
220		
229		
232		
238		

PDFill PDF Editor with Free Writer and Tools

Eco Tech Laboratory Ltd.
10041 Dallas Drive
Kamloops, BC
V2C 6T4 Canada
Tel + 250 573 5700
Fax + 250 573 4557
Toll Free + 1 877 573 5755
www.stewartgroupglobal.com



StewartGroup
Geochemical & Assay

Kestrel Gold Corp. AW11-8152

17-Aug-11

ET #.	Tag #	Au (ppb)
-------	-------	-------------

Standard:

OXE86	620
OXE86	595
OXE86	600
OXE86	620
OXE86	600
OXE86	595
OXE86	610

FA Geochem/AA Finish

NM/sa
XLS/11


ECO TECH LABORATORY LTD.
Norman Monteith
B.C. Certified Assayer

PDFfill PDF Editor with Free Writer and Tools

17-Aug-11

Stewart Group
ECO TECH LABORATORY LTD.

10041 Dallas Drive

KAMLOOPS, B.C.

V2C 6T4

www.stewartgroupglobal.com**ICP CERTIFICATE OF ANALYSIS AW 2011-8152****Kestrel Gold Corp.**

#8-46225 Ranchero Drive

Chilliwack, BC

V4Z 0A5

Attn: Kevin Nephin

Phone: 250-573-5700

Fax : 250-573-4557

No. of samples received: 245

Sample Type: Soil

Project: Dawson Area

Submitted by: All Terrane Mineral Expl.

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
1	S8R281259	<0.2	1.33	10	288	<1	<5	0.11	<1	8	26	18	2.68	<5	0.11	14	12	0.35	185	1	0.02	17	120	27	<0.01	<5	5	<10	<5	10	0.06	<5	50	<5	18	36
2	S8R281260	<0.2	1.82	10	224	<1	<5	0.11	<1	10	44	14	2.88	<5	0.05	12	16	0.44	195	1	0.02	22	120	21	<0.01	<5	4	<10	<5	10	0.07	<5	58	<5	12	40
3	S8R281261	<0.2	1.74	10	254	<1	<5	0.12	<1	8	28	12	3.48	<5	0.07	10	20	0.32	200	2	0.03	18	380	21	<0.01	<5	3	<10	<5	10	0.08	<5	76	<5	5	44
4	S8R281262	<0.2	0.94	<5	154	<1	<5	0.09	<1	3	6	6	1.89	<5	0.27	4	6	0.21	150	<1	0.02	6	260	9	<0.01	<5	2	<10	<5	8	0.06	<5	24	<5	4	14
5	S8R281263	<0.2	1.04	5	174	<1	<5	0.14	<1	4	16	8	2.09	<5	0.12	10	10	0.21	215	2	0.02	8	250	15	<0.01	<5	2	<10	<5	10	0.06	<5	48	<5	5	26
6	S8R281264	<0.2	2.11	15	258	<1	<5	0.10	<1	14	42	24	3.89	<5	0.09	6	20	0.44	235	2	0.03	28	290	21	<0.01	<5	4	<10	<5	8	0.08	<5	70	<5	3	50
7	S8R281265	<0.2	1.69	10	200	<1	<5	0.10	<1	9	32	18	3.02	<5	0.11	12	14	0.41	215	1	0.03	19	150	15	<0.01	<5	3	<10	<5	10	0.07	<5	54	<5	5	38
8	S8R281266	<0.2	1.43	10	182	<1	<5	0.10	<1	9	32	18	2.87	<5	0.06	14	12	0.40	185	1	0.02	18	150	15	<0.01	<5	5	<10	<5	10	0.07	<5	56	<5	6	44
9	S8R281267	<0.2	1.41	10	198	<1	<5	0.14	<1	8	26	26	2.60	<5	0.06	16	14	0.40	190	1	0.02	19	350	15	<0.01	<5	3	<10	<5	10	0.06	<5	50	<5	9	40
10	S8R281268	<0.2	1.27	5	204	<1	<5	0.17	<1	7	28	14	2.58	<5	0.22	12	14	0.44	205	1	0.02	17	280	12	<0.01	<5	3	<10	<5	14	0.08	<5	40	<5	7	34
11	S8R281269	<0.2	0.90	5	198	<1	<5	0.13	<1	5	18	10	1.66	<5	0.15	28	6	0.27	145	<1	0.02	13	340	12	<0.01	<5	2	<10	<5	12	0.05	<5	28	<5	18	48
12	S8R281270	<0.2	0.99	5	154	<1	<5	0.13	<1	4	16	8	1.82	<5	0.10	18	10	0.26	135	<1	0.02	9	230	12	<0.01	<5	2	<10	<5	10	0.05	<5	34	<5	9	28
13	S8R281271	<0.2	1.06	5	214	<1	<5	0.18	<1	6	20	16	1.98	<5	0.08	20	12	0.32	165	<1	0.02	13	340	12	<0.01	<5	3	<10	<5	14	0.06	<5	40	<5	16	34
14	S8R281272	<0.2	1.01	5	230	<1	<5	0.19	<1	6	22	18	2.05	<5	0.09	20	10	0.32	185	1	0.02	15	280	12	<0.01	<5	4	<10	<5	14	0.07	<5	42	<5	19	38
15	S8R281273	<0.2	1.34	10	180	<1	<5	0.11	<1	7	24	16	2.31	<5	0.05	12	12	0.32	160	1	0.02	14	140	12	<0.01	<5	3	<10	<5	10	0.07	<5	50	<5	7	38
16	S8R281274	<0.2	0.89	10	136	<1	<5	0.10	<1	5	20	12	1.81	<5	0.12	20	8	0.27	200	<1	0.02	10	190	9	<0.01	<5	3	<10	<5	8	0.06	<5	34	<5	14	30
17	S8R281275	<0.2	0.94	5	132	<1	<5	0.10	<1	5	16	12	1.81	<5	0.12	18	8	0.23	175	1	0.02	9	190	12	<0.01	<5	2	<10	<5	8	0.06	<5	32	<5	13	28
18	S8R281276	<0.2	1.11	5	124	<1	<5	0.10	<1	5	18	14	2.00	<5	0.06	8	10	0.24	135	1	0.02	11	130	12	<0.01	<5	2	<10	<5	8	0.06	<5	42	<5	6	30
19	S8R281277	<0.2	1.46	10	136	<1	<5	0.09	<1	7	24	20	2.91	<5	0.07	8	12	0.29	185	2	0.02	15	240	15	<0.01	<5	3	<10	<5	8	0.06	<5	56	<5	7	38
20	S8R281278	<0.2	1.26	10	254	<1	<5	0.17	<1	8	24	22	2.45	<5	0.10	16	10	0.35	235	1	0.02	17	140	15	<0.01	<5	5	<10	<5	14	0.08	<5	48	<5	18	40
21	S8R281279	<0.2	1.05	5	230	<1	<5	0.09	<1	3	12	8	2.00	<5	0.09	14	8	0.15	175	1	0.02	7	240	12	<0.01	<5	2	<10	<5	6	0.04	<5	44	<5	8	24
22	S8R281280	<0.2	1.50	10	218	<1	<5	0.10	<1	4	16	10	2.32	<5	0.11	22	10	0.24	155	1	0.02	11	180	15	<0.01	<5	3	<10	<5	8	0.03	<5	36	<5	22	30
23	S8R281281	<0.2	0.76	<5	224	<1	<5	0.16	<1	3	10	6	1.69	<5	0.18	8	6	0.17	510	<1	0.02	6	160	9	<0.01	<5	1	<10	<5	10	0.03	<5	28	<5	7	22
24	S8R281282	<0.2	1.65	10	236	<1	<5	0.08	<1	8	30	22	3.08	<5	0.10	14	14	0.37	290	2	0.02	22	210	15	<0.01	<5	3	<10	<5	8	0.06	<5	58	<5	8	46
25	S8R281283	<0.2	1.14	10	332	<1	<5	0.16	<1	7	22	10	2.34	<5	0.07	6	10	0.29	745	1	0.02	15	200	12	<0.01	<5	2	<10	<5	14	0.05	<5	52	<5	4	32
26	S8R281284	<0.2	1.27	5	252	<1	<5	0.18	<1	8	30	18	2.40	<5	0.05	10	12	0.47	190	1	0.02	19	220	15	<0.01	<5	3	<10	<5	12	0.08	<5	50	<5	6	44
27	S8R281285	<0.2	1.12	5	484	<1	<5	0.29	<1	8	18	16	2.14	<5	0.09	30	8	0.36	340	2	0.03	12	510	15	0.04	<5	3	<10	<5	18	0.04	<5	34	<5	29	42
28	S8R281286	<0.2	1.08	5	640	<1	<5	0.36	<1	7	20	14	1.99	<5	0.07	24	12	0.38	205	1	0.03	13	470	12	<0.01	<5	3	<10	<5	22	0.06	<5	38	<5	16	42
29	S8R281287	<0.2	1.14	5	474	<1	<5	0.37	<1	7	22	20	2.16	<5	0.06	16	12	0.41	205	1	0.03	16	500	12	<0.01	<5	3	<10	<5	22	0.07	<5	42	<5	12	48
30	S8R281288	<0.2	0.88	5	494	<1	<5	0.41	<1	7	16	10	1.60	<5	0.05	12	8	0.28	260	1	0.02	10	520	12	0.02	<5	2	<10	<5	26	0.04	<5	32	<5	9	34

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zr
31	S8R281289	<0.2	0.92	5	342	<1	<5	0.33	<1	5	16	10	1.71	<5	0.06	16	8	0.30	185	1	0.02	10	490	12	0.01	<5	2	<10	<5	20	0.04	<5	34	<5	10	30
32	S8R281290	<0.2	0.93	<5	422	<1	<5	0.59	<1	7	44	18	1.68	<5	0.30	28	6	0.73	485	1	0.02	10	390	69	0.03	<5	2	<10	<5	28	0.04	<5	20	<5	26	110
33	S8R281291	<0.2	0.92	5	490	<1	<5	0.70	<1	7	30	24	1.78	<5	0.14	32	8	0.57	525	1	0.02	14	460	33	0.06	<5	2	<10	<5	32	0.04	<5	30	<5	33	70
34	S8R281292	<0.2	0.97	5	356	<1	<5	0.63	<1	7	24	20	1.96	<5	0.12	14	8	0.50	380	<1	0.03	15	470	12	0.05	<5	3	<10	<5	28	0.04	<5	36	<5	16	40
35	S8R281293	<0.2	1.49	10	486	<1	<5	0.44	<1	12	28	24	3.01	<5	0.27	20	12	0.61	885	1	0.03	19	500	15	0.01	<5	5	<10	<5	26	0.07	<5	48	<5	24	60
36	S8R281294	<0.2	0.77	5	246	<1	<5	0.13	<1	9	8	18	1.74	<5	0.14	16	4	0.22	490	1	0.01	7	320	12	<0.01	<5	2	<10	<5	8	0.02	<5	16	<5	20	40
37	S8R281295	<0.2	1.11	10	338	<1	<5	0.41	<1	9	20	30	2.12	<5	0.10	22	10	0.42	290	1	0.02	15	310	33	<0.01	<5	3	<10	<5	22	0.05	<5	38	<5	20	50
38	S8R281296	<0.2	1.29	10	400	<1	<5	0.38	<1	10	26	28	2.59	<5	0.07	14	14	0.48	275	1	0.03	20	440	12	<0.01	<5	4	<10	<5	20	0.06	<5	48	<5	11	50
39	S8R281297	<0.2	1.14	10	260	<1	<5	0.28	<1	8	22	18	2.21	<5	0.06	14	14	0.43	205	1	0.02	15	350	12	<0.01	<5	3	<10	<5	16	0.06	<5	44	<5	10	40
40	S8R281298	<0.2	1.40	10	280	<1	<5	0.26	<1	9	26	24	2.64	<5	0.06	20	16	0.46	230	2	0.02	19	260	15	<0.01	<5	3	<10	<5	16	0.06	<5	52	<5	10	50
41	S8R281299	<0.2	1.10	5	196	<1	<5	0.12	<1	7	20	12	1.93	<5	0.08	10	8	0.36	205	1	0.02	12	100	9	<0.01	<5	2	<10	<5	10	0.05	<5	36	<5	7	30
42	S8R281300	<0.2	1.88	15	238	<1	<5	0.14	<1	12	30	20	3.05	<5	0.09	8	12	0.44	190	2	0.03	20	140	15	<0.01	<5	3	<10	<5	12	0.09	<5	60	<5	3	50
43	S8R281301	<0.2	1.24	10	172	<1	<5	0.16	<1	13	28	12	2.40	<5	0.09	8	10	0.39	675	1	0.02	15	220	12	<0.01	<5	2	<10	<5	10	0.06	<5	52	<5	4	30
44	S8R281302	1.4	1.52	490	46	<1	<5	0.51	<1	27	14	110	3.71	<5	0.09	4	22	1.56	1100	2	0.02	22	1200	246	0.02	<5	5	<10	<5	14	0.04	<5	44	<5	10	140
45																																				
46																																				
47																																				
48																																				
49																																				
50																																				
51																																				
52																																				
53																																				
54																																				
55																																				
56																																				
57																																				
58																																				
59																																				
60																																				
61																																				
62																																				
63																																				
64																																				
65																																				
66																																				
67																																				
68																																				
69																																				
70																																				

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
71																																				
72																																				
73																																				
74																																				
75																																				
76																																				
77																																				
78																																				
79																																				
80																																				
81																																				
82																																				
83																																				
84																																				
85																																				
86																																				
87																																				
88																																				
89																																				
90																																				
91																																				
92																																				
93																																				
94																																				
95																																				
96	S8R287851	<0.2	1.11	10	320	<1	<5	0.51	<1	10	18	18	1.89	<5	0.05	8	10	0.33	360	1	0.03	15	520	12	0.02	<5	2	<10	<5	24	0.04	<5	38	<5	9	42
97	S8R287852	<0.2	1.00	5	240	<1	<5	0.45	<1	8	16	12	1.65	<5	0.06	6	10	0.30	250	1	0.03	12	450	12	0.01	<5	2	<10	<5	22	0.04	<5	34	<5	6	44
98	S8R287853	<0.2	1.04	10	326	<1	<5	0.49	<1	11	22	30	2.23	<5	0.05	8	12	0.45	300	1	0.04	24	740	12	<0.01	<5	3	<10	<5	22	0.06	<5	48	<5	8	60
99	S8R287854	<0.2	0.90	10	294	<1	<5	0.80	<1	9	18	22	1.85	<5	0.04	10	10	0.38	280	1	0.05	17	680	9	0.02	<5	2	<10	<5	28	0.04	<5	38	<5	10	48
100	S8R287855	<0.2	1.15	5	376	<1	<5	0.55	<1	8	18	20	1.87	<5	0.06	12	10	0.32	250	<1	0.03	16	450	12	0.02	<5	3	<10	<5	24	0.05	<5	38	<5	12	46
101	S8R287856	<0.2	1.25	5	310	<1	<5	0.37	<1	8	16	14	1.86	<5	0.08	18	10	0.29	265	1	0.03	11	440	12	0.02	<5	2	<10	<5	20	0.05	<5	36	<5	19	36
102	S8R287857	<0.2	1.17	5	278	<1	<5	0.40	<1	8	20	16	1.90	<5	0.06	8	10	0.34	210	1	0.03	14	520	12	0.02	<5	2	<10	<5	20	0.05	<5	40	<5	5	46
103	S8R287858	<0.2	1.17	10	314	<1	<5	0.35	<1	8	20	20	1.95	<5	0.06	12	12	0.34	210	1	0.03	16	530	12	0.01	<5	2	<10	<5	18	0.05	<5	40	<5	10	46
104	S8R287859	<0.2	0.98	5	178	<1	<5	0.40	<1	7	16	10	1.59	<5	0.06	10	8	0.27	145	1	0.02	10	500	9	<0.01	<5	2	<10	<5	20	0.05	<5	32	<5	7	36
105	S8R287860	<0.2	1.30	10	338	<1	<5	0.43	<1	10	20	20	2.03	<5	0.07	14	12	0.36	290	1	0.03	16	470	12	0.01	<5	3	<10	<5	22	0.05	<5	40	<5	12	44
106	S8R287861	<0.2	1.26	5	248	<1	<5	0.31	<1	10	22	16	2.02	<5	0.06	10	10	0.34	305	1	0.02	15	470	12	0.02	<5	2	<10	<5	16	0.05	<5	42	<5	7	46
107	S8R287862	<0.2	1.04	5	224	<1	<5	0.29	<1	7	16	14	1.66	<5	0.06	10	10	0.28	165	1	0.02	11	410	9	0.01	<5	2	<10	<5	16	0.04	<5	34	<5	6	40
108	S8R287863	<0.2	1.22	5	326	<1	<5	0.68	<1	9	18	14	1.82	<5	0.10	18	10	0.30	255	<1	0.02	12	470	12	0.02	<5	3	<10	<5	26	0.05	<5	32	<5	14	38
109	S8R287864	<0.2	1.07	10	200	<1	<5	0.33	<1	8	18	14	1.87	<5	0.06	12	10	0.31	155	1	0.02	13	460	9	<0.01	<5	2	<10	<5	16	0.05	<5	38	<5	7	42
110	S8R287865	<0.2	1.26	10	270	<1	<5	0.33	<1	8	18	14	2.04	<5	0.08	16	12	0.31	190	1	0.02	13	460	12	<0.01	<5	3	<10	<5	16	0.05	<5	40	<5	10	44

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zr
111	S8R287866	<0.2	1.39	10	672	<1	<5	0.63	<1	18	18	20	2.25	<5	0.10	68	10	0.28	1175	2	0.03	16	830	15	0.04	<5	2	<10	<5	34	0.03	<5	38	<5	48	52
112	S8R287867	<0.2	0.96	5	250	<1	<5	0.27	<1	6	14	12	1.46	<5	0.04	12	8	0.24	120	<1	0.02	11	370	9	0.01	<5	2	<10	<5	14	0.04	<5	32	<5	9	34
113	S8R287868	<0.2	1.18	5	246	<1	<5	0.33	<1	8	20	12	1.83	<5	0.05	10	12	0.31	180	1	0.02	12	420	12	<0.01	<5	2	<10	<5	16	0.05	<5	40	<5	7	40
114	S8R287869	<0.2	1.26	5	390	<1	<5	0.52	<1	8	20	18	1.79	<5	0.05	14	10	0.29	290	1	0.02	14	420	12	0.02	<5	2	<10	<5	26	0.04	<5	38	<5	12	42
115	S8R287870	<0.2	1.14	5	284	<1	<5	0.29	<1	7	18	12	1.72	<5	0.05	12	10	0.29	185	<1	0.02	12	380	12	<0.01	<5	2	<10	<5	14	0.04	<5	36	<5	8	40
116	S8R287871	<0.2	1.08	5	268	<1	<5	0.28	<1	8	16	12	1.58	<5	0.04	12	10	0.27	160	1	0.02	11	320	9	<0.01	<5	3	<10	<5	14	0.04	<5	34	<5	8	36
117	S8R287872	<0.2	1.20	10	314	<1	<5	0.28	<1	9	20	18	1.94	<5	0.04	12	12	0.31	250	1	0.02	14	340	12	<0.01	<5	3	<10	<5	16	0.05	<5	42	<5	8	42
118	S8R287873	<0.2	1.22	10	256	<1	<5	0.21	<1	12	22	18	1.98	<5	0.04	12	12	0.33	315	1	0.02	15	340	12	<0.01	<5	3	<10	<5	12	0.05	<5	42	<5	7	42
119	S8R287874	<0.2	1.19	5	196	<1	<5	0.19	<1	8	20	18	1.88	<5	0.08	12	10	0.33	210	<1	0.02	13	230	12	<0.01	<5	3	<10	<5	12	0.06	<5	40	<5	9	42
120	S8R287875	<0.2	1.35	10	186	<1	<5	0.14	<1	9	24	18	2.24	<5	0.09	18	12	0.35	215	1	0.02	15	160	12	<0.01	<5	3	<10	<5	8	0.06	<5	44	<5	11	46
121	S8R287876	<0.2	1.29	10	240	<1	<5	0.15	<1	10	32	16	2.24	<5	0.14	44	10	0.45	420	1	0.02	15	110	15	<0.01	<5	4	<10	<5	10	0.06	<5	40	<5	30	40
122	S8R287877	<0.2	0.83	5	166	<1	<5	0.09	<1	7	12	8	1.56	<5	0.10	4	4	0.16	795	1	0.01	7	230	15	<0.01	<5	2	<10	<5	6	0.04	<5	36	<5	4	28
123	S8R287878	<0.2	1.88	10	168	<1	<5	0.07	<1	9	26	12	2.69	<5	0.07	6	16	0.31	280	2	0.02	15	200	15	<0.01	<5	3	<10	<5	6	0.05	<5	60	<5	4	44
124	S8R287879	<0.2	1.36	5	154	<1	<5	0.08	<1	6	14	10	1.94	<5	0.08	6	12	0.21	190	<1	0.01	9	90	12	<0.01	<5	2	<10	<5	6	0.03	<5	40	<5	4	30
125	S8R287880	<0.2	1.37	5	216	<1	<5	0.13	<1	7	18	8	2.12	<5	0.07	6	10	0.26	280	1	0.02	12	160	15	<0.01	<5	2	<10	<5	8	0.04	<5	50	<5	4	32
126	S8R287881	<0.2	1.62	10	196	<1	<5	0.08	<1	10	26	10	2.36	<5	0.07	6	14	0.41	165	1	0.02	15	180	15	<0.01	<5	2	<10	<5	6	0.06	<5	52	<5	2	36
127	S8R287882	<0.2	1.67	10	196	<1	<5	0.11	<1	10	22	10	2.81	<5	0.06	8	14	0.48	185	2	0.02	12	290	12	<0.01	<5	2	<10	<5	8	0.07	<5	64	<5	3	36
128	S8R287883	<0.2	1.81	<5	240	<1	<5	0.17	<1	14	10	8	2.03	<5	0.28	22	6	1.19	255	2	0.02	10	180	9	<0.01	<5	2	<10	<5	12	0.15	<5	42	<5	13	26
129	S8R287884	<0.2	1.41	5	134	<1	<5	0.07	<1	7	32	10	1.02	<5	0.06	26	6	0.40	150	2	0.02	28	190	12	<0.01	<5	2	<10	<5	6	0.04	<5	26	<5	12	26
130	S8R287885	<0.2	1.68	10	162	<1	<5	0.09	<1	9	22	12	2.53	<5	0.07	12	14	0.37	235	2	0.02	17	220	15	<0.01	<5	2	<10	<5	6	0.06	<5	50	<5	4	44
131	S8R287886	<0.2	0.74	5	210	<1	<5	0.14	<1	5	10	16	1.45	<5	0.10	38	4	0.29	325	2	0.01	7	270	33	<0.01	<5	1	<10	<5	8	0.04	<5	24	<5	17	66
132	S8R287887	<0.2	1.55	10	238	<1	<5	0.15	<1	14	28	30	2.58	<5	0.11	12	12	0.66	495	2	0.02	17	190	18	<0.01	<5	2	<10	<5	10	0.08	<5	48	<5	8	48
133	S8R287888	<0.2	1.32	10	268	<1	<5	0.12	<1	6	14	12	2.16	<5	0.20	18	10	0.42	270	1	0.02	9	170	12	<0.01	<5	2	<10	<5	8	0.05	<5	36	<5	15	38
134	S8R287889	<0.2	2.61	5	410	<1	<5	0.16	<1	22	126	12	3.49	<5	0.19	18	8	0.28	400	1	0.04	16	230	12	0.01	<5	4	<10	<5	14	0.17	<5	64	<5	8	44
135	S8R287890	<0.2	1.47	<5	92	<1	<5	0.02	<1	5	6	8	1.30	<5	0.14	22	8	0.60	155	<1	0.01	4	80	15	<0.01	<5	1	<10	<5	2	0.04	<5	14	<5	9	50
136	S8R287891	<0.2	1.99	10	196	<1	<5	0.09	<1	14	26	18	2.51	<5	0.08	14	14	0.44	290	1	0.02	19	230	21	<0.01	<5	2	<10	<5	6	0.06	<5	50	<5	5	52
137	S8R287892	<0.2	1.76	<5	116	<1	<5	0.05	<1	9	28	14	2.19	<5	0.31	24	8	1.18	350	1	0.02	14	130	18	<0.01	<5	2	<10	<5	4	0.10	<5	28	<5	19	118
138	S8R287893	<0.2	1.62	5	264	<1	<5	0.11	<1	10	28	20	2.24	<5	0.26	42	12	0.78	315	2	0.02	11	190	21	0.03	<5	2	<10	<5	8	0.09	<5	36	<5	22	92
139	S8R287894	<0.2	1.39	10	200	<1	<5	0.12	<1	9	22	16	2.11	<5	0.07	20	12	0.43	205	2	0.02	12	180	15	<0.01	<5	2	<10	<5	8	0.06	<5	42	<5	12	64
140	S8R287895	<0.2	1.31	10	322	<1	<5	0.13	<1	6	18	24	1.86	<5	0.06	24	8	0.25	110	1	0.02	12	370	15	0.01	<5	2	<10	<5	10	0.04	<5	40	<5	17	38
141	S8R287896	<0.2	1.23	5	252	<1	<5	0.17	<1	8	20	12	1.80	<5	0.05	30	10	0.35	175	1	0.03	11	270	15	<0.01	<5	3	<10	<5	10	0.06	<5	40	<5	12	40
142	S8R287897	<0.2	1.14	5	296	<1	<5	0.13	<1	5	14	12	1.53	<5	0.06	24	8	0.25	125	1	0.02	9	230	15	<0.01	<5	1	<10	<5	8	0.05	<5	36	<5	8	32
143	S8R287898	<0.2	1.02	5	248	<1	<5	0.14	<1	5	12	6	1.46	<5	0.07	34	8	0.29	115	1	0.02	7	210	12	<0.01	<5	2	<10	<5	8	0.05	<5	28	<5	10	30
144	S8R287899	0.2	0.17	440	1130	<1	<5	1.18	<1	4	20	62	3.68	<5	0.07	2	2	0.02	110	17	0.03	17	50	21	0.12	25	<1	<10	<5	24	0.01	<5	12	<5	2	14
145	S8R287900	<0.2	0.11	<5	28	<1	<5	>10	<1	2	<2	<2	0.34	<5	0.07	<2	4	>10	180	<1	0.01	3	170	<3	0.08	<5	<1	<10	<5	26	<0.01	<5	<2	<5	<1	12
146	S8R287901	<0.2	1.06	5	398	<1	<5	0.23	<1	6	14	8	1.57	<5	0.12	22	8	0.36	185	2	0.02	7	300	18	<0.01	<5	2	<10	<5	10	0.05	<5	30	<5	10	42
147	S8R287902	<0.2	0.76	5	198	<1	<5	0.25	<1	5	12	6	1.27	<5	0.09	30	4	0.27	150	1	0.02	6	260	12	<0.01	<5	2	<10	<5	6	0.04	<5	28	<5	10	30
148	S8R287903	<0.2	1.25	5	436	<1	<5	0.25	<1	8	18	12	1.78	<5	0.05	32	10	0.33	165	2	0.03	11	420	15	<0.01	<5	3	<10	<5	12	0.06	<5	40	<5	12	42
149	S8R287904	<0.2	1.05	5	334	<1	<5	0.21	<1	6	16	8	1.41	<5	0.05	22	8	0.27	135	1	0.03	9	350	15	0.01	<5	2	<10	<5	10	0.05	<5	34	<5	7	36
150	S8R287905	<0.2	1.45	5	742	<1	<5	0.49	<1	11	40	20	1.86	<5	0.11	46	12	0.56	220	1	0.03	18	610	18	0.04	<5	4	<10	<5	22	0.06	<5	46	<5		

PDFfill PDF Editor with Free Writer and Tools

PDFfill PDF Editor with Free Writer and Tools

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
-------	-------	----	-----	----	----	----	----	-----	----	----	----	----	-----	----	----	----	----	-----	----	----	-----	----	---	----	----	----	----	----	----	----	-----	---	---	---	---	----

QC DATA:**Repeat:**

1	S8R281259	<0.2	1.28	10	282	<1	<5	0.10	<1	8	24	18	2.65	<5	0.10	14	12	0.35	180	1	0.02	17	120	27	<0.01	<5	4	<10	<5	10	0.06	<5	48	<5	17	36
10	S8R281268	<0.2	1.28	5	208	<1	<5	0.17	<1	7	28	14	2.63	<5	0.22	12	14	0.45	210	1	0.02	17	300	12	<0.01	<5	3	<10	<5	14	0.09	<5	42	<5	7	34
19	S8R281277	<0.2	1.41	10	130	<1	<5	0.09	<1	6	24	18	2.83	<5	0.07	10	12	0.27	180	2	0.02	15	240	15	<0.01	<5	3	<10	<5	8	0.06	<5	54	<5	6	36
28	S8R281286	<0.2	1.11	5	670	<1	<5	0.36	<1	7	20	16	2.06	<5	0.07	26	12	0.39	215	1	0.03	14	470	15	<0.01	<5	3	<10	<5	24	0.06	<5	38	<5	16	44
36	S8R281294	<0.2	0.74	5	244	<1	<5	0.12	<1	7	8	16	1.64	<5	0.14	16	4	0.21	460	1	0.01	7	310	12	<0.01	<5	1	<10	<5	8	0.02	<5	16	<5	19	38
45																																				
54																																				
63																																				
71																																				
80																																				
89																																				
98	S8R287853	<0.2	1.05	10	332	<1	<5	0.50	<1	11	22	30	2.24	<5	0.05	10	12	0.44	300	1	0.04	25	740	12	<0.01	<5	3	<10	<5	22	0.06	<5	48	<5	8	60
106	S8R287861	<0.2	1.22	5	234	<1	<5	0.30	<1	10	20	14	1.93	<5	0.05	10	10	0.32	295	1	0.02	14	440	12	0.01	<5	2	<10	<5	16	0.04	<5	40	<5	6	42
115	S8R287870	<0.2	1.16	5	288	<1	<5	0.29	<1	7	18	14	1.72	<5	0.05	12	10	0.28	190	<1	0.02	12	370	9	<0.01	<5	2	<10	<5	14	0.04	<5	36	<5	8	40
124	S8R287879	<0.2	1.35	5	152	<1	<5	0.08	<1	6	14	10	1.90	<5	0.08	6	12	0.20	190	1	0.01	9	90	9	<0.01	<5	2	<10	<5	6	0.03	<5	38	<5	4	30
133	S8R287888	<0.2	1.29	10	256	<1	<5	0.12	<1	6	14	12	2.05	<5	0.20	16	10	0.39	270	1	0.02	9	160	12	<0.01	<5	2	<10	<5	8	0.05	<5	34	<5	14	36
141	S8R287896	<0.2	1.24	5	260	<1	<5	0.17	<1	8	20	12	1.85	<5	0.05	30	10	0.36	180	1	0.02	12	280	15	<0.01	<5	3	<10	<5	10	0.06	<5	40	<5	12	42
150	S8R287905	<0.2	1.44	5	746	<1	<5	0.49	<1	11	40	20	1.87	<5	0.11	46	12	0.56	220	1	0.03	18	600	18	0.04	<5	3	<10	<5	22	0.06	<5	46	<5	23	48
159	S8R287914	<0.2	1.47	5	266	<1	<5	0.30	<1	9	30	16	2.31	<5	0.30	14	8	0.60	480	1	0.03	14	190	12	<0.01	<5	3	<10	<5	12	0.08	<5	40	<5	11	64
168	S8R287923	<0.2	2.34	505	142	<1	<5	0.31	<1	21	26	24	1.44	<5	0.07	16	20	1.00	280	2	0.04	27	220	12	<0.01	<5	3	<10	<5	12	0.08	<5	40	<5	11	64
176																																				
185																																				
194																																				
203																																				
211																																				
220																																				
229																																				
238																																				

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
Standard:																																				
	Till3	1.5	1.05	75	38	<1	<5	0.58	<1	14	62	22	2.00	<5	0.08	12	18	0.58	295	<1	0.04	31	450	18	0.01	<5	3	<10	<5	16	0.07	<5	36	<5	6	40
	Till3	1.4	1.09	80	40	<1	<5	0.55	<1	15	62	22	2.02	<5	0.08	14	18	0.61	310	<1	0.04	31	450	21	0.01	<5	3	<10	<5	14	0.07	<5	38	<5	6	38
	Till3	1.4	1.08	85	38	<1	<5	0.55	<1	14	62	22	1.92	<5	0.08	12	18	0.57	310	1	0.04	31	440	21	0.01	<5	3	<10	<5	14	0.07	<5	38	<5	6	38
	Till3	1.6	1.11	85	36	<1	<5	0.56	<1	15	60	22	1.98	<5	0.08	14	18	0.58	320	1	0.03	31	440	21	<0.01	<5	3	<10	<5	14	0.07	<5	36	<5	6	44
	Till3	1.4	1.12	80	40	<1	<5	0.57	<1	15	60	22	1.93	<5	0.07	16	18	0.61	310	1	0.04	30	450	21	0.01	<5	3	<10	<5	14	0.08	<5	38	<5	6	38
	Till3	1.4	1.11	85	40	<1	<5	0.57	<1	15	62	20	2.06	<5	0.07	16	16	0.60	310	1	0.04	31	430	18	0.01	<5	3	<10	<5	14	0.08	<5	36	<5	6	42
	Till3	1.4	1.09	85	36	<1	<5	0.57	<1	15	64	20	2.04	<5	0.07	16	16	0.62	310	1	0.03	31	450	18	0.01	<5	3	<10	<5	14	0.08	<5	38	<5	6	46

ICP: Aqua Regia Digest / ICP- AES Finish.

NM/sa
dt/2_8150CS/2_8152BS/2_8152CS
XLS/11


ECO TECH LABORATORY LTD.
Norman Monteith
B.C. Certified Assayer

PDFill PDF Editor with Free Writer and Tools



CERTIFICATE OF ANALYSIS AW 2011-8219

Kestrel Gold Corp.
#8-46225 Rancho Drive
Chilliwack, BC
V4Z 0A5
Attn: Kevin Nephin

8-Oct-11

No. of samples received: 296
Sample Type: Soil
Project: Dawson Area
Submitted by: All Terrane Mineral Expl

ET #.	Tag #	Au (ppb)
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		
29		
30		

PDFill PDF Editor with Free Writer and Tools



Kestrel Gold Corp. AW11-8219

8-Oct-11

ET #.	Tag #	Au (ppb)
31		
32		
33		
34		
35		
36		
37		
38		
39		
40		
41		
42		
43		
44		
45		
46		
47		
48		
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		
61		
62		
63		
64		
65		
66		
67		
68		
69		
70		
71		
72		
73		
74		

PDFill PDF Editor with Free Writer and Tools



Kestrel Gold Corp. AW11-8219

8-Oct-11

ET #.	Tag #	Au (ppb)
75		
76		
77		
78		
79		
80		
81		
82		
83		
84		
85		
86		
87		
88		
89		
90		
91		
92		
93		
94		
95		
96		
97		
98		
99		
100		
101		
102		
103		
104		
105		
106		
107		
108		
109		
110		
111		
112		
113		
114		
115		
116		
117		
118		

PDFill PDF Editor with Free Writer and Tools



Kestrel Gold Corp. AW11-8219

8-Oct-11

ET #.	Tag #	Au (ppb)
119		
120		
121		
122		
123		
124		
125		
126		
127		
128		
129		
130		
131		
132		
133		
134		
135		
136		
137		
138		
139		
140		
141		
142		
143		
144		
145		
146		
147		
148		
149		
150		
151		
152		
153		
154		
155		
156		
157		
158		
159		
160		
161		
162		

PDFill PDF Editor with Free Writer and Tools

Eco Tech Laboratory Ltd.
10041 Dallas Drive
Kamloops, BC
V2C 6T4 Canada
Tel + 250 573 5700
Fax + 250 573 4557
Toll Free + 1 877 573 5755
www.stewartgroupglobal.com



StewartGroup
Geochemical & Assay

Kestrel Gold Corp. AW11-8219

8-Oct-11

ET #.	Tag #	Au (ppb)
163		
164		
165		
166		
167		
168		
169		
170		
171		
172		
173		
174		
175		
176		
177		
178		
179		
180		
181		
182		
183		
184		
185		
186		
187		
188		
189		
190		
191		
192		
193		
194		
195		
196		
197		
198		
199		
200		
201		
202		
203		
204		
205		
206		

PDFill PDF Editor with Free Writer and Tools

Eco Tech Laboratory Ltd.
10041 Dallas Drive
Kamloops, BC
V2C 6T4 Canada
Tel + 250 573 5700
Fax + 250 573 4557
Toll Free + 1 877 573 5755
www.stewartgroupglobal.com



StewartGroup
Geochemical & Assay

Kestrel Gold Corp. AW11-8219

8-Oct-11

ET #.	Tag #	Au (ppb)
207		
208		
209		
210		
211		
212		
213		
214		
215		
216		
217		
218		
219		
220		
221		
222		
223		
224		
225		
226		
227		
228		
229		
230		
231		
232		
233		
234		
235		
236		
237		
238		
239		
240		
241		
242		
243		
244		
245		
246		
247		
248		
249		
250		

PDFfill PDF Editor with Free Writer and Tools



Kestrel Gold Corp. AW11-8219

8-Oct-11

ET #.	Tag #	Au (ppb)
251		
252		
253		
254		
255		
256		
257		
258		
259		
260		
261		
262		
263		
264		
265		
266		
267		
268		
269		
270		
271		
272		
273		
274	-----	--
275	S8R280303	10
276	S8R280304	15
277	S8R280305	20
278	S8R280306	25
279	S8R280307	5
280	S8R280308	15
281	S8R280309	5
282	S8R280310	10
283	S8R280311	<5
284	S8R280312	5
285	S8R280313	15
286	S8R280314	5
287	S8R280315	5
288	S8R280316	<5
289	S8R280317	5
290	S8R280318	<5
291	S8R280319	<5
292	S8R280320	<5
293	S8R280321	5
294	S8R280322	5

PDFfill PDF Editor with Free Writer and Tools

Eco Tech Laboratory Ltd.
 10041 Dallas Drive
 Kamloops, BC
 V2C 6T4 Canada
 Tel + 250 573 5700
 Fax + 250 573 4557
 Toll Free + 1 877 573 5755
 www.stewartgroupglobal.com



StewartGroup
 Geochemical & Assay

Kestrel Gold Corp. AW11-8219

8-Oct-11

ET #.	Tag #	Au (ppb)
295		
296		

QC DATA:

Repeat:

1
 10
 19
 28
 36
 45
 54
 63
 71
 80
 89
 98
 106
 115
 124
 133
 141
 150
 159
 168
 176
 185
 194
 203
 211
 220
 229
 238
 246
 255
 264
 273
 281
 290

S8R280301
 S8R280309
 S8R280318

25
 <5
 <5

PDFill PDF Editor with Free Writer and Tools

Standard:

OXE86 620

Eco Tech Laboratory Ltd.
10041 Dallas Drive
Kamloops, BC
V2C 6T4 Canada
Tel + 250 573 5700
Fax + 250 573 4557
Toll Free + 1 877 573 5755
www.stewartgroupglobal.com



StewartGroup
Geochemical & Assay

Kestrel Gold Corp. AW11-8219

8-Oct-11

ET #.	Tag #	Au (ppb)
OXG84		930
OXE86		620
OXG84		910
OXE86		610
OXG84		930
OXE86		600
OXG84		910
OXE86		610

FA Geochem/AA Finish

NM/cr/el
XLS/11


ECOTECH LABORATORY LTD.
Norman Monteith
B.C. Certified Assayer

PDFill PDF Editor with Free Watermark and Tools

8-Oct-11

Stewart Group
ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4
www.stewartgroupglobal.com

ICP CERTIFICATE OF ANALYSIS AW 2011-8219

Kestrel Gold Corp.
#8-46225 Rancho Drive
Chilliwack, BC
V4Z 0A5
Attn: Kevin Nephin

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 296
Sample Type: Soil
Project: Dawson Area
Submitted by: All Terrane Mineral Expl

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
1	SEP280511	~0.2	0.00	~5	214	~1	~5	0.42	~1	6	18	10	1.47	~5	0.05	10	10	0.40	120	~1	0.03	14	540	12	~0.01	~5	2	~10	~5	24	0.07	~5	34	~5	4	50
2																																				
3																																				
4																																				
5																																				
6																																				
7																																				
8																																				
9																																				
10																																				
11																																				
12																																				
13																																				
14																																				
15																																				
16																																				
17																																				
18																																				
19																																				
20																																				
21																																				
22																																				
23																																				
24																																				
25																																				
26																																				
27																																				
28																																				
29																																				
30																																				

PDFfill PDF Editor with Free Writer and Tools

PDFill PDF Editor with Free Writer and Tools

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
111	08D000507	0.0	1.44	15	0.74	1	5	0.00	1	7	10	10	0.11	5	0.05	10	0	0.11	0.00	0	0.00	10	0.00	15	0.01	5	0	10	5	10	0.00	5	0.0	5	1	0.0

PDFill PDF Editor with Free Writer and Tools

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
151																																				
152																																				
153																																				
154																																				
155																																				
156																																				
157																																				
158																																				
159																																				
160																																				
161																																				
162																																				
163																																				
164																																				
165																																				
166																																				
167																																				
168																																				
169																																				
170																																				
171																																				
172																																				
173																																				
174																																				
175																																				
176																																				
177																																				
178																																				
179																																				
180																																				
181																																				
182																																				
183																																				
184																																				
185																																				
186																																				
187																																				
188																																				
189																																				
190																																				

PDFill PDF Editor with Free Writer and Tools

PDFill PDF Editor with Free Writer and Tools

PDFfill PDF Editor with Free Writer and Tools

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
271	S8R280303	<0.2	1.00	<5	388	<1	<5	0.27	<1	6	16	<2	1.38	<5	0.15	10	4	0.27	255	1	0.01	7	170	6	<0.01	<5	1	<10	<5	18	0.04	<5	18	<5	4	20
272																																				
273																																				
274																																				
275	S8R280303	<0.2	1.00	<5	388	<1	<5	0.27	<1	6	16	<2	1.38	<5	0.15	10	4	0.27	255	1	0.01	7	170	6	<0.01	<5	1	<10	<5	18	0.04	<5	18	<5	4	20
276	S8R280304	<0.2	1.00	<5	492	<1	<5	0.29	<1	5	8	<2	1.45	<5	0.22	20	4	0.17	350	1	0.01	5	220	6	<0.01	<5	2	<10	<5	18	0.02	<5	14	<5	6	18
277	S8R280305	<0.2	1.27	10	414	<1	<5	0.22	<1	10	22	8	2.07	<5	0.21	12	6	0.35	430	1	0.02	14	230	12	<0.01	<5	3	<10	<5	16	0.06	<5	34	<5	4	30
278	S8R280306	<0.2	1.29	<5	500	<1	<5	0.21	<1	9	16	<2	1.82	<5	0.39	12	6	0.39	380	1	0.02	8	300	9	<0.01	<5	2	<10	<5	18	0.06	<5	26	<5	4	22
279	S8R280307	<0.2	1.39	10	508	<1	<5	0.19	<1	11	20	4	2.25	<5	0.55	10	8	0.47	370	1	0.02	11	160	9	<0.01	<5	2	<10	<5	16	0.09	<5	30	<5	4	28
280	S8R280308	<0.2	1.06	5	414	<1	<5	0.15	<1	7	14	2	1.76	<5	0.28	24	6	0.24	315	<1	0.01	9	210	9	<0.01	<5	2	<10	<5	12	0.05	<5	24	<5	8	24
281	S8R280309	<0.2	1.05	<5	222	<1	<5	0.13	<1	6	12	<2	1.63	<5	0.24	8	6	0.29	130	1	0.01	8	110	9	<0.01	<5	1	<10	<5	14	0.06	<5	22	<5	3	18
282	S8R280310	<0.2	1.60	10	418	<1	<5	0.30	<1	13	66	8	2.52	<5	0.20	8	10	0.60	490	1	0.02	35	280	12	<0.01	<5	3	<10	<5	24	0.08	<5	42	<5	3	38
283	S8R280311	<0.2	0.95	5	234	<1	<5	0.15	<1	7	16	6	1.65	<5	0.08	10	8	0.33	180	1	0.01	12	120	9	<0.01	<5	2	<10	<5	14	0.05	<5	30	<5	3	30
284	S8R280312	<0.2	0.79	<5	220	<1	<5	0.12	<1	6	8	<2	1.49	<5	0.27	34	4	0.18	340	<1	0.01	6	290	9	<0.01	<5	2	<10	<5	12	0.03	<5	16	<5	16	16
285	S8R280313	<0.2	1.34	10	250	<1	<5	0.12	<1	7	18	6	2.06	<5	0.14	12	10	0.34	190	2	0.01	14	170	12	<0.01	<5	2	<10	<5	12	0.04	<5	32	<5	4	36
286	S8R280314	<0.2	0.82	<5	200	<1	<5	0.15	<1	4	10	2	1.40	<5	0.19	26	4	0.21	175	1	0.01	7	120	9	<0.01	<5	2	<10	<5	14	0.03	<5	14	<5	16	30
287	S8R280315	<0.2	0.82	<5	134	<1	<5	0.16	<1	6	12	2	1.36	<5	0.38	8	4	0.29	180	1	0.01	9	170	6	<0.01	<5	<1	<10	<5	16	0.07	<5	16	<5	3	46
288	S8R280316	<0.2	1.02	5	268	<1	<5	0.15	<1	6	14	2	1.73	<5	0.15	8	8	0.29	240	<1	0.01	10	270	9	<0.01	<5	1	<10	<5	14	0.05	<5	32	<5	2	30
289	S8R280317	<0.2	1.00	5	130	<1	<5	0.10	<1	6	14	4	1.64	<5	0.20	12	6	0.28	130	1	0.01	10	150	9	<0.01	<5	2	<10	<5	10	0.06	<5	24	<5	4	28
290	S8R280318	<0.2	1.17	5	236	<1	<5	0.10	<1	7	14	4	1.76	<5	0.12	8	10	0.31	260	1	0.01	10	210	9	<0.01	<5	1	<10	<5	10	0.05	<5	32	<5	2	30
291	S8R280319	<0.2	0.98	<5	178	<1	<5	0.09	<1	7	12	<2	1.73	<5	0.14	8	8	0.27	505	<1	0.01	7	190	9	<0.01	<5	1	<10	<5	10	0.05	<5	32	<5	2	30
292	S8R280320	<0.2	1.49	10	172	<1	<5	0.09	<1	7	18	4	2.23	<5	0.17	8	12	0.33	175	1	0.01	12	170	12	<0.01	<5	1	<10	<5	10	0.05	<5	36	<5	2	34
293	S8R280321	<0.2	0.81	5	66	<1	<5	0.05	<1	4	10	<2	1.27	<5	0.10	6	8	0.18	70	1	0.01	6	70	6	<0.01	<5	<1	<10	<5	6	0.04	<5	18	<5	2	16
294	S8R280322	<0.2	0.64	<5	128	<1	<5	0.07	<1	2	6	<2	1.13	<5	0.11	8	2	0.01	125	<1	0.01	3	170	9	<0.01	<5	<1	<10	<5	6	0.02	<5	14	<5	4	10
295																																				

296

QC DATA:**Repeat:**

1
10
19
28
36
45
54
63
71
80
89
98
106
115
124
133
141

Et #.	Tag #	Ag	Al%	As	Ba	Be	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Hg	K%	La	Li	Mg%	Mn	Mo	Na%	Ni	P	Pb	S%	Sb	Sc	Se	Sn	Sr	Ti%	U	V	W	Y	Zn
278	S8R280307	<0.2	1.00	5	228	<1	<5	0.09	<1	11	12	13	1.73	<5	0.08	16	16	0.62	320	1	0.04	32	440	18	0.01	<5	4	<10	<5	18	0.07	<5	38	<5	7	42
281	S8R280309	<0.2	1.04	5	228	<1	<5	0.12	<1	6	12	<2	1.69	<5	0.25	8	6	0.29	130	1	0.01	9	110	9	<0.01	<5	1	<10	<5	14	0.06	<5	22	<5	3	18
290	S8R280318	<0.2	1.13	5	228	<1	<5	0.10	<1	7	14	2	1.73	<5	0.12	8	10	0.31	255	1	0.01	9	200	12	<0.01	<5	1	<10	<5	10	0.04	<5	30	<5	2	30

Standard:

TILL3	1.6	1.10	85	40	<1	<5	0.57	<1	14	62	20	2.01	<5	0.08	16	16	0.62	320	1	0.04	32	440	18	0.01	<5	4	<10	<5	18	0.07	<5	38	<5	7	42
TILL3	1.4	1.06	80	38	<1	<5	0.54	<1	13	60	20	1.92	<5	0.07	14	16	0.59	300	1	0.04	30	440	21	0.01	<5	4	<10	<5	18	0.08	<5	34	<5	7	40
TILL3	1.6	1.04	85	38	<1	<5	0.59	<1	14	60	20	1.99	<5	0.09	14	16	0.61	330	1	0.04	31	450	21	0.01	<5	4	<10	<5	18	0.07	<5	38	<5	7	42
TILL3	1.6	1.10	80	40	<1	<5	0.55	<1	14	62	22	1.92	<5	0.07	14	16	0.58	315	<1	0.03	31	440	21	0.01	<5	3	<10	<5	16	0.08	<5	34	<5	6	42
TILL3	1.6	1.10	85	38	<1	<5	0.55	<1	14	64	20	1.92	<5	0.07	14	16	0.59	320	<1	0.03	31	440	21	0.01	<5	3	<10	<5	16	0.08	<5	34	<5	6	40
TILL3	1.4	1.09	85	36	<1	<5	0.55	<1	14	60	18	1.92	<5	0.08	14	16	0.59	305	1	0.03	30	460	21	0.01	<5	3	<10	<5	16	0.07	<5	36	<5	6	38
TILL3	1.6	1.09	85	34	<1	<5	0.55	<1	14	60	18	1.92	<5	0.08	14	16	0.58	310	1	0.03	30	440	21	0.01	<5	3	<10	<5	16	0.06	<5	36	<5	6	38
TILL3	1.4	1.13	85	36	<1	<5	0.55	<1	14	64	18	2.00	<5	0.08	14	16	0.59	315	1	0.03	31	450	21	0.01	<5	3	<10	<5	18	0.07	<5	34	<5	6	40
TILL3	1.6	1.10	90	36	<1	<5	0.54	<1	14	62	18	1.98	<5	0.09	14	16	0.60	305	1	0.03	31	470	18	0.01	<5	3	<10	<5	18	0.07	<5	34	<5	6	40

ICP: Aqua Regia Digest / ICP- AES Finish.

NM/cr/el

dt/2_8219AS/2_8219BS

XLS/11



ECO TECH LABORATORY LTD.

Norman Monteith
B.C. Certified Assayer