

**GIS COMPILATION on the
B PROJECT
PHASE 2 2012 WORK PROGRAM**

(B 14-15, 20-23, 25, 27-30: YB81306-7, 312-15, 17, 319-22)
(B 47, 49-62, 77-99: YB81331, 333-46, 349-371)
(B 103-119: YC02750 - YC02763, YC39579-81)

NTS: 105M/14

Latitude: 63°59'N

Longitude: 135°15'W

Mayo Mining Division

Work performed between August 31 and November 6, 2012

Owner/Operator

Richard E. Fischer
Calgary, Alberta

By Jean Pautler, P. Geo.
JP Exploration Services Inc.
103-108 Elliott St.
Whitehorse, Yukon
Y1A 6C4

November 7, 2012

SUMMARY:

The 1310 ha B property, NTS map sheet 105M/14, is located 7 km north-northeast of Keno City, approximately 360 km north of Whitehorse, Yukon Territory. The property is situated in the Mayo Mining Division with a latitude and longitude of 63°59'N, 135°15'W. Road access exists to the property, although all-terrain vehicle use is necessary past Wernecke. Richard E. Fischer is the registered owner and the 2012 program on the B property was funded by Richard E. Fischer of Calgary Alberta.

The B property lies just north of the Keno Hill silver mining camp which produced 4,872,423 tonnes averaging 1,389 g/t Ag, 5.6% Pb and 3.1% Zn, from 1921 to 1988. Alexco Resource Corp. acquired the majority of the camp in 2007, and is currently mining the Bellekeno deposit and actively developing the Lucky Queen deposit, 8 km and 3 km south of the B property, respectively. The Bellekeno Mine produced 2.02 million ounces of silver during 2011 and contained an indicated mineral resource of 246,400 tonnes grading 925 g/t Ag, 0.5 g/t Au, 7.9% Pb and 6.9% Zn as of September 30, 2012 (*Alexco website*). The Lucky Queen contains an indicated mineral resource of 124,000 tonnes grading 1,227 g/t Ag, 0.2 g/t Au, 2.6% Pb and 1.7% Zn (*Alexco website*). Gold and silver bearing quartz veins occur peripheral to the silver-lead-zinc deposits at Keno Hill.

The Moon mineral occurrence, located near the centre of the B property on adjacent ground, hosts a longitudinal fissure vein containing 3.65% Pb, 2.17% Zn, 292.0 g/t Ag and 1.19 g/t Au over 0.4m with values up to 7.99% Pb, 7.89% Zn, 586.0 g/t Ag and 5.18 g/t Au from the aplite host.

The property is primarily underlain by phyllitic metasedimentary rocks of the Devonian-Mississippian Earn Group possibly cut by narrow sills and dykes of Earn Group felsic metavolcanic schist and intruded by Triassic greenstone and Cretaceous porphyritic aplite dykes and sills. Two northeasterly trending faults, which are the orientation of the structures hosting Keno Hill type silver-lead-zinc mineralization, were mapped on the property.

Previous exploration has included many old pits, hand and excavator trenches and three drill holes, some of which have been located in the B property area, but no documentation of this work has been uncovered to date. Recent work, from 2001 to 2010, has included geological mapping, geochemical sampling, prospecting and grid and contour soil geochemistry, with the collection of 93 rock, 285 soil and 49 stream sediment samples, and 23 line km of VLF-EM geophysics.

The Phase 2 2012 work program consisted of the organization, compilation and digitization of 2001 to 2010 sample data and grids, and historical pits, trenches, adits and drill holes. A GIS database was prepared and property maps with all location data, and select results, produced.

There is potential for five northeast trending Keno Hill type vein systems to transect the B property, the highly productive Sadie-Ladue structure, two veins on the Lake leases, the Moon, the Stone and the Nabob No. 2 veins.

The significant precious metal results from the Moon Adit warrant further work to trace the Moon fissure vein along strike on to the B property and indicate that the aplite is a favourable host. The abundance of aplite encountered on the B property is also suggestive of the presence of a Cretaceous stock that may have intrusion associated gold potential. An airborne magnetic survey would be useful to delineate the presence of a buried intrusion.

At the Moon Adit a 045°/85°W trending fissure vein is exposed in an aplite sill at the contact with overlying phyllite in a classic Keno Hill “schist cap” type of ore shoot, which is observed at the Bellekeno Mine, one of the main deposits within the Keno mining camp. Previous VLF-EM and stream sediment surveys on the B property suggest continuity of mineralization at the Moon Adit extending for at least another 400m to the southwest on the B property. The conductor extends over the 2.5 km extent of the baseline.

The 2010 grid soil survey on the Moon Grid was successful in delineating two sub-parallel coincident gold-silver-lead-zinc anomalies. The first lies 500m directly along strike to the southwest from the Moon Adit, with maximum values of 45 ppb Au, 27.2 ppm Ag, 1755 ppm Pb and 836 ppm Zn. Elevated lead-zinc values occur 1 km along trend to the northeast. The second lies 400m to the southeast, with maximum values of 55 ppb Au, 12.5 ppm Ag, 162 ppm Pb and 470 ppm Zn. Additional soil sampling is necessary, particularly in the southwest Moon Grid area to more accurately define the anomalies.

Enhanced zinc values hosted by the phyllite unit (0.7% Zn previously obtained on B 87 and 0.09% Zn obtained in 2009 on B 47) occur approximately 350m northwest of the Sadie-Ladue structure. Additional soil sampling is recommended across the projected Sadie-Ladue structure to define it since a reconnaissance soil program in 2008 was successful in outlining anomalies despite poor conditions related to permafrost.

In 2008 a mineralized aplite was encountered containing 3365 ppm Pb between the projections of the Stone and Nabob #2 structures. This may indicate proximity to a mineralized structure and warrants further prospecting and trenching. The area is primarily underlain by greenstone, another favourable host rock for Keno Hill type mineralization. An outcrop of quartzite overlain by phyllite was encountered in McKay Gulch along trend of the Nabob #2 structure. Additional prospecting is warranted here to locate a vein fault since this represents a “schist cap” type environment.

The 2008 reconnaissance soil survey outlined significant base and precious metal anomalies including a spot 365 ppb Au anomaly within a broad >100 ppm zinc anomaly. Significant silver-lead-zinc results were also obtained 250m northeast of quartz veins hosted by aplite (±arsenopyrite) and phyllite that previously returned 0.7% Zn with minor silver-gold-lead. Additional reconnaissance soil sampling completed in 2010 was unsuccessful in tracing the 2008 anomalies and could not duplicate the original 365 ppb Au value possibly due to excessive permafrost encountered in the 2010 sampling, which was conducted early in the season.

Following more detailed delineation of the possible extension of the Moon fissure vein, a phase 2 program of diamond drilling is recommended to trace the structure. Alternatively (less expensive but not as accurate) rotary air blast drilling, widely used to trace mineralization in the Keno mining camp, may be considered.

TABLE OF CONTENTS

	Page
SUMMARY.....	i
1.0 LOCATION AND ACCESS.....	1
2.0 LEGAL DESCRIPTION.....	2
3.0 PHYSIOGRAPHY	2
4.0 HISTORY	2
5.0 PHASE 2 2012 WORK PROGRAM.....	3
6.0 GEOLOGY	7
6.1 Regional.....	7
6.2 Property.....	7
6.3 Mineralization.....	12
7.0 PREVIOUS EXPLORATION	14
7.1 Geochemistry.....	14
7.2 Geophysics	16
8.0 GIS COMPILATION.....	29
8.1 Procedure.....	29
8.2 Results	29
9.0 CONCLUSIONS AND RECOMMENDATIONS	29
10.0 SELECTED REFERENCES.....	31
11.0 APPENDICES	32
Appendix I	Statement of Claims
Appendix II	Statement of Expenditures
Appendix III	Statement of Qualifications
Appendix IV	GIS Database
Appendix V	GIS Map File

LIST OF FIGURES

	Page
Figure 1	Location Map (scale as shown) 1
Figure 2	Claim and Grid Location Map (1:30,000) 4
Figure 3	Regional Geology Map (as shown) 5
LEGEND	Legend for Figure 3 6
Figure 4	Property Geology (1:25,000) 9
Figure 5	Sun Grid - Geology and Geochemistry (as shown) 10
Figure 6	Moon Showing Area - Geology and Geochemistry (as shown)..... 11
Figure 7	Stacked VLF Profiles (1:15,000) 17
Figure 8	VLF Fraser Filtered InPhase (1:15,000) 18
Figure 9	Location Data (as shown) 19
Figure 10	Sun and Moon Grid Detail (as shown)..... 20
Figure 11	Gold Results in ppb (as shown) 21
Figure 12	Gold Result Detail (as shown) 22
Figure 13	Silver Results in ppm (as shown)..... 23
Figure 14	Silver Result Detail (as shown) 24
Figure 15	Lead Results in ppm (as shown)..... 25
Figure 16	Lead Result Detail (as shown) 26
Figure 17	Zinc Results in ppm (as shown) 27
Figure 18	Zinc Result Detail (as shown) 28


LIST OF TABLES

Table 1	Summary of claims 2
Table 2	Location of adits 12
Table 3	Diamond drill hole locations 14
Table 4	Trench Locations 14

1.0 LOCATION AND ACCESS (Figure 1)

The B property, NTS map sheet 105M/14, is located 7 km north-northeast of Keno City, approximately 360 km north of Whitehorse, Yukon Territory, in the Mayo Mining Division. It is situated on the northwestern slope of Keno Hill, approximately 1-2 km south of Gambler Lake. Latitude and longitude of the property are 63°59'N, 135°15'W.

Access is via the Gambler Gulch road/trail, which passes through Wernecke and crosses Gambler Gulch and Faro Gulch. The trail heads south at Faro Gulch and transects the B property. The trail is road accessible to just beyond the old mining camp at Wernecke (approximately 6 km from Keno City). All-terrain vehicle (ATV) use for the remaining 5 km to the property centre is necessary beyond this point.



2.0 LEGAL DESCRIPTION (Figure 2)

The B Claim Group consists of 66 contiguous claims covering an area of approximately 1310 hectares. The registered owner of the B property is, and current program funded by, Richard Fischer of Calgary, Alberta. A table showing pertinent claim data follows and a full statement of claims is shown in Appendix I.

TABLE 1: Summary of claims

Claim	Record	No. of	Current	New
Name	No.	Claims	Expiry Date	Expiry Date*
B 14-15	YB81306-7	2	Aug. 22, 2013	Aug. 22, 2013
B 20-23,25,27-30	YB81312-15,17, 319-22	9	Aug. 22, 2013	Aug. 22, 2013
B 47, 49-56	YB81331, 33-340	9	Aug. 22, 2013	Aug. 22, 2013
B 57-62	YB81341-346	6	Nov. 22, 2012	Nov. 22, 2013*
B 77 - 95	YB81349-81367	19	Nov. 22, 2012	Nov. 22, 2013*
B 96	YB81368	1	Nov. 22, 2012	Nov. 22, 2013*
B 97-99	YB81359-365, 367, 369-371	3	Nov. 22, 2012	Nov. 22, 2013*
B 103 - 116	YC02750 - 02763	14	Sept. 6, 2013	Sept. 6, 2013
B 117 - 119	YC39579-581	3	Nov. 11, 2012	Nov. 11, 2013*
TOTAL		66		

* Note: New expiry date based on acceptance of this report.

3.0 PHYSIOGRAPHY

The B property is situated within the Stewart Plateau, characterized by individual and isolated small ranges separated by broad deep valleys. The lower slopes have been glaciated with westerly trending ice flow directions. The claims cover the northwestern tree covered slope of Keno Hill. Muskeg and sparse black spruce cover the lower half of the claim group. Exposure is extremely poor but does exist along some of the creeks, as cliff exposures above Gambler Lake and at the higher elevations on Keno Hill, such as on the B 14 and B 15 claims. Elevations on the property range from 2350' (716m) to 4720' (1439m). Vegetation includes spruce, alder, willow and muskeg.

4.0 HISTORY (Figure 3)

The B property lies approximately 1 km north of the old mine workings at Wernecke, an active mining camp from 1921 to 1933, with production principally from the Sadie-Ladue (24-25) and Lucky Queen (34) veins. Production figures from 1921 to 1941, which include some production from the Galena Hill area, are 588,503.4 tonnes of 2,605 g/t Ag and 7.5% Pb. More recent work in the Wernecke area includes high-grading of the Sadie-Ladue, Shamrock and Lucky Queen veins in the 1980's to 1990. Production figures include 999.5 tonnes of 8,588.6 g/t Ag, 221 tonnes of 7,153.8 g/t Ag and 100 tonnes (including average grades of over 13,713 g/t Ag from the Lucky Queen) in addition to lead (*Deklerk and Traynor, 2004*). The Lucky Queen silver deposit, under development by Alexco Resource

Corp., contains an indicated mineral resource of 124,000 tonnes grading 1,227 g/t Ag, 0.2 g/t Au, 2.6% Pb and 1.7% Zn (*Alexco website*). The B property also adjoins showings on the northern slope of Keno Hill with significant silver-lead-zinc veins such as the Nabob No. 2 (51), Lake (35) and Stone occurrences (41). (*Refer to Figure 3.*)


The Moon mineral occurrence (105M 046) is located near the centre of the B property. The main showing, which consists of an adit, occurs on the adjoining Try Again and Todd claims, owned by Walter Malicky of Whitehorse, Yukon. Previous trenching and drilling extends on to the B property. The Moon showing was first staked in 1921 and later explored by a 30m long adit. Several periods of hand and excavator trenching were undertaken from the 1960's to 1990's and 3 holes (27.4m) were drilled by Colonial Mines Limited in 1965 (*Deklerk and Traynor, 2004*). A longitudinal fissure vein, traced for 30.5m (*Deklerk and Traynor, 2004*), and a possible transverse vein are exposed at the mouth of the adit.


Many of the old pits, hand and excavator trenches and drill sites have been located on the B property but no documentation of this work has been uncovered to date. Locations are shown in Figure 9.

In 2001 to 2002 and in 2005 geological mapping, with concurrent geochemical sampling and prospecting, and a 23 line km VLF-EM geophysical survey were undertaken on the B property to trace the structures hosting mineralization at the Moon, Lake and Sadie-Ladue showings on to the B property. The geophysical data was integrated and compiled by a qualified geophysicist, Dr. Dave Hildes, Ph.D., P.Geo. of Aurora Geosciences, Whitehorse, Yukon Territory in 2006. Trail rehabilitation, geological mapping, prospecting with concurrent rock and soil geochemical sampling was undertaken in 2008. The 2009 program consisted of geological mapping and prospecting with concurrent rock geochemical sampling. The 2010 program consisted of contour and grid soil geochemistry on the northeastern Sun Grid and along strike of the Moon Adit.


5.0 PHASE 2 2012 WORK PROGRAM

The Phase 2 2012 work program consisted of a GIS compilation of the 2001 to 2010 data, and historical pits, trenches, adits and drill holes. GPS scrambling was still in effect during the 2001 and 2002 programs and sample locations on the detailed grid areas were plotted using grid co-ordinates. Samples collected in 2005 to 2010 were plotted using Garmin database, not in a GIS program. A compilation of all data into a single GIS database was necessary to plot all data. Prior approval for the work program was obtained from the Mayo Mining Recorder. Complete details will be discussed under Section 8.0, "GIS Compilation".





LEGEND



Road, all weather

Other roads

Trail

Power line

Building


Triangulation station

Marsh

Contours (interval 200 feet)

Geological cartography by the Geological Survey of Canada, 1964
Base map cartography by the Geological Survey of Canada, from
maps prepared by the Surveys and Mapping Branch, 1956, with
minor revisions by the Geological Survey of Canada

Approximate magnetic declination 33° 46' E, decreasing by 4.3' annually



INDEX TO MINING PROPERTIES AND PROSPECTS

- | | |
|--|-----------------------------|
| 1. Silver King | 21. Moth |
| 2. Elsa | 22. Onek |
| 3. Dixie | 23. Klondyke-Keno |
| 4. Coral and Wigwam | 24. Sadie-Friendship |
| 5. Arctic and Mastiff | 25. Ladue |
| 6. Ruby | 26. Bellekeno |
| 7. No Cash | 27. Mount Keno (Hogan vein) |
| 8. Betty | 28. Ankeno |
| 9. Cream | 29. Mount Keno (Runer vein) |
| 10. Hector | 30. Dorothy |
| 11. Calumet | 31. Kijo |
| 12. Dragon (U. N.) | 32. Croesus No. 1 |
| 13. Formo | 33. Black Cap and Shepherd |
| 14a. Galkeno (McLeod vein) | 34. Lucky Queen |
| 14b. Galkeno (Sime and Sugiyama veins) | 35. Lake |
| 15. Eagle | 36. Vanguard |
| 16. Fisher Creek | 37. Apex |
| 17. Bluebird | 38. Shamrock |
| 18. Tin Can | 39. Highlander |
| 19. Rico | 40. Cub and Bunny |
| 20. Duncan Creek | 41. Stone |
| | 42. Homestake |
| | 43. No. 6 |
| | 44. Porcupine-Kinmar |
| | 45. Comstock |
| | 46. No. 9 |
| | 47. No. 1 |
| | 48. Gambler |
| | 49. Main Fault and Na |
| | 50. Lake View |
| | 51. Nabob, No. 2 |
| | 52. Helen Fraction |
| | 53. Gold Hill No. 2 |
| | 54. Ladue Fraction |
| | 55. Fox |
| | 56. Silver Basin |
| | 57. Gold Queen |
| | 58. Duncan |
| | 59. Alice |
| | 60. Caribou |
| | 61. Divide |
| | 62. Devon |
| | 63. Faith |

Area of rock outcrop and local float (small, large) x

Bedding, tops unknown (inclined, dip known)

Lineament from air photographs (in some places may represent trace of a vein fault or post-ore fault)

Post-ore fault

Vein fault

Prospect or open cut

Shaft

Adit (accessible, caved)

Mining property or prospect (referred to in text)

Geology compiled by R. W. Boyle from field work in 1953, 1954 and 1955;
Geological Survey of Canada Summary Report Part A, Map 1860; Geological
Survey of Canada, Preliminary Map 50-20 A; various private reports and maps

To accompany G.S.C. Bulletin 111, by R.W. Boyle

6.0 GEOLOGY

6.1 Regional (Figure 3)

The regional geology of the B property is represented on the Keno Hill (105 M/14) Map Sheet, Murphy and Roots, 1992. The area is underlain by highly deformed rocks of the Devonian-Mississippian Earn Group (a metavolcano-sedimentary package), the Early Carboniferous Keno Hill Quartzite and Triassic diorite to greenstone, which occur within the easterly trending, southerly dipping Tombstone Thrust Sheet. The deformation, characterized by intense foliations and lineations, appears to be related to displacement along the Tombstone Thrust. The foliations and lineations were later deformed by north to northwest trending open folds. All of the above lithological units are intruded by Cretaceous aged aplite and granite dykes and sills. North to northeast and northwest trending faults are evident through the area, with Keno Hill type mineralization associated with the former faults. The mineralized vein faults have been K/Ar dated at 90 Ma.

The B property lies just north of the Keno silver mining camp, which hosts more than 65 deposits and occurrences with all of the mineable silver veins occurring in a 26 km by 1 to 6.4 km wide area. The Keno mining camp produced silver from 1914 until 1989, with production from 1921 to 1988 totalling 4,872,423 tonnes averaging 1,389 g/t Ag, 5.6% Pb and 3.1% Zn. Mineralization primarily consists of galena, sphalerite and freibergite in a gangue of siderite $\pm$ quartz and is commonly associated with northeast trending, southeast dipping fault fissures. Most of the deposits occur within the Keno Hill Quartzite. Gold and silver bearing quartz veins occur peripheral to the silver-lead-zinc deposits at Keno Hill.

The Keno Hill camp is an example of a clastic metasediment hosted silver-lead-zinc enriched polymetallic vein deposit model such as the Coeur d'Alene district in Idaho, USA. Commodities in this type of deposit typically include silver, lead, zinc with lesser gold, copper and manganese and individual vein systems range from several hundred to several million tonnes grading from 5 to 1500 g/t Ag, 0.5 to 20% Pb and 0.5 to 8% Zn.

6.2 Property (Figures 4 - 5)

The B property is primarily underlain by phyllitic metasedimentary rocks of the Devonian-Mississippian Earn Group, with minor Keno Hill Quartzite, intruded by Triassic greenstone and Cretaceous porphyritic aplite dykes and sills. Two northeasterly trending faults, which are the orientation of the structures hosting Keno Hill type silver-lead-zinc mineralization, were mapped on the property.

The phyllitic metasedimentary rocks comprise the oldest unit on the property (Unit 1) and consist of carbonaceous or graphitic (gf) phyllite that can be calcareous (calc). They generally consist of metamorphosed shales, mudstones and marls. Some of the phyllitic rocks exhibit a variation in grain size and composition, so have been subdivided into rocks that were originally siltstones (ss), arenites (ar) and greywackes (gw). Grey to black limestone (lst), commonly grading to graphitic calcareous phyllite and thought to be related to Unit 1, is exposed on B 49, B 87 and to the west of the property at Trench 5 (See Figure 5). Unit 1 represents the Lower Schist Unit at Keno Hill, which has been known to host Keno Hill type silver veins, but is not the most favourable host due to its incompetent character resulting in small, irregular and discontinuous veins.

Numerous foliation-parallel boudins of Triassic greenstone (Unit 4) to meta-diorite (Unit 4d) and meta-gabbro (Unit 4g) thought to represent deformed sills and/or dykes are contained within the phyllitic metasedimentary unit. Unit 4, a favourable host for mineralized fissure veins in the Keno Hill Camp, predominates in the northwestern and southeastern property areas and as more isolated exposures in the central property area, covered by the Sun Grid.

Quartzite (Unit 3), the main host for mineralized fissure veins in the Keno Hill Camp, occurs in the vicinity of Trench 6 on B 105 with float identified on B 56. This area lies just west of the projection of the fault that hosts the vein at the Stone occurrence to the southwest (*Figure 4*). Quartzite occurs beneath grey phyllite and minor metavolcanic schist along McKay Gulch, along trend of the Nabob No. 2 vein (*Figure 4*).

Cretaceous porphyritic aplite dykes and sills cut Unit 1 in the Moon showing area on the Try Again and Todd claims and in several locations across the B property. A porphyritic aplite sill (Unit 5) intrudes Unit 1 at the Moon Adit and a similar dyke occurs just to the southwest (*Figure 6*). A similar sill to that at the Moon Adit is exposed on the B 87 claim (*Figure 4*). A large sill has been traced across Gambler Gulch on the B 47 and 49 claims (*Figure 4*). This sill may be offset to the north, where it appears on the B 51 claim on the Sun Grid. Another aplite cuts the greenstone in the B14 – B15 claim area (*Figure 4*). A sill is also exposed just south of the southeastern corner of the B property along Silver Basin Gulch.

Two northeasterly trending faults, which are the orientation of the structures hosting Keno Hill type mineralization, were mapped on the property. One of the faults was mapped on the B 90 claim and another mapped at the adit. Trench 2 occurs proximal to the postulated intersection between the Lake and Moon fissure vein faults, a favourable environment for ore shoots in the Keno Hill Mining Camp. Minor north to northwesterly trending drag folds were also mapped on B 90 and B 50, with the former fold showing vergence to the northeast. The lithological units on the B property appear to form the southern limb of an anticline.





FIGURE 4: PROPERTY GEOLOGY






FIGURE 6: MOON SHOWING – GEOLOGY AND GEOCHEMISTRY

6.3 Mineralization (Figures 2-5)

Significant mineralized structures that lie proximal to and have potential to extend on to the B property include, from west to east, the highly productive Sadie-Ladue, the Lake, the Moon, Stone and Nabob No. 2 (*see Figure 3*). The adits and associated showings do not occur on the B property.

Three caved adits were located at the Stone occurrence, one caved adit on the Lake occurrence and one caved adit at the Moon occurrence. UTM coordinates were recorded by GPS using Nad 83 projection, Zone 8 and are shown in Table 2, below.

TABLE 2: Location of adits

Name	Easting (mE)	Northing(mN)	Elevation (m)
Moon	489364	7094591	871
Stone 1	488816	7092624	1190
Stone 2	488719	7092555	1250
Stone 3	488662	7092512	1290
Lake	487381	7092835	1155

The Sadie-Ladue vein system consists of at least two longitudinal veins trending 030 to 040°, dipping to the southeast and hosted by greenstone, thin bedded quartzite, phyllite and interbedded schist. The veins are offset dextrally by northwest trending cross-faults. Prior to 1965 the Ladue mine produced 200,000 tons of 54.5 oz/ton Ag, 12.6% Pb and the Sadie-Friendship mine, 113,000 tons of 55.3 oz/ton Ag, 7.8% Pb (*Boyle, 1965*).

Two parallel veins exposed at the Lake occurrence by open cuts and an adit may represent the northern extension of the Sadie – Ladue system. The northeast trending, southeast dipping veins range from 0.9 to 2.4m wide (*Boyle, 1965*).

A 050° trending, southeast dipping 3m wide vein, explored by three adits and several open cuts and pits, is documented at the Stone occurrence (Jersey Silver Mine), which may represent the northeastern extent of the Lucky Queen system. The Lucky Queen mine produced 123,000 tons averaging 97.8 oz/ton Ag and 8.7% Pb prior to 1965 (*Boyle, 1965*). The mineralized part of the Stone vein fault is hosted by greenstone below a schist capping (*Boyle, 1965*). Vein mineralization from the dumps of the three caved Stone adits, primarily from the lower adit (Stone 1) returned anomalous results of 456 g/t Ag, 0.64% Pb, 0.26% Zn with 0.25 g/t Au. The silver values are high compared to the Pb suggestive of high silver content in the galena. The projection of this vein fault would trend across the B 20, 21, 107 and 109 claims and beyond, near the contact between the phyllite and greenstone (*Figure 4*).

The Nabob No. 2 vein, explored by at least three shafts, trends 050° and is hosted by graphitic schist, quartzite, phyllite and greenstone. There is no record of any ore shoots (*Boyle, 1965*). The extension of this structure projects on to the B 15, 25, 60 and 62 claims.

At the Moon Adit (located within the central B property, but not part of the property holdings) a Keno Hill type longitudinal fissure vein, trending 045°/85°W, and a transverse vein (030°/80°W) are exposed at the contact between the phyllite and a Cretaceous

porphyritic aplite sill. The longitudinal vein is mineralized with galena, sphalerite, pyrite and pyrrhotite. Transverse structures are mineralized with quartz, arsenopyrite, galena and sphalerite, and galena, arsenopyrite and pyrite. Results from the Moon showing include 3.65% Pb, 2.17% Zn, 292.0 g/t Ag and 1.19 g/t Au with 600 ppm As over 0.4m from the longitudinal fissure vein and values up to 7.99% Pb, 7.89% Zn, 586.0 g/t Ag and 5.18 g/t Au with >10,000 ppm As from the mineralized aplite.

Three Cretaceous aplite sills, a competent host rock with potential to host Keno Hill type veins as illustrated at the Moon Adit, have been mapped on the B property. The sills are commonly mineralized with pyrite, arsenopyrite, $\pm$ sphalerite and/or galena. The aplite sill in the B14 – B15 claim area contains fine disseminated galena, returning 3365 ppm Pb.

An aplite sill mineralized with pyrite and arsenopyrite (referred to as the Gambler Sill) crosses Gambler Gulch just upstream of the bend. The sill has been traced for 600m (*Figure 4*) and lies 1.5 km along trend to the northeast of the Sadie-Ladue fissure vein, a significant past producer. The eastern end of the sill is exposed on the Sun Grid (*Figure 5*) where it was previously explored by several old pits and appears to be locally sinistrally offset. There is very limited exposure in the area.

An arsenopyrite-bearing mineralized aplite and phyllite occurs on the B 87 claim at approximately L43E/6350N, with maximum results of 145 ppb Au, 2675 ppm As and 6,942 ppm Zn in B2R and B89R (*Figures 4 and 5*). This mineralized zone lies within 400m of a northeast trending fault, which may represent the strike extent of the fault that hosts the productive Sadie-Ladue Vein, approximately 1.2 km along trend to the northeast of the Gambler Sill. Mineralized aplite (arsenopyrite and pyrite-bearing) also occurs southeast of the property, on the eastern bank of Silver Basin Gulch, with values of 5.73 g/t Au, 9.2 g/t Ag over 0.6m from arsenopyrite-bearing quartz veins with pyrite and minor sphalerite and galena.

No significant mineralization has been located within the greenstone-diorite unit on the property, another favourable competent host rock. However, Keno Hill type mineralization is recessive, so not generally exposed in outcrop. Minor pyrite, chalcopyrite and malachite have been found within the greenstone in the northwestern property area (*Figure 4*).

Quartz and quartz-carbonate veins, hosted by the phyllite and altered phyllite occur across the property.

It is possible that both the Lake and Moon vein faults represent the northern extension of the Sadie-Ladue system, dextrally offset by northwest trending cross-faults.

The results of the 1965 drill program on the Moon/B property are not in the public record and the core has not been located. Diamond drill hole collars located in the field are documented in Table 3 below using UTM coordinates Nad 83 datum, Zone 8 projection and plotted in Figures 8 and 11. The third drill hole may have been collared within a clearing approximately 300m south of DDH 65-02.

Table 3: Diamond drill hole locations

Drill	UTM	NAD83	Elevation
Hole	Northing	Easting	(m)
65-01	7094581	489402	869
65-02	7094008	488935	952
65-03	not	located	

The old trenches and pits encountered on the property are documented in Table 4 below using UTM coordinates Nad 83 datum, Zone 8 projection and are shown in Figures 2, 4 and 5.

Table 4: Trench locations

Trench	UTM	NAD83	Elevation
No.	Northing	Easting	(m)
Tr 1	7093851	489653	1012
Tr 2	7093795	488049	1008
Tr 3	7094385	489255	923
Tr 4	7094433	489270	914
Tr 5	7094472	484775	778
Tr 6	7093730	489348	1059
Tr 8	7094075	4887510	998
Pit 1 (Tr 7)	7093818	488635	988
Pit 2	7093857	488615	984
Pit 3	7093866	488604	992
Pit 4	7094036	4887661	985
Pit 5	7094032	4887648	987
Pit 6	7094051	4887617	988

7.0 PREVIOUS EXPLORATION (Figures 5 to 18)

7.1 GEOCHEMISTRY (Figure 9 to 18)

A total of 93 rock, 285 soil and 49 stream sediment samples were collected from the property area between 2001 and 2010. Complete details, results and locations are documented in past assessment reports (*Pautler, 2001, 2002, 2006a, 2008b, 2009 and 2010*).

Work has been concentrated along trend of the past producing Sadie-Friendship and Ladue mines, and the Moon, Lake, Stone and Nabob #2 occurrences. The Sun grid covers the possible extensions of the Sadie-Ladue, Lake and Moon showings. The Moon showing was investigated in detail in an attempt to evaluate the potential for its continuity along strike on to the B claims.

The rock samples across the property (denoted with an "R") primarily consisted of grab samples of vein mineralization and altered wallrock, exposed as float and outcrop. The soil samples (denoted with an "S"), generally not useful in this environment due to thick overburden and permafrost, were collected from areas of old workings, generally with poor exposure, in order to evaluate the significance of the workings. The moss mat samples

(ending with an "M") were collected from the leeward side of boulders within the creek, where possible, and placed in waterproof Kraft bags. The sand samples (ending with a "D") were collected from the high-energy environment, screened to -20 mesh in the field, sieved to -80 mesh in the lab and a 30g sample was analyzed. Silt samples (ending with an "L") were collected if sand samples could not be obtained.

All samples were sent to Eco Tech Laboratory, Kamloops, British Columbia and analyzed for Al, Sb, As, Ba, Bi, Cd, Ca, Cr, Co, Cu, Fe, La, Pb, Mg, Mn, Mo, Na, Ni, P, Ag, Sr, Ti, Sn, W, U, V, Y and Zn using a 28 element ICP package which involves a nitric-aqua regia digestion. Gold was analyzed by fire assay with an atomic absorption finish.

The best results from rock sampling on the property are 145 ppb Au, 2675 ppm As and 6,942 ppm Zn from quartz bearing aplite and phyllite at L43E/6350N proximal to the projection of the Sadie-Ladue structure, approximately 3 km along trend to the northeast of the past producer. Anomalous zinc (886 ppm) occurs in graphitic phyllite with quartz near the bend in Gambler Gulch (Sample B09-006), which also lies proximal to the projection of the Sadie-Ladue structure (*Figures 17 and 4*).

The best soil results were obtained from a sample collected from the vicinity of Trench 6, which returned an anomalous 90 ppm Pb and 30 ppb Au (B119S) with elevated Zn (161 ppm). Low anomalous silver (0.9 g/t), lead (32 ppm) and zinc (153 ppm) were obtained from the Trench 7 area (B78S). Low anomalous silver (0.9 g/t) and gold (20 ppb) are associated with a northwest trending fault (Sadie-Ladue structure?) on B 90 (B84S).

A reconnaissance soil line across the trend of the Sadie-Ladue, Lake and/or Moon structures in 2008 on the northeastern Sun Grid was useful in outlining base and precious metal anomalies despite the poor environment for good soil development (*Figures 9-18*). Of particular interest are the gold in soil results including a spot 365 ppb Au anomaly within a broad >100 ppm zinc anomaly. Significant silver-lead-zinc results were also obtained from the northwest end of the line, 400m northeast of quartz veins hosted by aplite ($\pm$ arsenopyrite) and phyllite that previously returned 0.7% Zn with minor silver-gold-lead.

Stream sediment geochemistry in Faro Gulch, with values up to >10,000 ppm Pb, 1,260 ppm Zn, >30 ppm Ag, 730 ppb Au and 925 ppm As from sample B55M, suggests that mineralization associated with the Moon fissure vein continues on to the B property and extends for at least another 400m. Anomalous gold in stream sediment values, up to 760 ppb Au, were obtained from the eastern property area in the Silver Basin Gulch area. The Nero Showing, consisting of quartz veins with minor galena, is reported in this area approximately 1 km southeast of the B property.

The 2010 grid soil survey on the Moon Grid was successful in delineating two sub-parallel coincident gold-silver-lead-zinc anomalies. The first lies 500m directly along strike to the southwest from the Moon Adit, with maximum values of 45 ppb Au, 27.2 ppm Ag, 1755 ppm Pb and 836 ppm Zn. Elevated lead-zinc values occur 1 km along trend to the northeast. The second lies 400m to the southeast, with maximum values of 55 ppb Au, 12.5 ppm Ag, 162 ppm Pb and 470 ppm Zn.

7.2 GEOPHYSICS (Figures 7 and 8)

VLF - EM surveys were carried out in 2002 and 2005 over 23.0 line kilometres of grid. The 23 line km grid consists of a 230° trending, 2.5 km long baseline (BL 50N) with eight 1.0 km lines spaced 200m apart, southwest of the Moon Adit (Sun Grid) and four 500m long lines spaced 100m apart, northeast of the Moon Adit (Moon Grid) and a 1.5 km long baseline on the west side of the Sun Grid (BL 58N) with ten 0.5 km lines and five 0.8 km long lines, spaced 100m apart. The locations of the grids are shown on Figure 2.


The surveys utilized a Geonics EM-16 unit using the Cutler Maine station in 2002 and the Hawaii station in 2005 for the northeast trending structures and the Jim Creek, Washington (Seattle) station for the cross-structures. Readings were taken at 25m intervals on lines spaced 100m and 200m apart. The null for the Hawaii station was obtained at 020° with readings taken facing 290°. The null for the Cutler station was obtained at 080° with readings taken facing 350°. The null for the Jim Creek station was obtained at 150° with readings taken facing 060°. Both inphase and quadrature readings were measured in degrees.

It should be noted that no reception was obtained on the Hawaii station in 2002, the optimum station to pick up the northeasterly trending Keno Hill type structures and associated vein faults, with poor reception in 2005 for the duration of the survey. Consequently, the Cutler, Maine station was utilized in 2002. The geophysical data was integrated and compiled by a qualified geophysicist, Dr. Dave Hildes, Ph.D., P.Geo. of Aurora Geosciences, Whitehorse, Yukon Territory in 2006 (*see Pautler 2006b*). There appears to be a fair bit of noise on both the Cutler and Hawaii channels in both surveys, particularly making dip directions difficult to determine.

The stacked section (*Figure 7*) shows the inphase and quadrature profiles with the traces of the conductors from the Fraser filtered map shown in green. The results were Fraser filtered to more accurately define the conductors, and contoured with a colour scheme only showing the positive Fraser filtered results (*Figure 8*). In general the quadrature response is very subdued, indicating that the conductivity-thickness of the identified conductors is low.

The interpretation and compilation of the 2002 and 2005 VLF-EM geophysical surveys shows a continuous conductor southeast of the 5800N baseline that may correspond to the Sadie-Ladue structure. The structure appears to offset aplite dykes near L3200E/5700N and continue through to just northeast of the grid at approximately 4500E/5600N where pyrrhotite bearing phyllite and felsic schist returned anomalous values of 458 ppm Zn and 1035 ppm As. (*Refer to Figure 5*).

Another continuous conductor (although line spacing is fairly coarse at 200m) extends just northwest of the 5000N baseline that may correspond to the Moon structure. The highest conductivity occurs at L3200E/5275N near Trench 2, an old trench with anomalous values of 418 ppm Pb, 607 ppm Zn and 6.0 ppm Ag from pyritic phyllite with minor quartz. (*Refer to Figure 5*).






FIGURE 9: LOCATION DATA




FIGURE 10: SUN AND MOON GRID DETAIL




FIGURE 11: GOLD RESULTS IN PPB




FIGURE 12: GOLD RESULT DETAIL IN PPB




FIGURE 13: SILVER RESULTS IN PPM




FIGURE 14: SILVER RESULT DETAIL IN PPM




FIGURE 15: LEAD RESULTS IN PPM




FIGURE 16: LEAD RESULT DETAIL IN PPM




FIGURE 17: ZINC RESULTS IN PPM

FIGURE 17
ZINC RESULTS
November, 2012 JP



8.0 2012 GIS COMPILATION (Figures 9-18)

8.1 Procedure

The Phase 2 2012 work program consisted of a GIS compilation of the 2001 to 2010 sample data and grids, and historical pits, trenches, adits and drill holes. A total of 93 rock, 285 soil and 49 stream sediment samples, two grids (Sun and Moon), 5 adits, 2 drill holes, 8 trenches and 5 pits were compiled. The compilation consisted of the organization, compilation and digitization of data from the 2001 to 2010 exploration programs and historical data. A GIS database was prepared and property maps with all location data, and select results, produced.

8.2 Results

Location data is shown in Figure 9, with a detail of the Sun and Moon grids in Figure 10. Gold (Au), silver (Ag), lead (Pb) and zinc (Zn) results and result details for the Sun and Moon grid areas are shown in Figures 11 to 18. Gold results are reported in ppb and all other results in ppm. GIS data files are enclosed in Appendix IV and map files in Appendix V.

9.0 CONCLUSIONS AND RECOMMENDATIONS

There is potential for five northeast trending Keno Hill type vein systems to transect the B property, the highly productive Sadie-Ladue structure, two veins on the Lake leases, the Moon, the Stone and the Nabob No. 2 veins.

The significant precious metal results from the Moon Adit warrant further work to trace the Moon fissure vein along strike on to the B property and indicate that the aplite is a favourable host. The abundance of aplite encountered on the B property is also suggestive of the presence of a Cretaceous stock that may have intrusion associated gold potential. An airborne magnetic survey would be useful to delineate the presence of a buried intrusion.

At the Moon Adit a 045°/85°W trending fissure vein is exposed in an aplite sill at the contact with overlying phyllite of Unit 1. The aplite represents a competent host rock and an ore shoot appears to have developed at the junction of the aplite (a competent host rock) and an overlying incompetent unit. This is a classic Keno Hill type “schist cap” type of ore shoot, which is observed at the Bellekeno Mine, one of the main deposits within the Keno mining camp currently being brought back into production by Alexco Resource Corp. (*Alexco Resource Corp. website*).

VLF-EM and stream sediment surveys on the B property suggest continuity of mineralization at the Moon Adit extending for at least another 400m to the southwest on the B property. The conductor extends over the 2.5 km extent of the baseline. The 2010

grid soil survey on the Moon Grid delineates two sub-parallel coincident gold-silver-lead-zinc anomalies. The first lies 500m directly along strike to the southwest from the Moon Adit, with maximum values of 45 ppb Au, 27.2 ppm Ag, 1755 ppm Pb and 836 ppm Zn. Elevated lead-zinc values occur 1 km along trend to the northeast. The second lies 400m to the southeast, with maximum values of 55 ppb Au, 12.5 ppm Ag, 162 ppm Pb and 470 ppm Zn. Additional soil sampling is necessary, particularly in the southwest Moon Grid area to more accurately define the anomalies.

It should be noted that the VLF-EM survey results are difficult to interpret due to the poor reception of appropriate stations to pick up the northeasterly trending Keno Hill type structures and associated vein faults. VLF-EM with a radio transmitter or a horizontal loop electromagnetic survey (HLEM) at 50m line spacings and a 50m coil length may be more qualitative and could be run across the projected extent of the Moon showing on the Sun Grid (southwest extent) and the Moon Grid (northeast extent) to more accurately delineate the Moon structure.

Enhanced zinc values hosted by the phyllite unit (0.7% Zn previously obtained on B 87 and 0.09% Zn obtained in 2009 on B 47) occur approximately 350m northwest of the Sadie-Ladue structure. Additional soil sampling is recommended across the projected Sadie-Ladue structure to define it since a reconnaissance soil program in 2008 was successful in outlining anomalies despite poor conditions related to permafrost.

In 2008 a mineralized aplite was encountered containing 3365 ppm Pb between the projections of the Stone and Nabob #2 structures. This may indicate proximity to a mineralized structure and warrants further prospecting and trenching. The area is primarily underlain by greenstone, another favourable host rock for Keno Hill type mineralization. An outcrop of quartzite overlain by phyllite was encountered in McKay Gulch along trend of the Nabob #2 structure. Additional prospecting is warranted here to locate a vein fault since this represents a "schist cap" type environment.

The 2008 reconnaissance soil survey outlined significant base and precious metal anomalies including a spot 365 ppb Au anomaly within a broad >100 ppm zinc anomaly. Significant silver-lead-zinc results were also obtained 250m northeast of quartz veins hosted by aplite ($\pm$ arsenopyrite) and phyllite that previously returned 0.7% Zn with minor silver-gold-lead. Additional reconnaissance soil sampling completed in 2010 was unsuccessful in tracing the 2008 anomalies and could not duplicate the original 365 ppb Au value. Since sample quality was good in the 2008 sample, it is possible that the 2010 sampling was hampered by excessive permafrost since it was conducted early in the season.

Following more detailed delineation of the possible extension of the Moon fissure vein, a phase 2 program of diamond drilling is recommended to trace the structure. Alternatively (less expensive but not as accurate) rotary air blast drilling, widely used to trace mineralization in the Keno mining camp, may be considered.

10.0 SELECTED REFERENCES

Alexco Resource Corp. Web site at www.alexcoresource.com.

Bostock, H.S. (1947): Mayo, YT; Geological Survey of Canada Map 890A, scale 1:253,440.

Boyle, R. W. (1965): Geology, geochemistry and origin of the lead-zinc-silver deposits of the Keno Hill - Galena Hill area, YT; Geological Survey of Canada Bulletin 111 (includes Map 1147A).

Deklerk, R. and Traynor, S. (compilers), (2004): Yukon MINFILE 2004 - A database of mineral occurrences. Yukon Geological Survey, CD-ROM.

Kindle, E. D. (1962): Geology of the Mayo map area, YT; Geological Survey of Canada, Map, scale 1:253,440

Lefebure, D.V. and Church, B. N., (1996): Polymetallic veins Ag-Pb-Zn+/-Au, in Selected British Columbia Mineral Deposit Profiles, Volume 2 - Metallic Deposits, Lefebure, D.V. and Hōy, T, Editors, British Columbia Ministry of Energy of Employment and Investment, Open File 1996-13, pages 67-70.

Murphy D. C. (1997): Geology of the McQuesten River region, northern McQuesten and Mayo map areas, Yukon (115P/14, 15, 16, 105 M/13, 14); Geological Survey of Canada Bulletin 6.

Murphy D. C. and Roots C. M. (1996): Geological map of Keno Hill area, Central Yukon (105 M/14); Exploration and Geological Services Division, Indian and Northern Affairs Canada, Geoscience Map 1996-1, scale 1:50,000.

(1992): Geology of Keno Hill Map Area, YT (105 M/14); Geological Survey of Canada Open File 1992-3, scale 1:50,000.

Pautler, J.M. (2010): Geochemical report on the B Project; Yukon Geological Survey assessment report.

(2009): Geological, geochemical and prospecting report on the B Project; Yukon Geological Survey assessment report.

(2008b): Geological, geochemical and prospecting report on the B Project; Yukon Geological Survey assessment report.

(2008a): Geological, geochemical geophysical, trenching and evaluation report on the Keno-Lightning Project; In house report for Northex Ventures Inc.

(2006b): Compilation and geophysical interpretation on the B property; Yukon Geological Survey assessment report.

(2006a): 2005 geological, geochemical and geophysical report on the B property; Yukon Geological Survey assessment report.

(2002): 2002 geological and geochemical report on the B property; Yukon Geological Survey, assessment report.

(2001): 2001 geological geochemical and geophysical report on the B property; Yukon Geological Survey assessment report.

Roots C. M. and Murphy D. C. (1992): Geology of Mayo Map Area (105 M); Geological Survey of Canada Open File 2483, scale 1:250,000.

11.0 APPENDICES

APPENDIX I: Statement of Claims

Grant Number	Claim Name	Claim No.	Claim Owner	Record Date	Expiry Date	New Expiry
YB81306	B	14	Richard Fischer - 100%.	8/22/1997	22/08/2013	22/08/2013
YB81307	B	15	Richard Fischer - 100%.	8/22/1997	22/08/2013	22/08/2013
YB81312	B	20	Richard Fischer - 100%.	8/22/1997	22/08/2013	22/08/2013
YB81313	B	21	Richard Fischer - 100%.	8/22/1997	22/08/2013	22/08/2013
YB81314	B	22	Richard Fischer - 100%.	8/22/1997	22/08/2013	22/08/2013
YB81315	B	23	Richard Fischer - 100%.	8/22/1997	22/08/2013	22/08/2013
YB81317	B	25	Richard Fischer - 100%.	8/22/1997	22/08/2013	22/08/2013
YB81319	B	27	Richard Fischer - 100%.	8/22/1997	22/08/2013	22/08/2013
YB81320	B	28	Richard Fischer - 100%.	8/22/1997	22/08/2013	22/08/2013
YB81321	B	29	Richard Fischer - 100%.	8/22/1997	22/08/2013	22/08/2013
YB81322	B	30	Richard Fischer - 100%.	8/22/1997	22/08/2013	22/08/2013
YB81331	B	47	Richard Fischer - 100%.	8/22/1997	22/08/2013	22/08/2013
YB81333	B	49	Richard Fischer - 100%.	8/22/1997	22/08/2013	22/08/2013
YB81334	B	50	Richard Fischer - 100%.	8/22/1997	22/08/2013	22/08/2013
YB81335	B	51	Richard Fischer - 100%.	8/22/1997	22/08/2013	22/08/2013
YB81336	B	52	Richard Fischer - 100%.	8/22/1997	22/08/2013	22/08/2013
YB81337	B	53	Richard Fischer - 100%.	8/22/1997	22/08/2013	22/08/2013
YB81338	B	54	Richard Fischer - 100%.	8/22/1997	22/08/2013	22/08/2013
YB81339	B	55	Richard Fischer - 100%.	8/22/1997	22/08/2013	22/08/2013
YB81340	B	56	Richard Fischer - 100%.	8/22/1997	22/08/2013	22/08/2013
YB81341	B	57	Richard Fischer - 100%.	8/22/1997	22/11/2012	22/11/2013*
YB81342	B	58	Richard Fischer - 100%.	8/22/1997	22/11/2012	22/11/2013*
YB81343	B	59	Richard Fischer - 100%.	8/22/1997	22/11/2012	22/11/2013*
YB81344	B	60	Richard Fischer - 100%.	8/22/1997	22/11/2012	22/11/2013*
YB81345	B	61	Richard Fischer - 100%.	8/22/1997	22/11/2012	22/11/2013*
YB81346	B	62	Richard Fischer - 100%.	8/22/1997	22/11/2012	22/11/2013*
YB81349	B	77	Richard Fischer - 100%.	8/22/1997	22/11/2012	22/11/2013*
YB81350	B	78	Richard Fischer - 100%.	8/22/1997	22/11/2012	22/11/2013*
YB81351	B	79	Richard Fischer - 100%.	8/22/1997	22/11/2012	22/11/2013*
YB81352	B	80	Richard Fischer - 100%.	8/22/1997	22/11/2012	22/11/2013*
YB81353	B	81	Richard Fischer - 100%.	8/22/1997	22/11/2012	22/11/2013*
YB81354	B	82	Richard Fischer - 100%.	8/22/1997	22/11/2012	22/11/2013*
YB81355	B	83	Richard Fischer - 100%.	8/22/1997	22/11/2012	22/11/2013*
YB81356	B	84	Richard Fischer - 100%.	8/22/1997	22/11/2012	22/11/2013*

Grant	Claim	Claim	Claim	Record	Expiry	New
Number	Name	No.	Owner	Date	Date	Expiry
YB81357	B	85	Richard Fischer - 100%.	8/22/1997	22/11/2012	22/11/2013*
YB81358	B	86	Richard Fischer - 100%.	8/22/1997	22/11/2012	22/11/2013*
YB81359	B	87	Richard Fischer - 100%.	8/22/1997	22/11/2012	22/11/2013*
YB81360	B	88	Richard Fischer - 100%.	8/22/1997	22/11/2012	22/11/2013*
YB81361	B	89	Richard Fischer - 100%.	8/22/1997	22/11/2012	22/11/2013*
YB81362	B	90	Richard Fischer - 100%.	8/22/1997	22/11/2012	22/11/2013*
YB81363	B	91	Richard Fischer - 100%.	8/22/1997	22/11/2012	22/11/2013*
YB81364	B	92	Richard Fischer - 100%.	8/22/1997	22/11/2012	22/11/2013*
YB81365	B	93	Richard Fischer - 100%.	8/22/1997	22/11/2012	22/11/2013*
YB81366	B	94	Richard Fischer - 100%.	8/22/1997	22/11/2012	22/11/2013*
YB81367	B	95	Richard Fischer - 100%.	8/22/1997	22/11/2012	22/11/2013*
YB81368	B	96	Richard Fischer - 100%.	8/22/1997	22/11/2012	22/11/2013*
YB81369	B	97	Richard Fischer - 100%.	8/22/1997	22/11/2012	22/11/2013*
YB81370	B	98	Richard Fischer - 100%.	8/22/1997	22/11/2012	22/11/2013*
YB81371	B	99	Richard Fischer - 100%.	8/22/1997	22/11/2012	22/11/2013*
YC02756	B	103	Richard Fischer - 100%.	6/6/2001	06/09/2013	06/09/2013
YC02757	B	104	Richard Fischer - 100%.	6/6/2001	06/09/2013	06/09/2013
YC02758	B	105	Richard Fischer - 100%.	6/6/2001	06/09/2013	06/09/2013
YC02759	B	106	Richard Fischer - 100%.	6/6/2001	06/09/2013	06/09/2013
YC02760	B	107	Richard Fischer - 100%.	6/6/2001	06/09/2013	06/09/2013
YC02761	B	108	Richard Fischer - 100%.	6/6/2001	06/09/2013	06/09/2013
YC02762	B	109	Richard Fischer - 100%.	6/6/2001	06/09/2013	06/09/2013
YC02763	B	110	Richard Fischer - 100%.	6/6/2001	06/09/2013	06/09/2013
YC02764	B	111	Richard Fischer - 100%.	6/6/2001	06/09/2013	06/09/2013
YC02765	B	112	Richard Fischer - 100%.	6/6/2001	06/09/2013	06/09/2013
YC02766	B	113	Richard Fischer - 100%.	6/6/2001	06/09/2013	06/09/2013
YC02767	B	114	Richard Fischer - 100%.	6/6/2001	06/09/2013	06/09/2013
YC02768	B	115	Richard Fischer - 100%.	6/6/2001	06/09/2013	06/09/2013
YC02769	B	116	Richard Fischer - 100%.	6/6/2001	06/09/2013	06/09/2013
YC39579	B	117	Richard Fischer - 100%.	8/11/2005	11/11/2012	11/11/2013*
YC39580	B	118	Richard Fischer - 100%.	8/11/2005	11/11/2012	11/11/2013*
YC39581	B	119	Richard Fischer - 100%.	8/11/2005	11/11/2012	11/11/2013*
TOTAL	66 claims					

* based on acceptance of this report

APPENDIX II

Statement of Expenditures Phase 2: November, 2012

GIS Compilation:	Emerald Mapping Services 50 hours @ \$55/hr	\$2,750.00
Plotting Maps and Copies:		310.00
Map & Data review, report:	1 day @ 800.00/day	<u>800.00</u>
TOTAL:		\$3,860.00
Filed for Assessment		\$3,200.00

APPENDIX III

STATEMENT OF QUALIFICATION

I, Jean Marie Pautler, do hereby certify that:

I, Jean Marie Pautler of 103-108 Elliott Street, Whitehorse, Yukon Territory am self-employed as a consultant geologist and authored this report.

I am a geologist with more than thirty years of experience in the North American Cordillera.

I am a graduate of Laurentian University, Sudbury, Ontario with an Honours B.Sc. degree in geology (May, 1980).

I am a Professional Geoscientist, registered in the province of British Columbia, Registration No 19804.

I planned, supervised and reviewed the GIS compilation which comprises the Phase 2, 2012 work program on the B claims.

I have no direct or indirect interest in the B property, which is the subject of this report.

Jean Pautler, P.Geo.
JP Exploration Services Inc.

APPENDIX IV

GIS Database

Claim Data	Easting(83Z8)	Northing(83Z8)	RL
83043 FP	489015	7095192	797
B102 FP	487087	7093312	1084
B103CP	488792	7093878	
B104 IP	489363	7093902	983
B105 IP	489253	7093889	992
B109 FP	490699	7094183	886
B109 IP	490244	7094031	928
B110 IP	488851	7094669	868
B111 IP	489280	7094770	852
B113 IP	489718	7094883	808
B115 FP	490593	7095120	749
B115 IP	490152	7094994	786
B116 FP	489185	7094324	909
B116 IP	488726	7094285	903
B13 20 IP	489046	7093011	1114
B15 22 IP	490075	7093163	1227
B14 22 IP	489492	7093067	1223
B15/22 FP	490497	7093236	1122
B16/101 IP	487035	7093598	1015
B17 IP	487458	7093680	1011
B18 IP	487893	7093759	1004
B19 FP	488777	7093892	970
B19 IP	488329	7093834	992
B23 IP	490408	7093785	990
B27 FP	491290	7093861	922
B27 IP	490816	7093795	973
B29 FP	492115	7093951	851
B29 IP	491699	7093892	885
B45 FP	486333	7093596	1000
B47 IP	486796	7093648	1000
B49 IP	487256	7093792	980
B51 IP	487601	7093916	994
B53 IP	488013	7094049	973
B55 IP	488436	7094164	941
B56 FP	489319	7094355	909
B56 IP	488859	7094304	900
B57 IP	490629	7094558	813
B59 IP	491082	7094627	776
B61 IP	491530	7094716	758
B62 FP	491968	7094790	740
B75 IP	484842	7094522	777
B78IP	485252	7094581	781
B80 IP	485720	7094656	781
B81 IP	486140	7094721	806
B83 IP	486574	7094793	833
B85 IP	487008	7094871	873
B87 IP	487451	7094932	857
B89 IP	487915	7095012	850
B91 IP	488321	7095072	867
B93 FP	489197	7095226	792
B93 IP	488767	7095157	835
B95 IP	489192	7095220	784
B96 IP	489640	7095285	791
B97 FP B99 IP	490547	7095397	733
B97 IP	490097	7095338	765
B99 FP	490588	7094951	767
B-CP	489358	7094627	865
GAMBLER GULCH &	485595	7094594	761
TRY AGAIN IP	489346	7094663	856
YB29398 IP TOWN	489260	7094503	893
B107 IP	489831	7093714	

Item Id.	Easting(8	Northing(8	RL		Item Id.	Easting(8	Northing(	RL
583540	487775	7094261			CL 156	485364	7094766	761
30E	487942	7093266			CUT LINE	487095	7093278	1089
30E58N	487422	7093843			CUT LINE	485535	7094439	842
30E63N	487070	7094175			CUT LINE	488513	7096295	728
31E58N	487486	7093921			DH 65-01	489402	7094581	869
32E575	487600	7093942			DH 65-02	488935	7094007	952
32E58N	487565	7093974			GAMBLER	485950	7094778	788
33E63N	487246	7094399			INTERSEC	484589	7094702	754
34E575	487698	7094116			Lake Adit	487381	7092835	1155
35E5875N	487698	7094283	966		MCAMP	489284	7094491	
35E63N	487404	7094549			Moon Adit	489364	7094591	871
36E53N	488137	7093920			N OLD CL	489050	7093629	1068
36E58N	487802	7094288			OLD DIGS	489251	7094594	872
36E63N	487438	7094635			Pit 1 (Tr 7	488635	7093818	988
36ECT	487874	7094214			Pit 2	488615	7093857	984
37E63N	487510	7094699			Pit 4	488766	7094036	985
38E58N	487917	7094450			Pit 5	488765	7094032	987
38E63N	487578	7094795			Pit 6	488762	7094051	988
39E63N	487645	7094868			PIT3	488618	7093844	991
41E55N	488371	7094480			RD	483772	7095637	744
42E63N	487824	7095089			ROAD @ 2	488577	7093864	975
43E63N	487897	7095161			S CUT LIN	488815	7095750	752
44E63N	487952	7095236			CL 157	488653.8	7094361	
54560A	489370	7093273	1185		Stone 1 Ad	488816	7092624	1190
54565?	488541	7094531	897		Stone 2 Ad	488719	7092555	1250
58N30E	487679	7094140			Stone 3 Ad	488662	7092512	1290
58N31E	487489	7093917			Tr 1	489653	7093850	1012
58N32E	487553	7093994			Tr 2	488049	7093794	1008
58N33E	487614	7094073			Tr 3	489255	7094385	923
58N34E	487679	7094147			Tr 4	489270	7094433	914
58N35E	487750	7094228			Tr 5	484775	7094472	778
58N37E	487876	7094383			Tr 6	489348	7093730	1059
58N38E	487941	7094459			Tr 8	488751	7094075	998
58N39E	488006	7094536			TRAIL	483890	7095526	748
58N40E	488071	7094614						
58N41E	488136	7094691						
58N42E	488201	7094768						
58N43E	488266	7094844						
58N44E	488331	7094922						
ADIT	489344	7094609	871					
BGS1	488786	7093859						
B-JCT	489400	7094549	887					
BL58N3542E	487774	7094260	970					
Cat Trail	489338	7093276	0					

Outcrop ID	Easting(83Z8)	Northing(83Z8)	RL
A	488118	7095019	858
APLITE	487397	7093856	
BOTC	487641	7093975	
BOTC2	488277	7094698	
CREEK OC -70E	487312	7093825	970
OTC1	488605	7093862	992
OTC2	487848	7093937	979
OTC4	488284	7095030	
OTC5	488228	7094966	
OUTCROP 70 M TO EAST	487311	7093826	971
OUTCROP B	488184	7095002	858
OUTCROP C	489038	7094343	908
OUTCROP G	486294	7094869	791
OUTCROP H	489945	7093214	1238
OUTCROP I	488096	7093768	1016
OUTCROP J @ 350 70M	487690	7093720	1017
OUTCROP K	489996	7093100	1260
OUTCROP L	490628	7093817	967
OUTCROP M	489068	7094266	920
OUTCROP N?	489070	7094341	907
OUTCROP.D	488990	7094332	905
OUTCROP1	489212	7094338	911
OUTCROP2	486258	7094740	821
OUTCROP3	486502	7094759	836
OUTCROP4	487707	7094979	868
OUTCROP5	488067	7095021	858
OUTCROPFCREEK	487284	7093808	969
ROAD OUTCROP	489250	7094407	903
SOC	489787	7092985	1284

Item Id.	Easting(83Z8)	Northing(83Z8)	RL
B001	486348	7094810	820
B002	486365	7094821	825
B003	486391	7094859	812
B005	486455	7094722	840
B006	487011	7093917	955
B007	487152	7093832	989
B008	487176	7093850	990
B009	487247	7093894	954
B010	487283	7093922	950
B011	487381	7094028	967
B012	487475	7093996	978
B013	487612	7093991	978
B014	487634	7094041	973
B015	487586	7094009	981
B016	487545	7094014	978
B017	487523	7094004	983
B018	487343	7094018	972
B019	487271	7094012	954
B102	486899	7093914	
B104	487017	7093904	
B105	487232	7093498	
B112	487661	7094036	
B44-47	488956	7094249	
B-BOX	489434	7094555	873
B-END	489545	7094576	866
BOWL	487843	7095002	849
CP2-82280	489812	7093196	1223
CREEK1	486740	7093649	1004
CREEK10	487911	7095010	852
CREEK11	488194	7095045	843
CREEK2	486945	7093679	988
CREEK4	487962	7094034	974
CREEK6	488541	7094184	930
CREEK7	484690	7094679	757
CREEK8	486531	7094787	829
CREEK9	487337	7094927	858
Cte	490177	7092962	1304
DRAW	487667	7094971	860

Sample #	Easting(83)	Northing(83)	RL	Au ppb	Ag ppm	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Li	Mg	Mn	Mo	Na
B28M	491980	7094640	0	0	0.2	0.61	45		50		0	0.69	1	12	12	48	2.5				0		0.45	481	3	0
B23D	484666	7094427	772	45	30	0.22	90		60		0	0.94	30	7	13	37	10				0		1.17	10000	2	0
B13D	484758	7094311	800	80	0.6	0.35	45		55		0	0.42	3	11	10	41	2.84				10		0.17	230	7	0
B14M	484890	7093913	847	135	30	0.53	75		85		0	0.94	58	8	13	51	6.96				0		0.8	10000	0	0
B80R	488635	7092512	781	0	0	0.08	5		20		0	0.52	0	2	160	11	0.64				0		0.07	66	5	0.01
B22D	485255	7094840	0	50	0	0.36	30		70		0	0.55	1	9	8	32	2.35				10		0.18	286	6	0
B15D	485419	7094334	838	25	0.6	0.27	30		50		0	0.49	2	11	7	33	2.82				0		0.14	265	10	0
B21M	485580	7094987	0	0	0.6	0.63	30		125		0	0.68	5	21	11	36	2.17				0		0.32	1306	3	0
B16D	485956	7094449	801	25	0.4	0.51	30		100		0	0.43	4	26	11	24	2.22				0		0.29	1440	3	0
B81R	486140	7094537	806	15	0.2	1.62	0		65		0	0.18	0	10	80	17.6	3.97				20		1	85	0	0.02
B1R	486258	7094741	0	300	1.2	3.72	50		50		0	5.27	1	38	147	191	7.76				0		2.49	1287	0	0.01
B17M	486338	7094880	782	25	1.6	0.51	45		155		5	1.28	7	12	9	61	2.43				0		0.26	2244	6	0
B18R	486436	7094914	799	75	0	2.83	20		170		0	1.46	2	40	202	198	6.09				0		1.88	867	3	0.02
B87R	487667	7094971	857	0	0.2	0.05	0		10		0	6.76	2	2	124	5.5	0.68				0		0.1	188	2	0
B83R	488314	7095000	833	5	0.9	0.13	0		15		0	0.35	0	7	147	22	1.62				5		0.07	280	2	0.01
B88R	487667	7094971	0	5	0.2	0.2	2460		35		0	1.59	0	1	87	2.2	0.44				0		0.03	246	1	0.03
B89R	487667	7094971	850	20	1.2	0.02	1040		5		0	0.15	145	2	163	14.3	0.76				0		0.01	74	0	0
09-B4-1	486710	7095023	824.2	5	0.2	3.9	0		45		0	1.74	2	41	138	176.5	4.8				0		2.82	673	3	0.02
09-B4-2	486713	7095016	824.2	0	0	0.45	0		10		0	0.24	0	5	218	20.33	0.98				0		0.28	152	0	0
B19R	486747	7095082	0	85	0	2.76	0		155		0	1.57	2	94	187	998	6.15				0		1.93	992	4	0.02
B20R	486747	7095082	0	195	0	2.54	0		80		0	1.41	1	37	132	193	5.55				0		1.87	803	2	0.02
B102M	486899	7093914	0	30	0.6	0.76	40		160		0	0.77	2	12	22	43	2.54				0		0.4	645	3	0.01
09-B6	487011	7093917	955.4	5	0.6	0.11	0		10		0	0.56	8	7	167	21.42	1.09				0		0.03	198	0	0.02
B104R	487017	7093904	983	0	0.2	0.4	15		15		0	4.81	0	6	140	11	4.2				10		1.21	1847	3	0.01
B110R	487111	7094137	0	115	0	0.11	0		10		0	0.39	0	7	163	17.6	2.08				0		0.06	281	5	0.01
09-B8-2	487176	7093850	989.8	5	0.4	0.4	405		110		0	0.08	2	2	76	7.806	0.32				10		0.02	53	0	0.05
09-B8-1	487176	7093850	989.8	15	0	0.37	385		115		0	0.63	4	2	78	9.938	0.49				0		0.02	185	0	0.05
B105M	487249	7093780	0	10	1.3	0.81	25		60		0	0.87	3	13	23	40	2.73				10		0.5	471	2	0.01
B109M	487100	7094065	0	15	0.5	0.8	25		215		5	0.87	2	22	23	37	2.57				10		0.4	7646	5	0.01
B47M	487264	7093644	1011	210	0.8	0.68	25		75		0	0.68	2	11	12	40	2.29				0		0.39	495	2	0
B91R	487460	7095300	867	5	0.6	3.65	10		65		0	3.12	0	31	142	178.2	6.44				30		2.52	715	0	0.03
B108R	487440	7093660	0	0	0	0.31	0		35		0	0.01	0	2	200	11	0.9				0		0.08	34	0	0.02
B90R	487550	7095270	0	10	1.6	4.1	15		55		0	5.63	0	53	150	552.2	7.64				40		3.1	1059	0	0
09-B14	487634	7094041	972.5	10	0	0.4	730		115		0	0.41	1	4	58	10.89	0.64				10		0.03	323	0	0.05
B121 S	487635	7094043	0	20	0.3	1.29	35		125		0	0.23	0	13	23	69.3	3					7.5	0.42	172	0	0
B113R	487648	7094032	808	0	0.4	0.12	10		15		0	0.11	2	5	198	23.1	1.58				0		0.04	135	7	0.02
B112R	487661	7094036	0	0	0.2	0.29	445		85		0	0.04	0	5	87	11	0.81				5		0.04	55	3	0.03
S54557	487800	7094038	976	5	0.4	1.32	35		95		10	0.07	1	9	18	30	3.1				0		0.26	140	5	0
B45M	487801	7093738	1003	0	0.6	0.6	10		130		0	1.06	3	9	11	36	1.52				0		0.35	730	1	0
B3R	487667	7094971	0	125	0	0.03	345		0		0	0.33	122	0	225	13	1.07				0		0	122	3	0
B2R	487667	7094971	0	145	0.2	0.25	2675		35		0	1.4	9	1	81	14	0.66				0		0.03	262	2	0.02
B44M	487866	7093748	1004	0	0.6	0.53	10		120		0	1.85	4	7	9	73	1.3				0		0.37	565	1	0
S54558	487872	7093936	989	5	0.6	1.5	50		150		10	0.09	0	11	23	36	2.81				0		0.34	172	5	0
S54559	487884	7093912	993	10	0.3	1.36	40		100		0	0.07	0	9	23	36	3.57				0		0.32	147	5	0
B70R	489258	7094433		15	0.9	1.35	10	70	0	0.05	0	8	156	56.1	3.4	15	0.8				267		3	0	14	150
B86R	487903	7094909	0	0	0	0.02	0		0		0	0.04	0	1	156	6.6	0.6				0		0.02	73	2	0
B85R	487903	7094909	873	5	0.8	0.05	20		15		0	0.13	0	4	144	12.1	1.77				5		0.04	323	0	0
S54556	488026	7094034	986	5	0.2	1.67	55		155		5	0.06	0	13	24	42	3.1				0		0.34	159	3	0
B46R	487950	7093767	0	60	6	0.27	55		20		0	0.74	13	10	254	50	2.92				0		0.24	1390	6	0.01
B76R	488049	7093795	0	0	0.9	0.06	10		45		0	1.45	3	3	154	45.1	0.59				0		0.06	326	0	0.01
B75R	488049	7093795	777	25	3.6	0.24	55		135		0	0.28	0	5	125	102.3	4.1				15		0.12	0	16	0

Sample #	Ni	P	Pb	Pb%	S	Sb	Sc	Se	Sn	Sr	Te	Th	Ti	Zn	Zn%	U	V	W	Y
B28M	29	1370	26			0			0	24			0	110		0	16	0	2
B23D	16	820	1422			45			0	18			0.07	2531		0	13	0	0
B13D	42	1350	24			0			0	16			0.01	216		0	14	0	0
B14M	22	970	846			25			0	36			0.04	5298		0	17	0	0
B80R	7	180	8			0			0	4			0	28		0	2	0	0
B22D	27	1650	16			0			0	19			0	153		0	12	0	0
B15D	40	1690	22			0			0	17			0	204		0	10	0	0
B21M	47	1280	20			0			0	30			0.01	365		0	17	0	4
B16D	40	1180	22			0			0	17			0.01	334		0	16	0	2
B81R	15	980	0			0			0	13			0.03	74		0	20	0	0
B1R	54	970	28			0			0	99			0.01	98		0	146	0	0
B17M	42	1560	24			0			0	49			0	256		0	14	0	1
B18R	56	1310	24			0			0	35			0.35	127		0	98	0	7
B87R	19	290	6			0			0	301			0	108		0	1	0	13
B83R	10	280	50			0			0	3			0.02	165		0	2	0	1
B88R	3	80	10			0			0	28			0	80		0	0	0	5
B89R	0	10	20			0			0	3			0	6942		0	0	0	0
09-B4-1	61	980	16			0			0	24			0.16	84		0	119	0	7
09-B4-2	12	80	2			0			0	5			0.03	17		0	22	0	0
B19R	181	1270	22			0			0	17			0.27	140		0	86	0	0
B20R	46	950	24			0			0	29			0.24	100		0	104	0	3
B102M	31	1210	44			0			0	21			0.06	151		0	23	0	8
09-B6	16	90	24			0			0	13			0	886		0	2	0	1
B104R	25	80	0			0			0	21			0.05	52		0	5	0	2
B110R	10	190	0			5			0	1			0.02	164		0	0	0	2
09-B8-2	7	210	66			0			0	9			0	99		0	0	0	2
09-B8-1	11	270	50			0			0	31			0	243		0	0	0	3
B105M	26	1870	54			0			0	16			0.05	170		0	19	0	11
B109M	37	1160	30			0			0	32			0.15	123		20	22	0	8
B47M	23	1580	40			0			0	23			0.01	142		0	17	0	7
B91R	55	690	0			0			0	3			0.08	83		0	149	0	3
B108R	11	250	6			0			40	4			0	24		0	3	0	0
B90R	68	990	0			0			0	25			0.11	83		0	226	0	3
09-B14	13	220	6			0			0	19			0	128		0	0	0	4
B121 S	29	750	18			0			0	10			0.05	114.39		0	33	0	5
B113R	13	160	12			0			40	0			0.01	302		0	1	0	2
B112R	9	190	12			0			0	7			0	88		0	0	0	2
S54557	24	580	36			10			0	0			0.04	75		0	45	0	1
B45M	15	960	28			0			0	35			0.01	107		0	17	0	2
B3R	7	30	8			0			0	6			0	6860		0	0	0	0
B2R	2	90	8			0			0	36			0	175		0	0	0	7
B44M	20	1320	34			0			0	62			0	125		0	14	0	5
S54558	29	580	44			5			0	0			0.04	82		0	47	0	3
S54559	26	640	38			5			0	4			0.05	80		0	59	0	0
B70R	24	0	0			4			0.03	0			22			0	0	76	
B86R	2	30	8			0			0	0			0	10		0	0	0	0
B85R	6	90	84			0			0	0			0.02	38		0	0	0	0
S54556	30	510	48			0			0	0			0.04	74		0	50	0	2
B46R	25	250	418			5			0	20			0	607		0	4	0	0
B76R	18	260	8			0			0	37			0.01	153		0	1	0	5
B75R	28	1080	10			0			0	16			0.03	110		0	6	0	2

Sample #	Easting(83)	Northing(83)	RL	Au ppb	Ag ppm	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Li	Mg	Mn	Mo	Na
B43M	488051	7093779	1006	0	1	0.62	30		105		0	1.39	2	10	13	49	1.72				0		0.34	501	1	0
S54555	488073	7094059	978	5	0.3	1.8	35		140		5	0.08	0	11	27	30	3.24				0		0.43	178	7	0.01
S54554	488091	7094077	973	10	0.3	1.19	55		110		15	0.12	2	12	23	56	3.7				0		0.4	225	10	0
B123R	488096	7095002	0	10	0.4	0.35	0		30		0	0.05	0	4	130	34	2.03				0		0.15	109	1	0.01
B42R	488136	7094051	0	55	0	0.57	70		210		0	3.73	2	20	82	24	3.58				0		1.15	573	11	0.03
B41R	488061	7093784	0	65	0.6	0.23	30		70		0	10	3	12	48	73	2.19				0		0.76	1067	5	0.01
B126R	488200	7094986	0	10	1.2	0.85	145		75		0	0.22	0	4	76	20	2.42				0		0.4	111	4	0.02
B127R	488200	7094986	0	15	2.6	0.11	5		45		0	0.28	1	10	158	43	2.51				0		0.03	401	2	0.01
B128R	488200	7094986	0	25	1.2	1.49	30		75		10	0.2	0	16	122	82	9.07				0		0.71	311	6	0.02
B92R	488217	7094651	0	0	0.2	0.02	0		10		0	0.31	0	2	178	5.5	0.55				0		0.1	181	3	0
L1-S1	488231	7095198	858	5	0.8	0.92	45		185		0	0.53	10	15	16	87	3.56				0		0.34	424	25	0
B84 S	488251	7095039	0	20	0.9	2.03	25		190		0	0.03	0	12	34	38.5	4.42				10		0.5	206	3	0
B125R	488263	7094929	0	0	0.2	0.05	0		15		0	0.13	0	3	142	10	0.89				0		0.03	126	0	0.01
B4R	488095	7095060	0	135	0.8	0.3	10		20		0	0.08	3	2	186	20	1.29				0		0.14	130	2	0.01
L1-S3	488276	7095165	863	10	0.4	1.53	40		140		0	0.1	0	14	25	43	3.8				0		0.49	219	6	0
L1-S5	488293	7095115	868	10	0.3	1.38	30		170		0	0.14	1	12	23	38	3.74				0		0.52	192	6	0
L1-S4	488294	7095152	865	5	0.3	1.36	25		210		5	0.1	0	11	22	30	2.99				0		0.41	202	4	0
B124R	488306	7094905	0	0	0	0.02	5		10		0	0	0	0	149	4	0.64				0		0	47	0	0
B10M	488308	7094110	0	0	0	0.2	0		35		0	1.34	2	1	1	55	0.2				0		0.13	323	0	0
B5R	488270	7095035	0	245	1.6	1.94	20		30		10	0.14	2	13	110	63	8.9				0		0.93	319	2	0.02
L1-S6	488313	7095090	870	15	0.2	1.52	40		210		0	0.09	0	14	25	45	3.45				10		0.53	256	5	0
L2-S01	488329	7094970	0	0	0	0.87	20		78	1	0	0.07	0	6	16	20	2.36		0	0	6	18	0.29	130	2	0.01
L1-S7	488331	7095071	870	15	0	1.28	45		100		5	0.14	1	12	22	43	3.57				0		0.52	204	5	0
L1-S8	488342	7095051	875	10	0	1.33	60		115		0	0.12	0	10	25	33	4.06				0		0.48	193	5	0
L2-S02	488345	7094951	0	15	0	1.15	25		128	1	0	0.12	0	12	22	42	2.96		0	0	8	24	0.47	245	3	0.01
L1-S9	488353	7095024	876	10	0	1.26	25		155		5	0.14	0	10	22	36	3.08				0		0.5	177	5	0
L2-S03	488361	7094931	0	5	0	0.94	15		116	1	0	0.07	0	6	16	20	2.16		0	0	6	16	0.29	105	2	0.01
L1-S10	488367	7095004	878	20	0.2	1.19	35		185		0	0.13	0	10	20	41	3.06				0		0.43	204	4	0
7R56951	488375	7095049		5	0.5	1.65	15		140	0	0	0.58	1	17	268	28	5.32		0	0.1	12	54	1	1645	3	0.04
L3-S01	488375	7095049		5	0.2	1.28	30		100	1	0	0.12	0	11	22	42	2.76		0	0	8	28	0.46	205	3	0.01
L1-S29	488378	7094971		10	0.2	1.15	30		108	1	0	0.11	0	9	20	38	2.93		0	0	6	22	0.34	135	3	0.01
L2-S04	488379	7094913	0	5	0.2	0.86	20		122	0	0	0.1	0	6	14	22	2.32		0	0	6	14	0.27	110	3	0.01
L1-S11	488386	7094983	878	5	0.2	1.38	35		150		0	0.1	0	12	23	44	3.44				0		0.55	204	6	0
L1-S31	488390	7094941		5	0.3	0.86	15		92	1	0	0.06	0	5	16	14	2.29		0	0	6	12	0.28	105	2	0.01
L1-S12	488397	7094967	868	365	0	1.44	65		165		0	0.12	0	14	22	52	3.54				0		0.5	225	7	0
L1-S12 (20)	488401	7094962	870	10	0	1.21	35		154	1	0	0.16	0	15	22	56	3.36		0	0	10	24	0.51	335	4	0.02
L3-S02	488404	7095055		10	0.2	1.28	40		174	1	0	0.13	0	13	22	46	2.83		0	0	10	26	0.47	290	3	0.01
B82R	488270	7095035	0	15	1.4	2.22	15		55		0	0.08	0	13	169	59.4	8.52				20		1.3	58	0	0
7R56952	488408	7095057		0	1.9	0.05	20		14	0	0	0.24	0	2	270	12	0.81		0	0	0	0	0.01	215	1	0.01
L2-S05	488409	7094903	0	5	0	1.08	15		118	1	0	0.11	0	9	20	38	2.39		0	0	8	22	0.43	185	2	0.01
L1-S13	488417	7094941	879	20	0.4	1.58	40		165		10	0.1	1	14	25	39	3.86				0		0.48	207	6	0
L1-S30	488422	7094973		5	0.4	1.15	25		124	1	0	0.14	0	9	20	42	2.77		0	0	6	26	0.45	160	3	0.01
L3-S03	488427	7095055		5	0	1.27	25		120	1	0	0.11	0	11	22	40	2.76		0	0	8	26	0.49	235	3	0.01
B40L	488427	7093838	983	20	4.8	0.55	50		85		0	0.6	1	10	11	30	2.36				0		0.27	443	4	0
L1-S14	488430	7094923	877	5	0.2	1.46	40		170		10	0.06	0	14	24	45	3.32				0		0.48	246	5	0
L2-S06	488433	7094892	0	0	0	0.91	15		96	1	0	0.08	0	7	16	34	1.89		0	0	6	16	0.31	120	2	0.01
L1-S15	488451	7094901	877	30	0.3	1.27	20		215		0	0.08	0	14	22	51	2.71				0		0.4	224	5	0
L2-S07	488457	7094882	0	0	0.2	0.64	10		60	0	0	0.1	0	4	12	14	1.44		0	0	6	10	0.21	90	1	0
L3-S04	488467	7095055		10	0	1.21	35		104	1	0	0.12	0	13	22	46	3.08		0	0	8	28	0.54	295	3	0.01
L1-S16	488475	7094883	869	10	0	1.03	25		145		5	0.12	0	8	19	28	2.48				0		0.36	172	3	0
L2-S08	488481	7094870	0	5	0.8	1.6	15		154	2	0	0.05	0	12	24	22	2.63		0	0	8	18	0.33	200	3	0.01
L3-S05	488490	7095035		5	0.7	1.28	40		144	1	0	0.1	0	10	20	28	2.6		0	0	8	24	0.36	205	2	0.01

Sample #	Ni	P	Pb	Pb%	S	Sb	Sc	Se	Sn	Sr	Te	Th	Ti	Zn	Zn%	U	V	W	Y
B43M	19	1060	32			0			0	44			0.01	123		0	20	0	3
S54555	31	580	42			15			0	0			0.04	88		0	52	0	0
S54554	47	1090	38			15			0	4			0.04	193		0	45	0	1
B123R	8	320	10			0			0	2			0	56		0	6	0	0
B42R	52	1340	4			0			0	71			0	76		0	22	0	0
B41R	18	450	16			0			0	979			0	74		0	7	0	20
B126R	12	1220	50			0			0	37			0	61		0	16	0	2
B127R	17	160	142			0			0	5			0	222		0	2	0	2
B128R	28	1620	52			0			0	20			0	142		0	31	0	0
B92R	7	30	0			0			0	6			0	62		0	1	0	0
L1-S1	69	1580	40			35			0	50			0.02	256		0	28	0	7
B84 S	27	510	22			0			0	11			0.04	145.14		0	45	0	0
B125R	8	200	22			0			0	5			0	29		0	1	0	2
B4R	7	360	40			0			0	3			0	153		0	4	0	0
L1-S3	37	770	44			15			0	1			0.03	121		0	38	0	0
L1-S5	34	890	40			10			0	9			0.03	117		0	34	0	2
L1-S4	28	770	36			0			0	5			0.03	86		0	42	0	3
B124R	4	0	4			0			0	0			0	12		0	1	0	0
B10M	7	450	10			0			0	38			0	47		0	0	0	0
B5R	22	1680	54			0			0	16			0	154		0	30	20	0
L1-S6	35	570	46			10			0	0			0.03	111		0	41	0	6
L2-S01	18	550	12		0	0	0	0	0	6			0	70		0	26	0	2
L1-S7	32	990	38			10			0	7			0.03	121		0	31	0	2
L1-S8	26	1040	38			0			0	2			0.03	110		0	43	0	0
L2-S02	31	680	18		0	0	2	0	0	8			0	116		0	26	0	5
L1-S9	30	920	32			15			0	3			0.03	95		0	34	0	3
L2-S03	17	580	15		0	0	0	0	0	6			0	58		0	28	0	2
L1-S10	29	880	34			5			0	6			0.03	102		0	33	0	2
7R56951	48	2820	36		0.02	0	3	0	0	32			0	186		0	28	5	8
L3-S01	27	760	18		0	0	1	0	0	8			0	96		0	24	0	3
L1-S29	25	770	21		0	0	1	0	0	8			0	86		0	26	0	2
L2-S04	16	820	12		0.01	0	0	0	0	6			0	76		0	24	0	2
L1-S11	34	910	36			15			0	3			0.03	114		0	34	0	3
L1-S31	13	680	12		0	0	0	0	0	4			0	58		0	30	0	1
L1-S12	38	810	40			15			0	7			0.03	113		0	34	0	3
L1-S12 (20	38	930	21		0	0	2	0	0	10			0	146		0	26	0	6
L3-S02	28	700	18		0	0	2	0	0	10			0	100		0	26	0	6
B82R	14	930	48			0			0	8			0.06	148		0	34	0	0
7R56952	12	60	9		0	5	0	0	0	10			0	30		0	4	0	1
L2-S05	25	620	12		0	0	2	0	0	8			0.01	86		0	24	0	4
L1-S13	37	870	42			20			0	3			0.03	110		0	44	0	2
L1-S30	28	900	15		0	0	1	0	0	10			0	104		0	24	0	3
L3-S03	26	660	15		0	0	2	0	0	8			0	90		0	26	0	4
B40L	22	1050	34			0			0	19			0	135		0	17	0	0
L1-S14	34	710	40			10			0	0			0.03	107		0	42	0	5
L2-S06	19	730	15		0	0	0	0	0	8			0	72		0	24	0	2
L1-S15	30	700	32			10			0	8			0.03	100		0	41	0	5
L2-S07	11	580	9		0	0	0	0	0	6			0	44		0	20	0	2
L3-S04	28	820	18		0	0	2	0	0	8			0.01	114		0	26	0	5
L1-S16	21	870	30			5			0	14			0.03	75		0	36	0	3
L2-S08	24	430	18		0	0	1	0	0	6			0.01	66		0	36	0	2
L3-S05	25	560	21		0	0	1	0	0	8			0	78		0	26	0	3

Sample #	Easting(83)	Northing(83)	RL	Au ppb	Ag ppm	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Li	Mg	Mn	Mo	Na
L1-S17	488496	7094867	879	10	0.3	1.21	30		195		0	0.11	2	10	21	41	3.14				0		0.45	190	6	0
L2-S09	488505	7094856	0	5	0.4	1.36	15		150	2	0	0.05	0	9	22	24	2.52		0	0	6	18	0.33	190	3	0.01

Sample #	Ni	P	Pb	Pb%	S	Sb	Sc	Se	Sn	Sr	Te	Th	Ti	Zn	Zn%	U	V	W	Y
L1-S17	30	750	34			15			0	13			0.03	101		0	36	0	4
L2-S09	22	440	15		0	0	1	0	0	6			0.01	66		0	36	0	2

Sample #	Easting(83)	Northing(83)	RL	Au ppb	Ag ppm	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Li	Mg	Mn	Mo	Na
L3-S06	488516	7095023		5	0.4	0.81	10		68	1	0	0.05	0	4	14	10	1.57		0	0	6	10	0.22	95	1	0.01
L1-S18	488527	7094874	882	5	0.2	1.32	25		170		0	0.08	0	10	20	27	2.74				0		0.34	189	3	0
L3-S07	488540	7095022		5	0	1.22	10		138	1	0	0.05	0	8	22	22	2.23		0	0	8	18	0.35	190	2	0.01
7R54567	488541	7094531	897	110	0	0.05	35		25		0	0.07	0	3	167	6	1				0		0	372	0	0
L1-S19	488543	7094870	873	5	0.2	1.37	15		225		20	0.07	0	10	23	25	2.7				0		0.38	216	4	0
L2-S11	488556	7094827	0	5	0.2	1.37	15		246	2	0	0.07	0	13	26	34	2.56		0	0	12	18	0.45	300	2	0.01
L1-S2	488558	7094832	876	10	1.3	1.23	55		270		5	0.23	2	10	20	43	3.44				0		0.35	214	11	0
L3-S08	488559	7095004		5	0	0.87	10		66	0	0	0.11	0	6	16	22	2.02		0	0	6	16	0.32	120	1	0.01
L2-S12	488572	7094806	0	5	0.2	0.98	10		112	1	0	0.06	0	6	18	18	1.93		0	0	6	14	0.27	120	2	0.01
L1-S20	488577	7094878	877	5	0	1.12	15		165		0	0.11	0	12	20	38	2.68				0		0.37	309	3	0
L3-S09	488581	7094984		0	0.3	1.19	15		114	1	0	0.07	0	11	20	24	2.3		0	0	8	18	0.31	195	2	0.01
L2-S13	488603	7094802	0	5	0.2	1.24	15		210	1	0	0.08	0	10	22	34	2.33		0	0	10	16	0.37	205	2	0.01
B78 S	488615	7093857		15	0.9	1.09	40		160		0	0.13	0	15	23	64.9	3.15				10		0.43	293	0	0
B79 S	488618	7093844		10	0.5	1.1	50		60		0	0.08	0	12	23	60.5	3.84				10		0.3	118	0	0
B77R	488604	7093860	0	10	0.4	0.14	35		60		0	0.03	0	4	156	12.1	1.32				10		0.03	61	9	0.01
L1-S21	488610	7094876	877	10	0	1.2	20		210		0	0.11	0	10	22	31	2.69				0		0.42	252	5	0
L3-S10	488611	7094966		0	0.2	1.02	10		94	1	0	0.12	0	7	18	24	1.92		0	0	6	16	0.3	130	2	0.01
S54552	488613	7093835	991	10	1.7	1.23	85		100		0	0.2	3	18	21	87	4.18				0		0.4	322	9	0.01
S54553	488615	7093854	984	10	0.3	1.64	60		105		10	0.08	0	13	24	48	3.83				0		0.33	178	7	0
B9M	488618	7094215	0	5	2.4	0.11	5		70		0	2.91	5	2	2	47	0.34				0		0.2	1530	0	0
L2-S14	488627	7094798	0	5	1.1	0.79	20		210	0	0	0.13	2	5	14	26	1.76		0	0	6	8	0.19	100	3	0.01
L1-S22	488632	7094870	886	10	0	1.42	30		240		0	0.07	0	13	24	43	3.03				0		0.4	206	4	0
S54551	488633	7093815	985	10	0.4	1.14	75		165		0	0.19	0	13	20	75	2.98				0		0.35	219	7	0
L3-S11	488639	7094942		5	0.2	1.05	15		110	1	0	0.05	0	6	18	18	2.05		0	0	6	16	0.26	130	2	0.01
L2-S15	488647	7094793	0	5	0.2	1.17	25		152	1	0	0.1	0	11	26	50	2.65		0	0	6	20	0.43	175	3	0.01
L1-S23	488648	7094854	886	5	0.2	1.4	25		195		0	0.07	1	11	21	27	2.65				0		0.3	177	6	0
L3-S12	488649	7094919		5	0	1.12	15		164	1	0	0.06	0	10	20	26	2.23		0	0	8	14	0.31	200	2	0.01
L41E25	488670	7094236		4.6	0.9	1.12	30		174	0	0	0.49	1	13	22	76	2.35		0	0	14	16	0.46	290	5	0.03
L1-S24	488672	7094825	880	5	0.4	1.13	40		195		0	0.17	0	13	20	44	3.08				0		0.44	339	5	0
L2-S16	488676	7094769	0	5	0.4	1.02	20		138	1	0	0.11	0	8	18	28	2.28		0	0	6	18	0.31	140	3	0.01
L3-S13	488679	7094910		5	0.2	1.22	15		150	1	0	0.06	0	9	20	26	2.3		0	0	10	16	0.33	180	3	0.01
L41E24	488685	7094216		0	0.4	0.73	20		160	0	0	0.67	0	6	12	26	1.68		0	0	10	10	0.29	125	3	0.03
L1-S25	488688	7094807	885	10	0	1.07	25		225		5	0.34	2	13	20	56	2.89				0		0.44	329	6	0
L1-S26	488700	7094783	885	35	0.2	1.3	50		200		5	0.22	0	14	22	62	3.55				0		0.5	267	6	0
L3-S14	488702	7094899		0	0	0.87	20		108	1	0	0.08	0	7	16	28	1.99		0	0	6	16	0.29	140	2	0.01
L41E23	488702	7094197		10	0.7	0.85	25		180	0	0	1.06	0	9	14	42	1.86		0	0	8	12	0.34	200	3	0.03
L1-S27	488715	7094755	881	60	0.2	1.1	45		245		5	0.35	2	13	19	60	3.03				0		0.44	350	6	0.01
L41E22	488717	7094177		10	0.5	0.4	25		132	0	0	1.67	1	4	6	20	1.21		0	0	4	6	0.2	435	2	0.03
L2-S18	488719	7094734	0	5	0.5	0.89	20		184	1	0	0.12	2	7	14	22	1.85		0	0	6	14	0.27	140	3	0.01
B116R	492300	7093680	903	5730	9.2	0.06	10000		25		0	0.09	70	35	158	16.5	3.08				5		0.07	64	0	0
L3-S15	488727	7094885		0	0.5	1.11	20		130	1	0	0.05	0	9	20	30	2.28		0	0	6	16	0.3	165	2	0.01
B39M	488733	7093888	964	130	30	0.43	345		55		0	0.39	13	17	7	140	3.47				0		0.33	3987	4	0
L41E21	488734	7094161		5	0.8	0.59	40		114	0	0	0.89	1	9	10	34	1.9		0	0	8	8	0.26	620	4	0.03
L42E25	488734	7094312		10	0.7	0.71	25		194	0	0	1.68	3	9	12	50	1.79		0	0	8	10	0.31	455	4	0.03
L2-S19	488738	7094718	0	0	0	1	20		156	1	0	0.28	0	7	16	20	1.8		0	0	4	16	0.33	115	3	0.01
B8M	488857	7094472	0	210	30	0.41	595		65		0	0.49	18	22	8	153	3.89				0		0.32	5157	5	0
L42E24	488748	7094285		10	0.9	0.56	25		302	0	0	2.65	2	9	10	54	1.55		0	0	6	6	0.26	1105	3	0.03
L3-S16	488749	7094871		5	0	0.94	20		190	0	0	0.2	0	11	18	40	2.08		0	0	8	18	0.39	245	3	0.01
L1-S28	488750	7094750	887	15	0	1.19	30		210		0	0.24	1	11	21	51	2.9				0		0.44	216	4	0.01
L41E20	488752	7094142		15	0.6	0.62	25		132	0	0	0.34	0	4	12	30	1.48		0	0	12	8	0.26	195	3	0.03
L42E23	488764	7094270		15	1.1	1.15	50		230	0	0	0.49	0	13	22	86	2.92		0	0	16	16	0.44	415	6	0.03
B93R	488767	7094973	835	160	30	0.07	235		55		0	1.26	97	21	97	1293	10				10		2.04	10000	13	0

Sample #	Ni	P	Pb	Pb%	S	Sb	Sc	Se	Sn	Sr	Te	Th	Ti	Zn	Zn%	U	V	W	Y
L3-S06	10	470	9		0	0	0	0	0	4			0	34		0	26	0	1
L1-S18	26	620	32			0			0	2			0.03	69		0	42	0	3
L3-S07	18	350	12		0	0	2	0	0	6			0.01	58		0	32	0	4
7R54567	8	30	4			0			0	3			0	17		0	3	0	0
L1-S19	24	530	38			10			0	0			0.03	72		0	47	0	4
L2-S11	27	330	18		0	0	4	0	0	8			0.02	68		0	36	0	7
L1-S2	32	1000	56			5			0	52			0.03	112		0	41	0	2
L3-S08	18	660	12		0	0	0	0	0	6			0.01	62		0	24	0	2
L2-S12	16	350	12		0	0	0	0	0	4			0.01	44		0	30	0	2
L1-S20	28	830	30			5			0	4			0.04	76		0	38	0	5
L3-S09	23	440	15		0	0	2	0	0	6			0.01	64		0	28	0	3
L2-S13	27	350	15		0	0	2	0	0	8			0.01	70		0	32	0	4
B78 S	31	560	32			0			0	9			0.05	152.52		0	35	0	10
B79 S	19	590	20			0			0	4			0.06	114.39		0	56	0	3
B77R	14	150	10			0			0	4			0.01	95		0	4	0	2
L1-S21	26	740	32			15			0	5			0.03	75		0	42	0	5
L3-S10	18	600	12		0	0	1	0	0	8			0.01	58		0	24	0	3
S54552	48	1130	74			10			0	4			0.04	215		0	35	0	5
S54553	35	800	48			15			0	2			0.05	121		0	56	0	0
B9M	17	890	126			0			0	99			0	141		0	2	0	0
L2-S14	16	770	12		0.02	0	0	0	0	12			0	66		0	24	0	2
L1-S22	37	410	36			5			0	5			0.03	91		0	44	0	4
S54551	41	1030	72			10			0	4			0.03	139		0	36	0	7
L3-S11	15	310	12		0	0	1	0	0	4			0.01	48		0	28	0	2
L2-S15	25	680	15		0	0	1	0	0	6			0	90		0	30	0	2
L1-S23	26	470	36			20			0	0			0.03	67		0	47	0	2
L3-S12	21	360	15		0	0	2	0	0	6			0.01	60		0	32	0	3
L41E25	37	970	21		0.04	0	3	0	0	20			0.02	180		0	32	0	8
L1-S24	35	910	36			10			0	5			0.04	113		0	37	0	7
L2-S16	19	490	15		0	0	0	0	0	6			0	68		0	28	0	2
L3-S13	20	360	15		0	0	2	0	0	6			0.01	60		0	32	0	4
L41E24	15	620	12		0.06	0	1	0	0	26			0.01	80		0	20	0	5
L1-S25	37	1020	34			10			0	21			0.03	113		0	34	0	4
L1-S26	40	760	42			10			0	5			0.03	130		0	35	0	1
L3-S14	19	530	12		0	0	0	0	0	6			0	66		0	24	0	2
L41E23	23	630	21		0.07	0	2	0	0	36			0.01	118		0	22	0	5
L1-S27	40	870	36			5			0	16			0.03	185		0	31	0	3
L41E22	14	740	15		0.1	0	0	0	0	50			0	126		0	6	0	4
L2-S18	16	330	12		0.01	0	0	0	0	8			0	60		0	26	0	1
B116R	6	50	444			10			0	2			0.02	371		0	0	0	0
L3-S15	22	440	15		0	0	1	0	0	6			0.01	66		0	28	0	3
B39M	31	1290	4528			100			0	29			0.01	947		0	9	0	0
L41E21	19	820	30		0.08	0	0	0	0	30			0	122		0	14	0	5
L42E25	26	650	18		0.08	0	1	0	0	54			0.01	122		0	16	0	7
L2-S19	16	350	15		0	0	0	0	0	12			0	58		0	28	0	1
B8M	35	1810	10000			155			0	37			0.01	1135		0	10	0	2
L42E24	24	840	18		0.13	0	0	0	0	82			0	100		0	12	0	6
L3-S16	25	910	15		0	0	0	0	0	12			0	90		0	22	0	5
L1-S28	36	700	32			10			0	13			0.03	109		0	34	0	3
L41E20	10	450	27		0.04	0	0	0	0	14			0.01	56		0	20	0	3
L42E23	38	890	24		0.04	0	3	0	0	20			0.02	180		0	32	0	10
B93R	11	270	7918			1320			0	0			1.16	5985		220	9	0	0

Sample #	Easting(83)	Northing(83)	RL	Au ppb	Ag ppm	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Li	Mg	Mn	Mo	Na
L2-S20	488769	7094704	0	5	0	0.55	10		56	0	0	0.2	0	4	12	8	1.17		0	0	6	12	0.23	85	2	0
L41E19	488770	7094122		0	1.1	0.86	40		52	0	0	0.08	0	6	18	68	2.97		0	0	12	10	0.27	180	4	0.02
L3-S17	488773	7094854		5	0	0.52	15		42	0	0	0.1	0	4	10	18	1.45		0	0	6	8	0.21	105	3	0
L42E22	488782	7094254		10	0.8	0.53	35		124	0	0	1.35	1	7	8	30	1.63		0	0	6	6	0.22	355	3	0.03
L41E18	488785	7094103		0	2.2	0.73	35		78	0	0	0.22	1	8	12	34	1.91		0	0	12	10	0.37	450	3	0.02
B103M	487010	7094058	0	35	1.4	0.81	30		415		0	1.06	9	31	25	47	2.7				10		0.46	10000	6	0.01
B72M	488865	7094818	0	255	30	0.38	615		45		0	0.53	13	26	21	175	4.37				0		0.39	6037	8	0
L42E21	488796	7094231		10	1.8	0.76	40		154	0	0	0.88	1	10	12	62	2.1		0	0	8	10	0.3	615	6	0.03
L43E25	488800	7094587		10	1.3	0.5	0		696	0	0	3.48	5	3	2	154	0.47		0	0	4	0	0.12	610	0	0.05
L41E17	488802	7094086		0	0.5	0.81	35		54	0	0	0.19	0	14	16	50	2.62		0	0	10	14	0.51	590	4	0.02
L43E24	488810	7094367		20	0.6	0.16	0		534	0	0	4.79	1	1	0	26	0.23		0	0	0	0	0.15	185	0	0.06
B6R	488810	7095156	0	55	0.4	0.61	265		155		0	0.62	6	26	94	25	4.45				30		0.16	310	2	0.03
L42E20	488811	7094199		20	6.6	0.94	50		320	0	0	0.49	3	12	16	52	2.63		0	0	12	14	0.48	680	4	0.03
L41E16	488816	7094066		0	0.5	0.77	40		74	0	0	0.04	0	5	14	36	2.37		0	0	12	10	0.35	170	5	0.02
B129R	488816	7092624	1190	245	456	0.07	0		155		0	4.45	61	19	38	798	10				0		3.45	10000	16	0.01
L42E19	488822	7094187		15	7	0.79	40		88	0	0	0.28	2	12	14	50	2.44		0	0	12	12	0.45	765	4	0.03
B74M	488825	7094280	0	295	30	0.49	500		60		0	0.52	12	25	22	165	4.34				10		0.41	5077	8	0
L43E23	488832	7094352		45	27.2	0.55	130		80	0	0	0.32	10	15	8	74	2.68		0	0	14	8	0.32	2435	4	0.03
L41E15	488833	7094045		0	0.2	0.54	35		44	0	0	0.11	0	6	10	16	1.1		0	0	12	6	0.22	210	5	0.02
L43E22	488846	7094333		5	0.8	0.87	45		136	0	0	0.39	0	13	20	38	2.65		0	0	14	14	0.48	635	5	0.03
L42E18	488848	7094176		10	1.4	1.05	55		192	0	0	0.3	4	16	18	68	2.93		0	0	14	16	0.5	1005	5	0.03
L41E14	488851	7094029		30	0.3	0.2	0		112	0	0	4.49	0	1	0	10	0.36		0	0	0	0	0.12	80	0	0.03
L43E21	488864	7094311		15	1.6	1.05	60		268	0	0	0.73	1	26	18	68	3.59		0	0	12	14	0.47	1460	5	0.04
L44E25	488864	7094466		15	1.3	0.75	40		52	0	0	0.22	0	12	16	32	2.52		0	0	12	12	0.41	690	4	0.04
L42E17	488865	7094165		10	0.8	0.56	45		116	0	0	0.74	0	11	10	34	2.18		0	0	10	6	0.21	575	6	0.03
L41E13	488867	7094006		0	1.5	0.23	70		64	0	0	0.61	2	14	2	50	3.61		0	0	8	0	0.06	245	14	0.03
L41E12	488880	7093987		5	0.5	0.62	30		70	0	0	0.31	0	5	12	34	1.74		0	0	10	8	0.21	90	6	0.03
L43E20	488880	7094294		5	0.7	0.87	30		220	0	0	0.71	2	9	16	30	2.39		0	0	10	14	0.4	390	3	0.03
B55M	488880	7094588	880	730	30	0.47	925		75		0	0.56	20	27	8	193	4.16				0		0.37	5414	7	0
L44E24	488884	7094451		0	0.8	0.82	45		88	0	0	0.35	0	11	14	30	2.43		0	0	14	12	0.42	565	4	0.03
L42E16	488884	7094141		15	1.3	0.78	45		178	0	0	1.62	3	15	12	60	2.35		0	0	8	8	0.31	1415	7	0.03
L43E19	488895	7094272		5	1.1	0.56	15		72	0	0	0.39	0	2	12	12	1.13		0	0	8	8	0.26	75	3	0.03
L41E11	488898	7093962		5.1	1.1	0.53	55		84	0	0	0.4	2	6	10	66	1.95		0	0	14	6	0.19	90	12	0.03
L42E15	488899	7094126		10	0.7	0.68	30		106	0	0	0.79	1	10	12	42	1.81		0	0	8	10	0.31	555	5	0.03
L44E23	488901	7094432		5	0.9	0.91	40		126	0	0	0.43	1	11	18	44	2.67		0	0	12	12	0.33	495	9	0.04
B73M	488901	7094579	0	490	30	0.55	740		50		0	0.56	17	29	26	172	4.53				0		0.46	5807	18	0
L43E18	488911	7094252		10	0.7	0.74	20		84	0	0	0.44	0	6	16	20	1.88		0	0	8	10	0.39	155	5	0.04
L41E10	488914	7093948		10.1	1.2	0.32	15		70	0	0	0.66	1	2	6	26	0.97		0	0	6	4	0.16	30	2	0.03
L44E22	488920	7094416		0	1.3	0.95	60		220	0	0	0.51	3	22	16	92	3.42		0	0	10	10	0.28	1650	11	0.03
L42E14	488921	7094102		15	0.8	0.43	45		114	0	0	1.16	2	12	8	38	2.04		0	0	6	4	0.19	1070	7	0.03
L41E09	488926	7093931		10	1.7	0.58	95		92	0	0	0.66	2	15	12	72	2.83		0	0	10	6	0.25	550	10	0.03
L43E17	488926	7094233		10	1.1	0.78	25		200	0	0	1.06	1	8	14	40	2.12		0	0	8	10	0.34	525	5	0.04
L42E13	488930	7094083		15	0.5	0.48	50		64	0	0	0.5	0	7	6	26	2.3		0	0	12	4	0.14	120	10	0.03
L42E02	488933	7094115		0	0.8	0.8	45		118	0	0	0.52	0	11	18	32	2.01		0	0	10	10	0.39	680	5	0.03
L43E16	488941	7094216		5	0.6	0.72	35		126	0	0	0.72	0	11	14	24	2.7		0	0	8	10	0.33	465	6	0.04
L44E21	488941	7094402		10	1.8	1.21	75		122	0	0	0.54	3	23	20	118	4		0	0	10	16	0.55	720	13	0.05
L42E12	488943	7094060		15	1	0.45	50		116	0	0	0.99	0	5	6	38	2.15		0	0	8	4	0.15	325	7	0.03
L41E08	488948	7093918		0	3.2	0.86	45		154	0	0	0.53	0	15	18	38	2.51		0	0	10	10	0.34	700	5	0.03
L44E20	488954	7094381		10	1	0.73	30		186	0	0	1.86	2	11	12	52	2		0	0	6	10	0.3	895	6	0.04
L41E07	488958	7093889		5	1	0.8	85		148	0	0	0.38	0	8	18	40	2.79		0	0	10	14	0.41	220	6	0.02
L43E15	488958	7094194		10	0.5	0.98	30		142	0	0	0.51	0	9	18	38	2.39		0	0	14	14	0.4	170	5	0.04
L42E11	488959	7094046		30	1.1	0.36	60		72	0	0	0.91	1	9	6	32	2.41		0	0	12	4	0.11	185	11	0.03

Sample #	Ni	P	Pb	Pb%	S	Sb	Sc	Se	Sn	Sr	Te	Th	Ti	Zn	Zn%	U	V	W	Y
L2-S20	9	650	6		0.01	0	0	0	0	10			0	40		0	20	0	2
L41E19	16	670	30		0.04	0	1	0	0	6			0.02	98		0	34	0	2
L3-S17	13	690	9		0	0	0	0	0	6			0	56		0	18	0	2
L42E22	18	800	33		0.08	0	0	0	0	46			0	120		0	10	0	5
L41E18	18	750	159		0.04	10	0	0	0	12			0	142		0	16	0	4
B103M	44	1410	52			0			0	35			0.2	298		30	23	0	10
B72M	35	1630	10000			145			0	33			0.15	1067		20	10	10	12
L42E21	24	860	48		0.08	0	1	0	0	30			0	146		0	18	0	7
L43E25	33	750	3		0.14	0	1	0	0	108			0	58		0	0	0	14
L41E17	27	720	45		0.06	0	1	0	0	10			0.02	132		0	22	0	4
L43E24	5	400	15		0.14	0	0	0	0	126			0	42		0	0	0	1
B6R	46	1180	42			0			0	20			0	458		0	2	0	0
L42E20	31	870	273		0.06	15	2	0	0	32			0.01	238		0	22	0	7
L41E16	20	340	57		0.04	0	0	0	0	6			0	98		0	20	0	3
B129R	19	0	6438			655			0	14			0.14	2618		0	36	0	0
L42E19	30	860	159		0.06	10	1	0	0	14			0	216		0	16	0	6
B74M	37	1580	10000			110			0	32			0.14	1017		10	12	10	12
L43E23	33	890	1755		0.09	50	1	0	0	22			0	836		0	8	0	7
L41E15	5	200	21		0.03	0	1	0	0	8			0.01	50		0	24	0	2
L43E22	27	750	60		0.04	0	1	0	0	18			0	108		0	20	0	5
L42E18	38	940	96		0.06	0	1	0	0	24			0	264		0	20	0	8
L41E14	5	530	3		0.18	0	0	0	0	122			0	10		0	0	0	2
L43E21	35	810	108		0.07	0	0	0	0	36			0	128		0	24	0	9
L44E25	22	920	48		0.04	0	1	0	0	10			0.02	112		0	22	0	5
L42E17	16	1010	30		0.06	0	0	0	0	26			0	110		0	14	0	6
L41E13	59	1800	21		0.17	10	1	0	0	26			0	150		0	0	0	10
L41E12	18	830	21		0.04	0	1	0	0	12			0	78		0	18	0	4
L43E20	20	770	45		0.05	0	0	0	0	26			0	118		0	26	0	5
B55M	36	1940	10000			185			0	43			0.01	1260		0	11	0	3
L44E24	22	970	60		0.05	0	1	0	0	16			0.01	116		0	20	0	5
L42E16	32	1000	27		0.1	0	0	0	0	56			0	182		0	16	0	9
L43E19	8	710	51		0.07	0	0	0	0	16			0	36		0	18	0	2
L41E11	32	1410	42		0.04	5	2	0	0	14			0	178		0	16	0	8
L42E15	24	990	18		0.06	0	0	0	0	28			0	154		0	16	0	5
L44E23	25	1190	27		0.05	0	2	0	0	18			0.01	170		0	26	0	7
B73M	59	1620	10000			195			20	22			0.14	1196		0	13	40	13
L43E18	13	960	12		0.06	0	1	0	0	16			0.02	66		0	28	0	4
L41E10	7	870	27		0.09	0	0	0	0	20			0	48		0	6	0	3
L44E22	35	1190	36		0.09	0	0	0	0	22			0	140		0	28	0	10
L42E14	18	1030	21		0.09	0	0	0	0	38			0	112		0	8	0	6
L41E09	35	1300	90		0.06	5	2	0	0	22			0.01	270		0	16	0	7
L43E17	26	1030	18		0.09	0	0	0	0	38			0	110		0	24	0	5
L42E13	30	990	24		0.05	5	0	0	0	18			0	98		0	10	0	5
L42E02	16	980	42		0.06	0	2	0	0	22			0.02	134		0	26	0	5
L43E16	19	980	15		0.07	0	1	0	0	26			0.01	92		0	26	0	5
L44E21	55	950	42		0.05	0	4	0	0	26			0.03	300		0	70	0	8
L42E12	15	1070	36		0.08	0	0	0	0	34			0	70		0	10	0	7
L41E08	22	1140	60		0.06	0	1	0	0	20			0	146		0	26	0	5
L44E20	31	970	18		0.12	0	0	0	0	66			0	150		0	16	0	7
L41E07	17	1030	78		0.05	20	1	0	0	14			0	96		0	18	0	5
L43E15	25	890	18		0.05	0	2	0	0	20			0.02	108		0	32	0	7
L42E11	37	1800	33		0.06	5	1	0	0	32			0	120		0	6	0	11

Sample #	Easting(83)	Northing(83)	RL	Au ppb	Ag ppm	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Li	Mg	Mn	Mo	Na
B7M	488961	7095187	0	550	30	0.41	1035		70		0	0.54	20	27	9	203	4.3				0		0.34	6370	7	0
L42E10	488973	7094023		10	1	0.3	50		84	0	0	0.72	1	12	2	26	2.46		0	0	12	4	0.06	235	9	0.03
L44E19	488973	7094363		10	0.7	0.71	20		126	0	0	0.5	1	5	14	38	1.44		0	0	12	10	0.27	395	4	0.04
L43E14	488975	7094175		5	0.6	0.89	35		116	0	0	0.65	1	10	18	46	2.52		0	0	14	12	0.42	380	6	0.04
L41E06	488979	7093864		0	0.8	0.59	50		66	0	0	0.44	1	10	12	46	2.93		0	0	12	10	0.33	190	9	0.02
L44E18	488987	7094342		0	0.9	1.04	30		126	0	0	0.3	0	11	22	32	2.36		0	0	12	16	0.4	310	5	0.04
L42E09	488991	7094011		5	0.9	0.43	40		138	0	0	0.46	0	7	6	48	2		0	0	12	4	0.1	320	8	0.02
L43E13	488991	7094154		10	0.7	0.91	25		176	0	0	1.03	2	6	18	58	1.76		0	0	12	14	0.37	90	2	0.04
L41E05	488997	7093854		0	0.4	0.9	40		80	0	0	0.3	0	21	20	20	2.29		0	0	14	12	0.51	925	4	0.03
L44E17	489001	7094323		0	0.5	0.75	50		154	0	0	0.2	1	8	16	38	2.41		0	0	14	10	0.26	320	5	0.03
L43E12	489005	7094139		5	0.4	0.54	15		122	0	0	1.73	1	6	10	32	1.27		0	0	6	8	0.29	200	2	0.04
L41E04	489009	7093833		10.1	0.7	0.96	55		142	0	0	0.37	0	16	20	34	2.59		0	0	12	12	0.52	535	4	0.03
L42E08	489015	7093988		0	1.3	0.4	45		118	0	0	0.27	1	9	6	84	2.26		0	0	18	4	0.06	265	10	0.02
L44E16	489016	7094302		0	0.4	0.92	35		92	0	0	0.33	0	9	18	26	2.54		0	0	10	14	0.41	270	6	0.04
L42E07	489025	7093965		10	2	0.63	125		92	0	0	0.38	2	11	12	88	2.99		0	0	16	8	0.22	395	10	0.03
L43E11	489025	7094118		15	1.2	0.88	45		162	0	0	0.88	2	13	16	82	2.57		0	0	12	14	0.4	255	7	0.04
L41E03	489030	7093811		5	0.6	0.88	25		94	0	0	0.47	0	7	16	22	2.08		0	0	10	12	0.62	145	3	0.03
L44E15	489034	7094284		15	2.1	1.46	30		284	0	0	0.49	2	14	26	136	3.09		0	0.1	10	26	0.54	445	5	0.02
L42E06	489038	7093957		9.5	3.2	0.44	160		108	0	0	0.39	1	12	6	62	2.88		0	0	18	4	0.08	930	12	0.03
L41E02	489045	7093799		30	0.7	0.77	25		130	0	0	0.95	0	15	12	36	2.42		0	0	8	10	0.54	620	4	0.03
L44E14	489050	7094264		5	0.7	0.97	15		156	0	0	0.39	0	7	20	38	1.75		0	0	10	14	0.38	175	3	0.04
L43E09	489052	7094075		25	1	0.77	55		154	0	0	0.55	3	15	16	108	2.97		0	0	12	10	0.38	440	10	0.04
L41E01	489057	7093776		15	1	1.14	70		186	0	0	0.81	2	18	20	84	2.96		0	0	12	14	0.46	445	4	0.04
L42E05	489059	7093927		5.3	0.9	0.44	50		100	0	0	0.82	0	8	10	52	2.3		0	0	6	6	0.19	210	8	0.03
L43E10	489060	7094071		10	0.6	0.93	50		126	0	0	0.36	0	10	18	66	2.39		0	0	14	12	0.39	230	8	0.03
L44E13	489064	7094243		0	1	0.99	25		184	0	0	0.67	1	14	20	56	2.49		0	0	10	16	0.4	550	6	0.04
L43E08	489070	7094061		10	0.5	1.06	50		176	0	0	0.48	2	13	20	88	2.96		0	0	12	14	0.43	335	9	0.04
L42E04	489073	7093905		20	3.4	0.49	125		144	0	0	2.27	9	17	8	218	3.02		0	0	4	4	0.2	645	12	0.03
L44E12	489079	7094223		10	2.1	1.27	35		256	0	0	0.72	1	38	24	64	3.66		0	0	12	16	0.43	2315	9	0.04
L43E07	489081	7094040		55	0	0.18	0		68	0	0	2.28	0	0	0	10	0.21		0	0	0	0	0.08	30	3	0.03
L42E03	489090	7093887		4.8	0.7	0.98	25		136	0	0	0.47	0	10	20	40	1.98		0	0	8	12	0.49	370	2	0.03
L44E11	489096	7094205		4.9	0.8	1.02	25		134	0	0	0.37	0	9	20	30	2.34		0	0	14	14	0.41	240	5	0.04
L43E06	489099	7094022		20	0.9	0.26	50		62	0	0	0.49	1	8	4	44	2.23		0	0	12	2	0.05	230	8	0.03
L44E10	489108	7094183		5	0.5	0.82	25		132	0	0	0.61	1	12	16	32	2.13		0	0	12	12	0.37	435	6	0.04
L43E05	489119	7093997		15	1.9	1.05	140		124	0	0	0.51	3	21	20	130	3.95		0	0	12	18	0.48	560	8	0.04
L42E01	489121	7093852		10	0.7	1.62	180		98	0	0	0.88	1	32	30	106	4.12		0	0	8	22	0.97	1020	3	0.03
L44E09	489124	7094164		15	0.9	0.66	30		242	0	0	2.78	3	15	10	78	2.37		0	0	8	6	0.22	1270	10	0.04
L43E04	489137	7093975		25	3	0.93	165		168	0	0	0.8	5	17	18	176	3.74		0	0	12	10	0.33	375	10	0.04
L44E08	489140	7094144		10	0.6	0.85	35		116	0	0	0.55	1	9	16	54	2.3		0	0	14	12	0.37	220	7	0.04
L44E07	489154	7094122		10	0.8	0.73	50		108	0	0	0.49	3	11	14	74	3		0	0.1	12	10	0.32	200	12	0.04
L43E03	489154	7093956		20	0.6	1.11	200		136	0	0	0.14	2	24	18	122	4.39		0	0	12	10	0.29	410	8	0.03
L43E02	489162	7093948		15	0.7	0.86	70		104	0	0	0.33	1	12	16	80	3.02		0	0	16	10	0.4	315	8	0.03
L44E06	489168	7094103		25	1.3	0.37	55		126	0	0	0.86	1	4	4	40	1.9		0	0	4	4	0.06	150	16	0
L43E01	489185	7093929		20	1.5	0.72	190		138	0	0	0.68	2	13	14	50	2.2		0	0	8	8	0.3	610	4	0.03
L44E05	489186	7094086		15	12.5	0.23	185		74	0	0	0.86	7	10	4	186	2.55		0	0	8	0	0.03	270	68	0.03
B95R	486670	7093683	784	20	0.6	0.04	0		35		0	1.67	2	6	157	16.5	1.74				0		0.26	1007	3	0.01
L44E04	489202	7094065		25	1.3	0.84	70		258	0	0	0.24	2	7	14	82	2.73		0	0	14	8	0.17	150	36	0.03
L44E03	489216	7094045		15	1.8	0.73	105		250	0	0	0.99	5	12	14	68	2.94		0	0	8	8	0.2	420	14	0.03
L44E02	489233	7094026		19.5	1.2	0.52	95		124	0	0	0.83	3	13	10	36	2.51		0	0	10	6	0.2	595	13	0.03
B122S	489248	7094413	0	10	0.4	0.96	25		90		0	0.03	0	6	18	31	2.81				0		0.23	122	4	0
L44E01	489250	7094005		15.4	1.1	0.45	90		142	0	0	1.67	3	13	10	48	2.35		0	0	6	6	0.26	860	8	0.03
B60R	489251	7094595	0	1440	264	0.06	10000		5		0	0.32	570	12	120	156	4.86				0		0.05	326	0	0

Sample #	Ni	P	Pb	Pb%	S	Sb	Sc	Se	Sn	Sr	Te	Th	Ti	Zn	Zn%	U	V	W	Y
B7M	39	1910	10000			185			0	42			0.01	1318		0	11	0	1
L42E10	49	1430	18		0.05	10	0	0	0	26			0	136		0	2	0	9
L44E19	18	1080	21		0.07	0	1	0	0	20			0.01	84		0	24	0	6
L43E14	29	980	18		0.05	0	2	0	0	24			0.02	134		0	30	0	7
L41E06	27	1420	18		0.04	25	2	0	0	14			0	152		0	16	0	7
L44E18	19	780	21		0.04	0	2	0	0	16			0.02	100		0	38	0	5
L42E09	21	1220	30		0.04	5	0	0	0	18			0	130		0	8	0	6
L43E13	26	830	24		0.09	0	2	0	0	36			0.02	114		0	30	0	8
L41E05	20	1170	27		0.04	0	1	0	0	12			0.01	106		0	30	0	4
L44E17	25	660	24		0.03	0	0	0	0	12			0	98		0	30	0	6
L43E12	17	680	12		0.11	0	1	0	0	56			0.01	74		0	12	0	5
L41E04	19	1090	45		0.05	0	2	0	0	16			0.02	144		0	30	0	5
L42E08	21	1110	51		0.03	10	1	0	0	10			0	158		0	6	0	7
L44E16	19	840	18		0.04	0	2	0	0	14			0.03	98		0	34	0	4
L42E07	36	1290	99		0.04	10	2	0	0	14			0	306		0	16	0	8
L43E11	45	970	30		0.06	0	2	0	0	34			0.02	194		0	24	0	8
L41E03	15	1130	21		0.06	0	2	0	0	16			0.01	90		0	22	0	3
L44E15	50	730	18		0.05	0	1	0	0	24			0	152		25	44	0	8
L42E06	23	1130	102		0.04	10	1	0	0	14			0	176		0	6	0	7
L41E02	15	1000	21		0.09	0	2	0	0	28			0	90		0	16	0	6
L44E14	20	760	12		0.05	0	1	0	0	18			0.01	86		0	32	0	4
L43E09	55	1170	30		0.04	5	3	0	0	20			0.02	232		0	22	0	10
L41E01	40	900	57		0.07	0	3	0	0	28			0.02	226		0	34	0	9
L42E05	21	660	24		0.08	0	1	0	0	28			0	114		0	14	0	3
L43E10	37	880	21		0.03	0	2	0	0	16			0.02	172		0	26	0	6
L44E13	31	1120	15		0.06	0	1	0	0	30			0.01	130		0	30	0	6
L43E08	45	730	30		0.04	0	3	0	0	18			0.02	190		0	32	0	7
L42E04	71	1120	117		0.14	0	2	0	0	72			0	470		0	6	0	11
L44E12	37	900	36		0.07	0	2	0	0	32			0.01	152		0	42	0	7
L43E07	5	430	0		0.15	0	0	0	0	66			0	24		0	4	0	1
L42E03	18	780	24		0.05	0	2	0	0	16			0.01	128		0	34	0	4
L44E11	19	880	18		0.04	0	2	0	0	16			0.02	98		0	32	0	5
L43E06	38	1480	21		0.04	5	1	0	0	18			0	108		0	4	0	10
L44E10	25	1020	18		0.05	0	2	0	0	22			0.01	138		0	24	0	5
L43E05	57	890	93		0.05	0	3	0	0	20			0.02	316		0	36	0	9
L42E01	35	940	33		0.06	0	7	0	0	30			0.01	234		0	90	0	6
L44E09	48	790	18		0.13	0	0	0	0	86			0	104		0	12	0	10
L43E04	62	960	162		0.06	5	2	0	0	30			0.01	400		0	26	0	11
L44E08	34	1070	18		0.04	0	2	0	0	20			0.02	150		0	26	0	7
L44E07	50	1410	24		0.05	5	2	0	0	18			0.02	216		0	22	0	9
L43E03	60	600	144		0.04	0	2	0	0	8			0.01	296		0	22	0	7
L43E02	44	1020	27		0.03	0	2	0	0	14			0.01	194		0	22	0	7
L44E06	24	1180	15		0.05	5	0	0	0	26			0	60		10	16	0	5
L43E01	20	840	96		0.09	0	1	0	0	24			0	164		0	18	0	5
L44E05	142	1450	27		0.06	35	1	10	0	28			0	332		0	12	0	10
B95R	17	150	1062			5			0	25			0.02	665		0	0	10	2
L44E04	57	540	18		0.03	10	2	0	0	34			0	210		0	30	0	5
L44E03	32	830	75		0.1	0	2	0	0	36			0	222		0	18	0	10
L44E02	29	1130	45		0.07	0	0	0	0	30			0	204		0	12	0	6
B122S	22	280	24			0			0	6			0.02	66		0	43	0	0
L44E01	30	920	57		0.12	0	0	0	0	54			0	168		0	8	0	7
B60R	6	80	10000	3.89		165			0	11			0	10000	4.62	0	0	0	0

Sample #	Easting(83)	Northing(83)	RL	Au ppb	Ag ppm	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Li	Mg	Mn	Mo	Na
B71R	489255	7094385	0	5	1.1	0.12	0		35		0	2.54	0	3	117	70.4	1.25				5		0.85	603	0	0
B58R	489270	7094433	0	50	0.6	0.44	5		45		0	0.37	2	3	184	31	1.71				0		0.23	590	2	0.01
E526128R	489278	7094601	889	1970	170	0.03	10000		45		15	0.1	0	21	133	20	5.27				0		0	83	73	0
B111R	489280	7094586	852	5	0.6	0.57	0		30		0	0.1	0	4	182	62.7	2.4				5		0.31	143	8	0.03
7R54560	489336	7093277	1180	10	0.5	0.1	80		95		0	5.32	1	6	120	16	4.31				0		1.91	1117	4	0
B54R	489220	7093914	0	55	0.6	0.13	50		20		0	0.15	2	2	166	124	2.41				0		0.06	54	6	0.02
B53R	489218	7093932	0	95	0.2	0.47	35		20		0	0.25	2	2	168	15	1.79				20		0.37	52	7	0.03
B52R	489228	7093948	971	110	0	0.02	5		5		0	10	2	0	59	6	0.36				0		0.06	190	0	0.01
B67 S	489364	7094591	0	350	30	0.06	2080		140		0	0.03	0	18	72	276.1	10				65		0.43	0	9	0
B66 S	489364	7094591	0	1000	30	0.08	2065		130		0	0.04	0	19	58	255.2	10				57.5		0.4	0	7	0
B68R	489364	7094591	0	2200	187	0.02	10000		105		0	0.05	491	21	114	608.3	10				55		0.31	0	0	0.02
B69R	489180	7094377		1.7	0.04	125	20		0		2.52	1	4	124	51	1.66	5				0.38		2641	4	0	16
B77R	488604	7093860		0.4	0.14	35	60		0		0.03	0	4	156	12	1.32	10				0.03		61	9	0.01	14
B24M	489500	7095300	0	5	0.8	0.67	30		90		0	0.76	2	10	12	41	2.12				0		0.29	480	3	0
E526129R	489376	7094611	874	10100	662	0.33	10000		45		70	0.54	0	27	63	56	10				0		0.14	468	122	0
L53E25	489443	7095156		5	0.8	0.81	30		150	0	0	0.35	1	8	14	58	1.85		0	0	8	12	0.28	170	3	0.01
L53E24	489457	7095138		10	1.8	0.9	65		218	0	5	0.74	5	37	12	114	7.76		0	0	6	10	0.25	910	19	0.03
L53E23	489477	7095120		5	0.9	0.76	40		128	0	0	0.51	2	9	14	62	1.45		0	0	6	12	0.29	75	4	0.01
B51M	489487	7093914	982	0	1	0.67	50		125		0	0.54	2	15	12	51	2.64				0		0.26	1158	5	0
L53E22	489490	7095099		10	1.1	0.79	45		172	0	0	0.58	3	13	14	88	2.44		0	0	6	10	0.23	225	5	0.01
L54E25	489507	7095233		45	1.3	0.87	55		142	0	0	0.42	2	12	16	84	2.78		0	0	10	14	0.34	255	10	0.02
L53E21	489508	7095080		0	1.4	0.88	20		176	0	0	0.82	3	17	16	90	1.73		0	0	6	12	0.31	1405	3	0.01
L54E24	489516	7095207		0	1.4	0.66	45		302	0	0	0.78	7	48	12	74	2.61		0	0	6	8	0.21	7080	7	0.02
M526126	489522	7094607	871	0	1.4	0.7	75		130		0	0.72	5	17	14	66	3.11				0		0.32	1011	8	0
E526127R	489522	7094607	871	40	1	0.05	20		15		0	0.11	1	3	188	12	0.78				0		0	116	0	0.01
L53E20	489526	7095063		10	0.7	0.67	45		102	0	0	0.53	1	13	12	56	2.06		0	0	8	10	0.29	300	5	0.01
L54E23	489533	7095186		25	0.7	1.23	30		196	0	0	0.39	0	14	22	60	2.65		0	0	10	20	0.45	370	5	0.02
L53E19	489539	7095041		5	0.8	0.52	60		92	0	0	0.43	1	17	8	46	2.78		0	0	8	8	0.23	545	7	0.01
L54E22	489549	7095168		10	1	0.85	80		130	0	0	0.49	0	17	14	56	4.88		0	0	8	10	0.28	810	11	0.02
L53E18	489556	7095022		10	0.9	0.72	20		120	0	0	0.71	2	9	12	62	1.44		0	0	6	10	0.29	120	3	0.01
L54E21	489566	7095149		15	0.4	0.57	20		96	0	0	0.35	0	4	10	34	1.17		0	0	8	8	0.24	90	2	0.02
L55E25	489571	7095310		25	1.2	0.66	70		172	0	0	1.5	2	17	12	72	3.43		0	0.1	6	8	0.37	485	15	0.02
L53E17	489573	7095004		10	0.9	0.74	45		214	0	0	0.55	0	19	12	54	2.64		0	0	6	10	0.25	1185	7	0.01
L54E20	489583	7095132		0	0.6	0.56	45		112	0	0	0.56	0	14	10	32	2.28		0	0	6	8	0.22	395	5	0.01
L55E24	489589	7095290		10	1	1.03	35		232	0	0	0.52	2	25	18	56	3.12		0	0	8	14	0.34	1105	8	0.02
L53E16	489590	7094985		0	0.7	0.59	45		84	0	0	0.42	0	13	10	24	2.75		0	0	8	10	0.23	615	6	0.01
L54E19	489598	7095112		5	0.6	0.66	50		118	0	0	0.35	0	7	12	42	2.05		0	0	8	10	0.25	115	5	0.01
L55E23	489606	7095273		0	0.7	1.17	25		228	0	0	0.59	0	14	20	44	2.48		0	0.1	8	16	0.4	570	4	0.02
L53E15	489607	7094968		5	1.6	0.53	50		210	0	0	1.47	3	76	8	68	3.81		0	0	4	4	0.21	3400	7	0.02
L54E18	489614	7095094		10	1.8	0.8	135		398	0	10	0.91	3	73	10	66	10		0	0	6	10	0.27	6455	20	0.05
L53E14	489621	7094947		5	1.4	0.76	80		210	0	0	0.52	2	40	12	44	5.24		0	0	6	8	0.24	3005	9	0.02
L55E22	489628	7095248		0	0.2	0.91	15		142	0	0	0.35	0	8	18	36	1.94		0	0	10	14	0.38	195	2	0.02
L54E17	489633	7095076		5	1.2	1.03	30		178	0	0	0.58	2	12	18	64	1.5		0	0	6	14	0.38	110	5	0.01
L56E25	489636	7095386		0	0.5	1.03	30		312	0	0	0.76	1	15	18	58	2.67		0	0.1	8	16	0.43	850	4	0.02
L53E13	489637	7094926		5	1.1	1.01	80		196	0	5	0.46	0	38	14	60	7.04		0	0	8	12	0.31	1105	13	0.02
B96R	486560	7093820	791	0	0.6	0.11	0		25		0	0.01	0	1	197	8.8	0.58				0		0.04	58	1	0
L55E21	489640	7095226		5	0.2	0.94	25		140	0	0	0.31	0	9	18	44	2.21		0	0	10	16	0.42	210	2	0.02
L54E16	489650	7095058		10	0.4	0.63	30		84	0	0	0.34	0	7	10	34	1.5		0	0	8	10	0.25	70	4	0.01
B56R	489653	7093851	0	65	0.4	0.04	125		10		0	3.06	6	3	112	43	2.31				0		0.8	748	2	0
B11R	484775	7094472	0	70	0	0.09	10		10		0	10	4	0	130	12	0.63				0		0.35	290	2	0
B12R	484775	7094472	0	80	0	0.09	10		10		0	10	2	0	16	3	0.56				0		0.3	216	2	0
L53E12	489656	7094909		5	0.9	0.55	45		168	0	0	1.12	2	19	10	52	2.22		0	0	4	8	0.28	1635	5	0.01

Sample #	Ni	P	Pb	Pb%	S	Sb	Sc	Se	Sn	Sr	Te	Th	Ti	Zn	Zn%	U	V	W	Y
B71R	24	310	14			0			0	123			0.02	121		0	1	0	2
B58R	12	230	8			0			0	6			0	59		0	7	0	0
E526128R	0	0	10000	3.25		150			0	29			0.06	10000	3.25	0	0	0	0
B111R	27	650	52			0			20	13			0.02	57		0	6	0	1
7R54560	23	440	20			25			0	261			0.05	121		0	7	0	9
B54R	11	1230	10			0			0	4			0	54		0	8	0	0
B53R	9	1120	6			0			0	9			0	39		0	32	0	0
B52R	2	220	0			0			0	878			0	16		0	1	0	15
B67 S	0	70	4652			0			0	8			0.19	806.88		30	3	0	0
B66 S	9	30	3750			0			0	11			0.18	794.58		20	2	10	0
B68R	2	120	10000	2.14		105			0	3			0.18	10000	2.57	30	0	0	0
B69R	510	104	0			0				111			0.06		239	0	2	0	4
B77R	150	10	0			0			4	0.01			0			4	0	2	95
B24M	20	1220	30			0			0	29			0	99		0	17	0	2
E526129R	21	0	10000	10.3		770			0	50			0.05	10000	10.3	1	0	0	0
L53E25	19	1030	39		0.04	0	2	0	0	14			0.01	110		0	26	0	7
L53E24	37	1300	48		0.13	5	1	0	0	28			0	182		0	28	0	12
L53E23	27	1080	42		0.06	0	2	0	0	18			0.01	144		0	26	0	7
B51M	25	1090	40			0			0	20			0	152		0	18	0	3
L53E22	33	1040	45		0.08	0	1	0	0	22			0	124		0	24	0	10
L54E25	42	1330	63		0	0	3	0	0	16			0.02	204		0	30	0	9
L53E21	33	970	63		0.08	0	1	0	0	28			0	126		0	28	0	9
L54E24	29	1100	33		0.1	0	0	0	0	28			0	118		0	24	0	8
M526126	40	1420	66			10			0	32			0.04	248		0	23	0	6
E526127R	2	90	166			0			0	7			0.02	560		0	1	0	0
L53E20	34	1180	45		0.03	0	1	0	0	18			0.01	164		0	22	0	6
L54E23	34	1020	27		0.01	0	2	0	0	16			0.02	156		0	38	0	7
L53E19	30	1170	36		0.02	0	1	0	0	16			0.01	146		0	18	0	6
L54E22	24	1010	54		0.04	0	2	0	0	18			0	118		0	30	0	8
L53E18	25	1010	42		0.1	0	1	0	0	22			0.01	132		0	24	0	7
L54E21	12	1010	27		0.04	0	1	0	0	12			0.01	64		0	20	0	5
L55E25	74	2370	39		0.04	5	2	0	0	30			0.01	228		0	24	0	11
L53E17	27	1080	36		0.04	0	1	0	0	18			0	104		0	24	0	7
L54E20	18	1040	33		0.05	0	0	0	0	18			0	78		0	18	0	5
L55E24	28	1050	30		0.05	0	2	0	0	18			0.01	130		0	34	0	7
L53E16	15	1120	33		0.03	0	1	0	0	14			0	98		0	22	0	5
L54E19	18	1040	42		0.04	0	1	0	0	12			0.01	108		0	22	0	6
L55E23	27	870	30		0.03	0	2	0	0	20			0.02	114		0	42	0	6
L53E15	32	1320	27		0.14	0	0	0	0	50			0	120		0	16	0	9
L54E18	35	980	51		0.07	5	2	0	0	38			0	190		0	26	0	10
L53E14	26	1150	39		0.05	0	1	0	0	18			0	128		0	24	0	7
L55E22	23	900	18		0	0	2	0	0	14			0.03	90		0	34	0	6
L54E17	28	950	57		0.15	0	1	0	0	18			0	150		0	32	0	7
L56E25	39	1130	27		0.03	0	3	0	0	26			0.02	140		0	36	0	8
L53E13	27	1080	54		0.03	0	2	0	0	18			0	168		0	30	0	8
B96R	7	60	8			0			40	0			0	14		0	2	0	0
L55E21	26	900	21		0	0	2	0	0	12			0.04	98		0	34	0	6
L54E16	18	1140	36		0.02	0	1	0	0	12			0.02	114		0	22	0	5
B56R	16	130	24			0			0	76			0	375		0	2	0	0
B11R	5	890	0			0			0	862			0	35		0	2	0	49
B12R	3	2430	0			0			0	869			0	16		0	3	0	21
L53E12	36	1020	33		0.08	0	0	0	0	34			0	154		0	18	0	6

Sample #	Easting(83)	Northing(83)	RL	Au ppb	Ag ppm	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Li	Mg	Mn	Mo	Na
L55E20	489656	7095216		5	0	1.03	20		106	0	0	0.28	0	9	18	40	2.06		0	0	10	16	0.38	170	2	0.01
L56E24	489657	7095363		0	0.3	0.48	10		274	0	0	3.42	1	4	6	42	0.8		0	0	0	4	0.34	260	1	0.01
L54E15	489663	7095038		0	0.5	0.61	35		92	0	0	0.4	0	9	10	36	1.5		0	0	8	8	0.25	115	4	0.01
L53E11	489671	7094891		5	0.6	0.61	40		96	0	0	0.41	0	10	10	44	1.76		0	0	8	10	0.24	315	5	0.01
L55E19	489672	7095191		5	0.2	0.95	25		158	0	0	0.3	0	9	18	46	2.22		0	0	10	16	0.42	215	2	0.02
L56E23	489672	7095349		10	0.6	0.57	5		478	0	0	3	2	6	6	52	0.89		0	0	2	4	0.31	810	1	0.02
L54E14	489681	7095019		5	0.8	0.75	30		158	0	0	0.38	1	11	12	38	1.68		0	0	10	10	0.26	180	4	0.01
L56E22	489683	7095324		0	1	0.87	20		510	0	0	2	0	11	14	56	1.96		0	0	4	8	0.33	645	2	0.02
L55E18	489685	7095178		10	0	0.95	25		146	0	0	0.34	0	10	18	52	2.23		0	0	12	16	0.42	210	2	0.02
L53E10	489688	7094872		5	1.3	0.7	35		248	0	0	1.13	2	38	12	78	2.58		0	0	6	10	0.24	2605	6	0.02
L54E13	489697	7095000		15	1.1	0.85	30		186	0	0	0.34	1	15	14	54	2.31		0	0	8	12	0.29	425	4	0.01
L55E17	489700	7095152		5	0.8	1.35	40		292	0	0	0.45	0	17	22	86	3.02		0	0.1	8	18	0.42	660	5	0.02
L56E21	489700	7095305		5	0.4	1.08	25		284	0	0	0.45	0	13	20	56	2.43		0	0.1	8	16	0.42	405	3	0.02
L53E09	489705	7094853		0	0.8	0.61	40		92	0	0	0.54	0	10	10	38	1.83		0	0	6	10	0.28	425	6	0.01
L54E12	489712	7094979		10	1.1	0.97	50		148	0	0	0.25	0	7	18	72	2.03		0	0	8	12	0.31	185	5	0.01
L56E20	489716	7095290		0	0.3	0.94	20		252	0	0	0.54	0	11	18	38	2.27		0	0	8	14	0.38	305	3	0.02
L53E08	489720	7094834		5	0.8	0.67	60		108	0	0	0.57	0	12	12	44	2.27		0	0	6	10	0.33	475	6	0.01
L55E16	489721	7095134		15	1.2	1.75	60		326	0	0	0.46	1	23	28	148	3.93		0	0.1	8	24	0.45	955	8	0.02
L56E19	489730	7095270		5	0.7	1.1	25		450	0	0	1.19	1	9	18	58	2.16		0	0	6	14	0.37	320	3	0.02
L54E11	489730	7094962		10	0.8	0.72	30		136	0	0	0.45	1	10	12	52	1.48		0	0	6	10	0.26	665	4	0.01
L53E07	489735	7094812		0	0.8	0.74	30		268	0	0	1.12	2	11	12	56	1.56		0	0	4	12	0.32	785	2	0.01
L55E15	489736	7095117		10	0.5	1.34	20		226	0	0	0.44	0	13	24	74	2.6		0	0.1	10	24	0.53	420	3	0.02
L54E10	489746	7094940		10	1.3	0.8	25		166	0	0	0.52	3	16	14	80	1.97		0	0	6	12	0.29	475	3	0.02
L53E06	489748	7094792		0	0.4	0.93	30		138	0	0	0.44	0	11	18	28	1.92		0	0	6	18	0.38	270	3	0.02
L55E14	489748	7095100		5	1	0.92	30		210	0	0	0.35	1	17	16	58	2.44		0	0	8	14	0.33	740	4	0.02
L56E18	489749	7095253		5	0.4	1.21	15		312	0	0	0.49	0	12	20	54	2.25		0	0.1	8	16	0.41	355	3	0.02
L56E17	489756	7095234		15	0.4	1.03	25		240	0	0	0.41	0	14	20	60	2.37		0	0.1	10	16	0.42	380	3	0.02
L55E13	489763	7095085		5	0.5	1.27	30		228	0	0	0.35	0	21	22	62	2.72		0	0.1	10	20	0.5	635	5	0.02
L54E09	489764	7094924		10	1.1	0.72	75		132	0	0	0.58	2	7	12	74	2.9		0	0	6	8	0.26	160	7	0.02
L53E05	489766	7094773		0	0.3	1.08	30		122	0	0	0.38	0	12	20	34	2.29		0	0	8	22	0.45	275	3	0.02
L53E04	489781	7094753		0	0.4	1.23	20		136	0	0	0.29	0	10	22	40	1.89		0	0	8	24	0.43	180	2	0.01
L54E08	489781	7094905		30	1	0.75	50		136	0	0	0.67	2	7	14	64	2.07		0	0	6	12	0.34	220	5	0.02
L56E16	489782	7095209		10	0.4	0.36	5		448	0	0	3.49	5	5	4	74	0.6		0	0	2	4	0.22	1065	0	0.02
L55E12	489789	7095059		10	0.9	1.06	30		180	0	0	0.27	0	13	18	72	2.18		0	0	10	14	0.35	205	4	0.03
L55E11	489794	7095047		10	0.9	0.77	20		160	0	0	0.41	3	5	14	82	1.02		0	0	6	10	0.23	55	3	0.01
L56E15	489796	7095192		5	0.4	0.83	15		212	0	0	0.99	2	10	14	40	2.06		0	0	6	12	0.32	630	2	0.02
L53E03	489797	7094735		0	0.5	1.1	30		146	0	0	0.3	0	21	20	34	2.66		0	0	8	20	0.41	710	4	0.02
L54E07	489797	7094888		5	0.6	0.78	80		116	0	0	0.43	0	17	14	38	3.18		0	0	12	16	0.36	555	5	0.02
L56E14	489813	7095172		0	0.6	0.64	20		296	0	0	1.38	2	9	10	50	1.42		0	0	4	10	0.28	250	2	0.02
L53E02	489813	7094716		5	0.6	0.65	35		120	0	0	0.35	0	7	12	30	2.2		0	0	6	10	0.29	310	7	0.01
L54E06	489813	7094867		10	0.5	0.67	35		104	0	0	0.41	0	12	12	36	1.89		0	0	6	12	0.29	215	5	0.01
L55E10	489817	7095025		5	0.4	0.76	45		112	0	0	0.34	2	8	14	36	2.05		0	0	10	12	0.28	135	3	0.02
L55E09	489823	7095014		10	1.6	1.07	60		246	0	0	0.57	2	22	18	102	3.2		0	0	8	14	0.33	715	6	0.02
L56E13	489826	7095157		10	0.5	0.82	30		182	0	0	0.38	0	13	16	50	2.34		0	0	10	16	0.41	420	2	0.02
L54E05	489829	7094848		10	0.9	0.75	30		214	0	0	0.59	0	8	14	50	2.56		0	0	6	12	0.36	360	7	0.02
L53E01	489830	7094695		5	1.2	1.08	30		192	0	0	0.61	0	16	16	62	2.52		0	0	8	16	0.39	605	6	0.02
L54E04	489842	7094828		10	1.9	0.55	75		376	0	0	1.34	7	76	8	70	4.74		0	0	4	6	0.34	7320	19	0.03
L55E08	489843	7094992		5	1.1	0.89	200		184	0	10	0.4	1	25	12	68	9.94		0	0	8	12	0.27	1165	16	0.03
L56E12	489846	7095136		30	0.4	0.99	25		162	0	0	0.53	0	11	18	54	2.36		0	0	8	16	0.37	260	3	0.02
B25M	489786	7095328	0	10	0.6	0.68	35		130		0	0.58	3	11	12	49	2.34				0		0.27	523	4	0
L56E11	489860	7095114		0	0.5	0.95	25		158	0	0	0.55	1	9	18	68	2.28		0	0	8	16	0.37	230	3	0.02
L55E07	489861	7094966		5	0.7	0.77	20		140	0	0	0.46	1	6	14	42	1.17		0	0	6	12	0.29	120	2	0.01

Sample #	Ni	P	Pb	Pb%	S	Sb	Sc	Se	Sn	Sr	Te	Th	Ti	Zn	Zn%	U	V	W	Y
L55E20	24	800	21		0	0	2	0	0	12			0.03	86		0	36	0	4
L56E24	18	670	6		0.22	0	0	0	0	92			0	38		0	12	0	4
L54E15	18	1110	36		0.03	0	1	0	0	12			0.01	102		0	22	0	6
L53E11	23	1130	36		0.01	0	1	0	0	14			0.01	112		0	20	0	7
L55E19	29	900	21		0	0	2	0	0	12			0.03	100		0	34	0	6
L56E23	25	860	9		0.18	0	0	0	0	78			0	22		0	12	0	6
L54E14	22	1090	39		0.02	0	2	0	0	14			0.01	116		0	24	0	7
L56E22	27	1040	18		0.1	0	1	0	0	54			0.01	46		0	28	0	6
L55E18	30	1020	21		0	0	2	0	0	12			0.04	102		0	34	0	6
L53E10	41	1130	33		0.07	0	0	0	0	38			0	120		0	20	0	11
L54E13	32	1060	45		0.02	0	2	0	0	12			0.01	144		0	28	0	8
L55E17	38	990	36		0.02	0	3	0	0	18			0.02	154		0	44	0	8
L56E21	34	940	24		0	0	3	0	0	18			0.03	106		0	40	0	8
L53E09	23	1060	36		0.04	0	1	0	0	16			0	122		0	20	0	5
L54E12	19	930	60		0.03	0	2	0	0	10			0.01	106		0	32	0	7
L56E20	27	890	21		0.02	0	2	0	0	18			0.02	88		0	36	0	6
L53E08	21	980	54		0.04	0	1	0	0	20			0	122		0	24	0	5
L55E16	55	990	48		0.03	0	3	0	0	20			0.01	212		0	52	0	11
L56E19	32	910	24		0.04	0	2	0	0	32			0.02	116		0	36	0	6
L54E11	20	960	45		0.04	0	1	0	0	16			0	98		0	24	0	6
L53E07	30	740	24		0.07	0	0	0	0	38			0	94		0	22	0	6
L55E15	37	1010	24		0	0	3	0	0	16			0.02	158		0	40	0	7
L54E10	36	960	57		0.05	0	1	0	0	20			0	132		0	28	0	8
L53E06	20	910	24		0.02	0	2	0	0	18			0.01	118		0	32	0	4
L55E14	26	960	42		0.03	0	2	0	0	14			0.01	126		0	30	0	7
L56E18	32	870	24		0.02	0	3	0	0	18			0.02	94		0	40	0	8
L56E17	34	980	27		0	0	3	0	0	16			0.04	114		0	40	0	8
L55E13	33	870	30		0.01	0	3	0	0	14			0.03	130		0	40	0	6
L54E09	26	1050	66		0.06	0	2	0	0	20			0	104		0	26	0	10
L53E05	25	1090	21		0.01	0	2	0	0	14			0.02	148		0	32	0	5
L53E04	22	840	27		0.02	0	2	0	0	12			0.02	140		0	38	0	4
L54E08	24	990	48		0.08	0	1	0	0	24			0	116		0	24	0	7
L56E16	36	770	6		0.14	0	0	0	0	88			0	164		0	6	0	6
L55E12	26	820	48		0.05	0	2	0	0	12			0.01	108		0	36	0	7
L55E11	20	840	45		0.1	0	0	0	0	14			0	120		0	24	0	7
L56E15	27	860	15		0.05	0	1	0	0	28			0.01	128		0	26	0	5
L53E03	22	980	24		0.02	0	2	0	0	14			0.02	122		0	36	0	5
L54E07	27	1380	27		0.01	0	2	0	0	16			0.02	202		0	22	0	6
L56E14	29	640	15		0.06	0	1	0	0	32			0.02	110		0	22	0	4
L53E02	15	1020	27		0.04	0	1	0	0	16			0.01	74		0	26	0	4
L54E06	24	1010	33		0.03	0	1	0	0	14			0	118		0	22	0	5
L55E10	20	1010	39		0.02	0	2	0	0	14			0.01	136		0	26	0	6
L55E09	39	1070	75		0.07	0	2	0	0	22			0	132		0	34	0	11
L56E13	32	1030	21		0	0	2	0	0	16			0.03	116		0	30	0	7
L54E05	18	720	33		0.07	0	0	0	0	26			0	70		0	28	0	4
L53E01	25	880	33		0.04	0	2	0	0	28			0	112		0	34	0	8
L54E04	49	1090	27		0.13	0	0	0	0	48			0	106		0	18	0	6
L55E08	36	1050	57		0.06	0	2	0	0	18			0	174		0	34	0	10
L56E12	32	860	21		0.02	0	2	0	0	18			0.02	140		0	32	0	6
B25M	20	1290	28			5			0	24			0	125		0	17	0	3
L56E11	35	840	21		0.03	0	2	0	0	18			0.02	134		0	32	0	6
L55E07	16	950	33		0.06	0	0	0	0	16			0	98		0	22	0	5

Sample #	Easting(83)	Northing(83)	RL	Au ppb	Ag ppm	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Li	Mg	Mn	Mo	Na
B50M	489862	7093944	960	0	1	0.71	60		110		0	0.77	4	20	11	85	2.78				0		0.32	1082	5	0
L54E03	489864	7094812		10	1.2	0.69	35		160	0	0	1.04	3	18	12	62	2.13		0	0	4	10	0.22	635	6	0.02
L56E10	489876	7095098		5	0.9	0.86	45		144	0	0	0.51	0	8	14	62	2.15		0	0	8	14	0.3	320	4	0.02
L55E06	489878	7094942		10	1	0.84	55		160	0	0	0.6	0	16	14	72	2.6		0	0	8	12	0.31	595	7	0.02
L54E02	489880	7094792		10	2.3	0.7	30		156	0	0	1.33	5	14	12	114	2.06		0	0	4	10	0.25	640	3	0.02
L55E05	489892	7094931		10	1.3	0.8	85		170	0	0	0.67	2	19	14	58	4.41		0	0	6	10	0.36	715	10	0.04
7R54561	489893	7093216	1229	5	0.2	1.26	30		30		0	4.21	1	13	184	10	2.38				0		1.12	598	4	0
L56E09	489893	7095080		20	0.6	1.19	25		120	0	0	0.27	0	13	22	48	2.4		0	0	12	20	0.51	260	3	0.02
L54E01	489895	7094772		5	1.1	0.58	30		102	0	0	0.58	3	9	10	44	1.7		0	0	6	10	0.22	230	5	0.01
L56E08	489906	7095058		5	0.3	1.08	30		186	0	0	0.3	0	11	20	66	2.54		0	0	12	16	0.42	240	2	0.02

Sample #	Ni	P	Pb	Pb%	S	Sb	Sc	Se	Sn	Sr	Te	Th	Ti	Zn	Zn%	U	V	W	Y
B50M	48	1230	36			0			0	28			0	242		0	18	0	6
L54E03	35	850	36		0.05	0	0	0	0	36			0	106		0	22	0	6
L56E10	29	1120	36		0.04	0	0	0	0	18			0	132		0	26	0	6
L55E06	36	1150	51		0.04	0	2	0	0	22			0.01	152		0	28	0	8
L54E02	72	740	39		0.08	0	1	0	0	46			0	112		0	20	0	8
L55E05	31	1070	57		0.08	0	1	0	0	26			0	136		0	28	0	6
7R54561	39	160	22			35			0	72			0.04	27		0	56	0	0
L56E09	27	850	36		0	0	2	0	0	10			0.03	128		0	38	0	5
L54E01	26	920	33		0.04	0	0	0	0	20			0	114		0	22	0	4
L56E08	34	840	27		0	0	3	0	0	12			0.03	116		0	36	0	8

Sample #	Easting(83)	Northing(83)	RL	Au ppb	Ag ppm	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Li	Mg	Mn	Mo	Na
L55E04	489913	7094905		10	1	0.7	30		134	0	0	0.46	1	8	12	68	1.58		0	0	6	10	0.25	95	4	0.01
L56E07	489921	7095034		10	0.2	0.91	25		88	0	0	0.35	0	9	18	50	2.15		0	0	10	16	0.44	235	2	0.02
B120R	489346	7093715	0	15	0.6	0.12	34.968		42.2		0	3.7	0	3.81	122	8.107	1.171				16.7		0	273.03	0.654	0
L55E03	489928	7094887		15	1.2	0.61	25		118	0	0	0.85	3	5	12	82	1.42		0	0	6	8	0.3	145	4	0.01
7R54566	489932	7093631	1093	5	0	1.06	15		25		0	2.11	0	9	172	5	2.59				0		0.76	430	5	0
L56E06	489940	7095018		5	1.1	1.03	105		176	0	5	0.6	1	52	16	54	5.27		0	0	6	14	0.37	2985	13	0.02
L55E02	489942	7094869		20	1.2	0.54	25		130	0	0	0.84	2	10	10	58	1.95		0	0	4	8	0.29	350	4	0.02
7R54565	489949	7093639	1097	5	0	1.73	30		25		0	10	1	14	59	23	4.62				0		1.07	1166	5	0.01
7R54562	489949	7093148	1253	35	0.4	0.22	3365		95		0	0.8	0	2	107	5	1.27				0		0	282	0	0.01
L56E05	489954	7094999		5	0.6	0.78	35		134	0	0	0.48	1	7	14	40	1.77		0	0	8	12	0.3	260	3	0.02
L55E01	489959	7094849		15	1.2	0.58	25		102	0	0	0.86	3	7	10	56	1.42		0	0	6	8	0.28	305	4	0.01
L56E04	489973	7094983		5	1.1	0.85	50		150	0	0	0.56	1	16	16	44	2.69		0	0	6	14	0.31	810	5	0.02
B119 S	489395	7093717	0	30	0.5	1.61	70		140		0	0.19	0	16	30	88	3.52				10		0.53	208	0	0.01
L56E03	489991	7094966		0	2	1.01	75		136	0	0	0.86	2	35	18	66	3.62		0	0	6	14	0.44	2495	10	0.02
L56E02	490003	7094939		15	1.1	0.78	25		134	0	0	0.81	3	7	14	82	1.63		0	0	6	12	0.34	230	4	0.02
L56E01	490024	7094926		10	1.2	0.84	40		124	0	0	0.73	2	9	16	52	1.75		0	0	6	14	0.37	115	4	0.02
B97R	486660	7093800	765	0	0.2	0.08	0		15		0	0.09	0	1	186	12.1	0.63				0		0.04	113	4	0
B115R	492282	7093715	786	130	1.3	0.42	5780		65		0	0.17	20	13	89	26.4	2.31				5		0.12	92	2	0.02
7R54564	490223	7093563	1094	5	0.2	0.51	35		30		0	1.1	0	7	173	20	1.45				0		0.41	316	0	0
B26M	489348	7095378	0	10	1.4	0.65	25		265		0	1.65	8	18	13	47	2.63				0		0.35	6503	3	0
B48M	490458	7093222	1098	50	0.4	0.55	35		35		0	0.43	0	12	11	53	2.35				0		0.39	342	2	0
7R54563	490460	7093007	1157	10	0.3	2.07	80		65		10	0.27	2	19	103	32	6.02				0		2.36	97	16	0.02
B38M	490514	7093778	981	5	0	0.55	35		35		0	0.47	0	12	11	47	2.26				0		0.4	319	2	0
B99M	486730	7093866	767	10	0.2	0.7	10		115		0	0.5	1	11	19	22	1.96				0		0.36	545	1	0
B57R	489255	7094385	813	40	2.2	0.05	0		25		0	0.64	16	3	164	100	1.04				0		0.09	311	6	0.01
B49M	490693	7094187	884	0	0	0.51	35		30		0	0.44	0	11	10	45	2.18				0		0.37	387	2	0
B100R	486730	7093866	0	15	3.3	0.1	0		20		0	0.45	15	3	170	30.8	1.4				0		0.19	192	4	0.01
B101R	490702	7094700	0	0	0.3	0.11	10		10		0	0.23	0	13	164	26.4	1.51				0		0.04	359	0	0.01
B37M	490873	7093794	972	60	0.8	0.58	30		170		0	1.02	5	17	9	95	3.06				0		0.29	1926	6	0
B27D	490993	7094611	792	30	0.4	0.4	30		25		0	0.4	0	9	8	33	1.88				0		0.3	412	2	0
B59R	489253	7094592	776	90	9	0.24	60		55		0	0.96	11	14	169	54	4.88				0		0.34	1064	5	0
B63R	489364	7094591	0	115	4.5	0.26	160		35		0	0.37	10	17	152	45	2.37				0		0.12	583	9	0
B64R	489364	7094591	0	150	44	0.06	1430		0		0	0.02	3	10	49	159	10				0		0	65	17	0
B61R	489364	7094591	758	1190	292	0.19	600		20		25	0.34	285	18	171	81	3.08				0		0.09	899	3	0.01
B65R	489364	7094591	0	5180	586	0.07	10000		20		0	0.07	###	27	170	126	10				0		0	224	0	0
B36M	491533	7093886	890	280	0	0.61	35		40		0	0.72	0	11	11	47	2.04				10		0.46	306	2	0
B118M	491549	7094115	0	290	0.7	0.68	50		40		0	1.02	0	16	22	49	2.94				10		0.55	485	3	0
B29L	491420	7094694	885	10	0.2	0.66	30		80		0	0.45	0	13	14	33	2.39				0		0.36	470	3	0
B30M	491645	7094734	0	0	0.4	0.38	25		100		0	2.1	2	10	7	71	1.68				0		0.32	1675	2	0
B35M	491859	7094480	772	70	1.4	0.76	65		140		0	0.65	3	16	14	88	2.85				0		0.46	1370	4	0
B32M	491968	7094790	0	760	1.8	0.57	75		90		0	0.54	2	16	12	67	2.73				0		0.4	740	4	0
B31D	491900	7094779	746	55	1.2	0.54	60		150		0	1.13	3	22	12	60	2.69				0		0.41	5585	5	0
B62R	489364	7094591	740	1440	459	0.03	10000		0		35	0.12	80	10	252	65	5.07				0		0	91	4	0.01
B35R	492005	7094471	0	60	0	0.16	5		20		0	2.4	3	5	152	10	2.1				0		0.57	675	1	0
B34R	492005	7094471	0	75	0.2	0.59	10		60		0	0.52	2	10	177	34	2.05				0		0.5	472	4	0.01
B33M	492005	7094471	774	135	1.2	0.64	60		125		0	0.5	2	14	12	72	2.7				0		0.42	743	4	0
B117M	492153	7093962	0	660	1.7	0.71	65		100		0	0.52	2	17	22	67	2.97				0		0.48	521	4	0
B114M	492265	7093742	0	310	4.4	0.82	80		125		0	0.62	2	20	26	79	3.44				10		0.57	889	5	0
B106R	487450	7093780	0	0	1	0.1	0		20		0	0.05	0	6	155	22	1.31				0		0.04	343	0	0
B98R	486753	7093767	0	0	0.3	0.07	0		10		0	0.03	0	1	181	12.1	0.74				0		0.03	63	0	0
B94R	486634	7093713	0	10	2.8	0.72	15		45		0	0.25	0	22	138	33	2.65				10		0.44	1072	0	0.02
B107R	487450	7093780	0	15	0.6	4.08	210		30		0	0.39	0	19	125	102.3	10				25		2.78	1740	0	0

Sample #	Ni	P	Pb	Pb%	S	Sb	Sc	Se	Sn	Sr	Te	Th	Ti	Zn	Zn%	U	V	W	Y
L55E04	28	950	36		0.08	0	1	0	0	18			0	102		0	22	0	7
L56E07	23	1080	18		0	0	2	0	0	12			0.04	104		0	32	0	5
B120R	16.197	877.77	13.082			0			0	69.7			0	142.44		0	3.25	15	8.3387
L55E03	32	930	45		0.08	0	1	0	0	26			0	90		0	20	0	8
7R54566	18	0	18			30			0	76			0.02	24		0	146	0	0
L56E06	30	1060	51		0.05	0	2	0	0	22			0	184		0	34	0	7
L55E02	26	960	30		0.07	0	0	0	0	28			0	94		0	18	0	6
7R54565	10	320	30			35			0	507			0.05	44		0	155	0	1
7R54562	0	100	42			0			0	51			0.02	89		0	0	0	0
L56E05	18	1030	30		0.05	0	1	0	0	18			0.01	102		0	26	0	5
L55E01	33	910	33		0.07	0	1	0	0	26			0	126		0	20	0	6
L56E04	25	1020	33		0.05	0	1	0	0	20			0.01	122		0	30	0	6
B119 S	36	730	90			0			0	11			0.06	161.13		0	43	0	6
L56E03	38	1200	60		0.08	0	1	0	0	30			0	192		0	32	0	7
L56E02	39	1070	30		0.07	0	1	0	0	26			0	116		0	22	0	7
L56E01	28	1020	39		0.07	0	1	0	0	22			0	132		0	28	0	6
B97R	7	230	6						40	0			0	43		0	0	0	0
B115R	4	220	144			10			0	5			0.02	205		0	0	0	0
7R54564	19	100	16			0			0	32			0.03	35		0	18	0	0
B26M	33	1040	40			0			0	75			0.02	331		0	17	0	0
B48M	27	1200	22			0			0	17			0	90		0	14	0	0
7R54563	31	1240	50			60			0	21			0.03	58		0	57	0	0
B38M	26	1210	22			0			0	17			0	107		0	14	0	1
B99M	20	840	62			0			0	15			0.05	96		0	22	0	6
B57R	14	200	4			0			0	20			0	513		0	2	0	0
B49M	24	1160	18			0			0	16			0	89		0	13	0	1
B100R	18	250	532			5			0	7			0.01	1233		0	2	0	0
B101R	26	130	14			0			20	0			0.01	62		0	0	0	0
B37M	26	1850	28			0			0	40			0	204		0	15	0	0
B27D	21	1060	20			0			0	13			0	97		0	11	0	0
B59R	26	260	1718			30			0	46			0	1155		0	3	0	0
B63R	53	460	506			5			0	19			0	723		0	4	0	0
B64R	8	90	3332	7.99		0			0	3			0	636	7.89	0	2	10	0
B61R	34	210	10000	3.65		195			0	21			0	10000	2.17	0	3	0	0
B65R	7	160	10000			850			0	26			0	10000		0	1	0	0
B36M	20	1940	26			0			0	23			0.01	95		0	16	0	8
B118M	30	1860	38			0			0	17			0.06	147		0	19	0	11
B29L	21	1180	22			0			0	16			0.01	115		0	20	0	0
B30M	23	1440	16			0			0	65			0	109		0	9	0	0
B35M	36	1210	82			0			0	33			0.01	252		0	18	0	2
B32M	33	1200	96			0			0	23			0.01	229		0	16	0	0
B31D	41	1050	74			10			0	38			0.02	203		0	14	0	0
B62R	13	110	10000	6.35		615			0	24			0	2117		20	1	0	0
B35R	15	450	12			0			0	99			0	65		0	4	0	0
B34R	32	400	10			0			0	36			0	75		0	12	0	0
B33M	33	1260	84			0			0	25			0.01	218		0	17	0	0
B117M	35	1180	96			0			0	19			0.06	212		0	20	0	8
B114M	41	1210	106			0			0	25			0.07	252		0	22	0	9
B106R	9	160	112			0			20	0			0.01	146		0	1	0	2
B98R	7	150	8			0			20	0			0	34		0	2	0	0
B94R	45	420	160			10			0	7			0.04	221		0	7	0	3
B107R	30	680	32			0			0	18			0.1	210		20	63	0	0

APPENDIX V

GIS Map File

See Data Folder for Appendix V files