Assessment Report on the 2016 Aurex and Geochemical Program

Between July 21, 2016 and July 31, 2016

Mayo Mining District

7081318N, 470089E (NAD 83, UTM Zone 8N)

NTS Maps: 105M13, 105M14

Yukon Territory
Claims Grouped

AUREX 1-34, 51-86, 87-113, 114-171 172-187	*YB28429-28462, 28465-28500, 29366-29392, 29669-29726 YC10862-10877*
MOON 1-11, 12-13	*YC10750-10760, 10895-10896*
NIS 1-75	*YC01589-YC01663*
REX 1-14, 29-49, 63, 65-74, 75-82	*YC02041-02054, 02069-02089, 11041, 11043-11052, 11063-11070*
SIN 1-11, 13-33, 35, 37, 39, 40 45, 47-49, 56-57	*YA39499-39509, 39511-39531,39533, 39535, 39537, 39538 YC10882, 10884-10886, 10893-10894*
SUN 1-8	*YC10698-10705*

Prepared for:
StrataGold Corporation
910 - 1050 West Pender Street
Vancouver, BC
Canada V6E 3S7

Prepared by:
Paul D. Gray, P.Geo., Exploration Manager, Victoria Gold Corp.
Helena Kuikka, G.I.T., Project Geologist, Victoria Gold Corp.



February 2017

Table of Contents

1. Executive Summary 1
2. Introduction 2
1. 2.1. Geochemical Sampling Program 3
3. History 4
4. Claims 6
5. Geologic Setting 17
2. 5.1. Regional Geology 17
5.1.1. Deposit Types 17
3. 5.2. Property Geology 18
5.2.1. Mineralization 20
6. 2016 Exploration Program 25
4. 6.1. Surface Sampling Program 25
5. 6.2. Results 28
7. Interpretation and Conclusions 37
8. 2016 Statement of Expenditures 40
9. References 41
10. Statement of qualifications 43

Appendix I - Soil and Rock Sample Data

Appendix II – Assay Certificates

Appendix III – Maps

Table of Figures

Figure 1- Aurex project location map....2
Figure 2- Aurex Claims Map....16
Figure 3- Aurex Property Regional Geology Map from Yukon Geologic Survey....23
Figure 4- Legend for Regional Geology Map, modified from Yukon Geologic Survey....24
Figure 5- 2016 Soil sample locations....26
Figure 6- 2016 Rock Sample Locations....27
Figure 7- XRF and Lab values for arsenic....29
Figure 8- XRF vs Lab Values for Pb....30
Figure 9- XRF vs Lab values for Zn....31
Figure 10- 2016 Soil sampling XRF vs Lab assay results for arsenic....32
Figure 11- Ag in soil, including the 2016 grid over East Corkery Creek....33
Figure 12- 2016 Rock sample assays for gold, ppm....34
Figure 13- Grab sample of sulphosalt vein at contact between phyllite and quartzite units, #1567905...35
Figure 14- Quartz vein on fold hinge in Hyland Group phyllite. Sample #1567904....35
Figure 15- Sample #1567902 at the Arsenopyrite showing. Scorodite-quartz veins in subcrop....36
Figure 16- As in soil including the 2016 soil grid....38
Figure 17-Au in soil, including 2016 soil grid over East Corkery Creek....39

Table of Tables

Table 1- Aurex Claims List....6
Table 2-Detection Limits for Aqua Regia Digestion/ ICP-MS....25
Table 3- XRF Statistical values for As, Pb and Zn....28
Table 4- Statistical values for Au in soil....28

1. EXECUTIVE SUMMARY

The Aurex property is located in the Mayo Mining District, Yukon, approximately 30 kilometers northeast of the Village of Mayo and 350 kilometers due north of Whitehorse. The Silver Trail Highway and a power line transect the claims immediately southwest of the abandoned town site of Elsa. A network of four-wheel drive roads and trails provide excellent access to a large portion of the property.

The property comprises 433 contiguous quartz mining claims covering approximately 8,233 hectares of land that is owned 100% by StrataGold Corporation.

The property is underlain by meta-sedimentary rocks of Precambrian and/or Paleozoic age. They consist of schist, phyllite, quartzite, argillite, calc-silicate rocks and marble lenses of the Earn Group, Hyland Group and Keno Hill Formation.

The region is crosscut by the east trending Robert Service Thrust of Jurassic-Cretaceous age and additionally by northeast-striking fault systems which are purported to host some of the quartz-arsenopyrite-gold veins at Aurex.

The Aurex property and surrounding area have undergone three main stages of mineralization. The first stage resulted in the development of quartz veins and lenses in local dilatant zones throughout the area in which scheelite can be found. These veins are more common in the competent Keno Hill Quartzite formation. The second stage was characterized quartz lenses and boudins in dilatant zones in a series of northeasterly-striking vein faults and fracture zones. The quartz veins carry significant quantities of arsenopyrite, pyrite and gold that generally accompany the arsenopyrite. These minerals make up the principal ore minerals in Aurex. The third stage is composed of siderite, pyrite, galena, sphalerite and steel-grey galena which make up the principal economic deposits of the mineral belt as a whole extending from Keno and Galena Hills through to Aurex Hill and the surrounding prospect areas.

The 2016 surface sampling program was conducted on East Corkery Creek, continuing the grids from previous soil sampling campaigns. The program was designed to follow the gold-in-soil anomaly to the east and expand on the Corkery Creek arsenopyrite showing in the area. Due to access and ground conditions at the time the program was focused on one grid area. Results of the program show a continuation in a north-westerly direction of the Corkery creek gold-in-soil anomaly and prove the usefulness of XRF analysis for arsenic as a pathfinder for gold in the area.

2. INTRODUCTION

The Aurex Claims are located in the Mayo Mining District, Yukon Territory, approximately 30 kilometers northeast of the Village of Mayo along the Silver Trail Highway (Figure 1). The property outlined for assessment with the 2016 filings comprises 362 contiguous quartz mining claims covering approximately 6,900 hectares of the larger Aurex Property which covers ~8,233 hectares in 433 claims. StrataGold Corporation, a wholly-owned, directly-held subsidiary of Victoria Gold Corp. is the registered owner and operator for all claims. This assessment report details work carried out on the Aurex Property between July 21, 2016 and July 31, 2016, and the costs associated with that work was applied to the claim grouping.



Figure 1- Aurex project location map.

2.1.GEOCHEMICAL SAMPLING PROGRAM

The 2016 surface sampling program was conducted on East Corkery Creek, extending historic geochemical grids from previous soil sampling campaigns. The program was designed to follow the gold-in-soil anomaly to the east and expand on the Corkery Creek arsenopyrite showing in the area. Access to the project area was by truck to the Silver Trail Highway and Kubota RTV along historic trails to within 200m of the westernmost edge of the soil grid. Due to access and ground conditions at the time the program was focused on one single grid area.

3. HISTORY

Stammers (2003) states that "Documented exploration on the Aurex property dates only from the early 1990's. Historically the area nearby at Keno and Galena Hill has been subject to intensive silver exploration, development and mining. Work in the 1990's defined gold, arsenic, antimony and bismuth mineralization on the Aurex property through rotary circulation (RC) drilling, diamond drilling, trenching, prospecting and soil sampling." A brief but not extensive summary of historical work from the property and adjoining areas is outlined below.

The Aurex property (Minfile# 105M060) was first staked as the Blue Idol and Blueberry claims at the head of Corkery Creek in 1935 by J.E. Hawthorne, who added Armagh and Newry claims in 1937, Mary Ann claims in 1962 and Blacker claims in 1971. Hawthorne explored with shallow trenches and shafts from 1935 to 1979. R. Holway bulldozer trenched in 1974 to earn a 50% interest. Apollo Mines Ltd staked the adjoining Lee, Sam and Apollo claims in 1974. The Tree, Pine, Spruce claims were staked 4 km to the east in 1980 by W. Malicky, who trenched in 1980. The Ev claims were added to the south in 1980 by E. French. I. Tornai tied on Steve and Isabel claims on the west side in 1981, restaked the Ev group as Verna claims 1982 and explored with bulldozer trenching in 1982 and 1984. Restaked in 1992 as Aurex 1-113 claims by A.J. McFaull, who prospected and mapped in the same year, and optioned the property to Yukon Revenue Mines, which drilled 128 percussion holes (2,169 m) in 1993. Yukon Revenue Mines Ltd added the Aurex 114-171 claims in 1993 and drilled 200 percussion holes (6,000 m) and 4 diamond holes (600 m) in 1994. Ownership of the claims was transferred to Yukon Revenue in 1995.

In 1996 Yukon Revenue drilled 92 percussion holes (2,749 m) and completed an airborne geophysical survey over the Aurex claim block. In 1997 the company changed its name to YKR International Resources Ltd and in 1998 the new company carried out geophysical surveying over the northwest corner of the claim group.

In 1999 Expatriate Resources Ltd, which owned the adjoining (to the west) Sinster property (Minfile Occurrence #105M 072), optioned the Aurex claims from YKR and carried out geological mapping and geochemical sampling later that year. In 1999 after staking Fisher claims 23-67 and Rex claims 1-49 at the eastern end of the Aurex-Sinister claim block, Expatriate optioned the property to Newmont Mining Corporation, which carried out regional airborne surveying, auger drilling, geological mapping, prospecting and 290 linear meters of machine trenching in 2000. Expatriate transferred its gold properties to a newly formed subsidiary StrataGold. StrataGold performed ground magnetic and IP surveys over the Aurex property in 2003 and diamond drilled 4,038 m in 26 holes on the Aurex property. The Fisher area of Aurex was first staked by S. Thurber in 1920 as the Pearl claims (Minfile #105M022). Since then, numerous groups staked and explored the ground roughly covered by the Fisher claims, looking for silver-bearing galena veins. Work from this period included some hand trenching and one 12m shaft (Archer, 1979 in Philpot, 1980), completed at roughly 960 m elevation on the west bank Fisher Creek. In 1964, United Keno Hill Mines Ltd. restaked the ground as the Sob claims and over two

years completed some geochemical soil sampling, horizontal loop EM, and mechanical trenching (Becker, 2000). A number of other workers completed various trenching and geochemical programs between 1970 and 1990, including work by Teck Corporation (1978-1979), and Canada Tungsten Mining Corporation (1979-1980). The Fisher claims were staked by Expatriate Resources in 1999, and transferred to StrataGold in 2003. StrataGold completed a soil grid on the northeast corner of the claim block in 2003, collecting 342 samples. In 2007, StrataGold conducted a soil sampling survey over the Fisher claims with a total of 342 soil (auger) samples and 3 rock (grab) samples taken.

Mega Silver optioned the Fisher claims from StrataGold in 2008. In 2008, Mega Silver collected 255 soil samples from the northeast portion of the Fisher claim block to in-fill areas with anomalous soil results from StrataGold's 2007 work and to extend the soil grid south to cover the reported historical workings near Fisher Creek. Additionally, 12 stream silt samples and four rock samples were collected and four excavator trenches were attempted along the trend of the Fisher geochemical anomaly. Only at the Trench 3 site was it possible to penetrate through the shallow permafrost, however overburden exceeded 6 metres.

In 2010, Mega Silver terminated the option agreement with StrataGold and all rights title and interest in the Fisher claims returned to StrataGold.

In 2011, Coast Mountain Geological was contracted by StrataGold to undertake a mapping and soil sampling program, including orientation surveys. The A soil horizon was determined to respond well to areas of deep overburden for gold detection. They also detected a new mineralized zone between Aurex North and Aurex hill.

In 2012, a 77 line kilometer ground geophysical (Rover total field magnetic and VLF) survey was undertaken by StrataGold and completed by Aurora Geosciences. Subsequently, Jean Pautler was contracted to review new and historic data the purpose of evaluating reproducibility in data and adding data in areas not previously sampled.

4. CLAIMS

The Aurex property consists of a contiguous block of 433 quartz claims (Table 1, **Figure 2**) covering an area of approximately 8,233 hectares. The claims are recorded in the name of StrataGold Corporation and are currently in good standing until 2019-2020. 2016 Assessment work is being filed on 362 quartz claims covering ~6,900 hectares (**Figure 2**). A portion of the property (97 of the "Aurex" claims) is subject to a 1.5 % NSR royalty to Gtech International Resources Ltd and a 3% NSR royalty to James McFaull. Each of the royalties may be purchased for $1 million.

Table 1- Aurex Claims List

Grant Number	Claim Name	Claim Nbr	Current Expiry Date	Renewal Years Requested	Requested Expiry Date
YB28429	AUREX	1	06/02/2017	3.00	06/02/2020
YB28430	AUREX	2	06/02/2017	3.00	06/02/2020
YB28431	AUREX	3	06/02/2017	3.00	06/02/2020
YB28432	AUREX	4	06/02/2017	3.00	06/02/2020
YB28433	AUREX	5	06/02/2017	3.00	06/02/2020
YB28434	AUREX	6	06/02/2017	3.00	06/02/2020
YB28435	AUREX	7	06/02/2017	3.00	06/02/2020
YB28436	AUREX	8	06/02/2017	3.00	06/02/2020
YB28437	AUREX	9	06/02/2018	2.00	06/02/2020
YB28438	AUREX	10	06/02/2018	2.00	06/02/2020
YB28439	AUREX	11	06/02/2018	2.00	06/02/2020
YB28440	AUREX	12	06/02/2018	2.00	06/02/2020
YB28441	AUREX	13	06/02/2018	2.00	06/02/2020
YB28442	AUREX	14	06/02/2018	2.00	06/02/2020
YB28443	AUREX	15	06/02/2018	2.00	06/02/2020
YB28444	AUREX	16	06/02/2018	2.00	06/02/2020
YB28445	AUREX	17	06/02/2018	2.00	06/02/2020
YB28446	AUREX	18	06/02/2018	2.00	06/02/2020
YB28447	AUREX	19	06/02/2018	2.00	06/02/2020
YB28448	AUREX	20	06/02/2018	2.00	06/02/2020
YB28449	AUREX	21	06/02/2017	3.00	06/02/2020
YB28450	AUREX	22	06/02/2017	3.00	06/02/2020
YB28451	AUREX	23	06/02/2017	3.00	06/02/2020
YB28452	AUREX	24	06/02/2017	3.00	06/02/2020
YB28453	AUREX	25	06/02/2017	3.00	06/02/2020
YB28454	AUREX	26	06/02/2017	3.00	06/02/2020
YB28455	AUREX	27	06/02/2017	3.00	06/02/2020
YB28456	AUREX	28	06/02/2017	3.00	06/02/2020

Grant Number	Claim Name	Claim Nbr	Current Expiry Date	Renewal Years Requested	Requested Expiry Date
YB28457	AUREX	29	06/02/2017	3.00	06/02/2020
YB28458	AUREX	30	06/02/2017	3.00	06/02/2020
YB28459	AUREX	31	06/02/2017	3.00	06/02/2020
YB28460	AUREX	32	06/02/2018	2.00	06/02/2020
YB28461	AUREX	33	06/02/2017	3.00	06/02/2020
YB28462	AUREX	34	06/02/2017	3.00	06/02/2020
YB28465	AUREX	51	06/02/2017	3.00	06/02/2020
YB28466	AUREX	52	06/02/2017	3.00	06/02/2020
YB28467	AUREX	53	06/02/2017	3.00	06/02/2020
YB28468	AUREX	54	06/02/2017	3.00	06/02/2020
YB28469	AUREX	55	06/02/2017	3.00	06/02/2020
YB28470	AUREX	56	06/02/2017	3.00	06/02/2020
YB28471	AUREX	57	06/02/2017	3.00	06/02/2020
YB28472	AUREX	58	06/02/2017	3.00	06/02/2020
YB28473	AUREX	59	06/02/2017	3.00	06/02/2020
YB28474	AUREX	60	06/02/2017	3.00	06/02/2020
YB28475	AUREX	61	06/02/2018	2.00	06/02/2020
YB28476	AUREX	62	06/02/2018	2.00	06/02/2020
YB28477	AUREX	63	06/02/2018	2.00	06/02/2020
YB28478	AUREX	64	06/02/2018	2.00	06/02/2020
YB28479	AUREX	65	06/02/2018	2.00	06/02/2020
YB28480	AUREX	66	06/02/2018	2.00	06/02/2020
YB28481	AUREX	67	06/02/2018	2.00	06/02/2020
YB28482	AUREX	68	06/02/2018	2.00	06/02/2020
YB28483	AUREX	69	06/02/2018	2.00	06/02/2020
YB28484	AUREX	70	06/02/2018	2.00	06/02/2020
YB28485	AUREX	71	06/02/2018	2.00	06/02/2020
YB28486	AUREX	72	06/02/2018	2.00	06/02/2020
YB28487	AUREX	73	06/02/2017	3.00	06/02/2020
YB28488	AUREX	74	06/02/2017	3.00	06/02/2020
YB28489	AUREX	75	06/02/2017	3.00	06/02/2020
YB28490	AUREX	76	06/02/2017	3.00	06/02/2020
YB28491	AUREX	77	06/02/2017	3.00	06/02/2020
YB28492	AUREX	78	06/02/2017	3.00	06/02/2020
YB28493	AUREX	79	06/02/2017	3.00	06/02/2020
YB28494	AUREX	80	06/02/2017	3.00	06/02/2020
YB28495	AUREX	81	06/02/2017	3.00	06/02/2020
YB28496	AUREX	82	06/02/2017	3.00	06/02/2020
YB28497	AUREX	83	06/02/2017	3.00	06/02/2020
YB28498	AUREX	84	06/02/2017	3.00	06/02/2020

Grant Number	Claim Name	Claim Nbr	Current Expiry Date	Renewal Years Requested	Requested Expiry Date
YB28499	AUREX	85	06/02/2020		
YB28500	AUREX	86	06/02/2020		
YB29366	AUREX	87	06/02/2017	3.00	06/02/2020
YB29367	AUREX	88	06/02/2017	3.00	06/02/2020
YB29368	AUREX	89	06/02/2017	2.00	06/02/2019
YB29369	AUREX	90	06/02/2017	3.00	06/02/2020
YB29370	AUREX	91	06/02/2017	2.00	06/02/2019
YB29371	AUREX	92	06/02/2017	3.00	06/02/2020
YB29372	AUREX	93	06/02/2017	2.00	06/02/2019
YB29373	AUREX	94	06/02/2017	3.00	06/02/2020
YB29374	AUREX	95	06/02/2017	2.00	06/02/2019
YB29375	AUREX	96	06/02/2017	3.00	06/02/2020
YB29376	AUREX	97	06/02/2017	2.00	06/02/2019
YB29377	AUREX	98	06/02/2017	3.00	06/02/2020
YB29378	AUREX	99	06/02/2017	2.00	06/02/2019
YB29379	AUREX	100	06/02/2018	2.00	06/02/2020
YB29380	AUREX	101	06/02/2018	1.00	06/02/2019
YB29381	AUREX	102	06/02/2017	3.00	06/02/2020
YB29382	AUREX	103	06/02/2017	2.00	06/02/2019
YB29383	AUREX	104	06/02/2018	2.00	06/02/2020
YB29384	AUREX	105	06/02/2018	1.00	06/02/2019
YB29385	AUREX	106	06/02/2017	3.00	06/02/2020
YB29386	AUREX	107	06/02/2017	2.00	06/02/2019
YB29387	AUREX	108	06/02/2018	2.00	06/02/2020
YB29388	AUREX	109	06/02/2018	2.00	06/02/2020
YB29389	AUREX	110	06/02/2017	3.00	06/02/2020
YB29390	AUREX	111	06/02/2017	3.00	06/02/2020
YB29391	AUREX	112	06/02/2017	2.00	06/02/2019
YB29392	AUREX	113	06/02/2017	2.00	06/02/2019
YB29669	AUREX	114	06/02/2017	2.00	06/02/2019
YB29670	AUREX	115	06/02/2017	2.00	06/02/2019
YB29671	AUREX	116	06/02/2017	2.00	06/02/2019
YB29672	AUREX	117	06/02/2017	2.00	06/02/2019
YB29673	AUREX	118	06/02/2017	2.00	06/02/2019
YB29674	AUREX	119	06/02/2017	2.00	06/02/2019
YB29675	AUREX	120	06/02/2017	2.00	06/02/2019
YB29676	AUREX	121	06/02/2017	2.00	06/02/2019
YB29677	AUREX	122	06/02/2017	2.00	06/02/2019
YB29678	AUREX	123	06/02/2018	1.00	06/02/2019
YB29679	AUREX	124	06/02/2018	1.00	06/02/2019

Grant Number	Claim Name	Claim Nbr	Current Expiry Date	Renewal Years Requested	Requested Expiry Date
YB29680	AUREX	125	06/02/2018	1.00	06/02/2019
YB29681	AUREX	126	06/02/2018	1.00	06/02/2019
YB29682	AUREX	127	06/02/2018	1.00	06/02/2019
YB29683	AUREX	128	06/02/2018	1.00	06/02/2019
YB29684	AUREX	129	06/02/2018	1.00	06/02/2019
YB29685	AUREX	130	06/02/2018	1.00	06/02/2019
YB29686	AUREX	131	06/02/2018	1.00	06/02/2019
YB29687	AUREX	132	06/02/2018	1.00	06/02/2019
YB29688	AUREX	133	06/02/2017	2.00	06/02/2019
YB29689	AUREX	134	06/02/2017	2.00	06/02/2019
YB29690	AUREX	135	06/02/2017	2.00	06/02/2019
YB29691	AUREX	136	06/02/2017	2.00	06/02/2019
YB29692	AUREX	137	06/02/2017	2.00	06/02/2019
YB29693	AUREX	138	06/02/2017	2.00	06/02/2019
YB29694	AUREX	139	06/02/2017	2.00	06/02/2019
YB29695	AUREX	140	06/02/2017	2.00	06/02/2019
YB29696	AUREX	141	06/02/2017	2.00	06/02/2019
YB29697	AUREX	142	06/02/2018	1.00	06/02/2019
YB29698	AUREX	143	06/02/2018	1.00	06/02/2019
YB29699	AUREX	144	06/02/2018	1.00	06/02/2019
YB29700	AUREX	145	06/02/2018	1.00	06/02/2019
YB29701	AUREX	146	06/02/2018	1.00	06/02/2019
YB29702	AUREX	147	06/02/2018	1.00	06/02/2019
YB29703	AUREX	148	06/02/2018	1.00	06/02/2019
YB29704	AUREX	149	06/02/2018	1.00	06/02/2019
YB29705	AUREX	150	06/02/2018	1.00	06/02/2019
YB29706	AUREX	151	06/02/2018	1.00	06/02/2019
YB29707	AUREX	152	06/02/2017	2.00	06/02/2019
YB29708	AUREX	153	06/02/2017	2.00	06/02/2019
YB29709	AUREX	154	06/02/2017	2.00	06/02/2019
YB29710	AUREX	155	06/02/2017	2.00	06/02/2019
YB29711	AUREX	156	06/02/2017	2.00	06/02/2019
YB29712	AUREX	157	06/02/2017	2.00	06/02/2019
YB29713	AUREX	158	06/02/2017	2.00	06/02/2019
YB29714	AUREX	159	06/02/2017	2.00	06/02/2019
YB29715	AUREX	160	06/02/2017	2.00	06/02/2019
YB29716	AUREX	161	06/02/2017	2.00	06/02/2019
YB29717	AUREX	162	06/02/2018	1.00	06/02/2019
YB29718	AUREX	163	06/02/2018	1.00	06/02/2019
YB29719	AUREX	164	06/02/2018	1.00	06/02/2019

Grant Number	Claim Name	Claim Nbr	Current Expiry Date	Renewal Years Requested	Requested Expiry Date
YB29720	AUREX	165	06/02/2018	1.00	06/02/2019
YB29721	AUREX	166	06/02/2018	1.00	06/02/2019
YB29722	AUREX	167	06/02/2018	1.00	06/02/2019
YB29723	AUREX	168	06/02/2018	1.00	06/02/2019
YB29724	AUREX	169	06/02/2018	1.00	06/02/2019
YB29725	AUREX	170	06/02/2018	1.00	06/02/2019
YB29726	AUREX	171	06/02/2018	1.00	06/02/2019
YC10862	Aurex	172	06/02/2017	2.00	06/02/2019
YC10863	Aurex	173	06/02/2017	2.00	06/02/2019
YC10864	Aurex	174	06/02/2017	2.00	06/02/2019
YC10865	Aurex	175	06/02/2017	2.00	06/02/2019
YC10866	Aurex	176	06/02/2017	2.00	06/02/2019
YC10867	Aurex	177	30/06/2017	1.75	06/02/2019
YC10868	Aurex	178	30/06/2017	1.75	06/02/2019
YC10869	Aurex	179	30/06/2017	1.75	06/02/2019
YC10870	Aurex	180	06/02/2017	2.00	06/02/2019
YC10871	Aurex	181	06/02/2017	2.00	06/02/2019
YC10872	Aurex	182	06/02/2017	2.00	06/02/2019
YC10873	Aurex	183	06/02/2017	2.00	06/02/2019
YC10874	Aurex	184	06/02/2017	2.00	06/02/2019
YC10875	Aurex	185	06/02/2017	2.00	06/02/2019
YC10876	Aurex	186	06/02/2017	2.00	06/02/2019
YC10877	Aurex	187	06/02/2017	2.00	06/02/2019
YC10750	Moon	1	06/02/2017	2.00	06/02/2019
YC10751	Moon	2	06/02/2017	2.00	06/02/2019
YC10753	Moon	4	06/02/2017	2.00	06/02/2019
YC10754	Moon	5	06/02/2017	2.00	06/02/2019
YC10755	Moon	6	06/02/2017	2.00	06/02/2019
YC10756	Moon	7	06/02/2017	2.00	06/02/2019
YC10757	Moon	8	06/02/2017	2.00	06/02/2019
YC10758	Moon	9	06/02/2017	2.00	06/02/2019
YC10759	Moon	10	06/02/2017	2.00	06/02/2019
YC10760	Moon	11	06/02/2017	2.00	06/02/2019
YC10895	Moon	12	06/02/2017	2.00	06/02/2019
YC10896	Moon	13	06/02/2017	2.00	06/02/2019
YC01589	Nis	1	06/02/2017	2.00	06/02/2019
YC01590	Nis	2	06/02/2017	2.00	06/02/2019
YC01591	Nis	3	06/02/2017	2.00	06/02/2019
YC01592	Nis	4	06/02/2017	2.00	06/02/2019
YC01593	Nis	5	06/02/2017	2.00	06/02/2019

Grant Number	Claim Name	Claim Nbr	Current Expiry Date	Renewal Years Requested	Requested Expiry Date
YC01594	Nis	6	06/02/2017	2.00	06/02/2019
YC01595	Nis	7	06/02/2017	2.00	06/02/2019
YC01596	Nis	8	06/02/2017	2.00	06/02/2019
YC01597	Nis	9	06/02/2017	2.00	06/02/2019
YC01598	Nis	10	06/02/2017	2.00	06/02/2019
YC01599	Nis	11	06/02/2017	2.00	06/02/2019
YC01600	Nis	12	06/02/2017	2.00	06/02/2019
YC01601	Nis	13	06/02/2017	2.00	06/02/2019
YC01602	Nis	14	06/02/2017	2.00	06/02/2019
YC01603	Nis	15	06/02/2017	2.00	06/02/2019
YC01604	Nis	16	06/02/2017	2.00	06/02/2019
YC01605	Nis	17	06/02/2017	2.00	06/02/2019
YC01606	Nis	18	06/02/2017	2.00	06/02/2019
YC01607	Nis	19	06/02/2017	2.00	06/02/2019
YC01608	Nis	20	06/02/2017	2.00	06/02/2019
YC01609	Nis	21	06/02/2017	2.00	06/02/2019
YC01610	Nis	22	06/02/2017	2.00	06/02/2019
YC01611	Nis	23	06/02/2017	2.00	06/02/2019
YC01612	Nis	24	06/02/2017	2.00	06/02/2019
YC01613	Nis	25	06/02/2017	2.00	06/02/2019
YC01614	Nis	26	06/02/2017	2.00	06/02/2019
YC01615	Nis	27	06/02/2017	2.00	06/02/2019
YC01616	Nis	28	06/02/2017	2.00	06/02/2019
YC01617	Nis	29	06/02/2017	2.00	06/02/2019
YC01618	Nis	30	06/02/2017	2.00	06/02/2019
YC01619	Nis	31	06/02/2017	2.00	06/02/2019
YC01620	Nis	32	06/02/2017	2.00	06/02/2019
YC01621	Nis	33	06/02/2017	2.00	06/02/2019
YC01622	Nis	34	06/02/2017	2.00	06/02/2019
YC01623	Nis	35	06/02/2017	2.00	06/02/2019
YC01624	Nis	36	06/02/2017	2.00	06/02/2019
YC01625	Nis	37	06/02/2017	2.00	06/02/2019
YC01626	Nis	38	06/02/2017	2.00	06/02/2019
YC01627	Nis	39	06/02/2017	2.00	06/02/2019
YC01628	Nis	40	06/02/2017	2.00	06/02/2019
YC01629	Nis	41	06/02/2017	2.00	06/02/2019
YC01630	Nis	42	06/02/2017	2.00	06/02/2019
YC01631	Nis	43	06/02/2017	2.00	06/02/2019
YC01632	Nis	44	06/02/2017	2.00	06/02/2019
YC01633	Nis	45	06/02/2017	2.00	06/02/2019

Grant Number	Claim Name	Claim Nbr	Current Expiry Date	Renewal Years Requested	Requested Expiry Date
YC01634	Nis	46	06/02/2017	2.00	06/02/2019
YC01635	Nis	47	06/02/2017	2.00	06/02/2019
YC01636	Nis	48	06/02/2017	2.00	06/02/2019
YC01637	Nis	49	06/02/2017	2.00	06/02/2019
YC01638	Nis	50	06/02/2017	2.00	06/02/2019
YC01639	Nis	51	06/02/2017	2.00	06/02/2019
YC01640	Nis	52	06/02/2017	2.00	06/02/2019
YC01641	Nis	53	06/02/2017	2.00	06/02/2019
YC01642	Nis	54	06/02/2017	2.00	06/02/2019
YC01643	Nis	55	06/02/2017	2.00	06/02/2019
YC01644	Nis	56	06/02/2017	2.00	06/02/2019
YC01645	Nis	57	06/02/2017	2.00	06/02/2019
YC01646	Nis	58	06/02/2017	2.00	06/02/2019
YC01647	Nis	59	06/02/2017	2.00	06/02/2019
YC01648	Nis	60	06/02/2017	2.00	06/02/2019
YC01649	Nis	61	06/02/2017	2.00	06/02/2019
YC01650	Nis	62	06/02/2017	2.00	06/02/2019
YC01651	Nis	63	06/02/2017	2.00	06/02/2019
YC01652	Nis	64	06/02/2017	2.00	06/02/2019
YC01653	Nis	65	06/02/2017	2.00	06/02/2019
YC01654	Nis	66	06/02/2017	2.00	06/02/2019
YC01655	Nis	67	06/02/2017	2.00	06/02/2019
YC01656	Nis	68	06/02/2017	2.00	06/02/2019
YC01657	Nis	69	06/02/2017	2.00	06/02/2019
YC01658	Nis	70	06/02/2017	2.00	06/02/2019
YC01659	Nis	71	06/02/2017	2.00	06/02/2019
YC01660	Nis	72	06/02/2017	2.00	06/02/2019
YC01661	Nis	73	06/02/2017	2.00	06/02/2019
YC01662	Nis	74	06/02/2017	2.00	06/02/2019
YC01663	Nis	75	06/02/2017	2.00	06/02/2019
YC02041	Rex	1	06/02/2017	3.00	06/02/2020
YC02042	Rex	2	06/02/2017	3.00	06/02/2020
YC02043	Rex	3	06/02/2017	3.00	06/02/2020
YC02044	Rex	4	06/02/2017	3.00	06/02/2020
YC02045	Rex	5	06/02/2017	3.00	06/02/2020
YC02046	Rex	6	06/02/2017	3.00	06/02/2020
YC02047	Rex	7	06/02/2017	3.00	06/02/2020
YC02048	Rex	8	06/02/2017	3.00	06/02/2020
YC02049	Rex	9	06/02/2017	3.00	06/02/2020
YC02050	Rex	10	06/02/2017	3.00	06/02/2020

Grant Number	Claim Name	Claim Nbr	Current Expiry Date	Renewal Years Requested	Requested Expiry Date
YC02051	Rex	11	06/02/2017	3.00	06/02/2020
YC02052	Rex	12	06/02/2017	3.00	06/02/2020
YC02053	Rex	13	06/02/2018	1.00	06/02/2019
YC02054	Rex	14	06/02/2018	1.00	06/02/2019
YC02069	Rex	29	06/02/2018	1.00	06/02/2019
YC02070	Rex	30	06/02/2019		
YC02071	Rex	31	06/02/2018	2.00	06/02/2020
YC02072	Rex	32	06/02/2018	2.00	06/02/2020
YC02073	Rex	33	06/02/2018	2.00	06/02/2020
YC02074	Rex	34	06/02/2019	1.00	06/02/2020
YC02075	Rex	35	06/02/2018	2.00	06/02/2020
YC02076	Rex	36	06/02/2019	1.00	06/02/2020
YC02077	Rex	37	06/02/2018	2.00	06/02/2020
YC02078	Rex	38	06/02/2018	2.00	06/02/2020
YC02079	Rex	39	06/02/2018	2.00	06/02/2020
YC02080	Rex	40	06/02/2018	2.00	06/02/2020
YC02081	Rex	41	06/02/2018	1.00	06/02/2019
YC02082	Rex	42	06/02/2018	2.00	06/02/2020
YC02083	Rex	43	06/02/2018	1.00	06/02/2019
YC02084	Rex	44	06/02/2019	1.00	06/02/2020
YC02085	Rex	45	06/02/2019		
YC02086	Rex	46	06/02/2019	1.00	06/02/2020
YC02087	Rex	47	06/02/2019		
YC02088	Rex	48	06/02/2017	2.00	06/02/2019
YC02089	Rex	49	06/02/2019		
YC11041	Rex	63	06/02/2017	2.00	06/02/2019
YC11043	Rex	65	06/02/2017	2.00	06/02/2019
YC11044	Rex	66	06/02/2017	2.00	06/02/2019
YC11045	Rex	67	06/02/2017	2.00	06/02/2019
YC11046	Rex	68	06/02/2017	2.00	06/02/2019
YC11047	Rex	69	06/02/2017	2.00	06/02/2019
YC11048	Rex	70	06/02/2017	2.00	06/02/2019
YC11049	Rex	71	06/02/2017	2.00	06/02/2019
YC11050	Rex	72	06/02/2017	2.00	06/02/2019
YC11051	Rex	73	06/02/2017	2.00	06/02/2019
YC11052	Rex	74	06/02/2017	2.00	06/02/2019
YC11063	Rex	75	06/02/2017	2.00	06/02/2019
YC11064	Rex	76	06/02/2017	2.00	06/02/2019
YC11065	Rex	77	06/02/2017	2.00	06/02/2019
YC11066	Rex	78	06/02/2017	2.00	06/02/2019

Grant Number	Claim Name	Claim Nbr	Current Expiry Date	Renewal Years Requested	Requested Expiry Date
YC11067	Rex	79	06/02/2017	2.00	06/02/2019
YC11068	Rex	80	06/02/2017	2.00	06/02/2019
YC11069	Rex	81	06/02/2017	2.00	06/02/2019
YC11070	Rex	82	06/02/2017	2.00	06/02/2019
YA39499	Sin	1	06/02/2017	2.00	06/02/2019
YA39500	Sin	2	06/02/2017	2.00	06/02/2019
YA39501	Sin	3	06/02/2017	2.00	06/02/2019
YA39502	Sin	4	06/02/2017	2.00	06/02/2019
YA39503	Sin	5	06/02/2017	2.00	06/02/2019
YA39504	Sin	6	06/02/2017	2.00	06/02/2019
YA39505	Sin	7	06/02/2017	2.00	06/02/2019
YA39506	Sin	8	06/02/2017	2.00	06/02/2019
YA39507	Sin	9	06/02/2017	2.00	06/02/2019
YA39508	Sin	10	06/02/2017	2.00	06/02/2019
YA39509	Sin	11	06/02/2017	2.00	06/02/2019
YA39511	Sin	13	06/02/2017	2.00	06/02/2019
YA39512	Sin	14	06/02/2017	2.00	06/02/2019
YA39513	Sin	15	06/02/2017	2.00	06/02/2019
YA39514	Sin	16	06/02/2017	2.00	06/02/2019
YA39515	Sin	17	06/02/2017	2.00	06/02/2019
YA39516	Sin	18	06/02/2017	2.00	06/02/2019
YA39517	Sin	19	06/02/2017	2.00	06/02/2019
YA39518	Sin	20	06/02/2017	2.00	06/02/2019
YA39519	Sin	21	06/02/2017	2.00	06/02/2019
YA39520	Sin	22	06/02/2017	2.00	06/02/2019
YA39521	Sin	23	06/02/2017	2.00	06/02/2019
YA39522	Sin	24	06/02/2017	2.00	06/02/2019
YA39523	Sin	25	06/02/2017	2.00	06/02/2019
YA39524	Sin	26	06/02/2017	2.00	06/02/2019
YA39525	Sin	27	06/02/2017	2.00	06/02/2019
YA39526	Sin	28	06/02/2017	2.00	06/02/2019
YA39527	Sin	29	06/02/2017	2.00	06/02/2019
YA39528	Sin	30	06/02/2017	2.00	06/02/2019
YA39529	Sin	31	06/02/2017	2.00	06/02/2019
YA39530	Sin	32	06/02/2017	2.00	06/02/2019
YA39531	Sin	33	06/02/2017	2.00	06/02/2019
YA39533	Sin	35	06/02/2017	2.00	06/02/2019
YA39535	Sin	37	06/02/2017	2.00	06/02/2019
YA39537	Sin	39	06/02/2017	2.00	06/02/2019
YA39538	Sin	40	06/02/2017	2.00	06/02/2019

Grant Number	Claim Name	Claim Nbr	Current Expiry Date	Renewal Years Requested	Requested Expiry Date
YC10882	Sin	45	06/02/2017	2.00	06/02/2019
YC10884	Sin	47	06/02/2017	2.00	06/02/2019
YC10885	Sin	48	06/02/2017	2.00	06/02/2019
YC10886	Sin	49	06/02/2017	2.00	06/02/2019
YC10893	Sin	56	06/02/2017	2.00	06/02/2019
YC10894	Sin	57	06/02/2017	2.00	06/02/2019
YC10698	Sun	1	06/02/2017	3.00	06/02/2020
YC10699	Sun	2	06/02/2017	3.00	06/02/2020
YC10700	Sun	3	06/02/2017	3.00	06/02/2020
YC10701	Sun	4	06/02/2017	3.00	06/02/2020
YC10702	Sun	5	06/02/2017	3.00	06/02/2020
YC10703	Sun	6	06/02/2017	3.00	06/02/2020
YC10704	Sun	7	06/02/2017	3.00	06/02/2020
YC10705	Sun	8	06/02/2017	3.00	06/02/2020




Figure 2- Aurex Claims Map

5. GEOLOGIC SETTING

5.1.REGIONAL GEOLOGY

The Aurex property lies in the western Selwyn Basin, an epicratonic basin developed in a divergent margin setting established as the result of the neo-Proterozoic rifting along the North American margin (Ross, 1991; Colpron et al., 2002). The major stratigraphic units making up the Selwyn Basin in the McQuesten River area are the Late Proterozoic to Cambrian Hyland Group, the Devonian to Mississippian Earn Group and the Mississippian Keno Hill Quartzite (Murphy, 1997; Mair et al., 2006). The Earn Group and Keno Hill Quartzite were in turn intruded by a number of originally laterally-continuous mafic sills of metre-scale to hundred-metre-scale thickness (Murphy, 1997). Murphy (1997) estimates the age of these sills to be contemporaneous with the mid-Triassic Ogilvie Mountain sills of Mortensen and Thompson (1990).

Jurassic convergence between the North American and Farallon plates led to the collision of outboard terranes with the continental margin, which resulted in northward thrusting and low-grade metamorphism of Selwyn Basin strata (Monger, 1993). In the Mayo region, the Jurassic-Cretaceous Robert Service thrust (RST) (Murphy and Héon, 1995) juxtaposes Hyland Group rocks against the Keno Hill Quartzite and the underlying Earn Group rocks. North of the Robert Service thrust, but of roughly the same age, the Tombstone thrust sheet was thrust northward and protrudes structurally beneath the RST (Roots, 1997; McTaggart, 1960). Both these structures were in turn folded by a period of transpressional deformation creating the McQuesten Antiform, which plunges to the southwest (Mair et al., 2006; Murphy, 1997). With waning deformation across the orogen by the mid-Cretaceous, emplacement of a series of northwardly-younging, orogen-parallel, felsic to intermediate plutonic suites occurred between 112 and 90 Ma (Mortensen, 2000). A second suite of intrusive rocks, the McQuesten intrustions of 64-67 Ma locally exploited the existing structural weakness in the axis of the McQuesten antiform (Murphy, 1997).

5.1.1. DEPOSIT TYPES

The Selwyn Basin hosts the Elsa-Keno mining camp, which has been a major worldwide producer of silver. Between 1913 and 1989, the camp produced over 6600t of silver, 322,000t of lead, and 198,000t of zinc (Murphy, 1997; Cathro, 2006) from a series of sulphide-rich veins or vein-faults exploiting dilational zones related to sinistral deformation within the local strata. Productive veins occur dominantly within the Keno Hill Quartzite and to a lesser extent in the underlying Lower Schist (discussed below). Dominant ore minerals are galena, sphalerite, and tetrahedrite with quartz and/or siderite as gangue material (Boyle, 1965). Dominant orientation of the mineralized veins is roughly northeast-southwest, with a smaller number of cross-oriented vein faults roughly perpendicular to the dominant structures (Boyle, 1965). Some of the more well-known past producers in the area include Elsa, Silver King, No Cash, Hector, Calumet, Galkeno, Onek, Bellekeno, Sadie, Ladue, and Lucky Queen.

Regionally, the Tombstone Plutonic Suite rocks are spatially and possibly also genetically associated with a range of precious and base-metal occurrences. These include: intrusion-hosted sheeted vein systems (Fort Knox, Dublin Gulch, Sheeted Zone at Scheelite Dome), metasediment-hosted sheeted veins (Harvey-Rudolph Zone at Scheelite Dome), intrusion-hosted disseminations and stringers (Brewery Creek), skarns (Marn, Wolf tungsten), hornfels-hosted sulfide veins, sediment-hosted stratabound sulfide replacement and disseminated, stringer and breccia-hosted mineralization external to the hornfels. The characteristic metal association of TPS related deposits comprises Au-W-Bi-As-Sb-Te-Mo±Cu±Pb±Sn.

5.2.PROPERTY GEOLOGY

A detailed lithology and structural description of the Aurex property can be found in Stammers, 2001. Below is a summary of the property geology from Dadson and McLaughlin, 2012.

Previous explorers have grouped the rocks within the Aurex area and surrounding areas into three formations: the Lower Schist or the Proterozoic aged Yusezyu Formation of the Hyland Group, the central Keno Hill Quartzite of Mississippian age, and the Upper Schist or rocks of the Devono-Mississippian Earn Group. Each contain numerous subunits as defined in the Table of Formations.

The Lower Schist or Yusezyu Formation on Aurex Hill includes a lower sequence of rocks composed mainly of quartz-sericite schist, quartz-eye muscovite schist, marble, and silver phyllite. Along the valley of Corkery Creek and beyond to the south, the lower is composed of graphitic schist, phyllite, thin-bedded quartzite, argillite, quartz-mica schist, and limestone (Stammers and Caira, 2001).

The most distinctive members in the Yusezyu Formation are the competent calc-silicate, pyrrhotite-bearing horizons or lenses, together with the brittle typically green in colour quartz-eye-muscovite schist. Both of these units are favourable hosts to mineralization. In general, the various schist, phyllite, argillite and thin-bedded quartzite in the Yusezyu Formation are structurally incompetent and unfavourable for the occurrence of mineralization. Minor gabbro sills that occur throughout these formations are favourable sites for mineralization (Stammers and Caira, 2001).

The Keno Hill Quartzite only occurs on the Aurex property in the North-west corner and in adjacent properties to the north. In the Silver King Mine region, located 1.6 kilometres to the north, there is a lateral transition westward from the thick-bedded quartzite to graphitic schist. To the west and south, there is a transition to phyllite and thin-bedded quartzite (Stammers and Caira, 2001).

Similarly rocks of the Earn Group also only occur in the North-west corner of the property.

Historical trenching and drilling has shown that most contacts have been defined by float boulder trains, detailed structural data, as well as airborne magnetic and EM survey results. Many of the lithologic contacts are interpretive, at best, and errors may exist of several tens of metres (Stammers and Caira, 2001).

The principal sedimentary rocks in the area as stated are quartzite, phyllite, schist, argillite and limestone and these have been intruded locally and regionally by metagabbro, metadiorite, quartz-biotite-granodiorite, granite, quartz-feldspar porphyry, hornblende porphyry, syenite and a few biotite lamprophyre dykes all of Triassic and Cretaceous (Tombstone Intrusions) in age (Stammers and Caira, 2001).

Most of the sediment is low-grade greenschist or quartz-sericite-muscovite facies of metamorphism. Adjacent to granite intrusions, calc-silicate skarn and hornfels occur. The Robert Service Thrust Zone, 250-1000 metres north of the northern claim boundary of the Aurex claims has created an additional extensive, shear-induced metamorphism where low angle shear planes have facilitated diffusion of hydrothermal fluids. The Aurex property hosts a series of pyrrhotite-gold bearing skarn lenses, where regional shear foliation clearly controls pyrrhotite mineralization (Stammers and Caira, 2001).

The sedimentary strata throughout the Aurex property have an average dip of 35^0 S, while near the summit of Aurex Hill beds dip an average of 70^0 S. On Galena Hill, to the east of Aurex Hill, the strata have an average dip of 20^0 S. Aurex Hill is transected by numerous low-angle faults and other structural complexities. Additionally, a periodicity in stratigraphic units on and to the south of the Aurex ground suggests that the geology is more complex and involves a series of broad, open folds. The repetition of the surface trace of the Roberts Surface Thrust Fault on the McQuesten property to the north of the map area may be the result of the isoclinal folding and/or fault imbrications of the thrust.

List of Formations

Mesozoic

Quartz-feldspar porphyry dacite

Quartz-biotite granodiorite (Cretaceous)

Diorite, gabbro (Triassic?)

UPPER SCHIST: Devonian-Mississippian Earn Group thrusted over the Mississippian

Keno Hill Quartzite formation by the Robert Service Thrust Fault

consists of graphitic schist, graphitic phyllite, thin-bedded quartzite, argillite, quartz-mica schist, limestone (marble)

ROBERT SERVICE THRUST FAULT

KENO HILL QUARTZITE: Mississippian in age and consisting of:

thick-bedded and thin-bedded quartzite, graphitic phyllite, graphitic schist and argillite

ROBERT SERVICE THRUST FAULT (exploited by felsic intrusions & hornblende porphyry)

LOWER SCHIST: late Proterozoic age; Yusezyu Fm of the Hyland Group has been locally thrust over the Mississippian age Keno Hill Quartzite and rocks of the Devonian-Mississippian Earn Group; consists of quartz-sericite schist, graphitic schist, graphitic phyllite, thin bedded quartzite, argillite and calcareous schist

The property has undergone several phases of structural deformation. Mapping has revealed a general east-west or ENE-WSW strike with relatively gentle southerly dips. However in the Aurex North area an exposure had sedimentary units dipping northerly but these have been interpreted to occur on the or close to the axis of an antiform probably associated with one of the several imbricated thrust panels of the Robert Service Thrust. Other such features may occur on the top of Aurex Hill and possibly along or close to the course of Corkery Creek. The historic airborne magnetic survey has indicated several NW trending structures which are known in the area but also regional NE or ENE trends. Small scale structures, many of which probably parallel these trends, are not evident in the airborne data.

NE trends represent the main mineralized structures in the region including the prolific Ag deposits of the Keno Hill and Galena Hill area. Many of these have been offset by crosscutting NW structures which have resulted in the development of brecciated junctures which have also been shown to be mineralized and host to rich Ag mineralization.

5.2.1. MINERALIZATION

The Aurex property has undergone three main stages of mineralization. The first stage was marked by the introduction of metamorphogenic silica, which resulted in the development of quartz veins and lenses in local dilatant zones throughout the area in which scheelite can be found. These veins are more common in the competent Keno Hill Quartzite formation. The second stage was characterized by an extensive introduction of silica that precipitated as quartz lenses and boudins in dilatant zones in a series of northeasterly-striking vein faults and fracture zones. The quartz veins carry significant quantities of arsenopyrite, pyrite and gold that generally accompany the arsenopyrite. These minerals make up the principal ore minerals on Aurex Hill. The third stage of mineralization started with an introduction of carbon dioxide, iron, sulphur, lead, zinc, silver and cadmium. These mobile elements were concentrated in a carbon dioxide-rich fluid to form siderite, pyrite, galena, sphalerite and steel-

grey galena. These minerals make up the principal economic deposits of the mineral belt as a whole extending from Keno and Galena Hills through to Aurex Hill and the surrounding prospect areas.

In 2012 J. Paulter identified four high priority mineralized targets in Aurex from historical geochemical and drillhole data; these include the West Snowdrift- Powerline area, Corkery Creek Arsenopyrite Showing, West Aurex Hill, and Fisher.

West Snowdrift- Powerline

The best drill intersection on the property was obtained from the Powerline area, situated midway between Aurex North and the Snowdrift (Sun-Moon claims). The intercept of 1.8 g/t Au over 21m was obtained in AX-03-12 from 31 to 52m, with a narrow 17 cm intercept of 40.6 g/t Au at 85.05m (Hladky, 2003). The surface projection of this horizon projects along strike to the lower skarn horizon at Aurex North (which trends 070-075°/30°-50°S). The western exposure of this skarn horizon at Aurex North returned 8.8 g/t Au (Wengzynowski, 2000) and has not been tested by drilling.

The skarn horizon at the Powerline area appears to be coincident with an IP anomaly delineated in 1998 (Davis, 1998). Other significant intersections in the Powerline area include 1.08 g/t Au over 10.5m from DDH AX-03-10 and 0.98 g/t Au over 12m from AX-03-22. The same horizon may continue west from the Powerline area across Snowdrift to the West Snowdrift area. Grab samples from the trench returned 1.76 g/t Au and 0.724 g/t Au with 3110 ppm As and both returned anomalous tungsten of 160 and 170 ppm W, respectively. The tungsten here suggests proximity to an intrusion. Foliation within the trench was 125°/85°S, suggestive of a fault or fold in this area, which could result in thickened mineralized zones. The trace of this horizon would project 200m south of DDH AX-03-8, which returned 0.73 g/t Au over 10m, including 5.3 g/t Au over 1m.

A 2.5 km diameter donut shaped magnetic signature (magnetic low rimmed by magnetic high) underlies the Aurex North showing, suggesting proximity to a buried intrusion. This is supported by evidence of endoskarn in the area.

Corkery Creek- Arsnopyrite Showing

An old arsenopyrite showing (Aspy), historically explored by several hand pits, occurs adjacent to unaltered outcrops of marble. No recent exploration is evident, despite high grades, possibly due to poor access. Grab samples by J. Pautler, 2012 returned 26.8 g/t Au, with 1.2 g/t Ag, >10,000 ppm As, 216 ppm Sb and 94 ppm Bi (sample 1353960), 2.47 g/t Au and 1.93 g/t Au, all with high arsenic, antimony and bismuth. Previous sampling includes 30.3, 9.8 and 9.16 g/t Au (Wengzynowski, 2000 and Dadson and McLaughlin, 2012). A sample of diorite proximal to the showing returned 800 ppb Au (Dadson and McLaughlin, 2012).

The Aspy showing occurs along the southern boundary of a 7 by 4 km elongate donut shaped magnetic signature, suggestive of a buried intrusion. This together with endoskarn textures evident at the showing, proximal diorite with anomalous gold, and anomalous bismuth from the showing suggest proximity to an intrusion.

The arsenopyrite bearing horizon at the Aspy showing may be continuous with stibnite-arsenopyrite bearing float midway along the Corkery Creek road, which previously returned 8.87 g/t Au (Wengzynowski, 2000). A small piece of float was discovered but due to amalgamation with less mineralized material, returned only 0.078 g/t Au, but with 2.9 g/t Ag, 13.7% Sb and 562 ppm As (sample 1353957). The similarity in the two occurrences suggests that they may be part of the same horizon, and the differences (the latter being antimony rich as opposed to arsenic) indicates that the float was not derived from the Aspy showing. The source of the stibnite rich float was investigated by trenches TR00-5 to -6, above the road, but no significant mineralization was encountered (Stammers and Caira, 2000). The source may lie more proximal to the Corkery Creek road. The magnetic signature along Corkery Creek and regional geology suggests a contact (possible mafic sill along a thrust fault) following the creek.

West Aurex Hill

Most of the previous drilling has targeted Aurex Hill, yielding significant intersections of 0.38 g/t Au over 100m including 0.677 g/t Au over 37.8m and 0.97 g/t Au over 19.2m in AX-03-16 (Hladky, 2003). A slightly deeper horizon returned 0.69 g/t Au over 15m in AX-03-01 and float in the area returned 4.48 g/t Au (Dadson and McLaughlin, 2012). The 2012 sampling returned 0.476 g/t Au with >10,000 ppm As, 39 ppm Sb, 680 ppm W and 198 ppm Cu (sample 135963), with the anomalous tungsten and copper suggesting proximity to an intrusive source.

DDH AX-03-24 returned 0.92 g/t Au over 9.4m and 0.90 g/t Au over 11.3m, possibly the same horizons intersected in trench TR00-1, which returned 0.43 g/t Au over 14m and 0.81 g/t Au over 12m, respectively (Stammers and Caira, 2000).

DDH AX-03-09 and AX-03-23 appear to have intersected the same quartz-arsenopyrite stringer-stockwork horizon with 0.51 g/t Au over 37.5m in DDH AX-03-09 and 0.44 g/t Au over 23m in AX-03-23, 2 km to the east (Hladky, 2003). A significant northeast trending soil anomaly occurs in the AX-03-09 area with the heart of the anomaly 250m further west.

Fisher

In the Fisher area of the Aurex claims, a float sample collected from the occurrence by Canada Tungsten in 1979 assayed 22,295 g/t Ag and 25% Pb. Four of five sulphide rich float samples collected by Expatriate Resources Ltd. in 1999 averaged 176.0 g/t Ag, 2.1% Zn and 1.14% Pb with low gold values, while the fifth sample returned 7.01 g/t Au (Deklerk, 2009). Mega Silver obtained anomalously high silver in soil results along a 145° trend in 2008 and drilled the soil anomaly and documented occurrence location in 2009. Drill holes on the Fisher soil anomaly encountered thick overburden and were lost before target depth (Tupper, 2010). Although there is a possibility that the source may be glacial, the occurrence lies along trend of the McLeod vein at Galkeno. An attempt should be made to locate the original workings.




Figure 3- Aurex Property Regional Geology Map from Yukon Geologic Survey.




Figure 4- Legend for Regional Geology Map, modified from Yukon Geologic Survey.

6. 2016 EXPLORATION PROGRAM

6.1.SURFACE SAMPLING PROGRAM

A total of eleven (11) days were spent on the Aurex Property from July 21st to the 31st, 2016 by a StrataGold geologist and soil samplers. The sampling crew stayed at the Eagle Gold Camp approximately 20 kilometers north-west of the Aurex claims for the duration of the program. The program consisted of the collection of a total of 753 soil samples along north-south oriented grids with 100m line spacing and 25m centres (see figures 5-14 and Appendix II). Gaps in soil collection are due to unfavourable sampling conditions such as wet or frozen ground. In addition, a total of 8 rock grab samples were taken in the same area. Outcrop was very sparse in the work location.

The sample locations were determined by handheld GPS. The soil samples were extracted from the B-horizon where possible, using either a hand-held soil auger or geo-tool, and placed into Kraft paper soils sample bags. Each sample was assigned a sample number with a corresponding tag inserted at the sample site. Sample numbers were written on all sample bags. Soil and rock sample sites were marked with the sample number written on flagging. The soil samples were then dried at camp and 412 samples were chosen randomly for XRF analysis in Whitehorse at the YGS Core Facility. All samples were subsequently shipped to SGS Labs in Burnaby, BC for chemical analysis. Compiled sampling data including sample locations and results are available in Appendix I, assay certificates in Appendix II and associated maps of the soil sites in Appendix III.

At the SGS labs in Burnaby, BC, the samples were sorted, dried and pulverized to appropriate size then analyzed using Aqua Regia Digestion/ICP-MS for 36 elements and Fire Assay/ICP-AES on 30 grams for Au. Assay certificates are available in Appendix II. The detection limits using Aqua Regia Digestion/ICP-MS are shown in the table below.

Table 2-Detection Limits for Aqua Regia Digestion/ ICP-MS

Elements and Limit(s)					
Ag	0.01 – 10 ppm	Ga	0.1 – 10 000 ppm	Sb	0.05 – 10 000 ppm
Al	0.01 – 10 %	Hg	0.01 – 100 ppm	Sc	0.1 – 10 000 ppm
As	1 – 10 000 ppm	K	0.01 – 10 %	Sn	0.3 – 1000 ppm
Ba	5 – 10 000 ppm	La	0.1 – 10 000 ppm	Sr	0.5 – 10 000 ppm
Bi	0.02 – 10 000 ppm	Mg	0.01 – 15 %	Th	0.1 – 10 000 ppm
Ca	0.01 – 15 %	Mn	2 – 10 000 ppm	Ti	0.01 – 10 %
Cd	0.01 – 10 000 ppm	Mo	0.05 – 10 000 ppm	Tl	0.02 – 10 000 ppm
Ce	0.05 – 1000 ppm	Na	0.01 – 10 %	U	0.05 – 10 000 ppm
Co	0.1 – 10 000 ppm	Ni	0.5 – 10 000 ppm	V	1 – 10 000 ppm
Cr	1 – 10 000 ppm	P	0.005 – 1 %	W	0.1 – 10 000 ppm
Cu	0.5 – 10 000 ppm	Pb	0.2 – 10 000 ppm	Y	0.05 – 10 000 ppm
Fe	0.01 – 15 %	Rb	0.2 – 10 000 ppm	Zn	1 – 10 000 ppm




Figure 5- 2016 Soil sample locations.




Figure 6- 2016 Rock Sample Locations

6.2.RESULTS

The 2016 soil grid appends to the east the previously sampled end of Corkery Creek near the arsenopyrite showing. Results on the soil maps are shown with older sampling data as well in order to better interpret the anomalies. XRF data is available for arsenic, silver, lead, zinc and copper, however only arsenic shows a good linear correlation between lab and XRF values (Figure 7, Figure 10) with an R^2 value of 0.87. Copper and silver were not detected by the XRF in many samples, and lead and zinc show a very poor correlation with lab values (Figure 8, Figure 9). In the 2016 data set XRF arsenic anomalies very closely followed lab results. Statistical values for XRF As, Pb, and Zn are presented in Table 3.

The gold anomaly follows the arsenic, trending to the NE, and appears with high values of 315 ppb Au (sample # 78785), 270 ppb Au (sample # 111954), and 131 ppb Au (sample # 111956) (Figure 17). Statistical values for gold in soil are presented in Table 4.

Table 3- XRF Statistical values for As, Pb and Zn

	As (ppm)	Pb (ppm)	Zn (ppm)
Min	7.0	8.0	10.0
Max	2437.0	58.0	167.0
Average	116.2	18.7	67.6
50 perc	49.0	18.0	67.0
60 perc	67.0	19.0	71.0
70 perc	100.1	20.0	76.0
80 perc	163.0	22.0	82.0
90 perc	298.0	24.0	90.5
95 perc	451.7	27.0	98.0

Table 4- Statistical values for Au in soil.

	Au (ppb)
Min	0.5
Max	315.0
Average	12.2
50 perc	6.0
60 perc	8.0
70 perc	10.0
80 perc	15.0
90 perc	24.2
95 perc	34.0




Figure 7- XRF and Lab values for arsenic.




Figure 8- XRF vs Lab Values for Pb.




Figure 9- XRF vs Lab values for Zn.




Figure 10- 2016 Soil sampling XRF vs Lab assay results for arsenic.




Figure 11- Ag in soil, including the 2016 grid over East Corkery Creek.




Figure 12- 2016 Rock sample assays for gold, ppm.



Figure 13- Grab sample of sulphosalt vein at contact between phyllite and quartzite units, #1567905.



Figure 14- Quartz vein on fold hinge in Hyland Group phyllite. Sample #1567904



Figure 15- Sample #1567902 at the Arsenopyrite showing. Scorodite-quartz veins in subcrop.

7. INTERPRETATION AND CONCLUSIONS

In the 2016 program, conventional soil sampling was successful in the East Corkery Creek area, although results may be muted by the overburden cover and some areas were not sampled due to ground conditions. Rock sampling was less effective on the soil grid area and only possible on the western extent where outcrop or subcrop was found, near the Arsenopyrite showing sampled in 2012. The soil assays for arsenic showed a good geochemical response with an anomaly striking to the Northwest (Figure 16). Gold showed a similar orientation but less intense response (Figure 17). Several minor creeks run through the grid area and disrupted soil sample collection through the anomaly. The best rock sample result for gold was in a scorodite-quartz vein in subcrop on the westernmost extent of the soil grid which ran 17.78 g/t Au and 1.32 g/t Ag.

Ag shows an inverse response to gold values, although generally quite a low level anomaly (Figure 11). Due to the property's proximity to the historic Keno Hill silver district, silver veining is also a possibility in the area. Rock sampling identified one sulphosalt vein along the contact of Hyland Group phyllite and quartzite rocks in outcrop, which assayed at just 2.35 g/t Ag and 0.11 g/t Au (Figure 13).

Based on the 2016 results and historic data available, further exploration work is recommended in the Corkery Creek area. A soil sampling grid should be completed to fill in the large gap north of Corkery Creek road as well as to the south and east from the 2016 soil grid. As XRF worked well in defining arsenic anomalies, which are well associated with gold, this tool could be used as a first pass on all soils, from which samples above a certain threshold could be sent to the lab for gold fire assay. The XRF tool used for the 2016 soil program was very effective for arsenic, which correlates well with lab assay values even at low concentrations. However other pathfinder elements where not as successfully analyzed; however, this may be possible with a newer model XRF instrument.

The data from the soil programs would then be used along with mapping and sampling data from the 2012 program to target several diamond or RC drill holes into the high priority areas of the Aurex Claims.




Figure 16- As in soil including the 2016 soil grid.




Figure 17-Au in soil, including 2016 soil grid over East Corkery Creek.

8. 2016 STATEMENT OF EXPENDITURES

BUDGET FOR 2016 AUREX PROJECT TARGET EVALUATION EXPLORATION					
Wages	#	Mandays	$/unit		
Geologist	1	9	$400	$3,600	
Soil Samplers	4	5	$286	$12,584	
			Subtotal		$16,184
	#	Hours	$/hour		
XRF Tech	1	37	$25	$925.00	$925
		Mandays	$/unit		
Camp Costs		53	$100	$5,300	$5,300
Equipment (Rentals)	#	Days	$/unit		
Truck	1	11	50	$550.00	
			Subtotal		$550.00
Assay & Geochem	#		$/sample		
Soil Samples	757		$18.65	$14,118.75	
Rock Samples	9		$22.89	$206.00	
			Subtotal		$14,324.75
				Grand Total	**$37,283.75**

9. REFERENCES

Boyle, R. W, 1965. Geology, geochemistry and origin of the lead-zinc-silver deposits of the Keno Hill - Galena Hill area, YT; Geological Survey of Canada Bulletin 111 (includes Map 1147A).

Becker, T.C., 2000. Assessment Report describing prospecting, geochemical mapping and soil geochemistry. Report for Expatriate Resources Ltd. by Archer, Cathro & Associates (1982) Limited. Yukon Assessment Report #094140.

Dadson, P. and McLaughlin, P., 2012. Assessment report on the Aurex Project. Report for Victoria Gold Corp. by Coast Mountain Geological Ltd. Yukon Assessment Report.

Davis, A., 1998. Induced polarization survey at the Aurex property, McQuseten area, Yukon Territory. Report for YKR international Ltd. by Amerok Geosciences Ltd. Yukon Assessment Report #093910.

Deklerk, R., 2009. The MINFILE Manual. Yukon Geological Survey, CD-ROM.

Elliotte, T.M., 1984. 1983 diamond drilling, Sin claims. Report for Island Mining and Explorations. Yukon Assessment Report #091538.

Hladky, D., 2003a. 2003 Aurex Project assessment report. Report for Stratagold. Yukon Assessment Report #094787.

2003b. 2003 diamond drilling, Sun and Moon block assessment report. Report for Stratagold. Yukon Assessment Report #094763.

Hunt, J.A., Murphy, D.C., Roots, C.F., Poole, W.H., 1996: Geological Map of Mount Haldane Area, Yukon (105M/13), Geoscience Map 1996-4, Indian and Northern Affairs Canada and Exploration and Geological Services Division, Yukon Region.

Lebel, A., 2012. Field Report - Aurex Mag VLF surveys. Report for Victoria Gold Corp. by Aurora Geosciences Ltd.

McFaull, A.J., 1993. Report on rotary percussion drilling on the Aurex Claims YB28429-YB28500, Mayo Mining District, Yukon Territory. Report by Aurex Exploration for Yukon Revenue Mines Ltd. Yukon Assessment Report #093135.

McFaull, J. 1992: The geology, geochemistry and geophysics of the Aurex 1-36 & 51-86 quartz claims YB28429-YB28500 Mayo Mining District. Report by Aurex Exploration. Yukon Assessment Report #093051.

Murphy, D.C., 1997: Geology of the McQuesten River Region, Northern McQuesten and Mayo Map Area, Yukon Territory (115P/14, 15, 16; 105M/13, 14) Indian and Northern Affairs Canada, Exploration and Geological Services Division, Yukon Region, Bulletin 6.

Murphy, D.C., and Roots, C.F., 1996: Geology Map of the Keno Hill Area, Yukon (105M/14). Indian and Northern Affairs Canada, Exploration and Geological Services Division, Yukon Region, Open File 1996-5.

Orssich, C.N.,1981. Diamond drilling report on the ZAP Claims. Report for Bema Industries Ltd. Yukon Assessment Report #090999.

Pautler, J. 2012. Aurex Project: Drill Target Evaluation, Victoria Gold Internal company memo.

Roots, C.F., 1997. Geology of the Mayo map area, Yukon Territory (105M). Indian and Northern Affairs Canada, Exploration and Geological Services Division, Yukon Region ,Bulletin 7.

Stammers, M.A. and Caira, N.M., 2001. 2000 geological, geochemical, geophysical and trenching assessment report on the Aurex Project. Report for Newmont Exploration of Canada Ltd. Yukon Assessment Report #094222.

Stammers, M.A., 2001. 2000 geophysical assessment report on the McQuesten Project. Report for Newmont Exploration of Canada Ltd. Yukon Assessment Report #094277.

Tupper, D.W., 2010. Eagle Project Diamond Drilling Assessment Report Keno Hill Area, Mayo Mining District, Yukon. Yukon Assessment Report.

Wengzynowski, W.A., 2000. Assessment report describing geological mapping and geochemical surveys on the Aurex property. Report for Expatriate Resources Ltd. Yukon Assessment Report #094101.

10. STATEMENT OF QUALIFICATIONS

I, Paul D. Gray, P. Geo., do hereby certify:

THAT I am a Professional Geoscientist with offices at Suite 250 - 2237 2nd Avenue, Whitehorse, YT Y1A 0K7

THAT I am an author of the Technical Report "Assessment Report on the 2016 Aurex and Geochemical Program" (the "Assessment Report").

THAT I am a member in good standing (#29833) of the Association of Professional Engineers and Geoscientists of British Columbia.

THAT I am a graduate of Dalhousie University, Halifax, in the Province of Nova Scotia, with a Bachelor of Science degree (Honours) in Earth Sciences


THAT I have practiced my profession as an exploration geologist in the mineral exploration industry continuously since 1997. I have worked on base, precious and industrial metals exploration projects as a geologist in Canada, the United States of America, Asia, and South and Central America.

THAT I am employed as Exploration Manager with Victoria Gold Corp.

THAT I have read the definition of "qualified person" set out in National Instrument 43-101 ("NI 43-101") and certify that by reason of my education, affiliation with a professional association (as defined in NI 43-101) and past relevant work experience, I fulfill the requirements to be a "qualified person" for the purposes of NI 43-101.



Dated at Vancouver, British Columbia, this 17 day of February, 2017.



Section 10: Statement of qualifications

I, Helena Kuikka am a geologist in the mineral exploration industry employed by Victoria Gold Corp.

I am an author of the Technical Report entitled "Assessment Report on the 2016 Aurex Geological and Geochemical Program. I personally oversaw the 2016 Aurex program in the field.

I am registered as a Geoscientist in Training in good standing with the Association of Professional Engineers and Geoscientists of British Columbia.

I am a graduate of Simon Fraser University, Canada, with a Bachelor of Science Degree in Earth Sciences-Geology.

I have actively engaged in the mineral exploration industry since 2008.

Dated this 17 day of February, 2017



Helena Kuikka BSc. G.I.T.

Appendix 1

Rock and Soil Sample Data

Sample_ID	NAD83 UTM8N Easting	NAD83 UTM8N Northing	Elevation (m)	WtKg	Au_FA_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	Hg_ppm	K_PCT	La_ppm
10951	472734	7080801	951	0.205	0.004	0.18	1.22	17	428	0.18	0.52	0.62	32.4	8.7	21	61	1.92	3.4	0.06	0.06	14.9
10952	472735	7080828	954	0.28	0.006	0.21	1.36	15	312	0.2	0.27	0.37	37.8	8.2	27	19.6	1.95	4	0.05	0.06	17.6
10953	472738	7080850	954	0.27	0.003	0.26	1.54	47	458	0.26	0.26	0.67	57.1	19.4	29	23.4	3	4.4	0.05	0.07	26
10954	472738	7080875	953	0.26	0.004	0.31	1.5	56	307	0.29	0.32	0.48	53.2	12	25	27.9	3.17	4.1	0.06	0.07	25.1
10955	472735	7080899	958	0.315	0.008	0.08	1.07	38	128	0.25	0.18	0.21	29	7.1	24	13.4	2.58	5.1	0.01	0.07	14.4
10956	472733	7080925	960	0.395	0.004	0.2	1.44	25	307	0.28	0.34	0.34	63.7	11.8	26	29.2	2.78	4.2	0.04	0.07	29.6
10957	472737	7080950	962	0.5	0.004	0.24	1.47	38	310	0.3	0.41	0.28	59.1	12.2	32	32.1	3.15	4.7	0.04	0.08	29.3
10958	472736	7080975	963	0.47	0.006	0.24	1.6	69	279	0.29	0.33	0.33	61.7	16.4	33	30.2	3.15	4.5	0.11	0.07	29.6
10959	472741	7081001	965	0.42	0.006	0.26	1.39	81	238	0.25	0.44	0.28	58.8	14	36	31	3.13	4.6	0.04	0.09	28.9
10960	472732	7081024	967	0.48	0.033	0.27	1.51	128	222	0.22	0.33	0.42	45.1	18.1	51	34.1	3.24	4.8	0.03	0.08	22.1
10961	472732	7081049	967	0.545	0.011	0.36	1.47	158	177	0.28	0.36	0.5	63.7	20.5	42	45.9	3.61	4.7	0.04	0.1	30.5
10962	472740	7081076	971	0.5	0.017	0.36	1.75	206	220	0.18	0.59	0.43	33.4	22.9	58	36.9	4.22	6	0.04	0.08	16.3
10963	472734	7081100	973	0.475	0.007	0.25	1.42	63	319	0.19	0.39	0.36	39.3	11.2	32	32.4	3	4.2	0.04	0.08	20.3
10964	472740	7081125	973	0.555	0.004	0.12	1.36	15	364	0.18	0.36	0.19	34.6	8.5	30	31.5	2.69	4.3	0.04	0.08	17.5
10965	472734	7081150	975	0.53	0.005	0.21	1.55	29	408	0.2	0.44	0.31	34.6	10.2	31	33	2.89	4.4	0.04	0.08	17.4
10966	472735	7081175	976	0.54	0.004	0.29	1.54	39	411	0.21	0.43	0.36	35.7	11.7	32	35.1	2.87	4.2	0.05	0.09	18.4
10967	472733	7081200	977	0.47	0.004	0.3	1.26	54	325	0.23	0.31	0.33	40.4	9.5	22	34	2.79	3.8	0.03	0.07	19.7
10968	472736	7081224	975	0.465	0.003	0.14	1.18	30	247	0.25	0.25	0.24	34.5	6.9	25	26	2.18	4	0.02	0.06	16.5
10969	472736	7081249	972	0.345	0.002	0.1	1.19	14	175	0.16	0.28	0.19	28.8	5.5	23	12	1.74	3.8	0.02	0.05	15.1
10970	472736	7081275	999	0.415	0.003	0.17	1.31	14	268	0.17	0.32	0.24	31.9	6.5	27	20.3	2.3	4.2	0.04	0.06	16.2
10971	472737	7081300	1003	0.365	0.002	0.14	1.29	17	236	0.19	0.31	0.25	26.6	6.4	24	17.2	2.1	4.1	0.04	0.05	12.6
10972	472733	7081327	972	0.525	0.004	0.2	1.27	22	334	0.19	0.32	0.27	34.3	9.5	26	25.8	2.53	4.3	0.04	0.06	16.4
10973	472732	7081350		0.405	0.005	0.22	1.34	28	352	0.2	0.39	0.25	33.5	9.6	27	27.3	2.67	4.1	0.03	0.06	16.2
10974	472732	7081375	976	0.465	0.004	0.28	1.53	38	399	0.22	0.38	0.33	35	11	30	35.2	2.98	4.4	0.06	0.07	17.5
10975	472734	7081400	975	0.42	0.004	0.34	1.58	38	411	0.23	0.47	0.31	33.8	10.7	27	35.4	2.89	4.6	0.06	0.07	16.9
10976	472731	7081426	990	0.415	0.004	0.2	1.42	31	360	0.2	0.38	0.19	31.9	9.7	27	30.9	2.46	4.4	0.04	0.06	16.1
10977	472735	7081451	999	0.355	0.003	0.19	1.54	39	259	0.21	0.3	0.17	34.6	8.8	27	28.5	2.3	4.5	0.03	0.05	15.8
10978	472737	7081475	1001	0.42	0.004	0.2	1.45	21	326	0.19	0.37	0.15	33.3	8.8	25	26.7	2.37	4.2	0.02	0.05	16.8
10979	472737	7081500	1001	0.475	0.012	0.3	1.49	29	412	0.2	0.44	0.35	32.8	12.4	28	34	2.55	4.4	0.03	0.07	16.8
10980	472740	7081524	996	0.555	0.011	1.01	1.45	173	260	0.32	1.7	0.84	34.2	13.6	23	55.7	3.26	4	0.03	0.13	16.6
10981	472733	7081551	991	0.455	0.005	0.32	1.41	72	386	0.24	0.47	0.44	34	9.7	26	36.5	2.8	4.5	0.04	0.07	16.2
10982	472934	7082396	961	0.525	0.008	1.47	1.5	70	365	0.25	0.45	0.59	37.8	12.6	27	56.2	3.19	4.4	0.05	0.13	18
10983	472931	7082371	974	0.35	0.005	0.69	1.41	31	336	0.19	0.36	0.14	33.6	7	25	32.3	2.44	4	0.03	0.08	16.7
10984	472933	7082348	974	0.405	0.009	1.41	1.45	53	381	0.2	0.44	0.31	33.3	10.5	26	39.3	2.66	4	0.04	0.1	16.4
10985	472934	7082320	975	0.445	0.005	0.93	1.39	45	317	0.23	0.38	0.26	37.2	10.3	25	42.2	2.56	4.2	0.13	0.09	17.8
10986	472933	7082304	975	0.41	0.012	0.91	1.38	46	315	0.23	0.37	0.28	35.1	9.9	26	39.3	2.49	4.2	0.05	0.08	18.1
10987	472932	7082273	977	0.425	0.005	1	1.3	51	272	0.22	0.27	0.33	39.6	8.9	23	38.9	2.53	3.8	0.03	0.11	19
10988	472833	7081398	973	0.42	0.007	0.32	1.38	33	272	0.2	0.37	0.17	34.1	8.5	29	28.2	2.42	4.4	0.01	0.07	17
10989	472838	7081425	973	0.445	0.005	0.65	1.59	38	368	0.23	0.43	0.38	33.4	9.9	28	39.8	2.55	4.7	0.04	0.09	17
10990	472833	7081451	974	0.42	0.003	0.21	1.41	23	343	0.18	0.5	0.18	32.8	9	26	28.4	2.44	4.1	0.03	0.06	16.6
10991	472832	7081475	975	0.365	0.006	0.23	1.35	33	296	0.19	0.34	0.29	34.3	8.6	24	28.5	2.42	3.9	0.03	0.06	16.4
10992	472823	7081549	976	0.46	0.008	0.36	1.75	113	327	0.31	0.42	0.44	33.5	11	23	44.6	2.68	4.4	0.04	0.1	16
10993	472834	7081577	976	0.375	0.009	0.18	1.22	43	335	0.2	0.37	0.29	31.3	8.8	22	27.4	2.36	3.7	0.02	0.06	15.8
10994	472833	7081601	977	0.335	0.003	0.18	1.37	20	341	0.19	0.4	0.35	29.7	7.6	23	23.3	2.37	4.2	0.04	0.05	14.3

Sample_ID	NAD83 UTM8N Easting	NAD83 UTM8N Northing	Elevation (m)	WtKg	Au_FA_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	Hg_ppm	K_PCT	La_ppm
11651	472434	7081230	975	0.375	0.008	0.12	1.32	38	232	0.21	0.11	0.09	27.5	6.6	23	22.4	2.31	4	0.005	0.03	13.7
11652	472437	7081254	976	0.385	0.002	0.08	1.13	14	160	0.16	0.15	0.08	28.1	5.3	22	19.8	1.98	3.5	0.02	0.03	14.1
11653	472434	7081277	975	0.355	0.007	0.13	1.13	15	193	0.17	0.16	0.13	33.5	6.4	20	19.9	1.98	3.5	0.02	0.03	15.8
11654	472436	7081301	976	0.34	0.002	0.09	1.49	25	157	0.19	0.09	0.11	29.5	6.2	27	24.1	2.57	4.5	0.02	0.03	14.1
11655	472433	7081330	975	0.305	0.004	0.09	1.43	19	176	0.17	0.13	0.07	29.3	6.4	30	22.9	2.43	4.4	0.02	0.03	14.2
11656	472435	7081353	976	0.38	0.004	0.17	1.81	28	255	0.19	0.1	0.08	35.6	10.2	31	36.1	2.71	5	0.03	0.03	16.9
11657	472435	7081379	976	0.4	0.007	0.14	1.25	128	156	0.29	0.09	0.16	28.8	7.2	20	43	2.6	3.7	0.005	0.04	14.8
11658	472436	7081401	976	0.355	0.007	0.21	1.29	64	165	0.23	0.1	0.14	29.5	7.3	25	32.7	2.27	4	0.02	0.03	15.1
11659	472436	7081424	974	0.405	0.003	0.17	1.5	30	218	0.24	0.24	0.14	34.8	7.7	23	26.4	2.29	4.7	0.05	0.05	16.8
11660	472434	7081452	974	0.385	0.002	0.08	1.26	15	258	0.17	0.3	0.1	37.8	7	20	21.8	2.04	4.1	0.04	0.06	18.1
11661	472437	7081474	974	0.43	0.005	0.16	1.12	27	261	0.18	0.28	0.1	39.8	6.8	21	23.2	2.08	3.8	0.02	0.06	20
11662	472439	7081498	974	0.435	0.004	0.36	1.56	48	401	0.25	0.41	0.21	36.7	9.9	25	31.3	2.72	4.8	0.05	0.08	17.2
11663	472432	7081523	973	0.435	0.003	0.19	1.46	16	388	0.2	0.41	0.37	38.3	7.8	26	28.1	2.41	4.7	0.05	0.07	18.3
11664	472538	7082402	981	0.405	0.011	0.61	1.12	32	279	0.18	0.21	0.15	38.3	7.6	21	27.8	2.03	3.5	0.03	0.07	19.3
11665	472540	7082369	982	0.35	0.013	0.21	1.32	259	238	0.36	0.24	0.2	45.2	14.1	18	30.8	3.02	3.9	0.04	0.08	22.7
11666	472539	7082343	982	0.27	0.009	0.4	1.23	53	319	0.28	0.23	0.37	33.6	7.9	20	28.6	2.09	3.8	0.05	0.07	15.7
11667	472543	7082326	982	0.25	0.005	0.23	1.3	32	290	0.23	0.21	0.6	29.5	6.8	22	27	2.06	4	0.05	0.05	13.7
11668	472542	7082300	982	0.36	0.013	0.24	1.69	87	274	0.25	0.32	0.37	35.8	11.9	19	35.7	2.65	4.8	0.04	0.1	17.4
11669	472536	7082270	982	0.35	0.019	0.13	1.62	400	230	0.65	0.18	0.1	43.4	8.6	21	31.2	3.38	4.8	0.03	0.11	20.6
11670	472541	7082249	982	0.325	0.014	0.52	1.19	23	202	0.15	0.19	0.11	42.6	6.6	19	22.9	1.92	3.7	0.02	0.06	20.5
11671	472539	7082221	983	0.355	0.005	0.19	1.76	52	195	0.24	0.14	0.1	37.2	7.9	29	21.5	2.51	5.3	0.02	0.07	18.4
11672	472537	7082196	982	0.35	0.002	0.11	1.22	17	84	0.28	0.07	0.15	33.3	4.7	16	10.8	2.18	5.8	0.02	0.05	16.2
11673	472541	7082169	982	0.34	0.015	0.16	1.46	54	233	0.31	0.19	0.05	37.9	8.9	23	23.6	2.53	4.6	0.01	0.08	19
11674	472536	7082147	981	0.375	0.012	0.64	1.51	125	251	0.35	0.3	0.25	52.1	16.3	21	48.3	2.9	4.5	0.05	0.12	24.7
11675	472538	7082117	980	0.38	0.014	0.32	1.58	107	310	0.33	0.3	0.1	39.9	9.9	25	31.9	2.59	4.6	0.02	0.12	20.1
11676	472536	7082098	979	0.38	0.01	0.5	1.45	98	297	0.3	0.3	0.18	38.8	10.3	22	31.9	2.54	3.9	0.03	0.12	20.3
11677	472538	7082068	979	0.37	0.008	0.43	1.53	49	447	0.26	0.45	0.32	38.3	11.3	28	33.8	2.86	4.6	0.06	0.08	18.6
11678	472539	7082048	978	0.36	0.005	0.39	1.33	37	400	0.22	0.36	0.25	37.9	8.1	23	32.1	2.45	4	0.04	0.07	18.5
11679	472538	7082022	978	0.325	0.008	0.4	1.51	43	459	0.24	0.46	0.33	38.7	12	28	32.5	2.63	4.5	0.09	0.08	18.7
11680	472540	7081998	977	0.32	0.004	0.23	1.49	16	464	0.22	0.39	0.72	31.7	6.4	25	24.8	1.43	4.6	0.07	0.06	15.3
11681	472541	7081940	976	0.23	0.047	0.41	1.38	628	273	1.04	0.59	0.26	48.5	13.8	19	37.4	4.36	4.1	0.06	0.16	24.3
11682	472539	7081917	976	0.41	0.032	0.37	1.45	539	306	0.68	0.32	0.31	53.3	17.2	21	37.8	3.75	4.3	0.03	0.16	25.6
11683	472537	7081775	978	0.415	0.003	0.16	1.36	25	484	0.21	0.56	0.37	29.4	11.2	28	30.3	2.57	4.4	0.04	0.04	14.6
11684	472536	7081752	978	0.34	0.004	0.25	1.4	35	415	0.19	0.62	0.39	29.8	11	27	30.7	2.7	4.4	0.06	0.04	13.9
11685	472538	7081725	979	0.395	0.009	0.47	1.09	77	361	0.22	0.44	0.49	30	10.4	22	33.6	2.83	4.4	0.04	0.06	16.6
11686	472534	7081701	978	0.375	0.007	0.54	1.16	61	341	0.19	0.55	0.18	22.3	8.8	23	28.2	2.15	3.7	0.04	0.05	13.4
11687	472539	7081676	978	0.39	0.005	0.59	1.25	35	341	0.17	0.44	0.16	28.6	8.3	26	29.6	2.46	4	0.03	0.05	15.7
11688	472537	7081652	978	0.43	0.022	1.09	1.38	207	447	0.31	0.5	0.3	28.4	11.1	32	44.1	2.59	3.9	0.05	0.08	15.7
11689	472538	7081624	979	0.38	0.006	0.73	0.97	31	353	0.18	0.26	0.25	31.7	6.5	18	27.8	2.37	4	0.03	0.05	17.6
11690	472536	7081598	977	0.43	0.004	0.49	1.21	33	332	0.18	0.34	0.24	29.7	9.1	24	26	2.36	4.2	0.03	0.04	16.2
11691	472541	7081572	978	0.365	0.006	0.27	1.35	27	250	0.18	0.27	0.29	30.3	7.1	24	28.2	2.66	5	0.04	0.03	15.8
11692	472831	7080798	928	0.265	0.003	0.17	0.81	10	319	0.12	0.44	0.5	24.9	6.6	18	13.7	1.29	2.8	0.05	0.03	14.6
11693	472833	7080830	932	0.275	0.006	0.18	1.16	8	376	0.13	0.31	0.4	25.6	7.1	23	18.1	1.56	3.9	0.04	0.03	13.4
11694	472833	7080849	934	0.34	0.015	0.28	1.03	78	238	0.24	0.21	0.41	41.3	8.2	19	26.5	2.3	3.6	0.03	0.04	23.2

Sample_ID	NAD83 UTM8N Easting	NAD83 UTM8N Northing	Elevation (m)	WtKg	Au_FA_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	Hg_ppm	K_PCT	La_ppm
11695	472831	7080880	938	0.3	0.001	0.2	2.02	30	144	0.21	0.09	0.25	21.1	9.6	31	17.2	3.26	5.4	0.02	0.05	10.7
11696	472832	7080901	943	0.295	0.006	0.17	0.71	9	165	0.14	0.18	0.1	20.7	3.1	15	5.3	1.21	4.1	0.01	0.03	13
11697	472835	7080925	946	0.44	0.004	0.21	1.53	25	495	0.18	0.42	0.23	30.2	11.5	34	32	2.73	4.6	0.04	0.05	16.2
11698	472834	7080951	948	0.4	0.004	0.28	2.12	47	509	0.19	0.61	0.32	31.3	15.2	47	44.3	3.71	5.3	0.06	0.04	14.3
11699	472833	7080978	950	0.355	0.005	0.21	1.45	33	404	0.19	0.51	0.17	31.1	9.8	29	28.3	2.88	4.9	0.05	0.04	16.1
11700	472832	7081001	953	0.4	0.008	0.23	1.38	43	436	0.19	0.5	0.26	31.3	11.3	32	30.5	2.72	4.1	0.04	0.04	17.7
11701	472637	7082348	991	0.47	0.079	0.18	1.45	441	464	1.5	0.41	0.2	34.3	11.4	25	23.8	2.77	4.7	0.03	0.15	18.2
11702	472636	7082324	990	0.61	0.009	0.16	1.49	138	266	0.39	0.33	0.12	30.2	11.2	24	28.9	2.7	4.9	0.01	0.17	16.8
11703	472637	7082299	991	0.57	0.029	0.14	1.57	298	231	0.48	0.25	0.1	36.7	14.9	23	29.3	3.66	5.2	0.02	0.14	19.1
11704	472636	7082274	989	0.585	0.053	0.2	1.62	1490	162	1.51	0.21	0.1	28.7	19.5	24	56.1	4.98	5.7	0.01	0.37	18.5
11705	472640	7082250	989	0.625	0.03	0.42	1.25	364	215	0.6	0.3	0.2	32	10	22	26.8	2.81	4.2	0.02	0.08	18.9
11706	472636	7082225	988	0.51	0.009	0.34	1.47	165	317	0.4	0.42	0.26	31.9	11.4	27	28.1	2.8	4.2	0.02	0.04	16.6
11707	472637	7082199	988	0.535	0.009	0.5	1.41	123	406	0.3	0.41	0.41	29.2	10.5	25	36.1	2.87	4.5	0.03	0.07	16.6
11708	472636	7082175	988	0.45	0.007	0.37	1.39	90	431	0.3	0.44	0.41	28.8	11.1	26	28.4	2.58	4.5	0.04	0.04	15.6
11709	472638	7082148	985	0.255	0.004	0.2	1.08	8	303	0.15	0.19	0.38	24.1	3.1	21	21.9	1.11	4.1	0.07	0.03	13
11710	472637	7082124	985	0.38	0.005	0.2	1.13	22	337	0.14	0.37	0.45	24.3	5.5	25	22.1	1.31	3.2	0.05	0.04	13.2
11711	472636	7082099	986	0.285	0.009	0.54	1.26	47	315	0.27	0.27	0.62	28.8	6.3	21	33.3	2.1	4.1	0.06	0.05	15
11712	472636	7082074	986	0.37	0.005	0.3	1.39	57	369	0.23	0.39	0.4	28	8.9	24	25.8	2.62	4.6	0.05	0.04	13.5
11713	472634	7082049	985	0.395	0.004	0.22	1.21	33	452	0.19	0.55	0.55	26.8	8.4	24	25	2.34	4.5	0.06	0.04	13.6
11714	472636	7082024	985	0.395	0.005	0.35	1.48	68	506	0.2	0.59	0.78	28.6	13	29	36.7	2.94	4.5	0.05	0.04	14
11715	472639	7082002	982	0.6	0.048	0.37	1.21	474	367	0.77	0.37	0.47	45.5	13.6	23	45.4	3.11	4.1	0.04	0.08	25
11716	472636	7081974	985	0.345	0.007	0.15	0.88	56	323	0.13	0.31	0.38	23.6	4.8	17	14.8	1.26	3.1	0.02	0.03	12.4
11717	472635	7081949	983	0.265	0.004	0.16	1.04	31	310	0.13	0.55	0.29	20.1	3.3	18	15.7	1.2	3.2	0.05	0.02	10.2
11718	472637	7081898	983	0.315	0.007	0.25	1.61	182	402	0.27	0.51	0.58	28.8	12.3	26	26.3	3.13	4.4	0.04	0.04	14.6
11719	472636	7081874	981	0.355	0.032	0.35	1.31	451	262	0.47	0.69	0.38	27.9	13.5	23	23.9	2.58	4.1	0.06	0.06	15.3
11720	472638	7081850	984	0.365	0.004	0.22	1.4	62	376	0.19	0.49	0.38	27.9	11.3	26	25.2	2.79	4.5	0.04	0.04	14.4
11721	472633	7081825	985	0.43	0.005	0.15	1.25	15	329	0.14	0.45	0.26	26.1	8.5	27	22.5	2.1	3.9	0.03	0.04	14.4
11722	472640	7081801	985	0.355	0.005	0.23	1.35	21	399	0.17	0.52	0.3	28.5	8.7	24	27.3	2.66	4.3	0.05	0.04	15.3
11723	472638	7081774	984	0.485	0.005	0.65	1.62	55	481	0.21	0.61	0.46	30.3	12.2	32	40.3	2.87	4.7	0.04	0.07	14.8
11724	472636	7081750	984	0.505	0.009	1.04	1.3	69	384	0.21	0.82	0.66	32.6	10.8	24	46.4	3.03	4.5	0.05	0.1	16.6
11725	472638	7081725	983	0.52	0.008	1.31	1.33	66	343	0.21	0.85	0.58	31.9	12.7	28	49.4	2.77	4.2	0.04	0.1	16.6
11726	472636	7081699	985	0.325	0.003	0.4	1.36	33	412	0.18	0.45	0.33	27.9	9.4	25	27.4	2.52	4	0.06	0.04	14.6
11727	472638	7081673	984	0.5	0.004	0.55	1.46	40	468	0.19	0.56	0.52	30	15.2	30	34.4	2.75	4.7	0.05	0.06	15.8
11736	472833	7081030	958	0.405	0.016	0.23	1.53	47	446	0.19	0.57	0.21	36.1	11	31	35.9	3.01	4.8	0.04	0.05	18.1
11737	472833	7081055	960	0.425	0.01	0.45	0.96	113	169	0.35	0.42	0.52	48.9	12.1	17	44.9	3.3	3.7	0.04	0.07	23.6
11738	472835	7081081	961	0.34	0.014	0.4	1.51	93	438	0.22	0.78	0.43	34.9	14.2	33	39.3	3.25	4.1	0.08	0.04	18.1
11739	472829	7081098	963	0.335	0.019	0.3	1.2	114	319	0.22	0.54	0.46	43.2	16.4	32	38.9	3.45	4.3	0.06	0.05	24.6
11740	472832	7081124	966	0.345	0.039	0.19	1.59	175	442	0.12	0.36	0.38	38	23	62	35.5	5.24	5.9	0.07	0.09	19.7
11741	472834	7081151	966	0.4	0.013	0.09	1.38	39	214	0.12	0.29	0.15	31.7	12.6	61	28.8	3.21	5.6	0.03	0.04	16.9
11742	472834	7081180	966	0.365	0.003	0.14	1.31	15	309	0.13	0.29	0.32	33.5	5.9	24	21.5	2	4.1	0.04	0.04	16.4
11743	472834	7081201	967	0.345	0.008	0.19	1.33	39	451	0.15	0.37	0.24	32.5	7.9	25	25.9	2.6	4.5	0.04	0.05	17.3
11744	472834	7081229	967	0.365	0.003	0.14	1.23	21	375	0.14	0.33	0.19	29.7	7.1	24	24.7	2.15	3.6	0.04	0.04	15.4
11745	472833	7081254	967	0.31	0.004	0.23	1.38	21	352	0.15	0.38	0.26	27.9	5.7	23	21	2.38	4.9	0.05	0.05	14
11746	472832	7081277	969	0.4	0.003	0.2	1.49	19	391	0.15	0.39	0.16	33.4	8.5	28	24.2	2.21	4.4	0.03	0.05	17

Sample_ID	NAD83 UTM8N Easting	NAD83 UTM8N Northing	Elevation (m)	WtKg	Au_FA_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	Hg_ppm	K_PCT	La_ppm
11747	472836	7081302	971	0.355	0.003	0.24	1.63	28	444	0.16	0.43	0.27	33	9.7	30	27.8	2.65	4.7	0.03	0.05	16.8
11748	472829	7081330	972	0.405	0.006	0.4	1.31	45	363	0.17	0.46	0.42	34.1	9.7	27	33.6	2.49	4.1	0.03	0.06	18
11749	472834	7081350	972	0.395	0.005	0.26	1.53	35	477	0.16	0.5	0.33	35.6	9.7	29	34.2	2.95	4.5	0.04	0.06	18.6
11750	472837	7081379	972	0.375	0.005	0.34	1.46	43	396	0.17	0.5	0.26	33.4	10.9	27	31.6	2.68	4.9	0.03	0.05	17.4
12601	472636	7081350	977	0.6	0.004	0.22	1.96	31	505	0.23	0.52	0.33	40.6	11.8	30	33.8	3.13	5.3	0.05	0.07	18.4
12602	472636	7081375	978	0.54	0.007	0.27	2	42	487	0.23	0.66	0.34	37.3	11.4	31	29.6	2.8	4.6	0.11	0.07	17.7
12603	472636	7081399	977	0.49	0.005	0.19	1.87	34	419	0.2	0.35	0.19	37.1	8.4	27	26.3	2.63	4.8	0.04	0.07	18.5
12604	472634	7081423	979	0.525	0.005	0.27	1.88	35	481	0.23	0.51	0.29	37.7	9.7	31	28	2.87	5	0.08	0.07	17.5
12605	472636	7081448	976	0.815	0.011	0.82	1.74	132	347	0.3	0.95	0.61	40.3	14.4	31	50.8	3.5	4.7	0.05	0.14	19.2
12606	472638	7081476	975	0.625	0.007	0.6	1.76	52	450	0.24	0.53	0.41	39.5	11.6	31	43.8	3.06	4.9	0.06	0.1	18.7
12607	472635	7081499	977	0.77	0.015	2.2	2.43	79	518	0.28	0.53	1.01	42.6	15.7	40	92.5	4.17	6.1	0.07	0.28	19.7
12608	472636	7081525	980	0.55	0.004	0.15	1.69	9	323	0.16	0.28	0.35	38.5	7.1	25	24.2	1.97	4.4	0.05	0.05	18.8
12609	472636	7081550	977	0.48	0.003	0.14	1.35	10	433	0.17	0.26	0.71	34.6	6.8	24	25.2	2.25	3.9	0.06	0.05	16.3
12610	472636	7081625	981	0.575	0.006	0.13	1.7	7	345	0.17	0.3	0.36	35.3	6.9	25	24.6	1.98	4.5	0.05	0.06	16.8
12611	472638	7081651	979	0.51	0.006	0.5	2.21	34	540	0.22	0.57	0.55	38.4	9.4	30	40.7	2.98	5.8	0.06	0.07	17.6
12612	472838	7082351	987	0.37	0.01	0.48	1.77	20	566	0.21	0.63	0.57	34.2	12.3	31	30	3.28	5	0.07	0.07	16.9
12613	472834	7082326	986	0.555	0.007	0.6	1.87	34	456	0.22	0.56	0.46	37.9	12.8	31	35.9	3.07	5	0.06	0.08	17.3
12614	472835	7082299	988	0.41	0.005	0.45	1.9	26	516	0.21	0.57	0.35	37.1	10.9	28	30.9	3.28	5.1	0.06	0.07	17.1
12615	472837	7082274	988	0.535	0.008	0.41	1.96	87	461	0.3	0.59	0.5	39.1	14	30	31.5	3.24	4.9	0.05	0.07	18.6
12616	472836	7082250	988	0.565	0.014	0.37	2.04	222	386	0.37	0.53	0.41	39.1	11.7	28	35.7	3.23	5.4	0.05	0.1	19.4
12617	472837	7082224	985	0.58	0.015	0.79	2.06	201	430	0.43	0.62	0.69	51.2	19	30	47.2	3.74	5.4	0.05	0.12	24.5
12618	472836	7082201	987	0.685	0.044	0.78	1.76	110	417	0.28	0.51	0.36	40.7	11.3	28	41	3.24	4.5	0.06	0.1	19.7
12619	472835	7082174	987	0.685	0.016	0.9	1.78	288	381	0.51	0.47	0.37	38.1	14.8	30	53.3	3.36	4.5	0.05	0.17	19.2
12620	472837	7082151	985	0.585	0.013	0.46	2.11	161	441	0.33	0.57	0.22	40.6	12.1	29	34.1	2.85	4.7	0.05	0.09	19.2
12621	472834	7082124	981	0.695	0.015	0.62	1.7	100	483	0.28	0.53	0.45	42.3	11.7	29	40.9	3.28	4.9	0.05	0.1	19.8
12622	472836	7082101	984	0.555	0.006	0.46	2.07	53	502	0.22	0.6	0.29	38.2	11.5	32	37.5	2.99	5.2	0.05	0.08	18.2
12623	472837	7082074	982	0.665	0.009	0.41	1.93	131	515	0.31	0.6	0.28	38.2	11.7	33	32.8	3.19	4.6	0.06	0.08	18.1
12624	472837	7082049	984	0.725	0.036	0.58	1.77	692	273	0.76	0.4	0.38	57.1	17.6	24	51.5	3.77	4.5	0.04	0.17	27.5
12625	472836	7082023	984	0.715	0.025	0.56	1.67	184	409	0.36	0.45	0.36	40.9	10.6	27	32.2	3.33	4.4	0.05	0.1	19.9
12626	472837	7082003	983	0.47	0.007	0.23	1.42	49	394	0.24	0.33	0.38	36.2	6.8	23	23.2	2.04	3.8	0.05	0.08	16.7
12627	472835	7081924	983	0.64	0.009	0.24	1.71	94	468	0.25	0.54	0.37	37.1	11.6	26	29.8	3.04	4.4	0.06	0.08	18.8
12628	472836	7081899	982	0.575	0.007	0.2	1.73	66	468	0.21	0.62	0.37	37.2	12.4	28	26.2	2.74	4.3	0.04	0.06	17.4
12629	472836	7081872	982	0.705	0.006	0.23	1.83	76	429	0.24	0.48	0.27	38.8	11.4	26	26.7	3.1	4.5	0.05	0.08	18.4
12630	472836	7081851	983	0.6	0.006	0.22	1.88	74	387	0.24	0.65	0.16	37.8	9.7	25	26.5	2.66	4.9	0.05	0.07	17.9
12631	472835	7081825	982	0.44	0.006	0.24	1.85	86	446	0.26	0.51	0.16	38.4	9.6	28	31.8	2.92	4.8	0.05	0.08	18.6
12632	472837	7081801	983	0.67	0.007	0.22	1.86	59	502	0.24	0.53	0.24	37.5	9.4	31	30.5	2.94	4.4	0.05	0.07	18.4
12633	472838	7081774	983	0.555	0.004	0.13	1.59	22	306	0.17	0.31	0.1	39.1	6.7	24	21.7	2.33	4.3	0.05	0.05	18.2
12634	472836	7081752	984	0.795	0.006	0.25	2.09	72	527	0.27	0.51	0.22	39.8	10.7	31	32.7	3.31	5	0.04	0.07	19.2
12635	472836	7081724	985	0.52	0.006	0.2	2.03	45	409	0.23	0.46	0.22	37.4	8.3	32	27.3	2.83	4.9	0.05	0.06	17.3
12636	472836	7081699	983	0.54	0.005	0.28	1.91	36	421	0.22	0.39	0.25	34.4	7.6	29	27.3	2.76	4.8	0.06	0.05	16.3
12637	472836	7081673	983	0.48	0.005	0.17	1.61	26	377	0.19	0.36	0.23	36.9	7.9	29	27.1	2.36	4	0.06	0.05	17.1
12638	472938	7082097	978	0.415	0.004	0.39	1.69	32	512	0.17	0.59	0.45	33.5	11.8	28	34.2	2.79	4.5	0.05	0.06	17.3
12639	472935	7081994	982	0.37	0.01	0.59	1.18	145	332	0.19	0.62	0.54	32.1	9.5	23	29.8	2.99	3.5	0.04	0.05	16.1
12640	472934	7081945	981	0.37	0.01	0.4	1.43	146	463	0.26	0.4	0.61	37.2	16.2	25	26.5	3.16	4.3	0.06	0.05	18.5

Sample_ID	NAD83 UTM8N Easting	NAD83 UTM8N Northing	Elevation (m)	WtKg	Au_FA_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	Hg_ppm	K_PCT	La_ppm
12641	472931	7081915	982	0.375	0.006	0.22	1.44	124	387	0.22	0.36	0.21	35.2	8.7	23	24.4	2.35	4.3	0.02	0.07	17.7
12642	472933	7081896	982	0.42	0.009	0.16	1.23	65	352	0.18	0.33	0.16	36.5	6.8	25	27.5	2.17	4	0.01	0.06	18.1
12643	472937	7081869	982	0.44	0.004	0.15	1.18	14	326	0.13	0.33	0.16	35.4	6.3	24	22.7	2.1	3.9	0.03	0.05	18.1
12644	472933	7081821	982	0.4	0.01	0.26	1.07	144	297	0.23	0.34	0.21	39.8	8.2	19	28.2	2.38	3.5	0.02	0.07	20.6
12645	472936	7081799	982	0.41	0.02	0.29	1.55	287	355	0.35	0.47	0.22	51.7	13.6	27	38.1	3.03	4.7	0.03	0.11	25.7
12646	472935	7081773	982	0.44	0.038	0.35	1.15	839	181	0.72	0.31	0.21	57.8	14.1	16	50.8	3.35	3.6	0.03	0.12	29.8
12647	472934	7081843	982	0.48	0.017	0.19	1.25	101	363	0.22	0.37	0.1	36.4	8.9	23	26.3	2.32	3.9	0.04	0.06	19.5
12648	472933	7081747	981	0.41	0.006	0.23	1.26	63	364	0.19	0.39	0.13	34.1	8.1	24	25.6	2.39	4	0.03	0.05	18
12649	472236	7081524	966	0.36	0.005	0.15	1.21	45	316	0.16	0.31	0.09	33.4	6.9	21	21.6	2.2	3.9	0.02	0.04	17.3
71452	472032	7081425	969	0.39	0.014	0.32	1.51	119	355	0.38	0.32	0.77	47.1	17	31	28.8	2.82	4.7	0.05	0.09	23.7
71453	472036	7081471	967	0.235	0.006	0.2	1.48	125	497	0.2	0.82	0.83	26.8	8.7	30	30.1	2.16	4.3	0.08	0.07	12.8
71454	472030	7081527	966	0.265	0.005	0.23	1.52	85	540	0.21	0.51	0.8	29.3	9.9	30	32.8	1.72	4.7	0.05	0.08	15
71455	472034	7081575	966	0.175	0.006	0.21	1.24	54	509	0.18	0.39	1.06	27.2	6.9	23	33.9	1.45	3.6	0.08	0.04	14
71456	472037	7081600	966	0.335	0.038	0.23	2.05	42	378	0.26	0.37	0.35	39.6	16.4	65	39.2	3.24	7.3	0.08	0.08	19.8
71457	472033	7081650	965	0.32	0.004	0.17	1.24	22	376	0.19	0.5	0.59	32.7	9.3	26	29.5	1.66	4.2	0.06	0.07	16.1
71458	472033	7081725	965	0.32	0.008	0.21	1.34	23	484	0.2	0.36	0.72	30.1	7.1	28	33.3	1.53	4.3	0.07	0.07	15
71459	472033	7081774	965	0.26	0.005	0.18	1.38	33	474	0.22	0.43	0.52	30.6	7.6	29	25.7	2.2	4.6	0.08	0.07	15.7
71460	472035	7081799	967	0.27	0.004	0.2	1.44	29	397	0.21	0.37	0.59	32.7	8.1	27	23.1	1.86	4.7	0.07	0.06	16.3
71461	472030	7081850	968	0.34	0.005	0.26	1.54	30	451	0.25	0.42	0.5	33.3	11	28	28.5	2.64	4.8	0.09	0.07	16.7
71462	472036	7081874	968	0.31	0.004	0.21	1.33	43	428	0.21	0.6	0.52	33	10.1	27	29.9	2.74	4.5	0.07	0.07	16.2
71463	472035	7081898	968	0.31	0.015	0.26	1.29	39	429	0.24	0.69	0.56	32	11	28	29.8	2.34	4.2	0.05	0.07	15.9
71464	472035	7081925	969	0.33	0.007	0.17	1	28	284	0.18	0.37	0.21	25.3	7.8	21	21.1	1.8	3.4	0.03	0.05	12.1
71465	472037	7081950	969	0.41	0.012	0.39	1.33	106	355	0.31	0.45	0.48	37	13	27	42.3	2.76	4.1	0.05	0.1	18.9
71466	472035	7081975	971	0.385	0.007	0.25	1.34	40	402	0.24	0.58	0.36	31.3	11	29	30.2	2.34	4.4	0.06	0.08	15.8
71467	472033	7082001	972	0.58	0.01	0.38	1.22	112	312	0.3	0.88	0.62	34.5	10.5	23	44.3	2.63	3.9	0.03	0.15	17.4
71468	472036	7082027	972	0.605	0.021	0.49	1.33	460	255	0.5	0.43	0.53	42.4	14.4	24	57	3.01	4.2	0.04	0.19	21.6
71469	472038	7082051	973	0.48	0.006	0.4	1.4	83	437	0.27	0.49	0.48	36.6	11	27	38.6	2.63	4.3	0.05	0.1	18.3
71470	472035	7082076	973	0.505	0.008	0.37	1.36	88	389	0.26	0.47	0.56	35.5	11.7	27	41.3	2.7	4.3	0.04	0.11	18.8
71471	472035	7082100	974	0.46	0.006	0.33	1.3	73	402	0.28	0.51	0.5	33.7	13.2	28	32.9	2.58	4.2	0.06	0.09	17.1
71472	472036	7082126	975	0.475	0.008	0.37	1.34	97	381	0.3	0.48	0.61	35.5	12.9	27	37	2.72	4.4	0.05	0.1	17.7
71473	472038	7082151	975	0.435	0.005	0.23	1.33	54	325	0.24	0.35	0.33	37	8.3	25	26.5	2.27	4.4	0.04	0.08	18.3
71474	472035	7082181	976	0.355	0.004	0.22	1.43	47	412	0.19	0.48	0.41	33.1	9.8	30	28.6	2.61	4.8	0.05	0.09	16.8
71475	472035	7082200	976	0.385	0.005	0.29	1.44	41	451	0.23	0.58	0.37	32.3	10.4	29	28	2.43	4.5	0.06	0.08	15.6
71476	472036	7082223	977	0.37	0.005	0.16	1.32	28	344	0.19	0.32	0.19	36.6	7.9	26	26.2	2.16	4.3	0.04	0.07	18.8
71477	472037	7082250	978	0.48	0.017	0.46	1.33	344	346	0.42	0.36	0.69	42	14.1	26	50.2	2.92	4.2	0.04	0.15	20.8
71478	472036	7082276	978	0.29	0.009	0.17	1.44	140	240	0.34	0.15	0.23	32.8	8.1	26	31.2	2.54	5	0.03	0.08	16.6
71479	472038	7082301	979	0.395	0.013	0.05	1.88	375	98	0.51	0.05	0.46	52.6	18.3	26	31.5	3.13	4.2	0.01	0.11	24.3
71480	472035	7082325	980	0.355	0.005	0.32	1.42	34	217	0.19	0.15	0.1	42	10.8	29	31.5	2.37	4.6	0.03	0.07	22
71481	472036	7082349	981	0.27	0.013	0.21	1.79	50	225	0.26	0.11	0.1	34.8	8.9	28	18.7	2.63	5.4	0.03	0.07	17.1
71482	472036	7082374	981	0.33	0.033	0.09	1.78	101	219	0.62	0.13	0.12	36.8	9.8	32	26.4	2.64	5.6	0.02	0.06	18.4
71483	472032	7082401	980	0.355	0.01	0.08	1.69	204	192	0.31	0.12	0.15	38.1	11.6	28	27.6	2.77	5.4	0.02	0.08	19.2
71484	472238	7082399		0.345	0.016	0.4	1.19	216	240	0.43	0.37	0.54	43.5	12.4	22	42.2	3.17	3.6	0.04	0.11	22.5
71485	472239	7082373	0	0.525	0.006	0.34	1.39	65	389	0.28	0.49	0.48	39.5	12.7	27	38.7	2.98	4.6	0.04	0.1	20.1
71486	472238	7082351	0	0.28	0.006	0.37	1.49	35	407	0.25	0.56	0.41	32.2	9.7	28	32.4	2.64	4.8	0.06	0.08	16.1

Sample_ID	NAD83 UTM8N Easting	NAD83 UTM8N Northing	Elevation (m)	WtKg	Au_FA_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	Hg_ppm	K_PCT	La_ppm
71487	472240	7082324	0	0.395	0.007	0.49	1.26	93	327	0.29	0.45	0.44	37.5	11	27	38.5	2.76	4.2	0.04	0.12	19.3
71488	472237	7082299	0	0.44	0.011	0.44	1.38	108	356	0.31	0.48	0.47	35.3	11.3	27	36.6	2.69	4.2	0.06	0.1	18.2
71489	472237	7082275	0	0.45	0.04	0.41	1.37	541	231	0.57	0.34	0.32	57.7	16.2	22	48	3.23	4.5	0.03	0.14	28.1
71490	472240	7082250	0	0.415	0.015	0.47	1.29	131	358	0.31	0.47	0.58	33.5	11.9	27	42.6	2.67	4.2	0.04	0.11	17
71491	472237	7082225	0	0.465	0.008	0.33	1.4	66	406	0.26	0.51	0.49	32.9	11.6	30	35.3	2.66	4.5	0.07	0.09	17.2
71492	472237	7082200	0	0.455	0.01	0.31	1.52	46	400	0.26	0.43	0.32	34	9.5	29	35.7	2.44	4.8	0.06	0.08	17
71493	472237	7082174	0	0.46	0.005	0.22	1.24	40	291	0.21	0.38	0.31	34.7	9	29	29.8	2.56	4.2	0.05	0.08	17.5
71494	472236	7082150	0	0.26	0.003	0.22	1.46	18	430	0.2	0.43	0.55	33.4	7	28	27.1	2.24	4.9	0.08	0.07	16.6
71495	472246	7082125	0	0.24	0.005	0.17	1.25	15	353	0.18	0.39	0.43	28.4	5.3	27	20.2	1.83	4.5	0.06	0.05	13.7
71496	472235	7082100	0	0.29	0.005	0.17	1.3	18	452	0.17	0.37	0.5	38.9	9.9	30	32.2	2.47	4.2	0.05	0.07	18
71497	472236	7082075	0	0.32	0.005	0.23	1.31	26	474	0.19	0.46	0.61	35	12.5	28	30.6	2.81	4.2	0.05	0.07	17.4
71498	472241	7082050	0	0.355	0.009	0.41	1.46	86	392	0.25	0.52	0.46	37.2	11	27	36	2.7	4.5	0.07	0.09	19
71499	472231	7082024	0	0.46	0.022	0.47	1.33	192	337	0.35	0.46	0.47	39.8	12.7	27	41.8	2.97	4.1	0.03	0.11	19.9
71500	472238	7082000	0	0.34	0.009	0.42	1.29	96	322	0.26	0.43	0.31	33.1	8.8	25	29	2.59	4.1	0.04	0.08	16.8
78776	471738	7082251	977	0.38	0.005	0.19	1.38	77	391	0.23	0.42	0.39	32.8	10	30	32.1	1.9	4.6	0.05	0.07	16.3
78777	471745	7082224	976	0.325	0.004	0.18	1.45	69	434	0.22	0.42	0.52	36.6	9.4	31	30.1	2.32	5.3	0.05	0.07	18.2
78778	471738	7082199	977	0.395	0.004	0.15	1.43	46	372	0.23	0.42	0.39	39.3	9.6	31	28.4	2.54	4.9	0.06	0.08	19.7
78779	471736	7082175	976	0.235	0.013	0.21	1.25	261	405	0.31	0.44	0.46	42	12.4	28	33.1	2.88	4.6	0.05	0.09	20.3
78780	471747	7082148	977	0.475	0.008	0.21	1.27	124	496	0.26	0.49	0.64	43	12.4	27	33.6	2.78	4.5	0.08	0.11	21.2
78781	471738	7082123	975	0.47	0.004	0.16	1.2	68	377	0.21	0.42	0.47	42.9	6.4	25	27.4	2.2	4.4	0.05	0.12	20.4
78782	471743	7082103	975	0.355	0.003	0.15	1.26	19	400	0.19	0.38	0.41	36.1	7.3	29	29.6	2.05	4.7	0.05	0.06	17.4
78783	471736	7082077	976	0.6	0.068	0.26	0.94	578	317	0.57	0.35	0.31	67	10.8	21	32.5	2.36	3.7	0.05	0.19	32.9
78784	471743	7082046	975	0.48	0.012	0.17	1.21	134	222	0.29	0.23	0.14	40.5	8.1	27	26.1	2.2	4.5	0.02	0.07	20.8
78785	471738	7082023	974	0.49	0.315	0.48	0.71	4110	172	2.48	0.36	3.25	64.1	22.1	22	57.1	4.48	2.7	0.4	0.13	29.7
78786	471734	7081998	971	0.45	0.01	0.4	1.3	120	392	0.24	0.31	0.1	42.8	7.6	29	28.4	2.44	4.7	0.04	0.08	21.8
78787	471740	7081974	972	0.515	0.036	0.19	1.04	548	240	0.64	0.25	0.26	50.1	9.3	24	32.5	2.24	3.8	0.04	0.08	24.6
78788	471739	7081947	973	0.435	0.021	0.2	1.18	344	275	0.32	0.29	0.21	42.2	7.3	27	31.5	2.3	4.5	0.02	0.08	21.3
78789	471740	7081924	971	0.48	0.017	0.11	1.25	215	259	0.27	0.26	0.2	40.2	7.1	27	25.7	2.27	4.6	0.03	0.07	20.6
78790	471734	7081898	969	0.68	0.014	0.32	1.34	261	474	0.35	0.48	0.26	41.6	10.4	29	35.7	2.72	4.6	0.06	0.1	20.4
78791	471735	7081873	968	0.655	0.058	0.41	1.41	709	404	1.06	0.45	0.48	41.4	13.8	39	49.6	3.27	5.2	0.08	0.19	20.8
78792	471737	7081849	967	0.5	0.03	0.3	1.39	321	454	0.46	0.46	0.46	38.8	12.3	33	39	3.07	5.1	0.06	0.11	18.9
78793	471736	7081825	966	0.595	0.02	0.29	1.31	243	458	0.43	0.47	0.45	38.7	14.7	33	34.1	2.82	4.9	0.06	0.09	19.1
78794	471740	7081796	965	0.485	0.018	0.29	1.22	183	493	0.4	0.5	0.51	39	12.1	30	30.5	2.67	4.7	0.05	0.09	19
78795	471736	7081775	964	0.44	0.018	0.25	1.17	170	362	0.31	0.35	0.37	38.2	13.8	33	21.1	2.59	4.5	0.06	0.07	18.9
78796	471737	7081747	960	0.53	0.031	0.36	1.31	360	359	0.41	0.43	0.52	42.2	17	29	30.1	3.06	4.8	0.06	0.11	20.1
78797	471738	7081699	960	0.28	0.009	0.16	1.79	52	313	0.18	0.41	0.43	27.1	13.8	67	25.9	3.02	6.9	0.08	0.07	12.6
78798	471735	7081672	960	0.5	0.006	0.12	2.18	275	320	0.13	0.66	0.27	19.1	27.1	111	42.3	4.67	9.8	0.02	0.29	8.8
78799	471738	7081646	957	0.49	0.032	0.24	2.36	668	302	0.41	0.61	0.22	19.7	25	134	46.7	4.84	9.8	0.02	0.27	9.7
78800	471734	7081623	961	0.41	0.034	0.25	2.14	423	282	0.4	0.56	0.43	23.8	23.1	121	39.8	4.44	9.3	0.04	0.12	11.9
78901	471736	7081595	963	0.515	0.017	0.23	1.4	250	342	0.4	0.34	0.43	36.3	11.1	43	31.2	2.9	4.9	0.05	0.05	18.3
78902	471742	7081574	963	0.5	0.015	0.31	1.54	260	340	0.37	0.38	0.52	31.2	12.7	53	34.1	3.08	4.8	0.04	0.05	15.8
78903	471743	7081549	960	0.61	0.008	0.22	1.42	127	426	0.25	0.43	0.55	32.5	12.6	36	31.7	2.98	4.8	0.05	0.05	15.6
78904	471738	7081524	960	0.36	0.01	0.25	1.33	105	363	0.27	0.58	0.39	28.2	9.9	32	28.4	2.42	4.2	0.04	0.05	13.5
78905	471738	7081499	959	0.54	0.021	0.41	1.21	276	326	0.42	0.51	0.64	30.9	13.6	35	39.7	2.71	4	0.04	0.1	15.2

Sample_ID	NAD83 UTM8N Easting	NAD83 UTM8N Northing	Elevation (m)	WtKg	Au_FA_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	Hg_ppm	K_PCT	La_ppm
78906	471738	7081474	960	0.46	0.018	0.29	1.55	224	367	0.33	0.56	0.64	43.8	17.6	51	37.4	3.07	4.9	0.02	0.05	20.9
78907	471738	7081450	959	0.515	0.029	0.42	1.52	319	260	0.36	0.62	0.64	34.7	19	54	41.6	3.19	4.8	0.04	0.07	16.9
78908	471737	7081372	961	0.595	0.067	0.45	1.16	606	185	0.52	0.5	0.65	64.2	23.3	33	61.2	4.53	4.2	0.05	0.05	30.8
78909	471733	7081350	964	0.49	0.017	0.32	1.26	253	280	0.36	1.04	0.4	52.7	15.7	30	38.8	3	4.1	0.03	0.08	24.6
78910	471740	7081322	965	0.32	0.009	0.31	1.21	112	335	0.29	0.48	0.45	39.6	13.7	31	31.4	2.62	4.2	0.03	0.07	19.6
78911	471737	7081301	967	0.48	0.008	0.27	1.51	95	418	0.29	0.54	0.44	37.8	13.1	31	35.1	2.83	4.5	0.04	0.06	18.4
78912	471734	7081275	965	0.6	0.034	0.45	1.14	531	176	0.53	0.95	0.43	60.4	21	27	65.2	3.61	3.4	0.01	0.08	27
78913	471735	7081248	966	0.575	0.031	0.41	1.43	247	220	0.62	0.67	0.41	65.9	18.2	32	46.1	3.24	4.3	0.03	0.08	30.6
78914	471737	7081224	969	0.31	0.023	0.53	1.35	219	296	0.42	1.04	0.66	44.7	14.5	33	45.9	3.36	3.9	0.06	0.06	21.7
78915	471737	7081198	965	0.49	0.009	0.23	1.39	70	408	0.25	0.45	0.4	34.5	13	29	31.9	2.61	4.5	0.04	0.05	15.8
78916	471736	7081173	966	0.64	0.007	0.22	1.66	109	261	0.4	0.42	0.35	74.6	18.3	29	39.7	3.83	5.1	0.01	0.06	34.8
78917	471736	7081149	966	0.425	0.004	0.18	1.28	45	369	0.24	0.28	0.21	33.1	7.6	24	22.8	2.12	4.1	0.02	0.05	16.1
78918	471731	7081123	967	0.535	0.01	0.18	1.58	89	416	0.26	0.37	0.23	34.5	11.2	32	33.8	2.99	5.1	0.04	0.05	16.7
78919	471738	7081097	968	0.41	0.01	0.1	1.43	80	230	0.27	0.17	0.14	30.8	8.1	27	25.3	2.33	4.5	0.01	0.04	14.8
78920	471737	7081073	969	0.465	0.015	0.18	1.6	52	288	0.23	0.1	0.13	41.9	12.8	29	30.5	2.48	4.4	0.07	0.04	19.7
78921	471736	7081048	971	0.495	0.008	0.22	1.59	91	224	0.26	0.09	0.19	38.2	12.2	29	30.4	2.76	4.8	0.05	0.04	17
78922	471738	7081023	970	0.54	0.004	0.12	1.37	39	261	0.19	0.15	0.1	38	8.5	27	21.8	2.29	4.4	0.03	0.03	18.8
78923	471734	7080998	970	0.41	0.006	0.22	1.67	68	263	0.29	0.12	0.17	33.2	10.2	29	32.7	2.83	5.6	0.04	0.05	16.1
78924	471734	7080973	970	0.475	0.012	0.12	1.38	56	272	0.24	0.11	0.1	40.2	8.1	24	24.8	2.16	4.1	0.01	0.04	19.7
78925	471734	7080949	970	0.525	0.003	0.08	1.34	24	207	0.18	0.14	0.14	33.6	8.5	23	21.5	2.23	4.1	0.03	0.04	16.9
78926	471736	7080925	972	0.41	0.003	0.11	1.38	24	181	0.21	0.12	0.18	31.9	7.5	23	20.8	2.08	4.6	0.005	0.04	15.2
78927	471735	7080899	968	0.65	0.004	0.06	1.52	26	197	0.19	0.17	0.16	34.3	8	27	24.6	2.31	4.9	0.02	0.04	16.9
78928	471736	7080873	969	0.525	0.002	0.1	1.21	15	179	0.15	0.14	0.25	29.9	5.6	20	19.7	1.73	3.6	0.03	0.03	15.1
78929	471737	7080849	967	0.595	0.003	0.1	1.14	34	160	0.2	0.11	0.2	30.1	8.3	21	18.4	2.18	3.9	0.02	0.03	14.7
78930	471737	7080824	966	0.44	0.004	0.2	1.38	23	221	0.19	0.14	0.37	39.5	7.9	23	28.1	2.15	4.2	0.005	0.03	19.4
78931	471736	7080800	964	0.555	0.002	0.14	1.4	21	198	0.18	0.16	0.19	31.4	7.2	24	20.5	2.1	4.1	0.03	0.03	14.7
78932	471936	7080799	970	0.49	0.007	0.11	1.74	43	258	0.29	0.17	0.1	62.5	11.5	27	37.1	3.1	4.8	0.005	0.04	28.7
78933	471936	7080824	973	0.545	0.004	0.1	1.31	24	290	0.18	0.22	0.09	37.3	7.4	24	24.6	2.32	4	0.03	0.04	18.6
78934	471938	7080849	971	0.58	0.008	0.17	1.27	48	253	0.22	0.12	0.16	45.9	9.8	22	34	2.43	3.9	0.03	0.05	22.3
78935	471936	7080875	976	0.57	0.011	0.23	1.3	94	322	0.27	0.16	0.16	61.1	12.2	20	36.3	2.84	3.6	0.005	0.05	29.1
78936	471936	7080900	976	0.51	0.008	0.31	1.5	48	356	0.22	0.24	0.2	38.2	10.7	25	37.1	2.71	4.4	0.06	0.05	19.2
78937	471936	7080925	976	0.425	0.01	0.14	1.47	52	209	0.22	0.14	0.11	37	8.4	23	21.8	2.29	4.5	0.01	0.04	17.5
78938	471937	7080950	981	0.55	0.01	0.33	1.61	55	175	0.21	0.09	0.12	38.2	9.6	25	31.9	2.61	4.6	0.02	0.04	18.4
78939	471936	7080976	975	0.475	0.018	0.27	1.45	164	197	0.26	0.14	0.08	53.6	8.3	19	26.7	2.69	4	0.005	0.07	26.9
78940	471936	7080999	977	0.46	0.003	0.16	1.8	23	213	0.21	0.09	0.1	29.8	8.5	28	26	2.75	5.5	0.03	0.04	14.1
78941	471936	7081027	976	0.51	0.005	0.16	1.91	32	241	0.21	0.09	0.11	34.3	9.4	29	32	2.73	5	0.005	0.04	15.7
78942	471939	7081050	977	0.46	0.004	0.12	1.76	20	262	0.18	0.15	0.07	36.8	9.8	29	25	2.48	5.1	0.02	0.04	18.4
78943	471937	7081073	976	0.505	0.008	0.18	1.4	79	120	0.23	0.11	0.17	34	9.4	24	37.7	2.68	3.8	0.02	0.05	16
78944	471937	7081100	977	0.45	0.005	0.16	1.69	44	348	0.21	0.15	0.12	44.1	10.9	30	34.9	2.74	4.8	0.02	0.04	20.9
78945	471937	7081124	970	0.49	0.003	0.11	1.41	23	233	0.2	0.13	0.11	34.6	8.3	24	24.8	2.32	4.4	0.02	0.04	17
78946	471938	7081149	972	0.5	0.004	0.11	1.4	28	305	0.19	0.17	0.13	36.8	8.8	25	24.9	2.44	4.2	0.03	0.04	18.3
78947	471935	7081175	969	0.555	0.004	0.17	1.21	14	450	0.19	0.31	0.28	35.4	8.7	25	28.7	2.7	3.9	0.03	0.04	17.6
78948	471936	7081198	970	0.565	0.005	0.13	1.46	25	276	0.19	0.19	0.16	37.4	8.1	25	24.3	2.45	4.3	0.03	0.04	18.3
78949	471936	7081224	970	0.51	0.0005	0.16	1.33	22	449	0.2	0.28	0.21	35.8	9.3	25	25	2.52	4.1	0.04	0.04	17.3

Sample_ID	NAD83 UTM8N Easting	NAD83 UTM8N Northing	Elevation (m)	WtKg	Au_FA_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	Hg_ppm	K_PCT	La_ppm
78950	471937	7081249	971	0.53	0.004	0.17	1.37	19	417	0.19	0.35	0.22	34.7	10.1	26	25.4	2.57	4.1	0.04	0.04	16.7
111951	471839	7082201	976	0.375	0.018	0.24	1.65	304	398	0.37	0.45	0.35	40.8	12.8	25	34.1	3.08	4.5	0.05	0.11	20.4
111952	471837	7082174	977	0.435	0.008	0.29	1.48	91	413	0.28	0.51	0.39	34.5	11.2	28	32.8	2.88	4.3	0.04	0.08	16.9
111953	471835	7082148	976	0.435	0.021	0.25	1.59	168	402	0.35	0.47	0.36	35.6	11.7	26	34.2	3	4.4	0.04	0.09	17.1
111954	471835	7082124	976	0.36	0.27	0.36	0.9	996	195	1.14	1.47	0.27	66.4	13.3	12	32.1	3.02	2.9	0.04	0.19	31.6
111955	471836	7082098	975	0.44	0.064	0.33	1.13	728	214	0.7	0.38	0.31	62.8	14.8	17	38.9	3.04	3.3	0.06	0.16	30.3
111956	471833	7082072	974	0.48	0.131	0.34	1.35	606	300	1	0.42	0.36	52.4	13	24	39	2.92	4.1	0.06	0.17	25.8
111957	471835	7082049	974	0.375	0.02	0.23	1.3	267	351	0.38	0.55	0.19	44.5	10.2	23	28.8	2.59	3.9	0.06	0.11	21.6
111958	471831	7082024	973	0.39	0.032	0.26	1.35	432	343	0.45	0.59	0.4	50.9	12.2	23	35.4	2.86	3.8	0.06	0.16	23.6
111959	471837	7082004	973	0.38	0.014	0.23	1.51	166	421	0.28	0.49	0.55	37	12	29	40.3	2.97	4.3	0.05	0.11	17.6
111960	471837	7081970	972	0.345	0.007	0.2	1.39	63	374	0.21	0.39	0.33	34.3	11	26	27.8	2.61	4.2	0.04	0.07	16.1
111961	471837	7081949	971	0.16	0.004	0.11	1.03	12	285	0.13	0.31	0.31	23.3	4.2	19	12.4	1.29	3.5	0.05	0.05	11.4
111962	471833	7081922	971	0.4	0.013	0.21	1.39	211	401	0.3	0.41	0.46	42.3	11.1	28	31.9	2.91	4.2	0.05	0.09	19.3
111963	471832	7081904	970	0.39	0.06	0.24	1.44	356	336	0.44	0.45	0.34	44.7	13.2	25	29.9	2.92	3.9	0.05	0.08	21.2
111964	471831	7081866	968	0.45	0.018	0.31	1.51	297	361	0.43	0.37	0.48	42.1	13.5	26	35.8	2.98	4.2	0.05	0.09	19.9
111965	471833	7081845	968	0.435	0.018	0.27	1.51	169	425	0.33	0.53	0.53	37.8	15.1	28	32.3	2.71	4.2	0.05	0.08	17.8
111966	471837	7081820	967	0.475	0.026	0.36	1.59	463	395	0.48	0.69	0.66	36.1	14.9	44	45.5	3.54	5.1	0.06	0.3	18.1
111967	471837	7081799	966	0.345	0.006	0.19	1.43	93	405	0.25	0.53	0.31	31.8	12	28	23.5	2.7	4.2	0.05	0.07	15.1
111968	471833	7081775	965	0.39	0.028	0.43	1.53	472	375	0.52	0.73	0.54	36.9	14.5	36	40	3.47	4.6	0.08	0.12	18.1
111969	471836	7081749	964	0.48	0.043	0.28	1.53	938	373	0.47	0.61	0.52	40.8	15.6	48	46.6	3.7	4.7	0.04	0.19	19.5
111970	471834	7081723	963	0.39	0.015	0.32	1.39	611	364	0.33	0.54	0.41	29.5	9.8	28	27.6	3.94	3.9	0.06	0.06	14.2
111971	471834	7081700	963	0.33	0.007	0.21	1.42	110	287	0.22	0.3	0.45	25.7	7.7	47	27.2	2.37	4.5	0.05	0.06	12.6
111972	471833	7081676	963	0.545	0.034	0.57	1.28	354	212	0.49	1	0.86	41.1	14.9	21	48.9	3.07	3.5	0.04	0.18	19.9
111973	471829	7081651	962	0.36	0.006	0.2	1.5	112	357	0.21	0.47	0.31	30.5	12.1	31	23.4	3.1	4.4	0.04	0.06	14.2
111974	471837	7081625	962	0.355	0.009	0.26	1.65	133	400	0.25	0.48	0.49	33.9	12.6	33	33.8	3.28	4.5	0.05	0.08	15.8
111975	471835	7081599	962	0.42	0.022	0.45	1.76	287	206	0.34	0.5	0.45	31.3	22.7	74	52.8	3.78	5.6	0.02	0.19	15.1
111976	471837	7081575	962	0.395	0.008	0.25	1.66	101	422	0.25	0.44	0.34	34.8	12.7	35	34.3	3.03	4.5	0.03	0.08	16.2
111977	471838	7081548	962	0.45	0.013	0.28	1.94	231	351	0.29	0.59	0.33	32.9	14.3	50	38.3	3.37	5.7	0.02	0.11	16.4
111978	471837	7081525	961	0.405	0.03	0.38	1.78	373	304	0.36	0.68	0.47	23.2	17	70	36.8	3.22	5.2	0.05	0.08	11.7
111979	471832	7081499	961	0.495	0.013	0.34	1.59	214	416	0.26	0.66	0.58	31.6	17	47	42.3	3.47	5.2	0.02	0.1	15.3
111980	471833	7081475	960	0.47	0.022	0.44	1.6	299	234	0.32	0.54	0.51	28.6	16.6	52	41.5	3.48	4.8	0.005	0.09	13.9
111981	471830	7081451	960	0.425	0.02	0.44	1.76	321	335	0.32	0.44	0.63	32.6	19	66	48.4	3.76	6	0.05	0.09	14.7
111982	471835	7081425	960	0.385	0.019	0.28	1.59	118	382	0.25	0.37	0.34	42.3	13.7	33	31.2	2.9	4.4	0.05	0.07	19.5
111983	471835	7081392	960	0.33	0.016	0.27	1.51	240	342	0.34	0.53	0.58	47.4	15.1	34	32.6	3.99	4.8	0.04	0.09	21.4
111984	471834	7081374	960	0.26	0.004	0.12	1.33	52	322	0.12	0.44	0.23	27.2	6.1	24	16.7	1.62	3.9	0.04	0.05	12.8
111985	471830	7081347	960	0.22	0.003	0.17	1.11	25	351	0.13	0.4	0.76	24.7	4.7	21	26	1.17	3.3	0.05	0.05	12.1
111986	471834	7081323	961	0.255	0.003	0.15	0.95	60	182	0.15	0.14	0.22	25.3	2.8	23	21.7	1.1	3.4	0.04	0.04	11.4
111987	471832	7081273	965	0.375	0.004	0.24	1.8	16	507	0.2	0.3	0.77	33.5	7.4	31	36	1.69	5	0.06	0.06	15.1
113175	471937	7081275	968	0.475	0.004	0.19	1.48	32	483	0.21	0.35	0.2	37.4	8	27	26	2.44	4.6	0.005	0.03	17.2
113177	471938	7081301	967	0.53	0.006	0.15	1.45	18	414	0.19	0.34	0.23	33.9	8.6	26	23.9	2.55	4.5	0.03	0.05	15.4
113178	471937	7081324	967	0.59	0.002	0.08	1.1	11	220	0.15	0.26	0.12	31.6	6.9	18	16.1	1.9	3.6	0.03	0.05	15.4
113179	471937	7081374	967	0.475	0.005	0.19	1.25	70	374	0.17	0.36	0.84	31.4	6.7	25	29.7	1.89	4.1	0.06	0.06	14.5
113180	471936	7081423	968	0.415	0.005	0.29	1.67	74	429	0.22	0.37	0.66	31.7	8.7	33	33.5	1.77	4.9	0.04	0.06	14.3
113181	471934	7081449	967	0.46	0.011	0.38	1.75	116	565	0.29	0.43	0.75	36.9	19.6	39	38.3	3.44	5.1	0.07	0.06	16.8

Sample_ID	NAD83 UTM8N Easting	NAD83 UTM8N Northing	Elevation (m)	WtKg	Au_FA_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	Hg_ppm	K_PCT	La_ppm
113182	471934	7081475	967	0.63	0.012	0.33	2.09	217	358	0.28	0.35	0.54	46	25.5	101	47.9	4.45	6.4	0.03	0.09	22.6
113183	471938	7081500	964	0.45	0.011	0.23	1.67	89	382	0.24	0.5	0.42	31.9	12.9	36	23.7	3.11	4.8	0.05	0.08	14.7
113184	471934	7081525	968	0.585	0.024	0.29	1.21	216	271	0.31	0.29	0.27	36	7.9	25	39.3	2.55	3.8	0.02	0.09	17.3
113185	471936	7081551	970	0.585	0.026	0.31	1.75	282	365	0.32	0.43	0.29	31.6	14.9	46	39.1	3.34	5.8	0.04	0.07	15
113186	471935	7081652	969	0.475	0.045	0.29	1.71	504	298	0.4	0.38	0.35	33.2	13.9	74	32.5	3.47	5.8	0.005	0.09	15.2
113187	471937	7081675	972	0.37	0.016	0.31	1.4	329	321	0.33	0.34	0.42	36.6	12.7	33	34.1	3.38	4.4	0.03	0.06	16.4
113188	471935	7081701	969	0.245	0.006	0.24	1.41	51	393	0.18	0.33	0.67	28	6.4	29	32.6	1.63	3.9	0.06	0.06	13.3
113189	471937	7081750	967	0.3	0.005	0.22	1.59	15	558	0.19	0.37	0.66	33	5.6	28	33.5	1.6	4.8	0.09	0.06	15
113190	471937	7081775	967	0.395	0.006	0.21	1.28	18	450	0.18	0.38	0.54	29.7	6.7	26	28.1	1.76	3.9	0.06	0.05	14
113191	471936	7081800	968	0.7	0.005	0.27	1.45	46	501	0.23	0.46	0.57	34.7	11.6	28	33.8	2.82	4.5	0.05	0.07	16.5
113192	471930	7081828	968	0.57	0.007	0.26	1.49	75	445	0.26	0.42	0.44	34.9	11.4	28	32.9	2.76	4.4	0.04	0.07	16.4
113193	471935	7081850	969	0.505	0.006	0.29	1.43	86	450	0.3	0.44	0.5	30.1	11.7	27	31.8	2.77	3.9	0.04	0.04	14.8
113194	471936	7081875	969	0.52	0.009	0.21	1.18	113	313	0.31	0.36	0.23	29.2	7.1	23	29.4	2.24	3.3	0.005	0.04	14.4
113195	471936	7081901	968	0.54	0.005	0.25	1.46	73	402	0.29	0.46	0.29	29.8	8.9	30	31.4	2.65	4.3	0.03	0.04	14.2
113196	471936	7081925	968	0.53	0.004	0.21	1.38	41	388	0.24	0.43	0.2	28.7	8.7	28	27.3	2.37	4	0.05	0.04	13.8
113197	471937	7081950	971	0.535	0.007	0.2	1.27	36	399	0.21	0.41	0.22	28	8.1	25	28.1	2.38	3.8	0.03	0.04	13.9
113198	471938	7081976	969	0.52	0.006	0.21	1.34	45	394	0.22	0.39	0.25	28.9	10.5	26	28.5	2.44	3.8	0.02	0.04	13.8
113199	471935	7082001	969	0.61	0.003	0.2	1.24	23	400	0.21	0.34	0.32	29	9.8	28	26	2.63	4	0.05	0.04	14.8
113200	471933	7082027	972	0.465	0.003	0.16	1.36	17	394	0.18	0.37	0.39	28.6	7.9	29	23.9	2.29	4	0.05	0.03	13.8
113267	472338	7080800	0	0.305	0.003	0.4	0.85	51	87	0.25	0.06	0.29	20.3	4.3	15	13.7	2.12	3.5	0.005	0.03	10.2
113268	472337	7080827	0	0.345	0.003	0.17	1.33	20	271	0.18	0.15	0.1	29.1	7.3	26	22.6	2.25	3.9	0.03	0.03	14.4
113269	472335	7080848	0	0.32	0.005	0.1	1.49	37	307	0.22	0.15	0.13	32.9	9.3	28	24.1	2.41	4.1	0.005	0.03	15.9
113270	472340	7080876	0	0.385	0.003	0.1	1.26	15	301	0.18	0.18	0.1	30.8	7.6	26	22.4	2.2	3.6	0.03	0.03	15.3
113271	472337	7080901	0	0.415	0.003	0.09	1.23	12	214	0.16	0.13	0.11	28.8	6	24	20.2	2.2	3.7	0.02	0.02	14.3
113272	472337	7080926	0	0.265	0.003	0.12	1.35	17	300	0.18	0.16	0.11	30.7	6.8	27	24.6	2.33	3.8	0.005	0.03	15.3
113273	472338	7080950	0	0.285	0.007	0.07	1.29	15	169	0.19	0.13	0.16	25.1	5.7	24	19.1	2.17	4.1	0.02	0.03	12.8
113274	472336	7080975	0	0.405	0.004	0.08	1.41	17	269	0.18	0.18	0.12	32.8	8.5	28	25.8	2.57	4.2	0.03	0.03	16.1
113275	472340	7081003	0	0.335	0.003	0.14	1.57	23	184	0.19	0.1	0.1	34.5	8.2	29	26.9	2.51	4.3	0.005	0.03	16.4
113276	472338	7081026	0	0.295	0.003	0.12	1.44	22	152	0.18	0.1	0.11	28.3	6.7	27	18.1	2.3	4.5	0.005	0.03	13.6
113277	472336	7081051	0	0.315	0.004	0.13	1.56	46	111	0.29	0.06	0.08	50.4	9.4	26	38.1	2.98	4.7	0.005	0.03	24.1
113278	472335	7081078	0	0.325	0.01	0.16	1.58	46	155	0.23	0.06	0.07	56.4	9.9	26	33.8	2.9	4.7	0.005	0.03	27.2
113279	472337	7081100	0	0.365	0.009	0.12	1.59	57	147	0.21	0.06	0.07	60	10.6	25	31.6	2.96	4.5	0.005	0.03	27.8
113280	472337	7081125	0	0.33	0.008	0.14	1.64	68	124	0.25	0.05	0.07	50.5	9.6	26	29.4	2.97	4.6	0.005	0.03	24.3
113281	472339	7081150	0	0.415	0.007	0.09	1.78	57	130	0.22	0.08	0.06	54.3	11.2	41	38.4	3.19	5.1	0.005	0.03	25.4
113282	472336	7081176	0	0.365	0.006	0.24	1.54	66	122	0.22	0.05	0.07	40.1	10.4	40	33.6	2.99	4.7	0.005	0.03	19.3
113283	472335	7081202	0	0.345	0.004	0.18	1.83	67	112	0.26	0.04	0.11	66.3	11.6	30	36.3	3.8	5	0.005	0.04	31
113284	472339	7081225	0	0.33	0.005	0.16	1.93	21	246	0.21	0.07	0.11	31.6	9.7	30	27.6	3	4.8	0.03	0.03	15.3
113285	472337	7081251	0	0.41	0.006	0.09	1.28	58	177	0.21	0.09	0.09	32	7.7	25	28.7	2.2	3.5	0.02	0.03	15.4
113286	472337	7081276	0	0.385	0.003	0.2	1.43	12	160	0.21	0.11	0.11	25.2	3.9	23	15.7	2.24	4.8	0.005	0.03	12.6
113287	472339	7081300	0	0.515	0.004	0.16	1.52	32	370	0.21	0.17	0.14	32.2	10	30	30.9	2.71	4.1	0.04	0.03	17
113288	472337	7081326	0	0.41	0.003	0.21	1.3	32	441	0.22	0.25	0.11	32.2	9.2	27	27.9	2.55	3.8	0.05	0.03	16.5
113289	472337	7081351	0	0.26	0.003	0.04	1.26	13	169	0.15	0.17	0.1	29.6	7	25	23.1	2.16	3.5	0.02	0.03	14.1
113290	472337	7081376	0	0.325	0.004	0.09	1.14	11	236	0.15	0.21	0.09	31.1	6.4	24	21.2	2.08	3.5	0.4	0.03	15.6
113291	472336	7081400	0	0.265	0.003	0.12	1.27	24	181	0.19	0.14	0.11	27.7	5.8	24	23.9	2.12	4	0.005	0.03	13.3

Sample_ID	NAD83 UTM8N Easting	NAD83 UTM8N Northing	Elevation (m)	WtKg	Au_FA_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	Hg_ppm	K_PCT	La_ppm
113292	472334	7081426	0	0.44	0.005	0.28	1.3	45	354	0.24	0.35	0.15	30.7	8.8	26	29.1	2.44	3.8	0.32	0.03	15.5
113293	472337	7081451	0	0.445	0.004	0.21	1.24	24	361	0.19	0.4	0.15	29.4	8	25	28.8	2.18	3.5	0.04	0.03	14.2
113294	472336	7081475	0	0.46	0.002	0.17	1.22	19	391	0.18	0.35	0.12	30.4	7.7	24	28.1	2.31	3.2	0.02	0.03	14.9
113295	472330	7081501	0	0.325	0.007	0.33	1.45	25	490	0.21	0.57	0.46	28.8	10.5	27	29	2.73	4.1	0.05	0.03	13.4
113296	472334	7081525	0	0.43	0.003	0.17	1.33	18	388	0.18	0.4	0.14	30.4	9.2	27	25.1	2.63	3.8	0.02	0.03	14.7
113297	472334	7081554	0	0.615	0.009	0.25	1.31	40	327	0.22	0.44	0.24	28.6	10.2	27	26.4	2.34	4.1	0.03	0.04	13.5
113298	472338	7081576	0	0.315	0.005	0.34	1.28	52	346	0.25	0.44	0.3	25.2	13.7	28	25.2	2.92	3.7	0.04	0.04	11.5
113299	472337	7081601	0	0.5	0.005	0.55	1.51	52	429	0.24	0.43	0.38	31.3	13.3	31	31.8	2.89	4.1	0.06	0.04	14.5
113300	472334	7081627	0	0.31	0.004	0.17	1.1	14	429	0.17	0.44	0.4	29.6	8.7	26	27.3	2.39	3.6	0.02	0.04	14
1567801	471936	7082050	973	0.47	0.006	0.21	1.24	48	432	0.2	0.36	0.43	29.8	7.9	24	22.8	2.26	4.2	0.05	0.04	15.8
1567802	471940	7082074	973	0.495	0.01	0.2	1.34	102	390	0.23	0.36	0.36	30.2	9.4	23	25.2	2.47	4	0.05	0.04	14.8
1567803	471934	7082100	971	0.49	0.024	0.32	1.35	313	361	0.42	0.48	0.39	43.8	15.2	23	38.6	3.06	4.1	0.06	0.15	22.2
1567804	471935	7082126	971	0.505	0.022	0.4	1.54	280	369	0.4	0.77	0.36	39.8	12.5	25	41.7	3.02	4.3	0.08	0.13	21.1
1567805	471938	7082148	973	0.56	0.011	0.33	1.46	111	486	0.26	0.64	0.39	37.1	15	28	32.8	2.7	4.2	0.07	0.09	18.4
1567806	471935	7082176	975	0.62	0.018	0.49	1.47	217	411	0.38	0.47	0.46	40.1	13	26	45.3	2.98	4.7	0.05	0.15	20.6
1567807	471940	7082199	976	0.75	0.02	0.48	1.38	313	375	0.39	0.4	0.39	41.6	12	27	44.4	3.04	4.5	0.07	0.14	21.9
1567808	471936	7082225	975	0.605	0.017	0.15	1.28	115	274	0.25	0.21	0.1	42.3	10.3	23	26.7	2.18	4	0.02	0.08	21.9
1567809	471935	7082250	978	0.535	0.012	0.21	1.18	171	313	0.3	0.22	0.11	38	9.8	22	30.7	2.52	4	0.05	0.07	20
1567810	471933	7082277	981	0.58	0.011	0.22	1.52	210	234	0.3	0.17	0.13	36.3	9.3	25	30	2.59	4.6	0.05	0.07	18.5
1567811	471937	7082300	982	0.395	0.008	0.16	1.89	80	213	0.33	0.13	0.11	32.3	7.5	26	27.1	2.73	5.7	0.03	0.07	16.7
1567812	471935	7082325	980	0.51	0.025	0.21	1.32	72	134	0.3	0.11	0.18	36.4	7.1	23	34.5	2.36	3.7	0.03	0.07	18.4
1567813	471933	7082350	981	0.47	0.005	0.14	1.46	42	234	0.23	0.17	0.15	37.4	11.7	27	36.2	2.54	4	0.03	0.07	18.7
1567814	471939	7082375	980	0.435	0.004	0.2	1.43	26	244	0.21	0.23	0.1	39.4	8.9	25	26.2	2.34	4.1	0.05	0.07	19.8
1567815	471935	7082399	980	0.51	0.04	0.17	1.35	976	222	0.79	0.29	0.15	55	10.4	22	35.9	3.12	4.5	0.02	0.26	29.5
1567816	472236	7080799	969	0.5	0.006	0.11	1.76	48	316	0.22	0.23	0.1	39.8	11.3	32	31.2	2.65	4.8	0.04	0.07	20.8
1567817	472236	7080823	971	0.55	0.007	0.11	1.83	54	356	0.24	0.23	0.14	38.3	10.9	35	29.8	2.86	5.3	0.03	0.07	20.3
1567818	472236	7080849	972	0.515	0.005	0.45	1.78	49	472	0.23	0.32	0.07	42.6	11.3	34	30.7	2.77	5.4	0.06	0.07	21.8
1567819	472236	7080875	975	0.555	0.008	0.31	1.88	132	315	0.3	0.18	0.13	40.5	10.8	31	29.8	2.97	5.2	0.02	0.05	19.9
1567820	472236	7080899	976	0.515	0.011	0.29	1.82	164	246	0.3	0.08	0.23	55	18.6	31	50	3.33	4.9	0.07	0.06	27.9
1567821	472236	7080926	977	0.58	0.005	0.14	1.48	41	260	0.22	0.1	0.15	34.3	10.8	29	27.3	2.92	4.4	0.02	0.06	16.6
1567822	472236	7080950	981	0.575	0.013	0.23	1.5	34	252	0.18	0.1	0.16	41.5	12.3	25	40.4	2.51	4	0.05	0.06	20.9
1567823	472236	7080975	981	0.505	0.006	0.14	1.61	31	311	0.19	0.2	0.12	37.7	9.9	28	28.7	2.59	4.6	0.03	0.07	19
1567824	472237	7081001	981	0.65	0.004	0.09	1.58	29	320	0.18	0.19	0.07	39.5	10.4	28	33	2.62	4.6	0.04	0.06	20.6
1567825	472236	7081025	983	0.52	0.006	0.23	2.22	59	314	0.23	0.14	0.09	44.9	16.2	35	45.3	3.48	6	0.03	0.08	23.1
1567826	472237	7081050	984	0.515	0.014	0.28	1.68	124	215	0.3	0.1	0.09	66.8	16.2	27	50.2	3.82	5	0.03	0.06	34.8
1567827	472237	7081075	984	0.495	0.011	0.22	1.52	102	194	0.28	0.14	0.11	64	15.1	23	50.6	3.49	4.6	0.02	0.06	34.7
1567828	472236	7081100	987	0.615	0.005	0.14	1.37	35	154	0.23	0.11	0.06	57.5	13	24	30.6	3.29	4.2	0.02	0.05	29.4
1567829	472236	7081126	987	0.565	0.009	0.33	1.71	77	338	0.25	0.09	0.17	54.4	17.8	26	62.1	3.07	4.7	0.06	0.07	28.5
1567830	472235	7081149	987	0.535	0.005	0.47	1.91	44	239	0.22	0.1	0.1	45.7	13.9	29	36.7	3.16	5.2	0.02	0.07	21.9
1567831	472236	7081176	985	0.485	0.01	0.1	1.48	16	163	0.16	0.12	0.1	27.9	7.9	24	25.1	2.42	3.9	0.03	0.05	14.5
1567832	472236	7081199	982	0.48	0.008	0.08	1.46	14	299	0.16	0.2	0.06	32.8	9.1	25	26.5	2.41	4.1	0.03	0.05	16.9
1567833	472238	7081225	983	0.695	0.004	0.11	1.3	15	318	0.16	0.22	0.08	36.6	9.2	23	25.8	2.4	3.8	0.02	0.06	18.8
1567834	472237	7081249	984	0.49	0.003	0.1	1.42	12	245	0.16	0.19	0.1	38.7	8.6	23	26	2.48	4.3	0.02	0.06	18.8
1567835	472236	7081275	978	0.555	0.004	0.08	1.34	15	233	0.17	0.21	0.13	37.9	8.3	25	22.7	2.37	4	0.04	0.06	18.7

Sample_ID	NAD83 UTM8N Easting	NAD83 UTM8N Northing	Elevation (m)	WtKg	Au_FA_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	Hg_ppm	K_PCT	La_ppm
1567836	472237	7081298	978	0.56	0.005	0.15	1.24	60	160	0.21	0.18	0.18	34.6	7.6	25	31	2.35	4	0.02	0.06	17.8
1567837	472236	7081324	977	0.495	0.006	0.14	1.4	45	367	0.21	0.27	0.07	40.2	9.9	27	29.6	2.57	4.3	0.05	0.07	21.1
1567838	472237	7081350	976	0.58	0.004	0.17	1.34	26	434	0.18	0.33	0.14	38	9.2	26	30.2	2.49	4	0.04	0.06	19.7
1567839	472236	7081376	976	0.505	0.003	0.08	1.32	13	248	0.15	0.25	0.11	37.9	8.4	24	24.5	2.21	4	0.05	0.06	18.7
1567840	472236	7081400	977	0.735	0.017	0.49	0.8	217	160	0.37	0.28	0.7	42.6	12.8	18	41.5	2.48	2.6	0.04	0.06	20.8
1567841	472236	7081426	974	0.635	0.005	0.2	1.69	37	445	0.21	0.3	0.16	37.5	10	25	31.8	2.56	5.1	0.05	0.05	18.3
1567842	472237	7081449	972	0.66	0.009	0.45	1.21	132	243	0.39	0.34	0.32	47.5	12.5	22	34.8	2.89	3.9	0.04	0.06	23.1
1567843	472238	7081476	975	0.685	0.017	0.2	1.41	41	413	0.22	0.44	0.22	37.1	11.6	28	30.2	2.68	4.4	0.07	0.05	17.8
1567844	472236	7081499	970	0.415	0.004	0.21	1.23	29	419	0.2	0.44	0.27	34.3	10.2	25	27.1	2.38	3.9	0.06	0.04	16.3
1567845	472236	7081558		0.58	0.004	0.18	1.4	21	410	0.2	0.44	0.28	35	10.1	26	26.3	2.38	4.3	0.05	0.04	16.5
1567846	472237	7081597	970	0.465	0.007	0.19	1.29	54	418	0.18	0.34	0.51	30.4	6.3	24	24.6	1.66	3.9	0.1	0.04	15
1567847	472235	7081701	972	0.55	0.006	0.25	1.26	160	465	0.2	0.42	0.64	34.3	10.6	25	25.3	2.77	3.8	0.06	0.04	15.9
1567848	472436	7082399	979	0.585	0.008	0.34	1.24	66	387	0.26	0.47	0.4	37	11.2	25	32.4	2.49	4.1	0.07	0.05	18
1567849	472436	7082376	984	0.56	0.017	0.15	1.3	157	252	0.4	0.26	0.17	47.5	9.9	20	29.3	2.67	4	0.02	0.07	22.8
1567850	472437	7082349	984	0.445	0.025	0.31	1.4	416	283	0.57	0.36	0.23	39.5	12.7	22	35.4	3.03	4.4	0.05	0.11	19.4
1567851	472437	7082325	982	0.66	0.025	0.23	1.31	418	253	0.52	0.28	0.24	40.6	11.5	21	35.2	2.85	4.1	0.05	0.07	20.3
1567852	472438	7082301	984	0.73	0.005	0.5	1.37	42	438	0.24	0.45	0.27	35.1	10.1	24	31.7	2.6	4.3	0.05	0.05	17.8
1567853	472437	7082275	986	0.705	0.013	0.41	1.62	150	348	0.37	0.3	0.27	32.6	10.5	24	38	2.95	4.3	0.05	0.06	16.7
1567854	472435	7082251	982	0.46	0.021	0.14	1.37	285	174	0.57	0.2	0.1	38.9	8.2	19	30.9	3.06	3.7	0.02	0.05	20.8
1567855	472434	7082225	982	0.66	0.014	0.56	1.57	241	319	0.44	0.32	0.32	32	11.5	24	44.4	3.05	4.3	0.04	0.06	16
1567856	472437	7082200	981	0.575	0.007	0.49	1.33	58	254	0.25	0.21	0.19	32.3	8.3	21	28.6	2.5	3.7	0.02	0.04	16.3
1567857	472437	7082175	982	0.66	0.005	0.22	1.45	34	314	0.26	0.26	0.19	35.1	8.4	23	29.3	2.73	4	0.02	0.04	17.5
1567858	472435	7082150	984	0.6	0.013	0.44	1.25	142	294	0.45	0.29	0.49	34.4	12.9	24	61.7	3.17	3.4	0.03	0.05	19.5
1567859	472436	7082123	982	0.565	0.014	0.73	1.23	122	186	0.33	0.21	0.25	39	9.8	20	40.9	2.67	3.3	0.02	0.06	19.3
1567860	472436	7082099	982	0.705	0.008	0.25	1.34	56	327	0.24	0.26	0.13	32.7	7.6	25	30.5	2.49	3.6	0.02	0.04	16.7
1567861	472436	7082074	978	0.58	0.009	0.39	1.44	66	443	0.29	0.42	0.22	33.3	10	29	36	2.81	4	0.03	0.05	16.7
1567862	472437	7082048	976	0.63	0.005	0.2	1.35	29	304	0.2	0.29	0.14	30.8	6.4	25	24.8	2.22	3.7	0.03	0.04	15.7
1567863	472436	7082023	978	0.59	0.006	0.31	1.43	49	388	0.24	0.32	0.26	30.5	6.9	25	34.2	2.58	3.8	0.04	0.04	15.2
1567864	472436	7081999	978	0.505	0.005	0.23	1.36	32	333	0.19	0.42	0.19	26.6	7.3	25	27.5	2.41	3.6	0.02	0.04	14.1
1567865	472436	7081974	977	0.645	0.005	0.22	1.53	23	456	0.2	0.45	0.28	31.7	9.9	27	29.1	2.69	4	0.04	0.04	15.1
1567866	472437	7081949	976	0.555	0.007	0.23	1.54	71	356	0.24	0.43	0.15	30.5	8.4	27	28	2.74	4.1	0.04	0.05	16.1
1567867	472436	7081924	978	0.49	0.009	0.31	1.39	94	395	0.28	0.47	0.31	32.7	10.9	24	29.1	2.81	3.8	0.05	0.06	16.7
1567868	472437	7081899	975	0.705	0.018	0.33	1.51	176	328	0.35	0.39	0.22	33.3	9.5	24	32.5	2.68	3.9	0.03	0.1	16.6
1567869	472438	7081877	975	0.735	0.053	0.95	1.32	458	219	0.85	0.34	0.39	42.4	13.8	21	50.4	3.33	3.6	0.04	0.11	22.3
1567870	472435	7081849	972	0.515	0.027	0.34	1.4	124	358	0.28	0.34	0.49	29.1	7.9	26	29.6	2.98	4.1	0.06	0.04	14.9
1567871	472436	7081825	974	0.59	0.026	0.46	1.1	155	436	0.42	0.3	0.7	31.4	9.9	22	39.3	2.49	3.1	0.04	0.05	15
1567872	472437	7081800	974	0.55	0.04	0.32	1.46	153	254	0.54	0.25	0.38	47.8	8.5	24	51	2.38	4.2	0.04	0.06	23.3
1567873	472435	7081724	975	0.525	0.004	0.23	1.18	20	468	0.19	0.58	0.3	27.8	8.2	23	23.5	2.38	3.5	0.05	0.03	13.8
1567874	472435	7081699	976	0.575	0.005	0.26	1.32	36	491	0.21	0.55	0.39	30.5	10	27	33	2.46	3.8	0.04	0.04	14.1
1567875	472437	7081672	975	0.62	0.015	0.42	1.57	54	405	0.24	0.51	0.42	31.8	11	27	38.4	2.9	4.2	0.04	0.05	15.4
1567876	472436	7081647	976	0.905	0.006	0.51	1.37	37	403	0.2	0.5	0.25	29.5	9.3	25	31.3	2.66	4	0.04	0.05	14.8
1567877	472435	7081624	976	0.485	0.008	0.64	1.39	49	413	0.18	0.59	0.31	29.6	10.5	26	35	2.47	4.2	0.05	0.07	15.1
1567878	472435	7081601	976	0.665	0.027	0.5	1.38	40	362	0.17	0.43	0.19	28.9	9.4	27	31.8	2.45	4.3	0.05	0.07	15.1
1567879	472435	7081574	979	0.555	0.006	0.45	1.35	46	324	0.16	0.44	0.24	29.8	10	25	29.8	2.49	3.9	0.04	0.07	15.7

Sample_ID	NAD83 UTM8N Easting	NAD83 UTM8N Northing	Elevation (m)	WtKg	Au_FA_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	Hg_ppm	K_PCT	La_ppm
1567880	472436	7081550	978	0.6	0.004	0.23	1.32	32	352	0.17	0.4	0.31	31.5	9.1	27	26.5	2.62	4.3	0.05	0.05	15.4
1567881	472636	7080799	953	0.445	0.004	0.24	1.41	20	438	0.17	0.47	0.59	40.1	14.1	28	28	2.7	4.5	0.06	0.06	19.9
1567882	472635	7080824	948	0.455	0.004	0.26	1.47	25	471	0.17	0.59	0.49	33.3	11.3	27	27.4	2.57	4.4	0.06	0.05	16.4
1567883	472636	7080850	954	0.465	0.004	0.26	1.35	40	460	0.16	0.47	0.48	31.3	11.3	27	31.6	2.62	4.1	0.05	0.06	16
1567884	472635	7080876	955	0.51	0.004	0.23	1.34	42	424	0.17	0.4	0.32	31	9.5	27	30.4	2.43	4.2	0.06	0.05	16.5
1567885	472636	7080900	955	0.4	0.009	0.35	1.55	50	499	0.2	0.5	0.44	31.7	14.7	31	31.7	2.67	4.7	0.09	0.06	15.9
1567886	472637	7080924	956	0.475	0.003	0.19	1.22	37	304	0.16	0.32	0.2	33.8	9	25	25.7	2.05	3.8	0.04	0.05	17.3
1567887	472637	7080948	961	0.42	0.006	0.28	1.99	43	399	0.19	0.33	0.26	36.2	15.2	75	34.8	3.01	5.6	0.03	0.07	18.7
1567888	472636	7080975	963	0.63	0.005	0.19	1.5	32	342	0.2	0.37	0.34	49.7	13.6	51	26.7	2.57	4.4	0.04	0.07	24
1567889	472635	7081001	966	0.705	0.006	0.21	1.13	59	222	0.18	0.31	0.27	43.4	10.7	22	21.6	2.36	3.5	0.02	0.05	21.8
1567890	472637	7081026	964	0.43	0.002	0.15	1.35	19	226	0.17	0.24	0.26	46.4	9.6	22	17.5	2.39	4.4	0.03	0.05	22.7
1567891	472636	7081049	965	0.495	0.003	0.21	1.34	30	233	0.19	0.25	0.27	53.2	11.1	23	21.3	2.9	4.2	0.03	0.05	25.1
1567892	472636	7081100	969	0.715	0.011	0.21	1.2	19	308	0.13	0.31	0.42	31.4	9.5	25	19.8	2.31	4	0.04	0.05	15.2
1567893	472636	7081125	974	0.66	0.003	0.22	1.36	28	371	0.15	0.4	0.43	28.9	10.2	30	27	2.65	4.3	0.04	0.06	15.5
1567894	472636	7081179		0.55	0.005	0.19	1.21	18	347	0.14	0.36	0.36	28.9	6.6	25	22.7	2.22	4.1	0.03	0.05	15.2
1567895	472636	7081201	974	0.62	0.005	0.23	1.22	20	311	0.16	0.39	0.4	26.3	7.6	24	18.6	2.06	4.2	0.04	0.05	13.3
1567896	472636	7081225	975	0.605	0.008	0.2	1.36	28	327	0.16	0.35	0.31	30.9	8.9	27	23.2	2.23	4.4	0.08	0.05	15.4
1567897	472635	7081251	975	0.6	0.006	0.21	1.41	33	326	0.16	0.37	0.26	31.6	9.6	29	26.2	2.24	4.3	0.03	0.05	16.1
1567898	472637	7081277	975	0.53	0.003	0.15	1.17	13	247	0.12	0.25	0.2	30.4	7.4	22	19.5	1.92	3.8	0.03	0.04	15.7
1567899	472636	7081300	975	0.425	0.013	0.52	1.24	40	235	0.16	0.28	0.3	30.2	8.8	25	28	2.28	4	0.03	0.05	15.8
1567900	472637	7081324	974	0.65	0.005	0.21	1.41	26	426	0.16	0.4	0.5	31.4	10.7	27	28.4	2.76	4.3	0.05	0.05	16.9
1568151	472140	7080796	971	0.3	0.006	0.16	1.58	70	393	0.21	0.22	0.15	37	10.5	27	28.9	2.76	4.9	0.05	0.06	19.2
1568152	472138	7080828	974	0.495	0.008	0.31	1.7	62	290	0.19	0.11	0.19	39.4	10.9	30	38.7	2.9	4.6	0.05	0.06	20.8
1568153	472136	7080853	974	0.43	0.002	0.03	1.3	63	120	0.2	0.09	0.23	30.8	10.2	24	17.8	4.31	5.3	0.005	0.07	14.9
1568154	472138	7080873	976	0.375	0.003	0.13	1.41	14	269	0.13	0.29	0.16	33.5	6.8	26	20.8	2.37	4.6	0.02	0.06	16.9
1568155	472137	7080900	978	0.435	0.003	0.18	1.42	24	336	0.14	0.21	0.11	36.3	8	25	27.1	2.33	4.2	0.04	0.05	19.8
1568156	472135	7080924	981	0.485	0.006	0.19	1.42	36	394	0.17	0.2	0.18	40.8	10.1	24	31.8	2.6	4.2	0.05	0.06	21.8
1568157	472134	7080947	982	0.54	0.004	0.15	1.35	32	268	0.17	0.15	0.16	39.9	8	23	28.7	2.78	4.4	0.03	0.05	20
1568158	472137	7080974	980	0.465	0.004	0.13	1.42	42	229	0.16	0.12	0.12	37.5	9.1	25	28.7	2.63	4.2	0.02	0.05	18.4
1568159	472138	7081001	979	0.475	0.003	0.19	1.34	39	236	0.17	0.29	0.18	37.8	8.6	24	30.2	2.47	4.2	0.04	0.05	20
1568160	472137	7081074	985	0.465	0.004	0.11	1.4	15	240	0.14	0.2	0.15	36.6	8	27	23.3	2.34	4.4	0.02	0.05	19.2
1568161	472133	7081024	981	0.465	0.002	0.11	1.76	18	278	0.17	0.21	0.15	35.2	8	27	24.7	2.7	5.3	0.04	0.06	16.6
1568162	472137	7081051	980	0.46	0.002	0.15	1.39	14	293	0.13	0.24	0.14	33.8	6.9	25	24	2.27	4.5	0.03	0.05	18.6
1568163	472136	7081101	981	0.5	0.004	0.19	1.43	15	386	0.12	0.3	0.12	33.3	7.8	25	25.4	2.12	4.3	0.02	0.05	18
1568164	472136	7081125	981	0.5	0.003	0.12	1.4	16	313	0.12	0.23	0.1	36.2	9	25	26	2.32	4.1	0.02	0.05	18.4
1568165	472134	7081151	983	0.55	0.003	0.17	1.47	18	307	0.14	0.18	0.11	36.2	8.7	25	28.2	2.51	4.6	0.03	0.05	18.3
1568166	472133	7081173	984	0.525	0.005	0.19	1.66	62	284	0.18	0.15	0.12	39.4	10.7	27	43	2.79	4.7	0.05	0.06	19.9
1568167	472136	7081203	982	0.465	0.004	0.14	1.41	54	322	0.16	0.17	0.11	37.2	9	23	30	2.49	4.4	0.03	0.05	19.5
1568168	472137	7081226	980	0.485	0.009	0.13	1.47	40	193	0.15	0.14	0.15	35.4	8.1	27	24.9	2.26	4.3	0.03	0.05	17.7
1568169	472138	7081251	978	0.495	0.005	0.13	1.31	35	271	0.16	0.16	0.11	36.8	7.5	23	25.8	2.35	4.2	0.03	0.05	18.8
1568170	472140	7081277	972	0.535	0.01	0.25	1.35	106	226	0.2	0.3	0.28	40.5	12.3	26	34.6	2.65	4.1	0.03	0.05	20.9
1568171	472139	7081303	972	0.535	0.014	0.3	1.43	102	412	0.21	0.37	0.3	39.3	10.9	27	36.8	2.74	4.3	0.06	0.06	19.8
1568172	472135	7081326	972	0.46	0.006	0.38	1.49	54	441	0.19	0.47	0.42	32.8	10.8	27	28.5	2.64	4.4	0.04	0.05	16.2
1568173	472139	7081353	972	0.46	0.004	0.25	1.32	34	337	0.16	0.25	0.38	31.9	8.7	28	27.2	2.31	4.3	0.05	0.05	16.4

Sample_ID	NAD83 UTM8N Easting	NAD83 UTM8N Northing	Elevation (m)	WtKg	Au_FA_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	Hg_ppm	K_PCT	La_ppm
1568174	472136	7081375	972	0.345	0.006	0.35	1.61	41	503	0.2	0.44	0.46	35.6	12.5	33	61.3	3.01	5.3	0.06	0.07	17.9
1568175	472136	7081401	973	0.49	0.003	0.16	1.21	26	359	0.15	0.37	0.25	35.3	10.6	25	25.7	2.38	3.9	0.05	0.05	17.6
1568176	472136	7081427	972	0.675	0.004	0.19	1.45	32	390	0.17	0.48	0.3	31.2	9.6	28	28.4	2.79	4.7	0.04	0.06	16.7
1568177	472138	7081451	971	0.47	0.006	0.18	1.42	21	440	0.19	0.68	0.37	32.7	11.1	23	31	2.56	4.4	0.05	0.06	16.7
1568178	472134	7081479	970	0.415	0.003	0.13	1.64	16	379	0.2	0.49	0.3	33.2	9.1	22	28.8	2.78	5.7	0.05	0.05	17
1568179	472136	7081501	970	0.55	0.005	0.27	1.38	25	407	0.21	0.45	0.42	34.4	10.3	23	28.5	2.71	4.4	0.04	0.06	17.5
1568180	472131	7081525	969	0.485	0.008	0.34	1.34	94	387	0.28	0.58	0.99	35.4	12.9	23	41.9	2.99	4.3	0.05	0.06	17.1
1568181	472338	7082399	982	0.485	0.022	0.39	1.31	205	202	0.51	0.31	0.31	40.5	14.8	16	38.9	3.07	3.9	0.01	0.07	21.2
1568182	472338	7082375	984	0.305	0.016	0.26	1.26	173	233	0.41	0.28	0.22	43.2	11.9	15	33.1	2.86	4	0.02	0.1	23.6
1568183	472336	7082348	981	0.42	0.005	0.3	1.5	38	517	0.25	0.51	0.45	32.8	11.2	25	31.3	2.46	4.2	0.06	0.06	17.3
1568184	472335	7082324	980	0.44	0.004	0.22	1.44	25	436	0.21	0.5	0.42	32.1	9	22	27.3	2.27	4.3	0.04	0.05	17.1
1568185	472340	7082299	980	0.38	0.003	0.2	1.47	16	456	0.18	0.57	0.4	32.4	9.4	23	27.3	2.26	4.3	0.04	0.05	16.9
1568186	472339	7082271	981	0.425	0.008	0.28	1.75	24	473	0.21	0.69	0.46	31.5	10.9	24	30.4	2.44	4.9	0.05	0.05	16.2
1568187	472337	7082247	980	0.385	0.003	0.23	1.57	23	484	0.21	0.46	0.43	35.9	11.2	23	32.4	3.16	5.3	0.05	0.05	18
1568188	472337	7082220	979	0.405	0.006	0.29	1.49	36	458	0.21	0.62	0.4	31.5	12.3	24	29.4	2.34	4.4	0.06	0.05	16.8
1568189	472338	7082200	977	0.375	0.006	0.35	1.62	40	535	0.24	0.66	0.63	34.1	12.7	25	36.5	2.69	4.6	0.04	0.06	17.1
1568190	472340	7082175	975	0.27	0.009	0.2	1.54	18	489	0.19	0.76	0.47	31.1	10.3	23	25.6	2.63	4.5	0.05	0.04	15
1568191	472333	7082151	978	0.48	0.005	0.18	1.46	13	403	0.18	0.46	0.36	31.9	9.4	22	26.4	2.65	4.7	0.04	0.05	16
1568192	472339	7082116	979	0.495	0.012	0.54	1.48	87	364	0.29	0.37	0.24	41	11.1	18	39.5	2.89	4.2	0.03	0.07	20.5
1568193	472339	7082092	977	0.445	0.008	0.49	1.58	76	350	0.27	0.45	0.19	33.5	9.7	21	34.1	2.59	5	0.03	0.06	17.5
1568194	472334	7082070	975	0.355	0.012	0.41	1.5	65	321	0.27	0.38	0.19	38.3	9.1	20	31.7	2.46	4.4	0.02	0.06	21.1
1568195	472328	7082056	981	0.59	0.009	0.44	1.83	52	468	0.26	0.6	0.37	36.1	13.4	26	43.3	3.03	5.2	0.04	0.06	18.3
1568196	472333	7082023	979	0.545	0.006	0.32	1.77	45	492	0.26	0.57	0.3	34.8	12.4	26	36.5	2.9	5	0.04	0.05	17.2
1568197	472335	7081998	978	0.47	0.005	0.28	1.53	39	440	0.24	0.53	0.29	35.6	11.4	23	32.8	2.74	4.7	0.04	0.05	17.7
1568198	472339	7081972	975	0.475	0.007	0.35	1.68	46	491	0.26	0.54	0.38	35.5	11.6	24	39.3	2.86	5	0.04	0.06	17.9
1568199	472333	7081949	975	0.59	0.008	0.39	1.6	71	436	0.28	0.51	0.46	38.5	11.9	23	41.6	3.04	4.8	0.04	0.08	18.6
1568200	472339	7081930	977	0.46	0.008	0.41	1.55	56	467	0.25	0.48	0.37	35.2	11.3	23	38.6	2.84	4.9	0.05	0.07	18.6
1568201	472335	7081899	979	0.48	0.009	0.3	1.5	56	359	0.27	0.39	0.3	32.7	8.5	24	33.2	2.55	4.1	0.02	0.06	16.9
1568202	472332	7081874	977	0.455	0.004	0.22	1.39	31	427	0.25	0.45	0.3	38.4	10	26	31	2.58	4.5	0.06	0.05	18.6
1568203	472330	7081850	976	0.505	0.008	0.4	1.37	42	421	0.24	0.46	0.39	37.7	11.6	26	36.1	2.82	4.4	0.05	0.07	17.9
1568204	472335	7081825	974	0.54	0.009	0.56	1.48	93	412	0.29	0.5	0.39	38.4	12.3	27	40.6	3	4.3	0.05	0.07	17.7
1568205	472331	7081799	975	0.37	0.006	0.37	1.4	45	411	0.24	0.58	0.35	38.7	11.4	28	36.5	2.72	4.2	0.06	0.05	17.7
1568206	472336	7081773	977	0.43	0.014	0.7	1.41	123	334	0.31	0.63	0.83	46	14.6	26	57.2	3.27	4.3	0.06	0.15	21.2
1568207	472335	7081746	974	0.33	0.005	0.29	1.33	98	414	0.24	0.36	0.71	32.3	6.5	24	31.9	2.06	4	0.07	0.05	15.8
1568208	472331	7081668	972	0.325	0.007	0.18	1.34	30	349	0.18	0.41	0.3	30.7	7.7	23	21.9	2.29	4.4	0.11	0.04	14.7
1568209	472337	7081646	969	0.44	0.005	0.19	1.46	15	445	0.2	0.52	0.48	39.4	9.8	25	27.9	2.42	4.5	0.04	0.05	17.4
1568210	472537	7080801	955	0.34	0.003	0.23	1.43	23	501	0.23	0.49	0.31	39.8	11.2	27	31.7	2.53	4.6	0.05	0.05	18.9
1568211	472537	7080822	958	0.355	0.002	0.21	1.44	17	496	0.23	0.41	0.32	39.9	10	27	26.6	2.65	4.6	0.06	0.04	19.4
1568212	472538	7080850	958	0.45	0.003	0.17	1.55	20	411	0.25	0.25	0.16	50.4	10.1	24	28	2.76	4.8	0.05	0.04	23.7
1568213	472534	7080876	953	0.41	0.003	0.19	1.6	17	452	0.26	0.29	0.31	57.4	11	27	32	3.16	5.1	0.04	0.05	27.4
1568214	472539	7080902	959	0.47	0.006	0.17	1.49	18	281	0.22	0.28	0.19	40.1	9.3	26	23.7	2.67	5.2	0.03	0.04	19.2
1568215	472533	7080926	957	0.46	0.004	0.12	1.58	16	442	0.22	0.23	0.12	44.8	10.8	29	30.4	2.87	4.6	0.04	0.05	21.8
1568216	472536	7080951	960	0.41	0.003	0.24	1.56	17	563	0.22	0.34	0.17	45.3	9.2	27	35	2.94	5.2	0.05	0.05	21.5
1568217	472536	7080973	964	0.395	0.003	0.22	1.53	18	547	0.22	0.42	0.36	40.7	10.9	26	29.2	2.93	5.1	0.05	0.05	20.2

Sample_ID	NAD83 UTM8N Easting	NAD83 UTM8N Northing	Elevation (m)	WtKg	Au_FA_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	Hg_ppm	K_PCT	La_ppm
1568218	472537	7081002	965	0.415	0.003	0.2	1.63	21	507	0.23	0.41	0.26	41.6	10.4	30	29.9	2.85	4.8	0.04	0.05	19.8
1568219	472534	7081024	967	0.51	0.004	0.13	1.6	17	366	0.2	0.29	0.16	43.4	7.9	27	27	2.55	4.7	0.05	0.05	20.9
1568220	472537	7081054	970	0.44	0.005	0.16	1.68	23	461	0.22	0.35	0.17	43.2	9.9	30	31.7	2.9	5.3	0.05	0.05	20.6
1568221	472535	7081076	966	0.35	0.003	0.13	1.49	16	349	0.18	0.29	0.1	39.4	8.1	28	27.4	2.48	4.7	0.04	0.04	18.2
1568222	472531	7081101	970	0.515	0.005	0.35	1.52	44	518	0.28	0.35	0.22	39	10.6	29	37.3	3.01	4.5	0.06	0.05	18.6
1568223	472537	7081125	970	0.5	0.008	0.53	1.82	78	486	0.37	0.44	0.54	36.9	13	32	351	3.18	5.7	0.05	0.05	17.9
1568224	472535	7081150	972	0.485	0.006	0.31	1.71	61	473	0.27	0.41	0.15	37.3	10.2	34	37.2	3	5.2	0.05	0.05	19.4
1568225	472540	7081178	973	0.355	0.043	0.36	1.42	149	353	0.42	0.24	0.37	37.8	10.6	24	42.8	2.8	4	0.05	0.05	18.1
1568226	472535	7081200	973	0.415	0.007	0.3	1.51	72	446	0.29	0.38	0.16	37.7	10	28	35.1	2.72	4.5	0.04	0.06	19
1568227	472535	7081225	972	0.38	0.005	0.16	1.1	18	188	0.17	0.17	0.15	42.2	6.1	19	23.8	1.98	3.8	0.03	0.04	19.7
1568228	472536	7081249	975	0.425	0.003	0.14	1.29	18	309	0.18	0.27	0.14	38.3	7.1	23	25.6	2.12	3.9	0.02	0.04	19.5
1568229	472533	7081278	976	0.42	0.003	0.18	1.52	24	424	0.2	0.35	0.12	40.8	8.6	29	29.5	2.53	4.8	0.04	0.05	20
1568230	472534	7081301	977	0.52	0.003	0.16	1.54	28	375	0.21	0.35	0.14	38.9	8.2	28	27.6	2.57	4.9	0.03	0.05	19
1568231	472537	7081326	976	0.455	0.005	0.3	1.66	39	525	0.26	0.35	0.25	39.4	11.3	26	41.4	3.16	5	0.05	0.06	18.8
1568232	472538	7081353	975	0.48	0.007	0.42	1.45	74	407	0.26	0.36	0.28	35.9	9.7	25	44.3	2.77	4	0.05	0.05	17.7
1568233	472536	7081374	978	0.515	0.003	0.28	1.57	32	418	0.23	0.35	0.3	37.1	9.4	27	31.4	2.67	4.9	0.04	0.04	17.7
1568234	472537	7081398	978	0.435	0.003	0.19	1.34	19	371	0.2	0.29	0.33	37.6	7.8	24	25.5	2.46	4.4	0.05	0.04	17.4
1568235	472534	7081429	978	0.515	0.007	0.26	1.32	27	483	0.22	0.35	0.46	38.4	9.7	26	35.6	2.75	4.4	0.03	0.05	18.6
1568236	472534	7081451	977	0.435	0.003	0.28	1.47	25	430	0.22	0.41	0.24	38.2	9.3	26	30.3	2.62	5.1	0.04	0.05	17.6
1568237	472539	7081475	976	0.435	0.009	0.81	1.52	83	397	0.27	0.37	0.2	40.6	8.9	25	37.3	2.55	4.4	0.04	0.06	20.1
1568238	472538	7081507	976	0.36	0.005	0.58	1.56	39	479	0.24	0.45	0.58	38.7	10.1	27	40.9	2.85	4.7	0.07	0.05	18
1568239	472538	7081524	975	0.41	0.005	0.15	1.5	13	427	0.19	0.38	0.36	37.2	8.2	25	28.2	2.34	4.6	0.04	0.05	17.4
1568240	472535	7081553	978	0.44	0.005	0.15	1.29	11	361	0.18	0.29	0.36	41.7	7.4	24	27.7	2.39	4.1	0.04	0.04	20
1568241	472737	7082175	984	0.39	0.007	0.47	1.38	150	436	0.28	0.74	0.49	34	11.7	25	35.2	2.99	4.3	0.06	0.06	16.3
1568242	472732	7082153	981	0.455	0.017	0.44	1.56	286	412	0.45	0.55	0.43	39.9	12.8	26	40.6	2.89	4.4	0.1	0.09	18.7
1568243	472736	7082126	982	0.455	0.016	0.53	1.51	293	435	0.46	0.49	0.49	39.1	13	27	41.4	3.06	4.2	0.04	0.08	18.9
1568244	472735	7082098	980	0.42	0.013	0.36	1.44	178	466	0.36	0.48	0.48	37.8	12.1	28	40.1	2.89	4.3	0.05	0.08	18.5
1568245	472735	7082072	980	0.385	0.007	0.5	1.45	79	439	0.29	0.52	0.55	38.5	11.8	26	38.3	2.72	4.2	0.04	0.07	18
1568246	472738	7082047	982	0.41	0.006	0.49	1.56	71	408	0.27	0.52	0.52	38.1	11.1	27	39.2	2.98	4.3	0.04	0.06	18.3
1568247	472736	7081923	982	0.43	0.016	0.3	1.42	226	390	0.36	0.49	0.34	38.4	12.8	23	34.2	2.96	4.4	0.04	0.07	18.4
1568248	472735	7081899	983	0.435	0.004	0.09	1.52	35	261	0.23	0.31	0.07	40.8	7.9	23	19.9	2.36	4.4	0.03	0.05	19.6
1568249	472739	7081874	979	0.465	0.005	0.17	1.43	17	433	0.23	0.49	0.3	34.6	9.2	28	28.4	2.43	4.2	0.06	0.05	16.7
1568250	472735	7081823	980	0.43	0.004	0.18	1.46	35	385	0.21	0.44	0.33	37.2	9.3	24	27.5	2.62	4.5	0.05	0.05	18.1
1568251	472736	7081800	981	0.335	0.005	0.2	1.41	68	360	0.25	0.46	0.27	35.8	9	24	32.8	2.72	4.2	0.03	0.07	17
1568252	472736	7081775	981	0.365	0.007	0.27	1.38	88	474	0.28	0.64	0.31	39.7	11.8	25	35.2	2.66	4.2	0.03	0.05	17.9
1568253	472738	7081750	982	0.425	0.004	0.25	1.46	37	485	0.22	0.53	0.26	39.9	9.9	27	32.9	2.62	4.3	0.06	0.05	18.4
1568254	472740	7081722	984	0.565	0.005	0.35	1.3	60	461	0.24	0.5	0.35	39.4	10.6	26	36	2.58	4.2	0.05	0.06	18.6
1568255	472735	7081698	981	0.455	0.006	0.28	1.29	51	414	0.22	0.46	0.29	37.1	7.5	24	29.9	2.33	3.9	0.05	0.06	17
1568256	472734	7081674	982	0.395	0.003	0.24	1.42	31	536	0.22	0.54	0.39	36.5	10	27	29.2	2.81	4.5	0.04	0.05	17.1
1568257	472738	7081647	985	0.375	0.005	0.27	1.37	36	477	0.21	0.45	0.49	36.6	9.5	26	34.6	2.69	4.1	0.06	0.04	16.6
1568258	472737	7081623	982	0.37	0.003	0.21	1.37	17	446	0.2	0.32	0.6	33.1	7	25	32.9	1.93	4.2	0.04	0.04	16
1568261	472932	7082246		0.37	0.011	0.62	1	76	204	0.22	0.23	0.18	38.4	6.4	21	30.6	1.99	3.3	0.04	0.05	17.8
1568262	472932	7082218	979	0.365	0.008	0.2	1.09	82	222	0.27	0.18	0.12	37.5	7.6	21	28.2	2.12	3.6	0.04	0.05	17.8
1568263	472934	7082196	979	0.34	0.008	0.3	1.18	24	243	0.18	0.23	0.16	40.4	7.5	24	24.9	2.07	4	0.04	0.05	18.8

Sample_ID	NAD83 UTM8N Easting	NAD83 UTM8N Northing	Elevation (m)	WtKg	Au_FA_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	Hg_ppm	K_PCT	La_ppm
1568264	472934	7082167	979	0.42	0.003	0.32	1.29	20	310	0.18	0.28	0.17	40.6	7.1	25	26.9	2.25	4.1	0.05	0.05	19.1
1568265	472932	7082143	979	0.475	0.015	0.68	1.22	52	315	0.22	0.34	0.34	40.7	8.7	26	36	2.48	3.8	0.05	0.07	19.3
1568266	472935	7080828	948	0.51	0.003	0.18	1.21	35	270	0.21	0.22	0.17	41.7	8.6	23	24.4	2.18	3.9	0.01	0.04	19.9
1568267	472937	7080855	947	0.665	0.004	0.21	1.14	43	408	0.22	0.35	0.28	42.1	9	23	30.1	2.72	3.6	0.03	0.05	21.3
1568268	472936	7080877	953	0.44	0.002	0.16	1.09	16	223	0.17	0.21	0.12	32.6	6.3	20	14.4	1.86	3.9	0.03	0.04	15.3
1568269	472932	7080901	953	0.49	0.001	0.12	1.24	29	195	0.22	0.17	0.17	32.6	6.8	24	17.8	2.8	5	0.005	0.04	15.3
1568270	472936	7080926	957	0.45	0.003	0.13	1.2	14	351	0.17	0.31	0.17	36.2	7.9	25	24.3	2.2	4.1	0.005	0.04	17.5
1568271	472937	7080950	955	0.58	0.004	0.21	1.33	22	473	0.2	0.4	0.27	34.5	11.3	27	30.8	2.49	4.2	0.06	0.04	15.8
1568272	472932	7080975	960	0.505	0.005	0.25	1.49	24	482	0.21	0.51	0.27	37.5	11.8	30	33.8	2.75	4.5	0.06	0.05	18
1568273	472936	7080999	962	0.555	0.004	0.25	1.58	30	488	0.22	0.43	0.29	38.1	11.7	30	35.4	2.91	4.7	0.07	0.06	18.5
1568274	472936	7081023	963	0.645	0.006	0.19	1.32	19	401	0.19	0.42	0.14	38.4	9.9	29	29.6	2.45	4.4	0.03	0.05	18.4
1568275	472935	7081050	963	0.785	0.004	0.23	1.2	29	443	0.2	0.34	0.29	40.7	9.7	24	32.9	2.65	3.8	0.04	0.05	19.9
1568276	472936	7081074	965	0.61	0.009	0.51	1.47	105	396	0.29	0.39	0.24	41.4	11.5	29	46.5	3.04	4.5	0.06	0.06	20.9
1568277	472935	7081100	965	0.585	0.005	0.16	1.46	24	376	0.19	0.35	0.12	42.4	11.6	35	31.4	2.85	4.6	0.06	0.04	20.3
1568278	472936	7081125	967	0.6	0.011	0.37	1.81	75	401	0.16	0.51	0.79	44.6	34.5	161	46.4	5.3	6.4	0.1	0.05	21.9
1568279	472935	7081151	969	0.68	0.003	0.15	2.71	54	275	0.08	0.41	0.14	21.4	25.2	161	37.2	5.29	10.6	0.03	0.04	9.8
1568280	472940	7081176	971	0.665	0.008	0.55	1.18	412	376	0.26	0.31	0.8	57.5	9.7	25	33.9	2.76	4.5	0.16	0.05	26.2
1568281	472936	7081252	972	0.535	0.004	0.28	1.5	30	485	0.2	0.58	0.36	33.7	10.7	30	30.3	2.48	4.5	0.05	0.05	16.1
1568282	472937	7081275	973	0.545	0.006	0.37	1.39	49	462	0.23	0.42	0.53	39.1	12.9	27	35.1	2.84	4.6	0.04	0.05	18.7
1568283	472934	7081303	976	0.73	0.006	0.35	1.64	48	454	0.24	0.46	0.33	35.2	10.2	30	34.4	2.79	4.9	0.04	0.05	17.2
1568284	472937	7081328	977	0.63	0.005	0.44	1.45	42	434	0.22	0.42	0.36	34.6	8.6	27	35.8	2.73	4.6	0.04	0.06	17.3
1568285	472934	7081350	975	0.56	0.01	0.83	1.47	60	401	0.24	0.38	0.67	48	11.6	30	57.3	2.92	4.8	0.04	0.1	21.7
1568286	472938	7081377	977	0.705	0.011	0.6	1.15	77	361	0.25	0.43	0.66	41.3	11.3	23	42.6	2.79	3.9	0.03	0.07	19.9
1568287	472937	7081401	980	0.67	0.008	0.44	1.03	76	260	0.22	0.45	0.47	33.1	11.2	23	32.4	2.08	3.3	0.03	0.05	16.7
1568288	472937	7081425	979	0.455	0.002	0.12	1.06	14	297	0.14	0.4	0.24	31.9	6.6	19	17.1	1.9	3.7	0.02	0.04	15.3
1568289	472936	7081450	982	0.53	0.005	0.15	1.17	16	407	0.14	0.47	0.26	32.2	9.4	26	24.2	2.05	3.5	0.03	0.04	15.6
1568290	472936	7081475	981	0.51	0.004	0.23	1.54	24	544	0.19	0.61	0.54	36.5	11.4	28	33.9	2.77	4.8	0.05	0.05	17.2
1568291	472941	7081502	978	0.535	0.007	0.27	1.55	45	516	0.21	0.59	0.55	36.6	13.1	31	33.4	2.88	4.8	0.05	0.05	17.6
1568292	472935	7081526	981	0.78	0.004	0.27	1.47	71	481	0.23	0.45	0.38	37.9	10.4	26	35	2.68	4.4	0.04	0.06	18.4
1568293	472938	7081552	982	0.7	0.004	0.3	1.53	62	467	0.22	0.55	0.34	36	13.3	32	32.8	2.58	4.6	0.05	0.05	17.3
1568294	472938	7081575	982	0.74	0.01	0.31	1.34	58	405	0.23	0.38	0.26	36.8	8.8	26	27.4	2.62	4.6	0.04	0.06	18.8
1568295	472936	7081602	982	0.56	0.012	0.73	1.64	68	515	0.23	0.53	0.42	37.8	11.8	29	36.8	2.8	5	0.05	0.07	18.7
1568296	472935	7081627	985	0.515	0.005	0.22	1.45	53	413	0.2	0.39	0.34	36.3	8.4	28	30	2.58	4.9	0.04	0.05	17.4
1568297	472938	7081653	982	0.655	0.007	0.29	1.53	80	503	0.25	0.47	0.48	41.1	10.1	28	38.8	2.89	5.3	0.04	0.07	19.6
1568298	472938	7081678	982	0.53	0.006	0.23	1.44	28	535	0.19	0.46	0.45	36.1	9.9	25	31	2.63	4.6	0.05	0.04	17.1
1568299	472934	7081702	978	0.54	0.004	0.18	1.28	21	448	0.18	0.47	0.29	33.6	8.6	25	25.4	2.36	4.3	0.05	0.05	17.5
1568300	472935	7081726	981	0.525	0.007	0.23	1.4	44	469	0.22	0.44	0.29	36.4	10.2	26	29.7	2.51	4.4	0.04	0.05	17.3
1568451	472236	7081974	0	0.415	0.007	0.33	1.43	46	460	0.24	0.47	0.42	39.3	10.8	26	33	2.71	4.4	0.04	0.05	17.7
1568452	472232	7081949	0	0.505	0.004	0.27	1.47	27	543	0.21	0.55	0.4	37.5	9.8	30	33.7	2.87	4.8	0.04	0.06	18.1
1568453	472235	7081924	0	0.455	0.012	0.25	1.36	26	476	0.19	0.5	0.37	34.2	9.8	28	28.1	2.65	4.6	0.04	0.05	16.8
1568454	472239	7081900	0	0.345	0.006	0.3	1.38	39	438	0.21	0.43	0.31	35.2	10.2	26	27.6	2.46	4.7	0.05	0.06	17.4
1568455	472236	7081875	0	0.425	0.007	0.38	1.38	71	391	0.23	0.38	0.23	37.3	9.2	28	28.5	2.47	4.3	0.04	0.06	18.8
1568456	472235	7081799	0	0.525	0.005	0.42	1.45	33	440	0.2	0.5	0.45	38	11.5	29	32.8	2.73	4.7	0.05	0.08	18.7
1568457	472237	7081775	0	0.44	0.009	0.46	1.33	42	510	0.21	0.76	0.68	34.1	11.6	27	32.8	2.62	4	0.05	0.05	16.7

Sample_ID	NAD83 UTM8N Easting	NAD83 UTM8N Northing	Elevation (m)	WtKg	Au_FA_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	Hg_ppm	K_PCT	La_ppm
1568458	472235	7081750	0	0.4	0.008	0.29	1.23	63	403	0.2	0.44	0.52	35.6	10.9	26	32.4	2.68	3.9	0.03	0.06	17.4
1568459	472236	7081725	0	0.37	0.006	0.37	1.5	76	504	0.22	0.69	0.65	32.5	14.3	29	34.4	2.95	4.7	0.04	0.06	15.1
1568468	472237	7081824	0	0.55	0.009	0.33	1.17	30	412	0.19	0.35	0.26	36.7	8.3	28	30.8	2.46	4.1	0.04	0.07	18.4
1568469	472238	7081850	0	0.395	0.006	0.33	1.42	28	389	0.19	0.36	0.42	38.5	9.8	27	33.6	2.61	4.6	0.06	0.07	17.9
1568801	471832	7081253	968	0.275	0.003	0.17	1.34	8	423	0.15	0.38	0.33	34.4	9	24	20.5	1.77	4	0.04	0.04	15.3
1568802	471834	7081225	968	0.34	0.005	0.21	1.17	12	478	0.15	0.52	0.3	33.4	10	24	23.5	2.19	3.7	0.04	0.04	15.3
1568803	471835	7081200	969	0.395	0.005	0.15	1.18	13	431	0.15	0.44	0.22	36	9.2	22	25.6	2.43	4	0.05	0.04	17
1568804	471834	7081176	970	0.31	0.002	0.11	1.2	15	336	0.14	0.34	0.21	38	8.2	25	26.7	2.21	3.9	0.02	0.04	17.5
1568805	471834	7081150	970	0.37	0.005	0.19	1.43	25	435	0.18	0.39	0.18	35.4	9.7	27	25.1	2.34	4.1	0.05	0.04	17.5
1568806	471829	7081123	970	0.37	0.003	0.21	1.54	22	455	0.18	0.44	0.21	34.1	8.4	27	26.4	2.49	4.8	0.05	0.05	17.6
1568807	471831	7081102	971	0.43	0.004	0.14	1.33	35	360	0.19	0.25	0.16	38.1	7.4	26	27.1	2.38	4.3	0.04	0.04	18.7
1568808	471843	7081072	971	0.375	0.007	0.11	1.35	32	429	0.2	0.24	0.15	41.1	7.1	25	27.4	2.6	4.4	0.03	0.03	19.6
1568809	471828	7081049	970	0.29	0.003	0.18	1.43	34	406	0.2	0.28	0.12	34.7	9.1	28	27.1	2.6	4.6	0.03	0.04	17
1568810	471828	7081027	970	0.385	0.004	0.1	1.37	38	337	0.19	0.21	0.12	37.3	8.4	27	27.3	2.27	4.2	0.02	0.04	19.2
1568811	471838	7080999	971	0.435	0.009	0.16	1.25	83	373	0.24	0.28	0.19	37.5	9.4	25	40.4	2.65	4.4	0.05	0.04	18.8
1568812	471832	7080972	971	0.31	0.004	0.15	1.66	27	286	0.19	0.19	0.12	33.9	7.1	28	22.7	2.41	5.4	0.02	0.04	17.3
1568813	471831	7080947	971	0.35	0.005	0.15	1.39	44	382	0.22	0.26	0.11	37.9	8.2	27	31.6	2.61	4.6	0.07	0.04	18.1
1568814	471832	7080923	971	0.34	0.006	0.11	1.47	35	425	0.19	0.25	0.07	43.7	8.6	28	33.4	2.72	4.9	0.03	0.04	22
1568815	471838	7080898	972	0.355	0.004	0.09	1.47	30	277	0.17	0.27	0.07	44.7	9.4	29	26.7	2.53	4.4	0.01	0.04	22.1
1568816	471833	7080874	968	0.395	0.006	0.15	1.19	31	389	0.17	0.33	0.12	42.9	8.4	25	29.4	2.49	3.7	0.08	0.04	21.2
1568817	471833	7080849	967	0.365	0.005	0.08	1.28	33	248	0.18	0.27	0.06	36.6	6.6	22	25.4	2.11	3.8	0.05	0.03	18.2
1568818	471839	7080825	966	0.385	0.005	0.08	1.22	22	239	0.19	0.22	0.06	35.3	6.9	23	21.7	2.18	3.7	0.03	0.03	17.6
1568819	471833	7080798	965	0.32	0.004	0.06	1.19	16	247	0.18	0.2	0.08	34.5	6.3	23	20.9	2.09	3.8	0.05	0.03	17.2
1568820	472036	7080800	965	0.415	0.005	0.08	1.31	40	168	0.26	0.09	0.1	42	7.5	20	26.2	2.56	3.9	0.03	0.04	20.6
1568821	472032	7080828	975	0.38	0.004	0.08	1.52	25	247	0.23	0.15	0.06	65.5	11.6	31	32.1	3.38	4.9	0.03	0.05	32.1
1568822	472032	7080850	976	0.36	0.002	0.06	1.64	11	192	0.26	0.13	0.04	65.2	10.4	26	31.9	3.27	4.9	0.02	0.04	32.4
1568823	472033	7080878	977	0.4	0.009	0.18	1.49	53	275	0.24	0.17	0.07	54.7	10.3	24	38.4	2.88	4.1	0.02	0.03	26.5
1568824	472033	7080897	976	0.345	0.013	0.2	1.37	30	355	0.18	0.19	0.15	34.4	9.1	21	31.4	2.45	3.9	0.04	0.04	18.2
1568825	472032	7080927	978	0.375	0.005	0.11	1.3	23	172	0.19	0.16	0.08	29.4	6.1	21	21.3	2.29	4.1	0.005	0.03	14.1
1568826	472033	7080952	978	0.425	0.009	0.17	2.03	46	403	0.24	0.14	0.08	38.4	10.3	25	40.1	2.86	5.3	0.02	0.04	20
1568827	472036	7080979	979	0.39	0.006	0.21	1.55	37	273	0.21	0.11	0.09	37.3	9.5	26	33.1	2.38	4.3	0.04	0.03	17.9
1568828	472035	7080996	979	0.4	0.012	0.23	1.32	86	240	0.27	0.11	0.1	35.7	9.6	23	31.6	2.38	3.9	0.05	0.03	17.6
1568829	472032	7081026	979	0.37	0.003	0.11	1.37	21	315	0.17	0.2	0.08	32.3	7.9	21	26.6	2.19	3.7	0.04	0.03	16.1
1568830	472033	7081051	980	0.39	0.008	0.23	1.33	84	228	0.27	0.06	0.14	44.1	10.9	21	41.7	2.55	3.6	0.05	0.03	20.5
1568831	472033	7081075	981	0.4	0.006	0.1	1.6	27	359	0.23	0.13	0.06	50.9	11.4	26	33.2	2.76	4.5	0.05	0.03	25.1
1568832	472039	7081101	981	0.365	0.021	0.32	1.38	104	141	0.28	0.1	0.1	59.8	12.2	23	47.7	3.2	4	0.02	0.03	28.5
1568833	472031	7081125	980	0.375	0.017	0.22	1.61	174	144	0.35	0.08	0.14	54.7	13.2	23	54.6	3.39	4.5	0.03	0.03	25.8
1568834	472033	7081154	979	0.365	0.004	0.25	1.75	33	282	0.22	0.09	0.08	41	10.6	29	31	2.76	4.8	0.05	0.03	19.5
1568835	472036	7081178	978	0.335	0.015	0.15	1.42	63	155	0.22	0.08	0.14	40.2	9	22	40.9	2.91	4.5	0.06	0.03	17.2
1568836	472030	7081200	974	0.45	0.011	0.17	1.46	49	322	0.2	0.31	0.2	31.9	9.7	25	32.9	2.45	3.8	0.03	0.03	15.4
1568837	472031	7081235	973	0.365	0.003	0.18	1.11	17	514	0.18	0.34	0.25	33.1	8.4	24	29.7	2.59	3.3	0.06	0.03	17
1568838	472032	7081253	972	0.415	0.007	0.24	1.25	29	541	0.23	0.44	0.34	35	10.5	26	33.5	2.82	3.9	0.08	0.04	17.3
1568839	472037	7081277	971	0.37	0.004	0.18	1.11	23	523	0.19	0.39	0.27	35.8	9.7	25	32.1	2.52	3.6	0.04	0.03	17.2
1568840	472035	7081297	970	0.44	0.006	0.23	1.21	30	475	0.2	0.44	0.35	31.7	10.8	24	35.1	2.79	3.9	0.05	0.03	15.5

Sample_ID	NAD83 UTM8N Easting	NAD83 UTM8N Northing	Elevation (m)	WtKg	Au_FA_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	Hg_ppm	K_PCT	La_ppm
1568841	472032	7081328	967	0.325	0.004	0.22	1.25	14	569	0.21	0.41	0.33	29.1	10.9	23	27.2	2.44	4	0.06	0.03	13.6
1568842	472030	7081347	966	0.375	0.004	0.12	1.13	12	347	0.18	0.29	0.2	30.8	7.7	23	21.7	2.46	4.1	0.04	0.03	14.4
1568843	472032	7081374	965	0.445	0.006	0.14	0.97	40	270	0.21	0.27	0.29	29.6	8.4	19	19.3	2.18	3.5	0.19	0.03	13.2
1568851	472136	7082399	975	0.435	0.03	0.13	1.15	194	346	0.41	0.3	0.13	32.6	7.3	24	23.4	2.14	3.7	0.03	0.04	16.2
1568852	472136	7082367	974	0.425	0.01	0.18	1.28	79	432	0.3	0.35	0.24	33.5	7.8	26	27.1	2.48	4.2	0.03	0.04	16.4
1568853	472139	7082344	975	0.405	0.006	0.26	1.33	34	560	0.24	0.41	0.54	34.6	10.6	26	28.2	2.55	4.4	0.05	0.04	16.5
1568854	472137	7082324	975	0.42	0.007	0.24	1.23	50	489	0.25	0.35	0.39	31.8	9.8	25	25.8	2.46	4	0.05	0.04	15.2
1568855	472132	7082304	975	0.46	0.006	0.18	1.22	18	451	0.18	0.38	0.39	31.1	7.3	25	26.7	2.12	4.1	0.05	0.04	14.8
1568856	472136	7082274	975	0.425	0.005	0.25	1.23	25	432	0.21	0.4	0.49	29.1	8.7	25	28.5	2.34	4.2	0.05	0.04	13.9
1568857	472133	7082249	975	0.365	0.004	0.23	1.34	27	319	0.22	0.35	0.34	30	7.9	27	24.1	2.25	4.2	0.04	0.04	14.3
1568858	472132	7082224	973	0.49	0.024	0.22	1.2	122	371	0.32	0.34	0.28	28.9	9.5	24	25.1	2.46	3.8	0.03	0.04	14.8
1568859	472130	7082200	974	0.445	0.007	0.2	1.18	52	430	0.26	0.43	0.32	29.1	10.1	25	27.3	2.36	4	0.04	0.04	14.4
1568860	472134	7082172	974	0.43	0.006	0.32	1.36	48	424	0.25	0.43	0.45	32.4	9.7	27	34.4	2.87	4.5	0.04	0.05	15.4
1568861	472134	7082154	974	0.355	0.008	0.31	1.26	60	413	0.23	0.38	0.29	30.4	8.8	27	33.1	2.42	4.1	0.04	0.05	14.9
1568862	472136	7082122	973	0.5	0.006	0.22	1.34	44	386	0.21	0.38	0.25	31.1	8.9	27	28.4	2.42	4.6	0.04	0.04	15
1568863	472137	7082103	973	0.485	0.005	0.2	1.35	35	368	0.22	0.47	0.19	30.4	9.8	26	25.8	2.43	4.1	0.02	0.04	14.2
1568864	472134	7082071	972	0.425	0.014	0.3	1.35	103	425	0.37	0.45	0.25	30.7	9.6	27	28.4	2.74	4.4	0.17	0.05	15.5
1568865	472134	7082047	971	0.425	0.01	0.3	1.28	61	473	0.26	0.43	0.33	29.3	9.3	27	32.7	2.5	4	0.04	0.04	15.1
1568866	472135	7082022	972	0.36	0.014	0.24	1.25	53	351	0.24	0.42	0.3	26.3	8.8	24	20.7	2.34	3.9	0.05	0.04	12.1
1568867	472135	7082005	971	0.41	0.006	0.27	1.37	59	428	0.26	0.35	0.42	31	9.8	26	30.4	2.86	4.5	0.05	0.04	13.8
1568868	472135	7081972	970	0.33	0.005	0.2	1.23	28	389	0.22	0.35	0.5	27	5.9	24	21.2	2.22	4.4	0.05	0.03	13.2
1568869	472140	7081948	970	0.455	0.007	0.21	1.35	36	435	0.25	0.35	0.4	32.4	8.6	24	21.1	2.56	4.6	0.05	0.04	14.5
1568870	472135	7081924	970	0.385	0.007	0.22	1.25	34	407	0.21	0.44	0.41	29.9	9	27	27.4	2.57	4.6	0.05	0.04	14.2
1568871	472134	7081903	970	0.365	0.006	0.17	1.25	36	413	0.19	0.46	0.31	29.8	10.6	25	24.6	2.64	4	0.04	0.04	13.9
1568872	472135	7081874	969	0.275	0.005	0.18	1.26	16	390	0.19	0.57	0.34	26.1	5.7	23	22.6	1.97	4.4	0.06	0.04	12.3
1568873	472135	7081851	969	0.395	0.027	0.24	1.27	35	473	0.22	0.61	0.42	29.9	9.9	26	26.7	2.6	4.2	0.03	0.04	14.4
1568874	472135	7081819	968	0.46	0.012	0.35	1.29	84	431	0.31	0.67	0.56	30.5	11.9	25	35.6	2.86	4.2	0.05	0.05	14.1
1568875	472131	7081799	968	0.41	0.027	0.6	1.25	151	426	0.38	0.93	0.84	31	13.1	26	45.9	2.75	3.8	0.05	0.07	14.7
1568876	472137	7081772	967	0.425	0.006	0.22	1.16	29	517	0.22	0.5	0.63	30.2	9.5	26	29.9	2.55	4	0.05	0.04	14.4
1568877	472134	7081749	967	0.42	0.006	0.21	1.23	59	450	0.2	0.4	0.63	31.2	10	28	30.7	2.71	4	0.06	0.04	15.1
1568878	472133	7081701	966	0.41	0.007	0.2	1.29	58	434	0.18	0.39	0.48	27.8	7.4	24	23.1	1.84	4	0.07	0.03	12.6
1568879	472132	7081674	967	0.435	0.007	0.27	1.31	65	429	0.23	0.31	0.55	28.4	7.9	27	27.9	2.05	4.4	0.06	0.04	13.3
1568880	472135	7081625	967	0.31	0.004	0.13	1.11	59	348	0.15	0.29	0.26	24.8	5.5	20	17.4	1.82	3.4	0.04	0.03	12.1
1568881	472134	7081576	966	0.36	0.004	0.17	1.18	19	414	0.17	0.37	0.53	26.1	4.8	24	20.7	1.49	3.8	0.05	0.03	12.9
1568882	472116	7081547	966	0.26	0.004	0.17	1.26	39	401	0.16	0.37	0.43	25.5	6.4	23	23.2	1.69	3.7	0.04	0.03	12.3
1568883	472424	7080799	959	0.23	0.008	0.67	1.59	87	674	0.25	1.08	1.69	45.3	21.5	27	42.3	3.15	3.8	0.09	0.04	22
1568884	472434	7080832	959	0.21	0.003	0.99	1.1	25	545	0.17	2.95	0.83	18.5	6.5	16	33.9	1.27	3.3	0.11	0.02	9
1568885	472435	7080850	961	0.335	0.012	0.67	1.27	117	330	0.43	0.56	0.75	32.9	12.2	25	45.4	2.88	4.1	0.06	0.05	16.3
1568886	472935	7082122	979	0.33	0.004	0.26	1.39	18	395	0.2	0.37	0.32	33.8	8.8	25	26.8	2.53	4.6	0.05	0.04	15.6
1568887	472437	7080876	962	0.38	0.029	0.26	1.15	38	505	0.21	0.54	0.44	34.3	10.3	24	29.8	2.07	3.5	0.04	0.03	15.9
1568888	472432	7080895	962	0.375	0.009	0.21	1.02	104	240	0.31	0.22	0.34	29.9	10.3	20	31.3	2.38	3.3	0.02	0.03	15.1
1568889	472437	7080928	965	0.225	0.008	1.22	2.55	98	593	0.49	0.14	0.96	46.5	40.6	42	49.5	4.92	8.2	0.04	0.12	20.7
1568890	472436	7080947	964	0.42	0.008	0.32	1.57	86	384	0.33	0.24	0.31	37.8	12.6	28	36	3.37	5.3	0.04	0.04	19.1
1568891	472434	7080978	966	0.365	0.004	0.14	1.48	22	216	0.19	0.1	0.18	34.5	8.8	26	23.8	2.71	4.7	0.02	0.03	16.4

Sample_ID	NAD83 UTM8N Easting	NAD83 UTM8N Northing	Elevation (m)	WtKg	Au_FA_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	Hg_ppm	K_PCT	La_ppm
1568892	472434	7080999	967	0.395	0.005	0.12	1.44	22	330	0.19	0.17	0.14	39.7	7.8	28	25.9	2.56	4.5	0.02	0.03	18.4
1568893	472436	7081024	968	0.32	0.005	0.11	1.47	24	282	0.2	0.16	0.13	35.4	8.6	30	26.8	2.76	4.9	0.03	0.04	17.4
1568894	472435	7081047	970	0.395	0.01	0.12	1.23	19	297	0.17	0.16	0.12	38.9	7.6	23	23.2	2.32	4	0.01	0.03	19.2
1568895	472433	7081078	971	0.36	0.004	0.08	1.38	16	182	0.17	0.12	0.17	30.4	7.5	26	20.9	2.28	4.4	0.05	0.04	14.3
1568896	472437	7081102	972	0.355	0.005	0.11	1.44	24	273	0.19	0.15	0.08	39.3	8.9	29	25.7	2.54	5	0.005	0.03	19.8
1568897	472434	7081130	973	0.335	0.008	0.1	1.35	22	144	0.18	0.1	0.09	27.4	6.3	29	15.4	2.2	5	0.01	0.03	13.2
1568898	472435	7081154	974	0.4	0.004	0.09	2.01	23	124	0.17	0.12	0.08	36.5	7.4	38	18	2.64	5.6	0.04	0.05	17
1568899	472437	7081180	974	0.345	0.006	0.07	2.33	24	264	0.17	0.21	0.06	42.6	12.2	55	30.6	3.04	6	0.06	0.05	21
1568900	472438	7081206	975	0.34	0.004	0.11	1.78	24	190	0.17	0.15	0.09	37.7	7.2	26	21.5	2.51	4.5	0.04	0.05	17.6

Sample_ID	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	Rb_PCT	Sb_ppm	Sc_ppm	Sn_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm
10951	0.37	185	0.46	0.03	18.7	1030	9.8	0.007	2.73	2.5	5.5	40.8	3.3	0.03	0.1	2.93	33	0.3	7.12	76
10952	0.44	143	0.58	0.02	20.8	880	13.9	0.008	2.18	2.7	0.4	21.5	2.7	0.03	0.1	1.78	36	0.2	6.31	65
10953	0.48	368	1.07	0.02	24.4	980	17.1	0.01	2.77	3.3	0.4	23.6	5.3	0.03	0.12	2.48	39	0.2	8.48	85
10954	0.48	527	1.17	0.03	26.2	1020	21.9	0.0098	3.4	3	0.3	23.9	5.7	0.03	0.11	1.74	33	0.6	8.3	81
10955	0.38	311	1.46	0.02	16.7	350	12.7	0.0094	2.37	1.8	0.5	14.6	3	0.06	0.11	0.46	59	0.2	2.45	59
10956	0.53	498	0.75	0.03	30	900	17.5	0.0085	2.83	3	0.15	23.1	8.6	0.03	0.08	1.7	29	0.1	9.38	78
10957	0.6	501	0.87	0.03	30.9	920	18.4	0.0098	4.1	3.4	0.15	27.1	7.9	0.03	0.08	1.41	32	0.2	9.88	87
10958	0.67	895	0.95	0.02	33.6	920	20.5	0.0088	6.26	3.1	0.15	23.9	8	0.03	0.09	1.05	29	0.1	8.59	84
10959	0.66	516	1.02	0.02	35	930	22.8	0.0089	8.35	3.1	0.15	26.9	7.4	0.03	0.08	1.26	32	0.1	8.96	87
10960	0.82	540	1.06	0.02	44.7	910	18.3	0.0073	12.3	3.7	0.15	24.6	6.2	0.05	0.09	0.81	37	0.1	7.37	85
10961	0.83	709	1.25	0.02	49.6	1020	22.5	0.007	15.4	3.4	0.15	24.7	10.4	0.04	0.09	0.52	30	0.05	9.12	99
10962	0.92	603	1.23	0.02	70	1070	17.8	0.0065	43.5	5.2	0.3	31.4	4.4	0.07	0.09	0.59	54	0.1	6.58	95
10963	0.52	322	1.48	0.03	36.9	930	13.1	0.0076	9.83	3.9	0.4	28.5	5.4	0.06	0.09	0.83	44	0.2	7.85	79
10964	0.5	271	1.1	0.03	27.2	940	8.4	0.0077	1.26	3.9	0.4	29.1	4.4	0.07	0.09	0.78	47	0.3	8.66	70
10965	0.51	302	1.38	0.03	27.8	1010	12.4	0.0083	2.35	4.2	0.5	31.1	5.1	0.07	0.09	1.1	50	0.3	8.85	81
10966	0.55	350	1.44	0.04	29.2	1060	13.6	0.0084	3.01	4.1	0.4	32.5	5.7	0.07	0.1	0.77	50	0.2	9.01	96
10967	0.43	394	1.04	0.03	24.9	860	15.9	0.007	5.69	3.3	0.3	22.1	6.5	0.04	0.08	0.77	36	0.4	7.18	74
10968	0.44	233	0.92	0.02	20.5	780	12	0.0084	2.83	2.5	0.4	18.8	2.5	0.05	0.09	0.78	38	0.2	5.93	59
10969	0.38	108	0.6	0.02	14.8	940	9.7	0.008	0.66	1.7	0.4	20	1	0.04	0.12	0.83	36	0.1	4.2	53
10970	0.42	137	0.76	0.02	18.4	1150	10.9	0.0092	0.86	2.5	0.4	26.4	2.1	0.04	0.11	1.24	40	0.2	5.78	56
10971	0.37	132	0.93	0.02	15.6	1040	10.5	0.0089	1.03	2.5	0.4	21.2	1.8	0.03	0.11	1.18	38	0.2	4.78	52
10972	0.46	307	1.03	0.02	21.6	950	12.2	0.0074	1.54	3.4	0.4	23.5	3.6	0.04	0.09	1.26	42	0.2	6.9	71
10973	0.49	296	1.19	0.02	23.6	1020	12.3	0.0069	2.32	3.5	0.4	27.6	4.2	0.05	0.08	1.63	42	0.2	7.03	69
10974	0.51	431	1.28	0.03	29.1	1060	13.4	0.0084	1.84	3.9	3.5	27	4.5	0.05	0.1	1.25	46	0.2	8.84	79
10975	0.51	421	1.28	0.02	29.5	840	14.5	0.008	1.95	4.5	0.6	30.6	4.7	0.06	0.09	2.25	46	0.3	9.04	81
10976	0.49	467	1.11	0.02	25.1	810	11.7	0.0079	1.49	4.1	0.4	25.9	4	0.06	0.08	2.11	45	0.3	7.94	67
10977	0.43	312	1.14	0.02	21.1	770	13.7	0.0081	1.59	3.8	0.5	18.8	4.4	0.06	0.08	1.25	43	0.2	7.08	67
10978	0.48	231	1.01	0.02	23.1	950	10.7	0.007	1.22	3.7	0.5	25.3	4.6	0.06	0.08	1.76	43	0.2	7.56	68
10979	0.52	440	1.2	0.02	29.2	880	13.3	0.0073	1.5	4.6	0.4	30.5	4.8	0.06	0.09	1.58	48	0.2	8.7	77
10980	0.54	598	1.77	0.02	34.7	920	27.4	0.0087	6.69	4	0.4	46.4	6.8	0.06	0.16	0.65	36	0.2	8.95	103
10981	0.48	271	1.16	0.02	29.5	880	15.3	0.0067	2.4	4.3	0.4	32.3	5.1	0.07	0.08	1.19	42	0.2	9.21	82
10982	0.58	543	1.97	0.02	38	1090	33	0.0079	3.75	4.1	0.5	23.1	6.3	0.05	0.2	0.69	38	0.2	9.04	111
10983	0.47	264	1.08	0.02	26.6	800	18.2	0.0066	2.01	3.8	0.7	19.6	4.6	0.05	0.12	0.97	35	0.1	7.8	68
10984	0.53	452	1.36	0.02	30.1	990	31.4	0.0072	2.93	4	0.4	25.3	5.2	0.05	0.2	1.25	40	0.1	8.31	90
10985	0.48	403	1.54	0.02	27.9	990	26.8	0.0073	1.98	3.8	0.4	20.8	5.1	0.05	0.14	0.84	40	0.2	8.08	85
10986	0.46	400	1.45	0.02	26.5	920	23.5	0.008	1.71	3.6	0.3	19.6	4.2	0.05	0.15	1.06	38	0.2	7.6	80
10987	0.46	323	1.4	0.02	27.4	1010	23	0.0073	2.68	3.3	0.3	17.8	4.9	0.05	0.17	0.69	33	0.1	7	86
10988	0.54	319	1.09	0.02	23.1	780	15.2	0.0077	2.29	3.7	0.4	22.7	4.2	0.07	0.08	0.96	42	0.3	6.96	64
10989	0.5	408	1.43	0.02	28.8	990	18.5	0.0078	3.68	4.2	0.4	28	4	0.05	0.1	1.48	42	0.2	8.44	77
10990	0.45	304	1.01	0.02	25.1	920	11.2	0.0077	2.45	4.2	0.4	31.6	4.2	0.06	0.07	2.38	40	0.2	8.39	65
10991	0.44	283	0.99	0.02	22.3	800	12.6	0.0074	3.82	3.9	0.5	21.9	4	0.05	0.07	3.43	41	0.2	7.55	68
10992	0.52	340	0.76	0.03	28.6	610	19	0.0102	5.69	4.4	0.5	33.8	6.4	0.12	0.1	0.67	42	0.1	10.1	86
10993	0.44	250	0.9	0.02	24.6	810	11.4	0.0059	1.69	3.5	0.4	30.2	5	0.06	0.07	0.8	39	0.2	7.41	74
10994	0.41	200	0.93	0.02	21.8	1030	10.5	0.0065	1.03	3.5	0.4	31.2	3.1	0.06	0.09	2.33	39	0.3	7.38	68

Sample_ID	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	Rb_PCT	Sb_ppm	Sc_ppm	Sn_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm
11651	0.36	201	0.99	0.01	19.3	280	16.8	0.0073	2.22	2.8	0.6	9.5	4.1	0.04	0.09	0.79	37	0.05	5.28	62
11652	0.33	147	0.69	0.01	14.9	490	10.1	0.0056	0.74	2.4	0.5	11	1.9	0.03	0.07	0.66	31	0.2	6.07	54
11653	0.34	222	0.75	0.01	16	610	10	0.0049	0.72	2.2	0.5	12.2	1.3	0.04	0.07	0.62	33	0.05	6.38	60
11654	0.38	182	0.96	0.005	18.6	350	13.4	0.0078	1.06	3.1	0.6	8.5	3.6	0.04	0.08	0.54	48	0.1	5.07	58
11655	0.41	173	0.96	0.01	17.6	380	11.8	0.0077	0.74	3.9	0.6	9.8	3.1	0.04	0.08	0.74	47	0.05	6.97	60
11656	0.44	331	0.98	0.01	23.2	310	13.8	0.0075	1.23	5.3	0.7	10.4	4.2	0.06	0.09	0.75	52	0.1	10.7	65
11657	0.34	412	0.81	0.005	18.3	370	20.1	0.0067	4.77	2.2	0.5	6.9	3.5	0.02	0.09	0.32	22	0.05	4.45	57
11658	0.39	190	1	0.005	19.4	320	22	0.0072	1.78	3.2	0.5	7.7	5.2	0.04	0.1	0.58	38	0.05	5.96	63
11659	0.5	203	1.25	0.005	19.8	640	15.2	0.0078	2.21	2.7	0.9	16.7	2.9	0.07	0.11	0.69	48	0.3	5.77	55
11660	0.51	148	0.87	0.005	16.7	860	10.6	0.0071	1.21	2.9	0.9	19.6	4.3	0.07	0.09	0.94	43	0.3	6.62	50
11661	0.51	209	0.87	0.005	18.2	740	11.7	0.0066	1.45	2.7	0.8	17.5	4.8	0.07	0.09	0.74	40	0.2	6.59	52
11662	0.56	352	1.19	0.01	23.9	940	16.3	0.009	1.79	3.7	0.5	24.3	4.3	0.06	0.11	0.99	48	0.2	7.56	76
11663	0.59	222	1	0.01	24.2	1100	10.6	0.0076	1.04	3.6	0.5	26.6	4.4	0.07	0.1	1.3	46	0.2	8	73
11664	0.51	223	1.04	0.005	21.9	690	17	0.006	1.41	2.8	0.3	15.1	4.9	0.06	0.1	0.68	38	0.2	6.72	66
11665	0.55	352	0.86	0.005	27.2	800	14.2	0.0082	2.67	2.8	0.4	18.3	8.4	0.04	0.12	1.32	30	0.2	6.85	78
11666	0.46	140	0.82	0.005	21.7	1060	17.1	0.0066	1.94	2.8	0.8	17.4	4.5	0.04	0.11	0.96	34	0.2	6.34	69
11667	0.39	114	0.9	0.005	18.8	1130	12.9	0.0065	1.07	2.1	0.8	16.9	1.3	0.04	0.1	0.9	36	0.3	5.89	56
11668	0.38	485	1.38	0.02	27.1	880	12.2	0.0091	3.6	3.2	0.5	26.3	5.7	0.11	0.12	2.24	44	0.2	6.87	75
11669	0.76	270	0.75	0.005	23.2	810	7.5	0.0128	1	2.6	0.6	16.4	8.5	0.06	0.15	1.51	29	0.3	6.45	74
11670	0.48	145	0.74	0.005	17.3	800	14.5	0.0056	1.08	2.5	0.3	13.4	4.2	0.06	0.1	0.73	38	0.2	6.86	53
11671	0.56	176	0.92	0.005	17.9	580	10.5	0.0094	0.87	3.2	0.6	11.3	5.7	0.07	0.12	0.9	49	0.2	5.59	50
11672	0.35	174	0.85	0.005	11.4	510	9.5	0.0086	0.68	1.4	0.6	8.3	1.8	0.05	0.1	0.41	44	0.2	2.24	37
11673	0.68	256	0.74	0.01	20.9	410	9.6	0.0103	0.69	3.1	0.6	28.1	6.3	0.08	0.13	0.86	40	0.2	6.6	54
11674	0.74	444	1.21	0.01	34.9	1180	23.4	0.0099	2.39	2.8	0.4	22.4	9.3	0.06	0.17	0.92	31	0.2	8.57	94
11675	0.69	281	0.91	0.01	25.6	720	11.7	0.0134	1.23	3.4	0.6	21	6.2	0.06	0.17	0.87	37	0.3	7.74	68
11676	0.59	337	1.11	0.005	27.3	890	16.3	0.0118	1.56	2.8	0.4	20.9	6.3	0.06	0.16	0.81	36	0.2	6.69	81
11677	0.62	380	1.33	0.02	27.8	1040	14.3	0.0088	1.37	3.9	0.5	31.1	5	0.06	0.11	1.34	46	0.3	8.59	82
11678	0.6	261	1.18	0.01	24.4	990	12.7	0.0076	1.38	3.5	0.4	25.4	5.2	0.06	0.11	1.15	40	0.2	7.96	81
11679	0.62	356	1.21	0.01	26.4	1100	14.9	0.0097	1.29	3.7	0.5	34.3	4.4	0.06	0.13	2.61	45	0.2	9.3	82
11680	0.5	82	0.42	0.01	19.1	940	11.5	0.0058	0.74	3.1	0.5	30.6	2.8	0.04	0.15	5.72	39	0.2	6.93	72
11681	0.63	408	1.29	0.01	28.5	990	13	0.0146	5.24	2.3	0.5	35.9	6	0.03	0.23	3.2	33	0.4	7.94	78
11682	0.64	490	0.94	0.005	31.7	940	13.2	0.0138	4.26	2.7	0.5	21.7	10.5	0.05	0.19	1.32	33	0.3	7.38	86
11683	0.41	357	1.43	0.02	23.1	730	11.9	0.0061	0.91	4.6	0.4	35.6	4.4	0.04	0.08	2.56	48	0.3	8.92	75
11684	0.44	330	1.23	0.02	21.7	770	13.1	0.0061	0.98	4.4	0.4	40.2	4.1	0.04	0.07	2.74	48	0.2	9.84	67
11685	0.46	404	1.18	0.02	29.8	650	18.1	0.0055	1.63	3.7	0.15	42.3	5.6	0.05	0.11	0.79	39	0.2	7.83	80
11686	0.39	361	1.23	0.02	21.1	640	18	0.0059	1.6	3.2	0.15	31.4	4.1	0.03	0.1	1.52	32	0.2	6.81	68
11687	0.43	304	1.24	0.02	22.7	610	16.3	0.0057	1.33	3.6	0.3	20.5	4	0.03	0.09	0.84	42	0.1	7.32	68
11688	0.46	443	1.8	0.02	28.4	670	22.6	0.0074	2.82	4.1	0.3	20.6	5.1	0.04	0.16	0.51	35	0.1	7.99	98
11689	0.44	244	1.03	0.01	26.7	670	20	0.0042	1.53	2.8	0.15	18.7	5	0.03	0.16	0.76	29	0.1	6.24	66
11690	0.4	254	1.25	0.02	22.3	580	15.8	0.0055	1.12	3.3	0.15	19.8	4.2	0.04	0.11	0.86	37	0.2	7.05	67
11691	0.37	170	1.21	0.01	19.2	780	13.4	0.0056	0.85	3.9	0.4	18.8	3.7	0.04	0.08	1.71	47	0.2	7.04	67
11692	0.27	123	0.42	0.01	14.9	540	9	0.0048	1.55	2.1	0.15	31.6	3.5	0.02	0.07	2.17	18	0.2	5.92	63
11693	0.32	125	0.53	0.01	15.7	580	10.1	0.0052	1.41	2.9	0.15	23.3	3	0.02	0.08	1.67	26	0.2	6.16	58
11694	0.38	170	0.92	0.01	23	560	17.5	0.0058	5.72	2.8	0.15	14.4	5.9	0.03	0.07	0.71	29	0.1	8.61	73

Sample_ID	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	Rb_PCT	Sb_ppm	Sc_ppm	Sn_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm
11695	0.33	402	1.95	0.02	19.3	370	13.1	0.0109	1.18	2.9	0.5	7.4	3.1	0.04	0.09	0.38	59	0.2	2.52	75
11696	0.2	86	0.73	0.01	9.1	280	7.9	0.0037	0.44	1.4	0.3	15.5	2.5	0.04	0.09	0.34	27	0.2	2.19	34
11697	0.45	402	1.84	0.02	29	650	11.4	0.0068	2.65	4.7	0.4	25.3	4.3	0.04	0.08	0.81	50	0.2	9.37	88
11698	0.46	602	2.69	0.03	29.6	770	11.5	0.0086	4.56	7	0.6	23.3	4.2	0.04	0.06	0.69	66	0.2	12.3	97
11699	0.44	285	1.49	0.02	27	660	13.4	0.0062	3.61	4.4	0.4	29.1	4.3	0.03	0.07	1.16	48	0.2	8.79	64
11700	0.45	349	1.64	0.02	30.2	570	13.6	0.0059	4.9	4.3	0.15	27.6	5.1	0.04	0.06	0.86	42	0.2	9.12	81
11701	0.47	307	1.06	0.02	21.9	620	11	0.0195	0.83	2.8	0.7	38	7.9	0.06	0.21	1.27	26	0.3	6.53	87
11702	0.47	404	0.7	0.02	24.8	510	7	0.0213	1.12	3.1	0.6	23.9	6.9	0.06	0.23	1.29	26	0.3	6.88	72
11703	0.57	394	0.8	0.01	28.7	490	7.7	0.0168	0.9	3.2	0.6	22.4	8.9	0.05	0.22	1.26	30	0.2	7.4	78
11704	0.63	472	0.53	0.02	33.1	370	7.7	0.0387	1.83	3	1	40.8	13.3	0.06	0.47	3.99	20	0.2	7.48	101
11705	0.48	224	0.99	0.02	27.4	560	12.8	0.0076	1.13	2.7	0.3	29.5	8	0.04	0.12	1.19	25	0.2	6.19	82
11706	0.44	292	1.23	0.02	25.6	660	12.7	0.0063	0.84	3.4	0.3	27.7	5.4	0.04	0.07	1.58	34	0.2	7.95	89
11707	0.5	309	1.25	0.02	31.6	630	15.9	0.0072	1.24	3.9	0.4	38.2	6.2	0.06	0.11	0.65	40	0.2	9.28	90
11708	0.4	229	1.03	0.02	24.7	700	13.6	0.0074	0.75	3.7	0.4	34.1	4	0.03	0.1	3.6	46	0.2	8.41	72
11709	0.26	68	0.27	0.02	12.5	480	10.1	0.0033	0.52	2.7	0.15	18.1	2.3	0.03	0.1	2.78	24	0.05	5.21	44
11710	0.29	84	0.59	0.02	14.1	560	9.2	0.0042	0.54	3.1	0.3	20.9	3	0.04	0.1	3.58	26	0.3	6.65	67
11711	0.39	112	0.73	0.01	21	730	19.8	0.0054	1.44	3.2	0.3	19.6	4.7	0.03	0.13	3.16	33	0.2	7.19	75
11712	0.36	163	0.8	0.02	20.4	790	14.6	0.0059	0.91	3.6	0.4	30	3.8	0.03	0.11	6.07	46	0.3	7.77	63
11713	0.38	132	0.74	0.01	21.9	730	12.5	0.0056	0.71	3.8	0.3	44.4	3.9	0.03	0.1	8.2	44	0.2	8.05	64
11714	0.41	564	1.3	0.02	24.9	780	14.4	0.0052	1.16	4.7	0.4	38.8	4.5	0.04	0.08	4.18	46	0.2	9.56	77
11715	0.48	310	1.06	0.02	33.9	630	19	0.0075	3.99	3.3	0.3	27.6	10.9	0.03	0.12	1.02	32	1.9	8.56	98
11716	0.26	98	0.4	0.01	12.4	680	8.1	0.0038	0.76	2.2	0.15	21.7	3.3	0.03	0.08	2.21	24	0.5	5.95	49
11717	0.22	66	0.27	0.01	9.8	760	7.8	0.0036	0.78	2	0.15	27.2	1.5	0.02	0.1	1.54	27	0.2	5.68	33
11718	0.35	254	1.23	0.02	21.4	830	13.7	0.0067	1.8	3.7	0.3	31.4	4	0.03	0.11	4.24	45	0.4	8.78	74
11719	0.37	640	0.93	0.02	22	640	14.8	0.0093	3.27	3.4	0.3	38.8	4.9	0.04	0.11	3.32	29	0.3	7.41	70
11720	0.35	544	1.14	0.02	22.6	750	12.7	0.006	0.95	4.1	0.3	31.7	3.8	0.03	0.1	2.23	45	0.2	8.5	64
11721	0.36	312	0.95	0.02	21.5	700	8	0.0059	0.62	3.5	0.3	25.8	3.7	0.04	0.07	0.88	34	0.2	7.44	64
11722	0.41	388	1.17	0.02	25.5	740	11.4	0.0057	0.87	4.1	0.3	30.8	4.3	0.05	0.08	1.42	42	0.3	8.29	73
11723	0.48	496	1.54	0.02	30.1	730	19.2	0.0073	1.53	5.1	0.4	33.6	4.8	0.06	0.1	0.56	48	0.3	10.3	93
11724	0.57	545	1.82	0.02	33	830	30.6	0.006	3.05	4	0.15	28.7	6	0.04	0.23	0.56	44	0.1	8.13	95
11725	0.54	495	1.99	0.02	32.1	840	32.6	0.0066	3.12	4	0.15	27.5	6.1	0.03	0.18	0.54	39	0.05	7.82	107
11726	0.4	305	1.32	0.02	23.7	700	16.8	0.0063	1.03	4	0.3	28.4	4.3	0.04	0.09	2.01	46	0.2	7.94	66
11727	0.46	1070	1.8	0.02	27.9	730	17.6	0.006	1.26	4.3	0.3	39.7	4.2	0.04	0.09	2.09	43	0.2	9.27	86
11736	0.44	380	1.58	0.02	27.4	660	12.8	0.0062	5.84	4.9	0.3	29.4	5	0.04	0.06	0.82	52	0.2	10.7	70
11737	0.46	631	1.31	0.01	31.9	540	37.8	0.0049	18.3	2.5	0.15	22.6	9.4	0.02	0.1	0.53	21	0.05	7.09	90
11738	0.41	718	2.5	0.02	39.7	630	19	0.0061	13.3	5	0.15	42.6	4.6	0.03	0.06	0.72	44	0.2	11.1	93
11739	0.47	516	2.33	0.02	43.4	520	18.7	0.0048	18.7	4.4	0.15	34.2	6.6	0.02	0.06	0.58	36	0.1	9.94	95
11740	0.87	671	1.85	0.02	63.6	760	11.7	0.0053	16.4	7.3	0.15	27	5.5	0.01	0.06	0.79	48	0.1	9.74	126
11741	0.92	346	0.82	0.01	43.6	580	9.5	0.0046	3.29	3.8	0.15	15.7	4.2	0.09	0.07	0.57	37	0.1	7.24	69
11742	0.4	155	0.71	0.02	19.4	780	10	0.0066	0.7	3	0.4	21	2.1	0.04	0.09	1.37	35	0.2	7.01	67
11743	0.42	291	1.15	0.02	25	670	10.9	0.0073	1.17	3.9	0.4	25.1	4.3	0.04	0.08	1.12	40	0.2	7.67	75
11744	0.4	247	1.04	0.02	21.2	640	10.1	0.0056	0.96	3.4	0.3	19.7	4	0.04	0.07	0.76	36	0.2	7.39	70
11745	0.38	189	1.07	0.02	19.2	740	11.6	0.0077	0.86	3.2	0.4	24.1	1.8	0.03	0.1	1.14	38	0.2	6.52	59
11746	0.43	292	1.06	0.02	21.6	610	11	0.0086	0.93	3.8	0.4	23.1	3.6	0.05	0.1	1.13	40	0.4	7.86	67

Sample_ID	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	Rb_PCT	Sb_ppm	Sc_ppm	Sn_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm
11747	0.45	440	1.19	0.02	24.4	740	13	0.0089	1.29	4.6	0.5	28.6	3.4	0.05	0.09	1.72	47	0.2	9.02	77
11748	0.45	540	1.17	0.02	27.2	680	20.4	0.0076	2.37	3.9	0.3	26.5	4.7	0.05	0.08	1.91	38	0.2	9.19	90
11749	0.52	448	1.28	0.02	28.1	740	14	0.0072	1.61	4.5	0.4	30.6	5.1	0.05	0.09	1.45	45	0.2	10	90
11750	0.48	472	1.22	0.02	25.1	650	17.9	0.0075	2.29	4.1	0.4	29.2	4.6	0.05	0.1	1.23	44	0.2	8.68	78
12601	0.55	443	1.46	0.01	26.2	740	13.5	0.0091	1.34	4.4	0.5	32.3	5	0.05	0.11	1.86	56	0.3	9.34	78
12602	0.51	438	1.35	0.01	24.6	740	14.8	0.0108	1.5	4.3	0.5	33.6	4.1	0.05	0.11	2.57	53	0.2	9.08	79
12603	0.54	280	1.13	0.005	26.2	680	11.5	0.0095	1.42	3.7	0.4	25.5	4.4	0.05	0.11	0.98	46	0.2	7.85	74
12604	0.52	344	1.28	0.005	26.6	730	14.1	0.0102	1.14	4.1	0.4	29.4	3.9	0.04	0.12	2.36	50	0.3	7.99	72
12605	0.59	550	1.94	0.02	35.8	810	29.1	0.0095	4.02	3.9	0.3	31.2	6.9	0.05	0.18	0.63	39	0.2	8.56	115
12606	0.57	459	1.61	0.01	32.9	760	20.3	0.0077	2.01	4.3	0.4	27.2	6.1	0.05	0.13	0.61	46	0.2	8.83	95
12607	0.71	837	3.51	0.01	47.8	1090	42.2	0.0149	3.64	5.6	0.4	21.5	7.4	0.04	0.31	0.55	57	0.2	10.7	143
12608	0.4	125	0.7	0.005	18.7	690	9.4	0.0056	0.68	3.4	0.4	21	4.9	0.05	0.11	2.04	37	0.3	7.13	65
12609	0.39	102	0.64	0.005	23.3	700	10	0.0045	0.59	3.2	0.3	20.8	4.4	0.04	0.1	6.33	34	0.2	7.73	65
12610	0.41	116	0.56	0.005	20.4	580	9.9	0.0065	0.79	3.5	0.4	21.9	4.9	0.05	0.09	0.98	40	0.2	7.59	77
12611	0.56	249	1.08	0.01	29.7	660	17.8	0.008	1.44	4.8	0.5	42.5	5.1	0.07	0.13	2.55	54	0.2	10.5	76
12612	0.5	543	1.4	0.01	27	850	16.7	0.0087	1.19	4.3	0.4	48.8	4.8	0.04	0.13	4.42	48	0.3	9.18	73
12613	0.6	605	1.48	0.01	30	820	19.3	0.0085	1.42	4.3	0.4	41.1	4.8	0.05	0.12	2.46	50	0.2	9.51	86
12614	0.57	452	1.41	0.005	27.2	840	16.5	0.0088	1.22	4.1	0.5	55.6	3.8	0.04	0.12	3.23	52	0.2	9.42	77
12615	0.51	521	1.42	0.01	30.7	800	15.6	0.0104	1.18	4.4	0.4	40.3	5.2	0.05	0.12	4.97	44	0.2	10.5	94
12616	0.53	387	1.14	0.01	29.8	680	13.3	0.0123	1.25	4.1	0.5	38.8	6	0.06	0.13	2.15	41	0.2	9.88	88
12617	0.6	734	1.54	0.01	37.3	760	24.2	0.012	2.33	4.6	0.5	38.6	7.5	0.04	0.18	1.82	44	0.2	11.2	111
12618	0.58	433	1.43	0.01	32.6	770	21.8	0.009	1.97	4.2	0.5	30.9	6.2	0.04	0.15	1.25	46	0.2	9.15	94
12619	0.57	462	1.78	0.01	36.6	730	24.7	0.0172	2.42	3.9	0.5	26.8	7.8	0.06	0.24	1.05	38	0.3	9.83	108
12620	0.5	410	1.31	0.01	26.8	630	15.1	0.0104	1.24	4.3	0.5	34.9	5.8	0.05	0.13	1.83	47	0.2	9.41	77
12621	0.56	528	1.33	0.005	32.1	680	20.6	0.0089	1.61	4	0.4	28.8	6	0.05	0.14	1.21	45	0.3	10.1	81
12622	0.52	467	1.3	0.01	28.3	710	15.6	0.0091	1.21	4.5	0.5	33.8	5.1	0.06	0.11	2.65	51	0.2	10.1	76
12623	0.51	425	1.3	0.01	28.4	710	15.7	0.0097	1.18	4.2	0.4	36	5.3	0.05	0.12	2.72	48	0.3	10.6	75
12624	0.67	506	0.9	0.005	40.6	710	17.1	0.0155	2.07	2.7	0.4	25.6	11.7	0.03	0.23	1.63	24	0.3	9.25	91
12625	0.54	556	1.19	0.005	30.9	710	16.6	0.0105	1.39	3.8	0.4	30.1	6.8	0.04	0.15	1.71	41	0.3	8.62	84
12626	0.38	146	0.7	0.005	17.8	860	13.6	0.0077	1.91	3	0.3	21.8	5.1	0.03	0.13	1.58	36	0.1	7.02	68
12627	0.5	360	1.03	0.005	27.9	810	11.8	0.0095	1.12	4	0.4	40	5.6	0.05	0.12	2.16	43	0.2	9.27	87
12628	0.48	348	1.01	0.01	26	830	10.8	0.0082	0.9	4.2	0.4	37.5	4.8	0.04	0.1	3.24	44	0.2	9.52	74
12629	0.48	367	1.11	0.005	25.5	680	12.8	0.0099	1.11	4.1	0.4	29.5	5.5	0.05	0.11	2.3	40	0.3	8.98	69
12630	0.43	537	1.05	0.01	24	620	12.7	0.0086	1.21	3.8	0.4	35.9	4.8	0.05	0.1	1.28	44	0.6	8.09	66
12631	0.5	339	1.08	0.01	26.2	630	12.7	0.0089	1.3	4.2	0.4	30.4	5.8	0.05	0.11	1.11	46	0.2	8.84	71
12632	0.5	381	1.2	0.01	27.9	720	11.6	0.0089	1.05	4	0.4	32.6	5.3	0.05	0.1	1.39	47	0.3	8.96	77
12633	0.46	225	0.87	0.005	18.9	680	9.1	0.0065	0.6	3.1	0.4	21.4	4.1	0.05	0.08	0.89	42	0.2	7.22	56
12634	0.59	390	1.23	0.01	30.2	710	13	0.0104	1.22	4.3	0.4	31.2	5.6	0.05	0.1	1.35	50	0.2	9.39	82
12635	0.54	216	1.15	0.01	24.9	770	11.7	0.011	0.91	4	0.4	27	3.9	0.04	0.11	2.62	46	0.2	8.28	67
12636	0.43	245	0.97	0.005	22.9	750	13.4	0.0083	0.9	3.6	0.4	27.4	2.9	0.04	0.1	1.97	45	0.2	7.78	64
12637	0.44	248	1.01	0.005	23.6	730	10.7	0.0066	0.85	3.3	0.3	23	4.3	0.04	0.09	1.34	40	0.4	7.81	69
12638	0.41	478	0.98	0.02	28.3	650	15.8	0.0078	1.2	4.7	0.4	31.3	4.5	0.05	0.11	2.12	44	0.2	10.7	87
12639	0.38	283	1.29	0.02	23	760	24	0.0066	1.63	3.3	0.3	31.1	5	0.04	0.11	1.16	37	0.2	7.93	95
12640	0.34	545	1.06	0.01	27.1	780	16.6	0.0097	1.66	3.9	0.3	25.5	4.1	0.03	0.13	2.64	36	0.4	10.7	92

Sample_ID	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	Rb_PCT	Sb_ppm	Sc_ppm	Sn_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm
12641	0.37	280	0.98	0.02	22.7	580	11.9	0.0116	0.99	3.6	0.4	24.1	4.7	0.05	0.13	1.97	35	0.2	8.05	73
12642	0.38	222	0.9	0.01	22.2	550	11.4	0.0082	1.15	3.6	0.4	22	5.4	0.06	0.11	0.93	36	0.2	8.49	70
12643	0.41	200	0.9	0.02	21.2	640	9.2	0.0066	0.6	3.1	0.4	22.5	3.4	0.05	0.09	0.81	35	0.2	7.56	63
12644	0.37	343	0.88	0.02	24	600	14.5	0.0077	1.85	3.1	0.3	22.2	7.4	0.05	0.1	0.72	28	0.4	7.9	74
12645	0.51	427	0.99	0.03	31.7	540	16.5	0.0118	1.76	3.8	0.5	29	10.7	0.06	0.15	0.81	34	0.2	9.46	86
12646	0.41	580	0.88	0.02	35	530	22.7	0.0129	5.76	3.1	0.3	16.8	14.2	0.02	0.17	0.94	19	0.2	10.4	90
12647	0.4	340	0.98	0.01	22.8	440	12.7	0.0072	1.28	3.3	0.3	23.2	6	0.04	0.09	0.78	32	0.2	7.05	70
12648	0.43	289	1	0.01	22.3	510	13.5	0.0072	1.04	3.4	0.3	24.2	4.8	0.04	0.09	1.07	37	0.2	7.1	65
12649	0.39	260	0.83	0.01	18.4	490	11.6	0.006	0.81	3.1	0.3	21	4.1	0.04	0.08	0.77	34	0.2	6.17	53
71452	0.64	242	0.91	0.02	32.7	1110	16.4	0.011	3.15	4.1	0.4	21	7.1	0.05	0.12	1.9	39	0.3	11.4	111
71453	0.5	173	0.76	0.02	23.9	880	10.3	0.0083	1.34	3.5	0.4	56.3	2.6	0.04	0.15	7.46	44	0.2	8.41	88
71454	0.51	120	0.93	0.02	26.3	940	11.8	0.0072	1.42	3.5	0.4	36.6	3	0.05	0.16	4.89	43	0.2	8.26	105
71455	0.31	90	0.71	0.02	18.4	1020	9.2	0.0045	1.26	2.9	0.3	30.3	1.8	0.04	0.14	6.42	34	0.1	7.9	51
71456	1.05	248	0.89	0.02	54.5	1020	10.9	0.0074	6.01	5.7	0.4	26.3	6.1	0.08	0.15	2.31	58	0.2	8.61	97
71457	0.5	190	0.56	0.02	24	810	10.9	0.0059	0.93	3.7	0.4	26	5.3	0.06	0.11	3.64	41	0.2	8.68	76
71458	0.5	106	0.8	0.02	22	840	11.2	0.0059	1.1	3.9	0.4	30.7	4.8	0.05	0.15	16.9	40	0.2	8.34	86
71459	0.45	106	0.61	0.02	20.9	950	10.5	0.007	1.23	3.2	0.5	35.6	3.1	0.05	0.14	9.8	45	0.3	7.93	79
71460	0.42	89	0.56	0.02	18.4	1060	10.4	0.0069	1.2	3	0.4	32.7	2.6	0.05	0.14	6.3	44	0.2	7.72	73
71461	0.48	247	1.03	0.02	24.8	1060	12.7	0.0089	1.85	3.8	0.5	33.9	4.1	0.05	0.12	7.51	48	0.2	9.06	83
71462	0.46	372	1.27	0.03	23.6	1180	11.4	0.0083	2.12	3.6	0.4	39.5	3.5	0.06	0.11	5.66	45	0.3	10.1	75
71463	0.51	557	1.17	0.02	26.1	1010	13.2	0.0086	2.15	3.7	0.4	43.8	3.4	0.05	0.11	5.4	46	0.2	9.25	76
71464	0.39	295	0.77	0.02	17.1	710	9	0.0066	1.25	2.6	0.3	26.3	3.3	0.04	0.09	2.36	34	0.1	6.23	49
71465	0.57	575	1.43	0.02	30.9	950	17.6	0.0082	3.93	3.7	0.4	26.5	5.8	0.06	0.13	0.99	42	0.2	9.24	102
71466	0.54	352	1.15	0.02	26	980	12.4	0.0091	1.74	3.6	0.4	37.6	3.6	0.05	0.11	4.61	47	0.3	9	74
71467	0.64	415	1.25	0.03	31.3	980	15.1	0.009	3.87	3.7	0.4	35.3	6.2	0.07	0.17	0.77	39	0.2	8.85	101
71468	0.61	378	1.31	0.02	35.3	910	19.7	0.0173	7.07	3.3	0.4	26	9	0.05	0.31	1.17	32	0.4	8.8	115
71469	0.53	385	1.29	0.02	28.3	900	15.7	0.0092	2.7	4	0.4	32.8	5.5	0.06	0.13	2.08	47	0.4	10.1	95
71470	0.58	430	1.44	0.03	30.8	1020	16.4	0.0094	2.69	3.9	0.4	31.7	5.9	0.06	0.15	1.09	47	0.2	9.37	101
71471	0.51	483	1.31	0.02	28.8	960	15	0.0094	2.31	3.6	0.4	30.7	4.4	0.05	0.13	3.15	46	0.2	9.12	91
71472	0.56	393	1.32	0.02	28.3	1030	16.3	0.0097	2.75	3.8	0.4	31.4	5.3	0.06	0.15	2.46	46	0.2	9.13	99
71473	0.49	142	0.95	0.02	21.6	960	14.4	0.0089	2.14	3.3	0.4	22.8	5	0.06	0.13	2.13	42	0.2	7.65	80
71474	0.56	297	1.11	0.03	26.4	1080	10	0.0084	1.31	4	0.4	31.9	4	0.08	0.1	1.76	47	0.2	8.96	89
71475	0.51	349	1.19	0.02	26.4	1080	10.1	0.0085	1.45	3.6	0.4	35	3	0.05	0.1	2.21	43	0.2	8.37	80
71476	0.52	190	0.91	0.02	22.1	880	9.4	0.0072	1	3.4	0.4	21.6	4.3	0.06	0.09	0.97	43	0.2	8.2	72
71477	0.57	559	1.48	0.02	35.2	1060	23.2	0.0106	8.77	3.7	0.4	21.5	7.6	0.06	0.24	0.74	38	0.2	9.43	114
71478	0.45	285	1.34	0.02	20.6	750	15.2	0.0091	2.22	2.3	0.4	12.3	1.1	0.05	0.13	0.85	44	0.3	6.1	62
71479	0.37	755	1.39	0.02	24.6	650	30.8	0.0146	7.72	2.2	0.4	5.1	14	0.03	0.16	0.43	32	0.3	2.83	84
71480	0.55	294	1.02	0.02	24	630	11.4	0.0082	1.24	4.1	0.4	13	5.2	0.07	0.11	0.9	46	0.2	10.6	72
71481	0.51	203	1.05	0.03	20.4	410	11.9	0.0113	0.81	3.3	0.7	11.3	3.6	0.07	0.14	0.82	52	0.3	5.49	61
71482	0.55	274	0.96	0.02	22.4	350	10.3	0.0091	1.2	3.7	0.5	12.4	4.8	0.08	0.11	0.64	53	0.3	7.15	61
71483	0.61	278	0.91	0.02	24.2	430	11.5	0.0124	1.14	2.6	0.5	11.9	6.1	0.07	0.13	0.69	45	0.3	4.71	62
71484	0.47	352	1.01	0.02	31.1	880	15.8	0.0092	4.11	3.2	0.4	23.1	6.8	0.03	0.16	1.52	26	0.1	8.01	96
71485	0.57	452	1.15	0.03	32.3	1000	15.6	0.0082	2.88	3.8	0.4	32.3	6.9	0.07	0.14	2.26	43	0.2	9.33	99
71486	0.49	464	1.18	0.02	24.8	1020	15.3	0.0083	1.97	3.9	0.5	33.2	3.5	0.06	0.12	2.24	44	0.2	9.22	78

Sample_ID	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	Rb_PCT	Sb_ppm	Sc_ppm	Sn_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm
71487	0.55	554	1.47	0.02	28.8	1050	19	0.0085	4.58	3.7	0.4	25	5.7	0.05	0.15	1.12	38	0.2	8.77	101
71488	0.56	459	1.27	0.03	32.2	890	17.3	0.0083	13.1	3.6	0.4	29.5	5.6	0.06	0.14	2.08	42	0.2	8.61	98
71489	0.6	462	1.26	0.02	37.9	1010	16.5	0.0109	18.2	2.9	0.4	25.2	11.5	0.03	0.2	1.69	26	0.1	8.94	104
71490	0.54	448	1.34	0.02	32.7	1010	15.5	0.0093	8.16	3.6	0.4	31.3	6	0.05	0.14	1.24	40	0.2	9.06	104
71491	0.54	448	1.24	0.03	28.6	990	13.9	0.0094	4.46	3.9	0.4	29	4.5	0.06	0.13	4.06	45	0.2	9.64	93
71492	0.48	221	1.07	0.02	24.8	990	14.8	0.0089	3.67	4	0.4	28	4.3	0.05	0.13	2.96	45	0.2	9.22	81
71493	0.52	276	1.13	0.03	22.4	950	11.8	0.0073	1.88	3.8	0.4	24.7	5	0.06	0.1	1.89	42	0.2	8.21	83
71494	0.47	119	0.51	0.02	22.3	1140	11.8	0.0083	1.09	4	0.5	29.5	3.9	0.05	0.13	6.62	44	0.3	8.58	82
71495	0.37	97	0.37	0.02	17	880	9.4	0.0056	0.73	2.7	0.4	26.2	1.5	0.03	0.13	3.02	33	0.4	6.71	62
71496	0.49	254	0.93	0.02	27	1050	10	0.0066	1.1	4.2	0.4	24.7	5.5	0.06	0.11	1.9	42	0.4	9.55	98
71497	0.5	322	0.97	0.02	28.6	1160	11.1	0.0076	1.19	4	0.4	33.9	4.9	0.07	0.1	2.96	45	0.2	10	85
71498	0.55	370	1.17	0.03	29.3	1150	15.2	0.0086	2.31	4	0.4	32.9	5.1	0.06	0.13	3.34	42	0.2	9.54	100
71499	0.53	517	1.32	0.03	30.3	970	16.3	0.0092	4.16	3.4	0.4	27.2	6.5	0.05	0.15	1.01	36	0.2	9.17	111
71500	0.47	281	1.09	0.02	23.1	1020	15.8	0.0081	2.14	3.2	0.4	26.6	4.3	0.05	0.15	1.79	37	0.2	7.24	80
78776	0.5	117	1.01	0.02	26.1	790	11.5	0.0075	2.39	4	0.4	26.5	5.4	0.06	0.13	3.36	46	0.2	8.81	82
78777	0.49	133	0.73	0.02	24.8	1080	11.8	0.0089	1.79	4	0.5	28.7	5.5	0.06	0.15	6.66	48	0.2	8.65	87
78778	0.43	168	0.87	0.03	24.7	1000	11.2	0.0105	2.09	3.8	0.5	27	6.6	0.06	0.13	1.69	45	0.2	8.31	79
78779	0.48	270	1.12	0.03	29.8	950	11.5	0.0089	4.82	3.7	0.4	31	6.9	0.07	0.12	1.01	44	0.2	8.41	83
78780	0.42	235	1.1	0.03	27.5	1180	11.9	0.0101	4.6	3.6	0.4	33.7	7.1	0.05	0.12	4.21	41	0.2	8.73	90
78781	0.38	123	0.46	0.02	19.3	890	9.8	0.0097	1.57	3.3	0.5	29.7	6.1	0.05	0.14	4.22	36	0.3	7.29	66
78782	0.43	105	0.5	0.02	20.6	1020	10.6	0.0065	1.02	3.7	0.5	25.5	4.9	0.06	0.12	2.51	41	0.3	7.74	72
78783	0.3	282	0.87	0.02	24.1	800	12.1	0.0159	10	2.5	0.3	23.4	9.6	0.03	0.2	1.51	24	0.2	7.19	66
78784	0.44	173	0.88	0.02	19.4	810	10.4	0.0092	2.81	2.6	0.4	17.2	3.6	0.05	0.11	0.9	37	16.5	5.98	58
78785	0.26	805	11.6	0.01	73.3	660	24	0.0141	33.3	4	0.5	29.7	14.8	0.02	0.26	2.17	28	14.6	12	241
78786	0.47	224	1.03	0.03	23.5	780	11.2	0.0087	2.74	3.2	0.4	22.8	5	0.06	0.13	0.81	42	0.2	7.88	59
78787	0.4	187	2.08	0.02	25.7	710	9.7	0.0088	8.99	2.5	0.4	17.4	6	0.05	0.13	1.01	35	0.4	6.22	73
78788	0.45	212	1.37	0.02	24.2	850	9.5	0.0088	3.27	3	0.5	19.4	4.1	0.06	0.12	1	54	0.3	7.54	70
78789	0.42	203	1.19	0.03	21.4	730	9.3	0.0089	2.55	3	0.4	17.9	4.4	0.06	0.11	0.97	41	0.3	6.78	63
78790	0.45	334	1.39	0.03	27.5	810	13	0.0109	4.21	3.8	0.5	26.2	6.1	0.05	0.15	0.85	46	0.4	8.48	83
78791	0.63	456	1.48	0.03	39.3	870	15.7	0.0188	8.17	4.2	0.7	28.9	6.8	0.07	0.25	0.93	46	0.3	8.4	100
78792	0.54	378	1.39	0.03	30.8	940	12.3	0.0117	4.6	4.1	0.5	31.5	5	0.06	0.14	2.1	44	0.2	9.07	87
78793	0.52	496	1.4	0.03	30.9	920	12.5	0.0108	3.73	4	0.5	34.4	5	0.06	0.14	2.03	44	0.2	8.94	86
78794	0.48	523	1.12	0.02	28.5	1010	12.2	0.0106	3.39	3.7	0.5	33.2	4.3	0.05	0.14	3.46	44	0.2	8.67	79
78795	0.46	473	1.1	0.02	23.3	820	9.9	0.0098	2.66	3.2	0.5	23.1	3.5	0.05	0.15	2.39	42	0.5	6.83	75
78796	0.48	649	1.18	0.02	28.3	1050	13.7	0.0125	7.32	3.8	0.5	34	5.9	0.04	0.18	2.64	40	0.2	7.86	92
78797	0.94	279	0.62	0.03	43.2	1170	8.4	0.0086	1.76	3.9	0.5	25.7	2.9	0.09	0.17	3.49	56	0.1	6.58	77
78798	1.37	548	0.98	0.02	66.2	980	5.5	0.0174	1.42	4.5	0.5	49.1	2.6	0.16	0.14	0.65	70	0.1	6.69	95
78799	1.63	545	0.65	0.02	90.3	1090	6.9	0.0317	2.48	5.3	0.7	48.2	2.8	0.13	0.31	0.44	72	0.2	6.23	98
78800	1.41	679	1.67	0.02	89.2	1290	7.2	0.0163	3.06	4.9	0.5	41.7	3	0.12	0.19	2.23	60	0.1	7.29	101
78901	0.67	357	2.5	0.01	38.2	620	11.5	0.0076	2.59	4	0.4	29.7	6.2	0.04	0.09	2.64	39	0.2	7.38	95
78902	0.78	474	2.71	0.01	43.3	720	11.9	0.0083	2.7	4.6	0.4	26	5	0.04	0.11	2.96	47	0.2	7.68	107
78903	0.59	357	1.48	0.02	34.4	760	13.7	0.0072	1.76	4.4	0.5	34.4	5	0.05	0.1	1.27	46	0.2	8.67	93
78904	0.5	302	1.16	0.01	27.5	710	13.2	0.0069	2.4	3.9	0.4	50	4.1	0.04	0.1	2.39	39	0.2	7.54	72
78905	0.64	476	1.18	0.01	34.2	700	17.7	0.0098	5.56	3.6	0.4	39.5	5.6	0.04	0.17	1.99	36	0.2	7.54	92

Sample_ID	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	Rb_PCT	Sb_ppm	Sc_ppm	Sn_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm
78906	0.89	541	0.82	0.01	42.5	730	14.7	0.006	2.49	4.4	0.15	53.5	7.2	0.03	0.07	2.47	37	0.2	9.74	94
78907	0.95	722	0.9	0.01	45.6	720	19.5	0.0063	5.13	4.4	0.15	52.5	5.8	0.03	0.1	1.18	39	0.2	8.87	103
78908	0.61	1430	1.08	0.01	46.2	760	28.4	0.0047	7.68	4.1	0.15	20.3	11.9	0.03	0.08	0.69	31	0.1	10.3	111
78909	0.57	527	0.86	0.01	34.4	530	19	0.0078	4.13	3.7	0.15	30.4	9.8	0.03	0.1	0.72	32	0.1	9.64	75
78910	0.53	541	0.92	0.01	33.1	600	18.1	0.0082	2.85	3.6	0.15	26	7.4	0.04	0.1	1.95	35	0.2	8.96	76
78911	0.49	466	1.08	0.01	31.1	550	16.1	0.0065	2.79	4.2	0.4	30.1	6.6	0.05	0.08	1.01	46	0.2	9.51	79
78912	0.56	789	1.03	0.01	40.6	570	29.6	0.0061	7.76	3.1	0.15	31.2	13.3	0.02	0.1	1.48	24	0.05	8.77	93
78913	0.62	881	0.79	0.05	38.2	640	27.6	0.0066	5.55	3.5	28.4	22.5	12.2	0.02	0.08	0.91	26	0.05	10.1	90
78914	0.57	978	0.92	0.01	35.9	830	27.4	0.0062	5.04	4.1	0.3	45.3	7.5	0.02	0.09	1.88	30	0.1	12.5	94
78915	0.48	499	1.13	0.02	27.3	670	14.1	0.0069	1.78	4	0.4	39.1	5.1	0.05	0.09	1.59	43	0.2	8.84	78
78916	0.62	528	1	0.01	35.3	500	20.9	0.0061	2.07	3.4	0.15	25.4	13.3	0.03	0.07	0.92	28	0.1	7.35	97
78917	0.36	188	0.96	0.01	19.9	630	12.8	0.0077	1	2.8	0.3	20	1.8	0.03	0.09	1.1	36	0.2	7.02	57
78918	0.52	437	1.48	0.02	31.3	560	14.1	0.0074	1.92	4.6	0.5	24.5	5.4	0.06	0.09	1.02	47	0.2	8.7	86
78919	0.42	227	1.06	0.01	21.2	360	13	0.0078	1.55	2.9	0.4	13.7	4.3	0.05	0.1	0.67	42	0.2	5.06	53
78920	0.45	357	1.2	0.01	23.6	360	14	0.0073	1.14	4.8	0.4	11.3	5.8	0.04	0.11	0.96	45	0.4	9.63	67
78921	0.45	354	1.15	0.01	25.8	360	15.5	0.0084	1.58	3.8	0.4	9.1	4.7	0.04	0.11	0.77	44	0.3	6.89	65
78922	0.44	222	0.96	0.01	19.5	360	12.2	0.0065	1.04	3.5	0.4	12.4	4.3	0.04	0.09	0.86	41	0.2	7.55	52
78923	0.44	352	1.47	0.03	22	500	17.6	0.0087	1.5	4	14.4	11.3	4.3	0.04	0.1	0.77	53	0.3	7.24	64
78924	0.42	249	0.97	0.01	18.2	330	14	0.0066	1.37	3.4	1.8	10.8	4.9	0.04	0.08	0.77	37	0.2	7.12	56
78925	0.43	258	0.95	0.01	17.8	550	11.4	0.0067	0.77	3.2	2.6	12.9	4	0.04	0.08	0.88	40	0.2	6.86	58
78926	0.4	194	1	0.01	16.4	530	13.2	0.0087	0.82	2.7	0.4	11.1	2.7	0.03	0.08	0.78	41	0.2	5.11	53
78927	0.49	201	0.92	0.01	19.6	490	12.6	0.0082	0.85	3.4	0.4	13	3.4	0.04	0.08	0.8	44	0.2	7.53	57
78928	0.34	151	0.67	0.01	14.7	670	10.3	0.0049	0.6	1.6	0.15	12.1	1	0.03	0.07	0.8	30	0.2	5.03	47
78929	0.35	418	1.23	0.01	15.5	480	13.6	0.0087	1.33	2.1	0.3	9	3.3	0.03	0.08	0.57	36	0.2	3.94	55
78930	0.36	380	1.04	0.01	18.5	610	11.9	0.0081	0.9	2.3	0.3	11.7	1.6	0.03	0.08	0.89	38	0.2	6.82	60
78931	0.4	246	1.05	0.01	16.8	610	10.6	0.0085	0.82	2.2	0.4	13.2	1.1	0.04	0.07	0.71	38	0.2	5.21	60
78932	0.58	343	0.86	0.01	24.5	410	17.7	0.0071	1.63	3.3	0.15	11.7	9.5	0.04	0.07	0.79	36	0.1	7.72	74
78933	0.45	290	1.02	0.01	20	450	14.3	0.0059	1.7	3.2	0.3	15.9	4.7	0.04	0.07	0.81	39	0.2	7	59
78934	0.44	384	1.08	0.03	24.7	370	20.3	0.0054	4.91	3.3	7.4	11	7.2	0.04	0.08	0.75	34	0.1	8.3	76
78935	0.49	532	0.86	0.01	27.9	430	23.4	0.0054	3.36	2.7	0.15	11.7	9.7	0.04	0.07	0.7	27	0.1	9.63	79
78936	0.46	457	1.25	0.01	27.9	460	25.1	0.0062	2.77	4	0.3	17.6	6.8	0.04	0.09	0.78	40	0.2	8.8	80
78937	0.42	210	0.99	0.01	17.9	320	16.7	0.0073	4.02	2.7	0.4	11.3	5.7	0.04	0.09	0.75	40	0.2	4.64	52
78938	0.47	287	0.94	0.01	21	230	22	0.007	1.94	3.3	0.4	8.6	6.7	0.05	0.08	0.76	39	0.1	6.03	59
78939	0.43	275	0.83	0.01	21.3	260	18.5	0.0084	1.66	2.9	0.15	9.4	10.9	0.03	0.09	0.56	30	0.1	9.16	57
78940	0.47	230	1.2	0.01	21.8	260	13.9	0.0085	0.92	4.1	0.5	9.8	5.5	0.05	0.09	0.76	53	0.2	5.41	58
78941	0.53	251	1.12	0.01	23.9	190	16	0.0086	1.04	4.4	0.5	10.5	6.3	0.06	0.1	1.02	51	0.2	7.06	62
78942	0.53	284	1.02	0.01	20.4	320	11.8	0.0066	0.74	4	0.4	13.6	4.8	0.05	0.08	0.85	50	0.2	8.72	56
78943	0.45	252	1.13	0.01	22.3	390	22.3	0.0082	3.2	2.4	0.15	8.5	6.4	0.03	0.09	0.45	31	0.1	4.48	71
78944	0.54	387	1.16	0.01	23.9	290	13.9	0.0064	1.48	4.8	0.4	16.3	5.7	0.05	0.08	0.82	45	0.2	11.9	65
78945	0.42	292	1.04	0.01	18.4	440	14.3	0.0057	1.07	3	0.4	11.8	4.8	0.04	0.08	0.74	38	0.2	5.9	59
78946	0.45	318	1.08	0.01	21.1	470	13.9	0.0056	1.24	3.4	0.3	14.4	5.3	0.04	0.07	0.77	38	0.2	6.88	67
78947	0.5	371	1.32	0.02	28.5	800	11.3	0.0043	0.88	3.6	0.3	24.6	5.7	0.05	0.06	0.75	38	0.2	8.27	89
78948	0.46	289	1.03	0.02	20.1	520	12.9	0.0055	1	3.2	5.7	15.5	3.7	0.04	0.07	0.78	40	0.2	6.67	66
78949	0.48	283	1.13	0.02	22	500	13.8	0.0052	1.04	3.5	0.4	20	4.4	0.04	0.07	0.92	41	0.2	7.72	68

Sample_ID	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	Rb_PCT	Sb_ppm	Sc_ppm	Sn_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm
78950	0.48	343	1.09	0.02	23.4	580	13.1	0.0055	0.93	3.7	0.4	23.2	4.5	0.04	0.07	1.16	42	0.2	7.46	68
111951	0.49	540	1.02	0.02	32.2	800	12.2	0.0125	5.6	4.3	0.5	33	6.9	0.06	0.15	1.45	38	0.3	8.81	82
111952	0.5	325	1.2	0.02	29.8	910	12.7	0.0082	2.8	4.6	0.5	35.3	4.9	0.06	0.1	2.31	43	0.2	9.42	79
111953	0.51	428	1.26	0.02	32.8	850	12.3	0.01	4.37	4.4	0.4	32.4	5.4	0.06	0.11	1.82	40	0.3	9.25	85
111954	0.37	469	0.73	0.02	33.8	670	16.4	0.0112	16.4	3.4	0.4	43.8	13.2	0.02	0.14	1.17	21	0.4	7.55	80
111955	0.39	635	0.81	0.02	34.6	750	15.3	0.0122	18.8	3.3	0.3	22.3	11.5	0.03	0.19	1.04	23	0.3	8.09	84
111956	0.49	411	1.02	0.02	32.2	800	16.1	0.0122	12.1	3.8	0.4	24	9.4	0.05	0.17	0.94	32	0.3	8.73	82
111957	0.45	415	0.97	0.02	26.5	910	11.8	0.0099	7.73	3.7	0.5	35.6	5.9	0.04	0.1	2.64	34	0.3	8.02	70
111958	0.47	385	0.98	0.02	31.6	790	12.8	0.0113	8.95	3.8	0.4	36.5	8.4	0.05	0.13	0.79	34	0.2	9.02	86
111959	0.55	457	1.3	0.02	33.8	910	12.4	0.0099	4.84	4.6	0.4	34.4	6.5	0.07	0.11	0.75	44	0.2	9.74	87
111960	0.44	261	0.89	0.02	23.4	980	11.3	0.0072	1.86	4.3	0.5	27.1	4.2	0.05	0.09	2.49	40	0.2	8.25	74
111961	0.28	80	0.45	0.02	12.8	940	7.9	0.007	0.7	2.2	0.3	23.2	1.3	0.03	0.09	2.04	24	0.2	4.62	43
111962	0.49	415	1.11	0.02	30.1	1080	12.3	0.0087	3.34	4.2	0.5	28.8	6.1	0.06	0.11	1.08	38	0.5	8.86	84
111963	0.44	402	1.13	0.02	26.3	950	13.4	0.0102	5.69	3.8	0.4	28.9	6.3	0.05	0.12	1.44	37	0.2	8.24	78
111964	0.52	384	1.17	0.02	29.9	880	13.9	0.0102	5.57	4.1	0.4	35.2	6.1	0.05	0.12	1.05	37	0.3	8.77	88
111965	0.58	620	1.18	0.02	29.7	890	12.3	0.0088	3.41	4.3	0.3	52.9	5	0.05	0.1	1.68	41	0.3	9.55	82
111966	0.84	500	1.24	0.03	46.6	1030	17.8	0.0235	7.25	4.9	0.9	39.5	6.3	0.1	0.31	0.64	44	0.3	8.63	101
111967	0.55	407	1.01	0.02	24.4	920	11.8	0.0083	2.08	3.9	0.5	50.7	3.8	0.05	0.1	2.74	45	0.2	8.11	75
111968	0.69	609	1.18	0.02	44.3	990	16.7	0.0128	6.8	4.7	0.7	43.7	5.5	0.05	0.18	1.2	42	0.2	9.5	101
111969	0.78	573	1.25	0.02	50.4	880	12.8	0.0167	6.27	5.6	0.8	31.2	7.1	0.08	0.23	0.63	43	0.3	10.5	94
111970	0.48	243	1.07	0.02	26.7	1050	16.4	0.0073	3.94	3.6	0.3	38.1	3.2	0.03	0.14	6.59	44	0.3	7.48	75
111971	0.76	149	0.7	0.01	28.4	1030	12.5	0.0062	1.79	3.6	0.3	23.2	3	0.05	0.14	3.87	49	0.2	6.72	68
111972	0.52	483	1.47	0.02	38.4	1030	23.1	0.0106	12.1	3.3	0.4	29	8	0.04	0.27	0.54	26	0.2	7.62	128
111973	0.49	390	1.02	0.02	24.9	1070	11.5	0.0087	2.12	4.4	0.4	33.7	3.9	0.05	0.11	5.54	45	0.3	7.86	73
111974	0.58	594	1.26	0.02	33.7	1030	13.2	0.0079	2.82	4.9	0.4	47.1	4.9	0.06	0.09	1.2	44	0.4	9.52	96
111975	1.02	652	1.13	0.02	79.3	930	20.5	0.014	7.8	4.7	0.4	26.9	5.7	0.09	0.25	0.55	43	0.2	6.54	108
111976	0.61	322	1.31	0.02	34.1	950	13.2	0.0078	2.51	4.9	0.4	45.6	5.2	0.07	0.09	0.89	46	0.3	8.89	81
111977	1	509	1.04	0.02	41.8	950	12.9	0.01	3.84	5.7	0.5	51.4	5.5	0.08	0.13	2.19	51	0.2	9.24	79
111978	1.12	823	1.03	0.02	53.8	1070	13.5	0.01	3.73	4.6	0.4	48.3	3.1	0.08	0.13	3.76	45	0.2	7.38	98
111979	0.89	812	1.37	0.02	43.5	920	14.3	0.0085	3.2	5.1	0.4	38.5	4.9	0.09	0.12	0.67	49	0.3	8.74	92
111980	0.87	827	1.02	0.02	44.3	1120	19.6	0.0102	4.73	4.4	0.3	32.6	4.3	0.07	0.16	1.66	41	0.2	7.47	105
111981	1.27	737	1.22	0.02	53.2	1100	17.5	0.0104	4.36	5.3	0.8	34.7	5	0.09	0.15	0.65	56	0.2	9.11	112
111982	0.64	549	1.08	0.02	35	940	12.5	0.0093	4.12	4.3	0.8	28.2	6	0.05	0.09	1.76	45	0.4	8.43	94
111983	0.66	541	1.05	0.03	35.8	1130	19.9	0.0086	5.77	3.8	0.3	32.9	6.4	0.04	0.12	2.46	44	0.2	9.12	111
111984	0.47	113	0.49	0.02	18.1	990	8.2	0.005	1.06	2.6	0.7	28.3	3.1	0.04	0.09	1.57	31	0.2	6.2	60
111985	0.42	83	0.64	0.02	17.5	890	8.3	0.005	0.98	2.7	0.015	31.3	2.9	0.04	0.09	3.1	34	0.1	6.6	61
111986	0.33	67	0.66	0.02	11.3	620	8.3	0.0047	0.79	2.5	0.8	14.1	3.4	0.04	0.09	2.86	24	0.2	4.76	34
111987	0.5	95	0.75	0.07	26.6	760	11.9	0.0073	1.07	4.5	0.3	28.5	3.9	0.06	0.14	3.88	48	0.1	9.26	74
113175	0.54	491	1.19	0.01	22.2	510	13.4	0.0068	1.15	4.1	0.8	25.4	4.7	0.04	0.09	1.07	44	0.2	8.93	79
113177	0.53	341	0.94	0.02	25.7	940	10.6	0.0078	0.95	3.4	0.8	24.2	3.7	0.05	0.09	1.28	45	0.3	8.03	63
113178	0.48	136	0.75	0.02	20.6	880	8.8	0.0051	0.63	2.3	0.8	19.8	3.6	0.05	0.08	0.77	37	0.3	5.29	56
113179	0.48	103	0.69	0.03	23	1080	9.9	0.0061	1.52	3.2	0.015	32.6	4.5	0.05	0.12	5.02	41	0.2	8.63	88
113180	0.57	116	0.65	0.02	24.1	910	12.4	0.007	1.43	3.9	0.3	30.3	4.1	0.04	0.15	3.41	46	0.2	7.96	94
113181	0.73	419	1.25	0.02	41	1010	23	0.0096	4.14	4.7	0.8	33.1	5.4	0.05	0.13	3.69	56	0.3	10.7	113

Sample_ID	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	Rb_PCT	Sb_ppm	Sc_ppm	Sn_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm
113182	1.37	724	1.02	0.02	95.2	1020	16	0.0071	3.27	5.7	0.8	25.7	8.3	0.08	0.1	1.14	55	0.2	10.5	103
113183	0.65	459	1.07	0.11	29.5	1100	14.3	0.0094	2.37	4.2	0.3	41.9	4.5	0.05	0.12	2.53	53	0.3	7.77	88
113184	0.59	239	0.95	0.02	27.1	930	13.5	0.0073	3.48	3.2	0.8	20.8	6	0.05	0.13	0.52	35	0.3	7.98	82
113185	1.03	587	1.04	0.02	39.9	980	14.7	0.0092	2.95	4.7	0.8	32.2	4.9	0.08	0.12	1.3	55	0.2	8.46	88
113186	1.32	594	0.99	0.01	47.6	760	12.9	0.0169	4.29	5.3	0.8	30.2	4.9	0.06	0.25	0.78	52	0.2	8.61	93
113187	0.66	390	1.15	0.02	32	990	16.6	0.0076	3.47	4	0.9	24.2	5.8	0.05	0.12	2.26	48	0.3	7.77	86
113188	0.47	106	0.62	0.02	21.5	940	12	0.0053	1.21	3.6	0.7	27	4.1	0.04	0.13	5.6	38	0.2	7.44	77
113189	0.49	95	0.41	0.04	19.5	970	11.4	0.0059	1.25	3.8	0.3	33.1	3.9	0.05	0.13	9.98	45	0.3	8.35	71
113190	0.46	119	0.56	0.02	19.8	980	11.3	0.0054	1.02	3.2	0.8	33.6	3	0.04	0.11	11.3	40	0.2	8	62
113191	0.64	497	1.12	0.02	32.5	950	13.2	0.0069	2.14	4.1	0.9	58.5	5	0.06	0.1	2.49	50	0.2	9.54	85
113192	0.66	430	1.24	0.02	29.8	1000	13	0.0079	2.91	3.9	0.8	44.6	4.6	0.06	0.1	2.55	48	0.3	9.36	83
113193	0.47	602	1.25	0.01	27.4	670	14.6	0.0069	3.24	4.4	0.6	38	4	0.03	0.09	3.07	41	0.2	9.46	88
113194	0.38	253	0.97	0.01	21	600	12.3	0.0064	3.63	3.3	0.5	19.8	4.1	0.03	0.1	0.91	34	0.1	7.15	72
113195	0.41	369	1.17	0.01	23.5	720	12.9	0.0085	2.47	4.3	0.7	26.3	3.7	0.03	0.1	2.9	44	0.3	8.71	76
113196	0.4	274	1.05	0.01	20.1	660	11.8	0.0068	1.62	3.9	0.6	24.3	3.7	0.03	0.09	1.4	44	0.2	7.81	71
113197	0.37	302	0.96	0.01	24.2	610	11.4	0.0058	1.97	3.8	0.7	24	4	0.04	0.08	1.55	42	0.7	7.88	73
113198	0.37	351	0.99	0.01	22.3	630	13.1	0.0068	1.94	4.1	0.6	23.7	4.2	0.03	0.09	3.2	45	0.1	8.2	77
113199	0.4	317	0.91	0.005	22.7	740	12.4	0.006	0.96	4	0.5	24.6	3.7	0.03	0.09	4.08	43	0.4	8.83	79
113200	0.38	205	0.68	0.01	20	810	11.1	0.0051	0.75	3.9	0.6	23.3	3.4	0.03	0.11	3.99	44	0.05	9.09	83
113267	0.21	330	0.8	0.005	12.2	680	14.8	0.0067	2.09	1.3	0.6	5.3	0.9	0.02	0.08	0.3	32	0.2	2.19	54
113268	0.41	256	0.81	0.005	20	330	10.6	0.0062	1.85	3.4	0.5	12.2	4.3	0.04	0.07	0.65	41	0.05	6.82	61
113269	0.41	379	0.88	0.01	18.1	360	15.1	0.0073	4.69	3.7	0.6	12.3	4.2	0.03	0.07	0.83	40	0.05	7.27	64
113270	0.38	281	0.94	0.005	18.4	530	10.8	0.0061	0.84	3.4	0.5	13.6	3	0.04	0.07	0.72	40	0.05	7.56	65
113271	0.35	204	0.88	0.005	17.8	430	10.1	0.0057	0.76	3.1	0.5	11.1	2.8	0.03	0.06	0.65	40	0.05	6.08	55
113272	0.41	268	1	0.01	19.9	450	11	0.0057	0.84	3.4	0.6	14.9	2.8	0.04	0.06	0.74	40	0.05	7.18	65
113273	0.35	178	0.91	0.005	15.8	530	11.7	0.0067	0.71	2.6	0.5	10.2	2.7	0.03	0.07	0.62	42	0.1	4.4	54
113274	0.44	348	1.04	0.01	22	570	11	0.0065	0.78	4.1	0.6	13.2	4.1	0.04	0.07	0.8	45	0.2	9.32	74
113275	0.45	282	0.86	0.01	20.7	340	12.7	0.0073	0.79	3.7	0.6	8.7	5.4	0.04	0.07	0.7	41	0.05	7.04	69
113276	0.43	194	0.96	0.005	18.9	360	13.9	0.0081	0.93	2.6	0.6	8.5	4	0.04	0.09	0.47	43	0.05	3.54	64
113277	0.53	393	0.74	0.005	25.3	350	15.9	0.0061	1.17	2.8	0.5	6.5	8.5	0.03	0.06	0.54	30	0.05	6.07	73
113278	0.46	416	0.73	0.005	23.3	300	17.9	0.0058	1.06	3.4	0.4	6.2	10.1	0.03	0.07	0.86	30	0.05	8.22	65
113279	0.52	533	0.55	0.005	24.9	250	15.3	0.0059	0.95	3.1	0.7	6.1	9.8	0.02	0.05	0.56	27	0.05	8.17	71
113280	0.46	394	0.7	0.005	22.3	290	19.6	0.0066	1.38	2.6	0.5	5.3	8	0.02	0.06	0.46	28	0.05	5.94	67
113281	0.71	461	0.59	0.005	29.5	320	18.7	0.0059	3.17	3.3	0.5	6.3	9.7	0.03	0.06	0.44	33	0.05	6.91	69
113282	0.61	345	0.62	0.005	27.6	260	20.5	0.0069	3.02	3	0.4	4.2	7.8	0.03	0.08	0.35	31	0.05	4.58	68
113283	0.53	473	0.88	0.005	26.6	330	17.8	0.0082	2.91	2.7	0.4	3.9	10.6	0.02	0.07	0.5	28	0.05	5.12	80
113284	0.43	279	0.98	0.005	23.5	250	14.8	0.0079	1.39	4.2	0.6	9	5.5	0.05	0.1	0.88	51	0.1	6.58	66
113285	0.37	247	0.9	0.005	21	280	13	0.0062	1.78	3.7	0.5	8.1	5.2	0.04	0.08	0.69	34	0.05	7.49	63
113286	0.27	113	0.78	0.01	11.8	520	13.1	0.0072	0.45	2.8	0.7	8.6	2.6	0.03	0.09	0.61	44	0.05	4.32	41
113287	0.45	352	1.12	0.005	24.9	370	17.4	0.0069	1.1	4.8	0.6	14.8	3.9	0.04	0.09	0.77	48	0.1	10.7	76
113288	0.45	390	1.02	0.01	23.3	470	14.7	0.0052	1.55	3.9	0.5	19	3.6	0.04	0.07	0.87	41	0.1	9.39	78
113289	0.37	210	0.75	0.01	18	530	8.4	0.0056	0.59	3.2	0.5	11.7	2.9	0.04	0.07	0.6	38	0.2	7.98	57
113290	0.37	206	0.72	0.01	17	580	9.2	0.0054	0.58	2.9	0.5	14.2	2.7	0.04	0.06	0.64	35	0.05	8.2	60
113291	0.33	163	0.89	0.005	17.1	510	11.6	0.007	0.68	2.6	0.6	10.1	1.7	0.03	0.07	0.56	41	0.05	5.6	56

Sample_ID	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	Rb_PCT	Sb_ppm	Sc_ppm	Sn_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm
113292	0.38	330	0.95	0.01	21.7	560	16	0.0056	1.39	3.7	0.5	19.5	3.4	0.03	0.08	1.02	38	0.1	8.73	67
113293	0.37	249	0.96	0.01	20.7	680	12.4	0.0056	0.93	3.7	0.5	22.8	3.2	0.04	0.07	1.12	37	0.1	8.7	67
113294	0.35	338	0.83	0.01	22.6	630	10.7	0.0047	0.81	3.9	0.5	21.9	4.4	0.03	0.07	1.05	39	0.1	8.22	62
113295	0.41	546	1.13	0.01	25.1	820	13.3	0.0064	1.13	4.4	0.6	40.4	3.2	0.03	0.08	4.73	48	0.1	9.77	70
113296	0.42	342	0.96	0.01	23	660	11.6	0.0066	0.8	4.1	0.6	26.1	4	0.03	0.08	1.57	44	0.2	8.59	67
113297	0.39	347	1.08	0.01	21.1	680	15.5	0.0067	1.34	3.5	0.6	28.1	3.1	0.03	0.1	1.29	45	0.05	7.38	75
113298	0.38	831	1.79	0.01	22.3	850	18.3	0.0076	1.66	3.3	0.5	26.8	2.1	0.03	0.09	1.88	48	0.1	7.22	85
113299	0.45	704	1.37	0.01	26.7	780	15.7	0.0069	1.33	4.8	0.6	33	4	0.04	0.1	2.23	46	0.2	10.2	90
113300	0.43	269	0.87	0.01	24.5	790	10.9	0.006	0.72	4	0.6	28.9	4	0.04	0.08	2.3	42	0.05	9.07	77
1567801	0.39	166	0.82	0.01	20.8	670	13.2	0.0076	4.3	3.5	0.3	26.3	3.8	0.03	0.11	4.26	36	0.2	6.97	78
1567802	0.39	320	0.96	0.01	22.6	700	11.5	0.0071	7.15	3.4	0.4	26.1	4.1	0.03	0.09	4.69	36	0.5	7.61	74
1567803	0.58	430	1.11	0.02	36.1	790	12.8	0.0117	18.6	3.9	0.8	37.1	8.4	0.06	0.16	2.24	36	0.4	9.29	92
1567804	0.55	369	0.99	0.02	34.7	930	13.7	0.0119	12	3.8	0.8	49.5	5.2	0.06	0.14	4.85	37	0.4	10.5	87
1567805	0.55	481	1.24	0.02	31.5	1000	12.7	0.0094	2.83	4.6	0.8	42.4	4.8	0.06	0.12	4.45	47	0.5	10.4	85
1567806	0.61	431	1.44	0.02	35.5	1030	17.7	0.0097	4.22	4.2	0.8	28	6.7	0.07	0.18	0.82	47	0.4	9.28	98
1567807	0.61	365	1.28	0.02	34.9	910	19	0.0106	4.01	4.1	0.8	26	6.7	0.06	0.18	0.99	45	0.4	9.16	92
1567808	0.51	254	0.77	0.02	21.5	550	10.7	0.0092	2.31	2.9	0.7	16	6.1	0.06	0.11	0.84	37	0.3	7.02	56
1567809	0.48	305	0.98	0.01	27.5	580	13.1	0.0071	2.99	3.4	0.7	17.2	5.6	0.06	0.11	0.9	41	0.2	7.27	61
1567810	0.51	259	1.08	0.02	23.3	710	12.2	0.01	2.46	3.2	0.7	13.9	4.3	0.06	0.12	0.87	46	0.3	6.97	60
1567811	0.47	164	1.11	0.02	21.7	650	14.4	0.0107	1.86	3.9	0.9	11	5	0.07	0.15	0.83	54	0.2	5.25	60
1567812	0.48	198	1.13	0.01	24.1	690	15.8	0.0077	6.37	2.8	0.7	7.1	5.7	0.06	0.15	0.57	36	0.05	4.92	72
1567813	0.54	332	0.93	0.02	25.7	730	11.5	0.0076	1.91	4.4	0.7	13.4	5.1	0.07	0.11	0.7	43	0.2	9.44	68
1567814	0.49	253	0.89	0.02	21.5	870	11.3	0.0072	1.15	3.7	0.7	16	4.1	0.07	0.12	0.84	46	0.1	7.81	60
1567815	0.55	314	0.73	0.02	28	840	8.9	0.0231	5.87	2.8	1	21.7	9.9	0.07	0.27	1.46	28	0.6	8.68	64
1567816	0.68	293	0.9	0.02	25.9	590	13.6	0.0096	5.56	4.4	0.8	17.7	5.5	0.09	0.09	0.82	53	0.3	8.83	67
1567817	0.67	357	1.01	0.02	26.4	480	15.1	0.0091	6.51	4.6	0.8	18.6	6	0.09	0.11	0.8	58	0.3	8.27	68
1567818	0.61	405	0.96	0.02	28.9	550	13.6	0.0104	4.71	5.7	0.9	20.3	5.9	0.07	0.11	1.24	55	0.3	12.4	64
1567819	0.6	259	0.96	0.01	26.6	310	22	0.0083	15	2.9	0.7	12.6	5.8	0.05	0.12	0.59	44	0.4	3.77	64
1567820	0.7	622	1.22	0.01	39	410	22.7	0.0101	18.9	5.7	0.7	7.8	9.2	0.05	0.11	0.96	41	0.2	12.1	92
1567821	0.56	351	1.18	0.01	26.9	570	15.6	0.0084	2.79	3.6	0.7	10.4	5.4	0.06	0.11	0.75	51	0.3	6.37	74
1567822	0.54	462	0.92	0.01	28.2	480	15.5	0.0077	2.7	4.2	0.6	9.4	6	0.07	0.09	0.91	40	0.05	9.07	70
1567823	0.53	319	1.18	0.02	24.5	780	12.4	0.008	1.46	3.7	0.8	15.9	4.1	0.08	0.08	0.69	46	0.3	8.01	77
1567824	0.62	312	0.94	0.02	24.2	550	12.4	0.0078	1.53	4.6	0.8	15.3	5.5	0.09	0.09	0.78	48	0.1	9.79	65
1567825	0.74	504	1.26	0.02	32.3	390	17.3	0.0103	2.42	5.7	0.9	14.1	7.7	0.09	0.11	0.94	55	0.2	9.57	76
1567826	0.79	735	0.64	0.01	35.3	530	22.7	0.006	2.9	3.3	0.6	8.1	11.5	0.05	0.07	0.59	30	0.05	9.71	84
1567827	0.69	662	0.64	0.01	31.5	620	27.9	0.0048	2.36	2.8	0.6	10.3	12.8	0.05	0.06	0.79	29	0.05	9.26	78
1567828	0.65	352	0.61	0.01	27	510	14.4	0.0058	1.2	2.7	0.7	8.5	10.1	0.08	0.07	0.97	34	0.1	8.04	69
1567829	0.59	618	1.13	0.01	32.8	460	27.6	0.0084	2.66	5.4	0.7	9.6	10.2	0.05	0.11	0.93	40	0.2	12.6	88
1567830	0.65	387	1.07	0.02	29	550	16.3	0.0093	1.88	4.6	0.8	9	7.3	0.08	0.1	1.02	45	0.05	7.99	66
1567831	0.53	175	0.88	0.01	23.3	560	9.8	0.0072	1.23	2.9	0.7	10.5	4.5	0.07	0.07	0.64	43	0.2	5.23	61
1567832	0.51	255	0.99	0.01	21.9	650	9.5	0.0062	1.08	3.5	0.7	14.8	4.5	0.07	0.07	0.75	45	0.2	8.56	62
1567833	0.49	305	0.87	0.01	22.2	760	9.4	0.0057	0.84	3.6	0.6	16.2	4.7	0.07	0.08	0.7	45	0.3	7.79	62
1567834	0.53	217	0.79	0.01	21.3	930	9.6	0.0068	0.67	3.2	0.8	14.2	4.4	0.07	0.09	0.87	42	0.2	7.37	59
1567835	0.51	216	0.95	0.01	21.2	1180	9.4	0.0075	0.77	2.7	0.7	15.3	1.7	0.06	0.09	0.9	41	0.2	7.16	69

Sample_ID	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	Rb_PCT	Sb_ppm	Sc_ppm	Sn_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm
1567836	0.53	199	0.83	0.02	21.8	980	12	0.0067	2.56	2.8	0.6	12	2.4	0.06	0.09	0.71	37	0.1	6.29	59
1567837	0.59	359	0.91	0.02	25.1	850	13	0.008	1.62	3.8	0.7	17.5	4.7	0.06	0.11	1.29	43	0.3	8.83	64
1567838	0.52	317	1.07	0.02	25.4	1100	9.8	0.0066	1.25	3.8	0.7	22.1	5.3	0.06	0.08	0.76	40	0.2	8.46	73
1567839	0.47	205	0.82	0.02	20.3	980	8.9	0.0067	0.76	3	0.8	17.8	2.8	0.07	0.08	0.76	41	0.3	7.64	59
1567840	0.34	716	1.03	0.005	27.7	670	27.6	0.0063	5.95	2.9	0.6	16.2	7.8	0.03	0.16	0.5	20	0.2	9.01	99
1567841	0.4	395	1.3	0.01	27.9	490	17.6	0.0084	1.84	4.7	0.9	24.7	5.8	0.07	0.1	1.06	46	0.2	10.4	80
1567842	0.44	580	0.95	0.005	27.8	500	29.4	0.0068	5.69	3.6	0.7	23.9	8	0.03	0.08	0.91	27	0.05	9.72	87
1567843	0.47	336	1.2	0.01	26	640	14.3	0.007	1.79	4.9	0.8	29.3	5.5	0.05	0.08	0.99	46	0.3	10.3	90
1567844	0.44	402	1.13	0.01	25.3	660	12.5	0.0065	1.3	4.4	0.8	31.6	4.5	0.04	0.08	1.27	40	0.2	8.99	89
1567845	0.41	373	1.13	0.01	22.8	710	11.4	0.007	0.95	4.4	0.8	34.4	3.9	0.04	0.09	1.37	44	0.2	8.92	73
1567846	0.36	112	0.54	0.005	18	610	11.3	0.0052	0.97	3.8	0.7	27	3.8	0.04	0.12	4.04	40	0.3	7.83	80
1567847	0.35	290	1.27	0.005	20.7	890	14.1	0.006	1.58	4.1	0.8	29.9	4.9	0.03	0.12	4.32	44	0.1	8.92	95
1567848	0.43	414	1.22	0.01	29.2	710	13.9	0.0071	1.45	4.2	0.7	33	5.4	0.04	0.1	1	38	0.2	9.03	91
1567849	0.44	335	0.74	0.005	24.9	540	8.1	0.0122	1.66	3.2	0.8	21.5	8	0.04	0.15	1.54	27	0.1	7.43	77
1567850	0.45	420	0.99	0.005	26.8	540	11.3	0.0156	1.77	3.6	1	27.3	7.9	0.05	0.21	1.5	32	0.2	7.75	81
1567851	0.48	399	1	0.005	27.1	510	13.9	0.008	3.17	3.2	0.7	26.1	8.3	0.04	0.12	1.62	30	0.3	7.66	83
1567852	0.43	398	1.35	0.01	25.9	700	17.6	0.0075	1.27	4.2	0.8	29.9	4.8	0.04	0.11	0.96	46	0.2	8.83	87
1567853	0.4	389	1.27	0.01	29.6	700	14.8	0.0081	1.32	4.3	0.8	21.8	5.1	0.04	0.11	1.26	35	0.2	9.49	84
1567854	0.5	344	0.7	0.005	25.5	590	7.2	0.008	1.17	2.5	0.7	15.4	7.1	0.02	0.09	1.72	19	0.2	6.68	73
1567855	0.49	435	1.23	0.01	32.6	670	20.1	0.0064	2.04	3.6	0.6	20.9	6.5	0.04	0.11	1.12	30	0.2	7.77	94
1567856	0.43	332	0.98	0.005	22.3	670	14.7	0.0056	1.24	3.1	0.6	14.8	4.1	0.03	0.07	0.98	29	0.1	6.8	72
1567857	0.5	275	0.95	0.01	24.9	570	12.9	0.0061	1.14	2.9	0.6	19.9	3.9	0.03	0.08	1.04	29	0.2	7.02	73
1567858	0.48	561	1.51	0.005	37.4	1080	31.4	0.0051	2.96	3.5	0.5	18.1	7	0.03	0.13	0.93	27	0.2	10.5	111
1567859	0.49	435	1.11	0.005	27.9	710	25.7	0.007	2.94	2.6	0.5	12.3	7.7	0.03	0.15	0.77	22	0.1	7.22	89
1567860	0.42	288	1.05	0.01	23.5	590	13.6	0.0055	1.28	3.5	0.6	16.8	5	0.04	0.07	0.8	33	0.1	7.44	70
1567861	0.49	360	1.36	0.01	29	670	16	0.0067	1.66	4.2	0.7	24.5	4.9	0.04	0.1	0.96	36	0.3	8.33	81
1567862	0.42	197	0.94	0.01	21.8	660	11.1	0.0055	0.96	3.4	0.7	18	3.8	0.04	0.06	0.95	35	0.2	7.46	68
1567863	0.42	277	1.18	0.01	25.2	660	13.8	0.0059	1.56	3.9	0.7	18.6	4.2	0.04	0.09	0.99	36	0.2	8.64	79
1567864	0.43	267	1.17	0.01	22.9	650	11.5	0.0061	0.96	3.8	0.7	22.2	3.8	0.04	0.07	1.07	34	0.2	7.36	74
1567865	0.46	397	1.26	0.01	26.8	740	12.5	0.006	0.93	4.3	0.7	30.4	4.4	0.04	0.07	1.73	41	0.2	8.83	82
1567866	0.45	257	1.1	0.01	25.9	760	12.2	0.0077	1.1	4.3	0.8	33.4	4.7	0.04	0.09	1.69	39	0.3	8.38	73
1567867	0.43	430	1	0.01	26.8	780	12.4	0.0086	1.92	3.6	0.6	36.1	4.1	0.03	0.1	4.13	30	0.2	8.32	71
1567868	0.49	304	0.9	0.01	27.6	560	12.1	0.0127	1.79	3.8	0.8	30.8	6.7	0.04	0.15	1.08	30	0.1	8.14	81
1567869	0.5	544	1.03	0.01	37.7	750	24.7	0.0122	3.48	3.2	0.7	21.6	9.6	0.02	0.19	1.35	23	0.1	8.98	98
1567870	0.42	156	1	0.01	22.5	860	14.7	0.0067	1.13	3.7	0.7	24.1	3.7	0.03	0.12	5.42	39	0.2	7.7	76
1567871	0.4	139	1.12	0.005	27.4	770	23.1	0.0056	2.52	3.4	0.7	23.2	5.9	0.03	0.12	4.07	29	0.5	7.97	95
1567872	0.54	189	0.87	0.005	26.4	700	16.6	0.0074	5.22	3.5	0.6	18.2	9.3	0.02	0.13	3.17	32	1	9.21	81
1567873	0.39	324	0.97	0.01	23.5	860	12.3	0.0062	0.78	3.7	0.6	37.1	3.8	0.03	0.08	8.78	33	0.2	7.67	69
1567874	0.47	430	1.19	0.01	27.8	770	14.2	0.006	1.11	4.1	0.7	41.6	4.5	0.04	0.08	3.06	38	0.2	8.93	74
1567875	0.5	467	1.3	0.02	27.3	680	18	0.0066	1.47	4.9	0.7	43.1	5.1	0.04	0.09	1.62	41	0.2	9.78	80
1567876	0.49	458	1.2	0.01	27.4	730	19.3	0.0056	1.35	3.8	0.7	43.6	4.6	0.04	0.09	1.5	35	0.3	7.66	76
1567877	0.56	397	1.28	0.02	25.3	980	18.8	0.0067	1.61	4.1	0.4	32.2	4.6	0.05	0.1	1.71	39	0.2	8.47	71
1567878	0.58	313	1.26	0.02	23.6	920	16.7	0.007	1.47	4.1	0.5	28.4	4.5	0.05	0.1	2.06	40	0.5	8.15	69
1567879	0.53	347	1.28	0.02	23.3	920	16.5	0.0065	1.55	4	0.3	24.8	4.6	0.05	0.09	1.52	40	0.2	8.16	70

Sample_ID	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	Rb_PCT	Sb_ppm	Sc_ppm	Sn_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm
1567880	0.51	248	1.15	0.02	21.8	1040	13	0.0068	0.95	3.8	0.4	24.9	3.9	0.05	0.1	2.11	43	0.2	7.87	70
1567881	0.57	354	1.21	0.02	26.7	1080	13.5	0.0069	1.64	4.1	0.3	35.7	5.1	0.04	0.09	3.46	38	0.2	10.2	82
1567882	0.52	428	1.12	0.02	25.5	980	12.6	0.0063	2.19	4.5	0.4	39.9	3.5	0.04	0.09	4.09	41	0.3	11.1	71
1567883	0.52	501	1.3	0.02	26.7	1040	12.2	0.0069	2.77	4.5	0.4	34	4.2	0.05	0.08	2.34	40	0.2	9.68	81
1567884	0.56	306	1.19	0.02	25.8	800	12.9	0.007	2.68	4.3	0.3	30.1	4.3	0.05	0.08	2.42	41	0.3	9.45	71
1567885	0.54	827	1.3	0.02	28.5	1050	15.5	0.0083	3.27	4.6	0.4	36.7	3.4	0.04	0.1	3.54	41	0.2	10.2	75
1567886	0.53	256	0.75	0.02	22.4	890	13.2	0.0061	2.33	3.1	0.15	23.6	3.7	0.04	0.07	1.73	32	0.2	7.6	58
1567887	1.24	633	0.83	0.02	56.4	960	14.2	0.0088	3.01	4.7	0.4	21.2	6.3	0.05	0.09	1.86	37	0.1	8.89	73
1567888	0.74	491	0.84	0.02	36.3	770	16.1	0.0073	2.05	3.8	0.15	26	8.7	0.04	0.07	2.19	32	0.1	8.9	75
1567889	0.52	374	0.87	0.02	21.8	840	21.6	0.0053	3.4	2.8	0.15	22.5	6.4	0.04	0.05	1.34	28	0.1	7.15	66
1567890	0.54	268	0.86	0.02	19.6	1030	13.5	0.0066	1.56	2.4	0.3	17.8	4.7	0.04	0.08	1.39	32	0.2	5.51	70
1567891	0.58	414	0.99	0.02	20.1	1000	16.6	0.0055	2.31	2.7	0.15	18.5	6.8	0.04	0.07	1.45	32	0.3	6.75	74
1567892	0.47	236	1.05	0.02	19.7	1180	11.2	0.0061	1.76	3.4	0.3	20.5	3.2	0.05	0.08	1.18	39	0.3	7.03	70
1567893	0.52	366	1.46	0.02	24.7	1100	13.1	0.0058	2.82	4	0.4	30.3	3.3	0.06	0.08	1.41	45	0.2	7.98	72
1567894	0.47	226	1.01	0.02	20.9	1090	10.6	0.0054	1.2	3.7	0.3	25.2	3.2	0.05	0.08	0.91	42	0.2	7.02	63
1567895	0.43	201	0.94	0.02	17	1160	12.9	0.0071	2.67	2.9	0.3	25	1.6	0.04	0.1	1.2	37	0.2	5.42	56
1567896	0.52	242	1.08	0.02	20.3	1050	12.8	0.0077	2.81	3.5	0.4	22.2	2.6	0.05	0.08	1.14	39	0.2	7.44	66
1567897	0.58	249	1.17	0.02	21.3	960	13.2	0.0065	3.31	3.6	0.4	21.3	3.8	0.06	0.08	1.1	39	0.2	7.38	70
1567898	0.48	218	0.88	0.02	17.7	940	8.3	0.0058	1.17	3	0.3	16.9	3.3	0.05	0.07	1.15	33	0.2	6.86	59
1567899	0.51	247	1.03	0.02	19.9	1110	17.8	0.0063	2.4	3.1	0.3	18.4	2.9	0.04	0.08	1.22	34	0.2	6.75	67
1567900	0.56	397	1.22	0.02	27.1	1110	12.6	0.0068	1.31	4.3	0.4	27.2	4.3	0.05	0.08	1.55	43	0.2	8.63	83
1568151	0.53	422	1.07	0.02	25.4	570	17	0.0069	6.67	4.6	0.4	19.4	5.3	0.05	0.09	1.42	45	0.2	8.63	65
1568152	0.63	471	1.17	0.02	26.8	490	16.9	0.0085	4.39	5.1	0.4	11.6	5.7	0.07	0.09	1.03	43	0.2	12.1	73
1568153	0.45	685	2.43	0.02	18.7	1360	16.4	0.0083	4.63	2.6	0.4	7.8	4.6	0.06	0.09	0.52	54	0.2	3.57	67
1568154	0.57	193	0.93	0.02	20.1	1060	10.7	0.0076	0.69	3.2	0.4	21.4	2.6	0.07	0.08	0.9	39	0.2	7.93	68
1568155	0.53	290	1.03	0.02	21.7	720	14.4	0.006	1.15	3.7	0.4	17.6	4.4	0.07	0.07	0.81	39	0.2	7.97	68
1568156	0.52	399	1.09	0.02	23.9	750	18.6	0.006	1.8	4	0.3	16.3	5	0.06	0.09	0.69	39	0.2	9.28	75
1568157	0.56	313	0.98	0.02	21.4	720	14.9	0.0058	1.56	3.4	0.3	13.6	5.6	0.06	0.07	0.88	37	0.2	7.34	65
1568158	0.54	323	1.07	0.02	20.9	630	13.9	0.0069	1.53	3.5	0.3	10.4	5.9	0.06	0.07	0.65	34	0.2	7.42	69
1568159	0.57	324	0.91	0.02	20.7	870	14.7	0.0053	1.54	3	0.3	17.4	4.7	0.07	0.06	0.75	34	0.2	7.54	66
1568160	0.53	217	0.92	0.02	18.7	1030	11.5	0.0062	0.77	3.6	0.4	17	3.9	0.07	0.08	0.81	39	0.2	8.1	65
1568161	0.54	231	1.2	0.02	20	1210	13.7	0.0084	0.75	4.1	0.5	18.1	3.3	0.07	0.09	1.05	47	0.2	7.39	67
1568162	0.52	211	0.9	0.02	19	940	10.6	0.0058	0.67	3.5	0.4	21	3.9	0.08	0.07	0.83	39	0.2	8.31	55
1568163	0.5	238	0.92	0.03	21.2	760	10.4	0.005	0.95	3.4	0.4	24.3	4.5	0.1	0.06	1.24	41	0.2	9.11	57
1568164	0.5	280	0.87	0.02	20.8	770	10.7	0.0057	0.95	3.5	0.4	18.1	4.4	0.08	0.07	0.84	38	0.2	8.58	65
1568165	0.53	278	1.09	0.02	21.3	750	10.1	0.0065	0.91	4.5	0.4	16.8	4.4	0.07	0.08	0.91	41	0.2	8.77	67
1568166	0.57	376	1.12	0.02	24.5	790	15	0.0074	1.74	4.7	0.4	13.4	4.8	0.06	0.09	0.87	39	0.2	10.9	74
1568167	0.52	363	1	0.02	21.9	560	14.5	0.0055	1.85	3.6	0.4	14.8	5	0.08	0.07	0.83	37	0.2	8.91	62
1568168	0.53	261	1.06	0.02	17.5	760	12.9	0.0073	1.81	3.4	0.4	11.5	4	0.07	0.08	0.8	37	0.2	7.27	60
1568169	0.53	242	0.89	0.02	19.8	780	13	0.0057	1.82	3	0.3	13.7	3.7	0.06	0.08	1.05	36	0.2	7.18	60
1568170	0.57	475	0.89	0.03	24.4	810	16.9	0.0055	2.23	3	0.15	16.9	4.9	0.04	0.07	0.77	30	0.2	6.71	72
1568171	0.59	365	1.1	0.03	25.8	980	18.2	0.0062	2.19	3.8	0.3	23.2	3.7	0.06	0.08	1.26	38	0.2	8.98	83
1568172	0.5	265	1.22	0.02	22.8	1150	14.9	0.0074	1.47	3.7	0.4	29	2	0.04	0.09	2.33	37	0.2	8.82	74
1568173	0.5	199	0.97	0.02	21.9	1170	13.5	0.0067	1.12	3.1	0.3	18.7	2	0.05	0.09	1.38	37	1	7.22	68

Sample_ID	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	Rb_PCT	Sb_ppm	Sc_ppm	Sn_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm
1568174	0.67	378	1.4	0.02	30.5	1140	14.4	0.0081	1.37	4.9	0.5	30.7	4	0.06	0.09	1.89	45	0.2	9.85	86
1568175	0.48	275	1	0.02	22.3	1100	11.2	0.0055	1.06	3.7	0.3	26.9	4.4	0.06	0.06	1.25	38	0.2	8.47	59
1568176	0.6	294	1.09	0.03	25.9	1010	12.6	0.0067	1.08	4.4	0.5	34.9	4.7	0.07	0.09	1.59	44	0.4	9.01	75
1568177	0.42	447	1.09	0.02	25	630	11.1	0.0074	1.04	4.9	0.4	46.3	4.8	0.06	0.09	1.63	46	0.6	8.77	71
1568178	0.43	373	1.02	0.02	23.7	670	11.6	0.0074	0.83	4.8	0.4	34.9	4.4	0.05	0.1	2.27	54	0.3	9.11	60
1568179	0.45	389	0.95	0.02	25.3	610	12	0.0077	1	4.4	0.4	37.6	5	0.06	0.1	1	46	0.2	8.37	69
1568180	0.46	585	0.89	0.02	31.1	720	17.8	0.0078	2.14	4.5	0.4	33.8	5.2	0.05	0.11	0.9	39	0.3	10.4	88
1568181	0.48	623	1.04	0.02	32.2	580	15.2	0.0073	4.82	2.8	0.15	20.3	8.3	0.03	0.14	0.94	23	0.05	7.15	91
1568182	0.43	287	0.74	0.01	26	500	12.8	0.012	4.99	2.8	0.4	19.4	8.9	0.05	0.2	1.4	24	0.1	6.97	75
1568183	0.38	300	1.04	0.02	26.6	670	12.6	0.0085	1.5	4.6	0.4	30.9	4.3	0.05	0.11	2.6	41	0.2	8.77	82
1568184	0.38	225	0.86	0.02	22.6	660	12.5	0.0068	1.42	3.9	0.4	31.7	4.5	0.05	0.12	2.93	41	0.2	7.99	76
1568185	0.38	218	0.84	0.02	23.1	670	11.2	0.0075	0.9	4.1	0.4	33.8	4.2	0.05	0.11	2.77	41	0.2	8.18	72
1568186	0.41	347	0.99	0.02	23.3	720	13.6	0.0083	5.04	4.7	0.4	38.4	4.1	0.05	0.12	4.26	49	0.2	8.75	75
1568187	0.44	464	0.94	0.02	27.2	740	14.3	0.0069	1.33	4.8	0.4	33.2	5	0.05	0.11	3.46	53	0.3	9.66	76
1568188	0.41	405	1.08	0.02	23.7	620	13.2	0.0074	1.6	4.4	0.4	41.4	4.3	0.05	0.11	4.54	43	0.2	8.85	75
1568189	0.41	460	1.16	0.02	27.8	680	14.8	0.008	1.63	4.5	0.4	41.1	4.4	0.05	0.11	2.07	46	0.2	10.2	84
1568190	0.34	322	1.02	0.02	20.7	840	11.2	0.0081	0.73	4.4	0.4	35.7	2.8	0.04	0.1	2.16	49	0.2	9.01	65
1568191	0.39	308	1	0.02	24.4	760	10.3	0.0074	0.73	4.3	0.4	30	3.9	0.05	0.09	1.54	45	0.2	8.94	71
1568192	0.43	366	1.15	0.02	28.2	600	18.5	0.0072	2.47	3.7	0.3	21.6	6.7	0.04	0.13	0.99	32	0.2	7.68	82
1568193	0.43	321	1.06	0.02	22.4	550	15.4	0.0077	1.49	3.7	0.4	21.3	4.5	0.03	0.11	0.93	38	0.2	6.94	68
1568194	0.45	284	1.01	0.02	24.6	550	15.4	0.0071	1.79	3.4	0.3	22.2	5.8	0.04	0.11	1.14	34	0.2	7.28	72
1568195	0.46	471	1.25	0.02	28.1	710	16.7	0.008	1.77	4.9	0.4	33.2	5	0.04	0.11	1.92	49	3.1	10.6	71
1568196	0.43	435	1.26	0.02	25	640	14.3	0.009	1.34	4.7	0.4	28.5	4.4	0.04	0.11	1.9	48	0.3	9.12	67
1568197	0.44	403	1.18	0.02	24.8	570	15.1	0.0071	1.34	4.1	0.4	28.9	4.7	0.04	0.11	1.28	44	0.2	8.28	73
1568198	0.48	457	1.31	0.02	28.1	620	16.2	0.0082	1.5	4.5	0.4	29.7	5	0.05	0.11	1.37	47	0.2	9.34	83
1568199	0.47	521	1.42	0.02	31.5	680	17.6	0.0087	2.26	4.6	0.4	28.1	6.4	0.05	0.15	0.85	47	0.2	9.84	93
1568200	0.45	454	1.29	0.02	29.3	620	15.6	0.0087	1.83	4.3	0.4	27.8	5.4	0.05	0.12	1.17	43	0.5	8.71	82
1568201	0.4	364	1.07	0.02	21.4	650	15.8	0.0096	1.97	3.5	0.4	26.2	3.5	0.04	0.13	1.41	42	0.4	7.69	63
1568202	0.43	277	1.17	0.01	24.7	670	13.9	0.0073	1.13	4.1	0.4	30.5	4.6	0.04	0.1	2.27	41	0.2	8.79	71
1568203	0.44	452	1.25	0.01	29.4	670	17.8	0.0083	1.42	4.2	0.4	28.5	5.2	0.04	0.14	1.55	41	0.2	8.81	88
1568204	0.49	527	1.34	0.02	30.8	690	17	0.0091	1.74	4.4	0.4	35.1	5.6	0.04	0.12	1.36	43	0.8	9.84	89
1568205	0.49	453	1.15	0.02	26.3	800	15.6	0.0077	1.34	4.5	0.4	45.6	5.5	0.04	0.11	3.47	42	0.2	9.84	85
1568206	0.6	746	2.17	0.02	37.2	1030	28.5	0.0105	2.73	3.9	0.3	31	7.1	0.03	0.23	1.27	35	0.3	9.36	128
1568207	0.36	112	1.07	0.01	18	870	13.9	0.0055	1.42	3.5	0.3	27.6	4	0.03	0.14	6.98	45	0.2	8.2	87
1568208	0.39	184	0.93	0.01	18.6	800	10.2	0.007	0.8	3.6	0.4	33.5	3.6	0.04	0.11	2.57	42	0.2	7.19	66
1568209	0.42	264	0.97	0.02	22.4	840	11.1	0.0084	0.74	4.2	0.4	37.4	4.3	0.04	0.1	4.09	44	0.2	9.48	79
1568210	0.44	506	1.04	0.01	25.3	690	12.8	0.0086	2.65	3.7	0.4	36.3	3.8	0.04	0.09	1.64	39	0.3	8.54	75
1568211	0.42	297	1	0.01	22.7	760	11.4	0.0087	1.72	3.7	0.4	32.7	3.2	0.03	0.09	1.61	42	0.2	8.12	77
1568212	0.44	373	0.97	0.01	23.9	610	11.9	0.0071	1.38	3.5	0.3	22.7	5.3	0.03	0.08	1.64	35	0.2	7.72	71
1568213	0.5	354	1.16	0.01	29.2	690	13	0.009	1.07	3.9	0.3	25.6	5.1	0.04	0.09	1.66	43	0.2	9.49	92
1568214	0.41	271	1.12	0.01	18.6	540	12.2	0.0097	0.98	3.2	0.4	21.7	3.3	0.04	0.1	1.41	43	0.2	6.34	68
1568215	0.47	386	1.13	0.01	26.6	560	11.1	0.0092	1.1	4.7	0.4	21.7	5.4	0.05	0.1	1.8	43	0.2	9.62	81
1568216	0.45	440	1.18	0.02	28.3	710	11.1	0.0088	1.38	4.6	0.4	28.9	4.9	0.04	0.09	1.86	46	0.2	10.6	81
1568217	0.45	439	1.24	0.01	27.3	710	13.1	0.0085	1.46	4.4	0.4	35.7	3.8	0.04	0.1	1.91	48	0.3	9.6	74

Sample_ID	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	Rb_PCT	Sb_ppm	Sc_ppm	Sn_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm
1568218	0.46	383	1.33	0.02	27	620	13.2	0.009	1.33	4.5	0.4	28.5	4.5	0.04	0.1	1.3	48	0.3	9.39	79
1568219	0.46	265	1.07	0.02	21.8	630	11.2	0.0082	1.02	3.9	0.4	22.7	3.4	0.04	0.08	1.05	48	0.2	8.54	68
1568220	0.5	367	1.27	0.02	25.4	660	13.1	0.009	1.69	4.4	0.4	25.9	3.7	0.05	0.09	1.1	48	0.2	9.51	75
1568221	0.45	245	1.12	0.01	20.1	580	11.2	0.0076	1.54	3.8	0.4	22.4	3.6	0.04	0.08	0.89	43	0.2	8.33	66
1568222	0.45	449	1.35	0.01	30.7	660	17.5	0.0082	8.51	4.8	0.4	26.6	5.5	0.04	0.1	0.97	45	0.2	9.87	94
1568223	0.48	639	1.63	0.01	27.3	600	28.1	0.01	9.34	4.3	35.3	31.9	2.6	0.04	0.08	1.65	53	0.3	9.44	80
1568224	0.55	421	1.09	0.02	30.8	520	18	0.0072	9.41	5	0.4	31.1	5.2	0.05	0.09	0.99	49	0.2	9.97	80
1568225	0.44	512	1.14	0.01	25.2	440	31.4	0.0077	14.8	4.2	0.4	17.3	6.2	0.04	0.08	0.76	37	0.2	8.97	87
1568226	0.47	393	1.1	0.02	26	560	18.8	0.0072	10.7	4.4	0.4	28.4	5.4	0.05	0.1	1.04	43	0.2	9.6	79
1568227	0.38	204	0.7	0.01	17.1	590	14.8	0.0061	2.3	2.6	0.15	13.2	2.9	0.04	0.07	0.74	33	0.1	6.55	58
1568228	0.41	220	0.84	0.01	19.6	520	11.2	0.007	1.27	3.1	0.3	21.5	2.9	0.04	0.08	0.8	38	0.2	7.53	70
1568229	0.47	285	1.05	0.01	22.9	590	12.1	0.0079	1.6	4.4	0.4	24.6	4.7	0.05	0.09	1.06	46	0.3	9.68	71
1568230	0.46	281	1.06	0.01	22.2	550	13	0.0082	1.3	4	0.4	26.3	4.5	0.05	0.09	1.16	48	0.2	8.13	67
1568231	0.49	497	1.38	0.02	31.1	620	16.6	0.0082	1.87	5.4	0.4	26.7	5.5	0.04	0.11	0.99	53	0.4	10.7	87
1568232	0.48	419	1.16	0.01	27.2	620	17.8	0.0066	2.57	4.4	0.3	26	4.8	0.05	0.09	0.96	40	0.2	9.84	84
1568233	0.46	337	1.17	0.01	25.3	670	13.9	0.0074	1.94	4.6	0.4	25	4	0.04	0.08	1.51	47	0.2	9.37	76
1568234	0.4	176	0.9	0.01	21.7	700	12.6	0.0065	0.86	3.8	0.4	22.4	4.4	0.04	0.09	1.68	43	0.2	7.96	71
1568235	0.48	441	1.19	0.01	29.3	720	12.6	0.0065	1.25	4.4	0.4	26.2	5.2	0.05	0.08	1.17	44	0.3	10.5	89
1568236	0.49	303	1.04	0.01	24.6	680	15.3	0.0075	0.94	4.3	0.4	28	4.7	0.04	0.1	1.65	44	0.2	9.26	71
1568237	0.46	336	0.96	0.01	25.2	490	22.6	0.0077	1.96	4.3	0.4	23.8	6.1	0.05	0.11	1.07	39	0.2	8.91	84
1568238	0.48	253	0.91	0.01	25.7	850	21.3	0.0081	1.21	4.7	0.4	29.7	3.8	0.04	0.11	4.05	44	0.2	10.2	82
1568239	0.4	174	0.73	0.01	21.9	640	11.1	0.0061	0.72	4	0.4	29.6	3.7	0.05	0.1	3.09	42	0.2	8.44	78
1568240	0.43	179	0.72	0.01	20.3	830	10.2	0.0043	0.65	3.8	0.4	23.2	5.3	0.04	0.09	2.32	39	0.1	8.85	91
1568241	0.49	429	1.02	0.01	29	820	16.9	0.0078	1.72	4.3	0.4	56.3	4.8	0.04	0.1	5.72	41	0.2	8.96	86
1568242	0.52	401	1.13	0.02	30.5	690	17.2	0.0092	2.34	4.3	0.4	39.5	7.1	0.04	0.12	1.38	39	17.4	9.24	92
1568243	0.49	323	1.24	0.01	31.4	720	18.3	0.0092	2.45	4.3	0.4	37.2	7.3	0.04	0.12	1.72	39	0.3	9.18	101
1568244	0.5	303	1.17	0.02	31.1	750	15.2	0.0073	1.65	4.4	0.3	38.9	6.2	0.05	0.1	1.11	42	0.2	9.94	100
1568245	0.49	238	1.11	0.02	28.8	690	18.4	0.0071	1.57	4.2	0.3	44.7	6.4	0.05	0.1	1.53	41	0.4	9.32	95
1568246	0.47	368	1.16	0.02	31.2	720	18.4	0.0074	1.52	4.4	0.4	40.6	5.9	0.04	0.11	1.85	43	0.2	9.54	95
1568247	0.47	883	1.08	0.01	30.8	760	14.4	0.0092	2.03	4	0.4	38.7	6	0.04	0.12	2.47	34	0.2	8.58	85
1568248	0.47	229	0.84	0.01	18.9	680	10.2	0.0085	0.8	3.2	0.4	23.4	5.3	0.04	0.11	1.52	37	0.2	7.01	59
1568249	0.42	297	0.91	0.01	22.5	810	10.4	0.007	0.69	4	0.3	34.1	3.9	0.04	0.1	1.79	38	0.2	8.52	74
1568250	0.42	353	0.95	0.01	25	790	11.8	0.0069	1.02	4	0.4	33.6	4.4	0.04	0.1	2.46	41	0.2	8.62	79
1568251	0.47	284	1.07	0.01	25.4	700	13.3	0.0075	1.37	4.1	0.4	30.6	5.1	0.05	0.09	1.22	42	0.3	8.87	80
1568252	0.42	382	1.02	0.01	27.2	700	14.5	0.0091	1.33	4.4	0.7	37.3	5.8	0.04	0.1	2.73	36	0.3	9.5	71
1568253	0.43	467	1.12	0.01	27.3	730	13.1	0.0082	0.99	4.7	0.8	35.8	5.4	0.05	0.1	3.54	43	0.2	9.51	75
1568254	0.42	585	1.15	0.01	28.3	700	16.1	0.0088	1.19	4.5	0.7	31	5.7	0.04	0.11	1.67	37	0.2	9.13	84
1568255	0.42	245	1.09	0.01	22.4	590	15.3	0.0076	1.28	4.3	0.8	30.6	4.9	0.05	0.1	1.27	35	0.2	8.42	84
1568256	0.41	290	1.1	0.01	25.4	740	14.2	0.0081	0.94	5	0.8	35.7	5.1	0.04	0.11	14	43	0.2	9.64	72
1568257	0.42	240	1.05	0.01	27.8	750	15.7	0.0074	1.21	4.5	0.7	34.3	5.2	0.04	0.11	3.46	39	0.2	8.88	83
1568258	0.38	110	0.41	0.01	21.4	620	13.8	0.0068	0.93	4.1	0.8	24.1	4.5	0.04	0.1	5.07	35	0.3	8.74	84
1568261	0.35	248	1.06	0.005	19.5	610	18.1	0.0058	1.63	2.8	0.6	14.2	3.3	0.03	0.1	0.72	28	0.1	6.39	63
1568262	0.38	196	0.85	0.005	18.7	480	16.1	0.0071	1.8	3.1	0.7	13.5	4.8	0.04	0.1	0.75	28	0.1	6.34	59
1568263	0.38	186	0.95	0.005	18.2	570	16.1	0.0076	1.03	3.3	0.7	16.5	3.9	0.05	0.1	0.84	33	0.2	6.89	63

Sample_ID	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	Rb_PCT	Sb_ppm	Sc_ppm	Sn_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm
1568264	0.4	208	0.96	0.01	22.1	650	13.6	0.0079	0.83	3.5	0.7	19.9	3.2	0.05	0.11	0.97	34	0.3	7.62	71
1568265	0.44	292	1.25	0.01	26.2	720	20	0.0082	1.74	3.9	0.7	20	5.1	0.05	0.13	0.79	33	0.1	8.26	98
1568266	0.37	298	0.99	0.01	19.2	550	13.9	0.0077	2.34	3	0.9	16.2	4.4	0.04	0.09	0.76	34	0.1	6.65	69
1568267	0.41	389	1.21	0.01	23.8	770	13.5	0.0068	2.28	4	0.7	24	6.8	0.05	0.08	0.73	34	0.05	9.13	95
1568268	0.33	231	0.85	0.005	15.2	460	12.5	0.0081	1.23	2.4	0.6	14.9	2.2	0.03	0.11	0.7	36	0.2	4.1	52
1568269	0.34	232	1.48	0.005	19.8	320	12.4	0.0116	1.36	2.5	0.8	13.5	3.9	0.04	0.11	0.52	48	0.3	3.45	65
1568270	0.44	240	1.07	0.01	21.3	620	10.8	0.008	1.29	3.5	1	23.2	3.1	0.04	0.09	1.03	35	0.2	7.34	65
1568271	0.45	446	1.23	0.01	27.7	620	13.6	0.007	1.97	4.4	0.7	26.1	4.2	0.04	0.08	1.09	40	0.2	8.83	81
1568272	0.48	396	1.38	0.01	29.7	660	14	0.0082	2.11	5	0.7	32.5	4.6	0.04	0.09	1.72	47	0.2	10	85
1568273	0.51	434	1.52	0.02	31.8	560	15.3	0.009	2.72	5.3	0.8	31	5.2	0.05	0.1	1.16	48	0.2	9.48	92
1568274	0.49	359	1.18	0.01	27.1	500	13	0.0084	1.91	4.5	0.7	27.7	5.2	0.05	0.09	0.95	40	0.2	8.72	72
1568275	0.42	401	1.38	0.01	28.4	610	15.3	0.0068	3.28	4	0.7	24	6.3	0.05	0.09	0.81	34	0.2	9.18	93
1568276	0.47	452	1.63	0.01	33.6	480	26.1	0.0086	5.5	4.9	0.7	26.6	6.5	0.04	0.11	1.04	41	0.1	10.8	88
1568277	0.51	432	1.64	0.01	35.3	440	12.9	0.0075	2.18	5.3	0.8	23.1	5.5	0.04	0.09	0.9	45	0.1	10	75
1568278	1.58	927	3.38	0.01	163	700	14.3	0.0058	9.07	7.6	0.15	41	5.5	0.02	0.08	1.28	59	0.2	9.77	147
1568279	2.48	632	0.89	0.02	80.1	830	7.4	0.006	1.97	6.2	7.5	23.7	2	0.14	0.07	0.52	69	0.1	6.61	89
1568280	0.4	316	2.18	0.01	29.9	630	42.5	0.0091	4.35	3.4	0.4	25.9	6.8	0.03	0.12	1.62	43	0.2	8.49	111
1568281	0.45	488	1.15	0.02	24.4	680	15.4	0.0098	2.14	4.5	0.4	36.5	3.7	0.04	0.1	4.14	47	0.2	8.68	83
1568282	0.49	951	1.29	0.02	28.7	640	21.2	0.0083	3.54	4.2	0.6	29	5.3	0.04	0.1	1.58	48	0.2	9.37	95
1568283	0.5	632	1.17	0.02	27.5	660	17	0.0101	2.66	4.8	0.4	29.8	4.5	0.04	0.11	2.07	53	0.2	9.18	93
1568284	0.45	588	1.2	0.01	27.6	760	18	0.0096	2.7	4.1	0.4	30.1	4	0.03	0.11	2.33	48	0.2	8.79	91
1568285	0.58	707	2.15	0.02	33	890	27.1	0.0093	3.4	4.2	0.3	23.7	6.3	0.03	0.17	1.33	46	0.1	9.49	120
1568286	0.43	661	1.48	0.01	30	670	27.1	0.0086	7.33	3.4	0.15	25.5	5.2	0.03	0.13	2.08	34	0.1	8.97	112
1568287	0.36	778	1.04	0.01	22.2	540	21	0.007	4.92	3	0.15	25.2	4.6	0.03	0.1	1.01	29	0.1	6.47	94
1568288	0.38	259	0.7	0.01	18.1	650	8.4	0.0063	0.76	2.7	0.15	27.1	3.2	0.03	0.1	2.08	34	0.1	5.6	62
1568289	0.38	360	0.88	0.02	23	650	8.9	0.007	0.94	3.5	0.3	29.2	4.1	0.04	0.09	2.82	37	0.1	7.44	75
1568290	0.44	408	1.12	0.02	26	720	12.8	0.0082	1.71	4.6	0.4	44.6	4.8	0.04	0.1	2.62	52	0.2	9.48	86
1568291	0.44	490	1.38	0.02	27.2	680	14.1	0.0092	1.86	4.9	0.4	39.8	5.2	0.05	0.1	4.11	48	0.2	10.8	93
1568292	0.45	494	1.22	0.02	25.3	570	15.3	0.0081	2.42	4.1	0.4	32.2	5.8	0.05	0.09	0.9	46	0.2	9.2	96
1568293	0.42	542	1.32	0.02	23	630	13.9	0.0107	1.91	4.5	0.4	32.6	4.9	0.04	0.1	3.36	49	0.2	8.77	83
1568294	0.51	380	1.05	0.02	26	570	13.4	0.009	2.52	3.9	0.4	28.6	5.6	0.05	0.11	1.33	44	0.2	7.91	86
1568295	0.52	344	1.05	0.02	28.8	670	18.4	0.0097	2.59	4.7	0.5	37.1	6	0.05	0.13	4.75	52	0.2	10.1	104
1568296	0.42	212	0.98	0.02	20.3	610	13.9	0.008	1.48	4.4	0.4	26.1	4.8	0.04	0.11	4.8	45	0.3	8.33	77
1568297	0.47	406	1.21	0.02	29	700	16.1	0.0086	2.31	4.4	0.5	30.6	5.9	0.05	0.13	3.82	50	0.2	9.31	90
1568298	0.47	281	0.85	0.02	25.5	720	13.1	0.0074	1.07	4.3	0.4	39	4.7	0.05	0.1	3.34	49	0.2	9.79	83
1568299	0.42	293	0.95	0.02	23	680	10.5	0.0079	0.88	3.9	0.4	33.6	4.6	0.05	0.09	1.01	46	0.3	7.95	84
1568300	0.43	321	1.1	0.02	24.1	660	12.8	0.0086	1.17	4.1	0.4	29.5	4.7	0.04	0.1	1.55	47	0.2	8.56	80
1568451	0.42	433	1.12	0.02	25.7	660	14.9	0.0082	1.48	4.3	0.4	34.4	4.9	0.04	0.12	2.62	47	0.3	9.05	94
1568452	0.47	311	1.15	0.02	27.3	700	12.6	0.009	1.13	5	0.5	44.9	4.9	0.04	0.11	2.82	52	0.3	10.1	89
1568453	0.44	403	1.17	0.02	25.4	620	12	0.009	1.29	4.1	0.4	36.8	4.6	0.05	0.11	2.67	52	0.3	8.44	86
1568454	0.41	374	1.06	0.02	23.4	610	13.2	0.0092	1.4	3.8	0.4	32.9	4.1	0.04	0.12	2.46	46	0.2	7.49	79
1568455	0.41	309	1.13	0.02	23.4	600	13.5	0.0098	1.76	4	0.4	26.9	4.9	0.04	0.13	2.42	41	0.2	7.75	91
1568456	0.51	501	1.27	0.02	27.9	740	15.7	0.0099	1.64	4.2	0.4	38.4	4.9	0.04	0.2	1.67	44	0.2	8.84	106
1568457	0.52	715	1.06	0.02	30.1	720	16.4	0.0071	1.54	4.1	0.3	79.9	4.5	0.03	0.13	3.27	44	0.2	10.2	96

Sample_ID	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	Rb_PCT	Sb_ppm	Sc_ppm	Sn_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm
1568458	0.46	352	1.16	0.02	26.4	650	17	0.0072	1.84	4.1	0.3	38.5	5.5	0.04	0.13	2.01	44	0.2	8.31	94
1568459	0.46	902	1.39	0.02	27.5	820	15.7	0.008	1.58	4.5	0.5	62.1	4.2	0.03	0.13	3.26	49	0.2	9.24	94
1568468	0.45	341	1.27	0.02	26.7	660	14.8	0.0085	1.65	3.5	0.3	22.7	4.9	0.04	0.2	1.41	38	0.2	7.58	97
1568469	0.43	422	1.23	0.02	25.3	720	14.6	0.0099	1.41	3.9	0.4	23	4.5	0.04	0.17	1.6	45	0.2	8.55	90
1568801	0.41	147	1.31	0.01	22	640	9.9	0.0077	0.79	3.7	0.4	25.7	4.4	0.04	0.1	3.09	42	0.3	7.68	75
1568802	0.38	323	1.32	0.01	22.5	720	9.5	0.0065	0.83	3.4	0.3	33.3	3.6	0.03	0.09	2.59	41	0.5	7.65	64
1568803	0.4	304	1.04	0.02	25.4	690	9.6	0.0069	0.79	3.7	0.3	27.1	4.2	0.04	0.09	1.24	43	0.2	8.07	67
1568804	0.39	271	1.04	0.02	20.8	690	8.7	0.0065	0.8	3.5	0.4	23.2	4.8	0.05	0.07	0.81	45	0.2	7.89	69
1568805	0.4	379	1.08	0.01	20.5	540	11.3	0.0085	1.07	3.8	0.4	26	3.4	0.04	0.09	1.24	46	0.2	8.18	73
1568806	0.49	265	1.03	0.02	22.4	600	11.1	0.0094	1.13	3.9	0.4	29.3	3.2	0.05	0.1	1.07	51	0.2	8.01	68
1568807	0.44	294	0.98	0.01	19.9	480	12.4	0.0067	1.33	3.2	0.3	21.1	3.8	0.04	0.07	0.84	38	0.2	7.29	64
1568808	0.45	306	1.01	0.01	21.5	550	13.1	0.0063	1.13	3.8	0.4	20.5	4.8	0.05	0.08	0.77	47	0.2	8.21	64
1568809	0.43	347	1.33	0.01	21.5	480	12.3	0.0085	1.14	3.8	0.4	20.5	4.5	0.05	0.09	0.73	48	0.4	7.16	75
1568810	0.44	287	0.99	0.01	20	370	12.3	0.0074	1.36	4	0.3	16.4	5	0.05	0.09	0.83	43	0.2	7.8	64
1568811	0.45	431	1.07	0.01	24.1	480	17.8	0.0065	3.23	4	0.3	21.4	5.9	0.04	0.09	0.84	38	0.2	9.22	72
1568812	0.44	211	1.16	0.01	18.8	360	12.6	0.0101	0.97	3.8	0.5	15.6	4.5	0.05	0.1	0.83	54	0.2	6.55	58
1568813	0.44	338	1.15	0.01	22.4	500	13.7	0.0075	1.4	4.1	0.4	19.3	4.9	0.05	0.09	0.83	47	0.2	8.98	66
1568814	0.5	407	1.04	0.01	23.9	360	12.5	0.0079	1.27	4.6	0.4	18.5	6.3	0.05	0.09	0.78	51	0.2	9.93	64
1568815	0.5	329	0.87	0.01	20.7	390	10.9	0.008	1.01	3.6	0.4	16.8	6.2	0.05	0.09	0.73	44	0.2	7.87	61
1568816	0.42	313	1.01	0.01	24.4	630	10.1	0.0062	1.27	3.5	0.3	22.4	5.8	0.05	0.08	0.7	39	0.1	9.14	90
1568817	0.38	230	0.8	0.01	18	410	10.2	0.0051	1.04	3	0.15	14.9	4.3	0.04	0.05	0.6	33	0.1	7.36	49
1568818	0.39	246	0.79	0.01	18.6	460	10.7	0.0055	0.73	2.7	0.15	13.7	3.9	0.04	0.07	0.63	34	0.2	6.29	50
1568819	0.39	215	0.79	0.01	18.2	450	10.4	0.0057	0.74	2.6	0.15	12.9	3.7	0.04	0.07	0.64	32	0.05	6.82	51
1568820	0.36	319	0.99	0.005	18.3	390	17.7	0.0083	1.64	2.5	0.15	6.8	5.6	0.03	0.07	0.53	29	0.05	4.49	56
1568821	0.61	486	0.72	0.01	32.6	390	14.4	0.0073	3.45	3.2	0.15	10.8	8.7	0.02	0.07	0.78	27	0.05	7.9	62
1568822	0.59	508	0.71	0.005	21.3	350	14.6	0.0044	1.97	2.5	0.15	11.5	9.8	0.02	0.04	0.94	23	0.05	5.65	71
1568823	0.44	386	0.81	0.01	24.7	370	15.7	0.0055	1.76	3.3	0.15	12.3	7.3	0.04	0.07	0.79	32	0.05	8.72	68
1568824	0.33	413	1.14	0.01	23.8	390	19.2	0.0058	2.05	3.7	0.15	15.7	5	0.06	0.08	1.09	39	0.05	9.86	66
1568825	0.37	200	0.89	0.01	17.2	340	12.6	0.0065	0.73	2.6	0.15	10.5	3.9	0.04	0.07	0.58	35	0.05	4.51	46
1568826	0.46	363	1.29	0.01	22.6	310	17.4	0.0076	1.38	5.3	0.4	16.8	5.3	0.06	0.08	0.87	44	0.2	12.9	65
1568827	0.42	328	0.89	0.01	22.3	300	12.6	0.0065	0.93	4.7	0.15	11	5	0.04	0.08	0.73	42	0.05	9	56
1568828	0.4	384	0.79	0.01	22.6	400	15.6	0.0061	1.71	3.2	0.15	8.9	3.8	0.04	0.08	0.63	31	0.05	8.27	59
1568829	0.36	296	0.89	0.01	20.5	420	10.9	0.0051	0.78	3.5	0.15	16.7	4.5	0.05	0.07	0.78	34	0.05	8.11	54
1568830	0.38	423	1	0.01	25.9	230	21.4	0.0061	2.65	4.1	0.15	6.6	6.6	0.04	0.09	0.77	29	0.05	11	70
1568831	0.47	400	0.96	0.01	23.6	370	15	0.006	1.14	4.6	0.15	12.5	6.6	0.05	0.08	1.1	40	0.05	12.5	60
1568832	0.5	524	0.63	0.01	26.2	360	19	0.0045	1.67	2.8	0.15	7	10.9	0.04	0.06	0.6	26	0.05	7.96	71
1568833	0.5	712	0.84	0.01	28.3	420	26.1	0.0044	2.82	2.7	0.15	5.9	9.4	0.02	0.08	0.49	23	0.05	6.15	89
1568834	0.43	347	0.99	0.01	23.5	290	15.1	0.0066	0.89	4.7	0.15	10.4	5.9	0.04	0.09	1.14	44	0.1	7.38	62
1568835	0.37	412	1.02	0.01	22.1	460	17.1	0.0057	1.84	3.9	0.15	7.5	5.5	0.04	0.09	0.68	38	0.05	7.06	56
1568836	0.39	338	1.08	0.02	23.1	580	13.7	0.006	1.46	3.7	0.15	19	4.5	0.05	0.08	0.71	37	0.05	7.8	74
1568837	0.4	368	1.2	0.01	24.7	820	10.2	0.004	0.79	3.7	0.15	21.4	4.8	0.04	0.07	0.64	34	0.05	8.54	88
1568838	0.42	394	1.34	0.02	30.5	860	12.9	0.0054	1.08	3.9	0.15	25.7	4	0.05	0.08	0.72	40	0.2	8.86	91
1568839	0.41	397	1.13	0.01	26.5	770	11.1	0.0043	0.88	4	0.15	23.1	5.2	0.04	0.06	0.9	31	0.05	9.01	83
1568840	0.4	518	1.24	0.02	28.4	800	12.4	0.0049	1.07	4.1	0.15	25.7	4.6	0.04	0.07	0.66	39	0.05	8.97	84

Sample_ID	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	Rb_PCT	Sb_ppm	Sc_ppm	Sn_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm
1568841	0.35	660	1.14	0.005	24.7	780	10.1	0.0062	0.78	4	0.4	28.1	3.2	0.03	0.08	1.91	40	0.2	8.52	67
1568842	0.36	265	0.96	0.005	20.6	710	9.1	0.0062	0.61	3.5	0.4	20.1	3.8	0.03	0.08	1.07	38	0.2	7.42	60
1568843	0.31	295	0.78	0.005	16.1	630	12.5	0.0052	1.11	2.9	0.3	18.2	3.2	0.02	0.08	1.27	32	0.3	6.85	52
1568851	0.39	295	0.93	0.01	19.5	480	9.7	0.0055	1.16	3.4	0.4	20.3	4.6	0.05	0.08	0.78	33	0.4	7.06	65
1568852	0.4	249	1.07	0.01	24.8	630	10.3	0.0078	0.95	3.9	0.5	23.5	3.6	0.04	0.09	1.15	39	0.2	8.22	78
1568853	0.38	242	1.07	0.01	25.1	750	12.3	0.0071	0.92	4.5	0.4	27.7	3.8	0.03	0.1	4.64	42	0.9	9.91	82
1568854	0.38	317	1.11	0.01	23.3	680	12	0.0059	1.01	4	0.3	24.5	3.6	0.03	0.08	2.83	42	0.3	8.46	79
1568855	0.37	214	0.75	0.01	22.7	660	9.8	0.0057	0.76	4.2	0.4	25.4	4	0.04	0.08	1.65	45	0.2	8.84	81
1568856	0.38	219	0.96	0.01	23.3	740	13.5	0.0056	1.13	4.1	0.4	28.5	3.1	0.03	0.1	2.52	41	0.3	8.13	78
1568857	0.35	200	0.95	0.01	19	670	12.3	0.0069	1.22	4.2	0.4	22.3	3.5	0.03	0.1	3.53	41	0.2	7.37	77
1568858	0.39	401	1.19	0.005	24.6	640	12.2	0.0063	4.21	3.6	0.4	24.5	3.8	0.03	0.1	1.59	37	0.2	7.04	79
1568859	0.39	394	1.14	0.005	21.2	590	13.3	0.0072	5	3.8	0.3	26.7	3.6	0.03	0.09	2.47	35	0.2	7.7	73
1568860	0.45	490	1.33	0.01	27.5	690	14.8	0.0064	3.85	4.6	0.4	27.4	4.4	0.04	0.09	1.45	47	0.2	8.77	84
1568861	0.41	289	1.09	0.01	23	680	13.6	0.0066	2.93	4	0.5	25.4	4	0.04	0.1	1.55	40	0.2	8.27	78
1568862	0.42	300	1.12	0.01	21.8	620	11.8	0.0073	1.73	4.4	0.5	24.9	4.3	0.04	0.09	1.94	47	0.3	8.5	67
1568863	0.41	374	1.15	0.01	20.8	610	12.1	0.007	1.79	4.2	0.5	29.3	3.9	0.04	0.07	1.54	43	0.3	7.41	70
1568864	0.42	475	1.34	0.01	25.9	640	13.1	0.0081	2.16	4.4	0.5	31.5	4.3	0.03	0.1	2.31	43	0.4	7.95	81
1568865	0.43	368	1.25	0.01	25.1	610	12.9	0.006	2.25	4.3	0.4	31.4	4.5	0.04	0.09	1.6	41	0.3	8.47	81
1568866	0.34	386	1.14	0.01	19.3	670	12.8	0.0072	2.13	3.6	0.4	28.5	2.6	0.03	0.09	3.77	40	0.3	6.47	70
1568867	0.38	310	1.3	0.01	22.9	680	15.2	0.0064	2.15	4.2	0.4	26.4	3.7	0.03	0.09	2.92	47	0.2	8.43	77
1568868	0.31	128	0.76	0.005	17.8	770	12.2	0.0053	1.04	3.6	0.4	27.3	2.8	0.03	0.12	4.06	47	0.2	6.83	64
1568869	0.37	188	0.87	0.005	19.8	700	13.5	0.0063	1.1	3.7	0.4	30.4	4	0.03	0.11	3.72	48	0.3	7.54	73
1568870	0.41	277	1.02	0.01	22.9	700	12.5	0.0059	1.22	4	0.4	34.1	3.4	0.04	0.09	2.39	48	0.3	7.99	71
1568871	0.37	574	1.15	0.01	24.2	640	11.8	0.006	1.16	4	0.3	37.6	3.7	0.04	0.09	2.19	46	0.3	7.52	72
1568872	0.33	170	0.67	0.01	18	690	10.9	0.0064	0.94	3.5	0.4	42.5	3	0.03	0.1	4.51	38	0.2	6.89	56
1568873	0.42	451	0.94	0.01	25.2	700	12.3	0.0065	1.45	4.4	0.4	48	4.3	0.04	0.09	5.8	43	0.2	8.77	80
1568874	0.42	956	1.07	0.01	28.3	680	14.4	0.0064	1.89	4.5	0.4	60.1	4.6	0.03	0.09	3.21	39	0.3	9.37	82
1568875	0.46	1010	1.04	0.01	33.8	790	21	0.0073	4.52	4.2	0.4	74	4.8	0.03	0.13	3.11	33	0.3	11.3	97
1568876	0.46	373	1.02	0.01	27.5	690	13.1	0.0048	1.3	4.3	0.4	50.1	4.7	0.03	0.09	3.06	44	0.2	8.68	94
1568877	0.42	374	1.28	0.01	26	710	13.1	0.0051	1.18	4.3	0.3	31.7	5.1	0.04	0.1	2.75	41	0.2	8.94	89
1568878	0.33	107	0.73	0.005	16.3	680	11	0.0046	0.9	3.4	0.3	25.5	3.1	0.02	0.14	6.95	35	0.6	7.13	70
1568879	0.37	116	0.91	0.005	19.5	710	13.5	0.0054	1.44	3.9	0.4	23.2	3.7	0.02	0.13	5.19	44	0.1	7.98	81
1568880	0.29	82	0.41	0.005	14.9	620	8.6	0.0041	0.77	2.5	0.3	23.4	2.7	0.03	0.09	2.74	31	0.2	5.98	55
1568881	0.36	97	0.31	0.005	15.8	630	10.2	0.0041	0.78	3	0.4	28.2	2.6	0.03	0.11	3.19	29	0.2	6.42	70
1568882	0.34	96	0.45	0.005	16.6	650	9.1	0.0042	1.12	3.4	0.3	27.4	3.2	0.03	0.1	3.39	35	0.2	7.1	67
1568883	0.36	1070	1.57	0.01	35.7	1030	18	0.0059	6.98	5.4	0.15	69.6	3.7	0.03	0.09	11.4	46	0.2	21.6	93
1568884	0.23	134	0.61	0.01	18.1	950	11.6	0.0017	3.97	2.1	0.15	183	0.5	0.02	0.07	18.7	21	0.05	8.32	32
1568885	0.48	496	1.14	0.01	29.7	590	29.6	0.006	31.8	4.1	0.3	35.9	4.7	0.03	0.08	2.16	32	0.2	10.9	90
1568886	0.38	252	1.03	0.01	20.1	700	13.9	0.0071	0.9	4.2	0.5	23.8	3.4	0.04	0.09	1.62	44	0.2	7.81	71
1568887	0.4	351	0.89	0.005	23.1	510	15.8	0.0052	3.18	3.8	0.15	36.8	3.5	0.03	0.06	2.48	35	0.2	9.09	67
1568888	0.37	577	1.02	0.005	21.5	440	26.2	0.0059	7.56	2.6	0.15	15.2	2.8	0.02	0.08	1	26	0.1	6.01	78
1568889	0.37	2250	2.72	0.02	32.4	2500	41.4	0.0289	6.71	7.8	0.7	17.1	4.8	0.05	0.18	2.37	71	0.4	9.46	114
1568890	0.45	544	1.37	0.005	25.7	430	24.8	0.0075	7.86	4.4	0.5	19.6	4.1	0.04	0.1	1.39	51	0.2	9.28	82
1568891	0.42	291	1.12	0.005	21.7	310	12.9	0.0073	1.09	3.4	0.4	10	4.9	0.04	0.08	0.84	44	0.2	4.84	62

Sample_ID	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	Rb_PCT	Sb_ppm	Sc_ppm	Sn_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm
1568892	0.43	315	1.11	0.005	21	490	11.7	0.0066	0.87	3.9	0.4	15	4.3	0.04	0.07	0.84	43	0.2	7.75	66
1568893	0.47	309	1.13	0.005	23.8	510	12.7	0.007	0.92	3.8	0.4	14.3	3.5	0.04	0.07	0.91	46	0.3	6.94	69
1568894	0.38	307	0.87	0.005	21.1	390	11.5	0.0049	1.24	3.3	0.3	14.4	4.3	0.04	0.06	0.76	33	0.1	6.74	64
1568895	0.42	233	1.01	0.005	19.3	390	11.1	0.0077	0.91	2.8	0.4	11.1	3.3	0.05	0.08	0.65	39	0.3	4.43	62
1568896	0.48	341	0.95	0.005	20.5	330	12	0.0066	1.04	3.9	0.5	13.4	5.7	0.05	0.07	0.81	43	0.2	6.98	59
1568897	0.42	184	0.95	0.005	16.4	240	11	0.0074	1.07	2.8	0.4	8.2	3.6	0.05	0.08	0.47	41	0.2	3.43	47
1568898	0.67	204	0.86	0.005	21.7	300	11.1	0.0094	1.29	2.7	0.4	8.9	4.2	0.05	0.09	0.43	43	0.2	3.87	50
1568899	0.91	370	0.93	0.005	32.1	410	10.3	0.0083	1.12	4.9	0.4	14.1	5.3	0.08	0.09	0.91	53	0.2	9.84	63
1568900	0.47	204	0.98	0.005	20.3	410	12.1	0.0092	1.41	3	0.4	11.5	5.1	0.06	0.1	0.7	41	0.2	5.44	55

Prospect	Project	Stop #	Sample Number	NAD83 UTM8 Easting	NAD83 UTM8 Northing	Elevation (m)	Exposure _Type	Sample_ Type	Lithology	Colour	Texture	Alteration	Mineralisation	WtKg
Corkery Creek	Aurex	Au-HK-1	1567901	471230	7081352	1216	Outcrop	Rock-chip	Quartz Vein	White	blocky	ox	Scor/apy	1.23
Corkery Creek	Aurex	Au-HK-2	1567902	471365	7081489	1216	Sub-crop	Rock-chip	Vein	Green			Scor/apy	1.50
Corkery Creek	Aurex	Au-HK-03	1567903	470990	7081312	832	Outcrop	Rock-chip	Quartz Vein	White	blocky	ox	apy	1.56
Corkery Creek	Aurex	Au-HK-04	1567904	470980	7081314	831	Outcrop	Rock-chip	Quartz Vein	White	Folded	ox	apy	1.90
Corkery Creek	Aurex	Au-HK-05	1567905	470834	7081297	833	Sub-crop	Rock-chip	Vein	Grey			Sulphosalt	1.38
Corkery Creek	Aurex	Au-HK-05	1567906	470834	7081297	833	Sub-crop	Rock-chip	Quartz Vein	White		ox	apy	1.57
Corkery Creek	Aurex	Au-HK-06	1567907	470654	7081447	831	Sub-crop	Rock-chip	Quartzite	Grey		ox		2.64
Corkery Creek	Aurex	Au-HK-07	1567908	470622	7081369	809	Float	Rock-chip	Quartz Vein	White			apy	1.46

Sample Number	Au_ppm	Ag_ppm	Al_%	As_ppm	Ba_ppm	Bi_ppm	Ca_%	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_%	Ga_ppm	Hg_ppm	K_%	La_ppm
1567901	0.001	0.05	0.03	142	30	0.03	16	0.04	9.29	1.1	0.5	2.1	0.7	0.2	0.005	0.01	4.1
1567902	17.78	1.39	0.03	10001	2.5	68.2	0.08	0.01	0.34	0.4	0.5	2.3	16	0.1	0.06	0.005	0.2
1567903	0.033	0.04	0.12	519	9	0.24	5.48	0.01	2.06	0.9	11	1.5	0.65	0.3	0.005	0.02	1.2
1567904	0.005	0.24	0.12	87	14	0.61	16	0.05	6.9	2	10	2.2	0.86	0.3	0.005	0.05	3.6
1567905	0.11	2.35	0.08	21	10	0.79	8.86	2.26	1.14	3.6	0.5	107	1.99	0.2	0.15	0.04	3.5
1567906	0.018	0.07	0.04	337	26	0.24	16	0.2	5.71	2.5	0.5	3.9	1.96	0.2	0.005	0.005	2.9
1567907	0.023	0.02	0.02	214	10	0.03	16	0.18	4.01	1.5	0.5	1.2	0.58	0.2	0.005	0.01	1.8
1567908	0.005	0.02	0.04	627	7	0.07	0.36	0.005	3.57	1.7	19	3.8	0.62	0.3	0.005	0.02	1.8

Sample Number	Mg_%	Mn_ppm	Mo_ppm	Na_%	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	Sb_ppm	Sc_ppm	Sn_ppm	Sr_ppm	Th_ppm	Ti_%	Tl_ppm	U_ppm	V_ppm
1567901	0.21	1700	0.15	0.01	16.8	25	5	0.4	0.54	1.6	0.15	742	0.3	0.005	0.01	0.13	1
1567902	0.005	34	3.69	0.005	0.25	110	15.8	0.3	211	0.2	0.15	2.9	0.4	0.005	0.01	0.3	0.5
1567903	0.11	388	1.26	0.005	3.3	90	18.8	0.9	3.82	0.7	0.15	153	0.5	0.005	0.01	0.025	2
1567904	0.17	907	1.28	0.01	9	100	45	2.2	1.33	2	0.15	444	1.9	0.005	0.01	0.14	3
1567905	1.96	2460	0.0025	0.005	12.3	190	6.3	2.2	10001	0.5	0.15	200	0.05	0.005	0.18	0.23	3
1567906	1.81	3030	3.85	0.005	16.3	250	47.7	0.3	601	1.3	0.15	647	0.2	0.005	0.01	0.6	2
1567907	0.12	1720	0.44	0.01	14	1660	5.6	0.3	40	0.4	0.15	375	0.3	0.005	0.02	0.56	1
1567908	0.1	109	2.88	0.01	5.6	25	0.9	0.9	106	0.2	0.15	9.6	0.6	0.005	0.01	0.025	2

Sample Number	W_ppm	Y_ppm	Zn_ppm
1567901	0.05	6.99	3
1567902	0.5	0.11	2
1567903	0.05	8.23	7
1567904	0.2	16.7	6
1567905	0.05	8.6	597
1567906	0.05	17.8	18
1567907	0.05	5.84	17
1567908	0.05	0.41	3

Sample ID	NAD83 UTM8 Easting	NAD83 UTM8 Northing	Elevation (m)	WtKg	Lab Ag_ppm	XRF PPM Ag	Lab As_ppm	XRF PPM As	Lab Cu_ppm	XRF PPM Cu	Lab Pb_ppm	XRF PPM Pb	Lab Zn_ppm	XRF PPM Zn
10951	472734	7080801	951	0.205	0.18		17	13	61		9.8	11	76	55
10952	472735	7080828	954	0.28	0.21		15	13	19.6		13.9	22	65	60
10953	472738	7080850	954	0.27	0.26		47	29	23.4		17.1	26	85	71
10954	472738	7080875	953	0.26	0.31		56	41	27.9		21.9	20	81	72
10955	472735	7080899	958	0.315	0.08		38	15	13.4		12.7	17	59	40
10956	472733	7080925	960	0.395	0.2		25	25	29.2		17.5	24	78	76
10957	472737	7080950	962	0.5	0.24	60	38	40	32.1		18.4	20	87	65
10958	472736	7080975	963	0.47	0.24		69	64	30.2		20.5	17	84	71
10959	472741	7081001	965	0.42	0.26	47	81	64	31		22.8	23	87	89
10960	472732	7081024	967	0.48	0.27	104	128	126	34.1	87	18.3	22	85	
10961	472732	7081049	967	0.545	0.36	64	158	46	45.9		22.5	11	99	43
10962	472740	7081076	971	0.5	0.36	62	206	180	36.9		17.8	19	95	89
10963	472734	7081100	973	0.475	0.25	122	63	62	32.4		13.1	21	79	80
10964	472740	7081125	973	0.555	0.12	84	15	15	31.5		8.4	16	70	60
10965	472734	7081150	975	0.53	0.21	59	29	21	33		12.4	15	81	59
10966	472735	7081175	976	0.54	0.29	70	39	28	35.1	18	13.6	20	96	94
10967	472733	7081200	977	0.47	0.3	93	54	52	34		15.9	17	74	70
10968	472736	7081224	975	0.465	0.14	32	30	22	26		12	14	59	52
10969	472736	7081249	972	0.345	0.1	35	14	11	12		9.7	18	53	60
10970	472736	7081275	999	0.415	0.17		14		20.3		10.9		56	67
10971	472737	7081300	1003	0.365	0.14		17	8	17.2		10.5	11	52	42
10972	472733	7081327	972	0.525	0.2		22	18	25.8	15	12.2	17	71	71
10974	472732	7081375	976	0.465	0.28		38	29	35.2		13.4	17	79	73
10975	472734	7081400	975	0.42	0.34		38	29	35.4	16	14.5	20	81	54
10976	472731	7081426	990	0.415	0.2	54	31	39	30.9		11.7	17	67	62
10977	472735	7081451	999	0.355	0.19	79	39	26	28.5		13.7	16	67	59
10978	472737	7081475	1001	0.42	0.2	61	21	28	26.7		10.7	16	68	100
10979	472737	7081500	1001	0.475	0.3	78	29	34	34		13.3	19	77	75
10980	472740	7081524	996	0.555	1.01	101	173	103	55.7		27.4	20	103	77
10981	472733	7081551	991	0.455	0.32		72	55	36.5		15.3	21	82	81
10982	472934	7082396	961	0.525	1.47	59	70	46	56.2		33	17	111	72
10983	472931	7082371	974	0.35	0.69		31	28	32.3		18.2	20	68	59
10984	472933	7082348	974	0.405	1.41	55	53	47	39.3		31.4	38	90	77
10985	472934	7082320	975	0.445	0.93	45	45	44	42.2		26.8	17	85	74
10986	472933	7082304	975	0.41	0.91	46	46	61	39.3	25	23.5	31	80	71
10987	472932	7082273	977	0.425	1		51	61	38.9	23	23	25	86	72
10988	472833	7081398	973	0.42	0.32		33	30	28.2		15.2	18	64	62
10989	472838	7081425	973	0.445	0.65	54	38	38	39.8	18	18.5	21	77	67
10990	472833	7081451	974	0.42	0.21	39	23	25	28.4		11.2	17	65	57
10991	472832	7081475	975	0.365	0.23	82	33	27	28.5		12.6	20	68	53
10992	472823	7081549	976	0.46	0.36	85	113	118	44.6		19	23	86	79
10993	472834	7081577	976	0.375	0.18	45	43	42	27.4		11.4	17	74	68
10994	472833	7081601	977	0.335	0.18		20	23	23.3		10.5	16	68	66
11651	472434	7081230	975	0.375	0.12	36	38	26	22.4		16.8	20	62	58
11652	472437	7081254	976	0.385	0.08	71	14	16	19.8		10.1	15	54	54
11653	472434	7081277	975	0.355	0.13		15	12	19.9		10	14	60	64
11654	472436	7081301	976	0.34	0.09		25	30	24.1		13.4	16	58	50
11655	472433	7081330	975	0.305	0.09		19	24	22.9		11.8	19	60	51
11656	472435	7081353	976	0.38	0.17	70	28	31	36.1	17	13.8	14	65	55
11657	472435	7081379	976	0.4	0.14	69	128	88	43		20.1	22	57	42
11658	472436	7081401	976	0.355	0.21	42	64	98	32.7	17	22	21	63	67
11659	472436	7081424	974	0.405	0.17	49	30	29	26.4	21	15.2	19	55	56
11660	472434	7081452	974	0.385	0.08	40	15	17	21.8		10.6	15	50	47
11661	472437	7081474	974	0.43	0.16		27	48	23.2		11.7	26	52	78
11662	472439	7081498	974	0.435	0.36		48	39	31.3		16.3	18	76	64
11663	472432	7081523	973	0.435	0.19	60	16	22	28.1		10.6	17	73	75
11664	472538	7082402	981	0.405	0.61		32	36	27.8		17	21	66	55
11665	472540	7082369	982	0.35	0.21	72	259	148	30.8		14.2	19	78	78
11666	472539	7082343	982	0.27	0.4		53	38	28.6		17.1	13	69	15
11667	472543	7082326	982	0.25	0.23		32	41	27		12.9	16	56	48
11668	472542	7082300	982	0.36	0.24	32	87	77	35.7		12.2	17	75	50
11669	472536	7082270	982	0.35	0.13	93	400	419	31.2		7.5	14	74	66
11670	472541	7082249	982	0.325	0.52	37	23	22	22.9		14.5	20	53	60
11671	472539	7082221	983	0.355	0.19	85	52	52	21.5		10.5	20	50	60
11672	472537	7082196	982	0.35	0.11	42	17	11	10.8		9.5	14	37	47
11673	472541	7082169	982	0.34	0.16		54	65	23.6		9.6	18	54	59
11674	472536	7082147	981	0.375	0.64	58	125	79	48.3		23.4	28	94	72

Sample ID	NAD83 UTM8 Easting	NAD83 UTM8 Northing	Elevation (m)	WtKg	Lab Ag_ppm	XRF PPM Ag	Lab As_ppm	XRF PPM As	Lab Cu_ppm	XRF PPM Cu	Lab Pb_ppm	XRF PPM Pb	Lab Zn_ppm	XRF PPM Zn
11675	472538	7082117	980	0.38	0.32		107	103	31.9		11.7	17	68	63
11676	472536	7082098	979	0.38	0.5		98	82	31.9		16.3	21	81	71
11677	472538	7082068	979	0.37	0.43		49	31	33.8		14.3	19	82	63
11678	472539	7082048	978	0.36	0.39		37	54	32.1		12.7	15	81	91
11679	472538	7082022	978	0.325	0.4	34	43	50	32.5		14.9	23	82	85
11680	472540	7081998	977	0.32	0.23		16	36	24.8		11.5	12	72	50
11681	472541	7081940	976	0.23	0.41		628	199	37.4		13	12	78	36
11682	472539	7081917	976	0.41	0.37	86	539	653	37.8		13.2	19	86	89
11683	472537	7081775	978	0.415	0.16	38	25	25	30.3		11.9	12	75	77
11684	472536	7081752	978	0.34	0.25		35	38	30.7		13.1	17	67	71
11685	472538	7081725	979	0.395	0.47	102	77	144	33.6	30	18.1	30	80	87
11686	472534	7081701	978	0.375	0.54	42	61	55	28.2	24	18	24	68	66
11687	472539	7081676	978	0.39	0.59	74	35	41	29.6		16.3	27	68	84
11688	472537	7081652	978	0.43	1.09	62	207	231	44.1		22.6	31	98	74
11689	472538	7081624	979	0.38	0.73	84	31	73	27.8	22	20	27	66	79
11690	472536	7081598	977	0.43	0.49	76	33	45	26		15.8	20	67	
11691	472541	7081572	978	0.365	0.27		27	18	28.2		13.4	17	67	48
11692	472831	7080798	928	0.265	0.17		10	10	13.7	13	9	14	63	54
11693	472833	7080830	932	0.275	0.18		8	10	18.1		10.1	19	58	64
11694	472833	7080849	934	0.34	0.28	84	78	87	26.5		17.5	21	73	82
11695	472831	7080880	938	0.3	0.2		30	20	17.2		13.1	14	75	75
11696	472832	7080901	943	0.295	0.17		9	14	5.3		7.9	9	34	38
11697	472835	7080925	946	0.44	0.21	56	25	26	32		11.4	17	88	88
11698	472834	7080951	948	0.4	0.28	103	47	38	44.3	19	11.5	20	97	95
11699	472833	7080978	950	0.355	0.21		33	35	28.3		13.4	19	64	58
11700	472832	7081001	953	0.4	0.23		43	36	30.5		13.6	18	81	59
11701	472637	7082348	991	0.47	0.18	101	441	545	23.8		11	18	87	72
11702	472636	7082324	990	0.61	0.16	116	138	196	28.9		7	17	72	70
11703	472637	7082299	991	0.57	0.14	63	298	231	29.3		7.7	13	78	79
11704	472636	7082274	989	0.585	0.2	114	1490	1259	56.1		7.7	14	101	89
11705	472640	7082250	989	0.625	0.42	83	364	453	26.8		12.8	23	82	77
11706	472636	7082225	988	0.51	0.34	104	165	139	28.1		12.7	20	89	67
11707	472637	7082199	988	0.535	0.5		123	132	36.1		15.9	27	90	85
11708	472636	7082175	988	0.45	0.37	32	90	62	28.4		13.6	15	72	59
11709	472638	7082148	985	0.255	0.2		8	14	21.9		10.1	11	44	33
11710	472637	7082124	985	0.38	0.2		22	23	22.1	15	9.2	14	67	52
11711	472636	7082099	986	0.285	0.54		47	39	33.3		19.8	18	75	167
11712	472636	7082074	986	0.37	0.3	32	57	67	25.8		14.6	19	63	67
11713	472634	7082049	985	0.395	0.22		33	33	25		12.5	17	64	69
11714	472636	7082024	985	0.395	0.35	38	68	25	36.7	19	14.4	21	77	66
11715	472639	7082002	982	0.6	0.37	84	474	347	45.4		19	18	98	63
11716	472636	7081974	985	0.345	0.15		56	55	14.8		8.1	15	49	65
11717	472635	7081949	983	0.265	0.16		31	21	15.7		7.8	14	33	28
11718	472637	7081898	983	0.315	0.25		182	232	26.3		13.7	16	74	58
11719	472636	7081874	981	0.355	0.35		451	366	23.9		14.8	17	70	91
11720	472638	7081850	984	0.365	0.22		62	77	25.2		12.7	17	64	60
11721	472633	7081825	985	0.43	0.15		15	19	22.5		8	11	64	64
11722	472640	7081801	985	0.355	0.23	58	21	20	27.3		11.4	20	73	74
11723	472638	7081774	984	0.485	0.65	88	55	51	40.3		19.2	23	93	82
11724	472636	7081750	984	0.505	1.04		69	72	46.4		30.6	26	95	84
11725	472638	7081725	983	0.52	1.31	78	66	60	49.4		32.6	23	107	136
11726	472636	7081699	985	0.325	0.4		33	29	27.4		16.8	18	66	57
11727	472638	7081673	984	0.5	0.55		40	34	34.4		17.6	20	86	68
11736	472833	7081030	958	0.405	0.23	102	47	19	35.9		12.8	15	70	50
11737	472833	7081055	960	0.425	0.45	109	113	118	44.9		37.8	32	90	95
11738	472835	7081081	961	0.34	0.4	63	93	57	39.3		19	17	93	74
11739	472829	7081098	963	0.335	0.3		114	83	38.9		18.7	22	95	64
11740	472832	7081124	966	0.345	0.19	67	175	95	35.5		11.7	12	126	104
11741	472834	7081151	966	0.4	0.09	86	39	39	28.8		9.5	16	69	67
11742	472834	7081180	966	0.365	0.14	58	15	15	21.5		10	17	67	71
11743	472834	7081201	967	0.345	0.19	64	39	35	25.9		10.9	14	75	70
11744	472834	7081229	967	0.365	0.14	109	21	24	24.7		10.1	16	70	69
11745	472833	7081254	967	0.31	0.23	37	21	13	21		11.6	12	59	47
11746	472832	7081277	969	0.4	0.2	104	19	23	24.2		11	18	67	68
11747	472836	7081302	971	0.355	0.24		28	35	27.8		13	18	77	68
11748	472829	7081330	972	0.405	0.4		45	38	33.6		20.4	17	90	62
11749	472834	7081350	972	0.395	0.26	87	35	43	34.2		14	17	90	64

Sample ID	NAD83 UTM8 Easting	NAD83 UTM8 Northing	Elevation (m)	WtKg	Lab Ag_ppm	XRF PPM Ag	Lab As_ppm	XRF PPM As	Lab Cu_ppm	XRF PPM Cu	Lab Pb_ppm	XRF PPM Pb	Lab Zn_ppm	XRF PPM Zn
11750	472837	7081379	972	0.375	0.34	70	43	48	31.6		17.9	21	78	74
71452	472032	7081425	969	0.39	0.32		119	100	28.8		16.4	24	111	66
71453	472036	7081471	967	0.235	0.2		125	105	30.1	13	10.3	9	88	30
71454	472030	7081527	966	0.265	0.23		85	75	32.8		11.8	14	105	65
71455	472034	7081575	966	0.175	0.21		54	35	33.9	18	9.2	11	51	23
71456	472037	7081600	966	0.335	0.23		42	39	39.2	18	10.9	15	97	64
71457	472033	7081650	965	0.32	0.17	43	22	15	29.5	18	10.9	18	76	68
71458	472033	7081725	965	0.32	0.21		23	22	33.3		11.2	17	86	65
71459	472033	7081774	965	0.26	0.18	78	33	33	25.7	19	10.5	24	79	85
71460	472035	7081799	967	0.27	0.2		29	34	23.1	20	10.4	17	73	74
71461	472030	7081850	968	0.34	0.26		30	21	28.5	14	12.7	12	83	26
71462	472036	7081874	968	0.31	0.21		43	33	29.9		11.4	14	75	61
71463	472035	7081898	968	0.31	0.26		39	24	29.8		13.2	18	76	61
71464	472035	7081925	969	0.33	0.17		28	32	21.1		9	14	49	41
71465	472037	7081950	969	0.41	0.39		106	67	42.3	18	17.6	18	102	59
71466	472035	7081975	971	0.385	0.25		40	35	30.2		12.4	15	74	61
71467	472033	7082001	972	0.58	0.38	67	112	90	44.3	24	15.1	23	101	88
71468	472036	7082027	972	0.605	0.49	60	460	348	57		19.7	21	115	84
71469	472038	7082051	973	0.48	0.4		83	36	38.6		15.7	13	95	45
71470	472035	7082076	973	0.505	0.37		88	52	41.3	20	16.4	17	101	80
71471	472035	7082100	974	0.46	0.33		73	40	32.9		15	18	91	54
71472	472036	7082126	975	0.475	0.37		97	87	37		16.3	23	99	80
71473	472038	7082151	975	0.435	0.23		54	46	26.5		14.4	18	80	58
71474	472035	7082181	976	0.355	0.22		47	35	28.6		10	12	89	34
71475	472035	7082200	976	0.385	0.29		41	44	28		10.1	21	80	61
71476	472036	7082223	977	0.37	0.16	93	28	38	26.2		9.4	21	72	60
71477	472037	7082250	978	0.48	0.46	64	344	181	50.2		23.2	20	114	87
71478	472036	7082276	978	0.29	0.17		140	66	31.2		15.2	17	62	32
71479	472038	7082301	979	0.395	0.05	40	375	181	31.5		30.8	19	84	58
71480	472035	7082325	980	0.355	0.32		34	20	31.5		11.4	18	72	53
71481	472036	7082349	981	0.27	0.21		50	44	18.7		11.9	16	61	55
71482	472036	7082374	981	0.33	0.09		101	53	26.4		10.3	10	61	30
71483	472032	7082401	980	0.355	0.08		204	76	27.6		11.5	13	62	28
78776	471738	7082251	977	0.38	0.19	42	77	146	32.1	16	11.5	14	82	70
78777	471745	7082224	976	0.325	0.18		69	38	30.1		11.8	21	87	72
78778	471738	7082199	977	0.395	0.15	50	46	46	28.4	17	11.2	14	79	78
78779	471736	7082175	976	0.235	0.21	62	261	229	33.1		11.5	14	83	65
78780	471747	7082148	977	0.475	0.21	31	124	61	33.6		11.9	19	90	81
78781	471738	7082123	975	0.47	0.16		68	70	27.4		9.8	13	66	53
78782	471743	7082103	975	0.355	0.15		19	30	29.6		10.6	13	72	61
78783	471736	7082077	976	0.6	0.26	44	578	558	32.5		12.1	17	66	65
78784	471743	7082046	975	0.48	0.17	31	134	143	26.1		10.4	15	58	50
78785	471738	7082023	974	0.49	0.48	102	4110	2437	57.1		24	17	241	85
78786	471734	7081998	971	0.45	0.4		120	124	28.4		11.2	19	59	76
78787	471740	7081974	972	0.515	0.19	71	548	482	32.5	19	9.7	14	73	73
78788	471739	7081947	973	0.435	0.2		344	467	31.5		9.5	17	70	73
78789	471740	7081924	971	0.48	0.11	44	215	247	25.7		9.3	17	63	51
78790	471734	7081898	969	0.68	0.32		261	207	35.7	20	13		83	76
78791	471735	7081873	968	0.655	0.41	116	709	406	49.6		15.7	19	100	100
78792	471737	7081849	967	0.5	0.3	82	321	276	39		12.3	17	87	83
78793	471736	7081825	966	0.595	0.29		243	374	34.1		12.5	24	86	136
78794	471740	7081796	965	0.485	0.29	84	183	204	30.5		12.2	22	79	72
78795	471736	7081775	964	0.44	0.25	31	170	227	21.1		9.9	17	75	74
78796	471737	7081747	960	0.53	0.36	94	360	451	30.1		13.7	20	92	153
78797	471738	7081699	960	0.28	0.16		52	49	25.9		8.4	12	77	75
78798	471735	7081672	960	0.5	0.12	140	275	394	42.3	20	5.5	10	95	97
78799	471738	7081646	957	0.49	0.24	66	668	619	46.7		6.9	12	98	164
78800	471734	7081623	961	0.41	0.25		423	953	39.8		7.2	12	101	102
78901	471736	7081595	963	0.515	0.23		250	337	31.2		11.5	17	95	95
78902	471742	7081574	963	0.5	0.31		260	322	34.1		11.9	16	107	100
78903	471743	7081549	960	0.61	0.22	85	127	143	31.7		13.7	10	93	85
78904	471738	7081524	960	0.36	0.25		105	77	28.4		13.2	15	72	59
78905	471738	7081499	959	0.54	0.41	92	276	248	39.7	21	17.7	18	92	96
78906	471738	7081474	960	0.46	0.29		224	154	37.4		14.7	16	94	63
78907	471738	7081450	959	0.515	0.42	56	319	298	41.6	23	19.5	25	103	93
78908	471737	7081372	961	0.595	0.45	63	606	401	61.2	22	28.4	26	111	98
78909	471733	7081350	964	0.49	0.32	69	253	217	38.8	19	19	23	75	101

Sample ID	NAD83 UTM8 Easting	NAD83 UTM8 Northing	Elevation (m)	WtKg	Lab Ag_ppm	XRF PPM Ag	Lab As_ppm	XRF PPM As	Lab Cu_ppm	XRF PPM Cu	Lab Pb_ppm	XRF PPM Pb	Lab Zn_ppm	XRF PPM Zn
78910	471740	7081322	965	0.32	0.31		112	145	31.4		18.1	20	76	66
78911	471737	7081301	967	0.48	0.27		95	101	35.1		16.1	18	79	90
78912	471734	7081275	965	0.6	0.45		531	222	65.2		29.6		93	137
78913	471735	7081248	966	0.575	0.41	101	247	163	46.1	20	27.6	23	90	74
78914	471737	7081224	969	0.31	0.53	57	219	186	45.9		27.4	16	94	67
78915	471737	7081198	965	0.49	0.23	76	70	73	31.9		14.1	25	78	98
78916	471736	7081173	966	0.64	0.22	106	109	149	39.7	19	20.9	27	97	98
78917	471736	7081149	966	0.425	0.18		45	80	22.8		12.8	17	57	63
78918	471731	7081123	967	0.535	0.18	51	89	85	33.8		14.1	17	86	80
78919	471738	7081097	968	0.41	0.1		80	97	25.3		13	19	53	82
78920	471737	7081073	969	0.465	0.18	56	52	44	30.5		14	21	67	70
78921	471736	7081048	971	0.495	0.22		91	106	30.4		15.5	24	65	62
78922	471738	7081023	970	0.54	0.12	50	39	49	21.8		12.2	18	52	45
78923	471734	7080998	970	0.41	0.22	118	68	71	32.7		17.6	19	64	81
78924	471734	7080973	970	0.475	0.12	56	56	79	24.8		14	17	56	85
78925	471734	7080949	970	0.525	0.08	78	24	27	21.5		11.4	13	58	50
78926	471736	7080925	972	0.41	0.11	84	24	48	20.8		13.2	26	53	55
78927	471735	7080899	968	0.65	0.06	44	26	32	24.6		12.6	23	57	56
78928	471736	7080873	969	0.525	0.1	89	15	17	19.7		10.3	24	47	52
78929	471737	7080849	967	0.595	0.1	45	34	24	18.4		13.6	21	55	43
78930	471737	7080824	966	0.44	0.2	55	23	52	28.1		11.9	21	60	58
78931	471736	7080800	964	0.555	0.14	51	21	26	20.5		10.6	10	60	49
78932	471936	7080799	970	0.49	0.11	83	43	49	37.1		17.7	24	74	67
78933	471936	7080824	973	0.545	0.1	69	24	33	24.6		14.3	24	59	58
78934	471938	7080849	971	0.58	0.17	110	48	59	34	20	20.3	28	76	60
78935	471936	7080875	976	0.57	0.23	108	94	120	36.3		23.4	26	79	83
78936	471936	7080900	976	0.51	0.31	78	48	66	37.1		25.1	37	80	76
78937	471936	7080925	976	0.425	0.14	80	52	73	21.8		16.7	24	52	57
78938	471937	7080950	981	0.55	0.33	80	55	74	31.9		22	16	59	52
78939	471936	7080976	975	0.475	0.27	44	164	114	26.7		18.5	20	57	63
78940	471936	7080999	977	0.46	0.16	76	23	24	26		13.9	18	58	45
78941	471936	7081027	976	0.51	0.16		32	46	32	19	16	21	62	58
78942	471939	7081050	977	0.46	0.12	33	20	20	25		11.8	14	56	36
78943	471937	7081073	976	0.505	0.18	94	79	73	37.7	58	22.3	19	71	58
78944	471937	7081100	977	0.45	0.16	88	44	49	34.9	17	13.9	21	65	54
78945	471937	7081124	970	0.49	0.11	95	23	31	24.8		14.3	23	59	59
78946	471938	7081149	972	0.5	0.11		28	48	24.9		13.9	20	67	61
78947	471935	7081175	969	0.555	0.17	56	14	18	28.7	20	11.3	19	89	80
78948	471936	7081198	970	0.565	0.13		25	29	24.3		12.9	18	66	49
78949	471936	7081224	970	0.51	0.16	37	22	110	25		13.8	21	68	87
78950	471937	7081249	971	0.53	0.17	71	19	27	25.4		13.1	16	68	71
111951	471839	7082201	976	0.375	0.24		304	180	34.1		12.2	20	82	71
111952	471837	7082174	977	0.435	0.29		91	92	32.8	22	12.7	18	79	72
111953	471835	7082148	976	0.435	0.25		168	132	34.2	36	12.3	11	85	72
111954	471835	7082124	976	0.36	0.36	72	996	970	32.1		16.4	23	80	70
111955	471836	7082098	975	0.44	0.33		728	597	38.9		15.3	14	84	62
111956	471833	7082072	974	0.48	0.34	69	606	513	39		16.1	22	82	92
111957	471835	7082049	974	0.375	0.23	60	267	316	28.8		11.8	18	70	71
111958	471831	7082024	973	0.39	0.26	102	432	477	35.4		12.8	17	86	81
111959	471837	7082004	973	0.38	0.23		166	88	40.3		12.4	17	87	71
111960	471837	7081970	972	0.345	0.2		63	45	27.8		11.3	18	74	55
111961	471837	7081949	971	0.16	0.11		12	22	12.4		7.9	14	43	36
111962	471833	7081922	971	0.4	0.21	61	211	258	31.9		12.3	19	84	77
111963	471832	7081904	970	0.39	0.24	63	356	387	29.9		13.4	16	78	61
111964	471831	7081866	968	0.45	0.31	87	297	306	35.8		13.9	26	88	74
111965	471833	7081845	968	0.435	0.27	37	169	191	32.3		12.3	22	82	81
111966	471837	7081820	967	0.475	0.36	85	463	298	45.5		17.8	21	101	86
111967	471837	7081799	966	0.345	0.19	57	93	82	23.5		11.8	17	75	66
111968	471833	7081775	965	0.39	0.43	38	472	488	40		16.7	25	101	94
111969	471836	7081749	964	0.48	0.28	75	938	597	46.6		12.8	16	94	83
111970	471834	7081723	963	0.39	0.32	86	611	625	27.6		16.4	24	75	77
111971	471834	7081700	963	0.33	0.21		110	165	27.2		12.5	20	68	77
111972	471833	7081676	963	0.545	0.57	98	354	363	48.9		23.1	24	128	96
111973	471829	7081651	962	0.36	0.2	39	112	123	23.4		11.5	18	73	73
111974	471837	7081625	962	0.355	0.26		133	122	33.8		13.2	19	96	65
111975	471835	7081599	962	0.42	0.45		287	231	52.8	28	20.5	20	108	86
111976	471837	7081575	962	0.395	0.25		101	99	34.3		13.2	19	81	76

Sample ID	NAD83 UTM8 Easting	NAD83 UTM8 Northing	Elevation (m)	WtKg	Lab Ag_ppm	XRF PPM Ag	Lab As_ppm	XRF PPM As	Lab Cu_ppm	XRF PPM Cu	Lab Pb_ppm	XRF PPM Pb	Lab Zn_ppm	XRF PPM Zn
111977	471838	7081548	962	0.45	0.28	104	231	223	38.3		12.9	22	79	80
111978	471837	7081525	961	0.405	0.38		373	386	36.8		13.5	20	98	91
111979	471832	7081499	961	0.495	0.34	91	214	471	42.3		14.3	19	92	91
111980	471833	7081475	960	0.47	0.44	54	299	200	41.5		19.6	13	105	58
111981	471830	7081451	960	0.425	0.44		321	242	48.4	36	17.5	24	112	99
111982	471835	7081425	960	0.385	0.28	44	118	130	31.2		12.5	19	94	80
111983	471835	7081392	960	0.33	0.27	64	240	188	32.6	18	19.9	19	111	75
111984	471834	7081374	960	0.26	0.12		52	119	16.7		8.2	13	60	35
111985	471830	7081347	960	0.22	0.17		25	37	26	17	8.3	11	61	55
111986	471834	7081323	961	0.255	0.15		60	54	21.7	59	8.3	16	34	37
111987	471832	7081273	965	0.375	0.24		16	15	36	17	11.9	17	74	64
113175	471937	7081275	968	0.475	0.19	55	32	38	26	17	13.4	20	79	84
113177	471938	7081301	967	0.53	0.15		18		23.9		10.6		63	
113178	471937	7081324	967	0.59	0.08	83	11	24	16.1		8.8	15	56	58
113179	471937	7081374	967	0.475	0.19		70	71	29.7	19	9.9	17	88	75
113180	471936	7081423	968	0.415	0.29		74	47	33.5		12.4	18	94	61
113181	471934	7081449	967	0.46	0.38	93	116	107	38.3	17	23	21	113	106
113182	471934	7081475	967	0.63	0.33	230	217	137	47.9	28	16	24	103	102
113183	471938	7081500	964	0.45	0.23		89	123	23.7		14.3	14	88	83
113184	471934	7081525	968	0.585	0.29	120	216	242	39.3		13.5	24	82	82
113185	471936	7081551	970	0.585	0.31	98	282	342	39.1	19	14.7	24	88	90
113186	471935	7081652	969	0.475	0.29	84	504	638	32.5		12.9	13	93	81
113187	471937	7081675	972	0.37	0.31		329	167	34.1	18	16.6	13	86	64
113188	471935	7081701	969	0.245	0.24		51	58	32.6		12	19	77	62
113189	471937	7081750	967	0.3	0.22		15	16	33.5	22	11.4	15	71	68
113190	471937	7081775	967	0.395	0.21		18	15	28.1		11.3	16	62	46
113191	471936	7081800	968	0.7	0.27	39	46	37	33.8		13.2	19	85	96
113192	471930	7081828	968	0.57	0.26	93	75	51	32.9		13	15	83	63
113193	471935	7081850	969	0.505	0.29		86	76	31.8		14.6	11	88	51
113194	471936	7081875	969	0.52	0.21	101	113	144	29.4	24	12.3	16	72	91
113195	471936	7081901	968	0.54	0.25		73	63	31.4		12.9	17	76	72
113196	471936	7081925	968	0.53	0.21	47	41	35	27.3		11.8	20	71	70
113197	471937	7081950	971	0.535	0.2		36	34	28.1		11.4	15	73	72
113198	471938	7081976	969	0.52	0.21	48	45	53	28.5		13.1	18	77	59
113199	471935	7082001	969	0.61	0.2	91	23	27	26		12.4	18	79	78
113200	471933	7082027	972	0.465	0.16		17	19	23.9		11.1	16	83	80
113267	472338	7080800	0	0.305	0.4		51	41	13.7		14.8	17	54	54
113268	472337	7080827	0	0.345	0.17		20	16	22.6		10.6	20	61	53
113269	472335	7080848	0	0.32	0.1	96	37	40	24.1		15.1	19	64	54
113270	472340	7080876	0	0.385	0.1	58	15	15	22.4		10.8	16	65	54
113271	472337	7080901	0	0.415	0.09	36	12	10	20.2		10.1	18	55	55
113272	472337	7080926	0	0.265	0.12	29	17	17	24.6		11	19	65	51
113273	472338	7080950	0	0.285	0.07	64	15		19.1		11.7	58	54	43
113274	472336	7080975	0	0.405	0.08		17	14	25.8		11	14	74	64
113275	472340	7081003	0	0.335	0.14		23	19	26.9		12.7	15	69	36
113276	472338	7081026	0	0.295	0.12		22	10	18.1		13.9	10	64	19
113277	472336	7081051	0	0.315	0.13	88	46	49	38.1		15.9	20	73	57
113278	472335	7081078	0	0.325	0.16		46	18	33.8		17.9	20	65	29
113279	472337	7081100	0	0.365	0.12		57	39	31.6		15.3	19	71	45
113280	472337	7081125	0	0.33	0.14		68	27	29.4		19.6	19	67	33
113281	472339	7081150	0	0.415	0.09		57	38	38.4		18.7	19	69	46
113282	472336	7081176	0	0.365	0.24		66	60	33.6		20.5	20	68	60
113283	472335	7081202	0	0.345	0.18	77	67	56	36.3		17.8	26	80	60
113284	472339	7081225	0	0.33	0.16		21	12	27.6		14.8	13	66	28
113285	472337	7081251	0	0.41	0.09		58	28	28.7		13	13	63	28
113286	472337	7081276	0	0.385	0.2		12	10	15.7		13.1	16	41	37
113287	472339	7081300	0	0.515	0.16		32	16	30.9		17.4	21	76	36
113288	472337	7081326	0	0.41	0.21		32	24	27.9		14.7	17	78	38
113289	472337	7081351	0	0.26	0.04		13	11	23.1		8.4	17	57	56
113290	472337	7081376	0	0.325	0.09	100	11	16	21.2		9.2	17	60	61
113291	472336	7081400	0	0.265	0.12	35	24	26	23.9		11.6	21	56	47
113292	472334	7081426	0	0.44	0.28	33	45	51	29.1	19	16	23	67	65
113293	472337	7081451	0	0.445	0.21		24	24	28.8		12.4	17	67	57
113294	472336	7081475	0	0.46	0.17		19	11	28.1		10.7	13	62	43
113295	472330	7081501	0	0.325	0.33		25	20	29		13.3	18	70	51
113296	472334	7081525	0	0.43	0.17		18	9	25.1		11.6	13	67	40
113297	472334	7081554	0	0.615	0.25		40	38	26.4		15.5	20	75	50

Sample ID	NAD83 UTM8 Easting	NAD83 UTM8 Northing	Elevation (m)	WtKg	Lab Ag_ppm	XRF PPM Ag	Lab As_ppm	XRF PPM As	Lab Cu_ppm	XRF PPM Cu	Lab Pb_ppm	XRF PPM Pb	Lab Zn_ppm	XRF PPM Zn
113298	472338	7081576	0	0.315	0.34		52	35	25.2		18.3	17	85	49
113299	472337	7081601	0	0.5	0.55		52	45	31.8		15.7	21	90	70
113300	472334	7081627	0	0.31	0.17	40	14	16	27.3		10.9	11	77	62
1567801	471936	7082050	973	0.47	0.21	63	48	37	22.8		13.2	17	78	86
1567802	471940	7082074	973	0.495	0.2	42	102	120	25.2		11.5	16	74	86
1567803	471934	7082100	971	0.49	0.32	59	313	279	38.6		12.8	24	92	86
1567804	471935	7082126	971	0.505	0.4	67	280	202	41.7		13.7	26	87	108
1567805	471938	7082148	973	0.56	0.33		111	140	32.8		12.7	18	85	85
1567806	471935	7082176	975	0.62	0.49		217	180	45.3		17.7	17	98	83
1567807	471940	7082199	976	0.75	0.48		313	387	44.4		19	24	92	100
1567808	471936	7082225	975	0.605	0.15	32	115	96	26.7		10.7	15	56	54
1567809	471935	7082250	978	0.535	0.21	37	171	167	30.7		13.1	21	61	66
1567810	471933	7082277	981	0.58	0.22	49	210	187	30	23	12.2	20	60	71
1567811	471937	7082300	982	0.395	0.16		80	90	27.1		14.4	18	60	66
1567812	471935	7082325	980	0.51	0.21	65	72	73	34.5		15.8	19	72	74
1567813	471933	7082350	981	0.47	0.14		42	57	36.2		11.5	21	68	69
1567814	471939	7082375	980	0.435	0.2		26	14	26.2		11.3	16	60	58
1567815	471935	7082399	980	0.51	0.17	55	976	862	35.9		8.9	20	64	71
1567816	472236	7080799	969	0.5	0.11	49	48	53	31.2		13.6	16	67	75
1567817	472236	7080823	971	0.55	0.11	68	54	42	29.8		15.1	20	68	69
1567818	472236	7080849	972	0.515	0.45	52	49	30	30.7		13.6	17	64	89
1567819	472236	7080875	975	0.555	0.31		132	112	29.8		22	23	64	72
1567820	472236	7080899	976	0.515	0.29	51	164	96	50		22.7	21	92	73
1567821	472236	7080926	977	0.58	0.14	94	41	49	27.3		15.6	18	74	79
1567822	472236	7080950	981	0.575	0.23	85	34	25	40.4		15.5	18	70	60
1567823	472236	7080975	981	0.505	0.14		31	19	28.7		12.4	19	77	58
1567824	472237	7081001	981	0.65	0.09	82	29	36	33		12.4	26	65	89
1567825	472236	7081025	983	0.52	0.23	44	59	51	45.3		17.3	25	76	70
1567826	472237	7081050	984	0.515	0.28	56	124	96	50.2		22.7	33	84	73
1567827	472237	7081075	984	0.495	0.22	43	102	79	50.6		27.9	29	78	92
1567828	472236	7081100	987	0.615	0.14	114	35	34	30.6		14.4	22	69	64
1567829	472236	7081126	987	0.565	0.33	70	77	73	62.1		27.6	28	88	87
1567830	472235	7081149	987	0.535	0.47	51	44	23	36.7		16.3	18	66	73
1567831	472236	7081176	985	0.485	0.1	72	16	24	25.1		9.8	17	61	57
1567832	472236	7081199	982	0.48	0.08		14	17	26.5		9.5	17	62	56
1567833	472238	7081225	983	0.695	0.11	53	15	15	25.8		9.4	20	62	53
1567834	472237	7081249	984	0.49	0.1	44	12	7	26		9.6	18	59	64
1567835	472236	7081275	978	0.555	0.08	93	15	15	22.7		9.4	23	69	75
1567836	472237	7081298	978	0.56	0.15	35	60	70	31		12	24	59	76
1567837	472236	7081324	977	0.495	0.14		45	46	29.6		13	26	64	69
1567838	472237	7081350	976	0.58	0.17	32	26	24	30.2		9.8	21	73	76
1567839	472236	7081376	976	0.505	0.08	81	13	16	24.5		8.9	18	59	61
1567840	472236	7081400	977	0.735	0.49	66	217	122	41.5		27.6	40	99	108
1567841	472236	7081426	974	0.635	0.2		37	45	31.8		17.6	28	80	78
1567842	472237	7081449	972	0.66	0.45		132	109	34.8		29.4	23	87	83
1567843	472238	7081476	975	0.685	0.2		41	37	30.2		14.3	24	90	92
1567844	472236	7081499	970	0.415	0.21		29	24	27.1		12.5	17	89	66
1567846	472237	7081597	970	0.465	0.19		54	43	24.6		11.3	15	80	68
1567847	472235	7081701	972	0.55	0.25	60	160	203	25.3		14.1	23	95	92
1567848	472436	7082399	979	0.585	0.34		66	51	32.4		13.9	17	91	62
1567849	472436	7082376	984	0.56	0.15	51	157	163	29.3		8.1	16	77	78
1567850	472437	7082349	984	0.445	0.31	42	416	354	35.4		11.3	15	81	78
1567851	472437	7082325	982	0.66	0.23	67	418	261	35.2		13.9	22	83	75
1567852	472438	7082301	984	0.73	0.5	68	42	56	31.7		17.6	19	87	86
1567853	472437	7082275	986	0.705	0.41	56	150	194	38		14.8	17	84	78
1567854	472435	7082251	982	0.46	0.14	49	285	231	30.9		7.2	23	73	67
1567856	472437	7082200	981	0.575	0.49	94	58	365	28.6		14.7	13	72	83
1567876	472436	7081647	976	0.905	0.51		37	30	31.3		19.3	18	76	85
1567877	472435	7081624	976	0.485	0.64	57	49	19	35		18.8	14	71	71
1567878	472435	7081601	976	0.665	0.5		40	46	31.8		16.7	10	69	29
1567879	472435	7081574	979	0.555	0.45	27	46	108	29.8	17	16.5	15	70	64
1567880	472436	7081550	978	0.6	0.23		32	220	26.5	23	13	9	70	10
1567881	472636	7080799	953	0.445	0.24		20	18	28		13.5	9	82	27
1567882	472635	7080824	948	0.455	0.26		25	21	27.4		12.6	12	71	40
1567883	472636	7080850	954	0.465	0.26		40	111	31.6	35	12.2	20	81	64
1567884	472635	7080876	955	0.51	0.23		42		30.4		12.9	8	71	14
1567885	472636	7080900	955	0.4	0.35		50	120	31.7	26	15.5	35	75	90

Sample ID	NAD83 UTM8 Easting	NAD83 UTM8 Northing	Elevation (m)	WtKg	Lab Ag_ppm	XRF PPM Ag	Lab As_ppm	XRF PPM As	Lab Cu_ppm	XRF PPM Cu	Lab Pb_ppm	XRF PPM Pb	Lab Zn_ppm	XRF PPM Zn
1567886	472637	7080924	956	0.475	0.19		37	10	25.7		13.2	12	58	52
1567887	472637	7080948	961	0.42	0.28		43	41	34.8		14.2	22	73	91
1567888	472636	7080975	963	0.63	0.19		32	139	26.7		16.1	25	75	74
1567889	472635	7081001	966	0.705	0.21		59	23	21.6		21.6	16	66	51
1567890	472637	7081026	964	0.43	0.15		19	61	17.5	15	13.5	32	70	64
1567891	472636	7081049	965	0.495	0.21	56	30	24	21.3		16.6	17	74	43
1567892	472636	7081100	969	0.715	0.21		19	14	19.8		11.2	18	70	66
1567893	472636	7081125	974	0.66	0.22		28	12	27	52	13.1	32	72	46
1567894	472636	7081179		0.55	0.19		18	19	22.7		10.6	14	63	53
1567895	472636	7081201	974	0.62	0.23		20		18.6		12.9	14	56	45
1567896	472636	7081225	975	0.605	0.2		28	24	23.2		12.8	16	66	46
1567897	472635	7081251	975	0.6	0.21	34	33	19	26.2		13.2	17	70	47
1567898	472637	7081277	975	0.53	0.15	117	13	67	19.5		8.3	30	59	71
1567899	472636	7081300	975	0.425	0.52	62	40	19	28		17.8	15	67	64
1567900	472637	7081324	974	0.65	0.21	90	26	31	28.4		12.6	22	83	60

Appendix II

Assay Certificates

Certificate of Analysis
Work Order : VC162735
[Report File No.: 0000018963]

Date: September 14, 2016

To: **Helena Kuikka**
STRATA GOLD CORPORATION
SUITE 910 - 1050 W PENDER ST
VANCOUVER BC V6E 3S7

P.O. No.: AUX16-1 (1 of 10)
Project No.: AUREX
Samples: 74
Received: Aug 29, 2016
Pages: Page 1 to 16
(Inclusive of Cover Sheet)

Methods Summary

No. Of Samples	Method Code	Description
74	G_LOG02	Pre-preparation processing, sorting, logging, boxing
74	G_WGH79	Weighing of samples and reporting of weights
74	GE_FAI313	@Au, Pt, Pd, FAS, ICP-AES, 30g - 5ml (Clean Pots only)
74	GE_IMS14B	Aqua Regia digestion/ICP-MS package

Storage: Pulp & Reject

REJECT STORAGE	:	STORE
PULP STORAGE	:	STORE

Certified By :

John Chiang
QC Chemist

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the **@** symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	WtKg	Au@	Ag	Al	As	Ba	Bi	Ca
Method	G_WGH79	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	1	0.01	0.01	1	5	0.02	0.01
Units	kg	ppb	ppm	%	ppm	ppm	ppm	%
71452	0.390	14	0.32	1.51	119	355	0.38	0.32
71453	0.235	6	0.20	1.48	125	497	0.20	0.82
71454	0.265	5	0.23	1.52	85	540	0.21	0.51
71455	0.175	6	0.21	1.24	54	509	0.18	0.39
71456	0.335	38	0.23	2.05	42	378	0.26	0.37
71457	0.320	4	0.17	1.24	22	376	0.19	0.50
71458	0.320	8	0.21	1.34	23	484	0.20	0.36
71459	0.260	5	0.18	1.38	33	474	0.22	0.43
71460	0.270	4	0.20	1.44	29	397	0.21	0.37
71461	0.340	5	0.26	1.54	30	451	0.25	0.42
71462	0.310	4	0.21	1.33	43	428	0.21	0.60
71463	0.310	15	0.26	1.29	39	429	0.24	0.69
71464	0.330	7	0.17	1.00	28	284	0.18	0.37
71465	0.410	12	0.39	1.33	106	355	0.31	0.45
71466	0.385	7	0.25	1.34	40	402	0.24	0.58
71467	0.580	10	0.38	1.22	112	312	0.30	0.88
71468	0.605	21	0.49	1.33	460	255	0.50	0.43
71469	0.480	6	0.40	1.40	83	437	0.27	0.49
71470	0.505	8	0.37	1.36	88	389	0.26	0.47
71471	0.460	6	0.33	1.30	73	402	0.28	0.51
71472	0.475	8	0.37	1.34	97	381	0.30	0.48
71473	0.435	5	0.23	1.33	54	325	0.24	0.35
71474	0.355	4	0.22	1.43	47	412	0.19	0.48
71475	0.385	5	0.29	1.44	41	451	0.23	0.58
71476	0.370	5	0.16	1.32	28	344	0.19	0.32
71477	0.480	17	0.46	1.33	344	346	0.42	0.36
71478	0.290	9	0.17	1.44	140	240	0.34	0.15
71479	0.395	13	0.05	1.88	375	98	0.51	0.05
71480	0.355	5	0.32	1.42	34	217	0.19	0.15
71481	0.270	13	0.21	1.79	50	225	0.26	0.11
71482	0.330	33	0.09	1.78	101	219	0.62	0.13
71483	0.355	10	0.08	1.69	204	192	0.31	0.12
71484	0.345	16	0.40	1.19	216	240	0.43	0.37
71485	0.525	6	0.34	1.39	65	389	0.28	0.49
71486	0.280	6	0.37	1.49	35	407	0.25	0.56
71487	0.395	7	0.49	1.26	93	327	0.29	0.45
71488	0.440	11	0.44	1.38	108	356	0.31	0.48
71489	0.450	40	0.41	1.37	541	231	0.57	0.34
71490	0.415	15	0.47	1.29	131	358	0.31	0.47
71491	0.465	8	0.33	1.40	66	406	0.26	0.51

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	WtKg	Au@	Ag	Al	As	Ba	Bi	Ca
Method	G_WGH79	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	1	0.01	0.01	1	5	0.02	0.01
Units	kg	ppb	ppm	%	ppm	ppm	ppm	%
71492	0.455	10	0.31	1.52	46	400	0.26	0.43
71493	0.460	5	0.22	1.24	40	291	0.21	0.38
71494	0.260	3	0.22	1.46	18	430	0.20	0.43
71495	0.240	5	0.17	1.25	15	353	0.18	0.39
71496	0.290	5	0.17	1.30	18	452	0.17	0.37
71497	0.320	5	0.23	1.31	26	474	0.19	0.46
71498	0.355	9	0.41	1.46	86	392	0.25	0.52
71499	0.460	22	0.47	1.33	192	337	0.35	0.46
71500	0.340	9	0.42	1.29	96	322	0.26	0.43
78776	0.380	5	0.19	1.38	77	391	0.23	0.42
78777	0.325	4	0.18	1.45	69	434	0.22	0.42
78778	0.395	4	0.15	1.43	46	372	0.23	0.42
78779	0.235	13	0.21	1.25	261	405	0.31	0.44
78780	0.475	8	0.21	1.27	124	496	0.26	0.49
78781	0.470	4	0.16	1.20	68	377	0.21	0.42
78782	0.355	3	0.15	1.26	19	400	0.19	0.38
78783	0.600	68	0.26	0.94	578	317	0.57	0.35
78784	0.480	12	0.17	1.21	134	222	0.29	0.23
78785	0.490	315	0.48	0.71	4110	172	2.48	0.36
78786	0.450	10	0.40	1.30	120	392	0.24	0.31
78787	0.515	36	0.19	1.04	548	240	0.64	0.25
78788	0.435	21	0.20	1.18	344	275	0.32	0.29
78789	0.480	17	0.11	1.25	215	259	0.27	0.26
78790	0.680	14	0.32	1.34	261	474	0.35	0.48
78791	0.655	58	0.41	1.41	709	404	1.06	0.45
78792	0.500	30	0.30	1.39	321	454	0.46	0.46
78793	0.595	20	0.29	1.31	243	458	0.43	0.47
78794	0.485	18	0.29	1.22	183	493	0.40	0.50
78795	0.440	18	0.25	1.17	170	362	0.31	0.35
78796	0.530	31	0.36	1.31	360	359	0.41	0.43
78797	0.280	9	0.16	1.79	52	313	0.18	0.41
78798	0.500	6	0.12	2.18	275	320	0.13	0.66
78799	0.490	32	0.24	2.36	668	302	0.41	0.61
78800	0.410	34	0.25	2.14	423	282	0.40	0.56
*Rep 71452		16						
*Rep 71487		7						
*Rep 71500		11						
*Std ME-1309		138						
*Std OREASH1		12						
*Std OREAS151B		62						

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Au@	Ag	Al	As	Ba	Bi	Ca
Method	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	1	0.01	0.01	1	5	0.02	0.01
Units	ppb	ppm	%	ppm	ppm	ppm	%
*Std AMIS0319	40						
*Blk BLANK	<1						
*Blk BLANK	<1						
*Rep 71459		0.18	1.42	31	470	0.21	0.42
*Rep 71470		0.38	1.39	88	412	0.27	0.49
*Rep 71491		0.33	1.43	70	407	0.26	0.49
*Rep 78782		0.14	1.23	19	369	0.18	0.35
*Rep 78790		0.31	1.38	264	482	0.36	0.47
*Std OREAS920		0.09	2.20	6	81	0.63	0.33
*Std OREAS920		0.10	2.37	6	84	0.70	0.37
*Blk BLANK		<0.01	<0.01	1	<5	<0.02	<0.01
*Blk BLANK		<0.01	<0.01	<1	<5	<0.02	<0.01
*Blk BLANK		<0.01	<0.01	1	<5	<0.02	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
71452	0.77	47.1	17.0	31	28.8	2.82	4.7	0.05
71453	0.83	26.8	8.7	30	30.1	2.16	4.3	0.08
71454	0.80	29.3	9.9	30	32.8	1.72	4.7	0.05
71455	1.06	27.2	6.9	23	33.9	1.45	3.6	0.08
71456	0.35	39.6	16.4	65	39.2	3.24	7.3	0.08
71457	0.59	32.7	9.3	26	29.5	1.66	4.2	0.06
71458	0.72	30.1	7.1	28	33.3	1.53	4.3	0.07
71459	0.52	30.6	7.6	29	25.7	2.20	4.6	0.08
71460	0.59	32.7	8.1	27	23.1	1.86	4.7	0.07
71461	0.50	33.3	11.0	28	28.5	2.64	4.8	0.09
71462	0.52	33.0	10.1	27	29.9	2.74	4.5	0.07
71463	0.56	32.0	11.0	28	29.8	2.34	4.2	0.05
71464	0.21	25.3	7.8	21	21.1	1.80	3.4	0.03
71465	0.48	37.0	13.0	27	42.3	2.76	4.1	0.05
71466	0.36	31.3	11.0	29	30.2	2.34	4.4	0.06
71467	0.62	34.5	10.5	23	44.3	2.63	3.9	0.03
71468	0.53	42.4	14.4	24	57.0	3.01	4.2	0.04
71469	0.48	36.6	11.0	27	38.6	2.63	4.3	0.05
71470	0.56	35.5	11.7	27	41.3	2.70	4.3	0.04
71471	0.50	33.7	13.2	28	32.9	2.58	4.2	0.06
71472	0.61	35.5	12.9	27	37.0	2.72	4.4	0.05
71473	0.33	37.0	8.3	25	26.5	2.27	4.4	0.04
71474	0.41	33.1	9.8	30	28.6	2.61	4.8	0.05
71475	0.37	32.3	10.4	29	28.0	2.43	4.5	0.06
71476	0.19	36.6	7.9	26	26.2	2.16	4.3	0.04
71477	0.69	42.0	14.1	26	50.2	2.92	4.2	0.04
71478	0.23	32.8	8.1	26	31.2	2.54	5.0	0.03
71479	0.46	52.6	18.3	26	31.5	3.13	4.2	0.01
71480	0.10	42.0	10.8	29	31.5	2.37	4.6	0.03
71481	0.10	34.8	8.9	28	18.7	2.63	5.4	0.03
71482	0.12	36.8	9.8	32	26.4	2.64	5.6	0.02
71483	0.15	38.1	11.6	28	27.6	2.77	5.4	0.02
71484	0.54	43.5	12.4	22	42.2	3.17	3.6	0.04
71485	0.48	39.5	12.7	27	38.7	2.98	4.6	0.04
71486	0.41	32.2	9.7	28	32.4	2.64	4.8	0.06
71487	0.44	37.5	11.0	27	38.5	2.76	4.2	0.04
71488	0.47	35.3	11.3	27	36.6	2.69	4.2	0.06
71489	0.32	57.7	16.2	22	48.0	3.23	4.5	0.03
71490	0.58	33.5	11.9	27	42.6	2.67	4.2	0.04
71491	0.49	32.9	11.6	30	35.3	2.66	4.5	0.07

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
71492	0.32	34.0	9.5	29	35.7	2.44	4.8	0.06
71493	0.31	34.7	9.0	29	29.8	2.56	4.2	0.05
71494	0.55	33.4	7.0	28	27.1	2.24	4.9	0.08
71495	0.43	28.4	5.3	27	20.2	1.83	4.5	0.06
71496	0.50	38.9	9.9	30	32.2	2.47	4.2	0.05
71497	0.61	35.0	12.5	28	30.6	2.81	4.2	0.05
71498	0.46	37.2	11.0	27	36.0	2.70	4.5	0.07
71499	0.47	39.8	12.7	27	41.8	2.97	4.1	0.03
71500	0.31	33.1	8.8	25	29.0	2.59	4.1	0.04
78776	0.39	32.8	10.0	30	32.1	1.90	4.6	0.05
78777	0.52	36.6	9.4	31	30.1	2.32	5.3	0.05
78778	0.39	39.3	9.6	31	28.4	2.54	4.9	0.06
78779	0.46	42.0	12.4	28	33.1	2.88	4.6	0.05
78780	0.64	43.0	12.4	27	33.6	2.78	4.5	0.08
78781	0.47	42.9	6.4	25	27.4	2.20	4.4	0.05
78782	0.41	36.1	7.3	29	29.6	2.05	4.7	0.05
78783	0.31	67.0	10.8	21	32.5	2.36	3.7	0.05
78784	0.14	40.5	8.1	27	26.1	2.20	4.5	0.02
78785	3.25	64.1	22.1	22	57.1	4.48	2.7	0.40
78786	0.10	42.8	7.6	29	28.4	2.44	4.7	0.04
78787	0.26	50.1	9.3	24	32.5	2.24	3.8	0.04
78788	0.21	42.2	7.3	27	31.5	2.30	4.5	0.02
78789	0.20	40.2	7.1	27	25.7	2.27	4.6	0.03
78790	0.26	41.6	10.4	29	35.7	2.72	4.6	0.06
78791	0.48	41.4	13.8	39	49.6	3.27	5.2	0.08
78792	0.46	38.8	12.3	33	39.0	3.07	5.1	0.06
78793	0.45	38.7	14.7	33	34.1	2.82	4.9	0.06
78794	0.51	39.0	12.1	30	30.5	2.67	4.7	0.05
78795	0.37	38.2	13.8	33	21.1	2.59	4.5	0.06
78796	0.52	42.2	17.0	29	30.1	3.06	4.8	0.06
78797	0.43	27.1	13.8	67	25.9	3.02	6.9	0.08
78798	0.27	19.1	27.1	111	42.3	4.67	9.8	0.02
78799	0.22	19.7	25.0	134	46.7	4.84	9.8	0.02
78800	0.43	23.8	23.1	121	39.8	4.44	9.3	0.04

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
*Rep 71459	0.52	31.5	7.1	27	26.2	2.38	4.9	0.06
*Rep 71470	0.53	35.3	11.5	30	41.9	2.84	4.4	0.04
*Rep 71491	0.52	35.0	11.3	29	36.4	2.78	4.4	0.05
*Rep 78782	0.38	34.9	6.6	27	26.1	2.02	4.4	0.06
*Rep 78790	0.28	42.9	10.9	30	39.2	3.02	5.1	0.06
*Std OREAS920	0.06	68.2	14.5	44	104	3.25	6.7	<0.01
*Std OREAS920	0.08	73.8	15.7	49	112	3.70	7.7	<0.01
*Blk BLANK	<0.01	<0.05	<0.1	1	<0.5	<0.01	<0.1	<0.01
*Blk BLANK	<0.01	<0.05	<0.1	<1	<0.5	<0.01	<0.1	<0.01
*Blk BLANK	<0.01	<0.05	<0.1	1	<0.5	<0.01	<0.1	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
71452	0.09	23.7	0.64	242	0.91	0.02	32.7	1110
71453	0.07	12.8	0.50	173	0.76	0.02	23.9	880
71454	0.08	15.0	0.51	120	0.93	0.02	26.3	940
71455	0.04	14.0	0.31	90	0.71	0.02	18.4	1020
71456	0.08	19.8	1.05	248	0.89	0.02	54.5	1020
71457	0.07	16.1	0.50	190	0.56	0.02	24.0	810
71458	0.07	15.0	0.50	106	0.80	0.02	22.0	840
71459	0.07	15.7	0.45	106	0.61	0.02	20.9	950
71460	0.06	16.3	0.42	89	0.56	0.02	18.4	1060
71461	0.07	16.7	0.48	247	1.03	0.02	24.8	1060
71462	0.07	16.2	0.46	372	1.27	0.03	23.6	1180
71463	0.07	15.9	0.51	557	1.17	0.02	26.1	1010
71464	0.05	12.1	0.39	295	0.77	0.02	17.1	710
71465	0.10	18.9	0.57	575	1.43	0.02	30.9	950
71466	0.08	15.8	0.54	352	1.15	0.02	26.0	980
71467	0.15	17.4	0.64	415	1.25	0.03	31.3	980
71468	0.19	21.6	0.61	378	1.31	0.02	35.3	910
71469	0.10	18.3	0.53	385	1.29	0.02	28.3	900
71470	0.11	18.8	0.58	430	1.44	0.03	30.8	1020
71471	0.09	17.1	0.51	483	1.31	0.02	28.8	960
71472	0.10	17.7	0.56	393	1.32	0.02	28.3	1030
71473	0.08	18.3	0.49	142	0.95	0.02	21.6	960
71474	0.09	16.8	0.56	297	1.11	0.03	26.4	1080
71475	0.08	15.6	0.51	349	1.19	0.02	26.4	1080
71476	0.07	18.8	0.52	190	0.91	0.02	22.1	880
71477	0.15	20.8	0.57	559	1.48	0.02	35.2	1060
71478	0.08	16.6	0.45	285	1.34	0.02	20.6	750
71479	0.11	24.3	0.37	755	1.39	0.02	24.6	650
71480	0.07	22.0	0.55	294	1.02	0.02	24.0	630
71481	0.07	17.1	0.51	203	1.05	0.03	20.4	410
71482	0.06	18.4	0.55	274	0.96	0.02	22.4	350
71483	0.08	19.2	0.61	278	0.91	0.02	24.2	430
71484	0.11	22.5	0.47	352	1.01	0.02	31.1	880
71485	0.10	20.1	0.57	452	1.15	0.03	32.3	1000
71486	0.08	16.1	0.49	464	1.18	0.02	24.8	1020
71487	0.12	19.3	0.55	554	1.47	0.02	28.8	1050
71488	0.10	18.2	0.56	459	1.27	0.03	32.2	890
71489	0.14	28.1	0.60	462	1.26	0.02	37.9	1010
71490	0.11	17.0	0.54	448	1.34	0.02	32.7	1010
71491	0.09	17.2	0.54	448	1.24	0.03	28.6	990

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
71492	0.08	17.0	0.48	221	1.07	0.02	24.8	990
71493	0.08	17.5	0.52	276	1.13	0.03	22.4	950
71494	0.07	16.6	0.47	119	0.51	0.02	22.3	1140
71495	0.05	13.7	0.37	97	0.37	0.02	17.0	880
71496	0.07	18.0	0.49	254	0.93	0.02	27.0	1050
71497	0.07	17.4	0.50	322	0.97	0.02	28.6	1160
71498	0.09	19.0	0.55	370	1.17	0.03	29.3	1150
71499	0.11	19.9	0.53	517	1.32	0.03	30.3	970
71500	0.08	16.8	0.47	281	1.09	0.02	23.1	1020
78776	0.07	16.3	0.50	117	1.01	0.02	26.1	790
78777	0.07	18.2	0.49	133	0.73	0.02	24.8	1080
78778	0.08	19.7	0.43	168	0.87	0.03	24.7	1000
78779	0.09	20.3	0.48	270	1.12	0.03	29.8	950
78780	0.11	21.2	0.42	235	1.10	0.03	27.5	1180
78781	0.12	20.4	0.38	123	0.46	0.02	19.3	890
78782	0.06	17.4	0.43	105	0.50	0.02	20.6	1020
78783	0.19	32.9	0.30	282	0.87	0.02	24.1	800
78784	0.07	20.8	0.44	173	0.88	0.02	19.4	810
78785	0.13	29.7	0.26	805	11.6	0.01	73.3	660
78786	0.08	21.8	0.47	224	1.03	0.03	23.5	780
78787	0.08	24.6	0.40	187	2.08	0.02	25.7	710
78788	0.08	21.3	0.45	212	1.37	0.02	24.2	850
78789	0.07	20.6	0.42	203	1.19	0.03	21.4	730
78790	0.10	20.4	0.45	334	1.39	0.03	27.5	810
78791	0.19	20.8	0.63	456	1.48	0.03	39.3	870
78792	0.11	18.9	0.54	378	1.39	0.03	30.8	940
78793	0.09	19.1	0.52	496	1.40	0.03	30.9	920
78794	0.09	19.0	0.48	523	1.12	0.02	28.5	1010
78795	0.07	18.9	0.46	473	1.10	0.02	23.3	820
78796	0.11	20.1	0.48	649	1.18	0.02	28.3	1050
78797	0.07	12.6	0.94	279	0.62	0.03	43.2	1170
78798	0.29	8.8	1.37	548	0.98	0.02	66.2	980
78799	0.27	9.7	1.63	545	0.65	0.02	90.3	1090
78800	0.12	11.9	1.41	679	1.67	0.02	89.2	1290

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
*Rep 71459	0.07	15.1	0.44	106	0.59	0.02	22.2	1030
*Rep 71470	0.12	18.1	0.60	429	1.40	0.02	30.9	1000
*Rep 71491	0.09	17.6	0.57	436	1.30	0.02	30.4	1040
*Rep 78782	0.05	17.4	0.38	99	0.42	0.02	20.2	910
*Rep 78790	0.10	21.3	0.51	363	1.49	0.03	28.4	960
*Std OREAS920	0.42	35.0	0.99	474	0.37	0.04	36.0	880
*Std OREAS920	0.43	37.4	1.11	526	0.40	0.04	37.7	980
*Blk BLANK	<0.01	<0.1	<0.01	<2	<0.05	<0.01	<0.5	<50
*Blk BLANK	<0.01	<0.1	<0.01	<2	<0.05	<0.01	<0.5	<50
*Blk BLANK	<0.01	<0.1	<0.01	<2	<0.05	<0.01	<0.5	<50

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
71452	16.4	11.0	3.15	4.1	0.4	21.0	7.1	0.05
71453	10.3	8.3	1.34	3.5	0.4	56.3	2.6	0.04
71454	11.8	7.2	1.42	3.5	0.4	36.6	3.0	0.05
71455	9.2	4.5	1.26	2.9	<0.3	30.3	1.8	0.04
71456	10.9	7.4	6.01	5.7	0.4	26.3	6.1	0.08
71457	10.9	5.9	0.93	3.7	0.4	26.0	5.3	0.06
71458	11.2	5.9	1.10	3.9	0.4	30.7	4.8	0.05
71459	10.5	7.0	1.23	3.2	0.5	35.6	3.1	0.05
71460	10.4	6.9	1.20	3.0	0.4	32.7	2.6	0.05
71461	12.7	8.9	1.85	3.8	0.5	33.9	4.1	0.05
71462	11.4	8.3	2.12	3.6	0.4	39.5	3.5	0.06
71463	13.2	8.6	2.15	3.7	0.4	43.8	3.4	0.05
71464	9.0	6.6	1.25	2.6	0.3	26.3	3.3	0.04
71465	17.6	8.2	3.93	3.7	0.4	26.5	5.8	0.06
71466	12.4	9.1	1.74	3.6	0.4	37.6	3.6	0.05
71467	15.1	9.0	3.87	3.7	0.4	35.3	6.2	0.07
71468	19.7	17.3	7.07	3.3	0.4	26.0	9.0	0.05
71469	15.7	9.2	2.70	4.0	0.4	32.8	5.5	0.06
71470	16.4	9.4	2.69	3.9	0.4	31.7	5.9	0.06
71471	15.0	9.4	2.31	3.6	0.4	30.7	4.4	0.05
71472	16.3	9.7	2.75	3.8	0.4	31.4	5.3	0.06
71473	14.4	8.9	2.14	3.3	0.4	22.8	5.0	0.06
71474	10.0	8.4	1.31	4.0	0.4	31.9	4.0	0.08
71475	10.1	8.5	1.45	3.6	0.4	35.0	3.0	0.05
71476	9.4	7.2	1.00	3.4	0.4	21.6	4.3	0.06
71477	23.2	10.6	8.77	3.7	0.4	21.5	7.6	0.06
71478	15.2	9.1	2.22	2.3	0.4	12.3	1.1	0.05
71479	30.8	14.6	7.72	2.2	0.4	5.1	14.0	0.03
71480	11.4	8.2	1.24	4.1	0.4	13.0	5.2	0.07
71481	11.9	11.3	0.81	3.3	0.7	11.3	3.6	0.07
71482	10.3	9.1	1.20	3.7	0.5	12.4	4.8	0.08
71483	11.5	12.4	1.14	2.6	0.5	11.9	6.1	0.07
71484	15.8	9.2	4.11	3.2	0.4	23.1	6.8	0.03
71485	15.6	8.2	2.88	3.8	0.4	32.3	6.9	0.07
71486	15.3	8.3	1.97	3.9	0.5	33.2	3.5	0.06
71487	19.0	8.5	4.58	3.7	0.4	25.0	5.7	0.05
71488	17.3	8.3	13.1	3.6	0.4	29.5	5.6	0.06
71489	16.5	10.9	18.2	2.9	0.4	25.2	11.5	0.03
71490	15.5	9.3	8.16	3.6	0.4	31.3	6.0	0.05
71491	13.9	9.4	4.46	3.9	0.4	29.0	4.5	0.06

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Final VC162735 Order: AUX15-1 (1 of 10)

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
71492	14.8	8.9	3.67	4.0	0.4	28.0	4.3	0.05
71493	11.8	7.3	1.88	3.8	0.4	24.7	5.0	0.06
71494	11.8	8.3	1.09	4.0	0.5	29.5	3.9	0.05
71495	9.4	5.6	0.73	2.7	0.4	26.2	1.5	0.03
71496	10.0	6.6	1.10	4.2	0.4	24.7	5.5	0.06
71497	11.1	7.6	1.19	4.0	0.4	33.9	4.9	0.07
71498	15.2	8.6	2.31	4.0	0.4	32.9	5.1	0.06
71499	16.3	9.2	4.16	3.4	0.4	27.2	6.5	0.05
71500	15.8	8.1	2.14	3.2	0.4	26.6	4.3	0.05
78776	11.5	7.5	2.39	4.0	0.4	26.5	5.4	0.06
78777	11.8	8.9	1.79	4.0	0.5	28.7	5.5	0.06
78778	11.2	10.5	2.09	3.8	0.5	27.0	6.6	0.06
78779	11.5	8.9	4.82	3.7	0.4	31.0	6.9	0.07
78780	11.9	10.1	4.60	3.6	0.4	33.7	7.1	0.05
78781	9.8	9.7	1.57	3.3	0.5	29.7	6.1	0.05
78782	10.6	6.5	1.02	3.7	0.5	25.5	4.9	0.06
78783	12.1	15.9	10.0	2.5	0.3	23.4	9.6	0.03
78784	10.4	9.2	2.81	2.6	0.4	17.2	3.6	0.05
78785	24.0	14.1	33.3	4.0	0.5	29.7	14.8	0.02
78786	11.2	8.7	2.74	3.2	0.4	22.8	5.0	0.06
78787	9.7	8.8	8.99	2.5	0.4	17.4	6.0	0.05
78788	9.5	8.8	3.27	3.0	0.5	19.4	4.1	0.06
78789	9.3	8.9	2.55	3.0	0.4	17.9	4.4	0.06
78790	13.0	10.9	4.21	3.8	0.5	26.2	6.1	0.05
78791	15.7	18.8	8.17	4.2	0.7	28.9	6.8	0.07
78792	12.3	11.7	4.60	4.1	0.5	31.5	5.0	0.06
78793	12.5	10.8	3.73	4.0	0.5	34.4	5.0	0.06
78794	12.2	10.6	3.39	3.7	0.5	33.2	4.3	0.05
78795	9.9	9.8	2.66	3.2	0.5	23.1	3.5	0.05
78796	13.7	12.5	7.32	3.8	0.5	34.0	5.9	0.04
78797	8.4	8.6	1.76	3.9	0.5	25.7	2.9	0.09
78798	5.5	17.4	1.42	4.5	0.5	49.1	2.6	0.16
78799	6.9	31.7	2.48	5.3	0.7	48.2	2.8	0.13
78800	7.2	16.3	3.06	4.9	0.5	41.7	3.0	0.12

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
*Rep 71459	10.3	6.6	1.23	3.5	0.4	36.0	3.2	0.05
*Rep 71470	17.0	9.3	2.85	4.0	0.4	31.9	5.8	0.06
*Rep 71491	15.0	9.1	4.40	3.9	0.5	28.7	4.8	0.05
*Rep 78782	10.2	5.7	0.91	3.7	0.4	24.2	4.8	0.05
*Rep 78790	13.8	10.4	4.56	4.1	0.5	28.8	6.1	0.05
*Std OREAS920	19.0	26.9	0.62	2.8	1.3	16.4	16.8	0.14
*Std OREAS920	19.0	28.4	0.66	2.9	1.3	17.6	16.7	0.15
*Blk BLANK	<0.2	<0.2	<0.05	<0.1	<0.3	<0.5	<0.1	<0.01
*Blk BLANK	<0.2	<0.2	<0.05	<0.1	<0.3	<0.5	<0.1	<0.01
*Blk BLANK	<0.2	<0.2	<0.05	<0.1	<0.3	<0.5	<0.1	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
71452	0.12	1.90	39	0.3	11.4	111
71453	0.15	7.46	44	0.2	8.41	88
71454	0.16	4.89	43	0.2	8.26	105
71455	0.14	6.42	34	0.1	7.90	51
71456	0.15	2.31	58	0.2	8.61	97
71457	0.11	3.64	41	0.2	8.68	76
71458	0.15	16.9	40	0.2	8.34	86
71459	0.14	9.80	45	0.3	7.93	79
71460	0.14	6.30	44	0.2	7.72	73
71461	0.12	7.51	48	0.2	9.06	83
71462	0.11	5.66	45	0.3	10.1	75
71463	0.11	5.40	46	0.2	9.25	76
71464	0.09	2.36	34	0.1	6.23	49
71465	0.13	0.99	42	0.2	9.24	102
71466	0.11	4.61	47	0.3	9.00	74
71467	0.17	0.77	39	0.2	8.85	101
71468	0.31	1.17	32	0.4	8.80	115
71469	0.13	2.08	47	0.4	10.1	95
71470	0.15	1.09	47	0.2	9.37	101
71471	0.13	3.15	46	0.2	9.12	91
71472	0.15	2.46	46	0.2	9.13	99
71473	0.13	2.13	42	0.2	7.65	80
71474	0.10	1.76	47	0.2	8.96	89
71475	0.10	2.21	43	0.2	8.37	80
71476	0.09	0.97	43	0.2	8.20	72
71477	0.24	0.74	38	0.2	9.43	114
71478	0.13	0.85	44	0.3	6.10	62
71479	0.16	0.43	32	0.3	2.83	84
71480	0.11	0.90	46	0.2	10.6	72
71481	0.14	0.82	52	0.3	5.49	61
71482	0.11	0.64	53	0.3	7.15	61
71483	0.13	0.69	45	0.3	4.71	62
71484	0.16	1.52	26	0.1	8.01	96
71485	0.14	2.26	43	0.2	9.33	99
71486	0.12	2.24	44	0.2	9.22	78
71487	0.15	1.12	38	0.2	8.77	101
71488	0.14	2.08	42	0.2	8.61	98
71489	0.20	1.69	26	0.1	8.94	104
71490	0.14	1.24	40	0.2	9.06	104
71491	0.13	4.06	45	0.2	9.64	93

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Final VC162735 Order AUX16-1 (1 of 10)

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
71492	0.13	2.96	45	0.2	9.22	81
71493	0.10	1.89	42	0.2	8.21	83
71494	0.13	6.62	44	0.3	8.58	82
71495	0.13	3.02	33	0.4	6.71	62
71496	0.11	1.90	42	0.4	9.55	98
71497	0.10	2.96	45	0.2	10.0	85
71498	0.13	3.34	42	0.2	9.54	100
71499	0.15	1.01	36	0.2	9.17	111
71500	0.15	1.79	37	0.2	7.24	80
78776	0.13	3.36	46	0.2	8.81	82
78777	0.15	6.66	48	0.2	8.65	87
78778	0.13	1.69	45	0.2	8.31	79
78779	0.12	1.01	44	0.2	8.41	83
78780	0.12	4.21	41	0.2	8.73	90
78781	0.14	4.22	36	0.3	7.29	66
78782	0.12	2.51	41	0.3	7.74	72
78783	0.20	1.51	24	0.2	7.19	66
78784	0.11	0.90	37	16.5	5.98	58
78785	0.26	2.17	28	14.6	12.0	241
78786	0.13	0.81	42	0.2	7.88	59
78787	0.13	1.01	35	0.4	6.22	73
78788	0.12	1.00	54	0.3	7.54	70
78789	0.11	0.97	41	0.3	6.78	63
78790	0.15	0.85	46	0.4	8.48	83
78791	0.25	0.93	46	0.3	8.40	100
78792	0.14	2.10	44	0.2	9.07	87
78793	0.14	2.03	44	0.2	8.94	86
78794	0.14	3.46	44	0.2	8.67	79
78795	0.15	2.39	42	0.5	6.83	75
78796	0.18	2.64	40	0.2	7.86	92
78797	0.17	3.49	56	0.1	6.58	77
78798	0.14	0.65	70	0.1	6.69	95
78799	0.31	0.44	72	0.2	6.23	98
78800	0.19	2.23	60	0.1	7.29	101

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
*Rep 71459	0.14	9.82	44	0.2	7.97	75
*Rep 71470	0.16	1.11	46	0.2	9.27	100
*Rep 71491	0.13	4.29	44	0.2	9.79	94
*Rep 78782	0.12	2.41	41	0.3	7.67	68
*Rep 78790	0.15	0.89	45	0.3	8.90	81
*Std OREAS920	0.18	2.38	26	0.5	20.3	108
*Std OREAS920	0.18	2.40	26	0.6	18.9	106
*Blk BLANK	<0.02	<0.05	<1	<0.1	<0.05	<1
*Blk BLANK	<0.02	<0.05	<1	<0.1	<0.05	<1
*Blk BLANK	<0.02	<0.05	<1	<0.1	<0.05	<1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis
Work Order : VC162736
[Report File No.: 0000018965]

Date: September 14, 2016

To: **Helena Kuikka**
STRATA GOLD CORPORATION
SUITE 910 - 1050 W PENDER ST
VANCOUVER BC V6E 3S7

P.O. No.: AUX16-1 (2 of 10)
Project No.: AUREX
Samples: 74
Received: Aug 29, 2016
Pages: Page 1 to 16
(Inclusive of Cover Sheet)

Methods Summary

No. Of Samples	Method Code	Description
74	G_LOG02	Pre-preparation processing, sorting, logging, boxing
74	G_WGH79	Weighing of samples and reporting of weights
74	GE_FAI313	@Au, Pt, Pd, FAS, ICP-AES, 30g - 5ml (Clean Pots only)
74	GE_IMS14B	Aqua Regia digestion/ICP-MS package

Storage: Pulp & Reject

REJECT STORAGE	:	STORE
PULP STORAGE	:	STORE

Certified By :
John Chiang
QC Chemist

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the **@** symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	WtKg	Au@	Ag	Al	As	Ba	Bi	Ca
Method	G_WGH79	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	1	0.01	0.01	1	5	0.02	0.01
Units	kg	ppb	ppm	%	ppm	ppm	ppm	%
78901	0.515	17	0.23	1.40	250	342	0.40	0.34
78902	0.500	15	0.31	1.54	260	340	0.37	0.38
78903	0.610	8	0.22	1.42	127	426	0.25	0.43
78904	0.360	10	0.25	1.33	105	363	0.27	0.58
78905	0.540	21	0.41	1.21	276	326	0.42	0.51
78906	0.460	18	0.29	1.55	224	367	0.33	0.56
78907	0.515	29	0.42	1.52	319	260	0.36	0.62
78908	0.595	67	0.45	1.16	606	185	0.52	0.50
78909	0.490	17	0.32	1.26	253	280	0.36	1.04
78910	0.320	9	0.31	1.21	112	335	0.29	0.48
78911	0.480	8	0.27	1.51	95	418	0.29	0.54
78912	0.600	34	0.45	1.14	531	176	0.53	0.95
78913	0.575	31	0.41	1.43	247	220	0.62	0.67
78914	0.310	23	0.53	1.35	219	296	0.42	1.04
78915	0.490	9	0.23	1.39	70	408	0.25	0.45
78916	0.640	7	0.22	1.66	109	261	0.40	0.42
78917	0.425	4	0.18	1.28	45	369	0.24	0.28
78918	0.535	10	0.18	1.58	89	416	0.26	0.37
78919	0.410	10	0.10	1.43	80	230	0.27	0.17
78920	0.465	15	0.18	1.60	52	288	0.23	0.10
78921	0.495	8	0.22	1.59	91	224	0.26	0.09
78922	0.540	4	0.12	1.37	39	261	0.19	0.15
78923	0.410	6	0.22	1.67	68	263	0.29	0.12
78924	0.475	12	0.12	1.38	56	272	0.24	0.11
78925	0.525	3	0.08	1.34	24	207	0.18	0.14
78926	0.410	3	0.11	1.38	24	181	0.21	0.12
78927	0.650	4	0.06	1.52	26	197	0.19	0.17
78928	0.525	2	0.10	1.21	15	179	0.15	0.14
78929	0.595	3	0.10	1.14	34	160	0.20	0.11
78930	0.440	4	0.20	1.38	23	221	0.19	0.14
78931	0.555	2	0.14	1.40	21	198	0.18	0.16
78932	0.490	7	0.11	1.74	43	258	0.29	0.17
78933	0.545	4	0.10	1.31	24	290	0.18	0.22
78934	0.580	8	0.17	1.27	48	253	0.22	0.12
78935	0.570	11	0.23	1.30	94	322	0.27	0.16
78936	0.510	8	0.31	1.50	48	356	0.22	0.24
78937	0.425	10	0.14	1.47	52	209	0.22	0.14
78938	0.550	10	0.33	1.61	55	175	0.21	0.09
78939	0.475	18	0.27	1.45	164	197	0.26	0.14
78940	0.460	3	0.16	1.80	23	213	0.21	0.09

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC162738 Order: AUX16-1 (2 of 10)

Element	WtKg	Au@	Ag	Al	As	Ba	Bi	Ca
Method	G_WGH79	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	1	0.01	0.01	1	5	0.02	0.01
Units	kg	ppb	ppm	%	ppm	ppm	ppm	%
78941	0.510	5	0.16	1.91	32	241	0.21	0.09
78942	0.460	4	0.12	1.76	20	262	0.18	0.15
78943	0.505	8	0.18	1.40	79	120	0.23	0.11
78944	0.450	5	0.16	1.69	44	348	0.21	0.15
78945	0.490	3	0.11	1.41	23	233	0.20	0.13
78946	0.500	4	0.11	1.40	28	305	0.19	0.17
78947	0.555	4	0.17	1.21	14	450	0.19	0.31
78948	0.565	5	0.13	1.46	25	276	0.19	0.19
78949	0.510	<1	0.16	1.33	22	449	0.20	0.28
78950	0.530	4	0.17	1.37	19	417	0.19	0.35
10951	0.205	4	0.18	1.22	17	428	0.18	0.52
10952	0.280	6	0.21	1.36	15	312	0.20	0.27
10953	0.270	3	0.26	1.54	47	458	0.26	0.26
10954	0.260	4	0.31	1.50	56	307	0.29	0.32
10955	0.315	8	0.08	1.07	38	128	0.25	0.18
10956	0.395	4	0.20	1.44	25	307	0.28	0.34
10957	0.500	4	0.24	1.47	38	310	0.30	0.41
10958	0.470	6	0.24	1.60	69	279	0.29	0.33
10959	0.420	6	0.26	1.39	81	238	0.25	0.44
10960	0.480	33	0.27	1.51	128	222	0.22	0.33
10961	0.545	11	0.36	1.47	158	177	0.28	0.36
10962	0.500	17	0.36	1.75	206	220	0.18	0.59
10963	0.475	7	0.25	1.42	63	319	0.19	0.39
10964	0.555	4	0.12	1.36	15	364	0.18	0.36
10965	0.530	5	0.21	1.55	29	408	0.20	0.44
10966	0.540	4	0.29	1.54	39	411	0.21	0.43
10967	0.470	4	0.30	1.26	54	325	0.23	0.31
10968	0.465	3	0.14	1.18	30	247	0.25	0.25
10969	0.345	2	0.10	1.19	14	175	0.16	0.28
10970	0.415	3	0.17	1.31	14	268	0.17	0.32
10971	0.365	2	0.14	1.29	17	236	0.19	0.31
10972	0.525	4	0.20	1.27	22	334	0.19	0.32
10973	0.405	5	0.22	1.34	28	352	0.20	0.39
10974	0.465	4	0.28	1.53	38	399	0.22	0.38
*Rep 78905		22						
*Rep 78922		6						
*Rep 78939		23						
*Rep 10965		9						
*Std ME-1309		104						
*Std OREASH1		11						

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Au@	Ag	Al	As	Ba	Bi	Ca
Method	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	1	0.01	0.01	1	5	0.02	0.01
Units	ppb	ppm	%	ppm	ppm	ppm	%
*Std OREAS151B	65						
*Std AMIS0319	41						
*Blk BLANK	<1						
*Blk BLANK	<1						
*Rep 78907		0.40	1.42	313	273	0.38	0.60
*Rep 78926		0.10	1.34	23	174	0.20	0.12
*Rep 78942		0.11	1.60	21	263	0.17	0.14
*Rep 10953		0.25	1.59	44	458	0.27	0.25
*Rep 10964		0.12	1.43	17	390	0.18	0.38
*Std OREAS920		0.11	2.41	3	80	0.60	0.33
*Std OREAS209		0.28	1.21	1120	79	0.07	1.55
*Blk BLANK		<0.01	<0.01	<1	<5	<0.02	<0.01
*Blk BLANK		<0.01	<0.01	<1	<5	<0.02	<0.01
*Blk BLANK		<0.01	<0.01	<1	<5	<0.02	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
78901	0.43	36.3	11.1	43	31.2	2.90	4.9	0.05
78902	0.52	31.2	12.7	53	34.1	3.08	4.8	0.04
78903	0.55	32.5	12.6	36	31.7	2.98	4.8	0.05
78904	0.39	28.2	9.9	32	28.4	2.42	4.2	0.04
78905	0.64	30.9	13.6	35	39.7	2.71	4.0	0.04
78906	0.64	43.8	17.6	51	37.4	3.07	4.9	0.02
78907	0.64	34.7	19.0	54	41.6	3.19	4.8	0.04
78908	0.65	64.2	23.3	33	61.2	4.53	4.2	0.05
78909	0.40	52.7	15.7	30	38.8	3.00	4.1	0.03
78910	0.45	39.6	13.7	31	31.4	2.62	4.2	0.03
78911	0.44	37.8	13.1	31	35.1	2.83	4.5	0.04
78912	0.43	60.4	21.0	27	65.2	3.61	3.4	0.01
78913	0.41	65.9	18.2	32	46.1	3.24	4.3	0.03
78914	0.66	44.7	14.5	33	45.9	3.36	3.9	0.06
78915	0.40	34.5	13.0	29	31.9	2.61	4.5	0.04
78916	0.35	74.6	18.3	29	39.7	3.83	5.1	0.01
78917	0.21	33.1	7.6	24	22.8	2.12	4.1	0.02
78918	0.23	34.5	11.2	32	33.8	2.99	5.1	0.04
78919	0.14	30.8	8.1	27	25.3	2.33	4.5	0.01
78920	0.13	41.9	12.8	29	30.5	2.48	4.4	0.07
78921	0.19	38.2	12.2	29	30.4	2.76	4.8	0.05
78922	0.10	38.0	8.5	27	21.8	2.29	4.4	0.03
78923	0.17	33.2	10.2	29	32.7	2.83	5.6	0.04
78924	0.10	40.2	8.1	24	24.8	2.16	4.1	0.01
78925	0.14	33.6	8.5	23	21.5	2.23	4.1	0.03
78926	0.18	31.9	7.5	23	20.8	2.08	4.6	<0.01
78927	0.16	34.3	8.0	27	24.6	2.31	4.9	0.02
78928	0.25	29.9	5.6	20	19.7	1.73	3.6	0.03
78929	0.20	30.1	8.3	21	18.4	2.18	3.9	0.02
78930	0.37	39.5	7.9	23	28.1	2.15	4.2	<0.01
78931	0.19	31.4	7.2	24	20.5	2.10	4.1	0.03
78932	0.10	62.5	11.5	27	37.1	3.10	4.8	<0.01
78933	0.09	37.3	7.4	24	24.6	2.32	4.0	0.03
78934	0.16	45.9	9.8	22	34.0	2.43	3.9	0.03
78935	0.16	61.1	12.2	20	36.3	2.84	3.6	<0.01
78936	0.20	38.2	10.7	25	37.1	2.71	4.4	0.06
78937	0.11	37.0	8.4	23	21.8	2.29	4.5	0.01
78938	0.12	38.2	9.6	25	31.9	2.61	4.6	0.02
78939	0.08	53.6	8.3	19	26.7	2.69	4.0	<0.01
78940	0.10	29.8	8.5	28	26.0	2.75	5.5	0.03

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
78941	0.11	34.3	9.4	29	32.0	2.73	5.0	<0.01
78942	0.07	36.8	9.8	29	25.0	2.48	5.1	0.02
78943	0.17	34.0	9.4	24	37.7	2.68	3.8	0.02
78944	0.12	44.1	10.9	30	34.9	2.74	4.8	0.02
78945	0.11	34.6	8.3	24	24.8	2.32	4.4	0.02
78946	0.13	36.8	8.8	25	24.9	2.44	4.2	0.03
78947	0.28	35.4	8.7	25	28.7	2.70	3.9	0.03
78948	0.16	37.4	8.1	25	24.3	2.45	4.3	0.03
78949	0.21	35.8	9.3	25	25.0	2.52	4.1	0.04
78950	0.22	34.7	10.1	26	25.4	2.57	4.1	0.04
10951	0.62	32.4	8.7	21	61.0	1.92	3.4	0.06
10952	0.37	37.8	8.2	27	19.6	1.95	4.0	0.05
10953	0.67	57.1	19.4	29	23.4	3.00	4.4	0.05
10954	0.48	53.2	12.0	25	27.9	3.17	4.1	0.06
10955	0.21	29.0	7.1	24	13.4	2.58	5.1	0.01
10956	0.34	63.7	11.8	26	29.2	2.78	4.2	0.04
10957	0.28	59.1	12.2	32	32.1	3.15	4.7	0.04
10958	0.33	61.7	16.4	33	30.2	3.15	4.5	0.11
10959	0.28	58.8	14.0	36	31.0	3.13	4.6	0.04
10960	0.42	45.1	18.1	51	34.1	3.24	4.8	0.03
10961	0.50	63.7	20.5	42	45.9	3.61	4.7	0.04
10962	0.43	33.4	22.9	58	36.9	4.22	6.0	0.04
10963	0.36	39.3	11.2	32	32.4	3.00	4.2	0.04
10964	0.19	34.6	8.5	30	31.5	2.69	4.3	0.04
10965	0.31	34.6	10.2	31	33.0	2.89	4.4	0.04
10966	0.36	35.7	11.7	32	35.1	2.87	4.2	0.05
10967	0.33	40.4	9.5	22	34.0	2.79	3.8	0.03
10968	0.24	34.5	6.9	25	26.0	2.18	4.0	0.02
10969	0.19	28.8	5.5	23	12.0	1.74	3.8	0.02
10970	0.24	31.9	6.5	27	20.3	2.30	4.2	0.04
10971	0.25	26.6	6.4	24	17.2	2.10	4.1	0.04
10972	0.27	34.3	9.5	26	25.8	2.53	4.3	0.04
10973	0.25	33.5	9.6	27	27.3	2.67	4.1	0.03
10974	0.33	35.0	11.0	30	35.2	2.98	4.4	0.06

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
*Rep 78907	0.64	36.3	18.8	54	40.8	3.19	4.6	0.04
*Rep 78926	0.18	30.9	7.1	23	20.2	2.04	4.3	0.02
*Rep 78942	0.08	37.3	9.3	29	24.1	2.47	4.5	0.01
*Rep 10953	0.63	55.6	18.5	27	21.8	2.82	4.4	0.05
*Rep 10964	0.19	35.4	9.0	29	31.9	2.62	4.1	0.04
*Std OREAS920	0.06	71.2	16.0	48	110	3.45	6.8	<0.01
*Std OREAS209	0.07	28.2	32.0	42	74.8	6.31	4.1	<0.01
*Blk BLANK	<0.01	<0.05	<0.1	<1	<0.5	<0.01	<0.1	<0.01
*Blk BLANK	<0.01	<0.05	<0.1	<1	<0.5	<0.01	<0.1	<0.01
*Blk BLANK	<0.01	<0.05	<0.1	<1	<0.5	<0.01	<0.1	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
78901	0.05	18.3	0.67	357	2.50	0.01	38.2	620
78902	0.05	15.8	0.78	474	2.71	0.01	43.3	720
78903	0.05	15.6	0.59	357	1.48	0.02	34.4	760
78904	0.05	13.5	0.50	302	1.16	0.01	27.5	710
78905	0.10	15.2	0.64	476	1.18	0.01	34.2	700
78906	0.05	20.9	0.89	541	0.82	0.01	42.5	730
78907	0.07	16.9	0.95	722	0.90	0.01	45.6	720
78908	0.05	30.8	0.61	1430	1.08	0.01	46.2	760
78909	0.08	24.6	0.57	527	0.86	0.01	34.4	530
78910	0.07	19.6	0.53	541	0.92	0.01	33.1	600
78911	0.06	18.4	0.49	466	1.08	0.01	31.1	550
78912	0.08	27.0	0.56	789	1.03	0.01	40.6	570
78913	0.08	30.6	0.62	881	0.79	0.05	38.2	640
78914	0.06	21.7	0.57	978	0.92	0.01	35.9	830
78915	0.05	15.8	0.48	499	1.13	0.02	27.3	670
78916	0.06	34.8	0.62	528	1.00	0.01	35.3	500
78917	0.05	16.1	0.36	188	0.96	0.01	19.9	630
78918	0.05	16.7	0.52	437	1.48	0.02	31.3	560
78919	0.04	14.8	0.42	227	1.06	0.01	21.2	360
78920	0.04	19.7	0.45	357	1.20	0.01	23.6	360
78921	0.04	17.0	0.45	354	1.15	0.01	25.8	360
78922	0.03	18.8	0.44	222	0.96	0.01	19.5	360
78923	0.05	16.1	0.44	352	1.47	0.03	22.0	500
78924	0.04	19.7	0.42	249	0.97	0.01	18.2	330
78925	0.04	16.9	0.43	258	0.95	0.01	17.8	550
78926	0.04	15.2	0.40	194	1.00	0.01	16.4	530
78927	0.04	16.9	0.49	201	0.92	0.01	19.6	490
78928	0.03	15.1	0.34	151	0.67	0.01	14.7	670
78929	0.03	14.7	0.35	418	1.23	0.01	15.5	480
78930	0.03	19.4	0.36	380	1.04	0.01	18.5	610
78931	0.03	14.7	0.40	246	1.05	0.01	16.8	610
78932	0.04	28.7	0.58	343	0.86	0.01	24.5	410
78933	0.04	18.6	0.45	290	1.02	0.01	20.0	450
78934	0.05	22.3	0.44	384	1.08	0.03	24.7	370
78935	0.05	29.1	0.49	532	0.86	0.01	27.9	430
78936	0.05	19.2	0.46	457	1.25	0.01	27.9	460
78937	0.04	17.5	0.42	210	0.99	0.01	17.9	320
78938	0.04	18.4	0.47	287	0.94	0.01	21.0	230
78939	0.07	26.9	0.43	275	0.83	0.01	21.3	260
78940	0.04	14.1	0.47	230	1.20	0.01	21.8	260

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
78941	0.04	15.7	0.53	251	1.12	0.01	23.9	190
78942	0.04	18.4	0.53	284	1.02	0.01	20.4	320
78943	0.05	16.0	0.45	252	1.13	0.01	22.3	390
78944	0.04	20.9	0.54	387	1.16	0.01	23.9	290
78945	0.04	17.0	0.42	292	1.04	0.01	18.4	440
78946	0.04	18.3	0.45	318	1.08	0.01	21.1	470
78947	0.04	17.6	0.50	371	1.32	0.02	28.5	800
78948	0.04	18.3	0.46	289	1.03	0.02	20.1	520
78949	0.04	17.3	0.48	283	1.13	0.02	22.0	500
78950	0.04	16.7	0.48	343	1.09	0.02	23.4	580
10951	0.06	14.9	0.37	185	0.46	0.03	18.7	1030
10952	0.06	17.6	0.44	143	0.58	0.02	20.8	880
10953	0.07	26.0	0.48	368	1.07	0.02	24.4	980
10954	0.07	25.1	0.48	527	1.17	0.03	26.2	1020
10955	0.07	14.4	0.38	311	1.46	0.02	16.7	350
10956	0.07	29.6	0.53	498	0.75	0.03	30.0	900
10957	0.08	29.3	0.60	501	0.87	0.03	30.9	920
10958	0.07	29.6	0.67	895	0.95	0.02	33.6	920
10959	0.09	28.9	0.66	516	1.02	0.02	35.0	930
10960	0.08	22.1	0.82	540	1.06	0.02	44.7	910
10961	0.10	30.5	0.83	709	1.25	0.02	49.6	1020
10962	0.08	16.3	0.92	603	1.23	0.02	70.0	1070
10963	0.08	20.3	0.52	322	1.48	0.03	36.9	930
10964	0.08	17.5	0.50	271	1.10	0.03	27.2	940
10965	0.08	17.4	0.51	302	1.38	0.03	27.8	1010
10966	0.09	18.4	0.55	350	1.44	0.04	29.2	1060
10967	0.07	19.7	0.43	394	1.04	0.03	24.9	860
10968	0.06	16.5	0.44	233	0.92	0.02	20.5	780
10969	0.05	15.1	0.38	108	0.60	0.02	14.8	940
10970	0.06	16.2	0.42	137	0.76	0.02	18.4	1150
10971	0.05	12.6	0.37	132	0.93	0.02	15.6	1040
10972	0.06	16.4	0.46	307	1.03	0.02	21.6	950
10973	0.06	16.2	0.49	296	1.19	0.02	23.6	1020
10974	0.07	17.5	0.51	431	1.28	0.03	29.1	1060

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
*Rep 78907	0.07	18.1	0.97	693	0.91	0.01	48.5	720
*Rep 78926	0.04	15.2	0.41	185	0.98	0.01	17.0	500
*Rep 78942	0.04	18.3	0.54	278	1.02	0.01	19.5	300
*Rep 10953	0.07	26.1	0.45	330	0.97	0.02	23.9	920
*Rep 10964	0.07	17.5	0.50	278	1.07	0.03	27.7	1010
*Std OREAS920	0.45	34.7	1.14	552	0.41	0.03	39.9	690
*Std OREAS209	0.07	14.0	2.37	1470	2.21	0.17	111	1380
*Blk BLANK	<0.01	<0.1	<0.01	<2	<0.05	<0.01	<0.5	<50
*Blk BLANK	<0.01	<0.1	<0.01	<2	<0.05	<0.01	<0.5	<50
*Blk BLANK	<0.01	<0.1	<0.01	<2	<0.05	<0.01	<0.5	<50

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
78901	11.5	7.6	2.59	4.0	0.4	29.7	6.2	0.04
78902	11.9	8.3	2.70	4.6	0.4	26.0	5.0	0.04
78903	13.7	7.2	1.76	4.4	0.5	34.4	5.0	0.05
78904	13.2	6.9	2.40	3.9	0.4	50.0	4.1	0.04
78905	17.7	9.8	5.56	3.6	0.4	39.5	5.6	0.04
78906	14.7	6.0	2.49	4.4	<0.3	53.5	7.2	0.03
78907	19.5	6.3	5.13	4.4	<0.3	52.5	5.8	0.03
78908	28.4	4.7	7.68	4.1	<0.3	20.3	11.9	0.03
78909	19.0	7.8	4.13	3.7	<0.3	30.4	9.8	0.03
78910	18.1	8.2	2.85	3.6	<0.3	26.0	7.4	0.04
78911	16.1	6.5	2.79	4.2	0.4	30.1	6.6	0.05
78912	29.6	6.1	7.76	3.1	<0.3	31.2	13.3	0.02
78913	27.6	6.6	5.55	3.5	28.4	22.5	12.2	0.02
78914	27.4	6.2	5.04	4.1	0.3	45.3	7.5	0.02
78915	14.1	6.9	1.78	4.0	0.4	39.1	5.1	0.05
78916	20.9	6.1	2.07	3.4	<0.3	25.4	13.3	0.03
78917	12.8	7.7	1.00	2.8	0.3	20.0	1.8	0.03
78918	14.1	7.4	1.92	4.6	0.5	24.5	5.4	0.06
78919	13.0	7.8	1.55	2.9	0.4	13.7	4.3	0.05
78920	14.0	7.3	1.14	4.8	0.4	11.3	5.8	0.04
78921	15.5	8.4	1.58	3.8	0.4	9.1	4.7	0.04
78922	12.2	6.5	1.04	3.5	0.4	12.4	4.3	0.04
78923	17.6	8.7	1.50	4.0	14.4	11.3	4.3	0.04
78924	14.0	6.6	1.37	3.4	1.8	10.8	4.9	0.04
78925	11.4	6.7	0.77	3.2	2.6	12.9	4.0	0.04
78926	13.2	8.7	0.82	2.7	0.4	11.1	2.7	0.03
78927	12.6	8.2	0.85	3.4	0.4	13.0	3.4	0.04
78928	10.3	4.9	0.60	1.6	<0.3	12.1	1.0	0.03
78929	13.6	8.7	1.33	2.1	0.3	9.0	3.3	0.03
78930	11.9	8.1	0.90	2.3	0.3	11.7	1.6	0.03
78931	10.6	8.5	0.82	2.2	0.4	13.2	1.1	0.04
78932	17.7	7.1	1.63	3.3	<0.3	11.7	9.5	0.04
78933	14.3	5.9	1.70	3.2	0.3	15.9	4.7	0.04
78934	20.3	5.4	4.91	3.3	7.4	11.0	7.2	0.04
78935	23.4	5.4	3.36	2.7	<0.3	11.7	9.7	0.04
78936	25.1	6.2	2.77	4.0	0.3	17.6	6.8	0.04
78937	16.7	7.3	4.02	2.7	0.4	11.3	5.7	0.04
78938	22.0	7.0	1.94	3.3	0.4	8.6	6.7	0.05
78939	18.5	8.4	1.66	2.9	<0.3	9.4	10.9	0.03
78940	13.9	8.5	0.92	4.1	0.5	9.8	5.5	0.05

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
78941	16.0	8.6	1.04	4.4	0.5	10.5	6.3	0.06
78942	11.8	6.6	0.74	4.0	0.4	13.6	4.8	0.05
78943	22.3	8.2	3.20	2.4	<0.3	8.5	6.4	0.03
78944	13.9	6.4	1.48	4.8	0.4	16.3	5.7	0.05
78945	14.3	5.7	1.07	3.0	0.4	11.8	4.8	0.04
78946	13.9	5.6	1.24	3.4	0.3	14.4	5.3	0.04
78947	11.3	4.3	0.88	3.6	0.3	24.6	5.7	0.05
78948	12.9	5.5	1.00	3.2	5.7	15.5	3.7	0.04
78949	13.8	5.2	1.04	3.5	0.4	20.0	4.4	0.04
78950	13.1	5.5	0.93	3.7	0.4	23.2	4.5	0.04
10951	9.8	7.0	2.73	2.5	5.5	40.8	3.3	0.03
10952	13.9	8.0	2.18	2.7	0.4	21.5	2.7	0.03
10953	17.1	10.0	2.77	3.3	0.4	23.6	5.3	0.03
10954	21.9	9.8	3.40	3.0	0.3	23.9	5.7	0.03
10955	12.7	9.4	2.37	1.8	0.5	14.6	3.0	0.06
10956	17.5	8.5	2.83	3.0	<0.3	23.1	8.6	0.03
10957	18.4	9.8	4.10	3.4	<0.3	27.1	7.9	0.03
10958	20.5	8.8	6.26	3.1	<0.3	23.9	8.0	0.03
10959	22.8	8.9	8.35	3.1	<0.3	26.9	7.4	0.03
10960	18.3	7.3	12.3	3.7	<0.3	24.6	6.2	0.05
10961	22.5	7.0	15.4	3.4	<0.3	24.7	10.4	0.04
10962	17.8	6.5	43.5	5.2	0.3	31.4	4.4	0.07
10963	13.1	7.6	9.83	3.9	0.4	28.5	5.4	0.06
10964	8.4	7.7	1.26	3.9	0.4	29.1	4.4	0.07
10965	12.4	8.3	2.35	4.2	0.5	31.1	5.1	0.07
10966	13.6	8.4	3.01	4.1	0.4	32.5	5.7	0.07
10967	15.9	7.0	5.69	3.3	0.3	22.1	6.5	0.04
10968	12.0	8.4	2.83	2.5	0.4	18.8	2.5	0.05
10969	9.7	8.0	0.66	1.7	0.4	20.0	1.0	0.04
10970	10.9	9.2	0.86	2.5	0.4	26.4	2.1	0.04
10971	10.5	8.9	1.03	2.5	0.4	21.2	1.8	0.03
10972	12.2	7.4	1.54	3.4	0.4	23.5	3.6	0.04
10973	12.3	6.9	2.32	3.5	0.4	27.6	4.2	0.05
10974	13.4	8.4	1.84	3.9	3.5	27.0	4.5	0.05

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
*Rep 78907	21.0	6.2	5.13	4.1	<0.3	53.4	6.2	0.04
*Rep 78926	13.1	8.3	0.83	2.6	0.4	11.0	2.6	0.03
*Rep 78942	11.9	6.8	0.73	3.8	0.4	13.1	4.9	0.05
*Rep 10953	16.9	9.6	2.74	3.0	0.4	22.6	5.2	0.03
*Rep 10964	8.5	8.0	1.22	4.0	0.5	28.3	4.6	0.07
*Std OREAS920	22.6	25.6	0.52	3.0	1.2	17.0	16.1	0.13
*Std OREAS209	3.4	4.1	1.10	3.6	0.9	68.9	1.9	0.14
*Blk BLANK	<0.2	<0.2	<0.05	<0.1	<0.3	<0.5	<0.1	<0.01
*Blk BLANK	<0.2	<0.2	<0.05	<0.1	<0.3	<0.5	<0.1	<0.01
*Blk BLANK	<0.2	<0.2	<0.05	<0.1	<0.3	<0.5	<0.1	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
78901	0.09	2.64	39	0.2	7.38	95
78902	0.11	2.96	47	0.2	7.68	107
78903	0.10	1.27	46	0.2	8.67	93
78904	0.10	2.39	39	0.2	7.54	72
78905	0.17	1.99	36	0.2	7.54	92
78906	0.07	2.47	37	0.2	9.74	94
78907	0.10	1.18	39	0.2	8.87	103
78908	0.08	0.69	31	0.1	10.3	111
78909	0.10	0.72	32	0.1	9.64	75
78910	0.10	1.95	35	0.2	8.96	76
78911	0.08	1.01	46	0.2	9.51	79
78912	0.10	1.48	24	<0.1	8.77	93
78913	0.08	0.91	26	<0.1	10.1	90
78914	0.09	1.88	30	0.1	12.5	94
78915	0.09	1.59	43	0.2	8.84	78
78916	0.07	0.92	28	0.1	7.35	97
78917	0.09	1.10	36	0.2	7.02	57
78918	0.09	1.02	47	0.2	8.70	86
78919	0.10	0.67	42	0.2	5.06	53
78920	0.11	0.96	45	0.4	9.63	67
78921	0.11	0.77	44	0.3	6.89	65
78922	0.09	0.86	41	0.2	7.55	52
78923	0.10	0.77	53	0.3	7.24	64
78924	0.08	0.77	37	0.2	7.12	56
78925	0.08	0.88	40	0.2	6.86	58
78926	0.08	0.78	41	0.2	5.11	53
78927	0.08	0.80	44	0.2	7.53	57
78928	0.07	0.80	30	0.2	5.03	47
78929	0.08	0.57	36	0.2	3.94	55
78930	0.08	0.89	38	0.2	6.82	60
78931	0.07	0.71	38	0.2	5.21	60
78932	0.07	0.79	36	0.1	7.72	74
78933	0.07	0.81	39	0.2	7.00	59
78934	0.08	0.75	34	0.1	8.30	76
78935	0.07	0.70	27	0.1	9.63	79
78936	0.09	0.78	40	0.2	8.80	80
78937	0.09	0.75	40	0.2	4.64	52
78938	0.08	0.76	39	0.1	6.03	59
78939	0.09	0.56	30	0.1	9.16	57
78940	0.09	0.76	53	0.2	5.41	58

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
78941	0.10	1.02	51	0.2	7.06	62
78942	0.08	0.85	50	0.2	8.72	56
78943	0.09	0.45	31	0.1	4.48	71
78944	0.08	0.82	45	0.2	11.9	65
78945	0.08	0.74	38	0.2	5.90	59
78946	0.07	0.77	38	0.2	6.88	67
78947	0.06	0.75	38	0.2	8.27	89
78948	0.07	0.78	40	0.2	6.67	66
78949	0.07	0.92	41	0.2	7.72	68
78950	0.07	1.16	42	0.2	7.46	68
10951	0.10	2.93	33	0.3	7.12	76
10952	0.10	1.78	36	0.2	6.31	65
10953	0.12	2.48	39	0.2	8.48	85
10954	0.11	1.74	33	0.6	8.30	81
10955	0.11	0.46	59	0.2	2.45	59
10956	0.08	1.70	29	0.1	9.38	78
10957	0.08	1.41	32	0.2	9.88	87
10958	0.09	1.05	29	0.1	8.59	84
10959	0.08	1.26	32	0.1	8.96	87
10960	0.09	0.81	37	0.1	7.37	85
10961	0.09	0.52	30	<0.1	9.12	99
10962	0.09	0.59	54	0.1	6.58	95
10963	0.09	0.83	44	0.2	7.85	79
10964	0.09	0.78	47	0.3	8.66	70
10965	0.09	1.10	50	0.3	8.85	81
10966	0.10	0.77	50	0.2	9.01	96
10967	0.08	0.77	36	0.4	7.18	74
10968	0.09	0.78	38	0.2	5.93	59
10969	0.12	0.83	36	0.1	4.20	53
10970	0.11	1.24	40	0.2	5.78	56
10971	0.11	1.18	38	0.2	4.78	52
10972	0.09	1.26	42	0.2	6.90	71
10973	0.08	1.63	42	0.2	7.03	69
10974	0.10	1.25	46	0.2	8.84	79

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC162735 Order: AUX16-1 (2 of 10)

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
*Rep 78907	0.11	1.23	38	0.2	8.14	102
*Rep 78926	0.08	0.74	38	0.2	4.99	54
*Rep 78942	0.09	0.83	44	0.2	8.56	59
*Rep 10953	0.12	2.48	39	0.2	8.21	83
*Rep 10964	0.10	0.82	46	0.3	8.83	71
*Std OREAS920	0.16	2.33	28	0.4	18.2	111
*Std OREAS209	0.04	0.49	41	0.4	13.2	79
*Blk BLANK	<0.02	<0.05	<1	<0.1	<0.05	<1
*Blk BLANK	<0.02	<0.05	<1	<0.1	<0.05	<1
*Blk BLANK	<0.02	<0.05	<1	<0.1	<0.05	<1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis
Work Order : VC162737
[Report File No.: 0000018984]

Date: September 15, 2016

To: **Helena Kuikka**
STRATA GOLD CORPORATION
SUITE 910 - 1050 W PENDER ST
VANCOUVER BC V6E 3S7

P.O. No.: AUX16-1 (3 of 10)
Project No.: AUREX
Samples: 74
Received: Aug 29, 2016
Pages: Page 1 to 16
(Inclusive of Cover Sheet)

Methods Summary

No. Of Samples	Method Code	Description
74	G_LOG02	Pre-preparation processing, sorting, logging, boxing
74	G_WGH79	Weighing of samples and reporting of weights
74	GE_FAI313	@Au, Pt, Pd, FAS, ICP-AES, 30g - 5ml (Clean Pots only)
74	GE_IMS14B	Aqua Regia digestion/ICP-MS package

Storage: Pulp & Reject

REJECT STORAGE	:	STORE
PULP STORAGE	:	STORE

Certified By :

John Chiang
QC Chemist

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted

Elements marked with the @ symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	WtKg	Au@	Ag	Al	As	Ba	Bi	Ca
Method	G_WGH79	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	1	0.01	0.01	1	5	0.02	0.01
Units	kg	ppb	ppm	%	ppm	ppm	ppm	%
10975	0.420	4	0.34	1.58	38	411	0.23	0.47
10976	0.415	4	0.20	1.42	31	360	0.20	0.38
10977	0.355	3	0.19	1.54	39	259	0.21	0.30
10978	0.420	4	0.20	1.45	21	326	0.19	0.37
10979	0.475	12	0.30	1.49	29	412	0.20	0.44
10980	0.555	11	1.01	1.45	173	260	0.32	1.70
10981	0.455	5	0.32	1.41	72	386	0.24	0.47
10982	0.525	8	1.47	1.50	70	365	0.25	0.45
10983	0.350	5	0.69	1.41	31	336	0.19	0.36
10984	0.405	9	1.41	1.45	53	381	0.20	0.44
10985	0.445	5	0.93	1.39	45	317	0.23	0.38
10986	0.410	12	0.91	1.38	46	315	0.23	0.37
10987	0.425	5	1.00	1.30	51	272	0.22	0.27
10988	0.420	7	0.32	1.38	33	272	0.20	0.37
10989	0.445	5	0.65	1.59	38	368	0.23	0.43
10990	0.420	3	0.21	1.41	23	343	0.18	0.50
10991	0.365	6	0.23	1.35	33	296	0.19	0.34
10992	0.460	8	0.36	1.75	113	327	0.31	0.42
10993	0.375	9	0.18	1.22	43	335	0.20	0.37
10994	0.335	3	0.18	1.37	20	341	0.19	0.40
111951	0.375	18	0.24	1.65	304	398	0.37	0.45
111952	0.435	8	0.29	1.48	91	413	0.28	0.51
111953	0.435	21	0.25	1.59	168	402	0.35	0.47
111954	0.360	270	0.36	0.90	996	195	1.14	1.47
111955	0.440	64	0.33	1.13	728	214	0.70	0.38
111956	0.480	131	0.34	1.35	606	300	1.00	0.42
111957	0.375	20	0.23	1.30	267	351	0.38	0.55
111958	0.390	32	0.26	1.35	432	343	0.45	0.59
111959	0.380	14	0.23	1.51	166	421	0.28	0.49
111960	0.345	7	0.20	1.39	63	374	0.21	0.39
111961	0.160	4	0.11	1.03	12	285	0.13	0.31
111962	0.400	13	0.21	1.39	211	401	0.30	0.41
111963	0.390	60	0.24	1.44	356	336	0.44	0.45
111964	0.450	18	0.31	1.51	297	361	0.43	0.37
111965	0.435	18	0.27	1.51	169	425	0.33	0.53
111966	0.475	26	0.36	1.59	463	395	0.48	0.69
111967	0.345	6	0.19	1.43	93	405	0.25	0.53
111968	0.390	28	0.43	1.53	472	375	0.52	0.73
111969	0.480	43	0.28	1.53	938	373	0.47	0.61
111970	0.390	15	0.32	1.39	611	364	0.33	0.54

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	WtKg	Au@	Ag	Al	As	Ba	Bi	Ca
Method	G_WGH79	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	1	0.01	0.01	1	5	0.02	0.01
Units	kg	ppb	ppm	%	ppm	ppm	ppm	%
111971	0.330	7	0.21	1.42	110	287	0.22	0.30
111972	0.545	34	0.57	1.28	354	212	0.49	1.00
111973	0.360	6	0.20	1.50	112	357	0.21	0.47
111974	0.355	9	0.26	1.65	133	400	0.25	0.48
111975	0.420	22	0.45	1.76	287	206	0.34	0.50
111976	0.395	8	0.25	1.66	101	422	0.25	0.44
111977	0.450	13	0.28	1.94	231	351	0.29	0.59
111978	0.405	30	0.38	1.78	373	304	0.36	0.68
111979	0.495	13	0.34	1.59	214	416	0.26	0.66
111980	0.470	22	0.44	1.60	299	234	0.32	0.54
111981	0.425	20	0.44	1.76	321	335	0.32	0.44
111982	0.385	19	0.28	1.59	118	382	0.25	0.37
111983	0.330	16	0.27	1.51	240	342	0.34	0.53
111984	0.260	4	0.12	1.33	52	322	0.12	0.44
111985	0.220	3	0.17	1.11	25	351	0.13	0.40
111986	0.255	3	0.15	0.95	60	182	0.15	0.14
111987	0.375	4	0.24	1.80	16	507	0.20	0.30
113175	0.475	4	0.19	1.48	32	483	0.21	0.35
113177	0.530	6	0.15	1.45	18	414	0.19	0.34
113178	0.590	2	0.08	1.10	11	220	0.15	0.26
113179	0.475	5	0.19	1.25	70	374	0.17	0.36
113180	0.415	5	0.29	1.67	74	429	0.22	0.37
113181	0.460	11	0.38	1.75	116	565	0.29	0.43
113182	0.630	12	0.33	2.09	217	358	0.28	0.35
113183	0.450	11	0.23	1.67	89	382	0.24	0.50
113184	0.585	24	0.29	1.21	216	271	0.31	0.29
113185	0.585	26	0.31	1.75	282	365	0.32	0.43
113186	0.475	45	0.29	1.71	504	298	0.40	0.38
113187	0.370	16	0.31	1.40	329	321	0.33	0.34
113188	0.245	6	0.24	1.41	51	393	0.18	0.33
113189	0.300	5	0.22	1.59	15	558	0.19	0.37
113190	0.395	6	0.21	1.28	18	450	0.18	0.38
113191	0.700	5	0.27	1.45	46	501	0.23	0.46
113192	0.570	7	0.26	1.49	75	445	0.26	0.42
*Rep 10992		11						
*Rep 111974		10						
*Rep 111986		5						
*Std ME-1309		96						
*Std OREASH1		11						
*Std OREAS151B		65						

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Au@	Ag	Al	As	Ba	Bi	Ca
Method	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	1	0.01	0.01	1	5	0.02	0.01
Units	ppb	ppm	%	ppm	ppm	ppm	%
*Std AMIS0319	37						
*Blk BLANK	<1						
*Blk BLANK	<1						
*Rep 10990		0.21	1.39	20	341	0.19	0.44
*Rep 111956		0.35	1.30	614	299	0.99	0.42
*Rep 111973		0.21	1.42	110	347	0.21	0.43
*Rep 111983		0.24	1.43	233	310	0.32	0.51
*Rep 113182		0.33	2.05	203	351	0.28	0.40
*Std OREAS920		0.09	2.31	4	78	0.71	0.30
*Std OREAS920		0.09	2.46	5	80	0.67	0.32
*Blk BLANK		<0.01	<0.01	<1	<5	<0.02	<0.01
*Blk BLANK		<0.01	<0.01	<1	<5	<0.02	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
10975	0.31	33.8	10.7	27	35.4	2.89	4.6	0.06
10976	0.19	31.9	9.7	27	30.9	2.46	4.4	0.04
10977	0.17	34.6	8.8	27	28.5	2.30	4.5	0.03
10978	0.15	33.3	8.8	25	26.7	2.37	4.2	0.02
10979	0.35	32.8	12.4	28	34.0	2.55	4.4	0.03
10980	0.84	34.2	13.6	23	55.7	3.26	4.0	0.03
10981	0.44	34.0	9.7	26	36.5	2.80	4.5	0.04
10982	0.59	37.8	12.6	27	56.2	3.19	4.4	0.05
10983	0.14	33.6	7.0	25	32.3	2.44	4.0	0.03
10984	0.31	33.3	10.5	26	39.3	2.66	4.0	0.04
10985	0.26	37.2	10.3	25	42.2	2.56	4.2	0.13
10986	0.28	35.1	9.9	26	39.3	2.49	4.2	0.05
10987	0.33	39.6	8.9	23	38.9	2.53	3.8	0.03
10988	0.17	34.1	8.5	29	28.2	2.42	4.4	0.01
10989	0.38	33.4	9.9	28	39.8	2.55	4.7	0.04
10990	0.18	32.8	9.0	26	28.4	2.44	4.1	0.03
10991	0.29	34.3	8.6	24	28.5	2.42	3.9	0.03
10992	0.44	33.5	11.0	23	44.6	2.68	4.4	0.04
10993	0.29	31.3	8.8	22	27.4	2.36	3.7	0.02
10994	0.35	29.7	7.6	23	23.3	2.37	4.2	0.04
111951	0.35	40.8	12.8	25	34.1	3.08	4.5	0.05
111952	0.39	34.5	11.2	28	32.8	2.88	4.3	0.04
111953	0.36	35.6	11.7	26	34.2	3.00	4.4	0.04
111954	0.27	66.4	13.3	12	32.1	3.02	2.9	0.04
111955	0.31	62.8	14.8	17	38.9	3.04	3.3	0.06
111956	0.36	52.4	13.0	24	39.0	2.92	4.1	0.06
111957	0.19	44.5	10.2	23	28.8	2.59	3.9	0.06
111958	0.40	50.9	12.2	23	35.4	2.86	3.8	0.06
111959	0.55	37.0	12.0	29	40.3	2.97	4.3	0.05
111960	0.33	34.3	11.0	26	27.8	2.61	4.2	0.04
111961	0.31	23.3	4.2	19	12.4	1.29	3.5	0.05
111962	0.46	42.3	11.1	28	31.9	2.91	4.2	0.05
111963	0.34	44.7	13.2	25	29.9	2.92	3.9	0.05
111964	0.48	42.1	13.5	26	35.8	2.98	4.2	0.05
111965	0.53	37.8	15.1	28	32.3	2.71	4.2	0.05
111966	0.66	36.1	14.9	44	45.5	3.54	5.1	0.06
111967	0.31	31.8	12.0	28	23.5	2.70	4.2	0.05
111968	0.54	36.9	14.5	36	40.0	3.47	4.6	0.08
111969	0.52	40.8	15.6	48	46.6	3.70	4.7	0.04
111970	0.41	29.5	9.8	28	27.6	3.94	3.9	0.06

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
111971	0.45	25.7	7.7	47	27.2	2.37	4.5	0.05
111972	0.86	41.1	14.9	21	48.9	3.07	3.5	0.04
111973	0.31	30.5	12.1	31	23.4	3.10	4.4	0.04
111974	0.49	33.9	12.6	33	33.8	3.28	4.5	0.05
111975	0.45	31.3	22.7	74	52.8	3.78	5.6	0.02
111976	0.34	34.8	12.7	35	34.3	3.03	4.5	0.03
111977	0.33	32.9	14.3	50	38.3	3.37	5.7	0.02
111978	0.47	23.2	17.0	70	36.8	3.22	5.2	0.05
111979	0.58	31.6	17.0	47	42.3	3.47	5.2	0.02
111980	0.51	28.6	16.6	52	41.5	3.48	4.8	<0.01
111981	0.63	32.6	19.0	66	48.4	3.76	6.0	0.05
111982	0.34	42.3	13.7	33	31.2	2.90	4.4	0.05
111983	0.58	47.4	15.1	34	32.6	3.99	4.8	0.04
111984	0.23	27.2	6.1	24	16.7	1.62	3.9	0.04
111985	0.76	24.7	4.7	21	26.0	1.17	3.3	0.05
111986	0.22	25.3	2.8	23	21.7	1.10	3.4	0.04
111987	0.77	33.5	7.4	31	36.0	1.69	5.0	0.06
113175	0.20	37.4	8.0	27	26.0	2.44	4.6	<0.01
113177	0.23	33.9	8.6	26	23.9	2.55	4.5	0.03
113178	0.12	31.6	6.9	18	16.1	1.90	3.6	0.03
113179	0.84	31.4	6.7	25	29.7	1.89	4.1	0.06
113180	0.66	31.7	8.7	33	33.5	1.77	4.9	0.04
113181	0.75	36.9	19.6	39	38.3	3.44	5.1	0.07
113182	0.54	46.0	25.5	101	47.9	4.45	6.4	0.03
113183	0.42	31.9	12.9	36	23.7	3.11	4.8	0.05
113184	0.27	36.0	7.9	25	39.3	2.55	3.8	0.02
113185	0.29	31.6	14.9	46	39.1	3.34	5.8	0.04
113186	0.35	33.2	13.9	74	32.5	3.47	5.8	<0.01
113187	0.42	36.6	12.7	33	34.1	3.38	4.4	0.03
113188	0.67	28.0	6.4	29	32.6	1.63	3.9	0.06
113189	0.66	33.0	5.6	28	33.5	1.60	4.8	0.09
113190	0.54	29.7	6.7	26	28.1	1.76	3.9	0.06
113191	0.57	34.7	11.6	28	33.8	2.82	4.5	0.05
113192	0.44	34.9	11.4	28	32.9	2.76	4.4	0.04

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
*Rep 10990	0.19	32.1	8.1	25	27.1	2.48	4.1	0.03
*Rep 111956	0.36	50.5	12.4	22	35.0	2.88	3.7	0.05
*Rep 111973	0.32	29.9	11.8	28	22.5	3.07	4.4	0.03
*Rep 111983	0.58	44.1	14.4	34	31.6	3.93	4.7	0.05
*Rep 113182	0.60	44.4	24.7	102	48.6	4.40	6.7	0.02
*Std OREAS920	0.07	72.2	14.2	40	108	3.28	7.0	<0.01
*Std OREAS920	0.09	74.4	15.2	48	114	3.57	7.1	<0.01
*Blk BLANK	<0.01	<0.05	<0.1	<1	<0.5	<0.01	<0.1	<0.01
*Blk BLANK	<0.01	<0.05	<0.1	<1	<0.5	<0.01	<0.1	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
10975	0.07	16.9	0.51	421	1.28	0.02	29.5	840
10976	0.06	16.1	0.49	467	1.11	0.02	25.1	810
10977	0.05	15.8	0.43	312	1.14	0.02	21.1	770
10978	0.05	16.8	0.48	231	1.01	0.02	23.1	950
10979	0.07	16.8	0.52	440	1.20	0.02	29.2	880
10980	0.13	16.6	0.54	598	1.77	0.02	34.7	920
10981	0.07	16.2	0.48	271	1.16	0.02	29.5	880
10982	0.13	18.0	0.58	543	1.97	0.02	38.0	1090
10983	0.08	16.7	0.47	264	1.08	0.02	26.6	800
10984	0.10	16.4	0.53	452	1.36	0.02	30.1	990
10985	0.09	17.8	0.48	403	1.54	0.02	27.9	990
10986	0.08	18.1	0.46	400	1.45	0.02	26.5	920
10987	0.11	19.0	0.46	323	1.40	0.02	27.4	1010
10988	0.07	17.0	0.54	319	1.09	0.02	23.1	780
10989	0.09	17.0	0.50	408	1.43	0.02	28.8	990
10990	0.06	16.6	0.45	304	1.01	0.02	25.1	920
10991	0.06	16.4	0.44	283	0.99	0.02	22.3	800
10992	0.10	16.0	0.52	340	0.76	0.03	28.6	610
10993	0.06	15.8	0.44	250	0.90	0.02	24.6	810
10994	0.05	14.3	0.41	200	0.93	0.02	21.8	1030
111951	0.11	20.4	0.49	540	1.02	0.02	32.2	800
111952	0.08	16.9	0.50	325	1.20	0.02	29.8	910
111953	0.09	17.1	0.51	428	1.26	0.02	32.8	850
111954	0.19	31.6	0.37	469	0.73	0.02	33.8	670
111955	0.16	30.3	0.39	635	0.81	0.02	34.6	750
111956	0.17	25.8	0.49	411	1.02	0.02	32.2	800
111957	0.11	21.6	0.45	415	0.97	0.02	26.5	910
111958	0.16	23.6	0.47	385	0.98	0.02	31.6	790
111959	0.11	17.6	0.55	457	1.30	0.02	33.8	910
111960	0.07	16.1	0.44	261	0.89	0.02	23.4	980
111961	0.05	11.4	0.28	80	0.45	0.02	12.8	940
111962	0.09	19.3	0.49	415	1.11	0.02	30.1	1080
111963	0.08	21.2	0.44	402	1.13	0.02	26.3	950
111964	0.09	19.9	0.52	384	1.17	0.02	29.9	880
111965	0.08	17.8	0.58	620	1.18	0.02	29.7	890
111966	0.30	18.1	0.84	500	1.24	0.03	46.6	1030
111967	0.07	15.1	0.55	407	1.01	0.02	24.4	920
111968	0.12	18.1	0.69	609	1.18	0.02	44.3	990
111969	0.19	19.5	0.78	573	1.25	0.02	50.4	880
111970	0.06	14.2	0.48	243	1.07	0.02	26.7	1050

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Final : VC162737 Order: AUX16-1 (3 of 10)

Report File NH : 20230159384

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
111971	0.06	12.6	0.76	149	0.70	0.01	28.4	1030
111972	0.18	19.9	0.52	483	1.47	0.02	38.4	1030
111973	0.06	14.2	0.49	390	1.02	0.02	24.9	1070
111974	0.08	15.8	0.58	594	1.26	0.02	33.7	1030
111975	0.19	15.1	1.02	652	1.13	0.02	79.3	930
111976	0.08	16.2	0.61	322	1.31	0.02	34.1	950
111977	0.11	16.4	1.00	509	1.04	0.02	41.8	950
111978	0.08	11.7	1.12	823	1.03	0.02	53.8	1070
111979	0.10	15.3	0.89	812	1.37	0.02	43.5	920
111980	0.09	13.9	0.87	827	1.02	0.02	44.3	1120
111981	0.09	14.7	1.27	737	1.22	0.02	53.2	1100
111982	0.07	19.5	0.64	549	1.08	0.02	35.0	940
111983	0.09	21.4	0.66	541	1.05	0.03	35.8	1130
111984	0.05	12.8	0.47	113	0.49	0.02	18.1	990
111985	0.05	12.1	0.42	83	0.64	0.02	17.5	890
111986	0.04	11.4	0.33	67	0.66	0.02	11.3	620
111987	0.06	15.1	0.50	95	0.75	0.07	26.6	760
113175	0.03	17.2	0.54	491	1.19	0.01	22.2	510
113177	0.05	15.4	0.53	341	0.94	0.02	25.7	940
113178	0.05	15.4	0.48	136	0.75	0.02	20.6	880
113179	0.06	14.5	0.48	103	0.69	0.03	23.0	1080
113180	0.06	14.3	0.57	116	0.65	0.02	24.1	910
113181	0.06	16.8	0.73	419	1.25	0.02	41.0	1010
113182	0.09	22.6	1.37	724	1.02	0.02	95.2	1020
113183	0.08	14.7	0.65	459	1.07	0.11	29.5	1100
113184	0.09	17.3	0.59	239	0.95	0.02	27.1	930
113185	0.07	15.0	1.03	587	1.04	0.02	39.9	980
113186	0.09	15.2	1.32	594	0.99	0.01	47.6	760
113187	0.06	16.4	0.66	390	1.15	0.02	32.0	990
113188	0.06	13.3	0.47	106	0.62	0.02	21.5	940
113189	0.06	15.0	0.49	95	0.41	0.04	19.5	970
113190	0.05	14.0	0.46	119	0.56	0.02	19.8	980
113191	0.07	16.5	0.64	497	1.12	0.02	32.5	950
113192	0.07	16.4	0.66	430	1.24	0.02	29.8	1000

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
*Rep 10990	0.06	16.1	0.49	285	0.94	0.02	25.6	940
*Rep 111956	0.16	25.4	0.49	395	1.01	0.02	34.7	840
*Rep 111973	0.06	14.8	0.51	366	1.00	0.02	24.3	1090
*Rep 111983	0.08	21.1	0.65	532	1.01	0.02	34.5	900
*Rep 113182	0.09	22.2	1.37	746	0.99	0.01	96.3	1020
*Std OREAS920	0.39	35.2	1.13	476	0.42	0.04	38.2	880
*Std OREAS920	0.41	35.3	1.19	495	0.38	0.04	41.2	880
*Blk BLANK	<0.01	<0.1	<0.01	<2	<0.05	<0.01	<0.5	<50
*Blk BLANK	<0.01	<0.1	<0.01	<2	<0.05	<0.01	<0.5	<50

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final VC162737 Order AUX18-1 (3 of 10)

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
10975	14.5	8.0	1.95	4.5	0.6	30.6	4.7	0.06
10976	11.7	7.9	1.49	4.1	0.4	25.9	4.0	0.06
10977	13.7	8.1	1.59	3.8	0.5	18.8	4.4	0.06
10978	10.7	7.0	1.22	3.7	0.5	25.3	4.6	0.06
10979	13.3	7.3	1.50	4.6	0.4	30.5	4.8	0.06
10980	27.4	8.7	6.69	4.0	0.4	46.4	6.8	0.06
10981	15.3	6.7	2.40	4.3	0.4	32.3	5.1	0.07
10982	33.0	7.9	3.75	4.1	0.5	23.1	6.3	0.05
10983	18.2	6.6	2.01	3.8	0.7	19.6	4.6	0.05
10984	31.4	7.2	2.93	4.0	0.4	25.3	5.2	0.05
10985	26.8	7.3	1.98	3.8	0.4	20.8	5.1	0.05
10986	23.5	8.0	1.71	3.6	0.3	19.6	4.2	0.05
10987	23.0	7.3	2.68	3.3	0.3	17.8	4.9	0.05
10988	15.2	7.7	2.29	3.7	0.4	22.7	4.2	0.07
10989	18.5	7.8	3.68	4.2	0.4	28.0	4.0	0.05
10990	11.2	7.7	2.45	4.2	0.4	31.6	4.2	0.06
10991	12.6	7.4	3.82	3.9	0.5	21.9	4.0	0.05
10992	19.0	10.2	5.69	4.4	0.5	33.8	6.4	0.12
10993	11.4	5.9	1.69	3.5	0.4	30.2	5.0	0.06
10994	10.5	6.5	1.03	3.5	0.4	31.2	3.1	0.06
111951	12.2	12.5	5.60	4.3	0.5	33.0	6.9	0.06
111952	12.7	8.2	2.80	4.6	0.5	35.3	4.9	0.06
111953	12.3	10.0	4.37	4.4	0.4	32.4	5.4	0.06
111954	16.4	11.2	16.4	3.4	0.4	43.8	13.2	0.02
111955	15.3	12.2	18.8	3.3	0.3	22.3	11.5	0.03
111956	16.1	12.2	12.1	3.8	0.4	24.0	9.4	0.05
111957	11.8	9.9	7.73	3.7	0.5	35.6	5.9	0.04
111958	12.8	11.3	8.95	3.8	0.4	36.5	8.4	0.05
111959	12.4	9.9	4.84	4.6	0.4	34.4	6.5	0.07
111960	11.3	7.2	1.86	4.3	0.5	27.1	4.2	0.05
111961	7.9	7.0	0.70	2.2	0.3	23.2	1.3	0.03
111962	12.3	8.7	3.34	4.2	0.5	28.8	6.1	0.06
111963	13.4	10.2	5.69	3.8	0.4	28.9	6.3	0.05
111964	13.9	10.2	5.57	4.1	0.4	35.2	6.1	0.05
111965	12.3	8.8	3.41	4.3	0.3	52.9	5.0	0.05
111966	17.8	23.5	7.25	4.9	0.9	39.5	6.3	0.10
111967	11.8	8.3	2.08	3.9	0.5	50.7	3.8	0.05
111968	16.7	12.8	6.80	4.7	0.7	43.7	5.5	0.05
111969	12.8	16.7	6.27	5.6	0.8	31.2	7.1	0.08
111970	16.4	7.3	3.94	3.6	0.3	38.1	3.2	0.03

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
111971	12.5	6.2	1.79	3.6	0.3	23.2	3.0	0.05
111972	23.1	10.6	12.1	3.3	0.4	29.0	8.0	0.04
111973	11.5	8.7	2.12	4.4	0.4	33.7	3.9	0.05
111974	13.2	7.9	2.82	4.9	0.4	47.1	4.9	0.06
111975	20.5	14.0	7.80	4.7	0.4	26.9	5.7	0.09
111976	13.2	7.8	2.51	4.9	0.4	45.6	5.2	0.07
111977	12.9	10.0	3.84	5.7	0.5	51.4	5.5	0.08
111978	13.5	10.0	3.73	4.6	0.4	48.3	3.1	0.08
111979	14.3	8.5	3.20	5.1	0.4	38.5	4.9	0.09
111980	19.6	10.2	4.73	4.4	0.3	32.6	4.3	0.07
111981	17.5	10.4	4.36	5.3	0.8	34.7	5.0	0.09
111982	12.5	9.3	4.12	4.3	0.8	28.2	6.0	0.05
111983	19.9	8.6	5.77	3.8	0.3	32.9	6.4	0.04
111984	8.2	5.0	1.06	2.6	0.7	28.3	3.1	0.04
111985	8.3	5.0	0.98	2.7	<0.3	31.3	2.9	0.04
111986	8.3	4.7	0.79	2.5	0.8	14.1	3.4	0.04
111987	11.9	7.3	1.07	4.5	0.3	28.5	3.9	0.06
113175	13.4	6.8	1.15	4.1	0.8	25.4	4.7	0.04
113177	10.6	7.8	0.95	3.4	0.8	24.2	3.7	0.05
113178	8.8	5.1	0.63	2.3	0.8	19.8	3.6	0.05
113179	9.9	6.1	1.52	3.2	<0.3	32.6	4.5	0.05
113180	12.4	7.0	1.43	3.9	0.3	30.3	4.1	0.04
113181	23.0	9.6	4.14	4.7	0.8	33.1	5.4	0.05
113182	16.0	7.1	3.27	5.7	0.8	25.7	8.3	0.08
113183	14.3	9.4	2.37	4.2	0.3	41.9	4.5	0.05
113184	13.5	7.3	3.48	3.2	0.8	20.8	6.0	0.05
113185	14.7	9.2	2.95	4.7	0.8	32.2	4.9	0.08
113186	12.9	16.9	4.29	5.3	0.8	30.2	4.9	0.06
113187	16.6	7.6	3.47	4.0	0.9	24.2	5.8	0.05
113188	12.0	5.3	1.21	3.6	0.7	27.0	4.1	0.04
113189	11.4	5.9	1.25	3.8	0.3	33.1	3.9	0.05
113190	11.3	5.4	1.02	3.2	0.8	33.6	3.0	0.04
113191	13.2	6.9	2.14	4.1	0.9	58.5	5.0	0.06
113192	13.0	7.9	2.91	3.9	0.8	44.6	4.6	0.06

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
*Rep 10990	11.5	7.2	2.45	3.8	0.5	30.9	4.3	0.06
*Rep 111956	16.0	11.7	12.5	3.6	0.4	24.0	9.4	0.05
*Rep 111973	11.5	8.1	1.73	4.0	0.4	34.5	3.9	0.05
*Rep 111983	19.6	7.7	5.53	3.5	0.7	32.9	5.9	0.03
*Rep 113182	15.5	7.1	3.16	5.8	<0.3	27.7	8.3	0.08
*Std OREAS920	19.1	24.1	0.58	2.8	1.0	16.5	16.6	0.14
*Std OREAS920	19.5	25.9	0.68	2.8	1.0	17.0	16.3	0.14
*Blk BLANK	<0.2	<0.2	<0.05	<0.1	<0.3	<0.5	<0.1	<0.01
*Blk BLANK	<0.2	<0.2	<0.05	<0.1	<0.3	<0.5	<0.1	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
10975	0.09	2.25	46	0.3	9.04	81
10976	0.08	2.11	45	0.3	7.94	67
10977	0.08	1.25	43	0.2	7.08	67
10978	0.08	1.76	43	0.2	7.56	68
10979	0.09	1.58	48	0.2	8.70	77
10980	0.16	0.65	36	0.2	8.95	103
10981	0.08	1.19	42	0.2	9.21	82
10982	0.20	0.69	38	0.2	9.04	111
10983	0.12	0.97	35	0.1	7.80	68
10984	0.20	1.25	40	0.1	8.31	90
10985	0.14	0.84	40	0.2	8.08	85
10986	0.15	1.06	38	0.2	7.60	80
10987	0.17	0.69	33	0.1	7.00	86
10988	0.08	0.96	42	0.3	6.96	64
10989	0.10	1.48	42	0.2	8.44	77
10990	0.07	2.38	40	0.2	8.39	65
10991	0.07	3.43	41	0.2	7.55	68
10992	0.10	0.67	42	0.1	10.1	86
10993	0.07	0.80	39	0.2	7.41	74
10994	0.09	2.33	39	0.3	7.38	68
111951	0.15	1.45	38	0.3	8.81	82
111952	0.10	2.31	43	0.2	9.42	79
111953	0.11	1.82	40	0.3	9.25	85
111954	0.14	1.17	21	0.4	7.55	80
111955	0.19	1.04	23	0.3	8.09	84
111956	0.17	0.94	32	0.3	8.73	82
111957	0.10	2.64	34	0.3	8.02	70
111958	0.13	0.79	34	0.2	9.02	86
111959	0.11	0.75	44	0.2	9.74	87
111960	0.09	2.49	40	0.2	8.25	74
111961	0.09	2.04	24	0.2	4.62	43
111962	0.11	1.08	38	0.5	8.86	84
111963	0.12	1.44	37	0.2	8.24	78
111964	0.12	1.05	37	0.3	8.77	88
111965	0.10	1.68	41	0.3	9.55	82
111966	0.31	0.64	44	0.3	8.63	101
111967	0.10	2.74	45	0.2	8.11	75
111968	0.18	1.20	42	0.2	9.50	101
111969	0.23	0.63	43	0.3	10.5	94
111970	0.14	6.59	44	0.3	7.48	75

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
111971	0.14	3.87	49	0.2	6.72	68
111972	0.27	0.54	26	0.2	7.62	128
111973	0.11	5.54	45	0.3	7.86	73
111974	0.09	1.20	44	0.4	9.52	96
111975	0.25	0.55	43	0.2	6.54	108
111976	0.09	0.89	46	0.3	8.89	81
111977	0.13	2.19	51	0.2	9.24	79
111978	0.13	3.76	45	0.2	7.38	98
111979	0.12	0.67	49	0.3	8.74	92
111980	0.16	1.66	41	0.2	7.47	105
111981	0.15	0.65	56	0.2	9.11	112
111982	0.09	1.76	45	0.4	8.43	94
111983	0.12	2.46	44	0.2	9.12	111
111984	0.09	1.57	31	0.2	6.20	60
111985	0.09	3.10	34	0.1	6.60	61
111986	0.09	2.86	24	0.2	4.76	34
111987	0.14	3.88	48	0.1	9.26	74
113175	0.09	1.07	44	0.2	8.93	79
113177	0.09	1.28	45	0.3	8.03	63
113178	0.08	0.77	37	0.3	5.29	56
113179	0.12	5.02	41	0.2	8.63	88
113180	0.15	3.41	46	0.2	7.96	94
113181	0.13	3.69	56	0.3	10.7	113
113182	0.10	1.14	55	0.2	10.5	103
113183	0.12	2.53	53	0.3	7.77	88
113184	0.13	0.52	35	0.3	7.98	82
113185	0.12	1.30	55	0.2	8.46	88
113186	0.25	0.78	52	0.2	8.61	93
113187	0.12	2.26	48	0.3	7.77	86
113188	0.13	5.60	38	0.2	7.44	77
113189	0.13	9.98	45	0.3	8.35	71
113190	0.11	11.3	40	0.2	8.00	62
113191	0.10	2.49	50	0.2	9.54	85
113192	0.10	2.55	48	0.3	9.36	83

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
*Rep 10990	0.07	2.52	41	0.2	8.10	66
*Rep 111956	0.17	0.95	32	0.3	8.70	90
*Rep 111973	0.11	5.47	45	0.2	7.52	72
*Rep 111983	0.12	2.44	42	0.2	8.70	110
*Rep 113182	0.10	1.11	58	0.2	9.85	102
*Std OREAS920	0.16	2.28	25	0.5	16.9	99
*Std OREAS920	0.17	2.16	28	0.6	19.3	109
*Blk BLANK	<0.02	<0.05	<1	<0.1	<0.05	<1
*Blk BLANK	<0.02	<0.05	<1	<0.1	<0.05	<1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis
Work Order : VC162738
[Report File No.: 0000018966]

Date: September 14, 2016

To: **Helena Kuikka**
STRATA GOLD CORPORATION
SUITE 910 - 1050 W PENDER ST
VANCOUVER BC V6E 3S7

P.O. No.: AUX16-1 (4 of 10)
Project No.: AUREX
Samples: 74
Received: Aug 29, 2016
Pages: Page 1 to 16
(Inclusive of Cover Sheet)

Methods Summary

No. Of Samples	Method Code	Description
74	G_LOG02	Pre-preparation processing, sorting, logging, boxing
74	G_WGH79	Weighing of samples and reporting of weights
74	GE_FAI313	@Au, Pt, Pd, FAS, ICP-AES, 30g - 5ml (Clean Pots only)
74	GE_IMS14B	Aqua Regia digestion/ICP-MS package

Storage: Pulp & Reject

REJECT STORAGE	:	STORE
PULP STORAGE	:	STORE

Certified By :
John Chiang
QC Chemist

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method
M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion
Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the @ symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	WtKg	Au@	Ag	Al	As	Ba	Bi	Ca
Method	G_WGH79	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	1	0.01	0.01	1	5	0.02	0.01
Units	kg	ppb	ppm	%	ppm	ppm	ppm	%
113193	0.505	6	0.29	1.43	86	450	0.30	0.44
113194	0.520	9	0.21	1.18	113	313	0.31	0.36
113195	0.540	5	0.25	1.46	73	402	0.29	0.46
113196	0.530	4	0.21	1.38	41	388	0.24	0.43
113197	0.535	7	0.20	1.27	36	399	0.21	0.41
113198	0.520	6	0.21	1.34	45	394	0.22	0.39
113199	0.610	3	0.20	1.24	23	400	0.21	0.34
113200	0.465	3	0.16	1.36	17	394	0.18	0.37
113267	0.305	3	0.40	0.85	51	87	0.25	0.06
113268	0.345	3	0.17	1.33	20	271	0.18	0.15
113269	0.320	5	0.10	1.49	37	307	0.22	0.15
113270	0.385	3	0.10	1.26	15	301	0.18	0.18
113271	0.415	3	0.09	1.23	12	214	0.16	0.13
113272	0.265	3	0.12	1.35	17	300	0.18	0.16
113273	0.285	7	0.07	1.29	15	169	0.19	0.13
113274	0.405	4	0.08	1.41	17	269	0.18	0.18
113275	0.335	3	0.14	1.57	23	184	0.19	0.10
113276	0.295	3	0.12	1.44	22	152	0.18	0.10
113277	0.315	4	0.13	1.56	46	111	0.29	0.06
113278	0.325	10	0.16	1.58	46	155	0.23	0.06
113279	0.365	9	0.12	1.59	57	147	0.21	0.06
113280	0.330	8	0.14	1.64	68	124	0.25	0.05
113281	0.415	7	0.09	1.78	57	130	0.22	0.08
113282	0.365	6	0.24	1.54	66	122	0.22	0.05
113283	0.345	4	0.18	1.83	67	112	0.26	0.04
113284	0.330	5	0.16	1.93	21	246	0.21	0.07
113285	0.410	6	0.09	1.28	58	177	0.21	0.09
113286	0.385	3	0.20	1.43	12	160	0.21	0.11
113287	0.515	4	0.16	1.52	32	370	0.21	0.17
113288	0.410	3	0.21	1.30	32	441	0.22	0.25
113289	0.260	3	0.04	1.26	13	169	0.15	0.17
113290	0.325	4	0.09	1.14	11	236	0.15	0.21
113291	0.265	3	0.12	1.27	24	181	0.19	0.14
113292	0.440	5	0.28	1.30	45	354	0.24	0.35
113293	0.445	4	0.21	1.24	24	361	0.19	0.40
113294	0.460	2	0.17	1.22	19	391	0.18	0.35
113295	0.325	7	0.33	1.45	25	490	0.21	0.57
113296	0.430	3	0.17	1.33	18	388	0.18	0.40
113297	0.615	9	0.25	1.31	40	327	0.22	0.44
113298	0.315	5	0.34	1.28	52	346	0.25	0.44

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	WtKg	Au@	Ag	Al	As	Ba	Bi	Ca
Method	G_WGH79	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	1	0.01	0.01	1	5	0.02	0.01
Units	kg	ppb	ppm	%	ppm	ppm	ppm	%
113299	0.500	5	0.55	1.51	52	429	0.24	0.43
113300	0.310	4	0.17	1.10	14	429	0.17	0.44
11651	0.375	8	0.12	1.32	38	232	0.21	0.11
11652	0.385	2	0.08	1.13	14	160	0.16	0.15
11653	0.355	7	0.13	1.13	15	193	0.17	0.16
11654	0.340	2	0.09	1.49	25	157	0.19	0.09
11655	0.305	4	0.09	1.43	19	176	0.17	0.13
11656	0.380	4	0.17	1.81	28	255	0.19	0.10
11657	0.400	7	0.14	1.25	128	156	0.29	0.09
11658	0.355	7	0.21	1.29	64	165	0.23	0.10
11659	0.405	3	0.17	1.50	30	218	0.24	0.24
11660	0.385	2	0.08	1.26	15	258	0.17	0.30
11661	0.430	5	0.16	1.12	27	261	0.18	0.28
11662	0.435	4	0.36	1.56	48	401	0.25	0.41
11663	0.435	3	0.19	1.46	16	388	0.20	0.41
11664	0.405	11	0.61	1.12	32	279	0.18	0.21
11665	0.350	13	0.21	1.32	259	238	0.36	0.24
11666	0.270	9	0.40	1.23	53	319	0.28	0.23
11667	0.250	5	0.23	1.30	32	290	0.23	0.21
11668	0.360	13	0.24	1.69	87	274	0.25	0.32
11669	0.350	19	0.13	1.62	400	230	0.65	0.18
11670	0.325	14	0.52	1.19	23	202	0.15	0.19
11671	0.355	5	0.19	1.76	52	195	0.24	0.14
11672	0.350	2	0.11	1.22	17	84	0.28	0.07
11673	0.340	15	0.16	1.46	54	233	0.31	0.19
11674	0.375	12	0.64	1.51	125	251	0.35	0.30
11675	0.380	14	0.32	1.58	107	310	0.33	0.30
11676	0.380	10	0.50	1.45	98	297	0.30	0.30
11677	0.370	8	0.43	1.53	49	447	0.26	0.45
11678	0.360	5	0.39	1.33	37	400	0.22	0.36
11679	0.325	8	0.40	1.51	43	459	0.24	0.46
11680	0.320	4	0.23	1.49	16	464	0.22	0.39
11681	0.230	47	0.41	1.38	628	273	1.04	0.59
11682	0.410	32	0.37	1.45	539	306	0.68	0.32
*Rep 113268		4						
*Rep 113292		4						
*Rep 113298		4						
*Rep 11681		56						
*Std ME-1309		115						
*Std OREASH1		12						

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Au@	Ag	Al	As	Ba	Bi	Ca
Method	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	1	0.01	0.01	1	5	0.02	0.01
Units	ppb	ppm	%	ppm	ppm	ppm	%
*Std OREAS151B	62						
*Blk BLANK	<1						
*Blk BLANK	<1						
*Rep 113193		0.29	1.48	89	445	0.29	0.44
*Rep 113297		0.26	1.33	39	330	0.22	0.44
*Rep 11661		0.15	1.17	25	257	0.18	0.26
*Rep 11673		0.16	1.56	56	241	0.30	0.18
*Std OREAS920		0.10	2.49	6	73	0.62	0.32
*Std OREAS209		0.27	1.14	1040	72	0.06	1.45
*Std OREAS209		0.28	1.32	1080	73	0.06	1.56
*Blk BLANK		<0.01	<0.01	<1	<5	<0.02	<0.01
*Blk BLANK		<0.01	<0.01	<1	<5	<0.02	<0.01
*Blk BLANK		<0.01	<0.01	<1	<5	<0.02	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
113193	0.50	30.1	11.7	27	31.8	2.77	3.9	0.04
113194	0.23	29.2	7.1	23	29.4	2.24	3.3	<0.01
113195	0.29	29.8	8.9	30	31.4	2.65	4.3	0.03
113196	0.20	28.7	8.7	28	27.3	2.37	4.0	0.05
113197	0.22	28.0	8.1	25	28.1	2.38	3.8	0.03
113198	0.25	28.9	10.5	26	28.5	2.44	3.8	0.02
113199	0.32	29.0	9.8	28	26.0	2.63	4.0	0.05
113200	0.39	28.6	7.9	29	23.9	2.29	4.0	0.05
113267	0.29	20.3	4.3	15	13.7	2.12	3.5	<0.01
113268	0.10	29.1	7.3	26	22.6	2.25	3.9	0.03
113269	0.13	32.9	9.3	28	24.1	2.41	4.1	<0.01
113270	0.10	30.8	7.6	26	22.4	2.20	3.6	0.03
113271	0.11	28.8	6.0	24	20.2	2.20	3.7	0.02
113272	0.11	30.7	6.8	27	24.6	2.33	3.8	<0.01
113273	0.16	25.1	5.7	24	19.1	2.17	4.1	0.02
113274	0.12	32.8	8.5	28	25.8	2.57	4.2	0.03
113275	0.10	34.5	8.2	29	26.9	2.51	4.3	<0.01
113276	0.11	28.3	6.7	27	18.1	2.30	4.5	<0.01
113277	0.08	50.4	9.4	26	38.1	2.98	4.7	<0.01
113278	0.07	56.4	9.9	26	33.8	2.90	4.7	<0.01
113279	0.07	60.0	10.6	25	31.6	2.96	4.5	<0.01
113280	0.07	50.5	9.6	26	29.4	2.97	4.6	<0.01
113281	0.06	54.3	11.2	41	38.4	3.19	5.1	<0.01
113282	0.07	40.1	10.4	40	33.6	2.99	4.7	<0.01
113283	0.11	66.3	11.6	30	36.3	3.80	5.0	<0.01
113284	0.11	31.6	9.7	30	27.6	3.00	4.8	0.03
113285	0.09	32.0	7.7	25	28.7	2.20	3.5	0.02
113286	0.11	25.2	3.9	23	15.7	2.24	4.8	<0.01
113287	0.14	32.2	10.0	30	30.9	2.71	4.1	0.04
113288	0.11	32.2	9.2	27	27.9	2.55	3.8	0.05
113289	0.10	29.6	7.0	25	23.1	2.16	3.5	0.02
113290	0.09	31.1	6.4	24	21.2	2.08	3.5	0.40
113291	0.11	27.7	5.8	24	23.9	2.12	4.0	<0.01
113292	0.15	30.7	8.8	26	29.1	2.44	3.8	0.32
113293	0.15	29.4	8.0	25	28.8	2.18	3.5	0.04
113294	0.12	30.4	7.7	24	28.1	2.31	3.2	0.02
113295	0.46	28.8	10.5	27	29.0	2.73	4.1	0.05
113296	0.14	30.4	9.2	27	25.1	2.63	3.8	0.02
113297	0.24	28.6	10.2	27	26.4	2.34	4.1	0.03
113298	0.30	25.2	13.7	28	25.2	2.92	3.7	0.04

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
113299	0.38	31.3	13.3	31	31.8	2.89	4.1	0.06
113300	0.40	29.6	8.7	26	27.3	2.39	3.6	0.02
11651	0.09	27.5	6.6	23	22.4	2.31	4.0	<0.01
11652	0.08	28.1	5.3	22	19.8	1.98	3.5	0.02
11653	0.13	33.5	6.4	20	19.9	1.98	3.5	0.02
11654	0.11	29.5	6.2	27	24.1	2.57	4.5	0.02
11655	0.07	29.3	6.4	30	22.9	2.43	4.4	0.02
11656	0.08	35.6	10.2	31	36.1	2.71	5.0	0.03
11657	0.16	28.8	7.2	20	43.0	2.60	3.7	<0.01
11658	0.14	29.5	7.3	25	32.7	2.27	4.0	0.02
11659	0.14	34.8	7.7	23	26.4	2.29	4.7	0.05
11660	0.10	37.8	7.0	20	21.8	2.04	4.1	0.04
11661	0.10	39.8	6.8	21	23.2	2.08	3.8	0.02
11662	0.21	36.7	9.9	25	31.3	2.72	4.8	0.05
11663	0.37	38.3	7.8	26	28.1	2.41	4.7	0.05
11664	0.15	38.3	7.6	21	27.8	2.03	3.5	0.03
11665	0.20	45.2	14.1	18	30.8	3.02	3.9	0.04
11666	0.37	33.6	7.9	20	28.6	2.09	3.8	0.05
11667	0.60	29.5	6.8	22	27.0	2.06	4.0	0.05
11668	0.37	35.8	11.9	19	35.7	2.65	4.8	0.04
11669	0.10	43.4	8.6	21	31.2	3.38	4.8	0.03
11670	0.11	42.6	6.6	19	22.9	1.92	3.7	0.02
11671	0.10	37.2	7.9	29	21.5	2.51	5.3	0.02
11672	0.15	33.3	4.7	16	10.8	2.18	5.8	0.02
11673	0.05	37.9	8.9	23	23.6	2.53	4.6	0.01
11674	0.25	52.1	16.3	21	48.3	2.90	4.5	0.05
11675	0.10	39.9	9.9	25	31.9	2.59	4.6	0.02
11676	0.18	38.8	10.3	22	31.9	2.54	3.9	0.03
11677	0.32	38.3	11.3	28	33.8	2.86	4.6	0.06
11678	0.25	37.9	8.1	23	32.1	2.45	4.0	0.04
11679	0.33	38.7	12.0	28	32.5	2.63	4.5	0.09
11680	0.72	31.7	6.4	25	24.8	1.43	4.6	0.07
11681	0.26	48.5	13.8	19	37.4	4.36	4.1	0.06
11682	0.31	53.3	17.2	21	37.8	3.75	4.3	0.03

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
*Rep 113193	0.51	29.8	12.4	28	31.7	2.63	3.9	0.04
*Rep 113297	0.25	27.2	10.0	27	27.0	2.58	4.0	0.02
*Rep 11661	0.10	39.4	6.6	19	22.3	1.99	3.8	0.04
*Rep 11673	0.04	36.6	8.7	23	21.3	2.32	4.1	0.02
*Std OREAS920	0.07	71.8	14.0	44	112	3.62	6.3	<0.01
*Std OREAS209	0.06	28.0	29.8	40	74.6	6.07	3.9	<0.01
*Std OREAS209	0.09	27.6	31.0	40	79.4	6.11	4.2	<0.01
*Blk BLANK	<0.01	<0.05	<0.1	<1	<0.5	<0.01	<0.1	<0.01
*Blk BLANK	<0.01	<0.05	<0.1	<1	<0.5	<0.01	<0.1	<0.01
*Blk BLANK	<0.01	<0.05	<0.1	<1	<0.5	<0.01	<0.1	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
113193	0.04	14.8	0.47	602	1.25	0.01	27.4	670
113194	0.04	14.4	0.38	253	0.97	0.01	21.0	600
113195	0.04	14.2	0.41	369	1.17	0.01	23.5	720
113196	0.04	13.8	0.40	274	1.05	0.01	20.1	660
113197	0.04	13.9	0.37	302	0.96	0.01	24.2	610
113198	0.04	13.8	0.37	351	0.99	0.01	22.3	630
113199	0.04	14.8	0.40	317	0.91	<0.01	22.7	740
113200	0.03	13.8	0.38	205	0.68	0.01	20.0	810
113267	0.03	10.2	0.21	330	0.80	<0.01	12.2	680
113268	0.03	14.4	0.41	256	0.81	<0.01	20.0	330
113269	0.03	15.9	0.41	379	0.88	0.01	18.1	360
113270	0.03	15.3	0.38	281	0.94	<0.01	18.4	530
113271	0.02	14.3	0.35	204	0.88	<0.01	17.8	430
113272	0.03	15.3	0.41	268	1.00	0.01	19.9	450
113273	0.03	12.8	0.35	178	0.91	<0.01	15.8	530
113274	0.03	16.1	0.44	348	1.04	0.01	22.0	570
113275	0.03	16.4	0.45	282	0.86	0.01	20.7	340
113276	0.03	13.6	0.43	194	0.96	<0.01	18.9	360
113277	0.03	24.1	0.53	393	0.74	<0.01	25.3	350
113278	0.03	27.2	0.46	416	0.73	<0.01	23.3	300
113279	0.03	27.8	0.52	533	0.55	<0.01	24.9	250
113280	0.03	24.3	0.46	394	0.70	<0.01	22.3	290
113281	0.03	25.4	0.71	461	0.59	<0.01	29.5	320
113282	0.03	19.3	0.61	345	0.62	<0.01	27.6	260
113283	0.04	31.0	0.53	473	0.88	<0.01	26.6	330
113284	0.03	15.3	0.43	279	0.98	<0.01	23.5	250
113285	0.03	15.4	0.37	247	0.90	<0.01	21.0	280
113286	0.03	12.6	0.27	113	0.78	0.01	11.8	520
113287	0.03	17.0	0.45	352	1.12	<0.01	24.9	370
113288	0.03	16.5	0.45	390	1.02	0.01	23.3	470
113289	0.03	14.1	0.37	210	0.75	0.01	18.0	530
113290	0.03	15.6	0.37	206	0.72	0.01	17.0	580
113291	0.03	13.3	0.33	163	0.89	<0.01	17.1	510
113292	0.03	15.5	0.38	330	0.95	0.01	21.7	560
113293	0.03	14.2	0.37	249	0.96	0.01	20.7	680
113294	0.03	14.9	0.35	338	0.83	0.01	22.6	630
113295	0.03	13.4	0.41	546	1.13	0.01	25.1	820
113296	0.03	14.7	0.42	342	0.96	0.01	23.0	660
113297	0.04	13.5	0.39	347	1.08	0.01	21.1	680
113298	0.04	11.5	0.38	831	1.79	0.01	22.3	850

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
113299	0.04	14.5	0.45	704	1.37	0.01	26.7	780
113300	0.04	14.0	0.43	269	0.87	0.01	24.5	790
11651	0.03	13.7	0.36	201	0.99	0.01	19.3	280
11652	0.03	14.1	0.33	147	0.69	0.01	14.9	490
11653	0.03	15.8	0.34	222	0.75	0.01	16.0	610
11654	0.03	14.1	0.38	182	0.96	<0.01	18.6	350
11655	0.03	14.2	0.41	173	0.96	0.01	17.6	380
11656	0.03	16.9	0.44	331	0.98	0.01	23.2	310
11657	0.04	14.8	0.34	412	0.81	<0.01	18.3	370
11658	0.03	15.1	0.39	190	1.00	<0.01	19.4	320
11659	0.05	16.8	0.50	203	1.25	<0.01	19.8	640
11660	0.06	18.1	0.51	148	0.87	<0.01	16.7	860
11661	0.06	20.0	0.51	209	0.87	<0.01	18.2	740
11662	0.08	17.2	0.56	352	1.19	0.01	23.9	940
11663	0.07	18.3	0.59	222	1.00	0.01	24.2	1100
11664	0.07	19.3	0.51	223	1.04	<0.01	21.9	690
11665	0.08	22.7	0.55	352	0.86	<0.01	27.2	800
11666	0.07	15.7	0.46	140	0.82	<0.01	21.7	1060
11667	0.05	13.7	0.39	114	0.90	<0.01	18.8	1130
11668	0.10	17.4	0.38	485	1.38	0.02	27.1	880
11669	0.11	20.6	0.76	270	0.75	<0.01	23.2	810
11670	0.06	20.5	0.48	145	0.74	<0.01	17.3	800
11671	0.07	18.4	0.56	176	0.92	<0.01	17.9	580
11672	0.05	16.2	0.35	174	0.85	<0.01	11.4	510
11673	0.08	19.0	0.68	256	0.74	0.01	20.9	410
11674	0.12	24.7	0.74	444	1.21	0.01	34.9	1180
11675	0.12	20.1	0.69	281	0.91	0.01	25.6	720
11676	0.12	20.3	0.59	337	1.11	<0.01	27.3	890
11677	0.08	18.6	0.62	380	1.33	0.02	27.8	1040
11678	0.07	18.5	0.60	261	1.18	0.01	24.4	990
11679	0.08	18.7	0.62	356	1.21	0.01	26.4	1100
11680	0.06	15.3	0.50	82	0.42	0.01	19.1	940
11681	0.16	24.3	0.63	408	1.29	0.01	28.5	990
11682	0.16	25.6	0.64	490	0.94	<0.01	31.7	940

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
*Rep 113193	0.04	14.4	0.49	603	1.29	0.01	27.3	680
*Rep 113297	0.03	13.2	0.37	374	1.02	0.01	21.3	700
*Rep 11661	0.05	19.4	0.48	198	0.85	0.01	18.8	750
*Rep 11673	0.08	18.2	0.63	246	0.73	0.01	19.8	420
*Std OREAS920	0.41	33.5	1.13	540	0.39	0.03	38.0	670
*Std OREAS209	0.06	14.2	2.27	1440	1.86	0.17	118	1480
*Std OREAS209	0.09	13.8	2.14	1320	2.06	0.22	116	1560
*Blk BLANK	<0.01	<0.1	<0.01	<2	<0.05	<0.01	<0.5	<50
*Blk BLANK	<0.01	<0.1	<0.01	<2	<0.05	<0.01	<0.5	<50
*Blk BLANK	<0.01	<0.1	<0.01	<2	<0.05	<0.01	<0.5	<50

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
113193	14.6	6.9	3.24	4.4	0.6	38.0	4.0	0.03
113194	12.3	6.4	3.63	3.3	0.5	19.8	4.1	0.03
113195	12.9	8.5	2.47	4.3	0.7	26.3	3.7	0.03
113196	11.8	6.8	1.62	3.9	0.6	24.3	3.7	0.03
113197	11.4	5.8	1.97	3.8	0.7	24.0	4.0	0.04
113198	13.1	6.8	1.94	4.1	0.6	23.7	4.2	0.03
113199	12.4	6.0	0.96	4.0	0.5	24.6	3.7	0.03
113200	11.1	5.1	0.75	3.9	0.6	23.3	3.4	0.03
113267	14.8	6.7	2.09	1.3	0.6	5.3	0.9	0.02
113268	10.6	6.2	1.85	3.4	0.5	12.2	4.3	0.04
113269	15.1	7.3	4.69	3.7	0.6	12.3	4.2	0.03
113270	10.8	6.1	0.84	3.4	0.5	13.6	3.0	0.04
113271	10.1	5.7	0.76	3.1	0.5	11.1	2.8	0.03
113272	11.0	5.7	0.84	3.4	0.6	14.9	2.8	0.04
113273	11.7	6.7	0.71	2.6	0.5	10.2	2.7	0.03
113274	11.0	6.5	0.78	4.1	0.6	13.2	4.1	0.04
113275	12.7	7.3	0.79	3.7	0.6	8.7	5.4	0.04
113276	13.9	8.1	0.93	2.6	0.6	8.5	4.0	0.04
113277	15.9	6.1	1.17	2.8	0.5	6.5	8.5	0.03
113278	17.9	5.8	1.06	3.4	0.4	6.2	10.1	0.03
113279	15.3	5.9	0.95	3.1	0.7	6.1	9.8	0.02
113280	19.6	6.6	1.38	2.6	0.5	5.3	8.0	0.02
113281	18.7	5.9	3.17	3.3	0.5	6.3	9.7	0.03
113282	20.5	6.9	3.02	3.0	0.4	4.2	7.8	0.03
113283	17.8	8.2	2.91	2.7	0.4	3.9	10.6	0.02
113284	14.8	7.9	1.39	4.2	0.6	9.0	5.5	0.05
113285	13.0	6.2	1.78	3.7	0.5	8.1	5.2	0.04
113286	13.1	7.2	0.45	2.8	0.7	8.6	2.6	0.03
113287	17.4	6.9	1.10	4.8	0.6	14.8	3.9	0.04
113288	14.7	5.2	1.55	3.9	0.5	19.0	3.6	0.04
113289	8.4	5.6	0.59	3.2	0.5	11.7	2.9	0.04
113290	9.2	5.4	0.58	2.9	0.5	14.2	2.7	0.04
113291	11.6	7.0	0.68	2.6	0.6	10.1	1.7	0.03
113292	16.0	5.6	1.39	3.7	0.5	19.5	3.4	0.03
113293	12.4	5.6	0.93	3.7	0.5	22.8	3.2	0.04
113294	10.7	4.7	0.81	3.9	0.5	21.9	4.4	0.03
113295	13.3	6.4	1.13	4.4	0.6	40.4	3.2	0.03
113296	11.6	6.6	0.80	4.1	0.6	26.1	4.0	0.03
113297	15.5	6.7	1.34	3.5	0.6	28.1	3.1	0.03
113298	18.3	7.6	1.66	3.3	0.5	26.8	2.1	0.03

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
113299	15.7	6.9	1.33	4.8	0.6	33.0	4.0	0.04
113300	10.9	6.0	0.72	4.0	0.6	28.9	4.0	0.04
11651	16.8	7.3	2.22	2.8	0.6	9.5	4.1	0.04
11652	10.1	5.6	0.74	2.4	0.5	11.0	1.9	0.03
11653	10.0	4.9	0.72	2.2	0.5	12.2	1.3	0.04
11654	13.4	7.8	1.06	3.1	0.6	8.5	3.6	0.04
11655	11.8	7.7	0.74	3.9	0.6	9.8	3.1	0.04
11656	13.8	7.5	1.23	5.3	0.7	10.4	4.2	0.06
11657	20.1	6.7	4.77	2.2	0.5	6.9	3.5	0.02
11658	22.0	7.2	1.78	3.2	0.5	7.7	5.2	0.04
11659	15.2	7.8	2.21	2.7	0.9	16.7	2.9	0.07
11660	10.6	7.1	1.21	2.9	0.9	19.6	4.3	0.07
11661	11.7	6.6	1.45	2.7	0.8	17.5	4.8	0.07
11662	16.3	9.0	1.79	3.7	0.5	24.3	4.3	0.06
11663	10.6	7.6	1.04	3.6	0.5	26.6	4.4	0.07
11664	17.0	6.0	1.41	2.8	0.3	15.1	4.9	0.06
11665	14.2	8.2	2.67	2.8	0.4	18.3	8.4	0.04
11666	17.1	6.6	1.94	2.8	0.8	17.4	4.5	0.04
11667	12.9	6.5	1.07	2.1	0.8	16.9	1.3	0.04
11668	12.2	9.1	3.60	3.2	0.5	26.3	5.7	0.11
11669	7.5	12.8	1.00	2.6	0.6	16.4	8.5	0.06
11670	14.5	5.6	1.08	2.5	0.3	13.4	4.2	0.06
11671	10.5	9.4	0.87	3.2	0.6	11.3	5.7	0.07
11672	9.5	8.6	0.68	1.4	0.6	8.3	1.8	0.05
11673	9.6	10.3	0.69	3.1	0.6	28.1	6.3	0.08
11674	23.4	9.9	2.39	2.8	0.4	22.4	9.3	0.06
11675	11.7	13.4	1.23	3.4	0.6	21.0	6.2	0.06
11676	16.3	11.8	1.56	2.8	0.4	20.9	6.3	0.06
11677	14.3	8.8	1.37	3.9	0.5	31.1	5.0	0.06
11678	12.7	7.6	1.38	3.5	0.4	25.4	5.2	0.06
11679	14.9	9.7	1.29	3.7	0.5	34.3	4.4	0.06
11680	11.5	5.8	0.74	3.1	0.5	30.6	2.8	0.04
11681	13.0	14.6	5.24	2.3	0.5	35.9	6.0	0.03
11682	13.2	13.8	4.26	2.7	0.5	21.7	10.5	0.05

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
*Rep 113193	14.2	6.8	3.47	4.3	0.7	39.2	4.0	0.03
*Rep 113297	15.2	7.4	1.25	3.8	0.6	26.4	2.9	0.03
*Rep 11661	11.5	6.2	1.31	2.6	0.4	18.1	4.9	0.06
*Rep 11673	9.5	10.3	0.67	3.1	0.6	29.5	6.3	0.08
*Std OREAS920	21.1	23.0	0.50	2.8	1.2	15.8	15.7	0.12
*Std OREAS209	3.2	4.0	0.97	3.8	1.1	63.3	1.8	0.13
*Std OREAS209	3.1	3.9	1.38	3.8	1.1	65.3	1.9	0.15
*Blk BLANK	<0.2	<0.2	<0.05	<0.1	<0.3	<0.5	<0.1	<0.01
*Blk BLANK	<0.2	<0.2	<0.05	<0.1	<0.3	<0.5	<0.1	<0.01
*Blk BLANK	<0.2	<0.2	<0.05	<0.1	<0.3	<0.5	<0.1	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC162738 Order: AUX16-1 (4 of 10)
Report File No: 000013956

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
113193	0.09	3.07	41	0.2	9.46	88
113194	0.10	0.91	34	0.1	7.15	72
113195	0.10	2.90	44	0.3	8.71	76
113196	0.09	1.40	44	0.2	7.81	71
113197	0.08	1.55	42	0.7	7.88	73
113198	0.09	3.20	45	0.1	8.20	77
113199	0.09	4.08	43	0.4	8.83	79
113200	0.11	3.99	44	<0.1	9.09	83
113267	0.08	0.30	32	0.2	2.19	54
113268	0.07	0.65	41	<0.1	6.82	61
113269	0.07	0.83	40	<0.1	7.27	64
113270	0.07	0.72	40	<0.1	7.56	65
113271	0.06	0.65	40	<0.1	6.08	55
113272	0.06	0.74	40	<0.1	7.18	65
113273	0.07	0.62	42	0.1	4.40	54
113274	0.07	0.80	45	0.2	9.32	74
113275	0.07	0.70	41	<0.1	7.04	69
113276	0.09	0.47	43	<0.1	3.54	64
113277	0.06	0.54	30	<0.1	6.07	73
113278	0.07	0.86	30	<0.1	8.22	65
113279	0.05	0.56	27	<0.1	8.17	71
113280	0.06	0.46	28	<0.1	5.94	67
113281	0.06	0.44	33	<0.1	6.91	69
113282	0.08	0.35	31	<0.1	4.58	68
113283	0.07	0.50	28	<0.1	5.12	80
113284	0.10	0.88	51	0.1	6.58	66
113285	0.08	0.69	34	<0.1	7.49	63
113286	0.09	0.61	44	<0.1	4.32	41
113287	0.09	0.77	48	0.1	10.7	76
113288	0.07	0.87	41	0.1	9.39	78
113289	0.07	0.60	38	0.2	7.98	57
113290	0.06	0.64	35	<0.1	8.20	60
113291	0.07	0.56	41	<0.1	5.60	56
113292	0.08	1.02	38	0.1	8.73	67
113293	0.07	1.12	37	0.1	8.70	67
113294	0.07	1.05	39	0.1	8.22	62
113295	0.08	4.73	48	0.1	9.77	70
113296	0.08	1.57	44	0.2	8.59	67
113297	0.10	1.29	45	<0.1	7.38	75
113298	0.09	1.88	48	0.1	7.22	85

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
113299	0.10	2.23	46	0.2	10.2	90
113300	0.08	2.30	42	<0.1	9.07	77
11651	0.09	0.79	37	<0.1	5.28	62
11652	0.07	0.66	31	0.2	6.07	54
11653	0.07	0.62	33	<0.1	6.38	60
11654	0.08	0.54	48	0.1	5.07	58
11655	0.08	0.74	47	<0.1	6.97	60
11656	0.09	0.75	52	0.1	10.7	65
11657	0.09	0.32	22	<0.1	4.45	57
11658	0.10	0.58	38	<0.1	5.96	63
11659	0.11	0.69	48	0.3	5.77	55
11660	0.09	0.94	43	0.3	6.62	50
11661	0.09	0.74	40	0.2	6.59	52
11662	0.11	0.99	48	0.2	7.56	76
11663	0.10	1.30	46	0.2	8.00	73
11664	0.10	0.68	38	0.2	6.72	66
11665	0.12	1.32	30	0.2	6.85	78
11666	0.11	0.96	34	0.2	6.34	69
11667	0.10	0.90	36	0.3	5.89	56
11668	0.12	2.24	44	0.2	6.87	75
11669	0.15	1.51	29	0.3	6.45	74
11670	0.10	0.73	38	0.2	6.86	53
11671	0.12	0.90	49	0.2	5.59	50
11672	0.10	0.41	44	0.2	2.24	37
11673	0.13	0.86	40	0.2	6.60	54
11674	0.17	0.92	31	0.2	8.57	94
11675	0.17	0.87	37	0.3	7.74	68
11676	0.16	0.81	36	0.2	6.69	81
11677	0.11	1.34	46	0.3	8.59	82
11678	0.11	1.15	40	0.2	7.96	81
11679	0.13	2.61	45	0.2	9.30	82
11680	0.15	5.72	39	0.2	6.93	72
11681	0.23	3.20	33	0.4	7.94	78
11682	0.19	1.32	33	0.3	7.38	86

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC182738 Order: AUX16-1 (4 of 10)
Report Print No: RDM013686

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
*Rep 113193	0.09	2.98	42	0.1	9.05	87
*Rep 113297	0.09	1.28	44	<0.1	7.70	72
*Rep 11661	0.09	0.77	40	0.2	6.39	52
*Rep 11673	0.13	0.86	40	0.2	6.41	57
*Std OREAS920	0.17	2.10	22	0.3	17.3	109
*Std OREAS209	0.04	0.42	43	0.2	13.8	79
*Std OREAS209	0.04	0.44	45	0.4	13.0	78
*Blk BLANK	<0.02	<0.05	<1	<0.1	<0.05	<1
*Blk BLANK	<0.02	<0.05	<1	<0.1	<0.05	<1
*Blk BLANK	<0.02	<0.05	<1	<0.1	<0.05	<1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis
Work Order : VC162739
[Report File No.: 0000018967]

Date: September 14, 2016

To: **Helena Kuikka**
STRATA GOLD CORPORATION
SUITE 910 - 1050 W PENDER ST
VANCOUVER BC V6E 3S7

P.O. No.: AUX16-1 (5 of 10)
Project No.: AUREX
Samples: 74
Received: Aug 29, 2016
Pages: Page 1 to 16
(Inclusive of Cover Sheet)

Methods Summary

No. Of Samples	Method Code	Description
74	G_LOG02	Pre-preparation processing, sorting, logging, boxing
74	G_WGH79	Weighing of samples and reporting of weights
74	GE_FAI313	@Au, Pt, Pd, FAS, ICP-AES, 30g - 5ml (Clean Pots only)
74	GE_IMS14B	Aqua Regia digestion/ICP-MS package

Storage: Pulp & Reject

REJECT STORAGE	:	STORE
PULP STORAGE	:	STORE

Certified By :

John Chiang
QC Chemist

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the @ symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	WtKg	Au@	Ag	Al	As	Ba	Bi	Ca
Method	G_WGH79	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	1	0.01	0.01	1	5	0.02	0.01
Units	kg	ppb	ppm	%	ppm	ppm	ppm	%
11683	0.415	3	0.16	1.36	25	484	0.21	0.56
11684	0.340	4	0.25	1.40	35	415	0.19	0.62
11685	0.395	9	0.47	1.09	77	361	0.22	0.44
11686	0.375	7	0.54	1.16	61	341	0.19	0.55
11687	0.390	5	0.59	1.25	35	341	0.17	0.44
11688	0.430	22	1.09	1.38	207	447	0.31	0.50
11689	0.380	6	0.73	0.97	31	353	0.18	0.26
11690	0.430	4	0.49	1.21	33	332	0.18	0.34
11691	0.365	6	0.27	1.35	27	250	0.18	0.27
11692	0.265	3	0.17	0.81	10	319	0.12	0.44
11693	0.275	6	0.18	1.16	8	376	0.13	0.31
11694	0.340	15	0.28	1.03	78	238	0.24	0.21
11695	0.300	1	0.20	2.02	30	144	0.21	0.09
11696	0.295	6	0.17	0.71	9	165	0.14	0.18
11697	0.440	4	0.21	1.53	25	495	0.18	0.42
11698	0.400	4	0.28	2.12	47	509	0.19	0.61
11699	0.355	5	0.21	1.45	33	404	0.19	0.51
11700	0.400	8	0.23	1.38	43	436	0.19	0.50
11701	0.470	79	0.18	1.45	441	464	1.50	0.41
11702	0.610	9	0.16	1.49	138	266	0.39	0.33
11703	0.570	29	0.14	1.57	298	231	0.48	0.25
11704	0.585	53	0.20	1.62	1490	162	1.51	0.21
11705	0.625	30	0.42	1.25	364	215	0.60	0.30
11706	0.510	9	0.34	1.47	165	317	0.40	0.42
11707	0.535	9	0.50	1.41	123	406	0.30	0.41
11708	0.450	7	0.37	1.39	90	431	0.30	0.44
11709	0.255	4	0.20	1.08	8	303	0.15	0.19
11710	0.380	5	0.20	1.13	22	337	0.14	0.37
11711	0.285	9	0.54	1.26	47	315	0.27	0.27
11712	0.370	5	0.30	1.39	57	369	0.23	0.39
11713	0.395	4	0.22	1.21	33	452	0.19	0.55
11714	0.395	5	0.35	1.48	68	506	0.20	0.59
11715	0.600	48	0.37	1.21	474	367	0.77	0.37
11716	0.345	7	0.15	0.88	56	323	0.13	0.31
11717	0.265	4	0.16	1.04	31	310	0.13	0.55
11718	0.315	7	0.25	1.61	182	402	0.27	0.51
11719	0.355	32	0.35	1.31	451	262	0.47	0.69
11720	0.365	4	0.22	1.40	62	376	0.19	0.49
11721	0.430	5	0.15	1.25	15	329	0.14	0.45
11722	0.355	5	0.23	1.35	21	399	0.17	0.52

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC162739 Order: AUX16-1 (5 of 10)

Element	WtKg	Au@	Ag	Al	As	Ba	Bi	Ca
Method	G_WGH79	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	1	0.01	0.01	1	5	0.02	0.01
Units	kg	ppb	ppm	%	ppm	ppm	ppm	%
11723	0.485	5	0.65	1.62	55	481	0.21	0.61
11724	0.505	9	1.04	1.30	69	384	0.21	0.82
11725	0.520	8	1.31	1.33	66	343	0.21	0.85
11726	0.325	3	0.40	1.36	33	412	0.18	0.45
11727	0.500	4	0.55	1.46	40	468	0.19	0.56
11736	0.405	16	0.23	1.53	47	446	0.19	0.57
11737	0.425	10	0.45	0.96	113	169	0.35	0.42
11738	0.340	14	0.40	1.51	93	438	0.22	0.78
11739	0.335	19	0.30	1.20	114	319	0.22	0.54
11740	0.345	39	0.19	1.59	175	442	0.12	0.36
11741	0.400	13	0.09	1.38	39	214	0.12	0.29
11742	0.365	3	0.14	1.31	15	309	0.13	0.29
11743	0.345	8	0.19	1.33	39	451	0.15	0.37
11744	0.365	3	0.14	1.23	21	375	0.14	0.33
11745	0.310	4	0.23	1.38	21	352	0.15	0.38
11746	0.400	3	0.20	1.49	19	391	0.15	0.39
11747	0.355	3	0.24	1.63	28	444	0.16	0.43
11748	0.405	6	0.40	1.31	45	363	0.17	0.46
11749	0.395	5	0.26	1.53	35	477	0.16	0.50
11750	0.375	5	0.34	1.46	43	396	0.17	0.50
12638	0.415	4	0.39	1.69	32	512	0.17	0.59
12639	0.370	10	0.59	1.18	145	332	0.19	0.62
12640	0.370	10	0.40	1.43	146	463	0.26	0.40
12641	0.375	6	0.22	1.44	124	387	0.22	0.36
12642	0.420	9	0.16	1.23	65	352	0.18	0.33
12643	0.440	4	0.15	1.18	14	326	0.13	0.33
12644	0.400	10	0.26	1.07	144	297	0.23	0.34
12645	0.410	20	0.29	1.55	287	355	0.35	0.47
12646	0.440	38	0.35	1.15	839	181	0.72	0.31
12647	0.480	17	0.19	1.25	101	363	0.22	0.37
12648	0.410	6	0.23	1.26	63	364	0.19	0.39
12649	0.360	5	0.15	1.21	45	316	0.16	0.31
1567801	0.470	6	0.21	1.24	48	432	0.20	0.36
1567802	0.495	10	0.20	1.34	102	390	0.23	0.36
*Rep 11697		6						
*Rep 11702		11						
*Rep 11742		3						
*Rep 12644		10						
*Std ME-1309		117						
*Std OREASH1		11						

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Au@	Ag	Al	As	Ba	Bi	Ca
Method	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	1	0.01	0.01	1	5	0.02	0.01
Units	ppb	ppm	%	ppm	ppm	ppm	%
*Std OREAS151B	63						
*Std AMIS0319	35						
*Blk BLANK	<1						
*Blk BLANK	<1						
*Rep 11685		0.49	1.18	91	370	0.22	0.49
*Rep 11719		0.31	1.27	434	266	0.49	0.60
*Rep 11741		0.09	1.45	39	217	0.10	0.29
*Rep 12639		0.57	1.03	139	318	0.18	0.57
*Std OREAS920		0.09	2.49	4	78	0.76	0.34
*Std OREAS209		0.25	1.09	1070	69	0.05	1.53
*Std OREAS920		0.09	2.63	5	90	0.76	0.36
*Std OREAS209		0.27	1.18	1110	79	0.05	1.49
*Blk BLANK		<0.01	<0.01	<1	<5	<0.02	<0.01
*Blk BLANK		<0.01	<0.01	<1	<5	<0.02	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
11683	0.37	29.4	11.2	28	30.3	2.57	4.4	0.04
11684	0.39	29.8	11.0	27	30.7	2.70	4.4	0.06
11685	0.49	30.0	10.4	22	33.6	2.83	4.4	0.04
11686	0.18	22.3	8.8	23	28.2	2.15	3.7	0.04
11687	0.16	28.6	8.3	26	29.6	2.46	4.0	0.03
11688	0.30	28.4	11.1	32	44.1	2.59	3.9	0.05
11689	0.25	31.7	6.5	18	27.8	2.37	4.0	0.03
11690	0.24	29.7	9.1	24	26.0	2.36	4.2	0.03
11691	0.29	30.3	7.1	24	28.2	2.66	5.0	0.04
11692	0.50	24.9	6.6	18	13.7	1.29	2.8	0.05
11693	0.40	25.6	7.1	23	18.1	1.56	3.9	0.04
11694	0.41	41.3	8.2	19	26.5	2.30	3.6	0.03
11695	0.25	21.1	9.6	31	17.2	3.26	5.4	0.02
11696	0.10	20.7	3.1	15	5.3	1.21	4.1	0.01
11697	0.23	30.2	11.5	34	32.0	2.73	4.6	0.04
11698	0.32	31.3	15.2	47	44.3	3.71	5.3	0.06
11699	0.17	31.1	9.8	29	28.3	2.88	4.9	0.05
11700	0.26	31.3	11.3	32	30.5	2.72	4.1	0.04
11701	0.20	34.3	11.4	25	23.8	2.77	4.7	0.03
11702	0.12	30.2	11.2	24	28.9	2.70	4.9	0.01
11703	0.10	36.7	14.9	23	29.3	3.66	5.2	0.02
11704	0.10	28.7	19.5	24	56.1	4.98	5.7	0.01
11705	0.20	32.0	10.0	22	26.8	2.81	4.2	0.02
11706	0.26	31.9	11.4	27	28.1	2.80	4.2	0.02
11707	0.41	29.2	10.5	25	36.1	2.87	4.5	0.03
11708	0.41	28.8	11.1	26	28.4	2.58	4.5	0.04
11709	0.38	24.1	3.1	21	21.9	1.11	4.1	0.07
11710	0.45	24.3	5.5	25	22.1	1.31	3.2	0.05
11711	0.62	28.8	6.3	21	33.3	2.10	4.1	0.06
11712	0.40	28.0	8.9	24	25.8	2.62	4.6	0.05
11713	0.55	26.8	8.4	24	25.0	2.34	4.5	0.06
11714	0.78	28.6	13.0	29	36.7	2.94	4.5	0.05
11715	0.47	45.5	13.6	23	45.4	3.11	4.1	0.04
11716	0.38	23.6	4.8	17	14.8	1.26	3.1	0.02
11717	0.29	20.1	3.3	18	15.7	1.20	3.2	0.05
11718	0.58	28.8	12.3	26	26.3	3.13	4.4	0.04
11719	0.38	27.9	13.5	23	23.9	2.58	4.1	0.06
11720	0.38	27.9	11.3	26	25.2	2.79	4.5	0.04
11721	0.26	26.1	8.5	27	22.5	2.10	3.9	0.03
11722	0.30	28.5	8.7	24	27.3	2.66	4.3	0.05

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
11723	0.46	30.3	12.2	32	40.3	2.87	4.7	0.04
11724	0.66	32.6	10.8	24	46.4	3.03	4.5	0.05
11725	0.58	31.9	12.7	28	49.4	2.77	4.2	0.04
11726	0.33	27.9	9.4	25	27.4	2.52	4.0	0.06
11727	0.52	30.0	15.2	30	34.4	2.75	4.7	0.05
11736	0.21	36.1	11.0	31	35.9	3.01	4.8	0.04
11737	0.52	48.9	12.1	17	44.9	3.30	3.7	0.04
11738	0.43	34.9	14.2	33	39.3	3.25	4.1	0.08
11739	0.46	43.2	16.4	32	38.9	3.45	4.3	0.06
11740	0.38	38.0	23.0	62	35.5	5.24	5.9	0.07
11741	0.15	31.7	12.6	61	28.8	3.21	5.6	0.03
11742	0.32	33.5	5.9	24	21.5	2.00	4.1	0.04
11743	0.24	32.5	7.9	25	25.9	2.60	4.5	0.04
11744	0.19	29.7	7.1	24	24.7	2.15	3.6	0.04
11745	0.26	27.9	5.7	23	21.0	2.38	4.9	0.05
11746	0.16	33.4	8.5	28	24.2	2.21	4.4	0.03
11747	0.27	33.0	9.7	30	27.8	2.65	4.7	0.03
11748	0.42	34.1	9.7	27	33.6	2.49	4.1	0.03
11749	0.33	35.6	9.7	29	34.2	2.95	4.5	0.04
11750	0.26	33.4	10.9	27	31.6	2.68	4.9	0.03
12638	0.45	33.5	11.8	28	34.2	2.79	4.5	0.05
12639	0.54	32.1	9.5	23	29.8	2.99	3.5	0.04
12640	0.61	37.2	16.2	25	26.5	3.16	4.3	0.06
12641	0.21	35.2	8.7	23	24.4	2.35	4.3	0.02
12642	0.16	36.5	6.8	25	27.5	2.17	4.0	0.01
12643	0.16	35.4	6.3	24	22.7	2.10	3.9	0.03
12644	0.21	39.8	8.2	19	28.2	2.38	3.5	0.02
12645	0.22	51.7	13.6	27	38.1	3.03	4.7	0.03
12646	0.21	57.8	14.1	16	50.8	3.35	3.6	0.03
12647	0.10	36.4	8.9	23	26.3	2.32	3.9	0.04
12648	0.13	34.1	8.1	24	25.6	2.39	4.0	0.03
12649	0.09	33.4	6.9	21	21.6	2.20	3.9	0.02
1567801	0.43	29.8	7.9	24	22.8	2.26	4.2	0.05
1567802	0.36	30.2	9.4	23	25.2	2.47	4.0	0.05

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
*Rep 11685	0.47	29.2	11.7	25	34.2	2.82	3.8	0.05
*Rep 11719	0.39	30.1	11.7	21	24.0	2.57	4.4	0.04
*Rep 11741	0.16	31.8	13.1	61	26.7	3.06	5.3	0.03
*Rep 12639	0.46	29.2	9.1	22	26.9	2.69	3.0	0.03
*Std OREAS920	0.06	74.3	14.9	41	108	3.95	7.7	<0.01
*Std OREAS209	0.07	26.6	27.6	36	67.6	5.96	4.1	<0.01
*Std OREAS920	0.06	73.3	14.5	45	110	3.62	7.1	<0.01
*Std OREAS209	0.07	26.3	28.4	41	71.7	6.33	4.1	<0.01
*Blk BLANK	<0.01	<0.05	<0.1	<1	<0.5	<0.01	<0.1	<0.01
*Blk BLANK	<0.01	<0.05	<0.1	<1	<0.5	<0.01	<0.1	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
11683	0.04	14.6	0.41	357	1.43	0.02	23.1	730
11684	0.04	13.9	0.44	330	1.23	0.02	21.7	770
11685	0.06	16.6	0.46	404	1.18	0.02	29.8	650
11686	0.05	13.4	0.39	361	1.23	0.02	21.1	640
11687	0.05	15.7	0.43	304	1.24	0.02	22.7	610
11688	0.08	15.7	0.46	443	1.80	0.02	28.4	670
11689	0.05	17.6	0.44	244	1.03	0.01	26.7	670
11690	0.04	16.2	0.40	254	1.25	0.02	22.3	580
11691	0.03	15.8	0.37	170	1.21	0.01	19.2	780
11692	0.03	14.6	0.27	123	0.42	0.01	14.9	540
11693	0.03	13.4	0.32	125	0.53	0.01	15.7	580
11694	0.04	23.2	0.38	170	0.92	0.01	23.0	560
11695	0.05	10.7	0.33	402	1.95	0.02	19.3	370
11696	0.03	13.0	0.20	86	0.73	0.01	9.1	280
11697	0.05	16.2	0.45	402	1.84	0.02	29.0	650
11698	0.04	14.3	0.46	602	2.69	0.03	29.6	770
11699	0.04	16.1	0.44	285	1.49	0.02	27.0	660
11700	0.04	17.7	0.45	349	1.64	0.02	30.2	570
11701	0.15	18.2	0.47	307	1.06	0.02	21.9	620
11702	0.17	16.8	0.47	404	0.70	0.02	24.8	510
11703	0.14	19.1	0.57	394	0.80	0.01	28.7	490
11704	0.37	18.5	0.63	472	0.53	0.02	33.1	370
11705	0.08	18.9	0.48	224	0.99	0.02	27.4	560
11706	0.04	16.6	0.44	292	1.23	0.02	25.6	660
11707	0.07	16.6	0.50	309	1.25	0.02	31.6	630
11708	0.04	15.6	0.40	229	1.03	0.02	24.7	700
11709	0.03	13.0	0.26	68	0.27	0.02	12.5	480
11710	0.04	13.2	0.29	84	0.59	0.02	14.1	560
11711	0.05	15.0	0.39	112	0.73	0.01	21.0	730
11712	0.04	13.5	0.36	163	0.80	0.02	20.4	790
11713	0.04	13.6	0.38	132	0.74	0.01	21.9	730
11714	0.04	14.0	0.41	564	1.30	0.02	24.9	780
11715	0.08	25.0	0.48	310	1.06	0.02	33.9	630
11716	0.03	12.4	0.26	98	0.40	0.01	12.4	680
11717	0.02	10.2	0.22	66	0.27	0.01	9.8	760
11718	0.04	14.6	0.35	254	1.23	0.02	21.4	830
11719	0.06	15.3	0.37	640	0.93	0.02	22.0	640
11720	0.04	14.4	0.35	544	1.14	0.02	22.6	750
11721	0.04	14.4	0.36	312	0.95	0.02	21.5	700
11722	0.04	15.3	0.41	388	1.17	0.02	25.5	740

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
11723	0.07	14.8	0.48	496	1.54	0.02	30.1	730
11724	0.10	16.6	0.57	545	1.82	0.02	33.0	830
11725	0.10	16.6	0.54	495	1.99	0.02	32.1	840
11726	0.04	14.6	0.40	305	1.32	0.02	23.7	700
11727	0.06	15.8	0.46	1070	1.80	0.02	27.9	730
11736	0.05	18.1	0.44	380	1.58	0.02	27.4	660
11737	0.07	23.6	0.46	631	1.31	0.01	31.9	540
11738	0.04	18.1	0.41	718	2.50	0.02	39.7	630
11739	0.05	24.6	0.47	516	2.33	0.02	43.4	520
11740	0.09	19.7	0.87	671	1.85	0.02	63.6	760
11741	0.04	16.9	0.92	346	0.82	0.01	43.6	580
11742	0.04	16.4	0.40	155	0.71	0.02	19.4	780
11743	0.05	17.3	0.42	291	1.15	0.02	25.0	670
11744	0.04	15.4	0.40	247	1.04	0.02	21.2	640
11745	0.05	14.0	0.38	189	1.07	0.02	19.2	740
11746	0.05	17.0	0.43	292	1.06	0.02	21.6	610
11747	0.05	16.8	0.45	440	1.19	0.02	24.4	740
11748	0.06	18.0	0.45	540	1.17	0.02	27.2	680
11749	0.06	18.6	0.52	448	1.28	0.02	28.1	740
11750	0.05	17.4	0.48	472	1.22	0.02	25.1	650
12638	0.06	17.3	0.41	478	0.98	0.02	28.3	650
12639	0.05	16.1	0.38	283	1.29	0.02	23.0	760
12640	0.05	18.5	0.34	545	1.06	0.01	27.1	780
12641	0.07	17.7	0.37	280	0.98	0.02	22.7	580
12642	0.06	18.1	0.38	222	0.90	0.01	22.2	550
12643	0.05	18.1	0.41	200	0.90	0.02	21.2	640
12644	0.07	20.6	0.37	343	0.88	0.02	24.0	600
12645	0.11	25.7	0.51	427	0.99	0.03	31.7	540
12646	0.12	29.8	0.41	580	0.88	0.02	35.0	530
12647	0.06	19.5	0.40	340	0.98	0.01	22.8	440
12648	0.05	18.0	0.43	289	1.00	0.01	22.3	510
12649	0.04	17.3	0.39	260	0.83	0.01	18.4	490
1567801	0.04	15.8	0.39	166	0.82	0.01	20.8	670
1567802	0.04	14.8	0.39	320	0.96	0.01	22.6	700

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
*Rep 11685	0.06	15.8	0.42	409	1.34	0.02	28.9	640
*Rep 11719	0.06	16.5	0.39	580	0.87	0.01	22.3	670
*Rep 11741	0.04	16.6	0.91	354	0.74	0.01	42.5	560
*Rep 12639	0.05	15.1	0.35	254	1.22	0.01	21.0	670
*Std OREAS920	0.42	35.8	1.12	526	0.40	0.03	40.0	710
*Std OREAS209	0.06	14.3	2.23	1310	1.92	0.16	111	1410
*Std OREAS920	0.45	36.2	1.11	548	0.38	0.03	37.4	690
*Std OREAS209	0.06	13.8	2.27	1400	2.07	0.19	116	1450
*Blk BLANK	<0.01	<0.1	<0.01	<2	<0.05	<0.01	<0.5	<50
*Blk BLANK	<0.01	<0.1	<0.01	<2	<0.05	<0.01	<0.5	<50

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
11683	11.9	6.1	0.91	4.6	0.4	35.6	4.4	0.04
11684	13.1	6.1	0.98	4.4	0.4	40.2	4.1	0.04
11685	18.1	5.5	1.63	3.7	<0.3	42.3	5.6	0.05
11686	18.0	5.9	1.60	3.2	<0.3	31.4	4.1	0.03
11687	16.3	5.7	1.33	3.6	0.3	20.5	4.0	0.03
11688	22.6	7.4	2.82	4.1	0.3	20.6	5.1	0.04
11689	20.0	4.2	1.53	2.8	<0.3	18.7	5.0	0.03
11690	15.8	5.5	1.12	3.3	<0.3	19.8	4.2	0.04
11691	13.4	5.6	0.85	3.9	0.4	18.8	3.7	0.04
11692	9.0	4.8	1.55	2.1	<0.3	31.6	3.5	0.02
11693	10.1	5.2	1.41	2.9	<0.3	23.3	3.0	0.02
11694	17.5	5.8	5.72	2.8	<0.3	14.4	5.9	0.03
11695	13.1	10.9	1.18	2.9	0.5	7.4	3.1	0.04
11696	7.9	3.7	0.44	1.4	0.3	15.5	2.5	0.04
11697	11.4	6.8	2.65	4.7	0.4	25.3	4.3	0.04
11698	11.5	8.6	4.56	7.0	0.6	23.3	4.2	0.04
11699	13.4	6.2	3.61	4.4	0.4	29.1	4.3	0.03
11700	13.6	5.9	4.90	4.3	<0.3	27.6	5.1	0.04
11701	11.0	19.5	0.83	2.8	0.7	38.0	7.9	0.06
11702	7.0	21.3	1.12	3.1	0.6	23.9	6.9	0.06
11703	7.7	16.8	0.90	3.2	0.6	22.4	8.9	0.05
11704	7.7	38.7	1.83	3.0	1.0	40.8	13.3	0.06
11705	12.8	7.6	1.13	2.7	0.3	29.5	8.0	0.04
11706	12.7	6.3	0.84	3.4	0.3	27.7	5.4	0.04
11707	15.9	7.2	1.24	3.9	0.4	38.2	6.2	0.06
11708	13.6	7.4	0.75	3.7	0.4	34.1	4.0	0.03
11709	10.1	3.3	0.52	2.7	<0.3	18.1	2.3	0.03
11710	9.2	4.2	0.54	3.1	0.3	20.9	3.0	0.04
11711	19.8	5.4	1.44	3.2	0.3	19.6	4.7	0.03
11712	14.6	5.9	0.91	3.6	0.4	30.0	3.8	0.03
11713	12.5	5.6	0.71	3.8	0.3	44.4	3.9	0.03
11714	14.4	5.2	1.16	4.7	0.4	38.8	4.5	0.04
11715	19.0	7.5	3.99	3.3	0.3	27.6	10.9	0.03
11716	8.1	3.8	0.76	2.2	<0.3	21.7	3.3	0.03
11717	7.8	3.6	0.78	2.0	<0.3	27.2	1.5	0.02
11718	13.7	6.7	1.80	3.7	0.3	31.4	4.0	0.03
11719	14.8	9.3	3.27	3.4	0.3	38.8	4.9	0.04
11720	12.7	6.0	0.95	4.1	0.3	31.7	3.8	0.03
11721	8.0	5.9	0.62	3.5	0.3	25.8	3.7	0.04
11722	11.4	5.7	0.87	4.1	0.3	30.8	4.3	0.05

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
11723	19.2	7.3	1.53	5.1	0.4	33.6	4.8	0.06
11724	30.6	6.0	3.05	4.0	<0.3	28.7	6.0	0.04
11725	32.6	6.6	3.12	4.0	<0.3	27.5	6.1	0.03
11726	16.8	6.3	1.03	4.0	0.3	28.4	4.3	0.04
11727	17.6	6.0	1.26	4.3	0.3	39.7	4.2	0.04
11736	12.8	6.2	5.84	4.9	0.3	29.4	5.0	0.04
11737	37.8	4.9	18.3	2.5	<0.3	22.6	9.4	0.02
11738	19.0	6.1	13.3	5.0	<0.3	42.6	4.6	0.03
11739	18.7	4.8	18.7	4.4	<0.3	34.2	6.6	0.02
11740	11.7	5.3	16.4	7.3	<0.3	27.0	5.5	0.01
11741	9.5	4.6	3.29	3.8	<0.3	15.7	4.2	0.09
11742	10.0	6.6	0.70	3.0	0.4	21.0	2.1	0.04
11743	10.9	7.3	1.17	3.9	0.4	25.1	4.3	0.04
11744	10.1	5.6	0.96	3.4	0.3	19.7	4.0	0.04
11745	11.6	7.7	0.86	3.2	0.4	24.1	1.8	0.03
11746	11.0	8.6	0.93	3.8	0.4	23.1	3.6	0.05
11747	13.0	8.9	1.29	4.6	0.5	28.6	3.4	0.05
11748	20.4	7.6	2.37	3.9	0.3	26.5	4.7	0.05
11749	14.0	7.2	1.61	4.5	0.4	30.6	5.1	0.05
11750	17.9	7.5	2.29	4.1	0.4	29.2	4.6	0.05
12638	15.8	7.8	1.20	4.7	0.4	31.3	4.5	0.05
12639	24.0	6.6	1.63	3.3	0.3	31.1	5.0	0.04
12640	16.6	9.7	1.66	3.9	0.3	25.5	4.1	0.03
12641	11.9	11.6	0.99	3.6	0.4	24.1	4.7	0.05
12642	11.4	8.2	1.15	3.6	0.4	22.0	5.4	0.06
12643	9.2	6.6	0.60	3.1	0.4	22.5	3.4	0.05
12644	14.5	7.7	1.85	3.1	0.3	22.2	7.4	0.05
12645	16.5	11.8	1.76	3.8	0.5	29.0	10.7	0.06
12646	22.7	12.9	5.76	3.1	0.3	16.8	14.2	0.02
12647	12.7	7.2	1.28	3.3	0.3	23.2	6.0	0.04
12648	13.5	7.2	1.04	3.4	0.3	24.2	4.8	0.04
12649	11.6	6.0	0.81	3.1	0.3	21.0	4.1	0.04
1567801	13.2	7.6	4.30	3.5	0.3	26.3	3.8	0.03
1567802	11.5	7.1	7.15	3.4	0.4	26.1	4.1	0.03

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
*Rep 11685	17.5	6.5	1.87	3.9	0.4	38.0	5.4	0.05
*Rep 11719	15.8	8.8	3.10	3.0	0.3	37.8	5.3	0.04
*Rep 11741	9.3	4.7	3.51	3.9	<0.3	16.0	4.2	0.09
*Rep 12639	23.1	5.7	1.52	3.0	<0.3	28.6	4.4	0.03
*Std OREAS920	20.5	23.2	0.46	3.0	1.0	16.8	16.0	0.13
*Std OREAS209	3.1	3.6	0.90	3.4	0.8	66.0	1.9	0.13
*Std OREAS920	19.5	26.6	0.51	3.1	1.2	16.1	15.6	0.15
*Std OREAS209	3.3	3.8	1.00	3.4	0.9	65.5	1.8	0.14
*Blk BLANK	<0.2	<0.2	<0.05	<0.1	<0.3	<0.5	<0.1	<0.01
*Blk BLANK	<0.2	<0.2	<0.05	<0.1	<0.3	<0.5	<0.1	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
11683	0.08	2.56	48	0.3	8.92	75
11684	0.07	2.74	48	0.2	9.84	67
11685	0.11	0.79	39	0.2	7.83	80
11686	0.10	1.52	32	0.2	6.81	68
11687	0.09	0.84	42	0.1	7.32	68
11688	0.16	0.51	35	0.1	7.99	98
11689	0.16	0.76	29	0.1	6.24	66
11690	0.11	0.86	37	0.2	7.05	67
11691	0.08	1.71	47	0.2	7.04	67
11692	0.07	2.17	18	0.2	5.92	63
11693	0.08	1.67	26	0.2	6.16	58
11694	0.07	0.71	29	0.1	8.61	73
11695	0.09	0.38	59	0.2	2.52	75
11696	0.09	0.34	27	0.2	2.19	34
11697	0.08	0.81	50	0.2	9.37	88
11698	0.06	0.69	66	0.2	12.3	97
11699	0.07	1.16	48	0.2	8.79	64
11700	0.06	0.86	42	0.2	9.12	81
11701	0.21	1.27	26	0.3	6.53	87
11702	0.23	1.29	26	0.3	6.88	72
11703	0.22	1.26	30	0.2	7.40	78
11704	0.47	3.99	20	0.2	7.48	101
11705	0.12	1.19	25	0.2	6.19	82
11706	0.07	1.58	34	0.2	7.95	89
11707	0.11	0.65	40	0.2	9.28	90
11708	0.10	3.60	46	0.2	8.41	72
11709	0.10	2.78	24	<0.1	5.21	44
11710	0.10	3.58	26	0.3	6.65	67
11711	0.13	3.16	33	0.2	7.19	75
11712	0.11	6.07	46	0.3	7.77	63
11713	0.10	8.20	44	0.2	8.05	64
11714	0.08	4.18	46	0.2	9.56	77
11715	0.12	1.02	32	1.9	8.56	98
11716	0.08	2.21	24	0.5	5.95	49
11717	0.10	1.54	27	0.2	5.68	33
11718	0.11	4.24	45	0.4	8.78	74
11719	0.11	3.32	29	0.3	7.41	70
11720	0.10	2.23	45	0.2	8.50	64
11721	0.07	0.88	34	0.2	7.44	64
11722	0.08	1.42	42	0.3	8.29	73

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
11723	0.10	0.56	48	0.3	10.3	93
11724	0.23	0.56	44	0.1	8.13	95
11725	0.18	0.54	39	<0.1	7.82	107
11726	0.09	2.01	46	0.2	7.94	66
11727	0.09	2.09	43	0.2	9.27	86
11736	0.06	0.82	52	0.2	10.7	70
11737	0.10	0.53	21	<0.1	7.09	90
11738	0.06	0.72	44	0.2	11.1	93
11739	0.06	0.58	36	0.1	9.94	95
11740	0.06	0.79	48	0.1	9.74	126
11741	0.07	0.57	37	0.1	7.24	69
11742	0.09	1.37	35	0.2	7.01	67
11743	0.08	1.12	40	0.2	7.67	75
11744	0.07	0.76	36	0.2	7.39	70
11745	0.10	1.14	38	0.2	6.52	59
11746	0.10	1.13	40	0.4	7.86	67
11747	0.09	1.72	47	0.2	9.02	77
11748	0.08	1.91	38	0.2	9.19	90
11749	0.09	1.45	45	0.2	10.0	90
11750	0.10	1.23	44	0.2	8.68	78
12638	0.11	2.12	44	0.2	10.7	87
12639	0.11	1.16	37	0.2	7.93	95
12640	0.13	2.64	36	0.4	10.7	92
12641	0.13	1.97	35	0.2	8.05	73
12642	0.11	0.93	36	0.2	8.49	70
12643	0.09	0.81	35	0.2	7.56	63
12644	0.10	0.72	28	0.4	7.90	74
12645	0.15	0.81	34	0.2	9.46	86
12646	0.17	0.94	19	0.2	10.4	90
12647	0.09	0.78	32	0.2	7.05	70
12648	0.09	1.07	37	0.2	7.10	65
12649	0.08	0.77	34	0.2	6.17	53
1567801	0.11	4.26	36	0.2	6.97	78
1567802	0.09	4.69	36	0.5	7.61	74

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC162739 Order: AUX16-1 (5 of 10)

Report File No: 000001936

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
*Rep 11685	0.11	0.74	35	0.2	8.59	89
*Rep 11719	0.11	3.48	26	0.6	7.11	67
*Rep 11741	0.06	0.56	39	<0.1	7.38	72
*Rep 12639	0.10	1.08	33	0.2	7.03	91
*Std OREAS920	0.16	2.10	25	0.4	18.0	102
*Std OREAS209	0.04	0.41	39	0.3	12.6	73
*Std OREAS920	0.17	2.31	25	0.4	19.9	110
*Std OREAS209	0.03	0.44	39	0.3	13.5	80
*Blk BLANK	<0.02	<0.05	<1	<0.1	<0.05	<1
*Blk BLANK	<0.02	<0.05	<1	<0.1	<0.05	<1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis
Work Order : VC162740
[Report File No.: 0000018968]

Date: September 14, 2016

To: **Helena Kuikka**
STRATA GOLD CORPORATION
SUITE 910 - 1050 W PENDER ST
VANCOUVER BC V6E 3S7

P.O. No.: AUX16-1 (6 of 10)
Project No.: AUREX
Samples: 74
Received: Aug 29, 2016
Pages: Page 1 to 16
(Inclusive of Cover Sheet)

Methods Summary

No. Of Samples	Method Code	Description
74	G_LOG02	Pre-preparation processing, sorting, logging, boxing
74	G_WGH79	Weighing of samples and reporting of weights
74	GE_FAI313	@Au, Pt, Pd, FAS, ICP-AES, 30g - 5ml (Clean Pots only)
74	GE_IMS14B	Aqua Regia digestion/ICP-MS package

Storage: Pulp & Reject

REJECT STORAGE	:	STORE
PULP STORAGE	:	STORE

Certified By :
John Chiang
QC Chemist

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the @ symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	WtKg	Au@	Ag	Al	As	Ba	Bi	Ca
Method	G_WGH79	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	1	0.01	0.01	1	5	0.02	0.01
Units	kg	ppb	ppm	%	ppm	ppm	ppm	%
1567803	0.490	24	0.32	1.35	313	361	0.42	0.48
1567804	0.505	22	0.40	1.54	280	369	0.40	0.77
1567805	0.560	11	0.33	1.46	111	486	0.26	0.64
1567806	0.620	18	0.49	1.47	217	411	0.38	0.47
1567807	0.750	20	0.48	1.38	313	375	0.39	0.40
1567808	0.605	17	0.15	1.28	115	274	0.25	0.21
1567809	0.535	12	0.21	1.18	171	313	0.30	0.22
1567810	0.580	11	0.22	1.52	210	234	0.30	0.17
1567811	0.395	8	0.16	1.89	80	213	0.33	0.13
1567812	0.510	25	0.21	1.32	72	134	0.30	0.11
1567813	0.470	5	0.14	1.46	42	234	0.23	0.17
1567814	0.435	4	0.20	1.43	26	244	0.21	0.23
1567815	0.510	40	0.17	1.35	976	222	0.79	0.29
1567816	0.500	6	0.11	1.76	48	316	0.22	0.23
1567817	0.550	7	0.11	1.83	54	356	0.24	0.23
1567818	0.515	5	0.45	1.78	49	472	0.23	0.32
1567819	0.555	8	0.31	1.88	132	315	0.30	0.18
1567820	0.515	11	0.29	1.82	164	246	0.30	0.08
1567821	0.580	5	0.14	1.48	41	260	0.22	0.10
1567822	0.575	13	0.23	1.50	34	252	0.18	0.10
1567823	0.505	6	0.14	1.61	31	311	0.19	0.20
1567824	0.650	4	0.09	1.58	29	320	0.18	0.19
1567825	0.520	6	0.23	2.22	59	314	0.23	0.14
1567826	0.515	14	0.28	1.68	124	215	0.30	0.10
1567827	0.495	11	0.22	1.52	102	194	0.28	0.14
1567828	0.615	5	0.14	1.37	35	154	0.23	0.11
1567829	0.565	9	0.33	1.71	77	338	0.25	0.09
1567830	0.535	5	0.47	1.91	44	239	0.22	0.10
1567831	0.485	10	0.10	1.48	16	163	0.16	0.12
1567832	0.480	8	0.08	1.46	14	299	0.16	0.20
1567833	0.695	4	0.11	1.30	15	318	0.16	0.22
1567834	0.490	3	0.10	1.42	12	245	0.16	0.19
1567835	0.555	4	0.08	1.34	15	233	0.17	0.21
1567836	0.560	5	0.15	1.24	60	160	0.21	0.18
1567837	0.495	6	0.14	1.40	45	367	0.21	0.27
1567838	0.580	4	0.17	1.34	26	434	0.18	0.33
1567839	0.505	3	0.08	1.32	13	248	0.15	0.25
1567840	0.735	17	0.49	0.80	217	160	0.37	0.28
1567841	0.635	5	0.20	1.69	37	445	0.21	0.30
1567842	0.660	9	0.45	1.21	132	243	0.39	0.34

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	WtKg	Au@	Ag	Al	As	Ba	Bi	Ca
Method	G_WGH79	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	1	0.01	0.01	1	5	0.02	0.01
Units	kg	ppb	ppm	%	ppm	ppm	ppm	%
1567843	0.685	17	0.20	1.41	41	413	0.22	0.44
1567844	0.415	4	0.21	1.23	29	419	0.20	0.44
1567845	0.580	4	0.18	1.40	21	410	0.20	0.44
1567846	0.465	7	0.19	1.29	54	418	0.18	0.34
1567847	0.550	6	0.25	1.26	160	465	0.20	0.42
1567848	0.585	8	0.34	1.24	66	387	0.26	0.47
1567849	0.560	17	0.15	1.30	157	252	0.40	0.26
1567850	0.445	25	0.31	1.40	416	283	0.57	0.36
1567851	0.660	25	0.23	1.31	418	253	0.52	0.28
1567852	0.730	5	0.50	1.37	42	438	0.24	0.45
1567853	0.705	13	0.41	1.62	150	348	0.37	0.30
1567854	0.460	21	0.14	1.37	285	174	0.57	0.20
1567855	0.660	14	0.56	1.57	241	319	0.44	0.32
1567856	0.575	7	0.49	1.33	58	254	0.25	0.21
1567857	0.660	5	0.22	1.45	34	314	0.26	0.26
1567858	0.600	13	0.44	1.25	142	294	0.45	0.29
1567859	0.565	14	0.73	1.23	122	186	0.33	0.21
1567860	0.705	8	0.25	1.34	56	327	0.24	0.26
1567861	0.580	9	0.39	1.44	66	443	0.29	0.42
1567862	0.630	5	0.20	1.35	29	304	0.20	0.29
1567863	0.590	6	0.31	1.43	49	388	0.24	0.32
1567864	0.505	5	0.23	1.36	32	333	0.19	0.42
1567865	0.645	5	0.22	1.53	23	456	0.20	0.45
1567866	0.555	7	0.23	1.54	71	356	0.24	0.43
1567867	0.490	9	0.31	1.39	94	395	0.28	0.47
1567868	0.705	18	0.33	1.51	176	328	0.35	0.39
1567869	0.735	53	0.95	1.32	458	219	0.85	0.34
1567870	0.515	27	0.34	1.40	124	358	0.28	0.34
1567871	0.590	26	0.46	1.10	155	436	0.42	0.30
1567872	0.550	40	0.32	1.46	153	254	0.54	0.25
1567873	0.525	4	0.23	1.18	20	468	0.19	0.58
1567874	0.575	5	0.26	1.32	36	491	0.21	0.55
1567875	0.620	15	0.42	1.57	54	405	0.24	0.51
1567876	0.905	6	0.51	1.37	37	403	0.20	0.50
*Rep 1567820		10						
*Rep 1567826		13						
*Rep 1567856		6						
*Rep 1567876		6						
*Std ME-1309		137						
*Std OREASH1		11						

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Au@	Ag	Al	As	Ba	Bi	Ca
Method	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	1	0.01	0.01	1	5	0.02	0.01
Units	ppb	ppm	%	ppm	ppm	ppm	%
*Std OREAS151B	65						
*Std AMIS0319	34						
*Blk BLANK	<1						
*Blk BLANK	<1						
*Rep 1567817		0.12	1.71	49	349	0.25	0.22
*Rep 1567819		0.32	1.88	131	300	0.30	0.17
*Rep 1567848		0.32	1.27	73	385	0.26	0.49
*Rep 1567855		0.56	1.49	236	316	0.45	0.31
*Rep 1567864		0.22	1.36	29	334	0.20	0.41
*Std OREAS920		0.09	2.35	4	77	0.71	0.34
*Std OREAS920		0.09	2.66	5	78	0.60	0.33
*Std OREAS209		0.26	1.09	1010	72	0.06	1.35
*Blk BLANK		<0.01	<0.01	<1	<5	<0.02	<0.01
*Blk BLANK		<0.01	<0.01	<1	<5	<0.02	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
1567803	0.39	43.8	15.2	23	38.6	3.06	4.1	0.06
1567804	0.36	39.8	12.5	25	41.7	3.02	4.3	0.08
1567805	0.39	37.1	15.0	28	32.8	2.70	4.2	0.07
1567806	0.46	40.1	13.0	26	45.3	2.98	4.7	0.05
1567807	0.39	41.6	12.0	27	44.4	3.04	4.5	0.07
1567808	0.10	42.3	10.3	23	26.7	2.18	4.0	0.02
1567809	0.11	38.0	9.8	22	30.7	2.52	4.0	0.05
1567810	0.13	36.3	9.3	25	30.0	2.59	4.6	0.05
1567811	0.11	32.3	7.5	26	27.1	2.73	5.7	0.03
1567812	0.18	36.4	7.1	23	34.5	2.36	3.7	0.03
1567813	0.15	37.4	11.7	27	36.2	2.54	4.0	0.03
1567814	0.10	39.4	8.9	25	26.2	2.34	4.1	0.05
1567815	0.15	55.0	10.4	22	35.9	3.12	4.5	0.02
1567816	0.10	39.8	11.3	32	31.2	2.65	4.8	0.04
1567817	0.14	38.3	10.9	35	29.8	2.86	5.3	0.03
1567818	0.07	42.6	11.3	34	30.7	2.77	5.4	0.06
1567819	0.13	40.5	10.8	31	29.8	2.97	5.2	0.02
1567820	0.23	55.0	18.6	31	50.0	3.33	4.9	0.07
1567821	0.15	34.3	10.8	29	27.3	2.92	4.4	0.02
1567822	0.16	41.5	12.3	25	40.4	2.51	4.0	0.05
1567823	0.12	37.7	9.9	28	28.7	2.59	4.6	0.03
1567824	0.07	39.5	10.4	28	33.0	2.62	4.6	0.04
1567825	0.09	44.9	16.2	35	45.3	3.48	6.0	0.03
1567826	0.09	66.8	16.2	27	50.2	3.82	5.0	0.03
1567827	0.11	64.0	15.1	23	50.6	3.49	4.6	0.02
1567828	0.06	57.5	13.0	24	30.6	3.29	4.2	0.02
1567829	0.17	54.4	17.8	26	62.1	3.07	4.7	0.06
1567830	0.10	45.7	13.9	29	36.7	3.16	5.2	0.02
1567831	0.10	27.9	7.9	24	25.1	2.42	3.9	0.03
1567832	0.06	32.8	9.1	25	26.5	2.41	4.1	0.03
1567833	0.08	36.6	9.2	23	25.8	2.40	3.8	0.02
1567834	0.10	38.7	8.6	23	26.0	2.48	4.3	0.02
1567835	0.13	37.9	8.3	25	22.7	2.37	4.0	0.04
1567836	0.18	34.6	7.6	25	31.0	2.35	4.0	0.02
1567837	0.07	40.2	9.9	27	29.6	2.57	4.3	0.05
1567838	0.14	38.0	9.2	26	30.2	2.49	4.0	0.04
1567839	0.11	37.9	8.4	24	24.5	2.21	4.0	0.05
1567840	0.70	42.6	12.8	18	41.5	2.48	2.6	0.04
1567841	0.16	37.5	10.0	25	31.8	2.56	5.1	0.05
1567842	0.32	47.5	12.5	22	34.8	2.89	3.9	0.04

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
1567843	0.22	37.1	11.6	28	30.2	2.68	4.4	0.07
1567844	0.27	34.3	10.2	25	27.1	2.38	3.9	0.06
1567845	0.28	35.0	10.1	26	26.3	2.38	4.3	0.05
1567846	0.51	30.4	6.3	24	24.6	1.66	3.9	0.10
1567847	0.64	34.3	10.6	25	25.3	2.77	3.8	0.06
1567848	0.40	37.0	11.2	25	32.4	2.49	4.1	0.07
1567849	0.17	47.5	9.9	20	29.3	2.67	4.0	0.02
1567850	0.23	39.5	12.7	22	35.4	3.03	4.4	0.05
1567851	0.24	40.6	11.5	21	35.2	2.85	4.1	0.05
1567852	0.27	35.1	10.1	24	31.7	2.60	4.3	0.05
1567853	0.27	32.6	10.5	24	38.0	2.95	4.3	0.05
1567854	0.10	38.9	8.2	19	30.9	3.06	3.7	0.02
1567855	0.32	32.0	11.5	24	44.4	3.05	4.3	0.04
1567856	0.19	32.3	8.3	21	28.6	2.50	3.7	0.02
1567857	0.19	35.1	8.4	23	29.3	2.73	4.0	0.02
1567858	0.49	34.4	12.9	24	61.7	3.17	3.4	0.03
1567859	0.25	39.0	9.8	20	40.9	2.67	3.3	0.02
1567860	0.13	32.7	7.6	25	30.5	2.49	3.6	0.02
1567861	0.22	33.3	10.0	29	36.0	2.81	4.0	0.03
1567862	0.14	30.8	6.4	25	24.8	2.22	3.7	0.03
1567863	0.26	30.5	6.9	25	34.2	2.58	3.8	0.04
1567864	0.19	26.6	7.3	25	27.5	2.41	3.6	0.02
1567865	0.28	31.7	9.9	27	29.1	2.69	4.0	0.04
1567866	0.15	30.5	8.4	27	28.0	2.74	4.1	0.04
1567867	0.31	32.7	10.9	24	29.1	2.81	3.8	0.05
1567868	0.22	33.3	9.5	24	32.5	2.68	3.9	0.03
1567869	0.39	42.4	13.8	21	50.4	3.33	3.6	0.04
1567870	0.49	29.1	7.9	26	29.6	2.98	4.1	0.06
1567871	0.70	31.4	9.9	22	39.3	2.49	3.1	0.04
1567872	0.38	47.8	8.5	24	51.0	2.38	4.2	0.04
1567873	0.30	27.8	8.2	23	23.5	2.38	3.5	0.05
1567874	0.39	30.5	10.0	27	33.0	2.46	3.8	0.04
1567875	0.42	31.8	11.0	27	38.4	2.90	4.2	0.04
1567876	0.25	29.5	9.3	25	31.3	2.66	4.0	0.04

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
*Rep 1567817	0.14	40.5	10.1	33	30.5	2.89	5.6	0.03
*Rep 1567819	0.13	39.2	11.0	31	30.8	2.99	5.3	0.03
*Rep 1567848	0.39	36.3	11.7	26	33.9	2.63	3.7	0.05
*Rep 1567855	0.32	31.6	10.8	21	41.6	2.99	4.0	0.03
*Rep 1567864	0.19	26.8	7.3	26	26.0	2.27	3.6	0.02
*Std OREAS920	0.07	71.3	15.9	42	108	3.52	7.0	<0.01
*Std OREAS920	0.06	74.5	14.4	45	114	3.67	6.2	<0.01
*Std OREAS209	0.07	28.2	28.1	38	72.6	6.31	3.7	<0.01
*Blk BLANK	<0.01	<0.05	<0.1	<1	<0.5	<0.01	<0.1	<0.01
*Blk BLANK	<0.01	0.07	<0.1	<1	<0.5	<0.01	<0.1	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
1567803	0.15	22.2	0.58	430	1.11	0.02	36.1	790
1567804	0.13	21.1	0.55	369	0.99	0.02	34.7	930
1567805	0.09	18.4	0.55	481	1.24	0.02	31.5	1000
1567806	0.15	20.6	0.61	431	1.44	0.02	35.5	1030
1567807	0.14	21.9	0.61	365	1.28	0.02	34.9	910
1567808	0.08	21.9	0.51	254	0.77	0.02	21.5	550
1567809	0.07	20.0	0.48	305	0.98	0.01	27.5	580
1567810	0.07	18.5	0.51	259	1.08	0.02	23.3	710
1567811	0.07	16.7	0.47	164	1.11	0.02	21.7	650
1567812	0.07	18.4	0.48	198	1.13	0.01	24.1	690
1567813	0.07	18.7	0.54	332	0.93	0.02	25.7	730
1567814	0.07	19.8	0.49	253	0.89	0.02	21.5	870
1567815	0.26	29.5	0.55	314	0.73	0.02	28.0	840
1567816	0.07	20.8	0.68	293	0.90	0.02	25.9	590
1567817	0.07	20.3	0.67	357	1.01	0.02	26.4	480
1567818	0.07	21.8	0.61	405	0.96	0.02	28.9	550
1567819	0.05	19.9	0.60	259	0.96	0.01	26.6	310
1567820	0.06	27.9	0.70	622	1.22	0.01	39.0	410
1567821	0.06	16.6	0.56	351	1.18	0.01	26.9	570
1567822	0.06	20.9	0.54	462	0.92	0.01	28.2	480
1567823	0.07	19.0	0.53	319	1.18	0.02	24.5	780
1567824	0.06	20.6	0.62	312	0.94	0.02	24.2	550
1567825	0.08	23.1	0.74	504	1.26	0.02	32.3	390
1567826	0.06	34.8	0.79	735	0.64	0.01	35.3	530
1567827	0.06	34.7	0.69	662	0.64	0.01	31.5	620
1567828	0.05	29.4	0.65	352	0.61	0.01	27.0	510
1567829	0.07	28.5	0.59	618	1.13	0.01	32.8	460
1567830	0.07	21.9	0.65	387	1.07	0.02	29.0	550
1567831	0.05	14.5	0.53	175	0.88	0.01	23.3	560
1567832	0.05	16.9	0.51	255	0.99	0.01	21.9	650
1567833	0.06	18.8	0.49	305	0.87	0.01	22.2	760
1567834	0.06	18.8	0.53	217	0.79	0.01	21.3	930
1567835	0.06	18.7	0.51	216	0.95	0.01	21.2	1180
1567836	0.06	17.8	0.53	199	0.83	0.02	21.8	980
1567837	0.07	21.1	0.59	359	0.91	0.02	25.1	850
1567838	0.06	19.7	0.52	317	1.07	0.02	25.4	1100
1567839	0.06	18.7	0.47	205	0.82	0.02	20.3	980
1567840	0.06	20.8	0.34	716	1.03	<0.01	27.7	670
1567841	0.05	18.3	0.40	395	1.30	0.01	27.9	490
1567842	0.06	23.1	0.44	580	0.95	<0.01	27.8	500

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
1567843	0.05	17.8	0.47	336	1.20	0.01	26.0	640
1567844	0.04	16.3	0.44	402	1.13	0.01	25.3	660
1567845	0.04	16.5	0.41	373	1.13	0.01	22.8	710
1567846	0.04	15.0	0.36	112	0.54	<0.01	18.0	610
1567847	0.04	15.9	0.35	290	1.27	<0.01	20.7	890
1567848	0.05	18.0	0.43	414	1.22	0.01	29.2	710
1567849	0.07	22.8	0.44	335	0.74	<0.01	24.9	540
1567850	0.11	19.4	0.45	420	0.99	<0.01	26.8	540
1567851	0.07	20.3	0.48	399	1.00	<0.01	27.1	510
1567852	0.05	17.8	0.43	398	1.35	0.01	25.9	700
1567853	0.06	16.7	0.40	389	1.27	0.01	29.6	700
1567854	0.05	20.8	0.50	344	0.70	<0.01	25.5	590
1567855	0.06	16.0	0.49	435	1.23	0.01	32.6	670
1567856	0.04	16.3	0.43	332	0.98	<0.01	22.3	670
1567857	0.04	17.5	0.50	275	0.95	0.01	24.9	570
1567858	0.05	19.5	0.48	561	1.51	<0.01	37.4	1080
1567859	0.06	19.3	0.49	435	1.11	<0.01	27.9	710
1567860	0.04	16.7	0.42	288	1.05	0.01	23.5	590
1567861	0.05	16.7	0.49	360	1.36	0.01	29.0	670
1567862	0.04	15.7	0.42	197	0.94	0.01	21.8	660
1567863	0.04	15.2	0.42	277	1.18	0.01	25.2	660
1567864	0.04	14.1	0.43	267	1.17	0.01	22.9	650
1567865	0.04	15.1	0.46	397	1.26	0.01	26.8	740
1567866	0.05	16.1	0.45	257	1.10	0.01	25.9	760
1567867	0.06	16.7	0.43	430	1.00	0.01	26.8	780
1567868	0.10	16.6	0.49	304	0.90	0.01	27.6	560
1567869	0.11	22.3	0.50	544	1.03	0.01	37.7	750
1567870	0.04	14.9	0.42	156	1.00	0.01	22.5	860
1567871	0.05	15.0	0.40	139	1.12	<0.01	27.4	770
1567872	0.06	23.3	0.54	189	0.87	<0.01	26.4	700
1567873	0.03	13.8	0.39	324	0.97	0.01	23.5	860
1567874	0.04	14.1	0.47	430	1.19	0.01	27.8	770
1567875	0.05	15.4	0.50	467	1.30	0.02	27.3	680
1567876	0.05	14.8	0.49	458	1.20	0.01	27.4	730

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
*Rep 1567817	0.07	20.7	0.75	344	0.97	0.02	27.0	490
*Rep 1567819	0.04	19.5	0.63	255	1.02	0.01	26.6	350
*Rep 1567848	0.06	17.8	0.44	446	1.26	0.01	28.6	680
*Rep 1567855	0.06	16.3	0.50	402	1.25	0.01	34.0	690
*Rep 1567864	0.04	14.2	0.42	252	1.06	0.01	22.0	630
*Std OREAS920	0.46	36.6	1.14	485	0.33	0.04	41.9	1000
*Std OREAS920	0.41	35.2	1.19	541	0.38	0.03	39.8	760
*Std OREAS209	0.06	14.1	2.38	1430	2.07	0.15	116	1560
*Blk BLANK	<0.01	<0.1	<0.01	<2	<0.05	<0.01	<0.5	<50
*Blk BLANK	<0.01	<0.1	<0.01	<2	<0.05	<0.01	<0.5	<50

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
1567803	12.8	11.7	18.6	3.9	0.8	37.1	8.4	0.06
1567804	13.7	11.9	12.0	3.8	0.8	49.5	5.2	0.06
1567805	12.7	9.4	2.83	4.6	0.8	42.4	4.8	0.06
1567806	17.7	9.7	4.22	4.2	0.8	28.0	6.7	0.07
1567807	19.0	10.6	4.01	4.1	0.8	26.0	6.7	0.06
1567808	10.7	9.2	2.31	2.9	0.7	16.0	6.1	0.06
1567809	13.1	7.1	2.99	3.4	0.7	17.2	5.6	0.06
1567810	12.2	10.0	2.46	3.2	0.7	13.9	4.3	0.06
1567811	14.4	10.7	1.86	3.9	0.9	11.0	5.0	0.07
1567812	15.8	7.7	6.37	2.8	0.7	7.1	5.7	0.06
1567813	11.5	7.6	1.91	4.4	0.7	13.4	5.1	0.07
1567814	11.3	7.2	1.15	3.7	0.7	16.0	4.1	0.07
1567815	8.9	23.1	5.87	2.8	1.0	21.7	9.9	0.07
1567816	13.6	9.6	5.56	4.4	0.8	17.7	5.5	0.09
1567817	15.1	9.1	6.51	4.6	0.8	18.6	6.0	0.09
1567818	13.6	10.4	4.71	5.7	0.9	20.3	5.9	0.07
1567819	22.0	8.3	15.0	2.9	0.7	12.6	5.8	0.05
1567820	22.7	10.1	18.9	5.7	0.7	7.8	9.2	0.05
1567821	15.6	8.4	2.79	3.6	0.7	10.4	5.4	0.06
1567822	15.5	7.7	2.70	4.2	0.6	9.4	6.0	0.07
1567823	12.4	8.0	1.46	3.7	0.8	15.9	4.1	0.08
1567824	12.4	7.8	1.53	4.6	0.8	15.3	5.5	0.09
1567825	17.3	10.3	2.42	5.7	0.9	14.1	7.7	0.09
1567826	22.7	6.0	2.90	3.3	0.6	8.1	11.5	0.05
1567827	27.9	4.8	2.36	2.8	0.6	10.3	12.8	0.05
1567828	14.4	5.8	1.20	2.7	0.7	8.5	10.1	0.08
1567829	27.6	8.4	2.66	5.4	0.7	9.6	10.2	0.05
1567830	16.3	9.3	1.88	4.6	0.8	9.0	7.3	0.08
1567831	9.8	7.2	1.23	2.9	0.7	10.5	4.5	0.07
1567832	9.5	6.2	1.08	3.5	0.7	14.8	4.5	0.07
1567833	9.4	5.7	0.84	3.6	0.6	16.2	4.7	0.07
1567834	9.6	6.8	0.67	3.2	0.8	14.2	4.4	0.07
1567835	9.4	7.5	0.77	2.7	0.7	15.3	1.7	0.06
1567836	12.0	6.7	2.56	2.8	0.6	12.0	2.4	0.06
1567837	13.0	8.0	1.62	3.8	0.7	17.5	4.7	0.06
1567838	9.8	6.6	1.25	3.8	0.7	22.1	5.3	0.06
1567839	8.9	6.7	0.76	3.0	0.8	17.8	2.8	0.07
1567840	27.6	6.3	5.95	2.9	0.6	16.2	7.8	0.03
1567841	17.6	8.4	1.84	4.7	0.9	24.7	5.8	0.07
1567842	29.4	6.8	5.69	3.6	0.7	23.9	8.0	0.03

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final - VC162740 Order: AUX16-1 (6 of 10)

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
1567843	14.3	7.0	1.79	4.9	0.8	29.3	5.5	0.05
1567844	12.5	6.5	1.30	4.4	0.8	31.6	4.5	0.04
1567845	11.4	7.0	0.95	4.4	0.8	34.4	3.9	0.04
1567846	11.3	5.2	0.97	3.8	0.7	27.0	3.8	0.04
1567847	14.1	6.0	1.58	4.1	0.8	29.9	4.9	0.03
1567848	13.9	7.1	1.45	4.2	0.7	33.0	5.4	0.04
1567849	8.1	12.2	1.66	3.2	0.8	21.5	8.0	0.04
1567850	11.3	15.6	1.77	3.6	1.0	27.3	7.9	0.05
1567851	13.9	8.0	3.17	3.2	0.7	26.1	8.3	0.04
1567852	17.6	7.5	1.27	4.2	0.8	29.9	4.8	0.04
1567853	14.8	8.1	1.32	4.3	0.8	21.8	5.1	0.04
1567854	7.2	8.0	1.17	2.5	0.7	15.4	7.1	0.02
1567855	20.1	6.4	2.04	3.6	0.6	20.9	6.5	0.04
1567856	14.7	5.6	1.24	3.1	0.6	14.8	4.1	0.03
1567857	12.9	6.1	1.14	2.9	0.6	19.9	3.9	0.03
1567858	31.4	5.1	2.96	3.5	0.5	18.1	7.0	0.03
1567859	25.7	7.0	2.94	2.6	0.5	12.3	7.7	0.03
1567860	13.6	5.5	1.28	3.5	0.6	16.8	5.0	0.04
1567861	16.0	6.7	1.66	4.2	0.7	24.5	4.9	0.04
1567862	11.1	5.5	0.96	3.4	0.7	18.0	3.8	0.04
1567863	13.8	5.9	1.56	3.9	0.7	18.6	4.2	0.04
1567864	11.5	6.1	0.96	3.8	0.7	22.2	3.8	0.04
1567865	12.5	6.0	0.93	4.3	0.7	30.4	4.4	0.04
1567866	12.2	7.7	1.10	4.3	0.8	33.4	4.7	0.04
1567867	12.4	8.6	1.92	3.6	0.6	36.1	4.1	0.03
1567868	12.1	12.7	1.79	3.8	0.8	30.8	6.7	0.04
1567869	24.7	12.2	3.48	3.2	0.7	21.6	9.6	0.02
1567870	14.7	6.7	1.13	3.7	0.7	24.1	3.7	0.03
1567871	23.1	5.6	2.52	3.4	0.7	23.2	5.9	0.03
1567872	16.6	7.4	5.22	3.5	0.6	18.2	9.3	0.02
1567873	12.3	6.2	0.78	3.7	0.6	37.1	3.8	0.03
1567874	14.2	6.0	1.11	4.1	0.7	41.6	4.5	0.04
1567875	18.0	6.6	1.47	4.9	0.7	43.1	5.1	0.04
1567876	19.3	5.6	1.35	3.8	0.7	43.6	4.6	0.04

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
*Rep 1567817	15.2	8.6	6.24	4.4	0.8	19.1	6.0	0.09
*Rep 1567819	22.1	8.1	14.7	2.8	0.7	12.4	5.7	0.05
*Rep 1567848	13.7	7.3	1.50	4.4	0.8	33.1	5.2	0.04
*Rep 1567855	20.3	6.4	2.05	3.5	0.7	20.3	6.3	0.04
*Rep 1567864	11.6	5.6	0.92	3.6	0.6	22.8	3.7	0.04
*Std OREAS920	20.3	26.4	0.66	2.9	1.5	16.5	16.6	0.14
*Std OREAS920	20.5	24.1	0.52	2.7	1.3	16.0	16.4	0.12
*Std OREAS209	3.3	3.8	0.97	3.6	1.2	56.6	1.8	0.12
*Blk BLANK	<0.2	<0.2	<0.05	<0.1	0.4	<0.5	<0.1	<0.01
*Blk BLANK	<0.2	<0.2	<0.05	<0.1	<0.3	<0.5	<0.1	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
1567803	0.16	2.24	36	0.4	9.29	92
1567804	0.14	4.85	37	0.4	10.5	87
1567805	0.12	4.45	47	0.5	10.4	85
1567806	0.18	0.82	47	0.4	9.28	98
1567807	0.18	0.99	45	0.4	9.16	92
1567808	0.11	0.84	37	0.3	7.02	56
1567809	0.11	0.90	41	0.2	7.27	61
1567810	0.12	0.87	46	0.3	6.97	60
1567811	0.15	0.83	54	0.2	5.25	60
1567812	0.15	0.57	36	<0.1	4.92	72
1567813	0.11	0.70	43	0.2	9.44	68
1567814	0.12	0.84	46	0.1	7.81	60
1567815	0.27	1.46	28	0.6	8.68	64
1567816	0.09	0.82	53	0.3	8.83	67
1567817	0.11	0.80	58	0.3	8.27	68
1567818	0.11	1.24	55	0.3	12.4	64
1567819	0.12	0.59	44	0.4	3.77	64
1567820	0.11	0.96	41	0.2	12.1	92
1567821	0.11	0.75	51	0.3	6.37	74
1567822	0.09	0.91	40	<0.1	9.07	70
1567823	0.08	0.69	46	0.3	8.01	77
1567824	0.09	0.78	48	0.1	9.79	65
1567825	0.11	0.94	55	0.2	9.57	76
1567826	0.07	0.59	30	<0.1	9.71	84
1567827	0.06	0.79	29	<0.1	9.26	78
1567828	0.07	0.97	34	0.1	8.04	69
1567829	0.11	0.93	40	0.2	12.6	88
1567830	0.10	1.02	45	<0.1	7.99	66
1567831	0.07	0.64	43	0.2	5.23	61
1567832	0.07	0.75	45	0.2	8.56	62
1567833	0.08	0.70	45	0.3	7.79	62
1567834	0.09	0.87	42	0.2	7.37	59
1567835	0.09	0.90	41	0.2	7.16	69
1567836	0.09	0.71	37	0.1	6.29	59
1567837	0.11	1.29	43	0.3	8.83	64
1567838	0.08	0.76	40	0.2	8.46	73
1567839	0.08	0.76	41	0.3	7.64	59
1567840	0.16	0.50	20	0.2	9.01	99
1567841	0.10	1.06	46	0.2	10.4	80
1567842	0.08	0.91	27	<0.1	9.72	87

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
1567843	0.08	0.99	46	0.3	10.3	90
1567844	0.08	1.27	40	0.2	8.99	89
1567845	0.09	1.37	44	0.2	8.92	73
1567846	0.12	4.04	40	0.3	7.83	80
1567847	0.12	4.32	44	0.1	8.92	95
1567848	0.10	1.00	38	0.2	9.03	91
1567849	0.15	1.54	27	0.1	7.43	77
1567850	0.21	1.50	32	0.2	7.75	81
1567851	0.12	1.62	30	0.3	7.66	83
1567852	0.11	0.96	46	0.2	8.83	87
1567853	0.11	1.26	35	0.2	9.49	84
1567854	0.09	1.72	19	0.2	6.68	73
1567855	0.11	1.12	30	0.2	7.77	94
1567856	0.07	0.98	29	0.1	6.80	72
1567857	0.08	1.04	29	0.2	7.02	73
1567858	0.13	0.93	27	0.2	10.5	111
1567859	0.15	0.77	22	0.1	7.22	89
1567860	0.07	0.80	33	0.1	7.44	70
1567861	0.10	0.96	36	0.3	8.33	81
1567862	0.06	0.95	35	0.2	7.46	68
1567863	0.09	0.99	36	0.2	8.64	79
1567864	0.07	1.07	34	0.2	7.36	74
1567865	0.07	1.73	41	0.2	8.83	82
1567866	0.09	1.69	39	0.3	8.38	73
1567867	0.10	4.13	30	0.2	8.32	71
1567868	0.15	1.08	30	0.1	8.14	81
1567869	0.19	1.35	23	0.1	8.98	98
1567870	0.12	5.42	39	0.2	7.70	76
1567871	0.12	4.07	29	0.5	7.97	95
1567872	0.13	3.17	32	1.0	9.21	81
1567873	0.08	8.78	33	0.2	7.67	69
1567874	0.08	3.06	38	0.2	8.93	74
1567875	0.09	1.62	41	0.2	9.78	80
1567876	0.09	1.50	35	0.3	7.66	76

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
*Rep 1567817	0.11	0.82	57	0.2	8.08	67
*Rep 1567819	0.12	0.57	44	<0.1	3.80	63
*Rep 1567848	0.11	0.99	39	0.2	9.11	88
*Rep 1567855	0.12	1.13	29	0.1	7.54	93
*Rep 1567864	0.07	1.10	34	0.2	7.06	75
*Std OREAS920	0.17	2.32	27	0.7	18.7	109
*Std OREAS920	0.15	2.24	23	0.4	17.8	107
*Std OREAS209	0.04	0.48	36	0.3	13.3	77
*Blk BLANK	<0.02	<0.05	1	<0.1	<0.05	<1
*Blk BLANK	<0.02	<0.05	1	<0.1	<0.05	<1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis
Work Order : VC162741
[Report File No.: 0000018969]

Date: September 14, 2016

To: **Helena Kuikka**
STRATA GOLD CORPORATION
SUITE 910 - 1050 W PENDER ST
VANCOUVER BC V6E 3S7

P.O. No.: AUX16-1 (7 of 10)
Project No.: AUREX
Samples: 75
Received: Aug 29, 2016
Pages: Page 1 to 16
(Inclusive of Cover Sheet)

Methods Summary

No. Of Samples	Method Code	Description
75	G_LOG02	Pre-preparation processing, sorting, logging, boxing
75	G_WGH79	Weighing of samples and reporting of weights
75	GE_FAI313	@Au, Pt, Pd, FAS, ICP-AES, 30g - 5ml (Clean Pots only)
75	GE_IMS14B	Aqua Regia digestion/ICP-MS package

Storage: Pulp & Reject

REJECT STORAGE	:	STORE
PULP STORAGE	:	STORE

Certified By :

John Chiang
QC Chemist

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted

Elements marked with the **@** symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	WtKg	Au@	Ag	Al	As	Ba	Bi	Ca
Method	G_WGH79	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	1	0.01	0.01	1	5	0.02	0.01
Units	kg	ppb	ppm	%	ppm	ppm	ppm	%
1567877	0.485	8	0.64	1.39	49	413	0.18	0.59
1567878	0.665	27	0.50	1.38	40	362	0.17	0.43
1567879	0.555	6	0.45	1.35	46	324	0.16	0.44
1567880	0.600	4	0.23	1.32	32	352	0.17	0.40
1567881	0.445	4	0.24	1.41	20	438	0.17	0.47
1567882	0.455	4	0.26	1.47	25	471	0.17	0.59
1567883	0.465	4	0.26	1.35	40	460	0.16	0.47
1567884	0.510	4	0.23	1.34	42	424	0.17	0.40
1567885	0.400	9	0.35	1.55	50	499	0.20	0.50
1567886	0.475	3	0.19	1.22	37	304	0.16	0.32
1567887	0.420	6	0.28	1.99	43	399	0.19	0.33
1567888	0.630	5	0.19	1.50	32	342	0.20	0.37
1567889	0.705	6	0.21	1.13	59	222	0.18	0.31
1567890	0.430	2	0.15	1.35	19	226	0.17	0.24
1567891	0.495	3	0.21	1.34	30	233	0.19	0.25
1567892	0.715	11	0.21	1.20	19	308	0.13	0.31
1567893	0.660	3	0.22	1.36	28	371	0.15	0.40
1567894	0.550	5	0.19	1.21	18	347	0.14	0.36
1567895	0.620	5	0.23	1.22	20	311	0.16	0.39
1567896	0.605	8	0.20	1.36	28	327	0.16	0.35
1567897	0.600	6	0.21	1.41	33	326	0.16	0.37
1567898	0.530	3	0.15	1.17	13	247	0.12	0.25
1567899	0.425	13	0.52	1.24	40	235	0.16	0.28
1567900	0.650	5	0.21	1.41	26	426	0.16	0.40
1568151	0.300	6	0.16	1.58	70	393	0.21	0.22
1568152	0.495	8	0.31	1.70	62	290	0.19	0.11
1568153	0.430	2	0.03	1.30	63	120	0.20	0.09
1568154	0.375	3	0.13	1.41	14	269	0.13	0.29
1568155	0.435	3	0.18	1.42	24	336	0.14	0.21
1568156	0.485	6	0.19	1.42	36	394	0.17	0.20
1568157	0.540	4	0.15	1.35	32	268	0.17	0.15
1568158	0.465	4	0.13	1.42	42	229	0.16	0.12
1568159	0.475	3	0.19	1.34	39	236	0.17	0.29
1568160	0.465	4	0.11	1.40	15	240	0.14	0.20
1568161	0.465	2	0.11	1.76	18	278	0.17	0.21
1568162	0.460	2	0.15	1.39	14	293	0.13	0.24
1568163	0.500	4	0.19	1.43	15	386	0.12	0.30
1568164	0.500	3	0.12	1.40	16	313	0.12	0.23
1568165	0.550	3	0.17	1.47	18	307	0.14	0.18
1568166	0.525	5	0.19	1.66	62	284	0.18	0.15

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	WtKg	Au@	Ag	Al	As	Ba	Bi	Ca
Method	G_WGH79	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	1	0.01	0.01	1	5	0.02	0.01
Units	kg	ppb	ppm	%	ppm	ppm	ppm	%
1568167	0.465	4	0.14	1.41	54	322	0.16	0.17
1568168	0.485	9	0.13	1.47	40	193	0.15	0.14
1568169	0.495	5	0.13	1.31	35	271	0.16	0.16
1568170	0.535	10	0.25	1.35	106	226	0.20	0.30
1568171	0.535	14	0.30	1.43	102	412	0.21	0.37
1568172	0.460	6	0.38	1.49	54	441	0.19	0.47
1568173	0.460	4	0.25	1.32	34	337	0.16	0.25
1568174	0.345	6	0.35	1.61	41	503	0.20	0.44
1568175	0.490	3	0.16	1.21	26	359	0.15	0.37
1568176	0.675	4	0.19	1.45	32	390	0.17	0.48
1568177	0.470	6	0.18	1.42	21	440	0.19	0.68
1568178	0.415	3	0.13	1.64	16	379	0.20	0.49
1568179	0.550	5	0.27	1.38	25	407	0.21	0.45
1568180	0.485	8	0.34	1.34	94	387	0.28	0.58
1568181	0.485	22	0.39	1.31	205	202	0.51	0.31
1568182	0.305	16	0.26	1.26	173	233	0.41	0.28
1568183	0.420	5	0.30	1.50	38	517	0.25	0.51
1568184	0.440	4	0.22	1.44	25	436	0.21	0.50
1568185	0.380	3	0.20	1.47	16	456	0.18	0.57
1568186	0.425	8	0.28	1.75	24	473	0.21	0.69
1568187	0.385	3	0.23	1.57	23	484	0.21	0.46
1568188	0.405	6	0.29	1.49	36	458	0.21	0.62
1568189	0.375	6	0.35	1.62	40	535	0.24	0.66
1568190	0.270	9	0.20	1.54	18	489	0.19	0.76
1568191	0.480	5	0.18	1.46	13	403	0.18	0.46
1568192	0.495	12	0.54	1.48	87	364	0.29	0.37
1568193	0.445	8	0.49	1.58	76	350	0.27	0.45
1568194	0.355	12	0.41	1.50	65	321	0.27	0.38
1568195	0.590	9	0.44	1.83	52	468	0.26	0.60
1568196	0.545	6	0.32	1.77	45	492	0.26	0.57
1568197	0.470	5	0.28	1.53	39	440	0.24	0.53
1568198	0.475	7	0.35	1.68	46	491	0.26	0.54
1568199	0.590	8	0.39	1.60	71	436	0.28	0.51
1568200	0.460	8	0.41	1.55	56	467	0.25	0.48
1568201	0.480	9	0.30	1.50	56	359	0.27	0.39
*Rep 1568171		9						
*Rep 1568184		4						
*Std ME-1309		147						
*Std OREASH1		11						
*Std OREAS151B		66						

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Final : VC162741 Order: AUX16-1 (7 of 10)

Element	Au@	Ag	Al	As	Ba	Bi	Ca
Method	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	1	0.01	0.01	1	5	0.02	0.01
Units	ppb	ppm	%	ppm	ppm	ppm	%
*Std AMIS0319	34						
*Blk BLANK	<1						
*Blk BLANK	<1						
*Rep 1567897		0.20	1.37	32	325	0.16	0.36
*Rep 1568172		0.39	1.41	52	455	0.19	0.46
*Rep 1568182		0.27	1.36	183	225	0.42	0.29
*Rep 1568186		0.28	1.70	24	480	0.22	0.67
*Std OREAS209		0.28	1.18	1120	67	0.05	1.46
*Std OREAS920		0.09	2.36	3	82	0.64	0.35
*Std OREAS209		0.24	1.24	1080	76	0.06	1.54
*Blk BLANK		<0.01	<0.01	<1	<5	<0.02	<0.01
*Blk BLANK		<0.01	<0.01	<1	<5	<0.02	<0.01
*Blk BLANK		<0.01	<0.01	<1	<5	<0.02	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
1567877	0.31	29.6	10.5	26	35.0	2.47	4.2	0.05
1567878	0.19	28.9	9.4	27	31.8	2.45	4.3	0.05
1567879	0.24	29.8	10.0	25	29.8	2.49	3.9	0.04
1567880	0.31	31.5	9.1	27	26.5	2.62	4.3	0.05
1567881	0.59	40.1	14.1	28	28.0	2.70	4.5	0.06
1567882	0.49	33.3	11.3	27	27.4	2.57	4.4	0.06
1567883	0.48	31.3	11.3	27	31.6	2.62	4.1	0.05
1567884	0.32	31.0	9.5	27	30.4	2.43	4.2	0.06
1567885	0.44	31.7	14.7	31	31.7	2.67	4.7	0.09
1567886	0.20	33.8	9.0	25	25.7	2.05	3.8	0.04
1567887	0.26	36.2	15.2	75	34.8	3.01	5.6	0.03
1567888	0.34	49.7	13.6	51	26.7	2.57	4.4	0.04
1567889	0.27	43.4	10.7	22	21.6	2.36	3.5	0.02
1567890	0.26	46.4	9.6	22	17.5	2.39	4.4	0.03
1567891	0.27	53.2	11.1	23	21.3	2.90	4.2	0.03
1567892	0.42	31.4	9.5	25	19.8	2.31	4.0	0.04
1567893	0.43	28.9	10.2	30	27.0	2.65	4.3	0.04
1567894	0.36	28.9	6.6	25	22.7	2.22	4.1	0.03
1567895	0.40	26.3	7.6	24	18.6	2.06	4.2	0.04
1567896	0.31	30.9	8.9	27	23.2	2.23	4.4	0.08
1567897	0.26	31.6	9.6	29	26.2	2.24	4.3	0.03
1567898	0.20	30.4	7.4	22	19.5	1.92	3.8	0.03
1567899	0.30	30.2	8.8	25	28.0	2.28	4.0	0.03
1567900	0.50	31.4	10.7	27	28.4	2.76	4.3	0.05
1568151	0.15	37.0	10.5	27	28.9	2.76	4.9	0.05
1568152	0.19	39.4	10.9	30	38.7	2.90	4.6	0.05
1568153	0.23	30.8	10.2	24	17.8	4.31	5.3	<0.01
1568154	0.16	33.5	6.8	26	20.8	2.37	4.6	0.02
1568155	0.11	36.3	8.0	25	27.1	2.33	4.2	0.04
1568156	0.18	40.8	10.1	24	31.8	2.60	4.2	0.05
1568157	0.16	39.9	8.0	23	28.7	2.78	4.4	0.03
1568158	0.12	37.5	9.1	25	28.7	2.63	4.2	0.02
1568159	0.18	37.8	8.6	24	30.2	2.47	4.2	0.04
1568160	0.15	36.6	8.0	27	23.3	2.34	4.4	0.02
1568161	0.15	35.2	8.0	27	24.7	2.70	5.3	0.04
1568162	0.14	33.8	6.9	25	24.0	2.27	4.5	0.03
1568163	0.12	33.3	7.8	25	25.4	2.12	4.3	0.02
1568164	0.10	36.2	9.0	25	26.0	2.32	4.1	0.02
1568165	0.11	36.2	8.7	25	28.2	2.51	4.6	0.03
1568166	0.12	39.4	10.7	27	43.0	2.79	4.7	0.05

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC162741 Order: AUX16-1 (7 of 10)

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
1568167	0.11	37.2	9.0	23	30.0	2.49	4.4	0.03
1568168	0.15	35.4	8.1	27	24.9	2.26	4.3	0.03
1568169	0.11	36.8	7.5	23	25.8	2.35	4.2	0.03
1568170	0.28	40.5	12.3	26	34.6	2.65	4.1	0.03
1568171	0.30	39.3	10.9	27	36.8	2.74	4.3	0.06
1568172	0.42	32.8	10.8	27	28.5	2.64	4.4	0.04
1568173	0.38	31.9	8.7	28	27.2	2.31	4.3	0.05
1568174	0.46	35.6	12.5	33	61.3	3.01	5.3	0.06
1568175	0.25	35.3	10.6	25	25.7	2.38	3.9	0.05
1568176	0.30	31.2	9.6	28	28.4	2.79	4.7	0.04
1568177	0.37	32.7	11.1	23	31.0	2.56	4.4	0.05
1568178	0.30	33.2	9.1	22	28.8	2.78	5.7	0.05
1568179	0.42	34.4	10.3	23	28.5	2.71	4.4	0.04
1568180	0.99	35.4	12.9	23	41.9	2.99	4.3	0.05
1568181	0.31	40.5	14.8	16	38.9	3.07	3.9	0.01
1568182	0.22	43.2	11.9	15	33.1	2.86	4.0	0.02
1568183	0.45	32.8	11.2	25	31.3	2.46	4.2	0.06
1568184	0.42	32.1	9.0	22	27.3	2.27	4.3	0.04
1568185	0.40	32.4	9.4	23	27.3	2.26	4.3	0.04
1568186	0.46	31.5	10.9	24	30.4	2.44	4.9	0.05
1568187	0.43	35.9	11.2	23	32.4	3.16	5.3	0.05
1568188	0.40	31.5	12.3	24	29.4	2.34	4.4	0.06
1568189	0.63	34.1	12.7	25	36.5	2.69	4.6	0.04
1568190	0.47	31.1	10.3	23	25.6	2.63	4.5	0.05
1568191	0.36	31.9	9.4	22	26.4	2.65	4.7	0.04
1568192	0.24	41.0	11.1	18	39.5	2.89	4.2	0.03
1568193	0.19	33.5	9.7	21	34.1	2.59	5.0	0.03
1568194	0.19	38.3	9.1	20	31.7	2.46	4.4	0.02
1568195	0.37	36.1	13.4	26	43.3	3.03	5.2	0.04
1568196	0.30	34.8	12.4	26	36.5	2.90	5.0	0.04
1568197	0.29	35.6	11.4	23	32.8	2.74	4.7	0.04
1568198	0.38	35.5	11.6	24	39.3	2.86	5.0	0.04
1568199	0.46	38.5	11.9	23	41.6	3.04	4.8	0.04
1568200	0.37	35.2	11.3	23	38.6	2.84	4.9	0.05
1568201	0.30	32.7	8.5	24	33.2	2.55	4.1	0.02

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
*Rep 1567897	0.26	31.1	8.8	26	26.1	2.24	4.4	0.02
*Rep 1568172	0.42	32.3	10.3	26	27.5	2.52	4.3	0.06
*Rep 1568182	0.24	44.0	12.7	17	36.0	2.93	4.3	<0.01
*Rep 1568186	0.48	33.4	11.3	23	32.3	2.71	5.1	0.05
*Std OREAS209	0.09	27.3	31.4	42	83.7	6.33	4.2	<0.01
*Std OREAS920	0.06	72.0	14.5	39	98.1	3.27	6.7	<0.01
*Std OREAS209	0.07	27.5	30.5	36	79.3	6.40	4.6	<0.01
*Blk BLANK	<0.01	<0.05	<0.1	<1	<0.5	<0.01	<0.1	<0.01
*Blk BLANK	<0.01	<0.05	<0.1	1	<0.5	<0.01	<0.1	<0.01
*Blk BLANK	<0.01	<0.05	<0.1	<1	<0.5	<0.01	<0.1	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
1567877	0.07	15.1	0.56	397	1.28	0.02	25.3	980
1567878	0.07	15.1	0.58	313	1.26	0.02	23.6	920
1567879	0.07	15.7	0.53	347	1.28	0.02	23.3	920
1567880	0.05	15.4	0.51	248	1.15	0.02	21.8	1040
1567881	0.06	19.9	0.57	354	1.21	0.02	26.7	1080
1567882	0.05	16.4	0.52	428	1.12	0.02	25.5	980
1567883	0.06	16.0	0.52	501	1.30	0.02	26.7	1040
1567884	0.05	16.5	0.56	306	1.19	0.02	25.8	800
1567885	0.06	15.9	0.54	827	1.30	0.02	28.5	1050
1567886	0.05	17.3	0.53	256	0.75	0.02	22.4	890
1567887	0.07	18.7	1.24	633	0.83	0.02	56.4	960
1567888	0.07	24.0	0.74	491	0.84	0.02	36.3	770
1567889	0.05	21.8	0.52	374	0.87	0.02	21.8	840
1567890	0.05	22.7	0.54	268	0.86	0.02	19.6	1030
1567891	0.05	25.1	0.58	414	0.99	0.02	20.1	1000
1567892	0.05	15.2	0.47	236	1.05	0.02	19.7	1180
1567893	0.06	15.5	0.52	366	1.46	0.02	24.7	1100
1567894	0.05	15.2	0.47	226	1.01	0.02	20.9	1090
1567895	0.05	13.3	0.43	201	0.94	0.02	17.0	1160
1567896	0.05	15.4	0.52	242	1.08	0.02	20.3	1050
1567897	0.05	16.1	0.58	249	1.17	0.02	21.3	960
1567898	0.04	15.7	0.48	218	0.88	0.02	17.7	940
1567899	0.05	15.8	0.51	247	1.03	0.02	19.9	1110
1567900	0.05	16.9	0.56	397	1.22	0.02	27.1	1110
1568151	0.06	19.2	0.53	422	1.07	0.02	25.4	570
1568152	0.06	20.8	0.63	471	1.17	0.02	26.8	490
1568153	0.07	14.9	0.45	685	2.43	0.02	18.7	1360
1568154	0.06	16.9	0.57	193	0.93	0.02	20.1	1060
1568155	0.05	19.8	0.53	290	1.03	0.02	21.7	720
1568156	0.06	21.8	0.52	399	1.09	0.02	23.9	750
1568157	0.05	20.0	0.56	313	0.98	0.02	21.4	720
1568158	0.05	18.4	0.54	323	1.07	0.02	20.9	630
1568159	0.05	20.0	0.57	324	0.91	0.02	20.7	870
1568160	0.05	19.2	0.53	217	0.92	0.02	18.7	1030
1568161	0.06	16.6	0.54	231	1.20	0.02	20.0	1210
1568162	0.05	18.6	0.52	211	0.90	0.02	19.0	940
1568163	0.05	18.0	0.50	238	0.92	0.03	21.2	760
1568164	0.05	18.4	0.50	280	0.87	0.02	20.8	770
1568165	0.05	18.3	0.53	278	1.09	0.02	21.3	750
1568166	0.06	19.9	0.57	376	1.12	0.02	24.5	790

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
1568167	0.05	19.5	0.52	363	1.00	0.02	21.9	560
1568168	0.05	17.7	0.53	261	1.06	0.02	17.5	760
1568169	0.05	18.8	0.53	242	0.89	0.02	19.8	780
1568170	0.05	20.9	0.57	475	0.89	0.03	24.4	810
1568171	0.06	19.8	0.59	365	1.10	0.03	25.8	980
1568172	0.05	16.2	0.50	265	1.22	0.02	22.8	1150
1568173	0.05	16.4	0.50	199	0.97	0.02	21.9	1170
1568174	0.07	17.9	0.67	378	1.40	0.02	30.5	1140
1568175	0.05	17.6	0.48	275	1.00	0.02	22.3	1100
1568176	0.06	16.7	0.60	294	1.09	0.03	25.9	1010
1568177	0.06	16.7	0.42	447	1.09	0.02	25.0	630
1568178	0.05	17.0	0.43	373	1.02	0.02	23.7	670
1568179	0.06	17.5	0.45	389	0.95	0.02	25.3	610
1568180	0.06	17.1	0.46	585	0.89	0.02	31.1	720
1568181	0.07	21.2	0.48	623	1.04	0.02	32.2	580
1568182	0.10	23.6	0.43	287	0.74	0.01	26.0	500
1568183	0.06	17.3	0.38	300	1.04	0.02	26.6	670
1568184	0.05	17.1	0.38	225	0.86	0.02	22.6	660
1568185	0.05	16.9	0.38	218	0.84	0.02	23.1	670
1568186	0.05	16.2	0.41	347	0.99	0.02	23.3	720
1568187	0.05	18.0	0.44	464	0.94	0.02	27.2	740
1568188	0.05	16.8	0.41	405	1.08	0.02	23.7	620
1568189	0.06	17.1	0.41	460	1.16	0.02	27.8	680
1568190	0.04	15.0	0.34	322	1.02	0.02	20.7	840
1568191	0.05	16.0	0.39	308	1.00	0.02	24.4	760
1568192	0.07	20.5	0.43	366	1.15	0.02	28.2	600
1568193	0.06	17.5	0.43	321	1.06	0.02	22.4	550
1568194	0.06	21.1	0.45	284	1.01	0.02	24.6	550
1568195	0.06	18.3	0.46	471	1.25	0.02	28.1	710
1568196	0.05	17.2	0.43	435	1.26	0.02	25.0	640
1568197	0.05	17.7	0.44	403	1.18	0.02	24.8	570
1568198	0.06	17.9	0.48	457	1.31	0.02	28.1	620
1568199	0.08	18.6	0.47	521	1.42	0.02	31.5	680
1568200	0.07	18.6	0.45	454	1.29	0.02	29.3	620
1568201	0.06	16.9	0.40	364	1.07	0.02	21.4	650

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
*Rep 1567897	0.05	15.6	0.55	247	1.10	0.02	20.8	980
*Rep 1568172	0.05	16.3	0.52	259	1.20	0.02	23.3	1150
*Rep 1568182	0.09	22.9	0.42	319	0.78	0.02	27.4	550
*Rep 1568186	0.05	16.3	0.44	345	0.94	0.02	24.6	810
*Std OREAS209	0.09	14.2	2.16	1310	2.12	0.17	115	1580
*Std OREAS920	0.46	37.2	1.10	490	0.33	0.03	37.6	600
*Std OREAS209	0.06	14.1	2.24	1490	1.99	0.19	112	1440
*Blk BLANK	<0.01	<0.1	<0.01	<2	<0.05	<0.01	<0.5	<50
*Blk BLANK	<0.01	<0.1	<0.01	<2	<0.05	<0.01	<0.5	<50
*Blk BLANK	<0.01	<0.1	<0.01	<2	<0.05	<0.01	<0.5	<50

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
1567877	18.8	6.7	1.61	4.1	0.4	32.2	4.6	0.05
1567878	16.7	7.0	1.47	4.1	0.5	28.4	4.5	0.05
1567879	16.5	6.5	1.55	4.0	0.3	24.8	4.6	0.05
1567880	13.0	6.8	0.95	3.8	0.4	24.9	3.9	0.05
1567881	13.5	6.9	1.64	4.1	0.3	35.7	5.1	0.04
1567882	12.6	6.3	2.19	4.5	0.4	39.9	3.5	0.04
1567883	12.2	6.9	2.77	4.5	0.4	34.0	4.2	0.05
1567884	12.9	7.0	2.68	4.3	0.3	30.1	4.3	0.05
1567885	15.5	8.3	3.27	4.6	0.4	36.7	3.4	0.04
1567886	13.2	6.1	2.33	3.1	<0.3	23.6	3.7	0.04
1567887	14.2	8.8	3.01	4.7	0.4	21.2	6.3	0.05
1567888	16.1	7.3	2.05	3.8	<0.3	26.0	8.7	0.04
1567889	21.6	5.3	3.40	2.8	<0.3	22.5	6.4	0.04
1567890	13.5	6.6	1.56	2.4	0.3	17.8	4.7	0.04
1567891	16.6	5.5	2.31	2.7	<0.3	18.5	6.8	0.04
1567892	11.2	6.1	1.76	3.4	0.3	20.5	3.2	0.05
1567893	13.1	5.8	2.82	4.0	0.4	30.3	3.3	0.06
1567894	10.6	5.4	1.20	3.7	0.3	25.2	3.2	0.05
1567895	12.9	7.1	2.67	2.9	0.3	25.0	1.6	0.04
1567896	12.8	7.7	2.81	3.5	0.4	22.2	2.6	0.05
1567897	13.2	6.5	3.31	3.6	0.4	21.3	3.8	0.06
1567898	8.3	5.8	1.17	3.0	0.3	16.9	3.3	0.05
1567899	17.8	6.3	2.40	3.1	0.3	18.4	2.9	0.04
1567900	12.6	6.8	1.31	4.3	0.4	27.2	4.3	0.05
1568151	17.0	6.9	6.67	4.6	0.4	19.4	5.3	0.05
1568152	16.9	8.5	4.39	5.1	0.4	11.6	5.7	0.07
1568153	16.4	8.3	4.63	2.6	0.4	7.8	4.6	0.06
1568154	10.7	7.6	0.69	3.2	0.4	21.4	2.6	0.07
1568155	14.4	6.0	1.15	3.7	0.4	17.6	4.4	0.07
1568156	18.6	6.0	1.80	4.0	0.3	16.3	5.0	0.06
1568157	14.9	5.8	1.56	3.4	0.3	13.6	5.6	0.06
1568158	13.9	6.9	1.53	3.5	0.3	10.4	5.9	0.06
1568159	14.7	5.3	1.54	3.0	0.3	17.4	4.7	0.07
1568160	11.5	6.2	0.77	3.6	0.4	17.0	3.9	0.07
1568161	13.7	8.4	0.75	4.1	0.5	18.1	3.3	0.07
1568162	10.6	5.8	0.67	3.5	0.4	21.0	3.9	0.08
1568163	10.4	5.0	0.95	3.4	0.4	24.3	4.5	0.10
1568164	10.7	5.7	0.95	3.5	0.4	18.1	4.4	0.08
1568165	10.1	6.5	0.91	4.5	0.4	16.8	4.4	0.07
1568166	15.0	7.4	1.74	4.7	0.4	13.4	4.8	0.06

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
1568167	14.5	5.5	1.85	3.6	0.4	14.8	5.0	0.08
1568168	12.9	7.3	1.81	3.4	0.4	11.5	4.0	0.07
1568169	13.0	5.7	1.82	3.0	0.3	13.7	3.7	0.06
1568170	16.9	5.5	2.23	3.0	<0.3	16.9	4.9	0.04
1568171	18.2	6.2	2.19	3.8	0.3	23.2	3.7	0.06
1568172	14.9	7.4	1.47	3.7	0.4	29.0	2.0	0.04
1568173	13.5	6.7	1.12	3.1	0.3	18.7	2.0	0.05
1568174	14.4	8.1	1.37	4.9	0.5	30.7	4.0	0.06
1568175	11.2	5.5	1.06	3.7	0.3	26.9	4.4	0.06
1568176	12.6	6.7	1.08	4.4	0.5	34.9	4.7	0.07
1568177	11.1	7.4	1.04	4.9	0.4	46.3	4.8	0.06
1568178	11.6	7.4	0.83	4.8	0.4	34.9	4.4	0.05
1568179	12.0	7.7	1.00	4.4	0.4	37.6	5.0	0.06
1568180	17.8	7.8	2.14	4.5	0.4	33.8	5.2	0.05
1568181	15.2	7.3	4.82	2.8	<0.3	20.3	8.3	0.03
1568182	12.8	12.0	4.99	2.8	0.4	19.4	8.9	0.05
1568183	12.6	8.5	1.50	4.6	0.4	30.9	4.3	0.05
1568184	12.5	6.8	1.42	3.9	0.4	31.7	4.5	0.05
1568185	11.2	7.5	0.90	4.1	0.4	33.8	4.2	0.05
1568186	13.6	8.3	5.04	4.7	0.4	38.4	4.1	0.05
1568187	14.3	6.9	1.33	4.8	0.4	33.2	5.0	0.05
1568188	13.2	7.4	1.60	4.4	0.4	41.4	4.3	0.05
1568189	14.8	8.0	1.63	4.5	0.4	41.1	4.4	0.05
1568190	11.2	8.1	0.73	4.4	0.4	35.7	2.8	0.04
1568191	10.3	7.4	0.73	4.3	0.4	30.0	3.9	0.05
1568192	18.5	7.2	2.47	3.7	0.3	21.6	6.7	0.04
1568193	15.4	7.7	1.49	3.7	0.4	21.3	4.5	0.03
1568194	15.4	7.1	1.79	3.4	0.3	22.2	5.8	0.04
1568195	16.7	8.0	1.77	4.9	0.4	33.2	5.0	0.04
1568196	14.3	9.0	1.34	4.7	0.4	28.5	4.4	0.04
1568197	15.1	7.1	1.34	4.1	0.4	28.9	4.7	0.04
1568198	16.2	8.2	1.50	4.5	0.4	29.7	5.0	0.05
1568199	17.6	8.7	2.26	4.6	0.4	28.1	6.4	0.05
1568200	15.6	8.7	1.83	4.3	0.4	27.8	5.4	0.05
1568201	15.8	9.6	1.97	3.5	0.4	26.2	3.5	0.04

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
*Rep 1567897	13.4	6.4	3.10	3.7	0.3	21.0	3.6	0.05
*Rep 1568172	15.2	7.1	1.40	3.5	0.4	28.7	1.8	0.04
*Rep 1568182	13.0	12.6	4.66	3.3	0.5	18.0	8.8	0.05
*Rep 1568186	14.2	8.2	4.90	4.6	0.5	38.4	4.2	0.05
*Std OREAS209	3.2	4.1	1.29	3.7	1.1	59.6	1.9	0.15
*Std OREAS920	20.2	24.2	0.52	2.8	1.1	17.2	16.0	0.16
*Std OREAS209	3.2	3.9	1.05	3.7	0.9	68.3	1.8	0.15
*Blk BLANK	<0.2	<0.2	<0.05	<0.1	<0.3	<0.5	<0.1	<0.01
*Blk BLANK	<0.2	<0.2	<0.05	<0.1	<0.3	<0.5	<0.1	<0.01
*Blk BLANK	<0.2	<0.2	<0.05	<0.1	<0.3	<0.5	<0.1	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
1567877	0.10	1.71	39	0.2	8.47	71
1567878	0.10	2.06	40	0.5	8.15	69
1567879	0.09	1.52	40	0.2	8.16	70
1567880	0.10	2.11	43	0.2	7.87	70
1567881	0.09	3.46	38	0.2	10.2	82
1567882	0.09	4.09	41	0.3	11.1	71
1567883	0.08	2.34	40	0.2	9.68	81
1567884	0.08	2.42	41	0.3	9.45	71
1567885	0.10	3.54	41	0.2	10.2	75
1567886	0.07	1.73	32	0.2	7.60	58
1567887	0.09	1.86	37	0.1	8.89	73
1567888	0.07	2.19	32	0.1	8.90	75
1567889	0.05	1.34	28	0.1	7.15	66
1567890	0.08	1.39	32	0.2	5.51	70
1567891	0.07	1.45	32	0.3	6.75	74
1567892	0.08	1.18	39	0.3	7.03	70
1567893	0.08	1.41	45	0.2	7.98	72
1567894	0.08	0.91	42	0.2	7.02	63
1567895	0.10	1.20	37	0.2	5.42	56
1567896	0.08	1.14	39	0.2	7.44	66
1567897	0.08	1.10	39	0.2	7.38	70
1567898	0.07	1.15	33	0.2	6.86	59
1567899	0.08	1.22	34	0.2	6.75	67
1567900	0.08	1.55	43	0.2	8.63	83
1568151	0.09	1.42	45	0.2	8.63	65
1568152	0.09	1.03	43	0.2	12.1	73
1568153	0.09	0.52	54	0.2	3.57	67
1568154	0.08	0.90	39	0.2	7.93	68
1568155	0.07	0.81	39	0.2	7.97	68
1568156	0.09	0.69	39	0.2	9.28	75
1568157	0.07	0.88	37	0.2	7.34	65
1568158	0.07	0.65	34	0.2	7.42	69
1568159	0.06	0.75	34	0.2	7.54	66
1568160	0.08	0.81	39	0.2	8.10	65
1568161	0.09	1.05	47	0.2	7.39	67
1568162	0.07	0.83	39	0.2	8.31	55
1568163	0.06	1.24	41	0.2	9.11	57
1568164	0.07	0.84	38	0.2	8.58	65
1568165	0.08	0.91	41	0.2	8.77	67
1568166	0.09	0.87	39	0.2	10.9	74

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC162741 Order: AUX16-1 (7 of 10)

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
1568167	0.07	0.83	37	0.2	8.91	62
1568168	0.08	0.80	37	0.2	7.27	60
1568169	0.08	1.05	36	0.2	7.18	60
1568170	0.07	0.77	30	0.2	6.71	72
1568171	0.08	1.26	38	0.2	8.98	83
1568172	0.09	2.33	37	0.2	8.82	74
1568173	0.09	1.38	37	1.0	7.22	68
1568174	0.09	1.89	45	0.2	9.85	86
1568175	0.06	1.25	38	0.2	8.47	59
1568176	0.09	1.59	44	0.4	9.01	75
1568177	0.09	1.63	46	0.6	8.77	71
1568178	0.10	2.27	54	0.3	9.11	60
1568179	0.10	1.00	46	0.2	8.37	69
1568180	0.11	0.90	39	0.3	10.4	88
1568181	0.14	0.94	23	<0.1	7.15	91
1568182	0.20	1.40	24	0.1	6.97	75
1568183	0.11	2.60	41	0.2	8.77	82
1568184	0.12	2.93	41	0.2	7.99	76
1568185	0.11	2.77	41	0.2	8.18	72
1568186	0.12	4.26	49	0.2	8.75	75
1568187	0.11	3.46	53	0.3	9.66	76
1568188	0.11	4.54	43	0.2	8.85	75
1568189	0.11	2.07	46	0.2	10.2	84
1568190	0.10	2.16	49	0.2	9.01	65
1568191	0.09	1.54	45	0.2	8.94	71
1568192	0.13	0.99	32	0.2	7.68	82
1568193	0.11	0.93	38	0.2	6.94	68
1568194	0.11	1.14	34	0.2	7.28	72
1568195	0.11	1.92	49	3.1	10.6	71
1568196	0.11	1.90	48	0.3	9.12	67
1568197	0.11	1.28	44	0.2	8.28	73
1568198	0.11	1.37	47	0.2	9.34	83
1568199	0.15	0.85	47	0.2	9.84	93
1568200	0.12	1.17	43	0.5	8.71	82
1568201	0.13	1.41	42	0.4	7.69	63

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
*Rep 1567897	0.08	1.10	39	0.2	7.26	65
*Rep 1568172	0.09	2.45	38	0.3	8.41	71
*Rep 1568182	0.19	1.37	28	0.1	7.71	75
*Rep 1568186	0.12	4.52	49	0.3	9.78	76
*Std OREAS209	0.04	0.46	42	0.4	14.1	79
*Std OREAS920	0.18	2.24	21	0.5	17.2	104
*Std OREAS209	0.04	0.48	40	0.4	14.2	73
*Blk BLANK	<0.02	<0.05	<1	<0.1	<0.05	<1
*Blk BLANK	<0.02	<0.05	<1	<0.1	<0.05	<1
*Blk BLANK	<0.02	<0.05	<1	<0.1	<0.05	<1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis
Work Order : VC162742
[Report File No.: 0000018958]

Date: September 13, 2016

To: **Helena Kuikka**
STRATA GOLD CORPORATION
SUITE 910 - 1050 W PENDER ST
VANCOUVER BC V6E 3S7

P.O. No.: AUX16-1 (8 of 10)
Project No.: AUREX
Samples: 74
Received: Aug 29, 2016
Pages: Page 1 to 16
(Inclusive of Cover Sheet)

Methods Summary

No. Of Samples	Method Code	Description
74	G_LOG02	Pre-preparation processing, sorting, logging, boxing
74	G_WGH79	Weighing of samples and reporting of weights
74	GE_FAI313	@Au, Pt, Pd, FAS, ICP-AES, 30g - 5ml (Clean Pots only)
74	GE_IMS14B	Aqua Regia digestion/ICP-MS package

Storage: Pulp & Reject

REJECT STORAGE	:	STORE
PULP STORAGE	:	STORE

Certified By :
John Chiang
QC Chemist

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R.	= Listed not received	I.S.	= Insufficient Sample
n.a.	= Not applicable	--	= No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted

Elements marked with the **@** symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	WtKg	Au@	Ag	Al	As	Ba	Bi	Ca
Method	G_WGH79	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	1	0.01	0.01	1	5	0.02	0.01
Units	kg	ppb	ppm	%	ppm	ppm	ppm	%
1568202	0.455	4	0.22	1.39	31	427	0.25	0.45
1568203	0.505	8	0.40	1.37	42	421	0.24	0.46
1568204	0.540	9	0.56	1.48	93	412	0.29	0.50
1568205	0.370	6	0.37	1.40	45	411	0.24	0.58
1568206	0.430	14	0.70	1.41	123	334	0.31	0.63
1568207	0.330	5	0.29	1.33	98	414	0.24	0.36
1568208	0.325	7	0.18	1.34	30	349	0.18	0.41
1568209	0.440	5	0.19	1.46	15	445	0.20	0.52
1568210	0.340	3	0.23	1.43	23	501	0.23	0.49
1568211	0.355	2	0.21	1.44	17	496	0.23	0.41
1568212	0.450	3	0.17	1.55	20	411	0.25	0.25
1568213	0.410	3	0.19	1.60	17	452	0.26	0.29
1568214	0.470	6	0.17	1.49	18	281	0.22	0.28
1568215	0.460	4	0.12	1.58	16	442	0.22	0.23
1568216	0.410	3	0.24	1.56	17	563	0.22	0.34
1568217	0.395	3	0.22	1.53	18	547	0.22	0.42
1568218	0.415	3	0.20	1.63	21	507	0.23	0.41
1568219	0.510	4	0.13	1.60	17	366	0.20	0.29
1568220	0.440	5	0.16	1.68	23	461	0.22	0.35
1568221	0.350	3	0.13	1.49	16	349	0.18	0.29
1568222	0.515	5	0.35	1.52	44	518	0.28	0.35
1568223	0.500	8	0.53	1.82	78	486	0.37	0.44
1568224	0.485	6	0.31	1.71	61	473	0.27	0.41
1568225	0.355	43	0.36	1.42	149	353	0.42	0.24
1568226	0.415	7	0.30	1.51	72	446	0.29	0.38
1568227	0.380	5	0.16	1.10	18	188	0.17	0.17
1568228	0.425	3	0.14	1.29	18	309	0.18	0.27
1568229	0.420	3	0.18	1.52	24	424	0.20	0.35
1568230	0.520	3	0.16	1.54	28	375	0.21	0.35
1568231	0.455	5	0.30	1.66	39	525	0.26	0.35
1568232	0.480	7	0.42	1.45	74	407	0.26	0.36
1568233	0.515	3	0.28	1.57	32	418	0.23	0.35
1568234	0.435	3	0.19	1.34	19	371	0.20	0.29
1568235	0.515	7	0.26	1.32	27	483	0.22	0.35
1568236	0.435	3	0.28	1.47	25	430	0.22	0.41
1568237	0.435	9	0.81	1.52	83	397	0.27	0.37
1568238	0.360	5	0.58	1.56	39	479	0.24	0.45
1568239	0.410	5	0.15	1.50	13	427	0.19	0.38
1568240	0.440	5	0.15	1.29	11	361	0.18	0.29
1568241	0.390	7	0.47	1.38	150	436	0.28	0.74

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	WtKg	Au@	Ag	Al	As	Ba	Bi	Ca
Method	G_WGH79	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	1	0.01	0.01	1	5	0.02	0.01
Units	kg	ppb	ppm	%	ppm	ppm	ppm	%
1568242	0.455	17	0.44	1.56	286	412	0.45	0.55
1568243	0.455	16	0.53	1.51	293	435	0.46	0.49
1568244	0.420	13	0.36	1.44	178	466	0.36	0.48
1568245	0.385	7	0.50	1.45	79	439	0.29	0.52
1568246	0.410	6	0.49	1.56	71	408	0.27	0.52
1568247	0.430	16	0.30	1.42	226	390	0.36	0.49
1568248	0.435	4	0.09	1.52	35	261	0.23	0.31
1568249	0.465	5	0.17	1.43	17	433	0.23	0.49
1568250	0.430	4	0.18	1.46	35	385	0.21	0.44
1568251	0.335	5	0.20	1.41	68	360	0.25	0.46
1568252	0.365	7	0.27	1.38	88	474	0.28	0.64
1568253	0.425	4	0.25	1.46	37	485	0.22	0.53
1568254	0.565	5	0.35	1.30	60	461	0.24	0.50
1568255	0.455	6	0.28	1.29	51	414	0.22	0.46
1568256	0.395	3	0.24	1.42	31	536	0.22	0.54
1568257	0.375	5	0.27	1.37	36	477	0.21	0.45
1568258	0.370	3	0.21	1.37	17	446	0.20	0.32
1568261	0.370	11	0.62	1.00	76	204	0.22	0.23
1568262	0.365	8	0.20	1.09	82	222	0.27	0.18
1568263	0.340	8	0.30	1.18	24	243	0.18	0.23
1568264	0.420	3	0.32	1.29	20	310	0.18	0.28
1568265	0.475	15	0.68	1.22	52	315	0.22	0.34
1568266	0.510	3	0.18	1.21	35	270	0.21	0.22
1568267	0.665	4	0.21	1.14	43	408	0.22	0.35
1568268	0.440	2	0.16	1.09	16	223	0.17	0.21
1568269	0.490	1	0.12	1.24	29	195	0.22	0.17
1568270	0.450	3	0.13	1.20	14	351	0.17	0.31
1568271	0.580	4	0.21	1.33	22	473	0.20	0.40
1568272	0.505	5	0.25	1.49	24	482	0.21	0.51
1568273	0.555	4	0.25	1.58	30	488	0.22	0.43
1568274	0.645	6	0.19	1.32	19	401	0.19	0.42
1568275	0.785	4	0.23	1.20	29	443	0.20	0.34
1568276	0.610	9	0.51	1.47	105	396	0.29	0.39
1568277	0.585	5	0.16	1.46	24	376	0.19	0.35
*Rep 1568209		3						
*Rep 1568220		3						
*Rep 1568251		5						
*Rep 1568258		5						
*Std ME-1309		101						
*Std OREASH1		11						

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Au@	Ag	Al	As	Ba	Bi	Ca
Method	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	1	0.01	0.01	1	5	0.02	0.01
Units	ppb	ppm	%	ppm	ppm	ppm	%
*Std OREAS151B	64						
*Blk BLANK	<1						
*Blk BLANK	<1						
*Rep 1568208		0.17	1.36	30	346	0.18	0.42
*Rep 1568250		0.19	1.43	35	408	0.22	0.47
*Rep 1568255		0.27	1.42	52	412	0.22	0.44
*Rep 1568265		0.66	1.24	45	322	0.22	0.34
*Std OREAS920		0.09	2.36	5	90	0.59	0.32
*Std OREAS209		0.28	1.23	1130	77	0.06	1.45
*Std OREAS920		0.11	2.45	4	88	0.62	0.34
*Std OREAS209		0.28	1.22	1100	76	0.06	1.46
*Blk BLANK		<0.01	<0.01	<1	<5	<0.02	<0.01
*Blk BLANK		<0.01	<0.01	<1	<5	<0.02	<0.01
*Blk BLANK		<0.01	<0.01	<1	<5	<0.02	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
1568202	0.30	38.4	10.0	26	31.0	2.58	4.5	0.06
1568203	0.39	37.7	11.6	26	36.1	2.82	4.4	0.05
1568204	0.39	38.4	12.3	27	40.6	3.00	4.3	0.05
1568205	0.35	38.7	11.4	28	36.5	2.72	4.2	0.06
1568206	0.83	46.0	14.6	26	57.2	3.27	4.3	0.06
1568207	0.71	32.3	6.5	24	31.9	2.06	4.0	0.07
1568208	0.30	30.7	7.7	23	21.9	2.29	4.4	0.11
1568209	0.48	39.4	9.8	25	27.9	2.42	4.5	0.04
1568210	0.31	39.8	11.2	27	31.7	2.53	4.6	0.05
1568211	0.32	39.9	10.0	27	26.6	2.65	4.6	0.06
1568212	0.16	50.4	10.1	24	28.0	2.76	4.8	0.05
1568213	0.31	57.4	11.0	27	32.0	3.16	5.1	0.04
1568214	0.19	40.1	9.3	26	23.7	2.67	5.2	0.03
1568215	0.12	44.8	10.8	29	30.4	2.87	4.6	0.04
1568216	0.17	45.3	9.2	27	35.0	2.94	5.2	0.05
1568217	0.36	40.7	10.9	26	29.2	2.93	5.1	0.05
1568218	0.26	41.6	10.4	30	29.9	2.85	4.8	0.04
1568219	0.16	43.4	7.9	27	27.0	2.55	4.7	0.05
1568220	0.17	43.2	9.9	30	31.7	2.90	5.3	0.05
1568221	0.10	39.4	8.1	28	27.4	2.48	4.7	0.04
1568222	0.22	39.0	10.6	29	37.3	3.01	4.5	0.06
1568223	0.54	36.9	13.0	32	351	3.18	5.7	0.05
1568224	0.15	37.3	10.2	34	37.2	3.00	5.2	0.05
1568225	0.37	37.8	10.6	24	42.8	2.80	4.0	0.05
1568226	0.16	37.7	10.0	28	35.1	2.72	4.5	0.04
1568227	0.15	42.2	6.1	19	23.8	1.98	3.8	0.03
1568228	0.14	38.3	7.1	23	25.6	2.12	3.9	0.02
1568229	0.12	40.8	8.6	29	29.5	2.53	4.8	0.04
1568230	0.14	38.9	8.2	28	27.6	2.57	4.9	0.03
1568231	0.25	39.4	11.3	26	41.4	3.16	5.0	0.05
1568232	0.28	35.9	9.7	25	44.3	2.77	4.0	0.05
1568233	0.30	37.1	9.4	27	31.4	2.67	4.9	0.04
1568234	0.33	37.6	7.8	24	25.5	2.46	4.4	0.05
1568235	0.46	38.4	9.7	26	35.6	2.75	4.4	0.03
1568236	0.24	38.2	9.3	26	30.3	2.62	5.1	0.04
1568237	0.20	40.6	8.9	25	37.3	2.55	4.4	0.04
1568238	0.58	38.7	10.1	27	40.9	2.85	4.7	0.07
1568239	0.36	37.2	8.2	25	28.2	2.34	4.6	0.04
1568240	0.36	41.7	7.4	24	27.7	2.39	4.1	0.04
1568241	0.49	34.0	11.7	25	35.2	2.99	4.3	0.06

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
1568242	0.43	39.9	12.8	26	40.6	2.89	4.4	0.10
1568243	0.49	39.1	13.0	27	41.4	3.06	4.2	0.04
1568244	0.48	37.8	12.1	28	40.1	2.89	4.3	0.05
1568245	0.55	38.5	11.8	26	38.3	2.72	4.2	0.04
1568246	0.52	38.1	11.1	27	39.2	2.98	4.3	0.04
1568247	0.34	38.4	12.8	23	34.2	2.96	4.4	0.04
1568248	0.07	40.8	7.9	23	19.9	2.36	4.4	0.03
1568249	0.30	34.6	9.2	28	28.4	2.43	4.2	0.06
1568250	0.33	37.2	9.3	24	27.5	2.62	4.5	0.05
1568251	0.27	35.8	9.0	24	32.8	2.72	4.2	0.03
1568252	0.31	39.7	11.8	25	35.2	2.66	4.2	0.03
1568253	0.26	39.9	9.9	27	32.9	2.62	4.3	0.06
1568254	0.35	39.4	10.6	26	36.0	2.58	4.2	0.05
1568255	0.29	37.1	7.5	24	29.9	2.33	3.9	0.05
1568256	0.39	36.5	10.0	27	29.2	2.81	4.5	0.04
1568257	0.49	36.6	9.5	26	34.6	2.69	4.1	0.06
1568258	0.60	33.1	7.0	25	32.9	1.93	4.2	0.04
1568261	0.18	38.4	6.4	21	30.6	1.99	3.3	0.04
1568262	0.12	37.5	7.6	21	28.2	2.12	3.6	0.04
1568263	0.16	40.4	7.5	24	24.9	2.07	4.0	0.04
1568264	0.17	40.6	7.1	25	26.9	2.25	4.1	0.05
1568265	0.34	40.7	8.7	26	36.0	2.48	3.8	0.05
1568266	0.17	41.7	8.6	23	24.4	2.18	3.9	0.01
1568267	0.28	42.1	9.0	23	30.1	2.72	3.6	0.03
1568268	0.12	32.6	6.3	20	14.4	1.86	3.9	0.03
1568269	0.17	32.6	6.8	24	17.8	2.80	5.0	<0.01
1568270	0.17	36.2	7.9	25	24.3	2.20	4.1	<0.01
1568271	0.27	34.5	11.3	27	30.8	2.49	4.2	0.06
1568272	0.27	37.5	11.8	30	33.8	2.75	4.5	0.06
1568273	0.29	38.1	11.7	30	35.4	2.91	4.7	0.07
1568274	0.14	38.4	9.9	29	29.6	2.45	4.4	0.03
1568275	0.29	40.7	9.7	24	32.9	2.65	3.8	0.04
1568276	0.24	41.4	11.5	29	46.5	3.04	4.5	0.06
1568277	0.12	42.4	11.6	35	31.4	2.85	4.6	0.06

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
*Rep 1568208	0.29	31.1	7.5	25	21.9	2.34	4.5	0.05
*Rep 1568250	0.32	36.8	9.5	26	29.2	2.58	4.2	0.04
*Rep 1568255	0.29	35.5	7.7	24	32.5	2.46	4.2	0.07
*Rep 1568265	0.36	42.7	8.6	25	38.5	2.42	3.9	0.02
*Std OREAS920	0.07	82.7	14.5	43	112	3.65	7.0	<0.01
*Std OREAS209	0.07	28.5	29.6	41	75.4	6.57	4.0	<0.01
*Std OREAS920	0.05	83.0	15.1	44	121	3.74	7.5	<0.01
*Std OREAS209	0.06	28.6	29.6	40	77.3	5.95	4.0	<0.01
*Blk BLANK	<0.01	<0.05	<0.1	<1	<0.5	<0.01	<0.1	<0.01
*Blk BLANK	<0.01	<0.05	<0.1	<1	<0.5	<0.01	<0.1	<0.01
*Blk BLANK	<0.01	<0.05	<0.1	<1	<0.5	<0.01	<0.1	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
1568202	0.05	18.6	0.43	277	1.17	0.01	24.7	670
1568203	0.07	17.9	0.44	452	1.25	0.01	29.4	670
1568204	0.07	17.7	0.49	527	1.34	0.02	30.8	690
1568205	0.05	17.7	0.49	453	1.15	0.02	26.3	800
1568206	0.15	21.2	0.60	746	2.17	0.02	37.2	1030
1568207	0.05	15.8	0.36	112	1.07	0.01	18.0	870
1568208	0.04	14.7	0.39	184	0.93	0.01	18.6	800
1568209	0.05	17.4	0.42	264	0.97	0.02	22.4	840
1568210	0.05	18.9	0.44	506	1.04	0.01	25.3	690
1568211	0.04	19.4	0.42	297	1.00	0.01	22.7	760
1568212	0.04	23.7	0.44	373	0.97	0.01	23.9	610
1568213	0.05	27.4	0.50	354	1.16	0.01	29.2	690
1568214	0.04	19.2	0.41	271	1.12	0.01	18.6	540
1568215	0.05	21.8	0.47	386	1.13	0.01	26.6	560
1568216	0.05	21.5	0.45	440	1.18	0.02	28.3	710
1568217	0.05	20.2	0.45	439	1.24	0.01	27.3	710
1568218	0.05	19.8	0.46	383	1.33	0.02	27.0	620
1568219	0.05	20.9	0.46	265	1.07	0.02	21.8	630
1568220	0.05	20.6	0.50	367	1.27	0.02	25.4	660
1568221	0.04	18.2	0.45	245	1.12	0.01	20.1	580
1568222	0.05	18.6	0.45	449	1.35	0.01	30.7	660
1568223	0.05	17.9	0.48	639	1.63	0.01	27.3	600
1568224	0.05	19.4	0.55	421	1.09	0.02	30.8	520
1568225	0.05	18.1	0.44	512	1.14	0.01	25.2	440
1568226	0.06	19.0	0.47	393	1.10	0.02	26.0	560
1568227	0.04	19.7	0.38	204	0.70	0.01	17.1	590
1568228	0.04	19.5	0.41	220	0.84	0.01	19.6	520
1568229	0.05	20.0	0.47	285	1.05	0.01	22.9	590
1568230	0.05	19.0	0.46	281	1.06	0.01	22.2	550
1568231	0.06	18.8	0.49	497	1.38	0.02	31.1	620
1568232	0.05	17.7	0.48	419	1.16	0.01	27.2	620
1568233	0.04	17.7	0.46	337	1.17	0.01	25.3	670
1568234	0.04	17.4	0.40	176	0.90	0.01	21.7	700
1568235	0.05	18.6	0.48	441	1.19	0.01	29.3	720
1568236	0.05	17.6	0.49	303	1.04	0.01	24.6	680
1568237	0.06	20.1	0.46	336	0.96	0.01	25.2	490
1568238	0.05	18.0	0.48	253	0.91	0.01	25.7	850
1568239	0.05	17.4	0.40	174	0.73	0.01	21.9	640
1568240	0.04	20.0	0.43	179	0.72	0.01	20.3	830
1568241	0.06	16.3	0.49	429	1.02	0.01	29.0	820

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
1568242	0.09	18.7	0.52	401	1.13	0.02	30.5	690
1568243	0.08	18.9	0.49	323	1.24	0.01	31.4	720
1568244	0.08	18.5	0.50	303	1.17	0.02	31.1	750
1568245	0.07	18.0	0.49	238	1.11	0.02	28.8	690
1568246	0.06	18.3	0.47	368	1.16	0.02	31.2	720
1568247	0.07	18.4	0.47	883	1.08	0.01	30.8	760
1568248	0.05	19.6	0.47	229	0.84	0.01	18.9	680
1568249	0.05	16.7	0.42	297	0.91	0.01	22.5	810
1568250	0.05	18.1	0.42	353	0.95	0.01	25.0	790
1568251	0.07	17.0	0.47	284	1.07	0.01	25.4	700
1568252	0.05	17.9	0.42	382	1.02	0.01	27.2	700
1568253	0.05	18.4	0.43	467	1.12	0.01	27.3	730
1568254	0.06	18.6	0.42	585	1.15	0.01	28.3	700
1568255	0.06	17.0	0.42	245	1.09	0.01	22.4	590
1568256	0.05	17.1	0.41	290	1.10	0.01	25.4	740
1568257	0.04	16.6	0.42	240	1.05	0.01	27.8	750
1568258	0.04	16.0	0.38	110	0.41	0.01	21.4	620
1568261	0.05	17.8	0.35	248	1.06	<0.01	19.5	610
1568262	0.05	17.8	0.38	196	0.85	<0.01	18.7	480
1568263	0.05	18.8	0.38	186	0.95	<0.01	18.2	570
1568264	0.05	19.1	0.40	208	0.96	0.01	22.1	650
1568265	0.07	19.3	0.44	292	1.25	0.01	26.2	720
1568266	0.04	19.9	0.37	298	0.99	0.01	19.2	550
1568267	0.05	21.3	0.41	389	1.21	0.01	23.8	770
1568268	0.04	15.3	0.33	231	0.85	<0.01	15.2	460
1568269	0.04	15.3	0.34	232	1.48	<0.01	19.8	320
1568270	0.04	17.5	0.44	240	1.07	0.01	21.3	620
1568271	0.04	15.8	0.45	446	1.23	0.01	27.7	620
1568272	0.05	18.0	0.48	396	1.38	0.01	29.7	660
1568273	0.06	18.5	0.51	434	1.52	0.02	31.8	560
1568274	0.05	18.4	0.49	359	1.18	0.01	27.1	500
1568275	0.05	19.9	0.42	401	1.38	0.01	28.4	610
1568276	0.06	20.9	0.47	452	1.63	0.01	33.6	480
1568277	0.04	20.3	0.51	432	1.64	0.01	35.3	440

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
*Rep 1568208	0.04	14.9	0.40	193	0.92	0.01	18.7	780
*Rep 1568250	0.05	17.0	0.43	356	0.97	0.01	24.8	780
*Rep 1568255	0.05	16.6	0.40	249	1.06	0.01	22.2	650
*Rep 1568265	0.06	19.9	0.42	312	1.25	0.01	25.1	710
*Std OREAS920	0.45	38.1	1.02	517	0.34	0.03	37.1	660
*Std OREAS209	0.06	14.2	2.27	1420	2.01	0.17	112	1390
*Std OREAS920	0.44	36.4	1.11	572	0.40	0.02	40.1	720
*Std OREAS209	0.06	13.8	2.14	1420	2.01	0.18	110	1400
*Blk BLANK	<0.01	<0.1	<0.01	<2	<0.05	<0.01	<0.5	<50
*Blk BLANK	<0.01	<0.1	<0.01	<2	<0.05	<0.01	<0.5	<50
*Blk BLANK	<0.01	<0.1	<0.01	<2	<0.05	<0.01	<0.5	<50

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
1568202	13.9	7.3	1.13	4.1	0.4	30.5	4.6	0.04
1568203	17.8	8.3	1.42	4.2	0.4	28.5	5.2	0.04
1568204	17.0	9.1	1.74	4.4	0.4	35.1	5.6	0.04
1568205	15.6	7.7	1.34	4.5	0.4	45.6	5.5	0.04
1568206	28.5	10.5	2.73	3.9	0.3	31.0	7.1	0.03
1568207	13.9	5.5	1.42	3.5	0.3	27.6	4.0	0.03
1568208	10.2	7.0	0.80	3.6	0.4	33.5	3.6	0.04
1568209	11.1	8.4	0.74	4.2	0.4	37.4	4.3	0.04
1568210	12.8	8.6	2.65	3.7	0.4	36.3	3.8	0.04
1568211	11.4	8.7	1.72	3.7	0.4	32.7	3.2	0.03
1568212	11.9	7.1	1.38	3.5	0.3	22.7	5.3	0.03
1568213	13.0	9.0	1.07	3.9	0.3	25.6	5.1	0.04
1568214	12.2	9.7	0.98	3.2	0.4	21.7	3.3	0.04
1568215	11.1	9.2	1.10	4.7	0.4	21.7	5.4	0.05
1568216	11.1	8.8	1.38	4.6	0.4	28.9	4.9	0.04
1568217	13.1	8.5	1.46	4.4	0.4	35.7	3.8	0.04
1568218	13.2	9.0	1.33	4.5	0.4	28.5	4.5	0.04
1568219	11.2	8.2	1.02	3.9	0.4	22.7	3.4	0.04
1568220	13.1	9.0	1.69	4.4	0.4	25.9	3.7	0.05
1568221	11.2	7.6	1.54	3.8	0.4	22.4	3.6	0.04
1568222	17.5	8.2	8.51	4.8	0.4	26.6	5.5	0.04
1568223	28.1	10.0	9.34	4.3	35.3	31.9	2.6	0.04
1568224	18.0	7.2	9.41	5.0	0.4	31.1	5.2	0.05
1568225	31.4	7.7	14.8	4.2	0.4	17.3	6.2	0.04
1568226	18.8	7.2	10.7	4.4	0.4	28.4	5.4	0.05
1568227	14.8	6.1	2.30	2.6	<0.3	13.2	2.9	0.04
1568228	11.2	7.0	1.27	3.1	0.3	21.5	2.9	0.04
1568229	12.1	7.9	1.60	4.4	0.4	24.6	4.7	0.05
1568230	13.0	8.2	1.30	4.0	0.4	26.3	4.5	0.05
1568231	16.6	8.2	1.87	5.4	0.4	26.7	5.5	0.04
1568232	17.8	6.6	2.57	4.4	0.3	26.0	4.8	0.05
1568233	13.9	7.4	1.94	4.6	0.4	25.0	4.0	0.04
1568234	12.6	6.5	0.86	3.8	0.4	22.4	4.4	0.04
1568235	12.6	6.5	1.25	4.4	0.4	26.2	5.2	0.05
1568236	15.3	7.5	0.94	4.3	0.4	28.0	4.7	0.04
1568237	22.6	7.7	1.96	4.3	0.4	23.8	6.1	0.05
1568238	21.3	8.1	1.21	4.7	0.4	29.7	3.8	0.04
1568239	11.1	6.1	0.72	4.0	0.4	29.6	3.7	0.05
1568240	10.2	4.3	0.65	3.8	0.4	23.2	5.3	0.04
1568241	16.9	7.8	1.72	4.3	0.4	56.3	4.8	0.04

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
1568242	17.2	9.2	2.34	4.3	0.4	39.5	7.1	0.04
1568243	18.3	9.2	2.45	4.3	0.4	37.2	7.3	0.04
1568244	15.2	7.3	1.65	4.4	0.3	38.9	6.2	0.05
1568245	18.4	7.1	1.57	4.2	0.3	44.7	6.4	0.05
1568246	18.4	7.4	1.52	4.4	0.4	40.6	5.9	0.04
1568247	14.4	9.2	2.03	4.0	0.4	38.7	6.0	0.04
1568248	10.2	8.5	0.80	3.2	0.4	23.4	5.3	0.04
1568249	10.4	7.0	0.69	4.0	0.3	34.1	3.9	0.04
1568250	11.8	6.9	1.02	4.0	0.4	33.6	4.4	0.04
1568251	13.3	7.5	1.37	4.1	0.4	30.6	5.1	0.05
1568252	14.5	9.1	1.33	4.4	0.7	37.3	5.8	0.04
1568253	13.1	8.2	0.99	4.7	0.8	35.8	5.4	0.05
1568254	16.1	8.8	1.19	4.5	0.7	31.0	5.7	0.04
1568255	15.3	7.6	1.28	4.3	0.8	30.6	4.9	0.05
1568256	14.2	8.1	0.94	5.0	0.8	35.7	5.1	0.04
1568257	15.7	7.4	1.21	4.5	0.7	34.3	5.2	0.04
1568258	13.8	6.8	0.93	4.1	0.8	24.1	4.5	0.04
1568261	18.1	5.8	1.63	2.8	0.6	14.2	3.3	0.03
1568262	16.1	7.1	1.80	3.1	0.7	13.5	4.8	0.04
1568263	16.1	7.6	1.03	3.3	0.7	16.5	3.9	0.05
1568264	13.6	7.9	0.83	3.5	0.7	19.9	3.2	0.05
1568265	20.0	8.2	1.74	3.9	0.7	20.0	5.1	0.05
1568266	13.9	7.7	2.34	3.0	0.9	16.2	4.4	0.04
1568267	13.5	6.8	2.28	4.0	0.7	24.0	6.8	0.05
1568268	12.5	8.1	1.23	2.4	0.6	14.9	2.2	0.03
1568269	12.4	11.6	1.36	2.5	0.8	13.5	3.9	0.04
1568270	10.8	8.0	1.29	3.5	1.0	23.2	3.1	0.04
1568271	13.6	7.0	1.97	4.4	0.7	26.1	4.2	0.04
1568272	14.0	8.2	2.11	5.0	0.7	32.5	4.6	0.04
1568273	15.3	9.0	2.72	5.3	0.8	31.0	5.2	0.05
1568274	13.0	8.4	1.91	4.5	0.7	27.7	5.2	0.05
1568275	15.3	6.8	3.28	4.0	0.7	24.0	6.3	0.05
1568276	26.1	8.6	5.50	4.9	0.7	26.6	6.5	0.04
1568277	12.9	7.5	2.18	5.3	0.8	23.1	5.5	0.04

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
*Rep 1568208	10.7	7.1	0.76	3.7	0.4	33.1	3.6	0.04
*Rep 1568250	12.0	7.2	1.01	4.2	0.4	34.9	4.3	0.04
*Rep 1568255	15.4	7.4	1.26	4.5	0.7	31.8	4.7	0.05
*Rep 1568265	20.8	7.5	1.65	3.8	0.8	20.4	5.2	0.05
*Std OREAS920	20.4	26.2	0.50	3.1	1.2	17.5	17.2	0.15
*Std OREAS209	3.2	3.9	1.06	3.7	0.8	69.3	1.9	0.12
*Std OREAS920	23.3	28.7	0.52	3.4	1.7	16.5	17.1	0.15
*Std OREAS209	3.3	3.9	1.00	3.9	1.2	68.9	1.9	0.13
*Blk BLANK	<0.2	<0.2	<0.05	<0.1	<0.3	<0.5	<0.1	<0.01
*Blk BLANK	<0.2	<0.2	<0.05	<0.1	<0.3	<0.5	<0.1	<0.01
*Blk BLANK	<0.2	<0.2	<0.05	<0.1	<0.3	<0.5	<0.1	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
1568202	0.10	2.27	41	0.2	8.79	71
1568203	0.14	1.55	41	0.2	8.81	88
1568204	0.12	1.36	43	0.8	9.84	89
1568205	0.11	3.47	42	0.2	9.84	85
1568206	0.23	1.27	35	0.3	9.36	128
1568207	0.14	6.98	45	0.2	8.20	87
1568208	0.11	2.57	42	0.2	7.19	66
1568209	0.10	4.09	44	0.2	9.48	79
1568210	0.09	1.64	39	0.3	8.54	75
1568211	0.09	1.61	42	0.2	8.12	77
1568212	0.08	1.64	35	0.2	7.72	71
1568213	0.09	1.66	43	0.2	9.49	92
1568214	0.10	1.41	43	0.2	6.34	68
1568215	0.10	1.80	43	0.2	9.62	81
1568216	0.09	1.86	46	0.2	10.6	81
1568217	0.10	1.91	48	0.3	9.60	74
1568218	0.10	1.30	48	0.3	9.39	79
1568219	0.08	1.05	48	0.2	8.54	68
1568220	0.09	1.10	48	0.2	9.51	75
1568221	0.08	0.89	43	0.2	8.33	66
1568222	0.10	0.97	45	0.2	9.87	94
1568223	0.08	1.65	53	0.3	9.44	80
1568224	0.09	0.99	49	0.2	9.97	80
1568225	0.08	0.76	37	0.2	8.97	87
1568226	0.10	1.04	43	0.2	9.60	79
1568227	0.07	0.74	33	0.1	6.55	58
1568228	0.08	0.80	38	0.2	7.53	70
1568229	0.09	1.06	46	0.3	9.68	71
1568230	0.09	1.16	48	0.2	8.13	67
1568231	0.11	0.99	53	0.4	10.7	87
1568232	0.09	0.96	40	0.2	9.84	84
1568233	0.08	1.51	47	0.2	9.37	76
1568234	0.09	1.68	43	0.2	7.96	71
1568235	0.08	1.17	44	0.3	10.5	89
1568236	0.10	1.65	44	0.2	9.26	71
1568237	0.11	1.07	39	0.2	8.91	84
1568238	0.11	4.05	44	0.2	10.2	82
1568239	0.10	3.09	42	0.2	8.44	78
1568240	0.09	2.32	39	0.1	8.85	91
1568241	0.10	5.72	41	0.2	8.96	86

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
1568242	0.12	1.38	39	17.4	9.24	92
1568243	0.12	1.72	39	0.3	9.18	101
1568244	0.10	1.11	42	0.2	9.94	100
1568245	0.10	1.53	41	0.4	9.32	95
1568246	0.11	1.85	43	0.2	9.54	95
1568247	0.12	2.47	34	0.2	8.58	85
1568248	0.11	1.52	37	0.2	7.01	59
1568249	0.10	1.79	38	0.2	8.52	74
1568250	0.10	2.46	41	0.2	8.62	79
1568251	0.09	1.22	42	0.3	8.87	80
1568252	0.10	2.73	36	0.3	9.50	71
1568253	0.10	3.54	43	0.2	9.51	75
1568254	0.11	1.67	37	0.2	9.13	84
1568255	0.10	1.27	35	0.2	8.42	84
1568256	0.11	14.0	43	0.2	9.64	72
1568257	0.11	3.46	39	0.2	8.88	83
1568258	0.10	5.07	35	0.3	8.74	84
1568261	0.10	0.72	28	0.1	6.39	63
1568262	0.10	0.75	28	0.1	6.34	59
1568263	0.10	0.84	33	0.2	6.89	63
1568264	0.11	0.97	34	0.3	7.62	71
1568265	0.13	0.79	33	0.1	8.26	98
1568266	0.09	0.76	34	0.1	6.65	69
1568267	0.08	0.73	34	<0.1	9.13	95
1568268	0.11	0.70	36	0.2	4.10	52
1568269	0.11	0.52	48	0.3	3.45	65
1568270	0.09	1.03	35	0.2	7.34	65
1568271	0.08	1.09	40	0.2	8.83	81
1568272	0.09	1.72	47	0.2	10.0	85
1568273	0.10	1.16	48	0.2	9.48	92
1568274	0.09	0.95	40	0.2	8.72	72
1568275	0.09	0.81	34	0.2	9.18	93
1568276	0.11	1.04	41	0.1	10.8	88
1568277	0.09	0.90	45	0.1	10.0	75

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final - VC182742 Order: AUX16-1 (8 of 10)

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
*Rep 1568208	0.11	2.51	43	0.3	7.27	69
*Rep 1568250	0.10	2.43	43	0.2	8.75	79
*Rep 1568255	0.09	1.27	42	0.2	8.34	81
*Rep 1568265	0.13	0.84	33	<0.1	8.19	85
*Std OREAS920	0.17	2.50	26	0.5	20.0	107
*Std OREAS209	0.04	0.48	42	0.4	13.2	83
*Std OREAS920	0.17	2.48	25	0.4	20.5	110
*Std OREAS209	0.04	0.46	39	0.3	12.8	78
*Blk BLANK	<0.02	<0.05	<1	<0.1	<0.05	<1
*Blk BLANK	<0.02	<0.05	<1	<0.1	<0.05	<1
*Blk BLANK	<0.02	<0.05	<1	<0.1	<0.05	<1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Certificate of Analysis
Work Order : VC162743
[Report File No.: 0000018970]

Date: September 14, 2016

To: **Helena Kuikka**
STRATA GOLD CORPORATION
SUITE 910 - 1050 W PENDER ST
VANCOUVER BC V6E 3S7

P.O. No.: AUX16-1 (9 of 10)
Project No.: AUREX
Samples: 74
Received: Aug 29, 2016
Pages: Page 1 to 16
(Inclusive of Cover Sheet)

Methods Summary

No. Of Samples	Method Code	Description
74	G_LOG02	Pre-preparation processing, sorting, logging, boxing
74	G_WGH79	Weighing of samples and reporting of weights
74	GE_FAI313	@Au, Pt, Pd, FAS, ICP-AES, 30g - 5ml (Clean Pots only)
74	GE_IMS14B	Aqua Regia digestion/ICP-MS package

Storage: Pulp & Reject

REJECT STORAGE	:	STORE
PULP STORAGE	:	STORE

Certified By :
John Chiang
QC Chemist

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R.	= Listed not received	I.S.	= Insufficient Sample
n.a.	= Not applicable	--	= No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the **@** symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

	Element	WtKg	Au@	Ag	Al	As	Ba	Bi	Ca
	Method	G_WGH79	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
	Det.Lim.	0.01	1	0.01	0.01	1	5	0.02	0.01
	Units	kg	ppb	ppm	%	ppm	ppm	ppm	%
1568278		0.600	11	0.37	1.81	75	401	0.16	0.51
1568279		0.680	3	0.15	2.71	54	275	0.08	0.41
1568280		0.665	8	0.55	1.18	412	376	0.26	0.31
1568281		0.535	4	0.28	1.50	30	485	0.20	0.58
1568282		0.545	6	0.37	1.39	49	462	0.23	0.42
1568283		0.730	6	0.35	1.64	48	454	0.24	0.46
1568284		0.630	5	0.44	1.45	42	434	0.22	0.42
1568285		0.560	10	0.83	1.47	60	401	0.24	0.38
1568286		0.705	11	0.60	1.15	77	361	0.25	0.43
1568287		0.670	8	0.44	1.03	76	260	0.22	0.45
1568288		0.455	2	0.12	1.06	14	297	0.14	0.40
1568289		0.530	5	0.15	1.17	16	407	0.14	0.47
1568290		0.510	4	0.23	1.54	24	544	0.19	0.61
1568291		0.535	7	0.27	1.55	45	516	0.21	0.59
1568292		0.780	4	0.27	1.47	71	481	0.23	0.45
1568293		0.700	4	0.30	1.53	62	467	0.22	0.55
1568294		0.740	10	0.31	1.34	58	405	0.23	0.38
1568295		0.560	12	0.73	1.64	68	515	0.23	0.53
1568296		0.515	5	0.22	1.45	53	413	0.20	0.39
1568297		0.655	7	0.29	1.53	80	503	0.25	0.47
1568298		0.530	6	0.23	1.44	28	535	0.19	0.46
1568299		0.540	4	0.18	1.28	21	448	0.18	0.47
1568300		0.525	7	0.23	1.40	44	469	0.22	0.44
1568451		0.415	7	0.33	1.43	46	460	0.24	0.47
1568452		0.505	4	0.27	1.47	27	543	0.21	0.55
1568453		0.455	12	0.25	1.36	26	476	0.19	0.50
1568454		0.345	6	0.30	1.38	39	438	0.21	0.43
1568455		0.425	7	0.38	1.38	71	391	0.23	0.38
1568456		0.525	5	0.42	1.45	33	440	0.20	0.50
1568457		0.440	9	0.46	1.33	42	510	0.21	0.76
1568458		0.400	8	0.29	1.23	63	403	0.20	0.44
1568459		0.370	6	0.37	1.50	76	504	0.22	0.69
1568468		0.550	9	0.33	1.17	30	412	0.19	0.35
1568469		0.395	6	0.33	1.42	28	389	0.19	0.36
1568801		0.275	3	0.17	1.34	8	423	0.15	0.38
1568802		0.340	5	0.21	1.17	12	478	0.15	0.52
1568803		0.395	5	0.15	1.18	13	431	0.15	0.44
1568804		0.310	2	0.11	1.20	15	336	0.14	0.34
1568805		0.370	5	0.19	1.43	25	435	0.18	0.39
1568806		0.370	3	0.21	1.54	22	455	0.18	0.44

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	WtKg	Au@	Ag	Al	As	Ba	Bi	Ca
Method	G_WGH79	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	1	0.01	0.01	1	5	0.02	0.01
Units	kg	ppb	ppm	%	ppm	ppm	ppm	%
1568807	0.430	4	0.14	1.33	35	360	0.19	0.25
1568808	0.375	7	0.11	1.35	32	429	0.20	0.24
1568809	0.290	3	0.18	1.43	34	406	0.20	0.28
1568810	0.385	4	0.10	1.37	38	337	0.19	0.21
1568811	0.435	9	0.16	1.25	83	373	0.24	0.28
1568812	0.310	4	0.15	1.66	27	286	0.19	0.19
1568813	0.350	5	0.15	1.39	44	382	0.22	0.26
1568814	0.340	6	0.11	1.47	35	425	0.19	0.25
1568815	0.355	4	0.09	1.47	30	277	0.17	0.27
1568816	0.395	6	0.15	1.19	31	389	0.17	0.33
1568817	0.365	5	0.08	1.28	33	248	0.18	0.27
1568818	0.385	5	0.08	1.22	22	239	0.19	0.22
1568819	0.320	4	0.06	1.19	16	247	0.18	0.20
1568820	0.415	5	0.08	1.31	40	168	0.26	0.09
1568821	0.380	4	0.08	1.52	25	247	0.23	0.15
1568822	0.360	2	0.06	1.64	11	192	0.26	0.13
1568823	0.400	9	0.18	1.49	53	275	0.24	0.17
1568824	0.345	13	0.20	1.37	30	355	0.18	0.19
1568825	0.375	5	0.11	1.30	23	172	0.19	0.16
1568826	0.425	9	0.17	2.03	46	403	0.24	0.14
1568827	0.390	6	0.21	1.55	37	273	0.21	0.11
1568828	0.400	12	0.23	1.32	86	240	0.27	0.11
1568829	0.370	3	0.11	1.37	21	315	0.17	0.20
1568830	0.390	8	0.23	1.33	84	228	0.27	0.06
1568831	0.400	6	0.10	1.60	27	359	0.23	0.13
1568832	0.365	21	0.32	1.38	104	141	0.28	0.10
1568833	0.375	17	0.22	1.61	174	144	0.35	0.08
1568834	0.365	4	0.25	1.75	33	282	0.22	0.09
1568835	0.335	15	0.15	1.42	63	155	0.22	0.08
1568836	0.450	11	0.17	1.46	49	322	0.20	0.31
1568837	0.365	3	0.18	1.11	17	514	0.18	0.34
1568838	0.415	7	0.24	1.25	29	541	0.23	0.44
1568839	0.370	4	0.18	1.11	23	523	0.19	0.39
1568840	0.440	6	0.23	1.21	30	475	0.20	0.44
*Rep 1568287		6						
*Rep 1568454		6						
*Rep 1568804		4						
*Rep 1568830		8						
*Std ME-1309		112						
*Std OREASH1		12						

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Au@	Ag	Al	As	Ba	Bi	Ca
Method	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	1	0.01	0.01	1	5	0.02	0.01
Units	ppb	ppm	%	ppm	ppm	ppm	%
*Std OREAS151B	64						
*Std AMIS0319	44						
*Blk BLANK	<1						
*Blk BLANK	<1						
*Rep 1568278		0.36	1.99	78	412	0.15	0.53
*Rep 1568456		0.43	1.41	33	435	0.20	0.48
*Rep 1568821		0.06	1.60	22	241	0.21	0.14
*Rep 1568831		0.09	1.61	27	350	0.23	0.12
*Std OREAS209		0.26	1.18	1120	79	0.06	1.48
*Std OREAS920		0.11	2.61	5	75	0.63	0.35
*Std OREAS209		0.27	1.11	1100	72	0.06	1.54
*Blk BLANK		<0.01	<0.01	<1	<5	<0.02	<0.01
*Blk BLANK		<0.01	<0.01	<1	<5	<0.02	<0.01
*Blk BLANK		<0.01	<0.01	<1	<5	<0.02	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
1568278	0.79	44.6	34.5	161	46.4	5.30	6.4	0.10
1568279	0.14	21.4	25.2	161	37.2	5.29	10.6	0.03
1568280	0.80	57.5	9.7	25	33.9	2.76	4.5	0.16
1568281	0.36	33.7	10.7	30	30.3	2.48	4.5	0.05
1568282	0.53	39.1	12.9	27	35.1	2.84	4.6	0.04
1568283	0.33	35.2	10.2	30	34.4	2.79	4.9	0.04
1568284	0.36	34.6	8.6	27	35.8	2.73	4.6	0.04
1568285	0.67	48.0	11.6	30	57.3	2.92	4.8	0.04
1568286	0.66	41.3	11.3	23	42.6	2.79	3.9	0.03
1568287	0.47	33.1	11.2	23	32.4	2.08	3.3	0.03
1568288	0.24	31.9	6.6	19	17.1	1.90	3.7	0.02
1568289	0.26	32.2	9.4	26	24.2	2.05	3.5	0.03
1568290	0.54	36.5	11.4	28	33.9	2.77	4.8	0.05
1568291	0.55	36.6	13.1	31	33.4	2.88	4.8	0.05
1568292	0.38	37.9	10.4	26	35.0	2.68	4.4	0.04
1568293	0.34	36.0	13.3	32	32.8	2.58	4.6	0.05
1568294	0.26	36.8	8.8	26	27.4	2.62	4.6	0.04
1568295	0.42	37.8	11.8	29	36.8	2.80	5.0	0.05
1568296	0.34	36.3	8.4	28	30.0	2.58	4.9	0.04
1568297	0.48	41.1	10.1	28	38.8	2.89	5.3	0.04
1568298	0.45	36.1	9.9	25	31.0	2.63	4.6	0.05
1568299	0.29	33.6	8.6	25	25.4	2.36	4.3	0.05
1568300	0.29	36.4	10.2	26	29.7	2.51	4.4	0.04
1568451	0.42	39.3	10.8	26	33.0	2.71	4.4	0.04
1568452	0.40	37.5	9.8	30	33.7	2.87	4.8	0.04
1568453	0.37	34.2	9.8	28	28.1	2.65	4.6	0.04
1568454	0.31	35.2	10.2	26	27.6	2.46	4.7	0.05
1568455	0.23	37.3	9.2	28	28.5	2.47	4.3	0.04
1568456	0.45	38.0	11.5	29	32.8	2.73	4.7	0.05
1568457	0.68	34.1	11.6	27	32.8	2.62	4.0	0.05
1568458	0.52	35.6	10.9	26	32.4	2.68	3.9	0.03
1568459	0.65	32.5	14.3	29	34.4	2.95	4.7	0.04
1568468	0.26	36.7	8.3	28	30.8	2.46	4.1	0.04
1568469	0.42	38.5	9.8	27	33.6	2.61	4.6	0.06
1568801	0.33	34.4	9.0	24	20.5	1.77	4.0	0.04
1568802	0.30	33.4	10.0	24	23.5	2.19	3.7	0.04
1568803	0.22	36.0	9.2	22	25.6	2.43	4.0	0.05
1568804	0.21	38.0	8.2	25	26.7	2.21	3.9	0.02
1568805	0.18	35.4	9.7	27	25.1	2.34	4.1	0.05
1568806	0.21	34.1	8.4	27	26.4	2.49	4.8	0.05

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
1568807	0.16	38.1	7.4	26	27.1	2.38	4.3	0.04
1568808	0.15	41.1	7.1	25	27.4	2.60	4.4	0.03
1568809	0.12	34.7	9.1	28	27.1	2.60	4.6	0.03
1568810	0.12	37.3	8.4	27	27.3	2.27	4.2	0.02
1568811	0.19	37.5	9.4	25	40.4	2.65	4.4	0.05
1568812	0.12	33.9	7.1	28	22.7	2.41	5.4	0.02
1568813	0.11	37.9	8.2	27	31.6	2.61	4.6	0.07
1568814	0.07	43.7	8.6	28	33.4	2.72	4.9	0.03
1568815	0.07	44.7	9.4	29	26.7	2.53	4.4	0.01
1568816	0.12	42.9	8.4	25	29.4	2.49	3.7	0.08
1568817	0.06	36.6	6.6	22	25.4	2.11	3.8	0.05
1568818	0.06	35.3	6.9	23	21.7	2.18	3.7	0.03
1568819	0.08	34.5	6.3	23	20.9	2.09	3.8	0.05
1568820	0.10	42.0	7.5	20	26.2	2.56	3.9	0.03
1568821	0.06	65.5	11.6	31	32.1	3.38	4.9	0.03
1568822	0.04	65.2	10.4	26	31.9	3.27	4.9	0.02
1568823	0.07	54.7	10.3	24	38.4	2.88	4.1	0.02
1568824	0.15	34.4	9.1	21	31.4	2.45	3.9	0.04
1568825	0.08	29.4	6.1	21	21.3	2.29	4.1	<0.01
1568826	0.08	38.4	10.3	25	40.1	2.86	5.3	0.02
1568827	0.09	37.3	9.5	26	33.1	2.38	4.3	0.04
1568828	0.10	35.7	9.6	23	31.6	2.38	3.9	0.05
1568829	0.08	32.3	7.9	21	26.6	2.19	3.7	0.04
1568830	0.14	44.1	10.9	21	41.7	2.55	3.6	0.05
1568831	0.06	50.9	11.4	26	33.2	2.76	4.5	0.05
1568832	0.10	59.8	12.2	23	47.7	3.20	4.0	0.02
1568833	0.14	54.7	13.2	23	54.6	3.39	4.5	0.03
1568834	0.08	41.0	10.6	29	31.0	2.76	4.8	0.05
1568835	0.14	40.2	9.0	22	40.9	2.91	4.5	0.06
1568836	0.20	31.9	9.7	25	32.9	2.45	3.8	0.03
1568837	0.25	33.1	8.4	24	29.7	2.59	3.3	0.06
1568838	0.34	35.0	10.5	26	33.5	2.82	3.9	0.08
1568839	0.27	35.8	9.7	25	32.1	2.52	3.6	0.04
1568840	0.35	31.7	10.8	24	35.1	2.79	3.9	0.05

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
*Rep 1568278	0.78	45.7	35.7	174	49.4	5.57	6.5	0.11
*Rep 1568456	0.43	36.2	11.4	28	32.2	2.41	4.1	0.05
*Rep 1568821	0.04	65.5	10.6	28	30.1	3.18	4.5	0.01
*Rep 1568831	0.06	50.8	10.6	25	32.9	2.82	4.5	0.03
*Std OREAS209	0.07	27.2	26.9	39	72.7	6.39	4.2	<0.01
*Std OREAS920	0.07	74.6	14.9	47	114	3.92	7.1	0.02
*Std OREAS209	0.07	27.6	27.8	39	72.8	5.73	3.4	<0.01
*Blk BLANK	<0.01	<0.05	<0.1	<1	<0.5	<0.01	<0.1	<0.01
*Blk BLANK	<0.01	<0.05	<0.1	<1	<0.5	<0.01	<0.1	<0.01
*Blk BLANK	<0.01	<0.05	<0.1	<1	<0.5	<0.01	<0.1	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
1568278	0.05	21.9	1.58	927	3.38	0.01	163	700
1568279	0.04	9.8	2.48	632	0.89	0.02	80.1	830
1568280	0.05	26.2	0.40	316	2.18	0.01	29.9	630
1568281	0.05	16.1	0.45	488	1.15	0.02	24.4	680
1568282	0.05	18.7	0.49	951	1.29	0.02	28.7	640
1568283	0.05	17.2	0.50	632	1.17	0.02	27.5	660
1568284	0.06	17.3	0.45	588	1.20	0.01	27.6	760
1568285	0.10	21.7	0.58	707	2.15	0.02	33.0	890
1568286	0.07	19.9	0.43	661	1.48	0.01	30.0	670
1568287	0.05	16.7	0.36	778	1.04	0.01	22.2	540
1568288	0.04	15.3	0.38	259	0.70	0.01	18.1	650
1568289	0.04	15.6	0.38	360	0.88	0.02	23.0	650
1568290	0.05	17.2	0.44	408	1.12	0.02	26.0	720
1568291	0.05	17.6	0.44	490	1.38	0.02	27.2	680
1568292	0.06	18.4	0.45	494	1.22	0.02	25.3	570
1568293	0.05	17.3	0.42	542	1.32	0.02	23.0	630
1568294	0.06	18.8	0.51	380	1.05	0.02	26.0	570
1568295	0.07	18.7	0.52	344	1.05	0.02	28.8	670
1568296	0.05	17.4	0.42	212	0.98	0.02	20.3	610
1568297	0.07	19.6	0.47	406	1.21	0.02	29.0	700
1568298	0.04	17.1	0.47	281	0.85	0.02	25.5	720
1568299	0.05	17.5	0.42	293	0.95	0.02	23.0	680
1568300	0.05	17.3	0.43	321	1.10	0.02	24.1	660
1568451	0.05	17.7	0.42	433	1.12	0.02	25.7	660
1568452	0.06	18.1	0.47	311	1.15	0.02	27.3	700
1568453	0.05	16.8	0.44	403	1.17	0.02	25.4	620
1568454	0.06	17.4	0.41	374	1.06	0.02	23.4	610
1568455	0.06	18.8	0.41	309	1.13	0.02	23.4	600
1568456	0.08	18.7	0.51	501	1.27	0.02	27.9	740
1568457	0.05	16.7	0.52	715	1.06	0.02	30.1	720
1568458	0.06	17.4	0.46	352	1.16	0.02	26.4	650
1568459	0.06	15.1	0.46	902	1.39	0.02	27.5	820
1568468	0.07	18.4	0.45	341	1.27	0.02	26.7	660
1568469	0.07	17.9	0.43	422	1.23	0.02	25.3	720
1568801	0.04	15.3	0.41	147	1.31	0.01	22.0	640
1568802	0.04	15.3	0.38	323	1.32	0.01	22.5	720
1568803	0.04	17.0	0.40	304	1.04	0.02	25.4	690
1568804	0.04	17.5	0.39	271	1.04	0.02	20.8	690
1568805	0.04	17.5	0.40	379	1.08	0.01	20.5	540
1568806	0.05	17.6	0.49	265	1.03	0.02	22.4	600

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
1568807	0.04	18.7	0.44	294	0.98	0.01	19.9	480
1568808	0.03	19.6	0.45	306	1.01	0.01	21.5	550
1568809	0.04	17.0	0.43	347	1.33	0.01	21.5	480
1568810	0.04	19.2	0.44	287	0.99	0.01	20.0	370
1568811	0.04	18.8	0.45	431	1.07	0.01	24.1	480
1568812	0.04	17.3	0.44	211	1.16	0.01	18.8	360
1568813	0.04	18.1	0.44	338	1.15	0.01	22.4	500
1568814	0.04	22.0	0.50	407	1.04	0.01	23.9	360
1568815	0.04	22.1	0.50	329	0.87	0.01	20.7	390
1568816	0.04	21.2	0.42	313	1.01	0.01	24.4	630
1568817	0.03	18.2	0.38	230	0.80	0.01	18.0	410
1568818	0.03	17.6	0.39	246	0.79	0.01	18.6	460
1568819	0.03	17.2	0.39	215	0.79	0.01	18.2	450
1568820	0.04	20.6	0.36	319	0.99	<0.01	18.3	390
1568821	0.05	32.1	0.61	486	0.72	0.01	32.6	390
1568822	0.04	32.4	0.59	508	0.71	<0.01	21.3	350
1568823	0.03	26.5	0.44	386	0.81	0.01	24.7	370
1568824	0.04	18.2	0.33	413	1.14	0.01	23.8	390
1568825	0.03	14.1	0.37	200	0.89	0.01	17.2	340
1568826	0.04	20.0	0.46	363	1.29	0.01	22.6	310
1568827	0.03	17.9	0.42	328	0.89	0.01	22.3	300
1568828	0.03	17.6	0.40	384	0.79	0.01	22.6	400
1568829	0.03	16.1	0.36	296	0.89	0.01	20.5	420
1568830	0.03	20.5	0.38	423	1.00	0.01	25.9	230
1568831	0.03	25.1	0.47	400	0.96	0.01	23.6	370
1568832	0.03	28.5	0.50	524	0.63	0.01	26.2	360
1568833	0.03	25.8	0.50	712	0.84	0.01	28.3	420
1568834	0.03	19.5	0.43	347	0.99	0.01	23.5	290
1568835	0.03	17.2	0.37	412	1.02	0.01	22.1	460
1568836	0.03	15.4	0.39	338	1.08	0.02	23.1	580
1568837	0.03	17.0	0.40	368	1.20	0.01	24.7	820
1568838	0.04	17.3	0.42	394	1.34	0.02	30.5	860
1568839	0.03	17.2	0.41	397	1.13	0.01	26.5	770
1568840	0.03	15.5	0.40	518	1.24	0.02	28.4	800

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
*Rep 1568278	0.05	20.8	1.56	1020	3.40	0.01	163	740
*Rep 1568456	0.07	18.3	0.45	481	1.25	0.02	26.4	740
*Rep 1568821	0.05	31.8	0.57	451	0.69	0.01	30.7	350
*Rep 1568831	0.03	25.3	0.46	412	0.90	0.01	24.3	390
*Std OREAS209	0.06	13.8	2.15	1470	2.05	0.19	117	1390
*Std OREAS920	0.42	35.6	1.14	565	0.34	0.03	42.4	740
*Std OREAS209	0.06	13.6	2.22	1350	1.91	0.16	113	1370
*Blk BLANK	<0.01	<0.1	<0.01	<2	<0.05	<0.01	<0.5	<50
*Blk BLANK	<0.01	<0.1	<0.01	<2	<0.05	<0.01	<0.5	<50
*Blk BLANK	<0.01	<0.1	<0.01	<2	<0.05	<0.01	<0.5	<50

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
1568278	14.3	5.8	9.07	7.6	<0.3	41.0	5.5	0.02
1568279	7.4	6.0	1.97	6.2	7.5	23.7	2.0	0.14
1568280	42.5	9.1	4.35	3.4	0.4	25.9	6.8	0.03
1568281	15.4	9.8	2.14	4.5	0.4	36.5	3.7	0.04
1568282	21.2	8.3	3.54	4.2	0.6	29.0	5.3	0.04
1568283	17.0	10.1	2.66	4.8	0.4	29.8	4.5	0.04
1568284	18.0	9.6	2.70	4.1	0.4	30.1	4.0	0.03
1568285	27.1	9.3	3.40	4.2	0.3	23.7	6.3	0.03
1568286	27.1	8.6	7.33	3.4	<0.3	25.5	5.2	0.03
1568287	21.0	7.0	4.92	3.0	<0.3	25.2	4.6	0.03
1568288	8.4	6.3	0.76	2.7	<0.3	27.1	3.2	0.03
1568289	8.9	7.0	0.94	3.5	0.3	29.2	4.1	0.04
1568290	12.8	8.2	1.71	4.6	0.4	44.6	4.8	0.04
1568291	14.1	9.2	1.86	4.9	0.4	39.8	5.2	0.05
1568292	15.3	8.1	2.42	4.1	0.4	32.2	5.8	0.05
1568293	13.9	10.7	1.91	4.5	0.4	32.6	4.9	0.04
1568294	13.4	9.0	2.52	3.9	0.4	28.6	5.6	0.05
1568295	18.4	9.7	2.59	4.7	0.5	37.1	6.0	0.05
1568296	13.9	8.0	1.48	4.4	0.4	26.1	4.8	0.04
1568297	16.1	8.6	2.31	4.4	0.5	30.6	5.9	0.05
1568298	13.1	7.4	1.07	4.3	0.4	39.0	4.7	0.05
1568299	10.5	7.9	0.88	3.9	0.4	33.6	4.6	0.05
1568300	12.8	8.6	1.17	4.1	0.4	29.5	4.7	0.04
1568451	14.9	8.2	1.48	4.3	0.4	34.4	4.9	0.04
1568452	12.6	9.0	1.13	5.0	0.5	44.9	4.9	0.04
1568453	12.0	9.0	1.29	4.1	0.4	36.8	4.6	0.05
1568454	13.2	9.2	1.40	3.8	0.4	32.9	4.1	0.04
1568455	13.5	9.8	1.76	4.0	0.4	26.9	4.9	0.04
1568456	15.7	9.9	1.64	4.2	0.4	38.4	4.9	0.04
1568457	16.4	7.1	1.54	4.1	0.3	79.9	4.5	0.03
1568458	17.0	7.2	1.84	4.1	0.3	38.5	5.5	0.04
1568459	15.7	8.0	1.58	4.5	0.5	62.1	4.2	0.03
1568468	14.8	8.5	1.65	3.5	0.3	22.7	4.9	0.04
1568469	14.6	9.9	1.41	3.9	0.4	23.0	4.5	0.04
1568801	9.9	7.7	0.79	3.7	0.4	25.7	4.4	0.04
1568802	9.5	6.5	0.83	3.4	0.3	33.3	3.6	0.03
1568803	9.6	6.9	0.79	3.7	0.3	27.1	4.2	0.04
1568804	8.7	6.5	0.80	3.5	0.4	23.2	4.8	0.05
1568805	11.3	8.5	1.07	3.8	0.4	26.0	3.4	0.04
1568806	11.1	9.4	1.13	3.9	0.4	29.3	3.2	0.05

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
1568807	12.4	6.7	1.33	3.2	0.3	21.1	3.8	0.04
1568808	13.1	6.3	1.13	3.8	0.4	20.5	4.8	0.05
1568809	12.3	8.5	1.14	3.8	0.4	20.5	4.5	0.05
1568810	12.3	7.4	1.36	4.0	0.3	16.4	5.0	0.05
1568811	17.8	6.5	3.23	4.0	0.3	21.4	5.9	0.04
1568812	12.6	10.1	0.97	3.8	0.5	15.6	4.5	0.05
1568813	13.7	7.5	1.40	4.1	0.4	19.3	4.9	0.05
1568814	12.5	7.9	1.27	4.6	0.4	18.5	6.3	0.05
1568815	10.9	8.0	1.01	3.6	0.4	16.8	6.2	0.05
1568816	10.1	6.2	1.27	3.5	0.3	22.4	5.8	0.05
1568817	10.2	5.1	1.04	3.0	<0.3	14.9	4.3	0.04
1568818	10.7	5.5	0.73	2.7	<0.3	13.7	3.9	0.04
1568819	10.4	5.7	0.74	2.6	<0.3	12.9	3.7	0.04
1568820	17.7	8.3	1.64	2.5	<0.3	6.8	5.6	0.03
1568821	14.4	7.3	3.45	3.2	<0.3	10.8	8.7	0.02
1568822	14.6	4.4	1.97	2.5	<0.3	11.5	9.8	0.02
1568823	15.7	5.5	1.76	3.3	<0.3	12.3	7.3	0.04
1568824	19.2	5.8	2.05	3.7	<0.3	15.7	5.0	0.06
1568825	12.6	6.5	0.73	2.6	<0.3	10.5	3.9	0.04
1568826	17.4	7.6	1.38	5.3	0.4	16.8	5.3	0.06
1568827	12.6	6.5	0.93	4.7	<0.3	11.0	5.0	0.04
1568828	15.6	6.1	1.71	3.2	<0.3	8.9	3.8	0.04
1568829	10.9	5.1	0.78	3.5	<0.3	16.7	4.5	0.05
1568830	21.4	6.1	2.65	4.1	<0.3	6.6	6.6	0.04
1568831	15.0	6.0	1.14	4.6	<0.3	12.5	6.6	0.05
1568832	19.0	4.5	1.67	2.8	<0.3	7.0	10.9	0.04
1568833	26.1	4.4	2.82	2.7	<0.3	5.9	9.4	0.02
1568834	15.1	6.6	0.89	4.7	<0.3	10.4	5.9	0.04
1568835	17.1	5.7	1.84	3.9	<0.3	7.5	5.5	0.04
1568836	13.7	6.0	1.46	3.7	<0.3	19.0	4.5	0.05
1568837	10.2	4.0	0.79	3.7	<0.3	21.4	4.8	0.04
1568838	12.9	5.4	1.08	3.9	<0.3	25.7	4.0	0.05
1568839	11.1	4.3	0.88	4.0	<0.3	23.1	5.2	0.04
1568840	12.4	4.9	1.07	4.1	<0.3	25.7	4.6	0.04

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
*Rep 1568278	11.5	6.3	9.10	8.0	0.3	39.3	5.4	0.02
*Rep 1568456	15.5	9.7	1.71	4.1	0.4	37.6	4.8	0.03
*Rep 1568821	14.4	7.1	3.33	2.9	<0.3	10.7	8.7	0.02
*Rep 1568831	15.3	6.1	1.11	4.5	<0.3	12.7	6.4	0.05
*Std OREAS209	3.1	4.1	1.22	3.7	0.9	69.4	1.8	0.13
*Std OREAS920	21.1	23.5	0.48	3.0	0.9	17.2	16.4	0.13
*Std OREAS209	3.1	3.7	0.94	3.5	0.7	59.5	1.7	0.12
*Blk BLANK	<0.2	<0.2	<0.05	<0.1	<0.3	<0.5	<0.1	<0.01
*Blk BLANK	<0.2	<0.2	<0.05	<0.1	<0.3	<0.5	<0.1	<0.01
*Blk BLANK	<0.2	<0.2	<0.05	<0.1	<0.3	<0.5	<0.1	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC162743 Order: AUX16-1 (9 of 10)
Report File No: 000001847[illegible]

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
1568278	0.08	1.28	59	0.2	9.77	147
1568279	0.07	0.52	69	0.1	6.61	89
1568280	0.12	1.62	43	0.2	8.49	111
1568281	0.10	4.14	47	0.2	8.68	83
1568282	0.10	1.58	48	0.2	9.37	95
1568283	0.11	2.07	53	0.2	9.18	93
1568284	0.11	2.33	48	0.2	8.79	91
1568285	0.17	1.33	46	0.1	9.49	120
1568286	0.13	2.08	34	0.1	8.97	112
1568287	0.10	1.01	29	0.1	6.47	94
1568288	0.10	2.08	34	0.1	5.60	62
1568289	0.09	2.82	37	0.1	7.44	75
1568290	0.10	2.62	52	0.2	9.48	86
1568291	0.10	4.11	48	0.2	10.8	93
1568292	0.09	0.90	46	0.2	9.20	96
1568293	0.10	3.36	49	0.2	8.77	83
1568294	0.11	1.33	44	0.2	7.91	86
1568295	0.13	4.75	52	0.2	10.1	104
1568296	0.11	4.80	45	0.3	8.33	77
1568297	0.13	3.82	50	0.2	9.31	90
1568298	0.10	3.34	49	0.2	9.79	83
1568299	0.09	1.01	46	0.3	7.95	84
1568300	0.10	1.55	47	0.2	8.56	80
1568451	0.12	2.62	47	0.3	9.05	94
1568452	0.11	2.82	52	0.3	10.1	89
1568453	0.11	2.67	52	0.3	8.44	86
1568454	0.12	2.46	46	0.2	7.49	79
1568455	0.13	2.42	41	0.2	7.75	91
1568456	0.20	1.67	44	0.2	8.84	106
1568457	0.13	3.27	44	0.2	10.2	96
1568458	0.13	2.01	44	0.2	8.31	94
1568459	0.13	3.26	49	0.2	9.24	94
1568468	0.20	1.41	38	0.2	7.58	97
1568469	0.17	1.60	45	0.2	8.55	90
1568801	0.10	3.09	42	0.3	7.68	75
1568802	0.09	2.59	41	0.5	7.65	64
1568803	0.09	1.24	43	0.2	8.07	67
1568804	0.07	0.81	45	0.2	7.89	69
1568805	0.09	1.24	46	0.2	8.18	73
1568806	0.10	1.07	51	0.2	8.01	68

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
1568807	0.07	0.84	38	0.2	7.29	64
1568808	0.08	0.77	47	0.2	8.21	64
1568809	0.09	0.73	48	0.4	7.16	75
1568810	0.09	0.83	43	0.2	7.80	64
1568811	0.09	0.84	38	0.2	9.22	72
1568812	0.10	0.83	54	0.2	6.55	58
1568813	0.09	0.83	47	0.2	8.98	66
1568814	0.09	0.78	51	0.2	9.93	64
1568815	0.09	0.73	44	0.2	7.87	61
1568816	0.08	0.70	39	0.1	9.14	90
1568817	0.05	0.60	33	0.1	7.36	49
1568818	0.07	0.63	34	0.2	6.29	50
1568819	0.07	0.64	32	<0.1	6.82	51
1568820	0.07	0.53	29	<0.1	4.49	56
1568821	0.07	0.78	27	<0.1	7.90	62
1568822	0.04	0.94	23	<0.1	5.65	71
1568823	0.07	0.79	32	<0.1	8.72	68
1568824	0.08	1.09	39	<0.1	9.86	66
1568825	0.07	0.58	35	<0.1	4.51	46
1568826	0.08	0.87	44	0.2	12.9	65
1568827	0.08	0.73	42	<0.1	9.00	56
1568828	0.08	0.63	31	<0.1	8.27	59
1568829	0.07	0.78	34	<0.1	8.11	54
1568830	0.09	0.77	29	<0.1	11.0	70
1568831	0.08	1.10	40	<0.1	12.5	60
1568832	0.06	0.60	26	<0.1	7.96	71
1568833	0.08	0.49	23	<0.1	6.15	89
1568834	0.09	1.14	44	0.1	7.38	62
1568835	0.09	0.68	38	<0.1	7.06	56
1568836	0.08	0.71	37	<0.1	7.80	74
1568837	0.07	0.64	34	<0.1	8.54	88
1568838	0.08	0.72	40	0.2	8.86	91
1568839	0.06	0.90	31	<0.1	9.01	83
1568840	0.07	0.66	39	<0.1	8.97	84

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
*Rep 1568278	0.07	1.28	70	0.2	10.2	138
*Rep 1568456	0.19	1.63	48	0.2	8.54	104
*Rep 1568821	0.06	0.75	25	<0.1	7.26	62
*Rep 1568831	0.07	1.15	40	<0.1	12.3	60
*Std OREAS209	0.04	0.46	45	0.4	13.4	82
*Std OREAS920	0.17	2.22	24	0.3	17.4	111
*Std OREAS209	0.04	0.40	37	0.2	12.6	75
*Blk BLANK	<0.02	<0.05	<1	<0.1	<0.05	<1
*Blk BLANK	<0.02	<0.05	<1	<0.1	<0.05	<1
*Blk BLANK	<0.02	<0.05	<1	<0.1	<0.05	<1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Certificate of Analysis
Work Order : VC162744
[Report File No.: 0000018971]

Date: September 14, 2016

To: **Helena Kuikka**
STRATA GOLD CORPORATION
SUITE 910 - 1050 W PENDER ST
VANCOUVER BC V6E 3S7

P.O. No.: AUX16-1 (10 of 10)
Project No.: AUREX
Samples: 90
Received: Aug 29, 2016
Pages: Page 1 to 16
(Inclusive of Cover Sheet)

Methods Summary

No. Of Samples	Method Code	Description
90	G_LOG02	Pre-preparation processing, sorting, logging, boxing
90	G_WGH79	Weighing of samples and reporting of weights
90	GE_FAI313	@Au, Pt, Pd, FAS, ICP-AES, 30g - 5ml (Clean Pots only)
90	GE_IMS14B	Aqua Regia digestion/ICP-MS package

Storage: Pulp & Reject

REJECT STORAGE	:	STORE
PULP STORAGE	:	STORE

Certified By :
John Chiang
QC Chemist

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the **@** symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	WtKg	Au@	Ag	Al	As	Ba	Bi	Ca
Method	G_WGH79	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	1	0.01	0.01	1	5	0.02	0.01
Units	kg	ppb	ppm	%	ppm	ppm	ppm	%
1568841	0.325	4	0.22	1.25	14	569	0.21	0.41
1568842	0.375	4	0.12	1.13	12	347	0.18	0.29
1568843	0.445	6	0.14	0.97	40	270	0.21	0.27
1568851	0.435	30	0.13	1.15	194	346	0.41	0.30
1568852	0.425	10	0.18	1.28	79	432	0.30	0.35
1568853	0.405	6	0.26	1.33	34	560	0.24	0.41
1568854	0.420	7	0.24	1.23	50	489	0.25	0.35
1568855	0.460	6	0.18	1.22	18	451	0.18	0.38
1568856	0.425	5	0.25	1.23	25	432	0.21	0.40
1568857	0.365	4	0.23	1.34	27	319	0.22	0.35
1568858	0.490	24	0.22	1.20	122	371	0.32	0.34
1568859	0.445	7	0.20	1.18	52	430	0.26	0.43
1568860	0.430	6	0.32	1.36	48	424	0.25	0.43
1568861	0.355	8	0.31	1.26	60	413	0.23	0.38
1568862	0.500	6	0.22	1.34	44	386	0.21	0.38
1568863	0.485	5	0.20	1.35	35	368	0.22	0.47
1568864	0.425	14	0.30	1.35	103	425	0.37	0.45
1568865	0.425	10	0.30	1.28	61	473	0.26	0.43
1568866	0.360	14	0.24	1.25	53	351	0.24	0.42
1568867	0.410	6	0.27	1.37	59	428	0.26	0.35
1568868	0.330	5	0.20	1.23	28	389	0.22	0.35
1568869	0.455	7	0.21	1.35	36	435	0.25	0.35
1568870	0.385	7	0.22	1.25	34	407	0.21	0.44
1568871	0.365	6	0.17	1.25	36	413	0.19	0.46
1568872	0.275	5	0.18	1.26	16	390	0.19	0.57
1568873	0.395	27	0.24	1.27	35	473	0.22	0.61
1568874	0.460	12	0.35	1.29	84	431	0.31	0.67
1568875	0.410	27	0.60	1.25	151	426	0.38	0.93
1568876	0.425	6	0.22	1.16	29	517	0.22	0.50
1568877	0.420	6	0.21	1.23	59	450	0.20	0.40
1568878	0.410	7	0.20	1.29	58	434	0.18	0.39
1568879	0.435	7	0.27	1.31	65	429	0.23	0.31
1568880	0.310	4	0.13	1.11	59	348	0.15	0.29
1568881	0.360	4	0.17	1.18	19	414	0.17	0.37
1568882	0.260	4	0.17	1.26	39	401	0.16	0.37
1568883	0.230	8	0.67	1.59	87	674	0.25	1.08
1568884	0.210	3	0.99	1.10	25	545	0.17	2.95
1568885	0.335	12	0.67	1.27	117	330	0.43	0.56
1568886	0.330	4	0.26	1.39	18	395	0.20	0.37
1568887	0.380	29	0.26	1.15	38	505	0.21	0.54

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	WtKg	Au@	Ag	Al	As	Ba	Bi	Ca
Method	G_WGH79	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	1	0.01	0.01	1	5	0.02	0.01
Units	kg	ppb	ppm	%	ppm	ppm	ppm	%
1568888	0.375	9	0.21	1.02	104	240	0.31	0.22
1568889	0.225	8	1.22	2.55	98	593	0.49	0.14
1568890	0.420	8	0.32	1.57	86	384	0.33	0.24
1568891	0.365	4	0.14	1.48	22	216	0.19	0.10
1568892	0.395	5	0.12	1.44	22	330	0.19	0.17
1568893	0.320	5	0.11	1.47	24	282	0.20	0.16
1568894	0.395	10	0.12	1.23	19	297	0.17	0.16
1568895	0.360	4	0.08	1.38	16	182	0.17	0.12
1568896	0.355	5	0.11	1.44	24	273	0.19	0.15
1568897	0.335	8	0.10	1.35	22	144	0.18	0.10
1568898	0.400	4	0.09	2.01	23	124	0.17	0.12
1568899	0.345	6	0.07	2.33	24	264	0.17	0.21
1568900	0.340	4	0.11	1.78	24	190	0.17	0.15
C00012601	0.600	4	0.22	1.96	31	505	0.23	0.52
C00012602	0.540	7	0.27	2.00	42	487	0.23	0.66
C00012603	0.490	5	0.19	1.87	34	419	0.20	0.35
C00012604	0.525	5	0.27	1.88	35	481	0.23	0.51
C00012605	0.815	11	0.82	1.74	132	347	0.30	0.95
C00012606	0.625	7	0.60	1.76	52	450	0.24	0.53
C00012607	0.770	15	2.20	2.43	79	518	0.28	0.53
C00012608	0.550	4	0.15	1.69	9	323	0.16	0.28
C00012609	0.480	3	0.14	1.35	10	433	0.17	0.26
C00012610	0.575	6	0.13	1.70	7	345	0.17	0.30
C00012611	0.510	6	0.50	2.21	34	540	0.22	0.57
C00012612	0.370	10	0.48	1.77	20	566	0.21	0.63
C00012613	0.555	7	0.60	1.87	34	456	0.22	0.56
C00012614	0.410	5	0.45	1.90	26	516	0.21	0.57
C00012615	0.535	8	0.41	1.96	87	461	0.30	0.59
C00012616	0.565	14	0.37	2.04	222	386	0.37	0.53
C00012617	0.580	15	0.79	2.06	201	430	0.43	0.62
C00012618	0.685	44	0.78	1.76	110	417	0.28	0.51
C00012619	0.685	16	0.90	1.78	288	381	0.51	0.47
C00012620	0.585	13	0.46	2.11	161	441	0.33	0.57
C00012621	0.695	15	0.62	1.70	100	483	0.28	0.53
C00012622	0.555	6	0.46	2.07	53	502	0.22	0.60
C00012623	0.665	9	0.41	1.93	131	515	0.31	0.60
C00012625	0.715	25	0.56	1.67	184	409	0.36	0.45
C00012626	0.470	7	0.23	1.42	49	394	0.24	0.33
C00012627	0.640	9	0.24	1.71	94	468	0.25	0.54
C00012628	0.575	7	0.20	1.73	66	468	0.21	0.62

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	WtKg	Au@	Ag	Al	As	Ba	Bi	Ca
Method	G_WGH79	GE_FAI313	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	1	0.01	0.01	1	5	0.02	0.01
Units	kg	ppb	ppm	%	ppm	ppm	ppm	%
C00012629	0.705	6	0.23	1.83	76	429	0.24	0.48
C00012630	0.600	6	0.22	1.88	74	387	0.24	0.65
C00012631	0.440	6	0.24	1.85	86	446	0.26	0.51
C00012632	0.670	7	0.22	1.86	59	502	0.24	0.53
C00012633	0.555	4	0.13	1.59	22	306	0.17	0.31
C00012634	0.795	6	0.25	2.09	72	527	0.27	0.51
C00012635	0.520	6	0.20	2.03	45	409	0.23	0.46
C00012636	0.540	5	0.28	1.91	36	421	0.22	0.39
C00012637	0.480	5	0.17	1.61	26	377	0.19	0.36
C00012624	0.725	36	0.58	1.77	692	273	0.76	0.40
*Rep 1568861		6						
*Rep 1568867		7						
*Rep C00012613		7						
*Std ME-1309		142						
*Std OREASH1		11						
*Std OREAS151B		64						
*Std ME-1309		109						
*Blk BLANK		<1						
*Blk BLANK		<1						
*Blk BLANK		<1						
*Rep 1568854			0.23	1.19	50	489	0.25	0.36
*Rep 1568868			0.19	1.25	29	394	0.22	0.33
*Rep 1568895			0.08	1.42	17	172	0.16	0.12
*Rep C00012603			0.20	1.87	34	421	0.22	0.36
*Rep C00012621			0.61	1.80	107	474	0.28	0.52
*Rep C00012627			0.27	1.76	103	475	0.25	0.59
*Std OREAS920			0.09	2.42	5	76	0.63	0.32
*Std OREAS209			0.25	1.09	1130	73	0.06	1.47
*Std OREAS209			0.26	1.31	1130	76	0.06	1.51
*Blk BLANK			<0.01	<0.01	<1	<5	<0.02	<0.01
*Blk BLANK			<0.01	<0.01	<1	<5	<0.02	<0.01
*Blk BLANK			<0.01	<0.01	<1	<5	<0.02	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
1568841	0.33	29.1	10.9	23	27.2	2.44	4.0	0.06
1568842	0.20	30.8	7.7	23	21.7	2.46	4.1	0.04
1568843	0.29	29.6	8.4	19	19.3	2.18	3.5	0.19
1568851	0.13	32.6	7.3	24	23.4	2.14	3.7	0.03
1568852	0.24	33.5	7.8	26	27.1	2.48	4.2	0.03
1568853	0.54	34.6	10.6	26	28.2	2.55	4.4	0.05
1568854	0.39	31.8	9.8	25	25.8	2.46	4.0	0.05
1568855	0.39	31.1	7.3	25	26.7	2.12	4.1	0.05
1568856	0.49	29.1	8.7	25	28.5	2.34	4.2	0.05
1568857	0.34	30.0	7.9	27	24.1	2.25	4.2	0.04
1568858	0.28	28.9	9.5	24	25.1	2.46	3.8	0.03
1568859	0.32	29.1	10.1	25	27.3	2.36	4.0	0.04
1568860	0.45	32.4	9.7	27	34.4	2.87	4.5	0.04
1568861	0.29	30.4	8.8	27	33.1	2.42	4.1	0.04
1568862	0.25	31.1	8.9	27	28.4	2.42	4.6	0.04
1568863	0.19	30.4	9.8	26	25.8	2.43	4.1	0.02
1568864	0.25	30.7	9.6	27	28.4	2.74	4.4	0.17
1568865	0.33	29.3	9.3	27	32.7	2.50	4.0	0.04
1568866	0.30	26.3	8.8	24	20.7	2.34	3.9	0.05
1568867	0.42	31.0	9.8	26	30.4	2.86	4.5	0.05
1568868	0.50	27.0	5.9	24	21.2	2.22	4.4	0.05
1568869	0.40	32.4	8.6	24	21.1	2.56	4.6	0.05
1568870	0.41	29.9	9.0	27	27.4	2.57	4.6	0.05
1568871	0.31	29.8	10.6	25	24.6	2.64	4.0	0.04
1568872	0.34	26.1	5.7	23	22.6	1.97	4.4	0.06
1568873	0.42	29.9	9.9	26	26.7	2.60	4.2	0.03
1568874	0.56	30.5	11.9	25	35.6	2.86	4.2	0.05
1568875	0.84	31.0	13.1	26	45.9	2.75	3.8	0.05
1568876	0.63	30.2	9.5	26	29.9	2.55	4.0	0.05
1568877	0.63	31.2	10.0	28	30.7	2.71	4.0	0.06
1568878	0.48	27.8	7.4	24	23.1	1.84	4.0	0.07
1568879	0.55	28.4	7.9	27	27.9	2.05	4.4	0.06
1568880	0.26	24.8	5.5	20	17.4	1.82	3.4	0.04
1568881	0.53	26.1	4.8	24	20.7	1.49	3.8	0.05
1568882	0.43	25.5	6.4	23	23.2	1.69	3.7	0.04
1568883	1.69	45.3	21.5	27	42.3	3.15	3.8	0.09
1568884	0.83	18.5	6.5	16	33.9	1.27	3.3	0.11
1568885	0.75	32.9	12.2	25	45.4	2.88	4.1	0.06
1568886	0.32	33.8	8.8	25	26.8	2.53	4.6	0.05
1568887	0.44	34.3	10.3	24	29.8	2.07	3.5	0.04

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
1568888	0.34	29.9	10.3	20	31.3	2.38	3.3	0.02
1568889	0.96	46.5	40.6	42	49.5	4.92	8.2	0.04
1568890	0.31	37.8	12.6	28	36.0	3.37	5.3	0.04
1568891	0.18	34.5	8.8	26	23.8	2.71	4.7	0.02
1568892	0.14	39.7	7.8	28	25.9	2.56	4.5	0.02
1568893	0.13	35.4	8.6	30	26.8	2.76	4.9	0.03
1568894	0.12	38.9	7.6	23	23.2	2.32	4.0	0.01
1568895	0.17	30.4	7.5	26	20.9	2.28	4.4	0.05
1568896	0.08	39.3	8.9	29	25.7	2.54	5.0	<0.01
1568897	0.09	27.4	6.3	29	15.4	2.20	5.0	0.01
1568898	0.08	36.5	7.4	38	18.0	2.64	5.6	0.04
1568899	0.06	42.6	12.2	55	30.6	3.04	6.0	0.06
1568900	0.09	37.7	7.2	26	21.5	2.51	4.5	0.04
C00012601	0.33	40.6	11.8	30	33.8	3.13	5.3	0.05
C00012602	0.34	37.3	11.4	31	29.6	2.80	4.6	0.11
C00012603	0.19	37.1	8.4	27	26.3	2.63	4.8	0.04
C00012604	0.29	37.7	9.7	31	28.0	2.87	5.0	0.08
C00012605	0.61	40.3	14.4	31	50.8	3.50	4.7	0.05
C00012606	0.41	39.5	11.6	31	43.8	3.06	4.9	0.06
C00012607	1.01	42.6	15.7	40	92.5	4.17	6.1	0.07
C00012608	0.35	38.5	7.1	25	24.2	1.97	4.4	0.05
C00012609	0.71	34.6	6.8	24	25.2	2.25	3.9	0.06
C00012610	0.36	35.3	6.9	25	24.6	1.98	4.5	0.05
C00012611	0.55	38.4	9.4	30	40.7	2.98	5.8	0.06
C00012612	0.57	34.2	12.3	31	30.0	3.28	5.0	0.07
C00012613	0.46	37.9	12.8	31	35.9	3.07	5.0	0.06
C00012614	0.35	37.1	10.9	28	30.9	3.28	5.1	0.06
C00012615	0.50	39.1	14.0	30	31.5	3.24	4.9	0.05
C00012616	0.41	39.1	11.7	28	35.7	3.23	5.4	0.05
C00012617	0.69	51.2	19.0	30	47.2	3.74	5.4	0.05
C00012618	0.36	40.7	11.3	28	41.0	3.24	4.5	0.06
C00012619	0.37	38.1	14.8	30	53.3	3.36	4.5	0.05
C00012620	0.22	40.6	12.1	29	34.1	2.85	4.7	0.05
C00012621	0.45	42.3	11.7	29	40.9	3.28	4.9	0.05
C00012622	0.29	38.2	11.5	32	37.5	2.99	5.2	0.05
C00012623	0.28	38.2	11.7	33	32.8	3.19	4.6	0.06
C00012625	0.36	40.9	10.6	27	32.2	3.33	4.4	0.05
C00012626	0.38	36.2	6.8	23	23.2	2.04	3.8	0.05
C00012627	0.37	37.1	11.6	26	29.8	3.04	4.4	0.06
C00012628	0.37	37.2	12.4	28	26.2	2.74	4.3	0.04

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Cd	Ce	Co	Cr	Cu	Fe	Ga	Hg
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.05	0.1	1	0.5	0.01	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
C00012629	0.27	38.8	11.4	26	26.7	3.10	4.5	0.05
C00012630	0.16	37.8	9.7	25	26.5	2.66	4.9	0.05
C00012631	0.16	38.4	9.6	28	31.8	2.92	4.8	0.05
C00012632	0.24	37.5	9.4	31	30.5	2.94	4.4	0.05
C00012633	0.10	39.1	6.7	24	21.7	2.33	4.3	0.05
C00012634	0.22	39.8	10.7	31	32.7	3.31	5.0	0.04
C00012635	0.22	37.4	8.3	32	27.3	2.83	4.9	0.05
C00012636	0.25	34.4	7.6	29	27.3	2.76	4.8	0.06
C00012637	0.23	36.9	7.9	29	27.1	2.36	4.0	0.06
C00012624	0.38	57.1	17.6	24	51.5	3.77	4.5	0.04
*Rep 1568854	0.39	31.8	9.7	25	27.0	2.38	4.2	0.06
*Rep 1568868	0.47	27.4	6.1	23	22.6	2.19	4.6	0.06
*Rep 1568895	0.15	29.4	7.0	24	21.8	2.38	4.5	<0.01
*Rep C00012603	0.20	37.6	8.7	29	27.8	2.71	5.2	0.06
*Rep C00012621	0.42	39.4	11.9	30	37.6	2.95	4.4	0.05
*Rep C00012627	0.38	39.3	13.0	32	30.8	2.97	4.7	0.05
*Std OREAS920	0.07	76.9	15.4	46	111	3.62	6.9	<0.01
*Std OREAS209	0.07	28.0	31.0	42	76.1	6.19	4.0	<0.01
*Std OREAS209	0.07	29.4	29.3	43	73.2	6.44	4.0	<0.01
*Blk BLANK	<0.01	<0.05	<0.1	<1	<0.5	<0.01	<0.1	<0.01
*Blk BLANK	<0.01	<0.05	<0.1	<1	<0.5	<0.01	<0.1	<0.01
*Blk BLANK	<0.01	<0.05	<0.1	<1	<0.5	<0.01	<0.1	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
1568841	0.03	13.6	0.35	660	1.14	<0.01	24.7	780
1568842	0.03	14.4	0.36	265	0.96	<0.01	20.6	710
1568843	0.03	13.2	0.31	295	0.78	<0.01	16.1	630
1568851	0.04	16.2	0.39	295	0.93	0.01	19.5	480
1568852	0.04	16.4	0.40	249	1.07	0.01	24.8	630
1568853	0.04	16.5	0.38	242	1.07	0.01	25.1	750
1568854	0.04	15.2	0.38	317	1.11	0.01	23.3	680
1568855	0.04	14.8	0.37	214	0.75	0.01	22.7	660
1568856	0.04	13.9	0.38	219	0.96	0.01	23.3	740
1568857	0.04	14.3	0.35	200	0.95	0.01	19.0	670
1568858	0.04	14.8	0.39	401	1.19	<0.01	24.6	640
1568859	0.04	14.4	0.39	394	1.14	<0.01	21.2	590
1568860	0.05	15.4	0.45	490	1.33	0.01	27.5	690
1568861	0.05	14.9	0.41	289	1.09	0.01	23.0	680
1568862	0.04	15.0	0.42	300	1.12	0.01	21.8	620
1568863	0.04	14.2	0.41	374	1.15	0.01	20.8	610
1568864	0.05	15.5	0.42	475	1.34	0.01	25.9	640
1568865	0.04	15.1	0.43	368	1.25	0.01	25.1	610
1568866	0.04	12.1	0.34	386	1.14	0.01	19.3	670
1568867	0.04	13.8	0.38	310	1.30	0.01	22.9	680
1568868	0.03	13.2	0.31	128	0.76	<0.01	17.8	770
1568869	0.04	14.5	0.37	188	0.87	<0.01	19.8	700
1568870	0.04	14.2	0.41	277	1.02	0.01	22.9	700
1568871	0.04	13.9	0.37	574	1.15	0.01	24.2	640
1568872	0.04	12.3	0.33	170	0.67	0.01	18.0	690
1568873	0.04	14.4	0.42	451	0.94	0.01	25.2	700
1568874	0.05	14.1	0.42	956	1.07	0.01	28.3	680
1568875	0.07	14.7	0.46	1010	1.04	0.01	33.8	790
1568876	0.04	14.4	0.46	373	1.02	0.01	27.5	690
1568877	0.04	15.1	0.42	374	1.28	0.01	26.0	710
1568878	0.03	12.6	0.33	107	0.73	<0.01	16.3	680
1568879	0.04	13.3	0.37	116	0.91	<0.01	19.5	710
1568880	0.03	12.1	0.29	82	0.41	<0.01	14.9	620
1568881	0.03	12.9	0.36	97	0.31	<0.01	15.8	630
1568882	0.03	12.3	0.34	96	0.45	<0.01	16.6	650
1568883	0.04	22.0	0.36	1070	1.57	0.01	35.7	1030
1568884	0.02	9.0	0.23	134	0.61	0.01	18.1	950
1568885	0.05	16.3	0.48	496	1.14	0.01	29.7	590
1568886	0.04	15.6	0.38	252	1.03	0.01	20.1	700
1568887	0.03	15.9	0.40	351	0.89	<0.01	23.1	510

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
1568888	0.03	15.1	0.37	577	1.02	<0.01	21.5	440
1568889	0.12	20.7	0.37	2250	2.72	0.02	32.4	2500
1568890	0.04	19.1	0.45	544	1.37	<0.01	25.7	430
1568891	0.03	16.4	0.42	291	1.12	<0.01	21.7	310
1568892	0.03	18.4	0.43	315	1.11	<0.01	21.0	490
1568893	0.04	17.4	0.47	309	1.13	<0.01	23.8	510
1568894	0.03	19.2	0.38	307	0.87	<0.01	21.1	390
1568895	0.04	14.3	0.42	233	1.01	<0.01	19.3	390
1568896	0.03	19.8	0.48	341	0.95	<0.01	20.5	330
1568897	0.03	13.2	0.42	184	0.95	<0.01	16.4	240
1568898	0.05	17.0	0.67	204	0.86	<0.01	21.7	300
1568899	0.05	21.0	0.91	370	0.93	<0.01	32.1	410
1568900	0.05	17.6	0.47	204	0.98	<0.01	20.3	410
C00012601	0.07	18.4	0.55	443	1.46	0.01	26.2	740
C00012602	0.07	17.7	0.51	438	1.35	0.01	24.6	740
C00012603	0.07	18.5	0.54	280	1.13	<0.01	26.2	680
C00012604	0.07	17.5	0.52	344	1.28	<0.01	26.6	730
C00012605	0.14	19.2	0.59	550	1.94	0.02	35.8	810
C00012606	0.10	18.7	0.57	459	1.61	0.01	32.9	760
C00012607	0.28	19.7	0.71	837	3.51	0.01	47.8	1090
C00012608	0.05	18.8	0.40	125	0.70	<0.01	18.7	690
C00012609	0.05	16.3	0.39	102	0.64	<0.01	23.3	700
C00012610	0.06	16.8	0.41	116	0.56	<0.01	20.4	580
C00012611	0.07	17.6	0.56	249	1.08	0.01	29.7	660
C00012612	0.07	16.9	0.50	543	1.40	0.01	27.0	850
C00012613	0.08	17.3	0.60	605	1.48	0.01	30.0	820
C00012614	0.07	17.1	0.57	452	1.41	<0.01	27.2	840
C00012615	0.07	18.6	0.51	521	1.42	0.01	30.7	800
C00012616	0.10	19.4	0.53	387	1.14	0.01	29.8	680
C00012617	0.12	24.5	0.60	734	1.54	0.01	37.3	760
C00012618	0.10	19.7	0.58	433	1.43	0.01	32.6	770
C00012619	0.17	19.2	0.57	462	1.78	0.01	36.6	730
C00012620	0.09	19.2	0.50	410	1.31	0.01	26.8	630
C00012621	0.10	19.8	0.56	528	1.33	<0.01	32.1	680
C00012622	0.08	18.2	0.52	467	1.30	0.01	28.3	710
C00012623	0.08	18.1	0.51	425	1.30	0.01	28.4	710
C00012625	0.10	19.9	0.54	556	1.19	<0.01	30.9	710
C00012626	0.08	16.7	0.38	146	0.70	<0.01	17.8	860
C00012627	0.08	18.8	0.50	360	1.03	<0.01	27.9	810
C00012628	0.06	17.4	0.48	348	1.01	0.01	26.0	830

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	K	La	Mg	Mn	Mo	Na	Ni	P
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.1	0.01	2	0.05	0.01	0.5	50
Units	%	ppm	%	ppm	ppm	%	ppm	ppm
C00012629	0.08	18.4	0.48	367	1.11	<0.01	25.5	680
C00012630	0.07	17.9	0.43	537	1.05	0.01	24.0	620
C00012631	0.08	18.6	0.50	339	1.08	0.01	26.2	630
C00012632	0.07	18.4	0.50	381	1.20	0.01	27.9	720
C00012633	0.05	18.2	0.46	225	0.87	<0.01	18.9	680
C00012634	0.07	19.2	0.59	390	1.23	0.01	30.2	710
C00012635	0.06	17.3	0.54	216	1.15	0.01	24.9	770
C00012636	0.05	16.3	0.43	245	0.97	<0.01	22.9	750
C00012637	0.05	17.1	0.44	248	1.01	<0.01	23.6	730
C00012624	0.17	27.5	0.67	506	0.90	<0.01	40.6	710
*Rep 1568854	0.04	15.6	0.38	312	1.09	0.01	23.0	720
*Rep 1568868	0.03	13.1	0.30	133	0.75	<0.01	17.0	780
*Rep 1568895	0.03	14.2	0.39	228	1.02	<0.01	18.6	400
*Rep C00012603	0.07	18.5	0.53	296	1.16	<0.01	26.4	710
*Rep C00012621	0.09	20.2	0.54	473	1.36	0.01	31.5	690
*Rep C00012627	0.09	18.2	0.54	393	1.11	0.01	29.2	790
*Std OREAS920	0.39	35.1	1.06	554	0.36	0.02	38.4	670
*Std OREAS209	0.06	13.4	2.20	1480	2.14	0.16	114	1470
*Std OREAS209	0.07	13.7	2.19	1420	2.14	0.17	115	1520
*Blk BLANK	<0.01	<0.1	<0.01	<2	<0.05	<0.01	<0.5	<50
*Blk BLANK	<0.01	<0.1	<0.01	<2	<0.05	<0.01	<0.5	<50
*Blk BLANK	<0.01	<0.1	<0.01	<2	<0.05	<0.01	<0.5	<50

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
1568841	10.1	6.2	0.78	4.0	0.4	28.1	3.2	0.03
1568842	9.1	6.2	0.61	3.5	0.4	20.1	3.8	0.03
1568843	12.5	5.2	1.11	2.9	0.3	18.2	3.2	0.02
1568851	9.7	5.5	1.16	3.4	0.4	20.3	4.6	0.05
1568852	10.3	7.8	0.95	3.9	0.5	23.5	3.6	0.04
1568853	12.3	7.1	0.92	4.5	0.4	27.7	3.8	0.03
1568854	12.0	5.9	1.01	4.0	0.3	24.5	3.6	0.03
1568855	9.8	5.7	0.76	4.2	0.4	25.4	4.0	0.04
1568856	13.5	5.6	1.13	4.1	0.4	28.5	3.1	0.03
1568857	12.3	6.9	1.22	4.2	0.4	22.3	3.5	0.03
1568858	12.2	6.3	4.21	3.6	0.4	24.5	3.8	0.03
1568859	13.3	7.2	5.00	3.8	0.3	26.7	3.6	0.03
1568860	14.8	6.4	3.85	4.6	0.4	27.4	4.4	0.04
1568861	13.6	6.6	2.93	4.0	0.5	25.4	4.0	0.04
1568862	11.8	7.3	1.73	4.4	0.5	24.9	4.3	0.04
1568863	12.1	7.0	1.79	4.2	0.5	29.3	3.9	0.04
1568864	13.1	8.1	2.16	4.4	0.5	31.5	4.3	0.03
1568865	12.9	6.0	2.25	4.3	0.4	31.4	4.5	0.04
1568866	12.8	7.2	2.13	3.6	0.4	28.5	2.6	0.03
1568867	15.2	6.4	2.15	4.2	0.4	26.4	3.7	0.03
1568868	12.2	5.3	1.04	3.6	0.4	27.3	2.8	0.03
1568869	13.5	6.3	1.10	3.7	0.4	30.4	4.0	0.03
1568870	12.5	5.9	1.22	4.0	0.4	34.1	3.4	0.04
1568871	11.8	6.0	1.16	4.0	0.3	37.6	3.7	0.04
1568872	10.9	6.4	0.94	3.5	0.4	42.5	3.0	0.03
1568873	12.3	6.5	1.45	4.4	0.4	48.0	4.3	0.04
1568874	14.4	6.4	1.89	4.5	0.4	60.1	4.6	0.03
1568875	21.0	7.3	4.52	4.2	0.4	74.0	4.8	0.03
1568876	13.1	4.8	1.30	4.3	0.4	50.1	4.7	0.03
1568877	13.1	5.1	1.18	4.3	0.3	31.7	5.1	0.04
1568878	11.0	4.6	0.90	3.4	0.3	25.5	3.1	0.02
1568879	13.5	5.4	1.44	3.9	0.4	23.2	3.7	0.02
1568880	8.6	4.1	0.77	2.5	0.3	23.4	2.7	0.03
1568881	10.2	4.1	0.78	3.0	0.4	28.2	2.6	0.03
1568882	9.1	4.2	1.12	3.4	0.3	27.4	3.2	0.03
1568883	18.0	5.9	6.98	5.4	<0.3	69.6	3.7	0.03
1568884	11.6	1.7	3.97	2.1	<0.3	183	0.5	0.02
1568885	29.6	6.0	31.8	4.1	0.3	35.9	4.7	0.03
1568886	13.9	7.1	0.90	4.2	0.5	23.8	3.4	0.04
1568887	15.8	5.2	3.18	3.8	<0.3	36.8	3.5	0.03

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
1568888	26.2	5.9	7.56	2.6	<0.3	15.2	2.8	0.02
1568889	41.4	28.9	6.71	7.8	0.7	17.1	4.8	0.05
1568890	24.8	7.5	7.86	4.4	0.5	19.6	4.1	0.04
1568891	12.9	7.3	1.09	3.4	0.4	10.0	4.9	0.04
1568892	11.7	6.6	0.87	3.9	0.4	15.0	4.3	0.04
1568893	12.7	7.0	0.92	3.8	0.4	14.3	3.5	0.04
1568894	11.5	4.9	1.24	3.3	0.3	14.4	4.3	0.04
1568895	11.1	7.7	0.91	2.8	0.4	11.1	3.3	0.05
1568896	12.0	6.6	1.04	3.9	0.5	13.4	5.7	0.05
1568897	11.0	7.4	1.07	2.8	0.4	8.2	3.6	0.05
1568898	11.1	9.4	1.29	2.7	0.4	8.9	4.2	0.05
1568899	10.3	8.3	1.12	4.9	0.4	14.1	5.3	0.08
1568900	12.1	9.2	1.41	3.0	0.4	11.5	5.1	0.06
C00012601	13.5	9.1	1.34	4.4	0.5	32.3	5.0	0.05
C00012602	14.8	10.8	1.50	4.3	0.5	33.6	4.1	0.05
C00012603	11.5	9.5	1.42	3.7	0.4	25.5	4.4	0.05
C00012604	14.1	10.2	1.14	4.1	0.4	29.4	3.9	0.04
C00012605	29.1	9.5	4.02	3.9	0.3	31.2	6.9	0.05
C00012606	20.3	7.7	2.01	4.3	0.4	27.2	6.1	0.05
C00012607	42.2	14.9	3.64	5.6	0.4	21.5	7.4	0.04
C00012608	9.4	5.6	0.68	3.4	0.4	21.0	4.9	0.05
C00012609	10.0	4.5	0.59	3.2	0.3	20.8	4.4	0.04
C00012610	9.9	6.5	0.79	3.5	0.4	21.9	4.9	0.05
C00012611	17.8	8.0	1.44	4.8	0.5	42.5	5.1	0.07
C00012612	16.7	8.7	1.19	4.3	0.4	48.8	4.8	0.04
C00012613	19.3	8.5	1.42	4.3	0.4	41.1	4.8	0.05
C00012614	16.5	8.8	1.22	4.1	0.5	55.6	3.8	0.04
C00012615	15.6	10.4	1.18	4.4	0.4	40.3	5.2	0.05
C00012616	13.3	12.3	1.25	4.1	0.5	38.8	6.0	0.06
C00012617	24.2	12.0	2.33	4.6	0.5	38.6	7.5	0.04
C00012618	21.8	9.0	1.97	4.2	0.5	30.9	6.2	0.04
C00012619	24.7	17.2	2.42	3.9	0.5	26.8	7.8	0.06
C00012620	15.1	10.4	1.24	4.3	0.5	34.9	5.8	0.05
C00012621	20.6	8.9	1.61	4.0	0.4	28.8	6.0	0.05
C00012622	15.6	9.1	1.21	4.5	0.5	33.8	5.1	0.06
C00012623	15.7	9.7	1.18	4.2	0.4	36.0	5.3	0.05
C00012625	16.6	10.5	1.39	3.8	0.4	30.1	6.8	0.04
C00012626	13.6	7.7	1.91	3.0	0.3	21.8	5.1	0.03
C00012627	11.8	9.5	1.12	4.0	0.4	40.0	5.6	0.05
C00012628	10.8	8.2	0.90	4.2	0.4	37.5	4.8	0.04

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Pb	Rb	Sb	Sc	Sn	Sr	Th	Ti
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.2	0.05	0.1	0.3	0.5	0.1	0.01
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
C00012629	12.8	9.9	1.11	4.1	0.4	29.5	5.5	0.05
C00012630	12.7	8.6	1.21	3.8	0.4	35.9	4.8	0.05
C00012631	12.7	8.9	1.30	4.2	0.4	30.4	5.8	0.05
C00012632	11.6	8.9	1.05	4.0	0.4	32.6	5.3	0.05
C00012633	9.1	6.5	0.60	3.1	0.4	21.4	4.1	0.05
C00012634	13.0	10.4	1.22	4.3	0.4	31.2	5.6	0.05
C00012635	11.7	11.0	0.91	4.0	0.4	27.0	3.9	0.04
C00012636	13.4	8.3	0.90	3.6	0.4	27.4	2.9	0.04
C00012637	10.7	6.6	0.85	3.3	0.3	23.0	4.3	0.04
C00012624	17.1	15.5	2.07	2.7	0.4	25.6	11.7	0.03
*Rep 1568854	12.3	5.8	1.01	4.0	0.4	24.6	3.7	0.04
*Rep 1568868	12.3	5.4	0.98	3.5	0.4	25.3	2.7	0.03
*Rep 1568895	10.6	7.5	0.89	2.9	0.4	11.0	3.2	0.04
*Rep C00012603	11.9	9.3	1.35	3.7	0.4	26.5	4.2	0.05
*Rep C00012621	19.9	9.2	1.62	4.1	0.4	28.3	5.9	0.05
*Rep C00012627	11.4	10.3	1.28	4.4	0.4	39.8	5.7	0.05
*Std OREAS920	21.2	22.2	0.47	2.9	1.1	17.8	16.7	0.13
*Std OREAS209	3.0	4.1	1.10	3.8	0.9	65.0	1.8	0.13
*Std OREAS209	3.1	4.1	1.10	3.5	0.9	67.9	2.0	0.13
*Blk BLANK	<0.2	<0.2	<0.05	<0.1	<0.3	<0.5	<0.1	<0.01
*Blk BLANK	<0.2	<0.2	<0.05	<0.1	<0.3	<0.5	<0.1	<0.01
*Blk BLANK	<0.2	<0.2	<0.05	<0.1	<0.3	<0.5	<0.1	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
1568841	0.08	1.91	40	0.2	8.52	67
1568842	0.08	1.07	38	0.2	7.42	60
1568843	0.08	1.27	32	0.3	6.85	52
1568851	0.08	0.78	33	0.4	7.06	65
1568852	0.09	1.15	39	0.2	8.22	78
1568853	0.10	4.64	42	0.9	9.91	82
1568854	0.08	2.83	42	0.3	8.46	79
1568855	0.08	1.65	45	0.2	8.84	81
1568856	0.10	2.52	41	0.3	8.13	78
1568857	0.10	3.53	41	0.2	7.37	77
1568858	0.10	1.59	37	0.2	7.04	79
1568859	0.09	2.47	35	0.2	7.70	73
1568860	0.09	1.45	47	0.2	8.77	84
1568861	0.10	1.55	40	0.2	8.27	78
1568862	0.09	1.94	47	0.3	8.50	67
1568863	0.07	1.54	43	0.3	7.41	70
1568864	0.10	2.31	43	0.4	7.95	81
1568865	0.09	1.60	41	0.3	8.47	81
1568866	0.09	3.77	40	0.3	6.47	70
1568867	0.09	2.92	47	0.2	8.43	77
1568868	0.12	4.06	47	0.2	6.83	64
1568869	0.11	3.72	48	0.3	7.54	73
1568870	0.09	2.39	48	0.3	7.99	71
1568871	0.09	2.19	46	0.3	7.52	72
1568872	0.10	4.51	38	0.2	6.89	56
1568873	0.09	5.80	43	0.2	8.77	80
1568874	0.09	3.21	39	0.3	9.37	82
1568875	0.13	3.11	33	0.3	11.3	97
1568876	0.09	3.06	44	0.2	8.68	94
1568877	0.10	2.75	41	0.2	8.94	89
1568878	0.14	6.95	35	0.6	7.13	70
1568879	0.13	5.19	44	0.1	7.98	81
1568880	0.09	2.74	31	0.2	5.98	55
1568881	0.11	3.19	29	0.2	6.42	70
1568882	0.10	3.39	35	0.2	7.10	67
1568883	0.09	11.4	46	0.2	21.6	93
1568884	0.07	18.7	21	<0.1	8.32	32
1568885	0.08	2.16	32	0.2	10.9	90
1568886	0.09	1.62	44	0.2	7.81	71
1568887	0.06	2.48	35	0.2	9.09	67

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
1568888	0.08	1.00	26	0.1	6.01	78
1568889	0.18	2.37	71	0.4	9.46	114
1568890	0.10	1.39	51	0.2	9.28	82
1568891	0.08	0.84	44	0.2	4.84	62
1568892	0.07	0.84	43	0.2	7.75	66
1568893	0.07	0.91	46	0.3	6.94	69
1568894	0.06	0.76	33	0.1	6.74	64
1568895	0.08	0.65	39	0.3	4.43	62
1568896	0.07	0.81	43	0.2	6.98	59
1568897	0.08	0.47	41	0.2	3.43	47
1568898	0.09	0.43	43	0.2	3.87	50
1568899	0.09	0.91	53	0.2	9.84	63
1568900	0.10	0.70	41	0.2	5.44	55
C00012601	0.11	1.86	56	0.3	9.34	78
C00012602	0.11	2.57	53	0.2	9.08	79
C00012603	0.11	0.98	46	0.2	7.85	74
C00012604	0.12	2.36	50	0.3	7.99	72
C00012605	0.18	0.63	39	0.2	8.56	115
C00012606	0.13	0.61	46	0.2	8.83	95
C00012607	0.31	0.55	57	0.2	10.7	143
C00012608	0.11	2.04	37	0.3	7.13	65
C00012609	0.10	6.33	34	0.2	7.73	65
C00012610	0.09	0.98	40	0.2	7.59	77
C00012611	0.13	2.55	54	0.2	10.5	76
C00012612	0.13	4.42	48	0.3	9.18	73
C00012613	0.12	2.46	50	0.2	9.51	86
C00012614	0.12	3.23	52	0.2	9.42	77
C00012615	0.12	4.97	44	0.2	10.5	94
C00012616	0.13	2.15	41	0.2	9.88	88
C00012617	0.18	1.82	44	0.2	11.2	111
C00012618	0.15	1.25	46	0.2	9.15	94
C00012619	0.24	1.05	38	0.3	9.83	108
C00012620	0.13	1.83	47	0.2	9.41	77
C00012621	0.14	1.21	45	0.3	10.1	81
C00012622	0.11	2.65	51	0.2	10.1	76
C00012623	0.12	2.72	48	0.3	10.6	75
C00012625	0.15	1.71	41	0.3	8.62	84
C00012626	0.13	1.58	36	0.1	7.02	68
C00012627	0.12	2.16	43	0.2	9.27	87
C00012628	0.10	3.24	44	0.2	9.52	74

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	Tl	U	V	W	Y	Zn
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.02	0.05	1	0.1	0.05	1
Units	ppm	ppm	ppm	ppm	ppm	ppm
C00012629	0.11	2.30	40	0.3	8.98	69
C00012630	0.10	1.28	44	0.6	8.09	66
C00012631	0.11	1.11	46	0.2	8.84	71
C00012632	0.10	1.39	47	0.3	8.96	77
C00012633	0.08	0.89	42	0.2	7.22	56
C00012634	0.10	1.35	50	0.2	9.39	82
C00012635	0.11	2.62	46	0.2	8.28	67
C00012636	0.10	1.97	45	0.2	7.78	64
C00012637	0.09	1.34	40	0.4	7.81	69
C00012624	0.23	1.63	24	0.3	9.25	91
*Rep 1568854	0.08	2.89	42	0.3	8.08	78
*Rep 1568868	0.12	4.09	45	0.2	7.05	60
*Rep 1568895	0.07	0.65	44	0.2	4.53	57
*Rep C00012603	0.12	0.97	50	0.2	8.07	72
*Rep C00012621	0.14	1.16	42	0.2	9.48	87
*Rep C00012627	0.12	2.13	41	0.2	9.46	90
*Std OREAS920	0.16	2.36	23	0.4	16.9	106
*Std OREAS209	0.03	0.47	40	0.3	14.3	77
*Std OREAS209	0.04	0.45	44	1.0	13.6	75
*Blk BLANK	<0.02	<0.05	<1	<0.1	<0.05	<1
*Blk BLANK	<0.02	<0.05	<1	<0.1	<0.05	<1
*Blk BLANK	<0.02	<0.05	<1	<0.1	<0.05	<1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis
Work Order : VC162811
[Report File No.: 0000019105]

Date: September 21, 2016

To: **Helena Kuikka**
STRATA GOLD CORPORATION
SUITE 910 - 1050 W PENDER ST
VANCOUVER BC V6E 3S7

P.O. No.: AUX16-2
Project No.: AUREX
Samples: 8
Received: Sep 6, 2016
Pages: Page 1 to 6
(Inclusive of Cover Sheet)

Methods Summary

No. Of Samples	Method Code	Description
8	G_LOG02	Pre-preparation processing, sorting, logging, boxing
8	G_WGH79	Weighing of samples and reporting of weights
8	G_PRP89	Weigh, dry,(up to3.0 kg) crush to 75% passing 2 mm, split 250 g, pulverize to
8	GE_IMS14B	Aqua Regia digestion/ICP-MS package
8	GE_FAI313	@Au, Pt, Pd, FAS, ICP-AES, 30g - 5ml (Clean Pots only)
1	GO_FAG303	30 g, Fire assay, gravimetric finish(Au)(Final Mode)

Storage: Pulp & Reject

REJECT STORAGE	:	STORE
PULP STORAGE	:	STORE

Comments:

Results may be subject to analytical interferences.

Certified By :

John Chiang
QC Chemist

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the @ symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

Element	WtKg	Ag	Al	As	Ba	Bi	Ca	Cd
Method	G_WGH79	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.01	0.01	0.01	1	5	0.02	0.01	0.01
Units	kg	ppm	%	ppm	ppm	ppm	%	ppm
1567901	1.230	<0.01	0.03	142	30	0.03	>15.0	0.04
1567902	1.500	1.39	0.03	>10000	<5	68.2	0.08	0.01
1567903	1.555	0.04	0.12	519	9	0.24	5.48	0.01
1567904	1.900	0.24	0.12	87	14	0.61	>15.0	0.05
1567905	1.380	2.35	0.08	21	10	0.79	8.86	2.26
1567906	1.570	0.07	0.04	337	26	0.24	>15.0	0.20
1567907	2.640	0.02	0.02	214	10	0.03	>15.0	0.18
1567908	1.460	0.02	0.04	627	7	0.07	0.36	<0.01
*Rep 1567902		1.61	0.03	>10000	<5	71.2	0.08	<0.01
*Std OREAS209		0.25	1.11	1100	74	0.07	1.41	0.06
*Blk BLANK		<0.01	<0.01	<1	<5	<0.02	<0.01	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Ce	Co	Cr	Cu	Fe	Ga	Hg	K
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.05	0.1	1	0.5	0.01	0.1	0.01	0.01
Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%
1567901	9.29	1.1	<1	2.1	0.70	0.2	<0.01	0.01
1567902	0.34	0.4	<1	2.3	>15.0	0.1	0.06	<0.01
1567903	2.06	0.9	11	1.5	0.65	0.3	<0.01	0.02
1567904	6.90	2.0	10	2.2	0.86	0.3	<0.01	0.05
1567905	1.14	3.6	<1	107	1.99	0.2	0.15	0.04
1567906	5.71	2.5	<1	3.9	1.96	0.2	<0.01	<0.01
1567907	4.01	1.5	<1	1.2	0.58	0.2	<0.01	0.01
1567908	3.57	1.7	19	3.8	0.62	0.3	<0.01	0.02
*Rep 1567902	0.33	0.4	<1	2.4	>15.0	0.1	0.06	<0.01
*Std OREAS209	28.0	30.4	37	73.8	5.99	3.6	<0.01	0.06
*Blk BLANK	<0.05	<0.1	<1	<0.5	<0.01	<0.1	<0.01	<0.01

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	La	Mg	Mn	Mo	Na	Ni	P	Pb
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.1	0.01	2	0.05	0.01	0.5	50	0.2
Units	ppm	%	ppm	ppm	%	ppm	ppm	ppm
1567901	4.1	0.21	1700	0.15	0.01	16.8	<50	5.0
1567902	0.2	<0.01	34	3.69	<0.01	<0.5	110	15.8
1567903	1.2	0.11	388	1.26	<0.01	3.3	90	18.8
1567904	3.6	0.17	907	1.28	0.01	9.0	100	45.0
1567905	3.5	1.96	2460	<0.05	<0.01	12.3	190	6.3
1567906	2.9	1.81	3030	3.85	<0.01	16.3	250	47.7
1567907	1.8	0.12	1720	0.44	0.01	14.0	1660	5.6
1567908	1.8	0.10	109	2.88	0.01	5.6	<50	0.9
*Rep 1567902	0.2	<0.01	34	3.67	<0.01	<0.5	110	16.2
*Std OREAS209	14.2	2.12	1310	2.02	0.15	113	1500	3.3
*Blk BLANK	<0.1	<0.01	<2	<0.05	<0.01	<0.5	<50	<0.2

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Rb	Sb	Sc	Sn	Sr	Th	Ti	Tl
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B
Det.Lim.	0.2	0.05	0.1	0.3	0.5	0.1	0.01	0.02
Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
1567901	0.4	0.54	1.6	<0.3	742	0.3	<0.01	<0.02
1567902	0.3	211	0.2	<0.3	2.9	0.4	<0.01	<0.02
1567903	0.9	3.82	0.7	<0.3	153	0.5	<0.01	<0.02
1567904	2.2	1.33	2.0	<0.3	444	1.9	<0.01	<0.02
1567905	2.2	>10000	<0.1	<0.3	200	<0.1	<0.01	0.18
1567906	0.3	601	1.3	<0.3	647	0.2	<0.01	<0.02
1567907	0.3	40.0	0.4	<0.3	375	0.3	<0.01	0.02
1567908	0.9	106	0.2	<0.3	9.6	0.6	<0.01	<0.02
*Rep 1567902	0.3	206	0.2	<0.3	3.1	0.4	<0.01	<0.02
*Std OREAS209	4.0	1.22	3.7	0.8	57.6	1.7	0.14	0.04
*Blk BLANK	<0.2	<0.05	<0.1	<0.3	<0.5	<0.1	<0.01	<0.02

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Element	U	V	W	Y	Zn	Au@	@Au
Method	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_IMS14B	GE_FAI313	GO_FAG303
Det.Lim.	0.05	1	0.1	0.05	1	1	0.5
Units	ppm	ppm	ppm	ppm	ppm	ppb	g/t
1567901	0.13	1	<0.1	6.99	3	1	N.A.
1567902	0.30	<1	0.5	0.11	2	>10000	17.78
1567903	<0.05	2	<0.1	8.23	7	33	N.A.
1567904	0.14	3	0.2	16.7	6	5	N.A.
1567905	0.23	3	<0.1	8.60	597	110	N.A.
1567906	0.60	2	<0.1	17.8	18	18	N.A.
1567907	0.56	1	<0.1	5.84	17	23	N.A.
1567908	<0.05	2	<0.1	0.41	3	5	N.A.
*Rep 1567902	0.31	2	0.5	0.11	2		
*Std OREAS209	0.47	43	0.3	13.8	82		
*Blk BLANK	<0.05	<1	<0.1	<0.05	<1		
*Rep 1567901						1	
*Std ME-1309						96	
*Blk BLANK						<1	
*Rep 1567902							17.73
*Std SQ71							31.30
*Blk BLANK							<0.50


This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Appendix III

Maps


Victoria Gold Corp.
Property Location Map
Aurex Project
0 100 200 300 400
Kilometers
Vuntut/Ivvavik National Parks
Northwest Territories
Legend
Tintina Gold Belt
Developed Prospect
Past Producing Mine
Yukon Territory
Tintina Fault
Brewery Creek
Raul
Osiris
Kero Hill
Aurex Property
White Gold (Kinross)
Coffee (Kaminak)
Minto Mine
Revenue
Selwyn Project
Carmacks
Ketza River
Wolverine
Denali Fault
Kluane National Park
Whitehorse
Silver Hart
British Columbia



Legend:

Grouping Claims

Roads

Watercourse

Contours (30m)

StrataGold Corporation

Projection: NAD 83 Zone 8N

Drawn By: HC

0 500 1,000 2,000


Metres

Date: 2017/01/16

Figure:

AUREX PROPERTY
YUKON TERRITORY

Grouped Mineral Claims



Legend

20160210_Aurex_Claims_Outline

Yukon Bedrock Geology

CENOZOIC
- ITR2 ROSS
- ITR4 ROSS

MID-CRETACEOUS
- mKqM MAYO SUITE
- mKgM MAYO SUITE

TRIASSIC
- TrG GALENA SUITE

CARBONIFEROUS TO PERMIAN
- CT2 KENO HILL

DEVONIAN AND MISSISSIPPIAN
- DME1: EARN
- DME3: EARN

PROTEROZOIC
- PCH1: HYLAND
- PCH2: HYLAND
- PCH3: HYLAND
- PCH4: HYLAND

Victoria GOLD CORP

Kilometers

0 4 8

Projection: NAD83 UTM8

Drawn By: H.Kuikka

Date: January 16, 2017

AUREX PROJECT YUKON TERRITORY

Aurex Regional Geology

CENOZOIC

ITR2: ROSS: rhyolite flows, tuffs, ash-flow tuffs and breccias, locally laminated; small stocks and necks of white weathering, flow-banded, quartz-sanidine porphyry to granite porphyry, locally obsidian bearing; local shale, sandstone and conglomerate

lTR4: ROSS: light coloured felsic quartz feldspar porphyry and rhyolite; minor acid tuff breccia, crystal lithic tuff and ignimbrite; quartz-feldspar porphyry stocks and dykes

MID-CRETACEOUS

mKqM: MAYO SUITE: quartz monzonite/granodiorite/quartz diorite/syenite. Locally as the Dublin Gulch Stock, Lynx Creek Stock, and Hansen Lakes Pluton.

mKgM: MAYO SUITE: granite/quartz monzonite/granodiorite. Locally as the Minto Creek Stock, Scheelite Dome Stock, and the Roop Lakes Pluton.

TRIASSIC

TrG: GALENA SUITE: massive, medium-grained hornblende diorite and gabbro sills; massive chloritic and locally serpentinized greenstone (diorite, gabbro, and altered equivalents) sills; minor occurrences of possible mid- to Late Paleozoic age

CARBONIFEROUS

CT2: TSICHU: shale (Keno Hill): Shale/quartzite.

DEVONIAN AND MISSISSIPPIAN

DME1: EARN: thin bedded, laminated slate with thin to thickly interbedded fine to medium grained chert-quartz arenite and wacke; thick members of chert pebble conglomerate; black siliceous siltstone; nodular and bedded barite; rare limestone (Earn Gp., Portrait Lake and Prevost)

DME3: EARN: massive felsic to intermediate volcanic flows, tuffs and subvolcanic plug(s); locally highly altered; greenish chert and minor black slate; quartz eye quartz-sericite chlorite phyllite; local vesicular or amygdaloidal basalt, locally pillowed


PROTEROZOIC

PCH1: HYLAND: thin to thick bedded, brown to pale green shale, fine to coarse grained quartz-rich sandstone, grit, and quartz pebble conglomerate; minor argillaceous limestone; phyllite, quartzofeldspathic and micaceous psammite, gritty psammite and minor mar

PCH2: HYLAND: grey weathering, dark grey to grey white, thin to thick bedded, very fine crystalline limestone, locally sandy; calc-silicate and marble; may locally include carbonate members within (1) or (4) (Hyland Gp., Algae Lake , limestone member of Yusez

PCH3: HYLAND: distinctive, recessive, maroon weathering, interbedded maroon and apple-green slate; "Oldhamia" trace fossils; rare grey chert; locally basal member and interbeds of quartz siltstone, sandstone and quartz-pebble conglomerate (Hyland Gp., Narchil

PCH4: HYLAND: quartzose clastic rocks as described in (1); mostly(?) equivalent to (1) but may include younger units (Hyland Gp., mostly(?) Yusezyu)



Legend

- 2016_Aurex_Rocks
- Aurex Claims
- Watercourse
- Topo 100ft
- Wetlands

Victoria GOLD CORP

Meters
0 50 100


Projection: NAD83 UTM8

Drawn By: H.Kulkka

Date: January 19, 2017

EAGLE GOLD PROJECT
YUKON TERRITORY

Aurex



Legend

- 2016 Aurex Soils
- 2016 Aurex Claims
- Silvertrail Highway
- Trails
- Water Course
- Wetlands
- Topography 30m

Victoria GOLD CORP

Meters
0 100 200


Projection: NAD83 UTM8

Drawn By: S. Stevenson

Date: Oct 4, 2016

EAGLE GOLD PROJECT
YUKON TERRITORY

Aurex



Legend

Au_ppm

- <0.005
- 0.005-0.033
- 0.033-0.11
- 0.11 - 17.78

Aurex Claims

Topo 100ft

Watercourse

Wetlands

Victoria GOLD CORP

Meters

0 50 100


Projection: NAD83 UTM8

Drawn By: H.Kulkka

Date: January 19, 2017

EAGLE GOLD PROJECT
YUKON TERRITORY

Aurex



Legend

Aurex Soils - Ag ppm

- 0.000000 - 0.250000
- 0.250001 - 0.500000
- 0.500001 - 0.750000
- 0.750001 - 1.000000
- 1.000001 - 10.850000

2016 Aurex Claims

Water Course

Wetlands

Topography 30m

Victoria GOLD CORP

Meters

0 250 500


Projection: NAD83 UTM8

Drawn By: S.Stevenson

Date: Oct 4, 2016

EAGLE GOLD PROJECT
YUKON TERRITORY

Aurex



Legend

Aurex Soils - As ppm

- 0.000000 - 150.000000
- 150.000001 - 200.000000
- 200.000001 - 250.000000
- 250.000001 - 300.000000
- 300.000001 - 9390.000000

2016 Aurex Claims

Water Course

Wetlands

Topography 30m

Victoria GOLD CORP

Meters

0 250 500


Projection: NAD83 UTM8

Drawn By: S.Stevenson

Date: Oct 4, 2016

EAGLE GOLD PROJECT
YUKON TERRITORY

Aurex



Legend

Aurex Soils - Au ppm

- 0.000500 - 0.016400
- 0.016401 - 0.046400
- 0.046401 - 0.107000
- 0.107001 - 0.214000
- 0.214001 - 0.809000

2016 Aurex Claims

Water Course

Wetlands

Topography 30m

Victoria GOLD CORP

Meters

0 250 500


Projection: NAD83 UTM8

Drawn By: S.Stevenson

Date: Oct 4, 2016

EAGLE GOLD PROJECT
YUKON TERRITORY

Aurex



Legend

Aurex Soils - Bi ppm

- 0.000000 - 0.400000
- 0.400001 - 0.600000
- 0.600001 - 0.800000
- 0.800001 - 1.000000
- 1.000001 - 50.000000

2016 Aurex Claims

Water Course

Wetlands

Topography 30m

Victoria GOLD CORP

Meters

0 250 500

Projection: NAD83 UTM8

Drawn By: S.Stevenson

Date: Oct 6, 2016

EAGLE GOLD PROJECT
YUKON TERRITORY

Aurex

Legend

- 2016 Aurex Claims
- Silvertrail Highway
- Trails
- Topography 30m
- Water Course

Victoria GOLD CORP

Meters
1,000 0 1,000


Projection: NAD83 UTM8

Drawn By: S. Stevenson

Date: Oct 4, 2016

EAGLE GOLD PROJECT
YUKON TERRITORY

Aurex



Legend

Aurex Soils - Cu ppm

- 0.000000 - 20.000000
- 20.000001 - 30.000000
- 30.000001 - 40.000000
- 40.000001 - 50.000000
- 50.000001 - 153.000000

2016 Aurex Claims

Water Course

Wetlands

Topography 30m

Victoria GOLD CORP

Meters

0 250 500


Projection: NAD83 UTM8

Drawn By: S.Stevenson

Date: Oct 4, 2016

EAGLE GOLD PROJECT
YUKON TERRITORY

Aurex



Legend

Aurex Soils - Pb ppm

- 0.000000 - 15.000000
- 15.000001 - 20.000000
- 20.000001 - 25.000000
- 25.000001 - 30.000000
- 30.000001 - 884.000000

2016 Aurex Claims

Water Course

Wetlands

Topography 30m

Victoria GOLD CORP

Meters

0 250 500


Projection: NAD83 UTM8

Drawn By: S.Stevenson

Date: Oct 4, 2016

EAGLE GOLD PROJECT
YUKON TERRITORY

Aurex



Legend

Aurex Soils - Sb ppm

- 0.000000 - 20.000000
- 20.000001 - 30.000000
- 30.000001 - 40.000000
- 40.000001 - 50.000000
- 50.000001 - 717.000000

2016 Aurex Claims

Water Course

Wetlands

Topography 30m

Victoria GOLD CORP

Meters

0 250 500


Projection: NAD83 UTM8

Drawn By: S.Stevenson

Date: Oct 6, 2016

EAGLE GOLD PROJECT
YUKON TERRITORY

Aurex



Legend

Aurex Soils - As ppm

- 0.000000 - 150.000000
- 150.000001 - 200.000000
- 200.000001 - 250.000000
- 250.000001 - 300.000000
- 300.000001 - 9390.000000

2016 Aurex Claims

Water Course

Wetlands

Topography 30m

Victoria GOLD CORP

Meters

0 250 500

Projection: NAD83 UTM8

Drawn By: S.Stevenson


Date: Oct 4, 2016

EAGLE GOLD PROJECT
YUKON TERRITORY

Aurex

XRF

Lab



Legend

Aurex Soils - As ppm

- 0 - 150
- 151 - 200
- 201 - 250
- 251 - 300
- 301 - 2437

- 2016 Aurex Claims
- Water Course
- Wetlands
- Topography 30m

Victoria GOLD CORP

Meters

0 125 250

Projection: NAD83 UTM8

Drawn By: S.Stevenson

Date: Oct 6, 2016

EAGLE GOLD PROJECT
YUKON TERRITORY

Aurex