



REPORT ON THE
LIN, MEL, DON AND BREN CLAIM GROUPS
FOR
YUKON YELLOW METAL EXPLORATION LTD.
NTS 105 - B

by
LARRY W. CARLYLE, F.G.A.C., P. Geol.

Whitehorse, Yukon

January 10, 1989

092661

TABLE OF CONTENTS

	<u>Page</u>
Introduction	1
Property Location and Access	1
Claim Information	2
Regional Geology	2
Property Geology and Mineralization	3
Conclusions	5
Recommendations	5
Proposed 1989 Work Program and Budget	5
References	6
Statement of Qualifications	7

FIGURES

	<u>Following Page</u>
Location Map	1
Claim Map	2
Rock Blast Locations Map	3

TABLES

Sample Description Table	3
--------------------------	---

APPENDICES

Appendix A: 31 Element ICP and Gold Geochemical Assay Certificate	
---	--

INTRODUCTION

Yukon Yellow Metal Exploration Ltd. performed helicopter supported rock blasting and sampling on its Lin, Mel, Don and Bren Claim groups at various times from October 2, 1988 to December 2, 1988. Aerial photograph and satellite photograph review have also been done on the property. The claims have had sufficient assessment work filed to hold them for a minimum of one year.

PROPERTY LOCATION AND ACCESS

The Yukon Yellow Metal Exploration Ltd. claims are in the Shootamook Creek area of the Wolf Lake Map Sheet (NTS 105 - B). Shootamook Creek is a tributary of Scurvy Creek approximately 55 miles (92 Km.) north of Rancheria Lodge situated at Mile 710 (Km 1143) of the Alaska Highway (See Location Map). Access is presently by helicopter from Rancheria. Road access exists to the Fairfield Mt. Logan Property approximately 27 miles (45 Km.) south of the Yukon Yellow Metal Property.


The Lin, Mel, Don and Bren Claim groups cover areas from about 3000 to 5000 feet (1112 to 1524 metres) above sea level. The claims are on rounded, moderately to steeply sloping hills and valleys. Most of the property is covered with a thick cover of black spruce, pine, willow, low bush, moss and lichens. Bedrock exposures are largely confined to stream cuts and a few steep bluff faces.

LOCATION MAP

YUKON YELLOW METAL
EXPLORATION LTD.

SCALE:

1: 2,500,000



CLAIM INFORMATION (See Claim Map)

<u>Claim Names</u>	<u>Grant Numbers</u>	<u>Owner</u>	<u>Expiry Date</u>
Lin 1 - 48	YB 10974-YB 11021	Mel Holloway	January 4, 1990
Mel 1 - 48	YB 10830-YB 10877	Mel Holloway	January 4, 1990
Don 1 - 48	YB 10782-YB 10829	Mel Holloway	January 4, 1990
Bren 1 - 16	YB 10718-YB 10733	Mel Holloway	January 4, 1990

HISTORY

The Lin, Mel, Don and Bren Claim groups were staked in late December, 1987 and recorded with the Watson Lake Mining Recorder on January 4, 1988. These claims were staked at the same time as the Hugh, Bud, Ron, Sam and Sid Claim groups now joined with the original Matt-Mathew Claim group in an option agreement with Orpex Minerals Inc. (See Claim Map). All of these claim groups were staked on what Mr. Holloway believes is the continuation of the Winnie Showing located on the Matt-Mathew Claim group.

REGIONAL GEOLOGY

The Yukon Yellow Metal Property lies on the northern edge of the Jurassic and/or Cretaceous Cassiar Batholith intrusive complex and is underlain by limestones, schists, phyllites and quartzites mapped as Lower Cambrian age by Poole, Roddick and Green in 1960. On the adjoining Irvine Lake Map Sheet (Open File 1988-1), these sediments have been mapped as Hadrynian by D. Murphy. Several small plugs of the intrusive have been mapped by Poole, Roddick and Green in the claim area. The gneiss located on the Bren Claims may be an indication of these intrusives. Hydrothermal alteration located in mineralized areas may be due to their

**YUKON
YELLOW METAL
EXPLORATION LTD.
CLAIM MAP**
NTS MAPS 105 B-10, 11, 14 & 15
SCALE: 1/2 Mile per inch

SCALE REDUCED TO
63.8% ORIGINAL

SCURVY
CREEK
FAULT ?


SATELLITE LINEATION

CLAIMS INCLUDE

- LIN GROUP
- MEL GROUP
- DON GROUP
- BREN GROUP

SATELLITE
LINEATION

STONEAXE



proximity to the intrusives.

PROPERTY GEOLOGY AND MINERALIZATION


Rock blasting was done by Yukon Yellow Metal at two times: in early October and in late November. The October blast sites were located on a claim map as they were performed and have been transferred to the Rock Blast Locations Map as circles. November rock blast locations were also sampled. These sites are designated by a letter representing the claim block and a number representing the sequence.

During the November work, 1.5 to 2 feet of snow covered most of the property. The most common locations of outcrop were on rock bluffs in creek cuts and on wind swept ridges. Where possible, areas having significant iron staining and silicification were chosen for blast sites. Large quantities of dynamite were placed in holes and crevices at the base of the bluffs to create as large an area of fresh rock as possible for sampling. Sites were placed on a 1 : 50,000 scale topographic map as they were completed. From this map, they were transferred to the Rock Blast Locations Map. Samples obtained during this work have been described by the writer (See Sample Description Table) and have been analysed for 31 elements by ICP methods and for gold by rock geochemical analysis (See Appendix A).


Mineralization in the area of the Yukon Yellow Metal claims appears to be closely associated with fault zones. Preliminary review of air photographs has revealed lineations striking chiefly in a northwest direction parallel to the Tintina Fault which is

SAMPLE DESCRIPTION TABLE


Sample #	Description	Au ppb	Ag PPM	As PPM
L - 1	Blocky light brown limonite stained quartzite cut by strong white bull quartz up to 2 inches wide. Quartz weakly vuggy. Trace oxidized pyrite crystals. Trace pyrolusite. Trace sericite ?	10	0.1	38
M - 1	Blocky sugary limestone. Light grey to light brown depending on quantity of limonite. Cut by grey quartz stringers most at 1/8 inch wide. Trace sericite and oxidized pyrite crystals. Trace pyrolusite ?	4	0.2	22
D - 1	Blocky light brown limonite stained fine grained limestone. Minor white to grey quartz stringers up to 1/4 inch. Trace oxidized pyrite crystals.	4	0.1	6
BR - 1	Gneiss. Lineated quartz, biotite and sericite (?). Trace hornblende ? Minor brown and red-brown limonite staining. Minor HCl reaction to calcite in fractures.	2	0.1	2



YUKON
 YELLOW METAL
 EXPLORATION LTD.
 ROCK BLAST LOCATIONS
 NTS MAPS 105 B-10, 11, 14 & 15
 SCALE: 1/2 Mile per inch
 SCALE REDUCED TO
 63.8% ORIGINAL



LOCATIONS
 X M-1 NOVEMBER /88
 O OCTOBER /88



followed by the Liard River approximately 16 miles northeast of the property. The upper section of Scurvy Creek has this orientation (See Claim Map). Its proximity to the Lin and Mel Claim groups may account, in part, for the significant silicification in the sample taken from the Lin Claim group. This sample also returned the highest arsenic and gold values of the samples taken from the property (See Sample Description Table).

A recent review of the satellite photograph covering the property area shows a strong lineation which suggests to the writer that Shootamook Creek at some point in its history ran through Stoneaxe Lake (See Claim Map). The topographic relief south of this line is much greater than that north of it. Proximity to this lineation will necessitate further exploration of the Don Claim group.

Another lineation east of the Bren Claims striking northeast is also marked on the Claim Map. The importance of this lineation to mineral deposition in the area is not yet known. Intrusives may account for the change in topographic relief as well as the sharp change in the course of Shootamook Creek northwest of the Bren Claims. The presence of intrusives is supported since Sample BR - 1 from the Bren Claims is a gneiss. Further work on the Bren Claims is warranted.

CONCLUSIONS

1. The proximity of the Lin, Mel, Don and Bren Claim groups to the promising Winnie Showing on the Matt-Mathew Claim group make the locating of similar hydrothermal vein-fault systems on them very possible.
2. Mineralization on the Yukon Yellow Metal Exploration Ltd. Property is expected to be closely associated with fault zones. The presence of strong unexplored lineations visible on aerial and satellite photographs as well as significant arsenic, gold and antimony values in the stream sediment samples from Open File 1289 on the property indicate more work is needed.
3. The presence of gneissic rocks on the Bren Claim group and the strong lineations near it indicate that the best potential for locating new mineral deposits on the Yukon Yellow Metal Property is here.
4. The silicification seen on the Lin Claim group as well as the significant gold and arsenic values of the sample from this group suggest a good potential also exists here.


RECOMMENDATIONS

1. The 1989 Work Program and Budget should consist of stream sediment and rock sampling and assaying. The confluences of all major creeks on the property should be stream sediment sampled to confirm the gold, silver, arsenic and antimony values available in Open File 1289. Sample areas missed during the preparation of Open File 1289 should be located and sampled.
2. Gossaned and silicified outcrops located on the property should be sampled and analysed for the elements listed above.
3. Areas of interest should receive follow-up soil sampling, VLF-EM surveys and rock blasting.

PROPOSED 1989 WORK PROGRAM AND BUDGET

Helicopter	\$ 8,000.00
Wages and Benefits	\$ 2,800.00
Food and Lodgings	\$ 1,800.00
Analyses	\$ 1,500.00
Fuel	\$ 1,500.00
Report Writing	\$ 1,200.00
Contingencies	\$ 3,360.00

Total	\$ 20,160.00



REFERENCES


1. Carlyle, L.W. (1988) "Report on the Matt-Mathew and Hugh Creek Claims, Watson Lake Mining District, Yukon". Private report for Orpex Minerals Inc.
2. Carlyle, L.W. (1988) "Addendum - Report on the Matt-Mathew and Hugh Creek Claims, Watson Lake Mining District, Yukon". Private report for Orpex Minerals Inc.
3. Murphy, D.C. (1988) "Geological Map of Irvine Lake Map Area" (105 B-14); Open File 1988-1, Canada Yukon E.D.A.
4. Poole, W.H., Roddick, J.A. and Green, L.H. (1960) "Geology of Wolf Lake - NTS 105-B, Yukon Territory; Geological Survey of Canada, Map 10-1960"

STATEMENT OF QUALIFICATIONS

I, LARRY W. CARLYLE, do certify:

1. That I am a professional geologist operating a business registered as CARLYLE GEOLOGICAL SERVICES LTD. with an office at 74 Tamarack Drive, Whitehorse, Yukon Y1A 4Y6.
2. That I hold a B. Sc. degree in geology from the University of British Columbia (1970).
3. That I am a Fellow of the Geological Association of Canada (F - 4355).
4. That I am a Registered Professional Geologist in the Association of Professional Engineers, Geologists and Geophysicists of the Province of Alberta (41097).
5. That I am a Member of the Canadian Institute of Mining and Metallurgy.
6. That I have practiced my profession as a mine and exploration geologist for fifteen years.
7. That the conclusions and recommendations in the attached report are based on work done by the writer and a review of all available private and public reports.
8. That I hold no interest in the Lin, Mel, Don and Bren Claims owned by Mr. Mel F. Holloway (Yukon Yellow Metal Exploration Ltd.).

DATED at Whitehorse, Yukon, this 10th day of January, 1989.



STATEMENT OF COSTS

Lin Claim Group

Camp, Labour and Supplies	\$ 841.80
Helicopter	\$ 831.33
Rock Blasting	\$ 3,900.00

Total	\$ 5,573.13

Mel Claim Group

Camp, Labour and Supplies	\$ 841.80
Helicopter	\$ 779.37
Rock Blasting	\$ 4,300.00

Total	\$ 5,921.17

Don Claim Group


Camp, Labour and Supplies	\$ 841.80
Helicopter	\$ 727.41
Rock Blasting	\$ 4,300.00

Total	\$ 5,869.21

Bren Claim Group

Camp, Labour and Supplies	\$ 280.60
Helicopter	\$ 207.83
Rock Blasting	\$ 1,900.00

Total	\$ 2,388.43



APPENDIX A

31 ELEMENT ICP AND GOLD GEOCHEMICAL ASSAY CERTIFICATE

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR NH FE SR CA P LA CR NG BA TI B V AND LIMITED FOR NA K AND AL. AN DETECTION LIMIT BY ICP IS 3 PPM.
 - SAMPLE TYPE: ROCK AU* ANALYSIS BY ACID LEACH/AA FROM 10 GR SAMPLE.

DATE RECEIVED: DEC 7 1988 DATE REPORT MAILED: Dec 12/88 SIGNED BY: C. Long D. TOYE, C. LIONG, B. CHAN, J. WANG; CERTIFIED B.C. ASSAYERS

CARLYLE GEOLOGICAL File # 88-6175 Page 1

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Co PPM	Mn PPM	Fe %	As PPM	U PPM	Au PPM	Th PPM	Sr PPM	Cd PPM	Sb PPM	Bi PPM	V PPM	Ca %	P %	La PPM	Cr PPM	Hg %	Ba PPM	Ti %	B PPM	Al %	Na %	K %	V PPM	Au* PPB
2S-1	1	3	18	4	1.4	2	1	4	.78	59	5	ND	9	13	1	53	4	9	.02	.007	32	5	.03	146	.01	3	.37	.01	.14	8	46
2S-2	2	5	34	9	3.1	5	1	35	.67	309	7	2	6	19	1	38	2	3	.04	.006	16	5	.03	115	.01	6	.18	.01	.06	4	1430
2S-3	1	2	12	1	1.2	1	1	10	.40	159	5	ND	5	8	1	33	2	2	.02	.002	18	3	.01	50	.01	2	.23	.01	.12	4	128
3S-1	1	4	7	3	.9	2	1	6	.72	35	5	ND	6	6	1	60	4	8	.01	.007	17	4	.01	23	.01	9	.41	.01	.10	9	26
3S-2	1	4	16	3	1.2	1	1	2	.62	59	5	ND	8	11	1	55	2	9	.01	.005	29	8	.03	107	.01	6	.58	.01	.19	9	40
3S-3	1	7	107	7	16.8	3	1	14	.46	406	5	ND	6	22	1	33	4	3	.02	.002	21	5	.01	227	.01	2	.20	.01	.09	3	1510
3S-4	1	2	20	1	2.2	2	1	13	.34	88	5	ND	6	9	1	32	3	2	.02	.002	18	5	.01	79	.01	6	.24	.01	.14	4	77
4S-1	1	2	8	6	1.1	2	1	2	.28	42	5	ND	8	7	1	61	2	9	.01	.005	27	8	.01	50	.01	8	.49	.01	.12	12	84
4S-2	3	3	44	5	1.3	5	1	4	.56	3244	5	ND	11	12	1	68	2	6	.02	.009	41	8	.01	83	.01	5	.34	.01	.10	5	830
5S-1	1	9	8	5	.5	3	1	2	.94	92	5	ND	9	4	1	44	2	9	.01	.006	25	6	.02	30	.01	7	.45	.01	.12	19	31
5S-2	4	6	54	11	3.8	4	1	8	.76	3969	6	2	10	13	1	53	2	6	.02	.012	30	10	.01	53	.01	8	.32	.01	.10	7	1480
6S-1	1	35	14	10	.1	27	12	2	5.23	93	5	ND	14	6	1	53	2	10	.01	.005	22	8	.03	17	.01	3	.49	.01	.16	20	25
6S-2	3	4	49	7	1.8	6	1	9	.83	378	5	ND	11	102	1	64	2	7	.02	.012	35	12	.01	84	.01	3	.29	.01	.17	7	930
7S-1	1	37	17	13	.5	24	12	4	4.82	434	5	ND	12	15	1	70	2	11	.01	.007	19	7	.03	12	.01	7	.53	.01	.16	15	270
7S-2	1	6	28	28	1.7	9	2	14	.75	1353	5	2	9	19	1	31	2	4	.02	.006	29	8	.01	51	.01	6	.27	.01	.14	5	2710
8S-1	1	41	34	21	.6	29	13	2	5.77	660	5	ND	24	38	1	76	2	12	.05	.041	19	10	.03	10	.01	3	.51	.01	.15	16	330
8S-2	1	18	25	63	1.2	57	10	16	2.26	14055	5	5	8	26	1	44	3	3	.06	.024	10	12	.02	88	.01	2	.18	.01	.10	5	5530
1N-1	1	6	10	2	.3	2	1	3	.38	31	5	ND	7	8	1	25	4	5	.02	.003	17	6	.02	26	.01	8	.50	.01	.13	7	26
1N-2	1	4	22	4	4.2	1	1	3	.45	188	5	2	8	16	1	37	2	5	.01	.002	27	6	.01	46	.01	9	.33	.01	.13	10	1520
1N-3	1	3	18	5	5.2	1	1	12	.31	223	5	5	7	7	1	18	2	2	.02	.003	31	4	.01	20	.01	4	.18	.01	.10	3	4630
1N-4	1	5	19	4	1.4	3	1	21	.72	145	7	ND	5	9	1	70	2	3	.01	.001	13	6	.01	101	.01	6	.27	.01	.13	5	102
2N-1	1	3	25	3	.6	6	1	2	.37	11	5	ND	7	13	1	47	2	7	.02	.006	20	9	.01	19	.01	8	.42	.01	.08	10	41
2N-2	1	3	28	4	1.6	3	1	7	.84	113	5	ND	8	35	1	49	2	8	.01	.004	26	9	.02	49	.01	7	.48	.01	.20	12	330
2N-3	1	4	79	7	5.2	2	1	13	.63	374	5	3	4	15	1	16	2	2	.02	.003	15	5	.01	35	.01	3	.15	.01	.12	3	2830
2N-4	1	4	12	1	1.6	3	1	11	.50	156	5	ND	6	8	1	31	3	2	.01	.002	20	5	.01	60	.01	4	.26	.01	.14	3	146
3N-1	2	3	14	3	.9	7	1	19	.36	11	5	ND	5	18	1	45	2	7	2.33	.005	15	12	.02	12	.01	6	.37	.01	.04	7	15
3N-2	1	4	11	3	1.2	1	1	2	.40	53	5	ND	10	7	1	57	2	9	.02	.003	32	6	.02	41	.01	7	.46	.01	.14	11	250
3N-3	2	16	48	13	4.7	10	1	23	1.16	8543	5	5	8	17	1	40	2	3	.12	.045	26	13	.02	73	.01	4	.17	.01	.09	6	4120
3N-4	1	9	9	5	.8	4	2	27	1.44	588	5	ND	3	9	1	49	3	3	.06	.007	10	5	.01	49	.01	2	.22	.01	.10	4	105
4N-1	2	3	11	3	1.5	6	1	2	.31	29	6	ND	5	7	1	31	2	6	.05	.004	11	10	.01	10	.01	5	.33	.01	.04	8	32
4N-2	1	7	18	4	1.5	1	1	2	.46	22	5	ND	10	9	1	70	2	11	.01	.005	31	6	.02	46	.01	11	.58	.01	.14	15	186
4N-3	2	14	239	36	9.4	21	4	34	1.22	9593	5	7	9	34	1	40	2	3	.04	.013	27	11	.01	65	.01	4	.18	.01	.11	7	6210
4N-4	2	3	16	1	.7	4	1	4	.29	558	5	ND	9	12	1	69	2	7	.01	.008	42	11	.01	86	.01	8	.41	.01	.12	4	65
5N-1	2	9	16	7	1.1	20	4	2	1.39	18	5	ND	8	12	1	56	3	9	.04	.011	18	13	.01	60	.01	3	.58	.01	.06	11	36
5N-2	1	24	18	8	.8	13	3	3	2.33	36	5	ND	10	13	1	76	2	9	.02	.008	24	9	.03	26	.01	8	.69	.01	.20	12	74
5N-3	3	14	170	105	13.8	8	1	26	.99	1926	5	5	7	97	1	58	2	3	.02	.009	18	9	.01	74	.01	3	.15	.01	.12	9	4880
5N-4	1	6	21	4	.8	6	2	12	.81	640	5	ND	10	14	1	45	2	5	.03	.005	35	8	.02	76	.01	2	.33	.01	.15	5	198
STD C/AU-R	18	62	41	132	7.0	69	31	1030	4.08	45	18	8	39	49	19	18	19	61	.48	.096	40	57	.89	183	.07	36	1.92	.06	.13	11	510

CARLYLE GEOLOGICAL FILE # 88-6175

SAMPLE#	No PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Co PPM	Mn PPM	Fe %	As PPM	U PPM	Au PPM	Th PPM	Sr PPM	Cd PPM	Sb PPM	Bi PPM	V PPM	Ca %	P %	La PPM	Cr PPM	Mg %	Ba PPM	Ti %	B PPM	Al %	Na %	K %	W PPM	Au# PPB
6N-1	1	28	27	23	.3	49	13	6	2.61	80	5	ND	18	18	1	77	2	8	.10	.067	51	15	.02	32	.01	6	.55	.01	.07	10	27
6N-2	1	15	40	7	1.6	17	6	13	3.36	391	5	ND	10	33	1	72	2	4	.04	.048	19	10	.03	16	.01	7	.37	.01	.10	7	510
6N-3	2	9	333	17	3.9	5	2	12	1.43	201	5	ND	4	41	1	36	2	3	.03	.025	10	7	.02	172	.01	4	.19	.01	.09	6	2330
6N-4	2	6	17	5	.9	4	2	3	1.32	98	5	ND	4	18	1	58	2	2	.02	.008	16	6	.01	85	.01	4	.22	.01	.11	3	200
7N-1	1	17	16	59	1.6	17	6	12	1.59	4089	5	ND	9	21	1	33	2	2	.03	.042	12	9	.01	75	.01	2	.22	.01	.05	5	2480
7N-2	2	10	9	7	.3	9	3	13	1.25	366	5	ND	4	12	1	21	2	2	.02	.005	17	9	.02	55	.01	6	.31	.01	.16	3	200
8N-1	2	46	41	51	.9	69	19	16	2.55	1458	5	ND	42	81	1	65	2	10	.18	.136	62	21	.03	24	.01	7	.84	.01	.10	11	820
8N-2	3	16	10	19	1.3	19	7	12	1.84	6072	5	ND	7	15	1	27	2	2	.04	.016	13	11	.02	50	.01	5	.25	.01	.11	3	1300
B-1	1	1	10	4	.1	1	3	807	.88	20	6	ND	2	1349	1	2	2	1	35.50	.006	6	1	.21	4	.01	2	.03	.01	.01	2	14
* BR-1	1	8	3	31	.1	8	4	240	1.18	2	5	ND	8	46	1	2	3	10	1.76	.009	8	17	.32	13	.04	2	1.11	.02	.07	2	2
* D-1	1	1	4	3	.1	2	2	371	.35	6	7	ND	1	677	1	2	2	1	39.73	.005	38	1	.13	7	.01	2	.03	.01	.01	1	4
* BTM-1	2	18	133	595	1.2	23	8	30	2.40	12526	5	ND	7	16	1	50	2	2	.23	.013	11	8	.03	43	.01	2	.20	.01	.06	1	2500
* L-1	1	1	2	4	.1	4	1	32	.47	38	5	ND	1	12	1	2	2	1	.34	.005	3	6	.01	6	.01	2	.04	.01	.02	4	10
H-1	2	8	4	5	.1	10	3	155	.94	15	5	ND	3	5	1	2	2	1	.05	.008	8	7	.03	13	.01	3	.17	.01	.07	2	5
H-2	2	5	2	1	.1	3	1	50	.36	2	5	ND	2	4	1	2	2	1	.14	.006	7	6	.01	23	.01	2	.09	.01	.08	4	1
H-3	2	4	4	6	.2	11	4	354	1.67	2	5	ND	5	12	1	2	2	1	.22	.011	10	8	.07	13	.01	2	.22	.01	.06	3	4
HW-1	1	10	8	28	.7	18	7	21	2.07	9576	5	ND	4	5	1	28	2	1	.04	.011	10	7	.01	19	.01	3	.16	.01	.07	4	1210
* FW-1	1	19	22	47	.2	53	15	16	4.80	108	5	ND	15	18	1	119	3	5	.28	.107	32	11	.01	22	.01	7	.45	.01	.08	7	18
* M-1	1	1	3	16	.2	27	4	112	.43	22	7	ND	1	380	1	2	2	2	38.75	.006	4	3	.05	2	.01	2	.04	.01	.01	1	4
R-1	1	1	7	5	.2	3	2	221	.34	2	7	ND	2	1067	1	2	2	1	38.93	.003	7	1	.27	5	.01	2	.01	.01	.01	1	1
R-2	1	1	4	7	.3	3	2	76	.32	8	9	ND	2	1148	1	2	3	1	38.96	.001	4	1	.35	4	.01	2	.02	.01	.01	1	1
SA-1	1	2	24	5	.3	1	2	91	.43	4	8	ND	1	303	1	2	2	1	40.13	.010	6	1	.14	3	.01	2	.08	.01	.01	1	1
SA-2	1	3	279	37	.6	5	5	175	1.57	7	7	ND	3	655	1	2	2	3	29.65	.016	9	4	1.00	8	.01	3	.25	.01	.03	1	5
SI-1	1	26	13	81	.1	31	11	235	4.13	2	6	ND	17	97	1	2	2	9	1.70	.041	42	22	1.04	24	.01	3	2.00	.01	.11	2	1
SI-2	1	2	6	7	.3	1	1	238	.19	5	8	ND	2	145	1	2	2	1	37.68	.007	5	1	.39	10	.01	2	.04	.01	.01	1	1
STD C/AU-R	18	62	43	133	6.7	71	31	1037	4.20	42	17	7	38	48	19	18	21	60	.49	.092	40	55	.92	176	.07	37	1.98	.06	.13	11	495

- ASSAY REQUIRED FOR CORRECT RESULT for As > 1%.

