

MAP NO.: ASSESSMENT REPORT X
105 A 7, 10 PROSPECTUS
CONFIDENTIAL X
OPEN FILE

DOCUMENT NO: 092930
MINING DISTRICT: WATSON LAKE
TYPE OF WORK: DIAMOND DRILLING

REPORT FILED UNDER: CANAMAX RESOURCES INC.

DATE PERFORMED: JUNE, 1988

DATE FILED: MARCH, 1989

LOCATION: LAT.: 60°32'N

AREA: MT HUNDERE

LONG.: 128°53'W

VALUE \$: 109,900

CLAIM NAME & NO.: MICA
CIMA
HUN

WORK DONE BY: CONNORS DRILLING

WORK DONE FOR: CANAMAX RESOURCES

DATE TO GOOD STANDING:


REMARKS: Twelve NQ holes were drilled totalling 6,780 feet (2066.5m)
The holes were drilled on Jewelbox Hill and the North Showing.
Results are stated.

Please microfilm on both page



Indian and Northern
Affairs Canada

Affaires indiennes
et du Nord Canada



TRANSMITTAL FORM

MR file no _____
 RMMR file no _____
 Date forwarded
 14 JAN 1991

From ▶ Mining Recorder at **WATSON LAKE**

To ▶ Regional Manager, Mineral Rights at Whitehorse, Y.T.

For action are

- NEW APPLICATION FOR PLACER LEASE TO PROSPECT Name _____
- RENEWAL APPLICATION PLACER LEASE TO PROSPECT Name _____ lease no _____
- AFFIDAVIT OF EXPENDITURE ON PLACER LEASE Name _____ lease no _____
- SECURITY DEPOSIT
- FINANCIAL ABILITY
- ASSIGNMENT OF PLACER LEASE NO From _____ To _____
- GROUPING APPLICATION UNDER SEC 52(2) PLACER MINING ACT Owner _____

DIAMOND DRILL LOGS Claims **MICA, HUN, CIMA** Claim sheet no **105-1207/10**

QUARTZ ASSESSMENT REPORT Claims _____ Claim sheet no _____

Type of report _____ Submitted by _____

Cts work performed on _____ \$ req for ren application _____

For numbering only
As return this copy
(it is the only one)

[Signature]
Signature

Date returned _____

REPLY ACTION

092930

Signature

21 March, 1989

340-13-3

REGIONAL MANAGER, GEOLOGICAL SERVICES

RESTRICTED

Enclosed are Diamond Drill Logs etc., submitted by Canamax Resources Inc. for assessment on the MICA, CIMA and HUN mineral claims located on 105-A-07/10.

Drilling was as follows.

DDH MH88-160	MICA 5	757'	DDH MH88-175	MICA 3	497'
DDH MH88-161	MICA 6	457'	DDH MH88-176	MICA 3	502'
DDH MH88-162	MICA 6	687'	DDH MH88-177	MICA 3	737'
DDH MH88-163	MICA 6	700'	DDH MH88-178	MICA 3	527'
DDH MH88-165	MICA 4	485'	DDH MH88-181	MICA 3	517'
DDH MH88-174	MICA 3	607'	DDH MH88-185	MICA 2	307'
TOTAL		6,780 Feet			

Assessment credit requested is \$109,900.00. The drill core is stored on the property (MICA 4).

Yours truly,



Patti L. McLeod
Mining Recorder
Watson Lake Mining District
P. O. Box 269
Watson Lake, Yukon
YOA 1C0

092930

encl.(s)

NJM

MT. HUNDERE PROPERTY

CANAMAX RESOURCES INC.

ZONE Jewelbox Hill

D.D.H. No MH - 88 -160

COORDINATES 24+44 S

SECTION 24+50S

3+14 E

DATE STARTED June 21, 1988 Noon

COLLAR ELEVATION 1502.2 M

DATE COMPLETED June 23, 1988 10 a.m.

AZIMUTH AT COLLAR -- °

CORE SIZE NQ

DIP AT COLLAR -90 °


CORING METHOD Wireline

TOTAL DEPTH 230.7 m (757')

LOGGED BY W. Mann

DRILLING CONTRACTOR Connors Drilling Ltd.

SURVEY DATA			
DEPTH	AZIMUTH	DIP	METHOD
230.7	221.5°	-89°	Pajari



COMMENTS - Good water return until cave at 650'. Good recovery except 5' cave. 10' casing removed. 0 is 1 metre above ground level.

SUMMARY LOG		
FROM	TO	GEOLOGY
0	56.3	Calcareous phyllite
56.3	59.7	Graphitic phyllite
59.7	68.4	Diopside skarn
68.4	90.6	Micaceous phyllite hornfels
90.6	103.0	Graphitic phyllite, actinolite skarn
103.0	116.8	Upper Zone actinolite skarn
116.8	130.6	Micaceous phyllite hornfels, diopside skarn
130.6	132.4	Diopside skarn
132.4	143.8	Marble, limestone
143.8	147.7	Middle Zone actinolite skarn
147.7	175.7	Limestone, marble
175.7	183.7	Lower Zone diopside skarn
183.7	186.2	Micaceous phyllite hornfels
186.2	214.5	Limestone, marble, minor skarn
214.5	220.9	J5 Zone actinolite skarn
220.9	230.7	Micaceous phyllite hornfels

WEIGHTED ASSAY AVERAGES						
FROM	TO	TRUE WIDTH	% Pb	% Zn	oz/t Ag	S.G.
60.0	68.3	8.3	6.76	10.58	1.02	2.93
109.1	114.8	5.7	7.95	13.91	1.34	3.29
143.8	147.7	3.9	11.00	15.20	1.89	3.43
175.7	181.3	5.6	6.34	10.27	2.53	3.21
193.5	194.8	1.3	11.70	5.80	22.10	3.05

092930

MT. HUNDERE PROPERTY

CANAMAX RESOURCES INC.

ZONE Jewelbox Hill

D.D.H. No MH - 88 - 161

COORDINATES	<u>24+01</u> S	SECTION	<u>24+00S</u>
	<u>3+88</u> E	DATE STARTED	<u>June 23, 1988</u>
COLLAR ELEVATION	<u>1484.8</u> M	DATE COMPLETED	<u>June 25, 1988 1:30 pm</u>
AZIMUTH AT COLLAR	<u>--</u> °	CORE SIZE	<u>NQ</u>
DIP AT COLLAR	<u>-90</u> °	CORING METHOD	<u>Wireline</u>
TOTAL DEPTH	<u>139.3</u> m (457')	LOGGED BY	<u>W. Mann</u>
DRILLING CONTRACTOR <u>Connors Drilling Ltd.</u>			

SURVEY DATA			
DEPTH	AZIMUTH	DIP	METHOD

COMMENTS - 13' casing. Water return lost early, bad ground. Rods stuck by sloughing in bad ground. Hole abandoned above Lower & J5 Zone targets. Casing removed. 3 rods, bit, tube lost. 0 is 1 metre above ground level.

SUMMARY LOG		
FROM	TO	GEOLOGY
0	4.0	Casing
4.0	16.2	Graphitic phyllite
16.2	21.6	Micaceous phyllite hornfels
21.6	26.5	Graphitic phyllite
26.5	71.2	Micaceous phyllite hornfels
71.2	84.3	Graphitic phyllite
84.3	85.8	Upper Zone diopside skarn
85.8	89.0	Micaceous phyllite hornfels
89.0	90.0	Graphitic phyllite
90.0	100.5	Micaceous phyllite hornfels
100.5	105.6	Middle Zone diopside skarn
105.6	109.6	Micaceous phyllite hornfels
109.6	110.3	Diopside skarn
110.3	110.5	Micaceous phyllite
110.5	111.8	Limestone, diopside skarn
111.8	139.3	Micaceous phyllite hornfels

WEIGHTED ASSAY AVERAGES						
FROM	TO	TRUE WIDTH	% Pb	% Zn	oz/t Ag	S.G.
100.5	105.6	5.1	2.58	4.58	0.42	3.13

MT. HUNDERE PROPERTY

CANAMAX RESOURCES INC.

ZONE Jewelbox Hill

D.D.H. No MH - 88 - 162

COORDINATES	<u>24+46</u> S	SECTION	<u>24+50S</u>
	<u>4+10</u> E	DATE STARTED	<u>June 25, 1988 4 p.m.</u>
COLLAR ELEVATION	<u>1481.5</u> M	DATE COMPLETED	<u>June 27, 1988 noon</u>
AZIMUTH AT COLLAR	<u>--</u> °	CORE SIZE	<u>NQ</u>
DIP AT COLLAR	<u>-90</u> °	CORING METHOD	<u>Wireline</u>
TOTAL DEPTH	<u>209.4</u> m (687')	LOGGED BY	<u>W. Mann</u>
DRILLING CONTRACTOR <u>Connors Drilling Ltd.</u>			

SURVEY DATA			
DEPTH	AZIMUTH	DIP	METHOD
209.4	021°	-89°	Pajari

COMMENTS - Good water return. 13' casing, removed. 0 is 1 metre above ground level.

SUMMARY LOG		
FROM	TO	GEOLOGY
0	4.0	Casing
4.0	14.9	Graphitic phyllite
14.9	74.3	Micaceous phyllite hornfels
74.3	122.3	Graphitic phyllite
122.3	124.1	Actinolite skarn
124.1	137.9	Micaceous phyllite hornfels
137.9	139.3	Chalcopyrite skarn, phyllite
139.3	143.3	Actinolite skarn
143.3	147.0	Limestone
147.0	148.8	Pyrrhotite-pyrite replacement
148.8	154.0	Cu-Zn-Pb skarn, phyllite
154.0	159.4	Micaceous phyllite hornfels
159.4	161.8	Graphitic phyllite
161.8	182.3	Micaceous phyllite hornfels
182.3	187.3	Fault Zone - Q-cc-fluorite bx veins
187.3	209.4	Micaceous phyllite hornfels

WEIGHTED ASSAY AVERAGES						
FROM	TO	TRUE WIDTH	% Pb	% Zn	oz/t Ag	S.G.
148.6	150.6	2.0*	0.90	1.52	3.56	3.00
152.8	153.3	0.5**	0.20	0.40	6.76	3.07
		% Cu				
		2.48*				
		7.84**				

MT. HUNDERE PROPERTY

CANAMAX RESOURCES INC.

ZONE Jewelbox Hill

D.D.H. No MH - 88 - 163

COORDINATES	<u>26+43</u> S	SECTION	<u>26+50S</u>
	<u>3+98</u> E	DATE STARTED	<u>June 27, 1988 5 p.m.</u>
COLLAR ELEVATION	<u>1463.5</u> M	DATE COMPLETED	<u>June 29, 1988 11 a.m.</u>
AZIMUTH AT COLLAR	<u>--</u> °	CORE SIZE	<u>NQ</u>
DIP AT COLLAR	<u>-90°</u> °	CORING METHOD	<u>Wireline</u>
TOTAL DEPTH	<u>213.4</u> m (700')	LOGGED BY	<u>W. Mann</u>
DRILLING CONTRACTOR <u>Connors Drilling Ltd.</u>			

SURVEY DATA			
DEPTH	AZIMUTH	DIP	METHOD
213.4	333.5°	-89°	Pajari

COMMENTS - Bad ground for first 200', water return lost early. 0 is 1 metre above ground level.

SUMMARY LOG		
FROM	TO	GEOLOGY
0	3.7	Casing
3.7	27.7	Micaceous phyllite hornfels
27.7	28.1	Graphitic phyllite
28.1	52.3	Micaceous phyllite hornfels
52.3	62.1	Limestone
62.1	67.2	Graphitic phyllite
67.2	120.3	Micaceous phyllite hornfels
120.3	126.0	Calc-silicate altered phyllite
126.0	130.8	Micaceous phyllite hornfels
130.8	138.4	Calc-silicate altered phyllite
138.4	145.7	Micaceous phyllite hornfels
145.7	149.0	Calc-silicate altered phyllite
149.0	155.2	Graphitic phyllite
155.2	158.7	Micaceous phyllite hornfels
158.7	174.9	Graphitic phyllite, micaceous phyllite
174.9	213.4	Micaceous phyllite hornfels

WEIGHTED ASSAY AVERAGES						
FROM	TO	TRUE WIDTH	% Pb	% Zn	oz/t Ag	S.G.

MT. HUNDERE PROPERTY

CANAMAX RESOURCES INC.

ZONE North Showing

D.D.H. No MH - 88 -174

COORDINATES 10+56 N

SECTION 10+56N

0+65 E

DATE STARTED July 26, 1988 noon

COLLAR ELEVATION 1471.4 M

DATE COMPLETED July 28, 1988 7 a.m.

AZIMUTH AT COLLAR -- °

CORE SIZE NQ

DIP AT COLLAR -90 °

CORING METHOD Wireline

TOTAL DEPTH 185.0 m (607')

LOGGED BY W. Mann

DRILLING CONTRACTOR Connors Drilling Ltd.

SURVEY DATA			
DEPTH	AZIMUTH	DIP	METHOD

COMMENTS - 10' casing left in hole. Water return lost, but water okay in hole. 0 is 1 metre above ground level.

SUMMARY LOG		
FROM	TO	GEOLOGY
0	3.7	Casing
3.7	81.6	Micaceous phyllite hornfels
81.6	95.4	Zn-Pb skarn
95.4	95.8	Marble
95.8	98.7	Intermediate dyke
98.7	99.6	Zn-Pb skarn
99.6	102.7	Grey limestone
102.7	111.3	Graphitic phyllite
111.3	117.3	Zn-Pb skarn
117.3	123.1	White marble
123.1	131.4	Zn-Pb skarn
131.4	132.3	White marble
132.3	134.1	Zn-Pb skarn
134.1	139.2	Micaceous phyllite hornfels
139.2	173.4	Graphitic phyllite
173.4	185.0	Micaceous phyllite

WEIGHTED ASSAY AVERAGES						
FROM	TO	TRUE WIDTH	% Pb	% Zn	oz/t Ag	S.G.
81.6	95.4	13.8	5.74	17.67	2.86	3.47
98.6	99.6	1.0	2.42	11.34	2.20	3.48
112.2	117.3	5.1	2.34	10.92	2.29	3.25
123.1	131.4	8.3	4.47	10.81	1.33	3.27

MT. HUNDERE PROPERTY

CANAMAX RESOURCES INC.

ZONE North Showing

D.D.H. No MH - 88 - 175

COORDINATES	<u>10+00</u> N	SECTION	<u>10+00N</u>
	<u>0+37</u> E	DATE STARTED	<u>July 28, 1988 11 a.m.</u>
COLLAR ELEVATION	<u>1473.2</u> M	DATE COMPLETED	<u>July 29, 1988 10 p.m.</u>
AZIMUTH AT COLLAR	<u>210</u> °	CORE SIZE	<u>NQ</u>
DIP AT COLLAR	<u>-88</u> °	CORING METHOD	<u>Wireline</u>
TOTAL DEPTH	<u>151.5</u> m (497')	LOGGED BY	<u>W. Mann</u>
DRILLING CONTRACTOR <u>Connors Drilling Ltd.</u>			

SURVEY DATA			
DEPTH	AZIMUTH	DIP	METHOD
151.5	211°	-87°	Pajari

COMMENTS - 0 is 1 metre above ground level. Collar not vertical.

SUMMARY LOG		
FROM	TO	GEOLOGY
0	52.8	Micaceous phyllite hornfels
52.8	55.5	Felsic dyke
55.5	83.7	Micaceous phyllite hornfels
83.7	88.7	Marble, Zn-Pb skarn, graphitic phyllite
88.7	95.8	Zn-Pb skarn
95.8	100.4	Marble
100.4	103.5	Zn-Pb skarn
103.5	114.5	Graphitic phyllite
114.5	124.7	Actinolite-garnet skarn, limestone
124.7	126.1	Intermediate dyke
126.1	127.4	Zn-Pb skarn
127.4	137.4	Marble
137.4	140.0	Marble, skarn
140.0	143.6	Zn-Pb-Cu skarn
143.6	148.4	Graphitic phyllite
148.4	151.5	Micaceous phyllite hornfels

WEIGHTED ASSAY AVERAGES						
FROM	TO	TRUE WIDTH	% Pb	% Zn	oz/t Ag	S.G.
88.7	95.8	7.1	2.77	15.24	2.51	3.28

MT. HUNDERE PROPERTY

CANAMAX RESOURCES INC.

ZONE North Showing

D.D.H. No MH - 88 - 178

COORDINATES 10+00 N

SECTION 10+00N

0+09 E

DATE STARTED August 3/88 6:00 am

COLLAR ELEVATION 1474.2 M

DATE COMPLETED August 4/88 3:30 pm

AZIMUTH AT COLLAR -- °

CORE SIZE NQ

DIP AT COLLAR -90° °

CORING METHOD Wireline

TOTAL DEPTH 160.6 m (527')

LOGGED BY W. Mann

DRILLING CONTRACTOR Connors Drilling Ltd.

SURVEY DATA			
DEPTH	AZIMUTH	DIP	METHOD

COMMENTS - Good return. 10 feet casing left in hole. 0 is 1 metre above ground level.

SUMMARY LOG		
FROM	TO	GEOLOGY
0	4.0	Casing
4.0	160.6	Micaceous phyllite hornfels

WEIGHTED ASSAY AVERAGES						
FROM	TO	TRUE WIDTH	% Pb	% Zn	oz/t Ag	S.G.

MT. HUNDERE PROPERTY

CANAMAX RESOURCES INC.

ZONE North Showing

D.D.H. No MH - 88 -185

COORDINATES 16+50 N

SECTION 16+50N

2+12 E

DATE STARTED August 16, 1988 7 pm

COLLAR ELEVATION 1351.4 M

DATE COMPLETED August 17, 1988 9 pm

AZIMUTH AT COLLAR -- °

CORE SIZE BQ

DIP AT COLLAR -90 °

CORING METHOD Wireline

TOTAL DEPTH 93.6 m (307')

LOGGED BY W. Mann

DRILLING CONTRACTOR Connors Drilling Ltd.

SURVEY DATA			
DEPTH	AZIMUTH	DIP	METHOD

COMMENTS - 20' casing left in hole. 0 is 1 metre above ground level.

SUMMARY LOG		
FROM	TO	GEOLOGY
0	7.3	Casing
7.3	29.6	Micaceous phyllite hornfels - rusty
29.6	60.3	Micaceous phyllite hornfels
60.3	93.6	Graphitic phyllite

WEIGHTED ASSAY AVERAGES						
FROM	TO	TRUE WIDTH	% Pb	% Zn	oz/t Ag	S.G.

MT. HUNDERE PROPERTY
1988 Diamond Drill Hole
& Core Storage Locations

