

**ASSESSMENT REPORT ON 1995
DIAMOND DRILLING
(DDH SH95-01 TO 04)
AT THE SC CLAIMS**

093382

SC 85-150 YB43319-384)
SC 151 (YB43769)
SC 152 (YB43730)
SC 153-204 (YB43719-785)
SC 209-210 (YB43767-768)

**MAYO MINING DISTRICT, YUKON TERRITORY
NTS 115P/9 & P/16**

**Latitude 63° 06'
Longitude 136° 11'**

Work conducted: August 20 - Sept. 20, 1995

**OWNER AND OPERATOR
Kennecott Canada Inc.
354-200 Granville Street
Vancouver, B.C.
V6C 1S4**

**Prepared by: Roger Hulstein
Date February 13, 1996**

TABLE OF CONTENTS

Table of Contents	1
Introduction	2
Drill Program	2
Property	4
Expenditures	5
Statement of Qualifications	6

LIST OF FIGURES

Figure 1:	Location Map	2
Figure 2:	Claim map	in pocket
Figure 3:	Compilation Map	in pocket
Figure 4:	Klippert Zone	in pocket
Figure 5:	McRae Creek Zone	in pocket

LIST OF TABLES

Table 1:	Claims being renewed	3
Table 2:	Drill Hole Cost Allocation	4

LIST OF APPENDICES

Appendix A	Drill Logs
Appendix B	Analytical Results
Appendix C	Invoices

INTRODUCTION

The purpose of this report is to fulfill assessment requirements as required by the Yukon Quartz Mining Act. The SC property is located over Scheelite and the upper portion of Hight Creek on NTS maps sheets 115P/9 and 115P/16 (Figure 1). A road along Hight Creek (Hight Creek road) accesses the property during the summer months. The village of Mayo is located approximately 25km to the SE.


The property consists of 575 quartz claims (Figure 2) staked in accordance with the Yukon Quartz Mining Act. Only the 137 claims being renewed are referred to in this report.

DRILL PROGRAM

A diamond drilling program totaling 8 NQ size holes (1035.22m) was carried out between September 1 and October 6, 1995. Only the first four drill holes are included in this assessment report. Diamond drilling was carried out by Advanced Drilling Ltd. of Surrey, B.C. Drill moves and drill pad construction were contracted by Advanced Drilling to C & I Construction Ltd. of Mayo Yukon. The drill core is covered and stored on site (claim SC 323). Drill hole SH95-01 was GPS surveyed by Underhill and Underhill of Whitehorse, Yukon (accurate +/- 0.20m). The remaining drill holes were surveyed by a Trimble GeoExplorer GPS unit and differentially corrected (accurate to +/- 20m).

Drill core was logged by Kennecott geologists Tom Heah, Julie Hunt and Roger Hulstein. All the core was split by a diamond blade core saw. All the core was sent to Chemex Laboratories in North Vancouver for analysis. Gold was analyzed by fire assay with an AA finish with an additional 32 elements, including the elements Ag, Cu, Pb, Zn, As and Sb, being analyzed by the ICP method.

The complete drill logs and assay certificates for drill holes SH95-01 to 04 are included in the appendices of this report. Drill hole locations are shown on the property compilation map (Figure 3) with the individual holes shown on the 1:500 scale zone maps (Figures 4 and 5).



	Kennecott Canada Inc. Vancouver	
	SCHEELITE DOME PROPERTY LOCATION MAP YUKON, CANADA	
Date: 28/02/94	Author: RH	Figure 1
File: CLPLOC	PS:	

PROPERTY

Assessment was filed on a total of 137 claims in September and October 1995. These claims are shown in the Table 1 below. All the claims are in the Mayo Mining District on map sheets 115P/9 & 16. The claims are owned 100% by Kennecott Canada Inc.

Table 1. Claims being renewed.

<u>Name</u>	<u>Grant No.</u>	<u>Number</u>	<u>Expiry Date*</u>
SC 85-150	YB43319-384	66	May 31, 2000
SC 151	YB43769	1	May 31, 2000
SC 152	YB43730	1	May 31, 2000
SC 153-204	YB43719-785	67	May 31, 2000
SC 209-210	YB43767-768	2	May 31, 2000

*pending acceptance of assessment report

EXPENDITURES

Expenditures incurred during the drill program are shown below. Geological costs include drill supervision, drill core logging, core splitting (sawing) and typing of drill logs. As the holes are all of nearly the same length each hole was allocated 5 days for core logging and 5 days of truck use. Copies of the drilling invoices and most of the other costs are included under Appendix C 'Invoices'.

Table 2. Drill hole Cost Allocation

Claim Worked	Drill hole Number	Drill Costs	Assay Costs	Geol Costs	Truck Costs	Maps/ logs Prep.	Total \$ Expend.
SC 84	SH95-01	12205.5	2582.52	1500	375	500	17163.02
	SH95-02	12902.5	1873.36	1500	375	500	17150.86
SC 82	SH95-03	13952.5	1937.07	1500	375	500	18264.57
SC 81	SH95-04	13985.4	1864.72	1500	375	500	18225.12

Total costs filed on the claims are shown below.

Claim Worked	Sept. 95 Filing	Oct. 95 Filing	Actual Cost Incurred
SC 84	\$25,850	\$6650	\$34,313.00
SC 82	5,700	5700	18,264.57
SC 81	---	13,300	18225.12

As can be seen from the above table actual costs incurred on the claims worked exceed the costs filed for assessment in September and October, 1995.

STATEMENT OF QUALIFICATIONS

I, Roger W. Hulstein, with business address:

Kennecott Canada Inc.
3169-3rd Avenue
Whitehorse, Yukon Territory
Y1A 1G4

and residential address in Whitehorse, Yukon Territory, do hereby certify that:

1. I am a geologist with Kennecott Canada Inc.
2. I am a graduate of Saint Mary's University, Halifax, with a degree in geology (B.Sc., 1981) and have been involved in geology and mineral exploration continuously since 1978.
3. I am a fellow of the Geological Association of Canada (F3572).
4. I am registered as a professional geoscientist (No.19127) with the Association of Professional Engineers and Geoscientists of the Province of British Columbia.
5. I am the author of this report on the SC claims, Mayo Mining District, Yukon, which is based on my personal examination of the involvement during the drill program carried out in August - October, 1995.



February 14, 1996

Roger Hulstein, B.Sc., FGAC, P.Geo.

APPENDIX A
DRILL LOGS

KENNECOTT CANADA INC.
SC PROPERTY

D.D.H. No.: **SH95-01**

Page: **2 of 10**

From (m)	To (m)	Rock Code	Description Notes	Alteration										Mineralization						Sampling				Assay					
				(m)	Qtz	Ser	Bto	Chl	K-spar	Mus	Clay	Cal	Tou/AT	(m)	Ars	CP	Py	Po	Stb	Lim/Hem	% Recov.	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	As (ppm)	Bi (ppm)	
24.68	24.6	FZ	FAULT ZONE- cut by qtz veins: scorodite stained																	23.47									
25.6	31.71	F01E	QUARTZITE- Dk green siliceous well foliated. Mineralized fractures at 30° to CA, and parallel to CA. -> E-W/ steep to north, and north trending	21.4											21.4						14.8	578521	24.32	24.32	24.3	0.2	45	36.4	
			fractures mineralized. Ars rich section at 26m, 26.4m, 28.0m, 29.2m, 29.7m.	26.0												26.0						20.5	578522	24.32	24.3	0.1	1016	10000	
			Stockwork veining with cpy, pyy, poo, ars mineralization at 29.22m. One set of veins/	29.22												29.22						20.5	578523	24.32	24.3	0.1	1016	10000	
			fractures parallel to CA	27.31												27.31						100%	578524	25.58	27.3	1.4	25	66.4	
			Mineralization occurs along fractures and as dissemination along foliation.	25.58												25.58						100%	578525	27	27.6	0.6	160	3460	
			PHYLITIC QUARTZITE	31.71												31.71						28.67	578526	27.6	28.69	1.1	2.5	336	
			QUARTZITE WITH PHYLITIC LAYERS	32.61												32.61						102%	578527	28.69	30.27	1.6	2.6	1335	
			bleached siliceous grey. Cut by fractures and qtz veins @ 20° to CA.	30												30						102%	578528	30.27	31.71	1.4	35	246	
			Xtaline ars up to 2 mm at intersection of siliceous foliation and qtz vein.	33.4												33.4						102%	578529	31.71	32.46	0.7	2.5	114	
			32.45-32.55m - silicified, dis ars	22												22						102%	578530	32.46	32.61	0.2	20	3030	
37.82	38.42	FZ	33.15-33.30m - white qtz vein with ars crystal to 3mm.	37.82										37.82						32.61	578531	32.61	33.4	0.8	75	1365			
			38.42 m - clay gouge within bubbly broken core	20																110%	578532	32.6	33.4	0.8	140	2430			
			PHYLITIC- bonded, medium green, foliated	38.42												38.42					95.66	578533	33.4	34.76	1.4	30	490		
			-Intensely qtz flooded, parallel and subparallel to foliation	15												15						115%	578535	36.35	37.62	1.3	2.5	463	
			skarmy textured in parts qtz veins at 20° to CA with	39.15												39.15						38.71	578536	37.82	38.42	0.6	2.5	40	
			Xtaline ars, poo. Foliation @ 70 to CA 41.18 - 41.38m xtaline ars.													41.18						115%	578537	39.15	40.7	0.5	2.5	46	
			40.76 - 41.06m - Qtz vein, 41.18 - 41.38 poo, pyy rich section	40												40						91%	578538	41.15	41.15	0.4	145	28.0	
			41.38- 41.70m - silicified zone with qtz vein @ 20°, containing	41.6												41.6						91%	578539	41.15	41.7	0.5	60	345	
			coarse xtaline ars/ 43.6 - 44.20m - 3 calcite veins, 0.6cm. with	10												10						41.7	578540	43.6	44.2	0.6	15	330	
			coarse, msv pyy in 44.9m - Qtz vein 3cm wide 46.85->	4.6												4.6						9.5%	578543	44.2	46.85	2.6	5	25	
			47.31m Qtz and calcite veined section with poo, pyy, xtaline	50												50						47.85	578541	41.7	43.6	1.9	2.5	373	
			ars overprinting, and cpy in thin lenson gashes, veinlets. Polished	41.3												41.3						47.85	578542	43.6	44.2	0.6	15	330	
			section sample (578543) taken. Clay gouge 4cm wide at 46.9m	46.85												46.85						60.9	578543	44.2	46.85	2.6	5	25	
				20												20						47.85							
				47.31												47.31						107%							
																						60.9							

KENNECOTT CANADA INC.
SC PROPERTY

D.D.H. No.: SH95-01

Page: 5 of 10

Description			Alteration								Mineralization						Sampling				Assay								
From (m)	To (m)	Rock Code	Notes	(m)	Qtz	Ser	Ep	Chl	K-spar	Musc	Clay	Cal	(m)	Ars	Cy	Py	Po	Blss	Lam/Hem	% Recov.	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	As (ppm)	Br (ppm)		
			75.52 - 76.4m Moderately foliated. Trace dis ars Foliation at 70 degrees to CA. Folded isoclinally	75.52									75.52								75.29	678561	75.52	76.4	0.9	2.5	204	1	
			76.4 - 77.77m Quartz boudins within sericitized and chloritised phyllite. Contains ars in thin calcite-qtz stringers Calcite stringers at 20 degrees to CA trend E-W on surface	76.4	5	3	1						76.4	0		1					98%	678562	76.4	78.33	1.9	76	2430	1	
			77.77 - 78.33m Abundant qtz boudins cut by later qtz-calcite veins containing ars and py.	77.77	5	2	2						77.77	1		1													
			78.33 - 78.76m Fractured with rare qtz stringers	78.33	15								78.33	2		1					78.3	678563	78.33	78.76	1.1	61	35.5	1	
			78.76 - 79.09m Abundant qtz veining, 2% ars, 2% po	78.76	4	1	1					1	78.76	1		2													
			79.09 - 82.88m Chloritised, cut by qtz veins, and contains boudinaged qtz. Locally abundant disseminated crystalline arsenopyrite up to 3%	79.09	20							1	79.09	2		1					100%	678564	79.09	80.91	1.1	82	26.50	1	
			82.88 - 83.87m Qtz veins ~ 15% of section	82.88										1		1					81.36	678565	80.91	82.88	2	2.5	1510	2	
			83.87 - 86.15m Silicified, grey. Cut by 2 thin clay rich layers (fault gouge?)	83.87	5	5	5					1									100%	678566	82.88	83.87	1	2.5	790	4	
			86.15 - 88.23m Strongly silicified	86.15																									
			88.23 - 84.9m Variably silicified, chloritised Finely disseminated pyrrhotite, locally up to 1%, but averaging 0.2 - 0.4%. Rare disseminated arsenopyrite. Rare incipient biotite as ragged patches along foliation planes. Biotite up to 1mm diameter.	83.87	15								83.87				0				84.43	678567	83.87	85.08	1.2	2.5	50	6	
																					100%	678568	85.08	86.15	1.1	2.5	16	6	
																					87.48	678569	86.15	88.23	2.1	2.5	4	1	
																					88.23	678570	86.15	88.23	2.1	2.5	8	1	
																					100%	678571	88.23	90.13	2	2.5	1	1	

KENNECOTT CANADA INC.
SC PROPERTY

D.D.H. No.: SH95-01

Page: 7 of 10

Description			Alteration									Mineralization						Sampling				Assay							
From (m)	To (m)	Rock Code	Notes	(m)	Ox	Ser	Bio	Chi	K-spar	Mus	Clay	Cal	(m)	AtS	CP	Py	Pc	Stib	Lamp/Hem	% Recov.	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	As (ppm)	Pb (ppm)		
	102.24 - 109.05m		Intensely silicified with incipient dots of biotite up to 1.5 mm. Rare, disseminated crystalline arsenopyrite up to 1mm. Cut by rare, thin calcite veinlets up to 0.5 mm. Foliation is largely obliterated by silicification. Pyrrhite occurs as blebs up to 1/2 cm, as well as fine grained dissemination.																										
																					578531	101.80	102.24	0.4	2.5	134			
																					100%								
																					578532	102.24	104.26	2	2.5	24			
																					100%								
																					578533	104.26	106.16	1.9	2.5	90			
																					105.77								
																					678684	106.16	108.24	2.1	2.5	40			
																					100%								
																					108.81								
																					678685	108.24	109.06	0.8	2.5	60			
																					109.05								
	109.05 - 110.47m		Somewhat less silicified than last section. Foliation is better developed. Biotite more abundant in this section.																										
																					678686	109.06	110.47	1.4	2.5	198			
																					110.47								
																					678537	110.47	111.58	1.1	2.5	50			
																					111.58								
	110.47 - 111.58		Silicified with thin calcite stringers at 15 degrees to core axis. Pyrrhite finely disseminated.																										
																					111.58								
	111.58 - 112.25		As in 109.05 - 110.47m																										
	112.25 - 114.05		Strongly silicified. Cut by Calcite veins bearing arsenopyrite and pyrite. Veins dip steady.																										
																					578538	111.58	111.58	1	2.5	13			
																					100%								
																					678689	112.55	114.05	1.5	2.5	48			
																					114.05								
																					114.05								
																					114.93								

KENNECOTT CANADA INC.
SC PROPERTY

D.D.H. No.: SH95-02

Page: 2 of 10

Description			Alteration										Mineralization							Sampling				Assay						
From (m)	To (m)	Rock Code	Notes	(m)	AS	SA	SS	ES	FS	GS	MS	PS	TS	MS	PS	TS	MS	PS	TS	MS	PS	TS	Sample No	From (m)	To (m)	Sample No	Au (ppb)	As (ppm)	Bi (ppm)	
11.28	13.72		11.28-13.72: PHY- med grey/grained, moderately foliated, rusty fractures. Beginning of interval is slc and ble with trace ars. Rest of interval is unsilicified phy with trace poo on foliation planes. Locally cut by white to smoky qtz veins with trace chl/ser and ars. Locally broken and rubbly. Locally poo in fracs at 20 degrees to CA. Tiny black specks throughout phy - bio ? porphyroblasts?	11.28										11.28	TR									678616	10.7	11.28	678616	0.68		
			13.72-17.6: PHY cut by qtz veins/blebs- massive, white with minor chl, trace poo. Locally - minor poo dis in phy and phy trace cpy. Minor cal veins on fracs- Locally up to 5% bio. Local phy is dk gn with up to 5% chl. qtz veins are parallel to foliation, then change to ~ perpendicular - 10 degrees to CA - mineralization with poo. Locally blebs of poo parallel to foliation.	13.72	TR	2	2							13.72	TR	TR	TR	0.6						678617	12.25	13.72	678618	1.47		
			17.6-18.1: phy - med. grey-green, weakly silicified, rust on fractures, moderate	17.6				1						17.6										678618	13.72	14.33	678619	0.61		
			Locally -chl-qtz vein with minor poo.																					678619	14.33	14.92	678620	0.69		
			18.1-19.93: PHY cut by qtz veins and blebs. Locally fractured and rubbly, rust on fracs. Tiny white needles throughout. Blebs (faint) of chl on foliation planes - porphyroblasts? QTZ-white massive, folded blebs.	18.1										18.1	TR	TR	TR	TR						678620	14.92	15.64	678621	0.62		
			19.93-25.23: Strongly slc PHY/GRIT- lt to mod. hy. gn. Rust on fractures. Locally cut by up to 20% foliation qtz veins- Locally see qtz eyes (grit?). Locally blebs of poo with chl in massive white qtz veins. Blebs upto 0.5cm diameter. Locally trace pyy on plane of foliation. Grit is vcg. with qtz grains up to 5mm diam. flattened parallel to foliation.	19.93	40			2						19.93	TR		TR	TR						678621	15.64	16.36	678622	0.81		
			23.47-24.99 - broken and rubbly. Local ars on fracture surfaces - 40 degrees to CA, dipping to W.(into the page). Locally white cockscomb, vuggy qtz veins.	25.23										25.23										678622	16.36	17.37	678623	1.02		
																								678623	17.37	17.6	678624	0.28		
																								678624	17.6	18.1		0.6		
																								678625	18.1	19.2		1.1		
																								678626	19.2	19.93		0.73		
																								678627	19.93	21.4		1.47		
																								678628	21.4	23.47		2.07		
																								678629	21.4	23.47		2.07		
																								678630	23.47	25.23		1.76		
																								678630	23.47	25.23		1.76		

KENNECOTT CANADA INC.
SC PROPERTY

D.D.H. No.: SH95-02

Page: 3 of 10

Description			Alteration								Mineralization						Sampling					Assay								
From (m)	To (m)	Rock Code	Notes	(m)	Qtz	Ser	Bio	Chl	K-spar	Mhs	Clay	Cal	(m)	Ars	Cp	Py	Po	Ssb	Law/Hann	% Recov.	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	As (ppm)	Bi (ppm)			
26.52			25.23 - 26.52: PHY - medium green-grey, local moderate silicification, rubbly, b	25.23	1	TR	TR	1					26.23	TR					1	47%	678631	26.13	26.62	1.29						
			Locally cut by massive white qtz veins with dis xln ars up to 1%- Tiny black																		26.32									
			blebs? - porphyroblasts? Lx cut foliation not parallel.																			56%								
			26.52-28.7: PHY- med to dk green, moderate foliation, with minor dis. blebs of	26.62											26.62				TR			27.43		678632	26.62	28.7	2.10			
			Minor rust on frags. Tiny porphyroblasts of black?																	49%										
																				28.96										
28.7			28.7-32.3: PHYLLITIC QTE- mod to strongly sil. It to medium grey-green. Loca	28.7	40	TR		1					28.7	1	TR	0.6	TR		0.6	82%	678633	28.7	29.57	0.87						
			rubbly and broken with rust on fractures. Locally very fine grain xln dis ars with local																		29.67									
			pyy coating fractures. Locally cut by white massive qtz veins with coarse grain xln																			69%	678634	29.67	31.09	1.62				
			dis ars and very fine grain pyy- Locally cut by up to 50% (foliaform), folded qtz veins																			31.09								
			with dis poo and ars. Locally - narrow, ~1cm wide qtz veins with massive																	71%	678636	31.09	32	0.91						
			ars and minor pyy - up to 5%. (40 to 55 degrees to CA) ars dis through out.																	32										
			core. Local dis blebs of poo in core. Locally qtz veins with massive ars are																	67%	678638	32	32.3	0.93						
			cockscamb/multistage qtz, local have ble selvages. Foliation is indistinct.																	33.22	678637	32.3	33.5	1.2						
32.3			32.3-33.5: PHY- dark green with qtz blebs - perpendicular to foliation and folc	32.3				1					32.3	TR	TR	TR														
			locally with minor cpy. Very minor oxidation																											
33.6			33.5 - 34.2: PHY - dark to medium grain with qtz - blebs/veins - locally with dis	33.6	0.5	TR		1					33.6	1						56%	678639	33.6	34.1	0.7						
			ars - locally perpendicular to CA, locally parallel to foliation. Locally core is																											
34.2			biotitic with dis xln ars throughout.	34.2	TR		0.6	0.6			TR		34.2			TR	1													
			34.2-37.49: PHY - medium green-grey, moderate foliation with very fine grain dis poo																	35.36										
			throughout. Locally sil. locally biotitic, locally broken,																											
			rubbly and gougy																											
37.49			37.49-38.4: PHY - dark green to medium green cut by qtz veins and blebs. Lo	37.49		TR	TR	1.6					37.49	0.6			TR			25%	678640	35.36	37.49	2.13						
			qtz veins are asf - multistage with blebs of ars - up to 3% - ~ perpendicular																		37.49									
			to CA. Locally qtz veins are folded and form up to 20% of core - with ars.																			77%	678641	37.49	38.4	0.91				
38.4			Tiny black porphyroblasts throughout 38.4-39.5: PHY medium green, moder	38.4	TR			0.6					38.4	TR						49%	678642	38.4	39.5	1.1						
			locally cut by massive white qtz vein with dis xln ars. Locally sil. Same																											
39.6			above with less qtz veining. 39.5-40.7: PHY- medium to dark green, moderat	39.6		TR		1					39.6	TR	TR	TR	TR			39.93		39.6	39.93	0.43						

**KENNECOTT CANADA INC.
SC PROPERTY**

D.D.H. No.: SH95-02

Page: 4 of 10

Description			Alteration								Mineralization						Sampling				Assay						
From (m)	To (m)	Rock Code	Notes	(m)	ser	Bl	Chl	Respr	Ms	Clay	Cal	(m)	Al	Cr	Py	Am	Sub	Lam/Hem	% Recov.	Sample No.	From (m)	To (m)	Width (m)	AU (ppb)	As (ppm)	Bi (ppm)	
40.7			cut by tiny, highly golded qtz veinlets. Weakly slc																107%	57844	38.95	40.7	0.77				
41.15			40.7-41.15: PH1 - med green, moderate foliation with "ch" porphyroblasts, 2mm diam									41.15	TR	TR	TR				11.1%	57845	40.7	41.15	0.45				
			41.15-45.4: PH1 - med green, moderate foliation, locally with dis poa, locally foliateform qtz veins, locally x-cutting. Tiny black needles throughout and porphyroblasts of chl ~2mm diam. Locally x-cutting qtz veins have chl ser alteration with poa. Also dis poa on fractures dipping gently to w (into page)	41.15	TR	TR	TR	TR				41.15	TR	TR	TR	TR			75%	57846	41.15	45.4	2.44				
			Locally dis ars - up to 1% in the phy.																43.5%								
																			74%	578647	45.9	45.4	1.81				
																			44.8%								
45.4			45.4-47.66: PH1 med grey, moderate foliation, minor qtz blebs/veins. Dis poa throughout ~ 0.5%. Minor dis ars in qtz veins perpendicular to CA	45.4	TR	TR	TR	TR				45.4	TR	TR	TR	TR			92%	578648	45.4	47.74	1.84				
			Minor dis xln ars and poa in phy - where bioald ~ 1% Blst.																43.7%								
																				57.4%							
47.66			47.66-48.96: PH1 - med grey-green, moderate foliation. Locally cut by foliate qtz veins. ~1 cm wide. Chl blebs/porphyroblasts up to 5mm diam. Minor dis poa.	47.66			TR	TR				47.66		TR	TR				11%	578649	47.66	48.96	1.3				
																				57.4%							
48.96			48.96-50.29: PH1 - med grey-green, moderate foliation, locally blebs with dis xln ars Dis poa throughout. Minor qtz veining - locally with blebs of poa	48.96	TR	TR	TR	TR				48.96	TR	TR	TR				13.7%	578650	48.96	50.29	2.33				
																				74%	578651	50.29	52.75	2.34			
50.29			50.29-53.55: PH1 - medium to dark grey-green, moderate foliation, minor dis poa, minor qtz blebs. Very minor py and ars - fine grain, dis.	50.29	TR	TR	TR	TR				50.29	TR	TR	TR					62.7%							
																				90%	578654	52.75	53.55	0.82			
53.55			53.55-54.45: PH1 - light grey-green, moderate foliation, weakly slc. Locally dis poa	53.55	TR	TR	TR	TR				53.55	TR		TR						578655	53.55	54.45	0.89			
54.45			minor qtz blebs, locally with dis ars																	62.7%							

KENNECOTT CANADA INC.
SC PROPERTY

D.D.H. No.: SH95-02

Page: 5 of 10

Description			Alteration										Mineralization							Sampling					Assay					
From (m)	To (m)	Rock Code	Notes	(m)	Qtz	Ser	Bio	Cal	K-spar	Mus	Clay	Cal	(m)	Als	Op	Py	Po	Sbb	Linn/Hem	Tour	% Recov.	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	As (ppm)	Bi (ppm)		
54.45	56.6		54.45-56.6: PHY, light grey, strongly, slc, indistinct foliation																											
			minor qtz blebs of poo, locally ers and tou. Locally fractures with poo.	64.45	60	TR			TR						64.45	TR			TR				91% 86.78	678656	54.45	56.6	2.15			
56.6	58.6		56.6-58.38: PHY - medium green, moderate foliation, local hairline fractures perpendicular																											
			to CA with poo and pyy minor qtz veining/blebs with	56.6	0.6	TR		1.6							56.6	TR		TR	0.6				91% 86.52	678657 678658	56.6	58.38	1.78 0.16			
58.38	58.54		blebs of fine grain poo up to 1x3cm and minor dis ers. Locally																											
			2mm wide qtz veins- multistage with ers. Last 30cm of this	58.38				TR							58.38	TR							99% 60.05	678659	58.54	60.05	1.51			
58.54	60.68		58.38-58.54: Massive white qtz with sparse fragments of green phy. Minor dis.																											
			58.54-60.68: PHY - medium, grey-green, moderate foliation, locally cut by	58.54			1	1					TR		58.54	TR	TR	0.5					60.05	578660	60.05	60.68	0.63			
60.68	61.4		qtz veins/blebs- locally with poo and radiating chl?. PHY is locally biotitic and																											
			locally slc with poo +/-cpy. Locally qtz-cal veins parallel to CA with pyy.	60.68	25			TR							60.68				TR				60.05	678661	60.68	61.4	0.72			
61.4	64.62		60.68-61.4: SLC PHY- cut by numerous qtz veins and blebs, dominant foliation																											
			Locally with blebs of poo.	61.4			1	1					TR		61.4	TR		TR					80% 63.09	678662	61.4	63.09	1.69			
64.62			61.4-64.62: PHY- Dk gn-gy, mod foliated. Locally with folded Qz blebs.																											
			Locally biotitic/chloritic. Tiny black needles throughout = Tou? or Bio? Locally	64.62												64.62								82% 64.62	678663	63.09	64.62	1.53		
64.62			cut by qtz- cal veins x-cut by pink cal veinlets. Locally cut by hairline fractures with																											
			chl and poo	64.62	50			1	0.5						64.62	TR	TR	TR	1				92% 67.67	678664 678666 678668	64.62	66.77 67.33 68.46	1.16 1.66 1.13			

**KENNECOTT CANADA INC.
SC PROPERTY**

D.D.H. No.: SH95-02

Page: 6 of 10

Description			Alteration								Mineralization					Sampling				Assay									
From (m)	To (m)	Rock Code	Notes	(m)	Qtz	Ser	Bio	Chi	K-spar	Mus	Clay	Cal	(m)	Afs	Cp	Py	Po	Stib	Law/Hem	% Recov.	Sample No.	From (m)	To (m)	Width (m)	Au (ppm)	As (ppm)	Bi (ppm)		
																				94%									
70.04			70.04-71.45: PHY-medium green-grey, moderate foliation, cut by qtz blebs/veins with blebs of poo. Tiny black blebs throughout- chi porphyroblasts? Locally some qtz blebs have black metallic needles/blebs - bismuthinite?	70.04		TR		TR					70.04	TR	TR	TR	TR			70.71	678668	70.04	70.71	0.67					
71.45			71.45-73.1: PHY-weakly to strongly slc, moderate foliation, medium to light grey, rarely dark green. Locally cut by qtz veins/blebs - locally foliaform with poo ar and trace mystery black mineral (MBM). Core ~ 20% qtz blebs/veins.	71.45		TR		TR					71.45	TR	TR	TR	TR			121%	678670	71.45	72.24	0.79					
73.1			73.1-76.31: PHY-medium green-grey, moderate foliation, locally cut by qtz blebs/veins- locally from up to 15% of core. Minor poo blebs in qtz and in PHY +/- MBM in qtz. trace dis ars in phy. Dis poo in phy. Rare fractures - hairline with poo at 45 degree to CA ~11. Black specks throughout- chi porphyro. Locally qtz grains - 1mm diameter with hint around edges.	73.1				TR	0.6				73.1	TR		TR	0.6				57.24	678672	72.24	73.1	0.88				
76.31			76.31-77.23: PHY-Highly SLC, med to lt gn-gy, mod foliated, locally cut by qtz veinlets ~ 1mm wide, with ars. Also qtz blebs with blebs of poo. Plus poo dis throughout. Some is parallel to foliation.	76.31		TR		TR					76.31	TR			0.6				76.29	678673	73.1	76.29	2.15				
77.23			77.23-82.04: PHY-moderate slc, light to dark green-grey, moderate, foliated, locally highly slc. Locally cut by qtz veins/blebs. Locally finely dis poo and ars parallel to foliation. Locally qtz veinlets have fine grain, blebs of ars. Locally the more slc areas are biotitic with dis fine grain ars. Locally fine grain dis poo in p.	77.23		TR		TR					77.23	TR		TR	0.6				102%	678674	76.29	76.31	1.02				
			78.5-78.75 - Highly slc in blebs of poo, pyy, ars and ser/chi alteration. Locally - tiny black needles of Tou?																		76.81	678676	76.31	76.81	0.6				
																					96%	678678	76.81	77.23	0.42				
																					78.33	678677	77.23	78.33	1.1				
																					67.86	678678	78.33	78.6	0.17				
																					106%	678679	78.6	78.75	0.25				
																					80.77	678680	78.75	80.7	1.96				
																					114%	678681	80.7	82.04	1.34				
82.04			82.04-83.7: PHY-weakly slc, moderate grey-green, moderat. foliation. Locally cut by qtz veins/blebs. Core is fairly broken - locally gougy. Locally - minor dis poo, ars in phy.	82.04		TR		TR	TR				82.04	TR	TR	TR					82.3	678682	82.04	82.3	0.26				
																					104%	678683	82.3	83.7	1.4				

**KENNECOTT CANADA INC.
SC PROPERTY**

D.D.H. No.: SH95-02

Page: 7 of 10

Description			Alteration										Mineralization						Sampling					Assay				
From (m)	To (m)	Rock Code	Notes	(m)	Qtz	Ser	Bio	Chl	K-spar	Mus	Clay	Cal	(m)	Ars	CP	Py	Po	Sub	Limp/Hem	% Recov.	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	As (ppm)	Bi (ppm)	
83.7			83.7-87.5: PHY- highly slc. light grey-green, moderate to weakly foliated, broken core. Locally cut by qtz veins with poo and pyy - folded, foliaform veins max ~ 1cm wide foln ~ parallel to CA. Rare cockscomb, ost qtz veinlet 60 degrees to CA. Locally - dis ars and/or pyy in slc-phy. Locally intensely folded-	83.7	60	05		TR						83.7	TR		TR	TR			83.82	578684	83.7	86	1.5			
			121%																									
			86.04																									
			53%																									
87.5			87.5-92.05: PHY - none to intensely slc. light to dark grey-green, rubbly broken core. Locally massive white qtz veins. Locally dis poo in phy and rare ars. Locally poo is on foliation planes	87.5	5	TR		06					87.5	TR			05			29%	578686	87.5	89.6	2.1				
			89.61																									
			80%																									
			90.53																									
92.05			92.05-94.85: PHY - medium green-grey, well foliated, chl blebs/porphyroblasts? - up to 3mm diameter - throughout, trace very fine dis poo throughout. Rare foliaform qtz-chl-ser veins.	92.05		TR	TR	TR					92.05				TR			92%	578689	92.05	90.6	1.55				
			93.57																									
			36%																									
			578690																									
94.85			94.85-97.16: PHY - medium green-grey, moderate-weak foliation with ~15% folded qtz veins/blebs. Minor chl/ser alteration. Minor dis poo in phy and in qtz and rare dis ars - trace cpy, locally in qtz blebs. x-cutting qtz veinlets at 20 degrees to CA.	94.85		06	TR	08					94.85	TR	TR		TR			96.62	578691	94.85	96.6	1.75				
			96.62																									
			96.62																									
			578692																									
97.16			97.16-101.8: PHY - medium grey-green, moderate foliation, black specks = chl porphyroblasts? throughout. Finely dis poo and ars	97.16				TR					97.16	TR			TR			131%	578693	97.16	97.6	0.34				
			97.54																									
			97.54																									
			578694																									

KENNECOTT CANADA INC.
SC PROPERTY

D.D.H. No.: SH95-02

Page: 8 of 10

Description			Alteration								Mineralization						Sampling				Assay						
From (m)	To (m)	Rock Code	Notes	(m)	Qtz	Ser	Bio	Chl	K-spar	Mis	Clay	Cal	(m)	ARS	Op	Py	Po	Sul	Lum/Hem	% Recov.	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	As (ppm)	Bi (ppm)
101.8			-locally x-cut by qtz veins with chl and poo (trace).	98.6	2	TR	TR	TR					98.6	TR		TR				153%	578696	97.6	98.6	1			
			98.46																	578696	98.6	99.4	0.9				
			182%																								
			99.37																								
			127%																								
102.7			- rare x-cutting qtz veinlets with ser altered. selvages ~ perpendicular to CA to 1	101.8	40	TR	TR	TR				101.8	TR	TR	TR				100.69	578697	99.4	100.6	1.2				
			76%																								
104.2			- local biot altn with finely dis poo	102.7	TR		TR					102.7	TR		TR				101.8	578698	100.6	101.8	1.2				
			102.72																								
104.2			- locally moderate slc	102.7	TR		TR					102.7	TR		TR				164%	578699	101.8	102.7	0.9				
			104.24																								
104.2			- fz parallel to foln ~2cm wide gou from 100.6 - 101m.	104.2	5	0.5	TR						104.2	0.5	TR	TR	0.5			161%	578700	102.7	104.2	1.6			
			101.8 -102.7: PHY- strongly slc. light to medium grey, weak to mod. foln. Rare foliaform qtz veins ~1cm wide with trace chl and poo. Cpy and pyy-ica. Rare hairline fracs with bio and ars.																								
			102.7-104.2: PHY- lt to medium grey-green, well foliated with minor foliaform QTZ veins. Minor diss ARS. on selvages of vein and ser altn. Minor foln parallel to fault surfaces Minor dis pyy in qtz.																								
			104.2-120.1: QTE - light grey, weak foliation, intensely folded. local with fine dis foliaform ars. Folds are outlined by bio. Fold axis is parallel to CA. Thinly bedded with beds ~ 1cm thick.																								
			-minor fine grain, dis poo, very. minor fine grain, dis cpy																								
			- Locally pyy poo and bio is [] in fractures parallel to axial plane 80 deg to CA																								
			- Locally weakly to moderate slc																								
			- locally foliaform qtz veins ~1-2cm wide with sparse dis pyy, ars, poo and minor chl alteration.																								
			- Rare hairline fractures with CA																								
			- Locally very fine grain, dis ars																								
			- locally chl alteration up to 1% locally has poo blebs ~1%																								
			- locally vuggy, asf qtz-cal veins 1-2mm wide at 50% to CA																								
			- very rare bright green specks ~1mm diam = fuchsite/mariposite??																								
- Rare local hairline fracs with ble selvages at 30 degrees to CA																											
- increase ars from 110.6 to 113.03 - up to 0.5% finely dis																											
																				119%	579051	104.2	104.65	0.46			
																				106.97	579052	104.65	106.1	1.46			
																				73%	579053	106.1	107.28	1.16			
																				108.81	579054	107.28	108.8	1.52			
																				190%	679056	108.8	110.6	1.8			
																				110.64	679058	110.6	111.77	1.17			

KENNECOTT CANADA INC.
SC PROPERTY

D.D.H. No.: SH95-02

Page: 9 of 10

Description			Alteration								Mineralization					Sampling			Assay									
From (m)	To (m)	Rock Code	Notes	(m)	Qtz	Ser	Bio	Chl	K-spar	Mica	Clay	Cal	(m)	Ats	Cp	Py	Po	Ssb	Lam/Hem	% Recov.	Sample No.	From (m)	To (m)	Width (m)	As (ppb)	As (ppm)	Bl. (ppm)	
																				88%	679067	111.77	113.03	1.26				
																				113.69	679068	113.03	113.7	0.67	2.6	12	1	
																				123%	679069	113.7	116.8	2.1	2.6	12	1	
																				115.83								
			- locally qtz - cal vein offset along foln by ~5cm.																	579060	115.8	116.9	1.1	2.6	614	2		
			117.96-120.1- Core is broken and fairly rubbly.																	41%	679061	116.9	117.96	1.06	2.6	312	1	
																				117.96								
																				139%	679062	117.96	118.9	0.94	2.6	182	3	
																				118.87	679063	117.96	118.9	0.94	2.6	614	1	
																				84%	679064	118.9	120.1	1.2	70	660	1	
120.1			120.1-122.6: PHY. medium to light grey-green, moderate to highly slc. Weakly fol'd. local white qtz ~0.5cm veins/blebs with minor chl and poo and ers and pyy. Rare hairline fractures with ble selvages and ~ 0.5% fine grain dis ers. -dip into page at ~ 40 degrees to CA. Locally ser/ chl alteration up to ~ 5% ->inc in # of hairline qtz veinlets to ~ 1/cm for ~ 15cm and inc. in pyy and ers to ~0.5%																	120.09								
				120.1	26	1	0.6	TR					120.1	TR	TR	1				360%	679066	120.1	121	0.9	26	4320	1	
																				121.01								
																					679066	121	122.6	1.6	66	712	1	
122.6			122.6-124.1: PHY. medium to light grey, weakly foliated. locally cut by qtz veins/blebs - make up to ~5% of core. Locally narrow qtz veins with tiny black needles - 55 to CA. Locally gritty with blue/grey qtz grains up to 0.5cm diameter minor dis poo locally hairline, foliaform fractures with poo	122.6	2	1										TR	0.6			110%	679067	122.6	124.1	1.6	2.6	108	1	
																				124.06								
124.1			124.1-124.76: PHY - lt gy mod-highly SLC, weakly foliated. Locally cut by qtz veins/blebs with trace dis poo, cpy and chl	124.1	30	0.6		0.6					124.1	TR	TR					579068	124.1	124.76	0.66	2.6	46	1		
																				186%								
124.76			124.76-125.87: PHY - lt-med gy-gn. mod to well foliated. Locally cut by QTZ veins blebs- to 1% of core - locally foliaform - with chl +/- poo. Locally tiny	124.76			TR	TR	0.6				124.76		TR	TR				679069	124.76	125.87	1.11	2.6	160	1		
125.87			black needles of? 125.87-127.66: PHY - medium to light grey, moderate foliated quartzose, moderate to high slc. Locally cut by foliaform qtz	125.87	30	TR	TR	0.6					125.87	TR	TR	TR				679070	125.87	127.1	1.29	10	1340	2		

**KENNECOTT CANADA INC.
SC PROPERTY**

D.D.H. No.: SH95-02

Page: 10 of 10

Description			Alteration										Mineralization						Sampling					Assay				
From (m)	To (m)	Rock Code	Notes	(m)	Qtz	Ser	Bio	Chl	K-spar	Misc	Clay	Cal	(m)	ARS	CP	Py	Po	Stib	Law/Hem	% Recov.	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	As (ppm)	Bi (ppm)	
127.66			veins/blebs with fine grain blebs of poo and minor ars and fine grain dis 127.66-132.7: PHY- medium grey-green, moderately fol'd, locally cut by foliaform Qtz veins/blebs with chl blebs and fine grain dis pyy locally up to 0.5% poo and trace ars. Local phy is chl/ser altered. Locally foliaform bio alteration? - tiny black blebs throughout - chl porphyroblasts? - locally x-cutting qtz- cal vts ~ 0.5cm wide at 45 degrees to CA - locally X-cutting of qtz veinlets ~0.5cm wide at 25 degrees to CA	127.66		2	TR	2					127.66	TR		TR	TR				98%	679071	127.1	127.66	0.68	26	196	1
																				130.16	679072	127.66	128.96	1.29	26	154	1	
																					130.16	679073	128.96	180.1	1.16	26	482	2
																					114%	679074	190.1	132.7	2.6	10	110	1
																					133.2	679075	132.7	133.2	0.6	26	238	1
132.7			132.7-134.8: QTE, light grey,hard weakly to moderate foliation and folded. Local blebs of fine grain poo, foliation- outlined by bio +/- chl Locally cut by qtz blebs with minor fine grain poo blebs and minor chl/ser alteration. TR, fg, XLN, diss ARS. Locally hairline fracs with ble selvages perpendicular to CA with pyy and hairline fractures of cal with ars - medium grain xln up to 2%	132.7	6	TR	TR	TR					132.7	TR		TR	TR				70%	679076	133.2	134.8	1.6	26	130	1
134.8			134.8-136.2: QTZ- massive, white with trace fine grain, dis blebs of ars, cut by of clear qtz veins at 25 degrees to CA. Locally minor chl alteration. +/- ser locally fine grain xln pyy in chl very weak foliation.	134.8		TR		TR					134.8	TR		TR					136.25	679077	134.8	136.2	1.4	26	164	1
136.2			136.2-EOH: QTZ with chloritized phy QTZ - as above locally with blebs of fine grain ars -up to 2 x 0.5cm +/- pyy. V.weak foliation. PHY is in frags in QTZ vein - BLE, Ser, CL with TR diss ARS, PO, Py- soft, punky, vuggy - locally cut by xln cal/gyp? vein ~1cm wide at 45 degrees to CA ~offset cal vein. Bottom m of core is crushed and broken -Locally up to 10% fine grain dis ars few frags of qte at end of hole.	136.2				0.6					136.2	0.6		TR						679078	136.2	137.8	1.6	30	8860	1
																						679079	137.8	138.2	0.4	26	218	1

KENNECOTT CANADA INC.

DDH: SH95-03

DIAMOND DRILL HOLE RECORD

Easting: UTM 441 891.10

Northing: UTM 7 071 141.80

Elevation:

Azimuth: 135

Dip: -60

Total depth: 481'

(146.60m)

Casing length: 20'

Location: Highet Creek

Zone: MacRae Creek

Purpose:

Acid Dip Tests

(metres)

From	To	Dip
	60.96	61.5
	146.30	64.5

Drill contractor: Advanced Drilling

Date started: 12 / 9 / 1995

Completed: 9 / 9 / 1995

Logged by: JH

Date(s): 13- / 9 / 1995

Core type: NQ

Description			Alteration							Mineralization						Sampling				Assay									
From (m)	To (m)	Rock Code	(m)	Qtz	Ser	Bio	Chl	K-spar	Mus	Clay	Cal	Tou	(m)	ATS	CP	P	PC	SUB	Lim Item	% Recov.	Sample No.	From (m)	To (m)	Width	Au (ppb)	As (ppm)	Bi (ppm)		
			*** Note: for this drill log "CA" (core axis) - 90 degrees from true core axis.																										
6.1			6.1	TR		TR							6.1			TR			TR	6.1	579080	6.1	8.2	2.1	2.5	348			
																				6.1									
																				6.1	579061	8.2	11.3	2.1	1.5	314			
																				11.3									
11.3			11.3										11.3						TR	11.3	579082	11.3	14.3	3	5.5	3750			
		QTE																		14.3									
14.3			14.3										14.3							14.3									
		PHY																		14.3	579099	14.3	17.4	3	2.1	3.5			
																				17.4	579094	14.3	17.4	3.1	2.1	3.5			

KENNECOTT CANADA INC.
SC PROPERTY

D.D.H. No.: SH95-03

Page: 2 of 10

Description			Alteration								Mineralization						Sampling				Assay										
From (m)	To (m)	Rock Code	Notes	(m)	Qtz	Ser	Bio	Chl	K-spar	Mus	Clay	Cal	Tou/AT	(m)	Ars	Cp	Py	Po	Sub	Lam/Hem	% Recov.	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	As (ppm)	Bi (ppm)			
17.4			17.4 - 38.7: QTE - light grey to white, moderate to weak foliation. 17.4~23.7 = broken core, highly fractured, intensely folded. - locally phyllitic partings with tiny black needles of tou? - locally cut by qtz veins/ blebs with blebs of fine grain dis poa, minor chl and trace MBM, +/- pyy - locally fine grain dis blebs of pyy - Rare lenses of fine grain dis ars ~ 2MM x 3 cm perpendicular to CA - minor ars parallel to foliation. ~ 23.7- 24.4 - Good core recovery - locally fine grain ars coating fracs at 10 degrees to CA. - tiny black needles throughout - rare local bright green specks = mariposite/fuchsite? - locally cut by qtz veins ~ 0.5 cm wide, foliaform with fg dis blebs of pyy up to 1% . local hairline fractures with clay and rare blebs of ars at 60 degree to CA. Others with clay and pyy at ~ 85 degrees to CA - minor chl/ser alteration parallel to foliation. - Locally massive white qtz blebs with trace fine grain, blebs of ars ~3mm diameter																												
				17.4		TR		TR			0.5			17.4	0.5		0.6	TR		TR		17.4									
																						20.4									
																						20.4	20.4	3		2.5	4.1	1			
																						20.4	23.5	3.1		2.6	44	1			
																						23.5									
																						23.5	26.5	3		2.5	688	1			
																						26.5									
																						26.5	29.6	3.1		2.5	194	1			
																						29.6									
																						29.6	31.7	2.1		16	66	1			

KENNECOTT CANADA INC.
SC PROPERTY

D.D.H. No.: **SH95-03**

Page: **3** of 10

Description		Alteration										Mineralization						Sampling					Assay																																																				
From (m)	To (m)	Rock Code	Notes	(m)	Qtz	Ser	Bio	Cal	K-spar	Mts	Clay	Cal	(m)	Al	Op	Py	Po	Stib	Lim/Flint	% Recov.	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	As (ppm)	Bi (ppm)																																																
38.7			- locally lenses of massive ars ~ 0.5 x 5 cm parallel to foliation in narrow foliaform qtz veins	31.7	TR	TR	TR	TR	TR	0.5	TR	TR	31.7	0.5	TR	0.5	TR	TR	TR	31.7	679090	31.7	32.6	0.9	40	504	2																																																
			- locally poq on fractures - fine grain dis																	100%								32.6																																															
			- locally "veins" of xln ars parallel to foliation																	46%								679091	32.6	35.7	3.1	50	2600	1																																									
			- locally fine grain dis poq and pyy parallel to foliation																																35.7																																								
			v.v rare bright green blebs ~ 1mm x 1.5 mm with cpy and mal?																																78%	679092	35.7	37.6	1.8	45	15.2	1																																	
																																			31.60	100%	679093	37.5	38.1	0.6	2.5	24	1																																
																																			38.1	85%	679094	38.1	38.7	0.6	2.5	2.5	1																																
																																			38.7	56%	679095	38.7	39.5	0.6	2.5	4	1																																
			38.7 - 47.86 Dyke : Buff to medium. Brown depending on bio content fine grain with fine flakes of bio throughout, from 5-40 %																																38.7	TR	10	TR	5	TR	38.7	TR	TR	38.7	TR	TR	TR	TR	TR	TR	TR	56%	679096	39.3	41.5	2.6	2.5	6	1																
			- Rare, rounded bright green blebs ~ 2mm diameter + CD's??																																																	41.8																							
			- Very soft and hydrothermally altered																																																	41.8								679097	41.8	42.9	0.6	2.5	8	1									
			- local blebs of fine grain pyy and ars																																																																109%								
			- sparsely qtz phytic with round qtz phenocrysts ~ 3mm diameter																																																																44.2	679098	42.3	44.2	1.9	2.6	4	1	
			- local fractures with clay at 55 degrees to CA +/- cal (very, minor) +/- ser																																																																								44.2
			- with slicks ~ perp. to CA																																																																								
		- Rare blebs of soft green waxy? with bio.																																																																									
		- very rare qtz blebs with fine grain dis ars - qtz blebs to max of 1 cm across																																																																									
		- Rare large flakes of bio up to 2mm.																																																																									
		- All biotite is bright brown in colour.																																																																									
		- Locally rare vugs - vugs ~ 0.4 cm diameter, lined with qtz.																																																																									
		- Locally fractures parallel to CA coated with "zeolites" and very minor cal.																																																																									

KENNECOTT CANADA INC.
SC PROPERTY

D.D.H. No.: **SH95-03**

Page: **5 of 10**

Description		Alteration								Mineralization						Sampling				Assay												
From (m)	To (m)	Rock Code	Notes	(m)	Qtz	Ser	Bio	Chl	K-spar	Mhs	Clay	Cal	(m)	Ars	Cp	Py	Po	Sub	Lin/sem	% Recov.	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	As (ppm)	Bt (ppm)					
61.15	61.15		61.15 - 61.57 : DYKE - SOS fractures with ars at 10 degrees to CA.	60.1		TR		TR													102%	579112	60	60.4	0.4	2.5	16	1				
			x-cutting frac with clay at 60																			110%	579113	60.4	60.65	0.25	2.5	66	1			
			61.57 - 62.5 : PHYLLITIC MUSH	61.15			15								61.15	TR																
				61.57									10										61.6	579116	61.16	61.67	0.41	2.5	6	1		
62.1	62.1		62.1 - 62.5 : DYKE - SOS									62.1			TR					98%	579110	61.67	62.1	0.53	2.5	34	1					
62.5	62.5		62.5 - 66.2 : PHYLLITIC QTE - It to medium grey, weakly to moderate foliation																		62.5	579117	62.1	62.6	0.4	2.5	126	1				
			Broken / rubbly core. Tiny black needles throughout																			87%	579118	62.6	63.09	0.58	2.5	14	1			
			Intensely folded. Locally hairline fractures with trace ars parallel to CA.	62.5		TR		0.6					0.5		62.5	TR		TR	TR			92%	579119	63.09	63.7	0.61	2.5	28	1			
			Local blebs of qtz - chl with blebs of vg xln pyy. Locally hairline																				63.7									
			fracs with ARS.																				47%	579120	63.7	66.21	2.61	2.5	112	1		
66.21	66.21		66.21 - 72.2 : - QTE light grey, weakly foliated trace fine grain dis poq and pyy																		66.1											
			Locally - hairline fractures with fine grain dis pyy - up to 0.5%																				47%	579121	66.21	67.7	1.49	2.5	16	1		
			Locally vuggy and porous with trace fine grain dis pyy and lesser ars																				67.7									
			67.91 - 68.02 - ~ 10 % fine-medium grain xln pyy. Also pyy in x-cutting fractures	66.21		TR		TR								66.21	0.5		3													
			parallel to CA.																				76%	579123	67.91	68.02	0.11	385	3010	20		
72.2	72.2		Locally cut by qtz blebs with trace blebs of fine grain ars. - also fine grain dis																			69.2	579124	68.02	63.5	1.16	240	19000	2			
			ars +/-pyy on selvages of qtz																				34%	579125	69.2	72.2	3	650	434	16		
			69.9 - 72.2 ~.10% fine grain blebs of pyy ~ parallel to foliation																													
			72.2 - 78.3 : Phyllitic qte mod fol'd, light to dark grey - locally carbonaceous?																				72.2									
72.2	72.2		- Tiny black needles of ? throughout																													
			- Locally cut by qtz blebs with minor chl/ser alteration	72.2		0.6	TR		1				0.6		72.2	TR		TR														
			- Locally minor dis fine grain pyy blebs ~2mm diameter																				73.6									
																					96%	579128	73.6	76.9	1.6	2.5	16	1				

**KENNECOTT CANADA INC.
SC PROPERTY**

D.D.H. No.: **SH95-03**

Page: **7 of 10**

Description			Alteration								Mineralization						Sampling					Assay					
From (m)	To (m)	Rock Code	Notes	(m)	Qtz	Ser	Bio	Chl	K-spar	Mbs	Clay	Cal	(m)	Afs	Cp	Py	Po	Sib	Lim/Hem	% Recov.	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	As (ppm)	Bi (ppm)
			Locally foliaform bands of chl with tiny tou needles to max 1%. - Rare hairline fracs with bio and ble selvages. Locally tiny crenulations in rare phy bands - Rare ost qtz veins with fine grain dis ppy +/- ars.																	116%	579140	88.79	90.6	1.71	2.1	646	1
90.94			90.94 - 91.84 : PHYLLITIC QTE - light - medium grey, weak to moderate foliation, veins with ~2% ars. Tou needles throughout	90.94	TR					TR	TR		90.94	TR						94%	579141	90.6	90.94	0.34	2860	10000	16
91.84			91.84 - 94.35: QTE, lt gy, weakly foliated - Locally cut by massive, white, vuggy qtz veins with trace blebs of fine grain ppy and rare cpy. - trace tiny tou needles throughout - Core is locally pitted.	91.84						TR	TR		91.84	TR	TR	0.5				93%	579142	91.84	98	1.18	30	1250	1
			- Locally foliaform fine grain ppy, xcut by hairline fractures at 60 degrees to CA. Locally ars on fractures +/- cpy perpendicular to CA - Locally fractures parallel to CA with fine grain dis py																	128%	579143	93	93.6	0.8	2.6	76	1
94.35			94.35- 101.06 : PHYLLITIC QTE, light to medium grey, weak to moderate foliation [96.6 - 97.5 - broken rubbly core]. Tiny black tou needles throughout locally cut by qtz veins/blebs - locally foliaform and boudinaged trace fine grain +/- ppy	94.35	TR		TR			0.5	TR		94.35	0.5		0.8				96%	579144	93.6	94.35	0.75	2.6	48	1
			Rare fine grain dis ppy. Rare MB min qtz blebs with fine grain dis ppy. 98.25 - 98.45 - Massive white qtz vein, local vugs with trace fine grain and xln ars and fine grain ppy. - fine grain, pale green blebs of chl ? throughout = sericite, locally fine grain dis ars Locally chl shears x-cutting foliation.																	94%	579145	94.35	94.8	0.45	55	30	1
101.06			101.06 - 107.9: QTE, light grey, moderate, foliation - locally cut by hairline fracs with clay and fine grain, dis ppy. Tiny black tou needles throughout. Very rare blebs of meriposite/ fuchsita. Local blebs of fine grain dis ppy ~2mm diameter. Local fractures parallel to CA with clay +/- cal trace cpy- fine grain dis or small vugs in qtz bleb.	101.06	TR		TR			0.5	TR		101.06	TR	TR	0.5				85%	579146	94.8	98.6	1.8	2.6	104	1
																				96%	579147	94.8	98.6	1.8	2.6	40	1
																				103%	579148	94.8	98.6	1.8	2.6	40	1
																				79%	579149	96.6	97.5	0.9	2.5	234	1
																				98%	579150	97.5	98.45	0.85	2.5	646	1
																				106%	579151	98.45	98.8	0.35	2.5	42	1
																				99.2%	579152	98.8	99.7	0.9	40	502	1
																				121%	579153	99.7	101.06	1.30	20	1000	1
																					579154	101.06	101.8	0.74	2.5	116	1
																					579155	101.8	103.5	1.7	2.5	66	1

KENNECOTT CANADA INC.
SC PROPERTY

D.D.H. No.: SH95-03

Page: 8 of 10

Description		Alteration								Mineralization						Sampling				Assay								
From (m)	To (m)	Rock Code	Notes	(m)	Qz	Ser	Bio	Chl	K-spar	Mis	Clay	Cal	(m)	Ars	CP	Py	Po	Sub	Lam/Hem	% Recov.	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	As (ppm)	Bi (ppm)	
			- Locally clay on fractures parallel to foliation. Locally cut by qtz vein/bleb with small blebs of fine grain ars and pyy - trace, mainly foliation - local sulphides are in vugs in qtz.																	101%	579156	103.6	104.6	1	16	102	2	
			- Locally - band of foliaform fine grain pyy to max 1% ~ 1cm wide																	101.5								
			106.25 - 106.42 - massive white qtz vein with dis blebs of fine grain pyy ~ 1% blebs max 1 cm diameter, some are angular.																	88%	579167	104.6	105.8	1.3	2.5	66	1	
			- locally fine grain, dis pyy to max 0.2%																	105.8								
																				97%	579158	105.8	106.25	0.41	2.5	42	1	
																				101.5	579159	106.25	106.42	0.17	2.5	16	1	
107.9			107.9 - 111.5: PHYLITIC QTE - medium grey green to light grey, medium, foliation, more phyllitic parts have light green chl blebs/ porphyroblasts? Chl shears parallel to foliation ~1cm apart. Tiny black tou needles throughout.																	107.9	579160	106.42	107.9	1.46	2.5	64	1	
			Locally foliaform qtz veins ~0.5cm wide with trace	107.9				TR			TR		107.9	TR		TR				109.4								
			blebs of fine grain dis pyy and rare fine grain xln ars. Local vuggy qtz blebs with trace blebs of pyy and rare fine grain xln ars.																		112%	579162	109.4	110.65	1.26	2.5	78	1
																					579163	110.65	111.5	0.85	2.5	64	1	
111.6			111.5 -127.98: QTE with very minor phy, light grey moderate foliation, local folds.																	111.9								
			- locally cut by vuggy qtz blebs with trace fine grain, xln ars																									
			- Tiny black tou needles throughout																									
			- locally fine grain dis blebs of pyy and ars ~2mm diameter -trace	111.6		TR	TR	TR					111.6	0.5	TR		1				112%	579164	111.6	113.9	2.4	20	960	6
			- Locally foliaform bands of dis fine grain pyy ~0.5%																		114							
			- Local foliaform bands of dis fine grain ars to max 2%																									
			- Trace bio/chl/ser alteration or foliation planes -Rare																									
			-very rare mariposite/tuchsite blebs																									
			115.5 -115.8 ~ 3% dis fine grain pyy and ~ 1% fine grain xln ars - foliaform/replacements																		105%	579165	113.9	115.6	1.8	255	28.0	1.4
			- rare veins of ars ~ 2mm wide - foliaform																			579166	115.6	115.9	1.1	45	1980	6
			- 116.7 ~ 3% foliaform fine grain dis pyy																		116.9							
																						579167	116.9	118.5	1.6	2.5	356	1

KENNECOTT CANADA INC.

DDH: SH95-04

DIAMOND DRILL HOLE RECORD

Easting: UTM 441 968.00

Northing: UTM 7 071 025.10

Elevation:

Azimuth: ##

Dip: -55

Total depth: 497

(151.49m)

Casing length: 40' (12.19m)

Location: Highet Creek

Zone: McRae Creek

Purpose: Test below surface mineralization

Acid Dip Tests

(metres)

From	To	Dip
	60.96	- 54.0
	137.16	- 54.0

Drill contractor: Advanced Drilling

Date started: _____

Completed: _____

Logged by: RH

Date(s): 16-23/ Sept/ 95

Core type: NQ

Description			Alteration										Mineralization						Sampling					Assay						
From (m)	To (m)	Rock Code	Notes	(m)	Qtz	Ser	Bio	Chl	K-spar	Mus	Clay	Cal	Tou	(m)	Ars	Op	Py	Fe	Sib	Lim/Item	% Recov.	Sample No.	From (m)	To (m)	Width	Au (ppb)	As (ppm)	Bi (ppm)		
12.19																					0%									
																					12.19									
		QTE	12.19 - 14.35: Broken Rubbly Core: QUARTZITE (GRIT UNIT) with minor (<20%) phyllite bands; limonitic and oxidized. Rounded 1-2mm size qtz grains. 1-2% weathered at vugs. Poss. trace fine grained dis pyrite.												12.19		TR					8%	579188	12.19	14.35	2.16	2.6	94	1	
																					14.35									
14.35		QTE	14.35 - 20.51: QUARTZITE: light grey with strong limonite on fractures. only trace lim on fol. Minor phyllite bands (<10%) with metamorphic Ser and chl. QTE is locally 'gritty'. Vuggy along limonitic fractures. Minor remnant ars and py on fractures.																			46%	579189	14.35	16.85	1.8	2.6	32	1	
			< 4% dis ars and py at 19.3; 20.30 - 20.45																			579190	16.85	17.37	1.52	2.6	50	1		
			No lim below 20.30m	14.35							<1 frac			14.35		TR				Lim	17.37									
																					52%	579191	17.37	18.77	1.4	2.6	72	1		
																						579192	18.77	20.12	1.35	2.6	44	1		
																					20.12									
20.51		PHY	20.51 - 41.95: PHYLLITE: light green grey phy with local <20cm wide bands of light grey qtz																			86%	579193	20.12	20.51	0.99	2.6	118	1	
			light tan clay on hairline fractures and on fractures.																			21.03	579194	20.51	21.03	0.52	2.6	28	1	
			Dark green porphoblasts = < 1-5% throughout	20.51										20.51	x		x					43%	579195	21.03	22.03	1	2.6	12	1	

**KENNECOTT CANADA INC.
SC PROPERTY**

D.D.H. No.: **SH95-04**

Page: **3** of 11

From (m)		To (m)		Description		Alteration								Mineralization					Sampling					Assay										
		From (m)	To (m)	Notes		Qtz	Ser	Blc	Chl	K-spar	Mils	Clay	Car	(m)	ARS	CP	Py	Po	Stib	Limb/Hem	% Recov.	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	As (ppm)	Bi (ppm)						
41.56	PHC			- qtz veins - bleb <0.5 cm thick for most part													TR				53%	579206	35.66	37.6	1.24	2.6	60							
																								37.19										
																									76%	579207	37.6	38.71	1.21	2.6	84			
																									579208	37.5	38.71	1.21	2.6	96				
																									38.71									
																					TR				86%	579209	38.71	40.23	1.52	30	810			
																									40.23									
																										61%	579210	38	41.35	1.21	2.6	704		
																										41.35								
								41.95 - 59.19 QUARTZITE																										
								Light grey to light green to white foliated quartzite. Local 5-20 cm zones of darker grey-green phyllite X-cut by spaced (1-5cm) clay coated fractures mostly parallel to fol but locally x-cutting fol.																		65%	579211	41.35	43.2	1.25	2.6	100		
								41.95 - 46.26 : Quartzite with phyllite (~30%) zones up to 25cm wide.																		41.26								
								1.5 cm qtz ven with ars, pyy parallel to fol. at 42.0 ars and pyy dis end on hairline x-cutting from 41.95 -42.80. 2cm clay gouge zone parallel to fol with clots of chl (1x2cm) containing ARS x-tals. Minor blebs and thin, <1cm long, stringers of Py. Hairline fractures of clay and carbonate with dis pyy and ars in QTE. 2cm vug qtz ven parallel to fol with clots of chl 44.2	41.95																		91%	579212	43.2	45.11	1.51	2.6	60	
								local unidentified brown and black dis x-tals.																		45.11								
								46.26 -?? : Quartzite, predominantly light grey. minor zones of interlayered phyllite. Locally qtz granules visible 50 unit =grit unit.																										
																						579213	45.11	46.26	1.16	2.6	48							
																						107%	579214	46.26	47.1	0.84	85	366						
																						579215	47.1	48.46	1.36	2.6	10							
																						47.85	579216	48.46	49.45	1	2.6	176						
																						191%	579217	49.45	50.5	1.4	40	54						

KENNECOTT CANADA INC.
SC PROPERTY

D.D.H. No.: SH95-04

Page: 4 of 11

Description			Alteration								Mineralization						Sampling				Assay							
From (m)	To (m)	Rock Code	Notes	(m)	Qtz	Ser	Bio	Chl	K-spar	Misc	Clay	Cal	(m)	Ars	CP	Py	Po	Sub	Lim/Hem	% Recov.	Sample No.	From (m)	To (m)	Width (m)	Av (ppb)	As (ppm)	Bi (ppm)	
58.19			con't 46.26? Quartzite																	101%	579217	48.45	50.9	1.45	40	68	1	
			Locally zones 5-15 cm wide of increased concentrations of dis ars and pyy (<10% ars, <1-2% pyy) as at 46.26- 47.70; 48.45 - 48.75											TR		TR				50.9								
			54.60 - 55.25 : brown clay coated fractures parallel to fol x-cut by 35 degrees carb- clay coated fractures, vuggy fractures. - fractures spaced >1cm			TR		TR				1	TR							87%	579218	50.9	53.34	2.44	25	8	1	
																				53.34								
			56.90; 10cm section with dis fine grain ars and pyy and carbonate parallel to fol and on frac 30 degree to CA											TR		TR				98%	579219	53.34	54.6	1.28	25	12	1	
			57.20; fracture 15 degrees to CA with pyy, ars and black unidentified mineral - fine gr.																		56.54	579220	54.6	56.54	1.94	25	4	1
			58.40 - 58.55; blebs of dark brown pyy <3% and 0.1% ars parallel to fol. Carb (ankerite?) coated fractures 30 degrees to CA, carbonate also in clots around sulfides.												x		x					579221	56.64	58.4	1.88	40	20	1
															TR		TR				102%	579222	58.4	59.19	0.79	15	168	1
															3		0.1				59.44							
			59.19 - 81.20: PHYLLITE; Light - medium green chlorite - sericite phyllite. Local inter layers of white quartzite. Veins, blebs and irregular bodies of white- light grey metamorphic QTZ. Local very dark green chloritic bands, min interstitial CaCO3 and calcite veinlets										1								96%	579223	59.19	61.19	2	25	60	1
			Foliation locally x-cut by clay, carbonate +/- grey gouge coated/ filled fractures at 10-30 degrees to CA - spaced ~1-2/m				TR														61.57							
			Traces of fine grain dis pyy and ars in meta-QTZ as well as clots of chlorite on wall rocks, <2% meta-QTZ																		97%	579224	61.19	63.09	1.9	25	200	1
																					63.09							
																					98%	579225	63.09	66.09	2	25	32	1

APPENDIX B
ANALYTICAL RESULTS

DD195-SH-01



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: KENNECOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4

Page Number 1-A
 Total Pages 2
 Certificate Date 02-OCT-95
 Invoice No. I-B528532
 P.O. Number
 Account

Project: 05475
 Comments: ATTN: ROGER HULSTEIN/ERIC FINLAYSON CC: TOM HEAH

CERTIFICATE OF ANALYSIS A9528532

SAMPLE DESCRIPTION	PREP CODE	Au pph FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
578501	205 226	70 < 0.2	6.00	2060	400	1.0	2	2.59	0.5	9	112	66	3.50	10	< 1	1.85	10	2.15	390	
578502	205 226	< 5 < 0.2	1.34	418	140	< 0.5	< 2	0.09	< 0.5	6	143	30	2.22	< 10	< 1	0.65	10	0.54	160	
578503	205 226	30 < 0.2	0.52	300	60	< 0.5	< 2	0.03	< 0.5	2	148	8	1.11	< 10	2	0.10	< 10	0.20	115	
578504	205 226	40 < 0.2	1.01	534	110	< 0.5	< 2	0.08	< 0.5	5	133	30	1.79	< 10	< 1	0.38	10	0.41	130	
578505	205 226	50 < 0.2	1.76	2350	120	< 0.5	< 2	0.11	< 0.5	9	146	33	3.22	< 10	< 1	0.38	20	0.79	210	
578506	205 226	< 5 < 0.2	2.37	1140	80	< 0.5	< 2	0.31	< 0.5	14	70	29	3.87	< 10	< 1	0.49	20	1.04	275	
578507	205 226	10 < 0.2	1.71	2550	110	< 0.5	< 2	0.35	0.5	8	136	33	2.41	< 10	< 1	0.36	10	0.58	165	
578508	205 226	< 5 < 0.2	1.22	370	70	< 0.5	< 2	0.10	< 0.5	9	154	17	1.83	< 10	< 1	0.24	10	0.51	170	
578509	205 226	< 5 < 0.2	1.39	1505	100	< 0.5	< 2	0.23	< 0.5	11	189	6	1.36	< 10	< 1	0.17	10	0.53	160	
578510	205 226	< 5 < 0.2	2.23	332	80	< 0.5	< 2	0.09	< 0.5	9	125	53	3.95	< 10	< 1	0.59	40	0.84	375	
578511	205 226	30 < 0.2	1.97	1310	90	< 0.5	< 2	0.15	< 0.5	9	116	50	3.71	< 10	< 1	0.23	40	0.83	470	
578512	205 226	< 5 < 0.2	1.98	160	20	< 0.5	< 2	0.14	< 0.5	17	58	32	3.82	< 10	< 1	0.09	30	0.91	465	
578513	205 226	< 5 < 0.2	1.85	388	40	0.5	< 2	0.08	< 0.5	15	152	34	3.46	< 10	2	0.23	20	0.79	435	
578514	205 226	< 5 < 0.2	0.81	440	30	< 0.5	< 2	0.13	< 0.5	24	33	153	2.48	< 10	1	0.15	30	0.31	140	
578515	205 226	< 5 < 0.2	1.65	170	30	< 0.5	< 2	0.09	< 0.5	19	110	34	3.21	< 10	< 1	0.16	20	0.69	385	
578516	205 226	< 5 < 0.2	1.46	978	30	< 0.5	< 2	0.34	< 0.5	15	75	38	3.05	< 10	< 1	0.32	10	0.73	390	
578517	205 226	< 5 < 0.2	1.41	196	90	< 0.5	< 2	0.51	< 0.5	11	112	52	2.13	< 10	< 1	0.49	10	0.52	175	
578518	205 226	< 5 < 0.2	1.88	118	90	< 0.5	< 2	0.41	< 0.5	12	95	38	3.10	< 10	< 1	0.55	10	0.79	330	
578519	205 226	< 5 < 0.2	2.05	46	120	< 0.5	< 2	0.48	< 0.5	9	65	28	2.97	< 10	< 1	0.95	20	0.77	195	
578520	205 226	< 5 < 0.2	1.79	182	100	< 0.5	< 2	0.70	< 0.5	6	131	19	1.93	< 10	< 1	0.64	10	0.55	160	
578521	205 226	45 < 0.2	1.12	864	50	< 0.5	< 2	1.66	< 0.5	6	160	14	1.51	< 10	< 1	0.30	10	0.52	225	
578522	205 226	1010	8.8	1.33 > 10000	50	< 0.5	60	0.72	2.0	7	92	247	5.02	< 10	< 1	0.27	< 10	0.46	170	
578523	205 226	350 < 0.2	2.08	8730	60	< 0.5	< 2	2.58	1.5	10	76	27	2.29	< 10	1	0.32	10	0.65	270	
578524	205 226	25 < 0.2	3.17	664	150	< 0.5	< 2	1.08	< 0.5	15	80	44	3.44	< 10	1	1.24	30	0.90	205	
578525	205 226	160 < 0.2	2.40	3460	90	< 0.5	< 2	0.94	< 0.5	11	48	51	3.18	< 10	< 1	0.70	30	0.89	190	
578526	205 226	< 5 < 0.2	3.35	336	150	< 0.5	< 2	1.24	< 0.5	13	96	35	3.09	< 10	< 1	0.97	20	0.95	210	
578527	205 226	< 5 < 0.2	1.09	1335	50	< 0.5	< 2	1.37	< 0.5	6	123	90	2.06	< 10	< 1	0.22	10	0.43	175	
578528	205 226	35 < 0.2	1.38	246	50	< 0.5	< 2	1.09	< 0.5	5	105	30	1.49	< 10	< 1	0.21	10	0.41	140	
578529	205 226	< 5 < 0.2	1.77	114	70	< 0.5	< 2	0.36	< 0.5	14	50	45	3.54	< 10	< 1	0.78	20	0.73	230	
578530	205 226	20 < 0.2	1.54	3030	40	< 0.5	< 2	1.64	< 0.5	10	131	18	1.64	< 10	< 1	0.28	10	0.58	210	
578531	205 226	75 < 0.2	1.33	1365	60	< 0.5	< 2	1.02	< 0.5	9	104	33	2.14	< 10	< 1	0.37	20	0.55	210	
578532	205 226	140 < 0.2	1.07	2430	20	< 0.5	< 2	1.10	< 0.5	9	51	26	2.07	< 10	< 1	0.21	20	0.55	210	
578533	205 226	30 < 0.2	2.20	480	70	< 0.5	< 2	0.41	< 0.5	13	129	26	3.42	< 10	< 1	0.46	30	0.84	315	
578534	205 226	< 5 < 0.2	2.16	126	90	< 0.5	< 2	0.66	< 0.5	13	100	39	3.16	< 10	< 1	0.78	30	0.76	190	
578535	205 226	< 5 < 0.2	1.71	462	70	< 0.5	< 2	0.37	< 0.5	12	89	28	2.79	< 10	< 1	0.40	20	0.74	260	
578536	205 226	< 5 < 0.2	1.88	40	40	< 0.5	< 2	0.34	< 0.5	12	53	34	3.34	< 10	< 1	0.44	20	0.86	285	
578537	205 226	< 5 < 0.2	1.91	346	90	< 0.5	< 2	0.58	< 0.5	13	93	28	2.61	< 10	< 1	0.72	20	0.71	190	
578538	205 226	235 < 0.2	2.48	1005	90	0.5	12	1.99	< 0.5	4	105	75	2.33	< 10	< 1	0.35	< 10	0.53	180	
578539	205 226	145 < 0.2	3.50	2820	90	0.5	8	2.20	0.5	9	89	84	2.49	< 10	< 1	0.46	10	0.65	225	
578540	205 226	685 < 0.6	2.10	3450	60	0.5	34	2.32	0.5	6	107	186	3.86	< 10	< 1	0.33	10	0.60	320	

CERTIFICATION:

10/02/95 6:58PM CHEMEX LABS VAX-FAX2

PAGE 002



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: KENNECOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4

Page Number 1-B
 Total Pages 2
 Certificate Date 02-OCT-95
 Invoice No. I9528532
 P.O. Number :
 Account :

Project : 05475
 Comments: ATTN: ROGER HULSTEIN/ERIC FINLAYSON CC: TOM HEAH

CERTIFICATE OF ANALYSIS A9528532

SAMPLE DESCRIPTION	PREP CODE	No ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Au check
578501	205 226	< 1	0.39	28	430	4	< 2	7	190	0.14	< 10	< 10	74	< 10	50	-----
578502	205 226	< 1	0.02	15	180	2	2	< 1	10	0.03	< 10	< 10	15	< 10	28	-----
578503	205 226	< 1	0.02	10	80	2	< 2	< 1	4	< 0.01	< 10	< 10	6	< 10	16	-----
578504	205 226	< 1	0.01	12	170	4	< 2	< 1	8	0.01	< 10	< 10	9	< 10	22	-----
578505	205 226	< 1	0.01	24	260	2	2	< 1	19	0.01	< 10	< 10	14	< 10	48	120
578506	205 226	< 1	0.02	34	860	2	< 2	1	19	0.02	< 10	< 10	19	< 10	78	-----
578507	205 226	< 1	0.06	22	230	4	4	1	29	0.01	< 10	< 10	16	< 10	30	-----
578508	205 226	< 1	0.02	22	220	2	2	< 1	10	0.01	< 10	< 10	12	< 10	20	-----
578509	205 226	< 1	0.06	22	120	2	< 2	< 1	22	0.01	< 10	< 10	13	< 10	16	-----
578510	205 226	< 1	0.01	24	340	6	< 2	< 1	12	0.02	< 10	< 10	16	< 10	60	< 5
578511	205 226	< 1	0.02	27	610	4	< 2	< 1	16	< 0.01	< 10	< 10	15	< 10	68	-----
578512	205 226	< 1	< 0.01	45	630	2	< 2	< 1	10	< 0.01	< 10	< 10	14	< 10	82	-----
578513	205 226	< 1	0.01	43	310	4	< 2	1	12	< 0.01	< 10	< 10	16	< 10	58	-----
578514	205 226	< 1	< 0.01	78	540	< 2	< 2	< 1	17	< 0.01	< 10	< 10	4	< 10	24	-----
578515	205 226	< 1	0.02	56	400	6	2	< 1	13	< 0.01	< 10	< 10	11	< 10	72	< 5
578516	205 226	< 1	< 0.01	33	530	< 2	< 2	< 1	19	0.01	< 10	< 10	12	< 10	54	-----
578517	205 226	< 1	0.04	22	220	< 2	2	< 1	33	0.02	< 10	< 10	15	< 10	24	-----
578518	205 226	< 1	0.04	34	490	< 2	< 2	1	31	0.04	< 10	< 10	17	< 10	58	-----
578519	205 226	< 1	0.04	27	240	2	< 2	1	42	0.04	< 10	< 10	20	< 10	48	-----
578520	205 226	< 1	0.08	20	210	6	< 2	1	50	0.03	< 10	< 10	17	< 10	28	< 5
578521	205 226	< 1	0.01	34	420	4	< 2	< 1	70	< 0.01	< 10	< 10	15	< 10	26	-----
578522	205 226	< 1	0.05	18	130	24	4	1	44	< 0.01	< 10	< 10	16	< 10	20	-----
578523	205 226	< 1	0.13	31	370	6	< 2	1	126	< 0.01	< 10	< 10	21	< 10	28	-----
578524	205 226	< 1	0.14	41	560	2	4	2	81	0.04	< 10	< 10	28	< 10	52	-----
578525	205 226	< 1	0.11	38	310	6	4	1	58	0.03	< 10	< 10	24	< 10	38	210
578526	205 226	< 1	0.16	33	400	4	< 2	3	100	0.06	< 10	< 10	34	< 10	54	-----
578527	205 226	< 1	0.04	16	160	2	2	< 1	52	0.01	< 10	< 10	16	< 10	24	-----
578528	205 226	< 1	0.10	14	100	4	< 2	1	60	0.01	< 10	< 10	17	< 10	22	-----
578529	205 226	< 1	0.01	35	580	2	< 2	1	21	0.03	< 10	< 10	15	< 10	56	-----
578530	205 226	< 1	0.09	21	160	10	4	2	72	< 0.01	< 10	< 10	20	< 10	24	25
578531	205 226	< 1	0.03	25	380	4	2	1	35	0.01	< 10	< 10	14	< 10	30	-----
578532	205 226	< 1	0.02	26	350	4	2	< 1	37	0.01	< 10	< 10	11	< 10	30	-----
578533	205 226	< 1	0.04	34	320	4	< 2	1	32	0.01	< 10	< 10	19	< 10	64	-----
578534	205 226	< 1	0.05	37	330	4	< 2	1	40	0.03	< 10	< 10	21	< 10	52	-----
578535	205 226	< 1	0.03	28	200	4	< 2	1	33	0.01	< 10	< 10	14	< 10	52	10
578536	205 226	< 1	0.01	34	230	2	< 2	1	16	0.02	< 10	< 10	15	< 10	68	-----
578537	205 226	< 1	0.07	30	280	2	< 2	1	45	0.02	< 10	< 10	19	< 10	44	-----
578538	205 226	< 1	0.17	18	580	6	< 2	1	216	0.01	< 10	< 10	20	< 10	26	-----
578539	205 226	< 1	0.19	21	350	2	< 2	1	196	0.02	< 10	< 10	24	< 10	36	-----
578540	205 226	< 1	0.10	19	240	2	4	1	113	0.01	< 10	< 10	19	< 10	28	685

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2G1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: KENNECOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4

Page Number 2-A
 Total Pages 2
 Certificate Date 02-OCT-95
 Invoice No. I-9528532
 P.O. Number :
 Account :

Project: 05475
 Comments: ATTN: ROGER HULSTEIN/ERIC FINLAYSON CC: TOM HEAH

CERTIFICATE OF ANALYSIS A9528532

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
578541	205	226	< 5	< 0.2	2.39	378	40	0.5	< 2	0.34	< 0.5	17	69	59	4.30	< 10	3	0.30	30	0.97	290
578542	205	226	15	0.2	2.35	2250	70	0.5	< 2	2.68	< 0.5	10	82	505	5.80	< 10	< 1	0.46	10	0.65	205
578543	205	226	5	< 0.2	2.39	28	30	0.5	< 2	0.29	< 0.5	16	70	43	4.53	< 10	< 1	0.27	30	1.02	350
578544	205	226	1160	1.2	0.92	5200	20	< 0.5	22	3.97	0.5	11	59	572	6.50	< 10	< 1	0.23	< 10	0.40	285
578545	205	226	< 5	< 0.2	1.82	30	50	< 0.5	< 2	0.19	< 0.5	14	80	33	3.51	< 10	< 1	0.39	20	0.75	200
578546	205	226	40	< 0.2	2.65	1055	80	< 0.5	2	1.50	< 0.5	11	89	49	2.60	< 10	2	0.59	10	0.74	210
578547	205	226	660	< 0.2	4.15	7770	90	0.5	36	2.50	1.0	14	72	437	5.03	< 10	< 1	0.45	10	0.80	225
578548	205	226	595	0.2	2.39	>10000	60	0.5	32	1.41	2.0	9	85	418	5.19	< 10	1	0.37	10	0.59	180
578549	205	226	105	0.2	1.33	778	40	0.5	2	0.41	< 0.5	15	81	160	3.41	< 10	1	0.48	10	0.61	190
578549A	205	226	< 5	< 0.2	2.18	196	30	0.5	< 2	0.29	< 0.5	18	69	53	4.58	< 10	1	0.27	30	0.89	255
578550	205	226	< 5	< 0.2	2.20	8	30	< 0.5	< 2	0.14	< 0.5	17	64	42	4.19	< 10	3	0.15	10	0.92	275
578551	205	226	< 5	< 0.2	1.64	54	70	< 0.5	< 2	0.28	< 0.5	15	96	52	3.73	< 10	< 1	0.36	10	0.65	200
578552	205	226	< 5	< 0.2	2.04	266	30	< 0.5	< 2	0.29	< 0.5	12	86	43	3.78	< 10	< 1	0.14	20	0.97	300
578553	205	226	< 5	< 0.2	1.36	194	40	< 0.5	< 2	0.35	< 0.5	10	92	37	2.67	< 10	< 1	0.20	10	0.69	255
578554	205	226	15	0.2	1.30	788	40	0.5	< 2	0.37	< 0.5	12	72	83	3.64	< 10	< 1	0.25	10	0.72	230
578555	205	226	10	< 0.2	1.47	1495	40	< 0.5	< 2	1.38	< 0.5	8	88	50	2.85	< 10	< 1	0.22	10	0.72	315

CERTIFICATION: _____

10/02/95 7:01PM CHEMEX LABS VAX-FAX2

PAGE 004



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: KENNECOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST
 VANCOUVER, BC
 V6C 1S4

Page Number 2-B
 Total Pages 2
 Certificate Date 02-OCT-95
 Invoice No. I-9528532
 P.O. Number :
 Account :

Project : 05475
 Comments: ATTN: ROGER HULSTEIN/ERIC FINLAYSON CC: TOM HEAH

CERTIFICATE OF ANALYSIS A9528532

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Au check
578541	205 226	< 1	0.02	47	670	2	2	< 1	19	0.02	< 10	< 10	18	< 10	86	-----
578542	205 226	< 1	0.07	23	410	4	2	1	131	0.03	< 10	< 10	23	< 10	32	-----
578543	205 226	< 1	0.01	44	590	2	2	< 1	15	0.02	< 10	< 10	18	< 10	104	-----
578544	205 226	< 1	< 0.01	18	240	4	2	< 1	165	0.01	< 10	< 10	12	< 10	30	-----
578545	205 226	< 1	0.01	39	540	< 2	2	< 1	9	0.02	< 10	< 10	17	< 10	78	< 5
578546	205 226	< 1	0.12	26	270	4	< 2	1	99	0.01	< 10	< 10	25	< 10	46	-----
578547	205 226	< 1	0.22	31	250	6	6	1	212	0.01	< 10	< 10	29	50	40	-----
578548	205 226	< 1	0.10	21	190	< 2	< 2	1	84	0.02	< 10	< 10	23	< 10	28	-----
578549	205 226	< 1	0.01	41	210	6	2	< 1	20	0.03	< 10	< 10	13	< 10	44	-----
578549A	205 226	< 1	0.01	47	810	6	< 2	< 1	23	0.02	< 10	< 10	14	< 10	90	< 5
578550	205 226	< 1	0.01	47	600	2	< 2	< 1	14	0.02	< 10	< 10	15	< 10	104	-----
578551	205 226	4	0.03	41	200	6	2	< 1	24	0.03	< 10	< 10	15	< 10	46	-----
578552	205 226	< 1	0.02	33	540	6	< 2	< 1	17	0.01	< 10	< 10	16	< 10	88	-----
578553	205 226	< 1	0.03	26	190	2	< 2	< 1	20	0.01	< 10	< 10	11	< 10	40	-----
578554	205 226	< 1	0.02	38	310	8	< 2	< 1	23	0.01	< 10	< 10	11	< 10	34	15
578555	205 226	< 1	0.02	21	140	< 2	< 2	< 1	51	0.01	< 10	< 10	15	< 10	40	-----

CERTIFICATION: _____

10/02/95 7:02PM CHEMEX LABS VAX-FAX2

PAGE 005



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: KENNECOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4

RECEIVED

Page Number : 1-A
 Total Pages : 2
 Certificate Date: 04-OCT-95
 Invoice No. : 19529174
 P.O. Number :
 Account : KAVB

Project : 05475
 Comments : ATTN: ERIC FINLAYSON CC: TOM HEAH

CERTIFICATE OF ANALYSIS A9529174

SAMPLE	PREP CODE	Au ppb RUSH	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
578556	255 295	< 5	< 0.2	2.23	88	40	< 0.5	4	0.53	< 0.5	18	61	43	4.39	10	< 1	0.25	20	1.11	420
578557	255 295	< 5	< 0.2	1.35	258	40	< 0.5	2	0.46	1.0	10	110	19	2.65	10	< 1	0.19	10	0.65	375
578558	255 295	< 5	< 0.2	0.69	18	20	< 0.5	< 2	0.47	< 0.5	3	198	8	1.37	< 10	< 1	0.13	10	0.25	205
578558 A	255 295	110	< 0.2	1.76	3080	80	< 0.5	< 2	0.27	0.5	14	91	45	3.87	10	< 1	0.41	30	0.79	290
578559	255 295	< 5	< 0.2	1.78	48	70	< 0.5	2	0.23	0.5	13	115	28	3.35	10	< 1	0.35	30	0.79	300
578560	255 295	< 5	< 0.2	1.28	60	50	< 0.5	< 2	0.38	< 0.5	9	133	28	2.70	< 10	< 1	0.23	20	0.59	340
578561	255 295	< 5	< 0.2	1.65	204	60	< 0.5	< 2	0.33	0.5	14	100	37	3.68	10	< 1	0.36	20	0.74	355
578562	255 295	75	0.2	1.28	2430	50	< 0.5	< 2	0.51	1.5	14	116	49	3.27	10	< 1	0.32	20	0.63	340
578563	255 295	65	0.2	1.34	3880	60	< 0.5	8	1.83	2.0	14	115	41	2.61	10	< 1	0.35	20	0.59	250
578564	255 295	55	0.2	1.64	2580	40	< 0.5	8	1.05	1.5	12	83	66	3.74	10	< 1	0.35	20	0.85	435
578565	255 295	< 5	< 0.2	2.30	1510	60	< 0.5	2	0.53	1.0	19	97	60	4.33	10	< 1	0.45	30	1.04	355
578566	255 295	< 5	< 0.2	1.51	790	70	< 0.5	4	0.71	0.5	12	185	62	3.12	10	< 1	0.45	20	0.57	245
578567	255 295	< 5	< 0.2	2.25	50	60	< 0.5	6	0.25	< 0.5	17	96	42	4.20	10	< 1	0.36	40	0.98	535
578568	255 295	< 5	< 0.2	2.01	16	80	< 0.5	6	0.26	0.5	13	131	35	3.67	10	< 1	0.46	40	0.89	315
578569	255 295	< 5	< 0.2	0.72	4	70	< 0.5	< 2	0.50	< 0.5	3	151	9	1.32	< 10	< 1	0.22	10	0.24	165
578570	255 295	< 5	< 0.2	0.69	8	70	< 0.5	< 2	0.65	< 0.5	2	177	10	1.31	< 10	< 1	0.21	10	0.24	170
578571	255 295	< 5	< 0.2	1.11	< 2	70	< 0.5	8	0.32	< 0.5	7	150	15	2.02	< 10	< 1	0.29	20	0.43	305
578572	255 295	< 5	< 0.2	1.22	34	80	< 0.5	6	0.36	< 0.5	10	165	27	2.21	10	< 1	0.29	30	0.48	270
578573	255 295	< 5	< 0.2	1.92	148	110	< 0.5	12	0.37	0.5	13	117	50	3.22	10	< 1	0.77	30	0.75	220
578574	255 295	< 5	< 0.2	2.10	434	70	< 0.5	< 2	0.31	1.0	14	111	38	3.89	10	< 1	0.41	30	0.92	345
578575	255 295	< 5	< 0.2	0.95	2950	60	< 0.5	< 2	0.86	< 0.5	6	155	27	1.87	< 10	< 1	0.29	10	0.37	275
578576	255 295	< 5	< 0.2	0.91	1370	50	< 0.5	< 2	0.65	0.5	7	162	24	1.70	< 10	< 1	0.26	10	0.37	220
578577	255 295	< 5	< 0.2	1.09	586	80	< 0.5	2	0.70	0.5	9	156	46	2.28	10	< 1	0.46	20	0.44	320
578578	255 295	65	< 0.2	1.72	964	80	< 0.5	< 2	0.32	0.5	17	88	55	4.04	10	< 1	0.54	40	0.77	330
578579	255 295	20	< 0.2	0.97	474	60	< 0.5	< 2	0.29	< 0.5	5	121	22	2.07	< 10	2	0.28	10	0.36	370
578580	255 295	10	< 0.2	0.94	108	70	< 0.5	2	0.34	< 0.5	3	131	16	1.82	< 10	< 1	0.35	10	0.36	295
578581	255 295	< 5	< 0.2	0.97	134	70	< 0.5	< 2	0.47	< 0.5	7	110	24	2.28	10	< 1	0.36	20	0.43	370
578582	255 295	< 5	< 0.2	0.70	82	70	< 0.5	< 2	0.31	< 0.5	2	129	12	1.41	< 10	< 1	0.24	10	0.28	275
578583	255 295	< 5	0.2	0.71	90	60	< 0.5	2	0.31	< 0.5	3	115	16	1.43	< 10	< 1	0.26	10	0.28	240
578584	255 295	< 5	< 0.2	0.62	40	40	< 0.5	< 2	0.40	< 0.5	2	144	12	1.37	< 10	< 1	0.21	10	0.26	240
578585	255 295	< 5	< 0.2	0.65	60	40	< 0.5	6	0.35	< 0.5	3	131	12	1.35	< 10	< 1	0.18	10	0.26	265
578586	255 295	< 5	< 0.2	1.47	198	80	< 0.5	2	0.16	< 0.5	15	103	35	2.96	10	< 1	0.40	30	0.66	255
578587	255 295	< 5	< 0.2	1.21	50	70	< 0.5	< 2	0.27	< 0.5	6	118	24	2.45	10	< 1	0.31	20	0.53	340
578588	255 295	< 5	< 0.2	1.97	< 2	70	< 0.5	4	0.13	< 0.5	16	79	40	3.98	10	< 1	0.41	40	0.93	350
578589	255 295	< 5	< 0.2	0.67	48	40	< 0.5	< 2	0.40	< 0.5	3	121	35	1.58	< 10	< 1	0.21	10	0.30	315
578590	255 295	< 5	0.2	0.67	48	30	< 0.5	2	0.42	< 0.5	3	128	33	1.60	< 10	< 1	0.21	10	0.32	335
578591	255 295	< 5	0.2	1.82	22	40	< 0.5	6	0.39	< 0.5	15	86	37	4.00	10	< 1	0.28	40	0.84	415
578592	255 295	< 5	0.6	1.71	292	80	< 0.5	< 2	0.29	3.5	17	108	46	3.77	10	< 1	0.67	30	0.77	350
578593	255 295	< 5	< 0.2	0.62	134	70	< 0.5	< 2	0.33	< 0.5	3	130	17	1.23	< 10	< 1	0.25	10	0.24	165
578594	255 295	< 5	< 0.2	1.14	160	100	< 0.5	< 2	1.78	0.5	10	98	34	1.99	10	< 1	0.44	20	0.43	210

CERTIFICATION:

Jhai D Ma



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

Client: KENNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

Project: 05475
Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH

Page Number : 1-B,
Total Pages : 2
Certificate Date: 04-OCT-95
Invoice No. : I9529174
P.O. Number :
Account : KAVB

CERTIFICATE OF ANALYSIS

A9529174

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
578556	255 295	1	0.02	38	1690	12	< 2	2	38	0.01	< 10	< 10	19	< 10	104
578557	255 295	< 1	0.02	21	440	8	2	2	24	< 0.01	< 10	< 10	16	< 10	60
578558	255 295	1	0.01	10	80	4	< 2	1	29	< 0.01	< 10	< 10	9	< 10	22
578558 A	255 295	< 1	0.01	36	360	8	6	2	22	0.01	< 10	< 10	16	< 10	72
578559	255 295	1	0.02	29	250	10	2	2	21	0.02	< 10	< 10	17	< 10	78
578560	255 295	< 1	0.01	22	140	4	< 2	1	24	0.01	< 10	< 10	13	< 10	62
578561	255 295	1	0.02	34	400	8	2	1	27	0.01	< 10	< 10	13	< 10	62
578562	255 295	1	0.01	29	190	12	6	1	34	< 0.01	< 10	< 10	10	< 10	40
578563	255 295	1	0.04	28	320	6	6	2	84	< 0.01	< 10	< 10	16	< 10	26
578564	255 295	< 1	0.03	32	230	10	4	2	57	0.01	< 10	< 10	19	< 10	56
578565	255 295	< 1	0.03	39	790	12	6	3	41	0.02	< 10	< 10	23	< 10	76
578566	255 295	1	0.02	27	650	8	4	2	47	0.01	< 10	< 10	17	< 10	20
578567	255 295	1	0.02	40	320	2	2	2	31	0.04	< 10	< 10	20	< 10	90
578568	255 295	< 1	0.02	35	180	4	< 2	2	28	0.04	< 10	< 10	18	< 10	80
578569	255 295	1	0.02	10	510	6	2	1	35	0.01	< 10	< 10	9	< 10	22
578570	255 295	< 1	0.02	11	1090	8	2	1	42	0.01	< 10	< 10	9	< 10	22
578571	255 295	< 1	0.01	15	130	4	< 2	1	28	0.02	< 10	< 10	11	< 10	40
578572	255 295	< 1	0.02	22	140	< 2	< 2	1	30	0.03	< 10	< 10	14	< 10	48
578573	255 295	1	0.02	32	440	6	2	2	44	0.04	< 10	< 10	20	< 10	48
578574	255 295	< 1	0.02	33	200	4	10	2	36	0.02	< 10	< 10	20	< 10	78
578575	255 295	< 1	0.01	15	110	6	6	1	51	< 0.01	< 10	< 10	11	< 10	26
578576	255 295	1	0.01	13	130	< 2	4	1	39	< 0.01	< 10	< 10	11	< 10	22
578577	255 295	1	0.01	20	90	2	4	1	52	0.01	< 10	< 10	11	< 10	32
578578	255 295	< 1	0.01	39	220	4	4	2	37	0.02	< 10	< 10	14	< 10	82
578579	255 295	< 1	0.02	12	80	12	< 2	1	24	0.02	< 10	< 10	11	< 10	38
578580	255 295	1	0.01	13	80	16	< 2	1	32	0.02	< 10	< 10	9	< 10	30
578581	255 295	< 1	0.01	19	110	8	2	1	39	0.01	< 10	< 10	10	< 10	36
578582	255 295	< 1	0.02	9	60	4	2	1	25	0.02	< 10	< 10	12	< 10	22
578583	255 295	1	0.02	10	60	2	< 2	1	28	0.02	< 10	< 10	10	< 10	20
578584	255 295	< 1	0.01	8	60	4	< 2	1	37	0.01	< 10	< 10	8	< 10	24
578585	255 295	< 1	0.02	8	90	14	< 2	1	26	0.02	< 10	< 10	10	< 10	22
578586	255 295	< 1	0.01	31	150	< 2	< 2	1	27	0.03	< 10	< 10	14	< 10	72
578587	255 295	1	0.02	21	140	4	2	1	23	0.02	< 10	< 10	13	< 10	52
578588	255 295	< 1	0.02	39	300	4	< 2	2	21	0.04	< 10	< 10	16	< 10	96
578589	255 295	1	0.01	10	80	4	2	< 1	30	0.01	< 10	< 10	8	< 10	26
578590	255 295	< 1	0.01	11	70	4	< 2	< 1	32	0.01	< 10	< 10	8	< 10	28
578591	255 295	1	0.01	34	350	14	2	1	35	0.01	< 10	< 10	14	< 10	92
578592	255 295	1	0.01	31	430	96	8	2	34	0.03	< 10	< 10	16	< 10	168
578593	255 295	< 1	0.02	10	90	14	2	< 1	31	0.02	< 10	< 10	8	< 10	26
578594	255 295	< 1	0.02	21	6970	14	< 2	1	90	0.01	< 10	< 10	11	< 10	40

CERTIFICATION:

John D. Miller



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

to: KENNECOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4

Page Number :2-A,
 Total Pages :2
 Certificate Date: 04-OCT-95
 Invoice No. : I9529174
 P.O. Number :
 Account : KAVB

Project : 05475
 Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH

CERTIFICATE OF ANALYSIS A9529174

SAMPLE	PREP CODE	Au ppb RUSH	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
578595	255 295	< 5	< 0.2	1.22	242	60	< 0.5	< 2	0.12	0.5	9	115	31	2.42	< 10	< 1	0.25	20	0.48	195
578596	255 295	< 5	< 0.2	1.66	30	60	< 0.5	2	0.35	< 0.5	12	112	36	3.62	10	< 1	0.26	30	0.64	260
578597	255 295	< 5	< 0.2	1.89	166	110	< 0.5	< 2	0.43	< 0.5	14	103	47	3.44	10	< 1	0.57	20	0.87	325
578598	255 295	< 5	< 0.2	1.63	278	90	0.5	2	0.52	< 0.5	9	176	35	2.74	10	< 1	0.59	20	0.70	260
578599	255 295	< 5	< 0.2	1.83	370	50	1.0	< 2	3.99	< 0.5	12	88	38	3.38	10	< 1	0.46	40	0.62	575
578600	255 295	70	0.2	3.44	2870	150	0.5	2	3.32	0.5	15	100	94	3.63	10	< 1	1.10	30	1.48	470
578601	255 295	< 5	< 0.2	3.15	480	200	1.0	6	1.76	0.5	17	95	80	3.34	10	< 1	1.07	20	1.60	395
578602	255 295	< 5	0.2	0.66	1030	40	< 0.5	< 2	0.93	< 0.5	7	123	67	1.33	< 10	< 1	0.24	10	0.31	150
578603	255 295	< 5	< 0.2	5.36	3370	360	1.0	8	2.51	0.5	15	104	67	3.93	20	< 1	1.88	20	2.15	435
578604	255 295	165	< 0.2	4.63	1655	250	1.0	14	5.70	0.5	14	91	53	2.33	10	< 1	1.05	20	1.37	565
578605	255 295	< 5	< 0.2	1.85	266	90	0.5	6	0.82	< 0.5	12	84	61	3.19	10	< 1	0.83	20	0.83	275
578606	255 295	< 5	< 0.2	1.88	438	100	< 0.5	4	0.61	< 0.5	14	85	68	3.17	10	< 1	0.87	20	0.82	235
578607	255 295	< 5	< 0.2	1.96	586	110	< 0.5	4	0.97	< 0.5	11	73	87	3.18	10	< 1	0.76	20	0.79	230

CERTIFICATION:

Phai J. Tan



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: KENNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

Page Number :2-B
Total Pages :2
Certificate Date: 04-OCT-95
Invoice No. :19529174
P.O. Number :
Account :KAVB

Project : 05475
Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH

CERTIFICATE OF ANALYSIS

A9529174

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
578595	255	295	1	0.01	19	120	4	6	1	36	< 0.01	< 10	< 10	11	< 10	46
578596	255	295	1	0.01	31	480	< 2	14	2	49	< 0.01	< 10	< 10	12	< 10	76
578597	255	295	< 1	0.02	31	200	8	4	2	73	0.02	< 10	< 10	19	< 10	70
578598	255	295	< 1	0.01	23	140	< 2	4	2	66	0.02	< 10	< 10	18	< 10	44
578599	255	295	< 1	0.01	30	400	4	20	3	180	< 0.01	< 10	< 10	17	< 10	60
578600	255	295	< 1	0.14	36	460	4	4	7	259	0.06	< 10	< 10	36	< 10	52
578601	255	295	2	0.18	40	600	4	2	5	158	0.11	< 10	< 10	35	< 10	56
578602	255	295	1	0.03	12	190	2	6	1	49	0.01	< 10	< 10	9	< 10	16
578603	255	295	2	0.31	39	500	2	2	9	236	0.14	< 10	< 10	113	< 10	50
578604	255	295	6	0.41	27	350	4	6	6	370	0.08	< 10	< 10	59	< 10	30
578605	255	295	2	0.03	30	330	2	< 2	2	49	0.03	< 10	< 10	21	< 10	36
578606	255	295	1	0.04	27	300	6	< 2	2	48	0.03	< 10	< 10	22	< 10	34
578607	255	295	1	0.06	29	350	2	< 2	3	73	0.02	< 10	< 10	22	< 10	28

CERTIFICATION:

Tom Heah



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: KENNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

RECEIVED OCT 1 1995

Page Number : 1-A,
Total Pages : 2
Certificate Date: 04-OCT-95
Invoice No. : 19529188
P.O. Number :
Account : KAVB

Project : 05475
Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH

CERTIFICATE OF ANALYSIS A9529188

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	RUSH																				
578608	255	295	< 5	< 0.2	1.88	68	110	0.5	< 2	0.60	< 0.5	8	138	30	2.74	< 10	< 1	0.44	10	0.66	230
578609	255	295	< 5	< 0.2	2.05	106	160	< 0.5	< 2	0.28	< 0.5	9	161	26	2.65	< 10	< 1	0.73	20	0.74	175
578610	255	295	< 5	< 0.2	1.57	64	90	< 0.5	< 2	0.06	< 0.5	11	60	25	2.79	< 10	< 1	0.75	20	0.60	130
578611	255	295	< 5	< 0.2	2.39	72	180	0.5	< 2	0.07	< 0.5	11	105	41	3.37	< 10	< 1	0.76	30	0.69	135
578612	255	295	< 5	< 0.2	1.38	170	110	< 0.5	< 2	0.10	< 0.5	10	77	25	2.21	< 10	< 1	0.49	30	0.51	110
578613	255	295	< 5	< 0.2	0.88	152	80	< 0.5	< 2	0.33	< 0.5	3	165	33	1.35	< 10	< 1	0.23	10	0.29	165
578614	255	295	< 5	< 0.2	2.74	92	150	0.5	< 2	0.73	< 0.5	13	127	43	4.12	< 10	< 1	0.75	30	0.95	215
578615	255	295	< 5	< 0.2	1.34	40	40	< 0.5	< 2	0.09	< 0.5	9	91	28	2.61	< 10	< 1	0.26	20	0.61	150
578616	255	295	< 5	< 0.2	2.22	66	110	0.5	< 2	0.16	< 0.5	21	54	45	3.48	< 10	< 1	0.62	20	0.86	195
578617	255	295	50	< 0.2	1.99	674	30	0.5	< 2	0.14	< 0.5	22	47	35	3.73	< 10	< 1	0.23	20	0.95	225
578618	255	295	< 5	< 0.2	2.59	40	110	0.5	< 2	0.26	< 0.5	14	110	34	4.11	< 10	< 1	0.73	20	0.94	285
578619	255	295	< 5	< 0.2	1.85	204	110	< 0.5	< 2	0.46	< 0.5	15	69	60	3.44	< 10	< 1	0.84	20	0.78	210
578620	255	295	< 5	< 0.2	3.18	76	160	0.5	< 2	0.58	< 0.5	16	99	35	4.48	< 10	< 1	1.44	30	1.09	365
578621	255	295	< 5	< 0.2	2.08	166	50	< 0.5	< 2	0.32	< 0.5	19	64	64	4.04	< 10	< 1	0.53	10	0.91	245
578622	255	295	< 5	< 0.2	2.02	46	120	0.5	< 2	0.32	< 0.5	12	113	60	2.89	< 10	< 1	0.74	10	0.72	215
578623	255	295	< 5	< 0.2	2.07	20	40	0.5	< 2	0.10	< 0.5	17	48	55	4.43	< 10	1	0.27	20	1.03	330
578624	255	295	< 5	< 0.2	2.57	220	120	0.5	< 2	0.09	< 0.5	13	57	50	3.88	< 10	< 1	0.54	30	0.94	335
578625	255	295	10	< 0.2	1.95	422	60	0.5	< 2	0.06	< 0.5	18	49	36	3.67	< 10	< 1	0.50	30	0.88	265
578626	255	295	< 5	< 0.2	1.79	20	30	0.5	2	0.06	< 0.5	14	70	46	3.46	< 10	< 1	0.22	20	0.77	260
578627	255	295	< 5	< 0.2	0.84	44	60	< 0.5	< 2	0.06	< 0.5	3	210	6	1.22	< 10	< 1	0.22	< 10	0.24	200
578628	255	295	< 5	< 0.2	0.50	36	10	< 0.5	< 2	0.19	< 0.5	2	62	8	1.02	< 10	< 1	0.09	< 10	0.20	170
578629	255	295	< 5	< 0.2	0.63	32	20	< 0.5	< 2	0.23	< 0.5	2	128	14	1.26	< 10	< 1	0.12	< 10	0.23	205
578630	255	295	< 5	< 0.2	1.10	314	70	< 0.5	< 2	0.11	< 0.5	4	221	21	1.56	< 10	< 1	0.33	10	0.34	185
578631	255	295	< 5	< 0.2	1.21	766	30	< 0.5	< 2	0.07	< 0.5	9	86	22	2.39	< 10	< 1	0.18	20	0.53	240
578632	255	295	< 5	< 0.2	2.50	24	110	< 0.5	< 2	0.06	< 0.5	15	74	34	3.69	< 10	< 1	0.52	30	0.92	325
578633	255	295	< 5	< 0.2	0.69	1115	10	< 0.5	< 2	0.24	< 0.5	4	93	47	1.54	< 10	< 1	0.09	< 10	0.31	180
578634	255	295	1390	< 0.2	0.84	4120	40	< 0.5	6	0.31	< 0.5	8	53	19	1.74	< 10	< 1	0.24	< 10	0.36	160
578635	255	295	445	< 0.2	0.60	>10000	30	< 0.5	2	1.06	< 0.5	7	154	13	1.95	< 10	< 1	0.16	< 10	0.16	305
578636	255	295	110	< 0.2	1.36	2190	30	< 0.5	< 2	0.14	< 0.5	12	47	44	3.07	< 10	< 1	0.22	10	0.67	170
578637	255	295	10	< 0.2	2.01	556	130	0.5	< 2	0.30	< 0.5	11	131	27	2.84	< 10	1	0.67	10	0.70	205
578638	255	295	55	< 0.2	1.29	4540	90	< 0.5	2	2.40	< 0.5	13	73	29	2.00	< 10	< 1	0.52	10	0.49	130
578639	255	295	10	< 0.2	1.35	1840	60	0.5	< 2	0.99	< 0.5	9	78	29	2.18	< 10	< 1	0.41	10	0.58	190
578640	255	295	< 5	< 0.2	1.95	348	120	0.5	< 2	0.83	< 0.5	10	178	22	2.68	< 10	< 1	0.81	20	0.61	225
578641	255	295	< 5	< 0.2	1.55	1960	80	0.5	< 2	0.79	< 0.5	13	88	24	2.37	< 10	< 1	0.62	20	0.64	165
578642	255	295	< 5	< 0.2	1.93	114	100	0.5	< 2	0.26	< 0.5	18	71	40	2.74	< 10	< 1	0.71	30	0.58	220
578643	255	295	< 5	< 0.2	1.38	118	60	0.5	< 2	0.31	< 0.5	20	57	29	2.28	< 10	< 1	0.71	30	0.55	215
578644	255	295	< 5	< 0.2	2.85	746	130	0.5	< 2	0.38	< 0.5	14	60	60	4.51	< 10	1	1.45	20	1.08	400
578645	255	295	< 5	< 0.2	2.36	178	100	0.5	< 2	0.14	< 0.5	16	64	33	2.82	< 10	< 1	0.74	40	0.65	320
578646	255	295	< 5	< 0.2	2.39	66	70	0.5	< 2	0.23	< 0.5	15	64	45	4.05	< 10	< 1	0.76	20	0.91	400
578647	255	295	< 5	< 0.2	2.24	754	100	0.5	< 2	0.33	< 0.5	21	60	51	3.30	< 10	< 1	0.90	20	0.79	305

CERTIFICATION:

Eric Finlayson



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: KENNECOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4

Project : 05475
 Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH

Page Number : 1-B
 Total Pages : 2
 Certificate Date: 04-OCT-95
 Invoice No. : I9529188
 P.O. Number :
 Account : KAVB

CERTIFICATE OF ANALYSIS A9529188

SAMPLE	PREP		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
578608	255	295	< 1	0.05	18	1330	8	< 2	2	35	< 0.01	< 10	< 10	19	< 10	54
578609	255	295	< 1	0.03	25	140	2	< 2	2	18	0.01	< 10	< 10	20	< 10	44
578610	255	295	< 1	0.01	26	170	< 2	< 2	1	7	0.02	< 10	< 10	14	< 10	54
578611	255	295	< 1	0.03	30	230	< 2	< 2	2	15	0.01	< 10	< 10	22	< 10	64
578612	255	295	< 1	0.01	20	230	4	< 2	1	10	0.02	< 10	< 10	13	< 10	30
578613	255	295	< 1	0.04	10	70	2	< 2	1	16	0.01	< 10	< 10	11	< 10	18
578614	255	295	< 1	0.03	29	3210	4	< 2	2	42	0.01	< 10	< 10	21	< 10	88
578615	255	295	< 1	0.01	22	200	2	< 2	1	8	< 0.01	< 10	< 10	10	< 10	54
578616	255	295	< 1	0.02	39	280	2	< 2	2	17	< 0.01	< 10	< 10	16	< 10	82
578617	255	295	< 1	0.01	42	240	4	< 2	1	10	< 0.01	< 10	< 10	14	< 10	94
578618	255	295	< 1	0.02	35	250	6	< 2	2	21	0.01	< 10	< 10	24	< 10	86
578619	255	295	< 1	0.01	33	660	4	< 2	2	21	0.02	< 10	< 10	22	< 10	36
578620	255	295	< 1	0.03	36	420	2	< 2	4	37	0.03	< 10	< 10	32	< 10	78
578621	255	295	< 1	< 0.01	41	250	2	< 2	2	16	0.01	< 10	< 10	28	< 10	80
578622	255	295	< 1	0.03	29	530	2	< 2	2	23	0.01	< 10	< 10	22	< 10	56
578623	255	295	< 1	0.01	39	240	4	< 2	1	10	0.01	< 10	< 10	14	< 10	118
578624	255	295	< 1	0.03	35	220	4	< 2	2	18	0.01	< 10	< 10	19	< 10	94
578625	255	295	< 1	< 0.01	38	180	6	4	1	8	0.02	< 10	< 10	15	< 10	84
578626	255	295	< 1	0.01	32	220	52	< 2	1	8	0.01	< 10	< 10	12	< 10	76
578627	255	295	< 1	0.02	8	40	4	< 2	< 1	9	< 0.01	< 10	< 10	6	< 10	20
578628	255	295	< 1	0.01	7	40	< 2	< 2	< 1	9	< 0.01	< 10	< 10	6	< 10	20
578629	255	295	< 1	0.03	8	40	2	< 2	< 1	11	< 0.01	< 10	< 10	7	< 10	20
578630	255	295	< 1	0.02	12	60	4	< 2	1	12	0.01	< 10	< 10	10	< 10	26
578631	255	295	< 1	0.01	21	60	2	< 2	< 1	8	< 0.01	< 10	< 10	9	< 10	50
578632	255	295	< 1	0.03	34	170	4	< 2	2	15	0.02	< 10	< 10	18	< 10	90
578633	255	295	< 1	0.01	9	70	2	2	1	8	< 0.01	< 10	< 10	9	< 10	20
578634	255	295	< 1	0.01	14	170	6	< 2	< 1	12	< 0.01	< 10	< 10	8	< 10	30
578635	255	295	< 1	0.04	13	40	2	4	1	29	< 0.01	< 10	< 10	5	< 10	14
578636	255	295	< 1	0.01	30	180	< 2	2	< 1	11	< 0.01	< 10	< 10	9	< 10	54
578637	255	295	< 1	0.03	28	210	2	< 2	2	18	0.01	< 10	< 10	18	< 10	54
578638	255	295	< 1	0.01	22	8190	2	< 2	1	60	0.01	< 10	< 10	13	< 10	28
578639	255	295	< 1	0.01	22	150	< 2	< 2	1	38	< 0.01	< 10	< 10	14	< 10	40
578640	255	295	< 1	0.02	25	200	12	< 2	2	50	0.01	< 10	< 10	19	< 10	48
578641	255	295	< 1	0.01	27	430	2	< 2	2	34	0.01	< 10	< 10	17	< 10	28
578642	255	295	< 1	0.02	41	310	6	< 2	2	27	0.02	< 10	< 10	16	< 10	44
578643	255	295	2	0.01	39	470	4	2	1	16	0.04	< 10	< 10	14	< 10	32
578644	255	295	1	0.04	25	240	2	< 2	4	24	0.05	< 10	< 10	30	< 10	68
578645	255	295	1	0.06	34	240	2	< 2	2	24	0.03	< 10	< 10	19	< 10	54
578646	255	295	< 1	0.02	37	500	< 2	< 2	2	17	0.04	< 10	< 10	24	< 10	74
578647	255	295	< 1	0.05	45	750	2	< 2	2	21	0.03	< 10	< 10	23	< 10	64

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: KENNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

Page Number :2-A
Total Pages :2
Certificate Date: 04-OCT-95
Invoice No. :19529188
P.O. Number :
Account :KAVB

Project : 05475
Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH

CERTIFICATE OF ANALYSIS A9529188

SAMPLE	PREP CODE		Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
			ppb RUSH	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
578648	255	295	< 5	< 0.2	2.54	4570	130	0.5	< 2	0.60	< 0.5	13	90	89	3.75	< 10	< 1	0.99	20	0.88	315
578649	255	295	20	< 0.2	1.97	878	160	< 0.5	< 2	0.56	< 0.5	10	42	43	3.12	< 10	< 1	0.87	20	0.79	195
578650	255	295	45	< 0.2	2.41	1225	200	< 0.5	2	0.29	< 0.5	13	64	46	3.27	< 10	< 1	1.22	20	0.75	200

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

Client: KENNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

Page Number : 2-B
Total Pages : 2
Certificate Date: 04-OCT-95
Invoice No. : 19529188
P.O. Number :
Account : KAVB

Project : 05475
Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH

CERTIFICATE OF ANALYSIS

A9529188

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
578648	255	295	1	0.08	27	720	< 2	< 2	3	38	0.04	< 10	< 10	24	< 10	42
578649	255	295	< 1	0.05	33	460	< 2	< 2	2	108	0.04	< 10	< 10	19	< 10	40
578650	255	295	< 1	0.03	34	470	2	< 2	2	33	0.03	< 10	< 10	21	< 10	44

CERTIFICATION: Tom Heah



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: JNECOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4

Page Number :
 Total Pages : 2
 Certificate Date: 04-OCT-95
 Invoice No. : 19529370
 P.O. Number :
 Account : KAVB

Project : 05-475
 Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH

CERTIFICATE OF ANALYSIS A9529370

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	RUSH																				
578651	255	295	< 5	< 0.2	2.30	122	110	< 0.5	< 2	0.27	< 0.5	15	62	65	4.30	< 10	< 1	0.71	50	0.79	295
578652	255	295	< 5	< 0.2	2.29	254	150	< 0.5	< 2	0.49	< 0.5	15	84	67	3.39	< 10	< 1	0.91	30	0.78	230
578653	255	295	< 5	< 0.2	2.09	154	50	0.5	< 2	0.21	< 0.5	17	77	51	3.78	< 10	< 1	0.44	40	0.90	330
578654	255	295	20	< 0.2	1.45	284	50	0.5	< 2	0.28	< 0.5	15	81	58	3.06	< 10	1	0.27	30	0.61	205
578655	255	295	< 5	< 0.2	1.79	172	70	< 0.5	< 2	0.28	< 0.5	14	76	40	3.88	< 10	< 1	0.29	40	0.72	365
578656	255	295	< 5	< 0.2	1.01	104	60	< 0.5	< 2	0.52	< 0.5	3	110	29	1.61	< 10	< 1	0.26	10	0.37	210
578657	255	295	< 5	< 0.2	2.05	362	60	< 0.5	< 2	0.20	< 0.5	16	82	35	3.35	< 10	1	0.38	40	0.89	235
578658	255	295	< 5	< 0.2	0.44	1035	20	< 0.5	< 2	0.32	< 0.5	3	198	4	0.52	< 10	< 1	0.08	< 10	0.13	45
578659	255	295	< 5	< 0.2	2.13	232	110	< 0.5	< 2	0.46	< 0.5	14	108	49	3.34	< 10	1	0.69	20	0.85	270
578660	255	295	< 5	< 0.2	2.24	22	60	< 0.5	< 2	0.43	< 0.5	18	91	54	3.94	< 10	< 1	0.43	30	0.98	250
578661	255	295	< 5	< 0.2	0.85	12	40	< 0.5	< 2	0.40	< 0.5	3	136	17	1.37	< 10	< 1	0.29	10	0.38	150
578662	255	295	< 5	< 0.2	2.18	34	70	< 0.5	< 2	0.19	< 0.5	17	75	40	3.90	< 10	< 1	0.44	50	0.95	270
578663	255	295	< 5	< 0.2	1.85	1215	80	0.5	< 2	0.58	0.5	15	94	39	3.73	< 10	< 1	0.63	40	0.70	325
578664	255	295	< 5	< 0.2	0.68	60	40	< 0.5	< 2	0.33	< 0.5	3	128	13	1.25	< 10	< 1	0.18	10	0.23	155
578665	255	295	< 5	< 0.2	0.56	80	40	< 0.5	< 2	0.40	< 0.5	3	146	15	1.19	< 10	< 1	0.15	10	0.17	135
578666	255	295	< 5	< 0.2	0.74	166	70	< 0.5	< 2	0.31	< 0.5	4	133	8	1.26	< 10	< 1	0.24	10	0.28	135
578667	255	295	< 5	< 0.2	0.98	52	70	< 0.5	< 2	0.27	< 0.5	5	99	16	1.69	< 10	< 1	0.30	10	0.41	195
578668	255	295	< 5	< 0.2	1.08	86	50	< 0.5	< 2	0.22	< 0.5	8	129	21	1.98	< 10	< 1	0.23	20	0.45	260
578669	255	295	< 5	< 0.2	1.68	46	80	< 0.5	< 2	0.18	< 0.5	14	75	47	2.83	< 10	1	0.43	40	0.68	315
578670	255	295	10	< 0.2	1.15	690	70	< 0.5	< 2	0.30	0.5	9	130	29	2.11	< 10	< 1	0.34	10	0.51	220
578671	255	295	35	< 0.2	1.20	1275	70	< 0.5	< 2	0.60	0.5	8	110	25	2.18	< 10	< 1	0.39	20	0.54	285
578672	255	295	< 5	< 0.2	1.28	60	80	< 0.5	< 2	0.16	< 0.5	8	128	16	2.15	< 10	< 1	0.59	20	0.53	195
578673	255	295	< 5	< 0.2	1.73	104	70	< 0.5	< 2	0.25	< 0.5	15	81	31	3.05	< 10	< 1	0.58	30	0.81	270
578674	255	295	< 5	< 0.2	1.80	62	40	< 0.5	< 2	0.14	< 0.5	13	67	32	3.32	< 10	< 1	0.26	30	0.81	270
578675	255	295	15	< 0.2	1.04	322	50	< 0.5	< 2	0.29	< 0.5	6	105	17	1.87	< 10	< 1	0.26	10	0.45	200
578676	255	295	< 5	< 0.2	1.33	138	90	< 0.5	< 2	0.44	< 0.5	7	112	57	2.31	< 10	< 1	0.39	20	0.55	180
578677	255	295	< 5	< 0.2	1.64	456	70	< 0.5	< 2	0.33	< 0.5	12	87	31	2.73	< 10	1	0.34	30	0.70	210
578678	255	295	< 5	< 0.2	1.28	20	40	< 0.5	< 2	0.38	< 0.5	14	89	26	2.84	< 10	< 1	0.24	40	0.59	265
578679	255	295	5	< 0.2	0.97	1720	40	< 0.5	< 2	2.71	0.5	9	80	91	2.74	< 10	1	0.25	10	0.59	340
578680	255	295	5	0.2	2.32	896	180	< 0.5	< 2	1.24	< 0.5	13	99	37	2.53	< 10	< 1	0.76	20	0.81	215
578681	255	295	< 5	< 0.2	2.00	170	90	< 0.5	< 2	0.40	< 0.5	12	85	31	3.29	< 10	< 1	0.64	30	0.82	285
578682	255	295	< 5	< 0.2	1.92	44	80	0.5	< 2	0.90	< 0.5	14	77	37	3.37	< 10	< 1	0.75	30	0.80	390
578683	255	295	< 5	< 0.2	1.87	98	80	0.5	< 2	0.39	< 0.5	13	90	35	3.08	< 10	< 1	0.49	30	0.70	260
578684	255	295	< 5	< 0.2	0.88	78	40	< 0.5	< 2	0.26	< 0.5	6	121	13	1.96	< 10	< 1	0.22	20	0.29	150
578685	255	295	< 5	< 0.2	0.51	30	20	< 0.5	< 2	0.70	< 0.5	2	119	8	1.06	< 10	< 1	0.11	10	0.16	265
578686	255	295	35	< 0.2	1.35	544	60	< 0.5	< 2	0.28	< 0.5	10	96	28	2.51	< 10	< 1	0.38	30	0.48	235
578687	255	295	< 5	< 0.2	1.82	108	60	< 0.5	< 2	0.16	< 0.5	13	114	29	3.48	< 10	< 1	0.36	40	0.69	260
578688	255	295	< 5	< 0.2	1.98	138	70	0.5	< 2	0.35	< 0.5	14	53	47	3.77	< 10	< 1	0.49	40	0.76	275
578689	255	295	< 5	< 0.2	1.92	30	60	< 0.5	< 2	0.15	< 0.5	18	40	28	3.51	< 10	< 1	0.50	50	0.76	200
578690	255	295	< 5	< 0.2	2.09	42	60	< 0.5	< 2	0.28	< 0.5	18	51	50	3.88	< 10	< 1	0.47	50	0.81	245

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

Project : 05-475
Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH

Page Number : 3
Total Pages : 2
Certificate Date: 04-OCT-95
Invoice No. : I9529370
P.O. Number :
Account : KAVB

CERTIFICATE OF ANALYSIS A9529370

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
578651	255 295	< 1	0.01	43	490	2	< 2	1	21	0.05	< 10	< 10	21	< 10	64
578652	255 295	< 1	0.06	40	500	2	< 2	2	37	0.04	< 10	< 10	21	< 10	38
578653	255 295	1	0.01	41	230	4	2	1	22	0.02	< 10	< 10	18	< 10	74
578654	255 295	< 1	0.01	36	170	4	< 2	1	24	< 0.01	< 10	< 10	12	< 10	52
578655	255 295	< 1	0.01	36	560	4	< 2	1	26	< 0.01	< 10	< 10	14	< 10	72
578656	255 295	< 1	0.02	12	100	2	< 2	< 1	30	0.01	< 10	< 10	9	< 10	22
578657	255 295	< 1	0.02	34	200	2	< 2	1	24	0.02	< 10	< 10	17	< 10	76
578658	255 295	< 1	0.02	7	60	2	< 2	< 1	25	< 0.01	< 10	< 10	4	< 10	2
578659	255 295	< 1	0.04	33	180	6	< 2	2	40	0.03	< 10	< 10	24	< 10	58
578660	255 295	< 1	0.01	44	1290	10	< 2	1	31	0.02	< 10	< 10	18	< 10	90
578661	255 295	< 1	0.01	12	110	4	< 2	< 1	28	0.01	< 10	< 10	10	< 10	24
578662	255 295	< 1	0.01	42	520	4	< 2	1	22	0.03	< 10	< 10	16	< 10	96
578663	255 295	1	0.01	36	300	6	2	1	48	0.01	< 10	< 10	14	< 10	80
578664	255 295	< 1	0.01	10	100	2	< 2	< 1	23	0.01	< 10	< 10	8	< 10	20
578665	255 295	< 1	0.01	8	90	4	< 2	< 1	24	< 0.01	< 10	< 10	6	< 10	16
578666	255 295	< 1	0.02	10	90	4	< 2	< 1	23	0.01	< 10	< 10	8	< 10	22
578667	255 295	< 1	0.02	14	90	2	< 2	1	20	0.03	< 10	< 10	12	< 10	32
578668	255 295	< 1	0.01	17	110	6	< 2	< 1	22	0.02	< 10	< 10	10	< 10	40
578669	255 295	< 1	0.01	30	180	6	< 2	1	27	0.04	< 10	< 10	14	< 10	60
578670	255 295	< 1	0.02	19	430	4	2	< 1	25	0.02	< 10	< 10	11	< 10	44
578671	255 295	< 1	0.02	20	90	4	2	< 1	34	0.02	< 10	< 10	11	< 10	46
578672	255 295	< 1	0.02	18	120	2	< 2	1	14	0.03	< 10	< 10	14	< 10	44
578673	255 295	< 1	0.01	34	210	2	< 2	1	23	0.03	< 10	< 10	16	< 10	62
578674	255 295	< 1	0.01	33	230	2	2	1	16	0.02	< 10	< 10	15	< 10	80
578675	255 295	< 1	0.02	15	100	4	< 2	< 1	19	0.01	< 10	< 10	11	< 10	36
578676	255 295	< 1	0.03	18	140	2	< 2	1	30	0.02	< 10	< 10	15	< 10	38
578677	255 295	< 1	0.02	24	150	4	< 2	1	27	0.01	< 10	< 10	16	< 10	60
578678	255 295	< 1	0.01	29	180	4	< 2	1	32	0.01	< 10	< 10	10	< 10	66
578679	255 295	< 1	0.02	17	540	4	2	1	172	< 0.01	< 10	< 10	10	< 10	26
578680	255 295	< 1	0.10	28	2230	4	< 2	2	89	0.03	< 10	< 10	24	< 10	36
578681	255 295	< 1	0.01	27	200	4	< 2	1	42	0.03	< 10	< 10	19	< 10	62
578682	255 295	< 1	0.01	34	170	2	2	1	68	0.01	< 10	< 10	16	< 10	70
578683	255 295	< 1	< 0.01	30	600	6	2	1	40	0.01	< 10	< 10	15	< 10	52
578684	255 295	< 1	0.01	15	80	2	2	< 1	26	< 0.01	< 10	< 10	5	< 10	26
578685	255 295	< 1	0.01	8	80	2	4	< 1	31	< 0.01	< 10	< 10	2	< 10	18
578686	255 295	< 1	0.01	24	190	6	2	< 1	25	< 0.01	< 10	< 10	9	< 10	46
578687	255 295	< 1	0.01	30	500	2	2	1	20	0.02	< 10	< 10	13	< 10	68
578688	255 295	< 1	0.01	41	520	2	< 2	1	35	0.02	< 10	< 10	13	< 10	68
578689	255 295	< 1	0.01	41	320	2	< 2	1	24	0.03	< 10	< 10	12	< 10	72
578690	255 295	< 1	0.01	42	720	4	2	1	29	0.02	< 10	< 10	14	< 10	76

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NNECOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4

Project : 05-475
 Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH

Page Number :
 Total Pages : 2
 Certificate Date: 04-OCT-95
 Invoice No. : 19529370
 P.O. Number :
 Account : KAVB

CERTIFICATE OF ANALYSIS A9529370

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			RUSH																		
578691	255	295	< 5	< 0.2	1.22	114	50	< 0.5	< 2	0.25	< 0.5	9	86	15	2.21	< 10	1	0.24	20	0.49	300
578692	255	295	10	< 0.2	1.21	68	50	< 0.5	2	0.35	< 0.5	7	95	20	2.21	< 10	< 1	0.24	10	0.49	370
578693	255	295	< 5	< 0.2	1.44	82	90	0.5	2	0.14	< 0.5	14	61	49	2.61	< 10	1	0.52	30	0.54	155
578694	255	295	< 5	< 0.2	1.63	10	70	< 0.5	< 2	0.12	< 0.5	12	96	43	2.97	< 10	1	0.36	30	0.65	195
578695	255	295	< 5	< 0.2	1.69	26	70	< 0.5	< 2	0.15	< 0.5	15	74	34	3.18	< 10	1	0.38	30	0.69	220
578696	255	295	10	< 0.2	1.33	274	80	< 0.5	2	0.14	< 0.5	12	73	40	2.43	< 10	1	0.49	30	0.50	180
578697	255	295	< 5	< 0.2	1.11	122	80	< 0.5	< 2	0.24	< 0.5	6	109	31	1.90	< 10	1	0.35	20	0.38	175
578698	255	295	< 5	< 0.2	1.54	22	70	< 0.5	< 2	0.10	< 0.5	12	91	29	2.96	< 10	< 1	0.29	20	0.60	220
578699	255	295	< 5	< 0.2	0.78	302	60	< 0.5	< 2	0.58	< 0.5	9	78	47	2.65	< 10	< 1	0.28	20	0.30	230
578700	255	295	< 5	0.2	0.93	486	70	< 0.5	< 2	0.35	< 0.5	12	75	48	2.51	< 10	< 1	0.48	20	0.37	185
579051	255	295	< 5	< 0.2	1.01	168	50	< 0.5	< 2	0.60	0.5	4	103	52	1.74	< 10	< 1	0.28	10	0.32	240
579052	255	295	< 5	< 0.2	0.81	6	30	< 0.5	< 2	0.28	< 0.5	3	115	16	1.72	< 10	1	0.19	10	0.32	240
579053	255	295	< 5	< 0.2	0.70	60	40	< 0.5	< 2	0.27	< 0.5	3	99	15	1.39	< 10	< 1	0.21	10	0.25	185
579054	255	295	< 5	< 0.2	0.72	586	60	< 0.5	< 2	0.37	< 0.5	7	96	26	1.79	< 10	< 1	0.24	10	0.22	195
579055	255	295	< 5	< 0.2	0.65	36	60	< 0.5	< 2	0.31	< 0.5	3	73	9	1.21	< 10	< 1	0.24	10	0.22	155
579056	255	295	40	< 0.2	0.73	3270	50	< 0.5	2	0.60	1.5	4	89	38	1.52	< 10	< 1	0.21	10	0.30	130
579057	255	295	30	< 0.2	0.48	1090	30	< 0.5	< 2	0.49	0.5	3	77	22	1.28	< 10	< 1	0.14	10	0.21	160

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: JNECOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4

Page Number :
 Total Pages : 2
 Certificate Date: 04-OCT-95
 Invoice No. : I9529370
 P.O. Number :
 Account : KAVB

Project : 05-475
 Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH

CERTIFICATE OF ANALYSIS A9529370

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
578691	255	295	< 1	0.01	21	180	14	< 2	1	24	< 0.01	< 10	< 10	9	< 10	48
578692	255	295	< 1	0.01	18	160	20	< 2	1	30	0.01	< 10	< 10	9	< 10	44
578693	255	295	< 1	0.01	31	200	28	< 2	1	19	0.02	< 10	< 10	9	< 10	48
578694	255	295	< 1	0.01	29	180	6	< 2	1	18	0.01	< 10	< 10	9	< 10	64
578695	255	295	< 1	0.01	32	200	2	< 2	1	21	< 0.01	< 10	< 10	10	< 10	72
578696	255	295	< 1	0.01	29	180	6	< 2	1	23	0.01	< 10	< 10	8	< 10	44
578697	255	295	< 1	< 0.01	16	120	4	< 2	1	23	< 0.01	< 10	< 10	9	< 10	32
578698	255	295	< 1	0.01	28	180	4	< 2	1	18	< 0.01	< 10	< 10	8	< 10	68
578699	255	295	< 1	0.01	22	130	4	< 2	< 1	57	< 0.01	< 10	< 10	3	< 10	36
578700	255	295	< 1	< 0.01	28	350	2	< 2	< 1	30	0.01	< 10	< 10	5	< 10	34
579051	255	295	< 1	0.01	14	820	4	< 2	< 1	42	0.01	< 10	< 10	8	< 10	32
579052	255	295	< 1	0.01	10	80	2	< 2	< 1	21	< 0.01	< 10	< 10	7	< 10	24
579053	255	295	< 1	0.01	9	70	4	< 2	< 1	21	< 0.01	< 10	< 10	7	< 10	26
579054	255	295	< 1	0.01	16	100	6	< 2	< 1	31	< 0.01	< 10	< 10	5	< 10	24
579055	255	295	< 1	< 0.01	9	100	4	2	< 1	30	0.01	< 10	< 10	4	< 10	20
579056	255	295	< 1	0.01	13	100	4	4	< 1	38	< 0.01	< 10	< 10	6	< 10	22
579057	255	295	< 1	0.01	9	70	4	< 2	< 1	31	< 0.01	< 10	< 10	3	< 10	16

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NNECOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4

Page Number :
 Total Pages :
 Certificate Date: 10-OCT-95
 Invoice No. : I9529656
 P.O. Number :
 Account : KAVB

Project : 05475
 Comments: ATTN: ERIC FINLAYSON/ROGER HULSTEIN CC: TOM HEAH

CERTIFICATE OF ANALYSIS A9529656

SAMPLE	PREP CODE	Au ppb RUSH	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
579058	255 294	< 5	0.2	0.53	12	40	< 0.5	< 2	0.27	< 0.5	2	125	27	1.13	< 10	< 1	0.15	10	0.24	255
579059	255 294	< 5	< 0.2	0.56	12	40	< 0.5	< 2	0.28	< 0.5	2	123	28	1.22	< 10	< 1	0.18	10	0.24	280
579060	255 294	< 5	0.2	0.59	514	30	< 0.5	2	0.61	< 0.5	4	63	46	1.55	< 10	< 1	0.18	10	0.30	320
579061	255 294	< 5	< 0.2	0.56	312	10	< 0.5	< 2	0.84	< 0.5	3	151	50	1.48	< 10	< 1	0.10	10	0.28	370
579062	255 294	< 5	< 0.2	0.53	182	10	< 0.5	< 2	0.66	< 0.5	2	209	45	1.33	< 10	< 1	0.07	10	0.26	365
579063	255 294	< 5	< 0.2	0.58	614	10	< 0.5	< 2	0.42	< 0.5	3	186	64	1.52	< 10	< 1	0.11	10	0.31	230
579064	255 294	70	< 0.2	0.58	552	10	< 0.5	< 2	0.49	< 0.5	3	200	73	1.44	< 10	< 1	0.12	10	0.30	235
579065	255 294	25	0.2	0.79	4320	60	< 0.5	< 2	0.98	1.0	7	157	78	1.98	< 10	< 1	0.24	20	0.33	225
579066	255 294	65	0.2	0.88	712	40	< 0.5	< 2	0.34	0.5	12	124	34	2.37	< 10	< 1	0.26	20	0.43	330
579067	255 294	< 5	0.8	0.88	108	40	< 0.5	< 2	0.70	< 0.5	3	180	19	1.85	< 10	< 1	0.21	20	0.35	535
579068	255 294	< 5	< 0.2	1.38	46	70	< 0.5	< 2	0.31	< 0.5	12	153	41	2.60	< 10	< 1	0.37	30	0.56	340
579069	255 294	< 5	< 0.2	1.02	160	70	< 0.5	< 2	0.32	< 0.5	8	124	20	1.79	< 10	< 1	0.40	20	0.44	210
579070	255 294	10	< 0.2	0.68	1340	40	< 0.5	2	0.28	< 0.5	4	155	26	1.38	< 10	< 1	0.26	10	0.29	195
579071	255 294	< 5	< 0.2	0.94	196	30	< 0.5	< 2	0.30	< 0.5	6	87	28	2.06	< 10	< 1	0.37	10	0.45	315
579072	255 294	< 5	< 0.2	1.83	154	70	0.5	< 2	0.25	< 0.5	17	150	45	3.44	10	< 1	0.69	40	0.79	350
579073	255 294	< 5	< 0.2	1.68	482	40	< 0.5	2	0.90	< 0.5	15	77	53	3.41	10	1	0.30	30	0.76	450
579074	255 294	10	< 0.2	1.37	110	80	< 0.5	< 2	0.43	< 0.5	12	116	23	2.56	< 10	< 1	0.39	20	0.63	285
579075	255 294	< 5	< 0.2	0.62	238	40	< 0.5	< 2	0.36	< 0.5	4	73	20	1.33	< 10	< 1	0.16	10	0.26	190
579076	255 294	< 5	< 0.2	0.72	198	40	< 0.5	< 2	0.48	< 0.5	4	151	16	1.40	< 10	< 1	0.17	20	0.26	230
579077	255 294	< 5	< 0.2	0.08	154	< 10	< 0.5	< 2	0.75	< 0.5	1	213	9	0.37	< 10	< 1	0.02	< 10	0.02	230
579078	255 294	30	< 0.2	0.80	3880	10	0.5	< 2	1.94	1.0	4	136	31	1.90	< 10	< 1	0.10	10	0.26	735
579079	255 294	< 5	< 0.2	0.63	218	20	< 0.5	< 2	6.18	< 0.5	3	152	16	1.30	< 10	< 1	0.11	< 10	0.23	2820

EOH

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: INNOCOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4

Page Number : 3
 Total Pages : 1
 Certificate Date: 10-OCT-95
 Invoice No. : I9529656
 P.O. Number :
 Account : KAVB

Project : 05475
 Comments: ATTN: ERIC FINLAYSON/ROGER HULSTEIN CC: TOM HEAH

CERTIFICATE OF ANALYSIS A9529656

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
579058	255 294	< 1	0.01	8	70	2	< 2	< 1	19	0.02	< 10	< 10	7	< 10	14
579059	255 294	1	0.02	8	70	4	< 2	< 1	19	0.02	< 10	< 10	7	< 10	16
579060	255 294	< 1	< 0.01	11	100	6	2	< 1	39	0.01	< 10	< 10	7	< 10	18
579061	255 294	< 1	0.02	8	70	4	2	1	37	< 0.01	< 10	< 10	8	< 10	16
579062	255 294	1	0.01	8	70	4	2	< 1	33	< 0.01	< 10	< 10	7	< 10	18
579063	255 294	< 1	0.01	9	80	4	2	1	21	< 0.01	< 10	< 10	8	< 10	18
579064	255 294	< 1	0.01	9	60	2	2	1	25	< 0.01	< 10	< 10	8	< 10	18
579065	255 294	< 1	< 0.01	14	2030	8	8	1	57	< 0.01	< 10	< 10	9	< 10	26
579066	255 294	< 1	0.01	22	210	4	4	1	29	< 0.01	< 10	< 10	7	< 10	44
579067	255 294	< 1	0.01	10	90	6	2	1	48	0.02	< 10	< 10	10	< 10	28
579068	255 294	< 1	0.01	21	230	8	2	1	37	0.02	< 10	< 10	11	< 10	52
579069	255 294	< 1	0.01	17	270	2	2	1	33	0.02	< 10	< 10	10	< 10	24
579070	255 294	< 1	0.01	12	90	6	< 2	< 1	29	0.01	< 10	< 10	6	< 10	22
579071	255 294	< 1	0.01	12	110	4	2	1	26	0.02	< 10	< 10	9	< 10	34
579072	255 294	< 1	0.01	33	330	6	2	1	31	0.02	< 10	< 10	14	< 10	70
579073	255 294	< 1	0.01	30	1610	4	4	1	55	0.01	< 10	< 10	14	< 10	70
579074	255 294	< 1	0.01	21	530	8	< 2	1	44	0.02	< 10	< 10	13	< 10	64
579075	255 294	< 1	0.01	10	80	6	< 2	1	29	< 0.01	< 10	< 10	7	< 10	30
579076	255 294	< 1	0.01	9	120	4	2	1	32	< 0.01	< 10	< 10	6	< 10	26
579077	255 294	< 1	< 0.01	4	10	< 2	< 2	< 1	20	< 0.01	< 10	< 10	1	< 10	2
579078	255 294	< 1	0.01	6	210	4	6	< 1	81	< 0.01	< 10	< 10	2	< 10	10
579079	255 294	< 1	< 0.01	7	130	4	8	< 1	260	< 0.01	< 10	< 10	2	< 10	12

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

Page Number
Total Pages : 2
Certificate Date: 10-OCT-95
Invoice No. : 19529756
P.O. Number : 05475
Account : KAVB

Project : YUKON RECCE
Comments : ATTN: ERIC FINLAYSON CC: TOM HEAH

Hole 3

CERTIFICATE OF ANALYSIS

A9529756

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
579080	205	226	< 5	< 0.2	1.32	348	110	0.5	< 2	0.13	< 0.5	15	138	81	3.06	< 10	< 1	0.37	40	0.36	415
579081	205	226	15	< 0.2	0.57	314	40	< 0.5	< 2	0.36	< 0.5	6	274	29	1.80	< 10	< 1	0.17	10	0.31	310
579082	205	226	55	< 0.2	0.62	3730	40	< 0.5	2	0.94	< 0.5	17	130	17	2.45	< 10	< 1	0.21	10	0.56	340
579083	205	226	< 5	0.2	1.05	42	100	0.5	< 2	0.32	< 0.5	17	133	53	3.79	< 10	< 1	0.42	40	0.60	640
579084	205	226	< 5	0.2	0.28	50	30	< 0.5	< 2	0.26	< 0.5	21	47	65	3.79	< 10	< 1	0.12	30	0.56	675
579085	205	226	< 5	< 0.2	0.80	44	80	0.5	< 2	0.51	< 0.5	14	132	33	2.66	< 10	< 1	0.26	20	0.38	405
579086	205	226	< 5	< 0.2	0.41	24	50	< 0.5	< 2	0.10	< 0.5	6	180	12	1.39	< 10	< 1	0.16	10	0.16	240
579087	205	226	< 5	< 0.2	0.36	688	40	< 0.5	< 2	0.07	< 0.5	6	155	19	1.30	< 10	< 1	0.15	10	0.17	155
579088	205	226	< 5	< 0.2	0.36	194	40	< 0.5	< 2	0.17	< 0.5	9	82	23	2.63	< 10	< 1	0.15	10	0.36	500
579089	205	226	15	< 0.2	0.46	66	40	< 0.5	< 2	0.13	< 0.5	6	146	22	1.66	< 10	< 1	0.16	10	0.15	375
579090	205	226	40	< 0.2	0.42	504	30	< 0.5	2	0.11	< 0.5	6	146	15	1.71	< 10	< 1	0.14	10	0.18	245
579091	205	226	50	< 0.2	0.54	2600	40	< 0.5	< 2	0.12	< 0.5	10	136	25	2.01	< 10	< 1	0.20	10	0.18	275
579092	205	226	45	< 0.2	0.21	1525	20	< 0.5	< 2	0.10	< 0.5	7	63	17	1.55	< 10	< 1	0.11	10	0.15	245
579093	205	226	< 5	< 0.2	0.74	24	70	0.5	< 2	0.19	< 0.5	12	156	31	2.68	< 10	< 1	0.27	20	0.38	345
579094	205	226	< 5	< 0.2	0.71	28	100	0.5	< 2	0.25	< 0.5	15	149	19	3.61	< 10	< 1	0.33	30	0.53	730
579095	205	226	< 5	< 0.2	1.54	4	190	1.0	< 2	1.09	< 0.5	14	92	17	4.30	< 10	< 1	0.30	30	0.81	865
579096	205	226	< 5	< 0.2	2.02	6	280	1.0	< 2	1.08	< 0.5	12	83	18	4.00	< 10	< 1	0.37	20	0.92	800
579097	205	226	< 5	< 0.2	1.71	8	270	1.0	< 2	1.06	0.5	13	82	13	4.45	< 10	< 1	0.37	20	0.91	1000
579098	205	226	< 5	< 0.2	1.22	4	320	1.0	< 2	0.96	0.5	16	91	19	3.17	< 10	< 1	0.38	20	0.88	635
579099	205	226	< 5	< 0.2	1.47	4	220	1.0	< 2	0.97	0.5	16	111	20	4.53	< 10	< 1	0.46	30	0.78	875
579100	205	226	< 5	< 0.2	1.69	8	300	1.0	< 2	1.11	< 0.5	13	90	15	4.60	< 10	< 1	0.44	30	0.95	850
579101	205	226	< 5	< 0.2	0.78	92	80	0.5	< 2	0.47	< 0.5	14	89	39	5.95	< 10	< 1	0.35	20	0.57	1395
579102	205	226	< 5	< 0.2	0.94	22	240	1.0	< 2	1.00	< 0.5	15	73	19	3.84	< 10	< 1	0.33	20	0.71	720
579103	205	226	< 5	< 0.2	1.03	8	100	1.0	< 2	1.58	< 0.5	11	68	10	5.71	< 10	< 1	0.31	20	0.82	1325
579104	205	226	20	< 0.2	0.56	54	70	< 0.5	< 2	0.21	< 0.5	6	161	12	1.53	< 10	< 1	0.25	< 10	0.16	265
579105	205	226	15	< 0.2	0.42	54	40	< 0.5	< 2	0.09	< 0.5	4	210	9	0.96	< 10	< 1	0.21	< 10	0.08	120
579106	205	226	< 5	< 0.2	0.24	58	40	< 0.5	< 2	0.14	< 0.5	14	50	31	3.36	< 10	< 1	0.15	20	0.48	680
579107	205	226	< 5	< 0.2	0.66	462	30	< 0.5	< 2	0.13	< 0.5	6	157	70	2.38	< 10	< 1	0.20	10	0.19	285
579108	205	226	< 5	< 0.2	0.26	98	20	< 0.5	< 2	0.19	< 0.5	12	60	23	2.92	< 10	< 1	0.14	20	0.47	345
579109	205	226	< 5	< 0.2	0.69	46	70	< 0.5	< 2	0.15	< 0.5	12	104	28	3.26	< 10	< 1	0.30	30	0.65	535
579110	205	226	< 5	< 0.2	0.24	98	30	< 0.5	< 2	0.30	< 0.5	16	44	29	3.26	< 10	< 1	0.12	20	0.65	515
579111	205	226	< 5	< 0.2	0.63	26	90	0.5	< 2	0.25	< 0.5	17	58	36	4.55	< 10	< 1	0.28	30	0.97	620
579112	205	226	< 5	< 0.2	0.26	16	20	< 0.5	< 2	0.41	< 0.5	15	77	36	2.75	< 10	< 1	0.10	20	0.44	515
579113	205	226	< 5	< 0.2	0.65	56	60	0.5	< 2	0.20	< 0.5	13	119	53	3.47	< 10	< 1	0.21	20	0.54	615
579114	205	226	< 5	< 0.2	0.32	42	50	0.5	< 2	0.50	< 0.5	19	56	67	4.45	< 10	< 1	0.12	20	0.73	815
579115	205	226	< 5	< 0.2	1.49	6	260	1.0	< 2	1.62	0.5	12	138	14	5.39	< 10	< 1	0.45	20	1.12	1080
579116	205	226	< 5	< 0.2	0.29	34	30	< 0.5	< 2	0.31	< 0.5	19	58	54	3.98	< 10	< 1	0.12	20	0.66	710
579117	205	226	< 5	< 0.2	1.10	126	180	0.5	< 2	1.62	< 0.5	12	110	22	3.35	< 10	< 1	0.35	20	1.01	615
579118	205	226	< 5	< 0.2	0.82	14	210	0.5	< 2	1.43	< 0.5	12	82	18	3.41	< 10	< 1	0.31	20	1.07	635
579119	205	226	< 5	< 0.2	0.66	28	80	0.5	< 2	0.22	< 0.5	13	101	20	3.33	< 10	< 1	0.31	30	0.51	365

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

Page Number 3
Total Pages :2
Certificate Date: 10-OCT-95
Invoice No. :19529756
P.O. Number :05475
Account :KAVB

Project : YUKON RECCE
Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH

CERTIFICATE OF ANALYSIS

A9529756

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
579080	205 226	2	0.02	28	270	6	32	1	24	< 0.01	< 10	< 10	16	< 10	84
579081	205 226	< 1	0.01	15	250	6	< 2	1	27	< 0.01	< 10	< 10	10	< 10	34
579082	205 226	< 1	0.01	16	130	6	6	1	54	< 0.01	< 10	< 10	13	< 10	24
579083	205 226	< 1	0.04	39	560	18	< 2	1	35	< 0.01	< 10	< 10	14	< 10	110
579084	205 226	< 1	0.01	42	290	14	< 2	1	24	< 0.01	< 10	< 10	12	< 10	128
579085	205 226	< 1	0.03	28	1560	6	4	1	33	< 0.01	< 10	< 10	14	< 10	66
579086	205 226	< 1	0.02	13	170	6	< 2	< 1	13	< 0.01	< 10	< 10	6	< 10	28
579087	205 226	< 1	0.02	13	100	4	< 2	< 1	11	< 0.01	< 10	< 10	7	< 10	26
579088	205 226	< 1	0.02	19	310	8	< 2	1	17	< 0.01	< 10	< 10	8	< 10	48
579089	205 226	< 1	0.02	13	220	12	2	1	17	< 0.01	< 10	< 10	6	< 10	28
579090	205 226	< 1	0.02	13	100	8	< 2	1	18	< 0.01	< 10	< 10	9	< 10	20
579091	205 226	< 1	0.02	17	170	18	2	1	17	< 0.01	< 10	< 10	10	< 10	32
579092	205 226	< 1	0.01	16	130	24	4	1	14	< 0.01	< 10	< 10	7	< 10	28
579093	205 226	< 1	0.02	27	250	12	2	1	25	< 0.01	< 10	< 10	11	< 10	70
579094	205 226	< 1	0.01	26	490	8	2	3	24	< 0.01	< 10	< 10	12	< 10	76
579095	205 226	2	0.02	7	3250	8	< 2	11	82	0.01	< 10	< 10	79	< 10	134
579096	205 226	2	0.02	5	3290	12	2	11	76	0.06	< 10	< 10	71	< 10	138
579097	205 226	2	0.02	9	3080	12	< 2	12	78	0.05	< 10	< 10	71	< 10	136
579098	205 226	2	0.01	9	2730	12	2	10	63	0.06	< 10	< 10	70	< 10	140
579099	205 226	2	0.02	9	2980	14	2	13	63	0.02	< 10	< 10	70	< 10	138
579100	205 226	2	0.02	7	3350	12	< 2	14	76	0.04	< 10	< 10	81	< 10	144
579101	205 226	< 1	0.02	24	930	6	10	7	36	< 0.01	< 10	< 10	17	< 10	62
579102	205 226	2	0.01	8	3130	14	2	15	73	0.04	< 10	< 10	61	< 10	126
579103	205 226	2	0.01	5	2890	14	2	21	110	< 0.01	< 10	< 10	51	< 10	130
579104	205 226	1	0.01	10	530	4	6	3	24	< 0.01	< 10	< 10	11	< 10	40
579105	205 226	< 1	0.01	10	190	2	6	1	15	< 0.01	< 10	< 10	6	< 10	24
579106	205 226	< 1	0.01	30	250	6	26	3	18	< 0.01	< 10	< 10	7	< 10	64
579107	205 226	< 1	0.01	14	230	6	14	2	17	< 0.01	< 10	< 10	7	< 10	32
579108	205 226	< 1	0.01	25	220	4	20	2	22	< 0.01	< 10	< 10	6	< 10	54
579109	205 226	< 1	0.02	27	280	6	28	2	20	< 0.01	< 10	< 10	10	< 10	70
579110	205 226	< 1	0.01	30	830	8	8	1	23	< 0.01	< 10	< 10	8	< 10	56
579111	205 226	< 1	0.02	33	300	6	6	1	29	< 0.01	< 10	< 10	14	< 10	88
579112	205 226	< 1	0.01	32	1460	18	2	1	38	< 0.01	< 10	< 10	14	< 10	96
579113	205 226	< 1	0.02	28	290	8	6	2	26	< 0.01	< 10	< 10	16	< 10	76
579114	205 226	< 1	0.01	39	1340	12	4	2	43	< 0.01	< 10	< 10	20	< 10	130
579115	205 226	2	0.02	4	2800	14	2	15	103	0.03	< 10	< 10	88	< 10	142
579116	205 226	< 1	0.01	39	910	8	4	1	30	< 0.01	< 10	< 10	12	< 10	98
579117	205 226	1	0.03	13	1720	12	< 2	9	121	0.01	< 10	< 10	43	< 10	100
579118	205 226	1	0.01	14	1900	12	2	8	100	0.05	< 10	< 10	44	< 10	120
579119	205 226	< 1	0.02	31	290	6	10	2	29	< 0.01	< 10	< 10	11	< 10	64

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

Project: YUKON RECCE
Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH

Page Number 1
Total Pages 12
Certificate Date: 10-OCT-95
Invoice No. : 19529756
P.O. Number : 05475
Account : KAVB

CERTIFICATE OF ANALYSIS

A9529756

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
579120	205	226	< 5	< 0.2	0.92	112	90	0.5	< 2	0.28	< 0.5	13	98	25	3.37	< 10	< 1	0.34	20	0.50	480
579121	205	226	< 5	< 0.2	0.16	16	10	< 0.5	< 2	0.13	< 0.5	5	33	23	1.85	< 10	< 1	0.06	10	0.24	325
579122	205	226	< 5	< 0.2	0.59	22	30	< 0.5	< 2	0.10	< 0.5	3	127	14	1.53	< 10	< 1	0.16	10	0.11	555
579123	205	226	385	1.4	0.19	3010	20	< 0.5	20	0.05	< 0.5	6	50	360	6.95	< 10	< 1	0.10	< 10	0.03	285
579124	205	226	240	< 0.2	0.69	>10000	70	< 0.5	2	0.32	< 0.5	10	64	62	2.65	< 10	< 1	0.33	10	0.08	290
579125	205	226	550	1.4	0.24	434	10	< 0.5	16	0.08	< 0.5	4	64	166	2.31	< 10	< 1	0.10	< 10	0.13	240
579126	205	226	260	0.4	0.68	522	30	< 0.5	12	0.08	< 0.5	4	96	118	2.02	< 10	< 1	0.20	10	0.14	245
579127	205	226	< 5	< 0.2	0.25	8	10	< 0.5	< 2	0.16	< 0.5	6	77	11	1.97	< 10	< 1	0.07	10	0.28	370
579128	205	226	< 5	< 0.2	0.93	16	60	< 0.5	< 2	0.15	< 0.5	9	70	29	3.04	< 10	< 1	0.26	20	0.46	510
579129	205	226	< 5	< 0.2	1.13	162	110	0.5	< 2	0.23	< 0.5	14	85	30	2.74	< 10	< 1	0.36	20	0.53	370
579130	205	226	< 5	< 0.2	0.79	38	60	< 0.5	< 2	0.23	< 0.5	8	75	18	2.13	< 10	< 1	0.26	10	0.29	290
579131	205	226	< 5	< 0.2	0.38	6	20	< 0.5	< 2	0.12	< 0.5	7	61	25	2.24	< 10	< 1	0.09	10	0.34	345
579132	205	226	< 5	< 0.2	1.32	70	110	0.5	< 2	0.22	< 0.5	15	78	19	2.29	< 10	< 1	0.36	30	0.47	300
579133	205	226	< 5	< 0.2	1.03	94	80	0.5	< 2	0.15	< 0.5	12	92	22	2.89	< 10	< 1	0.30	20	0.42	390
579134	205	226	3690	3.2	0.66	>10000	30	< 0.5	52	0.09	< 0.5	15	74	438	8.19	< 10	< 1	0.22	< 10	0.18	190
579135	205	226	195	< 0.2	0.30	3590	10	< 0.5	4	0.08	< 0.5	6	69	130	2.01	< 10	< 1	0.11	10	0.11	115
579136	205	226	35	< 0.2	0.58	684	30	< 0.5	2	0.09	< 0.5	5	111	66	1.56	< 10	< 1	0.14	10	0.14	180
579137	205	226	10	< 0.2	0.30	166	20	< 0.5	< 2	0.16	< 0.5	8	51	19	1.89	< 10	< 1	0.11	20	0.29	260
579138	205	226	< 5	< 0.2	1.07	186	100	0.5	< 2	0.35	< 0.5	18	37	52	3.51	< 10	< 1	0.44	40	0.61	415
579139	205	226	145	< 0.2	0.43	7520	20	< 0.5	2	0.21	< 0.5	14	47	20	2.45	< 10	< 1	0.13	10	0.31	235
579140	205	226	< 5	< 0.2	1.28	646	100	0.5	< 2	0.22	< 0.5	15	61	36	3.46	< 10	< 1	0.36	30	0.56	420
579141	205	226	2880	1.0	0.47	>10000	30	< 0.5	16	0.08	< 0.5	5	100	35	3.58	< 10	< 1	0.18	< 10	0.17	225
579142	205	226	380	< 0.2	1.04	2470	90	0.5	2	0.21	< 0.5	16	46	40	4.00	< 10	< 1	0.37	20	0.60	480
579143	205	226	30	< 0.2	0.21	1250	20	< 0.5	< 2	0.14	< 0.5	11	45	16	2.91	< 10	< 1	0.08	10	0.41	390
579144	205	226	< 5	< 0.2	0.66	76	40	< 0.5	< 2	0.12	< 0.5	6	86	15	1.33	< 10	< 1	0.21	10	0.21	250
579145	205	226	< 5	< 0.2	0.44	48	20	< 0.5	< 2	0.09	< 0.5	4	122	12	1.13	< 10	< 1	0.14	10	0.18	175
579146	205	226	55	< 0.2	0.80	30	80	0.5	< 2	0.20	< 0.5	15	40	37	3.02	< 10	< 1	0.34	30	0.54	505
579147	205	226	< 5	< 0.2	0.35	104	30	0.5	< 2	0.32	< 0.5	15	68	22	3.76	< 10	< 1	0.12	20	0.69	615
579148	205	226	< 5	< 0.2	1.03	40	80	0.5	< 2	0.25	< 0.5	12	87	23	3.14	< 10	< 1	0.32	20	0.60	515
579149	205	226	< 5	< 0.2	0.30	234	30	< 0.5	< 2	0.19	< 0.5	14	61	30	3.78	< 10	< 1	0.14	20	0.69	480
579150	205	226	< 5	< 0.2	0.86	646	70	< 0.5	< 2	0.14	< 0.5	13	108	36	3.16	< 10	< 1	0.26	20	0.56	425
579151	205	226	< 5	< 0.2	0.35	42	40	< 0.5	< 2	0.19	< 0.5	20	58	56	4.66	< 10	< 1	0.15	50	0.89	620
579152	205	226	40	< 0.2	0.98	502	90	0.5	< 2	0.20	< 0.5	21	56	45	4.00	< 10	< 1	0.36	30	0.76	540
579153	205	226	20	< 0.2	0.32	1055	30	< 0.5	< 2	0.21	< 0.5	16	63	31	3.33	< 10	< 1	0.11	10	0.48	455
579154	205	226	< 5	< 0.2	0.68	116	50	< 0.5	< 2	0.12	< 0.5	7	89	17	1.71	< 10	< 1	0.20	10	0.29	195

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: ENNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

Page Number 3
Total Pages 12
Certificate Date: 10-OCT-95
Invoice No. : I9529756
P.O. Number : 05475
Account : KAVB


Project: YUKON RECCE
Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH

CERTIFICATE OF ANALYSIS

A9529756

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
579120	205 226	< 1	0.02	28	400	8	10	2	29	< 0.01	< 10	< 10	15	< 10	62
579121	205 226	< 1	< 0.01	14	120	4	4	1	15	< 0.01	< 10	< 10	9	< 10	36
579122	205 226	< 1	< 0.01	9	120	6	6	1	10	< 0.01	< 10	< 10	7	< 10	24
579123	205 226	< 1	< 0.01	9	130	8	20	1	7	< 0.01	< 10	10	4	< 10	30
579124	205 226	< 1	0.01	16	1280	8	26	1	19	< 0.01	< 10	< 10	7	< 10	20
579125	205 226	< 1	< 0.01	11	90	8	16	< 1	9	< 0.01	< 10	< 10	7	< 10	18
579126	205 226	< 1	0.01	12	90	6	12	1	10	< 0.01	< 10	< 10	9	< 10	20
579127	205 226	< 1	0.01	11	340	4	< 2	1	14	< 0.01	< 10	< 10	13	< 10	34
579128	205 226	< 1	0.02	21	230	8	2	1	21	< 0.01	< 10	< 10	17	< 10	58
579129	205 226	< 1	0.02	28	440	6	2	2	30	< 0.01	< 10	< 10	22	< 10	40
579130	205 226	< 1	0.03	18	620	6	2	1	22	< 0.01	< 10	< 10	12	< 10	34
579131	205 226	< 1	0.01	14	110	6	< 2	1	13	< 0.01	< 10	< 10	14	< 10	38
579132	205 226	< 1	0.01	34	410	6	< 2	2	41	< 0.01	< 10	< 10	24	< 10	44
579133	205 226	< 1	0.02	25	200	6	2	1	23	< 0.01	< 10	< 10	19	< 10	54
579134	205 226	< 1	0.01	10	50	24	24	1	9	< 0.01	< 10	10	14	< 10	32
579135	205 226	< 1	0.01	10	80	4	4	< 1	11	< 0.01	< 10	< 10	7	< 10	14
579136	205 226	< 1	0.02	11	90	4	2	< 1	16	< 0.01	< 10	< 10	11	< 10	20
579137	205 226	< 1	0.01	18	250	4	4	< 1	17	< 0.01	< 10	< 10	12	< 10	42
579138	205 226	< 1	0.02	39	900	8	2	1	34	< 0.01	< 10	< 10	17	< 10	100
579139	205 226	< 1	0.01	20	580	6	4	1	18	< 0.01	< 10	< 10	14	< 10	42
579140	205 226	< 1	0.03	30	290	8	< 2	2	26	< 0.01	< 10	< 10	24	< 10	80
579141	205 226	1	0.02	10	90	122	26	< 1	9	< 0.01	< 10	< 10	10	< 10	22
579142	205 226	< 1	0.02	33	250	10	2	1	27	< 0.01	< 10	< 10	21	< 10	76
579143	205 226	< 1	0.01	24	130	6	2	1	16	< 0.01	< 10	< 10	22	< 10	70
579144	205 226	< 1	0.02	13	200	6	2	< 1	14	< 0.01	< 10	< 10	11	< 10	36
579145	205 226	< 1	0.01	11	100	6	< 2	< 1	12	< 0.01	< 10	< 10	9	< 10	26
579146	205 226	< 1	0.02	34	340	8	2	1	25	< 0.01	< 10	< 10	16	< 10	88
579147	205 226	< 1	0.01	29	410	8	2	1	30	< 0.01	< 10	< 10	20	< 10	64
579148	205 226	< 1	0.02	24	350	8	2	1	29	< 0.01	< 10	< 10	20	< 10	56
579149	205 226	< 1	0.01	31	250	6	2	1	24	< 0.01	< 10	< 10	19	< 10	64
579150	205 226	< 1	0.01	29	180	6	2	1	21	< 0.01	< 10	< 10	18	< 10	36
579151	205 226	< 1	0.01	42	230	8	2	1	38	< 0.01	< 10	< 10	21	< 10	102
579152	205 226	< 1	0.02	43	420	10	2	1	37	< 0.01	< 10	< 10	21	< 10	86
579153	205 226	< 1	0.01	34	420	10	2	1	25	< 0.01	< 10	< 10	20	< 10	70
579154	205 226	< 1	0.02	17	170	6	< 2	1	17	< 0.01	< 10	< 10	13	< 10	36

CERTIFICATION: 



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KENNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

RECEIVED OCT 26 1995

Page Number : 1-A
Total Pages : 2
Certificate Date: 17-OCT-95
Invoice No. : 19530394
P.O. Number :
Account : KAVB

Project : 05475
Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH CC: ROGER HULSTEIN

CERTIFICATE OF ANALYSIS A9530394

SH95-3
↓

SAMPLE	PREP CODE	Au ppb RUSH	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
579155	255 295	< 5 < 0.2	0.23	66	10 < 0.5	< 2	0.17 < 0.5	7	144	16	2.18 < 10	< 1	0.08	10	0.28	305				
579156	255 295	15 < 0.2	0.19	102	10 < 0.5	2	0.12 < 0.5	5	109	41	1.63 < 10	< 1	0.06	10	0.11	215				
579157	255 295	< 5 < 0.2	0.40	66	20 < 0.5	< 2	0.14 < 0.5	8	151	13	1.77 < 10	1	0.12	10	0.17	245				
579158	255 295	< 5 < 0.2	0.53	42	30 < 0.5	< 2	0.20 < 0.5	10	232	16	2.90 < 10	< 1	0.18	20	0.36	385				
579159	255 295	< 5 < 0.2	0.09	16	< 10 < 0.5	< 2	0.03 < 0.5	2	312	181	1.37 < 10	< 1	0.02	< 10	0.03	50				
579160	255 295	< 5 < 0.2	0.76	54	60 < 0.5	< 2	0.17 < 0.5	10	253	20	2.56 < 10	< 1	0.23	20	0.37	285				
579161	255 295	< 5 < 0.2	0.37	66	30 < 0.5	< 2	0.22 < 0.5	16	91	33	3.37 < 10	< 1	0.17	30	0.54	400				
579162	255 295	< 5 < 0.2	0.35	78	20 < 0.5	< 2	0.14 < 0.5	9	183	14	2.10 < 10	< 1	0.14	20	0.27	310				
579163	255 295	< 5 < 0.2	0.38	64	20 < 0.5	< 2	0.19 < 0.5	15	125	12	2.17 < 10	< 1	0.14	30	0.29	320				
579164	255 295	20 < 0.2	0.48	960	20 < 0.5	6	0.11 < 0.5	7	93	54	2.07 < 10	< 1	0.12	20	0.24	295				
579165	255 295	235 < 0.2	0.47	2830	20 < 0.5	14	0.11 < 0.5	8	96	69	2.60 < 10	< 1	0.11	20	0.24	310				
579166	255 295	45 < 0.2	1.00	1980	50 < 0.5	6	0.12 < 0.5	11	213	66	2.45 < 10	1	0.21	20	0.27	295				
579167	255 295	< 5 < 0.2	0.52	336	20 < 0.5	< 2	0.09 < 0.5	7	156	22	1.93 < 10	< 1	0.17	10	0.27	290				
579168	255 295	< 5 < 0.2	0.70	74	30 < 0.5	< 2	0.08 < 0.5	5	191	24	1.57 < 10	< 1	0.16	10	0.24	255				
579169	255 295	< 5 < 0.2	0.44	66	10 < 0.5	2	0.07 < 0.5	4	96	30	1.46 < 10	< 1	0.10	10	0.22	235				
579170	255 295	< 5 < 0.2	0.30	114	10 < 0.5	< 2	0.10 < 0.5	6	84	17	1.72 < 10	1	0.10	10	0.23	280				
579171	255 295	55 < 0.2	0.17	104	10 < 0.5	6	0.11 < 0.5	4	71	30	1.79 < 10	1	0.07	10	0.19	265				
579172	255 295	85 < 0.2	0.54	894	20 < 0.5	8	0.15 < 0.5	7	234	57	2.39 < 10	< 1	0.15	10	0.22	220				
579173	255 295	125 < 0.2	0.22	962	10 < 0.5	6	0.14 < 0.5	6	118	85	2.25 < 10	< 1	0.11	10	0.21	255				
579174	255 295	660 < 0.2	0.26	404	20 < 0.5	4	0.19 < 0.5	13	69	102	4.03 < 10	1	0.14	10	0.44	340				
579175	255 295	< 5 < 0.2	0.29	26	30 < 0.5	< 2	0.16 < 0.5	19	39	33	3.33 < 10	< 1	0.16	70	0.57	375				
579176	255 295	25 < 0.2	0.28	898	20 < 0.5	< 2	0.15 < 0.5	10	103	41	2.37 < 10	1	0.15	20	0.34	345				
579177	255 295	< 5 < 0.2	0.26	108	20 < 0.5	< 2	0.15 < 0.5	7	95	17	1.61 < 10	1	0.14	20	0.26	190				
579178	255 295	< 5 < 0.2	0.29	66	30 < 0.5	< 2	0.29 < 0.5	19	72	60	5.12 < 10	1	0.13	40	0.88	810				
579179	255 295	< 5 < 0.2	0.18	346	10 < 0.5	< 2	0.35 < 0.5	22	44	60	5.74 < 10	< 1	0.08	30	0.88	1025				
579180	255 295	40 < 0.2	0.23	788	20 < 0.5	4	0.27 < 0.5	17	42	62	2.77 < 10	< 1	0.10	30	0.25	360				
579181	255 295	< 5 < 0.2	0.25	18	20 < 0.5	< 2	0.39 < 0.5	14	72	42	6.08 < 10	1	0.09	20	0.79	820				
579182	255 295	15 < 0.2	0.80	68	60 < 0.5	< 2	0.34 < 0.5	15	151	38	4.01 < 10	< 1	0.24	20	0.49	550				
579183	255 295	260 < 0.2	0.30	142	10 < 0.5	6	0.23 < 0.5	9	55	82	2.41 < 10	< 1	0.09	10	0.30	230				
579184	255 295	5 < 0.2	0.40	126	20 < 0.5	< 2	0.62 < 0.5	14	89	65	3.50 < 10	< 1	0.12	20	0.61	395				
579185	255 295	< 5 < 0.2	0.57	152	20 < 0.5	< 2	1.27 < 0.5	11	78	34	3.95 < 10	< 1	0.13	20	1.07	540				
579186	255 295	< 5 < 0.2	1.09	20	40 < 0.5	< 2	0.37 < 0.5	22	69	50	4.47 < 10	< 1	0.30	60	0.82	565				
579187	255 295	< 5 < 0.2	0.73	60	20 < 0.5	< 2	0.35 < 0.5	17	52	38	4.48 < 10	< 1	0.13	40	0.80	575				
579188	255 295	< 5 < 0.2	0.44	94	100 < 0.5	< 2	0.08 < 0.5	4	101	18	1.00 < 10	< 1	0.09	10	0.17	305				
579189	255 295	< 5 < 0.2	0.22	32	10 < 0.5	< 2	0.04 < 0.5	10	85	16	1.40 < 10	< 1	0.13	10	0.19	215				
579190	255 295	< 5 < 0.2	0.26	50	20 < 0.5	< 2	0.06 < 0.5	7	80	28	1.73 < 10	< 1	0.14	20	0.16	230				
579191	255 295	< 5 < 0.2	0.21	72	10 < 0.5	< 2	0.04 < 0.5	5	86	11	1.04 < 10	< 1	0.09	10	0.11	120				
579192	255 295	< 5 < 0.2	0.37	44	20 < 0.5	< 2	0.04 < 0.5	5	97	14	1.24 < 10	1	0.12	10	0.19	140				
579193	255 295	< 5 < 0.2	1.19	118	80 < 0.5	< 2	0.08 < 0.5	9	188	34	2.41 < 10	< 1	0.30	20	0.49	300				
579194	255 295	< 5 < 0.2	1.01	28	50 < 0.5	< 2	0.19 < 0.5	12	56	17	2.99 < 10	< 1	0.24	30	0.64	455				

DOH
SH95-4
↓

Eric Finlayson

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KENNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4


Page Number : 1-B
Total Pages : 2
Certificate Date: 17-OCT-95
Invoice No. : 19530394
P.O. Number :
Account : KAVB

Project : 05475
Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH CC: ROGER HULSTEIN

CERTIFICATE OF ANALYSIS A9530394

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
579155	255 295	< 1	< 0.01	16	130	6	< 2	1	16	< 0.01	< 10	< 10	12	< 10	30
579156	255 295	< 1	< 0.01	13	120	4	2	1	12	< 0.01	< 10	< 10	7	< 10	20
579157	255 295	< 1	0.01	19	150	2	< 2	1	16	< 0.01	< 10	< 10	12	< 10	36
579158	255 295	< 1	0.01	24	140	6	< 2	1	19	< 0.01	< 10	< 10	15	< 10	38
579159	255 295	< 1	< 0.01	8	80	< 2	2	< 1	2	< 0.01	< 10	< 10	2	< 10	4
579160	255 295	< 1	0.02	24	230	4	< 2	2	22	< 0.01	< 10	< 10	20	< 10	50
579161	255 295	< 1	0.01	34	400	4	< 2	1	24	< 0.01	< 10	< 10	17	< 10	62
579162	255 295	< 1	0.01	20	240	4	2	1	16	< 0.01	< 10	< 10	13	< 10	32
579163	255 295	< 1	0.01	23	550	2	2	1	18	< 0.01	< 10	< 10	12	< 10	44
579164	255 295	< 1	0.01	15	200	2	2	1	17	< 0.01	< 10	< 10	12	< 10	22
579165	255 295	< 1	0.01	16	130	6	< 2	2	18	< 0.01	< 10	< 10	15	< 10	20
579166	255 295	< 1	0.03	20	160	4	< 2	2	24	< 0.01	< 10	< 10	19	< 10	26
579167	255 295	< 1	0.01	16	100	4	< 2	1	15	< 0.01	< 10	< 10	15	< 10	22
579168	255 295	< 1	0.02	15	100	4	< 2	1	14	< 0.01	< 10	< 10	13	< 10	26
579169	255 295	< 1	0.01	12	100	4	< 2	1	12	< 0.01	< 10	< 10	11	< 10	22
579170	255 295	< 1	0.01	16	120	4	< 2	1	15	< 0.01	< 10	< 10	11	< 10	24
579171	255 295	< 1	0.01	10	80	4	< 2	1	13	< 0.01	< 10	< 10	10	< 10	18
579172	255 295	< 1	0.02	16	130	4	< 2	1	18	< 0.01	< 10	< 10	12	< 10	18
579173	255 295	< 1	< 0.01	14	90	4	4	1	12	< 0.01	< 10	< 10	8	< 10	20
579174	255 295	< 1	0.01	30	180	6	< 2	1	18	< 0.01	< 10	< 10	16	< 10	56
579175	255 295	< 1	0.01	43	280	6	4	1	21	< 0.01	< 10	< 10	12	< 10	88
579176	255 295	< 1	0.01	27	260	16	10	1	16	< 0.01	< 10	< 10	9	< 10	42
579177	255 295	< 1	< 0.01	17	320	2	2	< 1	16	< 0.01	< 10	< 10	6	< 10	24
579178	255 295	< 1	0.01	40	250	6	22	1	101	< 0.01	< 10	< 10	17	< 10	86
579179	255 295	< 1	0.01	46	390	4	4	2	55	< 0.01	< 10	< 10	22	< 10	84
579180	255 295	< 1	< 0.01	44	700	10	2	1	22	< 0.01	< 10	< 10	12	< 10	114
579181	255 295	< 1	0.01	31	260	6	< 2	1	30	< 0.01	< 10	< 10	18	< 10	70
579182	255 295	< 1	0.02	35	270	6	< 2	1	30	< 0.01	< 10	< 10	19	< 10	64
579183	255 295	< 1	< 0.01	21	180	4	< 2	1	20	< 0.01	< 10	< 10	13	< 10	26
579184	255 295	< 1	0.01	30	200	6	< 2	1	35	< 0.01	< 10	< 10	16	< 10	44
579185	255 295	< 1	0.01	23	230	6	< 2	1	72	< 0.01	< 10	< 10	17	< 10	58
579186	255 295	< 1	0.01	42	430	8	< 2	2	29	< 0.01	< 10	< 10	19	< 10	102
579187	255 295	< 1	0.01	39	320	6	< 2	1	24	< 0.01	< 10	< 10	14	< 10	70
579188	255 295	< 1	0.01	9	140	12	2	< 1	7	< 0.01	< 10	< 10	6	< 10	16
579189	255 295	< 1	0.01	26	110	4	4	< 1	4	< 0.01	< 10	< 10	3	< 10	36
579190	255 295	< 1	0.01	18	120	6	8	1	6	< 0.01	< 10	< 10	5	< 10	30
579191	255 295	< 1	0.01	11	110	4	4	< 1	4	< 0.01	< 10	< 10	3	< 10	22
579192	255 295	< 1	0.01	15	130	4	< 2	< 1	6	< 0.01	< 10	< 10	6	< 10	22
579193	255 295	< 1	0.02	19	110	4	< 2	1	11	< 0.01	< 10	< 10	16	< 10	30
579194	255 295	< 1	0.01	30	520	4	< 2	1	15	< 0.01	< 10	< 10	14	< 10	50

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: KENNECOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4


Page Number :2-A
 Total Pages :2
 Certificate Date: 17-OCT-95
 Invoice No. : I9530394
 P.O. Number :
 Account : KAVB

Project : 05475
 Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH CC: ROGER HULSTEIN

CERTIFICATE OF ANALYSIS A9530394

SAMPLE	PREP CODE		Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
	RUSH	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
579195	255	295	< 5	< 0.2	1.09	12	20	< 0.5	< 2	0.21	< 0.5	16	80	32	3.30	< 10	< 1	0.12	20	0.62	495
579196	255	295	< 5	< 0.2	1.45	18	50	< 0.5	< 2	0.16	< 0.5	14	117	35	3.69	< 10	< 1	0.23	20	0.73	555
579197	255	295	< 5	< 0.2	1.47	6	20	< 0.5	< 2	0.22	< 0.5	18	62	43	4.31	< 10	< 1	0.14	30	0.87	625
579198	255	295	< 5	< 0.2	0.65	12	10	< 0.5	< 2	0.06	< 0.5	6	77	17	1.77	< 10	< 1	0.07	10	0.41	270
579199	255	295	< 5	< 0.2	0.65	134	20	< 0.5	< 2	0.08	< 0.5	6	76	28	1.86	< 10	< 1	0.12	10	0.42	215
579200	255	295	< 5	< 0.2	1.78	8	20	< 0.5	< 2	0.21	< 0.5	15	55	55	4.61	< 10	< 1	0.10	30	0.99	570

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KENNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

Page Number : 2-B
Total Pages : 2
Certificate Date: 17-OCT-95
Invoice No. : 19530394
P.O. Number :
Account : KAVB

Project : 05475
Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH CC: ROGER HULSTEIN

CERTIFICATE OF ANALYSIS

A9530394

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
579195	255 295	< 1	0.01	31	690	4	< 2	1	18	< 0.01	< 10	< 10	12	< 10	70
579196	255 295	< 1	0.02	32	330	6	< 2	1	17	< 0.01	< 10	< 10	17	< 10	76
579197	255 295	< 1	0.01	41	600	6	< 2	1	17	< 0.01	< 10	< 10	15	< 10	96
579198	255 295	< 1	< 0.01	15	110	4	< 2	< 1	6	< 0.01	< 10	< 10	10	< 10	34
579199	255 295	< 1	< 0.01	15	150	2	< 2	1	7	< 0.01	< 10	< 10	10	< 10	24
579200	255 295	< 1	< 0.01	37	610	4	< 2	1	15	< 0.01	< 10	< 10	18	< 10	96

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: KENNECOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 17-OCT-95
 Invoice No. : 19530395
 P.O. Number :
 Account : KAVB

RECEIVED OCT 26 1995

Project : 05475
 Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH CC: ROGER HULSTEIN

CERTIFICATE OF ANALYSIS A9530395

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	RUSH																				
579201	255	295	85	< 0.2	0.79	504	100	< 0.5	< 2	0.19	< 0.5	8	157	93	2.84	< 10	1	0.22	20	0.40	365
579202	255	295	< 5	< 0.2	0.75	60	70	< 0.5	< 2	0.15	< 0.5	7	197	35	1.82	< 10	1	0.23	20	0.36	260
579203	255	295	< 5	< 0.2	1.45	100	60	< 0.5	< 2	0.20	< 0.5	12	156	29	3.73	< 10	< 1	0.26	30	0.72	495
579204	255	295	< 5	< 0.2	2.00	144	60	< 0.5	< 2	0.18	< 0.5	17	80	49	4.54	< 10	< 1	0.23	60	0.91	620
579205	255	295	< 5	< 0.2	1.50	228	50	< 0.5	< 2	0.20	< 0.5	18	65	45	4.13	< 10	< 1	0.18	40	0.81	575
579206	255	295	< 5	< 0.2	1.59	80	40	< 0.5	< 2	0.19	0.5	18	76	40	4.25	< 10	< 1	0.19	40	0.80	555
579207	255	295	< 5	< 0.2	1.42	84	40	0.5	< 2	0.40	< 0.5	18	62	55	4.57	< 10	< 1	0.21	30	0.75	600
579208	255	295	< 5	< 0.2	1.58	96	50	0.5	< 2	0.32	< 0.5	21	71	53	4.71	< 10	< 1	0.24	30	0.77	650
579209	255	295	30	< 0.2	1.68	810	40	< 0.5	< 2	0.18	< 0.5	18	86	41	4.60	< 10	< 1	0.17	40	0.87	660
579210	255	295	30	0.6	0.90	2300	40	0.5	< 2	0.26	3.0	19	55	39	5.06	< 10	< 1	0.21	20	0.73	815
579211	255	295	< 5	< 0.2	0.81	190	60	< 0.5	< 2	0.13	< 0.5	12	116	18	1.99	< 10	1	0.29	20	0.41	210
579212	255	295	< 5	< 0.2	0.73	58	40	< 0.5	< 2	0.13	< 0.5	8	95	26	2.12	< 10	< 1	0.26	20	0.41	220
579213	255	295	< 5	< 0.2	0.77	48	60	< 0.5	< 2	0.20	< 0.5	9	126	10	2.13	< 10	1	0.30	20	0.40	265
579214	255	295	85	< 0.2	0.90	366	40	< 0.5	8	0.10	< 0.5	5	148	118	2.31	< 10	< 1	0.16	10	0.34	245
579215	255	295	< 5	< 0.2	0.50	10	20	< 0.5	< 2	0.13	< 0.5	6	114	6	1.95	< 10	< 1	0.15	20	0.30	230
579216	255	295	< 5	< 0.2	0.93	176	50	< 0.5	< 2	0.12	< 0.5	7	126	55	2.40	< 10	< 1	0.22	20	0.39	270
579217	255	295	40	< 0.2	0.51	58	30	< 0.5	< 2	0.09	< 0.5	4	149	32	1.55	< 10	1	0.13	10	0.21	200
579218	255	295	< 5	< 0.2	0.64	8	40	< 0.5	< 2	0.15	< 0.5	10	98	26	2.47	< 10	< 1	0.16	20	0.35	350
579219	255	295	< 5	< 0.2	0.50	12	40	< 0.5	< 2	0.16	< 0.5	11	154	18	2.70	< 10	1	0.15	20	0.34	380
579220	255	295	< 5	< 0.2	0.36	4	20	< 0.5	< 2	0.12	< 0.5	5	144	13	2.15	< 10	< 1	0.12	10	0.23	515
579221	255	295	40	< 0.2	0.42	20	30	< 0.5	< 2	0.11	< 0.5	6	145	19	2.07	< 10	< 1	0.14	20	0.27	240
579222	255	295	15	< 0.2	0.41	158	20	< 0.5	< 2	0.14	< 0.5	7	152	52	2.93	< 10	< 1	0.12	10	0.28	495
579223	255	295	< 5	< 0.2	1.18	60	50	< 0.5	< 2	0.30	< 0.5	16	109	35	4.43	< 10	1	0.22	40	0.80	745
579224	255	295	< 5	< 0.2	1.66	230	60	< 0.5	< 2	0.25	< 0.5	18	107	52	4.04	< 10	1	0.32	40	0.87	540
579225	255	295	< 5	< 0.2	1.88	32	40	< 0.5	< 2	0.17	< 0.5	19	85	50	4.36	< 10	< 1	0.22	40	0.97	520
579226	255	295	< 5	< 0.2	2.13	100	40	< 0.5	< 2	0.16	< 0.5	16	90	45	4.56	< 10	1	0.19	30	1.05	675
579227	255	295	< 5	< 0.2	2.11	74	40	< 0.5	< 2	0.21	< 0.5	19	80	51	4.62	< 10	< 1	0.16	30	1.01	715
579228	255	295	< 5	< 0.2	2.32	30	40	< 0.5	< 2	0.24	< 0.5	17	86	49	4.87	< 10	< 1	0.20	30	1.07	730
579229	255	295	< 5	< 0.2	1.38	18	30	< 0.5	< 2	0.08	< 0.5	11	112	35	2.76	< 10	1	0.13	30	0.65	385
579230	255	295	< 5	< 0.2	2.21	6	40	< 0.5	< 2	0.14	< 0.5	16	114	52	4.23	< 10	1	0.20	60	0.96	560
579231	255	295	< 5	< 0.2	1.96	4	40	< 0.5	< 2	0.18	< 0.5	15	96	44	4.20	< 10	< 1	0.17	40	0.86	565
579232	255	295	< 5	< 0.2	2.14	6	50	< 0.5	< 2	0.17	< 0.5	15	129	38	4.17	< 10	< 1	0.21	50	0.87	565
579233	255	295	< 5	< 0.2	1.90	8	30	< 0.5	< 2	0.14	< 0.5	15	127	40	3.87	< 10	< 1	0.14	30	0.86	485
579234	255	295	< 5	< 0.2	1.75	42	30	0.5	< 2	0.25	< 0.5	16	77	46	4.21	< 10	1	0.15	30	0.82	630
579235	255	295	< 5	< 0.2	1.23	446	50	0.5	< 2	0.29	< 0.5	18	86	44	4.38	< 10	< 1	0.21	40	0.70	620
579236	255	295	< 5	< 0.2	0.29	88	10	< 0.5	< 2	0.13	< 0.5	4	132	7	1.48	< 10	< 1	0.09	10	0.14	260
579237	255	295	50	< 0.2	0.38	100	20	< 0.5	< 2	0.10	< 0.5	3	173	18	1.18	< 10	1	0.11	10	0.12	175
579238	255	295	75	< 0.2	0.54	686	20	< 0.5	< 2	0.12	< 0.5	6	129	32	1.65	< 10	< 1	0.14	10	0.19	185
579239	255	295	< 5	< 0.2	1.74	52	50	< 0.5	< 2	0.20	< 0.5	17	98	35	4.13	< 10	< 1	0.26	40	0.85	580

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: KENNECOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 17-OCT-95
 Invoice No. : 19530395
 P.O. Number :
 Account : KAVB

Project : 05475
 Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH CC: ROGER HULSTEIN


CERTIFICATE OF ANALYSIS

A9530395

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
579201	255	295	< 1	0.02	21	200	6	2	1	12	< 0.01	< 10	< 10	10	< 10	32
579202	255	295	< 1	0.01	20	240	32	< 2	1	13	< 0.01	< 10	< 10	11	< 10	18
579203	255	295	< 1	0.02	27	260	4	< 2	1	22	< 0.01	< 10	< 10	16	< 10	62
579204	255	295	< 1	0.03	43	440	< 2	< 2	2	25	< 0.01	< 10	< 10	19	< 10	98
579205	255	295	< 1	0.02	46	420	2	< 2	1	26	< 0.01	< 10	< 10	18	< 10	86
579206	255	295	< 1	0.02	44	470	6	< 2	1	31	< 0.01	< 10	< 10	17	< 10	116
579207	255	295	< 1	0.02	44	1180	4	< 2	2	45	< 0.01	< 10	< 10	20	< 10	110
579208	255	295	< 1	0.03	49	840	6	< 2	2	42	< 0.01	< 10	< 10	21	< 10	122
579209	255	295	< 1	0.01	41	450	6	< 2	1	21	< 0.01	< 10	< 10	21	< 10	112
579210	255	295	< 1	0.01	41	400	118	4	2	25	< 0.01	< 10	< 10	18	< 10	156
579211	255	295	< 1	0.01	22	220	4	< 2	1	14	< 0.01	< 10	< 10	15	< 10	36
579212	255	295	< 1	0.01	20	220	2	< 2	1	15	< 0.01	< 10	< 10	14	< 10	36
579213	255	295	< 1	0.01	20	490	4	< 2	1	15	< 0.01	< 10	< 10	16	< 10	40
579214	255	295	< 1	0.02	14	110	6	< 2	2	14	< 0.01	< 10	< 10	16	< 10	16
579215	255	295	< 1	0.01	14	90	2	< 2	1	12	< 0.01	< 10	< 10	10	< 10	30
579216	255	295	< 1	0.01	17	110	2	< 2	2	15	< 0.01	< 10	< 10	17	< 10	26
579217	255	295	< 1	0.01	13	80	4	< 2	1	11	< 0.01	< 10	< 10	12	< 10	20
579218	255	295	< 1	0.01	23	200	6	< 2	1	14	< 0.01	< 10	< 10	15	< 10	52
579219	255	295	< 1	0.01	25	230	6	< 2	1	14	< 0.01	< 10	< 10	14	< 10	50
579220	255	295	< 1	0.01	14	120	6	< 2	1	11	< 0.01	< 10	< 10	11	< 10	26
579221	255	295	< 1	0.01	17	130	4	< 2	1	11	< 0.01	< 10	< 10	12	< 10	28
579222	255	295	< 1	0.01	16	120	4	< 2	1	13	< 0.01	< 10	< 10	14	< 10	28
579223	255	295	< 1	0.01	37	570	6	< 2	1	26	< 0.01	< 10	< 10	18	< 10	84
579224	255	295	< 1	0.01	40	310	6	< 2	2	23	< 0.01	< 10	< 10	20	< 10	72
579225	255	295	< 1	0.01	43	330	6	< 2	1	20	< 0.01	< 10	< 10	19	< 10	86
579226	255	295	< 1	0.02	39	370	6	< 2	1	19	< 0.01	< 10	< 10	20	< 10	90
579227	255	295	< 1	0.01	42	650	6	< 2	2	17	0.01	< 10	< 10	23	< 10	86
579228	255	295	< 1	0.01	41	750	4	< 2	2	19	0.01	< 10	< 10	24	< 10	92
579229	255	295	< 1	0.01	25	240	4	< 2	1	12	< 0.01	< 10	< 10	14	< 10	58
579230	255	295	1	0.02	36	480	6	< 2	1	17	0.01	< 10	< 10	19	< 10	94
579231	255	295	< 1	0.02	36	440	8	< 2	2	21	< 0.01	< 10	< 10	20	< 10	96
579232	255	295	< 1	0.02	35	410	6	< 2	2	21	< 0.01	< 10	< 10	22	< 10	90
579233	255	295	1	0.01	36	360	4	< 2	1	17	0.01	< 10	< 10	20	< 10	82
579234	255	295	< 1	0.01	36	660	8	< 2	1	21	< 0.01	< 10	< 10	19	< 10	90
579235	255	295	< 1	0.02	43	440	8	< 2	1	28	< 0.01	< 10	< 10	18	< 10	80
579236	255	295	< 1	0.01	11	140	6	< 2	1	10	< 0.01	< 10	< 10	8	< 10	18
579237	255	295	< 1	0.01	9	90	4	< 2	1	11	< 0.01	< 10	< 10	9	< 10	16
579238	255	295	< 1	0.01	13	110	4	< 2	1	15	< 0.01	< 10	< 10	13	< 10	20
579239	255	295	< 1	0.01	41	450	4	< 2	2	21	< 0.01	< 10	< 10	22	< 10	82

CERTIFICATION: _____

Hold 4



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: KENNECOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4

RECEIVED OCT 26 1995

Page Number :1-A
 Total Pages :2
 Certificate Date: 17-OCT-95
 Invoice No. :I9530393
 P.O. Number :
 Account :KAVB

Project : 05475
 Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH CC: ROGER HULSTEIN

CERTIFICATE OF ANALYSIS A9530393

SAMPLE	PREP CODE	Au ppb RUSH	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
579240	255 295	< 5	< 0.2	1.79	14	40	< 0.5	< 2	0.21	< 0.5	21	92	54	4.31	< 10	< 1	0.18	30	0.86	555
579241	255 295	< 5	< 0.2	1.84	12	40	0.5	< 2	0.19	< 0.5	20	97	40	4.42	< 10	< 1	0.24	40	0.90	530
579242	255 295	< 5	< 0.2	1.82	36	30	< 0.5	< 2	0.10	< 0.5	13	147	32	3.91	< 10	1	0.13	20	0.89	770
579243	255 295	< 5	< 0.2	0.99	24	30	< 0.5	< 2	0.12	< 0.5	7	145	9	2.15	< 10	< 1	0.15	20	0.46	335
579244	255 295	< 5	< 0.2	1.84	12	30	0.5	< 2	0.19	< 0.5	21	97	43	4.51	< 10	< 1	0.17	30	0.89	635
579245	255 295	< 5	< 0.2	1.14	520	40	< 0.5	< 2	0.17	< 0.5	10	146	17	2.61	< 10	< 1	0.19	20	0.48	410
579246	255 295	< 5	< 0.2	0.87	94	30	< 0.5	< 2	0.10	< 0.5	8	144	8	2.14	< 10	1	0.16	20	0.39	335
579247	255 295	< 5	< 0.2	0.85	70	30	< 0.5	2	0.15	< 0.5	7	106	17	1.99	< 10	< 1	0.13	10	0.36	405
579248	255 295	< 5	< 0.2	1.35	52	50	< 0.5	< 2	0.14	< 0.5	14	130	25	3.08	< 10	1	0.29	20	0.69	370
579249	255 295	< 5	< 0.2	1.31	42	50	< 0.5	< 2	0.12	< 0.5	11	149	22	2.85	< 10	1	0.28	20	0.63	335
579250	255 295	< 5	< 0.2	1.45	24	50	< 0.5	< 2	0.12	< 0.5	13	134	26	3.04	< 10	1	0.28	20	0.71	350
579251	255 295	< 5	< 0.2	0.98	18	30	< 0.5	< 2	0.12	< 0.5	10	138	17	2.28	< 10	1	0.18	20	0.49	295
579252	255 295	< 5	< 0.2	0.89	40	30	< 0.5	< 2	0.14	< 0.5	14	100	40	2.70	< 10	< 1	0.18	30	0.53	355
579253	255 295	85	< 0.2	0.44	338	20	< 0.5	6	0.12	< 0.5	6	144	87	2.77	< 10	< 1	0.12	10	0.25	235
579254	255 295	< 5	< 0.2	1.32	24	30	< 0.5	< 2	0.23	< 0.5	11	102	25	3.69	< 10	1	0.18	20	0.71	435
579255	255 295	< 5	< 0.2	0.70	134	20	< 0.5	< 2	0.11	< 0.5	6	168	11	1.98	< 10	< 1	0.11	10	0.34	285
579256	255 295	< 5	< 0.2	1.02	18	30	< 0.5	< 2	0.09	< 0.5	8	120	18	2.24	< 10	< 1	0.18	20	0.47	255
579257	255 295	45	< 0.2	0.88	134	60	< 0.5	6	0.13	< 0.5	4	153	90	2.88	< 10	< 1	0.10	10	0.36	335
579258	255 295	< 5	< 0.2	0.90	56	30	< 0.5	< 2	0.09	< 0.5	7	167	13	1.90	< 10	< 1	0.18	20	0.44	250
579259	255 295	< 5	< 0.2	1.25	110	50	< 0.5	< 2	0.15	< 0.5	10	129	14	2.60	< 10	1	0.30	20	0.60	320
579260	255 295	50	< 0.2	1.13	808	80	0.5	< 2	0.22	< 0.5	22	110	35	3.19	< 10	< 1	0.40	40	0.57	355
579261	255 295	< 5	< 0.2	1.64	56	60	< 0.5	< 2	0.18	< 0.5	25	101	56	4.14	< 10	< 1	0.31	60	0.84	445
579262	255 295	< 5	< 0.2	1.35	32	80	0.5	< 2	0.31	< 0.5	30	101	53	4.99	< 10	< 1	0.35	60	0.88	430
579263	255 295	< 5	< 0.2	1.51	38	60	0.5	< 2	0.21	< 0.5	22	76	53	4.40	< 10	< 1	0.33	60	0.86	380
579264	255 295	< 5	< 0.2	0.88	30	40	0.5	< 2	0.38	< 0.5	13	142	18	2.93	< 10	< 1	0.21	20	0.65	400
579265	255 295	< 5	< 0.2	0.71	26	40	0.5	< 2	0.43	< 0.5	22	77	58	4.95	< 10	< 1	0.27	40	0.97	550
579266	255 295	20	< 0.2	0.61	580	60	0.5	< 2	0.36	< 0.5	24	76	42	3.74	< 10	1	0.26	40	0.63	360
579267	255 295	< 5	< 0.2	0.86	62	30	< 0.5	< 2	0.35	< 0.5	14	77	26	4.08	< 10	< 1	0.16	30	0.69	660
579268	255 295	< 5	< 0.2	0.62	174	30	< 0.5	< 2	0.21	< 0.5	9	131	13	2.13	< 10	< 1	0.16	20	0.40	285
579269	255 295	< 5	< 0.2	0.60	184	30	< 0.5	< 2	0.23	< 0.5	8	118	10	2.07	< 10	< 1	0.15	20	0.43	260
579270	255 295	< 5	< 0.2	0.42	184	20	< 0.5	< 2	0.14	< 0.5	6	114	19	1.64	< 10	< 1	0.13	10	0.25	220
579271	255 295	30	< 0.2	0.52	1140	30	< 0.5	< 2	0.16	< 0.5	9	120	15	2.49	< 10	< 1	0.17	20	0.34	330
579272	255 295	150	0.6	0.51	4880	30	< 0.5	< 2	0.13	< 0.5	10	120	43	2.49	< 10	< 1	0.18	10	0.24	240
579273	255 295	540	1.0	0.69	5990	40	< 0.5	10	0.20	0.5	14	96	182	3.73	< 10	1	0.23	20	0.37	320
579274	255 295	< 5	< 0.2	0.85	52	50	< 0.5	< 2	0.20	< 0.5	14	170	18	3.13	< 10	< 1	0.24	30	0.42	410
579275	255 295	5	< 0.2	0.47	1115	30	< 0.5	< 2	0.21	< 0.5	10	172	22	2.48	< 10	< 1	0.18	20	0.27	315
579276	255 295	95	0.4	0.40	576	10	0.5	< 2	0.19	< 0.5	5	121	16	2.93	< 10	< 1	0.12	10	0.28	410
579277	255 295	10	< 0.2	0.27	126	10	< 0.5	< 2	0.09	< 0.5	5	166	42	1.22	< 10	< 1	0.12	10	0.11	125
579278	255 295	< 5	< 0.2	0.30	104	10	< 0.5	< 2	0.11	< 0.5	5	162	23	1.51	< 10	1	0.12	10	0.17	170
579279	255 295	710	0.2	0.27	388	10	< 0.5	12	0.14	< 0.5	5	130	209	3.35	< 10	< 1	0.10	10	0.16	175

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KENNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

Page Number :1-B
Total Pages :2
Certificate Date: 17-OCT-95
Invoice No. :I9530393
P.O. Number :
Account :KAVB

Project : 05475
Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH CC: ROGER HULSTEIN

CERTIFICATE OF ANALYSIS

A9530393

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
579240	255	295	< 1	0.02	42	600	6	< 2	2	19	< 0.01	< 10	< 10	21	< 10	94
579241	255	295	< 1	0.02	41	430	6	< 2	2	20	< 0.01	< 10	< 10	22	< 10	100
579242	255	295	< 1	0.01	30	130	8	< 2	4	18	0.01	< 10	< 10	34	< 10	72
579243	255	295	< 1	0.01	17	270	4	< 2	1	15	< 0.01	< 10	< 10	14	< 10	36
579244	255	295	< 1	0.02	43	400	6	< 2	2	20	< 0.01	< 10	< 10	22	< 10	102
579245	255	295	< 1	0.01	23	440	4	2	1	19	< 0.01	< 10	< 10	16	< 10	50
579246	255	295	< 1	0.01	18	140	4	< 2	1	14	< 0.01	< 10	< 10	14	< 10	36
579247	255	295	< 1	0.01	17	270	4	< 2	2	22	< 0.01	< 10	< 10	19	< 10	28
579248	255	295	< 1	0.01	30	250	4	< 2	2	19	0.01	< 10	< 10	24	< 10	50
579249	255	295	< 1	0.02	26	190	4	< 2	2	17	< 0.01	< 10	< 10	24	< 10	48
579250	255	295	< 1	0.01	29	230	4	< 2	2	16	0.01	< 10	< 10	22	< 10	56
579251	255	295	< 1	0.02	22	310	4	< 2	1	16	< 0.01	< 10	< 10	14	< 10	42
579252	255	295	< 1	0.01	28	250	6	< 2	1	20	< 0.01	< 10	< 10	14	< 10	60
579253	255	295	< 1	0.01	13	120	16	2	1	14	< 0.01	< 10	< 10	10	< 10	14
579254	255	295	< 1	0.01	30	580	4	< 2	2	23	< 0.01	< 10	< 10	24	< 10	58
579255	255	295	< 1	0.02	16	90	4	< 2	2	14	< 0.01	< 10	< 10	18	< 10	28
579256	255	295	< 1	0.02	20	140	4	2	1	13	< 0.01	< 10	< 10	17	< 10	38
579257	255	295	< 1	0.02	12	140	4	< 2	2	19	< 0.01	< 10	< 10	15	< 10	12
579258	255	295	< 1	0.02	17	210	4	< 2	1	13	< 0.01	< 10	< 10	14	< 10	28
579259	255	295	< 1	0.01	22	310	4	< 2	1	16	0.01	< 10	< 10	17	< 10	30
579260	255	295	< 1	0.02	44	360	6	< 2	1	26	< 0.01	< 10	< 10	14	< 10	18
579261	255	295	< 1	0.01	49	270	6	< 2	1	23	< 0.01	< 10	< 10	19	< 10	82
579262	255	295	< 1	0.03	47	320	6	2	2	41	< 0.01	< 10	< 10	22	< 10	96
579263	255	295	< 1	0.02	43	280	6	< 2	2	28	< 0.01	< 10	< 10	20	< 10	90
579264	255	295	< 1	0.01	27	420	8	< 2	1	39	< 0.01	< 10	< 10	17	< 10	62
579265	255	295	< 1	0.02	45	370	10	< 2	2	59	< 0.01	< 10	< 10	18	< 10	102
579266	255	295	< 1	0.01	48	340	6	< 2	1	38	< 0.01	< 10	< 10	13	< 10	50
579267	255	295	< 1	0.01	31	530	8	< 2	2	33	< 0.01	< 10	< 10	19	< 10	72
579268	255	295	< 1	0.01	22	180	4	< 2	1	22	< 0.01	< 10	< 10	14	< 10	40
579269	255	295	< 1	0.01	20	170	4	< 2	1	24	< 0.01	< 10	< 10	13	< 10	34
579270	255	295	< 1	0.01	14	150	2	< 2	1	16	< 0.01	< 10	< 10	12	< 10	18
579271	255	295	< 1	0.01	21	200	2	< 2	1	17	< 0.01	< 10	< 10	16	< 10	34
579272	255	295	< 1	0.02	21	210	6	6	1	13	< 0.01	< 10	< 10	13	< 10	28
579273	255	295	< 1	0.01	28	320	10	4	2	19	< 0.01	< 10	< 10	17	< 10	44
579274	255	295	< 1	0.01	33	350	6	2	2	20	< 0.01	< 10	< 10	20	< 10	66
579275	255	295	< 1	0.01	24	390	2	4	1	17	< 0.01	< 10	< 10	14	< 10	40
579276	255	295	< 1	0.01	12	110	176	4	1	18	< 0.01	< 10	< 10	9	< 10	22
579277	255	295	< 1	0.01	12	90	4	< 2	< 1	9	< 0.01	< 10	< 10	7	< 10	20
579278	255	295	< 1	0.01	12	80	4	2	1	11	< 0.01	< 10	< 10	9	< 10	20
579279	255	295	< 1	0.01	11	90	2	2	1	14	< 0.01	< 10	< 10	9	< 10	12

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: KENNECOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4


Page Number :2-A
 Total Pages :2
 Certificate Date: 17-OCT-95
 Invoice No. :19530393
 P.O. Number :
 Account :KAVB

Project : 05475
 Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH CC: ROGER HULSTEIN

CERTIFICATE OF ANALYSIS A9530393

SAMPLE	PREP CODE	Au ppb RUSH	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
H264 579280	255 295	< 5	< 0.2	0.37	68	30	< 0.5	< 2	0.18	< 0.5	13	88	32	2.28	< 10	< 1	0.17	40	0.28	280
	255 295	< 5	< 0.2	0.32	84	40	< 0.5	< 2	0.20	< 0.5	20	68	47	2.85	< 10	< 1	0.17	60	0.37	470
	255 295	15	< 0.2	0.25	368	20	< 0.5	< 2	0.20	< 0.5	12	71	22	2.73	< 10	< 1	0.12	20	0.44	325
	255 295	95	< 0.2	0.55	164	30	< 0.5	6	0.17	< 0.5	11	119	96	3.20	< 10	< 1	0.15	10	0.33	260
579284	255 295	10	< 0.2	0.27	474	20	< 0.5	< 2	0.13	< 0.5	9	111	20	2.20	< 10	< 1	0.10	10	0.30	265
579285	255 295	75	< 0.2	0.33	1730	20	< 0.5	< 2	0.22	< 0.5	16	66	47	3.40	< 10	< 1	0.14	30	0.48	415
	255 295	475	0.4	0.26	1010	10	< 0.5	6	0.13	< 0.5	7	85	125	2.84	< 10	< 1	0.11	20	0.26	215
	255 295	< 5	< 0.2	0.33	54	30	< 0.5	< 2	0.24	< 0.5	14	76	23	4.29	< 10	< 1	0.14	30	0.67	595
	255 295	< 5	< 0.2	1.02	40	70	< 0.5	< 2	0.14	< 0.5	12	204	31	2.73	< 10	< 1	0.28	20	0.49	365
	255 295	< 5	< 0.2	0.45	142	20	< 0.5	< 2	0.34	< 0.5	14	90	39	3.75	< 10	< 1	0.16	30	0.61	465
F.O.V. 579290	255 295	< 5	< 0.2	0.43	134	20	< 0.5	< 2	0.33	< 0.5	13	86	41	3.55	< 10	< 1	0.16	30	0.57	425
	255 295	< 5	< 0.2	0.42	36	30	< 0.5	< 2	0.24	< 0.5	21	66	29	4.17	< 10	< 1	0.14	60	0.57	590

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KENNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

Page Number :2-B
Total Pages :2
Certificate Date: 17-OCT-95
Invoice No. :19530393
P.O. Number :
Account :KAVB

Project : 05475
Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH CC: ROGER HULSTEIN

CERTIFICATE OF ANALYSIS

A9530393

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
579280	255	295	< 1	0.01	31	420	2	< 2	1	18	< 0.01	< 10	< 10	12	< 10	68
579281	255	295	< 1	0.01	44	410	4	2	1	20	< 0.01	< 10	< 10	12	< 10	88
579282	255	295	< 1	< 0.01	26	320	4	4	1	23	< 0.01	< 10	< 10	11	< 10	40
579283	255	295	< 1	0.01	27	300	4	6	2	20	< 0.01	< 10	< 10	19	< 10	44
579284	255	295	< 1	< 0.01	23	140	6	2	1	15	< 0.01	< 10	< 10	14	< 10	42
579285	255	295	1	< 0.01	37	310	8	< 2	1	24	< 0.01	< 10	< 10	15	< 10	32
579286	255	295	< 1	< 0.01	17	130	6	4	< 1	13	< 0.01	< 10	< 10	9	< 10	14
579287	255	295	< 1	0.01	33	400	4	< 2	1	39	< 0.01	< 10	< 10	16	< 10	58
579288	255	295	< 1	0.02	28	190	4	4	2	31	< 0.01	< 10	< 10	20	< 10	48
579289	255	295	< 1	0.01	31	920	4	10	2	40	< 0.01	< 10	< 10	17	< 10	52
579290	255	295	< 1	0.01	30	950	4	8	1	40	< 0.01	< 10	< 10	16	< 10	48
579291	255	295	< 1	0.01	48	710	6	< 2	1	90	< 0.01	< 10	< 10	20	< 10	106

CERTIFICATION: _____

APPENDIX C

INVOICES

For Royce

(ENC)



INVOICE

RECEIVED SEP 20 1995

19469 - 92nd Avenue, Surrey, B.C. V4N 4G6

Telephone (604) 888-0033

Fax (604) 888-2269

Bill To:

Kennecott Canada Inc
Suite 354 - 200 Granville St
Granville Square
Vancouver, B.C.
V6C 1E5

INVOICE NUMBER 1107-5098-2

INVOICE DATE September 15, 1995

Billing Period:

September 1-15, 1995

Your PO #

Project Name

Hight Creek, Yukon Surface

Drilling Charges

} 50-475-4-5531

Schedule A

\$42,990.00 ✓

Labour & Equipment

} 50-475-4-5532

Schedule B

9,586.50
~~3,950.10~~ ✓

Supply of Materials

} 50475-4-5532

Schedule C

~~3,295.15~~
3,295.53

Date Sent Out / Returned	Voucher No.
Approval	T.H. - 16/10/95
Metn Checked	J.H. Sept 21/95
Acct. NO.	50475-4-5531, 5532

Sub-Total

55,872.03
63
\$56,241.25

PST

GST

Invoice Total

3,711.04 3,936.89
81
\$60,178.14
59,783.07



SCHEDULE " A "
Drilling Charges

Owner's Name: Kennecott Canada Inc
Project Name: Hight Creek , Yukon Surface
Billing Period: September 1-15, 1995
Drill: LY 38

RECEIVED SEP 20 1995

HOLE #	TYPE	DIP	FROM	TO	DRILLED Metres	RATE	TOTAL
1	NW	-50		3.1	3.1	75.00	232.50
	NQ		3.1	136.3	133.2	75.00	9,990.00
2	NW	-45		4.6	4.6	75.00	345.00
	NQ		4.6	138.7	134.1	75.00	10,057.50
3	NW	-60		6.1	6.1	75.00	457.50
	NQ		6.1	146.7	140.6	75.00	10,545.00
4	NW	-55		12.2	12.2	75.00	915.00
	NQ		12.2	151.5	139.3	75.00	10,447.50
					573.2		\$42,990.00

^

^



RECEIVED SEP 28 1995

SCHEDULE " B " Labour & Equipment

Owner's Name: Kennecott Canada Inc
 Project Name: Highet Creek, Yukon Surface
 Billing Period: September 1-15, 1995
 Drill: LY 38

Date	Labour Man Hours	Drill Hours Non-Operating	Drill Hours Operating
1	24.0	7.0	
2	4.0		2.0
3	4.0		2.0
4	A 12.0	0 4.0	2.0
5	9.0	3.0	1.0
6	15.0	6.5	1.0
7	12.0		6.0
8	14.0		7.0
9	22.0	10.0	1.0
10	12.0		6.0
11	12.0	1.0	5.0
12	15.0	4.0	3.5
13	9.0		4.5
14	24.0	9.0	3.0
15			

Totals	187.0	44.5	44.0
--------	-------	------	------

Labour	179.0	40.5	6,802
Drill-Non Operating	179.0	44.5	\$7,106.00
Drill Operating	44.0	44.0	801.00
D5 Cat			26.00
			40.00
Site Cost Total			\$9,051.00
Mark Up		10.00%	905.10
Total			\$9,956.10

729
8,715
9,586.50



**ADVANCED
DRILLING LTD.**

INVOICE

RECEIVED SEP 1 1995

19469 - 92nd Avenue, Surrey, B.C. V4N 4G6

Telephone (604) 888-0033

Fax (604) 888-2269

Bill To:

Kennecott Canada Inc
Suite 354 - 200 Granville St
Granville Square
Vancouver, B.C.
V6C 1E5

INVOICE NUMBER 1097-5098-1

INVOICE DATE August 31, 1995

ENTERED

-10- 2 3 1995

VANCOUVER

Billing Period:

August 16-31, 1995

Your PO #

Project Name

Hight Creek, Yukon Surface

Supply of Materials

Schedule C

4,392.36
~~4,332.51~~

Quantity	Unit	Description	Returned	Voucher No
		Approval		Date
				20 / 9 / 95
		Main Division		Sept 18 / 95
		Item No.		50-475-4-5532
				GST

CHECK WITH
TDM HEAH
FIRST

Mobilization

as per contract

5,500.00

Sub - Total

9892.36 ~~\$9,832.51~~

PST

GST

Invoice Total

692.47 ~~688.28~~

~~\$10,520.79~~

10,584.83

SENT BY: KENNEDY CANADA 110-24-95 10:08 6046695255- 4036333935: # 5

SCHEDULE C
Supply of Materials

Advanced Drilling Ltd

Project Name Highet Creek , Yukon Surface
 Billing Period September 1-15, 1995

Shift/Invoice Date	Invoice Number	Supplier	Particulars	Mark %	Cdn \$
Sep 5/95		Longyear	Hole # 1 - 2 x 5' NW Casing @ \$96.70 ea		193.64
			1 x 2' NW Casing @ \$59.15 ea		59.15
	1644	Diaset	1 - NW Casing Shoe # N2957		231.00
Sep 12/95		Longyear	Hole # 3 - 12 x 5' NW Casing @ \$96.70 ea		1,160.40
			1 x 2' NW Casing @ \$59.15 ea		59.15
	1644	Diaset	1 - NW Casing Shoe # N2958		231.00
Sep 14/95		Longyear	Hole # 4 - 8 x 5' NW Casing @ \$96.70 ea		773.60
			2 x 2' NW Casing @ \$59.15 ea		118.30
	1644	Diaset	1 - NW Casing Shoe # N2959		231.00
Aug 28/95	30953	Thiessen Equipment	Linseed Soap		60.00
Aug 25/95	172919	Lower Mainland	Freight - Westcoast supplies		21.60

Sub-Total	3138.60
Markup	-3,138.24
Total	-\$3,295.15

5% 156.93 -156.91
 \$ 3295.53
 okm



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: KENNECOTT CANADA, INC.

354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

RECEIVED OCT 15 1995

INVOICE NUMBER I 9 5 2 9 1 7 4

BILLING INFORMATION

Date: 6-OCT-95
Project: 05475
P.O. No.:
Account: KAVB

Comments:

Billing: For analysis performed on
Certificate A9529174

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
53	255 - RUSH Geo ring to approx 150 mesh	3.75		
	295 - RUSH crush and split (0-3 Kg)	3.90		
	3202 - Rock - save entire reject	0.50		
	ICP-32	7.00		
	991 - Au ppb RUSH	14.65	29.80	1579.40

Total Cost \$ 1579.40
 Client Discount (25%) \$ -394.85
 Net Cost \$ 1184.55
 (Reg# R100938885) GST \$ 82.92

ENTERED

TOTAL PAYABLE (CDN) \$ 1267.47

VANCOUVER

[Handwritten signature]
10/10/95
Oct 20/95

GST
50-4753-5575

82.92
1184.55

#23.91/sample



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: KENNECOTT CANADA, INC.

354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

RECEIVED OCT 13 1995

Pl 3

INVOICE NUMBER

I 9 5 2 9 7 5 6

BILLING INFORMATION

Date: 10-OCT-95
Project: YUKON RECCE
P.O. No.: 05475
Account: KAVB

Comments:

Billing: For analysis performed on
Certificate A9529756

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
75	205 - Geochem ring to approx 150 mesh	2.50		
	226 - 0-3 Kg crush and split	2.60		
	3202 - Rock - save entire reject	0.50		
	ICP-32	7.00		
	983 - Au ppb FA+AA	9.75	22.35	1676.25

Total Cost \$ 1676.25
 Client Discount (25%) \$ -419.06
 Net Cost \$ 1257.19
 (Reg# R100938885) GST \$ 88.00

TOTAL PAYABLE (CDN) \$ 1345.19

ENTERED

11- 0 1 1995

VANCOUVER

Date Sent Out / Returned	Voucher No.
Approval	Date
Math Checked	24/10/95
Acct. No.	Oct 20 1995
EST	88.00
50-4753-5515	1257.19

#17.94



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: KENNECOTT CANADA, INC.

354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

RECEIVED OCT 13 1995

INVOICE NUMBER

I 9 5 2 9 6 5 6

BILLING INFORMATION

Date: 10-OCT-95
Project: 05475
P.O. No.:
Account: KAVB

Comments:

Billing: For analysis performed on
Certificate A9529656

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
22	255 - RUSH Geo ring to approx 150 mesh	3.75		
	294 - 4-7 Kg crush and split	3.50		
	3204 - Save 1 Kg reject for 90 days	0.00		
	ICP-32	7.00		
	991 - Au ppb RUSH	14.65	28.90	635.80

Total Cost \$	635.80
Client Discount (25%) \$	-158.95
Net Cost \$	476.85
(Reg# R100938885) GST \$	33.38

ENTERED

10-11-1995

VANCOUVER

TOTAL PAYABLE (CDN) \$ 510.23

Date Sent Out/Returned	Voucher No.
Approval	24/10/95 Date
Math Checked	Oct 20/95
Acct. No.	
GST	33.38
50-4753-5515	476.85



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: KENNECOTT CANADA, INC.

354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

RECEIVED OCT 13 1995

INVOICE NUMBER

I 9 5 2 9 3 7 0

BILLING INFORMATION

Date: 6-OCT-95
Project: 05-475
P.O. No.:
Account: KAVB

Comments:

Billing: For analysis performed on
Certificate A9529370

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE -- DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
57	255 - RUSH Geo ring to approx 150 mesh	3.75		
	295 - RUSH crush and split (0-3 Kg)	3.90		
	3202 - Rock - save entire reject	0.50		
	ICP-32	7.00		
	991 - Au ppb RUSH	14.65	29.80	1698.60
				Total Cost \$ 1698.60
				Client Discount (25%) \$ -424.65
				Net Cost \$ 1273.95
				(Reg# R100938885) GST \$ 89.18
				TOTAL PAYABLE (CDN) \$ 1363.13

ENTERED

VANCOUVER

JTB
24/10/95
Oct 20/95
GST
50-4753-5575
89.18
1273.95

NORCAN LEASING LTD.

Mile 917.4 Alaska Hwy. Whitehorse, Y.T., Y1A 3E5
 Phone: (403) 668-2137 or Toll Free: 1-800-661-0445, FAX: (403) 633-7596
 G.S.T. Registration Number R121995476

RECEIVED NOV 06 1995

RENTAL AGREEMENT NUMBER
30999

SEE TERMS AND CONDITIONS ON REVERSE SIDE		RENT LOCATION: NORCAN OFFICE	DATE: Oct 18/95
RENTER: KENNECOTT CANADA INC		UNIT NUMBER: 3301920	
GRANVILLE SQUARE		LICENCE NUMBER: RAP 60	
354-200 GRANVILLE STREET		MAKE: 1994 FORD RED	
VANCOUVER BC V6C 1S4		STYLE: 4x4 SUPERCAB F150	
DRIVER: HULSTEIN ROGER		DAY / TIME / KILO - IN: Oct 13/95 15:00	50192
		DAY / TIME / KILO - OUT: May 01/95 15:00	31135
	V6C 1S4	KILOMETERS DRIVEN:	19057
LICENCE NO: 56368	EXPIRE DATE: 24/96	PROVINCE:	
AUTH'D BY: ENTERED		KILOMETERS @ 0.00	0 KMS
PAYMENT: DIRECT BILL		HOURS @ 0.00	HOURS
OUT BY: DDL	12 0 1995	DAYS @ 46.77	13 DAYS 608.01
IN BY: SJL	VANCOUVER	DAYS @ 0.00	DAYS
VEHICLE WHEN RETURNED: SEP 30/95		WEEKS @ 0.00	WEEKS
OPTIONAL EQUIPMENT: JACK/WHEEL WRENCH, IF LOST-\$100.00		MONTHS @ 1450.00	5 MONTHS 7250.00
		TOTAL TIME AND KILOMETERS	7858.01
		PREVIOUSLY BILLED TIME & K/M	-7250.00
		TOTAL TIME AND KILOMETERS	608.01
		FUEL: LITERS @ .75	
		INSURANCE CHARGE: 13 DAYS @ 10.00	130.00
		ADDITIONAL CHARGES:	
		DAMAGE 2624	599.16
		DROP OFF CHARGES:	
		SUB TOTAL	1337.17
		GOOD AND SERVICES TAX @ 7%	93.60
		TOTAL CHARGES	1430.77
		LESS ROAD EXPENSE:	
		LESS DEPOSIT:	
		TOTAL AMOUNT DUE	1430.77
LOSS DAMAGE WAIVER (L.D.W.) INITIAL ACCEPTS OR DECLINE BOX ACCEPTS DECLINES			
IN CONSIDERATION OF THE PAYMENT OF L.D.W. CHARGE PER DAY OR PART THEREOF AS INDICATED BELOW THE RENTER'S FINANCIAL RESPONSIBILITY FOR THE LOSS OR DAMAGE TO THE RENTED VEHICLE PER OCCURANCE, IS LIMITED TO THE AMOUNT INDICATED BELOW, EXCEPT FOR TRUCK BOX DAMAGE, PROVIDED THE TERMS AND CONDITIONS OF THIS AGREEMENT ARE NOT VIOLATED. L.D.W. IS NOT INSURANCE. DEDUCTIBLE AMOUNT OTHER THAN FULL REPLACEMENT VALUE: 5000.00			
REMARKS: ADD DRIVERS			
CUSTOMER AUTHORIZES NORCAN TO PROCESS A CREDIT CARD VOUCHER, IF ANY, IN HIS/HER NAME HEREUNDER. I HAVE READ THE TERMS ON BOTH SIDES OF THIS RENTAL AGREEMENT AND AGREE THERETO.		THIS IS YOUR INVOICE PAYABLE ON RECEIPT TO NORCAN LEASING LTD. THIS INVOICE NUMBER MUST APPEAR ON ALL CORRESPONDENCE AND REMITTANCES. RENTAL AGREEMENT NUMBER: 30999	
WHILE ON THE ROAD: • OBTAIN RECEIPTS FOR ALL REIMBURSABLE EXPENSES AND PRESENT THEM WITH THIS COPY AT CHECK IN. • REPORT ACCIDENTS IMMEDIATELY TO LOCAL POLICE AND CALL NORCAN COLLECT. • IF DELAYED IN RETURNING THE VEHICLE PLEASE CALL NORCAN COLLECT OR ON OUR TOLL FREE NUMBER.			

NOTICE

X

NORCAN LEASING LTD.

Mile 917.4 Alaska Hwy. Whitehorse, Y.T., Y1A 3E5
 Phone: (403) 668-2137 or Toll Free: 1-800-661-0445, FAX: (403) 633-7596
 G.S.T. Registration Number R121995476

RECEIVED NOV 06 1995

RENTAL AGREEMENT NUMBER
31438

SEE TERMS AND CONDITIONS ON REVERSE SIDE		RENT LOCATION: NORCAN OFFICE	DATE: Oct 11/95
RENTER: KENNECOTT CANADA INC	KE104	UNIT NUMBER: 3302840	
GRANVILLE SQUARE		LICENCE NUMBER: RAO 05	
354-200 GRANVILLE STREET		MAKE: 1994 CHEVROLET BLUE	
VANCOUVER BC V6C 1S4		STYLE: 4x4 CREWCAB CHEYENNE	
DRIVER: RODGER	<i>Roger Hulstein</i>	DAY / TIME / KILO - IN: Oct 09/95 10:45	41009
		DAY / TIME / KILO - OUT: May 23/95 8:00	30174
		KILOMETERS DRIVEN	10835
LICENCE NO: DRIVER'S LICENSE ON FILE	PROVINCE:	KILOMETERS ALLOWED	
AUTH'D BY: RODGER	ENTERED	KILOMETERS @	0.00 0 KMS
P.O. NUMBER:		HOURS @	0.00 HOURS
PAYMENT TYPE: DIRECT BILL		DAYS @	48.39 9 DAYS 435.51
OUT BY: TCD	-12-0-1995	DAYS @	48.39 9 DAYS 435.51
IN BY: SJL	VANCOUVER	WEEKS @	0.00 WEEKS
VEHICLE WILL BE RETURNED: SEP 01/95		MONTHS @	1500.00 4 MONTHS 6000.00
OPTIONAL EQUIPMENT: JACK/WHEEL WRENCH, IF LOST-\$100.00			

TOTAL TIME AND KILOMETERS	6871.02
PREVIOUSLY BILLED TIME & K/M	-6435.51
TOTAL TIME AND KILOMETERS	435.51
FUEL: 90 LITERS @ .75	67.50
INSURANCE CHARGE: DAYS @	
ADDITIONAL CHARGES	480.00
DAMAGE 2622	764.50
DROP OFF CHARGES	
SUB TOTAL	1747.51
GOOD AND SERVICES TAX 7%	122.33
TOTAL CHARGES	1869.84
LESS ROAD EXPENSE	
LESS DEPOSIT	
TOTAL AMOUNT DUE	1869.84

Date Sent Out / Returned	Voucher No.
	30/11/95
Approval	Date
<i>TH</i>	30/11/95
Math Checked	Date
<i>AT</i>	Nov 20/95
Acct. No.	
50-4751-5342	1747.51

NOTICE
 ALL AUTHORIZED DRIVERS MUST BE 21 OR OLDER AND LICENCED. RENTER IS RESPONSIBLE FOR ALL DAMAGES SUFFERED BY NORCAN IF VEHICLE IS USED BY A DRIVER NOT LISTED IN SPACE PROVIDED.
 THE VEHICLE IS EQUIPPED WITH A BLOCK HEATER AND EXTENSION CORD. CUSTOMER IS RESPONSIBLE FOR COLD WEATHER STARTING.
 FUEL NOT INCLUDED IN RATES
 CUSTOMER IS RESPONSIBLE FOR ALL PARKING AND TRAFFIC VIOLATIONS

LOSS DAMAGE WAIVER (L.D.W.) INITIAL ACCEPTS OR DECLINE BOX

ACCEPTS _____ DECLINES _____

IN CONSIDERATION OF THE PAYMENT OF "L.D.W. CHANGE" PER DAY OR PART THEREOF AS INDICATED BELOW THE RENTER'S FINANCIAL RESPONSIBILITY FOR THE LOSS OR DAMAGE TO THE RENTED VEHICLE PER OCCURRENCE IS LIMITED TO THE AMOUNT INDICATED BELOW, EXCEPT FOR TRUCK BOX DAMAGE, PROVIDED THE TERMS AND CONDITIONS OF THIS AGREEMENT ARE NOT VIOLATED. L.D.W. IS NOT INSURANCE.
FULL REP. VALUE
 DEDUCTIBLE AMOUNT OTHER THAN FULL REPLACEMENT VALUE: \$

REMARKS/ADDITIONAL INFORMATION TO RENTER: **ADD DRIVERS**
SEE DAMAGE REPORT

CUSTOMER AUTHORIZES NORCAN TO PROCESS A CREDIT CARD VOUCHER, IF ANY, IN HIS/HER NAME HEREUNDER. I HAVE READ THE TERMS ON BOTH SIDES OF THIS RENTAL AGREEMENT AND AGREE THERETO.

THIS IS YOUR INVOICE PAYABLE ON RECEIPT TO NORCAN LEASING LTD. THIS INVOICE NUMBER MUST APPEAR ON ALL CORRESPONDENCE AND REMITTANCES.

WHILE ON THE ROAD:
 - OBTAIN RECEIPTS FOR ALL REIMBURSABLE EXPENSES AND PRESENT THEM WITH THIS COPY AT CHECK IN.
 - REPORT ACCIDENTS IMMEDIATELY TO LOCAL POLICE AND CALL NORCAN COLLECT.
 - IF DELAYED IN RETURNING THE VEHICLE PLEASE CALL NORCAN COLLECT OR ON OUR TOLL FREE NUMBER.

RENTAL AGREEMENT NUMBER
31438

X

NORCAN LEASING LTD.

RECEIVED NOV 06 1995

Mile 917.4 Alaska Hwy. Whitehorse, Y.T., Y1A 3E5
 Phone: (403) 668-2137 or Toll Free: 1-800-661-0445, FAX: (403) 633-7596
 G.S.T. Registration Number R121995476

RENTAL AGREEMENT NUMBER
 34471

SEE TERMS AND CONDITIONS ON REVERSE SIDE		RENT LOCATION NORCAN OFFICE	DATE Oct 07/95
RENTER KENNECOTT CANADA INC	VEHICLE IDENTIFICATION KE104	UNIT NUMBER 3302830	
ADDRESS GRANVILLE SQUARE 354-200 GRANVILLE STREET VANCOUVER BC V6C 1S4		LICENCE NUMBER RBF 45	
DRIVER VARY ADAM		MAKE 1994 GMC WHITE	
		STYLE CREWCAB C3500	
		DAY / TIME / KILO - IN Oct 07/95 13:30	21856
		DAY / TIME / KILO - OUT Sep 22/95 12:45	18979
V6C 1S4		KILOMETERS DRIVEN	2877
LICENCE NO. 5740440	EXPIRES FEB 17/96	PROVINCE	
AUTHORITY P.O. NUMBER ENTERED		KILOMETERS @	0.32 2877 KMS 920.64
PAYMENT TYPE DIRECT BILL		HOURS @	12.00
OUT BY RUB	-12-01-1995	DAYS @	48.00 1 DAYS 48.00
IN BY RUB	VANCOUVER	DAYS @	0.00
VEHICLE WILL BE RETURNED Oct 02/95		WEEKS @	288.00 2 WEEKS 576.00
OPTIONAL EQUIPMENT JACK/WHEEL WRENCH, IF LOST-\$100.00		MONTHS @	0.00
TOTAL TIME AND KILOMETERS			1544.64
TOTAL TIME AND KILOMETERS			1544.64
FUEL LITERS @			.75
INSURANCE CHARGE 15 DAYS @			10.00 150.00
ADDITIONAL CHARGES			
DROP OFF CHARGES			
SUB TOTAL			1694.64
GOOD AND SERVICES TAX @ 7%			118.62
TOTAL CHARGES			1813.26
LESS ROAD EXPENSE			
LESS DEPOSIT			
TOTAL AMOUNT DUE			1813.26

Date Sent Out / Returned **30/11/95**
 Approval **TH** Date **30/11/95**
 Math Checked **ST** Date **Nov 20/95**
 Acct. No. **GST**
50475-1-5342

118.62
 1694.64

NOTICE
 ALL AUTHORIZED DRIVERS MUST BE 21 OR OLDER AND LICENCED. RENTER IS RESPONSIBLE FOR ALL DAMAGES SUFFERED BY NORCAN IF VEHICLE IS USED BY A DRIVER NOT LISTED IN SPACE PROVIDED.
 THIS VEHICLE IS EQUIPPED WITH A BLOCK HEATER AND EXTENSION CORD. CUSTOMER IS RESPONSIBLE FOR COLD WEATHER STARTING.
 FUEL NOT INCLUDED IN RATES
 CUSTOMER IS RESPONSIBLE FOR ALL PARKING AND TRAFFIC VIOLATIONS

LOSS DAMAGE WAIVER (L.D.W.)
 INITIAL ACCEPTS OR DECLINE BOX

IN CONSIDERATION OF THE PAYMENT OF "L.D.W. CHARGE" PER DAY OR PART THEREOF AS INDICATED BELOW THE RENTER'S FINANCIAL RESPONSIBILITY FOR THE LOSS OR DAMAGE TO THE RENTED VEHICLE PER OCCURRENCE, IS LIMITED TO THE AMOUNT INDICATED BELOW, EXCEPT FOR TRUCK BOX DAMAGE. PROVIDED THE TERMS AND CONDITIONS OF THIS AGREEMENT ARE NOT VIOLATED. L.D.W. IS NOT INSURANCE.
 DEDUCTIBLE AMOUNT OTHER THAN FULL REPLACEMENT VALUE: **ZERO**

REMARKS/ADDITIONAL TERMS: **SEE DAMAGE REPORT**

CUSTOMER AUTHORIZES NORCAN TO PROCESS A CREDIT CARD VOUCHER, IF ANY, IN HIS/HER NAME HEREUNDER. I HAVE READ THE TERMS ON BOTH SIDES OF THIS RENTAL AGREEMENT AND AGREE THERETO.

X

THIS IS YOUR INVOICE PAYABLE ON RECEIPT TO NORCAN LEASING LTD.
 THIS INVOICE NUMBER MUST APPEAR ON ALL CORRESPONDENCE AND REMITTANCES.

WHILE ON THE ROAD:
 - OBTAIN RECEIPTS FOR ALL REIMBURSABLE EXPENSES AND PRESENT THEM WITH THIS COPY AT CHECK IN.
 - REPORT ACCIDENTS IMMEDIATELY TO LOCAL POLICE AND CALL NORCAN COLLECT.
 - IF DELAYED IN RETURNING THE VEHICLE PLEASE CALL NORCAN COLLECT OR ON OUR TOLL FREE NUMBER

RENTAL AGREEMENT NUMBER
34471



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: KENNECOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST
 VANCOUVER, BC
 V6C 1S4

Page Number 2-B
 Total Pages 2
 Certificate Date 02-OCT-95
 Invoice No. I-9528532
 P.O. Number :
 Account :

Project : 05475
 Comments: ATTN: ROGER HULSTEIN/ERIC FINLAYSON CC: TOM HEAH

CERTIFICATE OF ANALYSIS A9528532

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Au check
578541	205 226	< 1	0.02	47	670	2	2	< 1	19	0.02	< 10	< 10	18	< 10	86	-----
578542	205 226	< 1	0.07	23	410	4	2	1	131	0.03	< 10	< 10	23	< 10	32	-----
578543	205 226	< 1	0.01	44	590	2	2	< 1	15	0.02	< 10	< 10	18	< 10	104	-----
578544	205 226	< 1	< 0.01	18	240	4	2	< 1	165	0.01	< 10	< 10	12	< 10	30	-----
578545	205 226	< 1	0.01	39	540	< 2	2	< 1	9	0.02	< 10	< 10	17	< 10	78	< 5
578546	205 226	< 1	0.12	26	270	4	< 2	1	99	0.01	< 10	< 10	25	< 10	46	-----
578547	205 226	< 1	0.22	31	250	6	6	1	212	0.01	< 10	< 10	29	50	40	-----
578548	205 226	< 1	0.10	21	190	< 2	< 2	1	84	0.02	< 10	< 10	23	< 10	28	-----
578549	205 226	< 1	0.01	41	210	6	2	< 1	20	0.03	< 10	< 10	13	< 10	44	-----
578549A	205 226	< 1	0.01	47	810	6	< 2	< 1	23	0.02	< 10	< 10	14	< 10	90	< 5
578550	205 226	< 1	0.01	47	600	2	< 2	< 1	14	0.02	< 10	< 10	15	< 10	104	-----
578551	205 226	4	0.03	41	200	6	2	< 1	24	0.03	< 10	< 10	15	< 10	46	-----
578552	205 226	< 1	0.02	33	540	6	< 2	< 1	17	0.01	< 10	< 10	16	< 10	88	-----
578553	205 226	< 1	0.03	26	190	2	< 2	< 1	20	0.01	< 10	< 10	11	< 10	40	-----
578554	205 226	< 1	0.02	38	310	8	< 2	< 1	23	0.01	< 10	< 10	11	< 10	34	15
578555	205 226	< 1	0.02	21	140	< 2	< 2	< 1	51	0.01	< 10	< 10	15	< 10	40	-----

CERTIFICATION: _____

10/02/95 7:02PM CHEMEX LABS VAX-FAX2

PAGE 005



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: KENNECOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4

RECEIVED

Page Number : 1-A
 Total Pages : 2
 Certificate Date: 04-OCT-95
 Invoice No. : 19529174
 P.O. Number :
 Account : KAVB

Project : 05475
 Comments : ATTN: ERIC FINLAYSON CC: TOM HEAH

CERTIFICATE OF ANALYSIS A9529174

SAMPLE	PREP CODE	Au ppb RUSH	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
578556	255 295	< 5	< 0.2	2.23	88	40	< 0.5	4	0.53	< 0.5	18	61	43	4.39	10	< 1	0.25	20	1.11	420
578557	255 295	< 5	< 0.2	1.35	258	40	< 0.5	2	0.46	1.0	10	110	19	2.65	10	< 1	0.19	10	0.65	375
578558	255 295	< 5	< 0.2	0.69	18	20	< 0.5	< 2	0.47	< 0.5	3	198	8	1.37	< 10	< 1	0.13	10	0.25	205
578558 A	255 295	110	< 0.2	1.76	3080	80	< 0.5	< 2	0.27	0.5	14	91	45	3.87	10	< 1	0.41	30	0.79	290
578559	255 295	< 5	< 0.2	1.78	48	70	< 0.5	2	0.23	0.5	13	115	28	3.35	10	< 1	0.35	30	0.79	300
578560	255 295	< 5	< 0.2	1.28	60	50	< 0.5	< 2	0.38	< 0.5	9	133	28	2.70	< 10	< 1	0.23	20	0.59	340
578561	255 295	< 5	< 0.2	1.65	204	60	< 0.5	< 2	0.33	0.5	14	100	37	3.68	10	< 1	0.36	20	0.74	355
578562	255 295	75	0.2	1.28	2430	50	< 0.5	< 2	0.51	1.5	14	116	49	3.27	10	< 1	0.32	20	0.63	340
578563	255 295	65	0.2	1.34	3880	60	< 0.5	8	1.83	2.0	14	115	41	2.61	10	< 1	0.35	20	0.59	250
578564	255 295	55	0.2	1.64	2580	40	< 0.5	8	1.05	1.5	12	83	66	3.74	10	< 1	0.35	20	0.85	435
578565	255 295	< 5	< 0.2	2.30	1510	60	< 0.5	2	0.53	1.0	19	97	60	4.33	10	< 1	0.45	30	1.04	355
578566	255 295	< 5	< 0.2	1.51	790	70	< 0.5	4	0.71	0.5	12	185	62	3.12	10	< 1	0.45	20	0.57	245
578567	255 295	< 5	< 0.2	2.25	50	60	< 0.5	6	0.25	< 0.5	17	96	42	4.20	10	< 1	0.36	40	0.98	535
578568	255 295	< 5	< 0.2	2.01	16	80	< 0.5	6	0.26	0.5	13	131	35	3.67	10	< 1	0.46	40	0.89	315
578569	255 295	< 5	< 0.2	0.72	4	70	< 0.5	< 2	0.50	< 0.5	3	151	9	1.32	< 10	< 1	0.22	10	0.24	165
578570	255 295	< 5	< 0.2	0.69	8	70	< 0.5	< 2	0.65	< 0.5	2	177	10	1.31	< 10	< 1	0.21	10	0.24	170
578571	255 295	< 5	< 0.2	1.11	< 2	70	< 0.5	8	0.32	< 0.5	7	150	15	2.02	< 10	< 1	0.29	20	0.43	305
578572	255 295	< 5	< 0.2	1.22	34	80	< 0.5	6	0.36	< 0.5	10	165	27	2.21	10	< 1	0.29	30	0.48	270
578573	255 295	< 5	< 0.2	1.92	148	110	< 0.5	12	0.37	0.5	13	117	50	3.22	10	< 1	0.77	30	0.75	220
578574	255 295	< 5	< 0.2	2.10	434	70	< 0.5	< 2	0.31	1.0	14	111	38	3.89	10	< 1	0.41	30	0.92	345
578575	255 295	< 5	< 0.2	0.95	2950	60	< 0.5	< 2	0.86	< 0.5	6	155	27	1.87	< 10	< 1	0.29	10	0.37	275
578576	255 295	< 5	< 0.2	0.91	1370	50	< 0.5	< 2	0.65	0.5	7	162	24	1.70	< 10	< 1	0.26	10	0.37	220
578577	255 295	< 5	< 0.2	1.09	586	80	< 0.5	2	0.70	0.5	9	156	46	2.28	10	< 1	0.46	20	0.44	320
578578	255 295	65	< 0.2	1.72	964	80	< 0.5	< 2	0.32	0.5	17	88	55	4.04	10	< 1	0.54	40	0.77	330
578579	255 295	20	< 0.2	0.97	474	60	< 0.5	< 2	0.29	< 0.5	5	121	22	2.07	< 10	2	0.28	10	0.36	370
578580	255 295	10	< 0.2	0.94	108	70	< 0.5	2	0.34	< 0.5	3	131	16	1.82	< 10	< 1	0.35	10	0.36	295
578581	255 295	< 5	< 0.2	0.97	134	70	< 0.5	< 2	0.47	< 0.5	7	110	24	2.28	10	< 1	0.36	20	0.43	370
578582	255 295	< 5	< 0.2	0.70	82	70	< 0.5	< 2	0.31	< 0.5	2	129	12	1.41	< 10	< 1	0.24	10	0.28	275
578583	255 295	< 5	0.2	0.71	90	60	< 0.5	2	0.31	< 0.5	3	115	16	1.43	< 10	< 1	0.26	10	0.28	240
578584	255 295	< 5	< 0.2	0.62	40	40	< 0.5	< 2	0.40	< 0.5	2	144	12	1.37	< 10	< 1	0.21	10	0.26	240
578585	255 295	< 5	< 0.2	0.65	60	40	< 0.5	6	0.35	< 0.5	3	131	12	1.35	< 10	< 1	0.18	10	0.26	265
578586	255 295	< 5	< 0.2	1.47	198	80	< 0.5	2	0.16	< 0.5	15	103	35	2.96	10	< 1	0.40	30	0.66	255
578587	255 295	< 5	< 0.2	1.21	50	70	< 0.5	< 2	0.27	< 0.5	6	118	24	2.45	10	< 1	0.31	20	0.53	340
578588	255 295	< 5	< 0.2	1.97	< 2	70	< 0.5	4	0.13	< 0.5	16	79	40	3.98	10	< 1	0.41	40	0.93	350
578589	255 295	< 5	< 0.2	0.67	48	40	< 0.5	< 2	0.40	< 0.5	3	121	35	1.58	< 10	< 1	0.21	10	0.30	315
578590	255 295	< 5	0.2	0.67	48	30	< 0.5	2	0.42	< 0.5	3	128	33	1.60	< 10	< 1	0.21	10	0.32	335
578591	255 295	< 5	0.2	1.82	22	40	< 0.5	6	0.39	< 0.5	15	86	37	4.00	10	< 1	0.28	40	0.84	415
578592	255 295	< 5	0.6	1.71	292	80	< 0.5	< 2	0.29	3.5	17	108	46	3.77	10	< 1	0.67	30	0.77	350
578593	255 295	< 5	< 0.2	0.62	134	70	< 0.5	< 2	0.33	< 0.5	3	130	17	1.23	< 10	< 1	0.25	10	0.24	165
578594	255 295	< 5	< 0.2	1.14	160	100	< 0.5	< 2	1.78	0.5	10	98	34	1.99	10	< 1	0.44	20	0.43	210

CERTIFICATION:

Jhai D Ma



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

Client: KENNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

Page Number : 1-B,
Total Pages : 2
Certificate Date: 04-OCT-95
Invoice No. : I9529174
P.O. Number :
Account : KAVB

Project : 05475
Comments : ATTN: ERIC FINLAYSON CC: TOM HEAH

CERTIFICATE OF ANALYSIS

A9529174

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
578556	255 295	1	0.02	38	1690	12	< 2	2	38	0.01	< 10	< 10	19	< 10	104
578557	255 295	< 1	0.02	21	440	8	2	2	24	< 0.01	< 10	< 10	16	< 10	60
578558	255 295	1	0.01	10	80	4	< 2	1	29	< 0.01	< 10	< 10	9	< 10	22
578558 A	255 295	< 1	0.01	36	360	8	6	2	22	0.01	< 10	< 10	16	< 10	72
578559	255 295	1	0.02	29	250	10	2	2	21	0.02	< 10	< 10	17	< 10	78
578560	255 295	< 1	0.01	22	140	4	< 2	1	24	0.01	< 10	< 10	13	< 10	62
578561	255 295	1	0.02	34	400	8	2	1	27	0.01	< 10	< 10	13	< 10	62
578562	255 295	1	0.01	29	190	12	6	1	34	< 0.01	< 10	< 10	10	< 10	40
578563	255 295	1	0.04	28	320	6	6	2	84	< 0.01	< 10	< 10	16	< 10	26
578564	255 295	< 1	0.03	32	230	10	4	2	57	0.01	< 10	< 10	19	< 10	56
578565	255 295	< 1	0.03	39	790	12	6	3	41	0.02	< 10	< 10	23	< 10	76
578566	255 295	1	0.02	27	650	8	4	2	47	0.01	< 10	< 10	17	< 10	20
578567	255 295	1	0.02	40	320	2	2	2	31	0.04	< 10	< 10	20	< 10	90
578568	255 295	< 1	0.02	35	180	4	< 2	2	28	0.04	< 10	< 10	18	< 10	80
578569	255 295	1	0.02	10	510	6	2	1	35	0.01	< 10	< 10	9	< 10	22
578570	255 295	< 1	0.02	11	1090	8	2	1	42	0.01	< 10	< 10	9	< 10	22
578571	255 295	< 1	0.01	15	130	4	< 2	1	28	0.02	< 10	< 10	11	< 10	40
578572	255 295	< 1	0.02	22	140	< 2	< 2	1	30	0.03	< 10	< 10	14	< 10	48
578573	255 295	1	0.02	32	440	6	2	2	44	0.04	< 10	< 10	20	< 10	48
578574	255 295	< 1	0.02	33	200	4	10	2	36	0.02	< 10	< 10	20	< 10	78
578575	255 295	< 1	0.01	15	110	6	6	1	51	< 0.01	< 10	< 10	11	< 10	26
578576	255 295	1	0.01	13	130	< 2	4	1	39	< 0.01	< 10	< 10	11	< 10	22
578577	255 295	1	0.01	20	90	2	4	1	52	0.01	< 10	< 10	11	< 10	32
578578	255 295	< 1	0.01	39	220	4	4	2	37	0.02	< 10	< 10	14	< 10	82
578579	255 295	< 1	0.02	12	80	12	< 2	1	24	0.02	< 10	< 10	11	< 10	38
578580	255 295	1	0.01	13	80	16	< 2	1	32	0.02	< 10	< 10	9	< 10	30
578581	255 295	< 1	0.01	19	110	8	2	1	39	0.01	< 10	< 10	10	< 10	36
578582	255 295	< 1	0.02	9	60	4	2	1	25	0.02	< 10	< 10	12	< 10	22
578583	255 295	1	0.02	10	60	2	< 2	1	28	0.02	< 10	< 10	10	< 10	20
578584	255 295	< 1	0.01	8	60	4	< 2	1	37	0.01	< 10	< 10	8	< 10	24
578585	255 295	< 1	0.02	8	90	14	< 2	1	26	0.02	< 10	< 10	10	< 10	22
578586	255 295	< 1	0.01	31	150	< 2	< 2	1	27	0.03	< 10	< 10	14	< 10	72
578587	255 295	1	0.02	21	140	4	2	1	23	0.02	< 10	< 10	13	< 10	52
578588	255 295	< 1	0.02	39	300	4	< 2	2	21	0.04	< 10	< 10	16	< 10	96
578589	255 295	1	0.01	10	80	4	2	< 1	30	0.01	< 10	< 10	8	< 10	26
578590	255 295	< 1	0.01	11	70	4	< 2	< 1	32	0.01	< 10	< 10	8	< 10	28
578591	255 295	1	0.01	34	350	14	2	1	35	0.01	< 10	< 10	14	< 10	92
578592	255 295	1	0.01	31	430	96	8	2	34	0.03	< 10	< 10	16	< 10	168
578593	255 295	< 1	0.02	10	90	14	2	< 1	31	0.02	< 10	< 10	8	< 10	26
578594	255 295	< 1	0.02	21	6970	14	< 2	1	90	0.01	< 10	< 10	11	< 10	40

CERTIFICATION:

John D. Miller



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

to: KENNECOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4

Page Number :2-A,
 Total Pages :2
 Certificate Date: 04-OCT-95
 Invoice No. : I9529174
 P.O. Number :
 Account : KAVB

Project : 05475
 Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH

CERTIFICATE OF ANALYSIS A9529174

SAMPLE	PREP CODE	Au ppb RUSH	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
578595	255 295	< 5	< 0.2	1.22	242	60	< 0.5	< 2	0.12	0.5	9	115	31	2.42	< 10	< 1	0.25	20	0.48	195
578596	255 295	< 5	< 0.2	1.66	30	60	< 0.5	2	0.35	< 0.5	12	112	36	3.62	10	< 1	0.26	30	0.64	260
578597	255 295	< 5	< 0.2	1.89	166	110	< 0.5	< 2	0.43	< 0.5	14	103	47	3.44	10	< 1	0.57	20	0.87	325
578598	255 295	< 5	< 0.2	1.63	278	90	0.5	2	0.52	< 0.5	9	176	35	2.74	10	< 1	0.59	20	0.70	260
578599	255 295	< 5	< 0.2	1.83	370	50	1.0	< 2	3.99	< 0.5	12	88	38	3.38	10	< 1	0.46	40	0.62	575
578600	255 295	70	0.2	3.44	2870	150	0.5	2	3.32	0.5	15	100	94	3.63	10	< 1	1.10	30	1.48	470
578601	255 295	< 5	< 0.2	3.15	480	200	1.0	6	1.76	0.5	17	95	80	3.34	10	< 1	1.07	20	1.60	395
578602	255 295	< 5	0.2	0.66	1030	40	< 0.5	< 2	0.93	< 0.5	7	123	67	1.33	< 10	< 1	0.24	10	0.31	150
578603	255 295	< 5	< 0.2	5.36	3370	360	1.0	8	2.51	0.5	15	104	67	3.93	20	< 1	1.88	20	2.15	435
578604	255 295	165	< 0.2	4.63	1655	250	1.0	14	5.70	0.5	14	91	53	2.33	10	< 1	1.05	20	1.37	565
578605	255 295	< 5	< 0.2	1.85	266	90	0.5	6	0.82	< 0.5	12	84	61	3.19	10	< 1	0.83	20	0.83	275
578606	255 295	< 5	< 0.2	1.88	438	100	< 0.5	4	0.61	< 0.5	14	85	68	3.17	10	< 1	0.87	20	0.82	235
578607	255 295	< 5	< 0.2	1.96	586	110	< 0.5	4	0.97	< 0.5	11	73	87	3.18	10	< 1	0.76	20	0.79	230

CERTIFICATION: Phai J. Tan



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: KENNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

Page Number :2-B
Total Pages :2
Certificate Date: 04-OCT-95
Invoice No. :19529174
P.O. Number :
Account :KAVB

Project : 05475
Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH

CERTIFICATE OF ANALYSIS

A9529174

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
578595	255	295	1	0.01	19	120	4	6	1	36	< 0.01	< 10	< 10	11	< 10	46
578596	255	295	1	0.01	31	480	< 2	14	2	49	< 0.01	< 10	< 10	12	< 10	76
578597	255	295	< 1	0.02	31	200	8	4	2	73	0.02	< 10	< 10	19	< 10	70
578598	255	295	< 1	0.01	23	140	< 2	4	2	66	0.02	< 10	< 10	18	< 10	44
578599	255	295	< 1	0.01	30	400	4	20	3	180	< 0.01	< 10	< 10	17	< 10	60
578600	255	295	< 1	0.14	36	460	4	4	7	259	0.06	< 10	< 10	36	< 10	52
578601	255	295	2	0.18	40	600	4	2	5	158	0.11	< 10	< 10	35	< 10	56
578602	255	295	1	0.03	12	190	2	6	1	49	0.01	< 10	< 10	9	< 10	16
578603	255	295	2	0.31	39	500	2	2	9	236	0.14	< 10	< 10	113	< 10	50
578604	255	295	6	0.41	27	350	4	6	6	370	0.08	< 10	< 10	59	< 10	30
578605	255	295	2	0.03	30	330	2	< 2	2	49	0.03	< 10	< 10	21	< 10	36
578606	255	295	1	0.04	27	300	6	< 2	2	48	0.03	< 10	< 10	22	< 10	34
578607	255	295	1	0.06	29	350	2	< 2	3	73	0.02	< 10	< 10	22	< 10	28

CERTIFICATION:

Tom Heah



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: KENNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

RECEIVED OCT 1 1995

Page Number : 1-A,
Total Pages : 2
Certificate Date: 04-OCT-95
Invoice No. : 19529188
P.O. Number :
Account : KAVB

Project : 05475
Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH

CERTIFICATE OF ANALYSIS A9529188

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	RUSH																				
578608	255	295	< 5	< 0.2	1.88	68	110	0.5	< 2	0.60	< 0.5	8	138	30	2.74	< 10	< 1	0.44	10	0.66	230
578609	255	295	< 5	< 0.2	2.05	106	160	< 0.5	< 2	0.28	< 0.5	9	161	26	2.65	< 10	< 1	0.73	20	0.74	175
578610	255	295	< 5	< 0.2	1.57	64	90	< 0.5	< 2	0.06	< 0.5	11	60	25	2.79	< 10	< 1	0.75	20	0.60	130
578611	255	295	< 5	< 0.2	2.39	72	180	0.5	< 2	0.07	< 0.5	11	105	41	3.37	< 10	< 1	0.76	30	0.69	135
578612	255	295	< 5	< 0.2	1.38	170	110	< 0.5	< 2	0.10	< 0.5	10	77	25	2.21	< 10	< 1	0.49	30	0.51	110
578613	255	295	< 5	< 0.2	0.88	152	80	< 0.5	< 2	0.33	< 0.5	3	165	33	1.35	< 10	< 1	0.23	10	0.29	165
578614	255	295	< 5	< 0.2	2.74	92	150	0.5	< 2	0.73	< 0.5	13	127	43	4.12	< 10	< 1	0.75	30	0.95	215
578615	255	295	< 5	< 0.2	1.34	40	40	< 0.5	< 2	0.09	< 0.5	9	91	28	2.61	< 10	< 1	0.26	20	0.61	150
578616	255	295	< 5	< 0.2	2.22	66	110	0.5	< 2	0.16	< 0.5	21	54	45	3.48	< 10	< 1	0.62	20	0.86	195
578617	255	295	50	< 0.2	1.99	674	30	0.5	< 2	0.14	< 0.5	22	47	35	3.73	< 10	< 1	0.23	20	0.95	225
578618	255	295	< 5	< 0.2	2.59	40	110	0.5	< 2	0.26	< 0.5	14	110	34	4.11	< 10	< 1	0.73	20	0.94	285
578619	255	295	< 5	< 0.2	1.85	204	110	< 0.5	< 2	0.46	< 0.5	15	69	60	3.44	< 10	< 1	0.84	20	0.78	210
578620	255	295	< 5	< 0.2	3.18	76	160	0.5	< 2	0.58	< 0.5	16	99	35	4.48	< 10	< 1	1.44	30	1.09	365
578621	255	295	< 5	< 0.2	2.08	166	50	< 0.5	< 2	0.32	< 0.5	19	64	64	4.04	< 10	< 1	0.53	10	0.91	245
578622	255	295	< 5	< 0.2	2.02	46	120	0.5	< 2	0.32	< 0.5	12	113	60	2.89	< 10	< 1	0.74	10	0.72	215
578623	255	295	< 5	< 0.2	2.07	20	40	0.5	< 2	0.10	< 0.5	17	48	55	4.43	< 10	1	0.27	20	1.03	330
578624	255	295	< 5	< 0.2	2.57	220	120	0.5	< 2	0.09	< 0.5	13	57	50	3.88	< 10	< 1	0.54	30	0.94	335
578625	255	295	10	< 0.2	1.95	422	60	0.5	< 2	0.06	< 0.5	18	49	36	3.67	< 10	< 1	0.50	30	0.88	265
578626	255	295	< 5	< 0.2	1.79	20	30	0.5	2	0.06	< 0.5	14	70	46	3.46	< 10	< 1	0.22	20	0.77	260
578627	255	295	< 5	< 0.2	0.84	44	60	< 0.5	< 2	0.06	< 0.5	3	210	6	1.22	< 10	< 1	0.22	< 10	0.24	200
578628	255	295	< 5	< 0.2	0.50	36	10	< 0.5	< 2	0.19	< 0.5	2	62	8	1.02	< 10	< 1	0.09	< 10	0.20	170
578629	255	295	< 5	< 0.2	0.63	32	20	< 0.5	< 2	0.23	< 0.5	2	128	14	1.26	< 10	< 1	0.12	< 10	0.23	205
578630	255	295	< 5	< 0.2	1.10	314	70	< 0.5	< 2	0.11	< 0.5	4	221	21	1.56	< 10	< 1	0.33	10	0.34	185
578631	255	295	< 5	< 0.2	1.21	766	30	< 0.5	< 2	0.07	< 0.5	9	86	22	2.39	< 10	< 1	0.18	20	0.53	240
578632	255	295	< 5	< 0.2	2.50	24	110	< 0.5	< 2	0.06	< 0.5	15	74	34	3.69	< 10	< 1	0.52	30	0.92	325
578633	255	295	< 5	< 0.2	0.69	1115	10	< 0.5	< 2	0.24	< 0.5	4	93	47	1.54	< 10	< 1	0.09	< 10	0.31	180
578634	255	295	1390	< 0.2	0.84	4120	40	< 0.5	6	0.31	< 0.5	8	53	19	1.74	< 10	< 1	0.24	< 10	0.36	160
578635	255	295	445	< 0.2	0.60	>10000	30	< 0.5	2	1.06	< 0.5	7	154	13	1.95	< 10	< 1	0.16	< 10	0.16	305
578636	255	295	110	< 0.2	1.36	2190	30	< 0.5	< 2	0.14	< 0.5	12	47	44	3.07	< 10	< 1	0.22	10	0.67	170
578637	255	295	10	< 0.2	2.01	556	130	0.5	< 2	0.30	< 0.5	11	131	27	2.84	< 10	1	0.67	10	0.70	205
578638	255	295	55	< 0.2	1.29	4540	90	< 0.5	2	2.40	< 0.5	13	73	29	2.00	< 10	< 1	0.52	10	0.49	130
578639	255	295	10	< 0.2	1.35	1840	60	0.5	< 2	0.99	< 0.5	9	78	29	2.18	< 10	< 1	0.41	10	0.58	190
578640	255	295	< 5	< 0.2	1.95	348	120	0.5	< 2	0.83	< 0.5	10	178	22	2.68	< 10	< 1	0.81	20	0.61	225
578641	255	295	< 5	< 0.2	1.55	1960	80	0.5	< 2	0.79	< 0.5	13	88	24	2.37	< 10	< 1	0.62	20	0.64	165
578642	255	295	< 5	< 0.2	1.93	114	100	0.5	< 2	0.26	< 0.5	18	71	40	2.74	< 10	< 1	0.71	30	0.58	220
578643	255	295	< 5	< 0.2	1.38	118	60	0.5	< 2	0.31	< 0.5	20	57	29	2.28	< 10	< 1	0.71	30	0.55	215
578644	255	295	< 5	< 0.2	2.85	746	130	0.5	< 2	0.38	< 0.5	14	60	60	4.51	< 10	1	1.45	20	1.08	400
578645	255	295	< 5	< 0.2	2.36	178	100	0.5	< 2	0.14	< 0.5	16	64	33	2.82	< 10	< 1	0.74	40	0.65	320
578646	255	295	< 5	< 0.2	2.39	66	70	0.5	< 2	0.23	< 0.5	15	64	45	4.05	< 10	< 1	0.76	20	0.91	400
578647	255	295	< 5	< 0.2	2.24	754	100	0.5	< 2	0.33	< 0.5	21	60	51	3.30	< 10	< 1	0.90	20	0.79	305

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: KENNECOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4

Project : 05475
 Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH

Page Number : 1-B
 Total Pages : 2
 Certificate Date: 04-OCT-95
 Invoice No. : I9529188
 P.O. Number :
 Account : KAVB

CERTIFICATE OF ANALYSIS A9529188

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
578608	255	295	< 1	0.05	18	1330	8	< 2	2	35	< 0.01	< 10	< 10	19	< 10	54
578609	255	295	< 1	0.03	25	140	2	< 2	2	18	0.01	< 10	< 10	20	< 10	44
578610	255	295	< 1	0.01	26	170	< 2	< 2	1	7	0.02	< 10	< 10	14	< 10	54
578611	255	295	< 1	0.03	30	230	< 2	< 2	2	15	0.01	< 10	< 10	22	< 10	64
578612	255	295	< 1	0.01	20	230	4	< 2	1	10	0.02	< 10	< 10	13	< 10	30
578613	255	295	< 1	0.04	10	70	2	< 2	1	16	0.01	< 10	< 10	11	< 10	18
578614	255	295	< 1	0.03	29	3210	4	< 2	2	42	0.01	< 10	< 10	21	< 10	88
578615	255	295	< 1	0.01	22	200	2	< 2	1	8	< 0.01	< 10	< 10	10	< 10	54
578616	255	295	< 1	0.02	39	280	2	< 2	2	17	< 0.01	< 10	< 10	16	< 10	82
578617	255	295	< 1	0.01	42	240	4	< 2	1	10	< 0.01	< 10	< 10	14	< 10	94
578618	255	295	< 1	0.02	35	250	6	< 2	2	21	0.01	< 10	< 10	24	< 10	86
578619	255	295	< 1	0.01	33	660	4	< 2	2	21	0.02	< 10	< 10	22	< 10	36
578620	255	295	< 1	0.03	36	420	2	< 2	4	37	0.03	< 10	< 10	32	< 10	78
578621	255	295	< 1	< 0.01	41	250	2	< 2	2	16	0.01	< 10	< 10	28	< 10	80
578622	255	295	< 1	0.03	29	530	2	< 2	2	23	0.01	< 10	< 10	22	< 10	56
578623	255	295	< 1	0.01	39	240	4	< 2	1	10	0.01	< 10	< 10	14	< 10	118
578624	255	295	< 1	0.03	35	220	4	< 2	2	18	0.01	< 10	< 10	19	< 10	94
578625	255	295	< 1	< 0.01	38	180	6	4	1	8	0.02	< 10	< 10	15	< 10	84
578626	255	295	< 1	0.01	32	220	52	< 2	1	8	0.01	< 10	< 10	12	< 10	76
578627	255	295	< 1	0.02	8	40	4	< 2	< 1	9	< 0.01	< 10	< 10	6	< 10	20
578628	255	295	< 1	0.01	7	40	< 2	< 2	< 1	9	< 0.01	< 10	< 10	6	< 10	20
578629	255	295	< 1	0.03	8	40	2	< 2	< 1	11	< 0.01	< 10	< 10	7	< 10	20
578630	255	295	< 1	0.02	12	60	4	< 2	1	12	0.01	< 10	< 10	10	< 10	26
578631	255	295	< 1	0.01	21	60	2	< 2	< 1	8	< 0.01	< 10	< 10	9	< 10	50
578632	255	295	< 1	0.03	34	170	4	< 2	2	15	0.02	< 10	< 10	18	< 10	90
578633	255	295	< 1	0.01	9	70	2	2	1	8	< 0.01	< 10	< 10	9	< 10	20
578634	255	295	< 1	0.01	14	170	6	< 2	< 1	12	< 0.01	< 10	< 10	8	< 10	30
578635	255	295	< 1	0.04	13	40	2	4	1	29	< 0.01	< 10	< 10	5	< 10	14
578636	255	295	< 1	0.01	30	180	< 2	2	< 1	11	< 0.01	< 10	< 10	9	< 10	54
578637	255	295	< 1	0.03	28	210	2	< 2	2	18	0.01	< 10	< 10	18	< 10	54
578638	255	295	< 1	0.01	22	8190	2	< 2	1	60	0.01	< 10	< 10	13	< 10	28
578639	255	295	< 1	0.01	22	150	< 2	< 2	1	38	< 0.01	< 10	< 10	14	< 10	40
578640	255	295	< 1	0.02	25	200	12	< 2	2	50	0.01	< 10	< 10	19	< 10	48
578641	255	295	< 1	0.01	27	430	2	< 2	2	34	0.01	< 10	< 10	17	< 10	28
578642	255	295	< 1	0.02	41	310	6	< 2	2	27	0.02	< 10	< 10	16	< 10	44
578643	255	295	2	0.01	39	470	4	2	1	16	0.04	< 10	< 10	14	< 10	32
578644	255	295	1	0.04	25	240	2	< 2	4	24	0.05	< 10	< 10	30	< 10	68
578645	255	295	1	0.06	34	240	2	< 2	2	24	0.03	< 10	< 10	19	< 10	54
578646	255	295	< 1	0.02	37	500	< 2	< 2	2	17	0.04	< 10	< 10	24	< 10	74
578647	255	295	< 1	0.05	45	750	2	< 2	2	21	0.03	< 10	< 10	23	< 10	64

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: KENNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

Page Number :2-A
Total Pages :2
Certificate Date: 04-OCT-95
Invoice No. :19529188
P.O. Number :
Account :KAVB

Project : 05475
Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH

CERTIFICATE OF ANALYSIS A9529188

SAMPLE	PREP CODE		Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
	RUSH	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
578648	255	295	< 5	< 0.2	2.54	4570	130	0.5	< 2	0.60	< 0.5	13	90	89	3.75	< 10	< 1	0.99	20	0.88	315
578649	255	295	20	< 0.2	1.97	878	160	< 0.5	< 2	0.56	< 0.5	10	42	43	3.12	< 10	< 1	0.87	20	0.79	195
578650	255	295	45	< 0.2	2.41	1225	200	< 0.5	2	0.29	< 0.5	13	64	46	3.27	< 10	< 1	1.22	20	0.75	200

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

Client: KENNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

Page Number : 2-B
Total Pages : 2
Certificate Date: 04-OCT-95
Invoice No. : 19529188
P.O. Number :
Account : KAVB

Project : 05475
Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH

CERTIFICATE OF ANALYSIS

A9529188

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
578648	255	295	1	0.08	27	720	< 2	< 2	3	38	0.04	< 10	< 10	24	< 10	42
578649	255	295	< 1	0.05	33	460	< 2	< 2	2	108	0.04	< 10	< 10	19	< 10	40
578650	255	295	< 1	0.03	34	470	2	< 2	2	33	0.03	< 10	< 10	21	< 10	44

CERTIFICATION: Tom Heah



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: JNECOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4

Page Number
 Total Pages : 2
 Certificate Date: 04-OCT-95
 Invoice No. : 19529370
 P.O. Number :
 Account : KAVB

Project : 05-475
 Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH

CERTIFICATE OF ANALYSIS A9529370

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	RUSH																				
578651	255	295	< 5	< 0.2	2.30	122	110	< 0.5	< 2	0.27	< 0.5	15	62	65	4.30	< 10	< 1	0.71	50	0.79	295
578652	255	295	< 5	< 0.2	2.29	254	150	< 0.5	< 2	0.49	< 0.5	15	84	67	3.39	< 10	< 1	0.91	30	0.78	230
578653	255	295	< 5	< 0.2	2.09	154	50	0.5	< 2	0.21	< 0.5	17	77	51	3.78	< 10	< 1	0.44	40	0.90	330
578654	255	295	20	< 0.2	1.45	284	50	0.5	< 2	0.28	< 0.5	15	81	58	3.06	< 10	1	0.27	30	0.61	205
578655	255	295	< 5	< 0.2	1.79	172	70	< 0.5	< 2	0.28	< 0.5	14	76	40	3.88	< 10	< 1	0.29	40	0.72	365
578656	255	295	< 5	< 0.2	1.01	104	60	< 0.5	< 2	0.52	< 0.5	3	110	29	1.61	< 10	< 1	0.26	10	0.37	210
578657	255	295	< 5	< 0.2	2.05	362	60	< 0.5	< 2	0.20	< 0.5	16	82	35	3.35	< 10	1	0.38	40	0.89	235
578658	255	295	< 5	< 0.2	0.44	1035	20	< 0.5	< 2	0.32	< 0.5	3	198	4	0.52	< 10	< 1	0.08	< 10	0.13	45
578659	255	295	< 5	< 0.2	2.13	232	110	< 0.5	< 2	0.46	< 0.5	14	108	49	3.34	< 10	1	0.69	20	0.85	270
578660	255	295	< 5	< 0.2	2.24	22	60	< 0.5	< 2	0.43	< 0.5	18	91	54	3.94	< 10	< 1	0.43	30	0.98	250
578661	255	295	< 5	< 0.2	0.85	12	40	< 0.5	< 2	0.40	< 0.5	3	136	17	1.37	< 10	< 1	0.29	10	0.38	150
578662	255	295	< 5	< 0.2	2.18	34	70	< 0.5	< 2	0.19	< 0.5	17	75	40	3.90	< 10	< 1	0.44	50	0.95	270
578663	255	295	< 5	< 0.2	1.85	1215	80	0.5	< 2	0.58	0.5	15	94	39	3.73	< 10	< 1	0.63	40	0.70	325
578664	255	295	< 5	< 0.2	0.68	60	40	< 0.5	< 2	0.33	< 0.5	3	128	13	1.25	< 10	< 1	0.18	10	0.23	155
578665	255	295	< 5	< 0.2	0.56	80	40	< 0.5	< 2	0.40	< 0.5	3	146	15	1.19	< 10	< 1	0.15	10	0.17	135
578666	255	295	< 5	< 0.2	0.74	166	70	< 0.5	< 2	0.31	< 0.5	4	133	8	1.26	< 10	< 1	0.24	10	0.28	135
578667	255	295	< 5	< 0.2	0.98	52	70	< 0.5	< 2	0.27	< 0.5	5	99	16	1.69	< 10	< 1	0.30	10	0.41	195
578668	255	295	< 5	< 0.2	1.08	86	50	< 0.5	< 2	0.22	< 0.5	8	129	21	1.98	< 10	< 1	0.23	20	0.45	260
578669	255	295	< 5	< 0.2	1.68	46	80	< 0.5	< 2	0.18	< 0.5	14	75	47	2.83	< 10	1	0.43	40	0.68	315
578670	255	295	10	< 0.2	1.15	690	70	< 0.5	< 2	0.30	0.5	9	130	29	2.11	< 10	< 1	0.34	10	0.51	220
578671	255	295	35	< 0.2	1.20	1275	70	< 0.5	< 2	0.60	0.5	8	110	25	2.18	< 10	< 1	0.39	20	0.54	285
578672	255	295	< 5	< 0.2	1.28	60	80	< 0.5	< 2	0.16	< 0.5	8	128	16	2.15	< 10	< 1	0.59	20	0.53	195
578673	255	295	< 5	< 0.2	1.73	104	70	< 0.5	< 2	0.25	< 0.5	15	81	31	3.05	< 10	< 1	0.58	30	0.81	270
578674	255	295	< 5	< 0.2	1.80	62	40	< 0.5	< 2	0.14	< 0.5	13	67	32	3.32	< 10	< 1	0.26	30	0.81	270
578675	255	295	15	< 0.2	1.04	322	50	< 0.5	< 2	0.29	< 0.5	6	105	17	1.87	< 10	< 1	0.26	10	0.45	200
578676	255	295	< 5	< 0.2	1.33	138	90	< 0.5	< 2	0.44	< 0.5	7	112	57	2.31	< 10	< 1	0.39	20	0.55	180
578677	255	295	< 5	< 0.2	1.64	456	70	< 0.5	< 2	0.33	< 0.5	12	87	31	2.73	< 10	1	0.34	30	0.70	210
578678	255	295	< 5	< 0.2	1.28	20	40	< 0.5	< 2	0.38	< 0.5	14	89	26	2.84	< 10	< 1	0.24	40	0.59	265
578679	255	295	5	< 0.2	0.97	1720	40	< 0.5	< 2	2.71	0.5	9	80	91	2.74	< 10	1	0.25	10	0.59	340
578680	255	295	5	0.2	2.32	896	180	< 0.5	< 2	1.24	< 0.5	13	99	37	2.53	< 10	< 1	0.76	20	0.81	215
578681	255	295	< 5	< 0.2	2.00	170	90	< 0.5	< 2	0.40	< 0.5	12	85	31	3.29	< 10	< 1	0.64	30	0.82	285
578682	255	295	< 5	< 0.2	1.92	44	80	0.5	< 2	0.90	< 0.5	14	77	37	3.37	< 10	< 1	0.75	30	0.80	390
578683	255	295	< 5	< 0.2	1.87	98	80	0.5	< 2	0.39	< 0.5	13	90	35	3.08	< 10	< 1	0.49	30	0.70	260
578684	255	295	< 5	< 0.2	0.88	78	40	< 0.5	< 2	0.26	< 0.5	6	121	13	1.96	< 10	< 1	0.22	20	0.29	150
578685	255	295	< 5	< 0.2	0.51	30	20	< 0.5	< 2	0.70	< 0.5	2	119	8	1.06	< 10	< 1	0.11	10	0.16	265
578686	255	295	35	< 0.2	1.35	544	60	< 0.5	< 2	0.28	< 0.5	10	96	28	2.51	< 10	< 1	0.38	30	0.48	235
578687	255	295	< 5	< 0.2	1.82	108	60	< 0.5	< 2	0.16	< 0.5	13	114	29	3.48	< 10	< 1	0.36	40	0.69	260
578688	255	295	< 5	< 0.2	1.98	138	70	0.5	< 2	0.35	< 0.5	14	53	47	3.77	< 10	< 1	0.49	40	0.76	275
578689	255	295	< 5	< 0.2	1.92	30	60	< 0.5	< 2	0.15	< 0.5	18	40	28	3.51	< 10	< 1	0.50	50	0.76	200
578690	255	295	< 5	< 0.2	2.09	42	60	< 0.5	< 2	0.28	< 0.5	18	51	50	3.88	< 10	< 1	0.47	50	0.81	245

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

Project : 05-475
Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH

Page Number : 3
Total Pages : 2
Certificate Date: 04-OCT-95
Invoice No. : I9529370
P.O. Number :
Account : KAVB

CERTIFICATE OF ANALYSIS A9529370

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
578651	255 295	< 1	0.01	43	490	2	< 2	1	21	0.05	< 10	< 10	21	< 10	64
578652	255 295	< 1	0.06	40	500	2	< 2	2	37	0.04	< 10	< 10	21	< 10	38
578653	255 295	1	0.01	41	230	4	2	1	22	0.02	< 10	< 10	18	< 10	74
578654	255 295	< 1	0.01	36	170	4	< 2	1	24	< 0.01	< 10	< 10	12	< 10	52
578655	255 295	< 1	0.01	36	560	4	< 2	1	26	< 0.01	< 10	< 10	14	< 10	72
578656	255 295	< 1	0.02	12	100	2	< 2	< 1	30	0.01	< 10	< 10	9	< 10	22
578657	255 295	< 1	0.02	34	200	2	< 2	1	24	0.02	< 10	< 10	17	< 10	76
578658	255 295	< 1	0.02	7	60	2	< 2	< 1	25	< 0.01	< 10	< 10	4	< 10	2
578659	255 295	< 1	0.04	33	180	6	< 2	2	40	0.03	< 10	< 10	24	< 10	58
578660	255 295	< 1	0.01	44	1290	10	< 2	1	31	0.02	< 10	< 10	18	< 10	90
578661	255 295	< 1	0.01	12	110	4	< 2	< 1	28	0.01	< 10	< 10	10	< 10	24
578662	255 295	< 1	0.01	42	520	4	< 2	1	22	0.03	< 10	< 10	16	< 10	96
578663	255 295	1	0.01	36	300	6	2	1	48	0.01	< 10	< 10	14	< 10	80
578664	255 295	< 1	0.01	10	100	2	< 2	< 1	23	0.01	< 10	< 10	8	< 10	20
578665	255 295	< 1	0.01	8	90	4	< 2	< 1	24	< 0.01	< 10	< 10	6	< 10	16
578666	255 295	< 1	0.02	10	90	4	< 2	< 1	23	0.01	< 10	< 10	8	< 10	22
578667	255 295	< 1	0.02	14	90	2	< 2	1	20	0.03	< 10	< 10	12	< 10	32
578668	255 295	< 1	0.01	17	110	6	< 2	< 1	22	0.02	< 10	< 10	10	< 10	40
578669	255 295	< 1	0.01	30	180	6	< 2	1	27	0.04	< 10	< 10	14	< 10	60
578670	255 295	< 1	0.02	19	430	4	2	< 1	25	0.02	< 10	< 10	11	< 10	44
578671	255 295	< 1	0.02	20	90	4	2	< 1	34	0.02	< 10	< 10	11	< 10	46
578672	255 295	< 1	0.02	18	120	2	< 2	1	14	0.03	< 10	< 10	14	< 10	44
578673	255 295	< 1	0.01	34	210	2	< 2	1	23	0.03	< 10	< 10	16	< 10	62
578674	255 295	< 1	0.01	33	230	2	2	1	16	0.02	< 10	< 10	15	< 10	80
578675	255 295	< 1	0.02	15	100	4	< 2	< 1	19	0.01	< 10	< 10	11	< 10	36
578676	255 295	< 1	0.03	18	140	2	< 2	1	30	0.02	< 10	< 10	15	< 10	38
578677	255 295	< 1	0.02	24	150	4	< 2	1	27	0.01	< 10	< 10	16	< 10	60
578678	255 295	< 1	0.01	29	180	4	< 2	1	32	0.01	< 10	< 10	10	< 10	66
578679	255 295	< 1	0.02	17	540	4	2	1	172	< 0.01	< 10	< 10	10	< 10	26
578680	255 295	< 1	0.10	28	2230	4	< 2	2	89	0.03	< 10	< 10	24	< 10	36
578681	255 295	< 1	0.01	27	200	4	< 2	1	42	0.03	< 10	< 10	19	< 10	62
578682	255 295	< 1	0.01	34	170	2	2	1	68	0.01	< 10	< 10	16	< 10	70
578683	255 295	< 1	< 0.01	30	600	6	2	1	40	0.01	< 10	< 10	15	< 10	52
578684	255 295	< 1	0.01	15	80	2	2	< 1	26	< 0.01	< 10	< 10	5	< 10	26
578685	255 295	< 1	0.01	8	80	2	4	< 1	31	< 0.01	< 10	< 10	2	< 10	18
578686	255 295	< 1	0.01	24	190	6	2	< 1	25	< 0.01	< 10	< 10	9	< 10	46
578687	255 295	< 1	0.01	30	500	2	2	1	20	0.02	< 10	< 10	13	< 10	68
578688	255 295	< 1	0.01	41	520	2	< 2	1	35	0.02	< 10	< 10	13	< 10	68
578689	255 295	< 1	0.01	41	320	2	< 2	1	24	0.03	< 10	< 10	12	< 10	72
578690	255 295	< 1	0.01	42	720	4	2	1	29	0.02	< 10	< 10	14	< 10	76

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NNECOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4

Project : 05-475
 Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH

Page Number :
 Total Pages : 2
 Certificate Date: 04-OCT-95
 Invoice No. : 19529370
 P.O. Number :
 Account : KAVB

CERTIFICATE OF ANALYSIS A9529370

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			RUSH																		
578691	255	295	< 5	< 0.2	1.22	114	50	< 0.5	< 2	0.25	< 0.5	9	86	15	2.21	< 10	1	0.24	20	0.49	300
578692	255	295	10	< 0.2	1.21	68	50	< 0.5	2	0.35	< 0.5	7	95	20	2.21	< 10	< 1	0.24	10	0.49	370
578693	255	295	< 5	< 0.2	1.44	82	90	0.5	2	0.14	< 0.5	14	61	49	2.61	< 10	1	0.52	30	0.54	155
578694	255	295	< 5	< 0.2	1.63	10	70	< 0.5	< 2	0.12	< 0.5	12	96	43	2.97	< 10	1	0.36	30	0.65	195
578695	255	295	< 5	< 0.2	1.69	26	70	< 0.5	< 2	0.15	< 0.5	15	74	34	3.18	< 10	1	0.38	30	0.69	220
578696	255	295	10	< 0.2	1.33	274	80	< 0.5	2	0.14	< 0.5	12	73	40	2.43	< 10	1	0.49	30	0.50	180
578697	255	295	< 5	< 0.2	1.11	122	80	< 0.5	< 2	0.24	< 0.5	6	109	31	1.90	< 10	1	0.35	20	0.38	175
578698	255	295	< 5	< 0.2	1.54	22	70	< 0.5	< 2	0.10	< 0.5	12	91	29	2.96	< 10	< 1	0.29	20	0.60	220
578699	255	295	< 5	< 0.2	0.78	302	60	< 0.5	< 2	0.58	< 0.5	9	78	47	2.65	< 10	< 1	0.28	20	0.30	230
578700	255	295	< 5	0.2	0.93	486	70	< 0.5	< 2	0.35	< 0.5	12	75	48	2.51	< 10	< 1	0.48	20	0.37	185
579051	255	295	< 5	< 0.2	1.01	168	50	< 0.5	< 2	0.60	0.5	4	103	52	1.74	< 10	< 1	0.28	10	0.32	240
579052	255	295	< 5	< 0.2	0.81	6	30	< 0.5	< 2	0.28	< 0.5	3	115	16	1.72	< 10	1	0.19	10	0.32	240
579053	255	295	< 5	< 0.2	0.70	60	40	< 0.5	< 2	0.27	< 0.5	3	99	15	1.39	< 10	< 1	0.21	10	0.25	185
579054	255	295	< 5	< 0.2	0.72	586	60	< 0.5	< 2	0.37	< 0.5	7	96	26	1.79	< 10	< 1	0.24	10	0.22	195
579055	255	295	< 5	< 0.2	0.65	36	60	< 0.5	< 2	0.31	< 0.5	3	73	9	1.21	< 10	< 1	0.24	10	0.22	155
579056	255	295	40	< 0.2	0.73	3270	50	< 0.5	2	0.60	1.5	4	89	38	1.52	< 10	< 1	0.21	10	0.30	130
579057	255	295	30	< 0.2	0.48	1090	30	< 0.5	< 2	0.49	0.5	3	77	22	1.28	< 10	< 1	0.14	10	0.21	160

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: JNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

Project : 05-475
Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH

Page Number :
Total Pages : 2
Certificate Date: 04-OCT-95
Invoice No. : I9529370
P.O. Number :
Account : KAVB

CERTIFICATE OF ANALYSIS

A9529370

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
578691	255	295	< 1	0.01	21	180	14	< 2	1	24	< 0.01	< 10	< 10	9	< 10	48
578692	255	295	< 1	0.01	18	160	20	< 2	1	30	0.01	< 10	< 10	9	< 10	44
578693	255	295	< 1	0.01	31	200	28	< 2	1	19	0.02	< 10	< 10	9	< 10	48
578694	255	295	< 1	0.01	29	180	6	< 2	1	18	0.01	< 10	< 10	9	< 10	64
578695	255	295	< 1	0.01	32	200	2	< 2	1	21	< 0.01	< 10	< 10	10	< 10	72
578696	255	295	< 1	0.01	29	180	6	< 2	1	23	0.01	< 10	< 10	8	< 10	44
578697	255	295	< 1	< 0.01	16	120	4	< 2	1	23	< 0.01	< 10	< 10	9	< 10	32
578698	255	295	< 1	0.01	28	180	4	< 2	1	18	< 0.01	< 10	< 10	8	< 10	68
578699	255	295	< 1	0.01	22	130	4	< 2	< 1	57	< 0.01	< 10	< 10	3	< 10	36
578700	255	295	< 1	< 0.01	28	350	2	< 2	< 1	30	0.01	< 10	< 10	5	< 10	34
579051	255	295	< 1	0.01	14	820	4	< 2	< 1	42	0.01	< 10	< 10	8	< 10	32
579052	255	295	< 1	0.01	10	80	2	< 2	< 1	21	< 0.01	< 10	< 10	7	< 10	24
579053	255	295	< 1	0.01	9	70	4	< 2	< 1	21	< 0.01	< 10	< 10	7	< 10	26
579054	255	295	< 1	0.01	16	100	6	< 2	< 1	31	< 0.01	< 10	< 10	5	< 10	24
579055	255	295	< 1	< 0.01	9	100	4	2	< 1	30	0.01	< 10	< 10	4	< 10	20
579056	255	295	< 1	0.01	13	100	4	4	< 1	38	< 0.01	< 10	< 10	6	< 10	22
579057	255	295	< 1	0.01	9	70	4	< 2	< 1	31	< 0.01	< 10	< 10	3	< 10	16

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NNECOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4

Page Number :
 Total Pages :
 Certificate Date: 10-OCT-95
 Invoice No. : I9529656
 P.O. Number :
 Account : KAVB

Project : 05475
 Comments: ATTN: ERIC FINLAYSON/ROGER HULSTEIN CC: TOM HEAH

CERTIFICATE OF ANALYSIS A9529656

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	255	294	RUSH																		
579058	255	294	< 5	0.2	0.53	12	40	< 0.5	< 2	0.27	< 0.5	2	125	27	1.13	< 10	< 1	0.15	10	0.24	255
579059	255	294	< 5	< 0.2	0.56	12	40	< 0.5	< 2	0.28	< 0.5	2	123	28	1.22	< 10	< 1	0.18	10	0.24	280
579060	255	294	< 5	0.2	0.59	514	30	< 0.5	2	0.61	< 0.5	4	63	46	1.55	< 10	< 1	0.18	10	0.30	320
579061	255	294	< 5	< 0.2	0.56	312	10	< 0.5	< 2	0.84	< 0.5	3	151	50	1.48	< 10	< 1	0.10	10	0.28	370
579062	255	294	< 5	< 0.2	0.53	182	10	< 0.5	< 2	0.66	< 0.5	2	209	45	1.33	< 10	< 1	0.07	10	0.26	365
579063	255	294	< 5	< 0.2	0.58	614	10	< 0.5	< 2	0.42	< 0.5	3	186	64	1.52	< 10	< 1	0.11	10	0.31	230
579064	255	294	70	< 0.2	0.58	552	10	< 0.5	< 2	0.49	< 0.5	3	200	73	1.44	< 10	< 1	0.12	10	0.30	235
579065	255	294	25	0.2	0.79	4320	60	< 0.5	< 2	0.98	1.0	7	157	78	1.98	< 10	< 1	0.24	20	0.33	225
579066	255	294	65	0.2	0.88	712	40	< 0.5	< 2	0.34	0.5	12	124	34	2.37	< 10	< 1	0.26	20	0.43	330
579067	255	294	< 5	0.8	0.88	108	40	< 0.5	< 2	0.70	< 0.5	3	180	19	1.85	< 10	< 1	0.21	20	0.35	535
579068	255	294	< 5	< 0.2	1.38	46	70	< 0.5	< 2	0.31	< 0.5	12	153	41	2.60	< 10	< 1	0.37	30	0.56	340
579069	255	294	< 5	< 0.2	1.02	160	70	< 0.5	< 2	0.32	< 0.5	8	124	20	1.79	< 10	< 1	0.40	20	0.44	210
579070	255	294	10	< 0.2	0.68	1340	40	< 0.5	2	0.28	< 0.5	4	155	26	1.38	< 10	< 1	0.26	10	0.29	195
579071	255	294	< 5	< 0.2	0.94	196	30	< 0.5	< 2	0.30	< 0.5	6	87	28	2.06	< 10	< 1	0.37	10	0.45	315
579072	255	294	< 5	< 0.2	1.83	154	70	0.5	< 2	0.25	< 0.5	17	150	45	3.44	10	< 1	0.69	40	0.79	350
579073	255	294	< 5	< 0.2	1.68	482	40	< 0.5	2	0.90	< 0.5	15	77	53	3.41	10	1	0.30	30	0.76	450
579074	255	294	10	< 0.2	1.37	110	80	< 0.5	< 2	0.43	< 0.5	12	116	23	2.56	< 10	< 1	0.39	20	0.63	285
579075	255	294	< 5	< 0.2	0.62	238	40	< 0.5	< 2	0.36	< 0.5	4	73	20	1.33	< 10	< 1	0.16	10	0.26	190
579076	255	294	< 5	< 0.2	0.72	198	40	< 0.5	< 2	0.48	< 0.5	4	151	16	1.40	< 10	< 1	0.17	20	0.26	230
579077	255	294	< 5	< 0.2	0.08	154	< 10	< 0.5	< 2	0.75	< 0.5	1	213	9	0.37	< 10	< 1	0.02	< 10	0.02	230
579078	255	294	30	< 0.2	0.80	3880	10	0.5	< 2	1.94	1.0	4	136	31	1.90	< 10	< 1	0.10	10	0.26	735
579079	255	294	< 5	< 0.2	0.63	218	20	< 0.5	< 2	6.18	< 0.5	3	152	16	1.30	< 10	< 1	0.11	< 10	0.23	2820

EOH

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: INNOCOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4

Page Number : 3
 Total Pages : 1
 Certificate Date: 10-OCT-95
 Invoice No. : I9529656
 P.O. Number :
 Account : KAVB

Project : 05475
 Comments: ATTN: ERIC FINLAYSON/ROGER HULSTEIN CC: TOM HEAH

CERTIFICATE OF ANALYSIS A9529656

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
579058	255	294	< 1	0.01	8	70	2	< 2	< 1	19	0.02	< 10	< 10	7	< 10	14
579059	255	294	1	0.02	8	70	4	< 2	< 1	19	0.02	< 10	< 10	7	< 10	16
579060	255	294	< 1	< 0.01	11	100	6	< 2	< 1	39	0.01	< 10	< 10	7	< 10	18
579061	255	294	< 1	0.02	8	70	4	2	1	37	< 0.01	< 10	< 10	8	< 10	16
579062	255	294	1	0.01	8	70	4	2	< 1	33	< 0.01	< 10	< 10	7	< 10	18
579063	255	294	< 1	0.01	9	80	4	2	1	21	< 0.01	< 10	< 10	8	< 10	18
579064	255	294	< 1	0.01	9	60	2	2	1	25	< 0.01	< 10	< 10	8	< 10	18
579065	255	294	< 1	< 0.01	14	2030	8	8	1	57	< 0.01	< 10	< 10	9	< 10	26
579066	255	294	< 1	0.01	22	210	4	4	1	29	< 0.01	< 10	< 10	7	< 10	44
579067	255	294	< 1	0.01	10	90	6	2	1	48	0.02	< 10	< 10	10	< 10	28
579068	255	294	< 1	0.01	21	230	8	2	1	37	0.02	< 10	< 10	11	< 10	52
579069	255	294	< 1	0.01	17	270	2	2	1	33	0.02	< 10	< 10	10	< 10	24
579070	255	294	< 1	0.01	12	90	6	< 2	< 1	29	0.01	< 10	< 10	6	< 10	22
579071	255	294	< 1	0.01	12	110	4	2	1	26	0.02	< 10	< 10	9	< 10	34
579072	255	294	< 1	0.01	33	330	6	2	1	31	0.02	< 10	< 10	14	< 10	70
579073	255	294	< 1	0.01	30	1610	4	4	1	55	0.01	< 10	< 10	14	< 10	70
579074	255	294	< 1	0.01	21	530	8	< 2	1	44	0.02	< 10	< 10	13	< 10	64
579075	255	294	< 1	0.01	10	80	6	< 2	1	29	< 0.01	< 10	< 10	7	< 10	30
579076	255	294	< 1	0.01	9	120	4	2	1	32	< 0.01	< 10	< 10	6	< 10	26
579077	255	294	< 1	< 0.01	4	10	< 2	< 2	< 1	20	< 0.01	< 10	< 10	1	< 10	2
579078	255	294	< 1	0.01	6	210	4	6	< 1	81	< 0.01	< 10	< 10	2	< 10	10
579079	255	294	< 1	< 0.01	7	130	4	8	< 1	260	< 0.01	< 10	< 10	2	< 10	12

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

Page Number
Total Pages 12
Certificate Date: 10-OCT-95
Invoice No. : 19529756
P.O. Number : 05475
Account : KAVB

Project : YUKON RECCE
Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH

Hole 3

CERTIFICATE OF ANALYSIS

A9529756

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
579080	205	226	< 5	< 0.2	1.32	348	110	0.5	< 2	0.13	< 0.5	15	138	81	3.06	< 10	< 1	0.37	40	0.36	415
579081	205	226	15	< 0.2	0.57	314	40	< 0.5	< 2	0.36	< 0.5	6	274	29	1.80	< 10	< 1	0.17	10	0.31	310
579082	205	226	55	< 0.2	0.62	3730	40	< 0.5	2	0.94	< 0.5	17	130	17	2.45	< 10	< 1	0.21	10	0.56	340
579083	205	226	< 5	0.2	1.05	42	100	0.5	< 2	0.32	< 0.5	17	133	53	3.79	< 10	< 1	0.42	40	0.60	640
579084	205	226	< 5	0.2	0.28	50	30	< 0.5	< 2	0.26	< 0.5	21	47	65	3.79	< 10	< 1	0.12	30	0.56	675
579085	205	226	< 5	< 0.2	0.80	44	80	0.5	< 2	0.51	< 0.5	14	132	33	2.66	< 10	< 1	0.26	20	0.38	405
579086	205	226	< 5	< 0.2	0.41	24	50	< 0.5	< 2	0.10	< 0.5	6	180	12	1.39	< 10	< 1	0.16	10	0.16	240
579087	205	226	< 5	< 0.2	0.36	688	40	< 0.5	< 2	0.07	< 0.5	6	155	19	1.30	< 10	< 1	0.15	10	0.17	155
579088	205	226	< 5	< 0.2	0.36	194	40	< 0.5	< 2	0.17	< 0.5	9	82	23	2.63	< 10	< 1	0.15	10	0.36	500
579089	205	226	15	< 0.2	0.46	66	40	< 0.5	< 2	0.13	< 0.5	6	146	22	1.66	< 10	< 1	0.16	10	0.15	375
579090	205	226	40	< 0.2	0.42	504	30	< 0.5	2	0.11	< 0.5	6	146	15	1.71	< 10	< 1	0.14	10	0.18	245
579091	205	226	50	< 0.2	0.54	2600	40	< 0.5	< 2	0.12	< 0.5	10	136	25	2.01	< 10	< 1	0.20	10	0.18	275
579092	205	226	45	< 0.2	0.21	1525	20	< 0.5	< 2	0.10	< 0.5	7	63	17	1.55	< 10	< 1	0.11	10	0.15	245
579093	205	226	< 5	< 0.2	0.74	24	70	0.5	< 2	0.19	< 0.5	12	156	31	2.68	< 10	< 1	0.27	20	0.38	345
579094	205	226	< 5	< 0.2	0.71	28	100	0.5	< 2	0.25	< 0.5	15	149	19	3.61	< 10	< 1	0.33	30	0.53	730
579095	205	226	< 5	< 0.2	1.54	4	190	1.0	< 2	1.09	< 0.5	14	92	17	4.30	< 10	< 1	0.30	30	0.81	865
579096	205	226	< 5	< 0.2	2.02	6	280	1.0	< 2	1.08	< 0.5	12	83	18	4.00	< 10	< 1	0.37	20	0.92	800
579097	205	226	< 5	< 0.2	1.71	8	270	1.0	< 2	1.06	0.5	13	82	13	4.45	< 10	< 1	0.37	20	0.91	1000
579098	205	226	< 5	< 0.2	1.22	4	320	1.0	< 2	0.96	0.5	16	91	19	3.17	< 10	< 1	0.38	20	0.88	635
579099	205	226	< 5	< 0.2	1.47	4	220	1.0	< 2	0.97	0.5	16	111	20	4.53	< 10	< 1	0.46	30	0.78	875
579100	205	226	< 5	< 0.2	1.69	8	300	1.0	< 2	1.11	< 0.5	13	90	15	4.60	< 10	< 1	0.44	30	0.95	850
579101	205	226	< 5	< 0.2	0.78	92	80	0.5	< 2	0.47	< 0.5	14	89	39	5.95	< 10	< 1	0.35	20	0.57	1395
579102	205	226	< 5	< 0.2	0.94	22	240	1.0	< 2	1.00	< 0.5	15	73	19	3.84	< 10	< 1	0.33	20	0.71	720
579103	205	226	< 5	< 0.2	1.03	8	100	1.0	< 2	1.58	< 0.5	11	68	10	5.71	< 10	< 1	0.31	20	0.82	1325
579104	205	226	20	< 0.2	0.56	54	70	< 0.5	< 2	0.21	< 0.5	6	161	12	1.53	< 10	< 1	0.25	< 10	0.16	265
579105	205	226	15	< 0.2	0.42	54	40	< 0.5	< 2	0.09	< 0.5	4	210	9	0.96	< 10	< 1	0.21	< 10	0.08	120
579106	205	226	< 5	< 0.2	0.24	58	40	< 0.5	< 2	0.14	< 0.5	14	50	31	3.36	< 10	< 1	0.15	20	0.48	680
579107	205	226	< 5	< 0.2	0.66	462	30	< 0.5	< 2	0.13	< 0.5	6	157	70	2.38	< 10	< 1	0.20	10	0.19	285
579108	205	226	< 5	< 0.2	0.26	98	20	< 0.5	< 2	0.19	< 0.5	12	60	23	2.92	< 10	< 1	0.14	20	0.47	345
579109	205	226	< 5	< 0.2	0.69	46	70	< 0.5	< 2	0.15	< 0.5	12	104	28	3.26	< 10	< 1	0.30	30	0.65	535
579110	205	226	< 5	< 0.2	0.24	98	30	< 0.5	< 2	0.30	< 0.5	16	44	29	3.26	< 10	< 1	0.12	20	0.65	515
579111	205	226	< 5	< 0.2	0.63	26	90	0.5	< 2	0.25	< 0.5	17	58	36	4.55	< 10	< 1	0.28	30	0.97	620
579112	205	226	< 5	< 0.2	0.26	16	20	< 0.5	< 2	0.41	< 0.5	15	77	36	2.75	< 10	< 1	0.10	20	0.44	515
579113	205	226	< 5	< 0.2	0.65	56	60	0.5	< 2	0.20	< 0.5	13	119	53	3.47	< 10	< 1	0.21	20	0.54	615
579114	205	226	< 5	< 0.2	0.32	42	50	0.5	< 2	0.50	< 0.5	19	56	67	4.45	< 10	< 1	0.12	20	0.73	815
579115	205	226	< 5	< 0.2	1.49	6	260	1.0	< 2	1.62	0.5	12	138	14	5.39	< 10	< 1	0.45	20	1.12	1080
579116	205	226	< 5	< 0.2	0.29	34	30	< 0.5	< 2	0.31	< 0.5	19	58	54	3.98	< 10	< 1	0.12	20	0.66	710
579117	205	226	< 5	< 0.2	1.10	126	180	0.5	< 2	1.62	< 0.5	12	110	22	3.35	< 10	< 1	0.35	20	1.01	615
579118	205	226	< 5	< 0.2	0.82	14	210	0.5	< 2	1.43	< 0.5	12	82	18	3.41	< 10	< 1	0.31	20	1.07	635
579119	205	226	< 5	< 0.2	0.66	28	80	0.5	< 2	0.22	< 0.5	13	101	20	3.33	< 10	< 1	0.31	30	0.51	365

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

Page Number 3
Total Pages :2
Certificate Date: 10-OCT-95
Invoice No. :19529756
P.O. Number :05475
Account :KAVB

Project : YUKON RECCE
Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH

CERTIFICATE OF ANALYSIS

A9529756

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
579080	205 226	2	0.02	28	270	6	32	1	24	< 0.01	< 10	< 10	16	< 10	84
579081	205 226	< 1	0.01	15	250	6	< 2	1	27	< 0.01	< 10	< 10	10	< 10	34
579082	205 226	< 1	0.01	16	130	6	6	1	54	< 0.01	< 10	< 10	13	< 10	24
579083	205 226	< 1	0.04	39	560	18	< 2	1	35	< 0.01	< 10	< 10	14	< 10	110
579084	205 226	< 1	0.01	42	290	14	< 2	1	24	< 0.01	< 10	< 10	12	< 10	128
579085	205 226	< 1	0.03	28	1560	6	4	1	33	< 0.01	< 10	< 10	14	< 10	66
579086	205 226	< 1	0.02	13	170	6	< 2	< 1	13	< 0.01	< 10	< 10	6	< 10	28
579087	205 226	< 1	0.02	13	100	4	< 2	< 1	11	< 0.01	< 10	< 10	7	< 10	26
579088	205 226	< 1	0.02	19	310	8	< 2	1	17	< 0.01	< 10	< 10	8	< 10	48
579089	205 226	< 1	0.02	13	220	12	2	1	17	< 0.01	< 10	< 10	6	< 10	28
579090	205 226	< 1	0.02	13	100	8	< 2	1	18	< 0.01	< 10	< 10	9	< 10	20
579091	205 226	< 1	0.02	17	170	18	2	1	17	< 0.01	< 10	< 10	10	< 10	32
579092	205 226	< 1	0.01	16	130	24	4	1	14	< 0.01	< 10	< 10	7	< 10	28
579093	205 226	< 1	0.02	27	250	12	2	1	25	< 0.01	< 10	< 10	11	< 10	70
579094	205 226	< 1	0.01	26	490	8	2	3	24	< 0.01	< 10	< 10	12	< 10	76
579095	205 226	2	0.02	7	3250	8	< 2	11	82	0.01	< 10	< 10	79	< 10	134
579096	205 226	2	0.02	5	3290	12	2	11	76	0.06	< 10	< 10	71	< 10	138
579097	205 226	2	0.02	9	3080	12	< 2	12	78	0.05	< 10	< 10	71	< 10	136
579098	205 226	2	0.01	9	2730	12	2	10	63	0.06	< 10	< 10	70	< 10	140
579099	205 226	2	0.02	9	2980	14	2	13	63	0.02	< 10	< 10	70	< 10	138
579100	205 226	2	0.02	7	3350	12	< 2	14	76	0.04	< 10	< 10	81	< 10	144
579101	205 226	< 1	0.02	24	930	6	10	7	36	< 0.01	< 10	< 10	17	< 10	62
579102	205 226	2	0.01	8	3130	14	2	15	73	0.04	< 10	< 10	61	< 10	126
579103	205 226	2	0.01	5	2890	14	2	21	110	< 0.01	< 10	< 10	51	< 10	130
579104	205 226	1	0.01	10	530	4	6	3	24	< 0.01	< 10	< 10	11	< 10	40
579105	205 226	< 1	0.01	10	190	2	6	1	15	< 0.01	< 10	< 10	6	< 10	24
579106	205 226	< 1	0.01	30	250	6	26	3	18	< 0.01	< 10	< 10	7	< 10	64
579107	205 226	< 1	0.01	14	230	6	14	2	17	< 0.01	< 10	< 10	7	< 10	32
579108	205 226	< 1	0.01	25	220	4	20	2	22	< 0.01	< 10	< 10	6	< 10	54
579109	205 226	< 1	0.02	27	280	6	28	2	20	< 0.01	< 10	< 10	10	< 10	70
579110	205 226	< 1	0.01	30	830	8	8	1	23	< 0.01	< 10	< 10	8	< 10	56
579111	205 226	< 1	0.02	33	300	6	6	1	29	< 0.01	< 10	< 10	14	< 10	88
579112	205 226	< 1	0.01	32	1460	18	2	1	38	< 0.01	< 10	< 10	14	< 10	96
579113	205 226	< 1	0.02	28	290	8	6	2	26	< 0.01	< 10	< 10	16	< 10	76
579114	205 226	< 1	0.01	39	1340	12	4	2	43	< 0.01	< 10	< 10	20	< 10	130
579115	205 226	2	0.02	4	2800	14	2	15	103	0.03	< 10	< 10	88	< 10	142
579116	205 226	< 1	0.01	39	910	8	4	1	30	< 0.01	< 10	< 10	12	< 10	98
579117	205 226	1	0.03	13	1720	12	< 2	9	121	0.01	< 10	< 10	43	< 10	100
579118	205 226	1	0.01	14	1900	12	2	8	100	0.05	< 10	< 10	44	< 10	120
579119	205 226	< 1	0.02	31	290	6	10	2	29	< 0.01	< 10	< 10	11	< 10	64

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NNECOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4

Page Number 1
 Total Pages 12
 Certificate Date: 10-OCT-95
 Invoice No. : 19529756
 P.O. Number : 05475
 Account : KAVB

Project: YUKON RECCE
 Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH

CERTIFICATE OF ANALYSIS A9529756

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
579120	205	226	< 5	< 0.2	0.92	112	90	0.5	< 2	0.28	< 0.5	13	98	25	3.37	< 10	< 1	0.34	20	0.50	480
579121	205	226	< 5	< 0.2	0.16	16	10	< 0.5	< 2	0.13	< 0.5	5	33	23	1.85	< 10	< 1	0.06	10	0.24	325
579122	205	226	< 5	< 0.2	0.59	22	30	< 0.5	< 2	0.10	< 0.5	3	127	14	1.53	< 10	< 1	0.16	10	0.11	555
579123	205	226	385	1.4	0.19	3010	20	< 0.5	20	0.05	< 0.5	6	50	360	6.95	< 10	< 1	0.10	< 10	0.03	285
579124	205	226	240	< 0.2	0.69	>10000	70	< 0.5	2	0.32	< 0.5	10	64	62	2.65	< 10	< 1	0.33	10	0.08	290
579125	205	226	550	1.4	0.24	434	10	< 0.5	16	0.08	< 0.5	4	64	166	2.31	< 10	< 1	0.10	< 10	0.13	240
579126	205	226	260	0.4	0.68	522	30	< 0.5	12	0.08	< 0.5	4	96	118	2.02	< 10	< 1	0.20	10	0.14	245
579127	205	226	< 5	< 0.2	0.25	8	10	< 0.5	< 2	0.16	< 0.5	6	77	11	1.97	< 10	< 1	0.07	10	0.28	370
579128	205	226	< 5	< 0.2	0.93	16	60	< 0.5	< 2	0.15	< 0.5	9	70	29	3.04	< 10	< 1	0.26	20	0.46	510
579129	205	226	< 5	< 0.2	1.13	162	110	0.5	< 2	0.23	< 0.5	14	85	30	2.74	< 10	< 1	0.36	20	0.53	370
579130	205	226	< 5	< 0.2	0.79	38	60	< 0.5	< 2	0.23	< 0.5	8	75	18	2.13	< 10	< 1	0.26	10	0.29	290
579131	205	226	< 5	< 0.2	0.38	6	20	< 0.5	< 2	0.12	< 0.5	7	61	25	2.24	< 10	< 1	0.09	10	0.34	345
579132	205	226	< 5	< 0.2	1.32	70	110	0.5	< 2	0.22	< 0.5	15	78	19	2.29	< 10	< 1	0.36	30	0.47	300
579133	205	226	< 5	< 0.2	1.03	94	80	0.5	< 2	0.15	< 0.5	12	92	22	2.89	< 10	< 1	0.30	20	0.42	390
579134	205	226	3690	3.2	0.66	>10000	30	< 0.5	52	0.09	< 0.5	15	74	438	8.19	< 10	< 1	0.22	< 10	0.18	190
579135	205	226	195	< 0.2	0.30	3590	10	< 0.5	4	0.08	< 0.5	6	69	130	2.01	< 10	< 1	0.11	10	0.11	115
579136	205	226	35	< 0.2	0.58	684	30	< 0.5	2	0.09	< 0.5	5	111	66	1.56	< 10	< 1	0.14	10	0.14	180
579137	205	226	10	< 0.2	0.30	166	20	< 0.5	< 2	0.16	< 0.5	8	51	19	1.89	< 10	< 1	0.11	20	0.29	260
579138	205	226	< 5	< 0.2	1.07	186	100	0.5	< 2	0.35	< 0.5	18	37	52	3.51	< 10	< 1	0.44	40	0.61	415
579139	205	226	145	< 0.2	0.43	7520	20	< 0.5	2	0.21	< 0.5	14	47	20	2.45	< 10	< 1	0.13	10	0.31	235
579140	205	226	< 5	< 0.2	1.28	646	100	0.5	< 2	0.22	< 0.5	15	61	36	3.46	< 10	< 1	0.36	30	0.56	420
579141	205	226	2880	1.0	0.47	>10000	30	< 0.5	16	0.08	< 0.5	5	100	35	3.58	< 10	< 1	0.18	< 10	0.17	225
579142	205	226	380	< 0.2	1.04	2470	90	0.5	2	0.21	< 0.5	16	46	40	4.00	< 10	< 1	0.37	20	0.60	480
579143	205	226	30	< 0.2	0.21	1250	20	< 0.5	< 2	0.14	< 0.5	11	45	16	2.91	< 10	< 1	0.08	10	0.41	390
579144	205	226	< 5	< 0.2	0.66	76	40	< 0.5	< 2	0.12	< 0.5	6	86	15	1.33	< 10	< 1	0.21	10	0.21	250
579145	205	226	< 5	< 0.2	0.44	48	20	< 0.5	< 2	0.09	< 0.5	4	122	12	1.13	< 10	< 1	0.14	10	0.18	175
579146	205	226	55	< 0.2	0.80	30	80	0.5	< 2	0.20	< 0.5	15	40	37	3.02	< 10	< 1	0.34	30	0.54	505
579147	205	226	< 5	< 0.2	0.35	104	30	0.5	< 2	0.32	< 0.5	15	68	22	3.76	< 10	< 1	0.12	20	0.69	615
579148	205	226	< 5	< 0.2	1.03	40	80	0.5	< 2	0.25	< 0.5	12	87	23	3.14	< 10	< 1	0.32	20	0.60	515
579149	205	226	< 5	< 0.2	0.30	234	30	< 0.5	< 2	0.19	< 0.5	14	61	30	3.78	< 10	< 1	0.14	20	0.69	480
579150	205	226	< 5	< 0.2	0.86	646	70	< 0.5	< 2	0.14	< 0.5	13	108	36	3.16	< 10	< 1	0.26	20	0.56	425
579151	205	226	< 5	< 0.2	0.35	42	40	< 0.5	< 2	0.19	< 0.5	20	58	56	4.66	< 10	< 1	0.15	50	0.89	620
579152	205	226	40	< 0.2	0.98	502	90	0.5	< 2	0.20	< 0.5	21	56	45	4.00	< 10	< 1	0.36	30	0.76	540
579153	205	226	20	< 0.2	0.32	1055	30	< 0.5	< 2	0.21	< 0.5	16	63	31	3.33	< 10	< 1	0.11	10	0.48	455
579154	205	226	< 5	< 0.2	0.68	116	50	< 0.5	< 2	0.12	< 0.5	7	89	17	1.71	< 10	< 1	0.20	10	0.29	195

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: ENNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

Page Number 3
Total Pages 12
Certificate Date: 10-OCT-95
Invoice No. : I9529756
P.O. Number : 05475
Account : KAVB


Project: YUKON RECCE
Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH

CERTIFICATE OF ANALYSIS

A9529756

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
579120	205 226	< 1	0.02	28	400	8	10	2	29	< 0.01	< 10	< 10	15	< 10	62
579121	205 226	< 1	< 0.01	14	120	4	4	1	15	< 0.01	< 10	< 10	9	< 10	36
579122	205 226	< 1	< 0.01	9	120	6	6	1	10	< 0.01	< 10	< 10	7	< 10	24
579123	205 226	< 1	< 0.01	9	130	8	20	1	7	< 0.01	< 10	10	4	< 10	30
579124	205 226	< 1	0.01	16	1280	8	26	1	19	< 0.01	< 10	< 10	7	< 10	20
579125	205 226	< 1	< 0.01	11	90	8	16	< 1	9	< 0.01	< 10	< 10	7	< 10	18
579126	205 226	< 1	0.01	12	90	6	12	1	10	< 0.01	< 10	< 10	9	< 10	20
579127	205 226	< 1	0.01	11	340	4	< 2	1	14	< 0.01	< 10	< 10	13	< 10	34
579128	205 226	< 1	0.02	21	230	8	2	1	21	< 0.01	< 10	< 10	17	< 10	58
579129	205 226	< 1	0.02	28	440	6	2	2	30	< 0.01	< 10	< 10	22	< 10	40
579130	205 226	< 1	0.03	18	620	6	2	1	22	< 0.01	< 10	< 10	12	< 10	34
579131	205 226	< 1	0.01	14	110	6	< 2	1	13	< 0.01	< 10	< 10	14	< 10	38
579132	205 226	< 1	0.01	34	410	6	< 2	2	41	< 0.01	< 10	< 10	24	< 10	44
579133	205 226	< 1	0.02	25	200	6	2	1	23	< 0.01	< 10	< 10	19	< 10	54
579134	205 226	< 1	0.01	10	50	24	24	1	9	< 0.01	< 10	10	14	< 10	32
579135	205 226	< 1	0.01	10	80	4	4	< 1	11	< 0.01	< 10	< 10	7	< 10	14
579136	205 226	< 1	0.02	11	90	4	2	< 1	16	< 0.01	< 10	< 10	11	< 10	20
579137	205 226	< 1	0.01	18	250	4	4	< 1	17	< 0.01	< 10	< 10	12	< 10	42
579138	205 226	< 1	0.02	39	900	8	2	1	34	< 0.01	< 10	< 10	17	< 10	100
579139	205 226	< 1	0.01	20	580	6	4	1	18	< 0.01	< 10	< 10	14	< 10	42
579140	205 226	< 1	0.03	30	290	8	< 2	2	26	< 0.01	< 10	< 10	24	< 10	80
579141	205 226	1	0.02	10	90	122	26	< 1	9	< 0.01	< 10	< 10	10	< 10	22
579142	205 226	< 1	0.02	33	250	10	2	1	27	< 0.01	< 10	< 10	21	< 10	76
579143	205 226	< 1	0.01	24	130	6	2	1	16	< 0.01	< 10	< 10	22	< 10	70
579144	205 226	< 1	0.02	13	200	6	2	< 1	14	< 0.01	< 10	< 10	11	< 10	36
579145	205 226	< 1	0.01	11	100	6	< 2	< 1	12	< 0.01	< 10	< 10	9	< 10	26
579146	205 226	< 1	0.02	34	340	8	2	1	25	< 0.01	< 10	< 10	16	< 10	88
579147	205 226	< 1	0.01	29	410	8	2	1	30	< 0.01	< 10	< 10	20	< 10	64
579148	205 226	< 1	0.02	24	350	8	2	1	29	< 0.01	< 10	< 10	20	< 10	56
579149	205 226	< 1	0.01	31	250	6	2	1	24	< 0.01	< 10	< 10	19	< 10	64
579150	205 226	< 1	0.01	29	180	6	2	1	21	< 0.01	< 10	< 10	18	< 10	36
579151	205 226	< 1	0.01	42	230	8	2	1	38	< 0.01	< 10	< 10	21	< 10	102
579152	205 226	< 1	0.02	43	420	10	2	1	37	< 0.01	< 10	< 10	21	< 10	86
579153	205 226	< 1	0.01	34	420	10	2	1	25	< 0.01	< 10	< 10	20	< 10	70
579154	205 226	< 1	0.02	17	170	6	< 2	1	17	< 0.01	< 10	< 10	13	< 10	36

CERTIFICATION: 



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KENNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

RECEIVED OCT 26 1995

Page Number : 1-A
Total Pages : 2
Certificate Date: 17-OCT-95
Invoice No. : 19530394
P.O. Number :
Account : KAVB

Project : 05475
Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH CC: ROGER HULSTEIN

CERTIFICATE OF ANALYSIS A9530394

SH95-3
↓

SAMPLE	PREP CODE	Au ppb RUSH	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
579155	255 295	< 5 < 0.2	0.23	66	10 < 0.5	< 2	0.17 < 0.5	7	144	16	2.18 < 10	< 1	0.08	10	0.28	305				
579156	255 295	15 < 0.2	0.19	102	10 < 0.5	2	0.12 < 0.5	5	109	41	1.63 < 10	< 1	0.06	10	0.11	215				
579157	255 295	< 5 < 0.2	0.40	66	20 < 0.5	< 2	0.14 < 0.5	8	151	13	1.77 < 10	1	0.12	10	0.17	245				
579158	255 295	< 5 < 0.2	0.53	42	30 < 0.5	< 2	0.20 < 0.5	10	232	16	2.90 < 10	< 1	0.18	20	0.36	385				
579159	255 295	< 5 < 0.2	0.09	16	< 10 < 0.5	< 2	0.03 < 0.5	2	312	181	1.37 < 10	< 1	0.02	< 10	0.03	50				
579160	255 295	< 5 < 0.2	0.76	54	60 < 0.5	< 2	0.17 < 0.5	10	253	20	2.56 < 10	< 1	0.23	20	0.37	285				
579161	255 295	< 5 < 0.2	0.37	66	30 < 0.5	< 2	0.22 < 0.5	16	91	33	3.37 < 10	< 1	0.17	30	0.54	400				
579162	255 295	< 5 < 0.2	0.35	78	20 < 0.5	< 2	0.14 < 0.5	9	183	14	2.10 < 10	< 1	0.14	20	0.27	310				
579163	255 295	< 5 < 0.2	0.38	64	20 < 0.5	< 2	0.19 < 0.5	15	125	12	2.17 < 10	< 1	0.14	30	0.29	320				
579164	255 295	20 < 0.2	0.48	960	20 < 0.5	6	0.11 < 0.5	7	93	54	2.07 < 10	< 1	0.12	20	0.24	295				
579165	255 295	235 < 0.2	0.47	2830	20 < 0.5	14	0.11 < 0.5	8	96	69	2.60 < 10	< 1	0.11	20	0.24	310				
579166	255 295	45 < 0.2	1.00	1980	50 < 0.5	6	0.12 < 0.5	11	213	66	2.45 < 10	1	0.21	20	0.27	295				
579167	255 295	< 5 < 0.2	0.52	336	20 < 0.5	< 2	0.09 < 0.5	7	156	22	1.93 < 10	< 1	0.17	10	0.27	290				
579168	255 295	< 5 < 0.2	0.70	74	30 < 0.5	< 2	0.08 < 0.5	5	191	24	1.57 < 10	< 1	0.16	10	0.24	255				
579169	255 295	< 5 < 0.2	0.44	66	10 < 0.5	2	0.07 < 0.5	4	96	30	1.46 < 10	< 1	0.10	10	0.22	235				
579170	255 295	< 5 < 0.2	0.30	114	10 < 0.5	< 2	0.10 < 0.5	6	84	17	1.72 < 10	1	0.10	10	0.23	280				
579171	255 295	55 < 0.2	0.17	104	10 < 0.5	6	0.11 < 0.5	4	71	30	1.79 < 10	1	0.07	10	0.19	265				
579172	255 295	85 < 0.2	0.54	894	20 < 0.5	8	0.15 < 0.5	7	234	57	2.39 < 10	< 1	0.15	10	0.22	220				
579173	255 295	125 < 0.2	0.22	962	10 < 0.5	6	0.14 < 0.5	6	118	85	2.25 < 10	< 1	0.11	10	0.21	255				
579174	255 295	660 < 0.2	0.26	404	20 < 0.5	4	0.19 < 0.5	13	69	102	4.03 < 10	1	0.14	10	0.44	340				
579175	255 295	< 5 < 0.2	0.29	26	30 < 0.5	< 2	0.16 < 0.5	19	39	33	3.33 < 10	< 1	0.16	70	0.57	375				
579176	255 295	25 < 0.2	0.28	898	20 < 0.5	< 2	0.15 < 0.5	10	103	41	2.37 < 10	1	0.15	20	0.34	345				
579177	255 295	< 5 < 0.2	0.26	108	20 < 0.5	< 2	0.15 < 0.5	7	95	17	1.61 < 10	1	0.14	20	0.26	190				
579178	255 295	< 5 < 0.2	0.29	66	30 < 0.5	< 2	0.29 < 0.5	19	72	60	5.12 < 10	1	0.13	40	0.88	810				
579179	255 295	< 5 < 0.2	0.18	346	10 < 0.5	< 2	0.35 < 0.5	22	44	60	5.74 < 10	< 1	0.08	30	0.88	1025				
579180	255 295	40 < 0.2	0.23	788	20 < 0.5	4	0.27 < 0.5	17	42	62	2.77 < 10	< 1	0.10	30	0.25	360				
579181	255 295	< 5 < 0.2	0.25	18	20 < 0.5	< 2	0.39 < 0.5	14	72	42	6.08 < 10	1	0.09	20	0.79	820				
579182	255 295	15 < 0.2	0.80	68	60 < 0.5	< 2	0.34 < 0.5	15	151	38	4.01 < 10	< 1	0.24	20	0.49	550				
579183	255 295	260 < 0.2	0.30	142	10 < 0.5	6	0.23 < 0.5	9	55	82	2.41 < 10	< 1	0.09	10	0.30	230				
579184	255 295	5 < 0.2	0.40	126	20 < 0.5	< 2	0.62 < 0.5	14	89	65	3.50 < 10	< 1	0.12	20	0.61	395				
579185	255 295	< 5 < 0.2	0.57	152	20 < 0.5	< 2	1.27 < 0.5	11	78	34	3.95 < 10	< 1	0.13	20	1.07	540				
579186	255 295	< 5 < 0.2	1.09	20	40 < 0.5	< 2	0.37 < 0.5	22	69	50	4.47 < 10	< 1	0.30	60	0.82	565				
579187	255 295	< 5 < 0.2	0.73	60	20 < 0.5	< 2	0.35 < 0.5	17	52	38	4.48 < 10	< 1	0.13	40	0.80	575				
579188	255 295	< 5 < 0.2	0.44	94	100 < 0.5	< 2	0.08 < 0.5	4	101	18	1.00 < 10	< 1	0.09	10	0.17	305				
579189	255 295	< 5 < 0.2	0.22	32	10 < 0.5	< 2	0.04 < 0.5	10	85	16	1.40 < 10	< 1	0.13	10	0.19	215				
579190	255 295	< 5 < 0.2	0.26	50	20 < 0.5	< 2	0.06 < 0.5	7	80	28	1.73 < 10	< 1	0.14	20	0.16	230				
579191	255 295	< 5 < 0.2	0.21	72	10 < 0.5	< 2	0.04 < 0.5	5	86	11	1.04 < 10	< 1	0.09	10	0.11	120				
579192	255 295	< 5 < 0.2	0.37	44	20 < 0.5	< 2	0.04 < 0.5	5	97	14	1.24 < 10	1	0.12	10	0.19	140				
579193	255 295	< 5 < 0.2	1.19	118	80 < 0.5	< 2	0.08 < 0.5	9	188	34	2.41 < 10	< 1	0.30	20	0.49	300				
579194	255 295	< 5 < 0.2	1.01	28	50 < 0.5	< 2	0.19 < 0.5	12	56	17	2.99 < 10	< 1	0.24	30	0.64	455				

DDM SH95-4
↓

Eric Finlayson

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KENNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4


Page Number : 1-B
Total Pages : 2
Certificate Date: 17-OCT-95
Invoice No. : 19530394
P.O. Number :
Account : KAVB

Project : 05475
Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH CC: ROGER HULSTEIN

CERTIFICATE OF ANALYSIS A9530394

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
579155	255 295	< 1	< 0.01	16	130	6	< 2	1	16	< 0.01	< 10	< 10	12	< 10	30
579156	255 295	< 1	< 0.01	13	120	4	2	1	12	< 0.01	< 10	< 10	7	< 10	20
579157	255 295	< 1	0.01	19	150	2	< 2	1	16	< 0.01	< 10	< 10	12	< 10	36
579158	255 295	< 1	0.01	24	140	6	< 2	1	19	< 0.01	< 10	< 10	15	< 10	38
579159	255 295	< 1	< 0.01	8	80	< 2	2	< 1	2	< 0.01	< 10	< 10	2	< 10	4
579160	255 295	< 1	0.02	24	230	4	< 2	2	22	< 0.01	< 10	< 10	20	< 10	50
579161	255 295	< 1	0.01	34	400	4	< 2	1	24	< 0.01	< 10	< 10	17	< 10	62
579162	255 295	< 1	0.01	20	240	4	2	1	16	< 0.01	< 10	< 10	13	< 10	32
579163	255 295	< 1	0.01	23	550	2	2	1	18	< 0.01	< 10	< 10	12	< 10	44
579164	255 295	< 1	0.01	15	200	2	2	1	17	< 0.01	< 10	< 10	12	< 10	22
579165	255 295	< 1	0.01	16	130	6	< 2	2	18	< 0.01	< 10	< 10	15	< 10	20
579166	255 295	< 1	0.03	20	160	4	< 2	2	24	< 0.01	< 10	< 10	19	< 10	26
579167	255 295	< 1	0.01	16	100	4	< 2	1	15	< 0.01	< 10	< 10	15	< 10	22
579168	255 295	< 1	0.02	15	100	4	< 2	1	14	< 0.01	< 10	< 10	13	< 10	26
579169	255 295	< 1	0.01	12	100	4	< 2	1	12	< 0.01	< 10	< 10	11	< 10	22
579170	255 295	< 1	0.01	16	120	4	< 2	1	15	< 0.01	< 10	< 10	11	< 10	24
579171	255 295	< 1	0.01	10	80	4	< 2	1	13	< 0.01	< 10	< 10	10	< 10	18
579172	255 295	< 1	0.02	16	130	4	< 2	1	18	< 0.01	< 10	< 10	12	< 10	18
579173	255 295	< 1	< 0.01	14	90	4	4	1	12	< 0.01	< 10	< 10	8	< 10	20
579174	255 295	< 1	0.01	30	180	6	< 2	1	18	< 0.01	< 10	< 10	16	< 10	56
579175	255 295	< 1	0.01	43	280	6	4	1	21	< 0.01	< 10	< 10	12	< 10	88
579176	255 295	< 1	0.01	27	260	16	10	1	16	< 0.01	< 10	< 10	9	< 10	42
579177	255 295	< 1	< 0.01	17	320	2	2	< 1	16	< 0.01	< 10	< 10	6	< 10	24
579178	255 295	< 1	0.01	40	250	6	22	1	101	< 0.01	< 10	< 10	17	< 10	86
579179	255 295	< 1	0.01	46	390	4	4	2	55	< 0.01	< 10	< 10	22	< 10	84
579180	255 295	< 1	< 0.01	44	700	10	2	1	22	< 0.01	< 10	< 10	12	< 10	114
579181	255 295	< 1	0.01	31	260	6	< 2	1	30	< 0.01	< 10	< 10	18	< 10	70
579182	255 295	< 1	0.02	35	270	6	< 2	1	30	< 0.01	< 10	< 10	19	< 10	64
579183	255 295	< 1	< 0.01	21	180	4	< 2	1	20	< 0.01	< 10	< 10	13	< 10	26
579184	255 295	< 1	0.01	30	200	6	< 2	1	35	< 0.01	< 10	< 10	16	< 10	44
579185	255 295	< 1	0.01	23	230	6	< 2	1	72	< 0.01	< 10	< 10	17	< 10	58
579186	255 295	< 1	0.01	42	430	8	< 2	2	29	< 0.01	< 10	< 10	19	< 10	102
579187	255 295	< 1	0.01	39	320	6	< 2	1	24	< 0.01	< 10	< 10	14	< 10	70
579188	255 295	< 1	0.01	9	140	12	2	< 1	7	< 0.01	< 10	< 10	6	< 10	16
579189	255 295	< 1	0.01	26	110	4	4	< 1	4	< 0.01	< 10	< 10	3	< 10	36
579190	255 295	< 1	0.01	18	120	6	8	1	6	< 0.01	< 10	< 10	5	< 10	30
579191	255 295	< 1	0.01	11	110	4	4	< 1	4	< 0.01	< 10	< 10	3	< 10	22
579192	255 295	< 1	0.01	15	130	4	< 2	< 1	6	< 0.01	< 10	< 10	6	< 10	22
579193	255 295	< 1	0.02	19	110	4	< 2	1	11	< 0.01	< 10	< 10	16	< 10	30
579194	255 295	< 1	0.01	30	520	4	< 2	1	15	< 0.01	< 10	< 10	14	< 10	50

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: KENNECOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4

Page Number :2-A
 Total Pages :2
 Certificate Date: 17-OCT-95
 Invoice No. : I9530394
 P.O. Number :
 Account : KAVB

Project : 05475


Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH CC: ROGER HULSTEIN

CERTIFICATE OF ANALYSIS

A9530394

SAMPLE	PREP CODE		Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
	RUSH	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
579195	255	295	< 5	< 0.2	1.09	12	20	< 0.5	< 2	0.21	< 0.5	16	80	32	3.30	< 10	< 1	0.12	20	0.62	495
579196	255	295	< 5	< 0.2	1.45	18	50	< 0.5	< 2	0.16	< 0.5	14	117	35	3.69	< 10	< 1	0.23	20	0.73	555
579197	255	295	< 5	< 0.2	1.47	6	20	< 0.5	< 2	0.22	< 0.5	18	62	43	4.31	< 10	< 1	0.14	30	0.87	625
579198	255	295	< 5	< 0.2	0.65	12	10	< 0.5	< 2	0.06	< 0.5	6	77	17	1.77	< 10	< 1	0.07	10	0.41	270
579199	255	295	< 5	< 0.2	0.65	134	20	< 0.5	< 2	0.08	< 0.5	6	76	28	1.86	< 10	< 1	0.12	10	0.42	215
579200	255	295	< 5	< 0.2	1.78	8	20	< 0.5	< 2	0.21	< 0.5	15	55	55	4.61	< 10	< 1	0.10	30	0.99	570

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KENNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

Page Number :2-B
Total Pages :2
Certificate Date: 17-OCT-95
Invoice No. : 19530394
P.O. Number :
Account : KAVB

Project : 05475
Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH CC: ROGER HULSTEIN

CERTIFICATE OF ANALYSIS

A9530394

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
579195	255 295	< 1	0.01	31	690	4	< 2	1	18	< 0.01	< 10	< 10	12	< 10	70
579196	255 295	< 1	0.02	32	330	6	< 2	1	17	< 0.01	< 10	< 10	17	< 10	76
579197	255 295	< 1	0.01	41	600	6	< 2	1	17	< 0.01	< 10	< 10	15	< 10	96
579198	255 295	< 1	< 0.01	15	110	4	< 2	< 1	6	< 0.01	< 10	< 10	10	< 10	34
579199	255 295	< 1	< 0.01	15	150	2	< 2	1	7	< 0.01	< 10	< 10	10	< 10	24
579200	255 295	< 1	< 0.01	37	610	4	< 2	1	15	< 0.01	< 10	< 10	18	< 10	96

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: KENNECOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 17-OCT-95
 Invoice No. : 19530395
 P.O. Number :
 Account : KAVB

RECEIVED OCT 26 1995

Project : 05475
 Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH CC: ROGER HULSTEIN

CERTIFICATE OF ANALYSIS A9530395

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	RUSH																				
579201	255	295	85	< 0.2	0.79	504	100	< 0.5	< 2	0.19	< 0.5	8	157	93	2.84	< 10	1	0.22	20	0.40	365
579202	255	295	< 5	< 0.2	0.75	60	70	< 0.5	< 2	0.15	< 0.5	7	197	35	1.82	< 10	1	0.23	20	0.36	260
579203	255	295	< 5	< 0.2	1.45	100	60	< 0.5	< 2	0.20	< 0.5	12	156	29	3.73	< 10	< 1	0.26	30	0.72	495
579204	255	295	< 5	< 0.2	2.00	144	60	< 0.5	< 2	0.18	< 0.5	17	80	49	4.54	< 10	< 1	0.23	60	0.91	620
579205	255	295	< 5	< 0.2	1.50	228	50	< 0.5	< 2	0.20	< 0.5	18	65	45	4.13	< 10	< 1	0.18	40	0.81	575
579206	255	295	< 5	< 0.2	1.59	80	40	< 0.5	< 2	0.19	0.5	18	76	40	4.25	< 10	< 1	0.19	40	0.80	555
579207	255	295	< 5	< 0.2	1.42	84	40	0.5	< 2	0.40	< 0.5	18	62	55	4.57	< 10	< 1	0.21	30	0.75	600
579208	255	295	< 5	< 0.2	1.58	96	50	0.5	< 2	0.32	< 0.5	21	71	53	4.71	< 10	< 1	0.24	30	0.77	650
579209	255	295	30	< 0.2	1.68	810	40	< 0.5	< 2	0.18	< 0.5	18	86	41	4.60	< 10	< 1	0.17	40	0.87	660
579210	255	295	30	0.6	0.90	2300	40	0.5	< 2	0.26	3.0	19	55	39	5.06	< 10	< 1	0.21	20	0.73	815
579211	255	295	< 5	< 0.2	0.81	190	60	< 0.5	< 2	0.13	< 0.5	12	116	18	1.99	< 10	1	0.29	20	0.41	210
579212	255	295	< 5	< 0.2	0.73	58	40	< 0.5	< 2	0.13	< 0.5	8	95	26	2.12	< 10	< 1	0.26	20	0.41	220
579213	255	295	< 5	< 0.2	0.77	48	60	< 0.5	< 2	0.20	< 0.5	9	126	10	2.13	< 10	1	0.30	20	0.40	265
579214	255	295	85	< 0.2	0.90	366	40	< 0.5	8	0.10	< 0.5	5	148	118	2.31	< 10	< 1	0.16	10	0.34	245
579215	255	295	< 5	< 0.2	0.50	10	20	< 0.5	< 2	0.13	< 0.5	6	114	6	1.95	< 10	< 1	0.15	20	0.30	230
579216	255	295	< 5	< 0.2	0.93	176	50	< 0.5	< 2	0.12	< 0.5	7	126	55	2.40	< 10	< 1	0.22	20	0.39	270
579217	255	295	40	< 0.2	0.51	58	30	< 0.5	< 2	0.09	< 0.5	4	149	32	1.55	< 10	1	0.13	10	0.21	200
579218	255	295	< 5	< 0.2	0.64	8	40	< 0.5	< 2	0.15	< 0.5	10	98	26	2.47	< 10	< 1	0.16	20	0.35	350
579219	255	295	< 5	< 0.2	0.50	12	40	< 0.5	< 2	0.16	< 0.5	11	154	18	2.70	< 10	1	0.15	20	0.34	380
579220	255	295	< 5	< 0.2	0.36	4	20	< 0.5	< 2	0.12	< 0.5	5	144	13	2.15	< 10	< 1	0.12	10	0.23	515
579221	255	295	40	< 0.2	0.42	20	30	< 0.5	< 2	0.11	< 0.5	6	145	19	2.07	< 10	< 1	0.14	20	0.27	240
579222	255	295	15	< 0.2	0.41	158	20	< 0.5	< 2	0.14	< 0.5	7	152	52	2.93	< 10	< 1	0.12	10	0.28	495
579223	255	295	< 5	< 0.2	1.18	60	50	< 0.5	< 2	0.30	< 0.5	16	109	35	4.43	< 10	1	0.22	40	0.80	745
579224	255	295	< 5	< 0.2	1.66	230	60	< 0.5	< 2	0.25	< 0.5	18	107	52	4.04	< 10	1	0.32	40	0.87	540
579225	255	295	< 5	< 0.2	1.88	32	40	< 0.5	< 2	0.17	< 0.5	19	85	50	4.36	< 10	< 1	0.22	40	0.97	520
579226	255	295	< 5	< 0.2	2.13	100	40	< 0.5	< 2	0.16	< 0.5	16	90	45	4.56	< 10	1	0.19	30	1.05	675
579227	255	295	< 5	< 0.2	2.11	74	40	< 0.5	< 2	0.21	< 0.5	19	80	51	4.62	< 10	< 1	0.16	30	1.01	715
579228	255	295	< 5	< 0.2	2.32	30	40	< 0.5	< 2	0.24	< 0.5	17	86	49	4.87	< 10	< 1	0.20	30	1.07	730
579229	255	295	< 5	< 0.2	1.38	18	30	< 0.5	< 2	0.08	< 0.5	11	112	35	2.76	< 10	1	0.13	30	0.65	385
579230	255	295	< 5	< 0.2	2.21	6	40	< 0.5	< 2	0.14	< 0.5	16	114	52	4.23	< 10	1	0.20	60	0.96	560
579231	255	295	< 5	< 0.2	1.96	4	40	< 0.5	< 2	0.18	< 0.5	15	96	44	4.20	< 10	< 1	0.17	40	0.86	565
579232	255	295	< 5	< 0.2	2.14	6	50	< 0.5	< 2	0.17	< 0.5	15	129	38	4.17	< 10	< 1	0.21	50	0.87	565
579233	255	295	< 5	< 0.2	1.90	8	30	< 0.5	< 2	0.14	< 0.5	15	127	40	3.87	< 10	< 1	0.14	30	0.86	485
579234	255	295	< 5	< 0.2	1.75	42	30	0.5	< 2	0.25	< 0.5	16	77	46	4.21	< 10	1	0.15	30	0.82	630
579235	255	295	< 5	< 0.2	1.23	446	50	0.5	< 2	0.29	< 0.5	18	86	44	4.38	< 10	< 1	0.21	40	0.70	620
579236	255	295	< 5	< 0.2	0.29	88	10	< 0.5	< 2	0.13	< 0.5	4	132	7	1.48	< 10	< 1	0.09	10	0.14	260
579237	255	295	50	< 0.2	0.38	100	20	< 0.5	< 2	0.10	< 0.5	3	173	18	1.18	< 10	1	0.11	10	0.12	175
579238	255	295	75	< 0.2	0.54	686	20	< 0.5	< 2	0.12	< 0.5	6	129	32	1.65	< 10	< 1	0.14	10	0.19	185
579239	255	295	< 5	< 0.2	1.74	52	50	< 0.5	< 2	0.20	< 0.5	17	98	35	4.13	< 10	< 1	0.26	40	0.85	580

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: KENNECOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 17-OCT-95
 Invoice No. : 19530395
 P.O. Number :
 Account : KAVB

Project : 05475
 Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH CC: ROGER HULSTEIN

CERTIFICATE OF ANALYSIS A9530395

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
579201	255	295	< 1	0.02	21	200	6	2	1	12	< 0.01	< 10	< 10	10	< 10	32
579202	255	295	< 1	0.01	20	240	32	< 2	1	13	< 0.01	< 10	< 10	11	< 10	18
579203	255	295	< 1	0.02	27	260	4	< 2	1	22	< 0.01	< 10	< 10	16	< 10	62
579204	255	295	< 1	0.03	43	440	< 2	< 2	2	25	< 0.01	< 10	< 10	19	< 10	98
579205	255	295	< 1	0.02	46	420	2	< 2	1	26	< 0.01	< 10	< 10	18	< 10	86
579206	255	295	< 1	0.02	44	470	6	< 2	1	31	< 0.01	< 10	< 10	17	< 10	116
579207	255	295	< 1	0.02	44	1180	4	< 2	2	45	< 0.01	< 10	< 10	20	< 10	110
579208	255	295	< 1	0.03	49	840	6	< 2	2	42	< 0.01	< 10	< 10	21	< 10	122
579209	255	295	< 1	0.01	41	450	6	< 2	1	21	< 0.01	< 10	< 10	21	< 10	112
579210	255	295	< 1	0.01	41	400	118	4	2	25	< 0.01	< 10	< 10	18	< 10	156
579211	255	295	< 1	0.01	22	220	4	< 2	1	14	< 0.01	< 10	< 10	15	< 10	36
579212	255	295	< 1	0.01	20	220	2	< 2	1	15	< 0.01	< 10	< 10	14	< 10	36
579213	255	295	< 1	0.01	20	490	4	< 2	1	15	< 0.01	< 10	< 10	16	< 10	40
579214	255	295	< 1	0.02	14	110	6	< 2	2	14	< 0.01	< 10	< 10	16	< 10	16
579215	255	295	< 1	0.01	14	90	2	< 2	1	12	< 0.01	< 10	< 10	10	< 10	30
579216	255	295	< 1	0.01	17	110	2	< 2	2	15	< 0.01	< 10	< 10	17	< 10	26
579217	255	295	< 1	0.01	13	80	4	< 2	1	11	< 0.01	< 10	< 10	12	< 10	20
579218	255	295	< 1	0.01	23	200	6	< 2	1	14	< 0.01	< 10	< 10	15	< 10	52
579219	255	295	< 1	0.01	25	230	6	< 2	1	14	< 0.01	< 10	< 10	14	< 10	50
579220	255	295	< 1	0.01	14	120	6	< 2	1	11	< 0.01	< 10	< 10	11	< 10	26
579221	255	295	< 1	0.01	17	130	4	< 2	1	11	< 0.01	< 10	< 10	12	< 10	28
579222	255	295	< 1	0.01	16	120	4	< 2	1	13	< 0.01	< 10	< 10	14	< 10	28
579223	255	295	< 1	0.01	37	570	6	< 2	1	26	< 0.01	< 10	< 10	18	< 10	84
579224	255	295	< 1	0.01	40	310	6	< 2	2	23	< 0.01	< 10	< 10	20	< 10	72
579225	255	295	< 1	0.01	43	330	6	< 2	1	20	< 0.01	< 10	< 10	19	< 10	86
579226	255	295	< 1	0.02	39	370	6	< 2	1	19	< 0.01	< 10	< 10	20	< 10	90
579227	255	295	< 1	0.01	42	650	6	< 2	2	17	0.01	< 10	< 10	23	< 10	86
579228	255	295	< 1	0.01	41	750	4	< 2	2	19	0.01	< 10	< 10	24	< 10	92
579229	255	295	< 1	0.01	25	240	4	< 2	1	12	< 0.01	< 10	< 10	14	< 10	58
579230	255	295	1	0.02	36	480	6	< 2	1	17	0.01	< 10	< 10	19	< 10	94
579231	255	295	< 1	0.02	36	440	8	< 2	2	21	< 0.01	< 10	< 10	20	< 10	96
579232	255	295	< 1	0.02	35	410	6	< 2	2	21	< 0.01	< 10	< 10	22	< 10	90
579233	255	295	1	0.01	36	360	4	< 2	1	17	0.01	< 10	< 10	20	< 10	82
579234	255	295	< 1	0.01	36	660	8	< 2	1	21	< 0.01	< 10	< 10	19	< 10	90
579235	255	295	< 1	0.02	43	440	8	< 2	1	28	< 0.01	< 10	< 10	18	< 10	80
579236	255	295	< 1	0.01	11	140	6	< 2	1	10	< 0.01	< 10	< 10	8	< 10	18
579237	255	295	< 1	0.01	9	90	4	< 2	1	11	< 0.01	< 10	< 10	9	< 10	16
579238	255	295	< 1	0.01	13	110	4	< 2	1	15	< 0.01	< 10	< 10	13	< 10	20
579239	255	295	< 1	0.01	41	450	4	< 2	2	21	< 0.01	< 10	< 10	22	< 10	82

CERTIFICATION: _____

Hole 4



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: KENNECOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4

RECEIVED OCT 26 1995

Page Number :1-A
 Total Pages :2
 Certificate Date: 17-OCT-95
 Invoice No. :19530393
 P.O. Number :
 Account :KAVB

Project : 05475
 Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH CC: ROGER HULSTEIN

CERTIFICATE OF ANALYSIS A9530393

SAMPLE	PREP CODE	Au ppb RUSH	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
579240	255 295	< 5 < 0.2	1.79	14	40	< 0.5	< 2	0.21	< 0.5	21	92	54	4.31	< 10	< 1	0.18	30	0.86	555	
579241	255 295	< 5 < 0.2	1.84	12	40	0.5	< 2	0.19	< 0.5	20	97	40	4.42	< 10	< 1	0.24	40	0.90	530	
579242	255 295	< 5 < 0.2	1.82	36	30	< 0.5	< 2	0.10	< 0.5	13	147	32	3.91	< 10	1	0.13	20	0.89	770	
579243	255 295	< 5 < 0.2	0.99	24	30	< 0.5	< 2	0.12	< 0.5	7	145	9	2.15	< 10	< 1	0.15	20	0.46	335	
579244	255 295	< 5 < 0.2	1.84	12	30	0.5	< 2	0.19	< 0.5	21	97	43	4.51	< 10	< 1	0.17	30	0.89	635	
579245	255 295	< 5 < 0.2	1.14	520	40	< 0.5	< 2	0.17	< 0.5	10	146	17	2.61	< 10	< 1	0.19	20	0.48	410	
579246	255 295	< 5 < 0.2	0.87	94	30	< 0.5	< 2	0.10	< 0.5	8	144	8	2.14	< 10	1	0.16	20	0.39	335	
579247	255 295	< 5 < 0.2	0.85	70	30	< 0.5	2	0.15	< 0.5	7	106	17	1.99	< 10	< 1	0.13	10	0.36	405	
579248	255 295	< 5 < 0.2	1.35	52	50	< 0.5	< 2	0.14	< 0.5	14	130	25	3.08	< 10	1	0.29	20	0.69	370	
579249	255 295	< 5 < 0.2	1.31	42	50	< 0.5	< 2	0.12	< 0.5	11	149	22	2.85	< 10	1	0.28	20	0.63	335	
579250	255 295	< 5 < 0.2	1.45	24	50	< 0.5	< 2	0.12	< 0.5	13	134	26	3.04	< 10	1	0.28	20	0.71	350	
579251	255 295	< 5 < 0.2	0.98	18	30	< 0.5	< 2	0.12	< 0.5	10	138	17	2.28	< 10	1	0.18	20	0.49	295	
579252	255 295	< 5 < 0.2	0.89	40	30	< 0.5	< 2	0.14	< 0.5	14	100	40	2.70	< 10	< 1	0.18	30	0.53	355	
579253	255 295	85 < 0.2	0.44	338	20	< 0.5	6	0.12	< 0.5	6	144	87	2.77	< 10	< 1	0.12	10	0.25	235	
579254	255 295	< 5 < 0.2	1.32	24	30	< 0.5	< 2	0.23	< 0.5	11	102	25	3.69	< 10	1	0.18	20	0.71	435	
579255	255 295	< 5 < 0.2	0.70	134	20	< 0.5	< 2	0.11	< 0.5	6	168	11	1.98	< 10	< 1	0.11	10	0.34	285	
579256	255 295	< 5 < 0.2	1.02	18	30	< 0.5	< 2	0.09	< 0.5	8	120	18	2.24	< 10	< 1	0.18	20	0.47	255	
579257	255 295	45 < 0.2	0.88	134	60	< 0.5	6	0.13	< 0.5	4	153	90	2.88	< 10	< 1	0.10	10	0.36	335	
579258	255 295	< 5 < 0.2	0.90	56	30	< 0.5	< 2	0.09	< 0.5	7	167	13	1.90	< 10	< 1	0.18	20	0.44	250	
579259	255 295	< 5 < 0.2	1.25	110	50	< 0.5	< 2	0.15	< 0.5	10	129	14	2.60	< 10	1	0.30	20	0.60	320	
579260	255 295	50 < 0.2	1.13	808	80	0.5	< 2	0.22	< 0.5	22	110	35	3.19	< 10	< 1	0.40	40	0.57	355	
579261	255 295	< 5 < 0.2	1.64	56	60	< 0.5	< 2	0.18	< 0.5	25	101	56	4.14	< 10	< 1	0.31	60	0.84	445	
579262	255 295	< 5 < 0.2	1.35	32	80	0.5	< 2	0.31	< 0.5	30	101	53	4.99	< 10	< 1	0.35	60	0.88	430	
579263	255 295	< 5 < 0.2	1.51	38	60	0.5	< 2	0.21	< 0.5	22	76	53	4.40	< 10	< 1	0.33	60	0.86	380	
579264	255 295	< 5 < 0.2	0.88	30	40	0.5	< 2	0.38	< 0.5	13	142	18	2.93	< 10	< 1	0.21	20	0.65	400	
579265	255 295	< 5 < 0.2	0.71	26	40	0.5	< 2	0.43	< 0.5	22	77	58	4.95	< 10	< 1	0.27	40	0.97	550	
579266	255 295	20 < 0.2	0.61	580	60	0.5	< 2	0.36	< 0.5	24	76	42	3.74	< 10	1	0.26	40	0.63	360	
579267	255 295	< 5 < 0.2	0.86	62	30	< 0.5	< 2	0.35	< 0.5	14	77	26	4.08	< 10	< 1	0.16	30	0.69	660	
579268	255 295	< 5 < 0.2	0.62	174	30	< 0.5	< 2	0.21	< 0.5	9	131	13	2.13	< 10	< 1	0.16	20	0.40	285	
579269	255 295	< 5 < 0.2	0.60	184	30	< 0.5	< 2	0.23	< 0.5	8	118	10	2.07	< 10	< 1	0.15	20	0.43	260	
579270	255 295	< 5 < 0.2	0.42	184	20	< 0.5	< 2	0.14	< 0.5	6	114	19	1.64	< 10	< 1	0.13	10	0.25	220	
579271	255 295	30 < 0.2	0.52	1140	30	< 0.5	< 2	0.16	< 0.5	9	120	15	2.49	< 10	< 1	0.17	20	0.34	330	
579272	255 295	150 0.6	0.51	4880	30	< 0.5	< 2	0.13	< 0.5	10	120	43	2.49	< 10	< 1	0.18	10	0.24	240	
579273	255 295	540 1.0	0.69	5990	40	< 0.5	10	0.20	0.5	14	96	182	3.73	< 10	1	0.23	20	0.37	320	
579274	255 295	< 5 < 0.2	0.85	52	50	< 0.5	< 2	0.20	< 0.5	14	170	18	3.13	< 10	< 1	0.24	30	0.42	410	
579275	255 295	5 < 0.2	0.47	1115	30	< 0.5	< 2	0.21	< 0.5	10	172	22	2.48	< 10	< 1	0.18	20	0.27	315	
579276	255 295	95 0.4	0.40	576	10	0.5	< 2	0.19	< 0.5	5	121	16	2.93	< 10	< 1	0.12	10	0.28	410	
579277	255 295	10 < 0.2	0.27	126	10	< 0.5	< 2	0.09	< 0.5	5	166	42	1.22	< 10	< 1	0.12	10	0.11	125	
579278	255 295	< 5 < 0.2	0.30	104	10	< 0.5	< 2	0.11	< 0.5	5	162	23	1.51	< 10	1	0.12	10	0.17	170	
579279	255 295	710 0.2	0.27	388	10	< 0.5	12	0.14	< 0.5	5	130	209	3.35	< 10	< 1	0.10	10	0.16	175	

CERTIFICATION:

[Signature]



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KENNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

Page Number :1-B
Total Pages :2
Certificate Date: 17-OCT-95
Invoice No. :I9530393
P.O. Number :
Account :KAVB

Project : 05475
Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH CC: ROGER HULSTEIN

CERTIFICATE OF ANALYSIS

A9530393

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
579240	255	295	< 1	0.02	42	600	6	< 2	2	19	< 0.01	< 10	< 10	21	< 10	94
579241	255	295	< 1	0.02	41	430	6	< 2	2	20	< 0.01	< 10	< 10	22	< 10	100
579242	255	295	< 1	0.01	30	130	8	< 2	4	18	0.01	< 10	< 10	34	< 10	72
579243	255	295	< 1	0.01	17	270	4	< 2	1	15	< 0.01	< 10	< 10	14	< 10	36
579244	255	295	< 1	0.02	43	400	6	< 2	2	20	< 0.01	< 10	< 10	22	< 10	102
579245	255	295	< 1	0.01	23	440	4	< 2	1	19	< 0.01	< 10	< 10	16	< 10	50
579246	255	295	< 1	0.01	18	140	4	< 2	1	14	< 0.01	< 10	< 10	14	< 10	36
579247	255	295	< 1	0.01	17	270	4	< 2	2	22	< 0.01	< 10	< 10	19	< 10	28
579248	255	295	< 1	0.01	30	250	4	< 2	2	19	0.01	< 10	< 10	24	< 10	50
579249	255	295	< 1	0.02	26	190	4	< 2	2	17	< 0.01	< 10	< 10	24	< 10	48
579250	255	295	< 1	0.01	29	230	4	< 2	2	16	0.01	< 10	< 10	22	< 10	56
579251	255	295	< 1	0.02	22	310	4	< 2	1	16	< 0.01	< 10	< 10	14	< 10	42
579252	255	295	< 1	0.01	28	250	6	< 2	1	20	< 0.01	< 10	< 10	14	< 10	60
579253	255	295	< 1	0.01	13	120	16	< 2	1	14	< 0.01	< 10	< 10	10	< 10	14
579254	255	295	< 1	0.01	30	580	4	< 2	2	23	< 0.01	< 10	< 10	24	< 10	58
579255	255	295	< 1	0.02	16	90	4	< 2	2	14	< 0.01	< 10	< 10	18	< 10	28
579256	255	295	< 1	0.02	20	140	4	< 2	1	13	< 0.01	< 10	< 10	17	< 10	38
579257	255	295	< 1	0.02	12	140	4	< 2	2	19	< 0.01	< 10	< 10	15	< 10	12
579258	255	295	< 1	0.02	17	210	4	< 2	1	13	< 0.01	< 10	< 10	14	< 10	28
579259	255	295	< 1	0.01	22	310	4	< 2	1	16	0.01	< 10	< 10	17	< 10	30
579260	255	295	< 1	0.02	44	360	6	< 2	1	26	< 0.01	< 10	< 10	14	< 10	18
579261	255	295	< 1	0.01	49	270	6	< 2	1	23	< 0.01	< 10	< 10	19	< 10	82
579262	255	295	< 1	0.03	47	320	6	< 2	2	41	< 0.01	< 10	< 10	22	< 10	96
579263	255	295	< 1	0.02	43	280	6	< 2	2	28	< 0.01	< 10	< 10	20	< 10	90
579264	255	295	< 1	0.01	27	420	8	< 2	1	39	< 0.01	< 10	< 10	17	< 10	62
579265	255	295	< 1	0.02	45	370	10	< 2	2	59	< 0.01	< 10	< 10	18	< 10	102
579266	255	295	< 1	0.01	48	340	6	< 2	1	38	< 0.01	< 10	< 10	13	< 10	50
579267	255	295	< 1	0.01	31	530	8	< 2	2	33	< 0.01	< 10	< 10	19	< 10	72
579268	255	295	< 1	0.01	22	180	4	< 2	1	22	< 0.01	< 10	< 10	14	< 10	40
579269	255	295	< 1	0.01	20	170	4	< 2	1	24	< 0.01	< 10	< 10	13	< 10	34
579270	255	295	< 1	0.01	14	150	2	< 2	1	16	< 0.01	< 10	< 10	12	< 10	18
579271	255	295	< 1	0.01	21	200	2	< 2	1	17	< 0.01	< 10	< 10	16	< 10	34
579272	255	295	< 1	0.02	21	210	6	< 2	1	13	< 0.01	< 10	< 10	13	< 10	28
579273	255	295	< 1	0.01	28	320	10	< 2	2	19	< 0.01	< 10	< 10	17	< 10	44
579274	255	295	< 1	0.01	33	350	6	< 2	2	20	< 0.01	< 10	< 10	20	< 10	66
579275	255	295	< 1	0.01	24	390	2	< 2	1	17	< 0.01	< 10	< 10	14	< 10	40
579276	255	295	< 1	0.01	12	110	176	< 2	1	18	< 0.01	< 10	< 10	9	< 10	22
579277	255	295	< 1	0.01	12	90	4	< 2	< 1	9	< 0.01	< 10	< 10	7	< 10	20
579278	255	295	< 1	0.01	12	80	4	< 2	1	11	< 0.01	< 10	< 10	9	< 10	20
579279	255	295	< 1	0.01	11	90	2	< 2	1	14	< 0.01	< 10	< 10	9	< 10	12

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: KENNECOTT CANADA, INC.
ATTN: TOM HEAH
354 - 200 GRANVILLE ST.
VANCOUVER, BC
V6C 1S4

Page Number :2-A
Total Pages :2
Certificate Date: 17-OCT-95
Invoice No. :19530393
P.O. Number :
Account :KAVB

Project : 05475
Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH CC: ROGER HULSTEIN


CERTIFICATE OF ANALYSIS A9530393

SAMPLE	PREP CODE	Au ppb RUSH	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
579280 579281 579282 579283 579284	255 295	< 5	< 0.2	0.37	68	30	< 0.5	< 2	0.18	< 0.5	13	88	32	2.28	< 10	< 1	0.17	40	0.28	280
	255 295	< 5	< 0.2	0.32	84	40	< 0.5	< 2	0.20	< 0.5	20	68	47	2.85	< 10	< 1	0.17	60	0.37	470
	255 295	15	< 0.2	0.25	368	20	< 0.5	< 2	0.20	< 0.5	12	71	22	2.73	< 10	< 1	0.12	20	0.44	325
	255 295	95	< 0.2	0.55	164	30	< 0.5	6	0.17	< 0.5	11	119	96	3.20	< 10	< 1	0.15	10	0.33	260
255 295	10	< 0.2	0.27	474	20	< 0.5	< 2	0.13	< 0.5	9	111	20	2.20	< 10	< 1	0.10	10	0.30	265	
579285 579286 579287 579288 579289	255 295	75	< 0.2	0.33	1730	20	< 0.5	< 2	0.22	< 0.5	16	66	47	3.40	< 10	< 1	0.14	30	0.48	415
	255 295	475	0.4	0.26	1010	10	< 0.5	6	0.13	< 0.5	7	85	125	2.84	< 10	< 1	0.11	20	0.26	215
	255 295	< 5	< 0.2	0.33	54	30	< 0.5	< 2	0.24	< 0.5	14	76	23	4.29	< 10	< 1	0.14	30	0.67	595
	255 295	< 5	< 0.2	1.02	40	70	< 0.5	< 2	0.14	< 0.5	12	204	31	2.73	< 10	< 1	0.28	20	0.49	365
	255 295	< 5	< 0.2	0.45	142	20	< 0.5	< 2	0.34	< 0.5	14	90	39	3.75	< 10	< 1	0.16	30	0.61	465
579290 579291	255 295	< 5	< 0.2	0.43	134	20	< 0.5	< 2	0.33	< 0.5	13	86	41	3.55	< 10	< 1	0.16	30	0.57	425
	255 295	< 5	< 0.2	0.42	36	30	< 0.5	< 2	0.24	< 0.5	21	66	29	4.17	< 10	< 1	0.14	60	0.57	590

11/26/94

F.O.W.

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: KENNECOTT CANADA, INC.
 ATTN: TOM HEAH
 354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4


Page Number :2-B
 Total Pages :2
 Certificate Date: 17-OCT-95
 Invoice No. :19530393
 P.O. Number :
 Account :KAVB

Project : 05475
 Comments: ATTN: ERIC FINLAYSON CC: TOM HEAH CC: ROGER HULSTEIN

CERTIFICATE OF ANALYSIS A9530393

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
579280	255	295	< 1	0.01	31	420	2	< 2	1	18	< 0.01	< 10	< 10	12	< 10	68
579281	255	295	< 1	0.01	44	410	4	2	1	20	< 0.01	< 10	< 10	12	< 10	88
579282	255	295	< 1	< 0.01	26	320	4	4	1	23	< 0.01	< 10	< 10	11	< 10	40
579283	255	295	< 1	0.01	27	300	4	6	2	20	< 0.01	< 10	< 10	19	< 10	44
579284	255	295	< 1	< 0.01	23	140	6	2	1	15	< 0.01	< 10	< 10	14	< 10	42
579285	255	295	1	< 0.01	37	310	8	< 2	1	24	< 0.01	< 10	< 10	15	< 10	32
579286	255	295	< 1	< 0.01	17	130	6	4	< 1	13	< 0.01	< 10	< 10	9	< 10	14
579287	255	295	< 1	0.01	33	400	4	< 2	1	39	< 0.01	< 10	< 10	16	< 10	58
579288	255	295	< 1	0.02	28	190	4	4	2	31	< 0.01	< 10	< 10	20	< 10	48
579289	255	295	< 1	0.01	31	920	4	10	2	40	< 0.01	< 10	< 10	17	< 10	52
579290	255	295	< 1	0.01	30	950	4	8	1	40	< 0.01	< 10	< 10	16	< 10	48
579291	255	295	< 1	0.01	48	710	6	< 2	1	90	< 0.01	< 10	< 10	20	< 10	106

CERTIFICATION: _____





— Sept. 95 filing
— Oct. 95 filing

scale: 1:30,000
0 500 1000 1500 metres

Kennecott Canada Inc.
Vancouver

SC CLAIMS
CLAIM MAP dwg 1
YUKON, CANADA

NTS: 115P/9,16 Projection: UTM Drawn by: MJD
Date: 13/2/96 Author: Figure 2
File: Scale: 1:30,000



LEGEND

**LATE CRETACEOUS
TOMBSTONE PLUTONIC SUITE**

Kg medium- to coarse grained, locally porphyritic, biotite-hornblende quartz monzonite

Kr fine- to medium grained, locally porphyritic, rhyolite, dacite, andesite, dykes and sills

Kh medium- to coarse grained hornblende

Kl fine grained, biotite phenocrystic lamprophyre

Kd medium grained diorite (and possible eyerite)

TRIASSIC

Td foliated diorite, gabbro, 'greenstone'

**UPPER PROTEROZOIC(?) - LOWER PALEOZOIC(?)
HYLAND GROUP**

PEHy foliated and lineated muscovite-chlorite phyllite, quartzofeldspathic and micaceous psammite, gritty psammite, rare calcilicite, and marble

PCHy carbonate (limestone-marble)

SYMBOLS

--- geological contact (observed, inferred)

--- fault

x subcrop, float

--- strike and dip of foliation

--- vein & approximate orientation

(X) trench

o diamond drill hole

--- road, ATV trail

SIGNIFICANT (>0.5g/t Au) 1986 DRILLING RESULTS

Hole No.	Interval(m)	Width(m)	Grade(g/t Au)
SH-01	26.8-28.8m	0.30	1.01
	48.8-47.31	0.48	1.16
	50.76-53.78	3.00	0.60
SH-02	28.67-32.00	2.43	1.08
SH-03	83.76-84.10	0.26	2.19
	80.80-81.84	1.24	1.08
	128.50-127.98	1.48	0.98
SH-04	127.83-128.83	1.10	0.84
	133.75-134.46	0.79	0.71
	142.65-144.78	2.13	0.47
SH-05	89.05-73.48	4.41	1.20
	75.89-76.19	0.30	0.70
	80.77-81.12	0.35	2.78
	81.73-82.03	0.30	0.53

ABBREVIATIONS


aspy arsenopyrite

poo pyrrhotite

pyr pyrite

cpy chalcopyrite

qz quartz (usually vein)



dwg 2
093382


Kennecott Canada Inc.
Vancouver

**PORPHYRY GOLD
SC CLAIMS
COMPILATION
YUKON TERRITORY, CANADA**

NTS: 115P9.16
Date: 17/07/95
File: SCCL20

Projection: UTM
Author: TH, RM
Scale: 1:20,000

Drawn by: AJL
revised Jan. 19/96
FIGURE 3




- LEGEND**
- outcrop delimit
 - strike & dip of cleavage
 - joint; strike & dip
 - ZH95-195 field station
 - collar diamond drill hole
 - excavator trench
 - trench number
 - road

093382

Dwb (4)


Kenecott Canada Inc. Vancouver		
PORPHYRY GOLD SC CLAIMS KLIPPERT ZONE YUKON TERRITORY, CANADA		
NTS: 115P9,16 Date: Feb 8, 1996 File:	Projection: UTM Author: R.H. Scale: 1:500	Drawn by: KH FIGURE 4



LEGEND

- outline of outcrop
- ↘ strike & dip of cleavage
- ↘ strike & dip of joint
- △ JH95202 field station
- ⊕ claim post
- 1500 chip sample & sample number
- collar
- diamond drill hole
- TR95-7 excavator trench & trench number
- ROAD
- Stream
- py pyrite
- ars arsenopyrite
- osf open space filling
- qz quartz
- o.b. overburden

DWG ③
093382



Kennecott Canada Inc. Vancouver		
PORPHYRY GOLD SC CLAIMS McRAE CREEK ZONE YUKON TERRITORY, CANADA		
NTS: 1:5000	Projection: UTM	Drawn by: RH
Date: Feb. 7/96	Author: RH	FIGURE 5
File:	Scale: 1:500	