

EG 11-26 CLAIMS

YB45566-81

EUREKA CREEK

YUKON

115-0-10

63 33'N 138 50'W

RECONNAISSANCE GEOCHEMISTRY

Dates of Field Work

August 10 and 12, 1995

January 4, 1995 *46*

093387

Prepared by James S. Christie Ph.D.

Geologist

## TABLE OF CONTENTS

	Page
INTRODUCTION	1
LOCATION AND ACCESS	1
TOPOGRAPHY AND VEGETATION	1
LOCATION MAP	2
CLAIM MAP	3
CLAIMS	4
GEOLOGY	4
GEOCHEMISTRY	4
CONCLUSIONS	5
COST STATEMENT	5
STATEMENT OF QUALIFICATIONS	6
APPENDIX	
GEOCHEMICAL DATA	7
MAP IN POCKET	
RECONNAISSANCE GEOCHEMISTRY - SCALE 1"=400'	

## INTRODUCTION

The EG Quartz Claims cover the upper left fork headwaters of Eureka Creek the lower reaches of which has been a significant placer gold producer since the turn of the century. Current reconnaissance geochemistry and prospecting have been undertaken to follow up on previous geochemical results and to examine the areas that were thought to have potential for gold mineralization. Very strongly anomalous gold in silt samples were collected from several of the streams draining Eureka Dome in 1993.

The EG 1 - 26 claims cover the projected trend of geochemical anomalies into the drainage of Eureka Creek from Childs Gulch. Eureka Creek is a tributary of Indian River and the headwaters in the Eureka Dome area are moderate to steep hillsides with few bedrock exposures, and permafrost is locally pervasive especially on north and west facing slopes.

## LOCATION AND ACCESS




The claims are located about 100km by road southeast of Dawson City, Yukon. This road is gravel beyond the Hunker Creek turnoff and deteriorates south of Granville from which point there is no government road maintenance. Driving time from Dawson is about 2-3 hours depending on road conditions. A property location map is included ( Figure 1 ).

## TOPOGRAPHY AND VEGETATION

The property is on the north flanks of Eureka Dome elevation 4327 feet and the areas of interest lie between 2500-3500 feet. The valley slopes vary from moderate along parts of the lower valley to steep. Eureka Creek flows north into Indian River, a tributary of Yukon River.

Placer gold occurs in the gravels on the valley floors which are up to 8 feet thick and are overlain typically by an average of 8-10 feet of frozen black mud. Usually the mud layer is covered with a thick insulating moss blanket with dense to open spruce forest and willow underbrush. On the lower slopes the black mud thins rapidly and interfingers with talus and slide debris on the slopes. Moss is less and spruce vegetation gives way to poplar-willow-birch on dryer less frozen parts of the mid and upper slopes.

The claims lies in an unglaciated part of the Yukon and therefore erosional and weathering processes have gone on without interruption for a long time.




- Type I
- Type II
- Type III
- Type IV
- Type V

PROPERTY  
LOCATION  
MAP

EG 11-26  
QUARTZ CLAIMS

FIG. 1:



CLAIM MAP  
115-0-10

EG 11-26

QUARTZ CLAIMS

FIG. 2:

## CLAIMS

The property consists of the Quartz claims listed below and shown on the accompanying claim map( Figure 2 ).

EG 11-26            YB45566-81

This report covers work done on or near the claims during 1995.

## GEOLOGY

Regional mapping by Bostock 1935-37 indicated that Eureka Creek is underlain by gneiss schist quartzite and slate of the Yukon Group of Precambrian and Later age. Generally , this was found to be correct in the course of present traversing but based on float and outcrop sizeable areas of gneissic granite also occur. Bedrock exposures are sparse despite the steepness of the slope. Only the hardest most resistant gneiss, granite gneiss and quartzite form outcrops.

No outcrops were found during the course of the present work and the single rock sample taken and shown on the accompanying map is of angular rusty weathering breccia float from near the ridge line. Unmineralized chloritic semischist, mica schist and gneiss float was common in the same area.

## GEOCHEMISTRY

Soil sampling was used as the basic tool to try to evaluate the soil covered slopes in the areas of interest, and where applicable stream sediment (silt) samples were taken to give a broader perspective. Soil samples were collected with difficulty using an Eidelman auger near the base of slope at various depths depending on permafrost conditions but generally below all organic layers. Most of the soils were brown to rusty brown in color and contained sand or small angular rock chips. Samples were prepared and analyzed by Chemex Labs of Vancouver, B.C. Analysis for gold was by fusion of a 10 g sample (fire assay) with an AA finish , and for 32 other elements by ICP. The analytical procedures and analyses are given in the appendix. Results were not considered to be anomalous for any of the elements, and were therefor not plotted on the accompanying map which shows all sample locations. In total 53 soils and silt samples and 1 rock chip sample were collected and submitted for analysis.

## CONCLUSIONS

Geochem results from this reconnaissance survey are not encouraging and on account of the difficulties experienced in obtaining samples from extensive areas of permafrost, no further work is recommended.

## COST STATEMENT EG CLAIMS - 1995 WORK

## EG CLAIMS

J.S. Christie Ph.D. Geologist - 2 days	700.00
T.M. Christie Field Asst. - 2 days	400.00
Chemex Labs geochem analyses	874.74
Field supplies bags,string,flagging etc.	50.00
Living costs --field (excl. report)	
4 mandays @ \$ 50.00	200.00
Milage 4x4 2 days	100.00
Report, maps, drafting, duplication	350.00
	-----
TOTAL	\$ 2,674.74


Respectfully submitted this 4th day  
of January, 1995.

  
\_\_\_\_\_  
James S. Christie Ph.D.,  
Geologist

## STATEMENT OF QUALIFICATIONS

I, James S. Christie of Dawson City, Yukon and Vancouver, British Columbia, do hereby certify that:

1. I am a Professional Geologist residing at 25 Callison Way, Dawson City , Yukon, Y0B 1G0, or 3921 West 31st Avenue, Vancouver, B.C. V6S 1Y4.
2. I am a graduate of the University of British Columbia, B.Sc., Honours Geology, 1965: Ph.D. Geology, 1973.
3. I have practised my profession as a mining exploration geologist, continuously since 1965.
4. I am a Fellow of the Geological Association of Canada.
5. This report is based on my knowledge of the district, and personally soil sampling and mapping the geology of the property.
6. I am the recorded owner of the EG Claims.

A handwritten signature in cursive script, appearing to read 'J. S. Christie', written in dark ink.



APPENDIX

Geochemical Data



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.  
ATTN: JIM CHRISTIE  
3921 W. 31ST AVE.  
VANCOUVER, BC  
V6S 1Y4

INVOICE NUMBER

I 9 5 3 2 4 1 3

## BILLING INFORMATION

Date: 1-NOV-95  
Project:  
P.O. No.:  
Account: FGF

Comments:

Billing: For analysis performed on  
Certificate A9532413

Terms: Payment due on receipt of invoice  
1.25% per month (15% per annum)  
charged on overdue accounts

Please Remit Payments to:

**CHEMEX LABS LTD.**  
212 Brooksbank Ave.,  
North Vancouver, B.C.  
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
53	201 - Dry, sieve to -80 mesh ICP-32	1.25	7.00	
	100 - Au ppb FA+AA	8.50	16.75	887.75
Total Cost \$				887.75
Client Discount ( 10%) \$				<u>-88.78</u>
Net Cost \$				798.97
(Reg# R100938885 ) GST \$				<u>55.93</u>
TOTAL PAYABLE (CDN) \$				854.90



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.  
ATTN: JIM CHRISTIE  
3921 W. 31ST AVE.  
VANCOUVER, BC  
V6S 1Y4

INVOICE NUMBER

I 9 5 3 2 4 1 4

## BILLING INFORMATION

Date: 1-NOV-95  
Project:  
P.O. No.:  
Account: FGF

Comments:

Billing: For analysis performed on  
Certificate A9532414

Terms: Payment due on receipt of invoice  
1.25% per month (15% per annum)  
charged on overdue accounts

Please Remit Payments to:

**CHEMEX LABS LTD.**  
212 Brooksbank Ave.,  
North Vancouver, B.C.  
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
1	205 - Geochem ring to approx 150 mesh	2.50		
	226 - 0-3 Kg crush and split	2.60		
	3204 - Save 1 Kg reject for 90 days	0.00		
	ICP-32	7.00		
	100 - Au ppb FA+AA	8.50	20.60	20.60
Total Cost \$				20.60
Client Discount ( 10% ) \$				-2.06
Net Cost \$				18.54
(Reg# R100938885 ) GST \$				1.30
TOTAL PAYABLE (CDN) \$				19.84



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

GIMLEX ENTERPRISES LTD.  
ATTN: JIM CHRISTIE  
3921 W. 31ST AVE.  
VANCOUVER, BC  
V6S 1Y4

A9532413

Comments: ATTN:JIM CHRISTIE

CERTIFICATE

A9532413

(FGF) - GIMLEX ENTERPRISES LTD.

Project:  
P.O. #:

Samples submitted to our lab in Vancouver, BC.  
This report was printed on 27-NOV-95.

## SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	53	Dry, sieve to -80 mesh
229	53	ICP - AQ Digestion charge

\* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

## ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
100	53	Au ppb: Fuse 10 g sample	FA-AAS	5	10000
2118	53	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	53	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	53	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	53	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	53	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	53	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	53	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	53	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	53	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	53	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	53	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	53	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	53	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	53	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	53	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	53	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	53	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	53	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	53	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	53	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	53	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	53	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	53	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	53	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	53	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	53	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	53	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	53	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	53	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	53	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	53	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	53	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

o: GIMLEX ENTERPRISES LTD.  
ATTN: JIM CHRISTIE  
3921 W. 31ST AVE.  
VANCOUVER, BC  
V6S 1Y4

Page Number :1-A  
Total Pages :2  
Certificate Date: 01-NOV-95  
Invoice No. :19532413  
P.O. Number :  
Account :FGF

Project :  
Comments: ATTN:JIM CHRISTIE


## CERTIFICATE OF ANALYSIS

### A9532413

SAMPLE	PREP		Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
	CODE		FA+AA	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
95T-72	201	229	10	0.4	1.37	30	320	< 0.5	< 2	0.30	0.5	7	21	19	2.59	< 10	< 1	0.07	10	0.23	1165
95T-74	201	229	< 5	< 0.2	1.58	28	140	< 0.5	< 2	0.11	< 0.5	7	31	21	3.09	< 10	< 1	0.05	10	0.36	230
95T-75	201	229	< 5	< 0.2	2.20	38	190	< 0.5	< 2	0.12	< 0.5	8	35	24	3.60	< 10	< 1	0.05	10	0.47	285
95T-76	201	229	< 5	< 0.2	1.69	10	170	< 0.5	< 2	0.15	< 0.5	7	30	22	2.87	< 10	< 1	0.06	10	0.47	260
95T-77	201	229	< 5	< 0.2	1.41	8	230	< 0.5	< 2	0.17	< 0.5	3	23	25	2.43	< 10	< 1	0.05	10	0.26	170
95T-78	201	229	< 5	< 0.2	1.42	24	110	< 0.5	< 2	0.10	< 0.5	4	24	18	3.01	< 10	< 1	0.04	< 10	0.22	220
95T-79	201	229	< 5	0.2	1.23	32	180	< 0.5	< 2	0.10	< 0.5	9	26	28	3.34	< 10	< 1	0.06	10	0.27	360
95T-80	201	229	< 5	0.4	1.56	34	350	< 0.5	< 2	0.38	< 0.5	10	29	25	3.00	< 10	< 1	0.07	10	0.41	795
95T-81	201	229	< 5	0.6	1.48	36	460	< 0.5	< 2	0.95	0.5	9	30	34	3.23	< 10	< 1	0.08	20	0.38	920
95T-82	201	229	< 5	< 0.2	1.30	20	180	< 0.5	< 2	0.23	< 0.5	5	24	20	2.65	< 10	< 1	0.06	10	0.38	245
95T-83	201	229	< 5	< 0.2	1.51	16	230	< 0.5	< 2	0.23	< 0.5	11	29	25	3.06	< 10	< 1	0.06	10	0.41	525
95T-84	201	229	< 5	< 0.2	1.55	16	210	< 0.5	< 2	0.21	< 0.5	8	29	21	2.98	< 10	< 1	0.06	10	0.39	260
95T-85	201	229	< 5	< 0.2	1.24	28	160	< 0.5	< 2	0.18	< 0.5	9	24	13	2.50	< 10	< 1	0.06	10	0.29	655
95T-86	201	229	< 5	< 0.2	1.58	30	230	< 0.5	< 2	0.19	< 0.5	9	29	21	3.28	< 10	1	0.05	10	0.39	235
95T-87	201	229	< 5	< 0.2	1.25	16	260	< 0.5	< 2	0.25	< 0.5	12	23	17	2.80	< 10	< 1	0.05	10	0.38	720
95T-88	201	229	< 5	< 0.2	2.02	14	240	< 0.5	< 2	0.41	< 0.5	14	31	18	3.66	< 10	< 1	0.48	10	0.77	1005
95T-89	201	229	< 5	< 0.2	1.05	30	240	< 0.5	< 2	0.36	< 0.5	10	23	27	2.80	< 10	< 1	0.11	10	0.39	595
95T-90	201	229	< 5	< 0.2	1.79	34	580	0.5	< 2	0.90	< 0.5	11	74	30	3.80	< 10	< 1	0.26	20	0.75	520
95T-91	201	229	< 5	< 0.2	1.30	14	310	< 0.5	< 2	0.29	< 0.5	8	23	18	2.66	< 10	< 1	0.05	10	0.43	455
95T-92	201	229	< 5	< 0.2	0.59	44	260	< 0.5	< 2	0.09	< 0.5	13	16	41	2.43	< 10	< 1	0.03	10	0.12	595
95T-93	201	229	< 5	< 0.2	1.30	18	460	< 0.5	< 2	0.60	< 0.5	10	28	23	3.14	< 10	< 1	0.09	20	0.49	835
95T-94	201	229	15	< 0.2	1.91	10	250	< 0.5	< 2	0.18	< 0.5	8	33	18	3.02	< 10	< 1	0.12	10	0.51	245
95T-95	201	229	< 5	< 0.2	2.03	8	270	< 0.5	< 2	0.16	< 0.5	7	34	14	3.34	< 10	< 1	0.15	10	0.55	245
95T-96	201	229	< 5	< 0.2	1.89	2	290	< 0.5	< 2	0.17	< 0.5	5	32	11	3.16	< 10	< 1	0.17	30	0.50	270
95T-97	201	229	< 5	< 0.2	1.45	4	310	< 0.5	< 2	0.18	< 0.5	4	33	14	2.43	< 10	< 1	0.20	50	0.41	320
95T-98	201	229	< 5	0.2	1.68	12	680	0.5	< 2	0.23	< 0.5	8	29	16	3.08	< 10	< 1	0.26	60	0.41	1285
95T-99	201	229	< 5	< 0.2	1.94	10	580	0.5	< 2	0.22	< 0.5	8	43	15	3.11	< 10	< 1	0.26	110	0.45	1125
95T-100	201	229	< 5	< 0.2	1.87	8	590	0.5	< 2	0.32	< 0.5	6	34	18	2.94	< 10	< 1	0.20	120	0.49	320
95T-101	201	229	< 5	< 0.2	2.26	4	500	0.5	< 2	0.31	< 0.5	7	40	13	3.39	< 10	< 1	0.32	80	0.53	340
95T-102	201	229	< 5	< 0.2	1.80	6	350	< 0.5	< 2	0.17	< 0.5	6	36	13	3.10	< 10	< 1	0.21	30	0.49	500
95T-103	201	229	< 5	< 0.2	1.65	2	420	< 0.5	< 2	0.38	< 0.5	6	23	11	2.88	< 10	< 1	0.26	70	0.43	530
95T-104	201	229	< 5	< 0.2	1.81	8	290	< 0.5	< 2	0.23	< 0.5	6	30	15	3.12	< 10	< 1	0.18	20	0.56	330
95T-105	201	229	50	0.2	1.22	6	240	< 0.5	< 2	0.18	< 0.5	4	22	11	2.35	< 10	< 1	0.18	20	0.34	230
95T-106	201	229	< 5	0.2	2.08	6	450	< 0.5	< 2	0.25	< 0.5	35	47	24	3.90	< 10	< 1	0.12	20	0.63	3970
95T-107	201	229	< 5	0.4	1.41	8	340	< 0.5	< 2	0.22	< 0.5	9	29	17	2.53	< 10	< 1	0.08	10	0.44	505
95T-108	201	229	< 5	0.4	1.83	4	400	< 0.5	< 2	0.28	0.5	8	29	14	3.00	< 10	< 1	0.11	20	0.41	715
95T-109	201	229	< 5	< 0.2	1.80	12	330	< 0.5	< 2	0.29	< 0.5	14	35	22	3.17	< 10	1	0.10	10	0.67	790
95T-110	201	229	< 5	0.2	2.04	12	600	0.5	< 2	0.42	< 0.5	20	49	60	4.17	< 10	< 1	0.59	20	0.92	1000
95T-111	201	229	< 5	< 0.2	1.81	12	240	< 0.5	< 2	0.18	< 0.5	12	41	22	3.31	< 10	< 1	0.13	10	0.62	565
95T-112	201	229	< 5	0.2	2.03	12	370	< 0.5	< 2	0.26	< 0.5	9	42	43	3.42	< 10	< 1	0.31	20	0.76	240

CERTIFICATION:

*Hart Buehler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

GIMLEX ENTERPRISES LTD.  
ATTN: JIM CHRISTIE  
3921 W. 31ST AVE.  
VANCOUVER, BC  
V6S 1Y4

Page Number : 1-B  
Total Pages : 2  
Certificate Date: 01-NOV-95  
Invoice No. : 19532413  
P.O. Number :  
Account : FGF

Project :  
Comments: ATTN:JIM CHRISTIE


## CERTIFICATE OF ANALYSIS

### A9532413

SAMPLE	PREP		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
95T-72	201	229	1	0.01	16	540	14	2	2	33	0.06	< 10	< 10	60	< 10	78
95T-74	201	229	< 1	< 0.01	21	330	16	< 2	3	12	0.06	< 10	< 10	60	< 10	66
95T-75	201	229	1	0.01	22	380	10	< 2	3	15	0.08	< 10	< 10	69	< 10	66
95T-76	201	229	1	< 0.01	20	230	10	< 2	4	16	0.07	< 10	< 10	54	< 10	60
95T-77	201	229	1	0.01	15	660	12	2	1	20	0.02	< 10	< 10	46	< 10	46
95T-78	201	229	1	< 0.01	12	520	12	2	2	13	0.04	< 10	< 10	56	< 10	48
95T-79	201	229	1	< 0.01	22	640	12	< 2	4	21	0.04	< 10	< 10	54	< 10	82
95T-80	201	229	1	0.01	24	630	20	< 2	7	31	0.04	< 10	< 10	53	< 10	92
95T-81	201	229	1	0.01	29	720	30	< 2	8	46	0.04	< 10	< 10	48	< 10	106
95T-82	201	229	1	0.01	14	510	10	< 2	3	22	0.06	< 10	< 10	50	< 10	62
95T-83	201	229	< 1	0.01	19	600	14	2	4	20	0.06	< 10	< 10	56	< 10	74
95T-84	201	229	< 1	0.01	18	500	12	< 2	3	20	0.05	< 10	< 10	53	< 10	76
95T-85	201	229	< 1	< 0.01	16	450	16	2	2	19	0.05	< 10	< 10	50	< 10	62
95T-86	201	229	< 1	< 0.01	21	520	16	< 2	4	18	0.05	< 10	< 10	50	< 10	88
95T-87	201	229	< 1	< 0.01	18	530	10	< 2	3	17	0.05	< 10	< 10	50	< 10	76
95T-88	201	229	1	0.01	18	1080	8	< 2	6	25	0.12	< 10	< 10	59	< 10	100
95T-89	201	229	1	0.01	22	820	12	6	4	25	0.05	< 10	< 10	42	< 10	94
95T-90	201	229	< 1	0.01	31	830	14	< 2	10	30	0.08	< 10	< 10	64	< 10	92
95T-91	201	229	< 1	0.01	18	500	8	< 2	3	18	0.04	< 10	< 10	50	< 10	78
95T-92	201	229	1	< 0.01	31	290	12	2	6	25	0.02	< 10	< 10	40	< 10	66
95T-93	201	229	1	0.01	25	850	14	2	4	31	0.06	< 10	< 10	54	< 10	80
95T-94	201	229	< 1	0.01	18	260	16	< 2	3	15	0.09	< 10	< 10	50	< 10	64
95T-95	201	229	1	< 0.01	18	370	8	2	3	16	0.11	< 10	< 10	64	< 10	62
95T-96	201	229	1	0.01	16	250	16	< 2	4	15	0.12	< 10	< 10	55	< 10	62
95T-97	201	229	< 1	< 0.01	18	280	20	< 2	4	15	0.08	< 10	< 10	38	< 10	70
95T-98	201	229	1	0.01	17	480	30	2	4	20	0.09	< 10	< 10	48	< 10	86
95T-99	201	229	1	< 0.01	20	250	26	< 2	7	18	0.09	< 10	< 10	42	< 10	82
95T-100	201	229	1	0.01	20	220	18	2	6	24	0.08	< 10	< 10	48	< 10	64
95T-101	201	229	< 1	0.01	20	300	22	2	6	23	0.11	< 10	< 10	55	< 10	70
95T-102	201	229	1	0.01	19	200	14	< 2	4	16	0.10	< 10	< 10	56	< 10	66
95T-103	201	229	1	0.01	15	190	14	< 2	4	20	0.10	< 10	< 10	50	< 10	68
95T-104	201	229	1	< 0.01	18	380	14	2	4	18	0.10	< 10	< 10	55	< 10	76
95T-105	201	229	1	0.01	14	290	18	2	3	14	0.07	< 10	< 10	40	< 10	58
95T-106	201	229	3	0.01	29	860	18	< 2	5	20	0.07	< 10	< 10	68	< 10	86
95T-107	201	229	1	< 0.01	19	550	12	< 2	3	18	0.06	< 10	< 10	50	< 10	66
95T-108	201	229	2	0.01	17	490	26	4	3	16	0.05	< 10	< 10	51	< 10	112
95T-109	201	229	1	0.01	22	590	12	< 2	3	22	0.09	< 10	< 10	78	< 10	94
95T-110	201	229	2	0.01	50	810	12	< 2	4	30	0.13	< 10	< 10	101	< 10	148
95T-111	201	229	1	0.01	24	530	14	< 2	3	16	0.09	< 10	< 10	60	< 10	82
95T-112	201	229	1	0.01	30	790	14	< 2	5	22	0.11	< 10	< 10	62	< 10	96

CERTIFICATION:

*Handwritten signature*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

o: GIMLEX ENTERPRISES LTD.  
 ATTN: JIM CHRISTIE  
 3921 W. 31ST AVE.  
 VANCOUVER, BC  
 V6S 1Y4

Page Number :2-A  
 Total Pages :2  
 Certificate Date: 01-NOV-95  
 Invoice No. :19532413  
 P.O. Number :  
 Account :FGF

Project :  
 Comments: ATTN:JIM CHRISTIE

## CERTIFICATE OF ANALYSIS A9532413

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
95T-113	201	229	< 5	0.2	1.71	18	220	< 0.5	< 2	0.18	< 0.5	7	32	21	3.16	< 10	< 1	0.09	10	0.51	185
95T-114	201	229	< 5	< 0.2	1.15	14	190	< 0.5	< 2	0.27	< 0.5	6	26	16	2.03	< 10	< 1	0.15	10	0.43	230
95T-115	201	229	< 5	< 0.2	1.46	6	240	< 0.5	2	0.37	< 0.5	10	138	23	2.74	< 10	< 1	0.11	10	0.70	335
95T-116	201	229	< 5	< 0.2	1.66	8	250	< 0.5	< 2	0.26	< 0.5	7	35	19	2.69	< 10	2	0.14	10	0.59	200
95T-117	201	229	< 5	< 0.2	1.76	6	270	< 0.5	< 2	0.29	< 0.5	7	29	19	2.83	< 10	< 1	0.13	20	0.58	245
95T-118	201	229	< 5	< 0.2	1.38	8	210	< 0.5	< 2	0.27	< 0.5	7	25	11	2.25	< 10	< 1	0.07	10	0.40	285
95T-119	201	229	< 5	< 0.2	1.37	14	410	< 0.5	< 2	0.43	0.5	9	28	28	2.92	< 10	< 1	0.10	20	0.48	410
95T-120	201	229	< 5	< 0.2	1.49	16	290	< 0.5	< 2	0.33	< 0.5	9	28	29	3.07	< 10	< 1	0.16	10	0.50	660
95T-121	201	229	< 5	< 0.2	1.26	18	140	< 0.5	< 2	0.22	< 0.5	7	24	16	2.44	< 10	< 1	0.05	10	0.36	310
95T-122	201	229	< 5	< 0.2	1.53	18	160	< 0.5	< 2	0.23	< 0.5	6	25	18	2.94	< 10	< 1	0.07	10	0.44	225
95T-123	201	229	< 5	< 0.2	1.84	8	310	< 0.5	< 2	0.38	< 0.5	10	40	30	3.18	< 10	< 1	0.32	30	0.68	445
95T-124	201	229	< 5	0.2	1.92	20	310	< 0.5	< 2	0.25	< 0.5	11	31	32	3.77	< 10	< 1	0.25	30	0.61	490
95T-125	201	229	< 5	0.2	2.00	18	310	< 0.5	< 2	0.31	< 0.5	11	33	32	3.55	< 10	< 1	0.22	20	0.61	365

CERTIFICATION: *[Signature]*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

o: GIMLEX ENTERPRISES LTD.  
ATTN: JIM CHRISTIE  
3921 W. 31ST AVE.  
VANCOUVER, BC  
V6S 1Y4

Page Number :2-B  
Total Pages :2  
Certificate Date: 01-NOV-95  
Invoice No. :19532413  
P.O. Number :  
Account :FGF

Project :  
Comments: ATTN:JIM CHRISTIE

## CERTIFICATE OF ANALYSIS

### A9532413

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
95T-113	201	229	1	< 0.01	24	710	12	4	3	16	0.07	< 10	< 10	55	< 10	86
95T-114	201	229	1	< 0.01	18	760	8	< 2	2	17	0.07	< 10	< 10	41	< 10	60
95T-115	201	229	< 1	0.01	47	690	12	< 2	4	27	0.09	< 10	< 10	49	< 10	82
95T-116	201	229	1	< 0.01	21	670	10	< 2	3	18	0.09	< 10	< 10	57	< 10	80
95T-117	201	229	< 1	0.01	20	680	8	< 2	4	22	0.09	< 10	< 10	57	< 10	78
95T-118	201	229	< 1	0.01	16	660	8	< 2	2	19	0.06	< 10	< 10	45	< 10	66
95T-119	201	229	1	0.01	25	780	8	4	4	32	0.07	< 10	< 10	46	< 10	82
95T-120	201	229	< 1	0.01	23	740	10	< 2	4	27	0.08	< 10	< 10	50	< 10	86
95T-121	201	229	1	< 0.01	17	660	8	< 2	2	13	0.06	< 10	< 10	45	< 10	74
95T-122	201	229	1	0.01	17	670	10	2	3	17	0.07	< 10	< 10	58	< 10	72
95T-123	201	229	1	0.01	25	820	12	< 2	6	24	0.12	< 10	< 10	52	< 10	100
95T-124	201	229	1	0.01	25	740	18	4	5	22	0.10	< 10	< 10	59	< 10	108
95T-125	201	229	1	0.01	24	750	22	< 2	4	25	0.10	< 10	< 10	58	< 10	106

CERTIFICATION: \_\_\_\_\_





# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: GIMLEX ENTERPRISES LTD.  
ATTN: JIM CHRISTIE  
3921 W. 31ST AVE.  
VANCOUVER, BC  
V6S 1Y4

Page Number : 1-A  
Total Pages : 1  
Certificate Date: 01-NOV-95  
Invoice No. : 19532414  
P.O. Number :  
Account : FGF

Project :  
Comments: ATTN:JIM CHRISTIE

## CERTIFICATE OF ANALYSIS A9532414

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
95T-73	205	226	< 5	< 0.2	0.74	696	180	0.5	< 2	0.02	< 0.5	3	132	72	6.65	< 10	< 1	0.07	< 10	0.01	140

CERTIFICATION: Handwritten Signature



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: GIMLEX ENTERPRISES LTD.  
ATTN: JIM CHRISTIE  
3921 W. 31ST AVE.  
VANCOUVER, BC  
V6S 1Y4

Project :  
Comments: ATTN:JIM CHRISTIE

Page Number :1-B  
Total Pages :1  
Certificate Date: 01-NOV-95  
Invoice No. :19532414  
P.O. Number :  
Account :FGF

## CERTIFICATE OF ANALYSIS A9532414

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
95T-73	205	226	< 1	< 0.01	8	1620	4	4	8	25	< 0.01	< 10	< 10	64	< 10	50

CERTIFICATION: \_\_\_\_\_

093387 DWG (1)

RECONNAISSANCE GEOCHEMISTRY  
EG 1-26 QUARTZ CLAIMS  
HEADWATERS OF EUREKA CREEK  
YUKON  
NTS 115-0-10

Scale 1" = 400'

J.S. Christie, Nov 17, 1995

- Soil Sample
- △ Rock Sample
- x Silt Sample
- Claim Post

FIGURE 3

