

ASSESSMENT REPORT

for the

EXPLORATION WORK

on the

**DM 1-8
QUARTZ MINING
CLAIMS
(YB66276-YB66283)**

**WHITEHORSE,
YUKON TERRITORY**

**NTS 105 D/11
ZONE 8
LATITUDE 60-44 N
LONGITUDE 135-10W**

093635

between

**SEPTEMBER, 1995
SEPTEMBER, 1996**


**WHITEHORSE MINING DISTRICT
YUKON TERRITORY**

by

JOSEPH A. J. CLARKE

for

**SID McKEOWN
WHITEHORSE, YUKON
APRIL, 1997**



This report has been examined by
the Geological Evaluation Unit
under Section 53 (4) Yukon Quartz
Mining Act and is allowed as
representation work in the amount
of \$ 800.00.

M. B. L.
for Regional Manager, Exploration and
Geological Services for Commissioner
of Yukon Territory.

INTRODUCTION	3
LOCATION, AND ACCESS	3
TOPOGRAPHY, CLIMATE	3
EXPLORATION HISTORY	3
REGIONAL GEOLOGY	4
PROPERTY GEOLOGY AND EXPLORATION	4
CONCLUSIONS AND RECOMMENDATIONS	5
APPENDIX I	6
LIST OF FIGURES	
FIGURE 1: LOCATION MAP (1:6,000,000)	7
FIGURE 2: CLAIM MAP (1:30,000)	8
FIGURE 3: PROPERTY GEOLOGY (1:15000)	9
APPENDIX II	
<u>ASSAY RESULTS</u>	10
APPENDIX III	
<u>STATEMENT OF EXPENDITURES</u>	11
APPENDIX IV	
<u>STATEMENT OF QUALIFICATIONS</u>	12
APPENDIX V	
<u>ACKNOWLEDGMENTS</u>	13

INTRODUCTION

This report describes the exploration work carried out on the DM 1-8 claims, located in the City of Whitehorse, Yukon, between June, 1996 and September, 1996. The claims cover an area of Upper Triassic Lewes River Group limestone, sandstone, and siltstone intruded by mid-Cretaceous quartz monzonite and granodiorite. Rock assays returned results as high as 8228 ppm Cu and 1270 ppb Au. Mineralization is typical of silicate and Fe-rich skarns of the Whitehorse Copper Belt. The work consisted of one day of trenching with a wheeled loader, three days of prospecting, 500 m of flagged line, and seven rock samples. The total value of exploration expenditures for 1996 is \$1607.29.

LOCATION, AND ACCESS

The DM 1-8 claims are located in the City of Whitehorse, Yukon Territory, east of the Alaska Highway at the crossing of McIntyre Creek. The Fish Lake Road crosses NE-SW along the center of the claim group. The historic Copper King Mine is located 0.5 km east of the claims. Access is possible by car or truck to most areas of the claims.

TOPOGRAPHY, CLIMATE

The DM 1-8 claims occupy a 1km wide valley of Porter and McIntyre Creeks. The elevation of the valley floor is 2500 feet. The north side of the valley rises steeply from the valley floor to an elevation of 3500 feet. Outcrop exposure is approximately 25%.

The climate of the area varies from a high of +30C in the summer to lows of -40C during the winter. Typical are long hot summers (May to September) with up to 18 hours of daylight and moderate to harsh winters (October to April) with less than 7 hours of daylight.

Black spruce is the most common tree species in the area. These favor the NE side of valleys and are a common indicator of local permafrost. More exposed areas have a mixture of white and black spruce with occasional pine. In the most exposed areas aspen colonies are well established. Willows are abundant in the valleys and low areas.

EXPLORATION HISTORY

Copper mineralization was reported in the Whitehorse area by miners traveling to the Klondike in 1897. Mr. Jack McIntyre staked the Copper King claim in 1898. Ore was first shipped from the Copper King in 1900. Prospecting in the area generated many mines including the; Arctic Chief, the Pueblo Mine, the Little Chief, War Eagle and others. Mining, milling, the shipping of copper ore continued till the 1980's. Total production from 1898 to 1982 was 10,130,000 tonnes grading 1.5% Cu.

REGIONAL GEOLOGY

The Whitehorse Copper Belt is located in the Whitehorse Trough a subdivision of the Intermontane Belt. The Whitehorse Trough is a NW trending Island Arc Complex containing clastic and carbonate rocks ranging from upper Paleozoic to Jurassic. Rocks of the Triassic Lewes River Group and lower Jurassic Laberge group are found in the Whitehorse Copper Belt. A Cretaceous quartz monzonite to granodiorite batholith intrudes to the west resulting in the significant copper skarn mineralization of the Whitehorse Copper Belt.

PROPERTY GEOLOGY AND EXPLORATION

Rocks of three units are exposed on the property (see fig 3). Trench TR96-1 followed a contact between silty limestone of the Lewes River Group and Cretaceous granodiorite. A zone was exposed containing massive and disseminated bornite and chalcopyrite. Assay results returned copper values as high as 6898 and 8228 ppm Cu and 461 and 1270 ppb Au. Further trenching must be performed to determine a true width and a strike length. TR96-2 exposed Cretaceous granite with weak malachite alteration. Assay results returned no significant copper values. TR96-3 is located on the north side of the Porter Creek fault and exposed unaltered granite. No samples were taken at this site.

Approximately 25% of the property was covered by reconnaissance prospecting. Flagged lines were marked out to leading from the Fish Lake Road to each of the 3 trenches. These lines were flagged at 25m intervals.


CONCLUSIONS and RECOMMENDATIONS

Future work on the property should consist of further mechanical trenching and blasting of the gossanous contact zone located at TR96-1. A significant number of chip samples should be taken to give an indication of grade. A light reverse circulation or diamond drill should then be brought in to test the depth of mineralization.


A flagged grid should be laid out followed by detailed mapping and prospecting. Any significant areas of mineralization should be trenched by hand or mechanical means then sampled.

APPENDIX I

LIST OF FIGURES



**DM
PROPERTY**




SIDROCK EXPLORATIONS

DM 1-8

WHITEHORSE MINING DISTRICT, YUKON TERRITORY

LOCATION MAP



LEGEND

LITHOLOGIES

MID-CRETACEOUS

Kw WHITEHORSE BATHOLITH: BIOTITE-HORNBLEND QUARTZ MONZONITE TO GRANODIORITE.

UPPER-TRIASSIC

LEWES RIVER GROUP


IBI INTERBEDDED UNIT: LIMESTONE SUB-FACIES.

GL GREY LIMESTONE: FOSSILIFEROUS, LIGHT GREY WEATHERING

BL PYRITIC SANDSTONE AND SILTSTONE: RUSTY WEATHERING, 2-5% PYRITE, CONTAINS LENSES OF GRIT AND TUFF.

SYMBOLS

	CLAIM BOUNDARY
	CLAIM LINE
	CLAIM LINE - OTHERS
	CREEK
	ROAD
	FAULT
	GEOLOGICAL CONTACT
	1997 TRENCH
	1997 ROCK GRAB SAMPLES ASSAYS AS SHOWN



SIDROCK EXPLORATIONS

DM 1-8

WHITEHORSE MINING DISTRICT, YUKON TERRITORY

GEOLOGICAL COMPILATION

APPENDIX II

ASSAY RESULTS

Invoice for Analytical Services

To:

Invoice Date: 27/09/96

Sidrock
Sid McKeown
Box4471
Whitehorse, Yukon

WO# 07024

QTY	DESCRIPTION	UNIT PRICE	AMOUNT
11	Sample Preparation: Rock/D.C. Sample Preparation	5.00	55.00
1	Soil/Sediment Sample Preparation	2.00	2.00
9	Analyses: Au + 30	16.00	144.00
3	Pt + 32	26.00	78.00

ASSAYS \$ 21.00 + GST.

Subtotal	279.00
GST @7% (R 121285662)	19.53
Assay Coupons	(\$139.50)
Total due on receipt of invoice	\$159.03

2% per month charged on overdue accounts

PAID CK# 0079



INTERNATIONAL PLASMA LABORATORY LTD.

CERTIFICATE OF ANALYSIS

iPL 96G0556

2036 Columbia Street
Vancouver, B.C.
Canada V5Y 3E1
Phone (604) 879-7878
Fax (604) 879-7898

SID McKeown

Northern Analytical Laboratories 26 Samples

Out: Jul 08, 1996 Project: W/O 10325
In: Jul 05, 1996 Shipper: Norm Smith
PO#: Shipment: ID=C030901

0= Rock 0= Soil 0= Core 0=RC Ct 26= Pulp 0=Other [055617:12:13:69070896]
Raw Storage: -- -- -- -- 12Mon/Disc -- Mon=Month Dis=Discard
Pulp Storage: -- -- -- -- 12Mon/Disc -- Rtn=Return Arc=Archive

Msg: ICP(AqR)30

Msg:

Document Distribution

1 Northern Analytical Laboratories EN RT CC IN FX
105 Copper Road 1 2 2 2 1
Whitehorse DL 3D 5D BT BL
YT Y1A 2Z7 0 0 0 1 0

ATT: Norm Smith

Ph: 403/668-4968
Fx: 403/668-4890

Analytical Summary

##	Code	Met	Title	Limit	Limit	Units	Description	Element	##
				Low	High				
01	721P	ICP	Ag	0.1	100	ppm	Ag ICP	Silver	01
02	711P	ICP	Cu	1	20000	ppm	Cu ICP	Copper	02
03	714P	ICP	Pb	2	20000	ppm	Pb ICP	Lead	03
04	730P	ICP	Zn	1	20000	ppm	Zn ICP	Zinc	04
05	703P	ICP	As	5	9999	ppm	As ICP 5 ppm	Arsenic	05
06	702P	ICP	Sb	5	9999	ppm	Sb ICP	Antimony	06
07	732P	ICP	Hg	3	9999	ppm	Hg ICP	Mercury	07
08	717P	ICP	Mo	1	9999	ppm	Mo ICP	Molybdenum	08
09	747P	ICP	Tl	10	999	ppm	Tl ICP 10 ppm (Incomplete	Thallium	09
10	705P	ICP	Bi	2	999	ppm	Bi ICP	Bismuth	10
11	707P	ICP	Cd	0.1	100	ppm	Cd ICP	Cadmium	11
12	710P	ICP	Co	1	999	ppm	Co ICP	Cobalt	12
13	718P	ICP	Ni	1	999	ppm	Ni ICP	Nickel	13
14	704P	ICP	Ba	2	9999	ppm	Ba ICP (Incomplete Digest	Barium	14
15	727P	ICP	W	5	999	ppm	W ICP (Incomplete Digest	Tungsten	15
16	709P	ICP	Cr	1	9999	ppm	Cr ICP (Incomplete Digest	Chromium	16
17	729P	ICP	V	2	999	ppm	V ICP	Vanadium	17
18	716P	ICP	Mn	1	9999	ppm	Mn ICP	Manganese	18
19	713P	ICP	La	2	9999	ppm	La ICP (Incomplete Digest	Lanthanum	19
20	723P	ICP	Sr	1	9999	ppm	Sr ICP (Incomplete Digest	Strontium	20
21	731P	ICP	Zr	1	999	ppm	Zr ICP	Zirconium	21
22	736P	ICP	Sc	1	99	ppm	Sc ICP	Scandium	22
23	726P	ICP	Ti	0.01	1.00	%	Ti ICP (Incomplete Digest	Titanium	23
24	701P	ICP	Al	0.01	9.99	%	Al ICP (Incomplete Digest	Aluminum	24
25	708P	ICP	Ca	0.01	9.99	%	Ca ICP (Incomplete Digest	Calcium	25
26	712P	ICP	Fe	0.01	9.99	%	Fe ICP	Iron	26
27	715P	ICP	Mg	0.01	9.99	%	Mg ICP (Incomplete Digest	Magnesium	27
28	720P	ICP	K	0.01	9.99	%	K ICP (Incomplete Digest	Potassium	28
29	722P	ICP	Na	0.01	5.00	%	Na ICP (Incomplete Digest	Sodium	29
30	719P	ICP	P	0.01	5.00	%	P ICP	Phosphorus	30

EN=Envelope # RT=Report Style CC=Copies IN=Invoices FX=Fax(1=Yes 0=No)
DL=Download 3D=3-1/2 Disk 5D=5-1/4 Disk BT=BBS Type BL=BBS(1=Yes 0=No)

Totals: 2=Copy 2=Invoice 0=3-1/2 Disk 0=5-1/4 Disk



27/09/96

Assay Certificate

Page 1

Sidrock
Sid McKeown

WO# 07024

Sample #	Au ppb
	
DM 1	<5
DM 2	<5
DM 3	461
DM 4	1270
DM 5	17

Certified by 



CERTIFICATE OF ANALYSIS

iPL 96H0827

2036 Columbia Street
Vancouver, B.C.
Canada V5Y 3E1
Phone (604) 879-7878
Fax (604) 879-7898

Client: Northern Analytical Laboratories
Project: W.O. 07024 12 Pulp

iPL: 96H0827


Out: Sep 10, 1996
In: Aug 30, 1996

Page 1 of 1
[082714:58:42:69091096]

Section 1 of 2
Certified BC Assayer: David Chiu

Sample Name	Au ppb	Pt ppb	Pd ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm	V ppm	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %
[REDACTED]	20	<	<	5.0	25	905	222	<	<	<	5	<	<	<	63	42	15	<	38	0.1%	282	<	3	5	1	0.15	0.25	0.14	20%
	24	<	<	0.9	1999	109	74	<	<	<	4	<	<	<	29	46	14	<	12	46	250	<	19	4	<	0.01	0.07	1.97	17%
	58	<	<	<	58	33	82	<	<	<	5	<	<	<	98	100	41	<	17	364	785	<	12	2	3	0.07	0.54	0.26	11%
	---	---	---	0.3	23	34	60	52	<	<	4	<	<	<	6	4	104	<	2	10	196	3	69	4	1	<	0.94	0.63	1.50
DM 1	---	---	---	8.0	11568	753	74	74	5	<	4	<	<	0.3	13	22	198	<	34	55	1767	8	181	2	5	0.02	2.06	14%	1.97
	---	---	---	51.2	9.4%	48	294	<	<	<	6	<	370	1.4	88	64	42	18	10	54	1375	<	12	8	<	0.01	0.30	0.18	23%
	---	---	---	0.7	30%	69	600	55	11	<	5	<	<	2.2	69	19	66	59	17	44	1868	3	42	2	6	0.01	1.53	0.34	1.22
	---	---	---	<	971	11	53	30	<	<	3	<	<	0.1	14	28	86	<	91	49	385	15	224	11	4	0.12	2.00	3.92	1.52
DM 2	---	---	---	<	926	11	37	20	<	<	2	<	<	7	8	22	<	41	20	331	8	77	4	3	0.09	1.03	3.22	0.97	
DM 3	---	---	---	11.7	6898	12	22	8	7	<	1552	<	186	0.1	3	3	79	<	69	<	63	5	36	3	<	0.05	0.34	0.39	0.73
DM 4	---	---	---	35.0	8228	16	46	16	20	<	5176	<	270	0.4	5	<	79	<	115	<	109	5	49	2	<	0.05	0.47	0.42	1.00
DM 5	---	---	---	7.0	489	16	27	14	<	<	79	<	5	0.2	2	9	43	<	162	6	55	<	19	1	<	0.01	0.16	0.06	0.43

Min Limit 2 15 5 0.1 1 2 1 5 5 3 1 10 2 0.1 1 1 2 5 1 2 1 2 1 1 1 0.01 0.01 0.01 0.01
 Max Reported* 9999 10000 10000 99.9 20000 20000 20000 9999 9999 9999 9999 999 999 99.9 999 999 9999 999 9999 999 9999 9999 9999 9999 999 99 1.00 9.99 9.99 9.99
 Method FAAA FA/AAS FA/AAS ICP
 ---No Test ins=Insufficient Sample S=Soil R=Rock C=Core L=Silt P=Pulp U=Undefined m=Estimate/1000 %=Estimate % Max=No Estimate
 2036 Columbia Street, Vancouver, BC, V5Y 3E1 Ph: 604/879-7878 Fax: 604/879-7898



INTERNATIONAL PLASMA LABORATORY LTD.

CERTIFICATE OF ANALYSIS

iPL 96H0827

2036 Columbia Street
Vancouver, B.C.
Canada V5Y 3E1
Phone (604) 879-7878
Fax (604) 879-7898

Client: Northern Analytical Laboratories
Project: W.O. 07024 12 Pulp

iPL: 96H0827

Out: Sep 10, 1996
In: Aug 30, 1996


Page 1 of 1
[082714:58:48:69091096]

Section 2 of 2
Certified BC Assayer: David Chiu

Sample Name	Mg %	K %	Na %	P %
[REDACTED]	0.30	< 0.01	<	<
[REDACTED]	0.09	< 0.01	0.02	<
[REDACTED]	7.51	0.18	0.03	<
[REDACTED]	0.66	0.15	0.02	0.05
[REDACTED]	3.13	0.24	0.02	0.09
[REDACTED]	0.55	0.03	0.02	0.24
[REDACTED]	3.58	0.04	0.03	<
DM 1	1.00	0.11	0.08	0.12
DM 2	0.83	0.01	0.03	0.07
DM 3	0.18	0.07	0.03	0.11
DM 4	0.27	0.09	0.05	0.11
DM 5	0.09	0.10	0.03	0.01

Min Limit 0.01 0.01 0.01 0.01
Max Reported* 9.99 9.99 5.00 5.00
Method ICP ICP ICP ICP

---No Test ins=Insufficient Sample S=Soil R=Rock C=Core L=Silt P=Pulp U=Undefined m=Estimate/1000 %=Estimate % Max=No Estimate
International Plasma Lab Ltd. 2036 Columbia St. Vancouver BC V5Y 3E1 Ph:604/879-7878 Fax:604/879-7898



INTERNATIONAL PLASMA LABORATORY LTD.

CERTIFICATE OF ANALYSIS

iPL 96G0556

2036 Columbia Street
 Vancouver, B.C.
 Canada V5Y 3E1
 Phone (604) 879-7878
 Fax (604) 879-7898

Client: Northern Analytical Laboratories
 Project: W/O 10325 26 Pulp

iPL: 96G0556

Out: Jul 08, 1996
 In: Jul 05, 1996

Page 1 of 1
 [055617:12:19:69070896]

Section 1 of 1
 Certified BC Assayer: David Chiu

Sample Name	Ag	Cu	Pb	Zn	As	Sb	Hg	Mo	Tl	Bi	Cd	Co	Ni	Ba	W	Cr	V	Mn	La	Sr	Zr	Sc	Ti	Al	Ca	Fe	Mg	K	Na	P	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%
[REDACTED]	0.1	17	19	53	22	<	<	2	<	<	0.3	17	23	164	<	35	74	510	7	38	4	4	0.15	2.09	0.42	2.82	0.77	0.07	0.03	0.02	
	<	11	16	172	12	<	<	3	<	<	0.8	12	11	386	<	18	54	971	18	23	2	3	0.07	1.54	0.26	2.79	0.47	0.16	0.02	0.03	
	<	8	17	42	10	<	<	3	<	<	0.2	9	13	137	<	23	59	305	7	25	2	2	0.12	1.14	0.27	2.37	0.43	0.19	0.02	0.02	
	<	21	15	59	18	<	<	2	<	<	<	15	26	322	<	29	74	681	13	42	5	3	0.16	1.90	0.39	3.57	0.56	0.16	0.02	0.02	
	0.2	3	9	48	10	<	<	1	<	<	<	7	2	412	<	87	35	503	16	13	3	2	0.18	0.72	0.35	2.05	0.42	0.52	0.08	0.06	
[REDACTED]	<	7	6	44	14	<	<	1	<	<	0.1	7	5	274	<	86	48	474	13	33	5	2	0.15	0.81	0.45	2.21	0.45	0.35	0.08	0.07	
	<	2	7	43	<	<	<	1	<	<	0.1	8	3	375	<	102	37	574	15	14	3	2	0.18	0.75	0.32	2.25	0.46	0.50	0.08	0.06	
	<	3	8	33	6	<	<	2	<	<	<	7	2	328	<	109	31	436	14	13	2	2	0.16	0.65	0.25	1.94	0.38	0.46	0.08	0.05	
	<	43	7	41	15	<	<	2	<	<	<	16	16	786	<	131	108	367	3	25	2	4	0.29	1.81	0.70	3.12	2.08	1.52	0.12	0.09	
	<	60	13	38	111	<	<	2	<	<	<	21	37	117	<	62	93	213	7	303	3	3	0.20	2.47	1.61	1.96	1.19	0.74	0.33	0.13	
[REDACTED]	0.1	10	9	65	20	<	<	2	<	<	<	24	78	556	<	122	127	230	8	34	1	4	0.32	2.24	0.41	3.36	2.42	2.09	0.09	0.12	
	<	7	4	83	20	<	<	1	<	<	<	23	37	67	<	131	62	626	13	73	4	3	0.19	2.33	1.16	3.27	2.59	0.08	0.06	0.16	
	<	32	10	59	17	<	<	2	<	<	<	44	37	290	<	114	156	685	3	33	2	10	0.32	2.45	0.29	4.30	1.30	0.80	0.05	0.03	
	0.1	55	28	236	38	<	<	2	<	<	0.8	36	38	81	<	26	78	570	3	62	1	2	0.15	1.69	0.70	3.10	0.75	0.19	0.05	0.05	
	<	38	12	61	17	<	<	2	<	<	<	22	73	155	<	73	91	305	8	32	2	5	0.22	2.03	0.60	3.14	1.63	0.57	0.04	0.03	
[REDACTED]	0.2	21	14	42	23	<	<	1	<	<	0.3	10	17	122	<	29	52	363	14	26	4	4	0.09	1.62	0.32	2.23	0.46	0.17	0.02	0.05	
	0.5	22	30	55	6570	6	<	1	<	<	35	1.6	23	26	159	<	152	25	148	12	18	3	2	0.09	1.58	0.37	2.58	1.39	1.18	0.05	0.10
	0.2	28	13	66	114	<	<	1	<	<	0.2	12	10	93	<	55	67	356	8	44	4	3	0.16	1.03	0.96	2.27	0.61	0.18	0.11	0.11	
	<	3	12	48	29	<	<	2	<	<	<	1	2	28	<	90	3	233	23	4	24	2	0.02	0.30	0.14	1.09	0.04	0.13	0.06	0.01	
	<	40	24	179	38	<	<	2	<	<	<	0.1	12	21	57	<	58	60	593	5	128	8	4	0.11	2.14	2.37	1.89	0.76	0.10	0.09	0.10
[REDACTED]	<	9	10	45	9	<	<	2	<	<	<	8	13	126	<	22	43	356	9	24	2	2	0.10	1.19	0.32	1.89	0.41	0.11	0.02	0.04	
	<	12	12	50	15	<	<	1	<	<	0.2	10	17	140	<	28	54	342	9	24	2	3	0.11	1.39	0.33	2.22	0.52	0.17	0.02	0.04	
	<	13	11	56	12	<	<	2	<	<	0.4	9	13	120	<	22	56	377	8	33	2	2	0.09	1.37	0.37	2.14	0.41	0.12	0.03	0.04	
	0.1	39	17	75	17	<	<	3	<	<	0.1	19	31	142	<	35	78	719	9	32	5	3	0.13	2.16	0.35	3.17	0.60	0.09	0.02	0.05	
	<	3	10	42	<	<	<	2	<	<	<	6	2	258	<	113	32	508	17	10	5	2	0.13	0.70	0.30	2.13	0.41	0.34	0.07	0.06	
D1R	<	3	10	42	<	<	2	<	<	<	<	6	2	258	<	113	32	508	17	10	5	2	0.13	0.70	0.30	2.13	0.41	0.34	0.07	0.06	
D1S	0.1	41	16	57	22	<	<	2	<	<	0.2	13	26	169	<	30	60	716	13	28	3	4	0.09	1.92	0.34	2.59	0.56	0.13	0.02	0.08	

Min Limit 0.1 1 2 1 5 5 3 1 10 2 0.1 1 1 2 5 1 2 1 2 1 1 1 1 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01
 Max Reported* 99.9 20000 20000 20000 9999 9999 9999 9999 999 999 99.9 999 999 9999 999 9999 999 9999 999 9999 9999 9999 9999 99 1.00 9.99 9.99 9.99 9.99 9.99 5.00 5.00
 Method ICP
 ---No Test ins=Insufficient Sample S=Soil R=Rock C=Core L=Silt P=Pulp U=Undefined m=Estimate/1000 %=Estimate % Max=No Estimate
 International Plasma Lab Ltd. 2036 Columbia St. Vancouver BC V5Y 3E1 Ph:604/879-7878 Fax:604/879-7898

APPENDIX III

STATEMENT OF EXPENDITURES

**Prospecting and Sampling
Summer 1995**

Loader Rental	8 hr @ \$100/hr	\$800.00
Prospecting	3 Days @ \$150/day	\$450.00
Geochemical Assays	7 Assays @ \$21 ea.	\$157.29
Report Costs		\$200.00
TOTAL COST		<u>\$1607.29</u>

APPENDIX IV

STATEMENT OF QUALIFICATIONS

I, Joseph A. J. Clarke, of Marsh Lake Yukon Territory with mailing address of General Delivery, Whitehorse, Yukon hereby certify:

I am writing this report at the request of Mr. Sid McKeown of Whitehorse, Yukon and have no direct or indirect interest in the DM 1-8 claims;

That I have graduated from the Haileybury School of Mines in 1985 with a diploma in Mining Engineering Technology;

That I have been engaged in prospecting in the Yukon on a full time basis since May of 1993 and have been engaged in prospecting and in the mineral industry for 12 years elsewhere in Canada;

That I have a commitment to prospect in a gentlemanly manner with respect for others who use the land.

Signed at Whitehorse, Yukon Territory on the 22 day of April, 1997 .



Joseph A. J. Clarke

APPENDIX V

ACKNOWLEDGMENTS

The Whitehorse Copper Belt: Mining, Exploration, and Geology (1967-1980)
by D. Tenny
DIAND Bulletin 1

The Whitehorse Copper Belt - A Compilation
Exploration and Geological Services Division-Yukon,
Indian and Northern Affairs, Canada,
Open File, 1:25000 scale map with marginal notes

Yukon Territory
Selected Field Reports of the GSC 1898 to 1933
Compiled and Annotated by H.S. Bostock
GSC Memoir 284

Thanks also to conversations with the staff of Aurum Geological Consultants Inc., Amerok Geophysics, the staff of the Whitehorse MDA office, and many local prospectors.