

093890

**REPORT ON GEOLOGICAL AND GEOCHEMICAL SURVEYS  
ON THE MAUI PROPERTY, YUKON TERRITORY**

**WATSON LAKE MINING DIVISION  
YUKON TERRITORY  
105G6**

**Latitude: 61° 32' N  
Longitude: 131° 15' W**

**Prepared for**

**Brett Resources Inc.  
Vancouver, British Columbia**


**Prepared by**

**Lisa A. Tulk, B.Sc.**

**And**

**Terry L. Tucker, P.Geo**

**Brett Resources Inc.  
1300-409 Granville Street  
Vancouver, British Columbia, V6C 1T2  
CANADA**



**August 18, 1998**

This report has been examined by  
the Geological Evaluation Unit  
under Section 53 (4) Yukon Quartz  
Mining Act and is allowed as  
representation work in the amount  
of \$ 148,000.

*M.B.*  
for Regional Manager, Exploration and  
Geological Services for Commissioner  
of Yukon Territory.

## TABLE OF CONTENTS

1.	INTRODUCTION	
	1.1 Introduction	1
	1.2 Location and Access	1
	1.3 Physiography, Climate and Vegetation	1
	1.4 Claims	1
	1.4.1 Claim Status	1
	1.4.2 Claims Survey	1
	1.5 Exploration History	2
2.	GEOLOGY AND MINERALIZATION	
	2.1 Regional Geology and Mineralization	2
	2.2 Property Geology	3
	2.3 Property Mineralization	4
3.	GEOCHEMISTRY	
	3.1 Regional Silt Geochemistry	5
	3.2 Property Silt Geochemistry	5
	3.3 Property Soil Geochemistry	6
	3.3.1 Methods and Procedures for Soil Geochemistry	6
	3.3.2 Results of Soil Geochemistry Survey	6
	3.3.3 Interpretation of Soil Geochemistry Results	7
	3.3.4 Follow-up Traverses	8
4.	CONCLUSIONS AND RECOMMENDATIONS	9
5.	SUMMARY OF EXPENDITURES	10
6.	REFERENCES	11
7.	STATEMENTS OF QUALIFICATIONS	12
8.	APPENDICES	
	A1: Assay Certificates for Maui Rock Samples	
	A2: Assay Certificates for Maui Soil Samples	
	A3: Assay Certificates for Maui Silt Samples	
	A4: Plots of Soil Geochemistry for Ag, As, Au, Ba, Co, Cu, Ni, Pb, Zn	
	A5: Rock Sample Descriptions	
	A6: Thin Section Descriptions	
	A7: GPS points and tagged claims	

<u>List of Figures</u>	<u>Location</u>
Figure 1: Location Map	after p.1
Figure 2: Claim Map	after p.1
Figure 3: Maui Property – Geology and Showings	after p.3
Figure 4: Maui Property – Geochem Anomalies	after p.6
Figure 5: Rock and Silt Sample Location Map	in pocket
Figure 6: Maui Property – GPS Points	in pocket

### List of Tables

Table 1: Claim Status of Maui Claims	p.1
Table 2: Summary of Silt Geochemistry Data for Samples on the Maui Claims	p.5
Table 3: Minimum, Maximum and Threshold Data for Maui Soil Survey Results	after p.6
Table 4: Selected Elements for Rock and Silt Results on the Maui Claims	Figure 5

## 1. INTRODUCTION

On October 3, 1997 Brett Resources optioned the Maui claims 1-16 from Dodgex Ltd. of Whitehorse, Yukon. The Company subsequently staked adjacent ground for a total area of 20 square kilometres. The property is located in the Finlayson Lake area, Yukon.

During the 1997 field season Brett Resources conducted a two-day property examination on September 4-5, geological mapping on September 25, and a three-day geochemical survey between October 6-9. This work was followed up by two days of geological mapping and prospecting on June 20 and 21, 1998. This report will summarize the work completed over these dates.

### 1.2 Location and Access

The Maui 1-96 Claims are located approximately 80 km southeast of Ross River, just north of the Hoole River. More specifically, the claims are centred about latitude 61°32' N, longitude 131°15' W on mapsheet NTS 105G/6 (Figure 1). Corresponding approximate UTM coordinates are 378500 E, 6809500 N. The property is accessible only by helicopter.

### 1.3 Physiography, Climate, and Vegetation

The property is located within the Pelly Mountains just north of the Tintina Trench. The claim block lies between 1200 metre and 1700 metre elevations, with tree line occurring at approximately 1400 metres. The claims encompass a 5 kilometre long broad northwest-southeast trending ridge (Main Ridge) and the lower valleys that surround it. Outcrop is most common within creeks and on fairly steep slopes above 1500 metres; below this elevation brush cover and overburden obscure most outcrop.

### 1.4 Claims

#### 1.4.1 Claims Status



The property consists of 96 contiguous claims covering an area of 20 square kilometers. Location as indicated on Figure 2 is estimated and registered as such with the Watson Lake Mining Recorder. Claim data are listed in Table 1:

Table 1: Claim data for the Maui property.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date</u>	<u>Registered Owner</u>	<u>Mining District</u>
Maui 1-16	YB89673 - YB89688	1998/08/21	James S. Dodge	Watson Lake
Maui 17-96	YB90561 - YB90640	1998/10/09	Brett Resources Inc	Watson Lake

#### 1.4.1 Claim Survey

During the course of prospecting and mapping in June, 1998 most claim posts for Maui 17-96 were tagged and many were surveyed with a Trimble Geoexplorer II handheld GPS unit.




Lambert Conformal Conic Projection  
with Standard Parallels at 49°N and 77°N

<b>Brett Resources Inc.</b>		
<b>LOCATION MAP</b>		
Maui Claims		
SCALE: 1 : 8 000 000	DATE:	
N.T.S.: 105 F/10	DRAWN:	FIGURE 1

375000 mE

380000 mE



BRETT RESOURCES INC.  
 MAUI CLAIMS

Figure 2: Maui Claim Map

Between 130 and 180 readings were collected at each point and averaged for a final position. GPS points are plotted on Figure 6 and site descriptions for all tagged posts are provided in Appendix 7.

### **1.5 Exploration History**

Maui claims 1-16 were staked by Mr. Jim Dodge (Dodgex Ltd.) of Whitehorse, Yukon following prospecting during the summer of 1997. Brett Resources subsequently negotiated an option to earn a 100% interest in the property and staked adjacent land for a total area of 20 square kilometres. There is no record of claims in the immediate area prior to this time. Nearby land claims include Cominco's Hoole claims, located 5 km to the southwest, Archer Cathro's Stick claims, located 3 km to the east, Andrew Harman's Lamp claims, located 5 km to the east, Minfocus's Allan claims, located 7 km to the east, Archer Cathro's Rejean claims 3 km to the southeast, and Cominco's Tin claims, located 8 km to the north.

## **2. GEOLOGY**

### **2.1 Regional Geology and Mineralization**

The Tintina Fault is a dominant northwest – southeast trending feature with a right lateral strike slip displacement in excess of 450 km. The Maui property is situated immediately north of the fault. The area has been mapped by Templeman-Kluit as Windermere and Cambrian aged autochthonous rocks of the Omineca Crystalline Belt including a biotite-muscovite-quartz feldspar augen gneiss of quartz monzonite composition and a biotite-garnet-muscovite schist with interfoliated lenses of marble.

The property lies to the southwest of a crescent shaped slice of the Yukon Tanana Terrain (YTT). The YTT is composed of well foliated Silurian to Devonian metasediments and lesser metavolcanics. These rocks have been metamorphosed to greenschist to lower amphibolite facies and intruded by several phases of Cretaceous and Tertiary plutons. Several recently discovered mineral deposits in the Yukon Tanana Terrain include Cominco's Kudz-Ze-Kayah VMS deposit, Atna/Boliden's Wolverine VMS deposit, and Columbia Gold's Fyre Lake deposit.

To the south of the Tintina Fault lies the Pelly-Cassiar Platform. The platform is comprised mostly of moderately faulted and folded Paleozoic miogeoclinal clastic and carbonate sedimentary rocks and volcanic rocks. The package was deformed during Mesozoic arc-continent collision, and by mid-Cretaceous intrusions of intermediate composition (Templeman-Kluit, 1979). Atna Resources have recently announced the discovery of the Wolf VMS mineral deposit in the Cassiar platform.



## **2.2 Property Geology**

Outcrop exposure on the Maui property is limited to ridges and stream gullies. Thickly bedded clastic and carbonate sediments are exposed over the majority of the Main Ridge. This sequence overlies a thin unit of quartz-sericite felsic volcanic schist which is exposed in Caribou Creek. The volcano-sedimentary pile is intruded by an extensive k-feldspar megacrystic quartz monzonite pluton which underlies the entire northern portion of the claims. The units are metamorphosed to lower greenschist facies and are moderately to strongly foliated. Templeman-Kluit (1979) mapped the rocks as being of Windermere to Cambrian age.

### **Unit 1: Metasediments**

The metasediments exposed on the western limit of the Main Ridge are composed of interlayered grey and buff fine grained quartz-sericite, quartz-biotite and quartz-biotite-garnet schists. Towards the east and further up structural section, carbonate content increases and carbonaceous sericite schists interlayered with dark green medium grained biotite-chlorite schists are encountered. Nearing the eastern end of the ridge, the foliation changes from relatively shallow toward the north to fairly steep toward the east. At the eastern extent of the Main Ridge the structurally highest stratigraphy is exposed. These units comprise interlayered fine to medium grained metasediments (quartz-sericite  $\pm$  biotite  $\pm$  garnet  $\pm$  feldspar) with lesser thin layers of biotite-chlorite schist and carbonaceous intervals.

### **Unit 2: Felsic Metavolcanics**

The felsic volcanic schist is exposed in outcrop in the Caribou Creek gully and occurs as float in Ptarmigan Creek. The schist is fine grained, light tan in colour and strongly foliated. It is composed of fine quartz and feldspar with sericite on foliation laminae. In the Caribou Creek gully the unit is sandwiched between the lower sediments and the megacrystic quartz monzonite. In this location the unit has a maximum thickness of 10 metres. Several samples of felsic tuff were submitted for Cominco Laboratories for thin section analysis. The study confirmed the volcanic nature of the rocks. Thin section reports are included as Appendix 6.

### **Unit 3: Megacrystic Quartz Monzonite**

The megacrystic quartz monzonite occurs at lower elevations on the Main Ridge and underlies the entire northern portion of the property. The intrusive ranges from undeformed with euhedral feldspar megacrysts to gneissic with augen shaped megacrysts. The rock is light grey in colour and usually weathers rusty due to fine disseminated pyrite. Potassium feldspar megacrysts range in size from 1 cm to up to 4 cm in size and in concentration from 5% to 20%. The groundmass is composed of feldspar, quartz, and hornblende which is occasionally retrograded to chlorite.




FIGURE 3

## Structure:

On the south side of the Main Ridge, bedding in the metasediments is transposed into alignment with a weak to moderate foliation that generally strikes northwesterly and dips moderately to steeply toward the northeast. On the north side of the ridge, a moderately to strongly developed foliation dips moderately toward the southeast.

### 2.3 Property Mineralization

Gold, silver, copper, lead and zinc mineralization occurs in several locations on the property. Mineralization and/or alteration occurs in four trenches on the ridge top, at three sites of near-surface float labeled A, B, and C, within the Caribou and Ptarmigan Creeks, and within the Silica-Arsenopyrite Zone (Figure 3). Selected elements for all rocks are presented in Table 4 (Figure 5). Complete assay results presented in Appendix 1 and rock sample descriptions are provided in Appendix 4

Trenches 1,2, 3, 4 – Massive arsenopyrite-pyrite-quartz veins hosted by metasediments are exposed in trenches on the top of the Main Ridge. Dodgex completed hand trenching for 15 metres to a 1 metre depth on Vein 2. A milky bedrock quartz vein (0.4 metres wide) containing arsenopyrite and grading up to 5871 ppb gold was discovered. The vein is oriented along an azimuth of 050 and appears to be steeply dipping. Vein 1 (up to 298 ppb gold), Vein 3 (up to 154ppb gold) and Vein 4 (up to 706 ppb gold) appear to be parallel. Samples of trench material collected by Brett Resources grade up to 3260 ppb gold, 742 ppm zinc and 280 ppm Cu.

Sites A,B,C - Well mineralized near-source float up to 45 centimetres across occurs in three locations approximately 450 metres northeast and downhill of the trenches 1,2, and 4, and 500 metres north and downhill of trench 3. Material collected by Dodgex at these locations grades 3259, 2164, and 3049 ppb gold (site A), 197 ppb gold (site B) and 83 ppb gold (site 3). Base metal content of these samples was not analyzed.

Caribou Creek – At the top of the creek rusty weathering felsic volcanic quartz-sericite schist with disseminated pyrite and arsenopyrite is exposed. At lower elevations in the creek patchy mineralization is observed in the quartz monzonite. Sporadic zones of rusty, clay altered quartz monzonite containing up to 10% disseminated pyrite, 5% blebby galena and 5% blebby to disseminated arsenopyrite occur along the entire length of the creek. This material returned low gold values (<20 ppb), but contained strongly elevated lead and weakly elevated copper and zinc. Sample 513386, collected midway down the stream, is a pervasively silicified fine grained greyish silica rock grading 10,900 ppm lead, 54 ppm copper, and 764 ppm zinc. The outcrop displayed indistinct overprinted megacrystic textures, suggesting that the protolith is megacrystic quartz monzonite.

Ptarmigan Creek – Rusty quartz-sericite felsic volcanic schists containing 2-3% pyrite float was located at the head of the creek. Grab samples returned values of up to 5280 ppb gold and 155 ppm Cu.

Silica-Arsenopyrite Zone - A 20 metre wide zone of silicification and arsenopyrite mineralization occurs within the metasediments on the ridge top near Post 1, Maui 1 and 2. The zone extends along an azimuth of 020° for a minimum of 150 metres and appears to be steeply dipping (approx. 70°) toward the southeast. In the immediate footwall of this zone, biotite alteration is observed and larger discordant barren white quartz veins are more common. Mineralization consists of up to 5% finely disseminated and blebby arsenopyrite ± lesser pyrite hosted within silicified quartz-

biotite-sericite schist. A fine stockwork of black silica veins is often present. Grab samples did not contain appreciable amounts of gold, returning maximum values of 15 ppb. Arsenopyrite mineralization to 5% persists sporadically within siliceous, dirty and carbonaceous schists further up section. A small 1 x 1 metre gossan of very rusty goethitic quartz stockwork grading up to 267 ppb gold occurs at the southern extension of the trend, on the southern slope of the Main Ridge. This gossan contains high values of W and Ca, suggesting a possible skarn association.

### 3. GEOCHEMISTRY

#### 3.1 Regional Silt Geochemistry

Government regional geochemical data from the 1989 survey (Open File 1648, 1989) identified several significant geochemical anomalies on the Maui Claims (Figure 6). Samples 1328 and 1329 are the most relevant, draining directly down slope of the Main Ridge. Both samples returned high arsenic values, and 1329 is highly anomalous in gold. Table 2 lists relative and absolute values for RGS data.

#### 3.2 Property Silt Geochemistry

A total of four silt samples (513211, 513436, 513437, 513458) were collected on the Maui property during the June follow-up program (Figure 5). Representative samples were collected from slow-flowing pools and placed in Hubco sand bags. The samples were shipped to Chemex Labs in North Vancouver, B.C for assay. Complete assay results and details of lab procedures are included in Appendix 3.

Selected results for silt samples collected by Brett on the Maui Property are presented in Table 2. Sample 513211 was collected in Caribou Creek (Figure 5) and contained highly elevated base metal values of 74 ppm Cu, 220 ppb Pb and 1730 ppm Zn. These anomalous values are attributed to the sporadic base metal mineralization that was observed in outcrop along the creek. Samples 513436 and 513437 were collected in the northern portion of the claims. The cause of lead and arsenic anomalies in these two samples was not determined.

Table 2: Summary of silt geochemistry data for samples on the Maui Claims.

a) Selected data for silt samples collected on the Maui Claims.

Sample No	As ppm	Au ppb	Fe ppm	Pb ppm	W ppm	U ppm	F ppm	Zn ppm
RGS1328	75	-	2.73	40	18	14.3	710	155
RGS1329	400	920	3.87	50	3.87	8	12.6	255
513211	298	-	3.41	220	-	-	n/a	1730
513436	208	10	1.77	44	-	-	n/a	114
513437	428	-	3.16	44	-	-	n/a	186
513458	210	-	3.44	52	-	-	n/a	134

b) Percentile of anomaly for silt samples collected on the Maui property relative to values for entire population of RGS samples on mapsheet 105G.

Sample	As	Au	Fe	Pb	W	U	F	Zn
RGS1328	95	-	50	90	90	90	95	50
RGS1329	98	99	90	95	-	-	70	70
53211	99	-	80	max	-	-	n/a	99
513436	99	95	-	90	-	-	n/a	25
513437	99	-	80	90	-	-	n/a	50
513458	99	-	80	95	-	-	n/a	50

### **3.3 Property Soil Geochemistry**

#### **3.3.1 Methods and Procedures for Soil Geochemical Survey**

The 1997 soil geochemistry survey on the Maui claims was aimed at providing reconnaissance geochemical data in all areas of known mineralization. A 1.3 km north-south baseline was established with 0.5 to 1.0 km east-west crosslines every 100 metres. A total of 520 soils were collected at 25 m spacings. Samples of B horizon soil were collected from a minimum depth of 30 cm using augers and mattocks. Notes were taken recording sample location, depth of sample, soil colour and texture, slope angle and direction, and vegetation. Samplers were instructed to move off solifluxion lobes where they were discernable, however, they were often difficult to define through several inches of fresh snow.

Samples were prepared and assayed for 32 element ICP and 30 gram fire assay for gold at Chemex Labs in North Vancouver, B.C., Canada. Details of lab procedures are provided in Appendix 2.

#### **3.3.2 Geochemistry Survey Results**

Results from the soil geochemistry survey outlined five zones containing a high number of anomalous samples in one or more elements (Figure 4). Assay results for soil geochemistry samples are presented in Appendix 2. Plots for gold, silver, copper, lead, zinc, cobalt, nickel, barium and arsenic are presented in Appendix 3. Minimum, maximum and threshold values for each element assayed are presented in Table 3. Characteristics of each anomalous zone are outlined below:

**Zone 1** - includes coincident elevated Zn, Pb, Ag, and Cu values. This zone forms a NNW-SSE trending belt of approximately 600 metres by 300 metres within the northeastern half of the grid area. The zone stretches from the central northern area of the grid, up the creek bed and over part of the eastern slope of the grid area, between lines 5600N to 6300N and 9650E to 1150E. Zone 1 is underlain predominantly by the quartz monzonite unit, extending just past the boundary of the quartz monzonite and the felsic volcanic units. Within this zone very high enrichment in several metals is observed on line 5700N, coincident with the quartz monzonite-felsic volcanic contact.

**Zone 2** - includes coincident highly elevated Cu, Co and Ni. The zone is irregular in shape and measures approximately 250 metres by 300 metres. It is located within the central area of the grid between lines 9700E to 9950E and 5400N to 5700N. The area is probably underlain by metasedimentary and felsic volcanic units.




FIGURE 4

**B**  
Brett Resources Inc.

**MAUI PROPERTY - GEOCHEM ANOMALIES**

0 500 m

			Au ppb	Ag ppm ppm	Al % %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm
moderately anomalous	moderately anomalous	85th percentile	5	0.2	2.47	234	100	1.5	2	0.52	0.5
strongly anomalous	strongly anomalous	90th percentile	5	0.6	2.66	337	119	1.5	2	0.60	0.5
very strongly anomalous	very strongly anomalous	95th percentile	5	0.8	2.88	517	130	2	2	0.69	1.5
		Min value	5	0.2	0.19	2	10	0.5	2	0.01	0.5
		max value	155	2.2	2.73	804	140	4.5	4	3.01	5.0
			Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
moderately anomalous	moderately anomalous	85th percentile	18	40	34	4.03	10	1	0.14	40	0.97
strongly anomalous	strongly anomalous	90th percentile	20	42	37	4.23	10	1	0.15	50	1.08
very strongly anomalous	very strongly anomalous	95th percentile	23	46	45	4.54	10	1	0.19	60	1.19
		Min value	1	1	1	0.28	10	1	0.02	10	0.01
		max value	22	60	39	4.74	10	1	0.33	80	1.04
			Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm
moderately anomalous	moderately anomalous	85th percentile	647	1	0.03	41	970	72	2	4	65
strongly anomalous	strongly anomalous	90th percentile	755	1	0.04	45	1080	108	2	5	77
very strongly anomalous	very strongly anomalous	95th percentile	917	1	0.05	52	1280	188	2	5	94
		Min value	20	1	0.01	1	130	2	2	1	4
		max value	1175	1	0.03	58	1430	48	2	8	192
			Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm			
moderately anomalous	moderately anomalous	85th percentile	0.07	10	10	42	10	138			
strongly anomalous	strongly anomalous	90th percentile	0.07	10	10	45	10	157			
very strongly anomalous	very strongly anomalous	95th percentile	0.08	10	10	52	10	210			
		Min value	0.01	10	10	5	10	6			
		max value	0.08	10	10	61	50	318			
Total Number of Samples											
512											

Table 3: Minimum, Maximum, and Threshold Data for Maui Soil Samples

Zone 3 - includes coincident moderately elevated Cu, Co and Ni. Zone 3 is located 100 metres to the west of Zone 2, covering approximately 275 metres by 300 metres. This zone is also probably underlain by metasediments and felsic volcanics.

Zone 4 - contains anomalous As values in an irregular band located in the southeast corner of the grid between lines 500N to 5700N. The area is underlain by sedimentary units observed to contain arsenopyrite.

Zone 5 - contains Au > 10 ppb. One area within the zone is coincident with zone 4 and overlies the arsenopyrite-silica zone. Another area containing Au > 10 ppb is approximately 25 to 50 metres wide and extends for 300 metres downstream from the head of Caribou Creek between lines 5600N and 5900N.

Anomalous gold values (>10 ppb) occur in three areas which are outlined on Figure 4. Most gold values are below 20ppb, however two anomalies of 20 ppb gold occur near sites A,B, and C, which are near outcrops of the felsic volcanic unit. In addition, three widely spaced strong point anomalies of 160 ppb (5500N/9425E), 155 ppb (9825E/5000N) and 45 ppb (5100N/10,000E) are noted. None of the strong gold anomalies coincides with base metal mineralization. High values of arsenic and/or bismuth are sometimes but not always associated with gold mineralization. These elements do not correlate with gold values consistently enough to be considered pathfinder elements.

Several strong base metal point anomalies occur elsewhere on the grid. These include anomalies of 304 ppm Pb, 212 ppm Zn, and 1.0 ppm Ag at 6100N/9200E, and anomalies of 848 ppm Zn, 2.4 ppm Ag, 87 ppm Cu 45.0 ppm Co at 9000N/9900E

### 3.3.3 Interpretation of Geochemistry Survey Results

The coincidence of elevated values of Ag-Zn-Pb-Cu-Co indicates a polymetallic system. However, there are no areas that are uniformly anomalous in one or more of these elements. This may be a reflection of irregular distribution of mineralization or could be the result of inconsistent sampling. Till material was noted in the northeast corner of the grid, and would yield results which did not reflect the underlying bedrock. Anomalous As, Ba, and K occur over metasediments, while anomalous Pb, Zn, Ag occur over the quartz monzonite.

A higher incidence of anomalies along the contact of the quartz monzonite with felsic volcanics indicates that this boundary may represent a fluid conduit where mineral precipitation has occurred. This interpretation is supported by geological observations of abundant rusty weathering and mineralized outcrops in the creek near the contact.

The lack of a widespread geochemical response near trenches on top of the Main Ridge indicates that mineralization sampled in these trenches are likely vein-type occurrences. Trenches 1, 2, and 4 are represented only by a weak point anomalies of 140 ppm Ba and 564 ppm As. Trench 3 is associated with several coincident Ba (230, 180 ppm) and As (708, 1760 ppm) anomalies, and one gold anomaly of 45 ppb.

The large arsenic (Zone 4) and gold anomaly (Zone 5) on the top of Main Ridge correlates to the Arsenopyrite-Silica zone which trends at 020 degrees.



#### 3.3.4 Follow-up Traverses

In June, 1998 several traverses were conducted to follow-up the geochemistry anomalies outlined during the fall 1997 program. Elevated base metal values obtained from samples in Carribou Creek can be attributed clay altered zones within the quartz monzonite containing disseminated pyrite with occasional blebs of galena and arsenopyrite.

Geochemical point anomalies for base or precious metals were visited and samples of nearby outcrops or felsenmere were collected and assayed. In each case, no explanation could be found for the anomalies.

#### **4.0 Conclusions and Recommendations**

1. Reconnaissance geological mapping has indicated three geological units on the property. Thickly bedded clastic and carbonate sediments overlie quartz-sericite felsic volcanic schists. The volcanics and sediments are intruded to the north by a potassium feldspar megacrystic intrusive. The sediments and volcanics are moderately foliated by a variably oriented fabric. Templeman-Kluit mapped the units as Windermere to Cambrian in age.
2. Results from soil geochemistry have identified broad zones containing a high proportion of elevated values of Ag-Zn-Pb-Cu, As, Cu-Co-Ni, and Au. Gold values of greater than 10ppb outline 3 irregular zones on the grid. Three widely spaced point anomalies of 160ppb, 155ppb, and 45ppb are also noted. None of the strong gold anomalies coincides with base metal mineralization.
3. The lack of a widespread geochemical response near trenches on top of the Main Ridge indicates that mineralization sampled in the trenches are likely vein-type occurrences. The most interesting mineralization on the property occurs in the felsic volcanic schists which grade up to 5280 ppb gold and 155 ppm copper. Unfortunately the felsic volcanics could not be traced along strike and the unit appears to have been largely consumed by the quartz monzonite.
4. Precious and base metal soil geochemical anomalies are attributed to downslope dispersion from sporadic mineralized zones consisting of disseminated fine grained pyrite with occasional blebby galena and/or arsenopyrite in clay and silica altered quartz monzonite. Some mineralization also appears to be related to the contact between the quartz monzonite and the metasediments.
5. The veins exposed in the trenches are too narrow to represent a significant target in themselves. Sporadic altered and mineralized zones within the quartz monzonite are likely related to fluid flow along fractures and shear zones. No evidence of an extensive epithermal or volcanogenic system was noted on the property. No further work is recommended on the Maui property.

## 5.0 Summary of Expenditures on Maui Claims

### 1 Labour

<b>Consultant</b>	<b># Mandays</b>	<b>Cost</b>	<b>Cost plus 7% GST</b>
Lisa Tulk-geologist	33.25	\$7,481.25	\$8,004.94
Terry Tucker - geologist	11	\$4,675.00	\$5,002.25
Brian Sauer -prospector	4	\$800.00	\$856.00
Terry Lee - draftsman	1.625	\$325.00	\$347.75
<b>(Aurum Geological Consultants)</b>			
R. Allan Doherty	0.75	\$300.00	\$321.00
Joanne van Randen	6	\$2,100.00	\$2,247.00
Brain Sauer	4	\$1,000.00	\$1,070.00
Louise Levesque	5	\$1,250.00	\$1,337.50
Blair Blois	5	\$1,250.00	\$1,337.50
Todd Parsons	5	\$1,250.00	\$1,337.50
<b>2. Assays</b>			
Chemex soil/rock/silt assays		\$12,021.01	\$12,021.01 (included)
<b>3.0 Camp Supplies</b>			
Maps		\$49.74	\$49.74 (included)
Sat Phone Rental		\$170.66	\$170.66 (included)
Radio Rental		\$192.54	\$192.54 (included)
Aurum Consultants Expenses		\$2,421.12	\$2,590.60
Aurum Field supplies		\$192.00	\$205.44
<b>4.0 Transportation</b>			
Helicopter Fees		\$24,013.59	\$24,013.59 (included)
Aurum Truck Rental		\$600.00	\$642.00
<b>5.0 Freight</b>			
Sample Shipment		\$408.96	\$408.96 (included)
<b>Total Cost applicable to Maui claims</b>			<b>\$62,155.97</b>

**Dates of Fieldwork**  
 September 4-5, 1997  
 September 25, 1997  
 October 6-9, 1997  
 June 20-21, 1998

## **6.0 REFERENCES**

- Templeman-Kluit, D. J. Stratigraphic and structural relations between the Selwyn Basin, Pelly-Cassiar Platform, and Yukon Crystalline Terrane in the Pelly Mountains, Yukon: Geological Survey of Canada Paper 77-1a, 1977, pp 223-227.
- Templeman-Kluit, D.J. Geology of Quiet Lake (105F) and Finlayson Lake (105G ) Map areas, Yukon Territory: Geological Survey of Canada Open-File Report 486, 1977.


**STATEMENT OF QUALIFICATIONS**

I, LISA A. TULK, do hereby certify that:

- 1) I am a graduate of Carleton University in Ottawa, with a B.Sc. Hons. Degree in Geology, 1996.
- 2) I have practiced my profession since 1993 and have been involved in mineral exploration in Western Canada for the past two years.
- 3) I am a consulting geologist with an office at 1300-409 Granville St., Vancouver, British Columbia, Canada, V6C 1T2. I have been working on contract for Brett Resources and affiliated companies since May, 1997.
- 4) I supervised the geochemical sampling program on the Maui Property on October 6-9, 1997. I conducted further geological fieldwork on the property on the dates September 4-5, 1997, and June 20-21, 1998. I have reviewed all available data on the Maui Property.
- 5) I am a member of the Geological Association of Canada.
- 6) I am co-author of the report entitled "Report on Geological and Geochemical Surveys on the Maui Property, Yukon Territory".
- 7) I have no direct interest in the properties or securities of Brett Resources Inc.

Dated at Vancouver, British Columbia this 17<sup>th</sup> day of August, 1998.

Respectfully Submitted,

  
\_\_\_\_\_  
Lisa A. Tulk


**STATEMENT OF QUALIFICATIONS**

I, TERRY L. TUCKER, P. Geo., do hereby certify that:

- 1) I am a consulting geologist with an office at 1300-409 Granville Street, Vancouver, British Columbia, V6C 1T2.
- 2) I am a graduate of the University of Alberta (B.Sc. Specialization Geology, 1989)
- 3) I am a Member of the Association of Professional Engineers and Geoscientists of British Columbia, and Associate of the Geological Association of Canada, a member of the Canadian Institute of Mining and Metallurgy, a Member of the BC and Yukon Chamber of Mines, and a Member of the Prospectors and Developers Association of Canada.
- 4) I have practiced my profession since 1986.
- 5) During the period September 4-5, 1997, September 25, 1997 and June 20-21, 1998 I conducted fieldwork on the property discussed within this report.
- 6) I hold stock options of Brett Resources Inc.
- 7) I am co-author of the report entitled "Report on Geological and Geochemical Surveys on the Maui Property, Yukon Territory".

Dated at Vancouver, British Columbia this 17<sup>th</sup> day of August, 1998.

Respectfully Submitted,



---

Terry L. Tucker, P. Geo

**APPENDIX 1**

**Assay Certificates for Maui Rock Samples**



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
VANCOUVER, BC  
V6C 1T2

MAUI  
ROCKS

A9822752

Comments: ATTN:TERRY TUCKER

CERTIFICATE

A9822752

(PIA) - BRETT RESOURCES INCORPORATED

Project: MAUI  
P.O. #:

Samples submitted to our lab in Vancouver, BC.  
This report was printed on 5-JUL-98.

## SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	15	Geochem ring to approx 150 mesh
226	15	0-3 Kg crush and split
3202	15	Rock - save entire reject
229	15	ICP - AQ Digestion charge

\* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

## ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	15	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	15	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
2119	15	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	15	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	15	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	15	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	15	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	15	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	15	cd ppm: 32 element, soil & rock	ICP-AES	0.5	500
2126	15	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	15	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	15	cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	15	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	15	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	15	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	15	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	15	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	15	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	15	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	15	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	15	Na %: 32 element, soil & rock	ICP-AES	0.01	10.00
2138	15	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	15	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	15	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	15	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	15	sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	15	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	15	Tl %: 32 element, soil & rock	ICP-AES	0.01	10.00
2145	15	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	15	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	15	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	15	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	15	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000





# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED  
 1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2  
 Project: MAUI  
 Comments: ATTN:TERRY TUCKER

Page Number : 1-A  
 Total Pages : 1  
 Certificate Date: 05-JUL-98  
 Invoice No. : 19822752  
 P.O. Number :  
 Account : PIA

## CERTIFICATE OF ANALYSIS A9822752

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
513210	205	226	< 5	1.0	0.32	30	10	< 0.5	< 2	0.13	< 0.5	< 1	71	4	0.63	< 10	< 1	0.25	< 10	0.01	15
513212	205	226	< 5	< 0.2	3.59	28	40	< 0.5	< 2	0.19	< 0.5	20	104	91	6.28	10	< 1	0.10	80	1.77	490
513213	205	226	< 5	0.2	0.13	12	< 10	< 0.5	< 2	0.01	< 0.5	4	211	13	0.72	< 10	< 1	0.01	< 10	0.07	30
513214	205	226	< 5	0.2	1.49	< 2	100	< 0.5	< 2	1.02	< 0.5	11	110	6	2.05	< 10	< 1	0.15	< 10	1.25	305
513215	205	226	< 5	< 0.2	0.34	< 2	10	1.0	< 2	0.10	< 0.5	< 1	137	4	0.41	< 10	< 1	0.19	< 10	0.01	20
513216	205	226	5	< 0.2	0.53	10	10	1.0	< 2	0.22	< 0.5	1	16	30	1.17	< 10	< 1	0.38	20	0.01	45



CERTIFICATION: *Hart Biddle*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218


TO: BENTLEY RESOURCES INCORPORATED  
1300 - 409 GRANVILLE ST.  
VANCOUVER, BC  
V6C 1T2

Project : MAUI  
Comments: ATTN:TERRY TUCKER

Total Pages : 1  
Certificate Date: 05-JUL-98  
Invoice No. : 19822752  
P.O. Number :  
Account : PIA

## CERTIFICATE OF ANALYSIS A9822752

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
513210	205 226	1	0.02	1	520	112	< 2	< 1	6	< 0.01	< 10	< 10	< 1	< 10	26
513212	205 226	< 1	0.04	25	740	18	< 2	16	22	0.03	< 10	< 10	76	< 10	112
513213	205 226	< 1	< 0.01	8	70	18	< 2	< 1	1	< 0.01	< 10	< 10	2	< 10	22
513214	205 226	1	0.03	26	600	60	< 2	3	55	0.19	< 10	< 10	45	< 10	82
513215	205 226	< 1	0.01	2	220	20	< 2	< 1	1	< 0.01	< 10	< 10	1	< 10	28
513216	205 226	2	0.03	< 1	1060	14	< 2	< 1	3	< 0.01	< 10	< 10	< 1	< 10	34



CERTIFICATION: *Mark Biddle*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
VANCOUVER, BC  
V6C 1T2

A9741293

Comments: ATTN: TERRY TUCKER

CERTIFICATE

A9741293

(PIA) - BRETT RESOURCES INCORPORATED

Project: MAUI  
P.O. #:


Samples submitted to our lab in Vancouver, BC.  
This report was printed on 17-SEP-97.

## SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
255	35	RUSH Geo ring to approx 150 mesh
295	35	RUSH crush and split (0-3 Kg)
3202	35	Rock - save entire reject
285	35	ICP - HF digestion charge
287	35	Special dig'n with organic ext'n

## ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
991	35	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
13	35	As ppm: HNO3-aqua regia digest	AAS-HYDRIDE/EDL	1	10000
22	35	Sb ppm: HCl-KClO3 digest, extrac	AAS-BKGD CORR	0.2	1000
20	35	Hg ppb: HNO3-HCl digestion	AAS-FLAMELESS	10	100000
578	35	Ag ppm: 24 element, rock & core	AAS	0.2	100.0
573	35	Al %: 24 element, rock & core	ICP-AES	0.01	25.0
565	35	Ba ppm: 24 element, rock & core	ICP-AES	10	10000
575	35	Be ppm: 24 element, rock & core	ICP-AES	0.5	1000
561	35	Bi ppm: 24 element, rock & core	ICP-AES	2	10000
576	35	Ca %: 24 element, rock & core	ICP-AES	0.01	25.0
562	35	Cd ppm: 24 element, rock & core	ICP-AES	0.5	500
563	35	Co ppm: 24 element, rock & core	ICP-AES	1	10000
569	35	Cr ppm: 24 element, rock & core	ICP-AES	1	10000
577	35	Cu ppm: 24 element, rock & core	ICP-AES	1	10000
566	35	Fe %: 24 element, rock & core	ICP-AES	0.01	25.0
584	35	K %: 24 element, rock & core	ICP-AES	0.01	10.00
570	35	Mg %: 24 element, rock & core	ICP-AES	0.01	15.00
568	35	Mn ppm: 24 element, rock & core	ICP-AES	5	10000
554	35	Mo ppm: 24 element, rock & core	ICP-AES	1	10000
583	35	Na %: 24 element, rock & core	ICP-AES	0.01	10.00
564	35	Ni ppm: 24 element, rock & core	ICP-AES	1	10000
559	35	P ppm: 24 element, rock & core	ICP-AES	10	10000
560	35	Pb ppm: 24 element, rock & core	AAS	2	10000
582	35	Sr ppm: 24 element, rock & core	ICP-AES	1	10000
579	35	Ti %: 24 element, rock & core	ICP-AES	0.01	10.00
572	35	V ppm: 24 element, rock & core	ICP-AES	1	10000
556	35	W ppm: 24 element, rock & core	ICP-AES	10	10000
558	35	Zn ppm: 24 element, rock & core	ICP-AES	2	10000



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

Page Number :1-A  
 Total Pages :1  
 Certificate Date: 17-SEP-97  
 Invoice No. :19741293  
 P.O. Number :  
 Account :PIA

Project : MAUI  
 Comments: ATTN: TERRY TUCKER

## CERTIFICATE OF ANALYSIS A9741293

SAMPLE	PREP CODE	Au ppb RUSH	As ppm	Sb ppm	Hg ppb	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)
513340	255 295	10	2	0.2	< 10	< 0.2	3.93	190	0.5	< 2	0.25	< 0.5	3	197	7
513341	255 295	< 5	>10000	2.2	< 10	< 0.2	5.35	220	8.5	2	0.14	< 0.5	7	197	5
513342	255 295	< 5	2900	0.8	< 10	< 0.2	3.65	20	3.0	< 2	0.14	< 0.5	2	215	3
513343	255 295	< 5	70	0.4	20	< 0.2	9.84	980	3.0	< 2	0.03	< 0.5	9	191	32
513344	255 295	10	>10000	3.0	< 10	< 0.2	3.60	70	2.5	< 2	0.11	< 0.5	14	272	5
513345	255 295	.5	5200	1.2	< 10	< 0.2	5.53	220	6.0	< 2	0.05	< 0.5	3	190	8
513346	255 295	< 5	28	0.4	< 10	< 0.2	2.57	110	0.5	< 2	0.01	< 0.5	3	268	10
513347	255 295	5	>10000	2.8	< 10	< 0.2	6.94	260	15.0	6	0.19	< 0.5	6	123	5
513348	255 295	< 5	>10000	2.2	< 10	< 0.2	2.40	10	4.0	2	0.06	< 0.5	< 1	262	3
513349	255 295	10	>10000	2.4	< 10	< 0.2	4.38	250	4.5	2	0.03	< 0.5	5	195	3
513350	255 295	10	>10000	2.0	< 10	< 0.2	7.79	900	4.0	< 2	0.10	< 0.5	22	217	5
513351	255 295	20	>10000	3.6	< 10	< 0.2	6.85	410	28.5	2	0.26	< 0.5	10	172	3
513352	255 295	< 5	6600	1.0	< 10	< 0.2	4.34	140	35.0	< 2	1.53	< 0.5	67	236	86
513353	255 295	< 5	3850	1.2	< 10	< 0.2	5.56	460	4.0	< 2	0.29	< 0.5	6	222	6
513354	255 295	< 5	>10000	2.8	< 10	1.0	3.36	20	4.5	2	0.09	< 0.5	7	303	3
513355	255 295	< 5	1970	0.6	< 10	< 0.2	4.63	20	3.5	< 2	0.14	< 0.5	1	188	3
513356	255 295	< 5	352	0.2	< 10	< 0.2	6.56	10	4.0	< 2	0.18	< 0.5	< 1	156	3
513357	255 295	120	>10000	24	10	0.8	2.32	100	2.0	6	0.07	< 0.5	3	136	11
513358	255 295	< 5	8800	1.8	< 10	< 0.2	4.22	120	5.5	< 2	0.29	< 0.5	4	263	3
513359	255 295	< 5	254	0.4	< 10	< 0.2	0.27	10	< 0.5	< 2	< 0.01	< 0.5	1	362	5
513360	255 295	10	>10000	3.8	< 10	< 0.2	6.90	650	5.5	< 2	0.34	< 0.5	8	229	4
513361	255 295	10	1680	0.6	< 10	< 0.2	6.82	420	78.0	< 2	0.20	< 0.5	4	195	14
513362	255 295	< 5	1540	0.6	< 10	< 0.2	6.28	430	7.5	< 2	0.15	< 0.5	6	204	14
513363	255 295	< 5	138	0.2	< 10	< 0.2	6.09	620	2.5	2	0.24	< 0.5	6	196	5
513364	255 295	40	>10000	3.2	< 10	< 0.2	9.01	1350	52.5	2	0.10	< 0.5	46	112	10
513365	255 295	10	140	0.2	< 10	< 0.2	5.54	280	10.0	8	1.16	4.5	4	132	87
513366	255 295	275	432	5.6	40	2.8	5.35	170	2.5	66	15.60	3.0	< 1	107	101
513367	255 295	260	660	6.4	30	< 0.2	5.26	160	8.0	76	15.75	9.0	< 1	132	73
513368	255 295	< 5	10	0.4	< 10	1.2	7.17	690	2.5	2	0.68	< 0.5	2	132	7
513369	255 295	270	80	6.0	60	< 0.2	5.52	220	26.5	82	16.20	93.5	1	130	170
513401	255 295	15	9600	3.6	< 10	0.4	2.86	40	2.5	< 2	0.16	3.5	3	246	3
513402	255 295	15	>10000	4.0	< 10	< 0.2	2.65	230	3.0	4	0.10	1.0	32	223	3
513403	255 295	220	>10000	17.0	< 10	0.6	2.72	20	2.5	30	0.16	0.5	1	149	91
513404	255 295	< 5	100	1.0	30	1.8	3.74	50	1.0	6	21.9	7.5	12	54	53
513405	255 295	5	296	0.4	< 10	< 0.2	1.99	170	0.5	< 2	>25.0	< 0.5	2	27	10

CERTIFICATION: \_\_\_\_\_



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

Project : MAUI  
 Comments: ATTN: TERRY TUCKER

Page Number : 1-B  
 Total Pages : 1  
 Certificate Date: 17-SEP-97  
 Invoice No. : I9741293  
 P.O. Number :  
 Account : PIA

## CERTIFICATE OF ANALYSIS A9741293

SAMPLE	PREP CODE	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)
513340	255 295	2.20	0.78	0.47	530	< 1	1.13	16	150	4	55	0.10	26	< 10	38
513341	255 295	2.61	2.24	0.75	115	< 1	0.13	16	500	2	90	0.15	37	10	22
513342	255 295	0.83	0.13	0.28	45	< 1	1.94	8	160	< 2	75	0.04	13	< 10	12
513343	255 295	5.16	4.01	1.38	255	< 1	0.32	33	420	< 2	79	0.33	90	< 10	70
513344	255 295	2.36	0.59	0.18	100	< 1	1.79	24	140	< 2	65	0.04	11	< 10	10
513345	255 295	1.55	2.49	0.61	85	< 1	0.11	18	190	< 2	34	0.12	33	10	18
513346	255 295	1.56	0.69	0.18	60	< 1	0.56	16	110	< 2	15	0.07	17	< 10	28
513347	255 295	3.32	1.32	1.32	235	1	0.59	10	180	< 2	264	0.14	69	10	66
513348	255 295	1.95	0.09	0.53	80	3	0.20	3	120	< 2	69	0.11	26	10	24
513349	255 295	1.64	2.07	0.44	45	< 1	0.07	11	100	4	45	0.05	17	< 10	10
513350	255 295	2.78	4.83	0.66	120	< 1	0.55	72	230	6	177	0.17	71	< 10	34
513351	255 295	3.17	4.11	0.52	95	< 1	0.69	23	220	4	314	0.12	45	190	30
513352	255 295	3.95	1.03	1.05	280	< 1	0.63	4	700	< 2	85	1.04	144	940	42
513353	255 295	2.23	1.90	0.91	190	< 1	1.53	17	290	< 2	161	0.17	47	10	34
513354	255 295	3.13	0.06	0.74	100	1	0.31	18	440	4	102	0.15	38	10	34
513355	255 295	2.21	0.03	1.13	120	< 1	0.45	14	200	< 2	181	0.17	41	< 10	44
513356	255 295	2.77	0.01	1.51	120	< 1	0.68	17	80	< 2	240	0.22	58	< 10	58
513357	255 295	10.10	0.39	0.28	65	23	0.40	1	120	< 2	44	0.08	27	< 10	16
513358	255 295	1.96	0.46	0.60	105	1	1.21	17	780	< 2	151	0.15	33	10	26
513359	255 295	0.53	0.04	0.03	20	< 1	0.10	5	20	< 2	8	< 0.01	3	< 10	2
513360	255 295	3.74	2.92	0.89	290	1	1.39	21	260	< 2	200	0.20	55	60	40
513361	255 295	2.44	1.59	0.48	215	< 1	2.20	13	110	< 2	139	0.18	46	10	24
513362	255 295	2.40	1.70	0.46	230	< 1	1.79	17	150	< 2	109	0.17	45	10	26
513363	255 295	2.14	1.67	0.47	240	< 1	2.09	24	140	< 2	132	0.20	41	10	28
513364	255 295	3.77	8.38	0.77	155	< 1	0.86	58	100	12	355	0.17	45	590	34
513365	255 295	6.68	2.92	1.20	420	< 1	1.23	6	1310	< 2	315	0.53	182	320	318
513366	255 295	11.30	2.44	0.26	50	< 1	0.11	1	320	12	265	0.09	24	2260	908
513367	255 295	10.00	2.39	0.25	40	< 1	0.13	1	290	10	235	0.07	21	2210	802
513368	255 295	1.99	1.95	0.26	255	< 1	3.38	3	250	< 2	95	0.20	20	10	32
513369	255 295	9.79	2.49	0.27	50	< 1	0.15	5	430	14	379	0.12	30	2050	4350
513401	255 295	2.15	0.33	0.42	95	< 1	0.20	7	170	20	79	0.09	18	30	70
513402	255 295	3.72	1.08	0.30	80	4	0.42	18	160	< 2	103	0.05	16	< 10	30
513403	255 295	6.48	0.09	0.67	70	14	0.16	< 1	< 10	< 2	143	0.07	29	< 10	20
513404	255 295	1.75	0.59	0.40	1585	2	1.99	18	330	350	1875	0.06	16	< 10	3940
513405	255 295	1.14	0.56	0.97	465	< 1	0.46	7	210	10	3430	0.09	14	< 10	16

CERTIFICATION: \_\_\_\_\_



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED  
1300 - 409 GRANVILLE ST.  
VANCOUVER, BC  
V6C 1T2  
Project: MAUI GRID  
Comments:

Page Number : 1-A  
Total Pages : 1  
Certificate Date: 26-OCT-97  
Invoice No. : 19747499  
P.O. Number :  
Account : PIA

## CERTIFICATE OF ANALYSIS A9747499

SAMPLE	PREP CODE	Au g/t FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
513382	205 226	< 0.005	< 0.2	0.41	< 2	20	0.5	< 2	0.19	< 0.5	< 1	145	2	0.74	< 10	< 1	0.20	30	0.03	60
513384	205 226	< 0.005	< 0.2	0.35	8	40	< 0.5	< 2	0.01	< 0.5	< 1	131	3	0.45	< 10	< 1	0.30	10	0.01	15
513385	205 226	< 0.005	0.6	0.32	6	30	< 0.5	< 2	0.01	< 0.5	< 1	113	3	0.50	< 10	< 1	0.28	10	0.01	15
513386	205 226	0.015	15.6	0.17	94	10	< 0.5	26	< 0.01	0.5	< 1	186	54	2.15	< 10	< 1	0.13	< 10	< 0.01	15
513387	205 226	0.020	20.8	0.16	104	10	< 0.5	34	< 0.01	10.5	< 1	161	56	2.14	< 10	< 1	0.13	< 10	< 0.01	15
513388	205 226	< 0.005	1.0	0.48	26	30	0.5	2	0.07	< 0.5	< 1	88	7	1.24	< 10	< 1	0.46	20	0.01	25
513389	205 226	< 0.005	< 0.2	0.32	2	10	0.5	< 2	0.17	< 0.5	1	146	8	0.98	< 10	< 1	0.25	10	< 0.01	125
513390	205 226	< 0.005	0.2	0.28	20	30	< 0.5	< 2	0.11	< 0.5	< 1	101	11	0.87	< 10	< 1	0.29	< 10	< 0.01	20
513391	205 226	< 0.005	7.2	0.28	2	10	< 0.5	18	0.12	< 0.5	< 1	111	19	1.07	< 10	< 1	0.25	< 10	0.01	20
513392	205 226	< 0.005	3.0	0.26	2	20	< 0.5	8	0.07	< 0.5	< 1	131	2	1.75	< 10	< 1	0.22	< 10	0.01	15
513393	205 226	< 0.005	< 0.2	0.21	< 2	30	< 0.5	< 2	0.15	< 0.5	< 1	88	1	0.41	< 10	< 1	0.16	< 10	< 0.01	35

CERTIFICATION:

*[Handwritten signature]*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
VANCOUVER, BC  
V6C 1T2

Project : MAUI GRID  
Comments:

Page Number : 1-B  
Total Pages : 1  
Certificate Date: 26-OCT-97  
Invoice No. : I9747499  
P.O. Number :  
Account : PIA

## CERTIFICATE OF ANALYSIS

A9747499

SAMPLE	PREP		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
513382	205	226	1	0.03	1	600	10	2	< 1	4	< 0.01	< 10	< 10	3	< 10	44
513384	205	226	< 1	< 0.01	1	120	128	< 2	< 1	14	< 0.01	< 10	< 10	< 1	< 10	6
513385	205	226	1	< 0.01	1	80	156	< 2	< 1	34	< 0.01	< 10	< 10	< 1	< 10	6
513386	205	226	9	< 0.01	3	70	8290	2	< 1	11	< 0.01	< 10	< 10	< 1	< 10	88
513387	205	226	14	< 0.01	2	70	>10000	2	< 1	14	< 0.01	< 10	< 10	< 1	< 10	764
513388	205	226	< 1	< 0.01	1	760	648	< 2	< 1	13	< 0.01	< 10	< 10	1	< 10	34
513389	205	226	1	0.02	1	690	32	< 2	< 1	3	< 0.01	< 10	< 10	1	< 10	64
513390	205	226	1	0.03	1	880	32	< 2	< 1	8	< 0.01	< 10	< 10	< 1	< 10	8
513391	205	226	< 1	0.02	1	620	138	< 2	< 1	3	< 0.01	< 10	< 10	< 1	< 10	24
513392	205	226	< 1	0.01	3	330	82	< 2	< 1	6	< 0.01	< 10	< 10	< 1	< 10	4
513393	205	226	< 1	0.02	1	630	6	< 2	< 1	3	< 0.01	< 10	< 10	< 1	< 10	36

CERTIFICATION: \_\_\_\_\_



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
VANCOUVER, BC  
V6C 1T2

A9748032

Comments:

**CERTIFICATE**

**A9748032**

(PIA) - BRETT RESOURCES INCORPORATED

Project: MAUI GRID  
P.O. #:

Samples submitted to our lab in Vancouver, BC.  
This report was printed on 29-OCT-97.

## SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
244	1	Pulp; prev. prepared at Chemex

## ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
312	1	Pb %: Conc. Nitric-HCL dig'n	AAS	0.01	100.0





# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
VANCOUVER, BC  
V6C 1T2

Project : MAUI GRID  
Comments:

Page Number : 1  
Total Pages : 1  
Certificate Date: 29-OCT-97  
Invoice No. : 19748032  
P.O. Number :  
Account : PIA

## CERTIFICATE OF ANALYSIS

A9748032

SAMPLE	PREP CODE		Pb %									
513387	244	--	1.09									

CERTIFICATION:



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

JUL 14 1998 A9822750

Comments: ATTN:TERRY TUCKER

Ans'g

CERTIFICATE

A9822750

(PIA) - BRETT RESOURCES INCORPORATED

Project: BROMAID  
 P.O. #:

Samples submitted to our lab in Vancouver, BC.  
 This report was printed on 5-JUL-98.

## SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	21	Geochem ring to approx 150 mesh 0-3 Kg crush and split Rock - save entire reject ICP - AQ Digestion charge
226	21	
3202	21	
229	21	
* NOTE	1:	

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

## ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	21	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	21	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
2119	21	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	21	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	21	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	21	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	21	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	21	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	21	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	500
2126	21	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	21	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	21	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	21	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	21	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	21	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	21	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	21	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	21	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	21	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	21	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	21	Na %: 32 element, soil & rock	ICP-AES	0.01	10.00
2138	21	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	21	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	21	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	21	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	21	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	21	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	21	Ti %: 32 element, soil & rock	ICP-AES	0.01	10.00
2145	21	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	21	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	21	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	21	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	21	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
VANCOUVER, BC  
V6C 1T2

Project: BRO MIAU 2  
Comments: ATTN:TERRY TUCKER

Page Number : 1-B  
Total Pages : 1  
Certificate Date: 05-JUL-98  
Invoice No. : 19822750  
P.O. Number :  
Account : PIA

\* PLEASE NOTE

## CERTIFICATE OF ANALYSIS A9822750

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
--------	-----------	--------	------	--------	-------	--------	--------	--------	--------	------	--------	-------	-------	-------	--------

513430	205	226	< 1	< 0.01	1	330	384	< 2	< 1	55	< 0.01	< 10	< 10	< 1	< 10	22
513431	205	226	< 1	0.02	1	450	24	< 2	< 1	5	< 0.01	< 10	< 10	< 1	< 10	6
513432	205	226	< 1	0.03	1	550	16	< 2	< 1	21	< 0.01	< 10	< 10	< 1	< 10	24
513433	205	226	1	< 0.01	1	290	1000	< 2	< 1	16	< 0.01	< 10	< 10	2	< 10	22
513434	205	226	< 1	0.03	1	480	130	< 2	< 1	6	< 0.01	< 10	< 10	< 1	< 10	30
513435	205	226	< 1	0.02	1	630	178	< 2	< 1	8	< 0.01	< 10	< 10	< 1	< 10	88

CERTIFICATION: [Signature]

\* AN A30 DIGESTION WAS MORE APPROPRIATE FOR SOME SAMPLES.



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
VANCOUVER, BC  
V6C 1T2

Project: **BRO MAUI**  
Comments: ATTN:TERRY TUCKER

Page Number : 1-A  
Total Pages : 1  
Certificate Date: 05-JUL-98  
Invoice No. : I9822750  
P.O. Number :  
Account : PIA

\* PLEASE NOTE

## CERTIFICATE OF ANALYSIS A9822750

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
--------	-----------	-----------------	-----------	---------	-----------	-----------	-----------	-----------	---------	-----------	-----------	-----------	-----------	---------	-----------	-----------	--------	-----------	---------	-----------

513430	205	226	< 5	0.6	0.28	78	40	0.5	< 2	0.01	0.5	< 1	83	22	0.66	< 10	< 1	0.28	10	0.01	30
513431	205	226	< 5	0.2	0.26	90	10	< 0.5	< 2	0.11	< 0.5	1	90	5	1.28	< 10	< 1	0.22	< 10	0.01	15
513432	205	226	< 5	< 0.2	0.25	46	40	< 0.5	< 2	0.32	< 0.5	< 1	76	11	0.99	< 10	< 1	0.21	10	0.01	145
513433	205	226	< 5	2.2	0.48	90	30	0.5	2	0.16	< 0.5	< 1	90	10	1.00	< 10	< 1	0.29	< 10	0.01	20
513434	205	226	< 5	0.2	0.30	40	40	< 0.5	< 2	0.08	< 0.5	< 1	91	14	0.50	< 10	< 1	0.20	< 10	< 0.01	50
513435	205	226	< 5	< 0.2	0.32	36	30	0.5	< 2	0.11	< 0.5	< 1	76	13	0.75	< 10	< 1	0.21	< 10	0.01	40

CERTIFICATION: Hart Biddle

\* AN A30 DIGESTION WAS MORE APPROPRIATE FOR SOME SAMPLES.



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

A9744515

Comments: ATTN: TERRY TUCKER

CERTIFICATE

A9744515

(PIA) - BRETT RESOURCES INCORPORATED

Project:  
 P.O. #:

Samples submitted to our lab in Vancouver, BC.  
 This report was printed on 17-OCT-97.

## SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
255	6	RUSH Geo ring to approx 150 mesh
295	6	RUSH crush and split (0-3 Kg)
3202	6	Rock - save entire reject
285	6	ICP - HF digestion charge
287	6	Special dig'n with organic ext'n

## ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
991	6	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
13	6	As ppm: HNO3-aqua regia digest	AAS-HYDRIDE/EDL	1	10000
22	6	Sb ppm: HCl-KClO3 digest, extrac	AAS-BKGD CORR	0.2	1000
20	6	Hg ppb: HNO3-HCl digestion	AAS-FLAMELESS	10	100000
578	6	Ag ppm: 24 element, rock & core	AAS	0.2	100.0
573	6	Al %: 24 element, rock & core	ICP-AES	0.01	25.0
565	6	Ba ppm: 24 element, rock & core	ICP-AES	10	10000
575	6	Be ppm: 24 element, rock & core	ICP-AES	0.5	1000
561	6	Bi ppm: 24 element, rock & core	ICP-AES	2	10000
576	6	Ca %: 24 element, rock & core	ICP-AES	0.01	25.0
562	6	Cd ppm: 24 element, rock & core	ICP-AES	0.5	500
563	6	Co ppm: 24 element, rock & core	ICP-AES	1	10000
569	6	Cr ppm: 24 element, rock & core	ICP-AES	1	10000
577	6	Cu ppm: 24 element, rock & core	ICP-AES	1	10000
566	6	Fe %: 24 element, rock & core	ICP-AES	0.01	25.0
584	6	K %: 24 element, rock & core	ICP-AES	0.01	10.00
570	6	Mg %: 24 element, rock & core	ICP-AES	0.01	15.00
568	6	Mn ppm: 24 element, rock & core	ICP-AES	5	10000
554	6	Mo ppm: 24 element, rock & core	ICP-AES	1	10000
583	6	Na %: 24 element, rock & core	ICP-AES	0.01	10.00
564	6	Ni ppm: 24 element, rock & core	ICP-AES	1	10000
559	6	P ppm: 24 element, rock & core	ICP-AES	10	10000
560	6	Pb ppm: 24 element, rock & core	AAS	2	10000
582	6	Sr ppm: 24 element, rock & core	ICP-AES	1	10000
579	6	Ti %: 24 element, rock & core	ICP-AES	0.01	10.00
572	6	V ppm: 24 element, rock & core	ICP-AES	1	10000
556	6	W ppm: 24 element, rock & core	ICP-AES	10	10000
558	6	Zn ppm: 24 element, rock & core	ICP-AES	2	10000





# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

Project :  
 Comments: ATTN: TERRY TUCKER

Page Number : 1-B  
 Total Pages : 1  
 Certificate Date: 17-OCT-97  
 Invoice No. : I9744515  
 P.O. Number :  
 Account : PIA

## CERTIFICATE OF ANALYSIS

### A9744515

SAMPLE	PREP CODE	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)
513451	255 295	2.40	0.12	0.04	25	1	0.03	3	< 10	280	25	< 0.01	3	< 10	742
513453	255 295	>25.0	0.05	0.05	45	7	0.03	10	< 10	< 2	1	< 0.01	1	< 10	12
513454	255 295	3.83	< 0.01	0.01	25	1	0.02	4	< 10	< 2	8	< 0.01	1	< 10	34
513455	255 295	10.10	0.01	< 0.01	20	2	0.01	4	< 10	22	6	< 0.01	1	< 10	6
513456	255 295	0.69	4.60	0.07	65	2	2.35	3	500	40	135	0.06	6	< 10	14
513542	255 295	3.32	0.09	0.03	105	3	0.03	4	< 10	2840	56	< 0.01	2	1200	1180

CERTIFICATION: \_\_\_\_\_



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
VANCOUVER, BC  
V6C 1T2

A9747498

Comments:

CERTIFICATE

A9747498

(PIA) - BRETT RESOURCES INCORPORATED

Project: MAUI GRID  
P.O.#:

Samples submitted to our lab in Vancouver, BC.  
This report was printed on 26-OCT-97.

## SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	12	Geochem ring to approx 150 mesh
226	12	0-3 Kg crush and split
3202	12	Rock - save entire reject
229	12	ICP - AQ Digestion charge

\* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

## ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	12	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	12	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
2119	12	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	12	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	12	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	12	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	12	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	12	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	12	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	12	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	12	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	12	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	12	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	12	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	12	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	12	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	12	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	12	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	12	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	12	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	12	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	12	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	12	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	12	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	12	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	12	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	12	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	12	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	12	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	12	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	12	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	12	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	12	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000





# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

Project: MAUI GRID  
 Comments:

Page Number :1-A  
 Total Pages :1  
 Certificate Date: 22-OCT-97  
 Invoice No. :19747498  
 P.O. Number :  
 Account :PIA

## CERTIFICATE OF ANALYSIS A9747498

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
5100N 10000E	205 226	45	< 0.2	1.21	18	50	< 0.5	< 2	0.14	< 0.5	7	270	3	1.89	< 10	< 1	0.23	10	0.57	190
5100N 10150E	205 226	20	< 0.2	0.83	84	70	0.5	< 2	0.02	< 0.5	4	92	21	2.70	< 10	< 1	0.35	50	0.14	85
5200N 10025E	205 226	15	< 0.2	1.40	288	80	1.0	< 2	0.05	< 0.5	8	187	20	2.92	< 10	< 1	0.42	30	0.38	185
5200N 10050E	205 226	15	< 0.2	0.66	58	30	< 0.5	< 2	0.07	< 0.5	4	320	14	1.71	< 10	< 1	0.11	< 10	0.35	90
5200N 10075E	205 226	10	< 0.2	1.22	6	40	0.5	< 2	0.01	< 0.5	9	38	37	4.05	< 10	< 1	0.18	20	0.53	155
5200N 10200E	205 226	< 5	< 0.2	2.04	28	80	0.5	< 2	0.01	< 0.5	9	78	33	3.69	< 10	< 1	0.39	10	0.98	155
5300N 10025E	205 226	15	< 0.2	0.12	40	< 10	< 0.5	< 2	0.01	< 0.5	2	394	3	0.71	< 10	< 1	0.03	< 10	0.07	45
5570N 9915E	205 226	10	< 0.2	1.68	14	30	< 0.5	< 2	1.02	< 0.5	12	72	1	3.29	< 10	< 1	0.07	< 10	1.14	260
5800N 9950E	205 226	< 5	0.2	0.44	32	30	0.5	< 2	0.19	0.5	1	114	19	0.72	< 10	< 1	0.19	40	0.05	90
6000N 9750E	205 226	< 5	< 0.2	0.26	4	10	0.5	< 2	0.10	< 0.5	1	153	6	0.89	< 10	< 1	0.21	< 10	< 0.01	50
6000N 9925E	205 226	5	< 0.2	0.31	12	10	1.0	< 2	0.17	2.0	1	100	24	0.69	< 10	< 1	0.22	10	0.01	145
6100N 9575E	205 226	< 5	< 0.2	0.37	2	10	0.5	< 2	0.16	< 0.5	1	161	17	0.78	< 10	< 1	0.22	< 10	0.01	35

CERTIFICATION: *[Signature]*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

Project : MAUI GRID  
 Comments:

Page Number :1-8  
 Total Pages :1  
 Certificate Date: 22-OCT-97  
 Invoice No. :19747498  
 P.O. Number :  
 Account :PIA

## CERTIFICATE OF ANALYSIS A9747498

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
5100N 10000E	205 226	< 1	0.04	19	400	6	< 2	1	12	< 0.01	< 10	< 10	15	< 10	38
5100N 10150E	205 226	< 1	0.01	6	410	8	< 2	1	12	< 0.01	< 10	< 10	8	< 10	38
5200N 10025E	205 226	< 1	0.02	19	290	6	< 2	3	14	< 0.01	< 10	< 10	14	< 10	36
5200N 10050E	205 226	< 1	0.01	13	310	6	< 2	1	8	0.01	< 10	< 10	16	< 10	28
5200N 10075E	205 226	< 1	< 0.01	16	340	8	< 2	3	7	< 0.01	< 10	< 10	8	< 10	60
5200N 10200E	205 226	< 1	0.01	25	260	12	< 2	2	10	< 0.01	< 10	< 10	18	< 10	84
5300N 10025E	205 226	< 1	< 0.01	9	10	2	< 2	< 1	1	< 0.01	< 10	< 10	3	< 10	8
5570N 9915E	205 226	< 1	0.12	2	2260	2	< 2	6	27	0.05	< 10	< 10	80	< 10	100
5800N 9950E	205 226	< 1	0.07	4	620	306	< 2	< 1	14	< 0.01	< 10	< 10	2	< 10	136
6000N 9750E	205 226	< 1	0.03	1	490	16	< 2	< 1	1	< 0.01	< 10	< 10	< 1	< 10	110
6000N 9925E	205 226	1	0.03	1	560	20	< 2	< 1	3	< 0.01	< 10	< 10	1	< 10	124
6100N 9575E	205 226	< 1	0.03	2	710	42	< 2	< 1	7	< 0.01	< 10	< 10	1	< 10	54

CERTIFICATION: \_\_\_\_\_

## **APPENDIX 2**

### **Assay Certificates for Maui Soil Samples**



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
VANCOUVER, BC  
V6C 1T2

A9747497

Comments:

CERTIFICATE

A9747497

(PIA) - BRETT RESOURCES INCORPORATED

Project: MAUI GRID  
P.O. #:

Samples submitted to our lab in Vancouver, BC.  
This report was printed on 26-OCT-97.

## SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	141	Dry, sieve to -80 mesh
202	141	save reject
229	141	ICP - AQ Digestion charge

\* NOTE 1.

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

## ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	136	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	141	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
2119	141	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	141	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	141	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	141	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	141	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	141	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	141	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	141	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	141	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	141	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	141	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	141	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	141	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	141	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	141	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	141	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	141	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	141	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	141	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	141	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	141	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	141	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	141	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	141	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	141	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	141	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	141	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	141	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	141	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	141	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	141	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
VANCOUVER, BC  
V6C 1T2

Project: MAUI GRID  
Comments:

Page Number : 1-A  
Total Pages : 4  
Certificate Date: 26-OCT-97  
Invoice No. : 19747497  
P.O. Number :  
Account : PIA

## CERTIFICATE OF ANALYSIS A9747497

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
5000N 9675E	201	202	< 5	< 0.2	1.84	270	110	1.0	< 2	0.36	< 0.5	17	34	36	3.51	< 10	< 1	0.10	20	0.85	535
5000N 9700E	201	202	< 5	< 0.2	1.16	474	90	1.0	< 2	3.01	5.0	10	17	34	1.84	< 10	< 1	0.17	20	0.36	820
5000N 9725E	201	202	< 5	< 0.2	2.18	254	140	1.5	< 2	0.41	0.5	17	35	22	3.53	< 10	< 1	0.12	30	0.82	1175
5000N 9750E	201	202	< 5	< 0.2	2.73	378	140	4.5	< 2	1.38	3.5	22	39	39	4.19	< 10	< 1	0.33	80	0.95	785
5000N 9775E	201	202	< 5	< 0.2	2.13	238	90	0.5	< 2	0.15	< 0.5	12	33	26	3.93	< 10	< 1	0.08	30	0.79	170
5000N 9800E	201	202	< 5	< 0.2	2.05	388	70	0.5	< 2	0.06	< 0.5	8	26	35	4.74	< 10	< 1	0.07	40	0.71	150
5000N 9825E	201	202	155	< 0.2	1.55	84	70	0.5	< 2	0.08	< 0.5	9	21	18	3.35	< 10	< 1	0.10	30	0.53	150
5000N 9850E	201	202	< 5	< 0.2	1.24	42	50	< 0.5	< 2	0.13	< 0.5	6	18	20	2.75	< 10	< 1	0.08	30	0.50	105
5000N 9875E	201	202	< 5	< 0.2	2.01	230	80	0.5	< 2	0.13	< 0.5	14	28	34	4.47	< 10	< 1	0.13	30	0.95	250
5000N 9900E	201	202	< 5	< 0.2	1.96	254	130	0.5	< 2	0.35	< 0.5	14	30	25	3.55	< 10	< 1	0.14	30	1.03	555
5000N 9925E	201	202	< 5	< 0.2	1.83	310	130	0.5	< 2	0.40	< 0.5	12	34	23	2.97	< 10	< 1	0.14	40	1.04	405
5000N 9950E	201	202	15	< 0.2	1.60	432	100	0.5	4	0.20	0.5	11	31	22	2.92	< 10	< 1	0.10	30	0.70	320
5000N 9975E	201	202	not/ss	0.2	1.44	498	100	0.5	< 2	0.10	< 0.5	10	34	26	3.21	< 10	< 1	0.16	50	0.65	260
5000N 10000E	201	202	not/ss	< 0.2	1.48	322	90	0.5	< 2	0.17	< 0.5	10	22	24	2.90	< 10	< 1	0.12	60	0.50	285
5000N 10025E	201	202	< 5	< 0.2	1.06	376	60	< 0.5	< 2	0.10	< 0.5	7	23	16	2.27	< 10	< 1	0.10	30	0.44	135
5000N 10050E	201	202	< 5	< 0.2	0.86	220	70	< 0.5	< 2	0.06	< 0.5	6	13	15	2.08	< 10	< 1	0.12	20	0.28	175
5000N 10075E	201	202	< 5	< 0.2	1.46	804	90	1.0	< 2	0.15	< 0.5	13	23	23	3.10	< 10	< 1	0.11	30	0.61	355
5000N 10100E	201	202	< 5	< 0.2	0.92	58	70	< 0.5	< 2	0.07	< 0.5	7	12	36	2.20	< 10	< 1	0.09	10	0.22	210
5000N 10125E	201	202	< 5	< 0.2	1.69	104	80	0.5	< 2	0.14	< 0.5	12	26	20	3.18	< 10	< 1	0.09	30	0.91	290
5000N 10150E	201	202	< 5	2.2	0.98	152	60	< 0.5	< 2	0.10	0.5	7	14	20	2.32	< 10	< 1	0.10	20	0.40	285
5000N 10175E	201	202	< 5	< 0.2	1.99	68	100	0.5	< 2	0.21	< 0.5	10	37	21	3.13	< 10	< 1	0.22	30	0.95	285
5000N 10200E	201	202	< 5	< 0.2	1.74	50	130	0.5	< 2	0.17	< 0.5	12	60	25	3.18	< 10	< 1	0.14	30	0.90	255
5100N 9550E	201	202	< 5	< 0.2	1.86	56	100	0.5	< 2	0.19	< 0.5	10	31	15	2.81	< 10	< 1	0.11	20	0.69	270
5100N 9575E	201	202	< 5	< 0.2	2.81	564	130	2.0	< 2	0.42	< 0.5	19	41	26	4.25	< 10	< 1	0.18	20	1.15	670
5100N 9600E	201	202	< 5	< 0.2	2.45	74	120	0.5	< 2	0.36	< 0.5	18	145	21	4.03	< 10	< 1	0.10	10	1.42	520
5100N 9625E	201	202	< 5	< 0.2	1.33	58	140	0.5	< 2	0.29	< 0.5	10	23	21	2.92	< 10	< 1	0.10	20	0.43	365
5100N 9650E	201	202	< 5	< 0.2	2.16	40	120	1.0	< 2	0.33	< 0.5	14	31	23	4.00	< 10	< 1	0.08	30	0.69	350
5100N 9675E	201	202	< 5	< 0.2	2.32	186	120	1.5	< 2	0.43	< 0.5	17	35	23	3.49	< 10	< 1	0.11	40	0.83	455
5100N 9700E	201	202	< 5	< 0.2	2.47	158	100	1.5	< 2	0.20	0.5	11	35	22	3.50	< 10	< 1	0.13	20	0.69	320
5100N 9725E	201	202	< 5	< 0.2	2.35	196	120	2.0	< 2	0.32	< 0.5	14	36	21	3.11	< 10	< 1	0.13	20	0.83	350
5100N 9750E	201	202	10	< 0.8	2.16	1490	120	2.0	2	1.38	1.0	21	25	51	2.73	< 10	< 1	0.09	100	0.47	2220
5100N 9775E	201	202	< 5	< 0.2	1.84	228	110	0.5	< 2	0.18	< 0.5	11	27	28	3.61	< 10	< 1	0.11	30	0.91	190
5100N 9800E	201	202	< 5	< 0.2	1.85	58	120	0.5	< 2	0.47	< 0.5	16	25	21	3.36	< 10	< 1	0.08	20	0.92	470
5100N 9825E	201	202	< 5	< 0.2	2.14	102	230	1.5	< 2	0.41	< 0.5	17	26	27	2.97	< 10	< 1	0.09	50	0.59	2290
5100N 9850E	201	202	< 5	< 0.2	2.18	110	180	1.0	< 2	0.44	< 0.5	12	32	19	3.18	< 10	< 1	0.12	30	0.86	655
5100N 9875E	201	202	< 5	< 0.2	2.33	60	160	0.5	< 2	1.25	< 0.5	14	29	16	2.60	< 10	< 1	0.39	20	1.27	1140
5100N 9900E	201	202	< 5	< 0.2	1.72	242	130	0.5	< 2	1.67	< 0.5	14	24	17	2.67	< 10	< 1	0.08	30	1.07	960
5100N 9925E	201	202	< 5	< 0.2	1.65	708	90	1.5	< 2	0.99	< 0.5	16	25	33	3.39	< 10	< 1	0.23	40	0.84	455
5100N 9950E	201	202	10	0.2	1.96	1760	120	1.0	< 2	0.33	< 0.5	15	54	26	4.23	< 10	< 1	0.23	30	1.13	375
5100N 9975E	201	202	< 5	< 0.2	1.45	234	100	0.5	< 2	0.23	< 0.5	13	28	22	2.66	< 10	< 1	0.12	30	0.65	310

CERTIFICATION:



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
VANCOUVER, BC  
V6C 1T2

Project : MAUI GRID  
Comments:

Page Number :1-B  
Total Pages :4  
Certificate Date: 26-OCT-97  
Invoice No. :19747497  
P.O. Number :  
Account :PIA

## CERTIFICATE OF ANALYSIS

A9747497

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
5000N 9675E	201 202	< 1	< 0.01	35	670	10	< 2	4	27	0.05	< 10	< 10	61	10	100
5000N 9700E	201 202	< 1	0.03	20	940	14	< 2	2	192	0.02	< 10	< 10	19	10	140
5000N 9725E	201 202	< 1	< 0.01	37	870	22	< 2	3	39	0.04	< 10	< 10	39	< 10	122
5000N 9750E	201 202	< 1	0.01	58	720	32	< 2	8	85	0.03	< 10	< 10	41	50	318
5000N 9775E	201 202	< 1	< 0.01	31	650	12	< 2	3	14	0.03	< 10	< 10	40	< 10	92
5000N 9800E	201 202	< 1	< 0.01	20	650	10	< 2	4	14	0.01	< 10	10	35	< 10	88
5000N 9825E	201 202	< 1	< 0.01	20	500	8	< 2	3	9	0.03	< 10	< 10	44	< 10	74
5000N 9850E	201 202	< 1	< 0.01	13	620	10	< 2	2	11	0.01	< 10	< 10	33	< 10	60
5000N 9875E	201 202	< 1	< 0.01	30	790	8	< 2	4	13	0.02	< 10	< 10	37	< 10	102
5000N 9900E	201 202	< 1	< 0.01	34	670	10	< 2	4	22	0.04	< 10	< 10	46	< 10	98
5000N 9925E	201 202	< 1	< 0.01	34	730	10	< 2	5	22	0.06	< 10	< 10	45	< 10	118
5000N 9950E	201 202	< 1	< 0.01	34	660	16	< 2	3	15	0.05	< 10	< 10	38	< 10	270
5000N 9975E	201 202	< 1	< 0.01	31	700	16	< 2	3	14	0.02	< 10	< 10	26	< 10	76
5000N 10000E	201 202	< 1	< 0.01	28	1020	12	< 2	1	13	0.01	< 10	< 10	31	< 10	70
5000N 10025E	201 202	< 1	< 0.01	20	500	8	< 2	1	12	0.03	< 10	< 10	31	< 10	62
5000N 10050E	201 202	< 1	< 0.01	17	540	8	< 2	1	7	0.01	< 10	< 10	30	< 10	56
5000N 10075E	201 202	< 1	< 0.01	32	610	12	< 2	3	10	0.03	< 10	< 10	30	< 10	74
5000N 10100E	201 202	< 1	< 0.01	19	1430	10	< 2	< 1	7	< 0.01	< 10	< 10	20	< 10	52
5000N 10125E	201 202	< 1	< 0.01	33	710	14	< 2	2	9	0.03	< 10	< 10	33	< 10	84
5000N 10150E	201 202	< 1	< 0.01	20	1150	48	< 2	< 1	9	< 0.01	< 10	< 10	19	< 10	104
5000N 10175E	201 202	< 1	< 0.01	33	620	10	< 2	4	12	0.08	< 10	< 10	43	< 10	74
5000N 10200E	201 202	< 1	< 0.01	35	670	12	< 2	3	12	0.07	< 10	< 10	45	< 10	72
5100N 9550E	201 202	< 1	< 0.01	27	440	12	< 2	3	14	0.08	< 10	< 10	42	< 10	68
5100N 9575E	201 202	< 1	0.02	43	660	16	< 2	6	67	0.08	< 10	< 10	64	10	94
5100N 9600E	201 202	< 1	< 0.01	75	760	12	< 2	6	39	0.07	< 10	< 10	73	< 10	74
5100N 9625E	201 202	< 1	< 0.01	26	880	14	< 2	2	27	0.04	< 10	< 10	95	< 10	74
5100N 9650E	201 202	< 1	< 0.01	29	880	14	< 2	4	40	0.05	< 10	< 10	58	< 10	72
5100N 9675E	201 202	< 1	0.02	45	590	16	< 2	5	63	0.05	< 10	< 10	41	< 10	102
5100N 9700E	201 202	< 1	0.01	30	640	18	< 2	3	28	0.05	< 10	< 10	40	< 10	114
5100N 9725E	201 202	< 1	0.01	36	600	12	< 2	4	37	0.06	< 10	< 10	41	< 10	90
5100N 9750E	201 202	< 1	0.01	32	1850	14	< 2	2	135	0.02	< 10	10	26	< 10	70
5100N 9775E	201 202	< 1	< 0.01	26	720	6	< 2	3	13	0.03	< 10	< 10	39	< 10	86
5100N 9800E	201 202	< 1	< 0.01	30	1060	6	< 2	3	25	0.01	< 10	< 10	34	< 10	80
5100N 9825E	201 202	< 1	< 0.01	23	3160	20	< 2	2	28	0.01	< 10	< 10	37	< 10	70
5100N 9850E	201 202	< 1	< 0.01	27	1380	12	< 2	1	34	0.02	< 10	< 10	38	< 10	76
5100N 9875E	201 202	< 1	0.06	26	1530	4	< 2	4	99	0.06	< 10	< 10	31	< 10	70
5100N 9900E	201 202	< 1	< 0.01	25	1570	10	< 2	4	135	0.05	< 10	< 10	36	< 10	54
5100N 9925E	201 202	< 1	< 0.01	37	680	14	< 2	4	83	0.04	< 10	< 10	25	< 10	102
5100N 9950E	201 202	< 1	< 0.01	43	830	26	< 2	6	30	0.07	< 10	< 10	77	< 10	76
5100N 9975E	201 202	< 1	< 0.01	35	670	12	< 2	3	14	0.06	< 10	< 10	39	< 10	76

CERTIFICATION: \_\_\_\_\_



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

Project: MAUI GRID  
 Comments:

Page Number :2-A  
 Total Pages :4  
 Certificate Date:26-OCT-97  
 Invoice No. :19747497  
 P.O. Number :  
 Account :PIA

## CERTIFICATE OF ANALYSIS A9747497

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
5100N 10025E	201 202	< 5	0.8	1.04	186	150	0.5	< 2	0.11	0.5	6	17	21	1.84	< 10	< 1	0.07	30	0.15	145
5100N 10050E	201 202	< 5	0.8	1.23	210	150	0.5	< 2	0.24	< 0.5	10	23	22	2.26	< 10	< 1	0.11	30	0.41	175
5100N 10075E	201 202	< 5	0.8	1.09	78	210	0.5	< 2	0.42	< 0.5	5	35	21	1.87	< 10	< 1	0.06	20	0.45	270
5100N 10100E	201 202	< 5	< 0.2	1.54	88	80	0.5	< 2	0.22	< 0.5	14	53	29	2.81	< 10	< 1	0.08	30	0.75	295
5100N 10125E	201 202	< 5	< 0.2	1.34	240	80	0.5	< 2	0.12	< 0.5	10	25	24	2.62	< 10	< 1	0.09	30	0.58	230
5100N 10175E	201 202	< 5	< 0.2	1.50	98	90	0.5	< 2	0.17	< 0.5	7	23	23	2.55	< 10	< 1	0.12	30	0.55	180
5100N 10200E	201 202	not/ass	< 0.2	0.89	30	70	< 0.5	< 2	0.30	< 0.5	6	16	12	2.06	< 10	< 1	0.12	10	0.35	350
5200N 9425E	201 202	< 5	< 0.2	1.99	54	80	1.0	< 2	0.27	< 0.5	10	33	14	3.08	< 10	< 1	0.16	20	0.76	305
5200N 9450E	201 202	< 5	< 0.2	1.99	40	110	0.5	< 2	0.37	< 0.5	9	32	13	2.95	< 10	< 1	0.13	20	0.64	305
5200N 9475E	201 202	< 5	< 0.2	2.98	34	120	1.5	< 2	0.39	< 0.5	14	40	16	3.57	< 10	< 1	0.15	10	0.91	345
5200N 9500E	201 202	< 5	< 0.2	2.88	64	120	1.5	< 2	0.38	< 0.5	18	57	19	4.07	< 10	< 1	0.20	20	1.12	525
5200N 9525E	201 202	< 5	< 0.2	2.19	120	150	1.0	< 2	0.44	< 0.5	15	32	15	3.83	< 10	< 1	0.27	10	1.22	600
5200N 9550E	201 202	< 5	< 0.2	2.21	82	100	1.5	< 2	0.34	< 0.5	15	28	29	3.61	< 10	< 1	0.10	10	0.81	395
5200N 9575E	201 202	< 5	< 0.2	2.26	90	100	1.5	< 2	0.26	< 0.5	11	30	27	3.36	< 10	< 1	0.12	10	0.76	355
5200N 9600E	201 202	< 5	< 0.2	2.14	102	100	1.0	< 2	0.40	< 0.5	14	23	32	3.56	< 10	< 1	0.12	20	0.75	450
5200N 9625E	201 202	< 5	< 0.2	2.72	68	100	1.5	< 2	0.66	< 0.5	13	36	19	3.23	< 10	< 1	0.12	20	0.84	510
5200N 9650E	201 202	< 5	< 0.2	2.02	168	90	1.0	< 2	0.26	< 0.5	10	27	17	2.67	< 10	< 1	0.10	20	0.56	390
5200N 9675E	201 202	< 5	< 0.2	0.83	48	50	0.5	< 2	0.14	< 0.5	11	9	10	1.50	< 10	< 1	0.04	10	0.16	575
5200N 9700E	201 202	< 5	< 0.2	1.87	172	90	1.0	< 2	0.24	< 0.5	9	27	14	2.48	< 10	< 1	0.10	20	0.60	345
5200N 9725E	201 202	< 5	< 0.2	2.18	210	110	0.5	< 2	0.56	< 0.5	16	41	20	3.75	< 10	< 1	0.11	20	1.09	810
5200N 9750E	201 202	< 5	< 0.2	1.35	106	100	0.5	< 2	0.39	< 0.5	11	22	13	2.25	< 10	< 1	0.09	10	0.61	695
5200N 9775E	201 202	< 5	< 0.2	1.97	198	80	0.5	< 2	0.23	< 0.5	15	35	29	3.47	< 10	< 1	0.12	40	1.01	285
5200N 9800E	201 202	< 5	< 0.2	2.29	138	160	0.5	< 2	0.46	< 0.5	16	42	30	3.49	< 10	< 1	0.13	30	1.20	675
5200N 9825E	201 202	< 5	< 0.2	1.88	288	110	0.5	< 2	0.37	< 0.5	14	33	21	3.22	< 10	< 1	0.16	30	0.89	360
5200N 9850E	201 202	< 5	< 0.2	1.66	116	120	0.5	< 2	0.59	< 0.5	12	26	18	2.77	< 10	< 1	0.14	20	0.87	525
5200N 9875E	201 202	< 5	< 0.2	2.10	146	100	0.5	< 2	0.55	< 0.5	12	32	17	3.48	< 10	< 1	0.10	20	1.28	535
5200N 9900E	201 202	< 5	< 0.2	1.97	324	120	1.0	< 2	0.69	< 0.5	15	30	19	3.34	< 10	< 1	0.14	30	0.77	820
5200N 9925E	201 202	< 5	< 0.2	2.45	338	130	1.0	< 2	0.53	< 0.5	18	45	43	3.96	< 10	< 1	0.16	50	1.47	810
5200N 9950E	201 202	< 5	< 0.2	1.50	146	90	0.5	< 2	0.19	< 0.5	9	25	19	2.61	< 10	< 1	0.11	30	0.55	240
5200N 9975E	201 202	< 5	< 0.2	0.67	108	40	< 0.5	< 2	0.09	< 0.5	2	7	8	0.97	< 10	< 1	0.05	10	0.09	45
5200N 10000E	201 202	< 5	< 0.2	1.84	608	90	0.5	< 2	0.14	< 0.5	14	31	25	3.30	< 10	< 1	0.15	40	0.77	360
5200N 10100E	201 202	< 5	< 0.2	1.15	158	70	0.5	< 2	0.08	< 0.5	5	14	18	1.80	< 10	< 1	0.06	20	0.26	85
5200N 10125E	201 202	< 5	< 0.2	0.86	110	40	< 0.5	< 2	0.08	< 0.5	4	14	12	1.36	< 10	< 1	0.08	10	0.30	95
5200N 10150E	201 202	< 5	< 0.2	1.52	502	70	0.5	< 2	0.10	< 0.5	17	36	31	3.31	< 10	< 1	0.10	40	0.70	340
5200N 10175E	201 202	< 5	< 0.2	1.31	28	60	0.5	< 2	0.08	< 0.5	8	39	22	2.44	< 10	< 1	0.09	20	0.50	155
5299N 9500E	201 202	< 5	< 0.2	2.02	162	100	1.0	< 2	0.20	< 0.5	12	31	20	3.46	< 10	< 1	0.10	10	0.65	325
5300N 9325E	201 202	< 5	< 0.2	1.64	28	90	0.5	< 2	0.22	< 0.5	11	28	16	2.96	< 10	< 1	0.15	20	0.73	275
5300N 9350E	201 202	< 5	< 0.2	1.69	18	80	0.5	< 2	0.26	< 0.5	11	29	15	2.52	< 10	< 1	0.11	10	0.72	275
5300N 9375E	201 202	< 5	< 0.2	2.02	38	100	0.5	< 2	0.22	< 0.5	10	33	13	3.31	< 10	< 1	0.12	10	0.73	265
5300N 9400E	201 202	< 5	< 0.2	2.25	40	100	1.0	< 2	0.25	< 0.5	15	32	17	3.25	< 10	< 1	0.14	10	0.77	575

CERTIFICATION: \_\_\_\_\_



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

Project : MAUI GRID  
 Comments:

Page Number : 2-B  
 Total Pages : 4  
 Certificate Date: 26-OCT-97  
 Invoice No. : I9747497  
 P.O. Number :  
 Account : PIA

## CERTIFICATE OF ANALYSIS

A9747497

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
5100N 10025E	201 202	1 < 0.01		21	2060	16 < 2	< 2	< 1	14 < 0.01	< 10	< 10	< 10	30 < 10		54
5100N 10050E	201 202	< 1 < 0.01		24	1380	10 < 2	< 2	< 1	25 0.01	< 10	< 10	< 10	26 < 10		60
5100N 10075E	201 202	< 1 < 0.01		23	2000	14 < 2	< 2	< 1	29 < 0.01	< 10	< 10	< 10	24 < 10		42
5100N 10100E	201 202	< 1 < 0.01		41	730	10 < 2	< 2	4	12 0.07	< 10	< 10	< 10	44 < 10		72
5100N 10125E	201 202	< 1 < 0.01		29	810	14 < 2	< 2	1	11 0.02	< 10	< 10	< 10	30 < 10		70
5100N 10175E	201 202	< 1 0.01		25	970	28 < 2	< 2	1	23 0.01	< 10	< 10	< 10	25 < 10		94
5100N 10200E	201 202	< 1 0.01		14	1090	18 < 2	< 2	< 1	25 0.03	< 10	< 10	< 10	33 < 10		74
5200N 9425E	201 202	< 1 < 0.01		27	640	12 < 2	< 2	3	30 0.08	< 10	< 10	< 10	39 < 10		78
5200N 9450E	201 202	< 1 < 0.01		24	580	16 < 2	< 2	3	51 0.07	< 10	< 10	< 10	40 < 10		66
5200N 9475E	201 202	< 1 0.02		35	510	12 < 2	< 2	5	62 0.11	< 10	< 10	< 10	43 < 10		72
5200N 9500E	201 202	< 1 0.01		48	580	14 < 2	< 2	5	72 0.09	< 10	< 10	< 10	47 < 10		94
5200N 9525E	201 202	< 1 < 0.01		28	1020	14 < 2	< 2	5	50 0.08	< 10	< 10	< 10	109 < 10		72
5200N 9550E	201 202	< 1 < 0.01		26	850	26 < 2	< 2	5	26 0.08	< 10	< 10	< 10	82 < 10		70
5200N 9575E	201 202	< 1 0.01		28	980	12 < 2	< 2	3	26 0.04	< 10	< 10	< 10	72 < 10		96
5200N 9600E	201 202	< 1 < 0.01		23	1520	14 < 2	< 2	3	27 0.05	< 10	< 10	< 10	70 < 10		82
5200N 9625E	201 202	< 1 0.01		32	820	106 < 2	< 2	4	67 0.06	< 10	< 10	< 10	41 < 10		140
5200N 9650E	201 202	< 1 0.01		26	890	12 < 2	< 2	2	28 0.04	< 10	< 10	< 10	40 < 10		88
5200N 9675E	201 202	< 1 0.04		8	700	6 < 2	< 2	< 1	15 0.02	< 10	< 10	< 10	24 < 10		30
5200N 9700E	201 202	< 1 0.01		25	790	14 < 2	< 2	2	25 0.04	< 10	< 10	< 10	34 < 10		74
5200N 9725E	201 202	< 1 < 0.01		31	1090	14 < 2	< 2	3	55 0.02	< 10	< 10	< 10	47 10		112
5200N 9750E	201 202	< 1 0.03		15	910	8 < 2	< 2	1	34 0.03	< 10	< 10	< 10	45 < 10		52
5200N 9775E	201 202	< 1 < 0.01		41	830	8 < 2	< 2	4	13 0.04	< 10	< 10	< 10	40 < 10		98
5200N 9800E	201 202	< 1 < 0.01		38	1590	10 < 2	< 2	5	25 0.05	< 10	< 10	< 10	67 < 10		90
5200N 9825E	201 202	< 1 < 0.01		36	700	10 < 2	< 2	4	28 0.06	< 10	< 10	< 10	41 < 10		76
5200N 9850E	201 202	< 1 0.02		23	940	12 < 2	< 2	3	33 0.04	< 10	< 10	< 10	38 < 10		74
5200N 9875E	201 202	< 1 < 0.01		25	840	16 < 2	< 2	3	46 0.03	< 10	< 10	< 10	45 < 10		84
5200N 9900E	201 202	< 1 < 0.01		32	1080	18 < 2	< 2	3	70 0.03	< 10	< 10	< 10	34 < 10		98
5200N 9925E	201 202	< 1 0.01		51	1280	18 < 2	< 2	6	25 0.04	< 10	< 10	< 10	49 < 10		102
5200N 9950E	201 202	< 1 < 0.01		27	690	8 < 2	< 2	2	16 0.04	< 10	< 10	< 10	34 < 10		68
5200N 9975E	201 202	< 1 0.05		6	690	6 < 2	< 2	< 1	9 0.01	< 10	< 10	< 10	15 < 10		20
5200N 10000E	201 202	< 1 < 0.01		37	590	14 < 2	< 2	3	16 0.05	< 10	< 10	< 10	38 < 10		80
5200N 10100E	201 202	< 1 0.03		17	920	10 < 2	< 2	< 1	10 0.01	< 10	< 10	< 10	18 < 10		42
5200N 10125E	201 202	< 1 0.06		11	370	6 < 2	< 2	1	10 0.02	< 10	< 10	< 10	14 < 10		30
5200N 10150E	201 202	< 1 0.01		38	670	16 < 2	< 2	3	17 0.02	< 10	< 10	< 10	26 < 10		78
5200N 10175E	201 202	< 1 0.03		23	540	10 < 2	< 2	1	10 0.03	< 10	< 10	< 10	29 < 10		56
5299N 9500E	201 202	< 1 < 0.01		29	710	14 < 2	< 2	3	21 0.05	< 10	< 10	< 10	43 < 10		74
5300N 9325E	201 202	< 1 < 0.01		27	600	10 < 2	< 2	3	18 0.06	< 10	< 10	< 10	36 < 10		72
5300N 9350E	201 202	< 1 < 0.01		29	350	8 < 2	< 2	3	21 0.09	< 10	< 10	< 10	39 < 10		66
5300N 9375E	201 202	< 1 < 0.01		25	360	14 < 2	< 2	4	26 0.09	< 10	< 10	< 10	46 < 10		70
5300N 9400E	201 202	< 1 < 0.01		35	540	18 < 2	< 2	4	41 0.08	< 10	< 10	< 10	40 < 10		78

CERTIFICATION: \_\_\_\_\_





# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

Project: MAUI GRID  
 Comments:

Page Number : 3-B  
 Total Pages : 4  
 Certificate Date: 26-OCT-97  
 Invoice No. : I9747497  
 P.O. Number :  
 Account : PIA

## CERTIFICATE OF ANALYSIS A9747497

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
5300N 9425E	201 202	< 1	< 0.01	30	490	14	< 2	3	37	0.06	< 10	< 10	44	< 10	64
5300N 9450E	201 202	1	< 0.01	23	1580	16	< 2	1	36	0.03	< 10	< 10	67	< 10	64
5300N 9475E	201 202	< 1	0.03	16	1170	10	< 2	1	29	0.03	< 10	< 10	46	< 10	66
5300N 9500E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5300N 9525E	201 202	< 1	< 0.01	23	700	10	< 2	3	17	0.05	< 10	< 10	49	< 10	80
5300N 9550E	201 202	< 1	< 0.01	35	550	10	< 2	3	13	0.04	< 10	< 10	41	< 10	104
5300N 9575E	201 202	< 1	< 0.01	24	880	14	< 2	2	35	0.04	< 10	< 10	38	< 10	76
5300N 9600E	201 202	< 1	< 0.01	33	560	10	< 2	3	23	0.04	< 10	< 10	34	< 10	82
5300N 9625E	201 202	< 1	< 0.01	33	580	16	< 2	4	33	0.06	< 10	< 10	46	< 10	88
5300N 9650E	201 202	< 1	0.04	9	630	2	< 2	< 1	21	0.01	< 10	< 10	20	< 10	28
5300N 9675E	201 202	< 1	0.05	8	580	8	< 2	< 1	36	0.03	< 10	< 10	21	< 10	32
5300N 9700E	201 202	< 1	0.03	16	860	10	< 2	< 1	44	0.02	< 10	< 10	26	< 10	56
5300N 9725E	201 202	< 1	0.01	14	1820	10	< 2	< 1	36	< 0.01	< 10	< 10	22	< 10	38
5300N 9750E	201 202	< 1	0.03	15	1050	10	< 2	1	31	0.04	< 10	< 10	45	< 10	68
5300N 9775E	201 202	< 1	0.05	22	1310	6	< 2	< 1	15	< 0.01	< 10	< 10	13	< 10	24
5300N 9800E	201 202	< 1	0.05	3	420	< 2	< 2	< 1	8	0.01	< 10	< 10	13	< 10	12
5300N 9825E	201 202	< 1	0.05	12	480	2	< 2	1	9	0.02	< 10	< 10	20	< 10	34
5300N 9850E	201 202	< 1	< 0.01	45	980	8	< 2	6	19	0.07	< 10	< 10	72	< 10	100
5300N 9875E	201 202	< 1	0.01	35	700	24	< 2	4	45	0.05	< 10	< 10	38	< 10	102
5300N 9900E	201 202	< 1	< 0.01	39	790	26	< 2	5	39	0.04	< 10	< 10	42	< 10	106
5300N 9925E	201 202	< 1	< 0.01	35	780	10	< 2	3	17	0.06	< 10	< 10	38	< 10	86
5300N 9950E	201 202	< 1	< 0.01	44	620	10	< 2	4	25	0.03	< 10	< 10	32	< 10	86
5300N 9975E	201 202	< 1	0.04	9	380	2	< 2	< 1	6	0.03	< 10	< 10	23	< 10	24
5300N 10000E	201 202	< 1	0.03	20	850	10	< 2	1	17	0.04	< 10	< 10	33	< 10	56
5300N 10050E	201 202	< 1	0.03	12	850	8	< 2	< 1	9	0.03	< 10	< 10	35	< 10	42
5300N 10075E	201 202	< 1	0.01	16	800	10	< 2	< 1	17	0.01	< 10	< 10	20	< 10	52
5300N 10100E	201 202	< 1	0.01	31	880	16	< 2	2	15	0.02	< 10	< 10	36	< 10	84
5300N 10125E	201 202	1	< 0.01	20	1040	16	< 2	1	11	0.01	< 10	< 10	29	< 10	64
5300N 10150E	201 202	< 1	0.05	6	630	6	< 2	< 1	6	0.01	< 10	< 10	14	< 10	22
5300N 10175E	201 202	< 1	< 0.01	24	730	14	< 2	1	13	0.03	< 10	< 10	34	< 10	74
5300N 10200E	201 202	< 1	0.04	11	930	10	< 2	< 1	11	< 0.01	< 10	< 10	17	< 10	42
5400N 9200E	201 202	< 1	< 0.01	42	560	18	< 2	3	23	0.05	< 10	< 10	41	< 10	110
5400N 9225E	201 202	< 1	< 0.01	28	1060	20	< 2	3	28	0.04	< 10	< 10	31	< 10	100
5400N 9250E	201 202	< 1	< 0.01	25	760	12	< 2	3	23	0.06	< 10	< 10	35	< 10	62
5400N 9275E	201 202	< 1	< 0.01	25	450	12	< 2	3	18	0.06	< 10	< 10	37	< 10	62
5400N 9300E	201 202	1	< 0.01	17	660	12	< 2	< 1	29	0.02	< 10	< 10	22	< 10	48
5400N 9325E	201 202	< 1	< 0.01	24	380	10	< 2	3	14	0.06	< 10	< 10	36	< 10	60
5400N 9350E	201 202	< 1	< 0.01	24	590	8	< 2	3	24	0.08	< 10	< 10	38	< 10	76
5400N 9375E	201 202	< 1	< 0.01	32	860	18	< 2	5	52	0.07	< 10	< 10	48	< 10	82
5400N 9400E	201 202	< 1	0.01	32	1150	16	< 2	6	60	0.09	< 10	< 10	74	< 10	94

CERTIFICATION:



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
VANCOUVER, BC  
V6C 1T2

Project: MAUI GRID  
Comments:

Page Number :3-A  
Total Pages :4  
Certificate Date :26-OCT-97  
Invoice No. :I9747497  
P.O. Number :  
Account :PIA

## CERTIFICATE OF ANALYSIS

### A9747497

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
5300N 9425E	201	202	< 5	< 0.2	1.86	18	80	0.5	< 2	0.24	< 0.5	12	29	16	3.29	< 10	< 1	0.08	10	0.66	305
5300N 9450E	201	202	< 5	< 0.2	1.80	40	140	0.5	< 2	0.29	< 0.5	11	23	24	3.24	< 10	< 1	0.09	10	0.48	1045
5300N 9475E	201	202	< 5	< 0.2	1.66	102	120	0.5	< 2	0.46	< 0.5	9	17	18	2.41	< 10	< 1	0.09	10	0.59	245
5300N 9500E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5300N 9525E	201	202	< 5	< 0.2	2.06	52	80	0.5	< 2	0.17	< 0.5	12	31	37	3.93	< 10	< 1	0.13	20	0.98	155
5300N 9550E	201	202	< 5	< 0.2	1.84	52	90	0.5	< 2	0.12	< 0.5	14	26	27	3.55	< 10	< 1	0.12	10	0.73	210
5300N 9575E	201	202	< 5	< 0.2	1.72	60	90	0.5	< 2	0.26	< 0.5	14	25	23	3.05	< 10	< 1	0.10	10	0.59	515
5300N 9600E	201	202	< 5	< 0.2	1.75	68	80	0.5	< 2	0.23	< 0.5	12	25	26	3.34	< 10	< 1	0.08	10	0.79	155
5300N 9625E	201	202	< 5	< 0.2	1.85	78	90	0.5	< 2	0.33	< 0.5	14	30	23	3.13	< 10	< 1	0.09	20	0.80	360
5300N 9650E	201	202	< 5	< 0.2	0.83	16	40	< 0.5	< 2	0.23	< 0.5	4	10	9	1.09	< 10	< 1	0.04	< 10	0.22	95
5300N 9675E	201	202	< 5	< 0.2	0.99	28	50	< 0.5	< 2	0.38	< 0.5	5	9	10	1.21	< 10	< 1	0.04	< 10	0.19	325
5300N 9700E	201	202	< 5	< 0.2	1.38	154	80	0.5	< 2	0.52	< 0.5	7	16	15	1.97	< 10	< 1	0.06	10	0.39	280
5300N 9725E	201	202	< 5	< 0.2	1.88	102	90	1.5	< 2	0.29	< 0.5	5	19	18	1.93	< 10	< 1	0.07	30	0.23	90
5300N 9750E	201	202	< 5	< 0.2	1.20	228	70	0.5	< 2	0.31	< 0.5	8	16	15	2.47	< 10	< 1	0.07	20	0.34	320
5300N 9775E	201	202	< 5	< 0.2	0.90	94	60	0.5	< 2	0.15	< 0.5	3	31	11	1.08	< 10	< 1	0.05	20	0.13	365
5300N 9800E	201	202	< 5	< 0.2	0.34	18	10	< 0.5	< 2	0.11	< 0.5	1	3	3	0.55	< 10	< 1	0.03	< 10	0.08	65
5300N 9825E	201	202	< 5	< 0.2	0.91	46	30	< 0.5	< 2	0.13	< 0.5	5	11	9	1.47	< 10	< 1	0.05	10	0.35	95
5300N 9850E	201	202	< 5	< 0.2	2.16	284	130	0.5	< 2	0.50	< 0.5	20	41	47	3.98	< 10	< 1	0.24	30	1.53	460
5300N 9875E	201	202	< 5	< 0.2	2.11	40	140	1.0	< 2	0.33	< 0.5	16	34	21	3.09	< 10	< 1	0.11	30	0.82	525
5300N 9900E	201	202	< 5	< 0.2	2.25	364	110	1.5	< 2	0.38	< 0.5	14	36	27	3.78	< 10	< 1	0.12	50	1.01	510
5300N 9925E	201	202	< 5	< 0.2	1.64	484	90	0.5	< 2	0.25	< 0.5	12	29	24	3.03	< 10	< 1	0.15	30	0.69	315
5300N 9950E	201	202	< 5	< 0.2	1.80	792	100	1.5	< 2	0.28	< 0.5	16	29	22	3.52	< 10	< 1	0.10	40	0.73	550
5300N 9975E	201	202	< 5	< 0.2	0.60	108	30	< 0.5	< 2	0.07	< 0.5	4	10	10	1.14	< 10	< 1	0.04	< 10	0.15	85
5300N 10000E	201	202	not/see	< 0.2	1.22	160	60	0.5	< 2	0.17	< 0.5	6	25	17	2.25	< 10	< 1	0.10	20	0.42	165
5300N 10050E	201	202	< 5	< 0.2	0.97	144	40	< 0.5	< 2	0.10	< 0.5	5	15	16	1.93	< 10	< 1	0.07	10	0.26	130
5300N 10075E	201	202	< 5	< 0.2	0.94	66	70	0.5	< 2	0.10	< 0.5	6	17	16	1.78	< 10	< 1	0.08	10	0.26	95
5300N 10100E	201	202	< 5	< 0.2	1.80	158	90	0.5	< 2	0.10	< 0.5	10	38	29	3.40	< 10	< 1	0.12	30	0.64	320
5300N 10125E	201	202	< 5	< 0.2	1.18	186	80	< 0.5	< 2	0.06	< 0.5	10	24	22	2.78	< 10	< 1	0.11	30	0.40	535
5300N 10150E	201	202	< 5	< 0.2	0.87	58	40	< 0.5	< 2	0.05	< 0.5	4	8	11	1.08	< 10	< 1	0.05	10	0.15	145
5300N 10175E	201	202	< 5	< 0.2	1.61	110	60	0.5	< 2	0.08	< 0.5	9	34	25	3.10	< 10	< 1	0.11	30	0.61	275
5300N 10200E	201	202	< 5	< 0.2	0.77	52	60	< 0.5	< 2	0.08	< 0.5	6	13	12	1.49	< 10	< 1	0.06	10	0.21	295
5400N 9200E	201	202	< 5	< 0.2	1.72	34	90	0.5	< 2	0.27	< 0.5	24	31	36	4.11	< 10	< 1	0.14	30	0.72	510
5400N 9225E	201	202	< 5	< 0.2	1.50	20	100	0.5	< 2	0.46	< 0.5	16	28	20	3.31	< 10	< 1	0.13	10	0.68	1580
5400N 9250E	201	202	< 5	< 0.2	1.29	14	80	0.5	< 2	0.38	< 0.5	9	25	16	2.48	< 10	< 1	0.08	10	0.60	285
5400N 9275E	201	202	< 5	< 0.2	1.66	14	110	0.5	< 2	0.23	< 0.5	10	26	14	2.95	< 10	< 1	0.08	10	0.57	240
5400N 9300E	201	202	< 5	< 0.2	0.88	10	110	0.5	< 2	0.31	< 0.5	5	12	14	1.78	< 10	< 1	0.08	10	0.24	105
5400N 9325E	201	202	< 5	< 0.2	1.57	12	90	0.5	< 2	0.17	< 0.5	9	26	13	2.67	< 10	< 1	0.08	10	0.59	205
5400N 9350E	201	202	< 5	< 0.2	1.63	18	90	< 0.5	< 2	0.26	< 0.5	10	29	16	2.93	< 10	< 1	0.12	10	0.69	240
5400N 9375E	201	202	< 5	< 0.2	1.98	18	120	0.5	< 2	0.50	< 0.5	13	32	31	3.03	< 10	< 1	0.08	20	0.71	395
5400N 9400E	201	202	< 5	< 0.2	2.56	16	110	0.5	< 2	0.57	< 0.5	20	34	35	4.09	< 10	< 1	0.10	10	1.00	385

CERTIFICATION: \_\_\_\_\_



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

Project: MAUI GRID  
 Comments:

Page Number : 4-A  
 Total Pages : 4  
 Certificate Date: 26-OCT-97  
 Invoice No. : 19747497  
 P.O. Number :  
 Account : PIA

## CERTIFICATE OF ANALYSIS

### A9747497

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	201	202	FA+AA																		
5400N 9425E	201	202	< 5	< 0.2	2.34	34	130	1.0	< 2	0.22	< 0.5	11	35	16	3.29	< 10	< 1	0.08	10	0.65	340
5400N 9450E	201	202	< 5	< 0.2	2.46	22	120	1.0	< 2	0.32	< 0.5	15	37	20	3.16	< 10	< 1	0.13	10	0.88	365
5400N 9475E	201	202	< 5	< 0.2	1.98	40	140	1.0	< 2	0.29	< 0.5	10	39	17	2.96	< 10	< 1	0.11	10	0.74	260
5400N 9500E	201	202	< 5	< 0.2	3.38	74	90	2.0	< 2	0.34	< 0.5	18	37	23	4.13	< 10	< 1	0.11	10	0.84	385
5400N 9525E	201	202	< 5	< 0.2	2.75	96	100	2.0	< 2	0.29	< 0.5	20	39	26	3.88	< 10	< 1	0.12	30	1.06	540
5400N 9550E	201	202	< 5	< 0.2	2.66	124	70	1.5	< 2	0.25	< 0.5	30	38	40	4.51	< 10	< 1	0.20	20	1.35	530
5400N 9575E	201	202	10	< 0.2	2.18	128	70	0.5	< 2	0.20	< 0.5	19	30	49	3.91	< 10	< 1	0.15	30	1.12	265
5400N 9600E	201	202	< 5	< 0.2	1.73	56	80	0.5	< 2	0.20	< 0.5	10	25	16	2.67	< 10	< 1	0.08	10	0.66	300
5400N 9625E	201	202	< 5	< 0.2	1.78	56	70	0.5	< 2	0.30	< 0.5	15	34	22	3.49	< 10	< 1	0.14	10	0.94	600
5400N 9650E	201	202	< 5	< 0.2	1.05	52	60	< 0.5	< 2	0.43	< 0.5	7	14	14	1.82	< 10	< 1	0.05	< 10	0.34	490
5400N 9675E	201	202	< 5	< 0.2	0.80	56	50	< 0.5	< 2	0.23	< 0.5	5	11	12	1.37	< 10	< 1	0.04	10	0.26	95
5400N 9700E	201	202	< 5	< 0.2	2.01	96	60	0.5	< 2	0.20	< 0.5	10	27	22	3.15	< 10	< 1	0.07	10	0.59	265
5400N 9725E	201	202	< 5	< 0.2	2.59	112	80	0.5	< 2	0.21	< 0.5	25	38	53	5.08	< 10	< 1	0.25	30	1.15	195
5400N 9750E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5400N 9775E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5400N 9800E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5400N 9825E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5400N 9850E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5400N 9875E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5400N 9900E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5400N 9925E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5400N 9950E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5400N 9975E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5400N 10000E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5400N 10025E	201	202	< 5	< 0.2	0.87	216	80	0.5	< 2	0.18	< 0.5	4	12	15	1.72	< 10	< 1	0.08	10	0.23	140
5400N 10050E	201	202	< 5	< 0.2	1.08	208	80	0.5	< 2	0.11	< 0.5	7	29	22	2.67	< 10	< 1	0.10	10	0.44	170
5400N 10075E	201	202	< 5	< 0.2	1.43	380	50	0.5	< 2	0.15	< 0.5	10	49	21	3.29	< 10	< 1	0.11	10	0.70	230
5400N 10100E	201	202	< 5	< 0.2	0.88	36	60	< 0.5	< 2	0.09	< 0.5	3	12	26	1.38	< 10	< 1	0.04	10	0.14	60
5400N 10125E	201	202	< 5	< 0.2	1.06	172	50	0.5	< 2	0.13	< 0.5	8	40	30	1.95	< 10	< 1	0.11	30	0.44	160
5400N 10150E	201	202	< 5	0.2	1.05	164	60	0.5	< 2	0.08	< 0.5	6	17	34	2.90	< 10	< 1	0.08	20	0.36	170
5400N 10175E	201	202	not/ass	< 0.2	2.07	48	70	0.5	< 2	0.11	< 0.5	22	227	32	3.86	< 10	< 1	0.29	10	1.31	515
5400N 10200E	201	202	< 5	< 0.2	1.43	150	50	< 0.5	< 2	0.12	< 0.5	8	42	17	2.66	< 10	< 1	0.10	10	0.81	260
5492N 10210E	201	202	< 5	< 0.2	1.87	88	60	0.5	< 2	0.10	< 0.5	10	42	20	3.15	< 10	< 1	0.08	10	0.75	230

CERTIFICATION: \_\_\_\_\_



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

Project : MAUI GRID  
 Comments:

Page Number : 4-B  
 Total Pages : 4  
 Certificate Date: 26-OCT-97  
 Invoice No. : 19747497  
 P.O. Number :  
 Account : PIA

## CERTIFICATE OF ANALYSIS

A9747497

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
5400N 9425E	201	202	< 1	< 0.01	31	470	14	< 2	3	33	0.06	< 10	< 10	44	< 10	72
5400N 9450E	201	202	< 1	0.01	38	500	10	< 2	4	49	0.08	< 10	< 10	43	< 10	82
5400N 9475E	201	202	< 1	< 0.01	34	570	12	< 2	4	34	0.08	< 10	< 10	48	10	68
5400N 9500E	201	202	< 1	< 0.01	45	960	18	< 2	4	59	0.06	< 10	< 10	35	< 10	114
5400N 9525E	201	202	< 1	0.01	47	590	16	< 2	5	45	0.07	< 10	< 10	41	< 10	100
5400N 9550E	201	202	< 1	< 0.01	68	570	12	< 2	5	32	0.07	< 10	< 10	36	< 10	138
5400N 9575E	201	202	< 1	< 0.01	36	860	14	< 2	4	17	0.05	< 10	< 10	42	< 10	116
5400N 9600E	201	202	< 1	< 0.01	24	740	10	< 2	2	22	0.04	< 10	< 10	33	< 10	72
5400N 9625E	201	202	< 1	0.01	34	820	18	< 2	3	34	0.04	< 10	< 10	36	< 10	98
5400N 9650E	201	202	< 1	0.02	13	780	8	< 2	< 1	36	0.01	< 10	< 10	20	< 10	42
5400N 9675E	201	202	< 1	0.02	10	580	2	< 2	< 1	22	0.01	< 10	< 10	20	< 10	34
5400N 9700E	201	202	1	< 0.01	31	710	18	< 2	1	22	0.03	< 10	< 10	33	< 10	88
5400N 9725E	201	202	< 1	< 0.01	41	730	8	< 2	4	24	0.06	< 10	< 10	56	< 10	114
5400N 9750E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5400N 9775E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5400N 9800E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5400N 9825E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5400N 9850E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5400N 9875E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5400N 9900E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5400N 9925E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5400N 9950E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5400N 9975E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5400N 10000E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5400N 10025E	201	202	< 1	0.01	13	950	8	< 2	< 1	17	< 0.01	< 10	< 10	18	< 10	40
5400N 10050E	201	202	< 1	< 0.01	22	820	12	< 2	< 1	15	0.01	< 10	< 10	33	< 10	60
5400N 10075E	201	202	< 1	< 0.01	31	530	16	< 2	3	15	0.04	< 10	10	41	< 10	68
5400N 10100E	201	202	< 1	0.01	9	1180	12	< 2	< 1	12	< 0.01	< 10	< 10	21	< 10	30
5400N 10125E	201	202	< 1	0.01	33	700	10	< 2	1	15	0.01	< 10	< 10	20	< 10	40
5400N 10150E	201	202	< 1	< 0.01	17	570	14	< 2	1	19	0.01	< 10	< 10	22	< 10	56
5400N 10175E	201	202	< 1	< 0.01	70	870	8	< 2	6	8	0.05	< 10	< 10	82	< 10	88
5400N 10200E	201	202	< 1	0.01	21	470	12	< 2	1	12	0.07	< 10	< 10	46	< 10	52
5492N 10210E	201	202	< 1	< 0.01	26	540	14	< 2	2	10	0.03	< 10	< 10	42	< 10	74

CERTIFICATION: \_\_\_\_\_



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

A9749136

Comments: ATTN: LISA TULK

CERTIFICATE

A9749136

(PIA) - BRETT RESOURCES INCORPORATED

Project: MAUI  
 P.O. #:

Samples submitted to our lab in Vancouver, BC.  
 This report was printed on 8-NOV-97.

## SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	13	Dry, sieve to -80 mesh
202	13	save reject
229	13	ICP - AQ Digestion charge

\* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

## ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	13	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	13	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
2119	13	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	13	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	13	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	13	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	13	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	13	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	13	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	13	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	13	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	13	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	13	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	13	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	13	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	13	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	13	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	13	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	13	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	13	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	13	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	13	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	13	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	13	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	13	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	13	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	13	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	13	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	13	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	13	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	13	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	13	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	13	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

Project : MAUI  
 Comments: ATTN: LISA TULK

Page Number : 1-A  
 Total Pages : 1  
 Certificate Date: 08-NOV-97  
 Invoice No. : 19749136  
 P.O. Number :  
 Account : PIA

## CERTIFICATE OF ANALYSIS

### A9749136

SAMPLE	PREP CODE		Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
	FA+AA		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
L5400N 9750E	201	202	< 5	< 0.2	2.72	234	90	1.0	< 2	0.40	< 0.5	22	45	34	4.36	< 10	< 1	0.20	30	1.49	275
L5400N 9775E	201	202	< 5	< 0.2	2.35	560	90	1.0	< 2	0.20	< 0.5	16	35	33	4.05	< 10	< 1	0.13	30	0.97	220
L5400N 9800E	201	202	< 5	< 0.2	2.93	818	80	0.5	< 2	0.36	< 0.5	28	55	38	5.07	< 10	< 1	0.16	40	1.74	520
L5400N 9825E	201	202	< 5	< 0.2	2.07	1610	90	1.5	< 2	0.37	< 0.5	16	35	40	4.34	< 10	< 1	0.14	50	0.81	420
L5400N 9850E	201	202	< 5	< 0.2	1.93	240	110	0.5	< 2	0.35	< 0.5	10	29	25	3.08	< 10	< 1	0.09	30	0.82	310
L5400N 9875E	201	202	< 5	< 0.2	1.35	204	70	0.5	< 2	0.29	< 0.5	7	20	13	2.27	< 10	< 1	0.06	10	0.38	410
L5400N 9900E	201	202	< 5	< 0.2	1.81	410	80	0.5	< 2	0.33	< 0.5	11	29	19	3.20	< 10	< 1	0.07	30	0.66	405
L5400N 9925E	201	202	< 5	< 0.2	2.18	422	70	1.0	< 2	0.28	< 0.5	15	32	19	3.69	< 10	< 1	0.09	30	0.75	475
L5400N 9950E	201	202	< 5	< 0.2	2.00	320	100	1.5	< 2	0.32	< 0.5	20	32	28	4.39	< 10	< 1	0.14	50	0.85	910
L5400N 9975E	201	202	< 5	< 0.2	1.81	492	70	1.0	< 2	0.62	< 0.5	17	29	29	3.92	< 10	< 1	0.15	50	0.80	680
L5400N 10000E	201	202	< 5	< 0.2	1.47	502	80	0.5	< 2	0.25	< 0.5	11	31	23	3.71	< 10	< 1	0.13	30	0.60	290
L5500N 9200E	201	202	< 5	< 0.2	2.17	16	90	0.5	< 2	0.62	< 0.5	12	32	20	3.19	< 10	< 1	0.10	40	0.66	820
L5500N 9225E	201	202	< 10	< 0.2	2.24	12	110	1.5	< 2	0.95	< 0.5	13	23	17	2.34	< 10	< 1	0.07	30	0.42	3370

CERTIFICATION:

*Hart Riddle*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

Project: MAUI  
 Comments: ATTN: LISA TULK

Page Number :1-B  
 Total Pages :1  
 Certificate Date: 08-NOV-97  
 Invoice No. :19749136  
 P.O. Number :  
 Account :PIA

## CERTIFICATE OF ANALYSIS A9749136

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
L5400N 9750E	201	202	< 1	< 0.01	40	590	8	< 2	6	42	0.07	< 10	< 10	67	< 10	104
L5400N 9775E	201	202	< 1	< 0.01	34	330	10	< 2	4	29	0.05	< 10	< 10	44	< 10	92
L5400N 9800E	201	202	< 1	< 0.01	50	860	6	< 2	9	27	0.06	< 10	< 10	77	< 10	112
L5400N 9825E	201	202	< 1	< 0.01	44	920	12	< 2	5	25	0.02	< 10	10	42	< 10	144
L5400N 9850E	201	202	< 1	< 0.01	27	710	6	< 2	4	22	0.04	< 10	< 10	46	< 10	106
L5400N 9875E	201	202	< 1	0.02	15	840	10	< 2	< 1	25	0.01	< 10	< 10	25	< 10	60
L5400N 9900E	201	202	< 1	< 0.01	29	840	18	< 2	3	33	0.03	< 10	< 10	29	< 10	104
L5400N 9925E	201	202	< 1	< 0.01	33	720	16	< 2	3	29	0.02	< 10	< 10	30	< 10	88
L5400N 9950E	201	202	< 1	0.01	47	670	20	< 2	5	39	0.03	< 10	< 10	26	< 10	96
L5400N 9975E	201	202	< 1	0.03	39	700	18	< 2	5	74	0.03	< 10	< 10	25	< 10	100
L5400N 10000E	201	202	< 1	< 0.01	31	470	14	< 2	3	27	0.04	< 10	< 10	34	10	78
L5500N 9200E	201	202	< 1	0.01	27	830	18	< 2	3	57	0.03	< 10	< 10	33	< 10	94
L5500N 9225E	201	202	< 1	< 0.01	19	1990	18	< 2	< 1	87	0.01	< 10	< 10	24	< 10	74

CERTIFICATION: Hart Biddle



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

A9747503

Comments:

CERTIFICATE

A9747503

(PIA) - BRETT RESOURCES INCORPORATED

Project: MAUI GRID  
 P.O. #:

Samples submitted to our lab in Vancouver, BC.  
 This report was printed on 27-OCT-97.

### SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	160	Dry, sieve to -80 mesh save reject ICP - AQ Digestion charge
202	160	
229	160	
* NOTE 1:		

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

### ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	160	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	160	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
2119	160	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	160	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	160	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	160	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	160	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	160	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	160	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	160	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	160	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	160	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	160	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	160	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	160	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	160	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	160	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	160	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	160	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	160	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	160	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	160	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	160	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	160	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	160	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	160	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	160	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	160	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	160	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	160	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	160	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	160	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	160	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000





# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

Project : MAUI GRID  
 Comments:

Page Number : 1-A  
 Total Pages : 5  
 Certificate Date: 27-OCT-97  
 Invoice No. : 19747503  
 P.O. Number :  
 Account : PIA

## CERTIFICATE OF ANALYSIS A9747503

SAMPLE	PREP CODE		Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
	FA+AA		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
5500N 9200E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5500N 9225E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5500N 9250E	201	202	< 5	< 0.2	2.09	10	90	0.5	< 2	0.35	< 0.5	12	31	18	2.87	< 10	< 1	0.09	20	0.69	485
5500N 9275E	201	202	< 5	< 0.2	2.74	10	100	1.0	< 2	0.38	< 0.5	14	35	18	3.68	< 10	< 1	0.10	20	0.77	460
5500N 9300E	201	202	< 5	< 0.2	2.87	6	90	1.0	< 2	0.31	< 0.5	12	36	15	3.46	< 10	< 1	0.08	10	0.76	410
5500N 9325E	201	202	< 5	< 0.2	2.71	14	120	1.5	< 2	0.42	< 0.5	14	32	18	3.50	< 10	1	0.07	30	0.63	980
5500N 9350E	201	202	< 5	< 0.2	3.00	6	100	1.0	< 2	0.36	< 0.5	15	38	18	3.38	< 10	< 1	0.10	10	0.86	375
5500N 9375E	201	202	< 5	< 0.2	2.73	8	90	0.5	< 2	0.53	< 0.5	15	37	23	3.32	< 10	< 1	0.09	10	0.98	320
5500N 9400E	201	202	< 5	< 0.2	3.06	54	90	1.0	< 2	0.42	< 0.5	14	48	22	3.55	< 10	< 1	0.09	20	0.91	250
5500N 9425E	201	202	160	1.0	3.04	62	110	1.5	< 2	0.53	< 0.5	23	45	37	4.41	< 10	< 1	0.16	30	1.18	625
5500N 9450E	201	202	< 5	< 0.2	2.93	26	80	1.5	< 2	0.56	< 0.5	22	42	30	4.32	< 10	< 1	0.13	30	1.10	480
5500N 9475E	201	202	< 5	< 0.2	0.56	6	20	< 0.5	< 2	0.16	< 0.5	4	5	8	1.41	< 10	< 1	0.02	< 10	0.10	85
5500N 9500E	201	202	< 5	< 0.2	2.16	36	70	0.5	< 2	0.34	< 0.5	20	30	20	3.91	< 10	< 1	0.12	10	0.66	1045
5500N 9525E	201	202	15	< 0.2	2.95	42	90	1.0	< 2	0.61	< 0.5	23	43	30	4.60	< 10	< 1	0.15	20	1.22	630
5500N 9550E	201	202	10	< 0.2	2.75	64	80	1.0	< 2	0.62	< 0.5	22	42	36	4.44	< 10	< 1	0.14	30	1.23	530
5500N 9575E	201	202	< 5	< 0.2	2.16	80	70	0.5	< 2	0.69	< 0.5	18	31	30	3.63	< 10	< 1	0.10	20	0.89	470
5500N 9600E	201	202	< 5	< 0.2	2.20	108	80	1.0	< 2	0.60	< 0.5	16	33	31	3.42	< 10	< 1	0.12	30	0.82	435
5500N 9625E	201	202	< 5	< 0.2	2.75	74	70	1.5	< 2	0.37	< 0.5	34	36	44	4.98	< 10	< 1	0.15	30	1.23	650
5500N 9650E	201	202	< 5	< 0.2	2.69	114	80	1.5	< 2	0.37	< 0.5	22	39	39	4.32	< 10	< 1	0.10	30	1.02	660
5500N 9675E	201	202	< 5	< 0.2	2.06	116	80	1.0	< 2	0.21	< 0.5	14	33	26	3.71	< 10	< 1	0.07	30	0.71	470
5500N 9700E	201	202	< 5	< 0.2	1.10	284	50	< 0.5	< 2	0.23	< 0.5	6	11	16	1.66	< 10	< 1	0.04	40	0.21	170
5500N 9725E	201	202	< 5	< 0.2	2.28	228	100	0.5	< 2	0.32	< 0.5	19	35	40	3.80	< 10	< 1	0.11	30	1.02	250
5500N 9750E	201	202	< 5	< 0.2	1.93	108	80	< 0.5	< 2	0.17	< 0.5	14	39	27	3.96	< 10	< 1	0.08	30	0.79	220
5500N 9775E	201	202	< 5	< 0.2	2.11	148	60	0.5	< 2	0.13	< 0.5	29	32	35	4.14	< 10	< 1	0.09	40	0.91	255
5500N 9800E	201	202	< 5	< 0.2	2.60	540	90	0.5	< 2	0.18	< 0.5	39	40	55	5.04	< 10	< 1	0.11	50	1.18	365
5500N 9825E	201	202	< 5	< 0.2	2.42	536	80	1.0	< 2	0.19	< 0.5	18	47	34	4.40	< 10	< 1	0.11	50	0.99	325
5500N 9850E	201	202	< 5	< 0.2	1.83	568	90	1.0	< 2	0.35	< 0.5	14	30	30	3.31	< 10	< 1	0.09	120	0.69	435
5500N 9875E	201	202	< 5	< 0.2	2.25	556	100	1.0	< 2	0.32	< 0.5	17	34	28	3.56	< 10	< 1	0.11	30	0.99	590
5500N 9900E	201	202	< 5	0.2	4.09	2610	80	3.0	6	0.39	< 0.5	60	61	78	8.86	10	< 1	0.76	90	2.95	1035
5500N 9925E	201	202	< 5	< 0.2	1.61	316	50	0.5	< 2	0.30	< 0.5	12	21	17	2.84	< 10	< 1	0.08	30	0.51	485
5500N 9950E	201	202	< 5	< 0.2	2.26	256	80	0.5	< 2	0.28	< 0.5	16	36	22	4.02	< 10	< 1	0.09	20	0.87	395
5500N 9975E	201	202	< 5	< 0.2	2.08	830	210	1.0	< 2	0.64	1.5	23	27	24	3.68	< 10	< 1	0.08	30	0.52	6420
5500N 10000E	201	202	< 5	< 0.2	2.12	314	90	1.0	< 2	0.35	< 0.5	16	38	24	4.04	< 10	< 1	0.12	30	0.87	430
5500N 10025E	201	202	< 5	< 0.2	2.20	444	90	1.0	< 2	0.67	< 0.5	19	37	29	4.65	< 10	< 1	0.18	50	1.08	705
5500N 10050E	201	202	< 5	< 0.2	1.34	466	60	0.5	< 2	0.22	< 0.5	5	25	15	2.15	< 10	< 1	0.05	30	0.33	185
5500N 10075E	201	202	< 5	< 0.2	2.28	248	120	0.5	< 2	0.38	< 0.5	16	74	20	3.86	< 10	< 1	0.16	10	1.24	425
5500N 10100E	201	202	< 5	< 0.2	2.29	442	90	0.5	< 2	0.37	< 0.5	13	56	16	3.59	< 10	< 1	0.11	20	0.96	615
5500N 10125E	201	202	< 5	< 0.2	2.14	438	90	0.5	< 2	0.23	< 0.5	17	79	31	4.09	< 10	< 1	0.15	30	1.00	425
5500N 10150E	201	202	< 5	0.8	2.00	1200	90	0.5	< 2	0.22	< 0.5	13	71	27	3.20	< 10	< 1	0.10	40	0.75	420
5500N 10175E	201	202	< 5	< 0.2	1.74	202	90	0.5	< 2	0.24	< 0.5	13	90	22	3.32	< 10	< 1	0.12	20	0.90	350

CERTIFICATION:



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver

British Columbia, Canada V7J 2C1

PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
VANCOUVER, BC  
V6C 1T2

Project : MAUI GRID  
Comments:

Page Number : 1-B  
Total Pages : 5  
Certificate Date: 27-OCT-97  
Invoice No. : 19747503  
P.O. Number :  
Account : PIA

## CERTIFICATE OF ANALYSIS

A9747503

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
5500N 9200E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5500N 9225E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5500N 9250E	201 202	< 1	0.01	30	520	12	< 2	3	41	0.07	< 10	< 10	33	< 10	72
5500N 9275E	201 202	< 1	0.01	32	560	18	< 2	4	65	0.08	< 10	< 10	37	< 10	80
5500N 9300E	201 202	< 1	0.01	29	580	18	< 2	4	74	0.07	< 10	< 10	37	< 10	80
5500N 9325E	201 202	< 1	0.01	30	1070	36	< 2	2	66	0.03	< 10	< 10	36	< 10	86
5500N 9350E	201 202	< 1	0.03	37	650	14	< 2	4	63	0.08	< 10	< 10	38	< 10	94
5500N 9375E	201 202	< 1	0.03	39	430	10	< 2	4	77	0.10	< 10	< 10	38	< 10	86
5500N 9400E	201 202	< 1	0.01	44	720	18	< 2	4	56	0.06	< 10	< 10	39	< 10	88
5500N 9425E	201 202	< 1	0.03	58	640	320	< 2	5	82	0.07	< 10	< 10	38	< 10	150
5500N 9450E	201 202	< 1	0.03	53	570	18	< 2	5	83	0.07	< 10	< 10	38	< 10	132
5500N 9475E	201 202	< 1	0.06	4	370	2	< 2	< 1	13	0.06	< 10	< 10	39	< 10	20
5500N 9500E	201 202	< 1	0.03	34	920	14	< 2	3	62	0.07	< 10	< 10	41	< 10	94
5500N 9525E	201 202	< 1	0.05	53	580	52	< 2	5	87	0.09	< 10	< 10	38	< 10	184
5500N 9550E	201 202	< 1	0.04	53	610	34	< 2	6	87	0.08	< 10	< 10	38	< 10	132
5500N 9575E	201 202	< 1	0.05	39	710	14	< 2	4	87	0.07	< 10	< 10	40	< 10	96
5500N 9600E	201 202	< 1	0.02	35	730	14	< 2	4	65	0.06	< 10	< 10	35	< 10	94
5500N 9625E	201 202	< 1	0.03	72	580	14	< 2	5	69	0.07	< 10	< 10	33	< 10	130
5500N 9650E	201 202	< 1	0.01	45	740	14	< 2	4	44	0.05	< 10	< 10	39	< 10	126
5500N 9675E	201 202	< 1	< 0.01	30	700	18	< 2	1	29	0.03	< 10	< 10	39	< 10	92
5500N 9700E	201 202	< 1	0.04	10	690	6	< 2	< 1	23	0.01	< 10	< 10	23	< 10	38
5500N 9725E	201 202	< 1	0.01	37	740	10	< 2	4	28	0.06	< 10	< 10	44	< 10	92
5500N 9750E	201 202	< 1	< 0.01	33	400	12	< 2	3	21	0.04	< 10	< 10	46	< 10	92
5500N 9775E	201 202	< 1	0.01	52	520	10	< 2	3	15	0.03	< 10	< 10	39	< 10	96
5500N 9800E	201 202	< 1	< 0.01	82	690	22	< 2	5	19	0.04	< 10	< 10	52	< 10	120
5500N 9825E	201 202	< 1	< 0.01	50	690	12	< 2	4	19	0.04	< 10	< 10	47	< 10	100
5500N 9850E	201 202	< 1	0.01	45	880	12	< 2	3	38	0.03	< 10	< 10	36	< 10	116
5500N 9875E	201 202	< 1	0.01	39	700	12	< 2	4	30	0.05	< 10	< 10	47	< 10	108
5500N 9900E	201 202	< 1	0.01	75	1410	10	< 2	11	20	0.03	< 10	< 10	77	< 10	146
5500N 9925E	201 202	< 1	0.04	25	660	14	< 2	3	37	0.03	< 10	< 10	23	< 10	72
5500N 9950E	201 202	< 1	< 0.01	37	490	16	< 2	4	37	0.04	< 10	< 10	35	< 10	96
5500N 9975E	201 202	< 1	0.01	30	1860	18	< 2	1	86	0.01	< 10	< 10	30	< 10	140
5500N 10000E	201 202	< 1	0.01	39	710	16	< 2	4	42	0.05	< 10	< 10	36	< 10	96
5500N 10025E	201 202	< 1	0.03	45	810	16	< 2	6	104	0.06	< 10	< 10	33	< 10	106
5500N 10050E	201 202	< 1	0.03	12	670	10	< 2	1	22	0.09	< 10	< 10	39	< 10	42
5500N 10075E	201 202	< 1	0.01	33	780	12	< 2	5	33	0.12	< 10	< 10	64	< 10	86
5500N 10100E	201 202	< 1	< 0.01	28	1030	12	< 2	3	39	0.09	< 10	< 10	60	< 10	66
5500N 10125E	201 202	< 1	0.01	52	560	14	< 2	5	25	0.08	< 10	< 10	50	< 10	98
5500N 10150E	201 202	< 1	0.03	39	1080	16	< 2	3	26	0.03	< 10	< 10	41	< 10	76
5500N 10175E	201 202	< 1	0.01	46	410	10	< 2	4	24	0.11	< 10	< 10	53	< 10	84

CERTIFICATION: \_\_\_\_\_



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

Project: MAUI GRID  
 Comments:

Page Number :2-A  
 Total Pages :5  
 Certificate Date: 27-OCT-97  
 Invoice No. :19747503  
 P.O. Number :  
 Account :PIA

## CERTIFICATE OF ANALYSIS A9747503

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA		FA+AA	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
5500N 10200E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5570N 9875E	201	202	< 5	< 0.2	2.73	370	50	1.5	< 2	0.23	< 0.5	40	32	45	6.77	< 10	< 1	0.13	50	1.36	500
5570N 9900E	201	202	< 5	< 0.2	1.69	338	70	0.5	< 2	0.33	< 0.5	16	25	20	3.10	< 10	< 1	0.08	30	0.62	610
5570N 9925E	201	202	< 5	0.2	1.62	1315	70	1.5	< 2	0.63	< 0.5	22	30	35	5.01	< 10	< 1	0.11	50	0.70	775
5585N 9850E	201	202	< 5	0.2	2.01	266	70	0.5	< 2	0.18	< 0.5	28	33	49	4.39	< 10	< 1	0.08	50	0.89	335
5590N 9825E	201	202	20	0.2	2.40	138	50	0.5	< 2	0.16	< 0.5	23	35	58	5.04	< 10	< 1	0.07	30	1.17	235
5595N 9800E	201	202	< 5	< 0.2	2.08	106	50	0.5	< 2	0.19	< 0.5	16	38	35	4.24	< 10	< 1	0.08	30	0.94	210
5595N 9950E	201	202	20	0.2	2.02	764	80	1.0	< 2	0.62	< 0.5	21	34	38	4.64	< 10	< 1	0.11	50	0.96	630
5600N 9200E	201	202	< 5	< 0.2	2.34	12	110	0.5	< 2	0.31	< 0.5	13	34	20	3.32	< 10	< 1	0.09	20	0.67	525
5600N 9225E	201	202	< 5	< 0.2	1.76	6	110	0.5	< 2	0.25	< 0.5	9	32	16	2.60	< 10	< 1	0.07	10	0.46	415
5600N 9250E	201	202	< 5	< 0.2	1.56	10	80	0.5	< 2	0.27	< 0.5	11	23	20	2.85	< 10	< 1	0.06	10	0.53	305
5600N 9275E	201	202	< 5	< 0.2	3.35	6	120	1.0	< 2	0.48	< 0.5	14	40	20	3.42	< 10	< 1	0.11	10	0.86	370
5600N 9300E	201	202	< 5	< 0.2	2.81	10	130	1.0	< 2	0.44	< 0.5	15	41	23	3.90	< 10	< 1	0.10	20	0.92	700
5600N 9325E	201	202	< 5	< 0.2	2.89	10	100	1.0	< 2	0.63	< 0.5	20	41	29	3.76	< 10	< 1	0.10	20	1.05	445
5600N 9350E	201	202	< 5	< 0.2	2.35	12	100	0.5	< 2	0.27	< 0.5	12	37	19	2.96	< 10	< 1	0.09	10	0.61	245
5600N 9375E	201	202	< 5	< 0.2	2.32	14	120	0.5	< 2	0.60	< 0.5	15	95	18	3.76	< 10	< 1	0.07	10	1.19	450
5600N 9400E	201	202	< 5	< 0.2	2.67	72	90	0.5	< 2	0.38	< 0.5	12	37	19	3.27	< 10	< 1	0.11	10	0.76	520
5600N 9425E	201	202	< 5	< 0.2	2.20	46	70	0.5	< 2	0.26	< 0.5	11	29	19	2.56	< 10	< 1	0.10	10	0.71	260
5600N 9450E	201	202	< 5	< 0.2	2.65	68	70	1.0	< 2	0.24	< 0.5	14	36	22	3.43	< 10	< 1	0.12	10	0.95	285
5600N 9475E	201	202	< 5	< 0.2	2.22	226	90	1.0	< 2	0.31	< 0.5	11	34	21	3.40	< 10	< 1	0.05	20	0.69	215
5600N 9500E	201	202	< 5	< 0.2	1.90	134	100	0.5	< 2	0.40	< 0.5	15	32	30	3.13	< 10	< 1	0.12	20	0.78	415
5600N 9525E	201	202	< 5	< 0.2	2.66	42	70	1.0	< 2	0.42	< 0.5	20	36	23	3.88	< 10	< 1	0.10	10	1.13	495
5600N 9550E	201	202	< 5	< 0.2	2.53	42	90	0.5	< 2	0.47	< 0.5	14	35	23	3.34	< 10	< 1	0.10	20	0.84	390
5600N 9575E	201	202	< 5	< 0.2	2.99	62	90	1.5	< 2	0.38	< 0.5	24	40	37	4.30	< 10	< 1	0.16	40	1.14	605
5600N 9600E	201	202	< 5	< 0.2	2.39	312	70	1.0	< 2	0.42	< 0.5	18	35	31	3.77	< 10	< 1	0.13	20	0.91	600
5600N 9625E	201	202	< 5	< 0.2	2.28	390	80	0.5	< 2	0.39	< 0.5	12	32	23	3.16	< 10	< 1	0.09	20	0.70	305
5600N 9650E	201	202	< 5	< 0.2	1.95	54	90	0.5	< 2	0.30	< 0.5	11	30	15	2.94	< 10	< 1	0.08	10	0.62	310
5600N 9675E	201	202	< 5	< 0.2	2.65	64	80	0.5	< 2	0.25	< 0.5	21	43	34	4.10	< 10	< 1	0.12	30	1.15	300
5600N 9700E	201	202	< 5	< 0.2	1.97	180	80	0.5	< 2	0.30	< 0.5	13	31	24	3.58	< 10	< 1	0.08	20	0.74	195
5600N 9725E	201	202	15	< 0.2	2.47	250	80	0.5	< 2	0.23	< 0.5	26	38	39	4.50	< 10	< 1	0.12	40	1.16	285
5600N 9750E	201	202	< 5	< 0.2	2.10	162	70	0.5	< 2	0.33	< 0.5	19	35	26	3.84	< 10	< 1	0.09	30	0.90	390
5600N 9775E	201	202	< 5	< 0.2	2.14	132	70	0.5	< 2	0.25	< 0.5	15	42	31	4.02	< 10	< 1	0.09	40	0.90	250
5600N 9800E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5600N 9825E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5600N 9850E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5600N 9875E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5600N 9900E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5600N 9925E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5600N 9950E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5600N 9975E	201	202	10	0.2	2.01	592	80	1.5	< 2	0.49	< 0.5	18	34	36	4.38	< 10	< 1	0.13	60	0.97	395

CERTIFICATION: \_\_\_\_\_



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

Project: MAUI GRID  
 Comments:

Page Number :2-B  
 Total Pages :5  
 Certificate Date: 27-OCT-97  
 Invoice No. : 19747503  
 P.O. Number :  
 Account :PIA

## CERTIFICATE OF ANALYSIS

### A9747503

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
5500N 10200E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5570N 9875E	201 202	< 1	< 0.01	64	1280	6	< 2	5	18	< 0.01	< 10	< 10	33	< 10	148
5570N 9900E	201 202	< 1	0.03	27	940	10	< 2	1	32	0.02	< 10	< 10	33	< 10	70
5570N 9925E	201 202	< 1	0.01	43	840	26	< 2	5	67	0.02	< 10	< 10	32	< 10	132
5585N 9850E	201 202	< 1	< 0.01	49	810	12	< 2	4	17	0.03	< 10	< 10	37	< 10	102
5590N 9825E	201 202	< 1	< 0.01	45	850	44	< 2	4	12	0.02	< 10	< 10	39	< 10	118
5595N 9800E	201 202	< 1	< 0.01	35	730	12	< 2	3	15	0.03	< 10	< 10	37	< 10	92
5595N 9950E	201 202	< 1	0.02	48	820	22	< 2	6	81	0.03	< 10	< 10	28	< 10	118
5600N 9200E	201 202	< 1	0.01	31	950	16	< 2	3	50	0.06	< 10	< 10	35	< 10	82
5600N 9225E	201 202	1	0.01	20	930	14	< 2	1	43	0.03	< 10	< 10	43	< 10	54
5600N 9250E	201 202	< 1	0.03	25	670	20	< 2	1	40	0.04	< 10	< 10	37	< 10	70
5600N 9275E	201 202	< 1	0.03	34	840	20	< 2	3	83	0.07	< 10	< 10	38	< 10	108
5600N 9300E	201 202	< 1	0.01	33	940	20	< 2	3	60	0.05	< 10	< 10	41	< 10	96
5600N 9325E	201 202	< 1	0.05	49	350	12	< 2	5	99	0.10	< 10	< 10	40	< 10	102
5600N 9350E	201 202	< 1	0.02	31	630	12	< 2	3	52	0.06	< 10	< 10	44	< 10	64
5600N 9375E	201 202	< 1	0.01	60	890	16	< 2	2	67	0.05	< 10	< 10	49	< 10	84
5600N 9400E	201 202	< 1	0.03	31	700	18	< 2	3	46	0.06	< 10	< 10	37	< 10	90
5600N 9425E	201 202	< 1	0.04	27	590	10	< 2	3	39	0.06	< 10	< 10	29	< 10	72
5600N 9450E	201 202	< 1	0.01	35	570	12	< 2	3	37	0.07	< 10	< 10	31	< 10	92
5600N 9475E	201 202	< 1	< 0.01	28	570	14	< 2	1	35	0.03	< 10	< 10	31	< 10	68
5600N 9500E	201 202	< 1	0.02	37	690	12	< 2	4	48	0.07	< 10	< 10	34	< 10	90
5600N 9525E	201 202	< 1	0.02	45	690	14	< 2	4	61	0.06	< 10	< 10	30	< 10	122
5600N 9550E	201 202	< 1	0.03	34	770	12	< 2	4	55	0.06	< 10	< 10	36	< 10	94
5600N 9575E	201 202	< 1	0.03	54	700	20	< 2	5	61	0.06	< 10	< 10	34	< 10	136
5600N 9600E	201 202	< 1	0.03	43	690	16	< 2	5	52	0.06	< 10	< 10	37	< 10	128
5600N 9625E	201 202	< 1	0.01	31	750	16	< 2	3	44	0.05	< 10	< 10	33	< 10	94
5600N 9650E	201 202	< 1	< 0.01	25	670	12	< 2	2	38	0.04	< 10	< 10	37	< 10	86
5600N 9675E	201 202	< 1	< 0.01	43	590	10	< 2	4	26	0.06	< 10	< 10	49	< 10	102
5600N 9700E	201 202	< 1	< 0.01	30	650	10	< 2	2	31	0.03	< 10	< 10	38	< 10	86
5600N 9725E	201 202	< 1	< 0.01	45	650	22	< 2	4	27	0.05	< 10	< 10	48	< 10	110
5600N 9750E	201 202	< 1	0.01	31	640	14	< 2	3	32	0.03	< 10	< 10	39	< 10	94
5600N 9775E	201 202	< 1	0.01	33	740	14	< 2	3	27	0.03	< 10	< 10	40	< 10	86
5600N 9800E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5600N 9825E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5600N 9850E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5600N 9875E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5600N 9900E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5600N 9925E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5600N 9950E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5600N 9975E	201 202	< 1	0.02	39	940	48	< 2	6	70	0.04	< 10	< 10	31	< 10	128

CERTIFICATION:

*[Handwritten signature]*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

Project : MAUI GRID  
 Comments:

Page Number :3-A  
 Total Pages :5  
 Certificate Date: 27-OCT-97  
 Invoice No. :I9747503  
 P.O. Number :  
 Account :PIA

## CERTIFICATE OF ANALYSIS A9747503

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
5600N 10000E	201 202	< 5	< 0.2	2.04	218	100	0.5	< 2	0.47	< 0.5	16	36	22	3.51	< 10	< 1	0.09	30	0.87	470
5600N 10025E	201 202	< 5	< 0.2	1.91	232	90	0.5	< 2	0.55	< 0.5	16	34	23	3.63	< 10	< 1	0.09	30	0.82	520
5600N 10050E	201 202	< 5	< 0.2	1.67	420	100	0.5	< 2	0.47	< 0.5	14	31	19	3.23	< 10	< 1	0.09	30	0.66	420
5600N 10075E	201 202	< 5	< 0.2	2.01	1030	70	1.5	< 2	0.38	< 0.5	23	31	32	4.88	< 10	< 1	0.17	60	0.92	925
5600N 10100E	201 202	< 5	< 0.2	2.38	1050	70	1.0	< 2	0.31	< 0.5	23	39	27	5.55	< 10	< 1	0.10	40	0.96	1185
5600N 10125E	201 202	< 5	0.4	2.09	1210	80	1.0	< 2	0.38	< 0.5	11	41	25	3.24	< 10	1	0.12	50	0.69	380
5600N 10150E	201 202	< 5	0.2	1.93	920	80	0.5	< 2	0.19	< 0.5	12	57	21	3.41	< 10	< 1	0.15	30	0.82	280
5600N 10175E	201 202	< 5	< 0.2	3.31	602	100	0.5	< 2	0.32	< 0.5	18	114	11	4.51	< 10	< 1	0.42	10	1.95	700
5600N 10200E	201 202	< 5	0.2	2.12	1490	80	1.0	< 2	0.20	< 0.5	16	49	37	4.36	< 10	< 1	0.17	40	0.79	500
5680N 9775E	201 202	10	< 0.2	2.75	224	80	1.5	< 2	0.30	< 0.5	38	40	44	4.62	< 10	< 1	0.16	90	1.08	745
5683N 9750E	201 202	< 5	< 0.2	3.52	90	90	1.5	< 2	0.65	< 0.5	46	48	57	5.73	< 10	< 1	0.24	70	1.76	960
5687N 9800E	201 202	< 5	< 0.2	2.16	142	70	1.0	< 2	0.28	< 0.5	46	29	38	3.78	< 10	< 1	0.11	60	0.90	825
5688N 9700E	201 202	< 5	< 0.2	3.27	92	80	1.5	< 2	0.35	< 0.5	23	42	32	4.57	< 10	< 1	0.17	30	1.23	365
5690N 9725E	201 202	< 5	< 0.2	2.23	42	70	0.5	< 2	0.32	< 0.5	16	33	28	3.40	< 10	< 1	0.12	20	0.92	245
5692N 9675E	201 202	< 5	< 0.2	2.57	68	60	0.5	< 2	0.19	< 0.5	13	37	23	3.31	< 10	< 1	0.09	10	0.77	305
5695N 9523E	201 202	< 5	< 0.2	3.08	68	90	1.5	< 2	0.41	< 0.5	23	42	37	4.12	< 10	< 1	0.16	20	1.13	735
5695N 9825E	201 202	< 5	< 0.2	2.53	194	60	1.0	< 2	0.30	< 0.5	32	39	49	4.74	< 10	< 1	0.15	30	1.16	645
5700N 9200E	201 202	< 5	< 0.2	2.09	8	100	0.5	< 2	0.36	< 0.5	12	35	21	3.14	< 10	< 1	0.07	10	0.82	305
5700N 9225E	201 202	< 5	< 0.2	2.08	14	70	0.5	< 2	0.52	< 0.5	10	25	20	2.75	< 10	< 1	0.05	10	0.56	400
5700N 9250E	201 202	< 5	< 0.2	2.64	< 2	70	1.0	< 2	0.31	< 0.5	21	33	19	4.93	< 10	< 1	0.06	20	1.03	1030
5700N 9275E	201 202	< 5	< 0.2	2.56	6	100	1.5	< 2	0.80	< 0.5	18	31	25	4.32	< 10	< 1	0.09	30	0.79	560
5700N 9300E	201 202	< 5	< 0.2	2.36	8	90	0.5	< 2	0.34	< 0.5	13	33	20	3.10	< 10	< 1	0.10	20	0.75	420
5700N 9325E	201 202	< 5	< 0.2	2.76	18	90	1.0	< 2	0.57	< 0.5	16	43	31	3.67	< 10	< 1	0.11	20	1.10	285
5700N 9350E	201 202	< 5	< 0.2	2.42	24	80	0.5	< 2	0.26	< 0.5	13	34	20	3.36	< 10	< 1	0.07	10	0.67	290
5700N 9375E	201 202	< 5	< 0.2	3.22	24	100	1.0	< 2	0.53	< 0.5	17	49	32	3.98	< 10	< 1	0.12	30	1.12	325
5700N 9400E	201 202	< 5	< 0.2	2.34	26	80	0.5	< 2	0.40	< 0.5	12	40	23	3.15	< 10	< 1	0.06	10	0.75	290
5700N 9425E	201 202	< 5	< 0.2	2.74	36	80	0.5	< 2	0.21	< 0.5	12	42	21	3.42	< 10	< 1	0.08	20	0.79	275
5700N 9450E	201 202	< 5	< 0.2	2.30	48	90	1.0	< 2	0.43	< 0.5	16	37	30	3.63	< 10	< 1	0.12	20	0.96	435
5700N 9475E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5700N 9500E	201 202	< 5	< 0.2	2.34	54	90	1.0	< 2	0.34	< 0.5	15	35	25	3.39	< 10	< 1	0.08	20	0.83	395
5700N 9525E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5700N 9550E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5700N 9575E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5700N 9600E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5700N 9625E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5700N 9650E	201 202	< 5	< 0.2	2.91	162	80	1.5	< 2	0.24	< 0.5	16	40	27	3.95	< 10	< 1	0.14	20	1.10	300
5700N 9675E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5700N 9700E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5700N 9725E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5700N 9750E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed

CERTIFICATION: \_\_\_\_\_



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

Project: MAUI GRID  
 Comments:

Page Number :3-8  
 Total Pages :5  
 Certificate Date: 27-OCT-97  
 Invoice No. : I9747503  
 P.O. Number :  
 Account :PIA

## CERTIFICATE OF ANALYSIS

### A9747503

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
5600N 10000E	201	202	< 1	0.01	35	700	20	< 2	4	51	0.05	< 10	< 10	34	< 10	96
5600N 10025E	201	202	< 1	0.01	37	620	12	< 2	4	60	0.05	< 10	< 10	32	< 10	84
5600N 10050E	201	202	< 1	< 0.01	33	610	14	< 2	3	50	0.04	< 10	< 10	35	40	82
5600N 10075E	201	202	< 1	< 0.01	53	740	18	< 2	6	59	0.03	< 10	< 10	25	10	102
5600N 10100E	201	202	< 1	0.01	48	790	22	< 2	5	63	0.03	< 10	< 10	33	< 10	122
5600N 10125E	201	202	< 1	0.03	29	1060	40	< 2	3	51	0.03	< 10	< 10	31	< 10	94
5600N 10150E	201	202	< 1	0.01	37	860	18	< 2	3	19	0.05	< 10	< 10	39	< 10	84
5600N 10175E	201	202	< 1	< 0.01	45	840	10	< 2	7	16	0.20	< 10	< 10	77	< 10	158
5600N 10200E	201	202	< 1	< 0.01	38	740	52	< 2	3	27	0.04	< 10	< 10	38	< 10	110
5680N 9775E	201	202	< 1	0.01	82	680	20	< 2	5	35	0.04	< 10	< 10	40	< 10	136
5683N 9750E	201	202	< 1	0.04	93	860	22	< 2	7	111	0.09	< 10	< 10	48	< 10	168
5687N 9800E	201	202	< 1	0.03	95	750	16	< 2	4	31	0.03	< 10	< 10	31	< 10	118
5688N 9700E	201	202	< 1	0.01	48	690	12	< 2	4	52	0.07	< 10	< 10	40	< 10	120
5690N 9725E	201	202	< 1	0.01	34	830	8	< 2	3	28	0.06	< 10	< 10	38	< 10	94
5692N 9675E	201	202	< 1	< 0.01	35	950	14	< 2	3	24	0.04	< 10	< 10	36	< 10	90
5695N 9523E	201	202	< 1	0.02	49	690	18	< 2	4	136	0.07	< 10	< 10	33	< 10	122
5695N 9825E	201	202	< 1	0.01	72	750	34	< 2	4	34	0.05	< 10	< 10	36	< 10	150
5700N 9200E	201	202	< 1	0.01	35	580	12	< 2	4	74	0.06	< 10	< 10	31	< 10	88
5700N 9225E	201	202	< 1	0.01	26	690	22	< 2	1	56	0.03	< 10	< 10	26	< 10	84
5700N 9250E	201	202	< 1	< 0.01	41	760	38	< 2	3	34	0.02	< 10	< 10	22	< 10	116
5700N 9275E	201	202	< 1	< 0.01	37	1220	20	< 2	3	79	0.04	< 10	< 10	30	< 10	124
5700N 9300E	201	202	< 1	0.03	32	630	12	< 2	3	51	0.07	< 10	< 10	35	< 10	96
5700N 9325E	201	202	< 1	0.04	42	410	14	< 2	5	95	0.09	< 10	< 10	35	< 10	102
5700N 9350E	201	202	1	0.01	34	520	18	< 2	3	42	0.05	< 10	< 10	35	< 10	98
5700N 9375E	201	202	< 1	0.04	46	710	14	< 2	5	87	0.09	< 10	< 10	41	< 10	104
5700N 9400E	201	202	< 1	0.01	37	660	14	< 2	3	47	0.06	< 10	< 10	35	< 10	88
5700N 9425E	201	202	< 1	0.01	33	790	16	< 2	3	32	0.05	< 10	< 10	38	< 10	84
5700N 9450E	201	202	< 1	0.02	42	750	12	< 2	4	55	0.07	< 10	< 10	35	< 10	98
5700N 9475E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5700N 9500E	201	202	< 1	0.01	37	840	14	< 2	4	37	0.06	< 10	< 10	35	< 10	92
5700N 9525E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5700N 9550E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5700N 9575E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5700N 9600E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5700N 9625E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5700N 9650E	201	202	< 1	0.01	40	700	12	< 2	4	38	0.06	< 10	< 10	35	< 10	114
5700N 9675E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5700N 9700E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5700N 9725E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5700N 9750E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed

CERTIFICATION: \_\_\_\_\_



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

Project: MAUI GRID  
 Comments:

Page Number :4-A  
 Total Pages :5  
 Certificate Date: 27-OCT-97  
 Invoice No. :I9747503  
 P.O. Number :  
 Account :PIA

## CERTIFICATE OF ANALYSIS A9747503

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
5700N 9775E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5700N 9800E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5700N 9825E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5700N 9850E	201 202	< 5	< 0.2	2.45	174	70	0.5	< 2	0.40	< 0.5	20	39	35	4.31	< 10	< 1	0.14	40	1.08	445
5700N 9875E	201 202	< 5	< 0.2	2.48	228	80	1.5	< 2	0.33	0.5	23	37	46	4.59	< 10	< 1	0.15	50	1.07	545
5700N 9900E	201 202	< 5	< 0.2	2.44	234	70	1.0	< 2	0.43	< 0.5	32	35	51	4.45	< 10	< 1	0.11	70	1.03	345
5700N 9925E	201 202	< 5	0.6	1.05	24	60	2.5	24	0.42	0.5	5	6	63	3.01	< 10	< 1	0.21	60	0.11	1145
5700N 9950E	201 202	< 5	< 0.2	1.07	44	60	1.5	< 2	0.29	< 0.5	5	11	37	2.57	< 10	< 1	0.12	30	0.17	225
5700N 9975E	201 202	< 5	0.2	1.37	60	70	0.5	< 2	0.19	< 0.5	7	21	27	2.82	< 10	< 1	0.11	30	0.37	280
5700N 10000E	201 202	< 5	0.6	1.39	132	100	1.5	< 2	0.25	1.5	11	22	36	3.02	< 10	< 1	0.11	60	0.50	465
5700N 10025E	201 202	< 5	0.2	1.88	210	50	0.5	< 2	0.15	< 0.5	9	35	22	4.03	< 10	< 1	0.11	20	0.67	295
5700N 10050E	201 202	< 5	< 0.2	1.85	94	80	0.5	< 2	0.34	< 0.5	9	33	20	3.10	< 10	< 1	0.09	30	0.63	275
5700N 10085E	201 202	< 5	0.2	1.00	42	50	0.5	< 2	0.14	< 0.5	3	15	37	1.82	< 10	< 1	0.09	20	0.14	70
5700N 10100E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5700N 10125E	201 202	< 5	0.4	1.04	226	70	0.5	4	0.37	1.5	8	14	36	2.46	< 10	< 1	0.11	20	0.18	630
5700N 10155E	201 202	< 5	< 0.2	1.60	164	90	< 0.5	< 2	0.28	< 0.5	9	46	25	3.87	< 10	< 1	0.10	30	0.55	255
5700N 10170E	201 202	< 5	0.2	1.35	150	50	0.5	< 2	0.24	< 0.5	13	27	35	3.54	< 10	< 1	0.07	20	0.31	415
5700N 10203E	201 202	< 5	0.2	1.57	232	70	0.5	< 2	0.22	< 0.5	7	30	18	2.88	< 10	< 1	0.06	10	0.42	270
5704N 10101E	201 202	< 5	0.2	1.49	368	60	0.5	< 2	0.44	1.0	10	28	30	2.90	< 10	< 1	0.07	30	0.53	400
5705N 9473E	201 202	< 5	< 0.2	2.05	30	80	0.5	< 2	0.33	< 0.5	8	29	14	2.66	< 10	< 1	0.05	10	0.53	220
5710N 9600E	201 202	< 5	< 0.2	3.79	58	110	2.0	< 2	0.61	< 0.5	29	64	39	5.01	< 10	1	0.29	20	1.42	895
5710N 9626E	201 202	< 5	< 0.2	2.74	86	110	1.0	< 2	0.40	< 0.5	17	41	29	3.66	< 10	< 1	0.16	20	1.00	435
5715N 9550E	201 202	< 5	< 0.2	4.13	18	100	1.5	< 2	0.47	< 0.5	21	44	32	3.58	< 10	< 1	0.23	30	1.06	435
5720N 9570E	201 202	< 5	< 0.2	2.34	48	80	0.5	< 2	0.19	< 0.5	11	37	19	2.90	< 10	< 1	0.10	10	0.66	250
5798N 9525E	201 202	< 5	< 0.2	1.44	10	70	0.5	< 2	0.36	< 0.5	6	15	11	1.55	< 10	< 1	0.05	10	0.34	205
5800N 9200E	201 202	< 5	< 0.2	2.59	8	80	1.0	< 2	0.50	< 0.5	14	35	23	3.14	< 10	< 1	0.09	20	0.84	300
5800N 9225E	201 202	< 5	< 0.2	1.34	4	80	0.5	< 2	1.60	< 0.5	5	12	16	1.29	< 10	< 1	0.05	< 10	0.23	375
5800N 9250E	201 202	< 5	< 0.2	2.61	18	90	1.0	< 2	0.58	< 0.5	16	36	30	3.32	< 10	< 1	0.09	20	0.86	395
5800N 9275E	201 202	< 5	< 0.2	2.47	14	110	1.0	< 2	0.62	< 0.5	16	38	32	3.54	< 10	< 1	0.11	30	0.93	430
5800N 9300E	201 202	< 5	< 0.2	0.73	< 2	50	< 0.5	< 2	0.17	< 0.5	3	5	5	0.58	< 10	< 1	0.03	< 10	0.12	120
5800N 9325E	201 202	< 5	< 0.2	1.81	16	70	0.5	< 2	0.27	< 0.5	11	25	16	3.02	< 10	< 1	0.04	10	0.51	680
5800N 9350E	201 202	< 5	< 0.2	2.62	4	60	0.5	< 2	0.53	< 0.5	22	45	17	3.96	< 10	< 1	0.09	10	1.23	630
5800N 9375E	201 202	< 5	< 0.2	1.99	10	110	1.0	< 2	0.80	< 0.5	12	29	20	2.93	< 10	< 1	0.05	20	0.53	675
5800N 9400E	201 202	< 5	< 0.2	2.22	16	80	0.5	< 2	0.80	< 0.5	15	39	22	3.16	< 10	< 1	0.09	10	0.88	405
5800N 9425E	201 202	< 5	< 0.2	2.32	10	90	0.5	< 2	0.61	< 0.5	11	33	18	2.62	< 10	< 1	0.07	10	0.63	380
5800N 9450E	201 202	< 5	< 0.2	1.89	12	130	1.0	< 2	1.91	< 0.5	8	16	20	1.42	< 10	< 1	0.05	10	0.30	800
5800N 9475E	201 202	< 5	< 0.2	2.41	34	80	1.5	< 2	0.40	< 0.5	13	30	25	2.79	< 10	< 1	0.10	40	0.63	420
5800N 9500E	201 202	< 5	< 0.2	2.44	34	80	0.5	< 2	0.38	< 0.5	11	33	18	3.03	< 10	< 1	0.07	20	0.63	255
5800N 9525E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5800N 9550E	201 202	< 5	< 0.2	2.18	36	90	0.5	< 2	0.59	< 0.5	14	36	21	3.15	< 10	< 1	0.10	10	0.82	460

CERTIFICATION:



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

Project : MAUI GRID  
 Comments:

Page Number :4-B  
 Total Pages :5  
 Certificate Date: 27-OCT-97  
 Invoice No. :19747503  
 P.O. Number :  
 Account :PIA

## CERTIFICATE OF ANALYSIS

### A9747503

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
5700N 9775E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5700N 9800E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5700N 9825E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5700N 9850E	201 202	< 1	0.01	43	810	20	< 2	4	49	0.05	< 10	< 10	38	< 10	188
5700N 9875E	201 202	< 1	0.01	52	810	16	< 2	5	41	0.04	< 10	< 10	36	< 10	174
5700N 9900E	201 202	< 1	0.01	68	840	20	< 2	4	41	0.03	< 10	< 10	35	< 10	138
5700N 9925E	201 202	2	< 0.01	5	1240	312	< 2	1	34	< 0.01	< 10	< 10	8	< 10	236
5700N 9950E	201 202	1	< 0.01	9	1310	174	< 2	1	36	< 0.01	< 10	< 10	12	< 10	182
5700N 9975E	201 202	< 1	0.01	17	790	116	< 2	1	27	0.03	< 10	< 10	29	< 10	106
5700N 10000E	201 202	1	< 0.01	25	1010	162	< 2	3	29	0.03	< 10	< 10	24	< 10	156
5700N 10025E	201 202	< 1	< 0.01	21	670	22	< 2	3	17	0.06	< 10	< 10	54	< 10	76
5700N 10050E	201 202	< 1	0.01	25	600	50	< 2	3	33	0.05	< 10	< 10	36	< 10	92
5700N 10085E	201 202	1	0.01	9	630	122	< 2	< 1	28	< 0.01	< 10	< 10	18	< 10	120
5700N 10100E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5700N 10125E	201 202	1	0.03	15	880	258	< 2	1	45	0.01	< 10	< 10	21	< 10	270
5700N 10155E	201 202	1	< 0.01	29	650	34	< 2	1	35	0.03	< 10	< 10	52	< 10	98
5700N 10170E	201 202	< 1	< 0.01	29	540	94	< 2	2	28	0.01	< 10	< 10	29	< 10	134
5700N 10203E	201 202	< 1	< 0.01	21	400	34	< 2	1	28	0.01	< 10	< 10	32	< 10	78
5704N 10101E	201 202	< 1	0.01	20	780	148	< 2	2	50	0.01	< 10	< 10	22	< 10	190
5705N 9473E	201 202	< 1	< 0.01	23	630	14	< 2	1	32	0.04	< 10	< 10	33	< 10	74
5710N 9600E	201 202	< 1	0.05	63	680	14	< 2	7	166	0.12	< 10	< 10	45	< 10	144
5710N 9626E	201 202	< 1	0.03	43	500	10	< 2	5	61	0.10	< 10	< 10	43	< 10	106
5715N 9550E	201 202	< 1	0.01	42	410	14	< 2	6	417	0.05	< 10	< 10	31	< 10	108
5720N 9570E	201 202	< 1	0.02	27	640	10	< 2	3	34	0.06	< 10	< 10	40	< 10	76
5798N 9525E	201 202	< 1	0.05	15	490	6	< 2	1	41	0.04	< 10	< 10	19	< 10	54
5800N 9200E	201 202	< 1	0.02	36	550	16	< 2	4	77	0.07	< 10	< 10	34	< 10	88
5800N 9225E	201 202	< 1	0.03	11	1150	8	< 2	< 1	141	0.01	< 10	< 10	14	< 10	62
5800N 9250E	201 202	< 1	0.02	42	430	14	< 2	4	90	0.08	< 10	< 10	34	< 10	96
5800N 9275E	201 202	< 1	0.03	40	680	16	< 2	5	101	0.09	< 10	< 10	38	< 10	112
5800N 9300E	201 202	< 1	0.04	5	270	2	< 2	< 1	19	0.01	< 10	< 10	6	< 10	16
5800N 9325E	201 202	< 1	< 0.01	22	950	18	< 2	< 1	27	0.01	< 10	< 10	26	< 10	74
5800N 9350E	201 202	< 1	0.03	41	700	14	< 2	4	102	0.08	< 10	< 10	34	< 10	108
5800N 9375E	201 202	< 1	< 0.01	23	1070	14	< 2	1	82	0.02	< 10	< 10	31	< 10	78
5800N 9400E	201 202	< 1	0.01	36	730	14	< 2	4	87	0.07	< 10	< 10	34	< 10	90
5800N 9425E	201 202	< 1	0.03	26	780	10	< 2	3	64	0.06	< 10	< 10	34	< 10	64
5800N 9450E	201 202	< 1	0.05	13	1720	6	< 2	< 1	177	0.02	< 10	< 10	17	< 10	44
5800N 9475E	201 202	< 1	0.03	30	630	12	< 2	3	46	0.03	< 10	< 10	29	< 10	96
5800N 9500E	201 202	< 1	< 0.01	29	490	12	< 2	3	47	0.05	< 10	< 10	37	< 10	78
5800N 9525E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5800N 9550E	201 202	< 1	0.03	34	650	12	< 2	4	71	0.07	< 10	< 10	34	< 10	94

CERTIFICATION: \_\_\_\_\_





# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

Project : MAUI GRID  
 Comments:

Page Number :5-A  
 Total Pages :5  
 Certificate Date: 27-OCT-97  
 Invoice No. : I9747503  
 P.O. Number :  
 Account : PIA

## CERTIFICATE OF ANALYSIS A9747503

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
5800N 9575E	201 202	< 5	< 0.2	2.12	44	100	0.5	< 2	0.36	< 0.5	10	34	19	2.77	< 10	< 1	0.08	10	0.66	280
5800N 9600E	201 202	< 5	< 0.2	2.16	52	100	0.5	< 2	0.44	< 0.5	12	33	23	2.67	< 10	< 1	0.09	20	0.70	485
5800N 9625E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5800N 9650E	201 202	< 5	< 0.2	2.27	66	100	0.5	< 2	0.47	< 0.5	12	41	20	3.58	< 10	< 1	0.14	10	0.89	300
5800N 9675E	201 202	< 5	< 0.2	1.02	46	50	< 0.5	< 2	0.33	< 0.5	5	13	9	1.55	< 10	< 1	0.05	< 10	0.29	185
5800N 9700E	201 202	< 5	< 0.2	3.24	142	90	1.0	< 2	0.60	< 0.5	20	43	29	4.15	< 10	< 1	0.17	20	0.98	615
5800N 9725E	201 202	< 10	< 0.2	3.29	148	100	2.5	< 2	0.67	< 0.5	26	52	40	4.73	< 10	1	0.29	30	1.11	1410
5800N 9750E	201 202	< 5	0.2	1.88	138	50	1.5	< 2	0.62	0.5	17	25	33	3.14	< 10	< 1	0.12	30	0.70	675
5800N 9775E	201 202	< 5	< 0.2	2.66	102	80	1.0	< 2	0.42	0.5	23	46	41	3.96	< 10	< 1	0.22	10	1.20	620
5800N 9800E	201 202	< 10	0.2	2.30	106	50	2.0	< 2	0.60	0.5	25	38	48	4.78	< 10	< 1	0.13	40	1.19	835
5800N 9825E	201 202	< 10	0.6	2.15	122	40	2.0	< 2	0.62	1.0	16	31	38	3.75	< 10	< 1	0.16	50	0.91	495
5800N 9875E	201 202	< 5	1.0	0.72	34	70	3.0	< 4	0.17	1.5	3	5	72	2.48	< 10	< 1	0.20	70	0.09	215
5800N 9900E	201 202	< 5	0.8	0.89	36	70	2.0	< 2	0.15	0.5	5	10	68	2.58	< 10	< 1	0.20	50	0.15	230
5800N 9925E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5800N 9950E	201 202	< 5	0.8	2.04	88	50	0.5	< 2	0.18	< 0.5	9	29	28	3.46	< 10	< 1	0.10	30	0.46	410
5800N 9975E	201 202	20	1.2	1.37	42	160	0.5	2	0.10	< 0.5	2	11	76	2.74	< 10	< 1	0.27	70	0.13	95
5800N 10000E	201 202	< 5	1.2	0.66	20	90	0.5	6	0.08	< 0.5	1	2	57	2.50	< 10	< 1	0.25	70	0.01	55
5800N 10025E	201 202	< 5	1.0	1.10	38	70	< 0.5	< 2	0.07	< 0.5	3	16	30	1.95	< 10	< 1	0.12	30	0.14	95
5800N 10050E	201 202	< 5	0.6	1.09	84	40	< 0.5	< 2	0.06	< 0.5	6	26	21	2.63	< 10	< 1	0.09	10	0.30	225
5800N 10075E	201 202	< 5	0.2	1.48	120	50	0.5	< 2	0.11	< 0.5	8	35	24	3.29	< 10	< 1	0.10	30	0.48	280
5800N 10100E	201 202	< 5	0.2	2.07	148	60	0.5	< 2	0.16	< 0.5	14	40	29	4.07	< 10	< 1	0.09	30	0.69	430
5800N 10125E	201 202	< 5	0.2	1.88	464	70	1.5	< 2	0.52	1.5	12	39	30	3.48	< 10	< 1	0.09	40	0.70	400
5800N 10150E	201 202	< 5	0.2	1.35	64	80	0.5	< 2	0.37	< 0.5	8	23	15	2.48	< 10	< 1	0.06	10	0.35	325
5800N 10175E	201 202	< 5	0.2	1.70	78	50	0.5	< 2	0.09	< 0.5	10	41	24	3.96	< 10	< 1	0.08	20	0.47	285
5800N 10200E	201 202	< 5	< 0.2	1.64	78	50	0.5	< 2	0.14	< 0.5	10	37	20	3.68	< 10	< 1	0.08	20	0.58	290
5801N 9625E	201 202	< 5	< 0.2	2.68	72	90	1.0	< 2	0.45	< 0.5	14	40	23	3.35	< 10	< 1	0.12	20	0.90	315
5801N 9925E	201 202	< 5	0.6	1.68	90	50	1.0	< 2	0.16	< 0.5	8	26	37	3.66	< 10	< 1	0.12	30	0.40	365

CERTIFICATION: \_\_\_\_\_



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

Project: MAUI GRID  
 Comments:

Page Number :5-B  
 Total Pages :5  
 Certificate Date: 27-OCT-97  
 Invoice No. : 19747503  
 P.O. Number :  
 Account :PIA

## CERTIFICATE OF ANALYSIS

A9747503

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
5800N 9575E	201 202	< 1	0.01	25	800	10	< 2	1	46	0.04	< 10	< 10	35	< 10	74
5800N 9600E	201 202	< 1	0.03	31	670	8	< 2	4	48	0.08	< 10	< 10	37	< 10	82
5800N 9625E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5800N 9650E	201 202	< 1	< 0.01	33	550	12	2	3	63	0.07	< 10	< 10	41	< 10	100
5800N 9675E	201 202	< 1	0.06	10	570	6	< 2	1	34	0.05	< 10	< 10	28	< 10	46
5800N 9700E	201 202	< 1	0.04	43	760	18	< 2	5	92	0.08	< 10	< 10	40	< 10	132
5800N 9725E	201 202	< 1	0.03	69	1080	18	< 2	6	92	0.07	< 10	< 10	36	10	140
5800N 9750E	201 202	< 1	0.04	38	620	134	< 2	3	70	0.03	< 10	< 10	21	< 10	212
5800N 9775E	201 202	< 1	0.04	60	620	60	< 2	4	62	0.07	< 10	< 10	33	< 10	220
5800N 9800E	201 202	< 1	0.01	59	870	118	< 2	5	76	0.08	< 10	< 10	30	< 10	226
5800N 9825E	201 202	< 1	0.03	37	750	122	< 2	4	88	0.04	< 10	< 10	25	< 10	242
5800N 9875E	201 202	2	0.01	5	1230	558	< 2	1	76	< 0.01	< 10	< 10	5	< 10	336
5800N 9900E	201 202	1	0.01	8	1280	458	< 2	1	87	< 0.01	< 10	< 10	10	< 10	214
5800N 9925E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
5800N 9950E	201 202	1	< 0.01	20	980	170	< 2	1	22	0.02	< 10	< 10	26	< 10	172
5800N 9975E	201 202	1	0.01	6	1350	1395	< 2	1	81	< 0.01	< 10	< 10	11	< 10	108
5800N 10000E	201 202	2	0.03	1	1610	608	< 2	< 1	60	< 0.01	< 10	< 10	6	< 10	138
5800N 10025E	201 202	1	0.01	7	1200	704	< 2	< 1	31	< 0.01	< 10	< 10	15	< 10	84
5800N 10050E	201 202	1	0.01	17	510	152	< 2	1	16	0.01	< 10	< 10	30	< 10	120
5800N 10075E	201 202	1	< 0.01	23	460	68	< 2	1	15	0.02	< 10	< 10	36	< 10	106
5800N 10100E	201 202	< 1	< 0.01	35	650	54	< 2	3	17	0.03	< 10	< 10	34	< 10	126
5800N 10125E	201 202	< 1	< 0.01	32	890	86	< 2	3	59	0.02	< 10	< 10	31	< 10	424
5800N 10150E	201 202	< 1	0.03	20	620	38	< 2	1	44	0.01	< 10	< 10	25	< 10	76
5800N 10175E	201 202	< 1	< 0.01	30	520	38	< 2	1	19	0.01	< 10	< 10	40	< 10	90
5800N 10200E	201 202	< 1	0.01	27	540	42	< 2	2	17	0.03	< 10	< 10	33	< 10	86
5801N 9625E	201 202	< 1	0.03	35	700	10	< 2	4	60	0.08	< 10	< 10	38	< 10	92
5801N 9925E	201 202	1	0.01	18	1090	198	< 2	2	28	0.02	< 10	< 10	26	< 10	162

CERTIFICATION: \_\_\_\_\_



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

A9747509

Comments:

CERTIFICATE

A9747509

(PIA) - BRETT RESOURCES INCORPORATED

Project: MAUI GRID  
 P.O. #:

Samples submitted to our lab in Vancouver, BC.  
 This report was printed on 27-OCT-97.

### SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	198	Dry, sieve to -80 mesh save reject ICP - AQ Digestion charge
202	198	
229	198	

\* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Tl, Tl, W.

### ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	198	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	198	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
2119	198	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	198	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	198	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	198	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	198	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	198	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	198	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	198	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	198	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	198	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	198	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	198	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	198	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	198	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	198	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	198	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	198	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	198	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	198	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	198	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	198	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	198	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	198	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	198	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	198	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	198	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	198	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	198	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	198	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	198	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	198	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
VANCOUVER, BC  
V6C 1T2

Project: MAUI GRID  
Comments:

Page Number : 1-A  
Total Pages : 6  
Certificate Date: 27-OCT-97  
Invoice No. : I9747509  
P.O. Number :  
Account : PIA

## CERTIFICATE OF ANALYSIS A9747509

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
5900N 9200E	201 202	< 5	< 0.2	0.70	< 2	30	< 0.5	< 2	0.09	< 0.5	3	7	7	1.09	< 10	< 1	0.04	< 10	0.11	90
5900N 9225E	201 202	< 5	< 0.2	1.60	6	100	< 0.5	< 2	0.40	< 0.5	11	27	18	3.08	< 10	< 1	0.11	10	0.49	750
5900N 9250E	201 202	< 5	< 0.2	2.14	38	90	1.0	< 2	0.48	< 0.5	8	24	18	3.08	< 10	< 1	0.08	20	0.36	435
5900N 9275E	201 202	< 5	0.2	1.38	4	70	0.5	< 2	0.61	< 0.5	4	13	7	1.45	< 10	< 1	0.04	10	0.21	170
5900N 9300E	201 202	< 5	< 0.2	2.02	10	120	0.5	< 2	1.09	< 0.5	12	28	22	2.95	< 10	< 1	0.08	20	0.64	590
5900N 9325E	201 202	< 5	< 0.2	2.44	22	100	1.5	< 2	0.58	< 0.5	15	34	23	4.23	< 10	< 1	0.08	20	0.76	480
5900N 9350E	201 202	< 5	< 0.2	2.60	26	100	1.0	< 2	0.81	< 0.5	10	23	20	2.60	< 10	< 1	0.07	20	0.48	555
5900N 9375E	201 202	< 5	< 0.2	2.30	26	80	1.0	< 2	0.35	< 0.5	16	30	24	3.68	< 10	< 1	0.07	30	0.75	550
5900N 9400E	201 202	< 5	< 0.2	1.80	6	90	0.5	< 2	0.52	< 0.5	11	30	18	2.98	< 10	< 1	0.07	10	0.66	580
5900N 9425E	201 202	< 5	< 0.2	1.91	8	70	0.5	< 2	0.37	< 0.5	10	29	15	2.79	< 10	< 1	0.06	10	0.61	345
5900N 9450E	201 202	< 5	< 0.2	2.47	6	70	1.0	< 2	0.37	< 0.5	13	32	28	3.35	< 10	< 1	0.05	10	0.79	290
5900N 9475E	201 202	< 5	< 0.2	2.48	6	80	1.0	< 2	0.44	< 0.5	17	32	25	3.31	< 10	< 1	0.05	10	0.87	365
5900N 9500E	201 202	< 5	< 0.2	2.49	8	80	0.5	< 2	0.41	< 0.5	14	34	17	3.23	< 10	< 1	0.07	10	0.83	385
5900N 9525E	201 202	< 5	< 0.2	2.26	8	80	0.5	< 2	0.49	< 0.5	18	41	22	3.67	< 10	< 1	0.10	20	0.97	735
5900N 9550E	201 202	< 5	< 0.2	2.50	22	90	0.5	< 2	0.57	< 0.5	13	37	18	3.10	< 10	< 1	0.09	10	0.83	365
5900N 9575E	201 202	< 5	< 0.2	2.58	88	100	1.0	< 2	0.60	< 0.5	14	40	21	3.71	< 10	< 1	0.10	20	0.84	485
5900N 9600E	201 202	< 5	< 0.2	3.19	20	60	1.5	< 2	0.42	< 0.5	29	43	22	5.18	< 10	1	0.13	40	1.11	580
5900N 9625E	201 202	< 5	< 0.2	2.63	364	70	1.5	< 2	0.44	< 0.5	21	36	27	4.49	< 10	< 1	0.13	50	1.01	900
5900N 9650E	201 202	< 5	< 0.2	1.69	26	80	0.5	< 2	0.52	< 0.5	11	29	15	2.53	< 10	< 1	0.09	10	0.61	325
5900N 9675E	201 202	< 5	< 0.2	1.78	16	70	1.0	< 2	0.31	< 0.5	20	32	25	3.56	< 10	< 1	0.11	30	0.86	675
5900N 9700E	201 202	< 5	< 0.2	2.32	66	80	1.0	< 2	0.38	< 0.5	14	37	20	3.42	< 10	< 1	0.10	20	0.83	480
5900N 9725E	201 202	< 5	< 0.2	1.22	32	50	0.5	< 2	0.23	< 0.5	6	15	11	1.76	< 10	< 1	0.05	10	0.35	265
5900N 9750E	201 202	< 5	< 0.2	3.21	44	50	2.0	< 2	0.22	< 0.5	20	35	28	4.17	< 10	< 1	0.09	30	0.88	615
5900N 9775E	201 202	< 5	< 0.2	2.37	44	80	1.0	< 2	0.26	< 0.5	15	36	25	3.05	< 10	< 1	0.09	10	0.76	380
5900N 9800E	201 202	< 5	0.4	2.01	48	60	2.0	< 2	0.52	1.0	15	34	39	3.52	< 10	< 1	0.14	40	0.80	410
5900N 9825E	201 202	10	< 0.2	2.73	110	90	1.5	< 2	0.76	< 0.5	20	61	41	4.19	< 10	< 1	0.12	30	1.22	520
5900N 9850E	201 202	10	< 0.2	3.37	150	80	1.5	< 2	1.12	< 0.5	30	65	47	5.22	< 10	< 1	0.25	30	1.58	825
5900N 9875E	201 202	10	1.2	1.75	214	90	2.5	2	0.64	3.0	16	28	75	4.22	< 10	< 1	0.22	60	0.69	1405
5900N 9900E	201 202	10	0.6	1.41	136	50	2.5	< 2	0.14	2.0	12	23	62	3.91	< 10	< 1	0.15	50	0.44	745
5900N 9925E	201 202	< 5	0.2	0.52	30	30	< 0.5	< 2	0.03	< 0.5	2	7	9	1.21	< 10	< 1	0.06	10	0.08	60
5900N 9950E	201 202	< 5	0.2	1.06	28	60	0.5	< 2	0.12	< 0.5	6	17	22	2.54	< 10	< 1	0.10	20	0.24	210
5900N 9975E	201 202	< 5	0.6	0.73	10	30	< 0.5	< 2	0.03	< 0.5	2	10	6	0.84	< 10	< 1	0.05	10	0.08	65
5900N 10000E	201 202	< 5	0.2	1.59	56	40	0.5	< 2	0.11	< 0.5	10	30	27	3.30	< 10	< 1	0.07	20	0.47	270
5900N 10000E BL	201 202	< 5	0.4	1.87	72	60	1.0	< 2	0.18	0.5	14	36	33	4.03	< 10	< 1	0.08	30	0.58	535
5900N 10025E	201 202	< 5	0.2	0.90	14	40	< 0.5	< 2	0.06	< 0.5	3	15	8	1.29	< 10	< 1	0.06	10	0.19	110
5900N 10050E	201 202	< 5	< 0.2	1.88	82	60	1.0	< 2	0.21	< 0.5	15	39	27	4.13	< 10	< 1	0.11	30	0.61	640
5900N 10075E	201 202	< 5	< 0.2	1.51	50	70	0.5	< 2	0.10	< 0.5	8	33	17	2.96	< 10	< 1	0.07	20	0.41	230
5900N 10100E	201 202	< 5	0.2	1.61	60	40	0.5	< 2	0.11	< 0.5	12	39	26	4.32	< 10	< 1	0.06	10	0.57	620
5900N 10125E	201 202	< 5	< 0.2	1.56	106	40	< 0.5	< 2	0.06	< 0.5	11	43	25	4.21	< 10	< 1	0.08	10	0.60	430
5900N 10150E	201 202	< 5	< 0.2	1.09	40	30	0.5	< 2	0.11	< 0.5	8	21	18	2.32	< 10	< 1	0.06	10	0.33	305

CERTIFICATION: *[Signature]*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
VANCOUVER, BC  
V6C 1T2

Project: MAUI GRID  
Comments:

Page Number :1-B  
Total Pages :6  
Certificate Date: 27-OCT-97  
Invoice No. :I9747509  
P.O. Number :  
Account :PIA

## CERTIFICATE OF ANALYSIS

### A9747509

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
5900N 9200E	201 202	< 1	0.06	5	570	6	< 2	< 1	13	0.02	< 10	< 10	21	< 10	20
5900N 9225E	201 202	1	0.01	22	860	20	< 2	1	58	0.05	< 10	< 10	35	< 10	88
5900N 9250E	201 202	1	0.01	20	810	20	< 2	1	48	0.04	< 10	< 10	35	< 10	82
5900N 9275E	201 202	< 1	0.05	8	930	6	< 2	< 1	56	0.01	< 10	< 10	23	< 10	30
5900N 9300E	201 202	< 1	0.03	28	920	14	< 2	2	119	0.05	< 10	< 10	29	< 10	100
5900N 9325E	201 202	< 1	< 0.01	37	970	26	< 2	3	60	0.04	< 10	< 10	34	< 10	104
5900N 9350E	201 202	< 1	0.03	25	850	18	< 2	2	98	0.04	< 10	< 10	25	< 10	184
5900N 9375E	201 202	< 1	0.01	38	630	28	< 2	4	52	0.05	< 10	< 10	34	< 10	118
5900N 9400E	201 202	< 1	0.01	25	720	10	< 2	2	54	0.06	< 10	< 10	40	< 10	98
5900N 9425E	201 202	< 1	0.01	24	640	12	< 2	2	43	0.05	< 10	< 10	29	< 10	70
5900N 9450E	201 202	< 1	< 0.01	39	540	16	< 2	3	55	0.04	< 10	< 10	29	< 10	98
5900N 9475E	201 202	< 1	0.01	39	530	16	< 2	3	61	0.05	< 10	< 10	29	< 10	92
5900N 9500E	201 202	< 1	0.01	34	630	16	< 2	3	46	0.06	< 10	< 10	31	< 10	100
5900N 9525E	201 202	< 1	0.03	37	720	14	< 2	4	65	0.08	< 10	< 10	37	< 10	104
5900N 9550E	201 202	< 1	0.03	30	750	12	< 2	3	71	0.06	< 10	< 10	35	< 10	86
5900N 9575E	201 202	< 1	0.01	32	750	18	< 2	4	68	0.07	< 10	< 10	42	< 10	100
5900N 9600E	201 202	< 1	0.01	51	680	22	< 2	5	49	0.05	< 10	< 10	32	< 10	128
5900N 9625E	201 202	< 1	0.01	45	600	76	< 2	5	65	0.01	< 10	< 10	26	< 10	158
5900N 9650E	201 202	< 1	0.03	28	780	10	< 2	3	51	0.06	< 10	< 10	31	< 10	78
5900N 9675E	201 202	< 1	0.01	43	710	10	< 2	4	28	0.01	< 10	< 10	26	< 10	86
5900N 9700E	201 202	< 1	0.01	34	750	16	< 2	4	44	0.07	< 10	< 10	36	< 10	100
5900N 9725E	201 202	< 1	0.04	14	460	12	< 2	1	26	0.03	< 10	< 10	20	< 10	50
5900N 9750E	201 202	< 1	0.01	44	760	36	< 2	4	37	0.03	< 10	< 10	28	< 10	130
5900N 9775E	201 202	< 1	0.03	34	730	30	< 2	3	41	0.05	< 10	< 10	31	< 10	88
5900N 9800E	201 202	< 1	0.03	37	710	202	< 2	4	85	0.04	< 10	< 10	24	< 10	210
5900N 9825E	201 202	< 1	0.05	60	740	48	< 2	5	114	0.07	< 10	< 10	37	< 10	132
5900N 9850E	201 202	< 1	0.06	70	680	62	< 2	7	151	0.09	< 10	< 10	44	< 10	204
5900N 9875E	201 202	1	0.03	34	1190	488	< 2	4	160	0.03	< 10	< 10	22	< 10	394
5900N 9900E	201 202	1	< 0.01	20	1060	508	< 2	2	36	0.01	< 10	< 10	16	< 10	534
5900N 9925E	201 202	< 1	0.04	5	310	116	< 2	< 1	13	0.01	< 10	< 10	19	< 10	42
5900N 9950E	201 202	< 1	0.01	16	700	274	< 2	< 1	22	0.01	< 10	< 10	27	< 10	130
5900N 9975E	201 202	< 1	0.04	6	310	18	< 2	< 1	7	< 0.01	< 10	< 10	15	< 10	22
5900N 10000E	201 202	< 1	< 0.01	28	510	58	< 2	2	13	0.01	< 10	< 10	30	< 10	110
5900N 10000E BL	201 202	< 1	< 0.01	37	730	108	< 2	3	18	0.03	< 10	< 10	35	< 10	152
5900N 10025E	201 202	< 1	0.04	9	410	26	< 2	< 1	9	0.01	< 10	< 10	19	< 10	36
5900N 10050E	201 202	< 1	0.01	33	860	66	< 2	3	20	0.03	< 10	< 10	35	< 10	126
5900N 10075E	201 202	< 1	< 0.01	20	540	30	< 2	1	17	0.01	< 10	< 10	35	< 10	84
5900N 10100E	201 202	< 1	< 0.01	31	690	66	< 2	2	11	0.01	< 10	< 10	37	< 10	108
5900N 10125E	201 202	< 1	< 0.01	29	540	36	< 2	1	10	0.02	< 10	< 10	49	< 10	96
5900N 10150E	201 202	< 1	0.01	19	640	50	< 2	1	10	0.01	< 10	< 10	22	< 10	76

CERTIFICATION: \_\_\_\_\_



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

Project : MAUI GRID  
 Comments:

Page Number : 2-A  
 Total Pages : 6  
 Certificate Date: 27-OCT-97  
 Invoice No. : I9747509  
 P.O. Number :  
 Account : PIA

## CERTIFICATE OF ANALYSIS A9747509

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
5900N 10175E	201	202	< 5	< 0.2	2.00	64	100	1.0	< 2	0.24	< 0.5	15	42	27	4.01	< 10	< 1	0.12	30	0.66	850
5900N 10200E	201	202	< 5	0.2	0.95	20	40	< 0.5	< 2	0.04	< 0.5	4	14	9	1.43	< 10	< 1	0.07	10	0.16	155
5998N 9225E	201	202	< 5	< 0.2	2.70	10	90	0.5	< 2	0.39	< 0.5	22	36	33	3.82	< 10	< 1	0.08	20	0.98	360
6000N 9200E	201	202	< 5	< 0.2	2.16	8	90	0.5	< 2	0.46	< 0.5	11	31	17	3.02	< 10	< 1	0.07	10	0.67	415
6000N 9225E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
6000N 9250E	201	202	< 5	< 0.2	2.35	16	110	1.0	< 2	0.42	< 0.5	15	34	25	3.30	< 10	< 1	0.09	20	0.81	470
6000N 9275E	201	202	< 5	< 0.2	2.06	36	90	0.5	< 2	0.28	< 0.5	11	32	16	3.00	< 10	< 1	0.06	20	0.65	355
6000N 9300E	201	202	< 5	< 0.2	2.55	122	100	1.0	< 2	0.23	< 0.5	15	35	26	3.81	< 10	< 1	0.08	30	0.86	640
6000N 9325E	201	202	< 5	< 0.2	2.81	106	70	1.5	< 2	0.46	< 0.5	22	42	30	4.59	< 10	< 1	0.08	40	1.19	875
6000N 9350E	201	202	< 5	< 0.2	2.28	10	80	0.5	< 2	0.30	< 0.5	13	33	17	3.12	< 10	< 1	0.07	30	0.68	400
6000N 9375E	201	202	< 5	< 0.2	2.25	10	80	0.5	< 2	0.37	< 0.5	13	31	19	3.17	< 10	< 1	0.06	20	0.69	455
6000N 9400E	201	202	< 5	< 0.2	2.37	12	100	1.0	< 2	0.32	< 0.5	12	29	17	3.08	< 10	< 1	0.06	10	0.64	655
6000N 9425E	201	202	< 5	< 0.2	2.57	14	80	1.0	< 2	0.40	< 0.5	17	34	23	3.60	< 10	< 1	0.09	30	0.86	645
6000N 9450E	201	202	< 5	< 0.2	2.48	28	70	0.5	< 2	0.23	< 0.5	13	32	21	3.35	< 10	< 1	0.09	20	0.68	495
6000N 9475E	201	202	5	0.2	2.18	98	60	1.5	14	0.33	0.5	16	33	28	3.76	< 10	< 1	0.12	30	0.81	590
6000N 9500E	201	202	< 5	< 0.2	2.30	50	100	2.0	< 2	0.22	< 0.5	14	29	27	3.40	< 10	< 1	0.13	40	0.65	465
6000N 9525E	201	202	< 5	0.2	1.63	14	60	1.0	< 2	0.16	< 0.5	7	20	21	2.60	< 10	< 1	0.11	20	0.38	280
6000N 9550E	201	202	< 5	0.2	1.34	12	70	1.0	< 2	0.18	< 0.5	5	13	13	1.83	< 10	< 1	0.10	30	0.24	255
6000N 9575E	201	202	< 5	< 0.2	3.35	22	70	1.0	< 2	0.22	< 0.5	11	41	23	4.09	< 10	< 1	0.08	20	0.71	315
6000N 9600E	201	202	< 5	< 0.2	1.95	16	60	0.5	< 2	0.21	< 0.5	5	25	17	2.96	< 10	< 1	0.06	10	0.34	195
6000N 9625E	201	202	< 5	0.2	1.66	20	70	0.5	< 2	0.58	< 0.5	4	23	13	1.86	< 10	< 1	0.07	20	0.27	110
6000N 9650E	201	202	< 5	< 0.2	1.55	28	100	< 0.5	< 2	0.54	< 0.5	6	25	13	2.55	< 10	< 1	0.07	10	0.36	215
6000N 9675E	201	202	< 5	< 0.2	1.23	16	70	< 0.5	< 2	0.44	< 0.5	4	20	11	1.94	< 10	< 1	0.07	10	0.25	120
6000N 9700E	201	202	< 5	0.2	1.20	18	60	0.5	< 2	0.07	0.5	5	14	24	2.39	< 10	< 1	0.08	20	0.18	120
6000N 9725E	201	202	< 5	0.2	1.05	12	70	< 0.5	< 2	0.26	0.5	4	13	14	1.67	< 10	< 1	0.07	10	0.15	135
6000N 9775E	201	202	< 5	1.2	1.16	24	60	0.5	4	0.21	1.5	6	22	28	2.46	< 10	< 1	0.11	20	0.38	220
6000N 9800E	201	202	< 5	0.2	1.14	34	40	< 0.5	< 2	0.04	< 0.5	4	14	16	2.10	< 10	< 1	0.06	10	0.16	85
6000N 9825E	201	202	< 5	0.2	1.20	24	50	0.5	< 2	0.08	0.5	4	12	25	2.95	< 10	< 1	0.08	10	0.19	125
6000N 9850E	201	202	< 5	0.2	0.56	24	50	0.5	8	0.06	< 0.5	2	3	34	2.44	< 10	< 1	0.10	20	0.03	70
6000N 9875E	201	202	< 5	0.2	1.82	44	60	1.5	< 2	0.17	1.0	11	26	24	2.92	< 10	< 1	0.12	30	0.51	325
6000N 9900E	201	202	< 5	2.4	1.82	54	160	3.5	2	1.22	45.0	13	21	87	2.92	< 10	< 1	0.13	100	0.39	5780
6000N 9950E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
6000N 9975E	201	202	< 5	0.6	1.03	22	40	< 0.5	< 2	0.07	< 0.5	3	17	8	1.25	< 10	< 1	0.07	20	0.24	115
6000N 9975AE	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
6000N 9975BE	201	202	< 5	0.6	1.44	26	90	0.5	< 2	0.07	0.5	5	21	24	2.04	< 10	< 1	0.07	40	0.22	145
6000N 9975CE	201	202	< 5	0.2	0.59	2	30	< 0.5	< 2	0.02	< 0.5	1	6	5	0.62	< 10	< 1	0.04	10	0.05	30
6000N 10000E	201	202	5	0.2	1.67	58	50	0.5	< 2	0.15	< 0.5	9	33	18	3.32	< 10	< 1	0.08	30	0.55	300
6000N 10025E	201	202	< 5	2.0	1.82	8	130	6.0	< 2	0.41	3.0	4	12	35	1.50	< 10	< 1	0.05	210	0.17	860
6000N 10050E	201	202	< 5	1.0	1.26	18	80	1.5	< 2	0.33	1.5	7	22	19	2.35	< 10	< 1	0.08	50	0.31	360
6000N 10075E	201	202	< 5	< 0.2	1.41	216	80	0.5	< 2	0.46	0.5	10	27	15	3.03	< 10	< 1	0.15	50	0.69	630

CERTIFICATION: \_\_\_\_\_





# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

Project : MAUI GRID  
 Comments:

Page Number :3-A  
 Total Pages :6  
 Certificate Date: 27-OCT-97  
 Invoice No. : I9747509  
 P.O. Number :  
 Account : PIA

## CERTIFICATE OF ANALYSIS A9747509

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
6000N 10100E	201 202	< 5	< 0.2	1.32	32	50	0.5	< 2	0.08	< 0.5	6	24	18	2.55	< 10	< 1	0.08	20	0.33	210
6000N 10125E	201 202	< 5	0.2	1.41	54	60	0.5	< 2	0.30	< 0.5	7	25	16	2.77	< 10	< 1	0.09	20	0.40	310
6000N 10150E	201 202	< 5	0.4	1.36	36	80	0.5	< 2	1.29	1.0	6	16	16	1.83	< 10	< 1	0.06	40	0.29	550
6000N 10175E	201 202	< 5	0.2	1.80	48	100	1.0	< 2	0.56	0.5	10	34	17	3.09	< 10	< 1	0.14	50	0.63	610
6000N 10200E	201 202	< 5	0.4	2.02	52	140	1.5	< 2	0.74	0.5	11	30	21	2.96	< 10	< 1	0.13	60	0.47	865
6100N 9200E	201 202	< 5	1.0	1.46	22	90	1.5	10	0.16	< 0.5	8	17	22	4.13	< 10	< 1	0.11	20	0.19	250
6100N 9225E	201 202	< 5	< 0.2	2.31	30	130	1.5	< 2	0.74	< 0.5	8	29	15	3.23	< 10	< 1	0.09	20	0.50	425
6100N 9250E	201 202	< 5	< 0.2	2.16	58	80	0.5	< 2	0.38	< 0.5	14	37	22	4.11	< 10	< 1	0.09	30	0.68	585
6100N 9275E	201 202	< 5	< 0.2	1.69	66	90	0.5	< 2	0.41	< 0.5	11	29	17	2.94	< 10	< 1	0.08	20	0.60	520
6100N 9300E	201 202	< 5	< 0.2	1.86	56	140	0.5	< 2	0.54	< 0.5	11	26	15	3.11	< 10	< 1	0.07	20	0.57	795
6100N 9325E	201 202	< 5	< 0.2	2.16	16	90	0.5	< 2	0.42	< 0.5	11	32	17	3.51	< 10	< 1	0.07	20	0.74	290
6100N 9350E	201 202	< 5	< 0.2	2.02	26	90	0.5	< 2	0.40	< 0.5	15	33	22	3.89	< 10	< 1	0.10	30	0.74	765
6100N 9375E	201 202	< 5	< 0.2	1.92	22	90	0.5	< 2	0.44	< 0.5	14	30	21	3.36	< 10	< 1	0.09	30	0.69	645
6100N 9400E	201 202	< 5	0.2	1.39	22	50	0.5	< 2	0.13	< 0.5	8	22	17	2.66	< 10	< 1	0.05	10	0.37	410
6100N 9425E	201 202	< 5	< 0.2	1.00	20	80	< 0.5	< 2	0.16	< 0.5	4	14	13	1.96	< 10	< 1	0.05	10	0.17	115
6100N 9450E	201 202	< 5	< 0.2	1.21	26	90	0.5	< 2	0.44	< 0.5	6	34	15	2.83	< 10	< 1	0.07	10	0.31	280
6100N 9475E	201 202	< 5	< 0.2	0.76	2	60	< 0.5	< 2	0.12	< 0.5	2	6	11	1.12	< 10	< 1	0.04	10	0.04	70
6100N 9500E	201 202	< 5	< 0.2	1.24	22	70	0.5	< 2	0.29	< 0.5	5	18	17	2.25	< 10	< 1	0.07	10	0.29	150
6100N 9525E	201 202	< 5	< 0.2	0.87	20	70	< 0.5	< 2	0.30	< 0.5	3	8	15	1.48	< 10	< 1	0.06	10	0.07	65
6100N 9550E	201 202	< 5	0.2	0.90	16	60	< 0.5	< 2	0.11	< 0.5	3	10	18	2.11	< 10	< 1	0.06	10	0.08	95
6100N 9600E	201 202	< 5	0.6	1.81	18	90	1.0	< 2	0.29	2.0	11	28	31	3.01	< 10	< 1	0.13	30	0.60	420
6100N 9625E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
6100N 9650E	201 202	< 5	0.4	1.05	16	50	< 0.5	< 2	0.09	1.5	3	14	17	1.93	< 10	< 1	0.05	10	0.16	100
6100N 9750E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
6100N 9775E	201 202	< 5	3.0	1.20	36	50	1.0	10	0.12	1.5	5	15	24	2.31	< 10	< 1	0.13	10	0.17	415
6100N 9800E	201 202	< 5	1.8	1.65	82	60	2.5	2	0.46	4.0	8	16	32	2.20	< 10	< 1	0.10	50	0.28	540
6100N 9825E	201 202	< 5	< 0.2	2.24	98	50	0.5	< 2	0.22	< 0.5	17	42	26	3.62	< 10	< 1	0.12	30	0.91	635
6100N 9850E	201 202	< 5	< 0.2	2.17	102	70	0.5	< 2	0.26	< 0.5	15	40	22	3.63	< 10	< 1	0.11	30	0.82	500
6100N 9875E	201 202	< 5	< 0.2	2.34	142	70	1.0	< 2	0.23	< 0.5	18	42	24	4.01	< 10	< 1	0.12	30	0.86	865
6100N 9900E	201 202	< 5	< 0.2	2.28	78	50	1.5	< 2	0.21	< 0.5	22	36	35	4.17	< 10	< 1	0.13	30	0.82	1070
6100N 9925E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
6100N 9952E	201 202	< 5	< 0.2	1.32	80	60	< 0.5	< 2	0.09	< 0.5	6	24	12	3.09	< 10	< 1	0.07	30	0.32	215
6100N 9975E	201 202	< 5	< 0.2	1.32	32	60	< 0.5	< 2	0.13	< 0.5	4	21	9	1.63	< 10	< 1	0.08	30	0.30	135
6100N 10000E	201 202	< 5	< 0.2	1.93	72	70	0.5	< 2	0.18	< 0.5	11	33	15	2.99	< 10	< 1	0.10	30	0.60	365
6100N 10025E	201 202	< 5	0.2	1.96	62	90	0.5	< 2	0.54	< 0.5	9	31	17	2.86	< 10	< 1	0.12	30	0.60	345
6100N 10050E	201 202	< 5	0.6	2.46	110	100	1.5	< 2	0.27	0.5	14	40	28	3.67	< 10	< 1	0.18	50	0.79	515
6100N 10075E	201 202	< 5	0.4	2.06	76	80	1.0	2	0.22	0.5	13	33	25	3.53	< 10	< 1	0.16	40	0.62	670
6100N 10100E	201 202	< 5	0.4	1.00	20	50	< 0.5	< 2	0.10	< 0.5	4	14	11	1.42	< 10	< 1	0.08	30	0.21	310
6100N 10125E	201 202	< 5	0.4	1.52	40	90	1.0	< 2	0.37	1.0	7	23	22	2.50	< 10	< 1	0.10	70	0.42	350
6100N 10150E	201 202	< 5	0.2	1.47	50	50	1.0	< 2	0.44	0.5	9	22	14	2.62	< 10	< 1	0.11	30	0.55	470

CERTIFICATION:





# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

Project: MAUI GRID  
 Comments:

Page Number :3-B  
 Total Pages :6  
 Certificate Date: 27-OCT-97  
 Invoice No. :19747509  
 P.O. Number :  
 Account :PIA

## CERTIFICATE OF ANALYSIS

A9747509

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
6000N 10100E	201 202	< 1	< 0.01	15	680	38	< 2	1	12	0.01	< 10	< 10	30	< 10	82
6000N 10125E	201 202	1	< 0.01	18	500	36	< 2	1	20	0.02	< 10	< 10	46	< 10	84
6000N 10150E	201 202	< 1	< 0.03	15	800	32	< 2	1	125	0.01	< 10	< 10	19	< 10	106
6000N 10175E	201 202	< 1	< 0.01	21	570	42	< 2	4	61	0.03	< 10	< 10	37	< 10	122
6000N 10200E	201 202	1	0.01	21	980	44	< 2	4	93	0.02	< 10	< 10	32	< 10	124
6100N 9200E	201 202	1	< 0.01	23	820	304	< 2	3	49	< 0.01	< 10	< 10	15	< 10	212
6100N 9225E	201 202	< 1	< 0.01	20	2000	70	< 2	2	76	0.01	< 10	< 10	28	< 10	118
6100N 9250E	201 202	< 1	< 0.01	34	810	32	< 2	2	42	0.04	< 10	< 10	39	< 10	104
6100N 9275E	201 202	< 1	0.02	28	670	46	< 2	3	42	0.05	< 10	< 10	32	< 10	114
6100N 9300E	201 202	< 1	0.02	21	860	34	< 2	1	58	0.02	< 10	< 10	28	< 10	104
6100N 9325E	201 202	< 1	0.01	31	700	20	< 2	3	55	0.05	< 10	< 10	34	< 10	102
6100N 9350E	201 202	< 1	0.02	31	920	34	< 2	3	48	0.04	< 10	< 10	34	< 10	126
6100N 9375E	201 202	< 1	0.03	32	790	36	< 2	3	52	0.05	< 10	< 10	32	< 10	116
6100N 9400E	201 202	1	0.01	19	590	34	< 2	< 1	21	0.01	< 10	< 10	29	< 10	86
6100N 9425E	201 202	2	< 0.01	13	320	38	< 2	< 1	25	0.01	< 10	< 10	37	< 10	76
6100N 9450E	201 202	1	< 0.01	16	630	72	< 2	1	51	0.02	< 10	< 10	33	< 10	102
6100N 9475E	201 202	1	0.03	6	310	60	< 2	< 1	19	< 0.01	< 10	< 10	20	< 10	74
6100N 9500E	201 202	1	0.01	14	530	74	< 2	1	30	0.02	< 10	< 10	25	< 10	106
6100N 9525E	201 202	1	0.02	7	350	108	< 2	< 1	35	0.01	< 10	< 10	30	< 10	66
6100N 9550E	201 202	< 1	0.03	7	470	174	< 2	< 1	21	0.03	< 10	< 10	36	< 10	100
6100N 9600E	201 202	< 1	0.01	28	970	234	< 2	3	40	0.05	< 10	< 10	28	< 10	190
6100N 9625E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
6100N 9650E	201 202	1	0.02	9	440	82	< 2	< 1	17	0.03	< 10	< 10	31	< 10	62
6100N 9750E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
6100N 9775E	201 202	3	0.02	10	1170	224	< 2	1	26	< 0.01	< 10	10	13	< 10	408
6100N 9800E	201 202	1	0.04	14	1190	130	< 2	1	62	0.01	< 10	40	17	< 10	448
6100N 9825E	201 202	< 1	< 0.01	36	690	24	< 2	4	24	0.04	< 10	< 10	37	< 10	96
6100N 9850E	201 202	< 1	0.01	32	760	26	< 2	4	34	0.04	< 10	< 10	38	< 10	90
6100N 9875E	201 202	< 1	< 0.01	39	760	44	< 2	4	25	0.04	< 10	< 10	36	< 10	140
6100N 9900E	201 202	< 1	< 0.01	44	820	42	< 2	4	15	0.02	< 10	< 10	28	< 10	164
6100N 9925E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
6100N 9952E	201 202	1	< 0.01	16	310	18	< 2	1	15	0.04	< 10	< 10	46	< 10	70
6100N 9975E	201 202	< 1	< 0.01	11	390	22	< 2	1	20	0.01	< 10	< 10	23	< 10	54
6100N 10000E	201 202	< 1	< 0.01	23	550	32	< 2	3	24	0.03	< 10	< 10	33	< 10	100
6100N 10025E	201 202	< 1	0.01	23	710	34	< 2	3	58	0.03	< 10	< 10	31	< 10	118
6100N 10050E	201 202	< 1	0.01	35	820	42	< 2	4	31	0.04	< 10	< 10	37	< 10	166
6100N 10075E	201 202	< 1	< 0.01	26	770	48	< 2	3	22	0.02	< 10	< 10	32	< 10	220
6100N 10100E	201 202	< 1	0.01	8	510	22	< 2	< 1	14	0.01	< 10	< 10	23	< 10	48
6100N 10125E	201 202	1	< 0.01	17	740	38	< 2	2	40	0.01	< 10	< 10	26	< 10	144
6100N 10150E	201 202	< 1	< 0.01	16	870	38	< 2	2	41	0.01	< 10	< 10	22	< 10	166

CERTIFICATION: \_\_\_\_\_



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbark Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
VANCOUVER, BC  
V6C 1T2

Project: MAUI GRID  
Comments:

Page Number :4-A  
Total Pages :6  
Certificate Date:27-OCT-97  
Invoice No. :I9747509  
P.O. Number :  
Account :PIA

## CERTIFICATE OF ANALYSIS A9747509

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	201	202	FA+AA																		
6100N 10175E	201	202	< 5	0.4	1.80	80	80	1.5	< 2	1.91	1.5	10	27	28	2.93	< 10	< 1	0.12	50	0.59	620
6110N 9920E	201	202	< 5	0.2	2.12	102	80	1.5	< 2	0.26	0.5	12	33	27	3.46	< 10	< 1	0.13	50	0.72	460
6200N 9200E	201	202	< 5	0.2	1.95	20	100	0.5	< 2	0.39	< 0.5	9	26	18	2.91	< 10	< 1	0.07	20	0.56	480
6200N 9225E	201	202	< 5	0.2	0.92	< 2	50	< 0.5	< 2	0.48	< 0.5	5	8	14	1.92	< 10	< 1	0.03	10	0.15	185
6200N 9250E	201	202	< 5	0.4	0.67	< 2	50	< 0.5	< 2	0.26	< 0.5	1	6	7	0.73	< 10	< 1	0.04	< 10	0.08	80
6200N 9275E	201	202	< 5	0.6	1.04	2	40	< 0.5	< 2	0.12	< 0.5	3	11	12	1.76	< 10	< 1	0.05	10	0.14	105
6200N 9300E	201	202	< 5	0.2	1.29	2	50	0.5	< 2	0.34	< 0.5	4	12	16	1.75	< 10	< 1	0.06	20	0.22	155
6200N 9325E	201	202	< 5	< 0.2	1.32	2	60	0.5	< 2	0.21	< 0.5	4	14	12	1.79	< 10	< 1	0.05	10	0.25	185
6200N 9350E	201	202	< 5	< 0.2	1.02	6	40	< 0.5	< 2	0.12	< 0.5	3	12	10	1.52	< 10	< 1	0.06	10	0.18	100
6200N 9375E	201	202	< 5	< 0.2	1.36	8	50	< 0.5	< 2	0.13	< 0.5	5	19	12	2.10	< 10	< 1	0.06	10	0.25	165
6200N 9400E	201	202	< 5	< 0.2	1.93	12	70	0.5	< 2	0.25	< 0.5	11	31	18	3.24	< 10	< 1	0.09	20	0.63	460
6200N 9425E	201	202	< 5	< 0.2	1.69	28	90	0.5	< 2	0.30	< 0.5	6	22	14	2.58	< 10	< 1	0.08	10	0.44	430
6200N 9450E	201	202	< 5	< 0.2	0.69	12	50	< 0.5	< 2	0.16	< 0.5	2	7	6	1.02	< 10	< 1	0.03	10	0.13	95
6200N 9475E	201	202	< 5	< 0.2	1.23	32	100	0.5	< 2	0.26	< 0.5	7	18	12	2.11	< 10	< 1	0.07	10	0.36	385
6200N 9500E	201	202	< 5	1.2	2.00	38	140	1.0	< 2	0.55	< 0.5	10	23	17	2.92	< 10	< 1	0.08	30	0.47	730
6200N 9525E	201	202	< 5	< 0.2	0.43	< 2	60	< 0.5	< 2	0.17	< 0.5	1	4	6	0.51	< 10	< 1	0.04	< 10	0.07	90
6200N 9550E	201	202	< 5	0.8	0.59	6	30	< 0.5	< 2	0.08	< 0.5	1	6	5	0.74	< 10	< 1	0.05	10	0.09	50
6200N 9575E	201	202	< 5	0.4	0.97	18	50	< 0.5	< 2	0.06	< 0.5	3	13	13	2.25	< 10	< 1	0.05	10	0.20	95
6200N 9600E	201	202	< 5	0.6	0.64	14	30	< 0.5	< 2	0.02	< 0.5	1	5	14	1.42	< 10	< 1	0.06	10	0.05	75
6200N 9625E	201	202	< 5	0.8	0.43	10	30	< 0.5	< 2	0.04	< 0.5	1	5	13	0.97	< 10	< 1	0.06	10	0.04	75
6200N 9650E	201	202	< 5	0.2	0.40	6	30	< 0.5	< 2	0.04	< 0.5	< 1	2	6	0.55	< 10	< 1	0.06	10	0.01	30
6200N 9675E	201	202	< 5	0.2	0.93	18	50	< 0.5	< 2	0.05	< 0.5	2	10	13	1.41	< 10	< 1	0.08	20	0.10	75
6200N 9700E	201	202	< 5	1.6	0.52	16	40	< 0.5	10	0.03	< 0.5	1	5	16	1.35	< 10	< 1	0.09	10	0.05	95
6200N 9725E	201	202	< 5	3.0	0.34	8	40	< 0.5	8	0.03	< 0.5	< 1	1	14	1.19	< 10	< 1	0.14	10	0.01	55
6200N 9750E	201	202	10	0.2	0.26	< 2	40	< 0.5	< 2	0.03	< 0.5	1	12	2	0.50	< 10	< 1	0.09	< 10	0.14	50
6200N 9775E	201	202	< 5	< 0.2	0.19	2	10	< 0.5	< 2	0.03	< 0.5	< 1	3	4	0.39	< 10	< 1	0.04	< 10	0.03	35
6200N 9800E	201	202	< 5	0.6	1.79	96	60	5.5	4	0.45	10.5	12	19	47	3.10	< 10	< 1	0.12	70	0.42	1320
6200N 9825E	201	202	< 5	0.8	1.65	318	50	3.0	< 2	0.44	7.5	16	23	54	3.87	< 10	< 1	0.17	50	0.70	765
6200N 9850E	201	202	< 5	1.6	1.33	40	80	1.0	< 2	1.15	< 0.5	5	6	14	1.11	< 10	< 1	0.04	60	0.07	380
6200N 9875E	201	202	< 5	0.2	0.56	< 2	20	< 0.5	< 2	0.05	< 0.5	< 1	4	1	0.28	< 10	< 1	0.04	20	0.03	25
6200N 9900E	201	202	< 5	< 0.2	0.88	14	30	< 0.5	< 2	0.05	< 0.5	1	9	2	1.25	< 10	< 1	0.04	10	0.12	55
6200N 9925E	201	202	< 5	< 0.2	1.79	46	60	1.5	< 2	0.14	< 0.5	6	19	13	2.62	< 10	< 1	0.10	40	0.45	265
6200N 9950E	201	202	< 5	< 0.2	0.64	10	30	< 0.5	< 2	0.02	< 0.5	1	8	3	0.67	< 10	< 1	0.07	10	0.08	30
6200N 9975E	201	202	< 5	< 0.2	1.07	18	30	< 0.5	< 2	0.04	< 0.5	1	10	3	1.05	< 10	< 1	0.06	20	0.19	65
6200N 10000E	201	202	< 5	< 0.2	1.64	60	50	0.5	< 2	0.16	< 0.5	6	23	11	2.74	< 10	< 1	0.12	30	0.52	265
6200N 10000EBL	201	202	< 5	0.2	1.11	24	50	< 0.5	< 2	0.07	< 0.5	2	13	9	1.17	< 10	< 1	0.09	30	0.17	70
6200N 10025E	201	202	< 5	< 0.2	1.41	50	100	0.5	< 2	0.16	< 0.5	5	21	8	2.42	< 10	< 1	0.10	30	0.35	325
6200N 10050E	201	202	< 5	< 0.2	1.24	30	50	0.5	< 2	0.47	< 0.5	6	19	7	2.14	< 10	< 1	0.09	40	0.47	360
6200N 10075E	201	202	< 5	0.2	1.61	42	80	1.5	< 2	0.51	0.5	7	22	13	2.67	< 10	< 1	0.13	40	0.43	440
6200N 10100E	201	202	< 5	< 0.2	1.43	28	80	1.5	< 2	0.16	0.5	4	17	17	1.80	< 10	< 1	0.09	60	0.24	185

CERTIFICATION: \_\_\_\_\_



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

Project: MAUI GRID  
 Comments:

Page Number :4-B  
 Total Pages :6  
 Certificate Date: 27-OCT-97  
 Invoice No. :19747509  
 P.O. Number :  
 Account :PIA

## CERTIFICATE OF ANALYSIS

### A9747509

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
6100N 10175E	201 202	1	0.01	20	880	50	< 2	3	185	0.02	< 10	10	27	< 10	160
6110N 9920E	201 202	< 1	0.01	31	660	40	< 2	4	30	0.03	< 10	< 10	31	< 10	140
6200N 9200E	201 202	< 1	0.02	23	750	86	< 2	1	47	0.03	< 10	< 10	28	< 10	132
6200N 9225E	201 202	< 1	0.05	6	500	42	< 2	< 1	46	0.06	< 10	< 10	46	< 10	44
6200N 9250E	201 202	< 1	0.05	4	390	20	< 2	< 1	26	< 0.01	< 10	< 10	11	< 10	24
6200N 9275E	201 202	< 1	0.03	8	310	24	< 2	< 1	20	0.01	< 10	< 10	25	< 10	56
6200N 9300E	201 202	< 1	0.05	11	670	72	< 2	< 1	37	0.01	< 10	< 10	22	< 10	60
6200N 9325E	201 202	< 1	0.04	10	730	64	< 2	< 1	24	0.01	< 10	< 10	22	< 10	68
6200N 9350E	201 202	< 1	0.05	9	580	24	< 2	< 1	16	0.01	< 10	< 10	21	< 10	44
6200N 9375E	201 202	< 1	0.02	13	500	24	< 2	< 1	19	0.03	< 10	< 10	27	< 10	52
6200N 9400E	201 202	< 1	0.01	28	660	48	< 2	3	34	0.04	< 10	< 10	34	< 10	108
6200N 9425E	201 202	< 1	0.01	16	1200	88	< 2	< 1	39	0.01	< 10	< 10	25	< 10	114
6200N 9450E	201 202	< 1	0.04	6	400	18	< 2	< 1	22	0.01	< 10	< 10	13	< 10	30
6200N 9475E	201 202	< 1	0.03	14	630	50	< 2	1	35	0.03	< 10	< 10	21	< 10	80
6200N 9500E	201 202	< 1	0.01	19	1080	238	< 2	1	74	0.02	< 10	< 10	26	< 10	94
6200N 9525E	201 202	< 1	0.07	3	260	20	< 2	< 1	22	0.01	< 10	< 10	8	< 10	20
6200N 9550E	201 202	< 1	0.06	4	310	56	< 2	< 1	12	0.01	< 10	< 10	10	< 10	28
6200N 9575E	201 202	< 1	0.02	9	440	100	< 2	< 1	13	0.02	< 10	< 10	29	< 10	74
6200N 9600E	201 202	1	0.03	4	460	122	< 2	< 1	16	< 0.01	< 10	< 10	19	< 10	90
6200N 9625E	201 202	< 1	0.04	4	480	102	< 2	< 1	20	< 0.01	< 10	< 10	12	< 10	52
6200N 9650E	201 202	< 1	0.04	1	250	72	< 2	< 1	25	< 0.01	< 10	< 10	10	< 10	28
6200N 9675E	201 202	1	0.01	5	470	134	< 2	< 1	26	0.01	< 10	< 10	20	< 10	64
6200N 9700E	201 202	1	0.04	3	560	268	< 2	< 1	31	< 0.01	< 10	< 10	14	< 10	58
6200N 9725E	201 202	1	0.01	1	480	488	< 2	< 1	32	< 0.01	< 10	< 10	7	< 10	70
6200N 9750E	201 202	< 1	0.04	6	130	6	< 2	< 1	4	0.01	< 10	< 10	14	< 10	20
6200N 9775E	201 202	< 1	0.04	1	240	20	< 2	< 1	6	< 0.01	< 10	< 10	8	< 10	20
6200N 9800E	201 202	1	0.01	21	1110	232	< 2	3	71	0.01	< 10	70	17	< 10	724
6200N 9825E	201 202	< 1	0.01	35	1070	228	< 2	4	56	0.01	< 10	< 10	21	< 10	824
6200N 9850E	201 202	< 1	0.04	7	1180	106	< 2	1	125	0.01	< 10	30	8	< 10	28
6200N 9875E	201 202	< 1	0.03	1	150	4	< 2	< 1	7	0.01	< 10	< 10	10	< 10	8
6200N 9900E	201 202	< 1	0.02	4	240	12	< 2	< 1	6	0.01	< 10	< 10	16	< 10	18
6200N 9925E	201 202	< 1	< 0.01	13	840	32	< 2	2	8	< 0.01	< 10	< 10	24	< 10	82
6200N 9950E	201 202	< 1	0.03	3	360	10	< 2	< 1	4	< 0.01	< 10	< 10	10	< 10	18
6200N 9975E	201 202	< 1	< 0.01	5	220	12	< 2	< 1	7	0.01	< 10	< 10	16	< 10	24
6200N 10000E	201 202	< 1	< 0.01	14	600	20	< 2	2	12	0.02	< 10	< 10	31	< 10	86
6200N 10000EBL	201 202	< 1	0.01	6	500	16	< 2	< 1	13	< 0.01	< 10	< 10	17	< 10	34
6200N 10025E	201 202	< 1	< 0.01	12	370	24	< 2	1	21	0.02	< 10	< 10	36	< 10	72
6200N 10050E	201 202	< 1	0.01	13	960	20	< 2	2	37	0.03	< 10	< 10	21	< 10	72
6200N 10075E	201 202	1	0.01	16	980	26	< 2	3	49	0.01	< 10	< 10	25	< 10	170
6200N 10100E	201 202	< 1	< 0.01	11	620	26	< 2	1	21	0.01	< 10	< 10	20	< 10	60

CERTIFICATION: \_\_\_\_\_



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
VANCOUVER, BC  
V6C 1T2

Project : MAUI GRID  
Comments:

Page Number :5-A  
Total Pages :6  
Certificate Date: 27-OCT-97  
Invoice No. :19747509  
P.O. Number :  
Account :PIA

## CERTIFICATE OF ANALYSIS

### A9747509

SAMPLE	PREF CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	1	2	FA+AA																		
6200N 10125E	201	202	< 5	0.6	2.06	42	80	2.0	< 2	0.56	1.5	6	23	21	2.96	< 10	< 1	0.10	80	0.43	475
6200N 10150E	201	202	< 5	1.1	2.49	42	70	4.5	< 2	0.92	1.5	7	27	21	3.12	< 10	< 1	0.12	200	0.48	250
6200N 10175E	201	202	< 5	0.6	2.13	12	80	3.0	< 2	0.78	1.0	8	32	29	2.58	< 10	< 1	0.14	90	0.68	190
6200N 10200E	201	202	< 5	0.2	1.54	50	50	2.5	< 2	0.68	0.5	7	25	17	2.78	< 10	1	0.10	80	0.55	305
6300N 9200E	201	202	< 5	0.2	1.44	10	70	0.5	< 2	0.38	0.5	7	20	19	2.51	< 10	1	0.05	10	0.31	505
6300N 9225E	201	202	< 5	< 0.2	1.41	14	70	< 0.5	< 2	0.63	< 0.5	9	24	21	3.43	< 10	< 1	0.05	10	0.44	305
6300N 9250E	201	202	< 5	0.2	1.52	14	60	0.5	< 2	0.48	< 0.5	8	23	13	3.17	< 10	< 1	0.05	10	0.43	295
6300N 9275E	201	202	< 5	< 0.2	1.35	20	50	< 0.5	< 2	0.09	< 0.5	6	23	16	3.31	< 10	< 1	0.04	10	0.31	320
6300N 9300E	201	202	< 5	0.2	1.83	30	80	1.5	< 2	0.20	1.5	10	25	33	3.15	< 10	< 1	0.09	40	0.47	515
6300N 9325E	201	202	< 5	1.8	1.27	2	80	2.0	< 2	0.09	1.0	3	8	27	1.17	< 10	< 1	0.04	70	0.10	265
6300N 9350E	201	202	< 5	0.4	1.04	4	70	0.5	< 2	0.36	< 0.5	4	11	18	1.41	< 10	< 1	0.05	40	0.21	235
6300N 9375E	201	202	< 5	< 0.2	2.03	22	60	0.5	< 2	0.31	0.5	8	43	13	4.06	< 10	< 1	0.06	20	0.57	300
6300N 9400E	201	202	< 5	< 0.2	2.13	42	50	0.5	< 2	0.11	0.5	12	31	31	4.33	< 10	< 1	0.09	20	0.47	545
6300N 9425E	201	202	< 5	< 0.2	1.99	20	50	0.5	< 2	0.14	0.5	12	31	23	4.09	< 10	< 1	0.08	20	0.45	590
6300N 9450E	201	202	< 5	0.6	1.35	14	90	1.0	< 2	1.10	1.5	6	15	21	2.00	< 10	1	0.06	40	0.26	420
6300N 9475E	201	202	< 5	< 0.2	1.03	32	30	< 0.5	< 2	0.05	< 0.5	3	14	11	1.86	< 10	< 1	0.05	10	0.19	105
6300N 9500E	201	202	< 5	< 0.2	0.72	20	30	< 0.5	2	0.01	< 0.5	1	6	18	1.59	< 10	< 1	0.06	20	0.05	70
6300N 9525E	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
6300N 9550E	201	202	< 5	0.2	0.70	16	80	0.5	2	0.25	1.0	3	10	23	1.96	< 10	< 1	0.11	30	0.13	240
6300N 9575E	201	202	< 5	0.2	0.34	2	20	< 0.5	< 2	0.02	< 0.5	< 1	2	3	0.41	< 10	< 1	0.03	10	0.01	20
6300N 9600E	201	202	< 5	0.4	0.50	6	30	< 0.5	< 2	0.03	< 0.5	< 1	3	5	0.50	< 10	< 1	0.04	20	0.02	20
6300N 9625E	201	202	< 5	< 0.2	0.75	12	40	< 0.5	< 2	0.08	< 0.5	2	6	10	0.97	< 10	< 1	0.06	10	0.07	60
6300N 9650E	201	202	< 5	< 0.2	0.66	12	30	< 0.5	2	0.02	< 0.5	1	5	10	1.03	< 10	< 1	0.07	20	0.04	35
6300N 9675E	201	202	< 5	0.6	1.22	28	30	< 0.5	18	0.05	0.5	11	10	47	3.45	< 10	< 1	0.06	10	0.10	1275
6300N 9700E	201	202	< 5	0.4	0.90	6	20	0.5	6	0.07	1.5	6	3	14	2.15	< 10	< 1	0.08	40	0.04	1445
6300N 9725E	201	202	< 5	1.8	0.73	20	20	0.5	18	0.11	0.5	7	6	68	4.16	< 10	< 1	0.09	10	0.09	865
6300N 9750E	201	202	< 5	1.0	1.05	22	40	2.0	12	0.34	2.5	10	7	41	2.94	< 10	< 1	0.11	60	0.14	1325
6300N 9775E	201	202	< 5	0.8	0.69	18	20	< 0.5	< 2	0.28	0.5	3	10	25	1.19	< 10	< 1	0.05	30	0.17	180
6300N 9800E	201	202	< 5	0.2	0.54	18	10	< 0.5	< 2	0.05	< 0.5	2	7	6	0.91	< 10	< 1	0.06	< 10	0.14	100
6300N 9825E	201	202	< 5	0.8	1.40	148	50	1.5	2	0.34	5.5	13	21	29	3.07	< 10	< 1	0.14	30	0.52	800
6300N 9850E	201	202	< 5	1.0	1.34	178	40	1.5	6	0.40	4.0	13	20	34	3.22	< 10	< 1	0.15	30	0.57	795
6300N 9875E	201	202	< 5	0.2	1.42	48	70	2.0	< 2	0.14	0.5	6	13	13	1.61	< 10	< 1	0.09	60	0.22	470
6300N 9900E	201	202	< 5	< 0.2	1.56	32	60	0.5	< 2	0.20	< 0.5	6	19	8	2.38	< 10	< 1	0.09	30	0.41	260
6300N 9925E	201	202	< 5	< 0.2	1.21	26	50	0.5	< 2	0.13	< 0.5	4	17	5	1.57	< 10	< 1	0.07	30	0.31	135
6300N 9950E	201	202	< 5	1.0	2.28	10	90	3.5	< 2	0.09	0.5	1	10	15	1.21	< 10	< 1	0.03	110	0.05	50
6300N 9975E	201	202	< 5	< 0.2	1.37	32	70	1.0	< 2	0.13	< 0.5	5	19	8	1.99	< 10	1	0.06	30	0.32	215
6300N 10000E	201	202	< 5	0.2	1.17	14	70	2.5	< 2	0.45	< 0.5	3	10	17	1.19	< 10	< 1	0.04	90	0.11	255
6300N 10025E	201	202	< 5	0.2	0.67	2	10	< 0.5	< 2	0.07	< 0.5	1	3	3	0.45	< 10	< 1	0.02	< 10	0.05	25
6300N 10050E	201	202	< 5	0.2	1.94	98	80	1.5	< 2	0.28	0.5	14	37	19	3.35	< 10	< 1	0.10	40	0.80	650
6300N 10075E	201	202	< 5	0.2	1.81	72	50	0.5	< 2	0.20	0.5	11	32	20	2.88	< 10	< 1	0.10	30	0.69	390

CERTIFICATION:



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

Project: MAUI GRID  
 Comments:

Page Number :5-B  
 Total Pages :6  
 Certificate Date: 27-OCT-97  
 Invoice No. :19747509  
 P.O. Number :  
 Account :PIA

## CERTIFICATE OF ANALYSIS

A9747509

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
6200N 10125E	201 202	< 1	0.01	16	840	30	< 2	2	69	0.01	< 10	< 10	26	< 10	138
6200N 10150E	201 202	< 1	0.01	22	830	34	< 2	6	106	0.01	< 10	< 10	24	< 10	142
6200N 10175E	201 202	1	0.01	19	960	64	< 2	5	78	0.01	< 10	30	29	< 10	186
6200N 10200E	201 202	1	< 0.01	16	850	32	< 2	3	66	0.01	< 10	< 10	23	< 10	118
6300N 9200E	201 202	1	< 0.01	15	680	124	< 2	< 1	46	0.01	< 10	< 10	25	< 10	122
6300N 9225E	201 202	< 1	< 0.01	22	430	44	< 2	1	69	0.02	< 10	< 10	31	< 10	100
6300N 9250E	201 202	1	< 0.01	17	400	24	< 2	1	47	0.03	< 10	< 10	31	< 10	68
6300N 9275E	201 202	< 1	< 0.01	15	730	48	< 2	1	14	0.02	< 10	< 10	42	< 10	80
6300N 9300E	201 202	< 1	< 0.01	23	760	132	< 2	2	31	0.03	< 10	< 10	26	< 10	168
6300N 9325E	201 202	< 1	0.04	6	800	274	< 2	1	20	< 0.01	< 10	< 10	9	< 10	96
6300N 9350E	201 202	< 1	0.04	9	600	104	< 2	1	41	0.01	< 10	< 10	16	< 10	94
6300N 9375E	201 202	< 1	< 0.01	17	330	50	< 2	3	41	0.07	< 10	< 10	50	< 10	92
6300N 9400E	201 202	1	< 0.01	30	440	100	< 2	3	26	0.03	< 10	< 10	37	< 10	140
6300N 9425E	201 202	< 1	< 0.01	26	760	106	< 2	2	28	0.02	< 10	< 10	29	< 10	110
6300N 9450E	201 202	< 1	0.01	14	800	58	< 2	1	112	0.01	< 10	< 10	18	< 10	86
6300N 9475E	201 202	1	< 0.01	7	360	62	< 2	< 1	13	0.01	< 10	< 10	24	< 10	52
6300N 9500E	201 202	3	< 0.01	5	400	144	< 2	< 1	18	< 0.01	< 10	< 10	21	< 10	76
6300N 9525E	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
6300N 9550E	201 202	1	0.01	6	550	332	< 2	< 1	58	0.01	< 10	< 10	17	< 10	130
6300N 9575E	201 202	< 1	0.04	1	240	48	< 2	< 1	6	< 0.01	< 10	< 10	8	< 10	14
6300N 9600E	201 202	< 1	0.03	1	400	76	< 2	< 1	9	< 0.01	< 10	< 10	8	< 10	20
6300N 9625E	201 202	< 1	< 0.01	5	390	82	< 2	< 1	23	< 0.01	< 10	< 10	16	< 10	58
6300N 9650E	201 202	1	< 0.01	3	350	46	< 2	< 1	18	< 0.01	< 10	< 10	16	< 10	48
6300N 9675E	201 202	2	< 0.01	4	1180	80	< 2	1	7	< 0.01	< 10	< 10	17	< 10	104
6300N 9700E	201 202	1	< 0.01	3	760	48	2	< 1	7	< 0.01	< 10	< 10	6	< 10	284
6300N 9725E	201 202	9	< 0.01	4	1250	176	< 2	1	7	< 0.01	< 10	< 10	9	< 10	170
6300N 9750E	201 202	1	0.01	11	810	52	< 2	1	43	< 0.01	< 10	< 10	8	< 10	446
6300N 9775E	201 202	1	0.02	6	580	24	< 2	< 1	30	< 0.01	< 10	< 10	13	< 10	70
6300N 9800E	201 202	< 1	0.03	5	340	34	< 2	< 1	13	< 0.01	< 10	< 10	11	< 10	44
6300N 9825E	201 202	< 1	0.01	21	900	174	< 2	1	55	0.01	< 10	< 10	19	< 10	388
6300N 9850E	201 202	1	0.01	24	840	212	< 2	3	57	0.01	< 10	< 10	18	< 10	364
6300N 9875E	201 202	< 1	0.05	11	700	54	< 2	1	19	0.01	< 10	< 10	14	< 10	88
6300N 9900E	201 202	< 1	< 0.01	11	840	22	< 2	2	12	0.01	< 10	< 10	22	< 10	58
6300N 9925E	201 202	< 1	< 0.01	9	700	12	< 2	1	9	0.01	< 10	< 10	18	< 10	40
6300N 9950E	201 202	< 1	0.01	7	1300	22	< 2	< 1	21	< 0.01	< 10	< 10	10	< 10	28
6300N 9975E	201 202	< 1	< 0.01	13	390	18	< 2	1	15	0.01	< 10	< 10	21	< 10	58
6300N 10000E	201 202	1	0.01	8	820	22	< 2	< 1	45	< 0.01	< 10	< 10	14	< 10	30
6300N 10025E	201 202	< 1	0.05	1	340	6	< 2	< 1	5	0.01	< 10	< 10	10	< 10	6
6300N 10050E	201 202	< 1	< 0.01	30	880	32	< 2	3	22	0.03	< 10	< 10	32	< 10	118
6300N 10075E	201 202	< 1	0.01	28	660	32	< 2	3	20	0.03	< 10	< 10	27	< 10	98

CERTIFICATION: \_\_\_\_\_



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
VANCOUVER, BC  
V6C 1T2

Project : MAUI GRID  
Comments:

Page Number :6-A  
Total Pages :6  
Certificate Date: 27-OCT-97  
Invoice No. :19747509  
P.O. Number :  
Account :PIA

## CERTIFICATE OF ANALYSIS

A9747509

SAMPLE	PREP CODE		Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
	FA+AA		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
6300N 10100E	201	202	< 5	< 0.2	1.52	264	120	0.5	< 2	0.42	1.5	11	28	22	3.65	< 10	< 1	0.16	60	0.67	950
6300N 10125E	201	202	< 5	< 0.2	1.49	242	100	0.5	< 2	0.42	1.5	12	41	21	3.28	< 10	< 1	0.15	50	0.83	665
6300N 10150E	201	202	< 5	< 0.2	1.22	170	60	0.5	< 2	0.48	1.5	10	22	14	3.28	< 10	< 1	0.16	60	0.60	755
6300N 10175E	201	202	< 5	< 0.2	1.25	208	80	0.5	< 2	0.33	0.5	10	23	16	3.10	< 10	< 1	0.13	60	0.60	695
6300N 10200E	201	202	< 5	< 0.2	1.07	160	60	< 0.5	< 2	0.35	1.0	9	21	12	2.75	< 10	< 1	0.15	30	0.56	610

CERTIFICATION: \_\_\_\_\_



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

Project : MAUI GRID  
 Comments:

Page Number :6-B  
 Total Pages :6  
 Certificate Date: 27-OCT-97  
 Invoice No. :19747509  
 P.O. Number :  
 Account :PIA

## CERTIFICATE OF ANALYSIS

### A9747509

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
6300N 10100E	201 202	1 < 0.01		23	870	52	< 2	4	42	0.01	< 10	< 10	28	< 10	208
6300N 10125E	201 202	< 1 < 0.01		30	810	48	< 2	4	31	0.03	< 10	< 10	34	< 10	214
6300N 10150E	201 202	1 < 0.01		14	1440	40	< 2	3	31	0.02	< 10	< 10	25	< 10	160
6300N 10175E	201 202	< 1 < 0.01		13	1130	42	< 2	3	23	0.02	< 10	< 10	27	< 10	144
6300N 10200E	201 202	< 1 < 0.01		11	940	32	< 2	3	22	0.01	< 10	< 10	24	< 10	136

CERTIFICATION: \_\_\_\_\_

**APPENDIX 3**

**Assay Certificates for Maui Silt Samples**





# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

*MAUI  
Silt Sample*

A9822753

Comments: ATTN:TERRY TUCKER

CERTIFICATE

A9822753

(PIA) - BRETT RESOURCES INCORPORATED

Project: MAUI  
 P.O. #:

Samples submitted to our lab in Vancouver, BC.  
 This report was printed on 5-JUL-98.

### SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	1	Dry, sieve to -80 mesh
202	1	save reject
229	1	ICP - Aq Digestion charge

\* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

### ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	1	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	1	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
2119	1	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	1	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	1	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	1	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	1	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	1	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	1	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	500
2126	1	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	1	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	1	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	1	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	1	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	1	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	1	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	1	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	1	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	1	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	1	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	1	Na %: 32 element, soil & rock	ICP-AES	0.01	10.00
2138	1	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	1	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	1	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	1	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	1	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	1	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	1	Ti %: 32 element, soil & rock	ICP-AES	0.01	10.00
2145	1	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	1	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	1	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	1	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	1	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
VANCOUVER, BC  
V6C 1T2

Project : MAUI  
Comments: ATTN:TERRY TUCKER

Page Number : 1-A  
Total Pages : 1  
Certificate Date: 05-JUL-98  
Invoice No. : I9822753  
P.O. Number :  
Account : PIA

## CERTIFICATE OF ANALYSIS

### A9822753

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	201	202	FA+AA																		
513211	201	202	< 5	0.6	1.54	298	40	4.5	2	0.40	19.0	16	23	74	3.41	< 10	< 1	0.17	60	0.69	1500

CERTIFICATION: Hart Bickel



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
VANCOUVER, BC  
V6C 1T2

Project: MAUI  
Comments: ATTN:TERRY TUCKER

Page Number : 1-B  
Total Pages : 1  
Certificate Date: 05-JUL-98  
Invoice No. : 19822753  
P.O. Number :  
Account : PIA

## CERTIFICATE OF ANALYSIS

A9822753

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
S13211	201	202	1	0.01	32	980	220	< 2	3	56	0.01	< 10	< 10	21	< 10	1730

CERTIFICATION:

*Frank Biddle*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
VANCOUVER, BC  
V6C 1T2

Project: BRO  
Comments: ATTN:TERRY TUCKER

Page Number : 1-A  
Total Pages : 1  
Certificate Date: 05-JUL-98  
Invoice No. : I9822751  
P.O. Number :  
Account : PIA

## CERTIFICATE OF ANALYSIS

### A9822751

SAMPLE	PREP CODE		Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
	FA+AA		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
513436	201	202	10	< 0.2	1.15	208	60	0.5	< 2	0.91	0.5	5	24	20	1.77	< 10	1	0.09	60	0.43	225
513437	201	202	< 5	< 0.2	1.42	428	80	0.5	< 2	0.42	1.0	10	28	19	3.16	< 10	< 1	0.19	60	0.73	640

CERTIFICATION: *Hart Biddle*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
VANCOUVER, BC  
V6C 1T2

Project: BRO  
Comments: ATTN:TERRY TUCKER

Page Number : 1-B  
Total Pages : 1  
Certificate Date: 05-JUL-98  
Invoice No. : I9822751  
P.O. Number :  
Account : PIA

## CERTIFICATE OF ANALYSIS

A9822751

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
513436	201	202	< 1	0.01	18	1110	44	< 2	2	81	0.01	< 10	< 10	17	< 10	114
513437	201	202	1	< 0.01	16	1010	44	< 2	4	36	0.02	< 10	< 10	29	< 10	186

CERTIFICATION:



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

A9744524

Comments: ATTN: TERRY TUCKER

CERTIFICATE

A9744524

(PIA) - BRETT RESOURCES INCORPORATED

Project:  
 P.O. #:

Samples submitted to our lab in Vancouver, BC.  
 This report was printed on 2-OCT-97.

## SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
241	2	RUSH: Dry, sieve to -80 mesh
202	2	save reject
229	2	ICP - AQ Digestion charge

\* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

## ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
991	2	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	2	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
2119	2	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	2	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	2	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	2	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	2	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	2	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	2	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	2	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	2	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	2	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	2	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	2	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
20	2	Hg ppb: HNO3-HCl digestion	AAS-FLAMELESS	10	100000
2132	2	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	2	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	2	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	2	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	2	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	2	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	2	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	2	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	2	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	2	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	2	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	2	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	2	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	2	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	2	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	2	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	2	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	2	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
VANCOUVER, BC  
V6C 1T2

Project :  
Comments: ATTN: TERRY TUCKER

Page Number : 1-A  
Total Pages : 1  
Certificate Date: 02-OCT-97  
Invoice No. : 19744524  
P.O. Number :  
Account : PIA

## CERTIFICATE OF ANALYSIS

### A9744524

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
			RUSH																		
513457	241	202	< 5	< 0.2	1.53	140	60	3.0	2	0.30	0.5	12	22	19	3.93	< 10	< 10	0.10	40	0.43	865
513458	241	202	< 5	< 0.2	1.44	210	40	2.0	< 2	0.46	1.0	13	27	21	3.44	< 10	30	0.10	60	0.67	625

soil  
silt

CERTIFICATION: Hank Buchler



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: BRETT RESOURCES INCORPORATED

1300 - 409 GRANVILLE ST.  
 VANCOUVER, BC  
 V6C 1T2

Project :  
 Comments: ATTN: TERRY TUCKER

Page Number :1-B  
 Total Pages :1  
 Certificate Date: 02-OCT-97  
 Invoice No. :19744524  
 P.O. Number :  
 Account :PIA

## CERTIFICATE OF ANALYSIS

### A9744524

Soil  
 silt


SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
513457	241 202	1	< 0.01	19	1250	52	< 2	3	19	< 0.01	< 10	< 10	26	< 10	112
513458	241 202	< 1	0.01	27	950	52	< 2	3	39	0.01	< 10	< 10	22	< 10	134


CERTIFICATION: \_\_\_\_\_



## **APPENDIX 4**

**Plots of Soil Geochemistry for Ag, As, Au, Ba, Co, Cu, Ni, Pb, Zn**





6811000 mN



**Maui Claims - Ag in soil (ppm)**


- +
- 
- 
- 
- 

0.0 to 0.5  
 0.5 to 1.0  
 1.0 to 1.5  
 1.5 to 2.0  
 2.0 to 3.0

6810000 mN

100 m

379000 mE




6811000 mN



**Maui Claims - As in soil (ppm)**


- ⊕ 0 to 300
- 300 to 500
- 500 to 1000
- 1000 to 1500
- 1500 to 2611

6810000 mN



100 m

379000 mE




6811000 mN



**Maui Claims - Au in soil (ppb)**

- ⊕ 0 to 5
- 5 to 10
- 10 to 15
- 15 to 20
- 20 to 160

6810000 mN



100 m

9200.00

9400.00

9600.00

9800.00

10000.00

10200.00

379000 mE

6200.00

6000.00



5800.00



5600.00

5400.00

5200.00

5000.00






100 m

6811000 mN

6810000 mN

379000 mE




**Maui Claims - Cu in soil (ppm)**

- + 0 to 30
- 30 to 40
- 40 to 50
- ⊖ 50 to 65
- ⦿ 65 to 87

100 m





6811000 mN



6200.00

6000.00


5800.00

5600.00

5400.00

5200.00


5000.00



6810000 mN

100 m

9200.00 9400.00 9600.00 9800.00 10000.00 10200.00  
379000 mE



6811000 mN

N




**Maui Claims - Pb in soil (ppm)**

- +
- 
- 
- (stippled)

6810000 mN

100 m

379000 mE



6811000 mN



**Maui Claims - Zn in soil (ppm)**

- +
- 
- 
- ◐

0 to 150  
150 to 250  
250 to 500  
500 to 848

6810000 mN

100 m

379000 mE

## **APPENDIX 5**

### **Rock Sample Descriptions**

## APPENDIX 5: ROCK SAMPLE DESCRIPTIONS

Sample #	Description
513210	Siliceous quartz-sericite schist (meta-intrusive?), weathers rusty and yellow-green from jarosite and As oxides. Contains 1% finely disseminated arsenopyrite cubes. Float.
513211	Silt.
513212	Biotite-garnet-quartz schist, weathers rusty and contains a bleb of unidentified bluish-black mineral.
513213	Rusty bull quartz. No visible sulphides.
513214	Biotite-chlorite-feldspar schist. At geochem point anomaly 5700N 9750 E.
513215	Rusty quartz vein in contact with fragmented and altered intrusive. Feldspar clasts hosted in fine grained black-green matrix.
513216	Same location as 513215, Rusty weathering megacrystic quartz monzonite with 1% fine grained sulphides. Well developed gneissosity.
513351	Grey siliceous fine grained sediment with 10% finely disseminated arsenopyrite. Dark grey with minor rusty and yellow staining. Minor mm-scale quartz veins. Float.
513352	Grey and white, weathers rusty. Medium grained quartz-biotite-carbonate rock with 2% arsenopyrite in rounded blebs to 3mm and lesser chalcopyrite to 1mm in euhedral cubes. Float.
513340	Limonite Fe-altered quartz-sericite schist.
513341	Fine grained arsenopyrite disseminated in siliceous fe-stained quartz-sericite schist.
513342	As above.
513343	As above. Fe-altered quartz-sericite schist with abundant quartz eyes? With no visible arsenopyrite. Taken in small trench adjacent to 513341 and 513342.
513344	Quartz-sericite schist with 5% arsenopyrite in disseminations and veinlets.
513345	Fine grained, sercite altered siliceous schist containing 1-2% arsenopyrite.
513346	Quartz-sericite schist with 1-2% arsenopyrite.
513347	Fine grained dark grey siliceous sediment containing minor arsenopyrite.
513348	Very high silica in scoridite with 1-5% arsenopyrite.

- 513349 As 513345, same location
- 513350 Quartz sericite schist with 2% arsenopyrite in veinlets.
- 513353 Rusty weathering grey siliceous sediment with 5-10% biotite. Fine blebs of arsenopyrite are concentrated along black arsenopyrite-quartz veinlets with stockwork texture. Veinlets are planar and irregular.
- 513354 Black and grey silica rock with rusy and green As oxide staining. 5% disseminated arsenopyrite and black stockwork veinlets.
- 513355 Dark grey brown fine grained rock, may contain very fine arsenopyrite. Breccia composed of quartz matrix with 50% angular to subrounded 1 cm quartz clasts.
- 513356 Breccia, as 513355, same location
- 513357 same as 513353
- 513359 Rusty weathering white siliceous rock with some dark (arsenpyrite-qtz?) veinlets. Subcrop located 20 m east of claim post.
- 513360 Medium grained grey quartz-muscovite-biotite schist . Weathers rusty with pinkish alteration and abundant pale yellow-green arsenic oxide. Contains 1% finely disseminated arsenopyrite and rare pyrite.
- 513361 Very siliceous quartz-sericite schist with minor biotite. Fresh surface is grey but the rock is very oxidized and rusty on most surfaces. Contains minor black veinlets (manganese?) and rare rounded quartz eyes to 2mm. Tan clay on some surfaces. Rare arsenopyrite and green As oxide blebs to 3mm.
- 513362 Same location as 513361 and similar rock, but not as rusty and with a greater arsenopyrite content. Pinkish quartz-biotite schist, weathers rusty with 1-2 % arsenopyrite blebs to 2mm and rare flecks of pyrite.
- 513363 Almost 10 metres E of 513362. Buff, weathers rusty, quartz-muscovite-biotite schist. Fairly massive due to silicification with rust on fracture surfaces and <1mm thin black veinlets. Similar to 513353.
- 513364 Subcrop/mudboil of grey quartz-biotite schist with lenses of quartz. Weathers rusty with minor pale yellow-green As oxide. Contains 1% irregular arsenopyrite blebs to 2mm.
- 513365 Extremely rusty quartz-biotite rock containing 5% irregular pyrite blebs to 8mm and 1% fine arsenopyrite blebs.
- 513366 Same location as 513365 and similar gossanous siliceous rock.
- 513367 Same location as 513365 and similar gossanous siliceous rock.
- 513368 Quartz-biotite schist containing 1% finely disseminated arsenopyrite.

- 513369 Taken from gossanous showing. Very rusty siliceous rock.
- 513382 Rusty weathering silicified quartz-sericite schist (metasediment). No visible sulphides.
- 513384 Grab sample of chilled quartz monzonite from concordant 10 cm sill in metasediments. Contains k-spar megacrysts up to 2 cm and 5% micas. Relict crystalline textures overprinted by green clay alteration. Rare rusty cubic sulphides.
- 513385 Intensely clay altered and silicified quartz-sericite schist. Colour is lime green, weathering rusty. Contains no visible sulphides.
- 513386 Rusty weathering pervasively silicified rock composed of grey quartz. Contains 2% fine grained disseminated arsenopyrite and 1% pyrite.
- 513387 As 513386 with 2% arsenopyrite occurring as very fine disseminations and in small <2mm aggregated clumps.
- 513388 Creamy grey silica rock with 10% fine grained pyrite cubes. Some questionable arsenopyrite blebs ? Faint textures in the outcrop and geologic location suggest that the rock is silicified and altered quartz monzonite gneiss. Sericite and clay on weathered surfaces.
- 513389 Well foliated quartz monzonite, very rusty with 1% finely disseminated pyrite. Foliation is developed by 5% biotite and stretched out megacrysts which measure up to 1 cm by 3mm.
- 513390 Silica and clay altered quartz monzonite of greenish grey colour. Contains 2% euhedral pyrite with rusty fractures.
- 513391 Feldspar megacrystic quartz monzonite with well developed foliation and stretched out megacrysts. Weathers rusty with rare rusted out sulphide blebs to 5mm. Contains 2% disseminated pyrite.
- 513392 Creamy grey silica rock with 3 cm patches of fine grained pyrite and 10% finely disseminated pyrite cubes.
- 513393 As 513391.
- 513401 1-2% disseminated arsenopyrite in a breccia with a black matrix. Located 100 m W of trench (513341 etc.)
- 513402 Siliceous schist containing 1-3% disseminated arsenopyrite and minor black veining. Taken 10 m downslope of 513401.
- 513403 1m by 1m angular boulder of schist containing 1 % disseminated arsenopyrite. Rock is Fe-altered and green clay altered with silica veins

- 513404 Sericite schist with quartz carbonate alteration and predominant Fe staining. Contains 1-3% arsenopyrite along foliation and in veinlets.
- 513405 Very siliceous/hard but calcareous mudstone that has minor grey sulphide.
- 513429 Quartz sericite schist with 1 to 3% pyrite. The float boulder appears to be felsic in nature although it is probably the quartz monzonite.
- 513430 As above but appears banded in nature. (flow?)
- 513431 Quartz sericite schist with 3-5% stringer pyrite and minor disseminated pyrite (float)
- 513432 Float of quartz sericite schist with 1 to 3 cm bands of massive to disseminated pyrite.
- 513433 Float of massive rusty weathered quartz sericite schist. Fine med green color in part and it is probably a Barium mica.
- 513434 Rusty quartz sericite pyrite veined porphyry. Located in the center of the pb/zr anomaly. At 5600E , 10010N
- 513435 9900E, 5900N Rusty quartz sericite augen schist.
- 513436 Silt
- 513437 Silt
- 513451 Maui Claims - 1625 m elevation at trench # 2 location. Massive quartz, white with 3-5% disseminated arsenopyrite.
- 513452 Maui Claims - as above
- 513453 Maui Claims - as above with 5-10% disseminated arsenopyrite.
- 513454 Maui claims - massive bull quartz with 2% disseminated arsenopyrite. no pyrite.
- 513455 Maui claims - white bull quartz with 3% disseminated arsenopyrite and 3%disseminated pyrite.
- 513456 Maui claims - intrusive monzonite in creek to east of main creek. Megacrystic feldspar porphyry , rusty weathered, minor disseminated pyrite.
- 513457 Maui Claims - located on intrusive outcrop in small creek immediately east of main creek - soil sample on rusty quartz sericite schist.
- 513458 Maui Claims - silt sample in small drainage immediately to east of main creek.



## **APPENDIX 6**

### **Thin Section Descriptions**



Exploration  
Research Laboratory

Mr. Terry Tucker  
Brett Resources Inc.  
#1300 - 409 Granville Street  
Vancouver, B.C.  
V6C 1T2

6 November, 1997

Dear Sir: RE: 513381-82,513453,57 / E.R.L. Job V97902R-

Four samples were received at the Cominco Exploration Research Laboratory for section preparation and microscopic study. The samples are numbered as follows:

<u>LAB NO.</u>	<u>FIELD NO.</u>	<u>SECTION REQUEST</u>
R97:22892	513381	Thin Section
R97:22893	513382	Thin Section
R97:22894	513453	Polished Section
R97:22895	513457	Polished Section

Following are microscopic observations:

**Sample R97:22892** contains the following mineral assemblage in decreasing order of abundance:

- (1) Feldspars (orthoclase >> plagioclase)
- (2) Quartz
- (3) Muscovite (sericite)

The minerals occur in segregations or mineral concentrations that average 1.0 mm in width. They tend to have grains that are elongated in an obvious plane of foliation/shearing. Rare grains up to several mm's in size are believed to be augens of orthoclase.

The rock is a muscovite-quartz-feldspar schist. Metamorphism is believed the result of mechanical deformation on a regional scale. The original rock was likely a quartz-feldspar crystal tuff or debris flow of acid (rhyolitic) composition.

**Sample R97:22893** is like the previous sample mineralogically but has different mineral proportions due to the presence of two large fragments of orthoclase in the 1 - 2 cm size range.

It is a feldspar clast bearing schist of igneous origin. Compositionally it is rhyolite.

**Sample R97:22894** is seen to consist of about 85% opaques when viewed in reflected light. The mineralogical mode is approximately as follows:

Arsenopyrite:	60%
Pyrite:	40%
Chalcopyrite:	Tr.
Pyrrhotite:	Tr.

Corroded, crackled arsenopyrite in grains to several mm's is replaced along *fractures and interstitially* by pyrite. The pyrite tends to be fine grained with the largest mass about 2 mm in size. Minor pyrrhotite occurs as rounded inclusions, primarily in pyrite and is noted in grains up to 100 microns. Chalcopyrite replaces pyrite and arsenopyrite in fractures and as grain boundary replacements to several tens of microns.

Gangue consists of anhedral grains of quartz in the 0.5 - 1.0 mm size range. As well, some carbonate cement is noted as is porosity. A couple of grains of cassiterite occur at sulfide-quartz contacts.

**Sample R97:22895** in reflected light contains about 15% opaques. The mode is approximately as follows:

Arsenopyrite:	80%
Limonite:	20%
Chalcopyrite:	Tr.
Pyrite:	Tr.

A vein of arsenopyrite to 5 mm in width consists of grains to 1 - 2 mm. A zone 1.5 cm wide contains broken grains and crystals of arsenopyrite to 3 mm. Some limonite, replacing pyrite, engulfs a small area of arsenopyrite and infills some voids. Rare chalcopyrite occurs interstitial to arsenopyrite, generally in fractures.


The gangue is comprised of bull quartz and the material is essentially a quartz-sulfide vein material. Late fractures in the quartz are partially filled or healed by siderite.

**DISCUSSION:**

The first two schistose samples contain very minor (1 - 2 %) sulfides and these are seen to be pyrite and arsenopyrite. No significant Pb, Zn or Ag as sulfides are noted.

The last two samples are said to contain approximately 6 g/t gold. However, detailed scanning of the polished thin sections at 160x magnification fails to reveal any gold mineralization at all. The dominant sulfides in these two samples are arsenopyrite and pyrite.

Yours truly,



J.A. McLeod, M.A.Sc., P.Eng.  
E.R.L. Manager

JAM/skw

## **APPENDIX 7**

### **GPS points and tagged claims**

**Appendix 7: List of GPS points and tagged claims**

Note: All posts that have GPS readings were also tagged, unless otherwise stated in notes

FILE	NORTH	EAST	ELEV.	post #1 Maui cl.	post #1 Maui cl.	post# 2 Maui cl.	post# 2 Maui cl.	notes
R062016A	6813321	377454	1538			31	32	
R062016B	6812964	377124	1531	31	32	29	30	
R062016C	6812681	376742	1327	29	30	27	28	
R062016D	6812496	376393	1309	27	28	25	26	
R062017A	6812267	376146	1225	25	26	23	24	
R062017B	6811973	375758	1213	23	24	21	22	
R062018A	6811683	375433	1438			19	20	
R062018B	6811705	375417	1368	21	22			
R062018C	6811456	375141	1295	19	20	17	18	
R062018D	6811214	374826	1189	17	18			tree cut, big
R062019A	6810463	375420	1173	33	34			field cut
R062019B	6810721	375769	1285	35	36	33	34	
R062020A				37	38	35	36	tagged, no GPS reading
R062020B	6811071	376131	1578					orientation point
R062021A	6811239	376348	1548	39	40	37	38	
R062021B	6811556	376660	1357	41	42	39	40	
R062021C	6811795	377026	1264	43	44	41	42	
R062022A	6811998	377338	1386	45	46	43	44	
R062022B	6812296	377686	1561	47	48	45	46	
R062023A	6812533	378010	1431			47	48	
R062023B	6812061	377960	1417	58	57			not tagged
R062117A	6810119	376392	1347					orientation point
R062117B	6809839	376691	1283					orientation point
R062118A	6809510	376936	1374					orientation point
R062118B	6809070	377114	1250			55	56	100 m southwest of posts
R062119A	6808622	377249	1144	67	68	65	66	
R062119B	6808947	377535	1256	69	70	67	68	
R062120A				71	72	69	70	tagged, no GPS reading
R062121A	6809513	378187	1621	73	74	71	72	
R062121B	6809418	378328	1565					rough cut posts, too faded to read, 150m SE of Maui 71-74 at 120 degrees
R062121C	6809691	378395	1624					orientation point
R062121D	6809732	378357	1482					rock sample 513403 location
R062122A	6810123	378903	1439	77	78	75	76	tagged as Maui 73-76
R062122B	6810379	379195	1262	79	80	77	78	
R062122C	6810630	379575	1274			79	80	
R062123A	6809909	380140	1422	95	96			GPS 10 m @ 254 deg from post
R062123B	6809677	379792	1378	93	94	95	96	
R062200A	6809431	379490	1589	93	94	91	92	
R062200B	6809128	379126	1663	91	92	89	90	

FILE	NORTH	EAST	ELEV.	post #1	post #1	post# 2	post# 2	notes
				Maui cl.	Maui cl.	Maui cl.	Maui cl.	
R062201A	6808891	378804	1604	89	90	87	88	
				57	58			tagged, no GPS reading
				59	60	57	58	tagged, no GPS reading
				61	62	59	60	tagged, no GPS reading
				63	64	61	62	tagged, no GPS reading
						63	64	tagged, no GPS reading




Table 4 - Selected Elements for Mud Rock and SR Results


ROCK SAMPLES	Number	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm
513210	-5	-0.2	1	7	112	112	26
513212	-5	-0.2	91	18	112	112	26
513213	-5	-0.2	13	18	22	22	12
513214	-5	-0.2	6	60	6	6	2
513215	-5	-0.2	4	20	28	28	42
513216	5	-0.2	30	14	34	34	10
513240	10	-0.2	7	4	38	38	2
513241	-5	-0.2	5	-2	22	22	>10,000
513242	-5	-0.2	3	-2	12	12	2900
513243	-5	-0.2	3	-2	12	12	2900
513244	10	-0.2	5	-2	10	10	>10,000
513245	5	-0.2	8	-2	10	10	500
513246	-5	-0.2	10	-2	28	28	28
513247	-5	-0.2	3	-2	24	24	>10,000
513248	-5	-0.2	3	-2	24	24	>10,000
513249	10	-0.2	4	-2	40	40	>10,000
513250	10	-0.2	5	6	10	10	>10,000
513251	-5	-0.2	3	-2	14	14	>10,000
513252	-5	-0.2	86	-2	30	30	>10,000
513253	-5	-0.2	6	-2	34	34	3850
513254	-5	-0.2	10	4	24	24	8600
513255	-5	-0.2	3	-2	44	44	1970
513256	-5	-0.2	3	-2	34	34	502
513257	120	0.8	11	-2	16	16	>10,000
513258	-5	-0.2	3	-2	26	26	800
513259	-5	-0.2	5	-2	2	2	254
513260	10	-0.2	4	-2	40	40	>10,000
513261	10	-0.2	14	-2	24	24	1680
513262	-5	-0.2	14	-2	24	24	>10,000
513263	-5	-0.2	5	-2	28	28	138
513264	40	-0.2	10	12	36	36	>10,000
513265	-5	-0.2	37	37	18	18	160
513267	280	-0.2	101	12	808	432	
513268	210	-0.2	73	10	802	690	
513269	270	-0.2	170	42	32	10	
513270	-5	-0.2	2	10	44	2	
513271	-5	-0.2	3	128	6	6	
513272	-5	-0.2	3	128	6	6	
513273	-5	-0.2	3	128	6	6	
513274	20	20.8	56	10900	784	104	
513275	-5	-0.2	1.8	64	34	34	
513276	-5	-0.2	8	32	64	2	
513277	-5	-0.2	11	32	64	2	
513278	-5	-0.2	7	19	128	24	
513279	-5	-0.2	1	62	6	6	
513280	5	-0.2	1	62	36	2	
513281	15	-0.2	3	20	70	9600	
513401	15	-0.2	3	20	70	>10,000	
513402	220	0.8	91	-2	20	>10,000	
513403	-5	-0.2	1.8	53	300	3840	100
513404	-5	-0.2	10	10	18	206	
513405	-5	-0.2	15	146	12	296	
513406	-5	-0.2	22	384	22	78	
513407	-5	-0.2	15	146	12	296	
513408	-5	-0.2	11	16	24	46	
513409	-5	-0.2	11	16	24	46	
513410	-5	-0.2	10	1000	22	20	
513411	-5	-0.2	14	130	30	40	
513412	-5	-0.2	11	118	36	56	
513413	-5	-0.2	13	118	36	56	
513414	980	13.0	5	280	742	>10,000	
513415	2280	44.0	6	668	2842	>10,000	
513416	380	6.8	668	2842	1180	>10,000	
513417	380	6.8	668	2842	1180	>10,000	
513418	5280	-0.2	22	-2	34	>10,000	
513419	5280	-0.2	15	22	8	>10,000	
513420	-5	-0.2	6	40	14	72	
5100N 1000E	-5	-0.2	7	10	38	18	
5100N 1010E	20	-0.2	21	8	38	84	
5200N 1000E	15	-0.2	20	3	38	298	
5200N 1005E	15	-0.2	14	6	28	58	
5200N 1010E	10	-0.2	37	60	6	6	
5200N 1000E	-5	-0.2	33	12	84	28	
5200N 1005E	-5	-0.2	3	3	10	4	
5200N 1010E	10	-0.2	1	-2	100	14	
6000N 870E	-5	-0.2	6	16	110	32	
6000N 875E	-5	-0.2	6	16	110	32	
6100N 870E	-5	-0.2	17	6	124	12	
6100N 875E	-5	-0.2	17	6	124	12	
SILT SAMPLES	Number	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm
513420	10	-0.2	20	44	114	208	208
513427	-5	-0.2	19	68	168	408	408
513458	-5	-0.2	21	52	134	210	210

**MAUI PROPERTY**  
**1:10,000**  
**NTS 105G/6**

FIGURE 5: ROCK AND SILT SAMPLE LOCATION MAP

DIAND - YUKON REGION LIBRARY *Dubh*





375 000 mE      376 000 mE      377 000 mE      378 000 mE      379 000 mE      380 000 mE      381 000 mE

MAUI PROPERTY  
1:10,000  
NTS 105G/6

FIGURE 6: GPS POINTS