

PROSPECTING / GEOPHYSICAL SURVEY

TAK 1 - 24 22

GRANT # YCO4015 - YC04036

64°02 NORTH

138'28 WEST

NTS 116 B - 9

093 929

FOR CANADIAN UNITED MINERALS INC.
DAWSON MINING DISTRICT

AUTHOR Shawn Ryan

Work performed March 10 - 18, 1998

Date of Report August 31, 1998



the amount of \$4500.00 is authorized by the Regional Evaluation Unit for the Yukon Quartz program work in the amount of \$4500.00.

M. B. K.
for Regional Manager, Exploration and
Geological Services for Commissioner,
of Yukon Territory.

TABLE OF CONTENTS

Introduction	Page 1
Location	Page 1
Access	Page 1
Work Performed	Page 1
Property Geology	Page 1
Work Method	Page 2
Interpretation	Page 2
Geological Implication	Page 2
Conclusion	Page 3
Recommendation	Page 3
Cost	Page 4
Qualifications	Page 5
Assay Results	See appendix
Rock Sample Location	See appendix
Mag/Data/Map	See appendix
Claim Map/Location	See appendix

INTRODUCTION

The TAK II 1 - 20 claims, grant # YCO4015 - YCO 4024 will be renewed for two years.

The TAK II 11 - 18 claims, grant # YCO 4025 - YCO 4035 will be renewed for one year.

TAK II 19 - 22 claims, grant# YCO4033 - YCO4036 will be renewed for two years.

Work was performed for Canadian United Minerals Inc. by author of report and prospector, Shawn Ryan, with assistance from Joel White.

LOCATION

The TAK II property is located 73.6 Km north-east of Dawson City or 8 Km west of the Dempster Highway at Km 82.

ACCESS

Access can be by snowmobile during winter months or by foot from the Dempster Highway from around the 82 Km area.

PROPERTY GENERAL GEOLOGY

The regional geology place the TAK II claims in between two major thrust faults. The Tombstone thrust to the south and the Northfork thrust fault to the north. The TAK II claims lie in an anomalous thrust fault area where according to the G.S.C. open file 2849, Geology of Dawson Map Area, 116B.C. there lies five thrust fault moving east-west in road river shale and chear beds. There is also (DCE) earn group black shale or chear pebble conglomerates, and (Ki) Tombstone plutonic suite intrusion sills, running east-west in line with local thrust fault geology.

WORK PERFORMED

TAK II 1 - 10 had 2Km of magnetic survey and grid work done with three days of prospecting.

TAK II 11 - 18 had 2Km of grid and magnetic survey.

TAK II 19 - 22 had .5Km of grid and magnetic survey and one day of prospecting.

WORK METHOD

The magnetic survey was conducted with a scintrex proton magnetometer. I ran base line down the valley; bottom flagging station every 25 metres. I manually connected the magnetic drift by taking a tie in reading at my first reading of the line.

Prospecting was conducted on snowmachines. The ridge are 80% bare in some areas making prospecting possible.

Soils were from sunny open areas and taken from three inches down.

INTERPRETATION

Magnetic Survey

Grid A showed a very quiet response.

Grid B showed a small mag high around the 1200 S and the line finish in a mag low area. The mag low is due to Tombstone intrusion moving across the valley.

Grid C gave mostly background until it reached the 1500 m s where it climbed rapidly and followed by a mag low at station 1675 m s and 2250 m s. I know for sure that the last mag low is from a Tombstone sill, which crops out to surface. It's interesting that the mag signature of the C grid and B grid are very close to the same pattern in the Tombstone sill area. The other mag low on C and B grid could possibly be from other Tombstone sill moving through at depth.

Prospecting

Prospecting has revealed a nicke cretaceous Tombstone sill moving through road river formation. I also found mineralization in thrust fault to the north of sills.

Rocks

Two rocks brought back anomalous Au value. One rock TST-4C gave 886 ppb Au, 744 AS, 8ppm Bi, 294 ppm PB. TT R-1 rock sample came from TAK II - 9 claim.

GEOLOGICAL IMPLICATIONS

The limited rock and soil samples point out that the Tombstone intrusion sills have some gold and arsenic value associated with them. It's interesting that the highest gold in rock came from north of the Tombstone.

The TAK II claims have all the same geological formations as Brewery Creek deposit situated 35 miles to the south-east. Both have thrust-fault, earn group, road river formation and Tombstone sills.

CONCLUSION

The TAK II property holds good potential with anomalous Au, As, Bi, Pb rock and soil samples found. The property should use the Brewery Creek deposit as a model target and special attention paid to the thrust fault to the north of the Tombstone sill.

RECOMMENDATION

I'm recommending summer prospecting around the Tombstone sill area and thrust fault to the north of sill. I would also recommend a soil survey along both sides of the valley to see if more Au, As, Bi anomaly can be picked up. My final recommendation would be to put a grid in across the Tombstone sill area and perform a magnetic survey to outline the Tombstone sill.

ASSAY RESULTS

See appendix

ROCK/SOIL LOCATION MAP

See appendix

MAG DATA/MAP

See appendix

COST

TAK II 1 - 10 / Two Years Assessment

2 KM of grid work @ \$250 ea	=	500.00
2 KM of magnetic survey @ \$250 ea	=	500.00
3 days of prospecting @ \$250 ea	=	750.00
Report	=	250.00
Total		<u>2,000.00</u>
3 days of truck/snowmachine rental 25% assessment value	=	500.00
TOTAL	\$	<u>2,500.00</u> =====

TAK II 11 - 18 / One Year Assessment

2 KM of grid work @ \$250	=	500.00
2 KM of magnetic survey @ \$250	=	500.00
Total	\$	<u>1,000.00</u> =====

TAK II / Two Years Assessment

.5 KM of grid work @ \$250	=	125.00
.5 KM of magnetic survey @ \$250	=	125.00
1 day of propecting with two men @ \$250	=	500.00
		<u>750.00</u>
use of truck & snowmachines	=	250.00
Total	\$	<u>1000.00</u> =====


QUALIFICATION

I have been involved in the exploration business for the last 17 years in Canada.

I have conducted soil survey, geophysical survey and have been a geologist assistant in a number of provinces and territories. I have supervised a number of geophysical crews and soil sampling programs in Ontario, Quebec, N.W.T. and Yukon.

I have been conducting exploration programs in the Yukon for the last five years.

I have a minor interest in the TAK II property and work as a contractor for Canadian United Minerals Inc.



Shawn Ryan Prospector

NTS 116 B-9

NORTH ↑


TAK II 1-22

YCO4015 - YCO4036


TAK II
Claims

April 04/97

Grid A




April 04/97



GRID B

April 05/97



GRID C

GRID LOCATION

Dawson Mining
District

TOMBSTONE TERRITORIAL PARK RESERVE
P.C. 1994-232, P.C. 1994-239.

NORTH

38° 30'

Tak II 1-22

Rock Description

TSR4C - GRANODIORITE WITH QUARTZ VEIN, 20% PYRITE
AND STAIN YELLOW POTENTIAL ASENOPYRITE.

TTR-1 - Small QUARTZ VEIN 3cm wide.

MAGNETIC SURVEY
TAK II - A - BLOCK

STATION	READING	TIME	DRIFT	CORRECTED
000	57521	4.46	0	57521
25	528			528
50	522		-1	521
75	520			519
100 S	529		-2	527
25	531			529
50	529		-3	526
75	522		-4	518
200 S	517		-5	512
25	515			510
50	516			511
75	519	4.59	-6	513
300 S	516			510
25	514			508
50	512			506
75	511		-7	504
400 S	510			503
25	500			493
50	496			489
75	494			487
500 S	501	5.02	-8	57 493
T I N				
000	57530	5.05	-9	57521
000	57521		0	57521

MAGNETIC Survey
 Tak II - B - Block

STATION	READING	TIME	DRIFT	CORRECTED
000	57469	3.34		57 469
25	466			466
50	470			470
75	467			467
100 s	461			461
25	457			457
50	454		- 1	453
75	454			453
200 s	455			454
25	454			453
50	443			442
75	441			440
300 s	434			433
25	428			427
50	426			425
75	415			414
400 s	414	3.41	- 2	412
25	410			408
50	427			425
75	420			418
500 s	392			390
25	401			399
50	511			509
75	563			561
600 s	573	3.44		571
25	515			513
50	524			522
75	474		- 3	471

STATION	READING	TIME	DRIFT	CORRECTED
700 S	57418	3.46	-3	57415
25	435			432
50	516			513
75	484			481
800 S	448			445
25	429			426
50	434			431
75	435		-4	431
900 S	470			466
25	451			447
50	427			423
75	415			411
1000 S	401			397
25	368		-5	363
50	360			355
75	338			333
1100 S	320			315
25	318			313
50	365			360
75	351		-6	345
1200 S	793			787
25	762			756
50	700			694
75	696			690
1300 S	672			667
25	614		-7	607
50	593			586
75	-			
1400 S	-			

STATION	READING	TIME	DRIFT	CORRECTED
1425	356		- 8	57348
50	553			545
75	414			406
1500s	477			469
25	549	4.08		541
50	648			640
75	504		- 9	495
1600s	443			434
25	379			370
50	329			320
75	297			288
1700s	229		- 10	219
25	306			296
50	209			199
75	143			133
1800s	219	4.13	- 11	208
T. IN				
000	57485	4.31	- 16	57469
000	57469		0	57469

MAGNETIC SURVEY
TAK II C-BLOCK

STATION	READING	TIME	DRIFT	CORRECTED
000	57395	12.00		57395
25	395			395
50	390			390
75	390		- 1	389
100 S	57382			381
25	371			370
50	376			375
75	378			377
200 S	57360			369
25	387		- 2	385
50	373			371
75	371			369
300 S	57380			378
25	461			460
50	476			474
75	438			436
400 S	57400	12.10	- 3	397
25	387			384
50	404			401
75	407			404
500 S	57418			415
25	391			388
50	372		- 4	368
75	342			338
600 S	57351			347
25	339			335
50	382			378
75	373			369
100 S	57355		- 5	350

MAGNETIC SURVEY
TAK II C-Block

STATION	READING	Time	DRIFT	Corrected
7255	57336		-5	57331
50	333			328
75	303			298
8005	57322			317
25	364			359
50	359			354
75	324	2:18		319
9005	57316		-6	310
25	329			323
50	347			341
75	306			300
10005	286			280
25	254			248
50	321			315
75	484		-7	477
11005	429			422
25	382			375
50	313			306
75	292	2:21		285
12005	57267			260
25	256			249
50	298		-8	289
75	414			406
13005	410			402
25	420			412
50	538			530
75	492			484
14005	475			467

MAGNETIC SURVEY
TAK II C - BLOCK

STATION	READING	TIME	DRIFT	CONNECTED
1425 s	57 458			450
50	370			362
75	459			451
1500 s	57 903		- 9	894
25	675			666
50	677			668
75	519			510
1600 s	57 401			392
25	475		- 10	465
50	324			314
75	238			228
1700 s	291			281
25	463			453
50	564			554
75	682			681
1800 s	532	12 34	- 11	521
25	554			543
50	566			555
75	559			548
1900 s	57 520			509
25	458			447
50	478			467
75	603			584
2000 s	595			583
25	529		- 12	517
50	412			399
75	249			236
2100 s	422			57 409

MAGNETIC SURVEY

TAK # C - BLOCK

STATION	READING	TIME	DIFF	CORRECTED
2125	57555		-13	57542
50	376			363
75	193			180
2200	57107			57094
25	56970			56957
50	57072			57059
75	244			231
2300	397	12.43	-14	57383
25				
50				
75				
2400				
T ₁ IN				
000	57417	3.05	-22	57395
000	57395		0	57395



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC

BOX 213
 DAWSON CITY YT
 V0B 1G0

Project
 Comments: ATTN:SHAWN RYAN

Page Number : 2-A
 Total Pages : 2
 Certificate Date: 13-MAY-98
 Invoice No. : 19818694
 P.O. Number :
 Account : PRP

CERTIFICATE OF ANALYSIS A9818694

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
TA CSS-1	205 226	< 5	< 0.2	1.93	202	180	0.5	< 2	0.12	0.5	22	66	39	4.34	< 10	< 1	0.22	40	0.62	990
TA CSS-2	205 226	40	0.4	0.87	2220	150	0.5	4	0.11	1.0	10	58	18	3.53	< 10	< 1	0.20	50	0.21	875
TA CSS-3	205 226	80	< 0.2	0.74	976	190	1.0	< 2	2.15	2.0	19	42	17	5.13	< 10	< 1	0.22	30	0.19	1285
TA CSS-4	205 226	< 5	< 0.2	2.18	26	230	< 0.5	< 2	0.01	< 0.5	5	56	60	4.41	< 10	< 1	0.22	20	0.74	260
TAK 20 R-1	205 226	< 5	< 0.2	1.04	28	110	0.5	< 2	0.71	< 0.5	4	56	1	1.73	< 10	< 1	0.30	50	0.36	310
TAK 20 R-2	205 226	< 5	< 0.2	0.15	14	120	< 0.5	< 2	0.01	< 0.5	6	239	38	1.18	< 10	< 1	0.04	< 10	0.05	440
TAK 20 S-4	205 226	< 5	< 0.2	1.87	82	1560	0.5	< 2	1.93	0.5	21	56	100	3.29	< 10	< 1	0.46	50	0.47	1940
TO SS-1	205 226	-----	< 0.2	2.85	6	310	1.0	< 2	0.51	< 0.5	16	58	89	5.02	< 10	< 1	0.63	40	0.97	685
TO SS-2	205 226	-----	< 0.2	2.60	8	400	0.5	< 2	0.37	< 0.5	20	180	43	4.30	< 10	< 1	0.29	40	1.60	485
TO SS-3	205 226	-----	< 0.2	3.08	6	770	0.5	< 2	0.52	< 0.5	27	280	55	7.10	10	< 1	0.11	40	2.45	510
TO SS-4	205 226	-----	< 0.2	2.06	14	150	0.5	< 2	0.14	< 0.5	16	54	36	3.71	< 10	< 1	0.34	30	0.60	430
TO SS-5	205 226	-----	0.2	1.42	24	460	0.5	< 2	0.08	1.0	5	73	48	2.27	< 10	< 1	0.23	20	0.28	120
TO SS-6	205 226	-----	< 0.2	2.57	2	170	0.5	< 2	0.05	< 0.5	13	56	22	4.16	< 10	< 1	0.43	40	0.57	390
TOP R-2	205 226	-----	< 0.2	2.18	< 2	360	0.5	< 2	0.16	< 0.5	7	41	56	2.93	< 10	< 1	0.56	40	0.68	55
TOP R-3	205 226	-----	0.2	0.41	14	490	< 0.5	< 2	0.01	< 0.5	< 1	61	5	0.48	< 10	< 1	0.13	10	0.05	5
TOP S-1	205 226	-----	< 0.2	4.02	8	440	1.0	< 2	0.70	< 0.5	41	437	73	7.55	10	< 1	0.08	50	3.47	650
TOP SS-2	205 226	-----	0.2	0.89	18	250	0.5	< 2	0.11	1.5	5	104	32	1.30	< 10	< 1	0.13	10	0.18	145
TOWER R2-1	205 226	-----	1.6	0.66	50	350	0.5	< 2	0.04	2.5	1	226	136	1.01	< 10	< 1	0.17	10	0.11	20
TOWER R22-1	205 226	-----	< 0.2	0.31	8	40	< 0.5	< 2	1.52	123.5	5	260	24	0.58	< 10	< 1	0.03	< 10	0.94	490
TOWER S-44	205 226	-----	1.2	0.55	34	320	0.5	< 2	0.66	21.5	5	132	71	1.10	< 10	< 1	0.16	10	0.21	155
TOWER SR-1	205 226	-----	< 0.2	3.36	< 2	440	< 0.5	< 2	1.03	< 0.5	30	31	109	6.30	10	< 1	0.10	10	2.70	930
TS-1	205 226	-----	0.8	0.67	20	240	0.5	< 2	0.06	0.5	19	30	60	3.77	< 10	< 1	0.28	< 10	0.07	2120
TS-2	205 226	-----	< 0.2	0.66	18	240	0.5	< 2	0.12	< 0.5	14	51	59	3.32	< 10	< 1	0.26	< 10	0.08	3170
TS R-1C	205 226	15	< 0.2	1.06	406	200	1.0	< 2	3.04	< 0.5	11	35	12	4.16	< 10	< 1	0.38	50	0.49	935
TS R-3C	205 226	< 5	< 0.2	0.07	2	230	< 0.5	< 2	7.82	< 0.5	1	97	3	1.49	< 10	< 1	0.03	< 10	3.90	640
TS R-4C	205 226	880	2.8	0.13	744	70	< 0.5	6	0.02	< 0.5	4	299	14	2.58	< 10	< 1	0.06	< 10	0.03	100
TS R-3	205 226	< 5	1.4	0.20	12	110	< 0.5	2	0.03	< 0.5	33	144	31	4.19	< 10	< 1	0.09	< 10	0.04	>10000
TS R-4	205 226	10	< 0.1	0.46	98	290	< 0.5	< 2	0.03	< 0.5	8	66	19	1.90	< 10	< 1	0.19	< 10	0.04	490
TS R-5	205 226	< 5	< 0.2	0.18	10	100	< 0.5	< 2	< 0.01	< 0.5	1	222	11	0.91	< 10	< 1	0.08	< 10	0.02	35
TS R10-2C	205 226	< 5	0.2	0.29	12	330	< 0.5	< 2	0.04	< 0.5	3	185	10	0.79	< 10	< 1	0.13	< 10	0.03	145
TT R-1	205 226	190	3.6	0.49	1425	10	< 0.5	8	0.01	< 0.5	5	79	12	7.77	< 10	< 1	0.29	10	0.01	40
TT R-2	205 226	< 5	< 0.2	0.55	20	180	< 0.5	< 2	0.05	< 0.5	16	165	40	1.08	< 10	< 1	0.23	< 10	0.28	85
TT R-3	205 226	< 5	< 0.2	1.10	20	110	0.5	< 2	0.73	< 0.5	4	69	1	1.65	< 10	< 1	0.30	50	0.38	275
TT S-1	205 226	< 5	0.2	1.04	640	160	0.5	< 2	0.11	1.0	8	61	13	2.26	< 10	< 1	0.28	50	0.24	640
TT S-2	205 226	< 5	< 0.2	1.14	20	380	0.5	< 2	0.05	< 0.5	9	92	56	2.33	< 10	< 1	0.41	10	0.30	1035
WR-1	205 226	-----	1.6	1.17	64	50	0.5	< 2	6.66	17.5	11	101	78	1.82	< 10	< 1	0.33	< 10	0.80	75
WR-2	205 226	-----	0.4	0.41	18	950	< 0.5	< 2	10.50	9.5	2	70	21	0.47	< 10	< 1	0.12	< 10	0.24	45
WR-3	205 226	-----	1.4	1.04	30	70	0.5	< 2	8.74	8.5	10	66	46	2.36	< 10	< 1	0.25	< 10	1.18	135
WR-4	205 226	-----	0.6	0.72	10	150	< 0.5	< 2	>15.00	7.0	4	77	22	0.82	< 10	< 1	0.17	10	0.98	120

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To CANADIAN UNITED MINERALS INC

BOX 213
 DAWSON CITY, YT
 V0B 1G0

Project:
 Comments: ATTN: SHAWN RYAN

Page Number : 2-B
 Total Pages : 2
 Certificate Date: 13-MAY-98
 Invoice No. : 19818694
 P.O. Number :
 Account : PRP

CERTIFICATE OF ANALYSIS

A9818694

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
TA CSS-1	205 226	2	0.01	51	930	64	< 2	3	48	< 0.01	< 10	< 10	41	< 10	202
TA CSS-2	205 226	4	0.02	23	440	154	< 2	1	46	< 0.01	< 10	10	10	< 10	174
TA CSS-3	205 226	2	0.01	29	1240	154	< 2	5	242	< 0.01	< 10	10	16	< 10	418
TA CSS-4	205 226	3	0.02	20	1050	24	< 2	3	29	< 0.01	< 10	< 10	48	< 10	78
TAK 20 R-1	205 226	3	0.05	7	440	48	2	1	132	< 0.01	< 10	< 10	1	< 10	96
TAK 20 R-2	205 226	< 1	< 0.01	11	80	2	< 2	1	37	< 0.01	< 10	< 10	5	< 10	14
TAK 20 S-4	205 226	9	0.01	48	8430	54	< 2	4	1115	< 0.01	< 10	10	97	< 10	224
TO SS-1	205 226	3	0.01	48	2520	14	< 2	5	79	< 0.01	< 10	< 10	64	< 10	124
TO SS-2	205 226	4	0.01	62	1910	6	< 2	5	63	0.02	< 10	< 10	88	< 10	74
TO SS-3	205 226	3	0.02	95	2750	< 2	< 2	12	87	0.03	< 10	10	187	< 10	94
TO SS-4	205 226	2	0.01	26	850	22	< 2	3	20	0.03	< 10	< 10	45	< 10	94
TO SS-5	205 226	26	0.01	54	520	10	4	4	55	0.02	< 10	< 10	305	< 10	234
TO SS-6	205 226	1	< 0.01	24	220	12	< 2	3	9	< 0.01	< 10	< 10	19	< 10	68
TOP R-2	205 226	1	0.01	25	900	< 2	< 2	5	20	< 0.01	< 10	< 10	33	< 10	66
TOP R-3	205 226	30	< 0.01	15	270	2	2	< 1	19	< 0.01	< 10	< 10	207	< 10	24
TOP S-1	205 226	4	0.01	150	2610	2	< 2	13	96	0.10	< 10	10	203	< 10	114
TOP SS-2	205 226	28	< 0.01	59	570	6	2	2	34	0.02	< 10	< 10	587	< 10	218
TOWER R2-1	205 226	64	< 0.01	61	1300	62	8	5	96	0.01	< 10	10	2460	< 10	118
TOWER R22-1	205 226	14	< 0.01	197	180	84	< 2	1	66	< 0.01	< 10	< 10	358	< 10	2940
TOWER S-44	205 226	45	< 0.01	167	970	102	8	3	106	< 0.01	< 10	< 10	846	< 10	1910
TOWER SR-1	205 226	3	< 0.01	41	1220	< 2	< 2	6	32	0.43	< 10	< 10	139	< 10	72
TS-1	205 226	2	0.01	38	420	102	2	5	32	< 0.01	< 10	< 10	14	< 10	180
TS-2	205 226	2	0.01	35	570	28	< 2	4	43	< 0.01	< 10	< 10	15	< 10	120
TS R-1C	205 226	1	0.05	2	1370	24	< 2	5	365	0.02	< 10	10	29	< 10	82
TS R-3C	205 226	1	0.01	6	480	< 2	< 2	1	333	< 0.01	< 10	< 10	12	< 10	12
TS R-4C	205 226	< 1	< 0.01	5	70	268	< 2	< 1	3	< 0.01	< 10	< 10	4	< 10	8
TS R-3	205 226	< 1	< 0.01	75	420	316	2	2	61	< 0.01	< 10	10	13	< 10	114
TS R-4	205 226	12	0.01	20	50	16	< 2	1	13	< 0.01	< 10	< 10	6	< 10	164
TS R-5	205 226	1	< 0.01	9	80	4	< 2	< 1	6	< 0.01	< 10	< 10	6	< 10	20
TS R10-2C	205 226	1	< 0.01	11	360	62	< 2	< 1	34	< 0.01	< 10	< 10	9	< 10	20
TT R-1	205 226	1	0.01	1	170	294	< 2	< 1	7	< 0.01	< 10	10	1	< 10	16
TT R-2	205 226	< 1	< 0.01	24	160	4	< 2	1	14	< 0.01	< 10	< 10	7	< 10	48
TT R-3	205 226	2	0.04	8	440	64	4	1	121	< 0.01	< 10	< 10	1	< 10	92
TT S-1	205 226	2	0.04	25	500	116	< 2	1	27	< 0.01	< 10	10	10	< 10	204
TT S-2	205 226	1	0.01	27	290	10	< 2	3	29	< 0.01	< 10	< 10	27	< 10	72
W R-1	205 226	181	0.01	436	860	14	2	5	619	0.01	< 10	30	1835	< 10	1340
W R-2	205 226	41	< 0.01	86	690	2	< 2	1	1555	< 0.01	< 10	< 10	851	< 10	454
W R-3	205 226	50	< 0.01	174	1020	14	< 2	5	776	< 0.01	< 10	10	595	< 10	636
W R-4	205 226	16	0.01	97	830	6	< 2	3	1750	< 0.01	< 10	< 10	575	< 10	518

CERTIFICATION: Shawn Ryan



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To CANADIAN UNITED MINERALS INC

BOX 213
 DAWSON CITY, YT
 V0B 1G0

Project :
 Comments: ATTN:SHAWN RYAN

Page Number : 1-A
 Total Pages : 2
 Certificate Date : 13-MAY-98
 Invoice No. : 19818694
 P.O. Number :
 Account : PRP

CERTIFICATE OF ANALYSIS A9818694

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
DMI R-1	205 226	-----	1.0	0.94	50	140	0.5	< 2	11.45	10.5	7	65	61	2.95	< 10	< 1	0.22	< 10	0.85	105
DMI R-2	205 226	-----	1.4	0.59	52	60	< 0.5	2	>15.00	3.5	3	35	139	4.09	< 10	< 1	0.13	< 10	0.56	90
DMI R-3	205 226	-----	2.0	0.40	70	230	< 0.5	< 2	10.10	18.0	3	111	185	0.85	< 10	< 1	0.09	< 10	0.27	60
DMI R-4	205 226	-----	1.2	0.78	16	160	< 0.5	< 2	3.14	24.0	9	46	49	1.53	< 10	< 1	0.25	< 10	1.56	295
DMI R-10	205 226	-----	0.2	0.06	2	540	< 0.5	2	12.75	1.5	1	102	22	0.24	< 10	< 1	0.01	< 10	0.17	55
DMI S-2	205 226	-----	1.0	0.84	38	90	0.5	< 2	13.25	14.5	9	71	52	1.43	< 10	< 1	0.20	< 10	0.84	100
DMI S-4	205 226	-----	1.8	0.82	18	50	0.5	< 2	2.75	1.5	< 1	57	79	0.98	< 10	< 1	0.25	< 10	0.10	5
DMI S-5	205 226	-----	0.2	0.97	80	10	0.5	< 2	1.52	1.5	5	39	94	5.12	< 10	< 1	0.49	< 10	0.45	55
DMI S-6	205 226	-----	0.2	0.44	24	150	< 0.5	< 2	0.05	< 0.5	< 1	58	51	2.03	< 10	< 1	0.32	< 10	0.05	10
DMI S-7	205 226	-----	0.2	0.69	20	160	0.5	< 2	0.99	0.5	1	65	63	1.32	< 10	< 1	0.13	< 10	0.28	35
DMI S-8	205 226	-----	0.2	0.67	32	130	0.5	< 2	0.31	< 0.5	< 1	48	80	1.32	< 10	< 1	0.33	< 10	0.09	< 5
DMI S-9	205 226	-----	0.4	0.83	20	160	0.5	< 2	1.16	1.0	1	58	64	0.74	< 10	< 1	0.25	< 10	0.08	10
DMI S-10	205 226	-----	0.2	0.85	18	1010	< 0.5	< 2	13.70	3.0	3	47	114	0.62	< 10	< 1	0.09	< 10	2.27	265
DMI S-11	205 226	-----	1.6	0.87	8	40	0.5	< 2	2.16	1.5	10	25	40	3.32	< 10	< 1	0.18	< 10	0.55	165
DMI S-12	205 226	-----	4.6	1.00	16	160	0.5	< 2	1.45	0.5	< 1	40	59	0.74	< 10	< 1	0.29	< 10	0.09	5
EAGLE R1-43	205 226	-----	< 0.2	0.27	18	130	< 0.5	< 2	0.21	0.5	< 1	90	9	0.60	< 10	< 1	0.09	< 10	0.03	15
EAGLE R2-6	205 226	-----	< 0.2	2.37	< 2	50	1.0	< 2	0.09	< 0.5	16	92	8	5.74	10	< 1	0.01	50	1.47	495
EAGLE R3-8	205 226	-----	< 0.2	1.99	< 2	50	< 0.5	< 2	14.15	< 0.5	23	128	41	4.15	10	< 1	< 0.01	10	1.91	1745
EAGLE S-45	205 226	-----	< 0.2	2.32	18	210	1.5	< 2	0.65	< 0.5	18	71	34	4.04	< 10	< 1	0.47	60	0.69	1070
ENG R-1	205 226	-----	0.4	0.98	10	300	0.5	< 2	3.25	< 0.5	9	29	21	3.04	< 10	< 1	0.23	< 10	0.76	85
ENG S-2	205 226	-----	1.0	1.47	24	90	0.5	< 2	3.05	< 0.5	17	50	43	3.41	< 10	< 1	0.23	< 10	0.77	170
NI BE R-1	205 226	-----	0.4	0.45	18	500	0.5	< 2	5.87	7.5	4	54	50	0.79	< 10	< 1	0.13	10	0.26	60
NI CH AB R-1	205 226	-----	1.2	0.31	24	580	< 0.5	< 2	0.08	0.5	1	149	17	1.10	< 10	< 1	0.12	< 10	0.08	10
NI CO R-1	205 226	-----	4.4	1.06	294	50	1.5	< 2	0.28	0.5	6	111	21	1.52	< 10	< 1	0.34	40	0.18	5
RAE R-1	205 226	-----	0.4	0.22	14	880	< 0.5	< 2	0.01	0.5	1	228	33	0.86	< 10	< 1	0.05	< 10	0.01	15
RED R-1	205 226	-----	0.6	1.09	18	520	< 0.5	< 2	< 0.01	< 0.5	< 1	54	7	2.49	< 10	< 1	0.48	20	0.07	< 5
REDS -01	205 226	-----	1.8	0.83	32	160	< 0.5	< 2	< 0.01	< 0.5	1	46	34	5.18	< 10	< 1	0.42	< 10	0.05	40
ST R-1	205 226	< 5	< 0.2	0.23	14	220	< 0.5	< 2	0.02	< 0.5	8	119	32	2.80	< 10	< 1	0.12	< 10	0.04	1470
ST R-2	205 226	< 5	< 0.2	0.12	10	80	< 0.5	< 2	0.17	0.5	3	184	25	0.92	< 10	< 1	0.04	< 10	0.03	640
TA ASJ-1	205 226	< 5	< 0.2	2.24	8	80	1.0	< 2	0.13	< 0.5	19	47	24	4.68	< 10	< 1	0.25	< 10	0.76	930
TA ASJ-2	205 226	< 5	< 0.2	2.31	10	70	1.5	< 2	0.12	< 0.5	18	65	39	5.40	< 10	< 1	0.21	10	0.61	1070
TA BSJ-1	205 226	10	< 0.2	0.97	14	210	< 0.5	< 2	0.14	< 0.5	9	142	64	3.09	< 10	< 1	0.18	10	0.21	740
TA BSJ-2	205 226	< 5	0.2	2.13	14	140	0.5	< 2	0.06	< 0.5	6	72	36	4.13	< 10	< 1	0.22	30	0.75	300
TA BSJ-3	205 226	< 5	0.2	1.26	86	1270	0.5	< 2	0.25	1.5	26	42	79	4.40	< 10	< 1	0.39	40	0.15	1590
TA BSJ-4	205 226	15	1.2	0.89	20	490	0.5	< 2	0.06	0.5	17	79	151	5.66	< 10	< 1	0.29	30	0.13	935
TA CRJ-F	205 226	< 5	< 0.2	1.59	6	330	0.5	< 2	2.06	< 0.5	7	25	9	3.25	< 10	< 1	0.93	60	0.44	1070
TA CSJ-A	205 226	< 5	< 0.2	1.97	252	180	0.5	< 2	0.17	0.5	14	70	33	4.06	< 10	< 1	0.22	40	0.70	915
TA CSJ-B	205 226	10	0.2	1.47	634	160	0.5	< 2	0.15	1.0	12	54	26	3.54	< 10	< 1	0.19	50	0.51	720
TA CSJ-E	205 226	< 5	0.8	1.88	26	340	1.0	< 2	0.05	< 0.5	12	131	119	5.43	< 10	< 1	0.40	30	0.69	1265
TA CSJ-F	205 226	< 5	0.2	1.63	18	350	0.5	< 2	0.09	0.5	10	78	81	3.95	< 10	< 1	0.36	30	0.55	1240

CERTIFICATION



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

TO: CANADIAN UNITED MINERALS INC

SOX 213
 DAWSON CITY, YT
 V0B 1G0

Project:
 Comments: ATTN:SHAWN RYAN


Page Number : 1-B
 Total Pages : 2
 Certificate Date: 13-MAY-98
 Invoice No. : 19818694
 P.O. Number :
 Account : PRP


CERTIFICATE OF ANALYSIS A9818694

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
DMI R-1	205 226	41	< 0.01	132	730	12	2	4	1025	< 0.01	< 10	< 10	735	< 10	648
DMI R-2	205 226	28	< 0.01	90	2430	20	36	4	1900	< 0.01	< 10	10	413	< 10	284
DMI R-3	205 226	52	< 0.01	91	930	4	14	2	1665	0.04	< 10	< 10	860	< 10	598
DMI R-4	205 226	35	0.04	199	460	6	6	7	134	< 0.01	< 10	< 10	315	< 10	766
DMI R-10	205 226	9	< 0.01	36	250	< 2	2	1	1520	< 0.01	< 10	< 10	127	< 10	114
DMI S-2	205 226	73	< 0.01	234	930	10	< 2	3	1455	0.01	< 10	10	930	< 10	1150
DMI S-4	205 226	30	0.02	32	5260	6	2	3	133	< 0.01	< 10	20	339	< 10	28
DMI S-5	205 226	21	0.08	34	470	< 2	< 2	6	77	< 0.01	< 10	10	43	< 10	92
DMI S-6	205 226	79	0.03	25	340	8	< 2	3	36	< 0.01	< 10	10	275	< 10	22
DMI S-7	205 226	91	0.01	81	300	2	2	3	101	< 0.01	< 10	20	178	< 10	98
DMI S-8	205 226	100	0.01	37	210	4	< 2	4	20	< 0.01	< 10	30	401	< 10	8
DMI S-9	205 226	69	0.01	62	30	< 2	2	2	84	< 0.01	< 10	10	609	< 10	74
DMI S-10	205 226	44	0.01	140	240	2	< 2	4	1300	< 0.01	< 10	< 10	788	< 10	360
DMI S-11	205 226	3	0.01	95	760	10	< 2	7	205	< 0.01	< 10	< 10	29	< 10	314
DMI S-12	205 226	11	0.02	15	2090	10	< 2	3	134	< 0.01	< 10	< 10	38	< 10	30
EAGLE R1-43	205 226	29	< 0.01	22	950	2	2	1	88	0.02	< 10	< 10	135	< 10	80
EAGLE R2-6	205 226	1	0.11	38	340	6	< 2	14	40	0.04	< 10	< 10	70	< 10	62
EAGLE R3-8	205 226	< 1	0.03	109	930	< 2	< 2	9	438	< 0.01	< 10	< 10	103	< 10	16
EAGLE S-45	205 226	2	0.01	40	1070	26	< 2	5	52	< 0.01	< 10	< 10	41	< 10	72
ENG R-1	205 226	1	0.03	62	710	12	< 2	6	165	< 0.01	< 10	< 10	29	< 10	148
ENG S-2	205 226	1	0.01	85	280	22	< 2	6	382	< 0.01	< 10	< 10	34	< 10	304
NI BE R-1	205 226	41	< 0.01	194	370	2	2	3	486	< 0.01	< 10	10	609	< 10	374
NI CH AB R-1	205 226	51	< 0.01	50	2390	2	2	2	52	< 0.01	< 10	< 10	366	< 10	46
NI CO R-1	205 226	464	< 0.01	2050	2840	32	14	6	191	< 0.01	30	30	1315	< 10	42
RAE R-1	205 226	12	< 0.01	43	160	< 2	2	1	22	< 0.01	< 10	< 10	96	< 10	168
RED R-1	205 226	4	0.03	6	700	14	< 2	5	72	< 0.01	< 10	< 10	102	< 10	2
REDS -01	205 226	5	0.08	18	900	14	< 2	5	94	< 0.01	< 10	10	102	< 10	44
ST R-1	205 226	< 1	< 0.01	9	20	26	< 2	4	11	< 0.01	< 10	< 10	12	< 10	70
ST R-2	205 226	1	< 0.01	13	510	10	< 2	1	49	< 0.01	< 10	< 10	6	< 10	52
TA ASJ-1	205 226	< 1	0.03	35	370	24	< 2	4	25	< 0.01	< 10	< 10	26	< 10	102
TA ASJ-2	205 226	1	0.03	36	420	22	< 2	6	39	< 0.01	< 10	10	23	< 10	110
TA BSJ-1	205 226	3	0.01	25	870	6	< 2	3	69	0.03	< 10	< 10	32	< 10	90
TA BSJ-2	205 226	5	0.03	20	940	16	< 2	3	31	< 0.01	< 10	< 10	34	< 10	106
TA BSJ-3	205 226	5	0.03	78	1530	46	2	5	159	< 0.01	< 10	10	43	< 10	314
TA BSJ-4	205 226	3	< 0.01	72	120	20	< 2	5	46	< 0.01	< 10	< 10	46	< 10	260
TA CRJ-P	205 226	2	0.04	8	860	22	< 2	4	425	0.09	< 10	10	28	< 10	110
TA CSJ-A	205 226	3	0.01	39	990	48	< 2	3	49	< 0.01	< 10	< 10	39	< 10	160
TA CSJ-B	205 226	4	0.02	32	650	94	< 2	3	45	< 0.01	< 10	10	22	< 10	226
TA CSJ-E	205 226	2	0.01	44	360	16	< 2	6	34	0.03	< 10	< 10	107	< 10	140
TA CSJ-F	205 226	3	0.01	39	640	12	< 2	4	35	0.01	< 10	10	49	< 10	136

CERTIFICATION

Shawn Ryan






MAGNETIC
SURVEY

←
NORTH

Scale 1-500m-1



CANADIAN UNITED Minerals INC
TAK II claims
A-Block
WORK DONE MARCH 1998




NT
1:250,000
Map 1284A

30'

15'



MAGNETIC SURVEY



Scale 1-500m

←
NORTH

DIAND - YUKON REGION, LIBRARY


093929

DWG ①

CANADIAN UNITED Minerals Ltd.
TAR II claims
B-Block
work done MARCH 98

MAGNETIC SURVEY

← NORTH



STATIONS →

SCALE 1-500m-1

DIAND YUKON REGION LIBRARY

093929

(257) ②

CANADIAN UNITED Mineral. Inc.
TAK II claims
C-Block