

ARCHER, CATHRO

& ASSOCIATES (1981) LIMITED

CONSULTING GEOLOGICAL ENGINEERS

1016 - 510 WEST HASTINGS STREET, VANCOUVER, B.C. V6B 1L8 TEL (604) 688-2568 • FAX (604) 688-2578

ASSESSMENT REPORT

describing

GEOLOGICAL MAPPING, PROSPECTING AND SOIL GEOCHEMISTRY

on the

DDL PROPERTY

DDL 1-16 Claims YC08325-YC08340


093953

NTS 105E/3

Latitude 61°05'N Longitude 135°02'N

for

NORDAC RESOURCES LTD.



Field work performed between June 4 and 15, 1998

W.D. Eaton, B.A., B.Sc.
March, 1999

This report has been examined by
the Geological Evaluation Unit
under Section 53 (4) Yukon Quartz
Mining Act and is allowed as
representation work in the amount
of \$ 7200.00.

M. B. B.
Regional Manager, Exploration and
Geological Services for Commissioner,
of Yukon Territory.

TABLE OF CONTENTS

	<u>PAGE</u>
INTRODUCTION	1
LOCATION, CLAIM STATUS AND ACCESS	2
PREVIOUS WORK	3
GEOMORPHOLOGY	4
GEOLOGY	5
SOIL GEOCHEMISTRY	6
MINERALIZATION	8
SUMMARY AND RECOMMENDATIONS	11
SELECTED REFERENCES	12

APPENDICES

- I AUTHOR'S STATEMENT OF QUALIFICATIONS
- II GPS SURVEY DATA
- III CERTIFICATES OF ANALYSIS
- IV ROCK SAMPLE DESCRIPTIONS

FIGURES

<u>NO.</u>	<u>DESCRIPTION</u>	<u>LOCATION</u>
1	Property Location	Following Page 2
2	Claim Location	Following Page 2
3	Property Geology	Following Page 5
4	Sample Location	Following Page 6
5	Gold Geochemistry	Following Page 6
6	Copper Geochemistry	Following Page 6

INTRODUCTION

The DDL property is owned 100% by Nordac Resources Ltd. It was staked in fall 1997 to cover a gold-silver target that had previously been explored for copper as a porphyry and skarn prospect. This report describes results of geological mapping, prospecting and soil sampling conducted by geologist Greg Duso and fieldperson Iain Weatherston between June 4 and 15, 1998 under the author's supervision. The Author's Statement of Qualifications appears in Appendix I.


LOCATION, CLAIM STATUS AND ACCESS

The DDL property is located immediately east of Lake Laberge at latitude 61°05'N and longitude 135°02'N on NTS map sheet 105E/3 (Figure 1). It consists of sixteen contiguous claims (Figure 2) registered with the Whitehorse Mining Recorder in the name of Archer, Cathro & Associates (1981) Limited which holds them in trust for Nordac Resources Ltd. Claim registration data are as follows.

<u>Claim Name</u>	<u>Grant Numbers</u>	<u>Expiry Date*</u>
DDL 1-16	YC08325-YC08340	April 14, 2003

*Includes 1998 assessment work which has been filed but not yet accepted.

During the 1998 exploration program selected claim post locations were surveyed using Trimble Geoexplorer GPS units. Field readings were corrected using base station data from the Department of Renewable Resources (Forestry) at Whitehorse. GPS survey data appear in Appendix II.



NORDAC RESOURCES LTD.

FIGURE 2
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CLAIM LOCATION
 DDL PROPERTY



DRAWN/REVISED BY: TCB

PROJECT: ABC

FILE: NORDAC\DDL\ACAD\98\DD-CL.DWG

DATE: MARCH, 1999

PREVIOUS WORK

The DDL 1-16 claims cover Yukon Minfile occurrence 105E 006. This target was discovered and hand trenched at the turn of the century. It was first staked in 1966 as the Jac claims by Rexony Mining Company Limited which optioned the claims to Pine Lake Mining Company Limited. Exploration the following year focussed on skarns and was modelled on the Whitehorse Copper Belt. It consisted of airborne and ground magnetic surveys, geological mapping, bulldozer trenching and 826.9 m of diamond drilling in nine holes. Six of the holes tested a strong magnetic anomaly in a till-covered valley bottom while the other three explored copper showings on the adjacent hillside.

The target was restaked in 1971 as the Pine and Kart claims by Caltor Syndicate which explored with soil sampling in 1971 followed by detailed mapping and EM 16 surveys in 1972. It was restaked again in 1974 as the Pilon claims and in 1979 as the Rob claims but no further work was reported.

GEOMORPHOLOGY

The claims lie about 500 m east of Lake Laberge and are partially underlain by a small lake (informally referred to as Pine Lake). The eastern half of the claim block covers creek bottoms and swamps adjacent to Pine Lake. The western half is underlain by terrace benches and steep grassy slopes with occasional cliffs. Local elevations range from about 700 to 900 m above sea level. Outcrops are scarce in the glacial till-covered, eastern half of the property but are moderately abundant in the west where they occur as scoured knobs and cliffs.

Mature spruce forests are common in the vicinity of Pine Lake and on gentle slopes while poplar and grass predominate on steep, south and west facing slopes. Areas underlain by permanently frozen soil typically exhibit moss and labrador tea ground cover.

GEOLOGY

The property is situated in the Northern Stikina Terrane and is underlain by north-trending, east-dipping, Upper Triassic and Lower Jurassic(?) limestone with minor interbedded argillite plus a variety of Jurassic and younger igneous rocks. Hornfels and skarn zones are developed in the sediments adjacent to a feldspar porphyry stock (Figure 3). The most recent regional scale mapping was done in 1977 by D. Templeman-Kluit for the Geological Survey of Canada (Open File 578). The following unit descriptions are based on Templeman-Kluit's work, old assessment reports and 1998 mapping.

Limestone is massive, white weathering and pale grey. Adjacent to porphyry intrusions it is often recrystallized, dolomitized or skarnified. Although regional descriptions suggest that stromatoporoids and other fossils are common, none were reported from the property.



Argillite is dark brown to dark grey and occurs in thin, recessive beds. Only a few outcrops of this unit were observed but some hornfels exposures could be altered equivalents.

Feldspar porphyry is characterized by a highly fractured, rough, reddish appearance with fine to medium grained feldspar and hornblende phenocrysts in a light to dark green aphanitic matrix. Locally phenocrysts are more abundant and the rock has an equigranular appearance. North-trending porphyry dykes consist of minor fine grained quartz phenocrysts in a sugary aphanitic matrix.

Andesite dykes are composed of dark green aphanitic to very fine grained matrix with sparse quartz or feldspar phenocrysts.



-  Andesite
-  Feldspar porphyry
-  Argillite
-  Limestone

-  Mineralized showing referred to in text
-  Rock sample location
-  Soil sample location
-  Mineralized float
-  Outcrop
-  Inferred fault
-  Assumed geological contact
-  Foliation with orientation
-  Jointing with orientation
-  Trench
-  1967 diamond drill hole location

043953 [Handwritten]

NORDAC RESOURCES LTD.	
FIGURE 3 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED	
PROPERTY GEOLOGY	
DDL PROPERTY	
	
DRAWN/REVISED BY: TCB	PROJECT:
FILE: NORDAC\DDL\ACAD99\DDL-GEO.DWG	DATE: MARCH, 1999


SOIL GEOCHEMISTRY

Grid soil sampling was done over a 1000 by 1000 m area in the western part of the property. The samples were collected at 50 m intervals on compass and topofil controlled lines spaced 100 m apart. The sample lines extended 500 m on either side of a central baseline, the location and orientation of which was established using global positioning technology. Grub hoes were used to dig sample pits. Some sites were not sampled because the pits could not penetrate through frozen organics while other areas were too steep to sample. Samples were taken from "B" horizon material and placed in pre-numbered Kraft bags. The sample sites were marked with 0.5 m high wooden lath bearing aluminum tags inscribed with the sample number and grid coordinates.

All soil samples were sent to Chemex Labs Ltd., North Vancouver where they were dried, screened to -80 mesh, dissolved in aqua regia and analyzed for 32 elements by the Induced Coupled Plasma (ICP) technique. Sample splits were also analyzed for gold using fire assay coupled with atomic absorption.


Sample locations are shown on Figure 4 while gold and copper values are shown on Figures 5 and 6, respectively. Appendix III contains Certificates of Analyses.

Soil geochemical results have not been plotted for all the metals because response is subdued. Anomalous values are scarce and erratically distributed even with relatively low anomalous thresholds. Geochemical data is summarized on the following table.



- 4636 Soil sample location with sample number
- 59286 Rock sample location with sample number
- > Trench location

NORDAC RESOURCES LTD.	
FIGURE 4 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED	
SAMPLE LOCATION DDL PROPERTY	
DRAWN/REVISED BY: TCB	PROJECT:
FILE: NORDAC\DDL\ACAD99\DDL-SNO.DWG	DATE: MARCH, 1999



- ₃₈ Sample location with gold value in ppb
- ≥ 50 ppm Au
- ≥ 20 < 50 ppm Au
- ≥ 10 < 20 ppm Au
- X Trench location
- Rock sample location

NORDAC RESOURCES LTD.	
FIGURE 5 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED	
GOLD GEOCHEMISTRY DDL PROPERTY	
DRAWN/REVISED BY: TCB	PROJECT:
FILE: NORDAC\DDL\ACAD99\DDL-SNO.DWG	DATE: MARCH, 1999



- 38 Sample location with copper value in ppm
- ◻ ≥ 200 ppm Cu
- ◻ ≥ 100 < 200 ppm Cu
- ◻ ≥ 50 < 100 ppm Cu
- ⊗ Trench location
- Rock sample location

NORDAC RESOURCES LTD.	
FIGURE 6 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED COPPER GEOCHEMISTRY DDL PROPERTY	
DRAWN/REVISED BY: TCB	PROJECT:
FILE: NORDAC\DDL\ACAD99\DDL-SNO.DWG	DATE: MARCH, 1999

<u>Metal (unit)</u>	<u>Anomalous Threshold</u>	<u>% Samples Exceeding Anomalous Threshold</u>	<u>Peak Values</u>
Gold (ppb)	10	2	90
Silver (ppm)	0.5	3	1.2
Lead (ppm)	40	8	190
Copper (ppm)	50	11	242
Zinc (ppm)	85	3	148

None of the samples taken directly adjacent to or downhill from known mineral occurrences returned anomalous values. Most of the values were found in the northeastern corner of the grid where a number of small copper showings are associated with pyritic porphyry dykes and plugs. The best single sample (4591) was collected near a copper-bearing skarn developed along the northern contact of the largest porphyry intrusion. It returned 242 ppm copper, 110 ppm lead and 1.2 ppm silver. Chip samples from the skarn contained elevated copper and gold (up to 1680 ppm and 465 ppm gold) but low values for the other metals.

MINERALIZATION

Prospecting prior to and including 1998 has identified two types of mineralization and four showings in the area of the 1998 soil geochemical grid. The first type comprises Showings A, B and C where zinc-lead±copper±silver±gold mineralization occurs in replacement zones within skarnified limestone bands. The second type is represented by Showing D where copper mineralization is found in a feldspar porphyry stock.

The showings, plus four other areas of interest, received geological mapping, prospecting and hand trenching in 1998. Descriptions of rock samples appear in Appendix IV while their locations are shown on Figure 4.

Twelve specimens and eighteen chip samples were collected in 1997 and 1998. All samples were sent to Chemex Labs in North Vancouver where they were crushed and pulverized to more than 90%, 100 micron (-150 mesh) using a chrome-steel ring mill. The samples were analyzed for 32 elements using the ICP technique and for gold using atomic absorption with fire assay finish. When a sample exceeded detection limits for silver, lead or zinc it was reanalyzed using standard assay techniques. Certificates of Analysis are in Appendix III.

Showing A was examined in 1997 and 1998. Seven specimens were taken from old hand trenches which exposed narrow veins and small lenses of massive sulphide within a band of strongly oxidized diopside-epidote skarn. The lenses are up to 5 cm thick and about 40 cm in diameter. They consist of semi-massive to massive pyrite and pyrrhotite with lesser sphalerite, chalcopyrite and galena. Specimens returned up to 10.2% zinc, 0.56% lead, 16.75% copper, 367 g/t silver and 33.8 g/t gold and averaged 2.9% zinc, 0.17% lead, 2.5% copper, 66.9 g/t silver and 9.1 g/t gold.

Showing B is centred on an outcrop of dolomitized and jasperoid altered limestone.

Textures range from complete replacement of the original rock to partial replacement where the original texture of the limestone is preserved within the jasperoid, in part because of very fine carbonate grains that are encapsulated within the replacement quartz. The outcrop is oxidized with abundant limonite. Mineralization occurs as blebs of pyrrhotite, pyrite and minor chalcopyrite. The showing was tested with two rock specimens and two chip samples taken from a 4 m long hand trench. The chip samples and one rock specimen returned weakly anomalous values. The other specimen sample, a collection of limonite coated fragments, returned 0.25% copper, 21.8 g/t silver and 1.2 g/t gold.

Showing C is a series of narrow diopside-epidote magnetite skarn bands developed within limestone adjacent to the feldspar porphyry stock. The skarn bands average 1 m thick, can be traced along strike for up to 5 m, and have sharp contacts with weakly jasperoid altered limestone. The bands contain disseminated pyrite, trace chalcopyrite and minor malachite coatings. Five chip samples tested the showing but the results were disappointing.

Showing D encompasses several areas of copper mineralization within a feldspar porphyry stock. In 1967 three AQ diamond drill holes tested this area for porphyry copper±molybdenum mineralization (Sanders, 1967). While chalcopyrite was present in the drill core it did not approach economic concentrations and was probably related to contact metamorphism (Archer, personal communication). In 1998 this area was tested with one rock sample and nine chip samples. All samples returned background to weakly anomalous values.

Besides the showings mentioned above, prospecting located four other areas of interest.

The most significant returned 3.27% lead, 0.59% zinc and 34.2 g/t silver from a specimen (59271) of strongly oxidized material adjacent to a 1 m wide skarn band. The other three areas returned only background values.

SUMMARY AND RECOMMENDATIONS

Work on the DDL property prior to and including 1998 has identified weak porphyry type copper mineralization and scattered, locally precious metal rich skarn and replacement mineralization. Grid soil samples returned erratically distributed, weakly anomalous values. Specimens collected during prospecting returned up to 10.2% zinc, 3.3% lead, 16.7% copper, 367 g/t silver and 33.8 g/t gold but chip samples were only weakly anomalous and the mineralization appears to be erratic with limited size potential.

No further work is recommended on the claims and they should be allowed to expire.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

 W.D. Eaton, B.A. B.Sc.

SELECTED REFERENCES

Sanders, K.G.

1967 Geological Report on the Laberge Copper Property of Pine Lake Mining Co. Limited (N.P.L.), Whitehorse, Yukon, August, 1967.

Tempelman-Kluit

1977 Geological Survey of Canada Open File 578, Laberge Map Area, 10SE.

APPENDIX I

AUTHOR'S STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, W. Douglas Eaton, geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in North Vancouver, British Columbia, do hereby declare that:

1. I graduated from the University of British Columbia in 1980 with a B.Sc. majoring in Geological Sciences.
2. From 1971 to present, I have been actively engaged in mineral exploration in British Columbia and Yukon Territory and on June 1, 1981, I became a partner in Archer, Cathro & Associates (1981) Limited.
3. I have personally participated in or supervised the field work reported herein and have interpreted all data resulting from this work.



W. Douglas Eaton, B.A., B.Sc.

APPENDIX II
GPS SURVEY DATA

DDL Property
GPS Survey Coordinates

Data Quality: Standard = The surveyed positions were recorded in 3D mode and were differentially corrected. The reported UTM coordinates are within 1 to 5 metres of their actual locations; Poor = >25% of the surveyed positions were recorded in 2D mode; Uncorrected = The surveyed positions were not differentially corrected; N/S = No survey data available.

Base Station: W = Westmin Resources Limited base station at Wolverine Lake; WL = Ministry of Environment, Lands and Parks base station at Williams Lake; DL = Ministry of Environment, Lands and Parks base station at Dease Lake; RR = Department of Renewable Resources (Forestry) at Whitehorse.

A. Grid Station Points

	Grid Coordinates		UTM Coordinates		Data Quality	Base Station	Date
	Northing	Easting	Northing	Easting			
CAMP			6770362	498550	Standard	RR	12-Jun-98

B. Nordac Resources Ltd. Claim Posts

Claim	Posts 1	Posts 2	UTM Coordinates		Data Quality	Base Station	Date
			Northing	Easting			
DDL	1,2	-	-	-	N/S		
	3,4	1,2	-	-	N/S		
	5,6	3,4	6771607	498303	Standard	RR	12-Jun-98
	7,8	5,6	6771417	498987	Standard	RR	12-Jun-98
	9,10	7,8	6771220	498646	Standard	RR	12-Jun-98
	11,12	9,10	-	-	N/S		
	13,14	11,12	6770763	497927	Standard	RR	12-Jun-98
	15,16	13,14	-	-	N/S		
	-	15,16	-	-	N/S		

APPENDIX III
CERTIFICATES OF ANALYSIS



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: DDL
Comments:

Page Number : 1
Total Pages : 1
Certificate Date: 25-JUN-98
Invoice No. : 19822465
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9822465

SAMPLE	PREP CODE	Ag FA g/t	Pb %								
059271M	244 --	-----	3.27								
059272M	244 --	367	-----								

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
 C/O ARCHER, CATHRO
 BOX 4127, 2054 SECOND AVE.
 WHITEHORSE, YT
 Y1A 3S9

Project: DDL
 Comments:

Page: 1-A
 Total Pages: 1
 Certificate Date: 24-JUN-98
 Invoice No.: 19821881
 P.O. Number:
 Account: MTT

CERTIFICATE OF ANALYSIS A9821881

SAMPLE	PREP CODE	Au ppb FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
059251M	205 226	30	-----	0.6	0.28	108	< 10	< 0.5	12	>15.00	< 0.5	7	46	1610	>15.00	< 10	1	< 0.01	< 10	0.13
059252M	205 226	< 5	-----	< 0.2	1.55	< 2	500	< 0.5	8	>15.00	< 0.5	8	49	50	6.46	< 10	1	0.03	< 10	0.57
059253M	205 226	< 5	-----	< 0.2	0.35	76	30	< 0.5	8	>15.00	< 0.5	10	27	134	13.40	< 10	4	< 0.01	< 10	0.20
059254M	205 226	465	-----	0.4	0.27	74	70	< 0.5	36	>15.00	< 0.5	7	25	1680	14.05	< 10	3	< 0.01	< 10	0.23
059255M	205 226	30	-----	< 0.2	0.38	74	< 10	< 0.5	6	>15.00	< 0.5	5	21	576	14.80	< 10	2	< 0.01	< 10	0.27
059256M	205 226	105	-----	3.0	0.57	150	740	< 0.5	< 2	8.53	0.5	3	53	2330	2.93	< 10	1	0.02	< 10	1.00
059257M	205 226	10	-----	0.2	0.46	< 2	710	< 0.5	< 2	2.12	< 0.5	6	66	87	1.31	< 10	< 1	0.19	40	0.50
059258M	205 226	10	-----	0.4	0.39	42	560	< 0.5	< 2	2.09	< 0.5	5	35	237	1.24	< 10	< 1	0.17	30	0.54
059259M	205 226	< 5	-----	< 0.2	0.45	10	490	< 0.5	< 2	1.76	< 0.5	5	55	78	1.21	< 10	< 1	0.16	30	0.55
059260M	205 226	570	-----	< 0.2	0.53	60	50	< 0.5	10	>15.00	< 0.5	17	28	29	12.15	< 10	3	< 0.01	< 10	0.44
059261M	205 226	40	-----	< 0.2	1.03	6	110	< 0.5	< 2	10.10	< 0.5	7	49	163	4.58	< 10	< 1	0.03	< 10	0.42
059262M	205 226	140	-----	< 0.2	0.46	8	630	< 0.5	20	>15.00	< 0.5	3	31	784	8.75	< 10	1	0.02	10	0.41
059263M	205 226	20	-----	0.4	0.40	10	340	< 0.5	< 2	2.36	< 0.5	9	43	767	1.73	< 10	< 1	0.15	40	0.63
059264M	205 226	20	-----	0.6	0.84	< 2	1240	< 0.5	< 2	2.03	< 0.5	9	63	1900	1.70	< 10	< 1	0.15	50	0.69
059265M	205 226	< 5	-----	< 0.2	1.74	6	50	< 0.5	< 2	4.16	< 0.5	18	61	168	4.43	< 10	< 1	0.09	10	1.27
059266M	205 226	< 5	-----	< 0.2	0.70	< 2	750	< 0.5	< 2	1.29	< 0.5	6	70	61	1.41	< 10	< 1	0.10	40	0.56
059267M	205 226	< 5	-----	< 0.2	1.82	< 2	30	< 0.5	2	10.15	< 0.5	7	56	31	5.21	< 10	< 1	0.06	10	0.89
059268M	205 226	1855	-----	19.8	0.09	3250	150	< 0.5	438	0.61	< 0.5	< 1	< 1	1275	>15.00	< 10	< 1	0.05	< 10	0.09
059269M	205 226	90	-----	1.0	1.54	34	360	0.5	2	9.71	< 0.5	62	31	545	4.81	< 10	< 1	0.12	< 10	1.01
059270M	205 226	75	-----	1.8	1.11	18	10	< 0.5	4	10.80	< 0.5	31	31	527	6.32	< 10	< 1	0.03	< 10	0.91
059271M	205 226	375	-----	34.2	0.70	706	80	< 0.5	28	0.59	24.5	3	44	1350	>15.00	< 10	3	0.07	< 10	0.41
059272M	205 226	8560	-----	>100.0	0.92	92	< 10	< 0.5	Intf*	4.84	9.5	476	13	>10000	>15.00	< 10	< 1	< 0.01	< 10	0.22
059273M	205 226	105	-----	0.4	1.02	6	< 10	< 0.5	6	>15.00	< 0.5	< 1	29	391	13.25	< 10	< 1	< 0.01	< 10	0.21
059274M	205 226	25	-----	0.8	2.51	< 2	< 10	< 0.5	20	11.85	< 0.5	1	38	1955	2.54	< 10	1	< 0.01	< 10	0.19
059275M	205 226	>10000	33.77	38.0	0.04	568	< 10	< 0.5	56	1.93	1.0	< 1	26	2530	>15.00	< 10	< 1	< 0.01	< 10	0.16
059276M	205 226	1235	-----	21.8	0.17	240	40	< 0.5	8	0.52	< 0.5	229	17	2260	>15.00	< 10	< 1	0.05	< 10	0.10

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
 C/O ARCHER, CATHRO
 BOX 4127, 2054 SECOND AVE.
 WHITEHORSE, YT
 Y1A 3S9

Page Number : 1-B
 Total Pages : 1
 Certificate Date : 24-JUN-98
 Invoice No. : I9821881
 P.O. Number :
 Account : MTT

Project : DDL
 Comments :

CERTIFICATE OF ANALYSIS A9821881

SAMPLE	PREP CODE	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Cu %
059251M	205 226	1545	< 1	< 0.01	9	230	< 2	< 2	< 1	22	< 0.01	< 10	50	10	< 10	10	-----
059252M	205 226	1000	15	< 0.01	12	640	< 2	< 2	4	123	0.03	< 10	50	43	< 10	22	-----
059253M	205 226	1555	< 1	< 0.01	8	310	< 2	< 2	< 1	28	< 0.01	< 10	50	12	< 10	6	-----
059254M	205 226	1630	< 1	< 0.01	10	120	< 2	< 2	< 1	41	< 0.01	< 10	60	9	40	8	-----
059255M	205 226	1705	< 1	< 0.01	8	250	< 2	< 2	1	38	< 0.01	< 10	50	12	10	8	-----
059256M	205 226	665	17	< 0.01	5	220	8	418	2	205	< 0.01	< 10	< 10	17	< 10	224	-----
059257M	205 226	205	5	0.05	9	710	8	< 2	3	220	< 0.01	< 10	10	9	< 10	12	-----
059258M	205 226	205	13	0.04	9	690	8	20	3	207	< 0.01	< 10	10	7	< 10	14	-----
059259M	205 226	120	5	0.06	9	730	2	< 2	3	182	< 0.01	< 10	10	11	< 10	8	-----
059260M	205 226	1205	2	< 0.01	11	320	< 2	< 2	1	81	0.01	10	30	11	< 10	8	-----
059261M	205 226	850	9	0.01	18	1070	< 2	< 2	4	141	0.08	< 10	20	59	< 10	26	-----
059262M	205 226	1005	5	0.01	11	340	6	< 2	1	153	< 0.01	< 10	30	18	10	14	-----
059263M	205 226	230	4	0.04	10	980	10	12	3	178	< 0.01	< 10	10	11	< 10	12	-----
059264M	205 226	205	2	0.03	14	820	6	< 2	3	143	< 0.01	< 10	10	23	< 10	32	-----
059265M	205 226	490	6	0.11	29	540	< 2	< 2	8	180	0.02	< 10	10	62	< 10	28	-----
059266M	205 226	220	1	0.06	10	740	2	< 2	3	181	0.03	< 10	< 10	27	< 10	18	-----
059267M	205 226	1000	< 1	< 0.01	11	730	2	< 2	2	165	0.04	< 10	30	30	< 10	28	-----
059268M	205 226	15	3	0.01	6	500	396	6	< 1	56	< 0.01	< 10	70	19	< 10	108	-----
059269M	205 226	870	< 1	0.03	27	480	4	< 2	7	292	< 0.01	< 10	10	62	< 10	52	-----
059270M	205 226	940	< 1	< 0.01	8	340	< 2	< 2	2	115	0.03	< 10	10	22	< 10	30	-----
059271M	205 226	130	15	0.01	10	550	>10000	2	< 1	21	0.01	< 10	30	25	< 10	5910	-----
059272M	205 226	280	1	< 0.01	395	Intf*	198	< 2	3	< 1	0.03	< 10	30	19	30	5000	16.75
059273M	205 226	940	< 1	< 0.01	6	280	74	< 2	< 1	34	< 0.01	< 10	80	10	20	88	-----
059274M	205 226	435	< 1	< 0.01	5	540	28	< 2	4	42	0.05	< 10	10	31	< 10	30	-----
059275M	205 226	395	1	< 0.01	6	70	1185	2	< 1	56	< 0.01	< 10	60	7	< 10	124	-----
059276M	205 226	180	19	< 0.01	12	460	6	< 2	< 1	54	0.01	< 10	50	22	< 10	74	-----

CERTIFICATION: Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
 C/O ARCHER, CATHRO
 BOX 4127, 2054 SECOND AVE.
 WHITEHORSE, YT
 Y1A 3S9

Page: 1-A
 Total Pages: 4
 Certificate Date: 23-JUN-98
 Invoice No.: I9821880
 P.O. Number:
 Account: MTT

Project: DDL
 Comments:

CERTIFICATE OF ANALYSIS A9821880

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA	AA	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
AA4511	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
AA4512	201	202	< 5	< 0.2	2.33	8	200	< 0.5	< 2	0.45	< 0.5	11	43	21	2.99	< 10	< 1	0.13	10	0.57	515
AA4513	201	202	< 5	0.4	2.29	12	190	0.5	< 2	1.65	< 0.5	13	33	80	2.87	< 10	< 1	0.15	10	0.77	1240
AA4514	201	202	< 5	< 0.2	1.39	4	100	< 0.5	< 2	0.33	< 0.5	7	32	11	1.96	< 10	< 1	0.06	< 10	0.42	165
AA4515	201	202	< 5	< 0.2	1.31	2	200	< 0.5	< 2	0.31	< 0.5	6	26	9	1.88	< 10	< 1	0.07	< 10	0.34	195
AA4516	201	202	5	< 0.2	1.28	< 2	140	< 0.5	< 2	0.39	< 0.5	6	28	14	1.89	< 10	< 1	0.12	< 10	0.35	150
AA4517	201	202	< 5	< 0.2	1.41	14	130	< 0.5	< 2	0.37	< 0.5	7	30	14	2.04	< 10	< 1	0.07	< 10	0.42	175
AA4518	201	202	< 5	< 0.2	2.18	10	230	< 0.5	< 2	0.42	< 0.5	10	39	32	2.80	< 10	< 1	0.08	10	0.48	215
AA4519	201	202	< 5	< 0.2	2.42	12	70	< 0.5	2	1.40	< 0.5	7	32	94	2.15	< 10	< 1	0.03	10	0.30	140
AA4520	201	202	< 5	< 0.2	1.44	12	140	< 0.5	< 2	0.39	< 0.5	8	29	21	2.11	< 10	< 1	0.07	10	0.44	150
AA4521	201	202	10	< 0.2	1.17	< 2	70	< 0.5	< 2	0.33	< 0.5	5	25	7	1.62	< 10	< 1	0.05	< 10	0.39	135
AA4522	201	202	< 5	< 0.2	1.53	< 2	160	< 0.5	< 2	0.43	< 0.5	10	40	24	2.25	< 10	< 1	0.08	< 10	0.66	305
AA4523	201	202	5	0.2	1.31	10	100	< 0.5	< 2	3.11	< 0.5	8	29	54	2.09	< 10	< 1	0.10	10	0.62	330
AA4524	201	202	< 5	< 0.2	1.50	8	390	< 0.5	< 2	0.65	0.5	9	32	50	2.22	< 10	< 1	0.10	10	0.51	630
AA4525	201	202	5	0.2	1.54	10	320	0.5	< 2	1.80	< 0.5	12	33	86	2.73	< 10	< 1	0.16	10	0.80	545
AA4526	201	202	< 5	< 0.2	1.12	8	150	< 0.5	< 2	0.44	< 0.5	6	24	11	1.86	< 10	< 1	0.10	< 10	0.36	360
AA4527	201	202	< 5	< 0.2	1.20	< 2	130	< 0.5	< 2	0.33	< 0.5	8	28	9	1.96	< 10	< 1	0.09	< 10	0.33	320
AA4528	201	202	5	0.2	1.19	8	240	< 0.5	< 2	3.95	< 0.5	7	27	98	1.69	< 10	< 1	0.05	10	0.59	210
AA4529	201	202	< 5	< 0.2	1.27	< 2	140	< 0.5	< 2	0.54	< 0.5	6	29	24	1.99	< 10	< 1	0.06	10	0.43	235
AA4530	201	202	< 5	< 0.2	1.42	< 2	190	< 0.5	< 2	0.18	< 0.5	6	22	8	1.91	< 10	1	0.04	< 10	0.29	160
AA4531	201	202	< 5	< 0.2	1.31	10	110	< 0.5	< 2	0.41	< 0.5	7	32	19	2.05	< 10	< 1	0.11	10	0.46	220
AA4532	201	202	< 5	< 0.2	1.95	8	120	< 0.5	< 2	0.38	< 0.5	9	32	18	2.43	< 10	< 1	0.08	< 10	0.51	205
AA4533	201	202	< 5	< 0.2	1.16	10	120	< 0.5	< 2	2.03	< 0.5	7	30	25	1.91	< 10	< 1	0.18	10	0.47	280
AA4534	201	202	5	< 0.2	1.69	4	190	< 0.5	< 2	0.62	< 0.5	11	37	62	2.40	< 10	< 1	0.12	10	0.57	490
AA4535	201	202	< 5	< 0.2	1.68	8	180	< 0.5	< 2	0.46	< 0.5	6	34	15	2.35	< 10	< 1	0.10	10	0.43	155
AA4536	201	202	5	< 0.2	1.69	4	170	< 0.5	< 2	0.35	< 0.5	9	32	22	2.43	< 10	< 1	0.07	< 10	0.43	230
AA4537	201	202	< 5	0.2	1.34	12	190	< 0.5	< 2	0.26	< 0.5	9	22	27	2.19	< 10	< 1	0.10	< 10	0.31	340
AA4538	201	202	< 5	< 0.2	1.18	8	130	< 0.5	< 2	0.33	< 0.5	6	28	9	1.91	< 10	< 1	0.08	< 10	0.37	150
AA4539	201	202	< 5	< 0.2	1.38	< 2	410	< 0.5	< 2	0.63	< 0.5	7	24	18	2.24	< 10	< 1	0.09	10	0.31	170
AA4540	201	202	< 5	0.2	1.45	< 2	190	< 0.5	< 2	7.72	0.5	9	28	51	1.88	< 10	< 1	0.12	< 10	0.66	455
AA4541	201	202	< 5	< 0.2	1.59	12	250	< 0.5	< 2	1.15	< 0.5	10	33	47	2.35	< 10	< 1	0.15	10	0.71	670
AA4542	201	202	< 5	< 0.2	1.56	< 2	150	< 0.5	< 2	0.40	< 0.5	9	41	17	2.19	< 10	< 1	0.09	10	0.44	210
AA4543	201	202	< 5	< 0.2	0.57	10	180	< 0.5	< 2	>15.00	0.5	1	10	26	0.76	< 10	< 1	0.05	< 10	0.36	260
AA4544	201	202	< 5	< 0.2	1.31	4	100	< 0.5	< 2	0.42	< 0.5	7	35	13	2.00	< 10	< 1	0.12	10	0.43	250
AA4545	201	202	< 5	< 0.2	1.35	10	110	< 0.5	< 2	0.41	< 0.5	8	40	39	2.91	< 10	< 1	0.18	30	0.50	155
AA4551	201	202	< 5	< 0.2	1.40	10	140	< 0.5	< 2	0.34	< 0.5	7	30	13	1.89	< 10	< 1	0.07	10	0.38	145
AA4552	201	202	10	0.2	1.67	6	640	< 0.5	2	0.38	< 0.5	10	26	39	2.42	< 10	< 1	0.08	10	0.33	190
AA4553	201	202	< 5	< 0.2	1.23	< 2	130	< 0.5	< 2	0.41	< 0.5	6	26	9	1.79	< 10	< 1	0.06	< 10	0.32	190
AA4554	201	202	< 5	< 0.2	1.17	< 2	140	< 0.5	< 2	0.29	< 0.5	5	26	10	1.97	< 10	< 1	0.05	< 10	0.30	180
AA4555	201	202	< 5	< 0.2	1.28	10	200	< 0.5	< 2	0.52	< 0.5	6	29	21	1.87	< 10	< 1	0.05	10	0.41	240

CERTIFICATION: *Hart Riddle*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
 C/O ARCHER, CATHRO
 BOX 4127, 2054 SECOND AVE.
 WHITEHORSE, YT
 Y1A 3S9

Page Number : 1-B
 Total Pages : 4
 Certificate Date : 23-JUN-98
 Invoice No. : I9821880
 P.O. Number :
 Account : MTT

Project : DDL
 Comments :

CERTIFICATE OF ANALYSIS A9821880

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
AA4511	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
AA4512	201	202	< 1	0.01	25	590	8	< 2	5	40	0.08	< 10	< 10	64	< 10	50
AA4513	201	202	1	0.02	25	590	82	< 2	8	85	0.08	< 10	< 10	50	< 10	76
AA4514	201	202	2	< 0.01	15	100	10	< 2	4	24	0.10	< 10	< 10	46	< 10	26
AA4515	201	202	3	< 0.01	11	260	26	< 2	3	24	0.07	< 10	< 10	43	< 10	44
AA4516	201	202	1	< 0.01	12	190	26	< 2	3	29	0.08	< 10	< 10	45	< 10	42
AA4517	201	202	< 1	< 0.01	15	170	14	< 2	3	25	0.08	< 10	< 10	47	< 10	30
AA4518	201	202	1	< 0.01	22	220	22	< 2	4	35	0.08	< 10	< 10	60	< 10	36
AA4519	201	202	5	< 0.01	15	50	26	< 2	5	38	0.11	< 10	< 10	49	< 10	38
AA4520	201	202	4	< 0.01	15	230	10	< 2	4	31	0.08	< 10	< 10	44	< 10	30
AA4521	201	202	2	< 0.01	12	210	6	< 2	3	26	0.08	< 10	< 10	39	< 10	24
AA4522	201	202	1	0.01	34	510	6	< 2	6	32	0.06	< 10	< 10	47	< 10	38
AA4523	201	202	< 1	< 0.01	22	740	2	< 2	6	98	0.04	< 10	< 10	44	< 10	40
AA4524	201	202	1	0.01	20	710	16	< 2	4	61	0.04	< 10	< 10	42	< 10	86
AA4525	201	202	4	0.01	28	830	16	< 2	6	122	0.04	< 10	< 10	54	< 10	80
AA4526	201	202	< 1	< 0.01	14	170	10	< 2	3	30	0.06	< 10	< 10	38	< 10	44
AA4527	201	202	< 1	< 0.01	13	150	10	< 2	3	29	0.07	< 10	< 10	41	< 10	48
AA4528	201	202	1	0.02	24	900	6	< 2	4	446	0.06	< 10	< 10	37	< 10	56
AA4529	201	202	< 1	0.01	18	240	6	< 2	4	43	0.07	< 10	< 10	43	< 10	32
AA4530	201	202	1	< 0.01	10	150	10	< 2	2	16	0.06	< 10	< 10	44	< 10	56
AA4531	201	202	1	0.01	17	330	8	< 2	4	27	0.08	< 10	< 10	44	< 10	36
AA4532	201	202	< 1	0.01	21	260	12	< 2	4	30	0.06	< 10	< 10	57	< 10	42
AA4533	201	202	< 1	0.01	22	430	4	< 2	5	54	0.08	< 10	< 10	40	< 10	32
AA4534	201	202	< 1	0.01	27	710	12	< 2	6	52	0.07	< 10	< 10	48	< 10	72
AA4535	201	202	1	0.01	15	110	14	< 2	5	48	0.09	< 10	< 10	45	< 10	40
AA4536	201	202	2	0.01	18	100	14	< 2	5	29	0.09	< 10	< 10	55	< 10	38
AA4537	201	202	5	0.01	14	160	18	2	2	28	0.04	< 10	< 10	43	< 10	66
AA4538	201	202	< 1	< 0.01	12	170	6	< 2	3	22	0.07	< 10	< 10	41	< 10	36
AA4539	201	202	< 1	0.01	12	180	30	< 2	4	34	0.04	< 10	< 10	38	< 10	64
AA4540	201	202	< 1	0.03	20	870	6	< 2	4	209	0.05	< 10	< 10	41	< 10	56
AA4541	201	202	1	0.02	24	740	6	< 2	5	71	0.05	< 10	< 10	50	< 10	80
AA4542	201	202	1	< 0.01	19	110	8	< 2	5	26	0.09	< 10	< 10	48	< 10	32
AA4543	201	202	< 1	< 0.01	8	780	22	< 2	< 1	320	0.01	< 10	< 10	15	< 10	80
AA4544	201	202	4	0.01	17	220	12	< 2	5	29	0.10	< 10	< 10	44	< 10	36
AA4545	201	202	3	0.01	30	270	10	< 2	5	31	0.09	< 10	< 10	57	< 10	36
AA4551	201	202	1	< 0.01	13	90	18	< 2	3	24	0.08	< 10	< 10	44	< 10	32
AA4552	201	202	2	< 0.01	15	140	92	2	4	46	0.03	< 10	< 10	41	< 10	60
AA4553	201	202	1	< 0.01	10	150	6	< 2	3	27	0.08	< 10	< 10	41	< 10	26
AA4554	201	202	1	< 0.01	12	140	10	< 2	2	23	0.07	< 10	< 10	41	< 10	44
AA4555	201	202	< 1	0.01	14	350	10	< 2	4	32	0.08	< 10	< 10	39	< 10	38

CERTIFICATION: *Hart Biddle*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
 C/O ARCHER, CATHRO
 BOX 4127, 2054 SECOND AVE.
 WHITEHORSE, YT
 Y1A 3S9

Project: DDL
 Comments:

Page: 2-A
 Total Pages: 4
 Certificate Date: 23-JUN-98
 Invoice No.: 19821880
 P.O. Number:
 Account: MTT

CERTIFICATE OF ANALYSIS A9821880

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
AA4556	201	202	< 5	< 0.2	1.54	10	90	< 0.5	< 2	0.17	< 0.5	9	30	18	2.43	< 10	1	0.04	< 10	0.39	175
AA4557	201	202	< 5	< 0.2	0.98	10	80	< 0.5	< 2	0.19	< 0.5	5	26	8	1.75	< 10	< 1	0.07	< 10	0.33	125
AA4558	201	202	< 5	< 0.2	1.45	2	170	< 0.5	< 2	0.23	< 0.5	5	27	15	1.87	< 10	< 1	0.04	10	0.38	150
AA4559	201	202	< 5	0.2	1.41	4	1070	0.5	< 2	0.61	< 0.5	8	18	51	1.91	< 10	< 1	0.12	20	0.35	455
AA4560	201	202	< 5	< 0.2	1.00	8	140	< 0.5	< 2	0.30	< 0.5	6	26	9	1.74	< 10	< 1	0.09	< 10	0.33	275
AA4561	201	202	< 5	< 0.2	1.01	10	90	< 0.5	< 2	0.26	< 0.5	5	22	18	1.70	< 10	< 1	0.07	< 10	0.34	125
AA4562	201	202	< 5	< 0.2	1.29	6	180	< 0.5	< 2	0.39	< 0.5	9	32	22	2.04	< 10	< 1	0.10	10	0.48	475
AA4563	201	202	< 5	< 0.2	0.97	< 2	110	< 0.5	< 2	0.30	< 0.5	5	23	9	1.63	< 10	< 1	0.05	< 10	0.28	160
AA4564	201	202	< 5	< 0.2	1.58	34	190	< 0.5	< 2	0.33	< 0.5	6	31	14	2.15	< 10	< 1	0.05	< 10	0.44	150
AA4565	201	202	< 5	< 0.2	1.32	< 2	60	< 0.5	< 2	0.21	< 0.5	4	18	10	1.44	< 10	1	0.03	< 10	0.20	60
AA4566	201	202	< 5	< 0.2	1.15	6	120	< 0.5	< 2	0.41	< 0.5	5	25	15	1.69	< 10	< 1	0.03	< 10	0.34	150
AA4567	201	202	< 5	< 0.2	1.51	10	230	< 0.5	< 2	0.39	< 0.5	8	26	57	2.29	< 10	< 1	0.13	10	0.47	170
AA4568	201	202	< 5	0.2	1.77	8	580	< 0.5	2	0.39	< 0.5	9	26	49	2.29	< 10	< 1	0.15	10	0.39	700
AA4569	201	202	< 5	< 0.2	1.58	6	140	< 0.5	< 2	0.30	< 0.5	7	30	13	2.24	< 10	< 1	0.07	< 10	0.43	280
AA4570	201	202	< 5	< 0.2	0.90	< 2	100	< 0.5	< 2	0.21	< 0.5	5	23	7	1.58	< 10	< 1	0.07	< 10	0.29	265
AA4571	201	202	< 5	< 0.2	1.04	10	170	< 0.5	< 2	0.35	< 0.5	6	23	11	1.84	< 10	< 1	0.07	< 10	0.31	385
AA4572	201	202	< 5	< 0.2	1.11	< 2	140	< 0.5	< 2	0.32	< 0.5	7	28	15	1.95	< 10	< 1	0.10	< 10	0.38	295
AA4573	201	202	< 5	1.2	0.87	50	540	< 0.5	8	0.20	< 0.5	10	14	20	8.17	< 10	< 1	0.11	< 10	0.13	110
AA4574	201	202	10	< 0.2	1.14	< 2	130	< 0.5	< 2	0.28	< 0.5	6	26	7	1.86	< 10	< 1	0.08	< 10	0.32	150
AA4575	201	202	< 5	< 0.2	1.22	12	190	< 0.5	< 2	0.34	< 0.5	7	30	13	1.85	< 10	1	0.08	< 10	0.35	205
AA4576	201	202	5	< 0.2	1.71	20	780	0.5	< 2	0.65	< 0.5	9	29	137	2.56	< 10	< 1	0.14	30	0.52	460
AA4577	201	202	< 5	< 0.2	1.30	< 2	310	< 0.5	< 2	0.67	< 0.5	7	26	53	1.98	< 10	< 1	0.14	10	0.33	390
AA4578	201	202	< 5	0.2	1.36	26	180	< 0.5	< 2	0.37	< 0.5	6	32	31	1.99	< 10	< 1	0.07	< 10	0.34	160
AA4579	201	202	< 5	< 0.2	1.50	2	420	< 0.5	< 2	0.41	< 0.5	8	29	47	2.10	< 10	< 1	0.11	10	0.41	320
AA4580	201	202	< 5	< 0.2	1.11	8	150	< 0.5	< 2	0.33	< 0.5	6	24	11	1.76	< 10	< 1	0.15	< 10	0.33	385
AA4581	201	202	70	< 0.2	1.81	20	460	< 0.5	< 2	0.49	< 0.5	10	36	37	2.49	< 10	< 1	0.14	10	0.60	410
AA4582	201	202	< 5	< 0.2	1.49	30	180	< 0.5	< 2	0.41	< 0.5	9	35	21	2.26	< 10	1	0.14	10	0.48	295
AA4583	201	202	< 5	< 0.2	1.49	8	190	< 0.5	< 2	0.45	< 0.5	8	34	25	2.15	< 10	< 1	0.09	10	0.47	295
AA4584	201	202	< 5	< 0.2	1.72	6	480	0.5	< 2	0.60	< 0.5	9	34	34	2.43	< 10	< 1	0.12	20	0.52	345
AA4585	201	202	< 5	< 0.2	1.49	10	260	< 0.5	< 2	0.41	< 0.5	8	33	32	2.29	< 10	< 1	0.17	10	0.45	370
AA4586	201	202	30	0.2	1.48	106	270	< 0.5	< 2	1.00	< 0.5	12	28	48	3.07	< 10	< 1	0.12	20	0.36	460
AA4587	201	202	< 5	< 0.2	2.36	4	420	< 0.5	< 2	0.78	< 0.5	14	66	27	3.34	< 10	< 1	0.15	10	0.99	615
AA4588	201	202	< 5	< 0.2	1.30	10	150	< 0.5	< 2	0.34	< 0.5	6	27	12	1.93	< 10	1	0.05	10	0.38	200
AA4589	201	202	< 5	< 0.2	1.25	< 2	270	< 0.5	< 2	0.41	< 0.5	8	23	14	2.43	< 10	< 1	0.06	< 10	0.24	195
AA4590	201	202	< 5	0.2	0.29	< 2	130	< 0.5	2	14.60	0.5	3	4	81	0.55	< 10	< 1	0.04	< 10	0.21	210
AA4591	201	202	< 5	1.2	1.50	32	340	< 0.5	2	0.50	< 0.5	18	34	242	2.80	< 10	1	0.12	10	0.43	345
AA4592	201	202	5	0.2	1.40	22	220	< 0.5	< 2	0.34	< 0.5	8	31	21	2.15	< 10	< 1	0.07	10	0.41	320
AA4593	201	202	< 5	< 0.2	1.22	8	110	< 0.5	< 2	0.32	< 0.5	7	30	14	1.98	< 10	< 1	0.10	< 10	0.41	260
AA4594	201	202	10	< 0.2	1.15	50	1070	0.5	< 2	0.48	< 0.5	25	15	91	5.43	< 10	< 1	0.23	20	0.22	765
AA4595	201	202	< 5	< 0.2	1.21	6	170	< 0.5	< 2	0.37	< 0.5	9	25	13	1.90	< 10	< 1	0.15	< 10	0.32	395

CERTIFICATION: *Hans Biddle*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
 C/O ARCHER, CATHRO
 BOX 4127, 2054 SECOND AVE.
 WHITEHORSE, YT
 Y1A 3S9

Page Number : 2-B
 Total Pages : 4
 Certificate Date : 23-JUN-98
 Invoice No. : I9821880
 P.O. Number :
 Account : MTT

Project : DDL
 Comments:

CERTIFICATE OF ANALYSIS A9821880

SAMPLE	PREP		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
AA4556	201	202	1	< 0.01	18	210	20	< 2	2	13	0.06	< 10	< 10	50	< 10	80
AA4557	201	202	1	< 0.01	12	140	8	< 2	2	14	0.06	< 10	< 10	38	< 10	44
AA4558	201	202	< 1	< 0.01	13	120	14	< 2	3	17	0.05	< 10	< 10	40	< 10	32
AA4559	201	202	2	0.01	14	640	56	< 2	4	48	0.01	< 10	< 10	26	< 10	58
AA4560	201	202	< 1	< 0.01	10	100	6	< 2	2	19	0.09	< 10	< 10	40	< 10	28
AA4561	201	202	< 1	< 0.01	12	130	12	2	3	16	0.07	< 10	< 10	40	< 10	22
AA4562	201	202	< 1	0.01	18	310	10	< 2	5	38	0.08	< 10	< 10	44	< 10	56
AA4563	201	202	1	< 0.01	11	60	8	< 2	2	21	0.07	< 10	< 10	36	< 10	22
AA4564	201	202	1	< 0.01	16	120	8	< 2	3	26	0.07	< 10	< 10	46	< 10	32
AA4565	201	202	< 1	0.01	8	110	16	< 2	1	23	0.05	< 10	< 10	33	< 10	32
AA4566	201	202	3	0.01	11	180	10	2	3	61	0.06	< 10	< 10	37	< 10	24
AA4567	201	202	5	0.01	14	260	16	2	3	48	0.06	< 10	< 10	40	< 10	38
AA4568	201	202	3	0.01	14	220	124	< 2	4	35	0.04	< 10	< 10	40	< 10	64
AA4569	201	202	1	< 0.01	15	200	10	2	3	28	0.06	< 10	< 10	52	< 10	50
AA4570	201	202	< 1	< 0.01	10	210	8	< 2	2	13	0.06	< 10	< 10	35	< 10	50
AA4571	201	202	1	< 0.01	12	150	8	< 2	2	23	0.05	< 10	< 10	38	< 10	32
AA4572	201	202	2	< 0.01	13	260	12	< 2	3	22	0.06	< 10	< 10	39	< 10	32
AA4573	201	202	7	0.04	18	960	190	2	3	79	< 0.01	< 10	< 10	33	< 10	58
AA4574	201	202	2	< 0.01	12	190	8	2	2	20	0.07	< 10	< 10	41	< 10	48
AA4575	201	202	1	< 0.01	13	170	6	< 2	3	29	0.08	< 10	< 10	41	< 10	32
AA4576	201	202	1	0.01	22	370	20	< 2	5	35	0.05	< 10	< 10	39	< 10	60
AA4577	201	202	1	< 0.01	12	210	24	< 2	4	28	0.07	< 10	< 10	37	< 10	64
AA4578	201	202	3	< 0.01	13	90	10	10	3	26	0.08	< 10	< 10	43	< 10	36
AA4579	201	202	3	0.01	16	270	28	< 2	4	72	0.05	< 10	< 10	41	< 10	42
AA4580	201	202	1	0.01	11	200	8	< 2	3	25	0.07	< 10	< 10	38	< 10	32
AA4581	201	202	1	0.01	23	280	30	< 2	6	38	0.07	< 10	< 10	47	< 10	76
AA4582	201	202	< 1	0.01	19	200	10	< 2	5	35	0.08	< 10	< 10	46	< 10	46
AA4583	201	202	1	0.01	18	220	12	< 2	5	28	0.08	< 10	< 10	46	< 10	38
AA4584	201	202	< 1	0.01	21	410	50	< 2	6	42	0.06	< 10	< 10	45	< 10	68
AA4585	201	202	< 1	0.01	16	230	16	< 2	5	27	0.09	< 10	< 10	47	< 10	44
AA4586	201	202	2	0.01	18	210	30	< 2	5	70	0.04	< 10	< 10	42	< 10	60
AA4587	201	202	2	0.09	22	420	20	< 2	7	101	0.08	< 10	< 10	70	< 10	84
AA4588	201	202	1	< 0.01	13	110	10	< 2	3	23	0.07	< 10	< 10	41	< 10	40
AA4589	201	202	1	0.01	13	100	4	< 2	3	27	0.03	< 10	< 10	43	< 10	48
AA4590	201	202	< 1	< 0.01	3	690	32	< 2	< 1	213	< 0.01	< 10	< 10	10	< 10	48
AA4591	201	202	6	0.01	20	240	110	10	5	44	0.07	< 10	< 10	44	< 10	52
AA4592	201	202	1	< 0.01	16	150	26	< 2	4	28	0.08	< 10	< 10	47	< 10	72
AA4593	201	202	< 1	< 0.01	14	110	8	< 2	3	25	0.10	< 10	< 10	45	< 10	32
AA4594	201	202	3	< 0.01	21	620	16	< 2	23	58	< 0.01	< 10	< 10	64	< 10	34
AA4595	201	202	1	0.01	13	190	6	< 2	3	21	0.08	< 10	< 10	42	< 10	48

CERTIFICATION: *Hans Biddle*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
 C/O ARCHER, CATHRO
 BOX 4127, 2054 SECOND AVE.
 WHITEHORSE, YT
 Y1A 3S9

Page Number: 3-A
 Total Pages: 4
 Certificate Date: 23-JUN-98
 Invoice No.: I9821880
 P.O. Number:
 Account: MTT

Project: DDL
 Comments:

CERTIFICATE OF ANALYSIS A9821880

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
AA4601	201 202	< 5	< 0.2	1.83	8	180	< 0.5	< 2	1.16	< 0.5	12	39	39	2.65	< 10	< 1	0.17	10	0.71	420
AA4602	201 202	< 5	< 0.2	0.80	< 2	70	< 0.5	< 2	0.27	< 0.5	5	23	7	1.52	< 10	< 1	0.08	10	0.34	150
AA4603	201 202	< 5	< 0.2	1.15	< 2	110	< 0.5	< 2	4.42	< 0.5	7	23	32	1.73	< 10	< 1	0.06	< 10	0.54	270
AA4604	201 202	< 5	< 0.2	1.85	< 2	140	< 0.5	< 2	0.43	< 0.5	8	36	16	2.29	< 10	< 1	0.08	10	0.44	215
AA4605	201 202	< 5	< 0.2	1.71	< 2	120	< 0.5	< 2	0.36	< 0.5	7	35	12	2.12	< 10	< 1	0.09	10	0.40	195
AA4606	201 202	< 5	< 0.2	1.82	< 2	100	< 0.5	< 2	0.47	< 0.5	7	35	19	2.29	< 10	< 1	0.10	10	0.41	140
AA4607	201 202	< 5	< 0.2	1.56	6	210	< 0.5	< 2	0.73	0.5	9	29	34	2.50	< 10	< 1	0.10	10	0.45	260
AA4608	201 202	< 5	0.4	1.50	< 2	380	< 0.5	< 2	0.31	< 0.5	10	22	112	3.74	< 10	< 1	0.09	< 10	0.28	325
AA4609	201 202	< 5	< 0.2	1.25	< 2	160	< 0.5	< 2	0.51	< 0.5	7	29	16	2.16	< 10	< 1	0.13	10	0.40	210
AA4610	201 202	< 5	< 0.2	1.78	4	210	< 0.5	< 2	0.46	< 0.5	9	38	18	2.50	< 10	< 1	0.09	10	0.50	230
AA4611	201 202	< 5	< 0.2	1.32	< 2	100	< 0.5	< 2	0.33	< 0.5	7	32	9	2.06	< 10	< 1	0.16	10	0.42	240
AA4612	201 202	< 5	< 0.2	1.90	< 2	200	< 0.5	< 2	0.51	< 0.5	10	39	20	2.53	< 10	< 1	0.16	10	0.61	370
AA4613	201 202	< 5	< 0.2	2.17	< 2	320	< 0.5	< 2	0.79	< 0.5	12	40	46	2.90	< 10	< 1	0.13	10	0.79	705
AA4614	201 202	70	< 0.2	1.38	< 2	170	< 0.5	< 2	0.95	< 0.5	8	27	28	2.07	< 10	< 1	0.14	10	0.45	390
AA4615	201 202	< 5	< 0.2	1.28	10	220	< 0.5	< 2	0.39	< 0.5	6	27	17	2.04	< 10	< 1	0.10	< 10	0.40	165
AA4616	201 202	< 5	< 0.2	1.66	< 2	280	< 0.5	< 2	0.62	0.5	8	28	21	2.26	< 10	< 1	0.06	10	0.34	265
AA4617	201 202	5	< 0.2	1.07	2	60	< 0.5	< 2	0.34	< 0.5	8	32	13	2.13	< 10	< 1	0.17	< 10	0.45	255
AA4618	201 202	5	< 0.2	1.37	< 2	120	< 0.5	< 2	0.31	< 0.5	8	35	12	2.19	< 10	< 1	0.14	< 10	0.45	305
AA4619	201 202	< 5	< 0.2	1.24	< 2	120	< 0.5	< 2	0.37	< 0.5	8	30	13	1.98	< 10	< 1	0.11	10	0.43	255
AA4620	201 202	< 5	< 0.2	1.43	< 2	250	< 0.5	< 2	0.45	< 0.5	8	30	18	2.27	< 10	< 1	0.14	10	0.39	585
AA4621	201 202	< 5	< 0.2	1.50	< 2	130	< 0.5	< 2	0.37	< 0.5	6	31	14	2.05	< 10	< 1	0.12	10	0.42	195
AA4622	201 202	< 5	< 0.2	1.47	< 2	190	< 0.5	< 2	0.54	< 0.5	7	31	13	2.03	< 10	< 1	0.05	10	0.33	285
AA4623	201 202	< 5	< 0.2	1.44	< 2	120	< 0.5	< 2	0.34	< 0.5	6	31	10	1.99	< 10	< 1	0.09	10	0.38	230
AA4624	201 202	< 5	< 0.2	1.33	< 2	110	< 0.5	< 2	0.43	< 0.5	6	28	10	1.89	< 10	< 1	0.08	< 10	0.38	205
AA4625	201 202	< 5	< 0.2	1.34	4	90	< 0.5	< 2	0.33	< 0.5	8	37	11	2.17	< 10	< 1	0.15	10	0.47	200
AA4626	201 202	< 5	< 0.2	1.41	< 2	140	< 0.5	< 2	0.45	< 0.5	7	32	11	2.12	< 10	< 1	0.12	10	0.44	265
AA4627	201 202	< 5	< 0.2	0.93	< 2	60	< 0.5	< 2	3.95	< 0.5	5	21	25	1.60	< 10	< 1	0.06	10	0.57	185
AA4628	201 202	< 5	< 0.2	1.86	< 2	180	0.5	< 2	0.43	< 0.5	8	35	22	2.39	< 10	< 1	0.09	10	0.48	340
AA4629	201 202	10	0.2	1.59	< 2	160	< 0.5	2	0.41	< 0.5	9	33	18	2.29	< 10	< 1	0.11	10	0.44	430
AA4630	201 202	< 5	< 0.2	1.38	< 2	100	< 0.5	< 2	0.37	< 0.5	8	35	15	2.19	< 10	< 1	0.14	10	0.41	195
AA4631	201 202	< 5	< 0.2	0.08	< 2	60	< 0.5	< 2	6.89	< 0.5	< 1	1	33	0.11	< 10	1	< 0.01	< 10	0.25	135
AA4632	201 202	10	< 0.2	1.05	10	120	< 0.5	< 2	3.39	< 0.5	7	27	21	1.69	< 10	< 1	0.05	10	0.50	225
AA4633	201 202	< 5	< 0.2	1.53	< 2	130	< 0.5	< 2	0.40	< 0.5	8	36	16	2.42	< 10	< 1	0.16	10	0.53	245
AA4634	201 202	< 5	< 0.2	1.42	< 2	100	< 0.5	< 2	0.35	< 0.5	6	34	14	2.01	< 10	< 1	0.09	10	0.43	150
AA4635	201 202	< 5	< 0.2	1.36	< 2	100	< 0.5	< 2	0.36	< 0.5	7	34	11	1.97	< 10	< 1	0.10	10	0.45	170
AA4636	201 202	< 5	< 0.2	1.68	10	120	< 0.5	< 2	0.46	< 0.5	8	37	17	2.10	< 10	< 1	0.08	10	0.46	195
AA4637	201 202	< 5	< 0.2	1.31	6	130	< 0.5	< 2	0.47	< 0.5	5	30	10	1.94	< 10	< 1	0.08	10	0.39	155
AA4638	201 202	5	< 0.2	1.60	< 2	130	< 0.5	< 2	0.35	< 0.5	6	34	13	2.20	< 10	< 1	0.13	10	0.46	185
AA4639	201 202	90	< 0.2	1.78	8	120	< 0.5	< 2	0.46	< 0.5	9	34	21	2.47	< 10	< 1	0.11	10	0.49	195
AA4640	201 202	< 5	< 0.2	1.81	< 2	120	< 0.5	< 2	0.30	< 0.5	8	34	16	2.32	< 10	< 1	0.06	10	0.46	260

CERTIFICATION: *Hart Biddle*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: DDL
Comments:

Page: 3-B
Total Pages: 4
Certificate Date: 23-JUN-98
Invoice No.: 19821880
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9821880

SAMPLE	PREP		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
AA4601	201	202	1	0.02	28	390	8	< 2	8	66	0.08	< 10	< 10	61	< 10	52
AA4602	201	202	< 1	< 0.01	10	280	4	< 2	2	19	0.08	< 10	< 10	36	< 10	24
AA4603	201	202	< 1	< 0.01	17	600	4	< 2	4	127	0.05	< 10	< 10	41	< 10	36
AA4604	201	202	< 1	< 0.01	19	150	6	< 2	5	28	0.09	< 10	< 10	53	< 10	38
AA4605	201	202	< 1	< 0.01	18	270	6	< 2	4	26	0.08	< 10	< 10	48	< 10	42
AA4606	201	202	< 1	< 0.01	19	180	6	< 2	5	36	0.08	< 10	< 10	51	< 10	28
AA4607	201	202	1	0.01	19	250	80	< 2	5	50	0.06	< 10	< 10	51	< 10	104
AA4608	201	202	5	0.01	15	250	46	2	3	64	0.03	< 10	< 10	52	< 10	62
AA4609	201	202	1	< 0.01	14	230	12	< 2	4	25	0.07	< 10	< 10	49	< 10	50
AA4610	201	202	1	0.01	21	130	10	< 2	5	26	0.09	< 10	< 10	55	< 10	32
AA4611	201	202	< 1	< 0.01	15	180	2	< 2	4	27	0.10	< 10	< 10	47	< 10	34
AA4612	201	202	1	0.01	27	570	6	2	6	42	0.08	< 10	< 10	56	< 10	60
AA4613	201	202	< 1	< 0.03	26	460	8	< 2	8	63	0.08	< 10	< 10	66	< 10	80
AA4614	201	202	1	0.02	17	380	4	< 2	5	50	0.05	< 10	< 10	49	< 10	40
AA4615	201	202	1	< 0.01	13	190	6	2	4	20	0.07	< 10	< 10	48	< 10	30
AA4616	201	202	2	0.01	14	110	60	2	4	25	0.06	< 10	< 10	47	< 10	148
AA4617	201	202	1	< 0.01	19	110	4	< 2	4	60	0.08	< 10	< 10	50	< 10	28
AA4618	201	202	1	< 0.01	20	190	2	< 2	5	22	0.07	< 10	< 10	49	< 10	40
AA4619	201	202	< 1	< 0.01	19	260	6	< 2	4	27	0.08	< 10	< 10	45	< 10	34
AA4620	201	202	< 1	0.01	19	410	6	< 2	4	26	0.07	< 10	< 10	48	< 10	42
AA4621	201	202	< 1	< 0.01	15	200	6	< 2	4	29	0.08	< 10	< 10	46	< 10	34
AA4622	201	202	1	< 0.01	14	90	8	2	4	26	0.08	< 10	< 10	46	< 10	30
AA4623	201	202	< 1	< 0.01	14	450	6	< 2	4	23	0.07	< 10	< 10	44	< 10	36
AA4624	201	202	< 1	< 0.01	14	300	4	2	3	29	0.07	< 10	< 10	43	< 10	28
AA4625	201	202	1	< 0.01	20	130	6	2	4	37	0.09	< 10	< 10	48	< 10	36
AA4626	201	202	1	0.01	16	130	8	< 2	4	66	0.09	< 10	< 10	50	< 10	36
AA4627	201	202	1	0.02	14	460	2	2	4	351	0.05	< 10	< 10	38	< 10	26
AA4628	201	202	< 1	0.01	21	210	12	< 2	7	36	0.08	< 10	< 10	53	< 10	50
AA4629	201	202	1	< 0.01	17	130	66	< 2	5	39	0.08	< 10	< 10	49	< 10	44
AA4630	201	202	3	0.01	18	40	6	< 2	5	72	0.08	< 10	< 10	44	< 10	32
AA4631	201	202	1	0.01	9	350	< 2	< 2	< 1	1555	< 0.01	< 10	< 10	7	< 10	20
AA4632	201	202	< 1	< 0.01	18	440	6	< 2	4	80	0.05	< 10	< 10	34	< 10	48
AA4633	201	202	1	< 0.01	19	160	4	2	6	31	0.08	< 10	< 10	54	< 10	44
AA4634	201	202	< 1	< 0.01	20	360	4	< 2	4	23	0.08	< 10	< 10	46	< 10	28
AA4635	201	202	1	0.01	16	330	2	< 2	4	25	0.09	< 10	< 10	46	< 10	34
AA4636	201	202	1	0.01	18	260	6	< 2	5	31	0.09	< 10	< 10	50	< 10	30
AA4637	201	202	< 1	< 0.01	13	280	6	< 2	3	34	0.08	< 10	< 10	44	< 10	30
AA4638	201	202	1	< 0.01	16	460	6	< 2	4	41	0.09	< 10	< 10	46	< 10	34
AA4639	201	202	< 1	< 0.01	21	300	6	< 2	5	32	0.07	< 10	< 10	56	< 10	38
AA4640	201	202	1	< 0.01	17	120	6	< 2	5	21	0.09	< 10	< 10	57	< 10	40

CERTIFICATION: *Hart Biddle*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
 C/O ARCHER, CATHRO
 BOX 4127, 2054 SECOND AVE.
 WHITEHORSE, YT
 Y1A 3S9

Project: DDL
 Comments:

Page Number: 4-A
 Total Pages: 4
 Certificate Date: 23-JUN-98
 Invoice No.: 19821880
 P.O. Number:
 Account: MTT

CERTIFICATE OF ANALYSIS A9821880

SAMPLE	PREP CODE		Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
	FA+AA	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	
AA4641	201	202	< 5	< 0.2	1.23	< 2	130	< 0.5	< 2	0.27	< 0.5	6	27	11	1.91	< 10	< 1	0.11	< 10	0.40	280
AA4642	201	202	< 5	< 0.2	1.37	2	140	< 0.5	< 2	0.32	< 0.5	9	31	18	2.21	< 10	< 1	0.19	10	0.44	310
AA4643	201	202	< 5	< 0.2	0.98	< 2	110	< 0.5	2	10.10	< 0.5	6	21	15	1.42	< 10	1	0.08	< 10	0.78	215
AA4644	201	202	< 5	< 0.2	1.44	8	170	< 0.5	< 2	0.30	< 0.5	6	28	10	1.74	< 10	< 1	0.05	< 10	0.36	180
AA4645	201	202	< 5	< 0.2	1.65	6	150	< 0.5	< 2	0.40	< 0.5	7	32	15	2.09	< 10	< 1	0.10	10	0.48	185
AA4646	201	202	< 5	< 0.2	1.85	< 2	190	< 0.5	< 2	0.54	< 0.5	9	39	29	2.47	< 10	< 1	0.16	10	0.59	415
AA4647	201	202	< 5	< 0.2	1.68	< 2	310	< 0.5	< 2	0.49	< 0.5	9	32	16	2.26	< 10	< 1	0.12	10	0.41	735
AA4648	201	202	< 5	< 0.2	1.06	< 2	120	< 0.5	< 2	8.14	< 0.5	7	25	33	1.57	< 10	1	0.14	10	0.65	205
AA4649	201	202	10	< 0.2	1.82	< 2	120	< 0.5	< 2	0.43	< 0.5	7	40	16	2.27	< 10	< 1	0.07	10	0.44	145
AA4650	201	202	5	0.6	0.75	10	160	< 0.5	< 2	14.40	< 0.5	4	16	16	1.19	< 10	< 1	0.05	< 10	0.34	365
AA4651	201	202	< 5	< 0.2	1.08	8	180	< 0.5	< 2	5.17	< 0.5	7	22	22	1.63	< 10	< 1	0.09	10	0.40	185
AA4652	201	202	5	< 0.2	1.09	< 2	110	< 0.5	< 2	0.63	< 0.5	7	28	11	1.83	< 10	< 1	0.06	10	0.53	180
AA4653	201	202	< 5	< 0.2	2.02	10	220	< 0.5	< 2	0.65	< 0.5	12	41	44	2.89	< 10	< 1	0.14	10	0.81	520
AA4654	201	202	< 5	< 0.2	2.14	< 2	290	< 0.5	< 2	0.59	< 0.5	11	42	32	2.91	< 10	< 1	0.12	10	0.76	530
AA4655	201	202	< 5	< 0.2	1.10	< 2	80	< 0.5	< 2	0.30	< 0.5	6	29	10	1.83	< 10	< 1	0.07	< 10	0.42	150
AA4656	201	202	< 5	< 0.2	1.58	< 2	120	< 0.5	< 2	0.40	< 0.5	6	32	18	2.13	< 10	< 1	0.05	< 10	0.40	130
AA4657	201	202	< 5	< 0.2	1.58	6	170	< 0.5	< 2	0.41	< 0.5	8	34	16	2.21	< 10	< 1	0.08	10	0.48	290
AA4658	201	202	5	< 0.2	0.86	12	120	< 0.5	2	8.60	< 0.5	5	15	16	1.27	< 10	< 1	0.03	< 10	0.37	190
AA4659	201	202	< 5	0.6	0.17	< 2	40	< 0.5	8	>15.00	< 0.5	1	3	6	0.29	< 10	4	0.01	< 10	0.18	135
AA4660	201	202	< 5	< 0.2	1.19	12	130	< 0.5	< 2	0.55	< 0.5	6	30	14	1.93	< 10	< 1	0.08	10	0.39	140
AA4661	201	202	< 5	< 0.2	1.36	< 2	190	< 0.5	< 2	0.54	< 0.5	7	32	13	1.94	< 10	< 1	0.06	10	0.38	245
AA4662	201	202	< 5	< 0.2	1.82	< 2	270	< 0.5	< 2	0.44	0.5	11	34	33	2.58	< 10	< 1	0.11	10	0.46	1565
AA4663	201	202	< 5	< 0.2	1.63	< 2	160	< 0.5	< 2	0.53	< 0.5	10	38	26	2.59	< 10	< 1	0.19	10	0.65	475
AA4664	201	202	< 5	< 0.2	1.38	< 2	240	< 0.5	< 2	0.43	< 0.5	9	30	14	2.18	< 10	< 1	0.18	10	0.33	495
AA4665	201	202	< 5	< 0.2	1.52	< 2	170	< 0.5	< 2	0.36	< 0.5	6	31	10	2.11	< 10	< 1	0.09	10	0.38	135
AA4666	201	202	< 5	< 0.2	1.55	6	140	< 0.5	< 2	0.51	< 0.5	7	31	18	2.23	< 10	< 1	0.06	10	0.45	205

CERTIFICATION: *Hart Biddle*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
 C/O ARCHER, CATHRO
 BOX 4127, 2054 SECOND AVE.
 WHITEHORSE, YT
 Y1A 3S9

Page Number : 4-B
 Total Pages : 4
 Certificate Date: 23-JUN-98
 Invoice No. : I9821880
 P.O. Number :
 Account : MTT

Project : DDL
 Comments:

CERTIFICATE OF ANALYSIS A9821880

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA4641	201 202	1 < 0.01		14	340	6	< 2	3	19	0.06	< 10	< 10	41	< 10	40
AA4642	201 202	< 1 < 0.01		16	130	14	< 2	5	19	0.07	< 10	< 10	46	< 10	56
AA4643	201 202	< 1 < 0.01		16	220	2	< 2	3	332	0.05	< 10	< 10	33	< 10	26
AA4644	201 202	1 < 0.01		13	80	8	< 2	3	29	0.06	< 10	< 10	42	< 10	26
AA4645	201 202	< 1 < 0.01		20	500	6	< 2	4	30	0.07	< 10	< 10	47	< 10	34
AA4646	201 202	< 1 < 0.01		26	470	6	< 2	8	44	0.08	< 10	< 10	57	< 10	56
AA4647	201 202	1 < 0.01		18	590	6	< 2	5	39	0.07	< 10	< 10	49	< 10	70
AA4648	201 202	< 1 < 0.01		24	290	2	< 2	4	791	0.05	< 10	< 10	37	< 10	22
AA4649	201 202	1 < 0.01		22	40	10	< 2	5	30	0.08	< 10	< 10	54	< 10	30
AA4650	201 202	< 1 < 0.01		12	600	8	< 2	2	186	0.02	< 10	< 10	24	< 10	44
AA4651	201 202	< 1 < 0.02		16	210	8	< 2	4	157	0.05	< 10	< 10	36	< 10	22
AA4652	201 202	< 1 < 0.01		19	430	14	< 2	4	35	0.06	< 10	< 10	39	< 10	46
AA4653	201 202	1 < 0.03		29	430	8	< 2	9	53	0.07	< 10	< 10	68	< 10	66
AA4654	201 202	1 < 0.02		28	370	8	< 2	8	50	0.08	< 10	< 10	69	< 10	68
AA4655	201 202	1 < 0.01		15	180	2	< 2	3	27	0.07	< 10	< 10	43	< 10	26
AA4656	201 202	6 < 0.01		16	90	10	< 2	4	25	0.05	< 10	< 10	48	< 10	26
AA4657	201 202	1 < 0.01		20	100	14	< 2	5	31	0.07	< 10	< 10	47	< 10	54
AA4658	201 202	< 1 < 0.01		11	210	20	< 2	3	179	0.03	< 10	< 10	26	< 10	28
AA4659	201 202	< 1 < 0.01		4	580	22	< 2	< 1	245	< 0.01	< 10	< 10	7	< 10	30
AA4660	201 202	< 1 < 0.01		17	270	16	< 2	4	28	0.06	< 10	< 10	41	< 10	30
AA4661	201 202	< 1 < 0.01		19	300	8	< 2	4	26	0.08	< 10	< 10	45	< 10	40
AA4662	201 202	1 < 0.01		21	310	10	< 2	6	33	0.08	< 10	< 10	58	< 10	126
AA4663	201 202	< 1 < 0.01		24	350	8	< 2	7	36	0.07	< 10	< 10	59	< 10	54
AA4664	201 202	< 1 < 0.01		22	280	8	< 2	5	21	0.06	< 10	< 10	40	< 10	82
AA4665	201 202	1 < 0.01		14	70	8	< 2	3	31	0.06	< 10	< 10	48	< 10	26
AA4666	201 202	1 < 0.01		19	80	8	< 2	5	31	0.05	< 10	< 10	47	< 10	40

CERTIFICATION: *Hart Biddle*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
 C/O ARCHER, CATHRO
 BOX 4127, 2054 SECOND AVE.
 WHITEHORSE, YT
 Y1A 3S9

Project : DDL NORDAC
 Comments:

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 08-NOV-97
 Invoice No. : 19748815
 P.O. Number :
 Account : MTT

CERTIFICATE OF ANALYSIS A9748815

SAMPLE	PREP CODE		Au ppb	Zn %	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
			FA+AA																		
58177	205	226	25	-----	1.2	2.64	< 2	20	< 0.5	2	11.00	< 0.5	5	48	500	3.66	< 10	< 1	0.06	< 10	1.83
58178	205	226	1810	10.20	15.6	0.04	7470	< 10	< 0.5	< 2	3.92	>100.0	< 1	50	481	>15.00	< 10	1	< 0.01	< 10	0.02
58179	205	226	8760	4.54	11.2	0.35	6280	10	< 0.5	2	>15.00	>100.0	4	38	274	10.90	< 10	< 1	0.01	< 10	0.18
58180	205	226	9040	-----	14.8	0.22	9530	< 10	< 0.5	< 2	3.53	>100.0	1	72	853	>15.00	< 10	1	< 0.01	< 10	0.05

CERTIFICATION: Hartiselle



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: DDL NORDAC
Comments:

Page: 1 of 1
Total Pages: 1
Certificate Date: 08-NOV-97
Invoice No.: I9748815
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9748815

SAMPLE	PREP CODE		Mn	Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
58177	205	226	1435	< 1	< 0.01	21	590	8	< 2	6	241	0.13	< 10	< 10	41	< 10	44
58178	205	226	1055	< 1	< 0.01	< 1	60	5570	14	< 1	55	< 0.01	< 10	10	< 1	< 10	>10000
58179	205	226	2180	< 1	0.01	1	510	2580	16	< 1	217	0.01	< 10	< 10	7	< 10	>10000
58180	205	226	1005	< 1	< 0.01	3	360	2250	32	< 1	59	< 0.01	< 10	30	9	< 10	>10000

CERTIFICATION Hart Biddle



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: DDL NORDAC
Comments:

Page: 1
Total Pages: 1
Certificate Date: 11-NOV-97
Invoice No.: 19749749
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9749749

SAMPLE	PREP CODE	Zn %										
58180	244 --	4.82										

CERTIFICATION:

APPENDIX IV
ROCK SAMPLE DESCRIPTIONS

Rock Sample Descriptions

Project: _____ Property: DDL

Sample Number:	Grid North:	9,620 N	Grid East:	9,750 E	Type:	Specimen	Dimension:	Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)	
58177	UTM:	N	UTM:	E	Sample Width:		Abundance:	1.2	8	44	500	
	Elevation:	m						Au(ppb)				
Comments:	Fall 1997 sample of light green, hard, calcite, drusy quartz, minor epidote, trace chalcopyrite and trace malachite.								25			

Sample Number:	Grid North:	9,900 N	Grid East:	9,600 E	Type:	Specimen	Dimension:	Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)	
58178	UTM:	N	UTM:	E	Sample Width:		Abundance:	15.6	5570	10.2%	481	
	Elevation:	m						Au(ppb)				
Comments:	Fall 1997 sample of skarn float with pyrite and sphalerite.								1810			

Sample Number:	Grid North:	9,900 N	Grid East:	9,600 E	Type:	Specimen	Dimension:	Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)	
58179	UTM:	N	UTM:	E	Sample Width:		Abundance:	11.2	2580	4.54%	274	
	Elevation:	m						Au(ppb)				
Comments:	Fall 1997 sample of skarn float with pyrite and sphalerite.								8760			

Sample Number:	Grid North:	9,900 N	Grid East:	9,600 E	Type:	Specimen	Dimension:	Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)	
58180	UTM:	N	UTM:	E	Sample Width:		Abundance:	14.8	2250	4.82%	853	
	Elevation:	m						Au(ppb)				
Comments:	Fall 1997 sample of brown oxidized skarn with pyrite and sphalerite.								9040			

Sample Number:	Grid North:	10,500 N	Grid East:	10,250 E	Type:	Chip	Dimension:	Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)	
59251	UTM:	N	UTM:	E	Sample Width:	35 cm	Abundance:	0.6	<2	10	1610	
	Elevation:	m						Au(ppb)				
Comments:	35 cm chip sample across diopside, epidote magnetite skarn with trace chalcopyrite.								30			

Sample Number:	Grid North:	10,500 N	Grid East:	10,275 E	Type:	Chip	Dimension:	Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)	
59252	UTM:	N	UTM:	E	Sample Width:	1 m	Abundance:	<0.2	<2	22	50	
	Elevation:	m						Au(ppb)				
Comments:	1 m chip sample across siliceous diopside skarn pod with trace magnetite, pyrite and hematite.								<5			

Rock Sample Descriptions

Project: _____ Property: DDL

Sample Number:	Grid North:	10,500 N	Grid East:	10,275 E	Type:	Chip	Dimension:	Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)	
59253	UTM:	N	UTM:	E	Sample Width:	60 cm	Abundance:	<0.2	<2	6	134	
	Elevation:	m						Au(ppb)	_____	_____	_____	
Comments:	60 cm chip sample across poddy diopside skarn with minor epidote.								<5			

Sample Number:	Grid North:	10,500 N	Grid East:	10,275 E	Type:	Chip	Dimension:	Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
59254	UTM:	N	UTM:	E	Sample Width:	2 m	Abundance:	0.4	<2	8	1680
	Elevation:	m						Au(ppb)	_____	_____	_____
Comments:	2 m chip across diopside skarn with 1% magnetite and trace malachite.								465		

Sample Number:	Grid North:	10,500 N	Grid East:	10,275 E	Type:	Chip	Dimension:	Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
59255	UTM:	N	UTM:	E	Sample Width:	1 m	Abundance:	<0.2	<2	8	576
	Elevation:	m						Au(ppb)	_____	_____	_____
Comments:	1 m chip sample across diopside skarn with malachite.								30		

Sample Number:	Grid North:	10,350 N	Grid East:	10,200 E	Type:	Specimen	Dimension:	Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
59256	UTM:	N	UTM:	E	Sample Width:		Abundance:	3.0	8	224	2330
	Elevation:	m						Au(ppb)	_____	_____	_____
Comments:	Float boulder of siliceous skarn with <1% pyrite.								105		

Sample Number:	Grid North:	10,450 N	Grid East:	10,275 E	Type:	Chip	Dimension:	Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)	
59257-259	UTM:	N	UTM:	E	Sample Width:	2, 3 and 3 m	Abundance:	0.4	8	14	237	
	Elevation:	m						Au(ppb)	_____	_____	_____	
Comments:	2, 3 and 3 m chip samples in an old bulldozer trench.								10			
	All three samples consist of siliceous felsic porphyry with pyrite, chalcopyrite and trace malachite.								Peak Values Listed above			

Sample Number:	Grid North:	10,425 N	Grid East:	10,275 E	Type:	Chip	Dimension:	Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
59260	UTM:	N	UTM:	E	Sample Width:	20 cm	Abundance:	<0.2	<2	8	29
	Elevation:	m						Au(ppb)	_____	_____	_____
Comments:	20 cm chip sample of rusty skarn at limestone/porphyry contact.								570		

Rock Sample Descriptions

Project: _____ Property: DDL

Sample Number: **59261** Grid North: 10,425 N Grid East: 10,275 E Type: Chip Dimension: _____
 UTM: N UTM: E Sample Width: 1.5 m Abundance: _____
 Elevation: m
 Comments: 1.5 m chip sample of altered porphyry, siliceous, rusty with calcite stringers

Ag(ppm) _____ Pb(ppm) _____ Zn(ppm) _____ Cu(ppm) _____
 <0.2 <2 26 163
 Au(ppb) _____
 40

Sample Number: **59262** Grid North: 10,425 N Grid East: 10,275 E Type: Chip Dimension: _____
 UTM: N UTM: E Sample Width: 2 m Abundance: _____
 Elevation: m
 Comments: 2 m chip sample of altered porphyry with hematite, trace chalcopyrite and malachite.

Ag(ppm) _____ Pb(ppm) _____ Zn(ppm) _____ Cu(ppm) _____
 <0.2 6 14 784
 Au(ppb) _____
 140

Sample Number: **59263** Grid North: 10,425 N Grid East: 10,275 E Type: Chip Dimension: _____
 UTM: N UTM: E Sample Width: 2 m Abundance: _____
 Elevation: m
 Comments: 2 m chip sample of pyritic felsic porphyry. Chalcopyrite in a 1 cm fracture vein.

Ag(ppm) _____ Pb(ppm) _____ Zn(ppm) _____ Cu(ppm) _____
 0.4 10 12 767
 Au(ppb) _____
 20

Sample Number: **59264** Grid North: 10,170 N Grid East: 10,075 E Type: Chip Dimension: _____
 UTM: N UTM: E Sample Width: 1 m Abundance: _____
 Elevation: m
 Comments: 1 m chip sample of felsic porphyry with abundant parallel quartz veinlets 2-10 mm wide containing trace pyrite, chalcopyrite and malachite.

Ag(ppm) _____ Pb(ppm) _____ Zn(ppm) _____ Cu(ppm) _____
 0.6 6 32 1900
 Au(ppb) _____
 20

Sample Number: **59265** Grid North: 10,260 N Grid East: 10,250 E Type: Composite chip Dimension: _____
 UTM: N UTM: E Sample Width: 1.5 m Abundance: _____
 Elevation: m
 Comments: 1.5 m composite chip of siliceous pyritic porphyry with trace chalcopyrite and rusty fractures.

Ag(ppm) _____ Pb(ppm) _____ Zn(ppm) _____ Cu(ppm) _____
 <0.2 <2 28 168
 Au(ppb) _____
 <5

Sample Number: **59266** Grid North: 10,100 N Grid East: 10,410 E Type: Specimen Dimension: _____
 UTM: N UTM: E Sample Width: _____ Abundance: _____
 Elevation: m
 Comments: Specimen of siliceous diopside, epidote skarn with 1 % pyrite and trace bornite.

Ag(ppm) _____ Pb(ppm) _____ Zn(ppm) _____ Cu(ppm) _____
 <0.2 2 18 61
 Au(ppb) _____
 <5

Rock Sample Descriptions

Project: _____ Property: DDL

Sample Number: **59267** Grid North: 9,775 N Grid East: 9,850 E Type: Chip Dimension: _____
 UTM: N UTM: E Sample Width: 1 m Abundance: _____
 Elevation: m
 Comments: 1 m chip sample at limestone/porphyry contact.

Ag(ppm) _____ Pb(ppm) 2 Zn(ppm) 28 Cu(ppm) 31
 Au(ppb) _____
 <5

Sample Number: **59268** Grid North: 9,850 N Grid East: 9,825 E Type: Specimen Dimension: _____
 UTM: N UTM: E Sample Width: _____ Abundance: _____
 Elevation: m
 Comments: Specimen from a 5-8 cm wide limonitic vein in recrystallized limestone. From a small blast pit, no unoxidized material could be found.

Ag(ppm) 19.8 Pb(ppm) 396 Zn(ppm) 108 Cu(ppm) 1275
 Au(ppb) 1855

Sample Number: **59269** Grid North: 9,620 N Grid East: 9,750 E Type: Chip Dimension: _____
 UTM: N UTM: E Sample Width: 2 m Abundance: _____
 Elevation: m
 Comments: 2 m chip in old hand trench across skarn. Siliceous nodules of diopside, epidote, dolomite and some limonite along fractures.

Ag(ppm) 1.0 Pb(ppm) 4 Zn(ppm) 52 Cu(ppm) 545
 Au(ppb) 90

Sample Number: **59270** Grid North: 9,620 N Grid East: 9,750 E Type: Chip Dimension: _____
 UTM: N UTM: E Sample Width: 2 m Abundance: _____
 Elevation: m
 Comments: 2 m chip sample adjacent to 59269, same material. Minor chalcopyrite noted in one siliceous 10 cm band.

Ag(ppm) 1.8 Pb(ppm) <2 Zn(ppm) 30 Cu(ppm) 527
 Au(ppb) 75

Sample Number: **59271** Grid North: 9,760 N Grid East: 9,650 E Type: Specimen Dimension: 5 cm thick
 UTM: N UTM: E Sample Width: _____ Abundance: _____
 Elevation: m
 Comments: 5 cm thick specimen of limonite adjacent to skarn. Taken near sample site 59267.

Ag(ppm) 34.2 Pb(ppm) 3.27% Zn(ppm) 5910 Cu(ppm) 1350
 Au(ppb) 375

Sample Number: **59272** Grid North: 9,915 N Grid East: 9,595 E Type: Specimen Dimension: _____
 UTM: N UTM: E Sample Width: _____ Abundance: _____
 Elevation: m
 Comments: Specimen of high grade chalcopyrite lens adjacent to diopside skarn in small blast pit, lens 5 cm wide and pinches out.

Ag(ppm) 367 Pb(ppm) 198 Zn(ppm) 5000 Cu(ppm) 16.75%
 Au(ppb) 8560

Rock Sample Descriptions

Project: _____ Property: DDL

Sample Number: **59273** Grid North: 9,915 N Grid East: 9,995 E Type: Specimen Dimension: _____
 UTM: N UTM: E Sample Width: _____ Abundance: _____
 Ag(ppm) 0.4 Pb(ppm) 74 Zn(ppm) 88 Cu(ppm) 391
 Elevation: m Au(ppb) _____
 Comments: Chip sample of diopside skarn adjacent to chalcopyrite vein in limestone. Taken near sample site 59272. 105

Sample Number: **59274** Grid North: 9,800 N Grid East: 9,800 E Type: Chip Dimension: _____
 UTM: N UTM: E Sample Width: _____ Abundance: _____
 Ag(ppm) 0.8 Pb(ppm) 28 Zn(ppm) 30 Cu(ppm) 1955
 Elevation: m Au(ppb) _____
 Comments: 1 m chip sample of bleached feldspar porphyry with <1% pyrite and trace chalcopyrite. 25

Sample Number: **59275** Grid North: 9,900 N Grid East: 9,850 E Type: Specimen Dimension: 30X40X5 cm
 UTM: N UTM: E Sample Width: _____ Abundance: _____
 Ag(ppm) 39.0 Pb(ppm) 1185 Zn(ppm) 124 Cu(ppm) 2530
 Elevation: m Au(ppb) _____
 Comments: Specimen from a discontinuous 30x40x5 cm pyrite lens in limestone. Sample taken from a small blast pit. Limonite vein visible on one side of pit wall. Pyrite contains <1% galena. 33.77 g/t

Sample Number: **59276** Grid North: 9,620 N Grid East: 9,750 E Type: Specimen Dimension: _____
 UTM: N UTM: E Sample Width: _____ Abundance: _____
 Ag(ppm) 21.8 Pb(ppm) 6 Zn(ppm) 74 Cu(ppm) 2260
 Elevation: m Au(ppb) _____
 Comments: A collection of limonite fragments from the hand trench of samples 59269 and 59270. Collected over a 3 m interval. No fresh sulphides could be found. 1235

Sample Number: _____ Grid North: N Grid East: E Type: _____ Dimension: _____
 UTM: N UTM: E Sample Width: _____ Abundance: _____
 Ag(ppm) _____ Pb(ppm) _____ Zn(ppm) _____ Cu(ppm) _____
 Elevation: m Au(ppb) _____
 Comments: _____

Sample Number: _____ Grid North: N Grid East: E Type: _____ Dimension: _____
 UTM: N UTM: E Sample Width: _____ Abundance: _____
 Ag(ppm) _____ Pb(ppm) _____ Zn(ppm) _____ Cu(ppm) _____
 Elevation: m Au(ppb) _____
 Comments: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

INVOICE NUMBER

I 9 8 2 2 4 6 5

BILLING INFORMATION

Date: 25-JUN-98
Project: DDL μ
P.O. No.:
Account: MTT

Comments:

Billing: For analysis performed on
Certificate A9822465

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
1	244 - Pulp; prev. prepared at Chemex 312 - Pb %	0.00 8.00	8.00	8.00
1	244 - Pulp; prev. prepared at Chemex 384 - Ag FA g/t	0.00 10.50	10.50	10.50
Total Cost \$				18.50
Client Discount (25%) \$				-4.63
Net Cost \$				13.87
(Reg# R100938885) GST \$				0.97
TOTAL PAYABLE (CDN) \$				14.84