

BRADLEY 1 - 14, 23 -24

Prospecting, Silt, Soil Geochem Survey

Grant# YCO6491 - YCO6504
YCO6513 - YCO6514

NTS 116 B-3

Latitude 64.06 North

Longitude 139.10 West

094013

For: Canadian United Minerals Inc.

Author: Shawn Ryan

Work Performed: June 02 - 04, 1998

Date of Report: May 11, 1999



This report has been examined by
the Geological Evaluation Unit
under Section 53 (4) Yukon Quartz
Mining Act and is allowed as
representation work in the amount
of \$ 1600.00.

M. Bush
for Regional Manager, Exploration and
Geological Services for Commissioner
of Yukon Territory.

BRADLEY CLAIMS

Table of Contents

Introduction	page 1
Location/Access	page 1
Property Geology	page 1
Work Performed	page 1
Work Method	page 1
Interpretation/Geological Implication	page 1
Recommendation	page 1
Cost	page 1
Rock Description	page 2
Soil & Silt Sample Description	page 2
Qualifications	page 2
Assay	page 3
Assay Location Map	page 4
Geology Map	page 5
Claim Map	page 6

BRADLEY CLAIMS

INTRODUCTION

The Bradley Claims were staked in November of 1997 to cover a high R.G.S. silt sample. I would like to file one year's worth of assessment work on claims 1 -14 and 23 & 24.

LOCATION / ACCESS

The Bradley Claims are situated 5 miles N.E. of Dawson City. They can be reached via a Fire Road located behind the Fire Tower overlooking Dawson City.

PROPERTY GEOLOGY

The property lies on the south edge of the Tintina Fault. The main rock units on the property is Nasina Series and ultramafic intrusion.

WORK PERFORMED

I spent 3 days in early June taking soil, silt and rock samples across the property.

WORK METHOD

The work method was a systematic sampling of the small creeks draining into Bradley Creek. I also took some soil samples on the ridge top, south of Bradley Creek.

INTERPRETATION / GEOLOGICAL IMPLICATION

The silt Bras-12 was the only anomalous value obtained. It points out that the drainage is anomalous in Au, but also in base metal which could mean a stratiform Zn-Pb deposit model. I see this type of deposit has been found in small showings in Nasina-Assemblage in east-central Alaska. The second model is Au potential in shear zones along thrust fault contact of ultramafic intrusion.

RECOMMENDATION

I would recommend a magnetic survey to outline the contact area of Ultramafic and Nasina Assemblage. I would then recommend a soil sample taken at contact area with follow up of Anomalous soil by hand trenches.

COST

Three (3) days prospecting @ \$250/day	\$ 750.00
Report	250.00
Assay	550.00
Honda 4x4 rental	<u>300.00</u>
TOTAL	<u>\$1850.00</u>

ROCK DESCRIPTION

BRAR-3 - quartz vein 2 inch wide with pyrite
AR-6 - green schist
AR-8 - felsic schist with quartz
BRAR-9 - quartz with pyrite
AR-9B - rusty quartz
AR-10 - quartz breccia
BRAR-12 - black dike
BRAR-15 - quartz float

SOIL & SILT SAMPLE DESCRIPTION

BRAS-01 - soil 6 inches down
BRAS-02 - silt from small dry creek
BRAS-03 - silt from small dry creek
BRAS-03b - silt 1 ft under BRAS-03
BRAS-04 - silt from small creek
BRAS-05 - silt from fast flowing creek
BRAS-06 - soil
BRAS-07 - silt from small creek
BRAS-08 - soil
BRAS-10 - soil
BRAS-11 - silt from small creek
BRAS-12 - silt from Bradley Creek
BRAS-13 - soil 6 inches down
BRAS-14 - soil
BRAS-15 - soil 6 inches down
BRAS-16 - soil 1 ft down
BRAS-17 - soil 1 ft down
BRAS-18 - soil 1 ft down
BRAS-19 - soil 1 ft down


QUALIFICATIONS

I have 18 years experience in Exploration, working in Ontario, Quebec, NWT and the Yukon.

I have been prospecting in the Yukon for the last 5 years.

I have 50% interest in the Bradley Claims.

SHAWN RYAN





Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: CANADIAN UNITED MINERALS INC.

BOX 1260
DAWSON CITY, YT
Y0B 1G0

INVOICE NUMBER

I 9 8 2 3 2 7 1

BILLING INFORMATION

Date: 9-JUL-98
Project:
P.O. No.:
Account: PRP
Comments:
Billing: For analysis performed on
Certificate A9823271
Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

COPY

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
14	205 - Geochem ring to approx 150 mesh EX-1 Package 0-3 Kg crush and split	2.50 16.75 2.60	21.85	305.90
22	205 - Geochem ring to approx 150 mesh ICP-32 0-3 Kg crush and split	2.50 7.00 2.60	12.10	266.20
Total Cost \$				572.10
(Reg# R100938885) GST \$				40.05
TOTAL PAYABLE (CDN) \$				612.15



Chemex Labs Ltd.

Analytical Chemists - Geochemists - Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.
 BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Project: SHAWN RYAN
 Comments: ATTN: SHAWN RYAN

Page Number : 1-A
 Total Pages : 1
 Certificate Date : 08-JUL-98
 Invoice No. : 19823271
 P.O. Number :
 Account : PFP

CERTIFICATE OF ANALYSIS A9823271

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
OTHER	205 226	5	0.2	0.13	170	10	< 0.5	< 2	0.01	0.5	3	207	15	0.70	< 10	< 1	0.05	< 10	< 0.01	65
	205 226	< 5	< 0.2	0.27	100	< 10	< 0.5	12	< 0.01	< 0.5	1	219	13	1.72	< 10	< 1	0.01	< 10	< 0.01	60
	205 226	10	< 0.2	0.37	22	190	< 0.5	< 2	0.01	< 0.5	< 1	182	1	0.65	< 10	< 1	0.27	30	< 0.01	30
Bradley 22	205 226	< 5	< 0.2	0.38	6	210	0.5	< 2	> 15.00	< 0.5	4	12	1	0.96	< 10	< 1	< 0.01	< 10	0.31	3030
Claims 23	205 226	< 5	< 0.2	0.68	32	170	< 0.5	< 2	0.38	< 0.5	< 1	97	3	0.63	< 10	< 1	0.19	20	0.01	130
	205 226	5	1.0	0.24	470	50	< 0.5	2	0.30	0.5	< 1	206	6	0.84	< 10	< 1	0.05	10	0.21	45
	205 226	< 5	< 0.2	0.35	8	340	< 0.5	2	0.85	< 0.5	3	201	3	0.88	< 10	< 1	0.05	10	0.60	125
	205 226	< 5	< 0.2	1.62	8	40	0.5	2	2.52	< 0.5	20	41	12	4.97	< 10	< 1	0.16	30	1.60	810
	205 226	< 5	< 0.2	0.51	8	70	< 0.5	< 2	0.02	< 0.5	< 1	77	20	0.84	< 10	< 1	0.16	< 10	< 0.01	5
CNEY	205 226	-----	< 0.2	0.91	52	> 10000	< 0.5	< 2	7.06	4.0	1	82	39	0.30	< 10	< 1	0.18	< 10	0.07	175
	205 226	-----	0.2	2.55	82	90	0.5	< 2	0.16	3.0	< 1	204	22	1.26	< 10	< 1	0.55	< 10	0.01	5
	205 226	-----	0.2	0.46	8	4600	< 0.5	< 2	2.35	14.0	2	196	14	0.46	< 10	< 1	0.11	< 10	0.20	60
	205 226	-----	< 0.2	0.05	< 2	240	< 0.5	< 2	0.01	< 0.5	< 1	187	3	0.26	< 10	< 1	0.02	< 10	< 0.01	5
	205 226	-----	0.2	0.24	2	710	< 0.5	< 2	0.01	< 0.5	< 1	151	10	0.31	< 10	< 1	0.06	< 10	0.02	5
OTHER	205 226	-----	0.2	1.64	20	430	0.5	< 2	0.10	3.0	1	198	67	0.99	< 10	< 1	0.05	< 10	0.02	10
	205 226	< 5	< 0.2	1.02	< 2	240	< 0.5	< 2	12.25	0.5	< 1	34	12	0.07	< 10	< 1	0.01	< 10	2.52	25
	205 226	< 5	< 0.2	1.15	< 2	310	< 0.5	< 2	0.92	< 0.5	6	47	13	2.66	< 10	< 1	0.20	20	0.71	215
	205 226	< 5	< 0.2	0.40	< 2	90	< 0.5	< 2	0.13	< 0.5	1	115	8	0.77	< 10	< 1	0.15	30	0.08	50
	205 226	-----	< 0.2	0.84	< 2	50	< 0.5	< 2	0.33	< 0.5	< 1	7	1	1.06	< 10	< 1	0.08	< 10	0.31	90
OTHER	205 226	-----	0.4	0.71	18	930	< 0.5	< 2	0.10	2.0	< 1	119	27	0.60	< 10	< 1	0.19	< 10	0.05	5
	205 226	< 5	< 0.2	1.31	< 2	40	< 0.5	< 2	4.39	< 0.5	7	121	14	1.05	< 10	< 1	0.01	< 10	0.09	460
	205 226	-----	1.6	0.18	64	40	< 0.5	< 2	> 15.00	3.5	1	24	147	2.93	< 10	< 1	0.06	10	0.16	65
	205 226	-----	1.0	1.38	30	100	1.5	< 2	3.40	31.0	17	80	58	1.34	< 10	< 1	0.32	< 10	0.44	120
	205 226	-----	1.4	1.26	48	1540	1.0	< 2	9.95	13.5	12	94	58	2.00	< 10	< 1	0.34	10	1.52	185
willow	205 226	-----	1.2	1.03	46	2090	0.5	< 2	10.95	12.0	9	80	48	1.40	< 10	< 1	0.27	10	0.92	110
	205 226	-----	1.6	1.57	66	1250	0.5	< 2	8.67	13.0	12	108	84	1.93	< 10	< 1	0.40	10	1.14	95
	205 226	-----	2.0	1.59	86	1130	1.0	< 2	7.24	15.5	12	126	83	2.38	< 10	< 1	0.45	10	1.09	85
	205 226	-----	1.8	1.45	60	590	1.0	< 2	8.22	18.5	14	120	90	2.07	< 10	< 1	0.38	10	1.02	105
	205 226	-----	2.0	1.43	88	470	1.0	< 2	5.43	17.0	10	123	140	2.22	< 10	< 1	0.39	10	0.91	75
	205 226	-----	2.8	1.34	96	510	1.0	< 2	2.02	9.0	7	128	143	2.79	< 10	< 1	0.38	10	0.72	35
	205 226	-----	1.6	1.07	66	560	0.5	< 2	4.63	19.0	8	103	94	1.60	< 10	< 1	0.29	10	0.61	75
	205 226	-----	1.6	1.02	66	560	0.5	< 2	4.02	25.5	14	99	108	1.63	< 10	< 1	0.29	< 10	0.52	85
	205 226	-----	1.8	0.88	52	250	0.5	< 2	0.35	1.5	1	84	15	1.38	< 10	< 1	0.32	< 10	0.19	5
	205 226	-----	1.6	1.26	62	510	1.0	< 2	1.64	12.0	8	112	74	1.84	< 10	< 1	0.36	< 10	0.56	45
	205 226	-----	1.6	1.29	60	140	1.0	< 2	1.03	4.5	3	112	70	1.67	< 10	< 1	0.35	< 10	0.40	5

CERTIFICATION: *Handwritten Signature*



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.
 BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 08-JUL-98
 Invoice No. : 19823271
 P.O. Number : PRP
 Account :

Project :
 Comments: ATTN: SHAWN RYAN

CERTIFICATE OF ANALYSIS A9823271

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	V ppm	W ppm	Zn ppm
AU07R-1	205 226	< 1	< 0.01	5	60	28	< 2	< 1	2	< 0.01	< 10	< 10	1	< 10
AU07R-2	205 226	< 1	< 0.01	5	30	2	< 2	< 1	1	< 0.01	< 10	< 10	3	< 10
BRAR-3	205 226	1	0.02	3	40	16	< 2	< 1	8	< 0.01	< 10	< 10	1	< 10
AR-6	205 226	< 1	< 0.01	3	10	< 2	< 2	8	1245	< 0.01	< 10	< 10	11	< 10
AR-8	205 226	< 1	0.03	1	90	10	< 2	< 1	23	< 0.01	< 10	< 10	1	< 10
BRAR-9	205 226	< 1	0.02	3	30	8	< 2	1	42	0.01	< 10	< 10	1	< 10
AR-9B	205 226	< 1	< 0.01	3	200	196	< 2	< 1	18	< 0.01	< 10	< 10	< 1	< 10
AR-10	205 226	< 1	0.07	6	100	76	< 2	1	25	< 0.01	< 10	< 10	3	< 10
BRAR-12	205 226	< 1	0.19	7	2630	2	< 2	12	105	0.12	< 10	< 10	73	< 10
BRAR-15	205 226	< 1	< 0.01	< 1	30	20	< 2	< 1	4	< 0.01	< 10	< 10	< 1	< 10
CHEY03R-400	205 226	18	< 0.01	36	1220	< 2	< 2	1	1450	0.04	< 10	< 10	174	< 10
CHEY05R-230	205 226	36	0.16	15	2700	< 2	< 2	17	358	< 0.01	< 10	< 10	30	< 10
CHEY10R-400	205 226	17	< 0.01	56	40	2	< 2	1	426	< 0.01	< 10	< 10	309	< 10
CHEY11R-400	205 226	7	< 0.01	6	30	< 2	< 2	< 1	9	< 0.01	< 10	< 10	13	< 10
CHEY12R-000	205 226	1	< 0.01	13	320	6	< 2	< 1	22	< 0.01	< 10	< 10	50	< 10
CHEY15R-200	205 226	13	< 0.01	155	1650	2	2	4	238	< 0.01	< 10	< 10	147	< 10
DMCON-R	205 226	< 1	< 0.01	10	30	< 2	< 2	< 1	920	< 0.01	< 10	< 10	39	< 10
DMYR-1	205 226	< 1	0.07	5	980	8	< 2	4	75	0.13	< 10	< 10	67	< 10
DMYR-2	205 226	< 1	0.06	5	170	2	< 2	3	12	< 0.01	< 10	< 10	7	< 10
GRAY RR-1	205 226	< 1	0.05	1	250	4	< 2	1	28	0.06	< 10	< 10	12	< 10
GRAY RR-2	205 226	36	0.01	30	920	10	2	3	152	< 0.01	< 10	< 10	686	< 10
JUR-1	205 226	< 1	< 0.01	8	1040	< 2	< 2	1	92	0.07	< 10	< 10	26	< 10
WILLOW R-5	205 226	24	0.01	48	360	18	24	2	3390	0.01	< 10	< 10	468	< 10
WILLOW R-6	205 226	44	0.01	351	950	8	2	4	365	0.03	< 10	< 10	1525	< 10
WILLOW R-15	205 226	117	0.01	295	450	8	< 2	6	1145	< 0.01	< 10	< 10	1420	< 10
WILLOW RR-30	205 226	93	< 0.01	223	270	< 2	2	6	1430	< 0.01	< 10	< 10	1285	< 10
WILLOW RR-45	205 226	118	< 0.01	289	1140	10	< 2	5	1225	< 0.01	< 10	< 10	1705	< 10
WILLOW RR-60	205 226	172	0.01	387	780	12	2	6	929	0.01	< 10	< 10	2030	< 10
WILLOW RR-75	205 226	158	< 0.01	390	520	12	2	6	921	0.01	< 10	< 10	1905	< 10
WILLOW RR-90	205 226	181	< 0.01	458	550	16	8	6	632	0.01	< 10	< 10	2270	< 10
WILLOW RR-105	205 226	248	< 0.01	320	1300	22	20	5	417	0.01	< 10	< 10	2380	< 10
WILLOW RR-130	205 226	187	< 0.01	372	510	10	< 2	6	551	0.01	< 10	< 10	2080	< 10
WILLOW RR-135	205 226	172	< 0.01	476	560	12	6	5	443	0.01	< 10	< 10	1980	< 10
WILLOW RR-150	205 226	126	< 0.01	97	1050	26	< 2	1	140	< 0.01	< 10	< 10	1875	< 10
WILLOW RR-165	205 226	205	< 0.01	303	710	12	2	7	294	0.01	< 10	< 10	2620	< 10
WILLOW RR-210	205 226	166	< 0.01	170	1280	10	2	4	162	0.01	< 10	< 10	2770	< 10

CERTIFICATION: *Shawn Ryan*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: CANADIAN UNITED MINERALS INC.

BOX 1260
DAWSON CITY, YT
Y0B 1G0

INVOICE NUMBER I 9 8 2 3 3 8 7

BILLING INFORMATION

Date: 9-JUL-98
Project:
P.O. No.:
Account: PRP
Comments:
Billing: For analysis performed on Certificate A9823387
Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

COPY

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
7	201 - Dry, sieve to -80 mesh	1.25		
	202 - save reject	0.85		
	983 - Au ppb FA+AA	9.75		
	866 - fusion wt. gm	0.00	11.85	82.95
22	201 - Dry, sieve to -80 mesh	1.25		
	202 - save reject	0.85		
	EX-1 Package	16.75		
	866 - fusion wt. gm	0.00	18.85	414.70
				376.7
				497.65
				34.84
				532.49

Total Cost \$ 497.65
(Reg# R100938885) GST \$ 34.84

TOTAL PAYABLE (CDN) \$ 532.49



Chemex Labs Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.
 BOX 1260
 DAWSON CITY, YT
 Y0B 1G0
 Project: _____
 Comments: ATTN: SHAWN RYAN

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 09-JUL-98
 Invoice No. : 19823387
 P.O. Number : _____
 Account : PRP

CERTIFICATE OF ANALYSIS A9823387

SAMPLE	PREP CODE	Au ppb fusion	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	
Au801-000	201 202	< 5 15.00																		
Au075-01	201 202	10 15.00																		
Au-450	201 202	10 15.00																		
Au-900	201 202	< 5 10.00																		
Au-1350	201 202	< 5 15.00																		
Au-1800	201 202	< 5 10.00																		
Au-2250	201 202	20 15.00																		
BRAS-01	201 202	10 15.00	< 0.2	1.00	8	250	< 0.5	< 2	0.47	< 0.5	10	41	12	1.83	< 10	< 1	0.05	10	0.58	
BRAS-02	201 202	< 5 15.00	< 0.2	1.45	12	370	< 0.5	< 2	0.45	< 0.5	8	50	14	2.11	< 10	< 1	0.05	10	0.62	
BRAS-03	201 202	5 15.00	< 0.2	1.18	8	300	< 0.5	< 2	0.51	< 0.5	11	108	15	2.45	< 10	< 1	0.06	10	0.73	
BRAS-03B	201 202	10 15.00	< 0.2	1.11	2	310	< 0.5	< 2	0.53	< 0.5	8	39	13	1.92	< 10	< 1	0.05	10	0.54	
BRAS-04	201 202	5 15.00	< 0.2	1.02	8	220	< 0.5	< 2	0.38	< 0.5	9	41	10	1.86	< 10	< 1	0.04	10	0.55	
BRAS-05	201 202	10 15.00	0.2	1.26	28	360	< 0.5	< 2	0.74	< 0.5	11	45	19	2.49	< 10	< 1	0.06	10	0.64	
BRAS-06	201 202	< 5 15.00	0.2	3.41	30	430	< 0.5	< 2	2.42	< 0.5	41	129	128	6.11	< 10	< 1	0.03	10	2.01	
BRAS-07	201 202	10 15.00	< 0.2	0.78	4	210	< 0.5	< 2	0.43	< 0.5	6	21	9	1.58	< 10	< 1	0.04	10	0.39	
BRAS-08	201 202	< 5 15.00	< 0.2	0.70	44	210	< 0.5	< 2	0.12	< 0.5	2	5	4	1.17	< 10	< 1	0.10	30	0.20	
BRAS-10	201 202	< 5 15.00	< 0.2	0.61	24	310	0.5	< 2	0.54	< 0.5	4	6	6	2.28	< 10	< 1	0.20	20	0.21	
BRAS-11	201 202	15 15.00	< 0.2	0.94	8	270	< 0.5	< 2	0.46	< 0.5	7	18	9	1.80	< 10	< 1	0.06	10	0.38	
BRAS-12	201 202	20 15.00	4.8	0.76	102	60	< 0.5	< 2	0.83	3.5	15	24	35	4.07	< 10	< 1	0.05	10	0.65	
BRAS-13	201 202	5 15.00	< 0.2	0.43	36	180	< 0.5	< 2	0.03	< 0.5	< 1	2	2	1.53	< 10	< 1	0.16	10	0.01	
BRAS-14	201 202	< 5 15.00	< 0.2	1.17	6	210	< 0.5	< 2	0.20	< 0.5	5	19	19	1.81	< 10	< 1	0.05	10	0.34	
BRAS-15	201 202	< 5 15.00	< 0.2	1.17	10	180	< 0.5	< 2	0.07	< 0.5	4	11	11	1.57	< 10	< 1	0.06	10	0.20	
BRAS-16	201 202	25 15.00	< 0.2	1.11	60	70	< 0.5	< 2	0.05	< 0.5	4	13	12	1.47	< 10	< 1	0.08	40	0.17	
BRAS-17	201 202	< 5 15.00	< 0.2	1.68	< 2	140	< 0.5	< 2	0.13	< 0.5	47	456	13	3.48	< 10	< 1	0.04	< 10	4.30	
BRAS-18	201 202	< 5 15.00	< 0.2	2.94	< 2	80	< 0.5	< 2	0.24	< 0.5	14	86	8	3.53	< 10	< 1	0.01	< 10	1.63	
BRAS-19	201 202	< 5 15.00	< 0.2	1.88	< 2	150	< 0.5	< 2	0.44	< 0.5	37	540	12	3.35	< 10	< 1	0.03	10	2.79	
JUS-01	201 202	15 15.00	< 0.2	1.50	148	110	0.5	< 2	0.21	< 0.5	8	27	21	2.37	< 10	< 1	0.08	20	0.48	
JUNIS-02	201 202	15 15.00	1.2	1.27	114	130	0.5	< 2	0.26	1.5	11	27	46	2.73	< 10	< 1	0.07	20	0.51	
TALK-01	201 202	< 5 15.00	1.6	0.67	< 2	150	< 0.5	< 2	0.32	< 0.5	< 1	< 1	7	0.43	< 10	< 1	0.05	30	0.74	

Other

Sample location 2, 3

Bradley 4

Silt/soil 5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

Other

Bradley

CERTIFICATION: Itay Biele



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Project:
 Comments: ATTN: SHAWN RYAN


Page Number : 1-B
 Total Pages : 1
 Certificate Date: 09-JUL-98
 Invoice No. : 19823387
 P.O. Number :
 Account : PRP

CERTIFICATE OF ANALYSIS A9823387

SAMPLE	PREP CODE	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	SC ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
Au501-000	201 202															
Au075-01	201 202															
Au-450	201 202															
Au-900	201 202															
Au-1350	201 202															
Au-1800	201 202															
Au-2250	201 202															
BRAS-01	201 202	295	< 1	0.01	51	620	6	2	3	28	0.05	< 10	< 10	39	< 10	54
BRAS-02	201 202	320	< 1	< 0.01	44	530	8	< 2	4	31	0.05	< 10	< 10	43	< 10	58
BRAS-03	201 202	400	< 1	< 0.01	70	590	8	< 2	4	33	0.05	< 10	< 10	42	< 10	64
BRAS-03B	201 202	315	< 1	< 0.01	40	600	8	< 2	3	34	0.05	< 10	< 10	37	< 10	56
BRAS-04	201 202	315	< 1	< 0.01	32	600	8	< 2	3	24	0.04	< 10	< 10	35	< 10	52
BRAS-05	201 202	2310	< 1	< 0.01	40	680	22	4	4	53	0.03	< 10	< 10	32	< 10	86
BRAS-06	201 202	940	< 1	< 0.01	55	330	6	2	15	36	0.05	< 10	< 10	113	< 10	82
BRAS-07	201 202	225	< 1	< 0.01	15	720	6	< 2	2	25	0.03	< 10	< 10	30	< 10	50
BRAS-08	201 202	155	< 1	< 0.01	4	170	42	< 2	1	12	< 0.01	< 10	< 10	9	< 10	40
BRAS-10	201 202	240	< 1	< 0.01	6	230	52	< 2	3	66	< 0.01	< 10	< 10	10	< 10	48
BRAS-11	201 202	370	< 1	< 0.01	12	610	10	< 2	3	35	0.05	< 10	< 10	34	< 10	60
BRAS-12	201 202	280	6	< 0.01	55	720	156	4	2	48	0.02	< 10	< 10	26	< 10	498
BRAS-13	201 202	70	< 1	< 0.01	1	360	36	< 2	< 1	66	< 0.01	< 10	< 10	9	< 10	40
BRAS-14	201 202	160	< 1	< 0.01	13	390	28	2	3	17	0.04	< 10	< 10	32	< 10	62
BRAS-15	201 202	180	< 1	< 0.01	6	120	46	< 2	1	9	0.03	< 10	< 10	26	< 10	46
BRAS-16	201 202	95	< 1	< 0.01	8	130	16	< 2	1	10	0.02	< 10	< 10	23	< 10	40
BRAS-17	201 202	505	< 1	< 0.01	846	130	4	< 2	5	10	0.05	< 10	< 10	50	< 10	52
BRAS-18	201 202	320	< 1	< 0.01	49	40	2	6	10	11	0.07	< 10	< 10	100	< 10	28
BRAS-19	201 202	510	< 1	< 0.01	636	140	4	< 2	9	12	0.06	< 10	< 10	64	< 10	50
JUS-01	201 202	345	< 1	< 0.01	20	580	10	< 2	3	16	0.05	< 10	< 10	40	< 10	84
JUNS-02	201 202	990	< 1	< 0.01	23	600	24	2	4	21	0.06	< 10	< 10	44	< 10	190
TALK-01	201 202	50	< 1	< 0.01	< 1	40	44	6	< 1	20	< 0.01	< 10	< 10	< 1	< 10	34

CERTIFICATION: *Shawn Ryan*

h



600

Creek

13

90

60

H
I
I

○ SAMPLE LOCATION

— HONDA TRAIL

- - - TRAVERSE ROUTE

⊖ HAND TRENCH

600

750

Truck

Shovel

Q8

HONDA
4x4
TRAIL


PLATE

OPEN FILE
GEOLO
SOUTHWESTERN DA
YUKC


Scale 1:250 000 - Écl



Universal Transverse Mercator Projection Prc
© Crown copyrights reserved



unnamed(4),
 (7)
 valley mine(14), others
 BOUNDARY LODGE(17),
 Sixty Mile R./PER(21)
 (23), FORTYMILE(24),
 (29)
 (31), Cliff Cr.(32),
 1 Cr. (north)(35),
 EKOME(38), Coal Cr.
 Sixty Mile(41)



- TQvb fresh, brown weathering olivine basalt
- Early Tertiary**
- eTt felsic lapilli tuff and volcanic breccia
 eTfp tan to rusty weathering, unfoliated quartz-feldspar porphyry
 eTdi brown weathering fine-grained diabase and plagioclase-phyrlic basalt
 eTv mafic to intermediate volcanic rocks
 PEst brown weathering conglomerate, argillite, minor tuffs
- Late Cretaceous**
- IKva massive andesite flows, breccias and plugs
 IKst quartz pebble conglomerate, sandstone, shale, minor tuffs
 IKgd massive unfoliated hornblende-biotite granodiorite and quartz monzonite
 IKqfp massive unfoliated quartz-feldspar porphyry
- Triassic**
- Ts weakly deformed, thinly bedded argillite, sandstone, argillaceous limestone
- middle and upper Paleozoic**
- Pv massive and sheared greenstone and diabase
 Pu serpentinite, serpentinitized harzburgite, carbonatized ultramafic rocks, talc-carbonate schist
- Klondike Schist**
- Pqm rusty weathering quartz-muscovite schist
 Psa quartz and/or feldspar augen-bearing quartz-muscovite (chlorite) schist
 Pks Klondike Schist undifferentiated (includes units Pqm, Psa, also chloritic schist and minor graphitic quartz-muscovite schist)
- Nasina Series**
- DPc marble
 DPsa quartz and/or feldspar augen-bearing quartz-muscovite schist
 DPasc dark green weathering chlorite (+ biotite) schist, amphibolite and garnet amphibolite
 DPqss Nasina Series undifferentiated (mainly grey to black graphitic quartzite and quartz-muscovite (+ biotite) schist; locally garnetiferous)
 DMag massive to strongly foliated dioritic to granodioritic gneiss
- Proterozoic(?) and Paleozoic**
- PPsg tan to pale green to medium brown weathering quartz-muscovite-chlorite schist, micaceous fine-grained quartzite, and banded quartz-feldspar-amphibole gneiss; includes locally abundant chlorite schist, metagabbro and marble
 PR marble
 PRA feldspar augen-bearing quartz-muscovite schist
- lithological contact (defined, approximate, assumed)
 — thrust fault or slide (approximate, assumed)
 — steep fault (defined, approximate, assumed)
 — compositional layering in metamorphic rocks
 — bedding (upright, tops unknown)
 u altered ultramafic rock occurrence
 c stretched pebble conglomerate occurrence
 q quartz-feldspar porphyry dyke (unit eTfp)
 m mafic dyke (unit eTdi)
 p granitic pegmatite occurrence
 ● 31 mineral or coal occurrence (numbers correspond to Table 1)
- * (K,R,U; b,m,h,a,w,z) isotopic age determination (K-Ar,Rb-Sr,U-Pb; biotite, muscovite, hornblende, actinolite, whole-rock, zircon)

green schist
 These rock
 and igneous
 greenstone
 included a
 but here is
 Assemblage
 assemblage
 original
 several
 contacts
 and float.
 A limit
 area. The
 deformed
 from a loc
 U-Pb zirc
 District
 quartz
 Ductile de
 from the
 rocks in
 from weak
 Clinton
 Severa
 (unit 1Eg)
 much of
 and a qua
 zircon ap
 correlated
 and with
 amphibol
 these peg
 and small
 Samples
 of Eocene
 dykes
 Paleocen
 At low
 scarcity
 in Assembl
 faulting,
 folds rem
 small-scal
 normal of
 either dur
 small-scal
 genetical
 A green
 porphyry,
 occurred
 sediments,
 as portio
 known min
 attracted
 all under
 Abbott,
 1983: Ore
 At
 Archer,
 1984: Bas
 D. I. A. N. H.
 1987: Bas
 Car
 Green, E. H.
 1972: Ge
 Met
 Htoon, M.
 1981: Is
 IF
 Monger, J.
 1987: Lit
 Fie
 Mortensen,
 1986: U-P
 Pat
 1988: Ge
 of
 5
 in

