

EXPLORATION REPORT
on the

FORD 1-60 CLAIMS
(YC07568-YC07625)

094059

Indian River Area,
Dawson Mining District

NTS 115 O-14
Lat. 63° 46'N Long. 139° 12'W

For: 17363 YUKON INC.
5 Teak Avenue
Whitehorse, Y.T.
Y1A 4W5

By: G. S. Davidson, P.Geol.
January 3, 2000

This report has been examined by
the Geological Evaluation Unit
under Section 53 (4) Yukon Quartz
Mining Act and is allowed as
representation work in the amount
of \$ 7250.00.

M. B. ...
for Regional Manager, Exploration and
Geological Services for Commissioner
of Yukon Territory.

TABLE OF CONTENTS

	page
SUMMARY	4
INTRODUCTION	5
LOCATION AND ACCESS	5
PHYSIOGRAPHY	5
PROPERTY	8
HISTORY	8
GEOLOGY	10
1998 EXPLORATION	10
DISCUSSION AND RECOMMENDATIONS	13
CERTIFICATE	14
REFERENCES	15
STATEMENT OF COSTS	16



LIST OF FIGURES

	page
Figure 1 Location Map	6
Figure 2 Regional Map	7
Figure 3 Claim Plan	9
Figure 4 Geology	11
Figure 5 Sample Locations	12

LIST OF TABLES

Table 1 Claim Data	8
---------------------------	----------

APPENDICES

Appendix 1 Sample Descriptions and Values	17
Appendix 2 Assay Certificates	

SUMMARY

The Ford claims are located on the north side of the Indian River valley above the confluence with Ruby Creek. They cover several large quartz veins hosted by metamorphic rocks of the Yukon Group. The Indian River drainage has been the most productive placer gold drainage in the Yukon over the last decade.

17363 Yukon Inc. performed a program of prospecting rock sampling and geochemistry between July 3-August 18, 1998, collecting 70 rock samples and soil samples. M. Barker of 17363 Yukon supervised the work and the writer visited the prospect on July 5, 1998.

Prospector P. Risby collected several samples of bull quartz from this area in the spring of 1998 which assayed >1000ppb gold. 17363 staked the Ford 1-60 claims to cover the prospect in June and returned with an exploration crew in July to sample the property.

Most of the lode exploration in this area has been focussed on quartz pebble conglomerate beds underlying the Indian River and McKinnon Creek. Investigations of the quartz pebble conglomerate started with the McKinnon Brothers in 1899. They spent 20 years excavating many pits and shafts but failed to find any significant gold occurrences. Modern exploration (1974-1987) in the McKinnon Creek area includes diamond and rotary drilling, and trenching with poor results.

The sampling on the Ford claims failed to find any consistent gold values in the large quartz veins or in quartz breccia zones that returned interesting gold values. No further work is recommended at this time.

INTRODUCTION

This report describes a prospecting and sampling program undertaken by 17363 Yukon Inc. under the supervision of Morley Barker from July 3 to August 18, 1998. The writer visited the property on July 5, 1999 and sampled the quartz veins.

LOCATION AND ACCESS




The claims are located 40 km southeast of Dawson City on the north side of the Indian River valley near Ruby Creek. Access is via the Hunker and Quartz Creek roads that leave the Klondike Highway just south of Dawson City. A good road along the north side of the Indian River valley extends from Quartz Creek and passes through the claim block. Figures 1 & 2 show the property location.

PHYSIOGRAPHY

The Indian River occupies a wide swampy valley surrounded by high rounded ridges and hills typical of the Klondike district. Its major tributaries lie in long and deep side valleys while minor creeks generally terminate in steep narrow gullies. Elevations range from 500 m in the main valley to 1,500 m at the summit of King Solomon Dome.

Ruby Creek flows north from Haystack Mountain to the Indian River in a wide gently sloping valley. The claim block covers the moderately sloping north side of the Indian River valley incised by several small creek gullies draining into the Indian River. The south facing slopes have been burnt and feature open grassy patches and groves of alder, birch and poplar interspaced with scrubby stands of spruce. Buck brush is moderate at lower elevations but thickens towards the ridge tops. The valley bottoms are covered with hummocks and swampy ground. Outcrop is minimal except along the road cuts and on the steepest slopes but overburden is shallow and several old trenches and pits expose bedrock.


The Indian River district has a northern interior climate which is reported to be dry with warm summers and long cold winters. The previous two summers have produced record rainfalls with local flooding. Temperatures average 15⁰ C in summer and -20⁰ C in winter. Snow pack averages 1-2 m.



17363 YUKON INC.			
FORD CLAIMS FIGURE 1-LOCATION MAP			
DAWSON MINING DISTRICT, YUKON			
SCALE:	1: 7,603,200	FIGURE:	1
	115 0-14	DRAFTED BY:	B.D.S.

140°00'

139°00'



64°00'

63°30'

 DISTRIBUTION OF CLASTIC
SEDIMENTARY ROCKS

FROM: G.W. LOWEY, 1984



17363 YUKON INC.

**FORD CLAIMS
FIGURE 2-DISTRICT MAP**

SCALE: 1:250,000	DATE:	MAP SHEET: 115-0-14	FIGURE: 2	DRAFTED BY: B.D.S.
---------------------	-------	------------------------	--------------	-----------------------

PROPERTY

The property consists of 60 claims registered with the district Mining Recorder in Dawson City. The Ford claims were tagged with all posts and lines well marked. Current expiry dates (applied for) are October 3, 2000. One and one quarter years of assessment have been applied to all the claims. 17363 Yukon Inc. holds the claims under an agreement with several prospectors. Figure 3 shows the claim plan.

TABLE 1-CLAIM DATA

Claim Name	Record Number	Expiry Date (applied for)
FORD 1-60	YC07568-625	Oct. 3, 2000


HISTORY

The Indian River is along the original Klondike trail connecting Whitehorse to Dawson. Established in 1899, this trail was used primarily in the winter by prospectors en route to the Klondike. The McKinnon Brothers arrived in the Klondike as seasoned prospectors and located the Britannia claim in 1899 on gold bearing quartz pebble conglomerate. Initial success and rumors attracted many other prospectors who staked claims and excavated numerous pits, adits and shafts around McKinnon and Ruby Creeks. The McKinnon brothers persisted in lode gold exploration at McKinnon Creek until their deaths. A history of the early workings is reported by D.D. Cairnes (1908) in G.S.C. Memoir 284, page 237-238 and in Canadian Dept. of Mines Bulletin 222.

Modern exploration started in 1968 with sampling and mapping by Cominco Ltd in the Indian River area. Conglomerate samples assayed from trace to 0.1oz/ton (3.4 g/t) gold. Yukon Revenue Mines Ltd. (YRML) drilled four rotary holes near McKinnon Creek in 1975 reporting trace gold values. On adjoining claims, Mr. R. Granger, past director of YRML reports that "significant amounts of gold were recovered from a number of patches of decomposed conglomerate by means of a small placer testing machine". In 1987-88 Volcano Resources Ltd. completed nine NQ diamond drill holes located around the Britannia shaft and the Andromeda adit on McKinnon Creek that produced fairly low gold values.

Coal Exploration in 1980 by Cyprus Anvil Mining Corp. in the Indian River valley located poor quality coal in one of three diamond drill holes.

Prospector P. Risby staked placer claims covering a large section of the Indian River valley in the early 1980's. At that time he found numerous quartz occurrences along the north side of the valley but did not collect any samples. The interest in plutonic gold deposits in the Tintina Gold Belt encouraged Pete to sample these locations in 1998.



17363 YUKON INC.
 FORD 1-60 CLAIMS
 FIGURE 3-CLAIM PLAN

GEOLOGY

The Indian River district overlies the Yukon Tanana terrane of the Canadian Cordillera. A thick sequence of metamorphic rocks composed primarily of Devonian-Mississippian quartz-biotite schist and gneiss (Klondike Schist). Quartz muscovite schist underlies the north wall of the Indian River valley and most of the Ford claims.

The Indian River valley subsided in the Lower Cretaceous allowing the accumulation of clastic sedimentary rocks in fluvial and fan delta environments over the Klondike schist and gneiss. Approximately 500 meters thick, the Indian River Formation covers McKinnon Creek, east to Montana Creek and west to Ruby Creek. In the valley, strata consist of light gray to dark gray-green to black interbedded pebble conglomerate, sandstone, shale and minor coal seams. To the north the sediments are bounded by the east-west Indian River Fault which crosses the Ford claims. North of the fault sills and dykes of andesite and quartz eye porphyry of the Carmacks Group intrude the schists.

Silicification and shearing of conglomerates in the Indian River valley indicate a fault zone along the valley. Hydrothermal activity in the fault zone may have introduced gold into the sediments or may have remobilized any existing gold into structures in the conglomerates and the nearby schists. Mr. G.W. Lowey describes the geology of the Indian River valley in Yukon Exploration and Geology 1983, p.69-78. Figure 4 shows the district geology.

1998 EXPLORATION

The writer visited the property in July and collected 25 rock samples from outcrop along the road cut and from several old pits north of the road. Mr. Risby and M. Barker collected a further 60 rock samples, of which 35 were sent for analysis. L. Brault and J. Dubois tagged the claims and collected 18 rock and soil samples; 10 of their samples were submitted for analysis.

The sampling concentrated on several large bull quartz veins located just north of the road in Ford 46,48 & 50 claims. The veins consist of massive fine grained white quartz, weakly fractured with a few vugs and minor limonite staining. One large vein up to 2.5 m wide (labeled M-1 in Figure 5) was traced over a strike length of 100 m in outcrop and float. The vein strikes 110° and has a near vertical dip. Three other similar veins with the same orientation were sampled, labeled M-2, M-3 and M-4 in Figure 5.

Several felsic dykes intruding quartz muscovite schist were sampled from the road banks. Weak brecciation, chalcedony and quartz-carbonate veining occurs along the margins of the dykes.

Old trenches were found in the northwestern end and center of the claim block. These hand trenches expose rusty quartz muscovite schist with a few narrow quartz stringers.

from LOWEY (1983)

LEGEND







Figure 4. Geologic map and legend of the Indian River area.

Scale ~ 1:100,000



**FORD CLAIMS
FIGURE 4-GEOLOGY MAP**



INSET MAP
Scale 1:10,000

INSET MAP

FIGURE 5
FORD CLAIMS
SAMPLE LOCATION MAP
Scale 1:25,000

FORD
PROPERTY
BOUNDARY

Ruby
Creek

Tailings

Indian
Ford

N

DISCUSSION AND RECOMMENDATIONS

The rock sampling results were disappointing and well below the values reported by Mr. Risby. There was some brecciation of the metamorphic rocks towards the main east-west Indian River Fault where several felsic porphyry dykes intrude the sequence. The large bull quartz veins recorded mainly background gold values with two samples assaying 302 and 421 ppb. One sample of a quartz vein the same area but just south of the road assayed 677 ppb gold. Samples of breccia and quartz stringers at the contact of felsic dykes produced background gold values.

No further work is recommended at this time.


CERTIFICATE

I, GRAHAM DAVIDSON, of the City of Whitehorse, in the Yukon Territory, HEREBY CERTIFY:

1. That I am a consulting geologist and that I worked on the subject property in 1998.
2. That I am a graduate of the University of Western Ontario (H. BSc., Geology, 1981).
3. That I am registered as a Professional Geologist by the Association of Professional Engineers, Geologists & Geophysicists of Alberta (No. 42038).
4. That I have been engaged in mineral exploration on a full time basis for 15 years in the Yukon and Northwest Territories, and British Columbia.

SIGNED at Whitehorse, Yukon this 3rd day of January, 2000

G.S. DAVIDSON, P.Geol.

A handwritten signature in black ink, appearing to read 'G. Davidson', written in a cursive style.

REFERENCES

- H.S. Bostock, 1936; Carmacks District, Yukon, G.S.C. Mem.189.
- T.D. Garrow, 1993; McKinnon Creek Project, A Report for Richlode Investments Corp.
- R.A. Granger, 1975; Report on the Becker Drilling Program on Kin No 1-16 Claim Group.
- T.E. Lisle, 1974; Preliminary Geological Report on the Mac, Ray & Tom Mineral Claims.
- G.W. Lowey, 1983; Auriferous Conglomerates at McKinnon Creek in YEG 1983, pg 69-78.
- G.W. Lowey, 1984; The Stratigraphy and Sedimentology of Siliclastic Rocks of The West-Central Yukon, PHD Thesis.
- T.R. Tough, 1987; Preliminary Geological Report on the McKinnon Creek Property for Volcano Resources Corp.
- D.H. Waugh, 1994; Fax and conversation regarding reassay of drill core from DDH 87-1 & 2.

STATEMENT OF COSTS
Period: July 3-August 18, 1998

M. Barker & P. Risby Invoice	\$ 6,450.00
Including: M. Barker (prospector), 5 days @ \$250/day	
P. Risby (prospector), 5 days @ \$250/day	
L. Brault (sampler & prospector), 4 days @ \$200/day	
J. Dubois (sampler & prospector), 4 days @ \$200/day	
 Eldorado Hotel, 5 nights room and board @ \$270/night	
 Truck and gas, 5 days @ \$150/day	
 Northern Analytical, 70 rock and soil samples	1,989.44
 G.S. Davidson, Report & property visit	1,500.00
	<hr/>
TOTAL COSTS:	\$ 9,939.44

APPENDIX I-SAMPLE DESCRIPTIONS (G. Davidson)

SAMPLE NUMBER	DESCRIPTION	AU PPB	AG PPM	Cu PPM	Zn PPM
21530	Grab of 2 m wide glassy to white quartz vein, limonite stain	<5	0.4		
21531	Grab of 10 cm wide white to limonite stained quartz vein in muscovite schist, a few vugs	80	0.6		
21532	Grab of 1 m wide bull quartz vein, minor sericite, weak limonite stain	421	0.1		
21533	Grab of 1.2 m wide white quartz vein in road cut, minor sericite	33	0.3		
21534	Grab of quartz breccia zone or conglomerate containing rounded fragments up to 2 cm across in a quartz-sericite matrix	29	1.0		
21535	Grab of massive white quartz vein .5 m wide, weak manganese and limonite stain	78	0.1		
21536	Grab from large bull quartz boulder, weakly fractured, a few fragments	<5	<0.1		
21537	Same as above, weak limonite stain	5	0.1		
21538	Grab of 1.5 m wide bull quartz vein, a few fragments	6	0.2		
21539	Grab of 0.6 m wide quartz vein from old trench, vuggy, minor sericite	677	1.7		
21540	Grab of bull quartz vein in muscovite schist, weakly limonitic	<5	0.3		
22051	Grab of felsic dyke material from road cut, quartz veinlets, limonitic	<5	0.2	3	5
22052	Grab of quartz boulders in quartz muscovite schist from road cut, carbonate veinlets, limonitic	<5	<0.1	30	26
22053	Grab from large bull quartz boulders in road cut	<5	<0.1	7	2

SAMPLE NUMBER	DESCRIPTION	AU PPB	AG PPM	Cu PPM	Zn PPM
22054	Grab of quartz veinlets in quartz muscovite schist, limonite and manganese staining, weakly fractured	<5	0.1	5	13
22055	Grab of narrow white quartz vein in muscovite schist	20	0.7	15	15
22056	Grab of graphitic blue-black siltstone, clay bands, minor stockwork quartz veining	26	1.1	19	59
22057	Grab of white quartz veins in margin of a felsic dyke, vuggy, limonitic	6	0.2	30	35
22058	Grab of quartz-chalcedony breccia zone in the felsic dyke	5	0.2	12	12
22059	Grab of large bull quartz boulder in road cut	<5	<0.1	5	5
22060	Grab of 0.4 m white quartz vein in gneiss	5	<0.1	6	3
22061	Grab of quartz veinlets in fine grained gneiss	<5	0.2	95	81
22062	Grab of fine quartz veinlets and lenses in gneiss	<5	<0.1	10	49
22063	Grab of quartz veinlets and lenses in muscovite schist, limonitic	<5	0.1	15	12

ROCK SAMPLE DESCRIPTION AND VALUES (M. Barker & P. Risby)

SAMPLE NUMBER	DESCRIPTION	AU PPB	AG PPM	Cu PPM	Zn PPM
22064	Large quartz vein designated M-1, 1m chip of white quartz	<5	<0.1	5	2
22065	Same location as above, grab sample	<5	<0.1	6	4
22066	1 m chip sample from 25 m west of 22064, bull quartz	<5	<0.1		
22067	Grab sample from 50 m west of 22064, quartz vein in muscovite schist	302	0.1	4	2

SAMPLE NUMBER	DESCRIPTION	AU PPB	AG PPM	Cu PPM	Zn PPM
22068	1 m chip sample from 75 m west of 22064	24	<0.1	14	5
22069	Second large quartz vein designated M-2, 0.75 m chip sample of white quartz	<5	<0.1	8	3
22070	Grab of brecciated quartz muscovite schist, limonite staining	<5	<0.1	6	15
22071	Grab of 0.25 m glassy quartz vein in road cut	<5	<0.1	6	2
22072	Quartz float boulder in road cut, bull white quartz	45	0.3	23	13
22073	Grab of muscovite schist, weakly fractured, weak limonite staining	<5	0.8	35	19
22074	Grab of brecciated quartz muscovite schist, manganese and limonite staining	76	0.3	52	28
22075	Grab of quartz calcite veining in muscovite schist	6	0.4	25	44
22076	Grab of quartz muscovite schist, limonite staining	9	0.1	20	7
22077	Grab of quartz veining in quartz muscovite schist, black graphitic fractures in the veins	5	<0.1	21	6
22078	Grab of fractured quartz muscovite schist, limonitic	36	<0.1	10	7
22079	Grab of quartz boudins and veins in muscovite schist, limonitic	16	0.1	32	40
22080	Quartz float sample from road	13	<0.1	14	24
22081	Grab of quartz muscovite schist, weakly fractured and limonitic	<5	<0.1	6	6
22082	Grab of quartz-carbonate veinlets in muscovite schist, limonitic	18	0.1	120	346
22083	Grab of 0.4 m white quartz vein, weakly fractured, minor pyrite	43	0.3	193	193
22084	Grab from hand pit near Quartz Creek dredge, quartz pebble conglomerate	8	<0.1	78	59

SAMPLE NUMBER	DESCRIPTION	AU PPB	AG PPM	Cu PPM	Zn PPM
22085	M-1, chip grab along 20 m of quartz vein	27	<0.1	7	12
22086	M-1, second 20 m chip grab continuing from end of 22085	<5	<0.1	7	5
22087	Grab of quartz float in road cut	19	<0.1	8	2
22088	Grab of limonitic quartz schist	14	<0.1	15	16
22089	Grab of fractured quartz muscovite schist, weak limonite stain	17	0.1	10	26
22090	Grab of quartz vein, weakly fractured, limonite staining	5	<0.1		
22091	Float sample of felsic dyke, quartz veinlets	57	<0.1		

SOIL AND ROCK SAMPLE DESCRIPTIONS AND VALUES (M. Barker)

SAMPLE NUMBER	DESCRIPTION	AU PPB	AG PPM	Cu PPM	Zn PPM
22201	Soil from old trench at north end of claims	17	0.4		
22202	Soil from old trench exposing muscovite schist at north end of claims	9	0.4		
22203	Soil from old trench in center of claims	57	<0.1		
22204	Grab of quartz vein from above trench	<5	0.1		
22205	Second old trench at above location, grab of limonitic quartz veins in quartz muscovite schist	7	<0.1		
22206	Grab of quartz breccia, magnetite	<5	1.3		
22207	Float sample of biotite schist with magnetite bands	6	0.2		
22208	10 m comp. Grab of rusty quartz muscovite schist	<5	<0.1		
22209	Soil from old trench in southeast end of claim block	13	0.1		
22210	Soil from next trench to the southeast of 22209	8	<0.1		

SAMPLE NUMBER	DESCRIPTION	AU PPB	AG PPM	Cu PPM	Zn PPM
22211	Grab of rusty quartz vein from old trench at 22210	8	<0.1		
22212	Soil sample, Ford 4 claim	8	0.1		
22213	Soil sample, Ford 4 claim	53	0.3		
22214	Soil sample, Ford 6 claim	97	5.9		
22215	Grab of fractured quartz muscovite schist, quartz veinlets	7	<0.1		
22216	Grab of rusty quartz veins in quartz muscovite schist	19	<0.1		
22217	Grab of quartz vein from road cut	6	0.3		
22218	Grab of limonitic quartz muscovite schist, weakly fractured	36	0.1		

APPENDIX II-ASSAY CERTIFICATES


16/06/98

Assay Certificate

Page 1

Newrise Resources

WO# 07994

Certified by 

Sample #	Au ppb	Ag ppm
21530	<5	0.4
21531	??	0.6
21532 <i>542</i>	421	0.1
21533	33	0.3
21534 <i>543</i>	29	1.0
21535 <i>544</i>	78	0.1
21536	<5	<0.1
21537	5	0.1
21538	6	0.2
21539 <i>541</i>	677	1.7
21540	<5	0.3

Note: Au is 30gm FA/AAS.

06/07/98

Assay Certificate

Page 1

17383 Yukon Inc.

WO#05513

Morley Barker

Certified by 

Sample #	Au ppb	Ag ppm
INDIAN 2. 22051	<5	0.2
22052	<5	<0.1
22053	<5	<0.1
22054	<5	0.1
22055	20	0.7
22056	26	1.1
22057	6	0.2
22058	5	0.2
22059	<5	<0.1
22060	5	<0.1
22061	<5	0.2
22062	<5	<0.1
22063	<5	0.1
22064	<5	<0.1
22065	<5	<0.1
22066	<5	<0.1
22067	302	0.1
22068	24	<0.1
22069	<5	<0.1
22070	<5	<0.1
22071	<5	<0.1
22072	45	0.3
22073	<5	0.8
22074	76	0.3
22075	6	0.4
22076	9	0.1
22077	5	<0.1
22078	36	<0.1
22079	16	0.1
22080	13	<0.1

06/07/98

Assay Certificate


Page 2

17363 Yukon Inc.

Morley Barker

WO#05513

Certified by



Sample #	Au ppb	Ag ppm
22081	<5	<0.1
22082	18	0.1
22083	43	0.3
22084	8	<0.1
22085	27	<0.1
22086	<5	<0.1
22087	19	0.1
22088	14	<0.1
22089	17	0.1
22090	5	<0.1
22091	57	<0.1
22092	<5	<0.1
22093	<5	7.4

Note: Au is 30 gm FA/AAS.

236 Columbia Street
 Vancouver, B.C.
 Canada V5Y 3F1
 Phone (604) 379-7878
 Fax (604) 379-7898

[064615:55:49:89071698]

INTERNATIONAL PLASMA LABORATORY LTD.

Northern Analytical Laboratories

43 Samples

Out: Jul 16, 1998 In: Jul 06, 1998

Project : MO#5513
 Shipper : Norm Smith
 Shipment: PO#: 54560
 Analysis: ICP/AgK30

Comment: 17363 YUKON INC

Document Distribution

1 Northern Analytical Laboratories
 105 Copper Road
 Whitehorse
 YT Y1A 2Z7
 Canada
 Att: Norm Smith
 Ph: 867/668-4958
 Fx: 867/668-4990
 Em: NAL@hypertech.yk.ca

CODE	AMOUNT	TYPE	PREPARATION	DESCRIPTION	PULP	REJECT
B311	43	Pulp	Pulp	received as it is, no sample prep.	12M/Dis	00N/Dis
Analytical Summary						
#	Code	Method	Units	Description	Element	Limit
						Low High
01	0721	ICP	ppm	Ag ICP	Silver	0.1 99.9
02	0711	ICP	ppm	Cu ICP	Copper	1 20000
03	0714	ICP	ppm	Pb ICP	Lead	2 20000
04	0730	ICP	ppm	Zn ICP	Zinc	1 20000
05	0703	ICP	ppm	As ICP	Arsenic	5 9999
06	0702	ICP	ppm	Sb ICP	Antimony	5 999
07	0732	ICP	ppm	Hg ICP	Mercury	3 9999
08	0717	ICP	ppm	Mo ICP	Molybdenum	1 999
09	0747	ICP	ppm	Tl ICP (Incomplete Digestion)	Thallium	10 999
10	0705	ICP	ppm	Bi ICP	Bismuth	2 9999
11	0707	ICP	ppm	Cd ICP	Cadmium	0.1 99.9
12	0710	ICP	ppm	Co ICP	Cobalt	1 9999
13	0718	ICP	ppm	Ni ICP	Nickel	1 9999
14	0704	ICP	ppm	Ba ICP (Incomplete Digestion)	Barium	2 9999
15	0727	ICP	ppm	W ICP (Incomplete Digestion)	Tungsten	5 999
16	0709	ICP	ppm	Cr ICP (Incomplete Digestion)	Chromium	1 9999
17	0729	ICP	ppm	V ICP	Vanadium	2 9999
18	0716	ICP	ppm	Mn ICP	Manganese	1 9999
19	0713	ICP	ppm	La ICP (Incomplete Digestion)	Lanthanum	2 9999
20	0723	ICP	ppm	Sr ICP (Incomplete Digestion)	Strontium	1 9999
21	0731	ICP	ppm	Zr ICP	Zirconium	1 9999
22	0736	ICP	ppm	Sc ICP	Scandium	1 9999
23	0726	ICP	%	Ti ICP (Incomplete Digestion)	Titanium	0.01 1.00
24	0701	ICP	%	Al ICP (Incomplete Digestion)	Aluminum	0.01 9.99
25	0708	ICP	%	Ca ICP (Incomplete Digestion)	Calcium	0.01 9.99
26	0712	ICP	%	Fe ICP	Iron	0.01 9.99
27	0715	ICP	%	Mg ICP (Incomplete Digestion)	Magnesium	0.01 9.99
28	0720	ICP	%	K ICP (Incomplete Digestion)	Potassium	0.01 9.99
29	0722	ICP	%	Na ICP (Incomplete Digestion)	Sodium	0.01 5.00
30	0719	ICP	%	P ICP	Phosphorus	0.01 5.00

EN=Envelope R1=Report Style CC=Copies IN=Invoices Fx=Fax (1=Yes 0=No) Totals: 1=Copy 1=Invoice 0=3 1/2 Disk
 DL=Download 3D=3 1/2 Disk EM=E-Mail BT=BBS Type BL=BBS (1=Yes 0=No) ID=C 030901
 * Our liability is limited solely to the analytical cost of these analyses.

BC Certified Assayer: P

JUL 15 11:14 AM 1998

4030162800

P. 030

INTERNATIONAL CASAS LABORATORY LTD.

Client: Northern Analytical Laboratories
Project: MO#5513

43 Samples
43=Pulp

[064615:55:49:89071638]

Out: Jul 16, 1998
In: Jul 08, 1998

Page 1 of 2
Section 1 of 1

Sample Name	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm	V ppm	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %		
22051	P	<	3	<	5	<	<	1	<	<	<	1	6	25	<	157	3	158	2	11	<	<	<	0.04	0.72	3.57	0.15	0.03	0.01	<		
22052	P	0.1	30	6	26	<	6	<	2	<	<	5	7	208	<	150	14	545	6	33	1	2	0.05	0.48	3.03	1.61	0.31	0.41	0.01	0.14		
22053	P	<	7	<	2	<	6	<	1	<	<	2	6	10	<	201	2	204	3	15	1	<	<	0.06	1.83	1.38	0.02	0.04	0.02	0.02		
22054	P	<	5	<	13	<	5	<	2	<	<	1	7	19	<	258	<	137	<	2	<	<	<	0.02	0.06	1.45	<	0.02	0.01	0.01		
22055	P	0.8	15	<	15	10	6	<	2	<	<	2	6	23	<	193	2	41	<	5	<	<	<	0.03	0.07	1.59	0.02	0.03	0.01	<		
22056	P	1.2	19	<	59	28	8	<	6	<	<	0.1	2	13	235	<	163	33	33	5	14	2	1	<	0.15	0.09	1.31	0.04	0.14	<	0.02	
22057	P	1.1	30	<	35	9	7	<	1	<	<	0.2	1	16	121	<	164	8	28	<	13	1	2	<	0.26	0.30	0.55	0.02	0.07	0.01	0.04	
22058	P	<	12	<	12	7	5	<	2	<	<	0.2	2	8	61	<	152	9	57	<	7	1	1	<	0.13	0.04	0.44	0.03	0.08	0.01	<	
22059	P	<	5	<	5	<	5	<	1	<	<	<	1	5	7	<	176	<	59	<	1	<	<	<	0.02	0.01	0.27	<	0.02	0.01	<	
22060	P	<	6	<	3	<	<	<	1	<	<	<	1	6	5	<	222	<	56	<	5	<	<	<	0.01	0.17	1.34	0.01	0.01	0.01	<	
22061	P	0.4	95	<	81	<	5	<	2	<	<	<	8	55	129	<	142	19	1556	3	4	1	3	<	0.37	0.03	1.38	0.04	0.04	<	0.01	
22062	P	<	10	3	49	5	6	<	1	<	<	<	5	14	60	<	189	8	408	15	3	4	1	0.05	0.70	0.03	1.26	0.30	0.41	0.01	<	
22063	P	<	15	<	12	<	<	<	1	<	<	<	2	9	5	<	168	4	56	<	1	1	<	<	0.05	0.01	1.12	0.01	0.02	<	<	
22064	P	<	12	<	11	7	6	<	4	<	<	<	1	8	21	<	250	2	136	2	1	2	<	<	0.03	0.01	0.53	<	0.02	0.01	<	
22065	P	<	5	<	2	<	6	<	1	<	<	<	1	5	13	<	237	<	48	<	1	<	<	<	0.01	<	0.31	<	0.02	0.01	<	
22066	P	<	6	2	4	8	7	<	2	<	<	0.2	1	6	11	<	221	2	46	<	<	1	<	<	0.01	<	0.29	<	0.02	0.01	<	
22067	P	<	4	<	2	<	<	<	2	<	<	<	1	4	11	<	184	<	34	<	<	<	<	<	0.01	0.01	0.25	<	<	0.01	<	
22068	P	<	14	<	5	11	5	<	5	<	<	<	1	6	26	<	179	<	47	<	1	<	<	<	0.02	<	0.48	<	0.02	0.01	<	
22069	P	<	8	<	3	<	<	<	4	<	<	<	1	4	96	<	182	<	20	2	16	<	<	<	0.03	0.04	0.24	<	0.02	0.01	0.02	
22070	P	<	6	<	15	<	6	<	1	<	<	<	1	7	83	<	173	3	100	2	3	1	<	<	0.06	0.03	0.40	0.02	0.04	0.01	0.01	
22071	P	<	6	<	2	<	<	<	1	<	<	<	1	4	10	<	175	<	31	<	<	<	<	<	0.01	<	0.24	<	0.02	0.01	<	
22072	P	0.5	23	<	13	<	5	<	3	<	<	<	9	30	7485	<	211	8	49	3	18	2	<	<	0.37	0.01	1.15	0.01	0.08	0.01	<	
22073	P	0.9	35	85	19	17	15	<	3	<	<	<	16	29	2.08	<	198	11	45	3	21	1	1	<	0.95	0.03	1.59	0.02	0.04	<	0.01	
22074	P	0.3	52	<	28	26	<	<	4	<	7	<	6	29	3093	<	179	9	73	8	16	7	1	0.02	0.41	0.03	1.02	0.13	0.21	0.03	0.01	
22075	P	0.4	25	<	44	10	7	<	3	<	<	0.7	3	23	195	<	153	8	119	3	3	2	1	<	0.11	0.02	0.93	0.02	0.08	0.01	0.01	
22076	P	<	20	<	7	<	<	<	2	<	<	<	3	9	52	<	192	2	202	<	2	<	<	<	0.03	0.07	0.49	0.02	0.03	0.01	<	
22077	P	<	21	<	6	<	<	<	1	<	<	<	3	8	36	<	178	5	65	2	1	<	<	<	0.01	0.09	0.05	0.56	0.06	0.06	0.01	0.01
22078	P	<	10	<	7	<	7	<	2	<	<	<	1	7	24	<	190	2	51	<	1	1	<	<	0.02	0.03	0.36	0.01	0.02	0.01	<	
22079	P	0.1	32	<	40	<	<	<	4	<	<	<	5	15	241	<	160	27	136	9	3	2	2	0.04	0.53	0.07	1.52	0.30	0.39	0.01	0.02	
22080	P	<	14	<	24	<	<	<	4	<	<	<	3	11	132	<	186	6	166	<	3	<	1	<	0.05	0.05	0.68	0.01	0.03	0.01	0.01	
22081	P	<	6	<	6	<	5	<	2	<	<	0.1	2	7	16	<	168	2	48	<	1	1	<	<	0.03	0.01	0.31	0.01	0.02	0.01	<	
22082	P	0.3	120	<	346	<	<	<	2	<	<	0.4	7	6	45	<	129	5	716	3	8	<	1	<	0.58	1.09	2.34	0.93	0.08	<	0.04	
22083	P	0.5	193	6	193	<	<	<	3	<	<	<	6	7	11	<	105	7	1157	7	13	3	2	<	0.53	1.59	4.56	0.74	0.13	<	0.05	
22084	P	0.1	78	2	59	6	5	<	1	<	<	<	7	7	67	<	154	9	947	8	15	1	2	<	0.41	1.94	1.38	0.97	0.07	0.01	0.04	
22085	P	<	7	<	12	<	<	<	3	<	<	<	1	4	35	<	197	<	58	<	2	<	<	<	0.07	0.03	0.38	0.08	0.02	0.01	0.01	
22086	P	<	7	<	5	<	<	<	3	<	<	<	1	6	56	<	188	<	41	<	1	<	<	<	0.02	0.01	0.14	0.01	0.02	0.01	<	
22087	P	<	8	<	2	<	<	<	1	<	<	<	1	2	350	<	171	<	19	<	2	<	<	<	0.02	0.01	0.25	0.01	0.02	0.01	<	
22088	P	<	15	<	16	<	<	<	1	<	<	<	1	7	29	<	194	<	42	<	1	1	<	<	0.09	0.01	0.13	0.07	0.03	0.01	<	
22089	P	<	10	12	26	<	<	<	1	<	<	<	2	5	691	<	161	2	44	3	8	1	<	<	0.19	0.01	0.57	0.18	0.08	0.02	0.01	

Mfn Limit	0.1	1	2	1	5	5	3	1	10	2	0.1	1	1	2	5	1	2	1	2	1	1	1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
Max Reported*	99.9	200.00	20000	20000	9999	999	9999	999	999	9999	99.9	9999	9999	9999	999	9999	9999	9999	9999	9999	9999	9999	1.00	9.99	9.99	9.99	9.99	9.99	5.00	5.00	
Method	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP
---No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck tr=1000 %=Estimate% NS=No Sample/Pulp																															

07/07/99

Certificate of Analysis

Page 1

17363 Yukon Inc.

WO# 05545

Morley Barker

Certified by _____

Sample #	Au 30g ppb	Au 30g* g/mt	Ag ppm	Ag g/mt
r 22201	17		0.4	
r 22202	9		0.4	
r 22203	59		0.3	
r 22204	<5		0.1	
r 22205	7		<0.1	
r 22206	<5		1.3	
r 22207	6		0.2	
r 22208	<5		<0.1	
r 22209	13		0.1	
r 22210	8		<0.1	
r <i>INDIAN RIVER</i> 22211	8		<0.1	
r 22212	8		0.1	
r 22213	53		0.3	
r 22214	97		5.9	
r 22215	7		<0.1	
r 22216	19		<0.1	
r 22217	6		0.3	
r 22218	36		0.1	
r 22219	<5		<0.1	
r 22220	<5		<0.1	
r 22221	<5		<0.1	
r <i>G.R.</i> 22222	<5		<0.1	
r 22223	<5		0.1	
r 22224	<5		0.2	
r 22225	<5		0.1	
r 22226	10		<0.1	
r 22227	<5		<0.1	
r 22228	468		0.1	
r <i>nos</i> 22229	3588		>50.0	97.5
r 22230	3063		>50.0	1154.0