

**PROSPECTING
AND
GEOCHEMICAL SAMPLING
OF THE
H.O.C. 1-16 CLAIMS**

Located in the Tootsee River Area
Watson Lake Mining District
Yukon Territory, Canada
NTS 105 B 01

60°00' to 60°03' North Latitude
130°22' West Longitude

PREPARED FOR:
TANANA EXPLORATION INC.
27 TUTSHI ROAD
WHITEHORSE, YUKON
Y1A 3R4

BY:
WADE CARRELL

DATE WORK PERFORMED: Aug. 6 – Aug. 9, 2005

DATE OF REPORT: January 2006

TABLE OF CONTENTS

	<u>Page</u>
INTRODUCTION	1
PROPERTY LOCATION	1
PROEPRTY ACCESS	1
LIST OF CLAIMS	1
EXPLORATION HISTORY	5
REGIONAL GEOLOGY	5
DESCRIPTION AND SUMMARY OF WORK	7
GEOCHEMICAL ANALYSIS AND RESULTS	7
CONCLUSIONS AND RECOMMENDATIONS	8
REFERENCES	9
 <u>FIGURES</u>	
Figure 1 PROPERTY LOCATION MAP	2
Figure 2 PROJECT LOCATION MAP	3
Figure 3 CLAIM MAP	4
Figure 4 REGIONAL GEOLOGY	6
Figure 5 SAMPLE LOCATION MAP	Map Pocket
 <u>APPENDICIES</u>	
APPENDIX A – STATEMENT OF EXPENDITURES	10
APPENDIX B – STATEMENT OF QUALIFICATIONS	12
APPENDIX C – WAY POINT LIST / DESCRIPTION	14
APPENDIX D – CERTIFICATES OF ANALYSIS	16

INTRODUCTION

This report outlines prospecting and geochemical exploration work directed at appraising the mineral potential of the HOC claims in the Rancheria area in south eastern Yukon. The exploration work was carried out during the 2005 field season and was based on research completed by Wade Carrell, whose statement of qualifications are appended to this report. Personnel involved in the project were Wade Carrell and 1 contract worker. The project was completed for a cost of \$3,342.00 (see Appendix A for details).

PROPERTY LOCATION

The property is located at approximately 60°00'N to 60°03'N Latitude / 130°23'W Longitude on the Wolf Lake map sheet as shown of claim map sheet 105 B 01. This area lies immediately south of a known 3 to 7 million tonne Pb-Zn-Ag occurrence on the Wildcat claims (Minfile 105B-001, Star occurrence) which was discovered in 1983 during drilling of a significant EM anomaly by Butler Mountain Minerals Inc.

The project area lies approximately 5 km west of the Tootsee River in the Rancheria area of the southeast Yukon (see Figure 1) and lies within the Watson Lake Mining District in the traditional territory of the Liard First Nation (See Figure 2).

PROPERTY ACCESS

From Whitehorse, area access is best accomplished by road east on the Alaska Highway to the Rancheria area, a distance of approximately 270 km one way. Further access to the property is accomplished by use of existing mining roads consisting of 4x4 and quad trails that leave the highway to the south at a point east of Rancheria.


LIST OF CLAIMS

The property currently comprises a contiguous rectangular block of 16 quartz mineral claims situated west of Tootsee River and lying in a north-south orientation. The claims are shown on claim map sheet 105B 01 (see Figure 3).

Details of the claims are as follows;

<u>Claim Name</u>	<u>Grant No.</u>	<u>Expiry Date*</u>
HOC 1-16	YC25212-YC25227	Sept. 3, 2007

*following acceptance of this report



HOC Property - Claim Map

Fig. 3

EXPLORATION HISTORY

An abundance of under explored and unstaked high grade silver-lead-zinc targets are known to exist within this region which is easily accessible directly from the Alaska highway in a region that has not seen any significant exploration activity for nearly 20 years. During two previous periods of historic exploration in this region, work was highly concentrated on a few specific occurrences. Little or no follow-up work on targets identified peripheral to these occurrences on the extensive claims holding of a small number of companies which blanketed the area was carried out and many of these claims were held afterwards by payments in lieu of work for extended periods of time. Numerous historic assessment reports that are now open, but have not yet been incorporated into the MINFILE database are available for viewing in the library at the Elijah Smith building. Research of these reports lead to the identification of this target described in this report.

Late in the 2004 exploration season, the company staked a row of claims to protect this target in anticipation of carrying out this exploration program. No work, other than the historic surveying described above has been carried out over this ground and although staked for the purposes of protection, this area should be considered as a reconnaissance target.

This area lies immediately south of a known 3 to 7 million tonne Pb-Zn-Ag occurrence on the Wildcat claims (Minfile 105B-001, Star occurrence) which was discovered in 1983 during drilling of a significant EM anomaly by Butler Mountain Minerals Inc. Geophysics carried out during that time period indicated a significant EM signature further to the south which research suggests has apparently never been followed up. Prospecting and geochemical sampling was carried out to investigate these prospective and coincident features.

REGIONAL GEOLOGY

The main target of exploration is a variety of silver-lead-zinc mineral deposit types, principally represented by two main deposit types, consisting of carbonate replacements and polymetallic veins in faults and shear zones.

Precious and base metal mineralization occurring within Paleozoic sedimentary rocks and Cretaceous plutonic rocks as veins and replacement lenses is well documented throughout the Rancheria area within and along the eastern margin of the Cassiar Batholith (see generalized Regional Geology, Figure 4). Numerous occurrences (30+) were discovered during two main periods of exploration in the late 1970's and the mid to late 1980's that dominately contain silver-rich galena, sphalerite, pyrite and chalcopyrite as well as lesser amounts of arsenopyrite, freibergite, tetrahedrite and pyrrhotite.

Mineralization appears to be structurally controlled by northeast-southwest jointing and to a lesser extent, by the lithological contact between limestone and phyllite. It is attributed to the migration of hydrothermal solutions migrating along the jointing and is readily identified in the field by the presence of iron and manganese gossans.

Interestingly, mapping of this area indicates a fault perpendicular to and running off the Dale fault (discussed above), coincident with the unexplained geophysical anomaly in this area.

DESCRIPTION AND SUMMARY OF WORK

A prospecting and geochemical exploration program for various types of Ag-Pb-Zn mineralization was undertaken during the 2005 field season. The project relied heavily on ongoing detailed research and a program of targeted geochemical till sampling and region prospecting to vector targets for more a detailed followup program. Targeted geochemical sampling of basal till and stream sediments and prospecting was carried out during the period between August 6 to 9, 2005 as shown on the sample location map in the map pocket.

Sampling was carried out in the priority areas described using techniques employed by the Yukon Geological Survey. Detailed prospecting and sampling of representative lithologies was carried out in conjunction with till sampling.

Upon completion of this initial phase, samples were submitted to Acme Analytical Labs in Vancouver, B.C. for standard ICP multi-element analysis. A total of \$3,342.00 was spent completing this work, compiling it, interpreting it and reporting on the results of it.

GEOCHEMICAL ANALYSIS AND RESULTS

A complete set of all the results of the project are included in this report, maps and plans indicating the location of all work performed and samples taken are included at an appropriate scale. Copies of all assay and analytical results are submitted as Appendix D and locational information is included as Appendix C. Samples were analyzed by ICP/ES & MS techniques for thirty different elements. Sampling of the high ground on the HOC 1 and 2 claims revealed a moderate strength anomaly on the southeast trending spur in that area. Values for silver in this area were elevated and also showed higher than background values for arsenic. Stream sediment samples collected from the east flowing stream at the south end of the claim block (running parallel to the B.C./Yukon border) returned weakly anomalous base and precious metal values that were highest in the area underlain by the claim block.

CONCLUSIONS AND RECOMMENDATIONS

Although the stream sediment and till sampling program carried out during the 2005 field season returned weak to moderate anomalies, they reflect enrichment at the top of the strati-graphic package. The massive sulfide deposit on the Wildcat claims to the North of the H.O.C. claims, was found by drilling to depth on an E.M. anomaly, adjacent to the same fault that strikes through the H.O.C. claim block. The untested E.M. anomaly on the H.O.C. claims is four times the magnitude and is expected to represent another deposit at depth. The work completed in 2005 represents a first pass reconnaissance program only. A grid controlled till sampling program, followed up by ground geo-physics is recommended. Prior to excavator trenching or diamond drilling a detailed compilation map of the coincident geo-chemical and geo-physical anomalies should be produced digitally.

REFERENCES

- AMUKUN, S.W., AND LOWEY, G.W., 1987. Geology of Sab Lake (105 B 7) and Meister Lake (105 B 8). DIAND Open File 1987-1.
- CANADIAN OCCIDENTAL PETROLEUM LTD, 1981. Assessment Report #090841 by R.M. Kuehnbaum.
- DEKLERK, R. and TRAYNOR, S. (COMPILERS), 2004. Yukon MINFILE – A database of mineral occurrences. Yukon Geological Survey, CD-ROM.
- EMPEROR MINES LTD, 1968. Assessment Report #018615 by D. Rees and H. Yen.
- GORDEY, S.P. and MAKEPEACE, A.J., 2003. Yukon Digital Geology, version 2.0, S.P. Gordey and A.J. Makepeace (comp); Geological Survey of Canada, Open File 1749 and Yukon Geological Survey, Open File 2003-9(D).
- LEE, G., Jul/97. Assessment Report #093738 by M.A. Power.
- LISTED VENTURES INC, Sep/87. Assessment Report #092111 by G.S. Davidson and R.C.R. Robertson.
- LISTED VENTURES INC, Jan/89. Assessment Report #092615 by G.E. Nicholson.
- LOANN SILVER MINES LTD, 1982. Assessment Report #091054 by V. Cukor.
- LOWEY, G.W. AND LOWEY, J.F., 1986. Geology of the Spencer Creek (105 B 1) and Daughney Lake (105 B 2) map areas, Rancheria District, Southeast Yukon. DIAND Open File 1986-1.
- MINERAL HILL MINES LTD, 1971. Assessment Report #060876 by W.A. Fowers.
- REGIONAL RESOURCES LTD, May/82. Assessment Report #091028 by C.G. Verley and M.H. Sanguinetti.
- REGIONAL RESOURCES LTD, Dec/82. Assessment Report #091419 by M.H. Sanguinetti and B.A. Youngman.
- REGIONAL RESOURCES LTD and GETTY CANADIAN METALS LTD, Mar/84. Assessment Report #091518 by M.H. Sanguinetti.
- REGIONAL RESOURCES LTD, Dec/84. Assessment Report #091589 by M.A. Stammers.
- REGIONAL RESOURCES LTD and GETTY CANADIAN METALS LTD, Mar/85. Assessment Report #091614 by M.A. Stammers.
- UNITED KENO HILL MINES LTD, Nov/85. Assessment Report #091668 by T.C. Stubens.
- YUKON GEOLOGICAL SURVEY WEBSITE – MAP GALLERY

APPENDIX A

STATEMENT OF EXPENDITURES

STATEMENT OF EXPENDITURES

CANADA -- In the matter of prospecting and geochemical survey assessment work filed on the HOC 1, 2, 3, 4, 11, 12, 15 and 16 claims.

I, Wade Carrell a prospector with Tanana Exploration Inc. of Whitehorse, Yukon do solemnly declare that a program consisting of prospecting, stream sediment and till sampling was carried out on the HOC 1, 2, 3, 4, 11, 12, 15 and 16 mineral claims during the period between August 6th to August 9th, 2005 (inclusive).

The following expenses were incurred during the course of this work and in the compilation and reporting of the results.

LABOUR:	Wade Carrell (Prospector)	4 days @ \$250	\$1,000.00
	Neil Regimbald (Assistant)	1 days @ \$150	<u>150.00</u>
			\$1,150.00
FOOD/CAMP COST:	5 man days @ \$70.00		350.00
TRANSPORTATION:	400 km @ \$0.48		192.00
QUAD AND TRAILER:			390.00
ANALYSIS:			694.86
FIELD SUPPLIES:			115.14
REPORT PREPARATION:			<u>450.00</u>
TOTAL COSTS			<u>\$3,342.00</u>

And I make this solemn declaration conscientiously believing it to be true and knowing that it is of the same force and effect as if made under oath and by virtue of the Canada Evidence Act.

Dated at Whitehorse in the Territory of the Yukon this 29th day of November, 2005.

Wade Carrell


APPENDIX B
STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Wade Carrell, of 27 Tutshi Road, Whitehorse , in the Territory of the Yukon,
DO HEREBY CERTIFY:

1. THAT I am a Prospector working independantly in Whitehorse, Yukon and that I am a Canadian citizen over the age of nineteen with no net income from mineral production.
2. THAT I have sucessfully completed the Yukon Chamber of Mines Basic Prospecting Course (1993) and the Advanced Prospecting Course (1994 and 1998).
3. THAT I have been engaged in mineral exploration and mining for 13 years in the Yukon and have work extensively on both hardrock and placer projects for myself and in the past for 15053 Yukon Inc.and for Tanana Exploration Inc, both of Whitehorse and for Klondike Gold Corporation of Vancouver, B.C.
4. THAT I have personally undertaken and supervised the exploration work outlined herein, which was carried out during the period from August 6 to 9, 2005.

SIGNED at Whitehorse, Yukon Territory, this 30th day of January 2006.



Wade S. Carrell

APPENDIX C

WAY POINT LIST / DESCRIPTION

Waypoint List

Map Name : 105B01.GIF
Map File : C:\OziExplorer\Maps\Maps\50000\105B01.MAP

Datum : NAD83

Waypoint File : C:\OziExplorer\Data\Meister\HOC_04-05_sample_location_map.wpt

2005/12/15 11:24:27 AM

Num	Name	Zone	Easting	Northing	Alt(ft)	Description
3	05R-02	9V	423833	6653048	4663	Quartzite
9	05S-01	9V	423276	6652253	4460	
10	05S-02	9V	423442	6652285	4468	
11	05S-03	9V	423603	6652269	4422	
12	05S-04	9V	423767	6652279	4344	
13	05S-05	9V	423925	6652318	4458	
14	05S-06	9V	424078	6652373	4305	
15	05S-07	9V	424204	6652427	4266	
16	05S-08	9V	424413	6652447	4220	
17	05S-09	9V	422807	6652262	4623	
18	05S-10	9V	423028	6652247	4581	
19	05S-11	9V	423269	6653389	4841	
20	05S-12	9V	423593	6653330	4723	
21	05S-13	9V	424030	6653288	4528	
22	05S-14	9V	424371	6653333	4425	
23	05S-15	9V	428022	6653695	3224	
24	05S-16	9V	424506	6654621	4539	
25	05S-17	9V	424658	6654739	4520	
26	05S-18	9V	424796	6654832	4496	
27	05S-19	9V	424926	6654922	4448	
28	05S-20	9V	424963	6655072	4387	
35	05T-01	9V	423437	6655456	5119	
36	05T-02	9V	423631	6655333	5135	
37	05T-03	9V	423778	6655317	5102	
38	05T-04	9V	423904	6655412	5129	
39	05T-05	9V	424071	6655387	5036	
40	05T-06	9V	424139	6655199	4944	
41	05T-07	9V	424277	6655053	4801	
42	05T-08	9V	424408	6654943	4686	
43	05T-09	9V	424583	6654810	4593	
44	05T-10	9V	424716	6654679	4499	
121	HOC-01	9V	423838	6655753	5092	Claim posts
122	HOC-03	9V	423855	6655328	5051	Claim posts
123	HOC-05	9V	423835	6654862	4793	Claim posts
124	HOC-07	9V	423841	6654436	4739	Claim posts
125	HOC-09	9V	423876	6653965	4798	Claim posts
126	HOC-11	9V	423842	6653536	4745	Claim posts
127	HOC-13	9V	423831	6653057	4677	Claim posts
128	HOC-15	9V	423828	6652607	4566	Claim posts
129	HOC-16	9V	423831	6652190	4333	Claim posts

Map Feature Waypoints

APPENDIX D
CERTIFICATES OF ANALYSIS

ACME ANALYTICAL LABORATORIES LTD.
(ISO 9001 Accredited Co.)

852 E. HASTINGS ST. VANCOUVER BC V6A 1R6

PHONE (604) 253-3158 FAX (604) 253-1716




GEOCHEMICAL ANALYSIS CERTIFICATE

Tanana Exploration Inc. File # A504845
27 Tutshi Road, Whitehorse Y1A 3R4 Submitted by: U. Carrell

SAMPLE	Mo	Cu	Pb	Zn	Ag	Hg	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Tl	B	Al	Ni	K	H	Mg	Sc	Ti	S	Ga	Se
652-02	1.5	7.4	79.8	<1	1	5.0	.9	10	.73	1.9	1	1.3	.4	1	<.1	.3	1	1	.02	.014	4	7.3	<.01	7	<.001	2	.02	.001	.01	.3	<.01	.1	<.1	<.05	<.1	<.5

GROUP 1DX - 15.00 GM SAMPLE LEACHED WITH 90 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 300 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: Rock R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data *h* FA DATE RECEIVED: AUG 22 2005 DATE REPORT MAILED: *Sept. 13/05*



All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.




GEOCHEMICAL ANALYSIS CERTIFICATE

Tanana Exploration Inc. File # A504847
 27 Tutshi Road, Whitehorse Y1A 3R4 Submitted by: W. Carrell

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Sample
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm
G-1	.6	2.9	10.8	93	<1	6.8	4.1	591	1.80	6.6	2.1	<.5	4.2	52	.2	.1	.1	35	45	.091	6	85.7	.61	221	.118	1	.94	.063	.51	2	<.01	2.0	3	<.05	5	<.5	30.0
055-01	.8	8.9	22.4	115	1	12.2	5.6	387	2.08	17.2	2.1	17.2	15.7	48	5	1.8	3.0	29	4.86	.121	29	16.2	2.79	112	.048	1	.89	.026	.09	1.9	.04	1.9	2	<.05	4	<.5	15.0
055-02	1.9	10.1	35.4	127	1	9.8	4.2	417	1.45	21.6	4.0	14.1	14.5	24	5	1.1	2.0	29	7.4	.118	23	11.2	.51	112	.055	1	.96	.021	.16	4	.02	1.9	2	<.05	4	<.5	15.0
055-03	1.9	11.3	19.8	139	1	12.2	5.0	411	1.72	24.0	4.9	12.9	14.2	33	5	1.4	.5	33	.80	.123	24	16.1	.60	152	.068	2	1.24	.032	.18	4	.02	2.4	2	<.05	5	<.5	7.5
055-04	2.0	9.8	12.3	79	1	10.0	4.7	321	2.09	19.2	5.0	10.0	20.4	29	3	1.5	4.6	43	.58	.145	35	14.9	.36	139	.047	1	.88	.021	.11	4.8	.02	1.8	2	<.05	4	<.5	15.0
055-05	1.6	8.3	11.6	72	1	9.7	4.2	258	1.71	17.8	4.7	8.9	19.3	29	2	1.2	1.7	37	.61	.147	33	12.7	.37	126	.047	1	.89	.021	.11	1.4	.03	1.7	2	<.05	4	.5	15.0
055-06	2.4	10.7	14.5	81	1	13.4	6.6	410	2.59	21.1	6.4	1.3	22.0	40	3	1.4	2.5	52	.67	.136	40	20.2	.51	184	.070	1	1.28	.034	.14	3.2	.01	2.4	2	<.05	5	<.5	15.0
055-07	1.6	8.1	11.2	61	1	9.7	4.6	292	2.86	14.9	6.4	4.3	45.8	26	2	1.3	7.5	61	.57	.161	73	17.6	.30	130	.045	1	.79	.020	.09	5.0	.02	1.5	2	<.05	4	<.5	15.0
055-08	1.2	11.0	13.3	67	1	11.6	4.0	267	1.84	11.1	2.2	6.2	17.0	21	4	1.2	2.8	37	.48	.132	34	15.4	.30	196	.037	1	.78	.015	.09	1.2	.02	1.4	1	<.05	4	<.5	30.0
055-09	.7	7.2	14.5	60	1	7.6	5.6	442	2.65	6.0	3.1	1.1	28.9	18	3	1.6	5.7	49	2.40	.117	37	11.9	1.34	213	.055	1	.85	.008	.14	5.3	.01	1.9	2	<.05	5	<.5	30.0
055-10	.3	4.9	7.1	39	<1	4.2	2.9	341	1.01	2.4	1.8	5.6	16.3	14	1	.5	.5	18	2.08	.091	21	4.2	.99	158	.049	<1	.70	.008	.15	7	.01	1.4	2	<.05	3	<.5	30.0
055-11	.2	4.0	6.1	30	<1	4.8	3.0	197	1.24	1.1	1.8	7.4	19.2	7	1	.1	.7	23	.25	.142	38	9.2	.17	30	.049	<1	.74	.006	.12	2	.01	1.1	1	<.05	4	<.5	15.0
055-12	.5	2.2	4.3	17	<1	2.7	1.3	96	.61	.6	3.7	6.1	6.6	8	<1	.1	.3	13	.17	.074	26	4.7	.10	31	.021	1	.44	.004	.04	2	.01	.5	<.05	2	<.5	30.0	
055-13	.9	2.3	4.0	16	<1	2.1	1.8	168	1.02	1.4	3.2	5.8	14.6	7	1	.2	.4	20	.14	.052	37	4.8	.07	35	.027	1	.34	.004	.03	2	.01	.5	<.05	3	<.5	15.0	
055-14	2.9	3.6	6.6	34	1	3.8	4.9	866	1.54	2.9	5.9	7.0	18.1	12	1	.1	2.3	27	.29	.118	38	7.1	.18	67	.038	1	.70	.006	.08	3	.02	1.1	2	<.05	3	<.5	15.0
055-15	1.6	26.5	10.4	130	1	28.2	7.0	584	2.57	10.9	2.2	4.7	9.5	24	7	1.3	1.4	39	.75	.092	22	19.7	.58	825	.023	1	.61	.009	.06	3	.05	1.3	1	<.05	3	.9	7.5
055-16	1.8	5.3	13.0	74	1	9.3	5.9	579	1.78	6.2	2.3	5.6	10.4	15	3	.4	.4	26	.29	.091	25	12.2	.30	69	.048	<1	.92	.009	.11	2	.01	1.5	1	<.05	4	<.5	15.0
055-17	1.8	4.9	12.6	79	1	7.7	6.3	795	1.78	6.5	2.3	4.9	10.7	14	3	.3	.3	26	.27	.092	22	10.0	.31	66	.053	<1	.87	.009	.13	2	.02	1.5	2	<.05	4	<.5	7.5
055-18	1.9	4.6	14.4	84	1	6.7	6.1	693	1.82	10.6	3.3	2.8	9.4	16	3	.4	1.0	26	.31	.098	22	10.9	.30	74	.044	<1	.92	.008	.09	3	.01	1.5	1	<.05	4	<.5	7.5
055-19	.5	3.1	10.6	40	1	5.1	3.5	302	1.08	7.0	1.8	2.3	11.2	10	1	.2	.9	18	.32	.117	26	6.6	.19	50	.036	<1	.61	.006	.06	2	<.01	1.1	1	<.05	3	<.5	30.0
055-20	.3	2.6	12.2	31	<1	4.9	2.7	167	1.23	6.4	2.0	2.3	12.3	10	1	.3	2.8	21	.36	.138	33	6.4	.14	38	.024	1	.41	.004	.04	4	.01	.8	1	<.05	2	<.5	30.0

GROUP 10X - 30 GM SAMPLE LEACHED WITH 180 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 600 ML, ANALYSED BY ICP-MS.
 (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
 - SAMPLE TYPE: Sed. SS80 60C Samples beginning 'RE' are Refuns and 'RRE' are Reject Refuns.



Sept 13/05

Data FA DATE RECEIVED: AUG 22 2005 DATE REPORT MAILED:




GEOCHEMICAL ANALYSIS CERTIFICATE

Tanana Exploration Inc. File # A504846
 27 Tutshi Road, Whitehorse YT Y1A 3R4 Submitted by: W. Carrell


SAMPLE#	Pb	Cu	Pb	Zn	Ag	Hg	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Si	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Sample	
	ppm	ppm	ppb	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
051-01	.82	17.16	13.28	62.2	75.16	8.1	275	2.04	2.5	1.8	2.7	3.0	37.2	.13	.15	.79	41	.33	.078	27.9	28.3	.56	129.7	.073	1.256	.015	.18	.3	2.5	.21	<.01	23	.3	.02	8.7	30	
051-02	.57	4.30	12.46	45.9	92	5.3	3.7	280	1.70	1.1	1.3	2.3	6.0	12.0	.11	.17	.56	.08	.038	23.3	12.0	.23	66.0	.085	1.111	.005	.11	.2	1.4	.15	<.01	51	.2	<.02	7.1	30	
051-03	.42	5.85	12.48	30.8	25	9.1	4.4	177	1.95	3.9	1.1	1.3	10.6	14.3	.07	.63	1.17	.38	.27	.042	28.0	14.8	.31	79.7	.060	1.127	.007	.07	.3	1.7	.13	<.01	13	.1	.02	5.5	30
051-04	.32	4.28	9.37	39.8	45	6.4	3.9	219	1.53	2.7	1.3	.8	3.5	6.4	.08	.14	.88	.26	.14	.080	28.6	10.4	.27	49.0	.045	1.128	.006	.10	.2	1.2	.14	<.01	15	.2	<.02	5.0	30
051-05	.43	6.15	13.06	43.1	124	10.2	5.5	255	1.58	3.9	1.0	.9	8.5	17.5	.11	.12	2.14	.27	.25	.086	27.1	14.3	.38	87.6	.064	1.151	.007	.13	.2	1.6	.15	<.01	15	.1	<.02	4.5	30
051-06	.64	11.80	19.37	83.7	164	16.7	7.7	503	2.15	13.4	1.1	2.2	5.6	11.8	.27	1.00	1.34	.37	.65	.059	29.4	23.8	.48	120.2	.069	1.177	.019	.18	.3	2.9	.26	<.01	23	.3	<.02	6.1	30
051-07	.69	8.42	11.98	61.1	114	16.8	7.7	274	2.66	12.9	.9	.8	4.9	10.1	.16	.80	1.15	.41	.07	.046	24.8	22.4	.31	76.9	.053	1.129	.004	.08	.4	1.6	.13	<.01	35	.2	.02	7.0	15
RE 051-07	.65	8.48	11.65	62.6	108	16.8	7.9	278	2.69	12.6	.9	2.6	5.1	10.6	.16	.83	1.18	.42	.07	.046	25.2	22.6	.31	77.0	.060	1.131	.004	.08	.3	1.7	.13	<.01	44	.2	.02	7.0	15
051-08	.76	6.93	12.12	62.8	34	9.9	5.2	201	2.52	6.1	.7	1.8	4.1	5.4	.14	.53	.56	.46	.03	.048	25.7	19.4	.16	30.3	.079	1.111	.004	.05	.1	1.4	.11	<.01	8	.1	.02	9.1	30
051-09	.57	6.18	12.43	52.3	30	15.1	6.0	222	2.37	6.7	.9	.7	10.4	7.5	.12	.32	.86	.39	.11	.055	24.3	19.9	.35	56.0	.068	2.148	.005	.07	.3	1.9	.11	<.01	26	.2	<.02	6.1	30
051-10	.52	6.14	13.93	60.2	91	13.5	6.1	199	2.08	2.9	.9	1.2	9.3	7.4	.14	.19	.92	.35	.06	.041	21.7	19.9	.38	77.6	.059	2.207	.005	.08	.2	1.9	.16	<.01	42	.2	<.02	5.5	30

GROUP 1F30 - 30.00 GM SAMPLE LEACHED WITH 180 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 600 ML, ANALYSED BY ICP/ES & MS.
 (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
 - SAMPLE TYPE: Till SS80 60C Samples beginning 'RE' are Returns and 'RRE' are Reject Returns.



Sept 13/05

Data 1 FA DATE RECEIVED: AUG 22 2005 DATE REPORT MAILED: *Sept 13/05*



Sample Location Map - Fig. 5

⊕ sample location

--- claim boundary

500 meters