

GEOPHYSICAL – GEOCHEMICAL – TRENCHING

REPORT

BLACK FOX 1-38 CLAIMS

YC30519 - YC30528

YC35176 - YC35203

NTS # 115 O \ 3

LAT: 63° 03 N

LONG: 139° 05 W

DAWSON MINING DISTRICT

AUTHOR OF REPORT SHAWN RYAN

WORK PERFORMED SEPTEMBER 30 to OCTOBER 06, 2005

DATE OF REPORT APRIL 02, 2006

TABLE OF CONTENT

1.0	Summary	p.3
2.0	INTRODUCTION	p.3
3.0	PROJECT LOCATION	p.3
4.0	ACCESS	p.4
5.0	GEOLOGY	p.4
5.1	REGIONAL GEOLOGY	p.4
5.2	PROPERTY GEOLOGY	p.5
6.0	WORK PERFORMED / METHODS	p.5
6.1	Grid Work	p.5
6.2	Magnetic Survey	p.5
6.3	Soil Survey	p.5
6.4	Trenching	p.6
7.0	INTERPRETATION	p.6
7.1	Magnetic Survey	p.6
7.2	Soil Survey	p.6
7.3	Trenching	p.7
8.0	RECOMMENDATION	p.7
9.0	REFERENCES CITED	p.7
10.0	Cost	p.7
11.0	Qualification	p.8
	Gold Soil geochemistry map	Figure 1
	Mercury Soil geochemistry map	Figure 2
	Copper Soil geochemistry map	Figure 3
	Magnetic Map	Figure 4
	Assay Data	Appendix
	GPS Soil Location Data	Appendix
	Magnetic data	Appendix

1.0 SUMMARY

The Black Fox project had a crew of six men work the claim block. The crew consists of Jim Skales, Tyson Foxcroft, Issac Fage, Kyle MacDougall, Scott Fleming and Shawn Ryan. The exploration program was successful in extending the 2004 gold soil anomaly and uncovered for 25 feet a new quartz vein that average 50-80 centimeters wide with values of 7-10 g/t gold.

2.0 INTRODUCTION

The Black Fox project had 22.7 Kl of grid work established with 22.7 Kl of magnetic survey conducted. A total of 717 soil where collected on 25 meters soil spacing. Trenching was conducted and uncovered a new quartz vein. More prospecting around the quartz vein revealed the vein is running in float over a length of 185 meters. We staked an additional 10 units to cover the ground between the Black Fox new showing and the Kit Claims.

3.0 LOCATION

The Black Fox project is located at the headwaters of Thistle Creek; it's in Dawson Mining Division, on NTS # 115 0/3. The latitude 63°03'N and longitude 139°05'W.

4.0 ACCESS

The Black Fox claim group can be reached via helicopter from Dawson City or one can boat 100 miles up the Yukon River then take a four wheeler 25 kilometers up the Kirkman Creek road system to the headwaters of Kirkman and Thistle Creek.

5.0 REGIONAL AND PROPERTY GEOLOGY

5.1 REGIONAL GEOLOGY

Regional Geology GSC Description

Regional Geology

The Regional Soil Program covered six different rock units according to the new GSC geology map called the Southern Stewart River Area, Open File # 4641 by Jim Ryan and Steve Gordey.

Jurassic? Or Cretaceous

Unit 16

Granite: pink to grey, locally porphyritic, syenogranite to monzogranite plutons and dykes.

Mid? To Late Paleozoic

Orthogneissic Rocks

Unit 9

Comprise of Grey Gneiss: intermediate to mafic orthogneiss; generally grey; banded to layered; commonly veined; derived from intermediate granitoid (tonalite to diorite) sheets; usually interlayered with amphibolite schist and gneiss.

Unit 6 / 9

Comprise of undivided amphibolite and grey gneiss units.

Unit 10

Comprise of Felsic Gneiss: pink to orange felsic orthogneiss; banded to layered; veined and/or segregated; derived from felsic granitoid sheets

Metavolcanic? Volcaniclastic? Rocks

Unit 6

Comprise of an Amphibolite schist and gneiss; metabasite; possibly derived from mafic to intermediate volcanic or Volcaniclastic rocks.

Metasedimentary Rocks

Unit 3 /4

Comprise of a Quartz-Mica schist and Mica-Quartz schist.

5.2 PROPERTY GEOLOGY

I did not have much time to evaluate the geology but I did bring Mike Burky and Chris Ash visited the property during the 2004 field season. Chris Ash noted meta gabbro, ultramafic and mafic volcanic. All are good potential host for mesothermal gold quartz vein.

6.0 WORK PERFORMED / METHODS

6.1 Grid Work

A total of 22.7 kilometers of grid was established using Garmin GPS 76 instruments. The beauty of Garmin 76 GPS are that they have a left right function and can keep you right on track within a ± 5 meters error. Station where flagged using Artic orange flagging tape and marked with black permanent markers as to the line and station co-ordinates. In total 908 station where established. The grid lines ran in a northeast direction with the intention to cross the quartz vein float and the 2004 gold soil anomaly at a 90-degree angle.

6.2 Magnetic Survey

The magnetic survey was conducted across the entire grid. The survey uses two Envi-Mag, Scintrex magnetometers. One is the portable field unit and the second is a base station magnetometer that records reading every 10 seconds at a stationary position for the entire survey. The base station monitors the earth daily magnetic drift. At the end of each daily survey both the field and base station magnetometers are plugged in together and the daily drift is corrected out of the field mag.

Only the corrected data is used to plot the survey results. The field survey took reading every 12.5 meters for a total of 1816 readings.

6.3 Soil Survey

The Black Fox Project had 20 man days of soil work collecting 717 soils.

All soil sample where taken with one meter soil probes and sometime with a prospector pick. We carried both on rocky talus slope. Soil sample location where marked on the ground with orange flagging and recorded in Garmin GPS. About 400-500 grams of soil was collected and place in well mark kraft soil bags.

All sample where brought out to Dawson and air dried repacked in rice bags and sent to Acme Labs in Vancouver. Sample where process with Aqua Regia ICP-MS for 36 elements.

The GPS where downloaded every night and store in a personal computer.

6.4 Trenching

The Black Fox project had 5 man days of hoe work. The hoe work was done with a Can Dig mini excavator. The excavator was mobilized up the Yukon River via river boat in two pieces then put together and transported by four wheeler up the Kirkman Creek road to the work site. Trenching was successful in uncovering 15 meters of quartz vein.

7.0 INTERPRETATION

7.1 Magnetic Survey

The magnetic survey was very helpful in delineating a regional structure pattern. From what we see is that the magnetic high is sitting over mapped Amphibolite and that the magnetic highs are trending on a general east west trend. A magnetic low trends right through the middle of the grid on a north south trend. This distinct kind of magnetic low on a north south trend has been seen in other locations in the district and they turn out to be felsic dikes.

7.2 Soil Survey

The soil survey was very useful in demonstrating a nice gold, mercury and copper anomaly. The gold anomaly indicates that there should be more gold bearing rocks found east of the high grade quartz vein. The anomalous gold quartz vein found in the trench also has mercury and copper associated with it. Using these elements from the soil survey one can see how the anomalies values are moving in an easterly pattern. All being equal more work is needed in this direction.

7.3 Trenching

The trench work uncovered a 50-80 cm wide quartz vein that moving in an east southeast direction. The hoe work help uncover about 10-15 meters of quartz vein. The vein had 2-3 % sulfides of copper and a dark material potentially lead or antimony. Quartz vein material was also found 160 meter on trend to the west northwest. The trench measure 25 feet long by 7 feet wide and was dug to a depth of 6 feet.

8.0 RECOMMENDATION

I would recommend more trenching on the quartz vein and extending the soil grid towards the Kit claims to the south and extending the soil and magnetic survey to the east.

9.0 REFERENCES CITED

Ryan,J.J. and Gordey,S.P. 2004: Geology, Stewart River Area, Yukon Territory; Geological Survey of Canada, Open File 4641

10.0 COST

Grid Work 20 KL @ \$150.00 per KL	\$3,000.00
Magnetic Survey 20 KL @ \$250.00 per KL	\$5,000.00
Wage 20 man days @ \$250.00 per day	\$5,000.00
Food Allowance 20 man days @ \$25.00	\$500.00
Assay Cost 717 soil @ \$17.00 per sample	\$12,189.00
Transportation Cost, boat and four wheeler	\$2,000.00
Report writing	\$300.00
Total	\$27,989.00

11.0 QUALIFICATION

I Shawn Ryan located in Dawson City, Yukon work as a professional prospector. I run a small exploration company located in Dawson City.

I have worked in the exploration business for the last 22 years. I worked the first 12 years as a contractor working on numerous projects in the NWT, Ontario, Quebec and the Yukon. I have worked the last 8 years as a local prospector for myself.

I have being trained to run various geophysical instruments and surveys such as magnetic surveys, max-min surveys, induce polarity surveys and VLF surveys.


I have overseen the entire Black Fox Project and was party chief in charge.

I own 100% of the Black Fox claims.

Dated this 02 of April 2005 in Dawson City, Yukon.


Respectfully submitted

Shawn Ryan



Black Fox Claim Group

GSC Open File 4641 Geology Map



Black Fox Regional geology

BLACK FOX 2005 MAGNETIC and SOIL SURVEY




Figure 1

BLACK FOX 2005 MAGNETIC and SOIL SURVEY




Figure 2

BLACK FOX 2005 MAGNETIC and SOIL SURVEY






Figure 3



Scale 1 - 12,500





Can Dig Excavator Digging Black Fox Trench



High Grade Quartz Vein running up to 25 a/t Gold

GEOCHEMICAL ANALYSIS CERTIFICATE

Ryanwood Exploration Inc. PROJECT Black Fox File # A508110 Page 1
 Box 213, Dawson City YT Y0B 1G0 Submitted by: Ryanwood Exploration I



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
G-1	.2	2.5	3.0	43	<.1	3.6	3.7	512	1.87	<.5	2.1	<.5	4.1	66	<.1	.2	.1	38	.61	.079	8	8.4	.56	192	.131	1	.96	.077	.41	.1	<.01	2.0	.3	<.05	5	<.5
RW-02477	.7	38.0	10.3	75	<.1	23.7	13.7	615	3.41	6.6	.4	6.3	1.8	15	.1	.4	.2	90	.23	.046	7	48.6	.98	171	.116	3	1.95	.011	.08	.1	.02	5.3	.1	<.05	7	<.5
RW-04301	.6	37.6	6.8	65	<.1	21.9	14.2	564	3.21	5.2	.5	2.7	1.8	19	.1	.3	.1	75	.37	.076	9	41.8	.88	355	.106	2	1.70	.014	.18	.1	.02	5.1	.1	<.05	6	<.5
RW-04347	.9	58.9	9.6	77	.2	16.9	8.6	161	2.28	6.8	.9	14.1	3.4	21	.4	.5	.1	61	.31	.070	13	29.9	.55	240	.080	2	1.58	.011	.06	.2	.09	4.8	.1	<.05	6	<.5
RW-04348	.8	43.1	8.4	73	.2	16.7	9.7	411	2.49	5.3	.7	16.0	2.8	21	.2	.3	.1	57	.34	.081	11	27.7	.57	217	.081	3	1.49	.011	.06	.2	.07	3.7	.1	<.05	5	<.5
RW-04349	1.7	69.5	10.2	83	.2	17.8	14.6	553	4.06	10.5	1.0	27.1	3.3	20	.2	.5	.1	64	.31	.078	13	28.8	.55	208	.078	1	1.52	.010	.08	.2	.08	4.5	.1	<.05	5	.6
RW-04350	.9	126.6	9.3	118	.1	22.1	13.3	261	3.22	6.3	.8	57.8	3.6	23	.5	.4	.1	77	.44	.114	14	29.8	.62	180	.101	2	1.42	.014	.10	.3	.07	4.3	.1	<.05	4	<.5
RW-04351	1.3	108.2	12.7	100	.2	20.0	9.4	204	2.63	7.2	.9	165.2	3.1	19	.3	.4	.1	60	.32	.080	13	29.8	.59	174	.086	2	1.47	.010	.10	.1	.09	4.3	.1	<.05	5	.6
RW-04352	1.3	87.3	12.1	119	.2	22.1	15.3	421	3.18	14.6	1.0	145.0	3.3	21	.3	.5	.1	68	.35	.091	13	29.0	.63	192	.089	3	1.40	.012	.12	.2	.07	4.9	.1	<.05	5	<.5
RW-04353	1.6	102.9	9.1	177	.2	22.5	22.8	621	3.48	9.4	1.0	118.3	4.1	26	.5	.4	.1	71	.52	.133	16	30.6	.67	249	.094	2	1.49	.014	.13	.1	.07	5.0	.1	<.05	5	.6
RW-04354	1.3	78.9	13.7	104	.2	23.4	16.1	465	3.14	7.9	.8	103.7	3.5	21	.4	.4	.1	65	.38	.086	13	29.4	.63	267	.100	1	1.35	.015	.12	.1	.05	4.8	.1	<.05	5	.5
RE RW-04354	1.3	79.7	13.8	102	.2	22.9	15.7	445	3.08	7.8	.8	355.5	3.4	20	.3	.4	.1	61	.36	.086	13	28.1	.61	254	.093	2	1.29	.014	.11	.2	.05	4.7	.1	<.05	4	<.5
RW-04355	1.2	67.3	13.8	106	.1	24.3	13.9	520	3.39	8.3	1.0	35.8	3.2	22	.3	.4	.1	64	.36	.080	15	28.8	.62	270	.094	2	1.36	.014	.12	.1	.05	5.1	.1	<.05	5	.6
RW-04356	1.0	74.2	12.4	134	.2	20.7	12.3	326	3.21	7.8	.7	22.7	2.6	19	.4	.4	.2	65	.34	.086	11	28.8	.60	179	.085	1	1.40	.014	.10	.1	.05	4.1	.1	<.05	5	.6
RW-04357	1.6	57.4	15.3	141	.2	33.6	17.4	684	4.37	15.8	1.3	27.1	5.3	22	.3	.6	.2	90	.44	.084	21	50.0	.89	332	.103	2	1.58	.012	.19	.2	.06	7.9	.2	<.05	6	<.5
RW-04358	1.3	57.0	18.2	100	.1	27.0	15.6	618	3.81	17.2	1.2	42.3	5.2	18	.2	.8	.1	57	.33	.092	24	28.9	.53	272	.071	3	1.28	.009	.13	.1	.05	5.6	.1	<.05	4	<.5
RW-04359	1.7	49.2	21.1	105	.2	23.3	14.9	764	3.97	11.7	1.3	71.7	3.6	21	.2	.7	.1	60	.45	.092	23	28.4	.54	372	.068	1	1.35	.012	.13	.1	.07	7.1	.1	<.05	4	<.5
RW-04360	1.5	55.3	19.8	94	.2	24.6	15.2	623	3.98	11.8	1.4	40.4	5.0	20	.2	1.1	.1	61	.42	.102	28	25.0	.51	331	.070	2	1.21	.010	.11	.2	.10	6.4	.1	<.05	4	<.5
RW-04361	1.1	39.3	12.9	81	<.1	21.4	13.6	549	3.25	11.0	.6	54.5	3.5	17	.2	.5	.1	62	.35	.087	12	29.1	.54	241	.094	1	1.14	.012	.11	.1	.04	4.1	.1	<.05	4	.5
RW-04362	4.8	31.6	41.3	207	.2	15.2	9.8	658	4.14	14.8	.9	424.0	4.3	14	.5	.4	.2	42	.28	.073	13	24.2	.43	238	.072	1	1.04	.012	.11	.1	.08	4.3	.1	<.05	4	<.5
RW-04363	.9	44.3	18.1	66	<.1	20.6	14.0	419	2.89	5.9	.7	22.6	3.0	21	.2	.3	.2	70	.49	.076	11	37.5	.74	264	.109	1	1.68	.014	.12	.2	.06	5.1	.2	<.05	5	<.5
RW-04364	.8	34.7	12.9	70	.1	17.3	12.2	223	3.31	7.4	.8	6.2	3.4	16	.1	.7	.1	66	.37	.067	12	30.8	.67	223	.073	3	1.77	.010	.09	.2	.13	5.0	.1	<.05	6	<.5
RW-04365	.7	44.5	8.4	69	<.1	22.0	13.1	463	3.28	6.6	.6	21.8	1.8	20	.1	.4	.1	79	.32	.077	11	41.9	.80	281	.100	1	1.80	.014	.11	.2	.03	5.1	.1	<.05	6	<.5
RW-04401	.5	81.2	4.6	114	<.1	18.1	18.5	580	5.41	2.6	.4	2.6	2.3	17	.1	.1	<.1	101	.48	.163	8	44.6	1.50	519	.183	1	2.60	.014	.83	.1	.01	9.1	.3	<.05	10	<.5
RW-04402	.6	73.1	3.3	99	<.1	18.6	19.7	655	5.23	1.9	.4	3.8	2.2	19	.1	.1	<.1	74	.41	.154	9	41.7	1.41	577	.201	1	2.34	.019	.95	<.1	.01	7.8	.3	.08	10	<.5
RW-04403	1.0	33.3	17.8	77	.1	23.2	13.7	673	3.41	6.7	.5	9.4	1.7	17	.2	.3	.2	92	.24	.052	9	50.3	.88	364	.104	1	1.90	.011	.11	.1	.03	5.6	.1	<.05	8	<.5
RW-04425	.7	68.8	9.6	68	.3	20.7	14.6	212	3.22	8.4	.9	104.4	3.0	22	.2	.6	.1	68	.31	.075	11	31.8	.61	248	.084	1	1.93	.013	.06	.1	.08	6.0	.1	<.05	6	.5
RW-04426	.6	93.0	7.2	72	.1	20.7	20.8	363	3.72	6.6	.6	51.9	3.2	28	.1	.5	.1	75	.55	.171	12	36.3	.97	211	.126	1	1.97	.021	.19	.1	.03	6.5	.1	<.05	7	.7
RW-04427	.7	49.1	11.2	70	.1	17.2	10.2	204	3.57	10.1	.8	28.6	3.5	17	.1	.6	.1	65	.29	.086	13	33.2	.68	166	.100	1	1.98	.013	.11	.1	.04	5.6	.1	<.05	6	<.5
RW-04428	.9	46.5	11.1	72	.2	16.8	10.1	229	3.46	14.9	.8	40.2	3.2	19	.1	.5	.1	68	.28	.083	12	31.5	.65	235	.089	1	1.94	.010	.11	.1	.05	6.4	.1	<.05	7	<.5
RW-04429	.8	52.4	10.7	83	.2	20.1	10.8	299	3.55	9.9	.9	392.8	4.0	24	.1	.5	.1	68	.33	.070	14	33.0	.80	330	.118	1	1.98	.012	.16	.1	.09	7.5	.2	<.05	6	.5
RW-04430	.9	52.1	9.4	80	.2	19.2	10.0	226	3.66	25.3	1.0	5.2	4.0	19	.1	.6	.1	74	.25	.066	14	31.6	.78	224	.100	1	2.22	.012	.11	.1	.04	6.2	.1	<.05	7	.8
RW-04431	.8	53.9	10.8	79	.2	19.5	10.9	244	3.32	59.9	1.0	7.9	2.4	24	.2	.7	.1	71	.25	.068	13	31.5	.72	303	.085	1	2.03	.012	.10	.1	.05	6.2	.1	<.05	7	.8
RW-04432	.8	54.8	9.1	76	.1	18.3	11.5	294	3.23	15.3	.7	8.0	1.6	22	.2	.5	.2	77	.30	.105	12	35.8	.66	234	.081	2	1.89	.014	.11	.1	.05	5.5	.1	<.05	7	.6
RW-05851	.7	39.6	11.2	71	<.1	23.8	13.8	474	3.18	6.7	.5	4.7	2.2	17	.1	.4	.1	81	.25	.057	8	46.7	.95	179	.110	2	2.04	.012	.08	.1	.02	5.4	.1	<.05	7	<.5
STANDARD DS	11.5	121.5	29.7	140	.3	24.4	10.8	691	2.80	20.1	6.7	47.8	3.0	39	6.0	3.5	5.0	55	.83	.078	12	185.3	.57	163	.078	18	1.88	.072	.13	3.6	.23	3.2	1.8	<.05	6	3.8

Standard is STANDARD DS6.


GROUP 1DX - 15.0 GM SAMPLE LEACHED WITH 90 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 300 ML, ANALYSED BY ICP-MS.

(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY

- SAMPLE TYPE: SOIL SS80 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA DATE RECEIVED: OCT 7 2005 DATE REPORT MAILED: Jan 10/06

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.





SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.1	2.1	3.1	44	<.1	4.4	4.1	535	1.92	.7	2.3	.8	4.1	70	<.1	.2	.1	39	.60	.080	8	8.5	.56	194	.136	1	.99	.083	.43	.1	<.01	2.1	.3	<.05	4	<.5
RW-06078	1.3	28.0	18.9	56	.1	15.6	13.8	872	2.65	5.7	.5	3.3	1.2	14	.2	.3	.2	75	.15	.040	8	35.0	.59	245	.093	1	1.60	.012	.06	.1	.03	4.0	.1	<.05	7	<.5
RW-06526	3.4	45.3	27.3	146	.6	38.1	13.0	697	3.79	48.3	1.7	14.6	4.1	24	.5	2.1	.4	52	.38	.079	22	29.3	.51	444	.028	2	1.17	.009	.08	.1	.16	4.9	.2	<.05	3	1.6
RW-06527	2.1	33.3	20.5	99	.3	34.8	12.2	660	3.23	37.4	1.1	7.8	1.6	21	.3	1.2	.3	56	.36	.072	15	30.9	.53	458	.030	2	1.45	.010	.05	.1	.07	3.3	.2	<.05	4	1.0
RW-06528	2.1	39.8	25.9	111	.2	40.1	13.6	665	3.61	87.1	1.1	4.5	1.8	20	.4	3.4	.3	57	.23	.062	17	31.7	.48	351	.036	1	1.42	.008	.06	.2	.05	3.3	.2	<.05	4	.9
RW-06529	2.2	45.1	15.9	103	.3	43.7	13.1	652	3.41	102.2	1.2	8.6	1.9	21	.4	2.5	.3	61	.22	.061	17	41.4	.52	380	.053	1	1.53	.008	.07	.1	.15	4.3	.2	<.05	5	.9
RW-06530	3.4	41.9	14.0	86	.3	35.4	11.7	493	3.30	112.6	1.0	5.8	1.2	18	.3	3.7	.3	67	.16	.060	13	43.2	.51	294	.047	2	1.44	.007	.07	.1	.10	3.1	.3	<.05	5	1.0
RW-06531	4.1	38.2	16.5	95	.4	36.6	10.6	478	3.28	74.4	1.2	6.6	.8	18	.3	2.0	.2	64	.18	.077	13	38.2	.41	359	.035	1	1.43	.008	.06	.1	.09	2.7	.2	<.05	6	1.0
RW-06532	4.4	33.1	17.4	99	.3	31.5	11.4	623	3.18	49.4	1.2	8.6	1.4	19	.5	1.7	.2	63	.22	.062	15	36.3	.50	419	.043	1	1.42	.008	.06	.2	.09	3.4	.1	<.05	5	.6
RW-06533	1.7	35.4	12.4	71	.2	28.3	11.1	355	2.78	29.4	1.1	5.4	2.9	18	.1	1.2	.2	59	.25	.062	13	35.3	.56	244	.074	1	1.81	.009	.06	.1	.09	4.0	.2	<.05	5	1.0
RW-06534	1.6	32.0	13.9	76	.2	24.2	7.7	278	2.25	31.8	1.0	5.1	1.8	17	.3	1.4	.2	52	.21	.061	16	34.1	.51	352	.058	2	1.51	.010	.07	.2	.10	3.4	.2	<.05	5	.7
RW-06535	1.6	28.3	15.4	84	.1	25.9	10.2	554	3.01	43.1	1.0	5.3	1.1	19	.2	1.4	.2	61	.25	.066	21	34.7	.52	410	.045	2	1.53	.008	.05	.1	.06	3.1	.1	<.05	5	.6
RW-06536	1.8	21.5	13.9	70	<.1	22.4	11.2	526	2.93	17.8	1.0	3.8	1.4	19	.1	.7	.2	60	.27	.055	20	34.5	.55	275	.051	1	1.53	.008	.05	.2	.05	2.8	.1	<.05	5	.7
RW-06537	1.3	22.8	13.8	69	.1	22.7	8.7	342	2.86	15.8	1.1	7.7	2.7	20	.1	.6	.2	57	.27	.063	22	33.8	.55	250	.064	1	1.56	.009	.06	.1	.05	3.4	.1	<.05	5	.7
RW-06538	1.0	25.2	11.0	84	<.1	32.5	12.1	443	3.05	19.2	1.0	3.4	6.2	18	.2	.5	.1	57	.30	.069	21	46.0	.74	185	.118	1	1.57	.010	.24	.1	.02	3.4	.2	<.05	5	<.5
RW-06539	2.7	28.1	12.7	87	<.1	87.6	17.2	583	3.65	11.9	1.6	10.0	9.8	17	.1	.3	.2	56	.23	.045	29	119.2	.91	146	.105	2	1.64	.009	.19	.2	.03	4.2	.2	<.05	6	<.5
RW-06540	1.1	36.6	9.4	85	<.1	64.9	23.8	813	3.82	6.6	1.2	6.8	7.6	22	.1	.3	.1	75	.39	.125	36	82.2	1.07	253	.148	1	1.92	.011	.39	.1	.03	4.9	.3	<.05	7	<.5
RW-06541	.8	49.1	8.8	103	.1	153.2	35.1	880	4.26	4.4	.7	3.5	5.1	35	.2	.2	.1	76	.93	.290	25	130.3	1.53	450	.154	<1	2.22	.010	.53	.1	.01	3.9	.3	<.05	8	<.5
RW-06542	.9	46.6	9.2	87	.1	128.0	32.6	944	4.32	4.5	.8	26.5	5.8	33	.1	.2	.1	82	.89	.259	29	144.5	1.47	399	.144	1	2.15	.012	.51	.1	.02	5.0	.3	<.05	8	<.5
RW-06543	1.8	27.7	9.8	62	.2	44.0	15.6	510	2.91	5.4	1.3	14.9	3.9	27	.1	.3	.2	61	.41	.093	31	68.7	.72	283	.093	1	1.57	.012	.21	.1	.04	3.8	.2	<.05	6	<.5
RW-06544	1.2	39.3	10.4	77	.1	54.7	19.8	651	3.55	7.1	1.2	9.2	5.4	24	.1	.4	.2	68	.38	.112	24	66.7	.89	259	.109	1	1.87	.010	.19	.1	.03	4.1	.2	<.05	7	<.5
RW-06545	1.3	27.5	11.4	63	.2	39.5	15.8	575	3.03	7.2	1.3	11.5	2.9	21	.1	.4	.2	60	.28	.095	23	53.8	.66	261	.075	1	1.76	.009	.11	.1	.05	3.6	.2	<.05	6	.5
RW-06546	1.6	33.9	11.0	71	.1	34.0	17.2	881	3.22	6.6	1.1	13.2	3.2	22	.2	.4	.2	62	.24	.076	19	45.9	.61	263	.078	<1	1.56	.010	.13	.1	.04	3.4	.2	<.05	6	<.5
RW-06551	.3	34.5	18.1	85	<.1	17.3	22.7	763	4.56	2.0	.8	2.0	12.1	30	<.1	1.0	.1	96	.43	.058	48	45.3	1.97	412	.133	<1	3.05	.008	.50	.5	.01	5.6	.3	<.05	9	<.5
RW-06552	.4	19.6	42.6	73	<.1	16.9	19.2	480	4.78	1.6	.8	.5	10.5	22	.1	1.1	.1	106	.36	.056	33	44.0	1.40	238	.051	<1	2.71	.007	.21	1.0	.01	8.9	.1	<.05	9	<.5
RE RW-06552	.3	20.0	41.8	74	<.1	17.1	19.1	487	4.80	1.7	.8	1.1	10.3	21	<.1	1.1	.1	107	.37	.053	32	43.9	1.41	232	.052	<1	2.68	.007	.21	.9	.01	8.8	.1	<.05	9	.5
RW-06553	.3	34.0	8.6	73	<.1	9.9	19.3	555	4.89	2.4	.8	.7	6.8	29	<.1	.5	<.1	104	.41	.046	18	19.9	1.52	458	.095	<1	3.20	.007	.29	.2	.01	6.8	.2	<.05	9	<.5
RW-06554	.8	119.6	8.2	113	.3	12.2	39.1	2894	9.35	1.3	.6	.8	3.3	18	.4	.8	.1	147	.61	.084	15	6.6	.21	1041	.001	2	.66	.006	.12	.1	.03	33.2	.2	<.05	1	.5
RW-06555	1.0	29.3	11.4	172	.2	107.2	30.8	1451	7.29	6.8	.8	.7	3.2	39	.2	.2	.3	129	1.41	.098	9	213.7	.49	665	.002	4	.76	.008	.10	.1	.07	30.6	.2	<.05	3	<.5
RW-06556	1.4	33.0	15.6	160	.1	24.8	36.2	2195	9.85	3.6	1.5	38.5	10.4	16	.3	.3	1.0	67	.44	.080	23	20.4	.30	658	.004	<1	.89	.005	.09	.1	.04	15.0	.1	<.05	2	<.5
RW-06565	2.4	112.7	70.1	122	1.1	27.0	36.9	1216	6.56	11.3	.7	12.8	3.2	19	.6	3.0	.3	50	.72	.038	7	11.9	.31	463	.001	1	.50	.004	.09	.1	.05	15.8	.1	<.05	1	1.2
RW-06566	.4	43.8	16.7	102	<.1	12.1	23.8	895	6.70	2.6	.6	<.5	3.0	16	.1	.6	.1	137	.46	.069	9	17.2	.68	428	.003	1	1.41	.008	.10	.1	.01	18.2	.1	<.05	4	<.5
RW-06567	.6	94.0	31.3	159	.3	11.5	28.3	1709	8.00	1.6	.5	3.0	2.1	17	.2	.3	<.1	90	.55	.147	10	7.1	.19	629	.001	<1	.71	.004	.18	.1	.04	22.5	.2	<.05	1	<.5
RW-06568	.5	78.3	24.3	136	.4	9.2	25.6	1975	8.23	1.3	.5	20.8	2.8	21	.2	.3	.1	64	.64	.169	18	4.4	.23	466	.001	1	.82	.005	.20	<.1	.04	28.6	.3	<.05	2	.5
RW-06569	.9	31.9	19.1	74	<.1	21.3	15.8	260	3.67	5.6	.5	2.5	2.3	17	.2	.4	.1	72	.23	.046	7	28.1	1.19	243	.065	1	3.06	.012	.10	.1	.02	6.0	.1	<.05	8	<.5
STANDARD DS6	11.4	121.4	29.8	142	.3	24.7	10.6	690	2.79	18.5	6.7	45.5	3.1	39	6.0	3.6	4.9	55	.84	.077	12	184.0	.57	161	.078	16	1.88	.072	.14	3.4	.22	3.2	1.8	<.05	6	4.3

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.3	2.2	3.4	44	<.1	4.2	4.1	522	1.90	1.2	2.2	<.5	4.1	62	<.1	.2	.1	37	.61	.079	8	8.9	.55	182	.124	1	.91	.071	.41	.1	<.01	2.1	.3	<.05	5	<.5
RW-06570	.8	14.6	5.9	58	<.1	7.4	9.9	675	3.72	2.4	1.2	.7	6.6	10	<.1	.2	.1	39	.17	.044	11	7.5	.29	185	.001	1	1.13	.005	.10	.1	.01	5.0	.1	<.05	3	<.5
RW-06571	1.1	48.7	11.7	71	.1	21.1	12.8	323	3.39	8.2	.6	7.8	2.7	17	.1	.6	.2	74	.28	.048	9	39.4	.72	419	.070	3	1.82	.010	.12	.1	.09	5.7	.1	<.05	6	.5
RW-06572	1.3	73.9	12.1	72	.2	22.1	15.7	338	3.39	12.3	.9	5.9	2.8	16	.2	1.8	.2	69	.27	.046	15	43.6	.67	487	.070	2	1.71	.010	.11	.1	.22	6.6	.1	<.05	5	.5
RW-06573	1.3	45.8	11.5	62	<.1	16.9	10.5	364	3.01	8.2	.7	6.1	2.0	17	.2	.7	.2	68	.29	.063	10	36.6	.61	313	.076	3	1.52	.011	.12	.1	.17	4.3	.1	<.05	5	.6
RW-06574	1.1	25.9	7.1	44	.1	12.4	6.8	218	2.10	5.6	.5	4.0	.7	17	.1	.4	.1	48	.23	.049	7	25.0	.39	287	.051	2	1.17	.014	.07	.1	.06	2.7	.1	<.05	4	.5
RW-06575	1.4	50.4	8.4	70	.1	18.9	12.6	391	3.28	9.1	.6	5.9	2.2	18	.1	.4	.2	75	.27	.062	10	37.7	.75	275	.095	2	1.85	.010	.12	.1	.05	4.6	.1	<.05	7	.5
RW-06576	1.0	56.4	7.9	75	.1	22.6	13.3	390	3.38	7.5	.8	14.3	2.8	19	.1	.4	.1	77	.29	.068	11	43.3	.84	322	.117	1	2.08	.011	.19	.1	.05	5.6	.2	<.05	7	.5
RW-06577	1.5	54.8	9.9	80	<.1	19.1	13.1	389	3.78	8.0	.6	26.9	2.4	15	.1	.3	.1	84	.24	.051	9	41.7	.92	243	.110	2	2.16	.010	.20	.1	.02	4.8	.2	<.05	7	.6
RW-06578	1.2	55.2	8.8	70	.2	20.6	11.4	277	3.34	7.3	.7	5.4	1.8	17	.1	.3	.1	81	.25	.057	10	38.1	.75	276	.094	1	2.13	.010	.13	.1	.04	4.8	.1	<.05	7	.6
RW-06579	1.1	50.0	8.5	71	<.1	18.2	12.8	397	3.64	6.7	.7	5.6	2.7	17	.1	.3	.1	80	.27	.060	11	35.2	.85	284	.113	1	2.04	.010	.18	.1	.03	5.0	.1	<.05	6	.6
RW-06580	.9	35.4	8.7	62	<.1	16.0	8.5	231	2.71	6.2	.7	3.6	1.5	17	.1	.3	.2	66	.23	.057	10	33.3	.69	217	.087	3	1.82	.010	.10	.1	.04	3.9	.1	<.05	6	.6
RW-06581	1.3	34.5	8.4	66	<.1	19.1	10.9	345	3.12	8.0	.7	7.1	2.0	17	.2	.3	.2	73	.26	.064	11	36.5	.70	195	.094	2	1.97	.009	.10	.1	.03	4.1	.1	<.05	6	.6
RW-06582	.8	37.7	7.7	65	.1	18.3	12.8	385	3.18	6.4	.6	5.6	2.8	18	.1	.3	.1	77	.27	.058	11	37.6	.82	267	.118	<1	1.84	.010	.16	.1	.02	4.5	.1	<.05	6	.6
RE RW-06582	.8	38.7	8.1	67	.1	18.6	13.4	383	3.21	6.8	.6	6.2	2.9	19	.1	.3	.1	77	.29	.060	11	38.2	.84	272	.123	1	1.89	.011	.16	.1	.02	4.5	.2	<.05	6	<.5
RW-06583	.8	41.7	7.9	86	.1	17.5	12.1	329	3.69	6.1	.7	5.1	2.8	18	.1	.2	.1	90	.26	.056	11	35.5	1.04	325	.150	1	2.15	.011	.35	.1	.03	5.4	.2	<.05	7	.6
RW-06584	.8	33.5	8.8	75	.1	17.6	11.8	344	3.26	6.1	.6	4.1	2.3	20	.1	.2	.1	79	.26	.052	10	34.8	.88	305	.124	1	1.93	.011	.21	.1	.04	5.0	.1	<.05	6	.5
RW-06585	.6	29.2	8.6	55	<.1	14.8	7.9	199	2.72	5.8	.7	6.2	1.1	16	.1	.3	.2	74	.21	.050	9	33.5	.70	188	.087	1	1.85	.011	.12	.1	.04	4.2	.1	<.05	7	.5
RW-06586	.7	24.3	8.4	60	<.1	16.8	9.9	292	2.85	5.7	.6	1.5	1.7	17	.1	.3	.1	74	.28	.070	9	33.6	.76	212	.104	2	1.82	.011	.19	.1	.03	4.5	.1	<.05	6	<.5
RW-06587	.9	29.5	7.3	47	<.1	16.3	9.9	265	2.79	7.3	.6	.7	.9	14	.1	.3	.1	72	.20	.061	9	33.1	.58	179	.070	1	1.76	.010	.09	.1	.03	3.5	.1	<.05	6	.5
RW-06588	1.6	51.5	6.0	63	.1	13.2	13.3	329	3.68	4.2	.9	3.9	1.7	18	.2	.2	.2	93	.18	.045	10	28.2	1.02	237	.111	1	2.20	.013	.25	.1	.02	5.3	.1	<.05	7	1.2
RW-06589	.9	47.4	7.7	85	<.1	14.1	12.2	411	4.17	4.2	.6	6.5	1.9	21	.1	.2	.1	105	.19	.044	8	32.2	1.12	326	.149	1	2.21	.020	.41	.1	.02	5.5	.2	.10	7	.8
RW-06590	1.3	43.4	7.7	75	<.1	12.7	10.2	365	4.04	3.6	.5	8.6	1.9	25	.1	.2	.1	95	.25	.051	7	31.9	1.09	404	.147	1	1.95	.026	.46	.1	.03	5.3	.2	.14	6	1.6
RW-06591	1.1	36.9	8.1	68	<.1	20.4	13.2	378	3.29	8.0	.6	3.3	2.7	15	.1	.4	.1	80	.24	.055	11	49.1	.80	221	.119	2	2.00	.010	.18	.1	.03	4.4	.1	<.05	6	.5
RW-06592	1.0	51.2	7.5	89	<.1	23.7	17.7	496	3.84	8.8	.7	4.8	3.8	14	.1	.2	.1	93	.32	.072	16	55.8	1.15	397	.166	1	2.05	.011	.48	.1	.02	6.1	.2	<.05	7	.5
RW-06593	1.4	55.3	10.2	86	.2	25.6	17.3	504	4.23	12.5	.9	7.1	4.1	16	.1	.3	.2	98	.25	.059	14	53.3	.93	363	.133	2	2.40	.009	.24	.1	.05	6.3	.2	<.05	7	<.5
RW-06594	.9	42.5	9.2	73	<.1	22.2	15.8	463	3.45	11.9	.6	3.4	3.4	14	.2	.3	.1	82	.26	.067	12	48.6	.86	236	.128	1	1.89	.010	.25	.1	.03	4.7	.2	<.05	6	<.5
RW-06595	1.0	35.7	7.9	65	<.1	18.1	12.0	357	3.15	8.3	.6	7.0	2.2	16	.1	.3	.1	73	.26	.068	10	36.4	.69	200	.089	1	1.76	.009	.10	.1	.02	4.2	.1	<.05	6	.5
RW-06596	1.2	49.8	8.6	71	.1	19.8	13.2	371	3.43	8.5	.9	7.5	3.1	17	.1	.3	.1	81	.28	.064	15	39.0	.83	329	.107	1	1.96	.011	.16	.1	.04	6.0	.2	<.05	6	.7
RW-06597	2.2	92.8	11.6	82	.4	20.4	13.7	433	4.26	9.9	1.4	15.9	2.6	18	.1	.3	.2	94	.24	.069	17	33.8	.93	479	.092	1	2.53	.012	.23	.1	.08	9.6	.2	<.05	8	1.1
RW-06598	2.8	81.0	11.9	80	.6	18.5	15.5	636	4.09	9.3	1.6	16.7	2.2	20	.2	.3	.3	96	.27	.085	17	33.1	.82	459	.081	1	2.25	.012	.23	.1	.09	7.4	.2	.07	8	1.0
RW-06599	1.3	79.3	9.5	68	.1	22.2	11.5	331	3.35	6.6	1.0	6.8	1.9	20	.2	.3	.2	81	.28	.057	14	35.6	.83	341	.097	2	2.18	.010	.13	.1	.04	5.5	.2	<.05	7	.7
RW-06600	2.1	100.4	12.8	86	.2	22.3	13.5	407	4.11	6.2	.9	60.7	1.7	17	.2	.3	.2	92	.25	.050	14	46.0	1.03	369	.089	1	2.45	.010	.19	.1	.06	7.0	.2	<.05	8	.8
RW-06601	1.1	59.1	10.6	67	.1	20.3	11.9	371	3.27	6.9	.6	5.1	1.6	18	.1	.4	.2	74	.29	.059	10	37.8	.73	243	.097	2	1.87	.010	.12	.1	.04	4.1	.1	<.05	6	<.5
RW-06602	1.2	69.8	9.3	63	.1	20.0	11.8	292	3.40	7.7	.9	15.2	2.1	16	.1	.6	.2	75	.23	.057	14	34.2	.75	330	.062	3	2.15	.009	.10	.1	.10	6.0	.1	<.05	6	.7
STANDARD DS6	11.5	122.4	29.3	142	.3	24.7	10.8	690	2.80	20.4	6.6	47.1	3.0	40	6.0	3.5	4.8	56	.83	.076	13	184.9	.57	163	.081	17	1.89	.072	.14	3.3	.23	3.2	1.7	<.05	6	3.8

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.2	1.8	3.1	39	<.1	3.7	3.7	477	1.80	<.5	2.1	<.5	4.1	59	<.1	.2	.1	34	.55	.073	8	8.3	.53	179	.118	<.1	.86	.068	.39	.1	<.01	1.9	.3	<.05	4	<.5
RW-06603	1.1	38.0	10.5	51	<.1	18.5	9.6	282	2.98	7.9	.6	20.3	1.3	14	.1	.6	.2	61	.16	.043	9	31.2	.52	176	.048	2	1.76	.008	.05	.1	.09	3.4	.1	<.05	5	<.5
RW-06604	1.4	44.4	10.6	59	<.1	15.4	9.1	275	3.38	8.4	.6	6.9	1.5	12	.1	1.0	.2	67	.16	.035	9	29.2	.50	271	.043	3	1.74	.007	.09	.1	.40	4.0	.1	<.05	6	<.5
RW-06605	1.0	64.5	13.0	77	<.1	22.2	15.2	502	3.62	6.1	.5	6.1	2.5	16	.2	.8	.1	78	.26	.046	11	34.3	.77	488	.097	2	1.86	.008	.16	.1	.08	4.9	.1	<.05	6	<.5
RW-06613	.6	88.0	10.6	71	<.1	33.7	15.5	320	3.34	3.7	.6	18.5	2.4	16	.1	.3	.1	85	.31	.077	11	74.0	1.24	260	.118	1	2.08	.013	.18	.1	.03	6.4	.2	<.05	7	<.5
RW-06614	1.2	27.0	8.6	76	<.1	30.5	15.6	659	3.42	18.7	1.0	1.1	11.2	15	.1	.5	.1	54	.23	.052	35	47.9	.70	337	.111	1	1.58	.008	.32	.1	.02	4.0	.3	<.05	6	<.5
RW-06615	1.6	34.9	9.3	93	<.1	36.9	14.5	477	3.64	18.4	1.9	9.4	14.3	11	.3	.5	.1	42	.15	.057	60	38.6	.59	248	.094	<.1	1.56	.006	.41	.1	.02	5.2	.4	<.05	5	<.5
RW-06616	1.3	28.1	8.8	78	<.1	30.1	10.7	315	2.94	23.3	1.4	3.9	9.3	12	.2	.6	.1	44	.16	.051	49	36.2	.55	466	.084	<.1	1.37	.007	.26	.1	.03	3.5	.3	<.05	5	<.5
RW-06617	1.0	25.0	10.3	75	.1	17.0	13.6	371	2.94	3.4	.6	5.0	1.4	22	<.1	.3	.1	67	.42	.083	8	39.3	.90	371	.099	1	1.65	.016	.13	.1	.05	4.9	.1	<.05	7	<.5
RW-06618	1.3	40.7	30.9	95	.1	15.7	15.7	983	3.54	4.3	1.0	21.4	2.5	19	.1	.3	.1	83	.31	.073	16	34.8	1.00	572	.122	1	1.94	.015	.39	.1	.06	7.6	.2	<.05	8	<.5
RW-06619	.9	38.8	11.6	121	<.1	13.7	12.4	747	3.98	2.6	.7	7.6	3.5	16	.1	.3	.1	89	.32	.080	14	33.7	1.29	449	.169	<.1	1.91	.015	.66	.1	.02	8.4	.3	<.05	8	<.5
RW-06620	.8	36.0	9.4	122	<.1	14.1	14.0	711	4.22	3.2	.7	34.5	3.1	16	.1	.2	.1	109	.35	.078	15	42.0	1.39	374	.169	1	2.03	.012	.61	.1	.04	10.3	.2	<.05	9	<.5
RW-06621	1.2	32.9	13.4	91	.1	17.1	15.7	673	3.79	4.1	.7	18.1	2.8	18	.1	.3	.1	85	.34	.076	14	39.7	1.11	425	.124	1	2.05	.013	.37	.2	.07	7.3	.2	<.05	8	<.5
RW-06622	.6	36.2	8.4	102	<.1	15.4	15.8	699	3.85	3.4	.7	6.0	3.3	17	.1	.3	.1	89	.35	.084	15	39.2	1.31	427	.171	1	2.21	.013	.61	.1	.06	6.8	.3	<.05	8	<.5
RE RW-06622	.7	35.4	8.4	104	<.1	16.0	16.4	724	3.93	3.6	.7	11.3	3.5	18	.1	.4	.1	93	.35	.088	16	40.5	1.34	434	.175	2	2.26	.013	.63	.1	.06	7.0	.2	<.05	8	<.5
RW-06623	.9	32.8	7.5	96	<.1	18.9	14.3	685	3.76	5.2	.6	16.0	3.3	18	.1	.4	.1	85	.35	.083	13	47.0	1.01	288	.123	1	1.90	.013	.28	.1	.03	7.3	.2	<.05	7	<.5
RW-06624	.8	29.6	7.5	89	<.1	16.9	14.8	623	3.96	5.3	.6	12.5	3.1	19	.1	.4	.1	87	.34	.073	12	38.4	1.14	334	.142	1	2.04	.013	.34	.1	.07	5.7	.2	<.05	8	<.5
RW-06625	.9	27.6	6.3	70	<.1	17.6	13.6	550	3.12	4.8	.5	83.2	2.9	18	.1	.4	.1	72	.34	.070	10	37.0	.88	241	.109	1	1.63	.013	.16	.1	.06	5.2	.1	<.05	6	<.5
RW-06626	1.3	42.5	8.7	80	<.1	30.8	16.5	518	3.74	5.0	.6	10.6	3.3	22	.1	.5	.1	81	.40	.074	14	54.0	.99	291	.114	2	1.69	.015	.18	.2	.09	7.1	.2	<.05	6	<.5
RW-06627	.9	38.1	8.0	73	<.1	22.4	15.0	494	3.56	3.6	.5	21.9	2.4	21	.1	.3	.1	94	.41	.080	11	53.5	1.12	290	.146	1	1.85	.015	.26	.1	.29	7.0	.2	<.05	7	<.5
RW-06628	1.4	43.1	7.4	65	.2	22.6	17.9	685	3.50	6.2	.8	19.3	2.1	21	.1	.4	.1	80	.33	.074	13	45.8	.86	315	.095	1	2.14	.013	.11	.1	.10	7.5	.4	<.05	7	<.5
RW-06629	1.0	49.3	5.8	66	<.1	22.2	15.2	314	3.69	6.0	.7	11.7	2.8	21	<.1	.4	.1	89	.37	.059	13	47.2	.99	311	.123	2	2.09	.016	.12	.2	.08	8.2	.6	<.05	7	.5
RW-06630	1.2	18.9	6.3	43	<.1	12.8	7.7	278	2.62	7.0	.4	4.4	1.0	12	.1	.4	.1	72	.16	.034	7	27.7	.49	83	.093	1	1.37	.012	.05	.1	.03	3.1	.3	<.05	7	<.5
RW-06631	.9	50.4	8.1	74	<.1	22.6	15.2	488	3.39	5.7	.6	8.6	2.2	20	.1	.4	.1	88	.39	.098	11	43.1	1.00	253	.115	2	1.89	.016	.19	.1	.03	6.0	.1	<.05	6	.5
RW-06633	1.1	31.1	22.5	77	<.1	18.5	15.8	495	3.75	8.4	.5	13.0	1.9	14	.1	.4	.1	86	.22	.054	10	33.6	.69	192	.096	1	1.96	.013	.11	.1	.03	4.5	.4	<.05	7	<.5
RW-06635	1.1	22.1	7.2	49	<.1	17.2	10.1	248	3.01	8.7	.6	14.3	1.7	15	.1	.4	.1	72	.23	.047	15	34.6	.61	148	.081	2	1.88	.013	.06	.1	.07	4.7	.6	<.05	7	<.5
RW-06651	.9	21.3	17.7	82	.1	14.9	9.9	279	2.75	7.7	.6	10.0	1.7	18	.2	.4	.1	68	.27	.063	10	32.3	.60	231	.070	2	1.57	.013	.06	.1	.09	4.3	.1	<.05	6	<.5
RW-06652	1.5	22.5	17.6	92	<.1	14.1	28.6	1620	3.53	8.8	.4	28.5	3.1	16	.1	.4	.1	80	.29	.072	9	26.6	.81	250	.122	1	1.51	.013	.27	.3	.01	5.3	.2	<.05	7	<.5
RW-06653	.6	19.3	14.7	76	.1	16.4	7.7	202	2.35	6.3	.6	10.5	1.8	17	.2	.3	.1	59	.27	.064	9	33.2	.58	196	.065	1	1.50	.011	.05	.1	.09	3.8	.1	<.05	6	<.5
RW-06654	.8	22.2	14.1	80	.1	17.0	9.1	244	2.40	4.7	.7	12.1	1.2	19	.2	.3	.1	57	.28	.067	9	37.2	.63	232	.065	2	1.59	.014	.06	.1	.11	4.5	.1	<.05	6	<.5
RW-06655	1.5	35.8	10.1	87	.1	18.0	18.6	767	3.40	6.2	.6	11.8	2.0	18	.1	.4	.2	80	.36	.097	8	41.1	.78	249	.087	1	1.63	.016	.10	.1	.08	5.6	.1	<.05	6	<.5
RW-06656	1.7	44.7	9.1	85	<.1	21.3	32.1	909	3.53	6.3	.5	11.3	2.4	16	.1	.6	.1	85	.32	.083	8	45.0	.79	202	.073	2	1.75	.017	.08	.1	.11	5.6	.1	<.05	6	<.5
RW-06657	1.3	32.8	10.6	80	.1	20.2	16.9	781	3.41	7.4	.5	19.6	2.0	18	.1	.5	.2	81	.32	.088	8	44.0	.80	251	.075	3	1.77	.017	.08	.1	.29	6.0	.2	<.05	6	<.5
RW-06658	1.2	27.0	11.6	66	.2	16.5	11.3	360	2.86	4.6	.7	10.0	1.1	18	.1	.5	.1	72	.24	.087	8	38.2	.64	298	.055	3	1.60	.015	.05	.1	.10	5.9	.2	<.05	6	<.5
RW-06659	1.7	48.8	12.1	73	.1	22.9	21.5	384	4.28	8.8	.8	25.4	3.9	17	.1	.6	.1	92	.35	.099	14	45.7	.90	259	.083	2	1.99	.014	.09	.2	.11	8.0	.2	<.05	6	<.5
STANDARD DS6	11.5	123.7	29.5	143	.3	25.0	10.8	693	2.81	20.7	6.6	47.1	3.0	40	6.0	3.4	5.0	56	.84	.077	14	186.6	.58	162	.082	17	1.90	.072	.15	3.5	.23	3.3	1.8	<.05	6	4.1

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.3	1.8	3.0	43	<.1	3.9	4.0	500	1.84	<.5	2.1	<.5	3.9	66	<.1	.2	.1	38	.60	.077	8	8.8	.54	185	.130	1	.92	.077	.40	.2	<.01	2.1	.3	<.05	4	<.5
RW-06660	1.4	35.9	10.2	65	.1	18.3	11.8	286	2.93	5.3	.7	18.2	2.4	19	.1	.5	.1	82	.37	.094	9	39.2	.79	328	.095	3	1.64	.016	.09	.1	.06	5.8	.1	<.05	6	<.5
RW-06661	2.4	43.3	17.2	82	.2	22.0	24.6	683	3.99	6.5	.8	29.5	1.8	22	.2	.7	.2	97	.37	.110	10	47.1	.85	418	.062	3	2.04	.014	.09	.1	.15	8.1	.2	<.05	7	.5
RW-06662	1.4	46.4	10.6	83	.1	21.5	15.3	658	3.53	5.1	.6	75.7	2.3	20	.2	.6	.1	79	.41	.094	10	40.9	.85	273	.091	1	1.77	.015	.13	.1	.06	6.4	.2	<.05	6	<.5
RW-06663	1.2	50.8	8.0	81	.1	24.6	19.2	680	4.03	3.8	.6	7.8	2.7	22	.1	.6	.1	91	.48	.104	12	55.5	1.03	321	.105	2	1.66	.016	.25	.1	.04	9.1	.2	<.05	6	<.5
RW-06664	1.2	25.7	11.5	63	.1	27.0	10.1	312	2.89	9.5	1.1	3.8	2.1	17	.2	.5	.2	61	.23	.061	16	42.2	.59	165	.077	1	1.71	.009	.10	.1	.04	3.0	.1	<.05	6	.5
RW-06665	1.1	30.1	9.9	68	<.1	38.8	12.3	405	3.21	10.7	1.1	2.5	4.9	18	.1	.4	.1	63	.28	.070	21	57.1	.75	193	.108	1	1.83	.010	.19	.1	.03	4.0	.2	<.05	6	<.5
RW-06666	1.3	28.4	10.7	67	.1	39.8	12.5	432	3.13	11.1	1.2	10.0	4.7	19	.1	.5	.2	64	.27	.065	20	56.8	.71	205	.097	2	1.77	.010	.14	.1	.04	4.0	.2	<.05	6	<.5
RW-06667	.8	37.4	6.3	84	<.1	122.4	26.0	809	4.79	4.7	.8	2.0	4.3	29	.1	.2	.1	96	.81	.245	28	196.8	1.89	412	.228	<1	2.40	.009	.96	.1	.02	5.8	.5	<.05	11	<.5
RW-06668	1.7	29.1	13.8	65	.2	37.6	14.5	603	3.35	14.8	1.5	10.4	4.8	17	.1	.7	.2	64	.26	.085	26	59.7	.73	223	.086	1	1.77	.009	.22	.1	.05	4.1	.2	<.05	6	.5
RW-06669	2.1	32.1	13.9	71	.5	34.9	13.0	489	3.40	26.9	2.9	12.1	3.5	23	.1	.9	.2	64	.29	.072	40	50.2	.61	353	.060	2	1.71	.011	.12	.1	.18	5.2	.2	<.05	6	<.5
RW-06670	1.3	28.4	10.9	67	.3	29.2	12.2	541	2.91	12.6	1.8	4.7	3.7	18	.2	.5	.2	51	.24	.070	29	41.8	.56	278	.071	1	1.53	.010	.18	.1	.07	3.8	.2	<.05	5	<.5
RW-06671	1.1	38.2	11.6	83	.1	46.4	13.6	619	3.51	5.9	1.6	1.2	6.9	23	.1	.2	.2	61	.33	.087	34	72.8	1.01	217	.129	1	1.92	.008	.40	.1	.02	4.2	.3	<.05	7	<.5
RW-06672	.8	32.7	9.7	75	.1	38.9	14.7	548	3.24	5.0	1.1	9.1	5.7	30	.1	.2	.1	58	.47	.073	32	52.7	.82	173	.112	1	1.73	.009	.27	.1	.03	4.0	.2	<.05	6	<.5
RW-06673	.9	25.5	9.5	67	<.1	36.0	13.0	483	2.97	5.5	1.0	2.8	3.6	28	.1	.3	.1	60	.41	.076	22	48.8	.65	188	.089	1	1.68	.011	.10	.1	.03	3.5	.2	<.05	5	<.5
RW-06674	.9	28.3	7.3	54	<.1	38.2	11.8	393	2.77	4.4	.9	2.8	2.5	29	.1	.3	.1	59	.54	.140	22	47.3	.62	207	.092	1	1.48	.011	.18	.2	.02	3.0	.1	<.05	6	<.5
RW-06675	1.9	32.4	8.5	61	.1	34.4	12.4	413	3.22	4.9	1.4	1.9	3.3	27	.1	.2	.1	80	.42	.124	26	51.9	.76	188	.108	2	1.78	.010	.25	.1	.03	3.6	.2	<.05	7	<.5
RE RW-06675	1.7	32.8	8.2	60	<.1	34.3	12.6	411	3.22	4.8	1.4	2.1	3.3	26	.1	.3	.1	77	.39	.118	26	51.1	.74	182	.101	1	1.71	.010	.25	.1	.02	3.4	.2	<.05	7	.5
RW-06676	.9	24.9	7.6	69	<.1	29.0	12.8	593	2.70	4.9	1.0	2.3	3.5	30	.2	.4	.1	53	.54	.067	41	38.3	.55	185	.081	1	1.46	.012	.10	.1	.03	3.6	.1	<.05	5	<.5
RW-06677	.8	25.4	8.2	62	<.1	25.0	11.4	611	2.66	5.3	.9	2.9	2.0	42	.1	.3	.1	54	.77	.075	28	36.6	.55	199	.068	2	1.55	.013	.07	.2	.04	3.3	.1	<.05	5	<.5
RW-06678	.9	23.9	9.5	63	<.1	27.1	11.8	377	2.87	5.6	1.0	6.9	3.1	28	.1	.3	.1	59	.52	.062	28	41.7	.60	167	.080	1	1.55	.010	.09	.1	.02	3.2	.1	<.05	5	<.5
RW-06679	.5	21.8	7.2	73	<.1	28.8	11.3	440	2.97	3.2	1.0	3.1	11.3	20	.1	.2	.1	44	.44	.088	27	53.9	.80	136	.148	1	1.59	.008	.50	.1	.01	2.8	.4	<.05	5	<.5
RW-06680	.8	22.0	8.4	57	<.1	27.0	10.0	318	2.72	4.6	.9	3.1	3.7	25	.1	.3	.2	54	.42	.065	22	40.1	.63	250	.096	1	1.56	.012	.13	.1	.02	3.2	.2	<.05	5	<.5
RW-06681	.9	48.3	10.6	86	<.1	35.6	18.5	615	4.08	5.1	.4	12.1	2.0	12	.2	.4	.2	105	.23	.059	8	94.7	1.50	167	.130	1	2.42	.011	.21	.1	.03	7.6	.2	<.05	8	<.5
RW-06682	1.0	45.5	25.5	83	<.1	30.0	15.8	534	3.76	4.3	.5	7.7	2.5	15	.1	.4	.1	106	.25	.054	10	74.1	1.30	216	.146	2	2.35	.012	.24	.1	.02	7.5	.2	<.05	8	<.5
RW-06683	.9	34.9	8.7	89	<.1	40.8	17.8	698	3.59	4.2	.4	13.1	1.9	13	.2	.3	.1	103	.28	.058	8	108.7	1.47	215	.127	1	2.09	.014	.18	.1	.03	6.6	.1	<.05	9	<.5
RW-06684	1.5	104.5	8.0	132	<.1	34.3	25.6	812	5.14	3.7	.6	22.2	3.2	21	.1	.4	.1	143	.51	.082	13	76.5	2.05	484	.190	3	2.73	.015	.51	.1	.05	16.0	.4	<.05	9	<.5
RW-06685	1.2	63.2	14.9	81	.1	30.0	18.2	434	3.67	4.9	.5	35.9	2.7	19	.1	.6	.1	97	.38	.085	10	66.2	1.20	265	.135	2	2.20	.015	.18	.1	.05	7.1	.2	<.05	7	<.5
RW-06686	1.0	15.9	8.3	51	.1	17.9	7.0	224	2.10	8.2	.9	3.1	3.2	28	.1	.3	.2	43	.47	.052	31	32.6	.45	286	.059	2	1.30	.012	.09	.1	.06	2.7	.1	<.05	5	<.5
RW-06687	1.1	20.9	8.8	67	<.1	24.9	11.7	413	2.73	8.5	.9	1.0	6.5	25	.1	.3	.1	51	.41	.057	24	37.3	.61	227	.092	2	1.56	.012	.16	.1	.03	3.1	.2	<.05	5	<.5
RW-06688	.8	21.9	8.7	71	.1	24.8	12.4	391	2.79	12.9	1.0	3.3	5.9	30	.2	.3	.1	49	.62	.060	30	37.5	.59	275	.090	2	1.57	.013	.18	.1	.04	3.9	.2	<.05	5	<.5
RW-06689	.8	23.0	9.0	71	.1	25.3	10.9	330	2.44	11.1	1.3	38.9	5.7	36	.1	.3	.1	45	.72	.058	36	37.4	.58	286	.078	2	1.57	.013	.16	.1	.04	3.8	.2	<.05	5	<.5
RW-06690	1.3	18.4	11.0	60	.1	22.8	8.1	153	3.15	18.4	1.2	2.7	6.0	21	.1	.3	.1	69	.28	.071	33	40.9	.60	192	.095	2	1.65	.012	.16	.1	.06	3.3	.2	<.05	6	<.5
RW-06691	.6	16.4	8.0	63	<.1	11.2	6.4	212	2.17	4.4	.5	12.8	1.6	17	.1	.2	.1	56	.27	.068	9	25.8	.44	103	.073	2	1.21	.015	.06	.1	.04	3.2	.1	<.05	4	<.5
RW-06692	.3	14.6	7.5	45	<.1	10.4	5.2	141	1.79	2.9	.5	6.0	1.2	15	.1	.2	.1	42	.24	.055	8	23.8	.41	96	.064	1	1.18	.014	.05	.1	.04	2.9	.1	<.05	5	<.5
STANDARD DS6	11.4	121.9	29.3	142	.3	25.0	10.7	685	2.79	17.6	6.6	45.0	3.0	39	6.0	3.5	4.9	56	.83	.077	13	184.0	.57	162	.079	16	1.88	.071	.14	3.4	.22	3.3	1.7	<.05	6	4.1

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.3	1.8	3.0	42	<.1	3.7	3.8	522	1.94	.5	2.2	.5	4.4	67	<.1	.1	.1	40	.61	.077	8	8.6	.56	185	.134	<1	.96	.076	.41	.1	<.01	2.1	.3	<.05	5	<.5
RW-06693	.5	15.9	6.6	44	<.1	10.5	5.3	204	1.93	3.6	.5	4.3	1.2	15	.1	.2	.1	41	.22	.056	8	22.2	.40	99	.066	<1	1.27	.015	.05	.1	.02	3.1	.1	.06	5	<.5
RW-06694	.5	18.0	7.4	47	<.1	11.7	6.0	152	1.91	4.6	.5	5.1	1.1	17	.1	.3	.1	43	.22	.046	8	24.1	.41	122	.064	1	1.24	.013	.05	.1	.02	2.9	.1	<.05	5	<.5
RW-06695	.4	18.4	6.3	58	<.1	11.2	5.4	142	1.79	3.1	.4	17.4	1.3	16	.2	.2	.1	43	.25	.057	7	22.2	.43	113	.069	<1	1.20	.016	.05	.1	.04	3.0	.1	<.05	4	<.5
RW-06696	.5	18.2	6.4	53	<.1	11.5	5.5	137	1.78	3.3	.4	5.5	1.3	16	.2	.2	.1	45	.26	.052	7	22.5	.43	103	.066	1	1.19	.014	.04	.2	.03	3.0	.1	<.05	5	<.5
RW-06697	.4	20.4	8.1	62	<.1	12.5	6.1	148	1.84	2.7	.4	5.6	1.2	17	.2	.2	.1	41	.26	.057	7	26.3	.50	127	.072	1	1.27	.013	.06	.1	.04	2.9	.1	<.05	5	<.5
RW-06698	.7	25.2	7.5	75	<.1	12.8	5.8	166	2.41	4.6	.5	19.4	1.9	18	.2	.3	.1	52	.30	.069	9	23.6	.44	144	.067	1	1.27	.013	.04	.2	.05	3.2	.1	<.05	4	<.5
RW-06699	.7	20.6	6.5	72	<.1	11.9	5.8	155	2.31	5.1	.4	4.4	1.6	18	.2	.2	.2	55	.32	.074	8	22.7	.45	139	.067	1	1.25	.013	.04	.1	.04	3.1	.1	<.05	4	<.5
RW-06700	.5	24.9	9.2	94	<.1	15.4	7.8	182	2.62	4.4	.5	15.9	2.3	18	.2	.3	.1	62	.33	.070	9	27.4	.56	162	.073	1	1.49	.014	.05	.1	.04	4.1	.1	<.05	5	<.5
RW-06702	1.1	55.1	9.5	74	.1	23.0	15.2	446	3.47	5.5	.6	15.8	2.3	21	.2	.4	.1	87	.38	.088	12	42.7	.97	303	.114	1	2.06	.015	.17	.1	.04	6.0	.1	<.05	7	<.5
RW-06703	.9	56.4	8.9	71	<.1	25.8	16.1	419	3.72	5.7	.6	8.2	2.6	19	.1	.4	.1	93	.37	.085	11	51.8	1.05	218	.126	2	2.08	.015	.18	.1	.04	6.0	.2	<.05	6	<.5
RE RW-06703	.8	56.3	8.6	74	<.1	26.0	16.1	405	3.64	5.5	.6	13.9	2.6	19	.1	.4	.1	89	.37	.083	10	50.0	1.03	215	.121	1	2.01	.015	.18	.1	.04	6.0	.2	<.05	6	<.5
RW-06704	1.5	27.2	11.9	69	.1	30.7	14.7	629	3.41	15.0	.9	2.4	3.2	19	.1	.5	.2	66	.26	.062	19	45.3	.63	162	.064	2	1.79	.009	.09	.1	.03	3.7	.2	<.05	6	<.5
RW-06705	1.1	21.9	11.0	61	.1	27.1	12.9	541	3.09	12.3	.9	4.2	4.4	22	.1	.3	.2	60	.31	.067	22	40.0	.62	189	.079	1	1.76	.010	.10	.1	.05	3.8	.2	<.05	5	<.5
RW-06706	1.1	23.6	9.7	62	<.1	27.9	12.3	544	3.04	14.9	.9	2.4	4.2	22	.1	.4	.1	60	.32	.063	24	39.6	.59	216	.070	1	1.80	.010	.06	.1	.04	4.0	.1	<.05	5	<.5
RW-06707	.7	26.0	8.7	57	<.1	28.1	13.2	485	2.92	11.7	1.2	2.7	3.8	24	.1	.4	.1	60	.36	.058	25	38.5	.60	227	.081	1	1.90	.012	.06	.1	.03	4.4	.1	<.05	5	<.5
RW-06708	.8	31.0	8.4	59	<.1	30.2	12.6	450	2.94	12.6	1.5	3.1	4.9	27	.1	.4	.1	59	.41	.061	23	40.5	.66	241	.091	<1	1.82	.012	.08	.1	.03	4.9	.2	<.05	5	<.5
RW-06709	1.0	35.9	12.3	73	<.1	41.8	17.4	721	3.69	20.4	1.0	1.3	7.2	24	.1	.4	.2	67	.40	.068	24	57.9	.94	229	.128	1	2.25	.011	.23	.1	.02	4.7	.3	<.05	6	<.5
RW-06710	.9	25.4	8.2	58	<.1	28.3	12.7	409	2.97	8.4	1.0	2.4	3.6	27	.1	.4	.1	63	.44	.053	20	44.6	.67	201	.098	1	1.93	.011	.10	.1	.02	4.2	.1	<.05	6	<.5
RW-06711	.7	53.7	9.3	64	<.1	133.0	33.9	689	3.85	6.4	.6	2.5	4.1	33	.1	.2	.1	74	.87	.270	15	96.5	1.04	195	.126	2	2.14	.014	.37	.1	.01	3.9	.2	<.05	6	<.5
RW-06712	.6	57.1	12.7	85	<.1	129.3	28.2	905	4.05	10.5	.7	2.3	7.2	46	.1	.2	.1	70	1.17	.324	23	112.7	1.28	184	.132	1	2.01	.010	.58	.1	<.01	4.7	.4	<.05	7	<.5
RW-06713	.8	27.9	8.1	59	<.1	30.1	12.9	489	2.93	10.1	.8	2.4	5.3	28	.1	.4	.1	63	.45	.060	19	44.3	.68	194	.112	1	1.67	.013	.09	.1	.02	4.6	.1	<.05	5	<.5
RW-06714	1.0	28.9	9.3	68	<.1	34.3	14.3	517	3.22	11.0	.7	2.3	4.7	28	.1	.4	.2	68	.49	.062	17	51.0	.73	174	.121	1	1.93	.012	.11	.1	.02	4.1	.2	<.05	5	<.5
RW-06715	.7	33.3	6.8	95	<.1	36.3	19.0	558	4.23	8.4	.8	1.9	3.7	87	<.1	.3	.2	68	1.51	.520	17	36.3	1.12	287	.098	1	2.09	.015	.65	.1	.01	3.6	.3	<.05	8	<.5
RW-06716	.7	28.3	8.0	69	<.1	33.5	13.6	458	3.15	10.0	.9	3.0	4.5	37	.1	.4	.1	63	.56	.149	19	44.6	.75	258	.103	1	1.80	.012	.18	.1	.02	4.3	.1	<.05	6	<.5
RW-06717	1.0	27.8	10.0	65	<.1	38.6	13.7	476	3.14	10.3	1.0	3.5	3.8	29	.1	.4	.2	63	.44	.087	20	53.6	.68	239	.094	1	1.84	.011	.11	.1	.03	4.0	.2	<.05	6	<.5
RW-06718	.7	26.0	6.0	87	<.1	40.4	18.9	541	4.15	8.0	.6	.7	3.9	92	.1	.2	.1	62	1.83	.646	14	38.3	1.04	187	.080	1	1.97	.015	.70	.1	.01	3.4	.3	<.05	8	<.5
RW-06719	.6	28.2	6.8	89	<.1	38.4	18.8	553	4.01	7.2	.8	.6	6.3	71	.1	.2	.1	61	1.42	.441	21	40.4	.97	251	.138	1	1.97	.013	.57	.1	.02	3.8	.3	<.05	7	<.5
RW-06720	.6	27.7	6.1	87	<.1	38.4	18.2	471	3.95	5.6	.9	.7	10.0	61	.1	.1	.1	57	1.02	.304	26	49.4	1.03	215	.162	1	2.01	.012	.66	<.1	.01	4.2	.4	<.05	7	<.5
RW-06721	.8	27.1	7.5	92	<.1	35.0	17.7	545	4.01	5.9	1.2	1.1	8.9	42	.1	.2	.1	59	.87	.280	34	43.3	.91	264	.142	2	2.03	.012	.51	.1	.02	4.2	.3	<.05	7	<.5
RW-06722	1.1	24.9	10.0	70	<.1	30.8	14.5	571	3.17	5.4	1.0	2.6	3.8	33	.1	.3	.1	59	.53	.133	24	39.8	.64	178	.087	2	1.55	.012	.13	.1	.03	3.6	.2	<.05	6	<.5
RW-06723	1.0	21.5	8.9	66	.1	28.2	12.6	447	2.95	5.1	1.2	6.0	4.9	22	.2	.2	.1	55	.35	.081	28	39.7	.58	184	.087	1	1.54	.010	.15	.1	.03	3.5	.2	<.05	6	<.5
RW-06724	.8	26.6	7.6	79	<.1	31.9	14.4	443	3.33	3.8	1.0	3.9	11.4	19	.2	.2	.1	51	.31	.075	30	40.7	.70	177	.134	1	1.70	.009	.41	.1	.02	4.1	.3	<.05	5	<.5
RW-06725	.9	25.1	5.4	59	<.1	34.5	14.3	483	3.17	3.5	.9	1.1	8.7	20	.1	.2	.1	46	.42	.082	26	47.6	.90	193	.158	<1	1.78	.007	.57	.1	.01	2.8	.3	<.05	5	<.5
RW-06726	.9	27.5	8.0	69	<.1	33.7	13.7	502	3.03	5.3	1.3	3.0	7.6	23	.1	.3	.1	51	.44	.070	38	43.4	.70	212	.120	1	1.62	.009	.32	.1	.03	3.9	.3	<.05	5	<.5
STANDARD DS6	11.5	120.7	29.3	140	.3	24.7	10.6	687	2.79	17.0	6.6	46.5	3.0	39	6.0	3.5	4.9	55	.83	.077	13	183.7	.57	161	.079	16	1.88	.071	.14	3.5	.23	3.2	1.7	<.05	6	4.1

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.2	1.9	2.9	43	<.1	3.8	3.7	519	1.88	<.5	2.1	.7	4.1	59	<.1	.1	.1	36	.58	.071	8	8.8	.54	186	.124	1	.90	.066	.39	.1	<.01	2.2	.3	<.05	5	<.5
RW-06727	1.3	26.4	7.7	86	<.1	32.7	12.4	471	2.88	13.7	1.4	8.1	6.3	27	.2	1.4	.2	56	.47	.075	29	41.0	.67	261	.093	1	1.45	.011	.17	.1	.02	3.9	.2	<.05	5	<.5
RW-06728	1.1	20.7	8.6	63	.1	27.3	11.9	486	2.61	8.2	1.0	11.5	3.6	26	.1	.4	.2	50	.45	.062	21	37.1	.55	328	.072	1	1.35	.010	.10	.1	.03	3.3	.2	<.05	5	<.5
RW-06729	1.2	25.4	9.4	69	.2	31.4	11.5	371	2.83	8.8	1.2	3.6	4.3	24	.2	.4	.1	56	.40	.070	21	44.6	.69	420	.081	2	1.57	.010	.12	.1	.04	3.6	.2	<.05	5	<.5
RW-06730	.8	27.8	7.8	82	.1	35.5	12.5	408	3.35	5.1	2.0	8.5	12.5	17	<.1	.3	.1	46	.33	.059	58	46.0	.85	425	.183	<1	1.77	.008	.65	.1	.02	4.1	.5	<.05	6	<.5
RW-06731	.4	35.4	5.6	97	<.1	38.6	15.9	359	3.72	1.5	1.4	1.9	19.0	11	<.1	.1	<.1	41	.24	.063	41	65.2	1.06	235	.204	<1	2.05	.006	.99	<.1	<.01	3.7	.7	<.05	6	<.5
RW-06732	.8	18.4	6.9	65	<.1	25.8	11.5	313	2.69	5.4	.8	7.7	8.4	18	<.1	.2	.1	45	.30	.074	21	36.9	.61	130	.102	1	1.38	.008	.23	.1	.02	2.9	.2	<.05	5	<.5
RW-06733	.6	20.0	7.3	70	<.1	25.5	11.8	318	2.93	5.5	1.0	3.1	9.3	15	.1	.2	.1	49	.23	.061	23	41.0	.70	136	.106	<1	1.58	.007	.28	.1	.02	3.3	.3	<.05	5	<.5
RW-06734	1.2	17.8	7.8	64	<.1	23.1	13.9	546	3.00	6.4	.9	2.3	8.1	14	.1	.3	.1	53	.20	.056	24	36.1	.60	146	.100	1	1.48	.007	.15	.1	.02	3.0	.2	<.05	5	<.5
RW-06735	.9	21.8	7.9	72	<.1	28.1	12.9	371	2.93	5.6	.9	1.4	10.4	14	<.1	.2	.1	46	.26	.070	29	38.2	.65	181	.106	1	1.51	.007	.30	.1	.01	2.9	.3	<.05	5	<.5
RW-06736	1.0	21.5	10.7	75	<.1	25.9	13.3	444	3.24	6.3	1.2	10.5	8.0	15	.1	.3	.1	56	.21	.056	39	44.2	.69	194	.101	2	1.71	.008	.24	.1	.02	3.3	.2	<.05	6	<.5
RW-06737	.8	25.7	11.0	75	<.1	27.8	13.1	405	3.24	5.6	1.3	4.8	9.5	14	.1	.3	.1	50	.21	.062	42	41.9	.68	200	.114	<1	1.72	.007	.31	.1	.01	3.6	.3	<.05	5	<.5
RW-06738	.7	22.9	9.6	65	<.1	25.0	10.7	278	2.78	7.2	1.1	6.1	6.5	17	.1	.3	.1	55	.24	.052	23	40.7	.64	195	.096	1	1.87	.009	.12	.1	.03	4.1	.2	<.05	5	<.5
RW-06739	.7	22.5	9.8	71	<.1	25.5	11.6	408	3.01	7.2	1.1	4.1	8.0	17	.1	.4	.1	52	.25	.056	29	41.5	.64	158	.101	1	1.69	.009	.21	.1	.01	3.6	.2	<.05	5	<.5
RW-06740	.9	21.8	10.5	60	<.1	25.2	11.3	264	2.84	6.1	1.1	10.8	5.6	16	.1	.3	.1	51	.23	.053	24	38.3	.57	169	.075	1	1.81	.009	.10	.1	.04	4.1	.2	<.05	5	<.5
RW-06741	4.3	44.2	16.4	116	.3	42.1	12.6	541	3.47	131.5	1.2	5.4	2.1	22	.4	3.9	.2	65	.20	.059	14	40.7	.50	321	.048	2	1.39	.008	.08	.1	.09	3.3	.2	<.05	5	1.2
RW-06742	4.8	41.8	16.2	112	.5	34.5	8.1	195	3.90	209.9	1.5	5.6	5.6	22	.3	8.2	.3	62	.22	.040	22	40.6	.46	317	.047	2	1.21	.008	.10	.2	.26	3.7	.3	<.05	4	1.3
RW-06743	2.5	28.5	13.7	79	.1	25.9	10.5	614	3.46	118.4	.8	1.9	2.6	14	.4	2.5	.2	75	.13	.044	13	34.0	.34	113	.074	1	1.12	.006	.05	.1	.05	2.6	.2	<.05	7	.6
RW-06744	3.1	44.8	14.1	105	.2	42.3	13.2	573	3.46	99.4	1.2	3.6	4.4	21	.4	3.3	.2	63	.15	.044	17	48.7	.54	189	.067	2	1.32	.010	.11	.1	.05	3.5	.3	.06	5	1.1
RW-06745	5.3	42.7	19.2	110	.8	33.7	11.3	356	3.48	272.4	1.6	6.0	2.5	25	.6	10.9	.3	59	.19	.057	15	38.4	.43	437	.034	3	1.19	.008	.08	.2	.26	3.4	.3	.06	4	1.4
RW-06746	3.7	34.6	14.6	77	.4	22.4	6.5	169	2.26	169.9	1.2	5.5	2.0	24	.4	19.6	.2	46	.15	.046	15	27.8	.34	261	.039	2	.95	.007	.06	.2	.26	2.4	.3	<.05	3	1.1
RW-06747	2.3	34.2	18.0	75	.2	34.6	11.3	421	3.10	44.5	1.0	8.4	2.1	15	.2	3.2	.2	58	.17	.045	16	33.3	.44	315	.043	<1	1.59	.008	.05	.1	.09	3.4	.1	<.05	5	.7
RW-06748	3.2	40.0	24.3	99	.2	39.7	13.1	604	3.51	64.2	1.3	12.3	6.2	19	.3	3.8	.2	56	.20	.055	19	34.2	.47	207	.065	2	1.37	.011	.08	.2	.06	3.7	.2	<.05	4	.7
RW-06749	2.5	37.7	19.7	97	.2	41.0	12.9	609	3.30	71.4	1.2	7.9	5.6	22	.4	2.4	.2	56	.25	.058	20	35.9	.48	243	.072	1	1.23	.010	.09	.1	.05	3.6	.2	<.05	4	.5
RW-06750	3.0	38.6	15.8	92	.3	35.8	12.8	635	3.26	60.8	1.1	7.2	2.2	19	.4	2.0	.3	64	.22	.050	17	38.0	.46	374	.050	1	1.35	.008	.07	.2	.08	3.3	.1	<.05	5	<.5
RW-06751	1.2	24.5	10.5	58	.1	28.5	12.9	615	2.88	16.9	.9	3.5	3.3	31	.1	.4	.2	55	.65	.060	35	40.8	.55	251	.060	2	1.72	.011	.06	.1	.05	4.3	.1	<.05	5	<.5
RW-06752	1.1	16.7	9.8	61	<.1	20.2	10.7	612	2.62	17.0	.7	1.4	2.3	20	.1	.4	.2	59	.28	.045	20	34.8	.48	185	.062	1	1.59	.013	.06	.1	.04	3.3	.1	<.05	6	<.5
RW-06753	.6	25.8	11.5	80	.1	28.5	11.8	551	2.75	88.8	1.1	3.1	3.6	39	.3	.8	.1	47	.83	.060	24	34.9	.49	192	.064	1	1.43	.013	.09	.1	.06	4.0	.1	<.05	4	<.5
RW-06754	1.0	24.6	9.2	65	<.1	34.3	15.6	707	3.12	12.2	1.0	3.7	5.6	25	.1	.3	.1	59	.42	.073	22	43.4	.64	209	.084	<1	1.81	.011	.10	.1	.03	4.3	.2	<.05	5	<.5
RW-06755	.7	19.2	7.7	62	<.1	28.4	10.9	352	2.73	9.3	.7	1.9	4.7	22	<.1	.3	.1	58	.38	.052	16	40.2	.62	154	.096	1	1.65	.011	.10	.1	.03	3.4	.1	<.05	5	<.5
RW-06756	.8	21.9	7.9	61	<.1	30.9	11.2	369	2.86	9.3	.8	.9	4.7	28	.1	.3	.1	55	.46	.064	22	43.5	.64	191	.090	<1	1.63	.011	.13	.1	.03	3.5	.2	<.05	6	<.5
RW-06757	.8	22.3	7.5	65	<.1	31.5	12.8	398	2.87	7.4	.8	3.9	4.7	30	.1	.3	.1	56	.60	.060	15	42.4	.69	185	.102	1	1.66	.011	.16	.1	.02	3.7	.2	<.05	5	<.5
RE RW-06757	.7	21.7	7.6	64	<.1	30.0	13.0	405	2.87	7.2	.8	1.8	4.6	32	.1	.3	.1	56	.61	.060	15	42.2	.69	182	.104	1	1.70	.014	.15	.1	.01	3.6	.2	<.05	6	<.5
RW-06758	.8	24.9	8.3	68	<.1	34.2	14.8	533	2.96	9.5	.9	5.1	3.6	37	.2	.3	.1	57	.73	.106	18	42.7	.68	223	.087	2	1.76	.017	.10	.1	.03	3.8	.1	<.05	6	<.5
RW-06759	.9	21.7	6.8	50	.2	22.8	11.2	537	2.35	6.3	.9	2.4	2.1	49	.2	.3	.1	46	.97	.062	20	32.3	.48	261	.065	1	1.45	.013	.10	.1	.04	3.2	.1	<.05	5	<.5
STANDARD DS6	11.4	121.4	29.5	140	.3	24.3	10.7	685	2.78	19.7	6.7	52.1	3.0	40	5.9	3.4	4.9	55	.83	.069	13	185.5	.56	161	.081	16	1.88	.071	.14	3.4	.23	3.2	1.7	<.05	6	4.0

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.4	1.9	2.9	43	<.1	4.5	3.9	504	1.90	.5	2.1	1.1	4.0	61	<.1	.2	.1	37	.57	.068	7	9.2	.54	178	.122	1	.90	.080	.39	.1	<.01	2.1	.3	<.05	4	<.5
RW-06760	.6	27.3	7.1	89	<.1	34.4	15.5	392	3.74	4.3	.8	.6	9.7	17	.1	.2	.1	48	.35	.080	16	49.0	.99	157	.186	1	2.01	.007	.70	.1	.01	3.4	.5	<.05	7	<.5
RW-06761	.8	25.3	7.4	67	<.1	30.3	13.0	392	3.02	9.0	.9	2.0	6.8	25	.1	.3	.1	53	.41	.084	18	42.6	.76	184	.101	2	1.73	.009	.21	.1	.01	3.4	.2	<.05	6	<.5
RW-06762	.8	22.4	7.4	62	<.1	29.9	12.4	376	2.86	8.1	.8	3.4	5.7	22	.1	.3	.1	54	.32	.051	17	41.9	.68	182	.088	1	1.69	.009	.17	.1	.03	3.6	.2	<.05	5	<.5
RW-06763	.9	24.2	7.1	65	<.1	31.0	12.1	357	2.86	7.1	.8	2.5	5.9	22	.1	.3	.1	51	.36	.049	17	42.6	.71	178	.092	1	1.68	.009	.21	.1	.02	3.4	.2	<.05	5	.5
RW-06764	.6	39.8	7.6	90	<.1	37.1	15.2	407	4.24	3.9	1.0	1.5	16.7	15	.1	.1	.1	49	.36	.114	33	55.5	1.12	187	.187	<1	2.24	.006	.90	.1	.01	4.1	.6	<.05	7	<.5
RW-06765	.9	22.3	8.0	60	<.1	24.5	10.2	311	2.66	7.1	.9	2.0	4.5	20	.1	.3	.1	53	.28	.049	25	38.1	.56	184	.076	1	1.62	.010	.10	.1	.04	3.6	.2	<.05	5	.5
RW-06766	1.3	29.0	10.5	55	.3	25.4	20.3	804	3.02	7.2	2.1	3.8	6.1	33	.1	.3	.2	55	.46	.059	66	38.1	.55	246	.071	1	1.57	.014	.15	.1	.08	4.3	.2	<.05	5	.6
RW-06767	1.9	48.9	14.0	149	.1	56.3	14.9	600	3.83	54.6	2.0	2.1	13.4	24	.6	1.5	.1	81	.35	.101	46	69.8	.95	1280	.138	1	1.82	.008	.48	.2	.03	5.2	.4	<.05	7	.6
RW-06768	1.9	37.9	12.3	110	.2	37.4	10.5	341	3.27	67.6	2.1	7.2	7.0	23	.4	2.3	.1	63	.28	.086	42	44.7	.59	1085	.087	1	1.63	.009	.18	.2	.07	4.9	.2	<.05	5	.5
RW-06769	4.1	55.6	10.5	221	.2	62.5	12.9	498	3.49	151.8	2.2	7.1	7.6	32	.8	3.8	.1	77	.40	.137	31	52.2	.63	1562	.078	1	1.45	.009	.17	.2	.04	4.7	.2	<.05	5	.8
RW-06770	3.1	25.8	14.1	100	.1	34.5	11.6	355	2.58	58.2	1.2	10.4	4.0	21	.4	2.1	.2	56	.25	.064	25	39.9	.49	648	.070	1	1.25	.010	.12	.1	.04	3.2	.2	<.05	5	.6
RW-06771	2.0	22.0	10.1	86	.2	31.8	12.1	538	2.66	28.6	1.3	3.7	4.9	23	.2	1.1	.2	54	.34	.062	36	42.4	.60	489	.071	<1	1.52	.010	.14	.1	.06	3.9	.2	<.05	6	<.5
RW-06772	2.0	29.5	9.3	86	.2	33.8	13.4	650	2.74	23.2	1.5	3.7	3.2	45	.4	.8	.1	56	.81	.078	52	43.2	.58	805	.074	1	1.49	.013	.14	.2	.06	3.7	.2	<.05	5	<.5
RW-06773	1.5	27.8	9.8	90	.1	31.6	14.2	448	3.19	9.9	1.4	3.7	8.2	25	.2	.6	.1	54	.45	.076	35	44.9	.73	357	.100	2	1.66	.010	.27	.1	.02	4.0	.2	<.05	5	.6
RW-06774	1.4	24.0	8.7	66	.2	26.4	12.3	393	2.81	6.4	1.4	6.1	4.5	32	.1	.3	.1	58	.54	.065	34	41.0	.65	486	.094	2	1.57	.011	.13	.1	.05	4.0	.2	<.05	5	<.5
RW-06775	1.0	17.9	8.5	72	.1	25.4	13.8	465	3.17	4.4	1.2	3.0	7.8	23	.1	.2	.1	52	.40	.054	30	40.8	.78	306	.141	1	1.78	.010	.27	.1	.04	3.8	.3	<.05	6	<.5
RW-06776	.8	26.3	9.7	77	<.1	26.8	14.5	332	3.04	3.5	1.2	3.4	9.4	15	.1	.2	.1	48	.21	.056	44	37.9	.71	171	.104	<1	1.69	.008	.26	.1	.02	3.4	.3	<.05	6	<.5
RW-06777	.8	13.3	8.9	59	.1	17.9	8.0	188	2.35	3.3	1.0	2.4	4.2	15	.1	.2	.1	41	.19	.049	29	30.7	.54	169	.087	<1	1.48	.009	.12	.1	.04	3.1	.2	<.05	5	<.5
RE RW-06777	.7	13.3	9.2	59	.1	18.7	8.0	186	2.39	3.3	1.0	2.3	4.1	15	.1	.2	.1	40	.20	.050	28	31.1	.54	165	.087	1	1.51	.009	.12	.1	.04	3.2	.2	<.05	6	<.5
RW-06778	.5	13.4	10.0	54	.1	19.0	6.6	135	2.14	2.5	1.4	4.6	4.7	15	.1	.1	.1	33	.17	.049	43	32.1	.55	205	.078	1	1.56	.010	.09	.1	.07	3.6	.2	<.05	5	<.5
RW-06779	.9	14.1	10.7	58	.2	18.4	7.1	146	2.40	2.6	1.5	5.5	4.5	16	.1	.1	.1	38	.18	.051	44	36.6	.56	222	.089	1	1.61	.009	.14	.1	.06	3.5	.2	<.05	6	<.5
RW-06780	1.0	28.2	13.0	86	.2	28.7	12.7	524	3.45	4.5	2.5	6.0	11.0	19	.1	.2	.1	49	.25	.052	59	49.4	.80	274	.147	1	1.75	.009	.48	.1	.05	4.5	.4	<.05	5	<.5
RW-06781	.9	27.8	9.1	84	<.1	41.2	16.0	408	3.53	5.2	1.4	3.5	9.1	19	.1	.2	.1	57	.31	.078	35	72.6	1.05	293	.164	<1	2.11	.009	.51	.1	.03	4.2	.4	<.05	7	<.5
RW-06782	.7	23.7	7.9	70	<.1	23.3	16.8	690	3.71	4.8	.8	5.0	8.4	16	.1	.3	.1	69	.29	.058	27	44.5	1.26	303	.193	<1	2.19	.008	.71	.1	.02	3.9	.3	<.05	6	<.5
RW-06783	.7	33.2	7.0	61	<.1	20.1	14.8	513	3.10	6.4	.9	4.1	2.5	18	.1	.3	.1	68	.29	.060	18	49.2	.87	314	.067	2	1.86	.013	.17	.1	.09	6.0	.2	<.05	6	<.5
RW-06784	.6	36.9	19.5	94	<.1	12.8	14.5	911	4.10	4.9	.4	1.5	1.0	14	.1	2.5	.1	93	.29	.066	8	35.5	.92	353	.079	1	1.93	.015	.27	.2	.03	9.7	.2	<.05	7	<.5
RW-06785	.7	34.5	6.4	75	<.1	16.9	14.0	500	3.53	4.6	.4	2.7	1.0	21	.1	.6	.1	85	.33	.063	7	41.3	.99	242	.119	1	2.15	.019	.19	.1	.03	5.2	.1	<.05	7	<.5
RW-06786	.5	38.2	4.9	70	<.1	21.0	16.7	501	3.55	4.8	.3	4.4	1.9	28	.1	.5	.1	63	.46	.105	7	51.2	1.22	243	.153	2	2.09	.012	.42	.1	.02	3.2	.2	<.05	5	<.5
RW-06787	.8	29.6	6.9	78	<.1	19.0	15.8	573	3.69	6.0	.4	4.1	2.0	21	.1	.5	.1	82	.32	.070	8	43.9	1.01	237	.133	1	2.29	.015	.19	.1	.02	4.6	.2	<.05	7	<.5
RW-06792	.6	40.4	5.1	73	<.1	26.3	17.4	530	3.45	4.1	.4	2.2	2.1	27	.1	.4	.1	68	.45	.103	9	53.0	1.29	280	.151	1	2.02	.014	.40	.1	.01	3.3	.2	<.05	6	<.5
RW-06793	.8	45.8	7.1	75	<.1	30.1	19.0	543	3.98	6.7	.4	5.1	2.1	21	.1	.7	.1	77	.32	.088	8	66.9	1.14	237	.133	1	2.66	.010	.18	.1	.03	4.1	.2	<.05	7	<.5
RW-06794	.8	24.1	6.0	61	<.1	18.4	11.6	436	3.05	6.6	.4	2.7	1.1	18	.1	1.5	.1	73	.28	.059	9	40.9	.80	147	.099	2	1.79	.012	.11	.1	.04	3.6	.1	<.05	6	<.5
RW-06795	1.0	31.0	7.1	71	<.1	17.7	13.6	526	3.62	6.8	.5	3.3	2.5	19	.1	4.8	.1	92	.31	.061	10	40.6	1.08	275	.153	1	2.13	.014	.31	.1	.05	4.2	.2	<.05	7	<.5
RW-06796	.6	36.5	6.0	94	<.1	15.6	14.0	806	4.02	3.7	.7	1.5	3.8	12	.1	41.9	.1	87	.24	.068	16	42.0	1.26	327	.162	1	2.23	.011	.50	.1	.04	7.2	.2	<.05	8	<.5
STANDARD DS6	11.3	120.8	29.1	140	.3	24.6	10.7	683	2.77	18.7	6.6	45.7	3.1	.40	5.9	3.5	4.7	55	.83	.068	13	184.2	.56	162	.080	17	1.88	.071	.14	3.4	.22	3.2	1.7	<.05	6	4.0

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.1	1.7	2.8	45	<.1	3.9	4.3	513	1.93	<.5	2.1	.9	3.8	60	<.1	.2	.1	37	.56	.078	7	9.0	.55	185	.112	1	.92	.066	.40	<.1	<.01	2.2	.3	<.05	5	<.5
RW-06797	.5	18.6	12.6	52	<.1	11.8	7.9	360	3.29	5.3	.7	4.2	2.5	11	.1	1.6	.2	69	.16	.042	8	27.1	.52	108	.080	1	1.60	.010	.07	.1	.03	5.4	.1	<.05	6	.5
RW-06798	1.2	23.7	10.5	62	<.1	17.3	10.1	416	3.49	7.0	.7	1.5	2.3	14	.2	.8	.3	88	.17	.050	11	37.4	.79	189	.089	1	2.21	.011	.14	.1	.03	4.3	.2	<.05	7	.5
RW-06799	.8	25.6	6.7	68	<.1	17.8	11.5	457	3.43	5.5	.6	2.5	2.5	14	.1	.6	.1	82	.22	.051	10	35.3	.92	143	.119	1	1.94	.012	.16	.1	.03	4.9	.1	<.05	6	<.5
RW-06800	1.2	21.4	7.4	59	<.1	12.1	9.6	398	3.04	5.9	.5	1.3	1.6	14	.1	.5	.1	99	.20	.051	8	28.4	.76	154	.154	2	1.58	.014	.18	.1	.01	3.1	.1	<.05	8	<.5
RW-06801	.6	30.1	7.6	65	<.1	24.4	13.6	456	3.27	6.2	.6	2.5	3.2	17	.1	.6	.1	80	.24	.048	11	40.5	.91	203	.121	2	2.09	.014	.13	.1	.02	5.0	.1	<.05	6	<.5
RW-06802	1.2	27.6	9.0	70	<.1	22.2	11.6	478	3.58	7.1	.7	3.3	3.0	15	.1	.5	.2	89	.20	.042	10	36.5	.84	165	.127	1	2.07	.013	.13	.1	.02	4.6	.2	<.05	7	<.5
RW-06803	1.2	23.3	8.8	62	.1	11.4	5.4	236	2.16	4.9	.5	3.4	.9	14	.2	.4	.2	73	.13	.034	8	22.6	.31	138	.095	1	1.01	.014	.06	.1	.02	2.3	.1	<.05	6	<.5
RW-06804	1.1	25.1	10.3	60	<.1	18.4	9.6	336	3.25	6.8	.7	1.7	2.5	15	.1	.5	.2	83	.18	.037	10	37.4	.67	169	.102	1	1.98	.011	.08	.1	.04	4.4	.1	<.05	7	<.5
RW-06805	1.1	21.5	8.9	49	.1	13.9	8.8	392	2.54	5.1	.4	2.0	1.0	15	.1	.4	.2	75	.18	.045	8	29.4	.50	152	.087	1	1.36	.013	.08	.1	.02	3.1	.1	<.05	6	<.5
RW-06806	1.0	30.2	8.5	65	<.1	24.6	13.9	493	3.37	7.0	.7	6.8	2.5	20	.1	.5	.2	85	.29	.055	11	43.1	.86	241	.114	2	2.10	.016	.12	.1	.03	5.2	.1	<.05	6	.5
RW-06807	1.1	27.4	8.2	68	<.1	21.1	11.8	439	3.13	7.1	.6	1.3	2.5	18	.1	.4	.1	80	.25	.052	10	38.5	.68	183	.102	2	1.94	.014	.08	.1	.02	4.2	.1	<.05	6	<.5
RW-06808	.9	31.6	8.0	68	<.1	23.0	12.5	469	3.28	6.6	.6	3.4	2.4	18	.1	.4	.1	82	.27	.055	9	40.2	.78	210	.104	2	2.01	.014	.10	.1	.02	4.7	.1	<.05	6	<.5
RW-06809	1.1	25.6	7.7	69	<.1	19.5	11.0	411	3.24	7.0	.6	1.6	2.0	17	.2	.4	.1	84	.20	.049	8	36.2	.69	167	.095	1	1.97	.012	.07	.1	.03	4.1	.1	<.05	6	<.5
RW-06810	1.1	27.3	7.8	74	<.1	21.1	13.1	483	3.54	6.9	.6	2.6	2.8	16	.1	.4	.1	86	.24	.047	9	40.0	.79	169	.111	1	2.19	.013	.08	.1	.02	4.6	.1	<.05	7	<.5
RW-06811	1.0	29.3	9.0	64	.2	17.4	11.0	423	2.96	5.3	.9	1.3	1.0	22	.2	.3	.1	74	.26	.067	12	36.6	.71	264	.093	2	1.81	.018	.11	.1	.02	4.3	.1	<.05	6	.5
RW-06812	.8	31.3	8.1	60	.1	17.4	10.0	354	3.04	5.6	.9	1.7	1.6	20	.1	.3	.1	76	.25	.056	12	36.9	.77	229	.113	1	1.79	.015	.11	.1	.03	4.5	.1	<.05	7	<.5
RW-06813	.9	30.7	8.0	71	<.1	19.6	13.3	569	3.34	6.1	.7	8.8	2.6	19	.1	.3	.1	79	.28	.062	12	40.4	.93	242	.128	<1	1.92	.014	.16	.1	.02	4.6	.1	<.05	6	<.5
RW-06814	.9	31.2	8.8	67	.1	16.3	11.8	493	3.08	5.8	.8	1.9	1.6	20	.2	.3	.1	79	.25	.059	11	38.1	.83	255	.117	1	1.73	.015	.15	.1	.02	3.7	.1	<.05	7	<.5
RW-06815	1.0	28.5	7.6	65	<.1	19.6	12.8	489	3.17	6.1	.5	1.9	2.2	19	.1	.4	.1	79	.27	.058	9	38.3	.91	175	.143	1	1.79	.015	.18	.1	.02	3.6	.1	<.05	6	<.5
RE RW-06815	1.0	29.1	7.3	65	<.1	19.8	12.8	502	3.28	6.4	.4	4.5	2.3	19	.2	.3	.1	81	.27	.058	8	39.7	.92	170	.145	1	1.80	.015	.19	.1	.01	3.6	.1	<.05	6	<.5
RW-06816	1.4	26.6	10.3	57	.1	17.3	10.9	457	3.25	7.2	.4	1.6	1.9	17	.2	.3	.2	89	.20	.057	9	39.1	.72	199	.135	2	1.60	.012	.13	.1	.02	3.2	.1	<.05	7	<.5
RW-06817	1.1	29.9	9.5	67	<.1	22.1	14.6	589	3.60	6.5	.4	.8	1.9	18	.1	.4	.1	85	.23	.060	7	47.8	1.00	164	.145	1	1.88	.013	.17	.1	.02	3.2	.1	<.05	7	<.5
RW-06818	.5	43.8	17.1	88	<.1	28.7	22.2	784	4.14	3.8	.3	.6	1.8	26	.1	.3	.1	88	.41	.105	7	62.6	1.66	228	.191	1	2.47	.012	.62	.1	.01	3.9	.3	<.05	7	<.5
RW-06819	1.3	26.9	9.4	68	<.1	20.2	12.5	485	3.66	7.0	.4	.5	1.7	20	.1	.4	.2	97	.24	.051	8	42.6	.88	208	.163	1	1.86	.012	.21	.1	.01	3.1	.2	<.05	8	<.5
RW-06820	1.1	25.4	9.3	64	<.1	20.7	15.5	682	3.39	7.7	.5	1.6	1.6	19	.1	.4	.2	84	.23	.050	10	43.1	.79	162	.115	2	2.00	.011	.13	.1	.02	3.4	.1	<.05	7	<.5
RW-06821	.6	29.3	9.3	66	<.1	24.6	15.0	494	3.50	7.3	.4	2.4	2.3	19	.2	.4	.1	81	.29	.055	8	43.9	.98	156	.139	2	2.21	.014	.19	.1	.03	3.7	.1	<.05	6	.5
RW-06822	.5	43.0	5.4	102	<.1	23.5	15.7	561	4.58	4.1	.4	.9	1.7	18	.1	.4	.1	102	.30	.044	7	57.7	1.49	238	.211	2	2.69	.019	.44	.1	.01	5.7	.3	<.05	9	<.5
RW-06823	1.0	24.3	7.7	51	<.1	17.5	10.8	329	3.07	6.6	.5	1.6	2.1	16	.1	.4	.1	82	.22	.050	8	36.7	.69	152	.122	1	2.08	.013	.16	.1	.03	3.1	.1	<.05	7	<.5
RW-06824	.7	19.8	3.4	41	<.1	8.6	11.5	420	2.33	2.9	.2	<.5	.5	13	.1	.2	.1	71	.30	.061	3	25.1	.81	191	.136	1	1.43	.028	.21	<.1	.01	2.1	.1	<.05	5	<.5
RW-06825	.6	31.9	4.5	77	<.1	17.8	15.4	474	3.78	4.3	.3	.7	2.1	21	.1	.4	.1	91	.37	.061	7	42.5	1.19	172	.148	1	2.31	.020	.22	.1	.01	4.4	.2	<.05	6	<.5
RW-06826	.9	26.3	7.1	70	<.1	23.7	13.1	425	3.32	7.4	.7	6.4	3.1	20	.1	.4	.1	78	.28	.053	15	46.7	.86	191	.109	2	2.21	.013	.13	.1	.03	4.4	.2	<.05	6	<.5
RW-06827	.7	30.6	12.7	76	<.1	31.6	16.7	442	3.54	5.8	.7	7.0	3.7	25	.1	.3	.1	88	.36	.057	18	77.4	1.23	210	.132	2	2.41	.014	.16	.1	.02	6.0	.2	<.05	7	<.5
RW-06828	.4	32.9	8.2	67	<.1	26.0	10.5	348	2.99	5.5	.8	5.7	4.9	30	.1	.3	.1	72	.45	.069	17	45.7	.88	240	.131	1	1.71	.016	.17	.1	.01	5.9	.1	<.05	5	<.5
RW-06829	.6	34.9	7.6	84	<.1	31.3	9.8	427	3.20	10.2	1.0	3.1	7.6	19	.1	.3	.1	70	.29	.061	29	65.8	1.10	360	.166	2	2.30	.011	.58	.1	.03	5.0	.3	<.05	7	<.5
STANDARD DS	11.4	121.5	29.4	139	.3	25.0	10.7	683	2.77	19.1	6.5	44.6	3.1	39	6.0	3.5	4.8	55	.83	.077	12	184.2	.56	161	.070	15	1.86	.070	.14	3.4	.23	3.2	1.7	<.05	5	3.8

Standard is STANDARD DS6. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.2	1.6	3.0	40	<.1	3.6	3.8	505	1.88	<.5	2.2	<.5	4.4	60	<.1	.1	.1	38	.54	.071	7	8.5	.55	187	.122	<.1	.93	.081	.39	.1	<.01	2.0	.3	<.05	4	<.5
RW-06830	.6	17.3	8.2	55	<.1	20.4	8.6	179	2.44	8.0	.7	4.0	3.3	15	<.1	.3	.1	51	.22	.050	14	32.7	.56	149	.077	1	1.64	.009	.10	.1	.02	2.8	.1	<.05	5	<.5
RE-06835	1.0	62.2	5.3	79	<.1	41.1	17.9	417	3.64	2.0	1.7	1.4	10.7	40	.1	.2	.1	102	.53	.125	37	108.2	1.53	1096	.201	<.1	2.19	.012	.88	<.1	.01	5.4	.5	.13	7	1.4
RW-06835	1.2	64.8	5.3	76	<.1	40.9	17.6	431	3.76	2.5	1.7	1.5	10.7	40	.1	.2	.1	107	.51	.120	38	112.8	1.58	1167	.218	<.1	2.23	.011	.90	.1	.01	5.7	.5	.12	8	1.3
RW-06836	1.0	28.4	8.8	67	<.1	34.9	12.8	392	2.92	7.5	.8	.7	7.8	20	.2	.5	.1	59	.42	.095	16	47.6	.75	222	.116	1	1.41	.009	.26	.1	.01	3.4	.2	<.05	4	<.5
RW-06837	1.0	20.5	9.8	62	<.1	23.2	10.7	401	2.87	13.2	.8	3.8	2.3	22	.1	.7	.2	56	.33	.048	15	39.0	.55	162	.061	1	1.63	.009	.06	.1	.02	2.9	.2	<.05	5	<.5
RW-06838	.8	22.0	8.4	65	<.1	30.0	13.9	428	3.05	8.4	.8	2.6	6.4	24	.1	.4	.1	55	.38	.078	16	43.7	.72	139	.102	1	1.60	.010	.17	.1	.01	3.3	.2	<.05	5	<.5
RW-06839	1.5	22.9	11.1	69	.1	26.7	12.9	434	3.26	12.5	1.2	5.6	4.9	18	.1	.5	.2	62	.27	.056	22	40.2	.61	167	.080	1	1.69	.008	.10	.2	.03	3.4	.2	<.05	5	<.5
RW-06840	1.8	27.2	10.6	72	<.1	27.5	12.3	320	3.09	8.8	1.6	5.1	7.1	15	.1	.4	.2	57	.22	.060	36	42.1	.63	223	.094	1	1.80	.008	.18	.1	.03	4.1	.2	<.05	6	<.5
RW-06841	1.9	28.9	11.1	86	<.1	29.8	15.5	558	3.63	8.9	1.4	4.5	9.2	19	.1	.5	.2	63	.26	.065	32	46.7	.74	230	.112	1	1.86	.009	.22	.1	.02	4.0	.2	<.05	6	.5
RW-06842	1.0	26.8	9.6	66	<.1	25.7	11.1	404	3.07	7.6	1.0	3.2	5.9	14	.1	.4	.1	60	.19	.057	20	39.9	.56	126	.097	1	1.53	.009	.13	.1	.03	3.3	.2	<.05	5	<.5
RW-06843	1.1	21.8	8.6	71	<.1	26.9	13.2	440	3.18	7.8	.9	4.1	7.6	17	.1	.4	.1	57	.23	.057	25	45.3	.73	248	.108	1	1.90	.010	.19	.1	.02	3.6	.2	<.05	5	<.5
RW-06844	1.0	20.9	9.1	62	<.1	23.3	9.0	236	2.58	8.0	1.0	4.5	5.1	16	.1	.3	.2	50	.21	.051	27	39.1	.61	181	.095	1	1.72	.009	.14	.1	.03	3.2	.2	<.05	5	<.5
RW-06845	1.2	27.1	11.5	67	.1	24.6	10.8	368	3.21	9.2	1.2	3.7	5.7	17	.1	.3	.1	61	.21	.049	37	41.9	.62	185	.088	2	1.97	.010	.12	.1	.04	4.0	.2	<.05	6	<.5
RW-06846	2.0	25.7	11.3	59	<.1	23.7	11.6	369	3.16	9.2	1.3	10.7	5.1	15	.1	.3	.1	55	.17	.048	36	39.0	.54	189	.060	<.1	1.84	.008	.10	.1	.04	4.1	.2	<.05	5	<.5
RW-06847	1.0	19.5	6.8	36	.1	13.7	5.7	161	1.85	4.2	1.0	1.8	.6	15	.1	.3	.1	41	.15	.040	20	21.8	.30	107	.049	<.1	.94	.011	.07	.1	.04	1.3	.1	<.05	4	<.5
RW-06848	1.1	27.1	8.7	50	<.1	21.3	7.9	208	2.62	6.4	1.1	1.1	1.8	15	.1	.3	.1	54	.14	.046	21	31.4	.46	99	.068	<.1	1.61	.008	.08	.1	.03	2.5	.2	<.05	5	<.5
RW-06849	1.0	20.9	9.6	59	<.1	22.0	9.7	276	3.05	7.4	.8	4.4	3.3	14	.1	.4	.1	62	.16	.030	17	37.3	.55	111	.099	1	1.79	.008	.10	.1	.02	2.7	.2	<.05	7	<.5
RW-06850	1.2	34.5	9.3	62	.1	28.1	12.3	310	3.16	6.4	1.6	11.0	4.8	17	.1	.3	.1	58	.21	.044	31	42.3	.68	153	.109	<.1	1.99	.008	.17	.1	.04	3.8	.2	<.05	6	<.5
RW-06851	1.1	60.8	24.4	109	.3	18.0	12.4	215	3.52	12.7	.6	36.3	2.8	19	.4	.7	.2	72	.40	.097	9	30.6	.72	275	.090	<.1	1.53	.015	.09	.1	.46	4.7	.1	<.05	5	.5
RW-06852	1.2	70.9	26.8	83	.6	18.4	14.4	214	3.54	9.9	.8	33.3	3.2	23	.2	.4	.2	80	.44	.125	11	31.6	.78	297	.099	1	1.81	.015	.10	.1	.69	5.5	.2	<.05	6	1.2
RW-06853	1.9	134.3	79.6	101	.9	16.6	16.3	225	4.60	13.7	.5	35.3	2.5	24	.1	.9	.3	103	.40	.108	9	27.9	.95	286	.140	<.1	1.83	.020	.16	<.1	.65	5.5	.2	<.05	6	2.9
RW-06854	1.1	56.8	13.1	68	.2	19.3	12.3	197	3.39	6.2	.6	17.7	2.3	20	.1	.4	.1	80	.36	.110	12	34.7	.75	203	.082	<.1	1.76	.015	.10	.1	.08	5.7	.1	<.05	6	.8
RW-06855	.9	103.0	12.3	59	.5	20.0	12.7	180	3.79	5.8	.7	8.9	2.1	22	.2	.3	.1	101	.39	.101	10	33.5	.83	247	.095	<.1	1.98	.019	.12	.1	.07	5.8	.1	<.05	6	.6
RW-06856	1.1	162.6	25.5	93	.1	27.1	34.8	370	4.61	5.8	.4	8.8	2.6	19	.2	.4	.1	145	.35	.069	9	32.0	1.49	230	.156	<.1	2.28	.016	.44	<.1	.03	10.4	.3	<.05	7	.6
RW-06857	1.2	70.0	12.9	71	.1	25.7	18.1	280	4.01	8.0	.8	7.0	3.7	23	.1	.4	.2	88	.40	.091	15	40.5	.86	247	.080	1	2.13	.013	.12	.1	.05	7.0	.2	<.05	6	.6
RW-06858	1.3	78.5	9.3	84	.2	25.2	20.2	449	4.82	9.5	.7	23.5	2.7	22	.2	.4	.1	100	.45	.123	11	45.4	.96	313	.075	<.1	2.15	.017	.10	.1	.05	8.3	.1	<.05	8	.6
RW-06859	.9	51.7	13.4	61	.1	21.2	12.9	238	3.12	5.4	.7	21.1	2.0	23	.1	.3	.1	69	.33	.079	12	34.4	.71	315	.085	<.1	1.86	.013	.08	.1	.02	4.9	.1	<.05	6	<.5
RW-06860	.9	75.6	10.2	59	.2	17.4	13.1	222	3.19	4.6	.6	9.9	1.8	24	.1	.3	.1	77	.42	.111	10	33.3	.71	286	.085	<.1	1.71	.015	.11	<.1	.04	6.2	.1	<.05	6	.8
RW-06861	.6	34.2	8.6	63	<.1	20.6	10.6	223	2.52	4.4	.6	4.4	2.1	20	.1	.3	.1	61	.33	.072	11	32.4	.73	215	.091	1	1.86	.010	.08	.1	.03	4.2	.2	<.05	6	.5
RW-06862	.8	59.2	8.9	93	<.1	22.5	17.3	428	3.85	5.8	.6	8.5	3.2	23	.2	.3	.1	82	.39	.087	13	43.3	.89	272	.116	<.1	1.95	.014	.17	.1	.02	5.9	.1	<.05	6	.5
RW-06863	1.0	53.1	8.3	84	<.1	21.6	16.5	495	3.87	7.0	.5	2.4	2.4	19	.2	.4	.1	92	.31	.068	9	50.3	.88	197	.116	<.1	1.98	.012	.14	.1	.03	5.2	.2	<.05	7	.7
RW-06864	.9	36.5	7.9	58	<.1	17.7	10.7	302	3.00	6.5	.6	3.6	1.2	17	.1	.4	.2	71	.25	.061	10	38.2	.64	198	.078	<.1	1.78	.009	.07	.1	.04	4.0	.1	<.05	6	<.5
RW-06865	1.1	59.8	7.1	80	.1	21.0	18.0	510	3.71	7.0	.5	2.3	1.4	17	.2	.4	.1	88	.27	.067	9	42.8	.83	195	.109	<.1	1.84	.012	.12	.1	.03	4.4	.1	<.05	7	<.5
RW-06866	.8	51.3	7.8	69	.2	17.5	7.7	197	2.70	5.1	.7	4.8	.9	18	.2	.3	.2	64	.25	.057	10	36.3	.70	200	.078	<.1	1.79	.010	.10	.1	.06	4.0	.1	<.05	5	.6
STANDARD DS6	11.4	121.3	29.3	142	.3	24.5	10.6	687	2.79	19.2	6.6	45.6	2.9	39	6.0	3.4	4.9	55	.82	.068	12	184.3	.56	161	.079	15	1.87	.069	.14	3.4	.23	3.2	1.7	<.05	6	3.9

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

</



ACME ANALYTICAL



ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.4	1.8	2.8	43	<.1	4.8	4.1	494	1.82	.5	2.0	.9	3.8	56	<.1	.1	.1	37	.53	.077	6	8.8	.54	173	.121	<.1	.88	.068	.41	<.1	<.01	2.0	.3	<.05	4	<.5
RW-06867	.9	64.9	18.2	69	.2	25.3	12.4	251	3.09	4.5	.6	5.3	2.0	16	.1	.3	.2	80	.23	.065	8	69.9	.90	188	.101	<.1	1.79	.011	.16	.1	.04	5.5	.2	<.05	6	1.1
RW-06868	1.2	72.7	11.4	81	.1	17.6	14.0	335	3.38	5.7	.7	5.8	2.4	15	.3	.3	.2	81	.23	.073	8	33.1	.87	192	.105	1	1.76	.011	.19	.1	.04	5.7	.1	<.05	6	1.3
RW-06869	1.0	61.3	6.8	76	.2	17.1	13.2	309	3.21	4.2	.6	26.4	2.2	16	.2	.3	.1	74	.26	.077	8	30.3	.83	214	.105	1	1.63	.014	.21	.1	.04	5.2	.1	<.05	5	1.2
RW-06870	1.1	70.3	7.0	80	<.1	17.9	15.2	374	3.78	4.7	.7	4.0	2.9	19	.1	.4	.1	86	.25	.082	12	34.2	1.00	260	.114	<.1	1.95	.014	.23	.1	.03	5.7	.1	.09	6	1.6
RW-06871	1.5	62.9	7.2	68	.1	19.0	13.1	308	3.52	11.2	.8	5.1	2.6	19	.2	.3	.2	79	.27	.078	11	32.6	.81	250	.099	1	1.79	.016	.17	.2	.02	5.9	.1	.08	5	1.3
RW-06872	.9	49.6	9.4	65	.1	19.5	11.4	228	2.90	5.6	.6	3.8	1.6	16	.1	.3	.1	70	.24	.072	9	41.1	.75	161	.082	1	1.74	.010	.09	.1	.05	4.4	.1	<.05	6	.7
RW-06873	1.1	56.6	9.5	73	.1	22.5	14.9	355	3.23	6.0	.5	2.3	1.5	18	.1	.3	.2	84	.28	.076	9	53.4	.83	194	.089	1	1.74	.012	.10	.1	.03	4.5	.1	<.05	6	.5
RW-06874	1.0	61.4	9.3	73	.2	22.0	15.9	494	3.43	7.1	.6	6.3	1.9	19	.2	.3	.2	87	.30	.089	11	43.0	.76	224	.090	1	1.84	.012	.10	.1	.02	5.1	.1	<.05	6	.6
RW-06875	1.2	48.0	11.3	69	.2	19.2	12.1	315	3.01	7.4	.7	5.9	1.8	18	.1	.3	.1	73	.28	.080	10	35.0	.65	182	.075	1	1.68	.010	.08	.1	.04	4.0	.1	<.05	6	.5
RW-06876	1.1	45.4	8.2	59	.1	18.4	11.7	302	2.87	6.0	.6	10.3	1.7	16	.1	.3	.1	69	.24	.067	9	31.7	.59	171	.079	<.1	1.56	.013	.08	.1	.03	3.9	.1	<.05	5	.5
RW-06877	.8	63.3	10.9	84	<.1	26.0	18.9	437	3.75	6.3	.5	6.3	2.5	20	.1	.3	.1	92	.39	.105	10	38.4	.96	217	.111	1	2.14	.015	.15	.1	.02	5.8	.1	<.05	6	<.5
RW-06878	1.1	70.6	16.9	75	.2	21.9	12.1	245	3.09	5.9	.8	12.1	1.4	17	.2	.3	.1	80	.28	.071	13	36.6	.74	265	.066	1	1.95	.011	.09	.1	.04	5.8	.1	<.05	6	.5
RW-06879	1.1	55.5	9.5	71	.1	22.6	15.3	454	3.86	6.2	.6	8.7	1.5	20	.1	.5	.1	91	.36	.099	11	36.4	.63	230	.048	3	1.91	.011	.08	.1	.03	6.3	.1	<.05	6	<.5
RW-06880	1.1	51.7	8.7	72	<.1	27.2	15.4	534	3.70	5.5	.6	5.6	2.6	21	.1	.4	.2	82	.39	.085	13	45.4	.84	328	.070	1	1.89	.012	.09	.1	.04	8.1	.1	<.05	5	.5
RW-06881	1.3	56.2	9.6	73	.1	22.1	14.8	427	3.57	6.5	.6	16.7	2.4	22	.1	.4	.2	78	.42	.129	10	34.6	.76	205	.079	1	1.81	.012	.10	.1	.09	5.7	.1	<.05	5	.5
RW-06882	1.3	50.7	12.2	72	<.1	25.2	15.5	419	3.55	7.3	.6	17.2	2.3	15	.1	.4	.1	76	.26	.085	10	43.6	.83	211	.085	2	2.04	.010	.10	.1	.03	5.9	.1	<.05	6	.5
RW-06883	1.0	53.2	9.0	62	<.1	22.8	12.0	312	3.26	6.6	.7	10.4	1.6	16	.1	.3	.1	76	.25	.069	10	37.3	.75	206	.077	1	1.91	.010	.08	.1	.03	4.8	.1	<.05	6	<.5
RW-06884	1.3	55.4	7.9	88	<.1	28.4	19.0	691	3.74	8.3	.6	32.3	2.3	18	.2	.4	.1	79	.31	.088	12	43.9	.85	285	.078	2	2.05	.011	.11	.1	.04	6.9	.1	<.05	6	<.5
RW-06885	1.7	31.1	5.0	40	.1	12.9	10.5	324	2.06	4.8	.4	114.6	.6	15	.1	.3	.1	48	.25	.064	7	24.5	.43	167	.052	<.1	1.14	.016	.06	.1	.04	3.5	.1	<.05	4	<.5
RW-06886	1.0	61.5	5.4	63	<.1	24.7	16.7	351	3.44	5.6	.5	11.6	2.7	18	<.1	.3	.1	80	.39	.104	10	46.5	1.02	192	.100	<.1	1.95	.014	.14	.1	.04	5.8	.1	<.05	6	<.5
RW-06887	.6	75.3	5.4	71	<.1	28.4	18.6	351	3.71	3.4	.6	4.1	2.9	21	.1	.3	.1	87	.39	.094	12	58.0	1.29	335	.141	<.1	2.11	.014	.32	.1	.03	8.2	.2	<.05	7	.5
RW-06888	.6	65.7	6.5	78	<.1	26.7	17.7	397	3.44	3.0	.6	7.0	3.0	22	.1	.3	.1	87	.42	.102	11	52.2	1.26	313	.138	<.1	2.00	.016	.29	.1	.03	7.7	.2	<.05	6	<.5
RW-06889	1.2	27.3	9.9	68	<.1	39.4	16.6	621	3.18	6.3	1.3	2.7	2.5	25	.1	.4	.1	64	.44	.072	19	60.2	.82	209	.084	<.1	1.94	.010	.08	.1	.03	4.5	.2	<.05	6	<.5
RW-06890	1.0	98.9	8.3	71	.2	21.4	14.5	271	3.80	7.4	.7	7.8	3.0	19	.1	.4	.1	85	.34	.099	10	38.6	.92	183	.106	1	1.97	.016	.12	.1	.07	6.3	.1	<.05	6	.7
RW-06891	.9	66.7	8.3	61	.3	16.4	10.9	232	3.57	5.1	.6	6.6	1.2	17	.2	.3	.1	77	.27	.087	8	34.8	.78	151	.074	1	1.63	.013	.06	.1	.05	4.5	.1	<.05	6	1.1
RW-06892	.7	77.7	7.0	87	<.1	23.7	17.4	373	3.87	3.4	.6	5.8	3.2	19	.2	.3	.1	93	.38	.101	13	50.9	1.24	271	.131	<.1	2.10	.015	.24	.1	.04	7.6	.2	<.05	7	.5
RW-06893	1.4	26.5	11.1	66	.1	28.8	10.8	366	2.87	15.0	1.1	6.0	3.4	18	.1	.6	.1	59	.24	.062	20	38.4	.59	168	.079	2	1.60	.010	.10	.1	.03	3.4	.1	<.05	5	<.5
RW-06894	2.2	29.0	14.9	76	.2	34.2	13.3	529	3.35	21.4	1.2	11.4	3.5	18	.2	.7	.2	64	.25	.081	21	46.1	.69	218	.084	<.1	1.64	.008	.15	.1	.04	3.3	.2	<.05	5	<.5
RW-06895	1.5	26.5	12.3	66	.2	27.4	10.4	391	2.98	28.5	1.2	5.1	3.1	17	.2	1.4	.2	58	.21	.060	21	37.1	.56	226	.067	1	1.56	.009	.09	.1	.05	3.6	.2	<.05	5	<.5
RW-06896	1.7	31.8	12.6	75	.2	36.5	12.9	451	3.25	31.0	1.4	10.0	4.4	22	.2	1.2	.2	62	.33	.104	21	48.7	.77	253	.092	1	1.70	.008	.13	.1	.05	3.7	.2	<.05	6	<.5
RW-06897	1.9	36.8	11.6	77	.3	35.4	11.7	536	3.21	34.7	2.3	7.7	3.7	22	.1	1.0	.2	62	.29	.079	35	44.2	.63	422	.069	1	1.64	.010	.12	.1	.08	4.8	.2	<.05	5	<.5
RW-06898	1.6	30.3	11.6	73	.3	32.5	11.0	417	3.05	23.6	1.9	6.7	4.3	22	.2	.6	.2	57	.31	.076	25	39.8	.60	283	.077	1	1.50	.010	.15	.1	.06	3.8	.2	<.05	6	<.5
RW-06899	1.5	33.5	10.9	76	.2	33.3	12.3	562	3.16	18.1	2.2	5.2	5.0	20	.1	.4	.1	51	.27	.077	39	45.0	.67	325	.086	<.1	1.56	.008	.26	.1	.05	4.2	.2	<.05	5	<.5
RE RW-06899	1.2	32.7	11.3	78	.2	34.3	11.9	564	3.17	18.2	2.3	7.9	5.0	19	.1	.4	.2	51	.28	.077	39	44.4	.69	324	.084	<.1	1.55	.008	.26	.1	.06	4.2	.2	.06	5	<.5
STANDARD DS	11.3	121.7	29.4	141	.3	24.6	10.7	683	2.77	19.5	6.5	46.6	3.0	39	5.9	3.5	4.9	55	.82	.077	12	180.2	.56	162	.078	16	1.86	.070	.14	3.5	.22	3.2	1.7	<.05	6	4.3

Standard is STANDARD DS6. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.7	2.5	3.3	40	<.1	6.0	3.9	493	1.77	<.5	2.0	2.0	4.4	70	<.1	<.1	.1	36	.53	.086	7	83.6	.52	201	.119	1	.88	.065	.43	<.1	<.01	2.0	.3	<.05	4	<.5
RW-06900	1.0	28.4	11.3	69	.2	35.7	11.3	370	2.92	14.9	1.8	3.7	4.8	19	.1	.4	.2	50	.26	.067	33	48.9	.61	313	.080	1	1.54	.009	.21	.1	.05	3.9	.2	<.05	5	<.5
RW-06901	1.1	32.1	9.9	71	<.1	64.3	16.2	540	3.58	9.3	1.3	1.5	5.5	24	.1	.3	.1	63	.46	.161	28	85.9	.99	283	.123	1	1.84	.008	.50	.1	.01	4.1	.2	<.05	7	<.5
RW-06902	2.3	60.9	13.4	93	.2	48.3	16.1	443	3.77	11.1	1.7	18.3	6.3	20	.1	.4	.2	61	.22	.073	26	62.5	.82	231	.101	4	1.70	.009	.37	.1	.02	4.4	.3	<.05	6	.5
RW-06903	1.0	27.2	9.1	67	<.1	36.0	12.6	334	3.13	7.0	1.1	5.3	4.0	18	.2	.3	.2	62	.25	.076	23	54.6	.82	194	.108	1	1.80	.009	.29	.1	.03	3.2	.2	<.05	6	<.5
RW-06904	1.2	23.5	9.4	61	.1	37.9	12.0	416	2.83	6.3	1.0	4.7	2.4	19	.1	.3	.2	58	.28	.066	26	61.8	.70	227	.086	2	1.49	.010	.16	.2	.03	3.4	.2	<.05	5	<.5
RW-06905	1.2	26.6	8.5	73	<.1	40.0	13.5	410	3.29	5.5	1.0	7.7	4.9	19	.1	.3	.1	66	.36	.101	22	58.7	.83	194	.120	2	1.63	.009	.33	.2	.01	3.6	.2	<.05	6	<.5
RW-06906	1.6	24.0	10.0	53	<.1	24.7	9.3	307	2.63	8.1	1.1	2.8	1.3	17	.1	.4	.2	62	.19	.057	20	43.0	.52	171	.063	<1	1.48	.010	.06	.1	.03	2.9	.2	<.05	6	<.5
RW-06907	1.4	24.6	9.3	65	<.1	31.5	13.1	652	2.77	6.7	1.1	2.1	2.7	16	.1	.3	.2	55	.21	.075	24	44.5	.55	143	.076	1	1.39	.010	.14	.1	.05	2.9	.1	<.05	6	.5
RW-06908	.9	25.1	9.5	66	<.1	30.0	12.8	457	2.98	7.6	.9	4.7	4.0	21	.1	.3	.1	63	.30	.073	22	41.3	.61	179	.096	2	1.63	.010	.10	.1	.02	3.3	.2	<.05	6	<.5
RW-06909	.7	28.6	9.3	66	<.1	37.5	14.3	560	3.10	5.9	.7	4.2	5.6	24	.1	.3	.1	59	.46	.088	19	47.9	.79	182	.113	<1	1.77	.011	.19	.1	.01	3.6	.2	<.05	5	<.5
RW-06910	.9	60.4	17.7	109	.1	58.0	20.4	1029	4.28	4.6	1.0	2.0	10.1	31	.2	.2	.2	63	.57	.110	26	58.8	1.44	235	.111	1	2.24	.008	.55	.1	.01	5.1	.4	<.05	6	.6
RW-06911	.6	26.9	10.0	64	<.1	30.8	12.4	494	2.98	6.9	1.0	4.1	2.6	28	.1	.3	.1	63	.47	.063	22	42.3	.70	220	.071	1	1.85	.011	.06	.1	.02	3.9	.1	<.05	5	<.5
RW-06912	1.0	20.7	10.2	58	<.1	30.9	11.7	427	3.03	7.6	.8	3.4	2.3	25	.1	.3	.1	66	.40	.070	16	44.8	.63	170	.083	1	1.78	.009	.07	.2	.02	3.6	.1	<.05	6	<.5
RW-06913	.8	26.8	9.3	61	<.1	31.4	12.2	423	3.02	7.8	1.1	3.8	3.8	27	.1	.4	.1	57	.47	.077	26	39.9	.68	188	.086	1	1.68	.010	.13	.1	.03	3.7	.1	<.05	5	.5
RW-06914	.8	24.3	9.3	61	<.1	30.9	13.3	440	3.03	9.2	.8	2.0	4.9	22	.1	.3	.1	60	.40	.072	16	41.7	.73	144	.094	<1	1.74	.010	.13	.1	.02	3.6	.2	<.05	5	<.5
RW-06915	1.0	23.2	11.0	67	<.1	30.4	13.0	581	3.20	11.7	.8	1.2	3.3	26	.1	.3	.1	67	.41	.063	15	44.6	.75	164	.086	1	2.01	.010	.08	.1	.02	3.7	.1	<.05	6	<.5
RW-06916	1.3	27.0	8.3	65	.1	26.8	12.0	377	3.07	6.5	1.2	.6	3.3	25	.1	.3	.1	64	.39	.080	25	38.1	.60	156	.084	<1	1.66	.010	.13	.2	.01	3.0	.2	<.05	6	.5
RW-06917	1.3	49.8	8.8	73	<.1	49.3	18.2	516	3.63	5.8	1.2	6.2	8.8	23	.2	.4	.1	70	.36	.112	33	54.8	.75	250	.101	2	1.74	.009	.25	.1	.01	4.7	.2	<.05	5	<.5
RW-06918	1.3	34.6	8.0	79	.1	40.6	13.6	433	2.98	16.1	1.0	2.9	7.0	22	.4	.7	.1	69	.35	.089	24	46.1	.73	328	.110	2	1.60	.011	.17	.1	.01	4.0	.2	<.05	5	.6
RW-06919	1.5	32.0	10.1	71	.2	32.5	11.6	278	3.38	12.6	1.2	6.4	5.8	18	.2	1.0	.1	66	.25	.069	27	46.6	.71	296	.093	1	1.90	.008	.13	.1	.05	4.0	.2	<.05	6	.6
RW-06920	1.5	31.2	9.6	87	<.1	35.0	13.8	489	3.45	9.3	1.3	11.8	7.3	18	.2	.4	.1	61	.25	.073	29	44.9	.67	263	.103	1	1.72	.010	.24	.1	.02	4.0	.2	<.05	5	<.5
RW-06921	1.2	16.8	12.2	51	<.1	20.6	8.1	336	3.40	11.4	.7	25.8	4.7	11	.1	.4	.2	88	.12	.045	15	39.3	.48	95	.133	<1	1.46	.006	.14	.1	.02	3.0	.2	<.05	8	<.5
RE RW-06921	1.5	17.9	12.4	53	<.1	19.6	8.3	331	3.36	11.6	.7	2.3	5.0	11	.1	.4	.2	85	.10	.045	15	37.8	.47	99	.125	<1	1.42	.006	.13	.1	.02	3.0	.2	<.05	8	<.5
RW-06922	1.5	26.5	10.0	71	<.1	30.7	13.6	544	3.23	10.8	1.0	3.0	9.1	13	.1	.4	.1	59	.22	.066	27	43.4	.58	137	.111	1	1.62	.008	.19	.1	.02	3.8	.2	<.05	5	<.5
RW-06923	3.4	38.1	13.9	85	.1	36.0	16.4	787	3.87	14.6	1.7	85.7	10.0	17	.1	.3	.1	56	.22	.064	52	48.8	.61	220	.062	1	1.70	.008	.16	.1	.03	4.9	.2	<.05	5	<.5
RW-06924	3.9	27.8	12.0	86	<.1	36.9	18.5	818	3.69	5.9	1.0	9.4	9.3	13	.2	.4	.1	50	.16	.042	31	58.1	.62	119	.078	1	1.58	.007	.14	.1	.02	3.7	.2	<.05	5	<.5
RW-06925	.9	33.7	10.0	67	<.1	31.7	14.4	391	3.41	4.9	1.2	9.1	11.8	15	.1	.3	.1	54	.24	.056	42	43.3	.71	160	.104	1	1.81	.008	.26	.1	.02	3.3	.3	<.05	5	<.5
RW-06926	1.4	22.6	11.1	68	<.1	26.6	10.6	340	3.51	7.9	.8	82.2	5.1	15	.1	.4	.1	70	.19	.035	18	46.1	.63	101	.127	<1	1.59	.008	.17	.1	.02	3.2	.2	<.05	7	<.5
RW-06927	1.2	29.3	8.6	59	.1	27.6	12.8	480	3.05	6.4	1.1	6.1	5.0	16	.1	.3	.1	61	.20	.053	30	42.2	.57	144	.091	<1	1.78	.010	.12	.1	.03	3.5	.2	<.05	5	.5
RW-06928	1.2	18.8	9.7	54	<.1	23.3	9.3	326	3.08	7.6	.6	17.6	5.3	13	.1	.3	.1	68	.14	.032	17	35.5	.53	107	.120	1	1.40	.008	.13	.1	.02	2.8	.2	<.05	6	<.5
RW-06929	1.3	14.7	10.2	40	.1	11.9	5.6	197	2.55	6.4	.5	15.9	3.1	11	.1	.4	.2	68	.10	.032	9	26.3	.32	67	.114	<1	1.17	.009	.09	.1	.03	2.1	.1	<.05	7	<.5
RW-06939	2.4	28.2	14.7	76	.3	27.9	8.5	370	2.91	30.9	.9	4.6	1.3	17	.3	1.2	.2	65	.18	.061	18	35.3	.44	252	.056	1	1.41	.011	.09	.1	.05	2.8	.2	<.05	6	.7
RW-06940	2.2	31.6	17.0	80	.2	32.5	15.1	807	3.67	38.6	1.2	7.8	4.8	19	.2	1.5	.2	69	.21	.048	30	40.4	.54	374	.064	2	1.82	.009	.08	.1	.04	4.2	.2	<.05	6	.6
RW-06941	2.1	31.1	14.2	77	.2	32.1	10.2	443	3.25	45.7	1.1	4.5	1.9	18	.3	3.2	.2	68	.19	.054	18	38.8	.51	292	.057	<1	1.65	.008	.07	.1	.05	3.1	.2	<.05	6	.8
STANDARD DS6	11.4	121.3	29.3	140	.3	24.7	10.7	687	2.79	19.8	6.6	51.8	3.0	40	6.0	3.6	4.9	55	.83	.077	13	184.5	.56	162	.080	18	1.88	.072	.14	3.5	.23	3.2	1.7	<.05	6	4.1

Sample type:



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.7	2.4	3.4	39	<.1	6.0	3.9	507	1.75	<.5	2.1	<.5	4.7	71	<.1	<.1	.2	37	.58	.087	7	86.4	.53	201	.126	2	.91	.072	.44	<.1	<.01	2.2	.3	<.05	4	<.5
RW-06942	2.1	32.9	13.6	67	.4	27.0	10.2	566	2.90	35.7	1.6	5.1	1.6	19	.2	1.1	.2	54	.23	.069	31	39.0	.46	467	.038	2	1.57	.011	.07	.1	.11	3.2	.2	<.05	5	<.5
RW-06943	2.5	28.7	14.9	72	.3	26.5	9.9	492	2.92	30.4	1.2	1.9	1.2	19	.3	1.1	.2	60	.23	.062	18	34.2	.47	408	.045	1	1.48	.009	.06	.2	.05	2.8	.1	<.05	5	.5
RW-06944	2.0	26.4	11.7	69	.1	27.0	9.8	446	2.93	34.6	.9	4.0	2.1	18	.1	1.0	.2	61	.24	.053	13	35.7	.53	340	.062	2	1.59	.009	.06	.2	.05	3.5	.1	<.05	5	.5
RW-06945	1.5	24.4	10.5	69	.2	24.1	9.7	503	2.68	29.3	1.4	1.1	1.7	17	.2	.8	.2	53	.24	.062	19	31.4	.47	286	.058	2	1.32	.010	.07	.1	.04	2.7	.1	<.05	5	<.5
RW-06946	1.1	35.1	10.9	96	<.1	42.3	17.0	581	3.54	25.1	1.5	1.8	9.0	17	.3	.7	.1	48	.26	.072	25	41.8	.77	270	.109	1	1.69	.010	.32	.1	.02	3.8	.3	<.05	5	.5
RW-06947	1.1	22.0	11.1	65	.2	23.7	7.9	303	2.57	11.8	1.3	3.1	1.9	20	.2	.4	.2	54	.27	.056	18	32.9	.50	205	.062	1	1.45	.009	.07	.1	.04	2.8	.1	<.05	5	<.5
RW-06948	.8	29.0	10.2	74	.2	36.2	10.6	406	3.01	8.8	1.8	4.1	5.1	18	.1	.3	.2	54	.28	.060	26	46.3	.82	277	.098	1	1.72	.009	.26	.1	.04	4.2	.2	<.05	6	<.5
RW-06949	1.2	23.1	13.2	65	.1	27.0	10.2	342	2.90	19.4	1.3	3.3	3.1	17	.1	.5	.2	55	.21	.059	26	38.7	.59	181	.060	1	1.67	.009	.08	.1	.03	3.4	.2	<.05	6	<.5
RW-06950	1.2	16.2	6.9	34	<.1	17.2	6.1	271	1.42	4.8	.9	<.5	.5	15	.2	.3	.2	32	.18	.072	18	27.8	.27	144	.042	1	.78	.014	.07	.1	.04	1.4	.1	<.05	4	<.5
RW-06951	1.8	22.8	10.1	60	.1	43.4	13.8	874	2.96	7.3	1.2	3.5	2.1	18	.1	.4	.2	60	.24	.075	25	67.2	.68	219	.070	2	1.64	.011	.08	.1	.03	2.9	.2	<.05	6	<.5
RW-06952	1.0	29.0	9.9	61	.1	42.1	12.2	361	3.01	6.4	1.3	13.2	3.5	20	.1	.3	.2	60	.31	.081	27	53.2	.73	242	.089	1	1.79	.011	.10	.1	.05	3.8	.1	<.05	6	<.5
RW-06953	1.3	18.8	9.1	49	<.1	25.0	9.6	450	2.79	7.3	.8	11.6	2.8	12	.2	.4	.2	61	.12	.047	16	42.1	.48	86	.087	1	1.44	.011	.09	.1	.04	2.5	.2	<.05	6	<.5
RW-06954	1.2	25.6	10.7	59	<.1	29.8	11.6	410	2.89	6.9	1.0	2.6	4.6	16	.1	.4	.2	55	.20	.055	20	40.2	.58	130	.090	2	1.54	.009	.13	.2	.03	3.3	.2	<.05	5	<.5
RW-06955	1.3	25.0	10.2	55	.2	29.7	14.0	532	2.51	5.3	1.1	14.4	1.4	18	.1	.3	.1	54	.24	.078	18	46.6	.59	193	.068	1	1.49	.012	.13	.1	.04	3.0	.2	<.05	5	<.5
RW-06956	1.1	27.1	11.1	63	<.1	27.6	12.3	469	3.04	7.0	1.0	6.4	2.6	20	.1	.4	.2	62	.34	.062	22	45.2	.61	209	.074	1	1.63	.010	.09	.1	.03	3.4	.2	<.05	6	<.5
RW-06957	1.1	30.0	10.1	60	.1	31.1	12.5	485	3.16	7.2	1.2	5.6	2.4	20	.1	.4	.2	65	.28	.066	28	48.6	.68	241	.074	1	1.79	.010	.09	.1	.03	3.8	.2	<.05	7	<.5
RW-06958	.8	23.8	10.0	61	<.1	29.5	11.5	322	2.72	6.1	.9	4.1	2.5	23	.1	.3	.2	55	.37	.054	18	45.1	.63	216	.076	1	1.65	.011	.08	.1	.02	3.6	.1	<.05	6	<.5
RW-06960	1.7	19.7	10.6	54	<.1	18.8	7.9	260	3.87	8.4	.6	1.3	3.1	11	.1	.4	.2	86	.11	.051	11	40.3	.47	66	.135	1	1.54	.007	.09	.1	.03	2.6	.1	<.05	9	<.5
RW-06961	1.4	16.4	9.2	31	<.1	13.1	5.1	156	2.49	6.9	.5	2.4	5.0	8	.1	.5	.2	89	.08	.022	14	22.0	.22	45	.131	1	.92	.005	.04	.1	.02	2.3	.1	<.05	9	<.5
RW-06962	1.1	18.3	8.8	46	<.1	17.8	7.1	205	2.51	5.5	.7	3.8	2.2	11	.1	.3	.1	56	.13	.035	15	28.7	.38	95	.070	<1	1.17	.006	.09	.1	.03	2.1	.1	<.05	6	<.5
RW-06963	1.8	16.9	11.4	40	<.1	16.5	6.5	240	3.24	14.1	.5	1.3	2.8	12	.1	.6	.2	87	.10	.031	12	34.8	.34	90	.098	1	1.27	.006	.06	.1	.02	2.5	.1	<.05	8	<.5
RE RW-06963	1.9	17.7	11.2	42	<.1	16.3	6.5	244	3.27	14.1	.5	3.2	2.8	12	.2	.5	.2	86	.10	.031	13	36.4	.35	91	.098	2	1.30	.006	.06	.1	.02	2.4	.1	<.05	8	<.5
RW-06964	.3	3.9	1.3	12	<.1	1.8	1.6	39	.67	.6	.1	<.5	<.1	6	<.1	.1	<.1	18	.04	.015	1	4.8	.04	12	.029	<1	.18	.016	.02	<.1	.01	.3	<.1	<.05	2	<.5
RW-06965	1.1	23.3	9.2	62	<.1	30.8	12.8	411	3.41	7.7	1.0	4.6	5.1	17	.2	.5	.1	62	.25	.063	22	44.3	.66	119	.097	1	1.99	.010	.12	.1	.03	3.8	.1	<.05	5	<.5
RW-06966	1.1	16.5	11.4	25	<.1	8.9	3.4	93	1.47	5.3	.6	4.9	.6	12	.1	.3	.2	56	.11	.026	20	20.2	.17	108	.068	1	.81	.006	.05	.1	.02	1.5	.1	<.05	6	<.5
RW-06967	.9	24.1	8.1	56	<.1	27.0	11.4	339	2.92	6.5	1.1	8.3	6.4	16	.1	.4	.1	58	.20	.045	28	42.1	.62	150	.107	2	1.62	.010	.13	.1	.02	3.4	.2	<.05	5	<.5
RW-06968	1.1	22.8	9.3	56	<.1	25.3	9.5	283	3.09	7.0	.9	19.9	6.3	16	.1	.4	.1	64	.20	.035	25	42.4	.62	138	.118	1	1.63	.009	.16	.1	.02	3.4	.2	<.05	6	<.5
RW-06969	1.1	22.2	9.4	56	<.1	23.4	10.3	321	2.97	7.0	.9	5.6	3.6	16	.1	.4	.1	63	.19	.051	28	41.2	.56	130	.098	1	1.59	.009	.14	.1	.02	3.0	.2	<.05	6	<.5
RW-06970	1.1	21.4	9.6	57	<.1	23.1	9.3	249	2.94	6.1	.8	2.2	5.2	15	.1	.3	.1	60	.18	.035	24	41.3	.59	131	.119	1	1.57	.010	.18	.1	.03	2.9	.2	<.05	7	<.5
RW-06971	1.0	19.8	10.3	60	<.1	23.4	11.0	329	3.21	6.5	.7	5.5	6.0	14	.1	.3	.1	64	.18	.041	17	40.7	.60	108	.134	2	1.57	.009	.19	.1	.02	2.9	.2	<.05	7	<.5
RW-06972	1.2	27.0	8.8	70	<.1	30.9	11.1	344	3.11	6.7	.9	11.5	6.7	17	.1	.4	.1	64	.22	.050	22	45.4	.70	152	.116	2	1.71	.010	.15	.1	.02	3.6	.2	<.05	6	<.5
RW-06973	1.4	29.7	9.3	73	<.1	36.8	14.2	403	3.27	6.1	1.0	16.4	6.9	18	.1	.3	.1	67	.25	.064	24	57.5	.85	186	.132	1	1.84	.010	.28	.1	.02	3.9	.2	<.05	7	<.5
RW-06974	1.2	19.5	7.9	49	<.1	19.7	8.4	253	2.51	5.4	.9	6.0	4.0	14	.1	.3	.1	52	.15	.038	20	32.6	.48	100	.088	1	1.41	.010	.10	.1	.02	2.7	.2	<.05	6	<.5
RW-06987	.9	14.1	6.6	31	<.1	11.9	4.5	138	1.85	3.9	.7	2.1	3.5	12	.1	.2	.1	39	.12	.027	18	23.0	.28	70	.068	1	.97	.012	.07	.1	.03	1.8	.1	<.05	5	<.5
STANDARD DS6	11.5	122.3	29.5	142	.3	24.9	10.7	690	2.82	19.1	6.7	47.5	3.0	40	6.0	3.5	5.0	56	.84	.077	13	185.1	.57	163	.081	17	1.90	.072	.14	3.7	.23	3.2	1.7	<.05	6	4.2

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.7	2.4	3.3	41	<.1	6.9	4.2	514	1.80	.8	2.1	1.5	4.8	75	<.1	<.1	.1	39	.56	.094	7	88.0	.55	201	.130	<.1	.92	.065	.44	<.1	<.01	2.1	.3	<.05	4	<.5
RW-06988	1.1	25.4	11.2	71	<.1	30.8	14.4	454	3.03	11.0	.9	3.8	2.5	36	.1	.4	.2	62	.53	.073	16	50.5	.78	189	.072	1	1.94	.010	.06	.1	.04	3.8	.2	<.05	6	<.5
RW-06989	1.0	38.5	8.9	72	<.1	36.2	12.9	386	3.23	9.3	1.5	8.4	9.6	17	.1	.4	.1	60	.21	.059	35	49.2	.81	237	.112	1	2.08	.010	.17	.1	.05	5.9	.2	<.05	6	.6
RW-06990	.9	26.8	8.6	63	<.1	29.8	12.6	360	3.15	6.6	.8	3.3	8.2	16	.1	.4	.1	64	.23	.057	21	42.3	.72	166	.122	1	2.04	.009	.16	.2	.02	3.7	.2	<.05	6	<.5
RW-06991	1.5	23.3	10.4	64	<.1	25.9	16.9	829	3.47	11.8	.7	7.6	3.2	18	.1	.4	.2	67	.19	.064	16	46.0	.63	182	.086	1	1.79	.011	.13	.1	.02	3.7	.1	<.05	7	.5
RW-06992	1.1	16.4	7.5	39	<.1	13.6	6.0	237	2.23	5.5	.5	2.1	.6	12	.1	.3	.2	52	.13	.046	10	27.3	.39	99	.063	<.1	1.21	.017	.06	.1	.02	1.8	.1	<.05	5	<.5
RW-06993	1.5	21.3	9.4	61	<.1	19.0	11.6	526	3.44	8.2	.5	4.8	3.5	16	.2	.4	.2	74	.18	.047	11	39.8	.62	156	.099	1	1.72	.010	.10	.2	.04	3.1	.1	<.05	7	<.5
RW-06994	1.4	27.6	9.6	59	<.1	22.4	11.0	436	3.13	6.8	.6	4.1	.9	17	.2	.5	.2	71	.17	.046	12	38.6	.59	165	.076	1	1.85	.012	.08	.1	.02	2.6	.1	<.05	7	<.5
RW-07054	1.3	23.0	8.2	55	<.1	14.4	9.3	335	2.74	5.9	.5	3.3	.5	16	.2	.5	.1	66	.18	.049	8	26.8	.45	125	.063	2	1.33	.014	.06	<.1	.03	2.8	.1	<.05	6	<.5
RW-07055	1.1	33.0	8.1	79	<.1	23.5	14.0	544	3.54	9.4	.6	2.9	2.2	20	.2	.5	.1	76	.27	.070	11	41.5	.80	204	.098	2	2.21	.013	.08	.1	.04	5.1	.1	<.05	7	<.5
RW-07056	1.0	36.0	8.4	78	<.1	24.6	16.6	536	3.90	7.6	.5	2.7	2.0	19	.1	.4	.1	84	.29	.078	11	40.6	.98	194	.130	1	2.17	.015	.10	.1	.03	4.8	.2	<.05	7	<.5
RW-07059	.9	46.6	8.7	77	<.1	23.3	13.3	458	3.76	7.3	.6	3.5	2.6	18	.1	.5	.2	89	.29	.084	11	44.6	.90	235	.105	1	2.08	.012	.12	.1	.03	6.1	.1	<.05	7	<.5
RW-07129	1.4	33.9	11.4	69	.1	45.4	14.6	441	3.52	8.1	1.1	3.5	2.3	19	.1	.5	.2	71	.23	.071	21	67.8	.80	191	.084	1	1.82	.009	.14	.1	.04	3.8	.2	<.05	6	<.5
RW-07130	1.5	28.0	12.7	55	.2	33.5	14.6	572	3.29	9.1	1.5	10.5	2.1	24	.1	.4	.2	63	.31	.099	24	48.0	.59	255	.057	1	1.79	.012	.11	.1	.07	3.4	.2	.06	6	.5
RW-07131	.7	25.6	9.5	62	<.1	37.9	13.9	445	2.88	6.6	1.0	3.0	2.4	24	<.1	.4	.2	58	.34	.080	17	47.6	.63	264	.074	1	1.71	.011	.07	.1	.03	3.6	.2	<.05	6	<.5
RW-07348	.9	45.7	8.6	75	<.1	25.9	15.1	474	3.69	7.1	.7	4.5	2.6	22	.1	.4	.1	85	.33	.084	11	45.1	.90	230	.110	2	2.26	.014	.10	.1	.03	5.7	.1	<.05	7	<.5
RW-07349	1.0	44.8	9.6	73	<.1	22.8	12.8	419	3.44	6.7	.7	16.5	1.5	21	.1	.5	.1	79	.29	.076	11	42.1	.84	272	.085	1	2.07	.012	.10	.2	.04	4.7	.1	<.05	7	<.5
RE RW-07349	1.0	45.2	9.8	73	<.1	23.9	13.0	420	3.49	6.8	.7	11.1	1.5	22	.1	.4	.1	81	.29	.077	12	43.4	.84	270	.093	2	2.07	.013	.10	.1	.04	5.2	.1	<.05	7	<.5
RW-07373	1.2	14.5	10.7	51	<.1	20.3	9.1	282	3.88	9.1	.6	2.0	4.6	14	.2	.5	.2	70	.15	.041	13	43.9	.47	107	.091	2	1.70	.008	.06	.1	.03	3.2	.1	<.05	7	<.5
RW-07374	2.3	40.1	9.9	61	<.1	34.7	14.4	384	3.78	9.3	.9	2.8	1.8	19	.1	.5	.2	89	.21	.046	16	53.3	.74	330	.099	2	1.82	.010	.13	.1	.03	3.6	.1	<.05	8	<.5
RW-07375	1.3	20.7	8.8	64	<.1	23.6	9.8	368	3.38	8.4	.6	2.2	2.2	25	.1	.5	.2	72	.25	.047	10	37.0	.51	124	.094	1	1.58	.010	.08	.1	.04	2.5	.1	<.05	7	<.5
RW-07376	1.1	56.5	5.8	104	<.1	74.7	28.3	744	6.45	3.8	.7	<.5	3.2	19	.1	.2	.1	121	.37	.138	15	122.4	1.64	294	.300	1	3.18	.008	1.31	.2	.03	4.6	.5	<.05	11	<.5
RW-07377	2.0	36.0	5.1	83	<.1	177.2	65.7	601	4.90	2.7	.6	.8	1.3	69	.2	.2	.1	117	.91	.290	13	227.6	2.46	127	.105	1	2.26	.008	.31	.1	.02	3.7	.3	<.05	10	<.5
RW-07378	1.6	62.1	21.2	113	.1	52.0	23.7	1174	4.83	7.6	1.3	1.1	8.3	60	.2	.3	.3	66	.82	.080	27	58.5	1.31	150	.106	2	2.33	.013	.19	.1	.03	5.8	.3	.06	6	.6
RW-07379	1.4	52.5	10.6	109	<.1	53.5	18.2	1035	4.13	5.2	1.1	2.6	5.2	40	.3	.2	.1	83	.66	.082	22	85.0	1.77	232	.130	2	2.72	.013	.42	.2	.02	4.7	.3	<.05	7	.6
RW-07380	1.8	40.6	12.0	78	.1	52.9	18.0	764	3.70	42.9	1.1	4.9	4.5	29	.2	.7	.2	75	.49	.099	27	73.3	1.03	255	.104	1	1.95	.011	.20	.1	.03	4.8	.2	<.05	6	<.5
RW-07472	.8	27.2	8.7	79	<.1	17.0	7.5	201	3.19	18.2	.5	4.4	2.3	22	.1	.6	.1	75	.28	.083	9	28.8	.67	169	.087	2	1.88	.011	.07	.1	.05	4.5	.1	<.05	6	<.5
RW-07473	.7	38.6	9.9	73	.1	21.1	9.1	215	3.43	12.5	.8	8.0	3.3	23	.2	.5	.1	70	.28	.069	14	33.8	.62	253	.101	2	2.03	.012	.08	.1	.06	6.5	.1	<.05	7	<.5
RW-07474	.7	30.6	8.7	70	.1	21.7	10.1	244	3.60	9.4	.7	5.4	3.0	26	.2	.5	.1	60	.30	.077	12	31.0	.58	277	.103	1	1.87	.013	.08	.1	.05	5.5	.1	<.05	7	.5
RW-07475	.5	20.0	9.6	72	<.1	16.6	7.6	186	2.52	6.0	.7	6.9	3.4	19	.1	.5	.1	63	.25	.055	11	32.7	.54	192	.096	2	1.91	.010	.06	.2	.05	5.3	.1	<.05	6	<.5
RW-07476	.4	14.8	9.0	62	<.1	15.4	5.7	156	1.95	4.0	.5	9.2	2.7	19	.1	.5	.2	48	.25	.055	9	31.8	.48	203	.082	2	1.69	.010	.05	.2	.06	4.1	.1	<.05	6	<.5
RW-07477	.9	23.0	9.3	69	<.1	18.1	7.9	187	3.23	7.8	.7	13.5	3.6	19	.1	.6	.1	62	.27	.059	11	30.6	.54	234	.083	2	1.75	.011	.06	.1	.07	5.1	.1	<.05	6	<.5
RW-07478	.7	23.1	10.4	74	<.1	16.7	6.5	197	2.64	4.8	.8	17.7	3.6	20	.2	.5	.2	56	.28	.053	12	31.3	.55	235	.095	2	1.80	.012	.07	.1	.08	5.4	.1	<.05	6	<.5
RW-07479	4.1	66.7	15.5	92	.3	21.9	13.3	497	6.57	19.6	2.5	43.1	3.9	19	.3	.8	.2	86	.22	.130	42	37.3	.53	467	.071	2	2.27	.012	.10	.2	.19	12.9	.1	<.05	7	1.1
RW-07480	1.3	49.7	16.2	105	.2	20.8	11.9	532	3.54	7.7	1.3	22.8	3.2	20	.3	.6	.2	61	.26	.077	23	33.6	.57	368	.092	3	1.90	.014	.10	.1	.11	7.4	.1	<.05	6	.5
STANDARD DS6	11.7	125.5	30.4	145	.3	25.5	11.0	708	2.87	19.5	6.8	48.0	3.0	40	6.2	3.5	5.1	56	.80	.079	13	186.0	.58	162	.081	18	1.92	.073	.14	3.6	.24	3.3	1.8	<.05	6	4.3

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.7	2.3	3.1	40	<.1	6.9	3.9	501	1.77	<.5	2.2	2.2	4.6	72	<.1	<.1	.1	37	.55	.087	8	90.1	.54	198	.124	1	.91	.067	.43	<.1	<.01	2.3	.3	<.05	4	<.5
RW-07481	.8	33.9	12.0	74	<.1	20.3	10.0	459	2.79	5.3	.8	44.1	3.2	18	.2	.4	.1	53	.23	.052	13	29.3	.55	235	.081	2	1.65	.013	.08	.1	.06	4.4	.1	<.05	5	<.5
RW-07482	1.2	16.4	8.6	38	<.1	8.9	4.9	259	2.77	5.7	.4	21.5	1.1	12	.1	.4	.2	62	.10	.035	7	21.1	.26	81	.068	2	1.23	.011	.05	.1	.04	2.4	.1	<.05	6	<.5
RW-07483	1.0	24.1	9.2	62	<.1	16.6	9.0	360	3.23	6.4	.5	6.9	2.0	19	.2	.4	.1	61	.22	.041	8	25.7	.50	125	.083	1	1.62	.012	.08	.1	.03	3.6	.1	<.05	6	<.5
RW-07484	1.2	29.5	12.8	81	<.1	16.7	11.7	453	3.49	6.6	.5	9.0	2.6	17	.2	.4	.1	65	.17	.049	8	27.0	.51	134	.097	1	1.87	.014	.10	.1	.02	4.0	.1	<.05	6	<.5
RW-07485	1.2	22.2	10.7	88	<.1	15.1	8.3	362	3.68	7.0	.6	9.6	2.4	18	.2	.4	.1	67	.19	.051	9	31.2	.49	149	.092	1	2.18	.012	.07	.1	.04	4.2	.1	<.05	7	<.5
RW-07486	1.9	29.3	10.0	86	.2	11.1	4.9	309	4.48	9.7	.7	6.4	2.9	24	.2	.4	.2	50	.12	.054	12	22.0	.45	206	.100	1	1.46	.044	.30	.1	.03	5.5	.1	.40	8	.5
RW-07487	1.8	21.9	13.4	67	<.1	11.0	6.8	481	3.41	9.4	.6	9.8	2.4	19	.2	.5	.1	53	.12	.049	10	24.9	.39	104	.077	1	1.53	.020	.12	.1	.04	3.6	.1	.11	6	<.5
RW-07488	1.0	25.9	9.9	79	<.1	18.5	11.5	503	3.06	5.4	.6	19.3	3.0	16	.3	.3	.1	51	.26	.068	10	26.2	.55	159	.090	1	1.68	.010	.13	.1	.03	4.4	.1	<.05	4	<.5
RW-07489	1.0	31.6	9.7	82	<.1	20.0	9.6	419	3.04	5.7	.8	31.3	3.9	19	.1	.4	.1	54	.27	.064	16	31.5	.58	218	.097	1	1.59	.012	.14	.1	.04	4.9	.1	<.05	4	<.5
RW-07490	1.6	33.2	10.5	82	<.1	24.7	13.5	482	3.29	7.9	.7	27.2	4.1	17	.2	.5	.1	64	.21	.057	12	34.4	.54	172	.091	2	2.09	.011	.09	.1	.04	4.3	.1	<.05	5	<.5
RE RW-07490	1.5	31.9	10.6	78	<.1	24.2	13.4	474	3.24	7.6	.7	42.3	4.0	16	.2	.5	.2	64	.22	.058	12	34.7	.53	167	.086	2	2.09	.011	.09	.2	.04	4.3	.1	<.05	6	<.5
RW-07491	1.7	40.1	13.4	82	.1	26.5	14.3	503	3.51	10.5	1.5	20.1	5.3	19	.2	.5	.2	71	.22	.056	33	41.1	.63	346	.083	2	2.27	.011	.09	.2	.06	6.5	.2	<.05	6	<.5
RW-07492	1.4	34.4	11.4	75	<.1	24.8	14.4	415	3.07	8.7	.9	21.8	4.3	16	.2	.4	.2	61	.21	.062	13	34.2	.55	204	.075	2	2.07	.009	.09	.1	.05	4.0	.1	<.05	5	<.5
RW-07493	2.1	44.4	13.4	78	.1	24.5	13.1	335	3.23	9.6	1.3	33.2	5.1	13	.1	.7	.3	53	.19	.062	24	22.5	.36	157	.045	3	1.22	.008	.10	.1	.08	4.2	.1	<.05	4	.6
RW-07494	1.1	32.9	9.2	60	<.1	19.1	9.7	251	3.84	8.2	.5	3.3	2.4	13	.1	.4	.2	83	.17	.042	8	32.4	.50	114	.102	1	2.06	.009	.08	.1	.04	3.2	.1	<.05	6	<.5
RW-08597	1.2	25.4	17.1	51	<.1	12.7	10.9	555	2.34	3.6	.4	5.5	.6	13	.1	.2	.2	66	.17	.049	7	28.6	.56	144	.076	1	1.20	.015	.10	.1	.03	3.3	.1	<.05	5	<.5
RW-08598	1.2	33.5	8.0	66	<.1	16.4	14.5	530	3.25	6.0	.6	4.2	1.6	21	.1	.4	.1	73	.33	.068	10	32.3	.73	248	.077	1	1.77	.013	.08	.1	.03	4.5	.1	<.05	6	<.5
RW-08599	1.0	28.0	8.7	70	<.1	19.4	12.4	457	3.16	5.5	.5	5.9	1.4	17	.2	.3	.1	78	.29	.077	8	38.2	.74	181	.091	<1	1.62	.014	.09	.1	.03	3.9	.1	<.05	6	<.5
RW-08600	1.2	43.8	16.0	74	<.1	21.5	13.7	511	3.33	6.7	.7	8.0	2.1	17	.2	.4	.1	77	.26	.063	12	41.2	.73	289	.083	2	1.88	.012	.08	.1	.04	5.2	.1	<.05	6	<.5
RW-08700	.9	41.8	22.3	81	<.1	20.1	16.4	752	3.46	5.3	.6	9.4	2.0	21	.1	.3	.2	87	.31	.059	9	43.2	.98	269	.104	1	2.04	.013	.12	.1	.04	5.6	.1	<.05	6	<.5
RW-08795	1.1	23.2	8.4	66	.1	27.9	9.8	265	3.00	18.6	.8	1.2	8.6	14	.2	.4	.1	58	.16	.036	28	40.4	.59	219	.117	<1	1.50	.009	.25	.1	.02	3.5	.2	<.05	6	<.5
RW-08796	1.2	26.9	8.9	75	<.1	33.7	13.7	481	3.20	23.2	.9	7.5	9.6	16	.2	.4	.1	62	.19	.052	29	46.1	.67	301	.124	1	1.59	.009	.28	.1	.02	3.8	.3	<.05	6	<.5
RW-08797	1.6	37.1	10.5	94	.1	43.5	14.7	501	3.39	60.6	1.1	3.8	8.4	20	.2	1.4	.1	72	.24	.071	30	57.2	.77	534	.102	<1	1.81	.009	.19	.2	.03	4.4	.2	<.05	6	<.5
RW-08798	1.4	27.6	10.0	75	.1	32.4	12.8	432	3.11	39.1	1.0	2.7	7.1	22	.2	.9	.1	64	.27	.059	26	46.1	.67	468	.096	1	1.72	.010	.17	.1	.04	3.9	.2	<.05	6	<.5
RW-08799	.9	21.8	8.4	66	<.1	27.1	11.5	354	2.89	15.2	.8	2.2	5.4	25	.1	.4	.1	58	.36	.054	22	40.6	.65	333	.106	1	1.62	.010	.16	.1	.02	3.4	.2	<.05	5	<.5
RW-08800	1.1	28.8	9.1	69	.2	29.0	13.8	479	3.06	16.2	1.1	3.2	5.7	29	.1	.5	.1	60	.46	.068	25	43.3	.63	539	.086	1	1.63	.012	.15	.1	.04	4.0	.2	<.05	6	<.5
RW-08868	.9	25.1	8.0	65	.1	29.3	14.1	571	2.93	9.3	1.0	2.4	3.8	37	.1	.3	.1	54	.68	.084	24	41.8	.63	540	.086	1	1.66	.013	.13	.1	.04	3.9	.2	<.05	5	<.5
RW-08869	1.0	30.9	8.4	76	.2	33.6	14.3	487	3.22	18.8	1.2	3.5	6.7	28	.1	.6	.1	62	.46	.086	31	50.5	.76	608	.098	1	1.86	.011	.17	.1	.03	4.6	.2	<.05	6	.5
RW-08934	.7	30.3	33.2	85	.1	16.3	8.6	203	2.47	5.3	.5	16.0	1.8	21	.2	.2	.1	54	.30	.087	8	26.6	.52	173	.066	<1	1.40	.013	.06	.1	.05	3.5	.1	<.05	5	<.5
RW-08935	.4	28.3	8.7	84	.1	16.2	7.7	175	2.10	5.6	.5	38.4	2.4	20	.2	.3	.1	54	.34	.070	10	27.8	.55	215	.069	1	1.51	.013	.05	.2	.05	3.7	.1	<.05	5	<.5
RW-08966	.8	15.7	7.7	53	<.1	12.3	7.2	197	2.28	4.5	.4	7.9	1.2	17	.1	.2	.1	54	.27	.079	7	26.0	.51	124	.053	2	1.24	.014	.06	.2	.03	3.4	.1	<.05	5	<.5
RW-08967	.4	15.6	8.2	57	<.1	13.2	5.5	195	2.13	5.7	.5	6.2	1.3	17	.1	.2	.1	50	.22	.059	9	27.0	.44	140	.057	1	1.34	.012	.05	.1	.04	3.3	.1	<.05	5	<.5
RW-09019	.8	38.6	8.8	73	.2	17.4	16.0	402	3.18	7.0	.7	35.9	2.2	18	.1	.4	.1	77	.28	.081	12	34.6	.71	180	.087	2	1.79	.018	.09	.1	.12	5.4	.1	<.05	6	<.5
RW-09020	.6	38.9	9.0	65	<.1	22.4	18.7	614	3.07	5.3	.5	78.5	2.3	21	.1	.4	.1	78	.41	.095	10	44.6	.88	186	.105	1	1.53	.021	.15	.1	.03	5.2	.1	<.05	5	<.5
STANDARD DS6	11.5	121.8	29.3	140	.3	24.6	10.6	688	2.80	19.5	6.7	45.3	3.1	39	5.9	3.5	4.8	55	.82	.073	13	184.4	.56	162	.080	16	1.88	.071	.14	3.6	.22	3.2	1.7	<.05	6	3.7

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.7	2.2	2.8	39	<.1	7.3	3.6	478	1.64	1.9	2.0	1.7	4.0	60	<.1	<.1	.1	36	.49	.081	6	72.8	.51	193	.116	1	.81	.052	.41	.1	<.01	2.0	.3	<.05	4	<.5
RW-09021	1.1	55.2	31.2	74	.4	20.7	26.4	1064	3.75	8.8	.9	7.1	1.9	22	.1	.5	.2	87	.28	.079	12	44.4	.87	262	.074	2	1.83	.015	.09	.1	.06	7.3	.1	<.05	6	.5
RW-09022	.4	17.6	12.4	62	.1	16.2	7.4	159	2.40	6.0	.5	7.8	1.3	18	.1	.3	.1	58	.24	.063	8	27.9	.56	171	.059	2	1.49	.012	.05	.2	.05	4.2	.1	<.05	5	<.5
RW-09023	.4	14.9	8.7	63	<.1	13.6	6.9	159	1.98	4.9	.5	4.2	1.3	16	.1	.3	.1	38	.23	.060	7	27.3	.51	142	.051	1	1.48	.012	.05	.2	.05	3.6	.1	<.05	5	<.5
RW-09024	.3	10.9	6.7	50	<.1	12.1	4.9	129	1.56	4.8	.4	1.8	.8	17	.1	.3	.1	36	.22	.051	6	21.9	.40	155	.039	1	1.20	.013	.04	.1	.04	3.0	.1	<.05	4	<.5
RE RW-09024	.2	12.0	6.4	49	<.1	12.5	5.1	134	1.63	4.8	.4	4.7	.8	17	.1	.3	.1	39	.23	.052	7	22.5	.41	153	.044	2	1.25	.014	.04	.1	.04	3.1	.1	<.05	4	<.5
RW-09025	.4	15.0	8.4	60	<.1	13.2	6.3	187	2.26	5.4	.5	5.6	1.5	18	.2	.3	.1	46	.31	.082	8	26.5	.51	135	.061	2	1.48	.013	.05	.1	.05	3.5	.1	<.05	5	<.5
RW-09026	.6	18.2	7.8	63	<.1	14.3	7.9	207	2.60	6.1	.5	15.9	2.3	19	.1	.3	.1	54	.38	.109	9	26.1	.57	145	.075	2	1.49	.015	.06	.2	.03	4.1	.1	<.05	5	<.5
RW-09027	.5	17.9	8.3	56	<.1	15.4	6.5	150	2.23	7.5	.6	1.3	1.6	17	.1	.3	.1	56	.26	.077	9	26.3	.46	148	.062	1	1.45	.011	.05	.1	.04	3.5	.1	<.05	4	<.5
RW-09028	.5	24.0	8.3	67	<.1	16.9	9.5	225	2.44	6.1	.5	10.9	2.5	20	.2	.4	.1	54	.34	.095	8	27.8	.56	161	.075	1	1.44	.012	.06	.1	.03	3.8	.1	<.05	5	<.5
RW-09029	.5	12.5	8.0	52	<.1	13.3	5.5	136	2.04	4.9	.5	4.4	1.6	17	.1	.3	.1	43	.23	.052	8	27.0	.45	136	.072	1	1.35	.010	.05	.1	.04	3.0	.1	<.05	5	<.5
RW-09030	.7	17.8	7.9	61	<.1	16.0	6.9	158	2.36	9.8	.6	12.0	2.2	18	.1	.3	.1	59	.26	.063	10	28.6	.48	169	.070	1	1.48	.012	.05	.2	.04	3.8	.1	<.05	5	<.5
RW-09031	.6	15.1	7.2	57	<.1	15.3	6.7	194	2.39	8.8	.6	9.1	2.3	20	.1	.3	.1	55	.30	.072	9	26.0	.47	156	.071	2	1.29	.011	.05	.1	.03	3.2	.1	<.05	4	<.5
RW-09032	.8	14.3	7.9	67	<.1	15.9	7.5	233	2.72	9.5	.6	6.0	2.8	18	.1	.4	.1	60	.29	.075	9	28.2	.50	166	.073	2	1.43	.010	.05	.2	.02	3.6	.1	<.05	5	<.5
RW-09033	.6	17.0	7.6	57	<.1	13.1	5.9	134	2.39	6.6	.6	9.7	2.0	16	.1	.3	.1	45	.23	.064	8	25.1	.43	133	.059	1	1.29	.010	.05	.1	.04	2.9	.1	<.05	4	<.5
RW-09034	.7	28.2	8.6	70	<.1	16.2	7.7	160	2.82	11.2	.7	26.5	3.6	18	.1	.4	.1	60	.28	.083	12	27.9	.50	175	.072	2	1.47	.011	.06	.2	.03	4.1	.1	<.05	4	<.5
RW-09035	.6	24.9	9.0	69	<.1	16.3	7.0	159	2.30	9.7	.7	9.8	2.8	20	.1	.3	.1	53	.29	.066	10	28.6	.50	186	.081	2	1.50	.010	.06	.2	.05	4.0	.1	<.05	5	<.5
RW-09036	.9	45.6	9.5	73	.1	17.4	8.9	185	2.92	12.1	.8	13.3	3.7	20	.1	.5	.2	63	.30	.076	12	29.7	.55	191	.087	1	1.56	.011	.07	.2	.04	4.6	.1	<.05	5	.5
RW-09037	.9	42.8	8.0	66	.1	15.1	7.6	148	2.96	9.4	.8	13.2	2.6	18	.2	.4	.2	62	.25	.095	10	26.4	.46	186	.065	1	1.43	.011	.05	.1	.05	3.8	.1	<.05	4	.6
RW-09039	1.0	34.6	8.5	75	.1	16.1	7.9	216	2.52	7.0	.6	31.8	2.8	20	.2	.3	.1	60	.31	.089	10	27.1	.52	185	.073	1	1.46	.011	.06	.1	.07	3.7	.1	<.05	5	<.5
RW-09071	1.6	22.7	43.1	50	<.1	13.1	8.6	352	3.63	7.2	.5	32.6	1.7	11	.2	.6	.2	81	.14	.050	8	29.0	.48	132	.083	1	1.63	.010	.07	.1	.04	3.8	.1	<.05	8	<.5
RW-09072	1.0	24.6	18.6	59	<.1	19.7	10.1	352	3.78	8.9	.5	5.2	1.9	14	.1	.5	.2	87	.17	.050	8	36.2	.64	159	.092	2	1.88	.009	.07	.1	.02	4.1	.1	<.05	7	.5
RW-09074	1.1	52.2	9.1	87	<.1	26.5	15.7	571	4.15	7.8	.6	33.7	2.0	17	.1	.4	.1	105	.26	.085	10	56.5	1.08	297	.111	2	2.41	.013	.15	.1	.04	7.1	.1	<.05	8	<.5
RW-09150	1.0	59.6	8.1	72	.1	22.6	14.8	363	3.78	6.4	.6	4.3	1.6	16	.1	.3	.2	93	.20	.053	7	45.9	.78	330	.132	2	2.08	.014	.19	.1	.04	4.9	.5	<.05	7	<.5
RW-09151	1.0	60.0	7.4	71	<.1	22.3	16.3	453	3.56	6.6	.4	8.6	2.2	15	.1	.4	.1	91	.25	.057	7	41.4	.77	184	.141	1	1.93	.011	.17	.1	.02	4.3	.2	<.05	6	<.5
RW-09152	1.0	72.2	6.3	81	<.1	21.2	16.2	495	3.71	5.5	.5	3.4	2.0	16	.1	.3	.1	77	.29	.071	6	32.8	.93	198	.167	1	2.05	.010	.29	.1	.02	3.8	.1	<.05	6	<.5
RW-09153	1.1	34.3	7.2	52	<.1	13.0	8.2	329	3.01	5.2	.3	2.5	1.2	10	.1	.3	.2	130	.13	.037	5	22.2	.62	235	.181	<.1	1.59	.009	.28	.1	.02	2.4	.1	<.05	9	<.5
RW-09154	.9	69.8	8.2	77	<.1	23.0	14.2	447	3.38	6.4	.7	42.2	3.0	18	.1	.3	.1	76	.27	.063	10	32.9	.89	340	.141	1	2.17	.012	.22	.1	.03	4.6	.1	<.05	6	<.5
RW-09155	1.1	58.8	23.4	80	.1	20.0	12.4	499	3.52	7.7	.6	5.9	2.7	17	.2	.4	.2	77	.24	.055	10	33.2	.79	343	.136	2	2.03	.011	.22	.1	.03	4.9	.1	<.05	7	<.5
RW-09156	.8	71.0	8.5	84	<.1	19.7	13.0	427	3.49	7.0	.5	2.3	2.5	14	.1	.4	.1	83	.22	.058	9	25.6	.88	251	.148	<.1	2.07	.010	.29	.1	.03	3.7	.2	<.05	6	<.5
RW-09157	1.3	84.9	13.9	102	<.1	18.6	17.8	624	3.60	4.9	.5	3.7	2.6	15	.1	.2	.1	78	.20	.059	9	33.6	1.05	502	.158	1	1.86	.011	.46	.1	.02	3.9	.2	<.05	6	<.5
RW-09158	1.4	54.0	16.6	71	<.1	17.5	15.9	486	3.21	7.3	.5	3.1	2.5	16	.2	.9	.1	71	.17	.049	9	27.7	.62	620	.096	1	1.81	.008	.14	.1	.06	4.0	.1	<.05	5	<.5
RW-09159	1.3	54.1	14.0	72	<.1	25.2	18.4	532	3.73	7.2	.5	11.1	2.9	14	.2	.4	.1	77	.19	.048	8	49.4	.90	240	.109	1	2.15	.013	.16	.1	.05	4.7	.1	<.05	5	.5
RW-09160	.8	26.5	10.0	63	.1	28.9	15.8	527	2.95	12.1	.9	.9	3.1	37	.2	.4	.1	58	.68	.124	22	41.2	.61	240	.073	1	1.76	.013	.09	.1	.04	4.3	.1	<.05	5	<.5
RW-09161	1.0	26.5	8.9	71	<.1	29.7	15.0	592	3.20	12.8	.8	1.1	4.4	36	.1	.4	.1	55	.75	.130	21	39.7	.66	216	.075	<.1	1.66	.011	.17	.1	.04	4.2	.1	<.05	5	<.5
STANDARD DS6	11.3	120.7	29.4	139	.3	24.1	10.5	683	2.76	19.9	6.5	47.1	3.0	39	5.9	3.5	4.9	55	.82	.077	13	182.0	.56	163	.079	16	1.87	.074	.14	3.8	.22	3.2	1.7	<.05	5	4.2

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.6	2.6	3.1	41	<.1	6.1	3.8	501	1.68	<.5	2.0	2.2	4.0	62	<.1	<.1	.1	38	.50	.082	6	76.9	.53	196	.116	1	.83	.056	.42	<.1	<.01	2.0	.3	<.05	4	<.5
RW-09162	1.2	27.0	7.7	60	.1	26.7	12.8	564	3.02	16.4	1.4	2.5	5.7	32	.1	.4	.1	53	.53	.066	35	42.5	.65	364	.084	2	1.67	.012	.18	.1	.05	4.4	.2	<.05	5	<.5
RE RW-09162	1.2	27.7	7.6	64	.1	28.4	13.2	570	3.06	17.5	1.4	4.0	5.9	32	.1	.4	.1	54	.56	.065	35	43.3	.67	369	.083	1	1.73	.012	.19	.1	.04	4.3	.2	<.05	5	<.5
RW-09163	1.4	22.9	8.5	66	.1	28.5	15.2	670	3.02	11.8	1.2	3.4	5.5	28	.1	.3	.2	55	.45	.072	27	44.1	.68	269	.090	1	1.76	.011	.14	.1	.05	4.4	.2	<.05	5	<.5
RW-09164	2.0	27.6	8.8	74	<.1	34.1	14.6	524	3.44	30.4	1.0	3.8	8.7	19	.1	.6	.1	60	.28	.068	23	46.1	.82	226	.133	1	1.84	.009	.29	.1	.01	4.0	.3	<.05	5	<.5
RW-09165	1.1	21.2	9.7	57	.1	24.4	10.8	389	2.79	10.5	1.0	5.1	3.8	23	.1	.3	.1	55	.34	.062	25	39.4	.62	289	.072	1	1.61	.010	.09	.1	.04	3.2	.1	<.05	5	<.5
RW-09166	1.0	29.9	8.0	95	<.1	35.4	15.9	444	3.87	9.9	1.3	1.9	11.7	15	.1	.2	.1	54	.33	.077	24	49.6	1.00	508	.207	1	2.07	.007	.75	.1	.02	4.1	.5	<.05	6	<.5
RW-09250	1.1	53.4	14.2	93	.1	28.4	16.5	631	3.99	7.7	.7	14.5	3.1	20	.2	.5	.1	95	.33	.081	13	53.1	1.02	325	.096	2	2.34	.013	.13	.1	.03	7.8	.2	<.05	7	<.5
RW-09301	.6	87.4	4.8	99	.1	4.7	3.1	329	5.15	2.1	.5	1.0	6.0	24	.1	.1	.3	44	.10	.063	12	15.3	1.84	404	.142	<1	2.65	.045	.87	<.1	.01	7.5	.3	.44	10	3.1
RW-09302	7.4	90.5	8.9	95	<.1	8.9	3.7	384	5.01	1.0	.6	3.8	9.7	27	<.1	.1	.1	56	.23	.046	9	15.8	2.05	572	.149	1	2.53	.018	.99	<.1	.01	8.1	.3	.15	10	1.2
RW-09303	1.2	72.3	23.6	83	<.1	21.5	14.4	537	3.56	5.4	.6	18.8	3.5	15	.1	.4	.2	87	.29	.054	12	30.9	.96	403	.121	1	1.93	.010	.23	.1	.02	4.9	.2	<.05	6	<.5
RW-09304	.9	101.6	12.8	80	<.1	23.9	15.8	396	3.64	4.4	.7	24.5	2.9	15	.1	.3	.1	88	.25	.061	12	29.3	1.03	311	.136	1	2.17	.009	.26	.1	.03	4.6	.2	<.05	5	<.5
RW-09305	2.5	74.6	23.4	69	.3	20.3	11.3	422	3.70	6.2	.9	164.0	2.6	19	.1	.5	.2	67	.28	.053	16	33.0	.61	512	.047	1	2.06	.009	.11	.2	.08	6.8	.1	<.05	6	<.5
RW-09306	.8	91.5	21.9	78	<.1	23.1	15.8	373	3.52	4.2	.6	11.7	3.0	19	<.1	.3	.1	76	.32	.058	13	38.7	1.03	289	.150	1	2.01	.012	.28	.1	.06	4.9	.2	<.05	6	<.5
RW-09307	.8	53.5	10.2	60	<.1	21.4	10.8	263	2.91	6.8	.8	3.5	3.4	14	.1	.5	.2	61	.20	.044	14	35.7	.59	193	.077	3	2.13	.009	.09	.2	.05	4.8	.1	<.05	5	<.5
RW-09308	.7	75.8	19.6	80	<.1	21.0	15.9	621	3.81	5.0	.6	18.8	2.6	14	.1	.6	.1	68	.24	.046	11	28.3	.79	330	.107	1	1.72	.009	.27	.1	.07	5.3	.1	<.05	5	<.5
RW-09309	1.0	78.4	7.2	68	<.1	19.4	17.4	514	3.81	7.2	.5	7.2	2.1	11	.1	1.4	.1	55	.21	.059	7	21.7	.57	157	.053	3	1.86	.007	.16	.1	.20	3.9	.1	<.05	4	<.5
RW-09314	1.5	28.0	23.7	61	.3	24.9	7.9	243	2.68	11.7	2.1	18.8	2.0	21	.1	.5	.2	39	.21	.109	48	27.9	.40	264	.035	2	1.62	.009	.10	.1	.08	3.4	.2	.10	4	<.5
RW-09315	.7	46.6	11.5	66	.1	136.1	32.3	480	3.43	5.5	1.0	7.3	3.2	30	.2	.4	.2	64	.65	.142	24	91.1	.85	355	.067	1	1.77	.012	.10	.2	.07	4.8	.2	<.05	5	<.5
RW-09316	1.1	12.8	8.8	28	<.1	11.7	4.2	163	1.84	5.6	.5	7.1	1.3	9	.1	.4	.2	58	.06	.038	11	17.9	.16	48	.063	1	.67	.008	.05	.1	.02	1.4	.1	<.05	6	<.5
RW-09317	1.0	24.8	9.8	52	<.1	30.9	13.1	442	3.28	16.9	.8	3.1	4.1	19	.2	.7	.1	50	.19	.047	16	33.1	.44	123	.061	1	1.62	.010	.08	.1	.03	3.0	.1	<.05	4	<.5
RW-09318	1.6	21.8	9.1	44	<.1	16.4	5.7	302	2.17	6.8	.8	1.6	.5	15	.1	.5	.2	63	.14	.064	12	26.7	.24	96	.049	1	.90	.008	.10	<.1	.05	1.3	.1	<.05	6	<.5
RW-09319	3.2	36.9	17.6	81	<.1	41.2	18.2	670	3.97	11.7	1.0	8.7	4.4	19	.2	.6	.2	71	.18	.074	18	53.8	.91	163	.092	1	2.14	.009	.22	.1	.02	4.1	.2	<.05	6	<.5
RW-09320	1.3	24.9	9.3	47	<.1	62.2	15.4	492	2.72	2.8	.5	.9	1.9	28	.1	.2	.1	57	.63	.091	10	89.3	.95	196	.113	1	1.41	.018	.19	.1	.02	2.7	.2	<.05	6	<.5
RW-09321	1.2	35.4	16.3	91	<.1	68.6	23.1	1151	4.00	5.0	.8	1.0	6.3	30	.1	.2	.1	64	.45	.065	19	97.7	1.31	182	.166	<1	2.30	.011	.38	.1	.01	4.0	.4	<.05	7	<.5
RW-09322	1.2	30.0	13.0	64	.1	36.7	19.0	1422	3.35	4.8	1.0	1.3	3.0	38	.1	.3	.2	61	.68	.072	20	62.5	.84	194	.100	1	1.83	.013	.09	.1	.03	3.4	.2	.06	6	<.5
RW-09323	.8	33.7	11.7	72	<.1	34.7	15.3	809	3.35	5.3	1.2	1.1	5.4	31	.1	.3	.1	62	.61	.065	28	44.5	.84	160	.112	1	1.85	.011	.14	.1	.03	4.3	.2	<.05	6	<.5
RW-09324	.9	28.8	10.3	67	.1	26.9	13.3	1031	2.93	5.4	1.1	.5	2.1	49	.1	.4	.2	55	.95	.084	21	41.2	.75	195	.071	1	1.79	.013	.08	.1	.04	2.9	.2	<.05	5	<.5
RW-09325	.8	30.0	11.8	72	<.1	33.8	15.6	733	3.35	7.9	1.1	2.4	3.8	30	<.1	.2	.2	63	.51	.069	22	44.3	.90	181	.097	1	2.05	.011	.08	.1	.03	4.6	.2	<.05	6	<.5
RW-09326	1.1	33.2	7.7	73	<.1	43.3	19.1	720	3.61	6.4	1.1	1.5	3.7	38	.1	.3	.1	78	.75	.141	19	52.5	.99	199	.123	2	2.04	.012	.13	.1	.02	4.5	.2	<.05	6	<.5
RW-09327	1.0	29.1	8.3	61	<.1	34.5	14.9	700	2.99	7.6	1.1	1.8	1.5	35	.1	.3	.2	63	.71	.125	19	47.0	.65	207	.068	2	1.73	.014	.06	.1	.03	3.2	.2	<.05	6	<.5
RW-09328	.6	43.4	9.2	109	<.1	34.4	14.9	507	4.42	2.8	1.0	<.5	13.4	25	<.1	.1	.1	55	.32	.087	41	52.8	1.26	198	.198	<1	2.24	.009	.94	.1	.01	3.6	.6	.14	6	<.5
RW-09329	.9	43.6	9.3	83	<.1	52.7	20.4	697	3.75	5.4	1.3	.9	7.9	31	.1	.2	.1	70	.60	.135	36	53.5	1.01	214	.140	1	2.06	.010	.25	.1	.03	4.5	.2	<.05	6	<.5
RW-09334	1.0	22.9	8.7	59	<.1	24.2	10.7	267	3.15	14.0	1.0	1.0	5.9	14	.1	.4	.1	60	.18	.041	23	33.6	.59	109	.104	2	1.66	.011	.12	.1	.02	3.0	.2	<.05	6	<.5
RW-09335	1.2	77.4	11.5	89	.1	108.7	34.2	782	5.21	4.9	1.4	2.9	10.3	28	.1	.4	.1	144	.50	.105	55	213.2	1.97	572	.176	2	2.74	.011	.64	.1	.01	8.4	.4	<.05	9	.7
STANDARD DS6	11.7	124.0	30.6	143	.3	25.1	10.9	701	2.84	19.5	6.8	47.9	3.1	40	6.1	3.6	5.0	57	.81	.078	13	185.7	.58	164	.082	18	1.93	.071	.14	3.7	.23	3.3	1.8	<.05	6	3.7

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.6	1.9	2.8	36	<.1	6.7	3.8	448	1.61	<.5	1.9	1.4	4.0	60	<.1	<.1	.1	34	.48	.081	6	72.6	.50	185	.110	1	.80	.055	.43	<.1	<.01	1.5	.3	<.05	4	<.5
RW-09336	2.6	72.8	14.1	85	.3	73.7	24.0	850	4.39	19.5	1.4	4.3	5.2	24	.2	.3	.2	126	.35	.094	32	138.2	1.37	678	.121	1	2.21	.010	.31	.1	.02	6.2	.4	<.05	9	1.1
RW-09337	1.8	35.0	10.6	75	.2	34.9	16.2	622	3.35	14.5	1.2	5.6	3.6	16	.2	.6	.2	63	.20	.064	25	45.4	.63	435	.056	2	1.68	.008	.13	.2	.04	3.8	.2	<.05	6	.7
RW-09338	.8	29.8	10.8	87	<.1	30.6	16.6	588	4.13	5.7	1.0	2.1	13.8	11	.1	.3	.1	49	.19	.055	25	49.2	.99	137	.150	1	2.09	.006	.54	.1	.01	3.4	.5	<.05	7	.5
RW-09339	1.0	24.4	9.5	56	<.1	26.1	11.7	335	3.19	7.9	.9	4.5	6.1	14	<.1	.4	.2	57	.16	.038	27	37.5	.62	169	.078	1	1.77	.009	.11	.1	.02	3.5	.2	<.05	6	.6
RW-09340	.8	25.2	9.6	57	<.1	25.9	12.0	345	3.20	8.2	.8	3.0	7.4	13	.1	.4	.1	59	.16	.039	24	39.1	.65	126	.090	1	1.84	.008	.11	.2	.03	3.5	.2	<.05	6	.5
RW-09341	1.2	45.8	15.6	82	.1	18.1	15.9	373	4.12	11.6	.6	14.4	2.4	16	<.1	.8	.1	79	.38	.065	9	33.4	.73	256	.081	2	1.84	.011	.12	.2	.13	4.9	.2	<.05	7	.5
RW-09342	.9	43.1	8.2	63	.1	20.2	25.6	884	3.53	8.4	.7	6.1	2.1	21	.1	.6	.1	70	.47	.066	9	44.1	.79	267	.094	2	1.72	.013	.10	.1	.06	4.6	.1	<.05	6	.7
RW-09343	1.1	59.8	9.8	67	<.1	24.1	15.1	248	3.35	7.8	.9	5.7	3.8	21	.2	.5	.1	84	.44	.071	13	45.7	.81	258	.112	1	1.82	.014	.12	.1	.06	6.3	.1	<.05	6	.7
RW-09344	1.0	53.8	8.7	73	.1	27.7	12.5	309	2.97	8.2	1.2	6.6	4.3	26	.2	.4	.2	67	.46	.080	17	44.9	.77	318	.104	1	1.62	.015	.12	.1	.05	5.6	.1	<.05	5	.7
RW-09345	1.3	62.8	17.4	85	.1	29.1	13.7	380	3.32	7.3	.9	28.0	5.7	26	.3	.6	.2	71	.50	.094	20	41.7	.71	303	.100	1	1.47	.019	.16	.2	.06	7.1	.2	<.05	5	.7
RW-09346	1.4	75.8	19.7	82	.2	26.7	17.8	384	3.66	4.5	.7	42.0	3.7	22	.2	.5	.1	77	.47	.097	13	40.4	.92	352	.127	1	1.81	.015	.23	.1	.10	6.8	.2	<.05	6	.8
RW-09347	1.3	73.1	15.5	94	.1	25.4	21.3	625	4.51	6.5	.6	14.2	2.8	18	.2	.4	.2	95	.30	.082	10	52.1	1.03	235	.134	1	2.35	.014	.25	.1	.02	5.5	.2	<.05	8	.8
RW-09348	1.2	44.6	8.1	65	<.1	26.4	18.8	670	3.97	7.4	.5	33.9	1.9	16	.2	.4	.1	93	.27	.085	8	74.0	.91	215	.116	2	1.91	.013	.15	.2	.05	5.2	.1	<.05	8	.7
RW-09349	2.1	42.7	8.1	73	<.1	18.8	19.4	639	4.35	6.6	.5	61.5	2.1	13	.2	.4	.1	101	.19	.072	7	30.0	.83	172	.128	1	2.20	.012	.20	.1	.03	4.4	.1	<.05	8	1.1
RW-09350	.9	60.0	9.6	76	<.1	19.9	15.7	596	4.01	5.3	.6	14.9	2.5	16	.2	.4	.1	86	.24	.046	12	29.5	.85	363	.085	1	1.93	.010	.19	.1	.03	6.7	.1	<.05	7	.7
RW-09351	1.5	25.0	18.5	68	.2	14.6	7.7	387	3.66	13.8	.5	31.1	2.3	13	.1	.5	.1	63	.14	.059	9	29.7	.44	97	.059	1	1.68	.012	.06	.2	.07	3.7	.1	.06	7	.8
RW-09352	1.6	25.8	13.4	79	<.1	17.9	13.1	633	3.75	10.1	.7	8.4	2.9	19	.1	.9	.1	66	.19	.057	11	28.3	.45	165	.046	3	1.84	.015	.09	.1	.03	6.3	.1	.06	6	.5
RE RW-09352	1.5	24.9	13.6	80	<.1	17.6	13.0	623	3.88	10.0	.7	11.6	2.9	18	.3	.8	.2	65	.18	.056	11	28.0	.45	173	.046	3	1.82	.016	.09	.1	.04	6.3	.1	<.05	6	.6
RW-09353	1.7	19.9	15.7	73	.1	14.2	7.5	290	3.59	12.8	.5	16.4	2.6	14	.1	.4	.1	35	.11	.043	8	20.6	.42	109	.053	1	1.71	.026	.11	.1	.04	3.1	.1	.17	5	.7
RW-09354	2.0	26.4	12.9	63	.2	11.4	6.1	279	4.28	12.7	.6	53.2	2.6	12	.1	.6	.2	61	.11	.056	10	24.2	.43	118	.077	1	1.78	.013	.09	.1	.05	4.0	.1	.06	8	.5
RW-09355	1.6	53.5	25.6	81	.2	10.8	8.8	352	4.14	12.9	1.0	22.4	3.4	14	.2	.4	.1	44	.16	.054	13	19.9	.53	165	.061	2	1.58	.014	.14	.1	.05	5.8	.1	.07	6	.7
RW-09356	2.0	31.4	33.4	73	.2	6.0	5.7	293	4.86	12.1	.5	14.1	3.2	26	.1	.2	.1	31	.07	.065	10	10.1	.46	186	.077	<.1	1.38	.072	.33	.1	.02	4.1	.1	.63	6	.9
RW-09357	2.9	26.8	107.0	81	.1	10.3	5.6	159	5.13	15.8	.7	15.6	5.3	10	.1	.5	.2	22	.07	.061	10	14.5	.28	109	.032	1	1.36	.026	.10	.1	.04	3.8	.1	.19	4	.7
RW-09358	1.1	28.5	12.9	55	.1	14.1	7.3	253	3.47	7.8	.7	27.7	2.2	13	.1	.4	.1	49	.14	.035	13	24.5	.47	189	.059	2	1.60	.012	.08	.1	.05	4.8	.1	<.05	6	.8
RW-09359	.9	23.4	10.1	55	<.1	18.0	8.3	286	3.09	8.3	.6	23.1	3.0	15	.1	.4	.1	57	.19	.039	10	31.8	.51	139	.073	1	1.88	.010	.08	.2	.04	4.0	.1	<.05	6	.5
RW-09360	1.1	19.1	7.5	59	<.1	13.5	8.6	416	2.68	6.0	.5	24.9	2.0	15	.2	.4	.1	52	.21	.049	10	27.4	.47	118	.080	2	1.57	.010	.09	.1	.03	4.1	.1	<.05	6	<.5
RW-09361	.6	17.3	8.1	56	<.1	13.8	5.8	163	2.40	6.1	.7	11.1	1.9	18	.1	.3	.1	44	.23	.068	11	24.6	.45	203	.073	2	1.45	.012	.07	.1	.05	4.4	.1	<.05	6	<.5
RW-09362	.9	20.0	10.3	64	.1	14.5	8.6	254	3.12	9.1	.9	34.9	3.1	21	.1	.5	.1	52	.30	.069	15	28.0	.49	230	.081	2	1.48	.013	.09	.1	.05	5.3	.1	<.05	5	<.5
RW-09363	1.0	23.7	9.4	63	.1	14.8	7.9	199	2.91	7.6	.8	8.3	2.4	19	.2	.4	.1	53	.23	.062	12	26.7	.51	198	.070	1	1.55	.012	.07	.1	.05	4.8	.1	<.05	6	<.5
RW-09364	.9	31.7	8.4	73	.1	17.5	11.4	277	2.92	5.5	.8	14.6	3.6	18	.1	.4	.1	62	.26	.062	14	31.0	.60	239	.089	2	1.54	.013	.07	.1	.04	6.0	.1	<.05	5	.5
RW-09365	1.1	25.5	8.7	65	.1	14.4	7.6	177	2.96	8.5	.9	11.7	4.2	17	.1	.5	.1	46	.21	.053	14	24.5	.50	173	.079	1	1.42	.011	.08	.1	.07	5.1	.1	<.05	5	.6
RW-09366	1.2	23.8	13.2	85	.1	17.7	7.0	195	2.97	8.0	1.0	10.7	3.2	20	.2	.5	.1	45	.24	.063	15	30.7	.52	160	.073	1	1.37	.012	.10	.1	.09	4.4	.1	<.05	5	<.5
RW-09367	1.1	23.9	8.9	91	.1	20.8	10.0	445	3.12	8.6	.9	23.8	2.8	18	.2	.4	.1	53	.23	.067	15	32.6	.54	171	.081	2	1.80	.011	.10	.1	.11	4.2	.1	<.05	6	<.5
RW-09368	1.2	15.4	8.3	70	.1	12.1	10.5	861	2.80	6.9	.5	9.4	1.7	13	.2	.5	.2	51	.16	.052	8	24.5	.45	110	.079	1	1.34	.010	.09	.1	.04	3.7	.1	<.05	7	<.5
STANDARD DS6	11.6	123.5	30.0	143	.3	24.7	10.8	704	2.83	20.4	6.8	46.1	3.1	41	6.1	3.6	5.1	56	.86	.078	14	185.4	.58	164	.084	18	1.93	.074	.16	3.5	.23	3.3	1.8	<.05	6	4.6

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.7	2.2	3.2	42	<.1	6.3	3.8	496	1.81	<.5	1.9	1.3	4.0	69	<.1	<.1	.1	37	.54	.081	8	81.7	.53	204	.122	1	.87	.058	.43	<.1	<.01	2.0	.3	<.05	5	<.5
RW-09369	1.6	41.5	13.0	91	.3	19.9	11.0	522	3.41	8.6	1.4	25.5	3.7	21	.2	.5	.2	55	.29	.076	33	31.8	.53	396	.074	2	1.85	.012	.12	.1	.08	5.9	.1	<.05	6	.7
RW-09370	1.4	45.4	11.7	89	.2	20.6	9.8	498	3.27	7.2	1.4	34.9	4.5	22	.2	.5	.1	54	.32	.074	33	31.1	.56	373	.096	2	1.67	.013	.13	.1	.08	6.1	.1	<.05	6	.6
RW-09371	1.1	30.7	11.9	72	.2	23.4	10.9	391	3.14	9.7	1.4	14.9	4.2	21	.2	.5	.2	63	.26	.065	27	35.3	.53	302	.068	2	1.96	.011	.08	.1	.06	4.8	.1	<.05	6	<.5
RW-09372	1.1	30.2	9.6	92	.1	25.8	13.7	398	3.03	7.6	1.1	5.4	5.8	18	.2	.3	.2	62	.30	.069	18	35.2	.63	219	.092	2	1.61	.011	.17	.1	.03	3.8	.2	<.05	6	<.5
RW-09373	1.2	52.2	8.6	73	.1	21.9	15.7	448	2.88	6.6	1.2	6.8	4.0	20	.2	.3	.1	61	.33	.075	26	28.7	.55	386	.083	1	1.60	.012	.12	.2	.04	4.3	.1	<.05	5	<.5
RW-09374	.6	48.3	5.5	72	<.1	22.7	14.9	353	3.10	3.8	.5	8.2	2.5	20	.1	.3	.1	75	.35	.073	10	48.6	.85	235	.137	1	1.71	.016	.23	.1	.03	4.0	.2	<.05	6	<.5
RW-09375	.7	49.0	5.8	76	<.1	19.5	12.3	351	3.10	4.5	.4	4.1	2.0	20	.1	.2	.1	69	.32	.061	8	33.2	.85	223	.148	1	1.66	.013	.27	.1	.03	3.4	.2	<.05	7	<.5
RW-09376	.6	48.5	7.4	73	<.1	19.2	11.6	307	2.93	4.8	.6	5.7	2.7	20	.1	.3	.1	65	.34	.066	10	31.5	.82	225	.131	1	1.84	.013	.17	.2	.04	4.1	.1	<.05	6	<.5
RW-09377	1.0	37.3	7.4	63	.1	16.4	12.6	366	3.06	5.3	.6	7.0	1.9	16	.1	.3	.1	62	.25	.068	9	27.7	.68	208	.105	2	1.70	.013	.13	.1	.06	3.7	.1	<.05	6	.5
RE RW-09377	1.0	36.0	7.9	65	.2	16.5	13.1	399	3.13	4.9	.6	8.8	2.0	17	.1	.3	.1	65	.26	.069	9	28.8	.70	215	.109	1	1.74	.013	.14	.1	.04	3.8	.1	<.05	6	<.5
RW-09378	1.2	56.6	13.5	73	.3	19.5	12.5	315	4.01	7.3	1.0	13.3	2.3	19	.2	.4	.2	63	.26	.075	10	33.6	.66	273	.088	1	1.88	.013	.13	.2	.09	4.5	.1	<.05	6	.7
RW-09379	1.1	49.8	8.1	66	.2	12.7	8.8	334	2.50	4.1	.8	7.6	1.1	21	.1	.3	.1	54	.20	.062	7	23.9	.54	294	.082	2	1.33	.022	.17	<.1	.06	3.3	.1	.06	6	.5
RW-09380	1.2	72.5	11.7	92	.1	18.0	9.6	294	3.75	5.2	.9	12.2	2.4	18	.1	.4	.2	82	.22	.056	11	40.6	1.02	294	.132	1	2.27	.015	.27	.1	.05	4.9	.2	<.05	8	1.2
RW-09381	1.6	72.8	8.4	78	.1	16.9	11.8	339	3.96	6.4	.9	9.3	2.5	20	.2	.3	.2	91	.21	.054	11	33.1	.94	354	.122	2	2.24	.015	.23	.1	.05	6.1	.2	.06	8	1.2
RW-09382	1.2	37.4	6.8	47	<.1	10.7	6.1	231	2.50	4.9	.6	2.9	.8	16	.1	.3	.1	64	.15	.041	8	21.4	.51	233	.073	1	1.26	.016	.10	.1	.04	2.8	.1	<.05	6	.5
RW-09383	1.5	42.6	8.1	68	.2	19.2	12.1	348	3.38	7.1	.9	11.8	2.4	20	.1	.3	.2	77	.25	.063	12	33.2	.78	281	.108	1	2.02	.010	.14	.2	.06	4.7	.1	<.05	8	.6
RW-09384	1.4	45.7	8.8	74	<.1	17.2	10.4	289	3.05	5.5	.8	3.6	2.9	14	.1	.4	.2	80	.20	.045	14	30.3	.96	229	.111	1	2.06	.011	.24	.1	.04	5.0	.2	<.05	7	.7
RW-09385	1.1	41.9	8.1	67	<.1	19.7	13.7	348	2.98	6.6	.7	3.0	2.9	16	.1	.4	.1	71	.25	.054	15	37.4	.73	214	.103	2	1.89	.012	.11	.1	.03	4.9	.1	<.05	6	.5
RW-09386	1.8	74.8	16.3	74	.2	22.6	15.8	512	3.89	7.6	.7	12.1	2.3	15	.1	.5	.2	88	.23	.053	13	55.4	.94	378	.084	3	2.27	.011	.14	.1	.08	7.1	.2	<.05	8	.5
RW-09387	1.6	69.5	12.7	85	<.1	19.4	18.8	571	3.83	11.7	.7	10.2	3.2	17	.3	.4	.1	82	.27	.050	13	35.2	1.07	371	.130	1	1.75	.014	.25	.1	.03	5.1	.2	<.05	6	.9
RW-09388	1.0	24.9	8.4	63	<.1	27.0	10.0	362	2.80	20.6	.8	1.7	4.7	32	.2	.4	.1	57	.63	.078	23	39.6	.63	344	.090	1	1.50	.014	.14	.1	.02	3.4	.1	<.05	6	<.5
RW-09389	1.0	29.0	10.4	96	<.1	35.7	15.6	521	4.17	6.8	1.3	5.8	15.2	20	.1	.2	.1	56	.47	.071	32	52.5	1.07	373	.259	1	2.14	.010	.90	<.1	.02	4.8	.6	<.05	8	<.5
RW-09390	1.0	27.8	9.6	85	<.1	31.5	13.2	523	3.47	16.7	1.1	3.6	10.3	30	.2	.4	.1	48	.66	.087	38	37.1	.62	272	.114	1	1.56	.012	.36	.1	.04	4.1	.3	<.05	5	<.5
RW-09391	.9	24.6	8.2	82	<.1	31.6	13.1	346	3.23	19.1	.9	2.8	9.5	20	.1	.3	.1	52	.35	.056	20	41.3	.78	214	.123	1	1.66	.011	.31	.1	.02	3.3	.3	<.05	6	<.5
RW-09392	1.1	22.5	8.5	72	<.1	27.2	13.7	482	3.02	11.6	.9	4.0	7.4	20	.1	.3	.1	55	.31	.059	24	37.4	.65	359	.093	1	1.60	.010	.15	.1	.03	3.4	.2	<.05	6	.5
RW-09393	1.3	25.0	8.9	69	.1	23.6	10.4	362	2.76	9.5	.8	7.5	2.3	21	.2	.3	.1	55	.29	.056	27	35.3	.55	275	.079	2	1.41	.012	.12	.1	.03	2.7	.1	<.05	6	<.5
RW-09394	1.1	26.3	9.9	65	.1	28.3	9.2	313	2.92	13.5	1.2	3.1	5.8	27	.1	.3	.1	55	.40	.055	33	39.9	.61	394	.098	2	1.60	.014	.13	.1	.04	3.8	.2	<.05	7	.6
RW-09395	1.1	23.1	8.7	70	.1	26.7	10.6	318	2.95	13.4	.9	4.6	8.6	20	.1	.4	.1	55	.32	.052	33	39.6	.67	263	.123	2	1.63	.013	.26	.1	.03	3.8	.2	<.05	7	.5
RW-09396	1.2	22.5	7.9	50	.1	19.2	8.6	298	2.12	6.7	.9	4.0	3.8	19	.3	.3	.1	45	.24	.040	28	28.5	.44	253	.076	1	1.16	.012	.12	.2	.03	2.5	.2	<.05	6	.5
RW-09397	1.1	24.1	9.6	75	<.1	28.2	12.3	437	3.05	10.0	1.1	2.6	8.5	30	.1	.3	.1	58	.50	.053	34	39.4	.69	323	.117	1	1.64	.013	.23	.1	.04	3.6	.3	<.05	7	.6
RW-09398	.7	25.1	8.0	78	<.1	16.3	8.7	254	2.40	3.9	.6	5.1	2.0	20	.2	.2	.1	56	.32	.069	10	27.2	.57	156	.087	2	1.41	.019	.09	.1	.03	3.7	.1	<.05	5	<.5
RW-09399	.6	22.3	8.0	75	<.1	14.8	7.2	227	2.46	4.2	.5	16.9	1.6	19	.2	.2	.1	53	.34	.080	9	28.5	.60	147	.082	1	1.40	.017	.08	.1	.05	3.8	.1	.06	6	.9
RW-09400	.5	21.2	9.6	65	.1	14.4	6.2	173	2.11	4.1	.6	50.6	1.3	20	.1	.4	.1	43	.30	.063	11	27.3	.47	264	.060	1	1.27	.017	.05	.2	.08	3.8	.1	.07	5	.5
RW-09401	.9	114.7	5.8	88	.1	27.0	20.8	442	4.36	4.4	.7	11.5	2.8	24	.1	.3	.1	105	.44	.109	12	51.4	1.09	409	.159	1	2.12	.017	.38	.1	.04	6.3	.2	.06	8	.8
STANDARD DS	11.6	123.4	30.1	143	.3	24.6	10.8	703	2.81	20.7	6.8	45.8	3.1	41	6.1	3.6	5.1	57	.86	.078	14	187.4	.58	164	.082	17	1.93	.073	.15	3.4	.23	3.3	1.8	<.05	7	4.6

Standard is STANDARD DS6. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.7	2.2	3.2	39	<.1	6.0	3.9	504	1.83	<.5	2.0	1.5	4.0	71	<.1	<.1	.1	38	.56	.085	8	81.3	.52	200	.122	<.1	.87	.066	.46	<.1	<.01	1.9	.3	<.05	5	<.5
RW-09402	1.1	66.0	9.2	77	<.1	21.2	13.3	445	3.78	6.5	.7	21.4	3.1	20	.2	.4	.1	82	.27	.056	12	39.8	.88	302	.117	2	2.21	.014	.21	.1	.02	4.6	.1	<.05	7	.6
RW-09403	1.1	113.0	6.0	127	<.1	23.2	21.0	604	4.56	5.6	.6	7.8	3.1	19	.2	.3	.1	96	.29	.098	10	37.5	1.09	348	.138	1	2.22	.019	.41	.1	.02	4.3	.2	.14	7	1.3
RW-09404	1.8	135.3	6.4	218	<.1	14.7	10.0	485	6.03	4.3	.7	21.5	4.6	22	.2	.2	.2	107	.11	.059	14	46.4	1.54	362	.138	1	2.94	.030	.64	.1	.02	6.9	.3	.40	11	2.8
RW-09405	1.7	219.0	6.5	382	.2	13.4	14.9	533	6.81	2.9	1.0	6.8	3.5	20	.5	.2	.2	136	.18	.066	15	44.0	1.94	260	.157	1	3.15	.030	.82	<.1	.05	9.9	.3	.49	12	4.2
RW-09406	1.8	53.2	8.8	68	<.1	17.3	13.5	369	3.73	7.5	.7	5.4	2.5	17	.2	.5	.2	93	.23	.047	9	30.8	.83	263	.129	1	2.01	.014	.18	.1	.03	5.2	.2	<.05	8	.9
RW-09407	2.0	87.9	8.0	95	<.1	9.3	22.8	557	5.53	3.3	.5	144.4	2.7	9	.1	.3	.3	171	.12	.057	6	14.3	1.78	368	.157	2	2.74	.016	.80	.1	.01	16.8	.4	<.05	13	1.7
RW-09408	2.2	51.4	11.9	67	.1	17.5	16.8	523	3.74	7.4	.8	16.6	3.6	19	.1	.4	.2	85	.29	.056	15	27.0	.90	432	.106	1	2.02	.014	.25	.1	.03	6.2	.2	<.05	7	.9
RW-09409	1.5	39.1	12.7	77	<.1	21.5	16.5	605	3.93	9.8	1.0	11.5	4.9	16	.1	.4	.2	84	.22	.041	20	44.3	.76	530	.093	2	1.97	.011	.18	.1	.04	8.1	.2	<.05	7	.6
RW-09410	1.3	36.5	13.4	67	<.1	20.8	12.8	362	3.29	13.4	1.1	7.7	3.8	18	.1	.4	.2	76	.24	.048	19	43.2	.70	319	.082	1	1.90	.012	.10	.1	.03	6.2	.2	<.05	6	.6
RW-09411	2.4	62.2	30.5	154	.1	35.8	17.3	549	4.23	24.5	2.2	8.6	10.4	17	.2	.4	.3	59	.33	.094	39	38.1	.56	320	.065	2	1.16	.010	.16	.1	.03	6.3	.2	<.05	4	1.2
RW-09412	.6	43.4	10.6	108	<.1	16.2	19.7	603	3.85	4.3	.5	4.8	2.6	19	.2	.3	.1	94	.19	.031	9	27.6	1.06	238	.150	1	2.07	.026	.42	.1	.01	5.4	.3	.08	7	.7
RW-09413	1.2	36.7	9.6	69	<.1	15.8	11.6	378	3.77	3.7	.7	10.4	2.1	29	.2	.3	.1	81	.25	.063	12	27.5	.92	425	.126	1	1.91	.033	.38	.1	.02	4.8	.2	.20	7	1.4
RW-09414	.8	48.2	8.2	87	<.1	21.5	16.6	615	3.72	4.0	.7	7.6	3.0	21	.1	.3	.1	86	.37	.079	22	47.8	1.03	440	.172	1	1.98	.018	.37	.1	.02	5.7	.2	<.05	7	.5
RE RW-09414	.8	48.7	7.9	84	<.1	20.7	16.7	617	3.76	3.8	.7	8.1	3.0	20	.1	.3	.1	85	.37	.082	21	48.2	1.04	436	.167	1	1.98	.017	.37	.2	.02	5.8	.2	<.05	7	<.5
RW-09415	1.2	39.4	11.2	65	<.1	24.7	14.1	339	3.50	7.6	.8	3.7	3.6	18	.2	.4	.2	78	.25	.065	14	51.9	.78	258	.120	2	2.17	.012	.14	.1	.02	4.4	.2	<.05	7	<.5
RW-09416	1.2	67.9	8.8	81	<.1	27.2	18.7	446	3.95	23.4	.9	3.4	3.5	23	.2	.4	.1	90	.38	.078	16	57.5	1.06	530	.154	1	2.24	.015	.35	.1	.01	6.4	.2	<.05	8	<.5
RW-09417	1.2	39.5	11.8	66	.1	26.2	12.4	351	3.26	7.9	1.0	4.6	3.7	23	.1	.4	.2	80	.41	.069	20	56.2	.82	399	.096	2	2.06	.013	.14	.1	.03	6.0	.2	<.05	7	.6
RW-09418	1.3	53.1	10.2	94	<.1	24.1	17.0	495	3.86	7.8	1.0	6.3	5.7	18	.1	.3	.1	87	.28	.052	24	47.3	1.08	434	.149	1	2.01	.014	.33	.1	.03	6.4	.2	<.05	7	.5
RW-09419	1.8	54.3	8.3	81	<.1	18.1	18.7	505	4.04	6.8	.7	6.4	3.5	15	.2	.3	.1	88	.25	.054	12	23.3	.99	229	.133	1	2.08	.015	.28	.1	.02	5.5	.1	<.05	7	1.0
RW-09420	2.0	71.5	8.3	111	<.1	7.9	28.3	1006	6.41	3.9	.8	54.1	3.9	11	.2	.3	.1	151	.22	.063	15	10.7	1.52	797	.196	2	2.45	.012	.94	.1	.01	13.1	.3	<.05	9	1.1
RW-09421	2.1	70.6	9.9	79	.1	18.8	22.0	557	4.01	7.2	.9	32.9	2.7	18	.3	.6	.2	89	.19	.057	14	32.3	.81	368	.085	1	2.39	.012	.20	.2	.04	6.8	.2	<.05	8	1.4
RW-09422	2.2	158.1	5.4	83	<.1	8.8	11.6	353	7.30	<.5	.9	1.4	3.9	19	.1	.2	.4	192	.12	.052	9	14.6	2.14	688	.188	<.1	3.52	.035	.84	<.1	.07	15.4	.3	.30	13	9.4
RW-09423	1.1	40.2	9.4	91	.2	13.5	8.8	243	2.52	7.2	.6	10.6	1.8	22	.5	.4	.1	58	.37	.094	10	27.4	.47	224	.072	1	1.28	.021	.07	.1	.06	4.0	.1	.06	5	.7
RW-09424	.6	30.4	12.3	72	.1	17.9	8.9	231	2.20	3.9	.7	10.1	2.4	24	.1	.3	.1	61	.35	.059	14	34.3	.62	305	.085	1	1.67	.017	.07	.1	.11	4.5	.1	.06	6	.5
RW-09425	1.3	42.1	19.5	101	.2	21.2	13.5	284	3.80	11.5	.8	56.2	3.3	21	.2	1.2	.1	75	.38	.066	13	43.6	.73	323	.083	2	1.75	.015	.11	.1	.20	5.6	.1	<.05	6	.6
RW-09426	1.4	34.7	37.6	74	.2	20.2	11.4	253	3.27	11.4	.9	113.2	3.5	22	.1	1.3	.2	69	.37	.072	15	36.6	.67	245	.092	1	1.79	.013	.09	.2	.13	5.0	.1	<.05	6	<.5
RW-09427	1.3	47.5	40.9	88	.1	22.6	15.1	282	3.47	10.0	1.0	51.1	4.5	23	.1	1.2	.2	83	.39	.078	17	41.7	.77	302	.116	2	1.97	.017	.11	.1	.14	6.6	.2	<.05	7	.5
RW-09428	.7	23.5	8.7	75	<.1	14.6	6.6	175	2.54	5.6	.6	8.4	1.8	19	.2	.3	.1	59	.29	.069	11	29.2	.50	163	.077	1	1.51	.015	.06	.1	.07	3.7	.1	<.05	6	.5
RW-09429	.6	22.7	8.8	68	<.1	15.4	6.7	186	2.47	5.6	.6	6.9	1.6	21	.2	.3	.1	57	.30	.071	12	28.9	.51	169	.078	2	1.49	.016	.07	.2	.05	3.5	.1	<.05	6	.5
RW-09430	.6	26.8	9.8	80	.1	15.9	6.7	197	2.35	5.2	.7	28.0	2.0	23	.2	.3	.1	61	.36	.070	12	30.3	.54	208	.076	1	1.53	.016	.06	.1	.07	4.8	.1	<.05	6	.5
RW-09431	1.1	22.6	11.9	76	.1	16.9	10.6	378	2.82	7.0	.5	32.5	2.0	23	.1	.4	.1	69	.38	.072	10	35.1	.63	266	.075	2	1.56	.018	.08	.2	.08	4.5	.1	<.05	6	.5
RW-09432	.9	21.5	11.9	82	.1	17.8	12.2	352	2.80	5.3	.6	12.2	2.3	24	.1	.4	.1	65	.41	.074	11	37.6	.66	295	.074	2	1.72	.017	.08	.1	.10	5.1	.1	<.05	6	<.5
RW-09433	.9	22.2	14.9	95	.1	19.7	16.1	622	2.63	4.8	.5	10.8	1.9	27	.1	.4	.2	65	.44	.063	10	38.4	.77	342	.077	2	1.82	.017	.09	.1	.10	5.4	.1	<.05	8	<.5
RW-09434	1.3	23.8	17.8	85	.2	16.1	16.2	588	2.81	7.4	.6	26.5	1.3	24	.1	.7	.2	68	.36	.081	9	36.0	.59	336	.054	2	1.56	.017	.07	.1	.09	4.7	.1	<.05	6	<.5
STANDARD DS6	11.7	125.0	30.3	145	.3	25.6	11.0	711	2.87	20.5	6.7	53.3	3.2	41	6.1	3.8	5.1	57	.87	.078	15	189.2	.59	165	.084	17	1.94	.074	.16	3.4	.23	3.3	1.8	<.05	7	4.2

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.7	2.3	3.1	41	<.1	6.3	4.0	521	1.82	<.5	2.0	.8	4.4	75	<.1	<.1	.1	39	.55	.081	8	80.7	.54	212	.133	<.1	.94	.072	.45	.1	<.01	2.0	.3	<.05	5	<.5
RW-09435	.6	13.6	13.3	55	<.1	11.4	7.1	299	1.76	5.0	.4	5.6	1.1	17	.1	.4	.1	44	.24	.056	6	23.2	.43	174	.059	1	1.10	.019	.05	.1	.06	2.6	.1	<.05	4	<.5
RW-09436	1.0	29.0	21.2	88	<.1	20.0	12.0	265	3.14	10.6	.7	10.9	4.7	21	.2	.7	.1	72	.36	.076	12	38.1	.71	228	.111	1	1.80	.013	.09	.2	.11	4.5	.1	<.05	6	.7
RW-09437	1.3	44.8	16.0	99	.1	20.8	18.0	442	3.62	10.2	.9	30.7	4.5	22	.2	.6	.1	74	.36	.096	15	39.3	.79	306	.093	2	1.78	.015	.10	.1	.10	5.9	.1	<.05	6	.8
RW-09438	1.0	24.8	14.1	87	.1	15.1	11.0	331	3.03	7.5	.5	22.7	2.5	20	.1	.5	.1	66	.35	.089	9	33.8	.70	211	.073	2	1.67	.016	.09	.1	.15	4.3	.2	<.05	6	<.5
RW-09439	1.7	42.0	18.6	100	.1	19.0	12.3	277	3.53	12.4	.6	34.3	3.5	20	.2	1.1	.2	79	.32	.095	12	39.0	.71	283	.070	4	1.89	.015	.09	.1	.24	5.4	.2	<.05	7	.5
RW-09440	2.0	48.1	16.2	116	.1	18.5	12.8	280	3.82	8.5	.7	91.3	4.1	17	.2	1.5	.1	79	.34	.091	12	38.4	.82	194	.075	4	1.94	.017	.11	.1	.29	5.6	.2	<.05	6	.5
RW-09441	1.6	52.3	13.7	126	.1	22.0	22.1	508	4.37	8.3	.7	28.3	3.8	19	.2	.7	.1	87	.34	.092	12	49.2	1.01	246	.088	2	1.99	.015	.11	.1	.18	6.6	.1	<.05	7	.7
RW-09442	1.2	52.5	10.2	114	<.1	23.0	17.2	360	3.87	6.3	.6	35.7	3.5	19	.2	.5	.1	82	.35	.085	11	48.0	1.08	210	.121	1	1.98	.017	.15	.1	.13	5.6	.1	<.05	8	<.5
RW-09443	1.1	44.8	8.1	69	.1	14.8	9.3	226	2.86	4.8	.5	8.2	1.1	15	.1	.3	.1	67	.23	.065	8	36.2	.71	137	.078	1	1.56	.018	.07	.1	.05	3.9	.1	<.05	6	.5
RE RW-09443	1.1	45.0	8.5	69	.1	15.0	9.5	225	2.85	5.3	.5	9.7	1.1	15	.1	.3	.1	66	.21	.068	8	36.3	.73	139	.079	1	1.60	.018	.06	.1	.08	3.8	.1	<.05	7	.5
RW-09445	1.8	16.5	13.1	46	.1	13.0	5.9	281	2.98	11.2	.8	2.7	3.4	12	.1	.7	.2	71	.09	.048	13	30.3	.32	71	.080	<.1	1.46	.009	.09	.1	.06	2.2	.2	<.05	8	<.5
RW-09446	1.4	20.0	13.2	58	<.1	22.7	11.6	446	3.65	12.5	.7	2.0	5.5	13	.2	.5	.2	65	.13	.045	13	39.0	.53	95	.096	1	2.00	.009	.10	.1	.04	3.0	.2	<.05	7	<.5
RW-09447	1.2	27.3	12.8	82	<.1	34.1	14.8	670	3.30	10.9	1.2	8.3	9.4	18	.1	.4	.2	55	.24	.074	26	44.3	.73	150	.110	1	1.77	.010	.25	.1	.04	3.3	.2	<.05	5	<.5
RW-09448	1.3	20.1	16.2	59	<.1	20.7	9.3	397	3.42	8.6	.9	11.4	4.9	12	.2	.5	.2	68	.12	.044	16	36.4	.44	78	.085	1	1.67	.009	.10	.1	.06	2.5	.2	<.05	7	<.5
RW-09449	1.3	32.1	15.4	94	.1	36.4	14.5	575	3.52	15.5	1.5	14.5	12.9	19	.1	.4	.2	47	.32	.065	38	42.3	.75	195	.123	1	1.59	.011	.35	.1	.02	3.8	.3	<.05	5	<.5
RW-09450	1.1	29.1	21.4	89	.1	33.7	14.4	651	3.65	13.3	1.5	1.7	9.5	21	.1	.4	.3	49	.34	.060	34	42.5	.67	215	.099	1	1.53	.011	.23	.1	.03	3.6	.3	<.05	5	<.5
RW-09451	1.9	31.2	28.1	89	.2	35.6	17.3	978	3.84	36.5	1.8	1.5	7.9	24	.2	.6	.3	53	.32	.083	34	44.7	.64	265	.090	1	1.58	.012	.25	.1	.04	3.7	.3	.08	6	<.5
RW-09452	3.1	43.7	24.0	120	.5	46.9	13.9	668	3.77	51.2	1.7	12.8	4.2	26	.3	1.6	.3	59	.27	.081	22	37.0	.52	430	.044	2	1.60	.010	.11	.1	.09	3.9	.2	<.05	4	1.1
RW-09453	1.2	43.4	12.6	116	.1	21.2	16.8	671	3.74	9.8	.6	19.4	2.9	24	.3	.8	.1	75	.51	.091	11	37.9	.81	328	.105	3	1.72	.017	.13	.1	.11	4.9	.1	<.05	6	.5
RW-09454	1.2	51.6	13.0	95	.1	21.9	13.6	494	3.37	7.4	.7	27.1	3.3	23	.3	.7	.1	72	.45	.082	12	38.2	.78	294	.100	2	1.75	.015	.15	.1	.10	5.3	.1	<.05	5	.6
RW-09455	1.3	27.6	13.4	67	.1	17.2	8.6	219	2.51	5.7	.7	24.9	1.7	21	.1	.3	.2	57	.36	.072	10	29.3	.55	298	.071	2	1.46	.015	.06	.1	.12	3.8	.1	<.05	5	.6
RW-09456	.7	31.2	13.4	80	.1	19.6	10.2	232	2.83	6.4	.9	20.0	3.4	21	.2	.4	.1	62	.34	.064	14	33.8	.59	289	.086	2	1.73	.014	.07	.2	.14	4.6	.1	<.05	6	.7
RW-09457	1.0	38.9	9.9	105	.1	18.6	12.7	422	2.90	7.1	.7	8.0	3.2	22	.2	.3	.1	62	.36	.071	11	31.4	.60	221	.093	1	1.56	.018	.07	.1	.06	4.0	.1	<.05	5	.6
RW-09458	.7	27.4	7.3	82	.1	13.9	5.9	168	2.33	5.3	.6	26.5	1.5	21	.3	.2	.1	51	.32	.078	8	24.9	.50	200	.069	1	1.34	.016	.05	.1	.06	3.3	.1	.08	6	.5
RW-09459	1.1	36.6	10.8	115	<.1	18.0	9.6	292	3.17	9.7	.5	12.0	2.7	20	.4	.4	.2	67	.35	.091	10	28.7	.59	221	.078	1	1.61	.013	.07	.1	.04	4.0	.1	<.05	6	<.5
RW-09460	1.2	49.2	10.9	85	.2	20.6	13.7	327	4.35	14.5	.9	27.6	3.8	22	.1	.5	.1	81	.34	.093	13	35.4	.77	332	.109	2	2.12	.015	.13	.1	.06	6.9	.1	<.05	8	<.5
RW-09461	.8	33.0	9.7	65	.2	16.8	8.4	191	3.48	13.6	.7	99.3	2.0	18	.1	.4	.1	78	.27	.081	10	33.1	.65	169	.088	2	1.92	.015	.10	.1	.07	4.7	.1	<.05	7	<.5
RW-09462	.7	48.2	9.6	72	.2	20.1	12.1	233	3.51	15.4	.7	213.8	2.3	19	.1	.5	.1	87	.31	.081	11	39.6	.86	183	.106	2	2.15	.018	.11	.1	.06	6.1	.2	<.05	7	<.5
RW-09463	.7	79.7	7.5	73	.1	20.6	18.8	299	3.71	7.8	.7	7.5	2.3	23	.2	.4	.1	101	.46	.102	10	35.3	.96	198	.133	1	2.04	.024	.14	.1	.04	5.8	.1	<.05	7	.6
RW-09464	.9	40.3	8.6	69	<.1	19.2	12.8	228	3.34	11.0	.5	7.8	1.8	19	.1	.4	.1	89	.35	.086	9	34.4	.77	168	.089	2	1.98	.019	.09	.1	.05	5.0	.1	<.05	7	<.5
RW-09465	.7	38.2	8.9	66	.1	19.4	9.5	198	3.26	7.8	.7	7.2	2.4	17	.1	.5	.1	81	.26	.082	10	34.2	.71	163	.085	3	2.00	.015	.08	.1	.05	5.4	.1	<.05	6	.5
RW-09466	.7	32.3	7.8	69	<.1	19.3	10.0	219	3.08	5.7	.6	2.4	2.6	18	.1	.4	.1	75	.30	.070	10	34.3	.69	201	.083	2	1.82	.017	.08	.1	.04	5.2	.1	<.05	6	<.5
RW-09467	.8	33.2	9.3	74	.1	22.5	16.0	405	3.21	6.3	.7	2.5	3.5	23	.2	.5	.1	73	.35	.085	12	36.7	.68	328	.095	2	1.99	.016	.09	.1	.05	6.2	.1	<.05	6	.5
RW-09468	.7	20.8	9.2	64	<.1	18.3	8.3	202	3.31	7.7	.6	3.9	2.8	18	.1	.4	.1	63	.26	.060	11	33.1	.56	170	.086	1	1.93	.011	.07	.1	.04	4.4	.1	<.05	7	<.5
STANDARD DS6	11.6	123.3	31.6	143	.3	25.2	10.9	701	2.85	19.5	6.9	46.2	3.1	41	6.1	3.5	5.2	56	.86	.078	13	186.1	.58	162	.080	16	1.90	.073	.15	3.5	.23	3.3	1.8	<.05	6	4.3

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.7	2.4	2.9	42	<.1	6.5	3.9	497	1.77	<.5	1.9	3.3	4.8	73	<.1	<.1	.1	38	.54	.083	7	77.8	.53	215	.126	1	.85	.068	.46	<.1	.01	2.1	.3	<.05	4	<.5
RW-09469	.6	18.5	7.7	49	<.1	13.4	4.8	123	4.32	17.5	.7	5.1	2.2	18	.1	.6	.1	77	.23	.083	9	28.6	.40	214	.056	2	1.43	.011	.05	.1	.06	4.2	.1	.08	5	<.5
RW-09470	.4	11.2	8.4	53	<.1	12.4	5.1	137	1.71	2.7	.4	7.5	2.1	17	.1	.4	.1	37	.24	.045	7	28.8	.45	149	.071	1	1.50	.010	.06	.1	.05	3.6	.1	<.05	6	<.5
RW-09471	.6	11.2	6.1	47	.1	10.6	4.6	119	2.05	3.7	.5	12.6	.8	20	.1	.4	.1	33	.29	.068	7	23.0	.38	177	.051	1	1.10	.010	.05	.1	.05	2.6	.1	.06	5	<.5
RW-09472	.7	12.9	9.0	64	<.1	15.6	6.0	188	2.39	5.1	.5	9.8	2.6	20	<.1	.5	.1	49	.32	.059	9	29.3	.53	168	.085	2	1.62	.011	.06	.2	.06	3.8	.1	<.05	6	<.5
RW-09473	.8	13.8	10.2	52	.1	13.3	5.4	141	2.61	6.9	.6	19.3	1.9	22	.1	.5	.2	47	.31	.072	9	27.3	.43	239	.057	1	1.34	.012	.05	.1	.06	3.8	.1	<.05	4	<.5
RW-09474	.7	22.4	10.6	65	<.1	16.4	6.9	169	2.23	5.8	.7	5.3	3.4	20	.2	.6	.1	53	.30	.063	12	29.2	.52	241	.081	1	1.49	.013	.06	.2	.05	4.5	.1	<.05	5	<.5
RW-09475	.7	15.6	9.0	60	<.1	15.1	6.7	166	2.33	9.2	.5	6.4	2.8	18	.1	.5	.1	50	.25	.053	9	27.9	.49	191	.071	<1	1.46	.010	.05	.2	.05	3.7	.1	<.05	5	<.5
RW-09476	.5	17.0	8.9	59	<.1	16.0	6.1	162	1.96	4.8	.6	124.1	3.1	19	.1	.5	.1	46	.28	.050	10	29.9	.51	190	.083	1	1.54	.012	.06	.2	.06	3.8	.1	<.05	5	<.5
RW-09477	1.2	19.4	8.1	56	.1	15.3	6.4	158	4.91	7.4	.7	13.6	3.0	21	.1	.4	.1	53	.30	.073	11	27.5	.48	234	.072	2	1.42	.011	.07	.2	.05	4.3	.1	<.05	5	.5
RW-09478	.9	23.4	10.3	70	<.1	16.6	7.3	188	2.57	6.9	.7	14.9	3.6	20	.1	.4	.1	60	.30	.068	11	31.1	.59	194	.090	<1	1.59	.012	.09	.2	.06	4.2	.1	<.05	6	<.5
RW-09479	1.1	28.2	11.4	70	.1	15.3	7.4	181	3.01	8.4	.9	26.5	3.6	19	.1	.5	.2	56	.25	.078	11	30.9	.56	188	.078	1	1.56	.010	.08	.2	.07	4.3	.1	<.05	6	<.5
RW-09480	1.0	27.3	13.2	75	.1	17.3	8.9	248	3.10	7.6	.8	13.6	3.9	22	.1	.5	.1	60	.34	.077	12	31.2	.63	226	.102	1	1.56	.012	.11	.2	.05	4.4	.1	<.05	5	.6
RW-09481	1.5	42.0	17.0	79	.1	19.1	11.0	260	3.10	7.1	1.2	40.1	5.6	24	<.1	.4	.1	68	.42	.091	17	32.4	.71	264	.113	2	1.70	.015	.18	.2	.07	5.7	.2	<.05	6	.5
RW-09482	.7	32.4	8.5	60	<.1	19.3	8.3	252	2.55	5.7	.7	18.3	4.0	26	.1	.4	.1	60	.46	.090	12	30.9	.62	171	.106	1	1.24	.019	.11	.2	.03	3.8	.1	<.05	4	<.5
RW-09483	1.0	13.7	7.1	44	<.1	9.3	5.7	219	1.92	5.2	.4	33.7	.5	11	.2	.4	.1	38	.13	.044	7	15.3	.23	98	.052	<1	.80	.013	.06	.1	.04	1.6	.1	<.05	4	<.5
RW-09484	4.5	38.8	17.3	101	.2	14.5	9.1	517	4.22	11.2	1.5	164.2	4.3	25	.2	.8	.2	44	.22	.058	21	25.5	.48	292	.060	1	1.39	.041	.20	.1	.13	5.7	.1	.30	5	.8
RE RW-09484	4.2	37.2	16.7	101	.2	15.2	9.2	524	4.24	11.6	1.4	78.1	4.3	25	.2	.7	.2	44	.22	.058	21	25.6	.47	281	.063	1	1.37	.043	.20	.1	.13	5.7	.1	.31	5	.8
RW-09485	3.2	35.8	15.6	87	.2	11.2	8.0	382	3.17	21.9	.8	405.1	2.7	18	.2	2.7	.1	40	.17	.052	12	18.2	.33	181	.048	2	.97	.036	.15	.1	.18	3.9	.1	.22	4	.7
RW-09486	1.5	28.9	21.3	90	<.1	19.6	11.3	436	3.26	8.2	.7	32.3	3.6	15	.4	.5	.1	59	.22	.060	13	31.3	.51	133	.100	<1	1.45	.010	.13	.1	.08	4.1	.1	<.05	6	.5
RW-09487	2.0	17.4	13.9	75	<.1	18.5	8.7	373	3.60	14.8	.6	5.9	3.2	12	.3	.8	.2	77	.15	.036	9	37.0	.47	143	.090	1	1.87	.008	.06	.2	.05	3.3	.1	<.05	8	<.5
RW-09488	2.5	44.4	21.2	80	.2	26.4	15.0	407	3.59	13.1	1.0	22.4	5.9	16	.1	.7	.2	65	.30	.067	15	46.5	.65	164	.092	<1	1.54	.010	.14	.1	.06	4.6	.2	<.05	5	.8
RW-09489	1.7	71.5	10.2	89	.1	29.9	20.4	642	3.92	10.5	1.1	90.8	5.2	14	.1	.7	.1	70	.23	.065	15	54.5	.66	203	.080	<1	1.90	.009	.14	.1	.05	5.1	.2	<.05	6	<.5
RW-09490	1.9	60.6	12.2	95	.1	14.7	10.7	290	3.47	14.7	.5	27.3	2.2	15	.2	1.7	.1	54	.12	.040	7	26.8	.46	232	.066	1	1.44	.018	.15	.1	.10	4.0	.1	.15	5	.5
RW-09491	1.9	39.2	12.0	55	.3	17.3	8.6	453	2.81	10.3	.6	2.8	.4	13	.3	.6	.2	68	.12	.045	8	30.0	.32	171	.059	<1	1.57	.007	.08	.1	.06	2.7	.1	.06	6	<.5
RW-09498	1.4	27.2	8.7	69	.1	29.2	13.4	469	2.94	16.3	1.0	5.6	5.5	27	.2	.5	.1	60	.43	.070	20	43.4	.69	528	.092	1	1.66	.011	.15	.2	.02	3.5	.2	<.05	6	<.5
STANDARD DS6	11.5	122.8	29.9	141	.3	25.1	10.9	703	2.84	20.8	6.8	49.1	2.9	40	6.0	3.3	5.0	56	.85	.080	13	185.6	.59	162	.081	16	1.92	.075	.15	3.5	.22	3.3	1.8	<.05	7	4.5

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Black Fox Soil

GPS ID	Datum	Easting	Northing	Elevation
RW02477	NAD 83-7V	597326	6988478	1243.9
RW04301	NAD 83-7V	597413	6988423	1251.5
RW04347	NAD 83-7V	597986	6989180	1225.9
RW04348	NAD 83-7V	597978	6989159	1233.8
RW04349	NAD 83-7V	597970	6989134	1235.4
RW04350	NAD 83-7V	597960	6989110	1238.7
RW04351	NAD 83-7V	597953	6989089	1255.5
RW04352	NAD 83-7V	597948	6989064	1254.9
RW04353	NAD 83-7V	597937	6989038	1261.9
RW04354	NAD 83-7V	597929	6989013	1271
RW04355	NAD 83-7V	597922	6988990	1272.5
RW04356	NAD 83-7V	597916	6988966	1278.3
RW04357	NAD 83-7V	597906	6988945	1282
RW04358	NAD 83-7V	597896	6988919	1283.8
RW04359	NAD 83-7V	597890	6988895	1289
RW04360	NAD 83-7V	597881	6988874	1295.4
RW04361	NAD 83-7V	597874	6988845	1296.6
RW04362	NAD 83-7V	597867	6988819	1295.7
RW04363	NAD 83-7V	597859	6988800	1306.7
RW04364	NAD 83-7V	597849	6988775	1305.2
RW04365	NAD 83-7V	597421	6988446	1265.8
RW04401	NAD 83-7V	597406	6988400	1246
RW04402	NAD 83-7V	597398	6988376	1238.4
RW04403	NAD 83-7V	597304	6988407	1218.6
RW04425	NAD 83-7V	598349	6989642	1158.5
RW04426	NAD 83-7V	598343	6989613	1164
RW04427	NAD 83-7V	598332	6989591	1168
RW04428	NAD 83-7V	598325	6989569	1170.7
RW04429	NAD 83-7V	598317	6989544	1172.9
RW04430	NAD 83-7V	598308	6989521	1179
RW04431	NAD 83-7V	598302	6989498	1178.1
RW04432	NAD 83-7V	598293	6989474	1179.6
RW05851	NAD 83-7V	597318	6988454	1233.2
RW06078	NAD 83-7V	597310	6988431	1228.6
RW06526	NAD 83-7V	596933	6989505	1362.2
RW06527	NAD 83-7V	596942	6989532	1363.7
RW06528	NAD 83-7V	596950	6989554	1366.4
RW06529	NAD 83-7V	596955	6989579	1368.2
RW06530	NAD 83-7V	596964	6989600	1368.9
RW06531	NAD 83-7V	596974	6989622	1364
RW06532	NAD 83-7V	597089	6989637	1331.7
RW06533	NAD 83-7V	597078	6989615	1335.6
RW06534	NAD 83-7V	597060	6989569	1331.1
RW06535	NAD 83-7V	597052	6989545	1336.2
RW06536	NAD 83-7V	597044	6989520	1335
RW06537	NAD 83-7V	597037	6989496	1338.1
RW06538	NAD 83-7V	597030	6989472	1337.2
RW06539	NAD 83-7V	597012	6989422	1345.7
RW06540	NAD 83-7V	597005	6989394	1341.1
RW06541	NAD 83-7V	596997	6989376	1351.8
RW06542	NAD 83-7V	596988	6989355	1362.2
RW06543	NAD 83-7V	596978	6989331	1366.7
RW06544	NAD 83-7V	596969	6989306	1367.6
RW06545	NAD 83-7V	596962	6989283	1372.2
RW06546	NAD 83-7V	596958	6989263	1372.5
RW06551	NAD 83-7V	600028	6991740	950.7

RW06552	NAD 83-7V	600000	6991827	966.2
RW06553	NAD 83-7V	599948	6991951	984.5
RW06554	NAD 83-7V	599450	6992699	999.7
RW06555	NAD 83-7V	599334	6992821	999.7
RW06556	NAD 83-7V	600367	6993266	887
RW06565	NAD 83-7V	599393	6992768	1003.4
RW06566	NAD 83-7V	599498	6992614	990.9
RW06567	NAD 83-7V	599521	6992580	988.5
RW06568	NAD 83-7V	599531	6992554	987.6
RW06569	NAD 83-7V	599539	6992517	986.3
RW06570	NAD 83-7V	599917	6992061	995.8
RW06571	NAD 83-7V	598119	6988634	1311.6
RW06572	NAD 83-7V	598115	6988615	1313.4
RW06573	NAD 83-7V	598107	6988588	1313.1
RW06574	NAD 83-7V	598096	6988567	1310.9
RW06575	NAD 83-7V	598088	6988543	1311.6
RW06576	NAD 83-7V	598083	6988517	1307.3
RW06577	NAD 83-7V	598074	6988494	1308.5
RW06578	NAD 83-7V	598067	6988469	1306.4
RW06579	NAD 83-7V	598058	6988443	1305.5
RW06580	NAD 83-7V	598051	6988423	1304.5
RW06581	NAD 83-7V	598045	6988399	1301.5
RW06582	NAD 83-7V	598038	6988374	1301.2
RW06583	NAD 83-7V	598021	6988326	1299.7
RW06584	NAD 83-7V	598007	6988278	1296.3
RW06585	NAD 83-7V	597989	6988231	1299.4
RW06586	NAD 83-7V	597979	6988209	1304.5
RW06587	NAD 83-7V	597873	6988218	1321.3
RW06588	NAD 83-7V	597880	6988240	1324.4
RW06589	NAD 83-7V	597886	6988264	1320.4
RW06590	NAD 83-7V	597894	6988289	1318.3
RW06591	NAD 83-7V	597910	6988337	1316.1
RW06592	NAD 83-7V	597917	6988361	1318.9
RW06593	NAD 83-7V	597927	6988383	1317.7
RW06594	NAD 83-7V	597938	6988406	1316.1
RW06595	NAD 83-7V	597947	6988432	1317.3
RW06596	NAD 83-7V	597953	6988454	1316.7
RW06597	NAD 83-7V	597961	6988477	1320.1
RW06598	NAD 83-7V	597968	6988502	1320.1
RW06599	NAD 83-7V	597973	6988527	1318.3
RW06600	NAD 83-7V	597983	6988551	1321.6
RW06601	NAD 83-7V	597990	6988574	1321.3
RW06602	NAD 83-7V	597997	6988598	1324.7
RW06603	NAD 83-7V	598004	6988624	1324.7
RW06604	NAD 83-7V	598013	6988648	1328.6
RW06605	NAD 83-7V	598020	6988669	1328.6
RW06613	NAD 83-7V	597514	6988706	1300.9
RW06614	NAD 83-7V	597651	6989452	1145.4
RW06615	NAD 83-7V	597636	6989405	1141.2
RW06616	NAD 83-7V	597627	6989380	1144.8
RW06617	NAD 83-7V	597551	6989142	1182.6
RW06618	NAD 83-7V	597526	6989071	1207.9
RW06619	NAD 83-7V	597517	6989049	1220.4
RW06620	NAD 83-7V	597510	6989025	1226.5
RW06621	NAD 83-7V	597504	6988999	1236.3
RW06622	NAD 83-7V	597495	6988977	1249.1
RW06623	NAD 83-7V	597487	6988953	1260.7

RW06624	NAD 83-7V	597479	6988930	1268.6
RW06625	NAD 83-7V	597472	6988906	1271.3
RW06626	NAD 83-7V	597464	6988882	1281.7
RW06627	NAD 83-7V	597455	6988859	1282
RW06628	NAD 83-7V	597446	6988835	1284.1
RW06629	NAD 83-7V	597436	6988811	1296.3
RW06630	NAD 83-7V	597431	6988785	1296
RW06631	NAD 83-7V	597551	6988827	1290.8
RW06633	NAD 83-7V	597404	6988718	1302.1
RW06635	NAD 83-7V	597421	6988763	1297.2
RW06651	NAD 83-7V	597660	6989159	1195.7
RW06652	NAD 83-7V	597652	6989135	1202.1
RW06653	NAD 83-7V	597646	6989111	1206.7
RW06654	NAD 83-7V	597637	6989087	1214.9
RW06655	NAD 83-7V	597621	6989041	1227.1
RW06656	NAD 83-7V	597610	6989018	1236.6
RW06657	NAD 83-7V	597603	6988995	1244.2
RW06658	NAD 83-7V	597593	6988971	1250.9
RW06659	NAD 83-7V	597588	6988946	1257.9
RW06660	NAD 83-7V	597584	6988922	1265.5
RW06661	NAD 83-7V	597575	6988900	1272.2
RW06662	NAD 83-7V	597565	6988876	1275.9
RW06663	NAD 83-7V	597558	6988849	1284.1
RW06664	NAD 83-7V	597403	6989641	1252.1
RW06665	NAD 83-7V	597395	6989618	1253
RW06666	NAD 83-7V	597388	6989596	1246
RW06667	NAD 83-7V	597380	6989570	1240.5
RW06668	NAD 83-7V	597372	6989546	1236
RW06669	NAD 83-7V	597363	6989522	1231.4
RW06670	NAD 83-7V	597356	6989500	1232.6
RW06671	NAD 83-7V	597346	6989474	1241.8
RW06672	NAD 83-7V	597330	6989428	1252.1
RW06673	NAD 83-7V	597322	6989406	1256.4
RW06674	NAD 83-7V	597313	6989380	1262.2
RW06675	NAD 83-7V	597304	6989357	1267.1
RW06676	NAD 83-7V	597298	6989330	1258.2
RW06677	NAD 83-7V	597293	6989309	1260
RW06678	NAD 83-7V	597283	6989286	1261.3
RW06679	NAD 83-7V	597275	6989265	1264.9
RW06680	NAD 83-7V	597268	6989239	1271
RW06681	NAD 83-7V	597503	6988683	1310.6
RW06682	NAD 83-7V	597492	6988659	1307.9
RW06683	NAD 83-7V	597484	6988636	1304.2
RW06684	NAD 83-7V	597523	6988729	1305.5
RW06685	NAD 83-7V	597527	6988755	1299.7
RW06686	NAD 83-7V	597964	6989765	1085.7
RW06687	NAD 83-7V	597966	6989743	1094.8
RW06688	NAD 83-7V	597958	6989720	1091.8
RW06689	NAD 83-7V	597950	6989695	1090.9
RW06690	NAD 83-7V	597943	6989670	1091.2
RW06691	NAD 83-7V	597933	6989647	1093.6
RW06692	NAD 83-7V	597926	6989624	1102.5
RW06693	NAD 83-7V	597918	6989600	1106.7
RW06694	NAD 83-7V	597907	6989578	1108.9
RW06695	NAD 83-7V	597884	6989507	1129.9
RW06696	NAD 83-7V	597875	6989482	1141.2
RW06697	NAD 83-7V	597870	6989457	1145.4

RW06698	NAD 83-7V	597829	6989340	1175
RW06699	NAD 83-7V	597820	6989317	1180.2
RW06700	NAD 83-7V	597804	6989268	1185.4
RW06702	NAD 83-7V	597543	6988802	1295.4
RW06703	NAD 83-7V	597537	6988776	1297.5
RW06704	NAD 83-7V	597589	6989893	1220.4
RW06705	NAD 83-7V	597585	6989870	1222.9
RW06706	NAD 83-7V	597577	6989847	1224.4
RW06707	NAD 83-7V	597567	6989824	1227.1
RW06708	NAD 83-7V	597557	6989800	1228.3
RW06709	NAD 83-7V	597551	6989778	1229.9
RW06710	NAD 83-7V	597543	6989753	1233.2
RW06711	NAD 83-7V	597533	6989727	1237.5
RW06712	NAD 83-7V	597528	6989704	1232.3
RW06713	NAD 83-7V	597519	6989681	1229.6
RW06714	NAD 83-7V	597512	6989658	1235
RW06715	NAD 83-7V	597505	6989631	1232.9
RW06716	NAD 83-7V	597495	6989613	1233.8
RW06717	NAD 83-7V	597483	6989580	1223.8
RW06718	NAD 83-7V	597474	6989559	1214
RW06719	NAD 83-7V	597473	6989531	1207.3
RW06720	NAD 83-7V	597466	6989516	1197.6
RW06721	NAD 83-7V	597442	6989442	1199.7
RW06722	NAD 83-7V	597434	6989416	1209.8
RW06723	NAD 83-7V	597423	6989393	1215.2
RW06724	NAD 83-7V	597413	6989378	1219.2
RW06725	NAD 83-7V	597403	6989349	1222.2
RW06726	NAD 83-7V	597401	6989322	1218.9
RW06727	NAD 83-7V	597395	6989295	1224.7
RW06728	NAD 83-7V	597384	6989273	1224.7
RW06729	NAD 83-7V	597371	6989257	1231.4
RW06730	NAD 83-7V	597370	6989227	1227.1
RW06731	NAD 83-7V	597358	6989202	1236.9
RW06732	NAD 83-7V	597351	6989182	1245.4
RW06733	NAD 83-7V	597343	6989160	1250.6
RW06734	NAD 83-7V	597333	6989138	1257.3
RW06735	NAD 83-7V	597327	6989118	1262.2
RW06736	NAD 83-7V	597320	6989092	1266.7
RW06737	NAD 83-7V	597311	6989063	1272.5
RW06738	NAD 83-7V	597305	6989040	1278
RW06739	NAD 83-7V	597298	6989019	1283.8
RW06740	NAD 83-7V	597287	6988995	1286.6
RW06741	NAD 83-7V	596980	6989646	1366.7
RW06742	NAD 83-7V	596987	6989671	1368.6
RW06743	NAD 83-7V	596993	6989696	1370.7
RW06744	NAD 83-7V	597004	6989718	1373.7
RW06745	NAD 83-7V	597012	6989742	1372.8
RW06746	NAD 83-7V	597021	6989768	1375.9
RW06747	NAD 83-7V	597118	6989738	1346.6
RW06748	NAD 83-7V	597108	6989712	1344.8
RW06749	NAD 83-7V	597100	6989690	1342.9
RW06750	NAD 83-7V	597091	6989663	1336.2
RW06751	NAD 83-7V	597683	6989863	1200.9
RW06752	NAD 83-7V	597677	6989840	1200.6
RW06753	NAD 83-7V	597669	6989817	1202.4
RW06754	NAD 83-7V	597661	6989791	1201.8
RW06755	NAD 83-7V	597653	6989769	1202.7

RW06756	NAD 83-7V	597646	6989744	1204.9
RW06757	NAD 83-7V	597636	6989719	1205.5
RW06758	NAD 83-7V	597629	6989697	1208.8
RW06759	NAD 83-7V	597617	6989674	1206.7
RW06760	NAD 83-7V	597609	6989649	1206.1
RW06761	NAD 83-7V	597598	6989625	1205.5
RW06762	NAD 83-7V	597595	6989600	1203.4
RW06763	NAD 83-7V	597590	6989578	1197.3
RW06764	NAD 83-7V	597582	6989554	1193.9
RW06765	NAD 83-7V	597574	6989531	1193.6
RW06766	NAD 83-7V	597564	6989504	1188.7
RW06767	NAD 83-7V	597543	6989435	1175
RW06768	NAD 83-7V	597536	6989411	1173.8
RW06769	NAD 83-7V	597526	6989388	1179.6
RW06770	NAD 83-7V	597521	6989363	1183.2
RW06771	NAD 83-7V	597514	6989339	1182
RW06772	NAD 83-7V	597505	6989314	1180.8
RW06773	NAD 83-7V	597494	6989295	1184.8
RW06774	NAD 83-7V	597487	6989269	1188.1
RW06775	NAD 83-7V	597481	6989244	1187.2
RW06776	NAD 83-7V	597460	6989195	1208.5
RW06777	NAD 83-7V	597455	6989173	1206.7
RW06778	NAD 83-7V	597447	6989150	1208.8
RW06779	NAD 83-7V	597439	6989127	1211.9
RW06780	NAD 83-7V	597434	6989105	1224.7
RW06781	NAD 83-7V	597428	6989075	1231.7
RW06782	NAD 83-7V	597409	6989031	1242.4
RW06783	NAD 83-7V	597403	6989006	1248.8
RW06784	NAD 83-7V	597386	6988961	1262.8
RW06785	NAD 83-7V	597379	6988935	1270.4
RW06786	NAD 83-7V	597370	6988913	1275
RW06787	NAD 83-7V	597360	6988889	1280.8
RW06792	NAD 83-7V	597353	6988866	1294.2
RW06793	NAD 83-7V	597346	6988841	1295.4
RW06794	NAD 83-7V	597338	6988818	1297.2
RW06795	NAD 83-7V	597331	6988794	1299.7
RW06796	NAD 83-7V	597322	6988768	1301.5
RW06797	NAD 83-7V	597315	6988746	1305.5
RW06798	NAD 83-7V	597311	6988722	1301.2
RW06799	NAD 83-7V	597299	6988698	1297.2
RW06800	NAD 83-7V	597290	6988675	1293
RW06801	NAD 83-7V	597283	6988651	1286.3
RW06802	NAD 83-7V	597273	6988627	1279.2
RW06803	NAD 83-7V	597266	6988604	1271
RW06804	NAD 83-7V	597257	6988581	1264.6
RW06805	NAD 83-7V	597249	6988557	1256.7
RW06806	NAD 83-7V	597242	6988534	1249.7
RW06807	NAD 83-7V	597234	6988510	1240.2
RW06808	NAD 83-7V	597226	6988484	1230.2
RW06809	NAD 83-7V	597219	6988461	1223.5
RW06810	NAD 83-7V	597210	6988439	1216.2
RW06811	NAD 83-7V	597113	6988470	1214.6
RW06812	NAD 83-7V	597122	6988495	1223.8
RW06813	NAD 83-7V	597127	6988517	1232.6
RW06814	NAD 83-7V	597136	6988542	1240.2
RW06815	NAD 83-7V	597143	6988567	1246.6
RW06816	NAD 83-7V	597151	6988591	1255.5

RW06817	NAD 83-7V	597160	6988615	1263.1
RW06818	NAD 83-7V	597168	6988638	1273.1
RW06819	NAD 83-7V	597176	6988662	1280.5
RW06820	NAD 83-7V	597183	6988685	1287.8
RW06821	NAD 83-7V	597192	6988709	1296.6
RW06822	NAD 83-7V	597200	6988733	1300.9
RW06823	NAD 83-7V	597209	6988758	1305.5
RW06824	NAD 83-7V	597218	6988779	1308.8
RW06825	NAD 83-7V	597225	6988804	1308.2
RW06826	NAD 83-7V	597233	6988829	1306.1
RW06827	NAD 83-7V	597240	6988852	1304.8
RW06828	NAD 83-7V	597249	6988875	1291.7
RW06829	NAD 83-7V	597261	6988900	1296
RW06830	NAD 83-7V	597265	6988921	1295.4
RW06835	NAD 83-7V	597261	69889215	1273.5
RW06836	NAD 83-7V	597251	69889190	1279.6
RW06837	NAD 83-7V	597243	69889167	1283.8
RW06838	NAD 83-7V	597235	69889144	1285.3
RW06839	NAD 83-7V	597226	69889119	1289.3
RW06840	NAD 83-7V	597218	69889096	1290.8
RW06841	NAD 83-7V	597211	69889072	1293
RW06842	NAD 83-7V	597204	69889048	1301.2
RW06843	NAD 83-7V	597194	69889025	1301.5
RW06844	NAD 83-7V	597188	69889002	1302.1
RW06845	NAD 83-7V	597179	69888977	1305.5
RW06846	NAD 83-7V	597173	69888954	1310.3
RW06847	NAD 83-7V	597165	69888927	1312.2
RW06848	NAD 83-7V	597156	69888905	1316.7
RW06849	NAD 83-7V	597147	69888884	1315.8
RW06850	NAD 83-7V	597137	69888859	1316.1
RW06851	NAD 83-7V	597750	6988785	1305.8
RW06852	NAD 83-7V	597742	6988762	1315.8
RW06853	NAD 83-7V	597733	6988738	1317.7
RW06854	NAD 83-7V	597725	6988715	1316.7
RW06855	NAD 83-7V	597718	6988691	1320.4
RW06856	NAD 83-7V	597709	6988668	1320.4
RW06857	NAD 83-7V	597702	6988643	1323.7
RW06858	NAD 83-7V	597693	6988620	1322.2
RW06859	NAD 83-7V	597684	6988596	1320.4
RW06860	NAD 83-7V	597677	6988573	1318
RW06861	NAD 83-7V	597669	6988549	1316.4
RW06862	NAD 83-7V	597660	6988524	1314.3
RW06863	NAD 83-7V	597656	6988499	1310.9
RW06864	NAD 83-7V	597644	6988477	1310
RW06865	NAD 83-7V	597635	6988455	1307.3
RW06866	NAD 83-7V	597626	6988430	1303
RW06867	NAD 83-7V	597617	6988406	1296.6
RW06868	NAD 83-7V	597614	6988383	1293.9
RW06869	NAD 83-7V	597602	6988360	1289.9
RW06870	NAD 83-7V	597595	6988337	1289
RW06871	NAD 83-7V	597586	6988313	1282.9
RW06872	NAD 83-7V	597495	6988344	1265.5
RW06873	NAD 83-7V	597502	6988366	1272.8
RW06874	NAD 83-7V	597511	6988389	1273.8
RW06875	NAD 83-7V	597528	6988410	1279.6
RW06876	NAD 83-7V	597530	6988438	1285.3
RW06877	NAD 83-7V	597538	6988461	1292.4

RW06878	NAD 83-7V	597543	6988484	1294.8
RW06879	NAD 83-7V	597549	6988509	1295.4
RW06880	NAD 83-7V	597558	6988529	1301.5
RW06881	NAD 83-7V	597568	6988558	1302.1
RW06882	NAD 83-7V	597574	6988580	1304.5
RW06883	NAD 83-7V	597583	6988603	1309.1
RW06884	NAD 83-7V	597590	6988626	1312.2
RW06885	NAD 83-7V	597606	6988649	1311.2
RW06886	NAD 83-7V	597606	6988675	1313.7
RW06887	NAD 83-7V	597614	6988697	1309.7
RW06888	NAD 83-7V	597622	6988723	1307.9
RW06890	NAD 83-7V	597631	6988747	1304.2
RW06891	NAD 83-7V	597639	6988768	1294.2
RW06892	NAD 83-7V	597647	6988793	1293
RW06893	NAD 83-7V	597308	6989671	1272.5
RW06894	NAD 83-7V	597305	6989651	1270.4
RW06895	NAD 83-7V	597287	6989627	1269.2
RW06896	NAD 83-7V	597282	6989603	1270.7
RW06897	NAD 83-7V	597277	6989578	1267.7
RW06898	NAD 83-7V	597269	6989553	1263.7
RW06899	NAD 83-7V	597261	6989529	1263.1
RW06900	NAD 83-7V	597253	6989508	1262.2
RW06901	NAD 83-7V	597245	6989483	1268
RW06902	NAD 83-7V	597237	6989460	1269.5
RW06903	NAD 83-7V	597226	6989436	1272.2
RW06904	NAD 83-7V	597221	6989409	1271
RW06905	NAD 83-7V	597213	6989390	1285
RW06906	NAD 83-7V	597205	6989365	1289.6
RW06907	NAD 83-7V	597198	6989341	1293.9
RW06908	NAD 83-7V	597190	6989316	1297.5
RW06909	NAD 83-7V	597182	6989292	1300
RW06910	NAD 83-7V	597172	6989269	1305.5
RW06911	NAD 83-7V	597163	6989246	1308.8
RW06912	NAD 83-7V	597155	6989221	1312.5
RW06913	NAD 83-7V	597149	6989199	1315.2
RW06914	NAD 83-7V	597142	6989174	1321
RW06915	NAD 83-7V	597133	6989150	1320.7
RW06916	NAD 83-7V	597125	6989127	1323.7
RW06917	NAD 83-7V	597116	6989104	1324.7
RW06918	NAD 83-7V	597109	6989078	1323.4
RW06919	NAD 83-7V	597101	6989056	1326.8
RW06920	NAD 83-7V	597093	6989032	1328.3
RW06921	NAD 83-7V	597084	6989009	1332.9
RW06922	NAD 83-7V	597076	6988984	1336.2
RW06923	NAD 83-7V	597068	6988954	1338.1
RW06924	NAD 83-7V	597058	6988937	1334.4
RW06925	NAD 83-7V	597049	6988914	1343.3
RW06926	NAD 83-7V	597045	6988891	1338.1
RW06927	NAD 83-7V	597035	6988867	1337.2
RW06928	NAD 83-7V	597019	6988820	1324.1
RW06929	NAD 83-7V	597018	6988796	1313.4
RW06939	NAD 83-7V	597214	6989704	1311.2
RW06940	NAD 83-7V	597206	6989681	1305.8
RW06941	NAD 83-7V	597197	6989657	1302.4
RW06942	NAD 83-7V	597189	6989634	1302.1
RW06943	NAD 83-7V	597182	6989610	1300.9
RW06944	NAD 83-7V	597173	6989586	1298.8

RW06945	NAD 83-7V	597163	6989563	1300
RW06946	NAD 83-7V	597155	6989540	1302.1
RW06947	NAD 83-7V	597149	6989516	1304.8
RW06948	NAD 83-7V	597141	6989491	1312.8
RW06949	NAD 83-7V	597132	6989464	1315.8
RW06950	NAD 83-7V	597123	6989444	1305.2
RW06951	NAD 83-7V	597115	6989418	1313.4
RW06952	NAD 83-7V	597108	6989396	1320.4
RW06953	NAD 83-7V	597093	6989348	1330.8
RW06954	NAD 83-7V	597075	6989301	1338.7
RW06955	NAD 83-7V	597068	6989278	1340.2
RW06956	NAD 83-7V	597059	6989255	1342.9
RW06957	NAD 83-7V	597056	6989232	1350.6
RW06958	NAD 83-7V	597046	6989205	1347.5
RW06960	NAD 83-7V	597002	6989090	1369.5
RW06961	NAD 83-7V	596987	6989041	1361.8
RW06962	NAD 83-7V	596979	6989016	1364.3
RW06963	NAD 83-7V	596978	6988995	1367.3
RW06964	NAD 83-7V	596965	6988969	1364
RW06965	NAD 83-7V	596961	6988945	1363.4
RW06966	NAD 83-7V	596943	6988899	1354.2
RW06967	NAD 83-7V	596924	6988852	1338.7
RW06968	NAD 83-7V	596915	6988828	1332.9
RW06969	NAD 83-7V	596910	6988804	1322.5
RW06970	NAD 83-7V	596900	6988782	1303.3
RW06971	NAD 83-7V	596895	6988754	1299.4
RW06972	NAD 83-7V	596886	6988723	1287.8
RW06973	NAD 83-7V	596897	6988746	1298.4
RW06974	NAD 83-7V	597005	6988768	1306.4
RW06987	NAD 83-7V	596935	6988872	1348.7
RW06988	NAD 83-7V	597027	6989159	1348.7
RW06989	NAD 83-7V	597131	6988834	1314.6
RW06990	NAD 83-7V	597121	6988813	1303
RW06991	NAD 83-7V	597104	6988763	1311.9
RW06992	NAD 83-7V	597096	6988740	1303.9
RW06993	NAD 83-7V	597090	6988716	1300.9
RW06994	NAD 83-7V	597083	6988692	1291.7
RW07054	NAD 83-7V	597373	6988621	1281.4
RW07055	NAD 83-7V	597382	6988645	1288.7
RW07056	NAD 83-7V	597389	6988668	1294.5
RW07059	NAD 83-7V	597429	6988470	1266.4
RW07129	NAD 83-7V	596932	6989189	1367
RW07130	NAD 83-7V	596941	6989214	1371.6
RW07131	NAD 83-7V	596948	6989237	1371.3
RW07348	NAD 83-7V	597447	6988517	1283.8
RW07349	NAD 83-7V	597439	6988495	1274.4
RW07373	NAD 83-7V	596859	6988975	1357.3
RW07374	NAD 83-7V	596877	6989025	1365.8
RW07375	NAD 83-7V	596885	6989049	1377.1
RW07376	NAD 83-7V	596893	6989074	1381.7
RW07377	NAD 83-7V	596900	6989095	1380.7
RW07378	NAD 83-7V	596907	6989120	1381.4
RW07379	NAD 83-7V	596918	6989141	1375.9
RW07380	NAD 83-7V	596927	6989166	1373.7
RW07472	NAD 83-7V	598283	6989449	1182.9
RW07473	NAD 83-7V	598276	6989426	1188.7
RW07474	NAD 83-7V	598270	6989403	1189.6

RW07475	NAD 83-7V	598262	6989378	1193.6
RW07476	NAD 83-7V	598253	6989355	1196.3
RW07477	NAD 83-7V	598246	6989332	1177.4
RW07478	NAD 83-7V	598235	6989309	1203.4
RW07479	NAD 83-7V	598227	6989284	1202.1
RW07480	NAD 83-7V	598220	6989261	1207
RW07481	NAD 83-7V	598213	6989238	1211.3
RW07482	NAD 83-7V	598207	6989212	1214.6
RW07483	NAD 83-7V	598200	6989189	1221.3
RW07484	NAD 83-7V	598192	6989166	1229.6
RW07485	NAD 83-7V	598183	6989144	1238.4
RW07486	NAD 83-7V	598174	6989119	1245.7
RW07487	NAD 83-7V	598166	6989094	1251.8
RW07488	NAD 83-7V	598159	6989071	1254.6
RW07489	NAD 83-7V	598151	6989047	1263.7
RW07490	NAD 83-7V	598145	6989023	1266.7
RW07491	NAD 83-7V	598136	6988999	1274.4
RW07492	NAD 83-7V	598129	6988976	1280.5
RW07493	NAD 83-7V	598119	6988952	1288.4
RW07494	NAD 83-7V	598114	6988927	1293
RW08597	NAD 83-7V	597341	6988527	1258.8
RW08598	NAD 83-7V	597349	6988550	1264
RW08599	NAD 83-7V	597358	6988575	1272.8
RW08600	NAD 83-7V	597365	6988597	1278
RW08700	NAD 83-7V	597333	6988502	1252.1
RW08795	NAD 83-7V	597659	6989476	1145.7
RW08796	NAD 83-7V	597666	6989498	1151.2
RW08797	NAD 83-7V	597673	6989524	1154
RW08798	NAD 83-7V	597681	6989545	1157.3
RW08799	NAD 83-7V	597688	6989570	1158.8
RW08800	NAD 83-7V	597697	6989596	1166.2
RW08868	NAD 83-7V	597713	6989642	1163.7
RW08869	NAD 83-7V	597705	6989619	1163.1
RW08934	NAD 83-7V	597923	6989308	1197.6
RW08935	NAD 83-7V	597908	6989262	1205.2
RW08966	NAD 83-7V	598014	6989569	1130.8
RW08967	NAD 83-7V	597983	6989472	1158.8
RW09019	NAD 83-7V	598155	6989696	1119.2
RW09020	NAD 83-7V	598148	6989679	1125.3
RW09021	NAD 83-7V	598143	6989659	1130.8
RW09022	NAD 83-7V	598135	6989632	1132.9
RW09023	NAD 83-7V	598128	6989610	1141.5
RW09024	NAD 83-7V	598120	6989586	1147
RW09025	NAD 83-7V	598112	6989559	1150.6
RW09026	NAD 83-7V	598106	6989537	1155.5
RW09027	NAD 83-7V	598089	6989489	1164.6
RW09028	NAD 83-7V	598083	6989466	1170.4
RW09029	NAD 83-7V	598075	6989440	1175.9
RW09030	NAD 83-7V	598057	6989394	1186.3
RW09031	NAD 83-7V	598050	6989371	1187.5
RW09032	NAD 83-7V	598043	6989346	1191.8
RW09033	NAD 83-7V	598032	6989325	1193.9
RW09034	NAD 83-7V	598028	6989301	1200.6
RW09035	NAD 83-7V	598018	6989275	1207.3
RW09036	NAD 83-7V	598010	6989252	1212.5
RW09037	NAD 83-7V	597999	6989224	1216.8
RW09039	NAD 83-7V	597996	6989204	1222.6

RW09071	NAD 83-7V	597474	6988612	1299.1
RW09072	NAD 83-7V	597467	6988589	1295.4
RW09074	NAD 83-7V	597461	6988566	1290.5
RW09150	NAD 83-7V	598105	6988905	1299.4
RW09151	NAD 83-7V	598099	6988878	1306.7
RW09152	NAD 83-7V	598092	6988855	1308.2
RW09153	NAD 83-7V	598084	6988833	1314
RW09154	NAD 83-7V	598076	6988809	1318
RW09155	NAD 83-7V	598068	6988787	1320.4
RW09156	NAD 83-7V	598058	6988762	1328.3
RW09157	NAD 83-7V	598052	6988738	1328.3
RW09158	NAD 83-7V	598045	6988712	1329.2
RW09159	NAD 83-7V	598037	6988690	1328.3
RW09160	NAD 83-7V	597779	6989830	1157.6
RW09161	NAD 83-7V	597767	6989808	1169.2
RW09162	NAD 83-7V	597762	6989784	1164.6
RW09163	NAD 83-7V	597752	6989758	1168.9
RW09164	NAD 83-7V	597746	6989737	1168.6
RW09165	NAD 83-7V	597738	6989711	1167.1
RW09166	NAD 83-7V	597730	6989688	1165.6
RW09250	NAD 83-7V	597454	6988540	1286.9
RW09301	NAD 83-7V	597865	6988513	1328.3
RW09302	NAD 83-7V	597871	6988535	1330.5
RW09303	NAD 83-7V	597880	6988559	1335
RW09304	NAD 83-7V	597888	6988581	1335
RW09305	NAD 83-7V	597898	6988605	1335
RW09306	NAD 83-7V	597908	6988628	1335
RW09307	NAD 83-7V	597916	6988649	1332.9
RW09308	NAD 83-7V	597927	6988677	1335.3
RW09309	NAD 83-7V	597936	6988699	1334.7
RW09314	NAD 83-7V	596863	6989297	1408.2
RW09315	NAD 83-7V	596854	6989268	1411.2
RW09316	NAD 83-7V	596845	6989245	1408.8
RW09317	NAD 83-7V	596837	6989220	1411.2
RW09318	NAD 83-7V	596827	6989199	1410.3
RW09319	NAD 83-7V	596811	6989151	1394.8
RW09320	NAD 83-7V	596807	6989127	1388.4
RW09321	NAD 83-7V	596801	6989102	1381.7
RW09322	NAD 83-7V	596793	6989077	1366.4
RW09323	NAD 83-7V	596784	6989053	1356.1
RW09324	NAD 83-7V	596773	6989032	1350.9
RW09325	NAD 83-7V	596765	6989010	1338.7
RW09326	NAD 83-7V	596760	6988983	1332.3
RW09327	NAD 83-7V	596748	6988962	1321
RW09328	NAD 83-7V	596744	6988935	1313.4
RW09329	NAD 83-7V	596738	6988911	1307.6
RW09334	NAD 83-7V	596795	6988783	1282.9
RW09335	NAD 83-7V	596811	6988833	1299.1
RW09336	NAD 83-7V	596819	6988857	1313.7
RW09337	NAD 83-7V	596827	6988883	1324.7
RW09338	NAD 83-7V	596835	6988906	1334.7
RW09339	NAD 83-7V	596845	6988930	1340.5
RW09340	NAD 83-7V	596854	6988952	1346
RW09341	NAD 83-7V	597841	6988753	1324.1
RW09342	NAD 83-7V	597836	6988735	1321
RW09343	NAD 83-7V	597826	6988709	1325.6
RW09344	NAD 83-7V	597819	6988684	1327.1

RW09345	NAD 83-7V	597810	6988660	1328.3
RW09346	NAD 83-7V	597804	6988637	1329.5
RW09347	NAD 83-7V	597795	6988613	1331.4
RW09348	NAD 83-7V	597789	6988589	1332.9
RW09349	NAD 83-7V	597778	6988568	1331.1
RW09350	NAD 83-7V	597772	6988540	1329.8
RW09351	NAD 83-7V	598442	6989608	1171.7
RW09352	NAD 83-7V	598432	6989586	1179.3
RW09353	NAD 83-7V	598426	6989563	1179.3
RW09354	NAD 83-7V	598416	6989539	1178.7
RW09355	NAD 83-7V	598409	6989516	1180.5
RW09356	NAD 83-7V	598402	6989491	1182.9
RW09357	NAD 83-7V	598394	6989467	1184.1
RW09358	NAD 83-7V	598386	6989444	1184.5
RW09359	NAD 83-7V	598380	6989420	1186.3
RW09360	NAD 83-7V	598371	6989397	1184.5
RW09361	NAD 83-7V	598363	6989372	1189
RW09362	NAD 83-7V	598355	6989348	1191.5
RW09363	NAD 83-7V	598347	6989326	1192.7
RW09364	NAD 83-7V	598339	6989302	1193.9
RW09365	NAD 83-7V	598330	6989277	1198.2
RW09366	NAD 83-7V	598323	6989254	1203.4
RW09367	NAD 83-7V	598315	6989231	1205.2
RW09368	NAD 83-7V	598307	6989208	1211.3
RW09369	NAD 83-7V	598292	6989158	1221
RW09370	NAD 83-7V	598284	6989137	1225
RW09371	NAD 83-7V	598268	6989087	1237.5
RW09372	NAD 83-7V	598260	6989063	1242.7
RW09373	NAD 83-7V	598252	6989039	1248.2
RW09374	NAD 83-7V	598236	6988992	1260.3
RW09375	NAD 83-7V	598229	6988968	1261.3
RW09376	NAD 83-7V	598213	6988920	1273.5
RW09377	NAD 83-7V	598204	6988898	1279.2
RW09378	NAD 83-7V	598196	6988873	1279.9
RW09379	NAD 83-7V	598191	6988851	1287.8
RW09380	NAD 83-7V	598180	6988826	1292.4
RW09381	NAD 83-7V	598174	6988803	1298.1
RW09382	NAD 83-7V	598168	6988779	1300.9
RW09383	NAD 83-7V	598159	6988755	1307
RW09384	NAD 83-7V	598150	6988731	1306.7
RW09385	NAD 83-7V	598144	6988708	1312.2
RW09386	NAD 83-7V	598135	6988683	1313.4
RW09387	NAD 83-7V	598126	6988660	1311.2
RW09388	NAD 83-7V	597876	6989800	1131.7
RW09389	NAD 83-7V	597871	6989775	1134.8
RW09390	NAD 83-7V	597861	6989753	1133.9
RW09391	NAD 83-7V	597853	6989728	1134.5
RW09392	NAD 83-7V	597845	6989705	1133.6
RW09393	NAD 83-7V	597839	6989681	1135.7
RW09394	NAD 83-7V	597828	6989657	1128.4
RW09395	NAD 83-7V	597822	6989632	1129.3
RW09396	NAD 83-7V	597812	6989610	1126.8
RW09397	NAD 83-7V	597804	6989585	1122.3
RW09398	NAD 83-7V	597756	6989444	1136
RW09399	NAD 83-7V	597702	6989276	1165.9
RW09400	NAD 83-7V	597670	6989179	1193
RW09401	NAD 83-7V	597761	6988512	1329.5

RW09402	NAD 83-7V	597755	6988494	1329.8
RW09403	NAD 83-7V	597743	6988469	1326.2
RW09404	NAD 83-7V	597738	6988449	1327.1
RW09405	NAD 83-7V	597731	6988422	1325.9
RW09406	NAD 83-7V	597722	6988402	1324.1
RW09407	NAD 83-7V	597717	6988376	1323.1
RW09408	NAD 83-7V	597708	6988352	1318.9
RW09409	NAD 83-7V	597700	6988324	1318
RW09410	NAD 83-7V	597691	6988305	1313.4
RW09411	NAD 83-7V	597686	6988281	1308.5
RW09412	NAD 83-7V	597778	6988250	1327.1
RW09413	NAD 83-7V	597784	6988274	1324.7
RW09414	NAD 83-7V	597791	6988298	1325.9
RW09415	NAD 83-7V	597802	6988318	1327.4
RW09416	NAD 83-7V	597809	6988343	1325.9
RW09417	NAD 83-7V	597815	6988368	1331.1
RW09418	NAD 83-7V	597825	6988390	1328.3
RW09419	NAD 83-7V	597831	6988416	1329.8
RW09420	NAD 83-7V	597837	6988440	1325.3
RW09421	NAD 83-7V	597847	6988462	1324.1
RW09422	NAD 83-7V	597853	6988487	1325.9
RW09423	NAD 83-7V	597884	6989187	1217.4
RW09424	NAD 83-7V	597831	6989021	1256.7
RW09425	NAD 83-7V	597773	6988851	1288.4
RW09426	NAD 83-7V	597762	6988831	1294.8
RW09427	NAD 83-7V	597759	6988805	1302.4
RW09428	NAD 83-7V	597797	6989246	1196
RW09429	NAD 83-7V	597789	6989221	1201.2
RW09430	NAD 83-7V	597779	6989197	1209.1
RW09431	NAD 83-7V	597748	6989104	1224.4
RW09432	NAD 83-7V	597741	6989078	1229.3
RW09433	NAD 83-7V	597732	6989055	1243.3
RW09434	NAD 83-7V	597725	6989032	1247.9
RW09435	NAD 83-7V	597717	6989006	1249.4
RW09436	NAD 83-7V	597711	6988982	1253.6
RW09437	NAD 83-7V	597702	6988960	1260
RW09438	NAD 83-7V	597694	6988938	1263.1
RW09439	NAD 83-7V	597686	6988913	1272.5
RW09440	NAD 83-7V	597676	6988890	1277.7
RW09441	NAD 83-7V	597668	6988869	1285
RW09442	NAD 83-7V	597659	6988846	1293.3
RW09443	NAD 83-7V	597654	6988821	1293.9
RW09444	NAD 83-7V	596870	6989316	1404.2
RW09446	NAD 83-7V	596879	6989339	1406
RW09447	NAD 83-7V	596886	6989362	1402.4
RW09448	NAD 83-7V	596893	6989387	1400.9
RW09449	NAD 83-7V	596900	6989407	1388.4
RW09450	NAD 83-7V	596907	6989434	1380.7
RW09451	NAD 83-7V	596915	6989459	1376.5
RW09452	NAD 83-7V	596923	6989483	1372.5
RW09453	NAD 83-7V	597782	6988881	1285
RW09454	NAD 83-7V	597791	6988904	1282.6
RW09455	NAD 83-7V	597811	6988977	1261.3
RW09456	NAD 83-7V	597822	6988998	1257
RW09457	NAD 83-7V	597853	6989096	1234.1
RW09458	NAD 83-7V	597900	6989236	1211.9
RW09459	NAD 83-7V	597893	6989214	1215.8

RW09460	NAD 83-7V	598249	6989670	1149.7
RW09461	NAD 83-7V	598240	6989649	1152.1
RW09462	NAD 83-7V	598232	6989624	1153.7
RW09463	NAD 83-7V	598226	6989601	1159.2
RW09464	NAD 83-7V	598218	6989578	1161.3
RW09465	NAD 83-7V	598211	6989554	1168
RW09466	NAD 83-7V	598203	6989530	1170.1
RW09467	NAD 83-7V	598198	6989505	1174.4
RW09468	NAD 83-7V	598191	6989480	1175.3
RW09469	NAD 83-7V	598183	6989456	1181.7
RW09470	NAD 83-7V	598178	6989431	1185.4
RW09471	NAD 83-7V	598164	6989409	1186.6
RW09472	NAD 83-7V	598159	6989387	1191.8
RW09473	NAD 83-7V	598151	6989362	1193.9
RW09474	NAD 83-7V	598140	6989341	1198.8
RW09475	NAD 83-7V	598132	6989316	1203
RW09476	NAD 83-7V	598123	6989293	1204.3
RW09477	NAD 83-7V	598113	6989264	1209.1
RW09478	NAD 83-7V	598110	6989243	1214.3
RW09479	NAD 83-7V	598098	6989221	1217.7
RW09480	NAD 83-7V	598093	6989199	1223.5
RW09481	NAD 83-7V	598087	6989172	1229.9
RW09482	NAD 83-7V	598075	6989149	1235
RW09483	NAD 83-7V	598045	6989052	1262.8
RW09484	NAD 83-7V	598039	6989027	1276.2
RW09485	NAD 83-7V	598031	6989004	1282.9
RW09486	NAD 83-7V	598007	6988935	1301.8
RW09487	NAD 83-7V	597992	6988888	1314.6
RW09488	NAD 83-7V	597985	6988864	1318.9
RW09489	NAD 83-7V	597976	6988840	1323.7
RW09490	NAD 83-7V	597950	6988743	1336.2
RW09491	NAD 83-7V	597944	6988721	1339.3
RW09498	NAD 83-7V	597723	6989666	1166.5

Black Fox Magnetic Data.

Line	Station	Gammas	Line	Station	Gammas
1500	-200	57541.6	1500	537.5	57411.5
1500	-187.5	57430.5	1500	550	57402.2
1500	-175	57392.5	1500	562.5	57374.5
1500	-162.5	57417.7	1500	575	57399.7
1500	-150	57417.9	1500	587.5	57394.4
1500	-137.5	57412.4	1500	600	57410.3
1500	-125	57421.3	1500	612.5	57405.4
1500	-112.5	57428.1	1500	625	57436
1500	-100	57436.8	1500	637.5	57473.1
1500	-87.5	57437.5	1500	650	57523.7
1500	-75	57432	1500	662.5	57512.9
1500	-62.5	57439.7	1500	675	57580
1500	-50	57435.8	1500	687.5	57493.2
1500	-37.5	57431.1	1500	700	57568.1
1500	-25	57435	1500	712.5	57617
1500	-12.5	57447	1500	725	57558.6
1500	0	57477.5	1500	737.5	57558.1
1500	12.5	57450.2	1500	750	57420.7
1500	25	57452.1	1500	762.5	57522.9
1500	37.5	57467.7	1500	775	57475.3
1500	50	57486.2	1500	787.5	57536.3
1500	62.5	57477.3	1500	800	57507.6
1500	75	57440.6	1400	800	57356.4
1500	87.5	57441.8	1400	787.5	57339.7
1500	100	57476.2	1400	775	57240.5
1500	112.5	57498.5	1400	762.5	57238
1500	125	57499.9	1400	750	57322.2
1500	137.5	57543.2	1400	737.5	57327.2
1500	150	57521.4	1400	725	57443.5
1500	162.5	57520.6	1400	712.5	57606.5
1500	175	57574.2	1400	700	57709.1
1500	187.5	57528.1	1400	687.5	58014.9
1500	200	57463	1400	675	57933.8
1500	212.5	57397	1400	662.5	57893.1
1500	225	57417	1400	650	57855.3
1500	237.5	57437.9	1400	637.5	57831.7
1500	250	57461.4	1400	625	57800
1500	262.5	57487.6	1400	612.5	57693
1500	275	57578.3	1400	600	57649.5
1500	287.5	57674.5	1400	587.5	57610.5
1500	300	57720.4	1400	575	57614.1
1500	312.5	57733.6	1400	562.5	57769.6
1500	325	57549.6	1400	550	57621.9
1500	337.5	57419.3	1400	537.5	58043.6
1500	350	57456	1400	525	58493.3
1500	362.5	57442	1400	512.5	58299
1500	375	57442	1400	500	57988.3
1500	387.5	57476.1	1400	487.5	58196.2
1500	400	57463.3	1400	475	58051.8
1500	412.5	57446.9	1400	462.5	57762.6
1500	425	57429.5	1400	450	57649.8
1500	437.5	57416.3	1400	437.5	57592.7
1500	450	57397.6	1400	425	57548
1500	462.5	57395.9	1400	412.5	57513.6

Line	Station	Gammas
1500	475	57393.7
1500	487.5	57383.9
1500	500	57384.4
1500	512.5	57380
1500	525	57397.3
1400	337.5	57458.7
1400	325	57442.1
1400	312.5	57504.5
1400	300	57519
1400	287.5	57517.5
1400	275	57555.2
1400	262.5	57562.2
1400	250	57560.7
1400	237.5	57578.1
1400	225	57452.4
1400	212.5	57418.8
1400	200	57418.4
1400	187.5	57449.5
1400	175	57485.3
1400	162.5	57592.7
1400	150	57601.7
1400	137.5	57666.9
1400	125	57760.4
1400	112.5	57698.3
1400	100	57569.1
1400	87.5	57477.2
1400	75	57443.7
1400	62.5	57461.8
1400	50	57455.7
1400	37.5	57448
1400	25	57538.6
1400	12.5	57540.3
1400	0	57604.4
1400	-12.5	57608.8
1400	-25	57576.9
1400	-37.5	57545.2
1400	-50	57542.9
1400	-62.5	57526.3
1400	-75	57554.8
1400	-87.5	57527.8
1400	-100	57526.6
1400	-112.5	57542
1400	-125	57523.5
1400	-137.5	57488
1400	-150	57480.9
1400	-162.5	57480.2
1400	-175	57462.8
1400	-187.5	57453.8
1400	-200	57446.8
1100	-200	57307.4
1100	-187.5	57378.5
1100	-175	57467
1100	-162.5	57441.8
1100	-150	57427.4

Line	Station	Gammas
1400	400	57508.6
1400	387.5	57500.3
1400	375	57512.7
1400	362.5	57545.4
1400	350	57500
1100	-12.5	57534
1100	0	57449.4
1100	12.5	57471
1100	25	57476.8
1100	37.5	57436.9
1100	50	57490.8
1100	62.5	57569.3
1100	75	57519.8
1100	87.5	57508.4
1100	100	57512.9
1100	112.5	57633.3
1100	125	57637.4
1100	137.5	57667.4
1100	150	57699.6
1100	162.5	57656.8
1100	175	57523.5
1100	187.5	57554.3
1100	200	57603.5
1100	212.5	57547
1100	225	57566.9
1100	237.5	57308.6
1100	250	57186.4
1100	262.5	57046.1
1100	275	57117.5
1100	287.5	57134.4
1100	300	57136.7
1100	312.5	57204.8
1100	325	57222.8
1100	337.5	57246.7
1100	350	57260.7
1100	362.5	57281.1
1100	375	57304.9
1100	387.5	57332
1100	400	57357.3
1100	412.5	57337
1100	425	57358.9
1100	437.5	57419.9
1100	450	57360.9
1100	462.5	57352.1
1100	475	57387.2
1100	487.5	57365.7
1100	500	57326.7
1100	512.5	57305.6
1100	525	57324.8
1100	537.5	57347.5
1100	550	57368.8
1100	562.5	57378.3
1100	575	57323.6
1100	587.5	57316.2

Line	Station	Gammas
1100	-137.5	57412.9
1100	-125	57428.2
1100	-112.5	57440.9
1100	-100	57406.6
1100	-87.5	57374.3
1100	-75	57377.5
1100	-62.5	57398.1
1100	-50	57420.9
1100	-37.5	57448
1100	-25	57463.7
1100	725	57292.2
1100	737.5	57306.2
1100	750	57310.7
1100	762.5	57304.6
1100	775	57294.9
1100	787.5	57304.3
1100	800	57298.4
1200	800	57406.8
1200	787.5	57433.6
1200	775	57430.2
1200	762.5	57363
1200	750	57301.2
1200	737.5	57343.6
1200	725	57295.8
1200	712.5	57289.5
1200	700	57303.3
1200	687.5	57325.9
1200	675	57287.8
1200	662.5	57255.1
1200	650	57347.1
1200	637.5	57442.9
1200	625	57305.6
1200	612.5	57278.6
1200	600	57262.6
1200	587.5	57202.6
1200	575	57144.9
1200	562.5	57084.8
1200	550	57113.1
1200	537.5	57413.6
1200	525	58029.2
1200	512.5	57996.7
1200	500	57485.1
1200	487.5	57611.5
1200	475	57717.8
1200	462.5	57629
1200	450	57590.7
1200	437.5	57832.8
1200	425	57661.6
1200	412.5	57574.9
1200	400	57501.9
1200	387.5	57379
1200	375	57347
1200	362.5	57271.9
1200	350	57361.9

Line	Station	Gammas
1100	600	57319.9
1100	612.5	57299.1
1100	625	57303.9
1100	637.5	57304.6
1100	650	57287.6
1100	662.5	57298.9
1100	675	57294.7
1100	687.5	57297
1100	700	57292.2
1100	712.5	57280.8
1200	150	57620.2
1200	137.5	57504.1
1200	125	57442.4
1200	112.5	57195.8
1200	100	57177.7
1200	87.5	57235.3
1200	75	57267.5
1200	62.5	57350.1
1200	50	57414.1
1200	37.5	57379
1200	25	57485.6
1200	12.5	57486.9
1200	0	57390.5
1200	-12.5	57933.3
1200	-25	58563.7
1200	-37.5	58292.6
1200	-50	58022.3
1200	-62.5	57977.9
1200	-75	57828.4
1200	-87.5	57791.4
1200	-100	57681.2
1200	-112.5	57611.9
1200	-125	57627.8
1200	-137.5	57722.4
1200	-150	57655.1
1200	-162.5	57533.2
1200	-175	57468.6
1200	-187.5	57676.9
1200	-200	57555.7
1300	-200	57587.2
1300	-187.5	57616.4
1300	-175	57662.8
1300	-162.5	57672.9
1300	-150	57510.8
1300	-137.5	57532.5
1300	-125	57472.9
1300	-112.5	57342
1300	-100	57388.2
1300	-87.5	57480.5
1300	-75	57519.3
1300	-62.5	57559.3
1300	-50	57722.6
1300	-37.5	57782
1300	-25	57841

Line	Station	Gammas
1200	337.5	57419.5
1200	325	57479.5
1200	312.5	57532.7
1200	300	57547.8
1200	287.5	57317.1
1200	275	57227.7
1200	262.5	57231.2
1200	250	57175
1200	237.5	57124.1
1200	225	57238.7
1200	212.5	57419
1200	200	58121.1
1200	187.5	58462
1200	175	58103.4
1200	162.5	57844.4
1300	175	57349.8
1300	187.5	57448.8
1300	200	57373.8
1300	212.5	57429.3
1300	225	57331.9
1300	237.5	57388
1300	250	57483.4
1300	262.5	57493.2
1300	275	57484.4
1300	287.5	57456.5
1300	300	57498.2
1300	312.5	57666.8
1300	325	57665.7
1300	337.5	57637
1300	350	57613
1300	362.5	57643.1
1300	375	57749.9
1300	387.5	57746.8
1300	400	57620.7
1300	412.5	57631.9
1300	425	57602.3
1300	437.5	57394.3
1300	450	57518.2
1300	462.5	57482.7
1300	475	57355.6
1300	487.5	57400.8
1300	500	57402.9
1300	512.5	57477.4
1300	525	57544.6
1300	537.5	57576.3
1300	550	57531.7
1300	562.5	57604.3
1300	575	57565.8
1300	587.5	57501.3
1300	600	57463.2
1300	612.5	57491.6
1300	625	57590.5
1300	637.5	57562.9
1300	650	57631.9

Line	Station	Gammas
1300	-12.5	57921.7
1300	0	57658.5
1300	12.5	57593.8
1300	25	57501.4
1300	37.5	57456.5
1300	50	57492.8
1300	62.5	57478.3
1300	75	57517.7
1300	87.5	57634.6
1300	100	57583.3
1300	112.5	57524.1
1300	125	57464.5
1300	137.5	57435.1
1300	150	57408.6
1300	162.5	57304.1
1200	-300	57599.5
1200	-312.5	57556.5
1200	-325	57533.6
1200	-337.5	57535.2
1200	-350	57546.4
1200	-362.5	57557.5
1200	-375	57550.5
1200	-387.5	57559.4
1200	-400	57652.3
1200	-412.5	57657.8
1200	-425	57620.7
1200	-437.5	57586.1
1200	-450	57633.7
1200	-462.5	57609.4
1200	-475	57578.7
1200	-487.5	57574.6
1200	-500	57569
1200	-512.5	57602.9
1200	-525	57625.6
1200	-537.5	57565.8
1200	-550	57546.9
1200	-562.5	57545.3
1200	-575	57529.9
1200	-587.5	57512.5
1200	-600	57502.3
1200	-612.5	57491
1200	-625	57483
1200	-637.5	57473.7
1200	-650	57474.4
1200	-662.5	57487.3
1200	-675	57485
1200	-687.5	57467.4
1200	-700	57451.6
1300	-700	57535.4
1300	-687.5	57599.6
1300	-675	57526.3
1300	-662.5	57581.1
1300	-650	57559.1
1300	-637.5	57568.7

Line	Station	Gammas
1300	662.5	57583.1
1300	675	57612.9
1300	687.5	57643.8
1300	700	57303.7
1300	712.5	57389.5
1300	725	57234.9
1300	737.5	56943
1300	750	56945.5
1300	762.5	57067.5
1300	775	57149.9
1300	787.5	57188.5
1300	800	57248.3
1200	-200	57564.7
1200	-212.5	57455.6
1200	-225	57542.6
1200	-237.5	57761.8
1200	-250	57820
1200	-262.5	57762
1200	-275	57652.4
1200	-287.5	57617.2
1300	-375	57553.5
1300	-362.5	57565.2
1300	-350	57572.1
1300	-337.5	57567.5
1300	-325	57561.4
1300	-312.5	57516
1300	-300	57522.2
1300	-287.5	57513.2
1300	-275	57535.3
1300	-262.5	57555.6
1300	-250	57562.2
1300	-237.5	57543.5
1300	-225	57536.9
1300	-212.5	57521.2
1400	-212.5	57445.5
1400	-225	57441.7
1400	-237.5	57444.2
1400	-250	57441.3
1400	-262.5	57449.4
1400	-275	57448.4
1400	-287.5	57437.2
1400	-300	57426.3
1400	-312.5	57416.9
1400	-325	57422.9
1400	-337.5	57430.8
1400	-350	57437.2
1400	-362.5	57435.1
1400	-375	57432.1
1400	-387.5	57434.8
1400	-400	57422.5
1400	-412.5	57465.6
1400	-425	57440.7
1400	-437.5	57465.7
1400	-450	57508.7

Line	Station	Gammas
1300	-625	57552.4
1300	-612.5	57569.1
1300	-600	57509.1
1300	-587.5	57494
1300	-575	57448.3
1300	-562.5	57445.5
1300	-550	57453.6
1300	-537.5	57469.3
1300	-525	57452
1300	-512.5	57446.5
1300	-500	57450.9
1300	-487.5	57477.1
1300	-475	57485.5
1300	-462.5	57497.9
1300	-450	57485.4
1300	-437.5	57497.4
1300	-425	57498.9
1300	-412.5	57507.7
1300	-400	57514.3
1300	-387.5	57544.7
1500	-637.5	57473.5
1500	-625	57456.5
1500	-612.5	57453.2
1500	-600	57466.6
1500	-587.5	57453.2
1500	-575	57454.9
1500	-562.5	57460
1500	-550	57453.2
1500	-537.5	57465.1
1500	-525	57470.2
1500	-512.5	57464.6
1500	-500	57515.1
1500	-487.5	57494.9
1500	-475	57511.9
1500	-462.5	57600.9
1500	-450	57469.5
1500	-437.5	57445.8
1500	-425	57441.6
1500	-412.5	57433
1500	-400	57438.5
1500	-387.5	57473.3
1500	-375	57580.4
1500	-362.5	57587
1500	-350	57550.4
1500	-337.5	57535.3
1500	-325	57583.6
1500	-312.5	57537.3
1500	-300	57720.6
1500	-287.5	57588.8
1500	-275	57521.6
1500	-262.5	57507
1500	-250	57545.4
1500	-237.5	57415.1
1500	-225	57380.6

Line	Station	Gammas
1400	-462.5	57500.6
1400	-475	57511.3
1400	-487.5	57501.2
1400	-500	57515.7
1400	-512.5	57565.2
1400	-525	57521.3
1400	-537.5	57480.3
1400	-550	57514.8
1400	-562.5	57474.4
1400	-575	57452
1400	-587.5	57448.2
1400	-600	57439.3
1400	-612.5	57435.7
1400	-625	57470.2
1400	-637.5	57449.9
1400	-650	57431.6
1400	-662.5	57427
1400	-675	57433.6
1400	-687.5	57454.2
1400	-700	57435.5
1500	-700	57458.9
1500	-687.5	57465.9
1500	-675	57447.6
1500	-662.5	57475.5
1500	-650	57463.7
1000	-112.5	57462.5
1000	-100	57412.3
1000	-87.5	57455.3
1000	-75	57398.7
1000	-62.5	57390.7
1000	-50	57380.2
1000	-37.5	57383.8
1000	-25	57398.9
1000	-12.5	57439.6
1000	0	57470.7
1000	12.5	57475.9
1000	25	57350.3
1000	37.5	57321
1000	50	57310.8
1000	62.5	57311.1
1000	75	57306.8
1000	87.5	57319.4
1000	100	57338.9
1000	112.5	57360.2
1000	125	57374.3
1000	137.5	57394.8
1000	150	57405.7
1000	162.5	57464.1
1000	175	57477.9
1000	187.5	57430.7
1000	200	57586
1000	212.5	57435.4
1000	225	57427.6
1000	237.5	57429.8

Line	Station	Gammas
1500	-212.5	57454.8
900	0	57341
900	-12.5	57327.5
900	-25	57324.3
900	-37.5	57310.7
900	-50	57315.1
900	-62.5	57305
900	-75	57297.1
900	-87.5	57309.3
900	-100	57300.5
900	-112.5	57324.4
900	-125	57404.5
900	-137.5	57386.6
900	-150	57421.7
900	-162.5	57502.8
900	-175	57568.3
900	-187.5	57485.9
900	-200	57339.2
1000	-200	57294.3
1000	-187.5	57327.2
1000	-175	57372.3
1000	-162.5	57406.9
1000	-150	57439
1000	-137.5	57436.6
1000	-125	57450.1
1000	625	57316.1
1000	637.5	57308.7
1000	650	57284.1
1000	662.5	57268
1000	675	57270.2
1000	687.5	57265.8
1000	700	57282.2
1000	712.5	57290.2
1000	725	57300.1
1000	737.5	57306.7
1000	750	57298.8
1000	762.5	57300.9
1000	775	57307
1000	787.5	57306.1
1000	800	57306.6
900	800	57342.9
900	787.5	57207.1
900	775	57289.1
900	762.5	57314.6
900	750	57326.5
900	737.5	57324.3
900	725	57322.7
900	712.5	57327.1
900	700	57323.3
900	687.5	57323.7
900	675	57321.4
900	662.5	57313.9
900	650	57317.5
900	637.5	57315.7

Line	Station	Gammas
1000	250	57358.2
1000	262.5	57481.8
1000	275	57338.5
1000	287.5	57317.8
1000	300	57304.9
1000	312.5	57314.9
1000	325	57314.5
1000	337.5	57328.5
1000	350	57340.8
1000	362.5	57339.4
1000	375	57329.5
1000	387.5	57349.7
1000	400	57340.7
1000	412.5	57321
1000	425	57328.4
1000	437.5	57336.8
1000	450	57321.8
1000	462.5	57317
1000	475	57316.8
1000	487.5	57294
1000	500	57312.7
1000	512.5	57317.7
1000	525	57311.1
1000	537.5	57307.6
1000	550	57304.1
1000	562.5	57315.9
1000	575	57319
1000	587.5	57321.2
1000	600	57327.2
1000	612.5	57313.8
900	250	57337.1
900	237.5	57306.7
900	225	57325.8
900	212.5	57338.9
900	200	57337.2
900	187.5	57372.4
900	175	57349.9
900	162.5	57334.9
900	150	57327.6
900	137.5	57316.1
900	125	57318.1
900	112.5	57319.4
900	100	57323.2
900	87.5	57319.1
900	75	57308.6
900	62.5	57307
900	50	57378.5
900	37.5	57381
900	25	57343.5
900	12.5	57350.8
900	0	57340.8
1100	-200	57317.2
1100	-212.5	57330.7
1100	-225	57635.8

Line	Station	Gammas
900	625	57315.2
900	612.5	57309.8
900	600	57312.4
900	587.5	57307.6
900	575	57305.7
900	562.5	57309.1
900	550	57310.5
900	537.5	57303.4
900	525	57300.3
900	512.5	57289.2
900	500	57293.5
900	487.5	57283.7
900	475	57281.3
900	462.5	57295.9
900	450	57293.4
900	437.5	57278.7
900	425	57282.9
900	412.5	57275.4
900	400	57273.5
900	387.5	57285.6
900	375	57314.8
900	362.5	57303.6
900	350	57327.1
900	337.5	57341.8
900	325	57369.1
900	312.5	57364.7
900	300	57349.7
900	287.5	57344.8
900	275	57334.4
900	262.5	57324.8
1100	-675	57521.3
1100	-687.5	57494.8
1100	-700	57504.7
1000	-700	57417.5
1000	-687.5	57367.5
1000	-675	57130.9
1000	-662.5	56879.7
1000	-650	57133.2
1000	-637.5	57268.9
1000	-625	57316
1000	-612.5	57275.8
1000	-600	57295.7
1000	-587.5	57295.9
1000	-575	57380.8
1000	-562.5	57458.2
1000	-550	57467.1
1000	-537.5	57530.1
1000	-525	57419.6
1000	-512.5	57414.4
1000	-500	57374
1000	-487.5	57401.6
1000	-475	57435.3
1000	-462.5	57441.5
1000	-450	57437.1

Line	Station	Gammas
1100	-237.5	57541.4
1100	-250	57553.7
1100	-262.5	57396.1
1100	-275	57341.3
1100	-287.5	57900.1
1100	-300	59303
1100	-312.5	58397.6
1100	-325	58551.3
1100	-337.5	58350.1
1100	-350	58262.3
1100	-362.5	58179.8
1100	-375	58334.1
1100	-387.5	57873.4
1100	-400	57808.4
1100	-412.5	57966.4
1100	-425	57942.3
1100	-437.5	58058.7
1100	-450	57998
1100	-462.5	58117.2
1100	-475	57977
1100	-487.5	57969.8
1100	-500	57799
1100	-512.5	57750.9
1100	-525	57770.6
1100	-537.5	57709.2
1100	-550	57729.4
1100	-562.5	57771.6
1100	-575	57625
1100	-587.5	57667.2
1100	-600	57630.7
1100	-612.5	57627.1
1100	-625	57617.5
1100	-637.5	57545.1
1100	-650	57537.4
1100	-662.5	57526.8
900	-387.5	57426.9
900	-400	57459.5
900	-412.5	57388.1
900	-425	57374.7
900	-437.5	57375.4
900	-450	57340.1
900	-462.5	57327.6
900	-475	57294.6
900	-487.5	57236
900	-500	57137.2
900	-512.5	56705.4
900	-525	57078.6
900	-537.5	57277.3
900	-550	57307.4
900	-562.5	57334.8
900	-575	57321.4
900	-587.5	57327.3
900	-600	57328.8
900	-612.5	57314.5

Line	Station	Gammas
1000	-437.5	57387
1000	-425	57365
1000	-412.5	57361.4
1000	-400	57384.7
1000	-387.5	57586.7
1000	-375	57468.5
1000	-362.5	57365
1000	-350	57356.9
1000	-337.5	57333.8
1000	-325	57319.1
1000	-312.5	57326.3
1000	-300	57332.6
1000	-287.5	57323.4
1000	-275	57340.6
1000	-262.5	57321.2
1000	-250	57359.5
1000	-237.5	57348.1
1000	-225	57366.7
1000	-212.5	57283.5
1000	-200	57299.9
900	-200	57340
900	-212.5	57307.2
900	-225	57303.3
900	-237.5	57349.9
900	-250	57512.9
900	-262.5	57525.2
900	-275	57518.7
900	-287.5	57405.2
900	-300	57395.2
900	-312.5	57359.2
900	-325	57362.4
900	-337.5	57364.5
900	-350	57380.1
900	-362.5	57383.5
900	-375	57390.1
800	-287.5	57145
800	-275	57066.9
800	-262.5	56973.6
800	-250	56883.2
800	-237.5	56942.7
800	-225	57154.4
800	-212.5	57208.8
800	-200	57254.6
800	-187.5	57298.4
800	-175	57331.2
800	-162.5	57377.2
800	-150	57297
800	-137.5	57321.2
800	-125	57326.1
800	-112.5	57295.1
800	-100	57286
800	-87.5	57304.3
800	-75	57308.9
800	-62.5	57321

Line	Station	Gammas
900	-625	57332.5
900	-637.5	57329.2
900	-650	57324.4
900	-662.5	57342.1
900	-675	57334.1
900	-687.5	57305
900	-700	57332.7
800	-700	57328.3
800	-687.5	57343.2
800	-675	57364.8
800	-662.5	57345.1
800	-650	57381.7
800	-637.5	57361.6
800	-625	57367.1
800	-612.5	57375.5
800	-600	57390.3
800	-587.5	57395.9
800	-575	57399.8
800	-562.5	57440.8
800	-550	57482.6
800	-537.5	57495.3
800	-525	57370.1
800	-512.5	57350.8
800	-500	57327.5
800	-487.5	57387.3
800	-475	57333.6
800	-462.5	57324.6
800	-450	57326.4
800	-437.5	57327.3
800	-425	57345.3
800	-412.5	57314
800	-400	57145.2
800	-387.5	57086.9
800	-375	57485.4
800	-362.5	57382.2
800	-350	57329.5
800	-337.5	57315.6
800	-325	57270.5
800	-312.5	57240
800	-300	57205.2
800	450	57327.9
800	462.5	57336.5
800	475	57333.9
800	487.5	57333.5
800	500	57335
800	512.5	57335
700	500	57356.4
700	487.5	57357.7
700	475	57355.2
700	462.5	57356.6
700	450	57353.7
700	437.5	57355.7
700	425	57353.7
700	412.5	57356.3

Line	Station	Gammas
800	-50	57329.4
800	-37.5	57344
800	-25	57337.8
800	-12.5	57343.9
800	0	57342
800	12.5	57326.8
800	25	57323.6
800	37.5	57313.7
800	50	57310.1
800	62.5	57312.5
800	75	57325.7
800	87.5	57326.7
800	100	57316.5
800	112.5	57320.1
800	125	57321.5
800	137.5	57311.2
800	150	57309.5
800	162.5	57302.7
800	175	57306.7
800	187.5	57303.3
800	200	57303.8
800	212.5	57299.6
800	225	57300
800	237.5	57299.5
800	250	57310.3
800	262.5	57300.3
800	275	57306
800	287.5	57304.9
800	300	57307.3
800	312.5	57310.9
800	325	57311.8
800	337.5	57319.6
800	350	57314.2
800	362.5	57312.5
800	375	57312.4
800	387.5	57323.3
800	400	57319.7
800	412.5	57321.2
800	425	57324
800	437.5	57329.6
700	-150	57344.7
700	-162.5	57350
700	-175	57335.3
700	-187.5	57308
700	-200	57304.1
700	-212.5	57317.8
700	-225	57332.3
700	-237.5	57342.5
700	-250	57323.6
700	-262.5	57326.8
700	-275	57323.6
700	-287.5	57331
700	-300	57331.9
700	-312.5	57329.9

Line	Station	Gammas
700	400	57353
700	387.5	57364.8
700	375	57360
700	362.5	57358.8
700	350	57356.3
700	337.5	57354.9
700	325	57352.8
700	312.5	57351.3
700	300	57349.5
700	287.5	57387.6
700	287.5	57349.3
700	275	57347.3
700	262.5	57344.2
700	250	57339.7
700	237.5	57336.7
700	225	57339.1
700	212.5	57342.4
700	200	57332.6
700	187.5	57331.6
700	175	57341.6
700	162.5	57325.2
700	150	57320.5
700	137.5	57325
700	125	57326.9
700	112.5	57323
700	100	57322.6
700	87.5	57320.8
700	75	57318.9
700	62.5	57317.3
700	50	57316.4
700	37.5	57308.2
700	25	57304.4
700	12.5	57292.7
700	0	57279.6
700	-12.5	57259.1
700	-25	57184.3
700	-37.5	57180.4
700	-50	57120.6
700	-62.5	57234.5
700	-75	57264
700	-87.5	57287.3
700	-100	57309.8
700	-112.5	57324
700	-125	57323.4
700	-137.5	57355.8
600	-525	57336
600	-512.5	57330.1
600	-500	57353.7
600	-487.5	57363.5
600	-475	57373.2
600	-462.5	57352.7
600	-450	57351.2
600	-437.5	57348.6
600	-425	57362.3

Line	Station	Gammas
700	-325	57306.1
700	-337.5	57414.2
700	-350	57463.9
700	-362.5	57493.2
700	-375	57511.7
700	-387.5	57498.4
700	-400	57429.9
700	-412.5	57405.2
700	-425	57397.7
700	-437.5	57385.3
700	-450	57392.2
700	-462.5	57400.8
700	-475	57371.4
700	-487.5	57371.1
700	-500	57366.7
700	-512.5	57347.4
700	-525	57350
700	-537.5	57363.7
700	-550	57364.7
700	-562.5	57378.3
700	-575	57445.3
700	-587.5	57566.5
700	-600	57552.1
700	-612.5	57536.9
700	-625	57484.7
700	-637.5	57427.1
700	-650	57390.7
700	-662.5	57357.4
700	-675	57355.9
700	-687.5	57479.4
700	-700	57506.5
600	-700	57354.6
600	-687.5	57333.9
600	-675	57391.9
600	-662.5	57377
600	-650	57436
600	-637.5	57476.4
600	-625	57443.3
600	-612.5	57442.3
600	-600	57411.1
600	-587.5	57349.3
600	-575	57352.1
600	-562.5	57325.4
600	-550	57364.3
600	-537.5	57384.4
600	212.5	57319.1
600	225	57322.3
600	237.5	57325.6
600	250	57327.2
600	262.5	57332.1
600	275	57334.6
600	287.5	57339.4
600	300	57343.4
600	312.5	57342.5

Line	Station	Gammas	Line	Station	Gammas
600	-412.5	57366.1	600	325	57349.9
600	-400	57364.1	600	337.5	57348.7
600	-387.5	57367	600	350	57351.3
600	-375	57374	600	362.5	57352.1
600	-362.5	57389.7	600	375	57356.5
600	-350	57374.6	600	387.5	57359.6
600	-337.5	57386.1	600	400	57354.2
600	-325	57366.5	600	412.5	57358.9
600	-312.5	57361.5	600	425	57364.9
600	-300	57343	600	437.5	57368.6
600	-287.5	57313.4	600	450	57371.3
600	-275	57318.6	600	462.5	57369.7
600	-262.5	57350.2	600	475	57368.8
600	-250	57321.9	600	487.5	57368.4
600	-237.5	57315.6	600	500	57372.1
600	-225	57318.2	500	500	57386.3
600	-212.5	57317.8	500	487.5	57348.1
600	-200	57321.6	500	475	57311.7
600	-187.5	57325.4	500	462.5	56962.3
600	-175	57323.8	500	450	56936.3
600	-162.5	57327.1	500	437.5	57045
600	-150	57329.5	500	425	57188
600	-137.5	57334.6	500	412.5	57263.3
600	-125	57331.5	500	400	57233
600	-112.5	57329.4	500	387.5	57196.8
600	-100	57334.9	500	375	57246.4
600	-87.5	57339.7	500	362.5	57280.6
600	-75	57336.3	500	350	57290.9
600	-62.5	57325.4	500	337.5	57282.4
600	-50	57326.1	500	325	57287.4
600	-37.5	57327.9	500	312.5	57300.8
600	-25	57335.1	500	300	57302.6
600	-12.5	57326.2	500	287.5	57306.6
600	0	57329.5	500	275	57309.7
600	12.5	57316.9	500	262.5	57307.7
600	25	57316	500	250	57322.9
600	37.5	57312.6	500	237.5	57343.4
600	50	57306.7	500	225	57357.5
600	62.5	57280.9	500	212.5	57337.7
600	75	57288.9	500	200	57338.3
600	87.5	57289.9	500	187.5	57337.2
600	100	57244.8	500	175	57337.8
600	112.5	57205.7	500	162.5	57339.8
600	125	57208	500	150	57337.3
600	137.5	57243.7	500	137.5	57340.5
600	150	57263.4	500	125	57345.1
600	162.5	57292.2	500	112.5	57341.3
600	175	57300.1	500	100	57345.4
600	187.5	57308.5	500	87.5	57342.9
600	200	57317.1	500	75	57345.3
500	62.5	57342.4	400	-337.5	57361.5
500	50	57341.2	400	-325	57364.1
500	37.5	57351.1	400	-312.5	57364.2
500	25	57353.7	400	-300	57361.7

Line	Station	Gammas
500	12.5	57353.9
500	0	57360.6
500	-12.5	57360.2
500	-25	57359.6
500	-37.5	57356.4
500	-50	57353.7
500	-62.5	57355.4
500	-75	57353
500	-87.5	57355.3
500	-100	57354.3
500	-112.5	57349.3
500	-125	57348.9
500	-137.5	57348.5
500	-150	57344.6
500	-162.5	57340.8
500	-175	57341.3
500	-187.5	57341.4
500	-200	57343.8
500	-212.5	57344.6
500	-225	57339.5
500	-237.5	57336.8
500	-250	57344.2
500	-262.5	57347.9
500	-275	57345.6
500	-287.5	57352.1
500	-300	57347.8
500	-312.5	57343.9
500	-325	57337.5
500	-337.5	57339.6
500	-350	57343.4
500	-362.5	57345.1
500	-375	57341.7
500	-387.5	57351.7
500	-400	57357.9
500	-412.5	57350.4
500	-425	57356.8
500	-437.5	57358.5
500	-450	57413.8
500	-462.5	57386.1
500	-475	57370.7
500	-487.5	57383.4
500	-500	57401.1
400	-500	57352.9
400	-487.5	57351.1
400	-475	57351.3
400	-462.5	57356.3
400	-450	57356.3
400	-437.5	57364
400	-425	57367.2
400	-412.5	57361
400	-400	57359.7
400	-387.5	57355.9
400	-375	57362.8
400	-362.5	57363.2

Line	Station	Gammas
400	-287.5	57365
400	-275	57354.6
400	-262.5	57355.7
400	-250	57351.5
400	-237.5	57346.9
400	-225	57358.1
400	-212.5	57352.4
400	-200	57343.5
400	-187.5	57349.9
400	-175	57354.1
400	-162.5	57357.2
400	-150	57350.7
400	-137.5	57350.3
400	-125	57348.1
400	-112.5	57348
400	-100	57350.6
400	-87.5	57348.5
400	-75	57347.2
400	-62.5	57356.6
400	-50	57353
400	-37.5	57358.2
400	-25	57358.3
400	-12.5	57357.7
400	0	57360.5
400	12.5	57362.7
400	25	57363.1
400	37.5	57357.3
400	50	57358.2
400	62.5	57351.7
400	75	57351.8
400	87.5	57347.6
400	100	57349.3
400	112.5	57343
400	125	57349.8
400	137.5	57355.5
400	150	57354.2
400	162.5	57347.5
400	175	57340.4
400	187.5	57340.3
400	200	57340.6
400	212.5	57347.9
400	225	57354.3
400	237.5	57337.2
400	250	57336
400	262.5	57347.5
400	275	57335.3
400	287.5	57335.5
400	300	57336.2
400	312.5	57336.9
400	325	57334.7
400	337.5	57353.2
400	350	57335.6
400	362.5	57338.2
400	375	57336.8

Line	Station	Gammas
400	-350	57352
400	400	57346.5
400	412.5	57349
400	425	57349.4
400	437.5	57344.7
400	450	57350.7
400	462.5	57352.6
400	475	57351.2
400	487.5	57356.8
400	500	57357.2
300	500	57366.3
300	487.5	57359.6
300	475	57362.7
300	462.5	57366.5
300	450	57365.7
300	437.5	57359.9
300	425	57357.7
300	412.5	57361.5
300	400	57363.7
300	387.5	57361.4
300	375	57363.2
300	362.5	57368.7
300	350	57367.4
300	337.5	57366.3
300	325	57364.8
300	312.5	57350.8
300	300	57355.7
300	287.5	57355.6
300	275	57368.9
300	262.5	57362.2
300	250	57372.9
300	237.5	57366.1
300	225	57364.2
300	212.5	57359.2
300	200	57358.3
300	187.5	57356.9
300	175	57355.3
300	162.5	57362.8
300	150	57360.6
300	137.5	57353.2
300	125	57349.2
300	112.5	57350.8
300	100	57353.7
300	87.5	57354
300	75	57360.5
300	62.5	57362.9
300	50	57364.9
300	37.5	57357.6

Line	Station	Gammas
400	387.5	57342.9
300	-125	57383.4
300	-137.5	57377.7
300	-150	57371.1
300	-162.5	57363.4
300	-175	57356.7
300	-187.5	57371.1
300	-200	57360.4
300	-212.5	57355.6
300	-225	57346.2
300	-237.5	57363.5
300	-250	57411.9
300	-262.5	57363.8
300	-275	57374.1
300	-287.5	57377.1
300	-300	57395.3
300	-312.5	57386
300	-325	57436
300	-337.5	57346.9
300	-350	57374.6
300	-362.5	57381.5
300	-375	57238.4
300	-387.5	57388.8
300	-400	57388.2
300	-412.5	57378.1
300	-425	57371.2
300	-437.5	57367.2
300	-450	57369.5
300	-462.5	57355.1
300	-475	57357.1
300	-487.5	57355.1
300	-500	57361.9
300	25	57361.1
300	12.5	57356.1
300	0	57359.8
300	-12.5	57356.4
300	-25	57359.1
300	-37.5	57364.3
300	-50	57364.8
300	-62.5	57377.1
300	-75	57371.3
300	-87.5	57383
300	-100	57386.2
300	-112.5	57374.1