

2010 Geochemical Report for the Ten Mile Project

Claims: Ten 259 – Ten 278 (20 claims)

Grant Numbers: YDO 7859 - YDO 7878

NTS 115 O5, 12, 115 N08,09

Latitude 63⁰30' N: Longitude 140⁰00' W

Dawson Mining District

Work performed between August 13 – August 16, 2010

Owner: Radius Gold Inc.
830-355 Burrard St.
Vancouver, B.C.
V6C 2G8

Operator: Solomon Resources Ltd.
Unit 3 – 2860 Smith Drive,
Armstrong, B.C.
VOE 1B1

Report written by: Steve Potts, P.Geo

February 24th 2011

Contents

1.	Introduction	1
2.	Previous investigations	2
3.	Property Description, physiography and Location.....	2
4.	Geological setting.....	3
5.	Legal Description.....	4
6.	Work program for 2010	5
7.	Sampling method	5
8.	Sample preparation, analyses and security	5
9.	Interpretation and conclusions.....	6
10.	Statement of Qualifications	8
11.	Statement of Expenditures	9
12.	References	9
13.	Appendices.....	10
13.1	Results of soil sampling program.....	10
13.2	Laboratory certificate.....	10
13.1	11
13.2	12


List of Tables and Figures

Table 1	Legal description of claims
Table 2	Results of Soil sampling program

Figure 1	Location map
Figure 2	Claim map and sample locations
Figure 3	Geology of the Ten Mile area
Figure 4	Results of geochemical program - gold

1. Introduction

Solomon Resources Ltd (Solomon) has optioned into the claim package known as Ten Mile, and commenced work in June 2010. The work presently being filed is part of a broader work program, which includes prospecting, soil sampling, trenching and diamond drilling, however, all claims fall under one grouping but with different expiry dates. Figure 1 shows the regional location of the claims, and figure 2, the claims required for assessment filing along with soil sample locations. This assessment report will focus on the soil geochemical program. This part of the property was outlined for a preliminary soil sampling program, in order to provide target indicators for future exploration work. The only access to this section of the claims is through helicopter support, and Transnorth were contracted for the duration of the program.



2. Previous investigations

The area has been previously explored by Teck, who carried out a three year program between 1998 and 2000. Prospect mapping and a soil geochemical program was undertaken with recommendations for follow up work. Teck however, allowed the claims to lapse, and which were then staked by Fjordland Exploration in 2003, who carried out a small scale program across the Ten mile area. Government sponsored programs have included two regional mapping programs carried out by Jim Ryan (Open file (OF) 1772, J.J. Ryan and S.P. Gordey), and expanded later to produce OF 4641. The Yukon Geological Survey in collaboration with the NATMAP project, produced a compilation map (2006-1, M. Colpron), entitled "Tectonic assemblage map of Yukon Tanana and related terranes in Yukon and northern British Columbia." A GSC sponsored airborne program covered the area in 2001 at 800m line spacing. More recently, the area is being encompassed under the GEM Edges program, as renewed interest due to the White Gold discovery, is encouraging further exploration in the area.




Figure 2: Claim map.
Also shown are contiguous claims where work was actually carried out.

3. Property Description, physiography and Location

The property is located approximately 75 km south west of Dawson City. It lies 10 km to the south of the sixty mile river and 10 km west of the Yukon river. The Ten Mile creek lies on the western boundary

of the claims and drains several streams running off the claims. The area's topography is typical of the Dawson range, with rolling hills incised by steep sloped gullies, which is representative of water run-off being the major contributor to morphology, rather than glaciers. Permafrost typically covers the northern slopes, which are underlain by a thick cover of moss. The south facing slopes are usually covered in alders and black spruce trees. The highest elevation, above 3000' amsl, is above the tree line and surfaced with felsenmeer. There is no road or trail onto the claims, although a CAT trail has been made to within 2 km of the present southern boundary, sometime in the 1990's. This trail is accessible with an ATV, and could be improved and extended onto the claims. However under the restrictions of the present licence, the claims were accessed using a helicopter.

4. Geological setting


The area of the Ten mile creek area was regionally mapped by Tempelman-Kluit (1974) on map sheet 115N and Bostock (1942) on map sheet 115O. A multi-disciplinary program, consisting of regional bedrock and surficial geological mapping, and airborne geophysics, was undertaken by the Geological Survey of Canada (GSC) over the Stewart River area, which included Solomon's claim area (2000 to 2003). Debicki (1984) and Mortensen (1996) have mapped the area immediately north and northeast of the project area, while Wheeler et al (1991), and Gordey and Makepeace (2001) compiled the geology of the territory. In 2006 a compilation map of the area was put together in conjunction with the Yukon Geological Survey (YGS) (M. Colpron, OF 2006-1).

In the central Yukon, there are two main geological components largely separated by the major, northwest-trending Tintina fault. Rocks northeast of this fault represent the Ancient North American margin. Rocks southwest of the fault are accreted crustal fragments, including the pericratonic Yukon-Tanana Terrane, the Intermontane Superterrane consisting of the Stikinia, Quesnellia, Slide Mountain, Cache Creek and Windy-McKinley Terranes, and the Insular Superterrane consisting of the Wrangellia and Alexander Terranes.

The Ten Mile Property is located within the Paleozoic Yukon- Tanana Terrane (YTT) and is comprised of the Upper Devonian Snowcap assemblage, which consists of polydeformed and metamorphosed quartzite, psammite, pelite and marble (M. Colpron 2006). Figure 3 shows the location of Solomon's claims in relation to the geology of the area. Intruded into this assemblage are a series of granitic plutons, varying from highly deformed to almost fresh looking. Dating of the Ten Mile intrusion has revealed a history of multi events dating as old as the Permian (263 Ma), and as young as the early Jurassic (174 Ma). Much younger Palaeocene epoch (56 Ma) feldspar porphyritic dikes cut the countryside in a north, north-west direction.

There is one minfile occurrence on the claims, known as the Cardiff prospect, a location of gold bearing quartz veins (63°28' N, 139°54'W).

Figure 3: Geology of the Ten Mile Area



5. Legal Description

The claims that require renewal are part of a larger group, which is one contiguous group. Table 1 describes the claim numbers required for renewal plus the claims where the actual work was carried out. All claims fall under group number HDO 3064.

Claims for renewal		Renewal date	Claims where work was done	
Claim name	Grant number		Claim name	Grant number
RDU 259 – RDU 278	YDO 7859 – YDO 7878	18 th Sep 2010	Ten 49 – Ten 50	YC07031-YC07032
			Ten 52	YC07034
			RDU 23	YC93832
			RDU 25	YC 93834
			RDU 27	YC93836
			RDU 29	YC93838
			RDU 35	YC93844
			RDU 37-RDU38	YC93846-YC93847
			RDU 46	YC93855
			RDU 48	YC93857

Claims for renewal		Renewal date	Claims where work was done	
			RDU 50	YC93859
			RDU 52-RDU53	YC93861-YC93862
			RDU55-RDU58	YC93864-YC93867
			RDU 60	YC93869
			RDU68-RDU74	YC93877-YC93883
			RDU 90	YC93899
			RDU 92	YC938901
			RDU 94	YC938903
			RDU116- RDU117	YC93825-YC93826
			RDU126	YC93835

Table 1: Legal description of claims for renewal

The claim names with the prefix “RDU” are owned by Radius Gold Inc., 830-355 Burrard St, Vancouver B.C. V6C 2G8.

6. Work program for 2010

Solomon, with a crew of 4 people including the Geologist, were dropped off by helicopter and set up a fly camp. The crew stayed out for 4 days, between 13th to 16th August 2010. The sampling crew, equipped with GPS and augur, walked individual lines spaced 200m apart, in a different direction each day. The idea was to prospect as much of the area as no work has previously been done on this part of the claims. Records were taken of the depth of the sample, colour and appearance. There was very little outcrop, and much of the ground was covered in scree, especially on the steeper slopes, which made collecting of soil samples difficult. Approximately 125 soil samples were collected in the claims used for this assessment report.

7. Sampling method

The method was as follows:

- a) The C horizon was targeted for this program. The A horizon is usually an organic matter horizon, followed by a brown layer, the B layer, fine grained with a leached upper portion. Deeper into the horizon, the material becomes coarser (the C horizon), and it is this material, usually at the 50 – 60 cm level, that the sample is taken.
- b) A kraft bag is filled to maximum, discarding any pebbles, the bag is then tagged and sealed, and placed in a plastic bag

8. Sample preparation, analyses and security

All samples were bagged and labeled, batched into rice bags, sealed and transported to Acme Labs, Whitehorse, B.C. The samples were crushed, and then sieved through 100 mesh screen and

prepared for analysis. From there the samples were transported to Acme Labs in Vancouver B.C. for ICP MS analysis.


The pulp is then treated with hot aqua regia digestion and processed through an ICP-MS monitor. A 15g sample was used for a more representative result. The following 36 element package with a gold geochemical addition added to the package was used for this program.

Ag	Al	As	Au	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
Mo	Na	Ni	P	Pb	S	Sb	Sc	Se	Sn	Sr	Ti	Th	Tl	V	W	Y	Zn

9. Interpretation and conclusions

The program's aim was to extend Solomon's knowledge of the area and help direct future exploration programs. Table 2, in Appendix 13.1, provides a more detailed profile of the results from the soil program. In figure 4 it can be seen that there were no anomalous gold samples produced from this program, which may preclude the area from further investigation. However, as previously mentioned, the amount of scree and permafrost excluded some areas from sample collection, and which may suggest that soil sampling is not the best method of mineral detection in this type of environment.

This program was part of a larger program carried out during 2010, and the results of the larger program will be produced in a future assessment report.



10. Statement of Qualifications

I, Steve Potts, with business address at Solomon Resources Limited, Unit 3 – 2860 Smith Drive, Armstrong, B.C., V0E 1B1, hereby certify that:

- I am a practising Geologist, located in Delta B.C.
- I am a member in good standing with the Association of Professional Engineers and Geoscientists of British Columbia (Licence 33654).
- I hold a Bachelor of Science (B.Sc. Hons) in Geology and Geography (1988) from the University of Leeds, U.K.
- I have been practicing my profession as a geologist since graduation in 1988.
- I have a direct interest in the operations of Solomon Resources Ltd. as I do have a minor amount of shares in the company.
- I have based this report on:
 - Field work conducted by myself and carried out under my supervision.
 - Historical research into past operations on the claims and adjacent to the claims
- I consent to the use of this report for any Filing Statement, Statement of Material Facts, or support document.

Steve Potts B.Sc. P.Geo.

11. Statement of Expenditures

Ten Mile Claims Expenditures					
August 2010					
<u>Item</u>	<u>Hours</u>	<u>Unit rates</u>	<u>No. of days</u>	<u>Man days</u>	<u>\$</u>
Analytical Analysis –for Soils. Acme Labs – 123 samples		20.50			2,521
Camp, including fuel, groceries and accommodation		50	4	12	600
<u>Sub-Contractors</u>					
Transnorth Helicopters	3.4	1264.83			4,300
<u>Salaries</u>					
Personnel – Geology – Head Geologist		500	4	4	2,000
Personnel - field crew – 3		200	4	12	2,400
Total Expenditures:					\$ 11,821

12. References

Pautler, J. (2001) "2000 Geological and geochemical report on the Ten Mile Creek Property"

Colpron, M. (2006) "Tectonic assemblage of Yukon Tanana and related terranes in Yukon and northern British Columbia" (OF 2006-1)

13. Appendices

13.1 Results of soil sampling program.

13.2 Laboratory certificate.

13.1

Table 2

Soils Results

Sample	x_proj	y_proj	altitude	depth	colour	comments	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au
							PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
143034	553501.5	7036599.9	1043	50	light brown		1.3	24.6	12.2	68	0.2	24.3	8.3	230	2.75	23.6	0.7	3.9
143035	553654.9	7036601.1	1008	30	light brown		1.2	25.3	12.2	66 <0.1		23.5	9.2	263	2.64	22.6	0.8	3.0
143036	553800.6	7036596.1	975	20	light brown	rocky	1.3	28.9	13.0	81	0.6	30.0	10.5	459	2.78	29.2	0.8	2.9
143037	553952.3	7036601.8	957	30	light brown	rocky	0.7	19.0	14.8	49	0.1	18.5	6.7	215	2.55	18.8	0.5	3.0
143038	554102.2	7036599.2	932	50	brown		0.6	24.3	15.3	58 <0.1		21.1	7.9	203	2.43	11.6	0.8	3.9
143039	554252.9	7036602	903	20	light brown	rocky	1.0	21.0	12.3	55	0.2	20.0	7.3	200	2.30	20.1	0.7	9.3
143040	554404.1	7036596.8	866	50	brown		1.2	20.0	12.4	57	0.2	17.6	6.2	166	2.44	31.4	0.9	6.5
143041	554551.5	7036601.7	835	50	reddish brown		1.0	17.3	13.0	60 <0.1		20.1	7.7	427	2.28	19.1	0.4	1.0
143042	554702.1	7036598.1	810	30	light brown		1.2	27.9	10.9	68	0.2	25.9	8.8	340	2.34	20.7	0.9	0.7
143043	554851.5	7036599.3	814	40	greyish brown		0.7	30.7	15.7	67	0.2	25.8	7.8	253	2.45	36.1	1.5	4.5
143044	555001.6	7036604.7	804	40	brown		0.6	34.3	15.3	75 <0.1		43.9	15.8	448	3.83	7.8	2.1 <0.5	
143045	554881.6	7036415	755	40	brown		1.0	21.4	13.6	67	0.1	22.3	6.4	216	2.31	53.3	0.9	9.6
143465	555001.8	7036800.2	847	40	LIGHT RED BROWN		0.9	49.4	13.5	93 <0.1		64.6	19.6	491	4.55	10.2	1.2	1.2
143466	554849	7036797.7	852	50	MED GREY BROWN		0.8	24.2	12.3	54	0.1	19.9	8.3	347	2.18	38.6	1.3	5.0
143467	554703.9	7036797.8	863	60	MED GREY BROWN		0.8	25.5	12.7	59	0.2	19.9	7.3	389	2.18	45.1	1.0	2.3
143468	554551.2	7036796.9	871	60	DARK GREY BROWN		1.9	42.0	21.0	71	0.5	25.2	17.1	889	3.15	58.6	1.8	2.8
143469	554399.5	7036802.5	896	60	MED BROWN		1.3	28.8	14.6	59	0.3	21.7	8.8	282	2.45	34.0	0.8	2.8
143470	554251.9	7036800.5	924	50	MED GREY BROWN		1.2	23.7	13.5	54	0.3	22.3	9.0	390	2.43	67.2	0.9	2.6
143471	554104.2	7036797.6	964	40	LIGHT GREY BROWN		1.4	29.3	11.8	60	0.6	20.2	9.7	451	2.32	24.2	1.0	2.3
143472	553953.5	7036799.2	996	60	MED BROWN		1.3	29.0	13.4	49	0.5	19.4	10.2	351	2.37	24.5	0.7	1.2
143473	553804.8	7036795	1027	50	MED GREY BROWN		1.3	29.0	19.7	55	0.3	20.1	18.1	1251	2.52	36.1	0.9	2.6
143474	553651.5	7036799.6	1046	50	LIGHT BROWN		1.3	29.9	15.9	61	0.3	28.6	12.2	458	2.86	19.1	0.9	2.4
143475	553500.2	7036798.8	1064	50	RED BROWN		1.7	43.0	27.4	67 <0.1		24.0	7.2	262	3.13	20.2	1.0	0.8
143476	553349.7	7037298.6	940	60	DARK BROWN		1.0	20.4	23.8	71	0.2	26.6	11.7	345	2.65	10.4	1.4	1.6
143477	553268.2	7037432.3	882	80	DARK BROWN		0.8	21.6	17.8	62	0.2	22.0	8.9	214	2.39	12.8	1.3	1.8
143478	553195.8	7037556.7	830	60	MED BROWN		0.8	18.7	19.4	64	0.1	22.5	8.5	210	2.61	17.3	1.1	2.0
143479	553121.3	7037683.2	784	80	MED GREY BROWN	FROZEN	0.8	27.3	19.6	61	0.2	21.7	7.5	148	2.33	17.6	1.3	2.2
143480	553043.9	7037810.5	728	60	MED BROWN	SCREE	1.2	17.3	22.2	57	0.2	21.2	7.5	237	2.59	23.0	1.0	9.9
143481	552966.4	7037938.4	689	50	MED GREY BROWN	SCREE	1.0	11.0	9.4	26	0.2	6.9	2.5	84	1.21	8.3	0.6	5.6
143482	552890.5	7038068.9	663	50	MED GREY BROWN	FROZEN	0.6	23.4	10.7	69 <0.1		21.5	9.2	271	2.49	11.5	0.6	2.6
143483	552811.3	7038199.1	693	30	MED BROWN		0.9	25.8	12.1	64 <0.1		24.6	12.4	238	2.95	9.8	0.5 <0.5	
143484	552733.3	7038324	718	60	MED BROWN		0.7	28.5	11.2	64	0.1	23.1	9.7	372	2.69	8.6	0.9	13.7
143485	552654.4	7038455.7	744	70	MED GREY BROWN		0.7	19.2	9.2	55 <0.1		17.6	8.6	270	2.34	7.4	1.0	10.0
143486	552579.6	7038591.6	772	30	DARK BROWN		1.0	27.0	22.5	65	0.2	24.7	7.8	188	3.22	10.0	2.0	13.6
143487	552503.7	7038713.3	803	40	DARK BROWN	SCREE	0.9	13.3	6.8	30	0.2	5.9	2.5	81	1.17	3.8	0.4	4.4
143488	552001.5	7034700.1	1020	30	MED BROWN		1.1	17.5	10.4	51	0.2	23.7	8.6	331	2.74	17.3	0.6	3.4
143489	552104.8	7034810.7	1045	40	MED BROWN		0.7	18.3	11.0	53 <0.1		12.7	10.3	497	3.52	14.4	0.4	9.2
143490	552204.5	7034919.7	1061	40	MED BROWN		1.0	23.6	23.3	63	0.2	25.6	10.7	313	3.12	12.4	0.8	4.8
143491	552305.7	7035033.1	1062	60	MED BROWN		0.6	25.7	20.3	80 <0.1		14.0	9.4	353	3.10	6.1	0.7	3.1
143492	552407.3	7035142.9	1066	70	DARK GREY BROWN		0.3	37.5	24.8	48	0.2	29.0	12.8	421	2.86	13.0	1.5	3.6
143493	552505.7	7035255.5	1070	30	GREY		1.1	37.5	15.9	63 <0.1		28.8	11.8	255	2.73	22.8	1.2	7.1
143494	552596.5	7035354.4	1076	70	DARK GREY BROWN		0.7	24.4	16.6	59	0.1	22.7	9.0	197	2.83	30.1	1.3	3.8
143495	552697.3	7035466.4	1090	70	MED BROWN		0.8	28.1	14.0	55	0.2	26.0	10.6	473	2.78	30.7	1.2	7.2
143496	552799.5	7035576.8	1103	40	MED GREY		1.5	23.1	11.8	57 <0.1		21.1	10.6	314	3.15	21.1	0.8	3.0
143497	552906.1	7035689.3	1108	30	MED RED BROWN		1.0	26.9	10.1	50 <0.1		25.0	11.5	273	2.91	24.2	1.0	4.6
143498	553001.1	7035799.7	1099	30	MED RED BROWN		1.1	23.9	12.6	52 <0.1		20.2	7.8	244	2.61	36.4	0.8	3.3
143499	552402	7036699.3	974	60	MED BROWN		1.2	14.1	13.7	39	0.2	13.0	7.4	320	1.99	8.7	0.6	1.4
143500	552262	7036753.8	942	60	MED BROWN		0.9	21.8	21.3	73	0.2	22.1	9.7	388	3.01	38.5	1.2	4.5
143551	552124.2	7036812.1	915	70	LIGHT BROWN		0.9	17.6	16.2	61	0.1	22.7	9.6	299	3.02	17.6	0.7	3.1
143552	551981.7	7036870	873	40	LIGHT RED BROWN		0.7	26.4	16.4	75 <0.1		34.7	12.1	313	3.43	13.6	0.6	1.7
143553	551844.2	7036925.2	833	50	MED BROWN		0.8	25.0	18.5	64 <0.1		25.3	9.8	255	2.95	19.6	1.1	4.2
143554	551707.6	7036982.5	784	50	MED RED BROWN		1.0	17.9	22.5	66 <0.1		26.3	10.1	248	3.21	14.0	0.8	0.8
143555	551563.9	7037039.5	732	60	MED GREY BROWN		1.7	32.6	33.4	93	0.3	27.8	11.3	331	2.92	33.9	3.1	9.4
143556	551423.4	7037095.5	764	40	MED GREY BROWN	GREEN MOTTLING	0.9	18.2	24.0	65 <0.1		17.9	8.8	255	2.25	28.5	1.4	7.6
143557	551286.2	7037154.8	788	60	MED BROWN		0.9	18.2	29.3	62	0.1	19.1	7.0	227	2.53	26.5	1.6	2.8
143558	551145.2	7037210.2	825	40	MED GREY BROWN		1.1	30.5	30.7	71	0.4	26.1	7.4	283	2.73	41.1	2.5	10.0
143559	551008.2	7037266.9	864	70	DARK BROWN		1.7	28.8	35.8	96	0.9	28.3	9.7	529	3.15	28.8	3.8	8.0
143623	553501.5	7036999.8	1043	35	brown		1.5	28.9	22.0	65	0.3	31.2	14.9	584	2.93	8.1	1.7	1.7
143624	553652.2	7037001.8	1062	40	light brown		1.7	42.0	18.3	80	0.1	31.6	18.5	560	3.40	35.1	1.8	2.3
143625	553802.3	7037000.2	1056	40	light brown		2.0	27.7	17.7	83	0.3	22.7	15.0	718	3.67	12.4	1.0	1.5
143626	553952.1	7036998.6	1027	50	light brown		1.5	23.0	15.5	65	0.3	27.3	9.9	373	3.43	32.1	0.7	2.8
143627	554102.9	7037001.6	1003	35	light brown		1.1	17.5	14.2	52	0.2	20.0	9.9	330	2.81	10.3	0.6	3.3
143628	554255.6	7037000.4	965	45	light brown		1.1	22.7	17.4	66	0.4	27.4	8.3	302	2.65	53.8	0.8	6.6
143629	554401.4	7036998.7	945	35	light brown		1.3	34.6	19.6	55	0.2	22.5	13.2	666	2.63	28.4	1.6	5.1
143630	554555.8	7037000.2	929	40	light brown		1.2	17.2	13.6	47	0.4	20.1	10.3	401	2.63	12.5	0.6	3.2

Table 2
Soils Results

Sample	x_proj	y_proj	altitude	depth	colour	comments	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au
							PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPB
143631	554700.3	7037001	918	40	light brown		0.8	19.5	17.3	53	<0.1	20.1	8.8	323	2.60	10.9	0.6	3.6
143632	554851.7	7036999.3	908	45	light brown		1.5	33.4	21.9	82	0.1	24.7	6.1	210	2.38	135.2	1.2	2.9
143633	554997.1	7037000.1	910	45	light brown		0.9	18.4	10.9	51	<0.1	24.3	12.6	473	3.10	9.9	0.7	1.1
143634	553199.3	7037199	916	35	light brown		1.6	24.0	17.6	54	0.1	24.4	8.0	203	2.15	12.0	1.2	1.0
143635	553114.8	7037332.7	836	35	light brown	scree	1.1	15.0	14.3	45	<0.1	15.8	5.6	161	2.22	31.9	0.6	1.8
143636	553017	7037441.6	832	45	light brown		1.5	34.3	23.7	74	0.2	41.0	13.3	593	3.47	35.3	1.0	1.0
143637	552910.6	7037538.8	844	55	light brown/gray	scree	1.5	35.5	42.9	93	0.1	46.4	15.6	687	3.85	62.2	1.4	2.5

Table 2
Soils Results

Sample	x_proj	y_proj	altitude	depth	colour	comments	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au
							PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPB
143638	552802.5	7037646.2	854	45	light brown	scree	1.1	12.6	14.2	83 <0.1		14.9	9.1	1040	2.65	9.3	0.4	3.5
143639	552703.9	7037776	815	40	light brown	scree	1.3	12.8	13.8	54 <0.1		18.1	6.6	208	3.14	17.4	0.4	9.4
143641	552515.2	7038019.4	690	40	light gray		0.9	11.5	12.2	39 <0.1		10.6	6.6	322	2.04	6.3	0.5	2.8
143642	552422.2	7038138.2	749	45	light brown		0.7	12.2	39.2	44 <0.1		11.7	5.2	192	1.89	4.5	1.1	8.4
143643	552353.6	7038264.4	794	40	light brown		0.9	18.8	13.5	48 <0.1		15.2	6.4	330	2.28	7.8	0.9	4.0
143644	552264.2	7038390.1	842	40	light brown		1.0	22.4	13.4	54	0.2	19.0	9.9	569	2.57	7.5	1.0	2.5
143645	553200.2	7035648.6	1080	35	light brown		2.0	27.8	16.1	42	0.2	21.4	6.6	303	2.00	60.0	0.9	2.3
143646	553094.2	7035539.3	1105	40	light brown		0.3	19.2	3.3	70 <0.1		28.5	21.4	818	4.91	4.0	0.3 <0.5	
143647	553012.8	7035417.7	1109	40	light brown		1.0	23.3	9.4	60 <0.1		21.2	12.7	376	4.17	12.2	0.5	0.6
143648	552913.6	7035304.9	1107	45	light brown		0.7	11.5	14.7	41 <0.1		14.9	5.6	133	2.94	34.0	0.7	1.9
143649	552829.7	7035185.5	1100	40	light brown		1.4	24.0	17.3	61	0.1	28.3	13.1	280	3.50	40.0	1.2	5.4
143650	552712.2	7035089.6	1088	40	light brown		0.9	24.0	12.2	54 <0.1		22.2	8.5	236	2.52	23.6	0.9	2.7
143651	551989.6	7034889	1051	50	grey		0.5	28.0	11.2	57	0.1	28.3	10.3	455	2.44	9.9	0.6	1.8
143652	552100.8	7034988.2	1065	50	yellowish brown		0.7	20.0	9.6	44 <0.1		16.1	11.0	280	3.43	8.0	0.7	3.4
143653	552294.6	7035060.2	1059	60	greyish brown		1.0	62.5	36.6	88	0.2	21.1	12.1	604	3.47	8.4	1.7	6.3
143654	552357.7	7035130	1065	50	yellowish brown		0.8	36.3	15.9	66	0.1	33.8	14.5	246	3.29	13.0	0.6	6.3
143655	552486.9	7035276.3	1072	60	greyish black	Thick moss	0.8	36.4	12.9	50	0.2	29.5	13.4	655	2.43	19.7	1.4	5.8
143656	552563.2	7035412.8	1075	60	yellowish brown	wet	1.2	40.6	15.8	60	0.1	32.2	12.6	253	3.11	40.8	2.1	3.9
143657	552639	7035540.4	1086	30	brown	poorly developed	1.5	35.4	15.3	63	0.7	19.9	10.5	484	2.51	33.7	0.9	3.3
143658	552708.8	7035658.3	1097	40	greyish brown		1.2	15.4	12.6	45	0.1	13.0	4.2	138	2.13	19.2	0.6	3.4
143659	552772.4	7035819.5	1109	40	yellowish brown		1.1	18.3	13.3	117 <0.1		34.9	10.8	260	3.23	28.1	0.7	2.5
143660	552797.1	7035908.8	1110	40	yellowish brown		0.8	23.8	11.1	60 <0.1		23.5	10.7	269	2.85	37.4	1.0	3.9
143661	552501.2	7036849.6	1068	20	light brown		1.1	27.4	17.0	58 <0.1		30.8	10.6	273	3.04	18.6	1.1	3.5
143662	552389.6	7036921	991	50	light brown		0.8	19.5	15.4	52 <0.1		21.3	9.4	245	2.65	11.5	0.7	2.7
143663	552278.5	7037016.3	950	50	light brown		1.1	26.7	24.5	62	0.2	25.7	10.3	286	2.69	34.2	1.3	2.9
143664	552139.4	7037098.8	904	40	light brown		0.9	25.2	20.1	82	0.3	30.1	13.1	410	3.42	24.4	1.2	1.6
143665	552008.4	7037163.2	863	30	light brown		1.0	19.8	36.8	80 <0.1		24.8	9.3	287	3.51	27.2	0.9	1.3
143666	551623.5	7037364.6	752	30	brown		1.1	27.8	23.6	63	0.2	22.9	11.4	414	2.77	27.7	1.4	6.6
143667	551501.8	7037437	791	50	light brown		1.0	26.6	25.5	78	0.1	25.7	10.5	328	2.93	26.5	1.8	3.6
143668	551251.4	7037523	872	30	light brown	rocky	1.2	23.7	21.4	52	0.4	18.1	8.4	285	2.34	15.7	1.0	3.5
143701	552595.8	7034993.8	1075	40	light brown/gray		0.8	21.8	10.5	53 <0.1		20.0	8.8	313	2.39	16.9	2.1	1.5
143702	552484.5	7034895.5	1063	40	light brown		0.7	32.4	11.7	60 <0.1		30.1	12.4	350	3.24	11.3	1.1	10.4
143703	552369.3	7034796	1050	40	light brown		0.7	22.4	13.9	55 <0.1		20.9	11.7	362	3.04	8.9	0.9	8.9
143704	552257.6	7034692.7	1042	40	light brown		0.6	31.4	29.3	70	0.3	29.4	13.1	1039	3.30	10.8	1.0	3.0
143705	552151.6	7034600.2	1029	35	light brown		0.5	29.9	19.6	55	0.2	28.7	12.7	579	2.75	15.2	0.7	4.6
143706	552302.7	7036499.2	939	40	light brown		1.2	34.4	17.3	91	0.2	34.0	16.9	724	3.37	80.1	1.7	5.2
143707	552182.9	7036575.2	893	35	light brown		1.2	28.7	18.1	93	0.3	33.9	11.7	421	3.22	89.4	1.3	7.2
143708	552045.9	7036641.1	858	50	dark brown	muddy	1.0	20.3	22.8	80	0.2	26.9	14.6	625	2.93	58.1	1.8	4.9
143709	551906.6	7036689.5	829	40	light brown/gray		0.7	17.7	21.1	89 <0.1		27.3	15.0	502	3.38	29.5	1.1	3.4
143710	551763.6	7036742	816	40	light brown		1.0	26.0	33.4	98	0.3	32.5	16.4	559	3.61	41.7	2.2	3.7
143711	551628.1	7036806.7	797	40	light brown		0.9	26.6	23.4	65 <0.1		23.6	9.1	276	3.07	18.0	1.4	1.9
143712	551484	7036857.1	738	30	brown	scree	0.8	18.0	31.9	40	0.2	8.9	3.5	109	1.72	3.3	0.8	1.5
143713	551345.8	7036921.9	755	40	light brown		1.5	27.4	16.0	94	0.2	26.8	10.4	281	2.93	27.4	4.4	1.9
143714	551209.9	7036978.4	784	40	light brown		1.4	30.4	15.8	94	0.2	29.1	8.4	234	2.94	25.3	4.2	6.2
143715	551070.7	7037033.9	816	40	light brown/gray		2.1	28.2	20.5	107	0.1	28.8	8.8	285	3.44	47.2	1.0	2.2

Table 2

Soils Results

Sample	x_proj	y_proj	altitude	depth	colour	comments	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc
							PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	PPM	%	PPM	%	PPM
143034	553501.5	7036599.9	1043	50	light brown		2.1	16	0.2	0.7	0.2	68	0.16	0.040	11	36	0.44	342	0.043	<1	1.76	0.008	0.04	0.1	0.02	2.8
143035	553654.9	7036601.1	1008	30	light brown		2.9	14	0.2	0.7	0.2	65	0.12	0.032	11	36	0.47	400	0.051	<1	1.75	0.008	0.04	0.1	0.02	2.5
143036	553800.6	7036596.1	975	20	light brown	rocky	2.2	20	0.5	0.7	0.3	67	0.20	0.071	11	45	0.44	436	0.060	<1	1.62	0.010	0.07	0.2	0.03	3.1
143037	553952.3	7036601.8	957	30	light brown	rocky	3.7	15	<0.1	0.6	0.2	58	0.16	0.026	11	30	0.50	137	0.061	<1	1.62	0.009	0.05	0.1	0.02	2.5
143038	554102.2	7036599.2	932	50	brown		6.5	21	<0.1	0.6	0.2	54	0.20	0.016	17	34	0.55	192	0.095	<1	1.53	0.017	0.05	0.1	0.02	3.6
143039	554252.9	7036602	903	20	light brown	rocky	3.7	21	0.2	0.7	0.2	52	0.22	0.052	11	27	0.43	203	0.058	<1	1.33	0.014	0.05	0.2	0.02	2.3
143040	554404.1	7036596.8	866	50	brown		3.6	21	0.2	0.7	0.2	65	0.23	0.067	11	28	0.40	145	0.061	1	1.42	0.009	0.04	0.2	0.02	2.5
143041	554551.5	7036601.7	835	50	reddish brown		3.2	19	0.3	0.6	0.2	56	0.17	0.073	10	27	0.36	226	0.046	<1	1.46	0.009	0.05	0.2	<0.01	2.2
143042	554702.1	7036598.1	810	30	light brown		3.6	28	0.2	0.7	0.2	57	0.23	0.046	10	37	0.48	271	0.067	1	1.40	0.011	0.09	0.2	0.02	2.5
143043	554851.5	7036599.3	814	40	greyish brown		5.9	33	0.1	0.7	0.2	51	0.37	0.051	18	33	0.54	247	0.066	<1	1.45	0.011	0.06	0.2	0.03	3.8
143044	555001.6	7036604.7	804	40	brown		13.4	34	<0.1	0.3	0.2	59	0.46	0.048	31	64	0.95	183	0.178	<1	2.25	0.011	0.55	<0.1	0.02	5.0
143045	554881.6	7036415	755	40	brown		4.1	27	0.1	0.7	0.2	55	0.28	0.037	14	31	0.53	184	0.076	<1	1.33	0.013	0.10	0.3	0.03	2.9
143465	555001.8	7036800.2	847	40	LIGHT RED BROWN		8.5	21	<0.1	0.4	0.2	82	0.21	0.055	23	91	1.40	174	0.219	<1	2.83	0.010	0.59	0.1	<0.01	4.6
143466	554849	7036797.7	852	50	MED GREY BROWN		4.2	26	0.2	0.6	0.2	51	0.27	0.040	14	31	0.43	203	0.063	1	1.37	0.013	0.06	0.2	0.02	3.5
143467	554703.9	7036797.8	863	60	MED GREY BROWN		4.5	23	0.1	0.5	0.2	50	0.26	0.040	15	29	0.46	217	0.076	<1	1.32	0.011	0.13	0.2	0.03	3.0
143468	554551.2	7036796.9	871	60	DARK GREY BROWN		3.7	29	0.4	0.6	0.3	66	0.25	0.062	15	36	0.46	341	0.060	1	1.81	0.011	0.08	0.1	0.03	3.9
143469	554399.5	7036802.5	896	60	MED BROWN		3.7	17	0.2	0.6	0.2	60	0.14	0.031	11	31	0.46	182	0.070	<1	1.69	0.011	0.09	0.1	0.02	2.7
143470	554251.9	7036800.5	924	50	MED GREY BROWN		3.9	22	0.1	0.6	0.2	57	0.23	0.038	14	40	0.51	191	0.069	1	1.46	0.012	0.07	0.2	0.02	3.2
143471	554104.2	7036797.6	964	40	LIGHT GREY BROWN		3.2	19	0.2	0.5	0.2	60	0.19	0.045	13	30	0.43	219	0.080	1	1.44	0.014	0.09	0.2	0.02	3.1
143472	553953.5	7036799.2	996	60	MED BROWN		2.8	15	0.4	0.6	0.3	52	0.12	0.098	9	29	0.33	218	0.059	<1	1.46	0.013	0.06	0.1	0.02	2.9
143473	553804.8	7036795	1027	50	MED GREY BROWN		3.2	15	0.4	0.9	0.3	62	0.11	0.041	16	32	0.35	243	0.051	1	1.49	0.010	0.09	0.2	0.03	3.2
143474	553651.5	7036799.6	1046	50	LIGHT BROWN		4.7	21	0.2	0.8	0.2	73	0.17	0.026	13	45	0.55	312	0.070	1	2.29	0.018	0.05	0.1	0.02	4.6
143475	553500.2	7036798.8	1064	50	RED BROWN		4.7	16	0.1	0.8	0.3	76	0.08	0.024	15	36	0.58	126	0.093	<1	1.95	0.009	0.07	0.1	0.02	3.2
143476	553349.7	7037298.6	940	60	DARK BROWN		5.6	33	0.1	0.3	0.2	47	0.45	0.049	19	39	0.65	176	0.116	1	1.57	0.014	0.15	0.1	0.03	2.9
143477	553268.2	7037432.3	882	80	DARK BROWN		4.4	21	0.1	0.3	0.2	45	0.22	0.041	18	33	0.53	130	0.089	1	1.45	0.015	0.12	0.1	0.03	2.8
143478	553195.8	7037556.7	830	60	MED BROWN		4.2	30	<0.1	0.4	0.3	58	0.26	0.036	17	37	0.59	134	0.096	1	1.68	0.012	0.12	0.1	0.03	2.9
143479	553121.3	7037683.2	784	80	MED GREY BROWN	FROZEN	3.4	21	0.1	0.3	0.2	41	0.17	0.040	19	35	0.51	154	0.078	<1	1.56	0.012	0.11	0.1	0.04	2.4
143480	553043.9	7037810.5	728	60	MED BROWN	SCREE	4.7	33	0.2	0.5	0.2	58	0.14	0.030	18	32	0.40	176	0.072	2	1.58	0.012	0.10	0.4	0.03	2.6
143481	552966.4	7037938.4	689	50	MED GREY BROWN	SCREE	1.4	18	<0.1	0.3	0.1	38	0.08	0.026	8	11	0.11	73	0.051	<1	0.61	0.011	0.04	0.3	0.03	1.1
143482	552890.5	7038068.9	663	50	MED GREY BROWN	FROZEN	3.3	35	0.3	0.7	0.2	53	0.48	0.071	14	31	0.62	201	0.090	2	1.41	0.029	0.07	0.2	0.03	3.7
143483	552811.3	7038199.1	693	30	MED BROWN		3.7	19	0.1	0.7	0.2	65	0.16	0.027	10	35	0.51	301	0.082	1	2.18	0.018	0.06	0.2	0.01	3.4
143484	552733.3	7038324	718	60	MED BROWN		4.1	67	0.2	0.7	0.2	62	0.58	0.066	14	33	0.56	354	0.092	1	1.73	0.033	0.06	0.2	0.03	4.4
143485	552654.4	7038455.7	744	70	MED GREY BROWN		4.3	43	0.1	0.5	0.1	58	0.38	0.049	14	30	0.47	294	0.090	1	1.52	0.022	0.05	0.2	0.03	4.1
143486	552579.6	7038591.6	772	30	DARK BROWN		3.1	97	0.1	0.5	0.2	65	0.54	0.058	18	42	0.49	519	0.078	1	2.85	0.016	0.06	0.2	0.05	6.2
143487	552503.7	7038713.3	803	40	DARK BROWN	SCREE	0.2	25	0.2	0.4	0.2	40	0.12	0.055	4	12	0.09	175	0.048	<1	0.55	0.017	0.03	0.1	0.10	1.1
143488	552001.5	7034700.1	1020	30	MED BROWN		3.4	17	0.2	0.6	0.2	68	0.15	0.019	13	35	0.49	236	0.067	<1	2.21	0.010	0.05	0.1	0.02	3.4
143489	552104.8	7034810.7	1045	40	MED BROWN		2.6	23	0.2	0.5	0.7	77	0.25	0.042	13	35	0.67	207	0.040	<1	2.06	0.012	0.06	<0.1	0.01	4.7
143490	552204.5	7034919.7	1061	40	MED BROWN		5.1	15	0.1	0.5	0.3	70	0.14	0.017	13	39	0.63	236	0.073	1	2.88	0.013	0.06	0.1	0.03	5.1
143491	552305.7	7035033.1	1062	60	MED BROWN		3.7	19	0.2	0.4	0.2	57	0.20	0.037	20	27	0.56	249	0.045	1	1.76	0.009	0.08	<0.1	0.02	4.3
143492	552407.3	7035142.9	1066	70	DARK GREY BROWN		3.2	45	0.2	0.9	0.7	62	0.94	0.061	19	33	0.47	365	0.033	3	1.86	0.017	0.06	0.2	0.07	5.7
143493	552505.7	7035255.5	1070	30	GREY		5.4	33	0.3	1.0	0.3	58	0.47	0.045	18	35	0.49	285	0.072	1	1.68	0.018	0.07	0.2	0.03	5.3
143494	552596.5	7035354.4	1076	70	DARK GREY BROWN		4.2	24	<0.1	0.7	0.4	57	0.39	0.044	17	33	0.52	260	0.058	1	1.81	0.012	0.06	0.2	0.03	4.1
143495	552697.3	7035466.4	1090	70	MED BROWN		3.2	35	0.1	0.8	0.3	54	0.60	0.062	16	33	0.50	345	0.042	<1	1.60	0.015	0.06	0.2	0.05	4.1
143496	552799.5	7035576.8	1103	40	MED GREY		2.7	17	0.2	0.7	0.3	69	0.15	0.053	14	36	0.41	194	0.067	1	2.05	0.011	0.08	0.1	0.03	3.6
143497	552906.1	7035689.3	1108	30	MED RED BROWN		5.1	18	0.1	0.8	0.4	56	0.18	0.028	19	34	0.43	210	0.067	<1	1.82	0.010	0.07	0.1	0.02	4.6
143498	553001.1	7035799.7	1099	30	MED RED BROWN		0.8	16	0.2	0.6	0.3	60	0.16	0.061	13	32	0.37	175	0.049	<1	1.71	0.010	0.06	0.1	0.03	2.5
143499	552402	7036699.3	974	60	MED BROWN		4.3	15	0.1	0.4	0.2	48	0.14	0.019	16	22	0.33	111	0.074	2	1.20	0.011	0.10	0.1	0.03	2.2
143500	552262	7036753.8	942	60	MED BROWN		6.3	28	0.2	0.6	0.2	58	0.38	0.076	21	33	0.77	314	0.089	2	1.79	0.015	0.17	0.1	0.03	3.4
143551	552124.2	7036812.1	915	70	LIGHT BROWN		6.0	20	<0.1	0.5	0.2	57	0.24	0.018	14	37	0.63	155	0.092	2	1.81	0.010	0.14	0.1	0.02	2.5
143552	551981.7	7036870	873	40	LIGHT RED BROWN		6.9	19	<0.1	0.4	0.1	52	0.19	0.029	15	46	0.90	141	0.132	2	2.15	0.008	0.29	0.2	0.02	2.3
143553	5518																									

Table 2
Soils Results

Sample	x_proj	y_proj	altitude	depth	colour	comments	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc
							PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPM	PPM
143631	554700.3	7037001	918	40	light brown		6.9	21	<0.1	0.5	0.2	52	0.20	0.016	15	38	0.57	186	0.096	<1	1.74	0.009	0.15	0.1	<0.01	2.6
143632	554851.7	7036999.3	908	45	light brown		5.3	26	0.2	0.8	0.2	63	0.22	0.039	16	36	0.49	201	0.067	<1	1.39	0.008	0.05	0.1	0.01	3.0
143633	554997.1	7037000.1	910	45	light brown		4.9	21	0.1	0.4	0.2	63	0.22	0.064	14	36	0.63	210	0.110	<1	1.69	0.012	0.26	0.2	0.01	3.0
143634	553199.3	7037199	916	35	light brown		3.1	23	0.2	0.3	0.2	45	0.32	0.036	16	43	0.50	123	0.085	<1	1.13	0.011	0.12	0.1	0.03	2.0
143635	553114.8	7037332.7	836	35	light brown	scree	3.5	12	0.1	0.5	0.2	59	0.11	0.027	10	24	0.33	101	0.089	1	1.01	0.008	0.10	0.1	0.02	1.5
143636	553017	7037441.6	832	45	light brown		4.5	61	0.1	0.6	0.2	63	0.24	0.056	18	58	0.76	109	0.107	<1	1.57	0.012	0.20	0.2	0.05	2.2
143637	552910.6	7037538.8	844	55	light brown/gray	scree	7.6	56	0.1	0.6	0.2	63	0.35	0.053	30	59	1.03	178	0.117	<1	2.02	0.015	0.29	0.3	0.05	3.4

Table 2
Soils Results

Sample	x_proj	y_proj	altitude	depth	colour	comments	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc
							PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	%	PPM	PPM
143638	552802.5	7037646.2	854	45	light brown	scree	1.8	54	0.4	0.5	0.2	76	0.26	0.048	8	23	0.26	452	0.069	<1	1.43	0.014	0.04	0.1	0.03	2.1
143639	552703.9	7037776	815	40	light brown	scree	3.0	31	0.1	0.6	0.2	73	0.13	0.034	11	28	0.38	129	0.076	<1	1.51	0.009	0.05	0.4	0.03	2.2
143641	552515.2	7038019.4	690	40	light gray		2.3	53	0.1	0.3	0.2	56	0.31	0.025	9	23	0.33	257	0.072	<1	1.23	0.016	0.05	0.2	<0.01	2.3
143642	552422.2	7038138.2	749	45	light brown		2.3	74	0.1	0.4	0.2	56	0.33	0.019	11	23	0.35	299	0.083	<1	1.35	0.014	0.07	0.1	0.01	2.7
143643	552353.6	7038264.4	794	40	light brown		2.0	58	0.2	0.5	0.2	65	0.36	0.040	12	28	0.39	320	0.062	1	1.64	0.012	0.07	0.2	0.03	3.4
143644	552264.2	7038390.1	842	40	light brown		2.4	72	0.2	0.4	0.2	65	0.37	0.037	16	31	0.47	513	0.076	<1	1.87	0.017	0.08	0.2	0.02	3.9
143645	553200.2	7035648.6	1080	35	light brown		0.4	16	0.2	0.8	0.3	49	0.16	0.055	11	37	0.31	137	0.056	<1	1.14	0.013	0.11	0.1	0.02	2.1
143646	553094.2	7035539.3	1105	40	light brown		2.8	9	<0.1	0.2	<0.1	129	0.11	0.016	8	66	1.61	259	0.302	<1	2.97	0.007	1.21	0.1	<0.01	6.5
143647	553012.8	7035417.7	1109	40	light brown		3.1	12	0.1	0.5	0.1	79	0.14	0.026	9	47	0.94	138	0.141	<1	2.63	0.009	0.27	0.1	0.02	3.3
143648	552913.6	7035304.9	1107	45	light brown		1.4	14	<0.1	0.6	0.3	73	0.12	0.035	13	33	0.38	122	0.066	<1	1.64	0.010	0.04	<0.1	0.4	2.3
143649	552829.7	7035185.5	1100	40	light brown		6.1	13	<0.1	0.7	0.3	71	0.12	0.029	17	45	0.45	215	0.066	2	2.75	0.010	0.06	0.2	0.05	5.5
143650	552712.2	7035089.6	1088	40	light brown		5.3	18	<0.1	0.6	0.2	55	0.23	0.027	20	31	0.51	205	0.074	<1	1.61	0.014	0.06	0.1	0.02	4.4
143651	551989.6	7034889	1051	50	grey		1.5	56	0.3	0.6	0.2	57	1.48	0.074	14	31	0.71	263	0.055	2	1.60	0.023	0.04	0.2	0.05	3.6
143652	552100.8	7034988.2	1065	50	yellowish brown		3.7	17	<0.1	0.4	0.1	72	0.16	0.029	16	33	0.58	189	0.046	1	2.34	0.010	0.07	<0.1	0.2	4.5
143653	552294.6	7035060.2	1059	60	greyish brown		2.0	29	0.2	0.5	0.6	55	0.31	0.063	19	36	0.51	516	0.027	1	1.93	0.012	0.11	0.1	0.03	5.7
143654	552357.7	7035130	1065	50	yellowish brown		5.3	36	0.2	0.9	0.2	60	0.62	0.046	17	38	0.59	339	0.058	1	2.04	0.014	0.08	0.1	0.07	7.2
143655	552486.9	7035276.3	1072	60	greyish black	Thick moss	2.0	43	0.3	0.7	0.2	56	0.66	0.064	15	32	0.44	335	0.043	1	1.56	0.015	0.05	0.2	0.05	4.2
143656	552563.2	7035412.8	1075	60	yellowish brown	wet	7.7	23	0.1	1.1	0.4	63	0.33	0.038	24	37	0.48	314	0.053	1	1.87	0.012	0.06	0.1	0.03	5.2
143657	552639	7035540.4	1086	30	brown	poorly developed	0.8	23	0.2	0.6	0.4	57	0.21	0.053	8	26	0.24	204	0.046	<1	1.66	0.016	0.07	0.1	0.03	2.6
143658	552708.8	7035658.3	1097	40	greyish brown		0.5	14	0.2	0.5	0.3	65	0.13	0.040	12	25	0.31	120	0.062	1	1.40	0.008	0.05	<0.1	0.2	2.1
143659	552772.4	7035819.5	1109	40	yellowish brown		3.5	12	0.6	0.6	0.2	73	0.11	0.023	10	35	0.54	132	0.076	<1	2.28	0.007	0.04	0.2	0.02	4.0
143660	552797.1	7035908.8	1110	40	yellowish brown		5.3	16	0.1	0.7	0.3	54	0.16	0.023	21	32	0.45	175	0.057	1	1.53	0.013	0.07	0.1	0.02	3.7
143661	552501.2	7036849.6	1068	20	light brown		5.0	20	0.1	0.6	0.2	62	0.21	0.033	19	45	0.63	163	0.095	1	1.92	0.011	0.09	0.1	0.02	3.2
143662	552389.6	7036921	991	50	light brown		6.1	16	<0.1	0.5	0.2	55	0.16	0.023	18	32	0.51	143	0.097	1	1.79	0.010	0.08	0.2	0.02	2.9
143663	552278.5	7037016.3	950	50	light brown		5.8	19	0.1	0.6	0.2	50	0.19	0.044	29	35	0.56	158	0.081	<1	1.82	0.011	0.14	0.1	0.03	2.9
143664	552139.4	7037098.8	904	40	light brown		4.9	34	0.1	0.5	0.2	62	0.34	0.063	29	41	0.73	170	0.065	<1	2.16	0.015	0.15	0.1	0.04	3.9
143665	552008.4	7037163.2	863	30	light brown		6.4	13	<0.1	0.5	0.3	67	0.12	0.034	16	40	0.67	79	0.099	1	2.08	0.009	0.12	0.2	0.02	2.8
143666	551623.5	7037364.6	752	30	brown		4.0	46	0.3	0.5	0.2	55	0.44	0.067	18	32	0.45	269	0.060	<1	1.83	0.019	0.09	0.3	0.05	3.6
143667	551501.8	7037437	791	50	light brown		7.0	50	0.2	0.8	0.2	63	0.53	0.057	22	38	0.58	293	0.090	2	1.92	0.026	0.09	0.2	0.04	4.6
143668	551251.4	7037523	872	30	light brown	rocky	3.1	22	0.5	0.4	0.2	55	0.18	0.067	16	28	0.34	247	0.054	<1	1.74	0.017	0.06	0.1	0.02	3.0
143701	552595.8	7034993.8	1075	40	light brown/gray		5.5	28	<0.1	0.5	0.2	57	0.34	0.041	21	32	0.52	294	0.077	2	1.62	0.023	0.06	0.1	0.02	4.4
143702	552484.5	7034895.5	1063	40	light brown		5.3	27	<0.1	0.6	0.2	75	0.38	0.033	17	44	0.61	350	0.055	3	2.45	0.021	0.06	0.1	0.04	6.5
143703	552369.3	7034796	1050	40	light brown		4.8	24	<0.1	0.5	0.2	65	0.27	0.042	16	38	0.62	204	0.065	2	2.15	0.013	0.06	0.1	0.03	5.1
143704	552257.6	7034692.7	1042	40	light brown		2.4	57	0.5	0.6	0.5	67	1.17	0.080	16	33	0.48	407	0.031	2	2.25	0.025	0.06	0.1	0.06	6.2
143705	552151.6	7034600.2	1029	35	light brown		2.6	50	0.4	0.7	0.4	54	1.98	0.070	18	32	0.58	283	0.034	2	1.69	0.025	0.06	0.1	0.07	4.6
143706	552302.7	7036499.2	939	40	light brown		8.7	42	0.2	0.8	0.3	61	0.75	0.087	30	76	0.87	255	0.069	2	1.89	0.016	0.16	0.2	0.03	4.4
143707	552182.9	7036575.2	893	35	light brown		5.4	28	0.3	0.7	0.2	65	0.41	0.096	21	79	0.90	234	0.083	2	2.01	0.014	0.21	0.1	0.03	3.9
143708	552045.9	7036641.1	858	50	dark brown	muddy	6.8	36	0.1	0.6	0.3	53	0.43	0.069	28	49	0.65	210	0.072	2	1.87	0.018	0.12	0.2	0.05	3.9
143709	551906.6	7036689.5	829	40	light brown/gray		9.0	39	0.1	0.4	0.2	64	0.42	0.077	22	42	0.78	123	0.139	1	1.80	0.021	0.27	0.2	0.02	3.0
143710	551763.6	7036742	816	40	light brown		9.0	46	0.1	0.6	0.3	60	0.64	0.071	36	46	0.76	196	0.097	2	2.27	0.017	0.21	0.2	0.05	4.7
143711	551628.1	7036806.7	797	40	light brown		5.1	20	0.1	0.4	0.2	58	0.16	0.051	24	37	0.55	137	0.084	2	1.91	0.013	0.17	0.2	0.04	2.8
143712	551484	7036857.1	738	30	brown	scree	0.8	19	0.2	0.4	0.3	61	0.13	0.037	10	20	0.14	65	0.072	<1	1.09	0.012	0.06	<0.1	0.3	1.3
143713	551345.8	7036921.9	755	40	light brown		6.5	47	0.3	0.7	0.2	64	0.50	0.088	22	37	0.59	250	0.077	2	1.89	0.022	0.08	0.1	0.03	3.7
143714	551209.9	7036978.4	784	40	light brown		7.4	42	0.2	0.7	0.2	65	0.44	0.072	24	41	0.63	277	0.087	2	2.13	0.024	0.09	0.2	0.03	4.1
143715	551070.7	7037033.9	816	40	light brown/gray		6.8	20	0.3	0.8	0.2	80	0.19	0.077	20	43	0.63	167	0.077	1	2.10	0.012	0.10	0.1	0.01	3.1

Table 2

Soils Results

Sample	x_proj	y_proj	altitude	depth	colour	comments	TI	S	Ga	Se	Te
							PPM	%	PPM	PPM	PPM
143034	553501.5	7036599.9	1043	50	light brown		0.1	<0.05	6	<0.5	<0.2
143035	553654.9	7036601.1	1008	30	light brown		<0.1	<0.05	5	<0.5	<0.2
143036	553800.6	7036596.1	975	20	light brown	rocky	0.1	<0.05	7	<0.5	<0.2
143037	553952.3	7036601.8	957	30	light brown	rocky	<0.1	<0.05	5	<0.5	<0.2
143038	554102.2	7036599.2	932	50	brown		<0.1	<0.05	5	<0.5	<0.2
143039	554252.9	7036602	903	20	light brown	rocky	<0.1	<0.05	4	<0.5	<0.2
143040	554404.1	7036596.8	866	50	brown		<0.1	<0.05	6	<0.5	<0.2
143041	554551.5	7036601.7	835	50	reddish brown		<0.1	<0.05	5	<0.5	<0.2
143042	554702.1	7036598.1	810	30	light brown		<0.1	<0.05	5	<0.5	<0.2
143043	554851.5	7036599.3	814	40	greyish brown		<0.1	<0.05	5	<0.5	<0.2
143044	555001.6	7036604.7	804	40	brown		0.4	<0.05	8	<0.5	<0.2
143045	554881.6	7036415	755	40	brown		<0.1	<0.05	5	<0.5	<0.2
143465	555001.8	7036800.2	847	40	LIGHT RED BROWN		0.4	<0.05	9	0.5	<0.2
143466	554849	7036797.7	852	50	MED GREY BROWN		<0.1	<0.05	4	<0.5	<0.2
143467	554703.9	7036797.8	863	60	MED GREY BROWN		0.1	<0.05	5	<0.5	<0.2
143468	554551.2	7036796.9	871	60	DARK GREY BROWN		0.1	<0.05	6	0.6	<0.2
143469	554399.5	7036802.5	896	60	MED BROWN		<0.1	<0.05	5	<0.5	<0.2
143470	554251.9	7036800.5	924	50	MED GREY BROWN		<0.1	<0.05	5	<0.5	<0.2
143471	554104.2	7036797.6	964	40	LIGHT GREY BROWN		0.1	<0.05	6	0.5	<0.2
143472	553953.5	7036799.2	996	60	MED BROWN		0.1	<0.05	6	0.7	<0.2
143473	553804.8	7036795	1027	50	MED GREY BROWN		0.2	<0.05	6	0.5	<0.2
143474	553651.5	7036799.6	1046	50	LIGHT BROWN		0.1	<0.05	6	<0.5	<0.2
143475	553500.2	7036798.8	1064	50	RED BROWN		0.2	<0.05	7	<0.5	<0.2
143476	553349.7	7037298.6	940	60	DARK BROWN		0.2	<0.05	6	0.6	<0.2
143477	553268.2	7037432.3	882	80	DARK BROWN		0.2	<0.05	5	<0.5	<0.2
143478	553195.8	7037556.7	830	60	MED BROWN		0.1	<0.05	6	0.6	<0.2
143479	553121.3	7037683.2	784	80	MED GREY BROWN	FROZEN	0.2	<0.05	6	<0.5	<0.2
143480	553043.9	7037810.5	728	60	MED BROWN	SCREE	0.2	<0.05	7	<0.5	<0.2
143481	552966.4	7037938.4	689	50	MED GREY BROWN	SCREE	<0.1	<0.05	4	<0.5	<0.2
143482	552890.5	7038068.9	663	50	MED GREY BROWN	FROZEN	<0.1	<0.05	4	0.8	<0.2
143483	552811.3	7038199.1	693	30	MED BROWN		<0.1	<0.05	6	0.6	<0.2
143484	552733.3	7038324	718	60	MED BROWN		<0.1	<0.05	5	<0.5	<0.2
143485	552654.4	7038455.7	744	70	MED GREY BROWN		<0.1	<0.05	5	<0.5	<0.2
143486	552579.6	7038591.6	772	30	DARK BROWN		0.1	<0.05	8	<0.5	<0.2
143487	552503.7	7038713.3	803	40	DARK BROWN	SCREE	<0.1	<0.05	4	0.5	<0.2
143488	552001.5	7034700.1	1020	30	MED BROWN		0.1	<0.05	6	<0.5	<0.2
143489	552104.8	7034810.7	1045	40	MED BROWN		0.1	<0.05	8	<0.5	<0.2
143490	552204.5	7034919.7	1061	40	MED BROWN		0.1	<0.05	7	<0.5	<0.2
143491	552305.7	7035033.1	1062	60	MED BROWN		0.1	<0.05	5	<0.5	<0.2
143492	552407.3	7035142.9	1066	70	DARK GREY BROWN		0.1	<0.05	5	0.8	<0.2
143493	552505.7	7035255.5	1070	30	GREY		<0.1	<0.05	5	0.8	<0.2
143494	552596.5	7035354.4	1076	70	DARK GREY BROWN		0.1	<0.05	5	<0.5	<0.2
143495	552697.3	7035466.4	1090	70	MED BROWN		0.1	<0.05	5	0.8	<0.2
143496	552799.5	7035576.8	1103	40	MED GREY		0.1	<0.05	7	<0.5	<0.2
143497	552906.1	7035689.3	1108	30	MED RED BROWN		<0.1	<0.05	5	0.5	<0.2
143498	553001.1	7035799.7	1099	30	MED RED BROWN		<0.1	<0.05	6	0.6	<0.2
143499	552402	7036699.3	974	60	MED BROWN		0.1	<0.05	5	<0.5	<0.2
143500	552262	7036753.8	942	60	MED BROWN		0.1	0.09	5	<0.5	<0.2
143551	552124.2	7036812.1	915	70	LIGHT BROWN		0.2	0.08	6	<0.5	<0.2
143552	551981.7	7036870	873	40	LIGHT RED BROWN		0.3	0.05	6	<0.5	<0.2
143553	551844.2	7036925.2	833	50	MED BROWN		0.2	0.06	6	<0.5	<0.2
143554	551707.6	7036982.5	784	50	MED RED BROWN		0.2	0.07	7	<0.5	<0.2
143555	551563.9	7037039.5	732	60	MED GREY BROWN		0.1	0.09	6	0.7	<0.2
143556	551423.4	7037095.5	764	40	MED GREY BROWN	GREEN MOTTLING	<0.1	<0.05	5	<0.5	<0.2
143557	551286.2	7037154.8	788	60	MED BROWN		0.1	<0.05	5	<0.5	<0.2
143558	551145.2	7037210.2	825	40	MED GREY BROWN		0.1	0.09	6	0.7	<0.2
143559	551008.2	7037266.9	864	70	DARK BROWN		0.1	0.09	8	0.7	<0.2
143623	553501.5	7036999.8	1043	35	brown		0.2	<0.05	5	0.6	<0.2
143624	553652.2	7037001.8	1062	40	light brown		0.2	0.06	6	0.7	<0.2
143625	553802.3	7037000.2	1056	40	light brown		0.3	0.08	9	<0.5	<0.2
143626	553952.1	7036998.6	1027	50	light brown		0.1	<0.05	8	<0.5	<0.2
143627	554102.9	7037001.6	1003	35	light brown		<0.1	<0.05	7	<0.5	<0.2
143628	554255.6	7037000.4	965	45	light brown		<0.1	<0.05	4	<0.5	<0.2
143629	554401.4	7036998.7	945	35	light brown		<0.1	<0.05	5	0.5	<0.2
143630	554555.8	7037000.2	929	40	light brown		<0.1	<0.05	6	0.6	<0.2

Table 2
Soils Results

Sample	x_proj	y_proj	altitude	depth	colour	comments	Tl PPM	S %	Ga PPM	Se PPM	Te PPM
143631	554700.3	7037001	918	40	light brown		0.2	<0.05	5	<0.5	<0.2
143632	554851.7	7036999.3	908	45	light brown		<0.1	<0.05	5	0.6	<0.2
143633	554997.1	7037000.1	910	45	light brown		0.2	<0.05	6	<0.5	<0.2
143634	553199.3	7037199	916	35	light brown		0.2	<0.05	5	<0.5	<0.2
143635	553114.8	7037332.7	836	35	light brown	scree	0.2	<0.05	6	<0.5	<0.2
143636	553017	7037441.6	832	45	light brown		0.2	0.07	7	<0.5	<0.2
143637	552910.6	7037538.8	844	55	light brown/gray	scree	0.3	0.06	8	0.6	<0.2

Table 2
Soils Results

Sample	x_proj	y_proj	altitude	depth	colour	comments	TI	S	Ga	Se	Te	
							PPM	%	PPM	PPM	PPM	
143638	552802.5	7037646.2	854	45	light brown	scree	<0.1	<0.05	7	<0.5	<0.2	
143639	552703.9	7037776	815	40	light brown	scree	<0.1	<0.05	7	0.5	<0.2	
143641	552515.2	7038019.4	690	40	light gray		<0.1	<0.05	5	<0.5	<0.2	
143642	552422.2	7038138.2	749	45	light brown		<0.1	<0.05	5	<0.5	<0.2	
143643	552353.6	7038264.4	794	40	light brown		<0.1	<0.05	6	0.5	<0.2	
143644	552264.2	7038390.1	842	40	light brown		<0.1	<0.05	6	<0.5	<0.2	
143645	553200.2	7035648.6	1080	35	light brown			0.1 <0.05	6	0.5	<0.2	
143646	553094.2	7035539.3	1105	40	light brown			0.3 <0.05	10	<0.5	<0.2	
143647	553012.8	7035417.7	1109	40	light brown			0.2 <0.05	7	<0.5	<0.2	
143648	552913.6	7035304.9	1107	45	light brown			0.1 <0.05	7	0.6	<0.2	
143649	552829.7	7035185.5	1100	40	light brown			0.1 <0.05	6	0.7	<0.2	
143650	552712.2	7035089.6	1088	40	light brown		<0.1	0.06	5	<0.5	<0.2	
143651	551989.6	7034889	1051	50	grey		<0.1	<0.05	5	<0.5	<0.2	
143652	552100.8	7034988.2	1065	50	yellowish brown			0.1 <0.05	6	<0.5	<0.2	
143653	552294.6	7035060.2	1059	60	greyish brown			0.1 <0.05	6	0.7	<0.2	
143654	552357.7	7035130	1065	50	yellowish brown			0.1 <0.05	5	<0.5	<0.2	
143655	552486.9	7035276.3	1072	60	greyish black	Thick moss	<0.1	<0.05	5	0.5	<0.2	
143656	552563.2	7035412.8	1075	60	yellowish brown	wet		0.1 <0.05	5	0.6	<0.2	
143657	552639	7035540.4	1086	30	brown	poorly developed	<0.1	<0.05	6	0.5	<0.2	
143658	552708.8	7035658.3	1097	40	greyish brown		<0.1	<0.05	7	<0.5	<0.2	
143659	552772.4	7035819.5	1109	40	yellowish brown			0.1 <0.05	7	<0.5	<0.2	
143660	552797.1	7035908.8	1110	40	yellowish brown		<0.1	<0.05	5	<0.5	<0.2	
143661	552501.2	7036849.6	1068	20	light brown			0.1 <0.05	6	<0.5	<0.2	
143662	552389.6	7036921	991	50	light brown			0.2 <0.05	6	<0.5	<0.2	
143663	552278.5	7037016.3	950	50	light brown			0.2 <0.05	6	0.5	<0.2	
143664	552139.4	7037098.8	904	40	light brown			0.2 <0.05	7	<0.5	<0.2	
143665	552008.4	7037163.2	863	30	light brown			0.2 <0.05	8	<0.5	<0.2	
143666	551623.5	7037364.6	752	30	brown		<0.1	<0.05	6	<0.5	<0.2	
143667	551501.8	7037437	791	50	light brown			0.1 <0.05	6	<0.5	<0.2	
143668	551251.4	7037523	872	30	light brown	rocky		0.1 <0.05	7	<0.5	<0.2	
143701	552595.8	7034993.8	1075	40	light brown/gray		<0.1	<0.05	5	<0.5	<0.2	
143702	552484.5	7034895.5	1063	40	light brown			0.1 <0.05	6	<0.5	<0.2	
143703	552369.3	7034796	1050	40	light brown			0.1 <0.05	6	<0.5	<0.2	
143704	552257.6	7034692.7	1042	40	light brown			0.1 <0.05	6	0.6	<0.2	
143705	552151.6	7034600.2	1029	35	light brown		<0.1	0.08	5	0.6	<0.2	
143706	552302.7	7036499.2	939	40	light brown			0.2 <0.05	7	0.7	<0.2	
143707	552182.9	7036575.2	893	35	light brown			0.2 <0.05	7	<0.5	<0.2	
143708	552045.9	7036641.1	858	50	dark brown	muddy		0.1	0.06	6	<0.5	<0.2
143709	551906.6	7036689.5	829	40	light brown/gray			0.3 <0.05	6	<0.5	<0.2	
143710	551763.6	7036742	816	40	light brown			0.2	0.05	7	0.5	<0.2
143711	551628.1	7036806.7	797	40	light brown			0.2 <0.05	7	<0.5	<0.2	
143712	551484	7036857.1	738	30	brown	scree		0.1 <0.05	8	<0.5	<0.2	
143713	551345.8	7036921.9	755	40	light brown			0.1 <0.05	6	0.7	<0.2	
143714	551209.9	7036978.4	784	40	light brown			0.1 <0.05	6	0.6	<0.2	
143715	551070.7	7037033.9	816	40	light brown/gray			0.2 <0.05	7	<0.5	<0.2	

13.2

143177	Soil	1.4	25.5	19.2	64	0.4	14.5	9.4	592	2.69	17.9	1.6	17.1	5.2	61	0.2	4.1	0.3	34	0.51	0.067	24	16	0.28	557	0.016	5	0.94	0.012	0.08<0.1	0.10	3.4	0.1<0.05	3	0.6<0.2			
143177	REP	1.4	26.0	19.5	69	0.4	15.0	9.2	603	2.71	17.7	1.5	16.9	5.1	62	0.2	3.9	0.3	34	0.51	0.066	23	16	0.27	537	0.016	4	0.94	0.012	0.08<0.1	0.11	3.4	0.1<0.05	3	0.6<0.2			
143195	Soil	1.2	17.1	12.7	60	0.8	13.8	7.6	644	2.45	36.6	0.6	0.8	3.7	23	0.2	1.0	0.2	53	0.21	0.045	21	20	0.32	259	0.045<1		1.33	0.010	0.09<0.1	0.02	1.9	0.1<0.05	6	<0.5	<0.2		
143195	REP	1.3	17.1	12.9	62	0.8	14.2	7.8	655	2.52	37.5	0.6	1.0	3.5	23	0.2	1.1	0.2	56	0.22	0.046	22	21	0.33	260	0.044<1		1.36	0.010	0.09<0.1	0.02	1.9	0.1<0.05	6	<0.5	<0.2		
143391	Soil	1.2	11.1	8.0	48	0.2	11.4	3.2	72	1.38	21.9	0.6	1.5	0.6	26<0.1	0.8	0.1	27	0.25	0.050	11	19	0.28	121	0.022	3	0.92	0.011	0.05	0.2	0.07	1.4<0.1	<0.05	4	0.6<0.2			
143391	REP	1.1	10.9	7.8	46	0.2	10.7	3.0	71	1.36	21.4	0.6	3.0	0.6	26	0.1	0.8	0.2	27	0.24	0.051	11	18	0.28	119	0.022	5	0.91	0.011	0.04	0.1	0.07	1.4<0.1	<0.05	4	0.6<0.2		
143456	Soil	0.8	27.6	7.1	68<0.1		26.0	10.2	304	2.60	9.0	0.9	2.7	3.3	50	0.2	0.6	0.1	62	1.01	0.087	13	29	0.72	306	0.093	4	1.34	0.035	0.08	0.2	0.03	3.6<0.1	<0.05	4	<0.5	<0.2	
143456	REP	0.8	26.8	7.2	65<0.1		26.5	10.4	299	2.56	9.3	0.9	2.9	3.3	50	0.3	0.6	0.1	62	0.97	0.081	13	29	0.68	312	0.093	3	1.28	0.034	0.08	0.2	0.03	3.6<0.1	<0.05	4	<0.5	<0.2	
Reference Materials																																						
STD D57	STD	21.0	125.4	81.0	413	1.0	58.0	9.4	622	2.36	52.2	5.7	73.8	5.3	83	6.0	6.8	5.4	85	0.94	0.072	13	190	1.05	403	0.139	40	1.00	0.095	0.49	3.8	0.25	2.5	4.1	0.18	5	2.7	1.4
STD D57	STD	19.6	109.2	67.1	378	1.0	52.9	9.3	596	2.27	49.3	4.6	112.0	4.5	68	6.3	5.8	4.5	83	0.91	0.071	12	183	0.99	372	0.118	35	0.98	0.091	0.44	3.6	0.20	2.7	3.9	0.20	5	3.2	2.0
STD D57	STD	21.5	111.8	74.1	391	1.0	56.1	9.7	635	2.42	50.1	5.2	64.4	5.0	76	6.2	6.2	5.0	83	0.94	0.073	14	199	1.02	421	0.134	37	1.03	0.102	0.49	3.7	0.21	2.9	4.3	0.16	5	3.4	1.6
STD D57	STD	24.0	120.1	73.1	406	1.1	60.2	10.4	670	2.56	53.1	5.2	81.4	4.9	80	6.6	6.7	5.1	94	0.99	0.081	15	207	1.13	437	0.142	37	1.07	0.104	0.53	4.0	0.23	2.8	4.1	0.26	5	4.0	1.8
STD D57	STD	20.5	105.8	69.0	405	1.0	55.8	9.3	651	2.48	54.0	4.9	80.0	4.8	75	7.0	6.2	5.0	85	1.02	0.087	13	199	1.10	422	0.124	44	1.12	0.102	0.52	3.7	0.24	2.8	4.4	0.27	5	2.9	1.5
STD D57	STD	19.2	108.9	70.9	415	1.0	57.0	9.7	660	2.51	53.1	5.3	69.1	5.0	78	6.9	6.2	4.9	89	0.97	0.086	14	200	1.17	372	0.121	43	1.07	0.119	0.49	3.3	0.22	2.9	4.3	0.19	5	3.3	0.9
STD D57	STD	22.1	112.3	73.8	399	1.0	56.2	9.7	631	2.39	51.0	5.1	73.9	5.1	73	6.8	5.9	5.0	87	0.96	0.076	13	194	1.07	404	0.126	40	1.03	0.099	0.45	3.7	0.23	2.6	4.4	0.20	5	3.5	0.9
STD D57	STD	22.5	122.7	66.3	422	1.1	59.3	10.0	682	2.56	57.1	4.7	72.8	4.4	80	6.7	6.1	4.5	92	1.01	0.083	14	207	1.11	436	0.145	43	1.07	0.108	0.52	3.8	0.23	2.7	4.2	0.23	5	3.2	1.3
BLK	BLK	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2
BLK	BLK	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2
BLK	BLK	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2
BLK	BLK	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2
BLK	BLK	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2
BLK	BLK	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2
BLK	BLK	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2
BLK	BLK	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2
BLK	BLK	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2