



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
1158-409 GRANVILLE ST
VANCOUVER BC V6C 1T2

Page: 1
Finalized Date: 8-SEP-2010
This copy reported on
14-APR-2011
Account: OVERRE

CERTIFICATE WH10112784

Project: YMBP

P.O. No.: 18

This report is for 70 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 13-AUG-2010.

The following have access to data associated with this certificate:

HUGH BRESSER

COLWIN LLOYD

ALEX TOLSON

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
PUL-31d	Pulverize Split - duplicate
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
ME-MS41	51 anal. aqua regia ICPMS	

To: OVERLAND RESOURCES LTD.
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
1158-409 GRANVILLE ST
VANCOUVER BC V6C 1T2

Page: 2 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 8-SEP-2010
Account: OVERRE

Project: YMBP

CERTIFICATE OF ANALYSIS WH10112784

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt.	ME-MS41 Ag kg	ME-MS41 Al ppm	ME-MS41 As %	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm	ME-MS41 Cs ppm
G0681852		2.70	0.28	0.59	7.0	<0.2	<10	170	0.36	0.10	2.24	0.50	60.1	8.0	10	2.07
G0681853		2.69	0.22	0.70	7.7	<0.2	<10	270	0.36	0.10	3.94	0.33	37.3	9.9	6	2.06
G0681854		2.57	1.24	0.63	3.8	<0.2	<10	270	0.26	0.12	3.01	1.21	28.2	8.5	6	1.70
G0681855		0.89	0.13	1.48	7.5	<0.2	<10	90	0.38	0.12	6.77	0.06	35.5	7.4	23	1.48
G0681856		2.78	0.49	0.69	5.0	<0.2	<10	200	0.33	0.09	3.06	1.73	30.1	8.5	8	1.88
G0681857		2.34	0.39	0.50	7.6	<0.2	<10	160	0.56	0.19	2.04	54.0	36.7	11.5	8	2.42
G0681858		2.82	0.24	0.80	20.1	<0.2	<10	190	1.10	0.33	2.39	0.91	72.1	13.4	9	3.49
G0681859		2.70	0.22	0.51	6.4	<0.2	<10	110	0.43	0.15	2.63	21.1	44.4	5.1	8	1.50
G0681860		0.03	6.50	2.00	98.9	1.4	<10	40	0.18	2.89	0.94	10.65	17.10	36.8	106	0.68
G0681861		2.40	0.13	0.79	15.8	<0.2	<10	200	0.92	0.31	0.83	0.31	82.5	10.8	10	2.97
G0681862		2.71	0.27	0.43	8.5	<0.2	<10	120	0.41	0.16	0.15	11.00	39.7	5.8	12	1.53
G0681863		2.61	2.29	0.61	7.3	<0.2	<10	120	0.40	0.17	0.45	3.51	41.5	4.6	17	1.60
G0681864		2.95	0.10	0.45	4.6	<0.2	<10	110	0.42	0.14	0.28	3.85	44.7	3.9	14	1.90
G0681865		1.17	0.26	1.84	10.4	<0.2	<10	170	0.66	0.30	9.17	0.09	56.4	11.7	23	2.59
G0681866		2.66	0.11	0.52	2.8	<0.2	<10	110	0.60	0.11	0.15	3.61	48.5	2.5	10	2.36
G0681867		2.22	1.13	0.91	23.3	<0.2	<10	210	1.02	0.36	1.75	26.9	39.9	20.6	11	3.38
G0681868		2.70	1.23	0.68	32.5	<0.2	<10	120	0.82	0.40	1.91	2.64	36.1	22.1	7	4.00
G0681869		1.15	1.26	0.83	39.6	<0.2	<10	160	0.93	0.38	6.72	1.27	23.0	26.8	7	4.54
G0681870		1.01	1.27	0.58	42.4	<0.2	<10	140	0.85	0.37	8.73	2.33	18.90	26.9	5	4.25
G0681871		2.71	0.81	0.65	31	<0.2	<10	180	0.61	0.23	15.05	0.82	21.1	17.1	6	2.83
G0681871 CD		<0.02	0.86	0.46	32	<0.2	<10	170	0.56	0.26	14.65	1.06	20.8	17.7	4	2.83
G0681872		2.39	1.00	0.69	26.7	<0.2	<10	130	0.75	0.30	1.18	0.07	36.8	18.9	11	3.03
G0681873		2.58	0.30	0.35	6.2	<0.2	<10	70	0.31	0.08	1.37	0.02	23.0	6.8	12	1.84
G0681874		3.09	0.53	0.83	15.3	<0.2	10	200	1.04	0.34	0.48	0.02	54.3	19.0	10	4.70
G0681875		2.81	0.56	0.75	15.4	<0.2	<10	180	0.95	0.32	1.70	0.10	49.1	22.4	8	4.74
G0681876		2.63	1.41	0.73	1.4	<0.2	<10	180	0.55	0.20	1.55	0.23	44.0	2.3	13	2.32
G0681877		2.61	0.05	0.49	0.5	<0.2	<10	120	0.51	0.12	1.00	0.06	29.6	1.3	10	2.87
G0681878		3.14	0.37	0.72	11.6	<0.2	<10	120	0.38	0.10	3.30	0.33	29.6	8.9	11	2.80
G0681879		2.64	1.50	0.69	50.6	<0.2	<10	90	0.57	0.26	5.71	5.28	34.2	27.4	7	4.23
G0681880		0.05	6.23	2.05	99.0	1.4	<10	40	0.19	2.66	0.92	9.53	17.85	38.0	108	0.75
G0681881		2.72	0.59	1.03	16.0	<0.2	<10	170	0.51	0.17	3.82	7.20	37.7	11.9	10	2.23
G0681882		2.39	0.13	0.66	6.7	<0.2	<10	270	0.79	0.24	2.28	0.18	38.5	9.2	8	3.63
G0681883		2.76	0.17	0.81	5.6	<0.2	<10	130	0.64	0.22	7.98	8.88	39.6	8.1	9	2.65
G0681884		2.71	0.36	0.66	11.9	<0.2	<10	140	0.80	0.36	2.60	21.9	67.4	14.6	7	3.84
G0681885		1.45	0.12	2.04	3.7	<0.2	<10	100	0.53	0.12	3.99	0.32	49.9	11.2	21	2.89
G0681886		2.64	0.52	0.74	16.3	<0.2	<10	140	0.81	0.29	0.49	46.0	61.3	20.2	7	4.56
G0681887		3.05	0.38	0.85	10.9	<0.2	<10	180	0.59	0.17	0.58	67.9	40.3	16.8	10	2.76
G0681888		2.88	0.26	0.59	9.8	<0.2	<10	160	0.79	0.33	0.59	15.70	26.2	11.7	9	3.53
G0681889		1.17	0.40	1.02	14.8	<0.2	<10	220	1.33	0.52	0.28	2.23	92.7	16.7	8	6.39
G0681890		1.12	0.35	0.68	13.1	<0.2	<10	160	1.09	0.49	0.33	3.42	83.3	14.8	5	5.75

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
1158-409 GRANVILLE ST
VANCOUVER BC V6C 1T2

Page: 2 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 8-SEP-2010
Account: OVERRE

Project: YMBP

CERTIFICATE OF ANALYSIS WH10112784

Sample Description	Method Analyte Units LOR	ME-MS41 Cu ppm	ME-MS41 Fe %	ME-MS41 Ga ppm	ME-MS41 Ge ppm	ME-MS41 Hf ppm	ME-MS41 Hg ppm	ME-MS41 In ppm	ME-MS41 K %	ME-MS41 La ppm	ME-MS41 Li ppm	ME-MS41 Mg %	ME-MS41 Mn ppm	ME-MS41 Mo ppm	ME-MS41 Na %	ME-MS41 Nb ppm
G0681852		9.5	1.54	2.19	0.06	0.37	0.02	0.021	0.32	30.4	2.8	0.18	1360	0.26	0.03	<0.05
G0681853		16.1	3.55	2.06	0.09	0.13	0.01	0.024	0.29	17.8	4.4	0.29	4850	0.22	0.01	0.07
G0681854		8.2	11.60	2.62	0.17	0.11	0.04	0.044	0.34	13.0	3.0	0.59	20300	0.23	0.01	0.16
G0681855		10.5	3.09	4.15	0.05	0.16	<0.01	0.020	0.15	15.9	33.2	0.88	1340	0.31	0.03	<0.05
G0681856		8.1	4.52	2.39	0.11	0.16	0.06	0.025	0.32	15.7	4.7	0.27	6900	0.22	0.01	0.09
G0681857		22.8	0.66	4.26	0.05	0.12	2.65	0.117	0.30	17.3	1.8	0.14	626	0.16	0.02	<0.05
G0681858		28.3	0.75	2.41	0.06	0.12	0.09	0.033	0.49	35.7	2.6	0.10	716	0.44	0.01	<0.05
G0681859		9.8	0.44	2.21	0.05	0.15	1.83	0.058	0.29	21.7	2.0	0.05	613	0.19	0.01	<0.05
G0681860		1615	6.37	8.07	0.14	0.81	0.21	0.688	0.09	7.9	5.0	0.90	834	66.4	0.16	0.24
G0681861		27.2	0.66	2.40	0.07	0.12	0.03	0.024	0.45	42.9	3.0	0.10	469	0.28	0.01	<0.05
G0681862		8.2	0.37	1.57	<0.05	0.12	0.82	0.038	0.25	21.5	1.7	0.03	69	0.23	0.01	<0.05
G0681863		6.0	0.47	1.78	<0.05	0.14	0.30	0.007	0.32	21.4	2.1	0.03	129	0.25	0.01	<0.05
G0681864		3.4	0.34	1.48	0.05	0.14	0.31	0.021	0.27	23.1	1.6	0.03	88	0.19	0.01	<0.05
G0681865		20.1	3.23	5.54	0.09	0.16	<0.01	0.033	0.35	27.2	29.3	0.71	996	0.26	0.03	0.10
G0681866		3.1	0.34	1.54	0.06	0.12	0.21	0.025	0.31	25.8	2.1	0.04	61	0.18	0.01	<0.05
G0681867		29.3	1.59	3.48	0.06	0.15	1.40	0.102	0.51	20.5	3.3	0.13	811	0.67	0.01	<0.05
G0681868		27.5	2.89	2.18	0.08	0.26	0.62	0.043	0.41	16.4	2.6	0.13	1330	0.40	0.01	0.07
G0681869		27.0	3.16	2.39	0.06	0.25	0.47	0.033	0.50	9.2	2.9	0.17	1580	0.54	0.02	0.05
G0681870		26.3	3.29	1.86	0.05	0.25	0.91	0.037	0.38	7.4	2.3	0.18	1980	0.55	0.02	0.06
G0681871		17.6	2.34	1.88	<0.05	0.16	0.29	0.029	0.40	7.2	2.5	0.17	2440	0.30	0.02	0.07
G0681871 CD		18.3	2.40	1.45	<0.05	0.19	0.34	0.028	0.31	7.0	2.0	0.16	2490	0.25	0.02	0.06
G0681872		23.6	1.85	1.79	<0.05	0.20	0.09	0.011	0.40	17.4	2.7	0.09	413	0.32	0.02	0.05
G0681873		6.5	0.69	0.90	<0.05	0.16	0.02	<0.005	0.20	10.7	1.8	0.10	843	0.19	0.02	<0.05
G0681874		21.5	0.96	2.42	<0.05	0.14	0.05	0.006	0.48	26.2	2.9	0.08	181	0.37	0.02	<0.05
G0681875		28.6	1.33	2.02	0.05	0.13	0.04	0.023	0.44	22.4	3.2	0.10	515	0.41	0.02	<0.05
G0681876		12.4	0.63	1.97	<0.05	0.12	0.02	0.011	0.38	20.2	3.1	0.10	401	0.17	0.02	<0.05
G0681877		13.7	0.43	1.22	<0.05	0.13	0.01	0.010	0.29	14.5	2.1	0.06	314	0.09	0.02	<0.05
G0681878		9.0	0.85	1.89	<0.05	0.16	0.05	0.009	0.38	12.3	2.2	0.07	929	0.22	0.02	<0.05
G0681879		20.5	3.56	2.49	0.07	0.21	0.66	0.031	0.39	11.0	2.5	0.15	3540	0.38	0.01	<0.05
G0681880		1605	6.51	7.93	0.11	0.80	0.22	0.614	0.09	7.7	5.2	0.89	846	72.6	0.17	0.19
G0681881		17.5	8.74	3.76	0.09	0.16	1.29	0.041	0.41	14.5	9.0	0.52	8290	0.27	0.03	0.06
G0681882		17.8	1.31	2.12	0.05	0.12	0.04	0.025	0.37	16.5	4.1	0.18	988	0.45	0.02	<0.05
G0681883		14.4	0.71	2.44	<0.05	0.13	0.64	0.025	0.46	17.2	2.9	0.11	1110	0.23	0.02	<0.05
G0681884		22.2	0.79	2.67	0.06	0.13	1.81	0.053	0.40	32.0	2.1	0.07	742	0.21	0.01	<0.05
G0681885		12.4	4.24	5.19	0.08	0.10	0.02	0.027	0.31	22.5	32.7	0.99	1640	0.20	0.02	0.05
G0681886		19.9	0.78	4.31	0.06	0.17	3.35	0.031	0.44	28.5	2.4	0.06	159	0.22	0.01	<0.05
G0681887		15.7	0.81	5.79	0.05	0.16	4.46	0.040	0.39	18.8	4.9	0.08	312	0.24	0.01	<0.05
G0681888		22.4	0.68	2.18	<0.05	0.11	1.25	0.050	0.36	11.9	2.2	0.08	353	0.22	0.01	<0.05
G0681889		29.1	0.69	3.06	0.08	0.14	0.17	0.028	0.61	45.5	2.4	0.07	80	0.21	0.01	<0.05
G0681890		27.2	0.50	2.20	0.07	0.12	0.24	0.040	0.43	40.7	1.9	0.06	100	0.15	0.01	<0.05

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
1158-409 GRANVILLE ST
VANCOUVER BC V6C 1T2

Page: 2 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 8-SEP-2010
Account: OVERRE

Project: YMBP

CERTIFICATE OF ANALYSIS WH10112784

Sample Description	Method Analyte Units LOR	ME-MS41 Ni ppm	ME-MS41 P ppm	ME-MS41 Pb ppm	ME-MS41 Rb ppm	ME-MS41 Re ppm	ME-MS41 S %	ME-MS41 Sb ppm	ME-MS41 Sc ppm	ME-MS41 Se ppm	ME-MS41 Sn ppm	ME-MS41 Sr ppm	ME-MS41 Ta ppm	ME-MS41 Te ppm	ME-MS41 Th ppm	ME-MS41 Ti %
G0681852		12.9	90	585	17.4	<0.001	0.32	0.69	2.8	0.2	0.3	106.5	<0.01	<0.01	13.2	<0.005
G0681853		16.8	460	128.5	15.7	<0.001	0.60	0.93	2.6	0.2	0.3	146.5	<0.01	<0.01	6.2	<0.005
G0681854		18.0	210	>10000	16.8	<0.001	0.58	0.95	2.5	0.3	0.3	90.9	<0.01	<0.01	4.8	<0.005
G0681855		17.7	130	61.2	8.2	<0.001	0.09	0.35	3.7	0.3	0.4	332	<0.01	0.01	7.6	<0.005
G0681856		16.6	140	592	17.5	<0.001	0.28	0.66	2.6	0.2	0.3	126.5	<0.01	<0.01	7.0	<0.005
G0681857		5.8	220	209	16.0	<0.001	0.91	0.45	2.4	1.8	0.6	126.0	<0.01	0.02	5.7	<0.005
G0681858		12.2	340	310	24.8	<0.001	0.27	1.43	3.0	0.3	0.5	163.5	<0.01	0.02	8.7	<0.005
G0681859		3.2	350	114.0	14.7	<0.001	0.36	0.48	1.7	0.7	0.2	240	<0.01	0.01	7.3	<0.005
G0681860		50.7	420	509	9.0	<0.001	2.05	7.95	5.9	5.0	1.2	38.0	0.01	0.09	2.1	0.185
G0681861		7.5	280	103.0	22.6	<0.001	0.10	0.64	2.7	0.2	0.5	58.9	<0.01	0.03	9.0	<0.005
G0681862		4.6	150	543	13.1	<0.001	0.27	0.78	1.1	0.4	0.3	16.2	<0.01	0.01	7.4	<0.005
G0681863		4.1	120	8660	16.0	<0.001	0.29	2.12	1.1	0.2	0.3	28.6	<0.01	0.01	7.9	<0.005
G0681864		3.1	160	19.5	14.5	<0.001	0.11	0.26	1.1	0.2	0.3	25.2	<0.01	0.01	6.7	<0.005
G0681865		25.1	260	68.1	19.6	<0.001	0.35	0.36	4.4	0.4	0.5	435	<0.01	0.02	10.3	<0.005
G0681866		2.8	180	152.0	16.9	<0.001	0.12	0.14	1.5	0.2	0.3	22.1	<0.01	0.02	6.3	<0.005
G0681867		27.3	440	431	27.0	<0.001	1.51	1.65	3.7	0.9	0.7	115.5	<0.01	0.03	8.4	<0.005
G0681868		50.0	520	317	22.2	<0.001	2.60	2.36	3.8	0.5	0.5	124.5	<0.01	0.03	11.7	<0.005
G0681869		48.1	680	167.0	23.4	<0.001	2.83	3.48	4.6	0.5	0.6	393	<0.01	0.03	9.7	<0.005
G0681870		47.1	530	128.0	18.5	<0.001	2.87	3.51	4.1	0.5	0.5	467	<0.01	0.03	9.1	<0.005
G0681871		29.8	320	39.9	19.1	<0.001	1.91	2.15	4.0	0.5	0.4	745	<0.01	0.01	6.3	<0.005
G0681871 CD		30.2	330	43.1	14.9	<0.001	1.97	2.38	3.8	0.4	0.3	713	<0.01	0.01	6.4	<0.005
G0681872		31.3	260	937	19.1	<0.001	1.58	2.96	2.4	0.2	0.4	81.5	<0.01	0.01	7.8	<0.005
G0681873		7.3	70	866	10.5	<0.001	0.15	0.89	2.5	<0.2	0.2	69.9	<0.01	<0.01	5.0	<0.005
G0681874		21.5	320	290	23.0	<0.001	0.64	1.82	2.8	<0.2	0.5	59.6	<0.01	<0.01	7.4	<0.005
G0681875		24.9	220	629	21.7	<0.001	1.10	1.09	2.8	0.3	0.5	93.2	<0.01	0.02	7.1	<0.005
G0681876		3.3	260	9580	18.7	<0.001	0.22	0.78	1.7	<0.2	0.3	123.5	<0.01	0.02	5.2	<0.005
G0681877		2.5	120	33.2	12.7	<0.001	0.06	0.05	1.4	<0.2	0.2	72.0	<0.01	0.01	4.4	<0.005
G0681878		11.8	170	321	17.2	<0.001	0.47	0.62	2.6	0.3	0.3	112.0	<0.01	<0.01	5.9	<0.005
G0681879		41.7	1160	64.9	18.5	<0.001	2.16	2.18	3.8	0.7	0.5	261	<0.01	0.04	7.8	<0.005
G0681880		50.3	420	510	8.0	0.001	2.05	7.92	5.6	4.9	1.2	37.6	<0.01	0.10	2.1	0.190
G0681881		20.3	660	136.5	15.8	<0.001	1.17	1.17	5.1	0.5	0.5	289	0.01	0.04	6.0	<0.005
G0681882		10.3	260	192.5	18.4	<0.001	0.15	0.28	3.0	0.3	0.4	187.0	<0.01	0.03	6.8	<0.005
G0681883		8.2	290	34.3	20.9	<0.001	0.37	0.44	2.7	0.4	0.4	329	<0.01	0.02	6.5	<0.005
G0681884		13.5	500	153.5	18.3	<0.001	0.89	0.71	2.5	0.7	0.5	96.0	<0.01	0.02	10.0	<0.005
G0681885		23.0	160	12.1	20.2	<0.001	0.10	0.18	5.2	0.2	0.6	224	<0.01	0.01	8.0	0.006
G0681886		16.4	410	46.2	20.4	<0.001	1.28	0.96	2.2	1.0	0.4	43.2	<0.01	0.01	10.4	<0.005
G0681887		12.2	150	18.7	17.6	<0.001	1.31	0.77	1.9	1.1	0.5	36.2	<0.01	<0.01	7.6	<0.005
G0681888		9.9	200	63.7	17.2	<0.001	0.58	0.62	2.1	0.4	0.4	42.0	<0.01	0.01	6.7	<0.005
G0681889		14.5	450	28.6	28.4	<0.001	0.54	0.77	2.9	0.2	0.6	48.2	<0.01	0.02	13.8	<0.005
G0681890		11.3	440	36.3	20.7	<0.001	0.37	0.67	2.4	0.3	0.5	47.4	<0.01	0.01	12.5	<0.005

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
1158-409 GRANVILLE ST
VANCOUVER BC V6C 1T2

Page: 2 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 8-SEP-2010
Account: OVERRE

Project: YMBP

CERTIFICATE OF ANALYSIS WH10112784

Sample Description	Method Analyte Units LOR	ME-MS41 TI ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Pb-OG46 Pb % 0.001	Zn-OG46 Zn % 0.001
G0681852		0.09	1.28	6	<0.05	5.81	94	11.4		
G0681853		0.10	0.62	6	0.05	6.78	84	5.4		
G0681854		0.10	0.37	7	<0.05	9.36	208	4.0	1.065	
G0681855		0.07	0.49	28	<0.05	7.05	56	7.1		
G0681856		0.10	0.60	5	0.07	5.99	293	6.0		
G0681857		0.07	0.51	5	0.14	7.46	>10000	4.1		1.585
G0681858		0.13	0.81	8	<0.05	8.21	370	4.9		
G0681859		0.06	0.53	4	0.07	6.20	5640	5.9		
G0681860		0.45	0.50	61	1.03	11.10	4980	32.3		
G0681861		0.11	0.93	7	0.11	6.10	153	4.6		
G0681862		0.06	0.59	3	<0.05	2.57	3250	4.4		
G0681863		0.07	0.71	5	<0.05	2.73	1440	5.2		
G0681864		0.06	0.69	3	<0.05	2.69	1320	4.9		
G0681865		0.14	0.90	22	<0.05	9.63	79	6.0		
G0681866		0.07	0.37	4	<0.05	3.13	1160	4.7		
G0681867		0.16	0.87	8	<0.05	7.28	7040	6.9		
G0681868		0.19	1.26	6	<0.05	7.98	1310	10.5		
G0681869		0.21	1.48	5	<0.05	10.95	884	13.1		
G0681870		0.20	1.35	4	<0.05	11.20	1670	12.3		
G0681871		0.14	1.34	4	<0.05	19.00	683	9.1		
G0681871 CD		0.14	1.27	2	<0.05	18.70	876	9.5		
G0681872		0.15	0.98	4	<0.05	4.82	30	9.8		
G0681873		0.06	0.67	1	<0.05	2.71	6	5.3		
G0681874		0.15	1.24	6	<0.05	4.64	7	8.2		
G0681875		0.19	0.80	6	<0.05	7.98	35	5.6		
G0681876		0.10	0.42	5	<0.05	4.87	26	5.3		
G0681877		0.07	0.31	3	<0.05	3.17	23	4.6		
G0681878		0.11	0.67	4	<0.05	9.59	96	6.6		
G0681879		0.18	1.37	5	0.05	19.35	2540	10.8		
G0681880		0.50	0.50	63	1.03	10.35	4940	34.0		
G0681881		0.13	0.84	10	<0.05	15.55	5380	6.5		
G0681882		0.10	0.67	6	<0.05	8.83	57	4.4		
G0681883		0.11	0.74	6	<0.05	6.97	2490	6.5		
G0681884		0.12	1.11	5	<0.05	10.25	6280	5.9		
G0681885		0.18	0.46	32	0.05	7.40	88	4.4		
G0681886		0.15	1.67	6	<0.05	6.12	>10000	8.0	1.315	
G0681887		0.12	0.77	5	<0.05	3.55	>10000	6.7	1.815	
G0681888		0.12	0.80	4	<0.05	4.86	4840	4.9		
G0681889		0.18	1.50	8	<0.05	7.14	617	6.2		
G0681890		0.16	1.34	6	<0.05	6.68	1040	5.6		

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
1158-409 GRANVILLE ST
VANCOUVER BC V6C 1T2

Page: 3 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 8-SEP-2010
Account: OVERRE

Project: YMBP

CERTIFICATE OF ANALYSIS WH10112784

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt.	ME-MS41 Ag kg	ME-MS41 Al ppm	ME-MS41 As %	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm	ME-MS41 Cs ppm
G0681890 CD		<0.02	0.35	0.92	12.7	<0.2	<10	200	1.20	0.48	0.31	3.21	84.4	14.9	8	5.72
G0681891		2.72	0.32	0.67	8.5	<0.2	<10	150	1.12	0.47	0.53	38.2	53.7	12.3	6	5.48
G0681892		2.02	0.23	0.84	13.0	<0.2	<10	240	0.95	0.34	0.12	39.7	44.9	13.6	8	4.73
G0681893		2.66	4.43	0.42	36.1	<0.2	<10	20	0.36	0.24	0.60	767	18.65	72.4	4	2.02
G0681894		2.51	0.08	0.68	2.9	<0.2	<10	480	1.26	0.31	0.35	2.03	59.3	4.1	7	4.16
G0681895		2.17	0.55	0.31	20.4	<0.2	<10	50	0.22	0.11	5.01	38.9	14.65	11.6	7	0.93
G0681896		2.98	0.28	0.29	15	<0.2	<10	70	0.18	0.07	20.7	8.02	19.80	6.4	4	0.72
G0681897		2.63	0.24	0.25	17	<0.2	<10	50	0.17	0.07	20.7	3.22	23.2	5.3	3	0.83
G0681898		2.76	0.31	0.84	12.2	<0.2	<10	350	1.14	0.43	0.71	22.6	75.9	11.7	9	3.17
G0681899		3.47	1.76	0.61	55.0	<0.2	<10	210	0.79	1.36	0.69	1.17	55.1	29.5	6	3.11
G0681900		0.06	6.57	2.18	102.5	1.3	<10	50	0.23	3.08	0.98	9.84	18.10	39.4	113	0.74
G0681901		3.60	5.30	0.74	12.7	<0.2	<10	290	0.47	0.21	0.32	1.04	35.1	8.0	9	2.65
G0681902		3.51	0.95	0.55	10.7	<0.2	<10	190	0.49	0.18	0.83	6.12	49.1	9.1	6	2.88
G0681903		3.65	0.13	0.62	9.5	<0.2	<10	210	0.43	0.14	0.96	0.77	44.2	8.1	8	2.18
G0681904		2.72	0.11	0.48	8.7	<0.2	<10	160	0.36	0.09	1.62	0.14	44.1	6.2	5	1.77
G0681905		3.44	0.05	0.88	2.8	<0.2	<10	360	0.31	0.04	1.19	0.04	35.2	4.6	14	2.13
G0681906		3.66	0.40	0.49	9.8	<0.2	<10	80	0.31	0.09	0.74	1.62	49.7	7.6	7	2.11
G0681907		3.52	0.32	0.60	10.9	<0.2	<10	110	0.33	0.10	0.89	0.69	53.7	8.5	8	2.45
G0681908		3.65	0.59	0.51	10.9	<0.2	<10	230	0.41	0.12	0.24	0.56	47.6	8.5	6	2.16
G0681909		1.43	6.00	0.71	4.9	<0.2	<10	110	0.38	0.11	0.62	0.50	39.4	3.6	8	2.41
G0681909 CD		<0.02	4.33	0.40	4.7	<0.2	<10	80	0.37	0.10	0.61	0.42	28.7	4.4	6	2.26
G0681910		1.81	4.81	0.56	4.7	<0.2	<10	110	0.43	0.09	1.02	0.32	30.3	4.4	7	2.26
G0681911		3.37	0.13	0.59	1.5	<0.2	<10	130	0.61	0.11	1.91	1.59	48.3	2.1	6	3.13
G0681912		3.80	0.56	0.65	4.8	<0.2	<10	160	0.39	0.09	1.20	0.22	69.5	6.3	8	2.19
G0681913		2.85	0.96	0.40	4.4	<0.2	<10	100	0.32	0.08	2.28	0.09	40.2	5.7	6	2.05
G0681914		4.12	0.26	0.59	6.5	<0.2	<10	230	0.45	0.09	2.25	0.68	48.0	7.2	8	2.56
G0681915		3.21	6.10	0.33	101.0	<0.2	<10	90	0.30	0.25	1.40	185.0	13.80	61.6	5	1.30
G0681916		3.49	2.80	0.63	108.5	<0.2	<10	200	0.78	0.23	0.33	4.08	45.8	69.1	7	2.88
G0681917		3.44	1.21	0.52	5.9	<0.2	<10	220	0.94	0.30	1.31	54.3	38.6	18.6	6	3.14
G0681918		6.55	0.43	0.90	40.4	<0.2	<10	270	1.67	0.41	0.98	0.07	70.0	62.0	8	4.82

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
1158-409 GRANVILLE ST
VANCOUVER BC V6C 1T2

Page: 3 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 8-SEP-2010
Account: OVERRE

Project: YMBP

CERTIFICATE OF ANALYSIS WH10112784

Sample Description	Method Analyte Units LOR	ME-MS41 Cu ppm	ME-MS41 Fe %	ME-MS41 Ga ppm	ME-MS41 Ge ppm	ME-MS41 Hf ppm	ME-MS41 Hg ppm	ME-MS41 In ppm	ME-MS41 K %	ME-MS41 La ppm	ME-MS41 Li ppm	ME-MS41 Mg %	ME-MS41 Mn ppm	ME-MS41 Mo ppm	ME-MS41 Na %	ME-MS41 Nb ppm
G0681890 CD		28.3	0.56	2.84	0.07	0.13	0.22	0.041	0.55	41.3	2.3	0.06	99	0.17	0.01	<0.05
G0681891		17.6	0.41	3.27	0.05	0.14	1.85	0.057	0.43	26.3	1.9	0.06	150	0.14	0.01	<0.05
G0681892		13.8	0.50	3.56	<0.05	0.16	3.32	0.133	0.50	22.5	2.2	0.05	41	0.23	0.01	<0.05
G0681893		72.2	0.87	39.3	0.08	0.17	47.7	0.694	0.27	8.9	1.3	0.04	130	0.13	0.01	0.05
G0681894		14.6	0.47	2.08	<0.05	0.14	0.13	0.010	0.43	28.6	2.6	0.09	136	0.14	0.01	<0.05
G0681895		12.6	0.94	2.06	<0.05	0.12	2.58	0.229	0.18	5.6	1.2	0.05	976	0.20	0.01	<0.05
G0681896		6.6	0.74	1.05	<0.05	0.09	0.77	0.072	0.16	7.4	1.3	0.09	947	0.16	0.02	0.08
G0681897		4.7	1.87	0.85	0.05	0.10	0.30	0.037	0.15	7.6	1.4	0.16	2140	0.12	0.01	0.10
G0681898		22.1	0.60	3.38	0.07	0.13	1.47	0.125	0.48	37.5	2.7	0.07	222	0.22	0.01	<0.05
G0681899		1185	0.98	1.68	<0.05	0.09	0.10	0.022	0.37	25.3	2.5	0.07	374	11.30	0.01	<0.05
G0681900		1680	6.88	8.41	0.11	0.79	0.21	0.643	0.10	7.9	5.6	0.93	888	72.0	0.19	0.19
G0681901		139.5	0.67	1.84	<0.05	0.14	0.09	0.017	0.39	16.0	2.2	0.06	279	1.54	0.01	<0.05
G0681902		58.2	0.52	1.78	<0.05	0.13	0.28	0.038	0.31	22.7	1.9	0.08	431	0.39	0.01	<0.05
G0681903		16.2	0.66	1.52	<0.05	0.26	0.08	0.011	0.35	21.5	1.8	0.08	599	0.29	0.01	<0.05
G0681904		11.0	0.49	1.22	<0.05	0.14	0.01	0.008	0.25	19.5	2.1	0.07	817	0.18	0.01	<0.05
G0681905		6.5	2.09	2.29	0.05	0.10	<0.01	0.011	0.26	16.4	16.4	0.57	554	0.23	0.01	<0.05
G0681906		12.3	0.48	1.49	<0.05	0.15	0.23	0.020	0.26	22.6	1.7	0.07	458	0.12	0.02	<0.05
G0681907		15.6	0.54	1.71	<0.05	0.17	0.07	0.015	0.32	25.1	1.7	0.07	442	0.17	0.02	<0.05
G0681908		15.8	0.40	1.31	<0.05	0.13	0.07	0.012	0.26	22.0	2.1	0.05	176	0.13	0.01	<0.05
G0681909		11.8	0.52	1.69	<0.05	0.10	0.05	0.013	0.35	17.4	2.0	0.06	315	0.22	0.02	<0.05
G0681909 CD		15.6	0.38	1.13	<0.05	0.15	0.05	0.011	0.23	14.4	1.6	0.05	297	0.14	<0.01	<0.05
G0681910		15.2	0.49	1.52	<0.05	0.16	0.04	0.011	0.30	15.3	2.1	0.05	459	0.19	<0.01	<0.05
G0681911		17.2	0.61	1.78	0.07	0.13	0.25	0.019	0.33	23.8	3.1	0.11	759	0.09	<0.01	<0.05
G0681912		7.1	0.52	1.92	0.08	0.36	0.04	0.010	0.36	35.4	1.9	0.06	634	0.24	0.01	<0.05
G0681913		12.6	0.63	1.28	0.05	0.20	0.01	0.011	0.27	20.1	1.4	0.10	1380	0.20	0.02	<0.05
G0681914		12.7	0.65	1.86	0.06	0.20	0.07	0.015	0.36	23.7	1.6	0.09	1090	0.24	0.02	<0.05
G0681915		3810	0.95	5.75	0.05	0.21	12.10	0.363	0.19	6.7	1.7	0.08	826	0.74	<0.01	<0.05
G0681916		240	0.91	1.89	0.06	0.19	0.45	0.028	0.38	23.7	3.3	0.08	327	0.44	<0.01	<0.05
G0681917		55.0	1.52	3.66	0.08	0.13	5.81	0.232	0.32	20.3	5.5	0.21	856	0.36	<0.01	<0.05
G0681918		49.9	1.58	2.80	0.07	0.14	0.42	0.015	0.55	37.6	7.5	0.23	443	0.19	0.01	<0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
1158-409 GRANVILLE ST
VANCOUVER BC V6C 1T2

Page: 3 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 8-SEP-2010
Account: OVERRE

Project: YMBP

CERTIFICATE OF ANALYSIS WH10112784

Sample Description	Method Analyte Units LOR	ME-MS41 Ni ppm	ME-MS41 P ppm	ME-MS41 Pb ppm	ME-MS41 Rb ppm	ME-MS41 Re ppm	ME-MS41 S %	ME-MS41 Sb ppm	ME-MS41 Sc ppm	ME-MS41 Se ppm	ME-MS41 Sn ppm	ME-MS41 Sr ppm	ME-MS41 Ta ppm	ME-MS41 Te ppm	ME-MS41 Th ppm	ME-MS41 Ti %
G0681890 CD		11.7	430	46.0	25.3	<0.001	0.36	0.66	2.7	0.3	0.6	46.4	<0.01	0.01	12.7	<0.005
G0681891		6.0	310	29.2	20.6	<0.001	0.75	0.47	2.4	1.0	0.4	47.8	<0.01	0.01	9.7	<0.005
G0681892		6.7	300	28.3	23.0	<0.001	0.82	0.61	2.1	0.9	0.5	35.6	<0.01	0.01	9.5	<0.005
G0681893		18.4	120	31.8	13.4	<0.001	>10.0	2.21	1.1	13.4	2.1	36.2	<0.01	0.02	4.4	<0.005
G0681894		4.2	200	29.4	21.9	<0.001	0.01	0.21	2.5	0.2	0.4	56.9	<0.01	<0.01	9.4	<0.005
G0681895		14.5	470	14.7	8.5	<0.001	1.35	0.88	1.2	0.9	0.5	245	<0.01	0.02	3.7	<0.005
G0681896		10.4	280	9.7	7.9	<0.001	0.67	0.56	1.4	0.5	0.4	922	<0.01	0.02	3.5	<0.005
G0681897		10.9	360	10.7	7.8	<0.001	0.66	0.46	2.2	0.5	<0.2	962	<0.01	0.02	3.5	<0.005
G0681898		8.6	220	109.5	21.7	<0.001	0.57	0.53	2.5	0.7	0.8	67.6	<0.01	0.02	8.9	<0.005
G0681899		43.6	220	>10000	17.4	<0.001	0.83	2.71	1.9	0.2	0.5	57.3	<0.01	0.03	5.9	<0.005
G0681900		52.2	460	554	8.4	0.001	2.15	8.21	5.9	5.0	1.3	37.8	<0.01	0.11	2.0	0.203
G0681901		6.6	230	>10000	16.3	0.001	0.95	4.41	1.5	<0.2	0.4	35.2	<0.01	0.01	4.1	<0.005
G0681902		6.1	160	6670	13.6	<0.001	0.37	1.23	1.9	0.2	0.4	63.4	<0.01	0.02	7.2	<0.005
G0681903		6.0	130	168.5	13.6	<0.001	0.17	0.66	1.8	<0.2	0.3	67.4	<0.01	0.01	9.7	<0.005
G0681904		3.4	130	88.4	11.3	<0.001	0.07	0.37	1.8	<0.2	0.2	128.5	<0.01	0.01	6.2	<0.005
G0681905		11.8	150	10.9	11.6	<0.001	0.26	0.24	2.2	<0.2	0.3	124.5	<0.01	<0.01	6.5	<0.005
G0681906		4.1	140	1255	11.8	<0.001	0.13	0.50	1.5	0.2	0.3	55.3	<0.01	<0.01	8.0	<0.005
G0681907		4.7	130	1160	14.3	<0.001	0.10	0.53	1.6	<0.2	0.3	55.8	<0.01	0.01	9.4	<0.005
G0681908		6.1	130	3380	11.3	<0.001	0.14	0.85	1.1	<0.2	0.3	28.8	<0.01	0.01	7.2	<0.005
G0681909		2.7	140	>10000	15.0	<0.001	0.92	6.86	1.2	<0.2	0.4	50.8	<0.01	0.01	5.7	<0.005
G0681909 CD		2.4	130	>10000	11.5	<0.001	0.74	6.05	1.6	0.2	0.3	48.2	<0.01	0.01	5.9	<0.005
G0681910		2.8	130	>10000	14.1	<0.001	0.75	6.28	1.8	0.2	0.3	84.4	<0.01	0.01	6.4	<0.005
G0681911		2.2	360	802	16.2	<0.001	0.07	0.19	2.8	0.3	0.3	128.0	<0.01	0.01	7.0	<0.005
G0681912		3.7	140	3940	16.6	<0.001	0.15	0.88	2.0	0.3	0.3	89.7	<0.01	0.01	16.9	<0.005
G0681913		3.4	150	7770	13.0	<0.001	0.22	1.32	2.5	0.3	0.2	158.0	<0.01	0.01	8.0	<0.005
G0681914		4.3	270	1650	16.8	<0.001	0.13	0.74	2.6	0.2	0.3	182.5	<0.01	0.01	8.3	<0.005
G0681915		35.4	90	>10000	9.5	<0.001	3.67	7.73	2.0	3.4	0.9	85.1	<0.01	0.01	4.5	<0.005
G0681916		47.1	170	>10000	19.9	<0.001	0.71	3.55	2.4	0.3	0.4	38.7	<0.01	0.02	6.6	<0.005
G0681917		22.6	200	8230	19.4	<0.001	1.24	1.79	3.4	1.5	0.7	93.3	<0.01	0.05	4.8	<0.005
G0681918		88.7	260	105.5	31.3	<0.001	0.82	2.11	4.7	0.3	0.5	84.3	<0.01	0.06	5.8	<0.005

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
1158-409 GRANVILLE ST
VANCOUVER BC V6C 1T2

Page: 3 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 8-SEP-2010
Account: OVERRE

Project: YMBP

CERTIFICATE OF ANALYSIS WH10112784

Sample Description	Method Analyte Units LOR	ME-MS41 TI ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Pb-OG46 Pb % 0.001	Zn-OG46 Zn % 0.001
G0681890 CD		0.17	1.40	8	<0.05	6.67	981	5.8		
G0681891		0.13	1.22	5	<0.05	5.86	>10000	6.4		1.120
G0681892		0.14	1.15	7	<0.05	4.59	>10000	6.9		1.270
G0681893		0.09	0.43	3	<0.05	2.32	>10000	6.8		23.7
G0681894		0.11	0.55	4	<0.05	4.38	537	5.8		
G0681895		0.08	0.56	2	0.12	5.97	>10000	5.5		1.305
G0681896		0.05	0.66	1	0.32	6.62	2250	4.8		
G0681897		0.05	0.80	1	<0.05	10.85	1040	5.2		
G0681898		0.12	0.96	6	<0.05	4.91	7980	5.2		
G0681899		0.16	0.59	6	<0.05	4.39	262	5.0		1.220
G0681900		0.53	0.50	65	1.07	10.70	5160	36.1		
G0681901		0.13	1.06	7	<0.05	3.69	226	6.8		4.39
G0681902		0.08	1.06	4	0.06	3.76	1460	6.8		
G0681903		0.08	1.30	5	<0.05	4.29	331	9.8		
G0681904		0.06	0.60	3	0.06	5.06	54	6.4		
G0681905		0.11	0.54	9	<0.05	3.72	25	3.9		
G0681906		0.06	0.82	3	<0.05	3.68	858	5.7		
G0681907		0.07	0.87	4	<0.05	3.63	325	6.0		
G0681908		0.07	0.78	3	<0.05	2.72	270	4.8		
G0681909		0.13	0.43	6	<0.05	3.10	155	4.6		5.21
G0681909 CD		0.11	0.41	4	<0.05	2.64	158	4.9		4.23
G0681910		0.11	0.48	5	<0.05	3.06	107	5.0		4.05
G0681911		0.07	0.44	5	<0.05	6.64	886	3.9		
G0681912		0.08	1.19	6	<0.05	5.27	112	10.0		
G0681913		0.06	0.64	3	<0.05	4.70	28	6.1		
G0681914		0.08	0.73	5	<0.05	5.61	215	6.6		
G0681915		0.10	0.37	3	0.13	2.88	>10000	6.1	4.69	4.48
G0681916		0.12	0.48	5	<0.05	3.49	1430	5.5	2.62	
G0681917		0.11	0.24	7	<0.05	5.46	>10000	3.7		1.780
G0681918		0.26	0.26	7	<0.05	5.24	33	3.6		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
1158-409 GRANVILLE ST
VANCOUVER BC V6C 1T2

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 8-SEP-2010
Account: OVERRE

Project: YMBP

CERTIFICATE OF ANALYSIS WH10112784

Method	CERTIFICATE COMMENTS
ME-MS41	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).