

095 : 45

2011 Geological and Geochemical Survey Report

Rosie Project

095 : 45

Claim Names:

Rosie 1 – 32 and Rosie 99 - 283



Grant Numbers:

YD90897-YD90928 and YE33531-YE33715

**Grouping Certificate:
HW07199**

NTS: 115G/09

Latitude 61° 37' N Longitude 138° 04' W

Whitehorse Mining District

Field Work Conducted July 19th to July 28th, 2011

**Registered Owner: Solomon Resources Limited
PO Box 938,
Vernon, B.C.
V1T 6M8**

Report written by: Randall S. Rogers, P.Geo.

March 1st, 2012

Table of Contents

Table of Contents	i
List of Tables	ii
List of Figures	ii
Introduction.....	1
Summary of Previous Investigations.....	1
List of Claims	2
Physiography and Location.....	3
Geological Setting.....	4
Work Program: Geological and Geochemical Survey.....	8
Interpretation and Conclusions	10
Statement of Qualifications	12
Statement of Expenditures.....	13
Selected References.....	13

Appendices:

- Appendix I Rosie Claim Group
- Appendix II Application for Certificate of Work
- Appendix III Application to Group Mineral Claims
- Appendix IV: Rosie Property – Soil Geochemical Survey Results - 2011
- Appendix V: Rosie Property – Stream Sediment Geochemistry - 2011
- Appendix VI: ALS Minerals Certificate WH11147832
- Appendix VII: ALS Minerals Certificate WH11147833
- Appendix VIII: ALS Minerals Certificate WH11147834

List of Tables

Table 1 Claims for Renewal	2
Table 2 Statement of Expenditures.....	13

List of Figures

Figure 1 Location Map	3
Figure 2 Regional Geological Setting.....	5
Figure 3 Geological Legend	6
Figure 4 Structural Cross-Section through the Coast Belt	7
Figure 5 Rosie Claim Group View South.....	7
Figure 6 Massive Silicification of Rhyolite Creek Quartz-Feldspar Porphyry	8
Figure 7 Preliminary Geology.....	In Pocket
Figure 8 2011 Sampling (Sample Number).....	In Pocket
Figure 9 2011 Sampling (Gold – ppb)	In Pocket
Figure 10 2011 Sampling (Arsenic ppm)	In Pocket

Introduction

The Rosie Project comprises 217 mineral claims located under the Yukon Quartz Mining Act 58 kilometers north of Destruction Bay.

The Rosie Claim Group was staked to protect a highly prospective epithermal gold target indicated by regional stream geochemical surveys and the discovery in 2010 by the Yukon Geological Survey of an outcrop of highly silicified altered quartz feldspar porphyry near the top of the Ruby Range batholith, likely the result of a high sulphidation epithermal system. Silicic and potassic alteration in the outcrop has the appearance of the high-sulphidization, epithermal style mineralization found above and adjacent to deeper porphyry systems. The silicic alteration is likely the result of highly acidic, low pH fluids infiltrating the host rock.

The Rosie Claim Group is highly prospective for epithermal gold in quartz stockworks. The regional geology is conducive to epithermal and porphyry style mineralization in the upper reaches of the Ruby Range batholith and Rhyolite Creek Volcanic-Plutonic Complex. Regional stream sediment geochemistry data shows anomalous gold values coupled with one or more of copper, molybdenum, arsenic, mercury and antimony. Recent work by the Yukon Geological Survey suggests a compelling similarity between this portion of the Coast Belt of Southwest Yukon and the prolific Juneau Gold Belt of Alaska.

Solomon's 2011 exploration program at the Rosie Project was initially focussed on the silicified quartz feldspar porphyry outcrop identified by field personnel of the Yukon Geological Survey but as the exploration of the property continued in 2011 it became readily apparent that the initial showing was a very small component of a much larger epithermal gold target on the property.

The 2011 exploration program comprised preliminary geological mapping and soil and silt geochemical surveys on the properties to guide future exploration.

The present report is the summary of the Geological and Geochemical Survey conducted in 2011 on the Rosie Claim Group.

Summary of Previous Investigations

The area surrounding the Rosie Claim Group has been intermittently explored since 1892 during which year Jack Dalton and E.J. Glave made an overland trip with four packhorses from the Chilkat River to the shores of Kluane Lake over a foot path which the Chilkat First Nations had used for the preceding two centuries as a trading route to the interior of the Yukon. Dalton established trading posts and improved the trail as far north as the Nordenskold River. Klondike prospectors used the Dalton Trail extensively during the 1898-1900 period enroute to the goldfields of the Klondike, but prospecting in the Ruby Range was not established until about 1903 when Silver City (or Kluane) was settled at the eastern end of Kluane Lake and became the center of mining activity in the region.

Silver City boasted a post office, N.W.M.P. post and Mining Recorder; a wagon road led east through Champagne to Whitehorse. The threat of Japanese invasion sparked the building of the Alaska Highway in 1942 and the Haines Road followed in 1944. Improved access in the post war period brought on an exploration boom, although no lode mining production is known from the immediate project area. Placer mining features prominently in the creeks located south of the Rosie Claim Group with intermittent production from Fourth of July, Gladstone, Twelfth of July, Ruby and Cultus Creeks.

A number of regional programs focussed on the Ruby Range from 1966 through 1986, including programs conducted by the author on behalf of Noranda Exploration Company Ltd. in the early 1980's.

In the northern portion of the Rosie Claim Group, the Tyrell (MINFILE 115G075) porphyry Cu-Mo-Au prospect is located on an eastern tributary to Tyrell Creek. Geological information is limited but it is believed that quartzite, schist, meta-conglomerate and metagrit tentatively assigned to the Devonian to are intruded by a stock of alaskite of what was at the time knows as the Early Tertiary Nisling Range Suite. The occurrence occurs near the contact between the metamorphic rocks and the stock. The claims were staked by Conwest in 1970 to cover silt anomalies discovered during a regional geochemical sampling program.

Other historical mineral occurrences in the surrounding area suggest that prospects formerly thought to represent Casino-style copper-molybdenum-gold porphyry style mineralization are now believed to be associated with the upper-most and younger fractionated portion of the Ruby Range batholith.

Historical regional aeromagnetic data, although fairly coarse, tends to support the exploration potential of the Rosie Claim Group and regional airborne magnetometer data flown by the Geological Survey of Canada released July 14th, 2011 corroborates the targeting of this property.

List of Claims

Solomon Resources Limited owns 100% of the Rosie Claim Group. The Rosie 1- 32 claims were staked on September 14th, 2009 and the Rosie 99 – 283 were staked on May 4th and 5th, 2010. The 217 mineral claims (see map Appendix I) under Grouping Certificate HW07199 that are subject of this Assessment Report are:

Claims for renewal		Ownership	Expiry Date
Claim name	Grant number		(Current)
Rosie 1 - 32	YD90897-YD90928	Solomon Resources Limited	2013/05/11
Rosie 99 - 283	YE33531-YE33715	Solomon Resources Limited	2013/05/11

Table 1: Claims for Renewal

Solomon geologist Monica Nordling filed an Application to Group Mineral Claims (YQMA Form 12) in respect of these claims on September 7th, 2011 and an Application for a Certificate of Work (YQMA Form 4) on September 20th, 2011. (Appendix II and III)

Physiography and Location




Figure 1: Location Map

The Rosie Claim Group is located approximately 58 kilometers north of Destruction Bay and 107 kilometers northwest of the village of Haines Junction from which the Haines Highway extends 250 kilometers south to the deepwater port of Haines, Alaska. The Alaska Highway is approximately 58 kilometers to the south of the project area.

The Rosie Claim Group includes the easterly tributaries of Tyrell Creek as well as the two kilometer length of Tyrell Lake which provides an ideal staging ground for exploration activity supported by float plane.

Airstrips are located at Haines Junction, Silver City and Burwash Landing and charter helicopter and fixed wing service is available at Haines Junction and seasonally at Silver City.

Commercial accommodation is available in Destruction Bay, Haines Junction and Silver City, and the former remains the best venue for staging exploration in the project area.

The forest cover of this area is light, with treeline at approximately 4000 feet elevation. Black spruce, white spruce, balsam, poplar and white poplar dominate the forested slopes; alder willow and sub-alpine flora are found at and above the timberline.

The project area has a dry continental climate. Summers are short and hot with temperatures up to 30 degrees Celsius; winters are severe with short daylight hours and temperatures down to -40 degrees Celsius.

Geological Setting

Israel, Murphy, Bennett, Mortensen and Crowley (2011) have recently published a comprehensive review of the geology and mineral potential of the Kluane Schist, the Ruby Range batholith and the Yukon-Tanana terrane in southwestern Yukon. This is the first major recent geological synthesis conducted of this area. (Figures 2, 3 and 4)

The dominant regional geological feature is the Ruby Range Batholith, a plutonic complex comprised of quartz diorite, tonalite and granodiorite with lesser amounts of diorite, gabbro and granite. The base of the Ruby Range batholith is dominated by strongly to moderately foliated quartz-diorite and the batholith becomes more felsic up-section to the north culminating in voluminous amounts of quartz feldspar porphyry.

The Rhyolite Creek Volcano-Plutonic complex refers to the youngest, porphyritic phase of the Ruby Range Batholith and its volcanic equivalents, the latter of which consist of intermediate volcanic flows, breccia and tuff, flow-banded rhyolite and felsic tuff with rare mafic flows, breccia and tuff. Where volcanic rocks are mafic to intermediate in composition, the breccias are almost always found at the base; where the volcanic rocks are felsic they are commonly associated with quartz porphyritic intrusions and a domelike architecture.

Rocks formerly known as the Aishihik Lake Metamorphic Belt, the Nisling Terrane and the Aishihik Metamorphic Suite were found to be correlative (although more strongly metamorphosed) than rocks of the Snowcap and Finlayson Assemblages of the Yukon Tanana Terrane along strike to the northwest. The Yukon-Tanana Terrane structurally overlies the Ruby Range Batholith and locally occurs as isolated roof pendants. The terrane consists of psammitic schist, quartzite, marble, garnet amphibolite and rare metapluutonic rocks. In the vicinity of the Rosie Claim Group rocks of the Yukon-Tanana terrane take on a higher degree of metamorphism, possibly lying within the dynamothermal aureole of the Early Jurassic Aishihik batholith. Yukon-Tanana terrane in this area comprises quartz-muscovite-garnet schist interlayered with carbonaceous quartzite, garnet amphibolite and thick beige to white weathering marble units. The structurally highest rocks in Yukon-Tanana terrane consist of coarse-grained, quartz-rich 'grits' and grey weathering carbonaceous quartzite.




Figure 2: Regional Geological Setting (After Israel, S., Cobbett, R., Westberg, E., Stanley, B. and Hayward, N., 2011. Preliminary bedrock geology of the Ruby Ranges, southwest Yukon (Parts of NTS 115G, 115H, 115A and 115B) (1:150 000 scale), Yukon Geological Survey Open File 2011-2.) Note MINFILE 115G075 at the northeastern corner of the claim group.

LEGEND

Solomon Resources Ltd. Property

QUATERNARY



unconsolidated glacial, glacioluvial and glaciolacustrine deposits; fluvialite silt, sand and gravel, and local volcanic ash, in part with cover of soil and organic deposits

OVERLAP ASSEMBLAGES

EOCENE




Hayden Lake suite (ca. 48 Ma): salt and pepper, light and dark grey, hornblende, +/- biotite, diorite to quartz diorite; massive, medium to coarse-grained; rare gabbros; garnet common as crystals 1-10 mm in size

PALEOCENE



RHYOLITE CREEK COMPLEX (ca. 57 Ma): light grey to purple, quartz, feldspar porphyry; quartz is often smokey grey in colour and can be up to 3 mm; occurs as thin dykes to large intrusive bodies; intrusive equivalents to intermediate and felsic volcanic rocks



RHYOLITE CREEK COMPLEX (ca. 57 Ma): light grey, brown and green, intermediate to felsic volcanic rocks; flow banding is common; local volcanic breccia at the base of volcanic pile; rare pillows and mafic volcanic rocks



RUBY RANGE BATHOLITH (ca. 64-57 Ma): fine to coarse-grained, salt and pepper, hornblende +/- biotite, quartz diorite; medium-grained, light grey to pinkish, biotite +/- hornblende granodiorite; fine- to medium-grained, beige to grey tonalite with distinctive smokey grey quartz; pinkish/grey, biotite granite



strongly to moderately deformed equivalents to the undeformed Ruby Range batholith; often has gneissic textures near the lower structural contact; may be in part deformed screens of MKgd

MID-CRETACEOUS



NISLING RANGE SUITE (ca. 100 Ma): light grey, greenish weathered and fresh, medium-grained, hornblende granodiorite; chlorite and epidote alteration of hornblende and feldspar throughout; locally, disseminated pyrite, weathering a rusty orange

YUKON-TANANA TERRANE

UPPER DEVONIAN TO LOWER MISSISSIPPIAN



FINLAYSON ASSEMBLAGE: polydeformed and metamorphosed mafic to felsic metavolcanic rocks; carbonaceous pelite, quartzite and psammite; quartz-muscovite schist; light grey to beige marble; rare metapluonic rocks; locally, abundant garnet found in all rock types

UPPER DEVONIAN AND OLDER



SNOWCAP ASSEMBLAGE: polydeformed and metamorphosed quartzite, psammite, pelite and marble; minor garnet amphibolite; quartz-muscovite schist; rare metapluonic rocks

Figure 3: Geological Legend (After Israel, S., Cobbett, R., Westberg, E., Stanley, B. and Hayward, N., 2011. Preliminary bedrock geology of the Ruby Ranges, southwest Yukon (Parts of NTS 115G, 115H, 115A and 115B) (1:150,000 scale), Yukon Geological Survey Open File 2011-2.)




Figure 4: Structural cross-section through the Coast Belt (From Israel et al 2010)



Figure 5: Rosie Claim Group View South. (Highly silicified altered quartz feldspar porphyry at the top of the Ruby Range batholith, likely the result of a high sulphidation epithermal system.)

Work Program: Geological and Geochemical Survey

Solomon Field Crews conducted geological and geochemical exploration surveys of the Rosie claims from July 19th to July 28th, 2011. Field personnel included: geologists Randy Rogers and Monica Nordling, project manager James Rogers and field assistants Susan Rogers, Bryan Crawford and Josh McKenzie. Field work was staged out of two fly camps on the property and logistical support provided by Trans North Helicopters out of Haines Junction.

Geological Survey

The outcrop of the highly silicified altered quartz-feldspar porphyry (Figures 5 and 6) was the initial focus of geological mapping on the property in the 2011 field season.

Israel et al (2011) noted with respect to this outcrop:

"Silica ± potassic alteration was observed at the plutonic-volcanic transition in the upper part of the batholith. This alteration has the appearance of high sulphidation, epithermal style mineralization, found above and adjacent to deeper porphyry systems. The silica alteration is likely the result of highly acidic, low pH fluids infiltrating the host rock, dissolving everything but the silica."




Figure 6: Massive Silicification of Rhyolite Creek Quartz – Feldspar Porphyry (Photo Courtesy Yukon Geological Survey)

In addition to this newly discovered silicified zone, other discrete targets exist on the Rosie Claim Group. The contact of the Rhyolite Creek complex with the Ruby Range Batholith and Devonian Snowcap Assemblage on the eastern bank of Tyrell Creek encompasses an historic copper-molybdenum gold mineral occurrence and other targets in the northwest and southwest portions of the property include regional stream sediment geochemical anomalies in both the Rhyolite Creek complex and Ruby Range intrusives.

The Preliminary Geological Map from the 2011 program appears as Figure 7. (In Pocket)

The intrusive rocks of the Ruby Range Batholith underlie the south-central portions of the Rosie claims. Locally, the intrusive rocks vary from fine to coarse grained biotite granite to granodiorite. Hornblende is often seen within the granite, generally in coarse-grained variations and in rare occasions tourmaline is observed. Quartz veins are a minor occurrence but often contain sulphides (generally arsenopyrite) and/or chlorite. Areas of weathering or alteration seem to have both tectonic (brecciated contacts) and hydrothermal characteristics (re-mineralization). Iron-stained vugs are often seen in weathered areas. Where the intrusive unit is seen in contact with the rhyolite unit there is generally a fine-grained and silicified contact zone of green- or blue-grey coloration.

Porphyritic rhyolite of the Rhyolite Creek Volcano-Plutonic Complex underlie most of the northeastern and southeastern portions of the Rosie claims, and locally exhibits a fresh green or pink/purple matrix, generally containing smoky quartz crystals (1-3mm) and/or K-feldspar and plagioclase crystals (2 mm to 5 cm and generally seen within the green matrix) ± biotite or apatite. Weathering is red to dark brown with rare clay alteration of porphyritic crystals. The Porphyritic Rhyolite generally displays flow banding along the contact with the Ruby Range Batholith and in rare cases spicules indicate rapid cooling. Areas of bleached rhyolite (creamy orange to grey-white, rare pinkish tint) form north-south trending dykes which appear to cross cut the fresh rhyolite porphyry and igneous body and bear a strong relationship to local hydrothermal breccia. These could possibly be hydrothermal vents or large scale joint sets. The bleached rhyolite contains iron-stained vugs with a completely bleached matrix, locally displaying silicification with rare manganese staining and quartz crystals. Columnar jointing along the ridgeline displays a variety of rhyolite porphyry and mineralogy and joint sets are mapped as: 054/89, 240/85, 044/85, 320/80, 145/86, 330/89.

Psammite, pelite, quartz-mica schist and graphitic schist of the Upper Devonian Snowcap Assemblage underlies the northwestern portion of the Rosie Claim Group and locally appears to be intruded by and crosscut by rocks of the Ruby Range Batholith and Rhyolite Creek Complex. The schist generally weathers to a red-brown or red-dark grey colour, and contains many small (1-2mm) and few large (1-5cm) quartz veins, some of which have been weathered and iron-stained. Outcrops display multi-level folds and crenulations.

A significant exposure of a tectonic breccia was observed along the northernmost contact of the Ruby Range Batholith and schists of the Snowcap Assemblage. The breccia is most likely due to the igneous intrusive, but may also be in part related to volcanic intrusive. Locally, two variations are present: the first displays a light coloured matrix with uneven clasts and the second displays a dark, biotite/chlorite matrix containing clasts of the first variation. Clasts are

generally uneven and unaltered, consisting of a wide variety of rock type (schist, granite, etc.) and surfaces locally weather to a dark red-brown colour, but remain quite fresh elsewhere.

Geochemical Survey

Solomon Field crews conducted stream sediment and soil geochemical surveys on the Rosie Claims in the 2011 field season. A total of 72 stream sediment samples and 420 soil samples were taken and analyzed at ALS Minerals in North Vancouver, B.C.

The stream sediment and soil sample locations are shown in Figure 8 and the gold and arsenic analyses appear in Figures 9 and 10.

The analytical data is summarized in Appendix IV and V and the Certificates of Analysis appear in Appendices VI, VII and VIII.

Interpretation and Conclusions

The preliminary geological map suggests that the contact between the porphyritic rhyolite which underlies the eastern portion of the claim group and the Ruby Range Batholith and the Snowcap schists to the west extends in a continuous and sinuous arc trending north-south. Isolated dykes of the porphyry have been identified crosscutting both the intrusive and the schists subparallel to this contact. Detailed mapping is required to refine the contact as well as determine the extent of the dykes and to further explore the breccia zone on the northern tip of the batholith.

Elevated gold soil geochemical values up to 32 ppb appear near the contact of the rhyolite porphyry with the intrusive stock in the southeastern portion of the claim group, and isolated peaks appear to coincide with the porphyritic dyke swarm just west of the silicified porphyry outcrop that first drew attention to this property. Moderately elevated gold stream sediment values drain this ridge to the west and this area should be explored in detail in the 2012 season.

A more pronounced soil geochemical anomaly appears in the north central portion of the property, where the rhyolite porphyry is in direct contact with the quartz-mica schist and locally appears as north trending dykes in the schist. Values up to 37 ppb Au and 942 ppm As occur in an anomaly covering 1.5 km by 1.0 km on the ridge top with moderately elevated gold stream sediment values in surrounding drainages. This area presents a more compelling target for the 2012 field season, and should be prioritized for followup.

A subtle yet compelling soil geochemical anomaly appears in the vicinity of the breccia contact with the intrusive body in the central portion of the property where Au values up to 5 ppb and As values up to 99 ppm occur in a zone open-ended to the north. This area will require a more detailed look in 2012.

Time constraints in the 2011 field program precluded any substantial rock sampling or trenching for assay and this should be part of the 2012 program.

The results of the 2011 field program suggest that the 2012 field program should include the establishment of soil geochemical grids over the three discreet soil geochemical anomalies identified herein, with sample spacing of 25 meters and 50 meters on lines oriented east-west for a total of 1200 soil samples.

Detailed mapping of the breccia zone and the northernmost geochemical anomaly is recommended, with further prospecting traverses to be made in the vicinity of the original exposure of the silicified rhyolite porphyry and the Tyrell MINFILE occurrence in the northern portion of the property. Provision should be made for 100 rock samples for assay.

Depending on results of these inquiries, contingency planning might contemplate trenching late in the 2012 field season.

A budget of \$ 66,500 is proposed for this followup program.

Item	Notes	Cost
Supervising Geologist	5 days @ 750	3750.00
Project Geologist	15 days @ 400	6000.00
Project Supervisor	15 days @ 350	4750.00
Field Assistant	30 days @ 300	9000.00
Helicopter Support	15 Hr @ 2200	33000.00
Food and Consumable Supplies	20 days @ 150	3000.00
Accommodation	Camp and Commercial	3000.00
Analytical - Soils	1200 @ \$25	3000.00
Analytical - Rocks	100 @ \$100	1000.00
	TOTAL	66,500.00

Statement of Qualifications

I, Randall Stewart Rogers, with business address at Solomon Resources Limited, PO Box 938, Vernon, B.C., V1T 6M8, hereby certify that:

- I am a practising Geologist, resident in Vernon, British Columbia;
- I am a member in good standing with the Association of Professional Engineers and Geoscientists of British Columbia (Licence 35584) and the Association of Professional Engineers, Geologists and Geophysicists of Alberta (Licence 36474);
- I hold a Bachelor of Science (Honours) degree in Geology (1980) from the University of British Columbia;
- I hold a Master of Science degree in Mineral Exploration (1981) from Queen's University at Kingston;
- I have practiced my profession as a geologist since graduation;
- I have a direct interest in the operations of Solomon Resources Ltd.: I am the Chief Executive Officer and President of the Company and a shareholder.
- I have based this report on:
 - Field work conducted by exploration contractors under my direct supervision
 - Historical research into past operations on and adjacent to the subject claims
- I consent to the use of this report for any Filing Statement, Statement of Material Facts, or support document.

Randall S. Rogers M.Sc., P.Geo.

2012-03-01

Statement of Expenditures

An Application for a Certificate of Work (Grouping Certificate HW07199) was filed at Whitehorse Mining Recorder September 20th, 2011 allocating \$ 37,391.17 in work to the renewal of these claims.

The Application for Certificate of work and Cost Summary was registry stamped by the Whitehorse Mining Recorder on September 20th, 2011.

Item	Notes	Cost
Geologist	R.S. Rogers M.Sc., P.Geo	2961.00
Geologist	M. Nordling	7120.00
Field Assistant	S. Rogers	1790.00
Field Assistant and Project Supervisor	J. Rogers/B. Crawford/J. McKenzie	7200.00
Helicopter Support	Trans North	14059.50
Food and Consumable Supplies		2256.94
Accommodation	Camp costs and Kluane B&B	1797.39
Analytical	ALS Minerals	206.34
	TOTAL	\$ 37,391.17


Table 4: Statement of Expenditures

Selected References

Colpron, M., 2006. Tectonic assemblage map of Yukon-Tanana and related terranes in Yukon and northern British Columbia (1:1,000,000 scale); Yukon Geological Survey, Open File 2006-1.


Israel, S., Cobbett, R., Westberg, E., Stanley, B. and Hayward, N., 2011. Preliminary bedrock geology of the Ruby Ranges, southwest Yukon (Parts of NTS 115G, 115H, 115A and 115B) (1:150 000 scale), Yukon Geological Survey Open File 2011-2.

Israel, S., Murphy, D., Bennett, V., Mortensen, J. and Crowley, J., 2011. New insights into the geology and mineral potential of the Coast Belt in southwestern Yukon. In: Yukon Exploration and Geology 2010, K.E. MacFarlane, L.H. Weston and C. Relf (eds.), Yukon Geological Survey, p. 101-123.



QUARTZ MINING ACT FORM 4 SECTION 56
APPLICATION FOR A CERTIFICATE OF WORK
Version français

I, Monica Nordling
of Solomon Resources
Phone (867) 336-2898
make oath and say that:



1. I am the owner, or agent of the owner, of the mineral claim(s) to which reference is made herein.
2. I have done, or caused to be done, work, on the following mineral claim(s): (Here list claims on which work was actually done by number and name)

Rosie 1-32 (YD 90897-928)

Rosie 99-283 (YE 335 31-8715)

situated at near Tyrell Lake Claim sheet No. 115 G 09

in the Whitehorse Mining District, to the value of at least \$ 37,391.17 dollars,

since the Oct. 2010 - Sept. 2011 day of 20.

to represent the following mineral claims under the authority of Grouping Certificate No. .
(Here list claims to be renewed in numerical order, by grant number and claim name, showing renewal period requested).

- All claims listed above, mining to be distributed evenly

- C/D to May 11, 2013

3. The following is a detailed statement of such work: (Set out full particulars of the work done indicating dates work commenced and ended in the twelve months in which such work is required to be done as shown by Section 56).

* See attached budget outline


Sworn before me at Whitehorse this 20 day of Sept. 2011.

P. Philcox
Notary Public

J. M. S.
Owner or Authorized Agent

Access to Information and Protection of Privacy Act

The personal information requested on this form is collected under the authority of and used for the purpose of administering the Quartz Mining Act. Questions about the collection and use of this information can be directed to the Mining Recorder Office, Mineral Resources, Department of Energy, Mines and Resources, Yukon Government, Box 2703, Whitehorse, Yukon Territory, Y1A 2C6 (867) 667-3190
YR/RB4801 F214/2011



Rosie
grouping

RECEIVED
SEP 20 2011
MINING RECORDS
WHITEHORSE VILLAGE
COURTESY OF THE VILLAGE

Rosie Claims: Renewal Monies

Randy Rogers (P. Geo): 2961.00

Susan Rogers (assistant work): \$1790.00

Monica Nordling (Geologist): \$7120.00

Soil Samplers: 3 @ 240/day for 10 days = \$7200.00

Helicopter time: \$14,059.50

Food: \$2256.94

Accommodation: \$1797.39

ALS labs analysis: \$206.34

Total = \$37,391.17





Grouping Certificate Number: HW07199

**GROUPING CERTIFICATE
Form 6, Section 55
QUARTZ MINING ACT**

Whitehorse Mining District

Certificate that annual expenditure may, after recording claims, be made on any one of not more than 750 claims grouped together for the performance of work.

This is to certify that in accordance with the provisions of Section 55 of the Quartz Mining Act the registered owner or agent of the owner(s) of the following mineral claims has (have) filed a notice of his (her) intention to group those claims together for the performance of work:

Grant Number(s)

YD90897 - YD90928
YE33531 - YE33715


Claim Name(s)

ROSIE 1 - 32
ROSIE 99 - 283

Owner(s): Solomon Resources Limited.


Location area(s): Tyrell Lake, Tyrrell Creek Area.

Claim Sheet(s): 115G09.

Number of Claims in Grouping:	217	 Glenna Southwick Whitehorse Mining Recorder
Fees:	\$108.50	
Receipt Number:	MRWH570	
Filing Date:	07 September 2011	

QUARTZ MINING ACT FORM 12 SECTION 55
APPLICATION TO GROUP MINERAL CLAIMS

Whitehorse MINING DISTRICT



I, (We) the undersigned owners or agent(s) of the owners of following mineral claims.

(Additional sheets or an appendix may be used) (Claim names and grant numbers to be listed in sequence eg. TOM 1-40, YC1000-1 YG100807)

GRANT NUMBER	CLAIM NAME	MAP SHEET
ND90897 - 928	Rosie 1-32	115 G 09
YE 335 31 - 715	Rosie 99 - 283	115 G 09

Give notice of intention to group the said claims for the performance of work and do hereby apply under the provisions of section 55 of the *Quartz Mining Act* for a certificate in form 6.

I (We) hereby certify that the above claims are adjoining as shown on the attached sketch

Dated at Whitehorse


This 7th day of September, 2011

Applicant(s)

Access to Information and Protection of Privacy Act

The personal information requested on this form is collected under the authority of and used for the purpose of administering the *Quartz Mining Act*. Questions about the collection and use of this information can be directed to the Mining Recorders Office, Mineral Resources, Department of Energy, Mines and Resources, Yukon Government, Box 2703, Whitehorse, Yukon Territory, Y1A 2C6 (867) 667-3190

YG(5048EQ)F1 Rev.04/2009



N

Rosie
grouping

Sept. 7, 2011

Claim Status Report



07 September 2011

Claim Name and Nbr.	Grant No.	Expiry Date	Registered Owner	% Owned	NTS #'s
ROSIE I - 32	YD90897 - YD90928	2011/09/23	Solomon Resources Limited	1.75	115G09
P ROSIE 99 - 114	YE33531 - YE33546	2012/05/11	Ed (Edward) Long	100.00	115G09
P ROSIE 115 - 142	YE33547 - YE33574	2012/05/11	Rafe Etzel	100.00	115G09
P ROSIE 143 - 169	YE33575 - YE33601	2012/05/11	Riley Gibson	100.00	115G09
P ROSIE 170 - 191	YE33602 - YE33623	2012/05/11	Scott Kovac	100.00	115G09
P ROSIE 192 - 217	YE33624 - YE33649	2012/05/11	Gerald Asp	100.00	115G09
P ROSIE 218 - 241	YE33650 - YE33673	2012/05/11	Sam Johnson	100.00	115G09
P ROSIE 242 - 261	YE33674 - YE33693	2012/05/11	Nick Johnson	100.00	115G09
P ROSIE 262 - 271	YE33694 - YE33703	2012/05/11	Ed (Edward) Long	100.00	115G09
P ROSIE 272 - 283	YE33704 - YE33715	2012/05/11	Rafe Etzel	100.00	115G09

Criteria(s) used for search:

CLAIM DISTRICT: 1000004 CLAIM NAME: ROSIE CLAIM STATUS: ACTIVE & PENDING REGULATION TYPE: QUARTZ

FEES.

ROSIE 1-32 = 56 @ \$5 \$280.-

ROSIE 99-283 = 185 @ \$5 \$925.-

C/D TO MAY 1/2013 .

WORK REQ'D

\$33,900.-

Left column indicator legend:

- R - Indicates the claim is on one or more pending renewal(s).
- P - Indicates the claim is pending.

Right column indicator legend:

- | | |
|---|----------------------------------|
| L - Indicates the Quartz Lease. | D - Indicates Placer Discovery |
| F - Indicates Full Quartz fraction (25+ acres) | C - Indicates Placer C discovery |
| P - Indicates Partial Quartz fraction (<25 acres) | B - Indicates Placer Fraction |

Total claims selected : 217



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 1

Finalized Date: 1- SEP- 2011
This copy reported on
9- DEC- 2011
Account: NUN

CERTIFICATE WH11147832

Project: Rosie

P.O. No.: SW 2011- 01

This report is for 144 Soil samples submitted to our lab in Whitehorse, YT, Canada on 2- AUG- 2011.

The following have access to data associated with this certificate:

MONICA NORDLING

RANDY ROGERS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: SOLOMON RESOURCES LTD.
ATTN: RANDY ROGERS
POX 938
VERNON BC V1T 6M8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147832

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt.	Au-TL43	ME-MS41												
		kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
L820251		0.22	0.002	0.10	0.87	4.7	<0.2	<10	60	0.36	0.17	0.20	0.25	17.50	6.1	17
L820252		0.61	0.003	0.06	1.74	8.9	<0.2	<10	100	0.94	0.30	0.19	0.33	52.9	9.2	28
L820253		0.43	0.005	0.47	1.38	5.8	<0.2	<10	70	1.26	0.43	0.17	0.23	55.7	15.3	23
L820254		0.42	0.003	0.17	2.22	11.0	<0.2	<10	110	2.50	0.61	0.35	1.17	249	15.3	48
L820255		0.47	0.004	0.10	1.81	10.2	<0.2	<10	100	2.08	0.43	0.21	0.56	220	12.2	29
L820256		0.39	0.003	0.16	1.85	10.4	<0.2	<10	220	2.65	0.57	0.49	0.65	115.0	11.2	26
L820257		0.40	0.007	0.18	1.68	7.6	<0.2	<10	100	1.97	1.05	0.25	1.75	199.5	9.6	28
L820258		0.30	0.002	0.15	2.50	8.1	<0.2	<10	120	2.30	0.45	0.57	1.48	173.5	20.1	57
L820259		0.39	0.002	0.14	0.91	4.0	<0.2	<10	50	1.31	0.34	0.33	0.49	92.2	6.8	16
L820260		0.41	0.003	0.42	2.16	8.1	<0.2	<10	80	1.32	0.72	0.40	0.76	82.5	14.3	51
L820261		0.62	0.003	0.19	2.39	6.6	<0.2	<10	90	1.85	0.48	0.45	0.63	113.5	17.5	59
L820262		0.44	0.003	0.27	1.50	7.5	<0.2	<10	140	2.98	0.73	0.28	0.68	114.5	10.9	27
L820263		0.43	0.002	0.12	1.67	8.4	<0.2	<10	120	1.29	0.78	0.18	0.44	50.9	7.6	25
L820264		0.35	0.003	0.12	1.64	12.0	<0.2	<10	120	0.90	0.42	0.43	0.47	82.0	13.8	28
L820265		0.31	0.003	0.05	0.63	3.1	<0.2	<10	50	0.25	0.15	0.15	0.12	14.70	5.8	13
L820266		0.46	0.003	0.18	1.10	6.0	<0.2	<10	90	0.65	0.25	0.27	0.31	33.1	7.3	19
L820267		0.25	0.002	0.15	0.68	4.7	<0.2	<10	50	0.23	0.17	0.16	0.31	10.50	4.4	12
L820268		0.35	0.002	0.06	0.47	1.9	<0.2	<10	40	0.27	0.09	0.18	0.31	23.3	5.8	9
L820269		0.31	0.002	0.09	0.33	1.1	<0.2	<10	30	0.20	0.05	0.15	0.17	17.95	4.4	6
L820270		0.19	0.002	0.08	0.59	2.7	<0.2	<10	40	0.26	0.13	0.20	0.22	15.10	6.1	12
L820271		0.44	0.002	0.12	1.34	6.6	<0.2	<10	70	1.75	0.34	0.23	0.60	147.5	8.6	21
L820272		0.29	0.004	0.10	0.82	4.1	<0.2	<10	50	0.62	0.21	0.20	0.28	33.5	7.4	16
L820273		0.32	0.002	0.10	0.73	2.5	<0.2	<10	40	0.69	0.16	0.18	0.19	36.3	4.9	10
L820274		0.50	0.003	0.11	2.06	6.9	<0.2	<10	90	1.89	0.49	0.32	0.68	65.7	12.3	45
L820275		0.53	0.002	0.44	2.85	8.0	<0.2	<10	120	1.56	1.42	0.44	1.00	80.6	20.0	70
L820276		0.55	0.002	0.51	2.26	6.9	<0.2	<10	110	1.27	1.17	0.39	0.86	71.4	16.4	54
L820277		0.30	0.003	0.21	1.95	6.9	<0.2	<10	110	1.34	0.37	0.33	0.77	99.8	8.9	38
L820278		0.35	0.002	0.10	1.25	5.3	<0.2	<10	70	0.76	0.31	0.24	0.27	28.9	8.2	26
L820279		0.55	0.003	0.14	2.19	7.0	<0.2	<10	50	0.98	0.39	0.25	0.36	47.2	13.0	48
L820280		0.61	0.004	0.57	2.08	5.8	<0.2	<10	80	1.32	0.73	0.35	0.70	61.0	14.5	53
L820281		0.46	0.003	0.11	2.20	10.9	<0.2	<10	90	1.52	0.51	0.37	0.55	58.9	13.2	37
L820282		0.57	0.005	0.54	2.21	7.2	<0.2	<10	60	1.11	1.60	0.26	1.34	43.1	14.3	44
L820283		0.49	0.001	0.25	2.64	12.8	<0.2	<10	110	1.64	0.77	0.22	1.00	90.6	14.5	46
L820284		0.39	0.002	0.15	1.57	8.0	<0.2	<10	80	0.66	0.33	0.25	0.44	26.8	10.0	36
L820285		0.50	0.003	0.16	1.94	7.9	<0.2	<10	120	1.76	0.64	0.14	1.40	119.5	9.7	27
L820286		0.31	0.002	0.29	2.08	13.8	<0.2	<10	70	0.84	0.87	0.16	0.46	28.1	13.1	41
L820287		0.41	0.001	0.19	0.71	4.0	<0.2	<10	50	1.11	0.42	0.25	0.57	130.0	6.7	10
L820288		0.40	0.002	0.10	2.18	5.8	<0.2	<10	960	3.03	0.39	0.47	1.06	236	9.4	26
L820289		0.45	0.003	0.21	2.58	8.4	<0.2	<10	160	2.36	1.89	0.40	0.39	150.0	15.5	58
L820290		0.38	0.002	0.10	1.43	10.7	<0.2	<10	90	0.61	0.33	0.24	0.35	25.1	10.2	34

Comments: **Corrected copy with sample ID L820394 changed to L820395 and sample ID L820396 changed to L820394**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147832

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm	ME-MS41 Cu ppm	ME-MS41 Fe %	ME-MS41 Ga ppm	ME-MS41 Ge ppm	ME-MS41 Hf ppm	ME-MS41 Hg ppm	ME-MS41 In ppm	ME-MS41 K %	ME-MS41 La ppm	ME-MS41 Li ppm	ME-MS41 Mg %	ME-MS41 Mn ppm	ME-MS41 Mo ppm	ME-MS41 Na %
L820251		0.85	18.0	1.90	4.47	0.06	0.02	0.05	0.020	0.06	7.9	5.9	0.24	431	1.17	0.02
L820252		1.51	25.0	2.79	6.15	0.14	0.02	0.03	0.030	0.06	16.7	17.8	0.51	523	1.28	0.02
L820253		2.31	17.6	2.86	6.51	0.10	0.03	0.07	0.053	0.10	28.7	10.7	0.35	1110	2.38	0.01
L820254		5.34	31.7	3.71	9.84	0.26	0.11	0.06	0.075	0.12	91.7	33.0	0.96	1110	3.77	0.02
L820255		2.30	27.4	3.29	8.28	0.23	0.07	0.04	0.080	0.07	73.4	17.2	0.55	890	2.85	0.02
L820256		3.11	30.1	3.15	6.37	0.10	0.05	0.08	0.039	0.07	31.6	15.0	0.52	933	3.06	0.02
L820257		3.35	29.7	3.47	6.96	0.12	0.09	0.04	0.088	0.08	36.7	15.5	0.52	820	5.01	0.01
L820258		9.00	24.4	3.45	10.95	0.22	0.08	0.07	0.038	0.28	57.9	62.0	1.51	1040	1.49	0.02
L820259		1.42	23.0	1.58	4.18	0.16	0.08	0.03	0.024	0.09	50.6	10.0	0.32	416	1.06	0.02
L820260		4.19	24.7	3.00	8.44	0.09	0.04	0.04	0.045	0.08	17.8	35.9	1.05	685	1.72	0.01
L820261		5.82	25.5	3.43	10.55	0.22	0.06	0.02	0.037	0.13	41.8	52.2	1.56	693	0.87	0.02
L820262		3.50	20.7	3.74	5.71	0.15	0.06	0.04	0.061	0.10	42.0	15.6	0.43	868	3.39	0.01
L820263		2.99	26.7	3.51	7.92	0.08	0.02	0.05	0.069	0.06	15.9	12.7	0.38	468	2.90	0.01
L820264		1.81	35.3	3.03	6.53	0.09	0.05	0.07	0.084	0.09	16.4	11.3	0.55	805	4.28	0.02
L820265		0.51	14.8	2.14	3.96	<0.05	<0.02	0.04	0.031	0.03	5.8	3.1	0.18	178	1.22	0.02
L820266		1.41	23.4	2.53	5.46	0.07	0.04	0.04	0.036	0.04	10.3	7.0	0.32	353	2.29	0.02
L820267		0.97	20.8	1.57	4.05	<0.05	<0.02	0.07	0.016	0.04	4.8	2.0	0.13	116	1.76	0.01
L820268		0.48	16.2	1.86	3.24	0.05	<0.02	0.05	0.012	0.03	8.0	2.6	0.15	258	0.63	0.02
L820269		0.34	13.5	1.59	2.63	0.06	<0.02	0.04	0.008	0.02	9.1	0.9	0.08	85	0.43	0.02
L820270		0.90	19.0	1.86	3.54	0.05	<0.02	0.05	0.012	0.03	7.3	3.9	0.18	201	0.81	0.02
L820271		1.73	24.7	2.41	6.62	0.18	0.06	0.05	0.061	0.06	57.9	12.0	0.39	692	1.67	0.01
L820272		1.45	19.9	2.24	4.73	0.09	0.03	0.04	0.021	0.04	19.9	6.2	0.24	264	1.12	0.02
L820273		0.79	18.2	1.58	3.57	0.09	0.04	0.03	0.028	0.03	20.0	4.3	0.19	207	0.96	0.02
L820274		3.99	23.7	3.18	8.29	0.16	0.09	0.03	0.070	0.13	34.6	27.8	0.83	547	3.10	0.01
L820275		4.30	33.6	4.00	13.00	0.16	0.05	0.04	0.063	0.18	39.4	47.3	1.35	914	1.94	0.02
L820276		3.25	31.4	3.38	10.40	0.14	0.05	0.04	0.053	0.14	35.2	32.9	1.00	806	1.62	0.02
L820277		3.76	29.5	2.71	7.96	0.18	0.07	0.06	0.038	0.11	54.0	21.6	0.69	307	1.72	0.02
L820278		2.33	20.0	2.44	6.64	0.06	0.03	0.05	0.033	0.05	9.3	16.5	0.49	317	1.51	0.02
L820279		3.78	22.9	3.02	9.30	0.12	0.04	0.03	0.029	0.08	20.4	48.8	1.03	418	1.23	0.01
L820280		6.13	24.9	3.09	10.30	0.16	0.04	0.03	0.047	0.16	28.9	41.6	1.10	522	1.61	0.01
L820281		3.38	30.0	2.89	8.10	0.09	0.03	0.04	0.052	0.07	16.3	27.4	0.72	641	2.07	0.02
L820282		4.77	26.0	2.69	8.04	0.12	0.06	0.04	0.186	0.07	18.1	36.7	0.85	336	1.10	0.01
L820283		4.84	30.2	3.74	9.67	0.17	0.05	0.04	0.082	0.09	53.1	26.8	0.71	889	3.25	0.01
L820284		3.82	22.9	2.99	9.10	0.08	0.04	0.04	0.030	0.06	11.8	29.8	0.64	333	1.54	0.01
L820285		2.90	24.3	3.48	8.04	0.16	0.05	0.03	0.161	0.09	46.6	17.7	0.44	733	2.17	0.01
L820286		3.87	33.3	4.09	11.05	0.09	0.04	0.07	0.048	0.08	13.6	30.7	0.69	675	4.69	0.01
L820287		1.05	20.1	2.14	4.53	0.14	0.09	0.03	0.068	0.04	44.4	5.4	0.21	585	1.35	0.02
L820288		4.67	21.2	3.15	8.81	0.32	0.17	0.06	0.097	0.13	106.0	26.2	0.52	1150	1.41	0.03
L820289		4.42	23.5	4.05	15.05	0.16	0.03	0.04	0.080	0.16	41.2	72.1	1.15	1240	2.95	0.02
L820290		2.36	29.3	3.07	7.36	0.09	0.02	0.06	0.040	0.06	10.8	22.3	0.55	478	1.94	0.02

Comments: **Corrected copy with sample ID L820394 changed to L820395 and sample ID L820396 changed to L820394**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147832

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm	ME-MS41 Ni ppm	ME-MS41 P ppm	ME-MS41 Pb ppm	ME-MS41 Rb ppm	ME-MS41 Re ppm	ME-MS41 S %	ME-MS41 Sb ppm	ME-MS41 Sc ppm	ME-MS41 Se ppm	ME-MS41 Sn ppm	ME-MS41 Sr ppm	ME-MS41 Ta ppm	ME-MS41 Te ppm	ME-MS41 Th ppm
L820251		0.42	12.0	880	8.7	8.4	<0.001	0.09	0.39	0.9	0.6	0.4	18.1	<0.01	0.04	<0.2
L820252		1.01	27.3	400	21.0	9.9	<0.001	0.03	0.48	2.4	0.6	0.8	17.0	<0.01	0.05	1.5
L820253		0.49	15.1	1480	34.1	25.5	<0.001	0.14	0.56	1.3	0.9	1.0	17.8	0.01	0.05	0.3
L820254		1.14	39.2	920	67.7	25.8	0.001	0.07	0.88	3.9	1.7	1.3	29.1	0.01	0.07	7.2
L820255		1.01	26.6	770	37.7	13.9	0.001	0.05	0.73	3.0	1.4	1.0	19.7	0.01	0.06	3.8
L820256		0.69	25.4	1110	23.8	15.4	<0.001	0.12	0.83	1.6	1.0	1.1	43.7	0.01	0.06	1.0
L820257		1.10	25.2	550	45.2	16.4	<0.001	0.04	0.63	2.9	1.0	1.9	22.1	0.01	0.07	6.3
L820258		1.72	44.4	1020	34.2	51.7	0.001	0.10	0.57	3.9	1.2	2.7	40.4	0.01	0.05	3.9
L820259		0.94	14.0	790	11.7	13.5	<0.001	0.03	0.34	1.8	1.0	0.6	23.3	0.01	0.03	2.9
L820260		1.30	37.3	770	50.1	20.3	<0.001	0.06	0.62	1.9	0.7	0.9	37.7	<0.01	0.07	2.0
L820261		1.72	46.2	750	39.1	26.7	0.001	0.03	0.40	4.2	0.8	0.9	37.5	0.01	0.04	8.0
L820262		1.08	22.8	790	31.1	17.4	<0.001	0.04	0.49	2.7	1.0	1.1	19.6	0.01	0.04	2.7
L820263		0.88	19.8	560	35.9	16.5	<0.001	0.05	0.71	1.7	0.6	1.8	19.3	<0.01	0.07	0.6
L820264		2.16	28.0	780	38.6	15.7	<0.001	0.08	0.91	2.2	0.8	0.8	32.5	0.01	0.07	2.7
L820265		0.36	9.4	610	15.4	4.3	<0.001	0.05	0.35	0.6	0.4	0.4	13.7	<0.01	0.03	<0.2
L820266		1.90	16.0	810	13.7	9.7	<0.001	0.07	0.54	1.1	0.7	0.5	22.2	0.01	0.05	0.4
L820267		0.48	10.5	800	8.1	7.4	<0.001	0.10	0.66	0.5	0.5	0.5	17.0	<0.01	0.04	<0.2
L820268		0.34	6.6	490	5.9	4.2	<0.001	0.03	0.20	0.8	0.4	0.3	14.3	<0.01	0.02	0.4
L820269		0.22	4.3	460	3.0	2.6	<0.001	0.04	0.12	0.5	0.4	0.2	13.2	<0.01	0.01	<0.2
L820270		0.38	8.9	620	6.1	6.5	<0.001	0.05	0.27	0.9	0.4	0.3	16.0	<0.01	0.03	0.2
L820271		1.29	18.1	630	30.4	12.2	<0.001	0.05	0.48	2.1	1.1	1.1	19.4	0.01	0.04	3.3
L820272		0.69	12.2	550	11.3	8.5	<0.001	0.05	0.37	1.4	0.7	0.5	18.3	<0.01	0.04	0.6
L820273		0.80	7.6	610	11.9	5.4	<0.001	0.03	0.19	1.0	0.7	0.4	13.3	0.01	0.02	0.8
L820274		2.36	30.8	820	33.1	24.0	<0.001	0.03	0.43	4.1	1.0	1.3	23.9	0.01	0.04	6.5
L820275		1.53	47.0	1180	72.4	34.3	<0.001	0.07	0.49	4.9	0.9	1.3	40.0	0.01	0.10	4.9
L820276		1.15	35.5	1110	62.6	26.1	<0.001	0.08	0.44	3.7	0.8	1.0	35.3	0.01	0.09	3.1
L820277		1.16	28.4	1030	34.3	24.9	<0.001	0.11	0.54	2.3	1.3	0.9	32.9	0.01	0.05	1.4
L820278		1.00	20.2	590	17.4	15.0	<0.001	0.05	0.49	1.5	0.7	0.8	24.0	<0.01	0.04	0.9
L820279		2.35	36.5	570	34.8	18.4	<0.001	0.03	0.46	3.1	0.6	1.1	26.5	<0.01	0.05	4.6
L820280		1.55	39.2	1040	54.3	37.1	<0.001	0.04	0.40	3.0	0.7	1.6	28.8	0.01	0.06	3.9
L820281		1.56	32.8	810	23.4	16.0	<0.001	0.07	0.75	2.0	0.9	1.4	34.7	0.01	0.07	1.4
L820282		2.79	38.0	450	29.6	14.9	<0.001	0.03	0.34	3.5	0.6	1.0	26.6	0.01	0.15	6.6
L820283		1.65	32.0	700	40.2	21.2	<0.001	0.05	0.66	3.5	1.0	1.4	23.4	0.01	0.17	2.4
L820284		1.94	27.5	550	11.9	13.9	<0.001	0.04	0.51	2.5	0.5	1.4	28.6	<0.01	0.05	1.6
L820285		1.06	20.3	470	32.6	14.9	<0.001	0.03	0.46	2.6	1.0	1.9	15.4	0.01	0.05	1.9
L820286		2.49	33.5	510	42.9	26.5	<0.001	0.05	1.48	2.9	0.8	1.9	22.1	<0.01	0.10	1.9
L820287		1.57	8.5	520	31.4	6.2	0.001	0.04	0.26	1.2	1.0	0.7	17.4	0.01	0.03	3.8
L820288		2.17	20.4	690	34.7	19.2	0.001	0.05	0.44	4.7	2.0	2.3	45.3	0.02	0.04	9.5
L820289		1.88	42.6	790	27.6	31.2	<0.001	0.06	0.52	6.0	0.8	3.3	31.0	<0.01	0.08	5.4
L820290		1.19	27.9	690	11.6	15.0	<0.001	0.09	0.71	1.9	0.5	1.0	24.4	<0.01	0.04	0.7

Comments: **Corrected copy with sample ID L820394 changed to L820395 and sample ID L820396 changed to L820394**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147832

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
L820251		0.043	0.08	0.73	40	0.07	3.17	48	0.5
L820252		0.081	0.05	1.16	52	0.24	7.38	81	0.8
L820253		0.021	0.16	2.12	39	0.21	10.85	94	<0.5
L820254		0.070	0.27	3.63	61	0.40	28.1	188	2.1
L820255		0.045	0.15	2.97	49	0.26	25.8	158	0.8
L820256		0.028	0.16	2.24	41	0.26	14.85	118	1.0
L820257		0.035	0.15	2.25	40	0.28	14.70	196	2.3
L820258		0.107	0.49	2.79	68	0.49	20.6	121	1.6
L820259		0.052	0.10	1.35	32	0.20	23.8	63	1.3
L820260		0.083	0.18	1.72	58	0.47	5.71	147	1.2
L820261		0.145	0.24	2.31	70	0.43	13.95	111	1.7
L820262		0.034	0.15	2.75	44	0.35	17.25	158	1.0
L820263		0.024	0.19	1.08	51	0.19	6.46	139	<0.5
L820264		0.040	0.15	1.81	51	0.21	8.69	164	1.3
L820265		0.047	0.05	0.65	60	0.09	3.00	59	<0.5
L820266		0.054	0.09	1.16	54	0.22	6.29	103	1.0
L820267		0.027	0.07	0.67	41	0.13	2.35	42	<0.5
L820268		0.070	0.04	0.45	54	0.08	3.16	43	<0.5
L820269		0.062	0.03	0.50	50	<0.05	5.13	29	<0.5
L820270		0.063	0.06	0.58	51	0.74	2.98	40	<0.5
L820271		0.050	0.11	2.06	44	0.23	21.3	105	0.9
L820272		0.070	0.08	0.92	58	0.21	10.00	56	0.7
L820273		0.059	0.05	1.20	39	0.16	15.00	64	<0.5
L820274		0.104	0.22	3.15	63	0.58	23.6	153	2.6
L820275		0.118	0.27	3.19	84	0.64	14.90	194	1.3
L820276		0.094	0.23	3.00	71	0.48	13.05	151	1.1
L820277		0.067	0.21	2.97	55	0.33	19.80	107	1.3
L820278		0.060	0.12	1.13	54	0.33	10.00	97	0.7
L820279		0.143	0.18	1.61	65	0.46	7.13	105	1.3
L820280		0.110	0.28	1.86	66	0.40	11.05	167	1.1
L820281		0.066	0.18	1.90	56	0.38	8.12	135	0.8
L820282		0.139	0.15	1.59	58	0.67	5.59	382	1.8
L820283		0.098	0.17	2.94	78	0.38	11.10	158	1.4
L820284		0.125	0.10	1.07	71	0.43	4.55	84	1.4
L820285		0.039	0.14	2.42	48	0.51	18.35	204	0.7
L820286		0.120	0.29	1.40	87	0.36	4.74	145	1.2
L820287		0.049	0.07	2.54	36	0.39	20.3	120	1.4
L820288		0.037	0.15	5.37	39	0.32	42.7	144	2.9
L820289		0.110	0.28	1.85	75	0.43	13.45	169	1.3
L820290		0.084	0.12	0.87	64	0.27	4.48	100	0.7

Comments: **Corrected copy with sample ID L820394 changed to L820395 and sample ID L820396 changed to L820394**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147832

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt.	Au-TL43 Au	ME- MS41 Ag	ME- MS41 Al	ME- MS41 As	ME- MS41 Au	ME- MS41 B	ME- MS41 Ba	ME- MS41 Be	ME- MS41 Bi	ME- MS41 Ca	ME- MS41 Cd	ME- MS41 Ce	ME- MS41 Co	ME- MS41 Cr	ME- MS41 I
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
L820291		0.19	0.001	0.18	0.78	5.0	<0.2	<10	60	0.70	0.33	0.50	3.46	64.8	6.5	19	
L820292		0.33	0.007	0.09	1.38	6.0	<0.2	<10	60	0.88	0.25	0.29	0.67	34.9	8.6	34	
L820293		0.56	0.002	0.17	1.51	5.5	<0.2	<10	90	1.37	0.46	0.39	0.38	54.4	9.7	35	
L820294		0.40	0.003	0.26	1.68	8.6	<0.2	<10	120	1.11	0.69	0.29	0.45	48.3	10.5	29	
L820295		0.54	0.001	0.09	1.47	4.9	<0.2	<10	30	3.80	0.99	0.64	1.94	244	7.1	21	
L820296		0.27	0.001	0.04	0.44	1.4	<0.2	<10	20	0.36	0.07	0.18	0.09	31.8	3.9	6	
L820297		0.32	0.001	0.09	1.03	4.8	<0.2	<10	40	2.02	0.27	0.25	0.44	115.0	5.2	16	
L820298		0.48	0.002	0.22	1.22	6.6	<0.2	<10	50	3.87	0.63	0.34	1.16	213	6.3	18	
L820299		0.33	0.001	0.11	1.57	4.0	<0.2	<10	40	1.75	0.29	0.50	0.21	68.4	12.6	43	
L820300		0.40	0.003	0.07	2.17	5.0	<0.2	<10	70	3.82	0.53	0.67	0.85	199.5	17.2	64	
L820301		0.29	0.001	0.14	1.08	4.3	<0.2	<10	60	1.02	0.28	0.30	1.06	76.8	7.5	24	
L820302		0.45	0.001	0.11	1.14	3.3	<0.2	<10	50	0.60	0.12	0.30	0.18	25.4	8.6	27	
L820303		0.30	0.001	0.10	0.53	1.5	<0.2	<10	30	0.25	0.08	0.15	0.19	13.35	3.3	8	
L820304		0.33	0.001	0.19	1.97	5.4	<0.2	<10	70	1.53	0.51	0.46	1.09	101.5	17.2	57	
L820305		0.57	0.001	0.13	1.71	6.4	<0.2	<10	100	1.96	0.35	0.42	0.43	113.0	13.9	47	
L820306		0.38	0.002	0.12	1.71	7.5	<0.2	<10	60	1.32	0.88	0.28	0.94	67.8	13.2	41	
L820307		0.49	0.006	0.34	1.53	6.7	<0.2	<10	60	1.09	0.98	0.39	1.15	92.0	11.0	37	
L820308		0.31	0.001	0.11	0.63	2.7	<0.2	<10	40	0.36	0.15	0.16	0.76	37.7	5.5	15	
L820309		0.40	0.001	0.15	1.86	8.3	<0.2	<10	70	0.93	0.31	0.22	0.43	52.2	12.2	41	
L820310		0.37	0.001	0.13	1.02	6.3	<0.2	<10	50	0.38	0.23	0.17	0.16	18.65	8.1	27	
L820311		0.37	0.001	0.06	0.43	2.4	<0.2	<10	20	0.14	0.10	0.09	0.10	7.84	4.0	10	
L820312		0.32	0.002	0.18	1.04	4.9	<0.2	<10	60	0.50	0.24	0.15	0.34	43.0	6.1	19	
L820313		0.33	0.002	0.07	0.42	2.0	<0.2	<10	30	0.15	0.08	0.12	0.10	12.95	4.8	8	
L820314		0.40	0.002	0.17	1.87	6.2	<0.2	<10	90	2.36	0.78	0.68	0.47	81.8	14.2	62	
L820315		0.32	0.002	0.10	0.77	2.9	<0.2	<10	50	0.97	0.19	0.18	0.13	66.8	4.3	14	
L820316		0.36	0.001	0.06	0.30	0.4	<0.2	<10	20	0.11	0.02	0.16	0.06	8.02	3.0	4	
L820317		0.44	0.003	0.37	2.16	8.1	<0.2	<10	160	2.25	0.89	0.36	1.59	239	15.3	47	
L820318		0.41	0.004	0.42	1.57	9.7	<0.2	<10	80	2.44	0.80	0.33	0.92	233	14.2	31	
L820319		0.34	0.001	0.06	0.30	0.8	<0.2	<10	30	0.14	0.06	0.21	0.04	9.81	3.8	5	
L820320		0.31	0.002	0.26	0.57	2.0	<0.2	<10	40	0.57	0.20	0.26	0.10	29.2	5.1	8	
L820321		0.60	0.003	0.56	2.28	11.7	<0.2	<10	170	1.52	0.43	0.42	0.80	155.0	14.9	31	
L820322		0.30	0.002	0.20	0.67	4.1	<0.2	<10	40	0.47	0.37	0.18	0.37	31.2	4.6	13	
L820323		0.45	0.004	0.66	1.95	85.4	<0.2	<10	110	1.85	1.52	0.23	0.49	101.5	13.2	29	
L820324		0.41	0.005	0.84	1.63	56.5	<0.2	<10	100	2.66	2.23	0.28	0.61	145.5	10.0	26	
L820325		0.28	0.002	0.40	0.40	3.6	<0.2	<10	30	0.13	0.31	0.14	0.49	4.94	5.3	11	
L820326		0.34	0.002	0.76	0.71	29.0	<0.2	<10	40	0.46	0.83	0.29	1.40	14.00	8.7	26	
L820327		0.26	0.002	0.19	0.52	6.9	<0.2	<10	50	0.44	0.25	0.13	0.08	10.60	5.4	12	
L820328		0.41	0.003	1.22	1.76	14.7	<0.2	<10	80	2.34	1.13	0.41	0.45	57.2	11.9	24	
L820329		0.43	0.003	0.43	1.92	12.5	<0.2	<10	70	1.36	0.43	0.22	0.35	75.7	12.1	29	
L820330		0.32	0.002	0.65	0.48	1.2	<0.2	<10	20	0.27	0.17	0.12	0.25	13.20	2.7	4	

Comments: **Corrected copy with sample ID L820394 changed to L820395 and sample ID L820396 changed to L820394**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147832

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm	ME- MS41 Cu ppm	ME- MS41 Fe %	ME- MS41 Ga ppm	ME- MS41 Ge ppm	ME- MS41 Hf ppm	ME- MS41 Hg ppm	ME- MS41 In ppm	ME- MS41 K %	ME- MS41 La ppm	ME- MS41 Li ppm	ME- MS41 Mg %	ME- MS41 Mn ppm	ME- MS41 Mo ppm	ME- MS41 Na %
L820291		1.43	20.1	1.75	4.32	0.14	<0.02	0.11	0.031	0.05	39.1	8.4	0.29	381	1.12	0.02
L820292		2.67	21.2	2.39	6.33	0.13	0.02	0.03	0.038	0.05	15.7	23.4	0.56	285	0.85	0.02
L820293		6.72	22.9	2.45	6.95	0.17	0.06	0.02	0.047	0.12	29.2	34.7	0.63	514	1.24	0.02
L820294		2.67	30.3	3.01	7.20	0.11	0.03	0.05	0.041	0.08	16.6	25.8	0.54	605	1.79	0.02
L820295		4.15	20.0	2.34	9.53	0.36	0.08	0.03	0.143	0.12	121.5	22.6	0.49	970	0.97	0.02
L820296		0.40	17.0	1.27	2.74	0.10	<0.02	0.03	0.013	0.02	13.6	3.2	0.12	182	0.49	0.02
L820297		1.09	20.2	1.99	6.29	0.24	0.04	0.03	0.068	0.05	55.5	10.2	0.33	345	1.18	0.03
L820298		3.32	28.9	2.58	8.12	0.42	0.11	0.05	0.121	0.07	99.4	15.1	0.36	882	2.50	0.03
L820299		3.42	16.4	2.65	8.23	0.12	<0.02	0.05	0.023	0.04	20.9	43.1	1.00	882	0.92	0.02
L820300		8.15	28.4	3.81	13.25	0.36	0.08	0.03	0.070	0.25	106.0	79.3	1.58	1060	2.64	0.02
L820301		1.95	23.6	2.10	5.77	0.15	0.02	0.05	0.027	0.07	36.8	14.1	0.39	474	1.41	0.03
L820302		2.47	22.3	2.08	5.71	0.10	<0.02	0.03	0.013	0.04	10.2	25.3	0.61	263	0.58	0.02
L820303		0.62	13.5	1.22	3.03	0.08	<0.02	0.04	0.008	0.03	5.6	3.4	0.13	90	0.47	0.03
L820304		5.06	26.8	3.14	9.53	0.15	0.03	0.05	0.045	0.13	31.0	44.5	1.30	761	1.38	0.02
L820305		6.48	26.7	3.34	9.29	0.19	0.03	0.03	0.053	0.16	46.2	40.0	0.96	704	3.15	0.02
L820306		4.72	23.3	3.10	8.82	0.12	<0.02	0.05	0.063	0.07	19.4	36.5	0.93	726	2.00	0.02
L820307		3.88	25.9	2.67	7.23	0.16	0.03	0.04	0.071	0.09	48.5	27.9	0.79	512	1.94	0.02
L820308		1.20	19.0	2.04	4.50	0.12	<0.02	0.04	0.016	0.03	20.7	5.6	0.23	152	0.91	0.02
L820309		2.79	30.3	3.10	8.35	0.12	0.03	0.04	0.035	0.07	25.4	25.0	0.71	457	2.02	0.02
L820310		1.91	22.0	2.66	7.01	0.10	<0.02	0.04	0.020	0.06	7.0	16.7	0.43	286	1.61	0.02
L820311		1.00	13.4	1.71	3.68	0.07	<0.02	0.03	0.012	0.02	2.6	3.4	0.13	115	0.75	0.02
L820312		1.62	20.7	2.29	5.10	0.12	0.02	0.05	0.026	0.03	23.5	8.9	0.26	288	1.67	0.02
L820313		0.38	14.7	1.70	3.05	0.08	<0.02	0.04	0.012	0.02	4.3	3.2	0.15	165	0.53	0.02
L820314		6.17	24.0	3.22	9.82	0.19	0.04	0.06	0.044	0.18	40.3	56.4	1.28	575	1.94	0.03
L820315		1.65	19.8	1.60	4.34	0.17	0.02	0.03	0.030	0.04	33.6	8.3	0.23	160	0.90	0.02
L820316		0.18	11.6	1.22	2.20	0.08	<0.02	0.01	0.005	0.02	3.9	1.1	0.08	67	0.16	0.02
L820317		11.40	54.1	3.83	9.77	0.18	0.04	0.04	0.087	0.16	44.6	54.8	0.83	1030	3.08	0.02
L820318		5.32	44.7	3.56	7.53	0.18	0.02	0.05	0.075	0.11	66.4	26.7	0.57	1120	3.38	0.02
L820319		0.52	11.5	1.27	2.52	0.08	<0.02	0.01	0.007	0.02	4.5	2.4	0.12	119	0.37	0.03
L820320		1.41	19.4	1.81	3.84	0.12	<0.02	0.04	0.020	0.03	17.4	5.6	0.15	246	1.02	0.03
L820321		5.95	42.2	3.96	9.55	0.23	0.05	0.04	0.053	0.13	58.9	41.8	0.75	884	2.35	0.02
L820322		1.50	14.0	2.14	4.27	0.09	0.02	0.02	0.021	0.05	11.0	7.3	0.18	206	2.29	0.02
L820323		3.15	42.7	3.32	7.53	0.17	0.03	0.02	0.043	0.06	36.4	21.2	0.51	841	3.38	0.02
L820324		5.71	43.8	3.48	7.16	0.20	0.06	0.04	0.064	0.08	51.8	26.5	0.51	1240	4.10	0.02
L820325		1.55	12.5	1.65	3.22	<0.05	0.03	0.04	0.021	0.04	2.3	3.6	0.16	258	0.73	0.02
L820326		3.02	22.0	1.92	3.73	0.07	0.03	0.08	0.026	0.05	8.4	14.0	0.37	398	1.18	0.03
L820327		3.08	19.2	2.10	3.52	0.05	0.03	0.08	0.016	0.03	4.6	3.6	0.14	192	2.00	0.02
L820328		4.66	44.4	2.90	7.55	0.06	0.04	0.11	0.043	0.06	15.4	27.6	0.46	1100	3.87	0.02
L820329		2.15	40.7	3.18	7.60	0.07	0.04	0.06	0.045	0.07	19.9	22.3	0.52	957	3.18	0.02
L820330		0.28	13.3	0.92	2.27	<0.05	0.03	0.03	0.006	0.02	7.0	2.0	0.08	89	0.27	0.03

Comments: **Corrected copy with sample ID L820394 changed to L820395 and sample ID L820396 changed to L820394**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 1-SEP-2011
Account: NUN


Project: Rosie

CERTIFICATE OF ANALYSIS WH11147832

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm	ME-MS41 Ni ppm	ME-MS41 P ppm	ME-MS41 Pb ppm	ME-MS41 Rb ppm	ME-MS41 Re ppm	ME-MS41 S %	ME-MS41 Sb ppm	ME-MS41 Sc ppm	ME-MS41 Se ppm	ME-MS41 Sn ppm	ME-MS41 Sr ppm	ME-MS41 Ta ppm	ME-MS41 Te ppm	ME-MS41 Th ppm
L820291		0.80	15.8	790	23.5	9.1	<0.001	0.13	0.42	1.2	0.6	0.5	34.7	<0.01	0.02	0.3
L820292		1.42	25.4	600	9.6	10.8	0.001	0.05	0.34	2.0	0.6	0.9	22.6	<0.01	0.02	1.7
L820293		2.09	27.4	900	21.0	21.0	0.001	0.04	0.26	3.1	0.9	1.2	26.6	<0.01	0.02	6.9
L820294		1.25	24.5	870	18.4	13.9	0.001	0.08	0.56	2.3	0.7	1.0	24.9	<0.01	0.05	1.7
L820295		2.30	18.8	760	174.0	15.0	0.001	0.04	0.29	2.5	3.2	1.7	32.9	0.01	0.08	8.5
L820296		0.43	5.2	570	7.2	2.2	<0.001	0.05	0.13	0.5	0.4	0.2	13.4	<0.01	0.01	0.4
L820297		2.19	12.8	540	33.0	8.3	<0.001	0.07	0.31	1.1	2.4	0.7	20.0	<0.01	<0.01	2.4
L820298		2.30	16.6	600	98.4	12.1	<0.001	0.06	0.43	2.2	5.4	1.3	24.0	0.01	0.04	8.9
L820299		0.88	30.2	840	26.7	10.2	<0.001	0.09	0.46	2.0	0.8	0.8	37.9	<0.01	0.02	1.4
L820300		1.33	47.0	1400	74.8	39.7	<0.001	0.04	0.45	4.4	1.4	2.3	43.0	<0.01	0.03	12.6
L820301		0.59	17.7	730	37.8	9.7	<0.001	0.11	0.56	1.3	0.8	0.6	31.1	<0.01	0.03	0.5
L820302		0.67	20.2	870	14.1	6.3	<0.001	0.05	0.28	1.3	0.3	0.4	25.5	<0.01	0.01	1.5
L820303		0.30	6.0	540	6.3	3.2	0.001	0.07	0.22	0.3	0.2	0.3	13.5	<0.01	<0.01	<0.2
L820304		1.04	40.5	1180	62.7	25.8	<0.001	0.07	0.41	2.6	0.6	0.7	32.8	<0.01	0.05	3.9
L820305		1.26	35.9	1340	30.4	27.7	0.001	0.06	0.48	3.6	1.1	1.0	29.5	<0.01	0.01	5.3
L820306		0.75	31.3	770	40.1	16.7	<0.001	0.07	0.47	2.2	0.6	0.6	24.6	<0.01	0.05	1.7
L820307		1.07	28.5	1060	54.0	18.5	<0.001	0.06	0.39	2.7	0.9	0.6	27.3	<0.01	0.07	4.0
L820308		0.47	11.0	470	8.4	6.7	<0.001	0.07	0.25	0.8	0.4	0.3	16.2	<0.01	0.02	0.4
L820309		1.08	30.7	830	20.8	15.1	<0.001	0.09	0.58	2.2	0.7	0.7	23.1	<0.01	0.03	1.5
L820310		0.80	20.3	600	10.0	12.2	<0.001	0.08	0.55	1.3	0.4	0.5	19.6	<0.01	0.02	1.1
L820311		0.30	6.6	390	3.8	4.6	0.001	0.06	0.25	0.5	0.3	0.3	10.3	<0.01	0.01	<0.2
L820312		0.67	13.3	690	15.3	6.8	<0.001	0.09	0.38	1.1	0.6	0.5	17.4	<0.01	0.03	0.6
L820313		0.30	6.1	400	4.5	2.7	<0.001	0.05	0.17	0.5	0.2	0.2	12.0	<0.01	0.01	0.2
L820314		1.27	40.7	1150	22.2	32.5	<0.001	0.09	0.44	4.3	0.8	1.0	45.7	<0.01	0.04	3.8
L820315		0.64	9.5	590	11.9	7.5	<0.001	0.06	0.21	0.8	1.3	0.5	16.7	<0.01	0.01	1.7
L820316		0.24	2.5	570	0.9	1.5	<0.001	0.03	0.06	0.3	<0.2	<0.2	12.2	<0.01	<0.01	<0.2
L820317		1.70	39.9	800	54.4	31.5	<0.001	0.06	0.47	4.8	0.9	1.7	30.3	<0.01	0.05	6.1
L820318		0.91	29.8	1190	35.4	23.6	<0.001	0.08	0.61	3.9	1.4	1.7	22.7	<0.01	0.08	5.7
L820319		0.29	3.3	580	2.2	2.9	<0.001	0.04	0.09	0.5	0.2	0.2	16.7	<0.01	<0.01	<0.2
L820320		0.39	6.8	610	7.1	4.2	<0.001	0.06	0.17	0.9	0.5	0.3	18.2	<0.01	0.01	0.2
L820321		1.49	31.2	770	23.5	22.5	<0.001	0.07	0.60	5.7	2.7	0.9	31.4	<0.01	0.07	5.0
L820322		0.72	9.4	400	11.8	7.9	0.001	0.07	0.27	0.9	0.3	0.5	15.7	<0.01	0.04	0.4
L820323		1.46	29.8	550	43.7	12.0	0.001	0.07	0.66	3.2	1.4	0.9	22.9	0.01	0.17	3.5
L820324		1.36	24.3	470	71.5	16.0	<0.001	0.06	0.75	2.9	1.4	1.4	22.6	<0.01	0.17	6.4
L820325		0.30	7.2	480	27.7	8.9	<0.001	0.04	0.27	0.5	<0.2	0.4	12.6	<0.01	0.04	<0.2
L820326		0.37	20.9	590	188.5	11.7	<0.001	0.07	0.41	0.9	0.4	0.6	18.5	<0.01	0.09	0.2
L820327		0.43	10.4	690	9.7	5.9	<0.001	0.08	0.45	0.5	<0.2	0.5	14.4	<0.01	0.05	<0.2
L820328		1.17	25.7	670	30.2	11.9	<0.001	0.06	0.73	2.2	0.7	1.3	30.2	0.01	0.23	1.3
L820329		0.97	28.5	640	21.0	13.9	<0.001	0.07	0.77	1.9	0.6	1.2	20.6	<0.01	0.07	0.8
L820330		0.21	2.7	420	17.1	2.0	<0.001	0.03	0.09	0.2	<0.2	0.2	11.6	<0.01	0.03	<0.2

Comments: **Corrected copy with sample ID L820394 changed to L820395 and sample ID L820396 changed to L820394**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.

POX 938
VERNON BC V1T 6M8

Page: 3 - D

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 1- SEP- 2011

Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147832

Sample Description	Method Analyte Units LOR	ME-MS41						
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
L820291		0.046	0.08	1.82	34	0.14	10.45	75
L820292		0.101	0.12	1.28	55	0.58	7.09	94
L820293		0.111	0.18	2.12	52	0.84	19.00	95
L820294		0.088	0.16	1.63	60	0.27	9.36	103
L820295		0.014	0.10	6.33	28	0.26	89.9	276
L820296		0.051	0.02	0.57	34	<0.05	7.02	28
L820297		0.041	0.06	3.64	30	0.20	71.1	129
L820298		0.038	0.09	12.30	30	0.27	132.5	231
L820299		0.078	0.09	2.24	51	0.34	7.40	75
L820300		0.133	0.40	3.94	54	0.47	40.1	201
L820301		0.048	0.11	1.79	40	0.20	16.00	82
L820302		0.079	0.07	0.88	46	0.26	3.43	53
L820303		0.040	0.04	0.48	30	0.09	1.96	27
L820304		0.104	0.19	1.64	60	0.36	10.10	136
L820305		0.087	0.21	2.82	60	0.27	21.5	144
L820306		0.070	0.16	1.61	61	1.15	6.00	151
L820307		0.093	0.17	2.04	53	0.30	15.10	219
L820308		0.071	0.06	0.77	53	0.24	6.29	59
L820309		0.090	0.15	1.38	66	0.28	8.36	109
L820310		0.087	0.09	0.97	65	0.16	2.47	66
L820311		0.056	0.05	0.31	48	0.08	1.18	32
L820312		0.066	0.08	1.13	52	0.23	7.22	79
L820313		0.064	0.03	0.35	48	<0.05	1.76	38
L820314		0.091	0.26	2.02	60	1.27	15.70	121
L820315		0.046	0.06	2.68	33	0.20	34.6	59
L820316		0.055	<0.02	0.22	38	<0.05	1.70	20
L820317		0.096	0.31	2.49	65	0.34	18.45	223
L820318		0.045	0.23	3.47	57	0.27	21.8	158
L820319		0.056	0.02	0.19	36	<0.05	2.24	25
L820320		0.060	0.04	1.50	45	0.11	8.76	34
L820321		0.116	0.25	3.60	65	0.60	42.6	138
L820322		0.058	0.07	0.79	45	0.25	5.30	67
L820323		0.077	0.20	2.46	58	0.35	23.2	134
L820324		0.050	0.33	4.20	44	0.70	33.1	183
L820325		0.063	0.10	0.27	47	0.14	1.18	51
L820326		0.054	0.23	0.74	44	0.18	3.74	128
L820327		0.050	0.10	1.52	51	0.15	2.85	43
L820328		0.056	0.22	1.81	47	0.41	8.45	100
L820329		0.056	0.24	2.32	49	0.25	8.31	89
L820330		0.037	0.05	0.39	25	<0.05	4.07	23

Comments: **Corrected copy with sample ID L820394 changed to L820395 and sample ID L820396 changed to L820394**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147832

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt.	Au-TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
L820331		0.20	0.002	0.33	0.32	99.0	<0.2	<10	20	0.23	0.35	0.13	0.10	6.84	4.2	7
L820332		0.33	0.003	0.33	1.42	13.8	<0.2	<10	80	0.81	0.95	0.25	0.29	36.1	9.0	24
L820333		0.29	0.004	0.24	1.28	19.7	<0.2	<10	100	0.54	0.59	0.29	0.27	17.05	10.1	26
L820334		0.29	0.003	0.11	1.24	16.4	<0.2	<10	80	0.46	0.75	0.14	0.15	16.95	9.0	26
L820335		0.33	0.003	0.08	0.84	5.0	<0.2	<10	50	0.28	0.22	0.13	0.14	11.55	7.0	15
L820336		0.29	0.002	0.10	1.49	8.8	<0.2	<10	80	0.40	0.24	0.24	0.25	18.05	8.8	28
L820337		0.56	0.003	0.11	1.08	3.2	<0.2	<10	110	0.82	0.29	0.36	0.20	42.8	6.8	18
L820338		0.41	0.003	0.11	1.76	7.1	<0.2	<10	70	0.64	0.26	0.21	0.17	24.8	10.2	27
L820339		0.28	0.002	0.16	0.52	2.6	<0.2	<10	60	0.26	0.14	0.27	0.13	19.70	4.6	10
L820340		0.33	0.004	0.08	1.61	8.0	<0.2	<10	70	0.77	0.30	0.32	0.30	43.9	10.6	31
L820341		0.30	0.002	0.09	0.78	4.2	<0.2	<10	80	0.36	0.18	0.25	0.21	18.40	6.9	16
L820342		0.28	0.004	0.17	0.55	2.9	<0.2	<10	60	0.41	0.16	0.17	0.24	23.0	4.9	13
L820343		0.50	0.003	0.09	2.01	8.6	<0.2	<10	50	0.95	0.38	0.16	0.21	35.5	10.6	38
L820344		0.37	0.003	0.09	1.32	7.6	<0.2	<10	60	0.51	0.26	0.19	0.19	18.45	7.7	26
L820345		0.34	0.003	0.07	1.88	7.3	<0.2	<10	70	0.61	0.37	0.21	0.28	35.3	10.5	44
L820346		0.45	0.001	0.06	0.33	0.9	<0.2	<10	20	0.08	0.05	0.16	0.04	8.22	4.5	6
L820347		0.49	0.003	0.08	1.57	4.7	<0.2	<10	70	0.66	0.21	0.35	0.38	31.8	11.5	43
L820348		0.33	0.002	0.09	0.80	2.5	<0.2	<10	40	0.48	0.17	0.13	0.19	26.6	5.6	14
L820349		0.38	0.002	0.05	0.61	3.4	<0.2	<10	30	0.19	0.15	0.10	0.10	9.72	5.4	12
L820350		0.26	0.002	0.05	0.29	1.4	<0.2	<10	30	0.07	0.06	0.11	0.30	4.92	3.9	7
L820351		0.27	0.002	0.09	0.47	2.2	<0.2	<10	30	0.16	0.11	0.13	0.27	8.33	5.4	10
L820352		0.37	0.003	0.13	1.67	3.8	<0.2	<10	60	0.72	0.20	0.34	0.51	43.4	10.6	41
L820353		0.37	0.002	0.13	2.54	5.9	<0.2	<10	90	1.37	0.33	0.50	0.38	66.2	18.9	70
L820354		0.35	0.002	0.09	0.77	5.2	<0.2	<10	50	0.27	0.18	0.10	0.15	17.10	5.9	17
L820355		0.36	0.002	0.10	1.80	5.8	<0.2	<10	70	1.46	0.36	0.33	0.55	78.1	13.5	44
L820356		0.31	0.003	0.06	1.40	7.1	<0.2	<10	60	0.65	0.31	0.15	0.33	44.1	8.5	26
L820357		0.27	0.003	0.07	1.42	10.4	<0.2	<10	70	0.55	0.24	0.17	0.16	30.2	9.4	31
L820358		0.44	0.002	0.10	1.68	9.9	<0.2	<10	70	1.10	0.32	0.14	0.22	47.6	10.0	28
L820359		0.28	0.003	0.14	0.74	4.5	<0.2	<10	70	0.31	0.24	0.20	0.22	15.35	5.4	16
L820360		0.29	0.003	0.12	0.85	5.6	<0.2	<10	30	0.31	0.18	0.09	0.12	14.25	4.1	15
L820361		0.24	0.002	0.12	1.14	4.3	<0.2	<10	70	0.92	0.22	0.19	0.37	58.3	7.4	20
L820362		0.35	0.002	0.05	0.98	4.7	<0.2	<10	60	0.33	0.15	0.17	0.18	17.85	6.6	18
L820363		0.26	0.002	0.07	0.48	1.8	<0.2	<10	40	0.65	0.19	0.28	1.00	115.0	6.4	10
L820364		0.52	0.003	0.10	1.03	5.6	<0.2	<10	60	1.20	0.35	0.35	0.77	114.0	6.6	19
L820365		0.50	0.004	0.13	1.07	6.0	<0.2	<10	60	1.21	0.42	0.37	0.75	109.0	7.5	21
L820366		0.38	0.006	0.08	0.79	5.2	<0.2	<10	50	0.89	0.25	0.29	0.49	76.0	5.7	16
L820367		0.44	0.006	0.10	0.92	5.3	<0.2	<10	60	1.10	0.32	0.33	0.57	90.0	6.4	19
L820368		0.45	0.006	0.13	0.86	4.3	<0.2	<10	50	1.08	0.28	0.31	0.53	91.5	6.0	17
L820369		0.44	0.002	0.21	1.05	5.8	<0.2	<10	70	1.25	0.37	0.37	0.77	109.0	7.1	20
L820370		0.45	0.007	0.14	0.90	4.3	<0.2	<10	60	1.08	0.31	0.32	0.52	82.9	6.3	18

Comments: **Corrected copy with sample ID L820394 changed to L820395 and sample ID L820396 changed to L820394**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147832

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm	ME-MS41 Cu ppm	ME-MS41 Fe %	ME-MS41 Ga ppm	ME-MS41 Ge ppm	ME-MS41 Hf ppm	ME-MS41 Hg ppm	ME-MS41 In ppm	ME-MS41 K %	ME-MS41 La ppm	ME-MS41 Li ppm	ME-MS41 Mg %	ME-MS41 Mn ppm	ME-MS41 Mo ppm	ME-MS41 Na %
L820331		0.69	9.3	1.44	2.38	<0.05	0.03	0.03	0.008	0.03	3.1	3.2	0.11	164	0.80	0.02
L820332		2.01	28.9	2.68	6.95	0.06	0.04	0.07	0.029	0.07	11.1	16.3	0.40	595	2.67	0.02
L820333		1.85	23.7	2.78	5.98	0.05	0.04	0.07	0.024	0.06	7.8	14.3	0.45	623	2.50	0.02
L820334		1.83	28.1	3.07	6.79	0.06	0.03	0.04	0.024	0.04	7.9	11.6	0.37	406	2.42	0.02
L820335		0.98	18.5	2.26	4.40	0.06	0.03	0.04	0.016	0.03	5.1	7.3	0.24	306	1.13	0.02
L820336		1.81	22.1	3.04	7.12	0.06	0.04	0.06	0.029	0.06	7.6	19.3	0.49	327	1.74	0.02
L820337		2.63	14.0	2.18	5.21	0.12	0.07	0.01	0.026	0.07	18.7	16.9	0.35	470	0.52	0.03
L820338		2.05	23.1	2.59	5.64	0.07	0.06	0.04	0.025	0.08	10.3	20.5	0.52	424	0.91	0.02
L820339		0.65	13.9	1.50	2.70	0.05	0.03	0.06	0.019	0.04	11.2	3.5	0.19	170	0.64	0.02
L820340		2.29	23.8	2.53	5.51	0.06	0.06	0.04	0.036	0.07	14.1	17.6	0.56	504	1.27	0.02
L820341		0.98	17.2	2.14	4.09	0.06	0.03	0.04	0.022	0.04	6.0	9.0	0.29	300	1.05	0.02
L820342		0.91	13.3	1.60	2.97	0.06	0.03	0.04	0.018	0.04	15.8	4.2	0.17	254	1.21	0.02
L820343		3.29	21.8	2.95	7.16	0.07	0.04	0.05	0.032	0.06	13.3	32.5	0.62	403	1.78	0.02
L820344		2.04	21.2	2.53	6.16	0.05	0.04	0.04	0.023	0.04	8.2	19.9	0.44	280	1.63	0.02
L820345		3.28	24.6	3.15	9.33	0.07	0.02	0.03	0.035	0.06	13.1	36.0	0.78	387	1.59	0.02
L820346		0.34	9.4	1.41	2.53	0.05	0.03	0.01	0.005	0.02	3.5	2.3	0.12	201	0.27	0.02
L820347		2.26	20.8	2.58	6.92	0.08	0.03	0.02	0.018	0.08	16.3	29.5	0.86	368	0.83	0.02
L820348		0.93	13.8	1.91	3.50	0.07	0.03	0.03	0.024	0.03	15.1	6.8	0.22	329	1.02	0.02
L820349		0.67	19.5	1.79	3.47	<0.05	0.03	0.03	0.012	0.02	4.3	5.2	0.21	201	0.80	0.02
L820350		0.33	10.2	1.38	2.22	<0.05	0.03	0.03	0.008	0.03	2.6	1.2	0.11	146	0.42	0.02
L820351		0.97	11.4	1.56	2.87	0.05	0.03	0.03	0.012	0.02	3.8	3.3	0.15	229	0.68	0.02
L820352		2.80	15.9	2.40	6.14	0.10	0.04	0.01	0.021	0.15	22.7	23.4	0.87	402	0.76	0.02
L820353		5.90	19.7	3.52	10.60	0.16	0.06	0.02	0.031	0.23	45.8	48.0	1.65	734	1.23	0.02
L820354		1.16	22.7	2.06	4.40	0.05	0.03	0.03	0.013	0.03	6.2	6.2	0.25	236	1.32	0.02
L820355		5.36	17.4	2.92	7.17	0.15	0.07	0.03	0.038	0.18	50.4	33.9	0.86	615	2.42	0.02
L820356		1.78	19.3	2.63	5.12	0.08	0.05	0.02	0.035	0.05	17.0	13.2	0.40	534	4.57	0.02
L820357		1.11	20.0	2.95	6.83	0.05	0.04	0.02	0.030	0.04	10.6	14.7	0.48	498	2.22	0.02
L820358		1.79	28.1	3.06	6.82	0.06	0.03	0.04	0.048	0.06	11.1	14.2	0.49	546	3.04	0.02
L820359		1.12	14.3	2.03	4.26	<0.05	0.03	0.04	0.021	0.03	6.6	5.1	0.24	260	1.43	0.02
L820360		0.82	11.5	1.75	3.70	<0.05	0.03	0.09	0.016	0.03	5.7	3.7	0.14	160	1.33	0.02
L820361		1.51	23.6	2.57	5.68	0.08	0.04	0.06	0.026	0.05	29.2	10.0	0.33	419	1.08	0.03
L820362		0.82	19.8	2.09	4.48	<0.05	0.02	0.05	0.019	0.04	7.5	8.2	0.33	342	1.09	0.03
L820363		0.83	12.0	2.57	4.71	0.10	0.05	<0.01	0.028	0.04	32.2	6.8	0.19	962	1.12	0.03
L820364		1.92	13.9	2.23	5.56	0.18	0.07	0.02	0.041	0.07	53.1	16.9	0.42	616	1.29	0.02
L820365		1.92	14.8	2.62	6.14	0.21	0.07	0.01	0.045	0.07	57.7	17.5	0.44	581	1.48	0.02
L820366		1.64	10.7	2.04	4.63	0.13	0.06	0.02	0.034	0.06	38.1	14.5	0.35	428	1.05	0.02
L820367		1.90	12.2	2.29	5.29	0.17	0.07	0.02	0.039	0.07	47.8	16.6	0.40	490	1.54	0.03
L820368		2.08	12.6	2.06	4.95	0.17	0.07	0.01	0.038	0.07	44.2	16.4	0.38	473	1.35	0.02
L820369		2.29	16.5	2.47	5.71	0.22	0.09	0.02	0.042	0.08	60.0	17.4	0.43	548	1.66	0.02
L820370		2.11	12.9	2.20	4.98	0.17	0.07	0.01	0.037	0.07	46.6	16.9	0.39	494	1.45	0.03

Comments: **Corrected copy with sample ID L820394 changed to L820395 and sample ID L820396 changed to L820394**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
 POX 938
 VERNON BC V1T 6M8

Page: 4 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 1- SEP- 2011
 Account: NUN


Project: Rosie

CERTIFICATE OF ANALYSIS WH11147832

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm	ME-MS41 Ni ppm	ME-MS41 P ppm	ME-MS41 Pb ppm	ME-MS41 Rb ppm	ME-MS41 Re ppm	ME-MS41 S %	ME-MS41 Sb ppm	ME-MS41 Sc ppm	ME-MS41 Se ppm	ME-MS41 Sn ppm	ME-MS41 Sr ppm	ME-MS41 Ta ppm	ME-MS41 Te ppm	ME-MS41 Th ppm
L820331		0.24	4.8	410	6.1	3.6	<0.001	0.04	0.21	0.4	0.2	0.3	11.8	<0.01	0.15	<0.2
L820332		0.73	21.8	740	27.7	15.0	<0.001	0.07	0.87	1.2	0.6	0.9	23.6	<0.01	0.14	0.3
L820333		1.03	22.2	590	23.7	13.4	<0.001	0.06	0.84	1.7	0.5	0.8	24.9	<0.01	0.11	0.4
L820334		0.93	21.1	570	17.1	11.4	<0.001	0.05	0.92	1.6	0.3	0.9	17.5	<0.01	0.16	0.3
L820335		0.40	11.4	390	5.7	6.7	<0.001	0.03	0.36	0.9	0.2	0.5	12.8	<0.01	0.06	<0.2
L820336		1.18	21.0	530	9.3	11.5	<0.001	0.05	0.56	2.0	0.5	0.7	20.8	<0.01	0.04	0.4
L820337		1.29	11.9	640	8.4	10.9	<0.001	0.01	0.25	3.5	0.5	1.1	23.1	<0.01	0.03	4.3
L820338		1.73	24.3	380	10.0	12.5	<0.001	0.03	0.38	2.9	0.3	0.9	16.8	<0.01	0.03	1.7
L820339		0.28	8.2	490	7.0	5.1	<0.001	0.05	0.28	0.6	<0.2	0.3	17.9	<0.01	0.03	0.5
L820340		1.84	25.8	450	13.3	10.8	<0.001	0.05	0.45	2.5	0.4	0.9	23.0	<0.01	0.03	2.8
L820341		0.54	13.6	550	9.4	7.6	<0.001	0.05	0.40	1.0	0.5	0.5	21.4	<0.01	0.03	0.5
L820342		0.38	9.7	640	8.8	7.4	<0.001	0.08	0.33	0.6	0.3	0.5	14.5	<0.01	0.03	0.2
L820343		1.34	28.1	420	19.1	14.0	0.001	0.04	0.58	2.5	0.2	1.0	15.3	<0.01	0.05	1.4
L820344		0.92	20.5	460	10.4	12.5	<0.001	0.04	0.63	1.3	0.3	0.7	20.3	<0.01	0.05	0.5
L820345		1.49	33.2	630	13.9	13.5	<0.001	0.08	0.51	2.1	0.5	1.0	20.6	<0.01	0.04	1.2
L820346		0.23	3.9	660	2.1	3.4	<0.001	0.02	0.10	0.4	0.2	0.3	12.2	<0.01	0.02	<0.2
L820347		0.90	32.5	940	14.4	15.0	<0.001	0.05	0.36	1.9	0.4	0.7	28.2	<0.01	0.03	1.4
L820348		0.37	9.7	490	10.3	5.6	<0.001	0.04	0.21	0.7	0.2	0.6	10.8	<0.01	0.02	0.2
L820349		0.25	9.1	450	4.8	5.7	<0.001	0.04	0.31	0.5	0.3	0.4	10.7	<0.01	0.03	<0.2
L820350		0.15	4.5	430	2.2	3.9	<0.001	0.04	0.15	0.4	<0.2	0.3	10.5	<0.01	0.02	<0.2
L820351		0.14	7.3	500	5.3	6.8	<0.001	0.05	0.25	0.3	0.3	0.4	12.4	<0.01	0.01	<0.2
L820352		0.99	29.0	1130	21.0	27.7	<0.001	0.02	0.26	2.2	0.2	0.6	19.1	<0.01	0.03	4.2
L820353		1.36	49.5	1190	22.3	43.3	<0.001	0.03	0.35	4.5	0.7	1.1	29.7	<0.01	0.03	9.7
L820354		0.39	12.5	590	8.3	7.9	<0.001	0.05	0.47	0.8	0.3	0.5	11.0	<0.01	0.03	0.2
L820355		1.25	31.2	930	58.8	30.5	<0.001	0.03	0.35	3.2	0.6	0.9	18.6	<0.01	0.03	6.8
L820356		0.99	20.9	360	32.9	8.7	<0.001	0.02	0.48	1.9	0.4	0.7	13.6	<0.01	0.04	1.5
L820357		1.09	22.2	350	16.7	7.9	<0.001	0.03	0.61	2.1	0.2	0.7	15.7	<0.01	0.04	1.7
L820358		1.06	25.1	570	19.2	14.7	<0.001	0.06	0.84	1.6	0.7	0.9	15.2	<0.01	0.04	0.8
L820359		0.38	12.2	720	11.3	8.3	<0.001	0.07	0.49	0.8	0.2	0.5	16.7	<0.01	0.04	<0.2
L820360		0.25	10.6	1350	10.5	6.1	<0.001	0.14	0.48	0.1	0.2	0.5	9.2	<0.01	0.04	<0.2
L820361		0.43	14.3	810	19.9	8.8	0.001	0.09	0.32	1.3	0.7	0.5	18.9	0.01	0.03	0.3
L820362		0.48	13.8	580	6.9	5.9	<0.001	0.08	0.42	1.0	0.3	0.4	18.3	<0.01	0.03	<0.2
L820363		0.60	7.7	890	20.4	5.0	<0.001	0.02	0.12	1.3	0.5	0.4	15.8	0.01	0.01	3.5
L820364		0.72	14.9	850	41.9	9.8	<0.001	0.03	0.25	2.3	0.8	0.5	21.1	0.01	0.03	5.3
L820365		0.74	16.0	940	42.7	10.0	<0.001	0.03	0.26	2.4	1.0	0.6	22.4	0.01	0.04	4.8
L820366		0.60	12.1	740	28.4	8.5	0.001	0.02	0.20	1.8	0.6	0.5	16.7	0.01	0.02	7.4
L820367		0.77	14.6	780	32.1	9.7	<0.001	0.03	0.22	2.1	0.9	0.5	18.8	0.01	0.03	4.2
L820368		0.67	13.7	740	29.5	9.8	<0.001	0.02	0.19	1.9	0.8	0.5	17.0	0.01	0.02	4.3
L820369		0.91	15.8	870	34.7	11.2	0.001	0.03	0.27	2.3	1.3	0.5	21.4	0.01	0.04	4.4
L820370		0.72	14.0	750	31.4	10.1	<0.001	0.03	0.21	2.0	1.0	0.5	18.5	0.01	0.05	5.4

Comments: **Corrected copy with sample ID L820394 changed to L820395 and sample ID L820396 changed to L820394**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.

POX 938

VERNON BC V1T 6M8

Page: 4 - D

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 1-SEP-2011

Account: NUN


Project: Rosie

CERTIFICATE OF ANALYSIS WH11147832

Sample Description	Method Analyte Units LOR	ME-MS41						
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
L820331		0.045	0.04	0.34	34	0.07	1.41	33
L820332		0.043	0.15	1.03	50	0.26	5.34	85
L820333		0.077	0.16	0.72	57	0.44	3.50	92
L820334		0.080	0.14	0.73	67	0.26	3.14	73
L820335		0.070	0.07	0.41	58	0.12	2.05	47
L820336		0.097	0.11	0.65	60	0.25	3.41	66
L820337		0.109	0.12	1.33	38	0.39	11.55	59
L820338		0.107	0.15	0.76	50	0.30	4.53	63
L820339		0.046	0.05	0.49	36	0.06	2.91	43
L820340		0.095	0.12	1.14	53	0.26	6.11	81
L820341		0.067	0.06	0.61	50	0.14	2.61	63
L820342		0.040	0.07	0.77	37	0.10	9.98	48
L820343		0.089	0.16	1.09	58	0.28	5.31	86
L820344		0.079	0.11	0.65	54	0.24	2.73	64
L820345		0.100	0.13	1.17	67	0.92	5.52	128
L820346		0.063	0.03	0.18	42	0.05	1.34	22
L820347		0.098	0.12	0.84	58	0.71	4.62	81
L820348		0.057	0.05	0.95	41	0.11	5.57	79
L820349		0.056	0.05	0.35	45	0.11	1.66	41
L820350		0.053	0.02	0.27	40	<0.05	1.02	25
L820351		0.044	0.04	0.35	41	0.07	1.61	36
L820352		0.100	0.17	1.11	50	0.31	5.73	94
L820353		0.146	0.29	2.04	71	0.45	12.25	113
L820354		0.054	0.08	0.55	47	0.12	2.35	45
L820355		0.113	0.22	2.40	59	0.36	14.40	146
L820356		0.078	0.08	1.02	47	0.22	6.86	115
L820357		0.085	0.08	1.01	58	0.18	3.70	100
L820358		0.051	0.13	1.37	49	0.18	6.08	108
L820359		0.043	0.09	0.66	43	0.16	2.51	56
L820360		0.010	0.06	0.58	33	0.09	2.27	31
L820361		0.067	0.09	1.45	61	0.14	13.10	75
L820362		0.056	0.07	0.59	46	0.11	3.33	52
L820363		0.085	0.05	1.31	67	0.11	13.10	92
L820364		0.050	0.09	2.29	35	0.27	21.6	124
L820365		0.064	0.08	2.21	48	0.19	22.6	131
L820366		0.049	0.07	1.69	35	0.16	15.60	105
L820367		0.053	0.08	2.40	39	0.18	21.0	119
L820368		0.047	0.08	3.14	34	0.16	20.6	111
L820369		0.058	0.10	4.00	44	0.20	27.8	133
L820370		0.053	0.08	3.81	38	0.17	22.5	116

Comments: **Corrected copy with sample ID L820394 changed to L820395 and sample ID L820396 changed to L820394**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: NUN


Project: Rosie

CERTIFICATE OF ANALYSIS WH11147832

Sample Description	Method Analyte Units LOR	WEI- 21	Au-TL43	ME- MS41												
		Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
		kg	ppm	ppm	%	ppm										
L820371		0.53	0.003	0.21	1.00	5.1	<0.2	<10	70	1.20	0.35	0.36	0.66	104.0	6.8	19
L820372		0.40	0.003	0.12	0.86	4.7	<0.2	<10	70	1.11	0.33	0.36	0.55	84.3	6.8	19
L820373		0.40	0.004	0.17	0.85	3.5	<0.2	<10	70	1.01	0.27	0.38	0.44	71.2	6.8	20
L820374		0.48	NSS	0.14	0.86	3.5	<0.2	<10	70	1.05	0.26	0.36	0.47	74.5	6.9	21
L820375		0.42	0.001	0.19	0.88	3.8	<0.2	<10	60	1.12	0.34	0.38	0.53	75.4	7.0	20
L820376		0.27	0.001	0.22	1.30	6.9	<0.2	<10	70	1.29	0.44	0.48	0.65	78.6	8.8	28
L820377		0.44	0.001	0.17	0.85	3.8	<0.2	<10	60	1.27	0.34	0.36	0.62	96.1	6.0	17
L820378		0.54	0.007	0.45	1.74	55.8	<0.2	<10	200	0.94	0.34	0.23	0.58	55.1	19.4	37
L820379		0.54	0.005	1.16	1.57	69.9	<0.2	<10	160	1.39	0.38	0.31	0.78	95.2	19.4	24
L820380		0.34	0.012	0.25	1.83	127.0	<0.2	<10	140	0.88	0.34	0.14	0.58	51.8	12.9	35
L820381		0.34	0.004	0.41	1.18	23.4	<0.2	<10	110	0.51	0.51	0.40	1.00	19.05	9.3	23
L820382		0.31	0.002	0.23	1.27	15.7	<0.2	<10	140	0.59	0.41	0.45	0.80	20.6	8.8	26
L820383		0.54	0.011	0.28	2.22	31.1	<0.2	<10	100	1.52	0.77	0.35	0.86	79.6	18.3	41
L820384		0.53	0.006	0.24	2.09	26.8	<0.2	<10	100	1.91	0.54	0.33	0.62	87.0	14.9	36
L820385		0.33	0.002	0.33	2.19	13.8	<0.2	<10	90	0.60	0.47	0.39	0.37	23.5	12.5	24
L820386		0.28	0.004	0.42	1.53	13.3	<0.2	<10	80	0.79	0.79	0.42	0.46	31.8	10.6	29
L820387		0.25	0.001	0.17	1.05	8.0	<0.2	<10	130	0.44	0.27	0.39	0.26	15.55	9.6	22
L820388		0.23	0.004	0.26	0.99	6.5	<0.2	<10	130	0.49	0.54	0.38	0.20	16.30	9.8	20
L820389		0.28	0.002	0.13	1.66	10.3	<0.2	<10	60	0.61	0.39	0.17	0.15	21.9	9.5	23
L820390		0.34	0.002	0.17	1.50	13.3	<0.2	<10	70	0.84	0.34	0.26	0.31	34.3	10.1	27
L820391		0.35	0.004	0.64	2.42	34.0	<0.2	<10	100	1.45	0.57	0.27	0.26	56.6	13.4	42
L820392		0.36	0.012	0.30	1.23	15.6	<0.2	<10	170	1.10	0.25	0.81	3.88	18.90	7.7	34
L820395		0.31	0.037	0.54	2.26	942	<0.2	<10	190	3.64	0.57	0.18	3.08	340	43.0	22
L820394		0.24	0.002	0.36	0.56	13.5	<0.2	<10	80	0.20	0.11	0.21	0.19	9.34	9.4	14

Comments: **Corrected copy with sample ID L820394 changed to L820395 and sample ID L820396 changed to L820394**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: NUN


Project: Rosie

CERTIFICATE OF ANALYSIS WH11147832

Sample Description	Method Analyte Units LOR	ME-MS41														
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
L820371		2.30	16.1	2.34	5.55	0.21	0.08	0.02	0.037	0.07	57.6	17.7	0.42	554	1.69	0.02
L820372		2.10	13.6	2.30	5.09	0.16	0.07	0.02	0.036	0.07	43.5	17.0	0.41	518	1.43	0.03
L820373		2.18	15.2	2.20	4.85	0.19	0.10	0.02	0.030	0.08	44.1	17.2	0.43	418	1.24	0.03
L820374		2.49	12.6	2.26	5.07	0.17	0.08	0.01	0.032	0.08	42.4	19.6	0.46	477	1.38	0.03
L820375		3.49	16.7	2.08	5.11	0.19	0.08	0.02	0.036	0.08	47.7	20.3	0.46	450	1.27	0.03
L820376		3.64	21.9	2.20	6.21	0.18	0.07	0.03	0.041	0.08	48.7	25.1	0.65	494	1.23	0.03
L820377		2.53	14.4	2.01	5.07	0.21	0.10	0.02	0.041	0.07	55.1	17.9	0.39	505	1.44	0.02
L820378		6.58	118.0	4.36	7.67	0.15	0.05	0.03	0.045	0.26	26.7	26.8	0.61	778	5.25	0.02
L820379		3.63	112.0	4.12	6.73	0.12	0.05	0.07	0.072	0.15	33.3	14.6	0.45	1070	4.75	0.03
L820380		3.38	51.7	3.80	7.14	0.07	0.03	0.05	0.045	0.09	18.1	22.9	0.58	797	4.18	0.02
L820381		4.94	29.2	2.52	6.07	<0.05	0.02	0.08	0.040	0.11	8.0	16.1	0.41	649	2.84	0.03
L820382		4.56	30.9	2.68	6.40	<0.05	0.02	0.08	0.047	0.14	9.1	11.7	0.41	433	4.33	0.02
L820383		12.75	55.3	4.08	9.04	0.14	0.06	0.03	0.106	0.22	20.5	45.7	0.90	656	4.05	0.03
L820384		8.95	48.2	3.59	8.18	0.16	0.10	0.09	0.065	0.15	29.5	38.9	0.82	659	2.58	0.03
L820385		5.65	31.9	3.10	7.49	0.05	0.03	0.04	0.026	0.09	9.7	27.9	0.61	292	2.19	0.05
L820386		11.80	29.5	3.13	8.03	<0.05	0.04	0.07	0.052	0.11	12.0	23.9	0.57	528	4.16	0.03
L820387		2.57	19.7	2.40	5.64	<0.05	0.02	0.07	0.023	0.06	6.4	14.6	0.43	587	1.69	0.03
L820388		5.20	22.8	2.27	5.00	<0.05	<0.02	0.07	0.021	0.07	6.3	16.7	0.43	500	1.29	0.02
L820389		4.34	30.7	3.17	6.78	<0.05	0.02	0.07	0.036	0.06	9.3	20.5	0.46	303	2.18	0.03
L820390		5.68	24.9	2.81	6.58	0.06	0.04	0.03	0.039	0.10	14.0	34.5	0.51	384	2.47	0.02
L820391		12.50	45.0	3.77	9.79	0.12	0.06	0.08	0.074	0.14	31.9	35.5	0.73	509	3.40	0.02
L820392		4.27	100.0	2.21	5.27	0.07	0.03	0.04	0.049	0.18	10.7	22.9	0.55	201	2.20	0.02
L820395		4.65	169.0	8.38	11.20	0.49	0.24	0.05	0.135	0.20	160.5	34.6	0.74	3000	21.1	0.06
L820394		0.83	25.8	3.00	4.52	<0.05	0.02	0.14	0.013	0.05	4.8	3.4	0.21	418	1.23	0.03

Comments: **Corrected copy with sample ID L820394 changed to L820395 and sample ID L820396 changed to L820394**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: NUN


Project: Rosie

CERTIFICATE OF ANALYSIS WH11147832

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb ppm 0.05	Ni ppm 0.2	P ppm 10	Pb ppm 0.2	Rb ppm 0.1	Re ppm 0.001	S % 0.01	Sb ppm 0.05	Sc ppm 0.1	Se ppm 0.2	Sn ppm 0.2	Sr ppm 0.01	Ta ppm 0.01	Te ppm 0.01	Th ppm 0.2
L820371		0.77	15.4	830	35.0	10.9	0.001	0.03	0.23	2.2	1.2	0.5	20.6	0.01	0.04	4.5
L820372		0.78	14.2	840	30.0	10.5	0.001	0.02	0.22	2.1	0.8	0.5	19.6	0.01	0.03	7.1
L820373		0.79	15.4	840	27.1	12.1	<0.001	0.03	0.19	2.1	1.3	0.4	20.6	0.01	0.04	5.2
L820374		0.79	16.2	850	25.8	11.4	0.001	0.02	0.19	2.1	0.8	0.6	20.2	0.01	0.02	5.3
L820375		0.92	15.5	820	27.3	11.9	0.001	0.03	0.21	2.2	1.2	0.6	23.1	0.01	0.03	4.5
L820376		1.26	21.6	820	34.3	13.8	0.001	0.05	0.28	2.3	1.2	0.6	30.3	0.01	0.04	2.9
L820377		0.91	13.2	800	32.3	11.3	0.001	0.02	0.19	2.2	1.4	0.6	20.9	0.01	0.02	5.6
L820378		0.86	56.2	1430	22.0	26.8	0.001	0.24	7.13	3.8	2.3	0.6	35.1	0.01	0.20	2.3
L820379		0.70	46.3	1330	37.4	14.5	0.001	0.21	6.02	2.3	1.5	0.6	38.7	0.01	0.14	1.3
L820380		0.94	33.9	840	20.1	13.7	0.001	0.13	5.35	2.3	1.0	0.7	26.0	0.01	0.11	0.8
L820381		1.11	20.9	950	21.6	31.3	<0.001	0.10	0.69	1.3	0.4	1.3	26.9	<0.01	0.05	0.2
L820382		0.86	21.6	890	15.0	36.1	<0.001	0.12	1.02	0.9	0.5	1.4	34.0	<0.01	0.05	<0.2
L820383		2.03	40.5	820	44.1	48.9	<0.001	0.05	0.61	5.1	0.8	3.8	21.2	0.01	0.05	4.2
L820384		1.53	34.1	780	34.6	29.8	0.001	0.05	0.61	4.9	1.2	1.6	23.9	0.01	0.06	4.5
L820385		1.04	19.9	760	13.7	22.2	<0.001	0.10	0.66	1.7	0.6	0.6	38.7	0.01	0.05	0.3
L820386		1.90	24.7	620	30.2	26.1	0.001	0.08	0.72	2.7	0.5	1.2	31.2	0.01	0.06	0.9
L820387		1.01	18.7	500	9.2	11.9	<0.001	0.07	0.53	1.7	0.3	0.6	29.1	<0.01	0.04	0.3
L820388		0.79	17.7	560	18.3	19.5	<0.001	0.07	0.45	1.5	0.3	0.6	30.4	<0.01	0.05	0.3
L820389		0.94	17.2	820	10.1	14.3	<0.001	0.11	0.81	1.3	0.6	0.9	19.0	<0.01	0.05	0.2
L820390		1.54	21.6	630	16.3	18.5	0.001	0.04	0.44	2.6	0.4	1.4	18.4	<0.01	0.03	2.1
L820391		1.65	30.0	1070	42.0	30.1	0.001	0.10	0.99	3.5	1.0	1.6	24.9	0.01	0.07	1.1
L820392		1.03	38.0	2070	13.2	25.7	0.001	0.08	0.62	2.9	0.8	0.8	25.7	0.01	0.05	0.5
L820395		0.44	96.0	1270	37.5	16.2	0.002	0.49	12.90	6.7	5.9	0.6	53.7	0.03	0.26	29.9
L820394		0.27	11.4	750	4.5	6.7	<0.001	0.10	1.23	0.9	0.3	0.3	23.4	<0.01	0.04	<0.2

Comments: **Corrected copy with sample ID L820394 changed to L820395 and sample ID L820396 changed to L820394**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.

POX 938

VERNON BC V1T 6M8

Page: 5 - D

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 1- SEP- 2011

Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147832

Sample Description	Method Analyte Units LOR	ME- MS41						
		Ti	Ti	U	V	W	Y	Zn
	%	ppm						
L820371		0.053	0.09	5.10	41	0.23	27.2	124
L820372		0.061	0.08	2.93	43	0.18	20.0	109
L820373		0.066	0.09	3.63	44	0.19	31.0	98
L820374		0.060	0.09	3.42	40	0.20	20.9	108
L820375		0.060	0.10	4.53	38	0.29	28.0	100
L820376		0.068	0.12	3.07	41	0.34	25.3	106
L820377		0.048	0.09	7.07	31	0.24	30.8	121
L820378		0.077	0.42	3.02	82	0.29	13.70	135
L820379		0.042	0.29	2.76	49	0.46	12.65	193
L820380		0.052	0.31	1.48	68	0.27	8.85	121
L820381		0.074	0.22	0.75	66	0.29	4.04	112
L820382		0.043	0.21	1.08	65	0.24	5.09	117
L820383		0.129	0.60	1.38	77	0.77	14.30	158
L820384		0.102	0.42	2.16	65	0.35	25.0	132
L820385		0.079	0.28	0.71	72	0.21	6.39	75
L820386		0.085	0.30	0.94	65	0.39	7.39	105
L820387		0.070	0.14	0.56	53	0.16	3.08	73
L820388		0.063	0.17	0.49	51	0.14	3.18	69
L820389		0.065	0.33	0.82	72	0.33	5.73	75
L820390		0.090	0.23	0.93	59	0.84	7.27	91
L820391		0.075	0.33	1.53	78	0.39	14.90	122
L820392		0.076	0.33	4.20	144	0.29	13.25	243
L820395		0.022	0.46	11.25	59	0.95	71.9	370
L820394		0.091	0.07	0.56	85	0.07	2.14	59

Comments: **Corrected copy with sample ID L820394 changed to L820395 and sample ID L820396 changed to L820394**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 1- SEP- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147832

Method	CERTIFICATE COMMENTS
ALL METHODS ME- MS41	NSS is non- sufficient sample. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 1
Finalized Date: 9- DEC- 2011
Account: NUN

CERTIFICATE WH11147833

Project: Rosie
P.O. No.: SW 2011- 01

This report is for 200 Soil samples submitted to our lab in Whitehorse, YT, Canada on 2-AUG-2011.

The following have access to data associated with this certificate:

MONICA NORDLING

RANDY ROGERS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: SOLOMON RESOURCES LTD.
ATTN: RANDY ROGERS
POX 938
VERNON BC V1T 6M8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9-DEC-2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147833

Sample Description	Method Analyte Units LOR	WEI- 21	Au-TL43	ME- MS41												
		Recvd Wt.	Au kg	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
L820401		0.64	0.002	0.42	2.22	10.2	<0.2	<10	70	2.40	0.56	0.63	0.91	103.5	14.9	48
L820402		0.52	0.001	0.09	1.97	7.0	<0.2	<10	80	2.19	0.35	0.49	0.47	91.0	14.9	42
L820403		0.34	0.002	0.12	1.45	8.5	<0.2	<10	40	3.84	0.43	0.31	0.52	218	6.8	22
L820404		0.56	0.002	0.14	1.65	11.1	<0.2	<10	50	2.91	0.50	0.29	0.75	267	8.5	24
L820405		0.38	0.002	0.11	2.43	12.0	<0.2	<10	100	2.78	0.64	0.28	0.60	188.5	11.3	36
L820406		0.64	0.032	0.10	1.61	7.9	<0.2	<10	80	1.01	0.21	0.33	0.31	61.5	9.0	31
L820407		0.21	0.002	0.30	2.30	10.4	<0.2	<10	130	1.99	0.35	0.43	0.71	139.0	12.2	40
L820408		0.31	0.001	0.09	1.51	4.5	<0.2	<10	80	1.76	0.24	0.37	0.34	103.0	7.6	29
L820409		0.42	0.002	0.06	1.47	7.4	<0.2	<10	70	1.52	0.34	0.30	0.41	85.1	7.9	28
L820410		0.21	0.001	0.13	1.12	5.1	<0.2	<10	70	0.70	0.24	0.36	0.38	57.8	7.4	23
L820411		0.52	0.004	0.08	1.79	9.4	<0.2	<10	80	2.00	0.45	0.28	1.13	223	9.5	30
L820412		0.47	0.003	0.09	1.46	7.0	<0.2	<10	60	2.60	0.49	0.32	1.26	221	8.1	22
L820413		0.27	0.001	0.09	2.20	9.7	<0.2	<10	80	2.81	0.44	0.28	0.38	181.0	11.9	39
L820414		0.23	0.001	0.06	1.29	3.5	<0.2	<10	50	1.02	0.16	0.33	0.62	31.1	9.0	36
L820415		0.25	0.001	0.06	0.84	4.6	<0.2	<10	30	0.86	0.33	0.22	0.51	117.5	4.3	14
L820416		0.24	0.001	0.10	0.48	3.7	<0.2	<10	70	0.16	0.15	0.21	0.12	11.45	6.3	12
L820417		0.39	0.002	0.08	1.82	9.3	<0.2	<10	70	2.21	0.69	0.45	0.65	308	9.4	28
L820418		0.49	0.002	0.16	2.18	11.5	<0.2	<10	60	2.81	0.63	0.28	1.03	367	12.6	38
L820419		0.26	0.001	0.04	0.75	2.6	<0.2	<10	30	0.72	0.13	0.17	0.34	53.3	4.7	13
L820420		0.42	0.004	0.09	1.54	10.0	<0.2	<10	70	1.73	0.38	0.39	0.98	188.5	11.9	27
L820421		0.34	0.001	0.11	2.07	8.8	<0.2	<10	170	2.18	0.39	0.66	0.63	134.0	11.3	43
L820422		0.35	0.001	0.29	1.70	9.0	<0.2	<10	110	0.91	0.24	0.57	0.63	63.1	10.6	41
L820423		0.29	0.001	0.03	0.42	2.0	<0.2	<10	30	0.11	0.08	0.13	0.05	5.72	5.8	11
L820424		0.35	0.001	0.12	1.26	7.2	<0.2	<10	160	0.67	0.38	0.75	0.40	59.7	9.7	23
L820425		0.43	0.002	0.14	2.56	11.0	<0.2	<10	90	1.41	0.31	0.24	0.21	62.4	11.2	40
L820426		0.33	<0.001	0.08	0.37	1.2	<0.2	<10	20	0.13	0.05	0.11	0.04	9.91	4.0	7
L820427		0.43	0.001	0.08	2.04	8.0	<0.2	<10	100	1.86	0.29	0.58	0.33	73.5	15.8	52
L820428		0.34	0.006	0.10	2.05	10.5	<0.2	<10	80	1.04	0.36	0.21	0.43	68.9	11.0	34
L820429		0.37	0.001	0.59	1.99	9.7	<0.2	<10	70	1.35	0.27	0.24	0.31	41.6	9.4	36
L820430		0.25	<0.001	0.09	0.61	3.2	<0.2	<10	60	0.24	0.11	0.23	0.31	20.7	5.6	14
L820431		0.43	0.001	0.20	1.60	8.4	<0.2	<10	80	0.91	0.19	0.26	0.52	41.5	8.7	30
L820432		0.30	0.004	1.50	2.63	14.5	<0.2	<10	100	2.04	0.53	0.34	1.29	57.3	12.8	45
L820433		0.24	0.002	0.23	2.14	9.5	<0.2	<10	100	1.59	0.29	0.29	0.61	64.5	11.3	33
L820434		0.39	0.001	0.13	1.59	6.9	<0.2	<10	80	0.77	0.31	0.37	0.24	45.6	9.8	38
L820435		0.50	0.003	0.09	2.09	9.1	<0.2	<10	70	1.95	0.54	0.33	0.49	152.0	8.6	36
L820436		0.42	0.003	0.16	2.19	14.6	<0.2	<10	100	1.52	0.47	0.41	0.44	63.1	14.1	40
L820437		0.40	0.002	0.21	1.50	16.5	<0.2	<10	110	1.41	0.42	0.34	0.41	140.0	8.9	25
L820438		0.29	0.002	0.15	0.83	5.5	<0.2	<10	60	0.61	0.19	0.37	0.49	35.9	5.8	18
L820439		0.39	0.002	0.16	1.60	10.7	<0.2	<10	90	0.61	0.82	0.18	0.25	26.4	10.2	31
L820440		0.33	0.002	0.06	1.44	9.1	<0.2	<10	80	0.48	0.23	0.20	0.23	20.1	9.0	31

Comments: **Corrected copy with sample ID L820531-A changed to L820530**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9- DEC- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147833

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm	ME-MS41 Cu ppm	ME-MS41 Fe %	ME-MS41 Ga ppm	ME-MS41 Ge ppm	ME-MS41 Hf ppm	ME-MS41 Hg ppm	ME-MS41 In ppm	ME-MS41 K %	ME-MS41 La ppm	ME-MS41 Li ppm	ME-MS41 Mg %	ME-MS41 Mn ppm	ME-MS41 Mo ppm	ME-MS41 Na %
L820401		5.25	31.9	3.10	9.01	0.16	0.07	0.06	0.056	0.09	46.1	44.9	1.16	780	1.29	0.03
L820402		2.74	27.2	3.19	10.30	0.14	0.05	0.02	0.030	0.07	34.4	39.5	1.06	818	1.21	0.02
L820403		1.24	25.0	2.84	8.28	0.44	0.32	0.09	0.138	0.07	83.3	11.4	0.40	1050	2.88	0.02
L820404		1.90	22.9	2.83	8.53	0.35	0.18	0.04	0.097	0.08	122.0	18.8	0.46	932	2.32	0.02
L820405		2.63	28.7	3.63	10.30	0.27	0.12	0.04	0.102	0.10	85.5	21.7	0.60	1000	2.35	0.02
L820406		1.74	18.7	2.35	6.87	0.12	0.05	0.03	0.036	0.06	26.7	20.7	0.58	439	1.10	0.02
L820407		2.41	28.2	3.12	9.88	0.22	0.11	0.06	0.067	0.07	67.1	27.2	0.72	943	1.61	0.02
L820408		1.26	19.0	2.33	7.10	0.18	0.07	0.04	0.034	0.08	51.3	20.0	0.52	400	1.03	0.02
L820409		1.51	18.8	2.47	6.41	0.16	0.08	0.03	0.055	0.07	38.9	18.5	0.47	492	1.41	0.01
L820410		1.31	20.7	2.19	5.91	0.12	0.05	0.11	0.034	0.06	25.5	11.9	0.37	373	1.15	0.02
L820411		1.76	25.0	2.77	9.22	0.25	0.11	0.03	0.085	0.07	79.4	18.6	0.50	898	1.59	0.02
L820412		2.99	26.4	2.29	7.46	0.29	0.13	0.06	0.107	0.08	107.0	19.1	0.43	910	1.46	0.02
L820413		2.22	35.8	2.97	9.41	0.25	0.11	0.06	0.073	0.09	76.7	26.5	0.73	896	1.51	0.03
L820414		2.36	15.4	2.22	7.01	0.10	0.03	0.06	0.019	0.08	16.2	30.1	0.73	365	0.67	0.02
L820415		0.56	18.6	1.51	4.86	0.21	0.08	0.03	0.028	0.05	66.6	7.0	0.26	322	0.83	0.03
L820416		0.67	13.9	1.88	3.37	<0.05	<0.02	0.06	0.013	0.03	5.6	2.9	0.16	288	0.96	0.01
L820417		1.79	27.5	2.77	9.36	0.19	0.08	0.04	0.093	0.06	67.5	20.6	0.53	805	1.50	0.01
L820418		1.54	31.4	3.39	11.35	0.37	0.14	0.04	0.091	0.08	125.0	26.6	0.68	1200	1.89	0.02
L820419		0.63	16.1	1.32	3.76	0.11	0.03	0.03	0.024	0.03	26.1	6.6	0.27	206	0.56	0.02
L820420		1.06	36.2	2.69	6.81	0.26	0.11	0.08	0.046	0.07	82.6	17.2	0.52	935	1.57	0.02
L820421		2.72	22.7	2.89	8.80	0.18	0.08	0.05	0.062	0.11	47.5	29.5	0.78	593	1.04	0.02
L820422		2.77	18.4	2.59	7.68	0.13	0.04	0.10	0.035	0.13	33.4	30.2	0.78	609	1.31	0.02
L820423		0.40	17.3	2.23	3.67	<0.05	<0.02	0.03	0.008	0.02	2.4	2.8	0.17	172	0.56	0.01
L820424		1.15	25.4	2.37	5.79	0.08	0.03	0.09	0.041	0.06	16.4	12.6	0.45	546	1.28	0.02
L820425		2.78	26.7	3.31	8.82	0.11	0.06	0.05	0.045	0.06	25.0	25.0	0.73	427	1.14	0.01
L820426		0.20	11.0	1.50	2.67	<0.05	<0.02	0.04	0.006	0.02	5.7	1.3	0.11	108	0.37	0.01
L820427		3.44	23.7	3.38	10.30	0.15	0.05	0.05	0.039	0.12	29.5	43.3	1.18	809	1.12	0.02
L820428		2.15	27.7	2.97	7.47	0.11	0.05	0.05	0.041	0.05	23.3	20.8	0.66	540	1.19	0.01
L820429		1.68	29.4	3.08	8.08	0.10	0.04	0.07	0.043	0.05	16.3	21.7	0.65	428	1.55	0.01
L820430		0.67	17.4	2.04	3.59	0.07	0.02	0.04	0.012	0.03	9.6	3.6	0.20	166	0.78	0.02
L820431		1.38	21.8	2.48	6.36	0.10	0.04	0.05	0.038	0.08	19.0	15.3	0.51	454	0.94	0.01
L820432		4.73	35.5	3.77	11.00	0.13	0.07	0.12	0.072	0.08	27.3	27.7	0.75	766	2.24	0.01
L820433		3.20	27.3	2.82	7.75	0.11	0.05	0.05	0.044	0.07	24.8	21.0	0.61	693	1.16	0.02
L820434		1.85	21.7	3.06	8.56	0.09	0.03	0.07	0.038	0.06	15.1	24.0	0.67	424	1.26	0.01
L820435		1.92	19.7	3.10	9.51	0.17	0.08	0.03	0.094	0.09	54.0	20.9	0.53	656	1.47	0.01
L820436		1.93	26.9	3.24	9.92	0.10	0.05	0.08	0.056	0.08	20.5	28.8	0.86	1010	1.91	0.01
L820437		2.22	17.2	3.14	6.51	0.15	0.03	0.07	0.040	0.09	43.2	15.8	0.50	1120	1.64	0.02
L820438		1.12	22.6	2.01	5.01	0.11	<0.02	0.09	0.020	0.05	28.1	7.4	0.28	349	1.23	0.02
L820439		2.65	28.6	3.54	8.37	0.08	0.02	0.05	0.039	0.07	10.5	18.8	0.52	562	3.81	0.02
L820440		1.74	26.3	3.06	7.67	0.09	<0.02	0.05	0.028	0.05	9.2	18.7	0.52	393	2.07	0.02

Comments: **Corrected copy with sample ID L820531-A changed to L820530**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9- DEC- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147833

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Nb ppm 0.05	Ni ppm 0.2	P ppm 10	Pb ppm 0.2	Rb ppm 0.1	Re ppm 0.001	S % 0.01	Sb ppm 0.05	Sc ppm 0.1	Se ppm 0.2	Sr ppm 0.2	Ta ppm 0.01	Te ppm 0.01	Th ppm 0.2	
L820401		1.30	36.7	1330	125.5	17.9	<0.001	0.06	0.65	3.7	1.0	0.8	44.6	<0.01	0.13	5.3
L820402		1.07	34.4	1100	29.7	13.5	<0.001	0.04	0.58	4.0	0.5	1.0	41.1	<0.01	0.06	8.9
L820403		5.70	17.9	640	67.5	12.6	0.001	0.06	0.44	2.2	5.0	1.7	20.2	0.04	0.06	11.9
L820404		3.25	19.5	720	54.6	13.5	0.001	0.04	0.49	3.1	2.6	1.0	22.9	0.02	0.05	7.7
L820405		2.37	26.8	830	69.0	19.0	0.001	0.05	0.53	3.7	1.9	1.5	23.2	0.01	0.07	5.2
L820406		1.42	23.1	880	30.0	11.4	<0.001	0.03	0.35	3.0	0.4	0.9	21.2	<0.01	0.03	4.1
L820407		1.85	28.6	1120	54.7	15.5	<0.001	0.09	0.52	3.4	1.8	1.1	34.3	0.01	0.06	2.5
L820408		1.03	21.7	990	21.4	14.1	<0.001	0.07	0.31	2.2	1.3	0.6	24.8	0.01	0.05	1.4
L820409		2.16	21.0	760	33.2	12.5	<0.001	0.03	0.38	2.5	0.9	0.9	22.2	0.01	0.04	4.2
L820410		1.02	16.9	920	16.3	13.5	<0.001	0.11	0.35	1.3	0.8	0.7	30.8	<0.01	0.04	0.5
L820411		2.20	24.4	760	57.2	11.8	<0.001	0.05	0.56	3.1	1.5	1.8	21.7	0.01	0.06	5.2
L820412		1.84	20.3	880	99.9	10.0	0.001	0.07	0.43	2.1	2.1	1.5	24.6	0.01	0.08	3.2
L820413		1.89	32.5	930	53.6	15.0	0.001	0.07	0.53	3.2	2.0	1.3	26.9	0.01	0.08	1.8
L820414		0.88	33.6	730	38.9	12.3	<0.001	0.07	0.28	1.6	0.3	0.6	25.1	<0.01	0.04	1.0
L820415		1.34	10.6	630	19.2	5.7	<0.001	0.05	0.29	1.2	1.3	0.5	15.7	0.01	0.04	1.2
L820416		0.40	9.5	610	6.6	7.2	<0.001	0.08	0.32	0.7	0.2	0.3	17.7	<0.01	0.04	<0.2
L820417		1.58	25.4	740	97.0	14.3	<0.001	0.07	0.51	1.4	1.4	1.3	31.8	0.01	0.07	0.9
L820418		2.49	33.0	790	53.4	14.2	0.001	0.06	0.63	3.6	2.5	1.3	26.1	0.02	0.09	5.6
L820419		0.69	10.5	510	19.1	6.4	<0.001	0.04	0.19	0.9	0.5	0.4	13.4	<0.01	0.03	0.4
L820420		1.34	26.0	1050	35.1	9.8	<0.001	0.08	0.57	2.4	1.9	0.7	26.3	0.01	0.09	3.1
L820421		2.23	35.7	800	54.9	20.9	<0.001	0.08	0.42	3.0	1.1	1.3	53.1	<0.01	0.06	2.6
L820422		1.22	31.5	1160	26.9	23.3	<0.001	0.11	0.44	1.6	0.8	0.7	45.1	<0.01	0.05	1.0
L820423		0.25	7.6	340	4.5	3.4	<0.001	0.03	0.22	0.8	<0.2	0.3	12.1	<0.01	0.02	0.2
L820424		0.99	20.3	840	13.2	11.6	<0.001	0.13	0.53	1.5	0.7	0.6	49.4	<0.01	0.07	0.6
L820425		1.90	30.6	540	34.9	12.1	<0.001	0.04	0.46	3.6	0.8	1.0	21.3	0.01	0.07	2.3
L820426		0.19	4.3	360	3.0	1.8	<0.001	0.04	0.11	0.5	<0.2	0.2	10.0	<0.01	0.02	<0.2
L820427		1.48	40.3	1180	20.8	27.1	<0.001	0.07	0.51	3.6	0.6	1.7	37.9	<0.01	0.07	6.8
L820428		1.32	29.6	490	36.8	9.7	<0.001	0.06	0.53	2.8	0.7	0.9	18.5	<0.01	0.09	2.0
L820429		1.15	26.8	680	89.1	10.0	<0.001	0.06	0.71	2.2	0.7	0.9	22.4	<0.01	0.11	0.9
L820430		0.31	9.3	750	6.3	5.5	<0.001	0.07	0.28	0.8	0.3	0.3	18.2	<0.01	0.04	<0.2
L820431		1.15	22.0	730	33.6	13.5	<0.001	0.04	0.42	2.2	0.4	0.7	20.4	<0.01	0.05	1.7
L820432		1.80	32.6	1190	223	19.8	<0.001	0.13	0.98	2.4	1.1	1.3	33.2	<0.01	0.14	0.7
L820433		1.14	25.1	860	44.5	14.5	<0.001	0.08	0.49	2.1	0.9	0.8	30.1	<0.01	0.07	0.8
L820434		1.01	29.2	770	17.9	13.1	<0.001	0.08	0.47	1.8	0.6	1.0	29.3	<0.01	0.06	0.9
L820435		1.78	23.3	600	37.2	14.4	<0.001	0.04	0.43	2.5	1.3	1.5	21.9	0.01	0.04	2.3
L820436		0.94	33.3	1350	28.3	16.5	<0.001	0.10	0.79	1.6	0.9	1.5	33.7	0.01	0.08	1.2
L820437		0.54	19.0	860	32.3	11.8	<0.001	0.07	0.56	1.9	0.8	0.6	30.0	<0.01	0.04	1.6
L820438		0.39	13.3	760	10.5	8.0	<0.001	0.10	0.41	0.8	0.6	0.4	29.1	<0.01	0.03	0.2
L820439		1.08	23.7	600	20.7	19.5	<0.001	0.05	0.89	2.2	0.5	1.0	18.2	<0.01	0.06	0.8
L820440		1.16	22.7	420	10.3	12.1	<0.001	0.04	0.70	1.9	0.5	0.8	20.5	<0.01	0.05	1.0

Comments: **Corrected copy with sample ID L820531- A changed to L820530**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9- DEC- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147833

Sample Description	Method Analyte Units LOR	ME- MS41						
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	Zr
		0.005	0.02	0.05	1	0.05	0.05	2
L820401		0.096	0.18	3.60	57	0.36	18.70	139
L820402		0.076	0.11	2.68	57	0.29	13.20	104
L820403		0.048	0.10	8.86	34	0.47	133.5	301
L820404		0.051	0.12	5.25	40	0.31	63.8	176
L820405		0.064	0.15	5.11	56	0.40	44.3	196
L820406		0.076	0.09	1.69	46	0.24	12.05	81
L820407		0.076	0.16	4.36	59	0.39	38.9	138
L820408		0.044	0.11	2.28	42	0.17	30.3	78
L820409		0.072	0.10	3.75	45	0.32	23.9	131
L820410		0.060	0.08	1.83	48	0.42	15.90	71
L820411		0.071	0.11	3.19	47	0.28	32.9	155
L820412		0.058	0.11	4.09	39	0.31	47.6	153
L820413		0.077	0.14	4.96	54	0.38	48.5	132
L820414		0.083	0.10	1.07	49	0.15	5.77	80
L820415		0.048	0.05	2.06	28	0.31	29.6	61
L820416		0.054	0.05	0.38	47	0.07	2.13	50
L820417		0.030	0.13	2.09	44	0.41	29.8	187
L820418		0.072	0.12	4.06	56	0.59	52.9	173
L820419		0.047	0.04	0.93	27	0.13	12.95	51
L820420		0.074	0.11	2.25	54	0.23	39.9	132
L820421		0.089	0.12	1.96	58	0.29	23.0	135
L820422		0.074	0.14	1.54	50	0.20	11.50	114
L820423		0.086	0.04	0.25	68	0.60	1.12	40
L820424		0.061	0.09	0.75	49	0.18	7.05	117
L820425		0.107	0.14	1.64	71	0.24	14.05	87
L820426		0.058	0.03	0.21	43	<0.05	1.72	25
L820427		0.128	0.19	2.41	71	0.29	11.05	125
L820428		0.095	0.11	1.24	64	0.29	9.86	97
L820429		0.080	0.14	1.63	66	0.19	8.20	107
L820430		0.067	0.05	0.56	58	0.09	3.79	41
L820431		0.081	0.12	1.30	54	0.17	7.95	88
L820432		0.077	0.18	3.11	74	0.31	17.95	180
L820433		0.065	0.12	2.04	57	0.25	14.25	96
L820434		0.085	0.11	1.19	70	0.19	8.04	92
L820435		0.037	0.13	2.24	48	0.20	29.7	184
L820436		0.034	0.12	1.71	55	0.22	11.45	124
L820437		0.038	0.10	1.84	44	0.23	12.40	113
L820438		0.045	0.07	1.01	46	0.12	9.71	50
L820439		0.102	0.20	0.92	74	0.27	4.62	99
L820440		0.105	0.11	0.78	69	0.22	3.49	88

Comments: **Corrected copy with sample ID L820531- A changed to L820530**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9- DEC- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147833

Sample Description	Method Analyte Units LOR	WEI- 21	Au- TL43	ME- MS41											
		Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
L820441		0.39	0.002	0.14	1.76	7.9	<0.2	<10	70	0.84	0.68	0.19	0.33	44.4	10.7
L820442		0.35	0.005	0.11	1.63	10.5	<0.2	<10	90	0.81	0.32	0.32	0.39	39.7	10.5
L820443		0.58	0.004	0.09	1.94	9.4	<0.2	<10	70	0.71	0.24	0.22	0.29	37.7	10.5
L820444		0.52	0.003	0.06	1.82	6.9	<0.2	<10	80	0.62	0.20	0.23	0.30	27.9	9.8
L820445		0.46	0.003	0.08	2.25	11.2	<0.2	<10	70	0.68	0.21	0.20	0.24	26.3	12.6
L820446		0.39	0.002	0.07	1.88	8.4	<0.2	<10	80	1.08	0.34	0.18	0.21	53.1	10.1
L820447		0.31	0.004	0.11	1.52	10.9	<0.2	<10	80	0.62	0.32	0.22	0.23	31.2	10.1
L820448		0.34	0.002	0.16	1.66	7.7	<0.2	<10	60	0.82	0.77	0.19	0.46	33.0	8.7
L820449		0.36	0.002	0.18	2.33	7.8	<0.2	<10	60	1.19	0.63	0.18	0.37	64.2	11.9
L820450		0.50	0.002	0.10	1.79	8.2	<0.2	<10	70	0.81	0.29	0.22	0.22	30.8	11.2
L820451		0.23	0.004	0.15	1.10	4.2	<0.2	<10	130	1.19	0.17	1.43	0.64	50.9	8.7
L820452		0.47	0.004	0.79	2.18	13.7	<0.2	<10	140	1.94	0.48	0.37	0.78	130.0	13.0
L820453		0.21	0.006	0.34	1.31	5.5	<0.2	<10	50	1.62	0.25	0.53	0.36	136.0	9.5
L820454		0.39	0.003	0.19	1.58	11.0	<0.2	<10	60	2.22	0.58	0.22	0.76	232	9.1
L820455		0.37	0.003	0.24	1.36	8.2	<0.2	<10	60	1.74	0.36	0.27	0.62	251	8.0
L820456		0.40	0.002	0.16	2.38	7.3	<0.2	<10	150	1.86	0.28	0.71	0.65	205	13.2
L820457		0.34	0.001	0.07	1.96	11.4	<0.2	<10	90	1.44	0.42	0.31	0.22	80.5	13.1
L820458		0.34	0.003	0.13	2.39	14.8	<0.2	<10	90	2.95	0.39	0.40	1.02	181.5	14.2
L820459		0.38	0.001	0.19	1.76	8.9	<0.2	<10	50	2.89	0.72	0.49	1.28	262	11.2
L820460		0.39	0.002	0.16	2.35	15.3	<0.2	<10	90	1.24	0.37	0.14	0.43	65.3	13.9
L820461		0.30	0.003	0.10	1.48	8.6	<0.2	<10	80	1.31	0.32	0.37	0.71	116.5	8.9
L820462		0.34	0.001	0.09	1.72	8.8	<0.2	<10	60	1.23	0.30	0.29	0.22	108.5	10.4
L820463		0.35	0.001	0.20	1.83	7.3	<0.2	<10	70	2.67	0.87	0.34	0.39	204	11.2
L820464		0.25	0.002	0.11	1.65	7.0	<0.2	<10	80	1.34	0.27	0.25	0.19	111.5	8.4
L820465		0.43	0.003	0.13	1.37	6.8	<0.2	<10	80	1.50	0.40	0.29	1.04	114.0	7.8
L820466		0.27	0.002	0.21	1.58	8.2	<0.2	<10	80	2.11	0.40	0.33	0.39	118.5	9.2
L820467		0.24	0.002	0.09	1.60	10.8	<0.2	<10	80	0.84	0.31	0.18	0.35	43.2	9.0
L820468		0.22	0.001	0.37	1.49	7.6	<0.2	<10	70	1.43	0.35	0.20	0.17	95.6	6.8
L820469		0.32	0.001	0.12	1.24	7.8	<0.2	<10	60	0.89	0.29	0.18	0.27	94.9	6.7
L820470		0.32	0.002	0.16	2.18	10.8	<0.2	<10	100	1.67	0.42	0.29	0.40	123.5	9.3
L820471		0.29	0.002	0.11	1.42	7.7	<0.2	<10	80	0.68	0.20	0.23	0.08	32.7	6.0
L820472		0.19	0.001	0.12	0.99	7.0	<0.2	<10	60	0.77	0.15	0.30	0.24	42.1	6.6
L820473		0.43	0.020	1.07	1.85	123.5	<0.2	<10	90	2.31	0.32	0.31	0.80	111.5	10.0
L820474		0.36	0.002	0.09	2.07	20.9	<0.2	<10	100	1.33	0.32	0.24	0.28	88.6	13.3
L820475		0.29	0.001	0.19	2.00	9.9	<0.2	<10	90	1.55	0.28	0.24	0.23	57.9	10.2
L820476		0.29	0.002	0.20	1.68	8.5	<0.2	<10	70	1.24	0.24	0.23	0.21	48.1	9.8
L820477		0.36	0.001	0.14	1.62	10.9	<0.2	<10	80	0.66	0.28	0.15	0.19	22.3	9.4
L820478		0.33	0.001	0.10	1.40	8.7	<0.2	<10	70	0.51	0.33	0.15	0.16	18.05	8.7
L820479		0.22	0.001	0.17	1.73	8.7	<0.2	<10	110	1.17	0.25	0.26	0.35	52.1	10.2
L820480		0.33	0.002	0.14	2.39	12.4	<0.2	<10	100	1.86	0.35	0.29	0.35	70.3	12.8

Comments: **Corrected copy with sample ID L820531-A changed to L820530**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9- DEC- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147833

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
L820441		1.42	25.0	2.80	5.83	0.11	0.02	0.05	0.036	0.05	13.1	16.7	0.58	609	1.33	0.02
L820442		1.99	27.1	3.13	6.80	0.10	0.02	0.05	0.041	0.06	10.7	17.4	0.56	580	2.49	0.02
L820443		2.02	24.7	2.78	6.50	0.11	0.03	0.03	0.034	0.07	15.7	19.6	0.65	442	1.33	0.02
L820444		1.95	21.1	2.61	6.52	0.11	0.02	0.05	0.024	0.05	13.2	23.6	0.63	357	1.09	0.02
L820445		1.73	25.3	3.02	6.40	0.11	0.03	0.06	0.030	0.06	10.7	19.3	0.71	527	1.52	0.02
L820446		2.82	22.5	3.00	7.85	0.10	0.03	0.05	0.048	0.06	12.3	31.3	0.65	503	1.26	0.02
L820447		1.72	30.3	3.16	7.92	0.08	0.02	0.07	0.035	0.05	12.8	15.5	0.43	498	2.89	0.01
L820448		2.93	25.1	2.96	7.72	0.09	0.02	0.05	0.040	0.06	12.0	28.9	0.62	351	2.08	0.02
L820449		4.36	24.0	3.19	8.80	0.12	0.03	0.05	0.044	0.10	19.2	44.5	0.97	543	1.75	0.02
L820450		3.82	21.4	3.38	8.81	0.10	<0.02	0.06	0.028	0.08	13.5	35.9	0.83	443	2.25	0.02
L820451		1.27	19.0	1.90	4.56	0.11	0.05	0.14	0.020	0.09	24.2	16.4	0.52	666	1.04	0.03
L820452		3.24	29.1	3.44	8.45	0.14	0.03	0.06	0.055	0.06	38.3	26.7	0.82	866	1.85	0.02
L820453		2.17	23.7	2.43	7.61	0.33	0.04	0.07	0.037	0.07	95.8	26.9	0.76	466	1.79	0.03
L820454		2.33	28.3	3.53	6.19	0.24	0.09	0.04	0.080	0.07	77.1	13.5	0.49	1120	5.92	0.02
L820455		2.04	27.3	3.01	6.85	0.45	0.12	0.05	0.062	0.06	168.0	12.7	0.44	1140	3.35	0.02
L820456		1.79	27.1	3.60	9.33	0.25	0.07	0.05	0.054	0.07	73.0	22.0	1.01	867	2.06	0.05
L820457		2.40	27.6	3.57	9.33	0.10	0.02	0.04	0.052	0.08	14.3	22.3	0.70	1040	3.18	0.02
L820458		4.30	26.2	3.46	10.10	0.19	0.04	0.04	0.069	0.09	42.4	39.8	1.05	940	2.06	0.02
L820459		1.73	22.7	3.47	10.70	0.41	0.05	0.02	0.092	0.11	151.0	21.1	0.57	1160	2.07	0.02
L820460		1.68	36.2	3.53	9.19	0.11	0.03	0.04	0.056	0.07	17.5	19.2	0.68	862	2.88	0.02
L820461		1.47	23.4	2.66	6.43	0.13	0.02	0.06	0.049	0.07	34.6	13.3	0.46	906	1.71	0.02
L820462		2.99	25.3	2.90	8.62	0.19	0.02	0.03	0.037	0.06	52.2	29.5	0.76	508	1.56	0.02
L820463		3.86	24.7	3.22	10.95	0.21	0.05	0.02	0.065	0.09	70.0	37.2	0.82	1030	2.10	0.02
L820464		2.01	24.5	2.43	6.47	0.21	0.03	0.04	0.036	0.07	60.1	16.1	0.50	632	1.32	0.02
L820465		2.50	19.5	2.70	6.45	0.22	0.05	0.02	0.056	0.09	77.9	19.0	0.48	626	1.73	0.02
L820466		3.15	26.3	2.68	6.92	0.29	0.04	0.03	0.053	0.09	89.0	16.3	0.51	719	2.38	0.03
L820467		1.88	28.5	3.41	7.97	0.10	<0.02	0.06	0.040	0.05	16.6	15.4	0.46	431	2.77	0.02
L820468		2.27	33.8	2.77	6.59	0.20	0.02	0.03	0.046	0.07	62.3	10.3	0.36	361	2.58	0.03
L820469		1.32	34.7	2.50	5.77	0.16	0.02	0.04	0.036	0.05	59.2	8.0	0.29	347	2.05	0.02
L820470		2.36	25.0	3.16	8.88	0.22	0.03	0.04	0.052	0.08	82.5	19.3	0.58	712	1.88	0.02
L820471		1.84	29.7	2.19	5.87	0.09	<0.02	0.03	0.024	0.03	17.9	12.2	0.43	240	1.15	0.02
L820472		1.39	17.4	1.54	4.39	0.11	<0.02	0.03	0.018	0.04	17.7	11.7	0.41	340	0.70	0.02
L820473		3.23	22.6	2.94	7.41	0.28	0.07	0.04	0.052	0.07	67.9	24.0	0.71	744	1.12	0.02
L820474		3.84	24.5	2.98	9.07	0.14	0.02	0.02	0.035	0.05	22.8	35.6	0.82	698	1.02	0.01
L820475		2.75	28.5	2.76	7.92	0.15	0.02	0.04	0.042	0.06	28.1	20.3	0.60	638	1.24	0.02
L820476		2.29	25.5	2.47	6.96	0.14	0.02	0.03	0.036	0.05	21.2	17.4	0.51	583	1.06	0.02
L820477		2.16	36.0	3.47	8.95	0.12	<0.02	0.03	0.023	0.05	9.7	16.2	0.48	680	2.45	0.02
L820478		1.69	28.7	2.81	7.21	0.12	<0.02	0.05	0.021	0.05	8.2	12.5	0.42	592	1.86	0.02
L820479		3.95	28.4	2.88	7.87	0.16	0.02	0.05	0.036	0.05	22.3	20.2	0.60	540	1.37	0.02
L820480		4.61	35.4	3.88	11.50	0.18	0.03	0.02	0.045	0.07	31.7	32.7	0.87	558	1.88	0.02

Comments: **Corrected copy with sample ID L820531-A changed to L820530**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9- DEC- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147833

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
L820441		1.11	26.7	410	56.8	8.2	<0.001	0.04	0.42	2.7	0.4	0.6	17.0	<0.01	0.06	2.2
L820442		0.89	27.3	620	20.8	12.5	<0.001	0.07	0.74	1.8	0.3	0.9	26.5	<0.01	0.04	1.1
L820443		1.43	27.8	550	13.8	13.1	<0.001	0.03	0.46	2.9	0.6	0.8	18.7	<0.01	0.04	3.0
L820444		1.37	28.1	550	24.7	10.5	<0.001	0.04	0.39	2.3	0.7	0.6	20.3	<0.01	0.04	1.9
L820445		1.36	30.7	500	11.1	10.0	<0.001	0.04	0.57	3.2	0.7	0.6	18.1	0.01	0.04	2.0
L820446		1.50	27.1	440	16.3	11.2	0.001	0.04	0.45	2.4	0.7	1.2	17.3	<0.01	0.02	1.6
L820447		1.19	25.9	540	18.1	11.1	<0.001	0.06	1.06	2.0	0.8	0.8	21.1	<0.01	0.03	1.1
L820448		1.00	26.5	550	31.0	15.9	<0.001	0.05	0.52	1.9	0.4	1.1	19.8	<0.01	0.06	1.1
L820449		1.27	34.0	520	27.6	20.5	<0.001	0.05	0.48	2.7	0.7	1.5	16.0	<0.01	0.05	3.1
L820450		0.85	32.2	680	16.3	19.7	0.001	0.06	0.65	2.2	0.4	0.8	21.8	<0.01	0.05	1.4
L820451		0.56	19.3	1590	15.3	10.8	<0.001	0.16	0.42	1.4	0.8	0.4	72.3	<0.01	0.03	1.2
L820452		0.78	33.5	690	123.5	15.1	<0.001	0.05	1.52	3.3	1.1	1.4	30.1	<0.01	0.08	3.2
L820453		0.59	27.1	880	43.6	11.9	<0.001	0.10	0.51	1.9	2.5	0.6	31.0	<0.01	0.04	2.3
L820454		1.52	26.0	460	84.6	9.1	<0.001	0.03	0.54	2.7	2.2	0.7	16.7	<0.01	0.05	8.7
L820455		1.30	22.0	590	48.0	9.2	0.001	0.03	0.43	3.2	3.9	0.6	17.9	<0.01	0.02	16.3
L820456		1.24	33.8	1100	39.2	12.0	<0.001	0.07	0.49	3.0	1.5	0.8	69.2	<0.01	0.04	4.7
L820457		0.69	31.8	760	38.3	17.6	<0.001	0.06	1.03	2.0	0.6	1.1	27.4	<0.01	0.05	1.5
L820458		2.07	39.1	670	161.0	17.6	<0.001	0.05	0.58	4.0	1.2	1.0	28.8	<0.01	0.06	6.0
L820459		0.88	28.4	1120	52.1	19.2	<0.001	0.03	0.44	4.1	2.7	4.2	29.8	<0.01	0.04	6.5
L820460		1.01	34.6	780	28.7	14.8	<0.001	0.07	1.19	1.9	1.2	0.9	17.3	0.01	0.06	1.4
L820461		0.80	21.3	770	29.5	11.1	<0.001	0.07	0.54	1.5	1.0	0.6	28.3	<0.01	0.03	1.2
L820462		1.03	28.4	790	26.3	13.6	<0.001	0.05	0.47	2.7	1.0	1.0	22.5	<0.01	0.03	2.5
L820463		1.06	29.5	770	46.3	16.1	<0.001	0.03	0.42	4.2	1.4	2.3	24.6	<0.01	0.03	8.0
L820464		0.96	19.2	810	26.8	12.4	<0.001	0.05	0.40	2.3	1.1	0.7	19.7	<0.01	0.04	2.7
L820465		1.24	21.4	700	73.3	15.2	<0.001	0.03	0.38	2.8	1.1	0.8	21.0	<0.01	0.05	5.7
L820466		1.11	20.2	800	60.5	12.9	<0.001	0.04	0.38	3.0	2.0	0.9	26.7	<0.01	0.02	3.8
L820467		0.86	24.3	560	28.5	10.6	<0.001	0.06	0.87	1.9	0.5	0.7	19.5	<0.01	0.05	0.8
L820468		0.86	17.6	840	25.3	13.4	<0.001	0.08	0.50	2.1	1.3	0.8	20.3	<0.01	0.04	1.2
L820469		0.52	16.3	780	21.7	9.2	<0.001	0.08	0.51	1.4	1.1	0.5	19.0	<0.01	0.04	0.9
L820470		0.86	23.9	830	39.7	13.8	<0.001	0.06	0.51	3.0	1.4	0.9	29.2	<0.01	0.05	2.2
L820471		0.56	16.3	890	14.4	6.7	<0.001	0.07	0.42	1.2	0.6	0.5	21.4	<0.01	0.05	0.4
L820472		0.56	14.1	680	17.1	7.0	<0.001	0.05	0.28	1.2	0.5	0.4	24.7	<0.01	0.03	0.5
L820473		1.44	29.8	630	94.5	11.7	<0.001	0.02	1.19	4.0	1.9	0.9	20.5	<0.01	0.05	11.7
L820474		0.99	35.1	610	34.1	11.0	<0.001	0.02	0.71	3.0	0.5	0.9	19.1	<0.01	0.04	3.5
L820475		1.00	25.6	780	30.5	12.3	<0.001	0.06	0.50	2.2	0.8	0.9	21.9	<0.01	0.05	1.2
L820476		0.90	22.3	710	25.8	10.4	<0.001	0.05	0.44	2.0	0.5	0.7	20.4	<0.01	0.03	1.2
L820477		0.75	31.1	710	19.5	17.5	<0.001	0.06	0.98	1.3	0.4	0.8	19.0	<0.01	0.06	0.6
L820478		0.72	22.9	720	12.9	13.7	<0.001	0.07	0.75	1.2	0.3	0.7	18.2	<0.01	0.05	0.4
L820479		0.83	26.7	830	31.9	13.5	<0.001	0.08	0.54	1.7	0.7	0.8	27.5	<0.01	0.04	0.8
L820480		1.21	39.5	760	36.9	24.3	<0.001	0.06	0.79	3.1	1.1	1.1	29.1	<0.01	0.07	2.2

Comments: **Corrected copy with sample ID L820531-A changed to L820530**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9- DEC- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147833

Sample Description	Method Analyte Units LOR	ME-MS41						
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	Zr
L820441		0.096	0.09	0.91	56	0.19	5.10	95
L820442		0.077	0.13	1.09	59	0.22	4.36	116
L820443		0.111	0.14	1.08	59	0.22	6.11	77
L820444		0.109	0.10	0.91	55	0.25	4.38	72
L820445		0.108	0.15	0.83	63	0.23	4.52	75
L820446		0.098	0.11	1.02	57	0.28	7.62	117
L820447		0.083	0.15	1.14	71	0.21	5.81	95
L820448		0.091	0.17	1.05	62	0.26	4.87	136
L820449		0.114	0.22	1.48	63	0.38	7.21	151
L820450		0.096	0.18	1.32	72	0.27	4.58	100
L820451		0.037	0.08	1.38	33	0.12	8.08	60
L820452		0.058	0.13	2.04	60	0.22	14.55	141
L820453		0.055	0.12	3.85	44	0.18	49.8	104
L820454		0.078	0.12	4.25	48	0.22	33.2	370
L820455		0.077	0.11	4.97	43	0.19	75.8	269
L820456		0.106	0.12	2.35	62	0.12	26.2	149
L820457		0.050	0.17	1.39	62	0.16	6.01	129
L820458		0.105	0.16	2.73	64	0.37	23.0	237
L820459		0.058	0.10	3.84	48	0.21	52.7	268
L820460		0.055	0.17	1.44	58	0.19	8.70	146
L820461		0.044	0.10	1.42	42	0.20	17.45	128
L820462		0.084	0.16	1.82	58	0.38	16.45	99
L820463		0.066	0.13	2.47	49	0.26	21.8	116
L820464		0.069	0.13	2.29	46	0.20	23.0	99
L820465		0.076	0.12	2.39	44	0.36	20.5	157
L820466		0.069	0.10	4.14	46	0.17	49.3	155
L820467		0.074	0.14	1.02	67	0.17	5.71	108
L820468		0.047	0.11	2.05	48	0.16	22.0	99
L820469		0.055	0.08	1.99	50	0.13	15.45	78
L820470		0.063	0.12	3.13	57	0.25	28.9	122
L820471		0.043	0.10	1.11	47	0.15	6.44	54
L820472		0.053	0.06	1.10	33	0.14	8.71	56
L820473		0.078	0.06	5.15	48	0.40	49.1	147
L820474		0.060	0.06	1.62	52	0.35	9.94	89
L820475		0.070	0.08	2.82	54	0.24	16.00	84
L820476		0.070	0.06	2.28	51	0.21	13.40	76
L820477		0.079	0.07	1.24	77	0.20	3.83	90
L820478		0.073	0.08	0.97	67	0.19	3.23	75
L820479		0.072	0.06	2.00	61	0.26	11.80	90
L820480		0.114	0.11	2.67	87	0.34	15.05	109

Comments: **Corrected copy with sample ID L820531- A changed to L820530**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9- DEC- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147833

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt.	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 Ba ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		kg	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
L820481		0.37	0.002	0.08	1.31	9.9	<0.2	<10	80	0.55	0.23	0.18	0.16	19.05	9.3	28
L820482		0.32	0.002	0.07	1.99	9.3	<0.2	<10	60	1.26	0.37	0.20	0.27	45.8	10.8	35
L820483		0.34	0.001	0.08	1.10	3.6	<0.2	<10	60	1.13	0.14	0.21	0.19	45.0	8.9	28
L820484		0.32	0.001	0.16	2.20	8.0	<0.2	<10	80	1.56	0.43	0.29	0.36	65.2	15.4	52
L820485		0.38	0.001	0.04	1.79	8.9	<0.2	<10	50	0.91	0.18	0.21	0.37	49.8	12.8	39
L820486		0.36	0.002	0.14	1.13	6.6	<0.2	<10	70	0.60	0.25	0.21	0.24	19.00	7.7	24
L820487		0.31	0.002	0.12	1.10	4.4	<0.2	<10	50	0.79	0.26	0.16	0.49	30.0	7.1	26
L820488		0.41	0.001	0.11	1.69	4.6	<0.2	<10	70	1.57	0.28	0.53	0.41	67.3	13.5	46
L820489		0.30	0.002	0.11	1.32	7.0	<0.2	<10	70	1.19	0.27	0.45	0.37	68.6	10.0	34
L820490		0.24	0.002	0.11	1.94	8.3	<0.2	<10	90	1.20	0.21	0.28	0.26	56.6	11.7	38
L820491		0.42	0.001	0.08	2.00	7.3	<0.2	<10	80	1.49	0.20	0.39	0.36	60.4	13.6	43
L820492		0.25	0.001	0.07	1.32	4.8	<0.2	<10	60	0.75	0.18	0.29	0.27	39.6	8.7	31
L820493		0.39	0.004	0.04	1.46	5.4	<0.2	<10	60	0.99	0.16	0.32	0.24	41.2	10.4	35
L820494		0.28	0.002	0.08	0.66	2.8	<0.2	<10	40	0.36	0.08	0.15	0.14	18.45	4.9	15
L820495		0.24	0.002	0.10	1.28	10.2	<0.2	<10	60	0.48	0.27	0.17	0.29	22.4	9.4	32
L820496		0.37	0.002	0.08	1.96	12.1	<0.2	<10	70	0.80	0.25	0.22	0.25	36.3	11.6	40
L820497		0.20	0.002	0.16	2.03	9.5	<0.2	<10	80	1.68	0.23	0.47	0.39	66.3	17.8	49
L820498		0.22	0.002	0.17	1.29	5.5	<0.2	<10	50	1.25	0.25	0.37	0.54	51.3	10.6	34
L820499		0.24	0.001	0.18	1.08	4.5	<0.2	<10	70	0.47	0.15	0.39	0.45	25.5	10.3	35
L820500		0.24	0.002	0.15	1.61	8.9	<0.2	<10	50	2.65	0.34	0.27	0.47	233	10.7	31
L820501		0.17	0.002	0.75	2.18	5.1	<0.2	<10	80	1.42	0.28	0.28	0.63	137.0	6.1	34
L820502		0.25	0.002	0.15	0.82	5.2	<0.2	<10	60	0.39	0.19	0.18	0.27	26.5	6.3	18
L820503		0.37	0.002	0.06	2.04	10.0	<0.2	<10	70	0.78	0.16	0.23	0.43	37.6	12.6	39
L820504		0.30	0.001	0.05	1.34	6.3	<0.2	<10	60	0.55	0.18	0.18	0.17	19.45	7.0	27
L820505		0.27	0.002	0.13	1.55	8.0	<0.2	<10	70	0.80	0.17	0.21	0.59	20.6	8.4	28
L820506		0.49	0.004	0.22	1.73	7.6	<0.2	<10	80	1.14	0.19	0.32	0.62	50.4	9.5	31
L820507		0.53	0.002	0.10	1.64	4.9	<0.2	<10	60	1.53	0.25	0.35	0.20	65.2	9.0	35
L820508		0.37	0.001	0.07	1.52	4.5	<0.2	<10	70	1.01	0.15	0.21	0.27	52.9	8.4	26
L820509		0.35	0.001	0.09	0.94	4.3	<0.2	<10	40	0.75	0.17	0.14	0.16	42.6	4.1	14
L820510		0.35	0.001	0.07	1.22	6.8	<0.2	<10	90	0.49	0.26	0.20	0.32	26.7	7.3	23
L820511		0.34	0.003	0.05	2.19	13.3	<0.2	<10	70	1.08	0.25	0.16	0.55	69.0	12.4	35
L820512		0.40	0.002	0.05	1.95	5.7	<0.2	<10	70	1.10	0.17	0.25	0.18	29.0	8.8	28
L820513		0.42	0.003	0.03	1.63	4.3	<0.2	<10	60	1.19	0.17	0.35	0.17	62.2	8.9	41
L820514		0.34	0.001	0.06	0.70	3.4	<0.2	<10	40	0.27	0.10	0.11	0.09	14.25	5.6	16
L820515		0.22	0.001	0.09	1.19	5.0	<0.2	<10	60	1.04	0.23	0.23	0.19	106.5	6.9	20
L820516		0.41	0.004	0.08	1.63	6.8	<0.2	<10	80	0.95	0.21	0.36	0.28	69.5	10.4	35
L820517		0.30	0.001	0.09	0.76	3.1	<0.2	<10	50	0.90	0.14	0.25	0.12	40.1	5.6	15
L820518		0.22	0.001	0.08	0.59	2.3	<0.2	<10	50	0.31	0.08	0.14	0.07	17.80	5.5	12
L820519		0.29	0.001	0.07	1.81	8.9	<0.2	<10	70	0.87	0.23	0.23	0.23	56.5	9.6	32
L820520		0.34	0.001	0.08	1.83	7.5	<0.2	<10	70	1.45	0.32	0.20	0.23	117.5	9.1	33

Comments: **Corrected copy with sample ID L820531- A changed to L820530**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9- DEC- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147833

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
L820481		1.88	30.7	3.20	7.49	0.12	<0.02	0.04	0.027	0.04	7.7	12.3	0.43	551	1.96	0.02
L820482		2.75	28.2	2.99	8.67	0.10	0.02	0.06	0.089	0.05	16.1	27.4	0.68	491	1.59	0.02
L820483		3.66	15.2	2.11	6.91	0.13	<0.02	0.03	0.022	0.12	24.7	22.4	0.59	460	0.99	0.02
L820484		5.37	31.5	3.49	11.20	0.16	0.02	0.08	0.046	0.09	32.1	38.0	1.09	712	1.57	0.02
L820485		2.23	24.2	2.77	7.53	0.12	0.04	0.02	0.035	0.06	18.0	29.6	0.75	467	1.02	0.02
L820486		1.60	23.9	2.43	6.38	0.09	<0.02	0.04	0.034	0.05	7.4	12.5	0.41	296	2.01	0.02
L820487		3.50	22.6	2.24	6.48	0.13	<0.02	0.02	0.039	0.11	14.1	22.6	0.44	262	1.57	0.02
L820488		4.52	18.6	2.63	8.65	0.18	0.04	0.01	0.033	0.11	40.2	39.0	1.07	439	0.76	0.02
L820489		3.56	21.5	2.52	7.01	0.20	0.03	0.02	0.031	0.08	48.0	23.2	0.69	399	1.47	0.02
L820490		2.40	31.2	2.82	8.75	0.15	0.03	0.02	0.030	0.05	31.8	24.1	0.76	411	1.23	0.02
L820491		3.25	23.1	2.76	10.15	0.15	0.03	0.03	0.032	0.12	29.4	36.4	0.97	512	1.05	0.02
L820492		2.00	16.7	2.28	7.00	0.12	0.02	0.04	0.028	0.04	18.3	22.7	0.60	322	0.85	0.02
L820493		2.25	20.0	2.45	7.31	0.14	0.03	0.02	0.031	0.08	21.0	26.4	0.70	378	0.97	0.02
L820494		0.91	14.6	1.69	3.88	0.11	<0.02	0.02	0.015	0.03	9.7	6.9	0.24	143	0.58	0.02
L820495		2.74	24.9	3.16	8.77	0.10	<0.02	0.04	0.026	0.05	10.2	15.7	0.47	373	2.20	0.02
L820496		2.49	28.7	3.45	9.08	0.09	<0.02	0.03	0.032	0.05	15.5	24.2	0.73	445	2.23	0.02
L820497		5.90	33.3	3.18	9.70	0.17	0.02	0.09	0.029	0.07	37.0	31.1	1.00	660	1.65	0.03
L820498		3.14	23.5	2.50	7.34	0.15	0.02	0.07	0.036	0.05	26.0	22.2	0.68	463	1.12	0.02
L820499		3.51	18.2	2.22	6.68	0.11	<0.02	0.06	0.018	0.12	12.7	18.8	0.65	367	1.01	0.02
L820500		2.45	29.4	2.95	10.15	0.51	0.07	0.04	0.080	0.06	141.5	21.4	0.62	721	3.17	0.03
L820501		2.61	26.2	2.10	9.15	0.25	0.04	0.14	0.042	0.06	81.1	15.5	0.41	370	1.59	0.02
L820502		0.92	17.5	1.93	5.05	0.09	<0.02	0.06	0.024	0.05	9.5	6.4	0.28	392	1.40	0.02
L820503		1.28	25.8	2.89	7.53	0.12	0.03	0.02	0.028	0.06	17.1	20.5	0.69	489	0.99	0.02
L820504		1.50	18.8	2.31	6.24	0.08	<0.02	0.05	0.026	0.04	8.4	14.3	0.43	284	1.33	0.02
L820505		2.94	20.8	2.39	7.17	0.09	<0.02	0.04	0.028	0.05	10.9	17.8	0.49	414	1.27	0.02
L820506		2.37	21.6	2.42	6.37	0.14	0.05	0.02	0.034	0.06	25.5	18.4	0.58	462	0.82	0.02
L820507		2.31	17.8	2.31	7.68	0.16	0.08	0.01	0.041	0.06	36.0	23.3	0.60	464	0.66	0.02
L820508		2.43	18.2	2.25	6.49	0.12	0.02	0.03	0.028	0.05	20.1	17.7	0.45	405	0.68	0.02
L820509		1.18	16.8	1.75	4.51	0.11	<0.02	0.03	0.045	0.08	20.6	5.3	0.19	417	1.31	0.02
L820510		1.06	27.5	2.68	6.96	0.09	<0.02	0.04	0.031	0.06	9.7	8.8	0.36	371	1.82	0.02
L820511		1.27	32.1	3.17	8.21	0.12	0.03	0.03	0.052	0.06	22.3	18.7	0.64	632	1.70	0.02
L820512		2.66	17.4	2.13	6.82	0.10	0.04	<0.01	0.024	0.04	12.7	19.3	0.54	320	0.64	0.02
L820513		2.12	18.5	2.16	6.32	0.15	0.09	0.01	0.030	0.06	21.5	21.6	0.60	347	0.52	0.02
L820514		0.80	14.6	1.89	4.42	0.08	<0.02	0.02	0.017	0.02	4.5	8.1	0.24	218	0.77	0.02
L820515		1.33	21.7	2.05	5.81	0.24	0.03	0.02	0.033	0.04	68.9	9.9	0.34	393	1.17	0.02
L820516		1.33	21.9	2.55	7.44	0.17	0.03	0.01	0.034	0.07	38.8	22.2	0.66	496	1.03	0.02
L820517		1.15	19.9	1.99	4.43	0.12	<0.02	0.02	0.016	0.03	21.3	7.1	0.25	209	0.75	0.02
L820518		0.68	13.1	1.60	3.26	0.10	<0.02	0.02	0.011	0.02	10.1	4.6	0.19	261	0.63	0.02
L820519		1.12	25.1	2.85	7.65	0.11	0.02	0.04	0.041	0.05	14.1	18.5	0.53	474	1.38	0.02
L820520		1.91	25.1	3.30	8.99	0.22	0.03	0.02	0.050	0.06	52.2	19.6	0.57	445	1.61	0.02

Comments: **Corrected copy with sample ID L820531-A changed to L820530**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9- DEC- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147833

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
L820481		0.74	24.9	640	15.0	13.7	<0.001	0.06	0.91	1.4	0.2	0.7	21.0	<0.01	0.06	0.5
L820482		1.10	27.2	630	20.1	12.1	0.001	0.06	0.53	1.9	0.6	3.1	20.5	<0.01	0.06	1.4
L820483		0.51	19.3	870	16.0	21.4	0.001	0.07	0.28	1.7	0.5	0.5	17.6	<0.01	0.02	1.0
L820484		1.15	39.6	860	46.8	23.2	<0.001	0.05	0.44	2.8	0.8	1.0	28.6	<0.01	0.05	3.0
L820485		1.32	34.1	390	13.8	11.0	<0.001	0.03	0.45	3.2	0.6	0.8	18.8	<0.01	0.03	3.8
L820486		0.78	20.4	680	14.7	13.2	<0.001	0.07	0.52	1.3	0.6	0.7	20.7	<0.01	0.04	0.5
L820487		0.64	18.7	520	10.6	25.9	0.001	0.04	0.35	1.4	0.5	0.9	17.6	<0.01	0.05	0.7
L820488		1.18	37.1	1260	18.3	25.1	<0.001	0.02	0.31	3.6	0.7	0.7	29.8	<0.01	0.02	10.2
L820489		0.91	28.1	1000	17.7	14.5	<0.001	0.05	0.42	2.6	0.9	0.7	31.4	<0.01	0.04	3.3
L820490		1.11	30.5	840	25.4	12.0	<0.001	0.07	0.46	2.3	1.1	0.9	26.6	<0.01	0.04	1.8
L820491		1.67	37.3	930	21.5	20.7	<0.001	0.04	0.41	3.1	0.5	1.0	27.9	<0.01	0.04	6.1
L820492		1.09	23.1	710	16.9	8.0	<0.001	0.05	0.29	1.9	0.3	0.9	22.6	<0.01	0.04	1.7
L820493		1.39	28.0	840	15.5	15.5	<0.001	0.03	0.32	2.4	0.6	0.8	20.9	<0.01	0.03	6.5
L820494		0.30	10.6	540	6.8	5.2	<0.001	0.06	0.21	0.6	0.5	0.3	14.7	<0.01	0.01	0.2
L820495		1.01	24.6	570	26.2	12.3	0.001	0.06	0.79	1.9	0.4	0.8	19.4	<0.01	0.05	0.7
L820496		1.03	32.4	610	17.0	12.0	<0.001	0.06	0.85	2.4	0.5	0.7	21.6	<0.01	0.05	1.6
L820497		0.99	39.5	1080	48.4	16.8	<0.001	0.10	0.68	2.8	0.8	0.6	36.7	<0.01	0.06	2.0
L820498		1.75	26.1	1080	39.7	9.7	<0.001	0.09	0.43	1.6	1.0	0.6	27.7	<0.01	0.04	2.6
L820499		0.62	24.9	1120	28.7	26.9	<0.001	0.10	0.38	1.2	0.7	0.5	29.7	<0.01	0.04	1.1
L820500		1.86	25.1	860	51.9	12.9	0.001	0.08	0.52	2.6	6.1	1.3	25.4	0.01	0.05	3.6
L820501		1.07	22.8	1680	40.1	10.3	0.001	0.21	0.41	2.2	2.3	0.8	29.3	<0.01	0.02	0.6
L820502		0.48	15.5	730	12.1	9.7	<0.001	0.08	0.47	0.8	0.5	0.5	18.1	<0.01	0.06	0.2
L820503		1.27	33.2	510	18.8	9.1	0.001	0.04	0.49	3.3	0.6	0.6	19.5	<0.01	0.05	1.7
L820504		0.62	21.0	550	15.2	8.2	0.001	0.06	0.45	1.2	0.2	0.6	18.6	<0.01	0.04	0.4
L820505		0.73	24.9	560	39.3	9.8	<0.001	0.05	0.51	1.5	0.8	0.6	21.5	0.01	0.03	0.5
L820506		1.47	25.5	760	100.0	9.8	<0.001	0.03	0.42	3.2	0.8	0.7	23.5	0.01	0.08	3.4
L820507		1.30	22.4	580	20.8	10.6	<0.001	0.01	0.31	4.4	1.0	1.3	28.4	<0.01	0.02	5.6
L820508		1.16	18.1	620	15.7	9.2	0.001	0.05	0.29	2.0	0.5	0.6	20.1	<0.01	0.04	1.3
L820509		0.70	9.6	820	17.1	11.5	<0.001	0.08	0.34	0.6	0.9	0.5	13.3	<0.01	0.04	0.3
L820510		0.78	19.8	810	13.0	13.1	<0.001	0.08	0.65	1.0	0.7	0.6	21.5	<0.01	0.05	0.2
L820511		1.44	31.0	510	15.7	10.6	<0.001	0.05	0.74	2.9	1.2	1.0	16.9	0.01	0.06	2.2
L820512		1.69	25.2	390	19.3	6.4	<0.001	0.03	0.33	2.4	0.3	0.8	29.1	0.01	0.04	2.0
L820513		1.77	24.2	710	15.1	8.6	<0.001	0.01	0.31	4.4	1.0	0.8	24.2	<0.01	0.02	4.4
L820514		0.33	11.1	410	6.6	4.4	<0.001	0.04	0.26	0.9	0.4	0.4	10.5	<0.01	0.02	0.2
L820515		0.56	15.3	700	17.9	6.9	<0.001	0.08	0.42	1.6	2.1	0.5	21.0	<0.01	0.04	0.6
L820516		1.28	27.4	920	18.7	11.1	<0.001	0.03	0.37	3.6	1.0	0.9	24.4	<0.01	0.04	4.3
L820517		0.35	12.0	720	8.7	6.1	<0.001	0.07	0.24	1.0	0.6	0.4	21.0	<0.01	0.03	0.3
L820518		0.15	8.8	550	5.4	3.7	<0.001	0.07	0.21	0.5	0.2	0.3	12.5	<0.01	0.04	<0.2
L820519		1.09	27.7	460	17.5	7.8	<0.001	0.05	0.62	2.3	0.9	0.9	20.3	<0.01	0.05	1.2
L820520		1.16	24.1	630	29.9	13.1	<0.001	0.05	0.39	3.1	2.1	1.1	19.0	<0.01	0.04	3.0

Comments: **Corrected copy with sample ID L820531- A changed to L820530**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9-DEC-2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147833

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Ti ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
L820481		0.081	0.06	0.89	69	0.16	3.63	85	0.5
L820482		0.084	0.16	1.08	58	0.31	5.40	121	0.6
L820483		0.056	0.14	1.53	46	0.13	7.91	60	<0.5
L820484		0.105	0.17	2.00	72	0.27	13.45	129	0.8
L820485		0.106	0.11	1.05	58	0.19	6.36	92	1.2
L820486		0.054	0.12	0.85	51	0.15	4.91	90	<0.5
L820487		0.064	0.21	1.04	48	0.28	6.91	111	<0.5
L820488		0.120	0.20	1.74	53	0.23	13.35	104	2.0
L820489		0.076	0.13	2.10	49	0.20	15.80	105	0.7
L820490		0.087	0.14	2.48	57	0.27	15.45	80	0.8
L820491		0.111	0.14	2.02	54	0.28	12.05	97	1.2
L820492		0.086	0.10	1.17	49	0.21	8.43	84	0.7
L820493		0.103	0.14	2.01	52	0.41	11.60	82	0.9
L820494		0.055	0.05	0.83	43	0.10	6.91	42	<0.5
L820495		0.101	0.11	0.76	72	0.26	3.55	78	0.6
L820496		0.101	0.13	1.11	73	0.24	4.72	97	0.5
L820497		0.097	0.19	2.29	67	0.25	9.96	85	0.8
L820498		0.076	0.10	2.28	54	0.26	18.85	98	0.9
L820499		0.081	0.14	0.90	52	0.14	3.49	89	<0.5
L820500		0.069	0.13	7.25	50	0.30	137.0	166	1.3
L820501		0.041	0.19	5.86	42	0.23	37.6	73	1.0
L820502		0.045	0.08	0.71	44	0.15	4.19	55	<0.5
L820503		0.109	0.10	0.85	63	0.17	7.05	78	0.9
L820504		0.057	0.11	0.76	48	0.14	4.08	63	<0.5
L820505		0.060	0.11	0.96	50	0.24	4.67	122	<0.5
L820506		0.092	0.10	1.62	52	0.28	15.10	129	1.3
L820507		0.090	0.09	2.52	46	0.24	22.6	75	3.2
L820508		0.076	0.10	0.98	48	0.19	9.59	70	1.0
L820509		0.023	0.09	1.17	30	0.11	10.10	74	0.5
L820510		0.047	0.11	0.80	54	0.15	4.48	81	<0.5
L820511		0.084	0.12	1.33	61	0.19	11.25	118	0.9
L820512		0.094	0.08	0.96	44	0.21	5.74	61	1.1
L820513		0.114	0.09	2.53	49	0.23	25.5	72	3.4
L820514		0.062	0.05	0.41	48	0.14	2.30	43	<0.5
L820515		0.051	0.08	1.97	42	0.12	35.6	64	0.7
L820516		0.098	0.10	1.72	55	0.20	15.55	81	1.1
L820517		0.062	0.06	1.07	53	0.12	10.45	43	<0.5
L820518		0.043	0.04	0.57	42	0.05	4.00	30	<0.5
L820519		0.085	0.10	0.95	59	0.18	6.57	93	0.8
L820520		0.085	0.12	4.17	70	0.20	32.8	129	1.1

Comments: **Corrected copy with sample ID L820531- A changed to L820530**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9- DEC- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147833

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt.	Au- TL43 Au	ME- MS41 Ag	ME- MS41 %	ME- MS41 As	ME- MS41 Au	ME- MS41 ppm	ME- MS41 B	ME- MS41 Ba	ME- MS41 Be	ME- MS41 Bi	ME- MS41 Ca	ME- MS41 %	ME- MS41 Cd	ME- MS41 ppm	ME- MS41 Ce	ME- MS41 Co	ME- MS41 ppm	ME- MS41 Cr	ME- MS41 ppm
		kg	ppm	ppm	%	ppm	ppm	ppm	10	10	0.05	0.01	0.01	0.01	0.01	0.02	0.1	1			
L820521		0.29	0.001	0.06	0.44	1.2	<0.2	<10	20	0.29	0.05	0.18	0.05	23.9	4.4	8					
L820522		0.47	0.003	0.06	1.69	4.9	<0.2	<10	70	0.83	0.19	0.36	0.26	73.5	8.9	31					
L820523		0.41	0.008	0.15	1.68	12.0	<0.2	<10	60	0.85	0.17	0.29	0.29	45.2	8.0	31					
L820524		0.27	0.002	0.27	2.71	11.3	<0.2	<10	100	1.08	0.40	0.21	0.44	45.7	7.9	43					
L820525		0.33	0.007	0.41	1.99	10.0	<0.2	<10	100	1.02	0.38	0.24	0.74	50.1	8.6	34					
L820526		0.18	0.003	0.24	1.08	6.5	<0.2	<10	50	0.57	0.19	0.24	0.45	25.6	6.1	25					
L820527		0.29	0.002	0.07	1.38	5.4	<0.2	<10	50	0.94	0.23	0.26	0.44	43.0	8.4	29					
L820528		0.40	0.004	0.06	1.81	7.3	<0.2	<10	60	1.20	0.23	0.23	0.20	111.0	8.1	28					
L820529		0.33	0.001	0.14	1.17	6.5	<0.2	<10	60	0.53	0.19	0.23	0.34	24.3	7.0	30					
L820531		0.29	0.002	0.05	1.17	4.6	<0.2	<10	60	0.67	0.18	0.24	0.28	51.4	6.3	25					
L820530		0.34	0.008	0.08	1.68	8.6	<0.2	<10	70	0.97	0.23	0.26	0.47	43.9	9.4	27					
L820532		0.28	0.001	0.15	0.75	3.2	<0.2	<10	60	0.37	0.13	0.16	0.17	22.8	6.2	13					
L820533		0.20	0.001	0.10	0.53	2.2	<0.2	<10	40	0.17	0.08	0.12	0.17	7.05	4.1	8					
L820534		0.24	<0.001	0.06	0.30	0.7	<0.2	<10	30	0.20	0.04	0.13	0.03	14.65	4.3	7					
L820535		0.48	0.003	0.09	1.76	3.2	<0.2	<10	70	0.75	0.15	0.32	0.15	49.0	9.2	41					
L820536		0.43	0.005	0.16	1.58	10.7	<0.2	<10	80	0.88	0.30	0.21	0.46	33.6	9.8	29					
L820537		0.29	0.001	0.05	0.78	3.8	<0.2	<10	50	0.44	0.13	0.17	0.21	24.8	5.1	15					
L820538		0.43	0.001	0.04	1.43	4.4	<0.2	<10	50	1.15	0.26	0.39	0.33	66.1	8.9	33					
L820539		0.38	0.003	0.05	1.59	6.4	<0.2	<10	60	0.99	0.27	0.22	0.24	47.7	8.5	32					
L820540		0.35	0.002	0.09	1.34	24.6	<0.2	<10	90	0.52	0.31	0.24	0.30	22.9	9.7	28					
L820541		0.40	0.003	0.12	1.41	11.4	<0.2	<10	80	0.66	0.30	0.22	0.34	57.9	7.3	29					
L820542		0.59	0.006	0.09	1.59	14.7	<0.2	<10	60	1.29	0.22	0.37	0.88	114.5	9.6	32					
L820543		0.37	0.001	0.08	1.12	6.8	<0.2	<10	60	0.42	0.17	0.17	0.17	25.6	7.0	21					
L820544		0.35	0.002	0.19	1.22	4.8	<0.2	<10	110	0.36	0.15	0.31	0.16	19.55	8.9	21					
L820545		0.44	0.003	0.05	2.36	7.4	<0.2	<10	70	1.37	0.24	0.31	0.20	57.6	14.0	56					
L820546		0.28	NSS	0.08	0.80	4.2	<0.2	<10	40	1.20	0.23	0.22	0.54	87.0	4.7	21					
L820547		0.36	0.001	0.23	1.23	6.1	<0.2	<10	60	2.06	0.33	0.36	0.97	171.0	6.3	21					
L820548		0.23	NSS	0.31	1.42	7.5	<0.2	<10	70	2.11	0.38	0.40	0.83	175.0	6.9	29					
L820549		0.29	NSS	0.11	1.13	4.6	<0.2	<10	50	1.26	0.28	0.35	0.57	94.9	7.5	54					
L820550		0.25	NSS	0.15	1.12	6.2	<0.2	<10	60	1.46	0.27	0.41	0.71	115.0	6.7	37					
L820551		0.31	0.001	0.05	0.50	2.8	<0.2	<10	30	0.16	0.10	0.14	0.13	12.80	4.2	11					
L820552		0.47	0.002	0.04	1.79	5.8	<0.2	<10	80	1.52	0.43	0.26	0.40	97.3	9.1	35					
L820553		0.34	0.002	0.09	1.44	9.1	<0.2	<10	80	0.53	0.26	0.19	0.32	42.7	8.1	31					
L820554		0.69	0.003	0.04	2.07	6.8	<0.2	<10	90	1.12	0.21	0.48	0.18	55.4	13.6	51					
L820555		0.49	0.002	0.02	1.42	5.2	<0.2	<10	70	0.85	0.34	0.26	0.39	67.0	6.2	25					
L820556		0.41	0.016	0.07	1.37	10.3	<0.2	<10	140	0.53	0.37	0.42	0.26	29.3	10.5	30					
L820557		0.43	0.003	0.04	1.40	7.0	<0.2	<10	90	1.06	0.36	0.22	0.26	64.0	7.8	26					
L820558		0.39	0.005	0.07	1.25	8.9	<0.2	<10	100	0.52	0.30	0.28	0.22	37.5	7.5	28					
L820559		0.42	0.005	0.10	1.74	7.6	<0.2	<10	70	0.86	0.40	0.25	0.49	41.8	9.7	30					
L820560		0.49	0.003	0.13	1.49	8.9	<0.2	<10	70	0.54	0.51	0.20	0.34	26.6	10.0	35					

Comments: **Corrected copy with sample ID L820531-A changed to L820533**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9- DEC- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147833

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm	ME-MS41 Cu ppm	ME-MS41 Fe %	ME-MS41 Ga ppm	ME-MS41 Ge ppm	ME-MS41 Hf ppm	ME-MS41 Hg ppm	ME-MS41 In ppm	ME-MS41 K %	ME-MS41 La ppm	ME-MS41 Li ppm	ME-MS41 Mg %	ME-MS41 Mn ppm	ME-MS41 Mo ppm	ME-MS41 Na %
L820521		0.35	13.3	1.64	3.30	0.09	<0.02	<0.01	0.008	0.01	11.5	3.3	0.14	148	0.30	0.02
L820522		1.09	15.3	2.14	6.64	0.16	0.05	<0.01	0.031	0.06	31.6	17.7	0.56	437	0.52	0.02
L820523		1.25	19.3	2.25	7.47	0.14	0.02	0.01	0.025	0.05	21.7	20.4	0.60	246	0.69	0.02
L820524		2.82	29.0	3.20	11.95	0.15	0.03	0.08	0.053	0.08	33.1	19.6	0.50	538	1.82	0.02
L820525		2.02	24.2	2.83	8.87	0.12	0.02	0.06	0.037	0.07	27.8	14.7	0.41	822	2.18	0.02
L820526		1.72	18.8	2.04	5.91	0.12	<0.02	0.07	0.021	0.06	12.2	10.2	0.34	353	1.43	0.02
L820527		2.17	19.6	2.11	6.68	0.13	0.02	0.03	0.026	0.06	19.5	17.2	0.50	453	1.11	0.02
L820528		1.65	20.9	2.63	7.25	0.20	0.07	<0.01	0.044	0.06	49.0	15.7	0.51	533	1.06	0.02
L820529		0.96	25.8	2.18	5.30	0.09	0.02	0.08	0.037	0.04	11.4	9.7	0.40	281	2.53	0.02
L820531		1.08	16.1	1.97	5.80	0.15	0.02	0.01	0.024	0.04	28.3	13.4	0.41	294	0.88	0.02
L820530		0.93	29.3	2.45	6.19	0.12	0.02	0.05	0.042	0.06	19.6	11.5	0.46	485	1.65	0.03
L820532		0.71	16.6	1.53	3.73	0.09	<0.02	0.02	0.013	0.04	10.8	4.1	0.21	379	1.00	0.02
L820533		0.45	12.8	1.15	2.96	0.08	<0.02	0.01	0.009	0.03	3.5	3.2	0.18	170	0.64	0.02
L820534		0.20	10.4	1.81	2.97	0.08	<0.02	<0.01	0.006	0.01	5.2	1.4	0.11	90	0.28	0.02
L820535		1.75	14.2	2.07	7.21	0.13	0.07	<0.01	0.028	0.08	22.1	26.3	0.78	268	0.28	0.02
L820536		1.51	30.4	2.69	7.85	0.12	<0.02	0.06	0.040	0.07	15.3	13.0	0.40	906	1.89	0.02
L820537		0.79	17.7	1.86	4.14	0.13	0.02	0.03	0.025	0.04	10.6	6.6	0.25	251	0.81	0.02
L820538		1.81	15.9	2.34	7.23	0.21	0.05	0.01	0.036	0.09	30.1	27.6	0.65	527	0.60	0.02
L820539		3.00	17.1	2.52	6.41	0.15	0.02	0.03	0.031	0.05	23.3	26.8	0.65	398	0.88	0.01
L820540		1.61	32.2	3.30	7.32	0.12	<0.02	0.06	0.031	0.07	10.2	11.8	0.46	590	2.29	0.02
L820541		1.52	31.4	2.99	6.40	0.15	0.02	0.05	0.053	0.06	22.7	11.4	0.44	404	2.44	0.02
L820542		2.34	24.7	2.90	6.25	0.27	0.08	0.02	0.046	0.07	65.8	17.6	0.54	579	2.56	0.02
L820543		0.89	23.6	2.33	4.91	0.12	<0.02	0.06	0.024	0.04	9.2	7.8	0.31	352	1.53	0.02
L820544		0.98	20.3	2.69	5.70	0.13	<0.02	0.07	0.024	0.04	7.6	9.6	0.57	350	1.15	0.03
L820545		5.67	19.2	3.38	9.34	0.13	0.05	0.04	0.036	0.14	21.1	42.1	1.31	592	0.91	0.01
L820546		1.45	11.2	1.74	5.18	0.16	0.11	0.04	0.060	0.06	35.3	12.3	0.24	479	1.94	0.01
L820547		1.91	19.6	2.12	6.72	0.29	0.07	0.04	0.070	0.07	91.8	14.7	0.36	621	1.61	0.01
L820548		2.04	21.1	2.28	7.48	0.33	0.08	0.06	0.071	0.08	102.0	18.1	0.42	662	2.19	0.02
L820549		1.65	12.1	1.97	6.80	0.18	0.15	0.03	0.045	0.07	41.1	28.0	0.58	510	4.51	0.01
L820550		1.72	16.1	2.00	6.49	0.22	0.07	0.04	0.050	0.07	60.7	21.8	0.47	534	2.98	0.01
L820551		0.60	14.4	1.59	3.22	0.07	<0.02	0.04	0.010	0.02	5.5	3.1	0.16	135	0.78	0.01
L820552		2.95	24.5	3.47	6.43	0.19	0.07	0.03	0.059	0.06	56.1	20.7	0.64	777	7.09	0.01
L820553		1.50	26.7	2.89	6.33	0.10	<0.02	0.05	0.040	0.05	14.5	13.2	0.48	382	2.52	0.01
L820554		5.21	22.1	3.12	7.64	0.15	0.04	0.02	0.023	0.14	28.6	45.9	1.10	531	0.99	0.01
L820555		1.90	17.8	2.64	4.95	0.14	0.07	0.03	0.042	0.05	35.2	12.2	0.41	307	3.32	0.01
L820556		1.62	26.0	3.05	7.14	0.08	<0.02	0.06	0.039	0.07	10.2	14.4	0.53	623	2.64	0.01
L820557		1.44	19.4	2.93	6.38	0.11	0.03	0.03	0.050	0.05	11.3	12.8	0.42	475	2.04	0.01
L820558		1.67	19.0	3.11	8.00	0.09	<0.02	0.03	0.038	0.05	9.2	18.9	0.45	407	1.72	0.01
L820559		2.00	25.6	2.69	5.73	0.10	0.02	0.04	0.033	0.05	13.3	15.9	0.56	529	1.08	0.01
L820560		2.67	26.6	3.14	7.39	0.09	<0.02	0.04	0.039	0.04	11.5	27.3	0.65	379	1.30	0.01

Comments: **Corrected copy with sample ID L820531-A changed to L820530**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9- DEC- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147833

Sample Description	Method Analyte Units LOR	ME-MS41														
		Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
L820521		0.33	5.1	690	3.7	1.8	<0.001	0.02	0.09	0.9	0.7	0.2	11.7	<0.01	0.03	0.5
L820522		1.26	19.5	720	18.8	9.1	<0.001	0.01	0.35	4.0	0.8	0.9	25.6	<0.01	0.03	5.7
L820523		1.24	24.3	900	21.4	8.7	<0.001	0.05	0.37	3.2	0.8	0.6	21.8	<0.01	0.04	3.6
L820524		1.17	26.9	1130	57.6	14.7	<0.001	0.12	0.68	2.4	1.2	1.0	23.4	<0.01	0.06	1.1
L820525		0.91	22.8	1190	42.1	13.2	<0.001	0.12	0.58	1.8	0.9	0.8	23.6	<0.01	0.04	0.8
L820526		0.67	17.8	1130	15.5	12.6	<0.001	0.13	0.51	1.0	0.4	0.7	25.1	<0.01	0.05	0.2
L820527		0.85	23.7	840	35.4	8.2	<0.001	0.05	0.37	1.8	0.8	0.9	21.1	<0.01	0.06	2.9
L820528		1.75	22.0	600	23.7	9.8	<0.001	0.03	0.43	3.1	1.2	0.9	17.0	0.01	0.05	3.9
L820529		0.97	24.1	840	9.8	7.9	<0.001	0.09	0.45	1.1	0.6	0.6	20.3	<0.01	0.04	0.6
L820531		0.78	18.6	660	15.6	6.7	<0.001	0.05	0.36	1.7	0.7	0.7	20.1	<0.01	0.04	0.7
L820530		0.99	23.5	740	24.2	8.3	<0.001	0.08	0.54	1.8	0.9	0.7	20.7	<0.01	0.06	1.0
L820532		0.31	10.7	900	9.1	6.3	<0.001	0.12	0.28	0.6	0.5	0.3	16.2	<0.01	0.02	<0.2
L820533		0.22	6.9	460	3.6	5.1	<0.001	0.06	0.22	0.4	0.3	0.3	13.7	<0.01	0.03	<0.2
L820534		0.18	4.8	460	2.5	1.2	<0.001	0.04	0.07	0.6	0.3	0.2	10.9	<0.01	0.02	<0.2
L820535		1.37	25.5	670	12.0	15.2	<0.001	0.01	0.30	4.6	0.9	0.7	20.9	<0.01	0.03	7.3
L820536		0.95	22.5	1070	26.2	13.1	<0.001	0.10	0.69	1.2	1.0	1.1	21.3	<0.01	0.07	0.4
L820537		0.48	11.6	610	9.2	7.0	<0.001	0.06	0.30	0.6	<0.2	0.5	14.2	<0.01	0.02	0.2
L820538		1.44	25.0	820	33.9	13.6	<0.001	0.01	0.29	3.7	0.9	1.2	25.4	<0.01	0.02	5.8
L820539		0.83	24.7	490	25.8	10.5	<0.001	0.03	0.36	2.4	0.5	0.6	17.6	<0.01	0.02	2.4
L820540		0.48	26.2	810	17.6	14.4	<0.001	0.08	0.98	1.3	0.5	0.8	22.4	<0.01	0.07	0.2
L820541		0.51	24.1	780	56.2	11.0	<0.001	0.09	0.80	1.4	0.5	0.6	17.8	<0.01	0.07	0.6
L820542		1.14	26.7	830	32.0	12.5	<0.001	0.01	0.44	4.4	1.1	1.1	23.9	<0.01	0.04	5.8
L820543		0.47	17.2	630	11.8	7.8	<0.001	0.07	0.50	1.2	0.5	0.4	15.3	<0.01	0.04	0.3
L820544		0.78	21.6	710	10.3	9.1	<0.001	0.07	0.37	1.3	0.4	0.5	34.9	<0.01	0.02	0.2
L820545		1.86	42.4	670	22.2	29.7	0.001	0.03	0.33	3.8	0.7	0.9	21.9	<0.01	0.01	7.3
L820546		1.99	17.0	480	39.4	8.5	0.002	<0.01	0.23	1.4	1.4	1.0	13.0	<0.01	0.01	8.3
L820547		2.11	18.1	760	45.8	11.2	0.002	0.02	0.30	2.5	3.2	1.0	22.9	<0.01	0.02	8.0
L820548		2.04	23.7	790	53.5	12.0	0.002	0.02	0.33	2.8	3.3	1.1	24.5	0.01	0.04	10.3
L820549		1.38	42.0	740	32.4	9.0	0.002	<0.01	0.22	2.3	1.0	1.0	17.9	<0.01	0.02	13.1
L820550		1.80	30.4	740	36.5	9.8	0.002	0.01	0.35	2.2	2.1	0.9	22.1	<0.01	0.01	8.6
L820551		0.26	8.0	510	5.4	4.1	0.001	0.03	0.25	0.6	0.3	0.2	12.0	<0.01	0.01	0.2
L820552		1.21	27.7	590	30.5	13.8	0.002	0.01	0.33	3.1	0.8	0.7	18.5	<0.01	0.02	8.0
L820553		0.77	25.9	700	14.1	11.4	0.002	0.06	0.61	1.9	0.5	0.6	18.4	<0.01	0.03	0.7
L820554		1.26	38.9	1050	17.9	27.4	0.001	0.01	0.36	4.1	0.8	0.9	31.5	<0.01	0.03	6.2
L820555		1.31	19.1	620	21.2	9.4	0.002	0.01	0.30	2.8	0.9	0.7	17.0	<0.01	<0.01	6.2
L820556		0.74	27.0	730	15.5	13.9	0.001	0.07	0.77	1.7	0.6	0.8	31.0	<0.01	0.06	0.5
L820557		1.53	24.1	410	28.7	9.2	0.002	0.03	0.38	2.1	0.5	0.9	17.6	<0.01	0.03	1.8
L820558		1.46	20.5	420	16.6	12.5	0.001	0.04	0.54	2.1	0.5	1.0	21.7	<0.01	0.04	1.1
L820559		1.19	24.2	480	24.1	7.6	0.001	0.04	0.39	2.4	0.4	0.7	19.9	<0.01	0.04	1.4
L820560		1.11	25.9	400	24.1	10.9	0.001	0.03	0.44	2.4	0.2	0.7	24.5	<0.01	0.06	1.4

Comments: **Corrected copy with sample ID L820531- A changed to L820530**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9- DEC- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147833

Sample Description	Method Analyte Units LOR	ME-MS41						
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm
		0.005	0.02	0.05	1	0.05	0.05	2
L820521		0.074	0.03	0.48	51	0.05	5.63	29
L820522		0.112	0.12	1.74	47	0.20	15.85	68
L820523		0.091	0.10	1.76	48	0.20	8.60	62
L820524		0.070	0.19	3.37	69	0.24	11.55	107
L820525		0.054	0.14	2.66	56	0.18	10.80	99
L820526		0.054	0.09	1.23	45	0.16	5.04	59
L820527		0.062	0.09	1.82	41	0.19	6.49	89
L820528		0.092	0.13	2.06	49	0.18	18.75	89
L820529		0.049	0.10	1.06	43	0.17	4.95	77
L820531		0.072	0.07	1.21	45	0.18	9.17	64
L820530		0.065	0.10	1.17	48	0.19	6.36	87
L820532		0.039	0.06	0.82	34	0.06	4.37	36
L820533		0.044	0.03	0.37	29	0.05	1.44	39
L820534		0.079	0.02	0.36	59	<0.05	3.05	27
L820535		0.110	0.12	1.63	50	0.18	9.82	59
L820536		0.053	0.12	1.68	54	0.21	9.57	89
L820537		0.051	<0.02	0.99	44	0.20	7.28	52
L820538		0.096	0.05	2.46	46	0.27	20.0	88
L820539		0.083	0.05	1.20	46	0.29	7.97	79
L820540		0.061	0.07	0.88	65	0.20	4.20	95
L820541		0.055	0.06	1.24	56	0.19	8.47	120
L820542		0.113	0.07	3.09	57	0.24	31.6	229
L820543		0.059	0.04	0.71	47	0.13	3.98	78
L820544		0.090	0.02	0.58	59	0.23	3.57	72
L820545		0.146	0.18	1.45	67	0.41	8.84	104
L820546		0.035	0.06	2.89	23	0.24	25.1	128
L820547		0.054	0.08	6.58	35	0.24	65.1	160
L820548		0.055	0.08	7.16	37	0.30	69.5	164
L820549		0.044	0.06	3.06	24	0.34	24.2	124
L820550		0.046	0.07	4.71	27	0.29	40.7	117
L820551		0.053	0.03	0.33	39	0.07	1.88	34
L820552		0.100	0.12	2.34	52	0.37	16.60	193
L820553		0.063	0.09	0.98	54	0.18	5.30	95
L820554		0.145	0.22	1.35	65	0.38	8.54	76
L820555		0.085	0.08	1.85	44	0.23	13.45	118
L820556		0.061	0.11	0.87	56	0.16	4.45	102
L820557		0.079	0.07	1.24	51	0.27	9.22	134
L820558		0.079	0.10	0.71	60	0.23	4.08	106
L820559		0.086	0.09	1.09	54	0.40	4.98	87
L820560		0.107	0.08	0.62	68	0.47	3.32	97

Comments: **Corrected copy with sample ID L820531- A changed to L820530**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9- DEC- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147833

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt.	Au-TL43 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm	
L820561		0.35	0.005	0.08	1.81	11.6	<0.2	<10	80	0.87	0.26	0.36	49.1	12.2	34	
L820562		0.33	0.006	0.11	1.96	9.8	<0.2	<10	70	0.85	0.23	0.21	0.26	54.5	11.6	34
L820563		0.27	0.002	0.09	1.16	9.0	<0.2	<10	90	0.39	0.25	0.23	0.21	17.75	8.9	26
L820564		0.34	0.001	0.08	0.74	3.1	<0.2	<10	40	0.37	0.14	0.11	0.13	24.9	4.2	14
L820565		0.44	0.002	0.10	3.04	4.7	<0.2	<10	190	1.08	0.21	0.68	0.21	58.2	15.8	34
L820566		0.34	0.003	0.04	2.01	10.9	<0.2	<10	80	0.93	0.23	0.24	0.32	41.2	12.6	36
L820567		0.28	0.002	0.09	1.47	11.9	<0.2	<10	100	0.63	0.37	0.24	0.26	28.7	9.8	31
L820568		0.42	0.002	0.07	0.70	3.4	<0.2	<10	30	1.16	0.25	0.38	0.55	103.5	6.7	15
L820569		0.45	0.001	0.12	0.82	3.1	<0.2	<10	40	1.74	0.24	0.38	1.09	163.5	5.8	15
L820570		0.52	0.004	0.14	0.82	3.6	<0.2	<10	30	1.34	0.25	0.38	0.63	114.0	6.9	16
L820571		0.38	0.001	0.17	1.07	4.1	<0.2	<10	50	2.02	0.31	0.43	1.10	169.5	6.5	19
L820572		0.37	0.002	0.15	0.95	3.3	<0.2	<10	40	1.49	0.26	0.39	0.82	119.5	7.1	20
L820573		0.54	0.001	0.11	1.00	3.5	<0.2	<10	50	1.67	0.27	0.41	0.84	132.5	7.1	20
L820574		0.58	0.001	0.08	0.58	2.1	<0.2	<10	30	0.88	0.15	0.31	0.30	58.4	5.8	13
L820575		0.38	0.001	0.18	1.18	3.5	<0.2	<10	50	1.57	0.26	0.46	1.88	108.5	8.4	27
L820576		0.44	0.002	0.36	1.29	3.9	<0.2	<10	50	1.99	0.33	0.49	2.27	141.0	7.9	26
L820577		0.29	0.002	0.31	1.13	3.6	<0.2	<10	50	1.83	0.29	0.45	1.96	140.0	7.5	24
L820578		0.38	0.002	0.33	1.24	4.0	<0.2	<10	60	1.92	0.33	0.49	2.21	143.0	7.8	26
L820579		0.58	0.002	0.31	1.53	5.4	<0.2	<10	70	1.77	0.34	0.41	1.15	161.5	8.8	30
L820580		0.53	<0.001	0.11	0.55	2.7	<0.2	<10	40	0.68	0.15	0.26	0.53	68.8	4.5	11
L820581		0.53	0.001	0.24	1.23	5.1	<0.2	<10	60	1.12	0.40	0.41	0.63	79.6	8.6	30
L820582		0.42	0.001	0.22	0.84	2.9	<0.2	<10	50	0.75	0.41	0.29	1.24	79.1	5.7	19
L820583		0.33	0.001	0.04	0.44	2.5	<0.2	<10	20	0.24	0.06	0.13	0.10	11.90	4.0	7
L820584		0.35	0.002	0.09	1.65	19.3	<0.2	<10	90	1.14	0.28	0.29	0.47	106.0	13.0	31
L820585		0.39	0.001	0.04	0.34	1.6	<0.2	<10	30	0.09	0.04	0.15	0.04	7.58	2.4	4
L820586		0.37	<0.001	0.03	0.28	0.5	<0.2	<10	20	0.11	0.03	0.19	0.04	7.70	2.6	3
L820587		0.33	0.002	0.02	0.26	0.8	<0.2	<10	20	0.06	0.03	0.12	0.03	4.80	1.8	2
L820588		0.39	0.006	0.06	1.79	19.1	<0.2	<10	100	1.21	0.34	0.15	0.27	66.8	11.6	29
L820589		0.43	0.003	0.10	2.04	10.6	<0.2	<10	100	0.97	0.34	0.13	0.19	69.7	14.3	35
L820590		0.33	0.003	0.08	0.95	6.0	<0.2	<10	70	0.35	0.17	0.19	0.13	28.7	8.8	18
L820591		0.37	0.003	0.24	1.17	11.6	<0.2	<10	90	1.08	0.38	0.43	0.69	78.4	8.9	21
L820592		0.35	0.002	0.04	0.34	0.8	<0.2	<10	20	0.06	0.03	0.15	0.03	5.96	2.3	3
L820593		0.42	0.002	0.04	0.32	0.8	<0.2	<10	20	0.07	0.03	0.13	0.02	6.59	2.0	3
L820594		0.36	0.004	0.08	1.23	13.2	<0.2	<10	70	0.60	0.28	0.19	0.31	25.7	7.8	24
L820595		0.27	0.005	0.09	0.79	11.4	<0.2	<10	60	0.29	0.22	0.22	0.34	20.2	5.6	19
L820596		0.14	0.003	0.09	1.02	10.4	<0.2	<10	90	0.38	0.24	0.29	0.55	22.6	9.4	21
L820597		0.35	0.002	0.03	0.44	1.8	<0.2	<10	30	0.09	0.05	0.17	0.06	9.81	3.9	6
L820598		0.54	0.004	0.08	1.82	9.1	<0.2	<10	90	2.16	0.23	0.15	0.64	94.9	11.2	32
L820599		0.27	0.005	0.14	1.68	18.5	<0.2	<10	60	0.88	0.23	0.24	0.25	48.3	9.3	30
L820600		0.35	0.004	0.31	1.97	31.0	<0.2	<10	100	1.87	0.38	0.27	0.42	76.8	13.6	41

Comments: **Corrected copy with sample ID L820531-A changed to L820530**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9- DEC- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147833

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
L820561		1.93	29.8	3.37	6.99	0.10	0.02	0.03	0.047	0.06	13.1	15.8	0.61	661	3.22	0.01
L820562		1.53	28.3	2.96	6.56	0.14	0.02	0.04	0.036	0.05	20.2	16.6	0.63	504	1.68	0.01
L820563		1.47	24.0	2.95	6.52	0.08	<0.02	0.05	0.024	0.05	7.7	10.9	0.43	448	2.07	0.01
L820564		1.04	12.9	1.83	3.69	0.11	<0.02	0.02	0.019	0.03	16.8	6.5	0.22	167	1.16	0.01
L820565		2.56	26.1	4.11	9.62	0.18	0.03	0.04	0.043	0.10	27.8	26.4	1.56	600	1.22	0.06
L820566		1.66	29.3	3.33	6.71	0.10	0.03	0.03	0.031	0.06	13.4	17.8	0.68	620	1.45	0.01
L820567		1.84	29.6	3.47	7.87	0.08	<0.02	0.06	0.035	0.06	10.3	14.5	0.52	611	2.86	0.01
L820568		1.08	23.3	2.76	5.58	0.20	0.05	0.01	0.042	0.05	56.5	8.6	0.30	433	0.83	0.02
L820569		1.42	25.5	1.64	4.99	0.26	0.04	0.02	0.043	0.06	81.4	11.1	0.36	675	0.90	0.02
L820570		1.51	20.3	2.47	6.18	0.23	0.04	0.02	0.044	0.07	68.0	12.3	0.35	483	0.80	0.02
L820571		1.86	26.2	1.98	6.42	0.31	0.03	0.03	0.057	0.08	104.5	15.4	0.46	620	1.00	0.02
L820572		1.94	22.1	2.00	5.55	0.25	0.03	0.03	0.040	0.08	70.2	16.7	0.49	485	0.96	0.02
L820573		1.90	23.7	2.03	5.69	0.27	0.03	0.03	0.043	0.08	76.6	16.5	0.49	565	0.98	0.02
L820574		1.16	12.9	1.96	4.36	0.15	0.02	<0.01	0.027	0.04	31.6	9.5	0.28	281	0.54	0.01
L820575		2.58	22.4	2.13	6.27	0.23	0.03	0.02	0.042	0.09	59.4	23.9	0.68	476	0.97	0.02
L820576		2.67	24.5	2.21	6.58	0.29	0.04	0.03	0.052	0.10	86.7	23.6	0.65	488	1.04	0.02
L820577		2.49	23.1	2.09	6.20	0.26	0.04	0.02	0.045	0.09	80.4	20.7	0.57	490	1.00	0.02
L820578		2.70	23.9	2.15	6.57	0.29	0.04	0.04	0.053	0.09	87.1	22.4	0.63	520	1.13	0.02
L820579		2.40	21.6	2.48	7.11	0.27	0.04	0.03	0.057	0.09	91.1	22.4	0.64	568	1.44	0.01
L820580		0.92	11.3	1.54	3.27	0.13	0.02	<0.01	0.027	0.04	29.2	7.6	0.23	427	0.98	0.01
L820581		3.41	21.2	2.15	6.22	0.09	0.02	0.05	0.031	0.07	43.0	27.5	0.67	414	1.22	0.02
L820582		1.47	15.9	1.47	4.08	0.07	0.02	0.04	0.026	0.06	26.5	14.4	0.43	630	0.97	0.02
L820583		0.52	15.9	1.52	2.94	<0.05	<0.02	0.05	0.008	0.02	5.0	2.1	0.10	144	0.49	0.02
L820584		1.62	36.9	3.13	7.14	0.07	0.02	0.08	0.042	0.07	25.5	20.0	0.59	903	2.57	0.02
L820585		0.15	12.8	0.82	1.65	<0.05	<0.02	0.02	0.005	0.04	3.4	1.2	0.09	80	0.21	0.03
L820586		0.09	9.4	0.99	2.04	<0.05	<0.02	0.02	0.005	0.02	3.6	1.8	0.07	79	0.18	0.03
L820587		0.10	8.1	0.69	1.67	<0.05	<0.02	0.02	<0.005	0.03	2.4	0.7	0.06	44	0.12	0.03
L820588		5.39	28.2	3.77	8.35	0.05	<0.02	0.06	0.030	0.13	25.5	22.9	0.49	672	2.37	0.02
L820589		5.61	27.7	4.07	9.10	0.07	<0.02	0.05	0.031	0.18	29.9	35.1	0.75	738	1.90	0.02
L820590		2.45	16.5	2.52	4.96	<0.05	<0.02	0.03	0.018	0.06	10.8	11.0	0.34	450	1.00	0.02
L820591		2.14	26.9	2.65	6.32	0.05	<0.02	0.15	0.043	0.07	24.3	9.9	0.38	1050	2.49	0.02
L820592		0.09	10.9	0.85	1.65	<0.05	<0.02	0.02	<0.005	0.03	2.6	0.6	0.06	66	0.16	0.03
L820593		0.08	12.0	0.71	1.46	<0.05	<0.02	0.02	<0.005	0.03	2.9	0.6	0.06	56	0.15	0.03
L820594		1.71	29.1	3.09	7.99	<0.05	<0.02	0.06	0.031	0.05	9.2	8.0	0.32	422	3.67	0.02
L820595		1.43	23.5	2.15	4.64	<0.05	<0.02	0.07	0.021	0.06	7.8	4.8	0.24	211	2.08	0.02
L820596		1.30	28.1	2.92	6.28	<0.05	0.02	0.06	0.029	0.05	8.2	7.6	0.35	541	2.40	0.02
L820597		0.21	17.6	1.49	2.72	<0.05	<0.02	0.01	0.006	0.02	4.6	1.4	0.10	102	0.25	0.03
L820598		3.84	24.9	3.62	8.53	<0.05	<0.02	0.03	0.031	0.13	12.4	26.1	0.39	556	2.42	0.01
L820599		1.50	25.2	3.15	7.18	<0.05	0.02	0.06	0.039	0.06	14.1	19.8	0.50	544	2.50	0.01
L820600		2.85	34.6	4.02	8.41	<0.05	0.02	0.03	0.067	0.07	21.6	31.5	0.57	513	2.43	0.02

Comments: **Corrected copy with sample ID L820531-A changed to L820530**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9- DEC- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147833

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
L820561		1.20	31.5	510	22.8	13.0	0.002	0.05	0.70	2.2	0.6	0.8	22.1	<0.01	0.03	1.4
L820562		1.21	33.0	430	19.9	8.8	0.002	0.04	0.44	2.8	0.6	0.7	19.4	<0.01	0.03	2.3
L820563		0.69	22.0	600	14.0	13.5	0.001	0.05	0.68	1.5	0.2	0.6	21.7	<0.01	0.05	0.4
L820564		0.31	9.7	410	17.2	5.1	0.002	0.03	0.22	0.8	0.2	0.3	10.7	<0.01	0.02	0.3
L820565		1.28	41.9	1390	16.3	13.5	0.002	0.04	0.27	4.0	0.9	0.8	73.2	<0.01	0.01	2.6
L820566		1.14	33.6	520	12.4	9.6	0.001	0.03	0.54	3.2	0.7	0.7	19.6	<0.01	0.02	1.8
L820567		0.67	28.1	840	17.4	15.0	0.001	0.08	0.95	1.5	0.4	0.9	22.8	<0.01	0.06	0.4
L820568		1.16	10.9	970	26.8	6.5	0.001	0.02	0.20	1.4	1.5	0.7	17.7	<0.01	0.01	5.3
L820569		1.09	12.7	710	38.1	8.9	0.001	0.03	0.21	1.6	2.5	0.7	21.7	<0.01	0.01	4.5
L820570		1.24	12.8	880	31.6	9.8	0.001	0.02	0.22	1.6	2.0	0.8	20.9	<0.01	<0.01	5.4
L820571		1.39	16.0	790	42.9	12.0	0.002	0.03	0.27	1.9	2.7	0.9	24.8	0.01	0.01	4.6
L820572		1.23	16.3	830	32.6	12.2	0.001	0.02	0.23	1.8	2.2	0.7	23.6	<0.01	<0.01	5.1
L820573		1.21	16.9	830	34.6	12.1	0.002	0.02	0.23	1.8	2.2	0.7	24.2	<0.01	0.01	4.6
L820574		0.74	9.7	830	18.7	6.7	0.001	0.01	0.13	1.1	0.9	0.5	17.3	<0.01	0.01	4.9
L820575		1.22	21.5	790	34.4	16.1	0.002	0.02	0.21	2.1	1.8	0.8	27.8	<0.01	0.02	4.8
L820576		1.41	20.8	850	42.2	16.5	0.002	0.03	0.26	2.3	2.4	0.8	27.8	<0.01	0.01	6.3
L820577		1.31	19.6	790	38.2	14.5	0.002	0.02	0.24	2.1	2.4	0.8	26.0	<0.01	0.03	5.4
L820578		1.33	21.0	850	41.1	16.0	0.002	0.03	0.25	2.2	2.5	0.8	29.1	<0.01	0.02	5.8
L820579		1.76	23.7	770	37.7	16.6	0.002	0.03	0.36	2.6	2.9	0.9	26.1	<0.01	0.05	7.4
L820580		1.17	8.8	710	14.2	6.1	0.002	0.01	0.13	1.1	1.2	0.5	14.4	<0.01	0.01	4.2
L820581		0.97	20.7	870	31.3	14.4	<0.001	0.03	0.25	2.0	1.0	0.6	27.4	<0.01	0.02	3.1
L820582		0.94	13.5	660	49.4	9.3	<0.001	0.01	0.24	1.4	0.5	0.4	18.5	<0.01	0.03	3.0
L820583		0.17	4.7	490	3.3	2.4	<0.001	0.03	0.31	0.4	0.2	0.2	10.4	<0.01	<0.01	<0.2
L820584		0.78	31.1	950	19.0	11.6	0.001	0.09	1.29	2.3	1.1	0.7	25.5	<0.01	0.03	0.7
L820585		0.29	2.7	540	1.4	2.0	<0.001	0.01	0.10	0.4	<0.2	<0.2	10.3	<0.01	0.01	0.2
L820586		0.16	2.0	670	1.5	0.8	<0.001	0.01	0.08	0.2	<0.2	<0.2	12.9	<0.01	0.01	<0.2
L820587		0.26	1.6	420	1.3	1.4	<0.001	0.01	0.06	0.2	<0.2	<0.2	10.4	<0.01	<0.01	<0.2
L820588		1.44	24.3	550	19.1	27.3	<0.001	0.05	1.06	2.8	0.6	0.8	14.5	<0.01	0.02	1.9
L820589		2.10	26.3	560	19.8	43.2	<0.001	0.05	0.90	3.0	0.5	0.9	14.8	<0.01	0.02	2.4
L820590		0.64	13.3	500	9.6	14.4	<0.001	0.04	0.62	1.3	0.4	0.4	15.0	<0.01	0.01	0.5
L820591		0.97	18.7	950	54.3	15.5	0.001	0.09	0.90	0.9	0.7	0.6	30.2	<0.01	0.04	0.8
L820592		0.25	2.0	530	1.1	1.1	<0.001	0.01	0.07	0.3	<0.2	<0.2	10.5	<0.01	<0.01	<0.2
L820593		0.22	1.9	490	0.9	1.3	<0.001	0.01	0.08	0.3	<0.2	<0.2	9.4	<0.01	<0.01	<0.2
L820594		1.01	19.7	620	21.2	12.9	<0.001	0.06	1.13	1.4	0.6	0.7	17.5	<0.01	0.04	0.4
L820595		0.70	15.3	920	11.5	11.9	<0.001	0.11	0.82	0.9	0.4	0.5	16.9	<0.01	0.02	0.2
L820596		0.76	18.6	680	13.2	10.4	<0.001	0.09	0.88	1.3	0.4	0.5	20.8	<0.01	0.04	0.4
L820597		0.21	3.8	660	1.8	1.8	<0.001	0.02	0.13	0.4	<0.2	0.2	11.8	<0.01	<0.01	<0.2
L820598		0.87	25.2	600	17.5	27.5	<0.001	0.03	0.49	2.3	0.4	0.5	13.5	<0.01	0.02	1.7
L820599		1.21	22.4	550	17.9	10.5	0.001	0.05	0.91	2.0	0.7	0.7	19.1	<0.01	0.01	0.7
L820600		1.22	37.2	750	34.6	13.6	<0.001	0.03	0.96	4.8	0.7	1.3	22.7	<0.01	0.04	3.0

Comments: **Corrected copy with sample ID L820531- A changed to L820530**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 6 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9- DEC- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147833

Sample Description	Method Analyte Units LOR	ME-MS41						
		Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm
		0.005	0.02	0.05	1	0.05	0.05	2
L820561		0.077	0.10	1.21	58	0.22	6.05	120
L820562		0.092	0.09	1.03	56	0.22	6.81	109
L820563		0.077	0.09	0.65	62	0.17	2.89	77
L820564		0.053	0.04	0.72	39	0.74	4.64	62
L820565		0.122	0.10	1.18	62	0.18	13.05	104
L820566		0.101	0.08	0.84	64	0.29	5.48	82
L820567		0.058	0.09	0.92	61	0.34	4.17	107
L820568		0.091	0.04	2.62	69	0.14	42.3	108
L820569		0.047	0.06	4.04	31	0.15	67.8	98
L820570		0.079	0.06	2.89	61	0.17	42.2	104
L820571		0.050	0.08	4.51	35	0.19	72.8	123
L820572		0.067	0.08	3.39	40	0.19	47.0	110
L820573		0.065	0.07	3.94	39	0.17	55.0	109
L820574		0.073	0.04	1.73	51	0.11	19.90	67
L820575		0.075	0.10	4.80	40	0.20	37.9	138
L820576		0.067	0.11	7.66	39	0.23	57.9	167
L820577		0.064	0.10	6.62	38	0.39	55.5	143
L820578		0.065	0.11	7.18	38	0.20	57.3	155
L820579		0.081	0.13	4.18	44	0.26	54.2	135
L820580		0.056	0.05	1.74	34	0.12	19.65	72
L820581		0.076	0.14	2.97	44	0.23	20.1	102
L820582		0.058	0.12	1.82	32	0.12	14.70	80
L820583		0.056	0.04	0.37	45	0.06	3.21	30
L820584		0.052	0.13	1.32	56	0.15	13.35	116
L820585		0.039	0.02	0.15	23	<0.05	1.66	17
L820586		0.043	<0.02	0.13	30	<0.05	1.68	17
L820587		0.034	<0.02	0.12	21	<0.05	1.05	11
L820588		0.077	0.23	1.46	58	0.43	7.02	105
L820589		0.100	0.28	1.63	56	0.11	6.24	100
L820590		0.068	0.13	0.66	55	0.07	2.91	58
L820591		0.037	0.13	1.87	47	0.10	9.61	149
L820592		0.040	0.02	0.13	27	<0.05	1.08	18
L820593		0.035	0.02	0.11	21	<0.05	1.16	14
L820594		0.062	0.14	1.00	69	0.19	4.28	105
L820595		0.042	0.10	0.76	46	0.12	3.35	66
L820596		0.068	0.10	0.83	69	0.11	4.14	130
L820597		0.063	0.02	0.18	47	<0.05	1.86	25
L820598		0.036	0.15	1.64	47	0.11	12.60	311
L820599		0.071	0.10	1.01	60	0.27	6.30	102
L820600		0.070	0.19	1.30	64	0.20	11.35	175

Comments: **Corrected copy with sample ID L820531-A changed to L820530**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 9- DEC- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147833

Method	CERTIFICATE COMMENTS
ALL METHODS ME- MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 1
Finalized Date: 9- SEP- 2011
This copy reported on
9- DEC- 2011
Account: NUN

CERTIFICATE WH11147834

Project: Rosie

P.O. No.: SW 2011- 01

This report is for 144 Soil samples submitted to our lab in Whitehorse, YT, Canada on 2-AUG-2011.

The following have access to data associated with this certificate:

MONICA NORDLING

RANDY ROGERS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: SOLOMON RESOURCES LTD.
ATTN: RANDY ROGERS
POX 938
VERNON BC V1T 6M8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 9- SEP- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147834

Sample Description	Method Analyte Units LOR	WEI- 21	Au- TL43	ME- MS41												
		Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Cr	
		kg	ppm	ppm	%	ppm										
L820601		0.55	0.004	0.12	1.72	23.4	<0.2	<10	70	1.48	0.29	0.20	0.47	99.6	7.3	24
L820602		0.29	0.005	0.17	1.09	9.4	<0.2	<10	80	0.58	0.28	0.39	0.49	42.8	9.6	20
L820603		0.42	0.007	0.09	1.62	13.6	<0.2	<10	70	2.51	0.43	0.25	0.46	160.5	12.6	26
L820604		0.43	0.002	0.15	0.77	7.4	<0.2	<10	30	0.51	0.12	0.17	0.13	39.8	4.5	8
L820605		0.41	0.003	0.10	0.82	4.2	<0.2	<10	40	1.08	0.12	0.25	0.36	94.3	4.0	9
L820606		0.39	0.007	0.27	2.19	33.5	<0.2	<10	130	1.85	0.43	0.28	0.40	157.0	19.2	41
L820607		0.42	0.004	0.23	2.01	8.4	<0.2	<10	80	1.21	0.33	0.38	0.15	95.7	15.1	46
L820608		0.42	0.009	0.67	2.57	141.5	<0.2	<10	210	1.56	0.54	0.46	0.38	86.5	30.9	54
L820609		0.42	0.005	0.28	1.20	15.0	<0.2	<10	60	1.93	0.33	0.24	0.56	249	5.8	15
L820610		0.35	0.005	0.33	1.25	23.6	<0.2	<10	220	2.45	0.33	0.44	1.02	161.5	9.4	22
L820611		0.50	0.003	0.29	2.65	15.4	<0.2	<10	100	2.24	0.32	1.29	2.32	148.0	25.2	29
L820612		0.66	0.003	0.29	1.42	40.8	<0.2	<10	120	1.54	0.41	0.33	0.93	124.5	9.3	20
L820613		0.39	0.005	0.10	0.89	28.7	<0.2	<10	120	1.91	0.36	0.15	0.62	103.5	11.1	14
L820614		0.46	0.008	0.88	1.12	56.5	<0.2	<10	320	0.89	0.32	0.13	0.25	52.1	4.0	28
L820615		0.28	0.003	0.17	0.48	13.0	<0.2	<10	50	0.20	0.10	0.15	0.26	9.76	6.3	11
L820616		0.38	0.009	0.79	0.77	355	<0.2	<10	240	0.63	0.39	0.10	0.38	53.5	5.3	18
L820617		0.31	0.002	0.05	0.18	1.0	<0.2	<10	20	<0.05	0.03	0.12	0.04	3.35	5.2	6
L820618		0.44	0.008	0.98	1.93	62.9	<0.2	<10	130	0.92	0.48	0.19	0.48	96.9	9.0	29
L820619		0.55	0.002	0.45	3.30	25.4	<0.2	<10	170	2.06	0.27	0.12	0.38	87.2	32.5	97
L820620		0.42	0.001	0.09	0.94	7.9	<0.2	<10	80	0.41	0.26	0.28	0.37	33.4	6.0	18
L820621		0.41	0.002	0.05	1.64	11.6	<0.2	<10	100	0.78	0.20	0.18	0.19	76.7	10.3	31
L820622		0.39	0.001	0.04	1.44	12.1	<0.2	<10	60	1.22	0.42	0.28	0.54	127.5	7.2	20
L820623		0.39	0.004	0.04	1.28	10.2	<0.2	<10	80	0.75	0.45	0.19	0.21	126.0	6.0	18
L820624		0.50	0.002	0.07	1.35	12.0	<0.2	<10	70	0.79	0.43	0.20	0.33	104.0	7.0	22
L820625		0.47	0.001	0.05	1.45	17.3	<0.2	<10	80	0.65	0.33	0.19	0.27	42.3	9.1	25
L820626		0.54	0.002	0.06	0.59	13.8	<0.2	<10	100	0.70	0.15	0.11	0.16	49.4	4.8	10
L820627		0.36	0.001	0.04	0.43	5.3	<0.2	<10	30	0.13	0.08	0.09	0.08	6.06	5.0	9
L820628		0.34	0.001	0.06	0.80	20.5	<0.2	<10	70	0.32	0.13	0.17	0.15	28.3	6.2	16
L820629		0.53	0.002	0.11	1.14	31.7	<0.2	<10	100	0.72	0.26	0.19	0.18	44.8	8.3	19
L820630		0.35	0.008	0.11	1.12	70.2	<0.2	<10	70	1.59	0.43	0.20	0.67	93.3	12.5	21
L820631		0.37	0.001	0.03	0.37	2.5	<0.2	<10	20	0.15	0.06	0.12	0.09	10.15	4.1	7
L820632		0.49	0.003	0.09	1.10	17.7	<0.2	<10	110	1.61	0.40	0.18	0.50	124.5	6.1	17
L820633		0.42	0.002	0.15	1.31	16.4	<0.2	<10	140	0.75	0.34	0.32	0.40	49.7	7.7	23
L820634		0.38	0.001	0.12	0.95	8.3	<0.2	<10	110	0.80	0.25	0.23	0.30	52.9	5.6	17
L820635		0.36	0.004	0.35	1.71	19.1	<0.2	<10	130	1.03	0.32	0.18	0.33	75.0	8.9	29
L820636		0.30	0.001	0.16	0.38	3.5	<0.2	<10	80	0.15	0.08	0.15	0.11	8.89	3.4	8
L820637		0.32	0.002	0.14	1.03	11.6	<0.2	<10	100	0.81	0.23	0.24	0.77	74.3	5.1	14
L820638		0.63	0.003	0.10	1.36	23.7	<0.2	<10	90	1.56	0.36	0.19	0.49	126.0	8.1	20
L820639		0.28	0.001	0.11	0.79	15.2	<0.2	<10	70	0.47	0.21	0.18	0.32	33.6	5.4	16
L820640		0.35	0.003	0.08	1.44	53.0	<0.2	<10	80	1.41	0.33	0.20	0.33	94.5	9.3	22

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8


Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 9- SEP- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147834

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
L820601		1.02	21.7	2.76	6.75	0.06	0.10	0.01	0.052	0.05	20.6	16.9	0.46	656	1.97	0.02
L820602		1.16	29.0	2.45	6.68	<0.05	0.02	0.08	0.055	0.07	9.7	9.1	0.36	537	2.11	0.02
L820603		3.39	32.6	3.55	6.95	0.13	0.04	0.03	0.081	0.12	56.7	23.3	0.57	857	2.60	0.02
L820604		0.69	20.5	1.33	3.45	0.06	0.02	0.02	0.020	0.04	22.5	5.4	0.16	241	0.69	0.03
L820605		1.15	16.6	1.27	3.53	0.09	<0.02	0.06	0.024	0.05	42.1	5.6	0.19	387	1.12	0.03
L820606		7.57	38.7	4.99	8.39	0.13	0.04	0.04	0.058	0.17	73.4	45.9	1.08	1040	1.91	0.02
L820607		5.67	35.3	3.83	8.44	0.07	0.03	0.05	0.041	0.16	29.6	33.4	0.91	663	1.74	0.03
L820608		9.20	121.0	7.49	10.15	0.11	0.02	0.06	0.072	0.31	44.5	52.7	1.26	1800	4.73	0.03
L820609		1.59	30.5	2.05	6.33	0.29	0.05	0.05	0.055	0.07	135.5	9.4	0.30	620	1.99	0.03
L820610		2.28	45.4	2.60	6.86	0.18	0.03	0.06	0.069	0.08	86.6	17.1	0.35	721	4.80	0.03
L820611		2.82	48.1	4.90	9.32	0.23	0.12	0.03	0.068	0.08	71.6	35.2	1.81	1340	5.44	0.15
L820612		2.16	69.3	3.64	5.95	0.12	<0.02	0.04	0.059	0.07	69.8	9.9	0.26	420	4.64	0.02
L820613		3.41	26.8	2.97	4.19	0.11	0.03	0.05	0.055	0.09	39.2	11.3	0.23	824	3.64	0.02
L820614		4.47	101.5	6.79	4.75	0.08	<0.02	0.04	0.039	0.47	25.2	15.1	0.26	205	14.20	0.04
L820615		1.04	24.3	2.31	3.57	<0.05	<0.02	0.05	0.010	0.03	4.7	2.2	0.12	199	1.40	0.02
L820616		2.97	77.3	6.57	3.91	0.07	<0.02	0.05	0.047	0.68	26.3	4.2	0.12	104	8.83	0.07
L820617		0.12	13.5	2.06	3.01	<0.05	<0.02	0.02	0.005	0.02	1.5	0.4	0.07	133	0.24	0.02
L820618		1.16	67.7	3.31	7.75	0.12	0.04	0.09	0.080	0.11	28.9	14.6	0.47	505	11.95	0.03
L820619		4.32	80.9	5.75	11.25	0.14	0.04	0.04	0.069	0.12	25.3	53.2	1.15	1420	4.91	0.02
L820620		0.86	18.2	1.95	4.58	0.06	0.03	0.04	0.037	0.05	7.7	7.0	0.29	387	1.97	0.02
L820621		1.40	27.0	3.41	8.04	0.16	0.06	0.05	0.046	0.06	42.1	15.8	0.48	960	1.82	0.02
L820622		1.32	19.6	2.62	7.51	0.11	0.04	0.05	0.069	0.06	22.8	12.8	0.37	586	2.25	0.02
L820623		1.44	20.2	2.70	7.73	0.13	0.03	0.03	0.071	0.10	29.3	10.0	0.31	549	1.95	0.01
L820624		2.01	23.1	2.87	8.12	0.10	0.03	0.03	0.054	0.06	21.4	13.4	0.35	552	2.40	0.01
L820625		1.50	29.3	3.11	8.07	0.08	0.02	0.05	0.048	0.06	12.3	12.0	0.43	574	2.59	0.02
L820626		1.02	13.0	1.86	3.31	0.08	0.02	0.03	0.020	0.06	23.8	3.9	0.12	593	2.26	0.01
L820627		0.55	15.1	1.91	3.59	<0.05	<0.02	0.03	0.010	0.02	3.2	2.2	0.13	146	0.67	0.02
L820628		0.86	22.4	2.33	4.66	0.06	<0.02	0.05	0.025	0.05	10.2	6.1	0.25	300	2.06	0.02
L820629		1.90	23.9	2.62	5.64	0.08	0.02	0.04	0.035	0.07	17.0	9.5	0.32	594	2.08	0.02
L820630		1.88	62.2	3.30	6.24	0.20	0.04	0.05	0.050	0.07	53.7	8.5	0.27	525	3.37	0.01
L820631		0.32	15.1	1.68	3.04	<0.05	<0.02	0.02	0.008	0.02	4.8	1.3	0.11	109	0.56	0.02
L820632		2.23	22.9	2.76	5.17	0.21	0.06	0.14	0.057	0.07	59.3	7.7	0.27	632	4.22	0.02
L820633		1.91	27.1	2.61	6.66	0.08	0.02	0.06	0.064	0.07	17.1	8.9	0.36	423	4.81	0.02
L820634		1.25	21.2	2.13	4.96	0.07	0.02	0.05	0.048	0.05	14.9	7.3	0.29	281	2.88	0.02
L820635		2.56	36.1	3.22	7.45	0.12	0.03	0.04	0.061	0.07	28.9	17.4	0.42	506	5.58	0.02
L820636		0.58	11.4	1.41	2.45	<0.05	<0.02	0.06	0.011	0.04	5.1	1.5	0.11	155	1.20	0.02
L820637		1.69	21.7	2.11	5.67	0.16	0.04	0.04	0.051	0.07	46.0	5.8	0.24	324	3.64	0.02
L820638		2.38	31.3	3.14	5.82	0.23	0.07	0.02	0.060	0.08	68.6	11.7	0.31	610	5.28	0.02
L820639		1.42	23.5	2.25	5.26	0.08	0.02	0.04	0.026	0.05	16.1	5.7	0.21	278	2.12	0.02
L820640		2.30	31.8	2.81	7.27	0.19	0.05	0.05	0.054	0.08	53.4	10.1	0.32	736	2.71	0.02

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147834

Sample Description	Method Analyte Units LOR	ME-MS41														
		Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
L820601		1.90	21.5	260	47.7	6.8	<0.001	0.02	0.64	2.7	0.5	1.1	15.9	<0.01	0.01	4.6
L820602		0.55	18.5	940	31.4	13.0	<0.001	0.10	0.73	1.1	0.7	0.8	29.4	<0.01	0.04	0.3
L820603		1.60	26.8	770	47.1	20.1	0.001	0.04	0.79	2.7	1.5	0.7	16.7	<0.01	0.01	7.2
L820604		0.65	6.8	440	10.3	4.2	<0.001	0.03	0.33	0.9	0.7	0.3	13.4	0.01	<0.01	0.8
L820605		0.56	7.6	600	16.9	7.4	<0.001	0.05	0.33	0.6	1.2	0.3	16.8	<0.01	0.01	1.0
L820606		1.27	37.8	520	42.4	22.9	<0.001	0.07	8.33	6.9	1.1	0.8	20.8	<0.01	0.05	8.5
L820607		1.86	27.5	740	18.3	27.7	0.001	0.09	1.51	4.3	0.9	0.8	23.0	<0.01	0.05	3.2
L820608		0.92	56.4	1080	20.1	28.5	0.001	0.31	67.2	11.0	2.6	1.0	44.0	<0.01	0.19	4.7
L820609		1.22	13.9	560	49.2	8.6	<0.001	0.05	0.99	1.6	2.3	0.6	20.2	<0.01	0.02	5.7
L820610		0.65	33.2	1300	40.6	10.5	0.001	0.12	1.35	1.8	2.7	0.6	30.2	<0.01	0.05	1.2
L820611		0.56	50.0	1580	67.5	9.4	0.001	0.02	0.91	11.3	2.3	0.9	130.0	<0.01	<0.01	7.1
L820612		0.35	46.9	1600	25.4	10.4	<0.001	0.06	8.40	2.0	1.4	0.4	23.9	<0.01	0.09	0.7
L820613		1.76	25.0	680	46.2	11.3	0.001	0.07	6.00	1.2	2.0	0.5	14.6	<0.01	0.05	2.3
L820614		0.27	19.3	3630	19.3	33.3	0.005	1.11	14.10	2.6	7.8	0.3	32.4	<0.01	0.36	3.7
L820615		0.13	9.3	740	4.1	4.3	<0.001	0.09	0.96	0.4	0.5	0.3	15.8	<0.01	0.02	<0.2
L820616		0.29	22.5	1400	17.6	39.5	0.002	1.53	19.05	2.3	3.0	0.4	79.8	<0.01	0.26	3.8
L820617		0.13	3.5	350	0.9	1.3	<0.001	0.01	0.12	0.4	<0.2	0.2	11.7	<0.01	<0.01	<0.2
L820618		1.36	30.3	600	221	11.9	<0.001	0.21	7.59	2.1	3.4	1.0	23.0	0.01	0.15	1.2
L820619		1.21	105.5	650	33.0	19.6	<0.001	0.11	1.66	4.7	1.7	0.8	16.7	0.01	0.17	1.7
L820620		0.62	16.0	730	17.6	9.6	<0.001	0.07	0.70	1.0	0.5	0.4	19.9	<0.01	0.03	0.5
L820621		1.59	23.6	440	19.0	9.5	<0.001	0.04	0.64	2.6	0.8	0.7	16.9	0.01	0.03	1.7
L820622		0.93	19.6	630	43.5	10.6	<0.001	0.06	0.74	1.2	0.9	0.7	18.8	0.01	0.04	1.0
L820623		1.08	16.1	420	42.7	21.1	<0.001	0.04	0.60	1.6	0.7	0.8	15.9	<0.01	0.04	1.3
L820624		0.99	19.1	560	26.4	14.4	<0.001	0.05	0.75	1.2	0.6	0.7	16.4	<0.01	0.03	0.5
L820625		0.83	24.3	670	19.0	14.9	<0.001	0.06	1.07	1.3	0.6	0.7	17.3	<0.01	0.05	0.4
L820626		0.35	9.0	370	17.9	9.7	<0.001	0.04	0.77	0.6	0.4	0.3	10.4	<0.01	0.02	0.4
L820627		0.18	6.7	340	3.7	4.3	<0.001	0.03	0.30	0.5	0.2	0.2	10.0	<0.01	0.01	<0.2
L820628		0.47	13.2	510	13.0	8.3	<0.001	0.07	0.97	0.9	0.5	0.4	16.7	<0.01	0.03	0.2
L820629		0.54	17.7	620	19.6	14.2	<0.001	0.05	1.13	1.1	0.6	0.5	16.3	<0.01	0.05	0.5
L820630		0.61	44.4	690	25.9	14.1	<0.001	0.04	4.08	1.8	1.4	0.6	16.9	0.01	0.18	1.1
L820631		0.32	4.7	400	3.6	2.8	<0.001	0.02	0.20	0.5	0.2	0.2	9.9	<0.01	0.01	<0.2
L820632		0.91	18.4	740	34.2	11.6	<0.001	0.03	1.32	1.4	1.2	0.6	15.9	0.01	0.04	3.2
L820633		0.61	23.6	850	27.7	14.2	<0.001	0.09	1.23	1.0	0.9	0.6	28.2	<0.01	0.07	0.4
L820634		0.69	17.3	670	23.1	10.7	<0.001	0.07	0.81	0.9	0.7	0.5	18.4	<0.01	0.03	0.6
L820635		0.90	32.7	740	36.1	15.0	<0.001	0.08	2.01	1.5	1.1	0.7	18.6	<0.01	0.06	0.9
L820636		0.15	6.4	690	4.5	5.0	<0.001	0.07	0.44	0.3	0.5	0.2	12.0	<0.01	0.01	<0.2
L820637		0.62	13.9	730	17.7	14.7	<0.001	0.08	0.95	0.7	0.9	0.5	20.7	<0.01	0.04	0.4
L820638		1.12	24.3	650	40.9	13.0	<0.001	0.04	1.70	2.2	1.4	0.6	19.7	0.01	0.07	8.7
L820639		0.47	14.6	600	14.3	11.7	<0.001	0.07	0.95	0.8	0.6	0.5	16.9	<0.01	0.03	0.2
L820640		0.74	19.5	800	27.0	15.9	<0.001	0.10	2.48	1.5	1.1	0.7	23.2	0.01	0.05	0.7

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
 POX 938
 VERNON BC V1T 6M8

Page: 2 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 9- SEP- 2011
 Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147834

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
L820601		0.078	0.09	1.40	46	0.33	16.95	131	4.6
L820602		0.050	0.09	0.82	50	0.09	4.90	138	0.7
L820603		0.063	0.18	3.47	43	0.22	32.1	184	1.4
L820604		0.048	0.06	1.12	30	0.05	15.90	42	0.5
L820605		0.034	0.06	1.86	23	0.06	25.6	95	0.8
L820606		0.069	0.32	2.66	81	0.22	19.05	169	1.7
L820607		0.110	0.29	1.63	67	0.14	11.65	103	1.3
L820608		0.084	0.68	2.95	105	0.28	24.2	160	0.7
L820609		0.039	0.11	5.10	30	0.19	55.6	143	1.8
L820610		0.031	0.13	4.50	58	0.27	49.9	243	0.7
L820611		0.103	0.14	3.19	94	0.11	53.3	312	5.9
L820612		0.017	0.09	3.38	54	0.14	25.6	254	<0.5
L820613		0.028	0.11	5.05	33	0.49	51.7	180	0.6
L820614		0.014	0.76	3.89	73	0.17	7.91	120	<0.5
L820615		0.049	0.08	0.57	63	0.06	2.19	45	<0.5
L820616		0.010	2.11	1.38	31	0.22	6.08	85	<0.5
L820617		0.091	<0.02	0.08	71	<0.05	0.75	32	<0.5
L820618		0.075	0.18	1.34	56	0.33	7.79	265	1.2
L820619		0.083	0.26	1.99	106	0.26	12.50	195	0.9
L820620		0.037	0.08	0.78	37	0.12	4.68	90	0.8
L820621		0.092	0.07	1.89	60	0.27	15.05	88	1.8
L820622		0.037	0.09	1.39	39	0.21	15.65	157	1.0
L820623		0.032	0.14	1.39	41	0.13	11.50	137	0.6
L820624		0.045	0.09	0.90	56	0.20	10.10	130	0.5
L820625		0.045	0.11	0.91	60	0.14	6.61	124	0.5
L820626		0.024	0.09	0.91	33	0.10	5.81	76	<0.5
L820627		0.066	0.04	0.28	57	0.06	1.42	38	<0.5
L820628		0.056	0.08	0.62	53	0.12	3.20	76	0.5
L820629		0.038	0.12	0.93	46	0.14	5.96	107	<0.5
L820630		0.022	0.25	2.65	37	0.18	21.3	185	<0.5
L820631		0.067	0.03	0.29	50	<0.05	1.89	36	<0.5
L820632		0.035	0.10	2.55	36	0.19	24.0	143	1.0
L820633		0.030	0.12	1.11	52	0.15	6.06	136	0.5
L820634		0.041	0.09	1.30	42	0.16	5.26	113	0.7
L820635		0.048	0.18	1.79	63	0.22	10.40	163	0.7
L820636		0.036	0.04	0.52	39	0.09	1.85	39	<0.5
L820637		0.024	0.09	1.48	34	0.12	14.75	114	0.6
L820638		0.047	0.15	2.92	43	0.22	26.3	164	1.7
L820639		0.043	0.09	1.00	48	0.35	6.95	77	0.5
L820640		0.037	0.15	2.36	47	0.19	19.80	114	0.6

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8


Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 9- SEP- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147834

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt.	Au-TL43 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm	ME-MS41 I
L820641		0.36	0.003	0.14	0.98	45.5	<0.2	<10	70	0.61	0.21	0.16	0.12	48.1	5.2	17	
L820642		0.44	0.003	0.07	1.03	43.3	<0.2	<10	100	0.47	0.24	0.10	0.16	29.8	6.5	19	
L820643		0.40	0.003	0.05	1.35	46.0	<0.2	<10	100	0.56	0.28	0.13	0.18	40.5	10.7	24	
L820644		0.33	0.001	0.03	0.60	15.2	<0.2	<10	40	0.19	0.13	0.11	0.11	13.50	6.8	12	
L820645		0.47	0.001	0.05	1.02	15.0	<0.2	<10	60	0.33	0.20	0.13	0.12	19.15	7.8	20	
L820646		0.40	0.004	0.07	1.80	10.0	<0.2	<10	80	0.78	0.26	0.26	0.34	48.3	11.3	32	
L820647		0.59	0.001	0.06	0.87	21.7	<0.2	<10	70	1.12	0.31	0.27	0.72	88.3	7.0	16	
L820648		0.31	0.002	0.09	0.86	19.7	<0.2	<10	70	1.06	0.24	0.27	0.67	85.9	7.5	17	
L820649		0.46	0.004	0.10	1.15	25.0	<0.2	<10	70	1.25	0.28	0.26	0.51	113.5	7.1	18	
L820650		0.28	0.003	0.12	1.01	28.6	<0.2	<10	80	1.37	0.30	0.29	0.92	122.5	7.0	16	
L820651		0.23	NSS	0.16	1.33	6.1	<0.2	<10	70	1.69	0.29	0.45	0.72	134.0	8.2	30	
L820652		0.27	0.010	0.16	1.35	6.3	<0.2	<10	70	1.49	0.27	0.44	0.72	124.0	8.2	33	
L820653		0.27	NSS	0.06	1.17	8.8	<0.2	<10	40	1.00	0.21	0.34	0.55	69.4	8.1	38	
L820654		0.30	0.010	0.22	1.39	7.1	<0.2	<10	70	1.42	0.26	0.45	0.88	114.5	8.4	31	
L820655		0.24	NSS	0.08	1.08	4.4	<0.2	<10	40	1.00	0.20	0.38	0.50	79.8	7.7	32	
L820656		0.21	NSS	0.05	1.16	3.6	<0.2	<10	50	1.03	0.18	0.41	0.48	75.0	8.7	35	
L820657		0.32	NSS	0.07	1.00	3.9	<0.2	<10	40	1.03	0.30	0.33	0.52	75.7	6.9	26	
L820658		0.34	0.019	6.37	1.07	4.9	<0.2	<10	50	1.17	0.23	0.35	0.53	94.7	7.3	24	
L820659		0.35	0.010	0.11	1.01	5.6	<0.2	<10	50	1.07	0.26	0.33	0.51	79.1	7.2	21	
L820660		0.30	NSS	0.06	0.99	3.9	<0.2	<10	50	0.97	0.21	0.30	0.45	72.4	6.9	23	
L820661		0.34	NSS	0.05	0.91	3.9	<0.2	<10	40	0.87	1.72	0.26	0.38	67.2	6.4	26	
L820662		0.30	NSS	0.18	1.07	5.1	<0.2	<10	50	1.29	0.31	0.36	0.72	102.5	7.0	26	
L820663		0.33	NSS	0.05	0.92	4.6	<0.2	<10	40	0.89	0.31	0.26	0.46	72.1	6.4	30	
L820664		0.26	0.009	0.17	1.13	9.4	<0.2	<10	60	1.22	0.29	0.38	0.88	104.0	7.4	28	
L820665		0.29	NSS	0.08	1.05	8.1	<0.2	<10	40	1.00	0.24	0.34	0.59	89.7	7.4	30	
L820666		0.26	NSS	0.05	0.90	2.9	<0.2	<10	30	0.84	0.25	0.28	0.42	74.1	6.1	31	
L820667		0.37	0.003	0.32	2.31	11.3	<0.2	<10	120	0.77	0.12	0.94	0.40	52.8	14.6	24	
L820668		0.25	0.008	0.54	1.01	75.8	<0.2	<10	130	0.70	0.27	0.35	0.49	42.7	9.6	19	
L820669		0.45	0.004	0.31	2.06	27.3	<0.2	<10	130	2.72	0.52	0.30	0.73	231	13.6	33	
L820670		0.37	0.005	0.17	1.38	11.0	<0.2	<10	70	1.60	0.43	0.28	0.96	178.0	8.1	24	
L820671		0.28	0.004	0.07	0.88	59.4	<0.2	<10	70	1.28	0.28	0.16	0.40	74.5	5.5	14	
L820672		0.31	0.003	0.12	1.36	22.4	<0.2	<10	70	1.14	0.31	0.18	0.33	100.0	7.3	19	
L820673		0.18	0.002	0.11	0.67	9.5	<0.2	<10	40	0.23	0.17	0.15	0.25	14.40	5.4	13	
L820674		0.26	0.003	0.25	1.21	192.5	<0.2	<10	80	0.79	0.65	0.20	1.09	43.3	11.8	25	
L820675		0.23	0.003	0.15	1.69	36.0	<0.2	<10	130	1.36	0.40	0.32	1.27	91.5	11.9	36	
L820676		0.20	0.002	0.35	0.24	1.7	<0.2	<10	30	0.08	0.06	0.18	0.64	3.95	2.8	8	
L820677		0.23	0.002	0.15	0.59	8.1	<0.2	<10	40	0.30	0.16	0.20	0.51	11.45	7.1	14	
L820678		0.30	0.005	0.28	1.17	61.2	<0.2	<10	70	0.66	0.42	0.24	0.25	32.7	11.4	19	
L820679		0.24	0.002	0.20	0.39	2.9	<0.2	<10	50	0.16	0.09	0.19	0.22	7.47	4.1	8	
L820680		0.40	0.004	0.64	1.17	176	<0.2	<10	350	0.37	0.88	11.90	10.10	41.1	12.4	76	

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 9- SEP- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147834

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm	ME- MS41 Cu ppm	ME- MS41 Fe %	ME- MS41 Ga ppm	ME- MS41 Ge ppm	ME- MS41 Hf ppm	ME- MS41 Hg ppm	ME- MS41 In ppm	ME- MS41 K %	ME- MS41 La ppm	ME- MS41 Li ppm	ME- MS41 Mg %	ME- MS41 Mn ppm	ME- MS41 Mo ppm	ME- MS41 Na %
L820641		2.08	27.5	2.44	5.37	0.13	0.03	0.04	0.031	0.06	34.0	6.6	0.24	210	2.12	0.02
L820642		2.21	36.1	2.94	6.75	0.08	<0.02	0.05	0.030	0.05	14.6	5.8	0.21	236	3.08	0.02
L820643		1.90	27.2	3.23	7.69	0.09	0.02	0.04	0.036	0.06	19.0	13.7	0.34	1080	3.18	0.01
L820644		0.76	22.6	2.52	4.96	0.05	0.02	0.02	0.015	0.03	5.7	4.1	0.18	272	1.31	0.02
L820645		1.02	29.6	2.81	6.85	0.06	0.02	0.03	0.025	0.04	9.2	9.0	0.29	310	1.90	0.02
L820646		1.12	29.2	2.98	7.14	0.09	0.03	0.03	0.046	0.06	13.9	15.1	0.56	599	1.53	0.02
L820647		1.60	22.3	2.30	5.21	0.16	0.06	0.02	0.052	0.06	37.2	8.6	0.24	613	2.50	0.02
L820648		1.59	21.8	2.63	5.40	0.17	0.07	0.03	0.043	0.06	42.0	7.3	0.23	632	2.40	0.02
L820649		1.81	27.8	2.27	5.60	0.21	0.07	0.03	0.053	0.06	51.3	8.8	0.29	662	2.93	0.02
L820650		1.88	26.5	2.08	5.19	0.21	0.07	0.04	0.052	0.07	55.1	9.3	0.27	783	2.84	0.02
L820651		1.79	20.3	2.16	7.38	0.29	0.14	0.04	0.052	0.08	72.6	21.5	0.54	645	1.71	0.02
L820652		1.77	19.8	2.14	7.41	0.26	0.12	0.03	0.048	0.08	67.5	23.7	0.56	624	1.98	0.02
L820653		1.65	11.0	2.02	6.62	0.11	0.20	0.07	0.036	0.07	26.1	32.3	0.62	521	2.47	0.02
L820654		2.03	22.4	2.22	6.98	0.20	0.11	0.15	0.043	0.08	63.6	24.4	0.57	527	1.54	0.02
L820655		1.52	28.3	2.09	5.92	0.13	0.13	0.07	0.041	0.06	34.2	30.0	0.62	447	2.27	0.02
L820656		1.23	16.2	2.08	7.09	0.13	0.19	0.03	0.035	0.07	30.8	33.1	0.77	489	1.77	0.02
L820657		1.39	13.3	1.88	5.84	0.12	0.13	0.03	0.038	0.06	30.5	25.7	0.52	462	1.69	0.02
L820658		1.54	17.4	1.94	5.98	0.14	0.10	0.03	0.040	0.07	40.8	24.7	0.50	489	1.61	0.02
L820659		1.49	13.0	1.93	5.83	0.12	0.11	0.02	0.039	0.07	32.4	24.3	0.50	461	1.27	0.02
L820660		1.39	17.8	1.81	5.97	0.11	0.18	0.01	0.040	0.07	27.4	25.7	0.52	463	1.33	0.02
L820661		1.35	24.0	1.75	5.73	0.10	0.24	0.01	0.038	0.06	24.7	24.8	0.49	411	1.81	0.02
L820662		1.70	19.3	1.96	5.85	0.19	0.11	0.02	0.040	0.07	57.7	22.5	0.46	520	1.81	0.02
L820663		1.27	12.6	1.76	6.20	0.10	0.26	0.01	0.042	0.07	22.6	27.3	0.50	435	2.18	0.02
L820664		1.61	18.7	2.12	5.87	0.18	0.09	0.03	0.046	0.08	52.2	20.6	0.49	528	1.84	0.02
L820665		1.38	11.1	2.01	6.62	0.12	0.15	0.01	0.043	0.07	31.2	29.2	0.60	471	1.96	0.02
L820666		1.29	11.6	1.74	6.19	0.11	0.31	0.01	0.046	0.06	24.7	26.8	0.49	388	2.33	0.02
L820667		1.53	24.5	3.29	6.56	0.12	0.04	0.04	0.034	0.05	21.4	17.4	0.99	747	1.75	0.09
L820668		3.22	43.1	2.82	5.15	0.08	0.02	0.05	0.035	0.10	19.8	13.6	0.29	577	3.95	0.02
L820669		3.87	55.3	3.93	9.17	0.27	0.13	0.03	0.083	0.11	89.8	23.9	0.57	871	5.00	0.02
L820670		1.90	31.0	2.71	6.12	0.16	0.10	0.02	0.063	0.06	45.1	14.2	0.39	644	2.36	0.01
L820671		2.26	22.4	2.43	4.61	0.12	0.05	0.02	0.044	0.06	40.3	7.6	0.17	425	3.19	0.01
L820672		1.78	30.3	2.31	5.72	0.15	0.06	0.04	0.048	0.05	49.6	9.0	0.29	451	3.19	0.01
L820673		1.07	18.2	1.98	4.08	0.05	<0.02	0.06	0.020	0.04	7.0	3.3	0.16	234	1.69	0.02
L820674		2.34	57.4	3.24	6.79	0.09	0.02	0.05	0.043	0.06	23.0	17.5	0.37	679	6.56	0.01
L820675		4.64	44.2	3.42	7.32	0.10	0.02	0.04	0.043	0.07	22.6	29.7	0.59	872	7.48	0.02
L820676		0.50	10.7	1.08	1.62	<0.05	<0.02	0.06	0.006	0.03	2.0	0.9	0.06	55	0.95	0.02
L820677		1.52	16.5	1.97	3.97	0.05	<0.02	0.05	0.015	0.04	5.0	7.5	0.21	327	1.77	0.02
L820678		3.16	32.3	2.57	5.65	0.07	0.02	0.03	0.029	0.05	16.8	11.9	0.30	684	2.92	0.01
L820679		0.56	11.7	1.37	2.43	<0.05	<0.02	0.04	0.011	0.04	2.9	2.3	0.13	137	0.79	0.02
L820680		4.32	20.9	2.17	4.25	0.13	0.07	0.03	0.025	0.15	23.7	25.5	1.34	974	1.32	0.01

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 9- SEP- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147834

Sample Description	Method Analyte Units LOR	ME-MS41														
		Nb ppm	NI ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
L820641		0.45	14.1	810	17.3	12.7	<0.001	0.09	2.39	1.1	0.8	0.5	26.1	<0.01	0.06	0.3
L820642		0.45	18.9	760	14.1	14.7	<0.001	0.07	2.03	1.0	0.8	0.6	30.5	<0.01	0.07	0.2
L820643		0.74	23.7	630	20.0	14.4	<0.001	0.06	1.72	1.4	0.7	0.7	16.7	<0.01	0.05	0.4
L820644		0.44	11.3	410	7.5	6.9	<0.001	0.04	0.68	0.8	0.3	0.3	10.9	<0.01	0.03	0.2
L820645		0.86	18.3	490	13.3	10.4	<0.001	0.05	0.78	1.3	0.5	0.5	14.5	<0.01	0.04	0.4
L820646		1.44	32.3	490	19.5	10.3	<0.001	0.05	0.61	2.5	0.6	0.7	20.0	<0.01	0.04	1.4
L820647		1.26	15.2	750	37.3	10.3	<0.001	0.02	0.65	1.7	1.0	0.6	18.2	0.01	0.02	3.6
L820648		1.23	13.8	810	33.0	9.3	<0.001	0.03	0.60	1.6	1.0	0.6	17.0	0.01	0.03	3.6
L820649		1.25	16.6	730	38.8	11.6	<0.001	0.04	0.72	1.8	1.3	0.6	19.1	0.01	0.03	2.5
L820650		1.40	16.4	740	40.6	11.3	<0.001	0.04	0.82	1.9	1.4	0.6	19.5	0.01	0.03	3.4
L820651		2.46	25.0	790	42.8	13.6	<0.001	0.02	0.32	2.6	2.0	0.9	26.2	0.02	0.02	8.4
L820652		2.32	27.4	820	44.0	13.2	<0.001	0.02	0.31	2.7	1.8	0.9	26.3	0.01	0.02	8.6
L820653		1.14	31.4	700	25.2	9.5	<0.001	0.01	0.19	2.4	0.6	1.0	18.7	0.01	0.01	22.9
L820654		1.85	25.3	860	37.1	11.4	0.001	0.03	0.43	2.9	1.6	0.9	27.9	0.01	0.03	7.7
L820655		1.06	27.0	780	25.1	9.2	<0.001	0.01	0.84	2.3	0.7	0.9	20.4	0.01	0.01	18.7
L820656		1.04	30.0	920	21.7	7.9	<0.001	0.01	0.45	2.6	0.5	0.8	18.9	0.01	0.01	13.9
L820657		0.93	22.8	700	25.2	8.4	<0.001	0.01	0.28	2.1	0.6	0.8	19.0	0.01	0.01	9.5
L820658		1.12	22.0	720	30.8	9.6	<0.001	0.02	0.36	2.3	0.8	0.8	21.9	0.01	0.02	13.1
L820659		1.09	20.1	700	27.5	9.3	<0.001	0.01	0.24	2.2	0.7	0.8	20.1	0.01	0.02	9.2
L820660		1.01	20.9	650	24.5	8.8	<0.001	0.01	0.45	2.1	0.6	0.9	17.1	0.01	0.01	12.4
L820661		0.86	22.6	560	23.4	7.9	<0.001	0.01	0.73	1.8	0.4	0.8	14.7	<0.01	0.04	10.8
L820662		1.35	22.0	750	39.8	9.7	<0.001	0.02	0.28	2.3	1.4	0.8	21.3	0.01	0.02	11.1
L820663		0.93	26.3	550	26.2	8.6	<0.001	0.01	0.27	1.8	0.5	0.9	13.9	<0.01	0.12	9.8
L820664		1.37	23.4	770	39.4	10.4	0.001	0.02	0.29	2.3	1.2	1.2	24.0	0.01	0.03	12.5
L820665		1.24	25.9	760	29.3	9.2	<0.001	0.01	0.18	2.2	0.7	0.9	19.2	0.01	0.02	12.6
L820666		0.99	27.0	600	24.4	8.4	<0.001	<0.01	0.25	1.9	0.5	1.0	15.0	<0.01	0.01	14.0
L820667		0.42	22.2	1250	15.1	7.6	<0.001	0.10	0.82	2.4	1.0	0.4	120.5	0.01	0.03	0.3
L820668		0.32	23.3	1000	19.7	11.5	<0.001	0.14	4.50	0.9	1.2	0.5	32.1	<0.01	0.09	0.3
L820669		1.02	42.7	950	64.7	16.1	0.001	0.11	2.22	3.3	2.6	1.2	34.1	0.02	0.09	5.3
L820670		1.23	23.8	620	61.5	9.9	<0.001	0.04	0.60	2.5	1.3	0.9	19.8	0.01	0.04	5.2
L820671		0.70	14.6	530	30.2	10.4	<0.001	0.05	2.01	1.4	0.9	0.5	18.4	<0.01	0.04	2.5
L820672		0.81	16.6	720	37.6	11.7	<0.001	0.06	0.50	1.6	1.2	0.6	17.8	0.01	0.04	1.3
L820673		0.30	11.1	590	8.7	7.0	<0.001	0.08	0.46	0.7	0.5	0.4	13.9	<0.01	0.03	<0.2
L820674		0.41	32.6	850	42.7	10.5	0.001	0.07	2.12	1.5	1.0	0.7	22.9	<0.01	0.11	0.6
L820675		0.51	42.3	1120	22.8	14.6	0.001	0.06	1.03	2.2	0.9	0.7	25.4	<0.01	0.06	0.7
L820676		0.14	5.7	630	1.9	3.2	<0.001	0.08	0.14	0.4	0.3	0.2	13.6	<0.01	0.02	<0.2
L820677		0.36	13.0	700	5.8	9.1	<0.001	0.06	0.41	0.9	0.4	0.5	15.5	<0.01	0.03	<0.2
L820678		0.37	16.2	930	15.3	11.2	<0.001	0.08	0.55	1.2	0.7	0.6	19.3	<0.01	0.04	0.3
L820679		0.19	6.8	560	4.2	4.7	<0.001	0.06	0.16	0.5	0.3	0.3	16.3	<0.01	0.02	<0.2
L820680		1.19	171.5	3970	126.0	16.2	0.001	0.12	2.62	4.0	1.9	0.3	721	0.01	0.06	3.8

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 9- SEP- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147834

Sample Description	Method	ME-MS41							
	Analyte Units LOR	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L820641		0.046	0.14	1.55	53	0.19	10.90	69	<0.5
L820642		0.039	0.17	1.14	66	0.16	5.36	74	<0.5
L820643		0.045	0.14	1.20	58	0.19	6.73	98	<0.5
L820644		0.077	0.06	0.45	69	0.08	2.57	54	0.5
L820645		0.080	0.08	0.62	69	0.16	3.72	74	1.0
L820646		0.090	0.09	0.90	61	0.26	6.49	106	1.3
L820647		0.061	0.09	2.43	47	0.18	24.3	131	1.3
L820648		0.078	0.08	2.29	65	0.21	23.0	130	1.6
L820649		0.049	0.10	3.28	41	0.19	31.8	135	1.2
L820650		0.047	0.11	3.25	36	0.19	35.1	151	1.2
L820651		0.056	0.09	6.26	34	0.30	56.5	149	2.6
L820652		0.053	0.09	5.90	33	0.30	49.8	141	2.5
L820653		0.044	0.07	4.04	23	0.31	16.45	108	7.1
L820654		0.062	0.11	5.04	35	0.30	43.1	120	1.9
L820655		0.052	0.07	3.88	27	0.48	19.70	110	4.2
L820656		0.054	0.06	2.37	26	0.30	14.60	100	6.8
L820657		0.042	0.07	2.01	22	0.22	15.70	105	4.8
L820658		0.045	0.07	2.87	25	0.23	22.1	115	3.1
L820659		0.044	0.07	2.37	24	0.25	18.20	109	3.8
L820660		0.037	0.07	2.31	20	0.30	14.70	105	6.7
L820661		0.031	0.06	1.69	17	0.23	11.55	100	9.3
L820662		0.052	0.08	3.99	30	0.31	37.7	131	2.2
L820663		0.034	0.06	1.67	18	0.24	12.65	116	9.8
L820664		0.060	0.09	3.89	33	0.24	32.5	127	1.9
L820665		0.044	0.07	2.26	23	0.28	16.90	116	5.7
L820666		0.036	0.06	2.02	18	0.26	13.95	108	11.1
L820667		0.052	0.11	1.00	69	0.07	17.65	125	0.5
L820668		0.037	0.16	1.20	48	0.15	7.65	106	<0.5
L820669		0.063	0.24	5.46	60	0.33	63.2	234	1.0
L820670		0.065	0.10	3.34	44	0.27	33.6	206	1.7
L820671		0.036	0.11	1.90	36	0.31	16.10	116	0.9
L820672		0.049	0.11	2.71	41	0.25	24.1	116	0.8
L820673		0.048	0.08	0.65	46	0.09	3.09	48	<0.5
L820674		0.047	0.15	1.57	68	0.18	10.25	196	<0.5
L820675		0.052	0.20	1.80	134	0.50	11.80	196	<0.5
L820676		0.033	0.05	0.42	37	0.05	1.02	33	<0.5
L820677		0.058	0.07	0.49	55	0.17	2.52	49	<0.5
L820678		0.039	0.17	1.24	54	0.18	7.25	68	<0.5
L820679		0.046	0.05	0.35	36	0.08	1.38	37	<0.5
L820680		0.057	0.52	11.85	201	6.33	39.5	727	1.3

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 9- SEP- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147834

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt.	Au-TL43	ME-MS41												
		kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
L820681		0.29	0.005	0.20	0.74	22.8	<0.2	<10	70	0.24	0.61	0.20	1.36	14.75	4.6	21
L820682		0.31	0.002	0.60	1.92	47.4	<0.2	<10	710	0.76	0.68	1.39	5.82	43.2	12.5	45
L820683		0.19	0.002	0.16	0.62	6.3	<0.2	<10	80	0.18	0.22	0.13	0.30	9.09	8.9	14
L820684		0.26	0.001	0.18	0.65	8.8	<0.2	<10	70	0.19	0.18	0.19	0.63	10.50	6.8	16
L820685		0.24	0.002	0.26	0.97	9.9	<0.2	<10	100	0.26	0.27	0.16	0.42	15.30	8.0	19
L820686		0.23	0.001	0.73	1.47	26.9	<0.2	<10	100	1.11	0.98	0.84	2.19	56.5	12.4	32
L820687		0.31	0.002	0.26	3.45	22.1	<0.2	<10	160	0.87	0.24	0.80	0.62	78.7	17.3	38
L820688		0.33	0.003	0.25	1.74	30.7	<0.2	<10	250	0.69	0.32	0.13	0.33	37.0	10.3	33
L820689		0.30	0.001	0.08	3.38	5.0	<0.2	<10	120	1.07	0.07	1.32	0.24	79.0	20.1	33
L820690		0.26	0.001	0.11	1.32	17.5	<0.2	<10	100	0.36	0.37	0.12	0.18	22.6	11.0	30
L820691		0.31	0.007	0.22	1.97	22.7	<0.2	<10	90	0.66	0.18	0.18	0.20	30.7	11.5	34
L820692		0.34	0.009	0.28	1.86	415	<0.2	<10	110	0.78	0.26	0.16	0.60	34.1	16.1	34
L820693		0.38	0.015	0.61	1.43	346	<0.2	<10	260	0.76	0.30	0.11	0.93	54.1	9.4	25
L820694		0.41	0.004	0.15	1.59	68.4	<0.2	<10	220	0.88	0.29	0.36	0.48	41.6	9.5	28
L820695		0.40	0.006	0.09	2.31	19.0	<0.2	<10	140	1.18	0.42	0.22	0.67	70.6	10.6	33
L820696		0.34	0.002	0.11	1.64	12.7	<0.2	<10	100	0.55	0.39	0.18	0.22	21.4	9.0	33
L820697		0.31	0.003	0.09	2.27	12.7	<0.2	<10	90	0.47	0.32	0.23	0.14	20.8	13.1	32
L820698		0.31	0.003	0.06	2.35	9.7	<0.2	<10	80	0.69	0.23	0.26	0.13	27.3	11.6	31
L820699		0.35	0.002	0.08	2.02	24.1	<0.2	<10	80	0.60	0.50	0.26	0.18	25.2	10.9	34
L820700		0.31	0.003	0.06	0.57	5.1	<0.2	<10	90	0.18	0.16	0.28	0.20	8.76	5.8	14
L820701		0.30	0.001	0.09	0.55	5.4	<0.2	<10	140	0.17	0.14	0.52	0.43	10.50	7.1	14
L820702		0.40	0.004	0.12	1.45	45.9	<0.2	<10	120	0.73	0.24	0.14	0.28	31.9	8.5	25
L820703		0.44	0.002	0.15	1.70	116.0	<0.2	<10	130	0.44	0.41	0.14	0.20	26.9	10.6	38
L820704		0.29	0.003	0.23	1.19	50.2	<0.2	<10	100	1.72	0.40	0.37	0.98	141.5	8.8	22
L820705		0.38	0.003	0.24	1.14	50.9	<0.2	<10	100	1.76	0.41	0.34	0.93	130.5	7.9	19
L820706		0.21	0.004	0.29	1.16	56.6	<0.2	<10	90	1.67	0.39	0.35	0.96	136.5	8.3	23
L820707		0.23	0.003	0.32	1.23	52.2	<0.2	<10	100	1.82	0.42	0.35	1.14	141.5	8.0	21
L820708		0.14	0.003	0.46	1.44	59.1	<0.2	<10	110	2.22	0.60	0.41	1.49	172.0	9.3	25
L820709		0.24	0.004	0.35	1.35	53.4	<0.2	<10	100	2.02	0.52	0.40	1.22	150.0	8.2	24
L820710		0.13	0.003	0.46	1.54	63.8	<0.2	<10	110	2.33	0.59	0.45	1.56	179.0	9.3	26
L820801		0.39	0.003	0.17	1.05	31.2	<0.2	<10	80	1.54	0.30	0.32	0.87	140.0	7.9	18
L820802		0.53	0.003	0.23	1.14	35.1	<0.2	<10	80	1.80	0.32	0.33	1.05	145.5	7.1	18
L820803		0.27	0.005	0.38	1.59	56.4	<0.2	<10	110	2.20	0.40	0.44	1.59	195.0	10.1	25
L820804		0.36	0.003	0.34	1.18	55.5	<0.2	<10	90	1.34	0.33	0.35	0.99	125.0	8.5	20
L820805		0.53	0.002	0.32	1.44	38.3	<0.2	<10	410	1.70	0.48	0.65	6.71	79.2	17.2	49
L820806		0.33	0.009	0.47	1.37	62.3	<0.2	<10	160	1.51	0.35	0.49	2.77	107.5	9.9	28
L820807		0.17	0.007	0.64	1.59	70.1	<0.2	<10	160	2.20	0.60	0.73	5.42	149.0	12.3	29
L820808		0.42	0.008	0.61	1.57	71.4	<0.2	<10	160	1.91	0.61	0.65	4.53	116.5	11.3	31
L820809		0.17	0.008	0.84	1.69	78.7	<0.2	<10	140	2.76	1.31	1.00	8.59	127.5	11.8	34
L820810		0.35	0.007	0.80	1.72	59.1	<0.2	<10	150	2.70	1.58	0.85	6.35	145.5	11.6	33

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147834

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm	ME-MS41 Cu ppm	ME-MS41 Fe %	ME-MS41 Ga ppm	ME-MS41 Ge ppm	ME-MS41 Hf ppm	ME-MS41 Hg ppm	ME-MS41 In ppm	ME-MS41 K %	ME-MS41 La ppm	ME-MS41 Li ppm	ME-MS41 Mg %	ME-MS41 Mn ppm	ME-MS41 Mo ppm	ME-MS41 Na %
L820681		1.83	18.1	2.04	6.19	0.05	0.02	0.04	0.032	0.04	7.3	6.1	0.17	121	3.54	0.01
L820682		2.67	39.8	2.61	6.09	0.11	0.05	0.05	0.046	0.09	19.1	19.4	0.67	547	1.34	0.01
L820683		1.11	16.5	2.00	4.38	<0.05	<0.02	0.03	0.014	0.03	4.2	3.3	0.17	706	1.83	0.01
L820684		0.99	19.5	2.00	4.54	0.05	<0.02	0.03	0.014	0.05	4.8	6.2	0.20	339	1.98	0.01
L820685		1.24	30.1	2.55	6.10	0.05	<0.02	0.05	0.020	0.05	7.2	5.8	0.24	369	2.95	0.01
L820686		3.09	57.1	2.74	7.43	0.10	0.04	0.05	0.038	0.05	19.7	23.2	0.58	646	4.59	0.02
L820687		3.06	34.0	4.20	9.40	0.13	0.05	0.04	0.042	0.07	24.6	32.4	1.30	817	3.32	0.08
L820688		2.63	38.4	3.24	8.77	0.08	0.02	0.07	0.049	0.08	14.4	14.9	0.42	585	6.29	0.01
L820689		1.85	22.9	4.43	7.79	0.22	0.05	0.04	0.043	0.07	33.5	23.1	1.71	919	0.92	0.18
L820690		1.93	36.2	3.95	7.95	0.09	<0.02	0.06	0.027	0.06	9.7	9.1	0.38	657	3.75	0.01
L820691		2.12	41.0	3.47	5.38	0.11	0.04	0.06	0.026	0.09	13.1	15.8	0.56	496	1.46	0.01
L820692		2.96	62.9	4.79	6.14	0.12	<0.02	0.07	0.033	0.09	13.6	17.3	0.55	958	2.46	0.01
L820693		4.91	85.7	5.79	4.44	0.14	<0.02	0.07	0.050	0.30	22.9	12.5	0.29	257	6.54	0.03
L820694		2.27	47.3	3.26	5.32	0.10	<0.02	0.05	0.039	0.08	17.3	13.3	0.39	417	3.62	0.01
L820695		1.83	30.4	2.90	5.97	0.13	0.04	0.05	0.068	0.06	15.2	15.9	0.50	477	1.92	0.01
L820696		2.63	34.0	3.43	8.03	0.10	<0.02	0.06	0.046	0.06	8.6	17.8	0.51	335	2.82	0.01
L820697		5.65	35.0	3.79	8.85	0.10	<0.02	0.05	0.030	0.07	8.6	22.5	0.69	575	2.74	0.02
L820698		4.86	28.3	2.81	6.10	0.12	0.06	0.03	0.029	0.12	10.3	28.2	0.71	376	1.27	0.03
L820699		4.48	34.5	3.10	7.21	0.10	<0.02	0.05	0.033	0.08	10.6	25.0	0.62	309	1.55	0.02
L820700		1.11	18.4	2.25	3.88	0.08	<0.02	0.05	0.015	0.04	3.8	3.0	0.16	177	1.83	0.02
L820701		0.83	20.4	2.07	3.65	0.09	<0.02	0.06	0.017	0.04	4.5	3.1	0.16	375	1.87	0.02
L820702		1.64	38.1	2.89	4.33	0.10	0.02	0.05	0.037	0.08	12.6	10.8	0.36	414	2.98	0.01
L820703		2.16	49.8	5.26	8.77	0.10	<0.02	0.06	0.038	0.11	11.3	13.6	0.46	513	6.43	0.01
L820704		3.28	36.2	2.81	5.88	0.26	0.07	0.05	0.047	0.11	61.5	17.0	0.41	653	2.98	0.02
L820705		3.27	34.4	2.43	5.40	0.21	0.02	0.05	0.053	0.10	62.8	16.1	0.38	650	2.98	0.02
L820706		3.45	34.2	2.59	5.82	0.24	0.03	0.05	0.059	0.10	65.4	16.1	0.38	583	3.45	0.02
L820707		3.41	35.6	2.52	5.67	0.27	0.04	0.04	0.061	0.10	69.2	17.5	0.41	627	2.84	0.02
L820708		3.86	45.1	2.79	6.63	0.31	0.04	0.06	0.071	0.12	88.1	19.4	0.46	754	3.37	0.02
L820709		3.70	40.0	2.72	6.04	0.28	0.04	0.05	0.059	0.12	79.8	18.4	0.44	565	3.46	0.02
L820710		4.21	47.6	2.92	7.08	0.35	0.04	0.07	0.072	0.13	98.9	20.7	0.49	681	3.75	0.02
L820801		2.11	30.8	2.70	5.24	0.20	0.03	0.05	0.045	0.07	61.9	10.2	0.31	837	3.04	0.02
L820802		2.48	30.7	2.37	5.00	0.22	0.03	0.06	0.048	0.07	65.4	10.6	0.31	796	2.84	0.02
L820803		3.20	43.6	2.81	6.60	0.30	0.05	0.07	0.063	0.09	92.3	15.4	0.46	862	3.45	0.02
L820804		2.37	38.8	2.44	4.94	0.19	<0.02	0.07	0.045	0.07	52.8	13.1	0.37	835	3.32	0.02
L820805		4.59	62.2	3.05	6.50	0.18	0.03	0.03	0.052	0.11	31.3	32.0	0.72	604	8.50	0.02
L820806		5.81	48.5	2.74	5.82	0.22	0.02	0.06	0.045	0.12	57.2	19.4	0.48	561	4.45	0.02
L820807		6.81	67.6	2.84	6.73	0.27	0.03	0.07	0.068	0.11	81.8	26.3	0.55	847	4.73	0.02
L820808		7.73	62.4	2.93	6.53	0.24	0.02	0.07	0.084	0.12	63.6	29.2	0.57	579	4.52	0.02
L820809		9.12	151.0	2.83	7.04	0.32	0.04	0.10	0.156	0.15	82.1	35.6	0.65	612	4.87	0.02
L820810		8.45	123.0	3.16	7.12	0.28	0.05	0.09	0.176	0.15	70.6	34.5	0.66	905	4.62	0.02

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 9- SEP- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147834

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm	ME-MS41 Ni ppm	ME-MS41 P ppm	ME-MS41 Pb ppm	ME-MS41 Rb ppm	ME-MS41 Re ppm	ME-MS41 S %	ME-MS41 Sb ppm	ME-MS41 Sc ppm	ME-MS41 Se ppm	ME-MS41 Sn ppm	ME-MS41 Sr ppm	ME-MS41 Ta ppm	ME-MS41 Te ppm	ME-MS41 Th ppm
L820681		1.05	18.5	500	15.5	9.0	<0.001	0.03	0.81	1.5	0.5	2.1	17.5	<0.01	0.05	0.5
L820682		0.87	68.7	2650	20.8	18.0	<0.001	0.08	0.93	3.4	1.3	0.7	108.0	0.01	0.09	1.1
L820683		0.27	12.1	590	7.8	8.3	<0.001	0.06	0.37	0.6	0.4	0.4	14.3	<0.01	0.04	<0.2
L820684		0.33	13.1	770	6.8	10.0	<0.001	0.06	0.42	0.8	0.4	0.4	15.5	<0.01	0.03	<0.2
L820685		0.64	19.8	690	9.8	11.7	<0.001	0.07	0.75	0.9	0.5	0.6	18.7	<0.01	0.06	<0.2
L820686		0.44	43.0	2270	51.1	13.4	0.001	0.10	1.16	1.5	1.1	0.8	28.0	0.01	0.07	0.4
L820687		0.54	36.6	1300	25.2	12.3	<0.001	0.07	0.53	4.1	0.8	0.6	108.5	0.01	0.04	0.8
L820688		0.58	32.3	1070	22.0	14.8	<0.001	0.13	5.11	1.2	2.0	0.8	22.8	<0.01	0.10	0.3
L820689		0.56	28.2	1140	9.5	7.6	0.001	0.04	0.30	9.3	1.6	0.4	172.0	<0.01	<0.01	3.5
L820690		0.66	26.5	720	14.5	10.9	0.002	0.07	2.15	1.4	0.5	0.8	16.9	<0.01	0.05	0.2
L820691		1.17	30.1	480	8.8	10.0	0.002	0.08	2.52	3.4	0.8	0.5	20.3	0.01	0.06	2.1
L820692		1.00	42.8	570	11.9	9.8	0.001	0.10	9.39	3.9	0.9	0.6	26.9	0.01	0.11	2.5
L820693		0.78	37.8	1340	15.2	19.9	0.002	0.62	34.8	3.1	2.8	0.5	88.5	<0.01	0.14	2.8
L820694		0.66	35.6	1560	18.2	11.2	0.002	0.10	3.65	2.3	1.1	0.7	24.3	<0.01	0.06	0.9
L820695		1.33	31.4	720	26.5	9.4	0.002	0.05	0.85	2.3	1.0	1.3	16.7	0.01	0.03	2.1
L820696		0.93	25.8	530	16.4	13.8	0.002	0.05	0.79	1.8	0.3	1.6	18.1	<0.01	0.05	0.5
L820697		0.96	27.9	600	13.7	21.3	0.001	0.05	0.92	2.3	0.6	0.8	26.8	<0.01	0.04	0.4
L820698		1.96	25.1	440	7.9	22.5	0.001	0.03	0.36	4.0	0.2	1.1	22.2	0.01	0.01	2.5
L820699		1.35	25.1	580	11.3	14.4	0.001	0.04	0.60	2.8	0.6	1.4	19.1	<0.01	0.05	1.1
L820700		0.31	11.0	850	5.2	7.4	0.001	0.08	0.45	0.8	0.3	0.4	15.0	<0.01	0.02	<0.2
L820701		0.37	10.5	1010	5.7	5.7	0.002	0.12	0.36	0.9	0.5	0.3	19.8	<0.01	<0.01	0.2
L820702		0.95	27.1	470	14.1	8.8	0.001	0.11	2.49	2.2	1.1	0.6	19.2	0.01	0.06	1.6
L820703		1.06	31.6	750	15.6	14.2	0.001	0.16	6.54	2.3	1.2	0.9	23.3	<0.01	0.15	0.9
L820704		1.16	21.6	880	47.3	14.5	0.002	0.05	0.79	2.6	2.3	0.7	22.1	<0.01	0.03	4.6
L820705		1.08	19.4	780	38.2	14.3	0.001	0.04	0.79	2.4	1.9	0.7	20.5	<0.01	0.03	4.1
L820706		1.23	22.1	840	42.3	14.7	0.002	0.05	0.91	2.6	2.6	0.7	21.7	<0.01	0.05	4.7
L820707		1.19	20.6	810	47.6	15.2	0.001	0.04	0.78	2.5	2.4	0.7	21.0	<0.01	0.05	4.7
L820708		1.31	23.9	880	61.6	17.2	0.002	0.05	0.99	2.9	3.4	0.8	24.9	<0.01	0.04	4.8
L820709		1.35	22.8	850	55.1	16.2	0.001	0.05	0.82	2.8	3.0	0.8	23.7	<0.01	0.04	5.0
L820710		1.49	26.2	940	63.2	18.7	0.002	0.06	1.06	3.2	3.9	0.9	28.0	<0.01	0.06	5.3
L820801		0.89	17.7	890	39.8	8.8	0.002	0.04	0.92	2.0	2.1	0.7	22.4	<0.01	0.03	3.1
L820802		0.96	17.3	820	41.5	9.6	0.002	0.04	0.94	2.1	2.5	0.6	21.3	<0.01	0.02	3.3
L820803		1.04	25.1	1000	49.0	12.7	0.002	0.07	1.55	3.0	3.9	0.7	30.6	<0.01	0.04	3.2
L820804		0.67	22.0	870	36.6	9.1	0.002	0.05	1.31	2.1	2.0	0.5	25.9	<0.01	0.05	1.8
L820805		1.57	101.5	1560	23.5	15.7	0.004	0.06	1.37	3.9	2.5	0.9	34.8	<0.01	0.05	4.9
L820806		1.12	36.3	1110	28.0	14.6	0.002	0.08	2.19	3.3	3.4	0.7	32.8	<0.01	0.04	2.9
L820807		0.99	43.4	1270	36.1	17.7	0.002	0.10	1.94	3.4	4.7	1.1	37.3	<0.01	0.05	2.1
L820808		1.08	43.4	1230	35.2	22.6	0.002	0.09	1.80	3.9	3.5	1.8	35.2	<0.01	0.06	2.7
L820809		2.14	45.5	1350	62.8	27.4	0.002	0.13	1.77	3.9	8.0	2.6	47.7	<0.01	0.09	2.8
L820810		2.59	40.8	1200	88.5	30.8	0.002	0.10	1.41	4.0	4.8	3.5	40.2	0.01	0.09	4.4

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
 POX 938
 VERNON BC V1T 6M8


Page: 4 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 9- SEP- 2011
 Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147834

Sample Description	Method Analyte Units LOR	ME-MS41 Ti	ME-MS41 Tl	ME-MS41 U	ME-MS41 V	ME-MS41 W	ME-MS41 Y	ME-MS41 Zn	ME-MS41 Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
L820681		0.076	0.15	0.86	128	1.15	3.02	104	0.5
L820682		0.066	0.23	5.88	138	1.39	21.2	340	0.9
L820683		0.051	0.08	0.44	54	0.12	1.86	50	<0.5
L820684		0.055	0.07	0.53	61	0.12	2.05	55	<0.5
L820685		0.058	0.12	0.69	71	0.16	2.81	68	<0.5
L820686		0.040	0.19	2.67	163	0.47	18.40	213	0.5
L820687		0.054	0.19	1.20	89	0.11	12.30	127	0.9
L820688		0.042	0.20	1.51	79	0.26	6.14	126	<0.5
L820689		0.135	0.06	1.19	86	0.05	27.5	122	1.4
L820690		0.073	0.15	0.92	90	0.23	3.33	89	<0.5
L820691		0.102	0.14	0.84	61	0.54	4.76	73	1.1
L820692		0.096	0.28	1.53	62	0.28	6.16	99	0.6
L820693		0.039	0.70	2.48	50	0.36	7.09	140	<0.5
L820694		0.051	0.19	1.46	65	0.35	8.92	128	<0.5
L820695		0.079	0.11	1.57	62	0.39	14.30	108	1.0
L820696		0.076	0.15	0.86	76	0.25	4.25	95	<0.5
L820697		0.098	0.23	0.73	81	0.27	4.21	85	0.5
L820698		0.135	0.26	0.74	57	0.67	5.86	62	1.7
L820699		0.108	0.19	0.86	65	0.31	4.72	70	0.8
L820700		0.064	0.06	0.46	67	0.10	1.75	49	<0.5
L820701		0.057	0.06	0.52	55	0.09	2.37	48	<0.5
L820702		0.069	0.15	1.14	51	0.28	5.92	85	0.5
L820703		0.080	0.32	1.00	88	0.33	3.67	104	<0.5
L820704		0.072	0.17	3.83	52	0.26	44.9	180	0.9
L820705		0.057	0.15	3.54	40	0.20	46.7	168	0.7
L820706		0.063	0.15	3.71	45	0.27	44.5	173	1.0
L820707		0.058	0.16	3.91	40	0.20	47.5	190	1.0
L820708		0.062	0.17	5.11	44	0.26	63.4	223	1.0
L820709		0.063	0.17	4.70	43	0.34	58.2	224	1.1
L820710		0.063	0.19	5.65	46	0.33	69.7	249	1.2
L820801		0.065	0.09	3.26	50	0.18	36.3	158	1.0
L820802		0.052	0.10	3.85	40	0.23	42.0	164	0.9
L820803		0.052	0.15	4.96	44	0.23	60.8	192	1.0
L820804		0.047	0.11	3.07	44	0.17	32.9	153	0.5
L820805		0.081	0.16	6.29	161	0.94	27.3	777	1.2
L820806		0.060	0.17	5.13	66	0.28	36.9	220	0.7
L820807		0.053	0.23	15.50	71	0.37	53.8	343	0.7
L820808		0.060	0.24	19.55	78	0.59	45.5	415	0.8
L820809		0.059	0.30	37.7	71	0.58	94.5	804	1.2
L820810		0.071	0.29	21.5	72	0.65	85.7	835	1.3

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8


Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 9- SEP- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147834

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt.	Au-TL43 Au	ME-MS41 Ag	ME-MS41 Al	ME-MS41 As	ME-MS41 Au	ME-MS41 B	ME-MS41 Ba	ME-MS41 Be	ME-MS41 Bi	ME-MS41 Ca	ME-MS41 Cd	ME-MS41 Ce	ME-MS41 Co	ME-MS41 Cr
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
L820811		0.53	0.005	0.34	1.09	74.1	<0.2	<10	90	1.63	1.05	0.53	1.84	119.0	8.6	25
L820812		0.66	0.003	0.40	1.05	52.5	<0.2	<10	70	1.58	0.80	0.55	1.08	108.0	7.2	22
L820851		0.30	0.005	0.06	1.38	13.9	<0.2	<10	50	1.73	0.30	0.15	0.51	153.0	5.0	19
L820852		0.37	0.005	0.06	1.42	24.0	<0.2	<10	60	2.69	0.47	0.18	0.44	178.5	6.3	22
L820853		0.35	0.002	0.10	0.65	9.1	<0.2	<10	50	0.46	0.13	0.15	0.28	44.0	5.2	11
L820854		0.27	0.002	0.08	0.37	9.9	<0.2	<10	60	0.25	0.12	0.13	0.25	9.21	5.3	9
L820855		0.41	0.001	0.03	0.69	14.5	<0.2	<10	40	0.25	0.16	0.11	0.13	12.45	6.6	16
L820856		0.34	0.002	0.07	0.86	9.6	<0.2	<10	130	0.30	0.21	0.14	0.36	11.30	6.0	19
L820857		0.28	0.003	0.55	0.66	8.8	<0.2	<10	140	0.25	0.16	0.22	0.62	7.93	7.9	17
L820858		0.41	0.002	0.34	1.59	19.7	<0.2	<10	80	0.68	0.33	0.24	0.39	32.9	9.6	36
L820859		0.24	0.002	0.15	1.47	18.3	<0.2	<10	80	0.61	0.35	0.16	0.34	30.6	10.8	28
L820860		0.22	0.002	0.14	1.06	21.7	<0.2	<10	90	0.40	0.36	0.22	0.58	15.65	8.1	26
L820861		0.18	0.001	0.23	0.22	0.9	<0.2	<10	30	0.08	0.05	0.16	0.18	4.11	2.8	5
L820863		0.29	0.004	0.46	0.84	9.2	<0.2	<10	150	0.32	0.21	0.24	0.57	13.15	7.3	21
L820864		0.37	0.003	0.22	1.87	24.5	<0.2	<10	100	1.02	0.32	0.15	0.60	47.9	8.8	34
L820865		0.38	0.002	0.10	1.20	21.7	<0.2	<10	120	0.61	0.30	0.29	0.30	25.6	8.8	25
L820866		0.40	0.002	0.07	1.90	13.9	<0.2	<10	80	0.95	0.29	0.20	0.39	46.2	11.3	33
L820867		0.52	0.003	0.09	1.69	18.2	<0.2	<10	80	2.06	0.55	0.18	0.56	130.5	7.3	22
L820868		0.49	0.003	0.05	1.54	10.0	<0.2	<10	60	1.85	0.33	0.15	0.47	140.0	6.4	20
L820869		0.42	0.003	0.08	0.65	23.0	<0.2	<10	40	0.53	0.09	0.15	0.13	42.0	4.7	10
L820870		0.33	0.005	0.52	1.20	37.6	<0.2	<10	180	1.34	0.29	0.41	2.54	127.0	14.0	19
L820872		0.36	0.004	0.31	0.96	23.8	<0.2	<10	110	1.22	0.24	0.38	1.89	123.5	10.6	15
L820873		0.25	0.004	0.58	1.35	35.2	<0.2	<10	150	1.78	0.34	0.49	2.85	173.5	14.8	21
L820874		0.31	0.003	0.44	1.27	24.4	<0.2	<10	120	1.62	0.35	0.58	3.59	185.0	11.1	20

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147834

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm	ME-MS41 Cu ppm	ME-MS41 Fe %	ME-MS41 Ga ppm	ME-MS41 Ge ppm	ME-MS41 Hf ppm	ME-MS41 Hg ppm	ME-MS41 In ppm	ME-MS41 K %	ME-MS41 La ppm	ME-MS41 Li ppm	ME-MS41 Mg %	ME-MS41 Mn ppm	ME-MS41 Mo ppm	ME-MS41 Na %
L820811		4.03	38.2	2.93	6.01	0.20	0.06	0.03	0.130	0.13	43.0	32.8	0.53	558	2.79	0.02
L820812		3.18	29.9	2.19	5.17	0.20	0.05	0.04	0.078	0.10	46.2	27.6	0.54	460	2.44	0.02
L820851		2.25	22.7	2.87	5.99	0.24	0.03	0.04	0.057	0.05	73.9	10.8	0.27	557	2.21	0.01
L820852		2.74	23.0	2.80	6.74	0.28	0.06	0.04	0.068	0.05	74.5	10.5	0.32	472	2.61	0.01
L820853		0.86	18.3	1.60	3.25	0.11	<0.02	0.02	0.019	0.04	22.3	3.3	0.16	250	2.28	0.02
L820854		0.78	15.9	1.69	3.04	0.08	<0.02	0.02	0.021	0.03	4.2	2.4	0.13	524	2.41	0.01
L820855		0.96	18.4	2.77	5.61	0.08	<0.02	<0.01	0.016	0.03	5.4	6.2	0.20	211	2.00	0.01
L820856		0.97	23.1	2.40	5.51	0.07	<0.02	0.02	0.016	0.03	5.1	8.5	0.26	189	4.62	0.01
L820857		1.07	25.5	2.14	4.26	0.08	<0.02	0.08	0.013	0.04	4.0	4.4	0.22	433	2.60	0.01
L820858		1.97	38.3	3.32	7.28	0.10	<0.02	0.02	0.032	0.07	13.1	20.0	0.54	322	2.42	0.01
L820859		2.01	28.7	3.29	7.12	0.10	<0.02	0.05	0.027	0.09	13.1	18.6	0.47	483	2.53	0.01
L820860		1.52	25.0	2.80	6.66	0.09	0.02	0.02	0.024	0.05	7.2	13.7	0.36	266	2.56	0.01
L820861		0.25	8.8	0.93	1.71	0.08	<0.02	<0.01	<0.005	0.02	3.0	0.7	0.09	99	0.52	0.02
L820863		1.31	26.4	2.42	5.27	0.09	<0.02	0.06	0.018	0.05	6.0	4.4	0.23	329	4.49	0.01
L820864		1.46	39.5	3.32	8.08	0.10	0.02	0.07	0.046	0.05	16.7	18.1	0.46	396	6.57	0.01
L820865		1.73	24.3	3.16	7.12	0.10	0.02	0.04	0.037	0.07	9.2	11.6	0.42	531	3.46	0.01
L820866		1.94	30.1	3.18	6.91	0.11	0.03	0.01	0.048	0.06	17.0	14.9	0.55	595	3.24	0.01
L820867		2.98	24.1	3.19	7.99	0.14	0.03	0.02	0.084	0.10	41.1	14.8	0.39	856	4.48	0.01
L820868		1.79	21.9	2.61	6.19	0.13	0.07	<0.01	0.064	0.06	22.9	8.9	0.34	552	1.97	0.01
L820869		0.72	18.3	1.52	3.66	0.13	0.02	<0.01	0.019	0.03	25.1	4.8	0.18	226	1.05	0.01
L820870		2.68	63.6	3.22	5.39	0.22	0.02	0.02	0.051	0.11	67.4	20.2	0.43	969	6.97	0.03
L820872		1.88	44.0	2.30	4.20	0.22	0.02	0.01	0.043	0.09	65.2	15.9	0.36	805	4.55	0.03
L820873		2.90	64.2	2.87	5.86	0.32	0.09	0.02	0.060	0.13	97.5	22.9	0.47	1340	6.17	0.03
L820874		2.45	52.1	2.51	5.46	0.32	0.06	0.04	0.055	0.12	114.0	18.2	0.46	1080	4.44	0.03

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.comTo: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 9- SEP- 2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147834

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Nb ppm 0.05	Ni ppm 0.2	P ppm 10	Pb ppm 0.2	Rb ppm 0.1	Re ppm 0.001	S %	Sb ppm 0.05	Sc ppm 0.1	Se ppm 0.2	Sn ppm 0.2	Sr ppm 0.2	Ta ppm 0.01	Te ppm 0.01	Th ppm 0.2
L820811		2.02	23.7	1000	45.5	20.2	0.001	0.04	0.87	2.9	1.6	4.0	24.9	<0.01	0.12	20.4
L820812		2.02	19.7	910	38.6	16.4	0.002	0.03	0.40	2.5	2.0	1.2	27.4	<0.01	0.09	7.9
L820851		0.94	13.9	500	62.3	7.7	0.002	0.04	0.47	1.6	1.2	0.6	11.9	<0.01	0.01	3.4
L820852		1.45	17.0	490	59.6	11.2	0.002	0.04	0.61	2.5	2.5	0.8	15.3	<0.01	0.02	5.8
L820853		0.23	9.5	570	9.6	6.4	0.001	0.06	0.36	0.6	0.7	0.3	14.2	<0.01	0.03	<0.2
L820854		0.16	8.9	570	7.9	5.3	0.001	0.05	0.44	0.5	0.3	0.3	13.0	<0.01	<0.01	<0.2
L820855		0.49	12.1	390	9.5	5.5	0.001	0.02	0.54	1.0	0.2	0.4	10.0	<0.01	0.02	0.4
L820856		0.46	16.5	530	10.0	5.4	0.001	0.04	0.58	0.9	0.2	0.4	14.3	<0.01	0.03	0.2
L820857		0.24	23.3	800	6.0	7.8	0.001	0.07	0.65	0.5	0.5	0.4	17.3	<0.01	0.02	<0.2
L820858		0.80	31.9	790	11.8	13.9	0.001	0.04	0.90	1.5	0.6	0.8	17.5	<0.01	0.04	0.4
L820859		0.93	24.9	800	13.9	17.7	0.001	0.07	0.63	1.7	0.7	0.7	14.7	<0.01	0.04	0.7
L820860		0.79	22.6	660	11.9	11.1	0.001	0.06	0.79	1.2	0.3	0.8	19.3	<0.01	0.03	0.2
L820861		0.22	2.9	440	1.6	1.9	0.001	0.04	0.07	0.4	<0.2	<0.2	11.8	<0.01	<0.01	<0.2
L820863		0.22	17.7	1210	8.2	10.6	0.001	0.10	0.87	0.3	0.4	0.5	21.6	<0.01	0.03	<0.2
L820864		0.77	38.2	830	30.3	7.2	0.002	0.08	0.96	1.3	0.7	0.8	13.2	<0.01	0.04	0.3
L820865		0.86	23.2	680	17.6	14.7	0.001	0.06	0.76	1.4	0.3	0.8	23.3	<0.01	0.04	0.5
L820866		1.27	33.8	420	36.0	9.6	0.002	0.03	0.52	2.7	0.6	0.7	16.9	<0.01	0.04	1.9
L820867		0.69	24.1	460	34.1	18.2	0.001	0.03	0.65	2.3	1.1	0.9	14.2	<0.01	0.03	3.7
L820868		1.25	16.9	400	46.8	8.9	0.001	0.02	0.38	1.6	0.9	0.8	10.8	<0.01	0.02	4.6
L820869		0.59	8.7	490	12.5	4.1	0.001	0.02	0.44	1.0	0.3	0.4	13.9	<0.01	0.01	1.1
L820870		0.55	47.0	1270	33.6	10.7	0.003	0.15	3.95	2.3	4.1	0.5	40.9	<0.01	0.09	2.9
L820872		0.69	33.6	990	28.5	8.2	0.002	0.09	2.73	1.9	3.0	0.4	31.7	<0.01	0.08	3.5
L820873		0.88	51.8	1320	42.4	11.8	0.002	0.13	3.61	2.5	4.2	0.5	36.8	<0.01	0.07	4.5
L820874		0.99	48.0	1150	40.6	11.4	0.002	0.11	2.37	2.2	3.9	0.5	34.0	<0.01	0.06	4.8

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: 5 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2011
Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147834

Sample Description	Method Analyte Units LOR	ME-MS41							
		Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L820811		0.086	0.19	5.01	63	1.58	34.7	333	2.7
L820812		0.065	0.15	4.98	37	2.48	43.8	245	2.1
L820851		0.052	0.07	3.18	36	0.20	27.1	162	1.5
L820852		0.072	0.10	4.47	45	0.20	42.6	173	2.2
L820853		0.036	0.06	0.94	35	0.08	7.13	53	<0.5
L820854		0.045	0.06	0.40	46	0.07	1.95	53	<0.5
L820855		0.093	0.05	0.42	79	0.10	2.39	61	<0.5
L820856		0.066	0.06	0.60	89	0.19	2.21	79	<0.5
L820857		0.055	0.07	0.69	92	0.18	2.36	99	<0.5
L820858		0.079	0.14	0.96	95	0.22	5.82	100	0.5
L820859		0.062	0.14	0.98	65	0.19	4.82	88	<0.5
L820860		0.072	0.11	0.79	89	0.54	3.27	98	<0.5
L820861		0.043	0.02	0.30	28	<0.05	1.36	18	<0.5
L820863		0.026	0.09	0.92	88	0.15	3.02	82	<0.5
L820864		0.053	0.11	1.58	106	0.35	7.23	192	0.5
L820865		0.066	0.12	1.08	73	0.19	5.84	141	0.5
L820866		0.096	0.10	1.09	63	0.31	7.01	164	1.2
L820867		0.027	0.12	1.98	37	0.17	22.3	174	1.0
L820868		0.064	0.09	2.10	42	0.19	17.15	146	4.3
L820869		0.054	0.04	0.87	33	0.09	9.04	47	0.7
L820870		0.040	0.16	4.33	52	0.15	52.9	206	<0.5
L820872		0.037	0.10	3.51	37	0.11	50.8	166	0.7
L820873		0.038	0.15	5.28	43	0.15	81.3	257	0.9
L820874		0.042	0.13	4.71	39	0.15	79.5	228	1.4

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 9- SEP- 2011

Account: NUN

Project: Rosie

CERTIFICATE OF ANALYSIS WH11147834

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.
ME- MS41	Interference: Ca> 10% on ICP- MS As, ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

