

ASSESSMENT REPORT

2011 GEOCHEMICAL PROGRAM

on the

**Zeus Property**

Whitehorse Mining District, Yukon Territory

for

**Goldspike Exploration Inc.**

Claims filed for: "ZUES" 1 to 46 (YD15801 to YD 15846), "Z" 1 to 114 (YD129101 to YD129214)

NTS Mapsheets: 115004 and 115N01

UTM Coordinates: E555000, N6995000

Owner: Goldspike Exploration Inc.

Author: D. Ferraro, HBSc.

Dates worked performed: June 26<sup>th</sup>, 2011 to July 4<sup>th</sup>, 2011



## TABLE OF CONTENTS

---

1.0 Summary .....	1
2.0 Introduction .....	2
3.0 Property Location and Access .....	2
4.0 Topography, Vegetation, and Climate .....	3
5.0 Property Description .....	4
6.0 Property History .....	10
7.0 Regional and Property Geology .....	10
8.0 2011 Work Program .....	12
8.1 Sampling Method and Approach .....	12
8.2 Sample Preparation, Analysis, and QA/QC .....	12
8.3 Results .....	13
9.0 Conclusions and Recommendations .....	16
References .....	17
Statement of Expenditures .....	18
Certificates of Qualifications.....	19

### Figures and Tables

Figure 1: General Location of the Zeus Property.....	2
Figure 2: Claim Location Map .....	9
Figure 3: Regional Bedrock Geology .....	11
Figure 4: Sample Location Map .....	14
Figure 5: Soil Geochemistry Map.....	15
Photo 1: Example of physiography on the Property.....	3
Table 1: List of claims.....	4

### Appendices

Appendix I: Soil Sample Descriptions.....	20
Appendix II: Rock Sample Descriptions.....	34
Appendix III: Soil Sample Assay Certificates .....	36
Appendix IV: Rock Sample Assay Certificates .....	89

## 1.0 SUMMARY

---

A 9 day geochemical sampling program was conducted on the Zeus Property from June 26<sup>th</sup>, 2011 to July 4<sup>th</sup>, 2011. The property is owned 100% by Goldspike Exploration Inc. and is currently under option to Sea Green Capital Corp. It consists of 160 contiguous quartz claims located in the Whitehorse Mining District.

The Zeus Property is located on the western edge of the Yukon Territory, approximately 110 km south of Dawson City, Yukon. It is situated 13 km to the south of the White River, a few kilometers west of confluence of the White River and Yukon River. It is best accessed by helicopter based out of a field camp.

Geologically, the property is within the Yukon-Tanana Terrane, an accreted pericratonic rock sequence of high grade metamorphic rocks. It is the largest of the Yukon's terranes and hosts gold deposits related to Mesozoic intrusions, including the Sonora Gulch gold deposit and the Casino copper gold and molybdenum porphyry. The property is underlain by Upper Cretaceous to Tertiary extrusive felsic rhyolitic rocks as well as Paleozoic quartzites and schists. Three moderately anomalous GSC-collected regional silt samples fall within the property.

A total of 557 soil samples and 7 rock samples were taken over the course of the program. The property was adequately covered for first pass soil sampling. Seven soil samples yielded over 10 ppb gold, the highest being 20.2 ppb Au. No significant gold values were found in the rock samples.

Although the position of the property in relation to known showings and deposits is favourable, the lack of results is discouraging. Furthermore the property was well covered with the soil sampling program and outcrop is limited. Limited follow-up work is recommended.

## 2.0 INTRODUCTION

This assessment report has been prepared at the request of Mr. Bruce Durham, president of Goldspike Exploration Inc. of Toronto, Ontario. The report describes the 2011 prospecting program on the Zeus Property. Field work was performed by Druid Exploration Inc. of Whitehorse, Yukon. The report text and maps were written by D. Ferraro, of Ferraro Consulting Ltd. of Woodstock, ON.

## 3.0 PROPERTY LOCATION AND ACCESS

The Zeus Property is situated in the Coffee Creek district, approximately 110 km south of Dawson City and 360 km northwest of Whitehorse (Figure 1). It is best accessed by helicopter from Thistle Creek airstrip. Prolonged work on the property requires a camp for logistical purposes.




Figure 1: General location of the Zeus Property (modified from NRCAN, 2006).

#### 4.0 TOPOGRAPHY, VEGETATION, AND CLIMATE

---

The Zeus Property is located in a moderately mountainous region of the Dawson Range. Numerous creeks flow through the area, the dominant being Los Angeles Creek which cuts through the property while joining the White River 13 km to the north. Elevations range from 1900 ft at the creek to 3300 ft at the peak of the mountains.

Vegetation consists of evergreen and deciduous forest which persist on the mountain tops due to the relatively lower elevations. Because of thick vegetation cover outcrop exposure is very limited on the property (<3%).

The Yukon has a subarctic continental climate with a mean summer temperature of 10 degrees celcius and a mean winter temperature of -23 degrees celcius. Temperature extremes of 35 degrees and -55 degrees celcius are common in the summer and winter, respectively.



Photo 1: Example of limited exposure on the Zeus Property with vegetation-covered mountain tops. Hughes 500D can be seen in flight.

## 5.0 PROPERTY DESCRIPTION

The present property consists of 160 contiguous quartz claims in the Whitehorse Mining District. This includes 46 "ZEUS" claims and 114 "Z" claims (see Figure 2). The claims are owned 100% by Goldspike Exploration Inc. of Toronto, Ontario and are currently optioned to Sea Green Capital Corp. of Toronto, ON.

A complete list of the mining claims that make up the Zeus Property is as follows:

Table 1: Claims comprising the Zeus property.

Claim name	Claim Number	Grant Number	Owner	Optionee	Status	Expiry date
ZUES	1	YD15801	Goldspike Exploration Inc.	Sea Green Capital Corp.	Active	12/01/2013
ZUES	2	YD15802	Goldspike Exploration Inc.	Sea Green Capital Corp.	Active	12/01/2013
ZUES	3	YD15803	Goldspike Exploration Inc.	Sea Green Capital Corp.	Active	12/01/2013
ZUES	4	YD15804	Goldspike Exploration Inc.	Sea Green Capital Corp.	Active	12/01/2013
ZUES	5	YD15805	Goldspike Exploration Inc.	Sea Green Capital Corp.	Active	12/01/2013
ZUES	6	YD15806	Goldspike Exploration Inc.	Sea Green Capital Corp.	Active	12/01/2013
ZUES	7	YD15807	Goldspike Exploration Inc.	Sea Green Capital Corp.	Active	12/01/2013
ZUES	8	YD15808	Goldspike Exploration Inc.	Sea Green Capital Corp.	Active	12/01/2013
ZUES	9	YD15809	Goldspike Exploration Inc.	Sea Green Capital Corp.	Active	12/01/2013
ZUES	10	YD15810	Goldspike Exploration Inc.	Sea Green Capital Corp.	Active	12/01/2013
ZUES	11	YD15811	Goldspike Exploration Inc.	Sea Green Capital Corp.	Active	12/01/2013
ZUES	12	YD15812	Goldspike Exploration Inc.	Sea Green Capital Corp.	Active	12/01/2013
ZUES	13	YD15813	Goldspike Exploration Inc.	Sea Green Capital Corp.	Active	12/01/2013
ZUES	14	YD15814	Goldspike Exploration Inc.	Sea Green Capital Corp.	Active	12/01/2013
ZUES	15	YD15815	Goldspike Exploration Inc.	Sea Green Capital Corp.	Active	12/01/2013
ZUES	16	YD15816	Goldspike Exploration Inc.	Sea Green Capital Corp.	Active	12/01/2013
ZUES	17	YD15817	Goldspike Exploration Inc.	Sea Green Capital Corp.	Active	12/01/2013
ZUES	18	YD15818	Goldspike Exploration Inc.	Sea Green Capital Corp.	Active	12/01/2013
ZUES	19	YD15819	Goldspike Exploration Inc.	Sea Green Capital Corp.	Active	12/01/2013
ZUES	20	YD15820	Goldspike Exploration Inc.	Sea Green Capital Corp.	Active	12/01/2013
ZUES	21	YD15821	Goldspike Exploration Inc.	Sea Green Capital Corp.	Active	12/01/2013
ZUES	22	YD15822	Goldspike Exploration Inc.	Sea Green Capital Corp.	Active	12/01/2013
ZUES	23	YD15823	Goldspike Exploration Inc.	Sea Green Capital Corp.	Active	12/01/2013
ZUES	24	YD15824	Goldspike Exploration Inc.	Sea Green Capital Corp.	Active	12/01/2013
ZUES	25	YD15825	Goldspike Exploration Inc.	Sea Green Capital Corp.	Active	12/01/2013
ZUES	26	YD15826	Goldspike Exploration Inc.	Sea Green Capital Corp.	Active	12/01/2013
ZUES	27	YD15827	Goldspike Exploration Inc.	Sea Green Capital Corp.	Active	12/01/2013
ZUES	28	YD15828	Goldspike Exploration Inc.	Sea Green Capital Corp.	Active	12/01/2013
ZUES	29	YD15829	Goldspike Exploration Inc.	Sea Green Capital Corp.	Active	12/01/2013










Z	107	YD129207	Goldspike Exploration Inc.	Sea Green Capital Corp.	<i>Pending</i>	11/02/2013
Z	108	YD129208	Goldspike Exploration Inc.	Sea Green Capital Corp.	<i>Pending</i>	11/02/2013
Z	109	YD129209	Goldspike Exploration Inc.	Sea Green Capital Corp.	<i>Pending</i>	11/02/2013
Z	110	YD129210	Goldspike Exploration Inc.	Sea Green Capital Corp.	<i>Pending</i>	11/02/2013
Z	111	YD129211	Goldspike Exploration Inc.	Sea Green Capital Corp.	<i>Pending</i>	11/02/2013
Z	112	YD129212	Goldspike Exploration Inc.	Sea Green Capital Corp.	<i>Pending</i>	11/02/2013
Z	113	YD129213	Goldspike Exploration Inc.	Sea Green Capital Corp.	<i>Pending</i>	11/02/2013
Z	114	YD129214	Goldspike Exploration Inc.	Sea Green Capital Corp.	<i>Pending</i>	11/02/2013



# Zeus Property



Fig. 2: Claim Location Map

Goldspike Exploration Inc.

Los Angeles Creek area,  
Whitehorse Mining District

## Legend

- Zeus property claims
- Yukon quartz claims



Date: January, 2012  
 Mapsheets: 115O04, 115N01  
 Datum: UTM NAD83, Zone 7

## 6.0 PROPERTY HISTORY

---

The area has seen very little exploration since the late 1960s, when the discovery of the giant Casino copper-gold porphyry triggered a large staking rush. One recorded showing is located approximately 2 km south of the property. During January, 1970 the Apollo claims were recorded by E. Johnston. They were staked around a gossanous area of rhyolite capping metasedimentary rocks. Stream sediment samples yielded weakly anomalous copper and molybdenum (Yukon Minfile 1150020). Extensive work has been done to the east along the Yukon River by Teck Corporation and Shawn Ryan since the 1990s.

## 7.0 REGIONAL AND PROPERTY GEOLOGY

---

The Zeus Property is located in the Yukon-Tanana Terrane, an accreted pericratonic rock sequence that covers a large portion of the Omineca Belt, and extends into Alaska and British Columbia. It is the largest of the Yukon's terranes and hosts gold deposits related to Mesozoic intrusions, including the Sonora Gulch gold deposit and the Casino copper gold and molybdenum porphyry (Chartier, 2012). The Yukon-Tanana Terrane consists of several assemblages of schists and gneisses that were deformed and metamorphosed in the late Paleozoic era. These were intruded by a number of suites of Mesozoic intrusions, including the Dawson Suite intrusions. The Paleozoic rocks are pervasively foliated and contain at least two overprinting rock fabrics. During the Early Jurassic period, the rocks were tectonically stacked along foliation-parallel thrust faults (Hart, 2011).

The Zeus Property is underlain by Upper Cretaceous to Tertiary extrusive felsic rhyolitic rocks as well as Paleozoic quartzites, schists and other metasediments (see Figure 3). There is evidence of a gossan running north-south in the south west corner of the property 40m x 1500m dimensions. This gossan shows heavy oxidized muscovite schist. Little outcrop was seen as vegetation cover is dense. Aeromagnetic maps show a magnetic high over the location of the extrusive rhyolitic rock in the southern portion of the property. This may be indicative of a high-level intrusive phase. Measurements taken do not clearly show any directional strike.








Like the Klondike and the rest of the White Gold district, the Zeus Property is in a part of the Yukon that was not glaciated during the last ice age. For this reason, soil and silt geochemistry is very effective in locating gold deposits. There are numerous GSC-collected regional silt samples in the area of the property. One 15 ppb gold sample was found in the north end and two 8 ppb gold samples at the east and west ends of the property.

# Zeus Property

Fig. 3: Bedrock Geology  
Goldspike Exploration Inc.


Los Angeles Creek area,  
Whitehorse Mining District

### Legend


-  Zeus property claims
-  Regional stream geochemistry (Au ppb)
- Bedrock Geology**
- Rock Type**
-  basalt/breccia/andesite/porphyry/dacite/trachyte
-  dunite/peridotite/harzburgite/diabase/serpentinite
-  granite/alaskite/quartz monzonite/granodiorite
-  orthogneiss
-  quartzite/qt-ms-schist



N 1:65,000



Date: January, 2012  
Mapsheets: 115O04, 115N01  
Datum: UTM NAD83, Zone 7



## 8.0 2011 WORK PROGRAM

---

### 8.1 Sampling Method and Approach

A 9 day geochemical sampling program was conducted on the Zeus Property from June 26<sup>th</sup>, 2011 to July 4<sup>th</sup>, 2011. Working out of a camp 20 km east of the property, a crew of 4 soil samplers and one geologist collected 557 soil samples and 7 rock samples (see Figure 4 for sample locations). A Hughs 500D helicopter was used for the duration of the program.

A ridge and spur soil sampling program was planned before field work was conducted. Using ArcGIS, soil sample traverses were plotted at 50m spacings and downloaded onto samplers' GPS units. Once in the field, samplers used Dutch augurs to collect an adequate soil sample from the "C" horizon, placing it in a Kraft paper bag, marking the location with GPS, and marking the location with flagging tape labeled with the sample number. Sample conditions, environment and attributes were recorded in a field notebook. The GPS units were downloaded daily for plotting in ArcGIS. Soil samples were hung up to dry, then packed and shipped to the lab. Soil descriptions can be found in Appendix I.

Rock samples were taken based on mineralogy, structure and lithology. Samples were placed inside labeled plastic poly bags with the corresponding sample tag. Sample descriptions were recorded in a field notebook and the location recorded by GPS unit. Sample locations were marked with flagging tape labeled with the sample number. Rock sample descriptions can be found in Appendix II.

### 8.2 Sample Preparation, Analysis, and QA/QC

The soil and silt samples were dried at 60° C and sieved to -80 mesh (<177 microns). A 15.0 gram sub-sample was digested in hot (95° C) aqua regia (HCl-HNO<sub>3</sub>-H<sub>2</sub>O); following this, the samples were analysed by inductively-coupled plasma mass spectrometry (ICP-MS) techniques (Acme's Group 1DX2). Multi-elemental analysis of 36 elements was made.


The rock samples were crushed, split to 250 g, pulverized, and a split was sieved to -200 mesh. The same analytical procedure (Acme's Group 1DX2) was used.

Quality control samples from the lab include control blanks, duplicates and standards. Sample blanks (BLK), pulp duplicates and standards (STD DS8) were run with the batch analysis; no problems were noted with analytical accuracy or precision. Analytical results for the soil and rock samples are given in Appendices III and IV, respectively.

### 8.3 Results

Of the 557 soil samples taken only 7 were over 10 ppb gold and no trend was shown when plotted (see Figure 5). The highest gold value the soil samples yielded is 20.2 ppb. This sample lies 1 km uphill from the 15 ppb Au GSC silt anomaly. A short trend of elevated nickel values (200-300 ppm) was observed with related increased copper and manganese values. See Appendix III for assay results.

The rock samples collected were generally muscovite schists and rhyolite. Of the 7 rock samples taken, 5 samples are under detection limit for gold (<0.5 ppb) and the other two are of insignificant value. No other anomalous elements are present in the results. See Appendix IV for assay results.




# Zeus Property

Fig. 4: Sample Locations  
 Goldspike Exploration Inc.

Los Angeles Creek area,  
 Whitehorse Mining District

## Legend

- Soil samples
- ▲ Rock samples
- Zeus property claims



Date: January, 2012  
 Mapsheets: 115O04, 115N01  
 Datum: UTM NAD83, Zone 7



# Zeus Property

Fig. 5: Soil Geochemistry: Gold

Goldspike Exploration Inc.

Los Angeles Creek area,  
Whitehorse Mining District

## Legend

Soil sample geochemistry

Au (ppb)


- 0.5-10
- 10-20.2

Zeus property claims


- Regional stream geochem (Au ppb)



1:32,000



Date: January, 2012  
Mapsheets: 115O04, 115N01  
Datum: UTM NAD83, Zone 7



## 9.0 CONCLUSIONS AND RECOMMENDATIONS

---

The position of the Zeus Property in relation to the Freegold-Casino-Coffee Creek trend is favourable. Furthermore, the lack of exploration on the property itself allowed for great potential. The magnetic high shown on government geophysical maps likely represents a high level intrusive phase within the Carmacks volcanics and is indicative of potential hydrothermal activity and related gold mineralization. The GSC-collected silt samples show a few promising gold anomalies on the property.

The lack of outcrop on the property presents a problem for reconnaissance level prospecting. Because of this, one requires some sort of indication in the soil results to warrant further work, such as trenching or grid-style soil sampling. Due to the absence of favourable soil geochemistry results and the relatively good sampling coverage of the property, it is difficult to recommend further soil sampling targets on the property. However, without putting in a camp, limited follow-up work could be done. One area that further that may warrant further soil sampling is the northern end of the property where the 15 ppb Au GSC silt anomaly lies and a 20.2 ppb Au soil sample was found. Also, no silt samples were taken on the property which can easily be done with multiple helicopter landings. A one day trip to the property by helicopter could lead to more targets being generated for further work.

## REFERENCES

---

Chartier, D. (2012): Independent Technical Report for the Coffee Gold Project, Yukon, Canada, for Kaminak Gold Corp., Vancouver, BC.

Hart, C. (2011): The Geological Framework of the Yukon Territory, Yukon Geological Survey.

Natural Resources Canada, Atlas, (12/05/2006)

[http://atlas.nrcan.gc.ca/auth/english/maps/reference/provinceterritories/yukon\\_territory/referencemap\\_image\\_view](http://atlas.nrcan.gc.ca/auth/english/maps/reference/provinceterritories/yukon_territory/referencemap_image_view) (visited 01/02/2012)

Yukon Minfile 1150020 (1995): Apollo, Yukon Geological Survey.

**STATEMENT OF EXPENDITURES**

Unit	Qty	Item	Unit Price	Amount
<b>CONSUMABLES</b>				
	1	freight	27.74	27.74
	1	vehicle fuel	270.91	270.91
	1	propane	25.44	25.44
	1	repair and maintenance	14.43	14.43
	1	flights and av fuel - Helidynamics and Great River Aviation Ltd.	23,444.84	23,444.84
	1	sample assays	9,647.20	9,647.20
	1	camp consumables	211.91	211.91
	1	camp food	1,026.31	1,026.31
	1	office supplies	77.20	77.20
	1	computer hardware	16.51	16.51
	1	computer software	327.87	327.87
	1	communications	87.12	87.12
<b>WAGES</b>				
day	2	wages - D. Mac Gearailt	500.00	1,000.00
day	11	wages - R. Libke [Discovery Consultant Geo, no mark up)	600.00	6,600.00
various	1	wages - crew	5,552.53	5,552.53
day	3	wages - administration	224.18	672.54
day	3	wages - cook	785.96	2,357.88
			<b>TOTAL</b>	<b>51,360.43</b>

## CERTIFICATE OF QUALIFICATIONS

---

I, Daniel Ferraro, of 835 Berkshire Dr., Woodstock, Ontario, Canada, certify that:

1. I am a graduate of Lakehead University, 2008, and hold an H. B.Sc. Geology degree.
2. I am an independent geological consultant.
3. I am a member of the Ontario Prospectors Association (2010).
4. I have been employed as a geological assistant for the Ontario Geological Survey and the Geological Survey of Canada during the summers of, respectively, 2006 and 2007.
5. I have been working in the mineral exploration industry since 2008 for Pacific North West Capital Corporation, East West Resources Corporation, Rainy Mountain Royalty Corporation, Black Panther Mining Corporation, White Tiger Mining Corporation, Trillium North Minerals Ltd., and Goldspike Exploration Inc.
6. This report was prepared by myself.
7. I have no personal knowledge from the date of this certificate of any material fact or change not reflected in this report.



Daniel Ferraro, H.B.Sc.

Date: Mar 1, 2012

## Appendix I: Soil Sample Descriptions

## Soil Sample Descriptions

UTM NAD83 Zone 8

Sample ID	Northing	Easting	Elevation (m)	Date taken	Sampler	Depth	Horizon	Colour	Parent Material	Moisture Content	Vegetation Cover	Topo Position
1208651	6994056.5	553622.05	966	29-Jun-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208652	6994022	553661.18	962	29-Jun-11	Alec McAlister	60	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1208653	6993982.8	553698.85	950	29-Jun-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	deciduous forest	mid slope
1208654	6993959.8	553736.27	945	29-Jun-11	Alec McAlister	70	c	dark grey	weathered bedrock	Moist	deciduous forest	mid slope
1208655	6993924.2	553773.84	932	29-Jun-11	Alec McAlister	50	b/c	dark brown	weathered bedrock	Moist	deciduous forest	mid slope
1208656	6993899.4	553808.74	925	29-Jun-11	Alec McAlister	80	c	light grey	weathered bedrock	Moist	evergreen forest	mid slope
1208657	6993854.9	553855.23	919	29-Jun-11	Alec McAlister	30	b	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208658	6993827.2	553891.29	926	29-Jun-11	Alec McAlister	60	b/c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208659	6993792.1	553927.72	932	29-Jun-11	Alec McAlister	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208660	6993759.9	553960.49	939	29-Jun-11	Alec McAlister	60	b/c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208661	6993732.5	554002.79	943	29-Jun-11	Alec McAlister	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208662	6993694.5	554041.08	944	29-Jun-11	Alec McAlister	50	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208663	6993664.3	554081.03	947	29-Jun-11	Alec McAlister	40	b/c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208664	6993629.1	554114	945	29-Jun-11	Alec McAlister	30	b/c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208665	6993597.1	554157	948	29-Jun-11	Alec McAlister	30	b/c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208666	6993563.8	554193.08	944	29-Jun-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208667	6993532.9	554233.48	945	29-Jun-11	Alec McAlister	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208668	6994080.4	555134.1	987	30-Jun-11	Alec McAlister	60	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1208669	6994121.7	555162.3	984	30-Jun-11	Alec McAlister	70	b/c	light grey	weathered bedrock	Moist	evergreen forest	mid slope
1208670	6994169.1	555180.95	982	30-Jun-11	Alec McAlister	50	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208671	6994215.6	555207.8	986	30-Jun-11	Alec McAlister	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208672	6994261.5	555230.71	990	30-Jun-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	deciduous forest	mid slope
1208673	6994305.5	555249.01	991	30-Jun-11	Alec McAlister	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208674	6994340.7	555274	994	30-Jun-11	Alec McAlister	50	b/c	light brown	weathered bedrock	Moist	evergreen forest	ridge top
1208675	6994392.9	555290.02	1005	30-Jun-11	Alec McAlister	40	b	light brown	weathered bedrock	Moist	evergreen forest	ridge top
1208676	6994421.1	555337.34	1008	30-Jun-11	Alec McAlister	30	b	light brown	weathered bedrock	Moist	evergreen forest	ridge top
1208677	6994422.6	555379.54	998	30-Jun-11	Alec McAlister	30	b/c	light brown	weathered bedrock	Moist	evergreen forest	ridge top
1208678	6994440.8	555435.77	1002	30-Jun-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	evergreen forest	ridge top
1208679	6994445.9	555486.37	1007	30-Jun-11	Alec McAlister	80	c	light brown	weathered bedrock	Moist	evergreen forest	ridge top
1208680	6994456.5	555534.2	1014	30-Jun-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	evergreen forest	ridge top
1208681	6994455.6	555584.08	1019	30-Jun-11	Alec McAlister	70	c	dark grey	weathered bedrock	Moist	evergreen forest	ridge top
1208682	6994462.9	555629.77	1021	30-Jun-11	Alec McAlister	50	c	light brown	weathered bedrock	Moist	evergreen forest	ridge top
1208683	6994478.5	555672.99	1012	30-Jun-11	Alec McAlister	60	b/c	dark brown	weathered bedrock	Moist	evergreen forest	ridge top
1208684	6994452.1	555724.97	996	30-Jun-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208685	6994430.8	555763.71	985	30-Jun-11	Alec McAlister	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208686	6994400.2	555809.59	971	30-Jun-11	Alec McAlister	50	b/c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208687	6994381.1	555852.6	962	30-Jun-11	Alec McAlister	80	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208688	6994357.3	555897.06	951	30-Jun-11	Alec McAlister	30	b/c	light brown	weathered bedrock	Moist	buck brush	ridge top
1208689	6994334.8	555937.88	939	30-Jun-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	buck brush	ridge top
1208690	6994304.7	555988.37	925	30-Jun-11	Alec McAlister	80	c	light brown	weathered bedrock	Moist	buck brush	ridge top
1208691	6994288.6	556039.83	907	30-Jun-11	Alec McAlister	60	b/c	light brown	weathered bedrock	Moist	evergreen forest	ridge top
1208692	6994253.8	556076.05	898	30-Jun-11	Alec McAlister	70	b/c	light brown	weathered bedrock	Moist	evergreen forest	ridge top
1208693	6994237.7	556108.08	885	30-Jun-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope

Sample ID	Northing	Easting	Elevation (m)	Date taken	Sampler	Depth	Horizon	Colour	Parent Material	Moisture Content	Vegetation Cover	Topo Position
1208694	6994219.6	556160.17	872	30-Jun-11	Alec McAlister	80	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1208695	6994192.7	556205.61	859	1-Jul-11	Alec McAlister	60	c	dark brown	weathered bedrock	Moist	buck brush	mid slope
1208696	6994183	556256.52	850	1-Jul-11	Alec McAlister	70	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208697	6994196.6	556298.74	845	1-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208698	6994206.2	556341.33	842	1-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208699	6994230.8	556396.23	835	1-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208700	6994248.6	556440.72	831	1-Jul-11	Alec McAlister	30	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208701	6994095	553622		28-Jun-11	Alec McAlister	60	b/c	light grey	weathered bedrock	moist	evergreen forest	mid slope
1208702	6994144	553640		28-Jun-11	Alec McAlister	60	b/c	light brown	weathered bedrock	Partially Frozen	Evergreen Forest	Mid Slope
1208703	6994193	553651		28-Jun-11	Alec McAlister	60	b/c	light brown	weathered bedrock	partially frozen	evergreen forest	mid slope
1208704	6994245	553668		28-Jun-11	Alec McAlister	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208705	6994291	553682		28-Jun-11	Alec McAlister	50	b/c	light brown	weathered bedrock	partially frozen	deciduous forest	mid slope
1208706	6994338	553696		28-Jun-11	Alec McAlister	80	c	light brown	weathered bedrock	Moist	deciduous forest	mid slope
1208707	6994386	553710		28-Jun-11	Alec McAlister	30	b/c	light brown	weathered bedrock	Moist	deciduous forest	mid slope
1208708	6994439	553722		28-Jun-11	Alec McAlister	60	b/c	light brown	weathered bedrock	Moist	deciduous forest	mid slope
1208709	6994479	553742		28-Jun-11	Alec McAlister	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208710	6994531	553754		28-Jun-11	Alec McAlister	60	b/c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208711	6994572	553771		28-Jun-11	Alec McAlister	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208712	6994625	553784		28-Jun-11	Alec McAlister	50	c	light brown	weathered bedrock	Moist	deciduous forest	mid slope
1208713	6994670	553790		28-Jun-11	Alec McAlister	40	b/c	light brown	weathered bedrock	Moist	deciduous forest	mid slope
1208714	6994720	553794		28-Jun-11	Alec McAlister	30	b/c	light brown	weathered bedrock	wet	deciduous forest	mid slope
1208715	6994769	553791		28-Jun-11	Alec McAlister	40	b	dark brown	weathered bedrock	Moist	buck brush	mid slope
1208716	6994822	553791		28-Jun-11	Alec McAlister	30	b	light brown	weathered bedrock	Moist	buck brush	mid slope
1208717	6994859	553755		28-Jun-11	Alec McAlister	30	b	light brown	weathered bedrock	Moist	buck brush	mid slope
1208718	6994890	553713		28-Jun-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208719	6994917	553680		28-Jun-11	Alec McAlister	80	c	dark grey	weathered bedrock	Moist	evergreen forest	mid slope
1208720	6994913	553642		28-Jun-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208721	6994983.9	553603.56	709	29-Jun-11	Ryan West	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208722	6994986.5	553602.89	710	29-Jun-11	Ryan West	50	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208724	6995045.1	553522.17	716	29-Jun-11	Ryan West	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208725	6995070.8	553483.24	733	29-Jun-11	Ryan West	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208726	6995097.3	553440.61	762	29-Jun-11	Ryan West	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208727	6995122.8	553394.43	777	29-Jun-11	Ryan West	50	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1208728	6995150.2	553360.89	788	29-Jun-11	Ryan West	40	c	light brown	weathered bedrock	Partially Frozen	buck brush	mid slope
1208729	6995180	553316.91	804	29-Jun-11	Ryan West	30	c	dark brown	weathered bedrock	partially frozen	buck brush	mid slope
1208730	6995208.7	553282.53	819	29-Jun-11	Ryan West	30	c	dark brown	weathered bedrock	Moist	buck brush	ridge top
1208731	6994034	555122.01	996	30-Jun-11	Ryan West	60	c	dark brown	weathered bedrock	Moist	buck brush	ridge top
1208732	6993983.7	555124.28	993	30-Jun-11	Ryan West	80	c	dark brown	weathered bedrock	Moist	buck brush	ridge top
1208733	6993949.7	555141.06	995	30-Jun-11	Ryan West	60	c	light grey	weathered bedrock	Moist	buck brush	ridge top
1208734	6993908	555172.97	999	30-Jun-11	Ryan West	70	c	light brown	weathered bedrock	Moist	buck brush	ridge top
1208735	6993860.1	555196.19	1004	30-Jun-11	Ryan West	50	c	light brown	weathered bedrock	Moist	buck brush	ridge top
1208736	6993822.7	555227.69	1005	30-Jun-11	Ryan West	60	c	light brown	weathered bedrock	Moist	buck brush	ridge top
1208739	6993698.6	555307.25	989	30-Jun-11	Ryan West	60	c	light brown	weathered bedrock	Moist	buck brush	ridge top
1208740	6993662.9	555335.98	984	30-Jun-11	Ryan West	70	c	light brown	weathered bedrock	Moist	buck brush	ridge top
1208741	6993641.2	555384.15	971	30-Jun-11	Ryan West	50	c	light brown	weathered bedrock	Moist	buck brush	ridge top
1208742	6993633.7	555438.85	960	30-Jun-11	Ryan West	80	c	light brown	weathered bedrock	Moist	buck brush	ridge top



Sample ID	Northing	Easting	Elevation (m)	Date taken	Sampler	Depth	Horizon	Colour	Parent Material	Moisture Content	Vegetation Cover	Topo Position
1208743	6993615.4	555477.38	951	30-Jun-11	Ryan West	30	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208744	6993593.1	555527.08	938	30-Jun-11	Ryan West	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208745	6993583	555573.28	925	30-Jun-11	Ryan West	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208746	6993569.8	555619.55	915	30-Jun-11	Ryan West	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208747	6993554.2	555669.56	901	30-Jun-11	Ryan West	70	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1208748	6993533.7	555720.18	887	30-Jun-11	Ryan West	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208749	6993522.3	555760.82	876	30-Jun-11	Ryan West	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208750	6993507.6	555811.82	865	30-Jun-11	Ryan West	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208751	6993360	553164.38	867	28-Jun-11	Inyo Youngreen	70	c	dark brown	weathered bedrock	partially frozen	buck brush	mid slope
1208752	6993352.3	553168.25	871	28-Jun-11	Inyo Youngreen	60	c	light brown	weathered bedrock	partially frozen	buck brush	mid slope
1208753	6993310.3	553212.99	887	28-Jun-11	Inyo Youngreen	60	c	light brown	weathered bedrock	partially frozen	buck brush	mid slope
1208754	6993283.3	553242.68	899	28-Jun-11	Inyo Youngreen	60	c	light brown	weathered bedrock	frozen	buck brush	mid slope
1208755	6993251	553282.45	904	28-Jun-11	Inyo Youngreen	30	c	light brown	weathered bedrock	frozen	buck brush	mid slope
1208756	6993219.6	553320.45	902	28-Jun-11	Inyo Youngreen	60	c	light brown	weathered bedrock	frozen	buck brush	mid slope
1208757	6993178.1	553354.62	906	28-Jun-11	Inyo Youngreen	60	c	light brown	weathered bedrock	frozen	buck brush	mid slope
1208758	6993135.2	553383.28	915	28-Jun-11	Inyo Youngreen	60	c	light brown	weathered bedrock	partially frozen	buck brush	mid slope
1208759	6993101.2	553413.36	924	28-Jun-11	Inyo Youngreen	70	c	light brown	weathered bedrock	partially frozen	buck brush	mid slope
1208760	6993063.3	553448.12	930	28-Jun-11	Inyo Youngreen	50	b/c	light brown	weathered bedrock	frozen	buck brush	mid slope
1208761	6993021.3	553478.8	936	28-Jun-11	Inyo Youngreen	80	c	light brown	weathered bedrock	frozen	buck brush	mid slope
1208762	6992976.5	553501.22	940	28-Jun-11	Inyo Youngreen	30	c	dark brown	weathered bedrock	frozen	deciduous forest	mid slope
1208763	6992925.8	553506.71	948	28-Jun-11	Inyo Youngreen	60	c	light brown	weathered bedrock	frozen	buck brush	mid slope
1208764	6992879.5	553517.18	954	28-Jun-11	Inyo Youngreen	80	c	dark brown	weathered bedrock	frozen	buck brush	ridge top
1208765	6992829.2	553522.26	949	28-Jun-11	Inyo Youngreen	60	c	dark brown	weathered bedrock	frozen	buck brush	ridge top
1208766	6992777.9	553535.03	947	29-Jun-11	Inyo Youngreen	70	c	light grey	weathered bedrock	partially frozen	buck brush	ridge top
1208767	6992731.7	553541.16	939	29-Jun-11	Inyo Youngreen	50	b/c	light brown	weathered bedrock	Moist	buck brush	ridge top
1208768	6992689.2	553557.9	932	29-Jun-11	Inyo Youngreen	40	b/c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208769	6992627.9	553564.09	926	29-Jun-11	Inyo Youngreen	30	b	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208770	6992585.3	553564.91	925	29-Jun-11	Inyo Youngreen	40	b/c	light brown	weathered bedrock	Moist	deciduous forest	mid slope
1208771	6992536	553582.84	927	29-Jun-11	Inyo Youngreen	30	b/c	light brown	weathered bedrock	Moist	deciduous forest	mid slope
1208772	6992486.9	553584.07	930	29-Jun-11	Inyo Youngreen	30	b/c	light brown	weathered bedrock	Moist	deciduous forest	mid slope
1208773	6992436.4	553588.59	937	29-Jun-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	deciduous forest	mid slope
1208774	6992386.6	553591.31	946	29-Jun-11	Inyo Youngreen	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208775	6992334.5	553590.18	955	29-Jun-11	Inyo Youngreen	60	c	dark grey	weathered bedrock	Moist	evergreen forest	mid slope
1208776	6992284.2	553589.31	962	29-Jun-11	Inyo Youngreen	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208777	6992235.1	553594.72	969	29-Jun-11	Inyo Youngreen	50	c	light brown	weathered bedrock	Moist	deciduous forest	mid slope
1208778	6992187.2	553590.37	979	29-Jun-11	Inyo Youngreen	80	c	light brown	weathered bedrock	Moist	deciduous forest	mid slope
1208779	6992133.5	553595.81	988	29-Jun-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	deciduous forest	mid slope
1208780	6992088.6	553590.41	995	29-Jun-11	Inyo Youngreen	70	c	dark brown	weathered bedrock	Moist	buck brush	ridge top
1208781	6992040.3	553578.02	1002	29-Jun-11	Inyo Youngreen	50	c	light brown	weathered bedrock	Moist	buck brush	ridge top
1208782	6991992.7	553568.81	1003	29-Jun-11	Inyo Youngreen	40	c	light brown	weathered bedrock	Moist	buck brush	ridge top
1208783	6991944.2	553557.38	1013	29-Jun-11	Inyo Youngreen	30	c	light brown	weathered bedrock	Moist	evergreen forest	ridge top
1208784	6991900	553532.7	1014	29-Jun-11	Inyo Youngreen	30	c	light brown	weathered bedrock	Moist	evergreen forest	ridge top
1208785	6991861.6	553506.23	1010	29-Jun-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	deciduous forest	ridge top
1208786	6991822.2	553467.31	1015	29-Jun-11	Inyo Youngreen	80	c	light brown	weathered bedrock	Moist	deciduous forest	ridge top
1208787	6991784	553442.81	1028	29-Jun-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	deciduous forest	ridge top
1208788	6991745.9	553402.59	1034	29-Jun-11	Inyo Youngreen	70	c	light brown	weathered bedrock	Moist	deciduous forest	ridge top

Sample ID	Northing	Easting	Elevation (m)	Date taken	Sampler	Depth	Horizon	Colour	Parent Material	Moisture Content	Vegetation Cover	Topo Position
1208789	6991701.9	553374.41	1031	29-Jun-11	Inyo Youngreen	50	c	light brown	weathered bedrock	Moist	evergreen forest	ridge top
1208790	6992289.4	556650.62	920	30-Jun-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208791	6992320.3	556695.53	919	30-Jun-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208792	6992354.2	556729.56	919	30-Jun-11	Inyo Youngreen	70	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208793	6992393.4	556760.32	921	30-Jun-11	Inyo Youngreen	50	c	dark brown	weathered bedrock	Moist	buck brush	mid slope
1208794	6992430.6	556801.33	919	30-Jun-11	Inyo Youngreen	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208795	6992460.3	556834.3	919	30-Jun-11	Inyo Youngreen	30	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1208796	6992498.4	556863.64	918	30-Jun-11	Inyo Youngreen	60	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1208797	6992537.7	556904.36	920	30-Jun-11	Inyo Youngreen	80	c	light grey	weathered bedrock	Moist	evergreen forest	mid slope
1208798	6992563.6	556938.67	918	30-Jun-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208799	6992604	556971.75	915	30-Jun-11	Inyo Youngreen	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208800	6992634.9	557012.47	0	30-Jun-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208801	6992928	554659.44	969	29-Jun-11	Sam Snelling	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208802	6992882.1	554695.97	963	29-Jun-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208803	6992849.7	554726.38	953	29-Jun-11	Sam Snelling	70	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1208804	6992807.3	554754.98	945	29-Jun-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208805	6992769.4	554785.73	939	29-Jun-11	Sam Snelling	60	c	dark grey	weathered bedrock	Moist	evergreen forest	mid slope
1208806	6992732.5	554819.5	928	29-Jun-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208807	6992688.3	554850.15	924	29-Jun-11	Sam Snelling	30	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208808	6992655.5	554895.67	915	29-Jun-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208809	6992608.2	554914.83	907	29-Jun-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208810	6992577.1	554934.57	901	29-Jun-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208811	6992569	554976.16	896	29-Jun-11	Sam Snelling	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208812	6992556	554984.24	897	29-Jun-11	Sam Snelling	50	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208813	6992967	554630.59	972	29-Jun-11	Sam Snelling	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208814	6993002.6	554600.16	974	29-Jun-11	Sam Snelling	30	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1208815	6993041.3	554566.92	976	29-Jun-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208816	6993486.3	554271.06	962	30-Jun-11	Sam Snelling	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208817	6993454.8	554289.8	959	30-Jun-11	Sam Snelling	60	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1208818	6993401.8	554311	955	30-Jun-11	Sam Snelling	70	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1208819	6993358.3	554336.78	955	30-Jun-11	Sam Snelling	50	c	light grey	weathered bedrock	Moist	evergreen forest	mid slope
1208820	6993317.3	554359.69	956	30-Jun-11	Sam Snelling	40	c	dark grey	weathered bedrock	Moist	evergreen forest	mid slope
1208821	6993279.8	554377.32	957	30-Jun-11	Sam Snelling	30	b	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208822	6993229.7	554407.25	961	30-Jun-11	Sam Snelling	40	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208823	6993197.4	554439.24	964	30-Jun-11	Sam Snelling	30	b/c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208824	6993161.1	554473.26	967	30-Jun-11	Sam Snelling	30	b/c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208825	6993121	554509.56	972	30-Jun-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208826	6993071.9	554537.84	979	30-Jun-11	Sam Snelling	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208827	6993269.2	554889.72	939	30-Jun-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208828	6993045.3	555496.07	875	30-Jun-11	Sam Snelling	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208829	6993063.5	555462.77	882	30-Jun-11	Sam Snelling	50	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208830	6993080.6	555404.76	886	30-Jun-11	Sam Snelling	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208831	6993086.6	555347.59	888	30-Jun-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208832	6993101.9	555306.8	891	30-Jun-11	Sam Snelling	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208833	6993124.9	555266.97	899	30-Jun-11	Sam Snelling	50	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1208834	6993153.7	555209.85	902	30-Jun-11	Sam Snelling	40	c	light brown	weathered bedrock	Moist	deciduous forest	mid slope

Sample ID	Northing	Easting	Elevation (m)	Date taken	Sampler	Depth	Horizon	Colour	Parent Material	Moisture Content	Vegetation Cover	Topo Position
1208835	6993166.2	555173.68	912	30-Jun-11	Sam Snelling	30	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208836	6993183.2	555121.23	920	30-Jun-11	Sam Snelling	30	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208837	6993197	555074.9	927	30-Jun-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208838	6993214.6	555036.14	931	30-Jun-11	Sam Snelling	80	c	dark grey	weathered bedrock	Moist	evergreen forest	mid slope
1208839	6993239.3	554987.49	930	30-Jun-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208840	6993251.6	554938.61	934	30-Jun-11	Sam Snelling	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208841	6992720.7	557063.24	930	1-Jul-11	Sam Snelling	50	b/c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208842	6992722.4	557020.22	927	1-Jul-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208843	6992730.6	556965.26	918	1-Jul-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208844	6992738.2	556915.94	905	1-Jul-11	Sam Snelling	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208845	6992737.7	556865.33	891	1-Jul-11	Sam Snelling	50	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208846	6992748.4	556819.38	879	1-Jul-11	Sam Snelling	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208847	6992745.8	556759.54	870	1-Jul-11	Sam Snelling	30	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208848	6992754.7	556715.07	859	1-Jul-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208849	6992761	556668.66	849	1-Jul-11	Sam Snelling	80	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208850	6992773.5	556612.95	832	1-Jul-11	Sam Snelling	60	c	dark brown	weathered bedrock	Moist	buck brush	mid slope
1208851	6993478.5	555855.92	854	30-Jun-11	Ryan West	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208852	6993475	555912.25	850	30-Jun-11	Ryan West	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208853	6993463.4	555955.1	846	30-Jun-11	Ryan West	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208854	6993449.5	556000.66	839	30-Jun-11	Ryan West	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208855	6993445.5	556055.07	826	30-Jun-11	Ryan West	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208856	6993424.2	556101.27	817	30-Jun-11	Ryan West	60	c	dark grey	weathered bedrock	Moist	evergreen forest	mid slope
1208857	6993419.3	556159.4	801	30-Jun-11	Ryan West	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208858	6993397.1	556251.89	777	30-Jun-11	Ryan West	60	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1208859	6993393.4	556299.39	767	30-Jun-11	Ryan West	30	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208860	6993376.5	556346.23	757	30-Jun-11	Ryan West	60	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1208861	6993103.8	557223.17	857	1-Jul-11	Ryan West	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208862	6993151.9	557200.27	850	1-Jul-11	Ryan West	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208863	6993198	557175.45	841	1-Jul-11	Ryan West	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208864	6993209	557138.63	836	1-Jul-11	Ryan West	50	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208865	6993221.3	557082.04	833	1-Jul-11	Ryan West	80	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1208866	6993222.8	557033.68	835	1-Jul-11	Ryan West	30	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208867	6993232.8	556982.36	841	1-Jul-11	Ryan West	60	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1208868	6993239.5	556933.78	831	1-Jul-11	Ryan West	80	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1208869	6993243.3	556883.3	832	1-Jul-11	Ryan West	60	c	light grey	weathered bedrock	Moist	evergreen forest	mid slope
1208870	6993254.5	556836.86	831	1-Jul-11	Ryan West	70	c	dark grey	weathered bedrock	Moist	evergreen forest	mid slope
1208871	6993264.2	556789.72	812	1-Jul-11	Ryan West	50	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208872	6993280.9	556744.87	774	1-Jul-11	Ryan West	40	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208873	6993292.8	556691.66	752	1-Jul-11	Ryan West	30	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208874	6993305.2	556639.78	730	1-Jul-11	Ryan West	40	b/c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208875	6993322.9	556594.37	722	1-Jul-11	Ryan West	30	b/c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208876	6993332.5	556548.15	716	1-Jul-11	Ryan West	30	b/c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208877	6993346.4	556496.63	727	1-Jul-11	Ryan West	60	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208878	6993353.8	556449.03	735	1-Jul-11	Ryan West	80	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208879	6993364.3	556400.26	744	1-Jul-11	Ryan West	60	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208880	6997503	554199.86	882	2-Jul-11	Ryan West	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope

Sample ID	Northing	Eastng	Elevation (m)	Date taken	Sampler	Depth	Horizon	Colour	Parent Material	Moisture Content	Vegetation Cover	Topo Position
1208881	6997447.9	554207.07	885	2-Jul-11	Ryan West	50	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1208882	6997398	554213.42	889	2-Jul-11	Ryan West	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208883	6997355.8	554224.64	890	2-Jul-11	Ryan West	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208884	6997304.2	554237.62	892	2-Jul-11	Ryan West	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208885	6997254.7	554246.51	895	2-Jul-11	Ryan West	50	c	dark grey	weathered bedrock	Moist	evergreen forest	mid slope
1208886	6997208.3	554259.08	896	2-Jul-11	Ryan West	40	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208888	6997108.5	554281.52	898	2-Jul-11	Ryan West	30	b/c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208889	6997061.5	554273.97	901	2-Jul-11	Ryan West	30	b/c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208890	6997014.1	554255.46	907	2-Jul-11	Ryan West	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208891	6996969.6	554244.91	911	2-Jul-11	Ryan West	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208892	6996920.6	554222.91	920	2-Jul-11	Ryan West	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208893	6996875.7	554205.77	928	2-Jul-11	Ryan West	70	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1208894	6996829.4	554182.93	938	2-Jul-11	Ryan West	50	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208895	6996785.2	554150.23	949	2-Jul-11	Ryan West	60	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1208896	6996745.2	554121.62	956	2-Jul-11	Ryan West	60	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1208897	6996706.7	554091.32	966	2-Jul-11	Ryan West	70	c	light grey	weathered bedrock	Moist	deciduous forest	mid slope
1208898	6996665.9	554063.93	973	2-Jul-11	Ryan West	50	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208899	6996634.3	554035.66	978	2-Jul-11	Ryan West	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208900	6996589.2	554006.69	985	2-Jul-11	Ryan West	30	b/c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208901	6992672.6	557045.78	922	30-Jun-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208902	6992703.1	557083.92	931	30-Jun-11	Inyo Youngreen	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208903	6992716.4	557106.05	936	30-Jun-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208904	6992721.9	557100.81	937	30-Jun-11	Inyo Youngreen	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208905	6992768.1	557133.43	944	30-Jun-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208906	6992814.9	557161.65	936	30-Jun-11	Inyo Youngreen	80	c	dark grey	weathered bedrock	Moist	evergreen forest	mid slope
1208907	6992851.6	557193.32	928	30-Jun-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208908	6992896.4	557219.83	913	30-Jun-11	Inyo Youngreen	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208909	6992930.1	557248.34	912	30-Jun-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208910	6992976.6	557267.88	902	30-Jun-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208911	6993017.5	557264.67	891	30-Jun-11	Inyo Youngreen	60	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1208912	6993070	557242.28	866	30-Jun-11	Inyo Youngreen	30	b	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208913	6993071	557304.63	885	30-Jun-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208914	6993103.8	557334.81	880	30-Jun-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208915	6993143.5	557374.83	876	30-Jun-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208916	6993180	557402.67	873	30-Jun-11	Inyo Youngreen	70	c	light brown	weathered bedrock	Moist	deciduous forest	mid slope
1208917	6993215.4	557441.26	867	30-Jun-11	Inyo Youngreen	50	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208918	6993255.7	557479.76	869	1-Jul-11	Inyo Youngreen	80	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208919	6993290.9	557510.11	865	1-Jul-11	Inyo Youngreen	30	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208920	6993329	557534.53	860	1-Jul-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208921	6993367.4	557561.79	852	1-Jul-11	Inyo Youngreen	80	c	dark brown	weathered bedrock	Moist	buck brush	mid slope
1208922	6993409.9	557592.15	845	1-Jul-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208923	6993458.2	557613.81	836	1-Jul-11	Inyo Youngreen	70	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208924	6993495.7	557640.81	827	1-Jul-11	Inyo Youngreen	50	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208925	6993541	557665.75	818	1-Jul-11	Inyo Youngreen	40	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208926	6993586.1	557669.34	811	1-Jul-11	Inyo Youngreen	30	c	dark grey	weathered bedrock	Moist	buck brush	mid slope
1208927	6993635.5	557679.73	808	1-Jul-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	buck brush	mid slope

Sample ID	Northing	Eastng	Elevation (m)	Date taken	Sampler	Depth	Horizon	Colour	Parent Material	Moisture Content	Vegetation Cover	Topo Position
1208928	6993688.5	557679.88	809	1-Jul-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208929	6993735.2	557693.37	814	1-Jul-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208930	6993784	557696.66	823	1-Jul-11	Inyo Youngreen	70	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208931	6993834.8	557705.13	829	1-Jul-11	Inyo Youngreen	50	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208932	6993891.1	557715.02	832	1-Jul-11	Inyo Youngreen	80	c	dark brown	weathered bedrock	Moist	buck brush	mid slope
1208933	6993936.9	557710.83	842	1-Jul-11	Inyo Youngreen	30	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208934	6993988	557710.91	849	1-Jul-11	Inyo Youngreen	60	c	dark brown	weathered bedrock	Moist	buck brush	mid slope
1208935	6994040	557716.2	851	1-Jul-11	Inyo Youngreen	80	c	dark brown	weathered bedrock	Moist	buck brush	mid slope
1208936	6994093.3	557710.37	856	1-Jul-11	Inyo Youngreen	60	c	light grey	weathered bedrock	Moist	buck brush	mid slope
1208937	6994133.9	557712.04	856	1-Jul-11	Inyo Youngreen	70	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208938	6994192.1	557714.55	857	1-Jul-11	Inyo Youngreen	50	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208939	6994240.4	557712.04	856	1-Jul-11	Inyo Youngreen	40	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208940	6994287.8	557710.61	851	1-Jul-11	Inyo Youngreen	30	b	light brown	weathered bedrock	Moist	buck brush	mid slope
1208941	6994335.5	557717.32	846	1-Jul-11	Inyo Youngreen	30	b	light brown	weathered bedrock	Moist	buck brush	mid slope
1208942	6994384.6	557720.38	840	1-Jul-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208943	6994436.1	557729.54	837	1-Jul-11	Inyo Youngreen	80	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208944	6994483.4	557744.18	840	1-Jul-11	Inyo Youngreen	60	c	dark grey	weathered bedrock	Moist	buck brush	mid slope
1208945	6994539.8	557755.3	844	1-Jul-11	Inyo Youngreen	70	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208946	6994585	557759.74	847	1-Jul-11	Inyo Youngreen	50	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208947	6994631.5	557770.34	849	1-Jul-11	Inyo Youngreen	80	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208948	6994678.5	557780.19	845	1-Jul-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208949	6994729.4	557792.54	835	1-Jul-11	Inyo Youngreen	70	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208950	6994936.5	551432.56	1089	2-Jul-11	Inyo Youngreen	50	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208951	6994266	556486.05	822	1-Jul-11	Alec McAlister	40	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208952	6994271	556534.38	812	1-Jul-11	Alec McAlister	30	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208953	6994293.7	556579.7	801	1-Jul-11	Alec McAlister	30	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208954	6994315.1	556628.99	788	1-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208955	6994325.2	556678.8	774	1-Jul-11	Alec McAlister	80	c	dark grey	weathered bedrock	Moist	evergreen forest	mid slope
1208956	6994339	556722.28	762	1-Jul-11	Alec McAlister	60	c	dark grey	weathered bedrock	Moist	evergreen forest	mid slope
1208957	6994356.3	556769.95	747	1-Jul-11	Alec McAlister	70	c	dark grey	weathered bedrock	Moist	evergreen forest	mid slope
1208958	6994370	556822.09	730	1-Jul-11	Alec McAlister	50	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1208959	6994388.4	556870.13	712	1-Jul-11	Alec McAlister	60	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1208960	6994406.8	556912.33	697	1-Jul-11	Alec McAlister	60	c	light grey	weathered bedrock	Moist	evergreen forest	mid slope
1208961	6994419.7	556964.63	679	1-Jul-11	Alec McAlister	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208962	6994434.3	557002.54	660	1-Jul-11	Alec McAlister	50	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208963	6994448.9	557054.75	650	1-Jul-11	Alec McAlister	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208964	6994467.7	557106.73	669	1-Jul-11	Alec McAlister	30	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208965	6994483.7	557153.59	692	1-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208966	6994497.9	557197.59	711	1-Jul-11	Alec McAlister	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208967	6994516.3	557260.31	734	1-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208968	6994526.6	557293.07	754	1-Jul-11	Alec McAlister	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208969	6994542.6	557344.27	765	1-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208970	6994557.4	557397.97	770	1-Jul-11	Alec McAlister	80	c	light brown	weathered bedrock	Moist	deciduous forest	mid slope
1208971	6994586.9	557430.67	776	1-Jul-11	Alec McAlister	60	c	dark grey	weathered bedrock	Moist	evergreen forest	mid slope
1208972	6994598.5	557485.47	799	1-Jul-11	Alec McAlister	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208973	6994612.2	557534.6	817	1-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope

Sample ID	Northing	Eastng	Elevation (m)	Date taken	Sampler	Depth	Horizon	Colour	Parent Material	Moisture Content	Vegetation Cover	Topo Position
1208974	6994630	557582.14	829	1-Jul-11	Alec McAlister	60	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1208975	6994640	557618.49	836	1-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208976	6998099	552646.55	794	2-Jul-11	Alec McAlister	30	b	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1208977	6998088	552648.26	798	2-Jul-11	Alec McAlister	60	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1208978	6998039	552666.22	814	2-Jul-11	Alec McAlister	60	c	light grey	weathered bedrock	Moist	evergreen forest	mid slope
1208979	6997994.2	552678.39	825	2-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208980	6997946.9	552697.71	835	2-Jul-11	Alec McAlister	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208981	6997901.8	552715.99	847	2-Jul-11	Alec McAlister	50	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208982	6997858.9	552732.29	864	2-Jul-11	Alec McAlister	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208983	6997810.9	552745.21	878	2-Jul-11	Alec McAlister	30	b	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208984	6997761.2	552764.87	893	2-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208985	6997711.5	552780.61	903	2-Jul-11	Alec McAlister	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208986	6997658	552791.85	909	2-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208987	6997608	552787.74	914	2-Jul-11	Alec McAlister	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208988	6997557.9	552789.55	918	2-Jul-11	Alec McAlister	50	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208989	6997517	552787.2	921	2-Jul-11	Alec McAlister	40	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208990	6997458	552788.44	929	2-Jul-11	Alec McAlister	30	b	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208991	6997411.8	552788.82	936	2-Jul-11	Alec McAlister	40	b/c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208992	6997361.2	552785.76	943	2-Jul-11	Alec McAlister	30	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1208993	6997314	552787.21	946	2-Jul-11	Alec McAlister	30	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208994	6997258.7	552784.16	952	2-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208995	6997211.6	552787.84	956	2-Jul-11	Alec McAlister	80	c	light brown	weathered bedrock	Moist	deciduous forest	mid slope
1208996	6997162.1	552799.26	957	2-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208997	6997113.6	552807.02	961	2-Jul-11	Alec McAlister	70	c	dark grey	weathered bedrock	Moist	evergreen forest	mid slope
1208998	6997067.2	552817.99	962	2-Jul-11	Alec McAlister	50	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1208999	6997013.9	552826.16	966	2-Jul-11	Alec McAlister	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209000	6996958	552836.68	970	2-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209001	6992779.7	556562.43	822	1-Jul-11	Sam Snelling	70	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209002	6992788.5	556521.71	809	1-Jul-11	Sam Snelling	50	c	dark brown	weathered bedrock	Moist	buck brush	mid slope
1209003	6992805.1	556465.9	798	1-Jul-11	Sam Snelling	40	c	dark brown	weathered bedrock	Moist	buck brush	mid slope
1209004	6992810.2	556421.12	784	1-Jul-11	Sam Snelling	30	c	light grey	weathered bedrock	Moist	buck brush	mid slope
1209005	6992836.2	556374.14	775	1-Jul-11	Sam Snelling	30	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209006	6992852.9	556327.24	774	1-Jul-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209007	6992861.7	556276.75	764	1-Jul-11	Sam Snelling	80	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209008	6992868.6	556230.39	752	1-Jul-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209009	6992885.2	556186.14	740	1-Jul-11	Sam Snelling	70	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209010	6992888.6	556129.91	746	1-Jul-11	Sam Snelling	50	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209011	6992909.2	556081.46	760	1-Jul-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209012	6992911.4	556035.75	770	1-Jul-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209013	6992927.1	555984.88	779	1-Jul-11	Sam Snelling	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209014	6992939.3	555928.32	783	1-Jul-11	Sam Snelling	50	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209015	6992941.4	555888.08	791	1-Jul-11	Sam Snelling	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209016	6992944.1	555837.86	799	1-Jul-11	Sam Snelling	30	b	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209017	6994716.2	554809.35	994	2-Jul-11	Sam Snelling	60	c	dark brown	weathered bedrock	Moist	evergreen forest	ridge top
1209018	6994697.2	554849.95	1005	2-Jul-11	Sam Snelling	80	c	dark brown	weathered bedrock	Moist	evergreen forest	ridge top
1209019	6994682.4	554898.42	1011	2-Jul-11	Sam Snelling	60	c	light grey	weathered bedrock	Moist	buck brush	ridge top

Sample ID	Northing	Easting	Elevation (m)	Date taken	Sampler	Depth	Horizon	Colour	Parent Material	Moisture Content	Vegetation Cover	Topo Position
1209020	6994707.1	554922.19	1015	2-Jul-11	Sam Snelling	70	c	light brown	weathered bedrock	Moist	buck brush	ridge top
1209021	6994756.6	554930.16	1012	2-Jul-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	buck brush	ridge top
1209022	6994807.7	554940.49	1007	2-Jul-11	Sam Snelling	80	c	light brown	weathered bedrock	Moist	buck brush	ridge top
1209023	6994846.9	554955.92	1003	2-Jul-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	buck brush	ridge top
1209024	6994893.9	554975.88	993	2-Jul-11	Sam Snelling	70	c	light brown	weathered bedrock	Moist	buck brush	ridge top
1209025	6994939.4	554990.99	977	2-Jul-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	buck brush	ridge top
1209026	6994983.6	555014.76	960	2-Jul-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209027	6995033.6	555026.85	948	2-Jul-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209028	6995079.5	555029.38	936	2-Jul-11	Sam Snelling	30	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209029	6995131.4	555026.23	925	2-Jul-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209030	6995179.9	555027.3	915	2-Jul-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209031	6995233.4	555028.95	900	2-Jul-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209032	6995276.9	555032.03	881	2-Jul-11	Sam Snelling	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209033	6995328.6	555035.66	848	2-Jul-11	Sam Snelling	50	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1209034	6995364.4	555039.89	814	2-Jul-11	Sam Snelling	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209035	6994734.8	554758.93	978	2-Jul-11	Sam Snelling	30	b	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209036	6994765	554715.02	970	2-Jul-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209037	6994792.9	554678.89	962	2-Jul-11	Sam Snelling	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209038	6994816.5	554637.28	952	2-Jul-11	Sam Snelling	60	c	light brown	weathered bedrock	wet	evergreen forest	mid slope
1209039	6994843.8	554592.29	939	2-Jul-11	Sam Snelling	70	c	light brown	weathered bedrock	wet	evergreen forest	mid slope
1209040	6994861.9	554557.61	928	2-Jul-11	Sam Snelling	50	c	light brown	weathered bedrock	partially frozen	evergreen forest	mid slope
1209041	6994889.7	554501.72	909	2-Jul-11	Sam Snelling	40	c	light brown	weathered bedrock	partially frozen	evergreen forest	mid slope
1209042	6994908.4	554456.31	893	2-Jul-11	Sam Snelling	30	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209043	6994951.8	554431.42	884	2-Jul-11	Sam Snelling	40	c	light brown	weathered bedrock	partially frozen	evergreen forest	mid slope
1209044	6994992.7	554395.39	871	2-Jul-11	Sam Snelling	30	c	dark brown	weathered bedrock	partially frozen	evergreen forest	mid slope
1209045	6995035.5	554369.87	858	2-Jul-11	Sam Snelling	30	c	light brown	weathered bedrock	partially frozen	evergreen forest	mid slope
1209046	6995068	554340.4	835	2-Jul-11	Sam Snelling	60	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1209048	6997213	549863.2	936	3-Jul-11	Sam Snelling	80	c	dark grey	weathered bedrock	dry	buck brush	mid slope
1209049	6997215.7	549864.02	936	3-Jul-11	Sam Snelling	60	c	dark grey	weathered bedrock	dry	buck brush	mid slope
1209050	6997234.4	549914.83	937	3-Jul-11	Sam Snelling	70	c	light brown	weathered bedrock	dry	buck brush	mid slope
1209051	6996924.3	552855.32	972	2-Jul-11	Alec McAlister	50	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209052	6996886.7	552886.98	965	2-Jul-11	Alec McAlister	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209053	6996850.2	552929.58	952	2-Jul-11	Alec McAlister	60	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1209054	6996817.4	552960.03	946	2-Jul-11	Alec McAlister	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209055	6996783.7	553000.99	948	2-Jul-11	Alec McAlister	50	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1209056	6996750.2	553036.11	961	2-Jul-11	Alec McAlister	40	b/c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1209057	6996709.1	553068.97	978	2-Jul-11	Alec McAlister	30	b	light grey	weathered bedrock	Moist	evergreen forest	mid slope
1209058	6996672.1	553100.06	996	2-Jul-11	Alec McAlister	30	b	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209059	6996635.7	553140.16	1014	2-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	buck brush	ridge top
1209060	6996602	553177.23	1008	2-Jul-11	Alec McAlister	80	c	light brown	weathered bedrock	Moist	buck brush	ridge top
1209061	6996579.4	553221.02	1004	2-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	buck brush	ridge top
1209062	6996545.9	553262.01	999	2-Jul-11	Alec McAlister	70	c	light brown	weathered bedrock	Moist	buck brush	ridge top
1209063	6996521.7	553305.76	994	2-Jul-11	Alec McAlister	50	c	light brown	weathered bedrock	Moist	buck brush	ridge top
1209064	6996487.9	553344.75	993	2-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	buck brush	ridge top
1209065	6996463.1	553379.15	993	2-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	buck brush	ridge top
1209066	6996433.2	553426.31	994	2-Jul-11	Alec McAlister	70	c	light brown	weathered bedrock	Moist	buck brush	ridge top

Sample ID	Northing	Easting	Elevation (m)	Date taken	Sampler	Depth	Horizon	Colour	Parent Material	Moisture Content	Vegetation Cover	Topo Position
1209067	6996400.1	553464.7	992	2-Jul-11	Alec McAlister	50	c	light brown	weathered bedrock	Moist	buck brush	ridge top
1209068	6996363.2	553500.41	987	2-Jul-11	Alec McAlister	80	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209069	6996336.6	553539.48	981	2-Jul-11	Alec McAlister	30	b	light brown	weathered bedrock	Moist	buck brush	mid slope
1209070	6996294.9	553577.23	972	2-Jul-11	Alec McAlister	60	c	dark grey	weathered bedrock	Moist	buck brush	mid slope
1209071	6996283.8	553623.29	971	2-Jul-11	Alec McAlister	80	c	dark brown	weathered bedrock	Moist	buck brush	mid slope
1209072	6996242.7	553659.93	963	2-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209073	6996232.5	553696.91	961	2-Jul-11	Alec McAlister	70	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209074	6996206	553751.37	957	2-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209075	6996177.5	553797.95	948	2-Jul-11	Alec McAlister	80	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209076	6996155.3	553837.75	943	2-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209077	6998638.6	551217.34	808	3-Jul-11	Alec McAlister	70	c	light brown	weathered bedrock	partially frozen	evergreen forest	mid slope
1209078	6998624.4	551227.37	811	3-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	partially frozen	evergreen forest	mid slope
1209079	6998599.9	551240.19	817	3-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209080	6998563.4	551265.38	829	3-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	partially frozen	deciduous forest	mid slope
1209081	6998520	551290.55	843	3-Jul-11	Alec McAlister	30	c	dark grey	weathered bedrock	Moist	evergreen forest	mid slope
1209082	6998480.4	551324.08	854	3-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209083	6998440.8	551349.56	862	3-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	partially frozen	evergreen forest	mid slope
1209084	6998398.6	551377.55	866	3-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209085	6998351.7	551404.34	871	3-Jul-11	Alec McAlister	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209086	6998310.1	551432.07	873	3-Jul-11	Alec McAlister	50	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209087	6998267.9	551453.95	877	3-Jul-11	Alec McAlister	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209088	6998230	551484.06	879	3-Jul-11	Alec McAlister	30	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209089	6998189.8	551511.69	883	3-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209090	6998141.4	551540.28	889	3-Jul-11	Alec McAlister	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209091	6998101	551570.65	894	3-Jul-11	Alec McAlister	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209092	6998064.4	551596.43	899	3-Jul-11	Alec McAlister	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209093	6998017.9	551606.35	905	3-Jul-11	Alec McAlister	50	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209101	6996549.2	553976.28	989	2-Jul-11	Ryan West	40	b/c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209102	6996505.3	553940.75	993	2-Jul-11	Ryan West	30	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209103	6996468.7	553916.64	995	2-Jul-11	Ryan West	40	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209104	6996417.8	553899.66	995	2-Jul-11	Ryan West	30	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209105	6996376.2	553898.5	988	2-Jul-11	Ryan West	30	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209106	6996319.8	553886.31	982	2-Jul-11	Ryan West	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209107	6996273	553893.37	972	2-Jul-11	Ryan West	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209108	6996222.2	553890.63	960	2-Jul-11	Ryan West	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209109	6996175.1	553891.14	948	2-Jul-11	Ryan West	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209110	6996124.9	553891.37	928	2-Jul-11	Ryan West	50	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209111	6996078.6	553918.13	913	2-Jul-11	Ryan West	80	c	dark brown	weathered bedrock	Moist	buck brush	mid slope
1209112	6996043.7	553940.14	898	2-Jul-11	Ryan West	60	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209113	6995999	553968.17	882	2-Jul-11	Ryan West	70	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209114	6995962.8	553999.56	868	2-Jul-11	Ryan West	50	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209115	6995921.5	554039.14	851	2-Jul-11	Ryan West	40	b/c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209116	6995877.7	554066.05	835	2-Jul-11	Ryan West	30	b	light brown	weathered bedrock	Moist	buck brush	mid slope
1209117	6995839.9	554082.97	823	2-Jul-11	Ryan West	30	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209118	6995799.6	554112.93	807	2-Jul-11	Ryan West	60	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209119	6995757.2	554146.55	794	2-Jul-11	Ryan West	80	c	light brown	weathered bedrock	Moist	buck brush	mid slope



Sample ID	Northing	Easting	Elevation (m)	Date taken	Sampler	Depth	Horizon	Colour	Parent Material	Moisture Content	Vegetation Cover	Topo Position
1209120	6995727.3	554181.62	783	2-Jul-11	Ryan West	60	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209121	6995678.1	554214.31	770	2-Jul-11	Ryan West	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209122	6995647.2	554241.28	760	2-Jul-11	Ryan West	50	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1209123	6995647.7	554269.85	755	2-Jul-11	Ryan West	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209124	6998105.7	551739.71	875	3-Jul-11	Ryan West	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209125	6998136.5	551773.72	870	3-Jul-11	Ryan West	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209126	6998168.3	551816.58	860	3-Jul-11	Ryan West	50	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209127	6998197.7	551854.75	850	3-Jul-11	Ryan West	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209128	6998230.1	551892.45	837	3-Jul-11	Ryan West	30	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209129	6998259.7	551931.46	823	3-Jul-11	Ryan West	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209130	6998293.8	551969.45	810	3-Jul-11	Ryan West	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209131	6998331.9	552004.27	802	3-Jul-11	Ryan West	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209132	6998367.9	552045.07	787	3-Jul-11	Ryan West	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209133	6998403.3	552079.69	778	3-Jul-11	Ryan West	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209134	6998439.6	552110	768	3-Jul-11	Ryan West	80	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1209135	6998469.4	552148.63	755	3-Jul-11	Ryan West	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209136	6998506.9	552182.87	736	3-Jul-11	Ryan West	70	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1209137	6998542.5	552221.23	703	3-Jul-11	Ryan West	60	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1209138	6998585.9	552229.66	692	3-Jul-11	Ryan West	60	c	light grey	weathered bedrock	Moist	evergreen forest	mid slope
1209139	6998638.8	552246.78	668	3-Jul-11	Ryan West	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209140	6998652.3	552256.83	660	3-Jul-11	Ryan West	30	c	light brown	weathered bedrock	partially frozen	evergreen forest	mid slope
1209151	6996959.4	551381.44	1086	2-Jul-11	Inyo Younggreen	60	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209152	6996985.6	551346.13	1085	2-Jul-11	Inyo Younggreen	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209153	6997005.8	551299.76	1079	2-Jul-11	Inyo Younggreen	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209154	6997025.7	551249	1068	2-Jul-11	Inyo Younggreen	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209155	6997052.1	551204.78	1058	2-Jul-11	Inyo Younggreen	50	b/c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1209156	6997088.4	551168.51	1052	2-Jul-11	Inyo Younggreen	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209157	6997111.8	551129.14	1045	2-Jul-11	Inyo Younggreen	30	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1209158	6997130.8	551089.15	1034	2-Jul-11	Inyo Younggreen	60	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1209159	6997165.4	551045.53	1027	2-Jul-11	Inyo Younggreen	80	c	light grey	weathered bedrock	Moist	evergreen forest	mid slope
1209160	6997193.9	550996.51	1012	2-Jul-11	Inyo Younggreen	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209161	6997235.4	550970.04	1002	2-Jul-11	Inyo Younggreen	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209162	6997278	550939.79	992	2-Jul-11	Inyo Younggreen	50	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209163	6997313.8	550915.12	986	2-Jul-11	Inyo Younggreen	40	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209164	6997350.3	550885.88	981	2-Jul-11	Inyo Younggreen	30	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209165	6997394.5	550857.15	977	2-Jul-11	Inyo Younggreen	40	c	dark grey	weathered bedrock	Moist	evergreen forest	mid slope
1209166	6997441.9	550832.18	974	2-Jul-11	Inyo Younggreen	30	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209167	6997485.3	550807.95	970	2-Jul-11	Inyo Younggreen	30	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209168	6997521.6	550783.62	969	2-Jul-11	Inyo Younggreen	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209169	6997565.6	550748.78	966	2-Jul-11	Inyo Younggreen	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209170	6997609.9	550727.25	963	2-Jul-11	Inyo Younggreen	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209171	6997659.4	550702.29	959	2-Jul-11	Inyo Younggreen	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209172	6997693.9	550678.36	953	2-Jul-11	Inyo Younggreen	50	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209173	6997742.3	550651.44	946	2-Jul-11	Inyo Younggreen	80	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1209174	6997787.9	550640.27	938	2-Jul-11	Inyo Younggreen	60	c	light brown	weathered bedrock	Moist	deciduous forest	mid slope
1209175	6997839.5	550634.72	926	2-Jul-11	Inyo Younggreen	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope

Sample ID	Northing	Easting	Elevation (m)	Date taken	Sampler	Depth	Horizon	Colour	Parent Material	Moisture Content	Vegetation Cover	Topo Position
1209176	6997870.6	550595.06	916	2-Jul-11	Inyo Youngreen	50	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209177	6997905.5	550556.41	902	2-Jul-11	Inyo Youngreen	40	b	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209178	6997940	550525.66	890	2-Jul-11	Inyo Youngreen	30	a	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209179	6997969.7	550480.31	880	2-Jul-11	Inyo Youngreen	30	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209180	6998001.9	550438.04	877	2-Jul-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209181	6998035.7	550406.73	875	2-Jul-11	Inyo Youngreen	80	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209182	6998074.6	550374	876	2-Jul-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209183	6998117.4	550341.13	877	2-Jul-11	Inyo Youngreen	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209184	6998148.6	550311.66	882	2-Jul-11	Inyo Youngreen	50	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1209185	6998180.7	1208950	885	2-Jul-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	evergreen forest	ridge top
1209186	6996944.1	551430.43	1084	3-Jul-11	Inyo Youngreen	60	c	dark brown	weathered bedrock	Moist	evergreen forest	ridge top
1209187	6996979.1	551442.26	1076	3-Jul-11	Inyo Youngreen	70	c	light grey	weathered bedrock	Moist	evergreen forest	ridge top
1209188	6997034.8	551457.25	1069	3-Jul-11	Inyo Youngreen	50	c	light brown	weathered bedrock	Moist	evergreen forest	ridge top
1209189	6997079.7	551476.4	1059	3-Jul-11	Inyo Youngreen	80	c	light brown	weathered bedrock	Moist	evergreen forest	ridge top
1209190	6997129.8	551486.34	1053	3-Jul-11	Inyo Youngreen	30	b	light brown	weathered bedrock	Moist	evergreen forest	ridge top
1209191	6997180.7	551495.22	1047	3-Jul-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	evergreen forest	ridge top
1209192	6997230.1	551499.28	1039	3-Jul-11	Inyo Youngreen	80	c	light brown	weathered bedrock	Moist	evergreen forest	ridge top
1209193	6997276.1	551512.89	1026	3-Jul-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	deciduous forest	ridge top
1209194	6997328.4	551520.17	1028	3-Jul-11	Inyo Youngreen	70	c	light brown	weathered bedrock	Moist	evergreen forest	ridge top
1209195	6997375.8	551531.47	1023	3-Jul-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	evergreen forest	ridge top
1209196	6997426.9	551536.23	1019	3-Jul-11	Inyo Youngreen	80	c	light brown	weathered bedrock	Moist	evergreen forest	ridge top
1209197	6997477.4	551540.68	1019	3-Jul-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	evergreen forest	ridge top
1209198	6997525.3	551545.13	1018	3-Jul-11	Inyo Youngreen	70	c	light brown	weathered bedrock	Moist	evergreen forest	ridge top
1209199	6997575.4	551546.41	1010	3-Jul-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	evergreen forest	ridge top
1209200	6997626.9	551548.08	1003	3-Jul-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209201	6997679	551542.03	992	3-Jul-11	Inyo Youngreen	60	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1209202	6997725.2	551554.34	976	3-Jul-11	Inyo Youngreen	30	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209203	6997772.6	551565.64	963	3-Jul-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209204	6997824.7	551571.09	950	3-Jul-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209205	6997869.7	551583.24	934	3-Jul-11	Inyo Youngreen	60	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209206	6997918.8	551589.7	923	3-Jul-11	Inyo Youngreen	70	c	light brown	weathered bedrock	Moist	evergreen forest	mid slope
1209207	6997965	551604.6	914	3-Jul-11	Inyo Youngreen	50	b/c	light brown	weathered bedrock	dry	buck brush	mid slope
1209251	6997202.1	549938.47	941	3-Jul-11	Sam Snelling	80	c	light brown	weathered bedrock	dry	buck brush	mid slope
1209252	6997159.3	549955.5	947	3-Jul-11	Sam Snelling	30	c	dark brown	weathered bedrock	dry	buck brush	mid slope
1209253	6997112.4	549971.75	954	3-Jul-11	Sam Snelling	60	c	light brown	weathered bedrock	dry	buck brush	mid slope
1209254	6997068.9	549995.34	960	3-Jul-11	Sam Snelling	80	c	dark brown	weathered bedrock	dry	buck brush	mid slope
1209255	6997014.5	550012.59	967	3-Jul-11	Sam Snelling	60	c	dark brown	weathered bedrock	dry	buck brush	mid slope
1209256	6996966.3	550027.94	973	3-Jul-11	Sam Snelling	70	c	light grey	weathered bedrock	dry	buck brush	mid slope
1209257	6996921	550042.18	981	3-Jul-11	Sam Snelling	50	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209258	6996876.5	550056.57	991	3-Jul-11	Sam Snelling	40	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209259	6996828.3	550072.23	1000	3-Jul-11	Sam Snelling	30	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209260	6996781.4	550074.33	1002	3-Jul-11	Sam Snelling	50	b/c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209261	6996767.8	550032.26	1001	3-Jul-11	Sam Snelling	80	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209262	6996740.4	549981.08	992	3-Jul-11	Sam Snelling	30	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209263	6996720.1	549928.69	980	3-Jul-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209264	6996697	549892.23	967	3-Jul-11	Sam Snelling	60	c	light brown	weathered bedrock	Moist	buck brush	mid slope

Sample ID	Northing	Easting	Elevation (m)	Date taken	Sampler	Depth	Horizon	Colour	Parent Material	Moisture Content	Vegetation Cover	Topo Position
1209265	6996674.4	549845	947	3-Jul-11	Sam Snelling	70	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1209266	6996648.2	549801.27	926	3-Jul-11	Sam Snelling	60	c	light brown	weathered bedrock	partially frozen	buck brush	mid slope
1209267	6996628.6	549761.12	905	3-Jul-11	Sam Snelling	60	c	light brown	weathered bedrock	partially frozen	buck brush	mid slope
1209268	6996621.6	549712.66	882	3-Jul-11	Sam Snelling	60	c	light brown	weathered bedrock	partially frozen	buck brush	mid slope
1209269	6996630.8	549666.05	861	3-Jul-11	Sam Snelling	30	b	light brown	weathered bedrock	partially frozen	evergreen forest	mid slope
1209270	6996615.4	549613.88	838	3-Jul-11	Sam Snelling	60	c	dark brown	weathered bedrock	Moist	evergreen forest	mid slope
1208737-NS	6993781.5	555250.83	998	30-Jun-11	Ryan West	60	c	light brown	weathered bedrock	Moist	buck brush	mid slope
1208738-NS	6993744.3	555287.25	988	30-Jun-11	Ryan West	50	c	dark grey	weathered bedrock	Moist	buck brush	mid slope

## Appendix II: Rock Sample Descriptions

## Rock Sample Descriptions

UTM NAD83, Zone 8

Sample ID	Easting	Northing	Elevation (m)	Date taken	Sampler	Description
1203777	557046	6992787	950	June 30,2009	Ryan Libke	Rock sample from null on ridge. Volcanic felsic rock (Rhyolite). Very porous resesive whiter material possibly calcite weathered away. Fine grained, massive. RHR 153/50, 155/48, 151/51 (unsure if cleavage, bedding or foliations)
1203778	557628.7326	6994097.498	855	June 30,2010	Ryan Libke	Muscovite schist. Float in close proximity to in situ. Dark grey with oxidized muscoite foliations
1203779	557570.6286	6994257.418	858	June 30,2011	Ryan Libke	Mafic volcanic with high relief red garnets? Hilltop forested by black spruce
1203780	553671	6991352		July2, 20111	Ryan Libke	In situ, rhyolite-felsic volcanic- dull grey color, massive texture, platy cleavage. Outcrop about 500 x 500m, some vegetation included sparse alders and cariboo moss.
1203781	553671	6691452		July2, 20111	Ryan Libke	North end of property within 2010 burn. Roughly 100m north of sample 1203780. Blocky outcrop exposure 300m along ridge line and 50m across. Muscovite schist- blebs of quartz 1-10cm in diameter. Cleavage RHR 220/60, foliations of muscovite (sheet silicate) RHR 120/80.
1203782	551323	6997074		July2, 20111	Ryan Libke	Along soil sampling ridge runs semi exposed outcrop. Burn zone. Fair amount of quartz visable. Muscovite schist as well as quartz veining/foliations? Quartz is grey/blue color. Heavy oxidized outcrop coating. Cleavage RHR 51 85, 53 82. Foliations 328/58.
1203783	551336	6997082		July2, 20111	Ryan Libke	Float. Found 100m off of ridge top. Anhedral sand sized quartz crystals and plagioclase feldspar. Very little oxidation on surface. Low-mid specific gravity. Easy fracturing of rocks.

**Appendix III: Soil Sample Assay Certificates**



Acme Analytical Laboratories (Vancouver) Ltd.  
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Druid Exploration**  
Box 1485  
Dawson City YT Y0B 1G0 Canada

Submitted By: Daithi Mac Gerailt  
Receiving Lab: Canada-Whitehorse  
Received: July 18, 2011  
Report Date: August 11, 2011  
Page: 1 of 13

**CERTIFICATE OF ANALYSIS**

WHI11000645.1

**CLIENT JOB INFORMATION**

Project: Zeus  
Shipment ID:  
P.O. Number  
Number of Samples: 345

**SAMPLE DISPOSAL**

DISP-PLP Dispose of Pulp After 90 days  
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Druid Exploration**  
Box 1485  
Dawson City YT Y0B 1G0  
Canada

CC: Don Christie  
Bruce Durham  
Randy Sedore

**SAMPLE PREPARATION AND ANALYTICAL PROCEDURES**

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	318	Dry at 60C			WHI
SS80	318	Dry at 60C sieve 100g to -80 mesh			WHI
1DX2	315	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

**ADDITIONAL COMMENTS**



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 11, 2011

Page: 2 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI11000645.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
				ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm			
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1208701	Soil			1.0	7.9	8.4	31	<0.1	6.1	4.1	260	1.50	0.7	1.1	2.5	37	<0.1	0.1	0.2	20	0.45	0.068	6
1208702	Soil			1.9	46.2	14.0	91	0.1	35.6	12.7	475	3.41	5.0	3.9	6.7	30	0.2	0.3	0.2	66	0.24	0.034	15
1208703	Soil			0.9	32.1	8.1	50	<0.1	28.7	10.5	357	2.77	5.8	2.8	3.5	23	<0.1	0.3	0.1	66	0.33	0.039	12
1208704	Soil			0.5	16.6	17.6	69	<0.1	16.2	9.1	750	3.91	3.4	3.2	4.1	30	0.2	0.2	0.3	43	0.43	0.037	3
1208705	Soil			1.2	37.7	9.5	62	<0.1	25.5	11.0	353	2.93	4.2	2.4	4.6	26	0.1	0.3	0.2	65	0.31	0.032	13
1208706	Soil			1.6	33.5	9.4	65	<0.1	25.5	12.4	490	2.94	5.6	10.2	4.0	19	0.1	0.3	0.2	65	0.24	0.040	11
1208707	Soil			2.0	48.6	9.1	63	<0.1	26.7	11.5	445	2.81	5.1	3.9	3.8	24	0.1	0.3	0.2	67	0.24	0.039	12
1208708	Soil			1.1	37.9	8.2	65	<0.1	28.4	10.3	331	3.01	6.1	5.0	4.1	29	0.1	0.4	0.2	72	0.37	0.038	15
1208709	Soil			1.2	37.1	8.4	67	<0.1	24.6	9.8	239	2.99	4.1	2.4	5.5	19	0.1	0.3	0.1	65	0.20	0.023	14
1208710	Soil			1.2	43.1	5.5	66	<0.1	24.0	8.2	202	2.63	3.3	3.1	6.1	19	0.1	0.2	0.1	59	0.20	0.025	19
1208711	Soil			1.7	56.4	6.0	72	<0.1	23.6	7.3	186	3.09	3.4	2.8	7.3	19	0.2	0.3	0.2	60	0.17	0.030	19
1208712	Soil			1.5	37.1	6.5	71	0.2	29.5	11.0	298	3.12	5.6	7.8	4.3	17	0.1	0.3	0.1	63	0.20	0.036	13
1208713	Soil			2.8	24.4	10.0	62	<0.1	24.9	7.9	177	4.68	8.0	3.8	3.4	12	0.1	0.5	0.2	94	0.11	0.034	11
1208714	Soil			1.8	41.4	6.3	83	0.2	29.3	9.8	221	3.32	3.7	5.3	4.5	17	<0.1	0.2	0.1	67	0.17	0.043	14
1208715	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208716	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208717	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208718	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208719	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208720	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208721	Soil			1.1	18.9	4.8	57	0.3	13.1	4.2	102	1.79	2.0	2.7	1.0	15	0.2	0.2	0.1	34	0.21	0.053	7
1208722	Soil			2.2	48.9	8.3	116	0.3	37.1	11.5	232	2.77	4.2	4.4	3.9	28	0.9	0.3	0.2	55	0.47	0.077	14
1208724	Soil			2.0	38.8	6.9	86	0.3	29.7	9.5	173	3.39	4.3	3.0	2.9	25	0.4	0.3	0.2	64	0.41	0.074	14
1208725	Soil			3.3	104.8	7.6	166	0.8	65.9	17.2	444	4.06	3.3	4.4	4.2	34	1.1	0.3	0.2	78	0.42	0.110	18
1208726	Soil			2.1	42.0	7.9	89	0.2	28.2	12.3	459	2.92	3.9	3.5	4.4	18	0.3	0.3	0.2	70	0.22	0.061	14
1208727	Soil			2.1	51.6	8.8	87	0.3	32.3	8.7	233	3.03	3.3	3.8	5.4	24	0.2	0.3	0.2	69	0.23	0.058	18
1208728	Soil			1.7	41.0	7.6	63	0.2	25.5	10.6	270	3.06	4.7	10.3	5.5	19	0.1	0.2	0.2	58	0.20	0.048	17
1208729	Soil			1.5	33.6	9.0	64	0.2	23.1	8.7	199	3.06	5.2	3.1	5.3	19	<0.1	0.3	0.2	63	0.21	0.029	15
1208730	Soil			1.4	38.0	7.8	76	0.2	28.8	9.7	180	3.57	6.1	2.8	5.8	18	0.1	0.3	0.2	67	0.18	0.036	18
1208731	Soil			0.6	14.9	6.8	43	<0.1	19.4	8.1	284	2.45	3.7	1.0	2.3	31	<0.1	0.2	0.1	53	0.38	0.031	7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.





Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 11, 2011

Page: 2 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI11000645.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1208701	Soil			9	0.11	446	<0.001	2	0.70	0.005	0.13	<0.1	0.10	4.4	<0.1	<0.05	2	<0.5	<0.2
1208702	Soil			45	0.62	386	0.096	1	1.73	0.010	0.23	0.1	0.22	6.3	0.2	<0.05	6	0.6	<0.2
1208703	Soil			36	0.57	336	0.090	2	1.78	0.012	0.05	<0.1	0.04	4.6	<0.1	<0.05	5	<0.5	<0.2
1208704	Soil			12	0.19	720	<0.001	1	0.81	0.004	0.07	<0.1	0.17	8.6	0.2	<0.05	2	<0.5	<0.2
1208705	Soil			41	0.59	227	0.092	1	1.78	0.010	0.10	<0.1	0.11	6.2	0.1	<0.05	5	0.6	<0.2
1208706	Soil			34	0.58	141	0.089	1	1.83	0.009	0.08	0.1	0.12	3.7	0.1	<0.05	5	<0.5	<0.2
1208707	Soil			35	0.52	187	0.074	<1	1.64	0.010	0.04	<0.1	0.21	4.6	0.1	<0.05	5	0.6	<0.2
1208708	Soil			40	0.59	252	0.106	1	1.83	0.020	0.07	<0.1	0.05	6.0	<0.1	<0.05	5	0.7	<0.2
1208709	Soil			40	0.56	202	0.103	<1	1.79	0.012	0.13	<0.1	0.03	3.8	0.2	<0.05	5	0.8	<0.2
1208710	Soil			35	0.51	218	0.094	<1	1.41	0.011	0.14	<0.1	0.03	4.1	0.2	<0.05	4	0.7	<0.2
1208711	Soil			40	0.54	241	0.081	<1	1.59	0.010	0.27	<0.1	0.03	4.9	0.3	<0.05	5	1.3	<0.2
1208712	Soil			33	0.48	236	0.082	<1	1.65	0.011	0.07	<0.1	0.03	3.2	0.1	<0.05	5	0.7	<0.2
1208713	Soil			41	0.37	145	0.136	<1	1.68	0.010	0.07	0.1	0.04	2.4	0.1	<0.05	9	0.8	<0.2
1208714	Soil			38	0.58	185	0.098	1	1.61	0.017	0.19	<0.1	0.03	3.0	0.2	<0.05	5	1.0	<0.2
1208715	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
1208716	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
1208717	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
1208718	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
1208719	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
1208720	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
1208721	Soil			22	0.31	114	0.049	<1	0.83	0.013	0.07	0.1	0.05	1.7	0.1	<0.05	4	1.4	<0.2
1208722	Soil			30	0.51	263	0.073	<1	1.15	0.018	0.12	0.1	0.06	3.3	0.2	<0.05	4	2.1	<0.2
1208724	Soil			32	0.52	402	0.077	<1	1.57	0.012	0.15	<0.1	0.07	3.7	0.2	<0.05	5	2.4	<0.2
1208725	Soil			45	0.77	797	0.095	<1	1.97	0.020	0.39	<0.1	0.09	5.3	0.3	0.15	6	2.5	<0.2
1208726	Soil			47	0.61	362	0.093	<1	1.57	0.011	0.25	<0.1	0.02	3.1	0.2	<0.05	6	1.2	<0.2
1208727	Soil			50	0.64	408	0.102	<1	1.47	0.011	0.25	<0.1	0.02	3.0	0.2	<0.05	5	1.6	<0.2
1208728	Soil			34	0.50	283	0.089	<1	1.51	0.011	0.18	<0.1	0.03	3.1	0.2	<0.05	5	0.8	<0.2
1208729	Soil			40	0.60	252	0.103	<1	1.64	0.011	0.18	<0.1	0.02	3.0	0.2	<0.05	5	0.9	<0.2
1208730	Soil			45	0.71	287	0.106	<1	1.98	0.010	0.22	<0.1	0.01	3.1	0.2	<0.05	6	0.6	<0.2
1208731	Soil			34	0.40	346	0.030	<1	1.51	0.012	0.06	<0.1	0.02	3.7	<0.1	<0.05	4	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 11, 2011

Page: 3 of 13 Part 1

**CERTIFICATE OF ANALYSIS**

**WHI11000645.1**

Method	Analyte	Unit	MDL	1DX16	1DX15	1DX16	1DX16	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15				
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
				ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm			
				0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1208732	Soil			0.7	20.5	8.3	44	0.1	20.9	12.3	1786	2.13	6.3	1.2	0.9	70	0.4	0.3	0.1	48	1.36	0.052	7	
1208733	Soil			0.6	15.9	8.0	60	<0.1	21.0	9.7	283	2.92	5.2	0.9	3.3	29	<0.1	0.2	0.1	73	0.36	0.024	7	
1208734	Soil			0.6	20.8	11.5	61	<0.1	22.1	8.9	542	3.05	6.0	3.3	4.9	22	<0.1	0.3	0.1	67	0.44	0.037	13	
1208735	Soil			1.1	27.4	9.3	53	<0.1	32.3	13.0	243	3.36	9.6	2.5	3.1	17	0.2	0.5	0.2	80	0.16	0.017	8	
1208736	Soil			1.1	18.1	12.8	80	<0.1	27.1	11.6	619	3.17	6.8	1.4	1.9	15	0.2	0.5	0.2	81	0.17	0.026	6	
1208737	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
1208738	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
1208739	Soil			1.9	70.2	21.1	92	<0.1	226.8	24.4	340	5.30	26.3	1.6	2.2	20	<0.1	0.9	4.6	104	0.21	0.040	5	
1208740	Soil			1.9	14.6	10.8	44	<0.1	19.9	8.0	195	3.08	9.0	2.2	1.8	15	0.1	0.5	0.3	87	0.15	0.035	7	
1208741	Soil			1.0	32.2	8.0	50	<0.1	43.6	12.3	512	3.12	4.6	1.8	3.8	32	<0.1	0.4	0.1	81	0.47	0.037	16	
1208742	Soil			0.7	34.8	6.9	52	<0.1	45.0	11.2	375	2.83	5.8	2.5	3.8	36	<0.1	0.4	0.2	69	0.59	0.055	14	
1208743	Soil			0.7	37.4	8.1	54	0.1	44.9	11.8	403	2.87	6.7	2.1	3.5	39	<0.1	0.4	0.1	68	0.63	0.058	13	
1208744	Soil			0.9	27.6	7.2	52	<0.1	64.8	13.3	391	2.82	4.8	3.4	5.5	31	<0.1	0.2	0.1	70	0.51	0.077	16	
1208745	Soil			1.2	33.1	15.1	66	<0.1	107.8	17.6	517	3.24	4.6	1.9	7.9	39	0.1	0.3	0.3	86	0.57	0.129	23	
1208746	Soil			1.3	35.4	11.1	58	<0.1	97.6	15.5	495	3.05	5.0	2.0	8.2	42	0.1	0.3	0.2	78	0.58	0.113	22	
1208747	Soil			1.0	34.1	10.4	58	<0.1	105.7	16.6	665	3.09	5.2	1.8	8.0	46	<0.1	0.3	0.3	80	0.64	0.097	21	
1208748	Soil			0.8	33.3	7.7	60	<0.1	120.8	16.3	318	2.87	4.1	1.1	8.9	41	0.1	0.2	0.2	75	0.57	0.128	23	
1208749	Soil			0.7	37.7	8.9	58	0.1	120.0	15.8	415	2.93	4.6	1.3	8.7	44	<0.1	0.2	0.3	71	0.59	0.114	23	
1208750	Soil			0.9	32.3	9.3	57	<0.1	108.2	14.5	380	2.72	6.1	1.5	7.5	47	<0.1	0.3	0.3	70	0.61	0.110	21	
1208751	Soil			0.6	30.6	11.9	78	<0.1	45.1	12.9	464	3.67	2.0	1.3	8.6	44	0.3	0.2	0.1	66	0.58	0.040	27	
1208752	Soil			0.4	48.0	16.1	108	<0.1	51.9	13.6	553	4.73	1.0	1.3	17.3	31	0.4	0.2	0.2	78	0.41	0.066	41	
1208753	Soil			1.8	20.4	19.8	116	0.1	65.5	16.6	758	3.13	3.6	1.7	3.2	34	0.4	0.2	0.2	74	0.37	0.074	12	
1208754	Soil			2.0	33.7	10.3	92	<0.1	35.8	15.4	277	2.11	7.0	1.8	2.0	44	0.8	0.2	0.2	44	0.23	0.020	4	
1208755	Soil			1.2	24.0	12.5	56	<0.1	42.6	12.0	389	2.70	4.6	3.2	3.7	44	0.1	0.3	0.2	65	0.50	0.067	12	
1208756	Soil			1.0	24.3	12.1	47	<0.1	16.0	6.0	274	1.88	4.6	5.1	3.5	42	0.1	0.3	0.3	39	0.38	0.066	13	
1208757	Soil			1.3	21.9	13.9	44	<0.1	11.6	4.9	217	1.63	5.0	2.5	2.1	123	<0.1	0.2	0.2	39	0.64	0.035	7	
1208758	Soil			1.5	17.7	13.7	53	0.1	14.4	7.9	337	2.35	6.3	3.2	2.2	48	0.2	0.3	0.2	55	0.52	0.036	10	
1208759	Soil			2.4	11.8	14.3	57	<0.1	17.4	12.2	362	2.56	9.5	1.4	2.4	50	<0.1	0.3	0.2	53	0.45	0.053	7	
1208760	Soil			0.5	17.8	12.2	52	<0.1	11.4	8.8	349	2.40	2.0	1.5	2.3	70	0.1	<0.1	0.3	64	0.76	0.151	7	
1208761	Soil			0.4	17.4	10.3	44	<0.1	14.2	7.4	285	2.54	3.8	1.6	2.2	47	<0.1	0.2	0.2	49	0.37	0.048	5	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 11, 2011

Page: 3 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI11000645.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
1208732	Soil			29	0.28	931	0.015	1	1.05	0.015	0.04	<0.1	0.04	3.9	<0.1	<0.05	3	0.7	<0.2
1208733	Soil			46	0.38	665	0.016	<1	1.81	0.010	0.06	<0.1	<0.01	8.0	0.1	<0.05	5	0.6	<0.2
1208734	Soil			38	0.40	280	0.023	<1	1.52	0.009	0.06	0.1	0.04	8.6	<0.1	<0.05	5	<0.5	<0.2
1208735	Soil			45	0.56	205	0.093	<1	2.81	0.013	0.05	<0.1	0.03	4.4	<0.1	<0.05	7	<0.5	<0.2
1208736	Soil			36	0.45	235	0.069	<1	2.19	0.011	0.03	<0.1	0.01	2.5	0.1	<0.05	7	<0.5	<0.2
1208737	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208738	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208739	Soil			138	0.61	185	0.015	<1	2.53	0.007	0.12	<0.1	0.04	7.1	0.5	<0.05	9	0.9	<0.2
1208740	Soil			31	0.33	129	0.081	<1	1.61	0.009	0.04	<0.1	0.02	2.4	0.1	<0.05	8	0.6	<0.2
1208741	Soil			67	0.74	211	0.107	<1	2.05	0.023	0.03	<0.1	0.04	6.8	<0.1	<0.05	6	0.6	<0.2
1208742	Soil			54	0.70	237	0.103	<1	1.65	0.030	0.05	0.1	0.04	5.9	<0.1	<0.05	5	<0.5	<0.2
1208743	Soil			54	0.77	219	0.099	<1	1.68	0.030	0.05	0.1	0.04	5.0	<0.1	<0.05	5	<0.5	<0.2
1208744	Soil			92	1.05	171	0.111	<1	1.51	0.020	0.07	0.2	0.02	4.2	<0.1	<0.05	5	<0.5	<0.2
1208745	Soil			159	1.27	142	0.155	2	1.20	0.027	0.11	0.3	0.02	4.6	0.1	<0.05	4	<0.5	<0.2
1208746	Soil			133	1.36	143	0.152	2	1.32	0.028	0.10	0.3	0.03	5.0	0.1	<0.05	4	<0.5	<0.2
1208747	Soil			126	1.55	187	0.152	<1	1.36	0.033	0.12	0.4	0.02	4.1	0.1	<0.05	4	<0.5	<0.2
1208748	Soil			137	1.79	134	0.149	2	1.10	0.030	0.17	0.4	0.01	2.7	0.1	<0.05	4	<0.5	<0.2
1208749	Soil			122	1.85	122	0.140	3	1.14	0.029	0.13	0.4	0.01	3.6	0.1	<0.05	4	<0.5	<0.2
1208750	Soil			119	1.51	151	0.137	2	1.22	0.031	0.12	0.4	0.02	3.0	0.1	<0.05	4	<0.5	<0.2
1208751	Soil			83	0.73	463	0.097	3	1.69	0.016	0.48	<0.1	0.03	6.8	0.3	<0.05	6	<0.5	<0.2
1208752	Soil			105	1.08	480	0.104	4	2.08	0.013	1.09	<0.1	0.02	13.8	0.6	<0.05	8	0.7	<0.2
1208753	Soil			80	0.56	380	0.048	2	1.81	0.016	0.11	0.1	0.04	5.6	0.1	<0.05	6	0.6	<0.2
1208754	Soil			27	0.29	307	0.010	2	0.99	0.012	0.17	<0.1	0.01	2.0	0.2	<0.05	4	<0.5	<0.2
1208755	Soil			64	0.72	289	0.086	2	1.78	0.029	0.07	<0.1	0.04	5.1	<0.1	<0.05	5	<0.5	<0.2
1208756	Soil			23	0.35	351	0.042	3	1.06	0.021	0.10	<0.1	0.02	3.3	<0.1	<0.05	3	<0.5	<0.2
1208757	Soil			19	0.26	523	0.004	2	1.20	0.012	0.07	<0.1	0.09	4.5	0.1	<0.05	3	<0.5	<0.2
1208758	Soil			23	0.36	734	0.016	1	1.64	0.015	0.07	<0.1	0.09	4.2	0.1	<0.05	5	0.6	<0.2
1208759	Soil			24	0.37	462	0.010	1	1.64	0.016	0.07	<0.1	0.09	5.0	<0.1	<0.05	4	<0.5	<0.2
1208760	Soil			23	0.23	482	0.002	2	1.09	0.011	0.11	<0.1	0.05	14.3	<0.1	<0.05	2	<0.5	<0.2
1208761	Soil			28	0.30	417	0.004	1	1.14	0.013	0.08	<0.1	0.03	5.3	<0.1	<0.05	3	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval. preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 11, 2011

Page: 4 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI11000645.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
				ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm		
				0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1		
1208762	Soil			2.1	64.1	7.2	61	<0.1	114.2	18.5	499	2.77	13.3	3.0	1.3	117	0.4	0.5	0.1	53	1.29	0.127	7
1208763	Soil			3.3	97.8	16.7	65	<0.1	228.4	27.3	662	4.48	16.0	3.8	4.9	86	<0.1	0.4	0.3	98	0.81	0.223	14
1208764	Soil			0.9	25.2	9.6	53	<0.1	31.3	10.6	374	3.07	8.2	3.6	4.1	41	<0.1	0.4	0.2	74	0.49	0.044	16
1208765	Soil			1.8	31.1	12.5	62	<0.1	67.9	14.5	405	3.72	6.3	1.8	5.4	47	0.1	0.3	0.2	92	0.62	0.067	20
1208766	Soil			1.1	19.6	9.5	54	<0.1	24.1	10.1	323	3.08	6.8	5.2	3.2	34	<0.1	0.4	0.2	76	0.45	0.021	8
1208767	Soil			0.6	19.8	8.1	65	<0.1	13.7	13.0	729	3.73	2.3	2.3	3.1	101	0.2	0.1	0.2	105	1.58	0.128	10
1208768	Soil			0.4	16.9	9.8	60	<0.1	14.5	10.5	614	3.39	2.2	2.2	3.0	110	0.2	0.2	0.2	71	1.54	0.084	7
1208769	Soil			0.7	26.7	8.1	44	0.1	19.1	11.3	383	2.60	4.2	2.5	2.0	101	0.2	0.4	0.2	58	0.94	0.068	10
1208770	Soil			0.7	22.0	10.2	56	<0.1	14.7	8.8	1529	1.95	3.4	1.6	1.7	82	0.4	0.2	0.2	75	0.85	0.080	9
1208771	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208772	Soil			2.8	10.4	6.9	56	<0.1	11.2	10.8	443	2.90	4.0	2.6	1.2	87	0.2	0.2	0.1	76	1.04	0.091	5
1208773	Soil			0.8	16.4	12.9	40	<0.1	14.1	7.5	202	2.38	5.2	1.8	2.0	48	0.1	0.2	0.2	70	0.57	0.031	9
1208774	Soil			0.8	15.7	11.1	43	<0.1	16.4	9.2	300	2.51	4.6	3.2	2.5	38	0.1	0.2	0.2	59	0.38	0.050	9
1208775	Soil			1.5	15.8	14.4	57	<0.1	21.9	10.9	387	2.92	6.6	3.0	2.5	35	0.2	0.3	0.2	68	0.36	0.032	9
1208776	Soil			0.8	23.7	9.9	55	<0.1	22.1	11.9	408	2.95	4.6	2.1	3.1	48	<0.1	0.2	0.1	74	0.51	0.043	12
1208777	Soil			1.4	13.3	14.2	68	<0.1	17.1	12.9	534	3.45	3.0	1.7	3.2	71	<0.1	0.2	0.2	76	0.45	0.057	7
1208778	Soil			0.8	14.2	9.1	78	<0.1	14.0	12.2	394	3.64	4.2	1.3	3.1	60	<0.1	0.2	0.2	113	0.71	0.143	11
1208779	Soil			1.9	12.6	15.9	54	<0.1	13.4	8.4	269	2.10	6.5	2.0	2.3	38	0.1	0.3	0.2	43	0.29	0.046	7
1208780	Soil			1.2	18.6	12.1	50	<0.1	16.9	12.9	597	2.70	4.6	1.6	2.3	79	0.1	0.2	0.2	71	0.64	0.065	8
1208781	Soil			0.8	18.5	11.2	61	0.1	13.9	12.6	652	2.94	3.0	4.7	3.1	109	0.2	0.1	0.3	68	0.88	0.120	8
1208782	Soil			0.8	13.9	8.7	49	<0.1	13.3	8.9	416	3.05	3.3	1.2	1.9	88	0.1	0.2	0.2	76	0.75	0.062	7
1208783	Soil			1.1	15.0	13.8	48	0.1	13.4	9.8	513	2.38	3.6	1.6	3.1	86	0.2	0.2	0.3	44	0.67	0.067	9
1208784	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208785	Soil			1.4	54.0	7.7	64	<0.1	186.6	22.8	507	3.32	8.2	2.6	1.8	179	0.2	0.3	0.1	52	1.15	0.154	9
1208786	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208787	Soil			1.0	64.5	9.1	67	<0.1	246.8	24.1	326	4.27	5.5	1.4	2.5	174	0.2	0.2	0.1	94	1.28	0.169	12
1208788	Soil			0.8	23.4	6.4	57	<0.1	30.6	6.8	403	1.85	3.6	2.3	1.1	214	0.2	0.3	0.1	40	1.67	0.073	9
1208789	Soil			1.1	11.1	8.8	41	<0.1	13.2	4.4	216	1.98	4.1	1.4	0.6	20	0.2	0.3	0.1	56	0.18	0.022	5
1208790	Soil			0.4	47.9	8.3	45	<0.1	77.6	12.4	259	2.82	5.3	3.4	3.4	85	0.2	0.4	0.1	85	0.75	0.118	13
1208791	Soil			0.9	63.5	10.7	63	0.1	176.3	29.7	842	4.35	13.2	2.9	3.6	129	0.4	0.4	0.1	86	1.18	0.164	15

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 11, 2011

Page: 4 of 13 Part 2

## CERTIFICATE OF ANALYSIS

WHI11000645.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
1208762	Soil			58	0.36	331	0.003	2	0.88	0.015	0.07	<0.1	0.07	6.5	0.1	0.06	2	1.5	<0.2
1208763	Soil			126	0.76	625	0.008	2	2.07	0.010	0.31	<0.1	0.12	12.4	0.2	<0.05	7	0.7	<0.2
1208764	Soil			46	0.64	482	0.106	<1	2.02	0.028	0.06	<0.1	0.06	7.7	0.1	<0.05	6	0.5	<0.2
1208765	Soil			89	0.69	355	0.108	2	2.44	0.023	0.08	<0.1	0.05	9.9	0.1	<0.05	7	<0.5	<0.2
1208766	Soil			41	0.62	337	0.079	2	2.27	0.018	0.06	<0.1	0.02	4.4	<0.1	<0.05	6	<0.5	<0.2
1208767	Soil			36	0.64	546	0.005	1	1.27	0.020	0.09	<0.1	0.04	18.4	<0.1	<0.05	3	<0.5	<0.2
1208768	Soil			24	0.59	557	0.003	3	1.20	0.018	0.11	<0.1	0.02	12.9	<0.1	<0.05	3	<0.5	<0.2
1208769	Soil			27	0.40	638	0.011	2	1.55	0.025	0.07	<0.1	0.06	8.4	<0.1	<0.05	4	<0.5	<0.2
1208770	Soil			27	0.29	572	0.004	2	1.46	0.016	0.09	<0.1	0.06	9.3	<0.1	<0.05	3	0.8	<0.2
1208771	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208772	Soil			25	0.31	435	0.004	2	0.98	0.018	0.06	<0.1	0.04	11.4	<0.1	<0.05	2	<0.5	<0.2
1208773	Soil			26	0.37	485	0.017	2	1.76	0.017	0.05	<0.1	0.04	5.9	<0.1	<0.05	6	<0.5	<0.2
1208774	Soil			27	0.36	359	0.020	3	1.68	0.015	0.06	<0.1	0.02	6.8	<0.1	<0.05	5	<0.5	<0.2
1208775	Soil			32	0.46	272	0.043	3	1.88	0.017	0.06	<0.1	0.04	4.4	0.1	<0.05	6	0.6	<0.2
1208776	Soil			39	0.47	606	0.031	2	1.86	0.025	0.06	<0.1	0.14	10.0	<0.1	<0.05	5	<0.5	<0.2
1208777	Soil			35	0.21	475	0.003	2	1.15	0.015	0.08	<0.1	0.11	15.6	<0.1	<0.05	3	0.5	<0.2
1208778	Soil			32	0.33	490	0.009	1	2.15	0.029	0.09	<0.1	0.02	17.8	<0.1	<0.05	6	0.6	<0.2
1208779	Soil			19	0.29	251	0.020	1	1.74	0.021	0.06	<0.1	0.03	3.8	0.1	<0.05	5	<0.5	<0.2
1208780	Soil			28	0.36	441	0.010	1	2.12	0.022	0.06	<0.1	0.04	6.3	<0.1	<0.05	6	0.6	<0.2
1208781	Soil			28	0.34	491	0.004	3	1.53	0.029	0.07	<0.1	0.03	11.1	<0.1	<0.05	4	<0.5	<0.2
1208782	Soil			24	0.37	350	0.008	3	1.70	0.022	0.05	<0.1	0.03	7.3	<0.1	<0.05	5	<0.5	<0.2
1208783	Soil			19	0.32	374	0.002	2	1.47	0.033	0.08	<0.1	0.03	7.5	0.2	<0.05	4	<0.5	<0.2
1208784	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208785	Soil			85	0.66	384	0.004	3	1.07	0.039	0.09	<0.1	0.05	8.3	0.1	0.07	3	<0.5	<0.2
1208786	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208787	Soil			204	2.29	328	0.024	5	2.02	0.034	0.16	<0.1	0.04	12.3	0.1	<0.05	6	<0.5	<0.2
1208788	Soil			32	0.67	217	0.041	4	1.02	0.030	0.05	0.1	0.06	2.9	<0.1	0.07	3	<0.5	<0.2
1208789	Soil			22	0.29	93	0.069	<1	0.94	0.015	0.04	<0.1	0.02	1.7	<0.1	<0.05	5	<0.5	<0.2
1208790	Soil			103	0.52	463	0.017	2	1.62	0.018	0.07	<0.1	0.05	8.5	0.1	<0.05	5	<0.5	<0.2
1208791	Soil			127	0.69	386	0.016	2	1.43	0.017	0.14	<0.1	0.04	11.0	0.2	<0.05	5	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 11, 2011

Page: 5 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI11000645.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
				ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm		
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1208792	Soil			1.2	52.1	7.7	71	0.4	67.9	13.3	388	3.13	6.6	6.1	4.0	63	0.4	0.6	0.2	82	0.73	0.048	15
1208793	Soil			1.2	24.1	12.0	71	<0.1	61.0	14.0	463	3.76	6.8	4.6	6.2	36	<0.1	0.3	0.1	86	0.42	0.071	20
1208794	Soil			0.9	26.5	8.3	53	<0.1	64.6	15.9	499	2.74	5.3	2.7	1.9	51	0.2	0.3	0.1	63	0.62	0.093	11
1208795	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208796	Soil			0.8	21.6	8.7	44	<0.1	30.7	8.5	347	2.36	6.1	2.8	1.5	60	0.2	0.2	0.1	58	0.56	0.057	10
1208797	Soil			0.9	8.6	7.6	25	<0.1	8.8	3.9	174	1.62	4.3	3.4	1.1	15	0.1	0.3	0.2	47	0.15	0.019	5
1208798	Soil			1.2	17.4	10.5	37	<0.1	29.4	11.1	329	2.55	15.0	1.3	3.0	44	<0.1	0.2	0.2	61	0.41	0.022	12
1208799	Soil			1.0	20.5	11.1	54	<0.1	38.9	13.9	542	2.55	7.4	3.5	4.5	41	0.2	0.2	0.1	52	0.50	0.061	14
1208800	Soil			1.0	14.2	9.4	46	<0.1	22.9	9.2	402	2.75	5.1	1.5	4.2	46	<0.1	0.3	0.1	59	0.53	0.028	11
1208801	Soil			1.6	10.7	9.7	55	<0.1	14.9	6.8	504	2.66	6.6	2.7	1.0	17	0.2	0.3	0.2	70	0.16	0.062	6
1208802	Soil			1.2	18.8	8.3	59	<0.1	26.2	8.2	296	2.96	7.6	1.6	4.3	34	<0.1	0.4	0.1	75	0.29	0.012	9
1208803	Soil			1.3	15.0	9.1	44	<0.1	21.9	8.5	302	2.43	5.8	3.0	2.8	41	<0.1	0.2	0.1	63	0.40	0.031	10
1208804	Soil			0.9	16.3	8.2	51	<0.1	19.2	5.9	257	1.97	3.5	3.0	3.5	38	0.1	0.2	0.1	54	0.44	0.048	11
1208805	Soil			0.7	23.1	9.7	56	<0.1	22.6	8.0	316	1.97	3.4	2.2	4.0	37	0.2	0.3	0.1	49	0.46	0.041	12
1208806	Soil			0.7	29.4	9.1	60	<0.1	28.0	7.2	270	2.24	4.0	3.5	3.7	44	0.2	0.4	0.1	54	0.52	0.050	13
1208807	Soil			1.0	27.1	9.8	54	<0.1	27.3	7.5	250	2.21	3.9	9.1	3.4	44	<0.1	0.3	0.1	53	0.52	0.048	12
1208808	Soil			1.0	19.8	9.0	49	<0.1	23.8	7.8	262	2.24	4.2	4.9	3.3	39	<0.1	0.3	0.2	59	0.47	0.039	12
1208809	Soil			1.1	28.3	11.4	50	<0.1	68.5	12.5	453	2.81	5.8	6.0	3.2	67	<0.1	0.4	0.1	67	0.67	0.051	13
1208810	Soil			0.9	35.3	9.2	56	<0.1	186.2	21.3	507	3.19	3.8	1.5	2.2	132	<0.1	0.2	<0.1	65	1.01	0.073	12
1208811	Soil			0.5	41.3	8.5	55	<0.1	189.1	22.4	494	3.19	4.5	2.0	1.9	172	<0.1	0.3	<0.1	71	1.13	0.065	12
1208812	Soil			0.4	41.0	7.9	54	<0.1	159.4	20.0	464	3.30	4.9	2.5	2.6	174	0.1	0.3	<0.1	81	1.04	0.064	12
1208813	Soil			1.0	16.1	8.3	45	<0.1	19.4	7.2	247	2.56	5.8	2.1	2.6	27	<0.1	0.3	0.1	65	0.26	0.013	9
1208814	Soil			0.6	23.4	7.1	46	<0.1	23.2	6.5	267	2.11	4.3	3.4	3.2	40	<0.1	0.3	0.1	55	0.47	0.050	13
1208815	Soil			0.7	17.3	7.4	41	<0.1	15.8	5.9	389	1.93	4.3	2.7	1.2	39	0.1	0.3	0.1	47	0.34	0.048	9
1208816	Soil			0.6	71.9	8.7	61	<0.1	141.7	20.0	388	3.82	6.5	3.5	2.4	108	0.2	0.3	0.1	89	0.87	0.123	12
1208817	Soil			0.7	56.9	8.1	59	<0.1	142.3	19.1	439	3.63	6.2	2.5	2.2	111	0.2	0.3	<0.1	82	0.99	0.130	10
1208818	Soil			1.5	45.0	7.4	53	<0.1	98.7	23.2	596	3.73	11.7	1.7	2.4	84	0.2	0.3	<0.1	80	0.86	0.170	9
1208819	Soil			2.3	57.0	9.9	59	<0.1	144.4	28.0	608	4.23	10.6	2.8	3.1	82	<0.1	0.4	0.1	90	0.66	0.144	12
1208820	Soil			2.0	47.7	8.5	66	<0.1	362.8	41.6	721	4.80	13.6	1.5	1.7	100	0.2	0.4	0.2	92	1.38	0.134	10
1208821	Soil			2.1	43.6	12.8	83	<0.1	275.6	32.2	617	4.61	22.8	2.7	3.1	75	0.2	0.6	1.3	98	1.39	0.112	11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval. preliminary reports are unsigned and should be used for reference only



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 11, 2011

Page: 5 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI11000645.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1208792	Soil			53	0.41	649	0.012	2	1.82	0.015	0.18	<0.1	0.14	9.7	0.2	<0.05	6	1.4	<0.2
1208793	Soil			70	0.64	342	0.089	1	2.05	0.019	0.07	0.1	0.07	9.0	<0.1	<0.05	6	0.6	<0.2
1208794	Soil			77	0.48	317	0.057	1	1.56	0.022	0.10	0.1	0.03	5.2	<0.1	<0.05	5	0.7	<0.2
1208795	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208796	Soil			36	0.47	1018	0.059	1	1.65	0.024	0.07	<0.1	0.03	4.1	<0.1	<0.05	5	<0.5	<0.2
1208797	Soil			16	0.19	103	0.072	<1	1.08	0.016	0.04	<0.1	0.02	1.5	<0.1	<0.05	5	<0.5	<0.2
1208798	Soil			39	0.41	235	0.076	<1	1.82	0.017	0.04	<0.1	0.05	5.7	0.1	<0.05	6	<0.5	<0.2
1208799	Soil			44	0.40	252	0.008	<1	1.85	0.015	0.07	<0.1	0.06	8.2	<0.1	<0.05	6	<0.5	<0.2
1208800	Soil			39	0.47	373	0.036	1	1.99	0.021	0.05	<0.1	0.02	4.9	<0.1	<0.05	6	<0.5	<0.2
1208801	Soil			29	0.32	105	0.078	<1	1.85	0.014	0.05	<0.1	0.03	2.9	<0.1	<0.05	8	<0.5	<0.2
1208802	Soil			46	0.54	197	0.119	<1	2.66	0.017	0.05	<0.1	0.02	5.4	<0.1	<0.05	7	<0.5	<0.2
1208803	Soil			38	0.50	201	0.104	<1	2.01	0.020	0.05	<0.1	0.01	3.7	<0.1	<0.05	6	<0.5	<0.2
1208804	Soil			33	0.47	142	0.107	<1	1.35	0.025	0.04	0.1	0.02	4.0	<0.1	<0.05	4	<0.5	<0.2
1208805	Soil			34	0.49	174	0.102	<1	1.61	0.026	0.04	<0.1	0.03	5.1	<0.1	<0.05	5	<0.5	<0.2
1208806	Soil			39	0.58	222	0.110	1	1.80	0.033	0.04	0.1	0.04	5.6	<0.1	<0.05	5	<0.5	<0.2
1208807	Soil			43	0.54	215	0.106	1	1.75	0.029	0.04	<0.1	0.04	5.5	<0.1	<0.05	5	<0.5	<0.2
1208808	Soil			39	0.53	205	0.111	<1	1.68	0.025	0.04	<0.1	0.02	4.4	<0.1	<0.05	5	<0.5	<0.2
1208809	Soil			57	1.18	208	0.097	1	1.91	0.025	0.06	<0.1	0.03	5.6	<0.1	<0.05	6	<0.5	<0.2
1208810	Soil			93	3.06	241	0.082	1	2.04	0.036	0.08	0.1	0.03	5.8	<0.1	<0.05	6	<0.5	<0.2
1208811	Soil			85	3.15	239	0.079	1	2.07	0.037	0.07	<0.1	0.04	6.1	<0.1	<0.05	6	<0.5	<0.2
1208812	Soil			86	2.81	255	0.091	1	2.20	0.047	0.07	<0.1	0.04	6.4	<0.1	<0.05	6	0.6	<0.2
1208813	Soil			34	0.49	158	0.107	<1	2.21	0.017	0.05	<0.1	0.01	3.8	<0.1	<0.05	6	<0.5	<0.2
1208814	Soil			33	0.53	191	0.115	<1	1.45	0.032	0.05	<0.1	0.03	4.1	<0.1	<0.05	5	<0.5	<0.2
1208815	Soil			26	0.38	162	0.065	<1	1.79	0.023	0.04	<0.1	0.03	3.4	<0.1	<0.05	6	<0.5	<0.2
1208816	Soil			117	0.56	237	0.016	4	1.50	0.021	0.10	<0.1	0.14	11.7	0.2	<0.05	5	<0.5	<0.2
1208817	Soil			110	0.45	267	0.007	3	1.37	0.016	0.07	<0.1	0.05	9.5	0.1	<0.05	4	0.6	<0.2
1208818	Soil			108	0.31	315	0.006	1	1.08	0.013	0.08	0.1	0.06	7.1	<0.1	<0.05	3	1.2	<0.2
1208819	Soil			134	0.79	273	0.018	3	1.78	0.018	0.09	<0.1	0.06	8.4	0.2	<0.05	5	0.7	<0.2
1208820	Soil			281	0.94	248	0.009	2	1.49	0.020	0.06	<0.1	0.05	13.3	0.4	<0.05	4	1.4	<0.2
1208821	Soil			280	2.15	231	0.058	5	1.99	0.030	0.20	<0.1	0.05	13.0	0.5	<0.05	6	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval. preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 11, 2011

Page: 6 of 13 Part 1

CERTIFICATE OF ANALYSIS

WH11000645.1

Method	Analyte	Unit	MDL	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm		
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1208822	Soil			0.5	28.2	6.3	49	<0.1	101.1	16.1	331	3.06	4.9	1.5	1.2	103	<0.1	0.2	0.1	72	0.74	0.086	6
1208823	Soil			0.6	49.1	7.4	60	<0.1	152.3	20.8	477	3.59	5.3	1.2	2.9	109	0.2	0.3	0.1	90	0.96	0.129	13
1208824	Soil			0.6	52.4	8.0	60	<0.1	160.1	22.1	472	3.68	6.4	2.2	2.7	128	0.1	0.2	<0.1	108	0.92	0.126	12
1208825	Soil			1.3	81.9	13.3	64	<0.1	157.1	28.3	667	4.28	7.1	2.9	3.0	137	0.2	0.2	0.1	122	1.17	0.212	13
1208826	Soil			0.5	37.1	11.7	76	<0.1	110.8	20.2	1199	4.73	6.4	4.0	4.9	57	0.1	0.2	0.1	96	0.79	0.110	18
1208827	Soil			0.5	37.4	7.5	50	<0.1	163.4	22.6	699	3.37	5.9	1.7	1.8	228	0.2	0.2	0.2	83	1.16	0.098	11
1208828	Soil			1.8	22.1	12.5	52	0.2	37.4	11.7	1285	2.76	5.2	<0.5	4.6	31	0.1	0.3	0.2	69	0.45	0.021	19
1208829	Soil			1.4	26.3	9.6	58	<0.1	101.8	15.3	496	3.32	5.4	1.4	7.2	34	0.1	0.3	0.2	87	0.62	0.118	18
1208830	Soil			0.6	30.8	6.3	57	<0.1	106.1	15.2	379	2.83	4.2	0.7	5.8	57	<0.1	0.3	0.1	67	0.92	0.118	18
1208831	Soil			2.1	16.8	7.7	56	<0.1	63.8	12.3	403	2.74	5.2	1.3	4.0	26	0.2	0.2	0.1	75	0.37	0.071	10
1208832	Soil			0.6	26.3	6.0	54	<0.1	108.4	14.8	497	2.80	3.1	<0.5	6.1	50	<0.1	0.2	0.1	70	0.97	0.099	20
1208833	Soil			1.8	13.6	11.3	46	<0.1	22.9	10.6	1026	2.69	5.6	1.5	2.9	32	0.3	0.3	0.2	69	0.40	0.017	9
1208834	Soil			1.0	33.9	11.5	62	<0.1	109.1	14.5	396	3.34	6.0	2.3	6.7	40	0.1	0.2	0.3	82	0.83	0.089	23
1208835	Soil			1.3	18.7	11.2	50	<0.1	38.8	14.4	811	3.28	7.8	1.1	4.0	35	0.1	0.3	0.1	83	0.50	0.019	10
1208836	Soil			2.2	25.5	19.9	63	<0.1	75.2	16.7	890	3.68	5.2	0.9	7.4	40	<0.1	0.2	0.2	91	0.59	0.030	10
1208837	Soil			1.4	26.9	24.8	62	<0.1	47.7	11.7	376	3.26	7.7	3.3	4.6	32	0.1	0.3	0.3	86	0.43	0.030	10
1208838	Soil			1.8	21.1	13.3	51	<0.1	49.2	13.1	561	2.89	7.8	1.6	2.9	39	<0.1	0.3	0.2	73	0.57	0.033	9
1208839	Soil			1.5	51.7	15.0	55	<0.1	301.9	32.8	947	4.51	23.3	2.6	2.8	237	0.2	0.4	1.1	74	6.91	0.202	8
1208840	Soil			1.5	30.3	5.2	26	<0.1	130.9	11.6	291	1.77	5.5	1.3	0.4	170	0.2	0.2	0.3	41	2.43	0.083	6
1208841	Soil			0.9	23.0	13.7	52	<0.1	38.1	9.4	457	2.50	5.5	1.1	6.7	49	<0.1	0.2	0.2	64	0.89	0.074	16
1208842	Soil			0.8	19.4	6.3	46	<0.1	21.0	8.2	698	2.50	4.2	2.1	3.1	89	0.2	0.2	<0.1	58	0.93	0.032	10
1208843	Soil			1.0	24.4	8.4	57	<0.1	37.8	10.9	813	2.61	3.0	1.5	5.2	157	0.2	0.1	0.1	58	2.88	0.076	13
1208844	Soil			0.6	8.6	10.1	81	<0.1	26.2	8.0	906	3.07	3.3	1.7	4.1	69	0.2	<0.1	<0.1	52	0.62	0.056	4
1208845	Soil			1.2	30.4	7.7	67	<0.1	90.7	21.0	1088	2.52	6.9	0.6	1.9	108	0.3	0.2	0.1	55	1.06	0.121	10
1208846	Soil			1.0	15.2	8.8	49	<0.1	35.3	11.4	604	2.16	6.7	2.0	1.7	58	0.2	0.2	0.1	49	0.61	0.079	9
1208847	Soil			0.6	38.5	9.3	65	<0.1	104.5	20.1	451	3.80	7.6	1.5	3.4	105	0.3	0.2	0.1	99	0.91	0.135	13
1208848	Soil			1.0	30.7	8.1	57	<0.1	68.2	17.1	699	2.95	6.5	2.6	2.7	110	0.2	0.2	0.1	69	0.84	0.110	10
1208849	Soil			1.0	30.6	8.1	49	<0.1	75.9	16.9	529	2.84	5.0	1.8	1.7	132	0.2	0.2	<0.1	69	1.03	0.112	9
1208850	Soil			0.7	32.6	6.9	61	<0.1	87.4	17.4	580	3.21	5.4	2.3	1.6	118	0.2	0.2	<0.1	73	1.05	0.127	9
1208851	Soil			1.5	32.0	8.1	64	0.1	133.8	15.3	496	3.03	6.1	1.5	9.7	42	<0.1	0.2	0.2	74	0.83	0.134	23

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





# AcmeLabs

Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

**Project:** Zeus  
**Report Date:** August 11, 2011

**Page:** 6 of 13 Part 2

## CERTIFICATE OF ANALYSIS

WHI11000645.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1208822	Soil			133	1.50	204	0.051	1	1.69	0.021	0.06	<0.1	0.03	5.2	<0.1	<0.05	6	0.6	<0.2
1208823	Soil			118	2.04	244	0.064	2	1.98	0.025	0.12	<0.1	0.02	7.5	0.1	<0.05	6	0.7	<0.2
1208824	Soil			83	3.25	199	0.105	2	2.00	0.027	0.08	0.1	0.02	6.3	0.2	<0.05	7	0.5	<0.2
1208825	Soil			103	3.86	189	0.098	2	2.31	0.071	0.15	0.2	0.02	7.6	0.2	<0.05	9	<0.5	<0.2
1208826	Soil			124	1.32	259	0.016	2	3.05	0.024	0.16	<0.1	0.03	12.5	0.3	<0.05	9	0.6	<0.2
1208827	Soil			195	2.35	371	0.045	2	1.92	0.021	0.08	<0.1	0.05	8.0	0.1	<0.05	6	0.7	<0.2
1208828	Soil			60	0.45	287	0.083	2	1.91	0.025	0.06	0.2	0.02	5.2	<0.1	<0.05	6	0.5	<0.2
1208829	Soil			165	1.24	177	0.138	1	1.55	0.025	0.09	0.4	0.01	4.1	<0.1	<0.05	5	0.7	<0.2
1208830	Soil			118	1.54	355	0.115	1	1.33	0.025	0.10	0.3	0.02	3.8	<0.1	<0.05	4	0.7	<0.2
1208831	Soil			103	0.90	207	0.093	2	1.39	0.018	0.15	0.3	0.02	2.4	<0.1	<0.05	6	<0.5	<0.2
1208832	Soil			135	1.37	200	0.112	3	1.08	0.025	0.11	0.6	0.03	3.1	<0.1	<0.05	4	0.8	<0.2
1208833	Soil			41	0.39	383	0.086	<1	1.85	0.019	0.07	<0.1	0.02	2.8	0.2	<0.05	6	<0.5	<0.2
1208834	Soil			153	1.63	419	0.131	1	1.77	0.032	0.09	0.3	0.02	6.2	<0.1	<0.05	6	0.6	<0.2
1208835	Soil			67	0.72	257	0.101	2	2.26	0.023	0.06	0.1	0.02	6.1	<0.1	<0.05	6	<0.5	<0.2
1208836	Soil			122	0.70	235	0.087	1	2.01	0.017	0.08	0.2	0.01	9.1	<0.1	<0.05	6	<0.5	<0.2
1208837	Soil			63	0.71	152	0.078	2	2.09	0.022	0.10	0.1	0.02	5.9	<0.1	<0.05	6	0.6	<0.2
1208838	Soil			66	0.68	219	0.074	1	1.86	0.026	0.08	0.1	0.02	5.3	<0.1	<0.05	5	<0.5	<0.2
1208839	Soil			179	4.13	110	0.001	<1	1.22	0.009	0.21	<0.1	0.05	17.0	0.3	<0.05	3	0.7	<0.2
1208840	Soil			75	0.63	144	0.014	4	0.94	0.020	0.03	<0.1	0.07	5.9	0.2	0.10	2	1.3	<0.2
1208841	Soil			54	0.62	231	0.015	<1	1.92	0.016	0.08	0.2	0.02	7.5	<0.1	<0.05	6	<0.5	<0.2
1208842	Soil			36	0.43	303	0.009	2	1.79	0.019	0.05	<0.1	0.02	6.3	<0.1	<0.05	5	0.5	<0.2
1208843	Soil			58	0.89	304	0.008	<1	1.52	0.019	0.13	0.1	<0.01	8.3	0.1	<0.05	4	<0.5	<0.2
1208844	Soil			30	0.33	367	0.002	<1	1.53	0.012	0.09	<0.1	<0.01	7.9	<0.1	<0.05	5	<0.5	<0.2
1208845	Soil			80	0.44	501	0.006	1	1.57	0.019	0.25	<0.1	0.06	6.6	0.5	<0.05	5	0.5	<0.2
1208846	Soil			41	0.28	260	0.014	1	1.33	0.017	0.11	<0.1	0.07	4.8	0.2	<0.05	4	0.5	<0.2
1208847	Soil			126	0.74	430	0.038	4	2.00	0.024	0.22	0.1	0.05	8.8	0.2	<0.05	6	0.8	<0.2
1208848	Soil			67	0.66	469	0.020	2	1.57	0.026	0.12	<0.1	0.03	6.7	0.1	<0.05	5	1.0	<0.2
1208849	Soil			84	0.66	526	0.018	2	1.48	0.021	0.10	<0.1	0.04	6.2	0.1	<0.05	5	0.8	<0.2
1208850	Soil			101	0.71	539	0.011	2	1.64	0.019	0.12	<0.1	0.03	6.8	0.1	<0.05	5	0.9	<0.2
1208851	Soil			172	1.76	172	0.101	1	1.05	0.023	0.17	0.6	<0.01	4.3	0.2	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 11, 2011

Page: 7 of 13 Part 1

CERTIFICATE OF ANALYSIS

WH11000645.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
1208852	Soil	2.6	31.7	9.8	74	<0.1	147.5	23.1	1281	3.99	5.4	0.6	9.5	37	0.1	0.2	0.1	93	0.51	0.113	15
1208853	Soil	1.4	18.2	12.7	48	<0.1	29.0	11.4	224	3.12	9.4	4.0	3.4	25	0.2	0.4	0.2	76	0.29	0.016	6
1208854	Soil	1.3	27.0	9.7	53	<0.1	33.7	11.5	397	2.97	10.3	2.2	5.0	26	0.2	0.5	0.2	70	0.35	0.022	9
1208855	Soil	4.3	81.5	12.3	123	0.2	56.3	14.8	777	4.02	11.5	3.3	5.0	30	0.3	0.5	0.6	84	0.51	0.032	15
1208856	Soil	1.6	35.2	9.8	61	<0.1	35.2	10.6	395	2.93	8.8	3.4	3.9	29	0.5	0.5	0.3	68	0.42	0.032	13
1208857	Soil	2.3	33.2	10.6	63	<0.1	35.2	10.0	321	2.87	9.2	2.2	3.5	31	0.3	0.5	0.2	68	0.41	0.034	12
1208858	Soil	1.3	36.1	8.4	62	0.2	28.3	10.4	398	2.46	7.9	2.7	2.6	39	0.4	0.5	0.2	58	0.56	0.051	11
1208859	Soil	1.1	40.7	7.9	60	0.2	32.1	11.8	501	2.61	7.4	2.3	2.2	44	0.6	0.5	0.2	62	0.71	0.058	12
1208860	Soil	0.9	28.0	6.6	54	<0.1	24.1	9.8	433	2.54	6.6	1.0	2.6	35	0.1	0.3	0.1	62	0.52	0.057	11
1208861	Soil	0.7	29.0	6.9	63	<0.1	62.7	12.4	389	2.78	2.5	<0.5	3.6	51	<0.1	0.2	<0.1	69	0.99	0.079	19
1208862	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208863	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208864	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208865	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208866	Soil	0.6	16.9	5.4	33	<0.1	25.2	6.7	222	1.87	3.6	0.6	1.6	34	<0.1	0.2	<0.1	43	0.61	0.037	10
1208867	Soil	1.2	21.0	5.7	55	<0.1	51.1	11.9	268	3.15	4.8	1.0	3.8	26	<0.1	0.3	<0.1	77	0.31	0.040	11
1208868	Soil	1.1	24.2	7.3	57	<0.1	54.1	11.5	320	2.86	5.3	2.2	4.2	33	0.1	0.2	<0.1	66	0.44	0.065	17
1208869	Soil	1.1	12.7	6.5	43	<0.1	25.8	7.4	229	2.43	5.0	0.7	2.0	24	0.1	0.2	0.1	65	0.24	0.017	7
1208870	Soil	1.7	18.7	13.4	52	<0.1	44.5	11.5	364	3.24	6.6	1.1	3.2	28	<0.1	0.3	0.1	84	0.28	0.028	10
1208871	Soil	1.5	20.7	7.3	57	<0.1	53.2	11.8	305	3.31	6.1	0.9	3.2	29	<0.1	0.3	<0.1	79	0.36	0.043	11
1208872	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208873	Soil	2.6	46.1	12.2	59	<0.1	127.9	19.6	620	3.18	5.5	1.2	6.8	126	0.3	0.1	0.2	54	1.67	0.156	21
1208874	Soil	0.9	27.1	9.4	67	<0.1	96.4	15.2	345	3.12	2.7	1.4	7.5	69	0.3	<0.1	0.3	61	0.86	0.102	30
1208875	Soil	0.9	19.1	7.5	54	<0.1	29.8	9.9	239	2.80	6.2	1.4	2.9	44	0.1	0.3	0.1	58	0.62	0.075	12
1208876	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208877	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208878	Soil	1.0	21.3	6.8	54	0.1	21.9	8.6	429	1.97	4.9	1.3	1.3	44	0.4	0.3	0.1	49	0.69	0.053	8
1208879	Soil	1.2	28.0	7.4	57	0.1	25.3	10.9	516	2.58	7.7	1.7	2.4	39	0.3	0.4	0.2	63	0.56	0.061	11
1208880	Soil	0.6	54.3	8.4	57	<0.1	150.3	24.4	526	3.68	3.4	2.8	2.5	192	0.2	0.2	0.1	80	1.73	0.151	11
1208881	Soil	0.6	53.5	8.9	52	<0.1	101.5	21.7	538	3.50	4.6	2.9	2.0	127	0.2	0.2	0.1	87	0.88	0.109	10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**AcmeLabs**

Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

**Project:** Zeus  
**Report Date:** August 11, 2011

**Page:** 7 of 13 **Part** 2

**CERTIFICATE OF ANALYSIS**

WH11000645.1

Method	Analyte	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1208852	Soil	245	1.72	431	0.126	<1	1.99	0.024	0.26	1.0	<0.01	6.2	0.1	<0.05	6	<0.5	<0.2
1208853	Soil	49	0.61	249	0.087	2	2.32	0.012	0.06	0.1	0.01	4.0	<0.1	<0.05	6	<0.5	<0.2
1208854	Soil	47	0.57	220	0.083	1	1.86	0.017	0.07	0.1	0.03	5.3	<0.1	<0.05	5	0.7	<0.2
1208855	Soil	60	0.76	332	0.074	2	1.87	0.014	0.33	<0.1	0.06	8.3	0.3	<0.05	7	0.7	<0.2
1208856	Soil	49	0.59	234	0.079	1	1.71	0.022	0.05	<0.1	0.02	6.0	0.1	<0.05	5	0.6	<0.2
1208857	Soil	52	0.54	237	0.080	<1	1.73	0.020	0.05	0.1	0.03	5.1	<0.1	<0.05	5	0.7	<0.2
1208858	Soil	34	0.51	264	0.071	1	1.47	0.025	0.05	0.1	0.03	4.3	<0.1	<0.05	5	0.5	<0.2
1208859	Soil	37	0.54	302	0.071	<1	1.64	0.026	0.04	0.2	0.04	4.9	<0.1	<0.05	5	0.6	<0.2
1208860	Soil	34	0.53	212	0.084	1	1.51	0.028	0.04	0.2	0.03	3.9	<0.1	<0.05	5	0.7	<0.2
1208861	Soil	97	1.36	170	0.055	1	1.46	0.024	0.08	0.3	0.03	7.0	<0.1	<0.05	5	<0.5	<0.2
1208862	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208863	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208864	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208865	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208866	Soil	35	0.52	207	0.057	<1	1.44	0.024	0.04	0.2	0.02	3.5	<0.1	<0.05	5	<0.5	<0.2
1208867	Soil	88	0.83	171	0.063	<1	1.81	0.013	0.06	0.3	0.01	4.5	<0.1	<0.05	6	<0.5	<0.2
1208868	Soil	76	1.01	187	0.068	1	1.66	0.017	0.08	0.4	0.01	4.4	<0.1	<0.05	5	<0.5	<0.2
1208869	Soil	50	0.50	194	0.069	<1	1.79	0.013	0.03	0.1	0.02	2.7	<0.1	<0.05	5	<0.5	<0.2
1208870	Soil	89	0.73	200	0.081	<1	2.14	0.014	0.05	0.2	0.02	4.2	<0.1	<0.05	7	<0.5	<0.2
1208871	Soil	95	0.85	158	0.072	2	1.83	0.018	0.07	0.3	0.01	3.8	<0.1	<0.05	5	<0.5	<0.2
1208872	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208873	Soil	121	1.65	434	0.010	2	1.75	0.017	0.33	<0.1	0.01	8.5	0.2	<0.05	6	<0.5	<0.2
1208874	Soil	104	1.53	320	0.030	3	1.70	0.016	0.39	0.1	0.02	8.1	0.2	<0.05	7	<0.5	<0.2
1208875	Soil	39	0.60	186	0.043	1	1.33	0.021	0.07	0.1	0.04	4.2	<0.1	<0.05	4	<0.5	<0.2
1208876	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208877	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208878	Soil	28	0.48	201	0.071	1	1.33	0.027	0.05	0.1	0.04	3.0	<0.1	<0.05	4	<0.5	<0.2
1208879	Soil	37	0.52	232	0.077	2	1.53	0.024	0.05	0.1	0.03	4.2	<0.1	<0.05	5	0.6	<0.2
1208880	Soil	119	1.31	349	0.033	4	1.38	0.016	0.14	<0.1	0.08	10.5	<0.1	<0.05	4	<0.5	<0.2
1208881	Soil	80	0.54	433	0.021	3	1.55	0.014	0.13	<0.1	0.06	9.8	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 11, 2011

Page: 8 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI11000645.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
1208882	Soil	0.4	41.2	8.2	48	<0.1	95.9	25.8	926	3.08	3.9	1.8	1.8	114	0.3	0.3	0.1	81	0.92	0.107	9
1208883	Soil	0.4	51.7	8.1	51	<0.1	114.4	21.9	677	3.38	4.0	2.8	1.6	98	0.3	0.3	0.1	84	0.97	0.136	10
1208884	Soil	0.7	50.0	8.2	54	<0.1	105.1	23.8	625	3.55	5.1	2.0	1.8	95	0.3	0.3	0.1	78	0.99	0.128	10
1208885	Soil	0.5	40.1	6.1	44	<0.1	69.1	18.8	672	2.82	3.8	1.6	0.9	106	0.3	0.2	0.1	62	1.27	0.128	8
1208886	Soil	0.6	58.7	9.9	48	<0.1	122.3	28.5	763	4.09	5.0	1.7	1.5	125	0.3	0.2	0.1	98	0.98	0.126	9
1208888	Soil	0.4	49.9	6.5	42	<0.1	100.2	19.4	599	2.95	4.4	2.1	1.2	106	0.2	0.3	0.1	74	1.32	0.104	8
1208889	Soil	0.5	40.5	5.4	40	<0.1	83.5	22.9	824	3.04	3.9	1.1	1.1	82	0.2	0.3	0.1	60	1.08	0.114	8
1208890	Soil	0.4	46.6	5.7	47	<0.1	95.6	23.5	820	3.44	3.8	1.6	1.5	88	0.2	0.3	0.1	69	0.95	0.142	9
1208891	Soil	0.3	48.1	5.6	53	<0.1	138.3	23.7	855	3.51	2.7	0.9	1.8	131	0.3	0.2	0.1	66	1.67	0.141	8
1208892	Soil	0.4	44.8	6.6	42	<0.1	104.1	17.7	393	3.29	5.2	3.4	1.3	74	0.2	0.4	0.2	63	0.92	0.109	9
1208893	Soil	0.7	53.2	8.1	66	<0.1	144.8	22.4	368	3.93	5.0	1.3	2.8	79	0.2	0.3	0.2	86	0.78	0.143	10
1208894	Soil	1.2	50.8	7.6	71	0.2	101.8	21.4	816	3.41	8.7	3.7	2.0	47	0.3	0.4	0.2	76	0.57	0.056	10
1208895	Soil	1.2	47.2	7.4	62	<0.1	222.5	27.6	884	4.22	8.1	2.8	1.0	123	0.2	0.7	0.1	97	1.72	0.089	7
1208896	Soil	0.9	43.6	8.0	63	<0.1	146.9	18.7	444	3.65	4.0	3.8	1.9	53	0.2	0.4	0.1	88	0.85	0.053	10
1208897	Soil	0.8	45.0	7.2	63	0.1	141.5	17.5	378	3.33	4.6	2.0	1.9	68	0.2	0.5	0.1	84	0.93	0.054	10
1208898	Soil	1.1	50.8	8.4	70	<0.1	119.4	15.7	587	3.44	6.9	5.0	2.5	67	0.1	0.6	0.2	90	0.34	0.049	12
1208899	Soil	1.3	46.8	8.5	62	<0.1	85.2	16.9	604	3.23	7.9	3.7	2.8	54	<0.1	0.7	0.2	78	0.31	0.048	11
1208900	Soil	2.4	35.3	12.4	69	0.2	26.9	14.8	798	3.11	9.7	3.4	2.0	33	0.7	0.6	0.2	80	0.27	0.054	9
1208901	Soil	1.1	25.5	6.8	44	<0.1	26.2	8.8	508	2.51	3.8	1.4	3.5	80	<0.1	0.3	<0.1	56	0.80	0.040	12
1208902	Soil	1.3	19.9	9.1	51	<0.1	23.9	10.1	870	2.57	3.7	0.5	4.1	74	0.3	0.2	0.1	58	1.13	0.044	10
1208903	Soil	1.1	21.5	9.4	48	<0.1	29.8	11.3	495	2.82	5.8	1.9	3.4	44	0.1	0.4	0.2	77	0.68	0.030	19
1208904	Soil	1.1	28.1	11.6	60	<0.1	46.1	14.6	830	3.12	4.7	1.5	5.9	43	0.2	0.3	0.2	71	0.74	0.056	19
1208905	Soil	1.0	19.3	9.5	68	<0.1	28.2	9.8	341	3.22	6.9	1.5	3.2	27	0.1	0.4	0.1	87	0.28	0.035	8
1208906	Soil	1.1	11.1	6.6	30	<0.1	12.4	4.2	192	1.62	3.5	1.1	0.9	18	<0.1	0.3	0.2	53	0.17	0.039	8
1208907	Soil	1.2	14.0	9.1	54	<0.1	28.9	10.9	197	3.31	7.1	0.7	2.0	20	0.1	0.6	0.2	85	0.20	0.033	8
1208908	Soil	1.1	11.9	7.5	40	<0.1	14.8	4.8	253	2.10	5.8	1.3	1.0	14	0.1	0.3	0.2	66	0.13	0.029	6
1208909	Soil	1.4	19.1	8.0	52	<0.1	31.1	8.9	231	3.38	6.3	2.1	1.8	21	0.2	0.6	0.1	91	0.20	0.026	8
1208910	Soil	1.2	11.6	8.3	41	<0.1	11.2	8.1	661	2.35	5.4	1.6	1.8	19	0.2	0.5	0.2	74	0.27	0.042	7
1208911	Soil	1.0	13.7	6.4	39	<0.1	27.4	7.8	463	2.38	3.7	1.2	1.7	17	<0.1	0.3	0.1	73	0.17	0.035	6
1208912	Soil	1.0	24.9	6.9	54	<0.1	54.8	12.7	272	2.83	2.5	<0.5	3.5	29	0.1	0.2	<0.1	82	0.41	0.073	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 11, 2011

Page: 8 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI11000645.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX16	1DX15	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16	
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.06	1	0.5	0.2
1208882	Soil			77	0.50	538	0.017	3	1.50	0.015	0.09	<0.1	0.05	8.9	<0.1	<0.05	5	0.5	<0.2
1208883	Soil			100	0.53	442	0.016	3	1.42	0.016	0.09	<0.1	0.04	9.0	<0.1	<0.05	4	<0.5	<0.2
1208884	Soil			83	0.49	530	0.010	2	1.31	0.013	0.08	<0.1	0.04	8.3	<0.1	<0.05	4	<0.5	<0.2
1208885	Soil			57	0.40	717	0.008	2	1.14	0.013	0.05	<0.1	0.03	5.9	<0.1	<0.05	3	<0.5	<0.2
1208886	Soil			85	0.41	571	0.006	2	1.14	0.011	0.07	<0.1	0.03	9.1	<0.1	<0.05	3	0.6	<0.2
1208888	Soil			71	0.47	612	0.011	3	1.18	0.013	0.07	<0.1	0.06	8.0	<0.1	<0.05	4	<0.5	<0.2
1208889	Soil			63	0.41	473	0.011	3	1.17	0.012	0.07	<0.1	0.07	6.0	<0.1	<0.05	3	<0.5	<0.2
1208890	Soil			73	0.45	637	0.009	3	1.12	0.010	0.10	<0.1	0.04	7.5	<0.1	<0.05	3	<0.5	<0.2
1208891	Soil			77	0.83	613	0.005	2	0.99	0.009	0.11	<0.1	0.03	9.6	<0.1	<0.05	3	<0.5	<0.2
1208892	Soil			61	0.37	885	0.016	1	1.22	0.015	0.04	<0.1	0.07	7.2	<0.1	<0.05	4	0.5	<0.2
1208893	Soil			112	0.42	505	0.009	1	1.28	0.012	0.13	<0.1	0.04	13.0	0.1	<0.05	4	<0.5	<0.2
1208894	Soil			77	0.39	777	0.029	2	1.75	0.010	0.05	<0.1	0.16	10.3	0.2	<0.05	5	<0.5	<0.2
1208895	Soil			149	0.80	484	0.026	4	1.03	0.017	0.07	0.1	0.07	10.7	0.1	<0.05	3	<0.5	<0.2
1208896	Soil			107	0.53	430	0.048	3	1.78	0.019	0.05	<0.1	0.08	10.9	<0.1	<0.05	5	<0.5	<0.2
1208897	Soil			101	0.70	551	0.065	3	1.83	0.023	0.06	<0.1	0.09	10.9	0.1	<0.05	5	<0.5	<0.2
1208898	Soil			77	0.42	559	0.085	3	1.57	0.017	0.05	<0.1	0.08	9.6	0.2	<0.05	4	<0.5	<0.2
1208899	Soil			60	0.47	519	0.090	2	1.75	0.016	0.04	<0.1	0.09	7.1	0.4	<0.05	5	<0.5	<0.2
1208900	Soil			42	0.43	383	0.107	2	1.79	0.016	0.06	0.1	0.04	3.2	0.1	<0.05	7	0.5	<0.2
1208901	Soil			43	0.49	479	0.011	3	1.86	0.024	0.05	<0.1	0.02	6.4	<0.1	<0.05	5	<0.5	<0.2
1208902	Soil			42	0.49	294	0.005	1	1.62	0.016	0.07	<0.1	0.02	6.9	0.1	<0.05	4	<0.5	<0.2
1208903	Soil			48	0.53	241	0.089	2	2.31	0.022	0.04	0.2	0.02	6.6	<0.1	<0.05	6	<0.5	<0.2
1208904	Soil			65	0.57	286	0.032	1	2.09	0.018	0.09	0.2	0.01	9.8	0.1	<0.05	5	<0.5	<0.2
1208905	Soil			48	0.55	161	0.104	2	2.49	0.019	0.05	0.1	0.02	5.6	<0.1	<0.05	7	<0.5	<0.2
1208906	Soil			22	0.18	105	0.077	<1	0.88	0.018	0.04	0.1	0.01	1.8	<0.1	<0.05	5	<0.5	<0.2
1208907	Soil			35	0.37	127	0.093	2	2.19	0.016	0.05	<0.1	0.02	2.7	<0.1	<0.05	7	<0.5	<0.2
1208908	Soil			23	0.20	91	0.076	2	1.10	0.015	0.04	<0.1	0.02	1.7	<0.1	<0.05	6	<0.5	<0.2
1208909	Soil			55	0.50	152	0.093	1	2.36	0.014	0.04	0.1	0.02	3.4	<0.1	<0.05	8	<0.5	<0.2
1208910	Soil			28	0.26	123	0.091	2	1.35	0.015	0.05	<0.1	0.02	2.2	<0.1	<0.05	7	<0.5	<0.2
1208911	Soil			54	0.53	104	0.098	1	1.19	0.024	0.08	0.3	0.01	2.9	<0.1	<0.05	6	<0.5	<0.2
1208912	Soil			88	1.28	141	0.086	2	1.60	0.020	0.08	0.2	0.02	5.9	<0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 11, 2011

Page: 9 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI11000645.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
1208913	Soil	2.0	19.0	11.6	73	<0.1	39.9	12.6	925	3.52	6.2	2.2	2.3	29	<0.1	0.5	0.2	89	0.34	0.047	8
1208914	Soil	1.6	21.0	10.6	46	0.1	29.3	10.2	278	2.68	6.7	0.7	2.3	31	0.1	0.4	0.2	76	0.29	0.053	10
1208915	Soil	1.6	19.4	9.4	55	<0.1	33.3	9.9	289	3.34	7.5	<0.5	2.1	21	<0.1	0.5	0.2	88	0.18	0.045	8
1208916	Soil	0.9	21.2	13.6	42	<0.1	38.1	14.1	812	2.68	4.0	<0.5	2.5	50	<0.1	0.2	0.1	63	0.43	0.041	18
1208917	Soil	1.1	11.5	8.9	44	<0.1	16.8	6.6	267	2.35	5.2	1.6	1.9	21	0.2	0.3	0.2	61	0.17	0.081	7
1208918	Soil	0.6	29.5	8.2	58	<0.1	29.4	9.9	428	2.67	5.3	2.1	3.5	65	<0.1	0.3	0.1	69	0.83	0.074	17
1208919	Soil	1.3	15.6	8.9	46	<0.1	26.5	9.8	241	3.11	7.4	1.8	2.8	33	<0.1	0.4	0.2	84	0.34	0.018	11
1208920	Soil	1.1	16.7	8.1	47	<0.1	36.9	10.4	333	2.45	5.3	0.7	1.3	23	0.2	0.3	0.1	67	0.24	0.064	8
1208921	Soil	1.1	24.7	8.1	49	<0.1	43.5	11.8	396	3.01	5.1	2.3	4.5	45	<0.1	0.3	0.1	87	0.45	0.039	18
1208922	Soil	0.9	13.3	8.0	31	<0.1	17.7	6.0	154	2.03	5.8	1.9	1.5	28	<0.1	0.3	0.1	73	0.31	0.029	10
1208923	Soil	1.1	14.9	9.4	48	<0.1	34.4	9.6	248	2.76	8.5	0.9	0.9	17	<0.1	0.3	0.1	80	0.19	0.087	10
1208924	Soil	0.6	12.2	6.8	32	<0.1	22.5	6.3	197	1.45	2.6	0.7	1.7	18	<0.1	0.2	<0.1	41	0.21	0.052	9
1208925	Soil	0.8	40.1	5.6	59	<0.1	104.9	20.5	1162	2.98	6.7	2.9	3.2	65	0.2	0.3	<0.1	83	1.09	0.172	31
1208926	Soil	0.4	34.6	8.9	52	<0.1	66.6	13.1	234	2.57	4.7	1.8	4.4	53	0.1	0.4	0.1	81	0.76	0.112	20
1208927	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208928	Soil	0.8	51.5	7.9	46	<0.1	145.2	19.8	503	3.46	6.1	2.3	1.5	136	<0.1	0.2	0.3	87	1.89	0.172	13
1208929	Soil	1.1	53.3	8.0	59	<0.1	266.7	30.9	687	4.52	8.1	1.0	2.1	178	0.2	0.2	1.0	110	4.99	0.184	12
1208930	Soil	2.7	50.9	7.5	48	<0.1	135.1	20.4	727	3.38	8.9	1.4	2.0	245	0.1	0.2	0.4	83	3.84	0.157	10
1208931	Soil	1.6	60.5	8.6	51	<0.1	105.6	24.3	830	3.92	5.1	2.4	1.4	152	0.1	0.3	0.2	68	1.43	0.147	8
1208932	Soil	0.9	48.9	5.7	58	<0.1	335.5	31.6	735	5.03	5.8	2.8	1.2	295	0.1	0.9	<0.1	84	2.77	0.071	5
1208933	Soil	2.8	36.7	8.2	56	<0.1	161.3	26.0	729	4.81	10.2	2.5	2.1	42	0.1	0.7	0.2	96	0.45	0.035	6
1208934	Soil	1.7	21.5	9.5	58	0.1	19.8	7.2	218	2.64	7.1	1.8	1.8	19	0.2	0.4	0.2	66	0.18	0.022	6
1208935	Soil	3.0	49.3	11.6	58	0.1	34.2	19.2	474	3.40	10.6	5.1	3.7	36	<0.1	0.7	0.2	81	0.34	0.019	16
1208936	Soil	2.6	37.2	11.1	58	0.1	27.0	10.6	278	3.10	14.7	3.5	3.2	31	0.1	0.9	0.2	77	0.31	0.016	12
1208937	Soil	1.3	34.9	7.9	44	0.1	27.6	10.2	314	2.86	10.2	4.9	3.1	31	<0.1	0.6	0.1	68	0.37	0.026	13
1208938	Soil	2.1	37.3	11.9	81	<0.1	39.6	12.1	336	3.30	7.1	2.9	2.4	25	0.2	0.8	0.1	67	0.27	0.024	11
1208939	Soil	1.3	22.8	8.7	47	<0.1	25.4	10.9	247	3.16	9.6	2.7	2.8	22	<0.1	0.5	0.2	75	0.20	0.017	7
1208940	Soil	0.9	72.9	10.4	48	<0.1	162.3	26.4	776	4.50	3.0	3.0	3.2	202	0.2	0.3	0.1	107	5.16	0.243	12
1208941	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208942	Soil	0.6	32.5	8.1	42	<0.1	60.8	17.8	381	3.45	7.3	2.0	2.5	59	<0.1	0.4	0.1	77	0.73	0.078	11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 11, 2011

Page: 9 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI11000645.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1208913	Soil	69	0.58	184	0.114	2	2.33	0.021	0.06	0.2	0.02	3.1	0.1	<0.05	7	<0.5	<0.2
1208914	Soil	43	0.44	171	0.103	1	1.97	0.018	0.05	<0.1	0.01	2.7	<0.1	<0.05	7	<0.5	<0.2
1208915	Soil	58	0.60	163	0.114	2	2.39	0.015	0.07	0.1	0.01	2.9	<0.1	<0.05	8	<0.5	<0.2
1208916	Soil	60	0.87	309	0.096	<1	2.47	0.019	0.08	<0.1	0.02	4.3	<0.1	<0.05	7	<0.5	<0.2
1208917	Soil	29	0.42	168	0.085	2	1.80	0.016	0.06	<0.1	<0.01	2.3	<0.1	<0.05	7	<0.5	<0.2
1208918	Soil	47	0.75	222	0.071	2	2.18	0.033	0.09	<0.1	0.04	5.9	0.1	<0.05	6	<0.5	<0.2
1208919	Soil	49	0.71	167	0.133	1	2.44	0.018	0.05	<0.1	0.01	3.5	0.1	<0.05	7	<0.5	<0.2
1208920	Soil	46	0.62	129	0.087	2	1.62	0.019	0.07	0.3	0.01	2.1	<0.1	<0.05	6	<0.5	<0.2
1208921	Soil	55	0.80	235	0.107	2	2.25	0.025	0.05	0.1	0.01	4.9	<0.1	<0.05	7	<0.5	<0.2
1208922	Soil	31	0.42	125	0.105	1	1.53	0.017	0.05	0.1	0.01	2.8	<0.1	<0.05	7	<0.5	<0.2
1208923	Soil	42	0.93	80	0.087	1	1.39	0.015	0.05	0.2	0.01	2.2	<0.1	<0.05	9	<0.5	<0.2
1208924	Soil	28	0.64	70	0.088	1	0.86	0.018	0.05	0.2	0.01	2.0	<0.1	<0.05	6	<0.5	<0.2
1208925	Soil	102	1.54	204	0.047	1	1.87	0.020	0.10	0.2	0.03	8.4	0.2	<0.05	5	<0.5	<0.2
1208926	Soil	100	1.08	221	0.080	3	2.15	0.022	0.09	0.2	0.04	7.6	0.2	<0.05	6	<0.5	<0.2
1208927	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
1208928	Soil	138	0.87	464	0.033	3	1.76	0.025	0.16	<0.1	0.04	8.3	0.1	0.05	5	<0.5	<0.2
1208929	Soil	262	1.71	600	0.032	5	2.14	0.018	0.31	<0.1	0.01	12.9	0.2	<0.05	7	<0.5	<0.2
1208930	Soil	116	1.97	530	0.029	5	1.64	0.032	0.30	0.2	0.01	8.7	0.2	<0.05	5	<0.5	<0.2
1208931	Soil	77	0.57	749	0.007	4	1.10	0.012	0.09	<0.1	0.03	7.2	<0.1	<0.05	3	0.8	<0.2
1208932	Soil	127	1.69	669	0.007	3	1.02	0.010	0.10	<0.1	0.04	13.9	<0.1	<0.05	3	0.5	<0.2
1208933	Soil	121	0.41	305	0.017	2	1.60	0.008	0.06	<0.1	0.03	9.3	0.1	<0.05	5	<0.5	<0.2
1208934	Soil	28	0.33	177	0.058	2	1.39	0.009	0.04	<0.1	0.02	2.3	0.1	<0.05	6	<0.5	<0.2
1208935	Soil	53	0.51	351	0.067	1	2.36	0.013	0.04	<0.1	0.12	7.1	0.1	<0.05	7	0.7	<0.2
1208936	Soil	46	0.54	268	0.081	1	2.24	0.011	0.04	0.1	0.10	6.3	0.2	<0.05	6	0.7	<0.2
1208937	Soil	44	0.55	257	0.091	2	1.77	0.019	0.04	0.1	0.07	6.4	<0.1	<0.05	5	<0.5	<0.2
1208938	Soil	50	0.48	221	0.081	2	1.64	0.008	0.07	<0.1	0.11	7.8	0.5	<0.05	6	<0.5	<0.2
1208939	Soil	40	0.51	234	0.079	2	2.44	0.010	0.03	<0.1	0.02	3.4	0.1	<0.05	7	<0.5	<0.2
1208940	Soil	112	2.42	492	0.009	6	1.10	0.020	0.24	0.2	0.04	13.2	0.2	<0.05	3	<0.5	<0.2
1208941	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
1208942	Soil	64	0.54	365	0.031	3	1.63	0.015	0.06	<0.1	0.05	6.4	<0.1	<0.05	5	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 11, 2011

Page: 10 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI11000645.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
1208943	Soil	1.0	46.8	8.0	68	0.2	93.9	21.1	1010	4.03	4.7	2.3	2.4	47	0.4	0.4	0.2	77	0.61	0.070	8
1208944	Soil	1.3	18.5	5.7	56	0.1	22.4	7.3	230	2.91	4.5	3.6	1.5	23	0.4	0.4	0.1	81	0.15	0.013	6
1208945	Soil	1.2	20.7	6.2	53	<0.1	30.1	7.9	256	3.04	6.1	1.7	2.2	24	0.1	0.5	0.1	73	0.23	0.010	7
1208946	Soil	1.6	16.3	8.6	35	0.2	15.7	8.5	299	2.34	4.9	3.4	1.7	18	0.1	0.4	0.2	60	0.18	0.016	6
1208947	Soil	1.7	22.5	9.3	42	0.1	22.2	9.7	352	2.89	8.3	1.9	2.3	22	0.1	0.5	0.2	71	0.21	0.021	10
1208948	Soil	1.5	36.4	9.3	51	0.2	38.6	13.2	284	3.57	13.4	7.7	3.5	24	0.1	0.8	0.2	83	0.23	0.022	7
1208949	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208950	Soil	1.5	19.4	10.0	63	<0.1	23.2	11.5	538	3.43	9.3	2.8	2.1	11	0.2	0.6	0.2	81	0.12	0.033	6
1208951	Soil	2.8	29.1	9.5	47	0.2	29.1	8.7	284	2.66	11.7	3.3	3.3	27	0.1	1.1	0.2	64	0.32	0.042	10
1208952	Soil	2.7	38.7	8.7	48	0.2	21.1	7.1	245	2.47	6.6	2.6	3.6	23	<0.1	0.7	0.1	60	0.21	0.043	12
1208953	Soil	2.8	26.3	8.7	53	0.3	22.1	8.3	259	2.68	6.5	4.3	2.9	26	0.2	0.5	0.1	64	0.28	0.037	10
1208954	Soil	3.0	38.0	9.9	72	0.3	25.6	9.0	289	2.97	6.3	3.8	3.8	28	0.2	0.7	0.2	66	0.29	0.051	10
1208955	Soil	2.1	30.6	7.6	60	0.2	18.5	7.3	231	2.55	4.7	4.0	3.2	24	0.1	0.4	0.1	61	0.25	0.034	11
1208956	Soil	2.0	29.2	7.8	54	0.2	18.9	8.5	303	2.64	5.8	3.4	2.8	27	0.2	0.6	0.1	64	0.31	0.039	10
1208957	Soil	2.1	32.4	7.5	65	0.2	21.5	9.3	325	2.58	5.0	3.6	3.5	29	0.2	0.5	0.1	62	0.36	0.054	12
1208958	Soil	1.7	28.4	10.7	55	0.2	21.5	8.1	256	2.59	5.3	5.0	3.1	29	0.1	0.4	0.1	61	0.38	0.050	10
1208959	Soil	2.3	39.1	8.4	64	0.3	27.6	12.6	450	2.91	5.7	5.4	3.1	37	0.5	0.5	0.2	68	0.46	0.069	14
1208960	Soil	3.2	38.6	9.4	82	0.5	26.3	7.6	262	2.87	4.0	4.0	3.5	30	0.3	0.5	0.2	64	0.36	0.096	10
1208961	Soil	2.0	32.7	7.6	52	0.3	23.6	10.2	391	2.63	5.7	5.2	2.7	35	0.2	0.4	0.1	62	0.51	0.080	11
1208962	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208963	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208964	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208965	Soil	1.3	39.9	4.4	25	0.7	12.8	2.6	57	0.92	1.0	2.7	0.2	21	0.5	0.2	<0.1	20	0.25	0.029	6
1208966	Soil	2.7	57.2	8.1	76	0.3	28.4	14.9	584	2.77	5.7	2.3	2.5	31	0.8	0.6	0.2	68	0.34	0.087	14
1208967	Soil	2.3	42.0	19.2	75	0.1	33.3	15.0	368	3.21	10.7	4.4	2.6	26	0.2	0.8	0.2	80	0.24	0.040	10
1208968	Soil	4.2	91.1	10.9	75	0.3	36.7	11.1	347	3.29	6.8	2.9	3.2	28	0.4	1.1	0.2	66	0.22	0.105	15
1208969	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208970	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208971	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208972	Soil	1.6	31.5	17.2	78	0.2	27.6	9.7	326	2.66	3.9	3.6	2.7	18	0.3	0.3	0.1	72	0.21	0.064	11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 11, 2011

Page: 10 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI11000645.1

Method	Analyte	Unit	MDL	1DX15	1DX16	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1208943	Soil			57	0.47	750	0.011	3	1.32	0.010	0.18	<0.1	0.08	10.2	0.2	<0.05	4	0.8	<0.2
1208944	Soil			39	0.44	350	0.072	2	1.40	0.009	0.09	0.1	0.02	3.1	0.1	<0.05	6	<0.5	<0.2
1208945	Soil			52	0.59	390	0.098	2	1.48	0.011	0.17	<0.1	0.14	4.7	0.1	<0.05	5	<0.5	<0.2
1208946	Soil			25	0.27	329	0.060	2	1.52	0.014	0.03	<0.1	<0.01	2.3	0.1	<0.05	6	<0.5	<0.2
1208947	Soil			36	0.39	272	0.072	<1	1.89	0.011	0.04	<0.1	0.03	4.4	<0.1	<0.05	6	<0.5	<0.2
1208948	Soil			50	0.54	432	0.064	2	2.55	0.012	0.04	0.1	0.06	4.3	0.1	<0.05	7	<0.5	<0.2
1208949	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208950	Soil			35	0.42	165	0.066	2	2.25	0.010	0.03	0.1	0.02	3.0	<0.1	<0.05	8	<0.5	<0.2
1208951	Soil			43	0.46	349	0.082	<1	1.45	0.013	0.06	<0.1	0.08	3.6	0.1	<0.05	4	0.7	<0.2
1208952	Soil			36	0.43	268	0.081	1	1.20	0.010	0.08	<0.1	0.05	3.3	0.1	<0.05	4	0.9	<0.2
1208953	Soil			38	0.46	285	0.073	2	1.45	0.011	0.06	0.1	0.04	3.0	<0.1	<0.05	5	1.0	<0.2
1208954	Soil			40	0.44	326	0.081	2	1.34	0.014	0.06	0.1	0.04	3.6	<0.1	<0.05	4	1.3	<0.2
1208955	Soil			35	0.51	349	0.090	2	1.37	0.012	0.07	0.1	0.03	3.0	<0.1	<0.05	4	0.8	<0.2
1208956	Soil			34	0.48	306	0.087	1	1.43	0.011	0.07	0.1	0.03	3.7	<0.1	<0.05	4	<0.5	<0.2
1208957	Soil			37	0.52	313	0.086	<1	1.40	0.017	0.07	0.1	0.03	3.9	<0.1	<0.05	4	0.9	<0.2
1208958	Soil			35	0.53	282	0.090	2	1.46	0.019	0.05	0.1	0.05	3.7	<0.1	<0.05	4	0.8	<0.2
1208959	Soil			40	0.52	342	0.087	2	1.73	0.026	0.07	0.1	0.06	4.3	<0.1	<0.05	5	0.8	<0.2
1208960	Soil			38	0.49	330	0.072	2	1.21	0.017	0.16	0.2	0.05	3.4	0.2	0.12	4	2.7	<0.2
1208961	Soil			34	0.49	273	0.079	2	1.44	0.022	0.06	0.2	0.08	3.7	<0.1	<0.05	4	0.9	<0.2
1208962	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208963	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208964	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208965	Soil			14	0.11	211	0.026	1	0.51	0.017	0.08	<0.1	0.05	1.1	<0.1	<0.05	3	<0.5	<0.2
1208966	Soil			43	0.57	277	0.085	<1	1.48	0.015	0.23	0.1	0.05	3.6	0.2	<0.05	6	0.8	<0.2
1208967	Soil			42	0.50	293	0.061	1	2.02	0.010	0.08	<0.1	0.06	4.8	0.2	<0.05	6	0.5	<0.2
1208968	Soil			42	0.47	369	0.049	1	1.13	0.009	0.24	0.1	0.08	6.7	0.3	0.09	4	1.5	<0.2
1208969	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208970	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208971	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208972	Soil			41	0.62	407	0.097	1	1.50	0.011	0.19	<0.1	0.02	2.9	0.2	<0.05	7	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 11, 2011

Page: 11 of 13 Part 1

CERTIFICATE OF ANALYSIS

WH11000645.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1208973	Soil			2.0	70.0	11.1	114	<0.1	69.3	16.1	703	3.95	9.4	4.8	7.7	19	0.1	0.7	0.2	78	0.22	0.094	24
1208974	Soil			0.9	58.2	14.0	90	0.1	66.0	18.1	576	3.91	7.9	14.9	6.2	25	<0.1	0.7	0.3	87	0.27	0.072	26
1208975	Soil			1.4	71.2	6.7	115	<0.1	50.2	12.3	474	3.78	2.5	1.6	4.5	14	<0.1	0.2	0.2	99	0.15	0.057	15
1208976	Soil			2.6	32.8	17.5	110	0.3	38.6	16.1	538	3.32	3.5	2.9	4.4	21	0.3	0.2	0.3	68	0.17	0.073	19
1208977	Soil			3.3	33.8	12.1	112	0.2	47.0	10.9	338	3.25	3.7	4.3	3.5	24	0.3	0.2	0.3	66	0.20	0.078	19
1208978	Soil			3.0	28.7	26.9	77	0.2	29.2	7.5	236	2.48	3.6	2.4	2.4	18	0.2	0.2	0.2	52	0.17	0.052	14
1208979	Soil			1.5	41.0	11.3	94	0.6	34.3	13.7	536	2.82	5.5	2.3	0.8	51	0.6	0.3	0.2	54	0.64	0.085	13
1208980	Soil			2.2	53.6	15.5	129	0.6	43.5	13.4	565	3.58	3.7	3.8	5.2	48	0.3	0.4	0.3	49	0.46	0.120	15
1208981	Soil			1.1	34.3	12.9	90	0.3	31.1	10.3	372	2.60	2.4	2.9	14.7	36	0.4	0.2	0.2	39	0.29	0.089	42
1208982	Soil			2.4	95.1	11.2	170	1.3	53.6	10.6	245	3.11	6.2	3.5	3.5	31	0.5	0.2	0.3	66	0.26	0.078	14
1208983	Soil			2.2	20.1	10.3	66	0.2	20.1	6.9	251	4.28	11.7	2.2	1.5	20	0.4	0.6	0.3	111	0.16	0.056	7
1208984	Soil			2.2	51.2	33.3	185	0.2	75.3	6.5	213	2.85	2.3	1.3	3.5	33	0.4	0.2	0.4	22	0.18	0.060	11
1208985	Soil			0.5	24.6	16.2	90	<0.1	34.2	12.2	213	0.91	<0.5	0.5	2.6	61	0.1	<0.1	0.2	8	0.14	0.043	9
1208986	Soil			3.6	53.6	21.0	153	0.4	58.4	11.2	173	3.87	9.2	1.6	5.1	28	0.6	0.4	0.3	66	0.17	0.043	12
1208987	Soil			1.4	39.2	10.1	64	0.5	32.7	14.0	297	3.47	10.4	2.3	3.6	21	0.3	0.5	0.2	78	0.22	0.042	11
1208988	Soil			1.5	25.7	11.2	51	<0.1	23.1	9.8	215	3.71	11.0	3.2	4.1	19	0.2	0.6	0.2	81	0.16	0.037	10
1208989	Soil			1.6	48.7	9.0	66	0.3	36.6	12.2	392	3.47	7.3	4.3	3.1	27	0.2	0.4	0.2	76	0.18	0.034	10
1208990	Soil			1.1	50.2	8.1	76	0.1	39.0	14.3	401	3.58	5.8	5.5	4.7	29	<0.1	0.4	0.1	82	0.26	0.028	17
1208991	Soil			1.8	51.3	7.4	109	0.1	58.5	20.1	490	4.66	4.2	2.2	7.8	17	0.2	0.3	0.1	120	0.21	0.080	21
1208992	Soil			1.7	54.3	8.0	74	<0.1	48.1	17.6	412	3.93	8.0	3.5	4.3	20	0.2	0.5	0.1	93	0.19	0.032	11
1208993	Soil			1.4	51.9	7.9	72	<0.1	37.5	12.8	406	3.39	7.2	7.7	3.8	26	0.1	0.4	0.1	85	0.26	0.024	15
1208994	Soil			2.3	64.8	7.9	89	0.2	42.2	13.4	330	4.02	5.9	9.7	3.5	17	0.3	0.5	0.1	94	0.14	0.044	8
1208995	Soil			1.9	62.2	9.1	74	0.6	32.5	13.3	390	3.45	8.6	5.6	3.9	31	0.3	0.6	0.2	82	0.28	0.025	12
1208996	Soil			1.8	32.0	9.4	69	0.2	26.3	11.1	407	3.30	7.6	3.3	2.4	24	0.2	0.5	0.2	82	0.22	0.032	8
1208997	Soil			2.0	36.8	9.7	64	0.6	30.0	13.1	416	3.66	9.2	4.1	3.8	22	0.2	0.5	0.2	89	0.22	0.032	8
1208998	Soil			1.9	53.3	10.6	76	0.2	32.3	14.1	398	3.78	8.9	4.3	3.9	26	0.3	0.5	0.2	88	0.22	0.028	10
1208999	Soil			2.2	39.0	13.3	76	0.1	26.9	12.0	387	3.67	7.9	3.1	3.5	22	0.2	0.6	0.2	89	0.20	0.035	11
1209000	Soil			1.3	33.5	8.2	89	0.2	25.4	10.0	361	3.12	3.2	2.9	3.5	24	0.2	0.4	0.2	61	0.33	0.088	12
1209001	Soil			1.0	43.3	8.2	62	<0.1	112.6	24.0	708	3.54	6.1	1.0	1.8	119	0.1	0.2	0.1	77	0.93	0.152	10
1209002	Soil			1.1	45.2	7.5	58	<0.1	133.0	23.5	859	3.42	6.3	3.5	1.6	128	0.1	0.2	0.1	70	1.15	0.140	10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 11, 2011

Page: 11 of 13 Part 2

CERTIFICATE OF ANALYSIS

WH11000645.1

Method	Analyte	Unit	MDL	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16		
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1208973	Soil			79	0.79	575	0.080	1	1.51	0.004	0.54	<0.1	0.04	5.3	0.3	<0.05	5	0.6	<0.2
1208974	Soil			99	1.00	662	0.106	1	2.08	0.009	0.47	<0.1	0.05	6.8	0.2	<0.05	8	<0.5	<0.2
1208975	Soil			92	1.23	485	0.109	<1	2.17	0.008	0.49	<0.1	0.01	5.0	0.3	<0.05	8	<0.5	<0.2
1208976	Soil			34	0.38	185	0.042	2	1.20	0.010	0.18	<0.1	0.05	2.9	0.3	0.07	5	0.6	<0.2
1208977	Soil			39	0.32	175	0.033	3	1.07	0.010	0.17	0.1	0.06	2.8	0.2	0.05	5	0.7	<0.2
1208978	Soil			31	0.22	101	0.033	3	0.91	0.011	0.09	<0.1	0.03	2.0	0.1	<0.05	5	<0.5	<0.2
1208979	Soil			34	0.46	327	0.035	2	2.04	0.019	0.09	0.1	0.11	3.8	0.1	0.06	6	<0.5	<0.2
1208980	Soil			29	0.37	270	0.019	3	1.21	0.010	0.11	<0.1	0.08	8.1	0.2	<0.05	3	0.6	<0.2
1208981	Soil			38	0.43	190	0.034	2	1.14	0.010	0.17	<0.1	0.05	4.3	0.2	<0.05	3	1.0	<0.2
1208982	Soil			37	0.55	225	0.075	2	1.92	0.015	0.12	<0.1	0.18	4.2	0.2	0.06	6	2.7	<0.2
1208983	Soil			32	0.43	99	0.137	1	1.57	0.010	0.05	0.1	0.03	2.4	<0.1	<0.05	10	1.3	<0.2
1208984	Soil			10	0.16	210	0.007	2	0.84	0.008	0.09	<0.1	0.04	3.4	0.1	<0.05	2	3.4	<0.2
1208985	Soil			4	0.08	163	0.001	2	0.54	0.004	0.09	<0.1	0.01	1.9	0.1	<0.05	1	<0.5	<0.2
1208986	Soil			33	0.38	245	0.030	<1	2.47	0.011	0.07	<0.1	0.02	3.7	0.1	<0.05	5	1.2	<0.2
1208987	Soil			43	0.59	678	0.111	2	2.94	0.019	0.06	<0.1	0.05	4.9	0.1	<0.05	7	<0.5	<0.2
1208988	Soil			43	0.48	181	0.097	1	2.55	0.016	0.05	0.1	0.05	4.1	<0.1	<0.05	8	<0.5	<0.2
1208989	Soil			43	0.50	325	0.049	2	2.68	0.012	0.07	<0.1	0.08	4.6	0.1	<0.05	7	<0.5	<0.2
1208990	Soil			45	0.63	350	0.100	2	2.27	0.017	0.08	<0.1	0.07	6.6	0.1	<0.05	6	<0.5	<0.2
1208991	Soil			63	0.73	298	0.103	2	2.48	0.011	0.35	<0.1	0.03	6.4	0.4	<0.05	8	<0.5	<0.2
1208992	Soil			54	0.69	424	0.114	2	2.60	0.014	0.07	<0.1	0.03	4.7	0.1	<0.05	7	<0.5	<0.2
1208993	Soil			51	0.63	440	0.103	<1	2.12	0.016	0.04	<0.1	0.07	7.3	0.1	<0.05	6	<0.5	<0.2
1208994	Soil			52	0.41	264	0.037	1	2.13	0.010	0.05	<0.1	0.05	6.2	0.2	<0.05	6	0.7	<0.2
1208995	Soil			46	0.63	468	0.083	1	2.54	0.016	0.05	<0.1	0.07	7.2	0.1	<0.05	6	<0.5	<0.2
1208996	Soil			41	0.52	241	0.086	<1	2.23	0.013	0.06	<0.1	0.04	3.4	0.1	<0.05	7	<0.5	<0.2
1208997	Soil			46	0.58	237	0.110	1	2.76	0.014	0.06	<0.1	0.05	4.6	0.1	<0.05	8	<0.5	<0.2
1208998	Soil			46	0.55	241	0.077	2	2.77	0.013	0.05	<0.1	0.05	5.6	0.1	<0.05	7	0.6	<0.2
1208999	Soil			40	0.56	197	0.080	<1	2.11	0.010	0.05	<0.1	0.05	5.2	0.2	<0.05	7	0.6	<0.2
1209000	Soil			24	0.59	207	0.050	1	1.55	0.009	0.14	<0.1	0.04	5.3	0.2	<0.05	5	<0.5	<0.2
1209001	Soil			104	0.70	461	0.010	3	1.49	0.018	0.10	<0.1	0.03	7.2	0.1	<0.05	4	<0.5	<0.2
1209002	Soil			98	0.74	523	0.008	2	1.40	0.017	0.08	<0.1	0.04	7.2	0.1	0.06	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



**AcmeLabs** Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

**Project:** Zeus  
**Report Date:** August 11, 2011

**Page:** 12 of 13 Part 1

**CERTIFICATE OF ANALYSIS**

**WHI11000645.1**

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15			
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
				ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm				
				0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1209003	Soil			1.2	38.5	9.5	59	<0.1	122.6	22.2	650	3.25	6.5	3.9	1.4	117	0.2	0.2	0.1	67	1.04	0.149	9	
1209004	Soil			1.5	39.9	7.3	59	<0.1	139.8	24.2	613	3.72	10.1	1.3	1.6	106	0.2	0.2	0.1	73	0.94	0.145	10	
1209005	Soil			1.2	37.2	7.6	69	<0.1	107.3	17.0	595	2.84	5.5	1.9	1.4	107	0.2	0.3	<0.1	65	1.20	0.127	9	
1209006	Soil			1.3	47.0	7.8	62	<0.1	160.9	23.9	563	4.04	5.8	3.4	2.0	88	0.2	0.3	0.1	83	1.35	0.128	9	
1209007	Soil			0.8	45.9	5.9	67	<0.1	144.0	20.2	560	3.37	4.2	1.2	1.3	97	0.2	0.2	<0.1	66	1.22	0.142	8	
1209008	Soil			2.0	62.0	6.7	70	<0.1	215.5	27.7	887	4.04	7.3	2.5	2.2	124	0.2	0.3	<0.1	78	1.32	0.154	10	
1209009	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
1209010	Soil			0.8	24.5	7.7	53	<0.1	37.4	9.5	367	2.40	5.2	2.7	2.1	51	0.2	0.4	0.2	57	0.65	0.057	11	
1209011	Soil			1.1	25.6	10.0	48	<0.1	39.0	12.7	644	2.58	5.6	3.3	2.4	65	0.3	0.4	0.2	62	0.85	0.050	11	
1209012	Soil			1.4	22.8	10.9	48	<0.1	42.7	12.7	346	3.26	6.2	1.4	3.5	32	<0.1	0.4	0.2	75	0.33	0.025	8	
1209013	Soil			1.1	27.2	9.4	46	<0.1	39.8	11.6	335	2.63	6.5	3.3	2.9	39	<0.1	0.4	0.1	59	0.51	0.049	11	
1209014	Soil			1.0	48.8	7.4	49	<0.1	83.1	13.2	575	3.34	4.0	1.9	3.9	65	0.3	0.3	0.1	65	1.20	0.155	9	
1209015	Soil			1.2	26.0	7.8	55	0.1	38.1	10.2	452	2.84	5.4	3.7	2.5	48	0.2	0.3	0.2	66	0.65	0.048	11	
1209016	Soil			1.7	32.3	5.5	63	<0.1	92.6	15.2	371	3.25	8.3	1.7	2.3	49	0.2	0.4	0.1	73	0.36	0.032	6	
1209017	Soil			1.1	21.8	8.2	31	0.2	10.0	3.9	162	1.89	4.0	1.1	1.5	16	0.2	0.3	0.2	53	0.13	0.030	6	
1209018	Soil			1.5	19.9	8.6	35	0.4	12.5	5.6	187	2.21	4.4	1.6	2.0	23	0.1	0.4	0.2	65	0.24	0.021	10	
1209019	Soil			1.9	15.8	9.1	44	0.1	10.1	5.2	247	2.68	6.8	2.8	1.4	15	0.2	0.4	0.2	78	0.12	0.047	6	
1209020	Soil			1.3	29.7	7.5	50	0.1	26.5	11.8	307	3.33	7.8	3.2	3.0	24	<0.1	0.4	0.1	77	0.23	0.026	9	
1209021	Soil			1.0	23.8	6.3	40	<0.1	20.7	8.6	196	2.81	6.1	2.8	2.2	19	0.1	0.3	0.1	66	0.18	0.020	6	
1209022	Soil			1.3	28.7	7.6	48	0.2	22.4	9.5	238	3.10	7.8	7.5	2.9	21	0.2	0.4	0.1	73	0.23	0.031	8	
1209023	Soil			1.4	17.1	9.4	40	<0.1	10.9	4.4	217	1.92	4.8	1.3	0.4	14	0.3	0.4	0.2	61	0.12	0.026	5	
1209024	Soil			1.4	17.0	6.1	54	0.3	13.7	7.5	219	2.81	7.3	2.3	0.9	12	0.4	0.5	0.2	74	0.10	0.042	5	
1209025	Soil			1.2	28.3	8.2	70	0.2	23.0	7.0	184	2.38	3.8	4.0	1.4	17	0.2	0.2	0.1	55	0.20	0.052	9	
1209026	Soil			1.9	39.4	8.6	103	0.2	29.1	13.3	534	3.43	5.9	3.7	3.7	19	0.2	0.3	0.2	81	0.20	0.074	15	
1209027	Soil			2.1	45.2	9.2	93	<0.1	28.1	9.4	256	3.40	5.4	2.8	2.5	23	0.3	0.4	0.2	86	0.17	0.055	12	
1209028	Soil			1.5	18.8	7.7	37	0.1	12.4	3.4	147	1.87	3.6	1.1	1.1	11	0.1	0.3	0.1	60	0.07	0.034	7	
1209029	Soil			2.3	47.0	8.8	78	0.2	28.2	7.5	212	2.87	5.2	4.1	1.4	20	0.5	0.3	0.2	73	0.16	0.058	13	
1209030	Soil			1.4	20.1	6.8	39	<0.1	30.3	5.6	119	2.13	5.5	1.1	0.5	10	0.2	0.3	0.2	69	0.09	0.029	6	
1209031	Soil			2.2	45.9	10.3	85	0.4	28.6	8.8	228	3.25	5.2	2.9	3.6	24	0.4	0.3	0.2	72	0.19	0.082	14	
1209032	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 11, 2011

Page: 12 of 13 Part 2

## CERTIFICATE OF ANALYSIS

WHI11000645.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1209003	Soil			97	0.78	421	0.009	2	1.32	0.019	0.08	<0.1	0.05	6.5	0.1	0.07	4	<0.5	<0.2
1209004	Soil			96	0.83	390	0.012	2	1.27	0.018	0.09	<0.1	0.03	6.8	0.1	0.06	4	<0.5	<0.2
1209005	Soil			83	0.97	318	0.039	4	1.22	0.023	0.08	<0.1	0.04	5.5	<0.1	0.08	4	0.5	<0.2
1209006	Soil			96	1.38	209	0.022	1	1.06	0.018	0.08	<0.1	0.04	10.1	<0.1	<0.05	3	<0.5	<0.2
1209007	Soil			87	1.44	271	0.017	3	0.97	0.017	0.09	<0.1	0.06	7.0	<0.1	0.07	3	<0.5	<0.2
1209008	Soil			111	1.37	301	0.013	3	1.02	0.016	0.11	<0.1	0.06	10.3	0.1	0.06	3	<0.5	<0.2
1209009	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1209010	Soil			45	0.57	292	0.086	2	1.53	0.022	0.06	0.2	0.06	5.0	<0.1	<0.05	4	<0.5	<0.2
1209011	Soil			45	0.54	350	0.079	2	1.58	0.020	0.06	0.1	0.06	5.2	<0.1	<0.05	4	<0.5	<0.2
1209012	Soil			57	0.55	322	0.076	2	2.07	0.017	0.05	<0.1	0.03	4.9	<0.1	<0.05	5	<0.5	<0.2
1209013	Soil			47	0.57	234	0.088	2	1.70	0.019	0.05	<0.1	0.03	4.8	<0.1	<0.05	5	<0.5	<0.2
1209014	Soil			101	0.57	301	0.004	3	0.83	0.009	0.16	<0.1	0.06	9.8	0.2	<0.05	2	1.0	<0.2
1209015	Soil			41	0.47	332	0.034	3	1.39	0.018	0.07	<0.1	0.04	6.4	<0.1	<0.05	4	<0.5	<0.2
1209016	Soil			82	0.47	326	0.039	2	1.40	0.015	0.08	<0.1	0.03	7.5	<0.1	<0.05	4	<0.5	<0.2
1209017	Soil			19	0.22	179	0.071	<1	1.13	0.017	0.05	<0.1	0.01	1.9	0.1	<0.05	6	<0.5	<0.2
1209018	Soil			23	0.29	225	0.074	<1	1.63	0.012	0.04	<0.1	0.02	2.8	0.1	<0.05	7	<0.5	<0.2
1209019	Soil			22	0.25	128	0.090	<1	1.24	0.011	0.04	<0.1	0.02	1.8	<0.1	<0.05	7	<0.5	<0.2
1209020	Soil			38	0.54	211	0.101	2	2.38	0.014	0.04	<0.1	0.03	4.0	<0.1	<0.05	6	0.5	<0.2
1209021	Soil			30	0.46	152	0.092	<1	1.85	0.011	0.04	<0.1	0.03	3.0	<0.1	<0.05	5	<0.5	<0.2
1209022	Soil			35	0.54	169	0.097	2	2.17	0.013	0.04	<0.1	0.07	4.0	<0.1	<0.05	6	<0.5	<0.2
1209023	Soil			17	0.15	103	0.073	<1	0.85	0.010	0.03	<0.1	0.03	1.3	<0.1	<0.05	6	<0.5	<0.2
1209024	Soil			22	0.26	128	0.092	<1	1.20	0.012	0.04	<0.1	0.02	1.6	<0.1	<0.05	7	<0.5	<0.2
1209025	Soil			24	0.40	249	0.097	<1	1.32	0.014	0.15	<0.1	0.04	2.1	0.1	<0.05	5	0.6	<0.2
1209026	Soil			42	0.59	251	0.126	1	1.58	0.011	0.23	<0.1	0.02	2.7	0.3	0.05	6	1.0	<0.2
1209027	Soil			49	0.72	378	0.115	1	1.90	0.010	0.26	<0.1	0.02	3.6	0.2	<0.05	7	0.6	<0.2
1209028	Soil			26	0.25	150	0.093	<1	0.79	0.017	0.09	<0.1	0.03	1.4	<0.1	<0.05	5	<0.5	<0.2
1209029	Soil			43	0.49	241	0.084	2	1.53	0.012	0.12	<0.1	0.04	2.9	0.1	0.05	6	0.5	<0.2
1209030	Soil			36	0.38	110	0.112	<1	1.12	0.011	0.07	<0.1	0.02	1.6	<0.1	<0.05	7	0.6	<0.2
1209031	Soil			45	0.59	315	0.106	2	1.65	0.014	0.17	<0.1	0.05	3.0	0.2	0.08	5	1.1	<0.2
1209032	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**AcmeLabs** Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

**Project:** Zeus  
**Report Date:** August 11, 2011

**Page:** 13 of 13 Part 1

**CERTIFICATE OF ANALYSIS**

WHI11000645.1

Method	Analyte	Unit	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
1209033	Soil		2.5	150.7	8.7	87	1.3	54.7	12.3	249	3.26	9.2	7.4	3.1	32	0.7	0.5	0.2	69	0.26	0.107	30
1209034	Soil		1.5	21.1	8.5	79	0.1	27.9	8.2	191	2.29	5.3	1.9	0.7	17	0.3	0.3	0.2	66	0.22	0.050	8
1209035	Soil		1.7	35.6	5.9	50	0.2	18.4	6.1	135	2.26	2.9	4.5	3.7	19	0.1	0.3	0.1	50	0.15	0.030	11
1209036	Soil		1.6	50.5	9.5	67	0.3	22.9	7.2	177	2.89	4.1	17.3	5.4	25	0.1	0.3	0.2	63	0.21	0.042	14
1209037	Soil		1.5	29.2	8.9	44	0.1	16.6	7.4	214	2.39	4.3	3.7	3.2	24	0.1	0.3	0.1	61	0.21	0.024	11
1209038	Soil		2.9	40.3	11.0	42	0.2	17.0	6.8	151	2.29	4.7	6.2	2.9	24	0.2	0.4	0.2	54	0.17	0.043	10
1209039	Soil		2.3	38.1	9.6	60	0.3	29.2	11.9	321	3.54	9.2	2.8	2.6	27	0.5	0.5	0.2	84	0.23	0.037	7
1209040	Soil		1.7	44.6	9.3	78	0.2	25.2	9.7	272	2.94	3.9	3.3	3.6	28	0.3	0.4	0.2	70	0.22	0.049	13
1209041	Soil		2.6	33.3	10.1	75	0.2	25.3	11.8	436	3.66	8.6	3.2	3.8	26	0.3	0.4	0.2	82	0.21	0.083	11
1209042	Soil		1.9	36.6	10.5	70	0.3	25.7	9.5	322	3.36	6.6	3.9	4.3	23	0.2	0.4	0.2	74	0.19	0.034	11
1209043	Soil		2.5	72.8	8.9	116	0.2	47.4	12.6	345	3.95	4.6	2.5	3.9	29	0.5	0.3	0.2	84	0.26	0.085	15
1209044	Soil		2.3	44.8	13.6	66	0.2	22.3	7.6	267	3.46	7.1	3.6	2.9	26	0.4	0.4	0.2	77	0.20	0.097	14
1209045	Soil		1.9	28.8	8.5	38	0.4	11.4	3.1	163	1.46	2.0	2.2	0.7	23	0.6	0.2	0.2	39	0.11	0.107	9
1209046	Soil		3.1	49.4	11.1	138	0.2	52.4	6.7	302	3.26	3.5	2.7	3.1	18	0.4	0.2	0.1	67	0.10	0.073	15
1209047	Soil		2.2	53.8	6.1	71	0.3	37.5	7.4	199	2.29	2.8	2.9	1.2	16	0.2	0.2	0.1	44	0.21	0.053	8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**AcmeLabs** Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

**Project:** Zeus  
**Report Date:** August 11, 2011

**Page:** 13 of 13 Part 2

**CERTIFICATE OF ANALYSIS**

WHI11000645.1

Method	Analyte	Unit	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
			ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1209033	Soil		45	0.46	1268	0.086	3	2.41	0.021	0.09	0.1	0.18	6.2	0.2	0.10	6	2.7	<0.2
1209034	Soil		33	0.41	180	0.088	1	1.02	0.014	0.11	0.1	0.06	1.8	0.1	<0.05	5	<0.5	<0.2
1209035	Soil		30	0.35	166	0.082	<1	1.15	0.014	0.09	<0.1	0.03	2.3	0.1	<0.05	4	0.8	<0.2
1209036	Soil		36	0.46	285	0.082	<1	1.70	0.012	0.12	<0.1	0.06	3.9	0.2	<0.05	5	0.6	<0.2
1209037	Soil		33	0.42	240	0.075	<1	1.43	0.012	0.04	<0.1	0.03	3.1	<0.1	<0.05	4	1.1	<0.2
1209038	Soil		30	0.30	520	0.054	<1	1.40	0.010	0.04	<0.1	0.05	2.6	0.1	<0.05	4	1.4	<0.2
1209039	Soil		42	0.50	355	0.090	1	2.66	0.012	0.06	<0.1	0.05	3.1	<0.1	<0.05	7	<0.5	<0.2
1209040	Soil		45	0.58	602	0.113	1	1.66	0.013	0.12	<0.1	0.03	3.8	0.2	<0.05	5	0.7	<0.2
1209041	Soil		42	0.54	277	0.085	1	2.08	0.011	0.12	<0.1	0.03	3.2	0.1	<0.05	7	<0.5	<0.2
1209042	Soil		41	0.54	259	0.076	<1	1.84	0.011	0.09	<0.1	0.03	3.4	0.1	<0.05	6	0.8	<0.2
1209043	Soil		74	0.83	703	0.112	<1	2.07	0.011	0.34	<0.1	0.03	3.9	0.3	0.05	6	0.9	<0.2
1209044	Soil		42	0.51	446	0.088	<1	1.87	0.010	0.15	0.1	0.03	2.7	0.2	0.07	6	0.8	<0.2
1209045	Soil		25	0.17	1122	0.050	1	1.06	0.013	0.08	<0.1	0.03	1.6	0.1	0.06	6	<0.5	<0.2
1209046	Soil		79	0.78	606	0.092	1	1.50	0.006	0.60	<0.1	0.04	2.7	0.4	<0.05	6	0.7	0.2
1209047	Soil		64	0.61	240	0.103	1	1.26	0.012	0.29	<0.1	0.06	2.5	0.2	<0.05	5	1.0	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 11, 2011

Page: 1 of 3 Part 1

QUALITY CONTROL REPORT

WHI11000645.1

Method	Analyte	Unit	MDL	1DX15 Mo	1DX15 Cu	1DX15 Pb	1DX15 Zn	1DX15 Ag	1DX15 Ni	1DX15 Co	1DX15 Mn	1DX15 Fe	1DX15 As	1DX15 Au	1DX15 Th	1DX15 Sr	1DX15 Cd	1DX15 Sb	1DX15 Bi	1DX15 V	1DX15 Ca	1DX15 P	1DX15 La
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																							
1208713	Soil			2.8	24.4	10.0	62	<0.1	24.9	7.9	177	4.68	8.0	3.8	3.4	12	0.1	0.5	0.2	94	0.11	0.034	11
REP 1208713	QC			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208729	Soil			1.5	33.6	9.0	64	0.2	23.1	8.7	199	3.06	5.2	3.1	5.3	19	<0.1	0.3	0.2	63	0.21	0.029	15
REP 1208729	QC			1.6	35.1	9.8	66	0.2	23.7	8.9	207	3.16	5.2	3.3	5.5	20	<0.1	0.3	0.2	65	0.23	0.030	15
1208756	Soil			1.0	24.3	12.1	47	<0.1	16.0	6.0	274	1.88	4.6	5.1	3.5	42	0.1	0.3	0.3	39	0.38	0.066	13
REP 1208756	QC			1.1	23.1	12.1	46	<0.1	15.6	5.8	267	1.84	4.5	1.8	3.5	40	0.1	0.3	0.2	39	0.39	0.065	12
1208780	Soil			1.2	18.6	12.1	50	<0.1	16.9	12.9	597	2.70	4.6	1.6	2.3	79	0.1	0.2	0.2	71	0.64	0.065	8
REP 1208780	QC			1.2	18.3	11.9	51	<0.1	16.8	13.3	579	2.69	4.6	1.9	2.2	79	<0.1	0.2	0.2	72	0.64	0.067	9
1208796	Soil			0.8	21.6	8.7	44	<0.1	30.7	8.5	347	2.36	6.1	2.8	1.5	60	0.2	0.2	0.1	58	0.58	0.057	10
REP 1208796	QC			0.8	21.5	9.1	43	<0.1	30.1	8.6	342	2.36	6.3	1.8	1.5	58	0.2	0.3	0.2	57	0.54	0.059	10
1208813	Soil			1.0	16.1	8.3	45	<0.1	19.4	7.2	247	2.56	5.8	2.1	2.6	27	<0.1	0.3	0.1	65	0.26	0.013	9
REP 1208813	QC			1.0	16.2	8.0	45	<0.1	20.5	7.2	240	2.59	6.1	7.8	2.5	28	<0.1	0.3	0.1	66	0.25	0.013	9
1208822	Soil			0.5	28.2	6.3	49	<0.1	101.1	16.1	331	3.06	4.9	1.5	1.2	103	<0.1	0.2	0.1	72	0.74	0.088	6
REP 1208822	QC			0.5	27.2	6.2	48	<0.1	98.8	15.4	321	2.96	4.9	1.8	1.2	101	0.1	0.2	<0.1	71	0.72	0.089	6
1208847	Soil			0.6	38.5	9.3	65	<0.1	104.5	20.1	451	3.80	7.6	1.5	3.4	105	0.3	0.2	0.1	99	0.91	0.135	13
REP 1208847	QC			0.5	38.1	9.1	63	<0.1	102.0	19.8	438	3.72	7.4	2.9	3.5	102	0.2	0.2	0.2	96	0.89	0.133	13
1208860	Soil			0.9	28.0	6.6	54	<0.1	24.1	9.8	433	2.54	6.6	1.0	2.6	35	0.1	0.3	0.1	62	0.52	0.057	11
REP 1208860	QC			1.0	27.0	7.1	55	0.1	23.9	9.7	413	2.46	6.7	11.8	2.6	36	<0.1	0.3	0.1	60	0.52	0.056	11
1208884	Soil			0.7	50.0	8.2	54	<0.1	105.1	23.8	625	3.55	5.1	2.0	1.8	95	0.3	0.3	0.1	78	0.99	0.128	10
REP 1208884	QC			0.7	50.7	7.9	53	<0.1	105.7	23.9	609	3.53	4.9	1.3	1.9	95	0.2	0.3	0.1	79	0.99	0.137	10
1208898	Soil			1.1	50.8	8.4	70	<0.1	119.4	15.7	587	3.44	6.9	5.0	2.5	67	0.1	0.6	0.2	90	0.34	0.049	12
REP 1208898	QC			1.1	50.9	8.3	69	<0.1	115.3	15.3	565	3.32	7.1	7.5	2.5	67	0.2	0.7	0.2	88	0.33	0.051	12
1208919	Soil			1.3	15.6	8.9	46	<0.1	26.5	9.8	241	3.11	7.4	1.8	2.8	33	<0.1	0.4	0.2	84	0.34	0.018	11
REP 1208919	QC			1.2	15.6	9.1	45	<0.1	26.8	9.8	242	3.16	7.4	2.9	2.9	34	<0.1	0.3	0.2	84	0.34	0.018	11
1208940	Soil			0.9	72.9	10.4	48	<0.1	162.3	26.4	776	4.50	3.0	3.0	3.2	202	0.2	0.3	0.1	107	5.16	0.243	12
REP 1208940	QC			1.0	76.7	10.8	50	<0.1	169.1	27.0	785	4.55	2.3	3.7	3.2	199	0.1	0.3	0.1	112	4.97	0.245	13
1208973	Soil			2.0	70.0	11.1	114	<0.1	69.3	16.1	703	3.95	9.4	4.8	7.7	19	0.1	0.7	0.2	78	0.22	0.094	24
REP 1208973	QC			2.0	68.7	10.7	112	0.1	67.3	15.4	676	3.78	8.8	4.6	7.5	18	0.1	0.6	0.1	76	0.22	0.088	23

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: **Zeus**  
 Report Date: **August 11, 2011**

Page: 1 of 3 Part 2

QUALITY CONTROL REPORT

WHI11000645.1

Method	Analyte	Unit	MDL	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16		
				Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
Pulp Duplicates				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1208713	Soil			41	0.37	145	0.136	<1	1.68	0.010	0.07	0.1	0.04	2.4	0.1	<0.05	9	0.8	<0.2
REP 1208713	QC			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208729	Soil			40	0.60	252	0.103	<1	1.64	0.011	0.18	<0.1	0.02	3.0	0.2	<0.05	5	0.9	<0.2
REP 1208729	QC			40	0.62	260	0.110	<1	1.70	0.012	0.18	<0.1	0.03	3.1	0.2	<0.05	6	0.8	<0.2
1208756	Soil			23	0.35	351	0.042	3	1.06	0.021	0.10	<0.1	0.02	3.3	<0.1	<0.05	3	<0.5	<0.2
REP 1208756	QC			22	0.34	335	0.039	2	1.05	0.021	0.10	<0.1	0.03	3.2	<0.1	<0.05	3	0.5	<0.2
1208780	Soil			28	0.36	441	0.010	1	2.12	0.022	0.06	<0.1	0.04	6.3	<0.1	<0.05	6	0.6	<0.2
REP 1208780	QC			28	0.38	445	0.010	2	2.16	0.022	0.06	<0.1	0.03	6.5	<0.1	<0.05	6	0.5	<0.2
1208796	Soil			36	0.47	1018	0.059	1	1.65	0.024	0.07	<0.1	0.03	4.1	<0.1	<0.05	5	<0.5	<0.2
REP 1208796	QC			36	0.46	1027	0.056	<1	1.65	0.024	0.07	<0.1	0.03	4.0	<0.1	<0.05	5	<0.5	<0.2
1208813	Soil			34	0.49	158	0.107	<1	2.21	0.017	0.05	<0.1	0.01	3.8	<0.1	<0.05	6	<0.5	<0.2
REP 1208813	QC			33	0.48	160	0.104	<1	2.16	0.016	0.04	<0.1	0.01	3.7	<0.1	<0.05	6	<0.5	<0.2
1208822	Soil			133	1.50	204	0.051	1	1.69	0.021	0.06	<0.1	0.03	5.2	<0.1	<0.05	6	0.6	<0.2
REP 1208822	QC			130	1.46	197	0.052	2	1.68	0.022	0.06	<0.1	0.04	5.1	<0.1	<0.05	5	0.5	<0.2
1208847	Soil			126	0.74	430	0.038	4	2.00	0.024	0.22	0.1	0.05	6.6	0.2	<0.05	6	0.8	<0.2
REP 1208847	QC			122	0.72	412	0.038	4	1.97	0.024	0.21	0.1	0.04	6.6	0.2	<0.05	6	0.7	<0.2
1208860	Soil			34	0.53	212	0.084	1	1.51	0.028	0.04	0.2	0.03	3.9	<0.1	<0.05	5	0.7	<0.2
REP 1208860	QC			33	0.52	217	0.084	1	1.48	0.027	0.04	0.1	0.03	3.8	<0.1	<0.05	5	0.6	<0.2
1208884	Soil			83	0.49	530	0.010	2	1.31	0.013	0.08	<0.1	0.04	8.3	<0.1	<0.05	4	<0.5	<0.2
REP 1208884	QC			83	0.50	548	0.010	2	1.31	0.013	0.08	<0.1	0.04	8.5	<0.1	<0.05	4	<0.5	<0.2
1208898	Soil			77	0.42	559	0.085	3	1.57	0.017	0.05	<0.1	0.08	9.6	0.2	<0.05	4	<0.5	<0.2
REP 1208898	QC			77	0.42	552	0.085	2	1.52	0.016	0.06	0.1	0.09	9.7	0.2	<0.05	4	<0.5	<0.2
1208919	Soil			49	0.71	167	0.133	1	2.44	0.018	0.05	<0.1	0.01	3.5	0.1	<0.05	7	<0.5	<0.2
REP 1208919	QC			49	0.72	166	0.127	2	2.47	0.017	0.05	<0.1	<0.01	3.6	<0.1	<0.05	7	<0.5	<0.2
1208940	Soil			112	2.42	492	0.009	6	1.10	0.020	0.24	0.2	0.04	13.2	0.2	<0.05	3	<0.5	<0.2
REP 1208940	QC			119	2.29	512	0.016	6	1.13	0.020	0.26	0.3	0.03	13.6	0.2	<0.05	4	<0.5	<0.2
1208973	Soil			79	0.79	575	0.080	1	1.51	0.004	0.54	<0.1	0.04	5.3	0.3	<0.05	5	0.6	<0.2
REP 1208973	QC			76	0.73	542	0.078	<1	1.40	0.004	0.50	<0.1	0.04	5.0	0.3	<0.05	5	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 11, 2011

Page: 2 of 3 Part 1

QUALITY CONTROL REPORT

WHI11000645.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1208985	Soil	0.5	24.6	16.2	90	<0.1	34.2	12.2	213	0.91	<0.5	0.5	2.6	61	0.1	<0.1	0.2	8	0.14	0.043	9
REP 1208985	QC	0.7	24.3	16.3	89	<0.1	33.8	11.7	210	0.91	<0.5	<0.5	2.7	56	0.2	<0.1	0.2	8	0.13	0.040	8
1209006	Soil	1.3	47.0	7.8	62	<0.1	160.9	23.9	563	4.04	5.8	3.4	2.0	88	0.2	0.3	0.1	83	1.35	0.126	9
REP 1209006	QC	1.2	47.6	7.9	62	<0.1	158.4	23.7	555	4.01	6.1	1.5	2.0	91	0.2	0.2	0.1	85	1.32	0.127	9
1209018	Soil	1.5	19.9	8.6	35	0.4	12.5	5.6	187	2.21	4.4	1.6	2.0	23	0.1	0.4	0.2	65	0.24	0.021	10
REP 1209018	QC	1.6	20.6	8.6	35	0.3	11.4	5.4	185	2.16	4.5	4.7	2.0	25	<0.1	0.3	0.2	66	0.22	0.021	11
1209035	Soil	1.7	35.6	5.9	50	0.2	18.4	6.1	135	2.26	2.9	4.5	3.7	19	0.1	0.3	0.1	50	0.15	0.030	11
REP 1209035	QC	1.7	35.1	6.3	51	0.2	18.8	6.3	133	2.26	2.8	4.4	3.8	18	0.2	0.3	0.1	50	0.15	0.031	11
Reference Materials																					
STD DS8	Standard	13.2	102.4	122.7	307	1.8	36.6	7.0	608	2.42	25.1	115.6	6.4	75	2.3	5.5	6.7	40	0.71	0.071	15
STD DS8	Standard	13.6	106.4	125.7	313	1.8	37.6	7.5	620	2.48	24.9	117.9	7.2	77	2.4	5.7	6.9	38	0.74	0.076	16
STD DS8	Standard	12.7	114.6	121.0	314	1.8	38.8	7.7	601	2.39	25.9	109.0	6.7	68	2.3	5.9	6.6	43	0.68	0.076	15
STD DS8	Standard	14.1	119.1	125.0	326	1.9	40.1	7.8	649	2.56	28.2	120.2	7.2	74	2.6	5.9	6.9	45	0.71	0.078	16
STD DS8	Standard	11.7	111.2	126.2	335	1.9	38.5	7.9	645	2.66	27.7	111.7	5.9	56	2.4	5.4	6.7	44	0.67	0.083	11
STD DS8	Standard	12.9	109.4	126.1	322	1.8	38.2	7.7	625	2.53	26.9	110.8	6.3	61	2.6	5.4	6.8	44	0.71	0.083	13
STD DS8	Standard	12.5	104.8	118.2	293	1.7	35.9	7.4	583	2.33	24.1	111.4	6.1	57	2.3	5.0	6.1	42	0.63	0.070	13
STD DS8	Standard	12.9	108.3	121.4	301	1.7	37.3	7.7	605	2.43	25.3	107.8	6.5	58	2.3	5.0	6.4	42	0.66	0.072	13
STD DS8	Standard	10.9	107.2	107.8	306	1.8	35.4	7.1	591	2.41	26.1	112.0	5.9	55	2.7	5.1	6.2	40	0.63	0.079	11
STD DS8	Standard	11.9	103.7	106.6	312	1.8	35.5	7.2	591	2.42	26.3	118.8	5.9	60	2.4	5.1	6.5	40	0.65	0.075	12
STD DS8	Standard	13.1	109.4	120.5	307	1.7	37.0	7.5	612	2.42	26.1	105.8	6.7	66	2.3	5.9	6.5	43	0.65	0.079	14
STD DS8	Standard	12.8	108.9	118.3	305	1.8	37.8	7.4	593	2.35	25.7	111.9	6.5	66	2.3	6.1	6.7	42	0.65	0.079	14
STD DS8	Standard	13.6	109.8	120.6	310	1.8	37.5	7.4	624	2.43	26.0	114.3	7.3	74	2.5	6.1	6.7	43	0.71	0.079	17
STD DS8	Standard	14.4	113.6	123.2	319	1.8	40.4	8.2	627	2.50	26.9	112.3	7.7	78	2.4	6.0	6.9	44	0.73	0.080	18
STD DS8	Standard	12.6	104.0	120.6	314	1.7	35.6	7.4	628	2.50	26.9	107.3	6.7	64	2.4	4.8	5.7	42	0.70	0.079	15
STD DS8	Standard	13.2	103.6	121.3	308	1.8	36.8	7.2	609	2.41	26.6	134.3	6.9	63	2.3	4.7	5.7	41	0.71	0.078	15
STD DS8	Standard	13.6	117.7	126.8	332	2.0	40.1	8.1	649	2.61	28.3	135.1	6.9	70	2.5	6.3	7.0	43	0.69	0.082	14
STD DS8	Standard	13.4	114.2	124.7	324	1.8	39.0	7.8	618	2.46	27.6	109.5	6.9	70	2.3	5.9	6.7	43	0.67	0.079	15
STD DS8	Standard	13.2	108.4	121.9	314	1.8	37.1	7.4	606	2.42	26.5	112.9	6.6	70	2.3	5.6	6.8	41	0.68	0.081	14
STD DS8	Standard	13.3	106.4	121.2	312	1.7	36.5	7.3	600	2.38	26.0	104.1	7.0	70	2.2	6.2	6.6	41	0.68	0.078	16



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: **Zeus**  
 Report Date: **August 11, 2011**

Page: 2 of 3 Part 2

QUALITY CONTROL REPORT

WHI11000645.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
1208985	Soil	4	0.01	163	0.001	2	0.54	0.004	0.09	<0.1	0.01	1.9	0.1	<0.05	1	<0.5	<0.2
REP 1208985	QC	4	0.07	160	<0.001	<1	0.50	0.003	0.09	<0.1	<0.01	1.9	<0.1	<0.05	1	<0.5	<0.2
1209006	Soil	96	1.38	209	0.022	1	1.06	0.018	0.08	<0.1	0.04	10.1	<0.1	<0.05	3	<0.5	<0.2
REP 1209006	QC	99	1.35	208	0.023	2	1.06	0.019	0.08	<0.1	0.06	9.8	<0.1	<0.05	4	<0.5	<0.2
1209018	Soil	23	0.29	225	0.074	<1	1.63	0.012	0.04	<0.1	0.02	2.8	0.1	<0.05	7	<0.5	<0.2
REP 1209018	QC	23	0.29	231	0.076	<1	1.67	0.012	0.04	<0.1	0.02	2.8	0.1	<0.05	7	<0.5	<0.2
1209035	Soil	30	0.35	166	0.082	<1	1.15	0.014	0.09	<0.1	0.03	2.3	0.1	<0.05	4	0.8	<0.2
REP 1209035	QC	29	0.35	170	0.084	1	1.15	0.015	0.09	<0.1	0.02	2.3	0.1	<0.05	4	0.5	<0.2
Reference Materials																	
STD DS8	Standard	116	0.60	280	0.121	3	0.94	0.115	0.45	2.7	0.20	2.6	5.4	0.14	5	5.7	4.9
STD DS8	Standard	118	0.62	274	0.124	3	0.96	0.114	0.44	3.0	0.20	2.6	5.7	0.11	5	5.8	5.4
STD DS8	Standard	120	0.60	280	0.128	3	0.90	0.088	0.41	3.0	0.19	2.1	5.1	0.15	5	5.3	5.1
STD DS8	Standard	123	0.61	297	0.130	2	0.93	0.096	0.43	3.0	0.20	2.3	5.8	0.14	5	4.8	4.8
STD DS8	Standard	120	0.63	260	0.106	4	0.89	0.082	0.45	3.2	0.22	2.2	5.8	0.16	5	5.9	5.2
STD DS8	Standard	122	0.64	272	0.115	3	0.93	0.081	0.44	3.1	0.22	2.2	5.6	0.16	5	5.8	5.4
STD DS8	Standard	115	0.56	245	0.108	2	0.81	0.079	0.38	2.8	0.18	1.9	5.1	0.13	4	5.5	4.9
STD DS8	Standard	116	0.58	257	0.111	1	0.85	0.078	0.39	2.9	0.21	2.0	5.1	0.13	5	5.8	5.2
STD DS8	Standard	110	0.59	254	0.094	3	0.84	0.073	0.40	3.1	0.20	2.0	5.4	0.14	4	6.4	4.6
STD DS8	Standard	112	0.61	274	0.100	3	0.89	0.085	0.42	3.0	0.22	2.1	5.5	0.13	5	5.4	5.0
STD DS8	Standard	117	0.61	276	0.125	3	0.89	0.090	0.40	2.8	0.20	2.0	5.5	0.15	5	6.0	4.8
STD DS8	Standard	115	0.59	274	0.121	3	0.87	0.081	0.41	3.0	0.20	2.1	5.2	0.17	4	6.1	4.6
STD DS8	Standard	124	0.62	283	0.140	3	0.96	0.092	0.41	3.1	0.20	2.4	5.3	0.14	5	5.6	4.8
STD DS8	Standard	125	0.63	294	0.146	3	0.97	0.100	0.43	3.1	0.20	2.3	5.4	0.16	5	5.9	5.1
STD DS8	Standard	117	0.62	283	0.106	3	0.94	0.100	0.44	3.0	0.20	2.5	5.2	0.16	5	6.3	4.6
STD DS8	Standard	113	0.61	283	0.104	2	0.95	0.097	0.42	2.9	0.22	2.4	5.5	0.14	5	6.6	4.5
STD DS8	Standard	125	0.65	291	0.131	3	0.94	0.087	0.44	3.1	0.22	2.3	5.6	0.19	5	5.0	5.0
STD DS8	Standard	119	0.60	276	0.129	2	0.88	0.083	0.42	3.0	0.21	2.2	5.5	0.16	5	4.8	4.9
STD DS8	Standard	114	0.59	285	0.123	2	0.88	0.088	0.42	3.1	0.19	2.3	5.6	0.15	5	4.9	4.5
STD DS8	Standard	114	0.59	291	0.125	2	0.87	0.089	0.42	3.1	0.22	2.3	5.6	0.13	5	5.4	4.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: **Zeus**  
 Report Date: **August 11, 2011**

Page: 3 of 3 Part 1

QUALITY CONTROL REPORT

WHI11000645.1

		1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	28	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 11, 2011

Page: 3 of 3 Part 2

QUALITY CONTROL REPORT

WHI11000645.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD DSB Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.  
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

**Client:** **Druid Exploration**  
Box 1485  
Dawson City YT Y0B 1G0 Canada

Submitted By: Daithi Mac Gerailt  
Receiving Lab: Canada-Whitehorse  
Received: July 18, 2011  
Report Date: August 15, 2011  
Page: 1 of 9

## CERTIFICATE OF ANALYSIS

WHI11000646.1

### CLIENT JOB INFORMATION

Project: Zeus  
Shipment ID:  
P.O. Number  
Number of Samples: 213

### SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days  
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Druid Exploration**  
Box 1485  
Dawson City YT Y0B 1G0  
Canada

CC:

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	210	Dry at 60C			WHI
SS80	210	Dry at 60C sieve 100g to -80 mesh			WHI
1DX2	209	1 1 1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 15, 2011

Page: 2 of 9 Part 1

CERTIFICATE OF ANALYSIS

WHI11000646.1

Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	La
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1
1209048	Soil	2.4	25.0	10.7	57	0.2	13.3	4.9	239	2.57	6.2	1.5	1.5	18	0.7	0.4	0.2	70	0.15	0.069	7
1209049	Soil	2.8	45.3	10.3	79	0.2	25.2	9.4	268	4.67	12.5	1.5	3.5	20	0.3	0.5	0.2	108	0.14	0.073	9
1209050	Soil	2.1	27.1	10.3	69	<0.1	23.2	11.8	412	3.34	10.5	2.4	1.8	22	0.2	0.5	0.2	72	0.22	0.059	8
1209051	Soil	2.4	43.0	11.8	77	0.2	28.8	10.6	390	2.87	9.0	3.2	3.2	27	0.3	0.6	0.3	70	0.22	0.060	11
1209052	Soil	1.9	39.7	10.4	59	0.3	20.3	7.1	426	1.95	7.3	1.7	1.2	24	1.1	0.6	0.3	44	0.23	0.105	10
1209053	Soil	2.3	42.5	21.3	117	0.2	24.9	8.2	307	2.46	9.5	3.0	5.5	27	0.4	0.5	0.4	42	0.25	0.086	19
1209054	Soil	4.0	47.8	12.7	126	1.0	35.2	16.8	336	3.21	43.6	8.2	2.7	38	1.0	0.9	0.9	82	0.23	0.071	11
1209055	Soil	6.5	44.6	12.0	134	0.4	48.4	17.6	625	3.45	16.6	11.3	2.1	85	0.9	1.0	0.3	77	0.17	0.085	9
1209056	Soil	4.3	31.6	13.1	73	0.3	36.2	7.8	377	1.92	17.8	2.3	1.5	79	0.3	0.8	0.3	52	0.09	0.044	6
1209057	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1209058	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1209059	Soil	10.8	49.1	9.9	64	0.1	40.1	16.1	262	3.28	17.0	8.0	2.6	22	0.1	1.0	0.1	81	0.16	0.024	6
1209060	Soil	4.1	30.0	7.4	45	<0.1	37.8	8.4	214	1.79	14.2	1.8	0.8	53	0.3	0.8	0.2	56	0.14	0.026	5
1209061	Soil	1.6	45.4	8.2	52	<0.1	108.9	15.1	328	2.64	9.7	4.0	2.7	64	<0.1	1.2	0.2	73	0.20	0.026	10
1209062	Soil	1.6	43.8	8.8	53	<0.1	140.5	16.5	235	3.89	12.7	1.2	1.9	49	0.2	1.4	0.2	95	0.10	0.042	6
1209063	Soil	1.6	36.3	10.5	53	<0.1	79.3	10.9	493	3.74	9.6	1.6	1.4	43	0.1	0.8	0.2	103	0.15	0.048	6
1209064	Soil	0.3	24.6	9.1	26	<0.1	12.8	4.3	96	1.12	1.5	1.6	0.9	36	<0.1	1.3	0.4	19	0.12	0.018	4
1209065	Soil	0.9	37.8	8.6	57	<0.1	30.0	12.0	317	3.39	8.4	3.6	3.4	35	<0.1	0.5	0.2	83	0.25	0.018	8
1209066	Soil	0.9	38.5	8.7	60	<0.1	31.9	12.7	349	3.49	11.2	4.3	4.1	29	<0.1	0.5	0.2	83	0.22	0.018	8
1209067	Soil	2.1	42.4	11.1	76	0.2	31.8	14.4	833	3.90	12.1	1.9	3.1	31	0.3	0.7	0.2	89	0.24	0.033	9
1209068	Soil	2.2	32.7	9.9	71	0.3	34.5	13.0	320	3.95	13.8	3.9	3.4	31	0.2	0.6	0.2	91	0.22	0.044	9
1209069	Soil	3.4	28.5	12.6	61	0.6	26.9	10.0	367	4.02	19.9	1.2	2.1	35	0.3	0.6	0.3	105	0.32	0.049	8
1209070	Soil	2.8	40.9	9.8	97	0.3	38.2	21.4	397	3.52	11.3	1.4	4.3	31	0.7	0.4	0.3	74	0.23	0.117	12
1209071	Soil	1.8	42.1	10.5	88	0.5	33.4	14.4	354	3.52	10.0	2.7	4.5	27	0.3	0.5	0.2	83	0.22	0.038	12
1209072	Soil	1.5	23.4	10.1	110	0.6	25.9	11.5	536	3.21	6.7	<0.5	2.4	34	1.0	0.5	0.2	79	0.32	0.061	9
1209073	Soil	1.6	24.6	10.0	83	0.4	26.1	12.5	385	3.28	7.3	0.9	3.1	25	0.4	0.3	0.2	74	0.23	0.067	9
1209074	Soil	3.2	55.1	44.1	59	0.2	24.0	6.9	190	3.00	5.5	1.3	4.9	26	0.1	0.5	0.5	59	0.15	0.036	11
1209075	Soil	2.2	29.5	11.3	56	0.3	23.7	11.4	379	3.03	7.6	1.4	3.0	36	0.2	0.5	0.2	71	0.30	0.029	7
1209076	Soil	2.2	39.0	10.7	54	0.4	24.7	12.1	498	3.15	10.5	1.3	3.2	34	0.4	0.4	0.2	70	0.32	0.055	11
1209077	Soil	1.9	27.4	15.0	71	<0.1	28.2	12.6	428	2.94	4.7	5.5	6.1	26	0.3	0.3	0.2	57	0.23	0.045	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 15, 2011

Page: 2 of 9 Part 2

CERTIFICATE OF ANALYSIS

WHI11000646.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1209048	Soil			24	0.28	157	0.074	3	1.08	0.011	0.07	<0.1	0.01	1.6	<0.1	0.05	6	<0.5	<0.2
1209049	Soil			44	0.57	196	0.105	2	2.29	0.010	0.08	0.1	0.02	3.4	0.1	<0.05	8	0.8	<0.2
1209050	Soil			35	0.49	162	0.071	2	1.80	0.013	0.06	0.1	0.03	2.5	<0.1	<0.05	6	0.8	<0.2
1209051	Soil			35	0.43	270	0.061	3	1.37	0.011	0.09	<0.1	0.07	4.1	0.1	<0.05	4	1.1	<0.2
1209052	Soil			28	0.23	258	0.042	5	0.91	0.016	0.10	0.1	0.06	2.5	0.1	<0.05	4	<0.5	0.2
1209053	Soil			19	0.52	395	0.057	<1	1.36	0.009	0.26	<0.1	0.08	4.5	0.2	<0.05	4	1.1	<0.2
1209054	Soil			36	0.40	536	0.018	1	1.76	0.011	0.07	0.1	0.23	7.0	0.5	<0.05	6	1.2	<0.2
1209055	Soil			41	0.35	577	0.038	3	1.22	0.011	0.06	0.1	0.09	4.4	0.3	<0.05	4	0.9	<0.2
1209056	Soil			23	0.08	547	0.005	4	0.64	0.006	0.06	<0.1	0.05	5.8	0.2	<0.05	3	<0.5	<0.2
1209057	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1209058	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1209059	Soil			41	0.49	176	0.118	<1	2.48	0.014	0.03	0.1	0.04	4.4	0.5	<0.05	6	0.6	<0.2
1209060	Soil			51	0.25	246	0.034	3	0.93	0.009	0.04	<0.1	0.04	4.8	0.2	<0.05	3	<0.5	<0.2
1209061	Soil			91	0.43	284	0.051	<1	1.44	0.012	0.04	<0.1	0.19	8.7	0.3	<0.05	4	<0.5	<0.2
1209062	Soil			101	0.39	209	0.038	2	2.06	0.009	0.04	<0.1	0.05	5.7	0.3	<0.05	6	<0.5	<0.2
1209063	Soil			93	0.33	225	0.030	2	1.19	0.009	0.06	<0.1	0.02	4.4	0.1	<0.05	5	<0.5	<0.2
1209064	Soil			10	0.08	552	0.002	2	0.43	0.004	0.08	0.1	<0.01	2.5	<0.1	<0.05	2	<0.5	<0.2
1209065	Soil			50	0.61	265	0.113	2	2.68	0.019	0.04	<0.1	0.02	4.1	<0.1	<0.05	6	<0.5	<0.2
1209066	Soil			50	0.68	253	0.130	1	2.84	0.016	0.04	<0.1	0.02	4.6	<0.1	<0.05	6	<0.5	<0.2
1209067	Soil			47	0.56	331	0.106	<1	2.51	0.014	0.04	<0.1	0.03	4.4	0.2	<0.05	7	<0.5	<0.2
1209068	Soil			50	0.62	308	0.111	3	3.00	0.019	0.06	<0.1	0.03	4.9	0.1	<0.05	7	1.0	<0.2
1209069	Soil			45	0.57	346	0.093	1	2.75	0.014	0.07	0.1	0.03	3.7	0.1	<0.05	9	0.6	<0.2
1209070	Soil			43	0.59	361	0.076	2	2.15	0.011	0.08	<0.1	0.02	3.8	0.1	<0.05	6	0.9	<0.2
1209071	Soil			46	0.58	307	0.094	<1	2.22	0.017	0.05	<0.1	0.04	5.3	0.2	<0.05	6	0.7	<0.2
1209072	Soil			33	0.51	621	0.086	<1	1.78	0.016	0.07	<0.1	0.01	2.8	0.1	<0.05	7	0.7	<0.2
1209073	Soil			35	0.52	449	0.083	2	2.28	0.015	0.08	<0.1	0.01	3.5	0.1	<0.05	7	<0.5	<0.2
1209074	Soil			35	0.36	314	0.059	<1	1.33	0.010	0.05	<0.1	0.03	3.5	0.1	<0.05	4	1.3	<0.2
1209075	Soil			38	0.47	334	0.074	<1	1.70	0.014	0.09	<0.1	0.02	3.3	0.1	<0.05	5	<0.5	<0.2
1209076	Soil			38	0.51	450	0.083	<1	2.10	0.017	0.06	0.1	0.05	4.4	0.1	<0.05	6	0.7	<0.2
1209077	Soil			33	0.42	212	0.064	2	1.82	0.014	0.08	0.1	0.02	3.0	0.1	<0.05	5	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





# AcmeLabs

Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

**Project:** Zeus  
**Report Date:** August 15, 2011

**Page:** 3 of 9 **Part** 1

## CERTIFICATE OF ANALYSIS

WHI11000646.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm		
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.6	0.5	0.1	1	0.1	0.1	0.1	0.1	1		
1209078	Soil			1.9	28.4	10.9	66	0.2	24.8	9.3	340	2.85	5.5	4.0	4.4	31	0.4	0.4	0.2	63	0.30	0.037	15
1209079	Soil			2.4	20.7	17.8	79	0.2	21.1	8.4	521	2.02	4.6	6.6	6.4	27	0.5	0.2	0.3	43	0.20	0.073	17
1209080	Soil			0.9	22.9	11.8	114	<0.1	37.2	17.2	623	3.98	<0.5	<0.5	15.1	21	0.2	<0.1	0.2	52	0.41	0.101	46
1209081	Soil			2.3	54.6	14.8	114	0.3	46.3	15.8	617	3.88	5.0	2.3	12.9	24	0.3	0.3	0.2	72	0.24	0.058	33
1209082	Soil			4.3	68.6	21.4	210	0.2	53.5	10.9	347	3.92	5.5	0.7	8.9	16	0.5	0.2	0.2	94	0.20	0.074	28
1209083	Soil			1.8	66.2	10.2	76	0.3	32.7	11.6	356	3.28	8.3	3.4	7.1	30	0.3	0.5	0.2	77	0.26	0.026	28
1209084	Soil			3.5	25.6	12.8	77	0.1	17.4	5.2	235	3.76	8.9	0.6	2.6	17	0.4	0.4	0.3	121	0.12	0.104	13
1209085	Soil			2.9	41.5	11.1	116	0.4	43.3	15.8	513	3.94	9.8	3.8	4.5	27	0.6	0.4	0.3	75	0.29	0.095	14
1209086	Soil			2.0	50.5	12.0	134	0.2	35.8	13.1	392	3.36	8.4	3.2	6.1	32	0.2	0.4	0.2	75	0.38	0.085	20
1209087	Soil			1.2	39.7	8.0	212	<0.1	26.9	16.5	734	4.03	2.9	1.0	4.6	27	0.2	0.1	0.5	113	0.55	0.102	17
1209088	Soil			4.8	35.4	15.5	69	0.3	19.4	7.1	187	2.39	4.8	2.4	3.5	30	0.3	0.3	0.4	52	0.15	0.049	8
1209089	Soil			2.2	44.3	12.5	108	0.2	30.1	13.3	461	3.51	5.1	4.7	5.1	19	0.4	0.3	0.2	67	0.17	0.056	13
1209090	Soil			2.1	53.1	10.8	104	0.2	35.4	13.2	439	3.80	3.6	2.4	4.4	21	0.2	0.3	0.3	67	0.19	0.079	13
1209091	Soil			3.0	69.2	12.1	170	0.2	46.3	13.6	539	3.73	3.0	2.5	7.8	23	0.4	0.2	0.3	78	0.23	0.072	21
1209092	Soil			2.0	69.8	7.7	165	<0.1	65.4	18.5	429	4.59	1.8	1.0	9.5	16	0.2	0.1	0.2	75	0.17	0.070	27
1209093	Soil			1.8	22.1	18.2	83	0.2	21.7	9.9	349	2.41	3.9	0.7	5.7	24	0.4	0.3	0.2	41	0.20	0.061	17
1209101	Soil			1.7	41.1	7.8	56	<0.1	23.0	10.3	250	2.74	7.3	2.0	2.1	27	0.2	0.5	0.1	59	0.20	0.035	9
1209102	Soil			2.7	35.4	9.1	75	<0.1	27.9	12.0	417	3.08	11.1	1.3	1.9	29	0.3	0.7	0.1	73	0.12	0.045	8
1209103	Soil			1.7	45.0	9.8	60	0.2	27.6	13.6	709	3.20	9.5	3.3	2.7	20	0.2	0.5	0.2	79	0.17	0.042	14
1209104	Soil			3.6	52.0	9.2	106	0.3	28.6	8.4	218	3.64	5.9	<0.5	3.5	23	0.2	0.4	0.2	93	0.10	0.079	18
1209105	Soil			3.6	56.4	7.1	115	0.8	32.3	9.3	319	3.83	13.5	3.8	5.6	22	0.2	0.4	0.2	103	0.18	0.102	23
1209106	Soil			2.4	50.3	8.6	70	0.2	32.2	12.5	322	3.08	9.7	1.1	4.2	20	0.2	0.5	0.2	67	0.17	0.040	9
1209107	Soil			2.0	41.0	8.1	64	0.2	29.3	12.3	230	3.21	8.8	2.6	4.6	22	0.3	0.5	0.2	77	0.17	0.026	9
1209108	Soil			2.2	71.0	7.9	127	0.2	47.8	13.1	258	3.35	7.4	2.4	5.4	24	0.4	0.5	0.2	87	0.18	0.037	18
1209109	Soil			2.4	71.1	9.1	90	0.3	30.6	12.1	272	3.03	6.0	3.5	6.3	26	0.3	0.5	0.2	86	0.16	0.037	13
1209110	Soil			2.0	44.2	12.5	122	0.4	45.5	14.7	373	3.19	10.0	3.0	3.4	25	0.5	0.6	0.2	78	0.21	0.042	9
1209111	Soil			2.6	43.1	9.4	69	0.6	26.3	16.1	1247	2.69	8.2	2.9	3.1	26	0.6	0.5	0.2	65	0.22	0.048	10
1209112	Soil			2.1	26.6	9.0	51	0.6	16.7	9.3	313	2.33	6.6	1.3	1.7	24	0.8	0.4	0.2	65	0.20	0.036	7
1209113	Soil			2.4	87.5	11.0	285	0.2	97.7	17.5	358	3.50	4.7	4.3	5.8	30	0.3	1.4	0.3	84	0.18	0.064	22
1209114	Soil			1.2	27.2	7.7	50	0.3	22.5	9.6	281	2.76	8.1	1.6	2.7	30	0.2	0.5	0.2	72	0.29	0.024	10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 15, 2011

Page: 3 of 9 Part 2

CERTIFICATE OF ANALYSIS

WHI11000646.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
1209078	Soil			34	0.46	224	0.076	2	1.91	0.017	0.08	0.1	0.05	3.9	<0.1	<0.05	6	0.6	<0.2
1209079	Soil			23	0.26	173	0.032	2	1.20	0.015	0.10	0.1	0.02	2.3	0.1	<0.05	5	0.8	<0.2
1209080	Soil			53	1.55	299	0.134	2	2.57	0.008	1.22	<0.1	<0.01	5.0	0.9	<0.05	8	<0.5	<0.2
1209081	Soil			52	0.71	311	0.093	2	2.16	0.013	0.28	<0.1	0.04	5.3	0.3	<0.05	8	1.0	<0.2
1209082	Soil			37	0.63	194	0.065	4	1.88	0.009	0.29	<0.1	0.02	4.6	0.4	<0.05	5	1.3	<0.2
1209083	Soil			45	0.59	392	0.098	2	2.21	0.017	0.08	<0.1	0.07	7.0	0.1	<0.05	6	0.7	<0.2
1209084	Soil			44	0.47	166	0.113	1	1.48	0.011	0.18	<0.1	0.01	2.4	0.3	0.09	10	0.7	<0.2
1209085	Soil			42	0.60	201	0.064	3	2.33	0.013	0.11	0.1	0.05	3.7	0.2	<0.05	7	0.9	<0.2
1209086	Soil			42	0.80	321	0.098	2	2.18	0.017	0.11	0.1	0.04	6.7	0.2	<0.05	6	0.8	<0.2
1209087	Soil			76	2.60	970	0.169	2	3.37	0.018	1.55	0.1	<0.01	8.0	1.0	<0.05	7	1.0	<0.2
1209088	Soil			21	0.29	199	0.024	2	1.14	0.009	0.08	0.1	0.05	3.2	0.2	0.06	3	2.5	<0.2
1209089	Soil			46	0.70	264	0.101	2	1.90	0.011	0.29	0.1	0.03	4.0	0.3	<0.05	6	0.6	<0.2
1209090	Soil			53	0.78	357	0.102	2	1.74	0.011	0.50	<0.1	0.02	4.0	0.4	0.07	6	0.6	<0.2
1209091	Soil			49	0.98	507	0.103	2	1.83	0.011	0.60	0.1	0.03	5.1	0.5	0.05	6	1.2	<0.2
1209092	Soil			70	1.35	458	0.180	2	2.41	0.011	1.08	<0.1	0.02	5.4	0.6	<0.05	8	0.6	<0.2
1209093	Soil			21	0.32	183	0.023	2	1.11	0.009	0.08	<0.1	0.05	2.8	0.1	<0.05	4	1.0	<0.2
1209101	Soil			31	0.33	256	0.089	1	1.42	0.015	0.04	0.1	0.08	3.2	0.1	<0.05	4	0.5	<0.2
1209102	Soil			34	0.37	289	0.080	1	1.52	0.010	0.04	0.1	0.04	3.5	0.2	<0.05	5	<0.5	<0.2
1209103	Soil			35	0.46	391	0.072	<1	2.05	0.011	0.05	<0.1	0.06	4.8	0.1	<0.05	7	<0.5	<0.2
1209104	Soil			43	0.50	384	0.060	1	1.68	0.007	0.15	<0.1	0.03	4.1	0.2	<0.05	6	1.6	<0.2
1209105	Soil			49	0.92	607	0.098	1	2.29	0.010	0.35	<0.1	0.03	4.8	0.4	<0.05	6	2.1	<0.2
1209106	Soil			36	0.45	293	0.058	1	1.84	0.010	0.05	<0.1	0.03	4.1	0.2	<0.05	5	0.7	<0.2
1209107	Soil			46	0.51	317	0.090	<1	2.25	0.012	0.04	<0.1	0.03	4.4	0.2	<0.05	5	0.6	<0.2
1209108	Soil			52	0.54	372	0.076	<1	1.83	0.012	0.07	<0.1	0.05	6.8	0.2	<0.05	5	0.9	<0.2
1209109	Soil			38	0.58	326	0.075	<1	1.73	0.009	0.12	<0.1	0.03	4.4	0.2	<0.05	5	1.6	<0.2
1209110	Soil			44	0.57	390	0.082	<1	2.24	0.017	0.05	<0.1	0.04	3.7	0.2	<0.05	6	0.9	<0.2
1209111	Soil			34	0.38	383	0.065	<1	1.64	0.012	0.08	<0.1	0.03	3.7	0.1	<0.05	5	1.1	<0.2
1209112	Soil			24	0.35	351	0.073	<1	1.18	0.012	0.07	<0.1	0.01	2.3	<0.1	<0.05	5	0.5	<0.2
1209113	Soil			55	0.70	722	0.137	<1	1.94	0.010	0.25	<0.1	0.05	7.5	0.4	<0.05	6	1.1	<0.2
1209114	Soil			37	0.54	343	0.086	<1	1.86	0.017	0.04	<0.1	0.02	4.4	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 15, 2011

Page: 4 of 9 Part 1

CERTIFICATE OF ANALYSIS

WHI11000646.1

Method	Analyte	Unit	MDL	1DX15	1DX16	1DX17	1DX18	1DX19	1DX20	1DX21	1DX22	1DX23	1DX24	1DX25	1DX26	1DX27	1DX28	1DX29	1DX30	1DX31	1DX32		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1209115	Soil			2.1	37.4	9.6	71	0.1	26.7	9.8	319	2.87	7.5	1.8	3.8	30	0.1	0.6	0.2	74	0.28	0.035	11
1209116	Soil			1.7	42.7	10.4	58	0.2	25.5	12.4	393	2.99	8.4	6.2	3.8	35	0.1	0.5	0.2	72	0.38	0.037	14
1209117	Soil			2.3	30.0	9.6	56	0.3	25.1	9.1	253	2.61	6.5	1.8	3.3	28	0.1	0.6	0.1	68	0.31	0.037	11
1209118	Soil			1.6	28.0	9.5	59	0.1	21.7	9.2	306	2.78	7.5	4.3	3.2	30	0.2	0.5	0.2	68	0.31	0.038	9
1209119	Soil			2.7	29.6	9.3	82	0.2	23.3	10.0	435	2.76	6.6	0.8	2.6	27	0.4	0.5	0.2	66	0.26	0.081	9
1209120	Soil			1.6	30.0	8.7	72	0.1	24.2	9.4	298	2.87	7.3	6.0	3.3	33	0.3	0.5	0.1	67	0.37	0.055	10
1209121	Soil			1.5	45.8	7.8	72	0.2	26.2	10.6	336	2.74	6.6	2.9	3.5	37	0.5	0.5	0.1	66	0.45	0.060	13
1209122	Soil			1.3	39.6	9.3	53	0.2	24.5	10.2	332	2.66	7.0	2.8	3.5	38	0.1	0.4	0.2	63	0.43	0.048	13
1209123	Soil			1.6	36.9	8.1	64	0.2	25.9	10.1	386	2.80	6.8	3.0	3.6	39	0.1	0.5	0.2	66	0.42	0.054	12
1209124	Soil			2.8	24.0	10.2	85	<0.1	26.6	9.0	227	3.00	9.3	1.8	2.2	20	0.7	0.3	0.3	91	0.18	0.082	7
1209125	Soil			3.3	88.7	7.1	305	<0.1	138.5	33.3	580	4.09	2.3	<0.5	6.4	26	0.6	0.2	0.3	119	0.45	0.077	14
1209126	Soil			3.3	58.2	13.1	143	0.2	50.2	11.7	250	2.38	4.7	1.4	5.1	36	0.6	0.3	0.2	77	0.26	0.088	18
1209127	Soil			3.3	43.0	11.4	86	0.2	34.8	15.3	226	3.47	9.1	3.2	5.1	22	0.4	0.4	0.2	80	0.20	0.046	12
1209128	Soil			2.4	66.1	7.6	148	0.4	43.4	19.0	477	3.90	5.9	1.2	3.1	22	0.3	0.2	0.2	94	0.19	0.044	11
1209129	Soil			2.6	73.1	8.9	180	0.3	54.8	17.9	509	4.36	3.9	2.0	6.8	17	0.5	0.2	0.2	84	0.14	0.035	18
1209130	Soil			3.5	58.8	9.9	123	0.3	51.4	13.3	487	3.39	5.2	4.7	3.7	21	0.2	0.3	0.3	67	0.20	0.027	9
1209131	Soil			3.8	66.4	9.3	172	0.8	52.8	13.8	327	3.65	3.4	7.7	3.2	21	0.8	0.3	0.2	83	0.20	0.050	12
1209132	Soil			4.4	72.1	8.2	203	0.8	63.6	15.1	497	3.89	5.5	4.4	3.2	23	0.9	0.3	0.4	89	0.33	0.069	14
1209133	Soil			6.5	68.2	10.0	164	0.2	93.6	17.3	574	4.27	2.8	<0.5	10.5	29	0.6	0.2	0.3	99	0.36	0.094	26
1209134	Soil			4.7	78.0	12.7	164	0.2	69.4	17.9	443	4.23	4.7	1.5	5.0	25	0.5	0.2	0.3	59	0.19	0.042	12
1209135	Soil			1.8	54.7	8.4	94	0.2	42.1	14.6	284	3.61	4.4	3.2	5.0	23	0.2	0.2	0.3	81	0.29	0.086	13
1209136	Soil			2.0	35.3	8.1	82	0.2	42.1	14.1	585	3.52	8.1	3.1	2.7	24	0.3	0.3	0.3	83	0.31	0.046	10
1209137	Soil			2.3	29.2	7.4	75	0.3	45.2	13.1	226	3.68	11.3	2.7	2.6	20	0.2	0.3	0.3	92	0.25	0.033	10
1209138	Soil			2.7	56.1	5.7	117	0.4	69.2	17.9	261	3.85	15.5	11.7	4.9	25	0.2	0.2	0.3	70	0.40	0.104	23
1209139	Soil			5.0	69.4	11.9	243	0.8	85.2	23.0	702	4.52	6.1	3.9	3.9	33	1.3	0.3	0.3	72	0.47	0.173	16
1209140	Soil			4.6	61.5	9.1	163	0.9	62.1	17.1	479	3.73	5.1	3.7	4.3	29	0.8	0.2	0.3	69	0.44	0.132	16
1209151	Soil			1.7	31.6	7.7	81	<0.1	18.8	7.4	174	2.95	9.6	2.9	0.8	10	0.2	0.4	0.2	81	0.09	0.034	8
1209152	Soil			2.3	19.2	8.1	46	0.1	12.3	6.4	273	2.58	7.3	0.9	1.5	9	0.1	0.5	0.2	75	0.07	0.035	8
1209153	Soil			1.8	38.2	8.8	65	0.1	31.0	12.6	374	3.53	9.1	2.3	2.4	17	0.2	0.4	0.1	77	0.18	0.023	8
1209154	Soil			1.4	41.3	8.2	51	0.4	24.6	9.6	403	2.86	8.6	1.8	1.8	30	0.1	0.4	0.1	69	0.32	0.029	11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**AcmeLabs** Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

**Project:** Zeus  
**Report Date:** August 15, 2011

**Page:** 4 of 9 **Part** 2

**CERTIFICATE OF ANALYSIS**

WH11000646.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	
1209115	Soil			42	0.52	289	0.098	<1	1.70	0.016	0.04	0.1	0.02	4.2	0.1	<0.05	5	0.7	<0.2
1209116	Soil			43	0.55	385	0.095	<1	1.99	0.020	0.04	<0.1	0.08	6.4	<0.1	<0.05	5	0.8	<0.2
1209117	Soil			43	0.50	446	0.093	<1	1.57	0.020	0.04	0.1	0.04	4.4	<0.1	<0.05	5	<0.5	<0.2
1209118	Soil			35	0.47	475	0.088	<1	1.71	0.018	0.04	<0.1	0.03	3.7	<0.1	<0.05	5	0.7	<0.2
1209119	Soil			33	0.39	377	0.083	<1	1.25	0.012	0.10	0.1	0.01	3.0	0.1	<0.05	4	0.8	<0.2
1209120	Soil			37	0.49	446	0.094	<1	1.54	0.028	0.05	0.1	0.04	4.2	<0.1	<0.05	5	0.6	<0.2
1209121	Soil			37	0.50	908	0.096	<1	1.57	0.027	0.05	<0.1	0.05	5.1	<0.1	<0.05	5	0.6	<0.2
1209122	Soil			38	0.51	433	0.092	<1	1.59	0.030	0.04	0.1	0.05	5.0	<0.1	<0.05	5	0.6	<0.2
1209123	Soil			35	0.52	545	0.090	<1	1.76	0.026	0.04	0.1	0.04	5.2	<0.1	<0.05	5	<0.5	<0.2
1209124	Soil			34	0.44	174	0.056	2	1.79	0.010	0.07	0.1	0.01	3.1	<0.1	<0.05	7	0.6	<0.2
1209125	Soil			177	1.55	583	0.098	2	2.21	0.008	0.66	<0.1	0.02	11.3	0.6	<0.05	6	1.3	<0.2
1209126	Soil			36	0.34	266	0.030	2	1.34	0.010	0.06	<0.1	0.06	6.8	<0.1	<0.05	4	2.9	<0.2
1209127	Soil			43	0.48	275	0.022	3	2.47	0.011	0.08	<0.1	0.03	4.1	0.2	0.08	6	1.1	<0.2
1209128	Soil			58	1.15	668	0.112	3	2.41	0.012	0.38	<0.1	0.02	4.6	0.4	0.13	6	1.6	<0.2
1209129	Soil			53	1.12	430	0.107	2	2.22	0.013	0.64	<0.1	0.02	4.8	0.5	0.18	6	1.7	<0.2
1209130	Soil			35	0.40	334	0.020	1	1.45	0.007	0.06	0.1	0.12	5.4	<0.1	<0.05	4	2.2	<0.2
1209131	Soil			29	0.40	427	0.044	2	1.41	0.009	0.08	<0.1	0.03	6.0	0.2	<0.05	5	1.0	<0.2
1209132	Soil			34	0.45	470	0.032	2	1.48	0.009	0.09	<0.1	0.05	9.2	0.1	<0.05	4	3.1	<0.2
1209133	Soil			60	0.67	468	0.037	2	1.39	0.007	0.37	<0.1	0.03	8.8	0.3	<0.05	6	2.4	<0.2
1209134	Soil			40	0.28	223	0.010	2	1.15	0.006	0.09	<0.1	0.02	4.9	0.1	<0.05	3	2.5	<0.2
1209135	Soil			34	0.60	226	0.048	1	1.57	0.010	0.27	0.1	0.05	5.3	0.2	0.06	5	1.4	<0.2
1209136	Soil			53	0.59	231	0.062	2	1.92	0.012	0.10	0.1	0.04	4.1	0.1	<0.05	6	0.6	<0.2
1209137	Soil			61	0.67	294	0.086	2	2.05	0.010	0.10	0.1	0.02	3.5	0.1	<0.05	6	0.6	<0.2
1209138	Soil			61	0.85	587	0.117	3	1.81	0.016	0.32	0.1	0.03	4.0	0.3	0.09	5	1.3	<0.2
1209139	Soil			48	0.60	480	0.022	2	1.30	0.010	0.26	<0.1	0.05	5.0	0.4	0.09	4	2.2	<0.2
1209140	Soil			43	0.54	360	0.021	2	1.45	0.009	0.20	<0.1	0.06	4.7	0.3	0.07	4	2.1	<0.2
1209151	Soil			24	0.25	88	0.084	1	1.17	0.008	0.07	<0.1	0.02	2.1	0.1	0.05	7	<0.5	<0.2
1209152	Soil			24	0.26	122	0.091	<1	1.06	0.010	0.08	<0.1	0.02	1.4	<0.1	<0.05	7	<0.5	<0.2
1209153	Soil			38	0.62	230	0.102	2	2.32	0.014	0.08	<0.1	0.02	3.5	0.1	<0.05	7	<0.5	<0.2
1209154	Soil			35	0.48	247	0.076	1	2.10	0.016	0.06	0.1	0.06	4.4	<0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 15, 2011

Page: 5 of 9 Part 1

CERTIFICATE OF ANALYSIS

WHI11000646.1

Method	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
1209155	Soil	1.2	36.0	8.2	58	<0.1	27.7	11.0	471	3.14	7.5	2.6	2.9	21	0.1	0.4	0.1	76	0.27	0.025	10
1209156	Soil	1.4	22.7	8.9	58	0.1	23.7	10.5	348	3.30	9.8	2.9	2.2	16	0.4	0.5	0.2	81	0.17	0.037	7
1209157	Soil	0.9	14.9	5.9	46	<0.1	9.0	4.5	442	1.79	4.7	0.9	0.3	9	0.6	0.3	0.2	57	0.08	0.049	4
1209158	Soil	1.0	16.4	7.3	59	<0.1	13.9	7.7	626	2.24	5.7	2.4	0.6	14	0.9	0.3	0.1	62	0.16	0.036	5
1209159	Soil	1.1	20.9	9.0	47	0.1	18.7	9.8	554	2.62	5.3	2.7	1.0	10	0.2	0.5	0.1	68	0.12	0.025	5
1209160	Soil	1.0	16.5	6.1	31	<0.1	12.6	6.7	274	1.73	3.9	2.5	0.4	9	0.1	0.3	0.1	53	0.08	0.031	4
1209161	Soil	1.2	19.6	8.1	33	0.1	14.1	5.9	223	1.91	4.6	2.7	1.1	17	<0.1	0.3	0.2	53	0.19	0.020	6
1209162	Soil	1.4	34.5	7.7	77	<0.1	32.3	16.7	371	3.59	10.6	2.9	2.7	16	0.2	0.5	0.1	80	0.15	0.041	7
1209163	Soil	1.6	30.0	7.7	43	0.2	16.9	8.4	444	2.48	5.6	1.8	1.7	19	0.2	0.3	0.1	73	0.18	0.018	7
1209164	Soil	1.5	23.1	7.7	46	<0.1	20.1	9.6	211	3.55	10.9	3.0	1.9	14	0.2	0.5	0.1	80	0.14	0.041	7
1209165	Soil	2.1	27.8	9.8	69	0.3	26.6	15.1	308	3.62	11.2	3.1	2.8	13	0.2	0.7	0.2	88	0.12	0.038	8
1209166	Soil	1.5	14.3	8.7	35	0.5	11.2	5.2	120	2.57	6.7	3.0	1.4	11	<0.1	0.4	0.2	76	0.10	0.019	6
1209167	Soil	1.5	27.0	8.3	58	0.5	25.8	13.5	309	3.15	9.4	4.6	3.6	17	0.2	0.5	0.1	70	0.16	0.036	10
1209168	Soil	1.8	18.2	9.3	43	0.2	15.0	6.7	173	2.75	7.1	1.8	0.7	16	0.4	0.3	0.2	69	0.16	0.055	7
1209169	Soil	1.9	17.9	9.7	34	0.3	9.0	3.3	99	2.10	8.4	1.0	0.7	14	0.3	0.7	0.2	68	0.09	0.056	8
1209170	Soil	1.9	26.8	8.4	57	0.2	23.0	10.0	180	3.92	12.3	3.1	1.9	17	0.2	0.5	0.2	93	0.15	0.040	7
1209171	Soil	2.7	28.8	9.8	50	0.1	21.4	6.4	91	2.45	8.1	3.2	1.4	17	0.2	0.4	0.2	58	0.07	0.053	7
1209172	Soil	3.6	51.6	8.8	68	0.5	29.4	11.1	276	4.07	10.9	2.5	3.1	26	0.3	0.5	0.2	95	0.20	0.057	12
1209173	Soil	2.3	24.4	8.3	77	<0.1	25.5	4.8	125	2.58	5.0	1.4	0.8	17	0.3	0.2	0.2	93	0.15	0.063	7
1209174	Soil	2.3	21.2	9.7	44	<0.1	14.4	4.0	118	2.90	6.5	8.5	0.6	13	0.4	0.4	0.2	72	0.11	0.048	9
1209175	Soil	2.6	31.8	7.4	73	0.2	25.4	7.1	256	2.76	6.7	1.9	0.8	21	0.7	0.3	0.2	69	0.21	0.053	8
1209176	Soil	2.6	31.3	7.7	89	0.2	27.8	5.8	98	2.17	9.3	1.6	0.2	29	0.6	0.4	0.2	49	0.06	0.048	5
1209177	Soil	2.2	58.6	8.1	133	0.2	35.3	10.6	226	2.64	10.1	4.1	2.8	55	0.6	0.3	0.2	62	0.18	0.052	10
1209178	Soil	2.2	11.3	7.1	44	<0.1	10.3	3.9	141	2.10	7.8	0.7	1.3	10	0.2	0.3	0.2	79	0.06	0.023	5
1209179	Soil	3.7	16.2	11.7	54	<0.1	19.0	8.8	311	2.43	6.9	2.9	1.7	11	0.2	0.3	0.2	61	0.09	0.025	7
1209180	Soil	2.7	33.3	8.4	76	0.2	37.2	12.4	405	3.24	6.4	3.1	3.8	20	0.2	0.3	0.2	64	0.19	0.037	10
1209181	Soil	2.0	27.1	9.4	64	0.2	31.7	13.2	300	3.86	10.3	4.5	3.3	19	0.2	0.5	0.2	62	0.21	0.048	8
1209182	Soil	1.4	25.6	8.3	53	0.2	25.2	11.5	272	3.02	6.3	1.4	2.7	28	<0.1	0.4	0.1	79	0.29	0.017	10
1209183	Soil	0.7	8.3	5.1	22	<0.1	7.4	3.5	89	1.34	1.8	4.3	0.4	10	<0.1	0.1	<0.1	37	0.10	0.018	4
1209184	Soil	1.6	38.9	7.2	66	0.1	36.3	10.8	394	3.33	5.4	3.7	3.5	23	<0.1	0.4	0.1	78	0.29	0.025	11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 15, 2011

Page: 5 of 9 Part 2

CERTIFICATE OF ANALYSIS

WHI11000646.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1209155	Soil			42	0.73	226	0.116	<1	2.19	0.015	0.06	<0.1	0.03	4.8	0.1	<0.05	6	0.6	<0.2
1209156	Soil			35	0.45	231	0.082	2	2.19	0.014	0.05	0.1	0.03	3.0	<0.1	<0.05	7	<0.5	<0.2
1209157	Soil			17	0.14	147	0.060	<1	0.74	0.011	0.05	<0.1	<0.01	1.2	<0.1	<0.05	5	<0.5	<0.2
1209158	Soil			22	0.25	208	0.060	<1	1.27	0.013	0.03	0.1	0.03	1.6	<0.1	<0.05	6	<0.5	<0.2
1209159	Soil			25	0.24	119	0.073	<1	1.71	0.018	0.03	<0.1	0.02	2.2	0.1	<0.05	7	<0.5	<0.2
1209160	Soil			20	0.17	130	0.057	<1	0.98	0.012	0.03	<0.1	0.04	1.4	<0.1	<0.05	5	<0.5	<0.2
1209161	Soil			22	0.21	179	0.068	2	1.33	0.013	0.03	<0.1	0.02	2.2	<0.1	<0.05	6	<0.5	<0.2
1209162	Soil			43	0.58	190	0.083	1	2.95	0.013	0.05	0.1	0.03	3.4	<0.1	<0.05	7	<0.5	<0.2
1209163	Soil			28	0.33	186	0.080	1	1.50	0.013	0.03	<0.1	0.02	2.8	<0.1	<0.05	6	<0.5	<0.2
1209164	Soil			38	0.42	144	0.072	1	2.64	0.013	0.04	0.1	0.04	3.0	<0.1	<0.05	7	<0.5	<0.2
1209165	Soil			46	0.43	136	0.081	2	3.29	0.012	0.04	0.1	0.05	4.1	0.1	<0.05	8	<0.5	<0.2
1209166	Soil			22	0.22	122	0.073	<1	1.57	0.011	0.02	<0.1	0.02	1.9	<0.1	<0.05	8	<0.5	<0.2
1209167	Soil			45	0.55	220	0.068	1	3.07	0.015	0.04	0.1	0.05	5.9	<0.1	<0.05	6	<0.5	<0.2
1209168	Soil			24	0.27	157	0.056	<1	1.45	0.011	0.04	<0.1	0.03	2.0	0.1	<0.05	7	<0.5	<0.2
1209169	Soil			21	0.16	128	0.064	<1	0.93	0.008	0.05	<0.1	0.02	1.7	0.1	<0.05	7	0.9	<0.2
1209170	Soil			37	0.43	201	0.084	1	2.54	0.011	0.04	0.1	0.03	3.1	<0.1	<0.05	8	<0.5	<0.2
1209171	Soil			24	0.19	204	0.032	1	1.49	0.010	0.04	0.1	0.02	2.0	0.1	<0.05	4	1.2	<0.2
1209172	Soil			45	0.64	393	0.090	3	2.77	0.012	0.09	<0.1	0.03	3.7	0.2	0.09	7	1.1	<0.2
1209173	Soil			32	0.32	194	0.115	2	0.99	0.008	0.13	<0.1	0.02	1.7	0.2	0.05	8	<0.5	<0.2
1209174	Soil			26	0.16	133	0.050	2	1.12	0.008	0.06	<0.1	0.02	1.5	0.1	<0.05	8	<0.5	<0.2
1209175	Soil			30	0.34	224	0.046	2	1.43	0.010	0.07	0.1	0.04	2.3	0.1	<0.05	6	<0.5	<0.2
1209176	Soil			17	0.11	202	0.014	2	0.68	0.007	0.05	<0.1	0.03	1.0	0.1	<0.05	3	0.9	<0.2
1209177	Soil			30	0.34	413	0.044	4	1.54	0.009	0.06	<0.1	0.09	3.6	0.2	<0.05	5	<0.5	<0.2
1209178	Soil			15	0.09	84	0.081	2	0.81	0.008	0.03	<0.1	0.02	1.3	<0.1	<0.05	7	<0.5	<0.2
1209179	Soil			24	0.20	126	0.058	1	1.45	0.008	0.03	<0.1	0.02	2.1	<0.1	<0.05	6	<0.5	<0.2
1209180	Soil			36	0.38	233	0.051	3	1.80	0.009	0.07	<0.1	0.04	3.7	0.1	<0.05	5	<0.5	<0.2
1209181	Soil			39	0.45	217	0.084	2	2.54	0.011	0.04	0.1	0.05	4.3	0.1	<0.05	8	<0.5	<0.2
1209182	Soil			40	0.44	255	0.083	1	2.41	0.015	0.03	<0.1	0.02	5.0	0.1	<0.05	7	<0.5	<0.2
1209183	Soil			13	0.14	80	0.052	<1	0.80	0.012	0.03	<0.1	0.01	1.0	<0.1	<0.05	4	<0.5	<0.2
1209184	Soil			49	0.62	347	0.072	1	1.89	0.013	0.09	<0.1	0.02	5.2	<0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 15, 2011

Page: 6 of 9 Part 1

CERTIFICATE OF ANALYSIS

WHI11000646.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
1209185	Soil	1.9	22.1	9.6	47	0.2	24.9	11.2	295	4.19	12.2	2.8	2.1	13	0.3	0.6	0.2	87	0.13	0.079	7
1209186	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1209187	Soil	1.8	30.2	8.0	36	0.1	14.2	5.5	274	2.40	4.1	2.2	0.4	14	0.5	0.3	0.2	48	0.12	0.098	9
1209188	Soil	1.5	41.5	7.1	89	<0.1	41.9	22.9	744	4.93	5.1	6.6	4.7	17	0.1	0.2	0.2	108	0.31	0.096	23
1209189	Soil	3.4	93.0	7.5	105	<0.1	50.3	20.5	959	4.51	2.7	<0.5	3.4	22	0.1	0.1	0.1	107	0.34	0.152	15
1209190	Soil	1.4	25.3	8.1	57	<0.1	24.1	11.5	464	3.72	9.8	4.1	1.1	15	0.5	0.5	0.2	82	0.21	0.078	6
1209191	Soil	1.5	21.3	9.8	63	0.1	20.9	9.3	414	2.92	7.3	2.0	1.5	21	0.4	0.4	0.1	74	0.22	0.060	7
1209192	Soil	3.4	47.2	8.1	61	0.9	25.1	10.3	366	3.54	8.8	6.2	3.6	18	0.3	0.5	0.1	84	0.17	0.085	10
1209193	Soil	5.4	58.4	14.2	141	0.6	38.7	9.8	332	4.28	5.9	8.3	3.0	31	0.6	0.7	0.2	85	0.16	0.149	13
1209194	Soil	1.9	41.9	8.1	71	0.4	22.5	8.5	242	3.45	6.3	2.4	2.2	16	0.6	0.4	0.2	76	0.15	0.096	10
1209195	Soil	2.9	16.9	9.1	34	0.2	9.9	6.7	309	2.19	6.2	1.1	1.5	18	0.7	0.3	0.2	64	0.16	0.082	7
1209196	Soil	1.9	33.2	8.2	56	0.4	22.7	10.1	288	3.07	7.0	3.0	1.6	23	0.6	0.3	0.2	80	0.20	0.039	9
1209197	Soil	1.8	22.6	7.7	72	0.2	26.4	11.1	395	3.59	11.0	2.0	1.8	17	0.3	0.4	0.2	83	0.21	0.087	7
1209198	Soil	3.0	31.9	8.1	66	0.4	21.8	8.7	252	3.27	7.2	2.8	2.2	15	0.3	0.4	0.1	68	0.13	0.055	9
1209199	Soil	2.8	31.0	9.1	52	0.2	18.4	6.8	140	3.18	5.7	2.6	2.9	20	0.3	0.4	0.1	79	0.12	0.067	10
1209200	Soil	1.4	14.0	7.2	33	0.5	7.3	2.7	126	1.82	2.7	2.4	0.3	9	0.2	0.3	0.1	49	0.12	0.038	5
1208651	Soil	0.3	10.6	11.8	46	0.1	5.1	8.6	369	2.84	0.7	0.5	2.8	102	0.2	0.1	0.2	72	2.45	0.184	6
1208652	Soil	1.9	18.2	13.0	57	<0.1	24.1	10.7	627	3.26	3.2	2.1	2.8	38	0.2	0.3	0.3	65	0.64	0.156	7
1208653	Soil	0.7	19.0	8.3	45	<0.1	10.9	5.4	314	2.77	1.4	0.8	1.7	36	0.1	0.1	0.2	43	0.52	0.066	7
1208654	Soil	1.7	24.0	24.3	64	<0.1	36.2	15.5	655	3.68	5.5	2.3	3.5	28	0.1	0.4	0.3	92	0.36	0.033	12
1208655	Soil	1.6	13.4	9.3	50	<0.1	11.5	8.1	532	2.75	0.8	<0.5	2.7	55	0.2	0.2	0.2	48	0.41	0.042	7
1208656	Soil	0.3	12.4	6.9	51	<0.1	9.6	9.0	519	3.07	0.6	0.7	3.3	49	<0.1	0.1	0.1	56	0.52	0.059	7
1208657	Soil	0.2	10.8	9.5	50	<0.1	6.9	5.8	298	2.07	<0.5	3.2	1.8	32	0.2	<0.1	0.1	36	0.29	0.030	3
1208658	Soil	0.4	69.1	4.6	52	<0.1	191.1	20.1	455	3.77	2.4	3.4	2.1	41	0.1	0.2	0.1	89	0.59	0.077	7
1208659	Soil	0.4	83.2	4.7	54	<0.1	207.1	29.2	901	4.88	1.4	2.2	2.8	40	0.2	0.1	<0.1	128	0.66	0.106	8
1208660	Soil	1.1	38.4	6.5	61	<0.1	156.2	18.4	565	3.80	8.3	1.8	0.7	60	0.2	0.4	0.1	109	0.86	0.071	7
1208661	Soil	0.6	71.3	6.6	75	<0.1	222.3	30.3	828	5.19	3.0	2.7	1.7	65	0.2	0.2	<0.1	116	1.02	0.072	9
1208662	Soil	0.5	62.8	4.0	75	<0.1	260.9	29.4	585	4.38	2.6	3.0	1.3	56	0.3	0.3	<0.1	74	1.07	0.090	7
1208663	Soil	0.3	51.8	3.9	80	<0.1	342.0	36.4	838	4.93	<0.5	5.5	1.9	263	0.3	<0.1	<0.1	92	3.23	0.109	6
1208664	Soil	0.4	44.0	4.6	54	<0.1	200.3	26.2	900	4.31	2.1	3.8	1.9	51	0.2	0.2	<0.1	78	1.54	0.086	8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 15, 2011

Page: 6 of 9 Part 2

CERTIFICATE OF ANALYSIS

WHI11000646.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1209185	Soil	41	0.38	180	0.061	2	2.73	0.012	0.04	0.1	0.03	2.9	<0.1	<0.05	8	<0.5	<0.2
1209186	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1209187	Soil	24	0.23	162	0.036	<1	1.27	0.011	0.06	<0.1	0.03	2.0	<0.1	<0.05	6	<0.5	<0.2
1209188	Soil	53	1.38	276	0.151	1	3.04	0.012	0.53	<0.1	0.02	6.0	0.3	<0.05	9	<0.5	<0.2
1209189	Soil	58	1.25	445	0.110	2	2.46	0.009	0.50	<0.1	0.01	3.7	0.2	<0.05	7	<0.5	<0.2
1209190	Soil	34	0.53	210	0.081	1	2.20	0.012	0.08	0.1	0.03	2.9	<0.1	<0.05	7	<0.5	<0.2
1209191	Soil	31	0.42	305	0.074	2	1.92	0.012	0.06	<0.1	0.02	2.9	0.1	<0.05	7	<0.5	<0.2
1209192	Soil	40	0.64	338	0.083	2	2.33	0.011	0.16	0.1	0.05	3.4	0.2	<0.05	6	0.7	<0.2
1209193	Soil	40	0.31	521	0.020	2	1.48	0.010	0.21	0.1	0.02	3.6	0.3	0.25	6	2.9	<0.2
1209194	Soil	39	0.51	427	0.076	1	1.80	0.013	0.20	<0.1	0.03	2.8	0.2	0.07	7	<0.5	<0.2
1209195	Soil	19	0.22	292	0.070	<1	1.05	0.010	0.07	<0.1	0.01	2.2	0.1	<0.05	6	<0.5	<0.2
1209196	Soil	41	0.40	341	0.061	1	2.14	0.013	0.05	<0.1	0.04	4.2	0.1	<0.05	7	0.6	<0.2
1209197	Soil	41	0.60	311	0.084	2	2.29	0.012	0.06	<0.1	0.03	3.2	0.1	<0.05	7	<0.5	<0.2
1209198	Soil	36	0.44	345	0.065	2	2.16	0.009	0.08	0.1	0.05	3.0	<0.1	<0.05	6	1.1	<0.2
1209199	Soil	31	0.35	378	0.079	3	1.85	0.010	0.08	<0.1	0.04	3.1	<0.1	<0.05	6	1.0	<0.2
1209200	Soil	14	0.10	105	0.050	<1	0.83	0.010	0.03	<0.1	0.02	1.1	<0.1	<0.05	5	<0.5	<0.2
1208651	Soil	13	0.14	675	0.001	2	0.62	0.006	0.10	<0.1	0.11	12.4	<0.1	<0.05	1	<0.5	<0.2
1208652	Soil	32	0.21	658	0.004	3	0.93	0.008	0.16	<0.1	0.07	9.4	0.1	<0.05	3	<0.5	<0.2
1208653	Soil	13	0.17	471	0.001	3	1.02	0.008	0.12	<0.1	0.09	8.5	<0.1	<0.05	3	<0.5	<0.2
1208654	Soil	55	0.43	494	0.055	2	2.01	0.017	0.08	<0.1	0.19	11.1	0.2	<0.05	6	<0.5	<0.2
1208655	Soil	22	0.26	688	0.007	2	1.27	0.010	0.11	<0.1	0.09	8.0	<0.1	<0.05	3	<0.5	<0.2
1208656	Soil	19	0.19	509	0.002	1	1.22	0.012	0.08	<0.1	0.06	9.3	<0.1	<0.05	3	<0.5	<0.2
1208657	Soil	11	0.25	197	0.001	2	0.59	0.008	0.12	<0.1	0.03	6.7	<0.1	<0.05	1	<0.5	<0.2
1208658	Soil	99	0.39	130	0.004	2	1.03	0.013	0.08	<0.1	0.07	10.7	<0.1	<0.05	3	<0.5	<0.2
1208659	Soil	142	0.54	190	0.002	3	0.94	0.011	0.09	<0.1	0.04	12.3	<0.1	<0.05	2	<0.5	<0.2
1208660	Soil	121	0.59	173	0.027	2	1.32	0.017	0.04	<0.1	0.12	9.9	<0.1	<0.05	4	0.6	<0.2
1208661	Soil	137	0.83	237	0.007	1	1.41	0.009	0.10	<0.1	0.07	14.3	<0.1	<0.05	4	<0.5	<0.2
1208662	Soil	105	1.21	209	0.004	2	0.99	0.015	0.10	<0.1	0.06	11.3	<0.1	<0.05	2	<0.5	<0.2
1208663	Soil	137	2.73	144	0.002	2	0.71	0.015	0.17	<0.1	<0.01	14.7	<0.1	<0.05	2	<0.5	<0.2
1208664	Soil	87	1.07	234	0.007	3	1.20	0.016	0.12	<0.1	0.03	10.0	<0.1	<0.05	3	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.





Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 15, 2011

Page: 7 of 9 Part 1

CERTIFICATE OF ANALYSIS

WH11000646.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm		
				0.1	0.1	0.1	1	0.1	0.1	1	0.01	0.5	0.1	0.1	0.1	0.1	0.1	2	0.01	0.001	1		
1208665	Soil			0.5	73.9	3.1	95	<0.1	377.9	42.6	714	6.18	1.8	1.7	2.5	44	0.3	0.2	<0.1	94	0.52	0.125	9
1208666	Soil			0.4	45.2	5.7	61	<0.1	138.0	22.5	546	3.90	6.7	2.7	2.1	60	0.2	0.3	0.1	83	0.79	0.088	9
1208667	Soil			1.1	59.7	7.3	66	<0.1	179.0	25.6	641	4.45	7.0	2.1	1.9	84	0.2	0.3	0.1	93	0.95	0.073	9
1208668	Soil			0.5	25.3	7.4	50	<0.1	28.3	13.1	421	2.95	6.5	0.6	2.7	36	0.1	0.3	0.2	67	0.53	0.054	10
1208669	Soil			0.3	16.6	3.5	15	<0.1	17.1	7.7	333	2.47	3.2	0.8	0.4	41	<0.1	0.2	<0.1	29	0.90	0.093	6
1208670	Soil			0.4	14.9	5.2	44	0.2	29.3	9.7	764	1.87	4.1	3.6	1.6	38	0.2	0.1	0.1	45	0.71	0.043	6
1208671	Soil			0.2	21.0	7.9	42	0.1	15.4	6.6	262	1.84	0.5	2.2	1.7	41	<0.1	<0.1	0.1	42	0.50	0.042	5
1208672	Soil			0.9	16.9	7.5	45	0.2	20.1	11.8	455	2.38	7.1	1.9	1.7	34	<0.1	0.2	0.2	55	1.03	0.029	8
1208673	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208674	Soil			1.0	77.4	8.2	58	<0.1	190.5	29.5	649	4.42	6.5	2.4	2.7	120	<0.1	0.4	0.1	110	2.89	0.165	11
1208675	Soil			0.7	91.3	9.8	58	<0.1	208.9	28.5	600	4.27	5.6	6.1	2.7	85	0.1	0.6	0.1	93	1.14	0.179	12
1208676	Soil			1.0	75.8	6.9	81	0.2	87.7	18.7	624	3.89	7.8	5.0	3.2	48	0.2	0.6	0.2	103	0.46	0.066	13
1208677	Soil			3.3	50.7	8.1	98	0.2	42.7	12.3	337	3.08	9.1	4.6	1.9	61	0.3	0.6	0.1	80	0.22	0.045	9
1208678	Soil			1.4	38.3	7.3	58	<0.1	57.7	12.7	327	3.31	10.8	3.7	2.4	36	<0.1	0.8	0.1	83	0.38	0.048	9
1208679	Soil			1.6	65.4	9.5	78	<0.1	99.2	16.7	298	3.51	15.1	1.9	3.3	77	0.1	0.5	0.1	85	0.43	0.100	10
1208680	Soil			1.7	35.6	6.3	56	<0.1	34.3	10.5	282	3.04	8.5	3.5	2.8	30	<0.1	0.5	0.1	76	0.33	0.024	11
1208681	Soil			6.9	34.4	8.0	59	0.1	33.8	12.6	240	3.31	16.1	4.6	2.2	33	0.2	1.0	0.1	85	0.24	0.022	7
1208682	Soil			2.9	18.5	8.4	55	<0.1	29.3	13.5	754	3.19	9.4	1.2	1.7	37	0.2	0.6	0.1	87	0.46	0.020	6
1208683	Soil			2.0	24.3	10.0	73	<0.1	35.3	13.7	342	3.41	12.7	2.7	2.3	21	0.2	0.6	0.2	84	0.20	0.031	7
1208684	Soil			1.3	26.2	6.7	52	0.2	25.4	11.0	432	2.91	8.5	1.7	2.6	30	0.1	0.5	0.1	77	0.33	0.018	11
1208685	Soil			1.4	63.2	7.0	116	<0.1	39.1	20.3	555	3.92	4.5	1.4	10.7	18	<0.1	0.4	0.1	63	0.23	0.033	42
1208686	Soil			2.7	56.6	9.4	68	0.2	38.8	15.0	627	3.52	8.8	1.9	4.4	28	0.1	0.6	0.2	85	0.31	0.031	18
1208687	Soil			1.9	34.5	10.5	55	0.2	59.6	13.7	290	3.69	14.5	1.4	2.5	60	0.1	0.5	0.2	86	0.31	0.057	8
1208688	Soil			1.7	44.8	8.1	59	0.1	40.3	13.1	413	3.31	10.5	3.1	3.6	34	<0.1	0.4	0.1	83	0.42	0.027	16
1208689	Soil			1.5	37.9	7.8	65	0.1	36.4	14.8	517	3.45	8.0	1.4	5.5	26	<0.1	0.4	0.1	72	0.30	0.027	17
1208690	Soil			2.9	78.1	7.8	95	<0.1	38.9	12.3	598	3.49	7.9	1.5	7.3	43	0.1	0.5	0.2	74	0.37	0.071	21
1208691	Soil			2.7	53.3	7.5	70	<0.1	29.1	11.2	461	2.93	6.2	0.8	4.9	27	0.1	0.5	0.1	64	0.27	0.048	16
1208692	Soil			2.0	46.6	7.6	64	0.1	29.7	10.8	364	3.11	7.8	3.3	4.6	30	0.2	0.5	0.1	72	0.37	0.040	15
1208693	Soil			1.6	25.5	7.4	57	0.1	20.8	8.8	313	2.74	7.0	5.4	2.8	25	0.2	0.4	0.2	65	0.32	0.038	10
1208694	Soil			1.5	37.0	8.2	59	0.2	26.8	10.9	407	2.95	8.2	2.6	3.7	33	<0.1	0.5	0.2	67	0.45	0.046	14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval. preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 15, 2011

Page: 7 of 9 Part 2

CERTIFICATE OF ANALYSIS

WH11000646.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm		
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1208665	Soil			161	0.71	233	0.005	3	1.15	0.014	0.15	<0.1	0.05	16.9	<0.1	<0.05	3	0.6	<0.2
1208666	Soil			104	0.55	289	0.009	3	1.44	0.015	0.09	<0.1	0.07	9.0	<0.1	<0.05	4	0.6	<0.2
1208667	Soil			120	0.50	255	0.008	2	1.60	0.016	0.06	<0.1	0.08	8.4	0.2	<0.05	4	<0.5	<0.2
1208668	Soil			35	0.35	523	0.022	<1	1.54	0.016	0.06	0.1	0.05	5.5	<0.1	<0.05	4	<0.5	<0.2
1208669	Soil			17	0.18	566	0.014	1	0.85	0.026	0.02	<0.1	0.04	2.1	<0.1	0.06	3	<0.5	<0.2
1208670	Soil			33	0.18	1158	0.002	<1	1.06	0.013	0.05	<0.1	0.02	5.7	<0.1	<0.05	2	<0.5	<0.2
1208671	Soil			20	0.08	695	<0.001	<1	0.65	0.005	0.09	<0.1	0.02	7.0	<0.1	<0.05	1	<0.5	<0.2
1208672	Soil			34	0.29	1415	0.014	<1	1.30	0.015	0.05	<0.1	0.07	5.3	<0.1	<0.05	3	<0.5	<0.2
1208673	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1208674	Soil			146	1.59	950	0.009	4	1.44	0.018	0.22	<0.1	0.14	11.0	0.4	<0.05	5	<0.5	<0.2
1208675	Soil			112	0.64	848	0.009	3	1.33	0.016	0.16	<0.1	0.14	13.6	0.3	<0.05	4	<0.5	<0.2
1208676	Soil			78	0.49	696	0.049	1	1.62	0.022	0.07	<0.1	0.18	9.5	0.1	<0.05	5	0.7	<0.2
1208677	Soil			42	0.34	528	0.052	<1	1.41	0.011	0.04	<0.1	0.22	4.0	0.2	<0.05	5	<0.5	<0.2
1208678	Soil			58	0.55	675	0.076	<1	1.83	0.016	0.04	0.1	0.08	5.7	0.2	<0.05	5	<0.5	<0.2
1208679	Soil			78	0.42	755	0.040	1	1.47	0.012	0.08	<0.1	0.05	6.5	0.3	<0.05	5	<0.5	<0.2
1208680	Soil			44	0.56	364	0.087	<1	1.88	0.018	0.04	<0.1	0.05	5.7	<0.1	<0.05	5	0.9	<0.2
1208681	Soil			43	0.53	258	0.086	<1	2.72	0.011	0.04	0.1	0.12	3.9	0.3	<0.05	7	<0.5	<0.2
1208682	Soil			41	0.58	639	0.086	<1	2.36	0.013	0.05	0.1	0.02	3.5	0.2	<0.05	7	<0.5	<0.2
1208683	Soil			43	0.57	311	0.079	<1	2.78	0.012	0.05	0.1	0.04	3.7	0.2	<0.05	7	0.6	<0.2
1208684	Soil			42	0.60	355	0.093	<1	1.96	0.017	0.03	<0.1	0.04	4.7	<0.1	<0.05	6	<0.5	<0.2
1208685	Soil			39	1.17	201	0.131	<1	2.22	0.006	0.55	<0.1	0.02	4.5	0.5	<0.05	7	0.6	<0.2
1208686	Soil			46	0.58	608	0.080	<1	2.20	0.012	0.04	<0.1	0.08	5.9	0.3	<0.05	7	0.5	<0.2
1208687	Soil			73	0.52	524	0.061	<1	2.53	0.016	0.08	<0.1	0.03	4.9	0.4	<0.05	7	0.7	<0.2
1208688	Soil			54	0.62	364	0.078	<1	2.06	0.017	0.04	<0.1	0.05	7.3	0.1	<0.05	8	0.6	<0.2
1208689	Soil			47	0.76	260	0.108	<1	2.21	0.011	0.20	<0.1	0.03	5.1	0.2	<0.05	7	<0.5	<0.2
1208690	Soil			42	1.07	237	0.083	<1	2.09	0.011	0.18	<0.1	0.05	5.9	0.4	<0.05	6	0.9	<0.2
1208691	Soil			36	0.66	204	0.084	<1	1.43	0.011	0.12	<0.1	0.02	3.8	0.2	<0.05	5	1.2	<0.2
1208692	Soil			43	0.59	265	0.098	<1	1.91	0.018	0.06	<0.1	0.06	6.3	0.1	<0.05	6	0.5	<0.2
1208693	Soil			34	0.52	216	0.088	1	1.69	0.016	0.05	0.1	0.03	3.1	<0.1	<0.05	5	<0.5	<0.2
1208694	Soil			40	0.55	281	0.099	1	1.92	0.019	0.04	0.1	0.06	5.7	<0.1	<0.05	5	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 15, 2011

Page: 8 of 9 Part 1

CERTIFICATE OF ANALYSIS

WHI11000646.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1208695	Soil			2.2	33.1	8.3	62	0.2	23.4	10.1	393	2.89	9.0	4.4	3.2	30	0.3	0.4	0.2	64	0.41	0.056	13
1208696	Soil			4.4	31.2	9.3	71	0.3	21.8	7.4	237	2.67	6.4	1.4	3.3	27	0.2	0.4	0.1	52	0.29	0.060	12
1208697	Soil			2.9	37.7	8.3	75	0.2	25.5	8.8	353	2.55	8.5	4.3	3.2	24	0.2	0.5	0.1	58	0.25	0.040	11
1208698	Soil			3.2	37.5	8.5	70	0.4	22.5	7.6	270	2.57	7.4	2.7	3.4	22	0.2	0.7	0.2	59	0.22	0.043	11
1208699	Soil			4.1	36.7	9.8	49	0.6	21.9	6.3	210	2.39	7.2	4.8	3.6	21	0.2	1.0	0.2	51	0.19	0.052	13
1208700	Soil			3.3	29.5	9.9	50	0.6	25.8	9.9	382	2.81	11.2	2.9	2.5	26	0.1	0.8	0.2	69	0.32	0.050	10
1209201	Soil			4.8	41.2	11.0	73	0.8	24.2	7.9	222	3.02	10.6	20.2	2.9	30	0.3	0.8	0.2	65	0.17	0.079	10
1209202	Soil			4.0	60.1	10.0	86	0.7	27.7	11.8	351	3.35	10.3	7.0	2.7	27	0.6	0.5	0.2	78	0.22	0.104	10
1209203	Soil			2.7	58.4	8.6	89	0.6	31.0	11.6	310	3.27	8.6	5.4	1.8	24	0.4	0.4	0.2	78	0.23	0.068	10
1209204	Soil			2.4	40.7	9.6	76	0.3	28.0	12.2	676	3.17	6.5	3.8	1.6	22	0.4	0.3	0.2	76	0.20	0.070	10
1209205	Soil			2.1	33.4	8.1	102	<0.1	37.1	14.6	754	3.88	5.8	2.2	1.9	20	0.2	0.3	0.1	72	0.20	0.066	10
1209206	Soil			1.9	37.0	9.2	93	0.2	41.1	13.4	418	3.58	5.0	2.5	1.9	25	0.3	0.3	0.3	66	0.22	0.079	10
1209207	Soil			2.7	49.1	10.6	114	0.3	41.1	12.8	382	3.31	6.5	3.9	3.5	27	0.3	0.3	0.2	75	0.25	0.047	12
1209251	Soil			1.6	16.6	6.8	40	<0.1	11.0	5.7	239	2.37	6.1	0.8	0.7	12	0.3	0.3	0.1	66	0.13	0.029	6
1209252	Soil			1.1	11.0	6.3	29	<0.1	7.2	2.8	83	1.64	4.9	0.9	0.4	12	0.3	0.3	0.1	51	0.12	0.024	5
1209253	Soil			1.4	17.8	9.7	49	0.1	19.8	9.3	365	3.27	8.9	1.7	1.3	15	0.3	0.4	0.1	72	0.16	0.026	6
1209254	Soil			2.3	25.0	9.3	81	<0.1	26.2	14.6	616	4.40	9.3	1.0	2.3	14	0.4	0.4	0.2	88	0.15	0.049	9
1209255	Soil			2.0	40.9	8.1	86	0.2	30.9	14.3	610	3.25	7.7	4.0	1.8	26	0.3	0.4	0.2	74	0.26	0.056	10
1209256	Soil			1.0	34.1	6.5	30	0.4	12.3	3.6	101	1.29	3.8	1.8	<0.1	32	0.5	0.2	0.1	38	0.31	0.048	8
1209257	Soil			2.6	55.1	7.8	74	0.4	24.9	10.6	253	2.67	6.3	2.9	1.9	30	0.4	0.4	0.1	71	0.33	0.061	11
1209258	Soil			1.6	12.1	7.8	40	0.2	9.4	3.9	231	2.26	7.2	1.5	0.7	13	0.4	0.3	0.2	86	0.14	0.034	6
1209259	Soil			1.4	18.1	9.2	56	0.4	16.6	7.4	187	2.99	8.3	1.4	1.7	18	0.3	0.4	0.2	72	0.19	0.045	7
1209260	Soil			2.5	25.8	8.8	48	0.3	22.9	11.4	293	3.12	10.4	2.6	1.9	39	0.2	1.2	0.2	84	0.18	0.040	9
1209261	Soil			1.5	32.6	7.6	51	0.7	27.8	14.1	297	3.19	10.0	5.2	2.2	23	0.3	0.5	0.1	75	0.22	0.037	8
1209262	Soil			2.7	29.6	10.5	55	0.6	18.2	8.7	403	3.19	12.3	2.5	1.1	16	0.4	0.5	0.2	94	0.13	0.050	7
1209263	Soil			1.6	48.2	8.2	48	0.2	17.3	6.1	169	2.30	5.7	1.0	3.7	29	0.2	0.4	<0.1	58	0.21	0.032	15
1209264	Soil			1.6	78.2	8.0	63	0.2	17.0	5.2	175	2.33	5.0	3.2	3.3	24	0.5	0.3	<0.1	59	0.16	0.057	13
1209265	Soil			1.8	54.9	8.3	80	0.1	25.1	11.2	387	3.04	9.9	3.7	2.3	23	1.6	0.4	0.1	82	0.24	0.111	10
1209266	Soil			2.4	35.2	10.0	60	0.7	16.2	8.1	342	2.43	5.9	1.9	1.8	26	1.0	0.3	0.2	69	0.26	0.085	9
1209267	Soil			2.1	61.0	8.0	102	0.3	31.4	10.2	463	2.57	4.7	1.0	3.0	29	2.5	0.4	0.1	67	0.33	0.085	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 15, 2011

Page: 8 of 9 Part 2

CERTIFICATE OF ANALYSIS

WHI11000646.1

Method	Analyte	Unit	MDL	1DX15	1DX16	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1208695	Soil			34	0.48	259	0.081	3	1.64	0.020	0.05	0.1	0.06	4.7	<0.1	<0.05	5	0.6	<0.2
1208696	Soil			28	0.40	229	0.066	2	1.20	0.012	0.10	0.1	0.03	3.0	0.1	0.07	4	0.9	<0.2
1208697	Soil			31	0.41	223	0.069	2	1.22	0.016	0.06	0.1	0.06	3.6	0.2	<0.05	4	1.0	<0.2
1208698	Soil			31	0.43	222	0.075	2	1.22	0.010	0.07	<0.1	0.06	2.8	0.2	<0.05	4	1.3	<0.2
1208699	Soil			31	0.30	278	0.056	<1	1.07	0.008	0.07	<0.1	0.10	2.7	0.3	<0.05	3	1.8	<0.2
1208700	Soil			38	0.45	412	0.076	<1	1.60	0.013	0.07	0.1	0.06	3.0	0.2	<0.05	5	1.0	<0.2
1209201	Soil			32	0.36	427	0.049	2	1.64	0.012	0.09	0.1	0.04	3.5	0.2	0.07	4	2.6	<0.2
1209202	Soil			37	0.44	360	0.044	2	2.14	0.011	0.09	<0.1	0.06	3.8	0.2	<0.05	6	1.3	<0.2
1209203	Soil			40	0.47	282	0.050	3	1.99	0.011	0.09	<0.1	0.05	4.0	0.2	<0.05	6	1.4	<0.2
1209204	Soil			36	0.33	224	0.031	2	1.89	0.009	0.10	<0.1	0.06	3.7	0.2	<0.05	7	<0.5	<0.2
1209205	Soil			32	0.34	153	0.027	3	1.44	0.008	0.09	<0.1	0.02	3.7	0.1	<0.05	5	0.5	<0.2
1209206	Soil			39	0.27	223	0.019	2	1.42	0.009	0.09	<0.1	0.02	4.5	0.2	<0.05	5	0.8	<0.2
1209207	Soil			37	0.42	256	0.035	2	1.86	0.011	0.06	<0.1	0.04	5.4	0.2	<0.05	6	1.1	<0.2
1209251	Soil			21	0.24	89	0.086	1	1.06	0.017	0.04	0.1	0.02	1.7	<0.1	<0.05	6	0.7	<0.2
1209252	Soil			15	0.16	74	0.067	1	0.86	0.011	0.03	<0.1	0.01	1.2	<0.1	<0.05	6	<0.5	<0.2
1209253	Soil			34	0.39	193	0.081	1	2.04	0.013	0.04	<0.1	0.02	2.4	<0.1	<0.05	6	<0.5	<0.2
1209254	Soil			36	0.45	191	0.093	1	1.81	0.008	0.08	0.1	0.02	3.0	<0.1	<0.05	8	0.6	<0.2
1209255	Soil			35	0.42	696	0.076	1	1.93	0.013	0.09	0.1	0.04	3.7	0.1	<0.05	7	0.5	<0.2
1209256	Soil			21	0.17	516	0.037	1	1.11	0.013	0.03	<0.1	0.05	1.3	<0.1	<0.05	5	<0.5	<0.2
1209257	Soil			34	0.50	509	0.090	1	1.93	0.016	0.05	0.1	0.13	4.6	0.1	<0.05	6	1.1	<0.2
1209258	Soil			20	0.23	154	0.103	1	1.02	0.009	0.03	<0.1	0.01	1.7	<0.1	<0.05	8	0.6	<0.2
1209259	Soil			30	0.35	187	0.070	1	1.96	0.011	0.04	<0.1	0.02	2.9	0.1	<0.05	6	<0.5	<0.2
1209260	Soil			39	0.40	386	0.065	2	2.55	0.012	0.04	<0.1	0.06	4.8	0.1	<0.05	7	<0.5	<0.2
1209261	Soil			43	0.52	243	0.086	2	2.81	0.015	0.06	<0.1	0.11	4.2	0.1	<0.05	6	<0.5	<0.2
1209262	Soil			37	0.35	263	0.024	2	2.33	0.010	0.06	<0.1	0.04	2.9	0.1	<0.05	7	0.6	<0.2
1209263	Soil			30	0.40	355	0.069	<1	1.35	0.010	0.07	<0.1	0.03	4.2	<0.1	<0.05	4	1.6	<0.2
1209264	Soil			32	0.46	320	0.065	<1	1.63	0.009	0.16	<0.1	0.02	2.8	0.2	<0.05	5	1.2	<0.2
1209265	Soil			36	0.46	296	0.060	3	2.30	0.011	0.08	2.3	0.02	3.9	0.1	<0.05	7	<0.5	<0.2
1209266	Soil			27	0.35	273	0.056	2	1.59	0.013	0.08	0.1	0.04	3.2	<0.1	<0.05	6	0.6	<0.2
1209267	Soil			27	0.47	355	0.043	1	1.81	0.009	0.09	0.1	0.03	4.7	0.1	<0.05	5	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 15, 2011

Page: 9 of 9 Part 1

**CERTIFICATE OF ANALYSIS**

WHI11000646.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
1209268	Soil	2.6	48.9	8.5	112	0.3	37.7	12.0	572	3.25	6.5	2.3	2.5	33	1.8	0.3	0.1	80	0.34	0.075	11
1209269	Soil	3.8	57.1	11.4	318	0.4	56.5	11.4	574	3.95	15.7	3.9	3.3	31	1.1	1.5	0.2	43	0.18	0.084	13
1209270	Soil	2.5	43.6	8.9	174	0.4	35.1	8.8	467	3.07	5.4	1.4	2.9	26	1.0	0.5	0.1	52	0.26	0.099	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 15, 2011

Page: 9 of 9 Part 2

**CERTIFICATE OF ANALYSIS**

WHI11000646.1

Method	1DX15																
	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Analyte	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1209268	Soil	39	0.66	385	0.081	1	2.03	0.011	0.16	<0.1	0.04	4.0	0.1	<0.05	6	<0.5	<0.2
1209269	Soil	23	0.24	308	0.017	<1	0.94	0.007	0.11	<0.1	0.05	4.5	0.1	<0.05	3	1.1	<0.2
1209270	Soil	24	0.39	327	0.042	1	1.16	0.009	0.20	0.1	0.04	4.3	0.2	0.06	4	1.3	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: **Zeus**  
 Report Date: **August 15, 2011**

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

WHI11000646.1

Method	Analyte	Unit	MDL	1DX16	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15			
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
				ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm			
				0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
<b>Pulp Duplicates</b>																								
1209049	Soil			2.8	45.3	10.3	79	0.2	25.2	9.4	268	4.67	12.5	1.5	3.5	20	0.3	0.5	0.2	108	0.14	0.073	9	
REP 1209049	QC			3.2	44.9	10.3	77	0.2	24.6	9.4	273	4.64	12.4	3.1	3.7	20	0.4	0.5	0.2	108	0.14	0.074	9	
1209073	Soil			1.6	24.6	10.0	83	0.4	26.1	12.5	385	3.28	7.3	0.9	3.1	25	0.4	0.3	0.2	74	0.23	0.067	9	
REP 1209073	QC			1.5	26.5	10.1	88	0.4	27.1	12.9	389	3.56	7.2	2.9	3.0	26	0.3	0.4	0.2	79	0.23	0.070	10	
1209108	Soil			2.2	71.0	7.9	127	0.2	47.8	13.1	258	3.35	7.4	2.4	5.4	24	0.4	0.5	0.2	87	0.18	0.037	18	
REP 1209108	QC			2.2	69.5	7.9	124	0.2	46.1	13.1	258	3.25	7.0	2.4	5.5	24	0.4	0.5	0.2	82	0.19	0.036	18	
1209114	Soil			1.2	27.2	7.7	50	0.3	22.5	9.6	281	2.76	8.1	1.6	2.7	30	0.2	0.5	0.2	72	0.29	0.024	10	
REP 1209114	QC			1.4	27.5	8.5	52	0.2	21.9	10.1	279	2.77	8.1	1.1	2.8	30	0.2	0.5	0.2	73	0.30	0.024	10	
1209138	Soil			2.7	56.1	5.7	117	0.4	69.2	17.9	261	3.85	15.5	11.7	4.9	25	0.2	0.2	0.3	70	0.40	0.104	23	
REP 1209138	QC			2.6	54.2	5.2	112	0.3	67.7	18.7	268	3.85	16.1	8.6	4.8	23	0.3	0.2	0.3	70	0.37	0.098	22	
1209154	Soil			1.4	41.3	8.2	51	0.4	24.6	9.6	403	2.86	8.6	1.8	1.8	30	0.1	0.4	0.1	69	0.32	0.029	11	
REP 1209154	QC			1.4	41.8	8.4	51	0.4	24.8	10.1	402	2.93	8.6	3.8	1.8	30	0.1	0.4	0.2	72	0.33	0.030	10	
1209179	Soil			3.7	16.2	11.7	54	<0.1	19.0	8.8	311	2.43	6.9	2.9	1.7	11	0.2	0.3	0.2	61	0.09	0.025	7	
REP 1209179	QC			4.3	18.7	12.9	59	<0.1	20.6	9.6	341	2.71	7.9	1.5	2.0	11	0.1	0.3	0.2	66	0.10	0.028	7	
1208654	Soil			1.7	24.0	24.3	64	<0.1	36.2	15.5	655	3.68	5.5	2.3	3.5	28	0.1	0.4	0.3	92	0.36	0.033	12	
REP 1208654	QC			1.6	24.1	24.6	62	<0.1	35.4	15.6	632	3.79	5.5	2.5	3.5	28	0.1	0.4	0.3	89	0.35	0.032	11	
1208671	Soil			0.2	21.0	7.9	42	0.1	15.4	6.6	262	1.84	0.5	2.2	1.7	41	<0.1	<0.1	0.1	42	0.50	0.042	5	
REP 1208671	QC			<0.1	21.7	7.8	42	<0.1	15.5	6.7	257	1.85	<0.5	2.5	1.7	38	<0.1	0.1	0.1	42	0.50	0.041	5	
1208680	Soil			1.7	35.8	6.3	56	<0.1	34.3	10.5	282	3.04	8.5	3.5	2.8	30	<0.1	0.5	0.1	76	0.33	0.024	11	
REP 1208680	QC			1.7	36.6	6.5	56	<0.1	35.6	10.6	286	3.04	8.7	2.7	2.8	31	<0.1	0.5	0.1	77	0.34	0.025	11	
1208697	Soil			2.9	37.7	8.3	75	0.2	25.5	8.8	353	2.55	8.5	4.3	3.2	24	0.2	0.5	0.1	58	0.25	0.040	11	
REP 1208697	QC			2.9	38.3	7.9	74	0.2	25.0	8.6	342	2.52	7.7	7.3	3.1	24	0.3	0.5	0.1	58	0.25	0.041	10	
1209270	Soil			2.5	43.6	8.9	174	0.4	35.1	8.8	467	3.07	5.4	1.4	2.9	26	1.0	0.5	0.1	52	0.26	0.099	13	
REP 1209270	QC			2.7	44.2	9.2	172	0.5	35.2	8.8	467	3.10	5.7	2.5	2.9	26	0.9	0.5	0.1	52	0.26	0.097	13	
<b>Reference Materials</b>																								
STD DS8	Standard			13.5	110.2	113.0	313	1.8	38.5	7.8	614	2.46	25.9	119.7	5.9	62	2.2	5.3	6.0	43	0.68	0.077	13	
STD DS8	Standard			13.2	110.5	107.1	314	1.8	39.3	7.6	622	2.46	25.8	114.5	5.7	61	2.4	5.1	5.8	42	0.68	0.077	13	
STD DS8	Standard			12.5	107.2	118.9	307	1.9	37.5	7.4	599	2.42	27.1	107.9	5.7	60	2.3	5.1	6.0	41	0.67	0.079	13	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 15, 2011

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

WHI11000646.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
<b>Pulp Duplicates</b>																			
1209049	Soil			44	0.57	196	0.105	2	2.29	0.010	0.08	0.1	0.02	3.4	0.1	<0.05	8	0.8	<0.2
REP 1209049	QC			43	0.58	197	0.111	3	2.47	0.011	0.09	<0.1	0.03	3.2	0.1	<0.05	8	1.0	<0.2
1209073	Soil			35	0.52	449	0.083	2	2.28	0.015	0.08	<0.1	0.01	3.5	0.1	<0.05	7	<0.5	<0.2
REP 1209073	QC			38	0.51	448	0.085	<1	2.26	0.015	0.08	<0.1	<0.01	3.4	0.1	<0.05	7	<0.5	<0.2
1209108	Soil			52	0.54	372	0.076	<1	1.83	0.012	0.07	<0.1	0.05	6.8	0.2	<0.05	5	0.9	<0.2
REP 1209108	QC			51	0.54	376	0.075	1	1.81	0.014	0.07	<0.1	0.05	6.9	0.2	<0.05	5	0.9	<0.2
1209114	Soil			37	0.54	343	0.086	<1	1.86	0.017	0.04	<0.1	0.02	4.4	<0.1	<0.05	5	<0.5	<0.2
REP 1209114	QC			38	0.55	341	0.089	<1	1.90	0.019	0.04	0.1	0.03	4.7	<0.1	<0.05	5	0.5	<0.2
1209138	Soil			61	0.85	587	0.117	3	1.81	0.016	0.32	0.1	0.03	4.0	0.3	0.09	5	1.3	<0.2
REP 1209138	QC			61	0.84	555	0.112	2	1.76	0.015	0.31	0.1	0.03	3.8	0.3	0.11	5	1.6	<0.2
1209154	Soil			35	0.48	247	0.076	1	2.10	0.016	0.06	0.1	0.06	4.4	<0.1	<0.05	6	<0.5	<0.2
REP 1209154	QC			35	0.49	247	0.080	2	2.05	0.018	0.07	<0.1	0.04	4.4	<0.1	0.05	6	<0.5	<0.2
1209179	Soil			24	0.20	126	0.058	1	1.45	0.008	0.03	<0.1	0.02	2.1	<0.1	<0.05	6	<0.5	<0.2
REP 1209179	QC			27	0.22	134	0.060	2	1.64	0.009	0.04	<0.1	0.02	2.3	<0.1	<0.05	7	<0.5	<0.2
1208654	Soil			55	0.43	484	0.055	2	2.01	0.017	0.08	<0.1	0.19	11.1	0.2	<0.05	6	<0.5	<0.2
REP 1208654	QC			55	0.42	484	0.053	2	1.91	0.017	0.08	<0.1	0.18	10.7	0.2	<0.05	6	<0.5	<0.2
1208671	Soil			20	0.08	695	<0.001	<1	0.65	0.005	0.09	<0.1	0.02	7.0	<0.1	<0.05	1	<0.5	<0.2
REP 1208671	QC			21	0.08	677	<0.001	<1	0.64	0.005	0.09	<0.1	0.01	7.0	<0.1	<0.05	1	<0.5	<0.2
1208680	Soil			44	0.56	364	0.087	<1	1.88	0.018	0.04	<0.1	0.05	5.7	<0.1	<0.05	5	0.9	<0.2
REP 1208680	QC			45	0.57	370	0.093	<1	1.93	0.019	0.04	<0.1	0.07	5.8	0.1	<0.05	5	<0.5	<0.2
1208697	Soil			31	0.41	223	0.069	2	1.22	0.016	0.06	0.1	0.06	3.6	0.2	<0.05	4	1.0	<0.2
REP 1208697	QC			30	0.41	215	0.068	2	1.23	0.013	0.05	<0.1	0.06	3.4	0.1	<0.05	4	1.0	<0.2
1209270	Soil			24	0.39	327	0.042	1	1.16	0.009	0.20	0.1	0.04	4.3	0.2	0.06	4	1.3	<0.2
REP 1209270	QC			25	0.40	342	0.036	2	1.16	0.009	0.20	<0.1	0.04	4.4	0.2	0.05	4	1.2	<0.2
<b>Reference Materials</b>																			
STD DS8	Standard			117	0.60	266	0.107	3	0.89	0.085	0.41	2.8	0.21	2.1	5.3	0.15	4	5.3	4.5
STD DS8	Standard			119	0.60	265	0.109	2	0.90	0.086	0.41	2.9	0.19	2.0	5.2	0.13	5	5.2	4.7
STD DS8	Standard			115	0.56	270	0.113	2	0.90	0.086	0.41	2.9	0.21	2.0	5.5	0.16	4	5.1	4.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.





Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 15, 2011

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

WHI11000646.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
STD DS8	Standard	12.4	107.1	117.3	303	1.9	36.9	7.5	599	2.42	26.4	109.9	5.5	60	2.2	5.2	5.8	41	0.65	0.080	13
STD DS8	Standard	12.8	111.3	129.6	327	1.7	38.2	7.9	671	2.57	28.0	111.7	7.5	74	2.5	6.1	7.5	44	0.71	0.085	15
STD DS8	Standard	12.7	115.3	128.0	323	1.9	38.9	8.0	668	2.66	28.6	114.0	7.7	73	2.5	6.3	7.7	44	0.72	0.088	15
STD DS8	Standard	12.7	107.2	108.5	308	1.8	36.6	7.2	610	2.42	25.6	105.7	6.1	60	2.4	5.2	6.0	39	0.68	0.077	13
STD DS8	Standard	13.7	105.9	108.2	299	1.8	37.5	7.4	629	2.43	25.3	182.0	6.2	62	2.2	4.9	6.0	39	0.69	0.079	14
STD DS8	Standard	12.4	108.8	124.2	308	1.8	37.0	7.7	588	2.36	26.0	104.4	6.7	69	2.3	5.7	6.5	41	0.66	0.081	13
STD DS8	Standard	12.3	108.3	121.3	295	1.8	36.6	7.3	590	2.35	25.9	106.2	6.6	68	2.4	5.6	6.4	41	0.65	0.083	13
STD DS8	Standard	13.1	116.0	113.3	322	1.9	39.7	7.7	618	2.48	28.4	113.4	5.9	59	2.4	5.3	6.1	46	0.70	0.082	13
STD DS8	Standard	13.4	114.5	111.0	310	1.8	40.8	8.3	639	2.55	27.7	106.4	6.1	60	2.2	5.3	6.1	46	0.71	0.083	13
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 15, 2011

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT

WHI11000646.1

		1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD DS8	Standard	117	0.56	268	0.111	3	0.89	0.083	0.41	2.9	0.19	2.2	5.4	0.16	5	5.4	4.6
STD DS8	Standard	124	0.60	284	0.124	4	0.87	0.083	0.42	3.1	0.22	2.0	5.6	0.14	5	5.0	4.8
STD DS8	Standard	123	0.63	295	0.129	4	0.94	0.089	0.44	3.0	0.21	1.8	5.5	0.18	5	5.4	5.4
STD DS8	Standard	113	0.60	278	0.105	3	0.86	0.084	0.42	3.1	0.21	2.1	5.3	0.17	5	5.9	5.0
STD DS8	Standard	116	0.61	282	0.106	2	0.87	0.090	0.40	3.0	0.21	2.0	5.3	0.17	5	5.9	4.9
STD DS8	Standard	113	0.60	283	0.117	3	0.90	0.094	0.42	2.7	0.19	2.5	5.2	0.16	4	4.4	4.8
STD DS8	Standard	112	0.60	273	0.116	2	0.88	0.090	0.43	3.0	0.22	2.3	5.2	0.10	4	5.0	4.8
STD DS8	Standard	124	0.62	282	0.111	2	0.92	0.084	0.41	3.2	0.19	2.1	5.5	0.21	5	5.0	4.8
STD DS8	Standard	127	0.62	279	0.111	3	0.92	0.089	0.43	3.2	0.20	2.0	5.6	0.19	5	5.7	5.0
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

**Appendix IV: Rock Sample Assay Certificates**



Acme Analytical Laboratories (Vancouver) Ltd.  
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

**Client:** **Druid Exploration**  
Box 1485  
Dawson City YT Y0B 1G0 Canada

Submitted By: Daithi Mac Geraitt  
Receiving Lab: Canada-Whitehorse  
Received: July 14, 2011  
Report Date: August 11, 2011  
Page: 1 of 2

**CERTIFICATE OF ANALYSIS**

WHI11000585.1

**CLIENT JOB INFORMATION**

Project: Zeus  
Shipment ID:  
P.O. Number  
Number of Samples: 7

**SAMPLE PREPARATION AND ANALYTICAL PROCEDURES**

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	7	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	7	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	7	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

**SAMPLE DISPOSAL**

DISP-PLP Dispose of Pulp After 90 days  
DISP-RJT Dispose of Reject After 90 days

**ADDITIONAL COMMENTS**

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Druid Exploration**  
Box 1485  
Dawson City YT Y0B 1G0  
Canada

CC: Don Christie  
Bruce Durham  
Randy Sedore



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 11, 2011

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

WHI11000585.1

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
1203777	Rock	0.59	<2	0.5	10.7	6.6	63	<0.1	24.2	7.8	473	2.12	5.2	<0.5	9.6	96	<0.1	0.1	<0.1	45	1.17
1203778	Rock	0.45	<2	3.4	8.6	6.3	31	0.3	9.9	0.5	43	1.03	12.6	0.9	0.4	4	<0.1	0.6	0.1	11	<0.01
1203779	Rock	0.77	<2	1.5	13.0	10.5	35	<0.1	13.3	4.1	232	1.81	11.4	<0.5	6.0	29	0.1	1.0	0.3	28	0.15
1203780	Rock	0.42	<2	0.4	2.4	7.2	49	<0.1	1.2	2.1	128	1.86	4.4	<0.5	7.3	14	<0.1	<0.1	<0.1	19	0.06
1203781	Rock	0.44	<2	3.1	16.0	9.1	25	0.3	7.5	0.6	32	0.84	9.3	1.1	0.7	12	<0.1	0.7	0.1	8	<0.01
1203782	Rock	0.82	<2	0.5	10.5	2.9	20	<0.1	6.6	1.4	145	0.56	3.0	<0.5	1.0	3	<0.1	0.1	<0.1	7	<0.01
1203783	Rock	0.59	<2	0.2	5.1	7.3	9	0.2	1.1	0.8	93	0.49	5.3	<0.5	0.6	3	<0.1	<0.1	0.7	5	<0.01



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 11, 2011

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

WHI11000585.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	
1203777	Rock	0.120	28	33	0.42	136	0.037	<20	0.56	0.099	0.12	0.6	<0.01	<0.1	<0.05	5.5	<0.5	2	<0.2
1203778	Rock	0.005	1	9	0.02	252	0.002	<20	0.11	0.003	0.07	<0.1	0.02	<0.1	<0.05	0.6	1.6	<1	<0.2
1203779	Rock	0.044	13	23	0.16	140	0.061	<20	0.36	0.074	0.17	0.2	0.03	0.1	<0.05	1.6	<0.5	2	<0.2
1203780	Rock	0.012	9	9	0.07	72	0.032	<20	0.67	0.037	0.09	<0.1	<0.01	<0.1	<0.05	1.7	<0.5	4	<0.2
1203781	Rock	0.019	1	9	0.02	865	0.004	<20	0.16	0.002	0.06	<0.1	0.03	<0.1	<0.05	0.6	1.6	<1	<0.2
1203782	Rock	0.003	2	11	0.08	241	0.007	<20	0.19	0.002	0.10	<0.1	<0.01	<0.1	<0.05	1.6	<0.5	<1	<0.2
1203783	Rock	0.004	2	12	<0.01	117	0.003	<20	0.12	0.002	0.02	<0.1	<0.01	<0.1	<0.05	1.3	0.6	<1	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 11, 2011

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

WHI11000585.1

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX		
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca		
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%		
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01		
Core Reject Duplicates																						
1203779	Rock	0.77	<2	1.5	13.0	10.5	35	<0.1	13.3	4.1	232	1.81	11.4	<0.5	6.0	29	0.1	1.0	0.3	28	0.15	
DUP 1203779	QC		<2	1.4	12.2	10.0	35	<0.1	12.9	3.9	219	1.71	9.9	<0.5	5.9	28	<0.1	1.1	0.2	27	0.15	
Reference Materials																						
STD DS8	Standard			14.5	113.1	127.3	309	1.9	38.6	7.4	596	2.41	26.1	115.6	7.0	65	2.2	3.5	6.5	41	0.69	
STD DS8	Standard			12.8	103.3	137.0	302	1.7	36.7	7.6	607	2.48	25.8	81.3	6.8	80	2.1	3.8	6.3	41	0.71	
STD OREAS45CA	Standard			0.8	495.1	20.7	61	0.3	244.8	90.4	910	16.05	3.0	38.0	7.0	15	0.1	0.1	0.2	209	0.42	
STD OREAS45CA	Standard			0.7	504.5	25.6	65	0.3	259.3	91.2	928	16.82	4.2	34.6	8.4	17	<0.1	<0.1	0.2	207	0.38	
STD OXC88	Standard			192																		
STD OXH82	Standard			1300																		
STD OXC88 Expected				203																		
STD OXH82 Expected				1278																		
STD DS8 Expected				13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	4.8	6.67	41.1	0.7	
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	43	7	15	0.1	0.13	0.19	215	0.4265	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01		
BLK	Blank			<2																		
BLK	Blank			<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01		
Prep Wash																						
G1	Prep Blank			<2	0.1	1.9	3.1	48	<0.1	3.7	4.1	550	1.88	1.1	<0.5	5.2	61	<0.1	<0.1	<0.1	36	0.47
G1	Prep Blank			<2	<0.1	1.8	3.1	47	<0.1	3.2	4.2	540	1.87	0.6	<0.5	5.1	72	<0.1	<0.1	<0.1	36	0.79



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Druid Exploration**  
 Box 1485  
 Dawson City YT Y0B 1G0 Canada

Project: Zeus  
 Report Date: August 11, 2011

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI11000585.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	P	La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	
<b>Core Reject Duplicates</b>																			
1203779	Rock	0.044	13	23	0.16	140	0.061	<20	0.36	0.074	0.17	0.2	0.03	0.1	<0.05	1.6	<0.5	2	<0.2
DUP 1203779	QC	0.044	12	20	0.15	131	0.058	<20	0.36	0.072	0.16	0.2	0.02	0.1	<0.05	1.5	<0.5	2	<0.2
<b>Reference Materials</b>																			
STD DS8	Standard	0.079	14	120	0.61	283	0.116	<20	0.90	0.091	0.40	2.6	0.19	5.2	0.16	2.1	5.8	5	4.6
STD DS8	Standard	0.071	16	114	0.61	282	0.120	<20	0.93	0.094	0.40	2.4	0.18	4.9	0.16	2.0	6.0	4	4.7
STD OREAS45CA	Standard	0.038	15	701	0.14	162	0.136	<20	3.51	0.005	0.07	<0.1	0.03	<0.1	<0.05	37.7	<0.5	18	<0.2
STD OREAS45CA	Standard	0.038	17	651	0.16	152	0.158	<20	3.83	0.017	0.07	<0.1	0.03	<0.1	<0.05	39.2	0.9	19	<0.2
STD OXC88	Standard																		
STD OXH82	Standard																		
STD OXC88 Expected																			
STD OXH82 Expected																			
STD DS8 Expected		0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	5.4	0.1679	2.3	5.23	4.7	5
STD OREAS45CA Expected		0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
<b>Prep Wash</b>																			
G1	Prep Blank	0.062	8	11	0.58	224	0.130	<20	0.96	0.087	0.47	<0.1	<0.01	0.3	<0.05	1.9	<0.5	5	<0.2
G1	Prep Blank	0.078	9	9	0.74	223	0.128	<20	1.00	0.091	0.47	<0.1	<0.01	0.3	<0.05	1.9	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.