

**2011 Surface Work**

**On the**

**Divide Property**

(BA 189 to 226 YD72699 to YD72736)

**Dawson Mining District, Yukon  
NTS Sheets 115O02 and 115O03  
63°6'N. Lat., 139°0'W. Long.**

**Operated by**



**By**

**Mark Fekete, P.Geo.  
and  
Drew MacPhail, B.Sc., GIT  
January 30, 2012**

## **Summary**

In 2011 Stakeholder Gold Corp. did work on the 38-claim (721ha) Divide property located north of the Yukon River, some 115km southeast of Dawson City, Yukon. The work included a deep auger-type geochemical soil survey. The goal of the work was to identify potential gold-in-soil anomalies.

The Divide property is held 100% by Stakeholder Gold Corp. The Property is located in an isolated part of the Yukon with no local resources or infrastructure. Fuel, supplies and equipment can be flown in from Dawson City by helicopter or shipped on the river by barge.

No work has been completed on the Divide property previous to Stakeholder's surface exploration program in 2011.

The Property lies within the Yukon-Tanana Terrane which consists of several successions of complexly deformed Late Proterozoic to Late Permian sedimentary and volcanic rocks episodically intruded by various rocks in the Permian, Jurassic, Cretaceous, and Tertiary periods. The intrusive events have been accompanied by volcanic activity especially in the Upper Jurassic to Lower Cretaceous. The property is underlain entirely by Devonian to Mississippian tonalitic orthogneiss (DMogta).

Divide lies within the underexplored Klondike-White Gold district of the loosely defined Tintina Gold Belt. Stakeholder's exploration effort at Divide is based on practical survey methods that generate drill targets and have led to discoveries in the area including Kaminak's Supremo discovery on its Coffee property located approximately 27km southwest of Divide. The Property is also located 27km from Kinross's poster deposit the Golden Saddle. Detailed geochemical surveys and closely spaced, low altitude, helicopter-borne geophysical surveys have been proven to be effective in the area. Due to the deeply weathered nature of the soils in this un-glaciated area, it is very important to take samples from the deeper C-horizon.

A 111-sample deep auger-type soil geochemical survey was completed over the entire Property on August 14, 2011. The soil samples were collected with hand augers at 50m sample intervals along predetermined GPS traverse lines. The samples were analyzed for 36 elements by ISO 9001-accredited Acme Analytical Laboratories Ltd.

The soil samples returned gold values ranging from below detection limit (i.e. <5ppb Au) to a maximum of 9.2 ppb Au. The results identified no anomalous soil samples on the Property. However, more thorough sampling must be done in order to fully evaluate the gold potential of the Property. It is recommended that a soil geochemical survey be done over a grid covering the entire Property with 50m sample intervals on lines spaced 200m apart. It is estimated that this 700-sample survey will cost \$35,000 in total.

## **Certificate of Qualifications**

I, Mark Fekete, having my place of residence at 178 Dennison Boulevard in Val d'Or in the Province of Quebec do hereby certify that:

1. I obtained a Bachelor of Science Degree in Geology from the University of British Columbia in 1986, I have been engaged as a Geologist continuously since 1986 and I am a Member in good standing of the Order of Geologists of Quebec (OGQ #553) and the Association of Professional Engineers and Geoscientists of British Columbia (APEGBC #31440), and I am a “qualified person” as defined in Section 1.2 in and for the purposes of National Instrument 43-101;
2. I have visited the Divide property on numerous occasions including most recently in July 2011;
3. I co-wrote and I am, as the senior author and qualified person, responsible for the contents of this technical report entitled “2011 Surface Work on the Divide Property, Dawson Mining District, Yukon, NTS Sheets 115O02 and 115O03, 63°6'N. Lat., 139°0'W. Long.,” based on my professional experience, a review of relevant reports and maps made available to me from government and corporate sources and my participation in the work programs described in the report;
4. I am not aware of any material fact or material change with respect to the subject matter of the report that is not disclosed in the report which, by its omission, makes the report misleading;
5. I am an Officer and Director, and I beneficially hold a number of shares in Stakeholder Gold Corp.;
6. I hold no direct interest in the Divide property as a result of my prior involvement with the property; and
7. I have read, and this report has not been prepared for the purposes, nor in full compliance with, National Instrument 43-101 and according to Form 43-101F1.

Respectfully submitted this 30<sup>th</sup> day of January 2012,

(s) **“Mark Fekete”**

---

Mark Fekete, P.Geo.

## **Certificate of Qualifications**

I, Drew MacPhail, having my place of residence at 610 Church St. Port Williams, NS do hereby certify that:

1. I obtained a Bachelor of Science Degree in Geology from Acadia University in January 2012, I have been engaged as a Geologist in Training (“GIT”) continuously since January 2012 and I am not a “qualified person” as defined in Section 1.2 in and for the purposes of National Instrument 43-101;
2. I have not visited the Divide property;
3. I co-wrote this technical report entitled “2011 Surface Work on the Divide Property, Dawson Mining District, Yukon, NTS Sheets 115O02 and 115O03, 63°6’N. Lat., 139°0’W. Long.,” under the supervision of Mark Fekete, P.Geo.;
4. I am not aware of any material fact or material change with respect to the subject matter of the report that is not disclosed in the report which, by its omission, makes the report misleading;
5. I do not beneficially hold a number of shares in Stakeholder Gold Corp.;
6. I hold no direct interest in the Divide property as a result of my prior involvement with the property; and
7. I have read, and this report has not been prepared for the purposes, or in full compliance with, National Instrument 43-101 and according to Form 43-101F1.

Respectfully submitted this 30<sup>th</sup> day of January 2012,

(s) ***“Drew MacPhail”***

---

Drew MacPhail, B.Sc., GIT

## Table of Contents

<i>Summary</i> .....	<i>ii</i>
<i>Certificate of Qualifications</i> .....	<i>iii</i>
<i>Certificate of Qualifications</i> .....	<i>iv</i>
<i>Table of Contents</i> .....	<i>v</i>
<i>List of Figures</i> .....	<i>v</i>
<i>List of Tables</i> .....	<i>v</i>
1. Introduction and Terms of Reference .....	1
2. Reliance on Other Experts .....	1
3. Location and Property Description .....	1
4. Accessibility, Local Resources, Infrastructure, Physiography and Climate .....	4
5. Exploration History .....	8
6. Geology .....	8
7. Deposit Types .....	8
8. Mineralization.....	9
9. 2011 Exploration Work .....	9
9.1. Introduction.....	9
9.2. Sampling and Analytical Procedures .....	9
9.3. Data Verification.....	9
9.4. Results.....	9
10. Adjacent Properties .....	9
11. Mineral Processing and Metallurgical Testing .....	12
12. Mineral Resource and Mineral Reserve Estimates.....	12
13. Other Relevant Data and Information .....	12
14. Interpretation of Results and Conclusions.....	12
15. Recommendations .....	12
16. References .....	12

Appendix A - Statement of Work Expenditures

Appendix B - Sample Locations and Descriptions

Appendix C - Analytical Certificates

## List of Figures

Figure 1 - General Location .....	2
Figure 2 - Claim Map .....	3
Figure 3 - Regional Geology .....	5
Figure 4 - Property Geology .....	7
Figure 5 - Soil Sample Locations .....	10
Figure 6 - Gold Anomalies .....	11

## List of Tables

Table 1 - List of Claims.....	1
Table 2 - MINFILE Showings.....	8

## **1. Introduction and Terms of Reference**

Breakaway Exploration Management Inc. (“Breakaway”) was retained by Stakeholder Gold Corp. (“Stakeholder”) to write a technical report (the “Report”) describing the surface exploration work carried out on the Divide property (“Divide” or the “Property”) in Yukon in 2011. The Report describes the soil geochemical sampling survey completed.

The goal of the surface work was to identify areas of anomalous gold-in-soil that may be related to the gold bearing structures similar to Kaminak’s Supremo discovery on its Coffee property located approximately 30km southwest of the Property.

The Report is based primarily on the results of the work completed on Divide in 2011 but also contains information obtained from a review of relevant reports and maps cited throughout the Report. The Report was prepared by Geologist in Training Drew MacPhail (the “Junior Author”) under the supervision of Professional Geologist Mark Fekete (the “Senior Author”). The Senior Author has visited and personally inspected the Property on numerous occasions most recently in July 2011. The Senior Author is the designated “qualified person” as defined in Section 1.2 in and for the purposes of National Instrument 43-101. The main purpose of the Report is to complete statutory assessment work filings required under the Yukon Quartz Mining Act. It is not intended to and does not fully comply with National Instrument 43-101. The Report contains specific recommendations and proposes a budget for further work.

The metric system is used for all units of measure mentioned in the Report and all dollar amounts are in Canadian funds unless otherwise stated. All figures presented in the Report are plotted in map projection UTM NAD 83, Zone 7 unless otherwise stated.

## **2. Reliance on Other Experts**


The Authors may have relied on technical data and interpretations found in various sources cited throughout the report. The Authors may not have verified this information and take no responsibility for its accuracy or completeness. Reference to the compliance or non-compliance with NI 43-101 standards of historical information and data referred to in this Report are made where appropriate. The Authors do not offer any opinion concerning legal, title, environmental, political or other non-technical issues that may be relevant to the Report. The Report may contain links to several web-sites. The Authors take no responsibility for the functionality or content of these websites.

## **3. Location and Property Description**

The Property, acquired by staking, covers an approximate area of 721 hectares within the Dawson Mining Division of Yukon. It consists of 38 claims making up one contiguous claim block. The block is located at the height of land between Thistle and Barker creeks (Figure 1). The approximate center of the block is described by 63°6' North Latitude and 139°0' West Longitude on N.T.S. Sheet 115O02 and 115O03. The Property un-surveyed mineral titles (Figure 2) are more fully described in Table 1 below.

**Table 1 - List of Claims**


Claim Name No.	Tag No.	Expiry Date	#
BA 189 - 226	YD72699 to YD72736	15-Sept-2011	38




**DIVIDE PROPERTY**  
**Figure 1. GENERAL LOCATION**

Universal Transverse Mercator Zone 7  
World Geodetic System 1984  
Scale 1:100 000

0 1.25 2.5 5 km



Divide Property  
Figure 1. General Location  
Stakeholder Gold Corp.  
NTS Sheet: 115O  
Date: November 26, 2011



Divide Property  
Figure 2. Claim Map  
Stakeholder Gold Corp.  
NTS Sheet: 115O/02&03  
Date: November 26, 2011

The mineral claims included in the Property were acquired under the Yukon Quartz Mining Act which grants only the hard rock mineral rights to the claim holder. The surface rights for the area of the Property are held by the Crown. To maintain the claims in good standing, a minimum of \$100 assessment work per claim must be completed annually. There are provisions to apply for more than one year work at a time up to a maximum of five years, to apply work from one claim to other adjoining claims (grouping) up to a maximum of 750 contiguous claims and to pay cash in lieu of work up to a maximum of five years. The Quartz Mining Land Use Regulations consist of a classification system based on varying levels of specific activities. These threshold levels categorize exploration activities into four classes of operation. Classes 1 through 4 represent activities with increasing potential to cause adverse environmental impacts.

Activities within a Class 1 program are defined as “grassroots” exploration with low potential to cause adverse environmental effects, and where activities and reclamation are completed within a year. A Class 1 program does not require government approval but the operator must comply with the certain operating conditions. An assessment under the Yukon Environmental and Socio Economic Assessment Act (“YESAA”) is not required for a Class 1 program.

Class 2 programs are considered to represent the upper level of “grassroots” exploration activities. A notification submitted through the Mining Lands Office which outlines the activities and how they will be reclaimed is required. These programs comprise activities that have a moderate potential to cause adverse environmental effects and therefore require an assessment through YESAA. All work and reclamation must be completed within one year.

All Class 3 and Class 4 programs require submission of a detailed “Operating Plan” to the Mining Lands Office. A YESAA assessment is required. The Operating Plan must be approved before any exploration activities can be undertaken. Operating Plans may entail multi-year exploration programs to allow greater flexibility for the operator. The work described in this Report was completed as a Class 1 Program.


#### **4. Accessibility, Local Resources, Infrastructure, Physiography and Climate**

Access to the Property is restricted due to a lack of usable roads on or adjacent to the Property. The primary means of access is by helicopter from Dawson City or by airplane to Thistle Creek or Kirkman Creek airstrips followed by helicopter to the Property.

Divide is located in an isolated part of Yukon with relatively few local resources or infrastructure. The Property can be worked from Dawson City by helicopter or from an exploration camp set up on or near the Property. A camp can be supported from Dawson City, where services are limited, or from Whitehorse where a full range of services are available including line-cutting, geophysics, drilling, assaying, aircraft charters etc.

Unlike most parts of Yukon, the Dawson Range was not affected by the last period of continental glaciations and so it is characterized by low rolling hills incised with steep sided, V-shaped valleys. Bedrock is typically deeply weathered and there is very little (perhaps less than 5%) outcrop exposed; usually on ridges above tree-line or in rare canyons in the creek valleys. Elevations on the Property range from 600m to 800m above sea level. Most of the Property lies below the tree-line and is covered by a typical boreal forest mix containing black spruce aspen and alder brush. North and west slopes are often covered with thick moss blanketing permafrost.


The Dawson City area is characterized by a semi-arid, sub-arctic continental climate with mild to hot summers and cold winters. Precipitation is generally light in the summer and overall clear skies and warm temperatures prevail. Heavy morning fog can be a problem for aircraft especially towards the end of the summer season. Forest fires are common and thick smoke at times may impede exploration work. Maximum snow accumulations in the winter are typically less than one meter. Due to the northerly latitude of the region, summer days are long and winter days are very short. The best season for exploration is during the summer months from mid-May to mid-October. Although it is possible to work during the winter months, costs rise exponentially due to cold temperatures, inclement weather and short daylight hours.



**DIVIDE PROPERTY**  
**Figure 3. REGIONAL GEOLOGY**


Universal Transverse Mercator Zone 7  
World Geodetic System 1984  
Scale 1:100 000

★ Mineral Occurrence



Divide Property  
Figure 3. Regional Geology  
Stakeholder Gold Corp.  
NTS Sheet: 115O  
Date: November 26, 2011

## QUATERNARY



## TERTIARY



## DEVONIAN TO MISSISSIPPAN?



## TERTIARY

### EOCENE



## CRETACEOUS

### UPPER CRETACEOUS



### MID?-CRETACEOUS



### LOWER CRETACEOUS




## JURASSIC

### EARLY JURASSIC



## TRIASSIC

### LATE TRIASSIC



## PALEOZOIC AND/OR MESOZOIC




## CARBONIFEROUS



## MID(?) - TO LATE PALEOZOIC



## PERMIAN




## DEVONIAN TO MISSISSIPPAN



## SYMBOLS

- — — — — Geological contact (defined, approximate, assumed)
- ||||||| / / / / / Fault, sense of movement uncertain (defined, approximate, assumed)
- — — — Fault, transcurrent, dextral (approximate)
- ▲ — ▲ — ▲ Fault, thrust (teeth on upper plate) (defined, approximate, assumed)
- — ● — ● — ● Fault, normal (teeth on upper plate) (defined, approximate, assumed)
- — □ — □ — □ Fault, low-angle normal (teeth on upper plate) (approximate, assumed)

Figure 3 continued. Legend for Regional Geology



**DIVIDE PROPERTY**  
**Figure 4. PROPERTY GEOLOGY**

Universal Transverse Mercator Zone 7  
World Geodetic System 1984  
Scale 1:20 000

0 0.25 0.5 1 km

Divide Property  
Figure 4. Property Geology  
Stakeholder Gold Corp.  
NTS Sheet: 115O/02&03  
Date: November 26, 2011

## 5. Exploration History

The following exploration history of the Property has been compiled from the Yukon Energy and Mines and Resources Library and Yukon Geological Survey MINFILE database. There has been no exploration work recorded on the Property. There are no assessment reports for any work complete on the present Property.

**Table 2 - MINFILE Showings**

MINFILE No.	MINEFILE Name	Link
115O 015	Agate	<a href="#">115O 015</a>

Quartz or hard rock prospecting in the Divide area dates back to the Klondike Gold Rush of the 1890's and has continued sporadically since that time. Minfile 115O 015 states that there is an area of several small and linear magnetic anomalies that exists 3 km to the south of Divide (MINFILE No. 115O 015).

## 6. Geology

The Property lies within the Yukon-Tanana Terrane which, due to large areas with little or no bedrock exposure and limited modern regional or detailed mapping, remains very poorly understood. Generally it consists of several successions of layered sedimentary and volcanic rocks ranging from Late Proterozoic to Late Permian age that overlay the older Nisling Terrane. These complexly deformed layered rocks have been episodically intruded by various intrusive rocks in the Permian, Jurassic, Cretaceous and Tertiary periods. The intrusive events have been accompanied by volcanic activity especially in the Upper Jurassic to Lower Cretaceous. The Yukon-Tanana has been subjected to numerous prolonged deformational events including subduction and accretion that has led to significant structural thickening. Imbricated allochthonous terranes such as Slide Mountain Terrane are evidenced by altered ultramafic fragments.

The most recent regional mapping and compilation work in the Stewart River area (Figure 3) by Ryan and Gordey (2004) indicates that the Property (Figure 4) is underlain entirely by Devonian to Mississippian tonalitic orthogneiss (DMogta). It is described as generally grey, banded to layered, commonly veined and interlayered with amphibolite schist or gneiss.

## 7. Deposit Types

The Property lies within an underexplored part of the loosely defined Tintina Gold Belt. This metallurgical province has past production of 29.9 million ounces and 39.3 million ounces of resources for total gold resources of 69.2 million ounces. Notable gold deposits are Donlin Creek, Ft. Knox, Pogo and Brewery Creek. The underexplored nature of the Klondike-White Gold district was highlighted by Kaminak's Supremo discovery on its Coffee property in 2010 located approximately 30km south of Divide and by Underworld's discovery of the Saddle and Arc zones in May 2009 on the White property located approximately 25km northwest of Divide.

The Klondike-White Gold district lies within the larger Dawson Range area where a number of known gold and porphyry copper deposits show a wide range of styles, geological settings and geochemical associations. Stakeholder's exploration effort at Divide is not adhering to any firm deposit model but is instead based on practical survey methods that generate drill targets and have led to discoveries by other groups working in the area.

Detailed deep auger-type soil geochemical surveys have proven to be effective in the area, as shown by prospector Shawn Ryan's success on the Coffee and White properties. The Dawson Range generally shows deeply weathered, oxidized soils in an un-glaciated environment. This simply means that in order to collect soils that best represent the underlying bedrock it is necessary to take relatively deep soil samples that are likely less weathered and less oxidized. Another useful exploration tool is to fly closely spaced, low altitude, helicopter-borne geophysical surveys to assist in interpreting bedrock units, structure, and alteration.

## **8. Mineralization**

Very little *in situ* mineralization has been identified on the Property to date due primarily to the lack of outcrop. A number of quartz veins and quartz breccias have been uncovered with or without disseminated sulphides.

## **9. 2011 Exploration Work**

### **9.1. Introduction**

Exploration work in 2011 included a preliminary deep auger-type soil geochemical survey along the ridges and spurs of the Property. Field work, supervised by the Senior Author, was completed on August 14, 2011 and the analytical work was done from August 15, 2011 to November 16, 2011. A detailed Statement of Work is included herein as Appendix A. The Junior Author compiled the field data into digital maps and wrote this Report up to January 30, 2012.

### **9.2. Sampling and Analytical Procedures**

The work was done on foot and by helicopter from a camp set up on Kirkman Creek about 15km southwest of the Property. A total of 111 soil samples, including field duplicates, were collected at stations 50m apart along lines that followed the ridges and spurs.

Sample locations were flagged in the field and recorded with HP iPAQ 200 series field computers running GeoInfoMobile and Tierra Mapper software paired with Holux GPS receivers in map datum UTM WGS 84 Zone7. Sample locations (Figure 5) and descriptions are included as Appendix B. A data CD is also included. Soil sample material varied from clay to sand with some humus samples. Sample depth varied from 20 to 110cm with an average depth of 58cm.

Soil samples were placed in Kraft-type paper bags with the appropriate sample numbers marked in indelible ink. Batches of samples were subsequently dried, sealed in rice bags and shipped to Acme Analytical Laboratories Ltd. (“Acme”) in Vancouver, B.C. for analysis. Samples were dried and sieved to - 80 mesh size and analyzed for 36 elements (including gold) by 15 gram Aqua Regia digestion, ICP-MS finish (Appendix C). Acme is accredited under ISO 9001.

### **9.3. Data Verification**


It is the Authors’ opinion that the sampling procedures, security measures, sample preparations and analytical methods applied to the soil samples were diligently followed and are adequate to meet industry standards commonly accepted for this level of exploration. The Authors have relied upon the adequacy and accuracy of the analytical results provided by Acme. Independent verification of those results has not been undertaken. The Authors reconciled the field data with the analytical results and found no discrepancies.

### **9.4. Results**

The soil samples returned gold values ranging from below detection limit (i.e. <0.5ppb Au) to a maximum of 9.2ppb Au. Based on Stakeholder regional soil geochemical database for the White Gold district, none of the samples are above the threshold anomaly value (i.e.  $\geq 10$ ppb Au). No geochemical trends were detected (Figure 6).

## **10. Adjacent Properties**


Significant gold mineralization has been reported on Kinross’s White Gold property which borders the Divide property to the west. The White Gold deposit, located 25km west of Divide, has a current resource estimated at the Golden Saddle zone of 1,004,570 indicated ounces at 3.2gpt Au and 407,413 inferred ounces at 2.5gpt Au; and at the Arc Zone of 170,470 inferred ounces at 1.2gpt Au (Underworld Press Release – January 19, 2010). Approximately 25km south of Divide lays Kaminak’s discovery hole of 17.1gpt Au over 15.5m at the Supremo zone (Kaminak Press Release - May 26, 2010).




**DIVIDE PROPERTY**  
**Figure 5. SAMPLE LOCATIONS**

Universal Transverse Mercator Zone 7  
World Geodetic System 1984  
Scale 1:20 000

0 0.25 0.5 1 km



Divide Property  
Figure 5. Sample Locations  
Stakeholder Gold Corp.  
NTS Sheet: 115O/02&03  
Date: November 26, 2011



#### Soil Au ppb

- 0 - 10
- 10 - 20
- 20 - 30
- 30 - 60
- > 60

**DIVIDE PROPERTY**  
**Figure 6. DETAILED GOLD ANOMOLY MAP**

Universal Transverse Mercator Zone 7  
World Geodetic System 1984  
Scale 1:20 000

0 0.25 0.5 1 km



Divide Property  
Figure 6. Detailed Gold Anomaly Map  
Stakeholder Gold Corp.  
NTS Sheet: 115O/02&03  
Date: November 26, 2011

The Authors have not verified the information made public on these adjacent properties and cautions that **any such information is not necessarily indicative of the mineralization on the Divide property**. However, this information does indicate that the White Gold district is an underexplored area that has solid potential for hosting significant gold deposits.

## **11. Mineral Processing and Metallurgical Testing**

To date no mineral processing or metallurgical testing has been completed at Divide.

## **12. Mineral Resource and Mineral Reserve Estimates**

To date no mineral resource or mineral reserve estimates have been completed at Divide. The Property is at a “grassroots” level of exploration such that it is too early to make any resource or reserve estimates.

## **13. Other Relevant Data and Information**

The Authors are not aware of any other relevant data and information or explanation to make this report more understandable and not misleading.

## **14. Interpretation of Results and Conclusions**

The ridge and spur soil sampling was not successful in identifying any anomalous areas. More thorough sampling must be done in order to fully evaluate the gold potential of the Property.

## **15. Recommendations**

It is recommended that a soil geochemical survey be done over a grid covering the entire Property with 50m sample intervals on lines spaced 200m apart. It is estimated that this 700-sample survey will cost \$35,000 in total.

## **16. References**

Gordey, S.P. and Makepeace, A.J. (1999): Yukon bedrock geology in Yukon digital geology, S.P. Gordey and A.J. Makepeace (comp.); Geological Survey of Canada Open File D3826 and Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, Open File 1999-1

Gordey, S.P. and Ryan, J.J. (2005): Geology, Stewart River Area (115 N, 115-O and part of 115 J), Yukon Territory; Geological Survey of Canada, Open File 4970, scale 1:250 000.

Mortensen, J.K. (1996)

Geological compilation maps of the northern Stewart River map area, Klondike and Sixtymile Districts (115N/15, 16; 115O/13, 14; and parts of 115O/15, 16). Exploration and Geological Services Division, Yukon region, Indian and Northern Affairs Canada, Open File 1996-1

## **Appendix A - Statement of Work Expenditures**



QUARTZ MINING ACT FORM 4 SECTION 56  
**APPLICATION FOR A CERTIFICATE OF WORK**

*Version française*

I, MARK FEKETE,

Office Date Stamp

of VAL D'OR, QUEBEC

Phone 819-874-8182

make oath and say that:

1. I am the owner, or agent of the owner, of the mineral claim(s) to which reference is made herein.
2. I have done, or caused to be done, work, on the following mineral claim(s): (Here list claims on which work was actually done by number and name)

SEE ATTACHED SCHEDULE

---

---

---

---

situated at HEADWATERS OF THISTLE & BARKER CK Claim sheet No. 1150/02&03

in the DAWSON Mining District, to the value of at least 13,573.27 dollars,

since the 2 day of AUGUST 2011,  
to represent the following mineral claims under the authority of Grouping Certificate No.                 .  
(Here list claims to be renewed in numerical order, by grant number and claim name, showing renewal period requested).

SEE ATTACHED SCHEDULE

---

---

---

---

3. The following is a detailed statement of such work: (Set out full particulars of the work done indicating dates work commenced and ended in the twelve months in which such work is required to be done as shown by Section 56).

THE WORK INCLUDED A SOIL GEOCHEMICAL SURVEY OVER THE ENTIRE BLOCK OF 38 CLAIMS. THE

WORK BEGAN AUGUST 2 AND CONTINUED UNTIL SEPTEMBER 14, 2011. A TOTAL OF 111 SAMPLES WERE

COLLECTED.

---

---

---

---

Sworn before me at \_\_\_\_\_ this \_\_\_\_\_ day of \_\_\_\_\_ 20 \_\_\_\_\_.  
\_\_\_\_\_  
\_\_\_\_\_

Notary Public

Owner or Authorized Agent

*Access to Information and Protection of Privacy Act*

The personal information requested on this form is collected under the authority of and used for the purpose of administering the *Quartz Mining Act*. Questions about the collection and use of this information can be directed to the Mining Recorders Office, Mineral Resources, Department of Energy, Mines and Resources, Yukon Government, Box 2703, Whitehorse, Yukon Territory, Y1A 2C6 (867) 667-3190  
YG(5049Q) F2 04/2003

## Claim List for Cert of Work 2011 Divide

Type	Claim Information				Soil Geochem Survey	Work Done		Renewal		
	Grant No.	Claim Name	Claim No.	Expiry Date		Years	Annual Fee	Total		
Quartz	YD72699	BA	189	15/09/2011 0:00	\$ 969.52	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72700	BA	190	15/09/2011 0:00	\$ 969.52	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72701	BA	191	15/09/2011 0:00	\$ -	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72702	BA	192	15/09/2011 0:00	\$ 969.52	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72703	BA	193	15/09/2011 0:00	\$ -	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72704	BA	194	15/09/2011 0:00	\$ 969.52	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72705	BA	195	15/09/2011 0:00	\$ -	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72706	BA	196	15/09/2011 0:00	\$ -	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72707	BA	197	15/09/2011 0:00	\$ -	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72708	BA	198	15/09/2011 0:00	\$ -	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72709	BA	199	15/09/2011 0:00	\$ -	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72710	BA	200	15/09/2011 0:00	\$ 969.52	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72711	BA	201	15/09/2011 0:00	\$ -	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72712	BA	202	15/09/2011 0:00	\$ -	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72713	BA	203	15/09/2011 0:00	\$ -	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72714	BA	204	15/09/2011 0:00	\$ -	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72715	BA	205	15/09/2011 0:00	\$ -	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72716	BA	206	15/09/2011 0:00	\$ -	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72717	BA	207	15/09/2011 0:00	\$ 969.52	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72718	BA	208	15/09/2011 0:00	\$ -	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72719	BA	209	15/09/2011 0:00	\$ 969.52	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72720	BA	210	15/09/2011 0:00	\$ 969.52	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72721	BA	211	15/09/2011 0:00	\$ 969.52	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72722	BA	212	15/09/2011 0:00	\$ -	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72723	BA	213	15/09/2011 0:00	\$ 969.52	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72724	BA	214	15/09/2011 0:00	\$ -	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72725	BA	215	15/09/2011 0:00	\$ -	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72726	BA	216	15/09/2011 0:00	\$ -	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72727	BA	217	15/09/2011 0:00	\$ -	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72728	BA	218	15/09/2011 0:00	\$ -	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72729	BA	219	15/09/2011 0:00	\$ -	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72730	BA	220	15/09/2011 0:00	\$ -	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72731	BA	221	15/09/2011 0:00	\$ 969.52	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72732	BA	222	15/09/2011 0:00	\$ 969.52	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72733	BA	223	15/09/2011 0:00	\$ -	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72734	BA	224	15/09/2011 0:00	\$ 969.52	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72735	BA	225	15/09/2011 0:00	\$ -	3.5	\$ 5.00	\$ 17.50		
Quartz	YD72736	BA	226	15/09/2011 0:00	\$ 969.52	3.5	\$ 5.00	\$ 17.50		
				Column Total	\$ 13,573.27	133		\$ 665.00		
				14 claims	\$ -					
				Check	\$ -			\$ 1,875.00		

Supplier	Invoice	Date			Geochem						Total
					Wages & Contract	F&L	Supplies	Transport	Rentals	Assays	
Name	Ref No.	Date	Month	Project	5150	5151	5152	5153	5154	5156	Total
Heli-Dynamics	11902	2-Aug-11	08-11	Divide				416.39			416.39
Heli-Dynamics	11903	3-Aug-11	08-11	Divide				277.59			277.59
Heli-Dynamics	11904	4-Aug-11	08-11	Divide				346.99			346.99
Heli-Dynamics	11905	5-Aug-11	08-11	Divide				254.46			254.46
Heli-Dynamics	11906	6-Aug-11	08-11	Divide				254.46			254.46
Heli-Dynamics	11907	7-Aug-11	08-11	Divide				289.16			289.16
Heli-Dynamics	11909	9-Aug-11	08-11	Divide				115.66			115.66
Heli-Dynamics	11910	10-Aug-11	08-11	Divide				115.66			115.66
Heli-Dynamics	11913	12-Aug-11	08-11	Divide				485.79			485.79
Heli-Dynamics	11868	13-Aug-11	08-11	Divide				329.52			329.52
Heli-Dynamics	11869	14-Aug-11	08-11	Divide				305.80			305.80
Heli-Dynamics	11870	15-Aug-11	08-11	Divide				157.27			157.27
Heli-Dynamics	11919	18-Aug-11	08-11	Divide				416.39			416.39
Heli-Dynamics	11920	19-Aug-11	08-11	Divide				277.59			277.59
Heli-Dynamics	11882	21-Aug-11	08-11	Divide				636.15			636.15
Heli-Dynamics	11881	20-Aug-11	08-11	Divide				786.52			786.52
Heli-Dynamics	11883	22-Aug-11	08-11	Divide				555.19			555.19
Alkan Air	13518-10	2-Aug-11	08-11	Divide				682.89			682.89
Heli-Dynamics	11873	16-Aug-11	08-11	Divide				196.49			196.49
Heli-Dynamics	11885	23-Aug-11	08-11	Divide				520.49			520.49
Heli-Dynamics	11886	24-Aug-11	08-11	Divide				485.79			485.79
Heli-Dynamics	11890	27-Aug-11	08-11	Divide				335.43			335.43
Small's Exp.	K7317	15-Aug-11	08-11	Divide	13.31						13.31
Small's Exp.	K7281	15-Aug-11	08-11	Divide	16.64						16.64
Bonanza Market	Stms 08/16/2011	16-Aug-11	08-11	Divide		164.97					164.97
Dawson Hardware	Stmt 08/31/2011	31-Aug-11	08-11	Divide				166.54			166.54
Tintina Air	531	27-Aug-11	08-11	Divide				57.42			57.42
Tintina Air	510	13-Aug-11	08-11	Divide				187.56			187.56
Breakaway	Stmt 20/09/2011	20-Sep-11	09-11	Divide	2,300.00						2,300.00
Breakaway	Stmt 20/09/2011	20-Sep-11	09-11	Divide		166.50					166.50
Breakaway	Stmt 20/09/2011	20-Sep-11	09-11	Divide			228.03				228.03
Breakaway	Stmt 20/09/2011	20-Sep-11	09-11	Divide				132.50			132.50
Estimated Acme				Divide					1,898.10		1,898.10
bottom					2,329.96	164.97	166.50	8,881.25	132.50	1,898.10	13,573.27

## **Appendix B - Sample Locations and Descriptions**

Appendix C. Sample locations and descriptions

Sample	Date	Sampler	Easting	Northing	EastNorthDatum	Type	Colour	Texture	Terrain	Horizon	Depth	Moisture	Quality	Vegetation
106733	14/08/2011	BenDubois	600634	6997132	UTMZ7N_WGS84	Soil	BrownDark	Silt	Flat	B	80	Moist	Poor	ForestBlackSpruce
106734	14/08/2011	BenDubois	600679	6997091	UTMZ7N_WGS84	Soil	BrownDark	Silt	Flat	B	100	Moist	Poor	ForestBlackSpruce
106735	14/08/2011	BenDubois	600703	6997058	UTMZ7N_WGS84	Soil	Brown	Silt	Flat	B	80	Moist	Poor	ForestBlackSpruce
106736	14/08/2011	BenDubois	600742	6997030	UTMZ7N_WGS84	Soil	BrownDark	Silt	Flat	B	80	Moist	Poor	ForestBlackSpruce
106737	14/08/2011	BenDubois	600769	6996985	UTMZ7N_WGS84			Silt	Flat	B	80	Moist	Poor	ForestBlackSpruce
106738	14/08/2011	BenDubois	600799	6996937	UTMZ7N_WGS84	Soil	BrownDark	Silt	Flat	B	80	Moist	Poor	ForestBlackSpruce
106739	14/08/2011	BenDubois	600843	6996910	UTMZ7N_WGS84	Soil	Brown	Silt	Flat	B	80	Moist	Poor	ForestBlackSpruce
106740	14/08/2011	BenDubois	600875	6996869	UTMZ7N_WGS84	Soil	Brown	Silt	Flat	B	80	Moist	Poor	ForestBlackSpruce
106741	14/08/2011	BenDubois	600897	6996840	UTMZ7N_WGS84	Colluvium	Brown	Sand	ModerateN	C	100	Dry	Excellent	ForestBlackSpruce
106742	14/08/2011	BenDubois	600945	6996793	UTMZ7N_WGS84	Soil	Brown	Gravel	ModerateN	B	70	Dry	Excellent	ForestBlackSpruce
106743	14/08/2011	BenDubois	600995	6996791	UTMZ7N_WGS84	Soil	Brown	Clay	ModerateN	B	90	Dry	Excellent	ForestBlackSpruce
106744	14/08/2011	BenDubois	601033	6996755	UTMZ7N_WGS84	Soil	Brown	Clay	ModerateN	B	60	Moist	Excellent	ForestBlackSpruce
106745	14/08/2011	BenDubois	601083	6996735	UTMZ7N_WGS84	Soil	Brown	Silt	ModerateN	B	60	Dry	Excellent	ForestBlackSpruce
106746	14/08/2011	BenDubois	601130	6996713	UTMZ7N_WGS84	Soil	Brown	Silt	ModerateNE	B	60	Moist	Excellent	ForestBlackSpruce
106747	14/08/2011	BenDubois	601181	6996706	UTMZ7N_WGS84	Soil	Brown	Clay	ModerateNE	B	60	Dry	Excellent	ForestBlackSpruce
106748	14/08/2011	BenDubois	601216	6996669	UTMZ7N_WGS84	Colluvium	Green	Silt	ModerateNE	C	60	Dry	Excellent	ForestBlackSpruce
106749	14/08/2011	BenDubois	601263	6996674	UTMZ7N_WGS84	Colluvium	Brown	Gravel	ModerateNE	B	40	Moist	Excellent	ForestBlackSpruce
106750	14/08/2011	BenDubois	601310	6996644	UTMZ7N_WGS84	Colluvium	Brown	Silt	Ridge	B	40	Dry	Excellent	ForestBlackSpruce
106751	14/08/2011	BenDubois	601370	6996656	UTMZ7N_WGS84	Lacustrian	Brown	Silt	Ridge	B	90	Dry	Excellent	ForestBlackSpruce
106752	14/08/2011	BenDubois	601400	6996682	UTMZ7N_WGS84	Soil	Brown	Sand	Ridge	C	100	Dry	Excellent	ForestBlackSpruce
106753	14/08/2011	BenDubois	601439	6996692	UTMZ7N_WGS84	Colluvium	Red	Silt	ModerateNE	C	40	Dry	Excellent	ForestBlackSpruce
106754	14/08/2011	BenDubois	601478	6996718	UTMZ7N_WGS84	Soil	Brown	Sand	ModerateNE	C	100	Dry	Excellent	ForestBlackSpruce
106755	14/08/2011	BenDubois	601521	6996753	UTMZ7N_WGS84	Colluvium	Brown	Gravel	ModerateNE	B	30	Dry	Excellent	ForestBlackSpruce
106756	14/08/2011	BenDubois	601572	6996779	UTMZ7N_WGS84	Colluvium	Brown	Gravel	ModerateNE	B	30	Dry	Excellent	ForestBlackSpruce
106757	14/08/2011	BenDubois	601623	6996795	UTMZ7N_WGS84	Colluvium	Brown	Sand	ModerateNE	C	60	Dry	Excellent	ForestBlackSpruce
106758	14/08/2011	BenDubois	601647	6996829	UTMZ7N_WGS84	Lithosoil	Brown	Gravel	ModerateNE	B	40	Dry	Good	ForestBlackSpruce
106759	14/08/2011	BenDubois	601700	6996833	UTMZ7N_WGS84	Colluvium	Brown	Gravel	ModerateNE	B	30	Moist	Poor	ForestBlackSpruce
106760	14/08/2011	BenDubois	601744	6996871	UTMZ7N_WGS84	Colluvium	Brown	Gravel	ModerateNE	B	30	Dry	Excellent	ForestBlackSpruce
106761	14/08/2011	BenDubois	601788	6996902	UTMZ7N_WGS84	Soil	BrownDark	Gravel	ModerateNE	B	30	Dry	Excellent	ForestBlackSpruce
106762	14/08/2011	BenDubois	601838	6996913	UTMZ7N_WGS84	Colluvium	Brown	Sand	ModerateNE	B	60	Dry	Good	ForestBlackSpruce
106763	14/08/2011	BenDubois	601876	6996941	UTMZ7N_WGS84	Colluvium	BrownDark	Silt	ModerateNE	B	80	Dry	Excellent	ForestBlackSpruce
106764	14/08/2011	BenDubois	601928	6996960	UTMZ7N_WGS84	Soil	Brown	Gravel	ModerateNE	B	40	Moist	Good	ForestBlackSpruce
106765	14/08/2011	BenDubois	601967	6996999	UTMZ7N_WGS84	Soil	BrownDark	Silt	ModerateE	B	40	Moist	Poor	ForestBlackSpruce
106766	14/08/2011	BenDubois	602017	6996979	UTMZ7N_WGS84	Soil	Brown	Sand	ModerateE	C	60	Dry	Excellent	ForestBlackSpruce
106767	14/08/2011	BenDubois	602071	6996971	UTMZ7N_WGS84	Soil	Green	Sand	ModerateE	C	50	Dry	Excellent	ForestBlackSpruce
106768	14/08/2011	BenDubois	602126	6996983	UTMZ7N_WGS84	Soil	Green	Sand	ModerateE	C	60	Dry	Excellent	ForestBlackSpruce
106769	14/08/2011	BenDubois	602167	6996968	UTMZ7N_WGS84	Soil	BrownDark	Sand	ModerateE	C	80	Dry	Excellent	ForestBlackSpruce
106770	14/08/2011	BenDubois	602224	6996980	UTMZ7N_WGS84	Soil	Green	Silt	ModerateE	C	80	Dry	Excellent	ForestBlackSpruce
113961	14/08/2011	HugoGirard	600611	6997528	UTMZ7N_WGS84	Colluvium	Brown	Gravel	Ridge	C	30	Moist	Good	BurnOld
113962	14/08/2011	HugoGirard	600549	6997524	UTMZ7N_WGS84	Colluvium	Green	Silt	Ridge	C	30	Dry	Excellent	BurnOld
113963	14/08/2011	HugoGirard	600510	6997524	UTMZ7N_WGS84	Colluvium	BrownLight	Silt	Flat	C	60	Dry	Excellent	BurnOld
113964	14/08/2011	HugoGirard	600454	6997520	UTMZ7N_WGS84	Colluvium	BrownLight	Silt	Ridge	C	60	Dry	Excellent	BurnOld
113965	14/08/2011	HugoGirard	600408	6997513	UTMZ7N_WGS84	Colluvium	BrownLight	Silt	Ridge	C	50	Dry	Good	BurnOld
113966	14/08/2011	HugoGirard	600357	6997517	UTMZ7N_WGS84	Colluvium	Brown	Silt	ModerateSW	B	100	Moist	Good	ForestMixed
113967	14/08/2011	HugoGirard	600305	6997507	UTMZ7N_WGS84	Colluvium	Brown	Silt	ModerateSW	B	30	Dry	Good	ForestMixed
113968	14/08/2011	HugoGirard	600256	6997511	UTMZ7N_WGS84	Colluvium	Brown	Silt	ModerateSW	B	40	Dry	Good	ForestMixed
113969	14/08/2011	HugoGirard	600209	6997523	UTMZ7N_WGS84	Colluvium	Brown	Silt	ModerateSW	B	40	Dry	Good	ForestMixed
113970	14/08/2011	HugoGirard	600154	6997509	UTMZ7N_WGS84	Colluvium	BrownLight	Silt	ModerateSW	C	60	Dry	Excellent	ForestMixed
113971	14/08/2011	HugoGirard	600110	6997505	UTMZ7N_WGS84	Colluvium	Grey	Silt	ModerateSW	C	100	Dry	Excellent	BurnOld
113972	14/08/2011	HugoGirard	600067	6997491	UTMZ7N_WGS84	Colluvium	Brown	Silt	Ridge	B	110	Dry	Excellent	BurnOld

Appendix C. Sample locations and descriptions

Sample	Date	Sampler	Easting	Northing	EastNorthDatum	Type	Colour	Texture	Terrain	Horizon	Depth	Moisture	Quality	Vegetation
113973	14/08/2011	HugoGirard	600013	6997459	UTMZ7N_WGS84	Colluvium	Tan	Silt	Flat	C	100	Dry	Excellent	BurnOld
113974	14/08/2011	HugoGirard	599951	6997479	UTMZ7N_WGS84	Colluvium	Green	Silt	Flat	C	100	Dry	Excellent	BurnOld
113975	14/08/2011	HugoGirard	599912	6997507	UTMZ7N_WGS84	Colluvium	BrownDark	Silt	Flat	C	50	Dry	Good	BurnOld
113976	14/08/2011	HugoGirard	599849	6997523	UTMZ7N_WGS84	Colluvium	Brown	Silt	Ridge	B	60	Dry	Good	BurnOld
113977	14/08/2011	HugoGirard	599807	6997499	UTMZ7N_WGS84	Colluvium	Orange	Silt	Ridge	B	60	Dry	Good	BurnOld
113978	14/08/2011	HugoGirard	599755	6997494	UTMZ7N_WGS84	Colluvium	Orange	Silt	Ridge	B	70	Dry	Excellent	BurnOld
113979	14/08/2011	HugoGirard	599702	6997515	UTMZ7N_WGS84	Colluvium	Yellow	Silt	Ridge	C	60	Dry	Excellent	BurnOld
113980	14/08/2011	HugoGirard	599606	6997541	UTMZ7N_WGS84	Colluvium	BrownDark	Silt	ModerateNE	B	60	Moist	Good	BurnOld
113981	14/08/2011	HugoGirard	599561	6997508	UTMZ7N_WGS84	Colluvium	BrownDark	Clay	ModerateNE	B	40	Moist	Poor	BurnOld
113982	14/08/2011	HugoGirard	599517	6997488	UTMZ7N_WGS84	Colluvium	Brown	Clay	ModerateNE	B	50	Moist	Poor	BurnOld
113983	14/08/2011	HugoGirard	599461	6997469	UTMZ7N_WGS84	Colluvium	RustyRed	Silt	ModerateNE	C	50	Dry	Excellent	BurnOld
113984	14/08/2011	HugoGirard	599405	6997465	UTMZ7N_WGS84	Colluvium	BrownLight	Silt	Ridge	C	40	Dry	Good	BurnOld
113985	14/08/2011	HugoGirard	599352	6997462	UTMZ7N_WGS84	Colluvium	BrownLight	Silt	Flat	C	20	Dry	Poor	BurnOld
113986	14/08/2011	HugoGirard	599314	6997469	UTMZ7N_WGS84	Colluvium	BrownLight	Silt	ModerateE	C	40	Dry	Good	BurnOld
113987	14/08/2011	HugoGirard	599260	6997450	UTMZ7N_WGS84	Colluvium	Brown	Silt	Ridge	C	30	Dry	Excellent	BurnOld
113989	14/08/2011	HugoGirard	599156	6997443	UTMZ7N_WGS84	Colluvium	BrownLight	Silt	Ridge	C	30	Dry	Good	BurnOld
113990	14/08/2011	HugoGirard	599104	6997435	UTMZ7N_WGS84	Colluvium	Orange	Silt	Ridge	C	90	Dry	Excellent	BurnOld
113992	14/08/2011	HugoGirard	599062	6997439	UTMZ7N_WGS84	Colluvium	Brown	Silt	Flat	C	40	Dry	Excellent	BurnOld
113993	14/08/2011	HugoGirard	599012	6997448	UTMZ7N_WGS84	Colluvium	Brown	Silt	Flat	C	50	Dry	Good	BurnOld
113994	14/08/2011	HugoGirard	598956	6997430	UTMZ7N_WGS84	Colluvium	Brown	Silt	ModerateSE	B	40	Moist	Good	BurnOld
113995	14/08/2011	HugoGirard	598908	6997460	UTMZ7N_WGS84	Colluvium	BrownLight	Silt	ModerateSE	C	70	Dry	Excellent	BurnOld
113996	14/08/2011	HugoGirard	598861	6997480	UTMZ7N_WGS84	Colluvium	BrownLight	Silt	ModerateSW	C	40	Dry	Excellent	BurnOld
113997	14/08/2011	HugoGirard	598815	6997471	UTMZ7N_WGS84	Colluvium	Brown	Silt	ModerateNE	C	40	Moist	Good	BurnOld
113998	14/08/2011	HugoGirard	598765	6997460	UTMZ7N_WGS84	Colluvium	Brown	Silt	ModerateNE	B	50	Moist	Good	BurnOld
113999	14/08/2011	HugoGirard	598706	6997464	UTMZ7N_WGS84	Colluvium	Brown	Silt	ModerateNE	B	40	Moist	Good	BurnOld
132170	14/08/2011	IanLauzon	600563	6997212	UTMZ7N_WGS84	Colluvium	Brown	Silt	Ridge	B	60	Dry	Good	ForestBlackSpruce
132171	14/08/2011	IanLauzon	600522	6997245	UTMZ7N_WGS84	Colluvium	Brown	Silt	Ridge	B	50	Dry	Poor	ForestBlackSpruce
132172	14/08/2011	IanLauzon	600551	6997296	UTMZ7N_WGS84	Colluvium	BrownDark	Sand	Ridge	B	60	Dry	Good	ForestBlackSpruce
132173	14/08/2011	IanLauzon	600572	6997345	UTMZ7N_WGS84	Colluvium	Brown	Silt	Ridge	B	60	Dry	Good	ForestBlackSpruce
132174	14/08/2011	IanLauzon	600586	6997385	UTMZ7N_WGS84	Colluvium	Brown	Sand	Ridge	B	50	Dry	Poor	ForestBlackSpruce
132175	14/08/2011	IanLauzon	600589	6997437	UTMZ7N_WGS84	Colluvium	Brown	Sand	Ridge	B	60	Dry	Poor	ForestBlackSpruce
132176	14/08/2011	IanLauzon	600633	6997489	UTMZ7N_WGS84	Colluvium	Brown	Silt	Ridge	B	50	Dry	Poor	ForestMixed
132177	14/08/2011	IanLauzon	600679	6997534	UTMZ7N_WGS84	Colluvium	Brown	Silt	Ridge	C	40	Dry	Poor	ForestBlackSpruce
132178	14/08/2011	IanLauzon	600713	6997533	UTMZ7N_WGS84	Colluvium	Brown	Silt	Ridge	B	40	Moist	Poor	BurnOld
132179	14/08/2011	IanLauzon	600753	6997548	UTMZ7N_WGS84	Colluvium	BrownLight	Silt	Ridge	C	50	Dry	Good	BurnOld
132180	14/08/2011	IanLauzon	600803	6997579	UTMZ7N_WGS84	Colluvium	BrownLight	Sand	Ridge	C	50	Dry	Good	BurnOld
132181	14/08/2011	IanLauzon	600856	6997610	UTMZ7N_WGS84	Colluvium	BrownLight	Silt	Ridge	C	60	Dry	Good	BurnOld
132182	14/08/2011	IanLauzon	600867	6997656	UTMZ7N_WGS84	Colluvium	BrownLight	Sand	Ridge	C	60	Dry	Good	BurnOld
132183	14/08/2011	IanLauzon	600907	6997682	UTMZ7N_WGS84	Colluvium	BrownLight	Sand	Ridge	C	60	Dry	Good	BurnOld
132184	14/08/2011	IanLauzon	600953	6997710	UTMZ7N_WGS84	Colluvium	BrownLight	Sand	Ridge	C	60	Dry	Good	BurnOld
132185	14/08/2011	IanLauzon	600991	6997746	UTMZ7N_WGS84	Colluvium	BrownLight	Sand	Ridge	C	60	Dry	Good	BurnOld
132186	14/08/2011	IanLauzon	601029	6997769	UTMZ7N_WGS84	Colluvium	BrownLight	Clay	Ridge	B	60	Moist	Poor	BurnOld
132187	14/08/2011	IanLauzon	601054	6997807	UTMZ7N_WGS84	Colluvium	BrownLight	Sand	Ridge	B	50	Dry	Good	BurnOld
132188	14/08/2011	IanLauzon	601089	6997846	UTMZ7N_WGS84	Colluvium	BrownLight	Sand	Ridge	C	60	Dry	Good	BurnOld
132189	14/08/2011	IanLauzon	601119	6997883	UTMZ7N_WGS84	Colluvium	Brown	Silt	Ridge	B	60	Dry	Good	BurnOld
132191	14/08/2011	IanLauzon	601152	6997921	UTMZ7N_WGS84	Colluvium	Brown	Sand	Ridge	B	50	Dry	Poor	BurnOld
132192	14/08/2011	IanLauzon	601181	6997953	UTMZ7N_WGS84	Colluvium	Brown	Sand	Ridge	B	50	Dry	Poor	BurnOld
132193	14/08/2011	IanLauzon	601214	6997996	UTMZ7N_WGS84	Colluvium	Brown	Sand	Ridge	B	60	Dry	Poor	BurnOld
132194	14/08/2011	IanLauzon	601251	6998034	UTMZ7N_WGS84	Colluvium	BrownLight	Sand	Ridge	B	60	Dry	Poor	BurnOld
132195	14/08/2011	IanLauzon	601316	6998091	UTMZ7N_WGS84	Colluvium	BrownLight	Silt	Ridge	B	60	Dry	Poor	BurnOld

Appendix C. Sample locations and descriptions

Sample	Date	Sampler	Easting	Northing	EastNorthDatum	Type	Colour	Texture	Terrain	Horizon	Depth	Moisture	Quality	Vegetation
132196	14/08/2011	IanLauzon	601339	6998130	UTMZ7N_WGS84	Colluvium	Brown	Silt	ModerateN	B	60	Dry	Poor	BurnOld
132197	14/08/2011	IanLauzon	601355	6998184	UTMZ7N_WGS84	Colluvium	BrownLight	Silt	Ridge	B	50	Dry	Poor	BurnOld
132198	14/08/2011	IanLauzon	601342	6998226	UTMZ7N_WGS84	Colluvium	Brown	Silt	Ridge	B	70	Dry	Poor	BurnOld
132199	14/08/2011	IanLauzon	601336	6998273	UTMZ7N_WGS84	Colluvium	Brown	Sand	ModerateN	B	50	Dry	Poor	BurnOld
132200	14/08/2011	IanLauzon	601313	6998319	UTMZ7N_WGS84	Colluvium	Brown	Silt	ModerateN	B	60	Dry	Poor	BurnOld
132201	14/08/2011	IanLauzon	601296	6998374	UTMZ7N_WGS84	Colluvium	Brown	Silt	ModerateN	B	40	Dry	Poor	BurnOld
132202	14/08/2011	IanLauzon	601268	6998406	UTMZ7N_WGS84	Colluvium	Brown	Sand	ModerateN	B	40	Dry	Poor	BurnOld
132203	14/08/2011	IanLauzon	601230	6998452	UTMZ7N_WGS84	Colluvium	Brown	Sand	ModerateN	B	60	Dry	Poor	BurnOld
132204	14/08/2011	IanLauzon	601220	6998466	UTMZ7N_WGS84	Colluvium	Brown	Sand	ModerateN	B	40	Frozen	Poor	BurnOld

## **Appendix C - Analytical Certificates**



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: **Stakeholder Gold Corp.**

203 - 680 Third Ave.  
Val D'Or QC J9P 1S5 Canada

Submitted By: Mark Fekete  
Receiving Lab: Canada-Dawson City  
Received: August 16, 2011  
Report Date: November 15, 2011  
Page: 1 of 5

## CERTIFICATE OF ANALYSIS

DAW11000284.1

### CLIENT JOB INFORMATION

Project: DIVIDE  
Shipment ID: 20110815173539  
P.O. Number  
Number of Samples: 111

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Code					
SS80	111	Dry at 60C sieve 100g to -80 mesh			DAW
Dry at 60C	111	Dry at 60C			DAW
IDX2	111	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

### SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days  
DISP-RJT-SOIL Immediate Disposal of Soil Reject

### ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Stakeholder Gold Corp.  
203 - 680 Third Ave.  
Val D'Or QC J9P 1S5  
Canada

CC: Lauren Wilson



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client:

**Stakeholder Gold Corp.**

203 - 680 Third Ave.

Val D'Or QC J9P 1S5 Canada

Project: DIVIDE

Report Date: November 15, 2011

Page:

2 of 5

Part 1

## CERTIFICATE OF ANALYSIS

DAW11000284.1

Method Analyte Unit MDL	1DX15																				
	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%									
	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
132170	Soil	0.3	132.8	2.3	55	<0.1	31.5	26.6	657	4.38	2.9	0.4	1.0	1.2	53	<0.1	<0.1	<0.1	145	1.33	0.188
132171	Soil	0.4	140.8	3.2	37	<0.1	25.1	19.8	429	3.47	2.9	0.2	0.7	0.7	54	<0.1	<0.1	<0.1	151	1.24	0.112
132172	Soil	0.7	88.3	3.4	53	<0.1	29.9	20.9	495	3.91	4.9	0.4	1.5	1.8	95	<0.1	0.3	<0.1	125	1.54	0.202
132173	Soil	0.6	132.4	7.0	58	<0.1	20.7	18.6	502	4.05	4.6	0.6	3.7	1.7	77	<0.1	0.3	<0.1	119	1.22	0.076
132174	Soil	0.9	76.0	5.0	80	<0.1	20.5	22.7	906	4.55	5.5	0.4	1.2	2.6	112	<0.1	0.3	<0.1	110	1.03	0.062
132175	Soil	0.7	27.5	6.3	46	0.2	14.2	12.8	860	2.62	4.3	0.4	0.6	1.8	39	0.1	0.3	0.1	71	0.52	0.024
132176	Soil	0.4	110.1	3.7	49	<0.1	18.0	14.9	416	3.10	3.5	0.2	0.6	1.0	52	<0.1	0.1	<0.1	80	1.07	0.099
132177	Soil	0.8	38.2	4.0	75	<0.1	17.1	17.6	524	3.51	3.6	0.3	1.6	1.4	161	<0.1	0.2	<0.1	90	1.01	0.040
132178	Soil	0.9	21.1	7.0	71	<0.1	18.1	10.6	342	2.97	5.4	0.4	<0.5	2.2	22	<0.1	0.4	0.1	90	0.32	0.017
132179	Soil	0.3	29.5	3.2	70	<0.1	12.2	23.5	932	5.28	6.4	0.3	0.5	2.1	81	<0.1	<0.1	<0.1	144	1.01	0.040
132180	Soil	0.9	14.9	7.2	56	<0.1	16.2	15.3	441	3.56	6.8	0.3	1.1	2.4	50	<0.1	0.3	<0.1	92	0.56	0.027
132181	Soil	0.7	22.9	8.4	39	<0.1	20.6	11.6	273	2.89	7.6	0.6	5.3	3.1	29	<0.1	0.3	0.2	88	0.60	0.022
132182	Soil	0.7	33.8	6.1	69	<0.1	15.9	25.5	968	5.95	5.7	0.9	1.1	3.1	95	<0.1	0.4	<0.1	150	1.05	0.030
132183	Soil	0.5	37.6	7.2	48	<0.1	17.4	14.5	378	3.54	5.2	1.1	1.5	5.2	21	<0.1	0.4	<0.1	94	0.29	0.016
132184	Soil	0.5	21.7	4.6	48	<0.1	11.8	12.9	402	3.20	4.5	0.6	1.1	2.6	55	<0.1	0.3	<0.1	79	0.47	0.016
132185	Soil	0.7	31.9	5.5	59	<0.1	9.2	18.2	468	4.75	3.8	1.6	0.6	4.3	20	<0.1	0.2	<0.1	115	0.32	0.035
132186	Soil	0.4	20.9	6.5	51	<0.1	17.7	11.4	449	2.96	6.7	1.1	3.0	4.0	33	<0.1	0.3	0.1	73	0.55	0.043
132187	Soil	1.1	25.8	5.3	57	<0.1	14.0	19.1	356	3.53	4.2	0.3	1.1	1.3	46	<0.1	0.2	<0.1	77	0.52	0.036
132188	Soil	0.7	34.0	7.6	73	<0.1	10.9	19.0	591	5.44	3.4	0.9	0.5	3.0	52	<0.1	0.2	<0.1	124	0.77	0.026
132189	Soil	0.8	34.6	7.4	51	<0.1	17.9	11.6	264	3.21	6.7	0.6	2.0	3.1	31	<0.1	0.4	0.1	90	0.34	0.021
132190	Soil	0.7	29.9	7.4	44	<0.1	16.1	10.2	256	3.08	7.1	0.6	3.3	2.9	29	<0.1	0.3	0.1	88	0.30	0.020
132191	Soil	1.5	71.4	6.8	77	<0.1	23.3	21.8	695	5.37	5.6	0.9	1.4	3.5	50	<0.1	0.3	<0.1	145	0.69	0.037
132192	Soil	1.4	15.6	9.5	51	<0.1	16.6	9.0	323	3.25	8.5	0.5	1.1	2.3	26	<0.1	0.4	0.2	89	0.29	0.044
132193	Soil	0.8	54.8	8.6	61	<0.1	31.9	17.0	447	3.88	4.3	1.2	1.8	4.3	55	<0.1	0.2	<0.1	106	0.63	0.037
132194	Soil	0.7	48.7	4.9	70	<0.1	28.0	19.5	516	4.08	4.9	0.4	1.0	2.3	66	<0.1	0.2	<0.1	112	0.67	0.038
132195	Soil	0.8	22.6	7.0	50	<0.1	23.4	14.4	295	3.36	7.9	0.5	1.5	2.8	30	<0.1	0.4	0.1	89	0.32	0.023
132196	Soil	1.1	15.0	9.1	55	<0.1	21.5	10.6	248	3.38	9.6	0.5	2.1	2.8	29	<0.1	0.4	0.1	98	0.34	0.034
132197	Soil	0.9	39.5	6.4	53	<0.1	26.6	14.6	281	3.46	7.6	0.5	4.2	2.5	42	<0.1	0.4	0.1	90	0.38	0.032
132198	Soil	0.5	55.2	6.3	55	<0.1	26.7	17.1	374	3.39	4.5	0.3	0.8	1.6	65	0.1	0.2	<0.1	107	0.63	0.030
132199	Soil	0.9	36.6	8.5	72	<0.1	21.5	15.1	624	3.25	4.0	0.4	1.2	1.5	98	0.1	0.1	<0.1	86	1.31	0.062

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: Stakeholder Gold Corp.  
203 - 680 Third Ave.  
Val D'Or QC J9P 1S5 Canada

Project: DIVIDE  
Report Date: November 15, 2011

Page: 2 of 5 Part 2

## CERTIFICATE OF ANALYSIS

DAW11000284.1

Method	Analyte	1DX15																	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
132170	Soil	4	62	2.05	181	0.125	2	3.02	0.045	0.05	<0.1	<0.01	10.5	<0.1	<0.05	9	<0.5	<0.2	
132171	Soil	2	45	1.80	79	0.164	2	2.54	0.086	0.05	<0.1	<0.01	7.7	<0.1	<0.05	7	<0.5	<0.2	
132172	Soil	9	41	1.49	190	0.165	2	2.90	0.078	0.06	<0.1	<0.01	9.0	<0.1	<0.05	8	<0.5	<0.2	
132173	Soil	6	37	1.29	129	0.265	<1	3.08	0.052	0.06	<0.1	0.02	8.3	<0.1	<0.05	8	<0.5	<0.2	
132174	Soil	5	42	1.74	178	0.221	2	2.95	0.012	0.07	<0.1	<0.01	7.3	<0.1	<0.05	8	<0.5	<0.2	
132175	Soil	8	28	0.61	169	0.095	2	1.62	0.020	0.06	0.1	0.02	3.6	<0.1	<0.05	5	<0.5	<0.2	
132176	Soil	2	38	1.14	187	0.186	1	2.43	0.072	0.09	<0.1	<0.01	6.6	<0.1	<0.05	6	<0.5	<0.2	
132177	Soil	4	33	1.69	98	0.165	2	3.09	0.026	0.03	<0.1	0.01	3.3	<0.1	<0.05	8	<0.5	<0.2	
132178	Soil	8	32	0.59	144	0.123	<1	2.74	0.030	0.04	<0.1	0.01	4.1	<0.1	<0.05	7	<0.5	<0.2	
132179	Soil	6	17	1.90	143	0.283	<1	3.72	0.018	0.04	<0.1	<0.01	10.2	<0.1	<0.05	10	<0.5	<0.2	
132180	Soil	6	25	1.04	175	0.242	<1	2.83	0.015	0.04	<0.1	0.02	2.6	<0.1	<0.05	7	<0.5	<0.2	
132181	Soil	10	39	0.76	205	0.131	1	2.13	0.033	0.06	<0.1	<0.01	5.9	<0.1	<0.05	7	<0.5	<0.2	
132182	Soil	17	25	1.83	181	0.175	3	3.81	0.009	0.08	<0.1	0.01	14.5	<0.1	<0.05	13	<0.5	<0.2	
132183	Soil	15	30	0.80	248	0.032	<1	2.26	0.016	0.04	<0.1	0.02	10.5	<0.1	<0.05	7	<0.5	<0.2	
132184	Soil	7	20	0.98	122	0.085	1	2.17	0.010	0.04	<0.1	<0.01	4.5	<0.1	<0.05	7	<0.5	<0.2	
132185	Soil	4	14	1.24	238	0.022	2	2.40	0.007	0.07	<0.1	<0.01	7.0	<0.1	<0.05	9	<0.5	<0.2	
132186	Soil	14	29	0.71	297	0.073	2	1.91	0.022	0.05	<0.1	0.03	7.3	<0.1	<0.05	6	0.5	<0.2	
132187	Soil	4	26	1.29	141	0.254	1	3.24	0.012	0.07	<0.1	0.01	2.2	<0.1	<0.05	7	<0.5	<0.2	
132188	Soil	4	19	1.22	227	0.046	2	3.57	0.017	0.07	<0.1	<0.01	6.5	<0.1	<0.05	10	<0.5	<0.2	
132189	Soil	10	31	0.71	184	0.133	2	2.29	0.022	0.05	0.1	0.02	5.2	<0.1	<0.05	7	<0.5	<0.2	
132190	Soil	10	29	0.64	167	0.136	2	2.25	0.024	0.06	<0.1	0.02	5.0	<0.1	<0.05	7	<0.5	<0.2	
132191	Soil	10	43	1.59	231	0.211	1	3.41	0.030	0.11	<0.1	<0.01	9.5	<0.1	<0.05	10	<0.5	<0.2	
132192	Soil	10	33	0.56	129	0.129	1	2.01	0.024	0.09	0.1	0.01	3.2	<0.1	<0.05	8	<0.5	<0.2	
132193	Soil	19	48	1.20	185	0.115	1	2.82	0.027	0.07	<0.1	0.01	7.8	<0.1	<0.05	9	<0.5	<0.2	
132194	Soil	7	46	1.49	159	0.156	<1	3.17	0.013	0.05	<0.1	<0.01	6.9	<0.1	<0.05	9	<0.5	<0.2	
132195	Soil	10	39	0.79	217	0.123	<1	2.71	0.017	0.05	0.1	<0.01	4.5	<0.1	<0.05	7	<0.5	<0.2	
132196	Soil	10	37	0.68	172	0.152	2	2.56	0.021	0.06	0.1	0.01	3.6	<0.1	<0.05	8	<0.5	<0.2	
132197	Soil	9	53	0.91	165	0.158	1	2.76	0.017	0.05	0.1	<0.01	3.9	<0.1	<0.05	8	<0.5	<0.2	
132198	Soil	5	96	1.43	191	0.153	<1	2.62	0.025	0.05	<0.1	<0.01	7.1	<0.1	<0.05	8	<0.5	<0.2	
132199	Soil	6	43	1.09	158	0.170	2	3.25	0.015	0.10	<0.1	<0.01	6.2	<0.1	<0.05	10	0.5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client:

**Stakeholder Gold Corp.**

203 - 680 Third Ave.

Val D'Or QC J9P 1S5 Canada

Project: DIVIDE

Report Date: November 15, 2011

Page: 3 of 5 Part 1

## CERTIFICATE OF ANALYSIS

DAW11000284.1

Method Analyte Unit MDL	1DX15																				
	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%								
	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
132200	Soil	0.7	47.9	8.6	56	<0.1	25.8	15.3	381	3.48	5.1	1.0	2.7	5.3	42	<0.1	0.2	0.1	85	0.56	0.045
132201	Soil	1.1	34.6	8.3	55	<0.1	26.4	16.3	327	3.59	10.2	0.5	3.3	3.0	31	<0.1	0.4	0.1	95	0.45	0.037
132202	Soil	1.0	50.6	10.3	76	<0.1	25.5	19.3	570	4.43	8.1	0.5	1.5	2.2	87	0.2	0.3	0.1	142	1.07	0.069
132203	Soil	0.5	45.2	5.2	76	<0.1	29.9	26.0	700	5.31	1.6	0.7	1.1	4.3	28	0.1	<0.1	<0.1	118	0.61	0.082
132204	Soil	0.7	40.4	5.5	75	<0.1	28.4	24.1	663	5.47	3.3	0.6	0.8	2.7	35	<0.1	<0.1	<0.1	129	0.49	0.062
113961	Soil	1.1	55.9	7.6	86	<0.1	22.0	23.0	803	5.49	6.4	0.4	1.3	2.3	107	<0.1	0.3	<0.1	151	1.03	0.045
113962	Soil	0.5	3.5	2.9	14	<0.1	28.2	9.1	156	0.88	1.1	<0.1	0.8	0.4	74	<0.1	<0.1	<0.1	14	0.81	0.018
113963	Soil	0.2	16.8	1.1	56	<0.1	55.9	17.5	346	2.40	1.4	0.5	<0.5	3.2	66	<0.1	<0.1	<0.1	45	0.91	0.040
113964	Soil	0.3	37.1	2.1	81	<0.1	22.3	25.3	827	5.20	2.1	0.3	0.6	2.7	55	<0.1	<0.1	<0.1	114	1.02	0.090
113965	Soil	0.4	57.0	3.4	77	<0.1	16.0	22.5	797	4.62	4.8	0.2	5.6	1.2	53	<0.1	<0.1	<0.1	104	0.57	0.036
113966	Soil	0.3	59.0	3.7	67	<0.1	8.2	19.3	619	4.56	5.1	0.3	1.6	2.4	43	<0.1	<0.1	<0.1	101	4.31	0.125
113967	Soil	0.9	5.6	6.5	29	<0.1	6.9	5.4	200	1.99	4.9	0.3	<0.5	4.3	5	<0.1	0.2	<0.1	32	0.09	0.020
113968	Soil	1.6	89.4	10.6	64	<0.1	22.3	12.7	533	3.33	7.4	0.3	2.7	2.1	67	<0.1	0.2	<0.1	54	1.00	0.056
113969	Soil	5.1	85.6	4.3	95	<0.1	36.9	29.9	804	5.18	5.9	0.7	1.1	1.5	102	<0.1	0.1	<0.1	114	0.78	0.079
113970	Soil	0.5	20.5	2.0	68	<0.1	22.3	21.2	817	4.15	3.9	0.4	1.6	2.2	90	<0.1	<0.1	<0.1	98	0.91	0.064
113971	Soil	0.2	12.2	2.0	80	<0.1	15.5	23.3	1453	5.92	2.0	0.7	1.5	7.1	39	<0.1	<0.1	<0.1	128	4.45	0.095
113972	Soil	4.4	46.8	3.0	69	<0.1	36.0	22.7	841	4.81	3.5	0.6	2.4	2.2	50	<0.1	0.1	<0.1	114	4.75	0.061
113973	Soil	0.3	113.5	5.0	63	<0.1	54.1	27.3	922	4.76	5.4	1.0	<0.5	5.0	100	<0.1	<0.1	<0.1	92	5.25	0.091
113974	Soil	0.4	61.8	2.2	75	<0.1	12.6	23.5	850	4.90	3.0	0.3	1.2	1.1	58	<0.1	<0.1	<0.1	132	3.38	0.085
113975	Soil	0.6	77.4	2.7	76	<0.1	31.5	33.3	1042	6.38	9.0	0.3	0.6	1.2	72	<0.1	<0.1	<0.1	175	0.97	0.100
113976	Soil	1.7	56.9	4.6	211	<0.1	18.3	33.6	2303	10.67	2.3	0.5	<0.5	1.8	12	0.2	0.1	<0.1	222	0.48	0.125
113977	Soil	1.6	21.5	8.2	146	<0.1	17.5	34.2	2856	9.72	2.4	0.4	4.7	1.0	127	0.4	0.2	<0.1	202	2.58	0.086
113978	Soil	0.5	53.9	4.2	80	<0.1	16.7	24.8	1738	5.88	2.1	1.0	2.2	9.2	25	<0.1	0.1	<0.1	126	3.73	0.070
113979	Soil	0.2	6.5	2.6	35	<0.1	10.3	11.4	521	2.53	1.7	0.1	7.5	0.7	6	<0.1	<0.1	<0.1	26	0.60	0.009
113980	Soil	1.0	52.5	10.0	74	<0.1	21.5	18.0	662	4.12	4.5	0.6	2.0	2.4	56	<0.1	0.4	<0.1	108	0.89	0.047
113981	Soil	0.8	43.2	9.4	62	<0.1	23.8	14.6	453	3.55	5.5	0.7	5.0	3.8	39	<0.1	0.4	0.1	88	0.52	0.030
113982	Soil	0.6	43.8	5.5	73	<0.1	28.0	19.2	598	4.22	3.7	0.6	1.5	3.3	46	<0.1	0.3	<0.1	101	0.69	0.034
113983	Soil	0.9	75.1	8.8	67	<0.1	18.4	24.4	1079	5.44	2.4	0.9	0.9	4.1	55	<0.1	0.2	<0.1	113	0.72	0.036
113984	Soil	0.8	19.0	3.6	74	<0.1	14.4	20.4	775	4.34	3.8	0.2	4.0	1.3	62	<0.1	0.2	<0.1	121	0.94	0.039
113985	Soil	2.0	41.0	5.2	57	<0.1	16.8	13.7	429	3.24	4.2	0.2	1.3	1.0	93	0.1	0.4	<0.1	89	0.53	0.019

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: Stakeholder Gold Corp.  
203 - 680 Third Ave.  
Val D'Or QC J9P 1S5 Canada

Project: DIVIDE  
Report Date: November 15, 2011

Page: 3 of 5 Part 2

## CERTIFICATE OF ANALYSIS

DAW11000284.1

Method	Analyte	1DX15																	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
132200	Soil	20	46	1.08	293	0.070	<1	2.53	0.019	0.06	<0.1	0.02	7.4	<0.1	<0.05	8	<0.5	<0.2	
132201	Soil	8	43	0.75	192	0.137	1	2.91	0.027	0.07	0.1	0.02	4.2	<0.1	<0.05	7	<0.5	<0.2	
132202	Soil	7	48	1.32	144	0.222	3	3.78	0.020	0.06	0.1	0.02	7.8	<0.1	<0.05	11	<0.5	<0.2	
132203	Soil	9	45	2.21	434	0.049	3	3.43	0.011	0.22	<0.1	0.01	9.2	<0.1	<0.05	9	<0.5	<0.2	
132204	Soil	6	47	1.95	207	0.052	1	3.58	0.012	0.15	<0.1	0.01	8.0	<0.1	<0.05	10	<0.5	<0.2	
113961	Soil	6	33	1.68	192	0.360	2	3.86	0.020	0.04	<0.1	<0.01	8.5	<0.1	<0.05	11	0.9	<0.2	
113962	Soil	1	24	1.02	79	0.027	2	2.18	0.022	0.04	<0.1	<0.01	1.5	<0.1	<0.05	3	<0.5	<0.2	
113963	Soil	6	98	1.79	65	0.155	1	2.61	0.009	0.04	<0.1	<0.01	2.1	<0.1	<0.05	6	<0.5	<0.2	
113964	Soil	8	15	2.53	784	0.224	3	3.23	0.016	0.03	<0.1	<0.01	6.6	<0.1	<0.05	9	<0.5	<0.2	
113965	Soil	3	18	2.91	70	0.085	2	3.40	0.006	0.03	<0.1	<0.01	5.2	<0.1	<0.05	11	<0.5	<0.2	
113966	Soil	8	5	0.70	182	0.005	<1	2.02	0.010	0.05	<0.1	<0.01	10.8	<0.1	<0.05	9	<0.5	0.2	
113967	Soil	3	12	0.18	130	0.016	<1	1.00	0.009	0.07	<0.1	<0.01	1.4	<0.1	<0.05	3	<0.5	<0.2	
113968	Soil	5	24	1.29	218	0.195	3	2.81	0.010	0.14	<0.1	<0.01	3.2	<0.1	<0.05	9	<0.5	<0.2	
113969	Soil	6	39	2.61	81	0.060	3	3.03	0.009	0.06	<0.1	<0.01	6.3	<0.1	<0.05	10	<0.5	<0.2	
113970	Soil	8	25	2.26	61	0.289	2	2.66	0.014	0.02	<0.1	<0.01	6.0	<0.1	<0.05	9	<0.5	<0.2	
113971	Soil	31	33	2.85	68	0.005	2	2.92	0.007	0.03	<0.1	<0.01	12.7	<0.1	<0.05	14	<0.5	<0.2	
113972	Soil	5	52	0.27	220	0.006	3	0.57	0.006	0.07	<0.1	<0.01	16.9	<0.1	<0.05	3	<0.5	<0.2	
113973	Soil	17	65	2.02	242	0.005	3	1.52	0.009	0.09	<0.1	<0.01	13.4	<0.1	<0.05	5	<0.5	<0.2	
113974	Soil	5	9	2.13	176	0.008	1	2.25	0.008	0.03	<0.1	<0.01	6.3	<0.1	<0.05	8	<0.5	<0.2	
113975	Soil	4	34	3.04	203	0.174	3	3.46	0.025	0.03	<0.1	<0.01	13.6	<0.1	<0.05	11	<0.5	<0.2	
113976	Soil	20	15	0.17	418	0.006	3	0.74	0.008	0.08	<0.1	0.01	25.8	<0.1	<0.05	3	<0.5	<0.2	
113977	Soil	22	11	0.25	718	0.011	3	0.68	0.008	0.11	<0.1	<0.01	30.6	<0.1	<0.05	3	<0.5	<0.2	
113978	Soil	26	26	0.38	666	0.010	4	1.05	0.020	0.06	<0.1	<0.01	18.5	<0.1	0.07	4	<0.5	<0.2	
113979	Soil	2	5	0.18	106	0.002	<1	0.86	0.014	0.05	<0.1	<0.01	2.8	<0.1	<0.05	2	<0.5	<0.2	
113980	Soil	8	39	1.19	194	0.234	2	2.61	0.020	0.06	0.1	<0.01	7.4	<0.1	<0.05	8	<0.5	<0.2	
113981	Soil	13	43	0.90	231	0.148	1	2.49	0.018	0.05	0.1	0.02	7.8	<0.1	<0.05	7	<0.5	<0.2	
113982	Soil	14	46	1.40	231	0.184	<1	2.70	0.016	0.06	<0.1	<0.01	7.5	<0.1	<0.05	8	<0.5	<0.2	
113983	Soil	11	31	1.72	207	0.084	<1	3.00	0.011	0.07	<0.1	<0.01	9.8	<0.1	<0.05	10	<0.5	<0.2	
113984	Soil	4	24	1.67	159	0.248	2	3.17	0.008	0.05	<0.1	<0.01	7.1	<0.1	<0.05	9	<0.5	<0.2	
113985	Soil	3	23	1.09	234	0.121	<1	2.50	0.010	0.04	0.1	<0.01	3.6	<0.1	<0.05	8	<0.5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client:

**Stakeholder Gold Corp.**

203 - 680 Third Ave.

Val D'Or QC J9P 1S5 Canada

Project: DIVIDE

Report Date: November 15, 2011

Page: 4 of 5 Part 1

## CERTIFICATE OF ANALYSIS

DAW11000284.1

Method Analyte Unit MDL	1DX15																				
	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%								
	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
113986	Soil	0.8	12.4	20.1	47	<0.1	10.2	6.8	300	3.26	3.8	0.7	4.3	3.8	13	<0.1	0.3	0.1	39	0.09	0.014
113987	Soil	0.6	12.3	4.2	37	<0.1	9.6	8.7	269	3.24	6.3	0.6	8.0	2.5	14	<0.1	0.3	<0.1	49	0.13	0.017
113989	Soil	1.1	11.3	8.6	39	<0.1	11.1	8.7	202	3.53	4.8	1.0	1.1	2.2	11	<0.1	0.3	<0.1	45	0.09	0.016
113990	Soil	0.2	16.8	10.1	61	<0.1	40.6	35.4	1393	7.69	2.9	0.3	5.1	1.0	68	<0.1	0.3	0.1	161	4.71	0.113
113991	Soil	0.3	19.7	9.3	63	<0.1	38.4	33.5	1272	7.33	3.0	0.3	4.5	1.5	66	0.1	0.3	0.1	148	4.91	0.115
113992	Soil	1.3	964.6	3.2	80	<0.1	35.0	33.8	590	5.99	3.7	0.5	5.1	1.5	53	<0.1	0.2	<0.1	152	0.78	0.096
113993	Soil	0.9	187.9	8.4	164	0.1	20.8	16.0	645	6.32	4.5	0.7	9.2	3.0	27	0.1	0.2	0.1	110	0.35	0.031
113994	Soil	1.2	29.9	11.5	447	0.2	18.3	17.7	483	3.76	7.6	0.6	4.2	3.2	16	0.4	0.5	0.2	80	0.12	0.019
113995	Soil	1.6	160.3	31.1	50	0.7	4.7	1.8	67	3.16	5.1	0.7	4.8	7.8	33	<0.1	0.3	0.2	14	0.11	0.033
113996	Soil	1.3	253.1	11.9	306	<0.1	5.1	6.2	342	6.10	42.1	0.7	5.9	5.4	10	<0.1	1.1	<0.1	25	0.06	0.030
113997	Soil	0.9	96.8	11.0	215	<0.1	18.1	15.8	678	5.13	4.8	1.1	5.8	4.4	33	<0.1	0.3	<0.1	133	0.46	0.035
113998	Soil	0.6	83.1	4.3	201	0.1	72.5	31.0	2281	7.08	3.4	0.6	8.5	3.2	31	0.2	0.4	<0.1	159	0.51	0.063
113999	Soil	0.7	54.4	8.1	95	<0.1	23.9	14.2	378	3.25	6.0	0.8	4.7	2.6	24	<0.1	0.3	0.1	86	0.39	0.025
106733	Soil	0.8	38.4	9.2	57	0.1	24.6	12.7	515	3.18	8.2	1.0	2.9	3.0	38	0.1	0.5	0.1	80	0.98	0.062
106734	Soil	0.8	41.2	8.7	54	<0.1	24.5	12.8	529	2.99	7.4	1.7	2.2	2.8	46	0.1	0.5	0.1	73	1.10	0.054
106735	Soil	0.8	45.2	10.9	59	<0.1	26.9	13.1	497	3.16	7.5	0.8	2.4	3.4	45	0.1	0.5	0.1	74	0.96	0.052
106736	Soil	0.6	38.9	7.6	58	<0.1	25.6	11.7	464	2.87	8.3	0.8	2.1	3.3	46	<0.1	0.6	<0.1	65	0.95	0.060
106737	Soil	0.6	41.4	8.8	55	<0.1	26.0	14.1	554	3.16	8.0	1.1	3.2	3.1	44	0.1	0.5	0.1	77	0.78	0.051
106738	Soil	0.7	45.9	7.6	60	0.1	22.9	12.1	428	3.00	7.2	1.2	3.7	2.7	53	0.2	0.5	0.1	73	1.04	0.064
106739	Soil	0.4	38.9	7.7	57	<0.1	21.0	12.2	344	2.80	7.6	0.5	4.4	3.1	43	0.2	0.6	0.1	67	0.74	0.057
106740	Soil	0.6	37.8	8.8	60	<0.1	23.4	13.4	393	3.23	8.0	0.7	4.0	3.6	39	0.1	0.5	0.1	79	0.63	0.050
106741	Soil	0.5	40.4	5.3	73	<0.1	18.1	15.6	653	4.44	6.1	0.7	0.6	6.1	67	0.2	0.3	<0.1	77	1.24	0.060
106742	Soil	0.7	66.5	7.5	71	<0.1	28.5	19.4	525	3.95	6.9	0.5	2.7	4.0	72	<0.1	0.5	<0.1	95	0.99	0.061
106743	Soil	0.4	47.0	6.3	81	0.1	20.5	18.2	673	3.99	6.0	0.4	1.4	3.5	91	<0.1	0.2	<0.1	84	1.56	0.086
106744	Soil	0.9	45.8	9.3	65	<0.1	29.2	12.6	441	3.46	9.5	0.7	5.5	4.5	40	<0.1	0.6	0.1	79	0.64	0.061
106745	Soil	0.6	82.9	7.7	62	<0.1	22.2	18.4	554	3.85	6.5	0.4	6.5	2.0	90	<0.1	0.3	<0.1	99	1.67	0.084
106746	Soil	1.0	45.5	10.8	59	<0.1	28.3	13.5	391	3.45	8.1	0.6	2.9	3.6	42	0.1	0.5	0.1	85	0.74	0.053
106747	Soil	0.5	70.4	8.0	64	<0.1	30.4	20.5	644	4.44	6.3	0.4	0.8	2.5	77	<0.1	0.2	<0.1	117	1.20	0.080
106748	Soil	0.6	53.5	3.1	23	<0.1	20.5	10.4	197	1.46	3.6	0.4	1.5	1.8	34	<0.1	0.1	<0.1	40	0.46	0.021
106749	Soil	1.0	38.9	5.7	55	<0.1	18.1	14.2	463	3.48	7.1	0.4	<0.5	2.2	32	<0.1	0.3	<0.1	86	0.45	0.054

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: Stakeholder Gold Corp.  
203 - 680 Third Ave.  
Val D'Or QC J9P 1S5 Canada

Project: DIVIDE  
Report Date: November 15, 2011

Page: 4 of 5 Part 2

## CERTIFICATE OF ANALYSIS

DAW11000284.1

Method	Analyte	1DX15																
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm							
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
113986	Soil	12	23	0.43	204	0.051	1	1.52	0.013	0.09	<0.1	<0.01	5.2	<0.1	<0.05	6	<0.5	<0.2
113987	Soil	10	19	0.57	180	0.064	1	1.63	0.019	0.05	<0.1	<0.01	5.0	<0.1	<0.05	6	<0.5	<0.2
113989	Soil	5	20	0.18	385	0.012	<1	1.67	0.011	0.05	0.2	<0.01	5.4	<0.1	<0.05	4	<0.5	<0.2
113990	Soil	7	51	0.46	277	0.005	3	0.67	0.008	0.15	<0.1	<0.01	31.7	<0.1	<0.05	2	<0.5	<0.2
113991	Soil	8	45	0.44	291	0.005	3	0.65	0.009	0.14	<0.1	<0.01	29.4	<0.1	<0.05	2	<0.5	<0.2
113992	Soil	12	49	1.90	461	0.018	3	2.99	0.029	0.05	<0.1	<0.01	11.1	<0.1	<0.05	12	<0.5	<0.2
113993	Soil	9	33	1.03	925	0.052	<1	1.82	0.010	0.19	<0.1	0.01	13.4	<0.1	<0.05	7	<0.5	<0.2
113994	Soil	9	41	0.70	202	0.055	<1	2.46	0.013	0.06	<0.1	<0.01	5.1	<0.1	<0.05	7	<0.5	<0.2
113995	Soil	23	9	0.18	313	0.008	1	0.90	0.051	0.29	<0.1	0.03	2.0	0.1	0.51	2	<0.5	<0.2
113996	Soil	15	10	0.41	170	0.016	1	1.33	0.011	0.11	<0.1	0.01	2.9	<0.1	0.09	5	0.6	<0.2
113997	Soil	13	30	1.42	543	0.134	1	2.65	0.021	0.30	<0.1	0.02	10.7	0.2	<0.05	9	0.9	<0.2
113998	Soil	10	188	3.05	445	0.032	1	3.74	0.015	0.07	<0.1	0.04	23.5	<0.1	<0.05	11	<0.5	<0.2
113999	Soil	12	46	1.06	243	0.140	3	2.08	0.021	0.03	0.1	<0.01	5.8	<0.1	<0.05	7	<0.5	<0.2
106733	Soil	13	33	0.56	297	0.068	1	1.66	0.024	0.05	<0.1	0.03	6.7	<0.1	<0.05	5	<0.5	<0.2
106734	Soil	14	34	0.64	293	0.085	2	1.94	0.024	0.04	<0.1	0.05	5.8	<0.1	<0.05	6	<0.5	<0.2
106735	Soil	14	36	0.73	285	0.093	2	1.94	0.024	0.05	0.1	0.04	6.2	<0.1	<0.05	6	<0.5	<0.2
106736	Soil	13	31	0.65	308	0.085	1	1.68	0.028	0.05	0.1	0.05	4.5	<0.1	<0.05	5	0.7	<0.2
106737	Soil	13	36	0.71	313	0.101	<1	2.05	0.024	0.05	0.1	0.04	5.3	<0.1	<0.05	6	<0.5	<0.2
106738	Soil	12	30	0.75	267	0.098	<1	1.88	0.029	0.06	<0.1	0.04	5.2	<0.1	<0.05	6	0.8	<0.2
106739	Soil	12	29	0.66	264	0.104	<1	1.81	0.030	0.06	<0.1	0.02	4.6	<0.1	<0.05	6	<0.5	<0.2
106740	Soil	13	37	0.73	251	0.120	<1	2.21	0.025	0.06	0.1	0.03	5.1	<0.1	<0.05	6	<0.5	<0.2
106741	Soil	14	24	0.91	289	0.107	<1	3.45	0.016	0.10	<0.1	0.01	4.9	<0.1	<0.05	10	<0.5	<0.2
106742	Soil	11	41	1.09	229	0.182	1	2.98	0.025	0.06	<0.1	0.02	6.6	<0.1	<0.05	8	<0.5	<0.2
106743	Soil	9	21	1.31	203	0.258	2	3.25	0.022	0.08	<0.1	0.01	2.9	<0.1	<0.05	9	<0.5	<0.2
106744	Soil	15	40	0.79	212	0.125	<1	2.19	0.030	0.07	0.1	0.05	6.2	<0.1	<0.05	6	<0.5	<0.2
106745	Soil	6	22	1.16	212	0.192	1	3.44	0.031	0.08	<0.1	0.02	6.4	<0.1	<0.05	9	<0.5	<0.2
106746	Soil	13	42	0.88	225	0.149	2	2.43	0.027	0.06	0.1	0.04	6.0	<0.1	<0.05	7	<0.5	<0.2
106747	Soil	9	27	1.45	318	0.164	1	3.12	0.014	0.06	<0.1	<0.01	7.8	<0.1	<0.05	9	<0.5	<0.2
106748	Soil	5	52	0.82	90	0.080	1	1.43	0.012	0.02	<0.1	0.02	4.0	<0.1	<0.05	4	<0.5	<0.2
106749	Soil	8	28	0.92	251	0.094	1	2.41	0.014	0.05	<0.1	<0.01	4.5	<0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

## Acme Analytical Laboratories (Vancouver) Ltd.

## **Client:**

Stakeholder Gold Corp.

203 - 680 Third Ave

Val D'Or QC J9P 1S5 Canada

## Project: DIVIDE

Report Date: November 15, 2011

[www.acmelab.com](http://www.acmelab.com)

Page:

5 of 5 Part

## CERTIFICATE OF ANALYSIS

DAW11000284.1

Method	Analyte	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	Ca		
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	%									
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.001		
106750	Soil	1.6	59.8	7.3	73	<0.1	20.6	17.5	490	4.80	11.3	0.3	<0.5	2.0	35	<0.1	0.5	0.1	120	0.37	0.048
106751	Soil	17.8	101.3	3.5	44	<0.1	6.6	12.6	661	4.50	6.5	0.7	0.9	3.9	50	<0.1	0.9	<0.1	151	8.12	0.123
106752	Soil	0.3	109.9	2.0	72	<0.1	13.1	26.1	1225	5.69	3.5	0.5	0.5	2.7	29	<0.1	<0.1	<0.1	117	0.88	0.140
106753	Soil	0.6	79.7	8.2	89	<0.1	20.7	23.0	744	5.04	8.4	0.6	1.2	3.4	53	<0.1	0.3	<0.1	120	0.70	0.055
106754	Soil	0.3	37.8	3.2	58	<0.1	11.0	18.4	889	4.30	3.4	1.3	<0.5	5.7	13	<0.1	0.1	<0.1	90	0.37	0.079
106755	Soil	1.5	18.7	7.8	88	<0.1	11.8	17.0	861	4.25	7.2	0.3	0.5	1.8	28	0.1	0.3	0.2	92	0.42	0.054
106756	Soil	0.8	84.1	4.3	65	<0.1	13.8	22.6	622	4.80	5.7	0.3	0.9	1.2	30	<0.1	0.2	<0.1	129	0.62	0.033
106757	Soil	0.5	58.1	2.4	69	<0.1	9.3	22.2	913	5.34	2.2	0.3	0.6	1.2	37	<0.1	0.1	<0.1	161	0.80	0.044
106758	Soil	1.2	46.6	9.0	78	<0.1	27.6	15.7	400	4.31	8.5	0.7	0.5	4.9	23	0.2	0.3	0.1	122	0.41	0.036
106759	Soil	0.9	26.2	8.4	58	<0.1	22.3	12.4	318	3.42	8.7	0.4	1.2	2.9	26	<0.1	0.4	0.1	92	0.38	0.023
106760	Soil	0.6	23.7	5.6	58	<0.1	33.0	15.7	404	3.36	4.7	0.5	<0.5	1.8	37	<0.1	0.2	<0.1	77	0.57	0.057
106761	Soil	0.6	43.7	5.6	45	<0.1	26.5	14.3	330	2.84	4.2	0.4	0.8	1.6	49	<0.1	0.2	<0.1	75	0.82	0.064
106762	Soil	0.4	82.9	4.7	68	<0.1	29.2	24.0	573	4.33	3.2	0.5	2.3	1.6	67	<0.1	0.1	<0.1	119	1.09	0.058
106763	Soil	0.7	90.7	6.7	64	<0.1	27.1	19.0	555	4.01	5.1	0.6	4.4	1.9	54	<0.1	0.3	<0.1	109	1.14	0.071
106764	Soil	0.7	52.4	6.3	61	<0.1	30.0	17.0	571	3.72	7.7	0.6	2.3	3.0	50	0.1	0.4	<0.1	92	0.78	0.066
106765	Soil	0.5	38.6	9.0	59	<0.1	26.0	10.9	375	2.74	8.3	1.0	3.6	3.8	41	0.2	0.5	0.1	66	0.78	0.070
106766	Soil	0.8	25.1	5.9	160	<0.1	7.3	2.4	983	4.30	2.7	0.8	1.4	5.7	14	<0.1	0.3	<0.1	18	0.27	0.022
106767	Soil	0.4	64.8	2.7	48	<0.1	12.7	17.8	390	3.86	3.0	0.5	<0.5	1.4	29	<0.1	0.1	<0.1	130	0.67	0.033
106768	Soil	0.5	45.7	4.0	85	<0.1	10.6	19.6	1164	5.31	2.0	0.9	0.9	2.9	29	<0.1	0.2	<0.1	104	1.08	0.247
106769	Soil	1.7	56.9	15.8	77	<0.1	9.1	21.1	4462	4.78	2.1	0.6	1.1	1.6	31	0.3	0.2	<0.1	113	1.28	0.245
106770	Soil	0.4	36.5	2.6	58	<0.1	10.9	15.0	602	4.03	1.7	0.5	1.1	3.9	21	<0.1	0.2	<0.1	84	0.93	0.178



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: **Stakeholder Gold Corp.**  
203 - 680 Third Ave.  
Val D'Or QC J9P 1S5 Canada

Project: DIVIDE  
Report Date: November 15, 2011

Page: 5 of 5 Part 2

## CERTIFICATE OF ANALYSIS

DAW11000284.1

Method	Analyte	1DX15																
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
106750	Soil	5	31	1.18	173	0.206	<1	3.21	0.011	0.05	<0.1	<0.01	4.3	<0.1	<0.05	9	<0.5	<0.2
106751	Soil	15	14	0.16	1122	0.002	4	0.87	0.005	0.08	<0.1	<0.01	27.1	<0.1	<0.05	4	0.7	<0.2
106752	Soil	9	23	1.39	144	0.005	<1	2.50	0.023	0.06	<0.1	<0.01	13.2	<0.1	<0.05	9	<0.5	<0.2
106753	Soil	7	38	1.71	221	0.182	<1	3.26	0.022	0.05	<0.1	0.01	9.4	<0.1	<0.05	10	<0.5	<0.2
106754	Soil	4	13	0.55	177	0.004	2	1.47	0.008	0.11	<0.1	<0.01	11.0	<0.1	<0.05	4	<0.5	<0.2
106755	Soil	5	20	1.11	148	0.234	1	2.14	0.008	0.06	0.1	0.01	1.6	<0.1	<0.05	9	<0.5	<0.2
106756	Soil	3	27	1.65	214	0.209	<1	2.98	0.034	0.05	<0.1	<0.01	6.3	<0.1	<0.05	9	<0.5	<0.2
106757	Soil	4	16	1.86	290	0.285	<1	3.17	0.031	0.10	<0.1	<0.01	6.9	<0.1	<0.05	10	<0.5	<0.2
106758	Soil	12	55	1.00	281	0.195	<1	2.91	0.018	0.09	<0.1	<0.01	5.3	<0.1	<0.05	9	<0.5	<0.2
106759	Soil	8	37	0.74	238	0.113	<1	2.51	0.015	0.05	0.1	0.02	3.9	<0.1	<0.05	7	0.5	<0.2
106760	Soil	8	39	1.12	178	0.094	<1	2.21	0.012	0.05	<0.1	<0.01	4.2	<0.1	<0.05	7	<0.5	<0.2
106761	Soil	9	40	1.07	176	0.167	<1	2.20	0.023	0.04	<0.1	<0.01	3.7	<0.1	<0.05	7	<0.5	<0.2
106762	Soil	6	51	1.87	114	0.225	<1	3.01	0.032	0.05	<0.1	<0.01	7.2	<0.1	<0.05	9	0.8	<0.2
106763	Soil	6	55	1.38	172	0.165	<1	3.14	0.034	0.05	<0.1	0.04	9.2	<0.1	<0.05	8	0.6	<0.2
106764	Soil	9	47	1.41	194	0.179	1	2.16	0.027	0.05	0.1	0.02	5.4	<0.1	<0.05	7	0.7	<0.2
106765	Soil	14	33	0.70	264	0.104	<1	1.69	0.039	0.06	0.2	0.03	4.3	<0.1	<0.05	5	<0.5	<0.2
106766	Soil	28	10	0.46	616	0.007	<1	1.79	0.009	0.07	<0.1	0.01	8.1	<0.1	<0.05	9	<0.5	<0.2
106767	Soil	7	27	1.04	257	0.173	<1	1.87	0.051	0.05	<0.1	<0.01	7.7	<0.1	<0.05	6	0.5	<0.2
106768	Soil	13	11	1.19	386	0.117	1	2.13	0.034	0.07	<0.1	0.02	11.3	<0.1	<0.05	11	<0.5	<0.2
106769	Soil	12	6	1.28	939	0.087	<1	2.02	0.055	0.02	<0.1	<0.01	9.4	<0.1	<0.05	9	<0.5	<0.2
106770	Soil	13	10	0.83	255	0.100	<1	1.64	0.051	0.27	<0.1	0.01	7.8	0.1	<0.05	7	<0.5	<0.2



# AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

**Client:**

**Stakeholder Gold Corp.**

203 - 680 Third A

Val D'Or QC J9P 1S5 Canada

## Project

DIVIDE

Report Date: November 15, 2011

November 15, 2011

[www.acmelab.com](http://www.acmelab.com)

Page: 1 of 1 Part

## QUALITY CONTROL REPORT

DAW11000284.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%								
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																						
132181	Soil	0.7	22.9	8.4	39	<0.1	20.6	11.6	273	2.89	7.6	0.6	5.3	3.1	29	<0.1	0.3	0.2	88	0.60	0.022	
REP 132181	QC	0.7	25.1	8.1	42	<0.1	21.8	12.4	282	3.02	7.9	0.6	2.5	3.1	30	<0.1	0.3	0.2	94	0.65	0.025	
132189	Soil	0.8	34.6	7.4	51	<0.1	17.9	11.6	264	3.21	6.7	0.6	2.0	3.1	31	<0.1	0.4	0.1	90	0.34	0.021	
REP 132189	QC	0.6	30.8	6.7	46	<0.1	17.1	10.8	264	3.08	6.7	0.5	1.4	2.7	28	<0.1	0.3	<0.1	87	0.33	0.021	
113966	Soil	0.3	59.0	3.7	67	<0.1	8.2	19.3	619	4.56	5.1	0.3	1.6	2.4	43	<0.1	<0.1	<0.1	101	4.31	0.125	
REP 113966	QC	0.3	59.0	3.4	65	<0.1	9.1	19.0	609	4.61	4.4	0.3	1.0	2.5	43	<0.1	<0.1	<0.1	102	4.14	0.125	
113984	Soil	0.8	19.0	3.6	74	<0.1	14.4	20.4	775	4.34	3.8	0.2	4.0	1.3	62	<0.1	0.2	<0.1	121	0.94	0.039	
REP 113984	QC	0.7	18.2	3.8	69	<0.1	15.1	20.8	790	4.32	2.8	0.2	4.4	1.4	67	<0.1	0.2	<0.1	124	0.99	0.040	
113999	Soil	0.7	54.4	8.1	95	<0.1	23.9	14.2	378	3.25	6.0	0.8	4.7	2.6	24	<0.1	0.3	0.1	86	0.39	0.025	
REP 113999	QC	0.6	55.0	8.2	97	<0.1	23.4	14.0	375	3.17	5.3	0.7	28.1	2.7	24	<0.1	0.3	<0.1	84	0.40	0.024	
106761	Soil	0.6	43.7	5.6	45	<0.1	26.5	14.3	330	2.84	4.2	0.4	0.8	1.6	49	<0.1	0.2	<0.1	75	0.82	0.064	
REP 106761	QC	0.6	43.3	5.4	46	<0.1	27.1	14.7	335	2.82	4.2	0.4	0.7	1.7	49	<0.1	0.2	<0.1	75	0.83	0.068	
106768	Soil	0.5	45.7	4.0	85	<0.1	10.6	19.6	1164	5.31	2.0	0.9	0.9	2.9	29	<0.1	0.2	<0.1	104	1.08	0.247	
REP 106768	QC	0.5	44.3	3.8	84	<0.1	10.7	19.6	1116	5.30	1.8	0.9	0.6	2.8	27	<0.1	0.3	<0.1	101	1.02	0.227	
Reference Materials																						
STD DS8	Standard	13.8	118.9	130.7	307	1.7	39.6	7.9	638	2.54	27.0	3.0	165.0	7.7	79	2.5	6.3	7.5	44	0.71	0.080	
STD DS8	Standard	14.2	114.8	133.7	324	2.0	39.9	7.5	629	2.61	26.1	2.9	130.4	7.2	66	2.4	5.5	5.9	45	0.72	0.078	
STD DS8	Standard	12.4	105.7	125.1	303	1.9	37.0	6.9	598	2.38	24.5	2.8	109.1	6.7	70	2.1	5.7	6.7	40	0.67	0.080	
STD DS8	Standard	13.9	104.2	122.0	291	1.8	37.2	7.2	599	2.37	24.4	3.1	104.6	7.3	81	2.4	5.8	6.7	43	0.74	0.074	
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.02	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: Stakeholder Gold Corp.

203 - 680 Third Ave.  
Val D'Or QC J9P 1S5 Canada

Project: DIVIDE

Report Date: November 15, 2011

Page: 1 of 1 Part 2

## QUALITY CONTROL REPORT

DAW11000284.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																		
132181	Soil	10	39	0.76	205	0.131	1	2.13	0.033	0.06	<0.1	<0.01	5.9	<0.1	<0.05	7	<0.5	<0.2
REP 132181	QC	11	42	0.81	202	0.135	2	2.34	0.036	0.05	0.1	0.01	6.3	<0.1	<0.05	7	<0.5	<0.2
132189	Soil	10	31	0.71	184	0.133	2	2.29	0.022	0.05	0.1	0.02	5.2	<0.1	<0.05	7	<0.5	<0.2
REP 132189	QC	9	31	0.67	175	0.121	1	2.22	0.020	0.05	<0.1	0.01	5.0	<0.1	<0.05	7	<0.5	<0.2
113966	Soil	8	5	0.70	182	0.005	<1	2.02	0.010	0.05	<0.1	<0.01	10.8	<0.1	<0.05	9	<0.5	0.2
REP 113966	QC	7	4	0.68	183	0.004	1	2.00	0.011	0.05	<0.1	0.02	10.5	<0.1	<0.05	9	<0.5	<0.2
113984	Soil	4	24	1.67	159	0.248	2	3.17	0.008	0.05	<0.1	<0.01	7.1	<0.1	<0.05	9	<0.5	<0.2
REP 113984	QC	4	24	1.66	151	0.257	<1	3.20	0.008	0.06	<0.1	<0.01	7.0	<0.1	<0.05	9	<0.5	<0.2
113999	Soil	12	46	1.06	243	0.140	3	2.08	0.021	0.03	0.1	<0.01	5.8	<0.1	<0.05	7	<0.5	<0.2
REP 113999	QC	13	44	1.04	241	0.134	2	2.02	0.018	0.03	0.2	0.02	5.5	<0.1	<0.05	6	<0.5	<0.2
106761	Soil	9	40	1.07	176	0.167	<1	2.20	0.023	0.04	<0.1	<0.01	3.7	<0.1	<0.05	7	<0.5	<0.2
REP 106761	QC	7	39	1.06	175	0.167	<1	2.25	0.024	0.04	<0.1	<0.01	3.7	<0.1	<0.05	7	<0.5	<0.2
106768	Soil	13	11	1.19	386	0.117	1	2.13	0.034	0.07	<0.1	0.02	11.3	<0.1	<0.05	11	<0.5	<0.2
REP 106768	QC	12	10	1.23	388	0.110	<1	2.19	0.031	0.07	<0.1	0.02	11.1	<0.1	<0.05	11	<0.5	<0.2
Reference Materials																		
STD DS8	Standard	17	123	0.61	288	0.139	2	0.97	0.106	0.42	3.1	0.20	2.9	5.6	0.17	5	4.9	4.6
STD DS8	Standard	17	124	0.64	291	0.126	1	0.95	0.097	0.43	3.3	0.22	2.3	5.7	0.16	5	3.9	4.7
STD DS8	Standard	14	117	0.61	271	0.114	4	0.94	0.099	0.43	3.0	0.15	3.2	5.3	0.14	4	4.9	4.9
STD DS8	Standard	17	116	0.60	297	0.132	2	1.02	0.105	0.48	3.1	0.22	2.6	5.3	0.14	5	4.2	5.3
STD DS8 Expected		14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2