

QD01345

096203

2010 Geochemical and Drilling Report for the Ten Mile Project

Claims: RDU 183 – RDU 258. (76 claims)

Grant Numbers: YC93992-YC94067

NTS 115 O5, 12, 115 N08,09

Latitude 63°30' N: Longitude 140°00' W

Dawson Mining District

Work performed between July 1st – September 30th, 2010

Owner: Radius Gold Inc. Bernard Kreft
 830-355 Burrard St. 1 Locust Place
 Vancouver, B.C. Whitehorse, YK.
 V6C 2G8 Y1A 5C4

Operator: Solomon Resources Ltd.
 P.O. Box 938,
 Vernon, B.C.
 V1T 6M8



Report written by: Steve Potts, P.Geo

April 30, 2011

Contents

1. Introduction	1
2. Previous investigations	1
3. Property Description, physiography and Location	2
4. Geological setting	3
5. Legal Description	3
6. Work program for 2010	4
7. Sampling method	4
8. Sample preparation, analyses and security	5
9. Results and Discussion	6
10. Statement of Qualifications	8
11. Statement of Expenditures	9
12. References.....	10
13. Appendices.....	11
13.1 Results of soil sampling program.....	11
13.2 Laboratory certificates for soils	11
13.3 Drill logs and assay results.....	11
13.4 Laboratory certificates for drill program	11

List of Tables and Figures

Table 1	Legal description of claims
---------	-----------------------------


Figure 1	Location map
Figure 2	Claim map
Figure 3	Soil sample locations, trench location and drill hole location
Figure 4	Results of soils geochemical program - gold
Figure 5	Results of geochemical program - Arsenic
Figure 6	Geology of the area

1. Introduction

Solomon Resources Ltd (Solomon) has entered into an operating agreement with Radius Gold Inc. for the claim package known as Ten Mile, located in the Dawson District, Yukon and started work there in June 2010. The work program that is being filed in this report is part of a broader and on-going work program. However all claims fall under one grouping but there are several different expiry dates for the claims. Figure 1 shows the regional location of the claims, and figure 2, the claim map. The aim of this year's program was to carry out a prospect mapping program, a soil geochemical program, a trenching program and a diamond drill program across the Ten Mile property. The program followed a logical work pattern of soil sampling, trenching, and then once anomalous areas had been defined, a follow up drill program was initiated. This assessment report will detail the geochemical, and diamond drill program. The trenching program will be detailed in another assessment report. Access to the claims is relatively easy as a previous Operator had made a CAT trail from the valley up into the area of operation. The trail was still in good condition, and the off road vehicles were able to cope with the route.

2. Previous investigations

The area has been previously explored by Teck, who carried out a three year program between 1998 and 2000. Prospect mapping and a soil geochemical program was undertaken with recommendations for follow up work. Teck however, allowed the claims to lapse, and which were then staked by Fjordland Exploration in 2003, who carried out a small scale program across the Ten mile area. Government sponsored programs have included two regional mapping programs carried out by Jim Ryan (Open file (OF) 1772, J.J. Ryan and S.P. Gordey), and expanded later to produce OF 4641. The Yukon Geological Survey in collaboration with the NATMAP project, produced a compilation map (2006-1, M. Colpron), entitled "Tectonic assemblage map of Yukon Tanana and related terranes in Yukon and northern British Columbia." A GSC sponsored airborne program covered the area in 2001 at 800m line spacing. More recently, the area is being encompassed under the GEM Edges program, as renewed interest due to the White Gold discovery, is encouraging further exploration in the area.



3. Property Description, physiography and Location

The property is located approximately 75 km south west of Dawson City. It lies 10 km to the south of the sixty mile river and 10 km west of the Yukon river. The Ten Mile creek lies on the eastern boundary of the claims and drains several streams running off the claims. The area's topography is typical of the Dawson range, with rolling hills incised by steep sloped gullies, which is representative of water run-off being the major contributor to morphology, rather than glacial action. Permafrost typically covers the

northern slopes, which are underlain by a thick cover of moss. The south facing slopes are usually covered in alders and black spruce trees. The highest elevation, above 3000' amsl, is above the tree line and surfaced with felsenmeer. A CAT trail has been made along a ridge line that runs through the centre of the claim package and makes access to the area relatively easy.

4. Geological setting

The area of the Ten mile creek area was regionally mapped by Tempelman-Kluit (1974) on map sheet 115N and Bostock (1942) on map sheet 115O. A multi-disciplinary program, consisting of regional bedrock and surficial geological mapping, and airborne geophysics, was undertaken by the Geological Survey of Canada (GSC) over the Stewart River area, which included Solomon's claim area (2000 to 2003). Debicki (1984) and Mortensen (1996) have mapped the area immediately north and northeast of the project area, while Wheeler et al (1991), and Gordey and Makepeace (2001) compiled the geology of the territory. In 2006 a compilation map of the area was put together in conjunction with the Yukon Geological Survey (YGS) (M. Colpron, OF 2006-1).

In the central Yukon, there are two main geological components largely separated by the major, northwest-trending Tintina fault. Rocks northeast of this fault represent the Ancient North American margin. Rocks southwest of the fault are accreted crustal fragments, including the pericratonic Yukon-Tanana Terrane, the Intermontane Superterrane consisting of the Stikinia, Quesnellia, Slide Mountain, Cache Creek and Windy-McKinley Terranes, and the Insular Superterrane consisting of the Wrangellia and Alexander Terranes.

The Ten Mile Property is located within the Paleozoic Yukon- Tanana Terrane (YTT) and is comprised of the Upper Devonian Snowcap assemblage, which consists of polydeformed and metamorphosed quartzite, psammite, pelite and marble (M. Colpron 2006). Figure 6 shows the location of Solomon's claims in relation to the geology of the area. Intruded into this assemblage are a series of granitic plutons, varying from highly deformed to almost fresh looking. Dating of the Ten Mile intrusion has revealed a history of multi events dating as old as the Permian (263 Ma), and as young as the early Jurassic (174 Ma). Much younger Palaeocene epoch (56 Ma) feldspar porphyritic dykes cut the countryside in a north, north-west direction. Mapping of the area in combination with researching the radiometric data provided by the GSC, has shown a large granitic pluton extending throughout the area, and which is not shown on regional maps. This has been due to mostly a lack of outcrop in the area, and also points to the fact the area is relatively under explored. This pluton is now shown on the map produced in figure 6.

5. Legal Description

Table 1 describes the claim numbers required for renewal plus the claims where the actual work was carried out.

Claims for renewal		Claims where work was done		Renewal date
Claim name	Grant number	Claim name	Grant number	
RDU183 – RDU258	YC93992-YC94067	RDU183-RDU186	YC93992-YC93995	29 th April 2011
		RDU189	YC93998	29 th April 2011
		RDU191	YC94000	29 th April 2011

Claims for renewal		Claims where work was done		Renewal date
		RDU202-RDU208	YC94011-YC94017	29 th April 2011
		RDU210	YC94019	29 th April 2011
		RDU217-RDU219	YC94026-YC94028	29 th April 2011
		RDU221-RDU225	YC94030-YC94034	29 th April 2011
		RDU228-RDU235	YC94037-YC94044	29 th April 2011
		RDU240	YC94049	29 th April 2011
		RDU242	YC94051	29 th April 2011
		RDU244	YC94053	29 th April 2011

Table 1: Legal description of claims for renewal

The claim names under the prefix "Ten" are owned by Bernie Kreft, 1 Locust Place, Whitehorse, Yukon, Y1A 5C4 and the claim names with the prefix "RDU" are owned by Radius Gold Inc., 830-355 Burrard St, Vancouver B.C. V6C 2G8.

6. Work program for 2010

Solomon, with a crew of 4 people including the Geologist, commenced sampling the area from 1st July 2010, and completed the soils program by the 9th August 2010. The program was interrupted by several days of bad weather and by the trenching program which was in operation during July. Approximately 450 soil samples were collected in the area covered by this assessment report, but as will be discussed and shown in figure 6, the program for 2010 covered a larger area. For the 2010 season, approximately 1,100 soil samples were collected across the area.

The sampling crew, equipped with GPS and augur, walked individual lines spaced 100m in an east west direction, and collected samples at 50 m intervals in a north-south direction. Records were taken of the depth of the sample, colour and appearance. At every tenth station, a duplicate sample was taken. There was very little outcrop, and much of the ground was covered in felsenmeer or a thin layer of soil.

From the 8th September to 15th September, the crew constructed 2 drill pads, on claim YC94017. The lumber for the pads was lifted by helicopter from the previous drill program located 5 km to the east. Kluane Drilling was contracted to carry out the drill program, which commenced on 17th September and was completed by 30th September. The crew was accommodated by the placer camp located in the Ten Mile Creek valley, and shift changes were carried out with the use of a helicopter, the pilot staying in camp for most of the program. Three NQ size holes were drilled for a total of 375 m of core, most of which was cut in half and sent for assay.

7. Sampling method

The method was as follows:

For Soils:

- a) The C horizon was targeted for this program. The A horizon is usually an organic matter horizon, followed by a brown layer, the B layer, fine grained with a leached upper portion. Deeper into

the horizon, the material becomes coarser (the C horizon), and it is this material, usually at the 50 – 60 cm level, that the sample is taken.

- b) A kraft bag is filled to maximum, discarding any pebbles, the bag is then tagged and sealed, and placed in a plastic bag.

For Trenching

The trench was sampled at 3m intervals, with the lowest part of the trench wall being chipped out and placed in a plastic bag. A 3-4 kg sample was collected with this method.

For core samples

The core was flown to camp, logged, halved using a rock saw, sampled and shipped out for assaying. The core was sampled at 2 metre intervals. The rest of the core was stored on adjoining claims to the north.

8. Sample preparation, analyses and security

All samples were bagged and labeled, batched into rice bags, sealed and transported to Acme Labs, Whitehorse, B.C. There the samples were crushed and pulverized, and then sieved through 100 mesh screen and prepared for analysis. From there the samples were transported to Acme Labs in Vancouver B.C. for ICP MS analysis.

The pulp is then treated with hot aqua regia digestion and processed through an ICP-MS monitor. A 15g sample was used for a more representative result. The following 36 element package with a gold geochemical addition added to the package was used for this program.

Ag	Al	As	Au	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
Mo	Na	Ni	P	Pb	S	Sb	Sc	Se	Sn	Sr	Ti	Th	Tl	V	W	Y	Zn

QA/QC Control

Solomon initiated its own QA/QC program with the following checks:

- At every tenth soil sampling station, a duplicate sample was collected, so there was approximately 10% of duplication. In some areas it was not possible to collect more than one sample.
- For the rock chip and core program, two sets of standards, provided by Canadian Standards Laboratory, were inserted at random intervals.
- Acme Labs has developed its own standards program, with a system of duplication, replication, and blanks.

9. Results and Discussion

The program's aim was to extend Solomon's knowledge of the area and help direct future exploration programs. The previous investigation carried out by Teck, which included soil sampling and trenching, had resulted in detecting anomalous gold samples within the northern section of the claims. That company's recommendation was for a follow up drill program. The conclusions at that time were that a gold anomaly existed, and which could be intrusion related. Solomon's program proved that this soil anomaly did exist, and has since named it the Sourdough Joe Zone, with 18 samples returning greater than 60 ppb Au, the highest value being 141 ppb (figure 4). Solomon's soil sampling program also confirmed the existence of two other anomalous zones (figures 4 and 5). To the south of the Sourdough Joe zone, is an outlined area of 1,600 m by 600m, with 9 samples returning > 60 ppb, with the highest value of 260 ppb Au, called the Jack London zone.

The best zone to date though is the Skukum Zone, a 900 m by 700m anomaly located in the southern portion of the claims. 36 samples have returned values greater than 60 ppb Au, with the highest value of 1,436 ppb Au. Interestingly enough, the Skukum zone has also recorded high values of Arsenic, in contrast to the other two zones, indicative of a possible different event mineralizing the Skukum zone. Appendix 13.1 provides the results from the soil sampling program.

Prospect mapping of the area was not able to determine sources of mineralization, however the trenching program and some outcrops displayed faulting and strong foliation, in a northerly direction. Also evident were east-west striking quartz filled veins which were either well rust stained suggesting a weathering process of sulphides, or had visible specks of galena. Therefore, the evidence to date points to structural controls being the conduits for mineralization.

The geology shown in figure 6, shows a schematic diagram of possible structural events across the area. There is a possibility of extensional faulting in a north-south and east-west direction, however only more field work will be able to define the events that have led to mineralization of the area.

As a result of the soil sampling program, it was decided to test the sub surface with a short drill program, with 2 pads constructed over the best soil anomalies. The drill logs are presented in Appendix 13.3.

DDH 2010-04

Location: 545186E, 7042185N: Azimuth = 170° , dip = -50° . Length of hole= 125.00 m

This drillhole was positioned to test the highest anomalies found in the Skukum Zone, situated on the JV claims. Silicification and brecciation is in abundance throughout the hole. The original host rock seems to have been a quartz mica schist or quartzite. Mineralization favours chloritized veinlets, and is in the form of pyrite and arsenopyrite. Au mineralization was detected throughout the hole. The best valuation was located between 9m to 23m with 0.192 g/t Au over 14m and between 40m to 48m with 0.218 g/t Au over 8m.

DDH 2010-05

Location: 545186E, 7042185N: Azimuth = 350°, dip = -50°. Length of hole= 125.00 m

The upper half of the core intersected quartz biotite schist, with the lower half being in granite. There is no surface expression of granite in the area, however, the airborne survey flown by the GSC shows a high potassic outline in this region. This hole had the best mineralization, although from core observations, there was mostly only disseminated pyrite and arsenopyrite. The mineralization is not obvious and so not all the core was assayed. Mineralization again seems to be associated with silicification and chlorite veinlets that intermittently floods the core. Petrographic work has identified the fineness of pyrite, and which is not even observable under the hand lens. However, assay to date has given the following results: from 5m to 16m = 0.39 g/t Au over 11m, and from 31m to 53m, 0.40 g/t over 22m.

DDH 2010-06

Location: 545089E, 7042166N: Azimuth = 340°, dip = -50°. Length of hole= 125.00 m

This hole was located 100m west of the previous two holes and still within the area of highest soil anomalies. Most of the core was within what is petrographically described as a granitoid, with the lower part of the core being in Schist. However, the writer would more describe the granitoid as a retrograde granite. The fabric and texture is sometimes granitic, but in areas proximal to faults, the potassic feldspars retrograde to a fine grained groundmass, and plagioclase feldspars, to a very white, albitised groundmass, suggesting a lot of frictional heat generated during fault movement destroying the original crystal make-up.

Unfortunately, the abundance of brittle faulting does not have much associated mineralization, with spotty results of Au mineralization, and compared to previous results, very low As results. This hole is topographically about 50m lower than the previous 2 holes, and with the noticeable change in As values between the two locations, could suggest a vertical zoning in mineral ratios, which is typical of a structurally controlled hydrothermal type system. In following this train of thought and looking at the silver to gold ratios, the silver ratios are typically higher in this hole than the previous 2 holes, which in a typical hydrothermal system, would be indicative of being below the (vertical) zone of best gold values. However, it is probably too soon to speculate on ratios as there is just not enough drill data available yet.

10. Statement of Qualifications

I, Steve Potts, with business address at Solomon Resources Limited, Unit 3 – 2860 Smith Drive, Armstrong, B.C., V0E 1B1, hereby certify that:

- I am a practising Geologist, located in Delta B.C.
- I am a member in good standing with the Association of Professional Engineers and Geoscientists of British Columbia (Licence 33654).
- I hold a Bachelor of Science (B.Sc. Hons) in Geology and Geography (1988) from the University of Leeds, U.K.
- I have been practicing my profession as a geologist since graduation in 1988.
- I have a direct interest in the operations of Solomon Resources Ltd. as I am a shareholder.
- I have based this report on:
 - Field work conducted by myself and carried out under my supervision.
 - Historical research into past operations on the claims and adjacent to the claims
- I consent to the use of this report for any Filing Statement, Statement of Material Facts, or support document.

Steve Potts B.Sc. P.Geo.

11. Statement of Expenditures

Ten Mile Claims Expenditures					
June 2010					
<u>Item</u>	<u>Hours</u>	<u>Unit rates</u>	<u>No. of days</u>	<u>Man days</u>	<u>\$</u>
Analytical Analysis –for Soils. Acme Labs – 450 samples		20.50			9,225
Analytical analysis – rock chip and core - 187		20.50			3,833.50
Camp, including fuel, groceries and accommodation-soils		50	16	64	3,200
<u>Sub-Contractors</u>					
Transnorth Helicopters	45	1264.83			56,414.41
Kluane Drilling – drilling of 375 m					47,636.46
<u>Salaries</u>					
Personnel – Geology – Chief Geologist		500	16	16	8,000
Personnel - field crew – 3		200	16	48	9,600
Total Expenditures:					137,909.37

12. References

Colpron M. 2006: OF 2006-01: Tectonic assemblage map of Yukon Tanana and related tectonic terranes in Yukon and northern British Columbia.

Gordey S.P., Williams S.P., Cocking R.B., Ryan J.J.: 2006. Digital Geology, Stewart river area, Yukon.

Pautler, J. (2001) "2000 Geological and geochemical report on the Ten Mile Creek Property"

Potts S. (March 10th 2011) Assessment report "Geochemical report for the Ten Mile project.

Potts S. (April 25th 2011) Assessment report "Geochemical, trenching and drilling report for the Ten Mile Project"

13. Appendices

13.1 Results of soil sampling program.

13.2 Laboratory certificates for soils

13.3 Drill logs and assay results

13.4 Laboratory certificates for drill program




Figure 2
Claim Map

NTS 115N 09
NAD 1983, UTM Zone 7

1:50,000






Figure 3
Soil sample, trench and drill pad locations

1:50,000



NTS 115N 09
NAD 1983, UTM Zone 7






Figure 4
 Results of soils geochemical program
 Gold - ppb

NTS 115N 09
 NAD 1983, UTM Zone 7

1:25,000






Figure 5
 Results of soils geochemical program
 Arsenic - ppm

NTS 115N 09
 NAD 1983, UTM Zone 7

1:25,000




Figure 6
Geology of the area

1:25,000

NTS 115N 09

NAD 1983, UTM Zone 7



Legend

— Boundary

Total soil program

Au ppb

● 0.0 - 20.0

● 20.1 - 40.0

● 40.1 - 60.0

● 60.1 - 200.0

■ > 200

● 2010 drill sites

Ten Mile Geology

Lithology

■ Fsp Qtz porphyry dyke

■ biotite granite

■ biotite quartz monzonite

■ orthogneiss

■ marble

■ Quartz Mica Schist

--- Inferred fault

+ Trench

Sample_id	Easting	Northing	Element Unit MDL	Mo PPM 0.1	Cu PPM 0.1	Pb PPM 0.1	Zn PPM 1	Ag PPM 0.1	Ni PPM 0.1	Co PPM 0.1	Mn PPM 1	Fe % 0.01	As PPM 0.5	U PPM 0.1	Au PPB 0.5	Th PPM 0.1	Sr PPM 1	Cd PPM 0.1	Sb PPM 0.1
141287	545701	7043050		1.4	30.4	15.5	83	<0.1	13.1	11.5	625	4.42	12	0.9	1	4.6	17	0.2	0.9
141288	545701	7043100		0.9	21.0	27.3	133	0.1	14.8	11.0	442	3.29	8	0.6	11	3.4	19	0.3	0.6
141289	545701	7043150		0.9	24.1	20.2	66	<0.1	17.8	10.1	273	3.33	13	0.8	9	3.8	29	0.2	0.6
142083	545601	7043000		1.4	25.5	12.4	56	0.1	24.2	12.0	296	3.57	10	0.6	3	4.1	23	<0.1	0.7
142084	545601	7043049		1.2	38.6	15.7	65	0.1	22.6	11.1	508	3.55	8	1.0	4	4.9	34	<0.1	0.9
142085	545602	7043101		0.7	22.2	13.7	46	<0.1	20.1	8.3	285	2.47	7	0.7	2	3.1	28	<0.1	0.4
142086	545602	7043152		0.7	21.0	9.9	47	<0.1	19.4	9.5	302	2.83	7	0.6	2	4.3	20	<0.1	0.5
142087	545603	7043201		0.7	20.6	11.1	49	<0.1	20.6	10.5	378	2.86	7	0.9	1	3.9	31	<0.1	0.5
142357	545902	7043000		0.7	21.6	8.7	36	<0.1	17.6	8.1	239	2.32	27	0.5	16	3.7	26	<0.1	0.6
142358	545901	7043052		1.1	17.1	12.7	46	<0.1	18.2	7.8	365	2.97	32	0.4	10	2.6	21	0.2	0.6
142359	545902	7043101		0.9	38.5	15.4	46	0.2	27.7	12.2	772	2.85	54	2.0	32	3.7	107	0.1	0.9
142360	545905	7043148		0.9	18.6	10.6	47	0.1	16.5	11.3	660	2.41	69	0.7	18	3.7	38	<0.1	0.6
142361	545901	7043200		0.8	22.2	12.1	52	0.1	18.4	8.7	347	2.28	51	0.8	29	3.4	34	0.1	0.6
142365	545900	7043000		0.9	13.4	19.3	64	0.1	14.2	12.9	605	2.59	34	0.7	9	1.8	33	0.2	0.6
142378	545505	7043000		0.9	52.6	8.2	54	<0.1	16.7	10.5	582	3.60	5	1.2	5	5.3	37	<0.1	0.5
142379	545502	7043050		1.2	17.6	9.2	50	<0.1	18.6	9.7	266	3.23	8	0.5	1	3.9	14	<0.1	0.5
142380	545501	7043101		0.8	46.3	7.7	59	<0.1	21.6	13.7	408	4.06	5	0.6	1	4.7	18	<0.1	0.4
142381	545502	7043151		1.1	22.6	10.1	49	<0.1	18.2	9.6	332	3.05	15	0.8	3	4.5	22	<0.1	0.5
142382	545500	7043200		1.0	33.8	15.8	70	<0.1	18.3	13.1	523	3.97	8	0.8	1	5.9	14	<0.1	0.7
141535	545801	7042999		2.2	44.1	11.8	50	0.1	57.3	26.5	813	7.63	214	1.2	18	11.7	53	0.2	1.6
141552	545402	7043250		1.2	24.4	16.5	35	0.4	12.9	8.9	569	2.24	5	1.2	3	2.2	29	<0.1	0.4
141553	545400	7043199		1.3	19.1	13.0	52	0.1	12.3	8.0	230	3.06	6	0.5	2	3.1	25	0.1	0.5
141554	545401	7043150		1.9	16.7	25.6	104	0.2	15.0	7.5	853	2.40	10	0.8	16	4.2	31	0.5	0.9
141555	545401	7043100		1.4	37.6	11.2	91	<0.1	40.2	19.5	567	5.15	7	1.2	<0.5	11.9	8	<0.1	0.3
141556	545402	7043051		1.9	41.6	9.8	77	<0.1	31.8	12.1	481	4.46	86	1.3	1	6.8	14	0.2	0.7
141557	545401	7042999		0.9	8.2	9.1	30	<0.1	8.1	4.6	169	1.88	5	0.3	1	1.6	13	0.1	0.4
141558	545302	7043001		1.0	34.0	8.8	59	<0.1	19.1	13.8	424	3.53	7	0.8	3	3.6	51	0.1	0.6
141559	545301	7043048		1.2	52.0	12.9	63	0.2	21.5	14.5	572	3.50	8	1.3	4	4.6	122	0.1	0.8
141560	545298	7043101		1.5	47.0	21.2	64	0.4	20.2	15.0	487	3.77	7	0.8	4	3.3	62	0.1	0.7
141561	545298	7043101		1.5	46.2	21.3	65	0.4	21.6	12.6	440	3.65	8	0.8	5	3.1	61	0.2	0.7
141562	545300	7043150		1.2	68.0	9.5	78	0.2	23.0	18.1	492	4.31	7	1.2	2	4.3	90	0.1	0.9
141563	545303	7043198		1.1	38.6	11.1	80	0.2	15.5	14.7	664	3.52	7	1.0	2	3.2	61	0.1	0.8
141564	545301	7043249		1.4	22.7	13.9	37	0.4	11.4	16.3	967	2.73	17	1.5	12	1.0	55	0.1	0.4
141565	545302	7043299		1.1	29.4	13.3	45	0.7	19.8	13.4	1956	1.83	31	1.5	60	0.9	217	0.7	0.9
141566	545301	7043349		1.8	16.6	15.6	61	0.2	14.9	6.2	241	2.66	37	0.7	5	4.2	19	0.2	0.7
141567	545302	7043404		1.5	26.4	33.3	73	0.2	24.6	11.2	320	3.65	40	0.7	9	4.7	22	0.1	0.8
141568	545300	7043449		1.6	15.1	20.3	51	0.5	13.8	6.9	205	2.99	16	0.5	6	2.7	11	0.2	0.6
141569	545305	7043499		1.1	15.4	27.0	46	0.2	16.3	7.5	356	2.75	14	0.6	3	3.2	16	0.2	0.5
141570	545302	7043549		1.6	45.5	410.0	146	0.5	17.6	9.1	506	3.01	22	1.5	47	6.9	17	0.9	0.8
141571	545302	7043549		2.1	44.4	716.9	159	1.7	17.9	9.6	722	3.17	26	1.5	60	7.2	18	1.0	1.2
141572	545301	7043599		1.2	49.6	21.3	74	0.4	14.5	8.8	1525	2.51	8	2.6	7	1.3	184	0.7	0.5
141573	545301	7043650		3.4	20.3	33.1	67	0.3	28.6	11.0	1680	2.45	6	1.7	10	2.3	89	0.5	0.5
141574	545300	7043701		1.7	56.5	157.3	408	0.6	15.4	16.7	3108	3.03	7	0.8	12	2.2	45	2.4	0.6
141337	545301	7042950		1.5	15.8	13.0	45	<0.1	13.9	7.9	230	2.71	12	0.7	2	3.8	19	0.1	0.8
141338	545301	7042900		1.3	19.0	12.6	47	<0.1	13.2	10.9	197	3.05	11	0.5	3	3.9	13	<0.1	0.7
141339	545301	7042850		1.4	15.0	9.4	56	<0.1	21.4	7.6	372	3.47	10	0.4	2	2.3	12	0.2	0.6
141340	545301	7042800		1.0	20.7	10.4	47	0.1	22.2	11.4	260	2.87	11	0.9	3	4.3	24	<0.1	0.6
141341	545301	7042750		1.4	28.9	12.0	46	0.4	20.6	8.9	269	2.76	13	1.1	4	4.2	12	0.2	0.6
141342	545301	7042700		1.0	24.5	22.8	63	0.2	21.1	16.1	425	3.18	16	0.7	6	4.1	24	<0.1	0.9
141343	545301	7042650		1.3	15.8	11.5	52	0.2	14.5	11.3	370	3.60	82	0.7	10	2.5	24	0.1	0.7
141344	545301	7042600		1.2	22.3	11.9	47	0.3	23.7	12.9	339	3.26	344	1.0	65	3.7	34	<0.1	0.7
141345	545301	7042550		1.1	30.0	12.6	63	0.1	26.2	12.9	289	3.34	489	0.5	112	3.6	26	0.1	0.9
141346	545301	7042500		1.2	21.0	14.3	51	<0.1	24.3	9.9	287	3.40	495	0.4	31	3.0	18	0.1	0.8
141347	545301	7042450		1.8	35.8	17.9	60	0.3	23.7	13.3	1317	6.20	639	1.1	224	4.2	46	0.1	1.6
141348	545300	7042448		1.7	34.8	19.0	63	0.3	24.5	13.1	1259	6.77	679	1.2	256	4.7	47	0.2	1.6
141349	545301	7042400		1.4	41.2	21.1	57	0.2	26.1	10.4	2604	5.99	222	1.2	24	4.3	40	0.2	0.8
141350	545301	7042350		2.0	30.3	32.6	65	0.2	16.9	9.9	1341	5.70	1506	1.4	109	6.8	28	0.2	1.6
141351	545301	7042300		1.0	23.9	31.0	53	0.5	27.4	11.5	258	3.09	106	0.4	18	2.5	20	<0.1	0.6
141401	545301	7042000		0.2	118.1	6.8	98	0.2	26.9	45.1	1174	8.87	16	0.5	10	1.9	75	0.2	1.4
141402	545300	7042051		0.4	63.6	15.4	58	0.2	31.4	23.1	1243	5.67	30	0.8	10	6.8	159	0.3	1.3

Sample_id	Eastings	Northing	Element Unit MDL	Mo PPM 0.1	Cu PPM 0.1	Pb PPM 0.1	Zn PPM 1	Ag PPM 0.1	Ni PPM 0.1	Co PPM 0.1	Mn PPM 1	Fe % 0.01	As PPM 0.5	U PPM 0.1	Au PPB 0.5	Th PPM 0.1	Sr PPM 1	Cd PPM 0.1	Sb PPM 0.1
141403	545300	7042100		0.5	21.0	166.0	133	0.5	8.7	4.8	247	1.62	120	0.5	244	2.3	27	1.0	5.2
141404	545302	7042149		1.2	27.8	89.1	66	2.9	21.3	8.7	218	2.91	26	0.5	29	3.7	10	0.3	1.5
141405	545303	7042199		1.2	25.9	38.9	48	0.9	17.9	8.1	229	2.57	64	1.0	22	4.3	17	0.1	0.7
141406	545300	7042254		1.4	30.7	20.1	56	0.4	19.6	9.3	245	3.05	38	1.4	15	5.2	17	0.1	0.7
141616	545702	7042003		1.5	25.2	34.3	51	0.3	26.5	11.3	361	2.90	112	0.9	26	4.3	38	0.1	0.9
141617	545702	7042051		2.0	31.1	47.6	58	1.3	31.3	10.5	439	2.82	121	1.4	100	2.9	81	0.4	1.4
141618	545703	7042100		1.2	23.6	30.7	50	0.6	25.7	10.3	443	2.68	185	1.3	92	4.9	58	0.2	1.0
141619	545700	7042149		0.9	19.5	38.0	51	0.5	19.7	7.9	268	2.51	184	0.7	52	2.7	35	0.2	1.0
141620	545703	7042199		0.9	21.8	29.5	53	0.1	21.0	10.1	337	2.80	135	0.8	47	3.9	26	<0.1	0.9
141621	545703	7042199		1.0	20.6	27.9	53	0.1	19.8	9.3	329	2.77	128	0.8	37	3.7	22	<0.1	1.0
141622	545700	7042249		1.0	16.2	30.5	51	0.2	17.6	10.7	672	2.59	199	0.7	38	2.2	24	0.1	0.7
141623	545701	7042300		1.0	25.2	28.9	51	0.6	21.9	9.4	347	2.72	435	1.2	128	3.3	24	<0.1	1.2
141625	545701	7042400		0.6	18.5	27.9	43	0.7	12.4	5.4	335	1.22	108	1.4	93	1.2	150	0.2	1.3
141626	545700	7042449		0.8	16.4	18.8	42	0.1	18.2	8.9	329	2.63	113	0.4	4	3.4	29	0.2	0.6
141627	545701	7042498		0.9	21.8	9.3	53	0.2	19.0	10.4	654	2.53	161	1.6	27	1.5	272	0.3	0.7
141628	545501	7042497		0.4	22.7	8.1	28	0.3	14.2	5.5	508	1.32	96	5.1	39	0.6	600	0.3	0.7
141629	545502	7042450		1.0	15.5	18.7	35	0.2	10.6	4.3	156	1.95	143	0.4	15	1.1	38	0.3	0.6
141630	545502	7042400		1.0	18.5	40.9	48	0.1	15.3	7.1	290	2.70	272	0.5	22	2.3	49	0.2	0.8
141631	545502	7042400		1.0	23.3	38.3	44	0.2	15.7	6.8	272	2.77	257	0.5	16	1.9	49	0.2	0.7
141632	545503	7042350		0.9	19.5	43.7	48	0.2	18.2	7.5	288	2.53	183	0.7	43	2.8	46	0.2	0.7
141633	545503	7042301		0.7	16.4	56.6	51	0.2	13.0	5.9	279	2.01	131	0.5	19	1.7	16	0.3	0.8
141634	545501	7042250		0.9	22.5	85.0	61	0.4	18.5	6.2	228	2.56	172	0.6	29	1.8	25	0.2	1.2
141635	545503	7042200		1.1	18.5	55.3	59	0.3	21.3	9.1	200	3.24	46	0.5	28	3.2	19	0.2	1.2
141636	545502	7042151		1.1	27.9	70.4	67	0.7	21.9	9.7	427	2.83	74	0.8	97	3.2	36	0.2	1.8
141637	545501	7042100		1.3	18.5	131.6	99	1.9	12.2	5.6	316	2.34	93	0.5	130	2.0	19	0.9	2.6
141638	545499	7042049		1.3	14.4	82.4	64	0.6	14.8	6.9	310	2.72	61	0.4	28	1.4	16	0.4	1.3
141639	545501	7042000		1.3	17.9	15.0	55	0.3	15.7	10.0	349	3.23	29	0.4	8	2.3	28	0.3	1.4
142492	545233	7042624		1.3	21.4	13.0	53	0.5	23.7	10.4	287	3.38	186	0.4	30	3.3	18	<0.1	0.8
142493	545601	7041998		1.7	63.0	36.9	68	1.2	54.1	17.2	900	3.39	209	2.2	66	2.7	243	0.6	1.9
142494	545600	7042047		2.8	38.2	103.6	79	0.8	34.6	13.7	657	3.24	263	0.9	99	5.2	39	0.4	2.2
142495	545601	7042096		1.2	25.3	82.5	77	1.1	22.8	10.8	517	3.44	139	0.8	118	3.3	35	0.4	1.7
142496	545598	7042150		1.4	28.8	74.0	72	1.0	26.2	11.5	602	3.29	401	1.2	127	3.3	48	0.2	1.8
142497	545596	7042198		0.9	14.6	46.2	34	0.3	9.7	4.7	220	1.77	28	0.4	12	1.9	18	0.2	0.8
142498	545603	7042257		1.1	27.4	79.0	66	0.2	21.3	8.5	299	2.97	128	0.7	24	3.4	23	0.1	1.4
142499	545600	7042304		1.0	33.8	113.7	69	0.4	22.7	10.4	346	3.12	209	1.2	44	3.8	24	0.2	1.5
142500	545603	7042348		1.1	28.8	102.9	84	0.3	23.5	10.5	466	3.19	290	1.1	47	3.3	28	0.2	1.4
142502	545608	7042455		1.2	15.0	17.3	55	0.1	20.2	10.9	447	2.89	165	0.7	25	3.1	91	0.2	0.6
142503	545605	7042503		2.9	18.0	23.9	49	0.1	31.7	10.6	394	2.93	174	0.6	17	3.1	70	0.1	0.7
142504	545402	7042500		1.6	12.2	11.6	46	0.2	15.5	6.4	608	2.31	150	0.5	4	1.6	71	0.3	0.5
142505	545402	7042450		1.3	11.6	13.9	43	<0.1	11.4	5.1	294	2.03	116	0.3	4	1.7	22	0.3	0.5
142506	545408	7042396		1.4	19.4	58.0	58	0.2	17.4	10.2	706	3.39	358	0.5	29	2.5	46	0.2	0.8
142507	545402	7042351		0.9	21.6	34.4	47	<0.1	19.1	9.1	370	2.30	104	0.8	21	3.8	30	<0.1	0.7
142508	545400	7042294		0.9	17.5	38.1	53	0.3	18.6	8.7	385	2.94	101	0.5	13	2.4	24	0.2	0.5
142509	545396	7042243		1.4	23.7	64.9	66	0.2	23.6	9.7	640	3.44	201	0.4	12	2.5	16	0.2	0.8
142510	545399	7042198		0.8	25.1	93.1	63	0.4	20.5	7.9	335	2.47	134	0.7	52	3.5	30	0.2	1.5
142511	545400	7042149		1.0	26.4	200.2	89	1.7	14.7	5.7	171	2.63	88	0.6	87	2.8	12	0.7	5.5
142512	545398	7042041		1.9	29.9	18.7	62	0.1	16.3	14.3	439	4.21	84	0.9	88	5.0	28	0.2	1.3
142513	545406	7042096		1.0	49.3	81.3	81	4.4	30.0	11.7	307	3.29	40	1.2	76	5.4	23	0.3	1.7
142514	545402	7041999		1.8	63.1	13.8	78	<0.1	37.0	17.6	489	5.64	26	1.0	77	4.7	13	0.1	5.2
142515	545400	7042000		1.8	55.3	14.2	63	<0.1	32.1	15.2	405	4.90	22	0.9	136	4.9	12	0.1	3.4
142516	545608	7042499		1.9	11.9	12.2	41	<0.1	19.8	8.0	298	2.44	132	0.4	11	2.0	31	0.1	0.6
141675	545399	7042950		1.1	14.5	9.4	64	<0.1	20.0	10.5	822	3.00	8	0.4	1	3.3	17	0.2	0.5
141676	545401	7042898		1.0	10.8	7.5	54	<0.1	11.0	5.9	699	2.21	4	0.3	<0.5	2.0	17	0.3	0.4
141677	545401	7042849		1.1	9.3	9.1	39	<0.1	10.9	5.4	252	2.19	5	0.4	<0.5	3.0	19	<0.1	0.3
141678	545403	7042799		1.0	9.4	8.7	33	<0.1	7.1	5.2	502	2.00	3	0.3	<0.5	2.4	15	0.1	0.3
141679	545402	7042750		1.1	40.4	33.5	135	0.3	16.5	16.3	1022	3.82	7	1.8	2	4.7	159	0.5	1.4
141680	545401	7042700		1.0	29.5	14.3	62	0.5	29.6	24.4	884	4.53	1439	1.2	179	2.0	241	0.3	1.6
141681	545401	7042700		0.8	30.0	14.4	59	0.5	29.6	22.7	945	4.26	1210	1.2	169	1.8	255	0.3	1.4
141682	545402	7042648		1.1	29.0	8.7	49	0.3	24.2	13.0	779	2.91	480	1.1	66	1.5	349	0.3	0.9
141683	545402	7042599		1.1	26.6	10.9	56	0.4	22.3	12.8	672	3.30	814	0.8	187	2.7	248	0.2	1.0

Sample_id	Eastings	Northings	Element Unit MDL	Mo PPM 0.1	Cu PPM 0.1	Pb PPM 0.1	Zn PPM 1	Ag PPM 0.1	Ni PPM 0.1	Co PPM 0.1	Mn PPM 1	Fe % 0.01	As PPM 0.5	U PPM 0.1	Au PPB 0.5	Th PPM 0.1	Sr PPM 1	Cd PPM 0.1	Sb PPM 0.1
141684	545401	7042550		1.3	22.3	10.5	58	0.1	20.1	10.8	1821	2.77	201	0.7	9	1.9	70	0.3	0.5
141685	545602	7042549		1.2	25.5	9.0	48	0.2	22.1	11.7	683	2.57	261	1.3	43	1.8	281	0.3	0.7
141686	545601	7042599		0.7	17.8	8.8	47	0.2	16.5	10.7	496	2.31	123	0.9	23	1.8	363	0.2	0.5
141687	545602	7042649		0.9	32.4	13.0	74	0.3	21.7	10.8	560	2.48	9	1.9	4	3.9	98	0.3	0.6
141688	545599	7042699		1.3	46.7	10.5	43	0.2	22.8	20.2	658	4.99	158	0.8	74	3.4	73	0.1	0.8
141689	545599	7042750		1.7	34.9	26.3	112	0.3	22.0	14.2	732	3.57	38	1.1	2	4.2	71	0.3	0.8
141690	545604	7042800		0.7	29.5	10.1	43	0.3	21.1	9.5	589	2.72	13	1.1	2	2.1	79	0.2	0.6
141691	545604	7042800		0.9	31.4	9.2	43	0.2	22.0	9.7	601	2.58	12	1.0	2	1.9	85	0.2	0.6
141692	545601	7042849		1.4	38.6	16.1	71	0.2	17.0	10.9	595	3.74	21	1.4	3	4.8	33	0.1	1.0
141693	545602	7042898		0.9	21.6	8.9	51	<0.1	17.9	7.8	300	2.90	5	0.6	2	3.6	28	<0.1	0.4
141694	545602	7042950		1.3	9.0	7.7	35	0.1	7.4	6.3	449	2.37	3	0.3	1	2.4	17	0.2	0.5
141695	545703	7042951		0.8	43.4	13.4	96	<0.1	12.9	24.4	819	7.70	5	1.4	<0.5	5.5	37	<0.1	0.9
141696	545702	7042899		0.4	24.2	7.0	40	0.1	10.8	13.9	596	4.02	4	0.9	2	1.4	150	<0.1	0.5
141697	545701	7042849		0.6	33.5	7.6	54	0.1	18.0	12.8	670	3.33	5	0.8	12	1.6	132	0.1	0.5
142517	545004	7042500		0.7	50.2	11.2	72	0.2	30.0	22.9	602	4.10	14	0.8	4	1.7	147	0.2	0.9
142518	545006	7042551		1.5	31.6	15.2	61	0.2	14.6	8.7	587	3.31	138	1.1	1	3.7	34	0.1	1.0
142519	545005	7042598		1.0	15.7	12.5	58	0.2	16.0	9.2	860	3.01	11	0.4	<0.5	3.0	26	0.2	0.6
142520	545000	7042652		1.1	22.1	12.1	61	<0.1	21.9	11.2	440	3.08	24	0.7	2	3.5	49	<0.1	0.6
142521	544999	7042703		7.0	18.6	22.1	60	0.3	59.1	6.6	325	2.76	23	0.4	3	1.6	62	0.2	0.6
142522	545004	7042749		0.9	27.1	36.9	113	0.9	17.9	10.9	436	3.12	35	0.7	8	2.8	70	0.2	1.4
142523	545001	7042800		0.8	18.2	10.2	63	0.3	20.7	10.9	2360	2.01	18	0.6	4	2.0	167	0.3	0.8
142524	545000	7042850		0.9	20.3	9.0	80	0.3	17.4	11.8	862	2.61	10	0.8	4	1.3	130	0.2	0.7
142525	545002	7042900		1.5	18.5	12.5	71	0.4	19.5	11.6	796	2.70	16	1.2	2	2.0	36	0.2	0.5
142526	545001	7042949		0.9	15.5	8.6	54	<0.1	15.2	8.8	470	2.55	4	1.0	2	3.8	92	0.1	0.4
142527	545006	7043002		1.0	15.1	10.4	56	<0.1	15.1	9.3	374	3.20	5	0.8	1	4.6	32	<0.1	0.3
142528	545005	7043004		1.3	15.2	10.8	58	<0.1	16.7	9.8	382	3.17	6	0.8	3	4.1	41	0.1	0.3
142568	545801	7043002		1.3	41.1	9.1	41	0.2	49.6	21.5	832	5.91	255	0.6	20	3.2	56	<0.1	0.9
142569	545801	7042953		1.4	13.5	9.0	39	<0.1	18.3	9.1	398	3.07	19	0.4	4	2.6	15	<0.1	0.5
142570	545802	7042900		1.4	18.0	8.8	42	<0.1	24.5	12.5	649	3.74	24	0.6	4	3.5	51	<0.1	0.6
142571	545802	7042849		0.9	31.2	9.6	43	0.2	31.8	13.7	712	3.38	31	0.8	14	3.3	168	0.2	0.6
142572	545802	7042802		0.7	29.9	9.0	45	0.2	26.3	13.8	667	3.20	28	0.6	15	2.1	215	0.1	0.5
142573	545801	7042747		0.8	29.4	9.7	45	<0.1	26.5	14.8	664	3.41	32	0.8	6	2.7	122	0.1	0.6
142574	545801	7042700		0.9	21.6	11.1	38	<0.1	21.1	11.5	732	2.77	28	0.6	8	2.7	74	0.2	0.4
142575	545801	7042655		1.0	27.7	10.6	42	<0.1	29.1	11.5	754	3.17	63	0.5	9	3.1	84	0.1	0.5
142576	545802	7042597		0.9	20.3	8.5	39	<0.1	20.7	10.6	653	2.75	23	0.3	3	2.2	89	0.3	0.4
142577	545805	7042568		1.1	18.3	10.9	36	<0.1	22.6	10.4	468	2.65	36	0.5	5	2.8	59	<0.1	0.5
142578	545799	7042492		1.1	18.7	25.5	44	0.6	24.4	8.4	359	3.34	2102	0.5	353	2.9	37	0.2	1.2
142579	545805	7042500		1.5	13.5	25.1	40	0.7	20.7	7.1	337	3.13	1819	0.4	200	2.5	20	0.2	1.1
142580	545805	7042450		6.1	103.7	23.9	44	1.4	79.4	17.3	762	5.56	3829	1.6	305	5.7	65	0.3	1.6
142582	545801	7042350		6.1	103.7	23.9	44	1.4	79.4	17.3	762	5.56	3829	1.6	305	5.7	65	0.3	1.6
142583	545803	7042299		2.3	23.4	16.3	50	0.1	37.3	11.9	445	3.25	775	0.7	69	2.8	12	0.1	0.7
142584	545805	7042248		1.5	20.1	9.4	22	0.2	21.1	5.2	168	1.55	387	0.6	40	1.0	23	<0.1	0.5
142585	545799	7042201		1.2	23.5	15.6	45	0.1	26.6	10.2	299	2.67	233	1.0	43	3.7	22	<0.1	0.6
142586	545802	7042148		2.7	24.7	28.4	52	0.2	36.0	13.7	455	2.83	323	0.8	52	3.7	46	0.2	1.0
142587	545798	7042096		1.1	27.5	20.9	48	0.4	25.2	10.9	419	2.79	559	1.2	78	4.0	49	0.2	1.1
142588	545797	7042048		1.2	35.2	21.8	45	0.7	25.2	9.3	245	2.50	121	1.6	59	3.7	64	0.3	0.8
142590	545803	7042001		2.0	23.3	24.4	68	0.2	24.0	9.4	425	2.23	6	1.3	12	2.3	48	0.2	0.5
142591	545803	7042011		2.6	26.0	21.1	50	0.4	33.9	11.2	353	2.64	178	0.9	19	3.0	39	0.2	0.9
141652	545101	7042450		1.4	66.9	11.4	60	0.2	47.7	30.3	869	6.56	22	0.8	3	2.7	63	0.1	1.0
141653	545102	7042398		0.7	60.6	11.7	56	0.1	27.4	25.2	707	5.35	32	0.6	5	2.4	103	0.1	1.7
141654	545101	7042348		0.5	66.2	10.1	63	0.2	22.5	28.8	914	5.43	20	0.6	4	2.0	171	0.3	2.1
141655	545101	7042300		1.1	25.5	13.9	47	<0.1	31.7	15.5	587	3.55	12	0.6	<0.5	5.0	41	0.1	0.8
141656	545102	7042248		2.0	55.2	28.3	67	1.1	17.2	24.2	1066	6.94	4631	1.3	1436	3.4	160	0.4	3.2
141657	545102	7042199		1.5	49.9	89.2	69	2.6	24.0	13.5	615	3.97	1513	1.4	318	2.1	223	0.5	1.8
141658	545101	7042151		1.0	24.2	75.5	93	1.0	16.6	11.5	448	2.52	76	0.8	164	2.8	65	0.4	1.5
141659	545100	7042100		0.9	44.9	11.8	58	0.2	17.6	18.1	848	3.64	34	0.7	6	1.7	108	0.2	1.2
141660	545102	7042050		0.6	58.2	10.0	66	0.1	17.1	25.7	935	5.60	8	0.7	4	1.4	104	0.3	2.4
141661	545102	7042050		0.5	71.7	10.9	68	0.1	19.3	35.9	966	6.10	11	0.7	3	1.9	110	0.4	2.8
141662	545103	7042000		0.6	57.9	12.7	60	0.2	32.0	22.0	905	4.06	17	1.0	7	1.5	130	0.4	2.4
141663	545200	7042000		0.6	32.4	7.4	34	0.1	16.9	14.6	557	3.56	9	1.1	6	1.6	113	0.2	0.9

Sample_id	Easting	Northing	Element	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb
			MDL	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1
141664	545202	7042050		1.5	52.4	21.6	87	0.3	32.1	18.0	625	4.79	103	1.1	27	5.7	90	0.4	2.4
141665	545201	7042102		1.2	22.3	11.2	49	0.2	12.5	17.6	676	3.22	50	0.7	15	2.4	153	0.2	1.2
141666	545202	7042149		1.7	94.9	73.7	214	2.0	16.1	25.4	914	8.33	596	1.1	567	5.6	71	0.6	4.6
141667	545202	7042200		0.9	15.1	45.7	44	0.2	14.2	6.3	207	2.53	418	0.4	114	2.4	19	0.2	1.0
141668	545201	7042250		0.7	21.8	70.5	33	1.0	9.1	4.3	295	1.46	261	0.3	9	1.1	19	0.3	0.5
141669	545202	7042298		0.7	23.6	15.4	40	0.3	17.4	11.9	924	2.78	659	1.2	22	1.2	176	0.4	0.8
141670	545201	7042350		0.7	124.9	16.6	63	0.6	27.5	12.9	693	2.83	156	0.5	21	1.6	79	0.3	1.0
141671	545201	7042350		0.7	120.7	14.0	62	0.5	28.0	12.6	616	2.79	82	0.5	12	1.9	71	0.2	0.8
141672	545201	7042401		0.8	89.7	61.0	102	1.2	20.3	9.6	984	2.92	164	0.7	18	0.9	78	1.0	0.9
141673	545201	7042451		1.1	35.2	31.0	58	0.4	29.2	14.7	719	3.39	183	1.0	57	4.3	52	0.1	0.8
141674	545201	7042500		1.3	33.2	12.2	50	0.3	28.8	18.2	887	3.71	40	1.0	24	3.8	57	0.1	0.8
141951	545902	7042100		1.6	26.6	18.9	66	0.2	36.5	12.8	488	2.80	192	0.7	19	4.4	45	0.2	1.1
141952	545901	7042148		2.3	17.7	14.4	33	0.2	27.5	8.7	990	1.89	236	0.9	26	1.6	47	0.2	0.7
141953	545901	7042197		1.1	24.4	14.2	52	0.2	26.9	10.2	396	2.76	223	1.1	31	3.4	38	0.1	0.8
141954	545900	7042252		0.9	13.3	9.0	31	0.2	22.5	7.7	237	2.09	320	0.4	16	2.2	24	<0.1	0.6
141955	545900	7042299		1.0	21.9	10.2	37	0.3	25.6	8.3	250	2.40	396	0.7	23	2.1	34	<0.1	0.6
141956	545902	7042351		1.2	20.1	9.9	44	0.2	28.5	9.6	271	2.85	438	0.7	54	3.2	41	<0.1	0.6
141957	545902	7042398		1.4	25.5	10.1	43	0.3	37.8	13.2	633	2.50	598	1.4	98	2.7	107	0.2	1.0
141958	545901	7042448		0.7	14.9	8.1	31	0.1	17.1	7.2	399	2.05	43	0.4	6	1.6	72	0.1	0.5
141959	545901	7042498		0.8	13.8	10.1	30	0.2	16.5	9.3	641	2.06	22	0.4	4	2.1	57	0.1	0.4
141960	545901	7042551		0.8	12.6	11.1	33	<0.1	17.1	10.5	509	2.58	41	0.4	4	2.3	30	<0.1	0.4
141961	545901	7042551		1.0	14.1	11.2	34	<0.1	17.5	10.3	376	2.68	41	0.4	5	2.5	25	0.1	0.5
141962	545902	7042601		0.7	16.5	14.0	40	0.2	20.9	10.3	534	2.53	40	1.1	8	3.1	87	<0.1	0.5
141963	545903	7042651		0.9	16.2	16.1	46	<0.1	21.4	12.3	575	2.78	53	0.6	15	3.3	71	<0.1	0.6
141964	545901	7042699		0.9	19.2	21.1	49	<0.1	23.8	12.2	552	2.83	54	0.5	29	3.9	42	0.1	0.5
141965	545901	7042749		0.8	26.4	21.2	47	0.3	24.3	12.0	791	2.85	40	0.8	12	3.2	45	0.2	0.4
141966	545904	7042800		1.2	21.0	18.9	45	0.1	19.6	9.7	519	2.88	60	0.5	4	1.6	21	0.2	0.4
141967	545902	7042851		1.0	16.4	11.3	79	0.1	18.2	10.4	1676	2.61	12	0.3	2	1.6	16	0.3	0.3
141968	545902	7042900		1.2	13.5	10.9	46	<0.1	18.5	9.4	316	2.89	16	0.3	3	2.4	11	0.1	0.4
141969	545903	7042951		1.2	17.6	10.5	40	0.3	18.0	7.9	192	2.90	16	0.4	8	2.5	20	<0.1	0.4
141698	545902	7042000		1.1	31.8	13.8	49	0.7	28.5	8.3	345	2.47	70	1.4	31	1.6	93	0.3	0.5
141699	545902	7042049		2.6	17.6	24.7	49	0.3	29.3	9.1	343	2.61	87	0.9	24	3.1	31	0.1	0.7
141700	545902	7042100		1.2	19.1	14.5	56	0.2	31.8	10.5	459	2.67	138	0.6	22	3.7	34	0.2	0.9
142529	545102	7042502		0.8	66.3	10.2	89	0.1	72.7	22.2	817	4.96	23	1.2	2	3.8	62	0.1	1.2
142530	545100	7042549		1.6	55.9	17.1	51	0.4	38.4	9.3	577	3.14	21	2.1	6	3.0	126	0.1	0.8
142531	545104	7042605		1.3	17.6	12.1	55	<0.1	14.8	7.4	301	2.89	19	0.5	2	3.5	23	0.2	0.8
142532	545105	7042655		0.9	27.8	29.2	75	0.3	26.6	12.0	646	2.96	29	0.8	3	3.9	55	0.2	0.9
142533	545103	7042699		0.9	25.2	14.2	70	0.2	24.5	10.3	375	2.83	23	1.2	6	6.3	53	<0.1	1.0
142534	545101	7042750		1.4	23.8	10.3	71	0.2	21.0	12.2	366	3.05	15	1.9	4	2.9	135	0.1	0.8
142535	545096	7042802		0.8	18.3	11.7	62	0.1	17.2	10.1	363	2.67	15	0.9	3	3.0	48	0.1	0.6
142536	545100	7042852		1.7	21.4	20.8	97	0.4	27.2	15.7	674	3.04	28	1.0	2	3.8	38	0.1	1.0
142537	545101	7042902		1.2	22.1	18.7	77	0.1	19.7	10.9	455	3.13	6	1.5	3	4.8	83	0.2	0.6
142538	545100	7042950		1.1	25.0	11.3	56	0.2	20.4	12.1	531	3.07	6	2.6	3	5.2	118	0.2	0.7
142539	545102	7042999		1.1	18.9	15.0	54	0.2	17.2	9.5	420	2.86	6	1.5	3	3.5	89	0.1	0.4
142540	545102	7042999		1.2	17.9	16.2	62	0.1	16.4	9.7	441	3.00	6	1.4	3	4.7	78	<0.1	0.5
142541	545199	7043000		0.7	16.3	13.7	62	0.1	16.2	13.7	762	3.83	3	1.6	2	6.0	167	0.2	0.4
142542	545197	7042951		1.3	30.1	17.5	51	0.4	21.5	10.6	534	3.21	7	2.5	3	4.1	98	0.2	0.6
142543	545200	7042900		0.8	25.2	15.4	60	0.2	20.4	11.6	531	3.14	6	2.0	3	4.6	76	0.1	0.8
142544	545200	7042846		1.2	33.8	15.6	84	0.1	23.4	15.9	424	4.52	10	2.0	1	5.5	77	0.2	0.5
142545	545201	7042799		1.6	30.6	14.9	75	0.4	26.1	11.8	614	2.54	19	1.3	2	2.7	68	0.4	0.9
142546	545204	7042751		1.3	19.2	13.7	54	0.1	18.3	9.4	369	3.13	11	0.6	2	2.7	26	0.1	0.7
142547	545201	7042701		1.3	11.3	11.9	40	<0.1	11.5	5.3	200	2.55	9	0.5	2	1.6	21	0.1	0.5
142548	545200	7042649		1.3	21.6	11.8	48	0.2	17.1	7.2	207	3.01	47	0.6	4	3.0	21	<0.1	0.8
142549	545199	7042596		1.5	21.3	13.4	68	0.2	27.0	13.0	325	3.59	20	0.6	2	4.4	16	0.1	0.8
142550	545200	7042546		0.6	23.8	9.0	74	<0.1	38.6	24.5	513	4.64	6	0.5	<0.5	1.8	44	0.1	0.7
142551	545201	7042549		0.7	35.2	13.6	67	<0.1	45.8	29.5	528	5.08	6	0.5	1	2.2	40	0.1	0.6
142552	545501	7042546		1.3	13.7	9.8	46	<0.1	15.2	6.8	239	2.82	133	0.4	4	2.0	20	0.1	0.5
142553	545501	7042604		1.0	26.7	11.4	51	0.2	24.2	13.5	681	3.10	367	1.2	62	2.7	344	0.3	0.8
142554	545498	7042651		0.9	20.9	9.0	44	0.2	20.1	11.1	696	2.34	229	1.1	28	1.6	283	0.2	0.7
142555	545501	7042703		1.0	29.1	14.0	57	0.2	18.8	10.8	599	2.53	24	1.8	7	2.1	415	0.2	0.8

Sample_Id	Easting	Northing	Element	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb
			Unit	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM
			MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1
142556	545502	7042756		1.0	22.5	10.0	50	0.1	17.9	9.8	565	3.02	6	1.1	7	5.8	57	0.2	0.5
142557	545496	7042803		0.9	17.7	9.4	41	0.3	12.7	6.4	227	2.50	4	0.7	1	4.4	25	<0.1	0.4
142558	545501	7042854		1.1	22.1	12.5	47	0.2	15.5	8.5	329	3.14	5	0.9	1	4.8	27	<0.1	0.5
142559	545498	7042896		1.0	17.2	9.6	47	<0.1	14.8	8.7	493	3.09	5	0.5	1	3.5	21	0.2	0.5
142560	545508	7042956		0.7	31.4	6.8	46	0.1	24.3	10.5	450	2.99	8	0.7	4	3.2	48	<0.1	0.4
142561	545506	7042959		0.6	25.7	6.3	43	<0.1	19.5	9.1	297	2.56	7	0.6	2	2.7	39	<0.1	0.3
142562	545705	7042800		0.9	19.8	9.3	39	<0.1	15.9	11.2	307	3.52	12	0.4	1	1.6	45	0.3	0.6
142653	545700	7042750		0.6	24.3	6.3	27	0.1	15.2	7.6	455	1.79	9	0.8	6	0.3	247	0.2	0.4
141640	545001	7042450		1.2	21.9	21.6	70	<0.1	28.2	19.6	743	4.83	7	0.8	1	2.9	48	0.1	0.9
141641	545001	7042450		1.0	20.7	22.9	64	<0.1	27.1	15.8	574	4.16	8	0.8	1	2.8	51	0.2	0.8
141642	545001	7042399		1.2	16.9	17.2	54	<0.1	18.8	10.7	399	2.88	7	0.4	1	1.6	34	0.2	0.7
141643	545004	7042350		0.9	33.7	13.6	51	0.3	25.2	12.8	654	3.18	9	0.7	2	2.0	181	0.2	0.8
141644	544999	7042298		0.5	77.1	6.1	54	0.2	23.1	28.2	736	6.53	11	0.5	4	1.0	162	0.2	0.7
141645	545003	7042250		1.1	33.0	10.8	45	<0.1	18.1	13.2	653	3.72	10	0.5	2	2.4	58	<0.1	2.3
141646	545003	7042201		1.7	39.6	108.0	84	1.1	19.5	16.4	1176	4.95	3305	0.7	629	3.1	129	0.7	2.0
141647	545001	7042150		1.3	33.7	25.2	82	0.3	18.1	13.6	964	3.65	49	0.8	41	2.5	84	0.6	1.4
141648	545000	7042100		0.7	37.5	8.7	52	0.1	15.8	15.4	781	3.43	11	0.7	8	1.3	97	0.2	1.1
141649	545000	7042050		0.4	34.2	6.3	48	0.1	14.9	15.4	639	3.58	9	0.5	3	1.0	115	0.2	1.2
141650	545002	7042002		1.1	24.7	14.8	60	0.2	18.5	7.9	479	2.60	11	0.9	3	2.5	76	0.1	1.4
141651	545002	7042002		1.0	23.1	12.9	62	0.1	15.7	7.6	423	2.31	10	0.9	4	2.4	90	0.2	1.3
143532	544901	7041999		1.6	19.2	15.2	58	0.2	14.4	15.0	1063	3.13	15	1.4	7	4.1	82	0.2	2.6
143533	544902	7042052		i.s.	i.s.	i.s.	i.s.	i.s.	i.s.	i.s.	i.s.	i.s.	i.s.	i.s.	i.s.	i.s.	i.s.	i.s.	i.s.
143534	544902	7042199		2.1	45.7	50.2	91	0.7	16.3	13.0	450	3.14	97	0.9	179	1.5	129	0.8	2.5
143535	544901	7042250		1.2	7.5	14.3	35	<0.1	13.5	5.0	191	2.17	4	0.2	<0.5	1.8	15	0.1	0.4
143536	544903	7042299		1.0	10.3	10.9	35	<0.1	17.5	8.1	574	2.25	6	0.3	1	2.4	35	<0.1	0.4
143537	544902	7042351		0.8	12.4	8.7	39	<0.1	18.7	7.8	251	2.43	8	0.3	1	2.5	23	<0.1	0.5
143538	544900	7042400		1.1	10.5	10.0	36	<0.1	12.3	5.7	172	2.34	5	0.5	2	3.9	11	<0.1	0.5
143539	544900	7042400		1.3	12.7	12.5	40	<0.1	15.9	7.1	607	2.48	6	0.5	4	3.0	21	0.1	0.5
143540	544901	7042450		1.0	23.1	12.9	52	0.1	24.3	11.5	522	3.27	8	0.8	3	3.5	132	0.1	0.9
143541	544897	7042506		1.0	20.3	14.1	40	0.2	17.4	8.7	454	2.73	35	0.6	3	2.0	123	0.1	0.8
143542	544899	7042555		1.3	21.9	12.7	52	<0.1	25.1	10.5	541	3.05	18	0.8	4	4.0	32	<0.1	0.7
143543	544901	7042595		1.1	21.8	11.0	52	0.3	20.8	9.3	502	2.79	14	1.0	3	1.7	136	0.1	0.7
143544	544902	7042650		1.1	14.0	8.1	64	<0.1	21.8	9.8	372	3.08	7	0.4	6	3.6	26	0.1	0.5
143545	544901	7042700		0.7	9.8	6.0	52	<0.1	18.4	12.5	416	3.73	5	0.5	2	4.6	30	<0.1	0.3
143546	544903	7042752		0.7	17.3	8.5	51	<0.1	18.6	9.6	368	2.93	8	0.6	2	4.4	35	<0.1	0.5
143547	544900	7042800		0.8	16.7	11.0	60	0.1	20.6	10.4	548	3.07	9	0.9	2	5.1	54	0.2	0.5
143548	544898	7042901		1.4	10.1	16.3	63	0.3	12.5	10.8	682	2.30	19	0.6	2	2.1	57	<0.1	0.7
143549	544910	7042947		1.1	14.9	11.6	64	0.1	16.7	10.9	699	2.59	9	1.3	7	2.8	96	0.2	0.5
143550	544910	7042947		1.1	13.4	10.7	66	0.1	15.4	11.1	637	2.63	11	1.1	2	3.4	82	0.1	0.5
141375	548201	7044500		0.9	32.4	7.2	63	0.1	27.4	9.9	446	2.52	10	0.7	5	3.7	71	0.4	0.7
141376	548198	7044547		0.7	19.1	6.3	63	<0.1	20.9	9.4	370	2.30	7	0.6	4	2.7	37	0.3	0.6
141377	548202	7044606		1.1	18.4	19.6	63	0.1	36.6	16.2	698	3.39	38	0.6	3	6.4	58	0.1	0.5
141378	548199	7044648		1.2	21.9	16.2	61	0.1	35.1	10.6	402	3.16	13	0.5	2	6.7	29	<0.1	0.6
141379	548197	7044700		0.9	48.3	34.6	86	0.1	43.1	19.9	760	4.65	17	0.8	5	4.6	41	0.2	0.7
141380	548206	7044750		0.7	34.3	26.9	80	<0.1	36.4	15.0	770	3.53	15	1.2	7	15.2	63	0.1	0.6
141381	548202	7044801		1.5	15.2	17.9	49	0.1	25.5	9.8	300	3.00	9	0.3	1	3.0	42	0.2	0.5
141382	548199	7044853		1.4	69.5	44.0	98	<0.1	59.5	20.6	549	4.23	32	1.1	6	16.6	34	0.1	0.9
141383	548194	7044899		0.8	34.1	20.2	74	0.1	31.6	12.5	554	3.42	19	0.8	6	5.1	86	0.2	0.6
141384	548201	7044953		0.5	30.7	13.7	63	<0.1	26.7	11.1	321	3.21	14	0.5	2	3.1	80	0.1	0.5
141385	548201	7044953		0.6	30.3	13.2	63	0.1	26.4	10.7	421	3.12	15	0.8	3	2.7	81	0.2	0.5
141386	548200	7045001		0.5	29.7	11.8	57	0.1	27.2	11.4	450	3.04	10	0.6	5	2.9	79	0.2	0.6
143079	548302	7044553		1.3	30.3	16.4	66	<0.1	38.7	14.3	506	3.72	14	0.8	3	8.2	63	<0.1	0.5
143080	548299	7044594		0.9	41.8	20.8	81	<0.1	42.6	16.0	614	3.89	20	0.6	5	7.9	57	0.1	0.6
143081	548298	7044648		1.0	32.1	17.1	71	0.2	33.6	10.4	498	3.04	19	0.4	6	2.9	71	0.1	0.6
143082	548301	7044700		1.4	43.8	23.2	72	0.2	38.2	17.1	679	3.96	20	0.8	4	3.9	41	0.1	0.8
143083	548297	7044745		2.5	27.4	39.6	102	0.3	46.8	11.7	534	3.22	21	0.5	1	6.6	27	0.5	0.7
143084	548300	7044805		2.9	72.0	126.5	184	0.2	68.0	17.0	808	4.00	94	0.7	2	10.3	33	0.6	1.1
143085	548301	7044850		1.7	35.1	26.5	98	0.2	35.6	13.6	627	3.04	18	0.6	1	4.7	25	0.2	0.7
143086	548300	7044904		1.5	26.9	22.2	68	<0.1	32.1	14.0	611	3.57	18	0.6	4	6.2	29	0.1	0.6
143087	548302	7044953		1.8	28.5	24.0	68	<0.1	38.3	15.1	473	3.96	21	1.0	1	8.3	29	<0.1	0.6

Sample_id	Easting	Northing	Element Unit MDL	Mo PPM 0.1	Cu PPM 0.1	Pb PPM 0.1	Zn PPM 1	Ag PPM 0.1	NI PPM 0.1	Co PPM 0.1	Mn PPM 1	Fe % 0.01	As PPM 0.5	U PPM 0.1	Au PPB 0.5	Th PPM 0.1	Sr PPM 1	Cd PPM 0.1	Sb PPM 0.1
143451	548702	7043998		0.7	25.6	13.2	52	<0.1	24.2	9.9	242	2.70	11	0.9	2	5.8	23	<0.1	0.4
143452	548701	7044049		0.7	31.9	13.4	63	<0.1	28.8	11.0	299	3.21	21	0.7	2	6.0	27	<0.1	0.4
143453	548703	7044099		0.6	32.0	11.8	63	0.1	28.4	11.3	305	2.91	22	1.0	3	6.2	27	0.2	0.5
143454	548700	7044149		0.9	29.7	11.2	68	<0.1	26.9	11.7	408	3.06	48	1.2	3	5.9	39	0.2	0.6
143455	548702	7044199		0.8	31.3	7.5	65	<0.1	28.9	11.0	406	2.68	10	0.6	2	3.5	39	0.2	0.6
143456	548700	7044249		0.8	27.6	7.1	68	<0.1	26.0	10.2	304	2.60	9	0.9	3	3.3	50	0.2	0.6
143457	548701	7044302		0.9	20.3	10.3	69	0.1	20.6	10.7	469	2.51	13	0.8	3	3.1	43	0.2	0.5
143458	548704	7044347		0.8	22.6	8.5	63	0.1	21.9	10.9	494	2.44	11	0.8	2	3.2	44	0.3	0.6
143459	548701	7044400		0.9	41.5	26.1	108	0.3	32.0	19.5	924	4.61	102	1.4	11	8.3	181	0.2	0.7
143460	548701	7044407		0.9	45.2	32.8	115	0.3	35.6	19.9	1085	4.63	84	1.1	9	9.5	129	0.2	0.7
143461	548702	7044450		1.2	26.5	18.0	56	0.1	30.5	12.7	668	3.11	34	0.5	1	5.8	51	0.1	0.6
143462	548701	7044498		1.0	22.7	15.7	49	<0.1	25.8	11.7	420	3.04	16	0.5	2	5.5	38	<0.1	0.5
143463	548702	7044551		1.5	21.1	29.0	63	0.1	32.8	13.1	550	3.12	14	0.5	1	5.6	34	<0.1	0.5
143464	548701	7044598		0.7	16.1	24.2	70	0.4	23.2	14.9	894	2.61	4	0.5	1	4.8	31	0.2	0.3
141540	545400	7043751		0.9	39.0	58.6	238	0.7	15.4	10.0	625	2.89	15	2.2	55	3.8	111	0.9	0.7
141541	545400	7043751		0.8	39.6	63.3	235	0.7	15.6	9.8	393	3.02	14	2.6	74	4.4	102	1.0	0.6
141542	545402	7043699		1.2	23.8	63.6	247	0.2	23.6	8.2	290	3.71	13	0.5	8	3.5	15	1.6	0.7
141543	545401	7043651		1.3	11.2	17.6	46	0.1	3.6	3.8	177	2.05	8	0.5	107	2.4	10	0.2	0.6
141544	545401	7043601		0.5	14.1	10.9	78	<0.1	5.6	11.8	549	3.43	3	0.5	1	3.3	16	<0.1	1.1
141545	545402	7043551		1.5	37.5	42.8	70	0.1	15.5	6.1	187	3.75	17	0.7	5	3.6	16	0.3	0.7
141546	545401	7043498		1.7	180.6	90.5	252	0.3	10.4	6.8	295	3.91	26	1.0	90	5.7	8	0.6	1.8
141547	545402	7043449		1.2	17.1	17.9	42	0.2	11.4	6.4	216	2.76	8	0.4	4	2.9	15	0.2	0.5
141548	545402	7043399		1.9	63.0	371.5	274	0.7	23.8	10.4	361	3.45	59	0.6	251	4.0	28	0.6	1.9
141549	545402	7043349		1.6	14.5	23.0	45	<0.1	9.1	3.4	149	2.28	21	0.7	5	1.3	8	<0.1	0.7
141550	545403	7043301		1.6	20.7	18.6	53	<0.1	13.7	10.7	473	2.67	11	0.8	5	5.6	17	<0.1	0.6
141551	545403	7043301		1.7	24.3	16.7	50	<0.1	14.3	9.5	354	2.50	11	0.9	4	4.6	17	<0.1	0.6
141552	545402	7043250		1.2	24.4	16.5	35	0.4	12.9	8.9	569	2.24	5	1.2	3	2.2	29	<0.1	0.4
141553	545400	7043199		1.3	19.1	13.0	52	0.1	12.3	8.0	230	3.06	6	0.5	2	3.1	25	0.1	0.5
141554	545401	7043150		1.9	16.7	25.6	104	0.2	15.0	7.5	853	2.40	10	0.8	16	4.2	31	0.5	0.9
141555	545401	7043100		1.4	37.6	11.2	91	<0.1	40.2	19.5	567	5.15	7	1.2	<0.5	11.9	8	<0.1	0.3
141556	545402	7043051		1.9	41.6	9.8	77	<0.1	31.8	12.1	481	4.46	86	1.3	1	6.8	14	0.2	0.7
142382	545500	7043200		1.0	33.8	15.8	70	<0.1	18.3	13.1	523	3.97	8	0.8	1	5.9	14	<0.1	0.7
142383	545499	7043251		1.1	23.1	18.4	52	<0.1	20.6	9.1	329	2.67	10	0.8	7	4.6	23	<0.1	0.6
142384	545503	7043299		1.0	20.3	20.6	46	<0.1	15.9	8.5	298	2.55	9	1.1	6	5.8	17	<0.1	0.7

Sample_Id	Eastings	Northing	Element Unit MDL	Bi PPM 0.1	V PPM 2	Ca % 0.01	P % 0.001	La PPM 1	Cr PPM 1	Mg % 0.01	Ba PPM 1	Ti % 0.001	B PPM 1	Al % 0.01	Na % 0.001	K % 0.01	W PPM 0.1	Hg PPM 0.01	Sc PPM 0.1	Tl PPM 0.1	S % 0.05	Ga PPM 1	Se PPM 0.5
143451	548702	7043998		0.2	59	0.23	0.020	20	37	0.57	223	0.128	<1	1.88	0.013	0.11	0.1	0.03	4.1	0.1	<0.05	5	<0.5
143452	548701	7044049		0.2	59	0.25	0.038	21	40	0.66	188	0.147	5	1.97	0.016	0.33	0.1	0.01	3.2	0.2	<0.05	6	<0.5
143453	548703	7044099		0.1	54	0.27	0.043	25	38	0.59	217	0.119	<1	1.82	0.015	0.23	0.1	0.04	3.9	0.2	<0.05	6	<0.5
143454	548700	7044149		0.2	61	0.44	0.059	20	35	0.58	302	0.102	<1	1.73	0.024	0.11	0.2	0.04	4.0	<0.1	<0.05	5	<0.5
143455	548702	7044199		0.2	62	0.66	0.085	13	30	0.65	279	0.095	4	1.39	0.036	0.08	0.2	0.02	3.9	<0.1	<0.05	4	<0.5
143456	548700	7044249		0.1	62	1.01	0.087	13	29	0.72	306	0.093	4	1.34	0.035	0.08	0.2	0.03	3.6	<0.1	<0.05	4	<0.5
143457	548701	7044302		0.1	57	0.62	0.059	14	30	0.54	281	0.079	7	1.59	0.021	0.08	0.2	0.05	3.4	<0.1	<0.05	5	<0.5
143458	548704	7044347		0.1	56	0.71	0.065	13	28	0.54	274	0.082	6	1.41	0.023	0.07	0.2	0.03	3.5	<0.1	<0.05	4	0.6
143459	548701	7044400		0.2	53	4.38	0.149	36	24	0.69	226	0.033	2	1.69	0.011	0.34	<0.1	0.04	6.9	0.2	<0.05	6	0.7
143460	548701	7044407		0.3	59	2.26	0.085	38	37	0.71	267	0.062	9	1.90	0.014	0.45	<0.1	0.04	7.0	0.3	<0.05	6	0.7
143461	548702	7044450		0.2	60	0.58	0.025	20	41	0.53	223	0.088	4	1.82	0.019	0.24	0.1	0.02	5.4	0.1	<0.05	5	0.6
143462	548701	7044498		0.2	61	0.43	0.017	15	38	0.54	224	0.109	9	1.79	0.019	0.26	0.1	0.02	5.2	0.1	<0.05	5	<0.5
143463	548702	7044551		0.3	64	0.44	0.021	15	54	0.67	225	0.120	4	1.95	0.014	0.36	0.1	0.01	5.1	0.1	<0.05	6	<0.5
143464	548701	7044598		0.3	53	0.31	0.032	11	32	0.50	305	0.084	<1	1.77	0.012	0.15	0.1	0.01	3.5	0.1	<0.05	5	<0.5
141540	545400	7043751		0.2	44	0.96	0.054	14	21	0.43	381	0.021	2	1.79	0.013	0.08	0.1	0.07	7.2	<0.1	<0.05	5	0.9
141541	545400	7043751		0.2	46	0.93	0.049	16	22	0.45	383	0.021	<1	1.84	0.013	0.08	<0.1	0.07	8.2	<0.1	<0.05	5	0.7
141542	545402	7043699		0.3	67	0.14	0.030	11	37	0.52	268	0.058	1	2.61	0.010	0.06	0.1	0.02	3.3	0.1	<0.05	7	<0.5
141543	545401	7043651		0.2	45	0.08	0.032	11	8	0.37	98	0.052	<1	1.18	0.007	0.10	<0.1	<0.01	2.7	0.1	<0.05	7	<0.5
141544	545401	7043601		0.2	51	0.24	0.048	6	10	0.88	176	0.066	<1	2.47	0.005	0.28	0.2	<0.01	5.0	0.2	<0.05	8	<0.5
141545	545402	7043551		0.3	78	0.13	0.032	12	35	0.37	175	0.077	<1	2.17	0.010	0.05	0.1	0.03	3.3	0.1	<0.05	8	<0.5
141546	545401	7043498		0.6	39	0.05	0.042	23	14	0.22	170	0.009	1	1.84	0.006	0.08	<0.1	0.02	5.1	0.1	<0.05	5	<0.5
141547	545402	7043449		0.3	66	0.12	0.025	11	24	0.27	216	0.057	<1	1.68	0.011	0.04	0.1	0.02	2.9	0.1	<0.05	7	<0.5
141548	545402	7043399		0.2	66	0.32	0.035	11	30	0.50	314	0.046	<1	2.28	0.013	0.08	0.1	0.03	3.9	0.1	<0.05	7	<0.5
141549	545402	7043349		0.3	37	0.06	0.034	22	15	0.15	78	0.024	2	1.12	0.006	0.06	<0.1	0.01	1.7	<0.1	<0.05	5	<0.5
141550	545403	7043301		0.2	48	0.15	0.036	23	21	0.28	187	0.041	2	1.16	0.007	0.06	0.1	<0.01	2.7	<0.1	<0.05	5	<0.5
141551	545403	7043301		0.2	43	0.14	0.042	25	20	0.24	190	0.034	2	1.18	0.011	0.06	0.1	0.01	2.8	<0.1	<0.05	4	<0.5
141552	545402	7043250		0.2	50	0.21	0.035	16	23	0.20	852	0.023	1	1.87	0.012	0.07	<0.1	0.04	4.8	0.1	<0.05	6	<0.5
141553	545400	7043199		0.2	79	0.22	0.022	12	28	0.58	382	0.044	<1	1.88	0.009	0.06	0.1	0.02	5.0	0.1	<0.05	7	<0.5
141554	545401	7043150		0.3	46	0.28	0.042	15	24	0.28	274	0.024	1	1.28	0.009	0.09	<0.1	0.02	3.2	<0.1	<0.05	5	<0.5
141555	545401	7043100		0.2	90	0.05	0.023	34	71	1.67	213	0.206	1	3.44	0.010	0.78	<0.1	0.01	9.5	0.4	<0.05	13	<0.5
141556	545402	7043051		0.2	82	0.13	0.042	27	39	0.85	290	0.131	<1	2.12	0.008	0.23	0.1	0.02	3.8	0.2	<0.05	9	<0.5
142382	545500	7043200		0.2	65	0.13	0.020	19	27	0.60	225	0.056	2	2.42	0.009	0.11	0.1	<0.01	5.4	0.2	<0.05	6	<0.5
142383	545499	7043251		0.2	56	0.26	0.025	16	33	0.48	284	0.060	2	1.65	0.011	0.06	0.1	0.02	4.5	<0.1	<0.05	5	<0.5
142384	545503	7043299		0.2	50	0.16	0.023	17	25	0.29	237	0.053	2	1.58	0.010	0.05	0.1	0.02	3.5	<0.1	<0.05	4	<0.5

Sample_id	Eastings	Northings	Element Unit MDL	Te PPM 0.2
141287	545701	7043050		<0.2
141288	545701	7043100		<0.2
141289	545701	7043150		<0.2
142083	545601	7043000		<0.2
142084	545601	7043049		<0.2
142085	545602	7043101		<0.2
142086	545602	7043152		<0.2
142087	545603	7043201		<0.2
142357	545902	7043000		<0.2
142358	545901	7043052		<0.2
142359	545902	7043101		<0.2
142360	545905	7043148		<0.2
142361	545901	7043200		<0.2
142365	545900	7043000		<0.2
142378	545505	7043000		<0.2
142379	545502	7043050		<0.2
142380	545501	7043101		<0.2
142381	545502	7043151		<0.2
142382	545500	7043200		<0.2
141535	545801	7042999		<0.2
141552	545402	7043250		<0.2
141553	545400	7043199		<0.2
141554	545401	7043150		<0.2
141555	545401	7043100		<0.2
141556	545402	7043051		<0.2
141557	545401	7042999		<0.2
141558	545302	7043001		<0.2
141559	545301	7043048		<0.2
141560	545298	7043101		0.2
141561	545298	7043101		<0.2
141562	545300	7043150		<0.2
141563	545303	7043198		<0.2
141564	545301	7043249		<0.2
141565	545302	7043299		<0.2
141566	545301	7043349		<0.2
141567	545302	7043404		<0.2
141568	545300	7043449		<0.2
141569	545305	7043499		<0.2
141570	545302	7043549		<0.2
141571	545302	7043549		0.4
141572	545301	7043599		<0.2
141573	545301	7043650		<0.2
141574	545300	7043701		<0.2
141337	545301	7042950		<0.2
141338	545301	7042900		<0.2
141339	545301	7042850		<0.2
141340	545301	7042800		<0.2
141341	545301	7042750		<0.2
141342	545301	7042700		<0.2
141343	545301	7042650		<0.2
141344	545301	7042600		<0.2
141345	545301	7042550		<0.2
141346	545301	7042500		<0.2
141347	545301	7042450		<0.2
141348	545300	7042448		<0.2
141349	545301	7042400		<0.2
141350	545301	7042350		<0.2
141351	545301	7042300		<0.2
141401	545301	7042000		<0.2
141402	545300	7042051		<0.2

Sample_id	Easting	Northing	Element Unit MDL	Te PPM 0.2
141403	545300	7042100		<0.2
141404	545302	7042149		<0.2
141405	545303	7042199		<0.2
141406	545300	7042254		<0.2
141616	545702	7042003		<0.2
141617	545702	7042051		<0.2
141618	545703	7042100		<0.2
141619	545700	7042149		<0.2
141620	545703	7042199		<0.2
141621	545703	7042199		<0.2
141622	545700	7042249		<0.2
141623	545701	7042300		<0.2
141625	545701	7042400		<0.2
141626	545700	7042449		<0.2
141627	545701	7042498		<0.2
141628	545501	7042497		<0.2
141629	545502	7042450		<0.2
141630	545502	7042400		<0.2
141631	545502	7042400		<0.2
141632	545503	7042350		<0.2
141633	545503	7042301		<0.2
141634	545501	7042250		<0.2
141635	545503	7042200		<0.2
141636	545502	7042151		<0.2
141637	545501	7042100		<0.2
141638	545499	7042049		<0.2
141639	545501	7042000		<0.2
142492	545233	7042624		<0.2
142493	545601	7041998		<0.2
142494	545600	7042047		<0.2
142495	545601	7042096		<0.2
142496	545598	7042150		<0.2
142497	545596	7042198		<0.2
142498	545603	7042257		<0.2
142499	545600	7042304		<0.2
142500	545603	7042348		<0.2
142502	545608	7042455		<0.2
142503	545605	7042503		<0.2
142504	545402	7042500		<0.2
142505	545402	7042450		<0.2
142506	545408	7042396		<0.2
142507	545402	7042351		<0.2
142508	545400	7042294		<0.2
142509	545396	7042243		<0.2
142510	545399	7042198		<0.2
142511	545400	7042149		<0.2
142512	545398	7042041		<0.2
142513	545406	7042096		<0.2
142514	545402	7041999		<0.2
142515	545400	7042000		<0.2
142516	545608	7042499		0.2
141675	545399	7042950		<0.2
141676	545401	7042898		<0.2
141677	545401	7042849		<0.2
141678	545403	7042799		<0.2
141679	545402	7042750		<0.2
141680	545401	7042700		<0.2
141681	545401	7042700		<0.2
141682	545402	7042648		<0.2
141683	545402	7042599		<0.2

Sample_id	Easting	Northing	Element Unit MDL	Te PPM 0.2
141684	545401	7042550		<0.2
141685	545602	7042549		<0.2
141686	545601	7042599		0.3
141687	545602	7042649		0.3
141688	545599	7042699		<0.2
141689	545599	7042750		<0.2
141690	545604	7042800		<0.2
141691	545604	7042800		<0.2
141692	545601	7042849		<0.2
141693	545602	7042898		<0.2
141694	545602	7042950		<0.2
141695	545703	7042951		<0.2
141696	545702	7042899		<0.2
141697	545701	7042849		0.2
142517	545004	7042500		<0.2
142518	545006	7042551		<0.2
142519	545005	7042598		<0.2
142520	545000	7042652		<0.2
142521	544999	7042703		<0.2
142522	545004	7042749		<0.2
142523	545001	7042800		<0.2
142524	545000	7042850		<0.2
142525	545002	7042900		<0.2
142526	545001	7042949		<0.2
142527	545006	7043002		<0.2
142528	545005	7043004		<0.2
142568	545801	7043002		<0.2
142569	545801	7042953		<0.2
142570	545802	7042900		<0.2
142571	545802	7042849		<0.2
142572	545802	7042802		<0.2
142573	545801	7042747		<0.2
142574	545801	7042700		<0.2
142575	545801	7042655		<0.2
142576	545802	7042597		<0.2
142577	545805	7042568		<0.2
142578	545799	7042492		<0.2
142579	545805	7042500		<0.2
142580	545805	7042450		<0.2
142582	545801	7042350		<0.2
142583	545803	7042299		<0.2
142584	545805	7042248		<0.2
142585	545799	7042201		<0.2
142586	545802	7042148		<0.2
142587	545798	7042096		<0.2
142588	545797	7042048		<0.2
142590	545803	7042001		<0.2
142591	545803	7042011		<0.2
141652	545101	7042450		<0.2
141653	545102	7042398		<0.2
141654	545101	7042348		<0.2
141655	545101	7042300		<0.2
141656	545102	7042248		<0.2
141657	545102	7042199		<0.2
141658	545101	7042151		<0.2
141659	545100	7042100		<0.2
141660	545102	7042050		<0.2
141661	545102	7042050		<0.2
141662	545103	7042000		<0.2
141663	545200	7042000		<0.2

Sample_Id	Easting	Northing	Element Unit MDL	Te PPM 0.2
141664	545202	7042050		<0.2
141665	545201	7042102		<0.2
141666	545202	7042149		<0.2
141667	545202	7042200		<0.2
141668	545201	7042250		<0.2
141669	545202	7042298		<0.2
141670	545201	7042350		<0.2
141671	545201	7042350		<0.2
141672	545201	7042401		<0.2
141673	545201	7042451		<0.2
141674	545201	7042500		<0.2
141951	545902	7042100		<0.2
141952	545901	7042148		<0.2
141953	545901	7042197		<0.2
141954	545900	7042252		<0.2
141955	545900	7042299		<0.2
141956	545902	7042351		<0.2
141957	545902	7042398		<0.2
141958	545901	7042448		<0.2
141959	545901	7042498		<0.2
141960	545901	7042551		<0.2
141961	545901	7042551		<0.2
141962	545902	7042601		<0.2
141963	545903	7042651		<0.2
141964	545901	7042699		<0.2
141965	545901	7042749		<0.2
141966	545904	7042800		<0.2
141967	545902	7042851		<0.2
141968	545902	7042900		<0.2
141969	545903	7042951		<0.2
141698	545902	7042000		<0.2
141699	545902	7042049		<0.2
141700	545902	7042100		<0.2
142529	545102	7042502		<0.2
142530	545100	7042549		<0.2
142531	545104	7042605		<0.2
142532	545105	7042655		<0.2
142533	545103	7042699		<0.2
142534	545101	7042750		<0.2
142535	545096	7042802		<0.2
142536	545100	7042852		<0.2
142537	545101	7042902		0.2
142538	545100	7042950		<0.2
142539	545102	7042999		<0.2
142540	545102	7042999		<0.2
142541	545199	7043000		<0.2
142542	545197	7042951		<0.2
142543	545200	7042900		<0.2
142544	545200	7042846		<0.2
142545	545201	7042799		<0.2
142546	545204	7042751		<0.2
142547	545201	7042701		<0.2
142548	545200	7042649		<0.2
142549	545199	7042596		<0.2
142550	545200	7042546		<0.2
142551	545201	7042549		<0.2
142552	545501	7042546		<0.2
142553	545501	7042604		<0.2
142554	545498	7042651		0.3
142555	545501	7042703		<0.2

Sample_id	Easting	Northing	Element Unit MDL	Te PPM 0.2
142556	545502	7042756		<0.2
142557	545496	7042803		0.2
142558	545501	7042854		<0.2
142559	545498	7042896		<0.2
142560	545508	7042956		<0.2
142561	545506	7042959		<0.2
142562	545705	7042800		<0.2
142653	545700	7042750		<0.2
141640	545001	7042450		<0.2
141641	545001	7042450		<0.2
141642	545001	7042399		0.3
141643	545004	7042350		<0.2
141644	544999	7042298		<0.2
141645	545003	7042250		<0.2
141646	545003	7042201		0.3
141647	545001	7042150		<0.2
141648	545000	7042100		<0.2
141649	545000	7042050		<0.2
141650	545002	7042002		<0.2
141651	545002	7042002		<0.2
143532	544901	7041999		<0.2
143533	544902	7042052		I.S.
143534	544902	7042199		<0.2
143535	544901	7042250		0.2
143536	544903	7042299		<0.2
143537	544902	7042351		<0.2
143538	544900	7042400		<0.2
143539	544900	7042400		<0.2
143540	544901	7042450		<0.2
143541	544897	7042506		0.2
143542	544899	7042555		<0.2
143543	544901	7042595		<0.2
143544	544902	7042650		<0.2
143545	544901	7042700		<0.2
143546	544903	7042752		<0.2
143547	544900	7042800		<0.2
143548	544898	7042901		<0.2
143549	544910	7042947		<0.2
143550	544910	7042947		<0.2
141375	548201	7044500		<0.2
141376	548198	7044547		<0.2
141377	548202	7044606		<0.2
141378	548199	7044648		0.3
141379	548197	7044700		<0.2
141380	548206	7044750		<0.2
141381	548202	7044801		<0.2
141382	548199	7044853		<0.2
141383	548194	7044899		<0.2
141384	548201	7044953		<0.2
141385	548201	7044953		<0.2
141386	548200	7045001		<0.2
143079	548302	7044553		<0.2
143080	548299	7044594		<0.2
143081	548298	7044648		<0.2
143082	548301	7044700		<0.2
143083	548297	7044745		<0.2
143084	548300	7044805		<0.2
143085	548301	7044850		<0.2
143086	548300	7044904		<0.2
143087	548302	7044953		<0.2

Sample_id	Easting	Northing	Element Unit MDL	Te PPM 0.2
143088	548306	7045006		<0.2
143001	544902	7042996		<0.2
143002	543391	7041501		<0.2
143003	543402	7041650		<0.2
143004	543394	7041806		<0.2
143005	543405	7041950		<0.2
143006	543401	7042049		<0.2
143007	543399	7042198		<0.2
143008	543401	7042350		<0.2
143009	543400	7042500		<0.2
143010	543402	7042683		<0.2
143011	543404	7042801		<0.2
143012	543481	7042952		<0.2
143013	543556	7042964		<0.2
143014	543701	7043002		<0.2
143015	543801	7042998		<0.2
143016	543854	7042995		<0.2
143018	544457	7042999		<0.2
143019	544602	7042994		<0.2
143020	548499	7044601		<0.2
143021	548501	7044550		<0.2
143022	548500	7044503		<0.2
143023	548499	7044449		<0.2
143024	548493	7044402		<0.2
143025	548505	7044341		<0.2
143026	548504	7044298		<0.2
143027	548500	7044249		<0.2
143028	548500	7044249		<0.2
143029	548501	7044199		<0.2
143030	548502	7044151		<0.2
143031	548502	7044099		<0.2
143032	548502	7044053		<0.2
143033	548502	7043999		<0.2
143110	548402	7044499		<0.2
143111	548401	7044551		<0.2
143112	548402	7044598		<0.2
143113	548402	7044652		<0.2
143114	548403	7044698		<0.2
143115	548402	7044752		<0.2
143116	548402	7044799		<0.2
143117	548402	7044851		<0.2
143118	548402	7044900		<0.2
143119	548400	7044948		<0.2
143120	548400	7045002		<0.2
143121	548403	7045004		<0.2
143156	544801	7043000		<0.2
143157	544801	7042949		<0.2
143158	544801	7042900		<0.2
143159	544801	7042850		<0.2
143160	544801	7042799		<0.2
143161	544802	7042801		<0.2
143162	544802	7042748		<0.2
143163	544802	7042698		<0.2
143164	544802	7042646		<0.2
143165	544802	7042600		<0.2
143166	544801	7042550		<0.2
143167	544802	7042500		0.3
143168	544802	7042448		<0.2
143169	544799	7042400		<0.2
143170	544803	7042352		0.2

Sample_id	Eastings	Northing	Element Unit MDL	Te PPM 0.2
143171	544805	7042352		<0.2
143172	544803	7042298		<0.2
143173	544806	7042252		<0.2
143174	544801	7042201		<0.2
143175	544802	7042152		<0.2
143176	544802	7042101		<0.2
143177	544802	7042049		<0.2
143178	544800	7042000		<0.2
143179	544802	7041949		<0.2
143180	544802	7041900		<0.2
143181	544802	7041849		<0.2
143182	544804	7041800		<0.2
143183	544803	7041749		<0.2
143184	543551	7041499		<0.2
143185	543551	7041652		<0.2
143186	543551	7041801		<0.2
143187	543553	7041953		<0.2
143188	543549	7042101		<0.2
143189	543554	7042260		<0.2
143190	543552	7042400		<0.2
143191	543552	7042548		<0.2
143192	543552	7042699		<0.2
143193	543550	7042849		<0.2
143194	543702	7042852		<0.2
143195	543851	7042850		<0.2
143196	544002	7042850		<0.2
143197	544149	7042845		<0.2
143198	544305	7042850		<0.2
143199	544453	7042850		<0.2
143200	544602	7042849		<0.2
143371	544702	7043000		<0.2
143372	544700	7042949		<0.2
143373	544703	7042898		<0.2
143374	544700	7042849		<0.2
143375	544700	7042798		<0.2
143376	544703	7042747		<0.2
143377	544701	7042700		<0.2
143378	544701	7042649		<0.2
143379	544704	7042596		<0.2
143380	544702	7042549		<0.2
143381	544701	7042498		<0.2
143382	544704	7042494		<0.2
143383	544700	7042449		<0.2
143384	544701	7042403		<0.2
143385	544697	7042346		<0.2
143386	544700	7042300		<0.2
143387	544700	7042251		<0.2
143388	544703	7042202		<0.2
143389	544699	7042157		<0.2
143390	544701	7042097		<0.2
143391	544702	7042049		<0.2
143392	544703	7041999		<0.2
143393	544704	7041997		<0.2
143394	543704	7041497		<0.2
143395	543700	7041650		<0.2
143396	543701	7041805		<0.2
143397	543704	7041950		<0.2
143398	543701	7042099		<0.2
143399	543706	7042247		<0.2
143400	543701	7042397		<0.2

Sample_id	Eastings	Northings	Element Unit MDL	Te PPM 0.2
143451	548702	7043998		<0.2
143452	548701	7044049		<0.2
143453	548703	7044099		<0.2
143454	548700	7044149		<0.2
143455	548702	7044199		<0.2
143456	548700	7044249		<0.2
143457	548701	7044302		<0.2
143458	548704	7044347		<0.2
143459	548701	7044400		<0.2
143460	548701	7044407		<0.2
143461	548702	7044450		<0.2
143462	548701	7044498		<0.2
143463	548702	7044551		<0.2
143464	548701	7044598		<0.2
141540	545400	7043751		<0.2
141541	545400	7043751		<0.2
141542	545402	7043699		<0.2
141543	545401	7043651		<0.2
141544	545401	7043601		<0.2
141545	545402	7043551		<0.2
141546	545401	7043498		<0.2
141547	545402	7043449		<0.2
141548	545402	7043399		<0.2
141549	545402	7043349		<0.2
141550	545403	7043301		<0.2
141551	545403	7043301		<0.2
141552	545402	7043250		<0.2
141553	545400	7043199		<0.2
141554	545401	7043150		<0.2
141555	545401	7043100		<0.2
141556	545402	7043051		<0.2
142382	545500	7043200		<0.2
142383	545499	7043251		<0.2
142384	545503	7043299		<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: Solomon Resources Ltd
Unit 3 - 2860 Smith Drive
Armstrong BC V0E 1B1 Canada

Submitted By: Steve Potts
Receiving Lab: Canada-Whitehorse
Received: July 12, 2010
Report Date: August 01, 2010
Page: 1 of 8

CERTIFICATE OF ANALYSIS

WHI10000101.1

CLIENT JOB INFORMATION

Project: Ten Mile
Shipment ID: TM-Batch 2
P.O. Number: NA-10-410
Number of Samples: 198

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	198	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	198	Dry at 60C			WHI
1DX2	197	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Solomon Resources Ltd
Unit 3 - 2860 Smith Drive
Armstrong BC V0E 1B1
Canada

CC: Randy Rogers



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: August 01, 2010

Page: 2 of 8 Part 1

CERTIFICATE OF ANALYSIS

WHI10000101.1

Method	Analyte	Unit	MDL	1DX15 Mo	1DX15 Cu	1DX15 Pb	1DX15 Zn	1DX15 Ag	1DX15 Ni	1DX15 Co	1DX15 Mn	1DX15 Fe	1DX15 As	1DX15 U	1DX15 Au	1DX15 Th	1DX15 Sr	1DX15 Cd	1DX15 Sb	1DX15 Bi	1DX15 V	1DX15 Ca	1DX15 P
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
141301	Soil			0.7	30.8	27.0	112	0.3	21.5	9.8	360	3.58	16.6	0.9	3.8	3.7	42	0.4	0.8	0.2	84	0.35	0.036
141302	Soil			1.2	45.4	60.4	181	0.4	22.2	13.3	775	3.31	10.4	2.7	20.6	5.3	33	0.8	0.7	0.2	79	0.19	0.037
141303	Soil			1.0	20.1	24.3	241	0.3	14.0	6.8	254	2.75	6.8	0.5	4.2	2.6	21	1.0	0.5	0.2	72	0.17	0.029
141304	Soil			1.4	25.5	16.3	105	0.3	21.6	9.3	298	3.11	10.4	1.0	3.9	4.4	14	0.5	0.7	0.2	74	0.12	0.030
141306	Soil			0.8	29.0	40.5	92	<0.1	18.9	10.3	397	2.46	7.9	1.0	31.3	4.8	23	0.3	0.6	0.2	54	0.23	0.036
141307	Soil			0.8	75.5	68.1	177	0.2	22.1	8.7	303	2.62	8.5	1.2	15.5	4.8	52	0.3	1.0	0.2	61	0.41	0.044
141308	Soil			0.7	31.4	16.6	80	<0.1	21.3	8.6	315	2.60	6.4	0.8	6.3	3.9	43	0.1	0.6	0.1	65	0.35	0.041
141309	Soil			1.3	23.7	40.9	76	0.1	17.1	6.5	178	3.32	12.2	0.9	8.1	3.9	15	0.2	0.8	0.3	92	0.10	0.022
141310	Soil			1.3	17.6	60.9	71	0.2	14.9	7.5	320	2.76	9.7	0.6	10.3	3.0	21	0.3	0.7	0.2	69	0.16	0.028
141311	Soil			1.4	15.7	69.2	73	0.3	15.2	6.3	229	3.17	9.2	0.5	5.1	2.9	20	0.4	0.6	0.2	87	0.15	0.030
141312	Soil			1.2	17.4	13.3	64	0.1	20.9	10.2	319	2.87	9.9	0.6	3.3	4.2	18	0.1	0.5	0.2	75	0.16	0.030
141314	Soil			0.5	15.3	15.6	48	<0.1	14.0	7.1	297	2.14	4.2	0.8	3.8	4.1	31	<0.1	0.5	0.1	46	0.25	0.035
141315	Soil			0.9	23.5	18.3	57	0.1	18.8	8.4	399	2.95	6.6	1.2	3.3	2.4	38	0.3	0.6	0.2	59	0.28	0.050
141316	Soil			0.7	30.9	10.6	85	<0.1	32.8	21.3	576	4.82	6.5	0.8	2.9	3.5	68	0.1	0.6	<0.1	85	0.91	0.142
141317	Soil			0.8	16.8	15.7	56	<0.1	14.6	6.5	297	2.31	5.9	0.7	3.9	3.9	22	0.1	0.6	0.1	47	0.20	0.032
141318	Soil			0.9	22.1	19.3	57	<0.1	19.8	8.9	256	2.82	7.7	1.1	19.1	4.9	26	0.1	0.6	0.2	62	0.21	0.018
141319	Soil			1.3	20.7	20.3	52	<0.1	16.8	7.9	225	3.18	10.0	0.8	23.0	5.1	17	<0.1	0.6	0.2	72	0.14	0.021
141320	Soil			0.4	13.1	18.9	40	<0.1	10.2	4.6	241	1.49	3.1	0.8	88.8	4.1	19	0.1	0.5	<0.1	31	0.16	0.023
141321	Soil			0.6	11.7	19.5	42	<0.1	11.1	4.6	213	1.66	3.6	0.6	194.0	3.7	14	0.1	0.5	0.1	38	0.11	0.019
141322	Soil			1.6	18.2	93.4	135	<0.1	18.3	10.4	438	3.17	9.6	0.8	60.6	4.5	25	0.3	0.7	0.2	67	0.18	0.040
141323	Soil			1.0	17.8	19.5	65	0.1	19.7	8.4	261	3.16	7.9	0.6	12.3	2.8	25	0.2	0.6	0.2	68	0.23	0.030
141324	Soil			1.4	13.6	25.7	54	<0.1	15.7	7.3	422	3.05	9.0	0.6	19.5	3.2	18	0.1	0.8	0.2	72	0.14	0.028
141325	Soil			0.6	22.5	25.4	63	<0.1	19.0	8.2	246	2.47	6.2	1.0	9.5	4.6	37	<0.1	0.5	0.2	59	0.35	0.033
141326	Soil			0.6	31.2	38.5	85	0.1	23.5	10.4	378	2.76	6.4	1.6	13.1	5.2	54	0.1	0.7	0.2	67	0.44	0.042
141328	Soil			1.0	20.0	79.5	138	0.1	23.2	10.5	638	3.63	7.2	0.8	9.4	3.8	30	0.3	0.8	0.2	69	0.26	0.037
141329	Soil			1.1	20.5	88.5	123	<0.1	22.3	10.2	278	3.45	9.0	0.6	14.3	3.9	20	0.2	0.7	0.2	76	0.18	0.024
141330	Soil			0.5	28.3	25.3	121	<0.1	17.5	12.0	538	3.50	4.1	1.5	7.4	4.2	69	0.1	0.7	<0.1	82	0.43	0.075
141331	Soil			0.9	21.2	28.6	82	<0.1	23.1	11.5	326	2.89	7.7	0.7	8.8	5.3	21	0.1	0.6	0.2	65	0.17	0.017
141332	Soil			1.0	35.3	110.5	191	<0.1	23.2	9.4	292	3.15	10.2	0.6	19.5	3.8	17	0.3	0.8	0.3	69	0.16	0.025
141333	Soil			1.0	32.4	107.3	184	0.1	22.8	9.3	286	3.34	10.5	0.6	13.5	3.9	19	0.4	0.8	0.3	72	0.17	0.023

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: August 01, 2010

Page: 2 of 8 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000101.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
141301	Soil	12	76	0.95	353	0.099	2	2.03	0.011	0.06	<0.1	0.02	6.7	0.1	<0.05	7	<0.5	<0.2
141302	Soil	25	38	0.44	517	0.049	<1	2.48	0.017	0.06	0.1	0.04	5.3	0.1	<0.05	8	<0.5	<0.2
141303	Soil	10	27	0.33	248	0.051	<1	1.75	0.010	0.05	<0.1	0.02	2.3	0.1	<0.05	7	<0.5	<0.2
141304	Soil	11	40	0.43	226	0.066	<1	2.59	0.011	0.05	0.2	0.05	4.4	0.1	<0.05	7	<0.5	<0.2
141306	Soil	15	28	0.41	244	0.061	1	1.30	0.012	0.05	0.1	0.02	3.3	<0.1	<0.05	4	<0.5	<0.2
141307	Soil	15	34	0.57	344	0.077	1	1.76	0.017	0.06	0.1	0.04	4.6	<0.1	<0.05	5	<0.5	<0.2
141308	Soil	16	34	0.64	350	0.085	<1	1.58	0.018	0.05	<0.1	0.03	5.0	<0.1	<0.05	5	<0.5	<0.2
141309	Soil	13	35	0.37	188	0.068	<1	2.22	0.015	0.06	0.1	0.02	3.9	0.1	<0.05	8	<0.5	<0.2
141310	Soil	12	25	0.32	239	0.059	<1	1.67	0.010	0.05	0.1	0.02	2.8	<0.1	<0.05	6	<0.5	<0.2
141311	Soil	11	29	0.38	213	0.076	<1	1.91	0.010	0.04	0.1	0.02	2.8	0.1	<0.05	8	<0.5	<0.2
141312	Soil	11	37	0.49	321	0.069	<1	2.36	0.012	0.05	0.1	0.03	3.3	0.1	<0.05	7	<0.5	<0.2
141314	Soil	13	22	0.39	345	0.060	<1	1.21	0.015	0.05	<0.1	0.02	2.8	<0.1	<0.05	4	<0.5	<0.2
141315	Soil	13	32	0.45	506	0.040	2	2.06	0.012	0.08	0.1	0.05	5.0	<0.1	<0.05	6	<0.5	<0.2
141316	Soil	20	66	1.43	735	0.104	<1	2.99	0.054	0.04	<0.1	0.02	8.2	<0.1	<0.05	8	<0.5	<0.2
141317	Soil	13	23	0.33	221	0.065	1	1.43	0.013	0.05	<0.1	0.01	2.9	<0.1	<0.05	5	<0.5	<0.2
141318	Soil	17	32	0.42	383	0.059	<1	2.38	0.012	0.05	<0.1	0.03	4.6	<0.1	<0.05	6	<0.5	<0.2
141319	Soil	15	31	0.35	218	0.054	1	2.26	0.014	0.05	<0.1	0.01	3.8	0.1	<0.05	7	<0.5	<0.2
141320	Soil	14	15	0.22	291	0.057	<1	0.90	0.014	0.04	<0.1	0.01	2.5	<0.1	<0.05	3	<0.5	<0.2
141321	Soil	14	18	0.19	154	0.058	<1	1.00	0.011	0.04	<0.1	0.01	2.2	<0.1	<0.05	3	<0.5	<0.2
141322	Soil	15	28	0.34	321	0.050	1	1.79	0.009	0.06	0.1	0.02	3.9	<0.1	<0.05	6	<0.5	<0.2
141323	Soil	12	29	0.44	366	0.064	<1	2.05	0.012	0.05	0.1	0.02	3.4	<0.1	<0.05	7	<0.5	<0.2
141324	Soil	14	26	0.28	171	0.059	<1	1.65	0.008	0.05	0.1	0.02	2.7	<0.1	<0.05	7	<0.5	<0.2
141325	Soil	15	33	0.49	356	0.069	<1	1.92	0.015	0.04	0.2	0.04	4.3	<0.1	<0.05	5	<0.5	<0.2
141326	Soil	18	35	0.47	519	0.061	<1	1.88	0.015	0.04	0.1	0.07	5.5	<0.1	<0.05	5	0.5	<0.2
141328	Soil	12	29	0.40	313	0.055	2	1.97	0.013	0.06	0.1	0.02	3.8	<0.1	<0.05	5	<0.5	<0.2
141329	Soil	11	36	0.49	220	0.063	<1	2.60	0.011	0.05	0.1	0.02	4.2	<0.1	<0.05	7	<0.5	<0.2
141330	Soil	25	31	0.85	410	0.080	<1	1.94	0.017	0.14	0.1	0.04	7.3	0.2	<0.05	7	<0.5	<0.2
141331	Soil	13	36	0.56	267	0.069	1	2.39	0.011	0.05	<0.1	0.02	4.1	<0.1	<0.05	6	<0.5	<0.2
141332	Soil	13	35	0.49	225	0.068	1	2.28	0.011	0.05	0.2	0.02	3.4	<0.1	<0.05	6	<0.5	<0.2
141333	Soil	13	36	0.54	235	0.069	1	2.52	0.011	0.05	0.1	0.03	3.6	<0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: August 01, 2010

Page: 3 of 8 Part 1

CERTIFICATE OF ANALYSIS

WHI10000101.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
141334	Soil	0.8	36.9	31.5	107	<0.1	27.7	10.3	370	2.93	11.2	1.2	11.4	5.0	29	0.2	0.7	0.2	70	0.25	0.019
141335	Soil	0.8	39.9	15.2	69	<0.1	27.8	11.3	453	3.15	10.3	0.7	4.9	4.2	39	<0.1	0.7	0.2	70	0.36	0.023
141336	Soil	1.3	20.7	16.0	67	0.1	27.1	10.7	293	3.24	10.9	0.5	6.0	3.8	20	0.2	0.6	0.2	74	0.18	0.024
141286	Soil	1.2	16.4	12.7	64	0.2	19.1	9.7	336	3.14	9.8	0.5	0.8	3.4	15	0.2	0.7	0.2	73	0.12	0.026
141287	Soil	1.4	30.4	15.5	83	<0.1	13.1	11.5	625	4.42	12.3	0.9	1.1	4.6	17	0.2	0.9	0.1	45	0.13	0.037
141288	Soil	0.9	21.0	27.3	133	0.1	14.8	11.0	442	3.29	7.8	0.6	11.4	3.4	19	0.3	0.6	0.2	60	0.19	0.028
141289	Soil	0.9	24.1	20.2	66	<0.1	17.8	10.1	273	3.33	13.4	0.8	9.0	3.8	29	0.2	0.6	0.2	57	0.29	0.045
141291	Soil	1.0	12.3	13.6	56	0.1	14.4	8.4	304	2.34	10.5	0.6	5.2	1.9	70	<0.1	0.5	0.2	55	0.58	0.052
141292	Soil	1.4	17.4	21.4	61	0.1	16.1	10.8	534	2.72	27.8	1.4	17.0	4.3	67	0.1	0.6	0.2	55	0.46	0.050
141293	Soil	1.0	22.7	20.0	58	0.3	15.0	9.8	579	2.54	12.9	1.0	14.8	3.3	35	0.2	0.5	0.2	50	0.35	0.057
141294	Soil	1.2	33.4	64.2	144	0.5	17.8	14.6	1182	3.14	27.6	1.6	41.3	4.8	49	0.8	0.7	0.3	56	0.53	0.058
141295	Soil	1.3	24.6	21.8	82	0.2	18.0	11.2	689	3.80	41.7	1.1	25.0	5.3	47	0.1	0.6	0.2	74	0.46	0.034
141296	Soil	0.8	57.1	103.9	452	0.6	15.5	10.8	595	3.29	16.1	1.3	105.8	3.6	42	2.1	0.6	0.3	58	0.53	0.040
141297	Soil	0.9	55.9	96.9	450	0.5	14.7	10.5	703	3.33	16.1	1.3	49.1	3.8	42	2.5	0.6	0.3	58	0.55	0.041
141298	Soil	1.0	66.9	75.7	287	0.2	17.9	10.4	472	3.62	12.9	1.4	25.2	5.1	42	0.7	0.7	0.2	71	0.35	0.032
141299	Soil	1.1	25.8	36.6	122	0.2	21.7	10.6	623	3.30	10.6	0.9	12.9	3.2	50	0.6	0.7	0.2	72	0.38	0.045
141300	Soil	1.4	36.3	65.2	119	0.4	28.9	16.9	1063	3.78	11.6	1.6	17.7	4.4	40	0.4	0.6	0.2	86	0.31	0.051
141514	Soil	0.5	20.5	28.4	85	<0.1	14.7	5.9	269	2.17	6.7	1.1	136.0	5.0	25	0.1	0.6	0.1	49	0.24	0.036
141516	Soil	1.3	28.7	110.4	154	0.2	23.6	11.0	269	3.25	11.7	0.8	21.8	5.2	23	0.4	0.7	0.5	71	0.20	0.023
141517	Soil	1.1	23.0	75.5	131	0.6	21.4	10.2	266	3.10	10.0	0.5	12.7	4.1	21	0.4	0.6	0.3	78	0.18	0.024
141518	Soil	1.1	25.0	81.1	204	0.3	18.4	8.7	572	3.20	10.6	0.5	74.4	3.6	20	0.3	0.7	0.2	74	0.14	0.038
141519	Soil	0.8	29.1	55.8	189	0.2	19.4	11.0	1010	3.28	9.5	0.6	8.5	3.5	43	0.6	0.7	0.2	78	0.27	0.047
141520	Soil	0.8	21.3	63.1	153	0.2	20.8	10.6	499	3.19	6.0	0.6	8.8	4.1	62	0.4	0.6	0.2	89	0.34	0.028
141521	Soil	0.8	23.0	63.0	151	0.2	20.8	11.1	570	3.31	6.5	0.6	4.6	4.0	61	0.5	0.8	0.2	87	0.35	0.028
141522	Soil	0.8	19.6	28.1	86	0.2	18.7	9.2	461	2.80	7.0	0.6	7.0	3.2	53	0.3	0.5	0.2	75	0.31	0.020
141523	Soil	0.9	27.1	38.1	99	0.4	19.2	10.2	609	3.17	8.5	1.8	13.6	3.8	75	0.6	0.6	0.2	78	0.44	0.026
141524	Soil	0.9	27.2	88.2	118	0.4	18.6	10.8	539	3.24	16.2	1.4	18.4	4.0	46	0.5	0.8	0.2	68	0.27	0.034
141525	Soil	1.0	31.2	28.0	145	0.6	15.4	10.9	812	3.10	46.9	2.0	42.5	2.3	65	0.9	0.7	0.2	56	0.82	0.087
141526	Soil	1.1	38.7	22.7	68	0.5	20.5	13.5	622	2.90	67.5	1.4	23.1	1.9	29	0.3	0.5	0.3	62	0.26	0.057
141527	Soil	1.0	18.2	18.7	65	0.2	16.0	11.7	603	2.72	48.3	1.1	14.7	3.1	71	0.2	0.6	0.2	56	0.55	0.054

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: August 01, 2010

Page: 3 of 8 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000101.1

Method	Analyte	Unit	MDL	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Tl	1DX15 S	1DX15 Ga	1DX15 Se	1DX15 Te
				ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
141334	Soil			18	42	0.57	404	0.086	<1	2.12	0.016	0.05	0.1	0.05	6.6	<0.1	<0.05	5	<0.5	<0.2
141335	Soil			15	41	0.66	445	0.097	<1	2.11	0.020	0.05	0.1	0.04	6.3	<0.1	<0.05	6	<0.5	<0.2
141336	Soil			9	41	0.57	283	0.081	1	2.59	0.012	0.05	<0.1	0.03	2.9	<0.1	<0.05	7	<0.5	<0.2
141286	Soil			10	33	0.47	273	0.067	1	2.43	0.013	0.05	0.1	0.02	3.7	0.1	<0.05	7	<0.5	<0.2
141287	Soil			17	18	0.32	257	0.010	1	1.70	0.008	0.13	<0.1	0.02	7.9	0.1	<0.05	5	<0.5	<0.2
141288	Soil			12	25	0.48	248	0.057	1	2.04	0.011	0.07	0.1	0.03	5.2	0.1	<0.05	6	<0.5	<0.2
141289	Soil			15	28	0.46	229	0.058	1	1.59	0.011	0.06	0.1	0.02	5.6	<0.1	<0.05	5	0.6	<0.2
141291	Soil			9	25	0.48	263	0.056	2	1.48	0.015	0.05	0.2	0.05	3.6	<0.1	0.06	5	<0.5	<0.2
141292	Soil			14	27	0.47	262	0.062	1	1.60	0.012	0.05	0.2	0.04	4.3	0.1	<0.05	5	<0.5	<0.2
141293	Soil			15	28	0.38	276	0.059	2	1.79	0.013	0.05	0.1	0.04	4.7	<0.1	<0.05	5	<0.5	<0.2
141294	Soil			20	28	0.48	374	0.070	2	2.03	0.016	0.09	0.2	0.07	6.5	<0.1	<0.05	6	0.7	<0.2
141295	Soil			15	32	0.59	315	0.085	<1	2.25	0.012	0.10	0.1	0.02	6.4	0.1	<0.05	7	0.5	<0.2
141296	Soil			15	25	0.56	444	0.044	1	2.08	0.013	0.09	0.1	0.04	6.7	<0.1	<0.05	6	0.7	<0.2
141297	Soil			15	25	0.56	448	0.045	1	2.02	0.013	0.09	0.1	0.05	7.0	0.1	<0.05	6	0.7	<0.2
141298	Soil			15	31	0.67	353	0.052	<1	2.12	0.010	0.07	<0.1	0.03	7.0	<0.1	<0.05	7	0.6	<0.2
141299	Soil			14	37	0.63	415	0.074	<1	2.13	0.013	0.10	0.1	0.03	4.5	0.1	<0.05	7	<0.5	<0.2
141300	Soil			17	48	0.62	465	0.077	1	2.78	0.012	0.08	0.1	0.05	5.8	<0.1	<0.05	9	0.6	<0.2
141514	Soil			20	24	0.36	196	0.072	<1	1.17	0.011	0.07	<0.1	0.01	3.4	<0.1	<0.05	4	<0.5	<0.2
141516	Soil			15	37	0.51	263	0.056	<1	2.38	0.010	0.05	<0.1	0.02	3.7	<0.1	<0.05	6	0.5	0.3
141517	Soil			13	34	0.40	254	0.063	<1	2.46	0.010	0.04	<0.1	0.02	3.2	0.1	<0.05	8	<0.5	<0.2
141518	Soil			12	39	0.53	276	0.059	1	2.19	0.009	0.06	<0.1	0.02	4.2	0.1	<0.05	7	<0.5	<0.2
141519	Soil			14	37	0.67	554	0.087	1	1.98	0.014	0.17	0.1	0.03	4.7	0.2	<0.05	7	<0.5	<0.2
141520	Soil			12	41	0.72	439	0.115	1	2.09	0.016	0.12	0.1	0.02	4.6	0.2	<0.05	8	<0.5	<0.2
141521	Soil			12	41	0.77	441	0.115	<1	2.11	0.015	0.14	0.1	0.01	4.7	0.2	<0.05	8	0.5	<0.2
141522	Soil			13	33	0.54	399	0.085	<1	1.77	0.014	0.09	0.1	0.02	3.7	0.1	<0.05	7	<0.5	<0.2
141523	Soil			13	41	0.56	412	0.079	2	1.94	0.014	0.13	0.1	0.04	5.0	<0.1	<0.05	7	<0.5	<0.2
141524	Soil			14	31	0.48	344	0.060	<1	1.79	0.013	0.20	0.1	0.02	4.6	<0.1	<0.05	6	<0.5	<0.2
141525	Soil			17	24	0.45	508	0.038	1	1.74	0.014	0.07	0.1	0.08	6.7	0.1	0.06	5	0.9	<0.2
141526	Soil			13	33	0.35	315	0.060	<1	2.25	0.014	0.06	0.1	0.04	4.0	<0.1	<0.05	8	<0.5	<0.2
141527	Soil			13	27	0.49	272	0.059	2	1.71	0.015	0.05	0.2	0.03	4.2	<0.1	<0.05	6	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: August 01, 2010

Page: 4 of 8 **Part** 1

CERTIFICATE OF ANALYSIS

WHI10000101.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
				ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%		
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
141528	Soil			0.7	12.2	14.4	65	0.2	12.7	6.6	250	2.14	33.5	0.7	51.6	1.5	36	0.3	0.4	0.2	42	0.32	0.060
141530	Soil			0.8	28.1	15.5	63	0.2	19.5	10.3	366	2.78	81.8	1.3	34.6	3.8	121	0.2	1.1	0.2	58	0.88	0.057
141531	Soil			0.9	30.8	16.9	64	0.2	20.0	9.8	251	3.05	107.6	1.4	53.8	4.5	88	0.2	1.3	0.2	62	0.65	0.053
141532	Soil			1.3	38.0	16.0	81	0.3	28.5	16.4	767	3.72	211.9	1.0	60.0	3.9	77	0.2	1.1	0.2	56	0.60	0.058
141533	Soil			0.5	14.5	7.8	20	0.2	7.6	2.8	69	1.30	14.1	0.5	7.4	0.5	19	0.2	0.2	0.1	27	0.13	0.024
141534	Soil			1.3	13.6	10.2	37	0.1	16.3	7.4	213	2.89	38.0	0.5	6.1	4.1	25	<0.1	0.5	0.2	76	0.21	0.026
141535	Soil			2.2	44.1	11.8	50	0.1	57.3	26.5	813	7.63	213.9	1.2	18.1	11.7	53	0.2	1.6	0.4	84	0.30	0.075
141536	Soil			1.1	14.0	26.2	89	0.1	18.7	10.8	987	2.87	4.5	0.4	8.1	2.9	89	0.6	0.6	0.2	71	0.52	0.024
141537	Soil			1.0	21.7	46.1	114	0.3	11.7	5.4	210	2.84	9.8	0.6	108.6	3.1	40	1.1	1.3	0.2	58	0.20	0.043
141539	Soil			1.3	21.7	32.1	82	0.3	15.5	11.1	881	3.07	12.8	1.4	27.6	4.8	39	0.8	0.6	0.2	63	0.30	0.041
141540	Soil			0.9	39.0	58.6	238	0.7	15.4	10.0	625	2.89	14.8	2.2	55.1	3.8	111	0.9	0.7	0.2	44	0.96	0.054
141541	Soil			0.8	39.6	63.3	235	0.7	15.6	9.8	393	3.02	14.3	2.6	74.4	4.4	102	1.0	0.6	0.2	46	0.93	0.049
141542	Soil			1.2	23.8	63.6	247	0.2	23.6	8.2	290	3.71	12.9	0.5	8.4	3.5	15	1.6	0.7	0.3	67	0.14	0.030
141543	Soil			1.3	11.2	17.6	46	0.1	3.6	3.8	177	2.05	8.2	0.5	107.2	2.4	10	0.2	0.6	0.2	45	0.08	0.032
141544	Soil			0.5	14.1	10.9	78	<0.1	5.6	11.8	549	3.43	3.3	0.5	0.7	3.3	16	<0.1	1.1	0.2	51	0.24	0.048
141549	Soil			1.6	14.5	23.0	45	<0.1	9.1	3.4	149	2.28	21.2	0.7	5.2	1.3	8	<0.1	0.7	0.3	37	0.06	0.034
141550	Soil			1.6	20.7	18.6	53	<0.1	13.7	10.7	473	2.67	11.2	0.8	4.7	5.6	17	<0.1	0.6	0.2	48	0.15	0.036
141553	Soil			1.3	19.1	13.0	52	0.1	12.3	8.0	230	3.06	6.0	0.5	1.9	3.1	25	0.1	0.5	0.2	79	0.22	0.022
141554	Soil			1.9	16.7	25.6	104	0.2	15.0	7.5	853	2.40	10.2	0.8	15.8	4.2	31	0.5	0.9	0.3	46	0.28	0.042
141555	Soil			1.4	37.6	11.2	91	<0.1	40.2	19.5	567	5.15	6.8	1.2	<0.5	11.9	8	<0.1	0.3	0.2	90	0.05	0.023
141545	Soil			1.5	37.5	42.8	70	0.1	15.5	6.1	187	3.75	17.2	0.7	5.1	3.6	16	0.3	0.7	0.3	78	0.13	0.032
141546	Soil			1.7	180.6	90.5	252	0.3	10.4	6.8	295	3.91	25.7	1.0	89.6	5.7	8	0.6	1.8	0.6	39	0.05	0.042
141547	Soil			1.2	17.1	17.9	42	0.2	11.4	6.4	216	2.76	7.8	0.4	3.5	2.9	15	0.2	0.5	0.3	66	0.12	0.025
141548	Soil			1.9	63.0	371.5	274	0.7	23.8	10.4	361	3.45	59.2	0.6	251.2	4.0	28	0.6	1.9	0.2	66	0.32	0.035
141551	Soil			1.7	24.3	16.7	50	<0.1	14.3	9.5	354	2.50	10.9	0.9	4.4	4.6	17	<0.1	0.6	0.2	43	0.14	0.042
141552	Soil			1.2	24.4	16.5	35	0.4	12.9	8.9	569	2.24	5.1	1.2	3.1	2.2	29	<0.1	0.4	0.2	50	0.21	0.035
141554	Soil			1.0	60.3	10.5	74	0.3	25.4	15.3	596	4.10	5.1	1.4	3.5	5.0	47	<0.1	0.7	0.1	90	0.47	0.036
141556	Soil			1.9	41.6	9.8	77	<0.1	31.8	12.1	481	4.46	86.1	1.3	1.1	6.8	14	0.2	0.7	0.2	82	0.13	0.042
141557	Soil			0.9	8.2	9.1	30	<0.1	8.1	4.6	169	1.88	5.1	0.3	1.4	1.6	13	0.1	0.4	0.2	60	0.12	0.018
141558	Soil			1.0	34.0	8.8	59	<0.1	19.1	13.8	424	3.53	6.6	0.8	2.6	3.6	51	0.1	0.6	0.1	83	0.43	0.029

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: August 01, 2010

Page: 4 of 8 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000101.1

Method	Analyte	Unit	MDL	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Tl	1DX15 S	1DX15 Ga	1DX15 Se	1DX15 Te
				ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
141528	Soil			10	25	0.39	200	0.051	<1	1.57	0.014	0.05	0.1	0.04	3.2	<0.1	<0.05	6	0.8	<0.2
141530	Soil			14	29	0.50	396	0.058	1	1.76	0.017	0.05	0.1	0.05	5.7	<0.1	<0.05	5	0.6	0.2
141531	Soil			16	30	0.46	375	0.058	1	1.78	0.016	0.05	0.1	0.04	5.8	<0.1	<0.05	5	0.8	<0.2
141532	Soil			15	34	0.45	459	0.052	<1	1.94	0.014	0.07	0.2	0.05	7.3	<0.1	<0.05	5	0.7	<0.2
141533	Soil			8	14	0.10	147	0.035	<1	1.06	0.015	0.04	<0.1	0.03	2.1	<0.1	<0.05	4	<0.5	<0.2
141534	Soil			18	31	0.35	255	0.047	<1	1.95	0.008	0.04	0.1	0.01	3.7	0.1	<0.05	8	<0.5	<0.2
141535	Soil			28	62	0.37	334	0.016	<1	2.30	0.007	0.10	<0.1	0.02	10.7	0.2	<0.05	7	0.7	<0.2
141536	Soil			11	31	0.47	538	0.067	2	1.82	0.024	0.10	0.1	0.02	3.6	<0.1	<0.05	6	<0.5	<0.2
141537	Soil			12	18	0.19	266	0.014	<1	1.37	0.009	0.10	0.1	0.03	3.1	<0.1	<0.05	6	<0.5	<0.2
141539	Soil			16	23	0.29	312	0.023	<1	1.75	0.013	0.11	<0.1	0.03	4.0	0.1	<0.05	7	<0.5	<0.2
141540	Soil			14	21	0.43	381	0.021	2	1.79	0.013	0.08	0.1	0.07	7.2	<0.1	<0.05	5	0.9	<0.2
141541	Soil			16	22	0.45	383	0.021	<1	1.84	0.013	0.08	<0.1	0.07	8.2	<0.1	<0.05	5	0.7	<0.2
141542	Soil			11	37	0.52	268	0.058	1	2.61	0.010	0.06	0.1	0.02	3.3	0.1	<0.05	7	<0.5	<0.2
141543	Soil			11	8	0.37	98	0.052	<1	1.18	0.007	0.10	<0.1	<0.01	2.7	0.1	<0.05	7	<0.5	<0.2
141544	Soil			6	10	0.88	176	0.066	<1	2.47	0.005	0.28	0.2	<0.01	5.0	0.2	<0.05	8	<0.5	<0.2
141549	Soil			22	15	0.15	78	0.024	2	1.12	0.006	0.06	<0.1	0.01	1.7	<0.1	<0.05	5	<0.5	<0.2
141550	Soil			23	21	0.28	187	0.041	2	1.16	0.007	0.06	0.1	<0.01	2.7	<0.1	<0.05	5	<0.5	<0.2
141553	Soil			12	28	0.58	382	0.044	<1	1.88	0.009	0.06	0.1	0.02	5.0	0.1	<0.05	7	<0.5	<0.2
141554	Soil			15	24	0.28	274	0.024	1	1.28	0.009	0.09	<0.1	0.02	3.2	<0.1	<0.05	5	<0.5	<0.2
141555	Soil			34	71	1.67	213	0.206	1	3.44	0.010	0.78	<0.1	0.01	9.5	0.4	<0.05	13	<0.5	<0.2
141545	Soil			12	35	0.37	175	0.077	<1	2.17	0.010	0.05	0.1	0.03	3.3	0.1	<0.05	8	<0.5	<0.2
141546	Soil			23	14	0.22	170	0.009	1	1.84	0.006	0.08	<0.1	0.02	5.1	0.1	<0.05	5	<0.5	<0.2
141547	Soil			11	24	0.27	216	0.057	<1	1.68	0.011	0.04	0.1	0.02	2.9	0.1	<0.05	7	<0.5	<0.2
141548	Soil			11	30	0.50	314	0.046	<1	2.28	0.013	0.08	0.1	0.03	3.9	0.1	<0.05	7	<0.5	<0.2
141551	Soil			25	20	0.24	190	0.034	2	1.18	0.011	0.06	0.1	0.01	2.8	<0.1	<0.05	4	<0.5	<0.2
141552	Soil			16	23	0.20	852	0.023	1	1.87	0.012	0.07	<0.1	0.04	4.8	0.1	<0.05	6	<0.5	<0.2
141554	Soil			34	39	1.10	665	0.087	1	2.19	0.015	0.17	0.1	0.04	12.3	0.1	<0.05	8	<0.5	<0.2
141556	Soil			27	39	0.85	290	0.131	<1	2.12	0.008	0.23	0.1	0.02	3.8	0.2	<0.05	9	<0.5	<0.2
141557	Soil			8	17	0.23	175	0.076	<1	1.12	0.010	0.05	0.1	0.02	1.9	<0.1	<0.05	6	<0.5	<0.2
141558	Soil			13	31	0.85	412	0.063	<1	2.27	0.018	0.06	0.1	0.02	6.8	0.1	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: August 01, 2010

Page: 5 of 8 **Part** 1

CERTIFICATE OF ANALYSIS **WHI10000101.1**

Method	Analyte	Unit	MDL	1DX15 Mo ppm	1DX15 Cu ppm	1DX15 Pb ppm	1DX15 Zn ppm	1DX15 Ag ppm	1DX15 Ni ppm	1DX15 Co ppm	1DX15 Mn ppm	1DX15 Fe %	1DX15 As ppm	1DX15 U ppm	1DX15 Au ppb	1DX15 Th ppm	1DX15 Sr ppm	1DX15 Cd ppm	1DX15 Sb ppm	1DX15 Bi ppm	1DX15 V ppm	1DX15 Ca %	1DX15 P %
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
141559	Soil			1.2	52.0	12.9	63	0.2	21.5	14.5	572	3.50	7.9	1.3	3.5	4.6	122	0.1	0.8	0.1	70	0.79	0.053
141560	Soil			1.5	47.0	21.2	64	0.4	20.2	15.0	487	3.77	7.0	0.8	4.2	3.3	62	0.1	0.7	0.2	94	0.39	0.031
141561	Soil			1.5	46.2	21.3	65	0.4	21.6	12.6	440	3.65	7.5	0.8	4.6	3.1	61	0.2	0.7	0.2	91	0.37	0.028
141562	Soil			1.2	68.0	9.5	78	0.2	23.0	18.1	492	4.31	6.5	1.2	1.9	4.3	90	0.1	0.9	0.2	96	0.53	0.042
141563	Soil			1.1	38.6	11.1	80	0.2	15.5	14.7	664	3.52	6.7	1.0	1.9	3.2	61	0.1	0.8	0.2	81	0.47	0.069
141564	Soil			1.4	22.7	13.9	37	0.4	11.4	16.3	967	2.73	16.5	1.5	11.5	1.0	55	0.1	0.4	0.2	49	0.42	0.090
141565	Soil			1.1	29.4	13.3	45	0.7	19.8	13.4	1956	1.83	30.9	1.5	59.6	0.9	217	0.7	0.9	0.2	27	1.49	0.108
141566	Soil			1.8	16.6	15.6	61	0.2	14.9	6.2	241	2.66	36.8	0.7	4.5	4.2	19	0.2	0.7	0.2	55	0.17	0.024
141567	Soil			1.5	26.4	33.3	73	0.2	24.6	11.2	320	3.65	39.9	0.7	9.4	4.7	22	0.1	0.8	0.2	73	0.22	0.026
141568	Soil			1.6	15.1	20.3	51	0.5	13.8	6.9	205	2.99	16.3	0.5	5.9	2.7	11	0.2	0.6	0.3	71	0.10	0.026
141569	Soil			1.1	15.4	27.0	46	0.2	16.3	7.5	356	2.75	14.3	0.6	3.2	3.2	16	0.2	0.5	0.2	62	0.15	0.023
141570	Soil			1.6	45.5	410.0	146	0.5	17.6	9.1	506	3.01	22.0	1.5	46.8	6.9	17	0.9	0.8	0.4	41	0.18	0.021
141571	Soil			2.1	44.4	716.9	159	1.7	17.9	9.6	722	3.17	26.2	1.5	59.7	7.2	18	1.0	1.2	0.6	42	0.18	0.022
141572	Soil			1.2	49.6	21.3	74	0.4	14.5	8.8	1525	2.51	8.4	2.6	7.2	1.3	184	0.7	0.5	0.2	44	1.28	0.089
141573	Soil			3.4	20.3	33.1	67	0.3	28.6	11.0	1680	2.45	5.9	1.7	10.3	2.3	89	0.5	0.5	0.2	41	0.73	0.063
141574	Soil			1.7	56.5	157.3	408	0.6	15.4	16.7	3108	3.03	7.4	0.8	12.3	2.2	45	2.4	0.6	0.5	65	0.33	0.042
142083	Soil			1.4	25.5	12.4	56	0.1	24.2	12.0	296	3.57	10.3	0.6	3.2	4.1	23	<0.1	0.7	0.2	76	0.19	0.023
142084	Soil			1.2	38.6	15.7	65	0.1	22.6	11.1	508	3.55	8.2	1.0	3.7	4.9	34	<0.1	0.9	0.2	56	0.34	0.033
142085	Soil			0.7	22.2	13.7	46	<0.1	20.1	8.3	285	2.47	6.7	0.7	2.3	3.1	28	<0.1	0.4	0.2	56	0.32	0.044
142086	Soil			0.7	21.0	9.9	47	<0.1	19.4	9.5	302	2.83	6.5	0.6	2.1	4.3	20	<0.1	0.5	0.2	61	0.21	0.018
142087	Soil			0.7	20.6	11.1	49	<0.1	20.6	10.5	378	2.86	6.9	0.9	1.4	3.9	31	<0.1	0.5	0.2	61	0.31	0.033
142088	Soil			1.1	17.7	22.2	65	<0.1	17.6	11.1	541	3.19	8.0	0.6	4.0	3.8	21	<0.1	0.5	0.2	63	0.22	0.034
142089	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
142090	Soil			0.9	19.5	30.1	49	0.1	17.6	6.3	194	2.11	7.3	1.0	9.2	5.0	23	0.1	0.5	0.2	44	0.26	0.035
142091	Soil			1.2	37.5	45.4	102	0.4	21.8	10.6	645	3.72	31.6	1.8	14.4	3.9	18	1.0	0.5	0.3	76	0.15	0.082
142092	Soil			1.0	23.0	19.0	76	0.2	15.4	8.9	498	3.24	66.6	0.8	21.9	3.8	17	0.2	0.6	0.2	62	0.16	0.032
142093	Soil			1.3	39.8	23.1	78	1.6	18.2	22.2	2932	3.69	88.1	3.1	56.1	1.6	44	0.5	0.6	0.2	66	0.55	0.083
142094	Soil			1.7	50.2	86.5	488	0.7	21.6	11.0	1011	3.08	14.8	1.3	48.3	3.4	32	1.8	0.6	0.2	62	0.46	0.033
142095	Soil			1.2	58.1	105.8	498	0.6	17.9	13.4	1537	3.27	15.7	1.7	49.0	3.4	38	2.5	0.6	0.2	68	0.55	0.039
142096	Soil			1.0	76.1	35.0	377	0.2	21.1	9.4	917	3.02	11.6	1.5	19.9	4.7	22	3.2	0.5	0.2	68	0.24	0.023

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: August 01, 2010

Page: 5 of 8 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000101.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
141559	Soil	21	33	0.77	523	0.054	1	1.90	0.022	0.07	<0.1	0.05	7.9	<0.1	<0.05	6	0.6	<0.2
141560	Soil	13	44	0.86	433	0.072	<1	2.30	0.016	0.06	0.1	0.03	7.0	0.1	<0.05	8	0.7	0.2
141561	Soil	13	42	0.79	420	0.080	1	2.00	0.017	0.06	0.1	0.03	6.7	0.1	<0.05	8	<0.5	<0.2
141562	Soil	18	45	1.11	472	0.085	<1	2.44	0.021	0.09	0.2	0.03	9.2	0.1	<0.05	8	<0.5	<0.2
141563	Soil	14	28	0.77	419	0.045	<1	2.00	0.014	0.05	0.2	0.04	6.0	<0.1	0.05	7	<0.5	<0.2
141564	Soil	16	20	0.23	517	0.018	2	1.28	0.009	0.04	0.1	0.07	3.5	<0.1	0.08	4	<0.5	<0.2
141565	Soil	9	16	0.35	763	0.015	2	1.02	0.013	0.04	<0.1	0.11	3.3	<0.1	0.15	3	0.7	<0.2
141566	Soil	15	23	0.36	406	0.042	1	1.37	0.008	0.08	0.1	0.02	3.1	<0.1	<0.05	5	<0.5	<0.2
141567	Soil	12	38	0.56	386	0.052	<1	2.64	0.013	0.06	0.1	0.02	4.3	0.1	<0.05	7	<0.5	<0.2
141568	Soil	10	24	0.30	241	0.045	<1	1.59	0.007	0.05	0.1	0.02	2.6	<0.1	<0.05	6	<0.5	<0.2
141569	Soil	11	26	0.35	239	0.055	<1	1.76	0.009	0.05	0.1	0.04	2.6	0.1	<0.05	6	<0.5	<0.2
141570	Soil	21	24	0.38	264	0.047	<1	1.36	0.011	0.05	0.1	0.05	6.1	<0.1	<0.05	4	<0.5	<0.2
141571	Soil	22	23	0.37	265	0.047	<1	1.36	0.010	0.05	<0.1	0.05	6.6	<0.1	<0.05	4	<0.5	0.4
141572	Soil	14	18	0.43	408	0.029	1	1.48	0.015	0.04	<0.1	0.10	4.3	<0.1	0.11	4	1.0	<0.2
141573	Soil	24	40	0.35	500	0.013	<1	1.54	0.014	0.07	0.1	0.07	6.2	0.1	0.06	5	<0.5	<0.2
141574	Soil	10	25	0.38	339	0.046	1	1.53	0.012	0.10	0.1	0.03	3.2	0.1	<0.05	7	<0.5	<0.2
142083	Soil	12	41	0.63	272	0.071	<1	2.78	0.015	0.05	0.1	0.02	4.6	0.1	<0.05	7	<0.5	<0.2
142084	Soil	18	33	0.53	519	0.059	2	1.70	0.019	0.09	0.1	0.03	7.9	<0.1	<0.05	5	0.5	<0.2
142085	Soil	12	28	0.50	309	0.053	2	1.72	0.010	0.04	0.1	0.03	3.6	<0.1	<0.05	5	<0.5	<0.2
142086	Soil	11	31	0.51	264	0.058	1	1.95	0.009	0.04	0.1	0.02	4.1	<0.1	<0.05	6	<0.5	<0.2
142087	Soil	13	32	0.53	319	0.065	1	1.75	0.012	0.05	0.1	0.03	4.8	<0.1	<0.05	5	<0.5	<0.2
142088	Soil	12	29	0.43	220	0.066	<1	1.82	0.008	0.07	0.1	0.02	3.6	<0.1	<0.05	6	<0.5	<0.2
142089	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
142090	Soil	15	28	0.36	216	0.060	<1	1.57	0.010	0.04	0.1	0.04	3.7	<0.1	<0.05	5	<0.5	<0.2
142091	Soil	27	32	0.45	525	0.056	2	2.95	0.044	0.26	<0.1	0.02	6.6	0.2	<0.05	10	<0.5	<0.2
142092	Soil	13	26	0.59	219	0.074	<1	1.93	0.009	0.10	0.1	0.02	4.3	0.1	<0.05	7	<0.5	<0.2
142093	Soil	33	21	0.43	581	0.032	1	2.09	0.012	0.09	<0.1	0.14	8.2	0.2	0.09	7	0.8	<0.2
142094	Soil	18	35	0.47	437	0.032	<1	2.11	0.009	0.05	0.1	0.05	5.4	0.1	<0.05	7	<0.5	<0.2
142095	Soil	23	29	0.45	481	0.035	1	2.17	0.009	0.05	0.1	0.05	5.7	0.2	<0.05	8	<0.5	<0.2
142096	Soil	29	33	0.50	484	0.043	<1	2.03	0.009	0.05	<0.1	0.04	7.2	0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: August 01, 2010

Page: 6 of 8 Part 1

CERTIFICATE OF ANALYSIS **WHI10000101.1**

Method	Analyte	Unit	MDL	1DX15 Mo	1DX15 Cu	1DX15 Pb	1DX15 Zn	1DX15 Ag	1DX15 Ni	1DX15 Co	1DX15 Mn	1DX15 Fe	1DX15 As	1DX15 U	1DX15 Au	1DX15 Th	1DX15 Sr	1DX15 Cd	1DX15 Sb	1DX15 Bi	1DX15 V	1DX15 Ca	1DX15 P
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
142097	Soil			1.1	23.5	16.2	71	0.4	25.1	9.7	309	3.20	11.5	0.9	7.2	4.9	21	0.2	0.6	0.2	73	0.19	0.024
142357	Soil			0.7	21.6	8.7	36	<0.1	17.6	8.1	239	2.32	26.6	0.5	15.9	3.7	26	<0.1	0.6	0.2	54	0.22	0.021
142358	Soil			1.1	17.1	12.7	46	<0.1	18.2	7.8	365	2.97	32.2	0.4	10.2	2.6	21	0.2	0.6	0.2	73	0.20	0.028
142359	Soil			0.9	38.5	15.4	46	0.2	27.7	12.2	772	2.85	53.9	2.0	31.8	3.7	107	0.1	0.9	0.2	59	0.63	0.053
142360	Soil			0.9	18.6	10.6	47	0.1	16.5	11.3	660	2.41	69.0	0.7	18.1	3.7	38	<0.1	0.6	0.1	52	0.36	0.050
142361	Soil			0.8	22.2	12.1	52	0.1	18.4	8.7	347	2.28	51.4	0.8	29.4	3.4	34	0.1	0.6	0.2	51	0.31	0.042
142362	Soil			0.6	32.2	14.7	62	0.2	19.2	9.3	350	2.46	26.5	1.2	20.2	3.1	25	0.2	0.6	0.2	55	0.27	0.052
142363	Soil			0.8	13.4	11.5	57	0.2	13.7	6.0	196	2.28	58.0	0.6	12.8	1.9	22	0.1	0.4	0.2	56	0.25	0.053
142365	Soil			0.9	13.4	19.3	64	0.1	14.2	12.9	605	2.59	33.9	0.7	9.1	1.8	33	0.2	0.6	0.2	58	0.30	0.057
142366	Soil			1.2	36.8	22.9	90	0.3	24.6	21.5	1006	4.88	31.1	4.7	46.7	4.0	263	0.3	0.9	0.1	73	1.16	0.065
142367	Soil			0.6	18.4	30.3	74	0.2	18.3	7.8	364	2.57	12.4	2.5	16.3	3.2	180	0.3	0.5	0.1	61	0.74	0.022
142368	Soil			0.6	17.8	31.4	74	0.1	18.2	8.4	349	2.69	14.1	1.9	17.1	3.7	159	0.2	0.5	0.1	61	0.64	0.024
142369	Soil			1.0	12.3	28.8	62	0.2	11.8	7.2	362	2.24	14.5	0.9	9.9	2.1	94	0.4	0.5	0.1	55	0.47	0.029
142370	Soil			0.9	28.6	41.1	109	0.1	23.9	11.6	770	3.29	8.8	0.9	10.3	4.6	69	0.3	0.6	0.1	77	0.45	0.034
142371	Soil			1.0	23.7	33.4	90	0.2	24.0	9.7	721	3.01	9.0	0.8	8.3	3.5	75	0.3	0.6	0.1	64	0.62	0.038
142372	Soil			1.2	13.8	21.2	85	0.2	22.0	11.4	1039	2.68	6.1	0.4	<0.5	2.8	36	0.2	0.5	0.1	66	0.34	0.024
142373	Soil			1.1	18.6	57.5	122	0.2	13.6	6.2	427	2.33	5.8	0.5	9.1	1.4	62	0.8	0.6	0.3	62	0.50	0.052
142374	Soil			1.4	26.3	95.0	246	0.4	16.1	9.9	469	2.95	7.6	0.5	17.8	2.9	21	0.7	0.5	0.2	80	0.19	0.034
142375	Soil			1.0	16.7	50.8	88	0.6	15.1	5.9	219	2.59	6.8	0.5	5.2	2.9	16	0.2	0.5	0.2	78	0.17	0.023
142376	Soil			1.0	23.0	79.4	115	0.1	20.1	8.4	222	2.92	10.6	0.7	11.2	5.0	17	0.2	0.8	0.2	70	0.15	0.017
142377	Soil			1.1	23.2	30.7	68	<0.1	25.7	11.1	299	3.12	9.2	0.6	6.2	3.6	19	0.2	0.6	0.2	76	0.19	0.022
142378	Soil			0.9	52.6	8.2	54	<0.1	16.7	10.5	582	3.60	4.8	1.2	5.1	5.3	37	<0.1	0.5	0.2	63	0.42	0.026
142379	Soil			1.2	17.6	9.2	50	<0.1	18.6	9.7	266	3.23	7.6	0.5	1.0	3.9	14	<0.1	0.5	0.2	84	0.12	0.020
142380	Soil			0.8	46.3	7.7	59	<0.1	21.6	13.7	408	4.06	5.0	0.6	1.4	4.7	18	<0.1	0.4	0.1	100	0.15	0.022
142381	Soil			1.1	22.6	10.1	49	<0.1	18.2	9.6	332	3.05	15.2	0.8	2.7	4.5	22	<0.1	0.5	0.2	66	0.20	0.023
142382	Soil			1.0	33.8	15.8	70	<0.1	18.3	13.1	523	3.97	7.9	0.8	1.1	5.9	14	<0.1	0.7	0.2	65	0.13	0.020
142383	Soil			1.1	23.1	18.4	52	<0.1	20.6	9.1	329	2.67	10.1	0.8	6.9	4.6	23	<0.1	0.6	0.2	56	0.26	0.025
142384	Soil			1.0	20.3	20.6	46	<0.1	15.9	8.5	298	2.55	8.7	1.1	5.7	5.8	17	<0.1	0.7	0.2	50	0.16	0.023
142385	Soil			1.4	13.5	56.7	49	<0.1	10.1	5.5	184	2.62	13.3	0.5	14.4	3.8	11	0.1	0.6	0.2	60	0.10	0.021
142386	Soil			1.5	23.5	27.8	59	<0.1	13.8	8.9	401	3.23	54.5	0.6	29.3	5.2	11	0.2	0.7	0.2	69	0.10	0.033

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: August 01, 2010

Page: 6 of 8 **Part** 2

CERTIFICATE OF ANALYSIS WHI10000101.1

Method	Analyte	Unit	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
MDL			ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
			1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
142097	Soil		14	38	0.54	265	0.061	<1	2.33	0.008	0.05	0.1	0.04	4.0	0.1	<0.05	7	<0.5	<0.2
142357	Soil		12	28	0.39	223	0.055	<1	1.63	0.009	0.04	0.1	0.02	2.6	<0.1	<0.05	5	<0.5	<0.2
142358	Soil		11	31	0.41	177	0.069	1	1.83	0.010	0.05	0.1	0.02	2.8	<0.1	<0.05	7	<0.5	<0.2
142359	Soil		16	33	0.39	457	0.058	<1	1.87	0.014	0.04	0.2	0.06	5.5	<0.1	<0.05	6	0.6	<0.2
142360	Soil		12	26	0.38	173	0.060	<1	1.45	0.012	0.04	0.1	0.04	3.4	<0.1	<0.05	5	<0.5	<0.2
142361	Soil		12	27	0.39	241	0.063	1	1.59	0.014	0.04	0.2	0.04	3.5	<0.1	<0.05	5	<0.5	<0.2
142362	Soil		13	30	0.44	276	0.056	1	1.84	0.012	0.05	0.1	0.06	3.9	<0.1	<0.05	6	0.7	<0.2
142363	Soil		10	26	0.41	162	0.055	1	1.62	0.011	0.05	0.2	0.04	2.5	<0.1	<0.05	6	<0.5	<0.2
142365	Soil		11	24	0.41	196	0.049	1	1.50	0.012	0.05	0.1	0.03	3.0	<0.1	0.05	5	<0.5	<0.2
142366	Soil		14	32	0.90	480	0.068	2	1.68	0.015	0.19	0.2	0.04	9.8	0.1	0.11	6	1.0	<0.2
142367	Soil		12	29	0.53	308	0.067	1	1.58	0.020	0.06	0.1	0.04	3.9	<0.1	<0.05	6	0.7	<0.2
142368	Soil		12	29	0.54	279	0.074	1	1.60	0.024	0.06	0.1	0.02	4.4	<0.1	<0.05	5	<0.5	<0.2
142369	Soil		11	21	0.32	261	0.046	1	1.19	0.010	0.09	0.2	0.02	2.8	<0.1	<0.05	5	<0.5	<0.2
142370	Soil		21	34	0.62	411	0.066	<1	1.86	0.014	0.07	0.2	0.04	5.6	<0.1	<0.05	6	<0.5	<0.2
142371	Soil		13	32	0.48	567	0.053	1	1.73	0.013	0.13	<0.1	0.03	5.2	<0.1	<0.05	5	<0.5	<0.2
142372	Soil		9	34	0.44	305	0.071	<1	1.74	0.013	0.13	<0.1	0.02	2.8	0.1	<0.05	6	<0.5	<0.2
142373	Soil		11	21	0.34	392	0.049	1	1.25	0.012	0.11	0.1	0.03	2.5	<0.1	<0.05	6	<0.5	<0.2
142374	Soil		10	32	0.41	195	0.073	<1	1.78	0.009	0.05	0.1	0.02	2.7	<0.1	<0.05	7	<0.5	<0.2
142375	Soil		11	29	0.40	170	0.079	<1	1.78	0.012	0.04	0.1	0.02	2.7	0.1	<0.05	8	<0.5	<0.2
142376	Soil		13	33	0.42	190	0.066	1	2.47	0.008	0.05	<0.1	0.03	3.9	0.1	<0.05	7	<0.5	<0.2
142377	Soil		13	40	0.56	227	0.090	1	2.39	0.014	0.05	<0.1	0.03	4.2	<0.1	<0.05	7	<0.5	<0.2
142378	Soil		19	26	0.51	249	0.020	<1	2.15	0.008	0.12	<0.1	0.02	7.2	0.1	<0.05	6	<0.5	<0.2
142379	Soil		12	30	0.53	234	0.095	<1	2.05	0.008	0.05	0.1	0.03	3.2	0.1	<0.05	8	<0.5	<0.2
142380	Soil		14	35	1.00	302	0.112	<1	2.43	0.012	0.10	<0.1	0.03	5.7	0.1	<0.05	10	<0.5	<0.2
142381	Soil		16	31	0.57	401	0.055	<1	1.79	0.016	0.05	0.1	0.02	5.2	<0.1	<0.05	6	<0.5	<0.2
142382	Soil		19	27	0.60	225	0.056	2	2.42	0.009	0.11	0.1	<0.01	5.4	0.2	<0.05	6	<0.5	<0.2
142383	Soil		16	33	0.48	284	0.060	2	1.65	0.011	0.06	0.1	0.02	4.5	<0.1	<0.05	5	<0.5	<0.2
142384	Soil		17	25	0.29	237	0.053	2	1.58	0.010	0.05	0.1	0.02	3.5	<0.1	<0.05	4	<0.5	<0.2
142385	Soil		13	19	0.21	117	0.059	<1	1.44	0.005	0.05	0.1	<0.01	2.3	<0.1	<0.05	6	<0.5	<0.2
142386	Soil		16	24	0.42	176	0.054	1	1.74	0.017	0.07	0.1	0.01	3.4	<0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: August 01, 2010

Page: 7 of 8 Part 1

CERTIFICATE OF ANALYSIS

WHI10000101.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
142387	Soil	0.9	15.2	12.3	69	<0.1	11.0	9.0	365	3.99	13.1	0.5	5.3	4.3	10	<0.1	0.5	<0.1	71	0.08	0.021
142388	Soil	1.3	16.3	13.0	47	<0.1	18.7	8.8	239	3.26	27.2	0.6	13.6	3.6	14	0.1	0.6	0.2	72	0.14	0.027
142389	Soil	1.3	11.5	16.3	43	0.1	14.2	6.3	183	3.33	30.6	0.5	8.4	3.0	12	<0.1	0.6	0.3	86	0.11	0.025
142390	Soil	1.1	10.7	13.0	41	0.1	8.4	6.2	377	2.64	9.4	0.4	3.7	2.7	16	<0.1	0.4	0.2	71	0.17	0.015
142391	Soil	1.1	20.3	37.9	154	0.5	16.8	8.2	281	2.98	13.7	0.5	22.6	3.2	13	0.9	0.5	0.2	71	0.15	0.029
142392	Soil	1.5	816.3	1523	3072	2.4	14.1	8.6	500	3.09	73.1	1.8	260.8	10.5	18	3.9	1.4	2.0	39	0.19	0.036
142393	Soil	1.6	21.0	21.4	77	2.0	25.1	11.6	323	3.51	13.8	0.9	18.0	5.2	15	0.2	0.7	0.2	78	0.14	0.031
142394	Soil	1.2	22.5	23.0	78	0.1	26.3	10.5	282	3.59	17.6	0.9	8.8	5.3	19	0.1	0.7	0.2	74	0.18	0.019
142395	Soil	1.2	18.2	33.9	70	0.5	15.4	10.6	409	3.01	8.7	0.8	9.0	3.2	31	0.4	0.5	0.2	70	0.31	0.043
142397	Soil	1.1	93.9	132.9	237	0.5	13.0	6.2	879	1.95	7.0	0.6	26.1	2.0	36	1.1	1.8	0.4	55	0.27	0.057
142398	Soil	1.2	14.4	17.4	56	<0.1	18.0	8.1	240	2.85	8.1	0.5	10.3	3.3	20	0.1	0.6	0.2	77	0.15	0.022
142399	Soil	1.1	12.8	17.3	55	<0.1	17.1	7.6	268	2.90	8.2	0.4	29.8	2.8	22	<0.1	0.5	0.2	76	0.16	0.022
142400	Soil	1.3	13.3	30.8	100	0.2	15.4	7.8	691	3.01	10.8	0.5	52.9	2.7	123	1.6	0.6	0.2	67	0.85	0.030
142451	Soil	0.9	38.2	75.3	215	0.7	14.1	9.5	1065	2.66	17.8	3.1	121.5	3.1	181	1.5	1.1	0.3	32	1.37	0.069
142455	Soil	1.4	13.3	15.8	57	0.1	17.6	11.4	726	2.49	7.8	0.6	4.7	2.9	72	0.2	0.5	0.1	57	0.69	0.049
142456	Soil	0.8	15.3	18.8	60	0.1	17.0	7.0	222	2.23	5.8	1.3	5.3	4.6	43	0.2	0.5	0.1	48	0.47	0.038
142457	Soil	0.8	15.5	15.6	59	<0.1	17.6	7.8	334	2.57	4.7	0.7	3.0	4.2	31	0.1	0.4	0.1	55	0.36	0.038
142459	Soil	0.9	20.9	17.7	67	0.3	19.6	8.0	506	2.86	5.8	1.5	14.6	2.5	53	0.2	0.4	0.2	51	0.53	0.064
142460	Soil	1.0	17.9	23.4	67	0.1	17.2	10.3	557	2.92	8.1	1.4	27.2	5.2	34	0.2	0.6	0.1	56	0.35	0.043
142461	Soil	0.7	15.0	19.4	54	<0.1	15.3	7.3	369	2.04	4.8	1.0	37.6	4.5	25	0.1	0.5	0.1	47	0.27	0.027
142462	Soil	1.6	11.2	15.5	55	<0.1	15.2	5.7	240	2.74	8.0	0.4	64.5	2.9	11	0.1	0.6	0.1	70	0.11	0.035
142463	Soil	1.1	12.7	23.2	58	<0.1	15.6	8.8	459	2.55	4.9	0.6	118.2	3.9	13	0.1	0.4	0.1	56	0.12	0.039
142464	Soil	1.3	15.3	33.7	46	0.1	9.8	3.8	117	1.54	3.6	0.6	26.8	1.4	18	0.2	0.3	0.1	42	0.13	0.029
142465	Soil	0.6	16.8	29.8	65	<0.1	17.4	7.3	217	2.36	5.7	0.9	10.6	3.7	30	<0.1	0.5	0.2	61	0.29	0.032
142466	Soil	0.7	22.6	22.8	71	0.1	19.7	8.5	340	2.45	5.9	1.2	14.4	5.3	35	0.2	0.6	0.1	57	0.32	0.045
142467	Soil	1.1	21.5	31.4	65	0.2	18.5	9.0	857	2.62	7.9	3.3	15.7	3.0	176	0.2	0.6	0.2	62	1.22	0.065
142468	Soil	0.6	17.6	35.0	73	0.2	18.2	7.8	316	2.47	6.2	2.9	15.2	4.4	126	0.1	0.6	0.1	64	0.87	0.048
142469	Soil	0.6	15.9	15.5	52	0.1	10.1	4.6	301	1.56	2.7	0.4	10.3	0.5	14	0.3	0.3	0.1	48	0.13	0.042
142470	Soil	1.1	15.9	26.0	68	<0.1	17.8	10.0	276	2.98	6.9	0.5	2.8	2.8	16	0.1	0.5	0.2	77	0.14	0.025
142471	Soil	0.8	23.5	24.1	87	<0.1	22.6	9.6	465	3.11	6.7	1.0	8.6	4.3	38	<0.1	0.6	0.1	75	0.38	0.039

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: August 01, 2010

Page: 7 of 8 Part 2

CERTIFICATE OF ANALYSIS

WHI10000101.1

Method	Analyte	Unit	MDL	1DX15 La ppm	1DX15 Cr ppm	1DX15 Mg %	1DX15 Ba ppm	1DX15 Ti %	1DX15 B ppm	1DX15 Al %	1DX15 Na %	1DX15 K %	1DX15 W ppm	1DX15 Hg ppm	1DX15 Sc ppm	1DX15 Ti ppm	1DX15 S %	1DX15 Ga ppm	1DX15 Se ppm	1DX15 Te ppm
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
142387	Soil			12	21	0.83	163	0.087	<1	2.51	0.006	0.18	0.1	0.01	5.2	0.2	<0.05	8	<0.5	<0.2
142388	Soil			10	35	0.47	226	0.065	<1	1.98	0.009	0.05	0.2	0.03	2.6	<0.1	<0.05	7	<0.5	<0.2
142389	Soil			10	31	0.42	187	0.076	<1	1.67	0.005	0.05	0.2	0.03	2.3	0.1	<0.05	8	<0.5	<0.2
142390	Soil			17	19	0.39	325	0.071	<1	1.50	0.009	0.06	0.1	<0.01	4.2	<0.1	<0.05	7	<0.5	<0.2
142391	Soil			10	30	0.39	226	0.046	<1	2.07	0.009	0.06	0.1	0.05	3.3	<0.1	<0.05	7	<0.5	<0.2
142392	Soil			13	16	0.37	239	0.034	<1	1.26	0.014	0.08	<0.1	0.12	4.1	<0.1	<0.05	4	2.0	<0.2
142393	Soil			11	46	0.52	258	0.061	<1	2.91	0.011	0.06	0.2	0.06	4.5	0.1	<0.05	7	<0.5	<0.2
142394	Soil			13	36	0.50	283	0.045	<1	2.42	0.008	0.07	0.1	0.01	4.0	0.1	<0.05	7	<0.5	<0.2
142395	Soil			12	29	0.37	288	0.038	<1	2.08	0.013	0.06	<0.1	0.02	4.1	0.1	<0.05	7	<0.5	<0.2
142397	Soil			11	22	0.22	312	0.048	<1	1.11	0.008	0.08	0.1	0.02	2.4	<0.1	<0.05	6	<0.5	<0.2
142398	Soil			10	30	0.38	275	0.050	<1	2.04	0.008	0.04	0.2	0.01	2.6	<0.1	<0.05	7	<0.5	<0.2
142399	Soil			9	28	0.37	299	0.048	<1	1.82	0.009	0.05	0.2	0.01	2.8	<0.1	<0.05	7	<0.5	<0.2
142400	Soil			9	24	0.31	295	0.039	1	1.45	0.021	0.19	<0.1	<0.01	3.0	<0.1	<0.05	6	<0.5	<0.2
142451	Soil			15	12	0.39	331	0.009	3	1.23	0.012	0.09	<0.1	0.09	6.0	<0.1	0.09	4	1.0	<0.2
142455	Soil			10	29	0.39	455	0.049	2	1.29	0.016	0.05	0.2	0.03	3.2	<0.1	<0.05	4	<0.5	<0.2
142456	Soil			13	28	0.40	551	0.046	2	1.65	0.012	0.06	0.1	0.03	4.2	<0.1	<0.05	5	<0.5	<0.2
142457	Soil			12	33	0.53	304	0.056	<1	1.74	0.013	0.05	<0.1	0.01	3.6	<0.1	<0.05	5	<0.5	<0.2
142459	Soil			15	30	0.37	953	0.037	1	2.42	0.012	0.06	<0.1	0.05	6.1	<0.1	<0.05	7	<0.5	<0.2
142460	Soil			15	28	0.34	754	0.051	1	1.91	0.010	0.06	<0.1	0.04	5.0	<0.1	<0.05	5	<0.5	<0.2
142461	Soil			15	25	0.36	360	0.064	<1	1.33	0.010	0.05	0.1	0.02	3.3	<0.1	<0.05	4	<0.5	<0.2
142462	Soil			11	27	0.28	137	0.071	1	1.56	0.009	0.08	0.1	0.02	2.6	0.1	<0.05	6	<0.5	<0.2
142463	Soil			12	29	0.32	162	0.067	<1	1.76	0.009	0.08	0.1	0.03	3.0	<0.1	<0.05	6	<0.5	<0.2
142464	Soil			10	20	0.18	152	0.039	<1	1.10	0.011	0.04	<0.1	0.01	2.1	<0.1	<0.05	5	<0.5	<0.2
142465	Soil			14	30	0.46	309	0.064	<1	1.89	0.011	0.05	0.1	0.03	3.6	<0.1	<0.05	6	<0.5	<0.2
142466	Soil			18	29	0.43	409	0.060	<1	1.67	0.013	0.05	0.1	0.04	4.5	<0.1	<0.05	5	<0.5	<0.2
142467	Soil			16	26	0.40	728	0.046	1	1.58	0.014	0.04	0.2	0.07	4.6	<0.1	0.06	4	0.5	<0.2
142468	Soil			15	28	0.41	643	0.050	1	1.64	0.012	0.04	0.2	0.07	4.8	<0.1	<0.05	5	<0.5	<0.2
142469	Soil			7	17	0.15	196	0.041	<1	1.05	0.013	0.04	<0.1	0.03	1.4	<0.1	<0.05	5	<0.5	<0.2
142470	Soil			10	32	0.41	239	0.068	<1	2.36	0.017	0.06	<0.1	0.02	3.4	<0.1	<0.05	8	<0.5	<0.2
142471	Soil			18	36	0.59	519	0.062	2	1.99	0.012	0.06	0.1	0.02	5.8	<0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: August 01, 2010

Page: 8 of 8 **Part** 1

CERTIFICATE OF ANALYSIS **WHI10000101.1**

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
142472	Soil	0.9	20.8	45.7	81	<0.1	19.2	9.2	354	2.93	6.8	0.6	35.7	2.6	20	0.2	0.7	0.2	62	0.19	0.031
142473	Soil	1.0	21.4	20.5	59	0.1	20.0	8.9	274	3.42	9.9	0.7	1.3	1.8	35	0.2	0.5	0.2	78	0.29	0.047
142474	Soil	0.8	23.9	17.8	65	<0.1	25.1	11.2	335	3.22	9.5	0.8	4.6	4.7	24	<0.1	0.7	0.2	68	0.26	0.029
142475	Soil	0.9	30.0	21.1	65	<0.1	25.4	12.3	397	3.49	10.3	0.7	11.7	5.4	23	<0.1	0.9	0.2	74	0.23	0.021
142476	Soil	1.4	29.3	40.5	81	<0.1	33.7	14.2	414	3.85	12.2	0.9	3.5	5.4	24	0.2	0.7	0.2	85	0.21	0.022
142477	Soil	1.4	27.9	49.6	84	<0.1	33.4	13.6	392	4.02	13.7	0.8	5.6	4.8	22	0.2	0.6	0.2	92	0.20	0.023
142478	Soil	1.1	21.7	22.9	72	<0.1	26.0	11.5	319	3.93	11.1	0.5	3.4	3.7	25	0.1	0.6	0.2	89	0.22	0.016
142479	Soil	1.1	19.4	18.3	67	<0.1	26.1	12.2	366	3.71	11.0	0.5	5.0	3.6	25	<0.1	0.5	0.2	82	0.24	0.024
142480	Soil	1.2	26.4	22.4	53	0.1	20.4	9.5	280	3.27	8.5	0.9	5.0	3.9	24	<0.1	0.5	0.2	78	0.22	0.028
142481	Soil	1.0	28.9	24.7	81	<0.1	25.8	11.5	545	3.25	9.1	0.9	4.4	4.1	41	0.2	0.7	0.2	74	0.43	0.044
142482	Soil	1.0	59.4	66.0	147	0.5	36.3	12.8	695	4.00	11.5	2.4	8.8	2.7	84	0.8	0.7	0.3	80	0.66	0.074
142483	Soil	1.0	24.5	45.3	66	0.1	15.4	6.2	217	2.39	6.5	0.8	4.2	1.8	26	0.3	0.5	0.2	59	0.23	0.040
142484	Soil	1.1	28.0	34.6	102	0.2	26.0	11.5	794	2.98	8.6	1.7	17.9	3.9	122	0.5	0.8	0.2	60	0.93	0.085
142485	Soil	0.8	27.8	34.2	84	0.1	23.9	9.9	465	3.21	7.6	1.7	21.0	6.2	82	<0.1	0.7	0.2	64	0.66	0.043
142486	Soil	1.2	27.3	27.9	71	0.2	22.1	20.6	1589	3.86	8.7	2.4	45.6	4.5	112	0.3	1.1	0.1	57	0.83	0.058
142487	Soil	0.7	28.7	24.1	71	0.2	22.5	10.1	1151	2.25	5.5	3.1	6.4	2.5	242	0.3	0.8	0.2	45	1.73	0.063
142489	Soil	0.8	19.7	30.8	88	0.2	19.4	12.5	1186	2.97	7.6	1.0	12.6	3.6	45	0.2	0.5	0.2	66	0.40	0.047
142490	Soil	1.0	15.7	26.6	66	0.1	16.3	8.2	446	2.18	5.7	0.7	10.9	2.7	55	0.1	0.6	0.2	48	0.48	0.051

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: August 01, 2010


Page: 8 of 8 Part 2

CERTIFICATE OF ANALYSIS

WHI10000101.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
142472	Soil	13	30	0.43	265	0.061	<1	1.94	0.010	0.06	<0.1	0.02	4.2	<0.1	<0.05	6	<0.5	<0.2
142473	Soil	13	31	0.45	404	0.067	1	2.09	0.017	0.06	<0.1	0.03	4.9	<0.1	<0.05	8	<0.5	<0.2
142474	Soil	17	36	0.61	286	0.088	1	2.10	0.014	0.06	<0.1	0.02	5.1	<0.1	<0.05	6	<0.5	<0.2
142475	Soil	16	41	0.58	419	0.080	<1	2.47	0.015	0.06	<0.1	0.02	5.7	<0.1	<0.05	7	<0.5	<0.2
142476	Soil	13	49	0.65	343	0.101	2	3.31	0.015	0.05	<0.1	0.02	5.4	0.1	<0.05	8	<0.5	0.3
142477	Soil	15	50	0.62	307	0.096	2	3.49	0.013	0.06	0.1	0.03	5.7	0.1	<0.05	9	<0.5	<0.2
142478	Soil	12	44	0.63	355	0.082	1	3.23	0.013	0.05	<0.1	0.02	5.5	0.1	<0.05	8	<0.5	<0.2
142479	Soil	12	38	0.58	363	0.077	1	2.79	0.013	0.05	0.1	0.01	4.6	0.1	<0.05	7	<0.5	<0.2
142480	Soil	13	36	0.43	330	0.082	1	2.51	0.015	0.05	0.1	0.03	5.9	0.1	<0.05	8	<0.5	<0.2
142481	Soil	18	37	0.57	541	0.097	<1	1.92	0.017	0.07	0.1	0.04	6.3	<0.1	<0.05	6	<0.5	<0.2
142482	Soil	31	46	0.60	1043	0.066	2	3.62	0.018	0.09	0.1	0.06	8.9	<0.1	<0.05	9	<0.5	<0.2
142483	Soil	13	25	0.33	363	0.066	2	1.68	0.014	0.06	0.1	0.03	3.3	<0.1	<0.05	7	<0.5	<0.2
142484	Soil	18	32	0.42	724	0.061	3	2.08	0.017	0.07	0.1	0.05	6.1	<0.1	<0.05	6	<0.5	<0.2
142485	Soil	17	34	0.49	673	0.065	1	2.18	0.015	0.06	0.1	0.04	7.0	<0.1	<0.05	7	<0.5	<0.2
142486	Soil	16	27	0.35	587	0.051	1	1.69	0.016	0.04	0.1	0.06	5.9	<0.1	<0.05	5	<0.5	<0.2
142487	Soil	13	27	0.51	582	0.040	2	1.63	0.018	0.04	<0.1	0.07	4.6	<0.1	0.08	4	0.6	<0.2
142489	Soil	13	32	0.46	404	0.060	1	2.16	0.015	0.06	0.1	0.03	4.7	0.1	<0.05	7	<0.5	<0.2
142490	Soil	12	26	0.35	294	0.047	2	1.50	0.016	0.06	0.2	0.05	3.6	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Solomon Resources Ltd
Unit 3 - 2860 Smith Drive
Armstrong BC V0E 1B1 Canada

Submitted By: Steve Potts
Receiving Lab: Canada-Whitehorse
Received: July 16, 2010
Report Date: August 04, 2010
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI10000110.1

CLIENT JOB INFORMATION

Project: Ten Mile
Shipment ID: TM-Batch 4
P.O. Number: NA-10-410
Number of Samples: 109

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Table with 5 columns: Method Code, Number of Samples, Code Description, Test Wgt (g), Report Status, Lab. Rows include SS80, Dry at 60C, and 1DX2.

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Solomon Resources Ltd
Unit 3 - 2860 Smith Drive
Armstrong BC V0E 1B1
Canada

CC: Randy Rogers



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.





1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Solomon Resources Ltd
Unit 3 - 2860 Smith Drive
Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: August 04, 2010

Page: 2 of 5 **Part** 1

CERTIFICATE OF ANALYSIS

WHI10000110.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
				ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%		
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
141337	Soil			1.5	15.8	13.0	45	<0.1	13.9	7.9	230	2.71	11.5	0.7	2.0	3.8	19	0.1	0.8	0.2	55	0.18	0.027
141338	Soil			1.3	19.0	12.6	47	<0.1	21.2	10.9	197	3.05	10.6	0.5	2.6	3.9	13	<0.1	0.7	0.2	67	0.11	0.024
141339	Soil			1.4	15.0	9.4	56	<0.1	13.4	7.6	372	3.47	10.3	0.4	2.0	2.3	12	0.2	0.6	0.2	75	0.10	0.040
141340	Soil			1.0	20.7	10.4	47	0.1	22.2	11.4	260	2.87	11.3	0.9	2.6	4.3	24	<0.1	0.6	0.2	63	0.23	0.019
141341	Soil			1.4	28.9	12.0	46	0.4	20.6	8.9	269	2.76	12.7	1.1	4.1	4.2	12	0.2	0.6	0.2	63	0.11	0.035
141342	Soil			1.0	24.5	22.8	63	0.2	21.1	16.1	425	3.18	16.1	0.7	6.1	4.1	24	<0.1	0.9	0.2	62	0.20	0.023
141343	Soil			1.3	15.8	11.5	52	0.2	14.5	11.3	370	3.60	81.8	0.7	10.4	2.5	24	0.1	0.7	0.1	66	0.19	0.023
141344	Soil			1.2	22.3	11.9	47	0.3	23.7	12.9	339	3.26	344.2	1.0	64.8	3.7	34	<0.1	0.7	0.2	71	0.24	0.022
141345	Soil			1.1	30.0	12.6	63	0.1	26.2	12.9	289	3.34	488.9	0.5	111.8	3.6	26	0.1	0.9	0.2	72	0.22	0.017
141346	Soil			1.2	21.0	14.3	51	<0.1	24.3	9.9	287	3.40	494.6	0.4	31.1	3.0	18	0.1	0.8	0.2	76	0.15	0.023
141347	Soil			1.8	35.8	17.9	60	0.3	23.7	13.3	1317	6.20	639.0	1.1	223.7	4.2	46	0.1	1.6	0.2	68	0.40	0.030
141348	Soil			1.7	34.8	19.0	63	0.3	24.5	13.1	1259	6.77	679.4	1.2	256.0	4.7	47	0.2	1.6	0.2	73	0.41	0.028
141349	Soil			1.4	41.2	21.1	57	0.2	26.1	10.4	2604	5.99	221.5	1.2	23.7	4.3	40	0.2	0.8	0.2	66	0.48	0.018
141350	Soil			2.0	30.3	32.6	65	0.2	16.9	9.9	1341	5.70	1506	1.4	109.1	6.8	28	0.2	1.6	0.2	36	0.27	0.026
141351	Soil			1.0	23.9	31.0	53	0.5	27.4	11.5	258	3.09	106.2	0.4	18.2	2.5	20	<0.1	0.6	0.2	71	0.17	0.020
141401	Soil			0.2	118.1	6.8	98	0.2	26.9	45.1	1174	8.87	16.3	0.5	10.2	1.9	75	0.2	1.4	<0.1	177	1.57	0.299
141402	Soil			0.4	63.6	15.4	58	0.2	31.4	23.1	1243	5.67	30.4	0.8	10.1	6.8	159	0.3	1.3	0.3	115	1.24	0.129
141403	Soil			0.5	21.0	166.0	133	0.5	8.7	4.8	247	1.62	120.3	0.5	244.4	2.3	27	1.0	5.2	<0.1	27	0.18	0.023
141404	Soil			1.2	27.8	89.1	66	2.9	21.3	8.7	218	2.91	25.7	0.5	28.9	3.7	10	0.3	1.5	0.2	66	0.09	0.020
141405	Soil			1.2	25.9	38.9	48	0.9	17.9	8.1	229	2.57	63.9	1.0	21.7	4.3	17	0.1	0.7	0.2	64	0.13	0.024
141406	Soil			1.4	30.7	20.1	56	0.4	19.6	9.3	245	3.05	38.1	1.4	14.6	5.2	17	0.1	0.7	0.3	74	0.13	0.029
141596	Soil			0.9	19.6	15.0	66	<0.1	15.6	9.2	277	2.57	9.1	0.8	6.8	2.8	31	0.2	0.5	0.2	55	0.27	0.040
141597	Soil			0.6	18.9	23.8	67	0.1	16.9	8.5	262	2.37	7.0	0.9	7.2	3.1	40	0.2	0.4	0.2	53	0.42	0.052
141598	Soil			0.8	16.2	20.3	65	0.1	16.7	14.1	1155	2.28	5.9	0.9	6.2	2.3	49	0.3	0.4	0.1	55	0.45	0.054
141599	Soil			0.6	26.6	88.2	141	0.2	25.1	12.5	472	3.10	7.1	1.0	14.0	4.7	34	0.7	0.7	0.2	53	0.30	0.055
141600	Soil			0.7	17.8	261.3	69	0.2	16.2	7.1	228	2.59	7.6	0.7	17.3	3.4	27	0.4	0.6	0.2	56	0.27	0.042
141601	Soil			0.5	20.5	246.5	82	0.2	13.3	6.1	216	2.03	5.9	0.9	10.0	5.2	36	0.4	0.8	0.1	39	0.28	0.039
141602	Soil			0.8	13.4	11.3	50	0.1	13.5	6.3	206	2.24	6.8	0.6	2.9	3.3	27	0.1	0.5	0.1	54	0.22	0.029
141603	Soil			1.1	42.1	24.4	74	0.4	22.4	11.6	576	3.36	9.1	3.2	9.8	3.3	96	0.5	0.5	0.3	66	0.74	0.059
141604	Soil			1.0	23.5	18.1	66	0.3	17.5	7.2	305	2.52	6.9	1.0	7.3	2.0	33	0.4	0.4	0.2	57	0.27	0.044

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: August 04, 2010

Page: 2 of 5 Part 2

CERTIFICATE OF ANALYSIS

WHI10000110.1

Method	Analyte	Unit	MDL	1DX15 La ppm	1DX15 Cr ppm	1DX15 Mg %	1DX15 Ba ppm	1DX15 Ti %	1DX15 B ppm	1DX15 Al %	1DX15 Na %	1DX15 K %	1DX15 W ppm	1DX15 Hg ppm	1DX15 Sc ppm	1DX15 Tl ppm	1DX15 S %	1DX15 Ga ppm	1DX15 Se ppm	1DX15 Te ppm
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
141337	Soil			12	23	0.35	244	0.031	2	1.56	0.011	0.05	0.1	0.01	2.6	<0.1	<0.05	6	<0.5	<0.2
141338	Soil			9	33	0.44	239	0.062	2	2.36	0.009	0.05	0.2	0.02	3.1	<0.1	<0.05	6	<0.5	<0.2
141339	Soil			10	28	0.45	174	0.060	2	1.44	0.009	0.07	0.1	0.01	2.5	<0.1	<0.05	7	<0.5	<0.2
141340	Soil			12	34	0.52	340	0.055	2	1.96	0.013	0.06	0.1	0.02	3.7	<0.1	<0.05	5	<0.5	<0.2
141341	Soil			10	31	0.40	219	0.066	2	2.17	0.011	0.05	0.2	0.05	3.6	<0.1	<0.05	6	<0.5	<0.2
141342	Soil			11	31	0.43	427	0.030	2	1.70	0.010	0.07	0.1	0.01	4.9	<0.1	<0.05	5	<0.5	<0.2
141343	Soil			9	23	0.32	349	0.015	2	1.54	0.008	0.07	<0.1	0.01	5.7	0.1	<0.05	5	<0.5	<0.2
141344	Soil			12	34	0.45	306	0.033	<1	2.32	0.012	0.04	0.1	0.02	6.1	0.1	<0.05	6	<0.5	<0.2
141345	Soil			10	40	0.58	279	0.050	1	2.11	0.012	0.04	0.1	0.02	4.1	0.1	<0.05	6	<0.5	<0.2
141346	Soil			9	36	0.57	203	0.053	2	2.24	0.012	0.05	0.2	<0.01	3.5	<0.1	<0.05	6	<0.5	<0.2
141347	Soil			15	31	0.47	433	0.033	2	1.69	0.015	0.06	0.7	0.05	8.6	<0.1	<0.05	5	<0.5	<0.2
141348	Soil			15	35	0.50	456	0.033	2	1.87	0.017	0.07	0.1	0.04	8.0	<0.1	<0.05	5	0.6	<0.2
141349	Soil			20	34	0.47	372	0.044	1	1.77	0.014	0.04	0.2	0.03	7.2	<0.1	<0.05	6	<0.5	<0.2
141350	Soil			21	20	0.25	353	0.018	1	1.17	0.010	0.09	0.2	0.04	7.9	0.1	<0.05	4	0.6	<0.2
141351	Soil			8	36	0.53	278	0.062	1	2.41	0.010	0.04	0.1	0.02	3.2	<0.1	<0.05	6	<0.5	<0.2
141401	Soil			8	28	1.69	488	0.015	3	2.46	0.042	0.18	0.1	0.05	25.8	0.2	0.12	7	0.8	<0.2
141402	Soil			37	29	0.52	491	0.011	2	1.56	0.013	0.10	0.2	0.11	13.3	0.2	<0.05	5	0.7	<0.2
141403	Soil			11	11	0.20	257	0.021	2	0.62	0.008	0.06	<0.1	0.03	1.5	<0.1	<0.05	2	<0.5	<0.2
141404	Soil			8	35	0.45	216	0.065	1	2.29	0.009	0.05	0.2	0.05	2.7	0.1	<0.05	6	<0.5	<0.2
141405	Soil			12	33	0.38	234	0.066	9	1.97	0.013	0.04	0.1	0.05	4.0	0.1	<0.05	6	<0.5	<0.2
141406	Soil			17	42	0.48	252	0.066	1	2.40	0.013	0.05	0.2	0.03	5.8	0.1	<0.05	7	<0.5	<0.2
141596	Soil			12	29	0.39	392	0.051	1	1.95	0.012	0.05	0.1	0.02	3.6	<0.1	<0.05	6	<0.5	<0.2
141597	Soil			11	26	0.44	435	0.057	1	1.71	0.015	0.05	0.2	0.04	3.9	<0.1	<0.05	5	<0.5	<0.2
141598	Soil			10	28	0.48	427	0.044	2	1.39	0.016	0.05	0.2	0.05	4.0	<0.1	<0.05	5	<0.5	<0.2
141599	Soil			12	36	0.49	413	0.053	2	1.90	0.014	0.07	0.1	0.03	5.5	0.1	<0.05	6	<0.5	<0.2
141600	Soil			10	29	0.40	406	0.056	1	1.88	0.012	0.04	0.1	0.04	3.9	<0.1	<0.05	5	<0.5	<0.2
141601	Soil			12	21	0.32	444	0.052	1	1.17	0.013	0.05	0.1	0.02	3.9	<0.1	<0.05	4	<0.5	<0.2
141602	Soil			11	23	0.36	352	0.063	2	1.41	0.010	0.06	0.1	0.03	2.8	<0.1	<0.05	5	<0.5	<0.2
141603	Soil			16	35	0.44	1000	0.040	2	2.84	0.015	0.07	0.1	0.05	7.6	<0.1	<0.05	8	<0.5	<0.2
141604	Soil			10	28	0.41	467	0.055	2	1.91	0.012	0.07	<0.1	0.03	3.5	<0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Solomon Resources Ltd**

Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile

Report Date: August 04, 2010

Page: 3 of 5 Part 1

CERTIFICATE OF ANALYSIS

WHI10000110.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
141605	Soil	0.9	22.2	17.9	67	0.2	19.5	9.0	332	2.86	8.9	1.3	21.1	4.1	38	0.2	0.5	0.2	63	0.30	0.042
141606	Soil	0.7	26.0	20.2	91	0.2	27.8	14.3	694	2.96	10.3	2.2	23.5	6.3	68	0.3	0.6	0.1	43	0.53	0.069
141607	Soil	0.8	27.4	29.2	81	0.3	19.5	10.0	311	2.39	8.8	2.0	24.8	3.2	42	0.3	0.4	0.2	41	0.28	0.055
141608	Soil	1.1	20.7	16.2	52	0.1	16.9	8.4	214	2.78	12.8	0.6	5.5	2.8	39	0.2	0.5	0.2	60	0.28	0.028
141609	Soil	0.8	21.7	24.9	87	0.1	18.9	12.0	752	2.74	5.9	1.1	7.7	3.0	78	0.3	0.5	0.2	58	0.54	0.049
141610	Soil	0.7	16.7	20.7	74	0.1	13.8	9.4	551	2.38	5.4	0.8	6.7	2.2	49	0.2	0.4	0.2	52	0.37	0.055
141611	Soil	0.7	14.4	21.1	71	0.1	12.6	10.5	928	2.37	5.0	0.9	7.3	2.2	54	0.1	0.4	0.2	45	0.36	0.050
141612	Soil	0.7	16.1	31.2	84	0.1	14.4	11.8	674	2.80	7.3	0.7	5.1	3.2	44	0.1	0.6	0.2	62	0.35	0.046
141613	Soil	0.6	20.1	23.7	73	0.2	15.6	7.8	301	2.57	6.0	0.8	14.5	3.5	59	0.2	0.5	0.2	51	0.44	0.043
141614	Soil	0.7	39.6	31.8	77	0.3	21.8	6.4	212	2.34	5.5	1.4	10.8	2.0	96	0.4	0.6	0.2	46	0.72	0.057
141615	Soil	0.6	24.4	24.1	82	0.2	20.0	13.7	1013	2.71	6.7	1.2	7.8	4.1	57	0.3	0.6	0.2	55	0.45	0.057
141574	Soil	0.8	30.7	47.0	132	0.3	20.7	10.0	483	2.96	7.0	0.9	18.7	3.8	109	0.7	0.7	0.2	58	0.80	0.063
141575	Soil	0.9	21.0	35.5	70	0.2	19.8	10.0	253	3.59	11.9	0.5	15.1	4.5	16	0.1	0.6	0.2	65	0.13	0.019
141576	Soil	0.9	19.3	26.5	52	0.1	16.7	8.4	298	2.65	7.4	0.6	9.0	3.4	19	<0.1	0.5	0.2	64	0.17	0.021
141577	Soil	1.0	20.0	18.8	55	<0.1	20.3	8.8	266	2.93	8.8	0.7	12.8	4.4	24	<0.1	0.5	0.2	69	0.19	0.014
141578	Soil	1.0	22.7	26.2	74	<0.1	19.9	9.0	296	3.03	9.7	0.6	25.1	3.8	20	<0.1	0.7	0.2	65	0.20	0.031
141580	Soil	0.5	26.7	41.8	91	0.1	21.2	11.1	489	2.87	7.1	1.3	12.9	6.0	79	0.2	0.8	0.2	61	0.59	0.046
141581	Soil	0.6	28.7	40.8	86	0.2	21.6	11.0	454	2.82	7.4	1.4	8.3	6.1	81	0.3	0.8	0.2	61	0.59	0.046
141582	Soil	0.7	29.1	33.2	77	0.2	22.1	10.3	401	3.18	8.3	1.7	38.6	4.9	78	0.2	0.8	0.2	56	0.56	0.043
141583	Soil	0.7	24.7	33.7	67	0.2	17.1	10.5	502	2.35	6.1	1.5	6.6	3.4	45	0.1	0.7	0.2	51	0.38	0.043
141584	Soil	0.6	18.0	20.7	79	<0.1	17.1	9.3	341	2.57	5.3	0.9	89.3	3.9	47	0.2	0.6	0.1	55	0.40	0.060
141585	Soil	0.6	13.5	19.8	61	<0.1	14.3	7.6	328	2.19	4.1	0.6	10.7	3.0	31	0.1	0.5	0.1	49	0.23	0.031
141586	Soil	0.7	16.1	17.5	64	0.1	14.9	8.4	417	2.65	5.8	0.6	16.7	3.2	24	0.1	0.4	0.1	62	0.18	0.029
141587	Soil	0.9	14.2	20.2	72	0.1	13.7	6.6	419	2.37	5.5	0.5	5.1	1.9	26	<0.1	0.4	0.2	62	0.22	0.031
141588	Soil	1.4	16.6	39.6	97	0.2	17.8	17.0	1599	2.62	5.2	1.2	8.4	2.6	60	0.2	0.5	0.2	56	0.44	0.059
141589	Soil	1.3	21.9	19.4	78	0.2	21.1	12.4	621	3.55	7.7	1.0	11.3	3.6	47	0.2	0.6	0.2	71	0.37	0.057
141590	Soil	0.9	20.1	11.6	36	0.2	9.7	3.8	441	1.82	4.3	0.8	4.2	1.3	19	0.2	0.3	0.1	45	0.14	0.027
141591	Soil	1.2	17.1	12.9	40	0.3	9.8	3.8	219	1.95	4.8	0.7	6.9	1.7	22	0.2	0.4	0.2	49	0.17	0.028
141592	Soil	1.1	23.4	15.1	39	0.3	9.5	5.8	493	1.56	2.6	0.7	7.3	1.4	22	0.3	0.3	0.2	38	0.17	0.035
141593	Soil	1.1	19.5	18.8	56	0.2	16.2	5.7	202	2.33	5.5	1.0	8.6	2.7	30	0.2	0.4	0.2	55	0.27	0.023

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: August 04, 2010

Page: 3 of 5 Part 2

CERTIFICATE OF ANALYSIS

WHI10000110.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit	MDL	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
141605	Soil	15	31	0.48	538	0.060	2	1.92	0.014	0.05	0.1	0.03	4.7	<0.1	<0.05	6	<0.5	<0.2
141606	Soil	16	25	0.40	409	0.033	2	1.33	0.013	0.08	0.1	0.05	8.2	<0.1	<0.05	4	<0.5	<0.2
141607	Soil	15	22	0.30	293	0.024	2	1.47	0.011	0.08	0.1	0.06	5.2	<0.1	<0.05	5	<0.5	<0.2
141608	Soil	11	24	0.41	267	0.057	2	1.63	0.012	0.06	0.1	0.02	3.4	<0.1	<0.05	6	<0.5	<0.2
141609	Soil	13	29	0.55	402	0.058	2	1.87	0.016	0.05	0.1	0.04	5.5	<0.1	<0.05	6	<0.5	<0.2
141610	Soil	10	24	0.43	345	0.049	2	1.59	0.015	0.06	0.1	0.04	4.2	<0.1	0.05	5	<0.5	<0.2
141611	Soil	10	22	0.41	325	0.038	1	1.49	0.014	0.05	0.1	0.06	4.2	0.1	<0.05	5	<0.5	<0.2
141612	Soil	11	29	0.48	292	0.057	<1	1.79	0.014	0.04	0.1	0.04	3.9	<0.1	<0.05	6	<0.5	<0.2
141613	Soil	12	26	0.45	394	0.053	<1	1.69	0.016	0.04	0.1	0.03	4.6	<0.1	<0.05	5	<0.5	<0.2
141614	Soil	12	27	0.49	487	0.050	<1	1.79	0.016	0.04	0.1	0.07	5.0	<0.1	<0.05	5	0.5	<0.2
141615	Soil	15	29	0.48	453	0.061	1	1.77	0.017	0.04	0.1	0.07	5.4	<0.1	<0.05	5	<0.5	<0.2
141574	Soil	13	30	0.48	770	0.056	1	2.11	0.017	0.05	0.1	0.04	6.3	<0.1	<0.05	6	<0.5	0.3
141575	Soil	11	33	0.43	214	0.051	<1	2.67	0.011	0.04	0.1	0.04	5.0	0.1	<0.05	6	<0.5	<0.2
141576	Soil	11	29	0.37	222	0.070	<1	2.18	0.010	0.04	0.1	0.02	3.8	<0.1	<0.05	6	<0.5	<0.2
141577	Soil	11	36	0.50	248	0.083	<1	2.44	0.012	0.04	<0.1	0.02	3.9	0.1	<0.05	6	<0.5	<0.2
141578	Soil	10	33	0.48	233	0.066	<1	2.16	0.011	0.05	0.1	0.03	3.6	<0.1	<0.05	6	<0.5	<0.2
141580	Soil	17	29	0.46	591	0.056	<1	1.81	0.016	0.04	0.1	0.08	6.3	<0.1	<0.05	5	<0.5	<0.2
141581	Soil	16	29	0.45	625	0.060	1	1.82	0.016	0.04	0.1	0.07	6.3	<0.1	<0.05	5	0.6	<0.2
141582	Soil	15	28	0.43	437	0.063	1	1.71	0.019	0.04	0.1	0.05	5.4	<0.1	<0.05	5	<0.5	<0.2
141583	Soil	12	27	0.40	390	0.054	1	1.66	0.015	0.04	0.1	0.06	4.2	<0.1	<0.05	5	0.6	<0.2
141584	Soil	13	29	0.55	343	0.060	<1	1.68	0.019	0.05	0.1	0.03	4.3	<0.1	<0.05	5	0.5	<0.2
141585	Soil	11	23	0.41	205	0.064	1	1.40	0.018	0.05	0.1	0.03	3.2	<0.1	<0.05	5	<0.5	<0.2
141586	Soil	11	27	0.48	285	0.052	<1	1.93	0.013	0.05	<0.1	0.02	3.8	0.1	<0.05	6	<0.5	<0.2
141587	Soil	10	25	0.40	157	0.054	<1	1.74	0.010	0.06	0.1	0.03	3.1	0.1	<0.05	7	<0.5	0.3
141588	Soil	13	28	0.50	313	0.048	2	1.70	0.018	0.08	0.1	0.05	4.8	0.1	<0.05	6	<0.5	<0.2
141589	Soil	13	39	0.68	375	0.062	<1	2.39	0.017	0.08	<0.1	0.03	4.9	<0.1	<0.05	8	<0.5	<0.2
141590	Soil	11	16	0.18	256	0.051	<1	1.02	0.011	0.06	<0.1	0.03	2.0	<0.1	<0.05	5	<0.5	<0.2
141591	Soil	10	19	0.20	217	0.057	<1	1.05	0.013	0.07	0.1	0.02	2.1	<0.1	<0.05	5	<0.5	<0.2
141592	Soil	9	16	0.18	254	0.050	<1	0.96	0.015	0.08	<0.1	0.02	1.8	<0.1	<0.05	5	<0.5	<0.2
141593	Soil	11	28	0.39	439	0.057	<1	1.85	0.014	0.06	0.1	0.03	3.3	<0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: August 04, 2010

www.acmelab.com

Page: 4 of 5 **Part** 1

CERTIFICATE OF ANALYSIS

WHI10000110.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
141594	Soil	1.1	13.7	13.9	53	<0.1	15.2	6.5	210	2.42	6.5	0.8	5.9	3.4	28	0.1	0.4	0.1	56	0.26	0.026
141595	Soil	0.8	15.6	14.7	47	0.2	13.4	4.9	147	2.07	4.8	0.7	5.2	2.3	23	0.1	0.4	0.2	49	0.21	0.025
141616	Soil	1.5	25.2	34.3	51	0.3	26.5	11.3	361	2.90	112.4	0.9	26.0	4.3	38	0.1	0.9	0.2	58	0.34	0.035
141617	Soil	2.0	31.1	47.6	58	1.3	31.3	10.5	439	2.82	121.4	1.4	100.3	2.9	81	0.4	1.4	0.2	48	0.52	0.069
141618	Soil	1.2	23.6	30.7	50	0.6	25.7	10.3	443	2.68	184.8	1.3	92.2	4.9	58	0.2	1.0	0.2	49	0.41	0.038
141619	Soil	0.9	19.5	38.0	51	0.5	19.7	7.9	268	2.51	183.5	0.7	51.9	2.7	35	0.2	1.0	0.2	56	0.30	0.031
141620	Soil	0.9	21.8	29.5	53	0.1	21.0	10.1	337	2.80	134.8	0.8	46.5	3.9	26	<0.1	0.9	0.2	60	0.27	0.027
141621	Soil	1.0	20.6	27.9	53	0.1	19.8	9.3	329	2.77	127.9	0.8	36.8	3.7	22	<0.1	1.0	0.2	62	0.22	0.026
141622	Soil	1.0	16.2	30.5	51	0.2	17.6	10.7	672	2.59	199.0	0.7	37.7	2.2	24	0.1	0.7	0.2	60	0.26	0.043
141623	Soil	1.0	25.2	28.9	51	0.6	21.9	9.4	347	2.72	435.1	1.2	127.6	3.3	24	<0.1	1.2	0.2	56	0.25	0.034
141625	Soil	0.6	18.5	27.9	43	0.7	12.4	5.4	335	1.22	108.3	1.4	93.2	1.2	150	0.2	1.3	<0.1	21	1.78	0.066
141626	Soil	0.8	16.4	18.8	42	0.1	18.2	8.9	329	2.63	112.5	0.4	3.9	3.4	29	0.2	0.6	0.1	60	0.24	0.014
141627	Soil	0.9	21.8	9.3	53	0.2	19.0	10.4	654	2.53	160.7	1.6	27.2	1.5	272	0.3	0.7	0.2	41	1.11	0.061
141628	Soil	0.4	22.7	8.1	28	0.3	14.2	5.5	508	1.32	95.5	5.1	39.3	0.6	600	0.3	0.7	0.1	24	2.18	0.076
141629	Soil	1.0	15.5	18.7	35	0.2	10.6	4.3	156	1.95	143.0	0.4	14.8	1.1	38	0.3	0.6	0.2	51	0.18	0.026
141630	Soil	1.0	18.5	40.9	48	0.1	15.3	7.1	290	2.70	271.7	0.5	22.0	2.3	49	0.2	0.8	0.2	54	0.29	0.027
141631	Soil	1.0	23.3	38.3	44	0.2	15.7	6.8	272	2.77	256.8	0.5	16.0	1.9	49	0.2	0.7	0.2	56	0.27	0.029
141632	Soil	0.9	19.5	43.7	48	0.2	18.2	7.5	288	2.53	183.2	0.7	43.1	2.8	46	0.2	0.7	0.2	57	0.29	0.035
141633	Soil	0.7	16.4	56.6	51	0.2	13.0	5.9	279	2.01	130.5	0.5	18.6	1.7	16	0.3	0.8	0.2	48	0.12	0.034
141634	Soil	0.9	22.5	85.0	61	0.4	18.5	6.2	228	2.56	172.2	0.6	29.1	1.8	25	0.2	1.2	0.2	56	0.22	0.034
141635	Soil	1.1	18.5	55.3	59	0.3	21.3	9.1	200	3.24	45.7	0.5	27.8	3.2	19	0.2	1.2	0.2	72	0.16	0.023
141636	Soil	1.1	27.9	70.4	67	0.7	21.9	9.7	427	2.83	73.6	0.8	96.7	3.2	36	0.2	1.8	0.2	60	0.35	0.040
141637	Soil	1.3	18.5	131.6	99	1.9	12.2	5.6	316	2.34	92.8	0.5	130.1	2.0	19	0.9	2.6	0.2	58	0.12	0.035
141638	Soil	1.3	14.4	82.4	64	0.6	14.8	6.9	310	2.72	61.4	0.4	28.2	1.4	16	0.4	1.3	0.2	71	0.11	0.037
141639	Soil	1.3	17.9	15.0	55	0.3	15.7	10.0	349	3.23	28.7	0.4	7.7	2.3	28	0.3	1.4	0.2	70	0.21	0.029
142492	Soil	1.3	21.4	13.0	53	0.5	23.7	10.4	287	3.38	186.2	0.4	29.9	3.3	18	<0.1	0.8	0.2	75	0.15	0.019
142493	Soil	1.7	63.0	36.9	68	1.2	54.1	17.2	900	3.39	209.1	2.2	66.0	2.7	243	0.6	1.9	0.4	39	1.79	0.110
142494	Soil	2.8	38.2	103.6	79	0.8	34.6	13.7	657	3.24	262.6	0.9	98.6	5.2	39	0.4	2.2	0.3	55	0.32	0.059
142495	Soil	1.2	25.3	82.5	77	1.1	22.8	10.8	517	3.44	139.0	0.8	118.4	3.3	35	0.4	1.7	0.2	69	0.25	0.034
142496	Soil	1.4	28.8	74.0	72	1.0	26.2	11.5	602	3.29	400.8	1.2	127.4	3.3	48	0.2	1.8	0.2	68	0.40	0.047

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: August 04, 2010

Page: 4 of 5 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000110.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
141594	Soil			11	28	0.38	352	0.058	<1	1.96	0.012	0.04	<0.1	<0.01	3.1	<0.1	<0.05	6	<0.5	<0.2
141595	Soil			10	23	0.33	236	0.062	<1	1.68	0.013	0.05	0.1	0.01	2.7	<0.1	<0.05	6	<0.5	<0.2
141616	Soil			14	33	0.47	461	0.049	1	1.70	0.017	0.07	0.1	0.02	3.8	<0.1	<0.05	5	0.6	<0.2
141617	Soil			14	28	0.40	634	0.032	1	1.51	0.015	0.08	0.2	0.06	4.8	<0.1	<0.05	5	0.6	<0.2
141618	Soil			16	26	0.39	477	0.041	2	1.49	0.016	0.09	<0.1	0.03	4.5	<0.1	<0.05	5	0.7	<0.2
141619	Soil			10	27	0.39	321	0.055	<1	1.82	0.015	0.07	0.1	0.03	3.8	<0.1	<0.05	6	<0.5	<0.2
141620	Soil			12	33	0.49	268	0.069	1	1.94	0.014	0.11	0.1	0.03	3.6	<0.1	<0.05	6	<0.5	<0.2
141621	Soil			12	32	0.48	236	0.071	1	1.90	0.014	0.09	0.1	0.03	3.4	<0.1	<0.05	5	0.8	<0.2
141622	Soil			11	27	0.43	261	0.061	<1	1.73	0.013	0.07	0.1	0.03	3.0	<0.1	<0.05	6	<0.5	<0.2
141623	Soil			12	30	0.44	318	0.052	<1	1.88	0.012	0.06	0.2	0.04	3.6	<0.1	<0.05	5	<0.5	<0.2
141625	Soil			5	13	0.31	419	0.026	6	0.91	0.016	0.07	0.1	0.11	3.5	<0.1	0.17	3	0.7	<0.2
141626	Soil			10	31	0.39	236	0.050	<1	1.75	0.011	0.06	0.1	0.03	2.9	<0.1	<0.05	5	<0.5	<0.2
141627	Soil			9	24	0.50	337	0.035	3	1.39	0.019	0.05	0.1	0.06	4.9	<0.1	0.08	4	<0.5	<0.2
141628	Soil			6	14	0.56	325	0.027	8	0.95	0.015	0.04	<0.1	0.07	3.2	<0.1	0.14	2	<0.5	<0.2
141629	Soil			6	18	0.22	176	0.040	<1	1.09	0.011	0.06	0.1	0.02	1.8	<0.1	<0.05	5	<0.5	<0.2
141630	Soil			9	24	0.38	284	0.043	2	1.60	0.013	0.05	0.1	0.02	3.4	<0.1	<0.05	5	<0.5	<0.2
141631	Soil			9	24	0.36	285	0.048	1	1.48	0.012	0.07	0.1	0.03	3.3	<0.1	<0.05	5	<0.5	<0.2
141632	Soil			11	28	0.38	290	0.066	<1	1.90	0.013	0.05	0.2	0.03	4.0	<0.1	<0.05	5	<0.5	<0.2
141633	Soil			9	21	0.28	227	0.061	<1	1.47	0.010	0.05	0.2	0.03	2.7	<0.1	<0.05	5	<0.5	<0.2
141634	Soil			9	28	0.36	275	0.064	<1	1.71	0.011	0.05	0.1	0.03	3.0	<0.1	<0.05	6	<0.5	<0.2
141635	Soil			9	37	0.53	215	0.063	<1	2.42	0.015	0.05	0.1	0.03	3.2	<0.1	<0.05	6	<0.5	<0.2
141636	Soil			11	34	0.53	349	0.076	1	1.70	0.014	0.06	0.2	0.04	4.0	<0.1	<0.05	5	<0.5	<0.2
141637	Soil			10	24	0.30	257	0.056	1	1.33	0.008	0.07	0.1	0.04	2.2	<0.1	<0.05	6	<0.5	<0.2
141638	Soil			9	24	0.39	179	0.058	2	1.32	0.009	0.08	0.1	0.01	2.2	<0.1	<0.05	6	<0.5	<0.2
141639	Soil			10	24	0.39	311	0.035	<1	1.36	0.008	0.09	0.2	0.02	3.2	0.1	<0.05	6	<0.5	<0.2
142492	Soil			9	37	0.49	355	0.055	<1	2.67	0.010	0.05	0.2	0.03	3.4	<0.1	<0.05	7	<0.5	<0.2
142493	Soil			18	31	0.56	827	0.027	2	1.32	0.015	0.08	0.2	0.11	8.2	0.1	0.06	3	1.0	<0.2
142494	Soil			14	27	0.42	462	0.050	2	1.32	0.011	0.08	0.2	0.02	4.0	<0.1	<0.05	5	<0.5	<0.2
142495	Soil			10	35	0.50	466	0.052	1	2.11	0.013	0.07	0.1	0.05	4.1	<0.1	<0.05	6	<0.5	<0.2
142496	Soil			11	36	0.52	525	0.044	<1	2.30	0.013	0.07	0.2	0.04	4.7	<0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: August 04, 2010

Page: 5 of 5 **Part** 1

CERTIFICATE OF ANALYSIS

WHI10000110.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
142497	Soil	0.9	14.6	46.2	34	0.3	9.7	4.7	220	1.77	27.6	0.4	11.6	1.9	18	0.2	0.8	0.2	48	0.13	0.028
142498	Soil	1.1	27.4	79.0	66	0.2	21.3	8.5	299	2.97	128.4	0.7	23.6	3.4	23	0.1	1.4	0.2	69	0.20	0.032
142499	Soil	1.0	33.8	113.7	69	0.4	22.7	10.4	346	3.12	208.7	1.2	43.6	3.8	24	0.2	1.5	0.2	67	0.22	0.034
142500	Soil	1.1	28.8	102.9	84	0.3	23.5	10.5	466	3.19	290.4	1.1	47.4	3.3	28	0.2	1.4	0.2	66	0.25	0.043
142502	Soil	1.2	15.0	17.3	55	0.1	20.2	10.9	447	2.89	164.8	0.7	24.6	3.1	91	0.2	0.6	0.2	57	0.44	0.038
142503	Soil	2.9	18.0	23.9	49	0.1	31.7	10.6	394	2.93	173.9	0.6	17.4	3.1	70	0.1	0.7	0.2	59	0.37	0.026
142504	Soil	1.6	12.2	11.6	46	0.2	15.5	6.4	608	2.31	149.5	0.5	3.8	1.6	71	0.3	0.5	0.2	64	0.32	0.055
142505	Soil	1.3	11.6	13.9	43	<0.1	11.4	5.1	294	2.03	116.3	0.3	4.4	1.7	22	0.3	0.5	0.2	60	0.14	0.045
142506	Soil	1.4	19.4	58.0	58	0.2	17.4	10.2	706	3.39	358.4	0.5	28.9	2.5	46	0.2	0.8	0.2	58	0.34	0.041
142507	Soil	0.9	21.6	34.4	47	<0.1	19.1	9.1	370	2.30	103.7	0.8	21.1	3.8	30	<0.1	0.7	0.2	52	0.27	0.034
142508	Soil	0.9	17.5	38.1	53	0.3	18.6	8.7	385	2.94	101.0	0.5	13.2	2.4	24	0.2	0.5	0.2	66	0.25	0.032
142509	Soil	1.4	23.7	64.9	66	0.2	23.6	9.7	640	3.44	200.6	0.4	11.6	2.5	16	0.2	0.8	0.2	79	0.12	0.038
142510	Soil	0.8	25.1	93.1	63	0.4	20.5	7.9	335	2.47	133.7	0.7	51.7	3.5	30	0.2	1.5	0.1	55	0.29	0.030
142511	Soil	1.0	26.4	200.2	89	1.7	14.7	5.7	171	2.63	88.3	0.6	87.3	2.8	12	0.7	5.5	0.1	53	0.09	0.028
142512	Soil	1.9	29.9	18.7	62	0.1	16.3	14.3	439	4.21	84.2	0.9	88.3	5.0	28	0.2	1.3	0.2	53	0.22	0.042
142513	Soil	1.0	49.3	81.3	81	4.4	30.0	11.7	307	3.29	39.9	1.2	75.5	5.4	23	0.3	1.7	0.2	66	0.18	0.023
142514	Soil	1.8	63.1	13.8	78	<0.1	37.0	17.6	489	5.64	25.8	1.0	76.6	4.7	13	0.1	5.2	0.3	91	0.11	0.057
142515	Soil	1.8	55.3	14.2	63	<0.1	32.1	15.2	405	4.90	22.3	0.9	135.7	4.9	12	0.1	3.4	0.3	82	0.12	0.062
142516	Soil	1.9	11.9	12.2	41	<0.1	19.8	8.0	298	2.44	132.0	0.4	11.0	2.0	31	0.1	0.6	0.2	58	0.21	0.029

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: August 04, 2010

Page: 5 of 5 **Part** 2


CERTIFICATE OF ANALYSIS

WHI10000110.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
142497	Soil	10	19	0.23	247	0.068	<1	1.21	0.010	0.07	<0.1	0.01	2.4	<0.1	<0.05	6	<0.5	<0.2
142498	Soil	12	35	0.51	287	0.072	<1	2.17	0.014	0.05	0.2	0.03	3.7	<0.1	<0.05	7	<0.5	<0.2
142499	Soil	12	36	0.50	288	0.068	<1	2.49	0.012	0.06	0.1	0.05	4.1	<0.1	<0.05	7	<0.5	<0.2
142500	Soil	12	37	0.55	327	0.067	2	2.46	0.015	0.07	0.1	0.04	4.2	<0.1	<0.05	7	<0.5	<0.2
142502	Soil	10	31	0.46	215	0.054	<1	1.66	0.016	0.07	0.1	0.03	3.8	<0.1	<0.05	5	<0.5	<0.2
142503	Soil	10	46	0.42	253	0.058	<1	1.56	0.015	0.07	0.1	0.03	3.9	<0.1	<0.05	5	<0.5	<0.2
142504	Soil	8	27	0.35	220	0.073	<1	1.22	0.013	0.07	0.1	0.02	2.6	<0.1	<0.05	6	<0.5	<0.2
142505	Soil	8	20	0.25	125	0.081	<1	1.03	0.010	0.08	0.1	0.01	2.0	<0.1	<0.05	6	<0.5	<0.2
142506	Soil	9	29	0.42	266	0.051	<1	1.67	0.012	0.09	0.1	0.03	4.0	<0.1	<0.05	6	<0.5	<0.2
142507	Soil	15	31	0.47	306	0.081	<1	1.57	0.014	0.04	0.1	0.03	4.0	<0.1	<0.05	4	<0.5	<0.2
142508	Soil	10	32	0.44	314	0.068	<1	2.09	0.011	0.07	0.1	0.03	3.2	<0.1	<0.05	7	<0.5	<0.2
142509	Soil	8	37	0.50	191	0.075	<1	2.52	0.011	0.06	0.2	0.02	3.0	<0.1	<0.05	8	<0.5	<0.2
142510	Soil	13	32	0.51	303	0.083	<1	1.45	0.021	0.04	0.1	0.02	4.1	<0.1	<0.05	4	<0.5	<0.2
142511	Soil	10	23	0.29	177	0.047	1	1.78	0.008	0.06	0.1	0.04	2.3	<0.1	<0.05	6	<0.5	<0.2
142512	Soil	17	21	0.31	378	0.014	1	1.44	0.019	0.09	0.1	0.03	6.0	0.1	<0.05	4	<0.5	<0.2
142513	Soil	12	40	0.50	445	0.066	2	3.03	0.013	0.06	0.1	0.10	4.8	0.1	<0.05	6	<0.5	<0.2
142514	Soil	19	47	0.85	514	0.025	1	2.51	0.006	0.12	<0.1	0.02	8.0	0.2	<0.05	7	<0.5	<0.2
142515	Soil	17	40	0.70	368	0.022	<1	2.45	0.006	0.14	0.1	0.03	6.2	0.1	<0.05	7	<0.5	<0.2
142516	Soil	9	34	0.30	121	0.042	3	1.32	0.011	0.06	0.2	0.04	2.7	<0.1	<0.05	5	<0.5	0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.







Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: Solomon Resources Ltd
Unit 3 - 2860 Smith Drive
Armstrong BC V0E 1B1 Canada

Submitted By: Steve Potts
Receiving Lab: Canada-Whitehorse
Received: July 28, 2010
Report Date: August 19, 2010
Page: 1 of 9

CERTIFICATE OF ANALYSIS WHI10000153.1

CLIENT JOB INFORMATION

Project: Ten Mile
Shipment ID: TM-Batch 6
P.O. Number: NA-10-410
Number of Samples: 223

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	223	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	223	Dry at 60C			WHI
1DX2	223	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Solomon Resources Ltd
Unit 3 - 2860 Smith Drive
Armstrong BC V0E 1B1
Canada

CC: Randy Rogers



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.





1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Solomon Resources Ltd**
Unit 3 - 2860 Smith Drive
Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: August 19, 2010

Page: 2 of 9 Part 1

CERTIFICATE OF ANALYSIS

WHI10000153.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
142801	Soil	1.0	37.5	64.9	100	<0.1	31.5	11.5	357	3.54	659.4	1.3	70.5	14.2	13	0.4	1.2	0.4	41	0.10	0.016
142802	Soil	1.2	25.0	23.3	59	0.2	26.1	10.3	326	3.18	349.4	0.9	89.3	6.7	18	<0.1	0.7	0.2	72	0.13	0.016
142803	Soil	1.2	26.1	25.5	61	0.2	28.0	10.7	357	3.36	614.4	0.9	106.2	6.4	17	<0.1	0.7	0.3	68	0.14	0.023
142804	Soil	0.9	26.6	28.3	66	0.2	33.7	21.8	1662	3.81	734.1	1.0	94.0	11.2	13	0.2	0.8	0.3	49	0.14	0.055
142805	Soil	0.8	34.1	38.2	69	0.1	32.9	12.1	325	3.44	683.8	0.9	108.0	12.2	14	0.1	1.1	0.3	43	0.12	0.020
142806	Soil	0.9	16.2	18.7	61	0.1	19.6	8.8	915	2.62	285.0	0.8	5.7	7.7	10	0.1	0.7	0.3	42	0.11	0.043
142807	Soil	1.1	29.9	35.1	62	0.2	32.0	10.1	245	3.30	433.2	0.9	96.3	8.6	18	0.2	1.0	0.3	54	0.16	0.025
142808	Soil	2.1	52.1	56.7	132	0.2	57.0	16.7	989	3.89	436.6	1.5	6.3	10.2	28	0.5	0.9	0.5	60	0.44	0.102
142809	Soil	1.0	15.5	14.7	83	0.3	22.9	8.2	376	2.58	74.5	0.5	3.0	3.5	10	0.5	0.6	0.3	66	0.10	0.028
142810	Soil	2.1	48.4	27.0	156	0.3	50.3	8.1	406	3.13	236.0	2.5	4.6	7.7	18	0.5	1.0	0.9	68	0.20	0.053
142811	Soil	2.3	31.2	16.6	89	0.4	31.8	6.8	225	2.49	244.7	1.4	7.9	4.4	22	0.3	1.3	0.6	52	0.19	0.046
142812	Soil	0.9	23.8	26.4	81	0.2	28.3	10.9	274	3.20	122.9	2.1	15.7	8.3	30	<0.1	0.7	0.6	62	0.36	0.053
142813	Soil	1.3	23.1	18.0	66	0.5	24.1	8.9	274	2.69	100.8	0.8	5.6	4.4	17	0.2	0.7	0.4	73	0.14	0.020
142814	Soil	1.6	41.7	23.0	120	0.2	52.3	13.2	300	3.86	233.1	1.9	24.7	5.7	34	0.3	1.0	0.6	83	0.33	0.045
142815	Soil	1.2	25.0	22.2	72	0.3	32.0	9.4	237	2.92	102.6	0.9	4.2	6.2	19	0.3	0.6	0.5	70	0.18	0.023
142816	Soil	1.5	40.3	43.4	50	2.2	26.2	5.6	283	1.59	72.6	3.2	4.1	2.5	34	0.9	0.5	1.0	40	0.29	0.040
142817	Soil	1.2	25.4	18.1	73	0.3	33.3	8.7	286	2.84	163.3	0.8	5.6	7.8	15	0.3	0.7	0.3	56	0.16	0.025
142818	Soil	0.9	22.7	18.8	60	<0.1	30.8	9.8	303	3.27	426.8	1.0	35.5	8.4	21	0.1	0.8	0.2	59	0.20	0.030
142819	Soil	0.9	27.5	22.7	62	0.2	27.8	13.7	1099	3.02	516.4	1.2	50.0	7.9	20	0.1	0.8	0.2	52	0.20	0.031
142820	Soil	0.8	28.1	14.4	57	<0.1	31.0	11.7	288	3.05	164.2	1.8	31.1	11.4	18	<0.1	0.5	0.2	55	0.19	0.020
142821	Soil	0.9	23.7	20.8	74	0.2	35.1	13.2	317	3.80	192.6	0.8	8.7	8.7	14	0.1	0.6	0.3	69	0.14	0.047
141675	Soil	1.1	14.5	9.4	64	<0.1	20.0	10.5	822	3.00	7.7	0.4	1.2	3.3	17	0.2	0.5	0.2	77	0.17	0.018
141676	Soil	1.0	10.8	7.5	54	<0.1	11.0	5.9	699	2.21	3.9	0.3	<0.5	2.0	17	0.3	0.4	0.2	63	0.15	0.033
141677	Soil	1.1	9.3	9.1	39	<0.1	10.9	5.4	252	2.19	4.9	0.4	<0.5	3.0	19	<0.1	0.3	0.2	68	0.19	0.024
141678	Soil	1.0	9.4	8.7	33	<0.1	7.1	5.2	502	2.00	2.6	0.3	<0.5	2.4	15	0.1	0.3	0.2	63	0.15	0.020
141679	Soil	1.1	40.4	33.5	135	0.3	16.5	16.3	1022	3.82	6.5	1.8	2.1	4.7	159	0.5	1.4	0.2	57	0.95	0.076
141680	Soil	1.0	29.5	14.3	62	0.5	29.6	24.4	884	4.53	1439	1.2	179.0	2.0	241	0.3	1.6	0.2	44	1.10	0.067
141681	Soil	0.8	30.0	14.4	59	0.5	29.6	22.7	945	4.26	1210	1.2	168.6	1.8	255	0.3	1.4	0.2	43	1.22	0.064
141682	Soil	1.1	29.0	8.7	49	0.3	24.2	13.0	779	2.91	479.9	1.1	65.9	1.5	349	0.3	0.9	0.2	45	1.37	0.061
141683	Soil	1.1	26.6	10.9	56	0.4	22.3	12.8	672	3.30	813.9	0.8	186.7	2.7	248	0.2	1.0	0.3	52	1.09	0.040

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: August 19, 2010

Page: 2 of 9 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000153.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
142801	Soil			32	35	0.68	130	0.066	<1	1.98	0.005	0.19	0.2	0.02	2.8	0.3	<0.05	6	<0.5	<0.2
142802	Soil			15	44	0.59	189	0.060	<1	2.25	0.009	0.06	0.1	0.04	3.5	0.1	<0.05	6	<0.5	<0.2
142803	Soil			15	44	0.59	173	0.041	<1	2.34	0.012	0.06	0.1	0.03	3.3	0.1	<0.05	6	<0.5	0.3
142804	Soil			24	34	0.65	194	0.053	2	1.94	0.005	0.20	0.1	0.02	2.9	0.2	<0.05	6	<0.5	<0.2
142805	Soil			21	32	0.67	156	0.044	1	2.13	0.005	0.14	0.1	0.02	2.7	0.2	<0.05	6	<0.5	<0.2
142806	Soil			16	25	0.43	167	0.034	1	1.50	0.006	0.16	0.1	<0.01	2.1	0.2	<0.05	6	<0.5	<0.2
142807	Soil			18	33	0.54	168	0.034	1	2.18	0.006	0.12	0.1	0.02	2.8	0.1	<0.05	6	<0.5	<0.2
142808	Soil			24	56	1.16	169	0.013	<1	2.29	0.003	0.18	<0.1	0.01	4.8	0.2	<0.05	8	<0.5	<0.2
142809	Soil			10	32	0.49	117	0.064	<1	1.69	0.006	0.06	0.1	<0.01	2.2	<0.1	<0.05	6	<0.5	<0.2
142810	Soil			13	44	0.60	170	0.024	<1	2.11	0.005	0.09	0.3	0.02	2.9	0.2	<0.05	7	0.6	<0.2
142811	Soil			18	30	0.51	149	0.037	<1	1.39	0.012	0.08	0.1	0.01	2.6	0.1	<0.05	5	<0.5	<0.2
142812	Soil			32	44	0.82	193	0.057	<1	2.09	0.013	0.06	0.2	0.02	3.9	0.1	<0.05	7	<0.5	<0.2
142813	Soil			12	34	0.50	162	0.060	<1	1.99	0.010	0.05	0.2	0.01	2.9	0.1	<0.05	7	<0.5	<0.2
142814	Soil			19	48	0.88	254	0.063	<1	2.75	0.011	0.07	0.1	0.02	5.3	0.2	<0.05	8	<0.5	<0.2
142815	Soil			10	35	0.53	184	0.054	<1	2.26	0.006	0.07	0.2	0.02	2.7	0.1	<0.05	6	<0.5	<0.2
142816	Soil			105	19	0.18	274	0.033	<1	1.06	0.014	0.11	0.2	0.06	3.0	0.1	<0.05	5	0.8	<0.2
142817	Soil			16	34	0.56	163	0.042	<1	2.20	0.006	0.11	0.1	0.02	3.0	0.1	<0.05	7	<0.5	<0.2
142818	Soil			17	43	0.65	138	0.050	<1	2.04	0.008	0.12	0.1	0.01	3.3	0.2	<0.05	6	<0.5	<0.2
142819	Soil			23	35	0.58	211	0.048	1	1.85	0.007	0.09	<0.1	0.02	3.4	0.1	<0.05	6	<0.5	<0.2
142820	Soil			35	36	0.77	167	0.078	1	2.00	0.007	0.16	0.1	<0.01	4.3	0.2	<0.05	6	<0.5	<0.2
142821	Soil			19	44	0.80	196	0.080	1	2.48	0.006	0.27	0.1	0.03	3.2	0.2	<0.05	7	<0.5	<0.2
141675	Soil			9	34	0.48	253	0.064	<1	2.05	0.009	0.06	0.1	0.01	2.9	0.1	<0.05	7	<0.5	<0.2
141676	Soil			8	19	0.24	275	0.051	<1	1.11	0.009	0.05	<0.1	0.01	1.7	<0.1	<0.05	5	<0.5	<0.2
141677	Soil			11	22	0.39	249	0.074	1	1.31	0.013	0.07	<0.1	0.01	2.2	<0.1	<0.05	6	<0.5	<0.2
141678	Soil			11	15	0.24	242	0.070	1	0.91	0.010	0.12	<0.1	<0.01	2.0	<0.1	<0.05	6	<0.5	<0.2
141679	Soil			19	21	0.69	537	0.032	3	1.42	0.010	0.18	0.2	0.03	8.5	0.1	0.06	5	0.7	<0.2
141680	Soil			11	20	0.42	422	0.015	3	1.00	0.011	0.12	0.1	0.04	11.4	<0.1	0.08	3	0.8	<0.2
141681	Soil			11	21	0.41	453	0.015	3	1.05	0.011	0.11	0.1	0.04	11.3	<0.1	0.06	3	0.7	<0.2
141682	Soil			11	23	0.43	325	0.032	2	1.33	0.018	0.05	0.2	0.04	6.7	<0.1	<0.05	4	0.8	<0.2
141683	Soil			12	23	0.43	301	0.031	2	1.36	0.014	0.05	0.4	0.02	7.9	<0.1	<0.05	4	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Solomon Resources Ltd

Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile

Report Date: August 19, 2010

Page: 3 of 9 Part 1

CERTIFICATE OF ANALYSIS

WHI10000153.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
141684	Soil	1.3	22.3	10.5	58	0.1	20.1	10.8	1821	2.77	201.0	0.7	8.8	1.9	70	0.3	0.5	0.2	73	0.52	0.032
141685	Soil	1.2	25.5	9.0	48	0.2	22.1	11.7	683	2.57	260.5	1.3	43.1	1.8	281	0.3	0.7	0.2	48	1.14	0.053
141686	Soil	0.7	17.8	8.8	47	0.2	16.5	10.7	496	2.31	123.0	0.9	22.6	1.8	363	0.2	0.5	0.2	43	1.39	0.040
141687	Soil	0.9	32.4	13.0	74	0.3	21.7	10.8	560	2.48	9.4	1.9	3.5	3.9	98	0.3	0.6	0.2	50	1.01	0.058
141688	Soil	1.3	46.7	10.5	43	0.2	22.8	20.2	658	4.99	157.7	0.8	73.8	3.4	73	0.1	0.8	0.2	70	0.56	0.027
141689	Soil	1.7	34.9	26.3	112	0.3	22.0	14.2	732	3.57	37.5	1.1	2.1	4.2	71	0.3	0.8	0.2	56	0.65	0.050
141690	Soil	0.7	29.5	10.1	43	0.3	21.1	9.5	589	2.72	13.1	1.1	2.4	2.1	79	0.2	0.6	0.2	48	0.92	0.028
141691	Soil	0.9	31.4	9.2	43	0.2	22.0	9.7	601	2.58	12.3	1.0	2.3	1.9	85	0.2	0.6	0.1	43	1.05	0.031
141692	Soil	1.4	38.6	16.1	71	0.2	17.0	10.9	595	3.74	21.1	1.4	3.1	4.8	33	0.1	1.0	0.2	35	0.28	0.031
141693	Soil	0.9	21.6	8.9	51	<0.1	17.9	7.8	300	2.90	4.5	0.6	2.2	3.6	28	<0.1	0.4	0.1	54	0.34	0.026
141694	Soil	1.3	9.0	7.7	35	0.1	7.4	6.3	449	2.37	2.7	0.3	0.7	2.4	17	0.2	0.5	0.1	52	0.18	0.022
141695	Soil	0.8	43.4	13.4	96	<0.1	12.9	24.4	819	7.70	4.6	1.4	<0.5	5.5	37	<0.1	0.9	0.1	125	0.56	0.226
141696	Soil	0.4	24.2	7.0	40	0.1	10.8	13.9	596	4.02	3.8	0.9	1.5	1.4	150	<0.1	0.5	<0.1	76	1.69	0.096
141697	Soil	0.6	33.5	7.6	54	0.1	18.0	12.8	670	3.33	5.4	0.8	12.0	1.6	132	0.1	0.5	<0.1	58	1.30	0.060
142517	Soil	0.7	50.2	11.2	72	0.2	30.0	22.9	602	4.10	14.2	0.8	3.5	1.7	147	0.2	0.9	<0.1	93	1.15	0.050
142518	Soil	1.5	31.6	15.2	61	0.2	14.6	8.7	587	3.31	138.3	1.1	1.4	3.7	34	0.1	1.0	0.1	45	0.30	0.030
142519	Soil	1.0	15.7	12.5	58	0.2	16.0	9.2	860	3.01	11.3	0.4	<0.5	3.0	26	0.2	0.6	0.1	58	0.24	0.022
142520	Soil	1.1	22.1	12.1	61	<0.1	21.9	11.2	440	3.08	24.0	0.7	2.1	3.5	49	<0.1	0.6	0.1	71	0.34	0.026
142521	Soil	7.0	18.6	22.1	60	0.3	59.1	6.6	325	2.76	23.3	0.4	2.9	1.6	62	0.2	0.6	0.2	65	0.41	0.040
142522	Soil	0.9	27.1	36.9	113	0.9	17.9	10.9	436	3.12	34.9	0.7	8.1	2.8	70	0.2	1.4	0.1	59	0.45	0.056
142523	Soil	0.8	18.2	10.2	63	0.3	20.7	10.9	2360	2.01	18.3	0.6	3.5	2.0	167	0.3	0.8	<0.1	41	1.00	0.058
142524	Soil	0.9	20.3	9.0	80	0.3	17.4	11.8	862	2.61	9.7	0.8	3.9	1.3	130	0.2	0.7	<0.1	55	0.79	0.060
142525	Soil	1.5	18.5	12.5	71	0.4	19.5	11.6	796	2.70	15.7	1.2	2.1	2.0	36	0.2	0.5	0.1	55	0.32	0.050
142526	Soil	0.9	15.5	8.6	54	<0.1	15.2	8.8	470	2.55	3.9	1.0	1.8	3.8	92	0.1	0.4	0.1	47	0.83	0.053
142527	Soil	1.0	15.1	10.4	56	<0.1	15.1	9.3	374	3.20	5.0	0.8	1.2	4.6	32	<0.1	0.3	0.1	62	0.37	0.032
142528	Soil	1.3	15.2	10.8	58	<0.1	16.7	9.8	382	3.17	6.0	0.8	2.6	4.1	41	0.1	0.3	0.1	61	0.38	0.033
142568	Soil	1.3	41.1	9.1	41	0.2	49.6	21.5	832	5.91	254.7	0.6	20.0	3.2	56	<0.1	0.9	0.2	92	0.33	0.051
142569	Soil	1.4	13.5	9.0	39	<0.1	18.3	9.1	398	3.07	19.2	0.4	3.9	2.6	15	<0.1	0.5	0.2	77	0.13	0.026
142570	Soil	1.4	18.0	8.8	42	<0.1	24.5	12.5	649	3.74	23.7	0.6	4.3	3.5	51	<0.1	0.6	0.2	77	0.30	0.028
142571	Soil	0.9	31.2	9.6	43	0.2	31.8	13.7	712	3.38	30.9	0.8	14.4	3.3	168	0.2	0.6	0.1	64	0.68	0.033

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: August 19, 2010

Page: 3 of 9 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000153.1

Method	Analyte	Unit	MDL	1DX15 La ppm	1DX15 Cr ppm	1DX15 Mg %	1DX15 Ba ppm	1DX15 Ti %	1DX15 B ppm	1DX15 Al %	1DX15 Na %	1DX15 K %	1DX15 W ppm	1DX15 Hg ppm	1DX15 Sc ppm	1DX15 Ti ppm	1DX15 S %	1DX15 Ga ppm	1DX15 Se ppm	1DX15 Te ppm
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
141684	Soil			9	29	0.33	445	0.046	1	1.76	0.012	0.06	<0.1	0.04	4.0	<0.1	<0.05	6	<0.5	<0.2
141685	Soil			10	25	0.44	306	0.042	3	1.29	0.016	0.05	0.2	0.04	5.8	<0.1	<0.05	4	0.8	<0.2
141686	Soil			10	22	0.46	272	0.042	2	1.19	0.017	0.05	0.2	0.03	4.6	<0.1	<0.05	3	<0.5	0.3
141687	Soil			15	23	0.59	432	0.049	2	1.31	0.018	0.11	0.2	0.04	4.7	<0.1	<0.05	4	0.7	0.3
141688	Soil			14	25	0.41	370	0.025	2	1.83	0.011	0.10	0.1	0.02	10.7	0.1	<0.05	5	<0.5	<0.2
141689	Soil			15	25	0.49	430	0.029	2	1.51	0.014	0.12	0.1	0.03	7.4	<0.1	<0.05	4	<0.5	<0.2
141690	Soil			10	29	0.36	688	0.033	2	1.52	0.014	0.07	0.2	0.03	5.0	<0.1	0.16	4	0.5	<0.2
141691	Soil			11	25	0.35	700	0.031	3	1.46	0.014	0.07	0.2	0.04	4.9	<0.1	0.14	4	<0.5	<0.2
141692	Soil			19	17	0.28	673	0.013	2	1.21	0.010	0.12	0.1	0.02	7.2	<0.1	0.07	3	<0.5	<0.2
141693	Soil			13	30	0.58	377	0.046	<1	1.67	0.013	0.06	0.1	0.02	4.5	<0.1	0.06	6	<0.5	<0.2
141694	Soil			11	17	0.17	424	0.030	2	0.97	0.009	0.10	0.2	<0.01	1.9	<0.1	<0.05	5	<0.5	<0.2
141695	Soil			25	20	0.47	1399	0.018	3	2.27	0.008	0.11	0.2	<0.01	13.8	<0.1	<0.05	6	0.5	<0.2
141696	Soil			12	15	0.46	1085	0.019	3	1.41	0.012	0.07	0.1	0.02	7.1	<0.1	0.13	4	<0.5	<0.2
141697	Soil			10	25	0.65	430	0.037	2	1.30	0.018	0.08	0.2	0.02	7.1	<0.1	0.12	4	<0.5	0.2
142517	Soil			8	31	0.99	486	0.023	3	1.37	0.023	0.13	<0.1	0.03	12.0	<0.1	0.17	3	0.8	<0.2
142518	Soil			15	23	0.33	563	0.019	<1	1.41	0.010	0.11	0.1	<0.01	6.6	<0.1	0.05	4	0.6	<0.2
142519	Soil			10	27	0.30	602	0.033	2	1.57	0.010	0.08	<0.1	0.01	3.4	<0.1	<0.05	5	<0.5	<0.2
142520	Soil			12	40	0.51	920	0.038	2	2.25	0.015	0.05	0.2	0.01	5.9	<0.1	<0.05	6	0.5	<0.2
142521	Soil			9	92	0.39	658	0.039	2	1.65	0.011	0.09	0.1	0.02	3.4	<0.1	<0.05	6	<0.5	<0.2
142522	Soil			12	27	0.48	485	0.030	2	1.60	0.010	0.07	0.1	0.04	4.6	<0.1	<0.05	5	0.6	<0.2
142523	Soil			8	24	0.40	667	0.027	2	1.25	0.018	0.04	0.1	0.05	3.7	<0.1	0.10	4	<0.5	<0.2
142524	Soil			11	37	0.55	444	0.030	2	1.17	0.011	0.06	0.2	0.05	4.7	<0.1	0.10	4	<0.5	<0.2
142525	Soil			12	32	0.40	408	0.031	1	1.51	0.016	0.06	0.1	0.04	3.9	<0.1	<0.05	5	<0.5	<0.2
142526	Soil			14	28	0.77	370	0.050	2	1.66	0.022	0.12	0.1	0.03	4.8	<0.1	0.06	5	<0.5	<0.2
142527	Soil			15	33	0.83	398	0.073	1	1.94	0.017	0.10	0.1	<0.01	5.3	<0.1	0.05	7	<0.5	<0.2
142528	Soil			14	33	0.72	379	0.064	<1	1.80	0.011	0.08	0.1	0.02	4.8	<0.1	0.06	7	0.6	<0.2
142568	Soil			12	75	0.49	340	0.028	2	2.02	0.010	0.07	0.2	0.02	12.7	0.2	<0.05	6	0.9	<0.2
142569	Soil			10	33	0.40	213	0.046	<1	2.05	0.009	0.04	0.1	0.01	2.9	<0.1	<0.05	7	<0.5	<0.2
142570	Soil			13	43	0.40	368	0.033	2	2.02	0.009	0.05	0.2	0.02	4.8	<0.1	<0.05	6	<0.5	<0.2
142571	Soil			13	37	0.58	627	0.041	1	1.93	0.016	0.06	0.1	0.03	6.6	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Solomon Resources Ltd
Unit 3 - 2860 Smith Drive
Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: August 19, 2010

Page: 4 of 9 **Part** 1

CERTIFICATE OF ANALYSIS

WHI10000153.1

Method	Analyte	Unit	MDL	1DX15 Mo	1DX15 Cu	1DX15 Pb	1DX15 Zn	1DX15 Ag	1DX15 Ni	1DX15 Co	1DX15 Mn	1DX15 Fe	1DX15 As	1DX15 U	1DX15 Au	1DX15 Th	1DX15 Sr	1DX15 Cd	1DX15 Sb	1DX15 Bi	1DX15 V	1DX15 Ca	1DX15 P
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
142572	Soil			0.7	29.9	9.0	45	0.2	26.3	13.8	667	3.20	27.5	0.6	14.7	2.1	215	0.1	0.5	0.1	56	0.96	0.039
142573	Soil			0.8	29.4	9.7	45	<0.1	26.5	14.8	664	3.41	32.1	0.8	6.4	2.7	122	0.1	0.6	0.1	65	0.59	0.025
142574	Soil			0.9	21.6	11.1	38	<0.1	21.1	11.5	732	2.77	27.8	0.6	7.7	2.7	74	0.2	0.4	0.1	55	0.49	0.016
142575	Soil			1.0	27.7	10.6	42	<0.1	29.1	11.5	754	3.17	63.0	0.5	9.4	3.1	84	0.1	0.5	0.1	65	0.72	0.018
142576	Soil			0.9	20.3	8.5	39	<0.1	20.7	10.6	653	2.75	23.1	0.3	2.5	2.2	89	0.3	0.4	0.1	52	0.79	0.020
142577	Soil			1.1	18.3	10.9	36	<0.1	22.6	10.4	468	2.65	36.4	0.5	5.1	2.8	59	<0.1	0.5	0.1	52	0.58	0.018
142578	Soil			1.1	18.7	25.5	44	0.6	24.4	8.4	359	3.34	2102	0.5	353.0	2.9	37	0.2	1.2	0.2	50	0.25	0.028
142579	Soil			1.5	13.5	25.1	40	0.7	20.7	7.1	337	3.13	1819	0.4	200.4	2.5	20	0.2	1.1	0.2	54	0.16	0.024
142580	Soil			6.1	103.7	23.9	44	1.4	79.4	17.3	762	5.56	3829	1.6	305.3	5.7	65	0.3	1.6	0.5	56	0.18	0.054
142582	Soil			2.3	23.4	16.3	50	0.1	37.3	11.9	445	3.25	775.2	0.7	68.5	2.8	12	0.1	0.7	0.2	56	0.10	0.041
142583	Soil			1.5	20.1	9.4	22	0.2	21.1	5.2	168	1.55	386.6	0.6	39.8	1.0	23	<0.1	0.5	0.1	29	0.18	0.027
142584	Soil			1.2	23.5	15.6	45	0.1	26.6	10.2	299	2.67	232.6	1.0	43.1	3.7	22	<0.1	0.6	0.1	56	0.23	0.024
142585	Soil			2.7	24.7	28.4	52	0.2	36.0	13.7	455	2.83	322.6	0.8	51.6	3.7	46	0.2	1.0	0.2	64	0.35	0.040
142586	Soil			1.1	27.5	20.9	48	0.4	25.2	10.9	419	2.79	559.2	1.2	78.3	4.0	49	0.2	1.1	0.2	53	0.40	0.046
142587	Soil			1.2	35.2	21.8	45	0.7	25.2	9.3	245	2.50	121.0	1.6	59.4	3.7	64	0.3	0.8	0.2	54	0.42	0.050
142588	Soil			1.5	19.1	30.7	55	0.3	23.1	15.5	472	2.79	123.9	0.9	48.2	4.4	30	0.2	1.1	0.2	56	0.20	0.057
142589	Soil			2.0	23.3	24.4	68	0.2	24.0	9.4	425	2.23	6.2	1.3	11.8	2.3	48	0.2	0.5	0.2	54	0.35	0.054
142590	Soil			2.6	26.0	21.1	50	0.4	33.9	11.2	353	2.64	177.9	0.9	18.8	3.0	39	0.2	0.9	0.2	55	0.26	0.057
142591	Soil			2.8	28.9	20.9	46	0.6	32.0	13.2	527	2.50	142.2	1.2	18.1	2.0	33	0.2	0.9	0.2	52	0.21	0.066
142592	Soil			1.4	10.2	15.2	55	<0.1	11.4	5.4	291	2.45	7.6	0.3	8.3	1.8	17	0.2	0.5	0.2	66	0.11	0.050
142593	Soil			1.7	17.1	14.9	53	0.2	14.6	4.9	286	1.94	5.2	0.4	28.3	1.7	21	0.3	0.6	0.2	60	0.17	0.043
142594	Soil			0.9	17.0	16.2	57	0.3	12.6	4.9	333	1.67	3.9	0.6	20.9	1.4	29	0.2	0.4	0.2	47	0.23	0.043
142596	Soil			1.0	15.7	14.3	56	<0.1	16.3	7.6	252	2.19	5.3	0.6	7.7	3.4	26	0.1	0.5	0.1	58	0.22	0.031
142597	Soil			0.7	20.2	16.4	62	0.1	16.8	9.2	288	2.62	5.5	1.1	10.4	4.2	38	0.1	0.4	0.2	61	0.34	0.042
141652	Soil			1.4	66.9	11.4	60	0.2	47.7	30.3	869	6.56	22.0	0.8	3.1	2.7	63	0.1	1.0	0.2	177	0.73	0.084
141653	Soil			0.7	60.6	11.7	56	0.1	27.4	25.2	707	5.35	32.1	0.6	5.0	2.4	103	0.1	1.7	0.2	119	0.93	0.054
141654	Soil			0.5	66.2	10.1	63	0.2	22.5	28.8	914	5.43	20.4	0.6	4.1	2.0	171	0.3	2.1	0.1	128	1.67	0.091
141655	Soil			1.1	25.5	13.9	47	<0.1	31.7	15.5	587	3.55	11.7	0.6	<0.5	5.0	41	0.1	0.8	0.2	91	0.34	0.024
141656	Soil			2.0	55.2	28.3	67	1.1	17.2	24.2	1066	6.94	4631	1.3	1436	3.4	160	0.4	3.2	0.4	33	1.58	0.082
141657	Soil			1.5	49.9	89.2	69	2.6	24.0	13.5	615	3.97	1513	1.4	317.6	2.1	223	0.5	1.8	0.3	49	1.34	0.061

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: August 19, 2010

Page: 4 of 9 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000153.1

Method	Analyte	Unit	MDL	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Tl	1DX15 S	1DX15 Ga	1DX15 Se	1DX15 Te
				ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
142572	Soil			11	31	0.50	727	0.032	2	1.72	0.016	0.07	0.1	0.03	5.9	<0.1	<0.05	5	<0.5	<0.2
142573	Soil			11	36	0.52	425	0.035	2	1.88	0.015	0.09	0.1	0.04	6.4	<0.1	0.06	6	<0.5	<0.2
142574	Soil			10	30	0.36	408	0.043	2	1.74	0.024	0.06	0.1	0.03	5.6	<0.1	<0.05	6	<0.5	<0.2
142575	Soil			12	38	0.49	558	0.061	2	1.91	0.018	0.07	0.1	0.02	6.9	<0.1	<0.05	5	<0.5	<0.2
142576	Soil			9	30	0.33	278	0.051	3	1.63	0.015	0.09	0.1	0.02	5.8	<0.1	<0.05	5	<0.5	<0.2
142577	Soil			11	36	0.33	283	0.052	2	1.61	0.016	0.08	0.2	0.03	5.7	<0.1	<0.05	5	<0.5	<0.2
142578	Soil			9	30	0.40	282	0.037	2	1.82	0.010	0.10	0.2	0.04	4.1	<0.1	<0.05	5	0.7	<0.2
142579	Soil			8	31	0.29	207	0.033	1	1.57	0.010	0.07	0.2	0.01	3.3	<0.1	<0.05	6	0.7	<0.2
142580	Soil			14	49	0.26	314	0.018	2	1.74	0.008	0.12	0.2	0.05	5.5	<0.1	0.09	5	1.7	<0.2
142582	Soil			9	37	0.35	211	0.032	3	1.93	0.010	0.07	0.1	0.02	3.3	<0.1	<0.05	6	<0.5	<0.2
142583	Soil			7	20	0.13	254	0.030	2	0.80	0.011	0.05	0.1	0.03	2.2	<0.1	<0.05	4	<0.5	<0.2
142584	Soil			13	36	0.41	379	0.047	1	1.84	0.012	0.07	0.2	0.02	4.5	<0.1	<0.05	6	0.7	<0.2
142585	Soil			12	46	0.47	370	0.055	2	1.58	0.017	0.07	0.2	0.02	4.4	<0.1	<0.05	5	<0.5	<0.2
142586	Soil			14	27	0.42	469	0.042	2	1.54	0.017	0.06	0.2	0.03	4.7	<0.1	<0.05	5	<0.5	<0.2
142587	Soil			15	26	0.40	653	0.038	2	1.53	0.016	0.06	0.2	0.04	4.9	<0.1	<0.05	5	<0.5	<0.2
142588	Soil			15	28	0.41	369	0.048	1	1.49	0.014	0.08	0.2	0.02	3.8	<0.1	<0.05	4	<0.5	<0.2
142589	Soil			14	36	0.36	444	0.042	2	1.56	0.014	0.05	0.1	0.04	4.7	<0.1	<0.05	5	<0.5	<0.2
142590	Soil			15	34	0.40	546	0.049	2	1.29	0.017	0.08	0.2	0.03	4.0	<0.1	<0.05	4	<0.5	<0.2
142591	Soil			14	36	0.36	533	0.041	2	1.22	0.015	0.08	0.2	0.04	3.9	<0.1	<0.05	4	<0.5	<0.2
142592	Soil			8	21	0.25	171	0.068	2	1.21	0.013	0.07	0.1	0.02	2.5	<0.1	<0.05	6	<0.5	<0.2
142593	Soil			9	25	0.24	182	0.070	2	1.09	0.015	0.07	<0.1	0.01	2.3	<0.1	<0.05	6	<0.5	<0.2
142594	Soil			9	21	0.26	276	0.056	2	1.43	0.013	0.07	<0.1	0.03	2.8	<0.1	<0.05	6	<0.5	<0.2
142596	Soil			12	27	0.38	289	0.066	2	1.52	0.013	0.04	0.1	0.02	3.5	<0.1	<0.05	5	<0.5	<0.2
142597	Soil			14	31	0.49	552	0.071	<1	2.17	0.015	0.04	<0.1	0.02	5.0	<0.1	<0.05	7	<0.5	<0.2
141652	Soil			9	85	1.49	624	0.048	3	2.80	0.038	0.11	0.1	0.03	20.1	0.1	<0.05	6	0.6	<0.2
141653	Soil			11	34	0.88	585	0.024	2	2.17	0.019	0.11	0.1	0.05	15.5	0.2	<0.05	6	<0.5	<0.2
141654	Soil			14	28	0.98	524	0.029	2	2.19	0.021	0.10	0.4	0.07	17.8	0.1	<0.05	7	<0.5	<0.2
141655	Soil			16	50	0.55	601	0.056	2	2.15	0.017	0.11	0.1	0.02	7.6	0.1	<0.05	6	<0.5	<0.2
141656	Soil			12	15	0.41	246	0.017	3	0.89	0.018	0.10	0.2	0.04	9.3	<0.1	0.08	3	0.9	<0.2
141657	Soil			16	24	0.42	415	0.034	2	1.84	0.019	0.08	0.1	0.06	8.1	<0.1	0.05	5	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Solomon Resources Ltd**

Unit 3 - 2860 Smith Drive
Armstrong BC V0E 1B1 Canada

Project: Ten Mile

Report Date: August 19, 2010

Page: 5 of 9 Part 1

CERTIFICATE OF ANALYSIS

WHI10000153.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
				ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%		
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
141658	Soil			1.0	24.2	75.5	93	1.0	16.6	11.5	448	2.52	75.8	0.8	164.2	2.8	65	0.4	1.5	0.2	52	0.53	0.062
141659	Soil			0.9	44.9	11.8	58	0.2	17.6	18.1	848	3.64	33.8	0.7	6.3	1.7	108	0.2	1.2	0.2	62	1.66	0.105
141660	Soil			0.6	58.2	10.0	66	0.1	17.1	25.7	935	5.60	8.3	0.7	3.7	1.4	104	0.3	2.4	0.2	87	2.18	0.090
141661	Soil			0.5	71.7	10.9	68	0.1	19.3	35.9	966	6.10	10.6	0.7	3.2	1.9	110	0.4	2.8	0.2	99	2.03	0.112
141662	Soil			0.6	57.9	12.7	60	0.2	32.0	22.0	905	4.06	16.8	1.0	6.5	1.5	130	0.4	2.4	0.2	73	2.15	0.094
141663	Soil			0.6	32.4	7.4	34	0.1	16.9	14.6	557	3.56	9.2	1.1	5.7	1.6	113	0.2	0.9	0.1	52	2.32	0.093
141664	Soil			1.5	52.4	21.6	87	0.3	32.1	18.0	625	4.79	103.2	1.1	26.5	5.7	90	0.4	2.4	0.3	53	1.08	0.097
141665	Soil			1.2	22.3	11.2	49	0.2	12.5	17.6	676	3.22	50.0	0.7	15.4	2.4	153	0.2	1.2	0.2	77	1.32	0.087
141666	Soil			1.7	94.9	73.7	214	2.0	16.1	25.4	914	8.33	596.4	1.1	566.5	5.6	71	0.6	4.6	0.4	35	0.49	0.049
141667	Soil			0.9	15.1	45.7	44	0.2	14.2	6.3	207	2.53	417.5	0.4	114.0	2.4	19	0.2	1.0	0.2	52	0.14	0.025
141668	Soil			0.7	21.8	70.5	33	1.0	9.1	4.3	295	1.46	260.9	0.3	8.5	1.1	19	0.3	0.5	0.2	45	0.14	0.018
141669	Soil			0.7	23.6	15.4	40	0.3	17.4	11.9	924	2.78	658.5	1.2	21.5	1.2	176	0.4	0.8	0.2	47	1.72	0.055
141670	Soil			0.7	124.9	16.6	63	0.6	27.5	12.9	693	2.83	156.0	0.5	20.6	1.6	79	0.3	1.0	0.2	65	1.63	0.062
141671	Soil			0.7	120.7	14.0	62	0.5	28.0	12.6	616	2.79	81.7	0.5	11.5	1.9	71	0.2	0.8	0.2	66	1.54	0.055
141672	Soil			0.8	89.7	61.0	102	1.2	20.3	9.6	984	2.92	163.6	0.7	18.1	0.9	78	1.0	0.9	0.2	48	1.91	0.049
141673	Soil			1.1	35.2	31.0	58	0.4	29.2	14.7	719	3.39	183.4	1.0	56.5	4.3	52	0.1	0.8	0.2	74	0.64	0.034
141674	Soil			1.3	33.2	12.2	50	0.3	28.8	18.2	887	3.71	40.4	1.0	23.6	3.8	57	0.1	0.8	0.2	79	0.54	0.041
141951	Soil			1.6	26.6	18.9	66	0.2	36.5	12.8	488	2.80	192.2	0.7	18.9	4.4	45	0.2	1.1	0.2	60	0.39	0.048
141952	Soil			2.3	17.7	14.4	33	0.2	27.5	8.7	990	1.89	236.0	0.9	26.0	1.6	47	0.2	0.7	0.1	36	0.62	0.036
141953	Soil			1.1	24.4	14.2	52	0.2	26.9	10.2	396	2.76	223.4	1.1	30.5	3.4	38	0.1	0.8	0.2	54	0.44	0.028
141954	Soil			0.9	13.3	9.0	31	0.2	22.5	7.7	237	2.09	319.5	0.4	16.3	2.2	24	<0.1	0.6	0.1	41	0.23	0.023
141955	Soil			1.0	21.9	10.2	37	0.3	25.6	8.3	250	2.40	396.0	0.7	22.8	2.1	34	<0.1	0.6	0.2	49	0.39	0.025
141956	Soil			1.2	20.1	9.9	44	0.2	28.5	9.6	271	2.85	437.7	0.7	53.6	3.2	41	<0.1	0.6	0.2	57	0.43	0.023
141957	Soil			1.4	25.5	10.1	43	0.3	37.8	13.2	633	2.50	597.6	1.4	97.7	2.7	107	0.2	1.0	0.1	37	0.74	0.048
141958	Soil			0.7	14.9	8.1	31	0.1	17.1	7.2	399	2.05	42.9	0.4	5.8	1.6	72	0.1	0.5	0.1	46	0.77	0.018
141959	Soil			0.8	13.8	10.1	30	0.2	16.5	9.3	641	2.06	22.4	0.4	3.5	2.1	57	0.1	0.4	0.1	47	0.51	0.015
141960	Soil			0.8	12.6	11.1	33	<0.1	17.1	10.5	509	2.58	41.1	0.4	3.5	2.3	30	<0.1	0.4	0.1	51	0.24	0.015
141961	Soil			1.0	14.1	11.2	34	<0.1	17.5	10.3	376	2.68	40.5	0.4	5.1	2.5	25	0.1	0.5	0.1	53	0.20	0.016
141962	Soil			0.7	16.5	14.0	40	0.2	20.9	10.3	534	2.53	40.4	1.1	8.0	3.1	87	<0.1	0.5	0.1	54	0.49	0.022
141963	Soil			0.9	16.2	16.1	46	<0.1	21.4	12.3	575	2.78	53.0	0.6	15.4	3.3	71	<0.1	0.6	0.1	54	0.48	0.022

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: August 19, 2010

Page: 5 of 9 Part 2

CERTIFICATE OF ANALYSIS

WHI10000153.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
141658	Soil			12	26	0.43	335	0.050	2	1.40	0.019	0.08	0.1	0.08	4.9	<0.1	<0.05	4	<0.5	<0.2
141659	Soil			11	14	0.35	430	0.012	3	0.93	0.014	0.08	<0.1	0.05	7.5	<0.1	0.06	3	0.7	<0.2
141660	Soil			11	16	0.59	424	0.011	3	0.97	0.011	0.15	<0.1	0.06	10.8	<0.1	0.11	3	<0.5	<0.2
141661	Soil			13	17	0.58	395	0.016	4	1.04	0.015	0.18	0.1	0.03	13.4	0.1	0.13	3	0.5	<0.2
141662	Soil			12	21	0.55	515	0.022	4	1.24	0.016	0.09	0.1	0.05	9.9	<0.1	0.09	3	0.7	<0.2
141663	Soil			15	15	0.33	366	0.011	2	0.98	0.010	0.06	0.1	0.05	6.1	<0.1	0.08	2	0.5	<0.2
141664	Soil			23	16	0.39	331	0.011	4	1.05	0.014	0.14	0.1	0.05	7.6	0.1	0.09	3	1.1	<0.2
141665	Soil			11	16	0.41	309	0.013	2	1.07	0.015	0.06	0.1	0.04	5.6	0.1	0.09	3	0.6	<0.2
141666	Soil			14	16	0.35	274	0.032	2	0.97	0.015	0.10	<0.1	0.12	7.6	<0.1	0.07	3	1.7	<0.2
141667	Soil			10	23	0.30	130	0.056	1	1.18	0.012	0.05	0.1	0.02	2.4	<0.1	<0.05	4	<0.5	<0.2
141668	Soil			6	15	0.17	170	0.055	<1	0.81	0.019	0.06	<0.1	0.02	1.6	<0.1	<0.05	5	<0.5	<0.2
141669	Soil			10	21	0.38	280	0.027	3	1.36	0.022	0.05	0.1	0.02	3.8	<0.1	<0.05	4	0.6	<0.2
141670	Soil			13	28	0.56	301	0.055	2	1.64	0.026	0.06	0.2	0.04	4.1	<0.1	<0.05	5	0.6	<0.2
141671	Soil			13	30	0.59	278	0.057	2	1.56	0.027	0.05	0.2	0.05	4.2	<0.1	<0.05	5	0.6	<0.2
141672	Soil			10	24	0.32	346	0.023	1	1.50	0.015	0.03	0.2	0.06	3.3	<0.1	<0.05	4	0.6	<0.2
141673	Soil			17	36	0.50	440	0.064	2	1.97	0.025	0.07	0.1	0.05	7.2	<0.1	<0.05	6	0.5	<0.2
141674	Soil			16	35	0.50	557	0.039	1	1.83	0.021	0.07	0.1	0.03	8.6	<0.1	<0.05	5	0.6	<0.2
141951	Soil			15	40	0.53	325	0.055	<1	1.53	0.016	0.09	0.1	0.02	4.3	<0.1	<0.05	5	<0.5	<0.2
141952	Soil			9	31	0.28	505	0.023	1	1.03	0.010	0.06	0.1	0.05	3.0	<0.1	<0.05	4	<0.5	<0.2
141953	Soil			11	33	0.46	453	0.040	<1	1.73	0.012	0.06	0.2	0.03	4.6	<0.1	<0.05	5	<0.5	<0.2
141954	Soil			7	21	0.29	194	0.029	<1	1.21	0.010	0.05	0.1	0.02	2.5	<0.1	<0.05	5	<0.5	<0.2
141955	Soil			8	25	0.35	423	0.031	<1	1.44	0.012	0.06	0.2	0.02	3.0	<0.1	<0.05	5	<0.5	<0.2
141956	Soil			10	28	0.43	501	0.026	<1	1.82	0.009	0.07	0.1	0.02	3.2	<0.1	<0.05	6	<0.5	<0.2
141957	Soil			10	25	0.40	443	0.022	<1	1.14	0.011	0.06	0.1	0.04	3.5	<0.1	<0.05	3	<0.5	<0.2
141958	Soil			7	24	0.33	231	0.036	1	1.36	0.012	0.06	0.1	0.02	2.5	<0.1	<0.05	4	<0.5	<0.2
141959	Soil			8	25	0.31	346	0.045	2	1.44	0.012	0.06	0.1	0.02	3.2	<0.1	<0.05	4	<0.5	<0.2
141960	Soil			8	24	0.30	328	0.035	<1	1.56	0.010	0.08	0.1	0.02	4.2	<0.1	<0.05	5	<0.5	<0.2
141961	Soil			9	26	0.30	233	0.041	<1	1.59	0.013	0.08	0.1	0.01	4.4	<0.1	<0.05	5	<0.5	<0.2
141962	Soil			11	29	0.43	296	0.056	<1	1.48	0.020	0.06	0.1	0.02	4.5	<0.1	<0.05	4	<0.5	<0.2
141963	Soil			10	30	0.43	320	0.051	1	1.49	0.013	0.08	0.1	0.03	4.6	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: August 19, 2010

Page: 6 of 9 Part 1

CERTIFICATE OF ANALYSIS

WHI10000153.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
141964	Soil	0.9	19.2	21.1	49	<0.1	23.8	12.2	552	2.83	53.6	0.5	28.8	3.9	42	0.1	0.5	0.1	56	0.36	0.023
141965	Soil	0.8	26.4	21.2	47	0.3	24.3	12.0	791	2.85	39.5	0.8	12.2	3.2	45	0.2	0.4	0.2	65	0.41	0.027
141966	Soil	1.2	21.0	18.9	45	0.1	19.6	9.7	519	2.88	60.1	0.5	4.0	1.6	21	0.2	0.4	0.2	75	0.18	0.035
141967	Soil	1.0	16.4	11.3	79	0.1	18.2	10.4	1676	2.61	12.3	0.3	2.4	1.6	16	0.3	0.3	0.2	67	0.15	0.058
141968	Soil	1.2	13.5	10.9	46	<0.1	18.5	9.4	316	2.89	15.9	0.3	2.7	2.4	11	0.1	0.4	0.2	75	0.12	0.021
141969	Soil	1.2	17.6	10.5	40	0.3	18.0	7.9	192	2.90	15.7	0.4	8.2	2.5	20	<0.1	0.4	0.2	79	0.20	0.019
141698	Soil	1.1	31.8	13.8	49	0.7	28.5	8.3	345	2.47	70.0	1.4	31.0	1.6	93	0.3	0.5	0.2	46	0.93	0.056
141699	Soil	2.6	17.6	24.7	49	0.3	29.3	9.1	343	2.61	87.1	0.9	24.4	3.1	31	0.1	0.7	0.2	56	0.30	0.032
141700	Soil	1.2	19.1	14.5	56	0.2	31.8	10.5	459	2.67	138.3	0.6	22.1	3.7	34	0.2	0.9	0.2	52	0.34	0.037
142701	Soil	2.1	31.5	18.8	75	0.3	33.3	13.2	753	3.07	13.6	1.4	15.3	3.9	56	0.3	0.4	0.2	51	0.51	0.051
142702	Soil	1.0	19.7	15.0	68	0.1	20.0	9.2	313	3.20	11.3	0.8	21.8	3.6	31	0.1	0.5	0.2	63	0.30	0.038
142703	Soil	1.1	21.4	17.2	58	0.2	19.7	7.4	261	2.57	7.4	1.0	18.2	2.8	31	0.3	0.4	0.2	54	0.31	0.046
142704	Soil	0.9	25.8	16.9	75	0.3	20.3	11.0	503	3.29	8.0	1.1	22.7	3.9	52	0.2	0.5	0.2	67	0.52	0.051
142705	Soil	0.8	20.5	12.0	61	0.1	18.9	9.9	439	2.59	5.8	0.8	12.7	3.6	49	0.2	0.4	0.1	57	0.50	0.044
142706	Soil	0.7	21.2	14.1	58	0.1	18.5	10.0	324	2.64	6.0	1.0	11.2	3.7	39	0.2	0.4	0.1	61	0.39	0.045
142707	Soil	0.7	17.5	15.2	62	0.1	18.0	10.0	280	2.64	5.8	0.9	4.1	2.7	34	0.2	0.4	0.1	61	0.34	0.051
142708	Soil	0.8	16.4	17.9	62	0.1	14.6	8.1	319	2.19	5.7	0.7	6.0	2.4	43	0.2	0.4	0.2	49	0.41	0.040
142709	Soil	0.8	12.3	17.6	68	0.1	18.3	9.7	268	2.81	6.5	0.6	10.2	3.8	28	0.1	0.4	0.2	65	0.32	0.036
142710	Soil	0.6	20.1	19.4	65	0.2	18.7	9.2	203	2.71	6.5	1.0	11.4	3.1	29	0.2	0.3	0.2	61	0.32	0.042
142711	Soil	0.9	18.0	16.8	62	0.2	17.7	10.6	382	2.62	7.6	1.1	15.4	2.6	34	0.2	0.3	0.2	58	0.36	0.060
142712	Soil	0.7	20.6	12.4	82	0.1	21.1	17.2	675	3.54	6.9	1.0	65.6	4.8	41	0.2	0.3	0.1	70	0.40	0.049
142713	Soil	0.8	22.3	13.2	89	0.1	21.3	18.7	747	3.71	6.8	1.0	51.2	4.9	41	0.2	0.4	0.1	78	0.41	0.053
142714	Soil	1.0	20.9	18.2	75	<0.1	24.4	13.0	575	3.35	10.0	0.7	34.7	3.4	27	0.2	0.5	0.2	67	0.21	0.038
142715	Soil	2.2	38.7	16.4	68	0.2	39.5	13.3	1041	2.86	6.8	1.3	9.4	1.4	71	0.3	0.5	0.2	52	0.51	0.048
142716	Soil	1.0	34.3	22.3	89	0.2	37.9	17.6	1277	3.62	15.8	2.0	9.5	3.6	130	0.4	0.9	0.2	57	0.80	0.058
142717	Soil	0.6	28.0	48.8	81	0.2	26.9	10.2	791	2.31	8.3	1.7	7.1	3.5	258	0.4	0.5	0.2	37	1.69	0.076
142718	Soil	0.4	28.2	20.1	52	0.1	19.4	8.6	305	2.16	4.7	1.7	2.0	2.5	93	0.3	0.5	0.2	55	1.02	0.050
142719	Soil	0.7	34.2	18.3	66	<0.1	25.5	12.7	585	2.97	9.5	0.8	4.2	3.8	76	0.2	0.7	0.2	70	0.97	0.051
142721	Soil	1.5	20.7	18.9	65	0.1	23.7	9.5	380	2.91	7.6	1.2	7.0	4.9	31	0.2	0.6	0.2	69	0.33	0.040
142529	Soil	0.8	66.3	10.2	69	0.1	72.7	22.2	817	4.96	23.1	1.2	2.0	3.8	62	0.1	1.2	0.2	108	0.55	0.040

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: August 19, 2010

Page: 6 of 9 Part 2

CERTIFICATE OF ANALYSIS WHI10000153.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
141964	Soil	10	34	0.46	315	0.055	1	1.66	0.014	0.06	0.1	0.02	4.8	<0.1	<0.05	5	<0.5	<0.2
141965	Soil	13	35	0.44	515	0.054	<1	2.16	0.015	0.05	0.1	0.02	4.5	<0.1	<0.05	6	<0.5	<0.2
141966	Soil	9	31	0.37	334	0.049	<1	2.10	0.010	0.05	0.1	0.02	3.1	0.1	<0.05	8	<0.5	<0.2
141967	Soil	8	25	0.35	273	0.053	<1	1.81	0.009	0.04	<0.1	0.02	2.3	0.1	<0.05	7	<0.5	<0.2
141968	Soil	8	33	0.43	144	0.071	<1	2.15	0.008	0.05	0.1	0.01	2.5	0.1	<0.05	8	<0.5	<0.2
141969	Soil	10	35	0.41	216	0.068	<1	2.09	0.010	0.04	<0.1	0.02	3.0	0.1	<0.05	7	<0.5	<0.2
141698	Soil	12	27	0.44	720	0.032	2	1.52	0.013	0.09	0.1	0.06	4.9	<0.1	<0.05	5	0.6	<0.2
141699	Soil	12	39	0.42	402	0.042	1	1.46	0.010	0.08	0.1	0.03	3.0	<0.1	<0.05	5	<0.5	<0.2
141700	Soil	12	34	0.50	245	0.046	1	1.42	0.015	0.09	0.1	0.02	3.3	<0.1	<0.05	5	<0.5	<0.2
142701	Soil	17	41	0.39	699	0.041	1	1.67	0.015	0.08	0.1	0.03	5.8	<0.1	<0.05	5	<0.5	<0.2
142702	Soil	13	31	0.44	452	0.056	<1	2.11	0.011	0.07	<0.1	0.02	4.2	<0.1	<0.05	6	<0.5	<0.2
142703	Soil	12	31	0.37	361	0.054	<1	1.85	0.013	0.06	0.1	0.03	3.8	<0.1	<0.05	6	<0.5	<0.2
142704	Soil	15	34	0.54	588	0.059	<1	2.15	0.012	0.06	<0.1	0.03	6.4	<0.1	<0.05	6	<0.5	<0.2
142705	Soil	13	29	0.45	408	0.059	<1	1.71	0.013	0.06	0.1	0.02	3.9	<0.1	<0.05	5	<0.5	<0.2
142706	Soil	14	30	0.44	368	0.057	<1	1.81	0.017	0.05	0.2	0.02	3.7	<0.1	<0.05	6	<0.5	<0.2
142707	Soil	12	30	0.44	264	0.053	<1	1.87	0.013	0.04	0.1	0.03	3.6	<0.1	<0.05	6	<0.5	<0.2
142708	Soil	11	24	0.41	260	0.054	2	1.49	0.013	0.04	0.2	0.03	3.0	<0.1	<0.05	4	<0.5	<0.2
142709	Soil	13	32	0.48	229	0.053	<1	1.97	0.013	0.06	0.1	0.02	3.4	0.1	<0.05	6	<0.5	<0.2
142710	Soil	13	31	0.46	283	0.045	<1	1.90	0.010	0.05	0.1	0.03	3.8	0.1	<0.05	6	<0.5	<0.2
142711	Soil	13	29	0.43	289	0.034	<1	1.74	0.012	0.06	0.1	0.04	3.6	<0.1	<0.05	6	<0.5	<0.2
142712	Soil	17	28	0.65	424	0.067	1	1.76	0.012	0.14	0.1	0.03	6.4	0.1	<0.05	6	0.6	<0.2
142713	Soil	17	30	0.71	415	0.074	2	1.87	0.015	0.18	0.2	0.03	7.0	0.2	<0.05	6	<0.5	<0.2
142714	Soil	12	34	0.48	269	0.052	2	1.62	0.010	0.08	0.1	0.02	3.9	<0.1	<0.05	5	<0.5	<0.2
142715	Soil	18	45	0.39	600	0.032	1	1.39	0.013	0.07	0.2	0.05	6.7	<0.1	<0.05	4	<0.5	<0.2
142716	Soil	13	30	0.50	849	0.035	3	1.51	0.014	0.09	0.1	0.05	10.6	<0.1	0.09	4	0.8	0.2
142717	Soil	11	21	0.34	821	0.027	3	1.06	0.017	0.06	<0.1	0.07	5.9	<0.1	0.15	3	0.5	<0.2
142718	Soil	13	25	0.43	631	0.046	2	1.46	0.016	0.04	0.1	0.04	4.7	<0.1	0.06	4	<0.5	<0.2
142719	Soil	15	29	0.54	401	0.055	2	1.79	0.020	0.06	0.2	0.03	5.9	<0.1	<0.05	5	0.5	<0.2
142721	Soil	14	41	0.47	606	0.057	2	2.28	0.014	0.05	0.1	0.03	4.9	<0.1	<0.05	7	<0.5	<0.2
142529	Soil	18	82	1.00	524	0.039	2	2.17	0.017	0.09	0.1	0.03	12.7	0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: August 19, 2010

Page: 7 of 9 Part 1

CERTIFICATE OF ANALYSIS

WHI10000153.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
142530	Soil	1.6	55.9	17.1	51	0.4	38.4	9.3	577	3.14	20.8	2.1	6.2	3.0	126	0.1	0.8	0.2	54	0.80	0.047
142531	Soil	1.3	17.6	12.1	55	<0.1	14.8	7.4	301	2.89	18.5	0.5	2.1	3.5	23	0.2	0.8	0.2	75	0.23	0.034
142532	Soil	0.9	27.8	29.2	75	0.3	26.6	12.0	646	2.96	29.0	0.8	3.4	3.9	55	0.2	0.9	0.2	73	0.50	0.039
142533	Soil	0.9	25.2	14.2	70	0.2	24.5	10.3	375	2.83	22.7	1.2	6.0	6.3	53	<0.1	1.0	0.2	70	0.39	0.031
142534	Soil	1.4	23.8	10.3	71	0.2	21.0	12.2	366	3.05	15.0	1.9	3.9	2.9	135	0.1	0.8	0.2	72	0.80	0.049
142535	Soil	0.8	18.3	11.7	62	0.1	17.2	10.1	363	2.67	14.9	0.9	3.4	3.0	48	0.1	0.6	0.2	71	0.46	0.055
142536	Soil	1.7	21.4	20.8	97	0.4	27.2	15.7	674	3.04	28.1	1.0	1.6	3.8	38	0.1	1.0	0.2	78	0.34	0.055
142537	Soil	1.2	22.1	18.7	77	0.1	19.7	10.9	455	3.13	6.1	1.5	2.8	4.8	83	0.2	0.6	0.2	63	0.70	0.060
142538	Soil	1.1	25.0	11.3	56	0.2	20.4	12.1	531	3.07	5.5	2.6	2.6	5.2	118	0.2	0.7	0.2	65	0.92	0.058
142539	Soil	1.1	18.9	15.0	54	0.2	17.2	9.5	420	2.86	6.3	1.5	2.5	3.5	89	0.1	0.4	0.2	63	0.66	0.050
142540	Soil	1.2	17.9	16.2	62	0.1	16.4	9.7	441	3.00	5.8	1.4	2.6	4.7	78	<0.1	0.5	0.2	69	0.60	0.046
142541	Soil	0.7	16.3	13.7	62	0.1	16.2	13.7	762	3.83	3.3	1.6	1.6	6.0	167	0.2	0.4	0.2	74	0.83	0.055
142542	Soil	1.3	30.1	17.5	51	0.4	21.5	10.6	534	3.21	7.0	2.5	2.6	4.1	98	0.2	0.6	0.2	61	0.83	0.054
142543	Soil	0.8	25.2	15.4	60	0.2	20.4	11.6	531	3.14	6.1	2.0	3.4	4.6	76	0.1	0.8	0.2	60	0.74	0.057
142544	Soil	1.2	33.8	15.6	84	0.1	23.4	15.9	424	4.52	9.8	2.0	1.3	5.5	77	0.2	0.5	0.2	80	0.60	0.048
142545	Soil	1.6	30.6	14.9	75	0.4	26.1	11.8	614	2.54	18.9	1.3	1.5	2.7	68	0.4	0.9	0.2	65	0.55	0.049
142546	Soil	1.3	19.2	13.7	54	0.1	18.3	9.4	369	3.13	10.9	0.6	2.3	2.7	26	0.1	0.7	0.2	86	0.25	0.027
142547	Soil	1.3	11.3	11.9	40	<0.1	11.5	5.3	200	2.55	8.5	0.5	1.9	1.6	21	0.1	0.5	0.2	79	0.17	0.028
142548	Soil	1.3	21.6	11.8	48	0.2	17.1	7.2	207	3.01	47.0	0.6	3.7	3.0	21	<0.1	0.8	0.2	75	0.17	0.022
142549	Soil	1.5	21.3	13.4	68	0.2	27.0	13.0	325	3.59	20.0	0.6	2.4	4.4	16	0.1	0.8	0.3	98	0.14	0.030
142550	Soil	0.6	23.8	9.0	74	<0.1	38.6	24.5	513	4.64	6.0	0.5	<0.5	1.8	44	0.1	0.7	0.2	164	0.55	0.024
142551	Soil	0.7	35.2	13.6	67	<0.1	45.8	29.5	528	5.08	6.1	0.5	1.1	2.2	40	0.1	0.6	0.2	175	0.55	0.022
142552	Soil	1.3	13.7	9.8	46	<0.1	15.2	6.8	239	2.82	132.8	0.4	3.6	2.0	20	0.1	0.5	0.2	82	0.14	0.027
142553	Soil	1.0	26.7	11.4	51	0.2	24.2	13.5	681	3.10	367.2	1.2	62.0	2.7	344	0.3	0.8	0.3	53	1.21	0.043
142554	Soil	0.9	20.9	9.0	44	0.2	20.1	11.1	696	2.34	229.3	1.1	27.7	1.6	283	0.2	0.7	0.1	45	1.55	0.053
142555	Soil	1.0	29.1	14.0	57	0.2	18.8	10.8	599	2.53	24.0	1.8	6.6	2.1	415	0.2	0.8	0.2	47	1.58	0.054
142556	Soil	1.0	22.5	10.0	50	0.1	17.9	9.8	565	3.02	6.0	1.1	7.1	5.8	57	0.2	0.5	0.2	66	0.65	0.027
142557	Soil	0.9	17.7	9.4	41	0.3	12.7	6.4	227	2.50	4.0	0.7	1.4	4.4	25	<0.1	0.4	0.2	69	0.27	0.016
142558	Soil	1.1	22.1	12.5	47	0.2	15.5	8.5	329	3.14	4.9	0.9	1.2	4.8	27	<0.1	0.5	0.2	69	0.30	0.032
142559	Soil	1.0	17.2	9.6	47	<0.1	14.8	8.7	493	3.09	5.1	0.5	1.1	3.5	21	0.2	0.5	0.2	74	0.25	0.036

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: August 19, 2010

Page: 7 of 9 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000153.1

Method	Analyte	Unit	MDL	1DX15 La ppm	1DX15 Cr ppm	1DX15 Mg %	1DX15 Ba ppm	1DX15 Ti %	1DX15 B ppm	1DX15 Al %	1DX15 Na %	1DX15 K %	1DX15 W ppm	1DX15 Hg ppm	1DX15 Sc ppm	1DX15 Tl ppm	1DX15 S %	1DX15 Ga ppm	1DX15 Se ppm	1DX15 Te ppm
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
142530	Soil			29	25	0.32	1528	0.011	2	1.92	0.016	0.13	0.1	0.08	13.4	<0.1	<0.05	5	1.2	<0.2
142531	Soil			12	26	0.36	287	0.048	<1	1.65	0.009	0.06	0.1	<0.01	3.2	<0.1	<0.05	6	<0.5	<0.2
142532	Soil			13	38	0.50	574	0.056	2	1.90	0.019	0.07	0.1	0.04	5.9	<0.1	<0.05	5	<0.5	<0.2
142533	Soil			14	35	0.52	530	0.059	1	1.81	0.017	0.07	0.1	0.04	5.4	<0.1	<0.05	5	<0.5	<0.2
142534	Soil			13	38	0.67	502	0.033	1	1.55	0.015	0.06	0.1	0.05	5.6	<0.1	<0.05	5	1.0	<0.2
142535	Soil			12	29	0.53	348	0.037	1	1.67	0.014	0.05	0.2	0.04	4.1	<0.1	<0.05	5	<0.5	<0.2
142536	Soil			13	36	0.54	311	0.049	2	1.87	0.014	0.05	0.2	0.03	3.5	<0.1	<0.05	6	<0.5	<0.2
142537	Soil			17	37	0.80	443	0.054	3	1.83	0.015	0.11	0.1	0.03	5.9	<0.1	<0.05	5	<0.5	0.2
142538	Soil			18	31	0.90	602	0.063	1	1.79	0.014	0.10	0.2	0.04	6.1	<0.1	<0.05	5	0.5	<0.2
142539	Soil			15	29	0.64	446	0.054	2	1.72	0.016	0.07	0.2	0.04	5.0	<0.1	<0.05	6	<0.5	<0.2
142540	Soil			15	31	0.73	395	0.063	1	1.82	0.015	0.08	0.1	0.03	5.1	0.1	<0.05	6	<0.5	<0.2
142541	Soil			17	31	1.22	704	0.083	2	1.95	0.015	0.18	0.1	0.02	8.4	0.2	<0.05	7	<0.5	<0.2
142542	Soil			27	27	0.49	1042	0.026	1	1.99	0.017	0.10	0.1	0.04	8.1	<0.1	<0.05	6	0.6	<0.2
142543	Soil			17	27	0.64	654	0.042	2	1.74	0.021	0.09	0.1	0.05	6.3	<0.1	<0.05	5	0.7	<0.2
142544	Soil			20	46	1.16	422	0.062	3	2.25	0.014	0.09	<0.1	0.03	8.1	0.1	<0.05	7	0.8	<0.2
142545	Soil			14	32	0.47	424	0.043	<1	1.58	0.015	0.04	0.1	0.05	4.2	<0.1	<0.05	5	0.8	<0.2
142546	Soil			11	29	0.37	451	0.034	<1	1.78	0.011	0.06	<0.1	0.02	3.8	<0.1	<0.05	7	<0.5	<0.2
142547	Soil			10	23	0.26	298	0.065	1	1.36	0.014	0.05	0.1	0.02	2.4	<0.1	<0.05	7	<0.5	<0.2
142548	Soil			14	27	0.35	299	0.044	1	1.90	0.018	0.05	<0.1	0.02	4.0	0.1	<0.05	7	<0.5	<0.2
142549	Soil			10	42	0.51	308	0.087	2	3.04	0.018	0.06	0.1	0.02	4.0	0.1	<0.05	8	0.5	<0.2
142550	Soil			6	91	1.51	345	0.091	2	2.47	0.034	0.10	0.1	<0.01	10.6	0.1	<0.05	7	<0.5	<0.2
142551	Soil			6	94	1.83	384	0.082	<1	2.68	0.036	0.13	<0.1	<0.01	14.1	0.1	<0.05	8	<0.5	<0.2
142552	Soil			9	27	0.37	165	0.063	<1	1.60	0.015	0.07	0.1	0.01	2.9	<0.1	<0.05	7	<0.5	<0.2
142553	Soil			12	25	0.51	354	0.041	2	1.49	0.021	0.06	0.1	0.04	7.1	<0.1	0.06	4	0.8	<0.2
142554	Soil			10	22	0.47	362	0.034	2	1.02	0.021	0.05	0.1	0.03	4.6	<0.1	0.09	3	0.7	0.3
142555	Soil			12	25	0.70	415	0.030	1	1.11	0.018	0.08	0.1	0.04	4.3	<0.1	0.10	4	<0.5	<0.2
142556	Soil			17	27	0.57	408	0.058	<1	1.70	0.019	0.10	0.2	0.02	4.7	<0.1	<0.05	5	<0.5	<0.2
142557	Soil			16	22	0.40	393	0.056	<1	1.40	0.015	0.07	0.1	<0.01	3.3	<0.1	<0.05	6	<0.5	0.2
142558	Soil			18	28	0.48	521	0.049	<1	1.90	0.013	0.09	<0.1	0.02	4.5	<0.1	<0.05	6	<0.5	<0.2
142559	Soil			11	25	0.56	272	0.070	2	1.63	0.011	0.14	0.2	0.02	3.7	<0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: August 19, 2010

Page: 8 of 9 Part 1

CERTIFICATE OF ANALYSIS

WHI10000153.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
142560	Soil	0.7	31.4	6.8	46	0.1	24.3	10.5	450	2.99	8.0	0.7	3.9	3.2	48	<0.1	0.4	0.2	62	0.46	0.035
142561	Soil	0.6	25.7	6.3	43	<0.1	19.5	9.1	297	2.56	6.7	0.6	1.7	2.7	39	<0.1	0.3	0.1	59	0.36	0.031
142562	Soil	0.9	19.8	9.3	39	<0.1	15.9	11.2	307	3.52	12.0	0.4	1.0	1.6	45	0.3	0.6	0.1	59	0.39	0.030
142563	Soil	0.6	24.3	6.3	27	0.1	15.2	7.6	455	1.79	9.1	0.8	6.4	0.3	247	0.2	0.4	0.1	22	2.23	0.038
141970	Soil	0.7	30.3	19.7	74	0.2	21.1	12.3	507	3.13	7.5	1.0	26.9	3.6	48	0.2	0.5	0.2	63	0.48	0.055
141971	Soil	0.7	29.2	19.3	80	0.2	21.2	12.3	449	3.22	7.3	1.0	15.3	3.9	47	0.2	0.5	0.1	65	0.49	0.063
141972	Soil	0.7	22.7	18.4	58	<0.1	18.0	9.6	339	2.82	6.9	0.9	14.3	3.5	37	0.1	0.5	0.1	62	0.38	0.038
141973	Soil	1.2	29.6	15.3	57	0.2	21.5	10.9	531	3.07	7.8	1.0	3.4	2.4	30	0.3	0.4	0.2	60	0.32	0.049
141974	Soil	0.9	19.6	15.9	56	0.1	20.0	9.1	254	3.29	8.3	0.4	4.5	2.8	22	<0.1	0.5	0.2	68	0.25	0.025
141975	Soil	1.0	17.1	12.5	56	<0.1	21.4	10.3	294	3.72	9.4	0.4	4.1	2.8	22	0.1	0.5	0.2	74	0.24	0.027
141976	Soil	1.2	23.6	18.6	54	<0.1	25.1	9.2	362	2.66	4.9	0.6	3.3	2.8	26	0.2	0.4	0.1	53	0.30	0.031
141977	Soil	0.8	26.3	12.1	44	<0.1	23.4	10.2	322	2.75	6.8	0.7	2.8	3.3	44	<0.1	0.5	0.1	63	0.48	0.035
141978	Soil	1.0	14.3	22.7	54	<0.1	18.0	6.6	204	2.26	5.9	0.6	4.6	3.1	26	0.3	0.4	0.1	47	0.32	0.034
141979	Soil	0.8	22.0	41.3	70	0.1	21.4	7.7	392	2.79	6.4	1.1	5.3	2.9	36	0.3	0.4	0.2	50	0.40	0.044
141640	Soil	1.2	21.9	21.6	70	<0.1	28.2	19.6	743	4.83	6.8	0.8	0.6	2.9	48	0.1	0.9	0.4	74	0.43	0.023
141641	Soil	1.0	20.7	22.9	64	<0.1	27.1	15.8	574	4.16	8.1	0.8	0.7	2.8	51	0.2	0.8	0.3	67	0.52	0.022
141642	Soil	1.2	16.9	17.2	54	<0.1	18.8	10.7	399	2.88	7.3	0.4	0.6	1.6	34	0.2	0.7	0.1	43	0.24	0.024
141643	Soil	0.9	33.7	13.6	51	0.3	25.2	12.8	654	3.18	8.9	0.7	1.7	2.0	181	0.2	0.8	0.1	43	1.12	0.038
141644	Soil	0.5	77.1	6.1	54	0.2	23.1	28.2	736	6.53	11.0	0.5	4.1	1.0	162	0.2	0.7	<0.1	135	1.89	0.091
141645	Soil	1.1	33.0	10.8	45	<0.1	18.1	13.2	653	3.72	9.7	0.5	1.8	2.4	58	<0.1	2.3	0.1	45	0.92	0.024
141646	Soil	1.7	39.6	108.0	84	1.1	19.5	16.4	1176	4.95	3305	0.7	629.0	3.1	129	0.7	2.0	0.3	32	1.35	0.053
141647	Soil	1.3	33.7	25.2	82	0.3	18.1	13.6	964	3.65	49.1	0.8	41.1	2.5	84	0.6	1.4	0.2	52	0.93	0.070
141648	Soil	0.7	37.5	8.7	52	0.1	15.8	15.4	781	3.43	11.4	0.7	8.3	1.3	97	0.2	1.1	0.1	54	2.36	0.096
141649	Soil	0.4	34.2	6.3	48	0.1	14.9	15.4	639	3.58	8.7	0.5	2.9	1.0	115	0.2	1.2	<0.1	63	2.00	0.079
141650	Soil	1.1	24.7	14.8	60	0.2	18.5	7.9	479	2.60	10.5	0.9	3.1	2.5	76	0.1	1.4	0.2	28	1.01	0.054
141651	Soil	1.0	23.1	12.9	62	0.1	15.7	7.6	423	2.31	9.9	0.9	3.6	2.4	90	0.2	1.3	0.2	26	0.99	0.058
141980	Soil	0.8	15.9	13.0	55	<0.1	19.5	9.1	302	2.59	6.0	0.5	10.7	3.6	26	0.1	0.4	0.1	55	0.28	0.038
141981	Soil	1.0	15.5	14.0	56	<0.1	21.3	8.6	260	2.96	8.2	0.5	3.4	3.4	29	0.1	0.4	0.1	67	0.31	0.034
141982	Soil	1.3	121.0	48.6	152	0.3	38.2	24.5	936	5.30	17.6	1.8	10.7	4.6	101	0.4	1.1	0.2	65	0.65	0.091
141983	Soil	0.8	21.8	26.7	77	0.1	25.3	13.6	714	3.28	10.3	0.8	60.1	4.6	90	0.3	0.6	0.2	52	0.48	0.049

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: August 19, 2010

Page: 8 of 9 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000153.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
142560	Soil			13	29	0.56	409	0.055	1	1.62	0.018	0.05	0.2	0.03	5.3	<0.1	0.14	5	<0.5	<0.2
142561	Soil			11	26	0.54	345	0.048	<1	1.58	0.013	0.04	0.2	0.02	4.5	<0.1	0.06	5	<0.5	<0.2
142562	Soil			8	20	0.41	195	0.022	2	1.34	0.011	0.10	0.2	0.03	4.1	0.1	0.14	4	0.5	<0.2
142563	Soil			5	13	0.30	289	0.012	3	0.64	0.010	0.05	<0.1	0.04	2.6	<0.1	0.22	2	0.6	<0.2
141970	Soil			14	33	0.57	492	0.060	<1	2.06	0.015	0.04	<0.1	0.03	6.0	<0.1	<0.05	6	<0.5	<0.2
141971	Soil			14	35	0.62	485	0.065	<1	2.11	0.017	0.04	0.1	0.03	6.0	<0.1	<0.05	6	<0.5	<0.2
141972	Soil			13	32	0.46	426	0.057	<1	1.93	0.015	0.04	0.1	0.02	4.7	<0.1	<0.05	5	<0.5	<0.2
141973	Soil			11	31	0.42	345	0.044	<1	1.95	0.009	0.07	0.1	0.03	4.3	<0.1	<0.05	7	0.7	<0.2
141974	Soil			9	35	0.52	266	0.064	<1	2.25	0.009	0.04	<0.1	0.02	4.0	<0.1	<0.05	7	<0.5	<0.2
141975	Soil			8	36	0.60	294	0.052	2	2.33	0.008	0.04	<0.1	0.02	3.7	<0.1	<0.05	7	<0.5	<0.2
141976	Soil			9	33	0.35	348	0.037	<1	1.59	0.010	0.07	<0.1	0.02	5.1	<0.1	<0.05	5	<0.5	<0.2
141977	Soil			12	33	0.56	473	0.050	<1	1.85	0.015	0.05	0.1	0.03	6.2	<0.1	<0.05	5	<0.5	<0.2
141978	Soil			10	29	0.38	591	0.048	<1	1.68	0.012	0.06	<0.1	0.03	3.7	<0.1	<0.05	5	<0.5	<0.2
141979	Soil			10	30	0.38	750	0.033	<1	1.85	0.012	0.06	0.1	0.04	4.7	<0.1	<0.05	5	<0.5	<0.2
141640	Soil			10	34	0.51	1042	0.021	2	1.75	0.011	0.14	<0.1	0.02	10.4	<0.1	<0.05	5	<0.5	<0.2
141641	Soil			10	35	0.52	927	0.023	1	1.79	0.016	0.13	<0.1	0.02	10.0	<0.1	<0.05	5	<0.5	<0.2
141642	Soil			9	26	0.32	642	0.024	<1	1.18	0.008	0.14	0.1	<0.01	3.9	<0.1	<0.05	4	<0.5	0.3
141643	Soil			10	26	0.54	943	0.016	2	1.49	0.016	0.12	<0.1	0.03	7.7	<0.1	<0.05	4	0.7	<0.2
141644	Soil			8	27	1.36	481	0.030	3	2.07	0.035	0.16	0.1	0.04	15.2	0.1	0.12	6	1.0	<0.2
141645	Soil			12	20	0.35	572	0.010	1	1.17	0.008	0.13	<0.1	0.03	7.4	<0.1	<0.05	3	<0.5	<0.2
141646	Soil			13	17	0.44	247	0.015	3	1.04	0.015	0.09	0.2	0.07	6.6	<0.1	0.10	3	0.6	0.3
141647	Soil			13	17	0.33	789	0.008	3	1.14	0.010	0.10	<0.1	0.07	6.2	0.1	0.12	4	0.5	<0.2
141648	Soil			12	17	0.38	347	0.013	3	1.03	0.013	0.10	0.2	0.05	6.1	<0.1	0.08	3	0.9	<0.2
141649	Soil			8	12	0.46	354	0.012	2	1.09	0.011	0.10	0.1	0.05	7.7	<0.1	0.10	3	0.6	<0.2
141650	Soil			14	15	0.26	525	0.008	3	0.80	0.007	0.09	<0.1	0.06	4.7	<0.1	0.09	2	0.8	<0.2
141651	Soil			12	13	0.27	432	0.009	2	0.77	0.008	0.09	<0.1	0.05	4.5	<0.1	0.12	2	0.6	<0.2
141980	Soil			12	29	0.38	370	0.055	<1	1.65	0.014	0.08	0.1	0.02	3.4	<0.1	<0.05	5	<0.5	<0.2
141981	Soil			10	32	0.45	369	0.062	1	2.14	0.011	0.07	0.1	0.03	3.2	<0.1	<0.05	6	<0.5	<0.2
141982	Soil			11	36	0.68	568	0.027	<1	1.65	0.010	0.13	0.1	0.05	11.8	0.1	<0.05	5	0.6	<0.2
141983	Soil			12	27	0.41	530	0.027	<1	1.53	0.011	0.07	0.1	0.02	5.2	0.1	<0.05	5	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: August 19, 2010

Page: 9 of 9 **Part** 1

CERTIFICATE OF ANALYSIS

WHI10000153.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
				ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%		
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
141984	Soil			0.7	28.6	11.1	61	<0.1	28.1	11.5	519	3.22	8.6	1.0	14.5	6.4	165	0.1	0.6	0.1	56	1.17	0.083
141985	Soil			0.9	32.2	8.6	87	0.1	43.9	17.2	1182	3.52	8.6	0.7	3.7	2.8	78	0.2	0.3	0.1	83	0.60	0.072
141987	Soil			0.8	15.3	13.6	78	0.1	16.5	9.2	383	2.47	5.3	0.6	11.1	2.4	32	0.1	0.2	0.1	50	0.31	0.054
141988	Soil			0.6	23.3	19.1	86	0.2	21.0	10.3	433	2.71	6.7	1.2	18.4	3.3	50	0.3	0.4	0.1	57	0.44	0.047
141989	Soil			0.9	21.9	16.8	72	0.2	18.6	10.7	521	2.42	5.5	1.0	7.0	2.2	58	0.3	0.4	0.1	53	0.51	0.061
141990	Soil			0.7	22.7	23.3	77	0.1	19.3	8.9	277	2.64	6.4	1.1	6.3	3.6	37	0.2	0.5	0.2	57	0.42	0.052
141991	Soil			0.8	22.8	26.8	84	0.1	20.7	9.4	316	2.70	6.3	1.1	11.7	4.2	43	0.1	0.6	0.2	60	0.44	0.054
141992	Soil			1.1	29.2	16.7	68	0.2	20.9	13.2	826	2.81	6.9	1.3	6.7	2.5	92	0.2	0.6	0.2	59	0.66	0.070
141993	Soil			1.0	44.5	23.0	89	0.4	31.5	15.2	1022	3.82	10.8	1.9	15.1	4.2	119	0.4	0.8	0.2	66	0.87	0.067
141994	Soil			1.2	27.1	18.8	69	0.1	24.7	11.7	476	3.23	8.7	1.0	8.7	5.0	42	<0.1	0.7	0.2	67	0.41	0.047
141995	Soil			0.9	35.8	19.7	86	0.1	22.4	9.3	345	2.97	12.8	1.3	20.0	5.0	44	0.2	0.7	0.2	58	0.43	0.050
141996	Soil			1.5	26.6	17.9	76	0.1	26.0	9.8	218	3.46	12.6	0.7	19.8	5.5	23	<0.1	0.6	0.2	69	0.21	0.031
141997	Soil			1.4	21.9	17.4	47	0.3	15.9	5.4	140	2.41	8.3	0.7	6.2	2.5	23	<0.1	0.5	0.2	51	0.21	0.026

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: August 19, 2010

Page: 9 of 9 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000153.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
141984	Soil	23	34	0.72	416	0.044	<1	1.77	0.015	0.13	0.1	0.05	6.6	0.1	<0.05	5	0.9	<0.2
141985	Soil	12	76	1.05	374	0.066	<1	1.90	0.010	0.19	<0.1	0.04	8.0	0.2	<0.05	7	<0.5	<0.2
141987	Soil	10	27	0.58	224	0.044	1	1.70	0.011	0.08	0.1	0.05	4.2	0.1	<0.05	6	<0.5	<0.2
141988	Soil	14	34	0.47	421	0.053	<1	1.77	0.012	0.05	0.2	0.04	5.0	<0.1	<0.05	6	<0.5	<0.2
141989	Soil	12	28	0.40	406	0.047	<1	1.66	0.013	0.05	0.2	0.05	4.5	<0.1	<0.05	5	<0.5	<0.2
141990	Soil	14	32	0.49	371	0.065	<1	1.81	0.014	0.05	0.2	0.04	4.7	<0.1	<0.05	5	<0.5	<0.2
141991	Soil	14	34	0.52	352	0.074	<1	1.87	0.014	0.04	0.2	0.03	4.2	<0.1	<0.05	5	<0.5	<0.2
141992	Soil	14	32	0.47	410	0.055	1	1.82	0.020	0.05	0.2	0.05	4.7	<0.1	<0.05	5	<0.5	<0.2
141993	Soil	20	36	0.53	744	0.058	<1	2.37	0.016	0.05	0.1	0.07	8.9	<0.1	<0.05	6	<0.5	<0.2
141994	Soil	15	43	0.51	430	0.075	2	2.18	0.015	0.05	0.1	0.03	5.4	<0.1	<0.05	6	<0.5	<0.2
141995	Soil	19	33	0.45	487	0.072	<1	1.68	0.013	0.06	0.1	0.03	5.7	<0.1	<0.05	5	<0.5	<0.2
141996	Soil	16	37	0.44	226	0.074	1	2.03	0.010	0.07	0.1	0.02	3.7	0.1	<0.05	7	<0.5	<0.2
141997	Soil	11	25	0.32	275	0.051	<1	1.59	0.009	0.04	0.1	0.02	3.0	<0.1	<0.05	6	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada


Project: Ten Mile
 Report Date: August 19, 2010

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT WHI10000153.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD DS7	Standard	12	189	0.97	404	0.097	35	1.02	0.099	0.45	3.2	0.21	2.6	3.8	0.20	5	3.1	1.5
STD DS7	Standard	14	203	1.09	402	0.150	40	1.10	0.103	0.49	3.7	0.21	3.2	4.0	0.18	5	3.3	1.5
STD DS7	Standard	14	227	1.09	413	0.141	42	1.12	0.116	0.49	3.9	0.22	3.0	4.1	0.19	5	3.6	1.3
STD DS7	Standard	12	251	1.02	407	0.108	39	1.03	0.105	0.47	3.7	0.21	2.3	4.1	0.17	5	3.3	1.4
STD DS7	Standard	14	221	1.10	406	0.131	38	1.09	0.103	0.49	4.0	0.23	2.5	4.3	0.20	5	3.6	1.4
STD DS7	Standard	12	210	1.03	388	0.106	36	0.99	0.109	0.48	3.5	0.22	2.4	3.9	0.17	5	2.8	1.0
STD DS7	Standard	14	223	1.04	387	0.136	38	1.04	0.102	0.47	3.8	0.22	2.4	3.9	0.20	5	3.2	0.8
STD DS7 Expected		12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Solomon Resources Ltd
Unit 3 - 2860 Smith Drive
Armstrong BC V0E 1B1 Canada

Submitted By: Steve Potts
Receiving Lab: Canada-Whitehorse
Received: August 25, 2010
Report Date: October 07, 2010
Page: 1 of 11

CERTIFICATE OF ANALYSIS

WHI10000338.1

CLIENT JOB INFORMATION

Project: Ten Mile
Shipment ID: TM-Batch 10
P.O. Number: NA-10-410
Number of Samples: 272

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Table with 6 columns: Method Code, Number of Samples, Code Description, Test Wgt (g), Report Status, Lab. Rows include Dry at 60C, SS80, and 1DX2.

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Solomon Resources Ltd
Unit 3 - 2860 Smith Drive
Armstrong BC V0E 1B1
Canada

CC: Randy Rogers



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.





Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: October 07, 2010

Page: 2 of 11 Part 1

CERTIFICATE OF ANALYSIS

WHI10000338.1

Method	Analyte	Unit	MDL	1DX15 Mo	1DX15 Cu	1DX15 Pb	1DX15 Zn	1DX15 Ag	1DX15 Ni	1DX15 Co	1DX15 Mn	1DX15 Fe	1DX15 As	1DX15 U	1DX15 Au	1DX15 Th	1DX15 Sr	1DX15 Cd	1DX15 Sb	1DX15 Bi	1DX15 V	1DX15 Ca	1DX15 P
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
143001	Soil			1.0	14.7	10.8	54	0.1	13.7	9.4	334	2.69	6.4	1.2	1.7	4.8	42	<0.1	0.4	0.2	56	0.37	0.037
143002	Soil			0.7	30.0	9.2	54	<0.1	21.9	12.0	436	3.08	18.3	0.8	2.9	4.1	68	0.1	0.9	0.2	64	0.77	0.019
143003	Soil			1.7	26.1	12.1	82	<0.1	22.8	7.2	149	2.65	17.7	0.8	1.5	6.5	39	0.1	0.6	0.2	48	0.34	0.038
143004	Soil			0.9	45.7	11.2	62	0.2	23.5	8.7	435	2.05	34.1	3.4	4.1	2.4	181	0.2	1.3	0.2	29	1.85	0.056
143005	Soil			1.0	18.7	11.9	59	<0.1	21.9	10.7	459	2.69	58.4	0.5	1.8	4.6	24	<0.1	0.8	0.2	51	0.26	0.027
143006	Soil			1.5	22.7	18.9	81	<0.1	29.4	10.0	230	3.41	46.0	0.7	3.2	5.2	10	<0.1	1.2	0.3	77	0.08	0.028
143007	Soil			1.1	32.9	14.4	77	0.2	20.8	10.0	351	2.74	10.6	1.5	4.9	7.1	31	0.2	4.2	0.2	29	0.26	0.041
143008	Soil			0.9	42.2	13.3	67	<0.1	34.1	19.1	589	4.33	19.3	0.9	6.3	4.5	37	0.1	1.2	0.2	87	0.49	0.027
143009	Soil			0.7	35.7	11.0	56	0.1	27.0	17.7	561	3.82	19.9	0.9	3.2	3.5	66	0.1	0.8	0.2	92	0.82	0.025
143010	Soil			1.1	19.7	14.4	52	0.1	14.2	8.8	740	2.42	6.9	0.5	0.9	2.3	41	0.2	0.5	0.2	58	0.31	0.029
143011	Soil			1.1	14.4	8.8	59	0.1	14.1	8.5	529	2.33	5.8	0.3	<0.5	1.8	45	0.2	0.5	0.2	53	0.25	0.022
143012	Soil			1.1	47.4	20.0	77	0.2	32.5	16.9	554	3.93	24.1	1.2	3.3	5.2	42	0.2	0.8	0.2	68	0.55	0.039
143013	Soil			1.0	39.5	22.4	70	0.2	19.6	9.6	403	2.98	19.8	1.2	3.4	2.7	37	0.1	0.6	0.2	46	0.45	0.035
143014	Soil			1.2	22.9	15.1	56	<0.1	16.6	7.9	263	2.47	31.8	0.8	1.3	4.2	44	<0.1	0.7	0.2	52	0.33	0.027
143015	Soil			1.1	36.5	10.2	87	0.2	19.7	14.3	647	3.35	33.5	1.0	2.3	2.1	53	0.2	0.6	0.2	76	0.52	0.046
143016	Soil			1.6	35.7	22.2	85	0.6	22.8	14.2	948	2.88	75.5	2.5	5.0	4.8	98	0.4	0.9	0.2	40	0.85	0.063
143018	Soil			0.6	26.2	11.1	90	0.1	24.4	16.9	504	3.49	8.9	0.7	2.2	3.2	54	0.1	0.6	0.1	103	0.51	0.031
143019	Soil			0.8	30.7	13.5	86	0.2	21.5	12.4	623	2.61	13.8	1.2	15.2	3.9	43	0.3	0.6	0.2	57	0.53	0.075
143020	Soil			0.7	114.3	22.5	79	0.2	45.4	18.6	578	4.53	11.6	0.5	0.9	5.5	112	0.2	0.5	0.1	134	0.76	0.049
143021	Soil			1.0	28.0	16.7	52	<0.1	28.0	12.4	552	2.77	22.8	0.4	3.1	6.3	51	0.1	0.5	0.2	56	0.62	0.034
143022	Soil			0.8	36.6	21.9	72	<0.1	54.5	17.7	427	3.70	20.4	0.9	2.2	13.1	33	<0.1	0.5	0.1	68	0.39	0.018
143023	Soil			0.5	17.9	9.6	29	0.1	13.6	6.0	430	1.46	7.9	2.6	2.8	1.3	217	0.1	0.3	0.1	29	1.48	0.041
143024	Soil			0.8	24.8	12.5	65	0.2	20.0	10.2	472	2.31	18.4	1.5	2.6	2.4	95	0.3	0.5	0.2	51	0.73	0.050
143025	Soil			0.7	16.0	10.0	55	0.1	15.4	11.3	498	2.23	11.7	0.8	4.5	3.0	34	0.2	0.4	0.1	53	0.37	0.052
143026	Soil			0.6	15.4	10.4	58	0.1	15.5	8.9	287	2.15	12.5	0.8	3.4	2.9	32	0.2	0.4	0.1	50	0.36	0.061
143027	Soil			0.7	25.0	13.8	59	0.1	20.2	10.4	396	2.39	21.2	1.1	9.5	4.1	37	0.2	0.6	0.2	53	0.52	0.049
143028	Soil			0.7	22.6	15.5	61	0.1	19.4	10.2	390	2.39	21.4	1.0	7.3	3.6	41	0.1	0.5	0.2	52	0.56	0.049
143029	Soil			0.6	22.1	9.7	58	<0.1	21.5	8.8	250	2.31	16.3	0.9	4.8	4.4	29	0.1	0.4	0.1	51	0.33	0.053
143030	Soil			0.8	24.3	9.8	57	<0.1	24.0	9.4	247	2.43	17.4	0.8	2.8	5.4	26	0.1	0.5	0.1	53	0.31	0.049
143031	Soil			0.9	26.1	11.1	55	<0.1	21.4	10.2	276	2.61	33.1	0.7	4.7	4.7	25	0.1	0.5	0.2	59	0.29	0.036

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: October 07, 2010

Page: 2 of 11 Part 2

CERTIFICATE OF ANALYSIS

WHI10000338.1

Method	Analyte	Unit	MDL	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Ti	1DX15 S	1DX15 Ga	1DX15 Se	1DX15 Te
				ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
143001	Soil			16	27	0.68	349	0.063	3	1.68	0.013	0.07	0.1	0.03	4.8	<0.1	<0.05	6	<0.5	<0.2
143002	Soil			15	28	0.63	346	0.084	6	1.41	0.023	0.16	0.1	0.04	6.4	<0.1	<0.05	4	<0.5	<0.2
143003	Soil			22	22	0.36	211	0.066	3	1.06	0.009	0.37	<0.1	0.02	2.3	0.2	<0.05	5	<0.5	<0.2
143004	Soil			19	17	0.44	538	0.027	8	0.89	0.015	0.12	<0.1	0.06	3.5	0.1	0.09	3	1.1	<0.2
143005	Soil			12	27	0.41	346	0.037	3	1.47	0.011	0.09	<0.1	0.02	2.4	<0.1	<0.05	4	<0.5	<0.2
143006	Soil			16	45	0.43	134	0.057	3	1.70	0.008	0.08	<0.1	0.02	2.9	0.1	<0.05	7	<0.5	<0.2
143007	Soil			28	15	0.22	413	0.021	9	0.86	0.009	0.14	<0.1	0.03	5.0	<0.1	<0.05	2	<0.5	<0.2
143008	Soil			16	35	0.63	596	0.034	3	1.65	0.017	0.13	<0.1	0.04	12.5	<0.1	<0.05	5	<0.5	<0.2
143009	Soil			14	34	0.75	675	0.038	4	1.85	0.019	0.13	<0.1	0.03	14.5	<0.1	<0.05	5	<0.5	<0.2
143010	Soil			10	22	0.33	598	0.036	3	1.40	0.016	0.09	<0.1	0.01	2.7	<0.1	<0.05	5	<0.5	<0.2
143011	Soil			7	25	0.36	654	0.050	2	1.22	0.014	0.10	<0.1	0.01	2.6	<0.1	<0.05	4	<0.5	<0.2
143012	Soil			18	57	0.47	776	0.025	2	1.99	0.012	0.08	<0.1	0.03	9.1	0.1	<0.05	6	<0.5	<0.2
143013	Soil			20	22	0.29	1023	0.021	2	1.66	0.013	0.08	0.1	0.04	5.7	<0.1	<0.05	5	<0.5	<0.2
143014	Soil			20	25	0.42	216	0.057	2	1.34	0.011	0.08	0.1	0.02	2.7	<0.1	<0.05	6	<0.5	<0.2
143015	Soil			15	42	0.59	365	0.038	2	1.62	0.013	0.10	<0.1	0.03	6.5	<0.1	<0.05	6	0.5	<0.2
143016	Soil			32	24	0.41	555	0.016	2	1.69	0.012	0.10	<0.1	0.08	6.3	0.1	0.09	5	<0.5	<0.2
143018	Soil			10	56	1.11	544	0.114	2	1.94	0.023	0.08	0.1	0.03	7.1	0.1	<0.05	7	<0.5	<0.2
143019	Soil			18	37	0.64	396	0.066	2	1.61	0.017	0.06	0.2	0.05	5.0	<0.1	<0.05	5	<0.5	<0.2
143020	Soil			11	85	1.37	387	0.192	2	2.27	0.018	0.82	0.1	0.02	11.5	0.3	<0.05	9	<0.5	<0.2
143021	Soil			16	39	0.54	257	0.081	2	1.69	0.016	0.22	0.1	0.03	4.8	0.1	<0.05	6	<0.5	<0.2
143022	Soil			33	80	1.03	201	0.152	1	2.12	0.015	0.44	0.1	0.02	5.6	0.4	<0.05	8	<0.5	<0.2
143023	Soil			7	20	0.31	177	0.040	2	0.97	0.022	0.10	<0.1	0.01	1.9	<0.1	0.07	3	0.7	<0.2
143024	Soil			14	27	0.48	243	0.054	2	1.46	0.020	0.06	0.1	0.04	3.6	<0.1	0.06	4	0.5	<0.2
143025	Soil			12	26	0.44	239	0.057	1	1.52	0.014	0.05	0.1	0.04	3.3	<0.1	<0.05	5	<0.5	<0.2
143026	Soil			12	25	0.40	223	0.059	1	1.47	0.015	0.05	0.1	0.04	3.2	<0.1	<0.05	5	<0.5	<0.2
143027	Soil			15	30	0.43	267	0.072	1	1.75	0.016	0.06	0.1	0.03	4.2	<0.1	<0.05	5	<0.5	<0.2
143028	Soil			14	29	0.41	266	0.069	2	1.75	0.015	0.06	0.1	0.03	4.1	<0.1	<0.05	5	<0.5	<0.2
143029	Soil			15	34	0.49	206	0.089	<1	1.65	0.017	0.09	0.1	0.02	3.7	<0.1	<0.05	5	<0.5	<0.2
143030	Soil			17	39	0.58	190	0.089	<1	1.66	0.013	0.11	<0.1	0.02	3.8	0.1	<0.05	6	<0.5	<0.2
143031	Soil			16	35	0.52	208	0.081	1	1.83	0.013	0.07	0.1	0.03	3.8	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: October 07, 2010

Page: 3 of 11 Part 1

CERTIFICATE OF ANALYSIS

WHI10000338.1

Method	Analyte	Unit	MDL	1DX15 Mo	1DX15 Cu	1DX15 Pb	1DX15 Zn	1DX15 Ag	1DX15 Ni	1DX15 Co	1DX15 Mn	1DX15 Fe	1DX15 As	1DX15 U	1DX15 Au	1DX15 Th	1DX15 Sr	1DX15 Cd	1DX15 Sb	1DX15 Bi	1DX15 V	1DX15 Ca	1DX15 P
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
143032	Soil			0.8	35.3	16.2	70	<0.1	29.9	12.8	346	3.34	33.4	0.7	3.5	6.8	24	<0.1	0.6	0.2	65	0.24	0.041
143033	Soil			0.8	45.9	13.4	78	<0.1	49.7	19.3	268	4.11	42.0	1.0	4.1	14.1	17	<0.1	0.5	0.1	54	0.15	0.012
143034	Soil			1.3	24.6	12.2	68	0.2	24.3	8.3	230	2.75	23.6	0.7	3.9	2.1	16	0.2	0.7	0.2	68	0.16	0.040
143035	Soil			1.2	25.3	12.2	66	<0.1	23.5	9.2	263	2.64	22.6	0.8	3.0	2.9	14	0.2	0.7	0.2	65	0.12	0.032
143036	Soil			1.3	28.9	13.0	81	0.6	30.0	10.5	459	2.78	29.2	0.8	2.9	2.2	20	0.5	0.7	0.3	67	0.20	0.071
143037	Soil			0.7	19.0	14.8	49	0.1	18.5	6.7	215	2.55	18.8	0.5	3.0	3.7	15	<0.1	0.6	0.2	58	0.16	0.026
143038	Soil			0.6	24.3	15.3	58	<0.1	21.1	7.9	203	2.43	11.6	0.8	3.9	6.5	21	<0.1	0.6	0.2	54	0.20	0.016
143039	Soil			1.0	21.0	12.3	55	0.2	20.0	7.3	200	2.30	20.1	0.7	9.3	3.7	21	0.2	0.7	0.2	52	0.22	0.052
143040	Soil			1.2	20.0	12.4	57	0.2	17.6	6.2	166	2.44	31.4	0.9	6.5	3.6	21	0.2	0.7	0.2	65	0.23	0.067
143041	Soil			1.0	17.3	13.0	60	<0.1	20.1	7.7	427	2.28	19.1	0.4	1.0	3.2	19	0.3	0.6	0.2	56	0.17	0.073
143042	Soil			1.2	27.9	10.9	68	0.2	25.9	8.8	340	2.34	20.7	0.9	0.7	3.6	28	0.2	0.7	0.2	57	0.23	0.046
143043	Soil			0.7	30.7	15.7	67	0.2	25.8	7.8	253	2.45	36.1	1.5	4.5	5.9	33	0.1	0.7	0.2	51	0.37	0.051
143044	Soil			0.6	34.3	15.3	75	<0.1	43.9	15.8	448	3.83	7.8	2.1	<0.5	13.4	34	<0.1	0.3	0.2	59	0.46	0.048
143045	Soil			1.0	21.4	13.6	67	0.1	22.3	6.4	216	2.31	53.3	0.9	9.6	4.1	27	0.1	0.7	0.2	55	0.28	0.037
143110	Soil			1.0	21.8	23.1	59	0.2	29.4	15.0	741	3.19	29.3	0.6	1.1	8.8	47	<0.1	0.5	0.2	53	0.55	0.023
143111	Soil			1.1	19.9	21.2	53	0.2	21.9	11.5	644	2.79	78.0	0.7	<0.5	7.3	39	0.1	0.6	0.2	45	0.43	0.019
143112	Soil			1.3	23.7	26.9	59	0.2	24.9	13.1	461	3.04	16.7	0.6	<0.5	5.2	41	<0.1	0.5	0.3	63	0.41	0.017
143113	Soil			0.7	35.1	11.5	54	0.1	26.1	11.2	488	3.19	13.3	0.8	4.8	3.8	93	<0.1	0.7	0.2	60	1.13	0.032
143114	Soil			0.7	34.2	13.4	59	0.1	24.3	9.4	368	2.72	13.0	0.6	2.0	3.7	83	0.1	0.7	0.2	57	2.07	0.035
143115	Soil			0.9	24.8	18.1	60	<0.1	28.9	14.8	476	3.41	21.7	0.6	1.4	6.5	56	0.1	0.7	0.2	60	0.80	0.022
143116	Soil			0.7	40.1	13.1	55	<0.1	33.7	12.2	424	2.78	12.2	0.6	8.5	3.9	68	<0.1	0.8	0.2	60	1.18	0.025
143117	Soil			0.9	17.1	19.1	51	0.1	20.0	10.5	570	2.74	10.3	0.7	0.9	5.8	29	0.1	0.5	0.3	52	0.52	0.018
143118	Soil			1.1	30.6	18.8	73	<0.1	55.6	20.7	795	4.82	21.2	1.7	0.9	15.8	29	<0.1	0.6	0.3	38	0.58	0.052
143119	Soil			0.5	38.6	40.0	86	0.1	34.0	15.2	488	3.46	32.1	1.7	3.9	21.7	31	<0.1	0.8	0.3	21	0.74	0.031
143120	Soil			0.9	27.8	27.3	57	0.1	25.6	13.4	680	3.09	14.9	1.0	0.7	6.9	39	<0.1	0.7	0.3	52	0.58	0.020
143121	Soil			1.0	30.7	29.8	62	0.2	27.3	13.1	661	3.21	17.0	1.0	<0.5	7.4	42	0.1	0.7	0.3	50	0.64	0.023
143156	Soil			1.0	26.0	13.6	95	0.1	17.9	13.0	702	2.84	8.6	0.9	0.8	3.4	62	0.1	0.5	0.2	66	0.53	0.060
143157	Soil			0.6	36.5	11.2	103	0.1	22.5	14.3	831	2.90	9.0	1.0	1.8	3.8	54	0.2	0.5	0.2	66	0.60	0.069
143158	Soil			0.7	34.7	12.6	116	0.1	21.3	13.8	707	3.00	8.0	1.1	1.8	3.8	49	0.2	0.5	0.2	70	0.52	0.067
143159	Soil			0.7	31.4	11.3	113	0.1	28.1	16.3	892	3.70	7.9	0.9	2.2	5.2	49	0.2	0.5	0.2	93	0.58	0.069

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: October 07, 2010

Page: 3 of 11 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000338.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
143032	Soil			14	45	0.71	170	0.092	<1	2.51	0.011	0.14	<0.1	0.01	3.9	0.2	<0.05	7	<0.5	<0.2
143033	Soil			45	61	0.88	192	0.129	<1	2.51	0.007	0.38	<0.1	<0.01	4.5	0.4	<0.05	7	<0.5	<0.2
143034	Soil			11	36	0.44	342	0.043	<1	1.76	0.008	0.04	0.1	0.02	2.8	0.1	<0.05	6	<0.5	<0.2
143035	Soil			11	36	0.47	400	0.051	<1	1.75	0.008	0.04	0.1	0.02	2.5	<0.1	<0.05	5	<0.5	<0.2
143036	Soil			11	45	0.44	436	0.060	<1	1.62	0.010	0.07	0.2	0.03	3.1	0.1	<0.05	7	<0.5	<0.2
143037	Soil			11	30	0.50	137	0.061	<1	1.62	0.009	0.05	0.1	0.02	2.5	<0.1	<0.05	5	<0.5	<0.2
143038	Soil			17	34	0.55	192	0.095	<1	1.53	0.017	0.05	0.1	0.02	3.6	<0.1	<0.05	5	<0.5	<0.2
143039	Soil			11	27	0.43	203	0.058	<1	1.33	0.014	0.05	0.2	0.02	2.3	<0.1	<0.05	4	<0.5	<0.2
143040	Soil			11	28	0.40	145	0.061	1	1.42	0.009	0.04	0.2	0.02	2.5	<0.1	<0.05	6	<0.5	<0.2
143041	Soil			10	27	0.36	226	0.046	<1	1.46	0.009	0.05	0.2	<0.01	2.2	<0.1	<0.05	5	<0.5	<0.2
143042	Soil			10	37	0.48	271	0.067	1	1.40	0.011	0.09	0.2	0.02	2.5	<0.1	<0.05	5	<0.5	<0.2
143043	Soil			18	33	0.54	247	0.066	<1	1.45	0.011	0.06	0.2	0.03	3.8	<0.1	<0.05	5	<0.5	<0.2
143044	Soil			31	64	0.95	183	0.178	<1	2.25	0.011	0.55	<0.1	0.02	5.0	0.4	<0.05	8	<0.5	<0.2
143045	Soil			14	31	0.53	184	0.076	<1	1.33	0.013	0.10	0.3	0.03	2.9	<0.1	<0.05	5	<0.5	<0.2
143110	Soil			14	39	0.63	251	0.124	1	1.91	0.013	0.52	0.1	0.02	3.6	0.2	<0.05	6	<0.5	<0.2
143111	Soil			20	31	0.42	245	0.064	2	1.60	0.015	0.31	<0.1	0.02	2.9	0.1	<0.05	5	<0.5	<0.2
143112	Soil			11	41	0.70	197	0.104	<1	1.87	0.018	0.27	0.1	0.02	3.6	0.1	<0.05	6	<0.5	<0.2
143113	Soil			18	34	0.65	343	0.061	3	1.65	0.029	0.09	0.2	0.04	6.6	<0.1	<0.05	5	<0.5	<0.2
143114	Soil			15	32	0.59	286	0.078	2	1.52	0.027	0.10	0.1	0.03	4.5	<0.1	<0.05	4	<0.5	<0.2
143115	Soil			17	38	0.69	276	0.051	2	2.03	0.017	0.11	0.1	0.02	6.3	<0.1	<0.05	6	<0.5	<0.2
143116	Soil			17	32	0.74	254	0.088	2	1.56	0.031	0.10	0.2	0.04	4.1	<0.1	<0.05	4	<0.5	<0.2
143117	Soil			16	30	0.43	355	0.072	3	1.47	0.020	0.18	<0.1	<0.01	3.0	<0.1	<0.05	5	<0.5	<0.2
143118	Soil			44	53	0.37	410	0.012	2	1.47	0.011	0.20	<0.1	<0.01	6.1	<0.1	<0.05	4	<0.5	<0.2
143119	Soil			54	14	0.19	333	0.004	1	0.91	0.008	0.13	<0.1	0.04	5.5	0.1	<0.05	2	<0.5	<0.2
143120	Soil			22	30	0.41	303	0.031	1	1.67	0.015	0.14	<0.1	0.02	4.5	<0.1	<0.05	5	<0.5	<0.2
143121	Soil			23	31	0.41	309	0.030	1	1.67	0.016	0.14	0.1	0.02	4.5	0.1	<0.05	5	<0.5	<0.2
143156	Soil			11	58	0.88	275	0.090	1	1.55	0.016	0.08	0.2	0.04	4.1	<0.1	<0.05	6	0.5	<0.2
143157	Soil			13	64	1.02	384	0.104	1	1.74	0.018	0.12	0.2	0.03	4.8	<0.1	<0.05	6	<0.5	<0.2
143158	Soil			14	74	1.11	376	0.123	1	1.93	0.018	0.15	0.2	0.04	5.3	0.1	<0.05	6	<0.5	<0.2
143159	Soil			14	88	1.51	415	0.185	<1	2.39	0.020	0.38	0.2	0.02	6.9	0.2	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: October 07, 2010

Page: 4 of 11 Part 1

CERTIFICATE OF ANALYSIS

WHI10000338.1

Method	Analyte	Unit	MDL	1DX15 Mo	1DX15 Cu	1DX15 Pb	1DX15 Zn	1DX15 Ag	1DX15 Ni	1DX15 Co	1DX15 Mn	1DX15 Fe	1DX15 As	1DX15 U	1DX15 Au	1DX15 Th	1DX15 Sr	1DX15 Cd	1DX15 Sb	1DX15 Bi	1DX15 V	1DX15 Ca	1DX15 P
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
143160	Soil			1.0	56.1	20.7	117	<0.1	37.0	18.4	580	4.19	14.7	1.5	1.3	7.9	50	0.1	0.5	0.2	106	0.59	0.063
143161	Soil			1.0	52.1	18.0	119	<0.1	37.3	19.4	650	4.55	13.6	1.6	1.0	8.6	50	0.1	0.5	0.2	115	0.63	0.064
143162	Soil			0.7	39.2	11.6	71	0.3	18.9	8.7	276	2.62	6.4	1.2	1.8	1.6	67	0.1	0.3	0.2	58	0.63	0.051
143163	Soil			1.3	26.7	8.1	61	1.0	23.1	16.2	414	4.27	8.4	0.7	1.0	4.2	21	<0.1	1.6	0.2	103	0.20	0.017
143164	Soil			0.9	14.4	10.7	99	0.1	23.8	15.4	475	3.61	5.9	0.7	0.6	4.0	37	0.1	0.5	0.2	84	0.31	0.030
143165	Soil			0.9	18.3	9.1	76	0.2	25.6	16.8	853	3.18	3.2	0.5	0.8	2.8	54	0.2	0.4	0.2	76	0.51	0.039
143166	Soil			0.6	41.4	9.9	77	<0.1	27.9	15.1	732	3.40	5.1	0.6	<0.5	4.6	65	0.2	0.5	0.2	78	0.68	0.036
143167	Soil			0.9	65.6	14.1	107	<0.1	50.0	22.4	638	4.27	5.1	0.9	0.7	5.0	63	<0.1	0.9	0.3	105	0.47	0.023
143168	Soil			0.7	40.8	13.4	73	0.2	21.6	12.6	657	2.77	14.5	1.6	1.9	1.8	208	0.2	0.8	0.2	48	1.81	0.053
143169	Soil			1.2	18.9	18.5	53	<0.1	14.0	10.9	429	3.10	3.8	0.8	1.0	4.8	44	0.1	0.8	0.2	44	0.25	0.023
143170	Soil			1.1	22.0	11.5	52	<0.1	15.3	9.8	328	2.78	6.3	0.6	2.2	3.9	33	<0.1	0.7	0.2	51	0.18	0.013
143171	Soil			1.1	20.8	11.7	52	<0.1	15.5	9.5	377	2.85	5.5	0.6	1.4	4.1	35	<0.1	0.7	0.1	52	0.20	0.014
143172	Soil			0.9	11.0	11.3	40	<0.1	15.1	8.2	265	2.40	4.9	0.3	0.7	2.5	34	0.1	0.5	0.2	56	0.27	0.011
143173	Soil			1.0	16.1	12.6	43	<0.1	17.9	9.0	358	2.42	7.6	0.4	1.0	2.5	23	<0.1	0.6	0.2	58	0.23	0.014
143174	Soil			0.8	20.3	12.4	39	<0.1	17.2	9.4	594	2.40	6.9	0.5	1.1	2.8	64	0.2	0.6	0.2	52	0.75	0.014
143175	Soil			1.6	27.2	24.9	70	0.3	13.6	13.7	696	3.28	13.5	1.6	5.3	4.5	55	0.2	2.9	0.3	36	0.44	0.059
143176	Soil			1.1	17.8	17.9	49	0.2	11.6	12.1	909	2.25	11.6	1.4	6.3	4.2	68	0.2	2.0	0.2	27	0.55	0.058
143177	Soil			1.4	25.5	19.2	64	0.4	14.5	9.4	592	2.69	17.9	1.6	17.1	5.2	61	0.2	4.1	0.3	34	0.51	0.067
143178	Soil			0.9	29.9	14.2	69	0.2	18.8	10.5	521	2.38	10.1	1.7	1.1	5.8	91	0.3	3.7	0.4	28	0.79	0.060
143179	Soil			1.0	36.4	29.3	78	0.4	24.4	9.8	538	2.30	16.5	2.1	1.4	5.5	95	0.7	2.3	0.3	32	0.96	0.076
143180	Soil			2.3	28.8	17.6	61	0.3	22.2	15.0	2492	3.10	84.4	2.0	1.6	3.3	92	0.5	2.1	0.2	38	0.95	0.084
143181	Soil			4.1	66.3	34.6	160	0.4	44.5	12.8	665	3.25	346.9	1.5	1.4	1.7	31	0.6	4.6	0.4	53	0.28	0.062
143182	Soil			2.4	17.3	15.3	68	0.8	19.4	7.5	228	3.47	29.9	0.4	0.8	2.9	10	0.4	1.0	0.3	84	0.09	0.054
143183	Soil			1.2	19.2	13.8	50	0.1	17.6	8.2	318	2.74	13.8	0.8	<0.5	5.0	18	0.2	0.9	0.2	56	0.21	0.032
143184	Soil			0.9	25.2	9.8	42	0.1	15.8	9.4	448	2.52	5.5	1.9	1.0	4.1	64	<0.1	0.5	0.2	47	0.70	0.032
143185	Soil			1.1	16.6	13.8	39	<0.1	12.3	8.3	390	2.37	3.5	1.0	<0.5	3.1	52	0.1	0.6	0.2	45	0.43	0.022
143186	Soil			1.1	28.5	10.6	50	<0.1	16.8	12.1	720	3.07	7.5	0.8	<0.5	3.1	39	0.2	1.2	0.1	56	0.33	0.022
143187	Soil			0.7	76.0	19.5	107	<0.1	21.9	22.2	650	5.56	9.6	1.3	0.9	2.8	36	0.2	0.8	0.3	120	0.40	0.042
143188	Soil			1.7	39.2	21.0	96	0.2	23.6	15.1	777	3.41	59.8	1.8	0.9	2.4	108	0.5	1.8	0.2	62	1.46	0.071
143189	Soil			1.1	38.5	15.6	70	0.2	27.2	12.7	497	3.51	22.6	1.2	5.9	4.2	49	0.1	1.1	0.2	54	0.76	0.035

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: October 07, 2010

Page: 4 of 11 Part 2

CERTIFICATE OF ANALYSIS

WHI10000338.1

Method	Analyte	Unit	MDL	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Tl	1DX15 S	1DX15 Ga	1DX15 Se	1DX15 Te
				ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
143160	Soil			23	115	1.73	475	0.235	<1	2.85	0.015	0.42	<0.1	0.01	7.5	0.2	<0.05	10	<0.5	<0.2
143161	Soil			23	128	2.00	526	0.284	<1	3.15	0.015	0.61	0.2	0.01	8.4	0.3	<0.05	11	<0.5	<0.2
143162	Soil			12	46	0.71	382	0.083	<1	1.97	0.018	0.09	<0.1	0.05	3.9	0.1	<0.05	7	0.5	<0.2
143163	Soil			14	109	1.32	332	0.128	<1	3.07	0.016	0.07	<0.1	0.02	6.3	0.1	<0.05	9	<0.5	<0.2
143164	Soil			11	61	1.26	587	0.162	1	2.79	0.016	0.11	0.2	0.01	4.8	<0.1	<0.05	9	<0.5	<0.2
143165	Soil			8	71	1.06	509	0.194	2	2.38	0.025	0.18	0.1	0.03	3.3	<0.1	<0.05	8	<0.5	<0.2
143166	Soil			16	78	1.06	380	0.153	1	1.92	0.023	0.19	0.2	0.01	6.6	<0.1	<0.05	6	<0.5	<0.2
143167	Soil			16	193	1.69	267	0.122	1	2.72	0.014	0.19	0.1	0.01	12.4	0.1	<0.05	8	<0.5	0.3
143168	Soil			12	28	0.78	378	0.028	4	1.22	0.021	0.12	0.1	0.05	6.3	<0.1	0.10	3	0.5	<0.2
143169	Soil			14	26	0.33	405	0.021	2	1.48	0.015	0.15	<0.1	0.01	5.4	<0.1	<0.05	4	<0.5	<0.2
143170	Soil			12	30	0.45	640	0.048	2	1.51	0.012	0.11	<0.1	<0.01	4.0	<0.1	<0.05	4	<0.5	0.2
143171	Soil			12	30	0.45	677	0.052	1	1.50	0.015	0.12	0.1	0.01	3.7	<0.1	<0.05	4	<0.5	<0.2
143172	Soil			9	28	0.36	588	0.045	1	1.46	0.013	0.09	<0.1	<0.01	2.4	<0.1	<0.05	5	<0.5	<0.2
143173	Soil			10	30	0.37	1099	0.045	1	1.65	0.015	0.06	0.2	0.02	3.1	<0.1	<0.05	5	<0.5	<0.2
143174	Soil			10	26	0.38	883	0.046	3	1.44	0.022	0.11	0.1	0.02	3.7	<0.1	<0.05	4	<0.5	<0.2
143175	Soil			20	15	0.26	706	0.011	3	0.89	0.009	0.08	0.1	0.09	4.9	<0.1	<0.05	3	0.6	<0.2
143176	Soil			22	14	0.26	475	0.013	3	0.81	0.010	0.08	<0.1	0.09	2.9	<0.1	<0.05	3	<0.5	<0.2
143177	Soil			24	16	0.28	557	0.016	5	0.94	0.012	0.08	<0.1	0.10	3.4	0.1	<0.05	3	0.6	<0.2
143178	Soil			25	17	0.29	585	0.016	5	0.92	0.013	0.09	<0.1	0.08	4.5	<0.1	<0.05	3	<0.5	<0.2
143179	Soil			28	18	0.29	572	0.014	4	1.07	0.012	0.07	<0.1	0.17	4.6	<0.1	0.07	3	1.2	<0.2
143180	Soil			19	17	0.25	688	0.015	3	1.09	0.011	0.05	<0.1	0.10	3.3	<0.1	0.07	3	1.7	<0.2
143181	Soil			17	26	0.31	613	0.016	1	1.44	0.012	0.06	0.1	0.07	4.0	<0.1	<0.05	4	0.9	<0.2
143182	Soil			9	34	0.37	164	0.056	<1	1.89	0.009	0.04	0.2	0.02	2.2	0.1	<0.05	8	<0.5	<0.2
143183	Soil			17	24	0.31	467	0.032	2	1.41	0.010	0.07	0.1	0.02	3.5	<0.1	<0.05	5	<0.5	<0.2
143184	Soil			14	23	0.41	868	0.036	5	1.65	0.019	0.13	0.1	0.04	5.9	<0.1	<0.05	5	<0.5	<0.2
143185	Soil			15	18	0.29	1224	0.020	6	1.35	0.015	0.12	<0.1	0.02	4.4	<0.1	<0.05	4	<0.5	<0.2
143186	Soil			13	21	0.43	783	0.030	4	1.36	0.016	0.10	<0.1	0.02	6.1	<0.1	<0.05	4	<0.5	<0.2
143187	Soil			10	32	1.02	825	0.072	2	2.08	0.014	0.14	<0.1	0.03	12.8	0.1	<0.05	8	0.5	<0.2
143188	Soil			16	24	0.55	823	0.027	5	1.27	0.019	0.11	<0.1	0.05	8.2	<0.1	0.05	4	1.0	<0.2
143189	Soil			18	30	0.49	660	0.037	3	1.52	0.021	0.17	0.1	0.03	7.6	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Solomon Resources Ltd**

Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile

Report Date: October 07, 2010

Page: 5 of 11 Part 1

CERTIFICATE OF ANALYSIS

WHI10000338.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
143190	Soil	0.7	34.4	16.5	76	<0.1	24.0	12.5	505	3.43	16.9	0.8	2.6	3.7	51	0.1	0.8	0.2	58	0.89	0.040
143191	Soil	1.1	23.8	12.0	49	<0.1	19.1	10.8	551	2.99	16.6	0.6	0.8	3.9	49	0.1	0.7	0.2	62	0.54	0.019
143192	Soil	1.8	39.1	12.7	63	<0.1	19.3	13.8	405	3.74	20.7	1.1	<0.5	4.2	46	0.1	0.9	0.2	62	0.57	0.026
143193	Soil	1.3	17.4	15.9	52	0.3	17.5	7.2	217	3.02	17.9	0.6	0.7	3.9	11	0.2	0.6	0.2	71	0.09	0.026
143194	Soil	1.2	17.1	17.3	58	1.4	16.8	13.2	1134	2.58	10.0	0.5	<0.5	3.7	16	0.2	0.5	0.2	63	0.14	0.017
143195	Soil	1.2	17.1	12.7	60	0.8	13.8	7.6	644	2.45	36.6	0.6	0.8	3.7	23	0.2	1.0	0.2	53	0.21	0.045
143196	Soil	1.1	17.9	14.5	80	0.3	15.2	12.6	1156	2.82	6.4	0.5	0.7	2.4	38	0.4	0.5	0.2	67	0.37	0.024
143197	Soil	0.8	9.3	9.5	63	<0.1	10.8	9.1	939	2.07	4.0	0.4	<0.5	1.7	32	0.1	0.4	0.2	48	0.31	0.043
143198	Soil	2.1	18.6	16.2	94	1.5	20.3	10.5	1116	2.82	65.1	0.5	<0.5	2.7	18	0.6	1.1	0.2	87	0.17	0.049
143199	Soil	1.1	27.6	12.5	83	<0.1	93.2	20.4	248	4.11	10.7	0.6	<0.5	2.4	19	0.2	0.5	0.1	102	0.18	0.031
143200	Soil	1.0	67.9	23.5	160	<0.1	18.1	12.1	520	3.75	6.9	0.9	2.4	4.5	26	0.2	0.4	0.2	98	0.30	0.049
143371	Soil	0.7	25.8	12.7	94	<0.1	17.1	13.5	567	3.08	6.9	0.7	<0.5	4.4	32	0.2	0.4	0.2	67	0.40	0.075
143372	Soil	0.9	31.0	12.6	101	<0.1	20.4	16.9	899	3.06	5.7	0.6	<0.5	3.7	36	0.1	0.5	0.2	78	0.41	0.070
143373	Soil	0.7	69.0	10.3	107	0.2	22.4	15.8	806	3.27	4.1	0.7	0.6	4.1	37	0.1	0.5	0.2	85	0.43	0.074
143374	Soil	1.0	44.0	18.5	116	0.1	21.5	15.2	794	3.55	6.2	0.9	0.6	4.5	46	0.2	0.4	0.3	85	0.49	0.055
143375	Soil	1.2	31.1	10.1	106	<0.1	18.1	12.1	540	3.94	5.5	0.8	1.2	3.6	20	0.1	0.4	0.2	90	0.20	0.034
143376	Soil	1.3	24.9	10.2	68	<0.1	14.8	11.4	455	4.10	7.3	0.6	<0.5	2.8	21	<0.1	0.4	0.2	87	0.18	0.024
143377	Soil	1.1	28.6	10.2	64	0.3	17.0	12.8	1316	2.87	3.6	0.5	<0.5	3.2	30	0.2	0.3	0.2	65	0.36	0.045
143378	Soil	0.9	20.3	9.0	76	0.2	20.0	11.5	557	2.83	4.1	0.4	1.7	2.6	23	<0.1	0.4	0.2	66	0.23	0.023
143379	Soil	0.9	30.5	7.9	82	0.3	25.3	12.0	678	3.04	5.0	0.5	0.9	2.9	31	<0.1	0.4	0.2	74	0.31	0.026
143380	Soil	1.5	46.6	21.0	117	0.3	27.1	12.0	628	3.27	6.9	0.7	1.1	4.7	28	0.1	0.6	0.2	70	0.29	0.024
143381	Soil	0.7	30.3	10.6	55	<0.1	24.7	10.8	426	3.08	11.0	0.8	2.6	6.4	33	<0.1	0.6	0.2	56	0.43	0.022
143382	Soil	0.8	25.7	10.9	57	<0.1	23.6	10.3	512	3.10	10.6	0.7	3.0	6.0	38	0.1	0.5	0.2	56	0.54	0.023
143383	Soil	0.7	12.4	8.9	31	0.1	14.7	8.7	500	2.63	4.3	0.5	<0.5	4.4	32	<0.1	0.4	0.2	48	0.36	0.013
143384	Soil	2.0	24.9	22.5	48	<0.1	6.3	11.8	607	3.98	1.9	1.5	1.3	7.2	64	<0.1	0.6	0.4	14	0.46	0.021
143385	Soil	0.9	20.2	11.4	54	<0.1	14.9	14.6	699	3.55	5.3	0.6	0.8	2.9	40	0.1	0.6	0.2	62	0.37	0.023
143386	Soil	0.9	27.4	11.8	82	<0.1	13.8	19.8	854	6.05	4.2	1.3	1.3	4.0	28	<0.1	0.7	0.2	81	0.26	0.030
143387	Soil	0.9	23.0	9.8	42	<0.1	19.1	12.1	685	3.14	6.0	0.7	2.2	3.4	59	<0.1	0.8	0.2	51	0.72	0.019
143388	Soil	0.8	22.8	11.7	50	0.1	18.3	10.2	369	2.97	6.8	0.7	2.5	4.3	73	<0.1	0.8	0.2	48	0.70	0.018
143389	Soil	1.4	10.6	12.6	52	0.1	10.7	4.3	112	1.68	29.3	0.7	1.9	1.7	25	<0.1	1.1	0.2	31	0.23	0.047

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: October 07, 2010

Page: 5 of 11 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000338.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
143190	Soil	13	36	0.70	875	0.047	2	1.67	0.021	0.18	0.1	0.02	7.6	0.1	<0.05	5	<0.5	<0.2
143191	Soil	11	31	0.46	669	0.069	1	1.77	0.021	0.11	<0.1	0.01	5.1	<0.1	<0.05	5	<0.5	<0.2
143192	Soil	14	33	0.41	433	0.046	1	1.57	0.013	0.18	<0.1	0.01	5.5	<0.1	<0.05	5	<0.5	<0.2
143193	Soil	12	30	0.33	213	0.062	<1	1.90	0.010	0.05	0.1	0.01	2.4	0.1	<0.05	7	<0.5	<0.2
143194	Soil	11	29	0.39	300	0.060	<1	1.82	0.010	0.05	<0.1	0.03	2.7	0.1	<0.05	6	<0.5	<0.2
143195	Soil	21	20	0.32	259	0.043	<1	1.33	0.010	0.09	<0.1	0.02	1.9	0.1	<0.05	6	<0.5	<0.2
143196	Soil	9	23	0.71	811	0.063	<1	1.73	0.017	0.18	<0.1	0.01	2.4	0.1	<0.05	7	<0.5	<0.2
143197	Soil	7	18	0.47	773	0.046	<1	1.51	0.013	0.14	<0.1	0.01	1.8	<0.1	<0.05	6	<0.5	<0.2
143198	Soil	11	33	0.36	300	0.051	<1	1.59	0.012	0.05	0.1	0.03	2.4	0.1	<0.05	7	<0.5	<0.2
143199	Soil	8	131	1.57	201	0.126	<1	2.63	0.013	0.07	<0.1	0.02	4.7	0.2	<0.05	9	<0.5	<0.2
143200	Soil	11	48	1.18	229	0.146	<1	2.46	0.014	0.16	0.1	0.02	5.7	0.2	<0.05	9	<0.5	<0.2
143371	Soil	12	45	0.99	272	0.110	<1	1.74	0.017	0.21	0.1	0.02	4.1	0.2	<0.05	7	<0.5	<0.2
143372	Soil	10	77	1.08	265	0.116	<1	1.83	0.017	0.18	0.2	0.03	4.5	0.2	<0.05	7	<0.5	<0.2
143373	Soil	12	71	1.31	307	0.140	<1	2.06	0.017	0.31	0.2	0.03	5.3	0.2	<0.05	8	<0.5	<0.2
143374	Soil	15	54	1.23	406	0.138	<1	2.35	0.015	0.25	0.2	0.02	5.3	0.2	<0.05	8	<0.5	<0.2
143375	Soil	11	47	1.50	274	0.199	<1	2.70	0.015	0.24	0.1	0.01	5.2	0.2	<0.05	10	<0.5	<0.2
143376	Soil	7	33	1.78	240	0.232	<1	3.18	0.011	0.23	0.1	<0.01	5.7	0.2	<0.05	11	<0.5	<0.2
143377	Soil	11	33	0.77	332	0.116	<1	1.83	0.020	0.14	0.1	0.02	2.9	0.1	<0.05	7	<0.5	<0.2
143378	Soil	6	35	0.71	385	0.098	<1	1.98	0.013	0.11	0.1	0.03	2.5	<0.1	<0.05	7	<0.5	<0.2
143379	Soil	10	63	1.17	439	0.158	<1	1.88	0.015	0.43	0.2	0.02	4.2	0.1	<0.05	7	<0.5	<0.2
143380	Soil	10	62	1.14	331	0.096	<1	2.11	0.011	0.15	0.1	0.03	4.3	<0.1	<0.05	7	<0.5	<0.2
143381	Soil	24	33	0.56	324	0.070	4	1.60	0.017	0.11	0.1	0.02	5.8	<0.1	<0.05	5	0.5	<0.2
143382	Soil	21	34	0.53	397	0.073	2	1.67	0.016	0.15	0.1	0.02	5.4	<0.1	<0.05	5	<0.5	<0.2
143383	Soil	13	26	0.35	867	0.048	4	1.51	0.014	0.17	<0.1	0.02	3.8	<0.1	<0.05	4	<0.5	<0.2
143384	Soil	27	6	0.21	992	0.003	<1	0.87	0.005	0.19	<0.1	0.02	9.7	<0.1	<0.05	2	<0.5	<0.2
143385	Soil	11	24	0.48	538	0.030	<1	1.54	0.015	0.13	0.1	0.02	6.8	<0.1	<0.05	5	<0.5	<0.2
143386	Soil	15	15	0.42	790	0.007	<1	1.58	0.008	0.17	0.1	0.03	15.4	<0.1	<0.05	5	<0.5	<0.2
143387	Soil	16	25	0.35	747	0.038	2	1.32	0.018	0.16	0.1	0.02	5.2	<0.1	<0.05	4	<0.5	<0.2
143388	Soil	15	23	0.38	714	0.038	2	1.30	0.017	0.16	<0.1	0.03	7.2	<0.1	<0.05	4	0.6	<0.2
143389	Soil	16	15	0.25	208	0.018	2	0.91	0.009	0.05	0.1	0.06	1.6	<0.1	<0.05	4	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**

Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile

Report Date: October 07, 2010

Page: 6 of 11 Part 1

CERTIFICATE OF ANALYSIS

WHI10000338.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
143390	Soil	0.9	15.6	20.6	54	0.2	12.8	3.6	80	1.83	52.7	0.9	1.9	1.0	24	0.1	1.2	0.2	37	0.21	0.049
143391	Soil	1.2	11.1	8.0	48	0.2	11.4	3.2	72	1.38	21.9	0.6	1.5	0.6	26	<0.1	0.8	0.1	27	0.25	0.050
143392	Soil	1.2	17.0	9.3	51	0.2	13.7	4.9	162	1.85	28.8	0.8	1.6	0.8	25	0.2	0.7	0.2	32	0.24	0.059
143393	Soil	1.3	17.1	8.8	47	0.2	12.9	4.1	131	1.77	30.1	0.8	3.5	0.6	23	0.2	0.7	0.2	33	0.23	0.059
143394	Soil	1.1	21.7	6.9	43	<0.1	13.7	10.0	372	2.84	3.1	0.6	0.8	2.3	43	<0.1	0.4	0.1	81	0.55	0.015
143395	Soil	1.2	20.5	22.3	70	0.2	18.0	11.2	370	3.16	6.8	0.7	1.5	2.7	47	<0.1	1.3	0.2	56	0.38	0.022
143396	Soil	1.7	38.2	6.2	59	<0.1	21.1	24.0	576	6.55	4.8	0.6	1.4	1.9	30	<0.1	0.6	0.1	99	0.29	0.030
143397	Soil	0.9	23.2	25.0	59	0.1	15.5	13.6	587	3.89	4.8	0.8	1.0	2.4	51	0.2	0.7	0.2	68	0.58	0.053
143398	Soil	0.8	31.4	16.4	76	0.2	23.1	14.9	720	3.55	81.9	1.3	2.9	3.3	61	0.3	1.9	0.2	62	0.99	0.058
143399	Soil	0.7	33.6	9.9	53	0.3	18.1	11.2	443	2.64	15.0	1.5	7.9	1.3	141	0.2	1.2	0.1	45	1.96	0.065
143400	Soil	0.7	49.1	10.1	61	0.2	21.6	18.5	786	4.47	13.2	1.0	8.5	2.3	113	0.2	1.0	0.1	89	1.63	0.065
143451	Soil	0.7	25.6	13.2	52	<0.1	24.2	9.9	242	2.70	11.3	0.9	2.4	5.8	23	<0.1	0.4	0.2	59	0.23	0.020
143452	Soil	0.7	31.9	13.4	63	<0.1	28.8	11.0	299	3.21	20.5	0.7	2.1	6.0	27	<0.1	0.4	0.2	59	0.25	0.038
143453	Soil	0.6	32.0	11.8	63	0.1	28.4	11.3	305	2.91	22.0	1.0	3.0	6.2	27	0.2	0.5	0.1	54	0.27	0.043
143454	Soil	0.9	29.7	11.2	68	<0.1	26.9	11.7	408	3.06	47.7	1.2	2.8	5.9	39	0.2	0.6	0.2	61	0.44	0.059
143455	Soil	0.8	31.3	7.5	65	<0.1	28.9	11.0	406	2.68	9.8	0.6	1.9	3.5	39	0.2	0.6	0.2	62	0.66	0.085
143456	Soil	0.8	27.6	7.1	68	<0.1	26.0	10.2	304	2.60	9.0	0.9	2.7	3.3	50	0.2	0.6	0.1	62	1.01	0.087
143457	Soil	0.9	20.3	10.3	69	0.1	20.6	10.7	469	2.51	13.2	0.8	3.4	3.1	43	0.2	0.5	0.1	57	0.62	0.059
143458	Soil	0.8	22.6	8.5	63	0.1	21.9	10.9	494	2.44	11.1	0.8	2.1	3.2	44	0.3	0.6	0.1	56	0.71	0.065
143459	Soil	0.9	41.5	26.1	108	0.3	32.0	19.5	924	4.61	102.4	1.4	10.6	8.3	181	0.2	0.7	0.2	53	4.38	0.149
143460	Soil	0.9	45.2	32.8	115	0.3	35.6	19.9	1085	4.63	84.1	1.1	8.7	9.5	129	0.2	0.7	0.3	59	2.26	0.085
143461	Soil	1.2	26.5	18.0	56	0.1	30.5	12.7	668	3.11	33.9	0.5	0.6	5.8	51	0.1	0.6	0.2	60	0.58	0.025
143462	Soil	1.0	22.7	15.7	49	<0.1	25.8	11.7	420	3.04	15.9	0.5	2.3	5.5	38	<0.1	0.5	0.2	61	0.43	0.017
143463	Soil	1.5	21.1	29.0	63	0.1	32.8	13.1	550	3.12	14.2	0.5	0.9	5.6	34	<0.1	0.5	0.3	64	0.44	0.021
143464	Soil	0.7	16.1	24.2	70	0.4	23.2	14.9	894	2.61	4.3	0.5	1.1	4.8	31	0.2	0.3	0.3	53	0.31	0.032
143465	Soil	0.9	49.4	13.5	93	<0.1	64.6	19.6	491	4.55	10.2	1.2	1.2	8.5	21	<0.1	0.4	0.2	82	0.21	0.055
143466	Soil	0.8	24.2	12.3	54	0.1	19.9	8.3	347	2.18	38.6	1.3	5.0	4.2	26	0.2	0.6	0.2	51	0.27	0.040
143467	Soil	0.8	25.5	12.7	59	0.2	19.9	7.3	389	2.18	45.1	1.0	2.3	4.5	23	0.1	0.5	0.2	50	0.26	0.040
143468	Soil	1.9	42.0	21.0	71	0.5	25.2	17.1	889	3.15	58.6	1.8	2.8	3.7	29	0.4	0.6	0.3	66	0.25	0.062
143469	Soil	1.3	28.8	14.6	59	0.3	21.7	8.8	282	2.45	34.0	0.8	2.8	3.7	17	0.2	0.6	0.2	60	0.14	0.031

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Solomon Resources Ltd
Unit 3 - 2860 Smith Drive
Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: October 07, 2010

Page: 6 of 11 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000338.1

Method	Analyte	Unit	MDL	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Tl	1DX15 S	1DX15 Ga	1DX15 Se	1DX15 Te
				ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
143390	Soil			12	18	0.26	205	0.023	5	1.06	0.009	0.04	0.1	0.08	1.8	<0.1	<0.05	4	1.3	<0.2
143391	Soil			11	19	0.28	121	0.022	3	0.92	0.011	0.05	0.2	0.07	1.4	<0.1	<0.05	4	0.6	<0.2
143392	Soil			11	19	0.28	189	0.024	<1	1.10	0.011	0.04	0.1	0.08	1.8	<0.1	<0.05	4	0.8	<0.2
143393	Soil			11	19	0.27	183	0.023	7	1.07	0.011	0.04	0.1	0.07	1.7	<0.1	<0.05	4	0.8	<0.2
143394	Soil			10	30	0.68	551	0.132	<1	1.63	0.027	0.11	<0.1	0.02	4.6	<0.1	<0.05	8	<0.5	<0.2
143395	Soil			11	26	0.47	713	0.034	3	1.41	0.015	0.15	<0.1	0.02	4.8	<0.1	<0.05	4	<0.5	<0.2
143396	Soil			9	35	1.07	811	0.034	4	2.30	0.012	0.14	<0.1	0.01	8.8	<0.1	<0.05	8	<0.5	<0.2
143397	Soil			12	20	0.59	1081	0.060	4	1.61	0.017	0.18	<0.1	0.04	11.3	<0.1	<0.05	5	<0.5	<0.2
143398	Soil			16	25	0.63	864	0.048	6	1.51	0.018	0.13	0.1	0.05	9.2	<0.1	<0.05	4	0.5	<0.2
143399	Soil			11	19	0.51	453	0.029	4	1.13	0.019	0.10	<0.1	0.05	6.0	<0.1	0.07	3	0.7	<0.2
143400	Soil			14	22	0.72	743	0.044	<1	1.59	0.029	0.16	0.1	0.05	14.3	0.1	<0.05	4	0.7	<0.2
143451	Soil			20	37	0.57	223	0.128	<1	1.88	0.013	0.11	0.1	0.03	4.1	0.1	<0.05	5	<0.5	<0.2
143452	Soil			21	40	0.66	188	0.147	5	1.97	0.016	0.33	0.1	0.01	3.2	0.2	<0.05	6	<0.5	<0.2
143453	Soil			25	38	0.59	217	0.119	<1	1.82	0.015	0.23	0.1	0.04	3.9	0.2	<0.05	6	<0.5	<0.2
143454	Soil			20	35	0.58	302	0.102	<1	1.73	0.024	0.11	0.2	0.04	4.0	<0.1	<0.05	5	<0.5	<0.2
143455	Soil			13	30	0.65	279	0.095	4	1.39	0.036	0.08	0.2	0.02	3.9	<0.1	<0.05	4	<0.5	<0.2
143456	Soil			13	29	0.72	306	0.093	4	1.34	0.035	0.08	0.2	0.03	3.6	<0.1	<0.05	4	<0.5	<0.2
143457	Soil			14	30	0.54	281	0.079	7	1.59	0.021	0.08	0.2	0.05	3.4	<0.1	<0.05	5	<0.5	<0.2
143458	Soil			13	28	0.54	274	0.082	6	1.41	0.023	0.07	0.2	0.03	3.5	<0.1	<0.05	4	0.6	<0.2
143459	Soil			36	24	0.69	226	0.033	2	1.69	0.011	0.34	<0.1	0.04	6.9	0.2	<0.05	6	0.7	<0.2
143460	Soil			38	37	0.71	267	0.062	9	1.90	0.014	0.45	<0.1	0.04	7.0	0.3	<0.05	6	0.7	<0.2
143461	Soil			20	41	0.53	223	0.088	4	1.82	0.019	0.24	0.1	0.02	5.4	0.1	<0.05	5	0.6	<0.2
143462	Soil			15	38	0.54	224	0.109	9	1.79	0.019	0.26	0.1	0.02	5.2	0.1	<0.05	5	<0.5	<0.2
143463	Soil			15	54	0.67	225	0.120	4	1.95	0.014	0.36	0.1	0.01	5.1	0.1	<0.05	6	<0.5	<0.2
143464	Soil			11	32	0.50	305	0.084	<1	1.77	0.012	0.15	0.1	0.01	3.5	0.1	<0.05	5	<0.5	<0.2
143465	Soil			23	91	1.40	174	0.219	<1	2.83	0.010	0.59	0.1	<0.01	4.6	0.4	<0.05	9	0.5	<0.2
143466	Soil			14	31	0.43	203	0.063	1	1.37	0.013	0.06	0.2	0.02	3.5	<0.1	<0.05	4	<0.5	<0.2
143467	Soil			15	29	0.46	217	0.076	<1	1.32	0.011	0.13	0.2	0.03	3.0	0.1	<0.05	5	<0.5	<0.2
143468	Soil			15	36	0.46	341	0.060	1	1.81	0.011	0.08	0.1	0.03	3.9	0.1	<0.05	6	0.6	<0.2
143469	Soil			11	31	0.46	182	0.070	<1	1.69	0.011	0.09	0.1	0.02	2.7	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Solomon Resources Ltd**

Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile

Report Date: October 07, 2010

Page: 7 of 11 Part 1

CERTIFICATE OF ANALYSIS

WHI10000338.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
143470	Soil	1.2	23.7	13.5	54	0.3	22.3	9.0	390	2.43	67.2	0.9	2.6	3.9	22	0.1	0.6	0.2	57	0.23	0.038
143471	Soil	1.4	29.3	11.8	60	0.6	20.2	9.7	451	2.32	24.2	1.0	2.3	3.2	19	0.2	0.5	0.2	60	0.19	0.045
143472	Soil	1.3	29.0	13.4	49	0.5	19.4	10.2	351	2.37	24.5	0.7	1.2	2.8	15	0.4	0.6	0.3	52	0.12	0.098
143473	Soil	1.3	29.0	19.7	55	0.3	20.1	18.1	1251	2.52	36.1	0.9	2.6	3.2	15	0.4	0.9	0.3	62	0.11	0.041
143474	Soil	1.3	29.9	15.9	61	0.3	28.6	12.2	458	2.86	19.1	0.9	2.4	4.7	21	0.2	0.8	0.2	73	0.17	0.026
143475	Soil	1.7	43.0	27.4	67	<0.1	24.0	7.2	262	3.13	20.2	1.0	0.8	4.7	16	0.1	0.8	0.3	76	0.08	0.024
143476	Soil	1.0	20.4	23.8	71	0.2	26.6	11.7	345	2.65	10.4	1.4	1.6	5.6	33	0.1	0.3	0.2	47	0.45	0.049
143477	Soil	0.8	21.6	17.8	62	0.2	22.0	8.9	214	2.39	12.8	1.3	1.8	4.4	21	0.1	0.3	0.2	45	0.22	0.041
143478	Soil	0.8	18.7	19.4	64	0.1	22.5	8.5	210	2.61	17.3	1.1	2.0	4.2	30	<0.1	0.4	0.3	58	0.26	0.036
143479	Soil	0.8	27.3	19.6	61	0.2	21.7	7.5	148	2.33	17.6	1.3	2.2	3.4	21	0.1	0.3	0.2	41	0.17	0.040
143480	Soil	1.2	17.3	22.2	57	0.2	21.2	7.5	237	2.59	23.0	1.0	9.9	4.7	33	0.2	0.5	0.2	58	0.14	0.030
143481	Soil	1.0	11.0	9.4	26	0.2	6.9	2.5	84	1.21	8.3	0.6	5.6	1.4	18	<0.1	0.3	0.1	38	0.08	0.026
143482	Soil	0.6	23.4	10.7	69	<0.1	21.5	9.2	271	2.49	11.5	0.6	2.6	3.3	35	0.3	0.7	0.2	53	0.48	0.071
143483	Soil	0.9	25.8	12.1	64	<0.1	24.6	12.4	238	2.95	9.8	0.5	<0.5	3.7	19	0.1	0.7	0.2	65	0.16	0.027
143484	Soil	0.7	28.5	11.2	64	0.1	23.1	9.7	372	2.69	8.6	0.9	13.7	4.1	67	0.2	0.7	0.2	62	0.58	0.066
143485	Soil	0.7	19.2	9.2	55	<0.1	17.6	8.6	270	2.34	7.4	1.0	10.0	4.3	43	0.1	0.5	0.1	58	0.38	0.049
143486	Soil	1.0	27.0	22.5	65	0.2	24.7	7.8	188	3.22	10.0	2.0	13.6	3.1	97	0.1	0.5	0.2	65	0.54	0.058
143487	Soil	0.9	13.3	6.8	30	0.2	5.9	2.5	81	1.17	3.8	0.4	4.4	0.2	25	0.2	0.4	0.2	40	0.12	0.055
143488	Soil	1.1	17.5	10.4	51	0.2	23.7	8.6	331	2.74	17.3	0.6	3.4	3.4	17	0.2	0.6	0.2	68	0.15	0.019
143489	Soil	0.7	18.3	11.0	53	<0.1	12.7	10.3	497	3.52	14.4	0.4	9.2	2.6	23	0.2	0.5	0.7	77	0.25	0.042
143490	Soil	1.0	23.6	23.3	63	0.2	25.6	10.7	313	3.12	12.4	0.8	4.8	5.1	15	0.1	0.5	0.3	70	0.14	0.017
143491	Soil	0.6	25.7	20.3	80	<0.1	14.0	9.4	353	3.10	6.1	0.7	3.1	3.7	19	0.2	0.4	0.2	57	0.20	0.037
143492	Soil	0.3	37.5	24.8	48	0.2	29.0	12.8	421	2.86	13.0	1.5	3.6	3.2	45	0.2	0.9	0.7	62	0.94	0.061
143493	Soil	1.1	37.5	15.9	63	<0.1	28.8	11.8	255	2.73	22.8	1.2	7.1	5.4	33	0.3	1.0	0.3	58	0.47	0.045
143494	Soil	0.7	24.4	16.6	59	0.1	22.7	9.0	197	2.83	30.1	1.3	3.8	4.2	24	<0.1	0.7	0.4	57	0.39	0.044
143495	Soil	0.8	28.1	14.0	55	0.2	26.0	10.6	473	2.78	30.7	1.2	7.2	3.2	35	0.1	0.8	0.3	54	0.60	0.062
143496	Soil	1.5	23.1	11.8	57	<0.1	21.1	10.6	314	3.15	21.1	0.8	3.0	2.7	17	0.2	0.7	0.3	69	0.15	0.053
143497	Soil	1.0	26.9	10.1	50	<0.1	25.0	11.5	273	2.91	24.2	1.0	4.6	5.1	18	0.1	0.8	0.4	56	0.18	0.028
143498	Soil	1.1	23.9	12.6	52	<0.1	20.2	7.8	244	2.61	36.4	0.8	3.3	0.8	16	0.2	0.6	0.3	60	0.16	0.061
143499	Soil	1.2	14.1	13.7	39	0.2	13.0	7.4	320	1.99	8.7	0.6	1.4	4.3	15	0.1	0.4	0.2	48	0.14	0.019

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: October 07, 2010

Page: 7 of 11 Part 2

CERTIFICATE OF ANALYSIS

WHI10000338.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
143470	Soil	14	40	0.51	191	0.069	1	1.46	0.012	0.07	0.2	0.02	3.2	<0.1	<0.05	5	<0.5	<0.2
143471	Soil	13	30	0.43	219	0.080	1	1.44	0.014	0.09	0.2	0.02	3.1	0.1	<0.05	6	0.5	<0.2
143472	Soil	9	29	0.33	218	0.059	<1	1.46	0.013	0.06	0.1	0.02	2.9	0.1	<0.05	6	0.7	<0.2
143473	Soil	16	32	0.35	243	0.051	1	1.49	0.010	0.09	0.2	0.03	3.2	0.2	<0.05	6	0.5	<0.2
143474	Soil	13	45	0.55	312	0.070	1	2.29	0.018	0.05	0.1	0.02	4.6	0.1	<0.05	6	<0.5	<0.2
143475	Soil	15	36	0.58	126	0.093	<1	1.95	0.009	0.07	0.1	0.02	3.2	0.2	<0.05	7	<0.5	<0.2
143476	Soil	19	39	0.65	176	0.116	1	1.57	0.014	0.15	0.1	0.03	2.9	0.2	<0.05	6	0.6	<0.2
143477	Soil	18	33	0.53	130	0.089	1	1.45	0.015	0.12	0.1	0.03	2.8	0.2	<0.05	5	<0.5	<0.2
143478	Soil	17	37	0.59	134	0.096	1	1.68	0.012	0.12	0.1	0.03	2.9	0.1	<0.05	6	0.6	<0.2
143479	Soil	19	35	0.51	154	0.078	<1	1.56	0.012	0.11	0.1	0.04	2.4	0.2	<0.05	6	<0.5	<0.2
143480	Soil	18	32	0.40	176	0.072	2	1.58	0.012	0.10	0.4	0.03	2.6	0.2	<0.05	7	<0.5	<0.2
143481	Soil	8	11	0.11	73	0.051	<1	0.61	0.011	0.04	0.3	0.03	1.1	<0.1	<0.05	4	<0.5	<0.2
143482	Soil	14	31	0.62	201	0.090	2	1.41	0.029	0.07	0.2	0.03	3.7	<0.1	<0.05	4	0.8	<0.2
143483	Soil	10	35	0.51	301	0.082	1	2.18	0.018	0.06	0.2	0.01	3.4	<0.1	<0.05	6	0.6	<0.2
143484	Soil	14	33	0.56	354	0.092	1	1.73	0.033	0.06	0.2	0.03	4.4	<0.1	<0.05	5	<0.5	<0.2
143485	Soil	14	30	0.47	294	0.090	1	1.52	0.022	0.05	0.2	0.03	4.1	<0.1	<0.05	5	<0.5	<0.2
143486	Soil	18	42	0.49	519	0.078	1	2.85	0.016	0.06	0.2	0.05	6.2	0.1	<0.05	8	<0.5	<0.2
143487	Soil	4	12	0.09	175	0.048	<1	0.55	0.017	0.03	0.1	0.10	1.1	<0.1	<0.05	4	0.5	<0.2
143488	Soil	13	35	0.49	236	0.067	<1	2.21	0.010	0.05	0.1	0.02	3.4	0.1	<0.05	6	<0.5	<0.2
143489	Soil	13	35	0.67	207	0.040	<1	2.06	0.012	0.06	<0.1	0.01	4.7	0.1	<0.05	8	<0.5	<0.2
143490	Soil	13	39	0.63	236	0.073	1	2.88	0.013	0.06	0.1	0.03	5.1	0.1	<0.05	7	<0.5	<0.2
143491	Soil	20	27	0.56	249	0.045	1	1.76	0.009	0.08	<0.1	0.02	4.3	0.1	<0.05	5	<0.5	<0.2
143492	Soil	19	33	0.47	365	0.033	3	1.86	0.017	0.06	0.2	0.07	5.7	0.1	<0.05	5	0.8	<0.2
143493	Soil	18	35	0.49	285	0.072	1	1.68	0.018	0.07	0.2	0.03	5.3	<0.1	<0.05	5	0.8	<0.2
143494	Soil	17	33	0.52	260	0.058	1	1.81	0.012	0.06	0.2	0.03	4.1	0.1	<0.05	5	<0.5	<0.2
143495	Soil	16	33	0.50	345	0.042	<1	1.60	0.015	0.06	0.2	0.05	4.1	0.1	<0.05	5	0.8	<0.2
143496	Soil	14	36	0.41	194	0.067	1	2.05	0.011	0.08	0.1	0.03	3.6	0.1	<0.05	7	<0.5	<0.2
143497	Soil	19	34	0.43	210	0.067	<1	1.82	0.010	0.07	0.1	0.02	4.6	<0.1	<0.05	5	0.5	<0.2
143498	Soil	13	32	0.37	175	0.049	<1	1.71	0.010	0.06	0.1	0.03	2.5	<0.1	<0.05	6	0.6	<0.2
143499	Soil	16	22	0.33	111	0.074	2	1.20	0.011	0.10	0.1	0.03	2.2	0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: October 07, 2010

Page: 8 of 11 Part 1

CERTIFICATE OF ANALYSIS **WHI10000338.1**

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
143500	Soil	0.9	21.8	21.3	73	0.2	22.1	9.7	388	3.01	38.5	1.2	4.5	6.3	28	0.2	0.6	0.2	58	0.38	0.076
143551	Soil	0.9	17.6	16.2	61	0.1	22.7	9.6	299	3.02	17.6	0.7	3.1	6.0	20	<0.1	0.5	0.2	57	0.24	0.018
143552	Soil	0.7	26.4	16.4	75	<0.1	34.7	12.1	313	3.43	13.6	0.6	1.7	6.9	19	<0.1	0.4	0.1	52	0.19	0.029
143553	Soil	0.8	25.0	18.5	64	<0.1	25.3	9.8	255	2.95	19.6	1.1	4.2	6.9	21	<0.1	0.5	0.2	52	0.23	0.034
143554	Soil	1.0	17.9	22.5	66	<0.1	26.3	10.1	248	3.21	14.0	0.8	0.8	5.0	16	0.1	0.4	0.2	58	0.14	0.040
143555	Soil	1.7	32.6	33.4	93	0.3	27.8	11.3	331	2.92	33.9	3.1	9.4	7.0	45	0.3	0.7	0.3	53	0.49	0.087
143556	Soil	0.9	18.2	24.0	65	<0.1	17.9	8.8	255	2.25	28.5	1.4	7.6	9.4	27	0.2	0.6	0.2	45	0.36	0.045
143557	Soil	0.9	18.2	29.3	62	0.1	19.1	7.0	227	2.53	26.5	1.6	2.8	7.9	28	0.1	0.6	0.2	46	0.30	0.041
143558	Soil	1.1	30.5	30.7	71	0.4	26.1	7.4	283	2.73	41.1	2.5	10.0	6.8	44	0.2	0.6	0.3	54	0.51	0.038
143559	Soil	1.7	28.8	35.8	96	0.9	28.3	9.7	529	3.15	28.8	3.8	8.0	4.6	50	0.4	0.7	0.4	59	0.59	0.070
143601	Soil	1.0	33.5	17.4	42	0.1	21.2	10.0	872	2.74	15.1	1.7	2.3	5.0	48	0.1	0.6	0.2	49	0.65	0.026
143602	Soil	1.1	18.6	15.6	44	0.4	19.9	10.6	683	2.94	37.6	1.0	0.7	6.9	31	<0.1	1.0	0.2	53	0.35	0.022
143603	Soil	1.3	14.5	12.9	53	0.4	16.7	10.0	935	2.76	11.6	0.6	<0.5	4.0	29	0.2	0.6	0.2	56	0.37	0.026
143604	Soil	0.7	31.1	30.4	70	0.3	23.8	12.8	447	3.34	9.9	0.8	3.0	2.8	91	0.2	0.8	0.2	78	0.95	0.037
143605	Soil	0.8	13.3	8.9	42	0.1	18.1	9.4	363	2.60	6.0	0.4	<0.5	2.8	32	<0.1	0.5	0.1	62	0.33	0.015
143606	Soil	2.0	52.1	23.7	115	0.9	27.7	13.0	656	2.99	21.9	1.8	2.9	2.3	167	0.4	1.1	0.2	68	1.68	0.075
143607	Soil	3.0	47.8	37.8	142	1.7	41.5	12.3	694	3.32	53.0	1.2	1.5	4.9	50	0.5	1.7	0.2	66	0.57	0.041
143608	Soil	0.8	24.6	10.0	86	0.2	19.5	13.4	1010	3.60	4.9	0.7	0.6	3.0	41	0.2	0.4	0.1	81	0.48	0.040
143609	Soil	1.5	34.1	37.3	69	0.1	38.1	16.4	591	4.25	178.5	1.4	2.3	12.0	68	0.1	0.6	0.4	57	0.49	0.024
143610	Soil	1.5	55.5	25.6	96	0.2	50.2	19.4	545	4.38	118.8	1.6	3.4	18.6	32	0.1	0.7	0.2	57	0.37	0.051
143611	Soil	1.3	18.9	18.2	60	0.1	25.8	13.5	786	3.13	14.4	0.4	1.6	5.8	59	0.1	0.5	0.2	59	0.83	0.028
143612	Soil	1.0	28.8	21.7	68	0.2	30.2	14.9	748	3.81	29.7	0.5	4.5	6.7	56	0.1	0.6	0.2	67	0.79	0.032
143613	Soil	0.8	19.9	11.0	70	<0.1	21.4	11.9	945	2.64	15.4	1.0	4.6	3.1	71	0.3	0.5	0.1	53	0.73	0.071
143614	Soil	1.1	17.1	10.8	71	0.1	21.3	9.5	443	2.33	13.6	0.7	2.5	2.8	56	0.3	0.4	0.2	47	0.68	0.067
143615	Soil	0.5	22.7	12.2	60	<0.1	22.3	11.5	524	2.64	23.1	1.1	2.8	4.1	58	0.2	0.5	0.2	57	0.74	0.059
143616	Soil	0.5	26.8	13.8	66	<0.1	23.9	12.4	372	3.20	32.0	1.2	4.0	5.8	38	0.2	0.6	0.2	65	0.49	0.049
143617	Soil	0.8	31.9	8.8	68	0.1	28.5	11.2	431	2.68	10.8	0.5	2.8	3.9	46	0.2	0.7	0.1	61	1.14	0.083
143618	Soil	0.6	23.6	11.7	64	0.1	21.8	11.3	443	2.62	10.0	1.2	2.8	3.8	52	0.2	0.5	0.2	54	0.72	0.056
143619	Soil	0.9	26.7	12.5	77	0.1	26.1	14.4	508	3.02	30.9	0.9	4.9	4.3	42	0.4	0.7	0.2	58	0.54	0.072
143620	Soil	0.6	28.0	25.5	66	0.1	30.4	10.1	284	2.95	99.6	0.8	8.8	5.2	36	0.2	0.5	0.2	56	0.32	0.041

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: October 07, 2010

Page: 8 of 11 Part 2

CERTIFICATE OF ANALYSIS

WHI10000338.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
143500	Soil	21	33	0.77	314	0.089	2	1.79	0.015	0.17	0.1	0.03	3.4	0.1	0.09	5	<0.5	<0.2
143551	Soil	14	37	0.63	155	0.092	2	1.81	0.010	0.14	0.1	0.02	2.5	0.2	0.08	6	<0.5	<0.2
143552	Soil	15	46	0.90	141	0.132	2	2.15	0.008	0.29	0.2	0.02	2.3	0.3	0.05	6	<0.5	<0.2
143553	Soil	25	38	0.63	164	0.085	1	1.80	0.009	0.14	0.1	0.03	3.2	0.2	0.06	6	<0.5	<0.2
143554	Soil	14	44	0.72	106	0.116	1	2.06	0.007	0.19	0.1	0.01	2.1	0.2	0.07	7	<0.5	<0.2
143555	Soil	31	35	0.54	254	0.058	2	1.91	0.013	0.09	0.1	0.04	4.0	0.1	0.09	6	0.7	<0.2
143556	Soil	27	28	0.43	190	0.065	2	1.35	0.013	0.08	0.1	0.02	2.8	<0.1	<0.05	5	<0.5	<0.2
143557	Soil	23	31	0.50	198	0.071	2	1.52	0.012	0.14	0.1	0.02	2.8	0.1	<0.05	5	<0.5	<0.2
143558	Soil	30	33	0.57	204	0.057	2	1.83	0.010	0.10	0.2	0.03	3.2	0.1	0.09	6	0.7	<0.2
143559	Soil	44	40	0.60	313	0.039	2	2.38	0.014	0.10	0.2	0.07	4.9	0.1	0.09	8	0.7	<0.2
143601	Soil	19	25	0.31	736	0.036	3	1.64	0.023	0.09	<0.1	0.02	5.1	<0.1	<0.05	5	<0.5	<0.2
143602	Soil	21	29	0.40	470	0.052	1	1.66	0.017	0.14	0.2	0.03	3.8	<0.1	0.05	5	<0.5	<0.2
143603	Soil	14	26	0.35	543	0.041	2	1.53	0.013	0.12	0.1	0.02	3.1	<0.1	<0.05	5	<0.5	<0.2
143604	Soil	11	45	1.01	491	0.084	3	1.88	0.026	0.15	0.1	0.03	6.8	<0.1	0.06	6	<0.5	<0.2
143605	Soil	9	33	0.46	515	0.077	2	1.62	0.021	0.10	<0.1	0.01	3.7	<0.1	<0.05	5	<0.5	<0.2
143606	Soil	17	37	0.97	547	0.042	3	1.40	0.021	0.12	0.2	0.06	5.8	<0.1	0.16	6	1.4	<0.2
143607	Soil	25	32	0.50	903	0.031	2	1.64	0.014	0.19	0.1	0.05	6.2	<0.1	0.06	5	0.8	<0.2
143608	Soil	18	49	1.28	373	0.128	2	2.22	0.018	0.25	0.1	0.03	5.2	<0.1	0.06	8	<0.5	<0.2
143609	Soil	26	53	0.84	197	0.112	3	2.17	0.019	0.55	0.1	0.02	5.3	0.3	<0.05	6	0.5	<0.2
143610	Soil	48	49	0.96	140	0.093	2	2.21	0.010	0.51	<0.1	0.02	5.0	0.3	<0.05	7	<0.5	<0.2
143611	Soil	15	41	0.54	297	0.079	3	1.86	0.015	0.27	0.1	0.01	5.4	0.1	<0.05	6	<0.5	<0.2
143612	Soil	22	37	0.57	468	0.050	2	1.95	0.014	0.23	<0.1	0.02	7.9	<0.1	0.06	6	<0.5	<0.2
143613	Soil	14	31	0.57	261	0.065	2	1.34	0.023	0.07	0.2	0.04	3.9	<0.1	0.06	5	<0.5	<0.2
143614	Soil	18	33	0.51	247	0.062	2	1.53	0.019	0.11	0.1	0.05	3.3	<0.1	0.08	5	<0.5	<0.2
143615	Soil	16	34	0.53	292	0.076	2	1.83	0.018	0.06	0.1	0.04	4.1	<0.1	0.06	6	0.7	<0.2
143616	Soil	20	37	0.54	277	0.085	2	1.95	0.016	0.07	0.2	0.04	4.7	<0.1	<0.05	6	0.7	<0.2
143617	Soil	13	29	0.75	297	0.084	3	1.30	0.036	0.08	0.2	0.03	3.9	<0.1	<0.05	4	<0.5	<0.2
143618	Soil	15	31	0.51	315	0.075	2	1.69	0.019	0.05	0.2	0.05	4.0	<0.1	0.07	5	<0.5	<0.2
143619	Soil	17	33	0.56	295	0.081	2	1.68	0.021	0.08	0.1	0.04	4.1	<0.1	0.08	5	<0.5	<0.2
143620	Soil	24	45	0.62	179	0.084	2	1.86	0.013	0.15	0.1	0.03	3.8	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: October 07, 2010

Page: 9 of 11 **Part** 1

CERTIFICATE OF ANALYSIS

WHI10000338.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
143621	Soil	0.8	25.4	14.2	59	<0.1	28.8	10.6	329	3.12	51.2	0.7	12.1	3.5	27	<0.1	0.5	0.2	66	0.27	0.053
143622	Soil	1.7	45.5	36.3	92	0.2	39.5	12.6	351	3.86	551.5	0.8	25.6	6.7	33	0.4	0.9	0.2	67	0.11	0.038
143623	Soil	1.5	28.9	22.0	65	0.3	31.2	14.9	584	2.93	8.1	1.7	1.7	5.8	34	<0.1	0.4	0.3	50	0.42	0.064
143624	Soil	1.7	42.0	18.3	80	0.1	31.6	18.5	560	3.40	35.1	1.8	2.3	6.2	24	0.1	0.7	0.2	69	0.15	0.049
143625	Soil	2.0	27.7	17.7	83	0.3	22.7	15.0	718	3.67	12.4	1.0	1.5	3.4	24	0.2	0.5	0.3	89	0.15	0.055
143626	Soil	1.5	23.0	15.5	65	0.3	27.3	9.9	373	3.43	32.1	0.7	2.8	4.3	17	0.1	0.6	0.2	89	0.15	0.037
143627	Soil	1.1	17.5	14.2	52	0.2	20.0	9.9	330	2.81	10.3	0.6	3.3	4.9	12	0.1	0.6	0.2	69	0.10	0.022
143628	Soil	1.1	22.7	17.4	66	0.4	27.4	8.3	302	2.65	53.8	0.8	6.6	4.3	19	0.1	0.6	0.2	57	0.20	0.045
143629	Soil	1.3	34.6	19.6	55	0.2	22.5	13.2	666	2.63	28.4	1.6	5.1	5.1	24	0.1	0.5	0.2	61	0.27	0.052
143630	Soil	1.2	17.2	13.6	47	0.4	20.1	10.3	401	2.63	12.5	0.6	3.2	3.1	18	0.2	0.6	0.2	71	0.16	0.038
143631	Soil	0.8	19.5	17.3	53	<0.1	20.1	8.8	323	2.60	10.9	0.6	3.6	6.9	21	<0.1	0.5	0.2	52	0.20	0.016
143632	Soil	1.5	33.4	21.9	82	0.1	24.7	6.1	210	2.38	135.2	1.2	2.9	5.3	26	0.2	0.8	0.2	63	0.22	0.039
143633	Soil	0.9	18.4	10.9	51	<0.1	24.3	12.6	473	3.10	9.9	0.7	1.1	4.9	21	0.1	0.4	0.2	63	0.22	0.064
143634	Soil	1.6	24.0	17.6	54	0.1	24.4	8.0	203	2.15	12.0	1.2	1.0	3.1	23	0.2	0.3	0.2	45	0.32	0.036
143635	Soil	1.1	15.0	14.3	45	<0.1	15.8	5.6	161	2.22	31.9	0.6	1.8	3.5	12	0.1	0.5	0.2	59	0.11	0.027
143636	Soil	1.5	34.3	23.7	74	0.2	41.0	13.3	593	3.47	35.3	1.0	1.0	4.5	61	0.1	0.6	0.2	63	0.24	0.056
143637	Soil	1.5	35.5	42.9	93	0.1	46.4	15.6	687	3.85	62.2	1.4	2.5	7.6	56	0.1	0.6	0.2	63	0.35	0.053
143638	Soil	1.1	12.6	14.2	83	<0.1	14.9	9.1	1040	2.65	9.3	0.4	3.5	1.8	54	0.4	0.5	0.2	76	0.26	0.048
143639	Soil	1.3	12.8	13.8	54	<0.1	18.1	6.6	208	3.14	17.4	0.4	9.4	3.0	31	0.1	0.6	0.2	73	0.13	0.034
143641	Soil	0.9	11.5	12.2	39	<0.1	10.6	6.6	322	2.04	6.3	0.5	2.8	2.3	53	0.1	0.3	0.2	56	0.31	0.025
143642	Soil	0.7	12.2	39.1	44	<0.1	11.7	5.2	192	1.89	4.5	1.1	8.4	2.3	74	0.1	0.4	0.2	56	0.33	0.019
143643	Soil	0.9	18.8	13.5	48	<0.1	15.2	6.4	330	2.28	7.8	0.9	4.0	2.0	58	0.2	0.5	0.2	65	0.36	0.040
143644	Soil	1.0	22.4	13.4	54	0.2	19.0	9.9	569	2.57	7.5	1.0	2.5	2.4	72	0.2	0.4	0.2	65	0.37	0.037
143645	Soil	2.0	27.8	16.1	42	0.2	21.4	6.6	303	2.00	60.0	0.9	2.3	0.4	16	0.2	0.8	0.3	49	0.16	0.055
143646	Soil	0.3	19.2	3.3	70	<0.1	28.5	21.4	818	4.91	4.0	0.3	<0.5	2.8	9	<0.1	0.2	<0.1	129	0.11	0.016
143647	Soil	1.0	23.3	9.4	60	<0.1	21.2	12.7	376	4.17	12.2	0.5	0.6	3.1	12	0.1	0.5	0.1	79	0.14	0.026
143648	Soil	0.7	11.5	14.7	41	<0.1	14.9	5.6	133	2.94	34.0	0.7	1.9	1.4	14	<0.1	0.6	0.3	73	0.12	0.035
143649	Soil	1.4	24.0	17.3	61	0.1	28.3	13.1	280	3.50	40.0	1.2	5.4	6.1	13	<0.1	0.7	0.3	71	0.12	0.029
143650	Soil	0.9	24.0	12.2	54	<0.1	22.2	8.5	236	2.52	23.6	0.9	2.7	5.3	18	<0.1	0.6	0.2	55	0.23	0.027
143651	Soil	0.5	28.0	11.2	57	0.1	28.3	10.3	455	2.44	9.9	0.6	1.8	1.5	56	0.3	0.6	0.2	57	1.48	0.074

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: October 07, 2010

Page: 9 of 11 Part 2

CERTIFICATE OF ANALYSIS

WHI10000338.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
143621	Soil	17	41	0.60	227	0.087	2	1.93	0.013	0.09	0.2	0.03	4.0	0.1	<0.05	6	<0.5	<0.2
143622	Soil	17	41	0.51	197	0.085	<1	2.13	0.008	0.14	0.1	0.01	3.6	0.1	<0.05	7	0.7	<0.2
143623	Soil	30	42	0.70	263	0.097	1	1.76	0.013	0.13	0.1	0.05	3.6	0.2	<0.05	5	0.6	<0.2
143624	Soil	25	42	0.70	264	0.092	<1	1.68	0.011	0.37	<0.1	0.02	4.1	0.3	0.06	6	0.7	<0.2
143625	Soil	12	55	0.87	178	0.144	1	2.26	0.012	0.13	<0.1	0.02	3.0	0.2	0.08	9	<0.5	<0.2
143626	Soil	12	59	0.68	204	0.076	1	2.19	0.013	0.06	0.1	0.02	4.1	0.1	<0.05	8	<0.5	<0.2
143627	Soil	10	35	0.45	161	0.074	1	2.00	0.010	0.05	0.2	0.03	2.6	<0.1	<0.05	7	<0.5	<0.2
143628	Soil	17	38	0.52	191	0.068	1	1.39	0.013	0.07	0.2	0.02	2.8	<0.1	<0.05	4	<0.5	<0.2
143629	Soil	17	35	0.55	321	0.075	1	1.55	0.010	0.07	0.2	0.02	3.5	<0.1	<0.05	5	0.5	<0.2
143630	Soil	9	34	0.38	218	0.070	<1	1.76	0.015	0.06	0.1	0.02	2.6	<0.1	<0.05	6	0.6	<0.2
143631	Soil	15	38	0.57	186	0.096	<1	1.74	0.009	0.15	0.1	<0.01	2.6	0.2	<0.05	5	<0.5	<0.2
143632	Soil	16	36	0.49	201	0.067	<1	1.39	0.008	0.05	0.1	0.01	3.0	<0.1	<0.05	5	0.6	<0.2
143633	Soil	14	36	0.63	210	0.110	<1	1.69	0.012	0.26	0.2	0.01	3.0	0.2	<0.05	6	<0.5	<0.2
143634	Soil	16	43	0.50	123	0.085	<1	1.13	0.011	0.12	0.1	0.03	2.0	0.2	<0.05	5	<0.5	<0.2
143635	Soil	10	24	0.33	101	0.089	1	1.01	0.008	0.10	0.1	0.02	1.5	0.2	<0.05	6	<0.5	<0.2
143636	Soil	18	58	0.76	109	0.107	<1	1.57	0.012	0.20	0.2	0.05	2.2	0.2	0.07	7	<0.5	<0.2
143637	Soil	30	59	1.03	178	0.117	<1	2.02	0.015	0.29	0.3	0.05	3.4	0.3	0.06	8	0.6	<0.2
143638	Soil	8	23	0.26	452	0.069	<1	1.43	0.014	0.04	0.1	0.03	2.1	<0.1	<0.05	7	<0.5	<0.2
143639	Soil	11	28	0.38	129	0.076	<1	1.51	0.009	0.05	0.4	0.03	2.2	<0.1	<0.05	7	0.5	<0.2
143641	Soil	9	23	0.33	257	0.072	<1	1.23	0.016	0.05	0.2	<0.01	2.3	<0.1	<0.05	5	<0.5	<0.2
143642	Soil	11	23	0.35	299	0.083	<1	1.35	0.014	0.07	0.1	0.01	2.7	<0.1	<0.05	5	<0.5	<0.2
143643	Soil	12	28	0.39	320	0.062	1	1.64	0.012	0.07	0.2	0.03	3.4	<0.1	<0.05	6	0.5	<0.2
143644	Soil	16	31	0.47	513	0.076	<1	1.87	0.017	0.08	0.2	0.02	3.9	<0.1	<0.05	6	<0.5	<0.2
143645	Soil	11	37	0.31	137	0.056	<1	1.14	0.013	0.11	0.1	0.02	2.1	0.1	<0.05	6	0.5	<0.2
143646	Soil	8	66	1.61	259	0.302	<1	2.97	0.007	1.21	0.1	<0.01	6.5	0.3	<0.05	10	<0.5	<0.2
143647	Soil	9	47	0.94	138	0.141	<1	2.63	0.009	0.27	0.1	0.02	3.3	0.2	<0.05	7	<0.5	<0.2
143648	Soil	13	33	0.38	122	0.066	<1	1.64	0.010	0.04	<0.1	0.04	2.3	0.1	<0.05	7	0.6	<0.2
143649	Soil	17	45	0.45	215	0.066	2	2.75	0.010	0.06	0.2	0.05	5.5	0.1	<0.05	6	0.7	<0.2
143650	Soil	20	31	0.51	205	0.074	<1	1.61	0.014	0.06	0.1	0.02	4.4	<0.1	0.06	5	<0.5	<0.2
143651	Soil	14	31	0.71	263	0.055	2	1.60	0.023	0.04	0.2	0.05	3.6	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: October 07, 2010

Page: 10 of 11 Part 1

CERTIFICATE OF ANALYSIS

WHI10000338.1

Method Analyte Unit MDL	1DX15																				
	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
143652	Soil	0.7	20.0	9.6	44	<0.1	16.1	11.0	280	3.43	8.0	0.7	3.4	3.7	17	<0.1	0.4	0.1	72	0.16	0.029
143653	Soil	1.0	62.5	36.6	88	0.2	21.1	12.1	604	3.47	8.4	1.7	6.3	2.0	29	0.2	0.5	0.6	55	0.31	0.063
143654	Soil	0.8	36.3	15.9	66	0.1	33.8	14.5	246	3.29	13.0	0.6	6.3	5.3	36	0.2	0.9	0.2	60	0.62	0.046
143655	Soil	0.8	36.4	12.9	50	0.2	29.5	13.4	655	2.43	19.7	1.4	5.8	2.0	43	0.3	0.7	0.2	56	0.66	0.064
143656	Soil	1.2	40.6	15.8	60	0.1	32.2	12.6	253	3.11	40.8	2.1	3.9	7.7	23	0.1	1.1	0.4	63	0.33	0.038
143657	Soil	1.5	35.4	15.3	63	0.7	19.9	10.5	484	2.51	33.7	0.9	3.3	0.8	23	0.2	0.6	0.4	57	0.21	0.053
143658	Soil	1.2	15.4	12.6	45	0.1	13.0	4.2	138	2.13	19.2	0.6	3.4	0.5	14	0.2	0.5	0.3	65	0.13	0.040
143659	Soil	1.1	18.3	13.3	117	<0.1	34.9	10.8	260	3.23	28.1	0.7	2.5	3.5	12	0.6	0.6	0.2	73	0.11	0.023
143660	Soil	0.8	23.8	11.1	60	<0.1	23.5	10.7	269	2.85	37.4	1.0	3.9	5.3	16	0.1	0.7	0.3	54	0.16	0.023
143661	Soil	1.1	27.4	17.0	58	<0.1	30.8	10.6	273	3.04	18.6	1.1	3.5	5.0	20	0.1	0.6	0.2	62	0.21	0.033
143662	Soil	0.8	19.5	15.4	52	<0.1	21.3	9.4	245	2.65	11.5	0.7	2.7	6.1	16	<0.1	0.5	0.2	55	0.16	0.023
143663	Soil	1.1	26.7	24.5	62	0.2	25.7	10.3	286	2.69	34.2	1.3	2.9	5.8	19	0.1	0.6	0.2	50	0.19	0.044
143664	Soil	0.9	25.2	20.1	82	0.3	30.1	13.1	410	3.42	24.4	1.2	1.6	4.9	34	0.1	0.5	0.2	62	0.34	0.063
143665	Soil	1.0	19.8	36.8	80	<0.1	24.8	9.3	287	3.51	27.2	0.9	1.3	6.4	13	<0.1	0.5	0.3	67	0.12	0.034
143666	Soil	1.1	27.8	23.6	63	0.2	22.9	11.4	414	2.77	27.7	1.4	6.6	4.0	46	0.3	0.5	0.2	55	0.44	0.067
143667	Soil	1.0	26.6	25.5	78	0.1	25.7	10.5	328	2.93	26.5	1.8	3.6	7.0	50	0.2	0.8	0.2	63	0.53	0.057
143668	Soil	1.2	23.7	21.4	52	0.4	18.1	8.4	285	2.34	15.7	1.0	3.5	3.1	22	0.5	0.4	0.2	55	0.18	0.067
143701	Soil	0.8	21.8	10.5	53	<0.1	20.0	8.8	313	2.39	16.9	2.1	1.5	5.5	28	<0.1	0.5	0.2	57	0.34	0.041
143702	Soil	0.7	32.4	11.7	60	<0.1	30.1	12.4	350	3.24	11.3	1.1	10.4	5.3	27	<0.1	0.6	0.2	75	0.38	0.033
143703	Soil	0.7	22.4	13.9	55	<0.1	20.9	11.7	362	3.04	8.9	0.9	8.9	4.8	24	<0.1	0.5	0.2	65	0.27	0.042
143704	Soil	0.6	31.4	29.3	70	0.3	29.4	13.1	1039	3.30	10.8	1.0	3.0	2.4	57	0.5	0.6	0.5	67	1.17	0.080
143705	Soil	0.5	29.9	19.6	55	0.2	28.7	12.7	579	2.75	15.2	0.7	4.6	2.6	50	0.4	0.7	0.4	54	1.98	0.070
143706	Soil	1.2	34.4	17.3	91	0.2	34.0	16.9	724	3.37	80.1	1.7	5.2	8.7	42	0.2	0.8	0.3	61	0.75	0.087
143707	Soil	1.2	28.7	18.1	93	0.3	33.9	11.7	421	3.22	89.4	1.3	7.2	5.4	28	0.3	0.7	0.2	65	0.41	0.096
143708	Soil	1.0	20.3	22.8	80	0.2	26.9	14.6	625	2.93	58.1	1.8	4.9	6.8	36	0.1	0.6	0.3	53	0.43	0.069
143709	Soil	0.7	17.7	21.1	89	<0.1	27.3	15.0	502	3.38	29.5	1.1	3.4	9.0	39	0.1	0.4	0.2	64	0.42	0.077
143710	Soil	1.0	26.0	33.4	98	0.3	32.5	16.4	559	3.61	41.7	2.2	3.7	9.0	46	0.1	0.6	0.3	60	0.64	0.071
143711	Soil	0.9	26.6	23.4	65	<0.1	23.6	9.1	276	3.07	18.0	1.4	1.9	5.1	20	0.1	0.4	0.2	58	0.16	0.051
143712	Soil	0.8	18.0	31.9	40	0.2	8.9	3.5	109	1.72	3.3	0.8	1.5	0.8	19	0.2	0.4	0.3	61	0.13	0.037
143713	Soil	1.5	27.4	16.0	94	0.2	26.8	10.4	281	2.93	27.4	4.4	1.9	6.5	47	0.3	0.7	0.2	64	0.50	0.088

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: October 07, 2010

Page: 10 of 11 Part 2

CERTIFICATE OF ANALYSIS

WHI10000338.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
143652	Soil	16	33	0.58	189	0.046	1	2.34	0.010	0.07	<0.1	0.02	4.5	0.1	<0.05	6	<0.5	<0.2
143653	Soil	19	36	0.51	516	0.027	1	1.93	0.012	0.11	0.1	0.03	5.7	0.1	<0.05	6	0.7	<0.2
143654	Soil	17	38	0.59	339	0.058	1	2.04	0.014	0.08	0.1	0.07	7.2	0.1	<0.05	5	<0.5	<0.2
143655	Soil	15	32	0.44	335	0.043	1	1.56	0.015	0.05	0.2	0.05	4.2	<0.1	<0.05	5	0.5	<0.2
143656	Soil	24	37	0.48	314	0.053	1	1.87	0.012	0.06	0.1	0.03	5.2	0.1	<0.05	5	0.6	<0.2
143657	Soil	8	26	0.24	204	0.046	<1	1.66	0.016	0.07	0.1	0.03	2.6	<0.1	<0.05	6	0.5	<0.2
143658	Soil	12	25	0.31	120	0.062	1	1.40	0.008	0.05	<0.1	0.02	2.1	<0.1	<0.05	7	<0.5	<0.2
143659	Soil	10	35	0.54	132	0.076	<1	2.28	0.007	0.04	0.2	0.02	4.0	0.1	<0.05	7	<0.5	<0.2
143660	Soil	21	32	0.45	175	0.057	1	1.53	0.013	0.07	0.1	0.02	3.7	<0.1	<0.05	5	<0.5	<0.2
143661	Soil	19	45	0.63	163	0.095	1	1.92	0.011	0.09	0.1	0.02	3.2	0.1	<0.05	6	<0.5	<0.2
143662	Soil	18	32	0.51	143	0.097	1	1.79	0.010	0.08	0.2	0.02	2.9	0.2	<0.05	6	<0.5	<0.2
143663	Soil	29	35	0.56	158	0.081	<1	1.82	0.011	0.14	0.1	0.03	2.9	0.2	<0.05	6	0.5	<0.2
143664	Soil	29	41	0.73	170	0.065	<1	2.16	0.015	0.15	0.1	0.04	3.9	0.2	<0.05	7	<0.5	<0.2
143665	Soil	16	40	0.67	79	0.099	1	2.08	0.009	0.12	0.2	0.02	2.8	0.2	<0.05	8	<0.5	<0.2
143666	Soil	18	32	0.45	269	0.060	<1	1.83	0.019	0.09	0.3	0.05	3.6	<0.1	<0.05	6	<0.5	<0.2
143667	Soil	22	38	0.58	293	0.090	2	1.92	0.026	0.09	0.2	0.04	4.6	0.1	<0.05	6	<0.5	<0.2
143668	Soil	16	28	0.34	247	0.054	<1	1.74	0.017	0.06	0.1	0.02	3.0	0.1	<0.05	7	<0.5	<0.2
143701	Soil	21	32	0.52	294	0.077	2	1.62	0.023	0.06	0.1	0.02	4.4	<0.1	<0.05	5	<0.5	<0.2
143702	Soil	17	44	0.61	350	0.055	3	2.45	0.021	0.06	0.1	0.04	6.5	0.1	<0.05	6	<0.5	<0.2
143703	Soil	16	38	0.62	204	0.065	2	2.15	0.013	0.06	0.1	0.03	5.1	0.1	<0.05	6	<0.5	<0.2
143704	Soil	16	33	0.48	407	0.031	2	2.25	0.025	0.06	0.1	0.06	6.2	0.1	<0.05	6	0.6	<0.2
143705	Soil	18	32	0.58	283	0.034	2	1.69	0.025	0.06	0.1	0.07	4.6	<0.1	0.08	5	0.6	<0.2
143706	Soil	30	76	0.87	255	0.069	2	1.89	0.016	0.16	0.2	0.03	4.4	0.2	<0.05	7	0.7	<0.2
143707	Soil	21	79	0.90	234	0.083	2	2.01	0.014	0.21	0.1	0.03	3.9	0.2	<0.05	7	<0.5	<0.2
143708	Soil	28	49	0.65	210	0.072	2	1.87	0.018	0.12	0.2	0.05	3.9	0.1	0.06	6	<0.5	<0.2
143709	Soil	22	42	0.78	123	0.139	1	1.80	0.021	0.27	0.2	0.02	3.0	0.3	<0.05	6	<0.5	<0.2
143710	Soil	36	46	0.76	196	0.097	2	2.27	0.017	0.21	0.2	0.05	4.7	0.2	0.05	7	0.5	<0.2
143711	Soil	24	37	0.55	137	0.084	2	1.91	0.013	0.17	0.2	0.04	2.8	0.2	<0.05	7	<0.5	<0.2
143712	Soil	10	20	0.14	65	0.072	<1	1.09	0.012	0.06	<0.1	0.03	1.3	0.1	<0.05	8	<0.5	<0.2
143713	Soil	22	37	0.59	250	0.077	2	1.89	0.022	0.08	0.1	0.03	3.7	0.1	<0.05	6	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**

Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile

Report Date: October 07, 2010

Page: 11 of 11 Part 1

CERTIFICATE OF ANALYSIS

WHI10000338.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
143714	Soil	1.4	30.4	15.8	94	0.2	29.1	8.4	234	2.94	25.3	4.2	6.2	7.4	42	0.2	0.7	0.2	65	0.44	0.072
143715	Soil	2.1	28.2	20.5	107	0.1	28.8	8.8	285	3.44	47.2	1.0	2.2	6.8	20	0.3	0.8	0.2	80	0.19	0.077

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: October 07, 2010

Page: 11 of 11 Part 2


CERTIFICATE OF ANALYSIS

WHI10000338.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
143714	Soil	24	41	0.63	277	0.087	2	2.13	0.024	0.09	0.2	0.03	4.1	0.1	<0.05	6	0.6	<0.2
143715	Soil	20	43	0.63	167	0.077	1	2.10	0.012	0.10	0.1	0.01	3.1	0.2	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.







1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Solomon Resources Ltd

Unit 3 - 2860 Smith Drive
Armstrong BC V0E 1B1 Canada

Submitted By: Steve Potts

Receiving Lab: Canada-Whitehorse

Received: September 22, 2010

Report Date: October 12, 2010

Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI10000505.1

CLIENT JOB INFORMATION

Project: Ten Mile
Shipment ID: TM-Batch 14
P.O. Number: NA-10-410
Number of Samples: 80

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	78	Crush, split and pulverize 250 g rock to 200 mesh			WHI
1DX2	80	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Solomon Resources Ltd
Unit 3 - 2860 Smith Drive
Armstrong BC V0E 1B1
Canada

CC: Randy Rogers



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: October 12, 2010

Page: 2 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI10000505.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
143909	Rock	3.14	1.5	10.8	3.4	14	0.2	4.0	11.3	980	2.71	72.0	0.7	81.7	4.9	436	0.1	0.7	0.1	12	3.27
143910	Rock	2.80	1.7	18.9	3.6	17	0.2	3.8	12.7	1032	2.77	64.2	0.3	82.7	5.2	394	<0.1	0.6	<0.1	14	3.00
143911	Rock	2.81	1.6	35.8	5.5	12	0.3	3.1	10.6	1241	3.03	142.5	0.3	184.5	4.9	439	0.1	0.6	0.1	8	3.49
143912	Rock	3.01	1.1	23.1	5.0	24	0.2	2.4	11.3	1146	4.13	370.8	0.8	205.7	5.6	413	<0.1	0.7	0.1	12	2.83
143913	Rock	2.95	1.3	15.7	3.7	29	0.2	3.3	14.6	1027	4.04	121.8	0.8	74.8	6.0	458	0.1	0.6	0.1	14	2.86
143914	Rock	2.43	1.1	6.5	6.4	11	0.4	4.5	10.6	1004	3.27	1584	0.5	475.6	7.3	512	<0.1	1.0	0.1	8	3.38
143915	Rock	2.55	0.5	19.0	2.7	27	0.2	2.4	14.9	1003	4.44	178.5	0.7	66.2	5.4	281	<0.1	0.6	<0.1	16	2.24
143916	Rock	2.99	0.6	16.6	5.1	24	0.3	3.3	14.5	1126	4.36	193.5	0.4	136.9	3.5	440	<0.1	0.8	0.2	14	3.20
143917	Rock	2.52	0.4	14.8	8.7	14	0.3	4.4	14.4	1815	3.51	139.9	0.5	246.0	3.6	405	0.1	0.7	0.1	14	4.24
143918	Rock	3.03	1.5	22.1	8.7	15	0.4	4.9	15.1	1463	3.24	136.7	0.8	249.7	4.1	392	0.1	0.7	0.1	15	3.80
143919	Rock	2.88	0.4	31.0	4.3	17	0.3	4.1	11.4	1195	2.85	74.5	0.7	79.5	5.1	383	0.2	0.6	0.1	19	3.88
143920	Rock	3.62	0.1	28.0	5.9	26	0.3	4.9	13.6	1149	3.34	374.1	1.1	187.5	4.5	394	0.1	0.7	0.1	19	3.56
143921	Rock	2.93	0.3	96.8	4.2	29	0.5	5.4	13.1	1147	3.23	1758	1.3	231.8	6.6	352	0.1	1.1	0.2	20	3.40
143922	Rock	3.09	0.2	16.2	4.6	11	0.3	3.9	10.8	1036	2.77	170.8	0.4	198.4	4.3	344	<0.1	0.7	0.1	13	3.33
143923	Rock	2.87	0.9	20.4	7.4	11	0.5	4.7	12.7	1242	3.37	186.2	2.3	162.3	4.7	344	0.1	1.0	0.2	15	4.02
143924	Rock	2.98	0.4	28.8	7.7	12	0.6	5.3	13.9	1340	3.38	172.2	0.6	188.1	4.3	350	<0.1	0.8	0.2	16	3.82
143925	Rock	2.81	15.2	17.2	142.9	62	0.9	8.2	8.3	1618	3.44	86.2	1.6	25.5	3.5	727	0.5	0.7	0.3	18	4.92
143926	Rock	2.40	1.5	11.8	49.1	51	0.3	4.1	2.6	958	2.00	31.9	1.1	26.1	3.5	396	0.4	0.3	<0.1	9	2.76
143927	Rock	2.86	0.1	1.4	41.3	16	0.2	2.2	2.1	402	0.91	21.5	1.3	16.3	4.0	153	0.2	0.2	<0.1	3	0.97
143928	Rock	2.46	<0.1	2.9	30.3	30	0.2	1.4	1.3	275	0.69	15.9	0.6	40.5	2.8	132	0.3	0.4	<0.1	<2	0.80
143929	Rock	2.64	<0.1	1.5	33.1	8	0.2	1.5	1.1	282	0.77	17.7	0.4	17.4	3.3	126	<0.1	0.2	0.1	2	0.64
143930	Rock	2.66	<0.1	2.6	50.0	14	0.3	1.3	1.1	209	0.71	23.3	0.6	24.4	3.0	82	0.2	0.3	0.2	<2	0.43
143931	Rock	1.85	<0.1	1.8	92.0	4	0.3	1.3	1.2	222	0.77	25.5	0.6	30.5	3.1	93	<0.1	0.3	0.1	<2	0.48
143932	Rock	2.15	<0.1	2.1	101.9	49	0.2	1.5	1.2	265	0.84	25.1	0.5	20.2	3.3	105	0.6	0.3	0.1	<2	0.52
143933	Rock	2.69	0.2	2.4	93.5	11	0.4	2.3	1.9	288	1.09	42.2	0.9	44.1	3.7	118	<0.1	0.6	0.3	2	0.67
143934	Rock	2.78	0.1	2.6	75.7	19	0.3	1.4	1.5	292	1.00	33.0	0.4	36.7	3.1	122	0.2	0.4	0.3	<2	0.66
143935	Rock	2.40	<0.1	5.6	77.4	26	0.5	2.3	2.2	276	1.14	47.0	0.5	60.6	3.0	122	0.2	0.7	0.5	<2	0.69
143936	Rock	2.22	0.6	6.1	330.0	84	0.6	12.4	6.4	642	1.65	104.9	1.4	51.3	4.6	147	0.7	1.7	0.3	4	1.26
143937	Rock	2.60	0.7	3.8	320.4	132	0.5	13.9	6.9	874	1.72	96.5	1.0	42.0	4.7	182	1.3	1.1	0.2	5	1.69
143938	Rock	2.55	0.1	4.1	14.1	9	0.4	3.2	2.3	411	1.40	88.1	0.5	97.2	2.6	86	<0.1	1.0	<0.1	<2	0.88

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: October 12, 2010

Page: 2 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI10000505.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
143909	Rock	0.037	10	3	1.20	128	0.001	6	0.54	0.029	0.39	0.1	<0.01	4.8	0.1	0.74	1	<0.5	<0.2
143910	Rock	0.040	12	3	1.19	48	0.002	6	0.64	0.035	0.42	0.1	<0.01	5.1	0.1	0.44	1	<0.5	<0.2
143911	Rock	0.048	10	2	1.25	129	0.001	6	0.39	0.024	0.30	0.2	<0.01	5.6	<0.1	0.98	1	<0.5	<0.2
143912	Rock	0.075	11	1	1.40	98	0.002	6	0.55	0.048	0.33	0.1	<0.01	6.8	0.1	1.06	2	<0.5	<0.2
143913	Rock	0.067	14	2	1.37	110	0.002	7	0.66	0.051	0.37	0.1	<0.01	7.5	0.1	0.72	2	<0.5	<0.2
143914	Rock	0.044	12	3	1.18	89	0.001	6	0.36	0.042	0.27	0.2	<0.01	5.9	<0.1	1.16	1	<0.5	<0.2
143915	Rock	0.077	11	1	1.09	74	0.002	6	0.62	0.063	0.33	0.3	<0.01	7.4	0.1	0.87	2	<0.5	<0.2
143916	Rock	0.070	8	2	1.43	90	0.002	7	0.61	0.038	0.38	0.2	<0.01	6.9	0.1	1.07	2	<0.5	<0.2
143917	Rock	0.069	6	2	1.51	69	0.002	8	0.61	0.037	0.39	0.2	<0.01	6.8	<0.1	1.46	2	<0.5	<0.2
143918	Rock	0.050	7	3	1.36	97	0.002	7	0.68	0.037	0.43	0.2	<0.01	6.4	0.1	1.45	2	<0.5	<0.2
143919	Rock	0.038	9	4	1.32	121	0.002	8	0.66	0.058	0.47	0.1	<0.01	5.8	0.1	0.60	2	<0.5	<0.2
143920	Rock	0.041	8	5	1.45	50	0.003	6	0.68	0.047	0.43	0.1	<0.01	6.2	0.1	0.78	2	<0.5	<0.2
143921	Rock	0.043	10	5	1.34	114	0.002	8	0.66	0.061	0.44	0.1	<0.01	5.8	0.2	0.83	2	<0.5	<0.2
143922	Rock	0.037	7	3	1.13	136	0.002	6	0.65	0.030	0.38	<0.1	<0.01	4.7	0.2	0.88	2	<0.5	<0.2
143923	Rock	0.042	7	4	1.25	110	0.002	6	0.63	0.034	0.42	0.1	<0.01	5.5	0.2	1.38	2	<0.5	<0.2
143924	Rock	0.044	7	4	1.23	88	0.003	7	0.61	0.039	0.42	0.2	<0.01	5.8	0.2	1.52	2	<0.5	<0.2
143925	Rock	0.041	7	3	1.43	84	0.001	6	0.37	0.014	0.27	0.2	<0.01	4.8	<0.1	0.63	2	<0.5	<0.2
143926	Rock	0.020	6	2	0.88	381	<0.001	3	0.21	0.034	0.14	<0.1	<0.01	1.4	<0.1	0.24	<1	<0.5	<0.2
143927	Rock	0.012	7	<1	0.28	356	<0.001	3	0.23	0.043	0.16	<0.1	<0.01	1.0	<0.1	0.22	<1	<0.5	<0.2
143928	Rock	0.010	6	<1	0.16	93	<0.001	2	0.19	0.050	0.14	<0.1	0.03	0.7	<0.1	0.19	<1	<0.5	<0.2
143929	Rock	0.011	6	<1	0.16	118	<0.001	1	0.18	0.053	0.13	<0.1	<0.01	0.8	<0.1	0.26	<1	<0.5	<0.2
143930	Rock	0.010	5	<1	0.12	183	<0.001	2	0.20	0.042	0.15	<0.1	<0.01	0.6	<0.1	0.36	<1	<0.5	<0.2
143931	Rock	0.011	5	1	0.13	65	<0.001	2	0.20	0.051	0.16	<0.1	<0.01	0.6	<0.1	0.39	<1	<0.5	<0.2
143932	Rock	0.012	7	<1	0.15	394	<0.001	2	0.22	0.049	0.17	0.1	0.03	0.8	<0.1	0.38	<1	<0.5	<0.2
143933	Rock	0.013	8	1	0.15	225	<0.001	3	0.25	0.052	0.19	<0.1	<0.01	1.0	<0.1	0.59	<1	<0.5	<0.2
143934	Rock	0.012	7	1	0.18	185	<0.001	<1	0.24	0.063	0.18	0.1	<0.01	1.0	<0.1	0.52	<1	<0.5	<0.2
143935	Rock	0.012	6	<1	0.18	76	<0.001	<1	0.29	0.041	0.15	<0.1	0.01	0.9	<0.1	0.75	<1	<0.5	<0.2
143936	Rock	0.027	6	2	0.37	75	<0.001	5	0.30	0.011	0.18	0.1	0.02	1.9	<0.1	0.76	1	<0.5	<0.2
143937	Rock	0.030	7	2	0.52	108	<0.001	5	0.26	0.008	0.18	<0.1	0.05	2.6	<0.1	0.75	1	<0.5	<0.2
143938	Rock	0.011	5	<1	0.27	64	<0.001	4	0.28	0.005	0.16	0.1	<0.01	0.8	<0.1	0.84	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: October 12, 2010

Page: 3 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI10000505.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
143939	Rock	2.10	0.3	4.2	5.1	5	0.2	3.6	2.2	405	0.97	37.3	0.4	28.9	4.0	109	<0.1	0.6	<0.1	2	0.93
143940	Rock	2.08	0.1	3.8	4.4	6	<0.1	2.3	1.2	440	0.77	10.0	0.3	6.7	3.8	112	<0.1	0.4	<0.1	<2	0.97
143941	Rock	1.73	0.6	4.7	42.4	15	0.5	6.4	4.3	612	1.45	55.7	0.4	58.5	3.5	173	0.1	1.1	0.1	3	1.77
143942	Rock	2.75	1.0	6.8	15.7	18	0.7	5.1	5.3	1541	3.30	134.2	0.9	123.1	2.5	358	0.1	1.7	0.2	5	4.25
143943	Rock	3.19	2.1	7.8	32.4	28	0.6	5.3	7.7	1612	3.33	104.4	1.9	77.6	2.2	460	0.3	1.3	0.3	8	4.93
143944	Rock	2.20	1.8	12.5	6.4	14	0.5	3.1	11.1	1044	2.66	89.6	2.3	95.6	3.7	493	0.1	0.9	0.3	8	3.29
143945	Rock	3.36	2.6	9.0	7.1	14	0.5	3.8	11.6	1135	3.13	109.3	2.0	262.2	4.6	608	0.1	1.0	0.3	10	4.07
143946	Rock	6.59	8.9	9.7	13.1	17	0.6	4.5	6.2	1807	3.89	84.9	1.4	632.2	3.9	620	<0.1	1.1	0.2	10	6.43
143947	Rock	5.54	4.3	5.1	23.5	9	0.4	4.7	3.2	900	2.13	73.0	2.9	121.0	4.3	242	<0.1	1.1	0.2	5	2.38
143948	Rock	5.36	0.1	3.6	6.7	5	0.3	4.7	2.2	401	0.92	38.5	1.3	52.4	5.4	113	<0.1	0.5	<0.1	<2	0.93
143949	Rock	4.92	0.1	2.7	45.0	5	0.3	3.7	1.8	288	0.83	39.9	1.2	56.7	7.2	97	<0.1	0.6	<0.1	<2	0.71
143950	Rock	6.10	0.1	1.2	10.2	5	<0.1	3.3	1.5	306	0.69	18.0	0.8	20.4	4.7	137	<0.1	0.2	<0.1	<2	0.90
143951	Rock	6.04	0.2	1.8	7.3	4	0.2	1.7	0.9	182	0.57	19.8	0.5	98.1	5.7	76	<0.1	0.3	<0.1	<2	0.51
143952	Rock	5.88	0.3	1.6	2.9	7	<0.1	5.5	2.2	395	1.00	32.6	3.1	21.6	14.4	206	<0.1	0.3	<0.1	2	1.16
143953	Rock	5.74	1.0	4.7	11.3	15	0.3	15.7	6.0	651	2.04	97.8	1.8	117.5	4.9	437	<0.1	0.6	<0.1	5	2.22
143954	Rock	5.39	1.5	29.4	111.0	100	0.3	28.8	12.0	1526	3.59	61.6	3.3	30.2	11.0	1014	0.8	1.0	<0.1	14	5.56
143955	Rock	5.27	0.7	7.6	24.2	22	0.3	14.4	5.3	699	1.75	62.5	2.7	59.8	8.6	328	0.2	0.9	<0.1	4	2.17
143956	Rock	4.73	1.3	2.0	11.0	9	<0.1	8.7	3.8	461	1.02	18.2	1.6	16.0	5.6	237	<0.1	0.4	<0.1	3	1.45
143957	Rock	3.68	0.4	8.6	43.0	33	0.2	22.2	6.5	1063	2.56	50.0	1.9	104.8	8.8	712	0.2	0.5	<0.1	8	4.01
143958	Rock	4.99	<0.1	1.3	8.0	5	0.1	2.4	1.2	289	0.72	16.7	1.2	44.7	7.0	117	<0.1	0.3	<0.1	<2	0.84
143959	Rock	5.88	0.2	3.5	56.8	13	0.8	11.4	4.6	471	1.80	143.1	2.8	197.3	7.4	253	<0.1	1.3	<0.1	3	1.56
143960	Rock	2.24	1.3	14.3	20.4	28	0.4	19.6	7.8	797	2.18	76.8	7.3	43.5	11.4	473	0.2	1.3	<0.1	5	3.03
143961	Rock	6.05	3.6	20.9	29.7	56	0.3	34.3	9.9	1043	2.52	48.0	4.5	14.1	12.0	859	0.5	1.4	<0.1	12	4.18
143962	Rock	5.98	0.5	4.2	36.7	22	0.5	13.4	5.5	528	1.46	53.4	6.0	50.3	10.2	292	0.2	0.7	<0.1	3	1.76
143963	Rock	4.31	0.4	3.1	25.8	48	0.1	20.3	6.5	1005	2.06	36.1	1.7	41.4	13.4	604	0.4	0.6	<0.1	7	3.77
143964	Rock	3.93	0.8	3.0	94.8	64	0.3	26.2	7.7	1255	2.59	49.4	5.1	28.9	7.4	767	0.5	0.6	<0.1	12	4.28
143965	Rock	6.28	1.2	5.2	27.5	35	0.6	34.6	13.4	1161	3.11	143.8	5.5	67.7	5.3	875	0.3	0.9	<0.1	14	4.39
143966	Rock	5.31	<0.1	0.9	9.8	13	0.1	5.9	1.8	410	1.03	21.2	1.8	17.7	8.6	273	0.1	0.3	<0.1	3	1.64
143967	Rock	6.24	0.2	1.0	7.3	10	<0.1	9.5	3.2	448	1.16	30.7	1.9	11.1	9.4	304	<0.1	0.2	<0.1	4	1.65
143968	Rock	4.94	1.7	10.3	14.5	34	0.4	20.4	4.9	376	1.34	85.7	5.8	14.9	6.5	148	0.3	0.7	0.2	8	1.11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Solomon Resources Ltd**
Unit 3 - 2860 Smith Drive
Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: October 12, 2010

Page: 3 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI10000505.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
143939	Rock	0.014	8	1	0.28	186	<0.001	3	0.28	0.004	0.16	<0.1	<0.01	1.0	<0.1	0.36	<1	<0.5	<0.2
143940	Rock	0.012	9	1	0.31	1050	<0.001	3	0.31	0.005	0.19	<0.1	<0.01	0.8	<0.1	0.09	<1	<0.5	<0.2
143941	Rock	0.019	6	1	0.57	211	<0.001	3	0.30	0.003	0.16	0.7	<0.01	2.0	<0.1	0.49	<1	<0.5	<0.2
143942	Rock	0.022	4	<1	1.27	42	<0.001	5	0.32	0.004	0.19	0.2	0.01	2.6	<0.1	1.32	1	<0.5	<0.2
143943	Rock	0.029	5	2	1.33	81	<0.001	9	0.34	0.010	0.26	0.2	0.01	3.9	<0.1	1.01	1	<0.5	<0.2
143944	Rock	0.047	8	<1	0.92	109	<0.001	8	0.51	0.016	0.29	0.3	<0.01	5.9	0.1	0.71	<1	<0.5	<0.2
143945	Rock	0.052	8	1	1.15	129	0.001	11	0.53	0.029	0.30	0.1	<0.01	6.6	0.1	0.88	1	<0.5	<0.2
143946	Rock	0.026	5	2	1.72	69	0.001	8	0.33	0.016	0.24	0.2	<0.01	3.3	<0.1	0.88	1	<0.5	<0.2
143947	Rock	0.013	5	1	0.70	84	<0.001	6	0.28	0.007	0.17	<0.1	<0.01	1.6	<0.1	0.73	1	<0.5	<0.2
143948	Rock	0.008	8	1	0.27	184	<0.001	4	0.28	0.025	0.16	<0.1	<0.01	1.0	<0.1	0.31	<1	<0.5	<0.2
143949	Rock	0.007	9	1	0.21	194	<0.001	3	0.28	0.030	0.14	<0.1	<0.01	0.7	<0.1	0.36	<1	<0.5	<0.2
143950	Rock	0.006	7	1	0.29	167	<0.001	1	0.29	0.039	0.13	<0.1	<0.01	0.6	<0.1	0.12	1	<0.5	<0.2
143951	Rock	0.004	7	<1	0.17	105	<0.001	2	0.36	0.016	0.12	<0.1	<0.01	0.3	<0.1	0.22	1	<0.5	<0.2
143952	Rock	0.013	18	3	0.35	107	<0.001	2	0.32	0.026	0.10	<0.1	<0.01	1.4	<0.1	0.27	1	<0.5	<0.2
143953	Rock	0.048	6	6	0.71	85	<0.001	3	0.30	0.017	0.11	0.1	<0.01	3.2	<0.1	0.85	1	<0.5	<0.2
143954	Rock	0.124	16	10	1.37	84	0.002	4	0.27	0.047	0.12	0.4	0.02	8.8	<0.1	0.32	1	<0.5	<0.2
143955	Rock	0.039	11	4	0.64	41	<0.001	2	0.38	0.013	0.12	0.2	0.01	2.8	<0.1	0.44	2	<0.5	<0.2
143956	Rock	0.028	11	4	0.45	290	<0.001	2	0.27	0.026	0.12	<0.1	<0.01	1.7	<0.1	0.08	<1	<0.5	<0.2
143957	Rock	0.032	10	16	1.17	162	<0.001	3	0.21	0.033	0.14	0.2	<0.01	5.3	<0.1	0.28	1	<0.5	<0.2
143958	Rock	0.007	9	<1	0.26	363	<0.001	1	0.26	0.028	0.13	0.1	<0.01	0.8	<0.1	0.16	<1	<0.5	<0.2
143959	Rock	0.018	6	4	0.47	42	<0.001	3	0.21	0.027	0.11	0.1	<0.01	2.0	<0.1	1.01	<1	<0.5	<0.2
143960	Rock	0.060	18	6	0.92	204	<0.001	3	0.30	0.039	0.12	0.2	<0.01	4.5	<0.1	0.48	<1	<0.5	<0.2
143961	Rock	0.106	15	11	1.19	99	0.001	3	0.26	0.028	0.10	0.3	0.02	6.2	<0.1	0.18	1	<0.5	<0.2
143962	Rock	0.022	11	3	0.57	59	<0.001	2	0.42	0.015	0.08	0.2	0.01	2.9	<0.1	0.38	1	<0.5	<0.2
143963	Rock	0.027	9	6	1.18	79	<0.001	3	0.42	0.011	0.06	0.2	0.02	5.9	<0.1	0.12	1	<0.5	<0.2
143964	Rock	0.056	16	13	1.50	209	<0.001	5	0.36	0.018	0.13	0.2	0.02	5.8	<0.1	0.19	1	<0.5	<0.2
143965	Rock	0.068	10	6	1.50	111	<0.001	5	0.36	0.026	0.14	0.2	0.01	7.2	<0.1	0.93	1	<0.5	<0.2
143966	Rock	0.021	10	2	0.53	177	<0.001	<1	0.34	0.031	0.08	<0.1	0.01	1.8	<0.1	0.14	1	<0.5	<0.2
143967	Rock	0.019	13	3	0.54	282	<0.001	4	0.23	0.060	0.09	<0.1	<0.01	2.3	<0.1	0.18	<1	<0.5	<0.2
143968	Rock	0.039	9	3	0.41	162	<0.001	5	0.34	0.036	0.17	0.1	0.01	1.8	<0.1	0.68	1	0.9	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: October 12, 2010

Page: 4 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI10000505.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
143969	Rock	4.45	4.1	58.0	26.8	121	0.4	45.9	12.8	947	2.41	91.4	3.4	6.9	4.9	298	1.0	1.3	0.3	16	2.02
143970	Rock	5.07	3.4	54.4	22.8	82	0.4	63.8	14.6	1044	2.59	104.9	3.7	10.3	1.9	414	0.7	2.8	0.2	21	2.97
143971	Rock	5.18	2.9	49.3	7.1	22	0.4	32.3	9.6	720	2.23	82.6	1.3	15.7	4.3	208	<0.1	1.6	0.3	11	1.79
143972	Rock	5.84	2.4	35.7	3.9	21	0.2	24.0	8.2	553	2.10	57.3	1.7	1.8	4.1	238	<0.1	1.0	0.2	13	1.60
143973	Rock	5.55	4.4	23.7	5.9	16	0.3	38.7	9.0	624	2.18	70.2	0.9	1.5	3.6	160	<0.1	1.5	0.4	16	1.34
143974	Rock	5.12	1.9	29.5	14.0	27	0.4	32.0	12.2	1350	2.99	85.3	1.3	3.7	3.3	282	<0.1	1.6	0.4	9	1.94
143975	Rock	4.26	4.7	51.6	12.5	27	0.3	26.1	9.7	791	2.14	63.7	1.2	<0.5	3.6	256	0.1	1.2	0.4	11	1.84
143976	Rock	5.15	1.6	44.4	8.3	32	0.3	23.7	11.8	676	2.37	101.2	5.9	5.6	5.5	145	0.1	1.1	0.4	12	1.18
143977	Rock	4.87	3.0	47.0	17.5	114	0.3	83.2	18.7	1005	3.33	123.4	3.3	2.5	2.4	279	0.6	1.8	0.2	42	3.11
143978	Rock	5.41	4.7	60.1	28.4	145	0.3	97.4	21.3	1311	3.58	157.1	1.9	2.0	1.8	314	1.0	2.1	0.2	55	3.95
143979	Rock	6.33	2.6	41.8	23.9	60	0.2	21.5	10.3	900	2.28	93.1	2.7	2.4	4.5	90	0.4	1.1	0.2	12	0.89
143980	Rock	6.10	1.6	49.8	18.6	40	0.3	17.0	7.9	1153	2.71	344.9	2.5	9.0	4.1	129	0.3	1.8	0.2	9	1.15
143981	Rock	4.69	1.7	35.7	34.3	92	0.3	23.9	11.7	841	2.99	63.6	1.9	<0.5	11.5	70	0.4	0.7	0.2	12	0.75
143982	Rock	4.71	0.9	25.7	11.2	42	0.2	17.7	9.6	896	2.34	43.7	1.9	3.2	9.6	80	0.2	0.4	<0.1	6	0.70
143983	Rock	5.30	0.9	41.4	27.5	99	0.3	37.0	18.7	1369	3.93	121.7	1.9	<0.5	12.7	67	0.3	0.5	0.2	10	0.63
143984	Rock	5.06	1.8	44.6	66.6	93	0.3	30.5	15.7	1092	3.74	205.4	2.3	0.8	14.2	83	0.3	0.6	0.3	9	0.80
143985	Rock	4.17	1.9	48.9	28.1	88	0.5	41.2	9.7	623	2.92	115.8	1.1	<0.5	4.3	177	0.4	1.1	0.3	15	1.37
143986	Rock	2.65	1.2	35.9	51.8	71	0.4	21.8	6.2	570	2.09	82.4	0.7	3.4	3.4	296	0.4	0.7	0.1	10	2.38
143256	Rock Pulp	0.11	16.4	1117	16.6	107	1.2	28.8	23.9	929	5.00	48.3	0.7	141.4	1.1	145	1.6	4.2	0.3	137	4.29
143257	Rock Pulp	0.11	16.6	1137	16.6	106	1.1	30.9	23.3	916	5.12	47.9	0.8	162.7	1.1	147	1.5	4.2	0.3	140	4.37

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: October 12, 2010


Page: 4 of 4 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000505.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	P	La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
143969	Rock	0.064	9	8	0.93	133	0.001	7	0.61	0.005	0.20	0.2	0.04	3.6	<0.1	0.68	2	1.5	<0.2
143970	Rock	0.101	5	12	1.20	138	0.003	8	0.63	0.002	0.17	0.2	0.03	4.9	<0.1	0.70	3	1.2	<0.2
143971	Rock	0.049	12	6	0.75	132	0.002	12	0.53	0.007	0.20	0.1	0.01	3.3	<0.1	0.93	2	1.3	<0.2
143972	Rock	0.043	12	6	0.74	249	0.001	8	0.60	0.007	0.20	<0.1	<0.01	2.9	<0.1	0.53	2	1.3	<0.2
143973	Rock	0.037	10	6	0.64	152	0.001	12	0.59	0.004	0.20	0.1	<0.01	2.4	<0.1	0.80	3	1.3	<0.2
143974	Rock	0.072	8	7	1.04	136	<0.001	15	0.61	0.006	0.15	0.2	0.02	3.1	0.1	0.90	2	2.0	0.3
143975	Rock	0.049	10	6	0.86	175	<0.001	15	0.60	0.003	0.16	0.1	<0.01	2.6	<0.1	0.62	2	0.9	<0.2
143976	Rock	0.041	12	6	0.75	161	0.001	7	0.84	0.010	0.21	0.1	0.01	3.6	<0.1	0.74	2	1.0	<0.2
143977	Rock	0.123	9	50	1.69	277	0.003	8	1.20	0.005	0.21	0.1	0.02	6.0	<0.1	0.50	4	1.8	<0.2
143978	Rock	0.151	7	59	1.93	183	0.003	6	1.16	0.002	0.24	0.2	0.04	6.4	<0.1	0.60	5	2.3	<0.2
143979	Rock	0.068	10	5	0.70	103	0.001	3	0.81	0.003	0.15	0.2	0.02	2.4	<0.1	0.50	3	0.9	<0.2
143980	Rock	0.046	9	5	0.66	134	0.002	5	0.64	0.007	0.18	0.2	0.02	2.3	<0.1	0.96	2	1.0	<0.2
143981	Rock	0.048	25	10	0.74	89	0.003	4	0.94	0.013	0.29	0.3	0.03	2.3	<0.1	0.28	2	<0.5	<0.2
143982	Rock	0.027	22	5	0.57	292	0.001	4	0.61	0.013	0.25	0.1	0.02	1.9	<0.1	0.20	1	<0.5	<0.2
143983	Rock	0.036	28	11	0.92	165	0.003	4	0.77	0.021	0.36	0.2	0.02	3.6	0.1	0.27	2	<0.5	<0.2
143984	Rock	0.042	30	8	0.93	159	0.002	5	0.92	0.019	0.36	0.1	0.03	3.3	0.1	0.39	2	<0.5	<0.2
143985	Rock	0.044	10	16	1.07	119	0.003	14	1.08	0.003	0.22	0.1	0.03	2.6	<0.1	0.89	3	1.8	<0.2
143986	Rock	0.032	8	4	1.14	148	0.001	7	0.63	0.003	0.15	0.1	0.03	2.0	<0.1	0.56	2	1.2	<0.2
143256	Rock Pulp	0.138	9	38	1.94	109	0.038	1	2.06	0.113	0.34	0.2	0.19	8.9	0.2	1.33	7	3.6	<0.2
143257	Rock Pulp	0.140	10	39	1.97	106	0.037	4	2.10	0.116	0.35	0.1	0.18	9.6	0.2	1.34	8	4.0	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: Solomon Resources Ltd
Unit 3 - 2860 Smith Drive
Armstrong BC V0E 1B1 Canada

Submitted By: Steve Potts
Receiving Lab: Canada-Whitehorse
Received: September 28, 2010
Report Date: October 25, 2010
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI10000531.1

CLIENT JOB INFORMATION

Project: Ten Mile
Shipment ID: TM-Batch-15
P.O. Number: NA-10-410
Number of Samples: 52

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	50	Crush, split and pulverize 250 g rock to 200 mesh			WHI
1DX2	52	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Solomon Resources Ltd
Unit 3 - 2860 Smith Drive
Armstrong BC V0E 1B1
Canada

CC: Randy Rogers



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**

Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile

Report Date: October 25, 2010

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

WHI10000531.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
116501	Rock	4.87	0.8	32.4	5.6	18	0.4	4.4	13.5	1398	3.21	1137	0.4	266.3	3.5	498	0.2	0.8	0.1	11	3.41
116502	Rock	5.46	0.9	32.0	7.2	27	0.4	9.8	13.6	1242	3.01	412.8	0.4	156.0	3.7	398	0.2	0.9	0.1	11	3.20
116503	Rock	3.03	1.3	15.0	11.3	10	0.8	3.8	12.9	972	3.68	440.3	0.5	708.8	4.1	214	<0.1	1.3	0.1	6	1.81
116504	Rock	4.88	1.5	24.1	11.1	25	0.4	5.8	15.3	1288	4.20	1066	0.5	405.0	2.9	483	0.2	1.5	0.2	15	4.13
116505	Rock	2.91	1.2	40.9	11.4	40	0.4	6.1	15.2	1478	3.95	853.9	0.5	340.1	2.8	449	0.2	1.2	0.1	15	4.07
116506	Rock	2.90	0.6	24.4	9.4	30	0.5	5.3	13.0	1381	3.90	567.8	0.5	479.5	3.3	411	0.2	1.3	0.1	10	3.52
116507	Rock	9.83	2.2	22.1	7.1	11	0.4	4.0	13.0	1235	2.87	3090	4.3	326.1	14.6	387	<0.1	1.3	0.2	12	3.29
116508	Rock	4.20	1.2	19.6	8.6	10	0.9	4.8	12.4	1164	3.25	3150	0.7	878.8	4.2	422	<0.1	1.6	0.2	13	3.18
116509	Rock	5.02	1.0	18.2	5.8	10	0.4	5.8	14.7	1162	3.11	2689	0.9	333.9	4.5	406	<0.1	1.3	0.1	14	3.15
116510	Rock	5.87	20.0	26.6	8.3	16	0.4	4.3	12.1	1036	2.89	1547	0.6	223.0	4.6	496	<0.1	1.1	0.1	11	3.23
116511	Rock	6.13	0.5	17.6	4.8	12	0.3	4.7	11.8	1237	3.09	1525	0.9	153.2	4.9	716	<0.1	0.8	0.1	11	3.88
116512	Rock	5.04	3.4	27.6	6.1	13	0.4	5.5	10.9	1110	2.95	2236	0.5	206.7	4.3	477	<0.1	1.2	0.4	10	3.63
116513	Rock	4.77	7.0	19.7	5.8	12	0.4	4.4	11.1	1192	2.91	3064	0.5	347.3	4.5	375	<0.1	1.3	0.1	11	3.20
116514	Rock	6.43	3.1	28.3	7.2	22	0.6	4.4	13.5	1403	3.55	2025	0.5	801.8	4.0	426	0.1	1.1	0.1	14	3.63
116515	Rock	4.80	2.3	29.5	7.4	17	0.5	2.7	13.9	1253	3.79	3336	0.5	511.7	5.4	425	0.1	1.9	<0.1	12	3.36
116516	Rock	6.29	1.8	15.9	9.5	13	0.5	4.3	12.2	1261	3.99	2774	0.8	380.2	5.1	667	<0.1	1.4	0.2	9	3.96
116517	Rock	5.84	0.8	38.9	22.4	14	0.5	5.5	14.3	1460	3.45	1565	0.7	211.5	4.1	670	<0.1	1.0	0.1	13	4.20
116518	Rock	7.65	2.3	61.1	191.8	30	1.7	7.6	12.0	1133	3.21	2233	1.2	45.2	4.3	490	0.3	2.5	0.4	10	3.12
116519	Rock	4.77	1.6	58.8	104.4	33	0.8	9.1	4.0	1265	2.62	61.3	1.8	21.6	6.1	557	0.3	0.5	<0.1	13	3.77
116520	Rock	3.51	0.3	9.0	24.2	17	0.9	2.4	2.4	595	1.27	40.8	0.6	67.4	2.4	161	0.1	0.5	<0.1	3	1.28
116521	Rock	5.58	0.1	1.8	26.7	6	0.3	1.3	1.6	337	0.93	37.5	0.3	38.1	1.4	115	<0.1	0.2	0.1	<2	0.74
116522	Rock	6.36	0.2	2.1	21.5	10	0.3	1.2	1.1	316	0.92	28.2	0.4	27.2	1.8	129	0.1	0.3	0.1	2	0.69
116523	Rock	5.51	0.2	2.4	85.0	53	0.4	1.9	1.5	284	1.14	43.8	0.5	44.1	2.2	120	0.4	0.4	0.4	<2	0.64
116524	Rock	6.45	0.3	3.0	28.9	44	0.3	1.2	1.0	306	0.91	27.7	0.6	52.3	1.7	133	0.4	0.3	<0.1	2	0.69
116525	Rock	5.68	0.2	2.9	69.6	42	0.4	1.6	1.2	298	0.85	31.7	0.4	52.9	2.5	120	0.3	0.3	0.2	2	0.65
116526	Rock	5.68	0.1	7.7	145.8	29	1.7	2.5	2.2	356	1.61	119.4	0.9	167.5	2.4	128	0.2	1.2	0.5	3	0.69
116527	Rock	4.42	0.2	5.1	60.6	32	0.9	2.0	1.8	322	1.18	60.0	0.7	79.9	2.8	107	0.3	0.7	0.2	2	0.62
116528	Rock	5.44	0.2	9.3	30.1	12	0.9	1.7	1.3	304	0.94	30.8	0.6	121.6	2.6	118	<0.1	1.0	<0.1	2	0.65
116529	Rock	6.07	<0.1	15.4	46.5	23	2.3	2.2	1.3	317	0.89	27.8	0.8	81.6	6.9	135	0.2	1.8	0.1	3	0.76
116530	Rock	5.47	0.1	19.0	43.9	21	2.6	1.6	1.5	278	1.30	109.9	1.2	402.6	4.8	98	0.2	1.6	0.2	2	0.63

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: October 25, 2010

Page: 2 of 3 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000531.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
116501	Rock	0.047	7	<1	1.29	103	0.003	6	0.43	0.016	0.34	0.4	<0.01	5.5	0.2	1.08	1	<0.5	<0.2
116502	Rock	0.042	8	4	1.22	87	0.002	5	0.60	0.011	0.29	0.2	<0.01	5.9	0.1	0.67	1	<0.5	<0.2
116503	Rock	0.045	9	1	0.73	35	<0.001	4	0.45	0.010	0.23	0.2	<0.01	5.2	<0.1	1.44	1	0.6	<0.2
116504	Rock	0.072	4	3	1.64	72	0.002	5	0.59	0.024	0.25	0.2	0.04	9.4	0.1	1.65	1	<0.5	0.3
116505	Rock	0.070	4	3	1.70	52	0.002	5	0.65	0.026	0.26	0.2	0.01	9.0	0.1	1.43	2	<0.5	<0.2
116506	Rock	0.043	4	2	1.59	72	<0.001	4	0.76	0.009	0.24	0.1	<0.01	6.5	<0.1	1.64	2	<0.5	<0.2
116507	Rock	0.036	9	2	1.32	98	0.005	6	0.50	0.032	0.33	0.1	<0.01	5.3	<0.1	1.13	1	<0.5	<0.2
116508	Rock	0.036	7	3	1.29	108	0.003	5	0.55	0.025	0.32	0.3	<0.01	5.3	0.1	1.17	2	<0.5	<0.2
116509	Rock	0.039	7	3	1.27	75	0.004	7	0.63	0.031	0.38	0.1	<0.01	5.1	0.1	1.29	2	<0.5	<0.2
116510	Rock	0.037	8	3	1.35	90	0.004	5	0.44	0.023	0.30	0.2	<0.01	4.6	0.1	0.99	1	<0.5	<0.2
116511	Rock	0.035	9	3	1.47	108	0.002	4	0.42	0.023	0.31	0.1	<0.01	4.9	<0.1	0.84	1	<0.5	<0.2
116512	Rock	0.034	8	3	1.52	69	0.001	4	0.64	0.008	0.30	0.4	<0.01	4.3	<0.1	0.76	1	<0.5	<0.2
116513	Rock	0.039	8	3	1.29	91	0.002	4	0.56	0.020	0.32	0.1	<0.01	4.8	0.1	0.90	2	<0.5	0.3
116514	Rock	0.044	5	3	1.46	84	0.002	6	0.64	0.023	0.35	0.1	<0.01	6.0	0.1	1.32	2	<0.5	<0.2
116515	Rock	0.078	6	1	1.29	86	0.002	5	0.67	0.023	0.30	0.1	<0.01	6.2	0.1	1.51	2	<0.5	<0.2
116516	Rock	0.055	6	2	1.44	74	0.002	7	0.55	0.021	0.29	0.3	<0.01	6.1	<0.1	1.55	2	<0.5	<0.2
116517	Rock	0.044	9	2	1.55	69	0.003	7	0.56	0.020	0.38	0.2	<0.01	6.3	0.1	1.02	2	<0.5	0.4
116518	Rock	0.051	7	2	0.92	99	0.002	5	0.37	0.018	0.30	0.2	<0.01	5.9	<0.1	1.29	2	<0.5	0.4
116519	Rock	0.034	10	3	1.16	212	<0.001	4	0.20	0.019	0.16	<0.1	0.01	2.2	<0.1	0.31	<1	<0.5	<0.2
116520	Rock	0.010	5	1	0.34	582	<0.001	2	0.18	0.034	0.16	0.2	<0.01	0.9	<0.1	0.28	<1	<0.5	<0.2
116521	Rock	0.008	3	<1	0.20	125	<0.001	1	0.16	0.033	0.16	<0.1	<0.01	0.7	<0.1	0.41	<1	<0.5	<0.2
116522	Rock	0.008	4	1	0.19	80	<0.001	2	0.16	0.047	0.17	<0.1	<0.01	0.8	<0.1	0.40	<1	<0.5	<0.2
116523	Rock	0.009	4	<1	0.16	92	<0.001	<1	0.16	0.043	0.15	<0.1	0.02	0.9	<0.1	0.73	<1	<0.5	<0.2
116524	Rock	0.010	5	1	0.18	117	<0.001	2	0.18	0.051	0.18	<0.1	0.03	0.9	<0.1	0.38	<1	<0.5	<0.2
116525	Rock	0.010	5	<1	0.17	256	<0.001	1	0.16	0.040	0.17	<0.1	0.03	1.0	<0.1	0.41	<1	<0.5	<0.2
116526	Rock	0.010	4	<1	0.20	81	<0.001	<1	0.17	0.035	0.16	0.2	0.01	1.2	<0.1	1.13	<1	0.6	<0.2
116527	Rock	0.010	5	1	0.19	105	<0.001	1	0.17	0.028	0.16	0.1	0.02	1.0	<0.1	0.70	<1	<0.5	0.3
116528	Rock	0.010	6	1	0.18	59	<0.001	<1	0.17	0.044	0.17	0.1	<0.01	1.1	<0.1	0.41	<1	<0.5	<0.2
116529	Rock	0.010	8	1	0.21	62	<0.001	<1	0.16	0.039	0.14	0.1	0.01	1.1	<0.1	0.35	<1	<0.5	<0.2
116530	Rock	0.009	5	<1	0.17	115	<0.001	3	0.19	0.020	0.17	0.1	0.02	0.8	<0.1	0.93	<1	<0.5	0.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: October 25, 2010

Page: 3 of 3 **Part** 1

CERTIFICATE OF ANALYSIS

WHI10000531.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
116531	Rock	4.87	<0.1	7.3	19.6	20	0.8	2.1	1.5	281	0.87	24.4	0.7	52.3	2.1	125	0.1	0.8	0.1	2	0.64
116532	Rock	4.96	0.1	8.7	9.8	11	0.6	0.8	0.6	255	0.60	11.4	0.3	49.4	2.3	109	<0.1	0.7	<0.1	2	0.57
116533	Rock	5.36	0.2	7.6	18.0	44	0.7	0.8	0.6	248	0.60	15.9	0.6	59.2	3.3	111	0.4	0.8	<0.1	2	0.57
116534	Rock	6.05	0.2	1.4	16.0	24	0.1	1.2	1.0	220	0.65	16.5	0.4	17.1	1.9	104	0.2	0.1	<0.1	<2	0.55
116535	Rock	6.09	0.1	1.4	23.4	9	0.3	2.0	2.3	297	1.15	36.6	1.0	36.9	1.4	146	<0.1	0.2	0.1	3	0.69
116536	Rock	5.62	0.1	1.5	40.9	15	0.4	1.8	2.0	292	1.06	35.7	0.6	43.6	2.6	140	0.1	0.3	0.2	2	0.67
116537	Rock	5.31	0.1	1.5	11.9	9	0.3	1.5	1.3	271	0.81	22.6	0.5	22.5	2.2	141	<0.1	0.2	<0.1	2	0.74
116538	Rock	5.51	0.2	1.1	43.6	7	0.4	2.0	2.1	280	1.07	30.3	0.5	39.7	1.5	149	<0.1	0.3	0.3	3	0.68
116539	Rock	5.81	0.1	2.3	20.7	69	0.2	1.4	1.3	264	0.82	22.4	0.4	27.8	1.8	148	0.6	0.2	0.2	2	0.72
116540	Rock	5.02	0.1	2.0	51.6	5	0.5	2.6	3.4	286	1.56	52.8	0.5	126.1	1.6	165	<0.1	0.5	0.4	3	0.72
116541	Rock	4.62	0.2	1.7	35.5	9	0.4	2.1	2.5	270	1.21	45.7	0.6	62.7	1.8	138	<0.1	0.4	0.2	2	0.69
116542	Rock	5.33	0.3	7.7	168.5	152	2.8	2.0	2.2	272	1.06	55.6	1.0	84.5	2.8	126	1.4	0.5	0.3	2	0.68
116543	Rock	5.22	0.1	3.3	53.3	57	0.4	1.3	1.4	267	0.90	35.5	0.5	54.1	1.7	122	0.5	0.4	0.1	2	0.69
116544	Rock	5.80	<0.1	7.2	84.3	59	0.7	1.7	2.1	260	1.17	64.7	0.7	131.5	1.5	124	0.5	0.8	0.3	2	0.64
116545	Rock	5.81	0.1	2.2	21.4	12	0.3	2.3	3.3	213	1.10	46.3	0.6	74.7	1.4	120	<0.1	0.4	0.1	2	0.54
116546	Rock	5.65	0.1	10.2	34.8	27	0.7	2.1	2.6	355	1.17	30.9	0.9	79.8	1.5	208	0.3	0.4	0.2	4	0.95
116547	Rock	4.37	<0.1	4.5	10.6	23	0.3	1.0	0.9	254	0.64	11.7	0.6	28.4	1.8	136	0.2	0.3	<0.1	2	0.74
116548	Rock	6.41	0.1	4.1	47.6	92	0.3	1.5	1.6	308	0.87	20.2	0.6	39.6	1.5	162	0.8	0.3	0.1	3	0.80
116549	Rock	6.32	0.1	17.2	114.9	193	1.0	1.4	1.2	277	0.73	16.7	0.6	26.8	3.8	169	1.8	1.2	<0.1	2	0.84
116550	Rock	4.76	0.2	3.8	78.5	28	0.6	3.9	5.3	301	1.38	60.7	3.3	78.4	2.7	169	0.2	0.4	0.2	3	0.77
143258	Rock Pulp	0.11	17.1	87.4	24.0	234	1.3	48.7	10.3	315	2.94	391.8	2.2	1394	2.0	38	1.2	35.9	1.1	63	1.61
143259	Rock Pulp	0.11	16.6	87.0	24.0	227	1.3	48.2	10.3	310	2.92	391.4	2.2	1386	2.0	39	1.2	36.8	1.1	63	1.60

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: October 25, 2010

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

WHI10000531.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
116531	Rock	0.008	4	<1	0.18	80	<0.001	<1	0.17	0.046	0.16	0.3	0.01	0.9	<0.1	0.40	<1	<0.5	0.4
116532	Rock	0.008	5	<1	0.16	55	<0.001	<1	0.16	0.047	0.16	0.1	<0.01	0.8	<0.1	0.13	<1	<0.5	<0.2
116533	Rock	0.008	5	<1	0.16	68	<0.001	1	0.16	0.037	0.16	0.1	0.02	0.8	<0.1	0.16	<1	<0.5	<0.2
116534	Rock	0.008	4	<1	0.13	140	<0.001	<1	0.16	0.040	0.17	<0.1	<0.01	0.7	<0.1	0.25	<1	<0.5	<0.2
116535	Rock	0.009	4	<1	0.19	117	<0.001	1	0.17	0.050	0.18	0.2	<0.01	0.9	<0.1	0.67	<1	<0.5	<0.2
116536	Rock	0.009	4	<1	0.18	81	<0.001	<1	0.17	0.038	0.16	0.3	0.01	0.9	<0.1	0.62	<1	<0.5	<0.2
116537	Rock	0.009	5	<1	0.16	146	<0.001	1	0.17	0.039	0.16	0.4	<0.01	0.8	<0.1	0.36	<1	<0.5	<0.2
116538	Rock	0.010	3	<1	0.18	61	<0.001	<1	0.17	0.047	0.16	0.2	<0.01	1.1	<0.1	0.63	<1	<0.5	<0.2
116539	Rock	0.009	4	<1	0.18	95	<0.001	1	0.13	0.040	0.15	0.1	0.04	1.0	<0.1	0.36	<1	<0.5	<0.2
116540	Rock	0.009	3	<1	0.19	66	<0.001	<1	0.15	0.046	0.16	0.1	<0.01	1.1	<0.1	1.14	<1	0.6	<0.2
116541	Rock	0.009	4	<1	0.18	90	<0.001	2	0.16	0.040	0.18	0.2	<0.01	0.9	<0.1	0.78	<1	<0.5	<0.2
116542	Rock	0.008	5	1	0.20	60	<0.001	2	0.17	0.036	0.16	7.2	0.06	0.9	<0.1	0.63	<1	<0.5	<0.2
116543	Rock	0.009	4	<1	0.19	60	<0.001	2	0.17	0.034	0.16	0.3	0.03	0.9	<0.1	0.48	<1	<0.5	<0.2
116544	Rock	0.008	4	<1	0.18	114	<0.001	3	0.18	0.032	0.17	0.1	0.03	0.8	<0.1	0.80	<1	<0.5	<0.2
116545	Rock	0.008	4	<1	0.15	115	<0.001	2	0.17	0.045	0.17	<0.1	<0.01	0.8	<0.1	0.77	<1	<0.5	<0.2
116546	Rock	0.011	4	<1	0.22	201	<0.001	<1	0.15	0.053	0.16	0.1	0.01	1.3	<0.1	0.52	<1	<0.5	<0.2
116547	Rock	0.007	5	<1	0.17	138	<0.001	2	0.19	0.050	0.19	<0.1	0.01	0.9	<0.1	0.16	<1	<0.5	<0.2
116548	Rock	0.007	4	<1	0.21	82	<0.001	1	0.17	0.050	0.19	0.1	0.04	1.1	<0.1	0.32	<1	<0.5	<0.2
116549	Rock	0.009	6	<1	0.19	177	<0.001	1	0.14	0.053	0.14	0.1	0.07	1.0	<0.1	0.20	<1	<0.5	<0.2
116550	Rock	0.008	4	1	0.22	66	<0.001	<1	0.16	0.047	0.15	0.1	0.01	1.2	<0.1	0.91	<1	<0.5	<0.2
143258	Rock Pulp	0.078	7	72	0.75	99	0.085	4	1.12	0.060	0.16	3.5	7.58	3.5	5.1	0.84	4	2.0	0.4
143259	Rock Pulp	0.080	6	71	0.76	108	0.085	3	1.11	0.060	0.16	3.5	7.62	3.5	5.2	0.84	4	2.1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: October 25, 2010

Page: 1 of 1 **Part** 1

QUALITY CONTROL REPORT

WHI10000531.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
116518	Rock	7.65	2.3	61.1	191.8	30	1.7	7.6	12.0	1133	3.21	2233	1.2	45.2	4.3	490	0.3	2.5	0.4	10	3.12
REP 116518	QC		2.4	60.0	189.1	32	1.8	7.6	12.4	1142	3.25	2261	1.2	47.1	4.5	497	0.3	2.6	0.3	11	3.15
143258	Rock Pulp	0.11	17.1	87.4	24.0	234	1.3	48.7	10.3	315	2.94	391.8	2.2	1394	2.0	38	1.2	35.9	1.1	63	1.61
REP 143258	QC		17.0	86.6	24.6	227	1.3	49.0	10.5	313	2.96	393.7	2.2	1405	2.0	39	1.2	36.8	1.2	64	1.62
Core Reject Duplicates																					
116504	Rock	4.88	1.5	24.1	11.1	25	0.4	5.8	15.3	1288	4.20	1066	0.5	405.0	2.9	483	0.2	1.5	0.2	15	4.13
DUP 116504	QC		1.4	23.1	11.1	25	0.4	6.2	15.1	1295	4.21	1067	0.5	470.1	3.0	490	0.2	1.4	0.1	16	4.14
116539	Rock	5.81	0.1	2.3	20.7	69	0.2	1.4	1.3	264	0.82	22.4	0.4	27.8	1.8	148	0.6	0.2	0.2	2	0.72
DUP 116539	QC		0.1	2.4	25.6	100	0.2	1.3	1.4	270	0.84	22.5	0.4	23.3	1.9	152	0.9	0.2	0.2	2	0.75
Reference Materials																					
STD DS7	Standard		19.8	110.7	65.5	409	1.0	54.3	10.0	571	2.39	50.8	4.6	75.0	4.3	70	6.5	5.8	4.6	80	0.92
STD DS7	Standard		20.0	108.4	59.2	395	1.0	54.8	9.3	633	2.35	52.2	4.5	56.3	4.3	73	6.1	5.7	4.4	81	0.95
STD DS7	Standard		21.7	109.3	68.8	407	1.1	57.9	9.4	653	2.44	54.8	4.9	75.9	4.9	80	6.3	6.0	4.6	84	1.01
STD DS7	Standard		19.9	104.2	67.3	394	1.0	54.5	9.0	620	2.38	50.8	4.7	66.2	4.6	74	6.0	5.5	4.4	81	0.96
STD DS7	Standard		22.1	112.4	68.1	411	1.0	58.2	9.2	637	2.41	54.7	5.0	81.0	5.2	84	6.7	6.3	4.9	85	1.03
STD DS7	Standard		21.6	107.8	66.2	390	1.0	53.6	9.0	615	2.33	52.8	5.0	78.3	4.9	84	6.5	6.0	4.6	82	1.00
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank		0.1	2.6	2.8	46	<0.1	1.5	3.4	580	1.95	<0.5	1.6	3.9	5.8	57	<0.1	<0.1	<0.1	38	0.46
G1	Prep Blank		<0.1	2.5	2.9	51	<0.1	1.3	3.6	570	1.82	<0.5	1.6	2.4	5.8	55	<0.1	<0.1	<0.1	35	0.40

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: October 25, 2010


Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI10000531.1

Method	Analyte	Unit	MDL	1DX15 P %	1DX15 La ppm	1DX15 Cr ppm	1DX15 Mg %	1DX15 Ba ppm	1DX15 Ti %	1DX15 B ppm	1DX15 Al %	1DX15 Na %	1DX15 K %	1DX15 W ppm	1DX15 Hg ppm	1DX15 Sc ppm	1DX15 Tl ppm	1DX15 S %	1DX15 Ga ppm	1DX15 Se ppm	1DX15 Te ppm
				0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																					
116518	Rock			0.051	7	2	0.92	99	0.002	5	0.37	0.018	0.30	0.2	<0.01	5.9	<0.1	1.29	2	<0.5	0.4
REP 116518	QC			0.052	8	2	0.94	115	0.004	7	0.39	0.018	0.32	0.2	<0.01	6.3	<0.1	1.30	2	<0.5	<0.2
143258	Rock Pulp			0.078	7	72	0.75	99	0.085	4	1.12	0.060	0.16	3.5	7.58	3.5	5.1	0.84	4	2.0	0.4
REP 143258	QC			0.081	7	73	0.76	103	0.089	4	1.14	0.061	0.16	3.4	7.53	3.6	5.4	0.84	4	2.3	0.3
Core Reject Duplicates																					
116504	Rock			0.072	4	3	1.64	72	0.002	5	0.59	0.024	0.25	0.2	0.04	9.4	0.1	1.65	1	<0.5	0.3
DUP 116504	QC			0.068	4	3	1.64	74	0.003	4	0.65	0.031	0.28	0.2	0.02	9.1	0.1	1.65	2	<0.5	<0.2
116539	Rock			0.009	4	<1	0.18	95	<0.001	1	0.13	0.040	0.15	0.1	0.04	1.0	<0.1	0.36	<1	<0.5	<0.2
DUP 116539	QC			0.010	5	<1	0.18	100	<0.001	1	0.14	0.041	0.16	<0.1	0.05	1.0	<0.1	0.37	<1	<0.5	<0.2
Reference Materials																					
STD DS7	Standard			0.082	12	174	1.04	412	0.113	43	1.00	0.088	0.45	3.8	0.23	2.0	4.3	0.20	5	3.3	0.8
STD DS7	Standard			0.080	13	183	1.04	408	0.139	39	1.02	0.091	0.47	3.8	0.21	2.2	4.0	0.19	5	3.3	1.1
STD DS7	Standard			0.076	15	226	1.08	412	0.132	41	1.08	0.102	0.48	3.5	0.25	2.5	4.3	0.21	5	2.8	0.4
STD DS7	Standard			0.075	14	211	1.03	392	0.120	40	1.02	0.098	0.47	3.7	0.24	2.3	3.9	0.20	5	3.5	1.6
STD DS7	Standard			0.081	15	206	1.08	415	0.144	47	1.08	0.100	0.47	3.6	0.23	2.7	3.8	0.21	4	2.9	1.7
STD DS7	Standard			0.078	15	201	1.04	404	0.143	40	1.04	0.098	0.46	3.6	0.22	2.7	3.8	0.20	5	3.1	1.0
STD DS7 Expected				0.08	12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank			<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank			<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank			<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																					
G1	Prep Blank			0.080	15	2	0.44	109	0.142	2	0.79	0.081	0.46	<0.1	<0.01	1.8	0.3	<0.05	4	<0.5	<0.2
G1	Prep Blank			0.086	13	2	0.43	109	0.121	<1	0.74	0.067	0.40	<0.1	<0.01	1.5	0.4	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Solomon Resources Ltd
Unit 3 - 2860 Smith Drive
Armstrong BC V0E 1B1 Canada

Submitted By: Steve Potts
Receiving Lab: Canada-Whitehorse
Received: September 28, 2010
Report Date: October 12, 2010
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI10000532.1

CLIENT JOB INFORMATION

Project: Ten Mile
Shipment ID: TM-Batch-16
P.O. Number: NA-10-410
Number of Samples: 62

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Table with 6 columns: Method Code, Number of Samples, Code Description, Test Wgt (g), Report Status, Lab. Contains two rows of sample preparation data.

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Solomon Resources Ltd
Unit 3 - 2860 Smith Drive
Armstrong BC V0E 1B1
Canada

CC: Randy Rogers



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.





1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Solomon Resources Ltd**
Unit 3 - 2860 Smith Drive
Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: October 12, 2010

Page: 2 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI10000532.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
116551	Rock	4.37	0.1	1.5	8.4	8	0.1	3.8	1.8	428	0.92	23.9	0.4	15.9	4.8	104	<0.1	0.2	<0.1	3	1.17
116552	Rock	4.55	0.2	1.5	10.4	6	0.1	4.2	2.3	323	0.88	28.7	0.6	22.3	3.5	88	<0.1	0.3	<0.1	<2	0.81
116553	Rock	6.10	2.0	5.4	66.0	25	0.5	25.6	11.5	762	2.35	82.5	1.3	17.8	4.6	428	0.2	0.5	0.1	13	2.30
116554	Rock	3.81	1.0	11.0	127.6	178	0.4	14.5	7.4	755	1.77	34.6	0.7	14.1	5.4	283	1.5	0.6	0.1	6	2.05
116555	Rock	5.62	2.8	43.2	129.9	212	0.4	17.1	6.3	700	1.67	29.7	0.7	7.3	4.4	350	2.0	0.7	<0.1	8	2.23
116556	Rock	4.78	1.3	11.8	38.0	40	0.7	18.6	8.7	506	1.47	53.3	1.0	21.4	5.9	152	0.1	0.8	<0.1	4	1.40
116557	Rock	5.15	0.3	7.0	21.1	24	0.7	17.5	8.1	808	2.11	71.9	1.4	47.2	7.1	330	0.2	0.6	<0.1	7	2.17
116558	Rock	5.01	1.4	16.1	56.8	88	0.4	11.8	5.8	1014	2.14	25.1	0.8	10.0	4.5	473	0.8	0.5	<0.1	11	3.34
116559	Rock	4.87	0.6	26.6	106.3	137	1.6	7.0	2.3	555	1.26	17.3	0.5	15.0	4.3	192	1.6	0.9	<0.1	5	1.46
116560	Rock	5.10	0.7	10.0	44.9	117	1.1	5.5	2.7	374	1.00	22.5	0.5	17.9	3.1	122	0.9	0.6	<0.1	3	0.90
116561	Rock	5.98	1.8	37.3	168.8	226	1.9	13.4	5.9	890	2.14	37.0	0.9	23.7	4.8	497	2.4	1.1	<0.1	11	2.58
116562	Rock	6.09	1.8	8.9	129.8	169	0.3	16.1	8.4	1005	2.31	32.9	0.9	4.1	6.2	653	1.7	0.6	0.2	15	2.98
116563	Rock	6.03	2.2	10.0	64.7	173	0.7	20.5	13.0	946	2.56	68.1	1.4	7.2	5.5	568	1.5	0.8	0.2	14	2.77
116564	Rock	5.20	2.7	32.6	61.2	72	0.9	21.7	15.4	1125	2.52	53.5	1.9	16.2	6.4	611	0.5	0.7	<0.1	16	3.47
116565	Rock	6.11	2.7	18.2	34.1	24	0.2	18.0	7.8	820	1.85	39.3	2.3	10.6	11.0	466	0.2	0.6	<0.1	10	2.33
116566	Rock	6.64	1.8	5.7	29.5	21	0.2	15.4	7.7	834	2.08	39.8	1.1	7.6	9.2	462	0.1	0.4	0.1	10	2.37
116567	Rock	5.84	0.5	2.6	15.2	11	0.1	9.0	4.5	584	1.49	31.4	0.8	9.3	4.9	348	<0.1	0.2	<0.1	6	1.52
116568	Rock	5.38	0.4	2.5	21.1	10	0.3	7.9	4.7	694	1.78	44.3	3.3	29.9	4.1	414	<0.1	0.3	0.1	7	1.86
116569	Rock	5.94	0.8	5.9	59.7	16	0.4	19.6	9.8	1109	2.71	68.0	2.1	19.4	4.1	719	<0.1	0.4	0.2	11	3.06
116570	Rock	5.67	0.3	2.9	38.2	8	0.3	7.0	3.9	529	1.51	48.3	1.1	45.3	2.5	325	<0.1	0.3	0.1	5	1.36
116571	Rock	6.03	0.6	4.9	44.6	40	0.2	15.4	6.5	1015	2.33	45.6	1.5	17.7	3.7	743	0.4	0.3	0.1	10	3.08
116572	Rock	5.10	0.3	1.7	26.3	6	0.3	4.2	2.3	284	1.07	47.2	1.7	63.9	2.3	147	<0.1	0.3	<0.1	<2	0.77
116573	Rock	5.32	<0.1	1.4	20.8	7	0.2	4.2	2.5	301	1.05	49.8	0.8	63.8	2.0	125	<0.1	0.2	<0.1	<2	0.68
116574	Rock	5.68	0.1	1.3	55.3	8	0.2	4.4	2.3	341	1.02	37.4	0.7	40.7	2.8	182	<0.1	0.2	<0.1	2	0.87
116575	Rock	5.98	0.8	3.2	23.9	19	0.3	15.0	7.6	631	2.13	98.8	0.7	74.7	4.0	409	0.1	0.4	0.1	6	1.70
116576	Rock	5.42	1.0	26.3	142.7	106	0.5	18.4	8.0	906	2.27	92.5	0.9	46.7	4.8	553	0.9	0.6	0.1	8	2.43
116577	Rock	5.64	1.8	14.7	139.9	128	0.7	20.4	9.4	1019	2.49	103.1	1.5	77.1	3.7	609	1.0	0.6	0.2	11	2.56
116578	Rock	3.96	1.5	11.3	628.4	114	2.0	31.1	15.0	896	3.50	267.4	1.7	246.2	7.0	492	0.7	1.7	0.9	10	2.19
116579	Rock	6.25	1.3	13.2	99.2	72	0.3	16.9	8.0	1019	2.32	54.6	1.2	18.2	5.7	755	0.7	0.3	0.2	11	2.67
116580	Rock	4.28	1.5	5.0	113.3	44	1.0	21.8	10.8	741	2.55	157.2	1.4	173.2	4.5	403	0.3	0.9	0.5	8	1.73

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: October 12, 2010

Page: 2 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI10000532.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
116551	Rock	0.013	7	2	0.16	446	<0.001	2	0.18	0.025	0.16	<0.1	<0.01	1.0	<0.1	0.16	<1	<0.5	<0.2
116552	Rock	0.006	6	1	0.15	368	<0.001	2	0.16	0.027	0.14	<0.1	<0.01	1.0	<0.1	0.21	<1	<0.5	<0.2
116553	Rock	0.032	11	5	0.48	76	<0.001	3	0.17	0.009	0.12	0.1	<0.01	3.9	<0.1	0.52	<1	0.5	<0.2
116554	Rock	0.025	12	3	0.46	387	<0.001	3	0.22	0.015	0.12	0.1	0.08	3.3	<0.1	0.15	<1	<0.5	<0.2
116555	Rock	0.054	12	5	0.51	91	<0.001	4	0.20	0.007	0.11	0.2	0.09	3.4	<0.1	0.07	<1	<0.5	<0.2
116556	Rock	0.025	12	2	0.32	385	<0.001	3	0.27	0.013	0.13	0.1	<0.01	2.3	<0.1	0.35	<1	<0.5	<0.2
116557	Rock	0.021	9	5	0.63	249	<0.001	3	0.29	0.010	0.13	0.1	<0.01	3.0	<0.1	0.47	1	<0.5	<0.2
116558	Rock	0.031	12	4	0.82	487	<0.001	2	0.31	0.003	0.13	0.2	0.02	4.2	<0.1	0.06	1	<0.5	<0.2
116559	Rock	0.025	10	3	0.31	321	<0.001	2	0.23	0.009	0.12	<0.1	0.07	1.7	<0.1	0.07	<1	<0.5	<0.2
116560	Rock	0.019	8	1	0.18	315	<0.001	<1	0.21	0.021	0.14	<0.1	0.03	1.2	<0.1	0.11	<1	<0.5	<0.2
116561	Rock	0.045	10	5	0.66	306	<0.001	3	0.22	0.021	0.13	0.1	0.10	3.5	<0.1	0.17	<1	<0.5	<0.2
116562	Rock	0.035	16	5	0.78	584	<0.001	4	0.19	0.017	0.12	0.1	0.08	4.8	<0.1	0.17	<1	<0.5	<0.2
116563	Rock	0.037	11	4	0.79	256	<0.001	3	0.22	0.017	0.14	0.2	0.07	5.5	<0.1	0.51	<1	0.5	<0.2
116564	Rock	0.055	14	5	1.06	402	<0.001	5	0.30	0.008	0.20	0.2	0.03	7.0	<0.1	0.31	1	<0.5	<0.2
116565	Rock	0.036	16	4	0.62	151	<0.001	2	0.15	0.029	0.09	0.1	<0.01	4.5	<0.1	0.18	<1	<0.5	<0.2
116566	Rock	0.051	18	5	0.63	173	<0.001	4	0.19	0.044	0.13	0.1	<0.01	3.7	<0.1	0.36	<1	<0.5	<0.2
116567	Rock	0.020	7	4	0.42	85	<0.001	<1	0.13	0.051	0.09	0.1	<0.01	2.7	<0.1	0.29	<1	<0.5	<0.2
116568	Rock	0.019	5	3	0.51	215	<0.001	2	0.13	0.032	0.10	0.1	<0.01	3.1	<0.1	0.46	<1	<0.5	<0.2
116569	Rock	0.050	7	6	0.87	87	<0.001	2	0.18	0.037	0.13	0.2	<0.01	5.3	<0.1	0.71	<1	<0.5	<0.2
116570	Rock	0.017	4	3	0.38	221	<0.001	<1	0.14	0.044	0.12	0.1	<0.01	2.6	<0.1	0.53	<1	<0.5	<0.2
116571	Rock	0.057	9	7	0.86	230	<0.001	2	0.16	0.034	0.11	0.2	<0.01	4.4	<0.1	0.42	<1	<0.5	<0.2
116572	Rock	0.012	4	<1	0.22	249	<0.001	1	0.21	0.025	0.13	0.1	<0.01	0.9	<0.1	0.57	<1	<0.5	<0.2
116573	Rock	0.013	4	1	0.20	249	<0.001	<1	0.18	0.033	0.15	<0.1	<0.01	0.9	<0.1	0.51	<1	<0.5	<0.2
116574	Rock	0.018	6	1	0.25	149	<0.001	<1	0.18	0.038	0.14	0.1	<0.01	1.2	<0.1	0.37	<1	<0.5	<0.2
116575	Rock	0.027	8	2	0.47	94	<0.001	2	0.17	0.028	0.12	0.1	<0.01	3.2	<0.1	0.91	<1	<0.5	<0.2
116576	Rock	0.034	8	3	0.69	134	<0.001	2	0.18	0.022	0.12	0.3	0.04	4.0	<0.1	0.54	<1	<0.5	<0.2
116577	Rock	0.060	7	3	0.71	85	<0.001	3	0.17	0.014	0.11	0.3	0.05	4.1	<0.1	0.66	<1	<0.5	<0.2
116578	Rock	0.044	9	4	0.64	112	<0.001	3	0.22	0.018	0.14	0.5	0.03	4.7	<0.1	1.43	<1	0.9	<0.2
116579	Rock	0.044	10	4	0.75	188	<0.001	1	0.16	0.031	0.11	0.2	0.02	4.7	<0.1	0.42	<1	<0.5	<0.2
116580	Rock	0.033	7	3	0.49	180	<0.001	2	0.18	0.018	0.11	0.4	<0.01	3.3	<0.1	0.94	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**

Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile

Report Date: October 12, 2010

Page: 3 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI10000532.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
116581	Rock	5.14	0.5	2.2	21.9	15	0.2	7.1	3.8	394	1.18	50.9	0.6	41.7	3.9	184	<0.1	0.4	<0.1	4	0.89
116582	Rock	6.77	1.3	6.5	13.3	22	0.2	26.0	12.1	899	2.78	83.9	1.3	26.5	6.2	1003	0.2	0.3	0.2	21	2.58
116583	Rock	3.13	0.6	3.7	5.8	11	0.2	11.0	5.4	497	1.53	65.4	1.3	48.3	8.2	337	<0.1	0.4	<0.1	6	1.18
116584	Rock	5.11	0.8	6.8	13.9	15	0.2	15.4	7.6	647	1.92	75.4	1.3	29.0	6.9	523	<0.1	0.4	0.1	7	1.70
116585	Rock	5.38	0.9	7.1	455.6	11	0.7	16.6	7.4	486	1.89	130.0	1.7	70.7	6.9	309	<0.1	1.0	0.3	6	1.18
116586	Rock	6.37	2.2	15.3	104.0	23	0.2	30.2	10.2	826	2.14	73.9	1.5	9.2	6.3	864	0.2	2.8	0.1	21	2.72
116587	Rock	6.20	1.3	8.0	42.2	17	0.4	22.7	12.3	844	2.48	130.7	1.6	31.5	7.1	592	0.1	0.5	0.1	13	2.17
116588	Rock	5.13	1.2	5.2	104.5	22	0.5	18.7	9.1	852	2.35	146.1	4.4	62.9	11.3	458	0.1	0.7	0.1	7	2.20
116589	Rock	5.06	0.9	5.3	146.7	20	0.5	17.3	8.2	958	2.57	110.6	1.7	74.2	6.7	772	0.2	0.5	0.1	11	2.97
116590	Rock	6.36	1.5	15.9	834.5	28	1.0	21.3	10.6	901	2.70	104.5	2.1	50.6	6.2	1015	0.3	0.6	<0.1	18	3.10
116591	Rock	6.19	1.6	14.3	54.4	41	0.2	23.4	10.4	1471	3.54	58.9	1.7	12.1	6.1	1632	0.4	0.5	<0.1	25	5.33
116592	Rock	5.08	0.8	17.7	46.8	31	0.2	17.0	9.6	1187	3.10	53.1	0.8	16.4	5.8	1529	0.2	0.4	0.1	20	4.81
116593	Rock	5.25	0.6	9.4	13.6	21	0.1	12.4	5.6	644	1.85	48.6	1.5	15.4	6.8	631	0.1	0.3	<0.1	9	2.36
116594	Rock	4.46	1.1	31.9	45.8	42	0.4	23.0	12.1	1646	4.27	221.9	1.1	67.4	2.6	1854	0.4	0.5	0.1	25	5.85
116595	Rock	7.33	1.6	43.1	45.2	35	0.3	21.2	9.0	1066	2.91	64.3	0.8	13.0	6.3	1304	0.3	0.4	0.1	23	3.82
116596	Rock	5.81	1.7	69.7	495.8	68	0.8	24.4	10.6	928	2.35	114.0	1.1	14.8	5.8	692	0.6	0.8	0.2	11	2.64
116597	Rock	5.65	1.7	37.3	472.9	59	0.7	35.3	17.5	1036	2.93	174.8	2.2	28.5	6.7	805	0.4	0.7	0.3	12	2.71
116598	Rock	5.19	2.1	17.2	77.3	27	0.2	17.7	6.3	554	1.50	62.6	1.4	17.2	6.9	438	0.2	0.7	0.2	6	1.66
116599	Rock	5.19	1.5	32.6	35.1	35	0.3	21.1	8.5	893	2.28	94.8	1.6	20.2	4.0	647	0.2	0.5	<0.1	9	2.60
116600	Rock	5.38	1.7	50.6	28.0	32	0.3	20.8	8.4	725	1.99	95.1	1.2	19.8	5.2	604	0.2	1.1	0.1	11	2.09
116601	Rock	4.94	1.0	26.0	15.3	16	0.2	14.0	5.2	500	1.45	55.4	0.9	33.5	5.3	417	0.1	0.6	<0.1	6	1.49
116602	Rock	4.13	2.4	34.1	20.1	21	4.6	18.2	6.5	482	1.64	56.0	0.8	33.1	4.6	418	0.2	0.5	<0.1	8	1.56
116603	Rock	6.07	0.8	11.6	23.2	25	0.1	25.0	9.1	809	2.51	47.7	1.4	11.5	4.9	977	0.1	0.8	0.1	18	3.07
116604	Rock	6.37	1.8	12.2	64.0	18	0.3	26.8	10.7	666	2.35	130.2	1.8	53.1	4.8	713	0.2	1.1	0.2	12	2.13
116605	Rock	5.96	1.0	10.5	30.2	18	0.1	17.9	6.7	584	1.67	51.4	1.7	13.5	6.3	554	0.1	0.5	<0.1	9	1.81
116606	Rock	5.80	0.3	4.0	8.8	12	<0.1	9.8	3.2	429	1.18	31.3	1.3	12.8	3.5	371	<0.1	0.3	<0.1	4	1.20
116607	Rock	4.85	1.5	10.8	24.8	33	0.1	26.5	10.1	968	2.44	102.6	1.3	21.4	5.3	832	0.2	0.5	<0.1	11	2.73
116608	Rock	5.11	2.4	6.9	33.1	27	0.1	26.3	8.6	601	1.89	57.4	1.3	3.0	3.8	621	0.1	1.0	<0.1	9	2.21
116609	Rock	5.32	1.8	8.1	20.8	18	0.2	27.9	13.5	608	2.21	68.7	1.5	9.7	8.7	592	0.1	0.7	0.2	15	1.95
116610	Rock	3.52	1.3	8.0	69.8	18	0.3	31.8	17.2	776	2.75	89.2	0.8	4.7	8.3	639	<0.1	0.6	0.4	21	2.21

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: October 12, 2010

Page: 3 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI10000532.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
116581	Rock	0.014	7	1	0.26	89	<0.001	<1	0.16	0.036	0.11	0.1	<0.01	1.4	<0.1	0.26	<1	<0.5	<0.2
116582	Rock	0.040	10	5	0.74	134	0.001	1	0.19	0.036	0.14	0.2	<0.01	4.9	<0.1	0.92	<1	<0.5	<0.2
116583	Rock	0.015	10	2	0.33	161	<0.001	<1	0.11	0.044	0.08	<0.1	<0.01	2.1	<0.1	0.46	<1	<0.5	<0.2
116584	Rock	0.019	7	3	0.49	57	<0.001	<1	0.11	0.036	0.07	0.1	<0.01	2.8	<0.1	0.61	<1	<0.5	<0.2
116585	Rock	0.020	7	3	0.34	51	<0.001	2	0.15	0.037	0.08	0.1	<0.01	2.1	<0.1	0.86	<1	<0.5	<0.2
116586	Rock	0.045	13	10	0.79	159	<0.001	3	0.20	0.016	0.14	0.1	<0.01	4.0	<0.1	0.22	1	<0.5	<0.2
116587	Rock	0.039	10	3	0.63	147	0.002	3	0.21	0.026	0.15	0.1	<0.01	3.8	<0.1	0.86	<1	<0.5	<0.2
116588	Rock	0.023	9	3	0.66	132	<0.001	2	0.18	0.020	0.12	0.2	<0.01	3.4	<0.1	0.73	<1	<0.5	<0.2
116589	Rock	0.024	7	4	0.91	151	<0.001	2	0.20	0.024	0.15	0.1	<0.01	5.1	<0.1	0.54	<1	<0.5	<0.2
116590	Rock	0.043	11	5	0.93	202	0.001	3	0.20	0.027	0.15	0.2	<0.01	5.4	<0.1	0.59	<1	<0.5	<0.2
116591	Rock	0.046	11	9	1.60	233	<0.001	2	0.23	0.026	0.16	0.2	0.01	8.8	<0.1	0.23	<1	<0.5	<0.2
116592	Rock	0.029	10	5	1.44	134	<0.001	2	0.26	0.013	0.15	0.1	<0.01	7.7	<0.1	0.20	<1	<0.5	<0.2
116593	Rock	0.028	8	4	0.67	132	<0.001	2	0.17	0.028	0.10	0.1	<0.01	4.0	<0.1	0.19	<1	<0.5	<0.2
116594	Rock	0.038	5	7	1.76	90	<0.001	1	0.26	0.020	0.17	0.2	<0.01	10.6	<0.1	0.67	1	<0.5	<0.2
116595	Rock	0.041	14	7	1.13	189	0.001	1	0.23	0.030	0.17	0.2	<0.01	6.8	<0.1	0.28	<1	<0.5	<0.2
116596	Rock	0.033	13	4	0.76	124	<0.001	3	0.21	0.028	0.14	0.1	0.02	4.5	<0.1	0.48	<1	<0.5	<0.2
116597	Rock	0.033	10	4	0.80	152	<0.001	2	0.24	0.038	0.14	0.1	0.03	5.5	<0.1	0.93	<1	0.5	<0.2
116598	Rock	0.044	6	4	0.46	141	<0.001	<1	0.12	0.042	0.07	0.2	<0.01	2.9	<0.1	0.25	<1	<0.5	<0.2
116599	Rock	0.036	7	4	0.74	89	<0.001	<1	0.10	0.018	0.07	0.3	<0.01	4.9	<0.1	0.34	<1	<0.5	<0.2
116600	Rock	0.041	8	4	0.58	47	<0.001	1	0.14	0.023	0.08	0.2	<0.01	3.8	<0.1	0.31	<1	<0.5	<0.2
116601	Rock	0.031	7	3	0.41	178	<0.001	<1	0.12	0.048	0.07	0.3	<0.01	2.5	<0.1	0.21	<1	<0.5	<0.2
116602	Rock	0.035	7	11	0.42	189	<0.001	2	0.13	0.036	0.08	21.3	0.01	2.7	<0.1	0.24	<1	<0.5	<0.2
116603	Rock	0.040	12	7	0.86	53	0.001	2	0.13	0.029	0.09	0.2	<0.01	5.8	<0.1	0.24	<1	<0.5	<0.2
116604	Rock	0.039	6	5	0.63	89	<0.001	2	0.13	0.026	0.07	0.2	<0.01	4.2	<0.1	0.79	<1	0.5	<0.2
116605	Rock	0.038	8	4	0.51	94	<0.001	2	0.13	0.034	0.06	0.2	<0.01	3.4	<0.1	0.28	<1	<0.5	<0.2
116606	Rock	0.020	4	3	0.34	367	<0.001	1	0.07	0.028	0.04	<0.1	<0.01	2.4	<0.1	0.20	<1	<0.5	<0.2
116607	Rock	0.032	8	5	0.83	121	<0.001	2	0.18	0.020	0.08	0.2	<0.01	5.6	<0.1	0.46	<1	0.6	<0.2
116608	Rock	0.067	7	6	0.63	88	<0.001	2	0.11	0.025	0.06	0.2	<0.01	3.9	<0.1	0.26	<1	<0.5	<0.2
116609	Rock	0.039	14	5	0.55	185	0.001	2	0.22	0.022	0.16	0.3	<0.01	4.0	<0.1	0.74	<1	0.8	<0.2
116610	Rock	0.034	13	4	0.64	118	0.002	3	0.27	0.017	0.21	0.1	<0.01	5.0	<0.1	1.11	1	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**

Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile

Report Date: October 12, 2010

Page: 4 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI10000532.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
143260	Rock Pulp	0.11	17.6	97.8	27.3	241	1.3	50.8	11.1	310	2.91	394.9	2.4	1332	2.0	36	1.4	40.8	1.3	59	1.55
143261	Rock Pulp	0.12	16.6	98.0	27.2	231	1.3	51.4	10.6	307	2.87	387.4	2.5	1241	2.1	37	1.3	39.8	1.2	58	1.53

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: October 12, 2010

Page: 4 of 4 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000532.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	P	La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
143260	Rock Pulp	0.084	6	68	0.75	145	0.075	4	1.12	0.055	0.14	3.8	7.17	3.6	5.4	0.85	4	1.9	0.3
143261	Rock Pulp	0.084	6	68	0.74	144	0.074	3	1.11	0.055	0.14	3.5	7.18	3.7	5.3	0.84	4	2.1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Solomon Resources Ltd

Assay Results

2010-06

Sample	from m	to m	Au ppb	Au fire assay	Ag ppm	Pb ppm	Zn ppb	Cu ppm	As ppm	Bi ppm	Hg ppm	Comments
116551	6	8	15.9		0.1	8.4	8	1.5	23.9	<0.1	<0.01	
116552	8	10	22.3		0.1	10.4	6	1.5	28.7	<0.1	<0.01	
116553	10	12	17.8		0.5	66.0	25	5.4	82.5	0.1	<0.01	
116554	12	14	14.1		0.4	127.6	178	11.0	34.6	0.1	0.08	
116555	14	16	7.3		0.4	129.9	212	43.2	29.7	<0.1	0.09	
116556	16	18	21.4		0.7	38.0	40	11.8	53.3	<0.1	<0.01	
116557	18	20	47.2		0.7	21.1	24	7.0	71.9	<0.1	<0.01	
116558	20	22	10.0		0.4	56.8	88	16.1	25.1	<0.1	0.02	
116559	22	24	15.0		1.6	106.3	137	26.6	17.3	<0.1	0.07	
116560	24	26	17.9		1.1	44.9	117	10.0	22.5	<0.1	0.03	
116561	26	28	23.7		1.9	168.8	226	37.3	37.0	<0.1	0.10	
116562	28	30	4.1		0.3	129.8	169	8.9	32.9	0.2	0.08	
116563	30	32	7.2		0.7	64.7	173	10.0	68.1	0.2	0.07	
116564	32	34	16.2		0.9	61.2	72	32.6	53.5	<0.1	0.03	
116565	34	36	10.6		0.2	34.1	24	18.2	39.3	<0.1	<0.01	
116566	36	38	7.6		0.2	29.5	21	5.7	39.8	0.1	<0.01	
116567	38	40	9.3		0.1	15.2	11	2.6	31.4	<0.1	<0.01	
116568	40	42	29.9		0.3	21.1	10	2.5	44.3	0.1	<0.01	
116569	42	44	19.4		0.4	59.7	16	5.9	68.0	0.2	<0.01	
116570	44	46	45.3		0.3	38.2	8	2.9	48.3	0.1	<0.01	
116571	46	48	17.7		0.2	44.6	40	4.9	45.6	0.1	<0.01	
116572	48	50	63.9		0.3	26.3	6	1.7	47.2	<0.1	<0.01	
116573	50	52	63.8		0.2	20.8	7	1.4	49.8	<0.1	<0.01	
116574	52	54	40.7		0.2	55.3	8	1.3	37.4	<0.1	<0.01	
116575	54	56	74.7		0.3	23.9	19	3.2	98.8	0.1	<0.01	
116576	56	58	46.7		0.5	142.7	106	26.3	92.5	0.1	0.04	
116577	58	60	77.1		0.7	139.9	128	14.7	103.1	0.2	0.05	
116578	60	62	246.2		2.0	628.4	114	11.3	267.4	0.9	0.03	
116579	62	64	18.2		0.3	99.2	72	13.2	54.6	0.2	0.02	
116580	64	66	173.2		1.0	113.3	44	5.0	157.2	0.5	<0.01	
116581	66	68	41.7		0.2	21.9	15	2.2	50.9	<0.1	<0.01	
116582	68	70	26.5		0.2	13.3	22	6.5	83.9	0.2	<0.01	
116583	70	72	48.3		0.2	5.8	11	3.7	65.4	<0.1	<0.01	
116584	72	74	29.0		0.2	13.9	15	6.8	75.4	0.1	<0.01	
116585	74	76	70.7		0.7	455.6	11	7.1	130.0	0.3	<0.01	
116586	76	78	9.2		0.2	104.0	23	15.3	73.9	0.1	<0.01	
116587	78	80	31.5		0.4	42.2	17	8.0	130.7	0.1	<0.01	
116588	80	82	62.9		0.5	104.5	22	5.2	146.1	0.1	<0.01	
116589	82	84	74.2		0.5	146.7	20	5.3	110.6	0.1	<0.01	
116590	84	86	50.6		1.0	834.5	28	15.9	104.5	<0.1	<0.01	
116591	86	88	12.1		0.2	54.4	41	14.3	58.9	<0.1	0.01	
116592	88	90	16.4		0.2	46.8	31	17.7	53.1	0.1	<0.01	
116593	90	92	15.4		0.1	13.6	21	9.4	48.6	<0.1	<0.01	
116594	92	94	67.4		0.4	45.8	42	31.9	221.9	0.1	<0.01	
116595	94	96	13.0		0.3	45.2	35	43.1	64.3	0.1	<0.01	
116596	96	98	14.8		0.8	495.8	68	69.7	114.0	0.2	0.02	
116597	98	100	28.5		0.7	472.9	59	37.3	174.8	0.3	0.03	
116598	100	102	17.2		0.2	77.3	27	17.2	62.6	0.2	<0.01	
116599	102	104	20.2		0.3	35.1	35	32.6	94.8	<0.1	<0.01	
116600	104	106	19.8		0.3	28.0	32	50.6	95.1	0.1	<0.01	
116601	106	108	33.5		0.2	15.3	16	26.0	55.4	<0.1	<0.01	
116602	108	110	33.1		4.6	20.1	21	34.1	56.0	<0.1	0.01	
116603	110	112	11.5		0.1	23.2	25	11.6	47.7	0.1	<0.01	
116604	112	114	53.1		0.3	64.0	18	12.2	130.2	0.2	<0.01	
116605	114	116	13.5		0.1	30.2	18	10.5	51.4	<0.1	<0.01	
116606	116	118	12.8		<0.1	8.8	12	4.0	31.3	<0.1	<0.01	
116607	118	120	21.4		0.1	24.8	33	10.8	102.6	<0.1	<0.01	
116608	120	122	3.0		0.1	33.1	27	6.9	57.4	<0.1	<0.01	
116609	122	124	9.7		0.2	20.8	18	8.1	68.7	0.2	<0.01	
116610	124	125	4.7		0.3	69.8	18	8.0	89.2	0.4	<0.01	

Solomon Resources Ltd


Assay Results

2010-04

Sample	from m	to m	Au ppb	Au ppm	Ag ppm	Ag ppb	Pb ppm	Zn ppb	Cu ppm	As ppm	Bi ppm	Hg ppm	Comments
143909	7	8	81.7	0.082	0.2	200.0	3.4	14	10.8	72.0	0.1	<0.01	
143910	8	9	82.7	0.083	0.2	200.0	3.6	17	18.9	64.2	<0.1	<0.01	
143911	9	10	184.5	0.185	0.3	300.0	5.5	12	35.8	142.5	0.1	<0.01	
143912	10	11	205.7	0.206	0.2	200.0	5.0	24	23.1	370.8	0.1	<0.01	
143913	11	12	74.8	0.075	0.2	200.0	3.7	29	15.7	121.8	0.1	<0.01	
143914	12	13	475.6	0.476	0.4	400.0	6.4	11	6.5	1584.5	0.1	<0.01	
143915	13	14	66.2	0.066	0.2	200.0	2.7	27	19.0	178.5	<0.1	<0.01	
143916	14	15	136.9	0.137	0.3	300.0	5.1	24	16.6	193.5	0.2	<0.01	
143917	15	16	246.0	0.246	0.3	300.0	8.7	14	14.8	139.9	0.1	<0.01	
143918	16	17	249.7	0.250	0.4	400.0	8.7	15	22.1	136.7	0.1	<0.01	
143919	17	18	79.5	0.080	0.3	300.0	4.3	17	31.0	74.5	0.1	<0.01	
143920	18	19	187.5	0.188	0.3	300.0	5.9	26	28.0	374.1	0.1	<0.01	
143921	19	20	231.8	0.232	0.5	500.0	4.2	29	96.8	1757.7	0.2	<0.01	
143922	20	21	198.4	0.198	0.3	300.0	4.6	11	16.2	170.8	0.1	<0.01	
143923	21	22	162.3	0.162	0.5	500.0	7.4	11	20.4	186.2	0.2	<0.01	
143924	22	23	188.1	0.188	0.6	600.0	7.7	12	28.8	172.2	0.2	<0.01	
143925	23	24	25.5	0.026	0.9	900.0	142.9	62	17.2	86.2	0.3	<0.01	
143926	24	25	26.1	0.026	0.3	300.0	49.1	51	11.8	31.9	<0.1	<0.01	
143927	25	26	16.3	0.016	0.2	200.0	41.3	16	1.4	21.5	<0.1	<0.01	
143928	26	27	40.5	0.041	0.2	200.0	30.3	30	2.9	15.9	<0.1	0.03	
143929	27	28	17.4	0.017	0.2	200.0	33.1	8	1.5	17.7	0.1	<0.01	
143930	28	29	24.4	0.024	0.3	300.0	50.0	14	2.6	23.3	0.2	<0.01	
143931	29	30	30.5	0.031	0.3	300.0	92.0	4	1.8	25.5	0.1	<0.01	
143932	30	31	20.2	0.020	0.2	200.0	101.9	49	2.1	25.1	0.1	0.03	
143933	31	32	44.1	0.044	0.4	400.0	93.5	11	2.4	42.2	0.3	<0.01	
143934	32	33	36.7	0.037	0.3	300.0	75.7	19	2.6	33.0	0.3	<0.01	
143935	33	34	60.6	0.061	0.5	500.0	77.4	26	5.8	47.0	0.5	0.01	
143936	34	35	51.3	0.051	0.6	600.0	330.0	84	6.1	104.9	0.3	0.02	
143937	35	36	42.0	0.042	0.5	500.0	320.4	132	3.8	96.5	0.2	0.05	
143938	36	37	97.2	0.097	0.4	400.0	14.1	9	4.1	88.1	<0.1	<0.01	
143939	37	38	28.9	0.029	0.2	200.0	5.1	5	4.2	37.3	<0.1	<0.01	
143940	38	39	6.7	0.007	0.1	100.0	4.4	6	3.8	10.0	<0.1	<0.01	
143941	39	40	58.5	0.059	0.5	500.0	42.4	15	4.7	55.7	0.1	<0.01	
143942	40	41	123.1	0.123	0.7	700.0	15.7	18	6.8	134.2	0.2	0.01	
143943	41	42	77.6	0.078	0.6	600.0	32.4	28	7.8	104.4	0.3	0.01	
143944	42	43	95.6	0.096	0.5	500.0	6.4	14	12.5	89.6	0.3	<0.01	
143945	43	44	262.2	0.262	0.5	500.0	7.1	14	9.0	109.3	0.3	<0.01	
143946	44	46	632.2	0.632	0.6	600.0	13.1	17	9.7	84.9	0.2	<0.01	
143947	46	48	121.0	0.121	0.4	400.0	23.5	9	5.1	73.0	0.2	<0.01	
143948	48	50	52.4	0.052	0.3	300.0	6.7	5	3.6	38.5	<0.1	<0.01	
143949	50	52	56.7	0.057	0.3	300.0	45.0	5	2.7	39.9	<0.1	<0.01	
143950	52	54	20.4	0.020	0.1	100.0	10.2	5	1.2	18.0	<0.1	<0.01	
143951	54	56	98.1	0.098	0.2	200.0	7.3	4	1.8	19.8	<0.1	<0.01	
143952	56	58	21.6	0.022	0.1	100.0	2.9	7	1.6	32.6	<0.1	<0.01	
143953	58	60	117.5	0.118	0.3	300.0	11.3	15	4.7	97.8	<0.1	<0.01	
143954	60	62	30.2	0.030	0.3	300.0	111.0	100	29.4	61.6	<0.1	0.02	
143955	62	64	59.8	0.060	0.3	300.0	24.2	22	7.6	62.5	<0.1	0.01	
143956	64	66	16.0	0.016	0.1	100.0	11.0	9	2.0	18.2	<0.1	<0.01	
143957	66	68	104.8	0.105	0.2	200.0	43.0	33	8.6	50.0	<0.1	<0.01	
143958	68	70	44.7	0.045	0.1	100.0	8.0	5	1.3	16.7	<0.1	<0.01	
143959	70	72	197.3	0.197	0.8	800.0	56.8	13	3.5	143.1	<0.1	<0.01	
143960	72	74	43.5	0.044	0.4	400.0	20.4	28	14.3	76.8	<0.1	<0.01	
143961	74	76	14.1	0.014	0.3	300.0	29.7	56	20.9	48.0	<0.1	0.02	
143962	76	78	50.3	0.050	0.5	500.0	36.7	22	4.2	53.4	<0.1	0.01	
143963	78	80	41.4	0.041	0.1	100.0	25.8	48	3.1	36.1	<0.1	0.02	
143964	80	82	28.9	0.029	0.3	300.0	94.8	64	3.0	49.4	<0.1	0.02	
143965	82	84	67.7	0.068	0.6	600.0	27.5	35	5.2	143.8	<0.1	0.01	
143966	84	86	17.7	0.018	0.1	100.0	9.8	13	0.9	21.2	<0.1	0.01	
143967	86	88	11.1	0.011	0.1	100.0	7.3	10	1.0	30.7	<0.1	<0.01	
143968	88	90	14.9	0.015	0.4	400.0	14.5	34	10.3	85.7	0.2	0.01	
143969	90	92	6.9	0.007	0.4	400.0	26.8	121	58.0	91.4	0.3	0.04	
143970	92	94	10.3	0.010	0.4	400.0	22.8	82	54.4	104.9	0.2	0.03	
143971	94	96	15.7	0.016	0.4	400.0	7.1	22	49.3	82.6	0.3	0.01	
143972	96	98	1.8	0.002	0.2	200.0	3.9	21	35.7	57.3	0.2	<0.01	
143973	98	100	1.5	0.002	0.3	300.0	5.9	16	23.7	70.2	0.4	<0.01	
143974	100	102	3.7	0.004	0.4	400.0	14.0	27	29.5	85.3	0.4	0.02	
143975	102	104	0.5	0.001	0.3	300.0	12.5	27	51.6	63.7	0.4	<0.01	
143976	104	106	5.6	0.006	0.3	300.0	8.3	32	44.4	101.2	0.4	0.01	
143977	106	108	2.5	0.003	0.3	300.0	17.5	114	47.0	123.4	0.2	0.02	
143978	108	110	2.0	0.002	0.3	300.0	28.4	145	60.1	157.1	0.2	0.04	
143979	110	112	2.4	0.002	0.2	200.0	23.9	60	41.8	93.1	0.2	0.02	
143980	112	114	9.0	0.009	0.3	300.0	18.6	40	49.8	344.9	0.2	0.02	
143981	114	116	0.5	0.001	0.3	300.0	34.3	92	35.7	63.6	0.2	0.03	
143982	116	118	3.2	0.003	0.2	200.0	11.2	42	25.7	43.7	<0.1	0.02	
143983	118	120	<0.5		0.3	300.0	27.5	99	41.4	121.7	0.2	0.02	
143984	120	122	0.8		0.3	300.0	66.6	93	44.6	205.4	0.3	0.03	
143985	122	124	<0.5		0.5	500.0	28.1	88	48.9	115.8	0.3	0.03	
143986	124	126	3.4		0.4	400.0	51.8	71	35.9	82.4	0.1	0.03	

SOLOMON RESOURCES LIMITED - TEN MILE PROJECT

DIAMOND DRILL HOLE: DDH 2010-05				Core Size at Collar: NQ		UTM Easting (Nad 83): 545186	
Location / Map Number: 11505				Inclination of Hole at Collar: - 50		UTM Northing (Nad 83): 7042185	
Date Hole Started: 19th Sep 2010		Total length	125 m	410 ft	Inclination of Hole at Depth: -		Elevation of Collar:
Date Hole Finished: 20th Sep 2010		Logged by: Steve Potts				Azimuth of Hole: 350	

GEOLOGY			SIGNIFICANT STRUCTURES			ALTERATION					Mineralization		
From (m)	To (m)	Rock Type, Description & Mode of Occurrence	Type & Amount	Attitude to C.A.	Loc. (m)	Zone	Minerals	Mode of Occurrence	Amt (0-5)	Attitude to C.A.	Loc. (m)	%	Type, Mode of Occur. Thickness and Veins
	4.80	NW Casing Grey Quartz biotite Schist Very broken core. Much fresher looking after 16 m	Schistosity	20			Limonite Chlorite Quartz	Oxidised fractures Veinlets throughout Slight quartz flooding in the form of milky quartz veinlets	3 3 1	40 20	4.8-16	1.00	Diss py and occasional infill
	16.10	<u>Petrographic description</u> 											
		Chaotic texture. Quartz, plag, K fsp intergrowth of possible granitic affinity					Quartz Chlorite	Pervasive wispy smokey quartz Green tinge to core	2 3	50	31-41 41.0		
							Limonite quartz Chlorite	Core oxidised and broken Wispey quartz Pale green alteration of rock	5 1	70-80	42.3-43 52.0 59.6	1-2	Diss py
			chloritised fault zone fault zone	60-70	59.6-62.0		Quartz and chlorite	Pervasive flooding	5		59.6-62	tr	Diss py
62.00	125.00	Granite Pale silicic unit. Minor specks of mafic minerals					Chlorite and limonite Quartz	Minor veinlets Pervasive flooding of smokey grey quartz	1 4		95-116.2	1.00 1-2	Diss py Aspy along fractures
			Fault Sharp contact	40.00	116.20		Chlorite	Veinlets	1	60	116.2-125	1.00	Aspy along chlorite pathways



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: August 01, 2010

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

WHI10000101.1

Method	Analyte	Unit	MDL	1DX15 Mo ppm	1DX15 Cu ppm	1DX15 Pb ppm	1DX15 Zn ppm	1DX15 Ag ppm	1DX15 Ni ppm	1DX15 Co ppm	1DX15 Mn ppm	1DX15 Fe %	1DX15 As ppm	1DX15 U ppm	1DX15 Au ppb	1DX15 Th ppm	1DX15 Sr ppm	1DX15 Cd ppm	1DX15 Sb ppm	1DX15 Bi ppm	1DX15 V ppm	1DX15 Ca %	1DX15 P %
Pulp Duplicates																							
141303	Soil			1.0	20.1	24.3	241	0.3	14.0	6.8	254	2.75	6.8	0.5	4.2	2.6	21	1.0	0.5	0.2	72	0.17	0.029
REP 141303	QC			1.1	20.4	25.4	233	0.3	14.3	6.7	264	2.85	6.9	0.5	4.3	2.6	22	1.0	0.5	0.3	74	0.16	0.031
141322	Soil			1.6	18.2	93.4	135	<0.1	18.3	10.4	438	3.17	9.6	0.8	60.6	4.5	25	0.3	0.7	0.2	67	0.18	0.040
REP 141322	QC			1.8	17.3	93.8	143	0.1	17.6	10.7	441	3.12	9.5	0.8	69.0	4.3	25	0.3	0.7	0.2	67	0.19	0.041
141296	Soil			0.8	57.1	103.9	452	0.6	15.5	10.8	595	3.29	16.1	1.3	105.8	3.6	42	2.1	0.6	0.3	58	0.53	0.040
REP 141296	QC			0.8	55.7	104.3	451	0.6	15.6	11.0	606	3.33	16.6	1.3	76.5	3.7	41	2.4	0.6	0.3	59	0.51	0.039
141525	Soil			1.0	31.2	28.0	145	0.6	15.4	10.9	812	3.10	46.9	2.0	42.5	2.3	65	0.9	0.7	0.2	56	0.82	0.087
REP 141525	QC			1.0	31.9	27.8	149	0.6	16.0	11.2	832	3.13	48.5	1.9	41.3	2.1	66	1.0	0.8	0.2	57	0.82	0.086
141543	Soil			1.3	11.2	17.6	46	0.1	3.6	3.8	177	2.05	8.2	0.5	107.2	2.4	10	0.2	0.6	0.2	45	0.08	0.032
REP 141543	QC			1.2	11.7	17.5	48	0.1	3.8	4.2	183	2.11	8.3	0.4	78.1	2.6	10	0.2	0.6	0.2	46	0.08	0.030
141560	Soil			1.5	47.0	21.2	64	0.4	20.2	15.0	487	3.77	7.0	0.8	4.2	3.3	62	0.1	0.7	0.2	94	0.39	0.031
REP 141560	QC			1.5	48.0	21.1	65	0.4	21.4	15.1	483	3.83	7.0	0.8	4.3	3.2	63	0.1	0.7	0.2	93	0.39	0.032
142361	Soil			0.8	22.2	12.1	52	0.1	18.4	8.7	347	2.28	51.4	0.8	29.4	3.4	34	0.1	0.6	0.2	51	0.31	0.042
REP 142361	QC			0.8	23.0	12.3	51	0.1	18.0	9.0	352	2.33	52.3	0.8	35.9	3.5	34	0.1	0.6	0.2	51	0.31	0.044
142369	Soil			1.0	12.3	28.8	62	0.2	11.8	7.2	362	2.24	14.5	0.9	9.9	2.1	94	0.4	0.5	0.1	55	0.47	0.029
REP 142369	QC			1.0	12.5	27.9	60	0.2	12.3	7.1	358	2.17	14.7	0.9	18.3	2.3	95	0.3	0.5	0.1	54	0.47	0.027
142390	Soil			1.1	10.7	13.0	41	0.1	8.4	6.2	377	2.64	9.4	0.4	3.7	2.7	16	<0.1	0.4	0.2	71	0.17	0.015
REP 142390	QC			1.0	11.0	13.4	41	0.1	7.8	5.9	381	2.68	9.4	0.4	5.4	2.8	16	0.1	0.5	0.2	71	0.16	0.015
142469	Soil			0.6	15.9	15.5	52	0.1	10.1	4.6	301	1.56	2.7	0.4	10.3	0.5	14	0.3	0.3	0.1	48	0.13	0.042
REP 142469	QC			0.7	15.9	15.4	51	0.1	10.4	4.6	304	1.58	2.7	0.3	11.7	0.5	14	0.3	0.3	0.2	49	0.13	0.042
142478	Soil			1.1	21.7	22.9	72	<0.1	26.0	11.5	319	3.93	11.1	0.5	3.4	3.7	25	0.1	0.6	0.2	89	0.22	0.016
REP 142478	QC			1.2	22.8	23.3	72	<0.1	27.1	11.6	332	3.94	11.7	0.6	1.9	3.8	25	0.1	0.6	0.2	90	0.23	0.017
Reference Materials																							
STD DS7	Standard			21.9	114.2	70.4	407	1.0	58.0	10.2	653	2.52	52.9	5.0	69.4	4.2	78	6.3	6.2	4.9	90	1.00	0.084
STD DS7	Standard			20.1	104.6	62.4	395	0.9	56.1	9.3	629	2.38	49.5	4.5	62.6	4.8	73	6.0	5.6	4.6	82	0.90	0.080
STD DS7	Standard			21.7	104.8	68.6	409	1.1	60.4	10.3	672	2.56	55.3	4.8	124.1	4.6	69	6.5	6.0	4.7	94	1.01	0.083
STD DS7	Standard			21.4	115.0	71.8	422	1.1	60.1	10.3	671	2.57	54.3	5.1	80.4	4.9	79	7.0	6.2	5.0	89	1.00	0.086
STD DS7	Standard			20.6	112.8	68.5	386	1.0	53.9	9.3	649	2.43	53.0	4.9	72.8	4.7	76	6.9	6.3	4.8	87	0.93	0.078

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: August 01, 2010

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

WHI10000101.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																		
141303	Soil	10	27	0.33	248	0.051	<1	1.75	0.010	0.05	<0.1	0.02	2.3	0.1	<0.05	7	<0.5	<0.2
REP 141303	QC	10	28	0.36	252	0.055	<1	1.96	0.011	0.04	0.1	0.02	2.4	0.1	<0.05	7	<0.5	<0.2
141322	Soil	15	28	0.34	321	0.050	1	1.79	0.009	0.06	0.1	0.02	3.9	<0.1	<0.05	6	<0.5	<0.2
REP 141322	QC	15	27	0.33	320	0.050	<1	1.80	0.010	0.06	0.1	0.03	3.8	<0.1	<0.05	6	<0.5	<0.2
141296	Soil	15	25	0.56	444	0.044	1	2.08	0.013	0.09	0.1	0.04	6.7	<0.1	<0.05	6	0.7	<0.2
REP 141296	QC	15	26	0.56	449	0.042	<1	2.07	0.013	0.09	0.1	0.05	7.0	0.1	<0.05	6	0.7	<0.2
141525	Soil	17	24	0.45	508	0.038	1	1.74	0.014	0.07	0.1	0.08	6.7	0.1	0.06	5	0.9	<0.2
REP 141525	QC	18	25	0.45	531	0.040	1	1.75	0.016	0.07	0.1	0.08	6.7	<0.1	0.06	5	0.9	<0.2
141543	Soil	11	8	0.37	98	0.052	<1	1.18	0.007	0.10	<0.1	<0.01	2.7	0.1	<0.05	7	<0.5	<0.2
REP 141543	QC	11	8	0.38	98	0.051	<1	1.16	0.007	0.10	<0.1	0.01	3.0	0.1	<0.05	7	<0.5	<0.2
141560	Soil	13	44	0.86	433	0.072	<1	2.30	0.016	0.06	0.1	0.03	7.0	0.1	<0.05	8	0.7	0.2
REP 141560	QC	13	45	0.87	432	0.073	<1	2.28	0.016	0.06	0.1	0.03	6.8	0.1	<0.05	8	<0.5	<0.2
142361	Soil	12	27	0.39	241	0.063	1	1.59	0.014	0.04	0.2	0.04	3.5	<0.1	<0.05	5	<0.5	<0.2
REP 142361	QC	12	28	0.39	246	0.060	1	1.60	0.011	0.04	0.1	0.04	3.5	<0.1	<0.05	5	<0.5	<0.2
142369	Soil	11	21	0.32	261	0.046	1	1.19	0.010	0.09	0.2	0.02	2.8	<0.1	<0.05	5	<0.5	<0.2
REP 142369	QC	10	21	0.32	264	0.046	<1	1.15	0.010	0.09	0.1	0.04	2.9	<0.1	<0.05	5	<0.5	<0.2
142390	Soil	17	19	0.39	325	0.071	<1	1.50	0.009	0.06	0.1	<0.01	4.2	<0.1	<0.05	7	<0.5	<0.2
REP 142390	QC	17	19	0.39	322	0.067	<1	1.49	0.012	0.06	0.1	0.01	4.1	<0.1	<0.05	7	<0.5	<0.2
142469	Soil	7	17	0.15	196	0.041	<1	1.05	0.013	0.04	<0.1	0.03	1.4	<0.1	<0.05	5	<0.5	<0.2
REP 142469	QC	7	18	0.16	189	0.042	<1	1.05	0.012	0.04	<0.1	0.02	1.5	<0.1	<0.05	5	<0.5	<0.2
142478	Soil	12	44	0.63	355	0.082	1	3.23	0.013	0.05	<0.1	0.02	5.5	0.1	<0.05	8	<0.5	<0.2
REP 142478	QC	12	45	0.67	348	0.096	1	3.26	0.012	0.06	0.1	0.02	5.5	0.2	<0.05	8	<0.5	<0.2
Reference Materials																		
STD DS7	Standard	13	204	1.11	413	0.130	42	1.07	0.101	0.51	3.9	0.23	2.6	4.4	0.22	5	3.4	1.4
STD DS7	Standard	12	208	1.05	389	0.114	41	1.00	0.093	0.45	3.5	0.22	2.2	4.4	0.23	5	3.2	1.9
STD DS7	Standard	13	225	1.16	413	0.121	42	1.14	0.109	0.53	3.7	0.21	2.5	4.0	0.20	5	3.3	1.3
STD DS7	Standard	14	215	1.11	428	0.133	42	1.09	0.100	0.49	3.7	0.24	2.7	4.4	0.21	5	4.0	1.3
STD DS7	Standard	14	201	1.02	399	0.124	39	1.01	0.103	0.47	3.5	0.21	2.4	3.9	0.18	5	3.4	1.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: August 01, 2010

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

WHI10000101.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
STD DS7	Standard	21.3	114.4	73.6	422	1.0	62.1	10.0	699	2.72	58.3	5.3	76.8	5.4	84	6.6	6.6	5.0	90	1.11	0.087
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: August 01, 2010

Page: 2 of 2 **Part** 2

QUALITY CONTROL REPORT **WHI10000101.1**

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD DS7	Standard	16	214	1.15	463	0.141	44	1.16	0.110	0.52	4.2	0.25	3.1	4.3	0.18	6	3.4	2.5
STD DS7 Expected		12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: August 04, 2010

Page: 1 of 1 **Part** 1

QUALITY CONTROL REPORT

WHI10000110.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
141343	Soil	1.3	15.8	11.5	52	0.2	14.5	11.3	370	3.60	81.8	0.7	10.4	2.5	24	0.1	0.7	0.1	66	0.19	0.023
REP 141343	QC	1.3	16.1	11.6	52	0.2	15.0	10.8	379	3.59	83.6	0.7	25.4	2.5	24	0.1	0.7	0.2	66	0.19	0.024
141597	Soil	0.6	18.9	23.8	67	0.1	16.9	8.5	262	2.37	7.0	0.9	7.2	3.1	40	0.2	0.4	0.2	53	0.42	0.052
REP 141597	QC	0.6	20.3	24.1	68	0.1	17.3	8.9	273	2.49	7.7	0.9	7.5	3.1	40	0.3	0.4	0.2	53	0.43	0.053
141578	Soil	1.0	22.7	26.2	74	<0.1	19.9	9.0	296	3.03	9.7	0.6	25.1	3.8	20	<0.1	0.7	0.2	65	0.20	0.031
REP 141578	QC	0.8	23.3	26.1	73	<0.1	19.5	8.8	292	3.06	9.7	0.6	10.1	3.9	20	0.2	0.7	0.2	66	0.20	0.030
141592	Soil	1.1	23.4	15.1	39	0.3	9.5	5.8	493	1.56	2.6	0.7	7.3	1.4	22	0.3	0.3	0.2	38	0.17	0.035
REP 141592	QC	1.2	22.8	16.1	39	0.3	9.4	6.1	507	1.60	2.8	0.7	11.7	1.3	21	0.2	0.3	0.2	38	0.18	0.035
141637	Soil	1.3	18.5	131.6	99	1.9	12.2	5.6	316	2.34	92.8	0.5	130.1	2.0	19	0.9	2.6	0.2	58	0.12	0.035
REP 141637	QC	1.2	18.1	133.6	94	1.7	12.2	5.1	306	2.25	88.6	0.5	71.3	1.9	19	0.9	2.4	0.2	54	0.11	0.033
142505	Soil	1.3	11.6	13.9	43	<0.1	11.4	5.1	294	2.03	116.3	0.3	4.4	1.7	22	0.3	0.5	0.2	60	0.14	0.045
REP 142505	QC	1.2	11.0	13.5	40	<0.1	10.5	5.0	292	2.03	112.7	0.3	4.4	1.7	21	0.3	0.5	0.2	59	0.14	0.042
Reference Materials																					
STD DS7	Standard	20.0	105.1	67.4	390	1.0	53.7	9.0	608	2.35	50.2	5.0	67.8	4.8	77	5.8	5.8	4.5	82	0.95	0.073
STD DS7	Standard	21.3	123.3	68.0	399	1.0	55.6	9.9	610	2.37	54.7	5.0	76.5	4.9	73	6.6	6.0	4.8	84	0.94	0.083
STD DS7	Standard	20.7	111.3	70.8	403	0.9	56.7	9.4	635	2.40	55.0	5.1	69.4	4.9	81	6.6	6.3	4.9	84	0.96	0.082
STD DS7	Standard	19.5	96.6	64.7	382	0.9	51.9	9.3	628	2.39	45.5	4.3	69.1	4.5	69	5.9	5.5	4.4	81	0.95	0.066
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: August 04, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI10000110.1

Method	Analyte	Unit	MDL	1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
Pulp Duplicates																				
141343	Soil			9	23	0.32	349	0.015	2	1.54	0.008	0.07	<0.1	0.01	5.7	0.1	<0.05	5	<0.5	<0.2
REP 141343	QC			9	23	0.32	347	0.017	2	1.56	0.008	0.07	0.1	<0.01	5.8	<0.1	<0.05	5	<0.5	<0.2
141597	Soil			11	26	0.44	435	0.057	1	1.71	0.015	0.05	0.2	0.04	3.9	<0.1	<0.05	5	<0.5	<0.2
REP 141597	QC			12	28	0.46	446	0.060	1	1.79	0.016	0.05	0.2	0.03	4.1	<0.1	<0.05	5	<0.5	<0.2
141578	Soil			10	33	0.48	233	0.066	<1	2.16	0.011	0.05	0.1	0.03	3.6	<0.1	<0.05	6	<0.5	<0.2
REP 141578	QC			11	33	0.48	227	0.068	1	2.16	0.012	0.05	0.1	0.03	3.7	<0.1	<0.05	6	<0.5	<0.2
141592	Soil			9	16	0.18	254	0.050	<1	0.96	0.015	0.08	<0.1	0.02	1.8	<0.1	<0.05	5	<0.5	<0.2
REP 141592	QC			9	16	0.18	258	0.051	<1	0.97	0.016	0.08	<0.1	0.02	1.8	<0.1	<0.05	5	<0.5	<0.2
141637	Soil			10	24	0.30	257	0.056	1	1.33	0.008	0.07	0.1	0.04	2.2	<0.1	<0.05	6	<0.5	<0.2
REP 141637	QC			9	22	0.29	242	0.052	1	1.34	0.008	0.06	0.1	0.04	2.0	<0.1	<0.05	6	<0.5	<0.2
142505	Soil			8	20	0.25	125	0.081	<1	1.03	0.010	0.08	0.1	0.01	2.0	<0.1	<0.05	6	<0.5	<0.2
REP 142505	QC			8	19	0.24	127	0.080	2	0.97	0.013	0.07	0.1	0.02	1.9	<0.1	<0.05	6	<0.5	<0.2
Reference Materials																				
STD DS7	Standard			13	200	1.07	384	0.126	40	1.06	0.101	0.46	3.8	0.23	2.5	4.2	0.20	5	3.1	1.5
STD DS7	Standard			14	195	1.04	406	0.128	38	1.01	0.097	0.46	3.8	0.22	2.7	4.1	0.21	5	3.1	1.4
STD DS7	Standard			13	194	1.08	433	0.133	42	1.04	0.108	0.49	3.8	0.21	2.7	4.1	0.18	5	3.0	1.6
STD DS7	Standard			13	225	1.04	419	0.108	37	1.01	0.094	0.46	3.5	0.21	2.4	3.9	0.18	5	2.7	1.4
STD DS7 Expected				12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank			<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank			<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank			<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank			<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: August 19, 2010

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

WHI10000153.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
142813	Soil	1.3	23.1	18.0	66	0.5	24.1	8.9	274	2.69	100.8	0.8	5.6	4.4	17	0.2	0.7	0.4	73	0.14	0.020
REP 142813	QC	1.3	23.0	17.8	66	0.5	24.1	8.7	266	2.73	97.0	0.9	8.1	4.5	16	0.2	0.7	0.4	73	0.15	0.019
141683	Soil	1.1	26.6	10.9	56	0.4	22.3	12.8	672	3.30	813.9	0.8	186.7	2.7	248	0.2	1.0	0.3	52	1.09	0.040
REP 141683	QC	1.3	26.8	10.8	53	0.4	21.6	13.0	657	3.25	803.0	0.8	179.5	2.6	243	0.2	1.0	0.4	50	1.10	0.040
141690	Soil	0.7	29.5	10.1	43	0.3	21.1	9.5	589	2.72	13.1	1.1	2.4	2.1	79	0.2	0.6	0.2	48	0.92	0.028
REP 141690	QC	0.8	29.5	9.7	43	0.3	20.8	9.3	547	2.56	12.1	1.1	2.7	2.2	82	0.2	0.5	0.2	44	0.94	0.026
142568	Soil	1.3	41.1	9.1	41	0.2	49.6	21.5	832	5.91	254.7	0.6	20.0	3.2	56	<0.1	0.9	0.2	92	0.33	0.051
REP 142568	QC	1.2	42.0	9.2	42	0.1	47.0	20.4	777	5.53	251.2	0.6	20.0	3.5	51	<0.1	0.9	0.2	89	0.30	0.048
142589	Soil	2.0	23.3	24.4	68	0.2	24.0	9.4	425	2.23	6.2	1.3	11.8	2.3	48	0.2	0.5	0.2	54	0.35	0.054
REP 142589	QC	1.2	23.0	23.3	66	0.2	18.1	8.9	426	2.16	5.6	1.4	9.4	2.3	48	0.3	0.5	0.2	54	0.34	0.054
141663	Soil	0.6	32.4	7.4	34	0.1	16.9	14.6	557	3.56	9.2	1.1	5.7	1.6	113	0.2	0.9	0.1	52	2.32	0.093
REP 141663	QC	0.5	32.1	7.2	33	0.1	16.5	14.4	561	3.54	9.4	1.1	4.2	1.6	112	0.2	0.9	0.1	51	2.31	0.090
141667	Soil	0.9	15.1	45.7	44	0.2	14.2	6.3	207	2.53	417.5	0.4	114.0	2.4	19	0.2	1.0	0.2	52	0.14	0.025
REP 141667	QC	0.9	14.9	46.0	45	0.2	14.8	6.1	204	2.50	415.3	0.4	107.3	2.3	18	0.1	1.1	0.2	49	0.13	0.026
141960	Soil	0.8	12.6	11.1	33	<0.1	17.1	10.5	509	2.58	41.1	0.4	3.5	2.3	30	<0.1	0.4	0.1	51	0.24	0.015
REP 141960	QC	0.9	12.8	11.4	34	<0.1	16.6	10.3	525	2.63	41.5	0.4	4.1	2.5	31	<0.1	0.4	0.1	53	0.24	0.016
142709	Soil	0.8	12.3	17.6	68	0.1	18.3	9.7	268	2.81	6.5	0.6	10.2	3.8	28	0.1	0.4	0.2	65	0.32	0.036
REP 142709	QC	0.8	12.9	17.7	67	0.1	18.8	9.9	267	2.79	6.8	0.6	24.4	3.7	28	0.1	0.4	0.2	66	0.31	0.036
142538	Soil	1.1	25.0	11.3	56	0.2	20.4	12.1	531	3.07	5.5	2.6	2.6	5.2	118	0.2	0.7	0.2	65	0.92	0.058
REP 142538	QC	1.0	24.5	11.9	55	0.2	19.8	12.2	543	3.09	5.3	2.6	3.5	5.3	120	0.1	0.7	0.2	64	0.97	0.058
142544	Soil	1.2	33.8	15.6	84	0.1	23.4	15.9	424	4.52	9.8	2.0	1.3	5.5	77	0.2	0.5	0.2	80	0.60	0.048
REP 142544	QC	1.4	34.6	15.5	89	0.1	21.9	16.3	428	4.54	9.9	2.0	1.9	5.7	76	0.2	0.6	0.2	83	0.59	0.049
141978	Soil	1.0	14.3	22.7	54	<0.1	18.0	6.6	204	2.26	5.9	0.6	4.6	3.1	26	0.3	0.4	0.1	47	0.32	0.034
REP 141978	QC	0.9	15.2	22.5	54	<0.1	18.4	6.8	208	2.30	6.1	0.5	2.0	2.8	26	0.4	0.4	0.1	48	0.31	0.031
Reference Materials																					
STD DS7	Standard	19.3	107.8	62.4	388	0.9	54.7	8.6	575	2.29	45.4	3.9	59.6	4.0	63	5.9	5.1	3.9	81	0.92	0.068
STD DS7	Standard	20.6	111.3	66.2	387	0.9	54.9	9.3	630	2.35	52.2	4.7	66.1	4.3	72	6.0	5.3	4.6	89	0.95	0.076
STD DS7	Standard	23.7	122.1	75.6	433	1.0	63.1	10.3	680	2.64	54.8	5.2	73.3	5.0	80	6.5	6.3	4.9	94	1.06	0.079

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: August 19, 2010

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

WHI10000153.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																		
142813	Soil	12	34	0.50	162	0.060	<1	1.99	0.010	0.05	0.2	0.01	2.9	0.1	<0.05	7	<0.5	<0.2
REP 142813	QC	12	34	0.50	168	0.060	<1	1.91	0.010	0.05	0.2	0.02	2.7	0.1	<0.05	7	<0.5	<0.2
141683	Soil	12	23	0.43	301	0.031	2	1.36	0.014	0.05	0.4	0.02	7.9	<0.1	<0.05	4	0.5	<0.2
REP 141683	QC	12	25	0.44	309	0.031	2	1.37	0.015	0.05	0.1	0.03	7.9	<0.1	<0.05	4	0.8	<0.2
141690	Soil	10	29	0.36	688	0.033	2	1.52	0.014	0.07	0.2	0.03	5.0	<0.1	0.16	4	0.5	<0.2
REP 141690	QC	10	26	0.35	691	0.028	2	1.47	0.015	0.07	0.1	0.04	4.6	<0.1	0.12	4	<0.5	<0.2
142568	Soil	12	75	0.49	340	0.028	2	2.02	0.010	0.07	0.2	0.02	12.7	0.2	<0.05	6	0.9	<0.2
REP 142568	QC	12	72	0.47	331	0.029	<1	2.02	0.010	0.07	0.1	0.02	12.2	0.1	<0.05	6	<0.5	<0.2
142589	Soil	14	36	0.36	444	0.042	2	1.56	0.014	0.05	0.1	0.04	4.7	<0.1	<0.05	5	<0.5	<0.2
REP 142589	QC	14	27	0.36	459	0.044	1	1.57	0.014	0.05	0.1	0.04	4.7	<0.1	<0.05	5	<0.5	<0.2
141663	Soil	15	15	0.33	366	0.011	2	0.98	0.010	0.06	0.1	0.05	6.1	<0.1	0.08	2	0.5	<0.2
REP 141663	QC	15	15	0.33	361	0.009	2	0.95	0.011	0.06	<0.1	0.05	6.1	<0.1	0.08	3	0.5	<0.2
141667	Soil	10	23	0.30	130	0.056	1	1.18	0.012	0.05	0.1	0.02	2.4	<0.1	<0.05	4	<0.5	<0.2
REP 141667	QC	9	22	0.30	122	0.053	<1	1.09	0.012	0.05	0.1	0.02	2.2	<0.1	<0.05	4	<0.5	<0.2
141960	Soil	8	24	0.30	328	0.035	<1	1.56	0.010	0.08	0.1	0.02	4.2	<0.1	<0.05	5	<0.5	<0.2
REP 141960	QC	8	25	0.30	335	0.035	1	1.58	0.018	0.08	0.1	0.02	4.4	<0.1	<0.05	5	<0.5	<0.2
142709	Soil	13	32	0.48	229	0.053	<1	1.97	0.013	0.06	0.1	0.02	3.4	0.1	<0.05	6	<0.5	<0.2
REP 142709	QC	13	32	0.49	231	0.052	1	2.02	0.010	0.06	0.1	0.01	3.5	0.1	<0.05	6	<0.5	<0.2
142538	Soil	18	31	0.90	602	0.063	1	1.79	0.014	0.10	0.2	0.04	6.1	<0.1	<0.05	5	0.5	<0.2
REP 142538	QC	19	31	0.90	595	0.063	2	1.76	0.020	0.10	<0.1	0.04	6.1	<0.1	<0.05	6	0.8	<0.2
142544	Soil	20	46	1.16	422	0.062	3	2.25	0.014	0.09	<0.1	0.03	8.1	0.1	<0.05	7	0.8	<0.2
REP 142544	QC	21	46	1.13	434	0.064	2	2.17	0.013	0.09	<0.1	0.03	8.0	0.1	<0.05	8	0.6	<0.2
141978	Soil	10	29	0.38	591	0.048	<1	1.68	0.012	0.06	<0.1	0.03	3.7	<0.1	<0.05	5	<0.5	<0.2
REP 141978	QC	11	28	0.36	579	0.045	<1	1.56	0.012	0.05	0.4	0.02	3.6	<0.1	<0.05	5	<0.5	<0.2
Reference Materials																		
STD DS7	Standard	12	219	0.94	391	0.108	33	0.96	0.102	0.46	3.5	0.20	2.4	3.9	0.16	5	3.3	1.4
STD DS7	Standard	13	211	1.02	391	0.117	37	1.03	0.100	0.46	3.5	0.21	2.5	4.1	0.18	5	2.7	1.7
STD DS7	Standard	15	241	1.14	429	0.143	41	1.15	0.110	0.50	4.1	0.23	2.7	4.3	0.20	5	3.7	2.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: August 19, 2010

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

WHI10000153.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
STD DS7	Standard	20.8	96.1	56.2	358	0.9	53.8	8.5	598	2.40	46.4	3.8	79.1	3.7	64	5.6	4.7	3.6	79	0.93	0.071
STD DS7	Standard	21.8	126.8	66.2	428	1.0	58.8	10.9	649	2.49	60.9	4.8	82.0	4.8	80	7.2	6.5	4.9	97	0.99	0.096
STD DS7	Standard	22.0	113.0	76.1	410	1.0	60.5	9.9	656	2.50	53.4	5.4	71.2	5.5	83	6.8	6.7	5.1	98	1.02	0.079
STD DS7	Standard	21.2	93.1	67.2	367	1.0	55.7	9.7	621	2.40	43.9	4.3	66.4	4.2	74	5.7	4.9	4.0	85	0.93	0.073
STD DS7	Standard	21.5	111.2	71.2	408	1.0	58.4	9.8	632	2.46	51.0	4.9	82.4	4.8	79	5.9	5.6	4.6	87	0.96	0.074
STD DS7	Standard	20.5	108.7	60.1	402	1.0	57.0	9.2	626	2.41	50.8	4.3	113.9	4.0	65	6.5	5.1	4.1	85	0.93	0.075
STD DS7	Standard	21.6	111.3	69.2	402	1.0	58.6	9.8	627	2.41	49.1	4.9	66.1	4.8	74	6.1	5.7	4.5	85	0.95	0.071
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: October 07, 2010

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

WHI10000338.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
143010	Soil	1.1	19.7	14.4	52	0.1	14.2	8.8	740	2.42	6.9	0.5	0.9	2.3	41	0.2	0.5	0.2	58	0.31	0.029
REP 143010	QC	1.1	20.1	13.8	52	0.1	14.3	9.0	752	2.48	7.0	0.5	2.1	2.2	40	0.2	0.5	0.2	59	0.31	0.029
143029	Soil	0.6	22.1	9.7	58	<0.1	21.5	8.8	250	2.31	16.3	0.9	4.8	4.4	29	0.1	0.4	0.1	51	0.33	0.053
REP 143029	QC	0.6	22.2	9.4	56	<0.1	21.6	8.9	251	2.33	16.2	0.9	4.3	4.4	28	0.1	0.5	0.1	52	0.33	0.053
143040	Soil	1.2	20.0	12.4	57	0.2	17.6	6.2	166	2.44	31.4	0.9	6.5	3.6	21	0.2	0.7	0.2	65	0.23	0.067
REP 143040	QC	1.3	19.5	12.4	56	0.2	18.0	6.0	171	2.43	30.4	0.9	2.2	3.6	20	0.2	0.6	0.2	64	0.22	0.069
143171	Soil	1.1	20.8	11.7	52	<0.1	15.5	9.5	377	2.85	5.5	0.6	1.4	4.1	35	<0.1	0.7	0.1	52	0.20	0.014
REP 143171	QC	0.9	19.8	11.5	51	<0.1	14.8	9.7	366	2.73	5.4	0.6	<0.5	4.2	33	<0.1	0.7	0.1	50	0.20	0.014
143177	Soil	1.4	25.5	19.2	64	0.4	14.5	9.4	592	2.69	17.9	1.6	17.1	5.2	61	0.2	4.1	0.3	34	0.51	0.067
REP 143177	QC	1.4	26.0	19.5	69	0.4	15.0	9.2	603	2.71	17.7	1.5	16.9	5.1	62	0.2	3.9	0.3	34	0.51	0.066
143195	Soil	1.2	17.1	12.7	60	0.8	13.8	7.6	644	2.45	36.6	0.6	0.8	3.7	23	0.2	1.0	0.2	53	0.21	0.045
REP 143195	QC	1.3	17.1	12.9	62	0.8	14.2	7.8	655	2.52	37.5	0.6	1.0	3.5	23	0.2	1.1	0.2	56	0.22	0.046
143391	Soil	1.2	11.1	8.0	48	0.2	11.4	3.2	72	1.38	21.9	0.6	1.5	0.6	26	<0.1	0.8	0.1	27	0.25	0.050
REP 143391	QC	1.1	10.9	7.8	46	0.2	10.7	3.0	71	1.36	21.4	0.6	3.0	0.6	26	0.1	0.8	0.2	27	0.24	0.051
143456	Soil	0.8	27.6	7.1	68	<0.1	26.0	10.2	304	2.60	9.0	0.9	2.7	3.3	50	0.2	0.6	0.1	62	1.01	0.087
REP 143456	QC	0.8	26.8	7.2	65	<0.1	26.5	10.4	299	2.56	9.3	0.9	2.9	3.3	50	0.3	0.6	0.1	62	0.97	0.081
143474	Soil	1.3	29.9	15.9	61	0.3	28.6	12.2	458	2.86	19.1	0.9	2.4	4.7	21	0.2	0.8	0.2	73	0.17	0.026
REP 143474	QC	1.4	30.1	15.3	58	0.3	28.0	12.3	471	2.95	19.8	1.0	3.2	4.6	21	0.2	0.7	0.2	76	0.17	0.025
143486	Soil	1.0	27.0	22.5	65	0.2	24.7	7.8	188	3.22	10.0	2.0	13.6	3.1	97	0.1	0.5	0.2	65	0.54	0.058
REP 143486	QC	0.9	24.9	21.4	62	0.2	21.8	7.4	194	3.09	9.9	2.1	9.5	3.1	101	0.2	0.5	0.2	64	0.58	0.058
143559	Soil	1.7	28.8	35.8	96	0.9	28.3	9.7	529	3.15	28.8	3.8	8.0	4.6	50	0.4	0.7	0.4	59	0.59	0.070
REP 143559	QC	1.5	28.6	34.0	89	0.9	26.3	9.3	518	3.03	27.4	3.7	8.1	4.4	49	0.4	0.6	0.4	59	0.59	0.069
143610	Soil	1.5	55.5	25.6	96	0.2	50.2	19.4	545	4.38	118.8	1.6	3.4	18.6	32	0.1	0.7	0.2	57	0.37	0.051
REP 143610	QC	1.5	58.3	26.4	100	0.2	51.1	20.7	556	4.56	119.2	1.6	3.6	17.8	33	0.1	0.7	0.2	59	0.38	0.050
143635	Soil	1.1	15.0	14.3	45	<0.1	15.8	5.6	161	2.22	31.9	0.6	1.8	3.5	12	0.1	0.5	0.2	59	0.11	0.027
REP 143635	QC	1.0	14.2	14.3	46	<0.1	14.3	4.9	158	2.21	32.8	0.7	1.2	3.6	13	<0.1	0.5	0.2	57	0.11	0.028
143662	Soil	0.8	19.5	15.4	52	<0.1	21.3	9.4	245	2.65	11.5	0.7	2.7	6.1	16	<0.1	0.5	0.2	55	0.16	0.023
REP 143662	QC	0.7	19.0	15.5	51	<0.1	21.3	9.5	242	2.54	11.7	0.7	1.1	6.0	14	<0.1	0.4	0.2	56	0.15	0.024

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: October 07, 2010

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

WHI10000338.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																		
143010	Soil	10	22	0.33	598	0.036	3	1.40	0.016	0.09	<0.1	0.01	2.7	<0.1	<0.05	5	<0.5	<0.2
REP 143010	QC	10	22	0.34	606	0.037	2	1.41	0.014	0.09	<0.1	0.02	2.7	<0.1	<0.05	5	<0.5	<0.2
143029	Soil	15	34	0.49	206	0.089	<1	1.65	0.017	0.09	0.1	0.02	3.7	<0.1	<0.05	5	<0.5	<0.2
REP 143029	QC	14	34	0.49	213	0.086	<1	1.57	0.014	0.09	0.1	0.02	3.7	<0.1	<0.05	5	<0.5	<0.2
143040	Soil	11	28	0.40	145	0.061	1	1.42	0.009	0.04	0.2	0.02	2.5	<0.1	<0.05	6	<0.5	<0.2
REP 143040	QC	10	27	0.40	139	0.057	<1	1.37	0.013	0.05	0.3	0.02	2.4	<0.1	<0.05	6	<0.5	<0.2
143171	Soil	12	30	0.45	677	0.052	1	1.50	0.015	0.12	0.1	0.01	3.7	<0.1	<0.05	4	<0.5	<0.2
REP 143171	QC	11	28	0.46	673	0.050	1	1.45	0.012	0.12	0.1	0.01	3.6	<0.1	<0.05	5	<0.5	<0.2
143177	Soil	24	16	0.28	557	0.016	5	0.94	0.012	0.08	<0.1	0.10	3.4	0.1	<0.05	3	0.6	<0.2
REP 143177	QC	23	16	0.27	537	0.016	4	0.94	0.012	0.08	<0.1	0.11	3.4	0.1	<0.05	3	0.6	<0.2
143195	Soil	21	20	0.32	259	0.043	<1	1.33	0.010	0.09	<0.1	0.02	1.9	0.1	<0.05	6	<0.5	<0.2
REP 143195	QC	22	21	0.33	260	0.044	<1	1.36	0.010	0.09	<0.1	0.02	1.9	0.1	<0.05	6	<0.5	<0.2
143391	Soil	11	19	0.28	121	0.022	3	0.92	0.011	0.05	0.2	0.07	1.4	<0.1	<0.05	4	0.6	<0.2
REP 143391	QC	11	18	0.28	119	0.022	5	0.91	0.011	0.04	0.1	0.07	1.4	<0.1	<0.05	4	0.6	<0.2
143456	Soil	13	29	0.72	306	0.093	4	1.34	0.035	0.08	0.2	0.03	3.6	<0.1	<0.05	4	<0.5	<0.2
REP 143456	QC	13	29	0.68	312	0.093	3	1.28	0.034	0.08	0.2	0.03	3.6	<0.1	<0.05	4	<0.5	<0.2
143474	Soil	13	45	0.55	312	0.070	1	2.29	0.018	0.05	0.1	0.02	4.6	0.1	<0.05	6	<0.5	<0.2
REP 143474	QC	14	48	0.57	331	0.078	1	2.31	0.017	0.07	0.2	0.02	4.6	0.1	<0.05	6	<0.5	<0.2
143486	Soil	18	42	0.49	519	0.078	1	2.85	0.016	0.06	0.2	0.05	6.2	0.1	<0.05	8	<0.5	<0.2
REP 143486	QC	17	41	0.48	498	0.081	<1	2.85	0.018	0.06	0.2	0.06	6.4	0.1	<0.05	7	0.8	<0.2
143559	Soil	44	40	0.60	313	0.039	2	2.38	0.014	0.10	0.2	0.07	4.9	0.1	0.09	8	0.7	<0.2
REP 143559	QC	41	37	0.57	300	0.037	2	2.34	0.013	0.10	0.2	0.07	4.9	0.1	0.11	7	1.0	<0.2
143610	Soil	48	49	0.96	140	0.093	2	2.21	0.010	0.51	<0.1	0.02	5.0	0.3	<0.05	7	<0.5	<0.2
REP 143610	QC	50	51	1.00	149	0.098	1	2.28	0.009	0.57	<0.1	0.02	5.1	0.3	<0.05	8	<0.5	<0.2
143635	Soil	10	24	0.33	101	0.089	1	1.01	0.008	0.10	0.1	0.02	1.5	0.2	<0.05	6	<0.5	<0.2
REP 143635	QC	10	23	0.34	110	0.092	<1	1.05	0.010	0.10	0.1	0.02	1.5	0.2	<0.10	6	<0.5	<0.2
143662	Soil	18	32	0.51	143	0.097	1	1.79	0.010	0.08	0.2	0.02	2.9	0.2	<0.05	6	<0.5	<0.2
REP 143662	QC	17	31	0.52	139	0.094	<1	1.78	0.009	0.08	0.1	0.01	2.8	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: October 07, 2010

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

WHI10000338.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
143668	Soil	1.2	23.7	21.4	52	0.4	18.1	8.4	285	2.34	15.7	1.0	3.5	3.1	22	0.5	0.4	0.2	55	0.18	0.067
REP 143668	QC	1.2	24.7	22.4	52	0.4	18.6	8.5	298	2.35	16.3	1.0	3.0	3.3	23	0.4	0.5	0.2	56	0.18	0.070
Reference Materials																					
STD DS7	Standard	21.0	125.4	81.0	413	1.0	58.0	9.4	622	2.36	52.2	5.7	73.8	5.3	83	6.0	6.8	5.4	85	0.94	0.072
STD DS7	Standard	19.6	109.2	67.1	378	1.0	52.9	9.3	596	2.27	49.3	4.6	112.0	4.5	68	6.3	5.8	4.5	83	0.91	0.071
STD DS7	Standard	21.5	111.8	74.1	391	1.0	56.1	9.7	635	2.42	50.1	5.2	64.4	5.0	76	6.2	6.2	5.0	83	0.94	0.073
STD DS7	Standard	24.0	120.1	73.1	406	1.1	60.2	10.4	670	2.56	53.1	5.2	81.4	4.9	80	6.6	6.7	5.1	94	0.99	0.081
STD DS7	Standard	20.5	105.8	69.0	405	1.0	55.8	9.3	651	2.48	54.0	4.9	80.0	4.8	75	7.0	6.2	5.0	85	1.02	0.087
STD DS7	Standard	19.2	108.9	70.9	415	1.0	57.0	9.7	660	2.51	53.1	5.3	69.1	5.0	78	6.9	6.2	4.9	89	0.97	0.086
STD DS7	Standard	22.1	112.3	73.8	399	1.0	56.2	9.7	631	2.39	51.0	5.1	73.9	5.1	73	6.8	5.9	5.0	87	0.96	0.076
STD DS7	Standard	22.5	122.7	66.3	422	1.1	59.3	10.0	682	2.56	57.1	4.7	72.8	4.4	80	6.7	6.1	4.5	92	1.01	0.083
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: October 07, 2010

Page: 2 of 2 **Part** 2

QUALITY CONTROL REPORT

WHI10000338.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
143668	Soil	16	28	0.34	247	0.054	<1	1.74	0.017	0.06	0.1	0.02	3.0	0.1	<0.05	7	<0.5	<0.2
REP 143668	QC	17	29	0.34	246	0.065	<1	1.83	0.017	0.07	0.1	0.02	3.2	0.1	<0.05	7	<0.5	<0.2
Reference Materials																		
STD DS7	Standard	13	190	1.05	403	0.139	40	1.00	0.095	0.49	3.8	0.25	2.5	4.1	0.18	5	2.7	1.4
STD DS7	Standard	12	183	0.99	372	0.118	35	0.98	0.091	0.44	3.6	0.20	2.7	3.9	0.20	5	3.2	2.0
STD DS7	Standard	14	199	1.02	421	0.134	37	1.03	0.102	0.49	3.7	0.21	2.9	4.3	0.16	5	3.4	1.6
STD DS7	Standard	15	207	1.13	437	0.142	37	1.07	0.104	0.53	4.0	0.23	2.8	4.1	0.26	5	4.0	1.8
STD DS7	Standard	13	199	1.10	422	0.124	44	1.12	0.102	0.52	3.7	0.24	2.8	4.4	0.27	5	2.9	1.5
STD DS7	Standard	14	200	1.17	372	0.121	43	1.07	0.119	0.49	3.3	0.22	2.9	4.3	0.19	5	3.3	0.9
STD DS7	Standard	13	194	1.07	404	0.126	40	1.03	0.099	0.45	3.7	0.23	2.6	4.4	0.20	5	3.5	0.9
STD DS7	Standard	14	207	1.11	436	0.145	43	1.07	0.108	0.52	3.8	0.23	2.7	4.2	0.23	5	3.2	1.3
STD DS7 Expected		12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Solomon Resources Ltd**
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
 Report Date: October 12, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

WHI10000505.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
143936	Rock	2.22	0.6	6.1	330.0	84	0.6	12.4	6.4	642	1.65	104.9	1.4	51.3	4.6	147	0.7	1.7	0.3	4	1.26
REP 143936	QC		0.6	6.0	351.1	91	0.6	12.8	6.6	677	1.73	111.9	1.6	53.3	4.8	155	0.9	1.8	0.3	4	1.34
REP 143968	QC		1.8	9.8	14.3	31	0.5	20.2	4.9	370	1.33	86.1	5.7	16.7	6.5	148	0.3	0.8	0.2	8	1.09
Core Reject Duplicates																					
143933	Rock	2.69	0.2	2.4	93.5	11	0.4	2.3	1.9	288	1.09	42.2	0.9	44.1	3.7	118	<0.1	0.6	0.3	2	0.67
DUP 143933	QC		0.2	2.2	94.8	11	0.4	2.1	1.8	287	1.03	38.9	0.9	41.0	3.4	118	<0.1	0.6	0.3	2	0.67
143968	Rock	4.94	1.7	10.3	14.5	34	0.4	20.4	4.9	376	1.34	85.7	5.8	14.9	6.5	148	0.3	0.7	0.2	8	1.11
DUP 143968	QC		1.7	9.0	12.2	30	0.4	18.4	4.7	344	1.21	77.2	5.5	13.7	6.2	137	0.2	0.7	0.2	8	1.03
Reference Materials																					
STD DS7	Standard		18.0	97.7	68.0	348	0.8	47.1	8.5	533	2.08	45.2	4.4	59.4	4.1	58	6.2	5.1	4.3	72	0.83
STD DS7	Standard		18.6	100.2	63.7	369	0.9	50.4	8.6	572	2.20	47.0	4.4	64.1	4.3	65	6.0	5.3	4.2	74	0.91
STD DS7	Standard		19.6	109.0	66.1	388	1.0	53.6	9.1	577	2.24	48.5	4.7	66.4	4.6	68	6.4	5.8	4.3	76	0.91
STD DS7	Standard		19.1	110.8	64.6	371	1.0	51.5	9.3	569	2.22	46.2	4.8	69.9	4.6	70	6.3	5.8	4.5	77	0.93
STD DS7	Standard		21.1	108.9	71.7	418	1.0	56.2	9.6	643	2.43	50.6	4.8	71.5	4.4	74	6.2	5.7	4.7	87	0.97
STD DS7	Standard		21.5	113.9	76.1	438	1.0	58.9	10.0	659	2.51	52.2	5.1	75.6	4.7	77	6.5	5.6	4.9	89	1.01
STD DS7	Standard		21.2	112.1	68.5	401	0.9	53.8	9.5	636	2.42	54.0	5.0	65.4	5.0	74	6.7	6.0	4.8	81	1.00
STD DS7	Standard		21.1	118.4	69.3	406	1.0	55.9	9.6	642	2.47	54.2	5.0	86.6	4.9	77	6.6	6.1	4.9	82	1.02
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank		<0.1	2.9	3.3	49	<0.1	1.4	3.6	584	2.02	<0.5	1.7	4.1	6.4	63	<0.1	<0.1	<0.1	37	0.52
G1	Prep Blank		<0.1	3.7	2.9	46	<0.1	1.5	3.5	572	2.00	<0.5	1.7	3.1	6.0	62	<0.1	<0.1	0.1	36	0.55

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: October 12, 2010

Page: 1 of 1 **Part** 2

QUALITY CONTROL REPORT

WHI10000505.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
143936	Rock	0.027	6	2	0.37	75	<0.001	5	0.30	0.011	0.18	0.1	0.02	1.9	<0.1	0.76	1	<0.5	<0.2
REP 143936	QC	0.029	6	2	0.39	78	<0.001	5	0.31	0.011	0.19	0.1	0.03	1.9	<0.1	0.81	1	<0.5	<0.2
REP 143968	QC	0.037	9	3	0.40	178	<0.001	5	0.33	0.035	0.18	0.2	0.02	1.8	<0.1	0.67	1	0.7	<0.2
Core Reject Duplicates																			
143933	Rock	0.013	8	1	0.15	225	<0.001	3	0.25	0.052	0.19	<0.1	<0.01	1.0	<0.1	0.59	<1	<0.5	<0.2
DUP 143933	QC	0.013	8	1	0.15	216	<0.001	2	0.22	0.047	0.18	<0.1	<0.01	1.1	<0.1	0.56	<1	<0.5	<0.2
143968	Rock	0.039	9	3	0.41	162	<0.001	5	0.34	0.036	0.17	0.1	0.01	1.8	<0.1	0.68	1	0.9	<0.2
DUP 143968	QC	0.034	8	4	0.38	170	<0.001	6	0.30	0.032	0.16	0.1	0.01	1.5	<0.1	0.62	1	0.9	<0.2
Reference Materials																			
STD DS7	Standard	0.071	10	159	0.92	356	0.099	36	0.85	0.079	0.40	3.2	0.18	2.0	3.7	0.18	4	2.8	0.9
STD DS7	Standard	0.073	11	166	0.95	360	0.109	37	0.95	0.088	0.43	3.1	0.18	2.2	3.6	0.19	5	2.9	1.0
STD DS7	Standard	0.077	13	173	1.01	378	0.114	39	0.98	0.093	0.43	3.4	0.23	2.3	3.9	0.18	5	3.5	1.2
STD DS7	Standard	0.077	12	174	0.99	377	0.112	39	1.00	0.093	0.42	3.3	0.22	2.3	3.9	0.18	4	3.0	1.2
STD DS7	Standard	0.074	13	191	1.09	402	0.121	44	1.04	0.097	0.47	3.8	0.25	2.5	4.4	0.20	5	3.0	1.6
STD DS7	Standard	0.079	14	202	1.11	416	0.128	44	1.06	0.102	0.49	3.7	0.25	2.5	4.5	0.20	5	3.5	1.9
STD DS7	Standard	0.081	14	192	1.12	406	0.123	42	1.03	0.103	0.48	3.6	0.25	2.6	4.2	0.20	5	3.1	1.7
STD DS7	Standard	0.084	14	196	1.10	404	0.125	41	1.08	0.101	0.49	3.7	0.23	2.6	4.3	0.21	5	3.1	1.4
STD DS7 Expected		0.08	12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
G1	Prep Blank	0.084	16	3	0.47	114	0.116	1	0.91	0.134	0.48	0.3	<0.01	2.1	0.4	<0.05	5	<0.5	<0.2
G1	Prep Blank	0.082	15	3	0.47	114	0.114	<1	0.90	0.145	0.45	<0.1	<0.01	2.0	0.3	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: October 12, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

WHI10000532.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
116589	Rock	5.06	0.9	5.3	146.7	20	0.5	17.3	8.2	958	2.57	110.6	1.7	74.2	6.7	772	0.2	0.5	0.1	11	2.97
REP 116589	QC		1.0	5.5	146.7	20	0.4	17.5	8.1	958	2.57	112.2	1.7	86.3	6.8	759	0.2	0.4	0.1	11	2.99
116602	Rock	4.13	2.4	34.1	20.1	21	4.6	18.2	6.5	482	1.64	56.0	0.8	33.1	4.6	418	0.2	0.5	<0.1	8	1.56
REP 116602	QC		2.4	35.1	21.2	22	4.6	19.6	6.5	494	1.66	57.3	0.8	29.7	4.8	434	0.2	0.5	<0.1	8	1.57
Core Reject Duplicates																					
116564	Rock	5.20	2.7	32.6	61.2	72	0.9	21.7	15.4	1125	2.52	53.5	1.9	16.2	6.4	611	0.5	0.7	<0.1	16	3.47
DUP 116564	QC		2.7	30.5	60.3	71	0.8	22.5	14.8	1104	2.45	52.7	1.5	16.8	6.5	610	0.6	0.7	<0.1	16	3.37
116599	Rock	5.19	1.5	32.6	35.1	35	0.3	21.1	8.5	893	2.28	94.8	1.6	20.2	4.0	647	0.2	0.5	<0.1	9	2.60
DUP 116599	QC		1.4	33.2	34.7	36	0.3	21.7	8.4	903	2.29	96.5	1.8	20.1	4.2	649	0.3	0.5	<0.1	9	2.57
Reference Materials																					
STD DS7	Standard		20.3	107.2	68.8	403	1.1	55.6	9.0	636	2.35	54.5	4.8	73.1	4.6	74	6.7	6.3	4.7	80	0.95
STD DS7	Standard		21.5	112.1	74.5	432	1.1	57.6	9.3	678	2.48	58.6	5.1	75.6	4.8	79	7.1	6.8	5.0	82	1.02
STD DS7	Standard		21.2	112.2	64.1	386	0.9	55.8	9.1	571	2.27	45.8	4.5	61.4	4.3	67	5.9	5.4	4.3	79	0.91
STD DS7	Standard		19.8	108.3	63.0	372	1.0	54.5	8.8	584	2.27	45.6	4.6	65.0	4.4	67	5.6	5.4	4.1	80	0.92
STD DS7	Standard		21.1	121.1	74.4	403	1.0	57.0	9.8	620	2.40	49.5	5.5	65.8	5.0	82	6.8	6.4	5.2	84	0.96
STD DS7	Standard		22.3	125.8	78.3	417	1.0	56.5	9.9	644	2.44	50.8	5.7	78.9	5.2	85	7.1	6.8	5.6	85	0.98
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank		<0.1	2.0	2.4	43	<0.1	2.2	3.4	541	1.86	0.9	1.5	<0.5	5.8	53	<0.1	<0.1	0.1	36	0.47
G1	Prep Blank		<0.1	2.4	2.4	41	<0.1	1.1	3.3	480	1.77	0.8	1.5	<0.5	5.9	52	<0.1	<0.1	<0.1	35	0.47

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Solomon Resources Ltd
 Unit 3 - 2860 Smith Drive
 Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: October 12, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI10000532.1

Method	Analyte	Unit	MDL	1DX15 P %	1DX15 La ppm	1DX15 Cr ppm	1DX15 Mg %	1DX15 Ba ppm	1DX15 Ti %	1DX15 B ppm	1DX15 Al %	1DX15 Na %	1DX15 K %	1DX15 W ppm	1DX15 Hg ppm	1DX15 Sc ppm	1DX15 Tl ppm	1DX15 S %	1DX15 Ga ppm	1DX15 Se ppm	1DX15 Te ppm
Pulp Duplicates				0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
116589	Rock			0.024	7	4	0.91	151	<0.001	2	0.20	0.024	0.15	0.1	<0.01	5.1	<0.1	0.54	<1	<0.5	<0.2
REP 116589	QC			0.025	8	4	0.90	151	<0.001	2	0.21	0.025	0.16	0.2	<0.01	5.1	<0.1	0.54	<1	<0.5	<0.2
116602	Rock			0.035	7	11	0.42	189	<0.001	2	0.13	0.036	0.08	21.3	0.01	2.7	<0.1	0.24	<1	<0.5	<0.2
REP 116602	QC			0.035	8	11	0.43	194	<0.001	2	0.13	0.036	0.08	22.1	<0.01	2.9	<0.1	0.24	<1	<0.5	<0.2
Core Reject Duplicates																					
116564	Rock			0.055	14	5	1.06	402	<0.001	5	0.30	0.008	0.20	0.2	0.03	7.0	<0.1	0.31	1	<0.5	<0.2
DUP 116564	QC			0.053	14	5	1.02	410	0.003	5	0.30	0.008	0.20	0.2	0.03	6.6	<0.1	0.30	1	<0.5	<0.2
116599	Rock			0.036	7	4	0.74	89	<0.001	<1	0.10	0.018	0.07	0.3	<0.01	4.9	<0.1	0.34	<1	<0.5	<0.2
DUP 116599	QC			0.035	7	5	0.74	93	<0.001	1	0.12	0.022	0.07	0.3	<0.01	4.7	<0.1	0.34	<1	<0.5	<0.2
Reference Materials																					
STD DS7	Standard			0.085	12	180	1.05	406	0.118	43	1.02	0.093	0.51	3.7	0.23	2.4	4.0	0.19	5	2.7	1.1
STD DS7	Standard			0.085	14	192	1.13	444	0.127	40	1.10	0.101	0.52	4.0	0.25	2.6	4.3	0.20	5	2.7	1.1
STD DS7	Standard			0.067	12	178	0.98	383	0.125	38	0.95	0.090	0.43	3.7	0.22	2.2	3.9	0.20	4	2.4	1.0
STD DS7	Standard			0.067	12	181	0.99	374	0.123	36	0.96	0.091	0.43	3.5	0.22	2.2	3.8	0.20	4	2.8	0.8
STD DS7	Standard			0.079	13	181	1.06	415	0.141	40	1.03	0.097	0.45	3.9	0.25	2.7	4.1	0.20	5	3.0	0.8
STD DS7	Standard			0.084	14	189	1.07	444	0.144	38	1.06	0.098	0.46	4.2	0.22	2.9	4.3	0.20	5	3.1	0.8
STD DS7 Expected				0.08	12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank			<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank			<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank			<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																					
G1	Prep Blank			0.070	15	2	0.44	100	0.125	<1	0.73	0.083	0.41	<0.1	<0.01	1.7	0.3	<0.05	5	<0.5	<0.2
G1	Prep Blank			0.068	15	2	0.42	97	0.118	1	0.70	0.076	0.41	0.2	<0.01	1.6	0.3	<0.05	4	<0.5	<0.2