

Geochemical Report
On The

Sulphur Project

Fri-1 to 8 YC61144 to YC61151
Fri-9 to 10 YC61156 to YC61157
Fri-1 to 8 YD62817 to YD62824
Fri-11 to 16 YD62827 to YD62832
Mill-1 to 54 YD7601 to YD7654
Sulp-1 to 2 YD6967 to YD6968
Sulp-3 to 16 YD70589 to YD70602
Work Period June 2nd to July 19th 2011

Located In

Dawson Mining District

On

NTS 115-O-15

63° 45' Latitude, 138° 53' Longitude

By

Bernie Kreft

January 30th, 2012

Table Of Contents

Location	Page 1
Claim Status Table	Page 1
Access	Page 1
Topography And Vegetation	Page 1
History And Previous Work	Page 1
Yukon Map (figure 1)	Page 2
Regional Map (figure 2)	Page 3
Geology	Page 4
Geology Map (figure 3)	Page 5
Geology Legend (figure 3a)	Page 6
Claim Map (figure 4)	Page 7
Current Work And Results	Page 8
Au Map (figure 5)	Page 9
Ag Map (figure 6)	Page 10
As Map (figure 7)	Page 11
Sb Map (figure 8)	Page 12
Conclusions	Page 13
Recommendations	Page 13
Qualifications	Page 14
Statement Of Costs	Page 15
Sample Table	At Back
Assay Sheets	At Back

Location – The Sulphur Project is located in the Dawson Mining District along the north edge of NTS map sheet 115-O-10 and southern edge of 115-O-15, at approximately 63° 44’ north and 138° 52’ east. The area evaluated occurs within the Sulphur Creek drainage basin in the vicinity of left limit tributaries Friday Gulch and Brimstone Gulch. A total of 94 claims comprise the project and are detailed in the following table:

Name	Grant Number	Expiry Date	Owner
Fri 1-8	YC61144-51	2012/09/25 *	Bernard Kreft
Fri 9-10	YC61156-57	2012/09/25 *	Bernard Kreft
Mill 1-54	YD07601-54	2012/08/04 *	Bernard Kreft
Sulp 1-2	YD06967-68	2013/06/14 *	Bernard Kreft
Sulp 3-16	YD70589-602	2013/04/14 *	Bernard Kreft
Fri 1-8	YD62817-24	2013/04/14 *	Bernard Kreft
Fri 11-16	YD62827-32	2013/04/14 *	Bernard Kreft

* Pending acceptance of this report by the Dawson Mining Recorder *

Access – Access was achieved by truck from Dawson City via the Bonanza Creek road and the Sulphur Creek road, a one way distance of about 48 kilometers with a travel time of about 40 minutes.


Topography And Vegetation – The property lies within the un-glaciated Klondike Plateau, which is characterized by low rolling hills dissected by deeply incised stream valleys. This region experienced strong surficial weathering during the early to mid-Tertiary; as a result natural bedrock exposures are rare and generally restricted to steep slopes, with the effects of surface weathering extending to depths of as much as 80 metres or more. Overburden and eluvial-regolithic material appears to average approximately 1.0 metre in thickness, but is certainly deeper in areas along the lower slope of the east bank of Sulphur Creek. South facing slopes are generally snow free from early May, with frost leaving the ground by the middle to end of May. North facing slopes are generally free of snow by mid to end of May, with permafrost often remaining year-round. The property is below tree line, with vegetative cover consisting of variable amounts of spruce, poplar, alder and brush, with brush and stunted spruce trees predominating on north facing slopes, higher elevations and in areas of permafrost or poor drainage, while south facing slopes are generally covered by more mature stands of spruce or poplar.

The Sulphur Creek and Friday Gulch valley bottoms are covered by recent placer mining tailings dating from 1950’s era dredging and mechanized mining efforts from 1978 onwards. Placer mining within the claims area is ongoing as of the date of this report.

History And Previous Work - Exploration for the source of the placer gold in the Klondike has been of an ebb and flow nature since 1898. Although numerous significant discoveries such as Lone Star and Hunker Dome have been made, the source of the majority of the placer gold remains an enigma. This is due to thick overburden, abundant vegetative cover and a variable thickness of eluvial-regolithic material rendering historical methods of prospecting of limited use and effect. Exploration in the beds of placer mined streams is even more difficult due to the presence of thick layers of disturbed gravel and muck rendering silt and soil sampling ineffective, groundwater flow issues limiting the effectiveness of trenching, as well as a constantly changing surficial environment as placer mining weaves up and down the valleys. This has led to a situation where almost all of the known hardrock showings are located on ridge crests or hilltops even though streambeds are a logical place to explore for a gold source.

ARCTIC OCEAN
Océan Arctique

Beaufort Sea
Mer de Beaufort



LEGEND / LÉGENDE

- Territorial capital / Capitale territoriale
- Other populated places / Autres lieux habités
- Major road / Route principale
- - - International boundary / Frontière internationale
- - - Provincial boundary / Limite provinciale




Sulphur Project ★

To Accompany: 2011 Sulphur Project Report

January 30th, 2011

By: Bernie Kreft

Figure 1



Regional Map - Sulphur Project ★
 Fig.2

Scale approx. 1:600,000

During 1985 United Keno Hill Mines conducted a wide-ranging exploration program for gold in the Klondike. They staked a large block of claims along the length of Sulphur Creek and explored with three lines of percussion drilling: one near the mouth, one about 2.0 kilometers below Brimstone Gulch and one at the mouth of Green Gulch, about 4.2 kilometers upstream of Friday Gulch. Although these lines were chosen strictly on the basis of assessment requirements as opposed to any form of exploration target, significant mineralization grading greater than 10,000 ppb Au over 3.0 meters was located in the vicinity of Green Gulch. The intersection was in saprolitic pyritic and veined chlorite sericite schist near its contact with less altered schist and occurred within a 21 meter interval with common values in the 1000-1500 ppb Au range (assessment report 091946). Although the results were significant, it was thought that the gold values represented placer contamination from surficial material at the collar, and only limited follow-up work was completed.

During the spring of 2006 the author conducted a literature search of recent placer mining efforts along Sulphur Creek, with a view towards assessing whether any of the data would be helpful in directing hardrock exploration. Reported gold production from Sulphur Creek for the period 1978-2002 totaled 116,000 ounces, with Sulphur often ranking as one of the top 5 gold producers in the Klondike. This work also detailed operations located at the mouth of Friday Gulch which were recovering gold in an area of decomposed bedrock (YPMI 78-82 p.140) as well as operations at the mouth of Brimstone Gulch which were recovering jagged gold with quartz attached (YPME 85-88 P.72). This information was thought to be suggestive of a gold source being located on Sulphur in the area of Friday Gulch as well as Brimstone Gulch, and a one-day trip was planned to prospect this area.

Prospecting of tailings at the mouth of Friday Gulch (Friday) encountered abundant variably pyritic carbonate altered occasionally silicified veined schist. A total of 8 grab samples were taken, 4 returning values ranging from 210-634 ppb Au along with anomalous arsenic. Follow-up at Friday Gulch consisted of auger drilling in an attempt to sample bedrock beneath the tailings. This work resulted in 7 auger holes, 2 of which (2007-03; 2007-06) encountered heavily decomposed schist with moderate amounts of pyrite (3-5%) and several fragments with quartz-carbonate veinlets and fuchsite. Gouge samples were weakly anomalous in arsenic to 42 ppm and gold to 24 ppb. A 12.5m step-out north from the gouge area (2007-07) encountered hard grey (silicified?) schist anomalous in arsenic to 75 ppm and gold to 58 ppb. All other auger hole samples returned less than 14 ppm arsenic and 5 ppb gold.

Prospecting in the vicinity of Brimstone Gulch encountered numerous areas of heavily decomposed bedrock, listwanite alteration, quartz-carbonate veining, pyrite and arsenopyrite mineralization with sampling of these areas returning numerous anomalous values including a 1.5 metre channel sample of grey-blue pyritic saprolite (hydrothermally altered?) grading 2280 ppb Au (Lake Showing), as well as a channel sample of heavily decomposed pyritic and veined, carbonate and fuchsite altered schist returning 513 ppb Au over 9.4m (Brimstone Showing). Distinct similarities between these discoveries and the setting of the UKHM discovery at Green Gulch were noted. Follow-up work was hampered by the presence of active mining operations, with the Brimstone Showing now covered by 5 metres of recent tailings, and the Lake Showing in the middle of an active haul road.

Geology - The project is situated on the southwest side of the Tintina Fault, within Yukon Tanana Terrane strata. The Y.T.T. has proven to be an under-explored, yet highly prospective belt of rocks, as witnessed by the recent world-class discoveries at Wolverine, Kudz Ze Kayah and Pogo. The potential for Pogo type occurrences (along with other bulk-tonnage gold targets) has been recognized in the Yukon portion of the Y.T.T., with the area from Dawson, west to Alaska, receiving considerable attention during 1993-2004 from numerous companies, including Newmont, Teck, Kennecott and Phelps Dodge. The 2008 discovery by Underworld Resources at the White Gold project further highlights the under-explored nature of this belt of rocks.

LEGEND

LATE CRÉTACEOUS TO EARLY TERTIARY

FI	Felsic intrusive and volcanic rocks
	FIa light coloured quartz-feldspar rhyolite porphyry and rhyolite
	FIb tan coloured latite and biotite-quartz latite porphyry
	FIc latitic lapilli tuff
	FId monolithic rhyolite
	FIe heterolithic rhyolite breccia
	FIf layered rhyolitic lapilli tuff

Intermediate intrusive and volcanic rocks, and associated sedimentary rocks

II	IIa massive dark grey weathering intrusive andesite
	IIb massive chocolate brown weathering extrusive andesite
	IIc andesitic lapilli tuff
	IId siltstone, greywacke, and conglomerate
	IIf tan coloured dacite and amphibole-feldspar latite porphyry

EARLY CRÉTACEOUS AND / OR OLDER

DD	Diabase dykes
	DD dark brown diabase

TRIASSIC OR OLDER

Rocks of varying metamorphic grade and degree and style of deformation

FP, QS	Felsic plutonic rocks
	FPa foliated equigranular biotite granodiorite
	FPb foliated coarse grained granodiorite
	QSa blocky weathering light grey to pinkish feldspar-quartz schist
	QSh pink and green banded muscovite-feldspar-quartz gneiss
	FPc porphyritic quartz monzonite and augen gneiss
	FPd foliated fine to coarse grained quartz monzonite

Intermediate plutonic rocks

IP	IPa weakly foliated chlorite metadiorite
	IPb strongly foliated chlorite metadiorite

Mafic plutonic rocks

MP	MPa weakly foliated amphibolite
	MPb strongly foliated amphibolite

Quartzofeldspathic schistose rocks

QS	QSa buff to pale green weathering well foliated muscovite-feldspar-quartz schist with quartz and feldspar porphyroclasts, and lithic fragments
	QSc buff weathering well foliated muscovite-feldspar-quartz schist with quartz porphyroclasts
	QSD buff weathering well foliated muscovite-feldspar-quartz schist
	QSe light green weathering hornblende/muscovite-feldspar-quartz schist
	QSF silvery grey weathering sericite-quartz schist
	QSG buff to khaki weathering massive muscovite-feldspar-quartz cataclasite
	Qsj white to dark grey weathering well foliated feldspar-quartz mylonite with or without quartz porphyroblasts
	Qsj muscovite-quartz schist with more than 5% garnet, and with or without chlorite
	QSk biotite-quartz schist, with or without calcite
	QSt quartzite
	QSm kyanite-garnet-muscovite-quartz schist

Carbonaceous rocks

CS	CSa massive to foliated dark grey to black carbonaceous quartzite and muscovite-quartz schist
	CSb black carbonaceous marble and carbonaceous muscovite-quartz-calcite schist
	CSc muscovite-feldspar-quartz schist with carbonaceous wisps
	CSd silty carbonaceous schist with mafic tuffaceous component

MB	Marble
	MBa cream and grey banded marble, with or without minor quartz, muscovite, and garnet
	MBb massive cream to light grey marble
	MBc marble with more than 5% garnets
	MBd grey to dark grey muscovite-quartz-calcite schist, with or without garnet

MV	Mafic metavolcanic rocks
	MVa andesitic tuff to tuff breccia
	MVb massive andesitic greenstone
	MVc foliated andesitic greenstone

MS	Mafic schistose rocks
	MSa light to medium green and buff weathering chlorite-quartz schist
	MSb dark green weathering chlorite schist
	MSc silvery green weathering actinolite-chlorite schist
	MSd grey-brown weathering quartz-amphibole schist
	MSe light to medium green and buff weathering calcareous chlorite-quartz schist; calcite may be disseminated, in thin layers, or as small pink blebs
	MSf silvery green weathering muscovite-chlorite-quartz schist with bluish quartz porphyroclasts
	MSg garnet-feldspar-chlorite schist
	MSh garnet-feldspar-amphibole schist
	MSi mottled green and black biotite-epidote schist

UM	Ultramafic rocks
	UMa massive dark green serpentinite
	UMb foliated dark green serpentinite
	UMc foliated weakly altered serpentinite with or without chrysotile
	UMd foliated strongly altered serpentinite, including talc schist and listwanite
	UMe coarsely crystalline rusty weathering white marble


SYMBOLS

• x ○	rock in rubble piles, felsenmeer and soil; small outcrop; area of outcrop.
—	geological boundary
—	f ₂ event thrust fault
—	f ₃ event thrust fault
~ ~ ~ ~	fault or lineament
— DD	dyke.
X / \	bedding, top unknown (horizontal, inclined, vertical).
/ \ / \	foliation (f ₁ or indeterminate) (horizontal, inclined, vertical).
/ \ / \	foliation (apparent f ₂) (horizontal, inclined, vertical).
/ \ / \	foliation (apparent f ₃) (horizontal, inclined, vertical).
—	lineation
/ \ / \	axial plane of small scale folds (inclined, vertical, with plunging fold axis).
x / \	joint (horizontal, inclined, vertical).
Au ⁹	mineral occurrence (see list of occurrences).

Geology by R.L. Debicki and G. Baldwin, 1984.

It is recommended that reference to this report be made in the following form:

Debicki, R.L. 1985. Bedrock geology and mineralization of the Klondike Area (east), 1150-9, 10, 11, 14, 15, 16, and 116B-2, Exploration and Geological Services Division Yukon; Indian and Northern Affairs Canada, Open File 1: 50,000 scale map with marginal notes.



Sulphur Project Claim Map
 ★ = showing discussed in text
 - - - = outline of detail work map
 — = heavily placer mined areas
 - - - = areas with placer potential


0m 500m 1000m 2000m
1:50,000 or 1cm=500m
fig 4


The vast majority of Sulphur Creek valley bottom is covered in a 2-15 metre thick blanket of tailings from placer mining, with the only bedrock exposures found within the bottom of active placer mining pits. The common practice is for miners to expose bedrock while mining, and then to backfill these exposures with waste from subsequent operations; therefore the exposures often only occur during a short window and are subsequently covered. Due to the paucity of outcrop much of the “mapping” and prospecting relies on angular tailings likely representing material scraped from bedrock during placer mining. Given that mining commonly proceeds in an upstream direction, it would be expected that the movement of tailings would result in their current resting place being downstream (generally within 100 metres) of their actual source. Mining methods employed in the Sulphur Creek basin include recent efforts using bulldozers and excavators, as well as historical bucket-line dredging operations. Dredge tailings are moss covered, have poor to moderate re-growth, and have a distinctive repetitive somewhat cylindrical shape. Recent mining efforts are variably re-grown and have no common shape characteristics. Common practice was for the dredges to excavate through the gravel and into the underlying bedrock as much as 6-8 metres depending on its hardness (Lance Gibson pers. comm.), while recent operations are more selective and commonly only process 1-2 metres of bedrock irrespective of its hardness. These differences result in dredge tailings often containing large amounts of bedrock material suitable for “mapping” and prospecting, while recent tailings have only very limited use in this respect due to their lack of common structure and reduced amounts of bedrock material.

Based on mapping and prospecting, it appears that Sulphur Creek valley bottom is underlain by schist consisting of variable amounts of muscovite, quartz, chlorite and sericite with occasional quartz porphyroclasts. Minor amounts of amphibolite and serpentinite have also been noted. Based on geological studies by others in the Klondike (Debicki: 1984; Mortenson and Ash: recent) it is postulated that the serpentinite units noted by Debicki represent the surface trace of a regional scale thrust fault occurring along Sulphur Creek valley bottom for much of its length. The effects of hydrothermal alteration are common and include: variable carbonate alteration and associated quartz carbonate veining, as well as areas of silica alteration. Alteration is occasionally intense enough to obliterate primary rock characteristics and produce “gouge” zones extending a minimum of 6-8 metres into bedrock. Fuchsite a/o mariposite has been noted in numerous areas, commonly within or near either carbonate or talc altered zones, or associated with more mafic units. Mineralization commonly consists of pyrite, with the presence of arsenopyrite inferred from geochemical results. The highly carbonate and silica-carbonate altered areas are occasionally gold and arsenic enriched, and are likely correlative with the area of “pyritic saprolite” with highly anomalous gold values discovered at Green Gulch by United Keno Hill Mines.

Current Work And Results - The 2011 field program consisted of reconnaissance soil lines on the east and west slopes of Sulphur Creek in the vicinity of the Tusk, Lake and Brimstone anomalies. A total of 192 soil samples were taken at 25m to 50m intervals along with 2 silt samples. Sampled material was taken from the C horizon, found at a depth of from 45-150 centimetres, using hand held augers. Soil sampling conditions were good, apart from several areas of very deep overburden along the east slope of the creek. All sample sites were marked in the field using flagging inscribed with the sample code, with sample medium placed in industry standard soil sample envelopes. Samples were analyzed by Chemex using their Au-AA23 method (30g fire assay) and their ME-ICP41 (35 element aqua regia) package.

Gold in soil results from the northwest side of Brimstone Gulch returned 4 anomalous zones (Brime Anomaly) over a 450m width, with values ranging between 0.019 ppm and 0.047 ppm Au with a spot high of 0.117 ppm Au. Based on pathfinder geochemistry (As-Sb) these zones appear to have a northerly trend but with significant decreasing values Au values in that direction. Maximum pathfinder values include 566 ppm As, 16 ppm Sb and 1.6 ppm Ag.






115-O-10
Zone 7, NAD 83
1:20,000

Sulphur Arsenic Map (fig 7)

- = < 2 to 19 ppm As (90)
- = 20 to 46 ppm As (45)
- = 47 to 97 ppm As (31)
- = 98 to 175 ppm As (18)
- = > 176 ppm As (10)

0m 500m 1000m



Sulphur Antimony Map (fig 8)

- = < 2 ppm Sb (150)
- = 2 ppm Sb (27)
- = 3 to 4 ppm Sb (11)
- = 5 to 7 ppm Sb (4)
- = > 8 ppm Sb (2)

0m 500m 1000m

115-O-10
Zone 7, NAD 83
1:20,000

A second area (Sweat Anomaly) with anomalous Au in soil values is located approximately 1.2km NW of Brime Anomaly and just east of the Tusk Anomaly. The sweat Anomaly is characterized by a Au only signature with values ranging from 0.030 to 0.043 ppm Au. A faint increase in chromium and arsenic exists, but it can only be considered weakly anomalous at best. These zones appear to have a northerly trend, occur over a 300m width, and are open in both strike directions. Overburden depth is significantly greater than in other areas of the property and this may have muted geochemical results from the Sweat Anomalies.

Sporadic single point anomalies occur, and may be worth follow up, but will not be discussed in this text due to their currently limited exploration potential.

Conclusions – Previous work has encountered significant Au values associated with alteration zones located in the valley bottom. Although controls on Au mineralization are poorly understood, it appears that better Au values commonly occur within heavily carbonate or silica-carbonate altered rock at the contact with less altered rock, and are invariably associated with anomalous arsenic and antimony. The Au +/- Ag, As, Sb signature noted within soils at Brime Anomaly has the same signature that has been found associated with bedrock Au values beneath the tailings in the valley bottom suggesting the possibility that the Brime Anomaly is controlled by a splay off of the main Sulphur Creek fault which is thought to control the Au-As-Sb mineralization previously located in the valley bottom. The Sweat anomalies are distinct from the Au-As-Sb areas and potentially represent a new target type.

Recommendations – Further work should consist of excavator trenching, grid soil sampling and prospecting around the various Au in soil anomalies along the east bank of Sulphur Creek. Further reconnaissance soil lines should also be conducted surrounding the single point anomalies as well as within untested areas on the east Bank of Sulphur.

Statement Of Qualifications

I, Bernie Kreft, conducted the exploration work described herein.

I have over 23 years prospecting experience in the Yukon.

This report is based on fieldwork conducted or witnessed by myself, and includes information from various publicly available assessment reports.

This report is based on fieldwork completed during the 2010 field season.

This report is based on fieldwork completed on the Sulphur Property in the Dawson Goldfields.

Respectfully Submitted,

Bernie Kreft

Statement Of Costs

Truck Travel (2 site visits, plus travel from Whitehorse 1224km x \$0.595/km)	\$728.28
Chemex (assaying 192 soils, 2 silts; Au-AA23 and ME-ICP41)	\$5,048.45
Report Writing and Duplication	\$2,250.00
Wages Joel Wynnyk (2 days x \$250/day)	\$500.00
Wages Jarret Kreft (2 days x \$250/day)	\$500.00
Wages Bernie Kreft (2 days x \$350/day)	\$700.00
Wages Nathaniel Rodden (2 days x \$250/day)	\$500.00
Food And Camp Supplies (8 man days x \$100/day)	<u>\$800.00</u>
Total	\$11,026.73

					WEI21	AuAA23	ICP41	ICP41	ICP41	ICP41	ICP41	ICP41
		SULPHUR			kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Sample	Type	Description	NAD83/E	NAD83/N	Weight	Au	Ag	As	Bi	Cr	Pb	Sb
BBD11-01	soil		605858	7070126	0.3	0.008	0.4	25	<2	19	11	<2
BBD11-02	soil		605913	7070172	0.26	0.016	<0.2	43	<2	23	9	<2
BBD11-03	soil		605958	7070175	0.22	0.019	<0.2	53	<2	33	9	2
BBD11-04	soil		606007	7070181	0.3	0.022	0.2	90	<2	30	12	2
BBD11-05	soil		606056	7070196	0.3	0.019	0.9	64	<2	26	10	2
BBD11-06	soil		606099	7070214	0.22	0.039	<0.2	111	<2	21	10	2
BBD11-07	soil		606140	7070250	0.32	0.035	1.6	62	<2	24	32	<2
BBD11-08	soil		606179	7070276	0.2	0.022	0.5	43	<2	31	16	3
BBD11-09	soil		606221	7070307	0.26	0.024	0.3	40	<2	27	5	<2
BBD11-10	soil		606262	7070334	0.26	0.039	<0.2	72	<2	33	7	2
BBD11-11	soil		606304	7070366	0.34	0.027	0.8	566	<2	32	11	5
BBD11-12	soil		606350	7070394	0.38	0.025	<0.2	85	<2	30	9	<2
BBD11-13	soil		606344	7070446	0.26	0.02	0.5	49	<2	26	8	<2
BBD11-14	soil		606314	7070486	0.24	0.038	1	113	<2	29	11	3
BBD11-15	soil		606334	7070536	0.36	0.01	1.5	41	<2	29	37	16
BBD11-16	soil		606366	7070571	0.28	0.009	<0.2	31	<2	27	9	2
BBD11-17	soil		606397	7070605	0.26	0.023	0.2	62	<2	28	10	2
BBD11-18	soil		606420	7070651	0.36	0.015	0.2	76	<2	32	13	2
BBD11-19	soil		606454	7070681	0.32	0.01	0.2	70	<2	34	14	2
BBD11-20	soil		606478	7070732	0.22	0.007	<0.2	35	<2	31	6	<2
BBD11-21	soil		606503	7070784	0.22	0.007	<0.2	37	<2	28	8	<2
BBD11-22	soil		606508	7070834	0.3	0.024	0.2	51	<2	38	9	2
BBD11-23	soil		606521	7070883	0.38	0.007	<0.2	17	<2	31	9	<2
BBD11-24	soil		606541	7070927	0.22	<0.005	<0.2	54	<2	31	6	<2
BBD11-25	soil		606553	7070960	0.36	0.015	0.7	156	<2	32	6	2
BRI-01	soil		606052	7070219	0.44	0.031	0.4	146	<2	34	23	2
BRI-02	soil		606069	7070278	0.32	0.021	<0.2	139	<2	23	19	4
BRI-03	soil		606085	7070259	0.28	0.012	<0.2	72	<2	26	13	2
BRI-04	soil		606010	7070278	0.3	0.014	0.7	215	<2	27	15	6
BRI-05	soil		606124	7070299	0.3	0.033	0.7	257	<2	26	23	3
BRI-06	soil		606141	7070318	0.32	0.013	0.5	129	<2	39	14	3
BRI-07	soil		606160	7070339	0.28	<0.005	0.3	183	<2	33	17	<2
BRI-08	soil		606178	7070354	0.32	0.019	<0.2	139	<2	33	14	<2
BRI-09	soil		606193	7070375	0.32	0.011	<0.2	79	<2	39	20	3


Sample	Type	Description	NAD83/E	NAD83/N	Weight	Au	Ag	As	Bi	Cr	Pb	Sb
BRI-10	soil		606211	7070399	0.28	0.117	0.6	119	<2	32	21	2
BRI-11	soil		606236	7070419	0.28	0.009	0.7	107	<2	36	24	4
BRI-12	soil		606211	7070441	0.28	0.011	0.6	189	<2	21	19	3
BRI-13	soil		606267	7070460	0.42	0.033	<0.2	176	<2	30	19	<2
BRI-14	soil		606281	7070484	0.3	0.047	<0.2	140	<2	34	19	5
BRI-15	soil	up hill of BBD11-14, blob or vein qtz and limon schist	606299	7070511	0.24	0.041	0.6	184	<2	28	26	8
BRI-16	soil		606316	7070534	0.34	0.018	0.2	122	<2	29	26	7
BRI-17	soil	just up hill and to the east a bit from BBD11-15	606343	7070548	0.3	<0.005	0.2	24	<2	26	12	<2
BRI-18	soil		606352	7070563	0.2	0.006	0.2	20	<2	27	16	<2
BRI-19	soil		605275	7070850	0.38	0.011	1.1	61	<2	43	28	2
BRI-20	soil	sample was auger handle deep	605250	7070849	0.26	0.016	0.6	49	<2	36	20	2
BRI-21	soil		605226	7070849	0.24	0.014	0.7	20	<2	37	22	2
BRI-22	soil	auger deep, trail up hill between samples 21 and 22	605199	7070850	0.26	0.042	0.5	41	<2	35	24	<2
BRI-23	soil		605175	7070851	0.24	0.017	0.3	24	<2	32	22	<2
BRI-24	soil	B horizon only	605150	7070849	0.28	0.022	<0.2	23	<2	31	16	<2
BRI-25	soil	good C horizon	605124	7070849	0.24	0.037	0.5	40	<2	33	11	2
BRI-26	soil		605104	7070850	0.22	0.026	0.4	21	<2	36	10	<2
BRI-27	soil		605073	7070849	0.16	0.018	0.3	25	<2	34	9	<2
BRI-28	soil		605047	7070848	0.32	0.025	0.8	68	<2	31	12	<2
BRI-29	soil		605018	7070850	0.28	0.024	0.2	19	<2	44	9	<2
BRI-30	soil	C mix of rust and white	604998	7070849	0.36	0.03	<0.2	19	<2	42	9	<2
BRI-31	soil		604975	7070849	0.22	0.043	0.3	64	<2	37	10	<2
BRI-32	soil		604951	7070850	0.34	0.02	<0.2	17	<2	35	8	<2
BRI-33	soil	good road at site, downhill is wetted perim of Sulphur	604925	7070848	0.24	0.025	<0.2	32	<2	40	8	2
MJD11-01	soil		604908	7070900	0.22	0.03	0.2	29	<2	32	7	<2
MJD11-02	soil		604964	7070897	0.26	0.043	0.3	24	<2	40	8	<2
MJD11-03	soil		605015	7070897	0.2	0.013	0.3	22	<2	34	9	<2
MJD11-04	soil		605066	7070900	0.24	0.014	0.6	22	<2	48	8	<2
MJD11-05	soil		605113	7070900	0.26	0.034	0.2	21	<2	34	9	<2
MJD11-06	soil		605164	7070900	0.16	0.028	0.3	20	<2	37	10	<2
MJD11-07	soil		605215	7070900	0.3	0.037	0.6	19	<2	28	10	<2
MJD11-08	soil		605268	7070900	0.32	0.015	0.3	25	<2	32	10	<2
MJD11-09	soil		605322	7070900	0.26	0.026	0.4	48	<2	30	14	<2
MJD11-10	soil		605376	7070900	0.24	0.02	0.4	64	<2	29	12	<2
MJD11-11	soil		605431	7070898	0.38	0.027	0.2	48	<2	23	19	2
MJD11-12	soil		605486	7070900	0.22	0.02	0.4	66	<2	32	13	<2

Sample	Type	Description	NAD83/E	NAD83/N	Weight	Au	Ag	As	Bi	Cr	Pb	Sb
MJD11-13	soil		605546	7070898	0.34	0.007	<0.2	31	<2	30	10	<2
MJD11-14	soil		605593	7070900	0.38	0.009	<0.2	27	<2	29	12	<2
MJD11-15	soil		605641	7070903	0.3	0.005	<0.2	21	<2	29	11	<2
MJD11-16	soil		605687	7070900	0.28	<0.005	0.2	30	<2	27	9	<2
MJD11-17	soil		605745	7070899	0.32	0.009	0.7	134	<2	25	19	3
MJD11-18	soil		605801	7070899	0.32	0.009	0.5	59	<2	34	14	2
MJD11-19	soil		605854	7070900	0.4	<0.005	0.2	31	<2	15	12	<2
MJD11-20	soil		605899	7070900	0.32	0.016	0.3	111	<2	16	11	<2
MJD11-21	soil		605952	7070900	0.26	<0.005	0.2	160	<2	18	13	<2
MJD11-22	soil		606014	7070900	0.24	0.009	0.4	98	<2	30	11	3
MJD11-23	soil		606073	7070899	0.26	0.009	<0.2	105	<2	22	11	2
MJD11-24	soil		606132	7070900	0.26	0.007	0.6	151	<2	28	14	<2
MJD11-25	soil		606191	7070899	0.3	0.005	0.4	14	<2	41	14	<2
MJD11-26	soil		606251	7070900	0.24	0.005	0.3	55	<2	37	11	<2
MJD11-27	soil		606309	7070903	0.28	0.006	0.2	29	<2	39	10	<2
MJD11-28	soil		606375	7070901	0.3	0.007	<0.2	52	<2	31	10	2
MJD11-29	soil		606437	7070902	0.3	0.01	<0.2	25	<2	36	7	<2
MJD11-30	soil		606510	7070900	0.36	<0.005	<0.2	18	<2	31	9	<2
MJD11-31	soil		606568	7070898	0.28	<0.005	<0.2	15	<2	22	6	<2
MJD11-32	soil		606615	7070900	0.34	0.018	<0.2	126	<2	30	4	<2
SND11-01	soil		604013	7072901	0.24	0.009	<0.2	9	<2	36	6	<2
SND11-02	soil		604066	7072900	0.2	0.006	<0.2	6	<2	41	7	<2
SND11-03	soil		604119	7072901	0.3	0.006	<0.2	8	<2	40	6	<2
SND11-04	soil		604165	7072900	0.26	0.01	<0.2	9	<2	69	7	<2
SND11-05	soil		604218	7072900	0.28	<0.005	<0.2	9	<2	33	8	<2
SND11-06	soil		604629	7072900	0.28	0.009	<0.2	10	<2	56	8	<2
SND11-07	soil		604321	7072899	0.36	0.006	<0.2	10	<2	49	8	<2
SND11-08	soil		604366	7072900	0.32	0.011	<0.2	17	<2	36	9	<2
SND11-09	soil		604425	7072901	0.3	0.009	<0.2	10	<2	39	8	<2
SND11-10	soil		604479	7072900	0.2	0.006	<0.2	9	<2	56	9	<2
SND11-11	soil		604537	7072900	0.32	<0.005	<0.2	4	<2	46	6	<2
SND11-12	soil		604597	7072900	0.26	<0.005	<0.2	6	<2	51	5	<2
SND11-13	soil		604655	7072900	0.24	0.005	0.2	11	<2	39	15	<2
SND11-14	soil		604738	7072900	0.24	0.013	0.4	253	<2	33	19	<2
SND11-15	soil		604829	7072900	0.28	<0.005	0.2	17	<2	44	5	<2
SND11-16	soil		604855	7072900	0.26	<0.005	<0.2	12	<2	44	<2	<2

Sample	Type	Description	NAD83/E	NAD83/N	Weight	Au	Ag	As	Bi	Cr	Pb	Sb
SND11-17	soil		604800	7072584	0.34	<0.005	<0.2	12	<2	20	4	<2
SND11-18	soil		604845	7072587	0.26	0.033	<0.2	9	<2	20	4	<2
SND11-19	soil		605918	7072584	0.22	0.01	0.3	9	<2	22	7	<2
SND11-20	soil		605981	7072582	0.22	0.027	0.3	24	<2	19	9	<2
SND11-21	soil		606029	7072583	0.28	<0.005	<0.2	8	<2	22	4	<2
SND11-22	soil		606075	7072583	0.28	<0.005	<0.2	10	2	16	3	<2
SND11-23	soil		606134	7072581	0.36	<0.005	0.2	29	<2	18	16	<2
SND11-24	soil		606178	7072584	0.28	<0.005	<0.2	6	<2	11	2	<2
SND11-25	soil		606233	7072579	0.32	0.02	<0.2	9	<2	21	3	<2
SND11-26	soil		606284	7072579	0.18	<0.005	<0.2	5	<2	16	2	<2
SND11-27	soil		606340	7072581	0.28	<0.005	0.3	7	<2	21	4	<2
SND11-28	soil		606416	7072578	0.28	<0.005	<0.2	12	<2	12	2	<2
SND11-29	soil		606490	7072580	0.22	<0.005	0.3	11	<2	13	5	<2
SND11-30	soil		606549	7072580	0.22	<0.005	0.2	2	<2	10	5	<2
SND11-31	soil		606608	7072578	0.28	<0.005	<0.2	7	<2	17	<2	<2
SND11-32	soil		606664	7072580	0.2	<0.005	<0.2	7	<2	42	6	<2
SND11-33	soil		605297	7072203	0.24	<0.005	0.3	7	<2	32	6	<2
SND11-34	soil		605340	7072200	0.18	<0.005	0.2	9	<2	48	7	<2
SND11-35	soil		605394	7072198	0.22	0.009	0.3	10	<2	32	9	<2
SND11-36	soil		605455	7072200	0.24	0.005	<0.2	10	<2	37	5	<2
SND11-37	soil		605521	7072204	0.26	0.005	0.2	12	<2	30	7	<2
SND11-38	soil		605567	7072198	0.16	<0.005	<0.2	10	<2	29	7	<2
SND11-39	soil		605611	7072199	0.32	<0.005	<0.2	4	<2	26	2	<2
SND11-40	soil		605667	7072200	0.28	<0.005	<0.2	11	<2	23	4	<2
SND11-41	soil		605714	7072200	0.34	<0.005	<0.2	6	<2	13	9	<2
SND11-42	soil		605683	7072200	0.26	0.007	0.4	218	2	29	11	<2
SND11-43	soil		605614	7072200	0.36	<0.005	<0.2	24	<2	43	10	<2
SND11-44	soil		605553	7072200	0.22	<0.005	<0.2	47	<2	43	8	<2
SND11-45	soil		605481	7072196	0.28	0.01	0.3	49	<2	36	9	<2
SND11-46	soil		605420	7072200	0.26	0.009	<0.2	39	<2	18	9	<2
SND11-47	soil		605354	7072200	0.26	0.008	0.3	11	<2	26	7	<2
SND11-48	soil		605286	7072200	0.3	0.006	<0.2	80	2	49	14	<2
SND11-49	soil		605216	7072198	0.4	0.047	0.3	9	<2	28	8	<2
SND11-50	soil		605149	7072199	0.32	<0.005	<0.2	12	2	34	6	<2
SND11-51	soil		605093	7072199	0.32	0.012	0.3	26	<2	45	6	2
SND11-52	soil		605049	7072200	0.28	0.021	0.2	713	<2	34	13	4

Sample	Type	Description	NAD83/E	NAD83/N	Weight	Au	Ag	As	Bi	Cr	Pb	Sb
SND11-53	soil		604985	7072197	0.3	<0.005	0.2	59	<2	32	9	2
SND11-54	soil		604933	7072200	0.26	0.015	0.2	26	<2	20	9	<2
SND11-55	soil		604864	7072197	0.32	0.01	0.3	28	<2	27	11	<2
SND11-56	soil		604805	7072200	0.24	0.013	<0.2	27	<2	25	10	2
SND11-57	soil		604742	7072199	0.3	0.011	0.3	23	2	28	10	<2
SWD11-01	soil		603219	7072248	0.32	0.005	0.3	5	<2	96	9	<2
SWD11-02	soil		603183	7072275	0.32	0.008	<0.2	12	<2	92	11	<2
SWD11-03	soil		603147	7072303	0.24	0.005	0.3	14	<2	131	15	<2
SWD11-04	soil		603112	7072331	0.32	0.005	0.3	11	<2	126	10	<2
SWD11-05	soil		603075	7072347	0.24	0.008	<0.2	19	<2	155	11	<2
SWD11-06	soil		603029	7072351	0.3	0.006	<0.2	86	2	20	32	<2
SWD11-07	soil		602977	7072361	0.32	<0.005	<0.2	8	<2	16	12	<2
SWD11-08	soil		602931	7072380	0.28	0.029	<0.2	10	<2	12	11	<2
SWD11-09	soil		602869	7072373	0.44	0.021	0.3	5	<2	15	12	<2
SWD11-10	soil		602827	7072393	0.34	0.005	<0.2	7	2	56	14	<2
SWD11-11	soil		602788	7072419	0.24	<0.005	<0.2	6	<2	20	16	<2
SWD11-12	soil		602739	7072433	0.18	0.005	<0.2	5	<2	16	17	<2
SWD11-13	soil		602707	7072462	0.16	0.005	0.8	16	3	464	19	<2
SWD11-14	soil		602663	7072481	0.22	<0.005	<0.2	3	<2	8	11	<2
SWD11-15	soil		602620	7072510	0.18	<0.005	<0.2	4	<2	12	15	<2
SWD11-16	soil		602570	7072514	0.28	<0.005	<0.2	4	<2	7	17	<2
SWD11-17	soil		602205	7071754	0.2	<0.005	<0.2	4	6	15	24	<2
SWD11-18	soil		602247	7071719	0.2	<0.005	<0.2	5	<2	16	25	<2
SWD11-19	soil		602284	7071676	0.22	<0.005	0.2	5	<2	15	12	<2
SWD11-20	soil		602309	7071639	0.26	<0.005	<0.2	6	2	13	14	<2
SWD11-21	soil		602343	7071602	0.2	<0.005	<0.2	3	<2	14	15	<2
SWD11-22	soil		602376	7071566	0.28	<0.005	<0.2	10	2	19	13	<2
SWD11-23	soil		602423	77071542	0.32	<0.005	<0.2	26	<2	17	23	<2
SWD11-24	soil		602465	7071527	0.36	<0.005	<0.2	10	<2	6	18	<2
SWD11-25	soil		602514	7071498	0.24	<0.005	<0.2	24	<2	20	30	<2
SWD11-26	soil		602557	7071480	0.26	0.005	<0.2	36	<2	10	19	<2
SWD11-27	soil		602523	7071453	0.22	<0.005	<0.2	12	2	61	18	<2
SWD11-28	soil		602565	7071428	0.3	0.006	<0.2	57	2	36	19	2
SWD11-29	soil		602561	7071381	0.28	<0.005	<0.2	11	<2	33	14	<2
SWD11-30	soil		602557	7071334	0.3	<0.005	<0.2	<2	2	14	11	<2
SWD11-31	soil		602586	7071293	0.18	<0.005	<0.2	12	2	31	17	<2

Sample	Type	Description	NAD83/E	NAD83/N	Weight	Au	Ag	As	Bi	Cr	Pb	Sb
SWD11-32	soil		602618	7071257	0.28	<0.005	<0.2	3	<2	6	15	<2
SWD11-33	soil		602663	7071223	0.22	<0.005	<0.2	9	<2	18	19	<2
SWD11-34	soil		602702	7071191	0.22	<0.005	<0.2	6	<2	22	12	<2
SWD11-35	soil		602748	7071164	0.16	<0.005	<0.2	4	<2	19	17	<2
SWD11-36	soil		602798	7071148	0.26	<0.005	<0.2	10	<2	17	41	<2
SWD11-37	soil		602854	7071117	0.24	<0.005	<0.2	27	<2	18	18	<2
SWD11-38	soil		602902	7071098	0.24	<0.005	<0.2	5	2	22	22	<2
SWD11-39	soil		602950	7071066	0.16	<0.005	<0.2	5	<2	12	24	<2
SWD11-40	soil		602995	7071040	0.24	<0.005	<0.2	5	<2	13	21	<2
SWD11-41	soil		603044	7071013	0.26	<0.005	<0.2	7	<2	10	22	<2
SWD11-42	soil		603087	7070986	0.3	<0.005	<0.2	4	<2	5	15	<2
SWD11-43	soil		603138	7070953	0.16	<0.005	<0.2	7	<2	22	9	<2
SWD11-44	soil		603178	7070922	0.28	<0.005	<0.2	9	<2	14	14	<2
SWD11-45	soil		603203	7070877	0.24	<0.005	0.6	9	<2	39	22	<2
SWS11-01	silt		603419	7071986	0.48	<0.005	<0.2	13	<2	20	9	<2
SWS11-02	silt		603494	7071981	0.6	<0.005	<0.2	19	<2	39	8	<2




ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KREFT, BERNIE
 #1 LOCUST PLACE
 WHITEHORSE YT Y1A 5C4

Page: 2 - A
 Total # Pages: 7 (A - C)
 Finalized Date: 25-JUL-2011
 Account: KREBER

CERTIFICATE OF ANALYSIS VA11117769

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg .02	Au ppm 0.005	Ag ppm 0.2	Al % 0.01	As ppm 2	B ppm 10	Ba ppm 10	Be ppm 0.5	Bi ppm 2	Ca % 0.01	Cd ppm 0.5	Co ppm 1	Cr ppm 1	Cu ppm 1	Fe % 0.01
BBD11-01		0.30	0.008	0.4	1.43	25	<10	180	<0.5	<2	0.36	<0.5	7	19	27	2.61
BBD11-02		0.26	0.016	<0.2	1.55	43	<10	270	<0.5	<2	0.27	<0.5	8	23	30	2.76
BBD11-03		0.22	0.019	<0.2	1.78	53	<10	310	<0.5	<2	0.26	<0.5	9	33	29	3.01
BBD11-04		0.30	0.022	0.2	2.05	90	<10	410	0.5	<2	0.46	<0.5	11	30	45	3.46
BBD11-05		0.30	0.019	0.9	1.77	64	<10	310	<0.5	<2	0.34	<0.5	10	26	44	3.31
BBD11-06		0.22	0.039	<0.2	1.36	111	<10	250	<0.5	<2	0.36	<0.5	9	21	29	2.83
BBD11-07		0.32	0.035	1.6	1.91	62	<10	180	<0.5	<2	0.45	<0.5	13	24	60	4.24
BBD11-08		0.20	0.022	0.5	1.72	43	<10	390	<0.5	<2	0.46	<0.5	11	31	40	3.27
BBD11-09		0.26	0.024	0.3	1.70	40	<10	170	<0.5	<2	0.44	<0.5	17	27	50	3.61
BBD11-10		0.26	0.039	<0.2	1.90	72	<10	230	0.5	<2	0.46	<0.5	14	33	47	3.95
BBD11-11		0.34	0.027	0.8	1.87	566	<10	380	<0.5	<2	0.42	<0.5	25	32	51	4.39
BBD11-12		0.38	0.025	<0.2	1.61	85	<10	330	<0.5	<2	0.45	<0.5	12	30	37	3.31
BBD11-13		0.26	0.020	0.5	1.45	49	<10	90	<0.5	<2	0.46	<0.5	9	26	36	2.96
BBD11-14		0.24	0.038	1.0	1.73	113	<10	200	<0.5	<2	0.36	<0.5	14	29	42	3.88
BBD11-15		0.36	0.010	1.5	1.75	41	<10	270	<0.5	<2	0.25	<0.5	12	29	32	3.14
BBD11-16		0.28	0.009	<0.2	1.56	31	<10	230	<0.5	<2	0.30	<0.5	12	27	32	3.00
BBD11-17		0.26	0.023	0.2	1.59	62	<10	170	<0.5	<2	0.37	<0.5	13	28	34	3.27
BBD11-18		0.36	0.015	0.2	1.97	76	<10	300	<0.5	<2	0.42	<0.5	16	32	39	3.59
BBD11-19		0.32	0.010	0.2	1.99	70	<10	250	<0.5	<2	0.52	<0.5	17	34	49	4.25
BBD11-20		0.22	0.007	<0.2	1.71	35	<10	240	<0.5	<2	0.42	<0.5	14	31	40	3.41
BBD11-21		0.22	0.007	<0.2	1.49	37	<10	210	<0.5	<2	0.29	<0.5	12	28	24	3.00
BBD11-22		0.30	0.024	0.2	2.08	51	<10	280	<0.5	<2	0.39	<0.5	16	38	39	3.75
BBD11-23		0.38	0.007	<0.2	1.65	17	<10	240	<0.5	<2	0.42	<0.5	14	31	39	3.00
BBD11-24		0.22	<0.005	<0.2	1.60	54	<10	230	<0.5	<2	0.44	<0.5	14	31	36	3.49
BBD11-25		0.36	0.015	0.7	1.91	156	<10	100	<0.5	<2	0.55	<0.5	17	32	42	4.09
[REDACTED]		0.22	[REDACTED]	<0.2	1.17	6	<10	650	0.5	<2	0.47	<0.5	10	6	13	4.53
[REDACTED]		0.16	[REDACTED]	<0.2	1.38	4	<10	240	<0.5	<2	0.24	<0.5	11	19	18	3.57
[REDACTED]		0.30	[REDACTED]	<0.2	1.13	7	<10	170	0.5	<2	0.18	<0.5	10	14	17	3.36
[REDACTED]		0.18	[REDACTED]	0.2	0.64	6	<10	230	<0.5	<2	0.16	<0.5	4	8	5	1.31
[REDACTED]		0.32	[REDACTED]	0.2	0.57	38	<10	270	<0.5	<2	0.09	<0.5	2	6	6	2.20
[REDACTED]		0.22	[REDACTED]	0.4	0.69	58	<10	190	<0.5	<2	0.04	<0.5	2	5	5	2.65
[REDACTED]		0.28	[REDACTED]	<0.2	1.07	69	<10	220	<0.5	<2	0.05	<0.5	4	12	10	4.40
[REDACTED]		0.26	[REDACTED]	0.2	0.49	13	<10	110	0.5	<2	0.08	<0.5	2	5	5	1.24
[REDACTED]		0.22	[REDACTED]	<0.2	0.88	7	<10	260	<0.5	<2	0.13	<0.5	4	15	8	1.59
[REDACTED]		0.22	[REDACTED]	<0.2	0.45	4	<10	90	<0.5	<2	0.04	<0.5	3	7	11	1.34
[REDACTED]		0.28	[REDACTED]	<0.2	1.10	30	<10	260	0.8	<2	0.13	<0.5	10	17	31	2.62
[REDACTED]		0.20	[REDACTED]	<0.2	0.82	22	<10	260	0.8	<2	0.16	<0.5	9	13	21	2.84
[REDACTED]		0.28	[REDACTED]	<0.2	0.92	3	<10	200	<0.5	<2	0.15	<0.5	7	17	19	1.49
[REDACTED]		0.22	[REDACTED]	<0.2	0.63	7	<10	240	<0.5	<2	0.21	<0.5	5	15	15	1.53
[REDACTED]		0.32	[REDACTED]	<0.2	0.55	3	<10	170	<0.5	<2	0.11	<0.5	4	10	7	1.23



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KREFT, BERNIE
 #1 LOCUST PLACE
 WHITEHORSE YT Y1A 5C4

Page: 2 - B
 Total # Pages: 7 (A - C)
 Finalized Date: 25-JUL-2011
 Account: KREBER

CERTIFICATE OF ANALYSIS VA11117769

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
BBD11-01		<10	<1	0.04	30	0.80	338	2	0.01	22	1110	11	<0.01	<2	3	18
BBD11-02		<10	1	0.04	20	0.78	273	2	0.01	22	660	9	0.01	<2	4	17
BBD11-03		<10	1	0.04	10	0.85	301	2	0.01	24	310	9	<0.01	2	4	20
BBD11-04		10	1	0.06	20	0.80	424	3	0.01	33	460	12	<0.01	2	5	30
BBD11-05		10	<1	0.04	20	0.78	388	2	0.01	33	570	10	<0.01	2	4	20
BBD11-06		<10	<1	0.05	10	0.72	319	3	0.01	23	840	10	0.01	2	4	21
BBD11-07		10	1	0.05	30	1.15	592	4	0.01	44	1310	32	0.02	<2	3	34
BBD11-08		<10	1	0.04	20	1.00	476	2	0.02	28	630	16	0.01	3	6	36
BBD11-09		<10	1	0.03	10	1.07	385	2	0.01	39	840	5	0.01	<2	7	27
BBD11-10		10	1	0.03	10	1.31	428	2	0.01	36	740	7	0.01	2	12	31
BBD11-11		10	<1	0.05	20	0.90	1030	3	0.02	41	750	11	0.01	5	15	41
BBD11-12		10	<1	0.05	10	0.77	427	2	0.02	29	650	9	0.02	<2	7	34
BBD11-13		<10	1	0.04	10	0.73	243	3	0.01	25	680	8	0.02	<2	6	26
BBD11-14		10	<1	0.05	10	0.93	474	3	0.01	31	610	11	<0.01	3	8	16
BBD11-15		<10	1	0.05	10	0.79	334	2	0.01	26	280	37	<0.01	16	5	16
BBD11-16		<10	1	0.04	10	0.76	341	2	0.01	24	500	9	<0.01	2	5	18
BBD11-17		10	<1	0.04	10	0.87	438	3	0.01	28	630	10	<0.01	2	6	19
BBD11-18		10	<1	0.05	10	0.87	560	2	0.01	29	450	13	<0.01	2	7	21
BBD11-19		10	<1	0.03	20	1.20	662	2	0.01	38	930	14	<0.01	2	11	17
BBD11-20		10	<1	0.03	10	1.04	507	2	0.01	32	720	6	<0.01	<2	6	18
BBD11-21		<10	<1	0.03	10	0.92	361	2	0.01	19	520	8	<0.01	<2	5	17
BBD11-22		10	1	0.04	10	1.11	494	2	0.01	27	490	9	0.01	2	9	20
BBD11-23		10	1	0.04	10	0.87	383	1	0.01	29	570	9	0.01	<2	6	21
BBD11-24		10	<1	0.02	10	0.98	528	1	0.01	28	860	6	0.01	<2	5	20
BBD11-25		10	<1	0.02	10	1.32	683	<1	0.01	33	1170	6	0.01	2	6	19
[REDACTED]		10	<1	0.55	100	0.76	1030	<1	0.01	5	700	30	0.04	<2	8	48
[REDACTED]		10	<1	0.79	10	0.96	470	<1	0.02	14	490	21	0.01	<2	6	21
[REDACTED]		10	<1	0.55	30	0.62	389	<1	0.01	10	370	26	0.01	<2	6	15
[REDACTED]		<10	<1	0.12	10	0.10	426	1	0.01	4	160	28	0.01	<2	2	12
[REDACTED]		<10	<1	0.14	20	0.06	170	2	0.01	5	370	44	0.16	2	2	21
[REDACTED]		<10	1	0.20	40	0.06	113	2	0.02	3	280	66	0.36	2	4	26
[REDACTED]		<10	1	0.34	40	0.16	142	3	0.02	8	360	70	0.62	2	6	39
[REDACTED]		<10	<1	0.09	10	0.06	87	1	0.01	4	170	34	0.03	<2	3	8
[REDACTED]		<10	1	0.09	10	0.18	156	1	0.01	10	190	18	0.01	<2	2	13
[REDACTED]		<10	1	0.04	30	0.07	125	1	0.01	5	50	29	<0.01	<2	6	6
[REDACTED]		<10	<1	0.11	50	0.25	397	3	0.01	25	260	32	0.01	<2	8	16
[REDACTED]		<10	1	0.08	30	0.15	460	1	0.01	15	280	22	0.01	<2	8	16
[REDACTED]		<10	<1	0.05	20	0.32	135	<1	0.01	15	170	11	<0.01	<2	3	16
[REDACTED]		<10	1	0.06	10	0.23	160	2	0.02	13	410	9	0.04	<2	2	30
[REDACTED]		<10	<1	0.09	10	0.19	75	7	0.02	6	210	11	0.11	<2	1	34




ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KREFT, BERNIE
 #1 LOCUST PLACE
 WHITEHORSE YT Y1A 5C4

Page: 2 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 25-JUL-2011
 Account: KREBER

CERTIFICATE OF ANALYSIS VA11117769

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Th	Ti	Ti	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
BBD11-01		<20	0.02	<10	<10	23	<10	90
BBD11-02		<20	0.02	<10	<10	28	<10	73
BBD11-03		<20	0.03	<10	<10	41	<10	70
BBD11-04		<20	0.04	<10	<10	49	<10	78
BBD11-05		<20	0.03	<10	<10	43	<10	76
BBD11-06		<20	0.02	<10	<10	30	<10	79
BBD11-07		<20	0.01	<10	<10	33	<10	163
BBD11-08		<20	0.03	<10	<10	49	<10	71
BBD11-09		<20	0.03	<10	<10	50	<10	80
BBD11-10		<20	0.03	<10	<10	73	<10	93
BBD11-11		<20	0.02	<10	<10	65	<10	93
BBD11-12		<20	0.04	<10	<10	60	<10	79
BBD11-13		<20	0.03	<10	<10	50	<10	68
BBD11-14		<20	0.02	<10	<10	59	<10	91
BBD11-15		<20	0.04	<10	<10	53	<10	93
BBD11-16		<20	0.05	<10	<10	48	<10	74
BBD11-17		<20	0.04	<10	<10	53	<10	77
BBD11-18		<20	0.05	<10	<10	59	<10	82
BBD11-19		<20	0.01	<10	<10	71	<10	125
BBD11-20		<20	0.04	<10	<10	52	<10	84
BBD11-21		<20	0.04	<10	<10	46	<10	66
BBD11-22		<20	0.04	<10	<10	64	<10	76
BBD11-23		<20	0.06	<10	<10	44	<10	67
BBD11-24		<20	0.05	<10	<10	49	<10	93
BBD11-25		<20	0.03	<10	<10	57	<10	112
[REDACTED]		20	0.04	<10	<10	22	<10	117
[REDACTED]		<20	0.10	<10	<10	37	<10	82
[REDACTED]		<20	0.04	<10	<10	28	<10	76
[REDACTED]		<20	0.01	<10	<10	14	<10	32
[REDACTED]		<20	0.01	<10	<10	14	<10	58
[REDACTED]		30	0.01	<10	<10	9	<10	55
[REDACTED]		30	0.03	<10	<10	22	<10	77
[REDACTED]		<20	<0.01	<10	<10	6	<10	41
[REDACTED]		<20	0.02	<10	<10	25	<10	36
[REDACTED]		30	0.01	<10	<10	11	<10	43
[REDACTED]		20	0.04	<10	<10	32	<10	67
[REDACTED]		<20	0.01	<10	<10	28	<10	59
[REDACTED]		<20	0.03	<10	<10	21	<10	51
[REDACTED]		<20	0.03	<10	<10	23	<10	38
[REDACTED]		<20	0.03	<10	<10	16	<10	27



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KREFT, BERNIE
 #1 LOCUST PLACE
 WHITEHORSE YT Y1A 5C4

Page: 3 - A
 Total # Pages: 7 (A - C)
 Finalized Date: 25-JUL-2011
 Account: KREBER

CERTIFICATE OF ANALYSIS VA11117769

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg .02	Au ppm 0.005	Ag ppm 0.2	Al % 0.01	As ppm 2	B ppm 10	Ba ppm 10	Be ppm 0.5	Bi ppm 2	Ca % 0.01	Cd ppm 0.5	Co ppm 1	Cr ppm 1	Cu ppm 1	Fe % 0.01
[REDACTED]		0.18	[REDACTED]	<0.2	0.46	10	<10	270	<0.5	<2	0.11	<0.5	4	11	8	1.67
[REDACTED]		0.18	[REDACTED]	<0.2	0.75	2	<10	150	<0.5	<2	0.22	<0.5	6	17	15	1.21
[REDACTED]		0.26	[REDACTED]	<0.2	0.54	4	<10	160	<0.5	<2	0.16	<0.5	4	9	9	0.76
[REDACTED]		0.24	[REDACTED]	<0.2	0.59	7	<10	170	0.5	<2	0.09	<0.5	4	10	10	1.28
[REDACTED]		0.24	[REDACTED]	<0.2	1.97	5	<10	230	0.6	<2	0.26	<0.5	9	26	19	3.47
[REDACTED]		0.28	[REDACTED]	<0.2	0.84	9	<10	480	0.6	<2	0.13	<0.5	7	10	16	2.61
[REDACTED]		0.26	[REDACTED]	<0.2	0.58	32	<10	190	0.8	<2	0.09	<0.5	11	7	29	2.45
[REDACTED]		0.22	[REDACTED]	<0.2	0.98	10	<10	290	0.5	<2	0.26	<0.5	7	11	15	3.60
[REDACTED]		0.22	[REDACTED]	0.4	1.18	7	<10	150	0.6	<2	0.12	<0.5	5	16	11	2.20
[REDACTED]		0.20	[REDACTED]	<0.2	1.16	13	<10	140	0.8	<2	0.08	<0.5	7	23	24	2.24
[REDACTED]		0.20	[REDACTED]	0.2	1.38	14	<10	110	0.5	<2	0.08	<0.5	6	19	12	2.34
[REDACTED]		0.22	[REDACTED]	<0.2	1.26	15	<10	210	0.5	<2	0.61	<0.5	9	14	21	3.00
[REDACTED]		0.28	[REDACTED]	0.3	1.04	18	<10	110	<0.5	<2	0.66	0.5	14	9	30	3.06
[REDACTED]		0.32	[REDACTED]	0.2	0.39	4	<10	130	0.5	<2	0.15	<0.5	3	3	7	1.29
SWD11-01		0.32	0.005	0.3	2.67	5	<10	460	0.5	<2	0.95	<0.5	31	96	74	5.32
SWD11-02		0.32	0.008	<0.2	2.07	12	<10	370	0.5	<2	0.53	<0.5	13	92	61	3.18
SWD11-03		0.24	0.005	0.3	2.33	14	<10	320	<0.5	<2	0.58	<0.5	21	131	101	3.73
SWD11-04		0.32	0.005	0.3	2.11	11	<10	330	<0.5	<2	0.48	<0.5	18	126	87	3.59
SWD11-05		0.24	0.008	<0.2	1.67	19	<10	240	<0.5	<2	0.35	<0.5	18	155	130	2.62
SWD11-06		0.30	0.006	<0.2	0.86	86	<10	360	0.6	2	0.26	<0.5	9	20	37	2.38
SWD11-07		0.32	<0.005	<0.2	0.81	8	<10	300	0.5	<2	0.15	<0.5	7	16	19	1.80
SWD11-08		0.28	0.029	<0.2	0.84	10	<10	210	<0.5	<2	0.11	<0.5	5	12	13	2.05
SWD11-09		0.44	0.021	0.3	1.02	5	<10	380	0.5	<2	0.33	<0.5	6	15	40	1.98
SWD11-10		0.34	0.005	<0.2	1.43	7	<10	350	0.6	2	0.33	<0.5	13	56	85	2.66
SWD11-11		0.24	<0.005	<0.2	1.13	6	<10	320	0.5	<2	0.16	<0.5	5	20	11	2.11
SWD11-12		0.18	0.005	<0.2	0.88	5	<10	210	<0.5	<2	0.18	<0.5	4	16	14	1.73
SWD11-13		0.16	0.005	0.8	3.53	16	<10	260	0.5	3	0.24	<0.5	28	464	63	4.70
SWD11-14		0.22	<0.005	<0.2	0.60	3	<10	140	<0.5	<2	0.04	<0.5	2	8	3	1.31
SWD11-15		0.18	<0.005	<0.2	1.04	4	<10	160	<0.5	<2	0.05	<0.5	3	12	8	2.11
SWD11-16		0.28	<0.005	<0.2	0.56	4	<10	120	<0.5	<2	0.03	<0.5	2	7	6	1.21
SWD11-17		0.20	<0.005	<0.2	2.13	4	<10	270	0.7	6	0.10	<0.5	2	15	6	3.50
SWD11-18		0.20	<0.005	<0.2	1.67	5	<10	210	0.5	<2	0.04	<0.5	6	16	22	3.36
SWD11-19		0.22	<0.005	0.2	1.45	5	<10	280	<0.5	<2	0.06	<0.5	5	15	13	2.42
SWD11-20		0.26	<0.005	<0.2	1.48	6	<10	170	<0.5	2	0.08	<0.5	4	13	10	2.27
SWD11-21		0.20	<0.005	<0.2	1.49	3	<10	170	<0.5	<2	0.08	<0.5	5	14	11	2.28
SWD11-22		0.28	<0.005	<0.2	1.48	10	<10	210	<0.5	2	0.08	<0.5	6	19	23	4.01
SWD11-23		0.32	<0.005	<0.2	1.41	26	<10	250	<0.5	<2	0.04	<0.5	4	17	18	2.20
SWD11-24		0.36	<0.005	<0.2	0.55	10	<10	120	<0.5	<2	0.03	<0.5	2	6	17	1.05
SWD11-25		0.24	<0.005	<0.2	1.81	24	<10	450	0.5	<2	0.11	<0.5	6	20	17	3.18
SWD11-26		0.26	0.005	<0.2	0.68	36	<10	450	<0.5	<2	0.12	<0.5	3	10	10	1.62



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KREFT, BERNIE
 #1 LOCUST PLACE
 WHITEHORSE YT Y1A 5C4

Page: 3 - B
 Total # Pages: 7 (A - C)
 Finalized Date: 25-JUL-2011
 Account: KREBER

CERTIFICATE OF ANALYSIS VA11117769

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
[REDACTED]		<10	<1	0.15	20	0.20	68	11	0.03	6	350	13	0.29	<2	1	52
[REDACTED]		<10	<1	0.06	20	0.30	83	1	0.01	17	540	17	0.01	<2	2	21
[REDACTED]		<10	<1	0.07	10	0.14	58	1	0.01	7	220	8	0.01	<2	2	14
[REDACTED]		<10	1	0.10	20	0.12	124	1	0.01	8	170	25	0.01	<2	2	11
[REDACTED]		10	<1	0.03	40	0.97	496	<1	0.01	14	470	9	<0.01	<2	7	26
[REDACTED]		<10	<1	0.06	30	0.14	214	<1	0.01	14	130	24	<0.01	<2	5	15
[REDACTED]		<10	1	0.17	50	0.07	410	1	0.01	21	370	21	0.01	<2	12	10
[REDACTED]		<10	<1	0.27	20	0.27	338	<1	0.01	13	930	14	0.01	<2	10	18
[REDACTED]		<10	1	0.09	40	0.25	131	1	0.01	12	500	40	0.01	<2	3	14
[REDACTED]		<10	1	0.07	30	0.32	156	1	0.01	18	130	38	0.01	<2	5	14
[REDACTED]		10	1	0.06	10	0.22	162	1	0.01	12	220	26	0.02	<2	2	11
[REDACTED]		<10	<1	0.10	40	0.51	418	1	0.01	16	850	20	0.01	<2	8	34
[REDACTED]		<10	<1	0.09	40	0.75	471	2	0.01	22	1210	26	0.02	<2	9	43
[REDACTED]		<10	1	0.08	60	0.08	141	1	0.01	4	170	41	0.01	<2	6	13
SWD11-01		10	<1	0.04	20	2.41	1150	1	0.06	39	1230	9	0.01	<2	17	46
SWD11-02		10	<1	0.04	10	0.99	416	1	0.02	29	370	11	0.01	<2	8	28
SWD11-03		10	<1	0.04	10	1.46	710	1	0.02	38	330	15	0.01	<2	12	29
SWD11-04		10	<1	0.03	10	1.56	700	1	0.02	35	370	10	0.01	<2	10	27
SWD11-05		10	<1	0.03	20	0.90	384	1	0.02	37	230	11	0.01	<2	8	19
SWD11-06		<10	<1	0.13	30	0.28	557	1	0.02	21	420	32	0.01	<2	5	18
SWD11-07		<10	<1	0.13	20	0.20	309	<1	0.02	10	110	12	0.01	<2	4	13
SWD11-08		<10	<1	0.16	<10	0.17	213	1	0.02	6	300	11	0.01	<2	3	10
SWD11-09		<10	<1	0.14	50	0.30	475	<1	0.02	12	390	12	0.01	<2	5	19
SWD11-10		<10	<1	0.10	40	0.77	465	<1	0.02	24	230	14	0.01	<2	8	22
SWD11-11		<10	<1	0.08	20	0.34	220	<1	0.02	11	110	16	0.01	<2	3	16
SWD11-12		<10	<1	0.11	30	0.31	167	<1	0.02	9	300	17	0.01	<2	3	14
SWD11-13		10	<1	0.02	10	3.24	1135	<1	0.02	61	270	19	0.02	<2	18	12
SWD11-14		<10	<1	0.16	10	0.15	174	<1	0.01	2	110	11	0.01	<2	4	5
SWD11-15		<10	<1	0.10	<10	0.20	177	<1	0.02	6	170	15	0.01	<2	4	6
SWD11-16		<10	<1	0.04	20	0.06	56	<1	0.01	3	50	17	0.01	<2	4	5
SWD11-17		10	<1	0.15	10	0.81	291	<1	0.02	3	170	24	0.01	<2	8	14
SWD11-18		10	<1	0.39	30	0.69	461	<1	0.02	9	230	25	0.01	<2	7	5
SWD11-19		10	<1	0.19	10	0.34	378	<1	0.02	9	310	12	0.01	<2	4	7
SWD11-20		10	<1	0.19	10	0.60	249	<1	0.02	7	180	14	0.02	<2	3	8
SWD11-21		10	<1	0.20	10	0.61	252	<1	0.02	6	180	15	0.02	<2	3	8
SWD11-22		10	<1	0.26	10	0.42	300	2	0.02	9	480	13	0.01	<2	7	8
SWD11-23		<10	<1	0.07	20	0.23	136	1	0.02	13	170	23	0.02	<2	3	7
SWD11-24		<10	<1	0.06	20	0.11	161	<1	0.01	8	140	18	0.01	<2	2	6
SWD11-25		10	<1	0.20	60	0.53	388	1	0.02	11	310	30	0.02	<2	6	16
SWD11-26		<10	<1	0.08	40	0.17	207	<1	0.01	8	170	19	0.02	<2	3	12




ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KREFT, BERNIE
 #1 LOCUST PLACE
 WHITEHORSE YT Y1A 5C4

Page: 3 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 25-JUL-2011
 Account: KREBER

CERTIFICATE OF ANALYSIS VA11117769

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
[REDACTED]		<20	0.03	<10	<10	16	<10	25
[REDACTED]		<20	0.02	<10	<10	19	<10	52
[REDACTED]		<20	0.02	<10	<10	13	<10	31
[REDACTED]		<20	0.02	<10	<10	17	<10	30
[REDACTED]		<20	0.01	<10	<10	34	<10	93
[REDACTED]		20	0.01	<10	<10	17	<10	66
[REDACTED]		20	<0.01	<10	<10	14	<10	58
[REDACTED]		<20	0.01	<10	<10	25	<10	83
[REDACTED]		20	0.03	<10	<10	29	<10	48
[REDACTED]		20	0.05	<10	<10	34	<10	53
[REDACTED]		<20	0.04	<10	<10	41	<10	51
[REDACTED]		<20	0.01	<10	<10	24	<10	82
[REDACTED]		<20	0.05	<10	<10	18	<10	106
[REDACTED]		30	<0.01	<10	<10	5	<10	56
SWD11-01		<20	0.10	<10	<10	101	<10	80
SWD11-02		<20	0.07	<10	<10	64	<10	54
SWD11-03		<20	0.07	<10	<10	79	<10	67
SWD11-04		<20	0.05	<10	<10	66	<10	47
SWD11-05		<20	0.06	<10	<10	49	<10	34
SWD11-06		<20	0.03	<10	<10	27	<10	76
SWD11-07		<20	0.03	<10	<10	21	<10	30
SWD11-08		<20	0.03	<10	<10	25	<10	32
SWD11-09		20	0.02	<10	<10	24	<10	40
SWD11-10		<20	0.03	<10	<10	41	<10	45
SWD11-11		<20	0.04	<10	<10	32	<10	42
SWD11-12		<20	0.03	<10	<10	21	<10	34
SWD11-13		<20	0.02	<10	<10	107	<10	59
SWD11-14		<20	0.02	<10	<10	9	<10	36
SWD11-15		<20	0.02	<10	<10	18	<10	50
SWD11-16		<20	0.01	<10	<10	9	<10	14
SWD11-17		<20	0.03	<10	<10	11	<10	153
SWD11-18		<20	0.06	<10	<10	21	<10	102
SWD11-19		<20	0.04	<10	<10	27	<10	73
SWD11-20		<20	0.04	<10	<10	18	<10	51
SWD11-21		<20	0.04	<10	<10	19	<10	54
SWD11-22		<20	0.05	<10	<10	53	<10	57
SWD11-23		<20	0.01	<10	<10	24	<10	49
SWD11-24		<20	0.01	<10	<10	10	<10	28
SWD11-25		20	0.03	<10	<10	31	<10	85
SWD11-26		<20	0.01	<10	<10	15	<10	44




ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KREFT, BERNIE
 #1 LOCUST PLACE
 WHITEHORSE YT Y1A 5C4

Page: 4 - A
 Total # Pages: 7 (A - C)
 Finalized Date: 25-JUL-2011
 Account: KREBER

CERTIFICATE OF ANALYSIS VA11117769

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
SWD11-27		0.22	<0.005	<0.2	2.41	12	<10	460	0.6	2	0.28	<0.5	13	61	37	4.84
SWD11-28		0.30	0.006	<0.2	1.72	57	<10	650	<0.5	2	0.28	<0.5	10	36	27	3.79
SWD11-29		0.28	<0.005	<0.2	2.18	11	<10	330	0.6	<2	0.16	<0.5	8	33	25	3.25
SWD11-30		0.30	<0.005	<0.2	1.42	<2	<10	120	<0.5	2	0.03	<0.5	5	14	14	2.29
SWD11-31		0.18	<0.005	<0.2	2.10	12	<10	200	<0.5	2	0.17	<0.5	9	31	20	3.68
SWD11-32		0.28	<0.005	<0.2	0.66	3	<10	220	<0.5	<2	0.05	<0.5	2	6	8	1.76
SWD11-33		0.22	<0.005	<0.2	1.64	9	<10	290	<0.5	<2	0.06	<0.5	4	18	11	2.22
SWD11-34		0.22	<0.005	<0.2	1.68	6	<10	300	0.6	<2	0.06	<0.5	9	22	30	3.74
SWD11-35		0.16	<0.005	<0.2	1.41	4	<10	100	<0.5	<2	0.09	<0.5	5	19	11	2.52
SWD11-36		0.26	<0.005	<0.2	1.86	10	<10	200	0.7	<2	0.04	<0.5	5	17	14	3.57
SWD11-37		0.24	<0.005	<0.2	1.52	27	<10	150	<0.5	<2	0.07	<0.5	7	18	12	3.15
SWD11-38		0.24	<0.005	<0.2	1.38	5	<10	220	0.6	2	0.07	<0.5	6	22	17	3.22
SWD11-39		0.16	<0.005	<0.2	1.16	5	<10	170	<0.5	<2	0.03	<0.5	3	12	10	2.54
SWD11-40		0.24	<0.005	<0.2	1.25	5	<10	150	<0.5	<2	0.05	<0.5	4	13	12	1.99
SWD11-41		0.26	<0.005	<0.2	1.13	7	<10	170	<0.5	<2	0.03	<0.5	3	10	13	2.53
SWD11-42		0.30	<0.005	<0.2	0.92	4	<10	160	<0.5	<2	0.04	<0.5	2	5	5	1.40
SWD11-43		0.16	<0.005	<0.2	2.02	7	<10	490	0.8	<2	0.18	<0.5	16	22	14	4.52
SWD11-44		0.28	<0.005	<0.2	1.21	9	<10	210	<0.5	<2	0.03	<0.5	3	14	9	1.89
SWD11-45		0.24	<0.005	0.6	1.75	9	<10	210	0.5	<2	0.04	<0.5	6	39	12	2.33
[REDACTED]		0.22	[REDACTED]	0.3	1.50	27	<10	380	0.8	<2	0.21	<0.5	7	23	13	2.42
[REDACTED]		0.22	[REDACTED]	0.2	1.39	24	<10	690	0.9	<2	0.37	<0.5	8	20	13	2.30
[REDACTED]		0.30	[REDACTED]	0.3	1.18	18	<10	580	0.7	<2	0.30	<0.5	7	13	15	2.16
[REDACTED]		0.22	[REDACTED]	0.4	1.04	11	<10	390	0.5	<2	0.19	<0.5	7	18	10	1.96
[REDACTED]		0.22	[REDACTED]	0.3	1.18	31	<10	460	0.6	<2	0.16	<0.5	7	16	25	2.92
[REDACTED]		0.32	[REDACTED]	0.2	1.06	4	<10	300	<0.5	<2	0.26	<0.5	5	8	12	1.96
[REDACTED]		0.28	[REDACTED]	<0.2	1.09	9	<10	430	<0.5	<2	0.18	<0.5	4	10	18	1.69
[REDACTED]		0.28	[REDACTED]	<0.2	1.14	15	<10	1280	0.5	<2	0.37	<0.5	6	20	21	2.21
[REDACTED]		0.28	[REDACTED]	0.2	1.65	9	<10	280	<0.5	<2	0.17	<0.5	6	15	13	3.25
[REDACTED]		0.38	[REDACTED]	<0.2	1.56	6	<10	370	0.5	<2	0.38	<0.5	6	13	17	2.70
[REDACTED]		0.28	<0.005	<0.2	1.63	5	<10	320	0.5	<2	0.24	<0.5	6	12	14	2.76
[REDACTED]		0.26	<0.005	<0.2	1.59	5	<10	290	0.6	<2	0.28	<0.5	8	16	19	2.81
[REDACTED]		0.34	[REDACTED]	<0.2	1.57	13	<10	1070	0.6	<2	0.36	<0.5	10	21	29	2.78
[REDACTED]		0.40	<0.005	<0.2	1.20	5	<10	230	<0.5	<2	0.25	<0.5	7	11	17	2.58
[REDACTED]		0.30	<0.005	<0.2	1.53	4	<10	360	0.5	<2	0.23	<0.5	8	13	16	2.75
[REDACTED]		0.34	<0.005	<0.2	1.77	12	<10	460	0.6	<2	0.15	<0.5	7	26	22	2.71
[REDACTED]		0.36	<0.005	<0.2	1.22	8	<10	560	0.5	<2	0.12	<0.5	3	13	12	2.10
[REDACTED]		0.36	<0.005	<0.2	1.53	8	<10	490	0.6	<2	0.28	<0.5	5	19	23	2.25
[REDACTED]		0.28	<0.005	<0.2	1.40	13	<10	330	0.5	<2	0.24	<0.5	8	29	27	2.17
[REDACTED]		0.26	<0.005	<0.2	1.73	15	<10	430	0.7	<2	0.35	<0.5	9	31	37	2.63
[REDACTED]		0.36	<0.005	0.3	1.29	52	<10	380	0.5	<2	0.20	<0.5	7	36	38	2.46



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KREFT, BERNIE
 #1 LOCUST PLACE
 WHITEHORSE YT Y1A 5C4

Page: 4 - B
 Total # Pages: 7 (A - C)
 Finalized Date: 25-JUL-2011
 Account: KREBER

CERTIFICATE OF ANALYSIS VA11117769

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
SWD11-27		10	<1	0.62	30	1.52	829	<1	0.02	36	710	18	0.03	<2	10	19
SWD11-28		10	<1	0.26	60	0.79	833	1	0.01	21	690	19	0.03	2	9	20
SWD11-29		10	<1	0.06	20	0.59	227	1	0.02	19	160	14	0.02	<2	6	21
SWD11-30		10	<1	0.18	<10	0.75	230	<1	0.02	9	80	11	0.03	<2	4	4
SWD11-31		10	<1	0.79	10	1.38	540	<1	0.02	13	500	17	0.03	<2	5	13
SWD11-32		<10	<1	0.06	20	0.08	131	1	0.01	4	120	15	0.01	<2	5	11
SWD11-33		<10	<1	0.07	10	0.28	182	1	0.02	9	180	19	0.01	<2	3	8
SWD11-34		10	<1	0.22	40	0.90	365	<1	0.02	18	180	12	0.01	<2	8	8
SWD11-35		10	<1	0.23	10	0.49	219	<1	0.02	8	400	17	0.01	<2	5	8
SWD11-36		10	<1	0.13	30	0.36	296	1	0.02	9	210	41	0.01	<2	11	6
SWD11-37		10	<1	0.38	10	0.58	331	<1	0.02	10	340	18	0.02	<2	7	8
SWD11-38		10	<1	0.17	40	0.48	241	<1	0.02	12	150	22	0.02	<2	9	10
SWD11-39		<10	<1	0.19	10	0.27	205	<1	0.02	6	120	24	0.03	<2	7	6
SWD11-40		<10	<1	0.11	10	0.33	207	<1	0.02	7	100	21	0.02	<2	6	7
SWD11-41		<10	<1	0.11	10	0.24	133	1	<0.01	11	120	22	0.01	<2	6	5
SWD11-42		<10	<1	0.14	10	0.21	103	<1	<0.01	5	120	15	<0.01	<2	8	6
SWD11-43		10	<1	0.05	20	0.35	336	1	<0.01	18	430	9	0.01	<2	9	19
SWD11-44		<10	<1	0.07	10	0.25	127	<1	<0.01	8	90	14	<0.01	<2	4	5
SWD11-45		10	<1	0.06	10	0.43	167	1	<0.01	21	110	22	<0.01	<2	4	6
[REDACTED]		10	<1	0.14	30	0.43	190	1	<0.01	15	210	13	0.01	<2	4	25
[REDACTED]		10	<1	0.15	20	0.35	640	1	<0.01	15	510	17	0.01	<2	4	36
[REDACTED]		<10	<1	0.37	20	0.48	281	<1	<0.01	10	600	23	0.01	<2	3	25
[REDACTED]		<10	<1	0.14	10	0.29	428	1	<0.01	13	450	10	0.01	<2	3	17
[REDACTED]		<10	<1	0.22	30	0.27	187	1	<0.01	12	900	41	0.16	<2	2	52
[REDACTED]		<10	<1	0.17	10	0.75	254	<1	<0.01	6	640	17	<0.01	<2	2	27
[REDACTED]		<10	<1	0.19	40	0.53	142	<1	<0.01	8	240	29	0.01	<2	3	25
[REDACTED]		<10	<1	0.09	30	0.46	319	1	0.01	19	640	13	<0.01	<2	4	31
[REDACTED]		10	<1	0.10	20	0.64	239	1	<0.01	10	260	13	<0.01	<2	4	17
[REDACTED]		10	<1	0.10	40	1.04	291	<1	<0.01	8	630	15	<0.01	<2	5	36
[REDACTED]		10	<1	0.15	30	1.11	316	<1	<0.01	9	730	19	<0.01	<2	3	21
[REDACTED]		10	<1	0.12	40	0.98	318	<1	<0.01	12	870	43	<0.01	<2	5	31
[REDACTED]		10	<1	0.11	30	0.75	209	1	0.01	23	410	13	<0.01	<2	5	34
[REDACTED]		10	<1	0.10	40	0.72	151	<1	<0.01	16	300	23	<0.01	<2	3	25
[REDACTED]		10	<1	0.12	50	0.94	250	<1	<0.01	15	490	19	0.06	<2	4	32
[REDACTED]		10	<1	0.09	20	0.50	195	1	<0.01	18	160	14	0.02	<2	5	27
[REDACTED]		<10	<1	0.38	40	0.66	142	<1	0.01	9	240	16	0.13	<2	5	38
[REDACTED]		10	<1	0.09	20	0.54	160	<1	0.01	18	220	13	0.02	<2	4	27
[REDACTED]		<10	<1	0.05	20	0.49	183	1	<0.01	22	170	13	0.01	<2	4	22
[REDACTED]		10	<1	0.06	20	0.46	230	1	<0.01	26	200	16	<0.01	<2	5	26
[REDACTED]		<10	<1	0.07	30	0.50	206	22	0.01	25	300	22	0.10	<2	5	32



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KREFT, BERNIE
 #1 LOCUST PLACE
 WHITEHORSE YT Y1A 5C4

Page: 4 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 25-JUL-2011
 Account: KREBER

CERTIFICATE OF ANALYSIS VA11117769

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Th ppm 20	Ti % 0.01	Ti ppm 10	U ppm 10	V ppm 1	W ppm 10	Zn ppm 2
SWD11-27		<20	0.10	<10	<10	67	<10	119
SWD11-28		<20	0.03	<10	<10	44	<10	91
SWD11-29		<20	0.08	<10	<10	56	<10	62
SWD11-30		<20	0.05	<10	<10	17	<10	56
SWD11-31		<20	0.11	<10	<10	27	<10	82
SWD11-32		20	0.01	<10	<10	12	<10	53
SWD11-33		<20	0.03	<10	<10	31	<10	47
SWD11-34		20	0.05	<10	<10	27	<10	91
SWD11-35		<20	0.05	<10	<10	29	<10	57
SWD11-36		20	0.02	<10	<10	26	<10	80
SWD11-37		<20	0.05	<10	<10	27	<10	68
SWD11-38		<20	0.05	<10	<10	36	<10	69
SWD11-39		<20	0.04	<10	<10	17	<10	78
SWD11-40		<20	0.04	<10	<10	21	<10	71
SWD11-41		<20	0.01	<10	<10	12	<10	98
SWD11-42		<20	0.01	<10	<10	8	<10	53
SWD11-43		<20	0.03	<10	<10	57	<10	69
SWD11-44		<20	0.03	<10	<10	25	<10	57
SWD11-45		<20	0.03	<10	<10	43	<10	43
[REDACTED]		<20	0.04	<10	<10	37	<10	53
[REDACTED]		<20	0.03	<10	<10	31	<10	94
[REDACTED]		<20	0.03	<10	<10	19	<10	62
[REDACTED]		<20	0.04	<10	<10	32	<10	40
[REDACTED]		<20	0.03	<10	<10	29	<10	45
[REDACTED]		<20	0.06	<10	<10	11	<10	54
[REDACTED]		<20	0.13	<10	<10	13	<10	42
[REDACTED]		<20	0.05	<10	<10	35	<10	53
[REDACTED]		<20	0.07	<10	<10	30	<10	72
[REDACTED]		<20	0.02	<10	<10	19	<10	73
[REDACTED]		<20	0.05	<10	<10	22	<10	71
[REDACTED]		20	0.05	<10	<10	23	<10	78
[REDACTED]		<20	0.06	<10	<10	39	<10	93
[REDACTED]		<20	0.02	<10	<10	14	<10	90
[REDACTED]		<20	0.02	<10	<10	19	<10	78
[REDACTED]		<20	0.07	<10	<10	47	<10	55
[REDACTED]		<20	0.07	<10	<10	26	<10	53
[REDACTED]		<20	0.09	<10	<10	39	<10	57
[REDACTED]		<20	0.06	<10	<10	39	<10	65
[REDACTED]		<20	0.07	<10	<10	50	<10	61
[REDACTED]		<20	0.09	<10	<10	41	<10	70



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KREFT, BERNIE
 #1 LOCUST PLACE
 WHITEHORSE YT Y1A 5C4

Page: 5 - A
 Total # Pages: 7 (A - C)
 Finalized Date: 25-JUL-2011
 Account: KREBER

CERTIFICATE OF ANALYSIS VA11117769

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
		0.32		<0.2	1.26	13	<10	350	0.6	<2	0.23	<0.5	6	22	21	2.07
		0.36		<0.2	0.83	8	<10	200	<0.5	<2	0.15	<0.5	5	17	12	1.39
		0.44		<0.2	0.43	7	<10	180	<0.5	<2	0.07	<0.5	3	8	6	0.77
		0.34		<0.2	0.97	8	<10	140	<0.5	<2	0.07	<0.5	4	16	10	1.27
		0.36		<0.2	0.56	54	<10	100	0.6	<2	0.02	<0.5	3	8	13	1.58
MJD11-01		0.22	0.030	0.2	1.78	29	<10	300	<0.5	<2	0.28	<0.5	9	32	34	2.99
MJD11-02		0.26	0.043	0.3	2.25	24	<10	300	<0.5	<2	0.48	<0.5	12	40	47	3.78
MJD11-03		0.20	0.013	0.3	1.78	22	<10	420	0.5	<2	0.59	<0.5	12	34	34	3.07
MJD11-04		0.24	0.014	0.6	2.08	22	<10	280	<0.5	<2	0.29	<0.5	11	48	32	3.38
MJD11-05		0.26	0.034	0.2	2.04	21	<10	360	<0.5	<2	0.42	<0.5	11	34	33	3.23
MJD11-06		0.16	0.028	0.3	2.06	20	<10	360	<0.5	<2	0.40	<0.5	11	37	38	3.41
MJD11-07		0.30	0.037	0.6	1.45	19	<10	460	<0.5	<2	0.43	<0.5	9	28	36	2.87
MJD11-08		0.32	0.015	0.3	1.57	25	<10	360	<0.5	<2	0.39	<0.5	7	32	31	2.72
MJD11-09		0.26	0.026	0.4	1.75	48	<10	430	<0.5	<2	0.45	<0.5	9	30	30	2.93
MJD11-10		Not Recvd														
MJD11-11		0.38	0.027	0.2	1.42	48	<10	290	<0.5	<2	0.35	<0.5	10	23	34	2.73
MJD11-12		Not Recvd														
MJD11-13		0.34	0.007	<0.2	1.78	31	<10	440	0.5	<2	0.39	<0.5	8	30	29	3.07
MJD11-14		0.38	0.009	<0.2	1.78	27	<10	460	<0.5	<2	0.40	<0.5	9	29	25	2.97
MJD11-15		0.30	0.005	<0.2	1.71	21	<10	420	0.5	<2	0.40	<0.5	9	29	30	2.98
MJD11-16		0.28	<0.005	0.2	1.78	30	<10	520	<0.5	<2	0.38	<0.5	8	27	17	2.68
MJD11-17		0.32	0.009	0.7	1.59	134	<10	360	<0.5	<2	1.84	<0.5	9	25	47	3.21
MJD11-18		0.32	0.009	0.5	2.01	59	<10	360	0.5	<2	0.53	<0.5	9	34	44	3.36
MJD11-19		0.40	<0.005	0.2	1.19	31	<10	210	<0.5	<2	0.42	<0.5	7	15	27	2.38
MJD11-20		0.32	0.016	0.3	1.13	111	<10	160	<0.5	<2	3.42	<0.5	11	16	27	2.91
MJD11-21		0.26	<0.005	0.2	1.78	160	<10	460	<0.5	<2	0.08	<0.5	9	18	21	3.10
MJD11-22		0.24	0.009	0.4	2.16	98	<10	220	<0.5	<2	0.10	<0.5	16	30	50	3.95
MJD11-23		0.26	0.009	<0.2	1.73	105	<10	340	<0.5	<2	0.18	<0.5	11	22	34	3.35
MJD11-24		0.26	0.007	0.6	1.82	151	<10	310	<0.5	<2	0.64	<0.5	14	28	45	3.52
MJD11-25		0.30	0.005	0.4	2.01	14	<10	190	<0.5	<2	0.35	<0.5	15	41	47	3.68
MJD11-26		0.24	0.005	0.3	1.80	55	<10	300	<0.5	<2	0.53	<0.5	13	37	50	3.43
MJD11-27		0.28	0.006	0.2	1.87	29	<10	400	<0.5	<2	0.57	<0.5	11	39	40	3.37
MJD11-28		0.30	0.007	<0.2	1.78	52	<10	430	<0.5	<2	0.31	<0.5	8	31	25	2.97
MJD11-29		0.30	0.010	<0.2	1.93	25	<10	310	<0.5	<2	0.26	<0.5	12	36	35	3.43
MJD11-30		0.36	<0.005	<0.2	1.62	18	<10	340	<0.5	<2	0.38	<0.5	10	31	34	3.01
MJD11-31		0.28	<0.005	<0.2	1.10	15	<10	200	<0.5	<2	0.30	<0.5	9	22	19	2.24
MJD11-32		0.34	0.018	<0.2	1.92	126	<10	150	<0.5	<2	0.45	<0.5	12	30	44	3.75
SND11-01		0.24	0.009	<0.2	1.87	9	<10	280	<0.5	<2	0.33	<0.5	11	36	32	3.24
SND11-02		0.20	0.006	<0.2	2.72	6	<10	230	<0.5	<2	0.42	<0.5	12	41	43	4.22
SND11-03		0.30	0.006	<0.2	1.57	8	<10	260	<0.5	<2	0.34	<0.5	7	40	17	2.56



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KREFT, BERNIE
 #1 LOCUST PLACE
 WHITEHORSE YT Y1A 5C4

Page: 5 - B
 Total # Pages: 7 (A - C)
 Finalized Date: 25-JUL-2011
 Account: KREBER

CERTIFICATE OF ANALYSIS VA11117769

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
		10	<1	0.10	30	0.36	196	1	<0.01	18	230	13	0.02	<2	5	21
		<10	<1	0.06	10	0.30	131	1	<0.01	14	250	8	0.01	<2	2	15
		<10	1	0.09	10	0.13	39	2	<0.01	6	70	19	0.07	2	1	19
		<10	<1	0.05	10	0.24	80	<1	<0.01	12	90	9	<0.01	<2	2	9
		<10	1	0.13	10	0.05	167	<1	<0.01	13	90	88	0.02	5	4	8
MJD11-01		10	<1	0.04	10	1.09	346	<1	<0.01	24	470	7	<0.01	<2	6	15
MJD11-02		10	<1	0.04	10	1.43	576	<1	<0.01	34	830	8	0.01	<2	10	19
MJD11-03		10	<1	0.04	10	0.91	685	1	0.01	26	790	9	0.02	<2	5	28
MJD11-04		10	<1	0.04	10	1.58	431	<1	<0.01	30	470	8	0.01	<2	7	13
MJD11-05		10	<1	0.06	10	1.19	510	1	<0.01	24	430	9	0.01	<2	6	18
MJD11-06		10	<1	0.05	10	1.15	432	1	0.02	26	430	10	0.01	<2	7	19
MJD11-07		<10	1	0.05	10	0.73	415	<1	0.01	24	840	10	0.01	<2	8	17
MJD11-08		<10	1	0.05	10	0.79	283	1	0.01	24	580	10	0.01	<2	5	17
MJD11-09		<10	<1	0.05	10	0.75	305	1	0.01	24	460	14	0.01	<2	5	19
MJD11-10																
MJD11-11		<10	1	0.05	10	0.60	429	1	0.01	24	510	19	0.01	2	5	15
MJD11-12																
MJD11-13		10	1	0.05	10	0.76	313	1	0.02	25	250	10	0.01	<2	6	20
MJD11-14		10	1	0.05	10	0.68	322	1	0.02	22	280	12	0.01	<2	5	20
MJD11-15		10	1	0.06	10	0.68	423	1	0.02	23	300	11	0.01	<2	5	22
MJD11-16		<10	1	0.05	10	0.55	372	1	0.02	18	170	9	0.01	<2	4	20
MJD11-17		<10	<1	0.07	10	0.69	513	1	0.02	27	360	19	0.02	3	6	36
MJD11-18		10	1	0.05	20	0.79	340	1	0.02	28	360	14	0.01	2	7	19
MJD11-19		<10	<1	0.06	20	0.70	487	1	0.01	18	650	12	0.01	<2	3	14
MJD11-20		<10	1	0.05	10	0.68	441	1	0.02	23	840	11	0.02	<2	3	45
MJD11-21		<10	1	0.07	20	0.38	234	3	0.01	17	150	13	0.01	<2	3	5
MJD11-22		<10	<1	0.04	10	1.38	431	2	0.01	41	300	11	0.01	3	4	6
MJD11-23		<10	<1	0.05	10	0.76	302	2	0.01	25	140	11	0.01	2	4	8
MJD11-24		<10	1	0.05	20	0.85	700	1	0.02	34	410	14	0.01	<2	5	18
MJD11-25		10	1	0.04	20	1.61	718	1	0.01	35	720	14	0.01	<2	12	15
MJD11-26		<10	<1	0.05	10	1.22	573	1	0.02	30	640	11	0.02	<2	8	24
MJD11-27		10	<1	0.06	10	1.10	481	1	0.02	29	500	10	0.02	<2	7	28
MJD11-28		10	<1	0.05	10	0.87	307	<1	0.02	22	350	10	0.01	2	5	18
MJD11-29		10	<1	0.05	10	1.04	376	<1	0.01	28	290	7	0.01	<2	7	16
MJD11-30		<10	1	0.05	10	0.74	328	1	0.02	26	500	9	0.01	<2	5	23
MJD11-31		<10	<1	0.03	10	0.50	256	<1	0.01	16	680	6	0.01	<2	3	15
MJD11-32		10	1	0.04	10	1.12	417	1	0.01	34	940	4	0.01	<2	6	17
SND11-01		10	<1	0.03	10	1.35	391	1	0.01	27	820	6	0.01	<2	6	17
SND11-02		10	<1	0.03	20	2.24	600	1	0.01	35	1280	7	0.01	<2	6	16
SND11-03		<10	1	0.03	10	0.90	234	1	0.02	19	490	6	0.01	<2	4	22



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KREFT, BERNIE
 #1 LOCUST PLACE
 WHITEHORSE YT Y1A 5C4

Page: 5 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 25-JUL-2011
 Account: KREBER

CERTIFICATE OF ANALYSIS VA11117769

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Th ppm 20	Ti % 0.01	Ti ppm 10	U ppm 10	V ppm 1	W ppm 10	Zn ppm 2
[REDACTED]		<20	0.05	<10	<10	36	<10	46
[REDACTED]		<20	0.03	<10	<10	25	<10	43
[REDACTED]		<20	0.02	<10	<10	12	<10	17
[REDACTED]		<20	0.03	<10	<10	21	<10	40
[REDACTED]		<20	0.01	<10	<10	9	<10	79
MJD11-01		<20	0.03	<10	<10	49	<10	69
MJD11-02		<20	0.03	<10	<10	67	<10	87
MJD11-03		<20	0.03	<10	<10	56	<10	62
MJD11-04		<20	0.02	<10	<10	47	<10	83
MJD11-05		<20	0.03	<10	<10	49	<10	73
MJD11-06		<20	0.03	<10	<10	52	<10	78
MJD11-07		<20	0.01	<10	<10	31	<10	81
MJD11-08		<20	0.03	<10	<10	34	<10	72
MJD11-09		<20	0.03	<10	<10	40	<10	69
MJD11-10								
MJD11-11		<20	0.02	<10	<10	33	<10	73
MJD11-12								
MJD11-13		<20	0.03	<10	<10	46	<10	64
MJD11-14		<20	0.03	<10	<10	48	<10	64
MJD11-15		<20	0.04	<10	<10	47	<10	59
MJD11-16		<20	0.04	<10	<10	51	<10	49
MJD11-17		<20	0.02	<10	<10	36	<10	78
MJD11-18		<20	0.05	<10	<10	53	<10	75
MJD11-19		<20	0.02	<10	<10	16	<10	67
MJD11-20		<20	0.01	<10	<10	15	<10	79
MJD11-21		<20	0.01	<10	<10	32	<10	67
MJD11-22		<20	0.01	<10	<10	37	<10	94
MJD11-23		<20	0.01	<10	<10	27	<10	78
MJD11-24		<20	0.03	<10	<10	44	<10	78
MJD11-25		<20	0.03	<10	<10	52	<10	82
MJD11-26		<20	0.02	<10	<10	46	<10	73
MJD11-27		<20	0.03	<10	<10	53	<10	72
MJD11-28		<20	0.03	<10	<10	52	<10	65
MJD11-29		<20	0.05	<10	<10	60	<10	71
MJD11-30		<20	0.06	<10	<10	52	<10	63
MJD11-31		<20	0.04	<10	<10	40	<10	40
MJD11-32		<20	0.04	<10	<10	51	<10	106
SND11-01		<20	0.04	<10	<10	54	<10	78
SND11-02		<20	0.02	<10	<10	55	<10	115
SND11-03		<20	0.05	<10	<10	50	<10	52




ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KREFT, BERNIE
 #1 LOCUST PLACE
 WHITEHORSE YT Y1A 5C4

Page: 6 - A
 Total # Pages: 7 (A - C)
 Finalized Date: 25-JUL-2011
 Account: KREBER

CERTIFICATE OF ANALYSIS VA11117769

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
SND11-04		0.26	0.010	<0.2	2.19	9	<10	390	<0.5	<2	0.37	<0.5	12	69	37	3.55
SND11-05		0.28	<0.005	<0.2	1.57	9	<10	270	<0.5	<2	0.30	<0.5	7	33	17	2.60
SND11-06		0.28	0.009	<0.2	2.08	10	<10	330	<0.5	<2	0.40	<0.5	14	56	39	3.71
SND11-07		0.36	0.006	<0.2	2.07	10	<10	410	0.5	<2	0.42	<0.5	12	49	36	3.40
SND11-08		0.32	0.011	<0.2	1.93	17	<10	500	0.5	<2	0.47	<0.5	11	36	33	3.12
SND11-09		0.30	0.009	<0.2	1.61	10	<10	470	<0.5	<2	0.34	<0.5	11	39	33	3.43
SND11-10		0.20	0.006	<0.2	2.00	9	<10	390	<0.5	<2	0.21	<0.5	25	56	49	3.59
SND11-11		0.32	<0.005	<0.2	2.04	4	<10	220	<0.5	<2	0.22	<0.5	14	46	39	3.39
SND11-12		0.26	<0.005	<0.2	2.79	6	<10	250	<0.5	<2	0.27	<0.5	11	51	29	3.91
SND11-13		0.24	0.005	0.2	2.10	11	<10	370	<0.5	<2	0.24	<0.5	11	39	33	3.23
SND11-14		0.24	0.013	0.4	2.22	253	<10	370	<0.5	<2	0.32	<0.5	20	33	59	4.38
SND11-15		0.28	<0.005	0.2	2.06	17	<10	210	<0.5	<2	0.24	<0.5	13	44	41	3.24
SND11-16		0.26	<0.005	<0.2	1.53	12	<10	90	<0.5	<2	0.32	<0.5	15	44	34	2.92
SND11-17		0.34	<0.005	<0.2	1.57	12	<10	190	<0.5	<2	0.25	<0.5	8	20	21	2.81
SND11-18		0.26	0.033	<0.2	1.56	9	<10	210	<0.5	<2	0.34	<0.5	11	20	30	2.97
SND11-19		0.22	0.010	0.3	1.82	9	<10	100	<0.5	<2	0.21	<0.5	15	22	38	3.20
SND11-20		0.22	0.027	0.3	1.57	24	<10	180	<0.5	<2	0.25	<0.5	11	19	30	2.90
SND11-21		0.28	<0.005	<0.2	1.77	8	<10	200	<0.5	<2	0.15	<0.5	9	22	21	3.01
SND11-22		0.28	<0.005	<0.2	2.18	10	<10	190	<0.5	2	0.43	<0.5	18	16	49	4.14
SND11-23		0.36	<0.005	0.2	1.66	29	<10	200	<0.5	<2	0.25	<0.5	11	18	36	3.13
SND11-24		0.28	<0.005	<0.2	2.52	6	<10	200	<0.5	<2	0.26	<0.5	20	11	54	4.78
SND11-25		0.32	0.020	<0.2	2.68	9	<10	180	<0.5	<2	0.12	<0.5	18	21	40	4.62
SND11-26		0.18	<0.005	<0.2	2.58	5	<10	240	<0.5	<2	0.24	<0.5	19	16	78	4.50
SND11-27		0.28	<0.005	0.3	2.26	7	<10	150	<0.5	<2	0.21	<0.5	15	21	79	3.65
SND11-28		0.28	<0.005	<0.2	2.68	12	<10	60	<0.5	<2	0.21	<0.5	21	12	81	4.91
SND11-29		0.22	<0.005	0.3	1.41	11	<10	100	<0.5	<2	0.18	<0.5	8	13	16	2.66
SND11-30		0.22	<0.005	0.2	2.57	2	<10	40	<0.5	<2	0.11	<0.5	16	10	56	4.33
SND11-31		0.28	<0.005	<0.2	2.53	7	<10	60	<0.5	<2	0.19	<0.5	17	17	46	3.89
SND11-32		0.20	<0.005	<0.2	2.15	7	<10	100	<0.5	<2	0.08	<0.5	13	42	27	3.18
SND11-33		0.24	<0.005	0.3	1.63	7	<10	220	<0.5	<2	0.11	<0.5	8	32	22	2.82
SND11-34		0.18	<0.005	0.2	2.33	9	<10	200	<0.5	<2	0.14	<0.5	12	48	33	3.85
SND11-35		0.22	0.009	0.3	1.94	10	<10	260	<0.5	<2	0.09	<0.5	7	32	21	3.05
SND11-36		0.24	0.005	<0.2	1.68	10	<10	220	<0.5	<2	0.18	<0.5	14	37	35	3.00
SND11-37		0.26	0.005	0.2	1.74	12	<10	190	<0.5	<2	0.11	<0.5	8	30	18	2.81
SND11-38		0.16	<0.005	<0.2	1.51	10	<10	250	<0.5	<2	0.14	<0.5	9	29	18	2.70
SND11-39		0.32	<0.005	<0.2	1.44	4	<10	160	<0.5	<2	0.15	<0.5	10	26	25	2.44
SND11-40		0.28	<0.005	<0.2	2.13	11	<10	270	<0.5	<2	0.25	<0.5	10	23	41	3.33
SND11-41		0.34	<0.005	<0.2	1.82	6	<10	90	<0.5	<2	0.16	<0.5	11	13	27	2.94
SND11-42		0.26	0.007	0.4	1.89	218	<10	320	<0.5	2	0.09	<0.5	13	29	51	4.16
SND11-43		0.36	<0.005	<0.2	2.39	24	<10	350	<0.5	<2	0.10	<0.5	10	43	39	3.95



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KREFT, BERNIE
 #1 LOCUST PLACE
 WHITEHORSE YT Y1A 5C4

Page: 6 - B
 Total # Pages: 7 (A - C)
 Finalized Date: 25-JUL-2011
 Account: KREBER

CERTIFICATE OF ANALYSIS VA11117769

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
SND11-04		10	<1	0.04	10	1.58	475	1	0.02	32	580	7	0.01	<2	9	22
SND11-05		<10	<1	0.04	10	0.80	237	1	0.02	18	370	8	0.01	<2	4	20
SND11-06		10	1	0.04	10	1.59	749	2	0.02	33	730	8	0.01	<2	8	21
SND11-07		10	1	0.04	10	1.33	475	1	0.02	28	460	8	0.01	<2	7	26
SND11-08		10	1	0.05	10	0.95	458	1	0.02	26	450	9	0.01	<2	6	30
SND11-09		<10	1	0.05	10	1.01	329	1	0.02	25	570	8	0.06	<2	6	42
SND11-10		10	<1	0.03	10	1.48	401	1	0.01	31	310	9	0.01	<2	8	17
SND11-11		10	<1	0.04	10	1.46	275	3	0.01	36	260	6	0.01	<2	5	19
SND11-12		10	<1	0.03	10	2.29	447	1	0.01	26	240	5	0.05	<2	4	25
SND11-13		10	<1	0.04	10	1.47	313	1	0.01	25	280	15	0.03	<2	5	15
SND11-14		10	<1	0.04	10	1.63	516	2	0.01	52	770	19	0.02	<2	8	17
SND11-15		<10	<1	0.02	10	1.81	316	<1	<0.01	28	350	5	0.02	<2	5	16
SND11-16		<10	<1	0.02	<10	1.31	445	<1	<0.01	26	620	<2	0.02	<2	5	12
SND11-17		<10	<1	0.10	10	0.88	222	<1	<0.01	13	410	4	0.02	<2	5	15
SND11-18		<10	<1	0.08	10	0.88	474	<1	0.01	16	640	4	0.02	<2	4	17
SND11-19		<10	<1	0.03	10	1.20	426	<1	<0.01	17	490	7	0.02	<2	3	12
SND11-20		<10	<1	0.05	20	0.80	672	<1	0.01	22	870	9	0.03	<2	3	13
SND11-21		<10	<1	0.03	10	0.73	306	<1	0.01	14	260	4	0.03	<2	4	13
SND11-22		<10	<1	0.03	10	1.48	735	<1	0.01	16	620	3	0.02	<2	7	22
SND11-23		<10	<1	0.03	20	0.94	529	<1	0.01	21	610	16	0.03	<2	4	14
SND11-24		10	<1	0.03	<10	1.66	913	<1	0.01	14	450	2	0.03	<2	4	14
SND11-25		10	<1	0.02	10	1.53	547	<1	0.01	16	220	3	0.02	<2	6	10
SND11-26		<10	<1	0.03	10	1.56	658	<1	0.01	19	330	2	0.02	<2	5	11
SND11-27		10	1	0.02	10	1.23	447	<1	0.01	18	180	4	0.02	<2	5	13
SND11-28		10	<1	0.02	10	2.04	757	<1	<0.01	16	440	2	0.02	<2	4	8
SND11-29		10	1	0.05	<10	0.64	528	<1	<0.01	10	390	5	0.02	<2	1	7
SND11-30		<10	<1	0.02	<10	1.79	533	<1	0.01	15	360	5	0.02	<2	5	5
SND11-31		<10	<1	0.02	<10	1.39	379	<1	<0.01	16	210	<2	0.03	<2	3	9
SND11-32		10	<1	0.03	10	1.60	443	<1	0.01	26	160	6	0.02	<2	6	5
SND11-33		<10	<1	0.05	10	0.80	208	1	0.01	17	200	6	0.02	<2	3	10
SND11-34		10	<1	0.09	30	2.18	623	<1	<0.01	23	420	7	0.02	<2	10	7
SND11-35		<10	<1	0.04	10	1.04	272	<1	<0.01	17	190	9	0.02	<2	5	9
SND11-36		<10	<1	0.02	10	1.24	439	<1	<0.01	24	420	5	0.02	<2	5	10
SND11-37		<10	<1	0.03	10	0.84	244	<1	<0.01	16	250	7	0.02	<2	3	10
SND11-38		<10	<1	0.03	10	0.74	307	<1	<0.01	17	290	7	0.02	<2	4	11
SND11-39		<10	<1	0.02	10	0.96	276	<1	<0.01	15	320	2	0.02	<2	3	9
SND11-40		10	<1	0.03	10	1.79	374	<1	<0.01	23	380	4	0.03	<2	5	21
SND11-41		<10	<1	0.02	<10	1.06	355	<1	<0.01	11	540	9	0.02	<2	3	9
SND11-42		<10	1	0.03	20	1.03	364	1	<0.01	36	290	11	0.02	<2	8	8
SND11-43		10	<1	0.03	10	1.33	355	1	<0.01	30	140	10	0.03	<2	10	10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KREFT, BERNIE
 #1 LOCUST PLACE
 WHITEHORSE YT Y1A 5C4

Page: 6 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 25-JUL-2011
 Account: KREBER

CERTIFICATE OF ANALYSIS VA11117769

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Tl	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
SND11-04		<20	0.05	<10	<10	72	<10	77
SND11-05		<20	0.05	<10	<10	49	<10	49
SND11-06		<20	0.04	<10	<10	60	<10	80
SND11-07		<20	0.05	<10	<10	63	<10	68
SND11-08		<20	0.05	<10	<10	56	<10	66
SND11-09		<20	0.10	<10	<10	52	<10	62
SND11-10		<20	0.06	<10	<10	60	<10	75
SND11-11		<20	0.12	<10	<10	47	<10	81
SND11-12		<20	0.10	<10	<10	66	<10	85
SND11-13		<20	0.04	<10	<10	53	<10	91
SND11-14		<20	0.01	<10	<10	43	<10	114
SND11-15		<20	0.07	<10	<10	49	<10	71
SND11-16		<20	0.04	<10	<10	47	<10	63
SND11-17		<20	0.06	<10	<10	38	<10	60
SND11-18		<20	0.05	<10	<10	44	<10	64
SND11-19		<20	0.05	<10	<10	51	<10	58
SND11-20		<20	0.03	<10	<10	35	<10	77
SND11-21		<20	0.05	<10	<10	58	<10	52
SND11-22		<20	0.04	<10	<10	71	<10	72
SND11-23		<20	0.04	<10	<10	37	<10	86
SND11-24		<20	0.05	<10	<10	66	<10	74
SND11-25		<20	0.08	<10	<10	83	<10	70
SND11-26		<20	0.06	<10	<10	59	<10	78
SND11-27		<20	0.04	<10	<10	64	<10	60
SND11-28		<20	0.03	<10	<10	80	<10	61
SND11-29		<20	0.02	<10	<10	33	<10	56
SND11-30		<20	0.02	<10	<10	64	<10	58
SND11-31		<20	0.09	<10	<10	66	<10	57
SND11-32		<20	0.13	<10	<10	57	<10	56
SND11-33		<20	0.11	<10	<10	63	<10	60
SND11-34		<20	0.08	<10	<10	71	<10	85
SND11-35		<20	0.06	<10	<10	52	<10	66
SND11-36		<20	0.05	<10	<10	46	<10	63
SND11-37		<20	0.05	<10	<10	51	<10	58
SND11-38		<20	0.05	<10	<10	45	<10	53
SND11-39		<20	0.06	<10	<10	32	<10	49
SND11-40		<20	0.08	<10	<10	41	<10	103
SND11-41		<20	0.02	<10	<10	38	<10	59
SND11-42		<20	0.02	<10	<10	41	<10	91
SND11-43		<20	0.11	<10	<10	75	<10	85



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KREFT, BERNIE
 #1 LOCUST PLACE
 WHITEHORSE YT Y1A 5C4

Page: 7 - A
 Total # Pages: 7 (A - C)
 Finalized Date: 25-JUL-2011
 Account: KREBER

CERTIFICATE OF ANALYSIS VA11117769

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
SND11-44		0.22	<0.005	<0.2	2.13	47	<10	190	<0.5	<2	0.31	<0.5	14	43	50	4.34
SND11-45		0.28	0.010	0.3	2.13	49	<10	310	<0.5	<2	0.11	<0.5	14	36	35	3.54
SND11-46		0.26	0.009	<0.2	1.49	39	<10	250	<0.5	<2	0.08	<0.5	8	18	25	2.84
SND11-47		0.26	0.008	0.3	1.33	11	<10	260	<0.5	<2	0.16	<0.5	8	26	20	2.41
SND11-48		0.30	0.006	<0.2	2.27	80	<10	260	<0.5	2	0.35	<0.5	18	49	48	4.25
SND11-49		0.40	0.047	0.3	1.80	9	<10	320	<0.5	<2	0.17	<0.5	7	28	17	2.76
SND11-50		0.32	<0.005	<0.2	1.88	12	<10	420	<0.5	2	0.30	<0.5	10	34	33	3.23
SND11-51		0.32	0.012	0.3	2.02	26	<10	340	<0.5	<2	0.18	<0.5	11	45	28	3.51
SND11-52		0.28	0.021	0.2	1.78	713	<10	300	<0.5	<2	0.23	<0.5	15	34	45	4.55
SND11-53		0.30	<0.005	0.2	1.81	59	<10	320	<0.5	<2	0.18	<0.5	9	32	24	3.20
SND11-54		0.26	0.015	0.2	1.35	26	<10	280	<0.5	<2	0.31	<0.5	10	20	24	2.76
SND11-55		0.32	0.010	0.3	1.78	28	<10	690	<0.5	<2	0.30	<0.5	8	27	22	2.82
SND11-56		0.24	0.013	<0.2	1.57	27	<10	400	<0.5	<2	0.41	<0.5	9	25	26	2.82
SND11-57		0.30	0.011	0.3	1.75	23	<10	440	<0.5	2	0.55	<0.5	9	28	30	2.91
MJS11-10		0.24	0.020	0.4	1.67	64	<10	400	<0.5	<2	0.52	<0.5	13	29	35	3.25
MJS11-12		0.22	0.020	0.4	1.96	66	<10	420	0.5	<2	0.57	<0.5	11	32	37	3.28



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KREFT, BERNIE
 #1 LOCUST PLACE
 WHITEHORSE YT Y1A 5C4

Page: 7 - B
 Total # Pages: 7 (A - C)
 Finalized Date: 25-JUL-2011
 Account: KREBER

CERTIFICATE OF ANALYSIS VA11117769

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
SND11-44		10	<1	0.03	20	1.77	623	1	<0.01	35	860	8	0.02	<2	11	16
SND11-45		10	<1	0.04	20	1.25	403	1	0.01	27	290	9	0.03	<2	6	11
SND11-46		<10	<1	0.03	20	1.00	300	<1	<0.01	16	190	9	0.02	<2	6	8
SND11-47		<10	<1	0.03	10	0.57	229	<1	0.01	18	230	7	0.02	<2	3	15
SND11-48		10	<1	0.02	10	1.68	905	<1	0.02	36	1020	14	<0.01	<2	8	18
SND11-49		<10	<1	0.02	10	0.93	263	<1	0.01	18	240	8	<0.01	<2	3	14
SND11-50		10	<1	0.02	10	1.25	443	<1	0.02	27	560	6	<0.01	<2	7	19
SND11-51		10	1	0.04	10	1.47	399	<1	0.02	24	420	6	<0.01	2	9	13
SND11-52		10	<1	0.04	20	1.17	565	1	0.01	34	660	13	<0.01	4	9	13
SND11-53		10	<1	0.04	10	0.80	287	<1	0.02	23	380	9	<0.01	2	6	13
SND11-54		<10	<1	0.03	10	0.69	447	1	0.02	17	520	9	<0.01	<2	5	16
SND11-55		<10	1	0.03	20	0.74	274	<1	0.02	19	400	11	0.01	<2	5	24
SND11-56		<10	<1	0.03	10	0.76	391	<1	0.02	21	560	10	0.01	2	4	24
SND11-57		<10	<1	0.04	10	0.67	375	<1	0.03	24	550	10	0.01	<2	5	34
MJS11-10		<10	<1	0.04	10	0.71	475	<1	0.02	28	570	12	0.01	<2	5	23
MJS11-12		10	<1	0.05	20	0.70	472	<1	0.02	29	360	13	0.01	<2	6	21




ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KREFT, BERNIE
 #1 LOCUST PLACE
 WHITEHORSE YT Y1A 5C4

Page: 7 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 25-JUL-2011
 Account: KREBER

CERTIFICATE OF ANALYSIS VA11117769

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
SND11-44		<20	0.05	<10	<10	75	<10	97
SND11-45		<20	0.04	<10	<10	61	<10	77
SND11-46		<20	0.01	<10	<10	31	<10	72
SND11-47		<20	0.05	<10	<10	42	<10	47
SND11-48		<20	0.02	<10	<10	71	<10	103
SND11-49		<20	0.04	<10	<10	46	<10	62
SND11-50		<20	0.04	<10	<10	59	<10	78
SND11-51		<20	0.05	<10	<10	69	<10	65
SND11-52		<20	0.02	<10	<10	57	<10	110
SND11-53		<20	0.04	<10	<10	56	<10	61
SND11-54		<20	0.03	<10	<10	34	<10	66
SND11-55		<20	0.04	<10	<10	50	<10	57
SND11-56		<20	0.05	<10	<10	45	<10	64
SND11-57		<20	0.06	<10	<10	49	<10	63
MJS11-10		<20	0.04	<10	<10	45	<10	73
MJS11-12		<20	0.04	<10	<10	48	<10	70



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KREFT, BERNIE
 #1 LOCUST PLACE
 WHITEHORSE YT Y1A 5C4

Page: 2 - A
 Total # Pages: 2 (A - C)
 Finalized Date: 30-JUL-2011
 Account: KREBER

CERTIFICATE OF ANALYSIS VA11117768

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
[REDACTED]		0.36	[REDACTED]	<0.2	0.40	13	160	70	<0.5	<2	0.40	<0.5	74	1350	3	4.28
[REDACTED]		0.58	[REDACTED]	<0.2	1.05	13	<10	440	<0.5	<2	0.51	<0.5	12	25	20	3.06
[REDACTED]		0.92	[REDACTED]	<0.2	1.05	13	<10	300	<0.5	3	0.59	<0.5	12	28	23	3.01
[REDACTED]		0.50	[REDACTED]	<0.2	0.92	6	<10	590	<0.5	<2	0.52	<0.5	7	22	14	1.83
[REDACTED]		0.62	[REDACTED]	<0.2	0.83	6	<10	530	<0.5	<2	0.45	<0.5	8	23	14	1.88
[REDACTED]		0.60	[REDACTED]	0.2	1.10	8	<10	620	<0.5	<2	0.68	0.5	9	31	19	2.39
[REDACTED]		0.60	[REDACTED]	<0.2	1.05	8	<10	480	<0.5	<2	0.56	<0.5	8	31	16	2.27
[REDACTED]		0.44	[REDACTED]	<0.2	0.85	7	<10	270	<0.5	<2	0.75	<0.5	8	25	14	2.12
[REDACTED]		0.78	[REDACTED]	0.2	1.49	9	<10	250	<0.5	<2	0.71	<0.5	12	19	17	3.46
[REDACTED]		0.32	[REDACTED]	<0.2	0.84	8	<10	290	<0.5	2	0.75	<0.5	8	26	15	2.18
[REDACTED]		0.82	[REDACTED]	<0.2	0.91	5	<10	190	<0.5	<2	0.44	<0.5	8	30	12	2.07
[REDACTED]		0.26	[REDACTED]	<0.2	0.82	8	<10	290	<0.5	<2	0.85	<0.5	8	22	16	2.10
[REDACTED]		0.46	[REDACTED]	0.2	0.56	9	<10	230	<0.5	<2	0.90	0.8	12	17	27	3.18
[REDACTED]		0.74	[REDACTED]	0.6	0.57	19	10	200	<0.5	<2	1.68	2.3	22	176	28	2.50
[REDACTED]		0.80	[REDACTED]	0.5	0.56	15	10	220	<0.5	<2	1.84	2.4	21	188	28	2.62
[REDACTED]		0.44	[REDACTED]	0.3	0.77	10	<10	410	<0.5	<2	0.44	<0.5	8	23	22	1.99
[REDACTED]		0.70	[REDACTED]	<0.2	0.83	13	<10	240	<0.5	<2	0.50	<0.5	9	27	16	2.13
[REDACTED]		0.60	[REDACTED]	0.2	0.76	36	<10	340	<0.5	3	0.42	<0.5	15	42	28	2.77
[REDACTED]		0.58	[REDACTED]	0.3	0.78	23	<10	240	<0.5	<2	0.74	0.8	13	50	28	2.65
[REDACTED]		0.32	[REDACTED]	0.4	0.71	23	<10	220	<0.5	<2	0.61	0.5	11	44	21	2.43
[REDACTED]		0.56	[REDACTED]	0.2	0.77	22	<10	260	<0.5	<2	0.63	0.6	12	46	26	2.54
[REDACTED]		0.62	[REDACTED]	0.2	0.74	23	<10	200	<0.5	<2	0.58	0.6	12	45	25	2.53
[REDACTED]		0.32	[REDACTED]	<0.2	0.72	21	<10	200	<0.5	2	0.56	0.5	11	43	22	2.41
SWS11-01		0.48	<0.005	<0.2	1.10	13	<10	290	<0.5	<2	0.50	<0.5	10	20	13	2.45
SWS11-02		0.60	<0.005	<0.2	0.90	19	<10	260	<0.5	<2	0.45	<0.5	11	39	20	3.48
[REDACTED]		0.52	[REDACTED]	0.2	0.78	10	<10	190	<0.5	<2	0.36	0.5	8	21	22	2.21
[REDACTED]		0.76	[REDACTED]	0.4	0.87	12	<10	200	<0.5	<2	0.40	0.7	11	26	29	2.75
[REDACTED]		0.62	[REDACTED]	0.3	0.86	12	<10	210	<0.5	<2	0.40	0.7	10	25	30	2.70
[REDACTED]		0.76	[REDACTED]	0.4	0.89	14	<10	270	<0.5	<2	0.56	0.9	11	23	34	2.83
[REDACTED]		0.86	[REDACTED]	0.3	0.93	11	<10	210	<0.5	<2	0.41	0.6	11	29	29	2.50
[REDACTED]		0.54	[REDACTED]	0.2	1.06	10	<10	240	<0.5	<2	0.42	<0.5	12	36	25	2.72
[REDACTED]		0.52	[REDACTED]	0.3	1.03	10	<10	330	<0.5	2	0.56	0.6	11	25	26	2.95
[REDACTED]		0.60	[REDACTED]	<0.2	1.10	6	<10	190	<0.5	<2	0.46	<0.5	8	38	12	2.36
[REDACTED]		0.62	[REDACTED]	0.3	1.22	17	<10	120	<0.5	2	0.36	0.5	14	30	33	4.17
[REDACTED]		0.52	[REDACTED]	0.2	0.76	27	<10	190	<0.5	2	0.61	0.7	15	54	29	2.93
[REDACTED]		0.78	[REDACTED]	0.2	0.76	23	<10	300	<0.5	<2	0.95	0.9	12	57	21	2.51
[REDACTED]		0.74	[REDACTED]	0.2	0.79	28	<10	170	<0.5	<2	0.46	0.6	14	47	29	2.97
[REDACTED]		0.66	[REDACTED]	0.6	0.75	10	<10	180	<0.5	<2	0.56	0.6	8	21	28	2.50
[REDACTED]		0.52	[REDACTED]	<0.2	0.84	28	<10	190	<0.5	<2	0.47	0.7	17	42	33	3.22



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KREFT, BERNIE
 #1 LOCUST PLACE
 WHITEHORSE YT Y1A 5C4

Page: 2 - B
 Total # Pages: 2 (A - C)
 Finalized Date: 30-JUL-2011
 Account: KREBER

CERTIFICATE OF ANALYSIS VA11117768

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
[REDACTED]		<10	<1	0.01	10	19.45	643	<1	0.01	1760	60	<2	0.04	<2	7	28
[REDACTED]		<10	<1	0.04	10	0.62	618	<1	0.02	29	850	7	0.04	<2	3	39
[REDACTED]		<10	<1	0.03	10	0.59	563	1	0.03	25	830	10	0.02	<2	3	41
[REDACTED]		<10	<1	0.02	10	0.40	290	<1	0.03	18	650	7	0.03	<2	3	40
[REDACTED]		<10	<1	0.02	10	0.41	381	1	0.02	17	660	7	0.03	<2	2	33
[REDACTED]		<10	<1	0.02	10	0.67	406	2	0.03	25	750	6	0.03	<2	3	43
[REDACTED]		<10	<1	0.02	10	0.63	342	2	0.02	22	730	6	0.02	<2	3	36
[REDACTED]		<10	<1	0.03	10	0.50	321	1	0.03	20	820	7	0.03	<2	3	41
[REDACTED]		<10	<1	0.04	10	0.55	438	1	0.02	17	1540	7	0.01	<2	3	47
[REDACTED]		<10	<1	0.03	10	0.52	322	1	0.02	22	830	6	0.02	<2	2	39
[REDACTED]		<10	<1	0.04	10	0.53	284	<1	0.02	19	780	6	0.02	<2	3	41
[REDACTED]		<10	<1	0.03	10	0.49	288	<1	0.03	22	750	7	0.05	<2	3	41
[REDACTED]		<10	<1	0.01	20	0.34	697	5	0.02	41	560	12	0.03	<2	2	62
[REDACTED]		<10	<1	0.01	10	2.76	505	3	0.02	277	1310	8	0.03	4	2	100
[REDACTED]		<10	<1	0.01	20	2.78	485	3	0.01	285	1340	8	0.02	5	2	111
[REDACTED]		<10	<1	0.02	10	0.36	894	<1	0.02	22	760	8	0.01	<2	2	33
[REDACTED]		<10	<1	0.02	10	0.48	472	<1	0.02	37	770	7	0.01	<2	2	34
[REDACTED]		<10	<1	0.01	10	0.73	1305	2	0.02	85	560	13	0.02	3	2	36
[REDACTED]		<10	<1	0.01	20	0.63	634	2	0.01	75	990	10	0.02	<2	3	50
[REDACTED]		<10	<1	0.01	20	0.54	495	1	0.02	60	960	9	0.02	<2	2	40
[REDACTED]		<10	<1	0.01	20	0.58	619	1	0.02	66	950	10	0.02	<2	3	43
[REDACTED]		<10	<1	0.01	20	0.55	565	1	0.02	62	930	10	0.01	<2	2	40
[REDACTED]		<10	1	0.01	20	0.54	476	1	0.02	60	920	9	0.01	2	2	37
SWS11-01		<10	<1	0.03	20	0.33	594	<1	0.02	11	630	9	0.02	<2	3	38
SWS11-02		<10	<1	0.02	10	0.50	784	<1	0.02	11	610	8	0.02	<2	3	36
[REDACTED]		<10	<1	0.03	20	0.37	323	4	0.02	26	720	11	0.02	<2	2	33
[REDACTED]		<10	<1	0.04	20	0.44	474	6	0.02	34	770	15	0.03	<2	2	37
[REDACTED]		<10	<1	0.04	20	0.44	469	6	0.02	32	800	16	0.03	<2	2	38
[REDACTED]		<10	<1	0.03	20	0.39	435	6	0.02	36	740	14	0.04	<2	3	44
[REDACTED]		<10	<1	0.03	10	0.56	479	7	0.01	32	800	13	0.05	2	2	39
[REDACTED]		<10	<1	0.03	20	0.64	561	4	0.02	30	770	11	0.02	<2	3	34
[REDACTED]		<10	<1	0.04	20	0.49	447	2	0.01	25	810	15	0.03	<2	3	46
[REDACTED]		<10	<1	0.03	10	0.62	411	<1	0.02	15	790	9	0.01	<2	3	35
[REDACTED]		<10	<1	0.01	10	0.67	296	15	0.01	51	990	11	0.02	<2	2	35
[REDACTED]		<10	<1	0.01	20	0.70	649	1	0.01	81	930	13	0.01	<2	3	42
[REDACTED]		<10	<1	0.01	10	0.64	662	3	0.02	80	1140	11	0.01	3	2	54
[REDACTED]		<10	<1	0.01	20	0.55	664	1	0.01	64	890	14	0.01	2	3	37
[REDACTED]		<10	1	0.02	10	0.28	328	4	0.01	24	910	11	0.02	<2	3	44
[REDACTED]		<10	1	0.03	20	0.49	789	<1	0.01	58	960	19	0.02	2	3	39



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KREFT, BERNIE
 #1 LOCUST PLACE
 WHITEHORSE YT Y1A 5C4

Page: 2 - C
 Total # Pages: 2 (A - C)
 Finalized Date: 30-JUL-2011
 Account: KREBER

CERTIFICATE OF ANALYSIS VA11117768

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Th ppm 20	Ti % 0.01	Ti ppm 10	U ppm 10	V ppm 1	W ppm 10	Zn ppm 2
[REDACTED]		<20	0.01	<10	<10	25	<10	13
[REDACTED]		<20	0.06	<10	<10	46	<10	72
[REDACTED]		<20	0.06	<10	<10	51	<10	69
[REDACTED]		<20	0.06	<10	<10	35	<10	52
[REDACTED]		<20	0.06	<10	<10	37	<10	48
[REDACTED]		<20	0.04	<10	<10	41	<10	78
[REDACTED]		<20	0.04	<10	<10	41	<10	72
[REDACTED]		<20	0.05	<10	<10	38	<10	66
[REDACTED]		<20	0.04	<10	<10	53	<10	79
[REDACTED]		<20	0.05	<10	<10	40	<10	66
[REDACTED]		<20	0.04	<10	<10	35	<10	60
[REDACTED]		<20	0.05	<10	<10	39	<10	67
[REDACTED]		<20	0.02	<10	<10	28	<10	97
[REDACTED]		<20	0.01	<10	<10	22	<10	154
[REDACTED]		<20	0.01	<10	<10	22	<10	153
[REDACTED]		<20	0.06	<10	<10	38	<10	62
[REDACTED]		<20	0.05	<10	<10	36	<10	70
[REDACTED]		<20	0.03	<10	<10	29	<10	96
[REDACTED]		<20	0.03	<10	<10	31	<10	95
[REDACTED]		<20	0.03	<10	<10	32	<10	80
[REDACTED]		<20	0.03	<10	<10	34	<10	88
[REDACTED]		<20	0.03	<10	<10	31	<10	89
[REDACTED]		<20	0.03	<10	<10	31	<10	81
SWS11-01		<20	0.04	<10	<10	39	<10	61
SWS11-02		<20	0.03	<10	<10	42	<10	48
[REDACTED]		<20	0.02	<10	<10	29	<10	100
[REDACTED]		<20	0.02	<10	<10	32	<10	125
[REDACTED]		<20	0.02	<10	<10	31	<10	129
[REDACTED]		<20	0.02	<10	<10	34	<10	126
[REDACTED]		<20	0.02	<10	<10	34	<10	123
[REDACTED]		<20	0.02	<10	<10	39	<10	106
[REDACTED]		<20	0.02	<10	<10	37	<10	110
[REDACTED]		<20	0.03	<10	<10	38	<10	65
[REDACTED]		<20	0.01	<10	<10	37	<10	156
[REDACTED]		<20	0.02	<10	<10	32	<10	104
[REDACTED]		<20	0.03	<10	<10	33	<10	95
[REDACTED]		<20	0.03	<10	<10	31	<10	102
[REDACTED]		<20	0.02	<10	<10	34	<10	84
[REDACTED]		<20	0.03	<10	<10	36	<10	108



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KREFT, BERNIE
 #1 LOCUST PLACE
 WHITEHORSE YT Y1A 5C4

Page: 3 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 8-NOV-2011
 Account: KREBER

CERTIFICATE OF ANALYSIS VA11199355

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
		0.22		<0.2	0.98	132	<10	410	<0.5	<2	1.35	<0.5	10	17	30	2.49
		0.28		<0.2	1.22	20	<10	150	<0.5	<2	0.21	<0.5	9	22	35	2.80
		0.22		<0.2	1.08	14	<10	160	<0.5	<2	0.24	<0.5	8	19	16	2.33
		0.30		<0.2	1.25	26	<10	150	<0.5	<2	0.17	<0.5	10	23	27	2.72
		0.24		<0.2	1.18	35	<10	130	<0.5	<2	0.15	<0.5	9	21	24	2.67
		0.28		<0.2	1.36	201	<10	50	<0.5	<2	1.72	<0.5	15	15	118	3.06
		0.30		<0.2	1.18	322	<10	150	<0.5	<2	0.32	<0.5	17	19	43	3.59
		0.22		<0.2	1.18	187	<10	190	<0.5	<2	0.23	<0.5	9	17	14	2.54
		0.18		<0.2	2.51	29	20	290	0.6	<2	0.14	<0.5	74	793	33	4.63
		0.16		<0.2	2.59	31	20	290	0.5	<2	0.12	<0.5	151	1115	28	4.80
		0.32		0.4	0.67	20	<10	200	0.5	<2	0.21	1.2	12	17	34	4.05
		0.26		0.7	0.40	38	<10	270	<0.5	<2	0.05	0.7	8	12	38	3.75
		0.30		0.2	0.52	30	<10	270	0.5	<2	0.12	0.7	12	17	51	5.34
		0.34		<0.2	1.45	27	<10	510	0.5	<2	0.36	<0.5	14	26	39	3.68
		0.38		0.2	1.32	13	<10	470	0.5	<2	0.39	<0.5	10	27	34	2.87
		0.38		<0.2	1.37	13	<10	380	0.5	<2	0.51	<0.5	11	27	31	2.82
		0.26		<0.2	1.13	8	<10	380	<0.5	<2	0.36	<0.5	9	44	32	2.52
		0.28		<0.2	1.44	13	<10	240	<0.5	<2	0.28	<0.5	15	133	26	2.75
		0.22		<0.2	1.22	11	<10	290	<0.5	<2	0.52	<0.5	9	28	25	2.30
		0.28		<0.2	1.23	9	<10	260	<0.5	<2	0.66	<0.5	10	25	24	2.29
		0.26		<0.2	1.32	13	<10	260	<0.5	<2	0.20	<0.5	9	31	37	2.99
		0.24		<0.2	1.50	99	20	280	0.7	2	0.16	1.0	106	1090	42	4.65
		0.26		<0.2	1.17	11	10	160	<0.5	<2	0.17	<0.5	31	273	14	2.64
		0.16		<0.2	0.62	11	<10	90	<0.5	<2	0.14	<0.5	15	91	8	1.32
		0.22		<0.2	0.90	41	20	290	<0.5	<2	0.15	<0.5	78	598	22	4.16
		0.28		<0.2	0.65	34	20	80	<0.5	2	1.17	<0.5	115	882	17	5.84
		0.34		0.2	0.40	27	10	60	<0.5	<2	0.97	<0.5	115	834	18	6.17
		0.26		0.2	1.66	21	10	530	<0.5	2	2.84	<0.5	46	334	138	4.23
BRI-01		0.44	0.031	0.4	1.84	146	<10	300	<0.5	<2	0.47	<0.5	13	34	53	3.65
BRI-02		0.32	0.021	<0.2	1.45	139	<10	220	<0.5	<2	0.30	<0.5	11	23	35	3.07
BRI-03		0.28	0.012	<0.2	1.62	72	<10	270	<0.5	<2	0.24	<0.5	9	26	33	2.92
BRI-04		0.30	0.014	0.7	1.52	215	<10	230	<0.5	<2	0.32	<0.5	17	27	50	3.74
BRI-05		0.30	0.033	0.7	1.51	257	<10	240	<0.5	<2	0.24	<0.5	13	26	50	3.56
BRI-06		0.32	0.013	0.5	2.04	129	<10	180	<0.5	<2	0.31	<0.5	24	39	60	4.40
BRI-07		0.28	<0.005	0.3	2.03	183	<10	90	<0.5	<2	0.27	<0.5	24	33	54	4.15
BRI-08		0.32	0.019	<0.2	2.29	139	<10	170	<0.5	<2	0.31	<0.5	15	33	54	3.85
BRI-09		0.32	0.011	<0.2	2.05	79	<10	170	<0.5	<2	0.19	<0.5	13	39	49	3.66
BRI-10		0.28	0.117	0.6	1.92	119	<10	110	<0.5	<2	0.18	<0.5	12	32	54	3.63
BRI-11		0.28	0.009	0.7	1.84	107	<10	140	<0.5	<2	0.33	<0.5	19	36	59	4.48
BRI-12		0.28	0.011	0.6	0.89	189	<10	150	<0.5	<2	0.28	<0.5	16	21	40	3.50



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KREFT, BERNIE
 #1 LOCUST PLACE
 WHITEHORSE YT Y1A 5C4

Page: 3 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 8-NOV-2011
 Account: KREBER

CERTIFICATE OF ANALYSIS VA11199355

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
[REDACTED]		<10	<1	0.14	20	0.47	362	1	0.02	26	670	13	0.03	25	2	57
		<10	<1	0.10	20	0.47	338	<1	0.02	29	490	9	0.01	2	3	16
		<10	<1	0.07	20	0.37	276	<1	0.02	19	440	8	0.01	<2	2	17
		<10	<1	0.10	20	0.45	321	1	0.02	26	350	11	0.01	5	3	14
		<10	<1	0.10	20	0.43	281	1	0.02	24	290	11	0.01	9	3	14
[REDACTED]		<10	1	0.12	60	0.94	571	1	0.02	38	600	12	0.01	56	2	42
		<10	<1	0.13	20	0.48	639	1	0.04	39	520	19	0.19	176	3	24
		<10	<1	0.08	20	0.33	423	1	0.02	21	260	10	0.01	48	2	18
		10	<1	0.05	10	5.87	633	<1	0.03	1030	130	8	0.01	5	14	17
		10	<1	0.06	20	8.17	1095	1	0.03	1740	220	10	0.01	7	14	17
[REDACTED]		<10	<1	0.03	20	0.14	427	4	0.02	42	690	18	0.01	4	4	29
		<10	<1	0.03	20	0.04	296	15	0.02	36	660	32	0.01	8	5	72
		<10	<1	0.03	30	0.08	260	5	0.02	48	750	27	0.01	6	6	39
		10	<1	0.04	20	0.29	469	2	0.02	31	760	18	<0.01	2	4	31
		<10	<1	0.05	20	0.35	331	1	0.03	27	640	12	0.01	<2	4	28
[REDACTED]		<10	<1	0.06	20	0.38	449	1	0.03	26	660	14	0.01	<2	4	31
		<10	<1	0.03	10	0.39	358	1	0.03	53	640	15	0.02	<2	4	25
		<10	<1	0.04	10	0.72	288	1	0.03	156	460	14	0.01	<2	5	20
		<10	<1	0.04	10	0.39	446	1	0.04	25	630	12	0.01	<2	4	31
		<10	<1	0.05	10	0.45	431	1	0.04	24	700	10	0.01	<2	4	33
[REDACTED]		<10	<1	0.03	20	0.44	243	3	0.03	33	410	19	0.01	3	4	17
		<10	<1	0.05	10	13.00	4230	1	0.03	1265	620	20	0.04	<2	6	17
		<10	<1	0.04	10	4.13	1070	<1	0.04	424	260	10	0.03	<2	7	16
		<10	<1	0.03	<10	1.48	614	<1	0.04	157	440	6	0.03	3	1	12
		<10	<1	0.03	10	7.40	1010	<1	0.04	1200	280	13	0.03	34	9	13
BRI-01		<10	<1	0.02	<10	12.45	803	<1	0.03	2190	150	15	0.03	22	9	48
		<10	<1	0.02	<10	13.45	936	<1	0.03	2240	80	16	0.02	9	8	38
BRI-02		10	<1	0.10	10	2.73	1365	<1	0.04	403	700	199	0.06	6	9	85
		10	<1	0.07	20	0.95	682	2	0.03	49	870	23	0.01	2	5	24
		10	<1	0.04	10	0.78	446	1	0.03	31	690	19	0.01	4	4	16
BRI-03		10	<1	0.04	10	0.76	329	1	0.03	30	390	13	0.01	2	4	16
BRI-04		<10	<1	0.05	10	0.93	657	2	0.03	42	880	15	0.01	6	5	13
BRI-05		10	<1	0.04	10	0.81	586	2	0.02	39	610	23	0.01	3	5	10
BRI-06		10	<1	0.05	20	1.26	737	1	0.02	41	640	14	0.02	3	12	12
BRI-07		10	<1	0.02	20	1.75	857	1	0.02	50	970	17	0.01	<2	4	10
BRI-08		10	<1	0.03	20	1.78	511	1	0.03	42	890	14	0.01	<2	4	11
BRI-09		10	<1	0.02	10	1.48	458	1	0.03	37	370	20	0.01	3	10	7
BRI-10		10	<1	0.02	20	1.56	640	1	0.03	37	400	21	0.01	2	7	7
BRI-11		10	<1	0.03	20	1.47	945	1	0.03	46	1000	24	0.01	4	10	11
BRI-12		<10	<1	0.03	10	0.54	534	1	0.03	39	690	19	0.01	3	8	13




ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KREFT, BERNIE
 #1 LOCUST PLACE
 WHITEHORSE YT Y1A 5C4

Page: 3 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 8-NOV-2011
 Account: KREBER

CERTIFICATE OF ANALYSIS VA11199355

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm
		20	0.01	10	10	1	10
		<20	0.03	<10	<10	22	<10
		<20	0.02	<10	<10	22	<10
		<20	0.01	<10	<10	19	<10
		<20	0.02	<10	<10	23	<10
		<20	0.02	<10	<10	23	<10
		30	0.02	<10	<10	8	<10
		<20	0.01	<10	<10	22	<10
		<20	0.01	<10	<10	21	<10
		<20	0.06	<10	<10	64	<10
		<20	0.06	<10	<10	73	<10
		<20	0.02	<10	<10	28	<10
		<20	0.01	<10	<10	20	<10
		<20	0.01	<10	<10	29	<10
		<20	0.06	<10	<10	49	<10
		<20	0.05	<10	<10	45	<10
		<20	0.06	<10	<10	45	<10
		<20	0.04	<10	<10	41	<10
		<20	0.06	<10	<10	47	<10
		<20	0.07	<10	<10	51	<10
		<20	0.08	<10	<10	54	<10
		<20	0.04	<10	<10	40	<10
		<20	0.02	<10	<10	46	<10
		<20	0.05	<10	<10	42	<10
		<20	0.03	<10	<10	21	<10
		<20	0.02	<10	<10	34	<10
		<20	0.01	<10	<10	29	<10
		<20	0.01	<10	<10	22	<10
		<20	0.03	<10	<10	83	<10
BRI-01		<20	0.02	<10	<10	44	<10
BRI-02		<20	0.02	<10	<10	36	<10
BRI-03		<20	0.02	<10	<10	41	<10
BRI-04		<20	0.01	<10	<10	35	<10
BRI-05		<20	0.01	<10	<10	38	<10
BRI-06		<20	0.01	<10	<10	63	<10
BRI-07		<20	0.01	<10	<10	49	<10
BRI-08		<20	0.01	<10	<10	50	<10
BRI-09		<20	0.01	<10	<10	65	<10
BRI-10		<20	0.01	<10	<10	50	<10
BRI-11		<20	<0.01	<10	<10	61	<10
BRI-12		<20	0.01	<10	<10	39	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KREFT, BERNIE
 #1 LOCUST PLACE
 WHITEHORSE YT Y1A 5C4

Page: 4 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 8-NOV-2011
 Account: KREBER

CERTIFICATE OF ANALYSIS VA11199355

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
BRI-13		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
BRI-13		0.42	0.033	<0.2	1.64	176	<10	100	<0.5	<2	0.84	<0.5	14	30	40	3.22
BRI-14		0.30	0.047	<0.2	1.69	140	<10	220	<0.5	<2	0.37	<0.5	20	34	57	4.31
BRI-15		0.24	0.041	0.6	1.40	184	<10	140	<0.5	<2	0.36	<0.5	16	28	45	3.88
BRI-16		0.34	0.018	0.2	1.57	122	<10	250	<0.5	<2	0.29	<0.5	19	29	52	3.64
BRI-17		0.30	<0.005	0.2	1.47	24	<10	210	<0.5	<2	0.21	<0.5	14	26	27	2.76
BRI-18		0.20	0.006	0.2	1.35	20	<10	340	<0.5	<2	0.36	<0.5	12	27	37	2.67
BRI-19		0.38	0.011	1.1	1.68	61	<10	260	<0.5	<2	0.49	<0.5	13	43	37	3.38
BRI-20		0.26	0.016	0.6	1.81	49	<10	290	<0.5	<2	0.43	<0.5	18	36	48	4.16
BRI-21		0.24	0.014	0.7	1.95	20	<10	310	<0.5	<2	0.43	<0.5	18	37	39	3.58
BRI-22		0.26	0.042	0.5	1.99	41	<10	400	<0.5	<2	0.42	<0.5	19	35	39	3.63
BRI-23		0.24	0.017	0.3	1.82	24	<10	300	<0.5	<2	0.41	<0.5	16	32	37	3.46
BRI-24		0.28	0.022	<0.2	1.70	23	<10	370	<0.5	<2	0.46	<0.5	11	31	35	2.89
BRI-25		0.24	0.037	0.5	1.69	40	<10	300	<0.5	<2	0.47	<0.5	13	33	46	3.94
BRI-26		0.22	0.026	0.4	1.93	21	<10	280	<0.5	<2	0.48	<0.5	14	36	42	4.36
BRI-27		0.16	0.018	0.3	1.90	25	<10	360	<0.5	<2	0.46	<0.5	12	34	36	3.44
BRI-28		0.32	0.025	0.8	1.78	68	<10	250	<0.5	<2	0.37	<0.5	21	31	44	4.26
BRI-29		0.28	0.024	0.2	2.18	19	<10	280	<0.5	<2	0.37	<0.5	12	44	43	3.83
BRI-30		0.36	0.030	<0.2	2.21	19	<10	310	<0.5	<2	0.37	<0.5	12	42	38	3.62
BRI-31		0.22	0.043	0.3	2.19	64	<10	320	<0.5	<2	0.43	<0.5	10	37	44	3.78
BRI-32		0.34	0.020	<0.2	1.96	17	<10	250	<0.5	<2	0.42	<0.5	10	35	38	3.31
BRI-33		0.24	0.025	<0.2	2.19	32	<10	260	<0.5	<2	0.40	<0.5	13	40	45	3.76




ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KREFT, BERNIE
 #1 LOCUST PLACE
 WHITEHORSE YT Y1A 5C4

Page: 4 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 8-NOV-2011
 Account: KREBER

CERTIFICATE OF ANALYSIS VA11199355

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
BRI-13		10	<1	0.05	20	1.17	493	1	0.03	34	910	19	0.01	<2	9	28
BRI-14		10	<1	0.03	10	0.99	634	1	0.03	45	820	19	0.01	5	13	13
BRI-15		10	<1	0.04	20	0.84	638	1	0.03	39	860	26	0.01	8	10	14
BRI-16		10	<1	0.04	10	0.90	539	1	0.03	43	650	26	0.01	7	9	18
BRI-17		10	<1	0.05	10	0.73	369	1	0.02	27	460	12	0.01	<2	4	12
BRI-18		10	<1	0.05	10	0.60	411	1	0.03	30	670	16	0.02	<2	4	24
BRI-19		10	<1	0.05	20	1.33	1050	1	0.03	31	1400	28	0.01	2	4	14
BRI-20		10	<1	0.05	10	1.15	932	1	0.03	33	1050	20	0.01	2	7	12
BRI-21		10	<1	0.06	10	1.30	874	<1	0.03	30	750	22	0.01	2	6	16
BRI-22		10	<1	0.05	10	1.12	1000	1	0.03	29	640	24	0.01	<2	6	22
BRI-23		10	<1	0.05	10	1.03	642	1	0.03	29	590	22	0.01	<2	6	20
BRI-24		10	<1	0.04	10	0.87	475	<1	0.03	25	550	16	0.01	<2	5	27
BRI-25		<10	1	0.06	10	0.97	682	1	0.02	35	630	11	0.02	2	9	23
BRI-26		10	<1	0.04	10	1.25	951	1	0.01	31	720	10	0.02	<2	9	19
BRI-27		10	<1	0.05	10	0.92	509	1	0.01	26	360	9	0.02	<2	7	21
BRI-28		<10	<1	0.05	10	1.11	993	1	0.01	30	820	12	0.01	<2	9	15
BRI-29		10	<1	0.04	10	1.42	733	<1	0.01	31	670	9	0.01	<2	9	16
BRI-30		10	<1	0.04	10	1.59	705	<1	0.01	28	600	9	0.01	<2	9	15
BRI-31		10	<1	0.05	10	1.22	535	<1	0.01	28	680	10	0.02	<2	9	17
BRI-32		10	<1	0.04	10	1.24	501	<1	0.01	28	650	8	0.01	<2	7	16
BRI-33		10	<1	0.04	10	1.39	575	<1	0.01	31	620	8	0.01	2	9	16



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KREFT, BERNIE
 #1 LOCUST PLACE
 WHITEHORSE YT Y1A 5C4

Page: 4 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 8-NOV-2011
 Account: KREBER

CERTIFICATE OF ANALYSIS VA11199355

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th ppm 20	Ti % 0.01	Ti ppm 10	U ppm 10	V ppm 1	W ppm 10	Zn ppm 2
BRI-13		<20	0.02	<10	<10	68	<10	88
BRI-14		<20	0.01	<10	<10	77	<10	113
BRI-15		<20	0.01	<10	<10	62	<10	113
BRI-16		<20	0.02	<10	<10	63	<10	93
BRI-17		<20	0.04	<10	<10	48	<10	64
BRI-18		<20	0.05	<10	<10	44	<10	78
BRI-19		<20	0.01	<10	<10	21	<10	110
BRI-20		<20	0.01	<10	<10	35	<10	112
BRI-21		<20	0.02	<10	<10	44	<10	99
BRI-22		<20	0.03	<10	<10	47	<10	98
BRI-23		<20	0.03	<10	<10	46	<10	93
BRI-24		<20	0.04	<10	<10	48	<10	66
BRI-25		<20	0.03	<10	<10	49	<10	101
BRI-26		<20	0.02	<10	<10	51	<10	108
BRI-27		<20	0.03	<10	<10	53	<10	75
BRI-28		<20	0.01	<10	<10	38	<10	99
BRI-29		<20	0.03	<10	<10	67	<10	87
BRI-30		<20	0.02	<10	<10	68	<10	86
BRI-31		<20	0.03	<10	<10	67	<10	86
BRI-32		<20	0.04	<10	<10	61	<10	80
BRI-33		<20	0.04	<10	<10	69	<10	86